

Com-Port	3 Port 3, 9600 baud, Open															
Open Connection	Close Connection			Clear Values			Dip-Switch 6-8 auf 0									
Adr. Übernehmen											Set	Umax	30000 V			
OekoTube Adresse:	31 ON OFF Auto															
	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 09:43:02	1	1	1	1	18.75	35.75	0	26492.891	206.4516129	5469.518658	30000	0	0	30000	15.75	2004
08.01.2020 09:43:03	1	0	1	1	18.75	35.75	0	27109.005	230.1075269	6306.906205	30000	0	0	30000	15.75	2004
08.01.2020 09:43:04	1	0	1	1	18.75	35.75	0	27962.085	255.9139785	7228.277118	30000	0	0	30000	15.8125	2004
08.01.2020 09:43:05	1	0	1	1	18.75	35.75	0	28815.166	305.3763441	8737.531596	30000	0	0	30000	15.75	2004
08.01.2020 09:43:06	1	0	1	1	18.75	35.75	0	29526.066	344.0860215	10222.3249	30000	0	0	30000	15.875	2004
08.01.2020 09:43:07	1	0	1	1	18.75	35.75	0	30000	391.3978495	11676.94942	30000	0	0	30000	16.25	2004
08.01.2020 09:43:08	1	0	1	1	18.75	36.25	0	30000	404.3010753	12064.25135	30000	0	0	30000	15.875	2004
08.01.2020 09:43:09	1	0	1	1	18.75	35.75	0	30000	384.9462366	11548.12057	30000	0	0	30000	15.625	2004
08.01.2020 09:43:10	1	0	1	1	18.5	35.5	0	29905.213	380.6451613	11548.12057	30000	0	0	30000	15.8125	2004
08.01.2020 09:43:11	1	0	1	1	18.5	35.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	15.6875	2004
08.01.2020 09:43:12	1	0	1	1	18.5	35.5	0	30000	397.8494624	11935.4225	30000	0	0	30000	15.75	2004
08.01.2020 09:43:13	1	0	1	1	18.5	35.75	0	30000	400	12128.66578	30000	0	0	30000	15.6875	2004
08.01.2020 09:43:14	1	0	1	1	18.5	35.5	0	30000	412.9032258	12451.55328	30000	0	0	30000	15.875	2004
08.01.2020 09:43:15	1	0	1	1	18.5	35.75	0	30000	412.9032258	12193.08021	30000	0	0	30000	15.6875	2004
08.01.2020 09:43:16	1	0	1	1	18.5	35.5	0	29905.213	395.6989247	12064.25135	30000	0	0	30000	15.875	2004
08.01.2020 09:43:17	1	0	1	1	18.5	35.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	15.6875	2004
08.01.2020 09:43:18	1	0	1	1	18.5	35.5	0	30000	415.0537634	12580.38214	30000	0	0	30000	15.625	2004
08.01.2020 09:43:19	1	0	1	1	18.5	35.5	0	30000	412.9032258	12451.55328	30000	0	0	30000	16.6875	2004
08.01.2020 09:43:20	1	0	1	1	18.25	36.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	16.4375	2004
08.01.2020 09:43:21	1	0	1	1	18.25	36.25	0	30047.393	427.9569892	12838.03984	30000	0	0	30000	15.6875	2004
08.01.2020 09:43:22	1	0	1	1	18.25	35.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	16.3125	2004
08.01.2020 09:43:23	1	0	1	1	18.25	36.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	15.9375	2004
08.01.2020 09:43:24	1	0	1	1	18.25	35.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	18.625	2004
08.01.2020 09:43:25	1	0	1	1	18.25	38.5	0	30000	406.4516129	12193.08021	30000	0	0	30000	16.5	2004
08.01.2020 09:43:26	1	0	1	1	18.25	36.5	0	30047.393	412.9032258	12387.13886	30000	0	0	30000	15.875	2004
08.01.2020 09:43:27	1	0	1	1	18.25	36.5	0	30000	400	11935.4225	30000	0	0	30000	15.875	2004
08.01.2020 09:43:28	1	0	1	1	18.25	35.75	0	30000	423.655914	12580.38214	30000	0	0	30000	15.8125	2004
08.01.2020 09:43:29	1	0	1	1	18.5	35.75	0	29905.213	412.9032258	12348.00098	30000	0	0	30000	15.875	2004
08.01.2020 09:43:30	1	0	1	1	18.5	35.75	0	30047.393	404.3010753	12064.25135	30000	0	0	30000	15.9375	2004
08.01.2020 09:43:31	1	0	1	1	18.5	35.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	15.875	2004
08.01.2020 09:43:32	1	0	1	1	18.5	35.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	16.0625	2004
08.01.2020 09:43:33	1	0	1	1	18.5	36	0	30000	384.9462366	11548.12057	30000	0	0	30000	16.125	2004
08.01.2020 09:43:34	1	0	1	1	18.5	36	0	29905.213	378.4946237	11319.0009	30000	0	0	30000	15.5625	2004
08.01.2020 09:43:35	1	0	1	1	18.5	35.5	0	30047.393	384.9462366	11548.12057	30000	0	0	30000	15.875	2004
08.01.2020 09:43:36	1	0	1	1	18.5	35.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	16.125	2004
08.01.2020 09:43:37	1	0	1	1	18.5	36	0	30047.393	402.1505376	11935.4225	30000	0	0	30000	15.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 09:43:38	1	0	1	1	18.5	35.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	16.1875	2004
08.01.2020 09:43:39	1	0	1	1	18.5	36	0	30000	387.0967742	11548.12057	30000	0	0	30000	15.875	2004
08.01.2020 09:43:41	1	0	1	1	18.5	35.75	0	0	0	0	30000	0	0	30000	15.875	2004
08.01.2020 09:43:42	1	0	1	1	18.5	35.75	0	0	0	0	30000	0	0	30000	15.875	2004
08.01.2020 09:43:43	1	0	1	1	18.5	35.75	0	0	0	0	30000	0	0	30000	15.75	2004
08.01.2020 09:43:44	1	0	1	1	18.5	35.75	0	0	0	0	30000	0	0	30000	15.75	2004
08.01.2020 09:43:45	1	0	1	1	18.5	35.75	0	0	0	0	30000	0	0	30000	15.875	2004
08.01.2020 09:43:46	1	0	1	1	18.5	35.75	0	0	0	0	30000	0	0	30000	15.8125	2004
08.01.2020 09:43:47	1	0	1	1	18.5	35.75	0	0	0	0	30000	0	0	30000	15.8125	2004
08.01.2020 09:43:48	1	0	1	1	18.5	35.75	0	0	0	0	30000	0	0	30000	15.75	2004
08.01.2020 09:43:49	1	0	1	1	18.5	35.75	0	0	0	0	30000	0	0	30000	15.875	2004
08.01.2020 09:43:50	1	0	1	1	19.25	35.75	0	0	0	0	30000	0	0	30000	16.125	2004
08.01.2020 09:43:51	1	0	1	1	19.25	36	0	0	0	0	30000	0	0	30000	16.125	2004
08.01.2020 09:43:52	1	0	1	1	19.25	36	0	0	0	0	30000	0	0	30000	15.875	2004
08.01.2020 09:43:58	1	0	1	1	19.25	35.75	0	0	0	0	30000	0	0	30000	16.0625	2004
08.01.2020 09:43:58	1	0	1	1	19.25	35.75	0	0	0	0	30000	0	0	30000	16.0625	2004
08.01.2020 09:43:58	1	0	1	1	19.25	35.75	0	0	0	0	30000	0	0	30000	16.0625	2004
08.01.2020 09:43:58	1	0	1	1	19.25	35.75	0	0	0	0	30000	0	0	30000	16.0625	2004
08.01.2020 09:43:58	1	0	1	1	19.25	36	0	0	0	0	30000	0	0	30000	15.9375	2004
08.01.2020 09:43:59	1	0	1	1	19.25	35.75	0	0	0	0	30000	0	0	30000	15.8125	2004
08.01.2020 09:44:00	1	0	1	1	19.25	35.75	0	0	0	0	30000	0	0	30000	15.8125	2004
08.01.2020 09:44:01	1	0	1	1	19.25	35.75	0	0	0	0	30000	0	0	30000	15.875	2004
08.01.2020 09:44:02	1	0	1	1	19.25	35.75	0	0	0	0	30000	0	0	30000	15.875	2004
08.01.2020 09:44:03	1	0	1	1	19.25	35.75	0	0	0	0	30000	0	0	30000	15.875	2004
08.01.2020 09:44:04	1	0	1	1	19.25	35.75	0	0	0	0	30000	0	0	30000	15.9375	2004
08.01.2020 09:44:05	1	0	1	1	19.25	35.75	0	0	0	0	30000	0	0	30000	15.875	2004
08.01.2020 09:44:06	1	0	1	1	19.25	35.75	0	0	0	0	30000	0	0	30000	15.875	2004
08.01.2020 09:44:07	1	0	1	1	19.25	35.75	0	0	0	0	30000	0	0	30000	15.875	2004
08.01.2020 09:44:08	1	0	1	1	19.25	35.75	0	0	0	0	30000	0	0	30000	15.8125	2004
08.01.2020 09:44:09	1	0	1	1	19.25	35.75	0	0	0	0	30000	0	0	30000	15.875	2004
08.01.2020 09:44:10	1	0	1	1	19.25	35.75	0	0	0	0	30000	0	0	30000	15.75	2004
08.01.2020 09:44:11	1	0	1	1	19.25	35.75	0	0	0	0	30000	0	0	30000	15.875	2004
08.01.2020 09:44:12	1	0	1	1	19.25	35.75	0	0	0	0	30000	0	0	30000	15.9375	2004
08.01.2020 09:44:13	1	0	1	1	19.25	35.75	0	0	0	0	30000	0	0	30000	16	2004
08.01.2020 09:44:14	1	0	1	1	19.25	36	0	0	0	0	30000	0	0	30000	15.875	2004
08.01.2020 09:44:15	1	0	1	1	19.25	35.75	0	0	0	0	30000	0	0	30000	16	2004
08.01.2020 09:44:16	1	0	1	1	19.25	36	0	0	0	0	30000	0	0	30000	15.875	2004
08.01.2020 09:44:17	1	0	1	1	19.25	35.75	0	0	0	0	30000	0	0	30000	16	2004
08.01.2020 09:44:19	1	0	1	1	19.25	36	0	0	0	0	30000	0	0	30000	15.875	2004
08.01.2020 09:44:20	1	0	1	1	19.25	35.75	0	0	0	0	30000	0	0	30000	16.125	2004
08.01.2020 09:44:21	1	0	1	1	19.25	36	0	0	0	0	30000	0	0	30000	16.0625	2004
08.01.2020 09:44:22	1	0	1	1	19.25	36	0	0	0	0	30000	0	0	30000	16.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 09:44:23	1	0	1	1	19.25	36	0	0	0	0	30000	0	0	30000	16.1875	2004
08.01.2020 09:44:24	1	0	1	1	19.25	36	0	0	0	0	30000	0	0	30000	16.1875	2004
08.01.2020 09:44:25	1	0	1	1	19.25	36	0	0	0	0	30000	0	0	30000	16	2004
08.01.2020 09:44:26	1	0	1	1	19.25	36	0	0	0	0	30000	0	0	30000	16	2004
08.01.2020 09:44:27	1	0	1	1	19.25	36	0	0	0	0	30000	0	0	30000	16.3125	2004
08.01.2020 09:44:28	1	0	1	1	19.25	36.25	0	0	0	0	30000	0	0	30000	16.125	2004
08.01.2020 09:44:29	1	0	1	1	19.25	36	0	0	0	0	30000	0	0	30000	16.0625	2004
08.01.2020 09:44:30	1	0	1	1	19.5	36	0	0	0	0	30000	0	0	30000	16.0625	2004
08.01.2020 09:44:31	1	0	1	1	19.5	36	0	0	0	0	30000	0	0	30000	16.125	2004
08.01.2020 09:44:32	1	0	1	1	19.5	36	0	0	0	0	30000	0	0	30000	16.0625	2004
08.01.2020 09:44:33	1	0	1	1	19.5	36	0	0	0	0	30000	0	0	30000	16	2004
08.01.2020 09:44:34	1	0	1	1	19.5	36	0	0	0	0	30000	0	0	30000	15.9375	2004
08.01.2020 09:44:35	1	0	1	1	19.5	35.75	0	0	0	0	30000	0	0	30000	16.1875	2004
08.01.2020 09:44:36	1	0	1	1	19.5	36	0	0	0	0	30000	0	0	30000	16.25	2004
08.01.2020 09:44:37	1	0	1	1	19.5	36.25	0	0	0	0	30000	0	0	30000	16.125	2004
08.01.2020 09:44:38	1	0	1	1	19.5	36	0	0	0	0	30000	0	0	30000	16.125	2004
08.01.2020 09:44:39	1	0	1	1	19.5	36	0	0	0	0	30000	0	0	30000	15.9375	2004
08.01.2020 09:44:40	1	0	1	1	19.25	35.75	0	0	0	0	30000	0	0	30000	16.125	2004
08.01.2020 09:44:41	1	0	1	1	19.25	36	0	0	0	0	30000	0	0	30000	16.0625	2004
08.01.2020 09:44:42	1	0	1	1	19.25	36	0	0	0	0	30000	0	0	30000	16.125	2004
08.01.2020 09:44:43	1	0	1	1	19.25	36	0	0	0	0	30000	0	0	30000	16	2004
08.01.2020 09:44:44	1	0	1	1	19.25	36	0	0	0	0	30000	0	0	30000	15.9375	2004
08.01.2020 09:44:45	1	0	1	1	19.25	35.75	0	0	0	0	30000	0	0	30000	16.0625	2004
08.01.2020 09:44:46	1	0	1	1	19.25	36	0	0	0	0	30000	0	0	30000	16.3125	2004
08.01.2020 09:44:47	1	0	1	1	19.25	36.25	0	0	0	0	30000	0	0	30000	16	2004
08.01.2020 09:44:48	1	0	1	1	19.25	36	0	0	0	0	30000	0	0	30000	16.25	2004
08.01.2020 09:44:49	1	0	1	1	19.5	36.25	0	0	0	0	30000	0	0	30000	16.25	2004
08.01.2020 09:44:50	1	0	1	1	19.5	36.25	0	0	0	0	30000	0	0	30000	16	2004
08.01.2020 09:44:51	1	0	1	1	19.5	36	0	0	0	0	30000	0	0	30000	16.0625	2004
08.01.2020 09:44:52	1	0	1	1	19.5	36	0	0	0	0	30000	0	0	30000	16.375	2004
08.01.2020 09:44:53	1	0	1	1	19.5	36.25	0	0	0	0	30000	0	0	30000	16	2004
08.01.2020 09:44:59	1	0	1	1	19.5	36	0	0	0	0	30000	0	0	30000	16.125	2004
08.01.2020 09:44:59	1	0	1	1	19.5	36	0	0	0	0	30000	0	0	30000	16.125	2004
08.01.2020 09:44:59	1	0	1	1	19.5	36	0	0	0	0	30000	0	0	30000	16.125	2004
08.01.2020 09:44:59	1	0	1	1	19.5	36	0	0	0	0	30000	0	0	30000	16.125	2004
08.01.2020 09:44:59	1	0	1	1	19.5	36	0	0	0	0	30000	0	0	30000	16.125	2004
08.01.2020 09:45:00	1	0	1	1	19.5	36	0	0	0	0	30000	0	0	30000	16.625	2004
08.01.2020 09:45:01	1	0	1	1	19.5	36.5	0	0	0	0	30000	0	0	30000	16.1875	2004
08.01.2020 09:45:02	1	0	1	1	19.5	36	0	0	0	0	30000	0	0	30000	16.0625	2004
08.01.2020 09:45:03	1	0	1	1	19.5	36	0	0	0	0	30000	0	0	30000	16.1875	2004
08.01.2020 09:45:04	1	0	1	1	19.5	36	0	0	0	0	30000	0	0	30000	16.1875	2004
08.01.2020 09:45:05	1	0	1	1	19.5	36	0	0	0	0	30000	0	0	30000	16.25	2004
08.01.2020 09:45:06	1	0	1	1	19.5	36.25	0	0	0	0	30000	0	0	30000	16.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers	
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]		
08.01.2020 09:45:07	1	0	1	1	19.5	36.25	0	0	0	0	0	30000	0	0	30000	16.6875	2004
08.01.2020 09:45:08	1	0	1	1	19.5	36.5	0	0	0	0	0	30000	0	0	30000	16.125	2004
08.01.2020 09:45:09	1	0	1	1	19.5	36	0	0	0	0	0	30000	0	0	30000	16.4375	2004
08.01.2020 09:45:10	1	0	1	1	19.5	36.25	0	0	0	0	0	30000	0	0	30000	16.0625	2004
08.01.2020 09:45:11	1	0	1	1	19.5	36	0	0	0	0	0	30000	0	0	30000	16.25	2004
08.01.2020 09:45:12	1	0	1	1	19.5	36.25	0	0	0	0	0	30000	0	0	30000	16.125	2004
08.01.2020 09:45:13	1	0	1	1	19.5	36	0	0	0	0	0	30000	0	0	30000	16.625	2004
08.01.2020 09:45:14	1	0	1	1	19.5	36.5	0	0	0	0	0	30000	0	0	30000	16.1875	2004
08.01.2020 09:45:15	1	0	1	1	19.5	36	0	0	0	0	0	30000	0	0	30000	16.125	2004
08.01.2020 09:45:16	1	0	1	1	19.5	36	0	0	0	0	0	30000	0	0	30000	16.25	2004
08.01.2020 09:45:17	1	0	1	1	19.5	36.25	0	0	0	0	0	30000	0	0	30000	16.3125	2004
08.01.2020 09:45:18	1	0	1	1	19.5	36.25	0	0	0	0	0	30000	0	0	30000	16.3125	2004
08.01.2020 09:45:19	1	0	1	1	19.5	36.25	0	0	0	0	0	30000	0	0	30000	16.625	2004
08.01.2020 09:45:20	1	0	1	1	19.5	36.5	0	0	0	0	0	30000	0	0	30000	16.25	2004
08.01.2020 09:45:21	1	0	1	1	19.5	36.25	0	0	0	0	0	30000	0	0	30000	16.25	2004
08.01.2020 09:45:22	1	0	1	1	19.5	36.25	0	0	0	0	0	30000	0	0	30000	16.3125	2004
08.01.2020 09:45:23	1	0	1	1	19.5	36	0	0	0	0	0	30000	0	0	30000	16.3125	2004
08.01.2020 09:45:24	1	0	1	1	19.5	36.25	0	0	0	0	0	30000	0	0	30000	16.125	2004
08.01.2020 09:45:25	1	0	1	1	19.5	36	0	0	0	0	0	30000	0	0	30000	16.125	2004
08.01.2020 09:45:26	1	0	1	1	19.5	36	0	0	0	0	0	30000	0	0	30000	16.5	2004
08.01.2020 09:45:27	1	0	1	1	19.5	36.5	0	0	0	0	0	30000	0	0	30000	16.4375	2004
08.01.2020 09:45:28	1	0	1	1	19.5	36.25	0	0	0	0	0	30000	0	0	30000	16.5	2004
08.01.2020 09:45:29	1	0	1	1	19.5	36.5	0	0	0	0	0	30000	0	0	30000	16.5	2004
08.01.2020 09:45:30	1	0	1	1	19.5	36.5	0	0	0	0	0	30000	0	0	30000	16.1875	2004
08.01.2020 09:45:31	1	0	1	1	19.5	36	0	0	0	0	0	30000	0	0	30000	16.375	2004
08.01.2020 09:45:32	1	0	1	1	19.5	36.25	0	0	0	0	0	30000	0	0	30000	16.3125	2004
08.01.2020 09:45:34	1	0	1	1	19.5	36.25	0	0	0	0	0	30000	0	0	30000	16.3125	2004
08.01.2020 09:45:35	1	0	1	1	19.5	36.25	0	0	0	0	0	30000	0	0	30000	16.5	2004
08.01.2020 09:45:36	1	0	1	1	19.5	36.5	0	0	0	0	0	30000	0	0	30000	16.1875	2004
08.01.2020 09:45:37	1	0	1	1	19.5	36	0	0	0	0	0	30000	0	0	30000	16.3125	2004
08.01.2020 09:45:38	1	0	1	1	19.5	36.25	0	0	0	0	0	30000	0	0	30000	16.3125	2004
08.01.2020 09:45:39	1	0	1	1	19.5	36.25	0	0	0	0	0	30000	0	0	30000	16.1875	2004
08.01.2020 09:45:40	1	0	1	1	19.5	36	0	0	0	0	0	30000	0	0	30000	16.125	2004
08.01.2020 09:45:41	1	0	1	1	19.5	36	0	0	0	0	0	30000	0	0	30000	16.3125	2004
08.01.2020 09:45:42	1	0	1	1	19.5	36.25	0	0	0	0	0	30000	0	0	30000	16.25	2004
08.01.2020 09:45:43	1	0	1	1	19.5	36.25	0	0	0	0	0	30000	0	0	30000	16.25	2004
08.01.2020 09:45:44	1	0	1	1	19.5	36.25	0	0	0	0	0	30000	0	0	30000	16.3125	2004
08.01.2020 09:45:45	1	0	1	1	19.5	36.25	0	0	0	0	0	30000	0	0	30000	16.25	2004
08.01.2020 09:45:46	1	0	1	1	19.5	36.25	0	0	0	0	0	30000	0	0	30000	16.25	2004
08.01.2020 09:45:47	1	0	1	1	19.5	36.25	0	0	0	0	0	30000	0	0	30000	16.25	2004
08.01.2020 09:45:48	1	0	1	1	19.5	36.25	0	0	0	0	0	30000	0	0	30000	16.4375	2004
08.01.2020 09:45:49	1	0	1	1	19.5	36.25	0	0	0	0	0	30000	0	0	30000	16.25	2004
08.01.2020 09:45:50	1	0	1	1	19.5	36.25	0	0	0	0	0	30000	0	0	30000	16.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers	
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]		
08.01.2020 09:45:51	1	0	1	1	19.5	36.25	0	0	0	0	0	30000	0	0	30000	16.6875	2004
08.01.2020 09:45:52	1	0	1	1	19.5	36.5	0	0	0	0	0	30000	0	0	30000	16.75	2004
08.01.2020 09:45:53	1	0	1	1	19.5	36.75	0	0	0	0	0	30000	0	0	30000	16.375	2004
08.01.2020 09:45:54	1	0	1	1	19.5	36.25	0	0	0	0	0	30000	0	0	30000	16.4375	2004
08.01.2020 09:45:55	1	0	1	1	19.5	36.25	0	0	0	0	0	30000	0	0	30000	16.3125	2004
08.01.2020 09:46:01	1	0	1	1	19.75	36.25	0	0	0	0	0	30000	0	0	30000	16.4375	2004
08.01.2020 09:46:01	1	0	1	1	19.75	36.25	0	0	0	0	0	30000	0	0	30000	16.4375	2004
08.01.2020 09:46:01	1	0	1	1	19.75	36.25	0	0	0	0	0	30000	0	0	30000	16.4375	2004
08.01.2020 09:46:01	1	0	1	1	19.75	36.25	0	0	0	0	0	30000	0	0	30000	16.4375	2004
08.01.2020 09:46:01	1	0	1	1	19.75	37	0	0	0	0	0	30000	0	0	30000	16.4375	2004
08.01.2020 09:46:02	1	0	1	1	19.75	36.25	0	0	0	0	0	30000	0	0	30000	16.375	2004
08.01.2020 09:46:03	1	0	1	1	19.75	36.25	0	0	0	0	0	30000	0	0	30000	16.5	2004
08.01.2020 09:46:04	1	0	1	1	19.75	36.5	0	0	0	0	0	30000	0	0	30000	16.75	2004
08.01.2020 09:46:05	1	0	1	1	19.75	36.75	0	0	0	0	0	30000	0	0	30000	16.375	2004
08.01.2020 09:46:06	1	0	1	1	19.75	36.25	0	0	0	0	0	30000	0	0	30000	16.75	2004
08.01.2020 09:46:07	1	0	1	1	19.75	36.75	0	0	0	0	0	30000	0	0	30000	16.625	2004
08.01.2020 09:46:08	1	0	1	1	19.75	36.5	0	0	0	0	0	30000	0	0	30000	16.625	2004
08.01.2020 09:46:09	1	0	1	1	19.75	36.5	0	0	0	0	0	30000	0	0	30000	16.375	2004
08.01.2020 09:46:10	1	0	1	1	19.75	36.25	0	0	0	0	0	30000	0	0	30000	16.375	2004
08.01.2020 09:46:11	1	0	1	1	19.75	36.25	0	0	0	0	0	30000	0	0	30000	16.3125	2004
08.01.2020 09:46:13	1	0	1	1	19.75	36.25	0	0	0	0	0	30000	0	0	30000	16.4375	2004
08.01.2020 09:46:14	1	0	1	1	19.75	36.25	0	0	0	0	0	30000	0	0	30000	16.6875	2004
08.01.2020 09:46:15	1	0	1	1	19.75	36.5	0	0	0	0	0	30000	0	0	30000	16.4375	2004
08.01.2020 09:46:16	1	0	1	1	19.75	36.25	0	0	0	0	0	30000	0	0	30000	16.4375	2004
08.01.2020 09:46:17	1	0	1	1	19.75	36.25	0	0	0	0	0	30000	0	0	30000	16.3125	2004
08.01.2020 09:46:18	1	0	1	1	19.75	36.25	0	0	0	0	0	30000	0	0	30000	16.75	2004
08.01.2020 09:46:19	1	0	1	1	19.75	36.75	0	0	0	0	0	30000	0	0	30000	16.875	2004
08.01.2020 09:46:20	1	0	1	1	19.75	36.75	0	0	0	0	0	30000	0	0	30000	16.5	2004
08.01.2020 09:46:21	1	0	1	1	19.75	36.5	0	0	0	0	0	30000	0	0	30000	16.375	2004
08.01.2020 09:46:22	1	0	1	1	19.75	36.25	0	0	0	0	0	30000	0	0	30000	16.375	2004
08.01.2020 09:46:23	1	0	1	1	19.75	36.25	0	0	0	0	0	30000	0	0	30000	16.625	2004
08.01.2020 09:46:24	1	0	1	1	19.75	36.5	0	0	0	0	0	30000	0	0	30000	16.3125	2004
08.01.2020 09:46:25	1	0	1	1	19.75	36.25	0	0	0	0	0	30000	0	0	30000	16.4375	2004
08.01.2020 09:46:26	1	0	1	1	19.75	36.25	0	0	0	0	0	30000	0	0	30000	16.3125	2004
08.01.2020 09:46:27	1	0	1	1	19.75	36.25	0	0	0	0	0	30000	0	0	30000	16.6875	2004
08.01.2020 09:46:28	1	0	1	1	19.75	36.5	0	0	0	0	0	30000	0	0	30000	16.5	2004
08.01.2020 09:46:29	1	0	1	1	19.75	36.5	0	0	0	0	0	30000	0	0	30000	16.625	2004
08.01.2020 09:46:30	1	0	1	1	19.75	36.5	0	0	0	0	0	30000	0	0	30000	16.3125	2004
08.01.2020 09:46:31	1	0	1	1	19.75	36.25	0	0	0	0	0	30000	0	0	30000	16.75	2004
08.01.2020 09:46:32	1	0	1	1	19.75	36.75	0	0	0	0	0	30000	0	0	30000	16.75	2004
08.01.2020 09:46:33	1	0	1	1	19.75	36.75	0	0	0	0	0	30000	0	0	30000	16.5625	2004
08.01.2020 09:46:34	1	0	1	1	19.75	36.5	0	0	0	0	0	30000	0	0	30000	16.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 09:46:35	1	0	1	1	19.75	36.75	0	0	0	0	30000	0	0	30000	16.8125	2004
08.01.2020 09:46:36	1	0	1	1	19.75	36.75	0	0	0	0	30000	0	0	30000	16.625	2004
08.01.2020 09:46:37	1	0	1	1	19.75	36.5	0	0	0	0	30000	0	0	30000	16.625	2004
08.01.2020 09:46:38	1	0	1	1	19.75	36.5	0	0	0	0	30000	0	0	30000	16.625	2004
08.01.2020 09:46:39	1	0	1	1	19.75	39.5	0	0	0	0	30000	0	0	30000	16.875	2004
08.01.2020 09:46:40	1	0	1	1	19.75	36.75	0	0	0	0	30000	0	0	30000	16.875	2004
08.01.2020 09:46:41	1	0	1	1	19.75	36.75	0	0	0	0	30000	0	0	30000	16.75	2004
08.01.2020 09:46:42	1	0	1	1	19.75	36.75	0	0	0	0	30000	0	0	30000	16.4375	2004
08.01.2020 09:46:43	1	0	1	1	19.75	36.25	0	0	0	0	30000	0	0	30000	16.5	2004
08.01.2020 09:46:44	1	0	1	1	19.75	36.5	0	0	0	0	30000	0	0	30000	16.375	2004
08.01.2020 09:46:45	1	0	1	1	19.75	36.25	0	0	0	0	30000	0	0	30000	16.6875	2004
08.01.2020 09:46:46	1	0	1	1	19.75	36.5	0	0	0	0	30000	0	0	30000	16.375	2004
08.01.2020 09:46:47	1	0	1	1	19.75	36.25	0	0	0	0	30000	0	0	30000	16.5625	2004
08.01.2020 09:46:48	1	0	1	1	19.75	36.5	0	0	0	0	30000	0	0	30000	16.6875	2004
08.01.2020 09:46:49	1	0	1	1	19.75	36.5	0	0	0	0	30000	0	0	30000	16.5	2004
08.01.2020 09:46:51	1	0	1	1	19.75	36.5	0	0	0	0	30000	0	0	30000	16.5	2004
08.01.2020 09:46:52	1	0	1	1	19.75	36.5	0	0	0	0	30000	0	0	30000	16.6875	2004
08.01.2020 09:46:53	1	0	1	1	19.75	36.5	0	0	0	0	30000	0	0	30000	16.375	2004
08.01.2020 09:46:54	1	0	1	1	19.75	36.25	0	0	0	0	30000	0	0	30000	16.625	2004
08.01.2020 09:46:55	1	0	1	1	19.75	36.5	0	0	0	0	30000	0	0	30000	16.625	2004
08.01.2020 09:46:56	1	0	1	1	19.75	36.5	0	0	0	0	30000	0	0	30000	16.6875	2004
08.01.2020 09:46:57	1	0	1	1	19.75	36.5	0	0	0	0	30000	0	0	30000	16.4375	2004
08.01.2020 09:47:02	1	0	1	1	20	36.25	0	0	0	0	30000	0	0	30000	16.4375	2004
08.01.2020 09:47:02	1	0	1	1	20	36.25	0	0	0	0	30000	0	0	30000	16.4375	2004
08.01.2020 09:47:02	1	0	1	1	20	36.25	0	0	0	0	30000	0	0	30000	16.4375	2004
08.01.2020 09:47:02	1	0	1	1	20	36.25	0	0	0	0	30000	0	0	30000	16.4375	2004
08.01.2020 09:47:02	1	0	1	1	20	36.25	0	0	0	0	30000	0	0	30000	16.4375	2004
08.01.2020 09:47:03	1	0	1	1	20	36.25	0	0	0	0	30000	0	0	30000	16.5	2004
08.01.2020 09:47:04	1	0	1	1	20	36.5	0	0	0	0	30000	0	0	30000	16.9375	2004
08.01.2020 09:47:05	1	0	1	1	20	36.75	0	0	0	0	30000	0	0	30000	16.75	2004
08.01.2020 09:47:06	1	0	1	1	20	36.75	0	0	0	0	30000	0	0	30000	16.375	2004
08.01.2020 09:47:07	1	0	1	1	20	36.25	0	0	0	0	30000	0	0	30000	16.6875	2004
08.01.2020 09:47:08	1	0	1	1	20	36.5	0	0	0	0	30000	0	0	30000	16.6875	2004
08.01.2020 09:47:09	1	0	1	1	20	36.5	0	0	0	0	30000	0	0	30000	16.9375	2004
08.01.2020 09:47:10	1	0	1	1	19.75	36.75	0	0	0	0	30000	0	0	30000	16.5625	2004
08.01.2020 09:47:11	1	0	1	1	19.75	36.5	0	0	0	0	30000	0	0	30000	16.4375	2004
08.01.2020 09:47:12	1	0	1	1	19.75	36.25	0	0	0	0	30000	0	0	30000	16.5	2004
08.01.2020 09:47:13	1	0	1	1	19.75	36.5	0	0	0	0	30000	0	0	30000	16.5625	2004
08.01.2020 09:47:14	1	0	1	1	19.75	36.5	0	0	0	0	30000	0	0	30000	16.5625	2004
08.01.2020 09:47:15	1	0	1	1	19.75	36.5	0	0	0	0	30000	0	0	30000	16.6875	2004
08.01.2020 09:47:16	1	0	1	1	19.75	36.5	0	0	0	0	30000	0	0	30000	16.6875	2004
08.01.2020 09:47:17	1	0	1	1	19.75	36.5	0	0	0	0	30000	0	0	30000	16.5625	2004
08.01.2020 09:47:18	1	0	1	1	19.75	36.5	0	0	0	0	30000	0	0	30000	16.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers	
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]		
08.01.2020 09:47:19	1	0	1	1	19.75	36.75	0	0	0	0	0	30000	0	0	30000	16.5625	2004
08.01.2020 09:47:20	1	0	1	1	19.75	36.5	0	0	0	0	0	30000	0	0	30000	16.4375	2004
08.01.2020 09:47:21	1	0	1	1	19.75	36.25	0	0	0	0	0	30000	0	0	30000	16.5	2004
08.01.2020 09:47:22	1	0	1	1	19.75	36.5	0	0	0	0	0	30000	0	0	30000	16.625	2004
08.01.2020 09:47:23	1	0	1	1	19.75	36.5	0	0	0	0	0	30000	0	0	30000	16.625	2004
08.01.2020 09:47:24	1	0	1	1	19.75	36.5	0	0	0	0	0	30000	0	0	30000	16.4375	2004
08.01.2020 09:47:25	1	0	1	1	19.75	36.25	0	0	0	0	0	30000	0	0	30000	16.6875	2004
08.01.2020 09:47:26	1	0	1	1	19.75	36.5	0	0	0	0	0	30000	0	0	30000	16.6875	2004
08.01.2020 09:47:27	1	0	1	1	19.75	36.5	0	0	0	0	0	30000	0	0	30000	16.9375	2004
08.01.2020 09:47:28	1	0	1	1	19.75	36.75	0	0	0	0	0	30000	0	0	30000	16.8125	2004
08.01.2020 09:47:30	1	0	1	1	20	36.75	0	0	0	0	0	30000	0	0	30000	16.875	2004
08.01.2020 09:47:31	1	0	1	1	20	36.75	0	0	0	0	0	30000	0	0	30000	16.5	2004
08.01.2020 09:47:32	1	0	1	1	20	36.5	0	0	0	0	0	30000	0	0	30000	16.375	2004
08.01.2020 09:47:33	1	0	1	1	20	36.25	0	0	0	0	0	30000	0	0	30000	16.9375	2004
08.01.2020 09:47:34	1	0	1	1	20	36.75	0	0	0	0	0	30000	0	0	30000	16.8125	2004
08.01.2020 09:47:35	1	0	1	1	20	36.75	0	0	0	0	0	30000	0	0	30000	17	2004
08.01.2020 09:47:36	1	0	1	1	20	37	0	0	0	0	0	30000	0	0	30000	16.5	2004
08.01.2020 09:47:37	1	0	1	1	20	36.5	0	0	0	0	0	30000	0	0	30000	16.75	2004
08.01.2020 09:47:38	1	0	1	1	20	36.75	0	0	0	0	0	30000	0	0	30000	16.625	2004
08.01.2020 09:47:39	1	0	1	1	20	36.5	0	0	0	0	0	30000	0	0	30000	16.8125	2004
08.01.2020 09:47:40	1	0	1	1	19.75	36.75	0	0	0	0	0	30000	0	0	30000	16.8125	2004
08.01.2020 09:47:41	1	0	1	1	19.75	36.75	0	0	0	0	0	30000	0	0	30000	16.5625	2004
08.01.2020 09:47:42	1	0	1	1	19.75	36.5	0	0	0	0	0	30000	0	0	30000	16.9375	2004
08.01.2020 09:47:43	1	0	1	1	19.75	36.75	0	0	0	0	0	30000	0	0	30000	16.875	2004
08.01.2020 09:47:44	1	0	1	1	19.75	36.75	0	0	0	0	0	30000	0	0	30000	16.75	2004
08.01.2020 09:47:45	1	0	1	1	19.75	36.75	0	0	0	0	0	30000	0	0	30000	16.4375	2004
08.01.2020 09:47:46	1	0	1	1	19.75	36.25	0	0	0	0	0	30000	0	0	30000	16.8125	2004
08.01.2020 09:47:47	1	0	1	1	19.75	36.75	0	0	0	0	0	30000	0	0	30000	16.5	2004
08.01.2020 09:47:48	1	0	1	1	19.75	36.5	0	0	0	0	0	30000	0	0	30000	16.875	2004
08.01.2020 09:47:49	1	0	1	1	19.75	36.75	0	0	0	0	0	30000	0	0	30000	16.875	2004
08.01.2020 09:47:50	1	0	1	1	20	36.75	0	0	0	0	0	30000	0	0	30000	16.6875	2004
08.01.2020 09:47:51	1	0	1	1	20	36.5	0	0	0	0	0	30000	0	0	30000	16.75	2004
08.01.2020 09:47:52	1	0	1	1	20	36.75	0	0	0	0	0	30000	0	0	30000	17	2004
08.01.2020 09:47:53	1	0	1	1	20	37	0	0	0	0	0	30000	0	0	30000	16.6875	2004
08.01.2020 09:47:54	1	0	1	1	20	36.5	0	0	0	0	0	30000	0	0	30000	19.5625	2004
08.01.2020 09:47:55	1	0	1	1	20	39.5	0	0	0	0	0	30000	0	0	30000	16.875	2004
08.01.2020 09:47:56	1	0	1	1	20	36.5	0	0	0	0	0	30000	0	0	30000	16.6875	2004
08.01.2020 09:47:57	1	0	1	1	20	36.5	0	0	0	0	0	30000	0	0	30000	16.5	2004
08.01.2020 09:48:00	1	0	1	1	20	36.5	0	0	0	0	0	30000	0	0	30000	16.9375	2004
08.01.2020 09:48:06	1	0	1	1	20	37	0	0	0	0	0	30000	0	0	30000	17	2004
08.01.2020 09:48:06	1	0	1	1	20	37	0	0	0	0	0	30000	0	0	30000	17	2004
08.01.2020 09:48:06	1	0	1	1	20	37	0	0	0	0	0	30000	0	0	30000	17	2004
08.01.2020 09:48:06	1	0	1	1	20	37	0	0	0	0	0	30000	0	0	30000	17	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 09:48:06	1	0	1	1	20	37	0	0	0	0	30000	0	0	30000	17	2004
08.01.2020 09:48:07	1	0	1	1	20	37	0	0	0	0	30000	0	0	30000	16.625	2004
08.01.2020 09:48:08	1	0	1	1	20	36.5	0	0	0	0	30000	0	0	30000	16.75	2004
08.01.2020 09:48:09	1	0	1	1	20	36.75	0	0	0	0	30000	0	0	30000	16.5625	2004
08.01.2020 09:48:10	1	0	1	1	20	36.5	0	0	0	0	30000	0	0	30000	16.625	2004
08.01.2020 09:48:11	1	0	1	1	20	36.5	0	0	0	0	30000	0	0	30000	16.75	2004
08.01.2020 09:48:12	1	0	1	1	20	36.75	0	0	0	0	30000	0	0	30000	16.75	2004
08.01.2020 09:48:13	1	0	1	1	20	36.75	0	0	0	0	30000	0	0	30000	16.625	2004
08.01.2020 09:48:14	1	0	1	1	20	36.5	0	0	0	0	30000	0	0	30000	16.6875	2004
08.01.2020 09:48:15	1	0	1	1	20	36.5	0	0	0	0	30000	0	0	30000	16.6875	2004
08.01.2020 09:48:16	1	0	1	1	20	36.5	0	0	0	0	30000	0	0	30000	16.8125	2004
08.01.2020 09:48:17	1	0	1	1	20	36.75	0	0	0	0	30000	0	0	30000	16.75	2004
08.01.2020 09:48:18	1	0	1	1	20	36.75	0	0	0	0	30000	0	0	30000	16.875	2004
08.01.2020 09:48:19	1	0	1	1	20	36.75	0	0	0	0	30000	0	0	30000	16.6875	2004
08.01.2020 09:48:20	1	0	1	1	20	36.5	0	0	0	0	30000	0	0	30000	16.9375	2004
08.01.2020 09:48:21	1	0	1	1	20	36.75	0	0	0	0	30000	0	0	30000	16.875	2004
08.01.2020 09:48:22	1	0	1	1	20	36.75	0	0	0	0	30000	0	0	30000	16.75	2004
08.01.2020 09:48:23	1	0	1	1	20	36.75	0	0	0	0	30000	0	0	30000	16.8125	2004
08.01.2020 09:48:24	1	0	1	1	20	36.75	0	0	0	0	30000	0	0	30000	17.0625	2004
08.01.2020 09:48:25	1	0	1	1	20	37	0	0	0	0	30000	0	0	30000	16.875	2004
08.01.2020 09:48:26	1	0	1	1	20	36.75	0	0	0	0	30000	0	0	30000	16.875	2004
08.01.2020 09:48:27	1	0	1	1	20	36.75	0	0	0	0	30000	0	0	30000	16.625	2004
08.01.2020 09:48:28	1	0	1	1	20	36.5	0	0	0	0	30000	0	0	30000	16.75	2004
08.01.2020 09:48:29	1	0	1	1	20	36.75	0	0	0	0	30000	0	0	30000	16.875	2004
08.01.2020 09:48:30	1	0	1	1	20	36.75	0	0	0	0	30000	0	0	30000	16.625	2004
08.01.2020 09:48:31	1	0	1	1	20	36.5	0	0	0	0	30000	0	0	30000	16.8125	2004
08.01.2020 09:48:32	1	0	1	1	20	36.75	0	0	0	0	30000	0	0	30000	16.625	2004
08.01.2020 09:48:33	1	0	1	1	20	36.5	0	0	0	0	30000	0	0	30000	16.875	2004
08.01.2020 09:48:34	1	0	1	1	20	36.75	0	0	0	0	30000	0	0	30000	16.6875	2004
08.01.2020 09:48:35	1	0	1	1	20	36.5	0	0	0	0	30000	0	0	30000	16.875	2004
08.01.2020 09:48:36	1	0	1	1	20	36.75	0	0	0	0	30000	0	0	30000	16.875	2004
08.01.2020 09:48:37	1	0	1	1	20	36.75	0	0	0	0	30000	0	0	30000	16.6875	2004
08.01.2020 09:48:38	1	0	1	1	20	36.5	0	0	0	0	30000	0	0	30000	16.9375	2004
08.01.2020 09:48:39	1	0	1	1	20	36.75	0	0	0	0	30000	0	0	30000	16.9375	2004
08.01.2020 09:48:40	1	0	1	1	20	36.75	0	0	0	0	30000	0	0	30000	16.75	2004
08.01.2020 09:48:41	1	0	1	1	20	36.75	0	0	0	0	30000	0	0	30000	16.8125	2004
08.01.2020 09:48:42	1	0	1	1	20	36.75	0	0	0	0	30000	0	0	30000	16.875	2004
08.01.2020 09:48:43	1	0	1	1	20	36.75	0	0	0	0	30000	0	0	30000	16.8125	2004
08.01.2020 09:48:44	1	0	1	1	20	36.75	0	0	0	0	30000	0	0	30000	16.6875	2004
08.01.2020 09:48:46	1	0	1	1	20	36.5	0	0	0	0	30000	0	0	30000	16.5	2004
08.01.2020 09:48:47	1	0	1	1	20	36.5	0	0	0	0	30000	0	0	30000	17.125	2004
08.01.2020 09:48:48	1	0	1	1	20	37	0	0	0	0	30000	0	0	30000	17.375	2004
08.01.2020 09:48:49	1	0	1	1	20	37.25	0	0	0	0	30000	0	0	30000	17	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers	
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]		
08.01.2020 09:48:50	1	0	1	1	20	37	0	0	0	0	0	30000	0	0	30000	16.6875	2004
08.01.2020 09:48:51	1	0	1	1	20	36.5	0	0	0	0	0	30000	0	0	30000	16.9375	2004
08.01.2020 09:48:52	1	0	1	1	20	36.75	0	0	0	0	0	30000	0	0	30000	17	2004
08.01.2020 09:48:53	1	0	1	1	20	37	0	0	0	0	0	30000	0	0	30000	16.625	2004
08.01.2020 09:48:54	1	0	1	1	20	36.5	0	0	0	0	0	30000	0	0	30000	17	2004
08.01.2020 09:48:55	1	0	1	1	20	37	0	0	0	0	0	30000	0	0	30000	16.8125	2004
08.01.2020 09:48:56	1	0	1	1	20	36.75	0	0	0	0	0	30000	0	0	30000	16.8125	2004
08.01.2020 09:48:57	1	0	1	1	20	36.75	0	0	0	0	0	30000	0	0	30000	16.875	2004
08.01.2020 09:48:58	1	0	1	1	20	36.75	0	0	0	0	0	30000	0	0	30000	16.9375	2004
08.01.2020 09:48:59	1	0	1	1	20	36.75	0	0	0	0	0	30000	0	0	30000	16.8125	2004
08.01.2020 09:49:00	1	0	1	1	20	36.75	0	0	0	0	0	30000	0	0	30000	17	2004
08.01.2020 09:49:01	1	0	1	1	20	37	0	0	0	0	0	30000	0	0	30000	16.75	2004
08.01.2020 09:49:02	1	0	1	1	20	36.75	0	0	0	0	0	30000	0	0	30000	16.75	2004
08.01.2020 09:49:08	1	0	1	1	20	36.75	0	0	0	0	0	30000	0	0	30000	16.75	2004
08.01.2020 09:49:08	1	0	1	1	20	36.75	0	0	0	0	0	30000	0	0	30000	16.75	2004
08.01.2020 09:49:08	1	0	1	1	20	36.75	0	0	0	0	0	30000	0	0	30000	16.75	2004
08.01.2020 09:49:08	1	0	1	1	20	36.75	0	0	0	0	0	30000	0	0	30000	16.75	2004
08.01.2020 09:49:08	1	0	1	1	20	36.75	0	0	0	0	0	30000	0	0	30000	16.75	2004
08.01.2020 09:49:08	1	0	1	1	20	36.75	0	0	0	0	0	30000	0	0	30000	16.6875	2004
08.01.2020 09:49:09	1	0	1	1	20	36.5	0	0	0	0	0	30000	0	0	30000	17.0625	2004
08.01.2020 09:49:10	1	0	1	1	20	37	0	0	0	0	0	30000	0	0	30000	16.875	2004
08.01.2020 09:49:11	1	0	1	1	20	36.75	0	0	0	0	0	30000	0	0	30000	17.125	2004
08.01.2020 09:49:12	1	0	1	1	20	37	0	0	0	0	0	30000	0	0	30000	17	2004
08.01.2020 09:49:13	1	0	1	1	20	37	0	0	0	0	0	30000	0	0	30000	16.9375	2004
08.01.2020 09:49:14	1	0	1	1	20	36.75	0	0	0	0	0	30000	0	0	30000	16.9375	2004
08.01.2020 09:49:15	1	0	1	1	20	36.75	0	0	0	0	0	30000	0	0	30000	17	2004
08.01.2020 09:49:16	1	0	1	1	20	37	0	0	0	0	0	30000	0	0	30000	16.6875	2004
08.01.2020 09:49:17	1	0	1	1	20	36.5	0	0	0	0	0	30000	0	0	30000	16.6875	2004
08.01.2020 09:49:18	1	0	1	1	20	36.5	0	0	0	0	0	30000	0	0	30000	16.9375	2004
08.01.2020 09:49:19	1	0	1	1	20	36.75	0	0	0	0	0	30000	0	0	30000	16.8125	2004
08.01.2020 09:49:20	1	0	1	1	20	36.75	0	0	0	0	0	30000	0	0	30000	17.0625	2004
08.01.2020 09:49:21	1	0	1	1	20	37	0	0	0	0	0	30000	0	0	30000	16.6875	2004
08.01.2020 09:49:22	1	0	1	1	20	36.5	0	0	0	0	0	30000	0	0	30000	16.6875	2004
08.01.2020 09:49:23	1	0	1	1	20	36.5	0	0	0	0	0	30000	0	0	30000	17	2004
08.01.2020 09:49:25	1	0	1	1	20	37	0	0	0	0	0	30000	0	0	30000	17	2004
08.01.2020 09:49:26	1	0	1	1	20	37	0	0	0	0	0	30000	0	0	30000	17.0625	2004
08.01.2020 09:49:27	1	0	1	1	20	37	0	0	0	0	0	30000	0	0	30000	16.8125	2004
08.01.2020 09:49:28	1	0	1	1	20	36.75	0	0	0	0	0	30000	0	0	30000	16.6875	2004
08.01.2020 09:49:29	1	0	1	1	20	36.5	0	0	0	0	0	30000	0	0	30000	16.8125	2004
08.01.2020 09:49:30	1	0	1	1	20.25	36.75	0	0	0	0	0	30000	0	0	30000	17.125	2004
08.01.2020 09:49:31	1	0	1	1	20.25	37	0	0	0	0	0	30000	0	0	30000	16.9375	2004
08.01.2020 09:49:32	1	0	1	1	20.25	36.75	0	0	0	0	0	30000	0	0	30000	16.875	2004
08.01.2020 09:49:33	1	0	1	1	20.25	36.75	0	0	0	0	0	30000	0	0	30000	17.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 09:49:34	1	0	1	1	20.25	37	0	0	0	0	30000	0	0	30000	17	2004
08.01.2020 09:49:35	1	0	1	1	20.25	37	0	0	0	0	30000	0	0	30000	17.0625	2004
08.01.2020 09:49:36	1	0	1	1	20.25	37	0	0	0	0	30000	0	0	30000	16.8125	2004
08.01.2020 09:49:37	1	0	1	1	20.25	36.75	0	0	0	0	30000	0	0	30000	16.875	2004
08.01.2020 09:49:38	1	0	1	1	20.25	36.75	0	0	0	0	30000	0	0	30000	16.8125	2004
08.01.2020 09:49:39	1	0	1	1	20.25	36.75	0	0	0	0	30000	0	0	30000	16.875	2004
08.01.2020 09:49:40	1	0	1	1	20	36.75	0	0	0	0	30000	0	0	30000	16.9375	2004
08.01.2020 09:49:41	1	0	1	1	20	36.75	0	0	0	0	30000	0	0	30000	16.6875	2004
08.01.2020 09:49:42	1	0	1	1	20	36.5	0	0	0	0	30000	0	0	30000	17.375	2004
08.01.2020 09:49:43	1	0	1	1	20	37.25	0	0	0	0	30000	0	0	30000	16.9375	2004
08.01.2020 09:49:44	1	0	1	1	20	36.75	0	0	0	0	30000	0	0	30000	17	2004
08.01.2020 09:49:45	1	0	1	1	20	37	0	0	0	0	30000	0	0	30000	16.8125	2004
08.01.2020 09:49:46	1	0	1	1	20	36.75	0	0	0	0	30000	0	0	30000	17.0625	2004
08.01.2020 09:49:47	1	0	1	1	20	37	0	0	0	0	30000	0	0	30000	16.8125	2004
08.01.2020 09:49:48	1	0	1	1	20	36.75	0	0	0	0	30000	0	0	30000	16.9375	2004
08.01.2020 09:49:49	1	0	1	1	20	36.75	0	0	0	0	30000	0	0	30000	17.1875	2004
08.01.2020 09:49:50	1	0	1	1	20	37	0	0	0	0	30000	0	0	30000	16.6875	2004
08.01.2020 09:49:51	1	0	1	1	20	36.5	0	0	0	0	30000	0	0	30000	17	2004
08.01.2020 09:49:52	1	0	1	1	20	37	0	0	0	0	30000	0	0	30000	16.9375	2004
08.01.2020 09:49:53	1	0	1	1	20	36.75	0	0	0	0	30000	0	0	30000	16.9375	2004
08.01.2020 09:49:54	1	0	1	1	20	36.75	0	0	0	0	30000	0	0	30000	16.875	2004
08.01.2020 09:49:55	1	0	1	1	20	37	0	0	0	0	30000	0	0	30000	16.8125	2004
08.01.2020 09:49:56	1	0	1	1	20	36.75	0	0	0	0	30000	0	0	30000	17	2004
08.01.2020 09:49:57	1	0	1	1	20	37	0	0	0	0	30000	0	0	30000	17	2004
08.01.2020 09:49:58	1	0	1	1	20	37	0	0	0	0	30000	0	0	30000	16.75	2004
08.01.2020 09:49:59	1	0	1	1	20.25	36.75	0	0	0	0	30000	0	0	30000	17.0625	2004
08.01.2020 09:50:00	1	0	1	1	20.25	37	0	0	0	0	30000	0	0	30000	17.0625	2004
08.01.2020 09:50:01	1	0	1	1	20.25	37	0	0	0	0	30000	0	0	30000	17	2004
08.01.2020 09:50:02	1	0	1	1	20.25	37	0	0	0	0	30000	0	0	30000	17	2004
08.01.2020 09:50:04	1	0	1	1	20.25	37	0	0	0	0	30000	0	0	30000	16.9375	2004
08.01.2020 09:50:09	1	0	1	1	20.25	37.25	0	0	0	0	30000	0	0	30000	16.875	2004
08.01.2020 09:50:09	1	0	1	1	20.25	37.25	0	0	0	0	30000	0	0	30000	16.875	2004
08.01.2020 09:50:09	1	0	1	1	20.25	37.25	0	0	0	0	30000	0	0	30000	16.875	2004
08.01.2020 09:50:09	1	0	1	1	20.25	37.25	0	0	0	0	30000	0	0	30000	16.875	2004
08.01.2020 09:50:10	1	0	1	1	20.25	36.75	0	0	0	0	30000	0	0	30000	17.125	2004
08.01.2020 09:50:11	1	0	1	1	20.25	37	0	0	0	0	30000	0	0	30000	16.9375	2004
08.01.2020 09:50:12	1	0	1	1	20.25	36.75	0	0	0	0	30000	0	0	30000	16.9375	2004
08.01.2020 09:50:13	1	0	1	1	20.25	36.75	0	0	0	0	30000	0	0	30000	16.75	2004
08.01.2020 09:50:14	1	0	1	1	20.25	36.75	0	0	0	0	30000	0	0	30000	17.0625	2004
08.01.2020 09:50:15	1	0	1	1	20.25	37	0	0	0	0	30000	0	0	30000	17	2004
08.01.2020 09:50:16	1	0	1	1	20.25	37	0	0	0	0	30000	0	0	30000	16.875	2004
08.01.2020 09:50:17	1	0	1	1	20.25	36.75	0	0	0	0	30000	0	0	30000	16.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers	
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]		
08.01.2020 09:50:18	1	0	1	1	20.25	36.75	0	0	0	0	0	30000	0	0	30000	16.6875	2004
08.01.2020 09:50:19	1	0	1	1	20.25	36.5	0	0	0	0	0	30000	0	0	30000	17.0625	2004
08.01.2020 09:50:20	1	0	1	1	20.25	37	0	0	0	0	0	30000	0	0	30000	17.1875	2004
08.01.2020 09:50:21	1	0	1	1	20.25	37	0	0	0	0	0	30000	0	0	30000	16.6875	2004
08.01.2020 09:50:22	1	0	1	1	20.25	36.5	0	0	0	0	0	30000	0	0	30000	16.9375	2004
08.01.2020 09:50:23	1	0	1	1	20.25	36.75	0	0	0	0	0	30000	0	0	30000	16.9375	2004
08.01.2020 09:50:24	1	0	1	1	20.25	36.75	0	0	0	0	0	30000	0	0	30000	16.875	2004
08.01.2020 09:50:25	1	0	1	1	20.25	36.75	0	0	0	0	0	30000	0	0	30000	16.8125	2004
08.01.2020 09:50:26	1	0	1	1	20.25	36.75	0	0	0	0	0	30000	0	0	30000	17.375	2004
08.01.2020 09:50:27	1	0	1	1	20.25	37.25	0	0	0	0	0	30000	0	0	30000	17.25	2004
08.01.2020 09:50:28	1	0	1	1	20.25	37.25	0	0	0	0	0	30000	0	0	30000	17	2004
08.01.2020 09:50:29	1	0	1	1	20.25	37	0	0	0	0	0	30000	0	0	30000	16.8125	2004
08.01.2020 09:50:30	1	0	1	1	20.25	36.75	0	0	0	0	0	30000	0	0	30000	17.25	2004
08.01.2020 09:50:31	1	0	1	1	20.25	37.25	0	0	0	0	0	30000	0	0	30000	17.125	2004
08.01.2020 09:50:32	1	0	1	1	20.25	37	0	0	0	0	0	30000	0	0	30000	16.75	2004
08.01.2020 09:50:33	1	0	1	1	20.25	36.75	0	0	0	0	0	30000	0	0	30000	17.0625	2004
08.01.2020 09:50:34	1	0	1	1	20.25	37	0	0	0	0	0	30000	0	0	30000	16.9375	2004
08.01.2020 09:50:35	1	0	1	1	20.25	36.75	0	0	0	0	0	30000	0	0	30000	17.125	2004
08.01.2020 09:50:36	1	0	1	1	20.25	37	0	0	0	0	0	30000	0	0	30000	16.8125	2004
08.01.2020 09:50:37	1	0	1	1	20.25	36.75	0	0	0	0	0	30000	0	0	30000	17.125	2004
08.01.2020 09:50:38	1	0	1	1	20.25	37	0	0	0	0	0	30000	0	0	30000	17.125	2004
08.01.2020 09:50:39	1	0	1	1	20.25	37	0	0	0	0	0	30000	0	0	30000	16.8125	2004
08.01.2020 09:50:40	1	0	1	1	20.25	36.75	0	0	0	0	0	30000	0	0	30000	16.75	2004
08.01.2020 09:50:42	1	0	1	1	20.25	36.75	0	0	0	0	0	30000	0	0	30000	16.6875	2004
08.01.2020 09:50:43	1	0	1	1	20.25	36.5	0	0	0	0	0	30000	0	0	30000	16.875	2004
08.01.2020 09:50:44	1	0	1	1	20.25	36.75	0	0	0	0	0	30000	0	0	30000	17	2004
08.01.2020 09:50:45	1	0	1	1	20.25	37	0	0	0	0	0	30000	0	0	30000	16.8125	2004
08.01.2020 09:50:46	1	0	1	1	20.25	36.75	0	0	0	0	0	30000	0	0	30000	17.0625	2004
08.01.2020 09:50:47	1	0	1	1	20.25	37	0	0	0	0	0	30000	0	0	30000	17.1875	2004
08.01.2020 09:50:48	1	0	1	1	20.25	37	0	0	0	0	0	30000	0	0	30000	17.125	2004
08.01.2020 09:50:49	1	0	1	1	20.25	37	0	0	0	0	0	30000	0	0	30000	17.1875	2004
08.01.2020 09:50:50	1	0	1	1	20	37	0	0	0	0	0	30000	0	0	30000	17.5625	2004
08.01.2020 09:50:51	1	0	1	1	20	37.5	0	0	0	0	0	30000	0	0	30000	16.9375	2004
08.01.2020 09:50:52	1	0	1	1	20	36.75	0	0	0	0	0	30000	0	0	30000	17.375	2004
08.01.2020 09:50:53	1	0	1	1	20	37.25	0	0	0	0	0	30000	0	0	30000	16.9375	2004
08.01.2020 09:50:54	1	0	1	1	20	36.75	0	0	0	0	0	30000	0	0	30000	17.125	2004
08.01.2020 09:50:55	1	0	1	1	20	37	0	0	0	0	0	30000	0	0	30000	17.125	2004
08.01.2020 09:50:56	1	0	1	1	20	37	0	0	0	0	0	30000	0	0	30000	16.8125	2004
08.01.2020 09:50:57	1	0	1	1	20	36.75	0	0	0	0	0	30000	0	0	30000	17.125	2004
08.01.2020 09:50:58	1	0	1	1	20	37	0	0	0	0	0	30000	0	0	30000	16.875	2004
08.01.2020 09:50:59	1	0	1	1	20	36.75	0	0	0	0	0	30000	0	0	30000	17.1875	2004
08.01.2020 09:51:00	1	0	1	1	20.25	37	0	0	0	0	0	30000	0	0	30000	16.875	2004
08.01.2020 09:51:01	1	0	1	1	20.25	36.75	0	0	0	0	0	30000	0	0	30000	16.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 09:51:02	1	0	1	1	20.25	36.75	0	0	0	0	30000	0	0	30000	16.8125	2004
08.01.2020 09:51:03	1	0	1	1	20.25	36.75	0	0	0	0	30000	0	0	30000	17.1875	2004
08.01.2020 09:51:04	1	0	1	1	20.25	37	0	0	0	0	30000	0	0	30000	16.875	2004
08.01.2020 09:51:05	1	0	1	1	20.25	36.75	0	0	0	0	30000	0	0	30000	17.125	2004
08.01.2020 09:51:11	1	0	1	1	20.25	37	0	0	0	0	30000	0	0	30000	17.125	2004
08.01.2020 09:51:11	1	0	1	1	20.25	37	0	0	0	0	30000	0	0	30000	17.125	2004
08.01.2020 09:51:11	1	0	1	1	20.25	37	0	0	0	0	30000	0	0	30000	17.125	2004
08.01.2020 09:51:11	1	0	1	1	20.25	37	0	0	0	0	30000	0	0	30000	17.125	2004
08.01.2020 09:51:11	1	0	1	1	20.25	37	0	0	0	0	30000	0	0	30000	17.125	2004
08.01.2020 09:51:11	1	0	1	1	20.25	37	0	0	0	0	30000	0	0	30000	17.0625	2004
08.01.2020 09:51:12	1	0	1	1	20.25	36.75	0	0	0	0	30000	0	0	30000	17.25	2004
08.01.2020 09:51:13	1	0	1	1	20.25	37.25	0	0	0	0	30000	0	0	30000	16.875	2004
08.01.2020 09:51:14	1	0	1	1	20.25	36.75	0	0	0	0	30000	0	0	30000	16.9375	2004
08.01.2020 09:51:15	1	0	1	1	20.25	36.75	0	0	0	0	30000	0	0	30000	17.125	2004
08.01.2020 09:51:16	1	0	1	1	20.25	37	0	0	0	0	30000	0	0	30000	17.25	2004
08.01.2020 09:51:17	1	0	1	1	20.25	37.25	0	0	0	0	30000	0	0	30000	17.125	2004
08.01.2020 09:51:18	1	0	1	1	20.25	37	0	0	0	0	30000	0	0	30000	17.5	2004
08.01.2020 09:51:19	1	0	1	1	20.25	37.5	0	0	0	0	30000	0	0	30000	17.125	2004
08.01.2020 09:51:20	1	0	1	1	20.25	37	0	0	0	0	30000	0	0	30000	16.875	2004
08.01.2020 09:51:22	1	0	1	1	20.25	36.75	0	0	0	0	30000	0	0	30000	17.1875	2004
08.01.2020 09:51:23	1	0	1	1	20.25	37	0	0	0	0	30000	0	0	30000	17.125	2004
08.01.2020 09:51:24	1	0	1	1	20.25	37	0	0	0	0	30000	0	0	30000	17.125	2004
08.01.2020 09:51:25	1	0	1	1	20.25	37	0	0	0	0	30000	0	0	30000	17	2004
08.01.2020 09:51:26	1	0	1	1	20.25	37	0	0	0	0	30000	0	0	30000	17.125	2004
08.01.2020 09:51:27	1	0	1	1	20.25	37	0	0	0	0	30000	0	0	30000	17.1875	2004
08.01.2020 09:51:28	1	0	1	1	20.25	37	0	0	0	0	30000	0	0	30000	16.875	2004
08.01.2020 09:51:29	1	0	1	1	20.25	36.75	0	0	0	0	30000	0	0	30000	17.125	2004
08.01.2020 09:51:30	1	0	1	1	20.5	37	0	0	0	0	30000	0	0	30000	17.125	2004
08.01.2020 09:51:31	1	0	1	1	20.5	37	0	0	0	0	30000	0	0	30000	16.875	2004
08.01.2020 09:51:32	1	0	1	1	20.5	36.75	0	0	0	0	30000	0	0	30000	16.8125	2004
08.01.2020 09:51:33	1	0	1	1	20.5	36.75	0	0	0	0	30000	0	0	30000	17.125	2004
08.01.2020 09:51:34	1	0	1	1	20.5	37	0	0	0	0	30000	0	0	30000	16.875	2004
08.01.2020 09:51:35	1	0	1	1	20.5	36.75	0	0	0	0	30000	0	0	30000	17.1875	2004
08.01.2020 09:51:36	1	0	1	1	20.5	37	0	0	0	0	30000	0	0	30000	16.9375	2004
08.01.2020 09:51:37	1	0	1	1	20.5	36.75	0	0	0	0	30000	0	0	30000	16.875	2004
08.01.2020 09:51:38	1	0	1	1	20.5	36.75	0	0	0	0	30000	0	0	30000	16.875	2004
08.01.2020 09:51:39	1	0	1	1	20.5	36.75	0	0	0	0	30000	0	0	30000	17.25	2004
08.01.2020 09:51:40	1	0	1	1	20.25	37.25	0	0	0	0	30000	0	0	30000	17.3125	2004
08.01.2020 09:51:41	1	0	1	1	20.25	37.25	0	0	0	0	30000	0	0	30000	17.0625	2004
08.01.2020 09:51:42	1	0	1	1	20.25	37	0	0	0	0	30000	0	0	30000	16.9375	2004
08.01.2020 09:51:43	1	0	1	1	20.25	36.75	0	0	0	0	30000	0	0	30000	16.8125	2004
08.01.2020 09:51:44	1	0	1	1	20.25	36.75	0	0	0	0	30000	0	0	30000	17.0625	2004
08.01.2020 09:51:45	1	0	1	1	20.25	37	0	0	0	0	30000	0	0	30000	17.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 09:51:46	1	0	1	1	20.25	37.25	0	0	0	0	30000	0	0	30000	17.1875	2004
08.01.2020 09:51:47	1	0	1	1	20.25	37	0	0	0	0	30000	0	0	30000	17.125	2004
08.01.2020 09:51:48	1	0	1	1	20.25	37	0	0	0	0	30000	0	0	30000	17.125	2004
08.01.2020 09:51:49	1	0	1	1	20.25	37	0	0	0	0	30000	0	0	30000	17.125	2004
08.01.2020 09:51:50	1	0	1	1	20.5	37	0	0	0	0	30000	0	0	30000	16.9375	2004
08.01.2020 09:51:51	1	0	1	1	20.5	36.75	0	0	0	0	30000	0	0	30000	16.875	2004
08.01.2020 09:51:52	1	0	1	1	20.5	36.75	0	0	0	0	30000	0	0	30000	17	2004
08.01.2020 09:51:53	1	0	1	1	20.5	37	0	0	0	0	30000	0	0	30000	17.1875	2004
08.01.2020 09:51:54	1	0	1	1	20.5	37	0	0	0	0	30000	0	0	30000	17.1875	2004
08.01.2020 09:51:55	1	0	1	1	20.5	37	0	0	0	0	30000	0	0	30000	16.9375	2004
08.01.2020 09:51:56	1	0	1	1	20.5	36.75	0	0	0	0	30000	0	0	30000	16.9375	2004
08.01.2020 09:51:57	1	0	1	1	20.5	36.75	0	0	0	0	30000	0	0	30000	17.0625	2004
08.01.2020 09:51:59	1	0	1	1	20.5	37	0	0	0	0	30000	0	0	30000	17.125	2004
08.01.2020 09:52:00	1	0	1	1	20.75	37	0	0	0	0	30000	0	0	30000	17.1875	2004
08.01.2020 09:52:01	1	0	1	1	20.75	37	0	0	0	0	30000	0	0	30000	16.875	2004
08.01.2020 09:52:02	1	0	1	1	20.75	36.75	0	0	0	0	30000	0	0	30000	17.25	2004
08.01.2020 09:52:03	1	0	1	1	20.75	37.25	0	0	0	0	30000	0	0	30000	17.1875	2004
08.01.2020 09:52:04	1	0	1	1	20.75	37	0	0	0	0	30000	0	0	30000	17.1875	2004
08.01.2020 09:52:05	1	0	1	1	20.75	37	0	0	0	0	30000	0	0	30000	16.875	2004
08.01.2020 09:52:06	1	0	1	1	20.75	36.75	0	0	0	0	30000	0	0	30000	17.375	2004
08.01.2020 09:52:07	1	0	1	1	20.75	37.25	0	0	0	0	30000	0	0	30000	17.125	2004
08.01.2020 09:52:13	1	0	1	1	21	37.25	0	0	0	0	30000	0	0	30000	17.25	2004
08.01.2020 09:52:13	1	0	1	1	21	37.25	0	0	0	0	30000	0	0	30000	17.25	2004
08.01.2020 09:52:13	1	0	1	1	21	37.25	0	0	0	0	30000	0	0	30000	17.25	2004
08.01.2020 09:52:13	1	0	1	1	21	37.25	0	0	0	0	30000	0	0	30000	17.25	2004
08.01.2020 09:52:13	1	0	1	1	21	37.25	0	0	0	0	30000	0	0	30000	17.3125	2004
08.01.2020 09:52:14	1	0	1	1	21	37.25	0	0	0	0	30000	0	0	30000	16.9375	2004
08.01.2020 09:52:15	1	0	1	1	21	36.75	0	0	0	0	30000	0	0	30000	16.875	2004
08.01.2020 09:52:16	1	0	1	1	21	36.75	0	0	0	0	30000	0	0	30000	16.875	2004
08.01.2020 09:52:17	1	0	1	1	21	36.75	0	0	0	0	30000	0	0	30000	17.3125	2004
08.01.2020 09:52:18	1	0	1	1	21	37.25	0	0	0	0	30000	0	0	30000	17.3125	2004
08.01.2020 09:52:19	1	0	1	1	21	37.25	0	0	0	0	30000	0	0	30000	17.3125	2004
08.01.2020 09:52:20	1	0	1	1	21.25	37.25	0	0	0	0	30000	0	0	30000	17.1875	2004
08.01.2020 09:52:21	1	0	1	1	21.25	37	0	0	0	0	30000	0	0	30000	17.25	2004
08.01.2020 09:52:22	1	0	1	1	21.25	37.25	0	0	0	0	30000	0	0	30000	17.125	2004
08.01.2020 09:52:23	1	0	1	1	21.25	37	0	0	0	0	30000	0	0	30000	17	2004
08.01.2020 09:52:24	1	0	1	1	21.25	37	0	0	0	0	30000	0	0	30000	17.125	2004
08.01.2020 09:52:25	1	0	1	1	21.25	37	0	0	0	0	30000	0	0	30000	17.3125	2004
08.01.2020 09:52:26	1	0	1	1	21.25	37.25	0	0	0	0	30000	0	0	30000	17.1875	2004
08.01.2020 09:52:27	1	0	1	1	21.25	37	0	0	0	0	30000	0	0	30000	17.1875	2004
08.01.2020 09:52:28	1	0	1	1	21.25	37	0	0	0	0	30000	0	0	30000	17.375	2004
08.01.2020 09:52:29	1	0	1	1	21.75	37.25	0	0	0	0	30000	0	0	30000	17.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 09:52:30	1	0	1	1	21.75	37.25	0	0	0	0	30000	0	0	30000	17.3125	2004
08.01.2020 09:52:31	1	0	1	1	21.75	37.25	0	0	0	0	30000	0	0	30000	17	2004
08.01.2020 09:52:32	1	0	1	1	21.75	37	0	0	0	0	30000	0	0	30000	17.25	2004
08.01.2020 09:52:33	1	0	1	1	21.75	37.25	0	0	0	0	30000	0	0	30000	17	2004
08.01.2020 09:52:34	1	0	1	1	21.75	37	0	0	0	0	30000	0	0	30000	17.375	2004
08.01.2020 09:52:35	1	0	1	1	21.75	37.25	0	0	0	0	30000	0	0	30000	17.4375	2004
08.01.2020 09:52:37	1	0	1	1	21.75	37.25	0	0	0	0	30000	0	0	30000	17.25	2004
08.01.2020 09:52:38	1	0	1	1	21.75	37.25	0	0	0	0	30000	0	0	30000	17.25	2004
08.01.2020 09:52:39	1	0	1	1	21.75	37.25	0	0	0	0	30000	0	0	30000	17.25	2004
08.01.2020 09:52:40	1	0	1	1	22.25	37.25	0	0	0	0	30000	0	0	30000	17.25	2004
08.01.2020 09:52:41	1	0	1	1	22.25	37.25	0	0	0	0	30000	0	0	30000	17.3125	2004
08.01.2020 09:52:42	1	0	1	1	22.25	37.25	0	0	0	0	30000	0	0	30000	16.875	2004
08.01.2020 09:52:43	1	0	1	1	22.25	36.75	0	0	0	0	30000	0	0	30000	17.1875	2004
08.01.2020 09:52:44	1	0	1	1	22.25	37	0	0	0	0	30000	0	0	30000	16.9375	2004
08.01.2020 09:52:45	1	0	1	1	22.25	36.75	0	0	0	0	30000	0	0	30000	16.9375	2004
08.01.2020 09:52:46	1	0	1	1	22.25	36.75	0	0	0	0	30000	0	0	30000	17	2004
08.01.2020 09:52:47	1	0	1	1	22.25	37	0	0	0	0	30000	0	0	30000	17.125	2004
08.01.2020 09:52:48	1	0	1	1	22.25	37	0	0	0	0	30000	0	0	30000	17.375	2004
08.01.2020 09:52:49	1	0	1	1	22.25	37.25	0	0	0	0	30000	0	0	30000	16.9375	2004
08.01.2020 09:52:50	1	0	1	1	22.5	36.75	0	0	0	0	30000	0	0	30000	17.125	2004
08.01.2020 09:52:51	1	0	1	1	22.5	37	0	0	0	0	30000	0	0	30000	17	2004
08.01.2020 09:52:52	1	0	1	1	22.5	37	0	0	0	0	30000	0	0	30000	17.5	2004
08.01.2020 09:52:53	1	0	1	1	22.5	37.5	0	0	0	0	30000	0	0	30000	17.4375	2004
08.01.2020 09:52:54	1	0	1	1	22.5	37.25	0	0	0	0	30000	0	0	30000	17.125	2004
08.01.2020 09:52:55	1	0	1	1	22.5	37	0	0	0	0	30000	0	0	30000	16.875	2004
08.01.2020 09:52:56	1	0	1	1	22.5	36.75	0	0	0	0	30000	0	0	30000	17.1875	2004
08.01.2020 09:52:57	1	0	1	1	22.5	37	0	0	0	0	30000	0	0	30000	17	2004
08.01.2020 09:52:58	1	0	1	1	22.5	37	0	0	0	0	30000	0	0	30000	17.3125	2004
08.01.2020 09:52:59	1	0	1	1	22.5	37.25	0	0	0	0	30000	0	0	30000	17	2004
08.01.2020 09:53:00	1	0	1	1	23.5	37	0	0	0	0	30000	0	0	30000	17.3125	2004
08.01.2020 09:53:01	1	0	1	1	23.5	37.25	0	0	0	0	30000	0	0	30000	17.1875	2004
08.01.2020 09:53:02	1	0	1	1	23.5	37	0	0	0	0	30000	0	0	30000	17.125	2004
08.01.2020 09:53:03	1	0	1	1	23.5	37	0	0	0	0	30000	0	0	30000	17.1875	2004
08.01.2020 09:53:04	1	0	1	1	23.5	37	0	0	0	0	30000	0	0	30000	17.1875	2004
08.01.2020 09:53:05	1	0	1	1	23.5	37	0	0	0	0	30000	0	0	30000	17.3125	2004
08.01.2020 09:53:06	1	0	1	1	23.5	37.25	0	0	0	0	30000	0	0	30000	17.3125	2004
08.01.2020 09:53:07	1	0	1	1	23.5	37.25	0	0	0	0	30000	0	0	30000	17.25	2004
08.01.2020 09:53:08	1	0	1	1	23.5	37.25	0	0	0	0	30000	0	0	30000	17.0625	2004
08.01.2020 09:53:14	1	0	1	1	24	36.75	0	0	0	0	30000	0	0	30000	16.875	2004
08.01.2020 09:53:14	1	0	1	1	24	36.75	0	0	0	0	30000	0	0	30000	16.875	2004
08.01.2020 09:53:14	1	0	1	1	24	36.75	0	0	0	0	30000	0	0	30000	16.875	2004
08.01.2020 09:53:14	1	0	1	1	24	36.75	0	0	0	0	30000	0	0	30000	16.875	2004
08.01.2020 09:53:14	1	0	1	1	24	36.75	0	0	0	0	30000	0	0	30000	16.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 09:53:17	1	0	1	1	24	37	0	0	0	0	30000	0	0	30000	16.9375	2004
08.01.2020 09:53:17	1	0	1	1	24	37	0	0	0	0	30000	0	0	30000	16.9375	2004
08.01.2020 09:53:17	1	0	1	1	24	37	0	0	0	0	30000	0	0	30000	16.9375	2004
08.01.2020 09:53:18	1	0	1	1	24	36.75	0	0	0	0	30000	0	0	30000	17.25	2004
08.01.2020 09:53:19	1	0	1	1	24	37.25	0	0	0	0	30000	0	0	30000	17.1875	2004
08.01.2020 09:53:20	1	0	1	1	24.25	37	0	0	0	0	30000	0	0	30000	17.3125	2004
08.01.2020 09:53:21	1	0	1	1	24.25	37.25	0	0	0	0	30000	0	0	30000	17.1875	2004
08.01.2020 09:53:22	1	0	1	1	24.25	37	0	0	0	0	30000	0	0	30000	16.875	2004
08.01.2020 09:53:23	1	0	1	1	24.25	36.75	0	0	0	0	30000	0	0	30000	17.1875	2004
08.01.2020 09:53:24	1	0	1	1	24.25	37	0	0	0	0	30000	0	0	30000	17.0625	2004
08.01.2020 09:53:25	1	0	1	1	24.25	37	0	0	0	0	30000	0	0	30000	17.3125	2004
08.01.2020 09:53:26	1	0	1	1	24.25	37.25	0	0	0	0	30000	0	0	30000	17.0625	2004
08.01.2020 09:53:27	1	0	1	1	24.25	37	0	0	0	0	30000	0	0	30000	17.25	2004
08.01.2020 09:53:28	1	0	1	1	24.25	37.25	0	0	0	0	30000	0	0	30000	17.1875	2004
08.01.2020 09:53:29	1	0	1	1	24.25	37	0	0	0	0	30000	0	0	30000	17	2004
08.01.2020 09:53:30	1	0	1	1	25.25	37	0	0	0	0	30000	0	0	30000	17.25	2004
08.01.2020 09:53:31	1	0	1	1	25.25	37.25	0	0	0	0	30000	0	0	30000	17	2004
08.01.2020 09:53:32	1	0	1	1	25.25	37	0	0	0	0	30000	0	0	30000	17.3125	2004
08.01.2020 09:53:33	1	0	1	1	25.25	37.25	0	0	0	0	30000	0	0	30000	17.0625	2004
08.01.2020 09:53:34	1	0	1	1	25.25	37	0	0	0	0	30000	0	0	30000	17.125	2004
08.01.2020 09:53:35	1	0	1	1	25.25	37	0	0	0	0	30000	0	0	30000	17	2004
08.01.2020 09:53:36	1	0	1	1	25.25	37	0	0	0	0	30000	0	0	30000	17	2004
08.01.2020 09:53:37	1	0	1	1	25.25	37	0	0	0	0	30000	0	0	30000	17.3125	2004
08.01.2020 09:53:38	1	0	1	1	25.25	37.25	0	0	0	0	30000	0	0	30000	17.1875	2004
08.01.2020 09:53:39	1	0	1	1	25.25	37	0	0	0	0	30000	0	0	30000	17.3125	2004
08.01.2020 09:53:40	1	0	1	1	25.75	37.25	0	0	0	0	30000	0	0	30000	17.25	2004
08.01.2020 09:53:41	1	0	1	1	25.75	37.25	0	0	0	0	30000	0	0	30000	17.25	2004
08.01.2020 09:53:42	1	0	1	1	25.75	37.25	0	0	0	0	30000	0	0	30000	16.875	2004
08.01.2020 09:53:43	1	0	1	1	25.75	36.75	0	0	0	0	30000	0	0	30000	17.3125	2004
08.01.2020 09:53:44	1	0	1	1	25.75	37.25	0	0	0	0	30000	0	0	30000	17.0625	2004
08.01.2020 09:53:45	1	0	1	1	25.75	37	0	0	0	0	30000	0	0	30000	17.25	2004
08.01.2020 09:53:46	1	0	1	1	25.75	37.25	0	0	0	0	30000	0	0	30000	17.125	2004
08.01.2020 09:53:47	1	0	1	1	25.75	37.25	0	0	0	0	30000	0	0	30000	17.25	2004
08.01.2020 09:53:48	1	0	1	1	25.75	37.25	0	0	0	0	30000	0	0	30000	17.0625	2004
08.01.2020 09:53:49	1	0	1	1	26.5	37	0	0	0	0	30000	0	0	30000	17.125	2004
08.01.2020 09:53:50	1	0	1	1	26.5	37	0	0	0	0	30000	0	0	30000	17.125	2004
08.01.2020 09:53:51	1	0	1	1	26.5	37	0	0	0	0	30000	0	0	30000	17.25	2004
08.01.2020 09:53:53	1	0	1	1	26.5	37.25	0	0	0	0	30000	0	0	30000	17.3125	2004
08.01.2020 09:53:54	1	0	1	1	26.5	37.25	0	0	0	0	30000	0	0	30000	17.0625	2004
08.01.2020 09:53:55	1	0	1	1	26.5	37	0	0	0	0	30000	0	0	30000	17.25	2004
08.01.2020 09:53:56	1	0	1	1	26.5	37.25	0	0	0	0	30000	0	0	30000	16.9375	2004
08.01.2020 09:53:57	1	0	1	1	26.5	36.75	0	0	0	0	30000	0	0	30000	17.4375	2004
08.01.2020 09:53:58	1	0	1	1	26.5	37.25	0	0	0	0	30000	0	0	30000	17.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers	
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]		
08.01.2020 09:53:59	1	0	1	1	26.5	37	0	0	0	0	0	30000	0	0	30000	17.25	2004
08.01.2020 09:54:00	1	0	1	1	27.25	37.25	0	0	0	0	0	30000	0	0	30000	17.3125	2004
08.01.2020 09:54:01	1	0	1	1	27.25	37.25	0	0	0	0	0	30000	0	0	30000	17.0625	2004
08.01.2020 09:54:02	1	0	1	1	27.25	37	0	0	0	0	0	30000	0	0	30000	17.0625	2004
08.01.2020 09:54:03	1	0	1	1	27.25	37	0	0	0	0	0	30000	0	0	30000	16.9375	2004
08.01.2020 09:54:04	1	0	1	1	27.25	36.75	0	0	0	0	0	30000	0	0	30000	17.3125	2004
08.01.2020 09:54:05	1	0	1	1	27.25	37.25	0	0	0	0	0	30000	0	0	30000	17.25	2004
08.01.2020 09:54:06	1	0	1	1	27.25	37.25	0	0	0	0	0	30000	0	0	30000	17.3125	2004
08.01.2020 09:54:07	1	0	1	1	27.25	37.25	0	0	0	0	0	30000	0	0	30000	17.4375	2004
08.01.2020 09:54:08	1	0	1	1	27.25	37.25	0	0	0	0	0	30000	0	0	30000	17.1875	2004
08.01.2020 09:54:09	1	0	1	1	27.25	37	0	0	0	0	0	30000	0	0	30000	17.4375	2004
08.01.2020 09:54:10	1	0	1	1	28.25	37.25	0	0	0	0	0	30000	0	0	30000	17.3125	2004
08.01.2020 09:54:16	1	0	1	1	28.25	37	0	0	0	0	0	30000	0	0	30000	17.125	2004
08.01.2020 09:54:16	1	0	1	1	28.25	37	0	0	0	0	0	30000	0	0	30000	17.125	2004
08.01.2020 09:54:16	1	0	1	1	28.25	37	0	0	0	0	0	30000	0	0	30000	17.125	2004
08.01.2020 09:54:16	1	0	1	1	28.25	37	0	0	0	0	0	30000	0	0	30000	17.125	2004
08.01.2020 09:54:16	1	0	1	1	28.25	37	0	0	0	0	0	30000	0	0	30000	17.125	2004
08.01.2020 09:54:16	1	0	1	1	28.25	37	0	0	0	0	0	30000	0	0	30000	17.125	2004
08.01.2020 09:54:16	1	0	1	1	28.25	37	0	0	0	0	0	30000	0	0	30000	17.125	2004
08.01.2020 09:54:17	1	0	1	1	28.25	37	0	0	0	0	0	30000	0	0	30000	17.0625	2004
08.01.2020 09:54:18	1	0	1	1	28.25	37	0	0	0	0	0	30000	0	0	30000	17.375	2004
08.01.2020 09:54:19	1	0	1	1	28.25	37.25	0	0	0	0	0	30000	0	0	30000	17.3125	2004
08.01.2020 09:54:20	1	0	1	1	29	37.25	0	0	0	0	0	30000	0	0	30000	17.3125	2004
08.01.2020 09:54:21	1	0	1	1	29	37.25	0	0	0	0	0	30000	0	0	30000	17.3125	2004
08.01.2020 09:54:22	1	0	1	1	29	37.25	0	0	0	0	0	30000	0	0	30000	17.3125	2004
08.01.2020 09:54:23	1	0	1	1	29	37.25	0	0	0	0	0	30000	0	0	30000	17.3125	2004
08.01.2020 09:54:24	1	0	1	1	29	37.25	0	0	0	0	0	30000	0	0	30000	18.4375	2004
08.01.2020 09:54:25	1	0	1	1	29	37.25	0	0	0	0	0	30000	0	0	30000	16.9375	2004
08.01.2020 09:54:26	1	0	1	1	29	36.75	0	0	0	0	0	30000	0	0	30000	16.9375	2004
08.01.2020 09:54:27	1	0	1	1	29	36.75	0	0	0	0	0	30000	0	0	30000	17.125	2004
08.01.2020 09:54:28	1	0	1	1	29	37	0	0	0	0	0	30000	0	0	30000	17.125	2004
08.01.2020 09:54:29	1	0	1	1	29.75	37	0	0	0	0	0	30000	0	0	30000	17.375	2004
08.01.2020 09:54:30	1	0	1	1	29.75	37.25	0	0	0	0	0	30000	0	0	30000	17.4375	2004
08.01.2020 09:54:32	1	0	1	1	29.75	37.25	0	0	0	0	0	30000	0	0	30000	17.25	2004
08.01.2020 09:54:33	1	0	1	1	29.75	37.25	0	0	0	0	0	30000	0	0	30000	17.1875	2004
08.01.2020 09:54:34	1	0	1	1	29.75	37	0	0	0	0	0	30000	0	0	30000	17.3125	2004
08.01.2020 09:54:35	1	0	1	1	29.75	37.25	0	0	0	0	0	30000	0	0	30000	17.1875	2004
08.01.2020 09:54:36	1	0	1	1	29.75	37	0	0	0	0	0	30000	0	0	30000	17	2004
08.01.2020 09:54:37	1	0	1	1	29.75	37	0	0	0	0	0	30000	0	0	30000	17.125	2004
08.01.2020 09:54:38	1	0	1	1	29.75	37	0	0	0	0	0	30000	0	0	30000	17.0625	2004
08.01.2020 09:54:39	1	0	1	1	29.75	37	0	0	0	0	0	30000	0	0	30000	17.25	2004
08.01.2020 09:54:40	1	0	1	1	30.5	37.25	0	0	0	0	0	30000	0	0	30000	17.0625	2004
08.01.2020 09:54:41	1	0	1	1	30.5	37	0	0	0	0	0	30000	0	0	30000	17.3125	2004
08.01.2020 09:54:42	1	0	1	1	30.5	37.25	0	0	0	0	0	30000	0	0	30000	17.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers	
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]		
08.01.2020 09:54:43	1	0	1	1	30.5	37	0	0	0	0	0	30000	0	0	30000	17.375	2004
08.01.2020 09:54:44	1	0	1	1	30.5	37.25	0	0	0	0	0	30000	0	0	30000	17.1875	2004
08.01.2020 09:54:45	1	0	1	1	30.5	37	0	0	0	0	0	30000	0	0	30000	17.0625	2004
08.01.2020 09:54:46	1	0	1	1	30.5	37	0	0	0	0	0	30000	0	0	30000	17	2004
08.01.2020 09:54:47	1	0	1	1	30.5	37	0	0	0	0	0	30000	0	0	30000	17.375	2004
08.01.2020 09:54:48	1	0	1	1	30.5	37.25	0	0	0	0	0	30000	0	0	30000	17.0625	2004
08.01.2020 09:54:49	1	0	1	1	30.5	37	0	0	0	0	0	30000	0	0	30000	17.1875	2004
08.01.2020 09:54:50	1	0	1	1	31.25	37	0	0	0	0	0	30000	0	0	30000	17.1875	2004
08.01.2020 09:54:51	1	0	1	1	31.25	37	0	0	0	0	0	30000	0	0	30000	17.25	2004
08.01.2020 09:54:52	1	0	1	1	31.25	37.25	0	0	0	0	0	30000	0	0	30000	17.4375	2004
08.01.2020 09:54:53	1	0	1	1	31.25	37.25	0	0	0	0	0	30000	0	0	30000	17.3125	2004
08.01.2020 09:54:54	1	0	1	1	31.25	37.25	0	0	0	0	0	30000	0	0	30000	16.875	2004
08.01.2020 09:54:55	1	0	1	1	31.25	36.75	0	0	0	0	0	30000	0	0	30000	17.375	2004
08.01.2020 09:54:56	1	0	1	1	31.25	37.25	0	0	0	0	0	30000	0	0	30000	17.375	2004
08.01.2020 09:54:57	1	0	1	1	31.25	37.25	0	0	0	0	0	30000	0	0	30000	17.125	2004
08.01.2020 09:54:58	1	0	1	1	31.25	37	0	0	0	0	0	30000	0	0	30000	17.1875	2004
08.01.2020 09:54:59	1	0	1	1	31.25	37	0	0	0	0	0	30000	0	0	30000	17.4375	2004
08.01.2020 09:55:00	1	0	1	1	32	37.25	0	0	0	0	0	30000	0	0	30000	17.25	2004
08.01.2020 09:55:01	1	0	1	1	32	37.25	0	0	0	0	0	30000	0	0	30000	17.375	2004
08.01.2020 09:55:02	1	0	1	1	32	37.25	0	0	0	0	0	30000	0	0	30000	18.8125	2004
08.01.2020 09:55:03	1	0	1	1	32	37.25	0	0	0	0	0	30000	0	0	30000	17.4375	2004
08.01.2020 09:55:04	1	0	1	1	32	37.25	0	0	0	0	0	30000	0	0	30000	17.3125	2004
08.01.2020 09:55:05	1	0	1	1	32	37.25	0	0	0	0	0	30000	0	0	30000	17.25	2004
08.01.2020 09:55:06	1	0	1	1	32	37.25	0	0	0	0	0	30000	0	0	30000	17.25	2004
08.01.2020 09:55:07	1	0	1	1	32	37.25	0	0	0	0	0	30000	0	0	30000	17.1875	2004
08.01.2020 09:55:09	1	0	1	1	32	37	0	0	0	0	0	30000	0	0	30000	17.3125	2004
08.01.2020 09:55:10	1	0	1	1	32.75	37.25	0	0	0	0	0	30000	0	0	30000	17.4375	2004
08.01.2020 09:55:11	1	0	1	1	32.75	37.25	0	0	0	0	0	30000	0	0	30000	17.25	2004
08.01.2020 09:55:12	1	0	1	1	32.75	37.25	0	0	0	0	0	30000	0	0	30000	17.375	2004
08.01.2020 09:55:17	1	0	1	1	32.75	37.25	0	0	0	0	0	30000	0	0	30000	17.125	2004
08.01.2020 09:55:17	1	0	1	1	32.75	37.25	0	0	0	0	0	30000	0	0	30000	17.125	2004
08.01.2020 09:55:17	1	0	1	1	32.75	37.25	0	0	0	0	0	30000	0	0	30000	17.125	2004
08.01.2020 09:55:17	1	0	1	1	32.75	37.25	0	0	0	0	0	30000	0	0	30000	17.125	2004
08.01.2020 09:55:17	1	0	1	1	32.75	37.25	0	0	0	0	0	30000	0	0	30000	17.125	2004
08.01.2020 09:55:18	1	0	1	1	32.75	37	0	0	0	0	0	30000	0	0	30000	17.125	2004
08.01.2020 09:55:19	1	0	1	1	32.75	37	0	0	0	0	0	30000	0	0	30000	17.25	2004
08.01.2020 09:55:20	1	0	1	1	33.5	37.25	0	0	0	0	0	30000	0	0	30000	17.1875	2004
08.01.2020 09:55:21	1	0	1	1	33.5	37	0	0	0	0	0	30000	0	0	30000	17	2004
08.01.2020 09:55:22	1	0	1	1	33.5	37	0	0	0	0	0	30000	0	0	30000	17.4375	2004
08.01.2020 09:55:23	1	0	1	1	33.5	37.25	0	0	0	0	0	30000	0	0	30000	17.375	2004
08.01.2020 09:55:24	1	0	1	1	33.5	37.25	0	0	0	0	0	30000	0	0	30000	17.3125	2004
08.01.2020 09:55:25	1	0	1	1	33.5	37.25	0	0	0	0	0	30000	0	0	30000	17.125	2004
08.01.2020 09:55:26	1	0	1	1	33.5	37	0	0	0	0	0	30000	0	0	30000	17.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 09:55:27	1	0	1	1	33.5	37.25	0	0	0	0	30000	0	0	30000	17	2004
08.01.2020 09:55:28	1	0	1	1	33.5	37	0	0	0	0	30000	0	0	30000	17.4375	2004
08.01.2020 09:55:29	1	0	1	1	33.5	37.25	0	0	0	0	30000	0	0	30000	17.3125	2004
08.01.2020 09:55:30	1	0	1	1	34.25	37.25	0	0	0	0	30000	0	0	30000	17.25	2004
08.01.2020 09:55:31	1	0	1	1	34.25	37.25	0	0	0	0	30000	0	0	30000	17.375	2004
08.01.2020 09:55:32	1	0	1	1	34.25	37.25	0	0	0	0	30000	0	0	30000	17.3125	2004
08.01.2020 09:55:33	1	0	1	1	34.25	37.25	0	0	0	0	30000	0	0	30000	17.125	2004
08.01.2020 09:55:34	1	0	1	1	34.25	37	0	0	0	0	30000	0	0	30000	17.3125	2004
08.01.2020 09:55:35	1	0	1	1	34.25	37.25	0	0	0	0	30000	0	0	30000	17.375	2004
08.01.2020 09:55:36	1	0	1	1	34.25	37.25	0	0	0	0	30000	0	0	30000	17.3125	2004
08.01.2020 09:55:37	1	0	1	1	34.25	37.25	0	0	0	0	30000	0	0	30000	17.375	2004
08.01.2020 09:55:38	1	0	1	1	34.25	37.25	0	0	0	0	30000	0	0	30000	17.25	2004
08.01.2020 09:55:39	1	0	1	1	34.25	37.25	0	0	0	0	30000	0	0	30000	17.25	2004
08.01.2020 09:55:40	1	0	1	1	35.25	37.25	0	0	0	0	30000	0	0	30000	17.375	2004
08.01.2020 09:55:41	1	0	1	1	35.25	37.25	0	0	0	0	30000	0	0	30000	17.375	2004
08.01.2020 09:55:42	1	0	1	1	35.25	37.25	0	0	0	0	30000	0	0	30000	17.5	2004
08.01.2020 09:55:43	1	0	1	1	35.25	37.5	0	0	0	0	30000	0	0	30000	17.3125	2004
08.01.2020 09:55:44	1	0	1	1	35.25	37.25	0	0	0	0	30000	0	0	30000	17.3125	2004
08.01.2020 09:55:45	1	0	1	1	35.25	37.25	0	0	0	0	30000	0	0	30000	17.1875	2004
08.01.2020 09:55:46	1	0	1	1	35.25	37	0	0	0	0	30000	0	0	30000	17.375	2004
08.01.2020 09:55:48	1	0	1	1	35.25	37.25	0	0	0	0	30000	0	0	30000	17.3125	2004
08.01.2020 09:55:49	1	0	1	1	35.25	37.25	0	0	0	0	30000	0	0	30000	17.375	2004
08.01.2020 09:55:50	1	0	1	1	35.75	37.25	0	0	0	0	30000	0	0	30000	17.4375	2004
08.01.2020 09:55:51	1	0	1	1	35.75	37.25	0	0	0	0	30000	0	0	30000	17.3125	2004
08.01.2020 09:55:52	1	0	1	1	35.75	37.25	0	0	0	0	30000	0	0	30000	17.125	2004
08.01.2020 09:55:53	1	0	1	1	35.75	37	0	0	0	0	30000	0	0	30000	17.125	2004
08.01.2020 09:55:54	1	0	1	1	35.75	37	0	0	0	0	30000	0	0	30000	17.5625	2004
08.01.2020 09:55:55	1	0	1	1	35.75	37.5	0	0	0	0	30000	0	0	30000	17.125	2004
08.01.2020 09:55:56	1	0	1	1	35.75	37	0	0	0	0	30000	0	0	30000	17.375	2004
08.01.2020 09:55:57	1	0	1	1	35.75	37.25	0	0	0	0	30000	0	0	30000	17.625	2004
08.01.2020 09:55:58	1	0	1	1	35.75	37.5	0	0	0	0	30000	0	0	30000	17.1875	2004
08.01.2020 09:55:59	1	0	1	1	35.75	37	0	0	0	0	30000	0	0	30000	17.5625	2004
08.01.2020 09:56:00	1	0	1	1	36.25	37.5	0	0	0	0	30000	0	0	30000	17.3125	2004
08.01.2020 09:56:01	1	0	1	1	36.25	37.25	0	0	0	0	30000	0	0	30000	17.1875	2004
08.01.2020 09:56:02	1	0	1	1	36.25	37	0	0	0	0	30000	0	0	30000	17.3125	2004
08.01.2020 09:56:03	1	0	1	1	36.25	37.25	0	0	0	0	30000	0	0	30000	17.25	2004
08.01.2020 09:56:04	1	0	1	1	36.25	37.25	0	0	0	0	30000	0	0	30000	17.3125	2004
08.01.2020 09:56:05	1	0	1	1	36.25	37.25	0	0	0	0	30000	0	0	30000	17.375	2004
08.01.2020 09:56:06	1	0	1	1	36.25	37.25	0	0	0	0	30000	0	0	30000	17.375	2004
08.01.2020 09:56:07	1	0	1	1	36.25	37.25	0	0	0	0	30000	0	0	30000	17.375	2004
08.01.2020 09:56:08	1	0	1	1	36.25	37.25	0	0	0	0	30000	0	0	30000	17.0625	2004
08.01.2020 09:56:09	1	0	1	1	36.25	37	0	0	0	0	30000	0	0	30000	17.4375	2004
08.01.2020 09:56:10	1	0	1	1	36.75	37.25	0	0	0	0	30000	0	0	30000	17.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers	
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]		
08.01.2020 09:56:11	1	0	1	1	36.75	37.5	0	0	0	0	0	30000	0	0	30000	17.375	2004
08.01.2020 09:56:12	1	0	1	1	36.75	37.25	0	0	0	0	0	30000	0	0	30000	17.3125	2004
08.01.2020 09:56:13	1	0	1	1	36.75	37.25	0	0	0	0	0	30000	0	0	30000	17.25	2004
08.01.2020 09:56:19	1	0	1	1	36.75	37.25	0	0	0	0	0	30000	0	0	30000	17.125	2004
08.01.2020 09:56:19	1	0	1	1	36.75	37.25	0	0	0	0	0	30000	0	0	30000	17.125	2004
08.01.2020 09:56:19	1	0	1	1	36.75	37.25	0	0	0	0	0	30000	0	0	30000	17.125	2004
08.01.2020 09:56:19	1	0	1	1	36.75	37.25	0	0	0	0	0	30000	0	0	30000	17.125	2004
08.01.2020 09:56:19	1	0	1	1	36.75	37.25	0	0	0	0	0	30000	0	0	30000	17.125	2004
08.01.2020 09:56:19	1	0	1	1	37.5	37.25	0	0	0	0	0	30000	0	0	30000	17.3125	2004
08.01.2020 09:56:20	1	1	1	1	37.5	37.25	0	0	0	0	0	30000	0	0	30000	17.375	2004
08.01.2020 09:56:21	1	1	1	1	37.5	37.25	0	10663.507	0	0	0	30000	0	0	30000	17.75	2004
08.01.2020 09:56:22	1	1	1	1	37.5	37.75	0	11421.801	0	0	0	30000	0	0	30000	17.5625	2004
08.01.2020 09:56:23	1	1	1	1	37.5	37.5	0	12180.095	0	0	0	30000	0	0	30000	17.5625	2004
08.01.2020 09:56:24	1	1	1	1	37.5	37.5	0	12985.782	2.150537634	27.72266464	30000	0	0	30000	17.5625	2004	
08.01.2020 09:56:26	1	1	1	1	37.5	37.5	0	13744.076	4.301075269	88.87560134	30000	0	0	30000	17.0625	2004	
08.01.2020 09:56:27	1	1	1	1	37.5	37	0	14454.976	8.602150538	123.9366184	30000	0	0	30000	17.3125	2004	
08.01.2020 09:56:28	1	1	1	1	37.5	37.25	0	15165.877	12.90322581	228.304297	30000	0	0	30000	17.5625	2004	
08.01.2020 09:56:29	1	1	1	1	37.5	37.5	0	16066.351	21.50537634	310.6569184	30000	0	0	30000	17.25	2004	
08.01.2020 09:56:30	1	1	1	1	38.25	37.25	0	16777.251	27.95698925	431.3320469	30000	0	0	30000	17.6875	2004	
08.01.2020 09:56:31	1	1	1	1	38.25	37.5	0	17535.545	34.40860215	640.8827766	30000	0	0	30000	17.5625	2004	
08.01.2020 09:56:32	1	1	1	1	38.25	37.5	0	18436.019	47.31182796	832.4953116	30000	0	0	30000	17.125	2004	
08.01.2020 09:56:33	1	1	1	1	38.25	37	0	19146.919	51.61290323	990.6775745	30000	0	0	30000	17.5	2004	
08.01.2020 09:56:34	1	1	1	1	38.25	37.5	0	19857.82	60.21505376	1195.336069	30000	0	0	30000	17.5625	2004	
08.01.2020 09:56:35	1	1	1	1	38.25	37.5	0	20758.294	70.96774194	1469.301226	30000	0	0	30000	17.5625	2004	
08.01.2020 09:56:36	1	1	1	1	38.25	37.5	0	21469.194	79.56989247	1711.466855	30000	0	0	30000	17.0625	2004	
08.01.2020 09:56:37	1	1	1	1	38.25	37	0	22227.488	92.47311828	2046.584948	30000	0	0	30000	17.5625	2004	
08.01.2020 09:56:38	1	1	1	1	38.25	37.5	0	22890.995	103.2258065	2362.949474	30000	0	0	30000	17.375	2004	
08.01.2020 09:56:39	1	1	1	1	38.25	37.25	0	23696.682	116.1290323	2694.806077	30000	0	0	30000	17.4375	2004	
08.01.2020 09:56:40	1	1	1	1	39	37.25	0	24312.796	129.0322581	3136.737966	30000	0	0	30000	18.0625	2004	
08.01.2020 09:56:41	1	1	1	1	39	38	0	24218.009	141.9354839	3488.978882	30000	0	0	30000	17.125	2004	
08.01.2020 09:56:42	1	1	1	1	39	37	0	24834.123	159.1397849	3952.110456	30000	0	0	30000	18.5	2004	
08.01.2020 09:56:43	1	1	1	1	39	38.5	0	25545.024	174.1935484	4504.117631	30000	0	0	30000	16.9375	2004	
08.01.2020 09:56:44	1	1	1	1	39	36.75	0	25734.597	189.2473118	4924.849836	30000	0	0	30000	17.75	2004	
08.01.2020 09:56:45	1	1	1	1	39	37.75	0	25971.564	206.4516129	5352.10502	30000	0	0	30000	17.125	2004	
08.01.2020 09:56:46	1	1	1	1	39	37	0	26018.957	206.4516129	5371.67396	30000	0	0	30000	17.1875	2004	
08.01.2020 09:56:47	1	1	1	1	39	37	0	26492.891	221.5053763	5878.835648	30000	0	0	30000	17.5625	2004	
08.01.2020 09:56:48	1	1	1	1	39	37.5	0	26777.251	236.5591398	6333.813497	30000	0	0	30000	17.5625	2004	
08.01.2020 09:56:49	1	1	1	1	39	37.5	0	27298.578	249.4623656	6868.69785	30000	0	0	30000	17.625	2004	
08.01.2020 09:56:50	1	1	1	1	40	37.5	0	27345.972	264.516129	7233.169353	30000	0	0	30000	17.8125	2004	
08.01.2020 09:56:51	1	1	1	1	40	37.75	0	27535.545	279.5698925	7756.638491	30000	0	0	30000	17.9375	2004	
08.01.2020 09:56:52	1	1	1	1	40	37.75	0	27630.332	294.6236559	8139.863561	30000	0	0	30000	17.5	2004	
08.01.2020 09:56:53	1	1	1	1	40	37.5	0	27962.085	309.6774194	8673.932542	30000	0	0	30000	18.0625	2004	
08.01.2020 09:56:54	1	1	1	1	40	38	0	28009.479	322.5806452	9035.142554	30000	0	0	30000	17.3125	2004	

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 09:56:55	1	1	1	1	40	37.25	0	28483.412	339.7849462	9677.656076	30000	0	0	30000	17.75	2004
08.01.2020 09:56:56	1	1	1	1	40	37.75	0	28625.592	354.8387097	10224.77102	30000	0	0	30000	17.1875	2004
08.01.2020 09:56:57	1	1	1	1	40	37	0	28625.592	369.8924731	10526.45884	30000	0	0	30000	19.25	2004
08.01.2020 09:56:58	1	1	1	1	40	39.25	0	28815.166	382.7956989	10913.76077	30000	0	0	30000	17.625	2004
08.01.2020 09:56:59	1	1	1	1	42.25	39	0	29668.246	423.655914	12440.95344	30000	0	0	30000	17.5	2004
08.01.2020 09:57:00	1	1	1	1	42.25	37.5	0	29336.493	427.9569892	12554.29022	30000	0	0	30000	17.5625	2004
08.01.2020 09:57:01	1	1	1	1	42.25	37.5	0	29810.427	445.1612903	13164.18884	30000	0	0	30000	17.3125	2004
08.01.2020 09:57:02	1	1	1	1	42.25	37.25	0	29905.213	460.2150538	13955.10015	30000	0	0	30000	17.5625	2004
08.01.2020 09:57:03	1	1	1	1	42.25	37.5	0	30000	460.2150538	13935.53122	30000	0	0	30000	17.25	2004
08.01.2020 09:57:05	1	1	1	1	42.25	37.25	0	30000	453.7634409	13612.64371	30000	0	0	30000	17.375	2004
08.01.2020 09:57:06	1	1	1	1	42.25	37.25	0	30000	464.516129	13957.54627	30000	0	0	30000	17.1875	2004
08.01.2020 09:57:07	1	1	1	1	42.25	37	0	30000	464.516129	13741.47256	30000	0	0	30000	17.5625	2004
08.01.2020 09:57:08	1	1	1	1	42.25	37.5	0	30000	466.6666667	13999.94564	30000	0	0	30000	17.5	2004
08.01.2020 09:57:09	1	1	1	1	42.25	37.5	0	30000	451.6129032	13483.81486	30000	0	0	30000	17.6875	2004
08.01.2020 09:57:10	1	1	1	1	44.25	37.5	0	30000	455.9139785	13741.47256	30000	0	0	30000	18.25	2004
08.01.2020 09:57:11	1	1	1	1	44.25	38.25	0	30000	466.6666667	13999.94564	30000	0	0	30000	16.875	2004
08.01.2020 09:57:12	1	1	1	1	44.25	36.75	0	30000	464.516129	13935.53122	30000	0	0	30000	17.8125	2004
08.01.2020 09:57:13	1	1	1	1	44.25	37.75	0	30000	483.8709677	14516.07643	30000	0	0	30000	17	2004
08.01.2020 09:57:14	1	1	1	1	44.25	37	0	30000	481.7204301	14451.662	30000	0	0	30000	17.6875	2004
08.01.2020 09:57:15	1	1	1	1	44.25	37.5	0	30000	481.7204301	14451.662	30000	0	0	30000	17.125	2004
08.01.2020 09:57:21	1	1	1	1	46.25	37.5	0	30000	464.516129	13935.53122	30000	0	0	30000	17.25	2004
08.01.2020 09:57:21	1	1	1	1	46.25	37.5	0	30000	464.516129	13935.53122	30000	0	0	30000	17.25	2004
08.01.2020 09:57:21	1	1	1	1	46.25	37.5	0	30000	464.516129	13935.53122	30000	0	0	30000	17.25	2004
08.01.2020 09:57:21	1	1	1	1	46.25	37.5	0	30000	464.516129	13935.53122	30000	0	0	30000	17.25	2004
08.01.2020 09:57:21	1	1	1	1	46.25	37.5	0	30000	464.516129	13935.53122	30000	0	0	30000	17.25	2004
08.01.2020 09:57:21	1	1	1	1	46.25	37.25	0	30000	481.7204301	14451.662	30000	0	0	30000	17.5625	2004
08.01.2020 09:57:22	1	1	1	1	46.25	37.5	0	30000	481.7204301	14451.662	30000	0	0	30000	17.625	2004
08.01.2020 09:57:23	1	1	1	1	46.25	37.5	0	30000	466.6666667	14128.7745	30000	0	0	30000	17.625	2004
08.01.2020 09:57:24	1	1	1	1	46.25	37.5	0	30000	466.6666667	14064.36007	30000	0	0	30000	17.125	2004
08.01.2020 09:57:25	1	1	1	1	46.25	37	0	30000	468.8172043	14128.7745	30000	0	0	30000	17.9375	2004
08.01.2020 09:57:26	1	1	1	1	46.25	37.75	0	30000	481.7204301	14451.662	30000	0	0	30000	17.75	2004
08.01.2020 09:57:27	1	1	1	1	46.25	37.75	0	30000	481.7204301	14451.662	30000	0	0	30000	17.625	2004
08.01.2020 09:57:28	1	1	1	1	46.25	37.5	0	30094.787	466.6666667	13935.53122	30000	0	0	30000	17.625	2004
08.01.2020 09:57:29	1	1	1	1	46.25	37.5	0	30000	466.6666667	13999.94564	30000	0	0	30000	17.1875	2004
08.01.2020 09:57:30	1	1	1	1	46.75	37	0	30000	449.4623656	13548.22928	30000	0	0	30000	17.5625	2004
08.01.2020 09:57:31	1	1	1	1	46.75	37.5	0	29952.607	464.516129	13935.53122	30000	0	0	30000	17.6875	2004
08.01.2020 09:57:32	1	1	1	1	46.75	37.5	0	30000	460.2150538	13741.47256	30000	0	0	30000	17.5	2004
08.01.2020 09:57:33	1	1	1	1	46.75	37.5	0	30000	460.2150538	13805.88699	30000	0	0	30000	17.4375	2004
08.01.2020 09:57:34	1	1	1	1	46.75	37.25	0	30000	455.9139785	13612.64371	30000	0	0	30000	18.125	2004
08.01.2020 09:57:35	1	1	1	1	46.75	38	0	30000	464.516129	13935.53122	30000	0	0	30000	17.9375	2004
08.01.2020 09:57:36	1	1	1	1	46.75	37.75	0	30000	481.7204301	14128.7745	30000	0	0	30000	18.375	2004
08.01.2020 09:57:37	1	1	1	1	46.75	38.25	0	30000	481.7204301	14451.662	30000	0	0	30000	17.25	2004
08.01.2020 09:57:38	1	1	1	1	46.75	37.75	0	30000	481.7204301	14451.662	30000	0	0	30000	18.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 09:57:39	1	1	1	1	49.25	38	0	30000	458.0645161	13827.90205	30000	0	0	30000	18.0625	2004
08.01.2020 09:57:40	1	1	1	1	49.25	38	0	30000	464.516129	13935.53122	30000	0	0	30000	17.8125	2004
08.01.2020 09:57:41	1	1	1	1	49.25	37.75	0	30000	464.516129	13891.5011	30000	0	0	30000	17.75	2004
08.01.2020 09:57:43	1	1	1	1	49.25	37.75	0	30000	468.8172043	14451.662	30000	0	0	30000	17.625	2004
08.01.2020 09:57:44	1	1	1	1	49.25	37.5	0	30000	481.7204301	14406.00114	30000	0	0	30000	17.5	2004
08.01.2020 09:57:45	1	1	1	1	49.25	37.5	0	30000	481.7204301	14451.662	30000	0	0	30000	18.1875	2004
08.01.2020 09:57:46	1	1	1	1	49.25	38	0	30000	488.172043	14644.90528	30000	0	0	30000	18.125	2004
08.01.2020 09:57:47	1	1	1	1	49.25	38	0	29952.607	496.7741935	14902.56299	30000	0	0	30000	17.9375	2004
08.01.2020 09:57:48	1	1	1	1	49.25	37.75	0	29905.213	494.6236559	14902.56299	30000	0	0	30000	17.9375	2004
08.01.2020 09:57:49	1	1	1	1	49.25	37.75	0	29905.213	481.7204301	14451.662	30000	0	0	30000	18.625	2004
08.01.2020 09:57:50	1	1	1	1	50.5	38.5	0	30000	494.6236559	15079.49882	30000	0	0	30000	17.5625	2004
08.01.2020 09:57:51	1	1	1	1	50.5	37.5	0	30000	490.3225806	14644.90528	30000	0	0	30000	17.5625	2004
08.01.2020 09:57:52	1	1	1	1	50.5	37.5	0	30000	488.172043	14644.90528	30000	0	0	30000	18.0625	2004
08.01.2020 09:57:53	1	1	1	1	50.5	38	0	29952.607	483.8709677	14644.90528	30000	0	0	30000	17.5625	2004
08.01.2020 09:57:54	1	1	1	1	50.5	37.5	0	29905.213	486.0215054	14838.14856	30000	0	0	30000	17.4375	2004
08.01.2020 09:57:55	1	1	1	1	50.5	37.25	0	29905.213	468.8172043	14128.7745	30000	0	0	30000	17.75	2004
08.01.2020 09:57:56	1	1	1	1	50.5	37.75	0	30000	486.0215054	14644.90528	30000	0	0	30000	17.1875	2004
08.01.2020 09:57:57	1	1	1	1	50.5	37	0	30000	492.4731183	14773.73413	30000	0	0	30000	17.625	2004
08.01.2020 09:57:58	1	1	1	1	50.5	37.5	0	30000	488.172043	14516.07643	30000	0	0	30000	17.5625	2004
08.01.2020 09:57:59	1	1	1	1	50.5	37.5	0	30000	494.6236559	14902.56299	30000	0	0	30000	17.4375	2004
08.01.2020 09:58:00	1	1	1	1	51.5	37.25	0	30000	496.7741935	14902.56299	30000	0	0	30000	17.25	2004
08.01.2020 09:58:01	1	1	1	1	51.5	37.25	0	29905.213	503.2258065	15161.03607	30000	0	0	30000	18.125	2004
08.01.2020 09:58:02	1	1	1	1	51.5	38	0	30000	505.3763441	15096.62164	30000	0	0	30000	17.625	2004
08.01.2020 09:58:03	1	1	1	1	51.5	37.5	0	30000	496.7741935	14902.56299	30000	0	0	30000	17.6875	2004
08.01.2020 09:58:04	1	1	1	1	51.5	37.5	0	30000	488.172043	14709.31971	30000	0	0	30000	17.75	2004
08.01.2020 09:58:05	1	1	1	1	51.5	37.75	0	30000	503.2258065	14902.56299	30000	0	0	30000	17.25	2004
08.01.2020 09:58:06	1	1	1	1	51.5	37.25	0	30000	490.3225806	14773.73413	30000	0	0	30000	17.8125	2004
08.01.2020 09:58:07	1	1	1	1	51.5	37.75	0	30000	481.7204301	14451.662	30000	0	0	30000	17.25	2004
08.01.2020 09:58:08	1	1	1	1	51.5	37.25	0	29952.607	481.7204301	14451.662	30000	0	0	30000	18.25	2004
08.01.2020 09:58:09	1	1	1	1	51.5	38.25	0	30000	481.7204301	14516.07643	30000	0	0	30000	17.4375	2004
08.01.2020 09:58:10	1	1	1	1	52.75	37.25	0	30000	490.3225806	14709.31971	30000	0	0	30000	17.875	2004
08.01.2020 09:58:11	1	1	1	1	52.75	37.75	0	30000	488.172043	14773.73413	30000	0	0	30000	18.1875	2004
08.01.2020 09:58:12	1	1	1	1	52.75	38	0	30000	507.5268817	15225.45049	30000	0	0	30000	17.9375	2004
08.01.2020 09:58:13	1	1	1	1	52.75	37.75	0	29952.607	516.1290323	15483.92357	30000	0	0	30000	18.125	2004
08.01.2020 09:58:14	1	1	1	1	52.75	38	0	29905.213	501.0752688	15161.03607	30000	0	0	30000	18.875	2004
08.01.2020 09:58:15	1	1	1	1	52.75	38.75	0	30000	507.5268817	15225.45049	30000	0	0	30000	19.6875	2004
08.01.2020 09:58:16	1	1	1	1	52.75	39.5	0	30000	511.827957	15289.86492	30000	0	0	30000	17.75	2004
08.01.2020 09:58:22	1	1	1	1	54.25	37.5	0	30047.393	509.6774194	15225.45049	30000	0	0	30000	17.875	2004
08.01.2020 09:58:22	1	1	1	1	54.25	37.5	0	30047.393	509.6774194	15225.45049	30000	0	0	30000	17.875	2004
08.01.2020 09:58:22	1	1	1	1	54.25	37.5	0	30047.393	509.6774194	15225.45049	30000	0	0	30000	17.875	2004
08.01.2020 09:58:22	1	1	1	1	54.25	37.5	0	30047.393	509.6774194	15225.45049	30000	0	0	30000	17.875	2004
08.01.2020 09:58:22	1	1	1	1	54.25	37.5	0	30047.393	509.6774194	15225.45049	30000	0	0	30000	17.875	2004
08.01.2020 09:58:23	1	1	1	1	54.25	37.75	0	30000	509.6774194	15289.86492	30000	0	0	30000	18.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 09:58:24	1	1	1	1	54.25	38.5	0	30000	496.7741935	14902.56299	30000	0	0	30000	18	2004
08.01.2020 09:58:25	1	1	1	1	54.25	38	0	30000	483.8709677	14516.07643	30000	0	0	30000	17.6875	2004
08.01.2020 09:58:26	1	1	1	1	54.25	37.5	0	30000	481.7204301	14451.662	30000	0	0	30000	17.3125	2004
08.01.2020 09:58:27	1	1	1	1	54.25	37.25	0	30000	488.172043	14644.90528	30000	0	0	30000	17.5	2004
08.01.2020 09:58:28	1	1	1	1	54.25	37.5	0	30000	481.7204301	14451.662	30000	0	0	30000	18	2004
08.01.2020 09:58:29	1	1	1	1	54.25	38	0	30000	481.7204301	14516.07643	30000	0	0	30000	17.3125	2004
08.01.2020 09:58:30	1	1	1	1	54.25	37.25	0	30000	481.7204301	14451.662	30000	0	0	30000	18.875	2004
08.01.2020 09:58:31	1	1	1	1	54.25	38.75	0	29905.213	481.7204301	14451.662	30000	0	0	30000	17.75	2004
08.01.2020 09:58:32	1	1	1	1	54.25	37.75	0	30000	483.8709677	14516.07643	30000	0	0	30000	17.6875	2004
08.01.2020 09:58:33	1	1	1	1	54.25	37.5	0	29952.607	481.7204301	14451.662	30000	0	0	30000	17.75	2004
08.01.2020 09:58:34	1	1	1	1	54.25	37.75	0	29952.607	486.0215054	14580.49085	30000	0	0	30000	17.625	2004
08.01.2020 09:58:35	1	1	1	1	54.25	37.5	0	30000	488.172043	14644.90528	30000	0	0	30000	18	2004
08.01.2020 09:58:36	1	1	1	1	54.25	38	0	30000	486.0215054	14644.90528	30000	0	0	30000	17.8125	2004
08.01.2020 09:58:37	1	1	1	1	54.25	37.75	0	30000	481.7204301	14451.662	30000	0	0	30000	17.9375	2004
08.01.2020 09:58:38	1	1	1	1	54.25	37.75	0	30000	490.3225806	14644.90528	30000	0	0	30000	17.4375	2004
08.01.2020 09:58:39	1	1	1	1	54.25	37.25	0	30000	516.1290323	15289.86492	30000	0	0	30000	17.75	2004
08.01.2020 09:58:40	1	1	1	1	54.75	37.75	0	30000	518.2795699	15548.338	30000	0	0	30000	17.875	2004
08.01.2020 09:58:41	1	1	1	1	54.75	37.75	0	30000	516.1290323	15225.45049	30000	0	0	30000	18.0625	2004
08.01.2020 09:58:42	1	1	1	1	54.75	38	0	29952.607	516.1290323	15483.92357	30000	0	0	30000	17.3125	2004
08.01.2020 09:58:43	1	1	1	1	54.75	37.25	0	30000	520.4301075	15548.338	30000	0	0	30000	17.9375	2004
08.01.2020 09:58:44	1	1	1	1	54.75	37.75	0	29905.213	526.8817204	15974.77781	30000	0	0	30000	17.6875	2004
08.01.2020 09:58:45	1	1	1	1	54.75	37.5	0	30000	535.483871	16000.05436	30000	0	0	30000	18.375	2004
08.01.2020 09:58:46	1	1	1	1	54.75	38.25	0	30000	522.5806452	15677.16685	30000	0	0	30000	17.8125	2004
08.01.2020 09:58:47	1	1	1	1	54.75	37.75	0	30000	522.5806452	15741.58128	30000	0	0	30000	18.0625	2004
08.01.2020 09:58:48	1	1	1	1	54.75	38	0	30000	524.7311828	15741.58128	30000	0	0	30000	17.8125	2004
08.01.2020 09:58:49	1	1	1	1	54.75	37.75	0	30000	526.8817204	15805.99571	30000	0	0	30000	17.75	2004
08.01.2020 09:58:50	1	1	1	1	55.75	37.75	0	29857.82	529.0322581	15795.39586	30000	0	0	30000	17.6875	2004
08.01.2020 09:58:51	1	1	1	1	55.75	37.5	0	29810.427	533.3333333	15783.98065	30000	0	0	30000	18.0625	2004
08.01.2020 09:58:52	1	1	1	1	55.75	38	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	18.1875	2004
08.01.2020 09:58:53	1	1	1	1	55.75	38	0	30000	533.3333333	15974.77781	30000	0	0	30000	19.0625	2004
08.01.2020 09:58:54	1	1	1	1	55.75	39	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	18.125	2004
08.01.2020 09:58:55	1	1	1	1	55.75	39	0	30000	533.3333333	15949.50126	30000	0	0	30000	17.9375	2004
08.01.2020 09:58:56	1	1	1	1	55.75	37.75	0	29952.607	533.3333333	15949.50126	30000	0	0	30000	17.5	2004
08.01.2020 09:58:57	1	1	1	1	55.75	37.5	0	29905.213	533.3333333	16128.88321	30000	0	0	30000	18.375	2004
08.01.2020 09:58:59	1	1	1	1	55.75	38.25	0	30000	533.3333333	15949.50126	30000	0	0	30000	17.875	2004
08.01.2020 09:59:00	1	1	1	1	56.25	37.75	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	18.1875	2004
08.01.2020 09:59:01	1	1	1	1	56.25	38	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	17.8125	2004
08.01.2020 09:59:02	1	1	1	1	56.25	37.75	0	29857.82	529.0322581	15949.50126	30000	0	0	30000	18	2004
08.01.2020 09:59:03	1	1	1	1	56.25	38	0	29952.607	533.3333333	15949.50126	30000	0	0	30000	18.5625	2004
08.01.2020 09:59:04	1	1	1	1	56.25	38.5	0	29857.82	535.483871	16013.10032	30000	0	0	30000	17.8125	2004
08.01.2020 09:59:05	1	1	1	1	56.25	37.75	0	29810.427	537.6344086	15962.54722	30000	0	0	30000	18.5625	2004
08.01.2020 09:59:06	1	1	1	1	56.25	38.5	0	29905.213	537.6344086	16141.92917	30000	0	0	30000	17.75	2004
08.01.2020 09:59:07	1	1	1	1	56.25	37.75	0	29905.213	535.483871	15987.82377	30000	0	0	30000	17.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 09:59:08	1	1	1	1	56.25	37.5	0	29857.82	535.483871	15987.82377	30000	0	0	30000	18.1875	2004
08.01.2020 09:59:09	1	1	1	1	56.25	38	0	29905.213	537.6344086	16077.51474	30000	0	0	30000	18.375	2004
08.01.2020 09:59:10	1	1	1	1	57.75	38.25	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	17.6875	2004
08.01.2020 09:59:11	1	1	1	1	57.75	37.5	0	29810.427	535.483871	16026.96165	30000	0	0	30000	17.9375	2004
08.01.2020 09:59:12	1	1	1	1	57.75	37.75	0	29905.213	535.483871	16013.10032	30000	0	0	30000	18.0625	2004
08.01.2020 09:59:13	1	1	1	1	57.75	38	0	29857.82	535.483871	15962.54722	30000	0	0	30000	18	2004
08.01.2020 09:59:14	1	1	1	1	57.75	38	0	29715.64	533.3333333	15911.99413	30000	0	0	30000	18.6875	2004
08.01.2020 09:59:15	1	1	1	1	57.75	38.5	0	29905.213	535.483871	16013.10032	30000	0	0	30000	17.8125	2004
08.01.2020 09:59:16	1	1	1	1	57.75	37.75	0	30000	526.8817204	15805.99571	30000	0	0	30000	18.6875	2004
08.01.2020 09:59:17	1	1	1	1	57.75	38.5	0	30000	529.0322581	15934.82456	30000	0	0	30000	18	2004
08.01.2020 09:59:18	1	1	1	1	57.75	38	0	29952.607	533.3333333	15885.08684	30000	0	0	30000	18.75	2004
08.01.2020 09:59:24	1	1	1	1	59.25	37.75	0	30000	520.4301075	15548.338	30000	0	0	30000	18.0625	2004
08.01.2020 09:59:24	1	1	1	1	59.25	37.75	0	30000	520.4301075	15548.338	30000	0	0	30000	18.0625	2004
08.01.2020 09:59:24	1	1	1	1	59.25	37.75	0	30000	520.4301075	15548.338	30000	0	0	30000	18.0625	2004
08.01.2020 09:59:24	1	1	1	1	59.25	37.75	0	30000	520.4301075	15548.338	30000	0	0	30000	18.0625	2004
08.01.2020 09:59:24	1	1	1	1	59.25	38	0	30000	524.7311828	15677.16685	30000	0	0	30000	18	2004
08.01.2020 09:59:25	1	1	1	1	59.25	38	0	30000	524.7311828	15741.58128	30000	0	0	30000	17.8125	2004
08.01.2020 09:59:26	1	1	1	1	59.25	37.75	0	30000	529.0322581	15870.41013	30000	0	0	30000	18.625	2004
08.01.2020 09:59:27	1	1	1	1	59.25	38.5	0	30000	522.5806452	15548.338	30000	0	0	30000	18.1875	2004
08.01.2020 09:59:28	1	1	1	1	59.25	38	0	30000	529.0322581	15934.82456	30000	0	0	30000	18.125	2004
08.01.2020 09:59:29	1	1	1	1	59.25	38	0	30000	516.1290323	15523.87682	30000	0	0	30000	17.875	2004
08.01.2020 09:59:30	1	1	1	1	59.75	37.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	19.5625	2004
08.01.2020 09:59:31	1	1	1	1	59.75	39.5	0	30000	529.0322581	16000.05436	30000	0	0	30000	18.8125	2004
08.01.2020 09:59:32	1	1	1	1	59.75	38.75	0	30000	526.8817204	15805.99571	30000	0	0	30000	20.125	2004
08.01.2020 09:59:33	1	1	1	1	59.75	39.5	0	30000	522.5806452	15677.16685	30000	0	0	30000	18.125	2004
08.01.2020 09:59:34	1	1	1	1	59.75	38	0	30000	520.4301075	15677.16685	30000	0	0	30000	18	2004
08.01.2020 09:59:35	1	1	1	1	59.75	38	0	30000	529.0322581	15741.58128	30000	0	0	30000	17.9375	2004
08.01.2020 09:59:37	1	1	1	1	59.75	37.75	0	30000	520.4301075	15612.75243	30000	0	0	30000	17.5625	2004
08.01.2020 09:59:38	1	1	1	1	59.75	37.5	0	30000	516.1290323	15548.338	30000	0	0	30000	18.875	2004
08.01.2020 09:59:39	1	1	1	1	59.75	38.75	0	29905.213	535.483871	16013.10032	30000	0	0	30000	18.3125	2004
08.01.2020 09:59:40	1	1	1	1	60.5	38.25	0	29952.607	533.3333333	16064.46878	30000	0	0	30000	19.1875	2004
08.01.2020 09:59:41	1	1	1	1	60.5	39	0	30000	533.3333333	16064.46878	30000	0	0	30000	18.25	2004
08.01.2020 09:59:42	1	1	1	1	60.5	38.25	0	30000	533.3333333	16064.46878	30000	0	0	30000	19.0625	2004
08.01.2020 09:59:43	1	1	1	1	60.5	39	0	30000	531.1827957	15885.08684	30000	0	0	30000	18.0625	2004
08.01.2020 09:59:44	1	1	1	1	60.5	38	0	30000	529.0322581	15805.99571	30000	0	0	30000	17.9375	2004
08.01.2020 09:59:45	1	1	1	1	60.5	37.75	0	30000	518.2795699	15612.75243	30000	0	0	30000	18.5	2004
08.01.2020 09:59:46	1	1	1	1	60.5	38.5	0	29905.213	529.0322581	15885.08684	30000	0	0	30000	18.1875	2004
08.01.2020 09:59:47	1	1	1	1	60.5	38	0	29905.213	526.8817204	16128.88321	30000	0	0	30000	18.625	2004
08.01.2020 09:59:48	1	1	1	1	60.5	38.5	0	29905.213	533.3333333	16000.05436	30000	0	0	30000	18.625	2004
08.01.2020 09:59:49	1	1	1	1	60.5	38.5	0	30000	529.0322581	15781.53453	30000	0	0	30000	18.1875	2004
08.01.2020 09:59:50	1	1	1	1	61.25	38	0	29905.213	535.483871	16077.51474	30000	0	0	30000	18.6875	2004
08.01.2020 09:59:51	1	1	1	1	61.25	38.5	0	29810.427	537.6344086	16026.96165	30000	0	0	30000	18.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 09:59:52	1	1	1	1	61.25	38.75	0	29810.427	541.9354839	15937.27068	30000	0	0	30000	18.5	2004
08.01.2020 09:59:53	1	1	1	1	61.25	38.5	0	29857.82	535.483871	16077.51474	30000	0	0	30000	18.0625	2004
08.01.2020 09:59:54	1	1	1	1	61.25	38	0	29905.213	535.483871	16064.46878	30000	0	0	30000	18.25	2004
08.01.2020 09:59:55	1	1	1	1	61.25	38.25	0	29857.82	531.1827957	16077.51474	30000	0	0	30000	19.0625	2004
08.01.2020 09:59:56	1	1	1	1	61.25	39	0	29857.82	535.483871	15962.54722	30000	0	0	30000	18.4375	2004
08.01.2020 09:59:57	1	1	1	1	61.25	38.25	0	29810.427	533.3333333	15924.22472	30000	0	0	30000	18.25	2004
08.01.2020 09:59:58	1	1	1	1	61.25	38.25	0	29905.213	533.3333333	16064.46878	30000	0	0	30000	18.6875	2004
08.01.2020 09:59:59	1	1	1	1	61.25	38.5	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	18.625	2004
08.01.2020 10:00:00	1	1	1	1	62	38.5	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	18.1875	2004
08.01.2020 10:00:01	1	1	1	1	62	38	0	29810.427	537.6344086	15962.54722	30000	0	0	30000	18.25	2004
08.01.2020 10:00:02	1	1	1	1	62	38.25	0	29857.82	535.483871	16052.2382	30000	0	0	30000	18.5	2004
08.01.2020 10:00:03	1	1	1	1	62	38.5	0	29763.033	535.483871	15975.59318	30000	0	0	30000	18.3125	2004
08.01.2020 10:00:04	1	1	1	1	62	38.25	0	29905.213	535.483871	16013.10032	30000	0	0	30000	18.125	2004
08.01.2020 10:00:05	1	1	1	1	62	38	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	18.5625	2004
08.01.2020 10:00:06	1	1	1	1	62	38.5	0	29763.033	539.7849462	16040.00761	30000	0	0	30000	18.5625	2004
08.01.2020 10:00:07	1	1	1	1	62	38.5	0	29526.066	539.7849462	15911.99413	30000	0	0	30000	18.5	2004
08.01.2020 10:00:08	1	1	1	1	62	38.5	0	29526.066	539.7849462	15963.3626	30000	0	0	30000	18.3125	2004
08.01.2020 10:00:09	1	1	1	1	62	38.25	0	29620.853	537.6344086	16013.91569	30000	0	0	30000	19.875	2004
08.01.2020 10:00:10	1	1	1	1	62.5	39.75	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	20.3125	2004
08.01.2020 10:00:11	1	1	1	1	62.5	38.25	0	29810.427	539.7849462	16026.96165	30000	0	0	30000	19	2004
08.01.2020 10:00:12	1	1	1	1	62.5	39	0	29526.066	539.7849462	15963.3626	30000	0	0	30000	18.8125	2004
08.01.2020 10:00:13	1	1	1	1	62.5	38.75	0	29620.853	537.6344086	15733.42755	30000	0	0	30000	18	2004
08.01.2020 10:00:14	1	1	1	1	62.5	38	0	29526.066	537.6344086	15937.27068	30000	0	0	30000	17.9375	2004
08.01.2020 10:00:16	1	1	1	1	62.5	37.75	0	29526.066	539.7849462	15696.73579	30000	0	0	30000	18	2004
08.01.2020 10:00:17	1	1	1	1	62.5	38	0	29668.246	539.7849462	16013.91569	30000	0	0	30000	18.3125	2004
08.01.2020 10:00:18	1	1	1	1	62.5	38.25	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	18.6875	2004
08.01.2020 10:00:19	1	1	1	1	62.5	38.5	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	19.125	2004
08.01.2020 10:00:20	1	1	1	1	63.5	39	0	29336.493	537.6344086	15797.84198	30000	0	0	30000	18.125	2004
08.01.2020 10:00:25	1	1	1	1	63.5	38	0	29668.246	539.7849462	16040.00761	30000	0	0	30000	19.5625	2004
08.01.2020 10:00:25	1	1	1	1	63.5	38	0	29668.246	539.7849462	16040.00761	30000	0	0	30000	19.5625	2004
08.01.2020 10:00:25	1	1	1	1	63.5	38	0	29668.246	539.7849462	16040.00761	30000	0	0	30000	19.5625	2004
08.01.2020 10:00:25	1	1	1	1	63.5	38	0	29668.246	539.7849462	16040.00761	30000	0	0	30000	19.5625	2004
08.01.2020 10:00:25	1	1	1	1	63.5	38	0	29668.246	539.7849462	16040.00761	30000	0	0	30000	19.5625	2004
08.01.2020 10:00:26	1	1	1	1	63.5	39.5	0	29668.246	537.6344086	16167.20572	30000	0	0	30000	18.1875	2004
08.01.2020 10:00:27	1	1	1	1	63.5	38	0	29620.853	539.7849462	15772.56543	30000	0	0	30000	18.0625	2004
08.01.2020 10:00:28	1	1	1	1	63.5	38	0	29620.853	541.9354839	15797.84198	30000	0	0	30000	17.875	2004
08.01.2020 10:00:29	1	1	1	1	63.5	37.75	0	29668.246	539.7849462	16040.00761	30000	0	0	30000	18.125	2004
08.01.2020 10:00:30	1	1	1	1	64.25	38	0	29668.246	533.3333333	16040.00761	30000	0	0	30000	18.75	2004
08.01.2020 10:00:31	1	1	1	1	64.25	38.75	0	29810.427	533.3333333	16141.92917	30000	0	0	30000	19.25	2004
08.01.2020 10:00:32	1	1	1	1	64.25	39.25	0	29857.82	537.6344086	16077.51474	30000	0	0	30000	18.5	2004
08.01.2020 10:00:33	1	1	1	1	64.25	38.5	0	29857.82	535.483871	15962.54722	30000	0	0	30000	19.5625	2004
08.01.2020 10:00:34	1	1	1	1	64.25	39.5	0	29952.607	529.0322581	16000.05436	30000	0	0	30000	18.1875	2004
08.01.2020 10:00:35	1	1	1	1	64.25	38	0	30000	526.8817204	15934.82456	30000	0	0	30000	18.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 10:00:36	1	1	1	1	64.25	38.25	0	30000	533.3333333	15949.50126	30000	0	0	30000	18.125	2004
08.01.2020 10:00:37	1	1	1	1	64.25	38	0	30000	535.483871	16039.19224	30000	0	0	30000	18.125	2004
08.01.2020 10:00:38	1	1	1	1	64.25	38	0	29905.213	535.483871	16077.51474	30000	0	0	30000	18.5625	2004
08.01.2020 10:00:39	1	1	1	1	64.25	38.5	0	29857.82	533.3333333	15949.50126	30000	0	0	30000	18.9375	2004
08.01.2020 10:00:40	1	1	1	1	65.25	38.75	0	29905.213	537.6344086	16039.19224	30000	0	0	30000	18.375	2004
08.01.2020 10:00:41	1	1	1	1	65.25	38.25	0	29810.427	535.483871	15962.54722	30000	0	0	30000	18.1875	2004
08.01.2020 10:00:42	1	1	1	1	65.25	38	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	19.375	2004
08.01.2020 10:00:43	1	1	1	1	65.25	39.25	0	30000	533.3333333	15756.25798	30000	0	0	30000	18.0625	2004
08.01.2020 10:00:44	1	1	1	1	65.25	38	0	29763.033	533.3333333	15898.94817	30000	0	0	30000	18.3125	2004
08.01.2020 10:00:45	1	1	1	1	65.25	38.25	0	29810.427	535.483871	15962.54722	30000	0	0	30000	18.1875	2004
08.01.2020 10:00:46	1	1	1	1	65.25	38	0	29620.853	535.483871	15861.44103	30000	0	0	30000	20.1875	2004
08.01.2020 10:00:47	1	1	1	1	65.25	40	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	21.25	2004
08.01.2020 10:00:48	1	1	1	1	65.25	41.25	0	29857.82	535.483871	15924.22472	30000	0	0	30000	19.375	2004
08.01.2020 10:00:49	1	1	1	1	65.25	39.25	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	19.9375	2004
08.01.2020 10:00:50	1	1	1	1	65.75	38.25	0	29857.82	537.6344086	16052.2382	30000	0	0	30000	19.6875	2004
08.01.2020 10:00:51	1	1	1	1	65.75	39.5	0	29810.427	537.6344086	16026.96165	30000	0	0	30000	18.4375	2004
08.01.2020 10:00:52	1	1	1	1	65.75	38.25	0	29905.213	535.483871	16013.10032	30000	0	0	30000	18.375	2004
08.01.2020 10:00:54	1	1	1	1	65.75	38.25	0	29905.213	537.6344086	16013.10032	30000	0	0	30000	18.6875	2004
08.01.2020 10:00:55	1	1	1	1	65.75	38.5	0	29668.246	535.483871	15861.44103	30000	0	0	30000	18.5	2004
08.01.2020 10:00:56	1	1	1	1	65.75	38.5	0	29857.82	537.6344086	16013.10032	30000	0	0	30000	18.875	2004
08.01.2020 10:00:57	1	1	1	1	65.75	38.75	0	29857.82	535.483871	16206.3436	30000	0	0	30000	18.625	2004
08.01.2020 10:00:58	1	1	1	1	65.75	38.5	0	29905.213	535.483871	15987.82377	30000	0	0	30000	18.8125	2004
08.01.2020 10:00:59	1	1	1	1	65.75	38.75	0	29905.213	535.483871	16013.10032	30000	0	0	30000	18.9375	2004
08.01.2020 10:01:00	1	1	1	1	66	38.75	0	29810.427	539.7849462	16090.5607	30000	0	0	30000	19.625	2004
08.01.2020 10:01:01	1	1	1	1	66	39.5	0	29905.213	537.6344086	16013.10032	30000	0	0	30000	18.125	2004
08.01.2020 10:01:02	1	1	1	1	66	38	0	29715.64	535.483871	16040.00761	30000	0	0	30000	19.5	2004
08.01.2020 10:01:03	1	1	1	1	66	39.5	0	29810.427	550.5376344	15783.98065	30000	0	0	30000	19.25	2004
08.01.2020 10:01:04	1	1	1	1	66	39.25	0	29715.64	539.7849462	15975.59318	30000	0	0	30000	19	2004
08.01.2020 10:01:05	1	1	1	1	66	39	0	29573.46	537.6344086	15988.63914	30000	0	0	30000	19	2004
08.01.2020 10:01:06	1	1	1	1	66	39	0	29715.64	544.0860215	16040.00761	30000	0	0	30000	19.25	2004
08.01.2020 10:01:07	1	1	1	1	66	39.25	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	19.75	2004
08.01.2020 10:01:08	1	1	1	1	66	39.75	0	29668.246	541.9354839	15988.63914	30000	0	0	30000	18.125	2004
08.01.2020 10:01:09	1	1	1	1	66	38	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	18.875	2004
08.01.2020 10:01:10	1	1	1	1	66.5	38.75	0	29526.066	537.6344086	16052.2382	30000	0	0	30000	18.4375	2004
08.01.2020 10:01:11	1	1	1	1	66.5	38.25	0	29526.066	539.7849462	15937.27068	30000	0	0	30000	18.4375	2004
08.01.2020 10:01:12	1	1	1	1	66.5	38.25	0	29526.066	546.2365591	15873.67162	30000	0	0	30000	19.3125	2004
08.01.2020 10:01:13	1	1	1	1	66.5	39.25	0	29620.853	537.6344086	16052.2382	30000	0	0	30000	19.5	2004
08.01.2020 10:01:14	1	1	1	1	66.5	39.5	0	29810.427	537.6344086	16026.96165	30000	0	0	30000	18.5	2004
08.01.2020 10:01:15	1	1	1	1	66.5	38.5	0	29526.066	541.9354839	15937.27068	30000	0	0	30000	18.3125	2004
08.01.2020 10:01:16	1	1	1	1	66.5	38.25	0	29573.46	539.7849462	15899.76354	30000	0	0	30000	19	2004
08.01.2020 10:01:17	1	1	1	1	66.5	39	0	29668.246	539.7849462	15861.44103	30000	0	0	30000	18.25	2004
08.01.2020 10:01:18	1	1	1	1	66.5	38.25	0	29573.46	537.6344086	15747.28889	30000	0	0	30000	18.875	2004
08.01.2020 10:01:19	1	1	1	1	66.5	38.75	0	29668.246	537.6344086	15861.44103	30000	0	0	30000	19.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 10:01:20	1	1	1	1	66.75	39.5	0	29668.246	537.6344086	15988.63914	30000	0	0	30000	18.8125	2004
08.01.2020 10:01:21	1	1	1	1	66.75	38.75	0	29526.066	535.483871	15925.04009	30000	0	0	30000	18.875	2004
08.01.2020 10:01:27	1	1	1	1	66.75	38.5	0	29526.066	539.7849462	15810.07257	30000	0	0	30000	19.25	2004
08.01.2020 10:01:27	1	1	1	1	66.75	38.5	0	29526.066	539.7849462	15810.07257	30000	0	0	30000	19.25	2004
08.01.2020 10:01:27	1	1	1	1	66.75	38.5	0	29526.066	539.7849462	15810.07257	30000	0	0	30000	19.25	2004
08.01.2020 10:01:27	1	1	1	1	66.75	38.5	0	29526.066	539.7849462	15810.07257	30000	0	0	30000	19.25	2004
08.01.2020 10:01:27	1	1	1	1	66.75	39.25	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	19.1875	2004
08.01.2020 10:01:28	1	1	1	1	66.75	39	0	29905.213	544.0860215	16206.3436	30000	0	0	30000	18.625	2004
08.01.2020 10:01:29	1	1	1	1	69	39	0	29526.066	537.6344086	15925.04009	30000	0	0	30000	18.375	2004
08.01.2020 10:01:30	1	1	1	1	69	38.25	0	29715.64	537.6344086	15950.31664	30000	0	0	30000	19.0625	2004
08.01.2020 10:01:31	1	1	1	1	69	39	0	29810.427	539.7849462	15975.59318	30000	0	0	30000	19.8125	2004
08.01.2020 10:01:33	1	1	1	1	69	39.75	0	29715.64	539.7849462	16154.97513	30000	0	0	30000	19.125	2004
08.01.2020 10:01:34	1	1	1	1	69	39	0	29857.82	537.6344086	16026.96165	30000	0	0	30000	19.5625	2004
08.01.2020 10:01:35	1	1	1	1	69	39.5	0	29810.427	537.6344086	16026.96165	30000	0	0	30000	19.625	2004
08.01.2020 10:01:36	1	1	1	1	69	39.5	0	29620.853	537.6344086	16167.20572	30000	0	0	30000	19.5	2004
08.01.2020 10:01:37	1	1	1	1	69	39.5	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	19.5625	2004
08.01.2020 10:01:38	1	1	1	1	69	39.5	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	18.3125	2004
08.01.2020 10:01:39	1	1	1	1	69	38.25	0	29763.033	541.9354839	16154.97513	30000	0	0	30000	19	2004
08.01.2020 10:01:40	1	1	1	1	69.25	39	0	29668.246	544.0860215	16052.2382	30000	0	0	30000	18.3125	2004
08.01.2020 10:01:41	1	1	1	1	69.25	38.25	0	29620.853	544.0860215	16115.83725	30000	0	0	30000	19.125	2004
08.01.2020 10:01:42	1	1	1	1	69.25	39	0	29620.853	533.3333333	16167.20572	30000	0	0	30000	19.375	2004
08.01.2020 10:01:43	1	1	1	1	69.25	39.25	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	19.25	2004
08.01.2020 10:01:44	1	1	1	1	69.25	39.25	0	29668.246	539.7849462	16078.33012	30000	0	0	30000	19.75	2004
08.01.2020 10:01:45	1	1	1	1	69.25	39.75	0	29668.246	541.9354839	15988.63914	30000	0	0	30000	18.5625	2004
08.01.2020 10:01:46	1	1	1	1	69.25	38.5	0	29573.46	541.9354839	15937.27068	30000	0	0	30000	18.5625	2004
08.01.2020 10:01:47	1	1	1	1	69.25	38.5	0	29526.066	544.0860215	16090.5607	30000	0	0	30000	18.8125	2004
08.01.2020 10:01:48	1	1	1	1	69.25	38.75	0	29526.066	544.0860215	16115.83725	30000	0	0	30000	18.5	2004
08.01.2020 10:01:49	1	1	1	1	69.25	38.5	0	29573.46	541.9354839	16115.83725	30000	0	0	30000	19.4375	2004
08.01.2020 10:01:50	1	1	1	1	70	39.25	0	29336.493	544.0860215	15898.1328	30000	0	0	30000	19.625	2004
08.01.2020 10:01:51	1	1	1	1	70	39.5	0	29478.673	550.5376344	16255.26595	30000	0	0	30000	18.875	2004
08.01.2020 10:01:52	1	1	1	1	70	38.75	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	18.4375	2004
08.01.2020 10:01:53	1	1	1	1	70	38.25	0	29431.28	544.0860215	15987.0084	30000	0	0	30000	18.875	2004
08.01.2020 10:01:54	1	1	1	1	70	38.75	0	29478.673	541.9354839	15975.59318	30000	0	0	30000	18.75	2004
08.01.2020 10:01:55	1	1	1	1	70	38.75	0	29336.493	544.0860215	15987.0084	30000	0	0	30000	18.6875	2004
08.01.2020 10:01:56	1	1	1	1	70	38.5	0	29383.886	544.0860215	16013.10032	30000	0	0	30000	18.9375	2004
08.01.2020 10:01:57	1	1	1	1	70	38.75	0	29289.1	541.9354839	16087.29921	30000	0	0	30000	18.9375	2004
08.01.2020 10:01:58	1	1	1	1	70	38.75	0	29431.28	550.5376344	16075.884	30000	0	0	30000	18.375	2004
08.01.2020 10:01:59	1	1	1	1	70	38.25	0	29241.706	544.0860215	15858.17955	30000	0	0	30000	19.1875	2004
08.01.2020 10:02:00	1	1	1	1	72.25	39	0	29383.886	546.2365591	16075.884	30000	0	0	30000	18.5	2004
08.01.2020 10:02:01	1	1	1	1	72.25	38.5	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	18.8125	2004
08.01.2020 10:02:02	1	1	1	1	72.25	38.75	0	29526.066	539.7849462	16000.86973	30000	0	0	30000	20.0625	2004
08.01.2020 10:02:03	1	1	1	1	72.25	40	0	29526.066	541.9354839	16026.96165	30000	0	0	30000	18.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 10:02:04	1	1	1	1	72.25	38.75	0	29431.28	537.6344086	16038.37687	30000	0	0	30000	20.5	2004
08.01.2020 10:02:05	1	1	1	1	72.25	40.5	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	19.875	2004
08.01.2020 10:02:06	1	1	1	1	72.25	39.75	0	29431.28	541.9354839	16038.37687	30000	0	0	30000	20.75	2004
08.01.2020 10:02:07	1	1	1	1	72.25	40.75	0	29431.28	546.2365591	15975.59318	30000	0	0	30000	19.0625	2004
08.01.2020 10:02:08	1	1	1	1	72.25	39.25	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	18.75	2004
08.01.2020 10:02:10	1	1	1	1	73.25	38.75	0	29431.28	541.9354839	16013.10032	30000	0	0	30000	19.125	2004
08.01.2020 10:02:11	1	1	1	1	73.25	39	0	29526.066	541.9354839	16090.5607	30000	0	0	30000	18.6875	2004
08.01.2020 10:02:12	1	1	1	1	73.25	38.5	0	29573.46	541.9354839	16000.86973	30000	0	0	30000	19.5625	2004
08.01.2020 10:02:13	1	1	1	1	73.25	39.5	0	29478.673	539.7849462	16000.86973	30000	0	0	30000	19	2004
08.01.2020 10:02:14	1	1	1	1	73.25	39	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	19.0625	2004
08.01.2020 10:02:15	1	1	1	1	73.25	39	0	29620.853	544.0860215	16115.83725	30000	0	0	30000	19.25	2004
08.01.2020 10:02:16	1	1	1	1	73.25	39.25	0	29241.706	537.6344086	15960.91648	30000	0	0	30000	19.4375	2004
08.01.2020 10:02:17	1	1	1	1	73.25	39.25	0	29478.673	544.0860215	16013.10032	30000	0	0	30000	18.6875	2004
08.01.2020 10:02:18	1	1	1	1	73.25	38.5	0	29478.673	544.0860215	15949.50126	30000	0	0	30000	19.5	2004
08.01.2020 10:02:19	1	1	1	1	73.25	39.5	0	29478.673	541.9354839	15949.50126	30000	0	0	30000	19.4375	2004
08.01.2020 10:02:20	1	1	1	1	73.75	39.25	0	29526.066	541.9354839	15937.27068	30000	0	0	30000	19.5625	2004
08.01.2020 10:02:21	1	1	1	1	73.75	39.5	0	29478.673	544.0860215	15949.50126	30000	0	0	30000	19.3125	2004
08.01.2020 10:02:22	1	1	1	1	73.75	39.25	0	29383.886	544.0860215	15960.91648	30000	0	0	30000	20	2004
08.01.2020 10:02:23	1	1	1	1	73.75	40	0	29241.706	541.9354839	15909.54801	30000	0	0	30000	19.4375	2004
08.01.2020 10:02:29	1	1	1	1	73.75	39.25	0	29241.706	541.9354839	15909.54801	30000	0	0	30000	19.9375	2004
08.01.2020 10:02:29	1	1	1	1	73.75	39.25	0	29241.706	541.9354839	15909.54801	30000	0	0	30000	19.9375	2004
08.01.2020 10:02:29	1	1	1	1	73.75	39.25	0	29241.706	541.9354839	15909.54801	30000	0	0	30000	19.9375	2004
08.01.2020 10:02:29	1	1	1	1	73.75	39.25	0	29241.706	541.9354839	15909.54801	30000	0	0	30000	19.9375	2004
08.01.2020 10:02:29	1	1	1	1	73.75	39.75	0	29289.1	546.2365591	15972.33169	30000	0	0	30000	19.8125	2004
08.01.2020 10:02:30	1	1	1	1	74	39.75	0	29431.28	546.2365591	16013.10032	30000	0	0	30000	19.5	2004
08.01.2020 10:02:31	1	1	1	1	74	39.5	0	29241.706	546.2365591	16098.71443	30000	0	0	30000	18.75	2004
08.01.2020 10:02:32	1	1	1	1	74	38.75	0	29336.493	546.2365591	16087.29921	30000	0	0	30000	18.9375	2004
08.01.2020 10:02:33	1	1	1	1	74	38.75	0	29336.493	550.5376344	16024.51553	30000	0	0	30000	19.125	2004
08.01.2020 10:02:34	1	1	1	1	74	39	0	29336.493	550.5376344	16087.29921	30000	0	0	30000	19.8125	2004
08.01.2020 10:02:35	1	1	1	1	74	39.75	0	29383.886	546.2365591	15960.91648	30000	0	0	30000	18.9375	2004
08.01.2020 10:02:36	1	1	1	1	74	38.75	0	29336.493	544.0860215	16150.89827	30000	0	0	30000	19	2004
08.01.2020 10:02:37	1	1	1	1	74	39	0	29336.493	550.5376344	15935.63993	30000	0	0	30000	19.6875	2004
08.01.2020 10:02:38	1	1	1	1	74	39.5	0	29431.28	546.2365591	16229.17403	30000	0	0	30000	19.0625	2004
08.01.2020 10:02:39	1	1	1	1	74	39	0	29431.28	539.7849462	16013.10032	30000	0	0	30000	19	2004
08.01.2020 10:02:40	1	1	1	1	74.25	39	0	29241.706	544.0860215	16024.51553	30000	0	0	30000	18.75	2004
08.01.2020 10:02:41	1	1	1	1	74.25	38.75	0	29336.493	550.5376344	16087.29921	30000	0	0	30000	19.625	2004
08.01.2020 10:02:42	1	1	1	1	74.25	39.5	0	29241.706	544.0860215	15960.91648	30000	0	0	30000	20	2004
08.01.2020 10:02:43	1	1	1	1	74.25	40	0	29383.886	544.0860215	15987.0084	30000	0	0	30000	20.5	2004
08.01.2020 10:02:44	1	1	1	1	74.25	40.5	0	29241.706	544.0860215	15607.04482	30000	0	0	30000	19.625	2004
08.01.2020 10:02:45	1	1	1	1	74.25	39.5	0	29431.28	546.2365591	16013.10032	30000	0	0	30000	21	2004
08.01.2020 10:02:46	1	1	1	1	74.25	41	0	29383.886	546.2365591	16024.51553	30000	0	0	30000	19.1875	2004
08.01.2020 10:02:47	1	1	1	1	74.25	40	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	18.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 10:02:49	1	1	1	1	74.25	38.75	0	29383.886	544.0860215	16024.51553	30000	0	0	30000	19.4375	2004
08.01.2020 10:02:50	1	1	1	1	76	39.25	0	29289.1	546.2365591	15909.54801	30000	0	0	30000	19.375	2004
08.01.2020 10:02:51	1	1	1	1	76	39.25	0	29336.493	550.5376344	16150.89827	30000	0	0	30000	19.3125	2004
08.01.2020 10:02:52	1	1	1	1	76	39.25	0	29241.706	550.5376344	16046.53059	30000	0	0	30000	19.1875	2004
08.01.2020 10:02:53	1	1	1	1	76	39	0	29241.706	544.0860215	16098.71443	30000	0	0	30000	19.25	2004
08.01.2020 10:02:54	1	1	1	1	76	39.25	0	29336.493	550.5376344	15972.33169	30000	0	0	30000	19.5	2004
08.01.2020 10:02:55	1	1	1	1	76	39.5	0	29052.133	550.5376344	15567.90694	30000	0	0	30000	19	2004
08.01.2020 10:02:56	1	1	1	1	76	39	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	20	2004
08.01.2020 10:02:57	1	1	1	1	76	40	0	29099.526	550.5376344	16082.40698	30000	0	0	30000	19.1875	2004
08.01.2020 10:02:58	1	1	1	1	76	39	0	29052.133	546.2365591	15868.77939	30000	0	0	30000	19.1875	2004
08.01.2020 10:02:59	1	1	1	1	76	39	0	29052.133	550.5376344	16020.43867	30000	0	0	30000	19.3125	2004
08.01.2020 10:03:00	1	1	1	1	76.5	39.25	0	28957.346	550.5376344	15817.41092	30000	0	0	30000	18.625	2004
08.01.2020 10:03:01	1	1	1	1	76.5	38.5	0	29099.526	550.5376344	16046.53059	30000	0	0	30000	19.375	2004
08.01.2020 10:03:02	1	1	1	1	76.5	39.25	0	29099.526	550.5376344	16020.43867	30000	0	0	30000	19.1875	2004
08.01.2020 10:03:03	1	1	1	1	76.5	39	0	29336.493	546.2365591	16150.89827	30000	0	0	30000	19.3125	2004
08.01.2020 10:03:04	1	1	1	1	76.5	39.25	0	29146.919	546.2365591	15894.87131	30000	0	0	30000	21.375	2004
08.01.2020 10:03:05	1	1	1	1	76.5	41.25	0	29241.706	550.5376344	16098.71443	30000	0	0	30000	19.125	2004
08.01.2020 10:03:06	1	1	1	1	76.5	39	0	29241.706	550.5376344	15920.96323	30000	0	0	30000	19.9375	2004
08.01.2020 10:03:07	1	1	1	1	76.5	39.75	0	29146.919	550.5376344	15920.96323	30000	0	0	30000	19.5	2004
08.01.2020 10:03:08	1	1	1	1	76.5	39.5	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	19.25	2004
08.01.2020 10:03:09	1	1	1	1	76.5	39.25	0	29241.706	550.5376344	15972.33169	30000	0	0	30000	19.375	2004
08.01.2020 10:03:10	1	1	1	1	76.75	39.25	0	29146.919	550.5376344	15920.96323	30000	0	0	30000	19.125	2004
08.01.2020 10:03:11	1	1	1	1	76.75	39	0	29146.919	546.2365591	15858.17955	30000	0	0	30000	18.9375	2004
08.01.2020 10:03:12	1	1	1	1	76.75	38.75	0	29241.706	546.2365591	16046.53059	30000	0	0	30000	19.5625	2004
08.01.2020 10:03:13	1	1	1	1	76.75	39.5	0	29289.1	546.2365591	15909.54801	30000	0	0	30000	19.5625	2004
08.01.2020 10:03:14	1	1	1	1	76.75	39.5	0	29431.28	546.2365591	15885.90221	30000	0	0	30000	19.4375	2004
08.01.2020 10:03:15	1	1	1	1	76.75	39.25	0	29383.886	546.2365591	16024.51553	30000	0	0	30000	18.9375	2004
08.01.2020 10:03:16	1	1	1	1	76.75	38.75	0	29289.1	546.2365591	15960.91648	30000	0	0	30000	19.625	2004
08.01.2020 10:03:17	1	1	1	1	76.75	39.5	0	29241.706	550.5376344	15983.74691	30000	0	0	30000	19.0625	2004
08.01.2020 10:03:18	1	1	1	1	76.75	39	0	29241.706	550.5376344	15972.33169	30000	0	0	30000	19.375	2004
08.01.2020 10:03:19	1	1	1	1	76.75	39.25	0	29146.919	546.2365591	16098.71443	30000	0	0	30000	19.75	2004
08.01.2020 10:03:20	1	1	1	1	77.25	39.75	0	29052.133	546.2365591	15806.81108	30000	0	0	30000	20.625	2004
08.01.2020 10:03:21	1	1	1	1	77.25	40.5	0	29146.919	544.0860215	15795.39586	30000	0	0	30000	19.125	2004
08.01.2020 10:03:22	1	1	1	1	77.25	39	0	29146.919	546.2365591	16046.53059	30000	0	0	30000	20.25	2004
08.01.2020 10:03:23	1	1	1	1	77.25	40.25	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	20.6875	2004
08.01.2020 10:03:24	1	1	1	1	77.25	39.5	0	29336.493	550.5376344	15972.33169	30000	0	0	30000	19.25	2004
08.01.2020 10:03:30	1	1	1	1	77.25	38.75	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	19.8125	2004
08.01.2020 10:03:30	1	1	1	1	77.25	38.75	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	19.8125	2004
08.01.2020 10:03:30	1	1	1	1	77.25	38.75	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	19.8125	2004
08.01.2020 10:03:30	1	1	1	1	77.25	38.75	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	19.8125	2004
08.01.2020 10:03:30	1	1	1	1	77.25	38.75	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	19.8125	2004
08.01.2020 10:03:31	1	1	1	1	77.25	39.75	0	29383.886	554.8387097	16213.68195	30000	0	0	30000	19.5625	2004
08.01.2020 10:03:32	1	1	1	1	77.25	39.5	0	29336.493	550.5376344	16150.89827	30000	0	0	30000	18.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 10:03:33	1	1	1	1	77.25	38.5	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	19.5	2004
08.01.2020 10:03:34	1	1	1	1	77.25	39.5	0	29146.919	550.5376344	15920.96323	30000	0	0	30000	19.75	2004
08.01.2020 10:03:35	1	1	1	1	77.25	39.75	0	28957.346	550.5376344	15968.25483	30000	0	0	30000	19.75	2004
08.01.2020 10:03:36	1	1	1	1	77.25	39.75	0	29146.919	550.5376344	16098.71443	30000	0	0	30000	19.4375	2004
08.01.2020 10:03:37	1	1	1	1	77.25	39.25	0	29289.1	546.2365591	16087.29921	30000	0	0	30000	19.5625	2004
08.01.2020 10:03:38	1	1	1	1	77.25	39.5	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	19.625	2004
08.01.2020 10:03:39	1	1	1	1	77.25	39.5	0	29336.493	546.2365591	15935.63993	30000	0	0	30000	19.6875	2004
08.01.2020 10:03:40	1	1	1	1	78	39.5	0	29241.706	546.2365591	15972.33169	30000	0	0	30000	20.0625	2004
08.01.2020 10:03:41	1	1	1	1	78	40	0	29241.706	546.2365591	16024.51553	30000	0	0	30000	19.4375	2004
08.01.2020 10:03:42	1	1	1	1	78	39.25	0	29336.493	550.5376344	16176.99019	30000	0	0	30000	19.6875	2004
08.01.2020 10:03:43	1	1	1	1	78	39.5	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	19.5	2004
08.01.2020 10:03:44	1	1	1	1	78	39.5	0	29336.493	546.2365591	16150.89827	30000	0	0	30000	19.8125	2004
08.01.2020 10:03:45	1	1	1	1	78	39.75	0	29336.493	550.5376344	16150.89827	30000	0	0	30000	19.375	2004
08.01.2020 10:03:46	1	1	1	1	78	39.25	0	29099.526	550.5376344	15994.34675	30000	0	0	30000	19.875	2004
08.01.2020 10:03:47	1	1	1	1	78	39.75	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	19.75	2004
08.01.2020 10:03:48	1	1	1	1	78	39.75	0	29241.706	546.2365591	15972.33169	30000	0	0	30000	19.625	2004
08.01.2020 10:03:49	1	1	1	1	78	39.5	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	20.1875	2004
08.01.2020 10:03:50	1	1	1	1	79.75	40	0	29241.706	546.2365591	15858.17955	30000	0	0	30000	20	2004
08.01.2020 10:03:51	1	1	1	1	79.75	40	0	29146.919	544.0860215	15920.96323	30000	0	0	30000	20.1875	2004
08.01.2020 10:03:52	1	1	1	1	79.75	40	0	29146.919	544.0860215	15607.04482	30000	0	0	30000	19.75	2004
08.01.2020 10:03:53	1	1	1	1	79.75	39.75	0	29052.133	546.2365591	16046.53059	30000	0	0	30000	20.375	2004
08.01.2020 10:03:54	1	1	1	1	79.75	40.25	0	29146.919	546.2365591	15770.11932	30000	0	0	30000	19.9375	2004
08.01.2020 10:03:55	1	1	1	1	79.75	39.75	0	29241.706	546.2365591	16035.11538	30000	0	0	30000	20.25	2004
08.01.2020 10:03:56	1	1	1	1	79.75	40.25	0	29146.919	546.2365591	16046.53059	30000	0	0	30000	20.3125	2004
08.01.2020 10:03:57	1	1	1	1	79.75	40.25	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	21.375	2004
08.01.2020 10:03:58	1	1	1	1	79.75	41.25	0	29289.1	546.2365591	15909.54801	30000	0	0	30000	19.5	2004
08.01.2020 10:03:59	1	1	1	1	79.75	39.5	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	21.125	2004
08.01.2020 10:04:00	1	1	1	1	80.5	41	0	29336.493	550.5376344	16150.89827	30000	0	0	30000	21	2004
08.01.2020 10:04:01	1	1	1	1	80.5	41	0	29146.919	546.2365591	15732.61218	30000	0	0	30000	19.875	2004
08.01.2020 10:04:02	1	1	1	1	80.5	40.75	0	29146.919	550.5376344	15894.87131	30000	0	0	30000	19.8125	2004
08.01.2020 10:04:04	1	1	1	1	80.5	39.75	0	29146.919	550.5376344	15920.96323	30000	0	0	30000	20.3125	2004
08.01.2020 10:04:05	1	1	1	1	80.5	40.25	0	29241.706	546.2365591	16098.71443	30000	0	0	30000	20.4375	2004
08.01.2020 10:04:06	1	1	1	1	80.5	40.25	0	29052.133	550.5376344	16020.43867	30000	0	0	30000	19.3125	2004
08.01.2020 10:04:07	1	1	1	1	80.5	39.25	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	19.3125	2004
08.01.2020 10:04:08	1	1	1	1	80.5	39.25	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	19.875	2004
08.01.2020 10:04:09	1	1	1	1	80.5	39.75	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	19.3125	2004
08.01.2020 10:04:10	1	1	1	1	81	39.25	0	29099.526	550.5376344	16046.53059	30000	0	0	30000	19.6875	2004
08.01.2020 10:04:11	1	1	1	1	81	39.5	0	29052.133	546.2365591	16108.4989	30000	0	0	30000	20.25	2004
08.01.2020 10:04:12	1	1	1	1	81	40.25	0	29099.526	550.5376344	16020.43867	30000	0	0	30000	19.8125	2004
08.01.2020 10:04:13	1	1	1	1	81	39.75	0	29289.1	550.5376344	16098.71443	30000	0	0	30000	20.1875	2004
08.01.2020 10:04:14	1	1	1	1	81	40	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	20.4375	2004
08.01.2020 10:04:15	1	1	1	1	81	40.25	0	29052.133	554.8387097	15942.16291	30000	0	0	30000	20	2004
08.01.2020 10:04:16	1	1	1	1	81	40	0	29004.739	550.5376344	15905.47115	30000	0	0	30000	19.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 10:04:17	1	1	1	1	81	39.5	0	29289.1	546.2365591	16150.89827	30000	0	0	30000	19.6875	2004
08.01.2020 10:04:18	1	1	1	1	81	39.5	0	29336.493	537.6344086	16013.10032	30000	0	0	30000	20.5625	2004
08.01.2020 10:04:19	1	1	1	1	81	40.5	0	29336.493	541.9354839	15960.91648	30000	0	0	30000	19.75	2004
08.01.2020 10:04:20	1	1	1	1	82	39.75	0	29431.28	550.5376344	15987.0084	30000	0	0	30000	19.5625	2004
08.01.2020 10:04:21	1	1	1	1	82	39.5	0	29146.919	550.5376344	15920.96323	30000	0	0	30000	19.75	2004
08.01.2020 10:04:22	1	1	1	1	82	39.75	0	29099.526	550.5376344	16046.53059	30000	0	0	30000	20.125	2004
08.01.2020 10:04:23	1	1	1	1	82	40	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	20.5	2004
08.01.2020 10:04:24	1	1	1	1	82	40.5	0	29146.919	550.5376344	16108.4989	30000	0	0	30000	20.375	2004
08.01.2020 10:04:25	1	1	1	1	82	40.25	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	19.3125	2004
08.01.2020 10:04:26	1	1	1	1	82	39.25	0	28957.346	550.5376344	15879.37923	30000	0	0	30000	19.625	2004
08.01.2020 10:04:32	1	1	1	1	83	39.25	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	20	2004
08.01.2020 10:04:32	1	1	1	1	83	39.25	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	20	2004
08.01.2020 10:04:32	1	1	1	1	83	39.25	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	20	2004
08.01.2020 10:04:32	1	1	1	1	83	39.25	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	20	2004
08.01.2020 10:04:32	1	1	1	1	83	40	0	28957.346	552.688172	16004.13122	30000	0	0	30000	20.1875	2004
08.01.2020 10:04:33	1	1	1	1	83	40	0	28957.346	552.688172	16004.13122	30000	0	0	30000	19.625	2004
08.01.2020 10:04:34	1	1	1	1	83	39.5	0	28862.559	552.688172	16040.00761	30000	0	0	30000	19.5625	2004
08.01.2020 10:04:35	1	1	1	1	83	39.5	0	28957.346	552.688172	16004.13122	30000	0	0	30000	20.5625	2004
08.01.2020 10:04:36	1	1	1	1	83	40.5	0	29099.526	550.5376344	16108.4989	30000	0	0	30000	20	2004
08.01.2020 10:04:37	1	1	1	1	83	40	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	20.0625	2004
08.01.2020 10:04:38	1	1	1	1	83	40	0	28957.346	552.688172	16004.13122	30000	0	0	30000	20	2004
08.01.2020 10:04:39	1	1	1	1	83	40	0	28957.346	552.688172	16004.13122	30000	0	0	30000	21.3125	2004
08.01.2020 10:04:40	1	1	1	1	83	41.25	0	28957.346	552.688172	15942.16291	30000	0	0	30000	19.8125	2004
08.01.2020 10:04:42	1	1	1	1	83	39.5	0	28957.346	552.688172	16004.13122	30000	0	0	30000	20.25	2004
08.01.2020 10:04:44	1	1	1	1	83	39.75	0	29146.919	554.8387097	16171.28258	30000	0	0	30000	19.75	2004
08.01.2020 10:04:44	1	1	1	1	83	39.75	0	29146.919	554.8387097	16171.28258	30000	0	0	30000	19.75	2004
08.01.2020 10:04:45	1	1	1	1	83	39.75	0	28957.346	552.688172	16066.09953	30000	0	0	30000	20.125	2004
08.01.2020 10:04:46	1	1	1	1	83	40	0	29004.739	552.688172	16004.13122	30000	0	0	30000	19.625	2004
08.01.2020 10:04:47	1	1	1	1	83	39.5	0	28957.346	552.688172	16190.85152	30000	0	0	30000	21.75	2004
08.01.2020 10:04:48	1	1	1	1	83	41.75	0	28815.166	552.688172	15925.85546	30000	0	0	30000	19.5	2004
08.01.2020 10:04:49	1	1	1	1	83	39.5	0	28815.166	552.688172	15925.85546	30000	0	0	30000	19.75	2004
08.01.2020 10:04:50	1	1	1	1	82	39.75	0	29052.133	554.8387097	16066.09953	30000	0	0	30000	20.5	2004
08.01.2020 10:04:51	1	1	1	1	82	40.5	0	28862.559	554.8387097	15951.94738	30000	0	0	30000	20.1875	2004
08.01.2020 10:04:52	1	1	1	1	82	40	0	29004.739	554.8387097	16119.09874	30000	0	0	30000	20.75	2004
08.01.2020 10:04:53	1	1	1	1	82	40.75	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	19.5625	2004
08.01.2020 10:04:54	1	1	1	1	82	39.5	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	20.75	2004
08.01.2020 10:04:55	1	1	1	1	82	40.75	0	28862.559	554.8387097	16101.97592	30000	0	0	30000	19.6875	2004
08.01.2020 10:04:56	1	1	1	1	82	39.5	0	28672.986	554.8387097	15987.82377	30000	0	0	30000	19.9375	2004
08.01.2020 10:04:57	1	1	1	1	82	39.75	0	28815.166	550.5376344	15925.85546	30000	0	0	30000	19.1875	2004
08.01.2020 10:04:58	1	1	1	1	82	39	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	19.6875	2004
08.01.2020 10:04:59	1	1	1	1	82	39.5	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	19.6875	2004
08.01.2020 10:05:00	1	1	1	1	86	39.5	0	28862.559	554.8387097	16049.79208	30000	0	0	30000	20.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 10:05:01	1	1	1	1	86	40	0	28625.592	556.9892473	15943.79366	30000	0	0	30000	21.25	2004
08.01.2020 10:05:02	1	1	1	1	86	41.25	0	28862.559	554.8387097	16013.91569	30000	0	0	30000	21.0625	2004
08.01.2020 10:05:03	1	1	1	1	86	41	0	28957.346	554.8387097	16128.88321	30000	0	0	30000	21	2004
08.01.2020 10:05:04	1	1	1	1	86	41	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	20.6875	2004
08.01.2020 10:05:05	1	1	1	1	86	40.5	0	29052.133	554.8387097	16128.88321	30000	0	0	30000	20.5625	2004
08.01.2020 10:05:06	1	1	1	1	86	40.5	0	28815.166	550.5376344	15925.85546	30000	0	0	30000	20.5625	2004
08.01.2020 10:05:07	1	1	1	1	86	40.5	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	20	2004
08.01.2020 10:05:08	1	1	1	1	86	40	0	28815.166	556.9892473	16075.884	30000	0	0	30000	20.75	2004
08.01.2020 10:05:09	1	1	1	1	86	40.75	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	21.125	2004
08.01.2020 10:05:10	1	1	1	1	86.25	41	0	28578.199	550.5376344	15882.64072	30000	0	0	30000	20.375	2004
08.01.2020 10:05:11	1	1	1	1	86.25	40.25	0	28815.166	559.1397849	16173.7287	30000	0	0	30000	19.75	2004
08.01.2020 10:05:12	1	1	1	1	86.25	39.75	0	28815.166	556.9892473	15987.82377	30000	0	0	30000	19.375	2004
08.01.2020 10:05:13	1	1	1	1	86.25	39.25	0	28815.166	556.9892473	16075.884	30000	0	0	30000	20.25	2004
08.01.2020 10:05:14	1	1	1	1	86.25	40.25	0	28672.986	556.9892473	15943.79366	30000	0	0	30000	20	2004
08.01.2020 10:05:15	1	1	1	1	86.25	40	0	28625.592	554.8387097	15882.64072	30000	0	0	30000	20.8125	2004
08.01.2020 10:05:16	1	1	1	1	86.25	40.75	0	28578.199	556.9892473	16005.76197	30000	0	0	30000	20.4375	2004
08.01.2020 10:05:17	1	1	1	1	86.25	40.25	0	28578.199	559.1397849	15978.85467	30000	0	0	30000	20.6875	2004
08.01.2020 10:05:18	1	1	1	1	86.25	40.5	0	28483.412	559.1397849	15864.70252	30000	0	0	30000	22	2004
08.01.2020 10:05:19	1	1	1	1	86.25	42	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	21.625	2004
08.01.2020 10:05:21	1	1	1	1	88	41.5	0	28578.199	559.1397849	16066.9149	30000	0	0	30000	21.125	2004
08.01.2020 10:05:22	1	1	1	1	88	40.5	0	28815.166	565.5913978	15882.64072	30000	0	0	30000	19.8125	2004
08.01.2020 10:05:23	1	1	1	1	88	39.75	0	28625.592	559.1397849	15978.85467	30000	0	0	30000	20.0625	2004
08.01.2020 10:05:24	1	1	1	1	88	40	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	19.625	2004
08.01.2020 10:05:25	1	1	1	1	88	39.5	0	28530.806	561.2903226	16040.00761	30000	0	0	30000	20.0625	2004
08.01.2020 10:05:26	1	1	1	1	88	40	0	28483.412	554.8387097	16040.00761	30000	0	0	30000	21.125	2004
08.01.2020 10:05:27	1	1	1	1	88	41	0	28672.986	561.2903226	15917.70174	30000	0	0	30000	21.0625	2004
08.01.2020 10:05:28	1	1	1	1	88	41	0	28672.986	561.2903226	16093.82219	30000	0	0	30000	21.0625	2004
08.01.2020 10:05:33	1	1	1	1	88.5	40	0	28578.199	561.2903226	15864.70252	30000	0	0	30000	20.5	2004
08.01.2020 10:05:33	1	1	1	1	88.5	40	0	28578.199	561.2903226	15864.70252	30000	0	0	30000	20.5	2004
08.01.2020 10:05:33	1	1	1	1	88.5	40	0	28578.199	561.2903226	15864.70252	30000	0	0	30000	20.5	2004
08.01.2020 10:05:33	1	1	1	1	88.5	40	0	28578.199	561.2903226	15864.70252	30000	0	0	30000	20.5	2004
08.01.2020 10:05:33	1	1	1	1	88.5	40	0	28578.199	561.2903226	15864.70252	30000	0	0	30000	20.5	2004
08.01.2020 10:05:34	1	1	1	1	88.5	40.5	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	20.4375	2004
08.01.2020 10:05:35	1	1	1	1	88.5	40.25	0	28530.806	559.1397849	15925.85546	30000	0	0	30000	19.875	2004
08.01.2020 10:05:36	1	1	1	1	88.5	39.75	0	28625.592	559.1397849	16005.76197	30000	0	0	30000	20.125	2004
08.01.2020 10:05:37	1	1	1	1	88.5	40	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	19.9375	2004
08.01.2020 10:05:38	1	1	1	1	88.5	39.75	0	28672.986	556.9892473	16049.79208	30000	0	0	30000	20.625	2004
08.01.2020 10:05:39	1	1	1	1	88.5	40.5	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	19.875	2004
08.01.2020 10:05:40	1	1	1	1	89.5	39.75	0	28815.166	556.9892473	15987.82377	30000	0	0	30000	21.3125	2004
08.01.2020 10:05:41	1	1	1	1	89.5	41.25	0	28815.166	546.2365591	15987.82377	30000	0	0	30000	20.5	2004
08.01.2020 10:05:42	1	1	1	1	89.5	40.5	0	28625.592	554.8387097	15855.73343	30000	0	0	30000	20.5	2004
08.01.2020 10:05:43	1	1	1	1	89.5	40.5	0	28625.592	556.9892473	16005.76197	30000	0	0	30000	20.1875	2004
08.01.2020 10:05:44	1	1	1	1	89.5	40	0	28815.166	554.8387097	16075.884	30000	0	0	30000	21	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 10:05:45	1	1	1	1	89.5	41	0	28672.986	554.8387097	16049.79208	30000	0	0	30000	22.25	2004
08.01.2020 10:05:46	1	1	1	1	89.5	42.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	20.625	2004
08.01.2020 10:05:47	1	1	1	1	89.5	40.5	0	28672.986	559.1397849	15969.88558	30000	0	0	30000	20.375	2004
08.01.2020 10:05:48	1	1	1	1	89.5	40.25	0	28625.592	554.8387097	15969.88558	30000	0	0	30000	20.625	2004
08.01.2020 10:05:49	1	1	1	1	89.5	40.5	0	28578.199	561.2903226	16013.91569	30000	0	0	30000	20.5625	2004
08.01.2020 10:05:50	1	1	1	1	90.25	40.5	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	20	2004
08.01.2020 10:05:51	1	1	1	1	90.25	40	0	28483.412	556.9892473	15978.85467	30000	0	0	30000	20.625	2004
08.01.2020 10:05:52	1	1	1	1	90.25	40.5	0	28625.592	563.4408602	16005.76197	30000	0	0	30000	21.1875	2004
08.01.2020 10:05:53	1	1	1	1	90.25	41	0	28483.412	559.1397849	15978.85467	30000	0	0	30000	21.0625	2004
08.01.2020 10:05:54	1	1	1	1	90.25	41	0	28530.806	550.5376344	15917.70174	30000	0	0	30000	20.875	2004
08.01.2020 10:05:55	1	1	1	1	90.25	40.75	0	28530.806	559.1397849	15917.70174	30000	0	0	30000	20.9375	2004
08.01.2020 10:05:56	1	1	1	1	90.25	40.75	0	28625.592	556.9892473	15978.85467	30000	0	0	30000	20.9375	2004
08.01.2020 10:05:57	1	1	1	1	90.25	40.75	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	22.625	2004
08.01.2020 10:05:58	1	1	1	1	90.25	42.5	0	28625.592	559.1397849	16173.7287	30000	0	0	30000	21.125	2004
08.01.2020 10:06:00	1	1	1	1	90.25	41	0	28815.166	561.2903226	16173.7287	30000	0	0	30000	20.5625	2004
08.01.2020 10:06:01	1	1	1	1	91.25	40.5	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	22.125	2004
08.01.2020 10:06:02	1	1	1	1	91.25	41.25	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	20.875	2004
08.01.2020 10:06:03	1	1	1	1	91.25	40.75	0	28862.559	554.8387097	16013.91569	30000	0	0	30000	21.125	2004
08.01.2020 10:06:04	1	1	1	1	91.25	41	0	28862.559	554.8387097	16075.884	30000	0	0	30000	20.25	2004
08.01.2020 10:06:05	1	1	1	1	91.25	40.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	20.4375	2004
08.01.2020 10:06:06	1	1	1	1	91.25	40.25	0	28815.166	554.8387097	16013.91569	30000	0	0	30000	20.875	2004
08.01.2020 10:06:07	1	1	1	1	91.25	40.75	0	28957.346	556.9892473	16128.88321	30000	0	0	30000	21.3125	2004
08.01.2020 10:06:08	1	1	1	1	91.25	41.25	0	28815.166	556.9892473	15987.82377	30000	0	0	30000	21.0625	2004
08.01.2020 10:06:09	1	1	1	1	91.25	41	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	20.125	2004
08.01.2020 10:06:10	1	1	1	1	91.25	40	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	20.5	2004
08.01.2020 10:06:11	1	1	1	1	91.25	40.5	0	28625.592	559.1397849	15855.73343	30000	0	0	30000	20.6875	2004
08.01.2020 10:06:12	1	1	1	1	91.25	40.5	0	28672.986	561.2903226	16049.79208	30000	0	0	30000	20.0625	2004
08.01.2020 10:06:13	1	1	1	1	91.25	40	0	28815.166	561.2903226	16049.79208	30000	0	0	30000	20.625	2004
08.01.2020 10:06:14	1	1	1	1	91.25	40.5	0	28672.986	556.9892473	16049.79208	30000	0	0	30000	20.1875	2004
08.01.2020 10:06:15	1	1	1	1	91.25	40	0	28578.199	554.8387097	15917.70174	30000	0	0	30000	21.4375	2004
08.01.2020 10:06:16	1	1	1	1	91.25	41.25	0	28625.592	559.1397849	16005.76197	30000	0	0	30000	20.875	2004
08.01.2020 10:06:17	1	1	1	1	91.25	40.75	0	28578.199	552.688172	16066.9149	30000	0	0	30000	22.375	2004
08.01.2020 10:06:18	1	1	1	1	91.25	42.25	0	28625.592	559.1397849	15943.79366	30000	0	0	30000	20.875	2004
08.01.2020 10:06:19	1	1	1	1	91.25	40.75	0	28625.592	556.9892473	15943.79366	30000	0	0	30000	20.375	2004
08.01.2020 10:06:20	1	1	1	1	89.75	40.25	0	28815.166	559.1397849	15759.51947	30000	0	0	30000	20.5625	2004
08.01.2020 10:06:21	1	1	1	1	89.75	40.5	0	28625.592	559.1397849	15882.64072	30000	0	0	30000	20.9375	2004
08.01.2020 10:06:22	1	1	1	1	89.75	40.75	0	28672.986	559.1397849	15969.88558	30000	0	0	30000	20.1875	2004
08.01.2020 10:06:23	1	1	1	1	89.75	40	0	28815.166	554.8387097	15908.73264	30000	0	0	30000	21.0625	2004
08.01.2020 10:06:24	1	1	1	1	89.75	41	0	28815.166	556.9892473	16111.76039	30000	0	0	30000	21.125	2004
08.01.2020 10:06:25	1	1	1	1	89.75	41	0	28625.592	559.1397849	15917.70174	30000	0	0	30000	19.9375	2004
08.01.2020 10:06:26	1	1	1	1	89.75	39.75	0	28672.986	556.9892473	15969.88558	30000	0	0	30000	20.5	2004
08.01.2020 10:06:27	1	1	1	1	89.75	40.5	0	28483.412	559.1397849	15987.0084	30000	0	0	30000	20.5625	2004
08.01.2020 10:06:28	1	1	1	1	89.75	40.5	0	28578.199	556.9892473	15794.58049	30000	0	0	30000	20.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 10:06:29	1	1	1	1	89.75	40.5	0	28578.199	559.1397849	16005.76197	30000	0	0	30000	20.375	2004
08.01.2020 10:06:35	1	1	1	1	89.5	40.75	0	28625.592	554.8387097	16049.79208	30000	0	0	30000	21	2004
08.01.2020 10:06:35	1	1	1	1	89.5	40.75	0	28625.592	554.8387097	16049.79208	30000	0	0	30000	21	2004
08.01.2020 10:06:35	1	1	1	1	89.5	40.75	0	28625.592	554.8387097	16049.79208	30000	0	0	30000	21	2004
08.01.2020 10:06:35	1	1	1	1	89.5	40.75	0	28625.592	554.8387097	16049.79208	30000	0	0	30000	21	2004
08.01.2020 10:06:35	1	1	1	1	89.5	41	0	28625.592	556.9892473	15969.88558	30000	0	0	30000	21	2004
08.01.2020 10:06:36	1	1	1	1	89.5	41	0	28815.166	554.8387097	16111.76039	30000	0	0	30000	22.4375	2004
08.01.2020 10:06:37	1	1	1	1	89.5	42.25	0	28815.166	556.9892473	16235.69701	30000	0	0	30000	21.625	2004
08.01.2020 10:06:38	1	1	1	1	89.5	41.5	0	28815.166	556.9892473	15908.73264	30000	0	0	30000	20.5	2004
08.01.2020 10:06:40	1	1	1	1	89.5	40.5	0	28909.953	556.9892473	16075.884	30000	0	0	30000	22.5625	2004
08.01.2020 10:06:41	1	1	1	1	89	40.5	0	28957.346	554.8387097	16066.09953	30000	0	0	30000	21.6875	2004
08.01.2020 10:06:42	1	1	1	1	89	41.5	0	28672.986	552.688172	15925.85546	30000	0	0	30000	21.125	2004
08.01.2020 10:06:43	1	1	1	1	89	41	0	28957.346	552.688172	16030.22314	30000	0	0	30000	20.6875	2004
08.01.2020 10:06:44	1	1	1	1	89	40.5	0	28909.953	554.8387097	15951.94738	30000	0	0	30000	21.3125	2004
08.01.2020 10:06:45	1	1	1	1	89	41.25	0	28862.559	550.5376344	15951.94738	30000	0	0	30000	21.1875	2004
08.01.2020 10:06:46	1	1	1	1	89	41	0	28957.346	552.688172	16004.13122	30000	0	0	30000	21	2004
08.01.2020 10:06:47	1	1	1	1	89	41	0	28862.559	552.688172	15951.94738	30000	0	0	30000	20.8125	2004
08.01.2020 10:06:48	1	1	1	1	89	40.75	0	28815.166	550.5376344	15863.88715	30000	0	0	30000	20.875	2004
08.01.2020 10:06:49	1	1	1	1	89	40.75	0	28862.559	552.688172	16190.85152	30000	0	0	30000	20.6875	2004
08.01.2020 10:06:50	1	1	1	1	89	40.5	0	29052.133	552.688172	16056.31506	30000	0	0	30000	21.0625	2004
08.01.2020 10:06:51	1	1	1	1	89	41	0	29052.133	554.8387097	16119.09874	30000	0	0	30000	20.8125	2004
08.01.2020 10:06:52	1	1	1	1	89	40.75	0	28957.346	552.688172	16004.13122	30000	0	0	30000	20.5	2004
08.01.2020 10:06:53	1	1	1	1	89	40.5	0	28815.166	552.688172	15925.85546	30000	0	0	30000	21.6875	2004
08.01.2020 10:06:54	1	1	1	1	89	41.5	0	28862.559	554.8387097	16013.91569	30000	0	0	30000	20.5625	2004
08.01.2020 10:06:55	1	1	1	1	89	40.5	0	28815.166	552.688172	15987.82377	30000	0	0	30000	21.5625	2004
08.01.2020 10:06:56	1	1	1	1	89	41.5	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	20.625	2004
08.01.2020 10:06:57	1	1	1	1	89	40.5	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	21.5	2004
08.01.2020 10:06:58	1	1	1	1	89	41.5	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	21.5	2004
08.01.2020 10:06:59	1	1	1	1	89	41.5	0	28625.592	556.9892473	15969.88558	30000	0	0	30000	20.4375	2004
08.01.2020 10:07:00	1	1	1	1	89	40.25	0	28672.986	561.2903226	16173.7287	30000	0	0	30000	21.125	2004
08.01.2020 10:07:01	1	1	1	1	89	41	0	28483.412	559.1397849	15777.45767	30000	0	0	30000	21.3125	2004
08.01.2020 10:07:02	1	1	1	1	89	41.25	0	28578.199	559.1397849	15978.85467	30000	0	0	30000	20.5	2004
08.01.2020 10:07:03	1	1	1	1	89	40.5	0	28578.199	559.1397849	15794.58049	30000	0	0	30000	20.5	2004
08.01.2020 10:07:04	1	1	1	1	89	40.5	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	21.125	2004
08.01.2020 10:07:05	1	1	1	1	89	41	0	28578.199	561.2903226	15987.0084	30000	0	0	30000	20.875	2004
08.01.2020 10:07:06	1	1	1	1	89	40.75	0	28578.199	563.4408602	16101.97592	30000	0	0	30000	20.8125	2004
08.01.2020 10:07:07	1	1	1	1	89	40.75	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	21.125	2004
08.01.2020 10:07:08	1	1	1	1	89	41	0	28483.412	563.4408602	16109.31427	30000	0	0	30000	20.5	2004
08.01.2020 10:07:09	1	1	1	1	89	40.5	0	28293.839	559.1397849	15819.85704	30000	0	0	30000	21	2004
08.01.2020 10:07:10	1	1	1	1	89.25	41	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	21.1875	2004
08.01.2020 10:07:11	1	1	1	1	89.25	41	0	28815.166	554.8387097	15908.73264	30000	0	0	30000	21.125	2004
08.01.2020 10:07:12	1	1	1	1	89.25	41	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	21.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 10:07:13	1	1	1	1	89.25	41	0	28957.346	554.8387097	16128.88321	30000	0	0	30000	20.1875	2004
08.01.2020 10:07:14	1	1	1	1	89.25	40	0	28815.166	550.5376344	16049.79208	30000	0	0	30000	20.9375	2004
08.01.2020 10:07:15	1	1	1	1	89.25	40.75	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	20.5	2004
08.01.2020 10:07:16	1	1	1	1	89.25	40.5	0	28578.199	548.3870968	15855.73343	30000	0	0	30000	22.0625	2004
08.01.2020 10:07:18	1	1	1	1	89.25	42	0	28578.199	554.8387097	15917.70174	30000	0	0	30000	21.0625	2004
08.01.2020 10:07:19	1	1	1	1	89.25	41	0	28672.986	559.1397849	16031.85389	30000	0	0	30000	20.5625	2004
08.01.2020 10:07:20	1	1	1	1	89.25	41.75	0	28862.559	556.9892473	16075.884	30000	0	0	30000	20.375	2004
08.01.2020 10:07:21	1	1	1	1	89.25	40.25	0	28672.986	556.9892473	16111.76039	30000	0	0	30000	21.125	2004
08.01.2020 10:07:22	1	1	1	1	89.25	41	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	21.4375	2004
08.01.2020 10:07:23	1	1	1	1	89.25	41.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	22.375	2004
08.01.2020 10:07:24	1	1	1	1	89.25	42.25	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	21.4375	2004
08.01.2020 10:07:25	1	1	1	1	89.25	41.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	20.75	2004
08.01.2020 10:07:26	1	1	1	1	89.25	40.75	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	20.75	2004
08.01.2020 10:07:27	1	1	1	1	89.25	40.75	0	28815.166	559.1397849	16111.76039	30000	0	0	30000	21.3125	2004
08.01.2020 10:07:28	1	1	1	1	89.25	41.25	0	28578.199	554.8387097	15943.79366	30000	0	0	30000	21.375	2004
08.01.2020 10:07:29	1	1	1	1	89.25	41.25	0	28483.412	554.8387097	15890.79444	30000	0	0	30000	21	2004
08.01.2020 10:07:30	1	1	1	1	89.5	41	0	28815.166	556.9892473	15987.82377	30000	0	0	30000	22.25	2004
08.01.2020 10:07:31	1	1	1	1	89.5	42.25	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	21.3125	2004
08.01.2020 10:07:37	1	1	1	1	89.5	41.75	0	28672.986	556.9892473	15969.88558	30000	0	0	30000	21.5	2004
08.01.2020 10:07:37	1	1	1	1	89.5	41.75	0	28672.986	556.9892473	15969.88558	30000	0	0	30000	21.5	2004
08.01.2020 10:07:37	1	1	1	1	89.5	41.75	0	28672.986	556.9892473	15969.88558	30000	0	0	30000	21.5	2004
08.01.2020 10:07:37	1	1	1	1	89.5	41.75	0	28672.986	556.9892473	15969.88558	30000	0	0	30000	21.5	2004
08.01.2020 10:07:37	1	1	1	1	89.5	41.75	0	28672.986	556.9892473	15969.88558	30000	0	0	30000	21.5	2004
08.01.2020 10:07:37	1	1	1	1	89.5	41.5	0	28815.166	556.9892473	15969.88558	30000	0	0	30000	21.75	2004
08.01.2020 10:07:38	1	1	1	1	89.5	41.75	0	28625.592	554.8387097	15908.73264	30000	0	0	30000	21.625	2004
08.01.2020 10:07:39	1	1	1	1	89.5	41.5	0	28578.199	554.8387097	15943.79366	30000	0	0	30000	21.25	2004
08.01.2020 10:07:40	1	1	1	1	89.5	41.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	22.3125	2004
08.01.2020 10:07:41	1	1	1	1	89.5	42.25	0	28625.592	556.9892473	16154.97513	30000	0	0	30000	21.5	2004
08.01.2020 10:07:42	1	1	1	1	89.5	41.5	0	28625.592	556.9892473	16049.79208	30000	0	0	30000	22.25	2004
08.01.2020 10:07:43	1	1	1	1	89.5	42.25	0	28388.626	561.2903226	15934.00919	30000	0	0	30000	20.75	2004
08.01.2020 10:07:44	1	1	1	1	89.5	40.75	0	28388.626	554.8387097	15777.45767	30000	0	0	30000	21.625	2004
08.01.2020 10:07:45	1	1	1	1	89.5	41.5	0	28530.806	561.2903226	16136.22156	30000	0	0	30000	22.375	2004
08.01.2020 10:07:46	1	1	1	1	89.5	42.25	0	28530.806	559.1397849	15864.70252	30000	0	0	30000	22.1875	2004
08.01.2020 10:07:47	1	1	1	1	89.5	42	0	28483.412	563.4408602	15987.0084	30000	0	0	30000	21.625	2004
08.01.2020 10:07:48	1	1	1	1	89.5	41.5	0	28530.806	561.2903226	16013.91569	30000	0	0	30000	21.3125	2004
08.01.2020 10:07:49	1	1	1	1	89.5	41.25	0	28530.806	561.2903226	16040.00761	30000	0	0	30000	21.125	2004
08.01.2020 10:07:50	1	1	1	1	91	41	0	28483.412	563.4408602	16163.12886	30000	0	0	30000	21.625	2004
08.01.2020 10:07:51	1	1	1	1	91	41.5	0	28483.412	559.1397849	16040.00761	30000	0	0	30000	21.875	2004
08.01.2020 10:07:52	1	1	1	1	91	41.75	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	22.3125	2004
08.01.2020 10:07:53	1	1	1	1	91	42.25	0	28483.412	563.4408602	16109.31427	30000	0	0	30000	23.1875	2004
08.01.2020 10:07:54	1	1	1	1	91	43	0	28388.626	561.2903226	16056.31506	30000	0	0	30000	22.125	2004
08.01.2020 10:07:56	1	1	1	1	91	42	0	28483.412	563.4408602	15987.0084	30000	0	0	30000	23.4375	2004
08.01.2020 10:07:57	1	1	1	1	91	43.25	0	28388.626	563.4408602	15995.16212	30000	0	0	30000	22.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 10:07:58	1	1	1	1	91	41.5	0	28388.626	561.2903226	15995.16212	30000	0	0	30000	21.5625	2004
08.01.2020 10:07:59	1	1	1	1	91	41.5	0	28483.412	563.4408602	15987.0084	30000	0	0	30000	22.6875	2004
08.01.2020 10:08:00	1	1	1	1	90.25	42.5	0	28341.232	563.4408602	15907.10189	30000	0	0	30000	20.5	2004
08.01.2020 10:08:01	1	1	1	1	90.25	40.5	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	20.5	2004
08.01.2020 10:08:02	1	1	1	1	90.25	40.5	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	21.6875	2004
08.01.2020 10:08:03	1	1	1	1	90.25	41.5	0	28436.019	561.2903226	15934.00919	30000	0	0	30000	21.875	2004
08.01.2020 10:08:04	1	1	1	1	90.25	41.75	0	28436.019	561.2903226	15987.0084	30000	0	0	30000	20.875	2004
08.01.2020 10:08:05	1	1	1	1	90.25	40.75	0	28530.806	561.2903226	16040.00761	30000	0	0	30000	22.25	2004
08.01.2020 10:08:06	1	1	1	1	90.25	42.25	0	28578.199	563.4408602	16075.06863	30000	0	0	30000	22.8125	2004
08.01.2020 10:08:07	1	1	1	1	90.25	42.75	0	28436.019	563.4408602	15995.16212	30000	0	0	30000	21.375	2004
08.01.2020 10:08:08	1	1	1	1	90.25	41.25	0	28388.626	563.4408602	16083.22235	30000	0	0	30000	21.9375	2004
08.01.2020 10:08:09	1	1	1	1	90.25	41.75	0	28341.232	563.4408602	15968.25483	30000	0	0	30000	21.125	2004
08.01.2020 10:08:10	1	1	1	1	88.75	41	0	28436.019	563.4408602	16083.22235	30000	0	0	30000	20.75	2004
08.01.2020 10:08:11	1	1	1	1	88.75	40.75	0	28436.019	565.5913978	16083.22235	30000	0	0	30000	21.8125	2004
08.01.2020 10:08:12	1	1	1	1	88.75	41.75	0	28436.019	563.4408602	16022.06942	30000	0	0	30000	21.0625	2004
08.01.2020 10:08:13	1	1	1	1	88.75	41	0	28436.019	563.4408602	16022.06942	30000	0	0	30000	21.625	2004
08.01.2020 10:08:14	1	1	1	1	88.75	41.5	0	28436.019	563.4408602	15960.91648	30000	0	0	30000	21.125	2004
08.01.2020 10:08:15	1	1	1	1	88.75	41	0	28436.019	563.4408602	15960.91648	30000	0	0	30000	22.4375	2004
08.01.2020 10:08:16	1	1	1	1	88.75	42.25	0	28483.412	563.4408602	16109.31427	30000	0	0	30000	22.3125	2004
08.01.2020 10:08:17	1	1	1	1	88.75	42.25	0	28388.626	563.4408602	16083.22235	30000	0	0	30000	21.1875	2004
08.01.2020 10:08:18	1	1	1	1	88.75	41	0	28341.232	563.4408602	16056.31506	30000	0	0	30000	21.5	2004
08.01.2020 10:08:19	1	1	1	1	88.75	41.5	0	28293.839	561.2903226	15881.00997	30000	0	0	30000	21.5	2004
08.01.2020 10:08:20	1	1	1	1	89.75	41.5	0	28578.199	563.4408602	16040.00761	30000	0	0	30000	21.9375	2004
08.01.2020 10:08:21	1	1	1	1	89.75	41.75	0	28199.052	563.4408602	15827.19539	30000	0	0	30000	21.9375	2004
08.01.2020 10:08:22	1	1	1	1	89.75	41.75	0	28436.019	563.4408602	16022.06942	30000	0	0	30000	21.375	2004
08.01.2020 10:08:23	1	1	1	1	89.75	41.25	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	22.5	2004
08.01.2020 10:08:24	1	1	1	1	89.75	42.5	0	28436.019	563.4408602	15934.00919	30000	0	0	30000	21.75	2004
08.01.2020 10:08:25	1	1	1	1	89.75	41.75	0	28293.839	563.4408602	16002.50048	30000	0	0	30000	21.1875	2004
08.01.2020 10:08:26	1	1	1	1	89.75	41	0	28293.839	563.4408602	15881.00997	30000	0	0	30000	21.8125	2004
08.01.2020 10:08:27	1	1	1	1	89.75	41.75	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	21.5	2004
08.01.2020 10:08:28	1	1	1	1	89.75	41.5	0	28388.626	563.4408602	16056.31506	30000	0	0	30000	21	2004
08.01.2020 10:08:29	1	1	1	1	89.75	41	0	28341.232	561.2903226	15934.00919	30000	0	0	30000	21.125	2004
08.01.2020 10:08:30	1	1	1	1	91	41	0	28388.626	563.4408602	15934.00919	30000	0	0	30000	21.75	2004
08.01.2020 10:08:31	1	1	1	1	91	41.75	0	28293.839	561.2903226	15907.10189	30000	0	0	30000	20.75	2004
08.01.2020 10:08:33	1	1	1	1	91	40.75	0	28341.232	561.2903226	15827.19539	30000	0	0	30000	22.3125	2004
08.01.2020 10:08:38	1	1	1	1	91	42.25	0	28341.232	563.4408602	16029.40777	30000	0	0	30000	21.375	2004
08.01.2020 10:08:38	1	1	1	1	91	42.25	0	28341.232	563.4408602	16029.40777	30000	0	0	30000	21.375	2004
08.01.2020 10:08:38	1	1	1	1	91	42.25	0	28341.232	563.4408602	16029.40777	30000	0	0	30000	21.375	2004
08.01.2020 10:08:38	1	1	1	1	91	42.25	0	28341.232	563.4408602	16029.40777	30000	0	0	30000	21.375	2004
08.01.2020 10:08:39	1	1	1	1	91	41.25	0	28388.626	563.4408602	15995.16212	30000	0	0	30000	22.25	2004
08.01.2020 10:08:40	1	1	1	1	91.5	42.25	0	28341.232	565.5913978	15968.25483	30000	0	0	30000	21.8125	2004
08.01.2020 10:08:41	1	1	1	1	91.5	41.75	0	28388.626	563.4408602	16056.31506	30000	0	0	30000	21.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 10:08:42	1	1	1	1	91.5	41.25	0	28436.019	561.2903226	16022.06942	30000	0	0	30000	22.0625	2004
08.01.2020 10:08:43	1	1	1	1	91.5	42	0	28388.626	563.4408602	16022.06942	30000	0	0	30000	20.875	2004
08.01.2020 10:08:44	1	1	1	1	91.5	40.75	0	28530.806	563.4408602	16163.12886	30000	0	0	30000	21.875	2004
08.01.2020 10:08:45	1	1	1	1	91.5	41.75	0	28483.412	563.4408602	15716.30473	30000	0	0	30000	21.0625	2004
08.01.2020 10:08:46	1	1	1	1	91.5	41	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	21.75	2004
08.01.2020 10:08:47	1	1	1	1	91.5	41.75	0	28483.412	559.1397849	15987.0084	30000	0	0	30000	22.75	2004
08.01.2020 10:08:48	1	1	1	1	91.5	42.75	0	28483.412	567.7419355	15987.0084	30000	0	0	30000	22.5	2004
08.01.2020 10:08:49	1	1	1	1	91.5	42.5	0	28530.806	563.4408602	15987.0084	30000	0	0	30000	21.875	2004
08.01.2020 10:08:50	1	1	1	1	89.5	41.75	0	28483.412	561.2903226	16101.97592	30000	0	0	30000	21.9375	2004
08.01.2020 10:08:51	1	1	1	1	89.5	41.75	0	28530.806	563.4408602	15987.0084	30000	0	0	30000	21.3125	2004
08.01.2020 10:08:52	1	1	1	1	89.5	41.25	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	21.875	2004
08.01.2020 10:08:53	1	1	1	1	89.5	41.75	0	28625.592	561.2903226	16040.00761	30000	0	0	30000	21.75	2004
08.01.2020 10:08:54	1	1	1	1	89.5	41.75	0	28341.232	559.1397849	15872.85625	30000	0	0	30000	20.8125	2004
08.01.2020 10:08:55	1	1	1	1	89.5	40.75	0	28388.626	561.2903226	16022.06942	30000	0	0	30000	21.4375	2004
08.01.2020 10:08:56	1	1	1	1	89.5	41.25	0	28436.019	563.4408602	16022.06942	30000	0	0	30000	21.75	2004
08.01.2020 10:08:57	1	1	1	1	89.5	41.75	0	28341.232	561.2903226	15995.16212	30000	0	0	30000	23.125	2004
08.01.2020 10:08:58	1	1	1	1	89.5	43	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	22.375	2004
08.01.2020 10:08:59	1	1	1	1	89.5	42.25	0	28436.019	561.2903226	16048.16134	30000	0	0	30000	21.8125	2004
08.01.2020 10:09:00	1	1	1	1	89	41.75	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	21.5	2004
08.01.2020 10:09:01	1	1	1	1	89	41.5	0	28436.019	563.4408602	16022.06942	30000	0	0	30000	23.0625	2004
08.01.2020 10:09:02	1	1	1	1	89	43	0	28341.232	565.5913978	16029.40777	30000	0	0	30000	21.1875	2004
08.01.2020 10:09:03	1	1	1	1	89	41	0	28293.839	565.5913978	16029.40777	30000	0	0	30000	22.8125	2004
08.01.2020 10:09:04	1	1	1	1	89	42.75	0	28341.232	563.4408602	15968.25483	30000	0	0	30000	22.125	2004
08.01.2020 10:09:05	1	1	1	1	89	42	0	28199.052	563.4408602	15948.68589	30000	0	0	30000	23.0625	2004
08.01.2020 10:09:06	1	1	1	1	89	43	0	28293.839	563.4408602	16029.40777	30000	0	0	30000	21.1875	2004
08.01.2020 10:09:07	1	1	1	1	89	41	0	28388.626	563.4408602	15995.16212	30000	0	0	30000	21.375	2004
08.01.2020 10:09:08	1	1	1	1	89	41.25	0	28483.412	563.4408602	15987.0084	30000	0	0	30000	21.1875	2004
08.01.2020 10:09:09	1	1	1	1	89	41	0	28530.806	561.2903226	15987.0084	30000	0	0	30000	21.4375	2004
08.01.2020 10:09:11	1	1	1	1	88.5	41.25	0	28578.199	559.1397849	16066.9149	30000	0	0	30000	22.625	2004
08.01.2020 10:09:12	1	1	1	1	88.5	42.5	0	28815.166	556.9892473	15969.88558	30000	0	0	30000	21.875	2004
08.01.2020 10:09:13	1	1	1	1	88.5	41.75	0	28625.592	556.9892473	16005.76197	30000	0	0	30000	22.375	2004
08.01.2020 10:09:14	1	1	1	1	88.5	42	0	28625.592	561.2903226	16066.9149	30000	0	0	30000	21.375	2004
08.01.2020 10:09:15	1	1	1	1	88.5	41.25	0	28483.412	559.1397849	16013.91569	30000	0	0	30000	20.75	2004
08.01.2020 10:09:16	1	1	1	1	88.5	40.75	0	28578.199	561.2903226	15978.85467	30000	0	0	30000	21.6875	2004
08.01.2020 10:09:17	1	1	1	1	88.5	41.5	0	28388.626	563.4408602	15934.00919	30000	0	0	30000	21.5625	2004
08.01.2020 10:09:18	1	1	1	1	88.5	41.5	0	28436.019	559.1397849	15960.91648	30000	0	0	30000	21.875	2004
08.01.2020 10:09:19	1	1	1	1	88.5	41.75	0	28483.412	561.2903226	15960.91648	30000	0	0	30000	21.9375	2004
08.01.2020 10:09:20	1	1	1	1	90	41.75	0	28625.592	563.4408602	16128.88321	30000	0	0	30000	21.6875	2004
08.01.2020 10:09:21	1	1	1	1	90	41.5	0	28625.592	559.1397849	16005.76197	30000	0	0	30000	22.5	2004
08.01.2020 10:09:22	1	1	1	1	90	42.5	0	28483.412	561.2903226	16013.91569	30000	0	0	30000	21.125	2004
08.01.2020 10:09:23	1	1	1	1	90	41	0	28483.412	559.1397849	15987.0084	30000	0	0	30000	20.9375	2004
08.01.2020 10:09:24	1	1	1	1	90	40.75	0	28293.839	572.0430108	15827.19539	30000	0	0	30000	21.875	2004
08.01.2020 10:09:25	1	1	1	1	90	41.75	0	28436.019	563.4408602	16083.22235	30000	0	0	30000	22.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 10:09:26	1	1	1	1	90	42.25	0	28388.626	563.4408602	16083.22235	30000	0	0	30000	22	2004
08.01.2020 10:09:27	1	1	1	1	90	42	0	28436.019	563.4408602	15995.16212	30000	0	0	30000	20.875	2004
08.01.2020 10:09:28	1	1	1	1	90	40.75	0	28341.232	565.5913978	16056.31506	30000	0	0	30000	21.3125	2004
08.01.2020 10:09:29	1	1	1	1	90	41.25	0	28483.412	565.5913978	16083.22235	30000	0	0	30000	22.25	2004
08.01.2020 10:09:30	1	1	1	1	89	42.25	0	28388.626	567.7419355	16056.31506	30000	0	0	30000	23.3125	2004
08.01.2020 10:09:31	1	1	1	1	89	43.25	0	28388.626	563.4408602	15968.25483	30000	0	0	30000	22.375	2004
08.01.2020 10:09:32	1	1	1	1	89	42.25	0	28436.019	563.4408602	15995.16212	30000	0	0	30000	21.3125	2004
08.01.2020 10:09:33	1	1	1	1	89	41.25	0	28483.412	567.7419355	16286.2501	30000	0	0	30000	21.25	2004
08.01.2020 10:09:34	1	1	1	1	89	41.25	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	22	2004
08.01.2020 10:09:40	1	1	1	1	89	42.75	0	28293.839	563.4408602	15888.34833	30000	0	0	30000	22.0625	2004
08.01.2020 10:09:40	1	1	1	1	89	42.75	0	28293.839	563.4408602	15888.34833	30000	0	0	30000	22.0625	2004
08.01.2020 10:09:40	1	1	1	1	89	42.75	0	28293.839	563.4408602	15888.34833	30000	0	0	30000	22.0625	2004
08.01.2020 10:09:40	1	1	1	1	89	42.75	0	28293.839	563.4408602	15888.34833	30000	0	0	30000	22.0625	2004
08.01.2020 10:09:40	1	1	1	1	89.25	42	0	28388.626	565.5913978	16177.80556	30000	0	0	30000	21.5	2004
08.01.2020 10:09:41	1	1	1	1	89.25	41.5	0	28436.019	565.5913978	16083.22235	30000	0	0	30000	21.4375	2004
08.01.2020 10:09:42	1	1	1	1	89.25	41.25	0	28341.232	563.4408602	16177.80556	30000	0	0	30000	21.75	2004
08.01.2020 10:09:43	1	1	1	1	89.25	41.75	0	28293.839	556.9892473	16056.31506	30000	0	0	30000	22.0625	2004
08.01.2020 10:09:44	1	1	1	1	89.25	42	0	28293.839	563.4408602	15888.34833	30000	0	0	30000	22.6875	2004
08.01.2020 10:09:45	1	1	1	1	89.25	42.5	0	28436.019	563.4408602	15811.70331	30000	0	0	30000	22.375	2004
08.01.2020 10:09:46	1	1	1	1	89.25	42.25	0	28436.019	559.1397849	16048.16134	30000	0	0	30000	23.0625	2004
08.01.2020 10:09:47	1	1	1	1	89.25	43	0	28388.626	561.2903226	16083.22235	30000	0	0	30000	22.8125	2004
08.01.2020 10:09:48	1	1	1	1	89.25	42.75	0	28388.626	561.2903226	16083.22235	30000	0	0	30000	22.125	2004
08.01.2020 10:09:50	1	1	1	1	89.25	42	0	28341.232	567.7419355	15948.68589	30000	0	0	30000	22.6875	2004
08.01.2020 10:09:51	1	1	1	1	90.75	42.5	0	28341.232	563.4408602	15888.34833	30000	0	0	30000	22.9375	2004
08.01.2020 10:09:52	1	1	1	1	90.75	42.75	0	28341.232	565.5913978	16056.31506	30000	0	0	30000	23.9375	2004
08.01.2020 10:09:53	1	1	1	1	90.75	43.75	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	22.5625	2004
08.01.2020 10:09:54	1	1	1	1	90.75	42.75	0	28388.626	569.8924731	16090.5607	30000	0	0	30000	22.8125	2004
08.01.2020 10:09:55	1	1	1	1	90.75	42.75	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	23.3125	2004
08.01.2020 10:09:56	1	1	1	1	90.75	43.25	0	28341.232	561.2903226	15881.00997	30000	0	0	30000	21.6875	2004
08.01.2020 10:09:57	1	1	1	1	90.75	41.5	0	28199.052	563.4408602	15948.68589	30000	0	0	30000	22.0625	2004
08.01.2020 10:09:58	1	1	1	1	90.75	42	0	28341.232	563.4408602	16029.40777	30000	0	0	30000	21.6875	2004
08.01.2020 10:09:59	1	1	1	1	90.75	41.5	0	28293.839	565.5913978	15948.68589	30000	0	0	30000	21.6875	2004
08.01.2020 10:10:00	1	1	1	1	91	41.5	0	28293.839	563.4408602	15941.34754	30000	0	0	30000	23.5	2004
08.01.2020 10:10:01	1	1	1	1	91	43.5	0	28293.839	559.1397849	15881.00997	30000	0	0	30000	22.5	2004
08.01.2020 10:10:02	1	1	1	1	91	42.5	0	28436.019	563.4408602	16022.06942	30000	0	0	30000	22.125	2004
08.01.2020 10:10:03	1	1	1	1	91	42	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	21.625	2004
08.01.2020 10:10:04	1	1	1	1	91	41.5	0	28436.019	563.4408602	16048.16134	30000	0	0	30000	21.8125	2004
08.01.2020 10:10:05	1	1	1	1	91	41.75	0	28199.052	559.1397849	15706.52026	30000	0	0	30000	22.375	2004
08.01.2020 10:10:06	1	1	1	1	91	42.25	0	28483.412	563.4408602	15987.0084	30000	0	0	30000	23	2004
08.01.2020 10:10:07	1	1	1	1	91	43	0	28436.019	565.5913978	16022.06942	30000	0	0	30000	23.4375	2004
08.01.2020 10:10:08	1	1	1	1	91	43.25	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	22.5625	2004
08.01.2020 10:10:09	1	1	1	1	91	42.5	0	28578.199	559.1397849	16040.00761	30000	0	0	30000	22.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 10:10:10	1	1	1	1	91.75	42.5	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	22.5625	2004
08.01.2020 10:10:11	1	1	1	1	91.75	42.5	0	28530.806	556.9892473	15925.85546	30000	0	0	30000	23.1875	2004
08.01.2020 10:10:12	1	1	1	1	91.75	43	0	28388.626	561.2903226	15995.16212	30000	0	0	30000	22.9375	2004
08.01.2020 10:10:13	1	1	1	1	91.75	42.75	0	28388.626	563.4408602	16056.31506	30000	0	0	30000	23	2004
08.01.2020 10:10:14	1	1	1	1	91.75	43	0	28388.626	563.4408602	15941.34754	30000	0	0	30000	21.5	2004
08.01.2020 10:10:15	1	1	1	1	91.75	41.5	0	28436.019	563.4408602	15987.0084	30000	0	0	30000	21.875	2004
08.01.2020 10:10:16	1	1	1	1	91.75	41.75	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	23	2004
08.01.2020 10:10:17	1	1	1	1	91.75	43	0	28530.806	561.2903226	15987.0084	30000	0	0	30000	20.9375	2004
08.01.2020 10:10:18	1	1	1	1	91.75	40.75	0	28436.019	556.9892473	15960.91648	30000	0	0	30000	22.25	2004
08.01.2020 10:10:19	1	1	1	1	91.75	42.25	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	22.6875	2004
08.01.2020 10:10:20	1	1	1	1	91.75	42.5	0	28341.232	556.9892473	15995.16212	30000	0	0	30000	22.0625	2004
08.01.2020 10:10:21	1	1	1	1	91.75	42	0	28293.839	565.5913978	15941.34754	30000	0	0	30000	21.5625	2004
08.01.2020 10:10:22	1	1	1	1	91.75	41.5	0	28436.019	556.9892473	15987.0084	30000	0	0	30000	22.125	2004
08.01.2020 10:10:23	1	1	1	1	91.75	42	0	28436.019	563.4408602	15960.91648	30000	0	0	30000	21.5625	2004
08.01.2020 10:10:24	1	1	1	1	91.75	41.5	0	28388.626	556.9892473	15689.39744	30000	0	0	30000	21.1875	2004
08.01.2020 10:10:25	1	1	1	1	91.75	41	0	28483.412	559.1397849	16040.00761	30000	0	0	30000	23.5625	2004
08.01.2020 10:10:26	1	1	1	1	91.75	43.5	0	28483.412	563.4408602	15899.76354	30000	0	0	30000	22.125	2004
08.01.2020 10:10:28	1	1	1	1	91.75	42	0	28341.232	563.4408602	16056.31506	30000	0	0	30000	22.125	2004
08.01.2020 10:10:29	1	1	1	1	91.75	42	0	28341.232	563.4408602	15907.10189	30000	0	0	30000	22.875	2004
08.01.2020 10:10:30	1	1	1	1	91.75	42.75	0	28199.052	565.5913978	16009.83883	30000	0	0	30000	22.25	2004
08.01.2020 10:10:31	1	1	1	1	93	42.25	0	28341.232	565.5913978	16238.9585	30000	0	0	30000	24.375	2004
08.01.2020 10:10:32	1	1	1	1	93	41.5	0	28199.052	552.688172	15907.10189	30000	0	0	30000	22.5	2004
08.01.2020 10:10:33	1	1	1	1	93	42.5	0	28436.019	565.5913978	16022.06942	30000	0	0	30000	22.375	2004
08.01.2020 10:10:34	1	1	1	1	93	42.25	0	28388.626	561.2903226	15934.00919	30000	0	0	30000	23.0625	2004
08.01.2020 10:10:35	1	1	1	1	93	43	0	28341.232	561.2903226	15907.10189	30000	0	0	30000	23.25	2004
08.01.2020 10:10:36	1	1	1	1	93	43.25	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	22.875	2004
08.01.2020 10:10:42	1	1	1	1	93.5	42	0	28388.626	563.4408602	15934.00919	30000	0	0	30000	22.0625	2004
08.01.2020 10:10:42	1	1	1	1	93.5	42	0	28388.626	563.4408602	15934.00919	30000	0	0	30000	22.0625	2004
08.01.2020 10:10:42	1	1	1	1	93.5	42	0	28388.626	563.4408602	15934.00919	30000	0	0	30000	22.0625	2004
08.01.2020 10:10:42	1	1	1	1	93.5	42	0	28388.626	563.4408602	15934.00919	30000	0	0	30000	22.0625	2004
08.01.2020 10:10:42	1	1	1	1	93.5	42	0	28388.626	563.4408602	15968.25483	30000	0	0	30000	21.75	2004
08.01.2020 10:10:43	1	1	1	1	93.5	41.75	0	28293.839	561.2903226	15881.00997	30000	0	0	30000	23.0625	2004
08.01.2020 10:10:44	1	1	1	1	93.5	43	0	28293.839	565.5913978	16002.50048	30000	0	0	30000	22.375	2004
08.01.2020 10:10:45	1	1	1	1	93.5	42.25	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	22.1875	2004
08.01.2020 10:10:46	1	1	1	1	93.5	42	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	21.625	2004
08.01.2020 10:10:47	1	1	1	1	93.5	41.5	0	28293.839	565.5913978	16063.65341	30000	0	0	30000	21.8125	2004
08.01.2020 10:10:48	1	1	1	1	93.5	41.75	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	21.375	2004
08.01.2020 10:10:49	1	1	1	1	93.5	41.25	0	28293.839	565.5913978	16029.40777	30000	0	0	30000	22.9375	2004
08.01.2020 10:10:50	1	1	1	1	92.5	42.75	0	28009.479	567.7419355	15948.68589	30000	0	0	30000	22.5	2004
08.01.2020 10:10:51	1	1	1	1	92.5	42.5	0	28341.232	563.4408602	15995.16212	30000	0	0	30000	23.75	2004
08.01.2020 10:10:52	1	1	1	1	92.5	43.75	0	28293.839	565.5913978	16002.50048	30000	0	0	30000	23.8125	2004
08.01.2020 10:10:53	1	1	1	1	92.5	43.75	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	23.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 10:10:54	1	1	1	1	92.5	43.5	0	28199.052	563.4408602	15948.68589	30000	0	0	30000	22.5625	2004
08.01.2020 10:10:55	1	1	1	1	92.5	42.5	0	28293.839	565.5913978	16029.40777	30000	0	0	30000	22.25	2004
08.01.2020 10:10:56	1	1	1	1	92.5	42.25	0	28009.479	565.5913978	16191.66689	30000	0	0	30000	22.4375	2004
08.01.2020 10:10:57	1	1	1	1	92.5	42.25	0	28388.626	563.4408602	16056.31506	30000	0	0	30000	23.0625	2004
08.01.2020 10:10:58	1	1	1	1	92.5	43	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	23.6875	2004
08.01.2020 10:10:59	1	1	1	1	92.5	43.5	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	22.375	2004
08.01.2020 10:11:00	1	1	1	1	93.25	42.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	22.3125	2004
08.01.2020 10:11:01	1	1	1	1	93.25	42.25	0	28293.839	567.7419355	15948.68589	30000	0	0	30000	22.8125	2004
08.01.2020 10:11:02	1	1	1	1	93.25	42.75	0	28199.052	567.7419355	16063.65341	30000	0	0	30000	21.75	2004
08.01.2020 10:11:03	1	1	1	1	93.25	41.75	0	28530.806	565.5913978	16109.31427	30000	0	0	30000	24.1875	2004
08.01.2020 10:11:04	1	1	1	1	93.25	44	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	22.375	2004
08.01.2020 10:11:05	1	1	1	1	93.25	42.25	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	21.75	2004
08.01.2020 10:11:06	1	1	1	1	93.25	41.75	0	28293.839	567.7419355	15948.68589	30000	0	0	30000	23.875	2004
08.01.2020 10:11:08	1	1	1	1	93.25	43.75	0	28009.479	567.7419355	16070.17639	30000	0	0	30000	22.6875	2004
08.01.2020 10:11:09	1	1	1	1	93.25	42.5	0	28293.839	567.7419355	16090.5607	30000	0	0	30000	23	2004
08.01.2020 10:11:10	1	1	1	1	93.25	43	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	23.5625	2004
08.01.2020 10:11:11	1	1	1	1	93.75	43.5	0	28388.626	565.5913978	16083.22235	30000	0	0	30000	23	2004
08.01.2020 10:11:12	1	1	1	1	93.75	44.25	0	28388.626	563.4408602	15934.00919	30000	0	0	30000	22.3125	2004
08.01.2020 10:11:13	1	1	1	1	93.75	42.25	0	28293.839	563.4408602	16002.50048	30000	0	0	30000	22.4375	2004
08.01.2020 10:11:14	1	1	1	1	93.75	42.25	0	28293.839	563.4408602	16002.50048	30000	0	0	30000	22.125	2004
08.01.2020 10:11:15	1	1	1	1	93.75	42	0	28483.412	565.5913978	16171.28258	30000	0	0	30000	22.875	2004
08.01.2020 10:11:16	1	1	1	1	93.75	42.75	0	28341.232	563.4408602	16056.31506	30000	0	0	30000	23.8125	2004
08.01.2020 10:11:17	1	1	1	1	93.75	43.75	0	28199.052	563.4408602	15948.68589	30000	0	0	30000	22.0625	2004
08.01.2020 10:11:18	1	1	1	1	93.75	42	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	22.3125	2004
08.01.2020 10:11:19	1	1	1	1	93.75	42.25	0	28341.232	567.7419355	16090.5607	30000	0	0	30000	22.9375	2004
08.01.2020 10:11:20	1	1	1	1	94.25	42.75	0	28293.839	565.5913978	15941.34754	30000	0	0	30000	22.5	2004
08.01.2020 10:11:21	1	1	1	1	94.25	42.5	0	28341.232	563.4408602	16002.50048	30000	0	0	30000	22.4375	2004
08.01.2020 10:11:22	1	1	1	1	94.25	42.25	0	28341.232	563.4408602	16177.80556	30000	0	0	30000	22.6875	2004
08.01.2020 10:11:23	1	1	1	1	94.25	42.5	0	28293.839	563.4408602	16002.50048	30000	0	0	30000	22.1875	2004
08.01.2020 10:11:24	1	1	1	1	94.25	42	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	22.75	2004
08.01.2020 10:11:25	1	1	1	1	94.25	42.75	0	28293.839	565.5913978	16002.50048	30000	0	0	30000	22.9375	2004
08.01.2020 10:11:26	1	1	1	1	94.25	42.75	0	28388.626	567.7419355	16123.99098	30000	0	0	30000	22.125	2004
08.01.2020 10:11:27	1	1	1	1	94.25	42	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	22.875	2004
08.01.2020 10:11:28	1	1	1	1	94.25	42.75	0	28199.052	561.2903226	16002.50048	30000	0	0	30000	23.1875	2004
08.01.2020 10:11:29	1	1	1	1	94.25	43	0	28341.232	565.5913978	16029.40777	30000	0	0	30000	22.625	2004
08.01.2020 10:11:30	1	1	1	1	94.25	42.5	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	23.0625	2004
08.01.2020 10:11:31	1	1	1	1	94.25	43	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	22.25	2004
08.01.2020 10:11:32	1	1	1	1	94.25	42.25	0	28293.839	565.5913978	15948.68589	30000	0	0	30000	23.0625	2004
08.01.2020 10:11:33	1	1	1	1	94.25	43	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	23.125	2004
08.01.2020 10:11:34	1	1	1	1	94.25	43	0	28293.839	569.8924731	16002.50048	30000	0	0	30000	23.625	2004
08.01.2020 10:11:35	1	1	1	1	94.25	43.5	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	22.1875	2004
08.01.2020 10:11:36	1	1	1	1	94.25	42	0	28199.052	563.4408602	15841.8721	30000	0	0	30000	22.125	2004
08.01.2020 10:11:37	1	1	1	1	94.25	42	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	22.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 10:11:43	1	1	1	1	94	43	0	28199.052	563.4408602	15948.68589	30000	0	0	30000	22.8125	2004
08.01.2020 10:11:43	1	1	1	1	94	43	0	28199.052	563.4408602	15948.68589	30000	0	0	30000	22.8125	2004
08.01.2020 10:11:43	1	1	1	1	94	43	0	28199.052	563.4408602	15948.68589	30000	0	0	30000	22.8125	2004
08.01.2020 10:11:43	1	1	1	1	94	43	0	28199.052	563.4408602	15948.68589	30000	0	0	30000	22.8125	2004
08.01.2020 10:11:43	1	1	1	1	94	43	0	28199.052	563.4408602	15948.68589	30000	0	0	30000	22.8125	2004
08.01.2020 10:11:43	1	1	1	1	94	42.75	0	28341.232	567.7419355	15827.19539	30000	0	0	30000	22.5	2004
08.01.2020 10:11:44	1	1	1	1	94	42.5	0	28341.232	565.5913978	16002.50048	30000	0	0	30000	23.1875	2004
08.01.2020 10:11:45	1	1	1	1	94	43	0	28293.839	565.5913978	16002.50048	30000	0	0	30000	23.75	2004
08.01.2020 10:11:46	1	1	1	1	94	43.75	0	28199.052	563.4408602	15888.34833	30000	0	0	30000	21.875	2004
08.01.2020 10:11:48	1	1	1	1	94	41.75	0	28293.839	563.4408602	16002.50048	30000	0	0	30000	22.75	2004
08.01.2020 10:11:49	1	1	1	1	94	42.75	0	28293.839	567.7419355	16063.65341	30000	0	0	30000	22.3125	2004
08.01.2020 10:11:50	1	1	1	1	94	42.25	0	28199.052	567.7419355	15888.34833	30000	0	0	30000	24.375	2004
08.01.2020 10:11:51	1	1	1	1	94.75	44.25	0	28199.052	567.7419355	15961.73185	30000	0	0	30000	23.9375	2004
08.01.2020 10:11:52	1	1	1	1	94.75	42.75	0	28246.445	565.5913978	16002.50048	30000	0	0	30000	22.875	2004
08.01.2020 10:11:53	1	1	1	1	94.75	42.75	0	28009.479	569.8924731	15902.20966	30000	0	0	30000	22.8125	2004
08.01.2020 10:11:54	1	1	1	1	94.75	42.75	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	22.4375	2004
08.01.2020 10:11:55	1	1	1	1	94.75	42.25	0	28246.445	567.7419355	15948.68589	30000	0	0	30000	22.3125	2004
08.01.2020 10:11:56	1	1	1	1	94.75	42.25	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	22.9375	2004
08.01.2020 10:11:57	1	1	1	1	94.75	42.75	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	22.25	2004
08.01.2020 10:11:58	1	1	1	1	94.75	42.25	0	28388.626	563.4408602	15995.16212	30000	0	0	30000	23.375	2004
08.01.2020 10:11:59	1	1	1	1	94.75	43.25	0	28293.839	565.5913978	16002.50048	30000	0	0	30000	23.3125	2004
08.01.2020 10:12:00	1	1	1	1	94.5	43.25	0	28341.232	576.344086	16009.83883	30000	0	0	30000	22.5625	2004
08.01.2020 10:12:01	1	1	1	1	94.5	42.5	0	28293.839	567.7419355	16029.40777	30000	0	0	30000	24.1875	2004
08.01.2020 10:12:02	1	1	1	1	94.5	44	0	28199.052	563.4408602	16070.17639	30000	0	0	30000	22.375	2004
08.01.2020 10:12:03	1	1	1	1	94.5	42.25	0	28388.626	563.4408602	15968.25483	30000	0	0	30000	22.125	2004
08.01.2020 10:12:04	1	1	1	1	94.5	42	0	28341.232	565.5913978	16002.50048	30000	0	0	30000	22.5625	2004
08.01.2020 10:12:05	1	1	1	1	94.5	42.5	0	28341.232	565.5913978	15881.00997	30000	0	0	30000	24	2004
08.01.2020 10:12:06	1	1	1	1	94.5	44	0	28199.052	563.4408602	15948.68589	30000	0	0	30000	22.375	2004
08.01.2020 10:12:07	1	1	1	1	94.5	42.25	0	28293.839	565.5913978	15948.68589	30000	0	0	30000	24.5	2004
08.01.2020 10:12:08	1	1	1	1	94.5	44.5	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	22.125	2004
08.01.2020 10:12:09	1	1	1	1	94.5	42	0	28199.052	565.5913978	16002.50048	30000	0	0	30000	22.875	2004
08.01.2020 10:12:10	1	1	1	1	94.5	42.75	0	28341.232	559.1397849	16083.22235	30000	0	0	30000	22.9375	2004
08.01.2020 10:12:11	1	1	1	1	94.5	42.75	0	28293.839	565.5913978	16002.50048	30000	0	0	30000	23.4375	2004
08.01.2020 10:12:12	1	1	1	1	94.5	43.25	0	28199.052	565.5913978	16009.83883	30000	0	0	30000	21.9375	2004
08.01.2020 10:12:13	1	1	1	1	94.5	41.75	0	28388.626	565.5913978	16056.31506	30000	0	0	30000	22.5625	2004
08.01.2020 10:12:14	1	1	1	1	94.5	42.5	0	28388.626	563.4408602	15934.00919	30000	0	0	30000	22.0625	2004
08.01.2020 10:12:15	1	1	1	1	94.5	42	0	28483.412	563.4408602	16022.06942	30000	0	0	30000	22.875	2004
08.01.2020 10:12:16	1	1	1	1	94.5	42.75	0	28341.232	563.4408602	15907.10189	30000	0	0	30000	22.6875	2004
08.01.2020 10:12:17	1	1	1	1	94.5	42.5	0	28436.019	565.5913978	16083.22235	30000	0	0	30000	23	2004
08.01.2020 10:12:18	1	1	1	1	94.5	43	0	28293.839	567.7419355	16002.50048	30000	0	0	30000	22.625	2004
08.01.2020 10:12:19	1	1	1	1	94.5	42.5	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	22.8125	2004
08.01.2020 10:12:20	1	1	1	1	94.75	42.75	0	28293.839	567.7419355	15948.68589	30000	0	0	30000	22.5625	2004
08.01.2020 10:12:21	1	1	1	1	94.75	42.5	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	22.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 10:12:22	1	1	1	1	94.75	42.5	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	22.5	2004
08.01.2020 10:12:23	1	1	1	1	94.75	42.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	23.4375	2004
08.01.2020 10:12:24	1	1	1	1	94.75	43.25	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	23.0625	2004
08.01.2020 10:12:26	1	1	1	1	94.75	43	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	22.9375	2004
08.01.2020 10:12:27	1	1	1	1	94.75	42.75	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	24.8125	2004
08.01.2020 10:12:28	1	1	1	1	94.75	44.75	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	23	2004
08.01.2020 10:12:29	1	1	1	1	94.75	43	0	28199.052	563.4408602	15948.68589	30000	0	0	30000	22.375	2004
08.01.2020 10:12:30	1	1	1	1	95.25	42.75	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	22	2004
08.01.2020 10:12:31	1	1	1	1	95.25	42	0	28009.479	565.5913978	16191.66689	30000	0	0	30000	22.8125	2004
08.01.2020 10:12:32	1	1	1	1	95.25	42.75	0	28341.232	569.8924731	16150.89827	30000	0	0	30000	23.3125	2004
08.01.2020 10:12:33	1	1	1	1	95.25	43.25	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	23.125	2004
08.01.2020 10:12:34	1	1	1	1	95.25	43	0	28199.052	567.7419355	16002.50048	30000	0	0	30000	22.9375	2004
08.01.2020 10:12:35	1	1	1	1	95.25	42.75	0	28009.479	567.7419355	16070.17639	30000	0	0	30000	22.625	2004
08.01.2020 10:12:36	1	1	1	1	95.25	42.5	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	22	2004
08.01.2020 10:12:37	1	1	1	1	95.25	42	0	28199.052	565.5913978	16002.50048	30000	0	0	30000	23.625	2004
08.01.2020 10:12:38	1	1	1	1	95.25	43.5	0	28009.479	567.7419355	15948.68589	30000	0	0	30000	23.5625	2004
08.01.2020 10:12:39	1	1	1	1	95.25	43.5	0	28341.232	567.7419355	16090.5607	30000	0	0	30000	22.8125	2004
08.01.2020 10:12:45	1	1	1	1	95.5	42.75	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	23.8125	2004
08.01.2020 10:12:45	1	1	1	1	95.5	42.75	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	23.8125	2004
08.01.2020 10:12:45	1	1	1	1	95.5	42.75	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	23.8125	2004
08.01.2020 10:12:45	1	1	1	1	95.5	42.75	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	23.8125	2004
08.01.2020 10:12:45	1	1	1	1	95.5	43.75	0	27914.692	569.8924731	15995.16212	30000	0	0	30000	24	2004
08.01.2020 10:12:46	1	1	1	1	95.5	44	0	28199.052	572.0430108	16070.17639	30000	0	0	30000	23.3125	2004
08.01.2020 10:12:47	1	1	1	1	95.5	43.25	0	28199.052	574.1935484	16022.06942	30000	0	0	30000	23.75	2004
08.01.2020 10:12:48	1	1	1	1	95.5	43.75	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	22.3125	2004
08.01.2020 10:12:49	1	1	1	1	95.5	42.25	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	23	2004
08.01.2020 10:12:50	1	1	1	1	95	43	0	27962.085	567.7419355	15961.73185	30000	0	0	30000	22.3125	2004
08.01.2020 10:12:51	1	1	1	1	95	42.25	0	27867.299	572.0430108	15907.91727	30000	0	0	30000	22.8125	2004
08.01.2020 10:12:52	1	1	1	1	95	42.75	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	22.9375	2004
08.01.2020 10:12:53	1	1	1	1	95	42.75	0	27962.085	574.1935484	16027.77702	30000	0	0	30000	24.0625	2004
08.01.2020 10:12:54	1	1	1	1	95	44	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	22.9375	2004
08.01.2020 10:12:55	1	1	1	1	95	42.75	0	27867.299	574.1935484	16027.77702	30000	0	0	30000	22.75	2004
08.01.2020 10:12:56	1	1	1	1	95	42.75	0	27819.905	567.7419355	16033.48463	30000	0	0	30000	23.5625	2004
08.01.2020 10:12:57	1	1	1	1	95	43.5	0	27914.692	572.0430108	16027.77702	30000	0	0	30000	22.9375	2004
08.01.2020 10:12:58	1	1	1	1	95	42.75	0	28009.479	574.1935484	15961.73185	30000	0	0	30000	23.625	2004
08.01.2020 10:12:59	1	1	1	1	95	43.5	0	27725.118	574.1935484	15864.70252	30000	0	0	30000	24.0625	2004
08.01.2020 10:13:00	1	1	1	1	95.5	44	0	27914.692	572.0430108	15995.16212	30000	0	0	30000	23.625	2004
08.01.2020 10:13:01	1	1	1	1	95.5	43.5	0	27962.085	572.0430108	16022.06942	30000	0	0	30000	22.625	2004
08.01.2020 10:13:02	1	1	1	1	95.5	42.5	0	28199.052	574.1935484	15961.73185	30000	0	0	30000	23.125	2004
08.01.2020 10:13:04	1	1	1	1	95.5	43	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	22.9375	2004
08.01.2020 10:13:05	1	1	1	1	95.5	42.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	22.9375	2004
08.01.2020 10:13:06	1	1	1	1	95.5	42.75	0	27914.692	567.7419355	15934.82456	30000	0	0	30000	24.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 10:13:07	1	1	1	1	95.5	44.25	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	23.8125	2004
08.01.2020 10:13:08	1	1	1	1	95.5	42.75	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	23.6875	2004
08.01.2020 10:13:09	1	1	1	1	95.5	43.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	22.9375	2004
08.01.2020 10:13:10	1	1	1	1	95.5	42.75	0	27962.085	567.7419355	15814.9648	30000	0	0	30000	23.25	2004
08.01.2020 10:13:11	1	1	1	1	95.5	43.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	24	2004
08.01.2020 10:13:12	1	1	1	1	95.5	44	0	28009.479	572.0430108	16070.17639	30000	0	0	30000	22.125	2004
08.01.2020 10:13:13	1	1	1	1	95.5	42	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	22.8125	2004
08.01.2020 10:13:14	1	1	1	1	95.5	42.75	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	22.9375	2004
08.01.2020 10:13:15	1	1	1	1	95.5	42.75	0	28009.479	572.0430108	16312.34202	30000	0	0	30000	23.5625	2004
08.01.2020 10:13:16	1	1	1	1	95.5	43.5	0	28293.839	572.0430108	16245.48148	30000	0	0	30000	23.8125	2004
08.01.2020 10:13:17	1	1	1	1	95.5	43.75	0	27914.692	572.0430108	15968.25483	30000	0	0	30000	23.375	2004
08.01.2020 10:13:18	1	1	1	1	95.5	43.25	0	27914.692	567.7419355	15907.91727	30000	0	0	30000	23	2004
08.01.2020 10:13:19	1	1	1	1	95.5	43	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	22.6875	2004
08.01.2020 10:13:20	1	1	1	1	95.5	42.5	0	28199.052	572.0430108	16130.51396	30000	0	0	30000	22.875	2004
08.01.2020 10:13:21	1	1	1	1	95.5	42.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	23.6875	2004
08.01.2020 10:13:22	1	1	1	1	95.5	43.5	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	23.125	2004
08.01.2020 10:13:23	1	1	1	1	95.5	43	0	27867.299	569.8924731	15881.00997	30000	0	0	30000	23.75	2004
08.01.2020 10:13:24	1	1	1	1	95.5	43.75	0	28199.052	569.8924731	15961.73185	30000	0	0	30000	24.1875	2004
08.01.2020 10:13:25	1	1	1	1	95.5	44	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	24.125	2004
08.01.2020 10:13:26	1	1	1	1	95.5	44	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	24.125	2004
08.01.2020 10:13:27	1	1	1	1	95.5	44	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	23.75	2004
08.01.2020 10:13:28	1	1	1	1	95.5	43.75	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	23.3125	2004
08.01.2020 10:13:29	1	1	1	1	95.5	43.25	0	28199.052	565.5913978	16009.83883	30000	0	0	30000	24.6875	2004
08.01.2020 10:13:30	1	1	1	1	96.5	44.5	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	23.5	2004
08.01.2020 10:13:31	1	1	1	1	96.5	43.5	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	24.125	2004
08.01.2020 10:13:32	1	1	1	1	96.5	44	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	25.0625	2004
08.01.2020 10:13:33	1	1	1	1	96.5	45	0	28009.479	563.4408602	15841.8721	30000	0	0	30000	23.125	2004
08.01.2020 10:13:34	1	1	1	1	96.5	43	0	28293.839	567.7419355	15948.68589	30000	0	0	30000	23.8125	2004
08.01.2020 10:13:35	1	1	1	1	96.5	43.75	0	28199.052	572.0430108	16191.66689	30000	0	0	30000	22.9375	2004
08.01.2020 10:13:36	1	1	1	1	96.5	42.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	24.6875	2004
08.01.2020 10:13:37	1	1	1	1	96.5	44.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	24.125	2004
08.01.2020 10:13:38	1	1	1	1	96.5	44	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	22.9375	2004
08.01.2020 10:13:39	1	1	1	1	96.5	42.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	22.8125	2004
08.01.2020 10:13:41	1	1	1	1	97	42.75	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	25.125	2004
08.01.2020 10:13:47	1	1	1	1	97	44.25	0	28199.052	572.0430108	16130.51396	30000	0	0	30000	23.6875	2004
08.01.2020 10:13:47	1	1	1	1	97	44.25	0	28199.052	572.0430108	16130.51396	30000	0	0	30000	23.6875	2004
08.01.2020 10:13:47	1	1	1	1	97	44.25	0	28199.052	572.0430108	16130.51396	30000	0	0	30000	23.6875	2004
08.01.2020 10:13:47	1	1	1	1	97	44.25	0	28199.052	572.0430108	16130.51396	30000	0	0	30000	23.6875	2004
08.01.2020 10:13:47	1	1	1	1	97	44.25	0	28199.052	572.0430108	16130.51396	30000	0	0	30000	23.6875	2004
08.01.2020 10:13:47	1	1	1	1	97	43.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	23.625	2004
08.01.2020 10:13:48	1	1	1	1	97	43.5	0	27914.692	567.7419355	15907.91727	30000	0	0	30000	23.8125	2004
08.01.2020 10:13:49	1	1	1	1	97	43.75	0	28009.479	567.7419355	16070.17639	30000	0	0	30000	23.875	2004
08.01.2020 10:13:50	1	1	1	1	96.75	43.75	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	23.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 10:13:51	1	1	1	1	96.75	43.25	0	28199.052	572.0430108	16130.51396	30000	0	0	30000	22.9375	2004
08.01.2020 10:13:52	1	1	1	1	96.75	42.75	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	22.5625	2004
08.01.2020 10:13:53	1	1	1	1	96.75	42.5	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	22.8125	2004
08.01.2020 10:13:54	1	1	1	1	96.75	42.75	0	27867.299	572.0430108	16000.86973	30000	0	0	30000	24.3125	2004
08.01.2020 10:13:55	1	1	1	1	96.75	44.25	0	28009.479	578.4946237	16082.40698	30000	0	0	30000	24.3125	2004
08.01.2020 10:13:56	1	1	1	1	96.75	44.25	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	22.9375	2004
08.01.2020 10:13:57	1	1	1	1	96.75	42.75	0	27914.692	572.0430108	15881.00997	30000	0	0	30000	23.75	2004
08.01.2020 10:13:58	1	1	1	1	96.75	43.75	0	28009.479	565.5913978	16082.40698	30000	0	0	30000	23.3125	2004
08.01.2020 10:13:59	1	1	1	1	96.75	43.25	0	27962.085	572.0430108	16082.40698	30000	0	0	30000	24.0625	2004
08.01.2020 10:14:00	1	1	1	1	96.25	44	0	27867.299	572.0430108	15881.00997	30000	0	0	30000	23.1875	2004
08.01.2020 10:14:01	1	1	1	1	96.25	43	0	27819.905	572.0430108	15973.96244	30000	0	0	30000	22.5625	2004
08.01.2020 10:14:02	1	1	1	1	96.25	42.5	0	27914.692	574.1935484	16027.77702	30000	0	0	30000	23.125	2004
08.01.2020 10:14:03	1	1	1	1	96.25	43	0	27867.299	569.8924731	16000.86973	30000	0	0	30000	23	2004
08.01.2020 10:14:04	1	1	1	1	96.25	43	0	27867.299	572.0430108	15973.96244	30000	0	0	30000	23.125	2004
08.01.2020 10:14:05	1	1	1	1	96.25	43	0	27962.085	572.0430108	15907.91727	30000	0	0	30000	23.625	2004
08.01.2020 10:14:06	1	1	1	1	96.25	43.5	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	23.0625	2004
08.01.2020 10:14:07	1	1	1	1	96.25	43	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	23.125	2004
08.01.2020 10:14:08	1	1	1	1	96.25	43	0	27867.299	567.7419355	16000.86973	30000	0	0	30000	22.9375	2004
08.01.2020 10:14:09	1	1	1	1	96.25	42.75	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	23.5	2004
08.01.2020 10:14:10	1	1	1	1	96.5	43.5	0	27867.299	569.8924731	15881.00997	30000	0	0	30000	23.8125	2004
08.01.2020 10:14:11	1	1	1	1	96.5	43.75	0	27914.692	572.0430108	16027.77702	30000	0	0	30000	24.25	2004
08.01.2020 10:14:12	1	1	1	1	96.5	44.25	0	28009.479	565.5913978	16022.06942	30000	0	0	30000	23.875	2004
08.01.2020 10:14:13	1	1	1	1	96.5	43.75	0	27914.692	572.0430108	16027.77702	30000	0	0	30000	24.625	2004
08.01.2020 10:14:14	1	1	1	1	96.5	44.5	0	27867.299	572.0430108	15973.96244	30000	0	0	30000	24.6875	2004
08.01.2020 10:14:15	1	1	1	1	96.5	44.5	0	27962.085	574.1935484	15968.25483	30000	0	0	30000	23	2004
08.01.2020 10:14:16	1	1	1	1	96.5	43	0	27914.692	576.344086	16088.11459	30000	0	0	30000	25.125	2004
08.01.2020 10:14:17	1	1	1	1	96.5	45	0	27819.905	574.1935484	15913.62487	30000	0	0	30000	23.6875	2004
08.01.2020 10:14:19	1	1	1	1	96.5	43.5	0	27914.692	574.1935484	16027.77702	30000	0	0	30000	23.125	2004
08.01.2020 10:14:20	1	1	1	1	96.5	43	0	27867.299	569.8924731	16000.86973	30000	0	0	30000	22.875	2004
08.01.2020 10:14:21	1	1	1	1	96.75	42.75	0	27914.692	576.344086	16027.77702	30000	0	0	30000	23.8125	2004
08.01.2020 10:14:22	1	1	1	1	96.75	43.75	0	27867.299	572.0430108	15973.96244	30000	0	0	30000	25	2004
08.01.2020 10:14:23	1	1	1	1	96.75	45	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	24.375	2004
08.01.2020 10:14:24	1	1	1	1	96.75	44.25	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	24.25	2004
08.01.2020 10:14:25	1	1	1	1	96.75	44.25	0	27819.905	567.7419355	15913.62487	30000	0	0	30000	25	2004
08.01.2020 10:14:26	1	1	1	1	96.75	45	0	27914.692	569.8924731	15907.91727	30000	0	0	30000	23.625	2004
08.01.2020 10:14:27	1	1	1	1	96.75	43.5	0	28009.479	572.0430108	16130.51396	30000	0	0	30000	22.9375	2004
08.01.2020 10:14:28	1	1	1	1	96.75	42.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	23.8125	2004
08.01.2020 10:14:29	1	1	1	1	96.75	43.75	0	27962.085	567.7419355	16055.49969	30000	0	0	30000	25.4375	2004
08.01.2020 10:14:30	1	1	1	1	97.25	45.25	0	28199.052	572.0430108	15961.73185	30000	0	0	30000	24.6875	2004
08.01.2020 10:14:31	1	1	1	1	97.25	44.5	0	28009.479	569.8924731	16130.51396	30000	0	0	30000	25	2004
08.01.2020 10:14:32	1	1	1	1	97.25	45	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	23.3125	2004
08.01.2020 10:14:33	1	1	1	1	97.25	43.25	0	28199.052	565.5913978	16070.17639	30000	0	0	30000	22.625	2004
08.01.2020 10:14:34	1	1	1	1	97.25	42.5	0	28009.479	569.8924731	16130.51396	30000	0	0	30000	24.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 10:14:35	1	1	1	1	97.25	44	0	28009.479	572.0430108	16130.51396	30000	0	0	30000	24.375	2004
08.01.2020 10:14:36	1	1	1	1	97.25	44.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	22.9375	2004
08.01.2020 10:14:37	1	1	1	1	97.25	42.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	24.5	2004
08.01.2020 10:14:38	1	1	1	1	97.25	44.5	0	28199.052	567.7419355	16043.2691	30000	0	0	30000	24.4375	2004
08.01.2020 10:14:39	1	1	1	1	97.25	44.25	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	24.6875	2004
08.01.2020 10:14:40	1	1	1	1	96.5	44.5	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	23.5	2004
08.01.2020 10:14:41	1	1	1	1	96.5	43.5	0	28341.232	569.8924731	16063.65341	30000	0	0	30000	23.375	2004
08.01.2020 10:14:42	1	1	1	1	96.5	43.25	0	28009.479	567.7419355	16070.17639	30000	0	0	30000	23.1875	2004
08.01.2020 10:14:48	1	1	1	1	96.5	42.75	0	28009.479	578.4946237	16142.74454	30000	0	0	30000	24.0625	2004
08.01.2020 10:14:48	1	1	1	1	96.5	42.75	0	28009.479	578.4946237	16142.74454	30000	0	0	30000	24.0625	2004
08.01.2020 10:14:48	1	1	1	1	96.5	42.75	0	28009.479	578.4946237	16142.74454	30000	0	0	30000	24.0625	2004
08.01.2020 10:14:48	1	1	1	1	96.5	42.75	0	28009.479	578.4946237	16142.74454	30000	0	0	30000	24.0625	2004
08.01.2020 10:14:48	1	1	1	1	96.5	44	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	25.125	2004
08.01.2020 10:14:49	1	1	1	1	96.5	45	0	28009.479	569.8924731	15841.8721	30000	0	0	30000	24.125	2004
08.01.2020 10:14:50	1	1	1	1	96.5	44	0	27867.299	572.0430108	16027.77702	30000	0	0	30000	24.1875	2004
08.01.2020 10:14:51	1	1	1	1	96.5	44	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	23.875	2004
08.01.2020 10:14:52	1	1	1	1	96.5	43.75	0	27914.692	576.344086	16027.77702	30000	0	0	30000	23.5	2004
08.01.2020 10:14:53	1	1	1	1	96.5	43.5	0	27630.332	576.344086	15973.96244	30000	0	0	30000	23.8125	2004
08.01.2020 10:14:54	1	1	1	1	96.5	43.75	0	27867.299	572.0430108	15941.34754	30000	0	0	30000	24.5	2004
08.01.2020 10:14:55	1	1	1	1	96.5	44.5	0	27914.692	572.0430108	16027.77702	30000	0	0	30000	25.3125	2004
08.01.2020 10:14:56	1	1	1	1	96.5	45.25	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	24.75	2004
08.01.2020 10:14:58	1	1	1	1	96.5	44.75	0	27867.299	567.7419355	16027.77702	30000	0	0	30000	24.3125	2004
08.01.2020 10:14:59	1	1	1	1	96.5	44.25	0	27867.299	572.0430108	15941.34754	30000	0	0	30000	24.625	2004
08.01.2020 10:15:00	1	1	1	1	96.5	44.5	0	27867.299	569.8924731	15907.91727	30000	0	0	30000	24.4375	2004
08.01.2020 10:15:01	1	1	1	1	96.25	44.25	0	28199.052	576.344086	16191.66689	30000	0	0	30000	22.9375	2004
08.01.2020 10:15:02	1	1	1	1	96.25	42.75	0	28009.479	576.344086	16082.40698	30000	0	0	30000	23.625	2004
08.01.2020 10:15:03	1	1	1	1	96.25	43.5	0	27914.692	569.8924731	15848.39508	30000	0	0	30000	24.125	2004
08.01.2020 10:15:04	1	1	1	1	96.25	44	0	28009.479	563.4408602	16130.51396	30000	0	0	30000	25.0625	2004
08.01.2020 10:15:05	1	1	1	1	96.25	43.5	0	27914.692	572.0430108	15968.25483	30000	0	0	30000	23.5	2004
08.01.2020 10:15:06	1	1	1	1	96.25	43.5	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	23.6875	2004
08.01.2020 10:15:07	1	1	1	1	96.25	43.5	0	28009.479	574.1935484	16022.06942	30000	0	0	30000	24.25	2004
08.01.2020 10:15:08	1	1	1	1	96.25	44.25	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	23.25	2004
08.01.2020 10:15:09	1	1	1	1	96.25	43.25	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	24	2004
08.01.2020 10:15:10	1	1	1	1	94.75	44	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	25.1875	2004
08.01.2020 10:15:11	1	1	1	1	94.75	45	0	28293.839	567.7419355	16090.5607	30000	0	0	30000	23.4375	2004
08.01.2020 10:15:12	1	1	1	1	94.75	43.25	0	28341.232	565.5913978	16029.40777	30000	0	0	30000	23.5	2004
08.01.2020 10:15:13	1	1	1	1	94.75	43.5	0	28293.839	569.8924731	16063.65341	30000	0	0	30000	24.0625	2004
08.01.2020 10:15:14	1	1	1	1	94.75	44	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	24.5	2004
08.01.2020 10:15:15	1	1	1	1	94.75	44.5	0	28009.479	567.7419355	16009.83883	30000	0	0	30000	22.9375	2004
08.01.2020 10:15:16	1	1	1	1	94.75	42.75	0	27867.299	569.8924731	15794.58049	30000	0	0	30000	24.875	2004
08.01.2020 10:15:17	1	1	1	1	94.75	44.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	23	2004
08.01.2020 10:15:18	1	1	1	1	94.75	43	0	28293.839	576.344086	16306.63441	30000	0	0	30000	23.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 10:15:19	1	1	1	1	94.75	43.75	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	23.6875	2004
08.01.2020 10:15:20	1	1	1	1	95	43.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	24.0625	2004
08.01.2020 10:15:21	1	1	1	1	95	44	0	27962.085	569.8924731	15907.91727	30000	0	0	30000	25.0625	2004
08.01.2020 10:15:22	1	1	1	1	95	45	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	23.6875	2004
08.01.2020 10:15:23	1	1	1	1	95	43.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	23.1875	2004
08.01.2020 10:15:24	1	1	1	1	95	43	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	24.5625	2004
08.01.2020 10:15:25	1	1	1	1	95	44.5	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	23.6875	2004
08.01.2020 10:15:26	1	1	1	1	95	43.5	0	28199.052	572.0430108	16070.17639	30000	0	0	30000	23.5625	2004
08.01.2020 10:15:27	1	1	1	1	95	43.5	0	28341.232	569.8924731	16150.89827	30000	0	0	30000	23.9375	2004
08.01.2020 10:15:28	1	1	1	1	95	43.75	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	24.125	2004
08.01.2020 10:15:29	1	1	1	1	95	44	0	28341.232	567.7419355	16150.89827	30000	0	0	30000	24.6875	2004
08.01.2020 10:15:30	1	1	1	1	96	44.5	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	23.9375	2004
08.01.2020 10:15:31	1	1	1	1	96	43.75	0	28009.479	569.8924731	15781.53453	30000	0	0	30000	25.125	2004
08.01.2020 10:15:32	1	1	1	1	96	45	0	28009.479	563.4408602	15841.8721	30000	0	0	30000	25.125	2004
08.01.2020 10:15:33	1	1	1	1	96	45	0	28293.839	567.7419355	16070.17639	30000	0	0	30000	23	2004
08.01.2020 10:15:34	1	1	1	1	96	43	0	28009.479	567.7419355	15948.68589	30000	0	0	30000	23.125	2004
08.01.2020 10:15:36	1	1	1	1	96	43	0	28293.839	567.7419355	16009.83883	30000	0	0	30000	23.25	2004
08.01.2020 10:15:37	1	1	1	1	96	43.25	0	28199.052	563.4408602	15948.68589	30000	0	0	30000	23.1875	2004
08.01.2020 10:15:38	1	1	1	1	96	43	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	22.9375	2004
08.01.2020 10:15:39	1	1	1	1	96	42.75	0	28199.052	576.344086	16009.83883	30000	0	0	30000	24.25	2004
08.01.2020 10:15:40	1	1	1	1	96	44.25	0	28199.052	572.0430108	16245.48148	30000	0	0	30000	25.375	2004
08.01.2020 10:15:41	1	1	1	1	97.25	45.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	25.375	2004
08.01.2020 10:15:42	1	1	1	1	97.25	45.25	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	25.125	2004
08.01.2020 10:15:43	1	1	1	1	97.25	43.75	0	28009.479	576.344086	16082.40698	30000	0	0	30000	23.6875	2004
08.01.2020 10:15:44	1	1	1	1	97.25	43.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	24.5	2004
08.01.2020 10:15:50	1	1	1	1	97.25	44.75	0	27914.692	572.0430108	16055.49969	30000	0	0	30000	25.75	2004
08.01.2020 10:15:50	1	1	1	1	97.25	44.75	0	27914.692	572.0430108	16055.49969	30000	0	0	30000	25.75	2004
08.01.2020 10:15:50	1	1	1	1	97.25	44.75	0	27914.692	572.0430108	16055.49969	30000	0	0	30000	25.75	2004
08.01.2020 10:15:50	1	1	1	1	97.25	44.75	0	27914.692	572.0430108	16055.49969	30000	0	0	30000	25.75	2004
08.01.2020 10:15:50	1	1	1	1	97.25	44.75	0	27914.692	572.0430108	16055.49969	30000	0	0	30000	25.75	2004
08.01.2020 10:15:50	1	1	1	1	97.25	44.75	0	27914.692	572.0430108	16055.49969	30000	0	0	30000	25.75	2004
08.01.2020 10:15:50	1	1	1	1	97.25	44.75	0	27914.692	572.0430108	16055.49969	30000	0	0	30000	25.75	2004
08.01.2020 10:15:50	1	1	1	1	97.25	44.75	0	27914.692	572.0430108	16055.49969	30000	0	0	30000	25.75	2004
08.01.2020 10:15:50	1	1	1	1	97.25	44.75	0	27914.692	572.0430108	16055.49969	30000	0	0	30000	25.75	2004
08.01.2020 10:15:51	1	1	1	1	97.75	45.75	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	25.25	2004
08.01.2020 10:15:51	1	1	1	1	97.75	45.25	0	27819.905	569.8924731	15881.00997	30000	0	0	30000	24.1875	2004
08.01.2020 10:15:52	1	1	1	1	97.75	44	0	28199.052	572.0430108	16130.51396	30000	0	0	30000	22.9375	2004
08.01.2020 10:15:53	1	1	1	1	97.75	42.75	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	23.125	2004
08.01.2020 10:15:54	1	1	1	1	97.75	43	0	28009.479	569.8924731	15934.82456	30000	0	0	30000	23.75	2004
08.01.2020 10:15:55	1	1	1	1	97.75	43.75	0	27914.692	572.0430108	15968.25483	30000	0	0	30000	24.5625	2004
08.01.2020 10:15:56	1	1	1	1	97.75	44.5	0	28009.479	574.1935484	16142.74454	30000	0	0	30000	23.5	2004
08.01.2020 10:15:57	1	1	1	1	97.75	43.5	0	27962.085	569.8924731	16022.06942	30000	0	0	30000	25.5	2004
08.01.2020 10:15:58	1	1	1	1	97.75	45.5	0	28199.052	572.0430108	15781.53453	30000	0	0	30000	23.875	2004
08.01.2020 10:15:59	1	1	1	1	97.75	43.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	24.5	2004
08.01.2020 10:16:00	1	1	1	1	96.75	44.5	0	28009.479	567.7419355	16082.40698	30000	0	0	30000	23.4375	2004
08.01.2020 10:16:01	1	1	1	1	96.75	43.25	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	24.3125	2004
08.01.2020 10:16:02	1	1	1	1	96.75	44.25	0	27962.085	574.1935484	16027.77702	30000	0	0	30000	24.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 10:16:03	1	1	1	1	96.75	44.25	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	23.5625	2004
08.01.2020 10:16:04	1	1	1	1	96.75	43.5	0	27914.692	567.7419355	15821.48778	30000	0	0	30000	23.4375	2004
08.01.2020 10:16:05	1	1	1	1	96.75	43.25	0	28009.479	569.8924731	15814.9648	30000	0	0	30000	25.75	2004
08.01.2020 10:16:06	1	1	1	1	96.75	45.75	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	24.625	2004
08.01.2020 10:16:07	1	1	1	1	96.75	44.5	0	27914.692	565.5913978	15788.05751	30000	0	0	30000	23.9375	2004
08.01.2020 10:16:08	1	1	1	1	96.75	43.75	0	28199.052	576.344086	15961.73185	30000	0	0	30000	24.1875	2004
08.01.2020 10:16:11	1	1	1	1	97.5	44	0	28009.479	567.7419355	16142.74454	30000	0	0	30000	24.625	2004
08.01.2020 10:16:11	1	1	1	1	97.5	44	0	28009.479	567.7419355	16142.74454	30000	0	0	30000	24.625	2004
08.01.2020 10:16:11	1	1	1	1	97.5	44	0	28009.479	567.7419355	16142.74454	30000	0	0	30000	24.625	2004
08.01.2020 10:16:12	1	1	1	1	97.5	44.5	0	27867.299	572.0430108	16000.86973	30000	0	0	30000	23.375	2004
08.01.2020 10:16:13	1	1	1	1	97.5	43.25	0	28009.479	572.0430108	15995.16212	30000	0	0	30000	23.0625	2004
08.01.2020 10:16:15	1	1	1	1	97.5	43	0	27819.905	569.8924731	15913.62487	30000	0	0	30000	24.3125	2004
08.01.2020 10:16:16	1	1	1	1	97.5	44.25	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	25.1875	2004
08.01.2020 10:16:17	1	1	1	1	97.5	45	0	27914.692	572.0430108	15907.91727	30000	0	0	30000	24.625	2004
08.01.2020 10:16:18	1	1	1	1	97.5	44.5	0	28199.052	572.0430108	16130.51396	30000	0	0	30000	25.5625	2004
08.01.2020 10:16:19	1	1	1	1	97.5	45.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	25	2004
08.01.2020 10:16:20	1	1	1	1	97.5	45	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	24.6875	2004
08.01.2020 10:16:21	1	1	1	1	98	45	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	24.5625	2004
08.01.2020 10:16:22	1	1	1	1	98	44.5	0	28009.479	576.344086	16082.40698	30000	0	0	30000	24.9375	2004
08.01.2020 10:16:23	1	1	1	1	98	44.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	23.8125	2004
08.01.2020 10:16:24	1	1	1	1	98	43.75	0	28199.052	569.8924731	16130.51396	30000	0	0	30000	24.625	2004
08.01.2020 10:16:25	1	1	1	1	98	44.5	0	28009.479	578.4946237	15995.16212	30000	0	0	30000	23.9375	2004
08.01.2020 10:16:26	1	1	1	1	98	43.75	0	27914.692	572.0430108	16055.49969	30000	0	0	30000	24.625	2004
08.01.2020 10:16:27	1	1	1	1	98	44.5	0	27914.692	572.0430108	15968.25483	30000	0	0	30000	25.3125	2004
08.01.2020 10:16:28	1	1	1	1	98	45.25	0	28009.479	574.1935484	16142.74454	30000	0	0	30000	23.5	2004
08.01.2020 10:16:29	1	1	1	1	98	43.5	0	27914.692	576.344086	16027.77702	30000	0	0	30000	23.5	2004
08.01.2020 10:16:30	1	1	1	1	98.25	43.5	0	27867.299	567.7419355	15881.00997	30000	0	0	30000	24.4375	2004
08.01.2020 10:16:31	1	1	1	1	98.25	44.25	0	27867.299	572.0430108	16027.77702	30000	0	0	30000	24.25	2004
08.01.2020 10:16:32	1	1	1	1	98.25	44.25	0	27914.692	565.5913978	15995.16212	30000	0	0	30000	23.625	2004
08.01.2020 10:16:33	1	1	1	1	98.25	43.5	0	27962.085	569.8924731	15961.73185	30000	0	0	30000	24.25	2004
08.01.2020 10:16:34	1	1	1	1	98.25	44.25	0	28199.052	572.0430108	16312.34202	30000	0	0	30000	25	2004
08.01.2020 10:16:35	1	1	1	1	98.25	45	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	24.1875	2004
08.01.2020 10:16:36	1	1	1	1	98.25	44	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	24.8125	2004
08.01.2020 10:16:37	1	1	1	1	98.25	44.75	0	27962.085	572.0430108	15995.16212	30000	0	0	30000	25	2004
08.01.2020 10:16:38	1	1	1	1	98.25	45	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	23.75	2004
08.01.2020 10:16:39	1	1	1	1	98.25	43.75	0	28199.052	569.8924731	15948.68589	30000	0	0	30000	24.9375	2004
08.01.2020 10:16:40	1	1	1	1	98.25	44.75	0	28199.052	569.8924731	16252.00446	30000	0	0	30000	25.375	2004
08.01.2020 10:16:41	1	1	1	1	98.25	45.25	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	24.25	2004
08.01.2020 10:16:42	1	1	1	1	98.25	44.25	0	27962.085	569.8924731	15907.91727	30000	0	0	30000	24.25	2004
08.01.2020 10:16:43	1	1	1	1	98.25	44.25	0	27867.299	569.8924731	15881.00997	30000	0	0	30000	25.375	2004
08.01.2020 10:16:44	1	1	1	1	98.25	45.25	0	28009.479	569.8924731	16103.60666	30000	0	0	30000	24.5	2004
08.01.2020 10:16:45	1	1	1	1	98.25	44.5	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	25.4375	2004
08.01.2020 10:16:51	1	1	1	1	98.75	44.25	0	27914.692	576.344086	16000.86973	30000	0	0	30000	25.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 10:16:51	1	1	1	1	98.75	44.25	0	27914.692	576.344086	16000.86973	30000	0	0	30000	25.25	2004
08.01.2020 10:16:51	1	1	1	1	98.75	44.25	0	27914.692	576.344086	16000.86973	30000	0	0	30000	25.25	2004
08.01.2020 10:16:51	1	1	1	1	98.75	44.25	0	27914.692	576.344086	16000.86973	30000	0	0	30000	25.25	2004
08.01.2020 10:16:51	1	1	1	1	98.75	44.25	0	27914.692	576.344086	16000.86973	30000	0	0	30000	25.25	2004
08.01.2020 10:16:52	1	1	1	1	98.75	45.25	0	27914.692	574.1935484	15968.25483	30000	0	0	30000	24.0625	2004
08.01.2020 10:16:53	1	1	1	1	98.75	44	0	27630.332	572.0430108	15864.70252	30000	0	0	30000	24.5625	2004
08.01.2020 10:16:54	1	1	1	1	98.75	44.5	0	27962.085	574.1935484	15968.25483	30000	0	0	30000	26.0625	2004
08.01.2020 10:16:55	1	1	1	1	98.75	46	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	23.4375	2004
08.01.2020 10:16:56	1	1	1	1	98.75	43.25	0	27867.299	574.1935484	16027.77702	30000	0	0	30000	23.75	2004
08.01.2020 10:16:57	1	1	1	1	98.75	43.75	0	27819.905	576.344086	15973.96244	30000	0	0	30000	25.25	2004
08.01.2020 10:16:58	1	1	1	1	98.75	45.25	0	27630.332	576.344086	15919.33248	30000	0	0	30000	24.25	2004
08.01.2020 10:16:59	1	1	1	1	98.75	44.25	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	24.75	2004
08.01.2020 10:17:00	1	1	1	1	99	44.75	0	27819.905	576.344086	16033.48463	30000	0	0	30000	25	2004
08.01.2020 10:17:01	1	1	1	1	99	45	0	27725.118	576.344086	16273.20414	30000	0	0	30000	25.5	2004
08.01.2020 10:17:02	1	1	1	1	99	45.5	0	27914.692	574.1935484	16000.86973	30000	0	0	30000	24.5	2004
08.01.2020 10:17:03	1	1	1	1	99	44.5	0	27867.299	572.0430108	16000.86973	30000	0	0	30000	24.625	2004
08.01.2020 10:17:04	1	1	1	1	99	44.5	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	24.25	2004
08.01.2020 10:17:05	1	1	1	1	99	44.25	0	27962.085	572.0430108	15934.82456	30000	0	0	30000	25.3125	2004
08.01.2020 10:17:06	1	1	1	1	99	45.25	0	27962.085	576.344086	16027.77702	30000	0	0	30000	24.6875	2004
08.01.2020 10:17:07	1	1	1	1	99	44.5	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	24.25	2004
08.01.2020 10:17:08	1	1	1	1	99	44.25	0	27962.085	574.1935484	16142.74454	30000	0	0	30000	25.0625	2004
08.01.2020 10:17:09	1	1	1	1	99	45	0	27914.692	574.1935484	16027.77702	30000	0	0	30000	24.5625	2004
08.01.2020 10:17:10	1	1	1	1	98.5	44.5	0	27867.299	572.0430108	15881.00997	30000	0	0	30000	25.8125	2004
08.01.2020 10:17:11	1	1	1	1	98.5	45.75	0	27867.299	574.1935484	16061.20729	30000	0	0	30000	24.9375	2004
08.01.2020 10:17:12	1	1	1	1	98.5	44.75	0	27867.299	576.344086	16033.48463	30000	0	0	30000	25.25	2004
08.01.2020 10:17:13	1	1	1	1	98.5	45.25	0	27725.118	574.1935484	15864.70252	30000	0	0	30000	24.4375	2004
08.01.2020 10:17:14	1	1	1	1	98.5	44.25	0	27630.332	574.1935484	16033.48463	30000	0	0	30000	24.375	2004
08.01.2020 10:17:15	1	1	1	1	98.5	44.25	0	27630.332	578.4946237	15745.65814	30000	0	0	30000	24.0625	2004
08.01.2020 10:17:16	1	1	1	1	98.5	44	0	27867.299	572.0430108	16000.86973	30000	0	0	30000	23.75	2004
08.01.2020 10:17:17	1	1	1	1	98.5	43.75	0	27914.692	574.1935484	16088.11459	30000	0	0	30000	24.75	2004
08.01.2020 10:17:18	1	1	1	1	98.5	44.75	0	27962.085	572.0430108	16027.77702	30000	0	0	30000	25.5	2004
08.01.2020 10:17:19	1	1	1	1	98.5	45.5	0	27867.299	576.344086	15973.96244	30000	0	0	30000	25.0625	2004
08.01.2020 10:17:20	1	1	1	1	99.75	45	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	23.625	2004
08.01.2020 10:17:21	1	1	1	1	99.75	43.5	0	27867.299	580.6451613	15854.10268	30000	0	0	30000	25.125	2004
08.01.2020 10:17:22	1	1	1	1	99.75	45	0	27819.905	574.1935484	16000.86973	30000	0	0	30000	25.3125	2004
08.01.2020 10:17:23	1	1	1	1	99.75	45.25	0	27867.299	572.0430108	16061.20729	30000	0	0	30000	26.0625	2004
08.01.2020 10:17:24	1	1	1	1	99.75	46	0	27772.512	576.344086	15973.96244	30000	0	0	30000	24	2004
08.01.2020 10:17:25	1	1	1	1	99.75	44	0	27819.905	574.1935484	16033.48463	30000	0	0	30000	24.625	2004
08.01.2020 10:17:26	1	1	1	1	99.75	44.5	0	27867.299	572.0430108	16061.20729	30000	0	0	30000	24.5	2004
08.01.2020 10:17:27	1	1	1	1	99.75	44.5	0	27819.905	576.344086	16033.48463	30000	0	0	30000	25	2004
08.01.2020 10:17:28	1	1	1	1	99.75	45	0	27630.332	576.344086	16093.00682	30000	0	0	30000	24.125	2004
08.01.2020 10:17:30	1	1	1	1	99.75	44	0	27772.512	578.4946237	16066.09953	30000	0	0	30000	25.8125	2004
08.01.2020 10:17:31	1	1	1	1	101	45.75	0	27630.332	578.4946237	16033.48463	30000	0	0	30000	25.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 10:17:32	1	1	1	1	101	45.75	0	27867.299	574.1935484	16088.11459	30000	0	0	30000	24.625	2004
08.01.2020 10:17:33	1	1	1	1	101	44.5	0	27867.299	572.0430108	16027.77702	30000	0	0	30000	25.875	2004
08.01.2020 10:17:34	1	1	1	1	101	45.75	0	27867.299	572.0430108	15881.00997	30000	0	0	30000	26	2004
08.01.2020 10:17:35	1	1	1	1	101	46	0	27630.332	572.0430108	15805.18033	30000	0	0	30000	25.3125	2004
08.01.2020 10:17:36	1	1	1	1	101	45.25	0	27914.692	576.344086	15941.34754	30000	0	0	30000	26.375	2004
08.01.2020 10:17:37	1	1	1	1	101	44.75	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	24.875	2004
08.01.2020 10:17:38	1	1	1	1	101	44.75	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	24.125	2004
08.01.2020 10:17:39	1	1	1	1	101	44	0	27962.085	569.8924731	15934.82456	30000	0	0	30000	25.5	2004
08.01.2020 10:17:40	1	1	1	1	101	45.5	0	27867.299	572.0430108	15881.00997	30000	0	0	30000	24.875	2004
08.01.2020 10:17:41	1	1	1	1	101	44.75	0	27914.692	569.8924731	15907.91727	30000	0	0	30000	23.5	2004
08.01.2020 10:17:42	1	1	1	1	101	43.5	0	27867.299	572.0430108	15941.34754	30000	0	0	30000	25.75	2004
08.01.2020 10:17:43	1	1	1	1	101	45.75	0	27962.085	572.0430108	16055.49969	30000	0	0	30000	24.3125	2004
08.01.2020 10:17:44	1	1	1	1	101	44.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	24.5	2004
08.01.2020 10:17:45	1	1	1	1	101	44.5	0	27914.692	569.8924731	15968.25483	30000	0	0	30000	24.5	2004
08.01.2020 10:17:46	1	1	1	1	101	44.5	0	27962.085	572.0430108	15995.16212	30000	0	0	30000	25.125	2004
08.01.2020 10:17:47	1	1	1	1	101	45	0	27962.085	572.0430108	15995.16212	30000	0	0	30000	23.9375	2004
08.01.2020 10:17:53	1	1	1	1	100.8	44	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	24.1875	2004
08.01.2020 10:17:53	1	1	1	1	100.8	44	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	24.1875	2004
08.01.2020 10:17:53	1	1	1	1	100.8	44	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	24.1875	2004
08.01.2020 10:17:53	1	1	1	1	100.8	44	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	24.1875	2004
08.01.2020 10:17:53	1	1	1	1	100.8	44	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	24.1875	2004
08.01.2020 10:17:53	1	1	1	1	100.8	44	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	25.6875	2004
08.01.2020 10:17:54	1	1	1	1	100.8	45.5	0	27819.905	572.0430108	15854.10268	30000	0	0	30000	25.8125	2004
08.01.2020 10:17:55	1	1	1	1	100.8	45.75	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	25.625	2004
08.01.2020 10:17:56	1	1	1	1	100.8	45.5	0	27867.299	569.8924731	15854.10268	30000	0	0	30000	25.5	2004
08.01.2020 10:17:57	1	1	1	1	100.8	45.5	0	27962.085	576.344086	16055.49969	30000	0	0	30000	24.6875	2004
08.01.2020 10:17:58	1	1	1	1	100.8	44.5	0	27914.692	572.0430108	15968.25483	30000	0	0	30000	25.625	2004
08.01.2020 10:17:59	1	1	1	1	100.8	45.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	25.5	2004
08.01.2020 10:18:00	1	1	1	1	102	45.5	0	27867.299	572.0430108	15968.25483	30000	0	0	30000	24.6875	2004
08.01.2020 10:18:01	1	1	1	1	102	44.5	0	27914.692	572.0430108	15995.16212	30000	0	0	30000	25.375	2004
08.01.2020 10:18:02	1	1	1	1	102	45.25	0	27630.332	574.1935484	15745.65814	30000	0	0	30000	26.125	2004
08.01.2020 10:18:03	1	1	1	1	102	46	0	27819.905	576.344086	15973.96244	30000	0	0	30000	24.625	2004
08.01.2020 10:18:04	1	1	1	1	102	44.5	0	27630.332	576.344086	15983.74691	30000	0	0	30000	24.625	2004
08.01.2020 10:18:05	1	1	1	1	102	44.5	0	27867.299	572.0430108	15941.34754	30000	0	0	30000	25.375	2004
08.01.2020 10:18:06	1	1	1	1	102	45.25	0	27819.905	576.344086	15983.74691	30000	0	0	30000	24	2004
08.01.2020 10:18:08	1	1	1	1	102	44	0	27630.332	576.344086	16033.48463	30000	0	0	30000	23.875	2004
08.01.2020 10:18:09	1	1	1	1	102	43.75	0	27725.118	576.344086	15924.22472	30000	0	0	30000	24.1875	2004
08.01.2020 10:18:10	1	1	1	1	102	44	0	27819.905	576.344086	16033.48463	30000	0	0	30000	25.375	2004
08.01.2020 10:18:11	1	1	1	1	101.8	45.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	25.25	2004
08.01.2020 10:18:12	1	1	1	1	101.8	45.25	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	24.625	2004
08.01.2020 10:18:13	1	1	1	1	101.8	44.5	0	27772.512	576.344086	16093.00682	30000	0	0	30000	26.5	2004
08.01.2020 10:18:14	1	1	1	1	101.8	46.5	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	24.1875	2004
08.01.2020 10:18:15	1	1	1	1	101.8	44	0	27914.692	572.0430108	15761.15022	30000	0	0	30000	24.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 10:18:16	1	1	1	1	101.8	45.5	0	27962.085	569.8924731	15934.82456	30000	0	0	30000	26.5	2004
08.01.2020 10:18:17	1	1	1	1	101.8	46.5	0	27867.299	576.344086	16033.48463	30000	0	0	30000	24.9375	2004
08.01.2020 10:18:18	1	1	1	1	101.8	44.75	0	27867.299	574.1935484	15794.58049	30000	0	0	30000	26.5	2004
08.01.2020 10:18:19	1	1	1	1	101.8	46.5	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	25.625	2004
08.01.2020 10:18:20	1	1	1	1	103.3	45.5	0	27867.299	572.0430108	16000.86973	30000	0	0	30000	24.125	2004
08.01.2020 10:18:21	1	1	1	1	103.3	44	0	27867.299	576.344086	16061.20729	30000	0	0	30000	26.125	2004
08.01.2020 10:18:22	1	1	1	1	103.3	46	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	26.5	2004
08.01.2020 10:18:23	1	1	1	1	103.3	46.5	0	27819.905	572.0430108	15794.58049	30000	0	0	30000	24	2004
08.01.2020 10:18:24	1	1	1	1	103.3	44	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	25.1875	2004
08.01.2020 10:18:25	1	1	1	1	103.3	45	0	27819.905	572.0430108	15913.62487	30000	0	0	30000	24.25	2004
08.01.2020 10:18:26	1	1	1	1	103.3	44.25	0	27867.299	574.1935484	16061.20729	30000	0	0	30000	24.5	2004
08.01.2020 10:18:27	1	1	1	1	103.3	44.5	0	27962.085	572.0430108	15995.16212	30000	0	0	30000	24.0625	2004
08.01.2020 10:18:28	1	1	1	1	103.3	44	0	27914.692	569.8924731	16055.49969	30000	0	0	30000	24.125	2004
08.01.2020 10:18:29	1	1	1	1	103.3	44	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	24.6875	2004
08.01.2020 10:18:30	1	1	1	1	101.8	44.5	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	24.625	2004
08.01.2020 10:18:31	1	1	1	1	101.8	44.5	0	28388.626	561.2903226	16022.06942	30000	0	0	30000	25.625	2004
08.01.2020 10:18:32	1	1	1	1	101.8	45.5	0	28009.479	567.7419355	15948.68589	30000	0	0	30000	25	2004
08.01.2020 10:18:33	1	1	1	1	101.8	45	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	24.3125	2004
08.01.2020 10:18:34	1	1	1	1	101.8	44.25	0	28388.626	567.7419355	16056.31506	30000	0	0	30000	24.5625	2004
08.01.2020 10:18:35	1	1	1	1	101.8	44.5	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	24.125	2004
08.01.2020 10:18:36	1	1	1	1	101.8	44	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	26.3125	2004
08.01.2020 10:18:37	1	1	1	1	101.8	46.25	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	24.9375	2004
08.01.2020 10:18:38	1	1	1	1	101.8	44.75	0	28009.479	567.7419355	16191.66689	30000	0	0	30000	23.8125	2004
08.01.2020 10:18:39	1	1	1	1	101.8	43.75	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	25.875	2004
08.01.2020 10:18:40	1	1	1	1	102.3	45.75	0	28009.479	569.8924731	16082.40698	30000	0	0	30000	24.75	2004
08.01.2020 10:18:41	1	1	1	1	102.3	44.75	0	27914.692	569.8924731	15934.82456	30000	0	0	30000	25.875	2004
08.01.2020 10:18:42	1	1	1	1	102.3	45.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	25.9375	2004
08.01.2020 10:18:43	1	1	1	1	102.3	45.75	0	28009.479	572.0430108	16070.17639	30000	0	0	30000	25.75	2004
08.01.2020 10:18:44	1	1	1	1	102.3	45.75	0	28009.479	574.1935484	15995.16212	30000	0	0	30000	24.5	2004
08.01.2020 10:18:46	1	1	1	1	102.3	44.5	0	27914.692	572.0430108	16055.49969	30000	0	0	30000	25.5	2004
08.01.2020 10:18:47	1	1	1	1	102.3	45.5	0	28009.479	574.1935484	16022.06942	30000	0	0	30000	25.375	2004
08.01.2020 10:18:48	1	1	1	1	102.3	45.25	0	27914.692	572.0430108	15968.25483	30000	0	0	30000	25.875	2004
08.01.2020 10:18:49	1	1	1	1	102.3	45.75	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	25.125	2004
08.01.2020 10:18:55	1	1	1	1	103.5	44.75	0	27772.512	572.0430108	15913.62487	30000	0	0	30000	25.625	2004
08.01.2020 10:18:55	1	1	1	1	103.5	44.75	0	27772.512	572.0430108	15913.62487	30000	0	0	30000	25.625	2004
08.01.2020 10:18:55	1	1	1	1	103.5	44.75	0	27772.512	572.0430108	15913.62487	30000	0	0	30000	25.625	2004
08.01.2020 10:18:55	1	1	1	1	103.5	44.75	0	27772.512	572.0430108	15913.62487	30000	0	0	30000	25.625	2004
08.01.2020 10:18:55	1	1	1	1	103.5	45.5	0	28199.052	574.1935484	16191.66689	30000	0	0	30000	25.125	2004
08.01.2020 10:18:56	1	1	1	1	103.5	45	0	27867.299	569.8924731	15968.25483	30000	0	0	30000	25.625	2004
08.01.2020 10:18:57	1	1	1	1	103.5	45.5	0	28009.479	574.1935484	16142.74454	30000	0	0	30000	25.4375	2004
08.01.2020 10:18:58	1	1	1	1	103.5	45.25	0	27914.692	576.344086	15907.91727	30000	0	0	30000	25.8125	2004
08.01.2020 10:18:59	1	1	1	1	103.5	45.75	0	27867.299	576.344086	16000.86973	30000	0	0	30000	25.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 10:19:00	1	1	1	1	103.5	45.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	24.875	2004
08.01.2020 10:19:01	1	1	1	1	103.5	44.75	0	27867.299	574.1935484	16027.77702	30000	0	0	30000	26.25	2004
08.01.2020 10:19:02	1	1	1	1	103.5	46.25	0	27819.905	584.9462366	15973.96244	30000	0	0	30000	24.5	2004
08.01.2020 10:19:03	1	1	1	1	103.5	44.5	0	28009.479	576.344086	16082.40698	30000	0	0	30000	24.25	2004
08.01.2020 10:19:04	1	1	1	1	103.5	44.25	0	27819.905	572.0430108	16061.20729	30000	0	0	30000	24.9375	2004
08.01.2020 10:19:05	1	1	1	1	103.5	44.75	0	27867.299	580.6451613	16000.86973	30000	0	0	30000	24.75	2004
08.01.2020 10:19:06	1	1	1	1	103.5	44.75	0	27867.299	576.344086	16000.86973	30000	0	0	30000	25.125	2004
08.01.2020 10:19:07	1	1	1	1	103.5	45	0	27914.692	572.0430108	16027.77702	30000	0	0	30000	25.375	2004
08.01.2020 10:19:08	1	1	1	1	103.5	45.25	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	24.625	2004
08.01.2020 10:19:09	1	1	1	1	103.5	44.5	0	27867.299	572.0430108	15734.24293	30000	0	0	30000	26.125	2004
08.01.2020 10:19:10	1	1	1	1	103.5	46	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	25.6875	2004
08.01.2020 10:19:11	1	1	1	1	103.5	45.5	0	28009.479	576.344086	16082.40698	30000	0	0	30000	26.3125	2004
08.01.2020 10:19:12	1	1	1	1	103.5	46.25	0	27962.085	572.0430108	15995.16212	30000	0	0	30000	25.5	2004
08.01.2020 10:19:13	1	1	1	1	103.5	45.5	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	25.875	2004
08.01.2020 10:19:14	1	1	1	1	103.5	45.75	0	28009.479	569.8924731	16082.40698	30000	0	0	30000	25.8125	2004
08.01.2020 10:19:15	1	1	1	1	103.5	45.75	0	27867.299	569.8924731	15761.15022	30000	0	0	30000	26.1875	2004
08.01.2020 10:19:16	1	1	1	1	103.5	46	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	24.625	2004
08.01.2020 10:19:17	1	1	1	1	103.5	44.5	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	24.6875	2004
08.01.2020 10:19:18	1	1	1	1	103.5	44.5	0	28199.052	576.344086	15961.73185	30000	0	0	30000	25.9375	2004
08.01.2020 10:19:19	1	1	1	1	103.5	45.75	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	25.625	2004
08.01.2020 10:19:20	1	1	1	1	104	45.5	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	26.8125	2004
08.01.2020 10:19:21	1	1	1	1	104	46.75	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	25	2004
08.01.2020 10:19:22	1	1	1	1	104	45	0	28009.479	569.8924731	15841.8721	30000	0	0	30000	25.5625	2004
08.01.2020 10:19:23	1	1	1	1	104	45.5	0	28199.052	572.0430108	16070.17639	30000	0	0	30000	25.8125	2004
08.01.2020 10:19:25	1	1	1	1	104	45.75	0	28293.839	569.8924731	16123.99098	30000	0	0	30000	25	2004
08.01.2020 10:19:26	1	1	1	1	104	45	0	28341.232	567.7419355	16090.5607	30000	0	0	30000	24.9375	2004
08.01.2020 10:19:27	1	1	1	1	104	44.75	0	28293.839	565.5913978	16002.50048	30000	0	0	30000	26	2004
08.01.2020 10:19:28	1	1	1	1	104	46	0	28199.052	565.5913978	16070.17639	30000	0	0	30000	25.0625	2004
08.01.2020 10:19:29	1	1	1	1	104	45	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	25.3125	2004
08.01.2020 10:19:30	1	1	1	1	104	45.25	0	28009.479	563.4408602	15961.73185	30000	0	0	30000	26.375	2004
08.01.2020 10:19:31	1	1	1	1	103.8	46.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	26.625	2004
08.01.2020 10:19:32	1	1	1	1	103.8	46.5	0	27819.905	565.5913978	16000.86973	30000	0	0	30000	24.9375	2004
08.01.2020 10:19:33	1	1	1	1	103.8	44.75	0	28009.479	572.0430108	15841.8721	30000	0	0	30000	26.75	2004
08.01.2020 10:19:34	1	1	1	1	103.8	46.75	0	27962.085	569.8924731	15934.82456	30000	0	0	30000	25	2004
08.01.2020 10:19:35	1	1	1	1	103.8	45.25	0	27962.085	569.8924731	15934.82456	30000	0	0	30000	25.4375	2004
08.01.2020 10:19:36	1	1	1	1	103.8	45.25	0	27914.692	567.7419355	15995.16212	30000	0	0	30000	25.5625	2004
08.01.2020 10:19:37	1	1	1	1	103.8	45.5	0	27914.692	572.0430108	15907.91727	30000	0	0	30000	25	2004
08.01.2020 10:19:38	1	1	1	1	103.8	45	0	27962.085	569.8924731	16082.40698	30000	0	0	30000	25.6875	2004
08.01.2020 10:19:39	1	1	1	1	103.8	45.5	0	27914.692	574.1935484	15881.00997	30000	0	0	30000	25.4375	2004
08.01.2020 10:19:40	1	1	1	1	103.8	45.25	0	28009.479	574.1935484	16022.06942	30000	0	0	30000	24.375	2004
08.01.2020 10:19:41	1	1	1	1	103.8	44.25	0	27819.905	572.0430108	15973.96244	30000	0	0	30000	25.375	2004
08.01.2020 10:19:42	1	1	1	1	103.8	45.25	0	27962.085	574.1935484	16082.40698	30000	0	0	30000	25.3125	2004
08.01.2020 10:19:43	1	1	1	1	103.8	45.25	0	28199.052	574.1935484	16022.06942	30000	0	0	30000	26.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 10:19:44	1	1	1	1	103.8	46.75	0	27867.299	574.1935484	16207.97434	30000	0	0	30000	25.625	2004
08.01.2020 10:19:45	1	1	1	1	103.8	45.5	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	24.625	2004
08.01.2020 10:19:46	1	1	1	1	103.8	44.5	0	27962.085	576.344086	16148.45215	30000	0	0	30000	26.5625	2004
08.01.2020 10:19:47	1	1	1	1	103.8	46.5	0	27819.905	574.1935484	15973.96244	30000	0	0	30000	26.25	2004
08.01.2020 10:19:48	1	1	1	1	103.8	46.25	0	27630.332	576.344086	15983.74691	30000	0	0	30000	25.5625	2004
08.01.2020 10:19:49	1	1	1	1	103.8	45.5	0	27867.299	578.4946237	16093.00682	30000	0	0	30000	25.375	2004
08.01.2020 10:19:50	1	1	1	1	104.8	45.25	0	27630.332	576.344086	15983.74691	30000	0	0	30000	24.875	2004
08.01.2020 10:19:56	1	1	1	1	104.8	45.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	25.4375	2004
08.01.2020 10:19:56	1	1	1	1	104.8	45.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	25.4375	2004
08.01.2020 10:19:56	1	1	1	1	104.8	45.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	25.4375	2004
08.01.2020 10:19:56	1	1	1	1	104.8	45.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	25.4375	2004
08.01.2020 10:19:56	1	1	1	1	104.8	45.25	0	27914.692	578.4946237	16120.72949	30000	0	0	30000	24.9375	2004
08.01.2020 10:19:57	1	1	1	1	104.8	44.75	0	27630.332	576.344086	15978.85467	30000	0	0	30000	27.0625	2004
08.01.2020 10:19:58	1	1	1	1	104.8	47	0	27630.332	576.344086	15983.74691	30000	0	0	30000	25	2004
08.01.2020 10:19:59	1	1	1	1	104.8	45	0	27867.299	576.344086	16088.11459	30000	0	0	30000	25.1875	2004
08.01.2020 10:20:00	1	1	1	1	104.8	45	0	27630.332	576.344086	15924.22472	30000	0	0	30000	26.625	2004
08.01.2020 10:20:01	1	1	1	1	104.8	46.5	0	27819.905	576.344086	16093.00682	30000	0	0	30000	25.125	2004
08.01.2020 10:20:02	1	1	1	1	104.8	45	0	27630.332	576.344086	15924.22472	30000	0	0	30000	26.6875	2004
08.01.2020 10:20:04	1	1	1	1	104.8	46.5	0	27630.332	578.4946237	15924.22472	30000	0	0	30000	25.625	2004
08.01.2020 10:20:05	1	1	1	1	104.8	45.5	0	27867.299	574.1935484	16027.77702	30000	0	0	30000	26.5	2004
08.01.2020 10:20:06	1	1	1	1	104.8	46.5	0	27819.905	576.344086	16093.00682	30000	0	0	30000	26.5	2004
08.01.2020 10:20:07	1	1	1	1	104.8	46.5	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	26.4375	2004
08.01.2020 10:20:08	1	1	1	1	104.8	46.25	0	27819.905	578.4946237	16153.34439	30000	0	0	30000	25.4375	2004
08.01.2020 10:20:09	1	1	1	1	104.8	45.25	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	25.75	2004
08.01.2020 10:20:10	1	1	1	1	104.8	45.75	0	27819.905	578.4946237	15983.74691	30000	0	0	30000	25.6875	2004
08.01.2020 10:20:11	1	1	1	1	105.3	45.5	0	27440.758	574.1935484	15814.9648	30000	0	0	30000	25	2004
08.01.2020 10:20:12	1	1	1	1	105.3	45	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	26.0625	2004
08.01.2020 10:20:13	1	1	1	1	105.3	46	0	27867.299	574.1935484	16088.11459	30000	0	0	30000	24.375	2004
08.01.2020 10:20:14	1	1	1	1	105.3	45.25	0	27630.332	576.344086	16033.48463	30000	0	0	30000	24.875	2004
08.01.2020 10:20:15	1	1	1	1	105.3	44.75	0	27819.905	576.344086	15973.96244	30000	0	0	30000	26.3125	2004
08.01.2020 10:20:16	1	1	1	1	105.3	46.25	0	27819.905	574.1935484	16120.72949	30000	0	0	30000	25.5	2004
08.01.2020 10:20:17	1	1	1	1	105.3	45.5	0	27630.332	578.4946237	15864.70252	30000	0	0	30000	25.75	2004
08.01.2020 10:20:18	1	1	1	1	105.3	45.75	0	27867.299	572.0430108	15913.62487	30000	0	0	30000	24.6875	2004
08.01.2020 10:20:19	1	1	1	1	105.3	44.5	0	27867.299	574.1935484	16033.48463	30000	0	0	30000	25.375	2004
08.01.2020 10:20:20	1	1	1	1	104.8	45.25	0	27819.905	576.344086	16033.48463	30000	0	0	30000	25.125	2004
08.01.2020 10:20:21	1	1	1	1	104.8	45	0	27867.299	572.0430108	16000.86973	30000	0	0	30000	24.8125	2004
08.01.2020 10:20:22	1	1	1	1	104.8	44.75	0	27630.332	574.1935484	15924.22472	30000	0	0	30000	26.125	2004
08.01.2020 10:20:23	1	1	1	1	104.8	46	0	27914.692	572.0430108	15968.25483	30000	0	0	30000	25.8125	2004
08.01.2020 10:20:24	1	1	1	1	104.8	45.75	0	28009.479	574.1935484	16142.74454	30000	0	0	30000	27	2004
08.01.2020 10:20:25	1	1	1	1	104.8	47	0	27819.905	572.0430108	15913.62487	30000	0	0	30000	25.75	2004
08.01.2020 10:20:26	1	1	1	1	104.8	45.75	0	27867.299	572.0430108	16000.86973	30000	0	0	30000	27	2004
08.01.2020 10:20:27	1	1	1	1	104.8	47	0	27867.299	572.0430108	15941.34754	30000	0	0	30000	25.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 10:20:28	1	1	1	1	104.8	45.75	0	27914.692	576.344086	16088.11459	30000	0	0	30000	24.9375	2004
08.01.2020 10:20:29	1	1	1	1	104.8	44.75	0	27914.692	576.344086	16000.86973	30000	0	0	30000	26.4375	2004
08.01.2020 10:20:30	1	1	1	1	104	46.25	0	27867.299	574.1935484	15941.34754	30000	0	0	30000	25.625	2004
08.01.2020 10:20:31	1	1	1	1	104	45.5	0	27867.299	572.0430108	16000.86973	30000	0	0	30000	25.9375	2004
08.01.2020 10:20:32	1	1	1	1	104	45.75	0	27914.692	576.344086	16115.83725	30000	0	0	30000	26.5	2004
08.01.2020 10:20:33	1	1	1	1	104	46.5	0	28009.479	574.1935484	16055.49969	30000	0	0	30000	26.25	2004
08.01.2020 10:20:34	1	1	1	1	104	46.25	0	27867.299	567.7419355	16027.77702	30000	0	0	30000	25.25	2004
08.01.2020 10:20:35	1	1	1	1	104	45.25	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	25.875	2004
08.01.2020 10:20:36	1	1	1	1	104	45.75	0	27630.332	561.2903226	15854.10268	30000	0	0	30000	25.9375	2004
08.01.2020 10:20:37	1	1	1	1	104	45.75	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	27.0625	2004
08.01.2020 10:20:38	1	1	1	1	104	47	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	26.0625	2004
08.01.2020 10:20:39	1	1	1	1	104	46	0	27914.692	572.0430108	15907.91727	30000	0	0	30000	25.3125	2004
08.01.2020 10:20:40	1	1	1	1	105	45.25	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	25.5625	2004
08.01.2020 10:20:41	1	1	1	1	105	45.5	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	25.625	2004
08.01.2020 10:20:43	1	1	1	1	105	45.5	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	27.1875	2004
08.01.2020 10:20:44	1	1	1	1	105	47	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	26.9375	2004
08.01.2020 10:20:45	1	1	1	1	105	46.75	0	27914.692	567.7419355	16027.77702	30000	0	0	30000	26.75	2004
08.01.2020 10:20:46	1	1	1	1	105	46.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	26.4375	2004
08.01.2020 10:20:47	1	1	1	1	105	46.25	0	27867.299	569.8924731	15734.24293	30000	0	0	30000	26.75	2004
08.01.2020 10:20:48	1	1	1	1	105	46.75	0	27962.085	569.8924731	16022.06942	30000	0	0	30000	25.75	2004
08.01.2020 10:20:49	1	1	1	1	105	45.75	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	26.1875	2004
08.01.2020 10:20:50	1	1	1	1	105	46	0	27914.692	572.0430108	15968.25483	30000	0	0	30000	26.625	2004
08.01.2020 10:20:51	1	1	1	1	106	46.5	0	27962.085	563.4408602	16022.06942	30000	0	0	30000	25.4375	2004
08.01.2020 10:20:52	1	1	1	1	106	46.5	0	27819.905	574.1935484	15973.96244	30000	0	0	30000	27	2004
08.01.2020 10:20:58	1	1	1	1	106	46.75	0	27914.692	569.8924731	15881.00997	30000	0	0	30000	26.9375	2004
08.01.2020 10:20:58	1	1	1	1	106	46.75	0	27914.692	569.8924731	15881.00997	30000	0	0	30000	26.9375	2004
08.01.2020 10:20:58	1	1	1	1	106	46.75	0	27914.692	569.8924731	15881.00997	30000	0	0	30000	26.9375	2004
08.01.2020 10:20:58	1	1	1	1	106	46.75	0	27914.692	569.8924731	15881.00997	30000	0	0	30000	26.9375	2004
08.01.2020 10:20:58	1	1	1	1	106	46.75	0	27867.299	572.0430108	16000.86973	30000	0	0	30000	25.3125	2004
08.01.2020 10:20:59	1	1	1	1	106	45.25	0	27914.692	574.1935484	16055.49969	30000	0	0	30000	27.1875	2004
08.01.2020 10:21:00	1	1	1	1	106	47	0	27867.299	572.0430108	16027.77702	30000	0	0	30000	26.875	2004
08.01.2020 10:21:01	1	1	1	1	106	46.75	0	27914.692	572.0430108	15968.25483	30000	0	0	30000	26.4375	2004
08.01.2020 10:21:02	1	1	1	1	106	46.25	0	27867.299	572.0430108	15973.96244	30000	0	0	30000	26.9375	2004
08.01.2020 10:21:03	1	1	1	1	106	46.75	0	27962.085	578.4946237	15941.34754	30000	0	0	30000	26.25	2004
08.01.2020 10:21:04	1	1	1	1	106	46.25	0	28009.479	576.344086	16142.74454	30000	0	0	30000	25.8125	2004
08.01.2020 10:21:05	1	1	1	1	106	45.75	0	27819.905	569.8924731	15854.10268	30000	0	0	30000	27.4375	2004
08.01.2020 10:21:06	1	1	1	1	106	47.25	0	27819.905	569.8924731	15854.10268	30000	0	0	30000	25.0625	2004
08.01.2020 10:21:07	1	1	1	1	106	45	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	26.0625	2004
08.01.2020 10:21:08	1	1	1	1	106	46	0	27914.692	563.4408602	15961.73185	30000	0	0	30000	25.875	2004
08.01.2020 10:21:09	1	1	1	1	106	45.75	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	27	2004
08.01.2020 10:21:10	1	1	1	1	106.3	47	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	25.9375	2004
08.01.2020 10:21:11	1	1	1	1	106.3	45.75	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	27.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 10:21:12	1	1	1	1	106.3	47	0	28199.052	572.0430108	16130.51396	30000	0	0	30000	25.6875	2004
08.01.2020 10:21:13	1	1	1	1	106.3	45.5	0	27867.299	567.7419355	15821.48778	30000	0	0	30000	27	2004
08.01.2020 10:21:14	1	1	1	1	106.3	47	0	28009.479	561.2903226	15961.73185	30000	0	0	30000	26.625	2004
08.01.2020 10:21:15	1	1	1	1	106.3	46.5	0	28009.479	565.5913978	15841.8721	30000	0	0	30000	24.9375	2004
08.01.2020 10:21:16	1	1	1	1	106.3	44.75	0	28199.052	572.0430108	16191.66689	30000	0	0	30000	26.3125	2004
08.01.2020 10:21:17	1	1	1	1	106.3	46.25	0	27962.085	569.8924731	15961.73185	30000	0	0	30000	26.5625	2004
08.01.2020 10:21:18	1	1	1	1	106.3	46.5	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	27.4375	2004
08.01.2020 10:21:19	1	1	1	1	106.3	47.25	0	28199.052	572.0430108	16252.00446	30000	0	0	30000	25.625	2004
08.01.2020 10:21:21	1	1	1	1	106.5	45.5	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	27.5	2004
08.01.2020 10:21:22	1	1	1	1	106.5	47.5	0	27962.085	567.7419355	15907.91727	30000	0	0	30000	27.25	2004
08.01.2020 10:21:23	1	1	1	1	106.5	47.25	0	27867.299	572.0430108	15941.34754	30000	0	0	30000	27.0625	2004
08.01.2020 10:21:24	1	1	1	1	106.5	47	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	26.125	2004
08.01.2020 10:21:25	1	1	1	1	106.5	46	0	27962.085	567.7419355	15961.73185	30000	0	0	30000	26.625	2004
08.01.2020 10:21:26	1	1	1	1	106.5	46.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	26.4375	2004
08.01.2020 10:21:27	1	1	1	1	106.5	46.25	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	26.4375	2004
08.01.2020 10:21:28	1	1	1	1	106.5	46.25	0	28199.052	572.0430108	16191.66689	30000	0	0	30000	26.875	2004
08.01.2020 10:21:29	1	1	1	1	106.5	46.75	0	28009.479	574.1935484	15961.73185	30000	0	0	30000	27.125	2004
08.01.2020 10:21:30	1	1	1	1	107	46.25	0	27867.299	567.7419355	15881.00997	30000	0	0	30000	25.75	2004
08.01.2020 10:21:31	1	1	1	1	107	45.75	0	28009.479	576.344086	16082.40698	30000	0	0	30000	26.0625	2004
08.01.2020 10:21:32	1	1	1	1	107	46	0	27962.085	569.8924731	15961.73185	30000	0	0	30000	26.25	2004
08.01.2020 10:21:33	1	1	1	1	107	46.25	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	26.3125	2004
08.01.2020 10:21:34	1	1	1	1	107	46.25	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	26.625	2004
08.01.2020 10:21:35	1	1	1	1	107	46.5	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	26.5625	2004
08.01.2020 10:21:36	1	1	1	1	107	46.5	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	25.4375	2004
08.01.2020 10:21:37	1	1	1	1	107	45.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	27.4375	2004
08.01.2020 10:21:38	1	1	1	1	107	47.25	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	26.125	2004
08.01.2020 10:21:39	1	1	1	1	107	46	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	25.375	2004
08.01.2020 10:21:40	1	1	1	1	106.3	45.25	0	27914.692	572.0430108	16263.41967	30000	0	0	30000	27.3125	2004
08.01.2020 10:21:41	1	1	1	1	106.3	47.25	0	27914.692	572.0430108	15881.00997	30000	0	0	30000	26.9375	2004
08.01.2020 10:21:42	1	1	1	1	106.3	46.75	0	27772.512	569.8924731	15913.62487	30000	0	0	30000	27.3125	2004
08.01.2020 10:21:43	1	1	1	1	106.3	47.25	0	28009.479	569.8924731	15841.8721	30000	0	0	30000	26.3125	2004
08.01.2020 10:21:44	1	1	1	1	106.3	46.25	0	27962.085	574.1935484	15968.25483	30000	0	0	30000	27.4375	2004
08.01.2020 10:21:45	1	1	1	1	106.3	47.25	0	28009.479	569.8924731	16082.40698	30000	0	0	30000	26.1875	2004
08.01.2020 10:21:46	1	1	1	1	106.3	46	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	26	2004
08.01.2020 10:21:47	1	1	1	1	106.3	46	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	27.5	2004
08.01.2020 10:21:48	1	1	1	1	106.3	47.5	0	27962.085	574.1935484	16082.40698	30000	0	0	30000	27.5625	2004
08.01.2020 10:21:49	1	1	1	1	106.3	47.5	0	27725.118	569.8924731	15745.65814	30000	0	0	30000	27.375	2004
08.01.2020 10:21:50	1	1	1	1	107.3	47.25	0	27867.299	574.1935484	16088.11459	30000	0	0	30000	25.375	2004
08.01.2020 10:21:51	1	1	1	1	107.3	45.25	0	27867.299	572.0430108	15854.10268	30000	0	0	30000	27.75	2004
08.01.2020 10:21:52	1	1	1	1	107.3	47.75	0	27914.692	572.0430108	16027.77702	30000	0	0	30000	26.9375	2004
08.01.2020 10:21:53	1	1	1	1	107.3	46.75	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	25.5625	2004
08.01.2020 10:22:00	1	1	1	1	107.3	45.5	0	27867.299	576.344086	16033.48463	30000	0	0	30000	25.3125	2004
08.01.2020 10:22:00	1	1	1	1	107.3	45.5	0	27867.299	576.344086	16033.48463	30000	0	0	30000	25.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 10:22:00	1	1	1	1	107.3	45.5	0	27867.299	576.344086	16033.48463	30000	0	0	30000	25.3125	2004
08.01.2020 10:22:00	1	1	1	1	107.3	45.5	0	27867.299	576.344086	16033.48463	30000	0	0	30000	25.3125	2004
08.01.2020 10:22:00	1	1	1	1	107.3	45.5	0	27867.299	576.344086	16033.48463	30000	0	0	30000	25.3125	2004
08.01.2020 10:22:00	1	1	1	1	107.3	45.25	0	27867.299	576.344086	16033.48463	30000	0	0	30000	27	2004
08.01.2020 10:22:01	1	1	1	1	106.8	47	0	27819.905	576.344086	15973.96244	30000	0	0	30000	27.5625	2004
08.01.2020 10:22:02	1	1	1	1	106.8	47.5	0	27630.332	576.344086	16033.48463	30000	0	0	30000	26	2004
08.01.2020 10:22:03	1	1	1	1	106.8	46	0	27819.905	576.344086	16033.48463	30000	0	0	30000	27	2004
08.01.2020 10:22:04	1	1	1	1	106.8	47	0	27630.332	574.1935484	15924.22472	30000	0	0	30000	26.5	2004
08.01.2020 10:22:05	1	1	1	1	106.8	46.5	0	27962.085	572.0430108	16082.40698	30000	0	0	30000	26.125	2004
08.01.2020 10:22:06	1	1	1	1	106.8	46	0	28009.479	576.344086	16082.40698	30000	0	0	30000	27.125	2004
08.01.2020 10:22:07	1	1	1	1	106.8	47	0	28009.479	572.0430108	16263.41967	30000	0	0	30000	27.4375	2004
08.01.2020 10:22:08	1	1	1	1	106.8	46.5	0	27867.299	572.0430108	15734.24293	30000	0	0	30000	27.0625	2004
08.01.2020 10:22:09	1	1	1	1	106.8	47	0	27867.299	572.0430108	15913.62487	30000	0	0	30000	25.75	2004
08.01.2020 10:22:10	1	1	1	1	107.5	45.75	0	27819.905	576.344086	15973.96244	30000	0	0	30000	26.375	2004
08.01.2020 10:22:11	1	1	1	1	107.5	46.25	0	27819.905	572.0430108	15973.96244	30000	0	0	30000	26.4375	2004
08.01.2020 10:22:12	1	1	1	1	107.5	46.25	0	27867.299	576.344086	15854.10268	30000	0	0	30000	27.25	2004
08.01.2020 10:22:13	1	1	1	1	107.5	47.25	0	27630.332	576.344086	15973.96244	30000	0	0	30000	26	2004
08.01.2020 10:22:14	1	1	1	1	107.5	46	0	27867.299	572.0430108	16027.77702	30000	0	0	30000	27.5	2004
08.01.2020 10:22:15	1	1	1	1	107.5	47.5	0	27867.299	576.344086	16000.86973	30000	0	0	30000	26.375	2004
08.01.2020 10:22:16	1	1	1	1	107.5	46.25	0	27867.299	576.344086	16061.20729	30000	0	0	30000	25.875	2004
08.01.2020 10:22:17	1	1	1	1	107.5	45.75	0	27867.299	574.1935484	16033.48463	30000	0	0	30000	27.75	2004
08.01.2020 10:22:18	1	1	1	1	107.5	47.75	0	27819.905	574.1935484	15973.96244	30000	0	0	30000	26.75	2004
08.01.2020 10:22:19	1	1	1	1	107.5	46.75	0	28009.479	576.344086	16082.40698	30000	0	0	30000	25.8125	2004
08.01.2020 10:22:20	1	1	1	1	107.5	45.75	0	28009.479	574.1935484	16142.74454	30000	0	0	30000	26.5625	2004
08.01.2020 10:22:21	1	1	1	1	107.5	46.5	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	27.0625	2004
08.01.2020 10:22:22	1	1	1	1	107.5	47	0	27725.118	569.8924731	15973.96244	30000	0	0	30000	26.5	2004
08.01.2020 10:22:23	1	1	1	1	107.5	46.5	0	27819.905	576.344086	15973.96244	30000	0	0	30000	26.25	2004
08.01.2020 10:22:24	1	1	1	1	107.5	46.25	0	27725.118	576.344086	15686.95132	30000	0	0	30000	26.9375	2004
08.01.2020 10:22:25	1	1	1	1	107.5	46.75	0	27819.905	576.344086	16033.48463	30000	0	0	30000	27.4375	2004
08.01.2020 10:22:26	1	1	1	1	107.5	47.25	0	27819.905	574.1935484	15854.10268	30000	0	0	30000	26.4375	2004
08.01.2020 10:22:27	1	1	1	1	107.5	46.25	0	27962.085	576.344086	16115.83725	30000	0	0	30000	27.0625	2004
08.01.2020 10:22:28	1	1	1	1	107.5	47	0	27914.692	572.0430108	16027.77702	30000	0	0	30000	26.1875	2004
08.01.2020 10:22:29	1	1	1	1	107.5	46	0	28009.479	569.8924731	16082.40698	30000	0	0	30000	27.0625	2004
08.01.2020 10:22:30	1	1	1	1	107.8	47	0	27914.692	567.7419355	15995.16212	30000	0	0	30000	26.25	2004
08.01.2020 10:22:31	1	1	1	1	107.8	46.25	0	27819.905	572.0430108	15941.34754	30000	0	0	30000	26.6875	2004
08.01.2020 10:22:32	1	1	1	1	107.8	46.5	0	27772.512	576.344086	16033.48463	30000	0	0	30000	27.625	2004
08.01.2020 10:22:33	1	1	1	1	107.8	47.5	0	27867.299	576.344086	16061.20729	30000	0	0	30000	26.4375	2004
08.01.2020 10:22:34	1	1	1	1	107.8	46.25	0	27867.299	569.8924731	15941.34754	30000	0	0	30000	26.1875	2004
08.01.2020 10:22:36	1	1	1	1	107.8	46	0	27867.299	572.0430108	16027.77702	30000	0	0	30000	25.5	2004
08.01.2020 10:22:37	1	1	1	1	107.8	45.5	0	27962.085	574.1935484	16115.83725	30000	0	0	30000	27.3125	2004
08.01.2020 10:22:38	1	1	1	1	107.8	47.25	0	27962.085	569.8924731	15934.82456	30000	0	0	30000	27.4375	2004
08.01.2020 10:22:39	1	1	1	1	107.8	47.25	0	27914.692	574.1935484	16027.77702	30000	0	0	30000	25.375	2004
08.01.2020 10:22:40	1	1	1	1	107.8	45.25	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	25.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 10:22:41	1	1	1	1	106.3	45.25	0	27914.692	574.1935484	15821.48778	30000	0	0	30000	27.625	2004
08.01.2020 10:22:42	1	1	1	1	106.3	47.5	0	27819.905	574.1935484	15973.96244	30000	0	0	30000	27.8125	2004
08.01.2020 10:22:43	1	1	1	1	106.3	47.75	0	27819.905	576.344086	16033.48463	30000	0	0	30000	27.8125	2004
08.01.2020 10:22:44	1	1	1	1	106.3	47.75	0	27772.512	576.344086	16033.48463	30000	0	0	30000	27.8125	2004
08.01.2020 10:22:45	1	1	1	1	106.3	47.75	0	27819.905	576.344086	15864.70252	30000	0	0	30000	26.4375	2004
08.01.2020 10:22:46	1	1	1	1	106.3	46.25	0	27819.905	576.344086	16033.48463	30000	0	0	30000	27.25	2004
08.01.2020 10:22:47	1	1	1	1	106.3	47	0	27725.118	576.344086	16093.00682	30000	0	0	30000	27.0625	2004
08.01.2020 10:22:48	1	1	1	1	106.3	47	0	27440.758	576.344086	15756.25798	30000	0	0	30000	26.375	2004
08.01.2020 10:22:49	1	1	1	1	106.3	46.25	0	27630.332	576.344086	15924.22472	30000	0	0	30000	26.3125	2004
08.01.2020 10:22:50	1	1	1	1	106.8	46.25	0	27630.332	576.344086	15924.22472	30000	0	0	30000	26	2004
08.01.2020 10:22:51	1	1	1	1	106.8	46	0	27582.938	576.344086	15897.31742	30000	0	0	30000	27.125	2004
08.01.2020 10:22:52	1	1	1	1	106.8	47	0	27630.332	576.344086	15983.74691	30000	0	0	30000	27.625	2004
08.01.2020 10:22:53	1	1	1	1	106.8	47.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	26.1875	2004
08.01.2020 10:22:54	1	1	1	1	106.8	46	0	27582.938	584.9462366	16047.34596	30000	0	0	30000	27.4375	2004
08.01.2020 10:22:55	1	1	1	1	106.8	47.25	0	27535.545	580.6451613	15933.19381	30000	0	0	30000	27.8125	2004
08.01.2020 10:23:01	1	1	1	1	106.8	47.5	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	26.9375	2004
08.01.2020 10:23:01	1	1	1	1	106.8	47.5	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	26.9375	2004
08.01.2020 10:23:01	1	1	1	1	106.8	47.5	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	26.9375	2004
08.01.2020 10:23:01	1	1	1	1	106.8	47.5	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	26.9375	2004
08.01.2020 10:23:01	1	1	1	1	106.8	46.75	0	27535.545	576.344086	15897.31742	30000	0	0	30000	27.3125	2004
08.01.2020 10:23:02	1	1	1	1	106.8	47.25	0	27582.938	578.4946237	15983.74691	30000	0	0	30000	26.9375	2004
08.01.2020 10:23:03	1	1	1	1	106.8	46.75	0	27582.938	576.344086	15638.02897	30000	0	0	30000	27.5	2004
08.01.2020 10:23:04	1	1	1	1	106.8	47.5	0	27630.332	576.344086	15864.70252	30000	0	0	30000	26	2004
08.01.2020 10:23:05	1	1	1	1	106.8	46	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	27.8125	2004
08.01.2020 10:23:06	1	1	1	1	106.8	47.75	0	27725.118	578.4946237	15983.74691	30000	0	0	30000	28.125	2004
08.01.2020 10:23:07	1	1	1	1	106.8	48	0	27630.332	578.4946237	15805.18033	30000	0	0	30000	27.0625	2004
08.01.2020 10:23:08	1	1	1	1	106.8	47	0	27772.512	578.4946237	16066.09953	30000	0	0	30000	25.9375	2004
08.01.2020 10:23:09	1	1	1	1	106.8	45.75	0	27914.692	574.1935484	16027.77702	30000	0	0	30000	27.4375	2004
08.01.2020 10:23:10	1	1	1	1	108.3	47.25	0	27819.905	576.344086	16093.00682	30000	0	0	30000	27.8125	2004
08.01.2020 10:23:11	1	1	1	1	108.3	47.75	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	26.6875	2004
08.01.2020 10:23:12	1	1	1	1	108.3	46.5	0	27819.905	578.4946237	16212.86658	30000	0	0	30000	27.125	2004
08.01.2020 10:23:14	1	1	1	1	108.3	47	0	27725.118	580.6451613	16043.2691	30000	0	0	30000	28.1875	2004
08.01.2020 10:23:15	1	1	1	1	108.3	48	0	27630.332	578.4946237	15864.70252	30000	0	0	30000	27.8125	2004
08.01.2020 10:23:16	1	1	1	1	108.3	47.75	0	27819.905	574.1935484	15973.96244	30000	0	0	30000	26.25	2004
08.01.2020 10:23:17	1	1	1	1	108.3	46.25	0	27772.512	569.8924731	15913.62487	30000	0	0	30000	26.875	2004
08.01.2020 10:23:18	1	1	1	1	108.3	46.75	0	27819.905	576.344086	15973.96244	30000	0	0	30000	27.0625	2004
08.01.2020 10:23:19	1	1	1	1	108.3	47	0	27914.692	576.344086	16148.45215	30000	0	0	30000	27.875	2004
08.01.2020 10:23:20	1	1	1	1	108.3	47.75	0	27630.332	576.344086	15983.74691	30000	0	0	30000	27.625	2004
08.01.2020 10:23:21	1	1	1	1	108.5	47.5	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	26.375	2004
08.01.2020 10:23:22	1	1	1	1	108.5	46.25	0	27440.758	580.6451613	15873.67162	30000	0	0	30000	27.5	2004
08.01.2020 10:23:23	1	1	1	1	108.5	47.5	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	28.125	2004
08.01.2020 10:23:24	1	1	1	1	108.5	48	0	27630.332	580.6451613	16038.37687	30000	0	0	30000	26.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 10:23:25	1	1	1	1	108.5	46.25	0	27772.512	574.1935484	15864.70252	30000	0	0	30000	27.8125	2004
08.01.2020 10:23:26	1	1	1	1	108.5	47.75	0	27962.085	576.344086	16115.83725	30000	0	0	30000	27.8125	2004
08.01.2020 10:23:27	1	1	1	1	108.5	47.75	0	27867.299	576.344086	16000.86973	30000	0	0	30000	26.1875	2004
08.01.2020 10:23:28	1	1	1	1	108.5	46	0	27914.692	572.0430108	16055.49969	30000	0	0	30000	26.875	2004
08.01.2020 10:23:29	1	1	1	1	108.5	46.75	0	27819.905	576.344086	15973.96244	30000	0	0	30000	28.25	2004
08.01.2020 10:23:30	1	1	1	1	107.5	48.25	0	27630.332	576.344086	15924.22472	30000	0	0	30000	27.1875	2004
08.01.2020 10:23:31	1	1	1	1	107.5	47	0	27630.332	576.344086	15983.74691	30000	0	0	30000	26.9375	2004
08.01.2020 10:23:32	1	1	1	1	107.5	46.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	26.0625	2004
08.01.2020 10:23:33	1	1	1	1	107.5	46	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	25.75	2004
08.01.2020 10:23:34	1	1	1	1	107.5	45.75	0	27582.938	576.344086	15983.74691	30000	0	0	30000	26.125	2004
08.01.2020 10:23:35	1	1	1	1	107.5	46	0	27630.332	576.344086	16043.2691	30000	0	0	30000	26.3125	2004
08.01.2020 10:23:36	1	1	1	1	107.5	46.25	0	27630.332	578.4946237	15745.65814	30000	0	0	30000	27.5625	2004
08.01.2020 10:23:37	1	1	1	1	107.5	47.5	0	27630.332	576.344086	15983.74691	30000	0	0	30000	27	2004
08.01.2020 10:23:38	1	1	1	1	107.5	47	0	27630.332	578.4946237	15924.22472	30000	0	0	30000	27.375	2004
08.01.2020 10:23:39	1	1	1	1	107.5	47.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	27.8125	2004
08.01.2020 10:23:40	1	1	1	1	108	47.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	27.8125	2004
08.01.2020 10:23:41	1	1	1	1	108	47.75	0	27582.938	578.4946237	15956.02424	30000	0	0	30000	26.9375	2004
08.01.2020 10:23:42	1	1	1	1	108	46.75	0	27582.938	582.7956989	15933.19381	30000	0	0	30000	27.125	2004
08.01.2020 10:23:43	1	1	1	1	108	47	0	27819.905	580.6451613	16212.86658	30000	0	0	30000	27.125	2004
08.01.2020 10:23:44	1	1	1	1	108	47	0	27630.332	580.6451613	15929.11695	30000	0	0	30000	27.625	2004
08.01.2020 10:23:45	1	1	1	1	108	47.5	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	27.8125	2004
08.01.2020 10:23:46	1	1	1	1	108	47.75	0	27630.332	584.9462366	15956.02424	30000	0	0	30000	27.4375	2004
08.01.2020 10:23:47	1	1	1	1	108	47.25	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	27.6875	2004
08.01.2020 10:23:48	1	1	1	1	108	47.5	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	27.375	2004
08.01.2020 10:23:49	1	1	1	1	108	47.25	0	27582.938	578.4946237	16015.54644	30000	0	0	30000	28.1875	2004
08.01.2020 10:23:50	1	1	1	1	108	48	0	27630.332	580.6451613	15956.02424	30000	0	0	30000	26.375	2004
08.01.2020 10:23:51	1	1	1	1	108	46.25	0	27440.758	576.344086	15814.9648	30000	0	0	30000	28.1875	2004
08.01.2020 10:23:53	1	1	1	1	108	48	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	28	2004
08.01.2020 10:23:54	1	1	1	1	108	48	0	27582.938	580.6451613	15929.11695	30000	0	0	30000	26.1875	2004
08.01.2020 10:23:55	1	1	1	1	108	46	0	27535.545	580.6451613	15929.11695	30000	0	0	30000	26.3125	2004
08.01.2020 10:23:56	1	1	1	1	108	46.25	0	27819.905	580.6451613	16153.34439	30000	0	0	30000	26.8125	2004
08.01.2020 10:23:57	1	1	1	1	108	46.75	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	27.8125	2004
08.01.2020 10:24:03	1	1	1	1	109	48.25	0	27535.545	578.4946237	15929.11695	30000	0	0	30000	28.25	2004
08.01.2020 10:24:03	1	1	1	1	109	48.25	0	27535.545	578.4946237	15929.11695	30000	0	0	30000	28.25	2004
08.01.2020 10:24:03	1	1	1	1	109	48.25	0	27535.545	578.4946237	15929.11695	30000	0	0	30000	28.25	2004
08.01.2020 10:24:03	1	1	1	1	109	48.25	0	27535.545	578.4946237	15929.11695	30000	0	0	30000	28.25	2004
08.01.2020 10:24:03	1	1	1	1	109	48.25	0	27535.545	578.4946237	15929.11695	30000	0	0	30000	28.25	2004
08.01.2020 10:24:03	1	1	1	1	109	48.25	0	27535.545	578.4946237	15929.11695	30000	0	0	30000	28.25	2004
08.01.2020 10:24:04	1	1	1	1	109	48.25	0	27630.332	584.9462366	16102.79129	30000	0	0	30000	27.0625	2004
08.01.2020 10:24:05	1	1	1	1	109	47	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	27.8125	2004
08.01.2020 10:24:06	1	1	1	1	109	47.75	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	27.375	2004
08.01.2020 10:24:07	1	1	1	1	109	47.25	0	27630.332	576.344086	15983.74691	30000	0	0	30000	28.375	2004
08.01.2020 10:24:08	1	1	1	1	109	48.25	0	27582.938	580.6451613	16015.54644	30000	0	0	30000	26.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 10:24:09	1	1	1	1	109	46.25	0	27582.938	580.6451613	15956.02424	30000	0	0	30000	27.8125	2004
08.01.2020 10:24:10	1	1	1	1	108.8	47.75	0	27630.332	584.9462366	16102.79129	30000	0	0	30000	28.1875	2004
08.01.2020 10:24:11	1	1	1	1	108.8	48	0	27582.938	580.6451613	16075.06863	30000	0	0	30000	27.25	2004
08.01.2020 10:24:12	1	1	1	1	108.8	47.25	0	27630.332	582.7956989	15924.22472	30000	0	0	30000	27.8125	2004
08.01.2020 10:24:13	1	1	1	1	108.8	47.75	0	27535.545	582.7956989	16165.57497	30000	0	0	30000	26.625	2004
08.01.2020 10:24:14	1	1	1	1	108.8	46.5	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	27.125	2004
08.01.2020 10:24:15	1	1	1	1	108.8	47	0	27535.545	582.7956989	16134.59082	30000	0	0	30000	26.625	2004
08.01.2020 10:24:16	1	1	1	1	108.8	46.5	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	27.75	2004
08.01.2020 10:24:17	1	1	1	1	108.8	47.75	0	27535.545	580.6451613	15933.19381	30000	0	0	30000	25.8125	2004
08.01.2020 10:24:18	1	1	1	1	108.8	45.75	0	27582.938	584.9462366	15933.19381	30000	0	0	30000	27.375	2004
08.01.2020 10:24:19	1	1	1	1	108.8	47.25	0	27440.758	582.7956989	15696.73579	30000	0	0	30000	26.9375	2004
08.01.2020 10:24:20	1	1	1	1	108.5	46.75	0	27440.758	582.7956989	16047.34596	30000	0	0	30000	27.25	2004
08.01.2020 10:24:21	1	1	1	1	108.5	47.25	0	27440.758	582.7956989	16168.83646	30000	0	0	30000	27.9375	2004
08.01.2020 10:24:22	1	1	1	1	108.5	47.75	0	27630.332	582.7956989	16075.06863	30000	0	0	30000	28	2004
08.01.2020 10:24:23	1	1	1	1	108.5	48	0	27440.758	572.0430108	15696.73579	30000	0	0	30000	27.4375	2004
08.01.2020 10:24:24	1	1	1	1	108.5	47.25	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	27.375	2004
08.01.2020 10:24:25	1	1	1	1	108.5	47.25	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	27.125	2004
08.01.2020 10:24:26	1	1	1	1	108.5	47	0	27440.758	578.4946237	16047.34596	30000	0	0	30000	27.9375	2004
08.01.2020 10:24:27	1	1	1	1	108.5	47.75	0	27440.758	580.6451613	16047.34596	30000	0	0	30000	26.9375	2004
08.01.2020 10:24:28	1	1	1	1	108.5	46.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	27.25	2004
08.01.2020 10:24:29	1	1	1	1	108.5	47.25	0	27582.938	580.6451613	16015.54644	30000	0	0	30000	27.8125	2004
08.01.2020 10:24:31	1	1	1	1	108.8	47.75	0	27440.758	574.1935484	15956.02424	30000	0	0	30000	28.3125	2004
08.01.2020 10:24:32	1	1	1	1	108.8	48.25	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	28	2004
08.01.2020 10:24:33	1	1	1	1	108.8	48	0	27630.332	584.9462366	16102.79129	30000	0	0	30000	27.625	2004
08.01.2020 10:24:34	1	1	1	1	108.8	47.5	0	27582.938	580.6451613	16075.06863	30000	0	0	30000	28.125	2004
08.01.2020 10:24:35	1	1	1	1	108.8	48	0	27440.758	584.9462366	15933.19381	30000	0	0	30000	26.5	2004
08.01.2020 10:24:36	1	1	1	1	108.8	46.5	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	26.4375	2004
08.01.2020 10:24:37	1	1	1	1	108.8	46.25	0	27440.758	576.344086	15991.90063	30000	0	0	30000	28.0625	2004
08.01.2020 10:24:38	1	1	1	1	108.8	48	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	28	2004
08.01.2020 10:24:39	1	1	1	1	108.8	48	0	27582.938	576.344086	15869.59476	30000	0	0	30000	28.6875	2004
08.01.2020 10:24:40	1	1	1	1	108.8	48.5	0	27345.972	574.1935484	15873.67162	30000	0	0	30000	27.5625	2004
08.01.2020 10:24:41	1	1	1	1	109.8	47.5	0	27535.545	576.344086	16102.79129	30000	0	0	30000	28.25	2004
08.01.2020 10:24:42	1	1	1	1	109.8	48.5	0	27582.938	578.4946237	15956.02424	30000	0	0	30000	27.875	2004
08.01.2020 10:24:43	1	1	1	1	109.8	47.75	0	27393.365	580.6451613	15991.90063	30000	0	0	30000	27.5625	2004
08.01.2020 10:24:44	1	1	1	1	109.8	47.5	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	27.8125	2004
08.01.2020 10:24:45	1	1	1	1	109.8	47.75	0	27440.758	578.4946237	15933.19381	30000	0	0	30000	28	2004
08.01.2020 10:24:46	1	1	1	1	109.8	48	0	27345.972	584.9462366	15936.4553	30000	0	0	30000	28.5	2004
08.01.2020 10:24:47	1	1	1	1	109.8	48.5	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	27.125	2004
08.01.2020 10:24:48	1	1	1	1	109.8	47	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	28.0625	2004
08.01.2020 10:24:49	1	1	1	1	109.8	48	0	27345.972	584.9462366	15936.4553	30000	0	0	30000	27.5625	2004
08.01.2020 10:24:50	1	1	1	1	109	47.5	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	28.6875	2004
08.01.2020 10:24:51	1	1	1	1	109	48.5	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	28.25	2004
08.01.2020 10:24:52	1	1	1	1	109	48.25	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	27.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 10:24:53	1	1	1	1	109	47	0	27440.758	580.6451613	15877.74848	30000	0	0	30000	28	2004
08.01.2020 10:24:54	1	1	1	1	109	48	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	27.9375	2004
08.01.2020 10:24:55	1	1	1	1	109	47.75	0	27345.972	584.9462366	15936.4553	30000	0	0	30000	27.875	2004
08.01.2020 10:24:56	1	1	1	1	109	47.75	0	27298.578	580.6451613	15909.54801	30000	0	0	30000	27.8125	2004
08.01.2020 10:24:57	1	1	1	1	109	47.75	0	27582.938	584.9462366	16051.42282	30000	0	0	30000	28.375	2004
08.01.2020 10:24:58	1	1	1	1	109	48.25	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	27.4375	2004
08.01.2020 10:25:04	1	1	1	1	109	46.75	0	27535.545	580.6451613	16015.54644	30000	0	0	30000	26.75	2004
08.01.2020 10:25:04	1	1	1	1	109	46.75	0	27535.545	580.6451613	16015.54644	30000	0	0	30000	26.75	2004
08.01.2020 10:25:04	1	1	1	1	109	46.75	0	27535.545	580.6451613	16015.54644	30000	0	0	30000	26.75	2004
08.01.2020 10:25:04	1	1	1	1	109	46.75	0	27535.545	580.6451613	16015.54644	30000	0	0	30000	26.75	2004
08.01.2020 10:25:04	1	1	1	1	109	46.75	0	27582.938	580.6451613	15929.11695	30000	0	0	30000	28.0625	2004
08.01.2020 10:25:05	1	1	1	1	109	48	0	27440.758	576.344086	15814.9648	30000	0	0	30000	26.625	2004
08.01.2020 10:25:06	1	1	1	1	109	46.5	0	27630.332	576.344086	15983.74691	30000	0	0	30000	27.875	2004
08.01.2020 10:25:07	1	1	1	1	109	47.75	0	27867.299	578.4946237	16120.72949	30000	0	0	30000	27.375	2004
08.01.2020 10:25:09	1	1	1	1	109	47.25	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	26.6875	2004
08.01.2020 10:25:10	1	1	1	1	109	46.5	0	27535.545	576.344086	15814.9648	30000	0	0	30000	28.5	2004
08.01.2020 10:25:11	1	1	1	1	109	48.5	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	27.3125	2004
08.01.2020 10:25:12	1	1	1	1	109	47.25	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	27.875	2004
08.01.2020 10:25:13	1	1	1	1	109	47.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	27.4375	2004
08.01.2020 10:25:14	1	1	1	1	109	47.25	0	27582.938	576.344086	15956.02424	30000	0	0	30000	26.875	2004
08.01.2020 10:25:15	1	1	1	1	109	46.75	0	27582.938	576.344086	15956.02424	30000	0	0	30000	28.0625	2004
08.01.2020 10:25:16	1	1	1	1	109	48	0	27630.332	576.344086	15983.74691	30000	0	0	30000	28.0625	2004
08.01.2020 10:25:17	1	1	1	1	109	48	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	26.1875	2004
08.01.2020 10:25:18	1	1	1	1	109	46	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	28.1875	2004
08.01.2020 10:25:19	1	1	1	1	109	48	0	27582.938	578.4946237	15869.59476	30000	0	0	30000	28.875	2004
08.01.2020 10:25:20	1	1	1	1	109	48.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	27.375	2004
08.01.2020 10:25:21	1	1	1	1	109	48.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	27.375	2004
08.01.2020 10:25:22	1	1	1	1	109	47.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	26.625	2004
08.01.2020 10:25:23	1	1	1	1	109	46.5	0	27725.118	576.344086	15924.22472	30000	0	0	30000	28.0625	2004
08.01.2020 10:25:24	1	1	1	1	109	48	0	27867.299	574.1935484	16061.20729	30000	0	0	30000	27.9375	2004
08.01.2020 10:25:25	1	1	1	1	109	47.75	0	27962.085	572.0430108	16055.49969	30000	0	0	30000	27.8125	2004
08.01.2020 10:25:26	1	1	1	1	109	47.75	0	27962.085	574.1935484	16055.49969	30000	0	0	30000	27.0625	2004
08.01.2020 10:25:27	1	1	1	1	109	47	0	27867.299	576.344086	16000.86973	30000	0	0	30000	26.375	2004
08.01.2020 10:25:28	1	1	1	1	109	46.25	0	27819.905	574.1935484	16093.00682	30000	0	0	30000	27.75	2004
08.01.2020 10:25:29	1	1	1	1	109	47.75	0	27772.512	578.4946237	16066.09953	30000	0	0	30000	28.125	2004
08.01.2020 10:25:30	1	1	1	1	109.3	48	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	28.5625	2004
08.01.2020 10:25:31	1	1	1	1	109.3	48.5	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	27.625	2004
08.01.2020 10:25:32	1	1	1	1	109.3	47.5	0	27582.938	578.4946237	15956.02424	30000	0	0	30000	27.5	2004
08.01.2020 10:25:33	1	1	1	1	109.3	47.5	0	27582.938	578.4946237	16075.06863	30000	0	0	30000	27.5625	2004
08.01.2020 10:25:34	1	1	1	1	109.3	47.5	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	26.5625	2004
08.01.2020 10:25:35	1	1	1	1	109.3	46.5	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	26.9375	2004
08.01.2020 10:25:36	1	1	1	1	109.3	46.75	0	27582.938	576.344086	15897.31742	30000	0	0	30000	27.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 10:25:37	1	1	1	1	109.3	47.25	0	27630.332	578.4946237	16043.2691	30000	0	0	30000	27.75	2004
08.01.2020 10:25:38	1	1	1	1	109.3	47.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	27.1875	2004
08.01.2020 10:25:39	1	1	1	1	109.3	47	0	27630.332	578.4946237	16162.31348	30000	0	0	30000	27.75	2004
08.01.2020 10:25:40	1	1	1	1	109	47.75	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	28.875	2004
08.01.2020 10:25:41	1	1	1	1	109	48.75	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	28.875	2004
08.01.2020 10:25:42	1	1	1	1	109	48.75	0	27630.332	576.344086	16043.2691	30000	0	0	30000	28.0625	2004
08.01.2020 10:25:43	1	1	1	1	109	48	0	27582.938	580.6451613	15956.02424	30000	0	0	30000	27.5625	2004
08.01.2020 10:25:44	1	1	1	1	109	47.5	0	27535.545	578.4946237	15929.11695	30000	0	0	30000	27.8125	2004
08.01.2020 10:25:45	1	1	1	1	109	47.75	0	27535.545	580.6451613	16015.54644	30000	0	0	30000	27.8125	2004
08.01.2020 10:25:46	1	1	1	1	109	47.75	0	27582.938	580.6451613	16043.2691	30000	0	0	30000	28.3125	2004
08.01.2020 10:25:48	1	1	1	1	109	48.25	0	27582.938	580.6451613	15956.02424	30000	0	0	30000	27.875	2004
08.01.2020 10:25:49	1	1	1	1	109	47.75	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	27.5	2004
08.01.2020 10:25:50	1	1	1	1	109	47.5	0	27772.512	580.6451613	16212.86658	30000	0	0	30000	26.5	2004
08.01.2020 10:25:51	1	1	1	1	110.3	46.5	0	27582.938	580.6451613	15956.02424	30000	0	0	30000	27.9375	2004
08.01.2020 10:25:52	1	1	1	1	110.3	47.75	0	27582.938	578.4946237	15956.02424	30000	0	0	30000	26.5	2004
08.01.2020 10:25:53	1	1	1	1	110.3	46.5	0	27535.545	580.6451613	15987.82377	30000	0	0	30000	27.625	2004
08.01.2020 10:25:54	1	1	1	1	110.3	47.5	0	27488.152	582.7956989	15991.90063	30000	0	0	30000	28.9375	2004
08.01.2020 10:25:55	1	1	1	1	110.3	48.75	0	27535.545	582.7956989	16106.86815	30000	0	0	30000	28.25	2004
08.01.2020 10:25:56	1	1	1	1	110.3	48.25	0	27440.758	584.9462366	16340.06469	30000	0	0	30000	27.875	2004
08.01.2020 10:25:57	1	1	1	1	110.3	47.75	0	27440.758	587.0967742	16051.42282	30000	0	0	30000	29.125	2004
08.01.2020 10:25:58	1	1	1	1	110.3	49	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	28.875	2004
08.01.2020 10:25:59	1	1	1	1	110.3	46.75	0	27345.972	584.9462366	15936.4553	30000	0	0	30000	27.8125	2004
08.01.2020 10:26:00	1	1	1	1	110	47.75	0	27440.758	582.7956989	15873.67162	30000	0	0	30000	28.1875	2004
08.01.2020 10:26:06	1	1	1	1	110	47	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	28.25	2004
08.01.2020 10:26:06	1	1	1	1	110	47	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	28.25	2004
08.01.2020 10:26:06	1	1	1	1	110	47	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	28.25	2004
08.01.2020 10:26:06	1	1	1	1	110	47	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	28.25	2004
08.01.2020 10:26:06	1	1	1	1	110	48.25	0	27582.938	580.6451613	16075.06863	30000	0	0	30000	26.25	2004
08.01.2020 10:26:07	1	1	1	1	110	46.25	0	27440.758	582.7956989	16193.29764	30000	0	0	30000	28.25	2004
08.01.2020 10:26:08	1	1	1	1	110	48.25	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	27.5	2004
08.01.2020 10:26:09	1	1	1	1	110	47.5	0	27582.938	580.6451613	16075.06863	30000	0	0	30000	28.8125	2004
08.01.2020 10:26:10	1	1	1	1	109.8	48.75	0	27630.332	580.6451613	16015.54644	30000	0	0	30000	28.75	2004
08.01.2020 10:26:11	1	1	1	1	109.8	48.75	0	27582.938	578.4946237	16162.31348	30000	0	0	30000	27.5	2004
08.01.2020 10:26:12	1	1	1	1	109.8	47.5	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	28.6875	2004
08.01.2020 10:26:13	1	1	1	1	109.8	48.5	0	27630.332	576.344086	15924.22472	30000	0	0	30000	28	2004
08.01.2020 10:26:14	1	1	1	1	109.8	48	0	27630.332	572.0430108	15983.74691	30000	0	0	30000	28.1875	2004
08.01.2020 10:26:15	1	1	1	1	109.8	48	0	27630.332	584.9462366	16102.79129	30000	0	0	30000	28	2004
08.01.2020 10:26:16	1	1	1	1	109.8	48	0	27630.332	587.0967742	15983.74691	30000	0	0	30000	27	2004
08.01.2020 10:26:17	1	1	1	1	109.8	47	0	27582.938	580.6451613	16015.54644	30000	0	0	30000	28.5625	2004
08.01.2020 10:26:18	1	1	1	1	109.8	48.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	26.875	2004
08.01.2020 10:26:19	1	1	1	1	109.8	46.75	0	27535.545	578.4946237	15987.82377	30000	0	0	30000	27.1875	2004
08.01.2020 10:26:20	1	1	1	1	110	47	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	27.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 10:26:21	1	1	1	1	110	47.5	0	27440.758	578.4946237	15756.25798	30000	0	0	30000	28.625	2004
08.01.2020 10:26:22	1	1	1	1	110	48.5	0	27440.758	576.344086	15814.9648	30000	0	0	30000	28.4375	2004
08.01.2020 10:26:24	1	1	1	1	110	48.25	0	27535.545	578.4946237	15956.02424	30000	0	0	30000	28.6875	2004
08.01.2020 10:26:25	1	1	1	1	110	48.5	0	27630.332	584.9462366	16043.2691	30000	0	0	30000	28.875	2004
08.01.2020 10:26:26	1	1	1	1	110	48.75	0	27819.905	584.9462366	16212.86658	30000	0	0	30000	27.0625	2004
08.01.2020 10:26:27	1	1	1	1	110	47	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	27.3125	2004
08.01.2020 10:26:28	1	1	1	1	110	47.25	0	27772.512	587.0967742	16043.2691	30000	0	0	30000	27.9375	2004
08.01.2020 10:26:29	1	1	1	1	110	47.75	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	26.9375	2004
08.01.2020 10:26:30	1	1	1	1	110	46.75	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	28.5625	2004
08.01.2020 10:26:31	1	1	1	1	110.5	48.5	0	27725.118	578.4946237	15983.74691	30000	0	0	30000	27.4375	2004
08.01.2020 10:26:32	1	1	1	1	110.5	47.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	28.1875	2004
08.01.2020 10:26:33	1	1	1	1	110.5	48	0	27630.332	572.0430108	15983.74691	30000	0	0	30000	28.5	2004
08.01.2020 10:26:34	1	1	1	1	110.5	48.5	0	27630.332	576.344086	15983.74691	30000	0	0	30000	27.25	2004
08.01.2020 10:26:35	1	1	1	1	110.5	47.25	0	27582.938	580.6451613	15956.02424	30000	0	0	30000	28.125	2004
08.01.2020 10:26:36	1	1	1	1	110.5	48	0	27630.332	578.4946237	16043.2691	30000	0	0	30000	26.9375	2004
08.01.2020 10:26:37	1	1	1	1	110.5	47.75	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	27.8125	2004
08.01.2020 10:26:38	1	1	1	1	110.5	47.75	0	27867.299	576.344086	16033.48463	30000	0	0	30000	27.875	2004
08.01.2020 10:26:39	1	1	1	1	110.5	47.75	0	27867.299	574.1935484	16120.72949	30000	0	0	30000	27.875	2004
08.01.2020 10:26:40	1	1	1	1	110.8	47.75	0	27819.905	576.344086	15924.22472	30000	0	0	30000	28.6875	2004
08.01.2020 10:26:41	1	1	1	1	110.8	48.5	0	27867.299	576.344086	16061.20729	30000	0	0	30000	28	2004
08.01.2020 10:26:42	1	1	1	1	110.8	48	0	27867.299	572.0430108	16061.20729	30000	0	0	30000	27.875	2004
08.01.2020 10:26:43	1	1	1	1	110.8	47.75	0	27819.905	580.6451613	16093.00682	30000	0	0	30000	28.4375	2004
08.01.2020 10:26:44	1	1	1	1	110.8	48.25	0	27630.332	574.1935484	15983.74691	30000	0	0	30000	28.5	2004
08.01.2020 10:26:45	1	1	1	1	110.8	48.5	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	27.8125	2004
08.01.2020 10:26:46	1	1	1	1	110.8	47.75	0	27582.938	578.4946237	15983.74691	30000	0	0	30000	27.25	2004
08.01.2020 10:26:47	1	1	1	1	110.8	47.25	0	27582.938	580.6451613	16102.79129	30000	0	0	30000	28.8125	2004
08.01.2020 10:26:48	1	1	1	1	110.8	48.75	0	27345.972	584.9462366	15936.4553	30000	0	0	30000	27.375	2004
08.01.2020 10:26:49	1	1	1	1	110.8	47.25	0	27582.938	584.9462366	16134.59082	30000	0	0	30000	28.75	2004
08.01.2020 10:26:50	1	1	1	1	111.5	48.75	0	27582.938	582.7956989	15814.9648	30000	0	0	30000	26.5	2004
08.01.2020 10:26:51	1	1	1	1	111.5	46.5	0	27535.545	580.6451613	15987.82377	30000	0	0	30000	26.6875	2004
08.01.2020 10:26:52	1	1	1	1	111.5	46.5	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	28.6875	2004
08.01.2020 10:26:53	1	1	1	1	111.5	48.5	0	27630.332	584.9462366	15956.02424	30000	0	0	30000	29	2004
08.01.2020 10:26:54	1	1	1	1	111.5	49	0	27298.578	580.6451613	15909.54801	30000	0	0	30000	28.75	2004
08.01.2020 10:26:55	1	1	1	1	111.5	48.75	0	27440.758	574.1935484	15756.25798	30000	0	0	30000	27.875	2004
08.01.2020 10:26:56	1	1	1	1	111.5	47.75	0	27345.972	580.6451613	15936.4553	30000	0	0	30000	28.5625	2004
08.01.2020 10:26:57	1	1	1	1	111.5	48.5	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	28.6875	2004
08.01.2020 10:26:58	1	1	1	1	111.5	48.5	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	28	2004
08.01.2020 10:26:59	1	1	1	1	111.5	48	0	27535.545	572.0430108	15869.59476	30000	0	0	30000	28.75	2004
08.01.2020 10:27:01	1	1	1	1	111.8	48.75	0	27582.938	584.9462366	16102.79129	30000	0	0	30000	28.625	2004
08.01.2020 10:27:02	1	1	1	1	111.8	48.5	0	27440.758	589.2473118	15873.67162	30000	0	0	30000	27.9375	2004
08.01.2020 10:27:07	1	1	1	1	111.8	47.25	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	27.6875	2004
08.01.2020 10:27:07	1	1	1	1	111.8	47.25	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	27.6875	2004
08.01.2020 10:27:08	1	1	1	1	111.8	47.25	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	27.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 10:27:08	1	1	1	1	111.8	47.25	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	27.6875	2004
08.01.2020 10:27:08	1	1	1	1	111.8	47.25	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	27.6875	2004
08.01.2020 10:27:08	1	1	1	1	111.8	47.5	0	27630.332	582.7956989	16102.79129	30000	0	0	30000	28.875	2004
08.01.2020 10:27:09	1	1	1	1	111.8	48.75	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	27.75	2004
08.01.2020 10:27:10	1	1	1	1	111.8	47.75	0	27440.758	576.344086	15873.67162	30000	0	0	30000	27.5	2004
08.01.2020 10:27:11	1	1	1	1	111.8	47.5	0	27630.332	578.4946237	15956.02424	30000	0	0	30000	27.8125	2004
08.01.2020 10:27:12	1	1	1	1	111.8	47.75	0	27535.545	584.9462366	15991.90063	30000	0	0	30000	29.625	2004
08.01.2020 10:27:13	1	1	1	1	111.8	49.5	0	27582.938	582.7956989	15991.90063	30000	0	0	30000	28.0625	2004
08.01.2020 10:27:14	1	1	1	1	111.8	48	0	27630.332	580.6451613	15956.02424	30000	0	0	30000	28.5	2004
08.01.2020 10:27:15	1	1	1	1	111.8	47	0	27440.758	580.6451613	15929.11695	30000	0	0	30000	27.3125	2004
08.01.2020 10:27:16	1	1	1	1	111.8	47.25	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	28.375	2004
08.01.2020 10:27:17	1	1	1	1	111.8	48.25	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	27.75	2004
08.01.2020 10:27:18	1	1	1	1	111.8	47.75	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	28.3125	2004
08.01.2020 10:27:19	1	1	1	1	111.8	48.25	0	27440.758	587.0967742	15991.90063	30000	0	0	30000	27.9375	2004
08.01.2020 10:27:20	1	1	1	1	111.8	47.75	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	29.0625	2004
08.01.2020 10:27:21	1	1	1	1	111.8	49	0	27345.972	578.4946237	15877.74848	30000	0	0	30000	27.5	2004
08.01.2020 10:27:22	1	1	1	1	111.8	47.5	0	27630.332	584.9462366	16102.79129	30000	0	0	30000	28.4375	2004
08.01.2020 10:27:23	1	1	1	1	111.8	48.25	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	27.875	2004
08.01.2020 10:27:24	1	1	1	1	111.8	47.75	0	27535.545	582.7956989	16075.06863	30000	0	0	30000	29.25	2004
08.01.2020 10:27:25	1	1	1	1	111.8	49.25	0	27630.332	584.9462366	16102.79129	30000	0	0	30000	27.375	2004
08.01.2020 10:27:26	1	1	1	1	111.8	47.25	0	27440.758	580.6451613	16110.12964	30000	0	0	30000	28.1875	2004
08.01.2020 10:27:27	1	1	1	1	111.8	48	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	28.0625	2004
08.01.2020 10:27:28	1	1	1	1	111.8	48	0	27440.758	587.0967742	16051.42282	30000	0	0	30000	28.4375	2004
08.01.2020 10:27:29	1	1	1	1	111.8	48.25	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	29.0625	2004
08.01.2020 10:27:30	1	1	1	1	112.8	49	0	27440.758	580.6451613	16110.12964	30000	0	0	30000	28.375	2004
08.01.2020 10:27:31	1	1	1	1	112.8	48.25	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	28.625	2004
08.01.2020 10:27:32	1	1	1	1	112.8	48.5	0	27725.118	578.4946237	15983.74691	30000	0	0	30000	28.3125	2004
08.01.2020 10:27:33	1	1	1	1	112.8	48.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	28.625	2004
08.01.2020 10:27:34	1	1	1	1	112.8	48.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	29	2004
08.01.2020 10:27:35	1	1	1	1	112.8	49	0	27630.332	580.6451613	15864.70252	30000	0	0	30000	28.6875	2004
08.01.2020 10:27:36	1	1	1	1	112.8	48.5	0	27582.938	580.6451613	16047.34596	30000	0	0	30000	28.4375	2004
08.01.2020 10:27:40	1	1	1	1	112.8	49.25	0	27345.972	582.7956989	15995.9775	30000	0	0	30000	29.375	2004
08.01.2020 10:27:40	1	1	1	1	112.8	49.25	0	27345.972	582.7956989	15995.9775	30000	0	0	30000	29.375	2004
08.01.2020 10:27:40	1	1	1	1	112.8	49.25	0	27345.972	582.7956989	15995.9775	30000	0	0	30000	29.375	2004
08.01.2020 10:27:41	1	1	1	1	113.5	49.25	0	27630.332	584.9462366	16102.79129	30000	0	0	30000	29.0625	2004
08.01.2020 10:27:42	1	1	1	1	113.5	49	0	27535.545	582.7956989	16047.34596	30000	0	0	30000	27.75	2004
08.01.2020 10:27:43	1	1	1	1	113.5	47.75	0	27535.545	582.7956989	15873.67162	30000	0	0	30000	29.5	2004
08.01.2020 10:27:44	1	1	1	1	113.5	49.5	0	27440.758	576.344086	15933.19381	30000	0	0	30000	28.1875	2004
08.01.2020 10:27:45	1	1	1	1	113.5	48	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	28.875	2004
08.01.2020 10:27:46	1	1	1	1	113.5	48.75	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	29.5	2004
08.01.2020 10:27:47	1	1	1	1	113.5	49.5	0	27345.972	582.7956989	15995.9775	30000	0	0	30000	29	2004
08.01.2020 10:27:48	1	1	1	1	113.5	49	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	29.0625	2004
08.01.2020 10:27:49	1	1	1	1	113.5	49	0	27109.005	584.9462366	15857.36417	30000	0	0	30000	27.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 10:27:50	1	1	1	1	113.5	47.75	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	29.125	2004
08.01.2020 10:27:51	1	1	1	1	114	49	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	28.8125	2004
08.01.2020 10:27:52	1	1	1	1	114	48.25	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	27.75	2004
08.01.2020 10:27:53	1	1	1	1	114	47.75	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	27.4375	2004
08.01.2020 10:27:54	1	1	1	1	114	47.25	0	27156.398	584.9462366	15885.08684	30000	0	0	30000	29.375	2004
08.01.2020 10:27:55	1	1	1	1	114	49.25	0	27345.972	587.0967742	16026.96165	30000	0	0	30000	28.25	2004
08.01.2020 10:27:56	1	1	1	1	114	48.25	0	27345.972	587.0967742	16113.39113	30000	0	0	30000	29	2004
08.01.2020 10:27:57	1	1	1	1	114	49	0	27440.758	582.7956989	15936.4553	30000	0	0	30000	29.3125	2004
08.01.2020 10:27:58	1	1	1	1	114	49.25	0	27345.972	584.9462366	16054.68431	30000	0	0	30000	29.4375	2004
08.01.2020 10:27:59	1	1	1	1	114	49.25	0	27345.972	584.9462366	15991.90063	30000	0	0	30000	27.9375	2004
08.01.2020 10:28:00	1	1	1	1	114.3	47.75	0	27109.005	580.6451613	15792.13437	30000	0	0	30000	29	2004
08.01.2020 10:28:01	1	1	1	1	114.3	49	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	29.4375	2004
08.01.2020 10:28:02	1	1	1	1	114.3	49.25	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	27.1875	2004
08.01.2020 10:28:03	1	1	1	1	114.3	47	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	28.5	2004
08.01.2020 10:28:09	1	1	1	1	114.3	48.75	0	27535.545	584.9462366	16051.42282	30000	0	0	30000	28.625	2004
08.01.2020 10:28:09	1	1	1	1	114.3	48.75	0	27535.545	584.9462366	16051.42282	30000	0	0	30000	28.625	2004
08.01.2020 10:28:09	1	1	1	1	114.3	48.75	0	27535.545	584.9462366	16051.42282	30000	0	0	30000	28.625	2004
08.01.2020 10:28:09	1	1	1	1	114.3	48.75	0	27535.545	584.9462366	16051.42282	30000	0	0	30000	28.625	2004
08.01.2020 10:28:09	1	1	1	1	114.3	48.75	0	27535.545	584.9462366	16051.42282	30000	0	0	30000	28.625	2004
08.01.2020 10:28:09	1	1	1	1	114.3	48.5	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	27.625	2004
08.01.2020 10:28:10	1	1	1	1	113.3	47.5	0	27345.972	576.344086	15760.33485	30000	0	0	30000	29.25	2004
08.01.2020 10:28:11	1	1	1	1	113.3	49.25	0	27440.758	582.7956989	15756.25798	30000	0	0	30000	28.1875	2004
08.01.2020 10:28:12	1	1	1	1	113.3	48	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	28.875	2004
08.01.2020 10:28:13	1	1	1	1	113.3	48.75	0	27535.545	580.6451613	15991.90063	30000	0	0	30000	27.5	2004
08.01.2020 10:28:14	1	1	1	1	113.3	47.5	0	27582.938	582.7956989	16102.79129	30000	0	0	30000	27.875	2004
08.01.2020 10:28:16	1	1	1	1	113.3	47.75	0	27582.938	582.7956989	16043.2691	30000	0	0	30000	29.125	2004
08.01.2020 10:28:17	1	1	1	1	113.3	49	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	28.6875	2004
08.01.2020 10:28:18	1	1	1	1	113.3	48.5	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	29.3125	2004
08.01.2020 10:28:19	1	1	1	1	113.3	49.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	27.5625	2004
08.01.2020 10:28:20	1	1	1	1	113.3	47.5	0	27582.938	580.6451613	15929.11695	30000	0	0	30000	29.4375	2004
08.01.2020 10:28:21	1	1	1	1	113	49.25	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	28.375	2004
08.01.2020 10:28:22	1	1	1	1	113	48.25	0	27630.332	587.0967742	16047.34596	30000	0	0	30000	28.75	2004
08.01.2020 10:28:23	1	1	1	1	113	48.75	0	27772.512	578.4946237	15924.22472	30000	0	0	30000	29.6875	2004
08.01.2020 10:28:24	1	1	1	1	113	49.5	0	27535.545	580.6451613	15873.67162	30000	0	0	30000	28.5625	2004
08.01.2020 10:28:25	1	1	1	1	113	48.5	0	27535.545	580.6451613	15956.02424	30000	0	0	30000	29.5625	2004
08.01.2020 10:28:26	1	1	1	1	113	49.5	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	28.625	2004
08.01.2020 10:28:27	1	1	1	1	113	48.5	0	27535.545	578.4946237	15873.67162	30000	0	0	30000	28.5625	2004
08.01.2020 10:28:28	1	1	1	1	113	48.5	0	27582.938	578.4946237	15987.82377	30000	0	0	30000	28.125	2004
08.01.2020 10:28:29	1	1	1	1	113	48	0	27582.938	580.6451613	16015.54644	30000	0	0	30000	29.125	2004
08.01.2020 10:28:30	1	1	1	1	113	49	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	29.5625	2004
08.01.2020 10:28:31	1	1	1	1	113.8	49.5	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	29	2004
08.01.2020 10:28:32	1	1	1	1	113.8	49	0	27345.972	584.9462366	15936.4553	30000	0	0	30000	29.75	2004
08.01.2020 10:28:33	1	1	1	1	113.8	49.75	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	28.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 10:28:34	1	1	1	1	113.8	48.5	0	27298.578	582.7956989	15995.9775	30000	0	0	30000	29.75	2004
08.01.2020 10:28:35	1	1	1	1	113.8	49.75	0	27345.972	582.7956989	15877.74848	30000	0	0	30000	29	2004
08.01.2020 10:28:36	1	1	1	1	113.8	49	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	29	2004
08.01.2020 10:28:37	1	1	1	1	113.8	49	0	27393.365	584.9462366	15936.4553	30000	0	0	30000	29.625	2004
08.01.2020 10:28:38	1	1	1	1	113.8	49.5	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	28.375	2004
08.01.2020 10:28:39	1	1	1	1	113.8	48.25	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	29.4375	2004
08.01.2020 10:28:40	1	1	1	1	114	49.25	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	27.9375	2004
08.01.2020 10:28:41	1	1	1	1	114	47.75	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	29.625	2004
08.01.2020 10:28:42	1	1	1	1	114	49.5	0	27345.972	584.9462366	15909.54801	30000	0	0	30000	29.5625	2004
08.01.2020 10:28:43	1	1	1	1	114	49.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	29.75	2004
08.01.2020 10:28:44	1	1	1	1	114	49.75	0	27440.758	578.4946237	16110.12964	30000	0	0	30000	27.9375	2004
08.01.2020 10:28:45	1	1	1	1	114	47.75	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	29.0625	2004
08.01.2020 10:28:46	1	1	1	1	114	49	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	28.6875	2004
08.01.2020 10:28:47	1	1	1	1	114	48.5	0	27440.758	584.9462366	15995.9775	30000	0	0	30000	28.375	2004
08.01.2020 10:28:48	1	1	1	1	114	48.25	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	28.8125	2004
08.01.2020 10:28:49	1	1	1	1	114	48.75	0	27440.758	580.6451613	16110.12964	30000	0	0	30000	29.1875	2004
08.01.2020 10:28:50	1	1	1	1	113.3	49	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	29	2004
08.01.2020 10:28:51	1	1	1	1	113.3	49	0	27440.758	580.6451613	16051.42282	30000	0	0	30000	28.875	2004
08.01.2020 10:28:52	1	1	1	1	113.3	48.75	0	27298.578	580.6451613	15909.54801	30000	0	0	30000	29.1875	2004
08.01.2020 10:28:53	1	1	1	1	113.3	49	0	27345.972	584.9462366	15936.4553	30000	0	0	30000	29.1875	2004
08.01.2020 10:28:55	1	1	1	1	113.3	49	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	28.5625	2004
08.01.2020 10:28:56	1	1	1	1	113.3	48.5	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	28.75	2004
08.01.2020 10:28:57	1	1	1	1	113.3	48.75	0	27298.578	578.4946237	16026.96165	30000	0	0	30000	28.5625	2004
08.01.2020 10:28:58	1	1	1	1	113.3	48.5	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	28.6875	2004
08.01.2020 10:28:59	1	1	1	1	113.3	48.5	0	27298.578	584.9462366	15885.08684	30000	0	0	30000	29	2004
08.01.2020 10:29:00	1	1	1	1	113.3	49	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	29.3125	2004
08.01.2020 10:29:01	1	1	1	1	114	49.25	0	27298.578	584.9462366	15850.84119	30000	0	0	30000	28.375	2004
08.01.2020 10:29:02	1	1	1	1	114	48.25	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	29.8125	2004
08.01.2020 10:29:03	1	1	1	1	114	49.75	0	27345.972	580.6451613	15616.01392	30000	0	0	30000	28.8125	2004
08.01.2020 10:29:04	1	1	1	1	114	48.75	0	27582.938	580.6451613	16075.06863	30000	0	0	30000	29.8125	2004
08.01.2020 10:29:05	1	1	1	1	114	49.75	0	27582.938	582.7956989	16102.79129	30000	0	0	30000	29.375	2004
08.01.2020 10:29:11	1	1	1	1	114.5	48.75	0	27393.365	584.9462366	16110.12964	30000	0	0	30000	29.0625	2004
08.01.2020 10:29:11	1	1	1	1	114.5	48.75	0	27393.365	584.9462366	16110.12964	30000	0	0	30000	29.0625	2004
08.01.2020 10:29:11	1	1	1	1	114.5	48.75	0	27393.365	584.9462366	16110.12964	30000	0	0	30000	29.0625	2004
08.01.2020 10:29:11	1	1	1	1	114.5	48.75	0	27393.365	584.9462366	16110.12964	30000	0	0	30000	29.0625	2004
08.01.2020 10:29:11	1	1	1	1	114.5	49	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	29.3125	2004
08.01.2020 10:29:12	1	1	1	1	114.5	49.25	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	30	2004
08.01.2020 10:29:13	1	1	1	1	114.5	50	0	27345.972	582.7956989	15936.4553	30000	0	0	30000	27.8125	2004
08.01.2020 10:29:14	1	1	1	1	114.5	47.75	0	27630.332	584.9462366	16162.31348	30000	0	0	30000	28.75	2004
08.01.2020 10:29:15	1	1	1	1	114.5	48.75	0	27440.758	582.7956989	15873.67162	30000	0	0	30000	28.5625	2004
08.01.2020 10:29:16	1	1	1	1	114.5	48.5	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	28.9375	2004
08.01.2020 10:29:17	1	1	1	1	114.5	48.75	0	27582.938	582.7956989	16075.06863	30000	0	0	30000	29.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 10:29:18	1	1	1	1	114.5	49.75	0	27345.972	578.4946237	15991.90063	30000	0	0	30000	29.375	2004
08.01.2020 10:29:19	1	1	1	1	114.5	49.25	0	27535.545	589.2473118	16252.81983	30000	0	0	30000	29.0625	2004
08.01.2020 10:29:20	1	1	1	1	114.5	49	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	29.1875	2004
08.01.2020 10:29:21	1	1	1	1	114.5	49	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	30.1875	2004
08.01.2020 10:29:22	1	1	1	1	114.5	50	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	29.875	2004
08.01.2020 10:29:23	1	1	1	1	114.5	49.75	0	27298.578	582.7956989	15968.25483	30000	0	0	30000	29	2004
08.01.2020 10:29:24	1	1	1	1	114.5	49	0	27345.972	582.7956989	15936.4553	30000	0	0	30000	29.625	2004
08.01.2020 10:29:25	1	1	1	1	114.5	49.5	0	27440.758	580.6451613	16051.42282	30000	0	0	30000	27.8125	2004
08.01.2020 10:29:26	1	1	1	1	114.5	47.75	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	28.125	2004
08.01.2020 10:29:27	1	1	1	1	114.5	48	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	29.375	2004
08.01.2020 10:29:28	1	1	1	1	114.5	49.25	0	27298.578	584.9462366	16054.68431	30000	0	0	30000	28.9375	2004
08.01.2020 10:29:29	1	1	1	1	114.5	48.75	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	28.6875	2004
08.01.2020 10:29:30	1	1	1	1	115.3	48.5	0	27535.545	582.7956989	16134.59082	30000	0	0	30000	28.75	2004
08.01.2020 10:29:31	1	1	1	1	115.3	48.75	0	27630.332	582.7956989	16102.79129	30000	0	0	30000	28	2004
08.01.2020 10:29:32	1	1	1	1	115.3	48	0	27440.758	584.9462366	16047.34596	30000	0	0	30000	27.875	2004
08.01.2020 10:29:34	1	1	1	1	115.3	47.75	0	27345.972	580.6451613	15936.4553	30000	0	0	30000	28.875	2004
08.01.2020 10:29:35	1	1	1	1	115.3	48.75	0	27345.972	584.9462366	15991.90063	30000	0	0	30000	28.0625	2004
08.01.2020 10:29:36	1	1	1	1	115.3	48	0	27440.758	582.7956989	16051.42282	30000	0	0	30000	29.5625	2004
08.01.2020 10:29:37	1	1	1	1	115.3	49.5	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	28.25	2004
08.01.2020 10:29:38	1	1	1	1	115.3	48.25	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	29.5625	2004
08.01.2020 10:29:39	1	1	1	1	115.3	49.5	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	28.1875	2004
08.01.2020 10:29:40	1	1	1	1	115.3	48	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	30.0625	2004
08.01.2020 10:29:41	1	1	1	1	114.3	50	0	27630.332	576.344086	15983.74691	30000	0	0	30000	28.75	2004
08.01.2020 10:29:42	1	1	1	1	114.3	48.75	0	27819.905	576.344086	16093.00682	30000	0	0	30000	29.75	2004
08.01.2020 10:29:43	1	1	1	1	114.3	49.75	0	27819.905	578.4946237	15983.74691	30000	0	0	30000	29.1875	2004
08.01.2020 10:29:44	1	1	1	1	114.3	49	0	27867.299	576.344086	16033.48463	30000	0	0	30000	29.0625	2004
08.01.2020 10:29:45	1	1	1	1	114.3	49	0	27630.332	578.4946237	16332.72633	30000	0	0	30000	28.1875	2004
08.01.2020 10:29:46	1	1	1	1	114.3	48	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	30.0625	2004
08.01.2020 10:29:47	1	1	1	1	114.3	50	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	28.375	2004
08.01.2020 10:29:48	1	1	1	1	114.3	48.25	0	27630.332	578.4946237	16102.79129	30000	0	0	30000	29.5625	2004
08.01.2020 10:29:49	1	1	1	1	114.3	49.25	0	27630.332	576.344086	15983.74691	30000	0	0	30000	29.5	2004
08.01.2020 10:29:50	1	1	1	1	115.5	49.5	0	27535.545	580.6451613	16015.54644	30000	0	0	30000	29.75	2004
08.01.2020 10:29:51	1	1	1	1	115.5	49.75	0	27440.758	580.6451613	15873.67162	30000	0	0	30000	28.4375	2004
08.01.2020 10:29:52	1	1	1	1	115.5	48.25	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	28.75	2004
08.01.2020 10:29:53	1	1	1	1	115.5	48.75	0	27535.545	580.6451613	15933.19381	30000	0	0	30000	29.5	2004
08.01.2020 10:29:54	1	1	1	1	115.5	49.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	29.4375	2004
08.01.2020 10:29:55	1	1	1	1	115.5	49.25	0	27535.545	578.4946237	15814.9648	30000	0	0	30000	29.5	2004
08.01.2020 10:29:56	1	1	1	1	115.5	49.5	0	27630.332	578.4946237	16102.79129	30000	0	0	30000	28.875	2004
08.01.2020 10:29:57	1	1	1	1	115.5	48.75	0	27440.758	582.7956989	15756.25798	30000	0	0	30000	28.8125	2004
08.01.2020 10:29:58	1	1	1	1	115.5	48.75	0	27582.938	582.7956989	15873.67162	30000	0	0	30000	30	2004
08.01.2020 10:29:59	1	1	1	1	115.5	50	0	27440.758	578.4946237	15991.90063	30000	0	0	30000	29.5625	2004
08.01.2020 10:30:00	1	1	1	1	115	49.5	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	29	2004
08.01.2020 10:30:01	1	1	1	1	115	49	0	27298.578	572.0430108	15936.4553	30000	0	0	30000	30.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 10:30:02	1	1	1	1	115	50	0	27345.972	580.6451613	15877.74848	30000	0	0	30000	28.5625	2004
08.01.2020 10:30:03	1	1	1	1	115	48.5	0	27630.332	576.344086	16162.31348	30000	0	0	30000	30.1875	2004
08.01.2020 10:30:04	1	1	1	1	115	50	0	27630.332	582.7956989	16102.79129	30000	0	0	30000	28.75	2004
08.01.2020 10:30:05	1	1	1	1	115	48.75	0	27630.332	584.9462366	16102.79129	30000	0	0	30000	29.75	2004
08.01.2020 10:30:06	1	1	1	1	115	49.75	0	27772.512	580.6451613	16153.34439	30000	0	0	30000	29.5	2004
08.01.2020 10:30:12	1	1	1	1	116	48.25	0	27630.332	584.9462366	16097.89906	30000	0	0	30000	29	2004
08.01.2020 10:30:12	1	1	1	1	116	48.25	0	27630.332	584.9462366	16097.89906	30000	0	0	30000	29	2004
08.01.2020 10:30:12	1	1	1	1	116	48.25	0	27630.332	584.9462366	16097.89906	30000	0	0	30000	29	2004
08.01.2020 10:30:12	1	1	1	1	116	48.25	0	27630.332	584.9462366	16097.89906	30000	0	0	30000	29	2004
08.01.2020 10:30:12	1	1	1	1	116	48.25	0	27630.332	584.9462366	16097.89906	30000	0	0	30000	29	2004
08.01.2020 10:30:13	1	1	1	1	116	49	0	27582.938	584.9462366	16102.79129	30000	0	0	30000	30.125	2004
08.01.2020 10:30:14	1	1	1	1	116	50	0	27440.758	584.9462366	15701.62803	30000	0	0	30000	30.25	2004
08.01.2020 10:30:15	1	1	1	1	116	50.25	0	27535.545	582.7956989	16134.59082	30000	0	0	30000	29.75	2004
08.01.2020 10:30:16	1	1	1	1	116	49.75	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	29.1875	2004
08.01.2020 10:30:17	1	1	1	1	116	49	0	27535.545	578.4946237	15873.67162	30000	0	0	30000	28.3125	2004
08.01.2020 10:30:18	1	1	1	1	116	48.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	28.8125	2004
08.01.2020 10:30:19	1	1	1	1	116	48.75	0	27582.938	584.9462366	16134.59082	30000	0	0	30000	28.3125	2004
08.01.2020 10:30:20	1	1	1	1	116	48.25	0	27345.972	574.1935484	15819.04167	30000	0	0	30000	30.1875	2004
08.01.2020 10:30:21	1	1	1	1	115.8	50	0	27582.938	584.9462366	16134.59082	30000	0	0	30000	29.5625	2004
08.01.2020 10:30:22	1	1	1	1	115.8	49.5	0	27440.758	578.4946237	15933.19381	30000	0	0	30000	30.25	2004
08.01.2020 10:30:23	1	1	1	1	115.8	50.25	0	27535.545	580.6451613	15991.90063	30000	0	0	30000	30.125	2004
08.01.2020 10:30:24	1	1	1	1	115.8	50	0	27630.332	589.2473118	15873.67162	30000	0	0	30000	30.375	2004
08.01.2020 10:30:25	1	1	1	1	115.8	50.25	0	27440.758	578.4946237	15933.19381	30000	0	0	30000	29.0625	2004
08.01.2020 10:30:26	1	1	1	1	115.8	49	0	27345.972	580.6451613	15995.9775	30000	0	0	30000	29.8125	2004
08.01.2020 10:30:27	1	1	1	1	115.8	49.75	0	27582.938	584.9462366	16134.59082	30000	0	0	30000	30.125	2004
08.01.2020 10:30:28	1	1	1	1	115.8	49.75	0	27298.578	580.6451613	15909.54801	30000	0	0	30000	29.0625	2004
08.01.2020 10:30:29	1	1	1	1	115.8	49	0	27345.972	582.7956989	16051.42282	30000	0	0	30000	29	2004
08.01.2020 10:30:30	1	1	1	1	116.3	49	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	29.8125	2004
08.01.2020 10:30:31	1	1	1	1	116.3	49.75	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	28.875	2004
08.01.2020 10:30:32	1	1	1	1	116.3	48.75	0	27440.758	582.7956989	15873.67162	30000	0	0	30000	29.9375	2004
08.01.2020 10:30:33	1	1	1	1	116.3	49.75	0	27440.758	582.7956989	16051.42282	30000	0	0	30000	30.125	2004
08.01.2020 10:30:34	1	1	1	1	116.3	50	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	29	2004
08.01.2020 10:30:35	1	1	1	1	116.3	49	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	29.875	2004
08.01.2020 10:30:36	1	1	1	1	116.3	49.75	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	29.6875	2004
08.01.2020 10:30:37	1	1	1	1	116.3	49.5	0	27345.972	580.6451613	15877.74848	30000	0	0	30000	29	2004
08.01.2020 10:30:38	1	1	1	1	116.3	49	0	27440.758	584.9462366	16106.86815	30000	0	0	30000	29.4375	2004
08.01.2020 10:30:39	1	1	1	1	116.3	49.25	0	27393.365	584.9462366	16082.40698	30000	0	0	30000	30.3125	2004
08.01.2020 10:30:40	1	1	1	1	115.3	50.25	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	29.75	2004
08.01.2020 10:30:41	1	1	1	1	115.3	49.75	0	27582.938	584.9462366	16193.29764	30000	0	0	30000	29.6875	2004
08.01.2020 10:30:42	1	1	1	1	115.3	49.5	0	27393.365	584.9462366	15995.9775	30000	0	0	30000	30.25	2004
08.01.2020 10:30:43	1	1	1	1	115.3	50.25	0	27345.972	582.7956989	16051.42282	30000	0	0	30000	29.75	2004
08.01.2020 10:30:44	1	1	1	1	115.3	49.75	0	27345.972	584.9462366	15936.4553	30000	0	0	30000	30.4375	2004
08.01.2020 10:30:45	1	1	1	1	115.3	50.25	0	27345.972	582.7956989	15909.54801	30000	0	0	30000	30.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 10:30:46	1	1	1	1	115.3	50	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	29	2004
08.01.2020 10:30:47	1	1	1	1	115.3	49	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	30.25	2004
08.01.2020 10:30:48	1	1	1	1	115.3	50.25	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	29.5	2004
08.01.2020 10:30:49	1	1	1	1	115.3	49.5	0	27345.972	584.9462366	15936.4553	30000	0	0	30000	29.75	2004
08.01.2020 10:30:51	1	1	1	1	116	49.75	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	29.3125	2004
08.01.2020 10:30:52	1	1	1	1	116	49.25	0	27535.545	584.9462366	16106.86815	30000	0	0	30000	29.75	2004
08.01.2020 10:30:53	1	1	1	1	116	49.75	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	30.4375	2004
08.01.2020 10:30:54	1	1	1	1	116	50.25	0	27298.578	587.0967742	15968.25483	30000	0	0	30000	30.0625	2004
08.01.2020 10:30:55	1	1	1	1	116	50	0	27156.398	584.9462366	15885.08684	30000	0	0	30000	29.1875	2004
08.01.2020 10:30:56	1	1	1	1	116	49	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	30.3125	2004
08.01.2020 10:30:57	1	1	1	1	116	50.25	0	27298.578	582.7956989	15968.25483	30000	0	0	30000	29.25	2004
08.01.2020 10:30:58	1	1	1	1	116	49.25	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	29.5	2004
08.01.2020 10:30:59	1	1	1	1	116	49.5	0	27345.972	582.7956989	15936.4553	30000	0	0	30000	30.375	2004
08.01.2020 10:31:00	1	1	1	1	116	50.25	0	27393.365	584.9462366	15936.4553	30000	0	0	30000	28.375	2004
08.01.2020 10:31:01	1	1	1	1	116.3	48.25	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	29.5625	2004
08.01.2020 10:31:02	1	1	1	1	116.3	49.5	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	29.625	2004
08.01.2020 10:31:03	1	1	1	1	116.3	49.5	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	30.5	2004
08.01.2020 10:31:04	1	1	1	1	116.3	50.5	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	27.8125	2004
08.01.2020 10:31:05	1	1	1	1	116.3	47.75	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	29.1875	2004
08.01.2020 10:31:06	1	1	1	1	116.3	49	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	30.3125	2004
08.01.2020 10:31:07	1	1	1	1	116.3	49.5	0	27345.972	584.9462366	15936.4553	30000	0	0	30000	28.75	2004
08.01.2020 10:31:08	1	1	1	1	116.3	48.75	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	29.625	2004
08.01.2020 10:31:14	1	1	1	1	115.8	49.25	0	27440.758	584.9462366	15933.19381	30000	0	0	30000	29.5	2004
08.01.2020 10:31:14	1	1	1	1	115.8	49.25	0	27440.758	584.9462366	15933.19381	30000	0	0	30000	29.5	2004
08.01.2020 10:31:14	1	1	1	1	115.8	49.25	0	27440.758	584.9462366	15933.19381	30000	0	0	30000	29.5	2004
08.01.2020 10:31:14	1	1	1	1	115.8	49.5	0	27298.578	580.6451613	15909.54801	30000	0	0	30000	29.125	2004
08.01.2020 10:31:15	1	1	1	1	115.8	49	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	29.875	2004
08.01.2020 10:31:16	1	1	1	1	115.8	49.75	0	27345.972	582.7956989	15936.4553	30000	0	0	30000	27.9375	2004
08.01.2020 10:31:17	1	1	1	1	115.8	47.75	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	29.875	2004
08.01.2020 10:31:18	1	1	1	1	115.8	49.75	0	27298.578	587.0967742	15850.84119	30000	0	0	30000	29.75	2004
08.01.2020 10:31:19	1	1	1	1	115.8	49.75	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	30.25	2004
08.01.2020 10:31:20	1	1	1	1	115.5	50.25	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	30.3125	2004
08.01.2020 10:31:21	1	1	1	1	115.5	50.25	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	30.5	2004
08.01.2020 10:31:22	1	1	1	1	115.5	50.5	0	27345.972	584.9462366	15936.4553	30000	0	0	30000	29.1875	2004
08.01.2020 10:31:23	1	1	1	1	115.5	49	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	29	2004
08.01.2020 10:31:24	1	1	1	1	115.5	49	0	27535.545	580.6451613	15991.90063	30000	0	0	30000	29.25	2004
08.01.2020 10:31:25	1	1	1	1	115.5	49.25	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	30.375	2004
08.01.2020 10:31:26	1	1	1	1	115.5	50.25	0	27440.758	584.9462366	16134.59082	30000	0	0	30000	29.0625	2004
08.01.2020 10:31:27	1	1	1	1	115.5	49	0	27440.758	584.9462366	15995.9775	30000	0	0	30000	29.125	2004
08.01.2020 10:31:29	1	1	1	1	115.5	49	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	29.9375	2004
08.01.2020 10:31:30	1	1	1	1	115.5	49.75	0	27345.972	584.9462366	16172.09795	30000	0	0	30000	30.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 10:31:31	1	1	1	1	115.3	50.25	0	27156.398	584.9462366	15798.65735	30000	0	0	30000	30	2004
08.01.2020 10:31:32	1	1	1	1	115.3	50	0	27440.758	587.0967742	16054.68431	30000	0	0	30000	30.3125	2004
08.01.2020 10:31:33	1	1	1	1	115.3	50.25	0	27298.578	580.6451613	15909.54801	30000	0	0	30000	30.1875	2004
08.01.2020 10:31:34	1	1	1	1	115.3	50	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	29.625	2004
08.01.2020 10:31:35	1	1	1	1	115.3	49.5	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	29.0625	2004
08.01.2020 10:31:36	1	1	1	1	115.3	49	0	27298.578	587.0967742	16054.68431	30000	0	0	30000	29	2004
08.01.2020 10:31:37	1	1	1	1	115.3	49	0	27156.398	587.0967742	15857.36417	30000	0	0	30000	29.5625	2004
08.01.2020 10:31:38	1	1	1	1	115.3	49.5	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	30.1875	2004
08.01.2020 10:31:39	1	1	1	1	115.3	50	0	27345.972	584.9462366	15936.4553	30000	0	0	30000	30.1875	2004
08.01.2020 10:31:40	1	1	1	1	115.3	50	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	28.75	2004
08.01.2020 10:31:41	1	1	1	1	115.8	48.75	0	27345.972	584.9462366	15936.4553	30000	0	0	30000	30.5	2004
08.01.2020 10:31:42	1	1	1	1	115.8	50.5	0	27298.578	580.6451613	15850.84119	30000	0	0	30000	30.25	2004
08.01.2020 10:31:43	1	1	1	1	115.8	50.25	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	30.6875	2004
08.01.2020 10:31:44	1	1	1	1	115.8	50.5	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	30.875	2004
08.01.2020 10:31:45	1	1	1	1	115.8	50.75	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	30.375	2004
08.01.2020 10:31:46	1	1	1	1	115.8	50	0	27345.972	589.2473118	16054.68431	30000	0	0	30000	30.1875	2004
08.01.2020 10:31:47	1	1	1	1	115.8	50	0	27345.972	589.2473118	15792.13437	30000	0	0	30000	29.8125	2004
08.01.2020 10:31:48	1	1	1	1	115.8	49.75	0	27440.758	589.2473118	16228.35866	30000	0	0	30000	29.4375	2004
08.01.2020 10:31:49	1	1	1	1	115.8	49.25	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	30.25	2004
08.01.2020 10:31:50	1	1	1	1	115	50.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	30.5625	2004
08.01.2020 10:31:51	1	1	1	1	115	50.5	0	27109.005	587.0967742	16085.66847	30000	0	0	30000	30.25	2004
08.01.2020 10:31:52	1	1	1	1	115	50.25	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	28.125	2004
08.01.2020 10:31:53	1	1	1	1	115	48	0	27014.218	589.2473118	16004.13122	30000	0	0	30000	29.25	2004
08.01.2020 10:31:54	1	1	1	1	115	49.25	0	27061.611	595.6989247	16004.13122	30000	0	0	30000	29.1875	2004
08.01.2020 10:31:55	1	1	1	1	115	49	0	27109.005	589.2473118	15973.96244	30000	0	0	30000	30.625	2004
08.01.2020 10:31:56	1	1	1	1	115	50.5	0	26966.825	584.9462366	15975.59318	30000	0	0	30000	29.875	2004
08.01.2020 10:31:57	1	1	1	1	115	49.75	0	27109.005	589.2473118	16031.85389	30000	0	0	30000	30.0625	2004
08.01.2020 10:31:58	1	1	1	1	115	50	0	27061.611	593.5483871	15889.97907	30000	0	0	30000	28	2004
08.01.2020 10:31:59	1	1	1	1	115	48	0	27298.578	589.2473118	15942.97828	30000	0	0	30000	30.5625	2004
08.01.2020 10:32:00	1	1	1	1	114.5	50.5	0	27345.972	589.2473118	16172.09795	30000	0	0	30000	29.5625	2004
08.01.2020 10:32:01	1	1	1	1	114.5	49.5	0	27203.791	587.0967742	16026.96165	30000	0	0	30000	30.25	2004
08.01.2020 10:32:02	1	1	1	1	114.5	50.25	0	27109.005	587.0967742	15915.25562	30000	0	0	30000	30.4375	2004
08.01.2020 10:32:03	1	1	1	1	114.5	50.25	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	29.4375	2004
08.01.2020 10:32:04	1	1	1	1	114.5	49.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	28.875	2004
08.01.2020 10:32:05	1	1	1	1	114.5	48.75	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	28.375	2004
08.01.2020 10:32:07	1	1	1	1	114.5	48.25	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	30.125	2004
08.01.2020 10:32:08	1	1	1	1	114.5	50	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	29.4375	2004
08.01.2020 10:32:09	1	1	1	1	114.5	49.25	0	27298.578	587.0967742	16144.37529	30000	0	0	30000	29.875	2004
08.01.2020 10:32:10	1	1	1	1	114.5	49.75	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	30.5	2004
08.01.2020 10:32:16	1	1	1	1	113.5	48.25	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	30	2004
08.01.2020 10:32:16	1	1	1	1	113.5	48.25	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	30	2004
08.01.2020 10:32:16	1	1	1	1	113.5	48.25	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	30	2004
08.01.2020 10:32:16	1	1	1	1	113.5	48.25	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	30	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 10:32:16	1	1	1	1	113.5	48.25	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	30	2004
08.01.2020 10:32:16	1	1	1	1	113.5	50	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	29.5625	2004
08.01.2020 10:32:17	1	1	1	1	113.5	49.5	0	27156.398	584.9462366	15654.33642	30000	0	0	30000	30.3125	2004
08.01.2020 10:32:18	1	1	1	1	113.5	50.25	0	27345.972	589.2473118	16054.68431	30000	0	0	30000	30.375	2004
08.01.2020 10:32:19	1	1	1	1	113.5	50.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	29.6875	2004
08.01.2020 10:32:20	1	1	1	1	113.5	49.5	0	27156.398	584.9462366	15968.25483	30000	0	0	30000	29.1875	2004
08.01.2020 10:32:21	1	1	1	1	113.5	49	0	27109.005	584.9462366	15857.36417	30000	0	0	30000	29.9375	2004
08.01.2020 10:32:22	1	1	1	1	113.5	49.75	0	27109.005	584.9462366	15887.53295	30000	0	0	30000	30.6875	2004
08.01.2020 10:32:23	1	1	1	1	113.5	50.5	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	28.375	2004
08.01.2020 10:32:24	1	1	1	1	113.5	50.25	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	28.4375	2004
08.01.2020 10:32:25	1	1	1	1	113.5	48.25	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	29.625	2004
08.01.2020 10:32:26	1	1	1	1	113.5	49.5	0	27109.005	584.9462366	15798.65735	30000	0	0	30000	30.625	2004
08.01.2020 10:32:27	1	1	1	1	113.5	50.5	0	27109.005	587.0967742	15915.25562	30000	0	0	30000	30.375	2004
08.01.2020 10:32:28	1	1	1	1	113.5	50.25	0	27345.972	589.2473118	16054.68431	30000	0	0	30000	30.5625	2004
08.01.2020 10:32:29	1	1	1	1	113.5	50.5	0	27298.578	587.0967742	15968.25483	30000	0	0	30000	30.5625	2004
08.01.2020 10:32:30	1	1	1	1	113.3	50.5	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	30.1875	2004
08.01.2020 10:32:31	1	1	1	1	113.3	50	0	27298.578	587.0967742	15792.13437	30000	0	0	30000	30.375	2004
08.01.2020 10:32:32	1	1	1	1	113.3	50.25	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	29.5625	2004
08.01.2020 10:32:33	1	1	1	1	113.3	49.5	0	27298.578	582.7956989	16026.96165	30000	0	0	30000	30.5	2004
08.01.2020 10:32:34	1	1	1	1	113.3	50.5	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	30.8125	2004
08.01.2020 10:32:35	1	1	1	1	113.3	50.75	0	27156.398	582.7956989	15968.25483	30000	0	0	30000	30.125	2004
08.01.2020 10:32:36	1	1	1	1	113.3	50	0	27156.398	587.0967742	16026.96165	30000	0	0	30000	30.25	2004
08.01.2020 10:32:37	1	1	1	1	113.3	50.25	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	30.125	2004
08.01.2020 10:32:38	1	1	1	1	113.3	50	0	27345.972	589.2473118	16172.09795	30000	0	0	30000	30.25	2004
08.01.2020 10:32:39	1	1	1	1	113.3	50.25	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	29.25	2004
08.01.2020 10:32:40	1	1	1	1	113.3	49.25	0	27345.972	584.9462366	16113.39113	30000	0	0	30000	30.1875	2004
08.01.2020 10:32:41	1	1	1	1	113.3	50	0	27345.972	587.0967742	16168.83646	30000	0	0	30000	29.625	2004
08.01.2020 10:32:42	1	1	1	1	113.3	49.5	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	30.375	2004
08.01.2020 10:32:44	1	1	1	1	113.3	50.25	0	27345.972	580.6451613	15877.74848	30000	0	0	30000	30.375	2004
08.01.2020 10:32:45	1	1	1	1	113.3	50.25	0	27345.972	584.9462366	15936.4553	30000	0	0	30000	29	2004
08.01.2020 10:32:46	1	1	1	1	113.3	49	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	30.625	2004
08.01.2020 10:32:47	1	1	1	1	113.3	50.5	0	27345.972	578.4946237	16110.12964	30000	0	0	30000	30.375	2004
08.01.2020 10:32:48	1	1	1	1	113.3	50.25	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	29.5625	2004
08.01.2020 10:32:49	1	1	1	1	113.3	49.5	0	27345.972	584.9462366	15991.90063	30000	0	0	30000	29.8125	2004
08.01.2020 10:32:50	1	1	1	1	113.3	49.75	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	31	2004
08.01.2020 10:32:51	1	1	1	1	114	51	0	27298.578	580.6451613	15909.54801	30000	0	0	30000	30.25	2004
08.01.2020 10:32:52	1	1	1	1	114	50.25	0	27345.972	580.6451613	16228.35866	30000	0	0	30000	30.5	2004
08.01.2020 10:32:53	1	1	1	1	114	50.5	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	30.8125	2004
08.01.2020 10:32:54	1	1	1	1	114	50.75	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	29.6875	2004
08.01.2020 10:32:55	1	1	1	1	114	49.5	0	27535.545	584.9462366	15991.90063	30000	0	0	30000	30.5	2004
08.01.2020 10:32:56	1	1	1	1	114	50.5	0	27440.758	580.6451613	15701.62803	30000	0	0	30000	30.0625	2004
08.01.2020 10:32:57	1	1	1	1	114	50	0	27345.972	580.6451613	15936.4553	30000	0	0	30000	30.0625	2004
08.01.2020 10:32:58	1	1	1	1	114	50	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	29.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 10:32:59	1	1	1	1	114	49.75	0	27345.972	582.7956989	15936.4553	30000	0	0	30000	30.4375	2004
08.01.2020 10:33:00	1	1	1	1	114	50.25	0	27535.545	584.9462366	16051.42282	30000	0	0	30000	29.9375	2004
08.01.2020 10:33:01	1	1	1	1	114	50.5	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	29.9375	2004
08.01.2020 10:33:02	1	1	1	1	114	49.75	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	30.6875	2004
08.01.2020 10:33:03	1	1	1	1	114	50.5	0	27393.365	584.9462366	16110.12964	30000	0	0	30000	30.875	2004
08.01.2020 10:33:04	1	1	1	1	114	50.75	0	27345.972	582.7956989	15936.4553	30000	0	0	30000	29.9375	2004
08.01.2020 10:33:05	1	1	1	1	114	49.75	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	30.625	2004
08.01.2020 10:33:06	1	1	1	1	114	50.5	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	31	2004
08.01.2020 10:33:07	1	1	1	1	114	51	0	27345.972	582.7956989	15819.04167	30000	0	0	30000	30.4375	2004
08.01.2020 10:33:08	1	1	1	1	114	50.25	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	30.3125	2004
08.01.2020 10:33:09	1	1	1	1	114	50.25	0	27345.972	580.6451613	15936.4553	30000	0	0	30000	30.25	2004
08.01.2020 10:33:10	1	1	1	1	113.8	50.25	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	30.4375	2004
08.01.2020 10:33:11	1	1	1	1	113.8	50.25	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	30.5625	2004
08.01.2020 10:33:17	1	1	1	1	113.8	50.75	0	27582.938	582.7956989	16075.06863	30000	0	0	30000	30.375	2004
08.01.2020 10:33:17	1	1	1	1	113.8	50.75	0	27582.938	582.7956989	16075.06863	30000	0	0	30000	30.375	2004
08.01.2020 10:33:17	1	1	1	1	113.8	50.75	0	27582.938	582.7956989	16075.06863	30000	0	0	30000	30.375	2004
08.01.2020 10:33:17	1	1	1	1	113.8	50.75	0	27582.938	582.7956989	16075.06863	30000	0	0	30000	30.375	2004
08.01.2020 10:33:17	1	1	1	1	113.8	50.75	0	27582.938	582.7956989	16075.06863	30000	0	0	30000	30.375	2004
08.01.2020 10:33:17	1	1	1	1	113.8	50.75	0	27582.938	582.7956989	16075.06863	30000	0	0	30000	30.375	2004
08.01.2020 10:33:18	1	1	1	1	113.8	50.25	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	31.0625	2004
08.01.2020 10:33:20	1	1	1	1	113.8	51	0	27630.332	580.6451613	16157.42125	30000	0	0	30000	30.25	2004
08.01.2020 10:33:21	1	1	1	1	114.3	50.25	0	27772.512	584.9462366	16093.00682	30000	0	0	30000	29.8125	2004
08.01.2020 10:33:22	1	1	1	1	114.3	49.75	0	27630.332	576.344086	15983.74691	30000	0	0	30000	30.75	2004
08.01.2020 10:33:23	1	1	1	1	114.3	50.75	0	27630.332	578.4946237	15805.18033	30000	0	0	30000	31	2004
08.01.2020 10:33:24	1	1	1	1	114.3	51	0	27772.512	584.9462366	15983.74691	30000	0	0	30000	30.8125	2004
08.01.2020 10:33:25	1	1	1	1	114.3	50.75	0	27582.938	578.4946237	15929.11695	30000	0	0	30000	30.9375	2004
08.01.2020 10:33:26	1	1	1	1	114.3	50.75	0	27582.938	576.344086	15983.74691	30000	0	0	30000	30.25	2004
08.01.2020 10:33:27	1	1	1	1	114.3	50.25	0	27582.938	578.4946237	15929.11695	30000	0	0	30000	30.1875	2004
08.01.2020 10:33:28	1	1	1	1	114.3	50	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	30.6875	2004
08.01.2020 10:33:29	1	1	1	1	114.3	50.5	0	27630.332	580.6451613	15956.02424	30000	0	0	30000	30.5	2004
08.01.2020 10:33:30	1	1	1	1	114.3	50.5	0	27582.938	580.6451613	15814.9648	30000	0	0	30000	30.75	2004
08.01.2020 10:33:31	1	1	1	1	114.5	50.75	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	30.875	2004
08.01.2020 10:33:32	1	1	1	1	114.5	50.75	0	27440.758	576.344086	15960.91648	30000	0	0	30000	30.5625	2004
08.01.2020 10:33:33	1	1	1	1	114.5	50.5	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	30.25	2004
08.01.2020 10:33:34	1	1	1	1	114.5	50.25	0	27535.545	580.6451613	16047.34596	30000	0	0	30000	29.75	2004
08.01.2020 10:33:35	1	1	1	1	114.5	49.75	0	27582.938	582.7956989	15991.90063	30000	0	0	30000	31.125	2004
08.01.2020 10:33:36	1	1	1	1	114.5	51	0	27345.972	584.9462366	15936.4553	30000	0	0	30000	29.125	2004
08.01.2020 10:33:37	1	1	1	1	114.5	49	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	30.9375	2004
08.01.2020 10:33:38	1	1	1	1	114.5	50.75	0	27582.938	587.0967742	16134.59082	30000	0	0	30000	31.4375	2004
08.01.2020 10:33:39	1	1	1	1	114.5	51.25	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	30.875	2004
08.01.2020 10:33:40	1	1	1	1	113.3	51	0	27535.545	584.9462366	16051.42282	30000	0	0	30000	30.8125	2004
08.01.2020 10:33:41	1	1	1	1	113.3	50.75	0	27440.758	578.4946237	15991.90063	30000	0	0	30000	31.1875	2004
08.01.2020 10:33:42	1	1	1	1	113.3	51	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	30.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 10:33:43	1	1	1	1	113.3	50	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	31	2004
08.01.2020 10:33:44	1	1	1	1	113.3	51	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	29.75	2004
08.01.2020 10:33:45	1	1	1	1	113.3	49.75	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	29.75	2004
08.01.2020 10:33:46	1	1	1	1	113.3	49.75	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	29.8125	2004
08.01.2020 10:33:47	1	1	1	1	113.3	49.75	0	27440.758	589.2473118	15995.9775	30000	0	0	30000	30.625	2004
08.01.2020 10:33:48	1	1	1	1	113.3	50.5	0	27298.578	580.6451613	15968.25483	30000	0	0	30000	30.9375	2004
08.01.2020 10:33:49	1	1	1	1	113.3	50.75	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	30.8125	2004
08.01.2020 10:33:50	1	1	1	1	112.5	50.75	0	27345.972	584.9462366	15877.74848	30000	0	0	30000	30.625	2004
08.01.2020 10:33:51	1	1	1	1	112.5	50.5	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	30.875	2004
08.01.2020 10:33:52	1	1	1	1	112.5	50.75	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	30.9375	2004
08.01.2020 10:33:53	1	1	1	1	112.5	50.75	0	27345.972	578.4946237	15936.4553	30000	0	0	30000	29.5	2004
08.01.2020 10:33:54	1	1	1	1	112.5	49.5	0	27345.972	582.7956989	15995.9775	30000	0	0	30000	30.25	2004
08.01.2020 10:33:55	1	1	1	1	112.5	50.25	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	30.5625	2004
08.01.2020 10:33:56	1	1	1	1	112.5	50.5	0	27345.972	582.7956989	15936.4553	30000	0	0	30000	29.8125	2004
08.01.2020 10:33:57	1	1	1	1	112.5	49.75	0	27535.545	584.9462366	16165.57497	30000	0	0	30000	31.3125	2004
08.01.2020 10:33:58	1	1	1	1	112.5	51.25	0	27345.972	584.9462366	15819.04167	30000	0	0	30000	30.625	2004
08.01.2020 10:33:59	1	1	1	1	112.5	50.5	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	30.125	2004
08.01.2020 10:34:01	1	1	1	1	112	50	0	27298.578	580.6451613	15909.54801	30000	0	0	30000	30.25	2004
08.01.2020 10:34:02	1	1	1	1	112	50.25	0	27345.972	580.6451613	15991.90063	30000	0	0	30000	30.5	2004
08.01.2020 10:34:03	1	1	1	1	112	50.5	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	30.875	2004
08.01.2020 10:34:04	1	1	1	1	112	50.75	0	27298.578	580.6451613	15850.84119	30000	0	0	30000	30.5625	2004
08.01.2020 10:34:05	1	1	1	1	112	50.5	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	29.75	2004
08.01.2020 10:34:06	1	1	1	1	112	49.75	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	31.0625	2004
08.01.2020 10:34:07	1	1	1	1	112	51	0	27345.972	584.9462366	16054.68431	30000	0	0	30000	30.3125	2004
08.01.2020 10:34:08	1	1	1	1	112	50.25	0	27298.578	580.6451613	15850.84119	30000	0	0	30000	30.8125	2004
08.01.2020 10:34:09	1	1	1	1	112	50.75	0	27345.972	584.9462366	16054.68431	30000	0	0	30000	30.8125	2004
08.01.2020 10:34:10	1	1	1	1	112	50.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	29.9375	2004
08.01.2020 10:34:11	1	1	1	1	111.5	49.75	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	30.375	2004
08.01.2020 10:34:12	1	1	1	1	111.5	50.25	0	27298.578	584.9462366	15995.9775	30000	0	0	30000	30.5625	2004
08.01.2020 10:34:13	1	1	1	1	111.5	50.5	0	27393.365	584.9462366	15995.9775	30000	0	0	30000	30.75	2004
08.01.2020 10:34:19	1	1	1	1	111.5	51	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	30.875	2004
08.01.2020 10:34:19	1	1	1	1	111.5	51	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	30.875	2004
08.01.2020 10:34:19	1	1	1	1	111.5	51	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	30.875	2004
08.01.2020 10:34:19	1	1	1	1	111.5	51	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	30.875	2004
08.01.2020 10:34:19	1	1	1	1	111.5	50.5	0	27535.545	580.6451613	16075.06863	30000	0	0	30000	30.5	2004
08.01.2020 10:34:20	1	1	1	1	113.3	50.5	0	27582.938	580.6451613	16015.54644	30000	0	0	30000	31.375	2004
08.01.2020 10:34:21	1	1	1	1	113.3	51.25	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	31.375	2004
08.01.2020 10:34:22	1	1	1	1	113.3	51.25	0	27582.938	582.7956989	16075.06863	30000	0	0	30000	30.4375	2004
08.01.2020 10:34:23	1	1	1	1	113.3	50.25	0	27345.972	584.9462366	15909.54801	30000	0	0	30000	30.25	2004
08.01.2020 10:34:24	1	1	1	1	113.3	50.25	0	27535.545	576.344086	16075.06863	30000	0	0	30000	30.6875	2004
08.01.2020 10:34:25	1	1	1	1	113.3	50.5	0	27630.332	576.344086	16102.79129	30000	0	0	30000	29.8125	2004
08.01.2020 10:34:26	1	1	1	1	113.3	49.75	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	31.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 10:34:27	1	1	1	1	113.3	51.25	0	27535.545	580.6451613	15933.19381	30000	0	0	30000	30.875	2004
08.01.2020 10:34:28	1	1	1	1	113.3	50.75	0	27630.332	584.9462366	16102.79129	30000	0	0	30000	30.8125	2004
08.01.2020 10:34:29	1	1	1	1	113.3	50.75	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	30.625	2004
08.01.2020 10:34:30	1	1	1	1	113	50.5	0	27345.972	580.6451613	15936.4553	30000	0	0	30000	30.4375	2004
08.01.2020 10:34:31	1	1	1	1	113	50.25	0	27535.545	584.9462366	16134.59082	30000	0	0	30000	30.5625	2004
08.01.2020 10:34:32	1	1	1	1	113	50.5	0	27582.938	580.6451613	15897.31742	30000	0	0	30000	30.8125	2004
08.01.2020 10:34:33	1	1	1	1	113	50.75	0	27582.938	580.6451613	15933.19381	30000	0	0	30000	30.9375	2004
08.01.2020 10:34:34	1	1	1	1	113	50.75	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	31.3125	2004
08.01.2020 10:34:35	1	1	1	1	113	51.25	0	27582.938	580.6451613	15987.82377	30000	0	0	30000	31.4375	2004
08.01.2020 10:34:36	1	1	1	1	113	51.25	0	27440.758	584.9462366	15814.9648	30000	0	0	30000	30.5625	2004
08.01.2020 10:34:37	1	1	1	1	113	50.5	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	31.3125	2004
08.01.2020 10:34:38	1	1	1	1	113	51.25	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	30.3125	2004
08.01.2020 10:34:39	1	1	1	1	113	50.25	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	31.5	2004
08.01.2020 10:34:41	1	1	1	1	113.5	51.5	0	27298.578	580.6451613	15909.54801	30000	0	0	30000	30.0625	2004
08.01.2020 10:34:42	1	1	1	1	113.5	50	0	27345.972	582.7956989	15995.9775	30000	0	0	30000	31	2004
08.01.2020 10:34:43	1	1	1	1	113.5	51	0	27345.972	584.9462366	16172.09795	30000	0	0	30000	29.5	2004
08.01.2020 10:34:44	1	1	1	1	113.5	49.5	0	27535.545	584.9462366	15991.90063	30000	0	0	30000	31.0625	2004
08.01.2020 10:34:45	1	1	1	1	113.5	51	0	27298.578	582.7956989	15995.9775	30000	0	0	30000	30.9375	2004
08.01.2020 10:34:46	1	1	1	1	113.5	50.75	0	27440.758	589.2473118	16110.12964	30000	0	0	30000	30.4375	2004
08.01.2020 10:34:47	1	1	1	1	113.5	50.25	0	27156.398	584.9462366	15682.05909	30000	0	0	30000	31.3125	2004
08.01.2020 10:34:48	1	1	1	1	113.5	51.25	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	30.25	2004
08.01.2020 10:34:49	1	1	1	1	113.5	50.25	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	31.5625	2004
08.01.2020 10:34:50	1	1	1	1	113.5	51.5	0	27298.578	587.0967742	15968.25483	30000	0	0	30000	30.8125	2004
08.01.2020 10:34:51	1	1	1	1	113.3	50.75	0	27298.578	584.9462366	16172.09795	30000	0	0	30000	30.25	2004
08.01.2020 10:34:52	1	1	1	1	113.3	50.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	31.0625	2004
08.01.2020 10:34:53	1	1	1	1	113.3	51	0	27109.005	584.9462366	15857.36417	30000	0	0	30000	30.75	2004
08.01.2020 10:34:54	1	1	1	1	113.3	50.75	0	27345.972	591.3978495	16172.09795	30000	0	0	30000	31.625	2004
08.01.2020 10:34:55	1	1	1	1	113.3	51.5	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	31.375	2004
08.01.2020 10:34:56	1	1	1	1	113.3	51.25	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	31.25	2004
08.01.2020 10:34:57	1	1	1	1	113.3	51.25	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	31.1875	2004
08.01.2020 10:34:58	1	1	1	1	113.3	51	0	27440.758	589.2473118	16228.35866	30000	0	0	30000	31.125	2004
08.01.2020 10:34:59	1	1	1	1	113.3	50.75	0	27203.791	587.0967742	16026.96165	30000	0	0	30000	31.5	2004
08.01.2020 10:35:00	1	1	1	1	113.8	51.5	0	27298.578	587.0967742	16261.78893	30000	0	0	30000	30.8125	2004
08.01.2020 10:35:01	1	1	1	1	113.8	50.75	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	30.3125	2004
08.01.2020 10:35:02	1	1	1	1	113.8	50.25	0	27440.758	587.0967742	16168.83646	30000	0	0	30000	29.875	2004
08.01.2020 10:35:03	1	1	1	1	113.8	49.75	0	27298.578	584.9462366	15850.84119	30000	0	0	30000	30.3125	2004
08.01.2020 10:35:04	1	1	1	1	113.8	50.25	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	30.8125	2004
08.01.2020 10:35:05	1	1	1	1	113.8	50.75	0	27345.972	584.9462366	15819.04167	30000	0	0	30000	30.8125	2004
08.01.2020 10:35:06	1	1	1	1	113.8	50.75	0	27298.578	580.6451613	15909.54801	30000	0	0	30000	30.25	2004
08.01.2020 10:35:07	1	1	1	1	113.8	50.25	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	31	2004
08.01.2020 10:35:08	1	1	1	1	113.8	51	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	31.75	2004
08.01.2020 10:35:09	1	1	1	1	113.8	51.75	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	31.5625	2004
08.01.2020 10:35:10	1	1	1	1	113.8	51.5	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	31.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 10:35:11	1	1	1	1	113.8	51.5	0	27345.972	582.7956989	15995.9775	30000	0	0	30000	29.75	2004
08.01.2020 10:35:12	1	1	1	1	113.8	49.75	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	31.5625	2004
08.01.2020 10:35:13	1	1	1	1	113.8	51.5	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	31.0625	2004
08.01.2020 10:35:14	1	1	1	1	113.8	51	0	27440.758	578.4946237	16051.42282	30000	0	0	30000	30.0625	2004
08.01.2020 10:35:20	1	1	1	1	113.8	50.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	31.25	2004
08.01.2020 10:35:20	1	1	1	1	113.8	50.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	31.25	2004
08.01.2020 10:35:20	1	1	1	1	113.8	50.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	31.25	2004
08.01.2020 10:35:20	1	1	1	1	113.8	50.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	31.25	2004
08.01.2020 10:35:20	1	1	1	1	113.8	50.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	31.25	2004
08.01.2020 10:35:21	1	1	1	1	113	51.25	0	27345.972	584.9462366	16054.68431	30000	0	0	30000	31.3125	2004
08.01.2020 10:35:22	1	1	1	1	113	51.25	0	27298.578	584.9462366	16054.68431	30000	0	0	30000	31.125	2004
08.01.2020 10:35:23	1	1	1	1	113	51	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	31.5625	2004
08.01.2020 10:35:24	1	1	1	1	113	51.5	0	27440.758	582.7956989	16051.42282	30000	0	0	30000	30.8125	2004
08.01.2020 10:35:25	1	1	1	1	113	50.75	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	30.875	2004
08.01.2020 10:35:26	1	1	1	1	113	50.75	0	27440.758	584.9462366	15936.4553	30000	0	0	30000	31	2004
08.01.2020 10:35:27	1	1	1	1	113	51	0	27440.758	584.9462366	16168.83646	30000	0	0	30000	31.0625	2004
08.01.2020 10:35:28	1	1	1	1	113	51	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	31	2004
08.01.2020 10:35:29	1	1	1	1	113	51	0	27298.578	584.9462366	15850.84119	30000	0	0	30000	30.8125	2004
08.01.2020 10:35:30	1	1	1	1	113	50.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	31.625	2004
08.01.2020 10:35:31	1	1	1	1	113.5	51.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	31.125	2004
08.01.2020 10:35:32	1	1	1	1	113.5	51	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	30.125	2004
08.01.2020 10:35:33	1	1	1	1	113.5	50	0	27061.611	584.9462366	15857.36417	30000	0	0	30000	31.375	2004
08.01.2020 10:35:34	1	1	1	1	113.5	51.25	0	27061.611	584.9462366	15887.53295	30000	0	0	30000	30.75	2004
08.01.2020 10:35:35	1	1	1	1	113.5	50.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	31.3125	2004
08.01.2020 10:35:36	1	1	1	1	113.5	51.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	31.4375	2004
08.01.2020 10:35:37	1	1	1	1	113.5	51.25	0	27203.791	587.0967742	15885.08684	30000	0	0	30000	30.6875	2004
08.01.2020 10:35:38	1	1	1	1	113.5	50	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	31.375	2004
08.01.2020 10:35:39	1	1	1	1	113.5	51.25	0	27298.578	578.4946237	16026.96165	30000	0	0	30000	30.5625	2004
08.01.2020 10:35:40	1	1	1	1	113	50.5	0	27440.758	591.3978495	16054.68431	30000	0	0	30000	31.75	2004
08.01.2020 10:35:41	1	1	1	1	113	51.75	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	30.5625	2004
08.01.2020 10:35:42	1	1	1	1	113	50.5	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	31.625	2004
08.01.2020 10:35:43	1	1	1	1	113	51.5	0	27298.578	587.0967742	15942.97828	30000	0	0	30000	31.1875	2004
08.01.2020 10:35:44	1	1	1	1	113	51	0	27345.972	589.2473118	16054.68431	30000	0	0	30000	31.75	2004
08.01.2020 10:35:45	1	1	1	1	113	51.75	0	27298.578	587.0967742	15942.97828	30000	0	0	30000	31	2004
08.01.2020 10:35:46	1	1	1	1	113	51	0	27156.398	589.2473118	16001.6851	30000	0	0	30000	29.8125	2004
08.01.2020 10:35:47	1	1	1	1	113	49.75	0	27156.398	587.0967742	16085.66847	30000	0	0	30000	31.75	2004
08.01.2020 10:35:48	1	1	1	1	113	51.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	30.3125	2004
08.01.2020 10:35:49	1	1	1	1	113	50.25	0	27298.578	587.0967742	15798.65735	30000	0	0	30000	31.125	2004
08.01.2020 10:35:50	1	1	1	1	113.5	51	0	27109.005	591.3978495	16031.85389	30000	0	0	30000	31.625	2004
08.01.2020 10:35:51	1	1	1	1	113.5	51.5	0	27109.005	589.2473118	16004.13122	30000	0	0	30000	30.3125	2004
08.01.2020 10:35:52	1	1	1	1	113.5	50.25	0	27109.005	589.2473118	16031.85389	30000	0	0	30000	30.875	2004
08.01.2020 10:35:53	1	1	1	1	113.5	50.75	0	27109.005	591.3978495	15973.96244	30000	0	0	30000	31.1875	2004
08.01.2020 10:35:54	1	1	1	1	113.5	51	0	27014.218	589.2473118	16004.13122	30000	0	0	30000	31.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 10:35:55	1	1	1	1	113.5	51.75	0	27061.611	589.2473118	15945.4244	30000	0	0	30000	30.375	2004
08.01.2020 10:35:56	1	1	1	1	113.5	50.25	0	27109.005	591.3978495	16062.02267	30000	0	0	30000	30.0625	2004
08.01.2020 10:35:58	1	1	1	1	113.5	50	0	27298.578	593.5483871	16144.37529	30000	0	0	30000	31.75	2004
08.01.2020 10:35:59	1	1	1	1	113.5	51.75	0	27061.611	589.2473118	15889.97907	30000	0	0	30000	31	2004
08.01.2020 10:36:00	1	1	1	1	113.5	51	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	30.4375	2004
08.01.2020 10:36:01	1	1	1	1	113	50.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	30.625	2004
08.01.2020 10:36:02	1	1	1	1	113	50.5	0	27156.398	587.0967742	15798.65735	30000	0	0	30000	29.75	2004
08.01.2020 10:36:03	1	1	1	1	113	49.75	0	27156.398	589.2473118	16059.57655	30000	0	0	30000	31.3125	2004
08.01.2020 10:36:04	1	1	1	1	113	51.25	0	27156.398	591.3978495	16059.57655	30000	0	0	30000	31.125	2004
08.01.2020 10:36:05	1	1	1	1	113	51	0	27109.005	589.2473118	16001.6851	30000	0	0	30000	30.375	2004
08.01.2020 10:36:06	1	1	1	1	113	50.25	0	27109.005	591.3978495	16031.85389	30000	0	0	30000	31.1875	2004
08.01.2020 10:36:07	1	1	1	1	113	51	0	27298.578	584.9462366	15942.97828	30000	0	0	30000	31.25	2004
08.01.2020 10:36:08	1	1	1	1	113	51.25	0	27109.005	587.0967742	16001.6851	30000	0	0	30000	30.5	2004
08.01.2020 10:36:09	1	1	1	1	113	50.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	30.75	2004
08.01.2020 10:36:10	1	1	1	1	113	50.75	0	27156.398	587.0967742	16026.96165	30000	0	0	30000	31.875	2004
08.01.2020 10:36:11	1	1	1	1	113.3	51.75	0	27298.578	589.2473118	16144.37529	30000	0	0	30000	30.75	2004
08.01.2020 10:36:12	1	1	1	1	113.3	50.75	0	27156.398	584.9462366	16026.96165	30000	0	0	30000	30.9375	2004
08.01.2020 10:36:13	1	1	1	1	113.3	50.75	0	0	0	0	30000	0	8	30000	31.9375	2004
08.01.2020 10:36:14	1	1	1	1	113.3	51.75	0	10426.54	0	0	30000	0	0	30000	29.25	2004
08.01.2020 10:36:15	1	1	1	1	113.3	49.25	0	11184.834	0	0	30000	0	0	30000	32.1875	2004
08.01.2020 10:36:16	1	1	1	1	113.3	52	0	11943.128	4.301075269	51.36846683	30000	0	0	30000	30.6875	2004
08.01.2020 10:36:22	1	1	1	1	111.8	50	0	15829.384	40.86021505	646.590384	30000	0	0	30000	29.3125	2004
08.01.2020 10:36:22	1	1	1	1	111.8	50	0	15829.384	40.86021505	646.590384	30000	0	0	30000	29.3125	2004
08.01.2020 10:36:22	1	1	1	1	111.8	50	0	15829.384	40.86021505	646.590384	30000	0	0	30000	29.3125	2004
08.01.2020 10:36:22	1	1	1	1	111.8	50	0	15829.384	40.86021505	646.590384	30000	0	0	30000	29.3125	2004
08.01.2020 10:36:22	1	1	1	1	111.8	49.25	0	16492.891	51.61290323	825.1569592	30000	0	0	30000	32	2004
08.01.2020 10:36:23	1	1	1	1	111.8	52	0	17345.972	62.3655914	1118.691055	30000	0	0	30000	29.1875	2004
08.01.2020 10:36:24	1	1	1	1	111.8	49	0	18056.872	73.11827957	1320.08806	30000	0	0	30000	30.25	2004
08.01.2020 10:36:25	1	1	1	1	111.8	50.25	0	18909.953	83.87096774	1589.976354	30000	0	0	30000	30	2004
08.01.2020 10:36:26	1	1	1	1	111.8	50	0	19668.246	103.2258065	2030.277498	30000	0	0	30000	29.25	2004
08.01.2020 10:36:27	1	1	1	1	111.8	49.25	0	20379.147	116.1290323	2322.18085	30000	0	0	30000	29.1875	2004
08.01.2020 10:36:28	1	1	1	1	111.8	49	0	21137.441	137.6344086	2909.249042	30000	0	0	30000	29.9375	2004
08.01.2020 10:36:29	1	1	1	1	111.8	49.75	0	21563.981	161.2903226	3431.087435	30000	0	0	30000	32.125	2004
08.01.2020 10:36:30	1	1	1	1	110.5	52	0	22274.882	176.344086	3879.542304	30000	0	0	30000	30.9375	2004
08.01.2020 10:36:31	1	1	1	1	110.5	50.75	0	22748.815	189.2473118	4305.166744	30000	0	0	30000	32.125	2004
08.01.2020 10:36:32	1	1	1	1	110.5	52	0	22796.209	206.4516129	4706.330008	30000	0	0	30000	32.0625	2004
08.01.2020 10:36:33	1	1	1	1	110.5	52	0	22890.995	206.4516129	4469.871987	30000	0	0	30000	31.5	2004
08.01.2020 10:36:34	1	1	1	1	110.5	51.5	0	23317.536	219.3548387	5175.16919	30000	0	0	30000	31.9375	2004
08.01.2020 10:36:35	1	1	1	1	110.5	51.75	0	23838.863	240.8602151	5576.332455	30000	0	0	30000	32.125	2004
08.01.2020 10:36:37	1	1	1	1	110.5	52	0	23649.289	249.4623656	5848.666866	30000	0	0	30000	32.1875	2004
08.01.2020 10:36:38	1	1	1	1	110.5	52	0	24123.223	262.3655914	6380.289729	30000	0	0	30000	31.4375	2004
08.01.2020 10:36:39	1	1	1	1	110.5	51.25	0	24218.009	281.7204301	6822.221618	30000	0	0	30000	32.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 10:36:40	1	1	1	1	110.5	52	0	24549.763	294.6236559	7232.35398	30000	0	0	30000	29.25	2004
08.01.2020 10:36:41	1	1	1	1	113.8	49.25	0	24597.156	309.6774194	7564.210584	30000	0	0	30000	32	2004
08.01.2020 10:36:42	1	1	1	1	113.8	52	0	24881.517	320.4301075	8095.018074	30000	0	0	30000	31.4375	2004
08.01.2020 10:36:43	1	1	1	1	113.8	51.25	0	25118.483	339.7849462	8480.689262	30000	0	0	30000	29.3125	2004
08.01.2020 10:36:44	1	1	1	1	113.8	49.25	0	25260.664	356.9892473	8821.514962	30000	0	0	30000	29.6875	2004
08.01.2020 10:36:45	1	1	1	1	113.8	49.5	0	25545.024	369.8924731	9431.413584	30000	0	0	30000	30.6875	2004
08.01.2020 10:36:46	1	1	1	1	113.8	50.5	0	25450.237	369.8924731	9413.475389	30000	0	0	30000	29.9375	2004
08.01.2020 10:36:47	1	1	1	1	113.8	49.75	0	25639.81	384.9462366	9869.268611	30000	0	0	30000	31.375	2004
08.01.2020 10:36:48	1	1	1	1	113.8	51.25	0	25734.597	400	10348.70763	30000	0	0	30000	30	2004
08.01.2020 10:36:49	1	1	1	1	113.8	50	0	25971.564	415.0537634	10759.65537	30000	0	0	30000	32.0625	2004
08.01.2020 10:36:50	1	1	1	1	113.8	52	0	26208.531	427.9569892	11215.44859	30000	0	0	30000	32	2004
08.01.2020 10:36:51	1	1	1	1	111.8	52	0	26113.744	445.1612903	11624.76558	30000	0	0	30000	31	2004
08.01.2020 10:36:52	1	1	1	1	111.8	51	0	26350.711	460.2150538	12127.03503	30000	0	0	30000	31.5	2004
08.01.2020 10:36:53	1	1	1	1	111.8	51.5	0	26350.711	466.6666667	12467.04536	30000	0	0	30000	30.75	2004
08.01.2020 10:36:54	1	1	1	1	111.8	50.75	0	26492.891	492.4731183	13046.7752	30000	0	0	30000	31.6875	2004
08.01.2020 10:36:55	1	1	1	1	111.8	51.5	0	26682.464	505.3763441	13484.63023	30000	0	0	30000	31.25	2004
08.01.2020 10:36:56	1	1	1	1	111.8	52.25	0	27156.398	531.1827957	14559.29117	30000	0	0	30000	31.4375	2004
08.01.2020 10:36:57	1	1	1	1	111.8	51.25	0	26682.464	546.2365591	14574.78325	30000	0	0	30000	32	2004
08.01.2020 10:36:58	1	1	1	1	111.8	52	0	27061.611	567.7419355	15421.95526	30000	0	0	30000	31.75	2004
08.01.2020 10:36:59	1	1	1	1	111.8	51.75	0	27156.398	580.6451613	15909.54801	30000	0	0	30000	30.625	2004
08.01.2020 10:37:00	1	1	1	1	113.5	50.5	0	27156.398	587.0967742	15942.97828	30000	0	0	30000	31.5	2004
08.01.2020 10:37:01	1	1	1	1	113.5	51.5	0	27393.365	587.0967742	16110.12964	30000	0	0	30000	31.75	2004
08.01.2020 10:37:02	1	1	1	1	113.5	51.75	0	27156.398	593.5483871	15915.25562	30000	0	0	30000	30.25	2004
08.01.2020 10:37:03	1	1	1	1	113.5	50.25	0	27298.578	587.0967742	15909.54801	30000	0	0	30000	29.375	2004
08.01.2020 10:37:04	1	1	1	1	113.5	49.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	30.25	2004
08.01.2020 10:37:05	1	1	1	1	113.5	50.25	0	27156.398	584.9462366	15740.76591	30000	0	0	30000	31.3125	2004
08.01.2020 10:37:06	1	1	1	1	113.5	51.25	0	27440.758	587.0967742	16168.83646	30000	0	0	30000	31.25	2004
08.01.2020 10:37:07	1	1	1	1	113.5	51.25	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	31.1875	2004
08.01.2020 10:37:08	1	1	1	1	113.5	51	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	30.125	2004
08.01.2020 10:37:09	1	1	1	1	113.5	50	0	27156.398	587.0967742	16026.96165	30000	0	0	30000	31.375	2004
08.01.2020 10:37:10	1	1	1	1	113	51.25	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	30.6875	2004
08.01.2020 10:37:11	1	1	1	1	113	50.5	0	27109.005	587.0967742	15915.25562	30000	0	0	30000	31.5625	2004
08.01.2020 10:37:12	1	1	1	1	113	51.5	0	27345.972	584.9462366	15792.13437	30000	0	0	30000	31.5625	2004
08.01.2020 10:37:13	1	1	1	1	113	51.5	0	27345.972	587.0967742	16110.12964	30000	0	0	30000	31.8125	2004
08.01.2020 10:37:14	1	1	1	1	113	51.75	0	27156.398	584.9462366	16026.96165	30000	0	0	30000	31.625	2004
08.01.2020 10:37:16	1	1	1	1	113	51.5	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	31.4375	2004
08.01.2020 10:37:17	1	1	1	1	113	51.25	0	27298.578	587.0967742	15792.13437	30000	0	0	30000	31.5625	2004
08.01.2020 10:37:18	1	1	1	1	113	51.5	0	27298.578	589.2473118	16289.51159	30000	0	0	30000	32	2004
08.01.2020 10:37:24	1	1	1	1	113.3	51	0	27298.578	587.0967742	15968.25483	30000	0	0	30000	31.5625	2004
08.01.2020 10:37:24	1	1	1	1	113.3	51	0	27298.578	587.0967742	15968.25483	30000	0	0	30000	31.5625	2004
08.01.2020 10:37:24	1	1	1	1	113.3	51	0	27298.578	587.0967742	15968.25483	30000	0	0	30000	31.5625	2004
08.01.2020 10:37:24	1	1	1	1	113.3	51	0	27298.578	587.0967742	15968.25483	30000	0	0	30000	31.5625	2004
08.01.2020 10:37:24	1	1	1	1	113.3	51	0	27298.578	587.0967742	15968.25483	30000	0	0	30000	31.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 10:37:24	1	1	1	1	113.3	51.5	0	27345.972	587.0967742	15936.4553	30000	0	0	30000	32.0625	2004
08.01.2020 10:37:25	1	1	1	1	113.3	52	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	31.625	2004
08.01.2020 10:37:26	1	1	1	1	113.3	51.5	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	32.1875	2004
08.01.2020 10:37:27	1	1	1	1	113.3	52	0	27440.758	589.2473118	16168.83646	30000	0	0	30000	31.375	2004
08.01.2020 10:37:28	1	1	1	1	113.3	51.25	0	27345.972	580.6451613	15819.04167	30000	0	0	30000	30.375	2004
08.01.2020 10:37:29	1	1	1	1	113.3	50.25	0	27440.758	582.7956989	16110.12964	30000	0	0	30000	32.125	2004
08.01.2020 10:37:30	1	1	1	1	113.3	52	0	27440.758	589.2473118	16110.12964	30000	0	0	30000	32.1875	2004
08.01.2020 10:37:31	1	1	1	1	113	52	0	27440.758	587.0967742	16168.83646	30000	0	0	30000	29.875	2004
08.01.2020 10:37:32	1	1	1	1	113	49.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	31.5625	2004
08.01.2020 10:37:33	1	1	1	1	113	51.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	31.3125	2004
08.01.2020 10:37:34	1	1	1	1	113	51.25	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	30.6875	2004
08.01.2020 10:37:35	1	1	1	1	113	50.75	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	31.5625	2004
08.01.2020 10:37:36	1	1	1	1	113	51.5	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	31.125	2004
08.01.2020 10:37:37	1	1	1	1	113	51	0	27156.398	582.7956989	15968.25483	30000	0	0	30000	30.9375	2004
08.01.2020 10:37:38	1	1	1	1	113	50.75	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	31.9375	2004
08.01.2020 10:37:39	1	1	1	1	113	51.75	0	27298.578	578.4946237	16026.96165	30000	0	0	30000	32.125	2004
08.01.2020 10:37:40	1	1	1	1	113.5	52	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	31.5	2004
08.01.2020 10:37:49	1	1	1	1	113.5	51.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	31.125	2004
08.01.2020 10:37:49	1	1	1	1	113.5	51.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	31.125	2004
08.01.2020 10:37:49	1	1	1	1	113.5	51.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	31.125	2004
08.01.2020 10:37:49	1	1	1	1	113.5	51.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	31.125	2004
08.01.2020 10:37:49	1	1	1	1	113.5	51.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	31.125	2004
08.01.2020 10:37:49	1	1	1	1	113.5	51.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	31.125	2004
08.01.2020 10:37:50	1	1	1	1	113.5	51.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	31.125	2004
08.01.2020 10:37:50	1	1	1	1	113.5	51.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	31.125	2004
08.01.2020 10:37:50	1	1	1	1	113.8	51	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	31.625	2004
08.01.2020 10:37:51	1	1	1	1	113.8	51.5	0	27156.398	587.0967742	15682.05909	30000	0	0	30000	32.0625	2004
08.01.2020 10:37:52	1	1	1	1	113.8	52	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	31.25	2004
08.01.2020 10:37:54	1	1	1	1	113.8	51.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	30.375	2004
08.01.2020 10:37:55	1	1	1	1	113.8	50.25	0	27298.578	589.2473118	15968.25483	30000	0	0	30000	32.375	2004
08.01.2020 10:37:56	1	1	1	1	113.8	52.25	0	27298.578	580.6451613	15909.54801	30000	0	0	30000	30.75	2004
08.01.2020 10:37:57	1	1	1	1	113.8	50.75	0	27156.398	587.0967742	15942.97828	30000	0	0	30000	30.6875	2004
08.01.2020 10:37:58	1	1	1	1	113.8	50.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	31.8125	2004
08.01.2020 10:37:59	1	1	1	1	113.8	51.75	0	27109.005	584.9462366	15942.97828	30000	0	0	30000	32.0625	2004
08.01.2020 10:38:00	1	1	1	1	113.8	52	0	27109.005	587.0967742	16026.96165	30000	0	0	30000	31.75	2004
08.01.2020 10:38:01	1	1	1	1	113.3	51.75	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	31.8125	2004
08.01.2020 10:38:02	1	1	1	1	113.3	51.75	0	27345.972	589.2473118	15995.9775	30000	0	0	30000	32.125	2004
08.01.2020 10:38:03	1	1	1	1	113.3	52	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	31.8125	2004
08.01.2020 10:38:04	1	1	1	1	113.3	51.75	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	32.375	2004
08.01.2020 10:38:05	1	1	1	1	113.3	52.25	0	27298.578	582.7956989	15968.25483	30000	0	0	30000	32.1875	2004
08.01.2020 10:38:06	1	1	1	1	113.3	52	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	31.625	2004
08.01.2020 10:38:07	1	1	1	1	113.3	51.5	0	27345.972	584.9462366	16113.39113	30000	0	0	30000	31.25	2004
08.01.2020 10:38:20	1	1	1	1	114.5	51.75	0	27582.938	584.9462366	15991.90063	30000	0	0	30000	32.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 10:38:21	1	1	1	1	114.5	52	0	27345.972	580.6451613	15819.04167	30000	0	0	30000	31.5	2004
08.01.2020 10:38:22	1	1	1	1	114.5	51.5	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	31.625	2004
08.01.2020 10:38:23	1	1	1	1	114.5	51.5	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	31.375	2004
08.01.2020 10:38:24	1	1	1	1	114.5	51.25	0	27535.545	582.7956989	16075.06863	30000	0	0	30000	32	2004
08.01.2020 10:38:25	1	1	1	1	114.5	52	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	30.5	2004
08.01.2020 10:38:26	1	1	1	1	114.5	50.5	0	27109.005	580.6451613	15740.76591	30000	0	0	30000	31.75	2004
08.01.2020 10:38:27	1	1	1	1	114.5	51.75	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	31.8125	2004
08.01.2020 10:38:28	1	1	1	1	114.5	51.75	0	27298.578	580.6451613	15850.84119	30000	0	0	30000	32.125	2004
08.01.2020 10:38:29	1	1	1	1	114.5	52	0	27298.578	582.7956989	15995.9775	30000	0	0	30000	31.9375	2004
08.01.2020 10:38:30	1	1	1	1	114	51.75	0	27345.972	587.0967742	15968.25483	30000	0	0	30000	32.375	2004
08.01.2020 10:38:32	1	1	1	1	114	52.25	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	30.3125	2004
08.01.2020 10:38:33	1	1	1	1	114	50.25	0	27345.972	582.7956989	15936.4553	30000	0	0	30000	31.9375	2004
08.01.2020 10:38:38	1	1	1	1	114	52.25	0	27109.005	584.9462366	15968.25483	30000	0	0	30000	32.125	2004
08.01.2020 10:38:38	1	1	1	1	114	52.25	0	27109.005	584.9462366	15968.25483	30000	0	0	30000	32.125	2004
08.01.2020 10:38:38	1	1	1	1	114	52.25	0	27109.005	584.9462366	15968.25483	30000	0	0	30000	32.125	2004
08.01.2020 10:38:39	1	1	1	1	114	52.25	0	27109.005	584.9462366	15968.25483	30000	0	0	30000	32.125	2004
08.01.2020 10:38:39	1	1	1	1	114	52.25	0	27109.005	584.9462366	15968.25483	30000	0	0	30000	32.125	2004
08.01.2020 10:38:39	1	1	1	1	114	52	0	27345.972	584.9462366	16054.68431	30000	0	0	30000	31.9375	2004
08.01.2020 10:38:40	1	1	1	1	114	51.75	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	32.0625	2004
08.01.2020 10:38:41	1	1	1	1	114	52	0	27582.938	584.9462366	15987.82377	30000	0	0	30000	32.375	2004
08.01.2020 10:38:42	1	1	1	1	114	52.25	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	31.5	2004
08.01.2020 10:38:43	1	1	1	1	114	51.5	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	32	2004
08.01.2020 10:38:44	1	1	1	1	114	52	0	27345.972	584.9462366	16054.68431	30000	0	0	30000	32.4375	2004
08.01.2020 10:38:45	1	1	1	1	114	52.25	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	30.4375	2004
08.01.2020 10:38:46	1	1	1	1	114	50.25	0	27298.578	578.4946237	16026.96165	30000	0	0	30000	32.4375	2004
08.01.2020 10:38:47	1	1	1	1	114	52.25	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	31.3125	2004
08.01.2020 10:38:48	1	1	1	1	114	51.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	31.0625	2004
08.01.2020 10:38:49	1	1	1	1	114	51	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	32.125	2004
08.01.2020 10:38:50	1	1	1	1	114	52	0	27440.758	589.2473118	16054.68431	30000	0	0	30000	31.4375	2004
08.01.2020 10:38:51	1	1	1	1	113.3	51.25	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	32	2004
08.01.2020 10:38:52	1	1	1	1	113.3	52	0	27298.578	593.5483871	16026.96165	30000	0	0	30000	32	2004
08.01.2020 10:38:53	1	1	1	1	113.3	52	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	31.375	2004
08.01.2020 10:38:54	1	1	1	1	113.3	51.5	0	27156.398	584.9462366	15885.08684	30000	0	0	30000	32.4375	2004
08.01.2020 10:38:55	1	1	1	1	113.3	52.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	32.4375	2004
08.01.2020 10:38:56	1	1	1	1	113.3	52.25	0	27109.005	584.9462366	15857.36417	30000	0	0	30000	32.0625	2004
08.01.2020 10:38:57	1	1	1	1	113.3	52	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	32.1875	2004
08.01.2020 10:38:58	1	1	1	1	113.3	52	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	32.5	2004
08.01.2020 10:38:59	1	1	1	1	113.3	52.5	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	30.375	2004
08.01.2020 10:39:00	1	1	1	1	113.8	50.25	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	32.5	2004
08.01.2020 10:39:01	1	1	1	1	113.8	52.5	0	27298.578	584.9462366	15885.08684	30000	0	0	30000	31.625	2004
08.01.2020 10:39:02	1	1	1	1	113.8	51.5	0	27298.578	582.7956989	15968.25483	30000	0	0	30000	31.1875	2004
08.01.2020 10:39:03	1	1	1	1	113.8	51	0	27298.578	591.3978495	16144.37529	30000	0	0	30000	32.5	2004
08.01.2020 10:39:04	1	1	1	1	113.8	52.5	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	31.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 10:39:05	1	1	1	1	113.8	51.5	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	32.4375	2004
08.01.2020 10:39:06	1	1	1	1	113.8	52.25	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	32.0625	2004
08.01.2020 10:39:07	1	1	1	1	113.8	52	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	31.9375	2004
08.01.2020 10:39:11	1	1	1	1	113.8	51.25	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	31.9375	2004
08.01.2020 10:39:11	1	1	1	1	113.8	51.25	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	31.9375	2004
08.01.2020 10:39:11	1	1	1	1	113.8	51.25	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	31.9375	2004
08.01.2020 10:39:12	1	1	1	1	113.8	51.75	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	30.5	2004
08.01.2020 10:39:13	1	1	1	1	113.8	50.5	0	27345.972	582.7956989	15995.9775	30000	0	0	30000	31.5625	2004
08.01.2020 10:39:14	1	1	1	1	113.8	51.5	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	32.625	2004
08.01.2020 10:39:15	1	1	1	1	113.8	52.5	0	27298.578	587.0967742	15850.84119	30000	0	0	30000	32.625	2004
08.01.2020 10:39:16	1	1	1	1	113.8	52.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	32.1875	2004
08.01.2020 10:39:17	1	1	1	1	113.8	52	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	32.3125	2004
08.01.2020 10:39:18	1	1	1	1	113.8	52.25	0	27109.005	582.7956989	15942.97828	30000	0	0	30000	31.75	2004
08.01.2020 10:39:19	1	1	1	1	113.8	51.75	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	32.5625	2004
08.01.2020 10:39:20	1	1	1	1	113.8	52.5	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	32.0625	2004
08.01.2020 10:39:21	1	1	1	1	113.8	52	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	31.6875	2004
08.01.2020 10:39:22	1	1	1	1	113.8	51.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	31.3125	2004
08.01.2020 10:39:23	1	1	1	1	113.8	51.25	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	31.625	2004
08.01.2020 10:39:24	1	1	1	1	113.8	51.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	32.25	2004
08.01.2020 10:39:25	1	1	1	1	113.8	52.25	0	27061.611	584.9462366	15887.53295	30000	0	0	30000	32.5	2004
08.01.2020 10:39:26	1	1	1	1	113.8	52.5	0	27345.972	587.0967742	16113.39113	30000	0	0	30000	32.625	2004
08.01.2020 10:39:27	1	1	1	1	113.8	52.5	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	31.8125	2004
08.01.2020 10:39:28	1	1	1	1	113.8	51.75	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	31.25	2004
08.01.2020 10:39:29	1	1	1	1	113.8	51.25	0	27156.398	589.2473118	15942.97828	30000	0	0	30000	33	2004
08.01.2020 10:39:30	1	1	1	1	113.8	53	0	27298.578	587.0967742	15968.25483	30000	0	0	30000	32.8125	2004
08.01.2020 10:39:31	1	1	1	1	113.3	52.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	32.4375	2004
08.01.2020 10:39:32	1	1	1	1	113.3	51.5	0	27109.005	584.9462366	15942.97828	30000	0	0	30000	32.5	2004
08.01.2020 10:39:33	1	1	1	1	113.3	52.5	0	27345.972	587.0967742	16026.96165	30000	0	0	30000	31.875	2004
08.01.2020 10:39:34	1	1	1	1	113.3	51.75	0	27393.365	584.9462366	15995.9775	30000	0	0	30000	31.5625	2004
08.01.2020 10:39:40	1	1	1	1	113.3	52	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	32.1875	2004
08.01.2020 10:39:40	1	1	1	1	113.3	52	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	32.1875	2004
08.01.2020 10:39:40	1	1	1	1	113.3	52	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	32.1875	2004
08.01.2020 10:39:40	1	1	1	1	113.3	52	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	32.1875	2004
08.01.2020 10:39:40	1	1	1	1	112.5	52	0	27156.398	584.9462366	16026.96165	30000	0	0	30000	32.375	2004
08.01.2020 10:39:41	1	1	1	1	112.5	52.25	0	27298.578	582.7956989	15968.25483	30000	0	0	30000	32.5625	2004
08.01.2020 10:39:42	1	1	1	1	112.5	52.5	0	27298.578	574.1935484	15909.54801	30000	0	0	30000	32.4375	2004
08.01.2020 10:39:43	1	1	1	1	112.5	52.25	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	32.3125	2004
08.01.2020 10:39:44	1	1	1	1	112.5	52.25	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	32.6875	2004
08.01.2020 10:39:45	1	1	1	1	112.5	52.5	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	32.0625	2004
08.01.2020 10:39:46	1	1	1	1	112.5	52	0	27345.972	582.7956989	15936.4553	30000	0	0	30000	32	2004
08.01.2020 10:39:47	1	1	1	1	112.5	52	0	27156.398	580.6451613	15909.54801	30000	0	0	30000	32.625	2004
08.01.2020 10:39:48	1	1	1	1	112.5	52.5	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	31.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 10:39:50	1	1	1	1	112.5	51.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	32.4375	2004
08.01.2020 10:39:51	1	1	1	1	112.5	52.25	0	27298.578	587.0967742	15792.13437	30000	0	0	30000	32.5625	2004
08.01.2020 10:39:52	1	1	1	1	112.5	52.5	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	32.0625	2004
08.01.2020 10:39:53	1	1	1	1	112.5	52	0	27156.398	584.9462366	15885.08684	30000	0	0	30000	31.8125	2004
08.01.2020 10:39:54	1	1	1	1	112.5	51.75	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	32.8125	2004
08.01.2020 10:39:55	1	1	1	1	112.5	52.75	0	27156.398	587.0967742	16026.96165	30000	0	0	30000	32.375	2004
08.01.2020 10:39:56	1	1	1	1	112.5	52.25	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	32.625	2004
08.01.2020 10:39:57	1	1	1	1	112.5	52.5	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	32.375	2004
08.01.2020 10:39:58	1	1	1	1	112.5	52.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	32.75	2004
08.01.2020 10:39:59	1	1	1	1	112.5	52.75	0	27345.972	589.2473118	16054.68431	30000	0	0	30000	32.4375	2004
08.01.2020 10:40:00	1	1	1	1	112.5	52.25	0	27298.578	589.2473118	16203.08211	30000	0	0	30000	31.4375	2004
08.01.2020 10:40:01	1	1	1	1	112.8	51.25	0	27298.578	584.9462366	16054.68431	30000	0	0	30000	32.625	2004
08.01.2020 10:40:02	1	1	1	1	112.8	52.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	32.125	2004
08.01.2020 10:40:03	1	1	1	1	112.8	52	0	27298.578	587.0967742	15968.25483	30000	0	0	30000	32.1875	2004
08.01.2020 10:40:04	1	1	1	1	112.8	52	0	27440.758	587.0967742	16051.42282	30000	0	0	30000	31.9375	2004
08.01.2020 10:40:05	1	1	1	1	112.8	51.75	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	32.3125	2004
08.01.2020 10:40:06	1	1	1	1	112.8	52.25	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	32.625	2004
08.01.2020 10:40:07	1	1	1	1	112.8	52.5	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	32	2004
08.01.2020 10:40:08	1	1	1	1	112.8	52	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	33	2004
08.01.2020 10:40:09	1	1	1	1	112.8	53	0	27440.758	589.2473118	16252.81983	30000	0	0	30000	31.625	2004
08.01.2020 10:40:10	1	1	1	1	113.5	52.75	0	27156.398	584.9462366	15968.25483	30000	0	0	30000	32.875	2004
08.01.2020 10:40:11	1	1	1	1	113.5	52.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	32.3125	2004
08.01.2020 10:40:12	1	1	1	1	113.5	52.25	0	27109.005	584.9462366	15915.25562	30000	0	0	30000	32.9375	2004
08.01.2020 10:40:13	1	1	1	1	113.5	52.75	0	27298.578	582.7956989	16026.96165	30000	0	0	30000	32.5	2004
08.01.2020 10:40:14	1	1	1	1	113.5	52.5	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	31.8125	2004
08.01.2020 10:40:15	1	1	1	1	113.5	51.75	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	32.6875	2004
08.01.2020 10:40:16	1	1	1	1	113.5	52.5	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	32.6875	2004
08.01.2020 10:40:17	1	1	1	1	113.5	52.5	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	32.875	2004
08.01.2020 10:40:18	1	1	1	1	113.5	52.75	0	27156.398	587.0967742	16001.6851	30000	0	0	30000	32.375	2004
08.01.2020 10:40:19	1	1	1	1	113.5	52.25	0	27109.005	584.9462366	15885.08684	30000	0	0	30000	32.8125	2004
08.01.2020 10:40:20	1	1	1	1	115.3	52.75	0	27156.398	587.0967742	16026.96165	30000	0	0	30000	31.75	2004
08.01.2020 10:40:21	1	1	1	1	115.3	51.75	0	27203.791	587.0967742	16026.96165	30000	0	0	30000	32.75	2004
08.01.2020 10:40:22	1	1	1	1	115.3	52.75	0	27156.398	587.0967742	15798.65735	30000	0	0	30000	32.5625	2004
08.01.2020 10:40:24	1	1	1	1	115.3	52.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	32.875	2004
08.01.2020 10:40:25	1	1	1	1	115.3	52.75	0	27109.005	587.0967742	16026.96165	30000	0	0	30000	32.125	2004
08.01.2020 10:40:26	1	1	1	1	115.3	52	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	31.8125	2004
08.01.2020 10:40:27	1	1	1	1	115.3	51.75	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	32.6875	2004
08.01.2020 10:40:28	1	1	1	1	115.3	52.5	0	27298.578	591.3978495	16026.96165	30000	0	0	30000	32.0625	2004
08.01.2020 10:40:29	1	1	1	1	115.3	52	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	32.75	2004
08.01.2020 10:40:30	1	1	1	1	115.3	52.75	0	27109.005	584.9462366	15915.25562	30000	0	0	30000	32.4375	2004
08.01.2020 10:40:31	1	1	1	1	116.5	52.25	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	32.6875	2004
08.01.2020 10:40:32	1	1	1	1	116.5	52.5	0	27440.758	584.9462366	15873.67162	30000	0	0	30000	32.5	2004
08.01.2020 10:40:33	1	1	1	1	116.5	52.5	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	32.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 10:40:34	1	1	1	1	116.5	52.75	0	27109.005	576.344086	15909.54801	30000	0	0	30000	32.4375	2004
08.01.2020 10:40:35	1	1	1	1	116.5	52.25	0	27298.578	587.0967742	16054.68431	30000	0	0	30000	32.6875	2004
08.01.2020 10:40:36	1	1	1	1	116.5	52.5	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	32.4375	2004
08.01.2020 10:40:43	1	1	1	1	116	52	0	27440.758	582.7956989	16051.42282	30000	0	0	30000	33.0625	2004
08.01.2020 10:40:43	1	1	1	1	116	52	0	27440.758	582.7956989	16051.42282	30000	0	0	30000	33.0625	2004
08.01.2020 10:40:43	1	1	1	1	116	52	0	27440.758	582.7956989	16051.42282	30000	0	0	30000	33.0625	2004
08.01.2020 10:40:43	1	1	1	1	116	52	0	27440.758	582.7956989	16051.42282	30000	0	0	30000	33.0625	2004
08.01.2020 10:40:43	1	1	1	1	116	52	0	27440.758	582.7956989	16051.42282	30000	0	0	30000	33.0625	2004
08.01.2020 10:40:43	1	1	1	1	116	52	0	27440.758	582.7956989	16051.42282	30000	0	0	30000	33.0625	2004
08.01.2020 10:40:43	1	1	1	1	116	52	0	27440.758	582.7956989	16051.42282	30000	0	0	30000	33.0625	2004
08.01.2020 10:40:43	1	1	1	1	116	52	0	27440.758	582.7956989	16051.42282	30000	0	0	30000	33.0625	2004
08.01.2020 10:40:44	1	1	1	1	116	53	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	32.625	2004
08.01.2020 10:40:45	1	1	1	1	116	52.5	0	27345.972	582.7956989	15936.4553	30000	0	0	30000	32.5625	2004
08.01.2020 10:40:46	1	1	1	1	116	52.75	0	27109.005	580.6451613	15909.54801	30000	0	0	30000	32.8125	2004
08.01.2020 10:40:47	1	1	1	1	116	52.75	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	32.3125	2004
08.01.2020 10:40:48	1	1	1	1	116	52.25	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	32.1875	2004
08.01.2020 10:40:49	1	1	1	1	116	52	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	31.625	2004
08.01.2020 10:40:50	1	1	1	1	116.8	51.5	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	33	2004
08.01.2020 10:40:51	1	1	1	1	116.8	53	0	27156.398	589.2473118	16026.96165	30000	0	0	30000	32.8125	2004
08.01.2020 10:40:52	1	1	1	1	116.8	52.75	0	27298.578	591.3978495	15942.97828	30000	0	0	30000	32.8125	2004
08.01.2020 10:40:53	1	1	1	1	116.8	52.75	0	27061.611	589.2473118	15887.53295	30000	0	0	30000	32.0625	2004
08.01.2020 10:40:54	1	1	1	1	116.8	52	0	27014.218	589.2473118	16004.13122	30000	0	0	30000	31.5625	2004
08.01.2020 10:40:55	1	1	1	1	116.8	51.5	0	26919.431	591.3978495	15920.14785	30000	0	0	30000	31.5	2004
08.01.2020 10:40:56	1	1	1	1	116.8	51.5	0	27298.578	593.5483871	16001.6851	30000	0	0	30000	31.8125	2004
08.01.2020 10:40:57	1	1	1	1	116.8	51.75	0	26966.825	593.5483871	15975.59318	30000	0	0	30000	32.25	2004
08.01.2020 10:40:58	1	1	1	1	116.8	52.25	0	27014.218	589.2473118	15945.4244	30000	0	0	30000	32.625	2004
08.01.2020 10:40:59	1	1	1	1	116.8	52.5	0	27109.005	589.2473118	15973.96244	30000	0	0	30000	32.4375	2004
08.01.2020 10:41:00	1	1	1	1	115.5	52.25	0	27109.005	587.0967742	16059.57655	30000	0	0	30000	32.4375	2004
08.01.2020 10:41:01	1	1	1	1	115.5	52.25	0	27298.578	589.2473118	16144.37529	30000	0	0	30000	32.5	2004
08.01.2020 10:41:02	1	1	1	1	115.5	52.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	32.75	2004
08.01.2020 10:41:03	1	1	1	1	115.5	52.75	0	27298.578	595.6989247	16144.37529	30000	0	0	30000	32.4375	2004
08.01.2020 10:41:04	1	1	1	1	115.5	52.25	0	27061.611	589.2473118	16004.13122	30000	0	0	30000	32	2004
08.01.2020 10:41:06	1	1	1	1	115.5	52	0	27298.578	589.2473118	16001.6851	30000	0	0	30000	32.8125	2004
08.01.2020 10:41:07	1	1	1	1	115.5	52.75	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	32.875	2004
08.01.2020 10:41:08	1	1	1	1	115.5	52.75	0	27109.005	587.0967742	15973.96244	30000	0	0	30000	33	2004
08.01.2020 10:41:09	1	1	1	1	115.5	53	0	27156.398	589.2473118	15942.97828	30000	0	0	30000	32.5	2004
08.01.2020 10:41:10	1	1	1	1	115.5	52.5	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	32.875	2004
08.01.2020 10:41:11	1	1	1	1	117.5	52.75	0	27440.758	587.0967742	15995.9775	30000	0	0	30000	33.0625	2004
08.01.2020 10:41:12	1	1	1	1	117.5	53	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	32.5625	2004
08.01.2020 10:41:13	1	1	1	1	117.5	52.5	0	27298.578	576.344086	15968.25483	30000	0	0	30000	33	2004
08.01.2020 10:41:14	1	1	1	1	117.5	53	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	32.25	2004
08.01.2020 10:41:15	1	1	1	1	117.5	52.25	0	27345.972	587.0967742	16082.40698	30000	0	0	30000	32.3125	2004
08.01.2020 10:41:16	1	1	1	1	117.5	52.25	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	32.6875	2004
08.01.2020 10:41:17	1	1	1	1	117.5	52.5	0	27298.578	584.9462366	15850.84119	30000	0	0	30000	31.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 10:41:18	1	1	1	1	117.5	51.75	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	32.875	2004
08.01.2020 10:41:19	1	1	1	1	117.5	52.75	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	32.9375	2004
08.01.2020 10:41:20	1	1	1	1	117.5	52.75	0	27345.972	584.9462366	16110.12964	30000	0	0	30000	32.3125	2004
08.01.2020 10:41:21	1	1	1	1	117	52.25	0	27298.578	582.7956989	15792.13437	30000	0	0	30000	32.625	2004
08.01.2020 10:41:22	1	1	1	1	117	52.5	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	32.25	2004
08.01.2020 10:41:23	1	1	1	1	117	53.25	0	27156.398	580.6451613	15909.54801	30000	0	0	30000	33.25	2004
08.01.2020 10:41:24	1	1	1	1	117	53.25	0	27298.578	584.9462366	15592.36811	30000	0	0	30000	32.4375	2004
08.01.2020 10:41:25	1	1	1	1	117	52.25	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	32.3125	2004
08.01.2020 10:41:26	1	1	1	1	117	52.25	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	33.125	2004
08.01.2020 10:41:27	1	1	1	1	117	53	0	27345.972	578.4946237	16110.12964	30000	0	0	30000	32.6875	2004
08.01.2020 10:41:28	1	1	1	1	117	52.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	32.6875	2004
08.01.2020 10:41:29	1	1	1	1	117	52.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	32.8125	2004
08.01.2020 10:41:30	1	1	1	1	117.5	52.75	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	31.8125	2004
08.01.2020 10:41:31	1	1	1	1	117.5	51.75	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	31.5	2004
08.01.2020 10:41:32	1	1	1	1	117.5	51.5	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	32.75	2004
08.01.2020 10:41:33	1	1	1	1	117.5	52.75	0	27535.545	584.9462366	16051.42282	30000	0	0	30000	32.4375	2004
08.01.2020 10:41:35	1	1	1	1	117.5	52.25	0	27535.545	580.6451613	16043.2691	30000	0	0	30000	32.25	2004
08.01.2020 10:41:36	1	1	1	1	117.5	52.25	0	27630.332	582.7956989	16102.79129	30000	0	0	30000	32.6875	2004
08.01.2020 10:41:37	1	1	1	1	117.5	52.5	0	27582.938	580.6451613	15956.02424	30000	0	0	30000	31.75	2004
08.01.2020 10:41:38	1	1	1	1	117.5	51.75	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	32.5625	2004
08.01.2020 10:41:50	1	1	1	1	117.8	53	0	27440.758	580.6451613	16221.0203	30000	0	0	30000	33	2004
08.01.2020 10:41:50	1	1	1	1	117.8	53	0	27440.758	580.6451613	16221.0203	30000	0	0	30000	33	2004
08.01.2020 10:41:50	1	1	1	1	117.8	53	0	27440.758	580.6451613	16221.0203	30000	0	0	30000	33	2004
08.01.2020 10:41:50	1	1	1	1	117.8	53	0	27440.758	580.6451613	16221.0203	30000	0	0	30000	33	2004
08.01.2020 10:41:50	1	1	1	1	117.8	53	0	27440.758	580.6451613	16221.0203	30000	0	0	30000	33	2004
08.01.2020 10:41:50	1	1	1	1	117.8	53	0	27440.758	580.6451613	16221.0203	30000	0	0	30000	33	2004
08.01.2020 10:41:50	1	1	1	1	117.8	53	0	27440.758	580.6451613	16221.0203	30000	0	0	30000	33	2004
08.01.2020 10:41:50	1	1	1	1	117.8	53	0	27440.758	580.6451613	16221.0203	30000	0	0	30000	33	2004
08.01.2020 10:41:50	1	1	1	1	117.8	53	0	27535.545	584.9462366	15991.90063	30000	0	0	30000	32.4375	2004
08.01.2020 10:41:51	1	1	1	1	118.8	52.25	0	27345.972	584.9462366	15936.4553	30000	0	0	30000	32.875	2004
08.01.2020 10:41:52	1	1	1	1	118.8	52.75	0	27440.758	580.6451613	15873.67162	30000	0	0	30000	33.125	2004
08.01.2020 10:41:53	1	1	1	1	118.8	53	0	27298.578	580.6451613	15909.54801	30000	0	0	30000	33.3125	2004
08.01.2020 10:41:54	1	1	1	1	118.8	53.5	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	33.1875	2004
08.01.2020 10:41:55	1	1	1	1	118.8	53	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	32.8125	2004
08.01.2020 10:41:56	1	1	1	1	118.8	52.75	0	27345.972	580.6451613	15819.04167	30000	0	0	30000	31.6875	2004
08.01.2020 10:41:57	1	1	1	1	118.8	51.5	0	27345.972	584.9462366	16054.68431	30000	0	0	30000	33.125	2004
08.01.2020 10:41:58	1	1	1	1	118.8	53	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	32.75	2004
08.01.2020 10:41:59	1	1	1	1	118.8	52.75	0	27345.972	582.7956989	15995.9775	30000	0	0	30000	32.6875	2004
08.01.2020 10:42:00	1	1	1	1	118.5	52.5	0	27345.972	580.6451613	15995.9775	30000	0	0	30000	31.75	2004
08.01.2020 10:42:01	1	1	1	1	118.5	51.75	0	27345.972	580.6451613	15936.4553	30000	0	0	30000	32.6875	2004
08.01.2020 10:42:02	1	1	1	1	118.5	52.5	0	27345.972	582.7956989	15936.4553	30000	0	0	30000	33.125	2004
08.01.2020 10:42:03	1	1	1	1	118.5	53	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	33.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 10:42:04	1	1	1	1	118.5	53.25	0	27440.758	582.7956989	16110.12964	30000	0	0	30000	32.4375	2004
08.01.2020 10:42:06	1	1	1	1	118.5	52.25	0	27345.972	582.7956989	15877.74848	30000	0	0	30000	32.5	2004
08.01.2020 10:42:07	1	1	1	1	118.5	52.5	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	33.125	2004
08.01.2020 10:42:08	1	1	1	1	118.5	53	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	33.1875	2004
08.01.2020 10:42:09	1	1	1	1	118.5	53	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	32.5	2004
08.01.2020 10:42:10	1	1	1	1	118.5	52.5	0	27345.972	584.9462366	16082.40698	30000	0	0	30000	32	2004
08.01.2020 10:42:11	1	1	1	1	117.5	52	0	27345.972	584.9462366	16054.68431	30000	0	0	30000	32.875	2004
08.01.2020 10:42:12	1	1	1	1	117.5	52.75	0	27298.578	580.6451613	15909.54801	30000	0	0	30000	33.25	2004
08.01.2020 10:42:13	1	1	1	1	117.5	53.25	0	27298.578	582.7956989	15968.25483	30000	0	0	30000	32.125	2004
08.01.2020 10:42:14	1	1	1	1	117.5	52	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	31.5625	2004
08.01.2020 10:42:15	1	1	1	1	117.5	51.5	0	27345.972	587.0967742	16110.12964	30000	0	0	30000	32.0625	2004
08.01.2020 10:42:16	1	1	1	1	117.5	52	0	27298.578	587.0967742	15909.54801	30000	0	0	30000	32.25	2004
08.01.2020 10:42:17	1	1	1	1	117.5	52.25	0	27345.972	584.9462366	16110.12964	30000	0	0	30000	32.5625	2004
08.01.2020 10:42:18	1	1	1	1	117.5	52.5	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	33.4375	2004
08.01.2020 10:42:19	1	1	1	1	117.5	53.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	32.5	2004
08.01.2020 10:42:20	1	1	1	1	117.5	52.5	0	27298.578	587.0967742	16054.68431	30000	0	0	30000	33.25	2004
08.01.2020 10:42:21	1	1	1	1	118.3	53.25	0	27298.578	587.0967742	15909.54801	30000	0	0	30000	33.375	2004
08.01.2020 10:42:22	1	1	1	1	118.3	53.25	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	32.625	2004
08.01.2020 10:42:23	1	1	1	1	118.3	52.5	0	27298.578	580.6451613	16026.96165	30000	0	0	30000	33.375	2004
08.01.2020 10:42:24	1	1	1	1	118.3	53.25	0	27345.972	589.2473118	16054.68431	30000	0	0	30000	33.4375	2004
08.01.2020 10:42:25	1	1	1	1	118.3	53.25	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	33.5625	2004
08.01.2020 10:42:26	1	1	1	1	118.3	53.5	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	32.375	2004
08.01.2020 10:42:27	1	1	1	1	118.3	52.25	0	27156.398	584.9462366	15798.65735	30000	0	0	30000	32.8125	2004
08.01.2020 10:42:28	1	1	1	1	118.3	53.25	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	33.3125	2004
08.01.2020 10:42:29	1	1	1	1	118.3	53.25	0	27345.972	589.2473118	16054.68431	30000	0	0	30000	32.4375	2004
08.01.2020 10:42:30	1	1	1	1	117.3	52.25	0	27345.972	587.0967742	15936.4553	30000	0	0	30000	32.1875	2004
08.01.2020 10:42:31	1	1	1	1	117.3	52	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	33.375	2004
08.01.2020 10:42:32	1	1	1	1	117.3	53.25	0	27298.578	580.6451613	15909.54801	30000	0	0	30000	33.375	2004
08.01.2020 10:42:33	1	1	1	1	117.3	53.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	32.375	2004
08.01.2020 10:42:34	1	1	1	1	117.3	52.25	0	27345.972	587.0967742	16172.09795	30000	0	0	30000	31.875	2004
08.01.2020 10:42:35	1	1	1	1	117.3	51.75	0	27156.398	584.9462366	15942.97828	30000	0	0	30000	32.125	2004
08.01.2020 10:42:36	1	1	1	1	117.3	52	0	27298.578	580.6451613	15909.54801	30000	0	0	30000	31.875	2004
08.01.2020 10:42:37	1	1	1	1	117.3	51.75	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	32.5	2004
08.01.2020 10:42:38	1	1	1	1	117.3	52.5	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	31.5625	2004
08.01.2020 10:42:39	1	1	1	1	117.3	51.5	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	30.8125	2004
08.01.2020 10:42:40	1	1	1	1	116.8	50.75	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	32.0625	2004
08.01.2020 10:42:41	1	1	1	1	116.8	52	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	32.625	2004
08.01.2020 10:42:53	1	1	1	1	118.8	53.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	32.875	2004
08.01.2020 10:42:53	1	1	1	1	118.8	53.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	32.875	2004
08.01.2020 10:42:53	1	1	1	1	118.8	53.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	32.875	2004
08.01.2020 10:42:53	1	1	1	1	118.8	53.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	32.875	2004
08.01.2020 10:42:53	1	1	1	1	118.8	53.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	32.875	2004
08.01.2020 10:42:53	1	1	1	1	118.8	53.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	32.875	2004
08.01.2020 10:42:53	1	1	1	1	118.8	53.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	32.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 10:42:53	1	1	1	1	118.8	53.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	32.875	2004
08.01.2020 10:42:53	1	1	1	1	118.8	53.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	32.875	2004
08.01.2020 10:42:53	1	1	1	1	118.8	53.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	32.875	2004
08.01.2020 10:42:53	1	1	1	1	118.8	52.75	0	27109.005	580.6451613	15857.36417	30000	0	0	30000	33.1875	2004
08.01.2020 10:42:54	1	1	1	1	118.8	53	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	33.125	2004
08.01.2020 10:42:55	1	1	1	1	118.8	53	0	27109.005	584.9462366	15942.97828	30000	0	0	30000	33.1875	2004
08.01.2020 10:42:56	1	1	1	1	118.8	53	0	27298.578	580.6451613	16026.96165	30000	0	0	30000	32.25	2004
08.01.2020 10:42:57	1	1	1	1	118.8	52.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	32.5	2004
08.01.2020 10:42:58	1	1	1	1	118.8	52.5	0	27156.398	587.0967742	15915.25562	30000	0	0	30000	33.5	2004
08.01.2020 10:42:59	1	1	1	1	118.8	53.5	0	27156.398	587.0967742	15942.97828	30000	0	0	30000	31.8125	2004
08.01.2020 10:43:00	1	1	1	1	118.8	51.75	0	27156.398	584.9462366	16026.96165	30000	0	0	30000	33.75	2004
08.01.2020 10:43:01	1	1	1	1	119	53.75	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	33.0625	2004
08.01.2020 10:43:02	1	1	1	1	119	53	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	33.1875	2004
08.01.2020 10:43:03	1	1	1	1	119	53	0	27298.578	591.3978495	15968.25483	30000	0	0	30000	32.8125	2004
08.01.2020 10:43:04	1	1	1	1	119	53.25	0	27109.005	584.9462366	15857.36417	30000	0	0	30000	33.375	2004
08.01.2020 10:43:05	1	1	1	1	119	53.25	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	33.375	2004
08.01.2020 10:43:06	1	1	1	1	119	52.5	0	27298.578	589.2473118	15942.97828	30000	0	0	30000	30.9375	2004
08.01.2020 10:43:07	1	1	1	1	119	50.75	0	27345.972	584.9462366	16054.68431	30000	0	0	30000	33.625	2004
08.01.2020 10:43:08	1	1	1	1	119	53.5	0	27109.005	584.9462366	15915.25562	30000	0	0	30000	32.5625	2004
08.01.2020 10:43:09	1	1	1	1	119	52.5	0	27156.398	589.2473118	16001.6851	30000	0	0	30000	33.0625	2004
08.01.2020 10:43:10	1	1	1	1	119.8	53	0	27109.005	589.2473118	16031.85389	30000	0	0	30000	33.5625	2004
08.01.2020 10:43:11	1	1	1	1	119.8	53.5	0	26966.825	582.7956989	16004.13122	30000	0	0	30000	33.625	2004
08.01.2020 10:43:12	1	1	1	1	119.8	53.5	0	27109.005	589.2473118	15945.4244	30000	0	0	30000	33.625	2004
08.01.2020 10:43:13	1	1	1	1	119.8	53.5	0	27109.005	591.3978495	16059.57655	30000	0	0	30000	33.25	2004
08.01.2020 10:43:14	1	1	1	1	119.8	53.25	0	27061.611	589.2473118	16004.13122	30000	0	0	30000	31.8125	2004
08.01.2020 10:43:15	1	1	1	1	119.8	51.75	0	27109.005	593.5483871	16090.5607	30000	0	0	30000	32.4375	2004
08.01.2020 10:43:16	1	1	1	1	119.8	52.25	0	27109.005	593.5483871	16062.02267	30000	0	0	30000	31.1875	2004
08.01.2020 10:43:17	1	1	1	1	119.8	51	0	27109.005	593.5483871	16059.57655	30000	0	0	30000	31	2004
08.01.2020 10:43:18	1	1	1	1	119.8	51	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	33.375	2004
08.01.2020 10:43:19	1	1	1	1	119.8	53.25	0	27109.005	589.2473118	16031.85389	30000	0	0	30000	31.9375	2004
08.01.2020 10:43:20	1	1	1	1	119.8	51.75	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	33.5	2004
08.01.2020 10:43:21	1	1	1	1	119.8	53.5	0	27109.005	589.2473118	16144.37529	30000	0	0	30000	31.375	2004
08.01.2020 10:43:23	1	1	1	1	119.8	51.25	0	27109.005	589.2473118	16059.57655	30000	0	0	30000	32.5625	2004
08.01.2020 10:43:24	1	1	1	1	119.8	52.5	0	26966.825	587.0967742	15947.87052	30000	0	0	30000	32.4375	2004
08.01.2020 10:43:25	1	1	1	1	119.8	52.25	0	27109.005	587.0967742	15942.97828	30000	0	0	30000	30.75	2004
08.01.2020 10:43:26	1	1	1	1	119.8	50.75	0	27156.398	587.0967742	15942.97828	30000	0	0	30000	32	2004
08.01.2020 10:43:27	1	1	1	1	119.8	52	0	27298.578	587.0967742	15909.54801	30000	0	0	30000	33.1875	2004
08.01.2020 10:43:28	1	1	1	1	119.8	53	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	33.6875	2004
08.01.2020 10:43:29	1	1	1	1	119.8	53.5	0	27109.005	587.0967742	15915.25562	30000	0	0	30000	33.5625	2004
08.01.2020 10:43:30	1	1	1	1	119.8	53.5	0	27156.398	584.9462366	16026.96165	30000	0	0	30000	33.5	2004
08.01.2020 10:43:31	1	1	1	1	119.8	53.5	0	27298.578	587.0967742	15909.54801	30000	0	0	30000	32.625	2004
08.01.2020 10:43:32	1	1	1	1	119.8	52.5	0	27298.578	584.9462366	16172.09795	30000	0	0	30000	32.875	2004
08.01.2020 10:43:33	1	1	1	1	119.8	52.75	0	27109.005	587.0967742	15915.25562	30000	0	0	30000	32.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 10:43:34	1	1	1	1	119.8	52.75	0	27156.398	587.0967742	15942.97828	30000	0	0	30000	32.4375	2004
08.01.2020 10:43:35	1	1	1	1	119.8	52.25	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	33.125	2004
08.01.2020 10:43:36	1	1	1	1	119.8	53	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	33.75	2004
08.01.2020 10:43:37	1	1	1	1	119.8	53.75	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	32.3125	2004
08.01.2020 10:43:38	1	1	1	1	119.8	52.25	0	27298.578	578.4946237	15968.25483	30000	0	0	30000	32.625	2004
08.01.2020 10:43:39	1	1	1	1	119.8	52.5	0	27345.972	589.2473118	16054.68431	30000	0	0	30000	32.4375	2004
08.01.2020 10:43:40	1	1	1	1	119.8	52.25	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	33.1875	2004
08.01.2020 10:43:41	1	1	1	1	120.3	53	0	27298.578	589.2473118	16054.68431	30000	0	0	30000	33.6875	2004
08.01.2020 10:43:42	1	1	1	1	120.3	53.5	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	33.625	2004
08.01.2020 10:43:43	1	1	1	1	120.3	53.5	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	31	2004
08.01.2020 10:43:44	1	1	1	1	120.3	51	0	27345.972	582.7956989	15995.9775	30000	0	0	30000	30.75	2004
08.01.2020 10:43:53	1	1	1	1	118.8	53	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	33	2004
08.01.2020 10:43:53	1	1	1	1	118.8	53	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	33	2004
08.01.2020 10:43:53	1	1	1	1	118.8	53	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	33	2004
08.01.2020 10:43:53	1	1	1	1	118.8	53	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	33.25	2004
08.01.2020 10:43:53	1	1	1	1	118.8	53	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	33.25	2004
08.01.2020 10:43:54	1	1	1	1	118.8	53.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	31.9375	2004
08.01.2020 10:43:55	1	1	1	1	118.8	51.75	0	27061.611	587.0967742	16004.13122	30000	0	0	30000	31.9375	2004
08.01.2020 10:43:56	1	1	1	1	118.8	51.75	0	27298.578	589.2473118	16320.49575	30000	0	0	30000	32.9375	2004
08.01.2020 10:43:57	1	1	1	1	118.8	52.75	0	27061.611	591.3978495	16119.91411	30000	0	0	30000	31.625	2004
08.01.2020 10:43:58	1	1	1	1	118.8	51.5	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	32.625	2004
08.01.2020 10:43:59	1	1	1	1	118.8	52.5	0	27061.611	593.5483871	16004.13122	30000	0	0	30000	32	2004
08.01.2020 10:44:00	1	1	1	1	118.3	52	0	27109.005	591.3978495	16031.85389	30000	0	0	30000	34	2004
08.01.2020 10:44:01	1	1	1	1	118.3	54	0	27109.005	593.5483871	16031.85389	30000	0	0	30000	33.375	2004
08.01.2020 10:44:02	1	1	1	1	118.3	53.25	0	27109.005	593.5483871	16004.13122	30000	0	0	30000	32.4375	2004
08.01.2020 10:44:04	1	1	1	1	118.3	52.25	0	27109.005	589.2473118	16059.57655	30000	0	0	30000	33.9375	2004
08.01.2020 10:44:05	1	1	1	1	118.3	53.75	0	27061.611	589.2473118	16004.13122	30000	0	0	30000	32.1875	2004
08.01.2020 10:44:06	1	1	1	1	118.3	52	0	27061.611	584.9462366	16031.85389	30000	0	0	30000	33.5625	2004
08.01.2020 10:44:07	1	1	1	1	118.3	53.5	0	27109.005	593.5483871	16031.85389	30000	0	0	30000	33.0625	2004
08.01.2020 10:44:08	1	1	1	1	118.3	53	0	26919.431	589.2473118	15920.14785	30000	0	0	30000	32.6875	2004
08.01.2020 10:44:09	1	1	1	1	118.3	52.5	0	27109.005	595.6989247	16119.91411	30000	0	0	30000	33.6875	2004
08.01.2020 10:44:10	1	1	1	1	118.3	53.5	0	27109.005	589.2473118	16031.85389	30000	0	0	30000	32.25	2004
08.01.2020 10:44:11	1	1	1	1	117.5	52.25	0	27061.611	589.2473118	15973.96244	30000	0	0	30000	31.9375	2004
08.01.2020 10:44:12	1	1	1	1	117.5	51.75	0	27109.005	591.3978495	15915.25562	30000	0	0	30000	32.25	2004
08.01.2020 10:44:13	1	1	1	1	117.5	52.25	0	27109.005	591.3978495	16004.13122	30000	0	0	30000	32.8125	2004
08.01.2020 10:44:14	1	1	1	1	117.5	52.75	0	26919.431	587.0967742	15804.36496	30000	0	0	30000	33.8125	2004
08.01.2020 10:44:15	1	1	1	1	117.5	53.75	0	27109.005	591.3978495	16004.13122	30000	0	0	30000	31.5625	2004
08.01.2020 10:44:16	1	1	1	1	117.5	51.5	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	32.625	2004
08.01.2020 10:44:17	1	1	1	1	117.5	52.5	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	32.6875	2004
08.01.2020 10:44:18	1	1	1	1	117.5	52.5	0	27109.005	593.5483871	16062.02267	30000	0	0	30000	32.4375	2004
08.01.2020 10:44:19	1	1	1	1	117.5	52.25	0	27061.611	591.3978495	15832.08763	30000	0	0	30000	32.5	2004
08.01.2020 10:44:20	1	1	1	1	117.5	52.5	0	27061.611	587.0967742	15887.53295	30000	0	0	30000	32.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 10:44:21	1	1	1	1	117.5	52.75	0	26966.825	587.0967742	15945.4244	30000	0	0	30000	32.125	2004
08.01.2020 10:44:22	1	1	1	1	117.5	52	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	33.8125	2004
08.01.2020 10:44:23	1	1	1	1	117.5	53.75	0	27014.218	584.9462366	15945.4244	30000	0	0	30000	33.25	2004
08.01.2020 10:44:24	1	1	1	1	117.5	53.25	0	27298.578	591.3978495	16059.57655	30000	0	0	30000	33.6875	2004
08.01.2020 10:44:25	1	1	1	1	117.5	53.5	0	27014.218	593.5483871	15975.59318	30000	0	0	30000	32.75	2004
08.01.2020 10:44:26	1	1	1	1	117.5	52.75	0	27109.005	591.3978495	16031.85389	30000	0	0	30000	33.125	2004
08.01.2020 10:44:27	1	1	1	1	117.5	53	0	26966.825	587.0967742	15832.08763	30000	0	0	30000	34.125	2004
08.01.2020 10:44:28	1	1	1	1	117.5	54	0	27061.611	589.2473118	16004.13122	30000	0	0	30000	33.3125	2004
08.01.2020 10:44:29	1	1	1	1	117.5	53	0	27109.005	587.0967742	15887.53295	30000	0	0	30000	33.4375	2004
08.01.2020 10:44:30	1	1	1	1	119.3	53.25	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	33.875	2004
08.01.2020 10:44:31	1	1	1	1	119.3	53.75	0	27298.578	595.6989247	16085.66847	30000	0	0	30000	33.75	2004
08.01.2020 10:44:32	1	1	1	1	119.3	53.75	0	26966.825	582.7956989	15947.87052	30000	0	0	30000	33.6875	2004
08.01.2020 10:44:33	1	1	1	1	119.3	53.5	0	27061.611	589.2473118	16004.13122	30000	0	0	30000	33.0625	2004
08.01.2020 10:44:34	1	1	1	1	119.3	53	0	27156.398	595.6989247	16059.57655	30000	0	0	30000	34	2004
08.01.2020 10:44:35	1	1	1	1	119.3	54	0	27014.218	582.7956989	16004.13122	30000	0	0	30000	33.75	2004
08.01.2020 10:44:36	1	1	1	1	119.3	53.75	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	33.75	2004
08.01.2020 10:44:37	1	1	1	1	119.3	53.75	0	27109.005	587.0967742	15973.96244	30000	0	0	30000	32.5625	2004
08.01.2020 10:44:38	1	1	1	1	119.3	52.5	0	27156.398	589.2473118	16059.57655	30000	0	0	30000	32.625	2004
08.01.2020 10:44:39	1	1	1	1	119.3	52.5	0	27109.005	589.2473118	15973.96244	30000	0	0	30000	34	2004
08.01.2020 10:44:40	1	1	1	1	120	54	0	26966.825	589.2473118	15947.87052	30000	0	0	30000	33.6875	2004
08.01.2020 10:44:41	1	1	1	1	120	53.5	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	32.0625	2004
08.01.2020 10:44:42	1	1	1	1	120	52	0	27109.005	587.0967742	16203.08211	30000	0	0	30000	33.8125	2004
08.01.2020 10:44:43	1	1	1	1	120	53.75	0	27109.005	587.0967742	15915.25562	30000	0	0	30000	31.75	2004
08.01.2020 10:44:45	1	1	1	1	120	51.75	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	32.1875	2004
08.01.2020 10:44:46	1	1	1	1	120	52	0	26966.825	593.5483871	15947.87052	30000	0	0	30000	33	2004
08.01.2020 10:44:47	1	1	1	1	120	53	0	27061.611	591.3978495	15774.19618	30000	0	0	30000	32.25	2004
08.01.2020 10:44:48	1	1	1	1	120	52.25	0	26966.825	591.3978495	16005.76197	30000	0	0	30000	33.875	2004
08.01.2020 10:44:49	1	1	1	1	120	53.75	0	27061.611	593.5483871	16004.13122	30000	0	0	30000	31.8125	2004
08.01.2020 10:44:56	1	1	1	1	119.3	52.75	0	26872.038	591.3978495	15891.60982	30000	0	0	30000	33.0625	2004
08.01.2020 10:44:56	1	1	1	1	119.3	52.75	0	26872.038	591.3978495	15891.60982	30000	0	0	30000	33.0625	2004
08.01.2020 10:44:56	1	1	1	1	119.3	52.75	0	26872.038	591.3978495	15891.60982	30000	0	0	30000	33.0625	2004
08.01.2020 10:44:56	1	1	1	1	119.3	52.75	0	26872.038	591.3978495	15891.60982	30000	0	0	30000	33.0625	2004
08.01.2020 10:44:56	1	1	1	1	119.3	52.75	0	26872.038	591.3978495	15891.60982	30000	0	0	30000	33.0625	2004
08.01.2020 10:44:56	1	1	1	1	119.3	52.75	0	26872.038	591.3978495	15891.60982	30000	0	0	30000	33.0625	2004
08.01.2020 10:44:56	1	1	1	1	119.3	52.75	0	26872.038	591.3978495	15891.60982	30000	0	0	30000	33.0625	2004
08.01.2020 10:44:57	1	1	1	1	119.3	53	0	26966.825	595.6989247	16035.93075	30000	0	0	30000	33.5	2004
08.01.2020 10:44:58	1	1	1	1	119.3	53.5	0	26824.645	591.3978495	15863.88715	30000	0	0	30000	33.5625	2004
08.01.2020 10:44:59	1	1	1	1	119.3	53.5	0	26872.038	589.2473118	15891.60982	30000	0	0	30000	33.625	2004
08.01.2020 10:45:00	1	1	1	1	119.3	53.5	0	26919.431	591.3978495	15978.0393	30000	0	0	30000	34	2004
08.01.2020 10:45:01	1	1	1	1	120	54	0	26966.825	591.3978495	16005.76197	30000	0	0	30000	32.6875	2004
08.01.2020 10:45:02	1	1	1	1	120	52.5	0	26966.825	593.5483871	15947.87052	30000	0	0	30000	34	2004
08.01.2020 10:45:03	1	1	1	1	120	54	0	26919.431	591.3978495	15718.75085	30000	0	0	30000	32.5625	2004
08.01.2020 10:45:04	1	1	1	1	120	52.5	0	26966.825	595.6989247	16121.54486	30000	0	0	30000	33.875	2004
08.01.2020 10:45:05	1	1	1	1	120	53.75	0	26966.825	595.6989247	16179.43631	30000	0	0	30000	33.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 10:45:06	1	1	1	1	120	53.75	0	26872.038	595.6989247	16007.39271	30000	0	0	30000	34.3125	2004
08.01.2020 10:45:07	1	1	1	1	120	53.25	0	26919.431	597.8494624	16151.71364	30000	0	0	30000	33.875	2004
08.01.2020 10:45:08	1	1	1	1	120	53.75	0	26824.645	595.6989247	15978.85467	30000	0	0	30000	34	2004
08.01.2020 10:45:09	1	1	1	1	120	54	0	26682.464	589.2473118	15664.93627	30000	0	0	30000	32.875	2004
08.01.2020 10:45:10	1	1	1	1	120.3	52.75	0	26919.431	602.1505376	16035.93075	30000	0	0	30000	32.4375	2004
08.01.2020 10:45:11	1	1	1	1	120.3	52.25	0	26919.431	595.6989247	16063.65341	30000	0	0	30000	33.875	2004
08.01.2020 10:45:12	1	1	1	1	120.3	53.75	0	26872.038	602.1505376	16065.28416	30000	0	0	30000	32.4375	2004
08.01.2020 10:45:13	1	1	1	1	120.3	52.25	0	26824.645	597.8494624	16036.74612	30000	0	0	30000	32.3125	2004
08.01.2020 10:45:14	1	1	1	1	120.3	52.25	0	26777.251	597.8494624	15978.85467	30000	0	0	30000	33.3125	2004
08.01.2020 10:45:15	1	1	1	1	120.3	53.25	0	26777.251	595.6989247	15951.13201	30000	0	0	30000	33.9375	2004
08.01.2020 10:45:16	1	1	1	1	120.3	53.75	0	26966.825	602.1505376	16035.93075	30000	0	0	30000	34	2004
08.01.2020 10:45:17	1	1	1	1	120.3	54	0	26966.825	597.8494624	16063.65341	30000	0	0	30000	33.1875	2004
08.01.2020 10:45:18	1	1	1	1	120.3	53	0	26966.825	595.6989247	16063.65341	30000	0	0	30000	34.0625	2004
08.01.2020 10:45:19	1	1	1	1	120.3	54	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	33.625	2004
08.01.2020 10:45:20	1	1	1	1	120.3	53.5	0	26966.825	593.5483871	16063.65341	30000	0	0	30000	33.5	2004
08.01.2020 10:45:21	1	1	1	1	120.3	53.5	0	26824.645	591.3978495	15863.88715	30000	0	0	30000	32.25	2004
08.01.2020 10:45:23	1	1	1	1	120.3	52.25	0	26966.825	595.6989247	16063.65341	30000	0	0	30000	33.9375	2004
08.01.2020 10:45:24	1	1	1	1	120.3	53.75	0	26919.431	593.5483871	15920.14785	30000	0	0	30000	32.1875	2004
08.01.2020 10:45:25	1	1	1	1	120.3	52	0	27156.398	589.2473118	16144.37529	30000	0	0	30000	32.5625	2004
08.01.2020 10:45:26	1	1	1	1	120.3	52.5	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	33.875	2004
08.01.2020 10:45:27	1	1	1	1	120.3	53.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	33.4375	2004
08.01.2020 10:45:28	1	1	1	1	120.3	53.25	0	27109.005	584.9462366	16026.96165	30000	0	0	30000	31.875	2004
08.01.2020 10:45:29	1	1	1	1	120.3	51.75	0	27109.005	589.2473118	15915.25562	30000	0	0	30000	32.8125	2004
08.01.2020 10:45:30	1	1	1	1	120.3	52.75	0	27014.218	593.5483871	15975.59318	30000	0	0	30000	32.5625	2004
08.01.2020 10:45:31	1	1	1	1	120.3	52.5	0	27109.005	593.5483871	16118.28337	30000	0	0	30000	32.75	2004
08.01.2020 10:45:32	1	1	1	1	120.3	52.75	0	26966.825	593.5483871	16063.65341	30000	0	0	30000	33.9375	2004
08.01.2020 10:45:33	1	1	1	1	120.3	53.75	0	27109.005	591.3978495	16031.85389	30000	0	0	30000	33.125	2004
08.01.2020 10:45:34	1	1	1	1	120.3	53	0	27156.398	589.2473118	15942.97828	30000	0	0	30000	34.1875	2004
08.01.2020 10:45:35	1	1	1	1	120.3	54	0	27061.611	591.3978495	15887.53295	30000	0	0	30000	31.875	2004
08.01.2020 10:45:36	1	1	1	1	120.3	51.75	0	27156.398	587.0967742	15942.97828	30000	0	0	30000	34.125	2004
08.01.2020 10:45:37	1	1	1	1	120.3	54	0	27109.005	593.5483871	15915.25562	30000	0	0	30000	32.6875	2004
08.01.2020 10:45:38	1	1	1	1	120.3	52.5	0	27061.611	589.2473118	16004.13122	30000	0	0	30000	33.375	2004
08.01.2020 10:45:39	1	1	1	1	120.3	53.25	0	26966.825	591.3978495	15920.14785	30000	0	0	30000	34.125	2004
08.01.2020 10:45:40	1	1	1	1	120.3	54	0	26966.825	591.3978495	16063.65341	30000	0	0	30000	31.5	2004
08.01.2020 10:45:41	1	1	1	1	120.3	51.5	0	27061.611	589.2473118	15947.87052	30000	0	0	30000	33.9375	2004
08.01.2020 10:45:42	1	1	1	1	120.3	53.75	0	26966.825	591.3978495	16295.2192	30000	0	0	30000	32.9375	2004
08.01.2020 10:45:43	1	1	1	1	120.3	52.75	0	27109.005	593.5483871	16031.85389	30000	0	0	30000	33.5	2004
08.01.2020 10:45:44	1	1	1	1	120.3	53.5	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	32.875	2004
08.01.2020 10:45:45	1	1	1	1	120.3	52.75	0	26966.825	593.5483871	15947.87052	30000	0	0	30000	34.125	2004
08.01.2020 10:45:46	1	1	1	1	120.3	54	0	26872.038	591.3978495	15891.60982	30000	0	0	30000	34.5	2004
08.01.2020 10:45:47	1	1	1	1	120.3	54.5	0	26919.431	587.0967742	16121.54486	30000	0	0	30000	34.0625	2004
08.01.2020 10:45:48	1	1	1	1	120.3	54	0	26966.825	595.6989247	16063.65341	30000	0	0	30000	34.1875	2004
08.01.2020 10:45:49	1	1	1	1	120.3	54	0	26919.431	595.6989247	16035.93075	30000	0	0	30000	34.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 10:45:50	1	1	1	1	121.3	54.25	0	26777.251	595.6989247	15978.85467	30000	0	0	30000	32.4375	2004
08.01.2020 10:45:51	1	1	1	1	121.3	52.25	0	26872.038	595.6989247	16007.39271	30000	0	0	30000	32.875	2004
08.01.2020 10:45:59	1	1	1	1	121.3	52	0	26682.464	597.8494624	15951.94738	30000	0	0	30000	33.5	2004
08.01.2020 10:45:59	1	1	1	1	121.3	52	0	26682.464	597.8494624	15951.94738	30000	0	0	30000	33.5	2004
08.01.2020 10:45:59	1	1	1	1	121.3	52	0	26682.464	597.8494624	15951.94738	30000	0	0	30000	33.5	2004
08.01.2020 10:45:59	1	1	1	1	121.3	52	0	26682.464	597.8494624	15951.94738	30000	0	0	30000	33.5	2004
08.01.2020 10:45:59	1	1	1	1	121.3	53.5	0	26872.038	606.4516129	16094.63757	30000	0	0	30000	34.1875	2004
08.01.2020 10:46:00	1	1	1	1	121	54	0	26777.251	600	16008.20808	30000	0	0	30000	34.25	2004
08.01.2020 10:46:01	1	1	1	1	121	54.25	0	26777.251	597.8494624	16066.09953	30000	0	0	30000	34.125	2004
08.01.2020 10:46:02	1	1	1	1	121	54	0	26824.645	595.6989247	16007.39271	30000	0	0	30000	34.1875	2004
08.01.2020 10:46:04	1	1	1	1	121	54	0	26824.645	595.6989247	16036.74612	30000	0	0	30000	34.125	2004
08.01.2020 10:46:05	1	1	1	1	121	54	0	26872.038	602.1505376	16065.28416	30000	0	0	30000	32.4375	2004
08.01.2020 10:46:06	1	1	1	1	121	52.25	0	26682.464	597.8494624	16009.02346	30000	0	0	30000	34.0625	2004
08.01.2020 10:46:07	1	1	1	1	121	54	0	26777.251	597.8494624	15951.13201	30000	0	0	30000	34.3125	2004
08.01.2020 10:46:08	1	1	1	1	121	54.25	0	26777.251	597.8494624	16008.20808	30000	0	0	30000	33.125	2004
08.01.2020 10:46:09	1	1	1	1	121	53	0	26682.464	600	15894.05593	30000	0	0	30000	33.0625	2004
08.01.2020 10:46:10	1	1	1	1	121	53	0	26682.464	589.2473118	16036.74612	30000	0	0	30000	33.5	2004
08.01.2020 10:46:11	1	1	1	1	121.3	53.5	0	26824.645	597.8494624	16008.20808	30000	0	0	30000	33.5	2004
08.01.2020 10:46:12	1	1	1	1	121.3	53.5	0	26777.251	597.8494624	15951.13201	30000	0	0	30000	34.25	2004
08.01.2020 10:46:13	1	1	1	1	121.3	54.25	0	26824.645	597.8494624	16094.63757	30000	0	0	30000	33.0625	2004
08.01.2020 10:46:14	1	1	1	1	121.3	53	0	26777.251	600	16009.02346	30000	0	0	30000	33.75	2004
08.01.2020 10:46:15	1	1	1	1	121.3	53.75	0	26682.464	600	16066.9149	30000	0	0	30000	34.375	2004
08.01.2020 10:46:16	1	1	1	1	121.3	54.25	0	26872.038	597.8494624	16036.74612	30000	0	0	30000	33.25	2004
08.01.2020 10:46:17	1	1	1	1	121.3	53.25	0	26729.858	597.8494624	16209.60509	30000	0	0	30000	32.8125	2004
08.01.2020 10:46:18	1	1	1	1	121.3	52.75	0	26682.464	600	16009.02346	30000	0	0	30000	32.375	2004
08.01.2020 10:46:19	1	1	1	1	121.3	52.25	0	26824.645	602.1505376	16151.71364	30000	0	0	30000	33.1875	2004
08.01.2020 10:46:20	1	1	1	1	121.3	53	0	26919.431	595.6989247	16035.93075	30000	0	0	30000	33.875	2004
08.01.2020 10:46:21	1	1	1	1	121	53.75	0	26966.825	595.6989247	16063.65341	30000	0	0	30000	33.9375	2004
08.01.2020 10:46:22	1	1	1	1	121	53.75	0	26966.825	595.6989247	16150.0829	30000	0	0	30000	34.0625	2004
08.01.2020 10:46:23	1	1	1	1	121	54	0	26919.431	595.6989247	16063.65341	30000	0	0	30000	34.25	2004
08.01.2020 10:46:24	1	1	1	1	121	54.25	0	26919.431	595.6989247	15978.0393	30000	0	0	30000	34.375	2004
08.01.2020 10:46:25	1	1	1	1	121	54.25	0	26729.858	593.5483871	15951.13201	30000	0	0	30000	32.8125	2004
08.01.2020 10:46:26	1	1	1	1	121	52.75	0	26777.251	595.6989247	16036.74612	30000	0	0	30000	34.3125	2004
08.01.2020 10:46:27	1	1	1	1	121	54.25	0	26919.431	597.8494624	16007.39271	30000	0	0	30000	34	2004
08.01.2020 10:46:28	1	1	1	1	121	54	0	26966.825	595.6989247	16005.76197	30000	0	0	30000	33.125	2004
08.01.2020 10:46:29	1	1	1	1	121	53	0	26682.464	591.3978495	15893.24056	30000	0	0	30000	34.75	2004
08.01.2020 10:46:30	1	1	1	1	121	54.75	0	26966.825	593.5483871	15947.87052	30000	0	0	30000	34.0625	2004
08.01.2020 10:46:31	1	1	1	1	121.3	54	0	26966.825	593.5483871	16005.76197	30000	0	0	30000	34.3125	2004
08.01.2020 10:46:32	1	1	1	1	121.3	53.75	0	26966.825	591.3978495	16005.76197	30000	0	0	30000	34.5	2004
08.01.2020 10:46:33	1	1	1	1	121.3	54.5	0	26919.431	591.3978495	15978.0393	30000	0	0	30000	32.75	2004
08.01.2020 10:46:34	1	1	1	1	121.3	52.75	0	26919.431	593.5483871	15978.0393	30000	0	0	30000	34.25	2004
08.01.2020 10:46:35	1	1	1	1	121.3	54.25	0	26919.431	591.3978495	15920.14785	30000	0	0	30000	33.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 10:46:36	1	1	1	1	121.3	53	0	27061.611	587.0967742	15887.53295	30000	0	0	30000	34	2004
08.01.2020 10:46:37	1	1	1	1	121.3	54	0	27298.578	587.0967742	16144.37529	30000	0	0	30000	32.5	2004
08.01.2020 10:46:38	1	1	1	1	121.3	52.5	0	27109.005	589.2473118	16144.37529	30000	0	0	30000	34.5	2004
08.01.2020 10:46:39	1	1	1	1	121.3	54.5	0	27109.005	589.2473118	15973.96244	30000	0	0	30000	33.1875	2004
08.01.2020 10:46:40	1	1	1	1	121.5	53	0	27156.398	593.5483871	16059.57655	30000	0	0	30000	34	2004
08.01.2020 10:46:41	1	1	1	1	121.5	54	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	32.9375	2004
08.01.2020 10:46:42	1	1	1	1	121.5	52.75	0	27109.005	593.5483871	16119.91411	30000	0	0	30000	32.9375	2004
08.01.2020 10:46:43	1	1	1	1	121.5	52.75	0	26966.825	593.5483871	15947.87052	30000	0	0	30000	33.1875	2004
08.01.2020 10:46:44	1	1	1	1	121.5	53	0	26919.431	595.6989247	16007.39271	30000	0	0	30000	33.5625	2004
08.01.2020 10:46:45	1	1	1	1	121.5	53.5	0	26872.038	595.6989247	16007.39271	30000	0	0	30000	34.625	2004
08.01.2020 10:46:46	1	1	1	1	121.5	54.5	0	26919.431	595.6989247	16035.93075	30000	0	0	30000	34.25	2004
08.01.2020 10:46:48	1	1	1	1	121.5	54.25	0	26919.431	595.6989247	16035.93075	30000	0	0	30000	34.1875	2004
08.01.2020 10:46:49	1	1	1	1	121.5	54	0	26919.431	595.6989247	16035.93075	30000	0	0	30000	33.0625	2004
08.01.2020 10:46:50	1	1	1	1	121.5	53	0	26966.825	597.8494624	16121.54486	30000	0	0	30000	32.75	2004
08.01.2020 10:46:51	1	1	1	1	121	52.75	0	26824.645	593.5483871	16065.28416	30000	0	0	30000	34.5	2004
08.01.2020 10:46:52	1	1	1	1	121	54.5	0	26966.825	593.5483871	16063.65341	30000	0	0	30000	33.0625	2004
08.01.2020 10:46:53	1	1	1	1	121	53	0	26777.251	595.6989247	15978.85467	30000	0	0	30000	33.8125	2004
08.01.2020 10:46:54	1	1	1	1	121	53.75	0	26682.464	597.8494624	15894.05593	30000	0	0	30000	31.75	2004
08.01.2020 10:46:55	1	1	1	1	121	51.75	0	26919.431	597.8494624	16007.39271	30000	0	0	30000	33.9375	2004
08.01.2020 10:47:02	1	1	1	1	121.5	54.5	0	26919.431	593.5483871	16035.93075	30000	0	0	30000	33.4375	2004
08.01.2020 10:47:02	1	1	1	1	121.5	54.5	0	26919.431	593.5483871	16035.93075	30000	0	0	30000	33.4375	2004
08.01.2020 10:47:02	1	1	1	1	121.5	54.5	0	26919.431	593.5483871	16035.93075	30000	0	0	30000	33.4375	2004
08.01.2020 10:47:02	1	1	1	1	121.5	54.5	0	26919.431	593.5483871	16035.93075	30000	0	0	30000	33.4375	2004
08.01.2020 10:47:02	1	1	1	1	121.5	54.5	0	26919.431	593.5483871	16035.93075	30000	0	0	30000	33.4375	2004
08.01.2020 10:47:02	1	1	1	1	121.5	53.25	0	26824.645	593.5483871	15921.7786	30000	0	0	30000	34.375	2004
08.01.2020 10:47:03	1	1	1	1	121.5	54.25	0	26824.645	597.8494624	15978.85467	30000	0	0	30000	34.5	2004
08.01.2020 10:47:04	1	1	1	1	121.5	54.5	0	26777.251	597.8494624	15894.05593	30000	0	0	30000	34.4375	2004
08.01.2020 10:47:05	1	1	1	1	121.5	54.25	0	26966.825	595.6989247	16119.91411	30000	0	0	30000	33.9375	2004
08.01.2020 10:47:06	1	1	1	1	121.5	53.75	0	26824.645	593.5483871	16007.39271	30000	0	0	30000	34.4375	2004
08.01.2020 10:47:07	1	1	1	1	121.5	54.25	0	26919.431	593.5483871	15891.60982	30000	0	0	30000	34.1875	2004
08.01.2020 10:47:08	1	1	1	1	121.5	54	0	26966.825	595.6989247	16005.76197	30000	0	0	30000	32.5625	2004
08.01.2020 10:47:09	1	1	1	1	121.5	52.5	0	27109.005	591.3978495	16004.13122	30000	0	0	30000	34.875	2004
08.01.2020 10:47:10	1	1	1	1	121.5	54.75	0	26919.431	591.3978495	15920.14785	30000	0	0	30000	34.25	2004
08.01.2020 10:47:11	1	1	1	1	122.5	54.25	0	27109.005	593.5483871	16031.85389	30000	0	0	30000	34.5625	2004
08.01.2020 10:47:12	1	1	1	1	122.5	54.5	0	27109.005	593.5483871	16004.13122	30000	0	0	30000	34.3125	2004
08.01.2020 10:47:13	1	1	1	1	122.5	52.75	0	26966.825	593.5483871	16150.0829	30000	0	0	30000	34.125	2004
08.01.2020 10:47:14	1	1	1	1	122.5	54	0	26966.825	595.6989247	15947.87052	30000	0	0	30000	33.25	2004
08.01.2020 10:47:15	1	1	1	1	122.5	53.25	0	27109.005	591.3978495	16031.85389	30000	0	0	30000	34.375	2004
08.01.2020 10:47:16	1	1	1	1	122.5	54.25	0	27061.611	593.5483871	16062.02267	30000	0	0	30000	33	2004
08.01.2020 10:47:17	1	1	1	1	122.5	53	0	26966.825	591.3978495	16119.91411	30000	0	0	30000	33	2004
08.01.2020 10:47:18	1	1	1	1	122.5	53	0	27109.005	593.5483871	16004.13122	30000	0	0	30000	32.6875	2004
08.01.2020 10:47:19	1	1	1	1	122.5	52.5	0	27061.611	591.3978495	16062.02267	30000	0	0	30000	33.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 10:47:20	1	1	1	1	121	53.75	0	27061.611	584.9462366	16031.85389	30000	0	0	30000	34.0625	2004
08.01.2020 10:47:21	1	1	1	1	121	54	0	26872.038	591.3978495	15891.60982	30000	0	0	30000	33.5625	2004
08.01.2020 10:47:22	1	1	1	1	121	53.5	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	34.5	2004
08.01.2020 10:47:23	1	1	1	1	121	54.5	0	27298.578	589.2473118	16144.37529	30000	0	0	30000	34.5625	2004
08.01.2020 10:47:24	1	1	1	1	121	54.5	0	27109.005	591.3978495	16031.85389	30000	0	0	30000	34.5625	2004
08.01.2020 10:47:26	1	1	1	1	121	54.5	0	27061.611	589.2473118	16004.13122	30000	0	0	30000	33.875	2004
08.01.2020 10:47:27	1	1	1	1	121	53.75	0	27298.578	595.6989247	15942.97828	30000	0	0	30000	34.5625	2004
08.01.2020 10:47:28	1	1	1	1	121	54.5	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	34.5625	2004
08.01.2020 10:47:29	1	1	1	1	121	54.5	0	27298.578	587.0967742	15942.97828	30000	0	0	30000	34.4375	2004
08.01.2020 10:47:30	1	1	1	1	121	54.25	0	27298.578	589.2473118	15826.38002	30000	0	0	30000	33.5	2004
08.01.2020 10:47:31	1	1	1	1	121.8	53.5	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	34.5625	2004
08.01.2020 10:47:32	1	1	1	1	121.8	54.5	0	27109.005	589.2473118	15887.53295	30000	0	0	30000	34.625	2004
08.01.2020 10:47:33	1	1	1	1	121.8	54.5	0	27298.578	587.0967742	15826.38002	30000	0	0	30000	34.5625	2004
08.01.2020 10:47:34	1	1	1	1	121.8	54.5	0	27298.578	589.2473118	16144.37529	30000	0	0	30000	33.5625	2004
08.01.2020 10:47:35	1	1	1	1	121.8	53.5	0	27061.611	589.2473118	15859.81029	30000	0	0	30000	34.5625	2004
08.01.2020 10:47:36	1	1	1	1	121.8	54.5	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	34.0625	2004
08.01.2020 10:47:37	1	1	1	1	121.8	54	0	27061.611	587.0967742	15887.53295	30000	0	0	30000	33.9375	2004
08.01.2020 10:47:38	1	1	1	1	121.8	53.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	33.3125	2004
08.01.2020 10:47:39	1	1	1	1	121.8	53.25	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	33.875	2004
08.01.2020 10:47:40	1	1	1	1	121.8	53.75	0	27298.578	582.7956989	16026.96165	30000	0	0	30000	33.1875	2004
08.01.2020 10:47:41	1	1	1	1	122.3	53	0	27061.611	589.2473118	15945.4244	30000	0	0	30000	33.375	2004
08.01.2020 10:47:42	1	1	1	1	122.3	53.25	0	27109.005	589.2473118	16144.37529	30000	0	0	30000	34.75	2004
08.01.2020 10:47:43	1	1	1	1	122.3	54.75	0	27109.005	593.5483871	16031.85389	30000	0	0	30000	33.8125	2004
08.01.2020 10:47:44	1	1	1	1	122.3	53.75	0	27061.611	602.1505376	15947.87052	30000	0	0	30000	34.5	2004
08.01.2020 10:47:45	1	1	1	1	122.3	54.5	0	26872.038	591.3978495	15891.60982	30000	0	0	30000	34.6875	2004
08.01.2020 10:47:46	1	1	1	1	122.3	54.5	0	27061.611	593.5483871	16090.5607	30000	0	0	30000	33.8125	2004
08.01.2020 10:47:47	1	1	1	1	122.3	53.75	0	27061.611	593.5483871	16004.13122	30000	0	0	30000	34.4375	2004
08.01.2020 10:47:48	1	1	1	1	122.3	54.25	0	27014.218	591.3978495	15947.87052	30000	0	0	30000	34.875	2004
08.01.2020 10:47:49	1	1	1	1	122.3	54.75	0	26919.431	595.6989247	16121.54486	30000	0	0	30000	34.9375	2004
08.01.2020 10:47:50	1	1	1	1	122.3	54.75	0	27061.611	595.6989247	16119.91411	30000	0	0	30000	34.5625	2004
08.01.2020 10:47:51	1	1	1	1	122.5	54.5	0	26919.431	595.6989247	16035.93075	30000	0	0	30000	34.125	2004
08.01.2020 10:47:52	1	1	1	1	122.5	54.75	0	26966.825	595.6989247	16121.54486	30000	0	0	30000	34.4375	2004
08.01.2020 10:47:53	1	1	1	1	122.5	54.25	0	26682.464	597.8494624	15894.05593	30000	0	0	30000	33.4375	2004
08.01.2020 10:47:54	1	1	1	1	122.5	53.25	0	26872.038	597.8494624	15978.85467	30000	0	0	30000	33.25	2004
08.01.2020 10:47:55	1	1	1	1	122.5	53.25	0	26682.464	595.6989247	16008.20808	30000	0	0	30000	34.3125	2004
08.01.2020 10:47:56	1	1	1	1	122.5	54.25	0	26824.645	597.8494624	16094.63757	30000	0	0	30000	34.375	2004
08.01.2020 10:48:04	1	1	1	1	122.3	54	0	26777.251	597.8494624	16094.63757	30000	0	0	30000	34.875	2004
08.01.2020 10:48:04	1	1	1	1	122.3	54	0	26777.251	597.8494624	16094.63757	30000	0	0	30000	34.875	2004
08.01.2020 10:48:04	1	1	1	1	122.3	54	0	26777.251	597.8494624	16094.63757	30000	0	0	30000	34.875	2004
08.01.2020 10:48:05	1	1	1	1	122.3	54.75	0	26824.645	595.6989247	16036.74612	30000	0	0	30000	34.375	2004
08.01.2020 10:48:06	1	1	1	1	122.3	54.25	0	26824.645	597.8494624	16036.74612	30000	0	0	30000	34.875	2004
08.01.2020 10:48:07	1	1	1	1	122.3	54.75	0	26682.464	597.8494624	15894.05593	30000	0	0	30000	33.6875	2004
08.01.2020 10:48:08	1	1	1	1	122.3	53.5	0	26919.431	597.8494624	16238.14313	30000	0	0	30000	34.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 10:48:09	1	1	1	1	122.3	54.25	0	26872.038	593.5483871	16007.39271	30000	0	0	30000	34.6875	2004
08.01.2020 10:48:10	1	1	1	1	122.3	54.5	0	26872.038	595.6989247	16007.39271	30000	0	0	30000	33.4375	2004
08.01.2020 10:48:11	1	1	1	1	122.8	53.25	0	26966.825	595.6989247	16121.54486	30000	0	0	30000	33.8125	2004
08.01.2020 10:48:12	1	1	1	1	122.8	53.75	0	26824.645	595.6989247	15978.85467	30000	0	0	30000	34.5625	2004
08.01.2020 10:48:13	1	1	1	1	122.8	54.5	0	26919.431	595.6989247	15978.0393	30000	0	0	30000	34.1875	2004
08.01.2020 10:48:14	1	1	1	1	122.8	54	0	26824.645	597.8494624	16008.20808	30000	0	0	30000	33.5625	2004
08.01.2020 10:48:15	1	1	1	1	122.8	53.5	0	26824.645	597.8494624	16008.20808	30000	0	0	30000	34.75	2004
08.01.2020 10:48:16	1	1	1	1	122.8	54.75	0	26824.645	593.5483871	15720.38159	30000	0	0	30000	34.375	2004
08.01.2020 10:48:17	1	1	1	1	122.8	54.25	0	26966.825	593.5483871	15804.36496	30000	0	0	30000	34.5	2004
08.01.2020 10:48:18	1	1	1	1	122.8	54.5	0	26966.825	589.2473118	15889.97907	30000	0	0	30000	34.5	2004
08.01.2020 10:48:19	1	1	1	1	122.8	54.5	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	34.0625	2004
08.01.2020 10:48:20	1	1	1	1	122.8	54	0	27298.578	591.3978495	16059.57655	30000	0	0	30000	34.4375	2004
08.01.2020 10:48:21	1	1	1	1	122.5	54.25	0	27298.578	591.3978495	16026.96165	30000	0	0	30000	33.9375	2004
08.01.2020 10:48:22	1	1	1	1	122.5	53.75	0	27061.611	589.2473118	16062.02267	30000	0	0	30000	34.75	2004
08.01.2020 10:48:23	1	1	1	1	122.5	54.75	0	27109.005	593.5483871	16031.85389	30000	0	0	30000	34.875	2004
08.01.2020 10:48:24	1	1	1	1	122.5	54.75	0	26966.825	589.2473118	16004.13122	30000	0	0	30000	34.375	2004
08.01.2020 10:48:25	1	1	1	1	122.5	54.25	0	27109.005	591.3978495	16031.85389	30000	0	0	30000	34.8125	2004
08.01.2020 10:48:26	1	1	1	1	122.5	54.75	0	26966.825	593.5483871	15947.87052	30000	0	0	30000	34.5	2004
08.01.2020 10:48:27	1	1	1	1	122.5	54.5	0	27109.005	589.2473118	16001.6851	30000	0	0	30000	34.5	2004
08.01.2020 10:48:28	1	1	1	1	122.5	54.5	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	34.3125	2004
08.01.2020 10:48:29	1	1	1	1	122.5	54.25	0	27156.398	587.0967742	16026.96165	30000	0	0	30000	33.4375	2004
08.01.2020 10:48:30	1	1	1	1	123.3	54.75	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	34.25	2004
08.01.2020 10:48:31	1	1	1	1	123.3	54.25	0	27298.578	589.2473118	16203.08211	30000	0	0	30000	34.125	2004
08.01.2020 10:48:32	1	1	1	1	123.3	54	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	34.1875	2004
08.01.2020 10:48:33	1	1	1	1	123.3	54	0	27109.005	584.9462366	15915.25562	30000	0	0	30000	34.3125	2004
08.01.2020 10:48:34	1	1	1	1	123.3	54.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	34.5625	2004
08.01.2020 10:48:35	1	1	1	1	123.3	54.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	34.3125	2004
08.01.2020 10:48:36	1	1	1	1	123.3	54.25	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	34.4375	2004
08.01.2020 10:48:37	1	1	1	1	123.3	54.25	0	27109.005	589.2473118	15973.96244	30000	0	0	30000	34.75	2004
08.01.2020 10:48:38	1	1	1	1	123.3	54.75	0	27298.578	591.3978495	16059.57655	30000	0	0	30000	34.8125	2004
08.01.2020 10:48:39	1	1	1	1	123.3	54.75	0	27061.611	593.5483871	16004.13122	30000	0	0	30000	33.5	2004
08.01.2020 10:48:40	1	1	1	1	122.8	53.5	0	26966.825	591.3978495	15746.47351	30000	0	0	30000	34.8125	2004
08.01.2020 10:48:41	1	1	1	1	122.8	54.75	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	34.75	2004
08.01.2020 10:48:42	1	1	1	1	122.8	54.75	0	26966.825	589.2473118	15832.08763	30000	0	0	30000	34.3125	2004
08.01.2020 10:48:44	1	1	1	1	122.8	54.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	33.6875	2004
08.01.2020 10:48:45	1	1	1	1	122.8	53.5	0	27298.578	587.0967742	15850.84119	30000	0	0	30000	34.125	2004
08.01.2020 10:48:46	1	1	1	1	122.8	54	0	27156.398	591.3978495	16059.57655	30000	0	0	30000	34.4375	2004
08.01.2020 10:48:47	1	1	1	1	122.8	54.25	0	27156.398	587.0967742	15942.97828	30000	0	0	30000	34.8125	2004
08.01.2020 10:48:48	1	1	1	1	122.8	54.75	0	27298.578	595.6989247	16031.85389	30000	0	0	30000	34.875	2004
08.01.2020 10:48:49	1	1	1	1	122.8	54.75	0	27109.005	593.5483871	16031.85389	30000	0	0	30000	34.3125	2004
08.01.2020 10:48:50	1	1	1	1	122.8	54.25	0	27061.611	602.1505376	15832.08763	30000	0	0	30000	34.375	2004
08.01.2020 10:48:51	1	1	1	1	122.3	54.25	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	34.5	2004
08.01.2020 10:48:52	1	1	1	1	122.3	54.5	0	27061.611	589.2473118	15945.4244	30000	0	0	30000	34.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 10:48:53	1	1	1	1	122.3	54.25	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	34.875	2004
08.01.2020 10:48:54	1	1	1	1	122.3	54.75	0	26682.464	584.9462366	15863.88715	30000	0	0	30000	34.1875	2004
08.01.2020 10:48:55	1	1	1	1	122.3	54	0	26919.431	593.5483871	15978.0393	30000	0	0	30000	34.1875	2004
08.01.2020 10:48:56	1	1	1	1	122.3	54	0	27014.218	595.6989247	16092.19145	30000	0	0	30000	34.375	2004
08.01.2020 10:48:57	1	1	1	1	122.3	54.25	0	26919.431	595.6989247	16035.93075	30000	0	0	30000	33.6875	2004
08.01.2020 10:48:58	1	1	1	1	122.3	53.5	0	26966.825	593.5483871	16005.76197	30000	0	0	30000	34	2004
08.01.2020 10:48:59	1	1	1	1	122.3	54	0	26919.431	595.6989247	16035.93075	30000	0	0	30000	34.75	2004
08.01.2020 10:49:00	1	1	1	1	122.3	54.75	0	26919.431	593.5483871	15978.0393	30000	0	0	30000	34.875	2004
08.01.2020 10:49:01	1	1	1	1	121.8	54.75	0	26872.038	593.5483871	15891.60982	30000	0	0	30000	34.1875	2004
08.01.2020 10:49:02	1	1	1	1	121.8	54	0	26824.645	593.5483871	16007.39271	30000	0	0	30000	34	2004
08.01.2020 10:49:09	1	1	1	1	121.8	54	0	26919.431	595.6989247	16035.93075	30000	0	0	30000	34.8125	2004
08.01.2020 10:49:09	1	1	1	1	121.8	54	0	26919.431	595.6989247	16035.93075	30000	0	0	30000	34.8125	2004
08.01.2020 10:49:09	1	1	1	1	121.8	54	0	26919.431	595.6989247	16035.93075	30000	0	0	30000	34.8125	2004
08.01.2020 10:49:09	1	1	1	1	121.8	54	0	26919.431	595.6989247	16035.93075	30000	0	0	30000	34.8125	2004
08.01.2020 10:49:09	1	1	1	1	121.8	54	0	26919.431	595.6989247	16035.93075	30000	0	0	30000	34.8125	2004
08.01.2020 10:49:09	1	1	1	1	121.8	54	0	26919.431	595.6989247	16035.93075	30000	0	0	30000	34.8125	2004
08.01.2020 10:49:09	1	1	1	1	121.8	54	0	26919.431	595.6989247	16035.93075	30000	0	0	30000	34.8125	2004
08.01.2020 10:49:10	1	1	1	1	122.3	54.75	0	27014.218	591.3978495	16062.02267	30000	0	0	30000	34.875	2004
08.01.2020 10:49:11	1	1	1	1	122.3	54.75	0	26919.431	593.5483871	15920.14785	30000	0	0	30000	33.8125	2004
08.01.2020 10:49:12	1	1	1	1	122.3	53.75	0	26824.645	593.5483871	15949.50126	30000	0	0	30000	34.6875	2004
08.01.2020 10:49:13	1	1	1	1	122.3	54.5	0	27109.005	595.6989247	16148.45215	30000	0	0	30000	34.3125	2004
08.01.2020 10:49:14	1	1	1	1	122.3	54.25	0	27014.218	591.3978495	16004.13122	30000	0	0	30000	34.625	2004
08.01.2020 10:49:15	1	1	1	1	122.3	54.5	0	26966.825	593.5483871	15975.59318	30000	0	0	30000	34.875	2004
08.01.2020 10:49:16	1	1	1	1	122.3	54.75	0	27061.611	591.3978495	16062.02267	30000	0	0	30000	35.0625	2004
08.01.2020 10:49:17	1	1	1	1	122.3	55	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	34.5	2004
08.01.2020 10:49:18	1	1	1	1	122.3	54.5	0	27061.611	593.5483871	16062.02267	30000	0	0	30000	33.75	2004
08.01.2020 10:49:19	1	1	1	1	122.3	53.75	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	33.5	2004
08.01.2020 10:49:21	1	1	1	1	123.5	53.5	0	26919.431	589.2473118	16005.76197	30000	0	0	30000	35	2004
08.01.2020 10:49:22	1	1	1	1	123.5	55	0	27014.218	593.5483871	15975.59318	30000	0	0	30000	33.8125	2004
08.01.2020 10:49:23	1	1	1	1	123.5	53.75	0	27109.005	591.3978495	16031.85389	30000	0	0	30000	34.6875	2004
08.01.2020 10:49:24	1	1	1	1	123.5	54.5	0	27109.005	591.3978495	16031.85389	30000	0	0	30000	34.625	2004
08.01.2020 10:49:25	1	1	1	1	123.5	54.5	0	27109.005	589.2473118	15973.96244	30000	0	0	30000	35.0625	2004
08.01.2020 10:49:26	1	1	1	1	123.5	55	0	27014.218	591.3978495	16031.85389	30000	0	0	30000	34.875	2004
08.01.2020 10:49:27	1	1	1	1	123.5	54.75	0	27014.218	593.5483871	16004.13122	30000	0	0	30000	34.1875	2004
08.01.2020 10:49:28	1	1	1	1	123.5	54	0	26966.825	593.5483871	16005.76197	30000	0	0	30000	34.875	2004
08.01.2020 10:49:29	1	1	1	1	123.5	54.75	0	26966.825	593.5483871	16005.76197	30000	0	0	30000	35	2004
08.01.2020 10:49:30	1	1	1	1	123.5	55	0	27061.611	589.2473118	16004.13122	30000	0	0	30000	33.375	2004
08.01.2020 10:49:31	1	1	1	1	123	53.25	0	27109.005	593.5483871	16031.85389	30000	0	0	30000	34.8125	2004
08.01.2020 10:49:32	1	1	1	1	123	54.75	0	27298.578	589.2473118	15885.08684	30000	0	0	30000	35.125	2004
08.01.2020 10:49:33	1	1	1	1	123	55	0	27298.578	587.0967742	16172.09795	30000	0	0	30000	35.125	2004
08.01.2020 10:49:34	1	1	1	1	123	55	0	27014.218	591.3978495	15975.59318	30000	0	0	30000	35.1875	2004
08.01.2020 10:49:35	1	1	1	1	123	55	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	34.375	2004
08.01.2020 10:49:36	1	1	1	1	123	54.25	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	33.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 10:49:37	1	1	1	1	123	53.75	0	27014.218	595.6989247	16063.65341	30000	0	0	30000	34.8125	2004
08.01.2020 10:49:38	1	1	1	1	123	54.75	0	27156.398	591.3978495	16059.57655	30000	0	0	30000	34.9375	2004
08.01.2020 10:49:39	1	1	1	1	123	54.75	0	27109.005	591.3978495	16031.85389	30000	0	0	30000	34.4375	2004
08.01.2020 10:49:40	1	1	1	1	123	54.25	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	34.375	2004
08.01.2020 10:49:41	1	1	1	1	123	54.25	0	26919.431	591.3978495	15920.14785	30000	0	0	30000	34.8125	2004
08.01.2020 10:49:42	1	1	1	1	123	54.75	0	26966.825	593.5483871	15947.87052	30000	0	0	30000	33.625	2004
08.01.2020 10:49:43	1	1	1	1	123	53.5	0	26919.431	589.2473118	15862.25641	30000	0	0	30000	33.75	2004
08.01.2020 10:49:44	1	1	1	1	123	53.75	0	26919.431	591.3978495	15978.0393	30000	0	0	30000	34.5	2004
08.01.2020 10:49:45	1	1	1	1	123	54.5	0	26919.431	593.5483871	15920.14785	30000	0	0	30000	34.875	2004
08.01.2020 10:49:46	1	1	1	1	123	54.75	0	26919.431	593.5483871	15978.0393	30000	0	0	30000	35.0625	2004
08.01.2020 10:49:47	1	1	1	1	123	55	0	26872.038	591.3978495	15891.60982	30000	0	0	30000	34.6875	2004
08.01.2020 10:49:48	1	1	1	1	123	54.5	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	35.1875	2004
08.01.2020 10:49:49	1	1	1	1	123	54	0	26919.431	591.3978495	16035.93075	30000	0	0	30000	34.625	2004
08.01.2020 10:49:50	1	1	1	1	123.5	54.5	0	26966.825	600	16121.54486	30000	0	0	30000	34.75	2004
08.01.2020 10:49:51	1	1	1	1	123.5	54.75	0	26966.825	593.5483871	16179.43631	30000	0	0	30000	33.6875	2004
08.01.2020 10:49:52	1	1	1	1	123.5	53.5	0	27061.611	595.6989247	16119.91411	30000	0	0	30000	34.5	2004
08.01.2020 10:49:53	1	1	1	1	123.5	54.5	0	26824.645	593.5483871	15921.7786	30000	0	0	30000	35.125	2004
08.01.2020 10:49:54	1	1	1	1	123.5	55	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	34.1875	2004
08.01.2020 10:49:55	1	1	1	1	123.5	54	0	26919.431	591.3978495	15891.60982	30000	0	0	30000	34.0625	2004
08.01.2020 10:49:56	1	1	1	1	123.5	54	0	26872.038	595.6989247	15949.50126	30000	0	0	30000	34.125	2004
08.01.2020 10:49:57	1	1	1	1	123.5	54	0	26777.251	593.5483871	16008.20808	30000	0	0	30000	34.6875	2004
08.01.2020 10:49:58	1	1	1	1	123.5	54.5	0	26824.645	597.8494624	15978.85467	30000	0	0	30000	34.875	2004
08.01.2020 10:50:00	1	1	1	1	123.5	54.75	0	26872.038	595.6989247	15978.85467	30000	0	0	30000	34.875	2004
08.01.2020 10:50:01	1	1	1	1	123.3	54.75	0	26824.645	593.5483871	15835.34912	30000	0	0	30000	35.125	2004
08.01.2020 10:50:02	1	1	1	1	123.3	55	0	27061.611	595.6989247	16119.91411	30000	0	0	30000	35.25	2004
08.01.2020 10:50:03	1	1	1	1	123.3	55.25	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	34.8125	2004
08.01.2020 10:50:04	1	1	1	1	123.3	54.75	0	26966.825	587.0967742	16062.02267	30000	0	0	30000	34.25	2004
08.01.2020 10:50:15	1	1	1	1	123.5	55	0	27061.611	595.6989247	16119.91411	30000	0	0	30000	35.25	2004
08.01.2020 10:50:15	1	1	1	1	123.5	55	0	27061.611	595.6989247	16119.91411	30000	0	0	30000	35.25	2004
08.01.2020 10:50:15	1	1	1	1	123.5	55	0	27061.611	595.6989247	16119.91411	30000	0	0	30000	35.25	2004
08.01.2020 10:50:15	1	1	1	1	123.5	55	0	27061.611	595.6989247	16119.91411	30000	0	0	30000	35.25	2004
08.01.2020 10:50:15	1	1	1	1	123.5	55	0	27061.611	595.6989247	16119.91411	30000	0	0	30000	35.25	2004
08.01.2020 10:50:15	1	1	1	1	123.5	55	0	27061.611	595.6989247	16119.91411	30000	0	0	30000	35.25	2004
08.01.2020 10:50:15	1	1	1	1	123.5	55	0	27061.611	595.6989247	16119.91411	30000	0	0	30000	35.25	2004
08.01.2020 10:50:15	1	1	1	1	123.5	55.25	0	27061.611	593.5483871	16062.02267	30000	0	0	30000	35.1875	2004
08.01.2020 10:50:16	1	1	1	1	123.5	55	0	27109.005	597.8494624	16062.02267	30000	0	0	30000	35.125	2004
08.01.2020 10:50:17	1	1	1	1	123.5	55	0	27061.611	582.7956989	16059.57655	30000	0	0	30000	33.6875	2004
08.01.2020 10:50:18	1	1	1	1	123.5	53.5	0	26966.825	589.2473118	15947.87052	30000	0	0	30000	34.75	2004
08.01.2020 10:50:19	1	1	1	1	123.5	54.75	0	27109.005	591.3978495	15945.4244	30000	0	0	30000	35.25	2004
08.01.2020 10:50:20	1	1	1	1	123.5	55.25	0	27109.005	597.8494624	16004.13122	30000	0	0	30000	35	2004
08.01.2020 10:50:21	1	1	1	1	123.8	55	0	27298.578	593.5483871	16059.57655	30000	0	0	30000	34.375	2004
08.01.2020 10:50:22	1	1	1	1	123.8	54.25	0	26966.825	593.5483871	15947.87052	30000	0	0	30000	35	2004
08.01.2020 10:50:23	1	1	1	1	123.8	55	0	26966.825	591.3978495	16119.91411	30000	0	0	30000	34.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 10:50:24	1	1	1	1	123.8	54.5	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	34.875	2004
08.01.2020 10:50:25	1	1	1	1	123.8	54.75	0	27298.578	593.5483871	16059.57655	30000	0	0	30000	34.875	2004
08.01.2020 10:50:26	1	1	1	1	123.8	54.75	0	27061.611	595.6989247	16092.19145	30000	0	0	30000	35.0625	2004
08.01.2020 10:50:27	1	1	1	1	123.8	55	0	27109.005	589.2473118	15829.64151	30000	0	0	30000	35.5625	2004
08.01.2020 10:50:28	1	1	1	1	123.8	55.5	0	27109.005	593.5483871	16031.85389	30000	0	0	30000	35.0625	2004
08.01.2020 10:50:29	1	1	1	1	123.8	54.75	0	26824.645	587.0967742	15863.88715	30000	0	0	30000	34.875	2004
08.01.2020 10:50:30	1	1	1	1	124.3	54.75	0	27109.005	591.3978495	15945.4244	30000	0	0	30000	34.875	2004
08.01.2020 10:50:31	1	1	1	1	124.3	54.75	0	27061.611	589.2473118	15887.53295	30000	0	0	30000	35.3125	2004
08.01.2020 10:50:32	1	1	1	1	124.3	55.25	0	27061.611	593.5483871	16004.13122	30000	0	0	30000	35.125	2004
08.01.2020 10:50:33	1	1	1	1	124.3	55	0	27109.005	591.3978495	16004.13122	30000	0	0	30000	34.875	2004
08.01.2020 10:50:34	1	1	1	1	124.3	54.75	0	26966.825	593.5483871	16063.65341	30000	0	0	30000	34.125	2004
08.01.2020 10:50:35	1	1	1	1	124.3	54	0	27014.218	591.3978495	16004.13122	30000	0	0	30000	34.625	2004
08.01.2020 10:50:36	1	1	1	1	124.3	54.5	0	26966.825	591.3978495	16005.76197	30000	0	0	30000	35.0625	2004
08.01.2020 10:50:37	1	1	1	1	124.3	55	0	27109.005	597.8494624	16119.91411	30000	0	0	30000	34.9375	2004
08.01.2020 10:50:38	1	1	1	1	124.3	54.75	0	27061.611	593.5483871	16004.13122	30000	0	0	30000	34.8125	2004
08.01.2020 10:50:39	1	1	1	1	124.3	54.75	0	27109.005	591.3978495	16004.13122	30000	0	0	30000	34.9375	2004
08.01.2020 10:50:41	1	1	1	1	124.5	54.75	0	27109.005	595.6989247	16148.45215	30000	0	0	30000	35	2004
08.01.2020 10:50:42	1	1	1	1	124.5	55	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	34.9375	2004
08.01.2020 10:50:43	1	1	1	1	124.5	54.75	0	27109.005	595.6989247	16004.13122	30000	0	0	30000	35.375	2004
08.01.2020 10:50:44	1	1	1	1	124.5	55.25	0	27109.005	589.2473118	16031.85389	30000	0	0	30000	34.875	2004
08.01.2020 10:50:47	1	1	1	1	124.5	55	0	27109.005	593.5483871	16062.02267	30000	0	0	30000	35.25	2004
08.01.2020 10:50:48	1	1	1	1	124.5	55.25	0	26919.431	593.5483871	15920.14785	30000	0	0	30000	35.1875	2004
08.01.2020 10:50:49	1	1	1	1	124.5	55	0	26872.038	593.5483871	15891.60982	30000	0	0	30000	34.1875	2004
08.01.2020 10:50:50	1	1	1	1	124.5	54	0	27014.218	589.2473118	15945.4244	30000	0	0	30000	35.0625	2004
08.01.2020 10:50:51	1	1	1	1	124.5	55	0	26966.825	595.6989247	16063.65341	30000	0	0	30000	34.375	2004
08.01.2020 10:50:52	1	1	1	1	124.5	54.25	0	26777.251	595.6989247	15951.13201	30000	0	0	30000	35.1875	2004
08.01.2020 10:50:53	1	1	1	1	124.5	55	0	26824.645	593.5483871	16007.39271	30000	0	0	30000	34.5	2004
08.01.2020 10:50:54	1	1	1	1	124.5	54.5	0	26966.825	595.6989247	16179.43631	30000	0	0	30000	33.1875	2004
08.01.2020 10:50:55	1	1	1	1	124.5	53	0	26966.825	597.8494624	16063.65341	30000	0	0	30000	35.25	2004
08.01.2020 10:50:56	1	1	1	1	124.5	55.25	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	33.3125	2004
08.01.2020 10:50:57	1	1	1	1	124.5	53.25	0	26824.645	593.5483871	15949.50126	30000	0	0	30000	34.875	2004
08.01.2020 10:50:58	1	1	1	1	124.5	54.75	0	26919.431	593.5483871	15947.87052	30000	0	0	30000	35.0625	2004
08.01.2020 10:50:59	1	1	1	1	124.5	55	0	27061.611	595.6989247	16119.91411	30000	0	0	30000	34.6875	2004
08.01.2020 10:51:00	1	1	1	1	124.5	54.5	0	26919.431	593.5483871	15891.60982	30000	0	0	30000	35.1875	2004
08.01.2020 10:51:01	1	1	1	1	124.3	55	0	27109.005	595.6989247	16119.91411	30000	0	0	30000	35.3125	2004
08.01.2020 10:51:02	1	1	1	1	124.3	55.25	0	26966.825	597.8494624	16063.65341	30000	0	0	30000	34.875	2004
08.01.2020 10:51:03	1	1	1	1	124.3	54.75	0	27014.218	595.6989247	16063.65341	30000	0	0	30000	35	2004
08.01.2020 10:51:04	1	1	1	1	124.3	55	0	27014.218	595.6989247	16119.91411	30000	0	0	30000	35.3125	2004
08.01.2020 10:51:05	1	1	1	1	124.3	55.25	0	26872.038	593.5483871	16007.39271	30000	0	0	30000	34.3125	2004
08.01.2020 10:51:06	1	1	1	1	124.3	54.25	0	26966.825	593.5483871	16035.93075	30000	0	0	30000	35.4375	2004
08.01.2020 10:51:07	1	1	1	1	124.3	55.25	0	27014.218	597.8494624	16092.19145	30000	0	0	30000	35.1875	2004
08.01.2020 10:51:08	1	1	1	1	124.3	55	0	26824.645	595.6989247	16267.49653	30000	0	0	30000	35.0625	2004
08.01.2020 10:51:09	1	1	1	1	124.3	55.75	0	26966.825	595.6989247	15920.14785	30000	0	0	30000	35.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 10:51:10	1	1	1	1	125	55.25	0	26824.645	595.6989247	15978.85467	30000	0	0	30000	35.375	2004
08.01.2020 10:51:18	1	1	1	1	125	55.25	0	26919.431	595.6989247	16035.93075	30000	0	0	30000	35.3125	2004
08.01.2020 10:51:18	1	1	1	1	125	55.25	0	26919.431	595.6989247	16035.93075	30000	0	0	30000	35.3125	2004
08.01.2020 10:51:18	1	1	1	1	125	55.25	0	26919.431	595.6989247	16035.93075	30000	0	0	30000	35.3125	2004
08.01.2020 10:51:18	1	1	1	1	125	55.25	0	26919.431	595.6989247	16035.93075	30000	0	0	30000	35.3125	2004
08.01.2020 10:51:18	1	1	1	1	125	55.25	0	26919.431	595.6989247	16035.93075	30000	0	0	30000	35.3125	2004
08.01.2020 10:51:18	1	1	1	1	125	55.25	0	26919.431	595.6989247	16035.93075	30000	0	0	30000	35.3125	2004
08.01.2020 10:51:18	1	1	1	1	125	55.25	0	26919.431	595.6989247	16035.93075	30000	0	0	30000	35.3125	2004
08.01.2020 10:51:19	1	1	1	1	125	55.25	0	26824.645	591.3978495	15748.10426	30000	0	0	30000	35.125	2004
08.01.2020 10:51:20	1	1	1	1	125	55	0	26777.251	591.3978495	15835.34912	30000	0	0	30000	35.25	2004
08.01.2020 10:51:21	1	1	1	1	124.8	55.25	0	26824.645	595.6989247	15978.85467	30000	0	0	30000	35.1875	2004
08.01.2020 10:51:22	1	1	1	1	124.8	55	0	26872.038	595.6989247	16007.39271	30000	0	0	30000	35.25	2004
08.01.2020 10:51:23	1	1	1	1	124.8	55.25	0	26966.825	591.3978495	16005.76197	30000	0	0	30000	34.625	2004
08.01.2020 10:51:24	1	1	1	1	124.8	54.5	0	27014.218	593.5483871	15832.08763	30000	0	0	30000	35.375	2004
08.01.2020 10:51:25	1	1	1	1	124.8	55.25	0	26919.431	591.3978495	15920.14785	30000	0	0	30000	35.125	2004
08.01.2020 10:51:26	1	1	1	1	124.8	55	0	27109.005	591.3978495	16059.57655	30000	0	0	30000	35.125	2004
08.01.2020 10:51:27	1	1	1	1	124.8	55	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	35.4375	2004
08.01.2020 10:51:28	1	1	1	1	124.8	55.25	0	26966.825	593.5483871	15947.87052	30000	0	0	30000	35.4375	2004
08.01.2020 10:51:29	1	1	1	1	124.8	55.25	0	27061.611	593.5483871	16119.91411	30000	0	0	30000	34.875	2004
08.01.2020 10:51:30	1	1	1	1	124.8	54.75	0	26919.431	591.3978495	16063.65341	30000	0	0	30000	35.3125	2004
08.01.2020 10:51:31	1	1	1	1	124.3	55.25	0	26966.825	591.3978495	15920.14785	30000	0	0	30000	35.4375	2004
08.01.2020 10:51:32	1	1	1	1	124.3	55.25	0	26966.825	593.5483871	15947.87052	30000	0	0	30000	35	2004
08.01.2020 10:51:33	1	1	1	1	124.3	55	0	26919.431	595.6989247	16035.93075	30000	0	0	30000	34.5	2004
08.01.2020 10:51:34	1	1	1	1	124.3	54.5	0	27061.611	595.6989247	15947.87052	30000	0	0	30000	35.25	2004
08.01.2020 10:51:35	1	1	1	1	124.3	55.25	0	27061.611	593.5483871	16004.13122	30000	0	0	30000	34.625	2004
08.01.2020 10:51:36	1	1	1	1	124.3	54.5	0	27061.611	595.6989247	16119.91411	30000	0	0	30000	35.3125	2004
08.01.2020 10:51:37	1	1	1	1	124.3	55.25	0	27014.218	591.3978495	16063.65341	30000	0	0	30000	35.4375	2004
08.01.2020 10:51:38	1	1	1	1	124.3	55.25	0	26966.825	595.6989247	16063.65341	30000	0	0	30000	35.5	2004
08.01.2020 10:51:39	1	1	1	1	124.3	55.5	0	26872.038	593.5483871	15891.60982	30000	0	0	30000	35.4375	2004
08.01.2020 10:51:40	1	1	1	1	124.3	55.25	0	26966.825	595.6989247	16063.65341	30000	0	0	30000	35.125	2004
08.01.2020 10:51:41	1	1	1	1	124.3	55	0	26966.825	593.5483871	15947.87052	30000	0	0	30000	35.375	2004
08.01.2020 10:51:42	1	1	1	1	124.3	55.25	0	26919.431	593.5483871	16005.76197	30000	0	0	30000	35.1875	2004
08.01.2020 10:51:43	1	1	1	1	124.3	55	0	26872.038	597.8494624	16065.28416	30000	0	0	30000	35.3125	2004
08.01.2020 10:51:44	1	1	1	1	124.3	55.25	0	27061.611	593.5483871	16034.3	30000	0	0	30000	35.4375	2004
08.01.2020 10:51:45	1	1	1	1	124.3	55.25	0	26919.431	595.6989247	16035.93075	30000	0	0	30000	35.625	2004
08.01.2020 10:51:46	1	1	1	1	124.3	55.5	0	26872.038	595.6989247	15978.85467	30000	0	0	30000	35.375	2004
08.01.2020 10:51:47	1	1	1	1	124.3	55.25	0	26872.038	595.6989247	15978.85467	30000	0	0	30000	35.375	2004
08.01.2020 10:51:48	1	1	1	1	124.3	55.25	0	26824.645	595.6989247	16036.74612	30000	0	0	30000	35.8125	2004
08.01.2020 10:51:49	1	1	1	1	124.3	55.75	0	26682.464	600	16209.60509	30000	0	0	30000	34.6875	2004
08.01.2020 10:51:50	1	1	1	1	124.3	54.5	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	35.5625	2004
08.01.2020 10:51:51	1	1	1	1	124.8	55.25	0	26587.678	595.6989247	15894.05593	30000	0	0	30000	35.6875	2004
08.01.2020 10:51:52	1	1	1	1	124.8	55.5	0	26587.678	593.5483871	15780.71916	30000	0	0	30000	35.3125	2004
08.01.2020 10:51:53	1	1	1	1	124.8	55.25	0	26919.431	602.1505376	16036.74612	30000	0	0	30000	34.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 10:51:54	1	1	1	1	124.8	54.5	0	26682.464	597.8494624	16009.02346	30000	0	0	30000	35.375	2004
08.01.2020 10:51:55	1	1	1	1	124.8	55.25	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	35.125	2004
08.01.2020 10:51:56	1	1	1	1	124.8	55	0	26777.251	602.1505376	16066.9149	30000	0	0	30000	34.125	2004
08.01.2020 10:51:57	1	1	1	1	124.8	54	0	26587.678	600	15951.94738	30000	0	0	30000	34.9375	2004
08.01.2020 10:51:58	1	1	1	1	124.8	54.75	0	26777.251	602.1505376	16123.99098	30000	0	0	30000	34.0625	2004
08.01.2020 10:51:59	1	1	1	1	124.8	54	0	26682.464	597.8494624	15894.05593	30000	0	0	30000	33.875	2004
08.01.2020 10:52:00	1	1	1	1	124	53.75	0	26635.071	602.1505376	15980.48542	30000	0	0	30000	35.0625	2004
08.01.2020 10:52:02	1	1	1	1	124	55	0	26492.891	597.8494624	15838.61061	30000	0	0	30000	35.5625	2004
08.01.2020 10:52:03	1	1	1	1	124	55.5	0	26540.284	597.8494624	15810.07257	30000	0	0	30000	34.0625	2004
08.01.2020 10:52:04	1	1	1	1	124	54	0	26777.251	597.8494624	16009.02346	30000	0	0	30000	35.0625	2004
08.01.2020 10:52:05	1	1	1	1	124	55	0	26682.464	597.8494624	15951.94738	30000	0	0	30000	35.5	2004
08.01.2020 10:52:06	1	1	1	1	124	55.5	0	26682.464	597.8494624	15951.94738	30000	0	0	30000	33.6875	2004
08.01.2020 10:52:07	1	1	1	1	124	53.5	0	26777.251	597.8494624	15779.90379	30000	0	0	30000	35.5625	2004
08.01.2020 10:52:08	1	1	1	1	124	55.5	0	26824.645	597.8494624	16094.63757	30000	0	0	30000	35.6875	2004
08.01.2020 10:52:09	1	1	1	1	124	55.5	0	26824.645	597.8494624	16007.39271	30000	0	0	30000	34.5625	2004
08.01.2020 10:52:10	1	1	1	1	124	54.5	0	26777.251	595.6989247	15951.13201	30000	0	0	30000	35.5	2004
08.01.2020 10:52:11	1	1	1	1	124.8	55.5	0	26729.858	597.8494624	16066.09953	30000	0	0	30000	35.5625	2004
08.01.2020 10:52:12	1	1	1	1	124.8	55.5	0	26777.251	597.8494624	16066.09953	30000	0	0	30000	35.5625	2004
08.01.2020 10:52:19	1	1	1	1	124.8	54.75	0	26824.645	595.6989247	16065.28416	30000	0	0	30000	34.875	2004
08.01.2020 10:52:19	1	1	1	1	124.8	54.75	0	26824.645	595.6989247	16065.28416	30000	0	0	30000	34.875	2004
08.01.2020 10:52:19	1	1	1	1	124.8	54.75	0	26824.645	595.6989247	16065.28416	30000	0	0	30000	34.875	2004
08.01.2020 10:52:19	1	1	1	1	124.8	54.75	0	26824.645	595.6989247	16065.28416	30000	0	0	30000	34.875	2004
08.01.2020 10:52:19	1	1	1	1	124.8	54.75	0	26824.645	595.6989247	16065.28416	30000	0	0	30000	34.875	2004
08.01.2020 10:52:19	1	1	1	1	124.8	54.75	0	26824.645	595.6989247	16065.28416	30000	0	0	30000	34.875	2004
08.01.2020 10:52:20	1	1	1	1	124.8	54.75	0	26824.645	597.8494624	15978.85467	30000	0	0	30000	35.8125	2004
08.01.2020 10:52:21	1	1	1	1	125.3	55.75	0	26872.038	591.3978495	15949.50126	30000	0	0	30000	35.3125	2004
08.01.2020 10:52:22	1	1	1	1	125.3	55.25	0	26682.464	593.5483871	15894.05593	30000	0	0	30000	34.9375	2004
08.01.2020 10:52:23	1	1	1	1	125.3	54.75	0	26966.825	600	16179.43631	30000	0	0	30000	34	2004
08.01.2020 10:52:24	1	1	1	1	125.3	54	0	26919.431	591.3978495	15920.14785	30000	0	0	30000	34.9375	2004
08.01.2020 10:52:25	1	1	1	1	125.3	54.75	0	27014.218	593.5483871	15947.87052	30000	0	0	30000	35.3125	2004
08.01.2020 10:52:26	1	1	1	1	125.3	55.25	0	26919.431	591.3978495	15947.87052	30000	0	0	30000	35.5625	2004
08.01.2020 10:52:27	1	1	1	1	125.3	55.5	0	26966.825	591.3978495	16005.76197	30000	0	0	30000	35.0625	2004
08.01.2020 10:52:28	1	1	1	1	125.3	55	0	26919.431	593.5483871	16035.93075	30000	0	0	30000	34.6875	2004
08.01.2020 10:52:29	1	1	1	1	125.3	54.5	0	26966.825	593.5483871	16004.13122	30000	0	0	30000	34.0625	2004
08.01.2020 10:52:30	1	1	1	1	124.8	54	0	26919.431	591.3978495	15978.0393	30000	0	0	30000	35.4375	2004
08.01.2020 10:52:31	1	1	1	1	124.8	55.25	0	26966.825	593.5483871	15947.87052	30000	0	0	30000	35.875	2004
08.01.2020 10:52:32	1	1	1	1	124.8	55.75	0	27109.005	595.6989247	16119.91411	30000	0	0	30000	35.6875	2004
08.01.2020 10:52:33	1	1	1	1	124.8	55.5	0	27298.578	593.5483871	16144.37529	30000	0	0	30000	35.5	2004
08.01.2020 10:52:34	1	1	1	1	124.8	55.5	0	27109.005	600	16004.13122	30000	0	0	30000	35	2004
08.01.2020 10:52:35	1	1	1	1	124.8	55	0	27014.218	593.5483871	15947.87052	30000	0	0	30000	35.625	2004
08.01.2020 10:52:37	1	1	1	1	124.8	55.5	0	26919.431	591.3978495	15920.14785	30000	0	0	30000	35.5	2004
08.01.2020 10:52:38	1	1	1	1	124.8	55.5	0	26919.431	593.5483871	15978.0393	30000	0	0	30000	35.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 10:52:39	1	1	1	1	124.8	55.5	0	26966.825	591.3978495	16005.76197	30000	0	0	30000	35.5625	2004
08.01.2020 10:52:40	1	1	1	1	124.8	55.5	0	26872.038	591.3978495	15920.14785	30000	0	0	30000	34.25	2004
08.01.2020 10:52:41	1	1	1	1	124.8	54.25	0	27061.611	593.5483871	16062.02267	30000	0	0	30000	34.8125	2004
08.01.2020 10:52:42	1	1	1	1	124.8	54.75	0	26919.431	593.5483871	15978.0393	30000	0	0	30000	35.1875	2004
08.01.2020 10:52:43	1	1	1	1	124.8	55	0	26966.825	593.5483871	16005.76197	30000	0	0	30000	34.8125	2004
08.01.2020 10:52:44	1	1	1	1	124.8	54.75	0	26919.431	589.2473118	15978.0393	30000	0	0	30000	35.875	2004
08.01.2020 10:52:45	1	1	1	1	124.8	55.75	0	26966.825	595.6989247	16005.76197	30000	0	0	30000	34	2004
08.01.2020 10:52:46	1	1	1	1	124.8	54	0	26777.251	593.5483871	16066.09953	30000	0	0	30000	35.3125	2004
08.01.2020 10:52:47	1	1	1	1	124.8	55.25	0	26824.645	591.3978495	15863.88715	30000	0	0	30000	35.25	2004
08.01.2020 10:52:48	1	1	1	1	124.8	55.25	0	26729.858	591.3978495	15893.24056	30000	0	0	30000	35.625	2004
08.01.2020 10:52:49	1	1	1	1	124.8	55.5	0	26919.431	595.6989247	16035.93075	30000	0	0	30000	35.5625	2004
08.01.2020 10:52:50	1	1	1	1	124.8	55.5	0	26872.038	591.3978495	15863.88715	30000	0	0	30000	35.3125	2004
08.01.2020 10:52:51	1	1	1	1	125.3	55.25	0	26919.431	597.8494624	16063.65341	30000	0	0	30000	35.4375	2004
08.01.2020 10:52:52	1	1	1	1	125.3	55.25	0	26824.645	595.6989247	15978.85467	30000	0	0	30000	35.5	2004
08.01.2020 10:52:53	1	1	1	1	125.3	55.5	0	26824.645	602.1505376	16036.74612	30000	0	0	30000	35.375	2004
08.01.2020 10:52:54	1	1	1	1	125.3	55.25	0	26919.431	597.8494624	16093.82219	30000	0	0	30000	35.6875	2004
08.01.2020 10:52:55	1	1	1	1	125.3	55.5	0	26919.431	595.6989247	16093.82219	30000	0	0	30000	35.75	2004
08.01.2020 10:52:56	1	1	1	1	125.3	55.75	0	26682.464	595.6989247	15894.05593	30000	0	0	30000	35.625	2004
08.01.2020 10:52:57	1	1	1	1	125.3	55.5	0	26824.645	600	16036.74612	30000	0	0	30000	35.4375	2004
08.01.2020 10:52:58	1	1	1	1	125.3	55.25	0	26919.431	597.8494624	16121.54486	30000	0	0	30000	35.25	2004
08.01.2020 10:52:59	1	1	1	1	125.3	55.25	0	26682.464	591.3978495	15836.97986	30000	0	0	30000	35.0625	2004
08.01.2020 10:53:00	1	1	1	1	125.3	55	0	26729.858	595.6989247	15894.05593	30000	0	0	30000	35.8125	2004
08.01.2020 10:53:01	1	1	1	1	125.8	55.75	0	26682.464	597.8494624	15951.94738	30000	0	0	30000	35.6875	2004
08.01.2020 10:53:02	1	1	1	1	125.8	55.5	0	26635.071	597.8494624	16009.02346	30000	0	0	30000	35.8125	2004
08.01.2020 10:53:03	1	1	1	1	125.8	55.75	0	26777.251	597.8494624	16008.20808	30000	0	0	30000	35.5	2004
08.01.2020 10:53:04	1	1	1	1	125.8	55.5	0	26682.464	597.8494624	15894.05593	30000	0	0	30000	35.875	2004
08.01.2020 10:53:05	1	1	1	1	125.8	55.75	0	26824.645	602.1505376	16094.63757	30000	0	0	30000	35.75	2004
08.01.2020 10:53:06	1	1	1	1	125.8	55.75	0	26682.464	595.6989247	15894.05593	30000	0	0	30000	35.9375	2004
08.01.2020 10:53:07	1	1	1	1	125.8	55.75	0	26777.251	597.8494624	16152.52901	30000	0	0	30000	36.125	2004
08.01.2020 10:53:08	1	1	1	1	125.8	56	0	26682.464	597.8494624	16009.02346	30000	0	0	30000	35.6875	2004
08.01.2020 10:53:09	1	1	1	1	125.8	55.75	0	26587.678	595.6989247	15837.79523	30000	0	0	30000	35.5625	2004
08.01.2020 10:53:10	1	1	1	1	125.5	55.5	0	26777.251	604.3010753	16037.56149	30000	0	0	30000	35.9375	2004
08.01.2020 10:53:11	1	1	1	1	125.5	55.75	0	26824.645	602.1505376	15894.05593	30000	0	0	30000	35.6875	2004
08.01.2020 10:53:12	1	1	1	1	125.5	55.5	0	26682.464	593.5483871	15836.97986	30000	0	0	30000	35.9375	2004
08.01.2020 10:53:13	1	1	1	1	125.5	55.75	0	26777.251	595.6989247	16036.74612	30000	0	0	30000	35.625	2004
08.01.2020 10:53:21	1	1	1	1	125.3	55.5	0	26682.464	597.8494624	16123.99098	30000	0	0	30000	35.9375	2004
08.01.2020 10:53:21	1	1	1	1	125.3	55.5	0	26682.464	597.8494624	16123.99098	30000	0	0	30000	35.9375	2004
08.01.2020 10:53:21	1	1	1	1	125.3	55.5	0	26682.464	597.8494624	16123.99098	30000	0	0	30000	35.9375	2004
08.01.2020 10:53:21	1	1	1	1	125.3	55.5	0	26682.464	597.8494624	16123.99098	30000	0	0	30000	35.9375	2004
08.01.2020 10:53:21	1	1	1	1	125.3	55.5	0	26682.464	597.8494624	16123.99098	30000	0	0	30000	35.9375	2004
08.01.2020 10:53:21	1	1	1	1	125.3	55.5	0	26682.464	597.8494624	16123.99098	30000	0	0	30000	35.9375	2004
08.01.2020 10:53:21	1	1	1	1	125.3	55.5	0	26682.464	597.8494624	16123.99098	30000	0	0	30000	35.9375	2004
08.01.2020 10:53:22	1	1	1	1	125.3	55.75	0	26777.251	597.8494624	16123.1756	30000	0	0	30000	36	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 10:53:23	1	1	1	1	125.3	56	0	26824.645	597.8494624	16036.74612	30000	0	0	30000	35	2004
08.01.2020 10:53:24	1	1	1	1	125.3	55	0	26872.038	595.6989247	15835.34912	30000	0	0	30000	34.4375	2004
08.01.2020 10:53:25	1	1	1	1	125.3	54.25	0	26872.038	595.6989247	16035.93075	30000	0	0	30000	35.5	2004
08.01.2020 10:53:26	1	1	1	1	125.3	55.5	0	26919.431	595.6989247	16035.93075	30000	0	0	30000	36	2004
08.01.2020 10:53:27	1	1	1	1	125.3	56	0	26966.825	593.5483871	16063.65341	30000	0	0	30000	34.5	2004
08.01.2020 10:53:28	1	1	1	1	125.3	54.5	0	26872.038	593.5483871	15863.88715	30000	0	0	30000	35.75	2004
08.01.2020 10:53:29	1	1	1	1	125.3	55.75	0	26919.431	593.5483871	15949.50126	30000	0	0	30000	35.125	2004
08.01.2020 10:53:30	1	1	1	1	125.3	55	0	26919.431	602.1505376	16035.93075	30000	0	0	30000	35.125	2004
08.01.2020 10:53:31	1	1	1	1	125	55	0	26919.431	597.8494624	16093.82219	30000	0	0	30000	35.6875	2004
08.01.2020 10:53:32	1	1	1	1	125	55.5	0	26824.645	595.6989247	16065.28416	30000	0	0	30000	36	2004
08.01.2020 10:53:33	1	1	1	1	125	56	0	26872.038	595.6989247	15978.85467	30000	0	0	30000	34.3125	2004
08.01.2020 10:53:34	1	1	1	1	125	54.25	0	27061.611	593.5483871	16119.91411	30000	0	0	30000	35.8125	2004
08.01.2020 10:53:35	1	1	1	1	125	55.75	0	26777.251	597.8494624	16036.74612	30000	0	0	30000	34.6875	2004
08.01.2020 10:53:36	1	1	1	1	125	54.5	0	26777.251	595.6989247	15951.13201	30000	0	0	30000	35.625	2004
08.01.2020 10:53:37	1	1	1	1	125	55.5	0	26824.645	593.5483871	16007.39271	30000	0	0	30000	34.6875	2004
08.01.2020 10:53:38	1	1	1	1	125	54.5	0	26872.038	593.5483871	15949.50126	30000	0	0	30000	35.75	2004
08.01.2020 10:53:39	1	1	1	1	125	55.75	0	26966.825	597.8494624	16063.65341	30000	0	0	30000	35.75	2004
08.01.2020 10:53:40	1	1	1	1	125	55.75	0	27061.611	595.6989247	15947.87052	30000	0	0	30000	35.75	2004
08.01.2020 10:53:41	1	1	1	1	125.5	55.75	0	26682.464	593.5483871	15894.05593	30000	0	0	30000	35.4375	2004
08.01.2020 10:53:42	1	1	1	1	125.5	55.25	0	26824.645	595.6989247	16007.39271	30000	0	0	30000	35.875	2004
08.01.2020 10:53:43	1	1	1	1	125.5	55.75	0	26919.431	595.6989247	16035.93075	30000	0	0	30000	35.9375	2004
08.01.2020 10:53:44	1	1	1	1	125.5	55.75	0	26777.251	584.9462366	15863.88715	30000	0	0	30000	35.1875	2004
08.01.2020 10:53:45	1	1	1	1	125.5	55	0	26682.464	591.3978495	15894.05593	30000	0	0	30000	35.9375	2004
08.01.2020 10:53:46	1	1	1	1	125.5	55.75	0	26824.645	593.5483871	15921.7786	30000	0	0	30000	36.25	2004
08.01.2020 10:53:47	1	1	1	1	125.5	56.25	0	26872.038	595.6989247	16007.39271	30000	0	0	30000	35.9375	2004
08.01.2020 10:53:48	1	1	1	1	125.5	54.75	0	26682.464	595.6989247	15951.94738	30000	0	0	30000	35.6875	2004
08.01.2020 10:53:49	1	1	1	1	125.5	55.5	0	26824.645	597.8494624	16066.09953	30000	0	0	30000	35.375	2004
08.01.2020 10:53:50	1	1	1	1	125.8	55.25	0	26777.251	597.8494624	16036.74612	30000	0	0	30000	35.625	2004
08.01.2020 10:53:51	1	1	1	1	125.8	55.5	0	26777.251	597.8494624	15951.94738	30000	0	0	30000	35.875	2004
08.01.2020 10:53:52	1	1	1	1	125.8	55.75	0	26777.251	597.8494624	16008.20808	30000	0	0	30000	35	2004
08.01.2020 10:53:53	1	1	1	1	125.8	55	0	26777.251	597.8494624	15951.94738	30000	0	0	30000	36	2004
08.01.2020 10:53:54	1	1	1	1	125.8	56	0	26587.678	595.6989247	15894.87131	30000	0	0	30000	35.0625	2004
08.01.2020 10:53:55	1	1	1	1	125.8	55	0	26824.645	595.6989247	15978.85467	30000	0	0	30000	35.8125	2004
08.01.2020 10:53:57	1	1	1	1	125.8	55.75	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	35.8125	2004
08.01.2020 10:53:58	1	1	1	1	125.8	55.75	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	36.0625	2004
08.01.2020 10:53:59	1	1	1	1	125.8	56	0	26777.251	593.5483871	15951.13201	30000	0	0	30000	35.4375	2004
08.01.2020 10:54:00	1	1	1	1	125.8	55.25	0	26777.251	597.8494624	16066.09953	30000	0	0	30000	34.25	2004
08.01.2020 10:54:01	1	1	1	1	124.8	54.25	0	26682.464	595.6989247	15951.94738	30000	0	0	30000	35.9375	2004
08.01.2020 10:54:02	1	1	1	1	124.8	55.75	0	26682.464	593.5483871	15951.13201	30000	0	0	30000	34.9375	2004
08.01.2020 10:54:03	1	1	1	1	124.8	54.75	0	26919.431	595.6989247	16093.82219	30000	0	0	30000	35.875	2004
08.01.2020 10:54:04	1	1	1	1	124.8	55.75	0	26966.825	593.5483871	15947.87052	30000	0	0	30000	36.125	2004
08.01.2020 10:54:05	1	1	1	1	124.8	56	0	26824.645	595.6989247	16007.39271	30000	0	0	30000	36	2004
08.01.2020 10:54:06	1	1	1	1	124.8	56	0	26966.825	591.3978495	15920.14785	30000	0	0	30000	35.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 10:54:07	1	1	1	1	124.8	55.5	0	27061.611	595.6989247	16295.2192	30000	0	0	30000	35.9375	2004
08.01.2020 10:54:08	1	1	1	1	124.8	55.75	0	26872.038	595.6989247	16007.39271	30000	0	0	30000	34.875	2004
08.01.2020 10:54:09	1	1	1	1	124.8	54.75	0	26919.431	591.3978495	16005.76197	30000	0	0	30000	35.4375	2004
08.01.2020 10:54:10	1	1	1	1	124.8	55.25	0	27109.005	593.5483871	16004.13122	30000	0	0	30000	36.0625	2004
08.01.2020 10:54:11	1	1	1	1	125	56	0	26966.825	593.5483871	16005.76197	30000	0	0	30000	35.4375	2004
08.01.2020 10:54:12	1	1	1	1	125	55.25	0	26919.431	597.8494624	16035.93075	30000	0	0	30000	35.875	2004
08.01.2020 10:54:13	1	1	1	1	125	55.75	0	26919.431	595.6989247	16035.93075	30000	0	0	30000	35.9375	2004
08.01.2020 10:54:14	1	1	1	1	125	55.75	0	26682.464	595.6989247	15894.05593	30000	0	0	30000	35.625	2004
08.01.2020 10:54:15	1	1	1	1	125	55.5	0	26824.645	595.6989247	15951.13201	30000	0	0	30000	36	2004
08.01.2020 10:54:22	1	1	1	1	124.8	56	0	26777.251	597.8494624	16036.74612	30000	0	0	30000	35.9375	2004
08.01.2020 10:54:22	1	1	1	1	124.8	56	0	26777.251	597.8494624	16036.74612	30000	0	0	30000	35.9375	2004
08.01.2020 10:54:22	1	1	1	1	124.8	56	0	26777.251	597.8494624	16036.74612	30000	0	0	30000	35.9375	2004
08.01.2020 10:54:22	1	1	1	1	124.8	56	0	26777.251	597.8494624	16036.74612	30000	0	0	30000	35.9375	2004
08.01.2020 10:54:22	1	1	1	1	124.8	56	0	26777.251	597.8494624	16036.74612	30000	0	0	30000	35.9375	2004
08.01.2020 10:54:22	1	1	1	1	124.8	55.75	0	26682.464	597.8494624	15779.90379	30000	0	0	30000	35.4375	2004
08.01.2020 10:54:23	1	1	1	1	124.8	55.25	0	26682.464	591.3978495	15951.13201	30000	0	0	30000	35.4375	2004
08.01.2020 10:54:24	1	1	1	1	124.8	55.25	0	26682.464	597.8494624	15894.05593	30000	0	0	30000	35.8125	2004
08.01.2020 10:54:25	1	1	1	1	124.8	55.75	0	26682.464	597.8494624	15722.01234	30000	0	0	30000	36.375	2004
08.01.2020 10:54:26	1	1	1	1	124.8	56.25	0	26587.678	604.3010753	16009.83883	30000	0	0	30000	36.125	2004
08.01.2020 10:54:27	1	1	1	1	124.8	56	0	26445.498	602.1505376	15924.22472	30000	0	0	30000	36.375	2004
08.01.2020 10:54:28	1	1	1	1	124.8	56.25	0	26777.251	602.1505376	16066.9149	30000	0	0	30000	36.25	2004
08.01.2020 10:54:29	1	1	1	1	124.8	56.25	0	26540.284	597.8494624	15924.22472	30000	0	0	30000	35.125	2004
08.01.2020 10:54:30	1	1	1	1	125	56.25	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	35.9375	2004
08.01.2020 10:54:31	1	1	1	1	125	55.75	0	26777.251	600	16009.02346	30000	0	0	30000	35.3125	2004
08.01.2020 10:54:32	1	1	1	1	125	55.25	0	26682.464	602.1505376	16009.02346	30000	0	0	30000	36.125	2004
08.01.2020 10:54:33	1	1	1	1	125	56	0	26777.251	602.1505376	15951.94738	30000	0	0	30000	34.75	2004
08.01.2020 10:54:34	1	1	1	1	125	54.75	0	26777.251	602.1505376	16066.9149	30000	0	0	30000	35.9375	2004
08.01.2020 10:54:35	1	1	1	1	125	55.75	0	26587.678	602.1505376	15867.14864	30000	0	0	30000	35.4375	2004
08.01.2020 10:54:36	1	1	1	1	125	55.25	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	35.8125	2004
08.01.2020 10:54:37	1	1	1	1	125	55.75	0	26682.464	602.1505376	16009.02346	30000	0	0	30000	35.3125	2004
08.01.2020 10:54:39	1	1	1	1	125	55.25	0	26540.284	602.1505376	16009.83883	30000	0	0	30000	35.5625	2004
08.01.2020 10:54:40	1	1	1	1	125	55.5	0	26540.284	602.1505376	16066.9149	30000	0	0	30000	36.0625	2004
08.01.2020 10:54:41	1	1	1	1	125	56	0	26682.464	602.1505376	15837.79523	30000	0	0	30000	36	2004
08.01.2020 10:54:42	1	1	1	1	125	56	0	26824.645	595.6989247	16036.74612	30000	0	0	30000	36	2004
08.01.2020 10:54:43	1	1	1	1	125	56	0	26824.645	597.8494624	16008.20808	30000	0	0	30000	36	2004
08.01.2020 10:54:44	1	1	1	1	125	56	0	26824.645	589.2473118	15978.85467	30000	0	0	30000	36.1875	2004
08.01.2020 10:54:45	1	1	1	1	125	56	0	26587.678	602.1505376	15951.94738	30000	0	0	30000	35.75	2004
08.01.2020 10:54:46	1	1	1	1	125	55.75	0	26635.071	602.1505376	16066.9149	30000	0	0	30000	35.625	2004
08.01.2020 10:54:47	1	1	1	1	125	55.5	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	34.9375	2004
08.01.2020 10:54:48	1	1	1	1	125	54.75	0	26777.251	602.1505376	15894.05593	30000	0	0	30000	36.125	2004
08.01.2020 10:54:49	1	1	1	1	125	56	0	26682.464	597.8494624	15951.94738	30000	0	0	30000	34.3125	2004
08.01.2020 10:54:50	1	1	1	1	125	54.25	0	26635.071	602.1505376	16066.9149	30000	0	0	30000	35.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 10:54:51	1	1	1	1	124.8	55.5	0	26587.678	602.1505376	16066.9149	30000	0	0	30000	36.125	2004
08.01.2020 10:54:52	1	1	1	1	124.8	56	0	26635.071	602.1505376	15951.94738	30000	0	0	30000	35.125	2004
08.01.2020 10:54:53	1	1	1	1	124.8	55	0	26398.104	602.1505376	15838.61061	30000	0	0	30000	35.875	2004
08.01.2020 10:54:54	1	1	1	1	124.8	55.75	0	26540.284	602.1505376	16038.37687	30000	0	0	30000	35.125	2004
08.01.2020 10:54:55	1	1	1	1	124.8	55	0	26777.251	602.1505376	15894.05593	30000	0	0	30000	34.875	2004
08.01.2020 10:54:56	1	1	1	1	124.8	54.75	0	26682.464	602.1505376	16123.99098	30000	0	0	30000	36.125	2004
08.01.2020 10:54:57	1	1	1	1	124.8	56	0	26587.678	600	15951.94738	30000	0	0	30000	36.4375	2004
08.01.2020 10:54:58	1	1	1	1	124.8	56.25	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	36.1875	2004
08.01.2020 10:54:59	1	1	1	1	124.8	56	0	26587.678	602.1505376	15951.94738	30000	0	0	30000	35.6875	2004
08.01.2020 10:55:00	1	1	1	1	124.8	55.5	0	26682.464	602.1505376	16009.02346	30000	0	0	30000	35.4375	2004
08.01.2020 10:55:01	1	1	1	1	125.3	55.25	0	26587.678	597.8494624	15951.94738	30000	0	0	30000	36	2004
08.01.2020 10:55:02	1	1	1	1	125.3	56	0	26777.251	597.8494624	16123.99098	30000	0	0	30000	35.3125	2004
08.01.2020 10:55:03	1	1	1	1	125.3	55.25	0	26587.678	597.8494624	15837.79523	30000	0	0	30000	36.25	2004
08.01.2020 10:55:04	1	1	1	1	125.3	56.25	0	26777.251	602.1505376	16094.63757	30000	0	0	30000	36.125	2004
08.01.2020 10:55:05	1	1	1	1	125.3	56	0	26587.678	597.8494624	15951.94738	30000	0	0	30000	36.1875	2004
08.01.2020 10:55:06	1	1	1	1	125.3	56	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	36.25	2004
08.01.2020 10:55:07	1	1	1	1	125.3	56.25	0	26682.464	597.8494624	15894.05593	30000	0	0	30000	36.4375	2004
08.01.2020 10:55:08	1	1	1	1	125.3	56.25	0	26540.284	597.8494624	15867.14864	30000	0	0	30000	36.3125	2004
08.01.2020 10:55:09	1	1	1	1	125.3	56.25	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	36.4375	2004
08.01.2020 10:55:10	1	1	1	1	125.3	56.25	0	26682.464	600	16009.02346	30000	0	0	30000	36.3125	2004
08.01.2020 10:55:11	1	1	1	1	125.8	56	0	26682.464	600	16009.02346	30000	0	0	30000	35.5625	2004
08.01.2020 10:55:12	1	1	1	1	125.8	55.5	0	26682.464	597.8494624	15779.90379	30000	0	0	30000	36.375	2004
08.01.2020 10:55:13	1	1	1	1	125.8	56.25	0	26682.464	602.1505376	16123.99098	30000	0	0	30000	36.3125	2004
08.01.2020 10:55:14	1	1	1	1	125.8	56.25	0	26587.678	604.3010753	15951.94738	30000	0	0	30000	36.25	2004
08.01.2020 10:55:15	1	1	1	1	125.8	56.25	0	26635.071	597.8494624	15951.94738	30000	0	0	30000	35.375	2004
08.01.2020 10:55:16	1	1	1	1	125.8	55.25	0	26587.678	602.1505376	16066.9149	30000	0	0	30000	36.3125	2004
08.01.2020 10:55:28	1	1	1	1	125.3	56.25	0	26777.251	604.3010753	16238.9585	30000	0	0	30000	35.5	2004
08.01.2020 10:55:28	1	1	1	1	125.3	56.25	0	26777.251	604.3010753	16238.9585	30000	0	0	30000	35.5	2004
08.01.2020 10:55:28	1	1	1	1	125.3	56.25	0	26777.251	604.3010753	16238.9585	30000	0	0	30000	35.5	2004
08.01.2020 10:55:28	1	1	1	1	125.3	56.25	0	26777.251	604.3010753	16238.9585	30000	0	0	30000	35.5	2004
08.01.2020 10:55:29	1	1	1	1	125.3	55.5	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	35.8125	2004
08.01.2020 10:55:30	1	1	1	1	125.3	55.75	0	26587.678	602.1505376	16066.9149	30000	0	0	30000	36.375	2004
08.01.2020 10:55:31	1	1	1	1	125.5	56.25	0	26540.284	597.8494624	15951.94738	30000	0	0	30000	36.375	2004
08.01.2020 10:55:32	1	1	1	1	125.5	56.25	0	26682.464	597.8494624	16066.9149	30000	0	0	30000	36.375	2004
08.01.2020 10:55:33	1	1	1	1	125.5	56.25	0	26587.678	602.1505376	15951.94738	30000	0	0	30000	36.5	2004
08.01.2020 10:55:34	1	1	1	1	125.5	56.5	0	26682.464	597.8494624	16009.02346	30000	0	0	30000	35.6875	2004
08.01.2020 10:55:35	1	1	1	1	125.5	55.5	0	26587.678	597.8494624	16009.83883	30000	0	0	30000	35.375	2004
08.01.2020 10:55:36	1	1	1	1	125.5	55.25	0	26587.678	597.8494624	15894.87131	30000	0	0	30000	36.5	2004
08.01.2020 10:55:37	1	1	1	1	125.5	56.5	0	26777.251	602.1505376	16123.99098	30000	0	0	30000	36.4375	2004
08.01.2020 10:55:38	1	1	1	1	125.5	56.25	0	26587.678	602.1505376	15951.94738	30000	0	0	30000	36.375	2004
08.01.2020 10:55:39	1	1	1	1	125.5	56.25	0	26824.645	597.8494624	16065.28416	30000	0	0	30000	35.8125	2004
08.01.2020 10:55:40	1	1	1	1	125.5	55.75	0	26872.038	595.6989247	16007.39271	30000	0	0	30000	36.375	2004
08.01.2020 10:55:41	1	1	1	1	125.5	56.25	0	26872.038	593.5483871	16007.39271	30000	0	0	30000	35.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 10:55:42	1	1	1	1	125.5	55.75	0	26777.251	595.6989247	15951.13201	30000	0	0	30000	36.375	2004
08.01.2020 10:55:43	1	1	1	1	125.5	56.25	0	26682.464	597.8494624	15951.94738	30000	0	0	30000	35.8125	2004
08.01.2020 10:55:44	1	1	1	1	125.5	55.75	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	35	2004
08.01.2020 10:55:45	1	1	1	1	125.5	55	0	26777.251	597.8494624	15951.13201	30000	0	0	30000	35.75	2004
08.01.2020 10:55:46	1	1	1	1	125.5	55.75	0	26824.645	602.1505376	15894.05593	30000	0	0	30000	36.3125	2004
08.01.2020 10:55:47	1	1	1	1	125.5	56.25	0	26587.678	597.8494624	15894.87131	30000	0	0	30000	36.125	2004
08.01.2020 10:55:48	1	1	1	1	125.5	56	0	26777.251	602.1505376	16009.02346	30000	0	0	30000	36.5	2004
08.01.2020 10:55:49	1	1	1	1	125.5	56.5	0	26682.464	597.8494624	16009.02346	30000	0	0	30000	36.1875	2004
08.01.2020 10:55:50	1	1	1	1	125.8	56.5	0	26682.464	602.1505376	16009.02346	30000	0	0	30000	35.9375	2004
08.01.2020 10:55:51	1	1	1	1	125.8	55.75	0	26824.645	597.8494624	16008.20808	30000	0	0	30000	36.5	2004
08.01.2020 10:55:52	1	1	1	1	125.8	56.5	0	26635.071	597.8494624	16009.02346	30000	0	0	30000	36.4375	2004
08.01.2020 10:55:53	1	1	1	1	125.8	56.25	0	26682.464	602.1505376	16009.02346	30000	0	0	30000	36.25	2004
08.01.2020 10:55:54	1	1	1	1	125.8	56.25	0	26729.858	602.1505376	16066.9149	30000	0	0	30000	36.3125	2004
08.01.2020 10:55:55	1	1	1	1	125.8	56.25	0	26777.251	602.1505376	16152.52901	30000	0	0	30000	36.125	2004
08.01.2020 10:55:56	1	1	1	1	125.8	56	0	26824.645	602.1505376	16123.99098	30000	0	0	30000	35.4375	2004
08.01.2020 10:55:57	1	1	1	1	125.8	55.25	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	35.8125	2004
08.01.2020 10:55:58	1	1	1	1	125.8	55.75	0	26682.464	597.8494624	15951.94738	30000	0	0	30000	36.3125	2004
08.01.2020 10:56:00	1	1	1	1	125.8	56.25	0	26682.464	597.8494624	15951.94738	30000	0	0	30000	35.4375	2004
08.01.2020 10:56:01	1	1	1	1	125.8	55.25	0	26872.038	593.5483871	15720.38159	30000	0	0	30000	36.375	2004
08.01.2020 10:56:02	1	1	1	1	125.8	56.25	0	26824.645	595.6989247	15863.88715	30000	0	0	30000	36.1875	2004
08.01.2020 10:56:03	1	1	1	1	125.8	56	0	26919.431	595.6989247	15891.60982	30000	0	0	30000	36.125	2004
08.01.2020 10:56:04	1	1	1	1	125.8	56	0	26824.645	602.1505376	16036.74612	30000	0	0	30000	35.6875	2004
08.01.2020 10:56:05	1	1	1	1	125.8	55.5	0	26824.645	597.8494624	15835.34912	30000	0	0	30000	35.8125	2004
08.01.2020 10:56:06	1	1	1	1	125.8	55.75	0	26824.645	595.6989247	15951.13201	30000	0	0	30000	36.5	2004
08.01.2020 10:56:07	1	1	1	1	125.8	56.5	0	26824.645	595.6989247	15978.85467	30000	0	0	30000	36.375	2004
08.01.2020 10:56:08	1	1	1	1	125.8	56.25	0	26824.645	593.5483871	15978.85467	30000	0	0	30000	35.5	2004
08.01.2020 10:56:09	1	1	1	1	125.8	55.5	0	26872.038	593.5483871	15778.27304	30000	0	0	30000	36.375	2004
08.01.2020 10:56:10	1	1	1	1	125.8	56.25	0	26966.825	593.5483871	15978.0393	30000	0	0	30000	36.375	2004
08.01.2020 10:56:11	1	1	1	1	125.5	56.25	0	26872.038	593.5483871	15949.50126	30000	0	0	30000	36.3125	2004
08.01.2020 10:56:12	1	1	1	1	125.5	56.25	0	26872.038	595.6989247	16007.39271	30000	0	0	30000	36.4375	2004
08.01.2020 10:56:13	1	1	1	1	125.5	56.25	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	36.5625	2004
08.01.2020 10:56:14	1	1	1	1	125.5	56.5	0	26872.038	591.3978495	15978.0393	30000	0	0	30000	36.125	2004
08.01.2020 10:56:15	1	1	1	1	125.5	56	0	26872.038	593.5483871	15978.0393	30000	0	0	30000	36.25	2004
08.01.2020 10:56:16	1	1	1	1	125.5	56.25	0	27061.611	593.5483871	16004.13122	30000	0	0	30000	35.25	2004
08.01.2020 10:56:17	1	1	1	1	125.5	55.25	0	26872.038	589.2473118	15891.60982	30000	0	0	30000	36.125	2004
08.01.2020 10:56:18	1	1	1	1	125.5	56	0	26966.825	591.3978495	15920.14785	30000	0	0	30000	36.5	2004
08.01.2020 10:56:19	1	1	1	1	125.5	56.5	0	26872.038	591.3978495	15891.60982	30000	0	0	30000	36.5	2004
08.01.2020 10:56:20	1	1	1	1	125.5	56.5	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	35.6875	2004
08.01.2020 10:56:21	1	1	1	1	125.5	55.5	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	36.4375	2004
08.01.2020 10:56:22	1	1	1	1	125.5	56.25	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	36.375	2004
08.01.2020 10:56:23	1	1	1	1	125.5	56.25	0	27109.005	591.3978495	16031.85389	30000	0	0	30000	36.4375	2004
08.01.2020 10:56:24	1	1	1	1	125.5	56.25	0	26966.825	589.2473118	15947.87052	30000	0	0	30000	36.5625	2004
08.01.2020 10:56:25	1	1	1	1	125.5	56.5	0	26966.825	593.5483871	16063.65341	30000	0	0	30000	36.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 10:56:34	1	1	1	1	125.8	56	0	27061.611	589.2473118	16062.02267	30000	0	0	30000	36.5625	2004
08.01.2020 10:56:34	1	1	1	1	125.8	56	0	27061.611	589.2473118	16062.02267	30000	0	0	30000	36.5625	2004
08.01.2020 10:56:34	1	1	1	1	125.8	56	0	27061.611	589.2473118	16062.02267	30000	0	0	30000	36.5625	2004
08.01.2020 10:56:34	1	1	1	1	125.8	56	0	27061.611	589.2473118	16062.02267	30000	0	0	30000	36.5625	2004
08.01.2020 10:56:34	1	1	1	1	125.8	56	0	27061.611	589.2473118	16062.02267	30000	0	0	30000	36.5625	2004
08.01.2020 10:56:34	1	1	1	1	125.8	56.5	0	27061.611	589.2473118	16004.13122	30000	0	0	30000	35.875	2004
08.01.2020 10:56:35	1	1	1	1	125.8	55.75	0	26966.825	593.5483871	16005.76197	30000	0	0	30000	35.875	2004
08.01.2020 10:56:37	1	1	1	1	125.8	55.75	0	27061.611	589.2473118	15947.87052	30000	0	0	30000	35.5625	2004
08.01.2020 10:56:38	1	1	1	1	125.8	55.5	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	36.1875	2004
08.01.2020 10:56:39	1	1	1	1	125.8	56	0	26824.645	595.6989247	15863.88715	30000	0	0	30000	36.5	2004
08.01.2020 10:56:40	1	1	1	1	125.8	56.5	0	26919.431	595.6989247	16035.93075	30000	0	0	30000	36.0625	2004
08.01.2020 10:56:41	1	1	1	1	125.5	56	0	26919.431	595.6989247	16035.93075	30000	0	0	30000	35.25	2004
08.01.2020 10:56:42	1	1	1	1	125.5	55.25	0	26777.251	597.8494624	15951.13201	30000	0	0	30000	36.0625	2004
08.01.2020 10:56:43	1	1	1	1	125.5	56	0	26824.645	593.5483871	16007.39271	30000	0	0	30000	36.625	2004
08.01.2020 10:56:44	1	1	1	1	125.5	56.5	0	26872.038	593.5483871	15778.27304	30000	0	0	30000	35.625	2004
08.01.2020 10:56:45	1	1	1	1	125.5	55.5	0	26872.038	595.6989247	15921.7786	30000	0	0	30000	36.5625	2004
08.01.2020 10:56:46	1	1	1	1	125.5	56.5	0	26682.464	597.8494624	15894.05593	30000	0	0	30000	36.25	2004
08.01.2020 10:56:47	1	1	1	1	125.5	56.25	0	26919.431	595.6989247	16007.39271	30000	0	0	30000	36.6875	2004
08.01.2020 10:56:48	1	1	1	1	125.5	56.5	0	26872.038	593.5483871	16151.71364	30000	0	0	30000	35.5	2004
08.01.2020 10:56:49	1	1	1	1	125.5	55.5	0	26919.431	597.8494624	16065.28416	30000	0	0	30000	35.875	2004
08.01.2020 10:56:50	1	1	1	1	125.5	55.75	0	26872.038	597.8494624	16065.28416	30000	0	0	30000	35.0625	2004
08.01.2020 10:56:51	1	1	1	1	126	55	0	26919.431	597.8494624	16065.28416	30000	0	0	30000	36.1875	2004
08.01.2020 10:56:52	1	1	1	1	126	56	0	26777.251	595.6989247	15951.13201	30000	0	0	30000	36.25	2004
08.01.2020 10:56:53	1	1	1	1	126	56.25	0	26919.431	595.6989247	16035.93075	30000	0	0	30000	36.5625	2004
08.01.2020 10:56:54	1	1	1	1	126	56.5	0	26872.038	595.6989247	16007.39271	30000	0	0	30000	35.8125	2004
08.01.2020 10:56:55	1	1	1	1	126	55.75	0	26777.251	597.8494624	15978.85467	30000	0	0	30000	36.3125	2004
08.01.2020 10:56:56	1	1	1	1	126	56.25	0	26729.858	597.8494624	15894.05593	30000	0	0	30000	36.375	2004
08.01.2020 10:56:57	1	1	1	1	126	56.25	0	26919.431	597.8494624	16238.14313	30000	0	0	30000	35.375	2004
08.01.2020 10:56:58	1	1	1	1	126	55.25	0	26777.251	597.8494624	15951.13201	30000	0	0	30000	36.1875	2004
08.01.2020 10:56:59	1	1	1	1	126	56	0	26682.464	595.6989247	15894.05593	30000	0	0	30000	36.25	2004
08.01.2020 10:57:00	1	1	1	1	126	56.25	0	26682.464	595.6989247	15951.94738	30000	0	0	30000	36.6875	2004
08.01.2020 10:57:01	1	1	1	1	126	56.5	0	26777.251	595.6989247	16008.20808	30000	0	0	30000	36.0625	2004
08.01.2020 10:57:02	1	1	1	1	126	56	0	26777.251	595.6989247	15951.13201	30000	0	0	30000	36.5	2004
08.01.2020 10:57:03	1	1	1	1	126	56.5	0	26777.251	593.5483871	15978.85467	30000	0	0	30000	36.5625	2004
08.01.2020 10:57:04	1	1	1	1	126	56.5	0	26824.645	597.8494624	16094.63757	30000	0	0	30000	36.3125	2004
08.01.2020 10:57:05	1	1	1	1	126	56.25	0	26872.038	597.8494624	16036.74612	30000	0	0	30000	36.375	2004
08.01.2020 10:57:06	1	1	1	1	126	56.25	0	26824.645	597.8494624	16008.20808	30000	0	0	30000	36.375	2004
08.01.2020 10:57:07	1	1	1	1	126	56.25	0	26824.645	597.8494624	16036.74612	30000	0	0	30000	36.1875	2004
08.01.2020 10:57:08	1	1	1	1	126	56	0	26777.251	597.8494624	15951.94738	30000	0	0	30000	36.625	2004
08.01.2020 10:57:09	1	1	1	1	126	56.5	0	26824.645	595.6989247	15978.85467	30000	0	0	30000	36.5	2004
08.01.2020 10:57:10	1	1	1	1	126.5	57	0	26824.645	593.5483871	15978.85467	30000	0	0	30000	36.25	2004
08.01.2020 10:57:11	1	1	1	1	126.5	56.25	0	26777.251	595.6989247	15893.24056	30000	0	0	30000	36.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 10:57:12	1	1	1	1	126.5	56.5	0	26824.645	593.5483871	15863.88715	30000	0	0	30000	36.1875	2004
08.01.2020 10:57:13	1	1	1	1	126.5	56	0	26966.825	587.0967742	16119.91411	30000	0	0	30000	36.75	2004
08.01.2020 10:57:14	1	1	1	1	126.5	56.75	0	26824.645	597.8494624	15978.85467	30000	0	0	30000	36.625	2004
08.01.2020 10:57:15	1	1	1	1	126.5	56.5	0	26872.038	593.5483871	15921.7786	30000	0	0	30000	36.6875	2004
08.01.2020 10:57:16	1	1	1	1	126.5	56.5	0	26824.645	593.5483871	16238.14313	30000	0	0	30000	36.625	2004
08.01.2020 10:57:18	1	1	1	1	126.5	56.5	0	26966.825	595.6989247	16092.19145	30000	0	0	30000	36.25	2004
08.01.2020 10:57:19	1	1	1	1	126.5	56.25	0	26919.431	595.6989247	16093.82219	30000	0	0	30000	36.75	2004
08.01.2020 10:57:20	1	1	1	1	126.5	56.75	0	26777.251	595.6989247	15978.85467	30000	0	0	30000	35.5625	2004
08.01.2020 10:57:21	1	1	1	1	126.3	55.5	0	26729.858	597.8494624	15951.94738	30000	0	0	30000	36	2004
08.01.2020 10:57:22	1	1	1	1	126.3	56	0	26872.038	597.8494624	16007.39271	30000	0	0	30000	36.375	2004
08.01.2020 10:57:23	1	1	1	1	126.3	56.25	0	26777.251	597.8494624	15978.85467	30000	0	0	30000	36.3125	2004
08.01.2020 10:57:24	1	1	1	1	126.3	56.25	0	26682.464	595.6989247	16009.02346	30000	0	0	30000	35.8125	2004
08.01.2020 10:57:25	1	1	1	1	126.3	55.75	0	26919.431	597.8494624	16007.39271	30000	0	0	30000	35.8125	2004
08.01.2020 10:57:26	1	1	1	1	126.3	55.75	0	26872.038	595.6989247	15978.85467	30000	0	0	30000	36.75	2004
08.01.2020 10:57:27	1	1	1	1	126.3	56.75	0	26966.825	597.8494624	16063.65341	30000	0	0	30000	35.8125	2004
08.01.2020 10:57:28	1	1	1	1	126.3	55.75	0	26824.645	597.8494624	15951.13201	30000	0	0	30000	36.625	2004
08.01.2020 10:57:29	1	1	1	1	126.3	56.5	0	26824.645	597.8494624	16036.74612	30000	0	0	30000	36.5	2004
08.01.2020 10:57:42	1	1	1	1	125.8	57	0	26966.825	597.8494624	16150.0829	30000	0	0	30000	36.8125	2004
08.01.2020 10:57:42	1	1	1	1	125.8	57	0	26966.825	597.8494624	16150.0829	30000	0	0	30000	36.8125	2004
08.01.2020 10:57:42	1	1	1	1	125.8	57	0	26966.825	597.8494624	16150.0829	30000	0	0	30000	36.8125	2004
08.01.2020 10:57:42	1	1	1	1	125.8	57	0	26966.825	597.8494624	16150.0829	30000	0	0	30000	36.8125	2004
08.01.2020 10:57:42	1	1	1	1	125.8	57	0	26966.825	597.8494624	16150.0829	30000	0	0	30000	36.8125	2004
08.01.2020 10:57:42	1	1	1	1	125.8	57	0	26966.825	597.8494624	16150.0829	30000	0	0	30000	36.8125	2004
08.01.2020 10:57:42	1	1	1	1	125.8	57	0	26966.825	597.8494624	16150.0829	30000	0	0	30000	36.8125	2004
08.01.2020 10:57:42	1	1	1	1	125.8	57	0	26966.825	597.8494624	16150.0829	30000	0	0	30000	36.8125	2004
08.01.2020 10:57:43	1	1	1	1	125.8	56.75	0	26966.825	593.5483871	15947.87052	30000	0	0	30000	35.8125	2004
08.01.2020 10:57:44	1	1	1	1	125.8	55.75	0	27014.218	595.6989247	16005.76197	30000	0	0	30000	35.1875	2004
08.01.2020 10:57:45	1	1	1	1	125.8	55	0	26966.825	597.8494624	16035.93075	30000	0	0	30000	36.375	2004
08.01.2020 10:57:46	1	1	1	1	125.8	56.25	0	26919.431	595.6989247	16035.93075	30000	0	0	30000	36.75	2004
08.01.2020 10:57:47	1	1	1	1	125.8	56.75	0	27014.218	593.5483871	16004.13122	30000	0	0	30000	37.125	2004
08.01.2020 10:57:48	1	1	1	1	125.8	57	0	26919.431	593.5483871	15949.50126	30000	0	0	30000	36.8125	2004
08.01.2020 10:57:49	1	1	1	1	125.8	56.75	0	26824.645	591.3978495	15921.7786	30000	0	0	30000	37.25	2004
08.01.2020 10:57:50	1	1	1	1	126.3	56.25	0	26872.038	595.6989247	16007.39271	30000	0	0	30000	36.875	2004
08.01.2020 10:57:51	1	1	1	1	126.3	56.75	0	26824.645	593.5483871	15978.85467	30000	0	0	30000	36.4375	2004
08.01.2020 10:57:52	1	1	1	1	126.3	56.25	0	26966.825	595.6989247	16004.13122	30000	0	0	30000	36.75	2004
08.01.2020 10:57:53	1	1	1	1	126.3	56.75	0	26919.431	591.3978495	15920.14785	30000	0	0	30000	36.875	2004
08.01.2020 10:57:54	1	1	1	1	126.3	56.75	0	26919.431	597.8494624	16209.60509	30000	0	0	30000	36.0625	2004
08.01.2020 10:57:55	1	1	1	1	126.3	56	0	26919.431	593.5483871	16035.93075	30000	0	0	30000	36.375	2004
08.01.2020 10:57:56	1	1	1	1	126.3	56.25	0	26966.825	595.6989247	16005.76197	30000	0	0	30000	36.8125	2004
08.01.2020 10:57:57	1	1	1	1	126.3	56.75	0	26872.038	595.6989247	16007.39271	30000	0	0	30000	36.5625	2004
08.01.2020 10:57:59	1	1	1	1	126.3	56.5	0	27014.218	593.5483871	16092.19145	30000	0	0	30000	36.25	2004
08.01.2020 10:58:00	1	1	1	1	126.3	56.25	0	26919.431	591.3978495	15920.14785	30000	0	0	30000	36.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 10:58:01	1	1	1	1	126	56.75	0	26824.645	602.1505376	15978.85467	30000	0	0	30000	36.6875	2004
08.01.2020 10:58:02	1	1	1	1	126	56.5	0	27014.218	595.6989247	16092.19145	30000	0	0	30000	35.8125	2004
08.01.2020 10:58:03	1	1	1	1	126	55.75	0	26872.038	593.5483871	16007.39271	30000	0	0	30000	36.875	2004
08.01.2020 10:58:04	1	1	1	1	126	56.75	0	26966.825	595.6989247	16035.93075	30000	0	0	30000	35	2004
08.01.2020 10:58:05	1	1	1	1	126	55	0	26919.431	595.6989247	16035.93075	30000	0	0	30000	36.75	2004
08.01.2020 10:58:06	1	1	1	1	126	56.75	0	27014.218	595.6989247	16092.19145	30000	0	0	30000	36.75	2004
08.01.2020 10:58:07	1	1	1	1	126	56.75	0	26777.251	595.6989247	16008.20808	30000	0	0	30000	36.25	2004
08.01.2020 10:58:08	1	1	1	1	126	56.25	0	26966.825	597.8494624	16121.54486	30000	0	0	30000	36.9375	2004
08.01.2020 10:58:09	1	1	1	1	126	56.75	0	26682.464	597.8494624	15951.94738	30000	0	0	30000	36.125	2004
08.01.2020 10:58:10	1	1	1	1	126	56	0	26777.251	602.1505376	16066.09953	30000	0	0	30000	36.875	2004
08.01.2020 10:58:11	1	1	1	1	126.5	56.75	0	26587.678	595.6989247	15951.94738	30000	0	0	30000	36.75	2004
08.01.2020 10:58:12	1	1	1	1	126.5	56.75	0	26587.678	597.8494624	15894.87131	30000	0	0	30000	36.8125	2004
08.01.2020 10:58:13	1	1	1	1	126.5	56.75	0	26777.251	597.8494624	15951.94738	30000	0	0	30000	35.8125	2004
08.01.2020 10:58:14	1	1	1	1	126.5	55.75	0	26682.464	595.6989247	15894.05593	30000	0	0	30000	37	2004
08.01.2020 10:58:15	1	1	1	1	126.5	57	0	26919.431	597.8494624	16035.93075	30000	0	0	30000	36.75	2004
08.01.2020 10:58:16	1	1	1	1	126.5	56.75	0	26919.431	595.6989247	16267.49653	30000	0	0	30000	35.3125	2004
08.01.2020 10:58:17	1	1	1	1	126.5	55.25	0	26824.645	595.6989247	16007.39271	30000	0	0	30000	36.8125	2004
08.01.2020 10:58:18	1	1	1	1	126.5	56.75	0	26777.251	597.8494624	16008.20808	30000	0	0	30000	36.25	2004
08.01.2020 10:58:19	1	1	1	1	126.5	56.25	0	26777.251	593.5483871	15893.24056	30000	0	0	30000	36.875	2004
08.01.2020 10:58:20	1	1	1	1	126.5	56.75	0	26777.251	597.8494624	15951.13201	30000	0	0	30000	36.8125	2004
08.01.2020 10:58:21	1	1	1	1	125.5	56.75	0	26824.645	595.6989247	16007.39271	30000	0	0	30000	36.1875	2004
08.01.2020 10:58:22	1	1	1	1	125.5	56	0	26919.431	595.6989247	16035.93075	30000	0	0	30000	35.125	2004
08.01.2020 10:58:23	1	1	1	1	125.5	55	0	26824.645	593.5483871	15863.88715	30000	0	0	30000	36.875	2004
08.01.2020 10:58:24	1	1	1	1	125.5	56.75	0	26777.251	595.6989247	15951.13201	30000	0	0	30000	36.9375	2004
08.01.2020 10:58:25	1	1	1	1	125.5	56.75	0	26872.038	593.5483871	16035.93075	30000	0	0	30000	36.75	2004
08.01.2020 10:58:26	1	1	1	1	125.5	56.75	0	26777.251	593.5483871	15893.24056	30000	0	0	30000	36.875	2004
08.01.2020 10:58:27	1	1	1	1	125.5	56.75	0	26872.038	597.8494624	15921.7786	30000	0	0	30000	35.6875	2004
08.01.2020 10:58:28	1	1	1	1	125.5	55.5	0	26824.645	597.8494624	16152.52901	30000	0	0	30000	36.8125	2004
08.01.2020 10:58:29	1	1	1	1	125.5	56.75	0	26919.431	595.6989247	16035.93075	30000	0	0	30000	36.5	2004
08.01.2020 10:58:30	1	1	1	1	125.5	56.5	0	26872.038	595.6989247	15805.99571	30000	0	0	30000	35.5625	2004
08.01.2020 10:58:31	1	1	1	1	125.5	55.5	0	26824.645	591.3978495	15891.60982	30000	0	0	30000	37.25	2004
08.01.2020 10:58:32	1	1	1	1	125.5	56.5	0	26824.645	593.5483871	15951.13201	30000	0	0	30000	36.25	2004
08.01.2020 10:58:33	1	1	1	1	125.5	56.25	0	26824.645	591.3978495	16007.39271	30000	0	0	30000	36.375	2004
08.01.2020 10:58:34	1	1	1	1	125.5	56.25	0	26966.825	595.6989247	16063.65341	30000	0	0	30000	36.3125	2004
08.01.2020 10:58:42	1	1	1	1	126	56	0	27014.218	597.8494624	15947.87052	30000	0	0	30000	37.0625	2004
08.01.2020 10:58:42	1	1	1	1	126	56	0	27014.218	597.8494624	15947.87052	30000	0	0	30000	37.0625	2004
08.01.2020 10:58:42	1	1	1	1	126	56	0	27014.218	597.8494624	15947.87052	30000	0	0	30000	37.0625	2004
08.01.2020 10:58:42	1	1	1	1	126	56	0	27014.218	597.8494624	15947.87052	30000	0	0	30000	37.0625	2004
08.01.2020 10:58:42	1	1	1	1	126	56	0	27014.218	597.8494624	15947.87052	30000	0	0	30000	37.0625	2004
08.01.2020 10:58:42	1	1	1	1	126	56	0	27014.218	597.8494624	15947.87052	30000	0	0	30000	37.0625	2004
08.01.2020 10:58:42	1	1	1	1	126	56	0	27014.218	597.8494624	15947.87052	30000	0	0	30000	37.0625	2004
08.01.2020 10:58:43	1	1	1	1	126	57	0	26872.038	593.5483871	16007.39271	30000	0	0	30000	36.5625	2004
08.01.2020 10:58:44	1	1	1	1	126	56.5	0	26919.431	591.3978495	15978.0393	30000	0	0	30000	37	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 10:58:45	1	1	1	1	126	57	0	26682.464	595.6989247	15951.13201	30000	0	0	30000	37.0625	2004
08.01.2020 10:58:46	1	1	1	1	126	57	0	26824.645	595.6989247	16036.74612	30000	0	0	30000	37.0625	2004
08.01.2020 10:58:47	1	1	1	1	126	57	0	26777.251	597.8494624	16008.20808	30000	0	0	30000	36.125	2004
08.01.2020 10:58:48	1	1	1	1	126	56	0	26824.645	600	16066.09953	30000	0	0	30000	35.8125	2004
08.01.2020 10:58:49	1	1	1	1	126	55.75	0	26587.678	600	15951.94738	30000	0	0	30000	37.0625	2004
08.01.2020 10:58:50	1	1	1	1	126	57	0	26635.071	602.1505376	15951.94738	30000	0	0	30000	35.5625	2004
08.01.2020 10:58:51	1	1	1	1	126.5	55.5	0	26587.678	600	16038.37687	30000	0	0	30000	35.9375	2004
08.01.2020 10:58:52	1	1	1	1	126.5	55.75	0	26824.645	602.1505376	16123.99098	30000	0	0	30000	37	2004
08.01.2020 10:58:53	1	1	1	1	126.5	57	0	26635.071	602.1505376	15980.48542	30000	0	0	30000	37.0625	2004
08.01.2020 10:58:54	1	1	1	1	126.5	57	0	26824.645	597.8494624	16094.63757	30000	0	0	30000	37.0625	2004
08.01.2020 10:58:55	1	1	1	1	126.5	57	0	26682.464	602.1505376	16123.99098	30000	0	0	30000	36.8125	2004
08.01.2020 10:58:56	1	1	1	1	126.5	56.75	0	26777.251	600	16123.99098	30000	0	0	30000	36.4375	2004
08.01.2020 10:58:57	1	1	1	1	126.5	56.25	0	26777.251	597.8494624	15951.94738	30000	0	0	30000	36.8125	2004
08.01.2020 10:58:58	1	1	1	1	126.5	56.75	0	26682.464	597.8494624	15951.94738	30000	0	0	30000	36.8125	2004
08.01.2020 10:58:59	1	1	1	1	126.5	56.75	0	26729.858	602.1505376	16123.99098	30000	0	0	30000	36.9375	2004
08.01.2020 10:59:00	1	1	1	1	126.5	56.75	0	26777.251	600	16066.09953	30000	0	0	30000	36.375	2004
08.01.2020 10:59:01	1	1	1	1	126	56.25	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	36.125	2004
08.01.2020 10:59:02	1	1	1	1	126	56	0	26635.071	602.1505376	16066.9149	30000	0	0	30000	37.1875	2004
08.01.2020 10:59:03	1	1	1	1	126	57	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	35.5	2004
08.01.2020 10:59:04	1	1	1	1	126	55.5	0	26682.464	602.1505376	16009.02346	30000	0	0	30000	37	2004
08.01.2020 10:59:05	1	1	1	1	126	57	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	36.9375	2004
08.01.2020 10:59:06	1	1	1	1	126	56.75	0	26635.071	602.1505376	16066.9149	30000	0	0	30000	35.8125	2004
08.01.2020 10:59:07	1	1	1	1	126	55.75	0	26540.284	600	15924.22472	30000	0	0	30000	36.625	2004
08.01.2020 10:59:08	1	1	1	1	126	56.5	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	36.9375	2004
08.01.2020 10:59:09	1	1	1	1	126	56.75	0	26587.678	600	15951.94738	30000	0	0	30000	37.375	2004
08.01.2020 10:59:10	1	1	1	1	126	57.25	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	36.9375	2004
08.01.2020 10:59:11	1	1	1	1	125.8	57	0	26682.464	597.8494624	16066.9149	30000	0	0	30000	36.75	2004
08.01.2020 10:59:12	1	1	1	1	125.8	56.75	0	26682.464	597.8494624	15779.90379	30000	0	0	30000	37	2004
08.01.2020 10:59:13	1	1	1	1	125.8	57	0	26635.071	597.8494624	16009.02346	30000	0	0	30000	36.875	2004
08.01.2020 10:59:14	1	1	1	1	125.8	56.75	0	26777.251	602.1505376	16009.02346	30000	0	0	30000	37.0625	2004
08.01.2020 10:59:15	1	1	1	1	125.8	57	0	26682.464	597.8494624	15894.05593	30000	0	0	30000	35.75	2004
08.01.2020 10:59:16	1	1	1	1	125.8	55.75	0	26587.678	597.8494624	15894.87131	30000	0	0	30000	37.125	2004
08.01.2020 10:59:17	1	1	1	1	125.8	57	0	26682.464	597.8494624	16066.9149	30000	0	0	30000	36.875	2004
08.01.2020 10:59:19	1	1	1	1	125.8	56.75	0	26587.678	602.1505376	15951.94738	30000	0	0	30000	37.1875	2004
08.01.2020 10:59:20	1	1	1	1	125.8	57	0	26824.645	602.1505376	16152.52901	30000	0	0	30000	36.875	2004
08.01.2020 10:59:21	1	1	1	1	125.5	56.75	0	26635.071	602.1505376	16038.37687	30000	0	0	30000	37.125	2004
08.01.2020 10:59:22	1	1	1	1	125.5	57	0	26682.464	595.6989247	16037.56149	30000	0	0	30000	37.125	2004
08.01.2020 10:59:23	1	1	1	1	125.5	57	0	26540.284	597.8494624	15924.22472	30000	0	0	30000	36.5625	2004
08.01.2020 10:59:24	1	1	1	1	125.5	56.5	0	26682.464	600	15779.90379	30000	0	0	30000	36.5625	2004
08.01.2020 10:59:25	1	1	1	1	125.5	56.5	0	26682.464	602.1505376	15951.94738	30000	0	0	30000	36.625	2004
08.01.2020 10:59:26	1	1	1	1	125.5	56.5	0	26824.645	597.8494624	16094.63757	30000	0	0	30000	36.6875	2004
08.01.2020 10:59:27	1	1	1	1	125.5	56.5	0	26919.431	597.8494624	16007.39271	30000	0	0	30000	36.3125	2004
08.01.2020 10:59:28	1	1	1	1	125.5	56.25	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	37	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 10:59:29	1	1	1	1	125.5	57	0	27014.218	591.3978495	15947.87052	30000	0	0	30000	37.25	2004
08.01.2020 10:59:30	1	1	1	1	125.5	57.25	0	26872.038	591.3978495	15920.14785	30000	0	0	30000	37.0625	2004
08.01.2020 10:59:31	1	1	1	1	126	57	0	26824.645	591.3978495	16209.60509	30000	0	0	30000	37	2004
08.01.2020 10:59:32	1	1	1	1	126	57	0	26872.038	595.6989247	16035.93075	30000	0	0	30000	36.5	2004
08.01.2020 10:59:33	1	1	1	1	126	56.5	0	26919.431	593.5483871	16238.14313	30000	0	0	30000	36.5	2004
08.01.2020 10:59:34	1	1	1	1	126	56.5	0	26919.431	593.5483871	16035.93075	30000	0	0	30000	37.0625	2004
08.01.2020 10:59:35	1	1	1	1	126	57	0	26919.431	595.6989247	16035.93075	30000	0	0	30000	36.8125	2004
08.01.2020 10:59:36	1	1	1	1	126	56.75	0	26919.431	595.6989247	16035.93075	30000	0	0	30000	37.0625	2004
08.01.2020 10:59:43	1	1	1	1	126	57	0	27109.005	593.5483871	16059.57655	30000	0	0	30000	37.1875	2004
08.01.2020 10:59:43	1	1	1	1	126	57	0	27109.005	593.5483871	16059.57655	30000	0	0	30000	37.1875	2004
08.01.2020 10:59:43	1	1	1	1	126	57	0	27109.005	593.5483871	16059.57655	30000	0	0	30000	37.1875	2004
08.01.2020 10:59:43	1	1	1	1	126	57	0	27109.005	593.5483871	16059.57655	30000	0	0	30000	37.1875	2004
08.01.2020 10:59:43	1	1	1	1	126	57	0	27109.005	593.5483871	16059.57655	30000	0	0	30000	37.1875	2004
08.01.2020 10:59:43	1	1	1	1	126	57	0	27109.005	593.5483871	16059.57655	30000	0	0	30000	37.1875	2004
08.01.2020 10:59:44	1	1	1	1	126	57	0	26919.431	589.2473118	15920.14785	30000	0	0	30000	36.875	2004
08.01.2020 10:59:45	1	1	1	1	126	56.75	0	27156.398	593.5483871	16090.5607	30000	0	0	30000	37	2004
08.01.2020 10:59:46	1	1	1	1	126	57	0	26966.825	593.5483871	15920.14785	30000	0	0	30000	37.125	2004
08.01.2020 10:59:47	1	1	1	1	126	57	0	27014.218	591.3978495	16062.02267	30000	0	0	30000	37.375	2004
08.01.2020 10:59:48	1	1	1	1	126	57.25	0	26919.431	593.5483871	16063.65341	30000	0	0	30000	37.3125	2004
08.01.2020 10:59:49	1	1	1	1	126	57	0	26966.825	591.3978495	16005.76197	30000	0	0	30000	37.125	2004
08.01.2020 10:59:50	1	1	1	1	126.3	57	0	26919.431	593.5483871	16035.93075	30000	0	0	30000	37.25	2004
08.01.2020 10:59:51	1	1	1	1	126.3	57.25	0	26919.431	591.3978495	15920.14785	30000	0	0	30000	36.9375	2004
08.01.2020 10:59:52	1	1	1	1	126.3	56.75	0	26872.038	595.6989247	16007.39271	30000	0	0	30000	36.8125	2004
08.01.2020 10:59:53	1	1	1	1	126.3	56.75	0	26777.251	591.3978495	16008.20808	30000	0	0	30000	36.875	2004
08.01.2020 10:59:55	1	1	1	1	126.3	56.75	0	26966.825	591.3978495	16005.76197	30000	0	0	30000	36.9375	2004
08.01.2020 10:59:56	1	1	1	1	126.3	56.75	0	26919.431	597.8494624	16007.39271	30000	0	0	30000	35.6875	2004
08.01.2020 10:59:57	1	1	1	1	126.3	55.5	0	26919.431	602.1505376	15775.82692	30000	0	0	30000	36.5	2004
08.01.2020 10:59:58	1	1	1	1	126.3	56.5	0	26682.464	595.6989247	15951.94738	30000	0	0	30000	36.9375	2004
08.01.2020 10:59:59	1	1	1	1	126.3	56.75	0	26824.645	595.6989247	15978.85467	30000	0	0	30000	36.8125	2004
08.01.2020 11:00:00	1	1	1	1	126.3	56.75	0	26824.645	597.8494624	15951.13201	30000	0	0	30000	37.125	2004
08.01.2020 11:00:01	1	1	1	1	126	57	0	26872.038	597.8494624	16065.28416	30000	0	0	30000	37.1875	2004
08.01.2020 11:00:02	1	1	1	1	126	57	0	26919.431	593.5483871	15978.0393	30000	0	0	30000	36.9375	2004
08.01.2020 11:00:03	1	1	1	1	126	56.75	0	26919.431	597.8494624	16093.82219	30000	0	0	30000	37.3125	2004
08.01.2020 11:00:04	1	1	1	1	126	57.25	0	26919.431	593.5483871	16151.71364	30000	0	0	30000	36.5	2004
08.01.2020 11:00:05	1	1	1	1	126	56.5	0	26872.038	593.5483871	16007.39271	30000	0	0	30000	36.4375	2004
08.01.2020 11:00:06	1	1	1	1	126	56.25	0	27109.005	602.1505376	16119.91411	30000	0	0	30000	37.125	2004
08.01.2020 11:00:07	1	1	1	1	126	57	0	26919.431	595.6989247	16179.43631	30000	0	0	30000	37.25	2004
08.01.2020 11:00:08	1	1	1	1	126	57.25	0	26919.431	593.5483871	16035.93075	30000	0	0	30000	36.9375	2004
08.01.2020 11:00:09	1	1	1	1	126	56.75	0	27109.005	595.6989247	16207.15897	30000	0	0	30000	37.1875	2004
08.01.2020 11:00:10	1	1	1	1	126	57	0	26872.038	587.0967742	15920.14785	30000	0	0	30000	37.1875	2004
08.01.2020 11:00:11	1	1	1	1	126	57	0	26919.431	595.6989247	15978.0393	30000	0	0	30000	37.1875	2004
08.01.2020 11:00:12	1	1	1	1	126	57	0	26824.645	593.5483871	15921.7786	30000	0	0	30000	36.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 11:00:13	1	1	1	1	126	56.75	0	26966.825	595.6989247	15947.87052	30000	0	0	30000	37.1875	2004
08.01.2020 11:00:14	1	1	1	1	126	57	0	27061.611	595.6989247	16119.91411	30000	0	0	30000	37.3125	2004
08.01.2020 11:00:15	1	1	1	1	126	57.25	0	26824.645	597.8494624	16065.28416	30000	0	0	30000	37.25	2004
08.01.2020 11:00:16	1	1	1	1	126	57.25	0	26919.431	597.8494624	16179.43631	30000	0	0	30000	37.3125	2004
08.01.2020 11:00:17	1	1	1	1	126	57.25	0	26682.464	595.6989247	15894.05593	30000	0	0	30000	36.6875	2004
08.01.2020 11:00:18	1	1	1	1	126	56.5	0	26872.038	597.8494624	16007.39271	30000	0	0	30000	36.375	2004
08.01.2020 11:00:19	1	1	1	1	126	56.25	0	26777.251	595.6989247	15835.34912	30000	0	0	30000	36.875	2004
08.01.2020 11:00:20	1	1	1	1	126	56.75	0	26919.431	597.8494624	16035.93075	30000	0	0	30000	37.0625	2004
08.01.2020 11:00:21	1	1	1	1	125.8	57	0	26919.431	591.3978495	16035.93075	30000	0	0	30000	37.0625	2004
08.01.2020 11:00:22	1	1	1	1	125.8	57	0	26824.645	591.3978495	15891.60982	30000	0	0	30000	36.8125	2004
08.01.2020 11:00:23	1	1	1	1	125.8	56.75	0	27014.218	591.3978495	16005.76197	30000	0	0	30000	37.375	2004
08.01.2020 11:00:24	1	1	1	1	125.8	57.25	0	26966.825	593.5483871	16005.76197	30000	0	0	30000	37.125	2004
08.01.2020 11:00:25	1	1	1	1	125.8	57	0	26919.431	593.5483871	16005.76197	30000	0	0	30000	36.9375	2004
08.01.2020 11:00:26	1	1	1	1	125.8	57.25	0	26919.431	595.6989247	15748.10426	30000	0	0	30000	36.9375	2004
08.01.2020 11:00:27	1	1	1	1	125.8	56.75	0	26919.431	591.3978495	15978.0393	30000	0	0	30000	36.5625	2004
08.01.2020 11:00:28	1	1	1	1	125.8	56.5	0	26872.038	597.8494624	15891.60982	30000	0	0	30000	36	2004
08.01.2020 11:00:29	1	1	1	1	125.8	56	0	26919.431	593.5483871	15949.50126	30000	0	0	30000	37.3125	2004
08.01.2020 11:00:30	1	1	1	1	126	57.25	0	26919.431	593.5483871	16035.93075	30000	0	0	30000	37.25	2004
08.01.2020 11:00:32	1	1	1	1	126	57.25	0	26919.431	593.5483871	16007.39271	30000	0	0	30000	36.875	2004
08.01.2020 11:00:33	1	1	1	1	126	56.75	0	26824.645	593.5483871	16065.28416	30000	0	0	30000	37.3125	2004
08.01.2020 11:00:34	1	1	1	1	126	57.25	0	26635.071	597.8494624	15723.64308	30000	0	0	30000	37.3125	2004
08.01.2020 11:00:35	1	1	1	1	126	57.25	0	26919.431	595.6989247	16063.65341	30000	0	0	30000	37.3125	2004
08.01.2020 11:00:36	1	1	1	1	126	57.25	0	26919.431	595.6989247	16035.93075	30000	0	0	30000	36.9375	2004
08.01.2020 11:00:37	1	1	1	1	126	56.75	0	26919.431	595.6989247	16035.93075	30000	0	0	30000	36.75	2004
08.01.2020 11:00:38	1	1	1	1	126	56.75	0	26824.645	593.5483871	15921.7786	30000	0	0	30000	37.3125	2004
08.01.2020 11:00:50	1	1	1	1	125.5	56.75	0	26540.284	589.2473118	15951.94738	30000	0	0	30000	37.25	2004
08.01.2020 11:00:50	1	1	1	1	125.5	56.75	0	26540.284	589.2473118	15951.94738	30000	0	0	30000	37.25	2004
08.01.2020 11:00:50	1	1	1	1	125.5	56.75	0	26540.284	589.2473118	15951.94738	30000	0	0	30000	37.25	2004
08.01.2020 11:00:50	1	1	1	1	125.5	56.75	0	26540.284	589.2473118	15951.94738	30000	0	0	30000	37.25	2004
08.01.2020 11:00:50	1	1	1	1	125.5	57.25	0	26492.891	595.6989247	15810.07257	30000	0	0	30000	37.1875	2004
08.01.2020 11:00:51	1	1	1	1	126.3	57	0	26777.251	602.1505376	16009.02346	30000	0	0	30000	37.375	2004
08.01.2020 11:00:52	1	1	1	1	126.3	57.25	0	26445.498	597.8494624	15838.61061	30000	0	0	30000	37.4375	2004
08.01.2020 11:00:53	1	1	1	1	126.3	57.25	0	26682.464	597.8494624	16066.9149	30000	0	0	30000	36.5	2004
08.01.2020 11:00:54	1	1	1	1	126.3	56.5	0	26729.858	602.1505376	16066.9149	30000	0	0	30000	36.875	2004
08.01.2020 11:00:55	1	1	1	1	126.3	56.75	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	36.8125	2004
08.01.2020 11:00:56	1	1	1	1	126.3	56.75	0	26635.071	597.8494624	16066.9149	30000	0	0	30000	37.4375	2004
08.01.2020 11:00:57	1	1	1	1	126.3	57.25	0	26587.678	597.8494624	15894.87131	30000	0	0	30000	37.125	2004
08.01.2020 11:00:58	1	1	1	1	126.3	57	0	26635.071	597.8494624	15923.40934	30000	0	0	30000	36.9375	2004
08.01.2020 11:00:59	1	1	1	1	126.3	56.75	0	26824.645	597.8494624	16094.63757	30000	0	0	30000	37.4375	2004
08.01.2020 11:01:00	1	1	1	1	126.3	57.25	0	26729.858	597.8494624	16066.09953	30000	0	0	30000	37.1875	2004
08.01.2020 11:01:01	1	1	1	1	126.3	57	0	26682.464	597.8494624	15951.94738	30000	0	0	30000	37.5	2004
08.01.2020 11:01:02	1	1	1	1	126.3	57.5	0	26824.645	597.8494624	16036.74612	30000	0	0	30000	37.0625	2004
08.01.2020 11:01:03	1	1	1	1	126.3	57	0	26777.251	602.1505376	16066.09953	30000	0	0	30000	37.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 11:01:04	1	1	1	1	126.3	57.25	0	26682.464	597.8494624	15951.94738	30000	0	0	30000	37.25	2004
08.01.2020 11:01:05	1	1	1	1	126.3	56.25	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	37.375	2004
08.01.2020 11:01:06	1	1	1	1	126.3	57.25	0	26777.251	597.8494624	16008.20808	30000	0	0	30000	36.125	2004
08.01.2020 11:01:07	1	1	1	1	126.3	56	0	26777.251	593.5483871	15978.85467	30000	0	0	30000	37	2004
08.01.2020 11:01:08	1	1	1	1	126.3	57	0	26919.431	595.6989247	16063.65341	30000	0	0	30000	36.5	2004
08.01.2020 11:01:10	1	1	1	1	126.3	56.5	0	26824.645	593.5483871	15951.13201	30000	0	0	30000	37.375	2004
08.01.2020 11:01:11	1	1	1	1	125.8	57.25	0	27061.611	593.5483871	16119.91411	30000	0	0	30000	36.9375	2004
08.01.2020 11:01:12	1	1	1	1	125.8	56.75	0	26919.431	593.5483871	15978.0393	30000	0	0	30000	37.4375	2004
08.01.2020 11:01:13	1	1	1	1	125.8	57.25	0	26824.645	595.6989247	16007.39271	30000	0	0	30000	37.375	2004
08.01.2020 11:01:14	1	1	1	1	125.8	57.25	0	26919.431	595.6989247	16035.93075	30000	0	0	30000	37.5625	2004
08.01.2020 11:01:15	1	1	1	1	125.8	57.5	0	26777.251	595.6989247	15951.13201	30000	0	0	30000	37.4375	2004
08.01.2020 11:01:16	1	1	1	1	125.8	57.25	0	26919.431	593.5483871	15920.14785	30000	0	0	30000	37.3125	2004
08.01.2020 11:01:17	1	1	1	1	125.8	57.25	0	26729.858	595.6989247	15894.05593	30000	0	0	30000	37.3125	2004
08.01.2020 11:01:18	1	1	1	1	125.8	57.25	0	26824.645	593.5483871	16007.39271	30000	0	0	30000	37.3125	2004
08.01.2020 11:01:19	1	1	1	1	125.8	57.25	0	26777.251	595.6989247	16008.20808	30000	0	0	30000	37.375	2004
08.01.2020 11:01:20	1	1	1	1	125.8	57.25	0	26824.645	597.8494624	16123.1756	30000	0	0	30000	37.5625	2004
08.01.2020 11:01:21	1	1	1	1	126.3	57.5	0	26682.464	597.8494624	15951.94738	30000	0	0	30000	37.4375	2004
08.01.2020 11:01:22	1	1	1	1	126.3	57.25	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	37.4375	2004
08.01.2020 11:01:23	1	1	1	1	126.3	57.25	0	26587.678	600	16009.83883	30000	0	0	30000	37.3125	2004
08.01.2020 11:01:24	1	1	1	1	126.3	57.25	0	26682.464	591.3978495	16094.63757	30000	0	0	30000	37.3125	2004
08.01.2020 11:01:25	1	1	1	1	126.3	57.25	0	26682.464	597.8494624	16009.02346	30000	0	0	30000	37.0625	2004
08.01.2020 11:01:26	1	1	1	1	126.3	57	0	26919.431	597.8494624	16035.93075	30000	0	0	30000	37.3125	2004
08.01.2020 11:01:27	1	1	1	1	126.3	57.25	0	26777.251	600	16036.74612	30000	0	0	30000	36.6875	2004
08.01.2020 11:01:28	1	1	1	1	126.3	56.5	0	26919.431	593.5483871	15920.14785	30000	0	0	30000	37.5	2004
08.01.2020 11:01:29	1	1	1	1	126.3	57.5	0	26919.431	597.8494624	16093.82219	30000	0	0	30000	37.5625	2004
08.01.2020 11:01:30	1	1	1	1	126.3	57.5	0	26777.251	595.6989247	15951.13201	30000	0	0	30000	37.5	2004
08.01.2020 11:01:31	1	1	1	1	125.8	57.5	0	26777.251	597.8494624	16008.20808	30000	0	0	30000	37.5625	2004
08.01.2020 11:01:32	1	1	1	1	125.8	57.5	0	26777.251	597.8494624	16009.02346	30000	0	0	30000	37.5	2004
08.01.2020 11:01:33	1	1	1	1	125.8	57.5	0	26872.038	595.6989247	16007.39271	30000	0	0	30000	37.5	2004
08.01.2020 11:01:34	1	1	1	1	125.8	57.5	0	26872.038	593.5483871	16007.39271	30000	0	0	30000	36.6875	2004
08.01.2020 11:01:35	1	1	1	1	125.8	56.5	0	26919.431	595.6989247	16035.93075	30000	0	0	30000	37.5	2004
08.01.2020 11:01:36	1	1	1	1	125.8	57.5	0	26919.431	593.5483871	15949.50126	30000	0	0	30000	37.5	2004
08.01.2020 11:01:37	1	1	1	1	125.8	57.5	0	26824.645	595.6989247	15978.85467	30000	0	0	30000	37.5625	2004
08.01.2020 11:01:38	1	1	1	1	125.8	57.5	0	26777.251	597.8494624	16036.74612	30000	0	0	30000	37.75	2004
08.01.2020 11:01:39	1	1	1	1	125.8	57.75	0	26682.464	597.8494624	15951.94738	30000	0	0	30000	37.5	2004
08.01.2020 11:01:40	1	1	1	1	125.8	57.5	0	26777.251	597.8494624	16123.99098	30000	0	0	30000	37.5	2004
08.01.2020 11:01:41	1	1	1	1	126.8	57.75	0	26824.645	595.6989247	15978.85467	30000	0	0	30000	37.5	2004
08.01.2020 11:01:42	1	1	1	1	126.8	57.5	0	26919.431	595.6989247	16035.93075	30000	0	0	30000	37.5625	2004
08.01.2020 11:01:43	1	1	1	1	126.8	57.5	0	26872.038	593.5483871	15949.50126	30000	0	0	30000	36.8125	2004
08.01.2020 11:01:44	1	1	1	1	126.8	56.75	0	26872.038	604.3010753	16123.1756	30000	0	0	30000	37.375	2004
08.01.2020 11:01:46	1	1	1	1	126.8	57.25	0	26872.038	595.6989247	16065.28416	30000	0	0	30000	37.125	2004
08.01.2020 11:01:47	1	1	1	1	126.8	57	0	26777.251	602.1505376	16066.09953	30000	0	0	30000	37.625	2004
08.01.2020 11:01:54	1	1	1	1	125	56.5	0	26682.464	602.1505376	16009.02346	30000	0	0	30000	37.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 11:01:54	1	1	1	1	125	56.5	0	26682.464	602.1505376	16009.02346	30000	0	0	30000	37.5	2004
08.01.2020 11:01:54	1	1	1	1	125	56.5	0	26682.464	602.1505376	16009.02346	30000	0	0	30000	37.5	2004
08.01.2020 11:01:54	1	1	1	1	125	56.5	0	26682.464	602.1505376	16009.02346	30000	0	0	30000	37.5	2004
08.01.2020 11:01:54	1	1	1	1	125	56.5	0	26682.464	602.1505376	16009.02346	30000	0	0	30000	37.5	2004
08.01.2020 11:01:54	1	1	1	1	125	56.5	0	26682.464	602.1505376	16009.02346	30000	0	0	30000	37.5	2004
08.01.2020 11:01:55	1	1	1	1	125	57.5	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	36.4375	2004
08.01.2020 11:01:56	1	1	1	1	125	56.25	0	26682.464	604.3010753	16123.99098	30000	0	0	30000	37.375	2004
08.01.2020 11:01:57	1	1	1	1	125	57.25	0	26492.891	604.3010753	16009.02346	30000	0	0	30000	36.9375	2004
08.01.2020 11:01:58	1	1	1	1	125	56.75	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	37.625	2004
08.01.2020 11:01:59	1	1	1	1	125	57.5	0	26540.284	604.3010753	15924.22472	30000	0	0	30000	36.75	2004
08.01.2020 11:02:00	1	1	1	1	125	56.75	0	26492.891	602.1505376	15952.76275	30000	0	0	30000	37.375	2004
08.01.2020 11:02:01	1	1	1	1	125	57.25	0	26398.104	604.3010753	15951.94738	30000	0	0	30000	36.8125	2004
08.01.2020 11:02:02	1	1	1	1	125	56.75	0	26540.284	602.1505376	16038.37687	30000	0	0	30000	37.625	2004
08.01.2020 11:02:03	1	1	1	1	125	57.5	0	26587.678	606.4516129	16066.9149	30000	0	0	30000	37.375	2004
08.01.2020 11:02:04	1	1	1	1	125	57.25	0	26540.284	602.1505376	16009.83883	30000	0	0	30000	36.9375	2004
08.01.2020 11:02:05	1	1	1	1	125	56.75	0	26445.498	604.3010753	16038.37687	30000	0	0	30000	37.5625	2004
08.01.2020 11:02:06	1	1	1	1	125	57.5	0	26540.284	604.3010753	16038.37687	30000	0	0	30000	37.5	2004
08.01.2020 11:02:07	1	1	1	1	125	57.5	0	26398.104	606.4516129	16065.28416	30000	0	0	30000	37.5625	2004
08.01.2020 11:02:08	1	1	1	1	125	57.5	0	26682.464	606.4516129	16123.99098	30000	0	0	30000	37.5625	2004
08.01.2020 11:02:09	1	1	1	1	125	57.5	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	37.6875	2004
08.01.2020 11:02:10	1	1	1	1	125	57.5	0	26540.284	606.4516129	16152.52901	30000	0	0	30000	36.8125	2004
08.01.2020 11:02:11	1	1	1	1	126	56.75	0	26492.891	604.3010753	16209.60509	30000	0	0	30000	37.5	2004
08.01.2020 11:02:16	1	1	1	1	126	57.25	0	26445.498	602.1505376	16038.37687	30000	0	0	30000	37.125	2004
08.01.2020 11:02:16	1	1	1	1	126	57.25	0	26445.498	602.1505376	16038.37687	30000	0	0	30000	37.125	2004
08.01.2020 11:02:16	1	1	1	1	126	57	0	26492.891	602.1505376	15981.30079	30000	0	0	30000	37.625	2004
08.01.2020 11:02:17	1	1	1	1	126	57.5	0	26492.891	602.1505376	15981.30079	30000	0	0	30000	37.5	2004
08.01.2020 11:02:18	1	1	1	1	126	57.5	0	26587.678	600	16238.9585	30000	0	0	30000	37.5625	2004
08.01.2020 11:02:19	1	1	1	1	126	57.75	0	26445.498	602.1505376	15924.22472	30000	0	0	30000	37.3125	2004
08.01.2020 11:02:20	1	1	1	1	125.5	57.25	0	26492.891	602.1505376	15952.76275	30000	0	0	30000	37.5625	2004
08.01.2020 11:02:21	1	1	1	1	125.5	57.5	0	26540.284	602.1505376	16038.37687	30000	0	0	30000	37.3125	2004
08.01.2020 11:02:22	1	1	1	1	125.5	57.25	0	26398.104	604.3010753	15951.94738	30000	0	0	30000	37.0625	2004
08.01.2020 11:02:23	1	1	1	1	125.5	57	0	26587.678	604.3010753	16066.9149	30000	0	0	30000	37.5625	2004
08.01.2020 11:02:25	1	1	1	1	125.5	57.5	0	26587.678	602.1505376	16066.9149	30000	0	0	30000	37.25	2004
08.01.2020 11:02:26	1	1	1	1	125.5	57.25	0	26587.678	602.1505376	16181.06705	30000	0	0	30000	37.5625	2004
08.01.2020 11:02:27	1	1	1	1	125.5	57.5	0	26540.284	602.1505376	15924.22472	30000	0	0	30000	37.6875	2004
08.01.2020 11:02:28	1	1	1	1	125.5	57.5	0	26540.284	602.1505376	16009.83883	30000	0	0	30000	37.125	2004
08.01.2020 11:02:29	1	1	1	1	125.5	57	0	26540.284	597.8494624	15924.22472	30000	0	0	30000	37.6875	2004
08.01.2020 11:02:30	1	1	1	1	125.5	57.5	0	26682.464	602.1505376	16009.83883	30000	0	0	30000	37.6875	2004
08.01.2020 11:02:31	1	1	1	1	124.8	57.5	0	26587.678	602.1505376	15951.94738	30000	0	0	30000	37.3125	2004
08.01.2020 11:02:32	1	1	1	1	124.8	57.25	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	37.0625	2004
08.01.2020 11:02:33	1	1	1	1	124.8	57	0	26682.464	602.1505376	15866.33327	30000	0	0	30000	37.125	2004
08.01.2020 11:02:34	1	1	1	1	124.8	57	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	37.6875	2004
08.01.2020 11:02:35	1	1	1	1	124.8	57.5	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	37.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 11:02:36	1	1	1	1	124.8	57	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	37.3125	2004
08.01.2020 11:02:37	1	1	1	1	124.8	57.25	0	26587.678	597.8494624	15894.87131	30000	0	0	30000	37.375	2004
08.01.2020 11:02:38	1	1	1	1	124.8	57.25	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	37.75	2004
08.01.2020 11:02:39	1	1	1	1	124.8	57.75	0	26729.858	602.1505376	16066.9149	30000	0	0	30000	37.6875	2004
08.01.2020 11:02:40	1	1	1	1	124.8	57.5	0	26777.251	597.8494624	16008.20808	30000	0	0	30000	37.125	2004
08.01.2020 11:02:41	1	1	1	1	125.8	57	0	26682.464	604.3010753	15780.71916	30000	0	0	30000	37.5	2004
08.01.2020 11:02:42	1	1	1	1	125.8	57.5	0	26587.678	597.8494624	15894.87131	30000	0	0	30000	37.625	2004
08.01.2020 11:02:43	1	1	1	1	125.8	57.5	0	26635.071	597.8494624	15951.94738	30000	0	0	30000	35.9375	2004
08.01.2020 11:02:44	1	1	1	1	125.8	55.75	0	26587.678	602.1505376	16066.9149	30000	0	0	30000	37.625	2004
08.01.2020 11:02:45	1	1	1	1	125.8	57.5	0	26682.464	597.8494624	16009.02346	30000	0	0	30000	37.3125	2004
08.01.2020 11:02:46	1	1	1	1	125.8	57.25	0	26824.645	602.1505376	16181.06705	30000	0	0	30000	37.8125	2004
08.01.2020 11:02:47	1	1	1	1	125.8	57.75	0	26587.678	602.1505376	16123.99098	30000	0	0	30000	37.8125	2004
08.01.2020 11:02:48	1	1	1	1	125.8	57.75	0	26587.678	602.1505376	16066.9149	30000	0	0	30000	37.375	2004
08.01.2020 11:02:49	1	1	1	1	125.8	57.25	0	26587.678	602.1505376	15951.94738	30000	0	0	30000	37.375	2004
08.01.2020 11:02:50	1	1	1	1	125.8	57.25	0	26540.284	602.1505376	15924.22472	30000	0	0	30000	37.75	2004
08.01.2020 11:02:51	1	1	1	1	126.3	57.75	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	37.375	2004
08.01.2020 11:03:04	1	1	1	1	126.3	57.75	0	26492.891	597.8494624	15924.22472	30000	0	0	30000	37.8125	2004
08.01.2020 11:03:04	1	1	1	1	126.3	57.75	0	26492.891	597.8494624	15924.22472	30000	0	0	30000	37.8125	2004
08.01.2020 11:03:04	1	1	1	1	126.3	57.75	0	26492.891	597.8494624	15924.22472	30000	0	0	30000	37.8125	2004
08.01.2020 11:03:04	1	1	1	1	126.3	57.75	0	26492.891	597.8494624	15924.22472	30000	0	0	30000	37.8125	2004
08.01.2020 11:03:04	1	1	1	1	126.3	57.75	0	26492.891	597.8494624	15924.22472	30000	0	0	30000	37.8125	2004
08.01.2020 11:03:04	1	1	1	1	126.3	57.75	0	26492.891	597.8494624	15924.22472	30000	0	0	30000	37.8125	2004
08.01.2020 11:03:04	1	1	1	1	126.3	57.75	0	26492.891	597.8494624	15924.22472	30000	0	0	30000	37.8125	2004
08.01.2020 11:03:04	1	1	1	1	126.3	57.75	0	26492.891	597.8494624	15924.22472	30000	0	0	30000	37.8125	2004
08.01.2020 11:03:04	1	1	1	1	126.3	57.75	0	26492.891	597.8494624	15924.22472	30000	0	0	30000	37.8125	2004
08.01.2020 11:03:04	1	1	1	1	126.3	57.75	0	26492.891	597.8494624	15924.22472	30000	0	0	30000	37.8125	2004
08.01.2020 11:03:04	1	1	1	1	126.3	57.75	0	26492.891	597.8494624	15924.22472	30000	0	0	30000	37.8125	2004
08.01.2020 11:03:04	1	1	1	1	126.3	57.75	0	26492.891	597.8494624	15924.22472	30000	0	0	30000	37.8125	2004
08.01.2020 11:03:04	1	1	1	1	126.3	57.75	0	26492.891	597.8494624	15924.22472	30000	0	0	30000	37.8125	2004
08.01.2020 11:03:04	1	1	1	1	126.3	57.75	0	26635.071	604.3010753	16123.99098	30000	0	0	30000	37.5625	2004
08.01.2020 11:03:05	1	1	1	1	126.3	57.5	0	26682.464	602.1505376	15923.40934	30000	0	0	30000	37.375	2004
08.01.2020 11:03:07	1	1	1	1	126.3	57.25	0	26587.678	604.3010753	15981.30079	30000	0	0	30000	37.875	2004
08.01.2020 11:03:08	1	1	1	1	126.3	57.75	0	26682.464	602.1505376	16238.9585	30000	0	0	30000	37.125	2004
08.01.2020 11:03:09	1	1	1	1	126.3	57	0	26587.678	597.8494624	15951.94738	30000	0	0	30000	36.9375	2004
08.01.2020 11:03:10	1	1	1	1	126.3	56.75	0	26540.284	602.1505376	15924.22472	30000	0	0	30000	36.0625	2004
08.01.2020 11:03:11	1	1	1	1	126.3	56	0	26635.071	597.8494624	16009.02346	30000	0	0	30000	37.25	2004
08.01.2020 11:03:12	1	1	1	1	126.3	57.25	0	26587.678	593.5483871	15894.05593	30000	0	0	30000	36.9375	2004
08.01.2020 11:03:13	1	1	1	1	126.3	56.75	0	26587.678	597.8494624	16009.83883	30000	0	0	30000	37.4375	2004
08.01.2020 11:03:14	1	1	1	1	126.3	57.25	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	37.6875	2004
08.01.2020 11:03:15	1	1	1	1	126.3	57.5	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	37.8125	2004
08.01.2020 11:03:16	1	1	1	1	126.3	57.75	0	26682.464	597.8494624	16009.02346	30000	0	0	30000	37.6875	2004
08.01.2020 11:03:17	1	1	1	1	126.3	57.5	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	37.5	2004
08.01.2020 11:03:18	1	1	1	1	126.3	57.5	0	26872.038	597.8494624	16065.28416	30000	0	0	30000	37.25	2004
08.01.2020 11:03:19	1	1	1	1	126.3	57.25	0	26682.464	595.6989247	15894.05593	30000	0	0	30000	37.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 11:03:20	1	1	1	1	126.3	57.75	0	26682.464	602.1505376	16009.02346	30000	0	0	30000	37.625	2004
08.01.2020 11:03:21	1	1	1	1	126.8	57.5	0	26682.464	597.8494624	15894.05593	30000	0	0	30000	36.125	2004
08.01.2020 11:03:22	1	1	1	1	126.8	56	0	26777.251	597.8494624	16123.99098	30000	0	0	30000	37.75	2004
08.01.2020 11:03:23	1	1	1	1	126.8	57.75	0	26587.678	597.8494624	15780.71916	30000	0	0	30000	37.6875	2004
08.01.2020 11:03:24	1	1	1	1	126.8	57.5	0	26777.251	595.6989247	15951.13201	30000	0	0	30000	37.6875	2004
08.01.2020 11:03:25	1	1	1	1	126.8	57.5	0	26919.431	595.6989247	16035.93075	30000	0	0	30000	37.4375	2004
08.01.2020 11:03:26	1	1	1	1	126.8	57.25	0	26777.251	595.6989247	15951.13201	30000	0	0	30000	37.8125	2004
08.01.2020 11:03:27	1	1	1	1	126.8	57.75	0	26777.251	595.6989247	15951.13201	30000	0	0	30000	37.9375	2004
08.01.2020 11:03:28	1	1	1	1	126.8	57.75	0	26872.038	597.8494624	16065.28416	30000	0	0	30000	37.8125	2004
08.01.2020 11:03:29	1	1	1	1	126.8	57.75	0	26682.464	595.6989247	15894.05593	30000	0	0	30000	37.9375	2004
08.01.2020 11:03:30	1	1	1	1	126.8	57.75	0	26729.858	595.6989247	15951.13201	30000	0	0	30000	37.625	2004
08.01.2020 11:03:31	1	1	1	1	126.8	57.5	0	26777.251	595.6989247	15951.94738	30000	0	0	30000	37.9375	2004
08.01.2020 11:03:32	1	1	1	1	126.8	57.75	0	26824.645	597.8494624	16036.74612	30000	0	0	30000	37.75	2004
08.01.2020 11:03:33	1	1	1	1	126.8	57.75	0	26824.645	595.6989247	15951.13201	30000	0	0	30000	37.5	2004
08.01.2020 11:03:34	1	1	1	1	126.8	57.5	0	26966.825	593.5483871	16063.65341	30000	0	0	30000	37.875	2004
08.01.2020 11:03:35	1	1	1	1	126.8	57.75	0	26824.645	593.5483871	16007.39271	30000	0	0	30000	37.75	2004
08.01.2020 11:03:36	1	1	1	1	126.8	57.75	0	26919.431	591.3978495	16035.93075	30000	0	0	30000	37.6875	2004
08.01.2020 11:03:37	1	1	1	1	126.8	57.5	0	26919.431	595.6989247	16035.93075	30000	0	0	30000	38.0625	2004
08.01.2020 11:03:38	1	1	1	1	126.8	58	0	26824.645	595.6989247	15978.85467	30000	0	0	30000	37.875	2004
08.01.2020 11:03:39	1	1	1	1	126.8	57.75	0	26777.251	593.5483871	15978.85467	30000	0	0	30000	37.875	2004
08.01.2020 11:03:40	1	1	1	1	127	57.5	0	26729.858	595.6989247	15894.05593	30000	0	0	30000	36.9375	2004
08.01.2020 11:03:41	1	1	1	1	127	56.75	0	26777.251	597.8494624	16008.20808	30000	0	0	30000	37.875	2004
08.01.2020 11:03:42	1	1	1	1	127	57.75	0	26587.678	597.8494624	15951.94738	30000	0	0	30000	37.9375	2004
08.01.2020 11:03:44	1	1	1	1	127	57.75	0	26682.464	597.8494624	16009.02346	30000	0	0	30000	37.625	2004
08.01.2020 11:03:45	1	1	1	1	127	57.5	0	26587.678	597.8494624	15980.48542	30000	0	0	30000	36.5625	2004
08.01.2020 11:03:46	1	1	1	1	127	56.5	0	26777.251	595.6989247	16008.20808	30000	0	0	30000	37.75	2004
08.01.2020 11:03:47	1	1	1	1	127	57.75	0	26587.678	597.8494624	15894.87131	30000	0	0	30000	37.1875	2004
08.01.2020 11:03:48	1	1	1	1	127	57	0	26824.645	597.8494624	16094.63757	30000	0	0	30000	38	2004
08.01.2020 11:03:49	1	1	1	1	127	58	0	26682.464	604.3010753	16066.9149	30000	0	0	30000	37.875	2004
08.01.2020 11:03:50	1	1	1	1	127	57.75	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	37.8125	2004
08.01.2020 11:03:51	1	1	1	1	126.5	57.75	0	26587.678	602.1505376	16009.02346	30000	0	0	30000	38	2004
08.01.2020 11:03:52	1	1	1	1	126.5	58	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	37.875	2004
08.01.2020 11:03:53	1	1	1	1	126.5	57.75	0	26587.678	595.6989247	15894.87131	30000	0	0	30000	38	2004
08.01.2020 11:04:00	1	1	1	1	126.5	57.5	0	26587.678	602.1505376	15951.94738	30000	0	0	30000	37.5	2004
08.01.2020 11:04:00	1	1	1	1	126.5	57.5	0	26587.678	602.1505376	15951.94738	30000	0	0	30000	37.5	2004
08.01.2020 11:04:00	1	1	1	1	126.5	57.5	0	26587.678	602.1505376	15951.94738	30000	0	0	30000	37.5	2004
08.01.2020 11:04:00	1	1	1	1	126.5	57.5	0	26587.678	602.1505376	15951.94738	30000	0	0	30000	37.5	2004
08.01.2020 11:04:00	1	1	1	1	126.5	57.5	0	26587.678	602.1505376	15951.94738	30000	0	0	30000	37.5	2004
08.01.2020 11:04:00	1	1	1	1	126.5	57.5	0	26587.678	602.1505376	15951.94738	30000	0	0	30000	37.5	2004
08.01.2020 11:04:00	1	1	1	1	126.5	57.5	0	26587.678	602.1505376	15951.94738	30000	0	0	30000	37.5	2004
08.01.2020 11:04:00	1	1	1	1	126.5	57.5	0	26682.464	597.8494624	15894.05593	30000	0	0	30000	38	2004
08.01.2020 11:04:01	1	1	1	1	126	58	0	26682.464	597.8494624	16009.02346	30000	0	0	30000	38	2004
08.01.2020 11:04:02	1	1	1	1	126	58	0	26777.251	602.1505376	15951.94738	30000	0	0	30000	38.0625	2004
08.01.2020 11:04:03	1	1	1	1	126	58	0	26587.678	597.8494624	16009.02346	30000	0	0	30000	38	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 11:04:04	1	1	1	1	126	58	0	26682.464	597.8494624	15951.94738	30000	0	0	30000	37.9375	2004
08.01.2020 11:04:05	1	1	1	1	126	57.75	0	26919.431	600	16151.71364	30000	0	0	30000	37.6875	2004
08.01.2020 11:04:06	1	1	1	1	126	57.5	0	26824.645	593.5483871	15978.85467	30000	0	0	30000	37.75	2004
08.01.2020 11:04:07	1	1	1	1	126	57.75	0	26919.431	602.1505376	16007.39271	30000	0	0	30000	37.875	2004
08.01.2020 11:04:08	1	1	1	1	126	57.75	0	26919.431	595.6989247	16035.93075	30000	0	0	30000	37.8125	2004
08.01.2020 11:04:09	1	1	1	1	126	57.75	0	26635.071	597.8494624	16066.9149	30000	0	0	30000	37.0625	2004
08.01.2020 11:04:10	1	1	1	1	126	57	0	26587.678	602.1505376	15951.94738	30000	0	0	30000	37.875	2004
08.01.2020 11:04:11	1	1	1	1	126.5	57.75	0	26540.284	602.1505376	15924.22472	30000	0	0	30000	37.875	2004
08.01.2020 11:04:12	1	1	1	1	126.5	57.75	0	26824.645	602.1505376	16094.63757	30000	0	0	30000	38.0625	2004
08.01.2020 11:04:13	1	1	1	1	126.5	58	0	26777.251	602.1505376	16123.99098	30000	0	0	30000	36.75	2004
08.01.2020 11:04:14	1	1	1	1	126.5	56.75	0	26682.464	602.1505376	16123.99098	30000	0	0	30000	37.6875	2004
08.01.2020 11:04:15	1	1	1	1	126.5	57.5	0	26682.464	597.8494624	15951.94738	30000	0	0	30000	37.625	2004
08.01.2020 11:04:16	1	1	1	1	126.5	57.5	0	26587.678	595.6989247	16066.9149	30000	0	0	30000	37.9375	2004
08.01.2020 11:04:17	1	1	1	1	126.5	57.75	0	26682.464	602.1505376	16181.06705	30000	0	0	30000	38.1875	2004
08.01.2020 11:04:18	1	1	1	1	126.5	58	0	26682.464	597.8494624	15951.94738	30000	0	0	30000	37.875	2004
08.01.2020 11:04:19	1	1	1	1	126.5	57.75	0	26682.464	597.8494624	15723.64308	30000	0	0	30000	37.875	2004
08.01.2020 11:04:20	1	1	1	1	126.5	57.75	0	26777.251	593.5483871	15863.88715	30000	0	0	30000	37.625	2004
08.01.2020 11:04:21	1	1	1	1	126.5	57.5	0	26872.038	595.6989247	16007.39271	30000	0	0	30000	38.375	2004
08.01.2020 11:04:22	1	1	1	1	126.5	57.5	0	26824.645	604.3010753	15978.85467	30000	0	0	30000	37.875	2004
08.01.2020 11:04:23	1	1	1	1	126.5	57.75	0	26919.431	595.6989247	16035.93075	30000	0	0	30000	37	2004
08.01.2020 11:04:24	1	1	1	1	126.5	57	0	26872.038	591.3978495	16035.93075	30000	0	0	30000	37.9375	2004
08.01.2020 11:04:25	1	1	1	1	126.5	57.75	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	37.5	2004
08.01.2020 11:04:27	1	1	1	1	126.5	57.5	0	26919.431	597.8494624	16151.71364	30000	0	0	30000	36.5625	2004
08.01.2020 11:04:28	1	1	1	1	126.5	56.5	0	26872.038	593.5483871	15891.60982	30000	0	0	30000	38	2004
08.01.2020 11:04:29	1	1	1	1	126.5	58	0	26966.825	589.2473118	16005.76197	30000	0	0	30000	37.9375	2004
08.01.2020 11:04:30	1	1	1	1	126.5	57.75	0	26919.431	595.6989247	16035.93075	30000	0	0	30000	37.375	2004
08.01.2020 11:04:31	1	1	1	1	126.3	57.25	0	26777.251	595.6989247	15951.13201	30000	0	0	30000	38.1875	2004
08.01.2020 11:04:32	1	1	1	1	126.3	58	0	26777.251	595.6989247	15978.85467	30000	0	0	30000	37.6875	2004
08.01.2020 11:04:33	1	1	1	1	126.3	57.5	0	26872.038	597.8494624	16123.1756	30000	0	0	30000	36.9375	2004
08.01.2020 11:04:34	1	1	1	1	126.3	56.75	0	27061.611	595.6989247	16119.91411	30000	0	0	30000	37.3125	2004
08.01.2020 11:04:35	1	1	1	1	126.3	57.25	0	26824.645	597.8494624	15978.85467	30000	0	0	30000	37.875	2004
08.01.2020 11:04:36	1	1	1	1	126.3	57.75	0	26919.431	593.5483871	15978.0393	30000	0	0	30000	37.8125	2004
08.01.2020 11:04:37	1	1	1	1	126.3	57.75	0	26824.645	602.1505376	16152.52901	30000	0	0	30000	38.125	2004
08.01.2020 11:04:38	1	1	1	1	126.3	58	0	26777.251	595.6989247	15951.13201	30000	0	0	30000	38.0625	2004
08.01.2020 11:04:39	1	1	1	1	126.3	58	0	26682.464	595.6989247	15809.2572	30000	0	0	30000	37.4375	2004
08.01.2020 11:04:40	1	1	1	1	126.3	57.25	0	26682.464	591.3978495	15894.05593	30000	0	0	30000	38.0625	2004
08.01.2020 11:04:41	1	1	1	1	126.3	58	0	26824.645	593.5483871	16007.39271	30000	0	0	30000	37.375	2004
08.01.2020 11:04:42	1	1	1	1	126.3	57.25	0	26872.038	597.8494624	16209.60509	30000	0	0	30000	38.0625	2004
08.01.2020 11:04:43	1	1	1	1	126.3	58	0	26966.825	597.8494624	16063.65341	30000	0	0	30000	37.75	2004
08.01.2020 11:04:44	1	1	1	1	126.3	57.75	0	26824.645	591.3978495	15891.60982	30000	0	0	30000	38.125	2004
08.01.2020 11:04:45	1	1	1	1	126.3	58	0	27061.611	595.6989247	16119.91411	30000	0	0	30000	38.125	2004
08.01.2020 11:04:46	1	1	1	1	126.3	58	0	26824.645	595.6989247	15978.85467	30000	0	0	30000	37.125	2004
08.01.2020 11:04:47	1	1	1	1	126.3	57	0	26919.431	593.5483871	16035.93075	30000	0	0	30000	38.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 11:04:48	1	1	1	1	126.3	58	0	26777.251	597.8494624	16008.20808	30000	0	0	30000	35.8125	2004
08.01.2020 11:04:49	1	1	1	1	126.3	55.75	0	26777.251	595.6989247	15951.13201	30000	0	0	30000	38.125	2004
08.01.2020 11:04:50	1	1	1	1	126.3	58	0	26824.645	597.8494624	16036.74612	30000	0	0	30000	36.4375	2004
08.01.2020 11:04:51	1	1	1	1	126.8	56.25	0	26824.645	597.8494624	15978.85467	30000	0	0	30000	36.9375	2004
08.01.2020 11:04:52	1	1	1	1	126.8	56.75	0	26919.431	597.8494624	16093.82219	30000	0	0	30000	38.125	2004
08.01.2020 11:04:53	1	1	1	1	126.8	58	0	26824.645	602.1505376	16036.74612	30000	0	0	30000	37.3125	2004
08.01.2020 11:04:54	1	1	1	1	126.8	57.25	0	26777.251	602.1505376	16152.52901	30000	0	0	30000	38.3125	2004
08.01.2020 11:05:01	1	1	1	1	126.3	58.25	0	26872.038	595.6989247	16065.28416	30000	0	0	30000	37.4375	2004
08.01.2020 11:05:01	1	1	1	1	126.3	58.25	0	26872.038	595.6989247	16065.28416	30000	0	0	30000	37.4375	2004
08.01.2020 11:05:01	1	1	1	1	126.3	58.25	0	26872.038	595.6989247	16065.28416	30000	0	0	30000	37.4375	2004
08.01.2020 11:05:01	1	1	1	1	126.3	58.25	0	26872.038	595.6989247	16065.28416	30000	0	0	30000	37.4375	2004
08.01.2020 11:05:01	1	1	1	1	126.3	58.25	0	26872.038	595.6989247	16065.28416	30000	0	0	30000	37.4375	2004
08.01.2020 11:05:01	1	1	1	1	126.3	57.25	0	26682.464	597.8494624	15951.94738	30000	0	0	30000	38.125	2004
08.01.2020 11:05:03	1	1	1	1	126.3	58	0	26587.678	602.1505376	15951.94738	30000	0	0	30000	36.8125	2004
08.01.2020 11:05:04	1	1	1	1	126.3	56.75	0	26682.464	597.8494624	16066.9149	30000	0	0	30000	38.125	2004
08.01.2020 11:05:05	1	1	1	1	126.3	58	0	26777.251	602.1505376	16066.9149	30000	0	0	30000	38.125	2004
08.01.2020 11:05:06	1	1	1	1	126.3	58	0	26777.251	604.3010753	16123.99098	30000	0	0	30000	37.3125	2004
08.01.2020 11:05:07	1	1	1	1	126.3	57.25	0	26919.431	602.1505376	16035.93075	30000	0	0	30000	38.1875	2004
08.01.2020 11:05:08	1	1	1	1	126.3	58	0	26919.431	595.6989247	16035.93075	30000	0	0	30000	38.375	2004
08.01.2020 11:05:09	1	1	1	1	126.3	58.25	0	26682.464	597.8494624	16009.02346	30000	0	0	30000	37.4375	2004
08.01.2020 11:05:10	1	1	1	1	126.3	57.25	0	26872.038	597.8494624	16065.28416	30000	0	0	30000	37	2004
08.01.2020 11:05:11	1	1	1	1	126	57	0	26919.431	593.5483871	16035.93075	30000	0	0	30000	37.5625	2004
08.01.2020 11:05:12	1	1	1	1	126	57.5	0	26777.251	600	16123.99098	30000	0	0	30000	38.375	2004
08.01.2020 11:05:13	1	1	1	1	126	58.25	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	37.9375	2004
08.01.2020 11:05:14	1	1	1	1	126	57.75	0	26682.464	597.8494624	16009.02346	30000	0	0	30000	37.0625	2004
08.01.2020 11:05:15	1	1	1	1	126	57	0	26540.284	595.6989247	15924.22472	30000	0	0	30000	37.5625	2004
08.01.2020 11:05:16	1	1	1	1	126	57.5	0	26587.678	600	16009.83883	30000	0	0	30000	37.5625	2004
08.01.2020 11:05:17	1	1	1	1	126	57.5	0	26777.251	602.1505376	16123.99098	30000	0	0	30000	37.9375	2004
08.01.2020 11:05:18	1	1	1	1	126	57.75	0	26682.464	597.8494624	15951.94738	30000	0	0	30000	38.125	2004
08.01.2020 11:05:19	1	1	1	1	126	58	0	26682.464	597.8494624	15951.94738	30000	0	0	30000	38.25	2004
08.01.2020 11:05:20	1	1	1	1	126	58.25	0	26824.645	602.1505376	16152.52901	30000	0	0	30000	38.1875	2004
08.01.2020 11:05:21	1	1	1	1	126.3	58	0	26824.645	597.8494624	16094.63757	30000	0	0	30000	38.0625	2004
08.01.2020 11:05:22	1	1	1	1	126.3	58	0	26682.464	600	16066.9149	30000	0	0	30000	37.8125	2004
08.01.2020 11:05:23	1	1	1	1	126.3	57.75	0	26777.251	597.8494624	16008.20808	30000	0	0	30000	38.1875	2004
08.01.2020 11:05:24	1	1	1	1	126.3	58	0	26777.251	597.8494624	15951.13201	30000	0	0	30000	35.625	2004
08.01.2020 11:05:25	1	1	1	1	126.3	55.5	0	26777.251	597.8494624	16008.20808	30000	0	0	30000	38.375	2004
08.01.2020 11:05:26	1	1	1	1	126.3	58.25	0	26824.645	597.8494624	15978.85467	30000	0	0	30000	38.3125	2004
08.01.2020 11:05:27	1	1	1	1	126.3	58.25	0	26824.645	589.2473118	16007.39271	30000	0	0	30000	37.125	2004
08.01.2020 11:05:28	1	1	1	1	126.3	57	0	27061.611	593.5483871	16062.02267	30000	0	0	30000	38.3125	2004
08.01.2020 11:05:29	1	1	1	1	126.3	58.25	0	26919.431	595.6989247	16035.93075	30000	0	0	30000	38.3125	2004
08.01.2020 11:05:30	1	1	1	1	126.3	58.25	0	26777.251	593.5483871	15951.13201	30000	0	0	30000	37.375	2004
08.01.2020 11:05:31	1	1	1	1	126	57.25	0	27109.005	595.6989247	16119.91411	30000	0	0	30000	36.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 11:05:32	1	1	1	1	126	56.75	0	26966.825	593.5483871	16063.65341	30000	0	0	30000	38.25	2004
08.01.2020 11:05:33	1	1	1	1	126	58.25	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	38.1875	2004
08.01.2020 11:05:34	1	1	1	1	126	58	0	27109.005	591.3978495	16176.99019	30000	0	0	30000	37	2004
08.01.2020 11:05:35	1	1	1	1	126	57	0	27109.005	589.2473118	16059.57655	30000	0	0	30000	37.8125	2004
08.01.2020 11:05:36	1	1	1	1	126	57.75	0	27109.005	591.3978495	16031.85389	30000	0	0	30000	38.5	2004
08.01.2020 11:05:37	1	1	1	1	126	58.5	0	26966.825	593.5483871	15947.87052	30000	0	0	30000	38.1875	2004
08.01.2020 11:05:38	1	1	1	1	126	58	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	38.375	2004
08.01.2020 11:05:39	1	1	1	1	126	58.25	0	26919.431	593.5483871	16035.93075	30000	0	0	30000	38.3125	2004
08.01.2020 11:05:40	1	1	1	1	126	58.25	0	26919.431	595.6989247	16325.38798	30000	0	0	30000	38.125	2004
08.01.2020 11:05:41	1	1	1	1	126.3	58.25	0	26635.071	597.8494624	15723.64308	30000	0	0	30000	37.625	2004
08.01.2020 11:05:43	1	1	1	1	126.3	57.5	0	26682.464	597.8494624	15951.94738	30000	0	0	30000	38.3125	2004
08.01.2020 11:05:44	1	1	1	1	126.3	58.25	0	26682.464	597.8494624	15779.90379	30000	0	0	30000	37.6875	2004
08.01.2020 11:05:45	1	1	1	1	126.3	57.5	0	26682.464	597.8494624	15951.94738	30000	0	0	30000	37.5	2004
08.01.2020 11:05:46	1	1	1	1	126.3	57.5	0	26824.645	597.8494624	16094.63757	30000	0	0	30000	38.3125	2004
08.01.2020 11:05:47	1	1	1	1	126.3	58.25	0	26635.071	597.8494624	16009.02346	30000	0	0	30000	37.625	2004
08.01.2020 11:05:48	1	1	1	1	126.3	57.5	0	26682.464	597.8494624	15894.05593	30000	0	0	30000	37.875	2004
08.01.2020 11:05:49	1	1	1	1	126.3	57.75	0	26635.071	600	16066.9149	30000	0	0	30000	38.25	2004
08.01.2020 11:05:50	1	1	1	1	126.3	58.25	0	26682.464	597.8494624	15894.05593	30000	0	0	30000	37.375	2004
08.01.2020 11:05:51	1	1	1	1	126.3	57.25	0	26682.464	604.3010753	16038.37687	30000	0	0	30000	38.1875	2004
08.01.2020 11:05:52	1	1	1	1	126.3	58	0	26540.284	602.1505376	15867.14864	30000	0	0	30000	37.25	2004
08.01.2020 11:05:53	1	1	1	1	126.3	57.25	0	26587.678	600	15951.94738	30000	0	0	30000	37.875	2004
08.01.2020 11:05:54	1	1	1	1	126.3	57.75	0	26587.678	597.8494624	16009.83883	30000	0	0	30000	38.3125	2004
08.01.2020 11:05:55	1	1	1	1	126.3	58.25	0	26682.464	597.8494624	16066.9149	30000	0	0	30000	37.3125	2004
08.01.2020 11:05:56	1	1	1	1	126.3	57.25	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	38.5	2004
08.01.2020 11:06:02	1	1	1	1	126.5	58.25	0	26682.464	597.8494624	16009.02346	30000	0	0	30000	36.5625	2004
08.01.2020 11:06:02	1	1	1	1	126.5	58.25	0	26682.464	597.8494624	16009.02346	30000	0	0	30000	36.5625	2004
08.01.2020 11:06:02	1	1	1	1	126.5	58.25	0	26682.464	597.8494624	16009.02346	30000	0	0	30000	36.5625	2004
08.01.2020 11:06:02	1	1	1	1	126.5	58.25	0	26682.464	597.8494624	16009.02346	30000	0	0	30000	36.5625	2004
08.01.2020 11:06:02	1	1	1	1	126.5	58.25	0	26682.464	597.8494624	16009.02346	30000	0	0	30000	36.5625	2004
08.01.2020 11:06:02	1	1	1	1	126.5	58.25	0	26682.464	597.8494624	16009.02346	30000	0	0	30000	36.5625	2004
08.01.2020 11:06:02	1	1	1	1	126.5	58.25	0	26682.464	597.8494624	16009.02346	30000	0	0	30000	36.5625	2004
08.01.2020 11:06:03	1	1	1	1	126.5	56.5	0	26824.645	597.8494624	16036.74612	30000	0	0	30000	36.1875	2004
08.01.2020 11:06:04	1	1	1	1	126.5	56	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	37.6875	2004
08.01.2020 11:06:05	1	1	1	1	126.5	57.5	0	26872.038	597.8494624	16065.28416	30000	0	0	30000	37.875	2004
08.01.2020 11:06:06	1	1	1	1	126.5	57.75	0	26777.251	595.6989247	15978.85467	30000	0	0	30000	38.1875	2004
08.01.2020 11:06:07	1	1	1	1	126.5	58	0	26824.645	602.1505376	16152.52901	30000	0	0	30000	38.3125	2004
08.01.2020 11:06:08	1	1	1	1	126.5	58.25	0	26682.464	597.8494624	16009.02346	30000	0	0	30000	38.125	2004
08.01.2020 11:06:09	1	1	1	1	126.5	58	0	26682.464	597.8494624	15951.94738	30000	0	0	30000	38	2004
08.01.2020 11:06:10	1	1	1	1	126.5	58	0	26919.431	597.8494624	16007.39271	30000	0	0	30000	37.75	2004
08.01.2020 11:06:11	1	1	1	1	126.5	57.75	0	26540.284	593.5483871	15752.99649	30000	0	0	30000	37.4375	2004
08.01.2020 11:06:12	1	1	1	1	126.5	57.25	0	26919.431	597.8494624	16151.71364	30000	0	0	30000	38.4375	2004
08.01.2020 11:06:13	1	1	1	1	126.5	58.25	0	26682.464	597.8494624	16009.02346	30000	0	0	30000	36.0625	2004
08.01.2020 11:06:14	1	1	1	1	126.5	56	0	26824.645	597.8494624	16065.28416	30000	0	0	30000	37.25	2004
08.01.2020 11:06:15	1	1	1	1	126.5	57.25	0	26587.678	602.1505376	15924.22472	30000	0	0	30000	37.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 11:06:16	1	1	1	1	126.5	57	0	26872.038	597.8494624	16065.28416	30000	0	0	30000	38.5	2004
08.01.2020 11:06:17	1	1	1	1	126.5	58.5	0	26824.645	602.1505376	16094.63757	30000	0	0	30000	37.4375	2004
08.01.2020 11:06:18	1	1	1	1	126.5	57.25	0	26682.464	606.4516129	16181.06705	30000	0	0	30000	37.3125	2004
08.01.2020 11:06:19	1	1	1	1	126.5	57.25	0	26682.464	591.3978495	16123.99098	30000	0	0	30000	38	2004
08.01.2020 11:06:20	1	1	1	1	126.5	58	0	26919.431	595.6989247	16035.93075	30000	0	0	30000	38.5	2004
08.01.2020 11:06:21	1	1	1	1	126.3	58.5	0	27061.611	593.5483871	16034.3	30000	0	0	30000	38.6875	2004
08.01.2020 11:06:22	1	1	1	1	126.3	58.25	0	26919.431	595.6989247	16093.82219	30000	0	0	30000	37.75	2004
08.01.2020 11:06:23	1	1	1	1	126.3	57.75	0	26587.678	593.5483871	15837.79523	30000	0	0	30000	38.25	2004
08.01.2020 11:06:25	1	1	1	1	126.3	58.25	0	26824.645	597.8494624	15778.27304	30000	0	0	30000	37.3125	2004
08.01.2020 11:06:26	1	1	1	1	126.3	57.25	0	26682.464	587.0967742	15951.13201	30000	0	0	30000	37.9375	2004
08.01.2020 11:06:27	1	1	1	1	126.3	57.75	0	26824.645	597.8494624	16123.1756	30000	0	0	30000	38.125	2004
08.01.2020 11:06:28	1	1	1	1	126.3	58	0	26682.464	597.8494624	15951.94738	30000	0	0	30000	38.625	2004
08.01.2020 11:06:29	1	1	1	1	126.3	58.5	0	26824.645	606.4516129	16009.02346	30000	0	0	30000	38.25	2004
08.01.2020 11:06:30	1	1	1	1	126.3	58.25	0	26682.464	595.6989247	16009.02346	30000	0	0	30000	38.3125	2004
08.01.2020 11:06:31	1	1	1	1	126.5	58.25	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	38.375	2004
08.01.2020 11:06:32	1	1	1	1	126.5	58.25	0	26682.464	597.8494624	15951.94738	30000	0	0	30000	38.5	2004
08.01.2020 11:06:33	1	1	1	1	126.5	58.5	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	37.75	2004
08.01.2020 11:06:34	1	1	1	1	126.5	57.75	0	26587.678	602.1505376	15981.30079	30000	0	0	30000	38.4375	2004
08.01.2020 11:06:35	1	1	1	1	126.5	58.25	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	37.625	2004
08.01.2020 11:06:36	1	1	1	1	126.5	57.5	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	38.375	2004
08.01.2020 11:06:37	1	1	1	1	126.5	58.25	0	26587.678	602.1505376	15894.87131	30000	0	0	30000	38	2004
08.01.2020 11:06:38	1	1	1	1	126.5	58	0	26777.251	597.8494624	16066.09953	30000	0	0	30000	38.4375	2004
08.01.2020 11:06:39	1	1	1	1	126.5	58.25	0	26824.645	602.1505376	16152.52901	30000	0	0	30000	37.625	2004
08.01.2020 11:06:40	1	1	1	1	126.5	57.5	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	38.5625	2004
08.01.2020 11:06:41	1	1	1	1	126.5	58.5	0	26587.678	597.8494624	15695.92042	30000	0	0	30000	38.5625	2004
08.01.2020 11:06:42	1	1	1	1	126.5	58.5	0	26682.464	602.1505376	16009.02346	30000	0	0	30000	38.4375	2004
08.01.2020 11:06:43	1	1	1	1	126.5	58.25	0	26777.251	602.1505376	16008.20808	30000	0	0	30000	38.375	2004
08.01.2020 11:06:44	1	1	1	1	126.5	58.25	0	26682.464	602.1505376	15923.40934	30000	0	0	30000	36.5	2004
08.01.2020 11:06:45	1	1	1	1	126.5	56.5	0	26777.251	597.8494624	16009.02346	30000	0	0	30000	37.3125	2004
08.01.2020 11:06:46	1	1	1	1	126.5	57.25	0	26635.071	597.8494624	16009.02346	30000	0	0	30000	38.6875	2004
08.01.2020 11:06:47	1	1	1	1	126.5	58.5	0	26682.464	595.6989247	16009.02346	30000	0	0	30000	38.25	2004
08.01.2020 11:06:48	1	1	1	1	126.5	58.25	0	26777.251	602.1505376	16066.9149	30000	0	0	30000	37.5	2004
08.01.2020 11:06:49	1	1	1	1	126.5	57.5	0	26682.464	602.1505376	15837.79523	30000	0	0	30000	37.5	2004
08.01.2020 11:06:50	1	1	1	1	126.5	57.5	0	26540.284	602.1505376	16009.83883	30000	0	0	30000	37.875	2004
08.01.2020 11:06:51	1	1	1	1	126.8	57.75	0	26777.251	602.1505376	15951.94738	30000	0	0	30000	38.5	2004
08.01.2020 11:06:52	1	1	1	1	126.8	58.5	0	26540.284	600	15924.22472	30000	0	0	30000	38.5	2004
08.01.2020 11:06:53	1	1	1	1	126.8	58.5	0	26682.464	597.8494624	16009.02346	30000	0	0	30000	38.4375	2004
08.01.2020 11:06:54	1	1	1	1	126.8	58.25	0	26682.464	602.1505376	15894.87131	30000	0	0	30000	38.5625	2004
08.01.2020 11:06:55	1	1	1	1	126.8	58.5	0	26587.678	597.8494624	15951.94738	30000	0	0	30000	38	2004
08.01.2020 11:06:56	1	1	1	1	126.8	58	0	26635.071	602.1505376	16066.9149	30000	0	0	30000	37.8125	2004
08.01.2020 11:06:57	1	1	1	1	126.8	57.75	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	37.625	2004
08.01.2020 11:07:04	1	1	1	1	126	58.75	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	38.0625	2004
08.01.2020 11:07:04	1	1	1	1	126	58.75	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	38.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 11:07:04	1	1	1	1	126	58.75	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	38.0625	2004
08.01.2020 11:07:04	1	1	1	1	126	58.75	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	38.0625	2004
08.01.2020 11:07:04	1	1	1	1	126	58.75	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	38.0625	2004
08.01.2020 11:07:04	1	1	1	1	126	58.75	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	38.0625	2004
08.01.2020 11:07:04	1	1	1	1	126	58	0	26492.891	602.1505376	15981.30079	30000	0	0	30000	37.875	2004
08.01.2020 11:07:05	1	1	1	1	126	58.5	0	26587.678	602.1505376	16066.9149	30000	0	0	30000	38.1875	2004
08.01.2020 11:07:06	1	1	1	1	126	58	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	38.25	2004
08.01.2020 11:07:08	1	1	1	1	126	58.25	0	26540.284	597.8494624	16009.83883	30000	0	0	30000	38.75	2004
08.01.2020 11:07:09	1	1	1	1	126	58.75	0	26682.464	606.4516129	16238.9585	30000	0	0	30000	37.4375	2004
08.01.2020 11:07:10	1	1	1	1	126	57.25	0	26540.284	602.1505376	16038.37687	30000	0	0	30000	38.4375	2004
08.01.2020 11:07:11	1	1	1	1	126	58.25	0	26587.678	602.1505376	15924.22472	30000	0	0	30000	38.4375	2004
08.01.2020 11:07:12	1	1	1	1	126	58.25	0	26587.678	602.1505376	15951.94738	30000	0	0	30000	38.25	2004
08.01.2020 11:07:13	1	1	1	1	126	58.25	0	26540.284	604.3010753	16038.37687	30000	0	0	30000	38.6875	2004
08.01.2020 11:07:14	1	1	1	1	126	58.5	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	37.4375	2004
08.01.2020 11:07:15	1	1	1	1	126	57.25	0	26445.498	604.3010753	15980.48542	30000	0	0	30000	38	2004
08.01.2020 11:07:16	1	1	1	1	126	58	0	26445.498	593.5483871	15981.30079	30000	0	0	30000	38.4375	2004
08.01.2020 11:07:17	1	1	1	1	126	58.25	0	26350.711	606.4516129	16009.02346	30000	0	0	30000	38.4375	2004
08.01.2020 11:07:18	1	1	1	1	126	58.25	0	26398.104	604.3010753	15951.94738	30000	0	0	30000	38.6875	2004
08.01.2020 11:07:19	1	1	1	1	126	58.5	0	26398.104	597.8494624	15951.94738	30000	0	0	30000	37.375	2004
08.01.2020 11:07:20	1	1	1	1	126	57.25	0	26350.711	606.4516129	15980.48542	30000	0	0	30000	37.8125	2004
08.01.2020 11:07:21	1	1	1	1	125.8	57.75	0	26540.284	606.4516129	16152.52901	30000	0	0	30000	38.375	2004
08.01.2020 11:07:22	1	1	1	1	125.8	58.25	0	26445.498	604.3010753	15951.94738	30000	0	0	30000	37.5625	2004
08.01.2020 11:07:23	1	1	1	1	125.8	57.5	0	26445.498	604.3010753	15895.68668	30000	0	0	30000	38.5625	2004
08.01.2020 11:07:24	1	1	1	1	125.8	58.5	0	26445.498	604.3010753	16123.1756	30000	0	0	30000	38.125	2004
08.01.2020 11:07:25	1	1	1	1	125.8	58	0	26445.498	606.4516129	15980.48542	30000	0	0	30000	38.5625	2004
08.01.2020 11:07:26	1	1	1	1	125.8	58.5	0	26398.104	606.4516129	16037.56149	30000	0	0	30000	38.5625	2004
08.01.2020 11:07:27	1	1	1	1	125.8	58.5	0	26445.498	606.4516129	15980.48542	30000	0	0	30000	38.6875	2004
08.01.2020 11:07:28	1	1	1	1	125.8	58.5	0	26540.284	602.1505376	16009.02346	30000	0	0	30000	38.5	2004
08.01.2020 11:07:29	1	1	1	1	125.8	58.5	0	26540.284	604.3010753	15725.27383	30000	0	0	30000	38.6875	2004
08.01.2020 11:07:30	1	1	1	1	125.8	58.5	0	26445.498	604.3010753	16038.37687	30000	0	0	30000	38.625	2004
08.01.2020 11:07:31	1	1	1	1	126	58.5	0	26540.284	602.1505376	16038.37687	30000	0	0	30000	38.1875	2004
08.01.2020 11:07:32	1	1	1	1	126	58	0	26445.498	604.3010753	15980.48542	30000	0	0	30000	38.5	2004
08.01.2020 11:07:33	1	1	1	1	126	58.5	0	26587.678	602.1505376	15894.87131	30000	0	0	30000	38.0625	2004
08.01.2020 11:07:34	1	1	1	1	126	58	0	26540.284	602.1505376	16038.37687	30000	0	0	30000	38.3125	2004
08.01.2020 11:07:35	1	1	1	1	126	58.25	0	26587.678	597.8494624	16238.9585	30000	0	0	30000	38.3125	2004
08.01.2020 11:07:36	1	1	1	1	126	58.25	0	26540.284	606.4516129	16095.45294	30000	0	0	30000	37.9375	2004
08.01.2020 11:07:37	1	1	1	1	126	57.75	0	26587.678	606.4516129	16066.9149	30000	0	0	30000	38.3125	2004
08.01.2020 11:07:38	1	1	1	1	126	58.25	0	26587.678	606.4516129	16009.83883	30000	0	0	30000	37.4375	2004
08.01.2020 11:07:39	1	1	1	1	126	57.25	0	26445.498	602.1505376	15924.22472	30000	0	0	30000	38.6875	2004
08.01.2020 11:07:40	1	1	1	1	126	58.5	0	26540.284	602.1505376	15924.22472	30000	0	0	30000	38.1875	2004
08.01.2020 11:07:41	1	1	1	1	126.8	58	0	26587.678	602.1505376	15894.87131	30000	0	0	30000	37.625	2004
08.01.2020 11:07:42	1	1	1	1	126.8	57.5	0	26492.891	604.3010753	16038.37687	30000	0	0	30000	38.875	2004
08.01.2020 11:07:43	1	1	1	1	126.8	58.75	0	26540.284	602.1505376	16038.37687	30000	0	0	30000	39.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 11:07:44	1	1	1	1	126.8	58.5	0	26492.891	597.8494624	15810.07257	30000	0	0	30000	37.8125	2004
08.01.2020 11:07:45	1	1	1	1	126.8	57.75	0	26398.104	604.3010753	15951.94738	30000	0	0	30000	38	2004
08.01.2020 11:07:47	1	1	1	1	126.8	58	0	26540.284	602.1505376	16095.45294	30000	0	0	30000	38.3125	2004
08.01.2020 11:07:48	1	1	1	1	126.8	58.25	0	26445.498	604.3010753	15951.94738	30000	0	0	30000	38.8125	2004
08.01.2020 11:07:49	1	1	1	1	126.8	58.75	0	26398.104	604.3010753	15951.94738	30000	0	0	30000	38.8125	2004
08.01.2020 11:07:50	1	1	1	1	126.8	58.75	0	26398.104	608.6021505	16009.02346	30000	0	0	30000	38.625	2004
08.01.2020 11:07:51	1	1	1	1	126.8	58.5	0	26350.711	604.3010753	15951.94738	30000	0	0	30000	38.6875	2004
08.01.2020 11:07:52	1	1	1	1	126.8	58.5	0	26303.318	606.4516129	15894.87131	30000	0	0	30000	38.75	2004
08.01.2020 11:07:53	1	1	1	1	126.8	58.75	0	26445.498	606.4516129	16066.09953	30000	0	0	30000	38.625	2004
08.01.2020 11:07:54	1	1	1	1	126.8	58.5	0	26445.498	608.6021505	16180.25168	30000	0	0	30000	38.4375	2004
08.01.2020 11:07:55	1	1	1	1	126.8	58.25	0	26303.318	606.4516129	16008.20808	30000	0	0	30000	38.6875	2004
08.01.2020 11:07:56	1	1	1	1	126.8	58.5	0	26303.318	610.7526882	15951.13201	30000	0	0	30000	38.125	2004
08.01.2020 11:07:57	1	1	1	1	126.8	58	0	26208.531	604.3010753	15837.79523	30000	0	0	30000	38.25	2004
08.01.2020 11:07:58	1	1	1	1	126.8	58.25	0	26398.104	610.7526882	16065.28416	30000	0	0	30000	38.5625	2004
08.01.2020 11:07:59	1	1	1	1	126.8	58.5	0	26350.711	610.7526882	16036.74612	30000	0	0	30000	37.5625	2004
08.01.2020 11:08:05	1	1	1	1	126.5	58.75	0	26587.678	602.1505376	16066.9149	30000	0	0	30000	38.125	2004
08.01.2020 11:08:05	1	1	1	1	126.5	58.75	0	26587.678	602.1505376	16066.9149	30000	0	0	30000	38.125	2004
08.01.2020 11:08:05	1	1	1	1	126.5	58.75	0	26587.678	602.1505376	16066.9149	30000	0	0	30000	38.125	2004
08.01.2020 11:08:05	1	1	1	1	126.5	58.75	0	26587.678	602.1505376	16066.9149	30000	0	0	30000	38.125	2004
08.01.2020 11:08:05	1	1	1	1	126.5	58.75	0	26587.678	602.1505376	16066.9149	30000	0	0	30000	38.125	2004
08.01.2020 11:08:05	1	1	1	1	126.5	58.75	0	26587.678	602.1505376	16066.9149	30000	0	0	30000	38.125	2004
08.01.2020 11:08:06	1	1	1	1	126.5	58	0	26445.498	604.3010753	15924.22472	30000	0	0	30000	38.5	2004
08.01.2020 11:08:07	1	1	1	1	126.5	58.5	0	26445.498	608.6021505	16151.71364	30000	0	0	30000	38.5	2004
08.01.2020 11:08:08	1	1	1	1	126.5	58.5	0	26350.711	608.6021505	16036.74612	30000	0	0	30000	38.6875	2004
08.01.2020 11:08:09	1	1	1	1	126.5	58.5	0	26445.498	604.3010753	15980.48542	30000	0	0	30000	38	2004
08.01.2020 11:08:10	1	1	1	1	126.5	58	0	26350.711	606.4516129	16065.28416	30000	0	0	30000	38.5	2004
08.01.2020 11:08:11	1	1	1	1	126.8	58.5	0	26587.678	606.4516129	16066.9149	30000	0	0	30000	38.25	2004
08.01.2020 11:08:12	1	1	1	1	126.8	58.25	0	26398.104	604.3010753	15951.94738	30000	0	0	30000	38.6875	2004
08.01.2020 11:08:13	1	1	1	1	126.8	58.5	0	26587.678	604.3010753	16066.9149	30000	0	0	30000	38.6875	2004
08.01.2020 11:08:14	1	1	1	1	126.8	58.5	0	26445.498	604.3010753	16009.02346	30000	0	0	30000	38.8125	2004
08.01.2020 11:08:15	1	1	1	1	126.8	58.75	0	26445.498	602.1505376	16038.37687	30000	0	0	30000	38.875	2004
08.01.2020 11:08:16	1	1	1	1	126.8	58.75	0	26540.284	606.4516129	16009.02346	30000	0	0	30000	38.0625	2004
08.01.2020 11:08:17	1	1	1	1	126.8	58	0	26492.891	606.4516129	16038.37687	30000	0	0	30000	38.0625	2004
08.01.2020 11:08:18	1	1	1	1	126.8	58	0	26398.104	606.4516129	16094.63757	30000	0	0	30000	38.1875	2004
08.01.2020 11:08:19	1	1	1	1	126.8	58	0	26445.498	604.3010753	16123.1756	30000	0	0	30000	38.8125	2004
08.01.2020 11:08:20	1	1	1	1	126.8	58.75	0	26350.711	602.1505376	15951.94738	30000	0	0	30000	38.8125	2004
08.01.2020 11:08:21	1	1	1	1	126.5	58.75	0	26445.498	604.3010753	15924.22472	30000	0	0	30000	38.25	2004
08.01.2020 11:08:22	1	1	1	1	126.5	58.25	0	26255.924	610.7526882	16120.72949	30000	0	0	30000	39.0625	2004
08.01.2020 11:08:23	1	1	1	1	126.5	59	0	26398.104	610.7526882	16065.28416	30000	0	0	30000	38.75	2004
08.01.2020 11:08:24	1	1	1	1	126.5	58.75	0	26350.711	606.4516129	16036.74612	30000	0	0	30000	38.125	2004
08.01.2020 11:08:25	1	1	1	1	126.5	58	0	26398.104	610.7526882	16008.20808	30000	0	0	30000	38.625	2004
08.01.2020 11:08:26	1	1	1	1	126.5	58.5	0	26255.924	604.3010753	15866.33327	30000	0	0	30000	38.3125	2004
08.01.2020 11:08:28	1	1	1	1	126.5	59	0	26208.531	608.6021505	15724.45846	30000	0	0	30000	38.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 11:08:29	1	1	1	1	126.5	58.5	0	26350.711	608.6021505	16065.28416	30000	0	0	30000	38.75	2004
08.01.2020 11:08:30	1	1	1	1	126.5	58.75	0	26350.711	606.4516129	16036.74612	30000	0	0	30000	38.5625	2004
08.01.2020 11:08:31	1	1	1	1	126.5	58.5	0	26208.531	606.4516129	15950.31664	30000	0	0	30000	38.5625	2004
08.01.2020 11:08:32	1	1	1	1	126.5	58.5	0	26350.711	606.4516129	16036.74612	30000	0	0	30000	38.4375	2004
08.01.2020 11:08:33	1	1	1	1	126.5	58.25	0	26350.711	610.7526882	16093.82219	30000	0	0	30000	38.25	2004
08.01.2020 11:08:34	1	1	1	1	126.5	58.25	0	26398.104	610.7526882	16065.28416	30000	0	0	30000	38.5	2004
08.01.2020 11:08:35	1	1	1	1	126.5	58.5	0	26255.924	610.7526882	15950.31664	30000	0	0	30000	38.875	2004
08.01.2020 11:08:36	1	1	1	1	126.5	58.75	0	26398.104	610.7526882	16122.36023	30000	0	0	30000	38.75	2004
08.01.2020 11:08:37	1	1	1	1	126.5	58.75	0	26303.318	604.3010753	15894.87131	30000	0	0	30000	38.125	2004
08.01.2020 11:08:38	1	1	1	1	126.5	58	0	26303.318	610.7526882	16008.20808	30000	0	0	30000	38.125	2004
08.01.2020 11:08:39	1	1	1	1	126.5	58	0	26350.711	604.3010753	15867.14864	30000	0	0	30000	38.875	2004
08.01.2020 11:08:40	1	1	1	1	126.5	58.75	0	26398.104	612.9032258	16036.74612	30000	0	0	30000	38.3125	2004
08.01.2020 11:08:41	1	1	1	1	125.8	58.25	0	26303.318	606.4516129	15894.87131	30000	0	0	30000	38.8125	2004
08.01.2020 11:08:42	1	1	1	1	125.8	58.75	0	26350.711	604.3010753	15894.87131	30000	0	0	30000	38	2004
08.01.2020 11:08:43	1	1	1	1	125.8	58	0	26350.711	604.3010753	15923.40934	30000	0	0	30000	38.1875	2004
08.01.2020 11:08:44	1	1	1	1	125.8	58	0	26445.498	606.4516129	16009.02346	30000	0	0	30000	38.5	2004
08.01.2020 11:08:45	1	1	1	1	125.8	58.5	0	26492.891	610.7526882	15980.48542	30000	0	0	30000	38.8125	2004
08.01.2020 11:08:46	1	1	1	1	125.8	58.75	0	26540.284	604.3010753	16181.06705	30000	0	0	30000	38.125	2004
08.01.2020 11:08:47	1	1	1	1	125.8	58	0	26350.711	604.3010753	15867.14864	30000	0	0	30000	38.625	2004
08.01.2020 11:08:48	1	1	1	1	125.8	58.5	0	26350.711	604.3010753	15951.94738	30000	0	0	30000	38.6875	2004
08.01.2020 11:08:49	1	1	1	1	125.8	58.5	0	26350.711	606.4516129	16065.28416	30000	0	0	30000	38.75	2004
08.01.2020 11:08:50	1	1	1	1	125.8	58.75	0	26303.318	604.3010753	15951.13201	30000	0	0	30000	38.75	2004
08.01.2020 11:08:51	1	1	1	1	125.5	58.75	0	26398.104	604.3010753	16094.63757	30000	0	0	30000	38.375	2004
08.01.2020 11:08:52	1	1	1	1	125.5	58.25	0	26445.498	604.3010753	15980.48542	30000	0	0	30000	38.8125	2004
08.01.2020 11:08:53	1	1	1	1	125.5	58.75	0	26540.284	606.4516129	16095.45294	30000	0	0	30000	38.6875	2004
08.01.2020 11:08:54	1	1	1	1	125.5	58.5	0	26445.498	604.3010753	15980.48542	30000	0	0	30000	37.5625	2004
08.01.2020 11:08:55	1	1	1	1	125.5	57.5	0	26445.498	604.3010753	15980.48542	30000	0	0	30000	38.75	2004
08.01.2020 11:08:56	1	1	1	1	125.5	58.75	0	26303.318	602.1505376	15923.40934	30000	0	0	30000	38.25	2004
08.01.2020 11:08:57	1	1	1	1	125.5	58.25	0	26398.104	602.1505376	15895.68668	30000	0	0	30000	38.75	2004
08.01.2020 11:08:58	1	1	1	1	125.5	58.75	0	26492.891	602.1505376	15981.30079	30000	0	0	30000	38.5625	2004
08.01.2020 11:08:59	1	1	1	1	125.5	58.5	0	26350.711	602.1505376	16009.02346	30000	0	0	30000	38.875	2004
08.01.2020 11:09:00	1	1	1	1	125.5	58.75	0	26492.891	604.3010753	16038.37687	30000	0	0	30000	38.9375	2004
08.01.2020 11:09:07	1	1	1	1	126	59	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	38.5625	2004
08.01.2020 11:09:07	1	1	1	1	126	59	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	38.5625	2004
08.01.2020 11:09:07	1	1	1	1	126	59	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	38.5625	2004
08.01.2020 11:09:07	1	1	1	1	126	59	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	38.5625	2004
08.01.2020 11:09:07	1	1	1	1	126	59	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	38.5625	2004
08.01.2020 11:09:07	1	1	1	1	126	59	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	38.5625	2004
08.01.2020 11:09:08	1	1	1	1	126	58.5	0	26398.104	597.8494624	16095.45294	30000	0	0	30000	38.8125	2004
08.01.2020 11:09:09	1	1	1	1	126	58.75	0	26540.284	597.8494624	15924.22472	30000	0	0	30000	38.6875	2004
08.01.2020 11:09:10	1	1	1	1	126	58.5	0	26540.284	610.7526882	15924.22472	30000	0	0	30000	38.375	2004
08.01.2020 11:09:11	1	1	1	1	126.5	58.25	0	26445.498	597.8494624	15895.68668	30000	0	0	30000	38.625	2004
08.01.2020 11:09:12	1	1	1	1	126.5	58.5	0	26398.104	602.1505376	15838.61061	30000	0	0	30000	38.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 11:09:13	1	1	1	1	126.5	58.5	0	26635.071	604.3010753	16123.99098	30000	0	0	30000	38.875	2004
08.01.2020 11:09:14	1	1	1	1	126.5	58.75	0	26635.071	602.1505376	16066.9149	30000	0	0	30000	38.5625	2004
08.01.2020 11:09:15	1	1	1	1	126.5	58.5	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	38.875	2004
08.01.2020 11:09:16	1	1	1	1	126.5	58.75	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	38.8125	2004
08.01.2020 11:09:17	1	1	1	1	126.5	58.75	0	26587.678	602.1505376	15924.22472	30000	0	0	30000	38.8125	2004
08.01.2020 11:09:18	1	1	1	1	126.5	58.75	0	26540.284	602.1505376	16009.83883	30000	0	0	30000	37.75	2004
08.01.2020 11:09:19	1	1	1	1	126.5	57.75	0	26492.891	602.1505376	15924.22472	30000	0	0	30000	38.875	2004
08.01.2020 11:09:20	1	1	1	1	126.5	58.75	0	26587.678	602.1505376	15981.30079	30000	0	0	30000	38.125	2004
08.01.2020 11:09:21	1	1	1	1	126	58	0	26540.284	602.1505376	15952.76275	30000	0	0	30000	38.3125	2004
08.01.2020 11:09:22	1	1	1	1	126	58.25	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	38.375	2004
08.01.2020 11:09:23	1	1	1	1	126	58.25	0	26540.284	602.1505376	16009.83883	30000	0	0	30000	38.5	2004
08.01.2020 11:09:24	1	1	1	1	126	58.5	0	26682.464	602.1505376	16009.83883	30000	0	0	30000	38.875	2004
08.01.2020 11:09:25	1	1	1	1	126	58.5	0	26682.464	593.5483871	16066.9149	30000	0	0	30000	38.25	2004
08.01.2020 11:09:26	1	1	1	1	126	58.25	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	38.6875	2004
08.01.2020 11:09:27	1	1	1	1	126	58.5	0	26540.284	604.3010753	16038.37687	30000	0	0	30000	38.3125	2004
08.01.2020 11:09:28	1	1	1	1	126	58.25	0	26540.284	602.1505376	16038.37687	30000	0	0	30000	38.125	2004
08.01.2020 11:09:29	1	1	1	1	126	58	0	26540.284	602.1505376	16009.83883	30000	0	0	30000	38.4375	2004
08.01.2020 11:09:30	1	1	1	1	126	58.25	0	26682.464	602.1505376	15894.87131	30000	0	0	30000	38.5625	2004
08.01.2020 11:09:31	1	1	1	1	126.5	58.5	0	26872.038	597.8494624	16007.39271	30000	0	0	30000	38.75	2004
08.01.2020 11:09:32	1	1	1	1	126.5	58.75	0	26919.431	595.6989247	16035.93075	30000	0	0	30000	39.0625	2004
08.01.2020 11:09:33	1	1	1	1	126.5	59	0	26824.645	595.6989247	15978.85467	30000	0	0	30000	38.9375	2004
08.01.2020 11:09:34	1	1	1	1	126.5	58.75	0	26777.251	597.8494624	16036.74612	30000	0	0	30000	39	2004
08.01.2020 11:09:35	1	1	1	1	126.5	59	0	26824.645	597.8494624	16036.74612	30000	0	0	30000	38.6875	2004
08.01.2020 11:09:36	1	1	1	1	126.5	58.5	0	26872.038	597.8494624	15978.85467	30000	0	0	30000	38.5625	2004
08.01.2020 11:09:37	1	1	1	1	126.5	58.5	0	26777.251	595.6989247	15951.13201	30000	0	0	30000	38.6875	2004
08.01.2020 11:09:38	1	1	1	1	126.5	58.5	0	26824.645	595.6989247	15978.85467	30000	0	0	30000	37.8125	2004
08.01.2020 11:09:39	1	1	1	1	126.5	57.75	0	26919.431	593.5483871	15920.14785	30000	0	0	30000	38.9375	2004
08.01.2020 11:09:40	1	1	1	1	126.5	58.75	0	26824.645	591.3978495	15949.50126	30000	0	0	30000	39.0625	2004
08.01.2020 11:09:41	1	1	1	1	126.3	59	0	27014.218	595.6989247	16062.02267	30000	0	0	30000	38.875	2004
08.01.2020 11:09:42	1	1	1	1	126.3	58.75	0	26919.431	597.8494624	16093.82219	30000	0	0	30000	39.0625	2004
08.01.2020 11:09:43	1	1	1	1	126.3	59	0	26919.431	597.8494624	16065.28416	30000	0	0	30000	38.9375	2004
08.01.2020 11:09:44	1	1	1	1	126.3	58.75	0	26682.464	600	16009.02346	30000	0	0	30000	38.25	2004
08.01.2020 11:09:45	1	1	1	1	126.3	58.25	0	26777.251	597.8494624	16036.74612	30000	0	0	30000	39.0625	2004
08.01.2020 11:09:46	1	1	1	1	126.3	59	0	26824.645	602.1505376	16123.99098	30000	0	0	30000	39.125	2004
08.01.2020 11:09:48	1	1	1	1	126.3	59.25	0	26777.251	597.8494624	15951.13201	30000	0	0	30000	38.6875	2004
08.01.2020 11:09:49	1	1	1	1	126.3	58.5	0	26777.251	600	16066.09953	30000	0	0	30000	39	2004
08.01.2020 11:09:50	1	1	1	1	126.3	59	0	26682.464	597.8494624	16066.09953	30000	0	0	30000	38.25	2004
08.01.2020 11:09:51	1	1	1	1	126.5	58.25	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	38.8125	2004
08.01.2020 11:09:52	1	1	1	1	126.5	58.75	0	26682.464	602.1505376	16009.02346	30000	0	0	30000	38.875	2004
08.01.2020 11:09:53	1	1	1	1	126.5	58.75	0	26682.464	602.1505376	16123.99098	30000	0	0	30000	38.375	2004
08.01.2020 11:09:54	1	1	1	1	126.5	58.25	0	26682.464	597.8494624	16066.9149	30000	0	0	30000	38.5	2004
08.01.2020 11:09:55	1	1	1	1	126.5	58.5	0	26540.284	595.6989247	15581.76827	30000	0	0	30000	38.875	2004
08.01.2020 11:09:56	1	1	1	1	126.5	58.75	0	26587.678	602.1505376	15981.30079	30000	0	0	30000	39.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 11:09:57	1	1	1	1	126.5	59	0	26540.284	597.8494624	15894.87131	30000	0	0	30000	39	2004
08.01.2020 11:09:58	1	1	1	1	126.5	59	0	26682.464	602.1505376	16009.02346	30000	0	0	30000	38.8125	2004
08.01.2020 11:09:59	1	1	1	1	126.5	58.75	0	26777.251	602.1505376	16152.52901	30000	0	0	30000	39	2004
08.01.2020 11:10:00	1	1	1	1	126.5	59	0	26587.678	602.1505376	15951.94738	30000	0	0	30000	39.0625	2004
08.01.2020 11:10:01	1	1	1	1	126.3	59	0	26682.464	602.1505376	16009.02346	30000	0	0	30000	38.4375	2004
08.01.2020 11:10:02	1	1	1	1	126.3	58.25	0	26587.678	602.1505376	15951.94738	30000	0	0	30000	38.9375	2004
08.01.2020 11:10:08	1	1	1	1	126.3	58.5	0	26587.678	597.8494624	15951.94738	30000	0	0	30000	38.875	2004
08.01.2020 11:10:08	1	1	1	1	126.3	58.5	0	26587.678	597.8494624	15951.94738	30000	0	0	30000	38.875	2004
08.01.2020 11:10:08	1	1	1	1	126.3	58.5	0	26587.678	597.8494624	15951.94738	30000	0	0	30000	38.875	2004
08.01.2020 11:10:08	1	1	1	1	126.3	58.5	0	26587.678	597.8494624	15951.94738	30000	0	0	30000	38.875	2004
08.01.2020 11:10:08	1	1	1	1	126.3	58.5	0	26587.678	597.8494624	15951.94738	30000	0	0	30000	38.875	2004
08.01.2020 11:10:08	1	1	1	1	126.3	58.5	0	26587.678	597.8494624	15951.94738	30000	0	0	30000	38.875	2004
08.01.2020 11:10:09	1	1	1	1	126.3	58.75	0	26777.251	602.1505376	16066.9149	30000	0	0	30000	39.0625	2004
08.01.2020 11:10:10	1	1	1	1	126.3	59	0	26682.464	597.8494624	16009.02346	30000	0	0	30000	39	2004
08.01.2020 11:10:11	1	1	1	1	126.5	59	0	26777.251	602.1505376	16123.99098	30000	0	0	30000	38.9375	2004
08.01.2020 11:10:12	1	1	1	1	126.5	58.75	0	26682.464	600	15951.94738	30000	0	0	30000	38.75	2004
08.01.2020 11:10:13	1	1	1	1	126.5	58.75	0	26777.251	604.3010753	15951.94738	30000	0	0	30000	38.375	2004
08.01.2020 11:10:14	1	1	1	1	126.5	58.25	0	26682.464	597.8494624	16009.02346	30000	0	0	30000	39.0625	2004
08.01.2020 11:10:15	1	1	1	1	126.5	59	0	26587.678	604.3010753	16066.9149	30000	0	0	30000	38.75	2004
08.01.2020 11:10:16	1	1	1	1	126.5	58.75	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	39.0625	2004
08.01.2020 11:10:17	1	1	1	1	126.5	59	0	26492.891	591.3978495	15981.30079	30000	0	0	30000	38.6875	2004
08.01.2020 11:10:18	1	1	1	1	126.5	58.5	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	39.0625	2004
08.01.2020 11:10:19	1	1	1	1	126.5	59	0	26492.891	602.1505376	16038.37687	30000	0	0	30000	39	2004
08.01.2020 11:10:20	1	1	1	1	126.5	59	0	26492.891	604.3010753	15952.76275	30000	0	0	30000	39.125	2004
08.01.2020 11:10:21	1	1	1	1	126.8	59	0	26398.104	604.3010753	16037.56149	30000	0	0	30000	39.375	2004
08.01.2020 11:10:22	1	1	1	1	126.8	59.25	0	26540.284	606.4516129	16209.60509	30000	0	0	30000	38.6875	2004
08.01.2020 11:10:23	1	1	1	1	126.8	58.5	0	26492.891	602.1505376	15981.30079	30000	0	0	30000	39.4375	2004
08.01.2020 11:10:25	1	1	1	1	126.8	58.75	0	26445.498	602.1505376	15980.48542	30000	0	0	30000	39.125	2004
08.01.2020 11:10:26	1	1	1	1	126.8	59	0	26445.498	606.4516129	15696.73579	30000	0	0	30000	38.5	2004
08.01.2020 11:10:27	1	1	1	1	126.8	58.5	0	26445.498	602.1505376	15924.22472	30000	0	0	30000	39.0625	2004
08.01.2020 11:10:28	1	1	1	1	126.8	59	0	26445.498	606.4516129	15951.94738	30000	0	0	30000	37.75	2004
08.01.2020 11:10:29	1	1	1	1	126.8	57.75	0	26445.498	604.3010753	16066.09953	30000	0	0	30000	38.8125	2004
08.01.2020 11:10:30	1	1	1	1	126.8	58.75	0	26540.284	604.3010753	16038.37687	30000	0	0	30000	38.25	2004
08.01.2020 11:10:31	1	1	1	1	126.8	58.25	0	26398.104	604.3010753	15951.94738	30000	0	0	30000	39.125	2004
08.01.2020 11:10:32	1	1	1	1	126.8	59	0	26303.318	610.7526882	15696.73579	30000	0	0	30000	39.25	2004
08.01.2020 11:10:33	1	1	1	1	126.8	59.25	0	26492.891	604.3010753	15924.22472	30000	0	0	30000	38.75	2004
08.01.2020 11:10:34	1	1	1	1	126.8	58.75	0	26350.711	604.3010753	16036.74612	30000	0	0	30000	38.625	2004
08.01.2020 11:10:35	1	1	1	1	126.8	58.5	0	26350.711	604.3010753	15894.87131	30000	0	0	30000	39.125	2004
08.01.2020 11:10:36	1	1	1	1	126.8	59	0	26492.891	602.1505376	15981.30079	30000	0	0	30000	38.5625	2004
08.01.2020 11:10:37	1	1	1	1	126.8	58.5	0	26587.678	595.6989247	16009.02346	30000	0	0	30000	39.1875	2004
08.01.2020 11:10:38	1	1	1	1	126.8	59	0	26540.284	604.3010753	16066.9149	30000	0	0	30000	39.125	2004
08.01.2020 11:10:39	1	1	1	1	126.8	59	0	26540.284	602.1505376	16066.9149	30000	0	0	30000	39.1875	2004
08.01.2020 11:10:40	1	1	1	1	126.8	59	0	26492.891	602.1505376	15952.76275	30000	0	0	30000	38.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 11:10:41	1	1	1	1	126	58.75	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	38.9375	2004
08.01.2020 11:10:42	1	1	1	1	126	58.75	0	26682.464	602.1505376	15894.05593	30000	0	0	30000	39.3125	2004
08.01.2020 11:10:43	1	1	1	1	126	59.25	0	26682.464	595.6989247	15951.94738	30000	0	0	30000	39.125	2004
08.01.2020 11:10:44	1	1	1	1	126	59	0	26540.284	597.8494624	15810.07257	30000	0	0	30000	39.0625	2004
08.01.2020 11:10:45	1	1	1	1	126	59	0	26824.645	597.8494624	16008.20808	30000	0	0	30000	38.625	2004
08.01.2020 11:10:46	1	1	1	1	126	58.5	0	26682.464	597.8494624	16009.02346	30000	0	0	30000	39.1875	2004
08.01.2020 11:10:47	1	1	1	1	126	59	0	26587.678	597.8494624	16009.83883	30000	0	0	30000	39.1875	2004
08.01.2020 11:10:48	1	1	1	1	126	59	0	26682.464	597.8494624	15951.94738	30000	0	0	30000	39.25	2004
08.01.2020 11:10:49	1	1	1	1	126	59.25	0	26682.464	597.8494624	15951.94738	30000	0	0	30000	38.375	2004
08.01.2020 11:10:50	1	1	1	1	126	58.25	0	26777.251	602.1505376	16094.63757	30000	0	0	30000	38.8125	2004
08.01.2020 11:10:51	1	1	1	1	126.3	58.75	0	26540.284	597.8494624	15867.14864	30000	0	0	30000	38.6875	2004
08.01.2020 11:10:52	1	1	1	1	126.3	58.5	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	38.875	2004
08.01.2020 11:10:53	1	1	1	1	126.3	58.75	0	26587.678	597.8494624	15894.87131	30000	0	0	30000	39.3125	2004
08.01.2020 11:10:54	1	1	1	1	126.3	59.25	0	26777.251	604.3010753	16181.06705	30000	0	0	30000	39	2004
08.01.2020 11:10:55	1	1	1	1	126.3	59	0	26682.464	602.1505376	16009.02346	30000	0	0	30000	39.1875	2004
08.01.2020 11:10:56	1	1	1	1	126.3	59	0	26682.464	602.1505376	16009.02346	30000	0	0	30000	38.9375	2004
08.01.2020 11:10:57	1	1	1	1	126.3	58.75	0	26682.464	600	16009.02346	30000	0	0	30000	37.875	2004
08.01.2020 11:10:58	1	1	1	1	126.3	57.75	0	26587.678	600	15951.94738	30000	0	0	30000	39.1875	2004
08.01.2020 11:10:59	1	1	1	1	126.3	59	0	26587.678	604.3010753	16066.9149	30000	0	0	30000	39.4375	2004
08.01.2020 11:11:00	1	1	1	1	126.3	59.25	0	26587.678	604.3010753	16066.9149	30000	0	0	30000	38.8125	2004
08.01.2020 11:11:01	1	1	1	1	126.8	58.75	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	39.0625	2004
08.01.2020 11:11:02	1	1	1	1	126.8	59	0	26540.284	597.8494624	15867.14864	30000	0	0	30000	38.875	2004
08.01.2020 11:11:04	1	1	1	1	126.8	59	0	26777.251	602.1505376	16009.02346	30000	0	0	30000	39.0625	2004
08.01.2020 11:11:10	1	1	1	1	126.8	59.25	0	26872.038	597.8494624	16065.28416	30000	0	0	30000	38.9375	2004
08.01.2020 11:11:10	1	1	1	1	126.8	59.25	0	26872.038	597.8494624	16065.28416	30000	0	0	30000	38.9375	2004
08.01.2020 11:11:10	1	1	1	1	126.8	59.25	0	26872.038	597.8494624	16065.28416	30000	0	0	30000	38.9375	2004
08.01.2020 11:11:10	1	1	1	1	126.8	59.25	0	26872.038	597.8494624	16065.28416	30000	0	0	30000	38.9375	2004
08.01.2020 11:11:10	1	1	1	1	126.8	59.25	0	26872.038	597.8494624	16065.28416	30000	0	0	30000	38.9375	2004
08.01.2020 11:11:11	1	1	1	1	126.8	58.75	0	26777.251	600	16066.09953	30000	0	0	30000	39.375	2004
08.01.2020 11:11:12	1	1	1	1	126.8	59.25	0	26824.645	602.1505376	16094.63757	30000	0	0	30000	39.25	2004
08.01.2020 11:11:13	1	1	1	1	126.8	59.25	0	26824.645	597.8494624	16036.74612	30000	0	0	30000	39.3125	2004
08.01.2020 11:11:14	1	1	1	1	126.8	59.25	0	26682.464	606.4516129	16123.99098	30000	0	0	30000	39.3125	2004
08.01.2020 11:11:15	1	1	1	1	126.8	59.25	0	26587.678	602.1505376	16066.9149	30000	0	0	30000	39.1875	2004
08.01.2020 11:11:16	1	1	1	1	126.8	59	0	26587.678	597.8494624	15951.94738	30000	0	0	30000	38.625	2004
08.01.2020 11:11:17	1	1	1	1	126.8	58.5	0	26635.071	602.1505376	15837.79523	30000	0	0	30000	39.25	2004
08.01.2020 11:11:18	1	1	1	1	126.8	59.25	0	26682.464	602.1505376	16009.02346	30000	0	0	30000	39.1875	2004
08.01.2020 11:11:19	1	1	1	1	126.8	59	0	26587.678	597.8494624	15837.79523	30000	0	0	30000	39.1875	2004
08.01.2020 11:11:20	1	1	1	1	126.8	59	0	26729.858	597.8494624	16066.09953	30000	0	0	30000	39.1875	2004
08.01.2020 11:11:21	1	1	1	1	126.5	59	0	26682.464	589.2473118	15951.13201	30000	0	0	30000	39.25	2004
08.01.2020 11:11:22	1	1	1	1	126.5	59.25	0	26587.678	597.8494624	15951.94738	30000	0	0	30000	39.4375	2004
08.01.2020 11:11:23	1	1	1	1	126.5	59.25	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	39.25	2004
08.01.2020 11:11:24	1	1	1	1	126.5	59.25	0	26587.678	597.8494624	16038.37687	30000	0	0	30000	39.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 11:11:25	1	1	1	1	126.5	59	0	26398.104	593.5483871	15725.27383	30000	0	0	30000	39.0625	2004
08.01.2020 11:11:26	1	1	1	1	126.5	59	0	26682.464	604.3010753	16066.9149	30000	0	0	30000	38.5	2004
08.01.2020 11:11:27	1	1	1	1	126.5	58.5	0	26492.891	606.4516129	15838.61061	30000	0	0	30000	39.3125	2004
08.01.2020 11:11:28	1	1	1	1	126.5	59.25	0	26635.071	602.1505376	16066.9149	30000	0	0	30000	38.6875	2004
08.01.2020 11:11:29	1	1	1	1	126.5	58.5	0	26682.464	606.4516129	16123.99098	30000	0	0	30000	39.125	2004
08.01.2020 11:11:30	1	1	1	1	126.5	59	0	26540.284	597.8494624	15867.14864	30000	0	0	30000	38.625	2004
08.01.2020 11:11:31	1	1	1	1	126.5	58.5	0	26587.678	600	15951.94738	30000	0	0	30000	38.9375	2004
08.01.2020 11:11:32	1	1	1	1	126.5	58.75	0	26540.284	606.4516129	16038.37687	30000	0	0	30000	39.25	2004
08.01.2020 11:11:33	1	1	1	1	126.5	59.25	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	39.3125	2004
08.01.2020 11:11:34	1	1	1	1	126.5	59.25	0	26587.678	604.3010753	16038.37687	30000	0	0	30000	39.375	2004
08.01.2020 11:11:35	1	1	1	1	126.5	59.25	0	26540.284	602.1505376	16066.9149	30000	0	0	30000	39.3125	2004
08.01.2020 11:11:36	1	1	1	1	126.5	59.25	0	26492.891	606.4516129	15980.48542	30000	0	0	30000	39.4375	2004
08.01.2020 11:11:37	1	1	1	1	126.5	59.25	0	26635.071	606.4516129	16066.9149	30000	0	0	30000	39.1875	2004
08.01.2020 11:11:38	1	1	1	1	126.5	59	0	26540.284	606.4516129	15981.30079	30000	0	0	30000	39.5625	2004
08.01.2020 11:11:39	1	1	1	1	126.5	59.5	0	26445.498	604.3010753	15980.48542	30000	0	0	30000	39.1875	2004
08.01.2020 11:11:40	1	1	1	1	126.5	59	0	26492.891	606.4516129	16009.02346	30000	0	0	30000	39.6875	2004
08.01.2020 11:11:42	1	1	1	1	126.3	59.5	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	39.25	2004
08.01.2020 11:11:43	1	1	1	1	126.3	59.25	0	26540.284	602.1505376	16038.37687	30000	0	0	30000	39.3125	2004
08.01.2020 11:11:44	1	1	1	1	126.3	59.25	0	26445.498	602.1505376	16038.37687	30000	0	0	30000	38.8125	2004
08.01.2020 11:11:45	1	1	1	1	126.3	58.75	0	26492.891	604.3010753	16038.37687	30000	0	0	30000	39.25	2004
08.01.2020 11:11:46	1	1	1	1	126.3	59.25	0	26398.104	604.3010753	15951.94738	30000	0	0	30000	39.25	2004
08.01.2020 11:11:47	1	1	1	1	126.3	59.25	0	26540.284	604.3010753	16152.52901	30000	0	0	30000	38.625	2004
08.01.2020 11:11:48	1	1	1	1	126.3	58.5	0	26445.498	608.6021505	16065.28416	30000	0	0	30000	38.8125	2004
08.01.2020 11:11:49	1	1	1	1	126.3	58.75	0	26445.498	602.1505376	15952.76275	30000	0	0	30000	39.375	2004
08.01.2020 11:11:50	1	1	1	1	126.3	59.25	0	26398.104	602.1505376	15923.40934	30000	0	0	30000	39.375	2004
08.01.2020 11:11:51	1	1	1	1	126.3	59.25	0	26398.104	602.1505376	16009.02346	30000	0	0	30000	38.9375	2004
08.01.2020 11:11:52	1	1	1	1	126.3	58.75	0	26350.711	606.4516129	15951.13201	30000	0	0	30000	38.75	2004
08.01.2020 11:11:53	1	1	1	1	126.3	58.75	0	26492.891	606.4516129	16095.45294	30000	0	0	30000	39.25	2004
08.01.2020 11:11:54	1	1	1	1	126.3	59.25	0	26303.318	606.4516129	15951.13201	30000	0	0	30000	39	2004
08.01.2020 11:11:55	1	1	1	1	126.3	59	0	26398.104	604.3010753	15951.94738	30000	0	0	30000	38.1875	2004
08.01.2020 11:11:56	1	1	1	1	126.3	58	0	26398.104	602.1505376	15895.68668	30000	0	0	30000	38.375	2004
08.01.2020 11:11:57	1	1	1	1	126.3	58.25	0	26303.318	604.3010753	15951.13201	30000	0	0	30000	39.3125	2004
08.01.2020 11:11:58	1	1	1	1	126.3	59.25	0	26492.891	606.4516129	16038.37687	30000	0	0	30000	39.375	2004
08.01.2020 11:11:59	1	1	1	1	126.3	59.25	0	26540.284	602.1505376	16238.14313	30000	0	0	30000	39.4375	2004
08.01.2020 11:12:00	1	1	1	1	126.3	59.25	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	38.8125	2004
08.01.2020 11:12:01	1	1	1	1	126.5	58.75	0	26587.678	597.8494624	15951.94738	30000	0	0	30000	38.9375	2004
08.01.2020 11:12:02	1	1	1	1	126.5	58.75	0	26540.284	597.8494624	15867.14864	30000	0	0	30000	39.5	2004
08.01.2020 11:12:03	1	1	1	1	126.5	59.5	0	26587.678	597.8494624	16066.9149	30000	0	0	30000	39.25	2004
08.01.2020 11:12:04	1	1	1	1	126.5	59.25	0	26777.251	602.1505376	16123.99098	30000	0	0	30000	39.4375	2004
08.01.2020 11:12:05	1	1	1	1	126.5	59.25	0	26682.464	602.1505376	16123.99098	30000	0	0	30000	39.125	2004
08.01.2020 11:12:12	1	1	1	1	126	59.25	0	26682.464	597.8494624	16066.9149	30000	0	0	30000	38.4375	2004
08.01.2020 11:12:12	1	1	1	1	126	59.25	0	26682.464	597.8494624	16066.9149	30000	0	0	30000	38.4375	2004
08.01.2020 11:12:12	1	1	1	1	126	59.25	0	26682.464	597.8494624	16066.9149	30000	0	0	30000	38.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 11:12:12	1	1	1	1	126	59.25	0	26682.464	597.8494624	16066.9149	30000	0	0	30000	38.4375	2004
08.01.2020 11:12:12	1	1	1	1	126	59.25	0	26682.464	597.8494624	16066.9149	30000	0	0	30000	38.4375	2004
08.01.2020 11:12:12	1	1	1	1	126	59.25	0	26682.464	597.8494624	16066.9149	30000	0	0	30000	38.4375	2004
08.01.2020 11:12:12	1	1	1	1	126	58.25	0	26682.464	597.8494624	16066.9149	30000	0	0	30000	39.5625	2004
08.01.2020 11:12:13	1	1	1	1	126	59.5	0	26682.464	597.8494624	16009.02346	30000	0	0	30000	39.3125	2004
08.01.2020 11:12:14	1	1	1	1	126	59.25	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	39.25	2004
08.01.2020 11:12:15	1	1	1	1	126	59.25	0	26540.284	597.8494624	15924.22472	30000	0	0	30000	39.125	2004
08.01.2020 11:12:16	1	1	1	1	126	59	0	26682.464	602.1505376	16009.02346	30000	0	0	30000	38.5625	2004
08.01.2020 11:12:17	1	1	1	1	126	58.5	0	26682.464	597.8494624	16009.02346	30000	0	0	30000	39.375	2004
08.01.2020 11:12:18	1	1	1	1	126	59.25	0	26635.071	602.1505376	16038.37687	30000	0	0	30000	37.5625	2004
08.01.2020 11:12:19	1	1	1	1	126	57.5	0	26682.464	604.3010753	16123.99098	30000	0	0	30000	38.8125	2004
08.01.2020 11:12:20	1	1	1	1	126	58.75	0	26492.891	597.8494624	15981.30079	30000	0	0	30000	39.5625	2004
08.01.2020 11:12:21	1	1	1	1	126.3	59.5	0	26777.251	602.1505376	16181.06705	30000	0	0	30000	39.625	2004
08.01.2020 11:12:22	1	1	1	1	126.3	59.5	0	26682.464	597.8494624	15951.94738	30000	0	0	30000	39.75	2004
08.01.2020 11:12:24	1	1	1	1	126.3	59.75	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	39.1875	2004
08.01.2020 11:12:25	1	1	1	1	126.3	59.5	0	26729.858	602.1505376	16123.99098	30000	0	0	30000	37.9375	2004
08.01.2020 11:12:26	1	1	1	1	126.3	57.75	0	26540.284	597.8494624	15780.71916	30000	0	0	30000	39.5	2004
08.01.2020 11:12:27	1	1	1	1	126.3	59.5	0	26587.678	600	15980.48542	30000	0	0	30000	37.1875	2004
08.01.2020 11:12:28	1	1	1	1	126.3	57	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	38.75	2004
08.01.2020 11:12:29	1	1	1	1	126.3	58.75	0	26682.464	597.8494624	15894.05593	30000	0	0	30000	39.5	2004
08.01.2020 11:12:30	1	1	1	1	126.3	59.5	0	26682.464	593.5483871	16009.02346	30000	0	0	30000	39.25	2004
08.01.2020 11:12:31	1	1	1	1	125.5	59.25	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	38.8125	2004
08.01.2020 11:12:32	1	1	1	1	125.5	58.75	0	26824.645	597.8494624	16007.39271	30000	0	0	30000	39.125	2004
08.01.2020 11:12:33	1	1	1	1	125.5	59	0	26682.464	587.0967742	16008.20808	30000	0	0	30000	39.0625	2004
08.01.2020 11:12:34	1	1	1	1	125.5	59	0	26824.645	602.1505376	16036.74612	30000	0	0	30000	39.5	2004
08.01.2020 11:12:35	1	1	1	1	125.5	59.5	0	26682.464	604.3010753	15951.94738	30000	0	0	30000	38.875	2004
08.01.2020 11:12:36	1	1	1	1	125.5	58.75	0	26872.038	595.6989247	16007.39271	30000	0	0	30000	38.9375	2004
08.01.2020 11:12:37	1	1	1	1	125.5	58.75	0	26919.431	595.6989247	16035.93075	30000	0	0	30000	38.8125	2004
08.01.2020 11:12:38	1	1	1	1	125.5	58.75	0	26777.251	591.3978495	16036.74612	30000	0	0	30000	39.625	2004
08.01.2020 11:12:39	1	1	1	1	125.5	59.5	0	26777.251	595.6989247	16123.1756	30000	0	0	30000	39.5625	2004
08.01.2020 11:12:40	1	1	1	1	125.5	59.5	0	26919.431	591.3978495	15920.14785	30000	0	0	30000	38.5625	2004
08.01.2020 11:12:41	1	1	1	1	124.8	58.5	0	26872.038	595.6989247	16065.28416	30000	0	0	30000	38.375	2004
08.01.2020 11:12:42	1	1	1	1	124.8	58.25	0	26919.431	597.8494624	16093.82219	30000	0	0	30000	39.75	2004
08.01.2020 11:12:43	1	1	1	1	124.8	59.75	0	26682.464	597.8494624	15894.05593	30000	0	0	30000	39.4375	2004
08.01.2020 11:12:44	1	1	1	1	124.8	59.25	0	26682.464	597.8494624	16009.02346	30000	0	0	30000	37.9375	2004
08.01.2020 11:12:45	1	1	1	1	124.8	57.75	0	26682.464	597.8494624	16009.02346	30000	0	0	30000	38.6875	2004
08.01.2020 11:12:46	1	1	1	1	124.8	58.5	0	26777.251	597.8494624	16036.74612	30000	0	0	30000	39.625	2004
08.01.2020 11:12:47	1	1	1	1	124.8	59.5	0	26682.464	597.8494624	15951.94738	30000	0	0	30000	38.625	2004
08.01.2020 11:12:48	1	1	1	1	124.8	58.5	0	26587.678	597.8494624	16066.9149	30000	0	0	30000	39.6875	2004
08.01.2020 11:12:49	1	1	1	1	124.8	59.5	0	26682.464	597.8494624	15951.94738	30000	0	0	30000	38.875	2004
08.01.2020 11:12:50	1	1	1	1	124.8	58.75	0	26682.464	597.8494624	15923.40934	30000	0	0	30000	39.625	2004
08.01.2020 11:12:51	1	1	1	1	125	59.5	0	26777.251	600	16066.09953	30000	0	0	30000	38.1875	2004
08.01.2020 11:12:52	1	1	1	1	125	58	0	26587.678	600	15951.94738	30000	0	0	30000	39.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 11:12:53	1	1	1	1	125	59.5	0	26398.104	597.8494624	15924.22472	30000	0	0	30000	37.6875	2004
08.01.2020 11:12:54	1	1	1	1	125	57.5	0	26777.251	602.1505376	16152.52901	30000	0	0	30000	39.3125	2004
08.01.2020 11:12:55	1	1	1	1	125	59.25	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	38.3125	2004
08.01.2020 11:12:56	1	1	1	1	125	58.25	0	26540.284	597.8494624	15924.22472	30000	0	0	30000	39.1875	2004
08.01.2020 11:12:57	1	1	1	1	125	59	0	26682.464	602.1505376	16009.02346	30000	0	0	30000	39.75	2004
08.01.2020 11:12:58	1	1	1	1	125	59.75	0	26540.284	597.8494624	15867.14864	30000	0	0	30000	39.5	2004
08.01.2020 11:12:59	1	1	1	1	125	59.5	0	26587.678	597.8494624	16009.83883	30000	0	0	30000	39.625	2004
08.01.2020 11:13:00	1	1	1	1	125	59.5	0	26587.678	602.1505376	16066.9149	30000	0	0	30000	39.8125	2004
08.01.2020 11:13:01	1	1	1	1	126	59.75	0	26445.498	602.1505376	15895.68668	30000	0	0	30000	38.75	2004
08.01.2020 11:13:02	1	1	1	1	126	58.75	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	38.75	2004
08.01.2020 11:13:04	1	1	1	1	126	58.75	0	26587.678	602.1505376	16066.9149	30000	0	0	30000	39.625	2004
08.01.2020 11:13:05	1	1	1	1	126	59.5	0	26398.104	597.8494624	15838.61061	30000	0	0	30000	39.0625	2004
08.01.2020 11:13:06	1	1	1	1	126	59.75	0	26540.284	595.6989247	16009.83883	30000	0	0	30000	39.6875	2004
08.01.2020 11:13:07	1	1	1	1	126	59.5	0	26492.891	602.1505376	15924.22472	30000	0	0	30000	39.6875	2004
08.01.2020 11:13:13	1	1	1	1	126	59.5	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	39.625	2004
08.01.2020 11:13:13	1	1	1	1	126	59.5	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	39.625	2004
08.01.2020 11:13:13	1	1	1	1	126	59.5	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	39.625	2004
08.01.2020 11:13:13	1	1	1	1	126	59.5	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	39.625	2004
08.01.2020 11:13:13	1	1	1	1	126	59.5	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	39.625	2004
08.01.2020 11:13:13	1	1	1	1	126	59.5	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	39.625	2004
08.01.2020 11:13:13	1	1	1	1	126	59.5	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	39.625	2004
08.01.2020 11:13:14	1	1	1	1	126	59.5	0	26492.891	606.4516129	15952.76275	30000	0	0	30000	39.5625	2004
08.01.2020 11:13:15	1	1	1	1	126	59.5	0	26540.284	602.1505376	16038.37687	30000	0	0	30000	39.25	2004
08.01.2020 11:13:16	1	1	1	1	126	59.25	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	39.5	2004
08.01.2020 11:13:17	1	1	1	1	126	59.5	0	26492.891	600	15924.22472	30000	0	0	30000	38.8125	2004
08.01.2020 11:13:18	1	1	1	1	126	58.75	0	26492.891	602.1505376	15981.30079	30000	0	0	30000	39.625	2004
08.01.2020 11:13:19	1	1	1	1	126	59.5	0	26587.678	604.3010753	16066.9149	30000	0	0	30000	38.875	2004
08.01.2020 11:13:20	1	1	1	1	126	58.75	0	26540.284	604.3010753	16038.37687	30000	0	0	30000	39.6875	2004
08.01.2020 11:13:21	1	1	1	1	125.8	59.5	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	39.75	2004
08.01.2020 11:13:22	1	1	1	1	125.8	59.75	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	39.5	2004
08.01.2020 11:13:23	1	1	1	1	125.8	59.5	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	39.625	2004
08.01.2020 11:13:24	1	1	1	1	125.8	59.5	0	26682.464	602.1505376	16009.02346	30000	0	0	30000	38.625	2004
08.01.2020 11:13:25	1	1	1	1	125.8	58.5	0	26777.251	602.1505376	16066.9149	30000	0	0	30000	39.6875	2004
08.01.2020 11:13:26	1	1	1	1	125.8	59.5	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	38.25	2004
08.01.2020 11:13:27	1	1	1	1	125.8	58.25	0	26587.678	597.8494624	15837.79523	30000	0	0	30000	37.5625	2004
08.01.2020 11:13:28	1	1	1	1	125.8	57.5	0	26682.464	597.8494624	15951.94738	30000	0	0	30000	37.9375	2004
08.01.2020 11:13:29	1	1	1	1	125.8	57.75	0	26540.284	597.8494624	15951.94738	30000	0	0	30000	39.5	2004
08.01.2020 11:13:30	1	1	1	1	125.8	59.5	0	26540.284	602.1505376	16066.9149	30000	0	0	30000	37.375	2004
08.01.2020 11:13:31	1	1	1	1	125.8	57.25	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	39.6875	2004
08.01.2020 11:13:32	1	1	1	1	125.8	59.5	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	39.6875	2004
08.01.2020 11:13:33	1	1	1	1	125.8	59.5	0	26587.678	597.8494624	15951.94738	30000	0	0	30000	39.6875	2004
08.01.2020 11:13:34	1	1	1	1	125.8	59.5	0	26635.071	602.1505376	16066.9149	30000	0	0	30000	39.3125	2004
08.01.2020 11:13:35	1	1	1	1	125.8	59.25	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	39.0625	2004
08.01.2020 11:13:36	1	1	1	1	125.8	59	0	26682.464	597.8494624	16066.9149	30000	0	0	30000	39.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 11:13:37	1	1	1	1	125.8	59.75	0	26777.251	602.1505376	16066.09953	30000	0	0	30000	39.0625	2004
08.01.2020 11:13:38	1	1	1	1	125.8	59	0	26682.464	602.1505376	16009.02346	30000	0	0	30000	39.625	2004
08.01.2020 11:13:39	1	1	1	1	125.8	59.5	0	26492.891	602.1505376	15924.22472	30000	0	0	30000	39.3125	2004
08.01.2020 11:13:40	1	1	1	1	125.8	59.25	0	26682.464	604.3010753	16123.99098	30000	0	0	30000	39.6875	2004
08.01.2020 11:13:41	1	1	1	1	126	59.5	0	26492.891	602.1505376	15981.30079	30000	0	0	30000	39.8125	2004
08.01.2020 11:13:42	1	1	1	1	126	59.75	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	39.75	2004
08.01.2020 11:13:45	1	1	1	1	126	59.5	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	39.625	2004
08.01.2020 11:13:45	1	1	1	1	126	59.5	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	39.625	2004
08.01.2020 11:13:46	1	1	1	1	126	59.5	0	26682.464	602.1505376	16123.99098	30000	0	0	30000	37.875	2004
08.01.2020 11:13:47	1	1	1	1	126	57.75	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	39.0625	2004
08.01.2020 11:13:48	1	1	1	1	126	59	0	26635.071	602.1505376	16009.83883	30000	0	0	30000	39.625	2004
08.01.2020 11:13:49	1	1	1	1	126	59.5	0	26587.678	602.1505376	16066.9149	30000	0	0	30000	39.75	2004
08.01.2020 11:13:50	1	1	1	1	126	59.75	0	26445.498	602.1505376	15980.48542	30000	0	0	30000	39.125	2004
08.01.2020 11:13:51	1	1	1	1	125.8	59	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	39.75	2004
08.01.2020 11:13:52	1	1	1	1	125.8	59.75	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	39.25	2004
08.01.2020 11:13:53	1	1	1	1	125.8	59.25	0	26540.284	602.1505376	16038.37687	30000	0	0	30000	39.75	2004
08.01.2020 11:13:54	1	1	1	1	125.8	59.75	0	26445.498	606.4516129	15980.48542	30000	0	0	30000	38.1875	2004
08.01.2020 11:13:55	1	1	1	1	125.8	58	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	39.75	2004
08.01.2020 11:13:56	1	1	1	1	125.8	59.75	0	26492.891	600	15981.30079	30000	0	0	30000	39.75	2004
08.01.2020 11:13:57	1	1	1	1	125.8	59.75	0	26492.891	606.4516129	15980.48542	30000	0	0	30000	39.625	2004
08.01.2020 11:13:58	1	1	1	1	125.8	59.5	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	39.625	2004
08.01.2020 11:13:59	1	1	1	1	125.8	59.5	0	26398.104	597.8494624	15781.53453	30000	0	0	30000	39.75	2004
08.01.2020 11:14:00	1	1	1	1	125.8	59.75	0	26492.891	602.1505376	16038.37687	30000	0	0	30000	39.0625	2004
08.01.2020 11:14:01	1	1	1	1	125.8	59	0	26445.498	593.5483871	15867.14864	30000	0	0	30000	38.375	2004
08.01.2020 11:14:02	1	1	1	1	125.8	58.25	0	26682.464	604.3010753	16009.83883	30000	0	0	30000	39	2004
08.01.2020 11:14:03	1	1	1	1	125.8	59	0	26445.498	602.1505376	15924.22472	30000	0	0	30000	38.5	2004
08.01.2020 11:14:04	1	1	1	1	125.8	58.5	0	26540.284	602.1505376	16038.37687	30000	0	0	30000	38.9375	2004
08.01.2020 11:14:05	1	1	1	1	125.8	58.75	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	39.1875	2004
08.01.2020 11:14:06	1	1	1	1	125.8	59	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	38.75	2004
08.01.2020 11:14:07	1	1	1	1	125.8	58.75	0	26587.678	602.1505376	15951.94738	30000	0	0	30000	39.3125	2004
08.01.2020 11:14:08	1	1	1	1	125.8	59.25	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	39.75	2004
08.01.2020 11:14:15	1	1	1	1	125	59.25	0	26635.071	602.1505376	16123.99098	30000	0	0	30000	39.75	2004
08.01.2020 11:14:15	1	1	1	1	125	59.25	0	26635.071	602.1505376	16123.99098	30000	0	0	30000	39.75	2004
08.01.2020 11:14:15	1	1	1	1	125	59.25	0	26635.071	602.1505376	16123.99098	30000	0	0	30000	39.75	2004
08.01.2020 11:14:15	1	1	1	1	125	59.25	0	26635.071	602.1505376	16123.99098	30000	0	0	30000	39.75	2004
08.01.2020 11:14:15	1	1	1	1	125	59.25	0	26635.071	602.1505376	16123.99098	30000	0	0	30000	39.75	2004
08.01.2020 11:14:15	1	1	1	1	125	59.75	0	26635.071	602.1505376	16009.83883	30000	0	0	30000	39.5625	2004
08.01.2020 11:14:16	1	1	1	1	125	59.5	0	26540.284	602.1505376	16123.99098	30000	0	0	30000	40.0625	2004
08.01.2020 11:14:17	1	1	1	1	125	60	0	26729.858	602.1505376	16066.9149	30000	0	0	30000	39.6875	2004
08.01.2020 11:14:19	1	1	1	1	125	59.5	0	26540.284	597.8494624	15867.14864	30000	0	0	30000	40	2004
08.01.2020 11:14:20	1	1	1	1	125	60	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	39.0625	2004
08.01.2020 11:14:21	1	1	1	1	125	59	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	39.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 11:14:22	1	1	1	1	124	59.25	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	39.625	2004
08.01.2020 11:14:23	1	1	1	1	124	59.5	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	39.6875	2004
08.01.2020 11:14:24	1	1	1	1	124	59.5	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	39.8125	2004
08.01.2020 11:14:25	1	1	1	1	124	59.75	0	26682.464	597.8494624	16009.02346	30000	0	0	30000	39.75	2004
08.01.2020 11:14:26	1	1	1	1	124	59.75	0	26682.464	597.8494624	16009.02346	30000	0	0	30000	39.25	2004
08.01.2020 11:14:27	1	1	1	1	124	59.25	0	26824.645	597.8494624	16094.63757	30000	0	0	30000	39.75	2004
08.01.2020 11:14:28	1	1	1	1	124	59.75	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	39	2004
08.01.2020 11:14:29	1	1	1	1	124	59	0	26492.891	597.8494624	15752.99649	30000	0	0	30000	39.625	2004
08.01.2020 11:14:30	1	1	1	1	124	59.5	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	39.8125	2004
08.01.2020 11:14:31	1	1	1	1	125	59.75	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	39.8125	2004
08.01.2020 11:14:32	1	1	1	1	125	59.75	0	26682.464	597.8494624	15951.94738	30000	0	0	30000	39.8125	2004
08.01.2020 11:14:33	1	1	1	1	125	59.75	0	26777.251	597.8494624	16008.20808	30000	0	0	30000	39.5	2004
08.01.2020 11:14:34	1	1	1	1	125	59.5	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	39.625	2004
08.01.2020 11:14:35	1	1	1	1	125	59.5	0	26824.645	597.8494624	16008.20808	30000	0	0	30000	39.9375	2004
08.01.2020 11:14:36	1	1	1	1	125	59.75	0	26777.251	597.8494624	15836.97986	30000	0	0	30000	39.875	2004
08.01.2020 11:14:37	1	1	1	1	125	59.75	0	26777.251	597.8494624	16094.63757	30000	0	0	30000	39.9375	2004
08.01.2020 11:14:38	1	1	1	1	125	59.75	0	26682.464	597.8494624	15951.94738	30000	0	0	30000	39.5	2004
08.01.2020 11:14:39	1	1	1	1	125	59.5	0	26540.284	597.8494624	15951.94738	30000	0	0	30000	39.875	2004
08.01.2020 11:14:40	1	1	1	1	125	59.75	0	26540.284	602.1505376	15951.94738	30000	0	0	30000	39.9375	2004
08.01.2020 11:14:41	1	1	1	1	124.3	59.75	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	39.8125	2004
08.01.2020 11:14:42	1	1	1	1	124.3	59.75	0	26587.678	602.1505376	15951.94738	30000	0	0	30000	38.875	2004
08.01.2020 11:14:43	1	1	1	1	124.3	58.75	0	26587.678	602.1505376	16066.9149	30000	0	0	30000	39.5	2004
08.01.2020 11:14:44	1	1	1	1	124.3	59.5	0	26492.891	602.1505376	15981.30079	30000	0	0	30000	39.875	2004
08.01.2020 11:14:45	1	1	1	1	124.3	59.75	0	26540.284	602.1505376	15924.22472	30000	0	0	30000	39.75	2004
08.01.2020 11:14:46	1	1	1	1	124.3	59.75	0	26445.498	593.5483871	15981.30079	30000	0	0	30000	39.875	2004
08.01.2020 11:14:47	1	1	1	1	124.3	59.75	0	26540.284	606.4516129	16038.37687	30000	0	0	30000	39.1875	2004
08.01.2020 11:14:48	1	1	1	1	124.3	59	0	26492.891	602.1505376	16009.02346	30000	0	0	30000	39.625	2004
08.01.2020 11:14:49	1	1	1	1	124.3	59.5	0	26398.104	606.4516129	16094.63757	30000	0	0	30000	39.8125	2004
08.01.2020 11:14:50	1	1	1	1	124.3	59.75	0	26398.104	606.4516129	15951.94738	30000	0	0	30000	39.5625	2004
08.01.2020 11:14:51	1	1	1	1	125.3	59.5	0	26492.891	604.3010753	16038.37687	30000	0	0	30000	39.75	2004
08.01.2020 11:14:52	1	1	1	1	125.3	59.75	0	26540.284	606.4516129	16095.45294	30000	0	0	30000	39.1875	2004
08.01.2020 11:14:53	1	1	1	1	125.3	59	0	26303.318	604.3010753	15951.13201	30000	0	0	30000	39.3125	2004
08.01.2020 11:14:54	1	1	1	1	125.3	59.25	0	26492.891	602.1505376	15952.76275	30000	0	0	30000	39.75	2004
08.01.2020 11:14:56	1	1	1	1	125.3	59.75	0	26540.284	606.4516129	16038.37687	30000	0	0	30000	40.1875	2004
08.01.2020 11:14:57	1	1	1	1	125.3	60	0	26445.498	604.3010753	16037.56149	30000	0	0	30000	39.125	2004
08.01.2020 11:14:58	1	1	1	1	125.3	59	0	26492.891	604.3010753	15980.48542	30000	0	0	30000	39.25	2004
08.01.2020 11:14:59	1	1	1	1	125.3	60	0	26540.284	604.3010753	16038.37687	30000	0	0	30000	39.75	2004
08.01.2020 11:15:00	1	1	1	1	125.3	59.75	0	26350.711	604.3010753	15923.40934	30000	0	0	30000	39.8125	2004
08.01.2020 11:15:01	1	1	1	1	125.3	59.75	0	26445.498	604.3010753	15980.48542	30000	0	0	30000	39.9375	2004
08.01.2020 11:15:02	1	1	1	1	125.3	59.75	0	26255.924	602.1505376	15951.13201	30000	0	0	30000	39.875	2004
08.01.2020 11:15:03	1	1	1	1	125.3	59.75	0	26303.318	606.4516129	15810.07257	30000	0	0	30000	38.75	2004
08.01.2020 11:15:04	1	1	1	1	125.3	58.75	0	26303.318	602.1505376	15980.48542	30000	0	0	30000	39.375	2004
08.01.2020 11:15:05	1	1	1	1	125.3	59.25	0	26492.891	606.4516129	16152.52901	30000	0	0	30000	39.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 11:15:06	1	1	1	1	125.3	59.75	0	26350.711	608.6021505	16008.20808	30000	0	0	30000	39.8125	2004
08.01.2020 11:15:07	1	1	1	1	125.3	59.75	0	26540.284	604.3010753	16066.9149	30000	0	0	30000	39.875	2004
08.01.2020 11:15:08	1	1	1	1	125.3	59.75	0	26540.284	602.1505376	16038.37687	30000	0	0	30000	39.9375	2004
08.01.2020 11:15:09	1	1	1	1	125.3	59.75	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	39.375	2004
08.01.2020 11:15:10	1	1	1	1	125.3	59.25	0	26540.284	602.1505376	15924.22472	30000	0	0	30000	39.375	2004
08.01.2020 11:15:16	1	1	1	1	125	59.75	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	39.875	2004
08.01.2020 11:15:16	1	1	1	1	125	59.75	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	39.875	2004
08.01.2020 11:15:16	1	1	1	1	125	59.75	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	39.875	2004
08.01.2020 11:15:16	1	1	1	1	125	59.75	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	39.875	2004
08.01.2020 11:15:16	1	1	1	1	125	59.75	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	39.875	2004
08.01.2020 11:15:16	1	1	1	1	125	59.75	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	39.875	2004
08.01.2020 11:15:17	1	1	1	1	125	59.75	0	26587.678	604.3010753	16066.9149	30000	0	0	30000	39.75	2004
08.01.2020 11:15:18	1	1	1	1	125	59.75	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	39.0625	2004
08.01.2020 11:15:19	1	1	1	1	125	59	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	39.5625	2004
08.01.2020 11:15:20	1	1	1	1	125	59.5	0	26492.891	604.3010753	16009.02346	30000	0	0	30000	39.1875	2004
08.01.2020 11:15:21	1	1	1	1	125.8	59	0	26587.678	604.3010753	16066.9149	30000	0	0	30000	39.5	2004
08.01.2020 11:15:22	1	1	1	1	125.8	59.5	0	26492.891	604.3010753	16009.02346	30000	0	0	30000	39.5625	2004
08.01.2020 11:15:23	1	1	1	1	125.8	59.5	0	26682.464	602.1505376	16123.99098	30000	0	0	30000	38.875	2004
08.01.2020 11:15:24	1	1	1	1	125.8	58.75	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	38.8125	2004
08.01.2020 11:15:25	1	1	1	1	125.8	58.75	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	39.9375	2004
08.01.2020 11:15:26	1	1	1	1	125.8	59.75	0	26682.464	597.8494624	16066.9149	30000	0	0	30000	39.8125	2004
08.01.2020 11:15:27	1	1	1	1	125.8	59.75	0	26587.678	600	15951.94738	30000	0	0	30000	39.5	2004
08.01.2020 11:15:28	1	1	1	1	125.8	59.5	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	39.375	2004
08.01.2020 11:15:29	1	1	1	1	125.8	59.25	0	26682.464	597.8494624	15951.94738	30000	0	0	30000	38.625	2004
08.01.2020 11:15:30	1	1	1	1	125.8	58.5	0	26872.038	597.8494624	16065.28416	30000	0	0	30000	40	2004
08.01.2020 11:15:31	1	1	1	1	125.8	60	0	26682.464	597.8494624	16009.02346	30000	0	0	30000	40	2004
08.01.2020 11:15:33	1	1	1	1	125.8	60	0	26824.645	597.8494624	15978.85467	30000	0	0	30000	40.375	2004
08.01.2020 11:15:34	1	1	1	1	125.8	60.25	0	26682.464	587.0967742	15951.13201	30000	0	0	30000	39.0625	2004
08.01.2020 11:15:35	1	1	1	1	125.8	59	0	26824.645	597.8494624	16036.74612	30000	0	0	30000	39.875	2004
08.01.2020 11:15:36	1	1	1	1	125.8	59.75	0	26872.038	597.8494624	16007.39271	30000	0	0	30000	39.9375	2004
08.01.2020 11:15:37	1	1	1	1	125.8	59.75	0	26824.645	597.8494624	16036.74612	30000	0	0	30000	39.9375	2004
08.01.2020 11:15:38	1	1	1	1	125.8	59.75	0	26824.645	595.6989247	15951.13201	30000	0	0	30000	39.375	2004
08.01.2020 11:15:39	1	1	1	1	125.8	59.25	0	26777.251	593.5483871	16066.09953	30000	0	0	30000	39.5	2004
08.01.2020 11:15:40	1	1	1	1	125.8	59.5	0	26919.431	595.6989247	16035.93075	30000	0	0	30000	38.625	2004
08.01.2020 11:15:41	1	1	1	1	126	58.5	0	26872.038	595.6989247	16007.39271	30000	0	0	30000	39.9375	2004
08.01.2020 11:15:42	1	1	1	1	126	59.75	0	26919.431	597.8494624	16065.28416	30000	0	0	30000	40.0625	2004
08.01.2020 11:15:43	1	1	1	1	126	60	0	26919.431	597.8494624	16065.28416	30000	0	0	30000	40.0625	2004
08.01.2020 11:15:44	1	1	1	1	126	60	0	26777.251	595.6989247	15951.13201	30000	0	0	30000	39.75	2004
08.01.2020 11:15:45	1	1	1	1	126	59.75	0	26872.038	595.6989247	16065.28416	30000	0	0	30000	40	2004
08.01.2020 11:15:46	1	1	1	1	126	60	0	26682.464	597.8494624	15894.05593	30000	0	0	30000	40.125	2004
08.01.2020 11:15:47	1	1	1	1	126	60	0	26682.464	597.8494624	15894.05593	30000	0	0	30000	39.1875	2004
08.01.2020 11:15:48	1	1	1	1	126	59	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	39.625	2004
08.01.2020 11:15:49	1	1	1	1	126	59.5	0	26587.678	597.8494624	15695.92042	30000	0	0	30000	37.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 11:15:50	1	1	1	1	126	57.5	0	26682.464	597.8494624	15951.94738	30000	0	0	30000	40.0625	2004
08.01.2020 11:15:51	1	1	1	1	126.3	60	0	26777.251	600	16123.99098	30000	0	0	30000	39.375	2004
08.01.2020 11:15:52	1	1	1	1	126.3	59.25	0	26682.464	597.8494624	15894.05593	30000	0	0	30000	39.8125	2004
08.01.2020 11:15:53	1	1	1	1	126.3	59.75	0	26540.284	602.1505376	15924.22472	30000	0	0	30000	40	2004
08.01.2020 11:15:54	1	1	1	1	126.3	60	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	40.125	2004
08.01.2020 11:15:55	1	1	1	1	126.3	60	0	26587.678	602.1505376	16066.9149	30000	0	0	30000	39.5625	2004
08.01.2020 11:15:56	1	1	1	1	126.3	59.5	0	26492.891	602.1505376	15924.22472	30000	0	0	30000	40	2004
08.01.2020 11:15:57	1	1	1	1	126.3	60	0	26303.318	602.1505376	15894.87131	30000	0	0	30000	38.9375	2004
08.01.2020 11:15:58	1	1	1	1	126.3	58.75	0	26682.464	604.3010753	16123.99098	30000	0	0	30000	39	2004
08.01.2020 11:15:59	1	1	1	1	126.3	59	0	26777.251	602.1505376	16009.02346	30000	0	0	30000	40	2004
08.01.2020 11:16:00	1	1	1	1	126.3	60	0	26587.678	602.1505376	15924.22472	30000	0	0	30000	39.875	2004
08.01.2020 11:16:01	1	1	1	1	126	59.75	0	26682.464	595.6989247	16066.9149	30000	0	0	30000	40.0625	2004
08.01.2020 11:16:02	1	1	1	1	126	60	0	26445.498	602.1505376	15924.22472	30000	0	0	30000	39.5625	2004
08.01.2020 11:16:03	1	1	1	1	126	59.5	0	26445.498	597.8494624	15981.30079	30000	0	0	30000	39.8125	2004
08.01.2020 11:16:04	1	1	1	1	126	59.75	0	26540.284	602.1505376	16066.9149	30000	0	0	30000	38.625	2004
08.01.2020 11:16:05	1	1	1	1	126	58.5	0	26445.498	604.3010753	15980.48542	30000	0	0	30000	40.125	2004
08.01.2020 11:16:06	1	1	1	1	126	60	0	26540.284	606.4516129	16038.37687	30000	0	0	30000	38.5	2004
08.01.2020 11:16:07	1	1	1	1	126	58.5	0	26398.104	595.6989247	15924.22472	30000	0	0	30000	40.125	2004
08.01.2020 11:16:08	1	1	1	1	126	60	0	26445.498	602.1505376	15952.76275	30000	0	0	30000	40.1875	2004
08.01.2020 11:16:09	1	1	1	1	126	60	0	26540.284	602.1505376	16009.83883	30000	0	0	30000	39.75	2004
08.01.2020 11:16:10	1	1	1	1	126	59.75	0	26398.104	593.5483871	15725.27383	30000	0	0	30000	40.25	2004
08.01.2020 11:16:12	1	1	1	1	125.8	60.25	0	26587.678	606.4516129	16066.9149	30000	0	0	30000	40.375	2004
08.01.2020 11:16:18	1	1	1	1	125.8	59.75	0	26587.678	604.3010753	16009.83883	30000	0	0	30000	39.8125	2004
08.01.2020 11:16:18	1	1	1	1	125.8	59.75	0	26587.678	604.3010753	16009.83883	30000	0	0	30000	39.8125	2004
08.01.2020 11:16:18	1	1	1	1	125.8	59.75	0	26587.678	604.3010753	16009.83883	30000	0	0	30000	39.8125	2004
08.01.2020 11:16:18	1	1	1	1	125.8	59.75	0	26587.678	604.3010753	16009.83883	30000	0	0	30000	39.8125	2004
08.01.2020 11:16:18	1	1	1	1	125.8	59.75	0	26587.678	604.3010753	16009.83883	30000	0	0	30000	39.8125	2004
08.01.2020 11:16:19	1	1	1	1	125.8	59.75	0	26445.498	604.3010753	15951.94738	30000	0	0	30000	40.3125	2004
08.01.2020 11:16:20	1	1	1	1	125.8	60.25	0	26445.498	606.4516129	16009.02346	30000	0	0	30000	40	2004
08.01.2020 11:16:21	1	1	1	1	124.8	60	0	26587.678	604.3010753	16066.9149	30000	0	0	30000	39.875	2004
08.01.2020 11:16:22	1	1	1	1	124.8	59.75	0	26492.891	606.4516129	16037.56149	30000	0	0	30000	38.875	2004
08.01.2020 11:16:23	1	1	1	1	124.8	58.75	0	26350.711	604.3010753	15923.40934	30000	0	0	30000	40	2004
08.01.2020 11:16:24	1	1	1	1	124.8	60	0	26492.891	606.4516129	15980.48542	30000	0	0	30000	39.5	2004
08.01.2020 11:16:25	1	1	1	1	124.8	59.5	0	26492.891	604.3010753	16009.02346	30000	0	0	30000	39.9375	2004
08.01.2020 11:16:26	1	1	1	1	124.8	59.75	0	26445.498	606.4516129	16066.09953	30000	0	0	30000	40.0625	2004
08.01.2020 11:16:27	1	1	1	1	124.8	60	0	26445.498	606.4516129	15951.94738	30000	0	0	30000	40.125	2004
08.01.2020 11:16:28	1	1	1	1	124.8	60	0	26255.924	606.4516129	15894.05593	30000	0	0	30000	38.875	2004
08.01.2020 11:16:29	1	1	1	1	124.8	58.75	0	26492.891	608.6021505	16209.60509	30000	0	0	30000	40.125	2004
08.01.2020 11:16:30	1	1	1	1	124.8	60	0	26445.498	604.3010753	15980.48542	30000	0	0	30000	40.0625	2004
08.01.2020 11:16:31	1	1	1	1	125	60	0	26587.678	604.3010753	15951.94738	30000	0	0	30000	40.0625	2004
08.01.2020 11:16:32	1	1	1	1	125	60	0	26540.284	602.1505376	15810.07257	30000	0	0	30000	39.125	2004
08.01.2020 11:16:33	1	1	1	1	125	59	0	26540.284	602.1505376	16009.83883	30000	0	0	30000	40.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 11:16:34	1	1	1	1	125	60	0	26540.284	604.3010753	15981.30079	30000	0	0	30000	40.1875	2004
08.01.2020 11:16:35	1	1	1	1	125	60	0	26492.891	602.1505376	16009.02346	30000	0	0	30000	40	2004
08.01.2020 11:16:36	1	1	1	1	125	60	0	26540.284	602.1505376	16066.9149	30000	0	0	30000	40.0625	2004
08.01.2020 11:16:37	1	1	1	1	125	60	0	26682.464	606.4516129	16095.45294	30000	0	0	30000	40	2004
08.01.2020 11:16:38	1	1	1	1	125	60	0	26777.251	602.1505376	16123.99098	30000	0	0	30000	39.875	2004
08.01.2020 11:16:39	1	1	1	1	125	59.75	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	40.0625	2004
08.01.2020 11:16:40	1	1	1	1	125	60	0	26682.464	597.8494624	16009.02346	30000	0	0	30000	39.25	2004
08.01.2020 11:16:41	1	1	1	1	126	59.25	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	39.875	2004
08.01.2020 11:16:42	1	1	1	1	126	59.75	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	40.125	2004
08.01.2020 11:16:43	1	1	1	1	126	60	0	26587.678	602.1505376	16066.9149	30000	0	0	30000	39.0625	2004
08.01.2020 11:16:44	1	1	1	1	126	59	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	40.1875	2004
08.01.2020 11:16:45	1	1	1	1	126	60	0	26682.464	604.3010753	16066.9149	30000	0	0	30000	40.0625	2004
08.01.2020 11:16:46	1	1	1	1	126	60	0	26635.071	602.1505376	16066.9149	30000	0	0	30000	39.75	2004
08.01.2020 11:16:47	1	1	1	1	126	59.75	0	26635.071	597.8494624	16009.02346	30000	0	0	30000	39.0625	2004
08.01.2020 11:16:48	1	1	1	1	126	59	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	39.9375	2004
08.01.2020 11:16:49	1	1	1	1	126	59.75	0	26682.464	606.4516129	16009.02346	30000	0	0	30000	40.0625	2004
08.01.2020 11:16:50	1	1	1	1	126	60	0	26682.464	602.1505376	16123.99098	30000	0	0	30000	40.1875	2004
08.01.2020 11:16:51	1	1	1	1	125.8	60	0	26540.284	606.4516129	16095.45294	30000	0	0	30000	40.0625	2004
08.01.2020 11:16:53	1	1	1	1	125.8	60	0	26540.284	604.3010753	16038.37687	30000	0	0	30000	39.875	2004
08.01.2020 11:16:54	1	1	1	1	125.8	59.75	0	26492.891	606.4516129	16009.02346	30000	0	0	30000	40.4375	2004
08.01.2020 11:16:55	1	1	1	1	125.8	60.25	0	26445.498	602.1505376	15924.22472	30000	0	0	30000	39.75	2004
08.01.2020 11:16:56	1	1	1	1	125.8	59.75	0	26445.498	602.1505376	15895.68668	30000	0	0	30000	40.1875	2004
08.01.2020 11:16:57	1	1	1	1	125.8	60.25	0	26445.498	604.3010753	15980.48542	30000	0	0	30000	39.8125	2004
08.01.2020 11:16:58	1	1	1	1	125.8	59.75	0	26492.891	604.3010753	16038.37687	30000	0	0	30000	40.0625	2004
08.01.2020 11:16:59	1	1	1	1	125.8	60	0	26492.891	602.1505376	15981.30079	30000	0	0	30000	39.25	2004
08.01.2020 11:17:00	1	1	1	1	125.8	59.25	0	26492.891	602.1505376	15952.76275	30000	0	0	30000	39.75	2004
08.01.2020 11:17:01	1	1	1	1	125.5	59.75	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	40.125	2004
08.01.2020 11:17:02	1	1	1	1	125.5	60	0	26682.464	602.1505376	16123.99098	30000	0	0	30000	40.25	2004
08.01.2020 11:17:03	1	1	1	1	125.5	60.25	0	26587.678	602.1505376	16066.9149	30000	0	0	30000	40.1875	2004
08.01.2020 11:17:04	1	1	1	1	125.5	60	0	26445.498	604.3010753	15895.68668	30000	0	0	30000	39.875	2004
08.01.2020 11:17:05	1	1	1	1	125.5	59.75	0	26445.498	597.8494624	15980.48542	30000	0	0	30000	40.25	2004
08.01.2020 11:17:06	1	1	1	1	125.5	60.25	0	26398.104	602.1505376	15895.68668	30000	0	0	30000	40.25	2004
08.01.2020 11:17:07	1	1	1	1	125.5	60.25	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	39.875	2004
08.01.2020 11:17:08	1	1	1	1	125.5	59.75	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	39.125	2004
08.01.2020 11:17:09	1	1	1	1	125.5	59	0	26824.645	602.1505376	16123.99098	30000	0	0	30000	39.8125	2004
08.01.2020 11:17:10	1	1	1	1	125.5	59.75	0	26682.464	602.1505376	16009.02346	30000	0	0	30000	40.25	2004
08.01.2020 11:17:11	1	1	1	1	124	60.25	0	26635.071	597.8494624	15837.79523	30000	0	0	30000	40	2004
08.01.2020 11:17:12	1	1	1	1	124	60	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	40.125	2004
08.01.2020 11:17:13	1	1	1	1	124	60	0	26682.464	595.6989247	16009.02346	30000	0	0	30000	40.1875	2004
08.01.2020 11:17:19	1	1	1	1	124	60.25	0	26587.678	604.3010753	16066.9149	30000	0	0	30000	39.625	2004
08.01.2020 11:17:19	1	1	1	1	124	60.25	0	26587.678	604.3010753	16066.9149	30000	0	0	30000	39.625	2004
08.01.2020 11:17:19	1	1	1	1	124	60.25	0	26587.678	604.3010753	16066.9149	30000	0	0	30000	39.625	2004
08.01.2020 11:17:19	1	1	1	1	124	60.25	0	26587.678	604.3010753	16066.9149	30000	0	0	30000	39.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 11:17:19	1	1	1	1	124	60.25	0	26587.678	604.3010753	16066.9149	30000	0	0	30000	39.625	2004
08.01.2020 11:17:19	1	1	1	1	124	60.25	0	26587.678	604.3010753	16066.9149	30000	0	0	30000	39.625	2004
08.01.2020 11:17:20	1	1	1	1	124	59.5	0	26587.678	602.1505376	15951.94738	30000	0	0	30000	40.25	2004
08.01.2020 11:17:21	1	1	1	1	122.3	60.25	0	26492.891	597.8494624	15924.22472	30000	0	0	30000	40.1875	2004
08.01.2020 11:17:22	1	1	1	1	122.3	60	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	38.9375	2004
08.01.2020 11:17:23	1	1	1	1	122.3	58.75	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	40.375	2004
08.01.2020 11:17:24	1	1	1	1	122.3	60.25	0	26635.071	602.1505376	16066.9149	30000	0	0	30000	40.3125	2004
08.01.2020 11:17:25	1	1	1	1	122.3	60.25	0	26635.071	602.1505376	16123.99098	30000	0	0	30000	40.1875	2004
08.01.2020 11:17:26	1	1	1	1	122.3	60	0	26587.678	597.8494624	15951.94738	30000	0	0	30000	39.75	2004
08.01.2020 11:17:27	1	1	1	1	122.3	59.75	0	26824.645	600	16094.63757	30000	0	0	30000	40.3125	2004
08.01.2020 11:17:28	1	1	1	1	122.3	60.25	0	26682.464	595.6989247	15894.05593	30000	0	0	30000	40.3125	2004
08.01.2020 11:17:29	1	1	1	1	122.3	60.25	0	26919.431	595.6989247	16035.93075	30000	0	0	30000	40.125	2004
08.01.2020 11:17:30	1	1	1	1	122.3	60	0	26966.825	595.6989247	16063.65341	30000	0	0	30000	39.8125	2004
08.01.2020 11:17:31	1	1	1	1	124.3	59.75	0	26919.431	593.5483871	15978.0393	30000	0	0	30000	40.25	2004
08.01.2020 11:17:33	1	1	1	1	124.3	60.25	0	26872.038	595.6989247	15833.71837	30000	0	0	30000	40.25	2004
08.01.2020 11:17:34	1	1	1	1	124.3	60.25	0	26872.038	593.5483871	16007.39271	30000	0	0	30000	39.75	2004
08.01.2020 11:17:35	1	1	1	1	124.3	59.75	0	26777.251	595.6989247	15951.13201	30000	0	0	30000	39.5625	2004
08.01.2020 11:17:36	1	1	1	1	124.3	59.5	0	26777.251	597.8494624	15951.94738	30000	0	0	30000	40.4375	2004
08.01.2020 11:17:37	1	1	1	1	124.3	60.5	0	26682.464	595.6989247	15894.05593	30000	0	0	30000	40.3125	2004
08.01.2020 11:17:38	1	1	1	1	124.3	60.25	0	26682.464	593.5483871	15779.90379	30000	0	0	30000	40.1875	2004
08.01.2020 11:17:39	1	1	1	1	124.3	60	0	26682.464	602.1505376	15951.94738	30000	0	0	30000	39.75	2004
08.01.2020 11:17:40	1	1	1	1	124.3	59.75	0	26587.678	597.8494624	15723.64308	30000	0	0	30000	40.0625	2004
08.01.2020 11:17:41	1	1	1	1	125	60	0	26587.678	597.8494624	16009.02346	30000	0	0	30000	39.75	2004
08.01.2020 11:17:42	1	1	1	1	125	59.75	0	26682.464	600	16009.02346	30000	0	0	30000	39.6875	2004
08.01.2020 11:17:43	1	1	1	1	125	59.5	0	26540.284	597.8494624	15810.07257	30000	0	0	30000	40.3125	2004
08.01.2020 11:17:44	1	1	1	1	125	60.25	0	26682.464	602.1505376	16009.02346	30000	0	0	30000	40.375	2004
08.01.2020 11:17:45	1	1	1	1	125	60.25	0	26682.464	597.8494624	16008.20808	30000	0	0	30000	40.3125	2004
08.01.2020 11:17:46	1	1	1	1	125	60.25	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	39.3125	2004
08.01.2020 11:17:47	1	1	1	1	125	59.25	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	39.875	2004
08.01.2020 11:17:48	1	1	1	1	125	59.75	0	26682.464	600	16066.9149	30000	0	0	30000	39.8125	2004
08.01.2020 11:17:49	1	1	1	1	125	59.75	0	26682.464	597.8494624	15951.94738	30000	0	0	30000	40.3125	2004
08.01.2020 11:17:50	1	1	1	1	125	60.25	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	40.3125	2004
08.01.2020 11:17:51	1	1	1	1	125.8	60.25	0	26635.071	602.1505376	16066.9149	30000	0	0	30000	40.25	2004
08.01.2020 11:17:52	1	1	1	1	125.8	60.25	0	26540.284	604.3010753	16038.37687	30000	0	0	30000	40.5	2004
08.01.2020 11:17:53	1	1	1	1	125.8	60.5	0	26445.498	602.1505376	15980.48542	30000	0	0	30000	39.75	2004
08.01.2020 11:17:54	1	1	1	1	125.8	59.75	0	26540.284	604.3010753	15867.14864	30000	0	0	30000	40.25	2004
08.01.2020 11:17:55	1	1	1	1	125.8	60.25	0	26587.678	604.3010753	16066.9149	30000	0	0	30000	40.25	2004
08.01.2020 11:17:56	1	1	1	1	125.8	60.25	0	26540.284	597.8494624	15924.22472	30000	0	0	30000	40.25	2004
08.01.2020 11:17:57	1	1	1	1	125.8	60.25	0	26587.678	602.1505376	15951.94738	30000	0	0	30000	40.3125	2004
08.01.2020 11:17:58	1	1	1	1	125.8	60.25	0	26682.464	597.8494624	16123.99098	30000	0	0	30000	40.25	2004
08.01.2020 11:17:59	1	1	1	1	125.8	60.25	0	26777.251	602.1505376	15894.05593	30000	0	0	30000	40.3125	2004
08.01.2020 11:18:00	1	1	1	1	125.8	60.25	0	26635.071	602.1505376	16066.9149	30000	0	0	30000	39.875	2004
08.01.2020 11:18:01	1	1	1	1	125.8	59.75	0	26540.284	602.1505376	15924.22472	30000	0	0	30000	39.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 11:18:02	1	1	1	1	125.8	59.75	0	26445.498	602.1505376	16009.02346	30000	0	0	30000	39.8125	2004
08.01.2020 11:18:03	1	1	1	1	125.8	59.75	0	26445.498	597.8494624	15867.14864	30000	0	0	30000	40.3125	2004
08.01.2020 11:18:04	1	1	1	1	125.8	60.25	0	26682.464	604.3010753	16009.83883	30000	0	0	30000	40.0625	2004
08.01.2020 11:18:05	1	1	1	1	125.8	60	0	26492.891	602.1505376	15981.30079	30000	0	0	30000	40	2004
08.01.2020 11:18:06	1	1	1	1	125.8	60	0	26587.678	602.1505376	16066.9149	30000	0	0	30000	40.375	2004
08.01.2020 11:18:07	1	1	1	1	125.8	60.25	0	26492.891	600	15810.07257	30000	0	0	30000	39.75	2004
08.01.2020 11:18:08	1	1	1	1	125.8	59.75	0	26398.104	604.3010753	15951.94738	30000	0	0	30000	39.75	2004
08.01.2020 11:18:09	1	1	1	1	125.8	59.75	0	26587.678	602.1505376	16123.99098	30000	0	0	30000	39.625	2004
08.01.2020 11:18:10	1	1	1	1	125.8	59.5	0	26492.891	597.8494624	15895.68668	30000	0	0	30000	40.375	2004
08.01.2020 11:18:11	1	1	1	1	126.5	60.25	0	26682.464	602.1505376	16123.99098	30000	0	0	30000	39.375	2004
08.01.2020 11:18:13	1	1	1	1	126.5	59.25	0	26492.891	602.1505376	15924.22472	30000	0	0	30000	38.375	2004
08.01.2020 11:18:14	1	1	1	1	126.5	58.25	0	26587.678	604.3010753	16066.9149	30000	0	0	30000	40.5625	2004
08.01.2020 11:18:15	1	1	1	1	126.5	60.5	0	26492.891	602.1505376	15981.30079	30000	0	0	30000	40.3125	2004
08.01.2020 11:18:21	1	1	1	1	126.8	60.25	0	26492.891	602.1505376	15981.30079	30000	0	0	30000	39	2004
08.01.2020 11:18:21	1	1	1	1	126.8	60.25	0	26492.891	602.1505376	15981.30079	30000	0	0	30000	39	2004
08.01.2020 11:18:21	1	1	1	1	126.8	60.25	0	26492.891	602.1505376	15981.30079	30000	0	0	30000	39	2004
08.01.2020 11:18:21	1	1	1	1	126.8	60.25	0	26492.891	602.1505376	15981.30079	30000	0	0	30000	39	2004
08.01.2020 11:18:21	1	1	1	1	126.8	60.25	0	26492.891	602.1505376	15981.30079	30000	0	0	30000	39	2004
08.01.2020 11:18:21	1	1	1	1	126.8	60.25	0	26492.891	602.1505376	15981.30079	30000	0	0	30000	39	2004
08.01.2020 11:18:22	1	1	1	1	126.8	59	0	26398.104	602.1505376	15696.73579	30000	0	0	30000	40.0625	2004
08.01.2020 11:18:23	1	1	1	1	126.8	60	0	26540.284	602.1505376	15924.22472	30000	0	0	30000	40.4375	2004
08.01.2020 11:18:24	1	1	1	1	126.8	60.25	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	39.9375	2004
08.01.2020 11:18:25	1	1	1	1	126.8	59.75	0	26398.104	602.1505376	15980.48542	30000	0	0	30000	40.125	2004
08.01.2020 11:18:26	1	1	1	1	126.8	60	0	26540.284	604.3010753	16009.02346	30000	0	0	30000	40.3125	2004
08.01.2020 11:18:27	1	1	1	1	126.8	60.25	0	26445.498	602.1505376	16009.02346	30000	0	0	30000	40.4375	2004
08.01.2020 11:18:28	1	1	1	1	126.8	60.25	0	26492.891	606.4516129	16009.02346	30000	0	0	30000	40.3125	2004
08.01.2020 11:18:29	1	1	1	1	126.8	60.25	0	26445.498	595.6989247	15924.22472	30000	0	0	30000	40.4375	2004
08.01.2020 11:18:30	1	1	1	1	126.8	60.25	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	40.25	2004
08.01.2020 11:18:31	1	1	1	1	127	60.25	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	40.4375	2004
08.01.2020 11:18:32	1	1	1	1	127	60.25	0	26492.891	606.4516129	15952.76275	30000	0	0	30000	40.375	2004
08.01.2020 11:18:33	1	1	1	1	127	60.25	0	26587.678	602.1505376	15981.30079	30000	0	0	30000	40.5625	2004
08.01.2020 11:18:34	1	1	1	1	127	60.5	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	39.75	2004
08.01.2020 11:18:35	1	1	1	1	127	59.75	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	39.75	2004
08.01.2020 11:18:36	1	1	1	1	127	59.75	0	26540.284	600	15981.30079	30000	0	0	30000	40.0625	2004
08.01.2020 11:18:37	1	1	1	1	127	60	0	26635.071	597.8494624	16009.02346	30000	0	0	30000	40.3125	2004
08.01.2020 11:18:38	1	1	1	1	127	60.25	0	26635.071	597.8494624	16009.02346	30000	0	0	30000	40.375	2004
08.01.2020 11:18:39	1	1	1	1	127	60.25	0	26587.678	606.4516129	15924.22472	30000	0	0	30000	39.9375	2004
08.01.2020 11:18:40	1	1	1	1	127	59.75	0	26682.464	600	16009.02346	30000	0	0	30000	40.5	2004
08.01.2020 11:18:41	1	1	1	1	127	60.5	0	26587.678	597.8494624	16038.37687	30000	0	0	30000	39.6875	2004
08.01.2020 11:18:42	1	1	1	1	127	59.5	0	26872.038	597.8494624	16152.52901	30000	0	0	30000	40.5	2004
08.01.2020 11:18:43	1	1	1	1	127	60.5	0	26824.645	595.6989247	16007.39271	30000	0	0	30000	40.3125	2004
08.01.2020 11:18:44	1	1	1	1	127	60.25	0	26777.251	602.1505376	16123.99098	30000	0	0	30000	39.8125	2004
08.01.2020 11:18:45	1	1	1	1	127	59.75	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	40.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 11:18:46	1	1	1	1	127	60.25	0	26682.464	604.3010753	16123.99098	30000	0	0	30000	39.625	2004
08.01.2020 11:18:47	1	1	1	1	127	59.5	0	26682.464	604.3010753	15894.05593	30000	0	0	30000	40.3125	2004
08.01.2020 11:18:48	1	1	1	1	127	60.25	0	26587.678	602.1505376	16066.9149	30000	0	0	30000	39.75	2004
08.01.2020 11:18:49	1	1	1	1	127	59.75	0	26635.071	602.1505376	16009.83883	30000	0	0	30000	40.375	2004
08.01.2020 11:18:50	1	1	1	1	127	60.25	0	26587.678	602.1505376	15894.87131	30000	0	0	30000	40.1875	2004
08.01.2020 11:18:51	1	1	1	1	126.5	60	0	26682.464	597.8494624	16066.9149	30000	0	0	30000	40.5	2004
08.01.2020 11:18:53	1	1	1	1	126.5	60.5	0	26445.498	602.1505376	16009.02346	30000	0	0	30000	40.3125	2004
08.01.2020 11:18:54	1	1	1	1	126.5	60.25	0	26398.104	597.8494624	15980.48542	30000	0	0	30000	39.5	2004
08.01.2020 11:18:55	1	1	1	1	126.5	59.5	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	39.9375	2004
08.01.2020 11:18:56	1	1	1	1	126.5	59.75	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	39.75	2004
08.01.2020 11:18:57	1	1	1	1	126.5	59.75	0	26540.284	602.1505376	15952.76275	30000	0	0	30000	40.5625	2004
08.01.2020 11:18:58	1	1	1	1	126.5	60.25	0	26492.891	602.1505376	15981.30079	30000	0	0	30000	40.25	2004
08.01.2020 11:18:59	1	1	1	1	126.5	60.25	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	40.125	2004
08.01.2020 11:19:00	1	1	1	1	126.5	60	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	39.75	2004
08.01.2020 11:19:01	1	1	1	1	127.3	59.75	0	26445.498	604.3010753	15951.94738	30000	0	0	30000	40.5	2004
08.01.2020 11:19:02	1	1	1	1	127.3	60.5	0	26587.678	604.3010753	16038.37687	30000	0	0	30000	40.5	2004
08.01.2020 11:19:03	1	1	1	1	127.3	60.5	0	26492.891	597.8494624	16038.37687	30000	0	0	30000	40.4375	2004
08.01.2020 11:19:04	1	1	1	1	127.3	60.25	0	26587.678	604.3010753	16066.9149	30000	0	0	30000	40.5	2004
08.01.2020 11:19:05	1	1	1	1	127.3	60.5	0	26540.284	602.1505376	16038.37687	30000	0	0	30000	40.5	2004
08.01.2020 11:19:06	1	1	1	1	127.3	60.5	0	26540.284	602.1505376	16181.06705	30000	0	0	30000	39.75	2004
08.01.2020 11:19:07	1	1	1	1	127.3	59.75	0	26492.891	604.3010753	15980.48542	30000	0	0	30000	40.4375	2004
08.01.2020 11:19:08	1	1	1	1	127.3	60.25	0	26445.498	602.1505376	15981.30079	30000	0	0	30000	39.8125	2004
08.01.2020 11:19:09	1	1	1	1	127.3	59.75	0	26492.891	606.4516129	16038.37687	30000	0	0	30000	40.625	2004
08.01.2020 11:19:10	1	1	1	1	127.3	60.5	0	26540.284	604.3010753	16038.37687	30000	0	0	30000	39.9375	2004
08.01.2020 11:19:11	1	1	1	1	127.5	59.75	0	26350.711	602.1505376	15668.19776	30000	0	0	30000	40.1875	2004
08.01.2020 11:19:12	1	1	1	1	127.5	60	0	26587.678	602.1505376	15951.94738	30000	0	0	30000	39.875	2004
08.01.2020 11:19:13	1	1	1	1	127.5	59.75	0	26398.104	602.1505376	15895.68668	30000	0	0	30000	40.4375	2004
08.01.2020 11:19:14	1	1	1	1	127.5	60.25	0	26540.284	597.8494624	15810.07257	30000	0	0	30000	39.9375	2004
08.01.2020 11:19:15	1	1	1	1	127.5	59.75	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	40.0625	2004
08.01.2020 11:19:16	1	1	1	1	127.5	60	0	26540.284	608.6021505	15895.68668	30000	0	0	30000	39.75	2004
08.01.2020 11:19:22	1	1	1	1	126.5	60	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	40.5625	2004
08.01.2020 11:19:22	1	1	1	1	126.5	60	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	40.5625	2004
08.01.2020 11:19:22	1	1	1	1	126.5	60	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	40.5625	2004
08.01.2020 11:19:22	1	1	1	1	126.5	60	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	40.5625	2004
08.01.2020 11:19:22	1	1	1	1	126.5	60	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	40.5625	2004
08.01.2020 11:19:22	1	1	1	1	126.5	60	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	40.5625	2004
08.01.2020 11:19:22	1	1	1	1	126.5	60	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	40.5625	2004
08.01.2020 11:19:23	1	1	1	1	126.5	60.5	0	26682.464	602.1505376	15894.87131	30000	0	0	30000	40.4375	2004
08.01.2020 11:19:24	1	1	1	1	126.5	60.25	0	26587.678	604.3010753	16066.9149	30000	0	0	30000	39.75	2004
08.01.2020 11:19:25	1	1	1	1	126.5	59.75	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	40.5	2004
08.01.2020 11:19:26	1	1	1	1	126.5	60.5	0	26587.678	602.1505376	16066.9149	30000	0	0	30000	40.3125	2004
08.01.2020 11:19:27	1	1	1	1	126.5	60.25	0	26587.678	604.3010753	16066.9149	30000	0	0	30000	39.875	2004
08.01.2020 11:19:28	1	1	1	1	126.5	59.75	0	26445.498	604.3010753	16037.56149	30000	0	0	30000	40	2004
08.01.2020 11:19:29	1	1	1	1	126.5	60	0	26635.071	602.1505376	16123.99098	30000	0	0	30000	40.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 11:19:30	1	1	1	1	126.5	60.5	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	39.6875	2004
08.01.2020 11:19:31	1	1	1	1	127	59.5	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	40.6875	2004
08.01.2020 11:19:33	1	1	1	1	127	60.5	0	26445.498	602.1505376	16123.1756	30000	0	0	30000	40.0625	2004
08.01.2020 11:19:34	1	1	1	1	127	60	0	26492.891	602.1505376	16009.02346	30000	0	0	30000	40.6875	2004
08.01.2020 11:19:35	1	1	1	1	127	60.5	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	40.625	2004
08.01.2020 11:19:36	1	1	1	1	127	60.5	0	26492.891	606.4516129	16038.37687	30000	0	0	30000	40.875	2004
08.01.2020 11:19:37	1	1	1	1	127	60.75	0	26540.284	604.3010753	16038.37687	30000	0	0	30000	40.1875	2004
08.01.2020 11:19:38	1	1	1	1	127	60	0	26445.498	606.4516129	15895.68668	30000	0	0	30000	40.5625	2004
08.01.2020 11:19:39	1	1	1	1	127	59.25	0	26540.284	602.1505376	16038.37687	30000	0	0	30000	40.4375	2004
08.01.2020 11:19:40	1	1	1	1	127	60.25	0	26682.464	602.1505376	16009.83883	30000	0	0	30000	40.6875	2004
08.01.2020 11:19:41	1	1	1	1	127.5	60.5	0	26540.284	606.4516129	16038.37687	30000	0	0	30000	40.25	2004
08.01.2020 11:19:42	1	1	1	1	127.5	60.25	0	26587.678	602.1505376	16066.9149	30000	0	0	30000	40.5	2004
08.01.2020 11:19:43	1	1	1	1	127.5	60.5	0	26635.071	602.1505376	16009.83883	30000	0	0	30000	40.3125	2004
08.01.2020 11:19:44	1	1	1	1	127.5	60.25	0	26729.858	602.1505376	16009.02346	30000	0	0	30000	40.625	2004
08.01.2020 11:19:45	1	1	1	1	127.5	60.5	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	40.6875	2004
08.01.2020 11:19:46	1	1	1	1	127.5	60.5	0	26350.711	604.3010753	15923.40934	30000	0	0	30000	40.3125	2004
08.01.2020 11:19:47	1	1	1	1	127.5	60.25	0	26540.284	602.1505376	15924.22472	30000	0	0	30000	39.625	2004
08.01.2020 11:19:48	1	1	1	1	127.5	59.5	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	40.3125	2004
08.01.2020 11:19:49	1	1	1	1	127.5	60.25	0	26587.678	604.3010753	16066.9149	30000	0	0	30000	40.3125	2004
08.01.2020 11:19:50	1	1	1	1	127.5	60.25	0	26398.104	606.4516129	15867.14864	30000	0	0	30000	39.9375	2004
08.01.2020 11:19:51	1	1	1	1	127.3	59.75	0	26350.711	602.1505376	15895.68668	30000	0	0	30000	40.625	2004
08.01.2020 11:19:52	1	1	1	1	127.3	60.5	0	26350.711	604.3010753	15980.48542	30000	0	0	30000	40.625	2004
08.01.2020 11:19:53	1	1	1	1	127.3	60.5	0	26398.104	606.4516129	15951.94738	30000	0	0	30000	40.5	2004
08.01.2020 11:19:54	1	1	1	1	127.3	60.5	0	26587.678	608.6021505	16038.37687	30000	0	0	30000	40	2004
08.01.2020 11:19:55	1	1	1	1	127.3	60	0	26540.284	606.4516129	16038.37687	30000	0	0	30000	40.625	2004
08.01.2020 11:19:56	1	1	1	1	127.3	60.5	0	26540.284	604.3010753	16038.37687	30000	0	0	30000	40.1875	2004
08.01.2020 11:19:57	1	1	1	1	127.3	60	0	26398.104	606.4516129	16009.02346	30000	0	0	30000	40.3125	2004
08.01.2020 11:19:58	1	1	1	1	127.3	60.25	0	26492.891	602.1505376	15981.30079	30000	0	0	30000	40.5625	2004
08.01.2020 11:19:59	1	1	1	1	127.3	60.5	0	26540.284	604.3010753	15981.30079	30000	0	0	30000	40.6875	2004
08.01.2020 11:20:00	1	1	1	1	127.3	60.5	0	26445.498	602.1505376	16123.1756	30000	0	0	30000	40.3125	2004
08.01.2020 11:20:01	1	1	1	1	127.3	60.25	0	26398.104	604.3010753	15951.94738	30000	0	0	30000	40.625	2004
08.01.2020 11:20:02	1	1	1	1	127.3	60.5	0	26540.284	604.3010753	16038.37687	30000	0	0	30000	40.6875	2004
08.01.2020 11:20:03	1	1	1	1	127.3	60.5	0	26540.284	604.3010753	16038.37687	30000	0	0	30000	40.5	2004
08.01.2020 11:20:04	1	1	1	1	127.3	60.5	0	26398.104	604.3010753	16009.02346	30000	0	0	30000	40.625	2004
08.01.2020 11:20:05	1	1	1	1	127.3	60.5	0	26398.104	610.7526882	16036.74612	30000	0	0	30000	40.625	2004
08.01.2020 11:20:06	1	1	1	1	127.3	60.5	0	26398.104	604.3010753	15895.68668	30000	0	0	30000	40.625	2004
08.01.2020 11:20:07	1	1	1	1	127.3	60.5	0	26587.678	602.1505376	16066.9149	30000	0	0	30000	40.625	2004
08.01.2020 11:20:08	1	1	1	1	127.3	60.5	0	26492.891	604.3010753	15980.48542	30000	0	0	30000	40.3125	2004
08.01.2020 11:20:09	1	1	1	1	127.3	60.25	0	26398.104	602.1505376	15895.68668	30000	0	0	30000	40.5625	2004
08.01.2020 11:20:10	1	1	1	1	127.3	60.5	0	26445.498	606.4516129	16038.37687	30000	0	0	30000	40.6875	2004
08.01.2020 11:20:12	1	1	1	1	127.5	60.5	0	26445.498	606.4516129	16037.56149	30000	0	0	30000	40.5625	2004
08.01.2020 11:20:13	1	1	1	1	127.5	60.5	0	26492.891	606.4516129	15838.61061	30000	0	0	30000	40.875	2004
08.01.2020 11:20:14	1	1	1	1	127.5	60.75	0	26492.891	604.3010753	15980.48542	30000	0	0	30000	40.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 11:20:15	1	1	1	1	127.5	60	0	26398.104	604.3010753	15951.94738	30000	0	0	30000	40.6875	2004
08.01.2020 11:20:16	1	1	1	1	127.5	60.5	0	26492.891	606.4516129	16009.02346	30000	0	0	30000	40.875	2004
08.01.2020 11:20:17	1	1	1	1	127.5	60.75	0	26350.711	608.6021505	16036.74612	30000	0	0	30000	41.0625	2004
08.01.2020 11:20:18	1	1	1	1	127.5	60	0	26350.711	606.4516129	16008.20808	30000	0	0	30000	40.875	2004
08.01.2020 11:20:24	1	1	1	1	127.3	60.25	0	26398.104	606.4516129	16065.28416	30000	0	0	30000	40.625	2004
08.01.2020 11:20:24	1	1	1	1	127.3	60.25	0	26398.104	606.4516129	16065.28416	30000	0	0	30000	40.625	2004
08.01.2020 11:20:24	1	1	1	1	127.3	60.25	0	26398.104	606.4516129	16065.28416	30000	0	0	30000	40.625	2004
08.01.2020 11:20:24	1	1	1	1	127.3	60.25	0	26398.104	606.4516129	16065.28416	30000	0	0	30000	40.625	2004
08.01.2020 11:20:24	1	1	1	1	127.3	60.25	0	26398.104	606.4516129	16065.28416	30000	0	0	30000	40.625	2004
08.01.2020 11:20:24	1	1	1	1	127.3	60.25	0	26398.104	606.4516129	16065.28416	30000	0	0	30000	40.625	2004
08.01.2020 11:20:24	1	1	1	1	127.3	60.25	0	26398.104	606.4516129	16065.28416	30000	0	0	30000	40.625	2004
08.01.2020 11:20:25	1	1	1	1	127.3	60.5	0	26303.318	606.4516129	15951.13201	30000	0	0	30000	40.75	2004
08.01.2020 11:20:26	1	1	1	1	127.3	60.75	0	26303.318	608.6021505	16064.46878	30000	0	0	30000	40.375	2004
08.01.2020 11:20:27	1	1	1	1	127.3	60.25	0	26113.744	602.1505376	16120.72949	30000	0	0	30000	40.3125	2004
08.01.2020 11:20:28	1	1	1	1	127.3	60.25	0	26113.744	602.1505376	15894.05593	30000	0	0	30000	40.25	2004
08.01.2020 11:20:29	1	1	1	1	127.3	60.25	0	26113.744	606.4516129	16035.93075	30000	0	0	30000	40.875	2004
08.01.2020 11:20:30	1	1	1	1	127.3	60.75	0	26350.711	608.6021505	16008.20808	30000	0	0	30000	40.6875	2004
08.01.2020 11:20:31	1	1	1	1	127	60.5	0	26208.531	610.7526882	16006.57734	30000	0	0	30000	40.6875	2004
08.01.2020 11:20:32	1	1	1	1	127	60.5	0	26113.744	610.7526882	15948.68589	30000	0	0	30000	40.5	2004
08.01.2020 11:20:33	1	1	1	1	127	60.5	0	26350.711	608.6021505	16008.20808	30000	0	0	30000	40.625	2004
08.01.2020 11:20:34	1	1	1	1	127	60.5	0	26350.711	608.6021505	16008.20808	30000	0	0	30000	40.5625	2004
08.01.2020 11:20:35	1	1	1	1	127	60.5	0	26303.318	604.3010753	15951.13201	30000	0	0	30000	40.5	2004
08.01.2020 11:20:36	1	1	1	1	127	60.5	0	26303.318	604.3010753	16093.82219	30000	0	0	30000	40.5	2004
08.01.2020 11:20:37	1	1	1	1	127	60.5	0	26208.531	608.6021505	16035.93075	30000	0	0	30000	40.0625	2004
08.01.2020 11:20:38	1	1	1	1	127	60	0	26255.924	606.4516129	15978.85467	30000	0	0	30000	40.5	2004
08.01.2020 11:20:39	1	1	1	1	127	60.5	0	26113.744	604.3010753	15950.31664	30000	0	0	30000	40.6875	2004
08.01.2020 11:20:40	1	1	1	1	127	60.5	0	26303.318	610.7526882	16064.46878	30000	0	0	30000	40.6875	2004
08.01.2020 11:20:41	1	1	1	1	127	60.5	0	26208.531	608.6021505	15978.85467	30000	0	0	30000	40.75	2004
08.01.2020 11:20:42	1	1	1	1	127	60.75	0	26113.744	610.7526882	15948.68589	30000	0	0	30000	40.125	2004
08.01.2020 11:20:43	1	1	1	1	127	60	0	26255.924	610.7526882	16120.72949	30000	0	0	30000	40.8125	2004
08.01.2020 11:20:44	1	1	1	1	127	60.75	0	26208.531	606.4516129	15894.05593	30000	0	0	30000	40.375	2004
08.01.2020 11:20:45	1	1	1	1	127	60.25	0	26113.744	610.7526882	15892.42519	30000	0	0	30000	40.8125	2004
08.01.2020 11:20:46	1	1	1	1	127	60.75	0	26398.104	606.4516129	15923.40934	30000	0	0	30000	40.75	2004
08.01.2020 11:20:47	1	1	1	1	127	60.75	0	26113.744	608.6021505	15948.68589	30000	0	0	30000	40.625	2004
08.01.2020 11:20:48	1	1	1	1	127	60.5	0	26303.318	608.6021505	15724.45846	30000	0	0	30000	40.375	2004
08.01.2020 11:20:49	1	1	1	1	127	60.25	0	26445.498	606.4516129	16065.28416	30000	0	0	30000	39.9375	2004
08.01.2020 11:20:51	1	1	1	1	127	59.75	0	26350.711	606.4516129	15894.87131	30000	0	0	30000	40.75	2004
08.01.2020 11:20:52	1	1	1	1	127	60.75	0	26303.318	617.2043011	16035.93075	30000	0	0	30000	39.8125	2004
08.01.2020 11:20:53	1	1	1	1	127	59.75	0	26350.711	606.4516129	15894.87131	30000	0	0	30000	40.375	2004
08.01.2020 11:20:54	1	1	1	1	127	60.25	0	26350.711	606.4516129	16008.20808	30000	0	0	30000	40.6875	2004
08.01.2020 11:20:55	1	1	1	1	127	60.5	0	26350.711	608.6021505	15894.87131	30000	0	0	30000	41.0625	2004
08.01.2020 11:20:56	1	1	1	1	127	61	0	26303.318	606.4516129	15894.87131	30000	0	0	30000	40.8125	2004
08.01.2020 11:20:57	1	1	1	1	127	60.75	0	26445.498	610.7526882	16037.56149	30000	0	0	30000	41.125	2004
08.01.2020 11:20:58	1	1	1	1	127	60.5	0	26445.498	604.3010753	16009.02346	30000	0	0	30000	41	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 11:20:59	1	1	1	1	127	61	0	26492.891	606.4516129	16095.45294	30000	0	0	30000	40.1875	2004
08.01.2020 11:21:00	1	1	1	1	127	60	0	26445.498	602.1505376	15924.22472	30000	0	0	30000	39.8125	2004
08.01.2020 11:21:01	1	1	1	1	127	59.75	0	26445.498	595.6989247	16152.52901	30000	0	0	30000	40.75	2004
08.01.2020 11:21:02	1	1	1	1	127	60.75	0	26540.284	606.4516129	16352.29527	30000	0	0	30000	40.4375	2004
08.01.2020 11:21:03	1	1	1	1	127	60.25	0	26445.498	604.3010753	15951.94738	30000	0	0	30000	40.75	2004
08.01.2020 11:21:04	1	1	1	1	127	60.75	0	26540.284	604.3010753	16038.37687	30000	0	0	30000	40.5625	2004
08.01.2020 11:21:05	1	1	1	1	127	60.5	0	26445.498	602.1505376	16009.02346	30000	0	0	30000	39.6875	2004
08.01.2020 11:21:06	1	1	1	1	127	59.5	0	26398.104	606.4516129	15923.40934	30000	0	0	30000	40.5625	2004
08.01.2020 11:21:07	1	1	1	1	127	60.5	0	26492.891	606.4516129	16009.02346	30000	0	0	30000	40.75	2004
08.01.2020 11:21:08	1	1	1	1	127	60.75	0	26492.891	604.3010753	16038.37687	30000	0	0	30000	40.4375	2004
08.01.2020 11:21:09	1	1	1	1	127	60.25	0	26492.891	606.4516129	15980.48542	30000	0	0	30000	40.0625	2004
08.01.2020 11:21:10	1	1	1	1	127	60	0	26540.284	604.3010753	15924.22472	30000	0	0	30000	40.875	2004
08.01.2020 11:21:11	1	1	1	1	127	60.75	0	26682.464	604.3010753	16066.9149	30000	0	0	30000	40.375	2004
08.01.2020 11:21:12	1	1	1	1	127	60.25	0	26445.498	604.3010753	16009.02346	30000	0	0	30000	39.1875	2004
08.01.2020 11:21:13	1	1	1	1	127	59	0	26492.891	606.4516129	16038.37687	30000	0	0	30000	41	2004
08.01.2020 11:21:14	1	1	1	1	127	61	0	26398.104	602.1505376	15838.61061	30000	0	0	30000	40	2004
08.01.2020 11:21:15	1	1	1	1	127	60	0	26540.284	602.1505376	16009.83883	30000	0	0	30000	40.8125	2004
08.01.2020 11:21:16	1	1	1	1	127	60.75	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	40.9375	2004
08.01.2020 11:21:17	1	1	1	1	127	60.75	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	40.875	2004
08.01.2020 11:21:18	1	1	1	1	127	60.75	0	26635.071	602.1505376	16009.83883	30000	0	0	30000	40.6875	2004
08.01.2020 11:21:19	1	1	1	1	127	60.5	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	40.375	2004
08.01.2020 11:21:25	1	1	1	1	127.3	60.75	0	26492.891	602.1505376	15981.30079	30000	0	0	30000	40.5625	2004
08.01.2020 11:21:25	1	1	1	1	127.3	60.75	0	26492.891	602.1505376	15981.30079	30000	0	0	30000	40.5625	2004
08.01.2020 11:21:25	1	1	1	1	127.3	60.75	0	26492.891	602.1505376	15981.30079	30000	0	0	30000	40.5625	2004
08.01.2020 11:21:25	1	1	1	1	127.3	60.75	0	26492.891	602.1505376	15981.30079	30000	0	0	30000	40.5625	2004
08.01.2020 11:21:25	1	1	1	1	127.3	60.75	0	26492.891	602.1505376	15981.30079	30000	0	0	30000	40.5625	2004
08.01.2020 11:21:25	1	1	1	1	127.3	60.75	0	26492.891	602.1505376	15981.30079	30000	0	0	30000	40.5625	2004
08.01.2020 11:21:26	1	1	1	1	127.3	60.75	0	26492.891	602.1505376	15981.30079	30000	0	0	30000	40.5625	2004
08.01.2020 11:21:26	1	1	1	1	127.3	60.5	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	40.5625	2004
08.01.2020 11:21:27	1	1	1	1	127.3	60.5	0	26587.678	602.1505376	16181.06705	30000	0	0	30000	40.875	2004
08.01.2020 11:21:28	1	1	1	1	127.3	60.75	0	26398.104	602.1505376	15895.68668	30000	0	0	30000	40.8125	2004
08.01.2020 11:21:29	1	1	1	1	127.3	60.75	0	26682.464	602.1505376	16009.02346	30000	0	0	30000	40.5625	2004
08.01.2020 11:21:31	1	1	1	1	127.3	60.5	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	40.6875	2004
08.01.2020 11:21:32	1	1	1	1	127.3	60.5	0	26777.251	602.1505376	16123.99098	30000	0	0	30000	40.8125	2004
08.01.2020 11:21:33	1	1	1	1	127.3	60.75	0	26777.251	602.1505376	16066.9149	30000	0	0	30000	40.6875	2004
08.01.2020 11:21:34	1	1	1	1	127.3	60.5	0	26682.464	602.1505376	16123.99098	30000	0	0	30000	40.4375	2004
08.01.2020 11:21:35	1	1	1	1	127.3	60.25	0	26492.891	602.1505376	15952.76275	30000	0	0	30000	40.6875	2004
08.01.2020 11:21:36	1	1	1	1	127.3	60.5	0	26587.678	602.1505376	16066.9149	30000	0	0	30000	40.75	2004
08.01.2020 11:21:37	1	1	1	1	127.3	60.75	0	26492.891	602.1505376	15952.76275	30000	0	0	30000	40.25	2004
08.01.2020 11:21:38	1	1	1	1	127.3	61	0	26445.498	604.3010753	15980.48542	30000	0	0	30000	40.1875	2004
08.01.2020 11:21:39	1	1	1	1	127.3	60	0	26540.284	602.1505376	16038.37687	30000	0	0	30000	40.625	2004
08.01.2020 11:21:40	1	1	1	1	127.3	60.5	0	26492.891	602.1505376	15952.76275	30000	0	0	30000	39.75	2004
08.01.2020 11:21:41	1	1	1	1	127.8	59.75	0	26540.284	606.4516129	16038.37687	30000	0	0	30000	40.3125	2004
08.01.2020 11:21:42	1	1	1	1	127.8	60.25	0	26540.284	597.8494624	15924.22472	30000	0	0	30000	39.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 11:21:43	1	1	1	1	127.8	59.75	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	41	2004
08.01.2020 11:21:44	1	1	1	1	127.8	61	0	26587.678	597.8494624	16123.99098	30000	0	0	30000	40.9375	2004
08.01.2020 11:21:45	1	1	1	1	127.8	60.75	0	26492.891	602.1505376	15952.76275	30000	0	0	30000	40.75	2004
08.01.2020 11:21:46	1	1	1	1	127.8	60.75	0	26540.284	606.4516129	15981.30079	30000	0	0	30000	40.875	2004
08.01.2020 11:21:47	1	1	1	1	127.8	60.75	0	26492.891	604.3010753	15924.22472	30000	0	0	30000	40.8125	2004
08.01.2020 11:21:48	1	1	1	1	127.8	60.75	0	26445.498	597.8494624	15952.76275	30000	0	0	30000	40.875	2004
08.01.2020 11:21:49	1	1	1	1	127.8	60.75	0	26398.104	602.1505376	16123.1756	30000	0	0	30000	40.9375	2004
08.01.2020 11:21:50	1	1	1	1	127.8	60.75	0	26492.891	604.3010753	16095.45294	30000	0	0	30000	40.5625	2004
08.01.2020 11:21:51	1	1	1	1	127.3	60.5	0	26445.498	604.3010753	16009.02346	30000	0	0	30000	40.4375	2004
08.01.2020 11:21:52	1	1	1	1	127.3	60.25	0	26540.284	606.4516129	16038.37687	30000	0	0	30000	40.875	2004
08.01.2020 11:21:53	1	1	1	1	127.3	60.75	0	26540.284	602.1505376	16038.37687	30000	0	0	30000	40.75	2004
08.01.2020 11:21:54	1	1	1	1	127.3	60.75	0	26350.711	602.1505376	15951.94738	30000	0	0	30000	40.625	2004
08.01.2020 11:21:55	1	1	1	1	127.3	60.5	0	26540.284	602.1505376	16238.14313	30000	0	0	30000	40.0625	2004
08.01.2020 11:21:56	1	1	1	1	127.3	60	0	26540.284	604.3010753	16038.37687	30000	0	0	30000	40.9375	2004
08.01.2020 11:21:57	1	1	1	1	127.3	60.75	0	26587.678	604.3010753	16066.9149	30000	0	0	30000	40.875	2004
08.01.2020 11:21:58	1	1	1	1	127.3	60.75	0	26540.284	604.3010753	16038.37687	30000	0	0	30000	40.875	2004
08.01.2020 11:21:59	1	1	1	1	127.3	60.75	0	26445.498	602.1505376	15924.22472	30000	0	0	30000	39.75	2004
08.01.2020 11:22:00	1	1	1	1	127.3	59.75	0	26682.464	602.1505376	16123.99098	30000	0	0	30000	40.625	2004
08.01.2020 11:22:01	1	1	1	1	127	60.5	0	26398.104	606.4516129	16009.02346	30000	0	0	30000	40.875	2004
08.01.2020 11:22:02	1	1	1	1	127	60.75	0	26540.284	604.3010753	16038.37687	30000	0	0	30000	40.9375	2004
08.01.2020 11:22:03	1	1	1	1	127	60.75	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	40.4375	2004
08.01.2020 11:22:04	1	1	1	1	127	60.25	0	26587.678	604.3010753	16123.99098	30000	0	0	30000	41.0625	2004
08.01.2020 11:22:05	1	1	1	1	127	61	0	26492.891	602.1505376	16038.37687	30000	0	0	30000	40.3125	2004
08.01.2020 11:22:06	1	1	1	1	127	60.25	0	26445.498	602.1505376	15838.61061	30000	0	0	30000	40	2004
08.01.2020 11:22:07	1	1	1	1	127	60	0	26540.284	604.3010753	16038.37687	30000	0	0	30000	40.8125	2004
08.01.2020 11:22:09	1	1	1	1	127	60.75	0	26587.678	604.3010753	16066.9149	30000	0	0	30000	41.125	2004
08.01.2020 11:22:10	1	1	1	1	127	61	0	26587.678	604.3010753	16066.9149	30000	0	0	30000	40.9375	2004
08.01.2020 11:22:11	1	1	1	1	127	60.75	0	26445.498	604.3010753	16095.45294	30000	0	0	30000	40.375	2004
08.01.2020 11:22:12	1	1	1	1	127	60.25	0	26445.498	606.4516129	16266.68116	30000	0	0	30000	40.1875	2004
08.01.2020 11:22:13	1	1	1	1	127	60	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	41	2004
08.01.2020 11:22:14	1	1	1	1	127	61	0	26540.284	602.1505376	16038.37687	30000	0	0	30000	41	2004
08.01.2020 11:22:15	1	1	1	1	127	60.5	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	41.0625	2004
08.01.2020 11:22:16	1	1	1	1	127	61	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	40.9375	2004
08.01.2020 11:22:17	1	1	1	1	127	60.75	0	26445.498	602.1505376	15924.22472	30000	0	0	30000	40.75	2004
08.01.2020 11:22:18	1	1	1	1	127	60.75	0	26492.891	593.5483871	15981.30079	30000	0	0	30000	41.0625	2004
08.01.2020 11:22:19	1	1	1	1	127	61	0	26540.284	602.1505376	15924.22472	30000	0	0	30000	41.0625	2004
08.01.2020 11:22:20	1	1	1	1	127	61	0	26587.678	597.8494624	16009.83883	30000	0	0	30000	41	2004
08.01.2020 11:22:21	1	1	1	1	127	61	0	26635.071	602.1505376	16066.9149	30000	0	0	30000	41	2004
08.01.2020 11:22:27	1	1	1	1	127	61	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	41.0625	2004
08.01.2020 11:22:27	1	1	1	1	127	61	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	41.0625	2004
08.01.2020 11:22:27	1	1	1	1	127	61	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	41.0625	2004
08.01.2020 11:22:27	1	1	1	1	127	61	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	41.0625	2004
08.01.2020 11:22:27	1	1	1	1	127	61	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	41.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 11:22:27	1	1	1	1	127	61	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	41.0625	2004
08.01.2020 11:22:28	1	1	1	1	127	61	0	26445.498	602.1505376	15952.76275	30000	0	0	30000	40.875	2004
08.01.2020 11:22:29	1	1	1	1	127	60.75	0	26445.498	597.8494624	15981.30079	30000	0	0	30000	40.5625	2004
08.01.2020 11:22:30	1	1	1	1	127	60.5	0	26540.284	600	15981.30079	30000	0	0	30000	40.9375	2004
08.01.2020 11:22:31	1	1	1	1	126.5	60.75	0	26587.678	602.1505376	16123.99098	30000	0	0	30000	41.0625	2004
08.01.2020 11:22:32	1	1	1	1	126.5	61	0	26398.104	604.3010753	15895.68668	30000	0	0	30000	40.6875	2004
08.01.2020 11:22:33	1	1	1	1	126.5	60.5	0	26540.284	602.1505376	16038.37687	30000	0	0	30000	40.625	2004
08.01.2020 11:22:34	1	1	1	1	126.5	60.5	0	26587.678	604.3010753	16038.37687	30000	0	0	30000	40.75	2004
08.01.2020 11:22:35	1	1	1	1	126.5	60.75	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	40.9375	2004
08.01.2020 11:22:36	1	1	1	1	126.5	60.75	0	26492.891	597.8494624	15924.22472	30000	0	0	30000	40.6875	2004
08.01.2020 11:22:37	1	1	1	1	126.5	60.5	0	26682.464	595.6989247	15894.05593	30000	0	0	30000	41	2004
08.01.2020 11:22:38	1	1	1	1	126.5	61	0	26824.645	595.6989247	15978.85467	30000	0	0	30000	40.625	2004
08.01.2020 11:22:39	1	1	1	1	126.5	60.5	0	26777.251	595.6989247	16008.20808	30000	0	0	30000	41.0625	2004
08.01.2020 11:22:40	1	1	1	1	126.5	61	0	26777.251	597.8494624	15951.13201	30000	0	0	30000	40.8125	2004
08.01.2020 11:22:41	1	1	1	1	126.5	60.75	0	26682.464	595.6989247	15836.97986	30000	0	0	30000	40.875	2004
08.01.2020 11:22:42	1	1	1	1	126.5	60.75	0	26777.251	602.1505376	16066.09953	30000	0	0	30000	40.9375	2004
08.01.2020 11:22:43	1	1	1	1	126.5	60.75	0	26682.464	597.8494624	16008.20808	30000	0	0	30000	41	2004
08.01.2020 11:22:44	1	1	1	1	126.5	61	0	26682.464	597.8494624	15894.05593	30000	0	0	30000	40.375	2004
08.01.2020 11:22:45	1	1	1	1	126.5	60.25	0	26587.678	597.8494624	15951.94738	30000	0	0	30000	40.9375	2004
08.01.2020 11:22:47	1	1	1	1	126.5	60.75	0	26682.464	595.6989247	15951.94738	30000	0	0	30000	41	2004
08.01.2020 11:22:48	1	1	1	1	126.5	61	0	26682.464	597.8494624	15951.94738	30000	0	0	30000	40.875	2004
08.01.2020 11:22:49	1	1	1	1	126.5	60.75	0	26635.071	597.8494624	16066.9149	30000	0	0	30000	40.5625	2004
08.01.2020 11:22:50	1	1	1	1	126.5	60.5	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	41	2004
08.01.2020 11:22:51	1	1	1	1	126.5	61	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	41	2004
08.01.2020 11:22:52	1	1	1	1	127	61	0	26587.678	602.1505376	16095.45294	30000	0	0	30000	41.0625	2004
08.01.2020 11:22:53	1	1	1	1	127	61	0	26540.284	602.1505376	16038.37687	30000	0	0	30000	40.9375	2004
08.01.2020 11:22:54	1	1	1	1	127	60.75	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	40.9375	2004
08.01.2020 11:22:55	1	1	1	1	127	61.25	0	26492.891	604.3010753	15981.30079	30000	0	0	30000	41.0625	2004
08.01.2020 11:22:56	1	1	1	1	127	61	0	26492.891	602.1505376	16009.02346	30000	0	0	30000	41.125	2004
08.01.2020 11:22:57	1	1	1	1	127	61	0	26492.891	604.3010753	16038.37687	30000	0	0	30000	40.4375	2004
08.01.2020 11:22:58	1	1	1	1	127	60.25	0	26445.498	604.3010753	16009.02346	30000	0	0	30000	41.125	2004
08.01.2020 11:22:59	1	1	1	1	127	61	0	26540.284	602.1505376	16038.37687	30000	0	0	30000	40.125	2004
08.01.2020 11:23:00	1	1	1	1	127	60	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	41.125	2004
08.01.2020 11:23:01	1	1	1	1	127	61	0	26540.284	604.3010753	16066.9149	30000	0	0	30000	40.8125	2004
08.01.2020 11:23:02	1	1	1	1	127	60.75	0	26398.104	602.1505376	15980.48542	30000	0	0	30000	41	2004
08.01.2020 11:23:03	1	1	1	1	127	61	0	26445.498	604.3010753	15951.94738	30000	0	0	30000	40.1875	2004
08.01.2020 11:23:04	1	1	1	1	127	60	0	26492.891	602.1505376	15952.76275	30000	0	0	30000	41.0625	2004
08.01.2020 11:23:05	1	1	1	1	127	61	0	26492.891	606.4516129	16152.52901	30000	0	0	30000	40.8125	2004
08.01.2020 11:23:06	1	1	1	1	127	60.75	0	26445.498	608.6021505	16152.52901	30000	0	0	30000	41.0625	2004
08.01.2020 11:23:07	1	1	1	1	127	61	0	26350.711	610.7526882	16179.43631	30000	0	0	30000	40.375	2004
08.01.2020 11:23:08	1	1	1	1	127	60.25	0	26492.891	606.4516129	16209.60509	30000	0	0	30000	40.75	2004
08.01.2020 11:23:09	1	1	1	1	127	60.75	0	26398.104	604.3010753	16207.97434	30000	0	0	30000	41.1875	2004
08.01.2020 11:23:10	1	1	1	1	127	61	0	26350.711	604.3010753	16009.02346	30000	0	0	30000	40.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 11:23:11	1	1	1	1	126.8	60.75	0	26445.498	606.4516129	15980.48542	30000	0	0	30000	40.5625	2004
08.01.2020 11:23:12	1	1	1	1	126.8	60.5	0	26303.318	604.3010753	15951.13201	30000	0	0	30000	40.4375	2004
08.01.2020 11:23:13	1	1	1	1	126.8	60.25	0	26350.711	610.7526882	16120.72949	30000	0	0	30000	41.0625	2004
08.01.2020 11:23:14	1	1	1	1	126.8	61	0	26303.318	604.3010753	16008.20808	30000	0	0	30000	41.125	2004
08.01.2020 11:23:15	1	1	1	1	126.8	61	0	26445.498	608.6021505	16094.63757	30000	0	0	30000	41	2004
08.01.2020 11:23:16	1	1	1	1	126.8	61	0	26350.711	606.4516129	16065.28416	30000	0	0	30000	40.625	2004
08.01.2020 11:23:17	1	1	1	1	126.8	60.5	0	26303.318	604.3010753	15923.40934	30000	0	0	30000	40.4375	2004
08.01.2020 11:23:18	1	1	1	1	126.8	60.25	0	26398.104	604.3010753	15951.94738	30000	0	0	30000	40	2004
08.01.2020 11:23:19	1	1	1	1	126.8	60	0	26540.284	602.1505376	15781.53453	30000	0	0	30000	41.125	2004
08.01.2020 11:23:20	1	1	1	1	126.8	61	0	26540.284	606.4516129	15981.30079	30000	0	0	30000	41.0625	2004
08.01.2020 11:23:21	1	1	1	1	127	61	0	26398.104	604.3010753	15951.94738	30000	0	0	30000	40.3125	2004
08.01.2020 11:23:22	1	1	1	1	127	60.25	0	26445.498	604.3010753	16009.02346	30000	0	0	30000	39.8125	2004
08.01.2020 11:23:29	1	1	1	1	127	61	0	26445.498	602.1505376	15895.68668	30000	0	0	30000	41.1875	2004
08.01.2020 11:23:29	1	1	1	1	127	61	0	26445.498	602.1505376	15895.68668	30000	0	0	30000	41.1875	2004
08.01.2020 11:23:29	1	1	1	1	127	61	0	26445.498	602.1505376	15895.68668	30000	0	0	30000	41.1875	2004
08.01.2020 11:23:29	1	1	1	1	127	61	0	26445.498	602.1505376	15895.68668	30000	0	0	30000	41.1875	2004
08.01.2020 11:23:29	1	1	1	1	127	61	0	26445.498	602.1505376	15895.68668	30000	0	0	30000	41.1875	2004
08.01.2020 11:23:29	1	1	1	1	127	61	0	26445.498	602.1505376	15895.68668	30000	0	0	30000	41.1875	2004
08.01.2020 11:23:30	1	1	1	1	127	61	0	26540.284	602.1505376	16009.83883	30000	0	0	30000	41	2004
08.01.2020 11:23:31	1	1	1	1	127	61	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	41.1875	2004
08.01.2020 11:23:32	1	1	1	1	126.5	61	0	26682.464	606.4516129	16066.9149	30000	0	0	30000	41.375	2004
08.01.2020 11:23:33	1	1	1	1	126.5	60.75	0	26540.284	602.1505376	15924.22472	30000	0	0	30000	40.9375	2004
08.01.2020 11:23:34	1	1	1	1	126.5	60.75	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	41	2004
08.01.2020 11:23:35	1	1	1	1	126.5	61	0	26492.891	597.8494624	15810.07257	30000	0	0	30000	41.25	2004
08.01.2020 11:23:36	1	1	1	1	126.5	61.25	0	26492.891	604.3010753	16038.37687	30000	0	0	30000	41.25	2004
08.01.2020 11:23:37	1	1	1	1	126.5	61.25	0	26492.891	602.1505376	15981.30079	30000	0	0	30000	40.4375	2004
08.01.2020 11:23:38	1	1	1	1	126.5	60.25	0	26445.498	606.4516129	16094.63757	30000	0	0	30000	40.9375	2004
08.01.2020 11:23:39	1	1	1	1	126.5	60.75	0	26492.891	604.3010753	16066.09953	30000	0	0	30000	39.6875	2004
08.01.2020 11:23:40	1	1	1	1	126.5	59.5	0	26303.318	602.1505376	15838.61061	30000	0	0	30000	41	2004
08.01.2020 11:23:41	1	1	1	1	126.8	61	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	41.3125	2004
08.01.2020 11:23:42	1	1	1	1	126.8	61.25	0	26492.891	602.1505376	16038.37687	30000	0	0	30000	41.1875	2004
08.01.2020 11:23:43	1	1	1	1	126.8	61	0	26587.678	606.4516129	16152.52901	30000	0	0	30000	40.8125	2004
08.01.2020 11:23:44	1	1	1	1	126.8	60.75	0	26587.678	606.4516129	16181.06705	30000	0	0	30000	41.0625	2004
08.01.2020 11:23:45	1	1	1	1	126.8	61	0	26445.498	604.3010753	15980.48542	30000	0	0	30000	41.25	2004
08.01.2020 11:23:46	1	1	1	1	126.8	61.25	0	26445.498	604.3010753	15980.48542	30000	0	0	30000	39.9375	2004
08.01.2020 11:23:47	1	1	1	1	126.8	59.75	0	26303.318	610.7526882	16008.20808	30000	0	0	30000	40.6875	2004
08.01.2020 11:23:48	1	1	1	1	126.8	60.5	0	26303.318	606.4516129	16008.20808	30000	0	0	30000	41.1875	2004
08.01.2020 11:23:49	1	1	1	1	126.8	61	0	26350.711	606.4516129	15894.87131	30000	0	0	30000	41.125	2004
08.01.2020 11:23:50	1	1	1	1	126.8	61	0	26540.284	608.6021505	16152.52901	30000	0	0	30000	41	2004
08.01.2020 11:23:51	1	1	1	1	127	61	0	26445.498	606.4516129	15951.94738	30000	0	0	30000	40.8125	2004
08.01.2020 11:23:52	1	1	1	1	127	60.75	0	26350.711	606.4516129	15894.87131	30000	0	0	30000	41.0625	2004
08.01.2020 11:23:53	1	1	1	1	127	61	0	26350.711	608.6021505	15951.13201	30000	0	0	30000	41.3125	2004
08.01.2020 11:23:54	1	1	1	1	127	61.25	0	26255.924	604.3010753	16008.20808	30000	0	0	30000	40.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 11:23:55	1	1	1	1	127	60.5	0	26208.531	608.6021505	15978.85467	30000	0	0	30000	41.3125	2004
08.01.2020 11:23:56	1	1	1	1	127	61.25	0	26113.744	610.7526882	15950.31664	30000	0	0	30000	40.4375	2004
08.01.2020 11:23:57	1	1	1	1	127	60.25	0	26350.711	608.6021505	16008.20808	30000	0	0	30000	40.875	2004
08.01.2020 11:23:58	1	1	1	1	127	60.75	0	26303.318	604.3010753	15866.33327	30000	0	0	30000	41.375	2004
08.01.2020 11:23:59	1	1	1	1	127	61.25	0	26303.318	608.6021505	16008.20808	30000	0	0	30000	40.4375	2004
08.01.2020 11:24:00	1	1	1	1	127	60.25	0	26303.318	604.3010753	15951.13201	30000	0	0	30000	41.25	2004
08.01.2020 11:24:01	1	1	1	1	126.8	61.25	0	26445.498	604.3010753	15980.48542	30000	0	0	30000	41.125	2004
08.01.2020 11:24:02	1	1	1	1	126.8	61	0	26350.711	606.4516129	16036.74612	30000	0	0	30000	41.1875	2004
08.01.2020 11:24:03	1	1	1	1	126.8	61	0	26350.711	606.4516129	15838.61061	30000	0	0	30000	41.1875	2004
08.01.2020 11:24:04	1	1	1	1	126.8	61	0	26398.104	606.4516129	16122.36023	30000	0	0	30000	41.1875	2004
08.01.2020 11:24:05	1	1	1	1	126.8	61	0	26445.498	606.4516129	16037.56149	30000	0	0	30000	40.375	2004
08.01.2020 11:24:06	1	1	1	1	126.8	60.25	0	26540.284	606.4516129	16152.52901	30000	0	0	30000	41.3125	2004
08.01.2020 11:24:08	1	1	1	1	126.8	61.25	0	26445.498	604.3010753	16066.09953	30000	0	0	30000	41.3125	2004
08.01.2020 11:24:09	1	1	1	1	126.8	61.25	0	26492.891	602.1505376	16038.37687	30000	0	0	30000	41.3125	2004
08.01.2020 11:24:10	1	1	1	1	126.8	61.25	0	26445.498	604.3010753	15980.48542	30000	0	0	30000	39.75	2004
08.01.2020 11:24:11	1	1	1	1	126.8	59.75	0	26398.104	597.8494624	16009.02346	30000	0	0	30000	41.1875	2004
08.01.2020 11:24:12	1	1	1	1	127	61	0	26587.678	604.3010753	15981.30079	30000	0	0	30000	41.25	2004
08.01.2020 11:24:13	1	1	1	1	127	61.25	0	26398.104	604.3010753	16009.02346	30000	0	0	30000	41.0625	2004
08.01.2020 11:24:14	1	1	1	1	127	61	0	26445.498	604.3010753	15980.48542	30000	0	0	30000	41.5	2004
08.01.2020 11:24:15	1	1	1	1	127	61.5	0	26445.498	604.3010753	16094.63757	30000	0	0	30000	41.0625	2004
08.01.2020 11:24:16	1	1	1	1	127	61	0	26492.891	604.3010753	16038.37687	30000	0	0	30000	41.125	2004
08.01.2020 11:24:17	1	1	1	1	127	61	0	26492.891	604.3010753	16038.37687	30000	0	0	30000	40.5625	2004
08.01.2020 11:24:18	1	1	1	1	127	60.5	0	26587.678	604.3010753	16238.14313	30000	0	0	30000	41.1875	2004
08.01.2020 11:24:19	1	1	1	1	127	61	0	26445.498	602.1505376	15924.22472	30000	0	0	30000	40.875	2004
08.01.2020 11:24:20	1	1	1	1	127	60.75	0	26492.891	604.3010753	16009.02346	30000	0	0	30000	41.125	2004
08.01.2020 11:24:21	1	1	1	1	127.3	61	0	26303.318	602.1505376	15894.87131	30000	0	0	30000	41.125	2004
08.01.2020 11:24:22	1	1	1	1	127.3	61	0	26350.711	604.3010753	15951.94738	30000	0	0	30000	41.125	2004
08.01.2020 11:24:23	1	1	1	1	127.3	61	0	26445.498	606.4516129	16037.56149	30000	0	0	30000	40.8125	2004
08.01.2020 11:24:24	1	1	1	1	127.3	60.75	0	26492.891	606.4516129	16095.45294	30000	0	0	30000	40.25	2004
08.01.2020 11:24:30	1	1	1	1	127.3	61	0	26492.891	602.1505376	15980.48542	30000	0	0	30000	40.625	2004
08.01.2020 11:24:30	1	1	1	1	127.3	61	0	26492.891	602.1505376	15980.48542	30000	0	0	30000	40.625	2004
08.01.2020 11:24:30	1	1	1	1	127.3	61	0	26492.891	602.1505376	15980.48542	30000	0	0	30000	40.625	2004
08.01.2020 11:24:30	1	1	1	1	127.3	61	0	26492.891	602.1505376	15980.48542	30000	0	0	30000	40.625	2004
08.01.2020 11:24:30	1	1	1	1	127.3	61	0	26492.891	602.1505376	15980.48542	30000	0	0	30000	40.625	2004
08.01.2020 11:24:30	1	1	1	1	127.3	61	0	26492.891	602.1505376	15980.48542	30000	0	0	30000	40.625	2004
08.01.2020 11:24:31	1	1	1	1	127	60.5	0	26398.104	606.4516129	15951.94738	30000	0	0	30000	41.1875	2004
08.01.2020 11:24:32	1	1	1	1	127	61	0	26398.104	602.1505376	15951.94738	30000	0	0	30000	40.9375	2004
08.01.2020 11:24:33	1	1	1	1	127	60.75	0	26492.891	604.3010753	16066.09953	30000	0	0	30000	41.3125	2004
08.01.2020 11:24:34	1	1	1	1	127	61.25	0	26445.498	604.3010753	16038.37687	30000	0	0	30000	41.3125	2004
08.01.2020 11:24:35	1	1	1	1	127	61.25	0	26540.284	604.3010753	16038.37687	30000	0	0	30000	41.25	2004
08.01.2020 11:24:36	1	1	1	1	127	61.25	0	26492.891	602.1505376	16038.37687	30000	0	0	30000	41.1875	2004
08.01.2020 11:24:37	1	1	1	1	127	61	0	26492.891	602.1505376	15867.14864	30000	0	0	30000	41.3125	2004
08.01.2020 11:24:38	1	1	1	1	127	61.25	0	26398.104	602.1505376	15951.94738	30000	0	0	30000	40.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 11:24:39	1	1	1	1	127	60.75	0	26398.104	597.8494624	15980.48542	30000	0	0	30000	41.3125	2004
08.01.2020 11:24:40	1	1	1	1	127	61.25	0	26398.104	604.3010753	15980.48542	30000	0	0	30000	41.125	2004
08.01.2020 11:24:41	1	1	1	1	127	61	0	26350.711	604.3010753	15951.94738	30000	0	0	30000	41.3125	2004
08.01.2020 11:24:42	1	1	1	1	127	61.25	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	40.9375	2004
08.01.2020 11:24:43	1	1	1	1	127	60.75	0	26540.284	602.1505376	16009.83883	30000	0	0	30000	40.625	2004
08.01.2020 11:24:44	1	1	1	1	127	60.5	0	26350.711	606.4516129	16065.28416	30000	0	0	30000	40.5625	2004
08.01.2020 11:24:45	1	1	1	1	127	60.5	0	26540.284	606.4516129	16095.45294	30000	0	0	30000	41.1875	2004
08.01.2020 11:24:47	1	1	1	1	127	61	0	26540.284	604.3010753	16038.37687	30000	0	0	30000	41.25	2004
08.01.2020 11:24:48	1	1	1	1	127	61.25	0	26398.104	606.4516129	15980.48542	30000	0	0	30000	41.1875	2004
08.01.2020 11:24:49	1	1	1	1	127	61	0	26540.284	604.3010753	15981.30079	30000	0	0	30000	41.1875	2004
08.01.2020 11:24:50	1	1	1	1	127	61	0	26445.498	604.3010753	15980.48542	30000	0	0	30000	41.125	2004
08.01.2020 11:24:51	1	1	1	1	127	61	0	26540.284	604.3010753	16038.37687	30000	0	0	30000	40.625	2004
08.01.2020 11:24:52	1	1	1	1	126.5	60.5	0	26445.498	606.4516129	16038.37687	30000	0	0	30000	41.4375	2004
08.01.2020 11:24:53	1	1	1	1	126.5	61.25	0	26492.891	606.4516129	16066.09953	30000	0	0	30000	41.5625	2004
08.01.2020 11:24:54	1	1	1	1	126.5	61.5	0	26492.891	606.4516129	16009.02346	30000	0	0	30000	41.4375	2004
08.01.2020 11:24:55	1	1	1	1	126.5	61.25	0	26398.104	606.4516129	16009.02346	30000	0	0	30000	41.3125	2004
08.01.2020 11:24:56	1	1	1	1	126.5	61.25	0	26350.711	608.6021505	16036.74612	30000	0	0	30000	41.1875	2004
08.01.2020 11:24:57	1	1	1	1	126.5	61	0	26492.891	606.4516129	16038.37687	30000	0	0	30000	39.9375	2004
08.01.2020 11:24:58	1	1	1	1	126.5	59.75	0	26492.891	606.4516129	15980.48542	30000	0	0	30000	41.3125	2004
08.01.2020 11:24:59	1	1	1	1	126.5	61.25	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	40.5625	2004
08.01.2020 11:25:00	1	1	1	1	126.5	60.5	0	26445.498	604.3010753	16009.02346	30000	0	0	30000	41.3125	2004
08.01.2020 11:25:01	1	1	1	1	127.3	61.25	0	26398.104	604.3010753	15951.94738	30000	0	0	30000	41.25	2004
08.01.2020 11:25:02	1	1	1	1	127.3	61.25	0	26445.498	606.4516129	16037.56149	30000	0	0	30000	41.3125	2004
08.01.2020 11:25:03	1	1	1	1	127.3	61.25	0	26445.498	604.3010753	16009.02346	30000	0	0	30000	40.5625	2004
08.01.2020 11:25:04	1	1	1	1	127.3	60.5	0	26255.924	602.1505376	15894.87131	30000	0	0	30000	41.3125	2004
08.01.2020 11:25:05	1	1	1	1	127.3	61.25	0	26398.104	604.3010753	15951.94738	30000	0	0	30000	41.125	2004
08.01.2020 11:25:06	1	1	1	1	127.3	61	0	26398.104	604.3010753	16009.02346	30000	0	0	30000	41.375	2004
08.01.2020 11:25:07	1	1	1	1	127.3	61.25	0	26445.498	608.6021505	16094.63757	30000	0	0	30000	41.375	2004
08.01.2020 11:25:08	1	1	1	1	127.3	61.25	0	26398.104	610.7526882	16179.43631	30000	0	0	30000	41.375	2004
08.01.2020 11:25:09	1	1	1	1	127.3	61.25	0	26398.104	606.4516129	16065.28416	30000	0	0	30000	41.3125	2004
08.01.2020 11:25:13	1	1	1	1	127	60.75	0	26540.284	604.3010753	16095.45294	30000	0	0	30000	41.4375	2004
08.01.2020 11:25:13	1	1	1	1	127	60.75	0	26540.284	604.3010753	16095.45294	30000	0	0	30000	41.4375	2004
08.01.2020 11:25:13	1	1	1	1	127	60.75	0	26540.284	604.3010753	16095.45294	30000	0	0	30000	41.4375	2004
08.01.2020 11:25:13	1	1	1	1	127	61.25	0	26682.464	602.1505376	16009.83883	30000	0	0	30000	40.9375	2004
08.01.2020 11:25:14	1	1	1	1	127	60.75	0	26587.678	600	16009.83883	30000	0	0	30000	41.25	2004
08.01.2020 11:25:15	1	1	1	1	127	61.25	0	26540.284	604.3010753	16038.37687	30000	0	0	30000	41.4375	2004
08.01.2020 11:25:16	1	1	1	1	127	61.25	0	26350.711	602.1505376	15951.94738	30000	0	0	30000	40.4375	2004
08.01.2020 11:25:17	1	1	1	1	127	60.25	0	26540.284	606.4516129	16009.02346	30000	0	0	30000	41.375	2004
08.01.2020 11:25:18	1	1	1	1	127	61.25	0	26540.284	604.3010753	16038.37687	30000	0	0	30000	40.6875	2004
08.01.2020 11:25:19	1	1	1	1	127	60.5	0	26492.891	604.3010753	15867.14864	30000	0	0	30000	40.75	2004
08.01.2020 11:25:20	1	1	1	1	127	60.75	0	26398.104	602.1505376	15951.94738	30000	0	0	30000	41.25	2004
08.01.2020 11:25:21	1	1	1	1	126.8	61.25	0	26350.711	600	15810.07257	30000	0	0	30000	41.375	2004
08.01.2020 11:25:22	1	1	1	1	126.8	61.25	0	26445.498	604.3010753	15980.48542	30000	0	0	30000	40.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 11:25:23	1	1	1	1	126.8	60.5	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	41.375	2004
08.01.2020 11:25:24	1	1	1	1	126.8	61.25	0	26540.284	606.4516129	15981.30079	30000	0	0	30000	41.125	2004
08.01.2020 11:25:26	1	1	1	1	126.8	61	0	26729.858	602.1505376	16066.9149	30000	0	0	30000	41.375	2004
08.01.2020 11:25:33	1	1	1	1	127	60.5	0	26635.071	602.1505376	16123.99098	30000	0	0	30000	41.5	2004
08.01.2020 11:25:33	1	1	1	1	127	60.5	0	26635.071	602.1505376	16123.99098	30000	0	0	30000	41.5	2004
08.01.2020 11:25:33	1	1	1	1	127	60.5	0	26635.071	602.1505376	16123.99098	30000	0	0	30000	41.5	2004
08.01.2020 11:25:33	1	1	1	1	127	60.5	0	26635.071	602.1505376	16123.99098	30000	0	0	30000	41.5	2004
08.01.2020 11:25:33	1	1	1	1	127	60.5	0	26635.071	602.1505376	16123.99098	30000	0	0	30000	41.5	2004
08.01.2020 11:25:33	1	1	1	1	127	60.5	0	26635.071	602.1505376	16123.99098	30000	0	0	30000	41.5	2004
08.01.2020 11:25:33	1	1	1	1	127	60.5	0	26635.071	602.1505376	16123.99098	30000	0	0	30000	41.5	2004
08.01.2020 11:25:34	1	1	1	1	127	61.5	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	41.0625	2004
08.01.2020 11:25:35	1	1	1	1	127	61.25	0	26587.678	593.5483871	16066.9149	30000	0	0	30000	41.4375	2004
08.01.2020 11:25:36	1	1	1	1	127	61.25	0	26682.464	597.8494624	16066.9149	30000	0	0	30000	41.1875	2004
08.01.2020 11:25:37	1	1	1	1	127	61	0	26682.464	604.3010753	16066.9149	30000	0	0	30000	41.375	2004
08.01.2020 11:25:38	1	1	1	1	127	61.25	0	26492.891	602.1505376	15981.30079	30000	0	0	30000	41.4375	2004
08.01.2020 11:25:39	1	1	1	1	127	61.25	0	26587.678	597.8494624	15951.94738	30000	0	0	30000	41.375	2004
08.01.2020 11:25:40	1	1	1	1	127	61.25	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	41.3125	2004
08.01.2020 11:25:41	1	1	1	1	127	61.25	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	41.3125	2004
08.01.2020 11:25:42	1	1	1	1	127	61.25	0	26682.464	602.1505376	16009.02346	30000	0	0	30000	41.125	2004
08.01.2020 11:25:43	1	1	1	1	127	61	0	26445.498	604.3010753	15980.48542	30000	0	0	30000	41.125	2004
08.01.2020 11:25:44	1	1	1	1	127	61	0	26587.678	602.1505376	16066.9149	30000	0	0	30000	41.25	2004
08.01.2020 11:25:45	1	1	1	1	127	61.25	0	26777.251	600	16123.99098	30000	0	0	30000	41.3125	2004
08.01.2020 11:25:46	1	1	1	1	127	61.25	0	26682.464	602.1505376	16009.02346	30000	0	0	30000	41.375	2004
08.01.2020 11:25:47	1	1	1	1	127	61.25	0	26587.678	602.1505376	15951.94738	30000	0	0	30000	41.375	2004
08.01.2020 11:25:48	1	1	1	1	127	61.25	0	26587.678	602.1505376	15951.94738	30000	0	0	30000	41	2004
08.01.2020 11:25:49	1	1	1	1	127	61	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	40.875	2004
08.01.2020 11:25:50	1	1	1	1	127	60.75	0	26587.678	604.3010753	16066.9149	30000	0	0	30000	41.4375	2004
08.01.2020 11:25:51	1	1	1	1	127.5	61.25	0	26540.284	602.1505376	16066.9149	30000	0	0	30000	41.4375	2004
08.01.2020 11:25:52	1	1	1	1	127.5	61.25	0	26540.284	604.3010753	16038.37687	30000	0	0	30000	41.1875	2004
08.01.2020 11:25:53	1	1	1	1	127.5	61	0	26492.891	604.3010753	15725.27383	30000	0	0	30000	41.5	2004
08.01.2020 11:25:54	1	1	1	1	127.5	61.5	0	26398.104	606.4516129	15951.94738	30000	0	0	30000	40.875	2004
08.01.2020 11:25:55	1	1	1	1	127.5	60.75	0	26398.104	604.3010753	15951.94738	30000	0	0	30000	40.9375	2004
08.01.2020 11:25:56	1	1	1	1	127.5	60.75	0	26445.498	604.3010753	15951.94738	30000	0	0	30000	41.4375	2004
08.01.2020 11:25:57	1	1	1	1	127.5	61.25	0	26350.711	606.4516129	16036.74612	30000	0	0	30000	41.125	2004
08.01.2020 11:25:58	1	1	1	1	127.5	61	0	26445.498	604.3010753	15980.48542	30000	0	0	30000	40.875	2004
08.01.2020 11:25:59	1	1	1	1	127.5	60.75	0	26398.104	604.3010753	15951.94738	30000	0	0	30000	41.5	2004
08.01.2020 11:26:01	1	1	1	1	127.5	61.5	0	26540.284	604.3010753	16095.45294	30000	0	0	30000	41.5	2004
08.01.2020 11:26:01	1	1	1	1	127	61.5	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	40.9375	2004
08.01.2020 11:26:02	1	1	1	1	127	60.75	0	26445.498	602.1505376	15924.22472	30000	0	0	30000	41.4375	2004
08.01.2020 11:26:04	1	1	1	1	127	61.25	0	26303.318	608.6021505	16008.20808	30000	0	0	30000	41.1875	2004
08.01.2020 11:26:05	1	1	1	1	127	61	0	26492.891	604.3010753	16009.02346	30000	0	0	30000	41.5	2004
08.01.2020 11:26:06	1	1	1	1	127	61.5	0	26540.284	610.7526882	16038.37687	30000	0	0	30000	41.5	2004
08.01.2020 11:26:07	1	1	1	1	127	61.5	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	41.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 11:26:08	1	1	1	1	127	61.5	0	26587.678	604.3010753	16066.9149	30000	0	0	30000	41.375	2004
08.01.2020 11:26:09	1	1	1	1	127	61.25	0	26492.891	602.1505376	15981.30079	30000	0	0	30000	39.9375	2004
08.01.2020 11:26:10	1	1	1	1	127	59.75	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	41.5	2004
08.01.2020 11:26:11	1	1	1	1	127	61.5	0	26492.891	602.1505376	15924.22472	30000	0	0	30000	41.5625	2004
08.01.2020 11:26:12	1	1	1	1	127	61.5	0	26635.071	602.1505376	15894.87131	30000	0	0	30000	41.4375	2004
08.01.2020 11:26:13	1	1	1	1	127	61.25	0	26540.284	604.3010753	16038.37687	30000	0	0	30000	41.5625	2004
08.01.2020 11:26:14	1	1	1	1	127	61.5	0	26540.284	602.1505376	15867.14864	30000	0	0	30000	41.8125	2004
08.01.2020 11:26:15	1	1	1	1	127	61.5	0	26492.891	602.1505376	15924.22472	30000	0	0	30000	41.3125	2004
08.01.2020 11:26:16	1	1	1	1	127	61.25	0	26540.284	606.4516129	16038.37687	30000	0	0	30000	41.3125	2004
08.01.2020 11:26:17	1	1	1	1	127	61.25	0	26492.891	602.1505376	15981.30079	30000	0	0	30000	41.4375	2004
08.01.2020 11:26:18	1	1	1	1	127	61.25	0	26635.071	602.1505376	16009.83883	30000	0	0	30000	41.5625	2004
08.01.2020 11:26:19	1	1	1	1	127	61.5	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	41.5	2004
08.01.2020 11:26:20	1	1	1	1	127	61.5	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	41.0625	2004
08.01.2020 11:26:21	1	1	1	1	126.8	61	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	40.8125	2004
08.01.2020 11:26:22	1	1	1	1	126.8	60.75	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	41.5625	2004
08.01.2020 11:26:23	1	1	1	1	126.8	61.5	0	26587.678	602.1505376	16066.9149	30000	0	0	30000	40.375	2004
08.01.2020 11:26:24	1	1	1	1	126.8	60.25	0	26587.678	604.3010753	16066.9149	30000	0	0	30000	41.5	2004
08.01.2020 11:26:25	1	1	1	1	126.8	61.5	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	40.8125	2004
08.01.2020 11:26:26	1	1	1	1	126.8	60.75	0	26492.891	602.1505376	16038.37687	30000	0	0	30000	41.6875	2004
08.01.2020 11:26:27	1	1	1	1	126.8	61.5	0	26492.891	604.3010753	15980.48542	30000	0	0	30000	41.3125	2004
08.01.2020 11:26:33	1	1	1	1	126.8	61.5	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	41.5625	2004
08.01.2020 11:26:33	1	1	1	1	126.8	61.5	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	41.5625	2004
08.01.2020 11:26:33	1	1	1	1	126.8	61.5	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	41.5625	2004
08.01.2020 11:26:33	1	1	1	1	126.8	61.5	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	41.5625	2004
08.01.2020 11:26:33	1	1	1	1	126.8	61.5	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	41.5625	2004
08.01.2020 11:26:33	1	1	1	1	126.8	61.5	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	41.5625	2004
08.01.2020 11:26:33	1	1	1	1	126.8	61.5	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	41.5625	2004
08.01.2020 11:26:34	1	1	1	1	126.8	61.5	0	26540.284	602.1505376	16038.37687	30000	0	0	30000	40.8125	2004
08.01.2020 11:26:35	1	1	1	1	126.8	60.75	0	26540.284	600	15810.07257	30000	0	0	30000	41.5625	2004
08.01.2020 11:26:36	1	1	1	1	126.8	61.5	0	26540.284	595.6989247	16238.14313	30000	0	0	30000	41.625	2004
08.01.2020 11:26:37	1	1	1	1	126.8	61.5	0	26587.678	597.8494624	16009.83883	30000	0	0	30000	41.4375	2004
08.01.2020 11:26:38	1	1	1	1	126.8	61.25	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	41.625	2004
08.01.2020 11:26:39	1	1	1	1	126.8	61.5	0	26540.284	602.1505376	16009.83883	30000	0	0	30000	41.625	2004
08.01.2020 11:26:40	1	1	1	1	126.8	61.5	0	26492.891	602.1505376	15867.14864	30000	0	0	30000	41.25	2004
08.01.2020 11:26:41	1	1	1	1	127	61.25	0	26492.891	602.1505376	15952.76275	30000	0	0	30000	41.5625	2004
08.01.2020 11:26:42	1	1	1	1	127	61.5	0	26635.071	602.1505376	16009.02346	30000	0	0	30000	41.5625	2004
08.01.2020 11:26:43	1	1	1	1	127	61.5	0	26492.891	597.8494624	15924.22472	30000	0	0	30000	40.9375	2004
08.01.2020 11:26:44	1	1	1	1	127	60.75	0	26540.284	602.1505376	16038.37687	30000	0	0	30000	41.625	2004
08.01.2020 11:26:45	1	1	1	1	127	61.5	0	26587.678	602.1505376	15810.07257	30000	0	0	30000	41.3125	2004
08.01.2020 11:26:47	1	1	1	1	127	61.25	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	41.5	2004
08.01.2020 11:26:48	1	1	1	1	127	61.5	0	26587.678	604.3010753	16066.9149	30000	0	0	30000	40.75	2004
08.01.2020 11:26:49	1	1	1	1	127	60.75	0	26540.284	604.3010753	15981.30079	30000	0	0	30000	41.375	2004
08.01.2020 11:26:50	1	1	1	1	127	61.25	0	26587.678	597.8494624	16123.99098	30000	0	0	30000	41.4375	2004
08.01.2020 11:26:51	1	1	1	1	127	61.25	0	26445.498	602.1505376	15952.76275	30000	0	0	30000	41.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 11:26:52	1	1	1	1	127.3	61.75	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	41.5	2004
08.01.2020 11:26:53	1	1	1	1	127.3	61.5	0	26492.891	604.3010753	16038.37687	30000	0	0	30000	42	2004
08.01.2020 11:26:54	1	1	1	1	127.3	62	0	26492.891	602.1505376	15981.30079	30000	0	0	30000	41.6875	2004
08.01.2020 11:26:55	1	1	1	1	127.3	61.5	0	26445.498	602.1505376	16009.02346	30000	0	0	30000	41.6875	2004
08.01.2020 11:26:56	1	1	1	1	127.3	61.5	0	26492.891	602.1505376	16038.37687	30000	0	0	30000	41.6875	2004
08.01.2020 11:26:57	1	1	1	1	127.3	61.5	0	26492.891	604.3010753	15980.48542	30000	0	0	30000	41.75	2004
08.01.2020 11:26:58	1	1	1	1	127.3	61.75	0	26540.284	602.1505376	16066.9149	30000	0	0	30000	40.875	2004
08.01.2020 11:26:59	1	1	1	1	127.3	60.75	0	26398.104	604.3010753	15923.40934	30000	0	0	30000	41.75	2004
08.01.2020 11:27:00	1	1	1	1	127.3	61.75	0	26350.711	606.4516129	15894.87131	30000	0	0	30000	41.4375	2004
08.01.2020 11:27:01	1	1	1	1	127	61.25	0	26350.711	606.4516129	16036.74612	30000	0	0	30000	41.625	2004
08.01.2020 11:27:02	1	1	1	1	127	61.5	0	26398.104	604.3010753	15923.40934	30000	0	0	30000	41.5625	2004
08.01.2020 11:27:03	1	1	1	1	127	61.5	0	26303.318	606.4516129	16008.20808	30000	0	0	30000	39.875	2004
08.01.2020 11:27:04	1	1	1	1	127	59.75	0	26303.318	602.1505376	15867.14864	30000	0	0	30000	41.5625	2004
08.01.2020 11:27:05	1	1	1	1	127	61.5	0	26445.498	602.1505376	16009.02346	30000	0	0	30000	41.5625	2004
08.01.2020 11:27:06	1	1	1	1	127	61.5	0	26492.891	602.1505376	15924.22472	30000	0	0	30000	41.5625	2004
08.01.2020 11:27:07	1	1	1	1	127	61.5	0	26587.678	597.8494624	15894.87131	30000	0	0	30000	41.6875	2004
08.01.2020 11:27:08	1	1	1	1	127	61.5	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	41.625	2004
08.01.2020 11:27:09	1	1	1	1	127	61.5	0	26587.678	604.3010753	15951.94738	30000	0	0	30000	41.625	2004
08.01.2020 11:27:10	1	1	1	1	127	61.5	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	41.625	2004
08.01.2020 11:27:11	1	1	1	1	127.5	61.5	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	41.5625	2004
08.01.2020 11:27:12	1	1	1	1	127.5	61.5	0	26540.284	595.6989247	15894.87131	30000	0	0	30000	40.8125	2004
08.01.2020 11:27:13	1	1	1	1	127.5	60.75	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	41.5625	2004
08.01.2020 11:27:14	1	1	1	1	127.5	61.5	0	26682.464	595.6989247	16009.02346	30000	0	0	30000	41.1875	2004
08.01.2020 11:27:15	1	1	1	1	127.5	61	0	26777.251	602.1505376	16009.02346	30000	0	0	30000	41.625	2004
08.01.2020 11:27:16	1	1	1	1	127.5	61.5	0	26729.858	597.8494624	16009.02346	30000	0	0	30000	41.625	2004
08.01.2020 11:27:17	1	1	1	1	127.5	61.5	0	26872.038	597.8494624	16036.74612	30000	0	0	30000	41.125	2004
08.01.2020 11:27:18	1	1	1	1	127.5	61	0	26587.678	602.1505376	15980.48542	30000	0	0	30000	41.75	2004
08.01.2020 11:27:19	1	1	1	1	127.5	61.75	0	26872.038	602.1505376	16036.74612	30000	0	0	30000	41.5	2004
08.01.2020 11:27:20	1	1	1	1	127.5	61.5	0	26682.464	595.6989247	15894.05593	30000	0	0	30000	41.75	2004
08.01.2020 11:27:21	1	1	1	1	127.5	61.75	0	26682.464	597.8494624	16066.9149	30000	0	0	30000	41.5	2004
08.01.2020 11:27:22	1	1	1	1	127.5	61.5	0	26682.464	597.8494624	15894.05593	30000	0	0	30000	41.625	2004
08.01.2020 11:27:23	1	1	1	1	127.5	61.5	0	26777.251	595.6989247	15894.05593	30000	0	0	30000	41.125	2004
08.01.2020 11:27:24	1	1	1	1	127.5	61	0	26587.678	602.1505376	15951.94738	30000	0	0	30000	41.375	2004
08.01.2020 11:27:25	1	1	1	1	127.5	61.25	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	41.5	2004
08.01.2020 11:27:26	1	1	1	1	127.5	61.5	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	41.4375	2004
08.01.2020 11:27:28	1	1	1	1	127.5	61.25	0	26540.284	602.1505376	16009.83883	30000	0	0	30000	40.8125	2004
08.01.2020 11:27:29	1	1	1	1	127.5	60.75	0	26540.284	604.3010753	16066.9149	30000	0	0	30000	41.75	2004
08.01.2020 11:27:35	1	1	1	1	127	61.25	0	26682.464	600	16066.9149	30000	0	0	30000	41.625	2004
08.01.2020 11:27:35	1	1	1	1	127	61.25	0	26682.464	600	16066.9149	30000	0	0	30000	41.625	2004
08.01.2020 11:27:35	1	1	1	1	127	61.25	0	26682.464	600	16066.9149	30000	0	0	30000	41.625	2004
08.01.2020 11:27:35	1	1	1	1	127	61.25	0	26682.464	600	16066.9149	30000	0	0	30000	41.625	2004
08.01.2020 11:27:35	1	1	1	1	127	61.25	0	26682.464	600	16066.9149	30000	0	0	30000	41.625	2004
08.01.2020 11:27:35	1	1	1	1	127	61.25	0	26682.464	600	16066.9149	30000	0	0	30000	41.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 11:27:36	1	1	1	1	127	61.5	0	26682.464	597.8494624	16009.02346	30000	0	0	30000	42.0625	2004
08.01.2020 11:27:37	1	1	1	1	127	62	0	26824.645	602.1505376	16094.63757	30000	0	0	30000	41.6875	2004
08.01.2020 11:27:38	1	1	1	1	127	61.5	0	26635.071	597.8494624	16123.99098	30000	0	0	30000	41.1875	2004
08.01.2020 11:27:39	1	1	1	1	127	61	0	26777.251	597.8494624	16036.74612	30000	0	0	30000	41.625	2004
08.01.2020 11:27:40	1	1	1	1	127	61.5	0	26777.251	597.8494624	16036.74612	30000	0	0	30000	40.9375	2004
08.01.2020 11:27:41	1	1	1	1	126.3	60.75	0	26824.645	591.3978495	16007.39271	30000	0	0	30000	41.6875	2004
08.01.2020 11:27:42	1	1	1	1	126.3	61.5	0	26824.645	597.8494624	16094.63757	30000	0	0	30000	41.4375	2004
08.01.2020 11:27:43	1	1	1	1	126.3	61.25	0	26777.251	597.8494624	16008.20808	30000	0	0	30000	41.0625	2004
08.01.2020 11:27:44	1	1	1	1	126.3	61	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	41.6875	2004
08.01.2020 11:27:45	1	1	1	1	126.3	61.5	0	26445.498	600	15924.22472	30000	0	0	30000	40.8125	2004
08.01.2020 11:27:46	1	1	1	1	126.3	60.75	0	26682.464	602.1505376	16123.99098	30000	0	0	30000	40.875	2004
08.01.2020 11:27:47	1	1	1	1	126.3	60.75	0	26587.678	604.3010753	16066.9149	30000	0	0	30000	41	2004
08.01.2020 11:27:48	1	1	1	1	126.3	61	0	26492.891	602.1505376	15895.68668	30000	0	0	30000	41.375	2004
08.01.2020 11:27:49	1	1	1	1	126.3	61.25	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	41.3125	2004
08.01.2020 11:27:50	1	1	1	1	126.3	61.25	0	26492.891	602.1505376	16038.37687	30000	0	0	30000	41.125	2004
08.01.2020 11:27:51	1	1	1	1	126.8	61	0	26492.891	602.1505376	15924.22472	30000	0	0	30000	41.625	2004
08.01.2020 11:27:52	1	1	1	1	126.8	61.5	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	41.6875	2004
08.01.2020 11:27:53	1	1	1	1	126.8	61.5	0	26303.318	602.1505376	15838.61061	30000	0	0	30000	41.125	2004
08.01.2020 11:27:54	1	1	1	1	126.8	61	0	26445.498	602.1505376	16009.02346	30000	0	0	30000	41.75	2004
08.01.2020 11:27:55	1	1	1	1	126.8	61.75	0	26350.711	604.3010753	15923.40934	30000	0	0	30000	41.6875	2004
08.01.2020 11:27:56	1	1	1	1	126.8	61.5	0	26398.104	606.4516129	15951.94738	30000	0	0	30000	41	2004
08.01.2020 11:27:57	1	1	1	1	126.8	61	0	26445.498	606.4516129	16065.28416	30000	0	0	30000	41.75	2004
08.01.2020 11:27:58	1	1	1	1	126.8	61.75	0	26492.891	604.3010753	15952.76275	30000	0	0	30000	41.5625	2004
08.01.2020 11:27:59	1	1	1	1	126.8	61.5	0	26398.104	606.4516129	15951.94738	30000	0	0	30000	41.5625	2004
08.01.2020 11:28:00	1	1	1	1	126.8	61.5	0	26445.498	606.4516129	16009.02346	30000	0	0	30000	41.0625	2004
08.01.2020 11:28:01	1	1	1	1	126.5	61	0	26540.284	604.3010753	16038.37687	30000	0	0	30000	40.4375	2004
08.01.2020 11:28:02	1	1	1	1	126.5	60.25	0	26445.498	602.1505376	15924.22472	30000	0	0	30000	41.25	2004
08.01.2020 11:28:03	1	1	1	1	126.5	61.25	0	26398.104	604.3010753	15980.48542	30000	0	0	30000	41.625	2004
08.01.2020 11:28:05	1	1	1	1	126.5	61.5	0	26445.498	604.3010753	15980.48542	30000	0	0	30000	41.25	2004
08.01.2020 11:28:06	1	1	1	1	126.5	61.25	0	26682.464	602.1505376	16181.06705	30000	0	0	30000	41.6875	2004
08.01.2020 11:28:07	1	1	1	1	126.5	61.5	0	26445.498	606.4516129	16037.56149	30000	0	0	30000	41.8125	2004
08.01.2020 11:28:08	1	1	1	1	126.5	61.75	0	26445.498	604.3010753	15951.94738	30000	0	0	30000	41.6875	2004
08.01.2020 11:28:09	1	1	1	1	126.5	61.5	0	26682.464	604.3010753	16123.99098	30000	0	0	30000	41.5	2004
08.01.2020 11:28:10	1	1	1	1	126.5	61.5	0	26682.464	602.1505376	16123.99098	30000	0	0	30000	41.8125	2004
08.01.2020 11:28:11	1	1	1	1	126.5	61.75	0	26445.498	604.3010753	16038.37687	30000	0	0	30000	41.3125	2004
08.01.2020 11:28:12	1	1	1	1	127	61.25	0	26445.498	600	15924.22472	30000	0	0	30000	41.875	2004
08.01.2020 11:28:13	1	1	1	1	127	61.75	0	26350.711	602.1505376	15895.68668	30000	0	0	30000	42	2004
08.01.2020 11:28:14	1	1	1	1	127	62	0	26445.498	606.4516129	15980.48542	30000	0	0	30000	41.875	2004
08.01.2020 11:28:15	1	1	1	1	127	61.5	0	26492.891	602.1505376	16038.37687	30000	0	0	30000	41.8125	2004
08.01.2020 11:28:16	1	1	1	1	127	61.75	0	26445.498	604.3010753	15951.94738	30000	0	0	30000	41.6875	2004
08.01.2020 11:28:17	1	1	1	1	127	61.5	0	26350.711	604.3010753	15894.87131	30000	0	0	30000	41.1875	2004
08.01.2020 11:28:18	1	1	1	1	127	61	0	26492.891	602.1505376	15924.22472	30000	0	0	30000	41.625	2004
08.01.2020 11:28:19	1	1	1	1	127	61.5	0	26492.891	604.3010753	15980.48542	30000	0	0	30000	41.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 11:28:20	1	1	1	1	127	61.75	0	26492.891	602.1505376	15924.22472	30000	0	0	30000	41.8125	2004
08.01.2020 11:28:21	1	1	1	1	126.5	61.75	0	26635.071	604.3010753	16095.45294	30000	0	0	30000	41.625	2004
08.01.2020 11:28:22	1	1	1	1	126.5	61.5	0	26587.678	602.1505376	16123.99098	30000	0	0	30000	40.8125	2004
08.01.2020 11:28:23	1	1	1	1	126.5	60.75	0	26682.464	602.1505376	16238.9585	30000	0	0	30000	41.1875	2004
08.01.2020 11:28:24	1	1	1	1	126.5	61	0	26540.284	595.6989247	16066.9149	30000	0	0	30000	42	2004
08.01.2020 11:28:25	1	1	1	1	126.5	62	0	26777.251	597.8494624	16008.20808	30000	0	0	30000	41.875	2004
08.01.2020 11:28:26	1	1	1	1	126.5	61.75	0	26587.678	597.8494624	15894.87131	30000	0	0	30000	41.125	2004
08.01.2020 11:28:27	1	1	1	1	126.5	61	0	26777.251	597.8494624	16066.09953	30000	0	0	30000	41.5	2004
08.01.2020 11:28:28	1	1	1	1	126.5	61.5	0	26587.678	597.8494624	15894.87131	30000	0	0	30000	41.125	2004
08.01.2020 11:28:29	1	1	1	1	126.5	61	0	26824.645	602.1505376	16152.52901	30000	0	0	30000	41.5625	2004
08.01.2020 11:28:30	1	1	1	1	126.5	61.5	0	26445.498	597.8494624	15781.53453	30000	0	0	30000	41	2004
08.01.2020 11:28:37	1	1	1	1	126.3	61.5	0	26445.498	602.1505376	15924.22472	30000	0	0	30000	41.5	2004
08.01.2020 11:28:37	1	1	1	1	126.3	61.5	0	26445.498	602.1505376	15924.22472	30000	0	0	30000	41.5	2004
08.01.2020 11:28:37	1	1	1	1	126.3	61.5	0	26445.498	602.1505376	15924.22472	30000	0	0	30000	41.5	2004
08.01.2020 11:28:37	1	1	1	1	126.3	61.5	0	26445.498	602.1505376	15924.22472	30000	0	0	30000	41.5	2004
08.01.2020 11:28:37	1	1	1	1	126.3	61.5	0	26445.498	602.1505376	15924.22472	30000	0	0	30000	41.5	2004
08.01.2020 11:28:37	1	1	1	1	126.3	61.5	0	26445.498	602.1505376	15924.22472	30000	0	0	30000	41.5	2004
08.01.2020 11:28:37	1	1	1	1	126.3	61.5	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	41.8125	2004
08.01.2020 11:28:38	1	1	1	1	126.3	61.75	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	41.6875	2004
08.01.2020 11:28:39	1	1	1	1	126.3	61.5	0	26445.498	602.1505376	15924.22472	30000	0	0	30000	41.1875	2004
08.01.2020 11:28:40	1	1	1	1	126.3	61	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	41.4375	2004
08.01.2020 11:28:41	1	1	1	1	126.5	61.25	0	26587.678	600	16066.9149	30000	0	0	30000	41.75	2004
08.01.2020 11:28:42	1	1	1	1	126.5	61.75	0	26492.891	604.3010753	16038.37687	30000	0	0	30000	41.75	2004
08.01.2020 11:28:43	1	1	1	1	126.5	61.75	0	26492.891	602.1505376	16038.37687	30000	0	0	30000	41.5	2004
08.01.2020 11:28:45	1	1	1	1	126.5	61.5	0	26492.891	602.1505376	15952.76275	30000	0	0	30000	41.75	2004
08.01.2020 11:28:46	1	1	1	1	126.5	61.75	0	26492.891	610.7526882	15980.48542	30000	0	0	30000	41.75	2004
08.01.2020 11:28:47	1	1	1	1	126.5	61.75	0	26303.318	606.4516129	15894.87131	30000	0	0	30000	41	2004
08.01.2020 11:28:48	1	1	1	1	126.5	61	0	26398.104	604.3010753	15951.94738	30000	0	0	30000	41.75	2004
08.01.2020 11:28:49	1	1	1	1	126.5	61.75	0	26540.284	604.3010753	16038.37687	30000	0	0	30000	41.5625	2004
08.01.2020 11:28:50	1	1	1	1	126.5	61.5	0	26445.498	604.3010753	16038.37687	30000	0	0	30000	41.8125	2004
08.01.2020 11:28:51	1	1	1	1	126.5	61.75	0	26540.284	602.1505376	16181.06705	30000	0	0	30000	41.75	2004
08.01.2020 11:28:52	1	1	1	1	126.5	61.75	0	26445.498	604.3010753	15980.48542	30000	0	0	30000	41.0625	2004
08.01.2020 11:28:53	1	1	1	1	126.5	61	0	26492.891	606.4516129	16066.09953	30000	0	0	30000	42.125	2004
08.01.2020 11:28:54	1	1	1	1	126.5	62	0	26350.711	608.6021505	15894.87131	30000	0	0	30000	41.875	2004
08.01.2020 11:28:55	1	1	1	1	126.5	61.75	0	26492.891	608.6021505	16066.09953	30000	0	0	30000	42.1875	2004
08.01.2020 11:28:56	1	1	1	1	126.5	62	0	26398.104	604.3010753	15951.94738	30000	0	0	30000	41.5625	2004
08.01.2020 11:28:57	1	1	1	1	126.5	61.5	0	26492.891	606.4516129	15980.48542	30000	0	0	30000	41.3125	2004
08.01.2020 11:28:58	1	1	1	1	126.5	61.25	0	26350.711	610.7526882	16235.69701	30000	0	0	30000	41.8125	2004
08.01.2020 11:28:59	1	1	1	1	126.5	61.75	0	26445.498	604.3010753	15980.48542	30000	0	0	30000	41.875	2004
08.01.2020 11:29:00	1	1	1	1	126.5	61.75	0	26398.104	606.4516129	16065.28416	30000	0	0	30000	42	2004
08.01.2020 11:29:01	1	1	1	1	127.3	62	0	26587.678	604.3010753	16066.9149	30000	0	0	30000	41.6875	2004
08.01.2020 11:29:02	1	1	1	1	127.3	61.5	0	26540.284	604.3010753	16038.37687	30000	0	0	30000	41.6875	2004
08.01.2020 11:29:03	1	1	1	1	127.3	61.5	0	26208.531	597.8494624	15837.79523	30000	0	0	30000	41.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 11:29:04	1	1	1	1	127.3	61.25	0	26540.284	602.1505376	16066.9149	30000	0	0	30000	41.9375	2004
08.01.2020 11:29:05	1	1	1	1	127.3	61.75	0	26398.104	604.3010753	15980.48542	30000	0	0	30000	41.1875	2004
08.01.2020 11:29:06	1	1	1	1	127.3	61	0	26540.284	604.3010753	16066.9149	30000	0	0	30000	41.1875	2004
08.01.2020 11:29:07	1	1	1	1	127.3	61	0	26445.498	602.1505376	15924.22472	30000	0	0	30000	41.8125	2004
08.01.2020 11:29:08	1	1	1	1	127.3	61.75	0	26492.891	604.3010753	16009.02346	30000	0	0	30000	41.8125	2004
08.01.2020 11:29:09	1	1	1	1	127.3	61.75	0	26540.284	604.3010753	16038.37687	30000	0	0	30000	41.875	2004
08.01.2020 11:29:10	1	1	1	1	127.3	61.75	0	26445.498	602.1505376	15924.22472	30000	0	0	30000	41.5	2004
08.01.2020 11:29:11	1	1	1	1	127	61.5	0	26350.711	604.3010753	15894.87131	30000	0	0	30000	41.6875	2004
08.01.2020 11:29:12	1	1	1	1	127	61.5	0	26445.498	604.3010753	16009.02346	30000	0	0	30000	41.8125	2004
08.01.2020 11:29:13	1	1	1	1	127	61.75	0	26398.104	602.1505376	15895.68668	30000	0	0	30000	41.5	2004
08.01.2020 11:29:14	1	1	1	1	127	61.5	0	26492.891	602.1505376	15924.22472	30000	0	0	30000	41.1875	2004
08.01.2020 11:29:15	1	1	1	1	127	61	0	26350.711	606.4516129	15980.48542	30000	0	0	30000	41.8125	2004
08.01.2020 11:29:16	1	1	1	1	127	61.75	0	26540.284	604.3010753	16009.02346	30000	0	0	30000	41.125	2004
08.01.2020 11:29:17	1	1	1	1	127	61	0	26445.498	602.1505376	15924.22472	30000	0	0	30000	41.125	2004
08.01.2020 11:29:18	1	1	1	1	127	61	0	26682.464	604.3010753	16066.9149	30000	0	0	30000	41.8125	2004
08.01.2020 11:29:19	1	1	1	1	127	61.75	0	26635.071	610.7526882	16066.9149	30000	0	0	30000	41.75	2004
08.01.2020 11:29:20	1	1	1	1	127	61.75	0	26492.891	602.1505376	15981.30079	30000	0	0	30000	41.625	2004
08.01.2020 11:29:21	1	1	1	1	127	61.5	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	41.75	2004
08.01.2020 11:29:22	1	1	1	1	127	61.75	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	40.4375	2004
08.01.2020 11:29:23	1	1	1	1	127	60.25	0	26587.678	602.1505376	15894.87131	30000	0	0	30000	41.9375	2004
08.01.2020 11:29:24	1	1	1	1	127	61.75	0	26682.464	597.8494624	15951.94738	30000	0	0	30000	41.5625	2004
08.01.2020 11:29:25	1	1	1	1	127	61.5	0	26682.464	597.8494624	16009.02346	30000	0	0	30000	41.875	2004
08.01.2020 11:29:26	1	1	1	1	127	61.75	0	26682.464	602.1505376	16009.02346	30000	0	0	30000	41.3125	2004
08.01.2020 11:29:27	1	1	1	1	127	61.25	0	26777.251	597.8494624	16008.20808	30000	0	0	30000	41.8125	2004
08.01.2020 11:29:29	1	1	1	1	127	61.75	0	26587.678	600	16009.83883	30000	0	0	30000	41.125	2004
08.01.2020 11:29:30	1	1	1	1	127	61	0	26682.464	600	16009.02346	30000	0	0	30000	40.75	2004
08.01.2020 11:29:31	1	1	1	1	127	60.75	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	42	2004
08.01.2020 11:29:32	1	1	1	1	126.5	62	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	41.125	2004
08.01.2020 11:29:39	1	1	1	1	126.5	62	0	26540.284	600	15924.22472	30000	0	0	30000	41.875	2004
08.01.2020 11:29:39	1	1	1	1	126.5	62	0	26540.284	600	15924.22472	30000	0	0	30000	41.875	2004
08.01.2020 11:29:39	1	1	1	1	126.5	62	0	26540.284	600	15924.22472	30000	0	0	30000	41.875	2004
08.01.2020 11:29:39	1	1	1	1	126.5	62	0	26540.284	600	15924.22472	30000	0	0	30000	41.875	2004
08.01.2020 11:29:39	1	1	1	1	126.5	62	0	26540.284	600	15924.22472	30000	0	0	30000	41.875	2004
08.01.2020 11:29:39	1	1	1	1	126.5	62	0	26540.284	600	15924.22472	30000	0	0	30000	41.875	2004
08.01.2020 11:29:40	1	1	1	1	126.5	61.75	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	41.8125	2004
08.01.2020 11:29:41	1	1	1	1	126.8	61.75	0	26445.498	604.3010753	16038.37687	30000	0	0	30000	41.875	2004
08.01.2020 11:29:42	1	1	1	1	126.8	61.75	0	26492.891	602.1505376	16009.02346	30000	0	0	30000	41.6875	2004
08.01.2020 11:29:43	1	1	1	1	126.8	61.5	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	41.9375	2004
08.01.2020 11:29:44	1	1	1	1	126.8	61.75	0	26682.464	602.1505376	16009.02346	30000	0	0	30000	42	2004
08.01.2020 11:29:45	1	1	1	1	126.8	62	0	26540.284	604.3010753	16009.83883	30000	0	0	30000	41.8125	2004
08.01.2020 11:29:46	1	1	1	1	126.8	61.75	0	26445.498	602.1505376	15924.22472	30000	0	0	30000	42	2004
08.01.2020 11:29:47	1	1	1	1	126.8	62	0	26445.498	602.1505376	15924.22472	30000	0	0	30000	41.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 11:29:48	1	1	1	1	126.8	61.75	0	26398.104	604.3010753	15980.48542	30000	0	0	30000	42	2004
08.01.2020 11:29:49	1	1	1	1	126.8	62	0	26398.104	606.4516129	15951.94738	30000	0	0	30000	40.3125	2004
08.01.2020 11:29:50	1	1	1	1	126.8	60.25	0	26398.104	604.3010753	16009.02346	30000	0	0	30000	41.625	2004
08.01.2020 11:29:51	1	1	1	1	126.8	61.5	0	26303.318	606.4516129	15894.87131	30000	0	0	30000	41.875	2004
08.01.2020 11:29:52	1	1	1	1	126.8	61.75	0	26398.104	608.6021505	16122.36023	30000	0	0	30000	41.75	2004
08.01.2020 11:29:53	1	1	1	1	126.8	61.75	0	26303.318	610.7526882	16064.46878	30000	0	0	30000	40.0625	2004
08.01.2020 11:29:54	1	1	1	1	126.8	60	0	26255.924	606.4516129	15894.05593	30000	0	0	30000	40.8125	2004
08.01.2020 11:29:55	1	1	1	1	126.8	60.75	0	26303.318	606.4516129	16093.82219	30000	0	0	30000	41.9375	2004
08.01.2020 11:29:56	1	1	1	1	126.8	61.75	0	26303.318	612.9032258	15950.31664	30000	0	0	30000	41.9375	2004
08.01.2020 11:29:57	1	1	1	1	126.8	61.75	0	26303.318	606.4516129	15894.87131	30000	0	0	30000	42.0625	2004
08.01.2020 11:29:58	1	1	1	1	126.8	62	0	26350.711	610.7526882	16093.82219	30000	0	0	30000	41.9375	2004
08.01.2020 11:29:59	1	1	1	1	126.8	61.75	0	26492.891	612.9032258	16180.25168	30000	0	0	30000	41.75	2004
08.01.2020 11:30:00	1	1	1	1	126.8	61.75	0	26350.711	604.3010753	15894.87131	30000	0	0	30000	41.75	2004
08.01.2020 11:30:01	1	1	1	1	127.3	61.75	0	26303.318	604.3010753	15894.87131	30000	0	0	30000	41.875	2004
08.01.2020 11:30:02	1	1	1	1	127.3	61.75	0	26445.498	606.4516129	16066.09953	30000	0	0	30000	42	2004
08.01.2020 11:30:03	1	1	1	1	127.3	62	0	26303.318	604.3010753	15894.87131	30000	0	0	30000	42	2004
08.01.2020 11:30:04	1	1	1	1	127.3	62	0	26540.284	604.3010753	16066.9149	30000	0	0	30000	41.875	2004
08.01.2020 11:30:05	1	1	1	1	127.3	61.75	0	26350.711	606.4516129	15980.48542	30000	0	0	30000	41.9375	2004
08.01.2020 11:30:06	1	1	1	1	127.3	61.75	0	26350.711	604.3010753	16065.28416	30000	0	0	30000	41.625	2004
08.01.2020 11:30:08	1	1	1	1	127.3	61.5	0	26492.891	606.4516129	15980.48542	30000	0	0	30000	41.875	2004
08.01.2020 11:30:09	1	1	1	1	127.3	61.75	0	26540.284	602.1505376	16066.9149	30000	0	0	30000	41.9375	2004
08.01.2020 11:30:10	1	1	1	1	127.3	61.75	0	26445.498	602.1505376	15924.22472	30000	0	0	30000	41.75	2004
08.01.2020 11:30:11	1	1	1	1	127.3	61.75	0	26398.104	602.1505376	15895.68668	30000	0	0	30000	41.875	2004
08.01.2020 11:30:12	1	1	1	1	127.3	61.75	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	40.625	2004
08.01.2020 11:30:13	1	1	1	1	127.3	60.5	0	26824.645	602.1505376	16094.63757	30000	0	0	30000	41.4375	2004
08.01.2020 11:30:14	1	1	1	1	127.3	61.25	0	26682.464	602.1505376	16009.02346	30000	0	0	30000	41.5625	2004
08.01.2020 11:30:15	1	1	1	1	127.3	61.5	0	26729.858	602.1505376	15951.94738	30000	0	0	30000	42	2004
08.01.2020 11:30:16	1	1	1	1	127.3	62	0	26682.464	593.5483871	16009.02346	30000	0	0	30000	42	2004
08.01.2020 11:30:17	1	1	1	1	127.3	62	0	26824.645	593.5483871	16123.1756	30000	0	0	30000	41.4375	2004
08.01.2020 11:30:18	1	1	1	1	127.3	61.25	0	26682.464	597.8494624	15951.94738	30000	0	0	30000	41.6875	2004
08.01.2020 11:30:19	1	1	1	1	127.3	61.5	0	26587.678	597.8494624	15951.94738	30000	0	0	30000	41.75	2004
08.01.2020 11:30:20	1	1	1	1	127.3	61.75	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	41.4375	2004
08.01.2020 11:30:21	1	1	1	1	127.3	61.25	0	26587.678	602.1505376	15951.94738	30000	0	0	30000	41.4375	2004
08.01.2020 11:30:22	1	1	1	1	127.3	61.25	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	41.9375	2004
08.01.2020 11:30:23	1	1	1	1	127.3	61.75	0	26540.284	593.5483871	15981.30079	30000	0	0	30000	41.9375	2004
08.01.2020 11:30:24	1	1	1	1	127.3	61.75	0	26682.464	602.1505376	16038.37687	30000	0	0	30000	42	2004
08.01.2020 11:30:25	1	1	1	1	127.3	62	0	26635.071	602.1505376	16009.02346	30000	0	0	30000	41.8125	2004
08.01.2020 11:30:26	1	1	1	1	127.3	61.75	0	26492.891	602.1505376	15952.76275	30000	0	0	30000	41.9375	2004
08.01.2020 11:30:27	1	1	1	1	127.3	61.75	0	26540.284	591.3978495	15810.07257	30000	0	0	30000	41.25	2004
08.01.2020 11:30:28	1	1	1	1	127.3	61.25	0	26682.464	602.1505376	16123.99098	30000	0	0	30000	41.9375	2004
08.01.2020 11:30:29	1	1	1	1	127.3	61.75	0	26587.678	604.3010753	16009.83883	30000	0	0	30000	41.8125	2004
08.01.2020 11:30:30	1	1	1	1	127.3	61.75	0	26540.284	602.1505376	16066.9149	30000	0	0	30000	41.1875	2004
08.01.2020 11:30:31	1	1	1	1	127	61	0	26492.891	604.3010753	16009.02346	30000	0	0	30000	41.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 11:30:32	1	1	1	1	127	61.25	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	42.125	2004
08.01.2020 11:30:33	1	1	1	1	127	62	0	26587.678	600	15951.94738	30000	0	0	30000	41.125	2004
08.01.2020 11:30:40	1	1	1	1	127	61.5	0	26587.678	597.8494624	15894.05593	30000	0	0	30000	42	2004
08.01.2020 11:30:40	1	1	1	1	127	61.5	0	26587.678	597.8494624	15894.05593	30000	0	0	30000	42	2004
08.01.2020 11:30:40	1	1	1	1	127	61.5	0	26587.678	597.8494624	15894.05593	30000	0	0	30000	42	2004
08.01.2020 11:30:40	1	1	1	1	127	61.5	0	26587.678	597.8494624	15894.05593	30000	0	0	30000	42	2004
08.01.2020 11:30:40	1	1	1	1	127	61.5	0	26587.678	597.8494624	15894.05593	30000	0	0	30000	42	2004
08.01.2020 11:30:40	1	1	1	1	127	61.5	0	26587.678	597.8494624	15894.05593	30000	0	0	30000	42	2004
08.01.2020 11:30:40	1	1	1	1	127	61.5	0	26587.678	597.8494624	15894.05593	30000	0	0	30000	42	2004
08.01.2020 11:30:41	1	1	1	1	127.3	62	0	26777.251	602.1505376	16152.52901	30000	0	0	30000	41.8125	2004
08.01.2020 11:30:42	1	1	1	1	127.3	61.75	0	26682.464	597.8494624	15894.05593	30000	0	0	30000	40.6875	2004
08.01.2020 11:30:43	1	1	1	1	127.3	60.5	0	26777.251	602.1505376	16066.9149	30000	0	0	30000	41.75	2004
08.01.2020 11:30:44	1	1	1	1	127.3	61.75	0	26682.464	595.6989247	15894.05593	30000	0	0	30000	42.0625	2004
08.01.2020 11:30:45	1	1	1	1	127.3	62	0	26682.464	602.1505376	16123.99098	30000	0	0	30000	42.125	2004
08.01.2020 11:30:46	1	1	1	1	127.3	62	0	26540.284	602.1505376	16038.37687	30000	0	0	30000	41.875	2004
08.01.2020 11:30:47	1	1	1	1	127.3	61.75	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	42	2004
08.01.2020 11:30:48	1	1	1	1	127.3	62	0	26540.284	602.1505376	15924.22472	30000	0	0	30000	41.625	2004
08.01.2020 11:30:50	1	1	1	1	127.3	61.5	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	42.0625	2004
08.01.2020 11:30:51	1	1	1	1	127.3	62	0	26445.498	602.1505376	15980.48542	30000	0	0	30000	40.8125	2004
08.01.2020 11:30:52	1	1	1	1	127	60.75	0	26492.891	604.3010753	16038.37687	30000	0	0	30000	41.125	2004
08.01.2020 11:30:53	1	1	1	1	127	61	0	26587.678	597.8494624	16009.83883	30000	0	0	30000	41.375	2004
08.01.2020 11:30:54	1	1	1	1	127	61.25	0	26445.498	602.1505376	15924.22472	30000	0	0	30000	41.8125	2004
08.01.2020 11:30:55	1	1	1	1	127	61.75	0	26398.104	604.3010753	15867.14864	30000	0	0	30000	40.5625	2004
08.01.2020 11:30:56	1	1	1	1	127	60.5	0	26492.891	597.8494624	15981.30079	30000	0	0	30000	41.5625	2004
08.01.2020 11:30:57	1	1	1	1	127	61.5	0	26540.284	602.1505376	16123.99098	30000	0	0	30000	41.5	2004
08.01.2020 11:30:58	1	1	1	1	127	61.5	0	26445.498	606.4516129	16037.56149	30000	0	0	30000	41.8125	2004
08.01.2020 11:30:59	1	1	1	1	127	61.75	0	26492.891	602.1505376	16038.37687	30000	0	0	30000	42.125	2004
08.01.2020 11:31:00	1	1	1	1	127	62	0	26587.678	602.1505376	16066.9149	30000	0	0	30000	42	2004
08.01.2020 11:31:01	1	1	1	1	127	62	0	26492.891	602.1505376	16009.02346	30000	0	0	30000	42.3125	2004
08.01.2020 11:31:02	1	1	1	1	126.5	62.25	0	26445.498	604.3010753	16009.02346	30000	0	0	30000	41.75	2004
08.01.2020 11:31:03	1	1	1	1	126.5	61.75	0	26492.891	604.3010753	16009.02346	30000	0	0	30000	42.125	2004
08.01.2020 11:31:04	1	1	1	1	126.5	62	0	26445.498	602.1505376	15952.76275	30000	0	0	30000	41.6875	2004
08.01.2020 11:31:05	1	1	1	1	126.5	61.75	0	26398.104	602.1505376	15951.94738	30000	0	0	30000	42.125	2004
08.01.2020 11:31:06	1	1	1	1	126.5	62	0	26350.711	602.1505376	15894.87131	30000	0	0	30000	42.125	2004
08.01.2020 11:31:07	1	1	1	1	126.5	62	0	26303.318	604.3010753	15894.87131	30000	0	0	30000	42	2004
08.01.2020 11:31:08	1	1	1	1	126.5	62	0	26540.284	602.1505376	16066.9149	30000	0	0	30000	41.9375	2004
08.01.2020 11:31:09	1	1	1	1	126.5	61.75	0	26492.891	602.1505376	15895.68668	30000	0	0	30000	41.8125	2004
08.01.2020 11:31:10	1	1	1	1	126.5	61.75	0	26587.678	606.4516129	16009.83883	30000	0	0	30000	41.5	2004
08.01.2020 11:31:11	1	1	1	1	127	61.5	0	26540.284	604.3010753	16038.37687	30000	0	0	30000	42	2004
08.01.2020 11:31:12	1	1	1	1	127	62	0	26492.891	604.3010753	16095.45294	30000	0	0	30000	42.0625	2004
08.01.2020 11:31:13	1	1	1	1	127	62	0	26587.678	604.3010753	16009.83883	30000	0	0	30000	42	2004
08.01.2020 11:31:14	1	1	1	1	127	62	0	26398.104	604.3010753	16066.09953	30000	0	0	30000	41.25	2004
08.01.2020 11:31:15	1	1	1	1	127	61.25	0	26445.498	604.3010753	16009.02346	30000	0	0	30000	42.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 11:31:16	1	1	1	1	127	62	0	26492.891	606.4516129	16266.68116	30000	0	0	30000	42.0625	2004
08.01.2020 11:31:17	1	1	1	1	127	62	0	26492.891	604.3010753	16009.02346	30000	0	0	30000	42	2004
08.01.2020 11:31:18	1	1	1	1	127	62	0	26398.104	602.1505376	15980.48542	30000	0	0	30000	41.375	2004
08.01.2020 11:31:19	1	1	1	1	127	61.25	0	26350.711	606.4516129	16036.74612	30000	0	0	30000	41.5625	2004
08.01.2020 11:31:20	1	1	1	1	127	61.5	0	26445.498	606.4516129	15980.48542	30000	0	0	30000	41.4375	2004
08.01.2020 11:31:21	1	1	1	1	126.8	61.25	0	26303.318	606.4516129	15838.61061	30000	0	0	30000	41.375	2004
08.01.2020 11:31:22	1	1	1	1	126.8	61.25	0	26350.711	608.6021505	16065.28416	30000	0	0	30000	42	2004
08.01.2020 11:31:23	1	1	1	1	126.8	62	0	26398.104	602.1505376	15951.94738	30000	0	0	30000	41.8125	2004
08.01.2020 11:31:24	1	1	1	1	126.8	61.75	0	26445.498	606.4516129	16009.02346	30000	0	0	30000	41.625	2004
08.01.2020 11:31:25	1	1	1	1	126.8	61.5	0	26445.498	604.3010753	16009.02346	30000	0	0	30000	40.9375	2004
08.01.2020 11:31:26	1	1	1	1	126.8	60.75	0	26398.104	604.3010753	16151.71364	30000	0	0	30000	41.625	2004
08.01.2020 11:31:27	1	1	1	1	126.8	61.5	0	26445.498	606.4516129	16123.1756	30000	0	0	30000	42.1875	2004
08.01.2020 11:31:28	1	1	1	1	126.8	62	0	26445.498	602.1505376	16095.45294	30000	0	0	30000	41	2004
08.01.2020 11:31:29	1	1	1	1	126.8	61	0	26398.104	604.3010753	15951.94738	30000	0	0	30000	42.0625	2004
08.01.2020 11:31:31	1	1	1	1	126.8	62	0	26445.498	604.3010753	16266.68116	30000	0	0	30000	42.0625	2004
08.01.2020 11:31:32	1	1	1	1	127.3	62	0	26303.318	608.6021505	16008.20808	30000	0	0	30000	42.125	2004
08.01.2020 11:31:33	1	1	1	1	127.3	62	0	26303.318	606.4516129	15951.13201	30000	0	0	30000	41.25	2004
08.01.2020 11:31:34	1	1	1	1	127.3	61.25	0	26445.498	606.4516129	16094.63757	30000	0	0	30000	41.4375	2004
08.01.2020 11:31:35	1	1	1	1	127.3	61.25	0	26398.104	606.4516129	16065.28416	30000	0	0	30000	42	2004
08.01.2020 11:31:41	1	1	1	1	127.3	62	0	26492.891	604.3010753	16038.37687	30000	0	0	30000	42.375	2004
08.01.2020 11:31:41	1	1	1	1	127.3	62	0	26492.891	604.3010753	16038.37687	30000	0	0	30000	42.375	2004
08.01.2020 11:31:41	1	1	1	1	127.3	62	0	26492.891	604.3010753	16038.37687	30000	0	0	30000	42.375	2004
08.01.2020 11:31:41	1	1	1	1	127.3	62	0	26492.891	604.3010753	16038.37687	30000	0	0	30000	42.375	2004
08.01.2020 11:31:41	1	1	1	1	127.3	62	0	26492.891	604.3010753	16038.37687	30000	0	0	30000	42.375	2004
08.01.2020 11:31:41	1	1	1	1	127.3	62	0	26492.891	604.3010753	16038.37687	30000	0	0	30000	42.375	2004
08.01.2020 11:31:42	1	1	1	1	126.8	62.25	0	26350.711	604.3010753	15951.94738	30000	0	0	30000	42.1875	2004
08.01.2020 11:31:43	1	1	1	1	126.8	62	0	26540.284	604.3010753	16038.37687	30000	0	0	30000	42.375	2004
08.01.2020 11:31:44	1	1	1	1	126.8	62	0	26540.284	604.3010753	16038.37687	30000	0	0	30000	41.75	2004
08.01.2020 11:31:45	1	1	1	1	126.8	61.75	0	26540.284	604.3010753	16038.37687	30000	0	0	30000	42	2004
08.01.2020 11:31:46	1	1	1	1	126.8	62	0	26540.284	604.3010753	16038.37687	30000	0	0	30000	42	2004
08.01.2020 11:31:47	1	1	1	1	126.8	62	0	26492.891	595.6989247	15981.30079	30000	0	0	30000	42.1875	2004
08.01.2020 11:31:48	1	1	1	1	126.8	62	0	26398.104	604.3010753	15895.68668	30000	0	0	30000	42	2004
08.01.2020 11:31:49	1	1	1	1	126.8	62	0	26445.498	604.3010753	16009.02346	30000	0	0	30000	41.9375	2004
08.01.2020 11:31:50	1	1	1	1	126.8	61.75	0	26492.891	606.4516129	16037.56149	30000	0	0	30000	42	2004
08.01.2020 11:31:51	1	1	1	1	127.3	62	0	26540.284	610.7526882	16095.45294	30000	0	0	30000	42	2004
08.01.2020 11:31:52	1	1	1	1	127.3	62	0	26398.104	608.6021505	16094.63757	30000	0	0	30000	41.75	2004
08.01.2020 11:31:53	1	1	1	1	127.3	61.75	0	26445.498	604.3010753	15980.48542	30000	0	0	30000	41.9375	2004
08.01.2020 11:31:54	1	1	1	1	127.3	61.75	0	26303.318	604.3010753	15894.87131	30000	0	0	30000	41.4375	2004
08.01.2020 11:31:55	1	1	1	1	127.3	61.25	0	26445.498	604.3010753	15980.48542	30000	0	0	30000	41.9375	2004
08.01.2020 11:31:56	1	1	1	1	127.3	61.75	0	26398.104	606.4516129	16009.02346	30000	0	0	30000	41.9375	2004
08.01.2020 11:31:57	1	1	1	1	127.3	61.75	0	26587.678	604.3010753	16066.9149	30000	0	0	30000	42.1875	2004
08.01.2020 11:31:58	1	1	1	1	127.3	62	0	26540.284	604.3010753	16038.37687	30000	0	0	30000	42.1875	2004
08.01.2020 11:31:59	1	1	1	1	127.3	62	0	26445.498	604.3010753	15951.94738	30000	0	0	30000	42.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 11:32:00	1	1	1	1	127.3	62	0	26587.678	602.1505376	16066.9149	30000	0	0	30000	41.875	2004
08.01.2020 11:32:01	1	1	1	1	127.3	61.75	0	26445.498	606.4516129	16009.02346	30000	0	0	30000	42.0625	2004
08.01.2020 11:32:02	1	1	1	1	127.3	62	0	26587.678	610.7526882	16038.37687	30000	0	0	30000	41.875	2004
08.01.2020 11:32:03	1	1	1	1	127.3	61.75	0	26398.104	602.1505376	16009.02346	30000	0	0	30000	42	2004
08.01.2020 11:32:04	1	1	1	1	127.3	62	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	41.6875	2004
08.01.2020 11:32:05	1	1	1	1	127.3	61.5	0	26492.891	604.3010753	16009.02346	30000	0	0	30000	42.125	2004
08.01.2020 11:32:06	1	1	1	1	127.3	62	0	26492.891	606.4516129	15980.48542	30000	0	0	30000	41.875	2004
08.01.2020 11:32:07	1	1	1	1	127.3	61.75	0	26682.464	602.1505376	16009.83883	30000	0	0	30000	41.875	2004
08.01.2020 11:32:08	1	1	1	1	127.3	61.75	0	26540.284	600	15924.22472	30000	0	0	30000	42.1875	2004
08.01.2020 11:32:09	1	1	1	1	127.3	62	0	26587.678	602.1505376	15924.22472	30000	0	0	30000	42.0625	2004
08.01.2020 11:32:10	1	1	1	1	127.3	62	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	41.875	2004
08.01.2020 11:32:11	1	1	1	1	126	61.75	0	26398.104	602.1505376	15895.68668	30000	0	0	30000	42.1875	2004
08.01.2020 11:32:13	1	1	1	1	126	62	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	41.75	2004
08.01.2020 11:32:14	1	1	1	1	126	61.75	0	26540.284	602.1505376	16009.83883	30000	0	0	30000	42	2004
08.01.2020 11:32:15	1	1	1	1	126	62	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	41.5	2004
08.01.2020 11:32:16	1	1	1	1	126	61.5	0	26587.678	606.4516129	15951.94738	30000	0	0	30000	42	2004
08.01.2020 11:32:17	1	1	1	1	126	62	0	26635.071	597.8494624	15923.40934	30000	0	0	30000	41.75	2004
08.01.2020 11:32:18	1	1	1	1	126	61.75	0	26682.464	602.1505376	15894.05593	30000	0	0	30000	41.5625	2004
08.01.2020 11:32:19	1	1	1	1	126	61.5	0	26587.678	597.8494624	15951.94738	30000	0	0	30000	41.9375	2004
08.01.2020 11:32:20	1	1	1	1	126	61.75	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	41.4375	2004
08.01.2020 11:32:21	1	1	1	1	126	61.25	0	26587.678	593.5483871	15837.79523	30000	0	0	30000	42.1875	2004
08.01.2020 11:32:22	1	1	1	1	126.8	62	0	26682.464	597.8494624	15951.94738	30000	0	0	30000	42.4375	2004
08.01.2020 11:32:23	1	1	1	1	126.8	62.25	0	26540.284	597.8494624	15981.30079	30000	0	0	30000	42.0625	2004
08.01.2020 11:32:24	1	1	1	1	126.8	62	0	26540.284	597.8494624	15810.07257	30000	0	0	30000	41.75	2004
08.01.2020 11:32:25	1	1	1	1	126.8	62	0	26492.891	602.1505376	15611.12168	30000	0	0	30000	41.9375	2004
08.01.2020 11:32:26	1	1	1	1	126.8	61.75	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	42.1875	2004
08.01.2020 11:32:27	1	1	1	1	126.8	62	0	26398.104	602.1505376	15895.68668	30000	0	0	30000	42	2004
08.01.2020 11:32:28	1	1	1	1	126.8	62	0	26398.104	606.4516129	16009.02346	30000	0	0	30000	41.6875	2004
08.01.2020 11:32:29	1	1	1	1	126.8	61.5	0	26492.891	604.3010753	16009.02346	30000	0	0	30000	42.1875	2004
08.01.2020 11:32:30	1	1	1	1	126.8	62	0	26540.284	604.3010753	16095.45294	30000	0	0	30000	42.3125	2004
08.01.2020 11:32:31	1	1	1	1	126.8	62.25	0	26492.891	606.4516129	16095.45294	30000	0	0	30000	42.125	2004
08.01.2020 11:32:32	1	1	1	1	126.8	62	0	26540.284	602.1505376	16038.37687	30000	0	0	30000	42.1875	2004
08.01.2020 11:32:33	1	1	1	1	126.8	62	0	26492.891	602.1505376	16038.37687	30000	0	0	30000	42.1875	2004
08.01.2020 11:32:34	1	1	1	1	126.8	62	0	26540.284	602.1505376	15980.48542	30000	0	0	30000	42.125	2004
08.01.2020 11:32:35	1	1	1	1	126.8	62	0	26587.678	602.1505376	15981.30079	30000	0	0	30000	42.1875	2004
08.01.2020 11:32:36	1	1	1	1	126.8	62	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	42.1875	2004
08.01.2020 11:32:43	1	1	1	1	127.3	62	0	26587.678	597.8494624	16038.37687	30000	0	0	30000	42.25	2004
08.01.2020 11:32:43	1	1	1	1	127.3	62	0	26587.678	597.8494624	16038.37687	30000	0	0	30000	42.25	2004
08.01.2020 11:32:43	1	1	1	1	127.3	62	0	26587.678	597.8494624	16038.37687	30000	0	0	30000	42.25	2004
08.01.2020 11:32:43	1	1	1	1	127.3	62	0	26587.678	597.8494624	16038.37687	30000	0	0	30000	42.25	2004
08.01.2020 11:32:43	1	1	1	1	127.3	62	0	26587.678	597.8494624	16038.37687	30000	0	0	30000	42.25	2004
08.01.2020 11:32:43	1	1	1	1	127.3	62	0	26587.678	597.8494624	16038.37687	30000	0	0	30000	42.25	2004
08.01.2020 11:32:43	1	1	1	1	127.3	62.25	0	26587.678	602.1505376	15894.87131	30000	0	0	30000	41.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 11:32:44	1	1	1	1	127.3	61.75	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	42.25	2004
08.01.2020 11:32:45	1	1	1	1	127.3	62.25	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	42.1875	2004
08.01.2020 11:32:46	1	1	1	1	127.3	62	0	26682.464	602.1505376	16123.99098	30000	0	0	30000	41.125	2004
08.01.2020 11:32:47	1	1	1	1	127.3	61	0	26682.464	604.3010753	16123.99098	30000	0	0	30000	42.1875	2004
08.01.2020 11:32:48	1	1	1	1	127.3	62	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	42.1875	2004
08.01.2020 11:32:50	1	1	1	1	127.3	62	0	26445.498	604.3010753	16009.02346	30000	0	0	30000	42.375	2004
08.01.2020 11:32:51	1	1	1	1	127.3	62.25	0	26398.104	606.4516129	15923.40934	30000	0	0	30000	42.25	2004
08.01.2020 11:32:52	1	1	1	1	127.3	62.25	0	26445.498	606.4516129	16095.45294	30000	0	0	30000	42.125	2004
08.01.2020 11:32:53	1	1	1	1	127.3	62	0	26445.498	604.3010753	15980.48542	30000	0	0	30000	41.8125	2004
08.01.2020 11:32:54	1	1	1	1	127.3	61.75	0	26587.678	604.3010753	16038.37687	30000	0	0	30000	42	2004
08.01.2020 11:32:55	1	1	1	1	127.3	62	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	41.75	2004
08.01.2020 11:32:56	1	1	1	1	127.3	61.75	0	26540.284	604.3010753	16038.37687	30000	0	0	30000	42.1875	2004
08.01.2020 11:32:57	1	1	1	1	127.3	62	0	26540.284	602.1505376	16038.37687	30000	0	0	30000	42.0625	2004
08.01.2020 11:32:58	1	1	1	1	127.3	62	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	42.25	2004
08.01.2020 11:32:59	1	1	1	1	127.3	62.25	0	26540.284	608.6021505	16038.37687	30000	0	0	30000	41.5	2004
08.01.2020 11:33:00	1	1	1	1	127.3	61.5	0	26398.104	597.8494624	15781.53453	30000	0	0	30000	42.1875	2004
08.01.2020 11:33:01	1	1	1	1	127.3	62	0	26445.498	604.3010753	15980.48542	30000	0	0	30000	42.25	2004
08.01.2020 11:33:02	1	1	1	1	127.5	62.25	0	26445.498	604.3010753	16009.02346	30000	0	0	30000	42.1875	2004
08.01.2020 11:33:03	1	1	1	1	127.5	62	0	26492.891	604.3010753	16038.37687	30000	0	0	30000	42.375	2004
08.01.2020 11:33:04	1	1	1	1	127.5	62.25	0	26398.104	602.1505376	15867.14864	30000	0	0	30000	41.75	2004
08.01.2020 11:33:05	1	1	1	1	127.5	62	0	26350.711	606.4516129	15838.61061	30000	0	0	30000	42.1875	2004
08.01.2020 11:33:06	1	1	1	1	127.5	62	0	26303.318	608.6021505	16008.20808	30000	0	0	30000	42.3125	2004
08.01.2020 11:33:07	1	1	1	1	127.5	62.25	0	26208.531	606.4516129	16035.93075	30000	0	0	30000	42.3125	2004
08.01.2020 11:33:08	1	1	1	1	127.5	62.25	0	26350.711	606.4516129	16036.74612	30000	0	0	30000	42.1875	2004
08.01.2020 11:33:09	1	1	1	1	127.5	62	0	26398.104	606.4516129	16065.28416	30000	0	0	30000	42.125	2004
08.01.2020 11:33:10	1	1	1	1	127.5	62	0	26445.498	608.6021505	16094.63757	30000	0	0	30000	41.6875	2004
08.01.2020 11:33:11	1	1	1	1	127.5	61.5	0	26398.104	604.3010753	15980.48542	30000	0	0	30000	42.1875	2004
08.01.2020 11:33:12	1	1	1	1	127.5	62	0	26398.104	608.6021505	16065.28416	30000	0	0	30000	41.6875	2004
08.01.2020 11:33:13	1	1	1	1	127.5	61.5	0	26445.498	608.6021505	16094.63757	30000	0	0	30000	41.625	2004
08.01.2020 11:33:14	1	1	1	1	127.5	61.5	0	26445.498	606.4516129	16037.56149	30000	0	0	30000	42.125	2004
08.01.2020 11:33:15	1	1	1	1	127.5	62	0	26445.498	606.4516129	15951.94738	30000	0	0	30000	42.25	2004
08.01.2020 11:33:16	1	1	1	1	127.5	62.25	0	26445.498	606.4516129	16009.02346	30000	0	0	30000	42	2004
08.01.2020 11:33:17	1	1	1	1	127.5	62	0	26303.318	606.4516129	16036.74612	30000	0	0	30000	42.0625	2004
08.01.2020 11:33:18	1	1	1	1	127.5	62	0	26445.498	604.3010753	15980.48542	30000	0	0	30000	42.1875	2004
08.01.2020 11:33:19	1	1	1	1	127.5	62	0	26587.678	602.1505376	16066.9149	30000	0	0	30000	42.375	2004
08.01.2020 11:33:20	1	1	1	1	127.5	62.25	0	26492.891	606.4516129	16038.37687	30000	0	0	30000	42.3125	2004
08.01.2020 11:33:21	1	1	1	1	127	62.25	0	26445.498	602.1505376	16038.37687	30000	0	0	30000	42.1875	2004
08.01.2020 11:33:22	1	1	1	1	127	62	0	26540.284	602.1505376	15724.45846	30000	0	0	30000	42.1875	2004
08.01.2020 11:33:23	1	1	1	1	127	62	0	26587.678	602.1505376	16066.9149	30000	0	0	30000	42.3125	2004
08.01.2020 11:33:24	1	1	1	1	127	62.25	0	26682.464	602.1505376	16123.99098	30000	0	0	30000	42.1875	2004
08.01.2020 11:33:25	1	1	1	1	127	62	0	26587.678	602.1505376	15951.94738	30000	0	0	30000	42.1875	2004
08.01.2020 11:33:26	1	1	1	1	127	62	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	42.0625	2004
08.01.2020 11:33:27	1	1	1	1	127	62	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	42.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 11:33:29	1	1	1	1	127	62	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	41.9375	2004
08.01.2020 11:33:30	1	1	1	1	127	61.75	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	41.875	2004
08.01.2020 11:33:31	1	1	1	1	127	61.75	0	26540.284	597.8494624	15667.38238	30000	0	0	30000	42.25	2004
08.01.2020 11:33:32	1	1	1	1	127	62.25	0	26540.284	604.3010753	16066.9149	30000	0	0	30000	42.25	2004
08.01.2020 11:33:33	1	1	1	1	127	62.25	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	42.25	2004
08.01.2020 11:33:34	1	1	1	1	127	62.25	0	26445.498	600	15895.68668	30000	0	0	30000	41.75	2004
08.01.2020 11:33:35	1	1	1	1	127	61.75	0	26587.678	604.3010753	16066.9149	30000	0	0	30000	42	2004
08.01.2020 11:33:36	1	1	1	1	127	62	0	26587.678	602.1505376	16066.9149	30000	0	0	30000	42.1875	2004
08.01.2020 11:33:37	1	1	1	1	127	62	0	26492.891	602.1505376	15981.30079	30000	0	0	30000	42.1875	2004
08.01.2020 11:33:38	1	1	1	1	127	62	0	26777.251	602.1505376	16066.9149	30000	0	0	30000	41.9375	2004
08.01.2020 11:33:44	1	1	1	1	127.3	62.25	0	26540.284	597.8494624	15867.14864	30000	0	0	30000	42.25	2004
08.01.2020 11:33:44	1	1	1	1	127.3	62.25	0	26540.284	597.8494624	15867.14864	30000	0	0	30000	42.25	2004
08.01.2020 11:33:44	1	1	1	1	127.3	62.25	0	26540.284	597.8494624	15867.14864	30000	0	0	30000	42.25	2004
08.01.2020 11:33:44	1	1	1	1	127.3	62.25	0	26540.284	597.8494624	15867.14864	30000	0	0	30000	42.25	2004
08.01.2020 11:33:44	1	1	1	1	127.3	62.25	0	26540.284	597.8494624	15867.14864	30000	0	0	30000	42.25	2004
08.01.2020 11:33:44	1	1	1	1	127.3	62.25	0	26540.284	597.8494624	15867.14864	30000	0	0	30000	42.25	2004
08.01.2020 11:33:45	1	1	1	1	127.3	62.25	0	26682.464	602.1505376	16009.02346	30000	0	0	30000	42.3125	2004
08.01.2020 11:33:46	1	1	1	1	127.3	62.25	0	26587.678	602.1505376	16123.99098	30000	0	0	30000	41.6875	2004
08.01.2020 11:33:47	1	1	1	1	127.3	61.5	0	26777.251	602.1505376	16123.99098	30000	0	0	30000	42.1875	2004
08.01.2020 11:33:48	1	1	1	1	127.3	62	0	26587.678	595.6989247	15894.87131	30000	0	0	30000	42.125	2004
08.01.2020 11:33:49	1	1	1	1	127.3	62	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	42.375	2004
08.01.2020 11:33:50	1	1	1	1	127.3	62.25	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	42.375	2004
08.01.2020 11:33:51	1	1	1	1	127.8	62.25	0	26587.678	597.8494624	15951.94738	30000	0	0	30000	42.25	2004
08.01.2020 11:33:52	1	1	1	1	127.8	62.25	0	26540.284	597.8494624	16009.83883	30000	0	0	30000	42.3125	2004
08.01.2020 11:33:53	1	1	1	1	127.8	62.25	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	42.375	2004
08.01.2020 11:33:54	1	1	1	1	127.8	62.25	0	26587.678	602.1505376	15924.22472	30000	0	0	30000	42.375	2004
08.01.2020 11:33:55	1	1	1	1	127.8	62.25	0	26682.464	602.1505376	15894.05593	30000	0	0	30000	42.375	2004
08.01.2020 11:33:56	1	1	1	1	127.8	62.25	0	26492.891	604.3010753	15867.14864	30000	0	0	30000	41.5	2004
08.01.2020 11:33:57	1	1	1	1	127.8	61.5	0	26682.464	610.7526882	16009.83883	30000	0	0	30000	41.9375	2004
08.01.2020 11:33:58	1	1	1	1	127.8	61.75	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	42.1875	2004
08.01.2020 11:33:59	1	1	1	1	127.8	62	0	26398.104	597.8494624	15838.61061	30000	0	0	30000	42.1875	2004
08.01.2020 11:34:00	1	1	1	1	127.8	62	0	26587.678	602.1505376	15951.94738	30000	0	0	30000	42.25	2004
08.01.2020 11:34:01	1	1	1	1	127.8	62.25	0	26587.678	602.1505376	15981.30079	30000	0	0	30000	42.25	2004
08.01.2020 11:34:02	1	1	1	1	127.8	62.25	0	26682.464	606.4516129	16009.83883	30000	0	0	30000	42.375	2004
08.01.2020 11:34:03	1	1	1	1	127.8	62.25	0	26682.464	602.1505376	16009.02346	30000	0	0	30000	42.375	2004
08.01.2020 11:34:04	1	1	1	1	127.8	62.25	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	42.0625	2004
08.01.2020 11:34:05	1	1	1	1	127.8	62	0	26492.891	602.1505376	15981.30079	30000	0	0	30000	41	2004
08.01.2020 11:34:06	1	1	1	1	127.8	61	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	42.375	2004
08.01.2020 11:34:07	1	1	1	1	127.8	62.25	0	26445.498	602.1505376	16009.02346	30000	0	0	30000	42.375	2004
08.01.2020 11:34:08	1	1	1	1	127.8	62.25	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	42.0625	2004
08.01.2020 11:34:09	1	1	1	1	127.8	62	0	26445.498	602.1505376	15980.48542	30000	0	0	30000	42.375	2004
08.01.2020 11:34:10	1	1	1	1	127.8	62.25	0	26540.284	606.4516129	16038.37687	30000	0	0	30000	42.5	2004
08.01.2020 11:34:12	1	1	1	1	127.3	62.5	0	26540.284	602.1505376	16038.37687	30000	0	0	30000	42.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 11:34:13	1	1	1	1	127.3	62.25	0	26587.678	602.1505376	16066.9149	30000	0	0	30000	42	2004
08.01.2020 11:34:14	1	1	1	1	127.3	62	0	26540.284	606.4516129	15981.30079	30000	0	0	30000	41.4375	2004
08.01.2020 11:34:15	1	1	1	1	127.3	61.25	0	26587.678	602.1505376	16066.9149	30000	0	0	30000	41.9375	2004
08.01.2020 11:34:16	1	1	1	1	127.3	61.75	0	26492.891	606.4516129	15980.48542	30000	0	0	30000	42.1875	2004
08.01.2020 11:34:17	1	1	1	1	127.3	62	0	26445.498	604.3010753	15980.48542	30000	0	0	30000	42.4375	2004
08.01.2020 11:34:18	1	1	1	1	127.3	62.25	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	42.3125	2004
08.01.2020 11:34:19	1	1	1	1	127.3	62.25	0	26445.498	602.1505376	15867.14864	30000	0	0	30000	41.8125	2004
08.01.2020 11:34:20	1	1	1	1	127.3	61.75	0	26682.464	602.1505376	16009.02346	30000	0	0	30000	41.75	2004
08.01.2020 11:34:21	1	1	1	1	127.3	61.75	0	26540.284	602.1505376	15924.22472	30000	0	0	30000	41.5	2004
08.01.2020 11:34:22	1	1	1	1	128	61.5	0	26682.464	602.1505376	16123.99098	30000	0	0	30000	42.5	2004
08.01.2020 11:34:23	1	1	1	1	128	62.5	0	26492.891	604.3010753	16009.02346	30000	0	0	30000	42.5	2004
08.01.2020 11:34:24	1	1	1	1	128	62.5	0	26445.498	602.1505376	16038.37687	30000	0	0	30000	42.125	2004
08.01.2020 11:34:25	1	1	1	1	128	62	0	26445.498	600	16009.02346	30000	0	0	30000	42.25	2004
08.01.2020 11:34:26	1	1	1	1	128	62.25	0	26445.498	606.4516129	15980.48542	30000	0	0	30000	41.9375	2004
08.01.2020 11:34:27	1	1	1	1	128	61.75	0	26492.891	602.1505376	15952.76275	30000	0	0	30000	42.25	2004
08.01.2020 11:34:28	1	1	1	1	128	62.25	0	26445.498	602.1505376	15952.76275	30000	0	0	30000	42.5	2004
08.01.2020 11:34:29	1	1	1	1	128	62.5	0	26587.678	608.6021505	16009.83883	30000	0	0	30000	42.1875	2004
08.01.2020 11:34:30	1	1	1	1	128	62	0	26492.891	604.3010753	16038.37687	30000	0	0	30000	41.9375	2004
08.01.2020 11:34:31	1	1	1	1	128	61.75	0	26540.284	606.4516129	15981.30079	30000	0	0	30000	42.0625	2004
08.01.2020 11:34:32	1	1	1	1	128	62	0	26492.891	602.1505376	15952.76275	30000	0	0	30000	42.375	2004
08.01.2020 11:34:33	1	1	1	1	128	62.25	0	26682.464	602.1505376	16009.02346	30000	0	0	30000	42.3125	2004
08.01.2020 11:34:34	1	1	1	1	128	62.25	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	42.0625	2004
08.01.2020 11:34:35	1	1	1	1	128	62	0	26492.891	602.1505376	15895.68668	30000	0	0	30000	42.3125	2004
08.01.2020 11:34:36	1	1	1	1	128	62.25	0	26492.891	597.8494624	15981.30079	30000	0	0	30000	42.4375	2004
08.01.2020 11:34:37	1	1	1	1	128	62.25	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	41.6875	2004
08.01.2020 11:34:38	1	1	1	1	128	61.5	0	26540.284	610.7526882	15924.22472	30000	0	0	30000	42.25	2004
08.01.2020 11:34:39	1	1	1	1	128	62.25	0	26682.464	595.6989247	16009.02346	30000	0	0	30000	42.4375	2004
08.01.2020 11:34:46	1	1	1	1	128.3	62.25	0	26777.251	602.1505376	16066.9149	30000	0	0	30000	42.4375	2004
08.01.2020 11:34:46	1	1	1	1	128.3	62.25	0	26777.251	602.1505376	16066.9149	30000	0	0	30000	42.4375	2004
08.01.2020 11:34:46	1	1	1	1	128.3	62.25	0	26777.251	602.1505376	16066.9149	30000	0	0	30000	42.4375	2004
08.01.2020 11:34:46	1	1	1	1	128.3	62.25	0	26777.251	602.1505376	16066.9149	30000	0	0	30000	42.4375	2004
08.01.2020 11:34:46	1	1	1	1	128.3	62.25	0	26777.251	602.1505376	16066.9149	30000	0	0	30000	42.4375	2004
08.01.2020 11:34:46	1	1	1	1	128.3	62.25	0	26777.251	602.1505376	16066.9149	30000	0	0	30000	42.4375	2004
08.01.2020 11:34:46	1	1	1	1	128.3	62.25	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	42.4375	2004
08.01.2020 11:34:47	1	1	1	1	128.3	62.25	0	26587.678	597.8494624	16009.83883	30000	0	0	30000	42.1875	2004
08.01.2020 11:34:48	1	1	1	1	128.3	62	0	26635.071	602.1505376	16009.83883	30000	0	0	30000	42.1875	2004
08.01.2020 11:34:50	1	1	1	1	128.3	62	0	26682.464	600	16009.02346	30000	0	0	30000	42.25	2004
08.01.2020 11:34:51	1	1	1	1	128.3	62.25	0	26682.464	597.8494624	15951.94738	30000	0	0	30000	42.3125	2004
08.01.2020 11:34:52	1	1	1	1	127.8	62.25	0	26398.104	602.1505376	15895.68668	30000	0	0	30000	42.0625	2004
08.01.2020 11:34:53	1	1	1	1	127.8	62	0	26445.498	602.1505376	15924.22472	30000	0	0	30000	42.0625	2004
08.01.2020 11:34:54	1	1	1	1	127.8	62	0	26587.678	604.3010753	16181.06705	30000	0	0	30000	42.1875	2004
08.01.2020 11:34:55	1	1	1	1	127.8	62	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	42.5625	2004
08.01.2020 11:34:56	1	1	1	1	127.8	62.5	0	26587.678	602.1505376	15924.22472	30000	0	0	30000	42.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 11:34:57	1	1	1	1	127.8	62.25	0	26445.498	604.3010753	15980.48542	30000	0	0	30000	42.4375	2004
08.01.2020 11:34:58	1	1	1	1	127.8	62.25	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	42.375	2004
08.01.2020 11:34:59	1	1	1	1	127.8	62.25	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	42.1875	2004
08.01.2020 11:35:00	1	1	1	1	127.8	62	0	26587.678	600	16009.83883	30000	0	0	30000	42.25	2004
08.01.2020 11:35:01	1	1	1	1	127.8	62.25	0	26540.284	597.8494624	15924.22472	30000	0	0	30000	41.875	2004
08.01.2020 11:35:02	1	1	1	1	128	61.75	0	26445.498	602.1505376	15952.76275	30000	0	0	30000	42.3125	2004
08.01.2020 11:35:03	1	1	1	1	128	62.25	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	42.6875	2004
08.01.2020 11:35:04	1	1	1	1	128	62.75	0	26635.071	602.1505376	16066.9149	30000	0	0	30000	41.9375	2004
08.01.2020 11:35:05	1	1	1	1	128	61.75	0	26587.678	604.3010753	15981.30079	30000	0	0	30000	42.375	2004
08.01.2020 11:35:06	1	1	1	1	128	62.25	0	26587.678	593.5483871	15951.94738	30000	0	0	30000	42.5	2004
08.01.2020 11:35:07	1	1	1	1	128	62.5	0	26587.678	602.1505376	15837.79523	30000	0	0	30000	42.5625	2004
08.01.2020 11:35:08	1	1	1	1	128	62.5	0	26540.284	604.3010753	16038.37687	30000	0	0	30000	42.375	2004
08.01.2020 11:35:09	1	1	1	1	128	62.25	0	26398.104	600	15810.07257	30000	0	0	30000	42.3125	2004
08.01.2020 11:35:10	1	1	1	1	128	62.25	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	42.3125	2004
08.01.2020 11:35:11	1	1	1	1	127.8	62.25	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	42.1875	2004
08.01.2020 11:35:12	1	1	1	1	127.8	62	0	26587.678	602.1505376	15951.94738	30000	0	0	30000	42.375	2004
08.01.2020 11:35:13	1	1	1	1	127.8	62.25	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	42.4375	2004
08.01.2020 11:35:14	1	1	1	1	127.8	62.25	0	26587.678	602.1505376	16066.9149	30000	0	0	30000	42.375	2004
08.01.2020 11:35:15	1	1	1	1	127.8	62.25	0	26587.678	600	15951.94738	30000	0	0	30000	42.6875	2004
08.01.2020 11:35:16	1	1	1	1	127.8	62.5	0	26350.711	602.1505376	15923.40934	30000	0	0	30000	42.5	2004
08.01.2020 11:35:17	1	1	1	1	127.8	62.5	0	26350.711	604.3010753	15923.40934	30000	0	0	30000	42.5	2004
08.01.2020 11:35:18	1	1	1	1	127.8	62.5	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	42.375	2004
08.01.2020 11:35:19	1	1	1	1	127.8	62.25	0	26445.498	604.3010753	16009.02346	30000	0	0	30000	42.5	2004
08.01.2020 11:35:20	1	1	1	1	127.8	62.5	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	42.4375	2004
08.01.2020 11:35:21	1	1	1	1	127.3	62.25	0	26635.071	597.8494624	16009.02346	30000	0	0	30000	42.5625	2004
08.01.2020 11:35:22	1	1	1	1	127.3	62.5	0	26540.284	597.8494624	15867.14864	30000	0	0	30000	42	2004
08.01.2020 11:35:23	1	1	1	1	127.3	62	0	26492.891	602.1505376	15924.22472	30000	0	0	30000	42.4375	2004
08.01.2020 11:35:24	1	1	1	1	127.3	62.25	0	26540.284	602.1505376	16009.83883	30000	0	0	30000	42.4375	2004
08.01.2020 11:35:25	1	1	1	1	127.3	62.25	0	26682.464	600	16009.02346	30000	0	0	30000	42.5	2004
08.01.2020 11:35:26	1	1	1	1	127.3	62.5	0	26492.891	597.8494624	15895.68668	30000	0	0	30000	42.4375	2004
08.01.2020 11:35:28	1	1	1	1	127.3	62.25	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	42.625	2004
08.01.2020 11:35:29	1	1	1	1	127.3	62.5	0	26587.678	602.1505376	16066.9149	30000	0	0	30000	42.125	2004
08.01.2020 11:35:30	1	1	1	1	127.3	62	0	26682.464	597.8494624	16009.02346	30000	0	0	30000	42.3125	2004
08.01.2020 11:35:31	1	1	1	1	127.3	62.25	0	26587.678	597.8494624	15951.94738	30000	0	0	30000	42.3125	2004
08.01.2020 11:35:32	1	1	1	1	127.8	62.25	0	26540.284	597.8494624	15924.22472	30000	0	0	30000	42.0625	2004
08.01.2020 11:35:33	1	1	1	1	127.8	62	0	26587.678	604.3010753	16066.9149	30000	0	0	30000	42.5	2004
08.01.2020 11:35:34	1	1	1	1	127.8	62.5	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	42.625	2004
08.01.2020 11:35:35	1	1	1	1	127.8	62.5	0	26587.678	593.5483871	15894.87131	30000	0	0	30000	42.4375	2004
08.01.2020 11:35:36	1	1	1	1	127.8	62.25	0	26729.858	597.8494624	16008.20808	30000	0	0	30000	42.625	2004
08.01.2020 11:35:37	1	1	1	1	127.8	62.5	0	26777.251	597.8494624	16066.09953	30000	0	0	30000	42.3125	2004
08.01.2020 11:35:38	1	1	1	1	127.8	62.25	0	26540.284	602.1505376	15924.22472	30000	0	0	30000	42.125	2004
08.01.2020 11:35:39	1	1	1	1	127.8	62	0	26729.858	597.8494624	15894.05593	30000	0	0	30000	42.3125	2004
08.01.2020 11:35:40	1	1	1	1	127.8	62.25	0	26777.251	597.8494624	15951.94738	30000	0	0	30000	42.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 11:35:41	1	1	1	1	127.8	62.75	0	26919.431	595.6989247	16035.93075	30000	0	0	30000	42.4375	2004
08.01.2020 11:35:47	1	1	1	1	128	62.25	0	26919.431	597.8494624	16035.93075	30000	0	0	30000	42.4375	2004
08.01.2020 11:35:47	1	1	1	1	128	62.25	0	26919.431	597.8494624	16035.93075	30000	0	0	30000	42.4375	2004
08.01.2020 11:35:47	1	1	1	1	128	62.25	0	26919.431	597.8494624	16035.93075	30000	0	0	30000	42.4375	2004
08.01.2020 11:35:47	1	1	1	1	128	62.25	0	26919.431	597.8494624	16035.93075	30000	0	0	30000	42.4375	2004
08.01.2020 11:35:47	1	1	1	1	128	62.25	0	26919.431	597.8494624	16035.93075	30000	0	0	30000	42.4375	2004
08.01.2020 11:35:47	1	1	1	1	128	62.25	0	26919.431	597.8494624	16035.93075	30000	0	0	30000	42.4375	2004
08.01.2020 11:35:48	1	1	1	1	128	62.25	0	26824.645	597.8494624	16094.63757	30000	0	0	30000	42.25	2004
08.01.2020 11:35:49	1	1	1	1	128	62.25	0	26824.645	600	16123.1756	30000	0	0	30000	42.5625	2004
08.01.2020 11:35:50	1	1	1	1	128	62.5	0	26682.464	602.1505376	16009.02346	30000	0	0	30000	42.1875	2004
08.01.2020 11:35:51	1	1	1	1	127.8	62	0	26682.464	602.1505376	16181.06705	30000	0	0	30000	42.5	2004
08.01.2020 11:35:52	1	1	1	1	127.8	62.5	0	26587.678	597.8494624	16009.02346	30000	0	0	30000	42.4375	2004
08.01.2020 11:35:53	1	1	1	1	127.8	62.25	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	42.1875	2004
08.01.2020 11:35:54	1	1	1	1	127.8	62	0	26587.678	602.1505376	15752.99649	30000	0	0	30000	42.5625	2004
08.01.2020 11:35:55	1	1	1	1	127.8	62.5	0	26540.284	600	15924.22472	30000	0	0	30000	41.8125	2004
08.01.2020 11:35:56	1	1	1	1	127.8	61.75	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	42.625	2004
08.01.2020 11:35:57	1	1	1	1	127.8	62.5	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	42.125	2004
08.01.2020 11:35:58	1	1	1	1	127.8	62	0	26540.284	597.8494624	16009.83883	30000	0	0	30000	41.5	2004
08.01.2020 11:35:59	1	1	1	1	127.8	61.5	0	26587.678	597.8494624	15894.87131	30000	0	0	30000	42.125	2004
08.01.2020 11:36:00	1	1	1	1	127.8	62	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	42.0625	2004
08.01.2020 11:36:01	1	1	1	1	127.5	62	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	42.0625	2004
08.01.2020 11:36:02	1	1	1	1	127.5	62	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	42.375	2004
08.01.2020 11:36:04	1	1	1	1	127.5	62.25	0	26635.071	604.3010753	16009.83883	30000	0	0	30000	42.5625	2004
08.01.2020 11:36:05	1	1	1	1	127.5	62.5	0	26587.678	602.1505376	16066.9149	30000	0	0	30000	42.625	2004
08.01.2020 11:36:06	1	1	1	1	127.5	62.5	0	26492.891	602.1505376	15924.22472	30000	0	0	30000	42.5	2004
08.01.2020 11:36:07	1	1	1	1	127.5	62.5	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	42.625	2004
08.01.2020 11:36:08	1	1	1	1	127.5	62.5	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	42.125	2004
08.01.2020 11:36:09	1	1	1	1	127.5	62	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	42.5	2004
08.01.2020 11:36:10	1	1	1	1	127.5	62.5	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	42.25	2004
08.01.2020 11:36:11	1	1	1	1	127.5	62.25	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	42.3125	2004
08.01.2020 11:36:12	1	1	1	1	127.8	62.25	0	26587.678	604.3010753	15924.22472	30000	0	0	30000	42.4375	2004
08.01.2020 11:36:13	1	1	1	1	127.8	62.25	0	26445.498	602.1505376	15924.22472	30000	0	0	30000	42	2004
08.01.2020 11:36:14	1	1	1	1	127.8	62	0	26492.891	604.3010753	15980.48542	30000	0	0	30000	42.9375	2004
08.01.2020 11:36:15	1	1	1	1	127.8	62.75	0	26445.498	600	15838.61061	30000	0	0	30000	42.1875	2004
08.01.2020 11:36:16	1	1	1	1	127.8	62	0	26587.678	604.3010753	15981.30079	30000	0	0	30000	42.625	2004
08.01.2020 11:36:17	1	1	1	1	127.8	62.5	0	26540.284	606.4516129	16038.37687	30000	0	0	30000	42.625	2004
08.01.2020 11:36:18	1	1	1	1	127.8	62.5	0	26398.104	602.1505376	15951.94738	30000	0	0	30000	42.3125	2004
08.01.2020 11:36:19	1	1	1	1	127.8	62.25	0	26682.464	604.3010753	16066.9149	30000	0	0	30000	42.6875	2004
08.01.2020 11:36:20	1	1	1	1	127.8	62.5	0	26445.498	602.1505376	15980.48542	30000	0	0	30000	42	2004
08.01.2020 11:36:21	1	1	1	1	128.5	62	0	26398.104	604.3010753	15951.94738	30000	0	0	30000	41.8125	2004
08.01.2020 11:36:22	1	1	1	1	128.5	61.75	0	26445.498	604.3010753	15951.94738	30000	0	0	30000	42.375	2004
08.01.2020 11:36:23	1	1	1	1	128.5	62.25	0	26540.284	606.4516129	16038.37687	30000	0	0	30000	42.5625	2004
08.01.2020 11:36:24	1	1	1	1	128.5	62.5	0	26350.711	604.3010753	15923.40934	30000	0	0	30000	42.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 11:36:25	1	1	1	1	128.5	62.25	0	26350.711	610.7526882	15923.40934	30000	0	0	30000	42.5	2004
08.01.2020 11:36:26	1	1	1	1	128.5	62.5	0	26398.104	602.1505376	15951.94738	30000	0	0	30000	41.6875	2004
08.01.2020 11:36:27	1	1	1	1	128.5	61.5	0	26445.498	606.4516129	16094.63757	30000	0	0	30000	42.25	2004
08.01.2020 11:36:28	1	1	1	1	128.5	62.25	0	26492.891	610.7526882	16037.56149	30000	0	0	30000	42.25	2004
08.01.2020 11:36:29	1	1	1	1	128.5	62.25	0	26445.498	604.3010753	15980.48542	30000	0	0	30000	42.375	2004
08.01.2020 11:36:30	1	1	1	1	128.5	62.25	0	26445.498	604.3010753	16009.02346	30000	0	0	30000	42.4375	2004
08.01.2020 11:36:31	1	1	1	1	128	62.25	0	26398.104	604.3010753	15951.94738	30000	0	0	30000	42.5625	2004
08.01.2020 11:36:32	1	1	1	1	128	62.5	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	42	2004
08.01.2020 11:36:33	1	1	1	1	128	62	0	26303.318	608.6021505	16008.20808	30000	0	0	30000	42.375	2004
08.01.2020 11:36:34	1	1	1	1	128	62.25	0	26540.284	606.4516129	16009.02346	30000	0	0	30000	42.5	2004
08.01.2020 11:36:35	1	1	1	1	128	62.5	0	26398.104	608.6021505	15951.94738	30000	0	0	30000	42.6875	2004
08.01.2020 11:36:36	1	1	1	1	128	62.5	0	26398.104	606.4516129	16094.63757	30000	0	0	30000	42.5	2004
08.01.2020 11:36:40	1	1	1	1	128	62.5	0	26398.104	602.1505376	16094.63757	30000	0	0	30000	42.625	2004
08.01.2020 11:36:40	1	1	1	1	128	62.5	0	26398.104	602.1505376	16094.63757	30000	0	0	30000	42.625	2004
08.01.2020 11:36:40	1	1	1	1	128	62.5	0	26398.104	602.1505376	16094.63757	30000	0	0	30000	42.625	2004
08.01.2020 11:36:41	1	1	1	1	128	62.5	0	26445.498	606.4516129	16094.63757	30000	0	0	30000	41.9375	2004
08.01.2020 11:36:42	1	1	1	1	128	61.75	0	26398.104	597.8494624	15924.22472	30000	0	0	30000	41.75	2004
08.01.2020 11:36:43	1	1	1	1	128	61.75	0	26445.498	600	16038.37687	30000	0	0	30000	42.6875	2004
08.01.2020 11:36:49	1	1	1	1	128	62.5	0	26445.498	608.6021505	15895.68668	30000	0	0	30000	42.3125	2004
08.01.2020 11:36:49	1	1	1	1	128	62.5	0	26445.498	608.6021505	15895.68668	30000	0	0	30000	42.3125	2004
08.01.2020 11:36:49	1	1	1	1	128	62.5	0	26445.498	608.6021505	15895.68668	30000	0	0	30000	42.3125	2004
08.01.2020 11:36:49	1	1	1	1	128	62.5	0	26445.498	608.6021505	15895.68668	30000	0	0	30000	42.3125	2004
08.01.2020 11:36:49	1	1	1	1	128	62.5	0	26445.498	608.6021505	15895.68668	30000	0	0	30000	42.3125	2004
08.01.2020 11:36:50	1	1	1	1	128	62.25	0	26208.531	606.4516129	15837.79523	30000	0	0	30000	42.5	2004
08.01.2020 11:36:51	1	1	1	1	128	62.5	0	26303.318	606.4516129	15781.53453	30000	0	0	30000	43	2004
08.01.2020 11:36:52	1	1	1	1	128.3	63	0	26350.711	604.3010753	15894.87131	30000	0	0	30000	42.875	2004
08.01.2020 11:36:53	1	1	1	1	128.3	62.75	0	26303.318	602.1505376	16036.74612	30000	0	0	30000	42.6875	2004
08.01.2020 11:36:54	1	1	1	1	128.3	62.5	0	26113.744	610.7526882	15779.90379	30000	0	0	30000	42.9375	2004
08.01.2020 11:36:55	1	1	1	1	128.3	62.5	0	26208.531	606.4516129	15836.16449	30000	0	0	30000	42.5625	2004
08.01.2020 11:36:56	1	1	1	1	128.3	62.5	0	26350.711	606.4516129	16008.20808	30000	0	0	30000	42.4375	2004
08.01.2020 11:36:57	1	1	1	1	128.3	62.25	0	26208.531	610.7526882	16006.57734	30000	0	0	30000	42.625	2004
08.01.2020 11:36:58	1	1	1	1	128.3	62.5	0	26255.924	608.6021505	16006.57734	30000	0	0	30000	42.1875	2004
08.01.2020 11:36:59	1	1	1	1	128.3	62	0	26303.318	610.7526882	15779.90379	30000	0	0	30000	42.875	2004
08.01.2020 11:37:00	1	1	1	1	128.3	62.75	0	26255.924	606.4516129	16008.20808	30000	0	0	30000	42.625	2004
08.01.2020 11:37:01	1	1	1	1	128.5	62.5	0	26113.744	610.7526882	16004.94659	30000	0	0	30000	42.5	2004
08.01.2020 11:37:02	1	1	1	1	128.5	62.5	0	26350.711	606.4516129	16065.28416	30000	0	0	30000	42.75	2004
08.01.2020 11:37:03	1	1	1	1	128.5	62.75	0	26398.104	606.4516129	15951.94738	30000	0	0	30000	42.1875	2004
08.01.2020 11:37:04	1	1	1	1	128.5	62	0	26445.498	606.4516129	16094.63757	30000	0	0	30000	42.125	2004
08.01.2020 11:37:05	1	1	1	1	128.5	62	0	26255.924	606.4516129	16064.46878	30000	0	0	30000	42.75	2004
08.01.2020 11:37:06	1	1	1	1	128.5	62.75	0	26113.744	606.4516129	16006.57734	30000	0	0	30000	42.3125	2004
08.01.2020 11:37:07	1	1	1	1	128.5	62.25	0	26113.744	606.4516129	15892.42519	30000	0	0	30000	42.625	2004
08.01.2020 11:37:08	1	1	1	1	128.5	62.5	0	26303.318	610.7526882	15978.85467	30000	0	0	30000	42.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 11:37:09	1	1	1	1	128.5	62.75	0	26350.711	608.6021505	16036.74612	30000	0	0	30000	42.375	2004
08.01.2020 11:37:10	1	1	1	1	128.5	62.25	0	26303.318	610.7526882	16008.20808	30000	0	0	30000	42.5625	2004
08.01.2020 11:37:11	1	1	1	1	128.3	62.5	0	26445.498	606.4516129	16094.63757	30000	0	0	30000	42.25	2004
08.01.2020 11:37:12	1	1	1	1	128.3	62.25	0	26208.531	608.6021505	15978.85467	30000	0	0	30000	42.0625	2004
08.01.2020 11:37:13	1	1	1	1	128.3	62	0	26208.531	602.1505376	15950.31664	30000	0	0	30000	42.0625	2004
08.01.2020 11:37:14	1	1	1	1	128.3	62	0	26398.104	606.4516129	15923.40934	30000	0	0	30000	42.3125	2004
08.01.2020 11:37:15	1	1	1	1	128.3	62.25	0	26445.498	606.4516129	15951.94738	30000	0	0	30000	42.625	2004
08.01.2020 11:37:16	1	1	1	1	128.3	62.5	0	26492.891	602.1505376	16152.52901	30000	0	0	30000	42.3125	2004
08.01.2020 11:37:17	1	1	1	1	128.3	62.25	0	26445.498	606.4516129	15980.48542	30000	0	0	30000	42.125	2004
08.01.2020 11:37:19	1	1	1	1	128.3	62	0	26587.678	602.1505376	16123.99098	30000	0	0	30000	42.4375	2004
08.01.2020 11:37:20	1	1	1	1	128.3	62.25	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	42.5625	2004
08.01.2020 11:37:21	1	1	1	1	128.3	62.5	0	26492.891	602.1505376	16038.37687	30000	0	0	30000	42.4375	2004
08.01.2020 11:37:22	1	1	1	1	128.3	62.25	0	26398.104	595.6989247	16009.02346	30000	0	0	30000	42.5	2004
08.01.2020 11:37:23	1	1	1	1	128.3	62.5	0	26398.104	606.4516129	16009.02346	30000	0	0	30000	42.75	2004
08.01.2020 11:37:24	1	1	1	1	128.3	62.75	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	42.6875	2004
08.01.2020 11:37:25	1	1	1	1	128.3	62.5	0	26350.711	604.3010753	15894.87131	30000	0	0	30000	42.6875	2004
08.01.2020 11:37:26	1	1	1	1	128.3	62.5	0	26540.284	604.3010753	16038.37687	30000	0	0	30000	42.1875	2004
08.01.2020 11:37:27	1	1	1	1	128.3	62	0	26540.284	604.3010753	15981.30079	30000	0	0	30000	42.375	2004
08.01.2020 11:37:28	1	1	1	1	128.3	62.25	0	26445.498	602.1505376	15924.22472	30000	0	0	30000	42.0625	2004
08.01.2020 11:37:29	1	1	1	1	128.3	62	0	26587.678	604.3010753	16009.83883	30000	0	0	30000	42	2004
08.01.2020 11:37:30	1	1	1	1	128.3	62	0	26682.464	602.1505376	16009.02346	30000	0	0	30000	42.625	2004
08.01.2020 11:37:31	1	1	1	1	128.3	62.5	0	26682.464	602.1505376	15980.48542	30000	0	0	30000	42.4375	2004
08.01.2020 11:37:32	1	1	1	1	128.3	62.25	0	26587.678	602.1505376	15951.94738	30000	0	0	30000	42.5625	2004
08.01.2020 11:37:33	1	1	1	1	128.3	62.5	0	26587.678	597.8494624	16009.83883	30000	0	0	30000	43	2004
08.01.2020 11:37:34	1	1	1	1	128.3	63	0	26682.464	602.1505376	15980.48542	30000	0	0	30000	42.625	2004
08.01.2020 11:37:35	1	1	1	1	128.3	62	0	26540.284	597.8494624	15951.94738	30000	0	0	30000	42.375	2004
08.01.2020 11:37:36	1	1	1	1	128.3	62.25	0	26682.464	597.8494624	16066.9149	30000	0	0	30000	42.5625	2004
08.01.2020 11:37:37	1	1	1	1	128.3	62.5	0	26587.678	602.1505376	15951.94738	30000	0	0	30000	42.5	2004
08.01.2020 11:37:38	1	1	1	1	128.3	62.5	0	26587.678	604.3010753	16066.9149	30000	0	0	30000	42.6875	2004
08.01.2020 11:37:39	1	1	1	1	128.3	62.5	0	26587.678	602.1505376	16066.9149	30000	0	0	30000	42.625	2004
08.01.2020 11:37:40	1	1	1	1	128.3	62.5	0	26540.284	602.1505376	15924.22472	30000	0	0	30000	42.25	2004
08.01.2020 11:37:41	1	1	1	1	128.3	62.25	0	26540.284	600	15924.22472	30000	0	0	30000	42.75	2004
08.01.2020 11:37:42	1	1	1	1	128.3	62.75	0	26682.464	604.3010753	16009.02346	30000	0	0	30000	42.625	2004
08.01.2020 11:37:43	1	1	1	1	128.3	62.5	0	26635.071	602.1505376	16066.9149	30000	0	0	30000	42.5	2004
08.01.2020 11:37:44	1	1	1	1	128.3	62.5	0	26540.284	602.1505376	15924.22472	30000	0	0	30000	42.625	2004
08.01.2020 11:37:51	1	1	1	1	128.3	62.5	0	26350.711	602.1505376	15923.40934	30000	0	0	30000	42.5625	2004
08.01.2020 11:37:51	1	1	1	1	128.3	62.5	0	26350.711	602.1505376	15923.40934	30000	0	0	30000	42.5625	2004
08.01.2020 11:37:51	1	1	1	1	128.3	62.5	0	26350.711	602.1505376	15923.40934	30000	0	0	30000	42.5625	2004
08.01.2020 11:37:51	1	1	1	1	128.3	62.5	0	26350.711	602.1505376	15923.40934	30000	0	0	30000	42.5625	2004
08.01.2020 11:37:51	1	1	1	1	128.3	62.5	0	26350.711	602.1505376	15923.40934	30000	0	0	30000	42.5625	2004
08.01.2020 11:37:51	1	1	1	1	128.3	62.5	0	26492.891	602.1505376	16038.37687	30000	0	0	30000	42.75	2004
08.01.2020 11:37:52	1	1	1	1	128.3	62.75	0	26445.498	606.4516129	15895.68668	30000	0	0	30000	42.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 11:37:53	1	1	1	1	128.3	62.5	0	26587.678	604.3010753	16009.83883	30000	0	0	30000	42.3125	2004
08.01.2020 11:37:54	1	1	1	1	128.3	62.25	0	26445.498	604.3010753	16037.56149	30000	0	0	30000	42.25	2004
08.01.2020 11:37:55	1	1	1	1	128.3	62.25	0	26350.711	604.3010753	15951.94738	30000	0	0	30000	42.875	2004
08.01.2020 11:37:56	1	1	1	1	128.3	62.75	0	26445.498	606.4516129	16095.45294	30000	0	0	30000	42.6875	2004
08.01.2020 11:37:58	1	1	1	1	128.3	62.5	0	26445.498	606.4516129	15980.48542	30000	0	0	30000	42.5625	2004
08.01.2020 11:37:59	1	1	1	1	128.3	62.5	0	26398.104	600	15951.94738	30000	0	0	30000	42.5625	2004
08.01.2020 11:38:00	1	1	1	1	128.3	62.5	0	26445.498	604.3010753	15951.94738	30000	0	0	30000	42.75	2004
08.01.2020 11:38:01	1	1	1	1	128.3	62.75	0	26445.498	608.6021505	16123.1756	30000	0	0	30000	42.8125	2004
08.01.2020 11:38:02	1	1	1	1	128.5	62.75	0	26492.891	602.1505376	15981.30079	30000	0	0	30000	42.4375	2004
08.01.2020 11:38:03	1	1	1	1	128.5	62.25	0	26635.071	602.1505376	16123.99098	30000	0	0	30000	42.8125	2004
08.01.2020 11:38:04	1	1	1	1	128.5	62.75	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	42.5625	2004
08.01.2020 11:38:05	1	1	1	1	128.5	62.5	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	42.375	2004
08.01.2020 11:38:06	1	1	1	1	128.5	62.25	0	26445.498	602.1505376	15952.76275	30000	0	0	30000	42.625	2004
08.01.2020 11:38:07	1	1	1	1	128.5	62.5	0	26587.678	602.1505376	16123.99098	30000	0	0	30000	42.375	2004
08.01.2020 11:38:08	1	1	1	1	128.5	62.25	0	26635.071	602.1505376	15951.94738	30000	0	0	30000	42.5	2004
08.01.2020 11:38:09	1	1	1	1	128.5	62.5	0	26587.678	602.1505376	15867.14864	30000	0	0	30000	42.875	2004
08.01.2020 11:38:10	1	1	1	1	128.5	62.75	0	26587.678	602.1505376	16066.9149	30000	0	0	30000	42.875	2004
08.01.2020 11:38:11	1	1	1	1	128.5	62.75	0	26682.464	606.4516129	16123.99098	30000	0	0	30000	43	2004
08.01.2020 11:38:12	1	1	1	1	128.5	63	0	26540.284	602.1505376	16066.9149	30000	0	0	30000	42.75	2004
08.01.2020 11:38:13	1	1	1	1	128.5	62.25	0	26587.678	600	15951.94738	30000	0	0	30000	42.75	2004
08.01.2020 11:38:14	1	1	1	1	128.5	62.75	0	26540.284	597.8494624	15981.30079	30000	0	0	30000	42.6875	2004
08.01.2020 11:38:15	1	1	1	1	128.5	62.5	0	26682.464	595.6989247	16066.9149	30000	0	0	30000	42.75	2004
08.01.2020 11:38:16	1	1	1	1	128.5	62.75	0	26587.678	602.1505376	16181.06705	30000	0	0	30000	42.6875	2004
08.01.2020 11:38:17	1	1	1	1	128.5	62.5	0	26682.464	597.8494624	16123.99098	30000	0	0	30000	42.6875	2004
08.01.2020 11:38:18	1	1	1	1	128.5	62.5	0	26587.678	602.1505376	16066.9149	30000	0	0	30000	42.4375	2004
08.01.2020 11:38:19	1	1	1	1	128.5	62.25	0	26398.104	602.1505376	15838.61061	30000	0	0	30000	42.625	2004
08.01.2020 11:38:20	1	1	1	1	128.5	62.5	0	26492.891	602.1505376	15981.30079	30000	0	0	30000	42.875	2004
08.01.2020 11:38:21	1	1	1	1	128.3	62.75	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	42.6875	2004
08.01.2020 11:38:22	1	1	1	1	128.3	62.5	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	41.9375	2004
08.01.2020 11:38:23	1	1	1	1	128.3	61.75	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	42.9375	2004
08.01.2020 11:38:24	1	1	1	1	128.3	62.75	0	26398.104	595.6989247	15924.22472	30000	0	0	30000	42.6875	2004
08.01.2020 11:38:25	1	1	1	1	128.3	62.5	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	42.1875	2004
08.01.2020 11:38:26	1	1	1	1	128.3	62	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	42.6875	2004
08.01.2020 11:38:27	1	1	1	1	128.3	62.5	0	26682.464	602.1505376	15951.94738	30000	0	0	30000	42.875	2004
08.01.2020 11:38:28	1	1	1	1	128.3	62.75	0	26587.678	602.1505376	15695.92042	30000	0	0	30000	42.75	2004
08.01.2020 11:38:29	1	1	1	1	128.3	62.75	0	26587.678	602.1505376	16123.99098	30000	0	0	30000	42.75	2004
08.01.2020 11:38:30	1	1	1	1	128.3	62.75	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	42.875	2004
08.01.2020 11:38:31	1	1	1	1	128	62.75	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	42.75	2004
08.01.2020 11:38:32	1	1	1	1	128	62.75	0	26445.498	597.8494624	15952.76275	30000	0	0	30000	42.8125	2004
08.01.2020 11:38:33	1	1	1	1	128	62.75	0	26824.645	602.1505376	16209.60509	30000	0	0	30000	42.875	2004
08.01.2020 11:38:35	1	1	1	1	128	62.75	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	42.6875	2004
08.01.2020 11:38:36	1	1	1	1	128	62.5	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	41.75	2004
08.01.2020 11:38:37	1	1	1	1	128	61.75	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	42.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 11:38:38	1	1	1	1	128	62.75	0	26587.678	597.8494624	15894.87131	30000	0	0	30000	42.375	2004
08.01.2020 11:38:39	1	1	1	1	128	62.25	0	26540.284	591.3978495	15951.94738	30000	0	0	30000	42.75	2004
08.01.2020 11:38:40	1	1	1	1	128	62.75	0	26824.645	602.1505376	16152.52901	30000	0	0	30000	42.875	2004
08.01.2020 11:38:41	1	1	1	1	128	62.75	0	26445.498	589.2473118	15867.14864	30000	0	0	30000	42.75	2004
08.01.2020 11:38:42	1	1	1	1	128.5	62.75	0	26824.645	602.1505376	16094.63757	30000	0	0	30000	42.4375	2004
08.01.2020 11:38:43	1	1	1	1	128.5	62.25	0	26682.464	597.8494624	16009.02346	30000	0	0	30000	42.875	2004
08.01.2020 11:38:44	1	1	1	1	128.5	62.75	0	26682.464	597.8494624	15894.05593	30000	0	0	30000	42.625	2004
08.01.2020 11:38:45	1	1	1	1	128.5	62.5	0	26777.251	600	16008.20808	30000	0	0	30000	42.625	2004
08.01.2020 11:38:46	1	1	1	1	128.5	62.5	0	26587.678	597.8494624	15894.87131	30000	0	0	30000	42.5	2004
08.01.2020 11:38:52	1	1	1	1	128.5	62.25	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	42.375	2004
08.01.2020 11:38:52	1	1	1	1	128.5	62.25	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	42.375	2004
08.01.2020 11:38:52	1	1	1	1	128.5	62.25	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	42.375	2004
08.01.2020 11:38:52	1	1	1	1	128.5	62.25	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	42.375	2004
08.01.2020 11:38:52	1	1	1	1	128.5	62.25	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	42.375	2004
08.01.2020 11:38:53	1	1	1	1	128.5	62.25	0	26635.071	602.1505376	16066.9149	30000	0	0	30000	42.625	2004
08.01.2020 11:38:54	1	1	1	1	128.5	62.5	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	42.1875	2004
08.01.2020 11:38:55	1	1	1	1	128.5	62	0	26682.464	597.8494624	16009.02346	30000	0	0	30000	42.1875	2004
08.01.2020 11:38:56	1	1	1	1	128.5	62	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	42.75	2004
08.01.2020 11:38:57	1	1	1	1	128.5	62.75	0	26540.284	602.1505376	16123.99098	30000	0	0	30000	42.8125	2004
08.01.2020 11:38:58	1	1	1	1	128.5	62.75	0	26682.464	597.8494624	15951.94738	30000	0	0	30000	42.375	2004
08.01.2020 11:38:59	1	1	1	1	128.5	62.25	0	26682.464	597.8494624	16009.02346	30000	0	0	30000	41.8125	2004
08.01.2020 11:39:00	1	1	1	1	128.5	61.75	0	26777.251	602.1505376	16009.02346	30000	0	0	30000	42.9375	2004
08.01.2020 11:39:01	1	1	1	1	128.8	62.75	0	26777.251	595.6989247	15951.13201	30000	0	0	30000	42.875	2004
08.01.2020 11:39:02	1	1	1	1	128.8	62.75	0	26777.251	595.6989247	15951.13201	30000	0	0	30000	42.1875	2004
08.01.2020 11:39:03	1	1	1	1	128.8	62	0	26919.431	597.8494624	16065.28416	30000	0	0	30000	42.75	2004
08.01.2020 11:39:04	1	1	1	1	128.8	62.75	0	26729.858	597.8494624	16066.09953	30000	0	0	30000	42.8125	2004
08.01.2020 11:39:05	1	1	1	1	128.8	62.75	0	26777.251	604.3010753	16009.02346	30000	0	0	30000	42.8125	2004
08.01.2020 11:39:06	1	1	1	1	128.8	62.75	0	26682.464	602.1505376	16038.37687	30000	0	0	30000	42.6875	2004
08.01.2020 11:39:07	1	1	1	1	128.8	62.5	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	42.875	2004
08.01.2020 11:39:08	1	1	1	1	128.8	62.75	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	42.9375	2004
08.01.2020 11:39:09	1	1	1	1	128.8	62.75	0	26540.284	602.1505376	16009.83883	30000	0	0	30000	42.8125	2004
08.01.2020 11:39:10	1	1	1	1	128.8	62.75	0	26587.678	604.3010753	15981.30079	30000	0	0	30000	42.1875	2004
08.01.2020 11:39:11	1	1	1	1	128.8	62	0	26682.464	597.8494624	16066.9149	30000	0	0	30000	42.5	2004
08.01.2020 11:39:12	1	1	1	1	128.8	62.5	0	26587.678	606.4516129	16066.9149	30000	0	0	30000	42.8125	2004
08.01.2020 11:39:14	1	1	1	1	128.8	62.75	0	26492.891	606.4516129	16009.02346	30000	0	0	30000	42.875	2004
08.01.2020 11:39:15	1	1	1	1	128.8	62.75	0	26398.104	604.3010753	16122.36023	30000	0	0	30000	42.0625	2004
08.01.2020 11:39:16	1	1	1	1	128.8	62	0	26445.498	606.4516129	16037.56149	30000	0	0	30000	43.0625	2004
08.01.2020 11:39:17	1	1	1	1	128.8	63	0	26445.498	608.6021505	16094.63757	30000	0	0	30000	42.5	2004
08.01.2020 11:39:18	1	1	1	1	128.8	62.5	0	26303.318	606.4516129	15894.87131	30000	0	0	30000	42.8125	2004
08.01.2020 11:39:19	1	1	1	1	128.8	62.75	0	26303.318	606.4516129	15894.87131	30000	0	0	30000	42.4375	2004
08.01.2020 11:39:20	1	1	1	1	128.8	62.25	0	26113.744	608.6021505	15950.31664	30000	0	0	30000	42.1875	2004
08.01.2020 11:39:21	1	1	1	1	128.8	62	0	26398.104	604.3010753	16037.56149	30000	0	0	30000	42.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 11:39:22	1	1	1	1	128.8	62.75	0	26445.498	606.4516129	16009.02346	30000	0	0	30000	42.8125	2004
08.01.2020 11:39:23	1	1	1	1	128.8	62.75	0	26445.498	606.4516129	15980.48542	30000	0	0	30000	42.9375	2004
08.01.2020 11:39:24	1	1	1	1	128.8	62.75	0	26445.498	602.1505376	16038.37687	30000	0	0	30000	42.4375	2004
08.01.2020 11:39:25	1	1	1	1	128.8	62.25	0	26492.891	604.3010753	16009.02346	30000	0	0	30000	42.6875	2004
08.01.2020 11:39:26	1	1	1	1	128.8	62.5	0	26398.104	606.4516129	15980.48542	30000	0	0	30000	42.75	2004
08.01.2020 11:39:27	1	1	1	1	128.8	62.75	0	26350.711	602.1505376	15867.14864	30000	0	0	30000	42.875	2004
08.01.2020 11:39:28	1	1	1	1	128.8	62.75	0	26398.104	604.3010753	15951.94738	30000	0	0	30000	42.375	2004
08.01.2020 11:39:29	1	1	1	1	128.8	62.25	0	26398.104	606.4516129	16009.02346	30000	0	0	30000	42.5	2004
08.01.2020 11:39:30	1	1	1	1	128.8	63.25	0	26398.104	606.4516129	16009.02346	30000	0	0	30000	42.625	2004
08.01.2020 11:39:31	1	1	1	1	128.3	62.5	0	26540.284	606.4516129	16152.52901	30000	0	0	30000	42.6875	2004
08.01.2020 11:39:32	1	1	1	1	128.3	62.5	0	26350.711	610.7526882	16036.74612	30000	0	0	30000	43	2004
08.01.2020 11:39:33	1	1	1	1	128.3	63	0	26303.318	604.3010753	15894.87131	30000	0	0	30000	42.5	2004
08.01.2020 11:39:34	1	1	1	1	128.3	62.5	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	42.5625	2004
08.01.2020 11:39:35	1	1	1	1	128.3	62.5	0	26492.891	602.1505376	15981.30079	30000	0	0	30000	42.6875	2004
08.01.2020 11:39:36	1	1	1	1	128.3	62.5	0	26540.284	602.1505376	15695.92042	30000	0	0	30000	42.875	2004
08.01.2020 11:39:37	1	1	1	1	128.3	62.75	0	26398.104	602.1505376	15981.30079	30000	0	0	30000	43	2004
08.01.2020 11:39:38	1	1	1	1	128.3	63	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	42.5	2004
08.01.2020 11:39:39	1	1	1	1	128.3	62.5	0	26540.284	602.1505376	16038.37687	30000	0	0	30000	42.75	2004
08.01.2020 11:39:40	1	1	1	1	128.3	62.75	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	42.25	2004
08.01.2020 11:39:41	1	1	1	1	128.3	62.25	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	42.8125	2004
08.01.2020 11:39:42	1	1	1	1	128.3	62.75	0	26682.464	602.1505376	16009.02346	30000	0	0	30000	42.5625	2004
08.01.2020 11:39:43	1	1	1	1	128.3	62.5	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	43	2004
08.01.2020 11:39:44	1	1	1	1	128.3	63	0	26682.464	602.1505376	16009.02346	30000	0	0	30000	42.6875	2004
08.01.2020 11:39:45	1	1	1	1	128.3	62.5	0	26682.464	602.1505376	15951.94738	30000	0	0	30000	43	2004
08.01.2020 11:39:46	1	1	1	1	128.3	63	0	26777.251	597.8494624	16009.02346	30000	0	0	30000	41.8125	2004
08.01.2020 11:39:47	1	1	1	1	128.3	61.75	0	26635.071	597.8494624	16066.9149	30000	0	0	30000	43.0625	2004
08.01.2020 11:39:54	1	1	1	1	126.8	62	0	26587.678	597.8494624	16009.83883	30000	0	0	30000	42.5	2004
08.01.2020 11:39:54	1	1	1	1	126.8	62	0	26587.678	597.8494624	16009.83883	30000	0	0	30000	42.5	2004
08.01.2020 11:39:54	1	1	1	1	126.8	62	0	26587.678	597.8494624	16009.83883	30000	0	0	30000	42.5	2004
08.01.2020 11:39:54	1	1	1	1	126.8	62	0	26587.678	597.8494624	16009.83883	30000	0	0	30000	42.5	2004
08.01.2020 11:39:54	1	1	1	1	126.8	62	0	26587.678	597.8494624	16009.83883	30000	0	0	30000	42.5	2004
08.01.2020 11:39:55	1	1	1	1	126.8	62.5	0	26492.891	602.1505376	15981.30079	30000	0	0	30000	42.8125	2004
08.01.2020 11:39:56	1	1	1	1	126.8	62.75	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	42.875	2004
08.01.2020 11:39:57	1	1	1	1	126.8	62.75	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	42.875	2004
08.01.2020 11:39:58	1	1	1	1	126.8	62.75	0	26682.464	604.3010753	15837.79523	30000	0	0	30000	42.375	2004
08.01.2020 11:39:59	1	1	1	1	126.8	62.25	0	26492.891	602.1505376	15981.30079	30000	0	0	30000	43	2004
08.01.2020 11:40:00	1	1	1	1	126.8	63	0	26492.891	604.3010753	16038.37687	30000	0	0	30000	42.75	2004
08.01.2020 11:40:01	1	1	1	1	126.8	62.75	0	26540.284	597.8494624	16066.9149	30000	0	0	30000	42.9375	2004
08.01.2020 11:40:02	1	1	1	1	127.5	62.75	0	26587.678	604.3010753	16066.9149	30000	0	0	30000	42.75	2004
08.01.2020 11:40:03	1	1	1	1	127.5	62.75	0	26492.891	604.3010753	15895.68668	30000	0	0	30000	42.0625	2004
08.01.2020 11:40:04	1	1	1	1	127.5	62	0	26540.284	604.3010753	16038.37687	30000	0	0	30000	42.75	2004
08.01.2020 11:40:05	1	1	1	1	127.5	62.75	0	26445.498	606.4516129	16094.63757	30000	0	0	30000	42.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 11:40:06	1	1	1	1	127.5	62.75	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	42.5	2004
08.01.2020 11:40:07	1	1	1	1	127.5	62.5	0	26682.464	604.3010753	16066.9149	30000	0	0	30000	42.9375	2004
08.01.2020 11:40:08	1	1	1	1	127.5	62.75	0	26587.678	600	15810.07257	30000	0	0	30000	42.875	2004
08.01.2020 11:40:09	1	1	1	1	127.5	62.75	0	26635.071	597.8494624	15951.94738	30000	0	0	30000	42.9375	2004
08.01.2020 11:40:10	1	1	1	1	127.5	62.75	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	42.8125	2004
08.01.2020 11:40:11	1	1	1	1	128	62.75	0	26492.891	602.1505376	15924.22472	30000	0	0	30000	42.4375	2004
08.01.2020 11:40:12	1	1	1	1	128	62.25	0	26682.464	602.1505376	15837.79523	30000	0	0	30000	42.8125	2004
08.01.2020 11:40:13	1	1	1	1	128	62.75	0	26872.038	597.8494624	16036.74612	30000	0	0	30000	43	2004
08.01.2020 11:40:14	1	1	1	1	128	63	0	26587.678	593.5483871	16066.9149	30000	0	0	30000	42.875	2004
08.01.2020 11:40:15	1	1	1	1	128	62.75	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	43	2004
08.01.2020 11:40:16	1	1	1	1	128	63	0	26587.678	602.1505376	15981.30079	30000	0	0	30000	42.1875	2004
08.01.2020 11:40:17	1	1	1	1	128	62	0	26682.464	602.1505376	16123.99098	30000	0	0	30000	42.9375	2004
08.01.2020 11:40:18	1	1	1	1	128	62.75	0	26587.678	593.5483871	16066.9149	30000	0	0	30000	42.8125	2004
08.01.2020 11:40:19	1	1	1	1	128	62.75	0	26540.284	602.1505376	15924.22472	30000	0	0	30000	43.0625	2004
08.01.2020 11:40:20	1	1	1	1	128	63	0	26682.464	602.1505376	16009.02346	30000	0	0	30000	42.4375	2004
08.01.2020 11:40:21	1	1	1	1	128.5	62.25	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	43.125	2004
08.01.2020 11:40:22	1	1	1	1	128.5	63	0	26492.891	604.3010753	16038.37687	30000	0	0	30000	42.9375	2004
08.01.2020 11:40:23	1	1	1	1	128.5	62.75	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	42.875	2004
08.01.2020 11:40:24	1	1	1	1	128.5	62.75	0	26445.498	597.8494624	15781.53453	30000	0	0	30000	42.8125	2004
08.01.2020 11:40:25	1	1	1	1	128.5	62.75	0	26492.891	606.4516129	15895.68668	30000	0	0	30000	42.875	2004
08.01.2020 11:40:26	1	1	1	1	128.5	62.75	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	42.5	2004
08.01.2020 11:40:27	1	1	1	1	128.5	62.5	0	26540.284	608.6021505	16181.06705	30000	0	0	30000	42.9375	2004
08.01.2020 11:40:28	1	1	1	1	128.5	62.75	0	26682.464	597.8494624	16296.03457	30000	0	0	30000	42.4375	2004
08.01.2020 11:40:29	1	1	1	1	128.5	62.25	0	26492.891	602.1505376	15924.22472	30000	0	0	30000	43	2004
08.01.2020 11:40:30	1	1	1	1	128.5	63	0	26587.678	604.3010753	16066.9149	30000	0	0	30000	42.9375	2004
08.01.2020 11:40:31	1	1	1	1	128.3	62.75	0	26445.498	602.1505376	15924.22472	30000	0	0	30000	42.6875	2004
08.01.2020 11:40:33	1	1	1	1	128.3	62.5	0	26445.498	606.4516129	15980.48542	30000	0	0	30000	42.9375	2004
08.01.2020 11:40:34	1	1	1	1	128.3	62.75	0	26540.284	604.3010753	16038.37687	30000	0	0	30000	42.9375	2004
08.01.2020 11:40:35	1	1	1	1	128.3	62.75	0	26398.104	602.1505376	15951.94738	30000	0	0	30000	42.875	2004
08.01.2020 11:40:36	1	1	1	1	128.3	62.75	0	26445.498	604.3010753	15980.48542	30000	0	0	30000	43	2004
08.01.2020 11:40:37	1	1	1	1	128.3	63	0	26587.678	602.1505376	15837.79523	30000	0	0	30000	42.9375	2004
08.01.2020 11:40:38	1	1	1	1	128.3	62.75	0	26445.498	602.1505376	16009.02346	30000	0	0	30000	42.3125	2004
08.01.2020 11:40:39	1	1	1	1	128.3	62.25	0	26492.891	606.4516129	15781.53453	30000	0	0	30000	42.5625	2004
08.01.2020 11:40:40	1	1	1	1	128.3	62.5	0	26540.284	604.3010753	16066.9149	30000	0	0	30000	42.5625	2004
08.01.2020 11:40:41	1	1	1	1	128.3	62.5	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	43	2004
08.01.2020 11:40:42	1	1	1	1	128.8	63	0	26587.678	604.3010753	16066.9149	30000	0	0	30000	43.125	2004
08.01.2020 11:40:43	1	1	1	1	128.8	63	0	26587.678	602.1505376	16066.9149	30000	0	0	30000	43	2004
08.01.2020 11:40:44	1	1	1	1	128.8	63	0	26540.284	606.4516129	16038.37687	30000	0	0	30000	43.125	2004
08.01.2020 11:40:45	1	1	1	1	128.8	63	0	26492.891	602.1505376	15981.30079	30000	0	0	30000	42.8125	2004
08.01.2020 11:40:46	1	1	1	1	128.8	62.75	0	26540.284	606.4516129	16009.02346	30000	0	0	30000	43.0625	2004
08.01.2020 11:40:47	1	1	1	1	128.8	63	0	26350.711	604.3010753	15923.40934	30000	0	0	30000	42.75	2004
08.01.2020 11:40:48	1	1	1	1	128.8	62.75	0	26398.104	608.6021505	16151.71364	30000	0	0	30000	43.0625	2004
08.01.2020 11:40:49	1	1	1	1	128.8	63	0	26540.284	610.7526882	16152.52901	30000	0	0	30000	43.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 11:40:56	1	1	1	1	129	62.25	0	26492.891	604.3010753	16152.52901	30000	0	0	30000	42.9375	2004
08.01.2020 11:40:56	1	1	1	1	129	62.25	0	26492.891	604.3010753	16152.52901	30000	0	0	30000	42.9375	2004
08.01.2020 11:40:56	1	1	1	1	129	62.25	0	26492.891	604.3010753	16152.52901	30000	0	0	30000	42.9375	2004
08.01.2020 11:40:56	1	1	1	1	129	62.25	0	26492.891	604.3010753	16152.52901	30000	0	0	30000	42.9375	2004
08.01.2020 11:40:56	1	1	1	1	129	62.75	0	26113.744	610.7526882	15948.68589	30000	0	0	30000	43	2004
08.01.2020 11:40:56	1	1	1	1	129	62.75	0	26113.744	610.7526882	15948.68589	30000	0	0	30000	43	2004
08.01.2020 11:40:57	1	1	1	1	129	63	0	26303.318	608.6021505	16064.46878	30000	0	0	30000	42.3125	2004
08.01.2020 11:40:58	1	1	1	1	129	62.25	0	26303.318	610.7526882	15978.85467	30000	0	0	30000	42.375	2004
08.01.2020 11:40:59	1	1	1	1	129	62.25	0	26398.104	608.6021505	16065.28416	30000	0	0	30000	42.125	2004
08.01.2020 11:41:00	1	1	1	1	129	62	0	26303.318	610.7526882	15894.87131	30000	0	0	30000	42.375	2004
08.01.2020 11:41:01	1	1	1	1	128	62.25	0	26398.104	608.6021505	16065.28416	30000	0	0	30000	42.625	2004
08.01.2020 11:41:02	1	1	1	1	128	62.5	0	26303.318	610.7526882	15922.59397	30000	0	0	30000	42.8125	2004
08.01.2020 11:41:03	1	1	1	1	128	62.75	0	26398.104	604.3010753	15951.94738	30000	0	0	30000	43.1875	2004
08.01.2020 11:41:04	1	1	1	1	128	63	0	26350.711	606.4516129	16065.28416	30000	0	0	30000	43.0625	2004
08.01.2020 11:41:05	1	1	1	1	128	63	0	26113.744	606.4516129	15866.33327	30000	0	0	30000	43.0625	2004
08.01.2020 11:41:06	1	1	1	1	128	63	0	26303.318	610.7526882	15668.19776	30000	0	0	30000	42.375	2004
08.01.2020 11:41:07	1	1	1	1	128	62.25	0	26492.891	608.6021505	16152.52901	30000	0	0	30000	43.1875	2004
08.01.2020 11:41:08	1	1	1	1	128	63	0	26398.104	610.7526882	16036.74612	30000	0	0	30000	42.75	2004
08.01.2020 11:41:09	1	1	1	1	128	62.75	0	26445.498	606.4516129	16152.52901	30000	0	0	30000	43	2004
08.01.2020 11:41:10	1	1	1	1	128	63	0	26350.711	606.4516129	15923.40934	30000	0	0	30000	43	2004
08.01.2020 11:41:11	1	1	1	1	128.5	63	0	26445.498	608.6021505	16037.56149	30000	0	0	30000	41.6875	2004
08.01.2020 11:41:12	1	1	1	1	128.5	61.5	0	26682.464	604.3010753	16123.99098	30000	0	0	30000	42.25	2004
08.01.2020 11:41:13	1	1	1	1	128.5	62.25	0	26350.711	604.3010753	15923.40934	30000	0	0	30000	42.75	2004
08.01.2020 11:41:15	1	1	1	1	128.5	62.75	0	26398.104	606.4516129	16065.28416	30000	0	0	30000	42.75	2004
08.01.2020 11:41:16	1	1	1	1	128.5	62.75	0	26350.711	608.6021505	16093.82219	30000	0	0	30000	43	2004
08.01.2020 11:41:17	1	1	1	1	128.5	63	0	26350.711	606.4516129	15781.53453	30000	0	0	30000	42.9375	2004
08.01.2020 11:41:18	1	1	1	1	128.5	62.75	0	26445.498	610.7526882	15895.68668	30000	0	0	30000	43	2004
08.01.2020 11:41:19	1	1	1	1	128.5	63	0	26350.711	610.7526882	16036.74612	30000	0	0	30000	42.9375	2004
08.01.2020 11:41:20	1	1	1	1	128.5	62.75	0	26350.711	606.4516129	15980.48542	30000	0	0	30000	43.0625	2004
08.01.2020 11:41:21	1	1	1	1	128.5	63	0	26113.744	610.7526882	15948.68589	30000	0	0	30000	42.75	2004
08.01.2020 11:41:22	1	1	1	1	128.3	62.75	0	26303.318	610.7526882	16064.46878	30000	0	0	30000	43.0625	2004
08.01.2020 11:41:23	1	1	1	1	128.3	63	0	26303.318	610.7526882	16008.20808	30000	0	0	30000	42.625	2004
08.01.2020 11:41:24	1	1	1	1	128.3	62.5	0	26113.744	610.7526882	16006.57734	30000	0	0	30000	43	2004
08.01.2020 11:41:25	1	1	1	1	128.3	63	0	26208.531	610.7526882	16006.57734	30000	0	0	30000	42.9375	2004
08.01.2020 11:41:26	1	1	1	1	128.3	62.75	0	26350.711	610.7526882	16093.82219	30000	0	0	30000	43.1875	2004
08.01.2020 11:41:27	1	1	1	1	128.3	63	0	26350.711	610.7526882	15894.87131	30000	0	0	30000	43.1875	2004
08.01.2020 11:41:28	1	1	1	1	128.3	63	0	26303.318	604.3010753	15894.87131	30000	0	0	30000	43.0625	2004
08.01.2020 11:41:29	1	1	1	1	128.3	63	0	26208.531	606.4516129	16064.46878	30000	0	0	30000	43.0625	2004
08.01.2020 11:41:30	1	1	1	1	128.3	63	0	26303.318	606.4516129	16008.20808	30000	0	0	30000	43.3125	2004
08.01.2020 11:41:31	1	1	1	1	128.3	63.25	0	26255.924	608.6021505	16064.46878	30000	0	0	30000	42.9375	2004
08.01.2020 11:41:32	1	1	1	1	128.3	62.75	0	26113.744	608.6021505	15892.42519	30000	0	0	30000	42.1875	2004
08.01.2020 11:41:33	1	1	1	1	128.3	63.5	0	26350.711	610.7526882	16064.46878	30000	0	0	30000	43.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 11:41:34	1	1	1	1	128.3	63	0	26350.711	610.7526882	16036.74612	30000	0	0	30000	43.125	2004
08.01.2020 11:41:35	1	1	1	1	128.3	63	0	26113.744	606.4516129	15779.90379	30000	0	0	30000	43.1875	2004
08.01.2020 11:41:36	1	1	1	1	128.3	63	0	26445.498	606.4516129	16094.63757	30000	0	0	30000	42.9375	2004
08.01.2020 11:41:37	1	1	1	1	128.3	62.75	0	26398.104	608.6021505	16065.28416	30000	0	0	30000	42.875	2004
08.01.2020 11:41:38	1	1	1	1	128.3	62.75	0	26255.924	606.4516129	15894.05593	30000	0	0	30000	43.1875	2004
08.01.2020 11:41:39	1	1	1	1	128.3	63	0	26255.924	608.6021505	15978.85467	30000	0	0	30000	43.125	2004
08.01.2020 11:41:40	1	1	1	1	128.3	63	0	26303.318	610.7526882	16008.20808	30000	0	0	30000	42.8125	2004
08.01.2020 11:41:41	1	1	1	1	128.8	62.75	0	26492.891	606.4516129	16123.1756	30000	0	0	30000	43	2004
08.01.2020 11:41:42	1	1	1	1	128.8	63	0	26208.531	610.7526882	16006.57734	30000	0	0	30000	43	2004
08.01.2020 11:41:43	1	1	1	1	128.8	63	0	26255.924	610.7526882	16035.93075	30000	0	0	30000	42.875	2004
08.01.2020 11:41:44	1	1	1	1	128.8	62.75	0	26113.744	610.7526882	15948.68589	30000	0	0	30000	43.125	2004
08.01.2020 11:41:45	1	1	1	1	128.8	63	0	26350.711	606.4516129	16008.20808	30000	0	0	30000	42.875	2004
08.01.2020 11:41:46	1	1	1	1	128.8	62.75	0	26208.531	610.7526882	15950.31664	30000	0	0	30000	43	2004
08.01.2020 11:41:47	1	1	1	1	128.8	63	0	26255.924	610.7526882	16006.57734	30000	0	0	30000	43.125	2004
08.01.2020 11:41:48	1	1	1	1	128.8	63	0	26255.924	610.7526882	16177.80556	30000	0	0	30000	42.75	2004
08.01.2020 11:41:49	1	1	1	1	128.8	62.75	0	26113.744	606.4516129	15948.68589	30000	0	0	30000	42.875	2004
08.01.2020 11:41:50	1	1	1	1	128.8	62.75	0	26208.531	610.7526882	16177.80556	30000	0	0	30000	42.625	2004
08.01.2020 11:41:57	1	1	1	1	128.5	62.5	0	26113.744	610.7526882	15892.42519	30000	0	0	30000	43.0625	2004
08.01.2020 11:41:57	1	1	1	1	128.5	62.5	0	26113.744	610.7526882	15892.42519	30000	0	0	30000	43.0625	2004
08.01.2020 11:41:57	1	1	1	1	128.5	62.5	0	26113.744	610.7526882	15892.42519	30000	0	0	30000	43.0625	2004
08.01.2020 11:41:57	1	1	1	1	128.5	62.5	0	26113.744	610.7526882	15892.42519	30000	0	0	30000	43.0625	2004
08.01.2020 11:41:57	1	1	1	1	128.5	62.5	0	26113.744	610.7526882	15892.42519	30000	0	0	30000	43.0625	2004
08.01.2020 11:41:58	1	1	1	1	128.5	63	0	26303.318	608.6021505	16036.74612	30000	0	0	30000	42.9375	2004
08.01.2020 11:41:59	1	1	1	1	128.5	62.75	0	26208.531	610.7526882	16006.57734	30000	0	0	30000	42.3125	2004
08.01.2020 11:42:00	1	1	1	1	128.5	62.25	0	26398.104	610.7526882	15980.48542	30000	0	0	30000	43.125	2004
08.01.2020 11:42:01	1	1	1	1	128.5	63	0	26350.711	608.6021505	16064.46878	30000	0	0	30000	42.5625	2004
08.01.2020 11:42:02	1	1	1	1	128.5	62.5	0	26303.318	608.6021505	16008.20808	30000	0	0	30000	42.6875	2004
08.01.2020 11:42:03	1	1	1	1	128.5	62.5	0	26255.924	610.7526882	16006.57734	30000	0	0	30000	43.1875	2004
08.01.2020 11:42:04	1	1	1	1	128.5	63	0	26208.531	610.7526882	16006.57734	30000	0	0	30000	43	2004
08.01.2020 11:42:05	1	1	1	1	128.5	63	0	26208.531	610.7526882	16006.57734	30000	0	0	30000	43.1875	2004
08.01.2020 11:42:06	1	1	1	1	128.5	63	0	26350.711	608.6021505	16036.74612	30000	0	0	30000	42.75	2004
08.01.2020 11:42:07	1	1	1	1	128.5	62.75	0	26113.744	604.3010753	16004.94659	30000	0	0	30000	42.875	2004
08.01.2020 11:42:08	1	1	1	1	128.5	62.75	0	26113.744	610.7526882	15948.68589	30000	0	0	30000	42.4375	2004
08.01.2020 11:42:09	1	1	1	1	128.5	62.25	0	26113.744	615.0537634	16061.20729	30000	0	0	30000	42.9375	2004
08.01.2020 11:42:10	1	1	1	1	128.5	62.75	0	25734.597	610.7526882	15550.78412	30000	0	0	30000	42.8125	2004
08.01.2020 11:42:11	1	1	1	1	128.5	62.75	0	26018.957	612.9032258	15947.05515	30000	0	0	30000	43.25	2004
08.01.2020 11:42:12	1	1	1	1	128	63.25	0	26066.351	615.0537634	15975.59318	30000	0	0	30000	42.875	2004
08.01.2020 11:42:13	1	1	1	1	128	62.75	0	25924.171	612.9032258	15944.60903	30000	0	0	30000	42.8125	2004
08.01.2020 11:42:14	1	1	1	1	128	63.25	0	26066.351	615.0537634	15947.05515	30000	0	0	30000	43.1875	2004
08.01.2020 11:42:15	1	1	1	1	128	63	0	26113.744	615.0537634	16117.468	30000	0	0	30000	42.9375	2004
08.01.2020 11:42:16	1	1	1	1	128	62.75	0	26113.744	615.0537634	16061.20729	30000	0	0	30000	42.625	2004
08.01.2020 11:42:17	1	1	1	1	128	62.5	0	26208.531	615.0537634	16062.83804	30000	0	0	30000	43.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 11:42:18	1	1	1	1	128	63	0	26066.351	610.7526882	15947.05515	30000	0	0	30000	43.25	2004
08.01.2020 11:42:19	1	1	1	1	128	63.25	0	26113.744	615.0537634	16004.94659	30000	0	0	30000	43.1875	2004
08.01.2020 11:42:20	1	1	1	1	128	63	0	26113.744	615.0537634	15975.59318	30000	0	0	30000	43.125	2004
08.01.2020 11:42:21	1	1	1	1	127.8	63	0	26018.957	615.0537634	16002.50048	30000	0	0	30000	42.9375	2004
08.01.2020 11:42:22	1	1	1	1	127.8	62.75	0	26018.957	615.0537634	16000.05436	30000	0	0	30000	42.4375	2004
08.01.2020 11:42:23	1	1	1	1	127.8	62.25	0	26018.957	615.0537634	16002.50048	30000	0	0	30000	42.5625	2004
08.01.2020 11:42:24	1	1	1	1	127.8	62.5	0	26208.531	615.0537634	16175.35944	30000	0	0	30000	43.3125	2004
08.01.2020 11:42:25	1	1	1	1	127.8	63.25	0	26066.351	617.2043011	15832.903	30000	0	0	30000	43.125	2004
08.01.2020 11:42:26	1	1	1	1	127.8	63	0	26018.957	610.7526882	15947.05515	30000	0	0	30000	43.0625	2004
08.01.2020 11:42:27	1	1	1	1	127.8	63	0	25924.171	610.7526882	15888.34833	30000	0	0	30000	42	2004
08.01.2020 11:42:28	1	1	1	1	127.8	62	0	26066.351	615.0537634	15975.59318	30000	0	0	30000	43.1875	2004
08.01.2020 11:42:29	1	1	1	1	127.8	63	0	25924.171	617.2043011	16000.05436	30000	0	0	30000	43.0625	2004
08.01.2020 11:42:30	1	1	1	1	127.8	63	0	25876.777	612.9032258	15859.81029	30000	0	0	30000	42.9375	2004
08.01.2020 11:42:31	1	1	1	1	128.3	62.75	0	26113.744	617.2043011	16088.11459	30000	0	0	30000	42.75	2004
08.01.2020 11:42:32	1	1	1	1	128.3	62.75	0	25924.171	615.0537634	16000.05436	30000	0	0	30000	43.1875	2004
08.01.2020 11:42:34	1	1	1	1	128.3	63	0	26018.957	617.2043011	16058.76118	30000	0	0	30000	42.75	2004
08.01.2020 11:42:35	1	1	1	1	128.3	62.75	0	25924.171	615.0537634	15888.34833	30000	0	0	30000	43.25	2004
08.01.2020 11:42:36	1	1	1	1	128.3	63.25	0	25924.171	615.0537634	16000.05436	30000	0	0	30000	43.3125	2004
08.01.2020 11:42:37	1	1	1	1	128.3	63.25	0	26113.744	615.0537634	16004.94659	30000	0	0	30000	43.1875	2004
08.01.2020 11:42:38	1	1	1	1	128.3	63	0	25924.171	612.9032258	16000.05436	30000	0	0	30000	43.125	2004
08.01.2020 11:42:39	1	1	1	1	128.3	63	0	25924.171	615.0537634	15832.903	30000	0	0	30000	42.6875	2004
08.01.2020 11:42:40	1	1	1	1	128.3	62.5	0	25924.171	617.2043011	16000.05436	30000	0	0	30000	43.25	2004
08.01.2020 11:42:41	1	1	1	1	128.3	63.25	0	26066.351	615.0537634	15890.79444	30000	0	0	30000	42.9375	2004
08.01.2020 11:42:42	1	1	1	1	128.3	62.75	0	26018.957	617.2043011	16058.76118	30000	0	0	30000	43.1875	2004
08.01.2020 11:42:43	1	1	1	1	128.3	63	0	25734.597	617.2043011	15883.45609	30000	0	0	30000	43.125	2004
08.01.2020 11:42:44	1	1	1	1	128.3	63	0	25924.171	615.0537634	16000.05436	30000	0	0	30000	42.75	2004
08.01.2020 11:42:45	1	1	1	1	128.3	62.75	0	25876.777	619.3548387	15941.34754	30000	0	0	30000	43.125	2004
08.01.2020 11:42:46	1	1	1	1	128.3	63	0	25924.171	617.2043011	16000.05436	30000	0	0	30000	43.25	2004
08.01.2020 11:42:47	1	1	1	1	128.3	63.25	0	25734.597	617.2043011	15970.70095	30000	0	0	30000	43.25	2004
08.01.2020 11:42:48	1	1	1	1	128.3	63.25	0	25734.597	619.3548387	15883.45609	30000	0	0	30000	43.1875	2004
08.01.2020 11:42:49	1	1	1	1	128.3	63	0	25734.597	619.3548387	16111.76039	30000	0	0	30000	43.25	2004
08.01.2020 11:42:50	1	1	1	1	128.3	63.25	0	25734.597	619.3548387	15883.45609	30000	0	0	30000	43.1875	2004
08.01.2020 11:42:51	1	1	1	1	128.3	63	0	25924.171	617.2043011	16000.05436	30000	0	0	30000	43	2004
08.01.2020 11:42:52	1	1	1	1	128.5	63	0	25924.171	619.3548387	16056.31506	30000	0	0	30000	43.5	2004
08.01.2020 11:42:59	1	1	1	1	128.5	62.75	0	25924.171	619.3548387	16000.05436	30000	0	0	30000	43.125	2004
08.01.2020 11:42:59	1	1	1	1	128.5	62.75	0	25924.171	619.3548387	16000.05436	30000	0	0	30000	43.125	2004
08.01.2020 11:42:59	1	1	1	1	128.5	62.75	0	25924.171	619.3548387	16000.05436	30000	0	0	30000	43.125	2004
08.01.2020 11:42:59	1	1	1	1	128.5	62.75	0	25924.171	619.3548387	16000.05436	30000	0	0	30000	43.125	2004
08.01.2020 11:42:59	1	1	1	1	128.5	62.75	0	25924.171	619.3548387	16000.05436	30000	0	0	30000	43.125	2004
08.01.2020 11:42:59	1	1	1	1	128.5	62.75	0	25924.171	619.3548387	16000.05436	30000	0	0	30000	43.125	2004
08.01.2020 11:42:59	1	1	1	1	128.5	63	0	25924.171	612.9032258	15888.34833	30000	0	0	30000	43.25	2004
08.01.2020 11:43:00	1	1	1	1	128.5	63.25	0	26066.351	615.0537634	16229.17403	30000	0	0	30000	43.3125	2004
08.01.2020 11:43:01	1	1	1	1	128.5	63.25	0	26066.351	615.0537634	16002.50048	30000	0	0	30000	43.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 11:43:02	1	1	1	1	128.5	63	0	26066.351	610.7526882	16004.94659	30000	0	0	30000	43.375	2004
08.01.2020 11:43:03	1	1	1	1	128.5	63.25	0	26066.351	610.7526882	15975.59318	30000	0	0	30000	43.1875	2004
08.01.2020 11:43:04	1	1	1	1	128.5	63	0	26018.957	615.0537634	16058.76118	30000	0	0	30000	43.5	2004
08.01.2020 11:43:05	1	1	1	1	128.5	63.5	0	26018.957	612.9032258	15975.59318	30000	0	0	30000	43.1875	2004
08.01.2020 11:43:06	1	1	1	1	128.5	63	0	25924.171	612.9032258	15888.34833	30000	0	0	30000	42.75	2004
08.01.2020 11:43:07	1	1	1	1	128.5	62.75	0	26113.744	615.0537634	16117.468	30000	0	0	30000	43.4375	2004
08.01.2020 11:43:08	1	1	1	1	128.5	63.25	0	26018.957	615.0537634	16002.50048	30000	0	0	30000	43.1875	2004
08.01.2020 11:43:09	1	1	1	1	128.5	63	0	26208.531	610.7526882	16062.83804	30000	0	0	30000	43.125	2004
08.01.2020 11:43:10	1	1	1	1	128.5	63	0	26113.744	615.0537634	16004.94659	30000	0	0	30000	42.5	2004
08.01.2020 11:43:11	1	1	1	1	128	62.5	0	26066.351	615.0537634	15947.05515	30000	0	0	30000	43.125	2004
08.01.2020 11:43:13	1	1	1	1	128	63	0	26113.744	612.9032258	16004.94659	30000	0	0	30000	43.3125	2004
08.01.2020 11:43:14	1	1	1	1	128	63.25	0	26066.351	617.2043011	16088.11459	30000	0	0	30000	43.25	2004
08.01.2020 11:43:15	1	1	1	1	128	63.25	0	26113.744	612.9032258	15948.68589	30000	0	0	30000	42.9375	2004
08.01.2020 11:43:16	1	1	1	1	128	62.75	0	26113.744	610.7526882	16004.94659	30000	0	0	30000	43.125	2004
08.01.2020 11:43:17	1	1	1	1	128	63	0	25924.171	612.9032258	15888.34833	30000	0	0	30000	43.375	2004
08.01.2020 11:43:18	1	1	1	1	128	63.25	0	26113.744	615.0537634	15834.53374	30000	0	0	30000	43.25	2004
08.01.2020 11:43:19	1	1	1	1	128	63.25	0	26113.744	615.0537634	16004.94659	30000	0	0	30000	43.375	2004
08.01.2020 11:43:20	1	1	1	1	128	63.25	0	26066.351	615.0537634	16031.85389	30000	0	0	30000	43.3125	2004
08.01.2020 11:43:21	1	1	1	1	128	63.25	0	26113.744	612.9032258	16061.20729	30000	0	0	30000	43.1875	2004
08.01.2020 11:43:22	1	1	1	1	128	63	0	25924.171	615.0537634	15944.60903	30000	0	0	30000	43.4375	2004
08.01.2020 11:43:23	1	1	1	1	128	63.25	0	26113.744	615.0537634	16088.11459	30000	0	0	30000	43.1875	2004
08.01.2020 11:43:24	1	1	1	1	128	63	0	26113.744	617.2043011	16117.468	30000	0	0	30000	43.25	2004
08.01.2020 11:43:25	1	1	1	1	128	63.25	0	25924.171	615.0537634	15944.60903	30000	0	0	30000	43.375	2004
08.01.2020 11:43:26	1	1	1	1	128	63.25	0	25924.171	615.0537634	15888.34833	30000	0	0	30000	42.875	2004
08.01.2020 11:43:27	1	1	1	1	128	62.75	0	26066.351	617.2043011	16058.76118	30000	0	0	30000	43.25	2004
08.01.2020 11:43:28	1	1	1	1	128	63.25	0	26113.744	617.2043011	16117.468	30000	0	0	30000	43.3125	2004
08.01.2020 11:43:29	1	1	1	1	128	63.25	0	26113.744	615.0537634	16229.17403	30000	0	0	30000	43.4375	2004
08.01.2020 11:43:30	1	1	1	1	128	63.25	0	26018.957	612.9032258	15947.05515	30000	0	0	30000	42.5	2004
08.01.2020 11:43:31	1	1	1	1	128	62.5	0	26018.957	615.0537634	16002.50048	30000	0	0	30000	43.5625	2004
08.01.2020 11:43:32	1	1	1	1	127.8	63.25	0	26113.744	612.9032258	16004.94659	30000	0	0	30000	42.625	2004
08.01.2020 11:43:33	1	1	1	1	127.8	62.5	0	26066.351	610.7526882	15890.79444	30000	0	0	30000	43.3125	2004
08.01.2020 11:43:34	1	1	1	1	127.8	63.25	0	26113.744	615.0537634	16061.20729	30000	0	0	30000	43.1875	2004
08.01.2020 11:43:35	1	1	1	1	127.8	63	0	26113.744	617.2043011	16117.468	30000	0	0	30000	42.75	2004
08.01.2020 11:43:36	1	1	1	1	127.8	62.75	0	26113.744	615.0537634	16117.468	30000	0	0	30000	43.25	2004
08.01.2020 11:43:37	1	1	1	1	127.8	63.25	0	26113.744	615.0537634	16061.20729	30000	0	0	30000	43.1875	2004
08.01.2020 11:43:38	1	1	1	1	127.8	63	0	26113.744	612.9032258	16004.94659	30000	0	0	30000	43.0625	2004
08.01.2020 11:43:39	1	1	1	1	127.8	63	0	26113.744	615.0537634	16117.468	30000	0	0	30000	43.4375	2004
08.01.2020 11:43:40	1	1	1	1	127.8	63.25	0	26066.351	615.0537634	16031.85389	30000	0	0	30000	42.6875	2004
08.01.2020 11:43:41	1	1	1	1	127.5	62.5	0	25924.171	612.9032258	16000.05436	30000	0	0	30000	43.0625	2004
08.01.2020 11:43:42	1	1	1	1	127.5	63	0	25924.171	608.6021505	15944.60903	30000	0	0	30000	42.5	2004
08.01.2020 11:43:43	1	1	1	1	127.5	62.5	0	26066.351	612.9032258	16031.85389	30000	0	0	30000	43.4375	2004
08.01.2020 11:43:44	1	1	1	1	127.5	63.25	0	26066.351	610.7526882	16061.20729	30000	0	0	30000	43.0625	2004
08.01.2020 11:43:45	1	1	1	1	127.5	63	0	25971.564	615.0537634	15947.05515	30000	0	0	30000	43.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 11:43:46	1	1	1	1	127.5	63.25	0	26066.351	610.7526882	15975.59318	30000	0	0	30000	43.5	2004
08.01.2020 11:43:47	1	1	1	1	127.5	63.5	0	26018.957	615.0537634	15944.60903	30000	0	0	30000	43	2004
08.01.2020 11:43:48	1	1	1	1	127.5	63	0	26066.351	612.9032258	16031.85389	30000	0	0	30000	43.3125	2004
08.01.2020 11:43:49	1	1	1	1	127.5	63.25	0	26113.744	610.7526882	15948.68589	30000	0	0	30000	43.375	2004
08.01.2020 11:43:51	1	1	1	1	127.5	63.25	0	26018.957	610.7526882	15777.45767	30000	0	0	30000	42.375	2004
08.01.2020 11:43:52	1	1	1	1	127	62.25	0	26113.744	612.9032258	16004.94659	30000	0	0	30000	43.4375	2004
08.01.2020 11:43:53	1	1	1	1	127	63.25	0	26255.924	615.0537634	16119.09874	30000	0	0	30000	43.125	2004
08.01.2020 11:43:54	1	1	1	1	127	63	0	26208.531	610.7526882	16006.57734	30000	0	0	30000	43.4375	2004
08.01.2020 11:44:08	1	1	1	1	126.8	63.25	0	26113.744	610.7526882	15948.68589	30000	0	0	30000	43.3125	2004
08.01.2020 11:44:08	1	1	1	1	126.8	63.25	0	26113.744	610.7526882	15948.68589	30000	0	0	30000	43.3125	2004
08.01.2020 11:44:08	1	1	1	1	126.8	63.25	0	26113.744	610.7526882	15948.68589	30000	0	0	30000	43.3125	2004
08.01.2020 11:44:08	1	1	1	1	126.8	63.25	0	26113.744	610.7526882	15948.68589	30000	0	0	30000	43.3125	2004
08.01.2020 11:44:09	1	1	1	1	126.8	63.25	0	26113.744	610.7526882	15948.68589	30000	0	0	30000	43.3125	2004
08.01.2020 11:44:09	1	1	1	1	126.8	63.25	0	26113.744	610.7526882	15948.68589	30000	0	0	30000	43.3125	2004
08.01.2020 11:44:09	1	1	1	1	126.8	63.25	0	26113.744	610.7526882	15948.68589	30000	0	0	30000	43.3125	2004
08.01.2020 11:44:09	1	1	1	1	126.8	63.25	0	26113.744	610.7526882	15948.68589	30000	0	0	30000	43.3125	2004
08.01.2020 11:44:09	1	1	1	1	126.8	63.25	0	26113.744	610.7526882	15948.68589	30000	0	0	30000	43.3125	2004
08.01.2020 11:44:09	1	1	1	1	126.8	63.25	0	26113.744	610.7526882	15948.68589	30000	0	0	30000	43.3125	2004
08.01.2020 11:44:09	1	1	1	1	126.8	63.25	0	26113.744	610.7526882	15948.68589	30000	0	0	30000	43.3125	2004
08.01.2020 11:44:09	1	1	1	1	126.8	63.25	0	26113.744	610.7526882	15948.68589	30000	0	0	30000	43.3125	2004
08.01.2020 11:44:09	1	1	1	1	126.8	63.25	0	26113.744	610.7526882	15948.68589	30000	0	0	30000	43.3125	2004
08.01.2020 11:44:09	1	1	1	1	126.8	63.25	0	26113.744	610.7526882	15948.68589	30000	0	0	30000	43.3125	2004
08.01.2020 11:44:09	1	1	1	1	126.8	63.25	0	26113.744	610.7526882	15948.68589	30000	0	0	30000	43.3125	2004
08.01.2020 11:44:09	1	1	1	1	126.8	63.25	0	26113.744	610.7526882	15948.68589	30000	0	0	30000	43.3125	2004
08.01.2020 11:44:10	1	1	1	1	126.8	63.25	0	26208.531	610.7526882	16006.57734	30000	0	0	30000	43.125	2004
08.01.2020 11:44:10	1	1	1	1	126.8	63.25	0	26113.744	604.3010753	15948.68589	30000	0	0	30000	43.25	2004
08.01.2020 11:44:11	1	1	1	1	126.8	63.25	0	26113.744	612.9032258	15948.68589	30000	0	0	30000	43.625	2004
08.01.2020 11:44:12	1	1	1	1	127	63.5	0	26113.744	612.9032258	16004.94659	30000	0	0	30000	43.3125	2004
08.01.2020 11:44:13	1	1	1	1	127	61.75	0	26113.744	610.7526882	15948.68589	30000	0	0	30000	43.5	2004
08.01.2020 11:44:14	1	1	1	1	127	63.5	0	26113.744	612.9032258	16061.20729	30000	0	0	30000	43.5625	2004
08.01.2020 11:44:15	1	1	1	1	127	63.5	0	26113.744	615.0537634	16004.94659	30000	0	0	30000	43	2004
08.01.2020 11:44:16	1	1	1	1	127	63	0	26113.744	615.0537634	16004.94659	30000	0	0	30000	43.5625	2004
08.01.2020 11:44:17	1	1	1	1	127	63.5	0	26208.531	612.9032258	16062.83804	30000	0	0	30000	43.5625	2004
08.01.2020 11:44:18	1	1	1	1	127	63.5	0	26113.744	606.4516129	16204.71285	30000	0	0	30000	42.9375	2004
08.01.2020 11:44:19	1	1	1	1	127	62.75	0	26208.531	612.9032258	16004.94659	30000	0	0	30000	43.625	2004
08.01.2020 11:44:20	1	1	1	1	127	63.5	0	26208.531	612.9032258	15892.42519	30000	0	0	30000	43.4375	2004
08.01.2020 11:44:21	1	1	1	1	126.8	63.25	0	25924.171	610.7526882	15888.34833	30000	0	0	30000	43.375	2004
08.01.2020 11:44:22	1	1	1	1	126.8	63.25	0	26255.924	612.9032258	16092.19145	30000	0	0	30000	43.4375	2004
08.01.2020 11:44:23	1	1	1	1	126.8	63.25	0	26113.744	610.7526882	15920.14785	30000	0	0	30000	42.9375	2004
08.01.2020 11:44:24	1	1	1	1	126.8	62.75	0	26113.744	610.7526882	15948.68589	30000	0	0	30000	43.5625	2004
08.01.2020 11:44:25	1	1	1	1	126.8	63.5	0	26113.744	612.9032258	16004.94659	30000	0	0	30000	43.5625	2004
08.01.2020 11:44:26	1	1	1	1	126.8	63.5	0	26018.957	615.0537634	15947.05515	30000	0	0	30000	42.8125	2004
08.01.2020 11:44:27	1	1	1	1	126.8	62.75	0	26066.351	610.7526882	15920.14785	30000	0	0	30000	42.5625	2004
08.01.2020 11:44:28	1	1	1	1	126.8	62.5	0	26113.744	612.9032258	16004.94659	30000	0	0	30000	43.5	2004
08.01.2020 11:44:29	1	1	1	1	126.8	63.5	0	26255.924	612.9032258	16092.19145	30000	0	0	30000	43.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 11:44:31	1	1	1	1	126.8	63.25	0	26208.531	612.9032258	16092.19145	30000	0	0	30000	42.3125	2004
08.01.2020 11:44:32	1	1	1	1	126.3	62.25	0	26018.957	615.0537634	15947.05515	30000	0	0	30000	43.5	2004
08.01.2020 11:44:33	1	1	1	1	126.3	63.5	0	26066.351	615.0537634	15975.59318	30000	0	0	30000	43.4375	2004
08.01.2020 11:44:34	1	1	1	1	126.3	63.25	0	26018.957	612.9032258	15947.05515	30000	0	0	30000	43.25	2004
08.01.2020 11:44:35	1	1	1	1	126.3	63.25	0	26113.744	615.0537634	16173.7287	30000	0	0	30000	43.375	2004
08.01.2020 11:44:36	1	1	1	1	126.3	63.25	0	26066.351	612.9032258	15975.59318	30000	0	0	30000	43.375	2004
08.01.2020 11:44:37	1	1	1	1	126.3	63.25	0	26066.351	612.9032258	15947.05515	30000	0	0	30000	42.8125	2004
08.01.2020 11:44:38	1	1	1	1	126.3	62.75	0	26113.744	612.9032258	16004.94659	30000	0	0	30000	43.3125	2004
08.01.2020 11:44:39	1	1	1	1	126.3	63.25	0	26113.744	615.0537634	16117.468	30000	0	0	30000	43.0625	2004
08.01.2020 11:44:40	1	1	1	1	126.3	63	0	26113.744	612.9032258	16117.468	30000	0	0	30000	43.3125	2004
08.01.2020 11:44:41	1	1	1	1	126.3	63.25	0	26066.351	615.0537634	15975.59318	30000	0	0	30000	42.5	2004
08.01.2020 11:44:42	1	1	1	1	125.8	62.5	0	26018.957	610.7526882	15890.79444	30000	0	0	30000	43.5	2004
08.01.2020 11:44:43	1	1	1	1	125.8	63.5	0	26208.531	615.0537634	15948.68589	30000	0	0	30000	43.125	2004
08.01.2020 11:44:44	1	1	1	1	125.8	63	0	26018.957	612.9032258	15947.05515	30000	0	0	30000	43.5	2004
08.01.2020 11:44:45	1	1	1	1	125.8	63.5	0	26066.351	610.7526882	16004.94659	30000	0	0	30000	43.3125	2004
08.01.2020 11:44:46	1	1	1	1	125.8	63.25	0	26018.957	612.9032258	15721.19697	30000	0	0	30000	42.625	2004
08.01.2020 11:44:47	1	1	1	1	125.8	62.5	0	26066.351	615.0537634	16088.11459	30000	0	0	30000	43.625	2004
08.01.2020 11:44:48	1	1	1	1	125.8	63.5	0	26113.744	612.9032258	16061.20729	30000	0	0	30000	43.5	2004
08.01.2020 11:44:49	1	1	1	1	125.8	63.5	0	26113.744	615.0537634	16004.94659	30000	0	0	30000	43.5625	2004
08.01.2020 11:44:50	1	1	1	1	125.8	63.5	0	26113.744	612.9032258	16004.94659	30000	0	0	30000	43.8125	2004
08.01.2020 11:44:51	1	1	1	1	125.8	63.25	0	25924.171	610.7526882	15890.79444	30000	0	0	30000	43.25	2004
08.01.2020 11:44:52	1	1	1	1	125.8	63.25	0	26113.744	610.7526882	15948.68589	30000	0	0	30000	42.1875	2004
08.01.2020 11:44:53	1	1	1	1	125.8	62	0	26113.744	612.9032258	16062.83804	30000	0	0	30000	43.5	2004
08.01.2020 11:44:54	1	1	1	1	125.8	63.5	0	26208.531	610.7526882	16006.57734	30000	0	0	30000	43.5	2004
08.01.2020 11:44:55	1	1	1	1	125.8	63.5	0	26208.531	610.7526882	16006.57734	30000	0	0	30000	42.1875	2004
08.01.2020 11:45:06	1	1	1	1	124.8	62.75	0	26113.744	617.2043011	16002.50048	30000	0	0	30000	43.75	2004
08.01.2020 11:45:06	1	1	1	1	124.8	62.75	0	26113.744	617.2043011	16002.50048	30000	0	0	30000	43.75	2004
08.01.2020 11:45:06	1	1	1	1	124.8	62.75	0	26113.744	617.2043011	16002.50048	30000	0	0	30000	43.75	2004
08.01.2020 11:45:06	1	1	1	1	124.8	62.75	0	26113.744	617.2043011	16002.50048	30000	0	0	30000	43.75	2004
08.01.2020 11:45:06	1	1	1	1	124.8	62.75	0	26113.744	617.2043011	16002.50048	30000	0	0	30000	43.75	2004
08.01.2020 11:45:06	1	1	1	1	124.8	62.75	0	26113.744	617.2043011	16002.50048	30000	0	0	30000	43.75	2004
08.01.2020 11:45:06	1	1	1	1	124.8	63.75	0	25924.171	617.2043011	15832.903	30000	0	0	30000	43.5	2004
08.01.2020 11:45:06	1	1	1	1	124.8	63.75	0	25924.171	617.2043011	15832.903	30000	0	0	30000	43.5	2004
08.01.2020 11:45:06	1	1	1	1	124.8	63.75	0	25924.171	617.2043011	15832.903	30000	0	0	30000	43.5	2004
08.01.2020 11:45:06	1	1	1	1	124.8	63.75	0	25924.171	617.2043011	15832.903	30000	0	0	30000	43.5	2004
08.01.2020 11:45:07	1	1	1	1	124.8	63.5	0	25924.171	615.0537634	15944.60903	30000	0	0	30000	43.3125	2004
08.01.2020 11:45:08	1	1	1	1	124.8	63.25	0	26113.744	615.0537634	16061.20729	30000	0	0	30000	43.5	2004
08.01.2020 11:45:09	1	1	1	1	124.8	63.5	0	25924.171	615.0537634	15944.60903	30000	0	0	30000	43.5625	2004
08.01.2020 11:45:11	1	1	1	1	124.8	63.5	0	26018.957	617.2043011	16088.11459	30000	0	0	30000	43.25	2004
08.01.2020 11:45:12	1	1	1	1	124.8	63.25	0	25924.171	615.0537634	15944.60903	30000	0	0	30000	43.625	2004
08.01.2020 11:45:13	1	1	1	1	124.8	63.5	0	25924.171	615.0537634	15944.60903	30000	0	0	30000	43.5	2004
08.01.2020 11:45:14	1	1	1	1	124.8	63.5	0	26066.351	612.9032258	15975.59318	30000	0	0	30000	43.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 11:45:15	1	1	1	1	124.8	63.5	0	26066.351	615.0537634	16031.85389	30000	0	0	30000	42.9375	2004
08.01.2020 11:45:16	1	1	1	1	124.8	62.75	0	26018.957	612.9032258	15947.05515	30000	0	0	30000	43.25	2004
08.01.2020 11:45:17	1	1	1	1	124.8	63.25	0	26018.957	619.3548387	15944.60903	30000	0	0	30000	43.5625	2004
08.01.2020 11:45:18	1	1	1	1	124.8	63.5	0	26018.957	615.0537634	15947.05515	30000	0	0	30000	43.125	2004
08.01.2020 11:45:19	1	1	1	1	124.8	63	0	26113.744	615.0537634	16061.20729	30000	0	0	30000	43.5	2004
08.01.2020 11:45:20	1	1	1	1	124.8	63.5	0	26066.351	612.9032258	15920.14785	30000	0	0	30000	43.5	2004
08.01.2020 11:45:21	1	1	1	1	124.8	63.5	0	25971.564	615.0537634	15973.96244	30000	0	0	30000	42.625	2004
08.01.2020 11:45:22	1	1	1	1	124.3	62.5	0	26113.744	615.0537634	16061.20729	30000	0	0	30000	43.5625	2004
08.01.2020 11:45:23	1	1	1	1	124.3	63.5	0	26018.957	615.0537634	16058.76118	30000	0	0	30000	43.25	2004
08.01.2020 11:45:24	1	1	1	1	124.3	63.25	0	25924.171	617.2043011	15828.01076	30000	0	0	30000	43.375	2004
08.01.2020 11:45:25	1	1	1	1	124.3	63.25	0	25924.171	617.2043011	16167.20572	30000	0	0	30000	43.25	2004
08.01.2020 11:45:26	1	1	1	1	124.3	63.25	0	26018.957	615.0537634	16088.11459	30000	0	0	30000	43.125	2004
08.01.2020 11:45:27	1	1	1	1	124.3	63	0	25924.171	617.2043011	16000.05436	30000	0	0	30000	43.9375	2004
08.01.2020 11:45:28	1	1	1	1	124.3	63.75	0	25924.171	619.3548387	16000.05436	30000	0	0	30000	43.6875	2004
08.01.2020 11:45:29	1	1	1	1	124.3	63.5	0	25876.777	617.2043011	15970.70095	30000	0	0	30000	43.8125	2004
08.01.2020 11:45:30	1	1	1	1	124.3	63.75	0	25924.171	617.2043011	16000.05436	30000	0	0	30000	43.875	2004
08.01.2020 11:45:31	1	1	1	1	124.3	63.5	0	25924.171	615.0537634	16058.76118	30000	0	0	30000	43.1875	2004
08.01.2020 11:45:32	1	1	1	1	124.3	63	0	25924.171	615.0537634	15944.60903	30000	0	0	30000	43.375	2004
08.01.2020 11:45:33	1	1	1	1	124.3	63.25	0	25734.597	610.7526882	16000.05436	30000	0	0	30000	43.5625	2004
08.01.2020 11:45:34	1	1	1	1	124.3	63.5	0	25876.777	615.0537634	15888.34833	30000	0	0	30000	43.625	2004
08.01.2020 11:45:35	1	1	1	1	124.3	63.5	0	26113.744	612.9032258	16061.20729	30000	0	0	30000	43.4375	2004
08.01.2020 11:45:36	1	1	1	1	124.3	63.25	0	26113.744	617.2043011	16061.20729	30000	0	0	30000	42.9375	2004
08.01.2020 11:45:37	1	1	1	1	124.3	62.75	0	26066.351	615.0537634	16088.11459	30000	0	0	30000	43.5	2004
08.01.2020 11:45:38	1	1	1	1	124.3	63.5	0	26018.957	615.0537634	16058.76118	30000	0	0	30000	43.5625	2004
08.01.2020 11:45:39	1	1	1	1	124.3	63.5	0	26018.957	615.0537634	16002.50048	30000	0	0	30000	43.4375	2004
08.01.2020 11:45:40	1	1	1	1	124.3	63.25	0	25924.171	615.0537634	15944.60903	30000	0	0	30000	43.625	2004
08.01.2020 11:45:41	1	1	1	1	123.8	63.5	0	26113.744	617.2043011	16117.468	30000	0	0	30000	43.3125	2004
08.01.2020 11:45:42	1	1	1	1	123.8	63.25	0	26113.744	621.5053763	16088.11459	30000	0	0	30000	43	2004
08.01.2020 11:45:43	1	1	1	1	123.8	63	0	26066.351	615.0537634	15947.05515	30000	0	0	30000	43.4375	2004
08.01.2020 11:45:44	1	1	1	1	123.8	63.25	0	26066.351	612.9032258	16004.94659	30000	0	0	30000	43.6875	2004
08.01.2020 11:45:45	1	1	1	1	123.8	63.5	0	26113.744	615.0537634	16061.20729	30000	0	0	30000	43	2004
08.01.2020 11:45:47	1	1	1	1	123.8	63	0	26208.531	612.9032258	16120.72949	30000	0	0	30000	43.5625	2004
08.01.2020 11:45:48	1	1	1	1	123.8	63.5	0	26113.744	612.9032258	16004.94659	30000	0	0	30000	42.9375	2004
08.01.2020 11:45:49	1	1	1	1	123.8	62.75	0	26208.531	615.0537634	16175.35944	30000	0	0	30000	43.5625	2004
08.01.2020 11:45:50	1	1	1	1	123.8	63.5	0	26113.744	612.9032258	16004.94659	30000	0	0	30000	43.625	2004
08.01.2020 11:45:51	1	1	1	1	123.8	63.5	0	26018.957	615.0537634	16058.76118	30000	0	0	30000	43.375	2004
08.01.2020 11:45:52	1	1	1	1	123.8	63.25	0	26066.351	612.9032258	15947.05515	30000	0	0	30000	43.5	2004
08.01.2020 11:45:53	1	1	1	1	123.8	63.5	0	26208.531	610.7526882	16062.83804	30000	0	0	30000	43.625	2004
08.01.2020 11:45:54	1	1	1	1	123.8	63.5	0	26113.744	610.7526882	15779.90379	30000	0	0	30000	43.4375	2004
08.01.2020 11:45:55	1	1	1	1	123.8	63.25	0	26255.924	610.7526882	16035.93075	30000	0	0	30000	43	2004
08.01.2020 11:45:56	1	1	1	1	123.8	63	0	26255.924	615.0537634	16234.06626	30000	0	0	30000	43.1875	2004
08.01.2020 11:45:57	1	1	1	1	123.8	63	0	26113.744	602.1505376	15950.31664	30000	0	0	30000	43.3125	2004
08.01.2020 11:46:03	1	1	1	1	123.3	63.5	0	26824.645	595.6989247	15720.38159	30000	0	0	30000	43.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 11:46:04	1	1	1	1	123.3	63.5	0	26824.645	595.6989247	15720.38159	30000	0	0	30000	43.375	2004
08.01.2020 11:46:04	1	1	1	1	123.3	63.5	0	26824.645	595.6989247	15720.38159	30000	0	0	30000	43.375	2004
08.01.2020 11:46:04	1	1	1	1	123.3	63.5	0	26824.645	595.6989247	15720.38159	30000	0	0	30000	43.375	2004
08.01.2020 11:46:04	1	1	1	1	123.3	63.5	0	26824.645	595.6989247	15720.38159	30000	0	0	30000	43.375	2004
08.01.2020 11:46:04	1	1	1	1	123.3	63.25	0	26682.464	597.8494624	15894.05593	30000	0	0	30000	43.1875	2004
08.01.2020 11:46:05	1	1	1	1	123.3	63	0	26587.678	604.3010753	16038.37687	30000	0	0	30000	44.0625	2004
08.01.2020 11:46:06	1	1	1	1	123.3	63.25	0	26303.318	604.3010753	16009.02346	30000	0	0	30000	43.625	2004
08.01.2020 11:46:07	1	1	1	1	123.3	63.5	0	26303.318	606.4516129	15980.48542	30000	0	0	30000	43.375	2004
08.01.2020 11:46:08	1	1	1	1	123.3	63.25	0	26303.318	608.6021505	16008.20808	30000	0	0	30000	43.5625	2004
08.01.2020 11:46:09	1	1	1	1	123.3	63.5	0	26113.744	610.7526882	15892.42519	30000	0	0	30000	43.6875	2004
08.01.2020 11:46:10	1	1	1	1	123.3	63.5	0	26398.104	615.0537634	16122.36023	30000	0	0	30000	43.5625	2004
08.01.2020 11:46:11	1	1	1	1	123.3	63.5	0	26303.318	608.6021505	15978.85467	30000	0	0	30000	42.8125	2004
08.01.2020 11:46:12	1	1	1	1	123.3	62.75	0	26208.531	610.7526882	16006.57734	30000	0	0	30000	42.6875	2004
08.01.2020 11:46:13	1	1	1	1	123.3	62.5	0	26208.531	610.7526882	16035.93075	30000	0	0	30000	43.3125	2004
08.01.2020 11:46:14	1	1	1	1	123.3	63.25	0	26350.711	604.3010753	16036.74612	30000	0	0	30000	43.3125	2004
08.01.2020 11:46:15	1	1	1	1	123.3	63.25	0	26445.498	604.3010753	15838.61061	30000	0	0	30000	43.1875	2004
08.01.2020 11:46:16	1	1	1	1	123.3	63	0	26303.318	606.4516129	15894.87131	30000	0	0	30000	42.6875	2004
08.01.2020 11:46:17	1	1	1	1	123.3	62.5	0	26492.891	608.6021505	16095.45294	30000	0	0	30000	43.5625	2004
08.01.2020 11:46:18	1	1	1	1	123.3	63.5	0	26445.498	604.3010753	16152.52901	30000	0	0	30000	43.625	2004
08.01.2020 11:46:19	1	1	1	1	123.3	63.5	0	26540.284	606.4516129	16095.45294	30000	0	0	30000	43.625	2004
08.01.2020 11:46:20	1	1	1	1	123.3	63.5	0	26398.104	602.1505376	15980.48542	30000	0	0	30000	43.1875	2004
08.01.2020 11:46:21	1	1	1	1	122.3	63	0	26540.284	606.4516129	16038.37687	30000	0	0	30000	43	2004
08.01.2020 11:46:22	1	1	1	1	122.3	63	0	26255.924	604.3010753	15781.53453	30000	0	0	30000	43.6875	2004
08.01.2020 11:46:23	1	1	1	1	122.3	63.5	0	26540.284	615.0537634	16038.37687	30000	0	0	30000	43.6875	2004
08.01.2020 11:46:25	1	1	1	1	122.3	63.5	0	26303.318	610.7526882	16008.20808	30000	0	0	30000	43.375	2004
08.01.2020 11:46:26	1	1	1	1	122.3	63.25	0	26445.498	606.4516129	16094.63757	30000	0	0	30000	43.25	2004
08.01.2020 11:46:27	1	1	1	1	122.3	63.25	0	26445.498	606.4516129	16066.09953	30000	0	0	30000	43.625	2004
08.01.2020 11:46:28	1	1	1	1	122.3	63.5	0	26255.924	602.1505376	15951.13201	30000	0	0	30000	42.1875	2004
08.01.2020 11:46:29	1	1	1	1	122.3	62	0	26398.104	606.4516129	15951.94738	30000	0	0	30000	43.6875	2004
08.01.2020 11:46:30	1	1	1	1	122.3	63.5	0	26398.104	608.6021505	16065.28416	30000	0	0	30000	43.625	2004
08.01.2020 11:46:31	1	1	1	1	122.3	63.5	0	26303.318	604.3010753	15894.87131	30000	0	0	30000	43.6875	2004
08.01.2020 11:46:32	1	1	1	1	122.5	63.5	0	26492.891	604.3010753	16009.02346	30000	0	0	30000	43.5625	2004
08.01.2020 11:46:33	1	1	1	1	122.5	63.5	0	26540.284	604.3010753	16095.45294	30000	0	0	30000	43.25	2004
08.01.2020 11:46:34	1	1	1	1	122.5	63.25	0	26445.498	604.3010753	16037.56149	30000	0	0	30000	42.5625	2004
08.01.2020 11:46:35	1	1	1	1	122.5	62.5	0	26492.891	606.4516129	16009.02346	30000	0	0	30000	42.875	2004
08.01.2020 11:46:36	1	1	1	1	122.5	62.75	0	26445.498	602.1505376	15725.27383	30000	0	0	30000	43.625	2004
08.01.2020 11:46:37	1	1	1	1	122.5	63.5	0	26492.891	602.1505376	15952.76275	30000	0	0	30000	43.5	2004
08.01.2020 11:46:38	1	1	1	1	122.5	63.5	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	42.9375	2004
08.01.2020 11:46:39	1	1	1	1	122.5	62.75	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	43.4375	2004
08.01.2020 11:46:40	1	1	1	1	122.5	63.25	0	26587.678	602.1505376	15951.94738	30000	0	0	30000	44.0625	2004
08.01.2020 11:46:41	1	1	1	1	122.5	64	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	43.25	2004
08.01.2020 11:46:42	1	1	1	1	121.5	63.25	0	26682.464	597.8494624	16009.02346	30000	0	0	30000	43.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 11:46:43	1	1	1	1	121.5	63.25	0	26682.464	595.6989247	16008.20808	30000	0	0	30000	43.5625	2004
08.01.2020 11:46:44	1	1	1	1	121.5	63.5	0	26824.645	602.1505376	16152.52901	30000	0	0	30000	42.875	2004
08.01.2020 11:46:45	1	1	1	1	121.5	62.75	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	43	2004
08.01.2020 11:46:46	1	1	1	1	121.5	63	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	43.4375	2004
08.01.2020 11:46:47	1	1	1	1	121.5	63.25	0	26587.678	597.8494624	16009.83883	30000	0	0	30000	43.625	2004
08.01.2020 11:46:48	1	1	1	1	121.5	63.5	0	26540.284	602.1505376	15867.14864	30000	0	0	30000	43.75	2004
08.01.2020 11:46:49	1	1	1	1	121.5	63.75	0	26540.284	604.3010753	16038.37687	30000	0	0	30000	43.625	2004
08.01.2020 11:46:50	1	1	1	1	121.5	63.5	0	26492.891	604.3010753	16038.37687	30000	0	0	30000	43.4375	2004
08.01.2020 11:46:51	1	1	1	1	121	63.25	0	26350.711	608.6021505	15980.48542	30000	0	0	30000	43.3125	2004
08.01.2020 11:46:52	1	1	1	1	121	63.25	0	26303.318	604.3010753	15894.87131	30000	0	0	30000	43.625	2004
08.01.2020 11:46:53	1	1	1	1	121	63.5	0	26445.498	606.4516129	16094.63757	30000	0	0	30000	43.125	2004
08.01.2020 11:46:54	1	1	1	1	121	63	0	26303.318	610.7526882	15837.79523	30000	0	0	30000	43.375	2004
08.01.2020 11:46:55	1	1	1	1	121	63.25	0	26255.924	610.7526882	15950.31664	30000	0	0	30000	43.5	2004
08.01.2020 11:46:56	1	1	1	1	121	63.5	0	26208.531	610.7526882	16006.57734	30000	0	0	30000	43.1875	2004
08.01.2020 11:46:57	1	1	1	1	121	63	0	26445.498	606.4516129	16094.63757	30000	0	0	30000	42.9375	2004
08.01.2020 11:46:58	1	1	1	1	121	62.75	0	26682.464	602.1505376	16038.37687	30000	0	0	30000	43.375	2004
08.01.2020 11:47:05	1	1	1	1	121	63	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	43.625	2004
08.01.2020 11:47:05	1	1	1	1	121	63	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	43.625	2004
08.01.2020 11:47:05	1	1	1	1	121	63	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	43.625	2004
08.01.2020 11:47:05	1	1	1	1	121	63	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	43.625	2004
08.01.2020 11:47:05	1	1	1	1	121	63	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	43.625	2004
08.01.2020 11:47:06	1	1	1	1	121	63.5	0	27298.578	589.2473118	16172.09795	30000	0	0	30000	42.5625	2004
08.01.2020 11:47:07	1	1	1	1	121	62.5	0	27156.398	584.9462366	15942.97828	30000	0	0	30000	43.625	2004
08.01.2020 11:47:08	1	1	1	1	121	63.5	0	27298.578	587.0967742	16289.51159	30000	0	0	30000	43.75	2004
08.01.2020 11:47:09	1	1	1	1	121	63.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	43.5625	2004
08.01.2020 11:47:10	1	1	1	1	121	63.5	0	27298.578	584.9462366	16289.51159	30000	0	0	30000	43.6875	2004
08.01.2020 11:47:11	1	1	1	1	121	63.5	0	27109.005	589.2473118	16144.37529	30000	0	0	30000	43.375	2004
08.01.2020 11:47:12	1	1	1	1	120.3	63.25	0	27061.611	591.3978495	15947.87052	30000	0	0	30000	43.5625	2004
08.01.2020 11:47:13	1	1	1	1	120.3	63.5	0	27109.005	591.3978495	16090.5607	30000	0	0	30000	43.8125	2004
08.01.2020 11:47:14	1	1	1	1	120.3	63.75	0	26966.825	593.5483871	16005.76197	30000	0	0	30000	43.375	2004
08.01.2020 11:47:15	1	1	1	1	120.3	63.25	0	27014.218	591.3978495	16004.13122	30000	0	0	30000	43.625	2004
08.01.2020 11:47:16	1	1	1	1	120.3	63.5	0	27109.005	593.5483871	16031.85389	30000	0	0	30000	43.125	2004
08.01.2020 11:47:17	1	1	1	1	120.3	63	0	27156.398	589.2473118	15798.65735	30000	0	0	30000	43.5	2004
08.01.2020 11:47:18	1	1	1	1	120.3	63.5	0	27061.611	589.2473118	16004.13122	30000	0	0	30000	43.625	2004
08.01.2020 11:47:19	1	1	1	1	120.3	63.5	0	27061.611	593.5483871	16004.13122	30000	0	0	30000	43.375	2004
08.01.2020 11:47:20	1	1	1	1	120.3	63.25	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	43.0625	2004
08.01.2020 11:47:21	1	1	1	1	120.3	63	0	27061.611	595.6989247	16119.91411	30000	0	0	30000	43.3125	2004
08.01.2020 11:47:22	1	1	1	1	119.3	63.25	0	26919.431	593.5483871	15891.60982	30000	0	0	30000	43.75	2004
08.01.2020 11:47:23	1	1	1	1	119.3	63.75	0	26824.645	593.5483871	16007.39271	30000	0	0	30000	43.125	2004
08.01.2020 11:47:24	1	1	1	1	119.3	64	0	26872.038	602.1505376	15921.7786	30000	0	0	30000	43.625	2004
08.01.2020 11:47:25	1	1	1	1	119.3	63.5	0	26777.251	595.6989247	15951.13201	30000	0	0	30000	43.3125	2004
08.01.2020 11:47:26	1	1	1	1	119.3	63.25	0	26824.645	597.8494624	16065.28416	30000	0	0	30000	43.875	2004

	Modbus [On / Off]	onoff [On / Off]	REED [On / Off]	TC_Connect [On / Off]	T_Gas [°C]	T_onoff [°C]	Timer_hyst [s]	hv_u [V]	hv_i [u]	hv_p [mW]	hv_u_max_soft [V]	error	trouble	u_max_set [V]	t_box [°C]	vers
08.01.2020 11:47:27	1	1	1	1	119.3	63.75	0	26587.678	595.6989247	15951.94738	30000	0	0	30000	43.5625	2004
08.01.2020 11:47:28	1	1	1	1	119.3	63.5	0	26682.464	600	16066.9149	30000	0	0	30000	43.1875	2004
08.01.2020 11:47:29	1	1	1	1	119.3	63	0	26824.645	602.1505376	16123.99098	30000	0	0	30000	43.625	2004
08.01.2020 11:47:30	1	1	1	1	119.3	63.5	0	26587.678	597.8494624	15894.87131	30000	0	0	30000	42.3125	2004
08.01.2020 11:47:31	1	1	1	1	118.5	62.25	0	26682.464	597.8494624	15951.94738	30000	0	0	30000	43.375	2004
08.01.2020 11:47:32	1	1	1	1	118.5	63.25	0	26635.071	595.6989247	16009.02346	30000	0	0	30000	43.8125	2004
08.01.2020 11:47:33	1	1	1	1	118.5	63.75	0	26682.464	600	16009.02346	30000	0	0	30000	43.625	2004
08.01.2020 11:47:34	1	1	1	1	118.5	63.5	0	26682.464	597.8494624	16009.02346	30000	0	0	30000	43.8125	2004
08.01.2020 11:47:35	1	1	1	1	118.5	63.75	0	26540.284	600	15924.22472	30000	0	0	30000	43.375	2004
08.01.2020 11:47:36	1	1	1	1	118.5	63.25	0	26587.678	600	16009.83883	30000	0	0	30000	43.6875	2004
08.01.2020 11:47:37	1	1	1	1	118.5	63.5	0	26682.464	597.8494624	16009.02346	30000	0	0	30000	42.3125	2004
08.01.2020 11:47:38	1	1	1	1	118.5	62.25	0	26682.464	597.8494624	15951.94738	30000	0	0	30000	43.8125	2004
08.01.2020 11:47:39	1	1	1	1	118.5	63.75	0	26729.858	597.8494624	15951.94738	30000	0	0	30000	43.4375	2004
08.01.2020 11:47:40	1	1	1	1	118.5	63.25	0	26919.431	593.5483871	15920.14785	30000	0	0	30000	43.875	2004
08.01.2020 11:47:41	1	1	1	1	118.3	63.75	0	26919.431	591.3978495	16063.65341	30000	0	0	30000	43.4375	2004
08.01.2020 11:47:43	1	1	1	1	118.3	63.25	0	26966.825	595.6989247	15920.14785	30000	0	0	30000	43.75	2004
08.01.2020 11:47:44	1	1	1	1	118.3	63.75	0	26824.645	593.5483871	15978.85467	30000	0	0	30000	43.8125	2004
08.01.2020 11:47:45	1	1	1	1	118.3	63.75	0	26966.825	595.6989247	15947.87052	30000	0	0	30000	43.6875	2004
08.01.2020 11:47:46	1	1	1	1	118.3	63.5	0	26872.038	591.3978495	15891.60982	30000	0	0	30000	42.625	2004
08.01.2020 11:47:47	1	1	1	1	118.3	62.5	0	26966.825	593.5483871	15947.87052	30000	0	0	30000	43.5625	2004
08.01.2020 11:47:48	1	1	1	1	118.3	63.5	0	26966.825	591.3978495	16119.91411	30000	0	0	30000	42.5	2004
08.01.2020 11:47:49	1	1	1	1	118.3	62.5	0	27061.611	593.5483871	16004.13122	30000	0	0	30000	42.75	2004
08.01.2020 11:47:50	1	1	1	1	118.3	62.75	0	26966.825	587.0967742	15887.53295	30000	0	0	30000	43.3125	2004
08.01.2020 11:47:51	1	1	1	1	118.3	63.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	43.3125	2004
08.01.2020 11:47:52	1	1	1	1	117.5	63.25	0	27298.578	589.2473118	15968.25483	30000	0	0	30000	43.25	2004
08.01.2020 11:47:53	1	1	1	1	117.5	63.25	0	27298.578	587.0967742	16085.66847	30000	0	0	30000	43.5	2004
08.01.2020 11:47:54	1	1	1	1	117.5	63.5	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	43.25	2004
08.01.2020 11:47:55	1	1	1	1	117.5	63.25	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	43.8125	2004
08.01.2020 11:47:56	1	1	1	1	117.5	63.75	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	43.5625	2004
08.01.2020 11:47:57	1	1	1	1	117.5	63.5	0	27298.578	580.6451613	15909.54801	30000	0	0	30000	43.1875	2004
08.01.2020 11:47:58	1	1	1	1	117.5	63	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	43.8125	2004
08.01.2020 11:47:59	1	1	1	1	117.5	63.75	0	27630.332	576.344086	15983.74691	30000	0	0	30000	43.75	2004
08.01.2020 11:48:00	1	1	1	1	117.5	63.75	0	27914.692	576.344086	16061.20729	30000	0	0	30000	43.75	2004
08.01.2020 11:48:07	1	1	1	1	116.8	63	0	28625.592	561.2903226	16066.9149	30000	0	0	30000	43.5	2004
08.01.2020 11:48:07	1	1	1	1	116.8	63	0	28625.592	561.2903226	16066.9149	30000	0	0	30000	43.5	2004
08.01.2020 11:48:07	1	1	1	1	116.8	63	0	28625.592	561.2903226	16066.9149	30000	0	0	30000	43.5	2004
08.01.2020 11:48:07	1	1	1	1	116.8	63	0	28625.592	561.2903226	16066.9149	30000	0	0	30000	43.5	2004
08.01.2020 11:48:07	1	1	1	1	116.8	63	0	28625.592	561.2903226	16066.9149	30000	0	0	30000	43.5	2004
08.01.2020 11:48:07	1	1	1	1	116.8	63	0	28625.592	561.2903226	16066.9149	30000	0	0	30000	43.5	2004
08.01.2020 11:48:10	1	1	1	1	116.8	63.75	0	28578.199	559.1397849	15978.85467	30000	0	0	30000	43.8125	2004
08.01.2020 11:48:10	1	1	1	1	116.8	63.75	0	28578.199	559.1397849	15978.85467	30000	0	0	30000	43.8125	2004
08.01.2020 11:48:10	1	1	1	1	116.8	63.75	0	28578.199	559.1397849	15978.85467	30000	0	0	30000	43.8125	2004
08.01.2020 11:48:10	1	1	1	1	116.8	63.75	0	28436.019	561.2903226	15987.0084	30000	0	0	30000	43.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 11:48:11	1	1	1	1	115.8	63.5	0	28436.019	561.2903226	16109.31427	30000	0	0	30000	43.5625	2004
08.01.2020 11:48:12	1	1	1	1	115.8	63.5	0	28436.019	567.7419355	16022.06942	30000	0	0	30000	43.75	2004
08.01.2020 11:48:13	1	1	1	1	115.8	63.75	0	28293.839	563.4408602	15827.19539	30000	0	0	30000	43.375	2004
08.01.2020 11:48:14	1	1	1	1	115.8	63.25	0	28293.839	563.4408602	15941.34754	30000	0	0	30000	43.6875	2004
08.01.2020 11:48:15	1	1	1	1	115.8	63.5	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	43.1875	2004
08.01.2020 11:48:16	1	1	1	1	115.8	63	0	28388.626	567.7419355	16029.40777	30000	0	0	30000	43.4375	2004
08.01.2020 11:48:17	1	1	1	1	115.8	63.25	0	28341.232	572.0430108	15941.34754	30000	0	0	30000	43.375	2004
08.01.2020 11:48:18	1	1	1	1	115.8	63.25	0	28483.412	565.5913978	16109.31427	30000	0	0	30000	43.4375	2004
08.01.2020 11:48:19	1	1	1	1	115.8	63.25	0	28388.626	563.4408602	15907.10189	30000	0	0	30000	43.6875	2004
08.01.2020 11:48:21	1	1	1	1	115.8	63.5	0	28341.232	561.2903226	16029.40777	30000	0	0	30000	43.875	2004
08.01.2020 11:48:22	1	1	1	1	115.5	63.75	0	28199.052	563.4408602	15827.19539	30000	0	0	30000	43.875	2004
08.01.2020 11:48:23	1	1	1	1	115.5	63.75	0	28483.412	563.4408602	16083.22235	30000	0	0	30000	43.5625	2004
08.01.2020 11:48:24	1	1	1	1	115.5	63.5	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	43.6875	2004
08.01.2020 11:48:25	1	1	1	1	115.5	63.5	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	43.8125	2004
08.01.2020 11:48:26	1	1	1	1	115.5	63.75	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	43.6875	2004
08.01.2020 11:48:27	1	1	1	1	115.5	63.5	0	27867.299	572.0430108	16000.86973	30000	0	0	30000	43.6875	2004
08.01.2020 11:48:28	1	1	1	1	115.5	63.5	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	43.625	2004
08.01.2020 11:48:29	1	1	1	1	115.5	63.5	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	43.375	2004
08.01.2020 11:48:30	1	1	1	1	115.5	63.25	0	28009.479	572.0430108	15781.53453	30000	0	0	30000	43.25	2004
08.01.2020 11:48:31	1	1	1	1	115.5	63.25	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	43.75	2004
08.01.2020 11:48:32	1	1	1	1	115.3	63.75	0	28341.232	563.4408602	15968.25483	30000	0	0	30000	43.4375	2004
08.01.2020 11:48:33	1	1	1	1	115.3	63.25	0	28341.232	556.9892473	15934.00919	30000	0	0	30000	43	2004
08.01.2020 11:48:34	1	1	1	1	115.3	63	0	28009.479	567.7419355	16009.83883	30000	0	0	30000	43.8125	2004
08.01.2020 11:48:35	1	1	1	1	115.3	63.75	0	28199.052	574.1935484	16191.66689	30000	0	0	30000	43.625	2004
08.01.2020 11:48:36	1	1	1	1	115.3	63.5	0	27867.299	574.1935484	15745.65814	30000	0	0	30000	43.875	2004
08.01.2020 11:48:37	1	1	1	1	115.3	63.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	43.6875	2004
08.01.2020 11:48:38	1	1	1	1	115.3	63.5	0	27582.938	584.9462366	16102.79129	30000	0	0	30000	43.1875	2004
08.01.2020 11:48:39	1	1	1	1	115.3	63	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	43.5	2004
08.01.2020 11:48:40	1	1	1	1	115.3	63.5	0	27440.758	587.0967742	16051.42282	30000	0	0	30000	43.875	2004
08.01.2020 11:48:41	1	1	1	1	115.3	63.75	0	27345.972	589.2473118	16054.68431	30000	0	0	30000	43.5625	2004
08.01.2020 11:48:42	1	1	1	1	115.3	63.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	43.6875	2004
08.01.2020 11:48:43	1	1	1	1	115.3	63.5	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	44	2004
08.01.2020 11:48:44	1	1	1	1	115.3	64	0	27156.398	589.2473118	15942.97828	30000	0	0	30000	43.75	2004
08.01.2020 11:48:45	1	1	1	1	115.3	63.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	44.125	2004
08.01.2020 11:48:46	1	1	1	1	115.3	63.75	0	27156.398	584.9462366	15909.54801	30000	0	0	30000	43.75	2004
08.01.2020 11:48:47	1	1	1	1	115.3	63.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	43.875	2004
08.01.2020 11:48:48	1	1	1	1	115.3	63.75	0	27819.905	576.344086	15973.96244	30000	0	0	30000	43.1875	2004
08.01.2020 11:48:49	1	1	1	1	115.3	63	0	27914.692	572.0430108	15907.91727	30000	0	0	30000	43.6875	2004
08.01.2020 11:48:50	1	1	1	1	115.3	63.5	0	28009.479	569.8924731	16191.66689	30000	0	0	30000	43.5625	2004
08.01.2020 11:48:51	1	1	1	1	115.5	63.5	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	43.8125	2004
08.01.2020 11:48:52	1	1	1	1	115.5	63.75	0	28009.479	567.7419355	15841.8721	30000	0	0	30000	43.5625	2004
08.01.2020 11:48:53	1	1	1	1	115.5	63.5	0	28293.839	574.1935484	16191.66689	30000	0	0	30000	43.5625	2004
08.01.2020 11:48:54	1	1	1	1	115.5	63.5	0	28341.232	567.7419355	16123.99098	30000	0	0	30000	43.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 11:48:55	1	1	1	1	115.5	63.75	0	28009.479	565.5913978	15841.8721	30000	0	0	30000	43.1875	2004
08.01.2020 11:48:56	1	1	1	1	115.5	63	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	43.875	2004
08.01.2020 11:48:57	1	1	1	1	115.5	63.75	0	28199.052	563.4408602	16002.50048	30000	0	0	30000	43.3125	2004
08.01.2020 11:48:58	1	1	1	1	115.5	63.25	0	28009.479	569.8924731	15721.19697	30000	0	0	30000	43.375	2004
08.01.2020 11:48:59	1	1	1	1	115.5	63.25	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	43.375	2004
08.01.2020 11:49:00	1	1	1	1	115.5	63.25	0	27867.299	576.344086	16000.86973	30000	0	0	30000	43.875	2004
08.01.2020 11:49:02	1	1	1	1	115	63.75	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	43.375	2004
08.01.2020 11:49:08	1	1	1	1	115	63.75	0	28009.479	567.7419355	16022.06942	30000	0	0	30000	43.875	2004
08.01.2020 11:49:08	1	1	1	1	115	63.75	0	28009.479	567.7419355	16022.06942	30000	0	0	30000	43.875	2004
08.01.2020 11:49:08	1	1	1	1	115	63.75	0	28009.479	567.7419355	16022.06942	30000	0	0	30000	43.875	2004
08.01.2020 11:49:08	1	1	1	1	115	63.75	0	28009.479	567.7419355	16022.06942	30000	0	0	30000	43.875	2004
08.01.2020 11:49:08	1	1	1	1	115	63.75	0	28009.479	567.7419355	16022.06942	30000	0	0	30000	43.875	2004
08.01.2020 11:49:09	1	1	1	1	115	63.75	0	28009.479	572.0430108	16130.51396	30000	0	0	30000	43.9375	2004
08.01.2020 11:49:10	1	1	1	1	115	63.75	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	43.875	2004
08.01.2020 11:49:11	1	1	1	1	115	63.75	0	28293.839	567.7419355	16002.50048	30000	0	0	30000	43.875	2004
08.01.2020 11:49:12	1	1	1	1	114.5	63.75	0	28388.626	565.5913978	16056.31506	30000	0	0	30000	43.875	2004
08.01.2020 11:49:13	1	1	1	1	114.5	63.75	0	28341.232	565.5913978	16002.50048	30000	0	0	30000	43.625	2004
08.01.2020 11:49:14	1	1	1	1	114.5	63.5	0	28293.839	563.4408602	15881.00997	30000	0	0	30000	43.3125	2004
08.01.2020 11:49:15	1	1	1	1	114.5	63.25	0	28199.052	561.2903226	15827.19539	30000	0	0	30000	43.875	2004
08.01.2020 11:49:16	1	1	1	1	114.5	63.75	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	43.875	2004
08.01.2020 11:49:17	1	1	1	1	114.5	63.75	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	43.9375	2004
08.01.2020 11:49:18	1	1	1	1	114.5	63.75	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	43.5625	2004
08.01.2020 11:49:19	1	1	1	1	114.5	63.5	0	28009.479	567.7419355	15841.8721	30000	0	0	30000	43.9375	2004
08.01.2020 11:49:20	1	1	1	1	114.5	63.75	0	28293.839	567.7419355	16002.50048	30000	0	0	30000	43.9375	2004
08.01.2020 11:49:21	1	1	1	1	114.5	63.75	0	28293.839	567.7419355	15766.85783	30000	0	0	30000	43.5	2004
08.01.2020 11:49:22	1	1	1	1	114	63.5	0	28388.626	565.5913978	15934.00919	30000	0	0	30000	43.75	2004
08.01.2020 11:49:23	1	1	1	1	114	63.75	0	28341.232	563.4408602	15995.16212	30000	0	0	30000	43.9375	2004
08.01.2020 11:49:24	1	1	1	1	114	63.75	0	28199.052	556.9892473	15968.25483	30000	0	0	30000	43.8125	2004
08.01.2020 11:49:25	1	1	1	1	114	63.75	0	28388.626	565.5913978	16056.31506	30000	0	0	30000	43.75	2004
08.01.2020 11:49:26	1	1	1	1	114	63.75	0	28341.232	563.4408602	16056.31506	30000	0	0	30000	42.5625	2004
08.01.2020 11:49:27	1	1	1	1	114	62.5	0	28436.019	559.1397849	15960.91648	30000	0	0	30000	43.8125	2004
08.01.2020 11:49:28	1	1	1	1	114	63.75	0	28483.412	559.1397849	15952.76275	30000	0	0	30000	43.8125	2004
08.01.2020 11:49:29	1	1	1	1	114	63.75	0	28815.166	559.1397849	16173.7287	30000	0	0	30000	43.875	2004
08.01.2020 11:49:30	1	1	1	1	114	63.75	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	43.25	2004
08.01.2020 11:49:31	1	1	1	1	114	63.25	0	28625.592	554.8387097	15759.51947	30000	0	0	30000	44.0625	2004
08.01.2020 11:49:32	1	1	1	1	114	64	0	28578.199	544.0860215	15925.85546	30000	0	0	30000	44	2004
08.01.2020 11:49:33	1	1	1	1	114	64	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	43.4375	2004
08.01.2020 11:49:34	1	1	1	1	114	63.25	0	28957.346	556.9892473	16128.88321	30000	0	0	30000	43.875	2004
08.01.2020 11:49:35	1	1	1	1	114	63.75	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	43.625	2004
08.01.2020 11:49:36	1	1	1	1	114	63.5	0	28957.346	561.2903226	16013.91569	30000	0	0	30000	43.625	2004
08.01.2020 11:49:37	1	1	1	1	114	63.5	0	28957.346	550.5376344	16066.09953	30000	0	0	30000	43.875	2004
08.01.2020 11:49:38	1	1	1	1	114	63.75	0	28957.346	554.8387097	16128.88321	30000	0	0	30000	43.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 11:49:40	1	1	1	1	114	63.5	0	28957.346	554.8387097	16252.81983	30000	0	0	30000	43.625	2004
08.01.2020 11:49:41	1	1	1	1	114	63.5	0	28957.346	554.8387097	16004.13122	30000	0	0	30000	43.9375	2004
08.01.2020 11:49:42	1	1	1	1	113.3	63.75	0	28957.346	552.688172	15942.16291	30000	0	0	30000	43.6875	2004
08.01.2020 11:49:43	1	1	1	1	113.3	63.5	0	28957.346	548.3870968	15879.37923	30000	0	0	30000	43.75	2004
08.01.2020 11:49:44	1	1	1	1	113.3	63.75	0	29146.919	546.2365591	16098.71443	30000	0	0	30000	43.5	2004
08.01.2020 11:49:45	1	1	1	1	113.3	63.5	0	29241.706	544.0860215	15983.74691	30000	0	0	30000	43.875	2004
08.01.2020 11:49:46	1	1	1	1	113.3	63.75	0	29052.133	546.2365591	15817.41092	30000	0	0	30000	44	2004
08.01.2020 11:49:47	1	1	1	1	113.3	64	0	29241.706	550.5376344	16098.71443	30000	0	0	30000	44.125	2004
08.01.2020 11:49:48	1	1	1	1	113.3	64	0	29099.526	548.3870968	16046.53059	30000	0	0	30000	43.9375	2004
08.01.2020 11:49:49	1	1	1	1	113.3	63.75	0	29052.133	550.5376344	16020.43867	30000	0	0	30000	43.875	2004
08.01.2020 11:49:50	1	1	1	1	113.3	63.75	0	28862.559	552.688172	15889.97907	30000	0	0	30000	43.3125	2004
08.01.2020 11:49:51	1	1	1	1	113.3	63.25	0	29099.526	554.8387097	16082.40698	30000	0	0	30000	44	2004
08.01.2020 11:49:52	1	1	1	1	113	64	0	28957.346	556.9892473	16066.09953	30000	0	0	30000	43.9375	2004
08.01.2020 11:49:53	1	1	1	1	113	63.75	0	28957.346	554.8387097	16066.09953	30000	0	0	30000	43.8125	2004
08.01.2020 11:49:54	1	1	1	1	113	63.75	0	28862.559	550.5376344	16075.884	30000	0	0	30000	43.75	2004
08.01.2020 11:49:55	1	1	1	1	113	63.75	0	28957.346	554.8387097	16066.09953	30000	0	0	30000	44	2004
08.01.2020 11:49:56	1	1	1	1	113	64	0	28862.559	552.688172	16075.884	30000	0	0	30000	44.125	2004
08.01.2020 11:49:57	1	1	1	1	113	64	0	28862.559	554.8387097	15951.94738	30000	0	0	30000	44.0625	2004
08.01.2020 11:49:58	1	1	1	1	113	64	0	28957.346	556.9892473	16128.88321	30000	0	0	30000	43.4375	2004
08.01.2020 11:49:59	1	1	1	1	113	63.25	0	28815.166	550.5376344	15925.85546	30000	0	0	30000	43.6875	2004
08.01.2020 11:50:00	1	1	1	1	113	63.5	0	29052.133	550.5376344	16004.13122	30000	0	0	30000	44	2004
08.01.2020 11:50:01	1	1	1	1	113	64	0	29146.919	544.0860215	15858.17955	30000	0	0	30000	43.75	2004
08.01.2020 11:50:02	1	1	1	1	112.5	64	0	29383.886	550.5376344	16176.99019	30000	0	0	30000	44.0625	2004
08.01.2020 11:50:03	1	1	1	1	112.5	64	0	29431.28	552.688172	16203.08211	30000	0	0	30000	44.0625	2004
08.01.2020 11:50:10	1	1	1	1	112.5	64	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	43.9375	2004
08.01.2020 11:50:10	1	1	1	1	112.5	64	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	43.9375	2004
08.01.2020 11:50:10	1	1	1	1	112.5	64	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	43.9375	2004
08.01.2020 11:50:10	1	1	1	1	112.5	64	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	43.9375	2004
08.01.2020 11:50:10	1	1	1	1	112.5	64	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	43.9375	2004
08.01.2020 11:50:10	1	1	1	1	112.5	64	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	43.9375	2004
08.01.2020 11:50:10	1	1	1	1	112.5	63.75	0	29099.526	550.5376344	16082.40698	30000	0	0	30000	43.9375	2004
08.01.2020 11:50:11	1	1	1	1	111.8	63.75	0	28862.559	559.1397849	15925.85546	30000	0	0	30000	43.875	2004
08.01.2020 11:50:12	1	1	1	1	111.8	63.75	0	28815.166	552.688172	15863.88715	30000	0	0	30000	43.3125	2004
08.01.2020 11:50:13	1	1	1	1	111.8	63.25	0	28815.166	552.688172	15863.88715	30000	0	0	30000	43.3125	2004
08.01.2020 11:50:14	1	1	1	1	111.8	63.25	0	28862.559	554.8387097	15951.94738	30000	0	0	30000	43.375	2004
08.01.2020 11:50:16	1	1	1	1	111.8	63.25	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	44.0625	2004
08.01.2020 11:50:17	1	1	1	1	111.8	64	0	28862.559	554.8387097	16128.88321	30000	0	0	30000	43.75	2004
08.01.2020 11:50:18	1	1	1	1	111.8	63.75	0	28862.559	556.9892473	16199.82062	30000	0	0	30000	43.875	2004
08.01.2020 11:50:19	1	1	1	1	111.8	63.75	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	43.6875	2004
08.01.2020 11:50:20	1	1	1	1	111.8	63.5	0	28815.166	552.688172	15987.82377	30000	0	0	30000	43.75	2004
08.01.2020 11:50:21	1	1	1	1	111.8	63.75	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	43.6875	2004
08.01.2020 11:50:22	1	1	1	1	112	63.5	0	28625.592	559.1397849	15943.79366	30000	0	0	30000	43.8125	2004
08.01.2020 11:50:23	1	1	1	1	112	63.75	0	28341.232	554.8387097	15960.91648	30000	0	0	30000	44	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 11:50:24	1	1	1	1	112	64	0	28341.232	561.2903226	15907.10189	30000	0	0	30000	43.75	2004
08.01.2020 11:50:25	1	1	1	1	112	63.75	0	28388.626	563.4408602	16083.22235	30000	0	0	30000	44.1875	2004
08.01.2020 11:50:26	1	1	1	1	112	64	0	28341.232	563.4408602	15995.16212	30000	0	0	30000	43.0625	2004
08.01.2020 11:50:27	1	1	1	1	112	63	0	28341.232	561.2903226	15968.25483	30000	0	0	30000	44.0625	2004
08.01.2020 11:50:28	1	1	1	1	112	64	0	28578.199	561.2903226	16013.91569	30000	0	0	30000	43.9375	2004
08.01.2020 11:50:29	1	1	1	1	112	63.75	0	28388.626	561.2903226	15934.00919	30000	0	0	30000	44	2004
08.01.2020 11:50:30	1	1	1	1	112	64	0	28530.806	561.2903226	15925.85546	30000	0	0	30000	43.9375	2004
08.01.2020 11:50:31	1	1	1	1	112	63.75	0	28483.412	556.9892473	15925.85546	30000	0	0	30000	43.5625	2004
08.01.2020 11:50:32	1	1	1	1	111.5	63.5	0	28578.199	559.1397849	15978.85467	30000	0	0	30000	44.0625	2004
08.01.2020 11:50:33	1	1	1	1	111.5	64	0	28483.412	556.9892473	15864.70252	30000	0	0	30000	44.0625	2004
08.01.2020 11:50:34	1	1	1	1	111.5	64	0	28862.559	554.8387097	16075.884	30000	0	0	30000	44.25	2004
08.01.2020 11:50:35	1	1	1	1	111.5	64.25	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	43.875	2004
08.01.2020 11:50:36	1	1	1	1	111.5	63.75	0	28815.166	561.2903226	15925.85546	30000	0	0	30000	43.9375	2004
08.01.2020 11:50:37	1	1	1	1	111.5	63.75	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	43.9375	2004
08.01.2020 11:50:38	1	1	1	1	111.5	63.75	0	28625.592	559.1397849	15917.70174	30000	0	0	30000	44.4375	2004
08.01.2020 11:50:39	1	1	1	1	111.5	63.75	0	28672.986	554.8387097	15987.82377	30000	0	0	30000	43.8125	2004
08.01.2020 11:50:40	1	1	1	1	111.5	63.75	0	28625.592	556.9892473	15943.79366	30000	0	0	30000	44.125	2004
08.01.2020 11:50:41	1	1	1	1	111.5	64	0	28483.412	559.1397849	15925.85546	30000	0	0	30000	44	2004
08.01.2020 11:50:42	1	1	1	1	111.5	64	0	28578.199	563.4408602	16163.12886	30000	0	0	30000	43.9375	2004
08.01.2020 11:50:43	1	1	1	1	111.5	63.75	0	28483.412	569.8924731	16048.16134	30000	0	0	30000	44.0625	2004
08.01.2020 11:50:44	1	1	1	1	111.5	64	0	28293.839	567.7419355	16063.65341	30000	0	0	30000	44.1875	2004
08.01.2020 11:50:45	1	1	1	1	111.5	64	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	44.0625	2004
08.01.2020 11:50:46	1	1	1	1	111.5	64	0	27819.905	572.0430108	16181.06705	30000	0	0	30000	43.3125	2004
08.01.2020 11:50:47	1	1	1	1	111.5	63.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	43.4375	2004
08.01.2020 11:50:48	1	1	1	1	111.5	63.25	0	27440.758	576.344086	15814.9648	30000	0	0	30000	44.0625	2004
08.01.2020 11:50:49	1	1	1	1	111.5	64	0	27582.938	580.6451613	16015.54644	30000	0	0	30000	44	2004
08.01.2020 11:50:50	1	1	1	1	111.5	64	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	44.125	2004
08.01.2020 11:50:52	1	1	1	1	110.8	64	0	27535.545	580.6451613	16075.06863	30000	0	0	30000	44	2004
08.01.2020 11:50:53	1	1	1	1	110.8	64	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	43.9375	2004
08.01.2020 11:50:54	1	1	1	1	110.8	63.75	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	44.0625	2004
08.01.2020 11:50:55	1	1	1	1	110.8	64	0	27582.938	580.6451613	16047.34596	30000	0	0	30000	44.0625	2004
08.01.2020 11:50:56	1	1	1	1	110.8	64	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	44	2004
08.01.2020 11:50:57	1	1	1	1	110.8	64	0	27582.938	580.6451613	15987.82377	30000	0	0	30000	44.0625	2004
08.01.2020 11:50:58	1	1	1	1	110.8	64	0	27582.938	574.1935484	15837.79523	30000	0	0	30000	44.125	2004
08.01.2020 11:50:59	1	1	1	1	110.8	64	0	28009.479	567.7419355	16142.74454	30000	0	0	30000	43.875	2004
08.01.2020 11:51:00	1	1	1	1	110.8	63.75	0	28436.019	567.7419355	16144.37529	30000	0	0	30000	43.875	2004
08.01.2020 11:51:01	1	1	1	1	110.8	63.75	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	44.125	2004
08.01.2020 11:51:02	1	1	1	1	110.8	64	0	28862.559	550.5376344	15889.97907	30000	0	0	30000	43.875	2004
08.01.2020 11:51:03	1	1	1	1	110.8	63.75	0	29478.673	535.483871	16000.86973	30000	0	0	30000	43.625	2004
08.01.2020 11:51:04	1	1	1	1	110.8	63.5	0	29763.033	541.9354839	16040.00761	30000	0	0	30000	44	2004
08.01.2020 11:51:05	1	1	1	1	110.8	64	0	29715.64	535.483871	15975.59318	30000	0	0	30000	44	2004
08.01.2020 11:51:11	1	1	1	1	110.8	63.25	0	29905.213	526.8817204	16000.05436	30000	0	0	30000	44.0625	2004
08.01.2020 11:51:11	1	1	1	1	110.8	63.25	0	29905.213	526.8817204	16000.05436	30000	0	0	30000	44.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 11:51:11	1	1	1	1	110.8	63.25	0	29905.213	526.8817204	16000.05436	30000	0	0	30000	44.0625	2004
08.01.2020 11:51:11	1	1	1	1	110.8	63.25	0	29905.213	526.8817204	16000.05436	30000	0	0	30000	44.0625	2004
08.01.2020 11:51:11	1	1	1	1	110.8	63.25	0	29905.213	526.8817204	16000.05436	30000	0	0	30000	44.0625	2004
08.01.2020 11:51:11	1	1	1	1	110.8	63.25	0	29905.213	526.8817204	16000.05436	30000	0	0	30000	44.0625	2004
08.01.2020 11:51:12	1	1	1	1	109.8	64	0	30000	533.3333333	16000.05436	30000	0	0	30000	43.75	2004
08.01.2020 11:51:13	1	1	1	1	109.8	63.75	0	30000	533.3333333	16064.46878	30000	0	0	30000	42.8125	2004
08.01.2020 11:51:14	1	1	1	1	109.8	62.75	0	30000	533.3333333	16000.05436	30000	0	0	30000	44.5	2004
08.01.2020 11:51:15	1	1	1	1	109.8	64.5	0	29857.82	533.3333333	15859.81029	30000	0	0	30000	42.5	2004
08.01.2020 11:51:16	1	1	1	1	109.8	62.5	0	29810.427	535.483871	15962.54722	30000	0	0	30000	44	2004
08.01.2020 11:51:17	1	1	1	1	109.8	64	0	29952.607	505.3763441	15161.03607	30000	0	0	30000	44.125	2004
08.01.2020 11:51:18	1	1	1	1	109.8	63.75	0	29905.213	518.2795699	15677.16685	30000	0	0	30000	44.25	2004
08.01.2020 11:51:19	1	1	1	1	109.8	64.25	0	29905.213	541.9354839	15987.82377	30000	0	0	30000	44.0625	2004
08.01.2020 11:51:20	1	1	1	1	109.8	64	0	29810.427	535.483871	15962.54722	30000	0	0	30000	44.25	2004
08.01.2020 11:51:21	1	1	1	1	109.8	64.25	0	29905.213	537.6344086	16077.51474	30000	0	0	30000	44.25	2004
08.01.2020 11:51:22	1	1	1	1	109.8	64.25	0	29715.64	535.483871	15975.59318	30000	0	0	30000	43.9375	2004
08.01.2020 11:51:23	1	1	1	1	109.8	63.75	0	29905.213	535.483871	16013.10032	30000	0	0	30000	44.0625	2004
08.01.2020 11:51:24	1	1	1	1	109.8	64	0	29952.607	496.7741935	14856.08676	30000	0	0	30000	44.125	2004
08.01.2020 11:51:25	1	1	1	1	109.8	64	0	29905.213	539.7849462	15949.50126	30000	0	0	30000	43.9375	2004
08.01.2020 11:51:26	1	1	1	1	109.8	63.75	0	28341.232	438.7096774	12412.41541	30000	0	0	30000	42.9375	2004
08.01.2020 11:51:27	1	1	1	1	109.8	62.75	0	30000	526.8817204	15805.99571	30000	0	0	30000	44	2004
08.01.2020 11:51:28	1	1	1	1	109.8	64	0	30000	533.3333333	16000.05436	30000	0	0	30000	44.1875	2004
08.01.2020 11:51:29	1	1	1	1	109.8	64	0	28815.166	509.6774194	14686.48928	30000	0	0	30000	44	2004
08.01.2020 11:51:30	1	1	1	1	109.8	64	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	43.625	2004
08.01.2020 11:51:31	1	1	1	1	109	63.5	0	29905.213	529.0322581	15870.41013	30000	0	0	30000	41.9375	2004
08.01.2020 11:51:33	1	1	1	1	109	61.75	0	29952.607	533.3333333	16000.05436	30000	0	0	30000	44	2004
08.01.2020 11:51:34	1	1	1	1	109	64	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	44.1875	2004
08.01.2020 11:51:35	1	1	1	1	109	64	0	29952.607	535.483871	16013.10032	30000	0	0	30000	44.1875	2004
08.01.2020 11:51:36	1	1	1	1	109	64	0	29810.427	535.483871	15962.54722	30000	0	0	30000	43.625	2004
08.01.2020 11:51:37	1	1	1	1	109	63.5	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	44.125	2004
08.01.2020 11:51:38	1	1	1	1	109	64	0	29715.64	535.483871	16040.00761	30000	0	0	30000	44.0625	2004
08.01.2020 11:51:39	1	1	1	1	109	64	0	29810.427	535.483871	15987.82377	30000	0	0	30000	42.75	2004
08.01.2020 11:51:40	1	1	1	1	109	62.75	0	29763.033	537.6344086	15975.59318	30000	0	0	30000	44.125	2004
08.01.2020 11:51:41	1	1	1	1	109	64	0	29526.066	539.7849462	15937.27068	30000	0	0	30000	43.6875	2004
08.01.2020 11:51:42	1	1	1	1	108	63.5	0	29478.673	544.0860215	16229.17403	30000	0	0	30000	43.9375	2004
08.01.2020 11:51:43	1	1	1	1	108	63.75	0	29052.133	554.8387097	16056.31506	30000	0	0	30000	43.8125	2004
08.01.2020 11:51:44	1	1	1	1	108	63.75	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	44.0625	2004
08.01.2020 11:51:45	1	1	1	1	108	64	0	28862.559	550.5376344	15951.94738	30000	0	0	30000	43.6875	2004
08.01.2020 11:51:46	1	1	1	1	108	63.5	0	29052.133	554.8387097	16128.88321	30000	0	0	30000	44	2004
08.01.2020 11:51:47	1	1	1	1	108	64	0	28862.559	552.688172	15951.94738	30000	0	0	30000	43.9375	2004
08.01.2020 11:51:48	1	1	1	1	108	63.75	0	28815.166	550.5376344	15925.85546	30000	0	0	30000	44.25	2004
08.01.2020 11:51:49	1	1	1	1	108	64.25	0	28957.346	554.8387097	16066.09953	30000	0	0	30000	44.25	2004
08.01.2020 11:51:50	1	1	1	1	108	64.25	0	29146.919	552.688172	16046.53059	30000	0	0	30000	43.875	2004
08.01.2020 11:51:51	1	1	1	1	108	63.75	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	44.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 11:51:52	1	1	1	1	107.3	64	0	28862.559	550.5376344	15889.97907	30000	0	0	30000	44.125	2004
08.01.2020 11:51:53	1	1	1	1	107.3	64	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	44.125	2004
08.01.2020 11:51:54	1	1	1	1	107.3	64	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	44	2004
08.01.2020 11:51:55	1	1	1	1	107.3	64	0	29289.1	550.5376344	16098.71443	30000	0	0	30000	44.375	2004
08.01.2020 11:51:56	1	1	1	1	107.3	63.75	0	29146.919	550.5376344	16287.06547	30000	0	0	30000	44.0625	2004
08.01.2020 11:51:57	1	1	1	1	107.3	64	0	29336.493	539.7849462	16087.29921	30000	0	0	30000	44	2004
08.01.2020 11:51:58	1	1	1	1	107.3	64	0	29289.1	541.9354839	15909.54801	30000	0	0	30000	43.9375	2004
08.01.2020 11:51:59	1	1	1	1	107.3	63.75	0	29478.673	544.0860215	16013.10032	30000	0	0	30000	43.875	2004
08.01.2020 11:52:00	1	1	1	1	107.3	63.75	0	29810.427	537.6344086	16026.96165	30000	0	0	30000	43.8125	2004
08.01.2020 11:52:01	1	1	1	1	107	63.75	0	29905.213	526.8817204	16064.46878	30000	0	0	30000	43.9375	2004
08.01.2020 11:52:02	1	1	1	1	107	63.75	0	30000	529.0322581	15805.99571	30000	0	0	30000	44.3125	2004
08.01.2020 11:52:03	1	1	1	1	107	64.25	0	30000	531.1827957	15934.82456	30000	0	0	30000	43.875	2004
08.01.2020 11:52:04	1	1	1	1	107	63.75	0	30000	533.3333333	16000.05436	30000	0	0	30000	43.8125	2004
08.01.2020 11:52:05	1	1	1	1	107	63.75	0	29905.213	488.172043	14622.07485	30000	0	0	30000	43.25	2004
08.01.2020 11:52:06	1	1	1	1	107	63.25	0	30047.393	529.0322581	15870.41013	30000	0	0	30000	44.125	2004
08.01.2020 11:52:13	1	1	1	1	107	63.5	0	30000	524.7311828	15677.16685	30000	0	0	30000	44.125	2004
08.01.2020 11:52:13	1	1	1	1	107	63.5	0	30000	524.7311828	15677.16685	30000	0	0	30000	44.125	2004
08.01.2020 11:52:13	1	1	1	1	107	63.5	0	30000	524.7311828	15677.16685	30000	0	0	30000	44.125	2004
08.01.2020 11:52:13	1	1	1	1	107	63.5	0	30000	524.7311828	15677.16685	30000	0	0	30000	44.125	2004
08.01.2020 11:52:13	1	1	1	1	107	63.5	0	30000	524.7311828	15677.16685	30000	0	0	30000	44.125	2004
08.01.2020 11:52:13	1	1	1	1	107	63.5	0	30000	524.7311828	15677.16685	30000	0	0	30000	44.125	2004
08.01.2020 11:52:14	1	1	1	1	107	64	0	30000	498.9247312	15032.20721	30000	0	0	30000	43.875	2004
08.01.2020 11:52:15	1	1	1	1	107	63.75	0	30000	483.8709677	14516.07643	30000	0	0	30000	44.25	2004
08.01.2020 11:52:16	1	1	1	1	107	64.25	0	30000	481.7204301	14451.662	30000	0	0	30000	44.125	2004
08.01.2020 11:52:17	1	1	1	1	107	64	0	30000	481.7204301	14451.662	30000	0	0	30000	44.0625	2004
08.01.2020 11:52:18	1	1	1	1	107	64	0	30000	483.8709677	14516.07643	30000	0	0	30000	44.0625	2004
08.01.2020 11:52:19	1	1	1	1	107	64	0	30000	501.0752688	15032.20721	30000	0	0	30000	44.25	2004
08.01.2020 11:52:20	1	1	1	1	107	64.25	0	29905.213	503.2258065	15032.20721	30000	0	0	30000	44.0625	2004
08.01.2020 11:52:21	1	1	1	1	107	64	0	30000	516.1290323	15508.38475	30000	0	0	30000	44.3125	2004
08.01.2020 11:52:22	1	1	1	1	107.3	64.25	0	30000	533.3333333	16064.46878	30000	0	0	30000	43.375	2004
08.01.2020 11:52:23	1	1	1	1	107.3	63.25	0	29905.213	533.3333333	15924.22472	30000	0	0	30000	43.8125	2004
08.01.2020 11:52:24	1	1	1	1	107.3	63.75	0	29905.213	535.483871	16013.10032	30000	0	0	30000	44.1875	2004
08.01.2020 11:52:25	1	1	1	1	107.3	64	0	29763.033	537.6344086	16040.00761	30000	0	0	30000	44.125	2004
08.01.2020 11:52:26	1	1	1	1	107.3	64	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	44.125	2004
08.01.2020 11:52:27	1	1	1	1	107.3	64	0	29810.427	535.483871	15962.54722	30000	0	0	30000	44.0625	2004
08.01.2020 11:52:28	1	1	1	1	107.3	64	0	29715.64	537.6344086	15950.31664	30000	0	0	30000	44.0625	2004
08.01.2020 11:52:29	1	1	1	1	107.3	64	0	29952.607	533.3333333	15934.82456	30000	0	0	30000	44.1875	2004
08.01.2020 11:52:30	1	1	1	1	107.3	64	0	29668.246	539.7849462	16103.60666	30000	0	0	30000	43.9375	2004
08.01.2020 11:52:31	1	1	1	1	107.3	63.75	0	29526.066	539.7849462	16000.86973	30000	0	0	30000	43.8125	2004
08.01.2020 11:52:32	1	1	1	1	106.8	63.75	0	29146.919	546.2365591	16046.53059	30000	0	0	30000	44.125	2004
08.01.2020 11:52:33	1	1	1	1	106.8	64	0	29052.133	554.8387097	16066.09953	30000	0	0	30000	44.5	2004
08.01.2020 11:52:34	1	1	1	1	106.8	64.5	0	28862.559	550.5376344	16075.884	30000	0	0	30000	44.25	2004
08.01.2020 11:52:35	1	1	1	1	106.8	64.25	0	28625.592	554.8387097	15855.73343	30000	0	0	30000	43.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 11:52:36	1	1	1	1	106.8	63.5	0	28625.592	559.1397849	16005.76197	30000	0	0	30000	43.9375	2004
08.01.2020 11:52:37	1	1	1	1	106.8	63.75	0	28578.199	556.9892473	16005.76197	30000	0	0	30000	44.25	2004
08.01.2020 11:52:38	1	1	1	1	106.8	64.5	0	28578.199	559.1397849	16040.00761	30000	0	0	30000	43.5625	2004
08.01.2020 11:52:39	1	1	1	1	106.8	63.5	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	44	2004
08.01.2020 11:52:40	1	1	1	1	106.8	64	0	28483.412	563.4408602	15987.0084	30000	0	0	30000	44.1875	2004
08.01.2020 11:52:41	1	1	1	1	106.5	64	0	28625.592	556.9892473	16049.79208	30000	0	0	30000	44.0625	2004
08.01.2020 11:52:42	1	1	1	1	106.5	64	0	28625.592	559.1397849	15943.79366	30000	0	0	30000	43.9375	2004
08.01.2020 11:52:43	1	1	1	1	106.5	63.75	0	28625.592	559.1397849	15733.42755	30000	0	0	30000	44.1875	2004
08.01.2020 11:52:44	1	1	1	1	106.5	64	0	28815.166	561.2903226	16111.76039	30000	0	0	30000	42.75	2004
08.01.2020 11:52:45	1	1	1	1	106.5	62.75	0	28483.412	556.9892473	15925.85546	30000	0	0	30000	43.8125	2004
08.01.2020 11:52:46	1	1	1	1	106.5	63.75	0	28578.199	559.1397849	16040.00761	30000	0	0	30000	44.25	2004
08.01.2020 11:52:47	1	1	1	1	106.5	64.25	0	28815.166	554.8387097	15882.64072	30000	0	0	30000	43.25	2004
08.01.2020 11:52:48	1	1	1	1	106.5	63.25	0	28578.199	556.9892473	16111.76039	30000	0	0	30000	43.9375	2004
08.01.2020 11:52:49	1	1	1	1	106.5	63.75	0	28483.412	561.2903226	15978.85467	30000	0	0	30000	44.3125	2004
08.01.2020 11:52:50	1	1	1	1	106.5	64.25	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	44.1875	2004
08.01.2020 11:52:51	1	1	1	1	106.5	64	0	28436.019	561.2903226	15987.0084	30000	0	0	30000	44.3125	2004
08.01.2020 11:52:53	1	1	1	1	106.5	64.25	0	28436.019	565.5913978	16109.31427	30000	0	0	30000	44.125	2004
08.01.2020 11:52:54	1	1	1	1	106.5	64	0	28388.626	565.5913978	16056.31506	30000	0	0	30000	44	2004
08.01.2020 11:52:55	1	1	1	1	106.5	64	0	28293.839	565.5913978	16029.40777	30000	0	0	30000	43.5	2004
08.01.2020 11:52:56	1	1	1	1	106.5	63.5	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	44.1875	2004
08.01.2020 11:52:57	1	1	1	1	106.5	64	0	28388.626	563.4408602	15995.16212	30000	0	0	30000	43.75	2004
08.01.2020 11:52:58	1	1	1	1	106.5	63.75	0	28625.592	559.1397849	15978.85467	30000	0	0	30000	44.25	2004
08.01.2020 11:52:59	1	1	1	1	106.5	64.25	0	28957.346	554.8387097	16128.88321	30000	0	0	30000	44.3125	2004
08.01.2020 11:53:00	1	1	1	1	106.5	64.25	0	29146.919	546.2365591	16046.53059	30000	0	0	30000	44.3125	2004
08.01.2020 11:53:01	1	1	1	1	106.5	64.25	0	29715.64	541.9354839	16167.20572	30000	0	0	30000	44.25	2004
08.01.2020 11:53:02	1	1	1	1	106	64.25	0	29620.853	541.9354839	15988.63914	30000	0	0	30000	43.4375	2004
08.01.2020 11:53:03	1	1	1	1	106	63.25	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	44.125	2004
08.01.2020 11:53:04	1	1	1	1	106	64	0	29668.246	539.7849462	16040.00761	30000	0	0	30000	43.9375	2004
08.01.2020 11:53:05	1	1	1	1	106	63.75	0	29810.427	539.7849462	16090.5607	30000	0	0	30000	43.75	2004
08.01.2020 11:53:06	1	1	1	1	106	63.75	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	44.0625	2004
08.01.2020 11:53:07	1	1	1	1	106	64	0	29810.427	541.9354839	16090.5607	30000	0	0	30000	44.1875	2004
08.01.2020 11:53:08	1	1	1	1	106	64	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	44	2004
08.01.2020 11:53:14	1	1	1	1	105.3	64.5	0	29905.213	511.827957	15306.17237	30000	0	0	30000	43	2004
08.01.2020 11:53:14	1	1	1	1	105.3	64.5	0	29905.213	511.827957	15306.17237	30000	0	0	30000	43	2004
08.01.2020 11:53:15	1	1	1	1	105.3	64.5	0	29905.213	511.827957	15306.17237	30000	0	0	30000	43	2004
08.01.2020 11:53:15	1	1	1	1	105.3	64.5	0	29905.213	511.827957	15306.17237	30000	0	0	30000	43	2004
08.01.2020 11:53:15	1	1	1	1	105.3	64.5	0	29905.213	511.827957	15306.17237	30000	0	0	30000	43	2004
08.01.2020 11:53:15	1	1	1	1	105.3	63	0	29620.853	539.7849462	16052.2382	30000	0	0	30000	44	2004
08.01.2020 11:53:16	1	1	1	1	105.3	64	0	29526.066	541.9354839	15963.3626	30000	0	0	30000	44.1875	2004
08.01.2020 11:53:17	1	1	1	1	105.3	63.75	0	29620.853	535.483871	15772.56543	30000	0	0	30000	43.875	2004
08.01.2020 11:53:18	1	1	1	1	105.3	63.75	0	30000	531.1827957	16000.05436	30000	0	0	30000	44.3125	2004
08.01.2020 11:53:19	1	1	1	1	105.3	64.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	44.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 11:53:20	1	1	1	1	105.3	64	0	30000	524.7311828	15805.99571	30000	0	0	30000	43.5	2004
08.01.2020 11:53:21	1	1	1	1	105.5	63.5	0	29952.607	496.7741935	15161.03607	30000	0	0	30000	44.0625	2004
08.01.2020 11:53:22	1	1	1	1	105.5	64	0	30000	524.7311828	15612.75243	30000	0	0	30000	44.4375	2004
08.01.2020 11:53:23	1	1	1	1	105.5	64.25	0	29952.607	537.6344086	16348.21841	30000	0	0	30000	43.5625	2004
08.01.2020 11:53:24	1	1	1	1	105.5	63.5	0	29810.427	537.6344086	15783.98065	30000	0	0	30000	43.125	2004
08.01.2020 11:53:25	1	1	1	1	105.5	63	0	29478.673	539.7849462	16026.96165	30000	0	0	30000	43.5	2004
08.01.2020 11:53:26	1	1	1	1	105.5	63.5	0	29431.28	541.9354839	16101.97592	30000	0	0	30000	44.25	2004
08.01.2020 11:53:27	1	1	1	1	105.5	64.25	0	29715.64	544.0860215	16167.20572	30000	0	0	30000	44.0625	2004
08.01.2020 11:53:28	1	1	1	1	105.5	64	0	29478.673	541.9354839	15885.90221	30000	0	0	30000	43.9375	2004
08.01.2020 11:53:29	1	1	1	1	105.5	63.75	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	43.8125	2004
08.01.2020 11:53:30	1	1	1	1	105.5	63.75	0	29431.28	541.9354839	15885.90221	30000	0	0	30000	43.875	2004
08.01.2020 11:53:31	1	1	1	1	104.8	63.75	0	29431.28	544.0860215	16075.884	30000	0	0	30000	43.5625	2004
08.01.2020 11:53:33	1	1	1	1	104.8	63.5	0	29146.919	535.483871	15607.04482	30000	0	0	30000	44.125	2004
08.01.2020 11:53:34	1	1	1	1	104.8	64	0	29336.493	550.5376344	15909.54801	30000	0	0	30000	43.5	2004
08.01.2020 11:53:35	1	1	1	1	104.8	63.5	0	29099.526	550.5376344	16108.4989	30000	0	0	30000	44.0625	2004
08.01.2020 11:53:36	1	1	1	1	104.8	64	0	28957.346	554.8387097	16066.09953	30000	0	0	30000	44.3125	2004
08.01.2020 11:53:37	1	1	1	1	104.8	64.25	0	28909.953	554.8387097	16013.91569	30000	0	0	30000	44.1875	2004
08.01.2020 11:53:38	1	1	1	1	104.8	64	0	28957.346	554.8387097	15765.22708	30000	0	0	30000	43.6875	2004
08.01.2020 11:53:39	1	1	1	1	104.8	63.5	0	28815.166	552.688172	15925.85546	30000	0	0	30000	44.3125	2004
08.01.2020 11:53:40	1	1	1	1	104.8	64.25	0	28578.199	554.8387097	15890.79444	30000	0	0	30000	44.0625	2004
08.01.2020 11:53:41	1	1	1	1	104.8	64	0	28578.199	561.2903226	15890.79444	30000	0	0	30000	44.125	2004
08.01.2020 11:53:42	1	1	1	1	104.3	64	0	28388.626	561.2903226	15934.00919	30000	0	0	30000	44.125	2004
08.01.2020 11:53:43	1	1	1	1	104.3	64	0	28293.839	563.4408602	15706.52026	30000	0	0	30000	44.3125	2004
08.01.2020 11:53:44	1	1	1	1	104.3	64.25	0	28341.232	559.1397849	15819.85704	30000	0	0	30000	43.5625	2004
08.01.2020 11:53:45	1	1	1	1	104.3	63.5	0	28388.626	565.5913978	16056.31506	30000	0	0	30000	44.1875	2004
08.01.2020 11:53:46	1	1	1	1	104.3	64	0	28293.839	567.7419355	16009.83883	30000	0	0	30000	44.0625	2004
08.01.2020 11:53:47	1	1	1	1	104.3	64	0	28009.479	567.7419355	15841.8721	30000	0	0	30000	43.6875	2004
08.01.2020 11:53:48	1	1	1	1	104.3	63.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	44.375	2004
08.01.2020 11:53:49	1	1	1	1	104.3	64.25	0	28341.232	569.8924731	15766.85783	30000	0	0	30000	44.3125	2004
08.01.2020 11:53:50	1	1	1	1	104.3	64.25	0	28199.052	567.7419355	16130.51396	30000	0	0	30000	43.8125	2004
08.01.2020 11:53:51	1	1	1	1	104.3	63.75	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	44	2004
08.01.2020 11:53:52	1	1	1	1	104.3	64	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	44.3125	2004
08.01.2020 11:53:53	1	1	1	1	104.3	64.25	0	28293.839	563.4408602	16002.50048	30000	0	0	30000	43.0625	2004
08.01.2020 11:53:54	1	1	1	1	104.3	63	0	28341.232	567.7419355	16063.65341	30000	0	0	30000	44.25	2004
08.01.2020 11:53:55	1	1	1	1	104.3	64.25	0	28293.839	565.5913978	16002.50048	30000	0	0	30000	43.75	2004
08.01.2020 11:53:56	1	1	1	1	104.3	63.75	0	28199.052	559.1397849	15948.68589	30000	0	0	30000	44.625	2004
08.01.2020 11:53:57	1	1	1	1	104.3	64.25	0	28483.412	556.9892473	15987.0084	30000	0	0	30000	43.875	2004
08.01.2020 11:53:58	1	1	1	1	104.3	63.75	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	43.6875	2004
08.01.2020 11:53:59	1	1	1	1	104.3	63.5	0	29052.133	554.8387097	16145.19066	30000	0	0	30000	43.9375	2004
08.01.2020 11:54:00	1	1	1	1	104.3	63.75	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	44.1875	2004
08.01.2020 11:54:01	1	1	1	1	104.3	64	0	29099.526	544.0860215	16108.4989	30000	0	0	30000	44.125	2004
08.01.2020 11:54:02	1	1	1	1	104.3	64	0	29336.493	546.2365591	16087.29921	30000	0	0	30000	44.375	2004
08.01.2020 11:54:03	1	1	1	1	104.3	64.25	0	29526.066	533.3333333	16026.96165	30000	0	0	30000	44.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 11:54:04	1	1	1	1	104.3	64	0	29668.246	541.9354839	16013.91569	30000	0	0	30000	44.25	2004
08.01.2020 11:54:05	1	1	1	1	104.3	64.25	0	28957.346	468.8172043	13513.16827	30000	0	0	30000	43.625	2004
08.01.2020 11:54:06	1	1	1	1	104.3	63.5	0	29952.607	533.3333333	16039.19224	30000	0	0	30000	43.4375	2004
08.01.2020 11:54:07	1	1	1	1	104.3	63.25	0	29336.493	464.516129	13627.32041	30000	0	0	30000	43.875	2004
08.01.2020 11:54:08	1	1	1	1	104.3	63.75	0	30000	496.7741935	14902.56299	30000	0	0	30000	43.5625	2004
08.01.2020 11:54:09	1	1	1	1	104.3	63.5	0	30000	481.7204301	14451.662	30000	0	0	30000	44.25	2004
08.01.2020 11:54:16	1	1	1	1	104.3	64.25	0	30000	481.7204301	14451.662	30000	0	0	30000	43.6875	2004
08.01.2020 11:54:16	1	1	1	1	104.3	64.25	0	30000	481.7204301	14451.662	30000	0	0	30000	43.6875	2004
08.01.2020 11:54:16	1	1	1	1	104.3	64.25	0	30000	481.7204301	14451.662	30000	0	0	30000	43.6875	2004
08.01.2020 11:54:16	1	1	1	1	104.3	64.25	0	30000	481.7204301	14451.662	30000	0	0	30000	43.6875	2004
08.01.2020 11:54:16	1	1	1	1	104.3	64.25	0	30000	481.7204301	14451.662	30000	0	0	30000	43.6875	2004
08.01.2020 11:54:16	1	1	1	1	104.3	64.25	0	30000	481.7204301	14451.662	30000	0	0	30000	43.6875	2004
08.01.2020 11:54:17	1	1	1	1	104.3	63.5	0	29952.607	501.0752688	15032.20721	30000	0	0	30000	43.875	2004
08.01.2020 11:54:18	1	1	1	1	104.3	63.75	0	30000	505.3763441	15161.03607	30000	0	0	30000	44.0625	2004
08.01.2020 11:54:19	1	1	1	1	104.3	64	0	30000	516.1290323	15483.92357	30000	0	0	30000	43.6875	2004
08.01.2020 11:54:20	1	1	1	1	104.3	63.5	0	30000	501.0752688	15032.20721	30000	0	0	30000	43.9375	2004
08.01.2020 11:54:21	1	1	1	1	104.3	63.75	0	30047.393	503.2258065	15161.03607	30000	0	0	30000	44.25	2004
08.01.2020 11:54:22	1	1	1	1	103.3	64.25	0	30000	496.7741935	14902.56299	30000	0	0	30000	44.375	2004
08.01.2020 11:54:23	1	1	1	1	103.3	64.25	0	29905.213	481.7204301	14428.83157	30000	0	0	30000	44.0625	2004
08.01.2020 11:54:24	1	1	1	1	103.3	64	0	29857.82	464.516129	13847.47099	30000	0	0	30000	44.3125	2004
08.01.2020 11:54:25	1	1	1	1	103.3	64.25	0	30000	522.5806452	15548.338	30000	0	0	30000	44.3125	2004
08.01.2020 11:54:26	1	1	1	1	103.3	64.25	0	29715.64	481.7204301	14314.67942	30000	0	0	30000	43.5625	2004
08.01.2020 11:54:27	1	1	1	1	103.3	63.5	0	30000	531.1827957	15627.42913	30000	0	0	30000	43.125	2004
08.01.2020 11:54:28	1	1	1	1	103.3	63	0	29383.886	488.172043	14534.01462	30000	0	0	30000	44.0625	2004
08.01.2020 11:54:29	1	1	1	1	103.3	64	0	30000	529.0322581	15934.82456	30000	0	0	30000	44.3125	2004
08.01.2020 11:54:30	1	1	1	1	103.3	64.25	0	30000	518.2795699	15483.92357	30000	0	0	30000	43.75	2004
08.01.2020 11:54:31	1	1	1	1	103.3	63.75	0	30000	526.8817204	15805.99571	30000	0	0	30000	44.3125	2004
08.01.2020 11:54:32	1	1	1	1	103.8	64.25	0	26919.431	486.0215054	13141.35841	30000	0	0	30000	44.375	2004
08.01.2020 11:54:33	1	1	1	1	103.8	64.25	0	29526.066	537.6344086	15810.07257	30000	0	0	30000	44.25	2004
08.01.2020 11:54:34	1	1	1	1	103.8	64.25	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	43.6875	2004
08.01.2020 11:54:35	1	1	1	1	103.8	63.5	0	29289.1	546.2365591	16087.29921	30000	0	0	30000	44.1875	2004
08.01.2020 11:54:36	1	1	1	1	103.8	64	0	29099.526	556.9892473	15994.34675	30000	0	0	30000	44.625	2004
08.01.2020 11:54:37	1	1	1	1	103.8	64.5	0	28957.346	554.8387097	16004.13122	30000	0	0	30000	43.6875	2004
08.01.2020 11:54:38	1	1	1	1	103.8	63.5	0	28957.346	554.8387097	16066.09953	30000	0	0	30000	43.6875	2004
08.01.2020 11:54:39	1	1	1	1	103.8	64.5	0	28957.346	556.9892473	16128.88321	30000	0	0	30000	44.1875	2004
08.01.2020 11:54:40	1	1	1	1	103.8	64	0	28815.166	556.9892473	15987.82377	30000	0	0	30000	43.875	2004
08.01.2020 11:54:41	1	1	1	1	103.5	63.75	0	28815.166	552.688172	15987.82377	30000	0	0	30000	44.0625	2004
08.01.2020 11:54:42	1	1	1	1	103.5	64	0	28862.559	554.8387097	16066.09953	30000	0	0	30000	44.3125	2004
08.01.2020 11:54:43	1	1	1	1	103.5	64.25	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	44.25	2004
08.01.2020 11:54:44	1	1	1	1	103.5	64.25	0	28625.592	554.8387097	15987.82377	30000	0	0	30000	43.8125	2004
08.01.2020 11:54:45	1	1	1	1	103.5	63.75	0	28862.559	554.8387097	16075.884	30000	0	0	30000	44.1875	2004
08.01.2020 11:54:46	1	1	1	1	103.5	64	0	28862.559	556.9892473	16137.85231	30000	0	0	30000	44.3125	2004
08.01.2020 11:54:47	1	1	1	1	103.5	64.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	43.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 11:54:48	1	1	1	1	103.5	63.75	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	44.4375	2004
08.01.2020 11:54:49	1	1	1	1	103.5	64.25	0	28483.412	556.9892473	15978.85467	30000	0	0	30000	44.25	2004
08.01.2020 11:54:51	1	1	1	1	103.5	64.25	0	28815.166	559.1397849	16049.79208	30000	0	0	30000	44.25	2004
08.01.2020 11:54:52	1	1	1	1	104	64.25	0	28862.559	561.2903226	16137.85231	30000	0	0	30000	43.9375	2004
08.01.2020 11:54:53	1	1	1	1	104	63.75	0	28578.199	559.1397849	16005.76197	30000	0	0	30000	44.375	2004
08.01.2020 11:54:54	1	1	1	1	104	64.25	0	29099.526	533.3333333	15545.07651	30000	0	0	30000	44.3125	2004
08.01.2020 11:54:55	1	1	1	1	104	64.25	0	28578.199	554.8387097	15882.64072	30000	0	0	30000	43.4375	2004
08.01.2020 11:54:56	1	1	1	1	104	63.25	0	28625.592	559.1397849	15917.70174	30000	0	0	30000	44.4375	2004
08.01.2020 11:54:57	1	1	1	1	104	64.25	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	43.8125	2004
08.01.2020 11:54:58	1	1	1	1	104	63.75	0	28815.166	552.688172	15925.85546	30000	0	0	30000	44.4375	2004
08.01.2020 11:54:59	1	1	1	1	104	64.25	0	28625.592	552.688172	15925.85546	30000	0	0	30000	44.4375	2004
08.01.2020 11:55:00	1	1	1	1	104	64.25	0	28625.592	556.9892473	15917.70174	30000	0	0	30000	44.375	2004
08.01.2020 11:55:01	1	1	1	1	104	64.25	0	28815.166	559.1397849	16049.79208	30000	0	0	30000	44.4375	2004
08.01.2020 11:55:02	1	1	1	1	102.5	64.25	0	28672.986	556.9892473	15733.42755	30000	0	0	30000	44.0625	2004
08.01.2020 11:55:03	1	1	1	1	102.5	64	0	28625.592	554.8387097	15882.64072	30000	0	0	30000	44.4375	2004
08.01.2020 11:55:04	1	1	1	1	102.5	64.25	0	28862.559	556.9892473	16075.884	30000	0	0	30000	43.875	2004
08.01.2020 11:55:05	1	1	1	1	102.5	63.75	0	28815.166	554.8387097	15863.88715	30000	0	0	30000	44.3125	2004
08.01.2020 11:55:06	1	1	1	1	102.5	64.25	0	28862.559	554.8387097	16013.91569	30000	0	0	30000	44.25	2004
08.01.2020 11:55:07	1	1	1	1	102.5	64.25	0	29289.1	544.0860215	15909.54801	30000	0	0	30000	44.375	2004
08.01.2020 11:55:08	1	1	1	1	102.5	64.25	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	44.25	2004
08.01.2020 11:55:09	1	1	1	1	102.5	64.25	0	28483.412	481.7204301	13721.08825	30000	0	0	30000	44.125	2004
08.01.2020 11:55:10	1	1	1	1	102.5	64	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	44.4375	2004
08.01.2020 11:55:11	1	1	1	1	102.5	64.25	0	29810.427	533.3333333	15962.54722	30000	0	0	30000	43	2004
08.01.2020 11:55:18	1	1	1	1	101.8	64.25	0	29146.919	546.2365591	15858.17955	30000	0	0	30000	44.5	2004
08.01.2020 11:55:18	1	1	1	1	101.8	64.25	0	29146.919	546.2365591	15858.17955	30000	0	0	30000	44.5	2004
08.01.2020 11:55:18	1	1	1	1	101.8	64.25	0	29146.919	546.2365591	15858.17955	30000	0	0	30000	44.5	2004
08.01.2020 11:55:18	1	1	1	1	101.8	64.25	0	29146.919	546.2365591	15858.17955	30000	0	0	30000	44.5	2004
08.01.2020 11:55:18	1	1	1	1	101.8	64.25	0	29146.919	546.2365591	15858.17955	30000	0	0	30000	44.5	2004
08.01.2020 11:55:18	1	1	1	1	101.8	64.5	0	29146.919	552.688172	16108.4989	30000	0	0	30000	44.3125	2004
08.01.2020 11:55:19	1	1	1	1	101.8	64.25	0	28957.346	554.8387097	16128.88321	30000	0	0	30000	44.4375	2004
08.01.2020 11:55:20	1	1	1	1	101.8	64.25	0	28815.166	552.688172	15925.85546	30000	0	0	30000	44.375	2004
08.01.2020 11:55:21	1	1	1	1	102.3	64.25	0	28815.166	554.8387097	16199.82062	30000	0	0	30000	44.3125	2004
08.01.2020 11:55:22	1	1	1	1	102.3	64.25	0	28625.592	559.1397849	15978.85467	30000	0	0	30000	44.5	2004
08.01.2020 11:55:23	1	1	1	1	102.3	64.5	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	44.25	2004
08.01.2020 11:55:24	1	1	1	1	102.3	64.25	0	28388.626	559.1397849	15811.70331	30000	0	0	30000	44.4375	2004
08.01.2020 11:55:25	1	1	1	1	102.3	64.25	0	28578.199	563.4408602	16101.97592	30000	0	0	30000	44.1875	2004
08.01.2020 11:55:27	1	1	1	1	102.3	64	0	28436.019	567.7419355	16083.22235	30000	0	0	30000	44.1875	2004
08.01.2020 11:55:28	1	1	1	1	102.3	64	0	28483.412	552.688172	16013.91569	30000	0	0	30000	43.6875	2004
08.01.2020 11:55:29	1	1	1	1	102.3	63.5	0	28578.199	565.5913978	16163.12886	30000	0	0	30000	44.625	2004
08.01.2020 11:55:30	1	1	1	1	102.3	64.5	0	28625.592	561.2903226	16066.9149	30000	0	0	30000	44.375	2004
08.01.2020 11:55:31	1	1	1	1	102.3	64.25	0	28436.019	561.2903226	15872.85625	30000	0	0	30000	44.3125	2004
08.01.2020 11:55:32	1	1	1	1	102.5	64.25	0	28483.412	559.1397849	15987.0084	30000	0	0	30000	44.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 11:55:33	1	1	1	1	102.5	64.25	0	28578.199	559.1397849	15917.70174	30000	0	0	30000	44.4375	2004
08.01.2020 11:55:34	1	1	1	1	102.5	64.25	0	28483.412	563.4408602	15838.61061	30000	0	0	30000	43.125	2004
08.01.2020 11:55:35	1	1	1	1	102.5	63	0	28388.626	554.8387097	16109.31427	30000	0	0	30000	44.25	2004
08.01.2020 11:55:36	1	1	1	1	102.5	64.25	0	28483.412	565.5913978	16083.22235	30000	0	0	30000	44.4375	2004
08.01.2020 11:55:37	1	1	1	1	102.5	64.25	0	28388.626	561.2903226	15907.10189	30000	0	0	30000	44.4375	2004
08.01.2020 11:55:38	1	1	1	1	102.5	64.25	0	28957.346	516.1290323	14945.77773	30000	0	0	30000	44.5625	2004
08.01.2020 11:55:39	1	1	1	1	102.5	64.5	0	28483.412	567.7419355	15987.0084	30000	0	0	30000	44.625	2004
08.01.2020 11:55:40	1	1	1	1	102.5	64.5	0	28483.412	561.2903226	16048.16134	30000	0	0	30000	44.0625	2004
08.01.2020 11:55:41	1	1	1	1	102.5	64	0	28341.232	563.4408602	15941.34754	30000	0	0	30000	44.4375	2004
08.01.2020 11:55:42	1	1	1	1	102	64.25	0	28388.626	565.5913978	16056.31506	30000	0	0	30000	44.3125	2004
08.01.2020 11:55:43	1	1	1	1	102	64.25	0	28199.052	563.4408602	15888.34833	30000	0	0	30000	44.1875	2004
08.01.2020 11:55:44	1	1	1	1	102	64	0	26113.744	483.8709677	12635.01209	30000	0	0	30000	44.375	2004
08.01.2020 11:55:45	1	1	1	1	102	64.25	0	28293.839	572.0430108	16070.17639	30000	0	0	30000	44.4375	2004
08.01.2020 11:55:46	1	1	1	1	102	64.25	0	28341.232	567.7419355	16090.5607	30000	0	0	30000	44.3125	2004
08.01.2020 11:55:47	1	1	1	1	102	64.25	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	44.3125	2004
08.01.2020 11:55:48	1	1	1	1	102	64.25	0	28199.052	569.8924731	16130.51396	30000	0	0	30000	44.4375	2004
08.01.2020 11:55:49	1	1	1	1	102	64.25	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	44.5	2004
08.01.2020 11:55:50	1	1	1	1	102	64.5	0	28199.052	569.8924731	15660.8594	30000	0	0	30000	44.375	2004
08.01.2020 11:55:51	1	1	1	1	102	64.25	0	28341.232	565.5913978	16029.40777	30000	0	0	30000	44.625	2004
08.01.2020 11:55:52	1	1	1	1	101.8	64.5	0	28199.052	565.5913978	16002.50048	30000	0	0	30000	43.1875	2004
08.01.2020 11:55:53	1	1	1	1	101.8	64	0	28199.052	563.4408602	15888.34833	30000	0	0	30000	44.5	2004
08.01.2020 11:55:54	1	1	1	1	101.8	64.5	0	27725.118	524.7311828	14498.13823	30000	0	0	30000	44.3125	2004
08.01.2020 11:55:55	1	1	1	1	101.8	64.25	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	43.875	2004
08.01.2020 11:55:56	1	1	1	1	101.8	63.75	0	28199.052	563.4408602	15888.34833	30000	0	0	30000	44.375	2004
08.01.2020 11:55:57	1	1	1	1	101.8	64.25	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	44.375	2004
08.01.2020 11:55:58	1	1	1	1	101.8	64.25	0	29099.526	550.5376344	16020.43867	30000	0	0	30000	44.5	2004
08.01.2020 11:55:59	1	1	1	1	101.8	64.5	0	29146.919	546.2365591	15795.39586	30000	0	0	30000	44.4375	2004
08.01.2020 11:56:00	1	1	1	1	101.8	64.25	0	29336.493	546.2365591	16087.29921	30000	0	0	30000	44.125	2004
08.01.2020 11:56:01	1	1	1	1	101.5	64	0	29241.706	546.2365591	15983.74691	30000	0	0	30000	44.3125	2004
08.01.2020 11:56:03	1	1	1	1	101.5	64.25	0	29336.493	544.0860215	15898.1328	30000	0	0	30000	43.9375	2004
08.01.2020 11:56:04	1	1	1	1	101.5	63.75	0	29526.066	533.3333333	15747.28889	30000	0	0	30000	44.375	2004
08.01.2020 11:56:05	1	1	1	1	101.5	64.25	0	29478.673	541.9354839	15949.50126	30000	0	0	30000	44.5	2004
08.01.2020 11:56:06	1	1	1	1	101.5	64.5	0	29620.853	537.6344086	16052.2382	30000	0	0	30000	43.75	2004
08.01.2020 11:56:07	1	1	1	1	101.5	63.75	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	44.4375	2004
08.01.2020 11:56:08	1	1	1	1	101.5	64.25	0	29668.246	539.7849462	15988.63914	30000	0	0	30000	44.25	2004
08.01.2020 11:56:09	1	1	1	1	101.5	64.25	0	29763.033	516.1290323	15337.15652	30000	0	0	30000	44.5625	2004
08.01.2020 11:56:10	1	1	1	1	101.5	64.5	0	29810.427	535.483871	15962.54722	30000	0	0	30000	43.8125	2004
08.01.2020 11:56:11	1	1	1	1	101.5	63.75	0	29952.607	509.6774194	15112.92909	30000	0	0	30000	43.875	2004
08.01.2020 11:56:12	1	1	1	1	102.3	63.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	44.625	2004
08.01.2020 11:56:13	1	1	1	1	102.3	64.5	0	29952.607	481.7204301	14516.07643	30000	0	0	30000	44.3125	2004
08.01.2020 11:56:19	1	1	1	1	102.3	64.25	0	29431.28	445.1612903	13101.40516	30000	0	0	30000	44.3125	2004
08.01.2020 11:56:19	1	1	1	1	102.3	64.25	0	29431.28	445.1612903	13101.40516	30000	0	0	30000	44.3125	2004
08.01.2020 11:56:19	1	1	1	1	102.3	64.25	0	29431.28	445.1612903	13101.40516	30000	0	0	30000	44.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 11:56:19	1	1	1	1	102.3	64.25	0	29431.28	445.1612903	13101.40516	30000	0	0	30000	44.3125	2004
08.01.2020 11:56:19	1	1	1	1	102.3	64.25	0	29431.28	445.1612903	13101.40516	30000	0	0	30000	44.3125	2004
08.01.2020 11:56:19	1	1	1	1	102.3	64.25	0	29431.28	445.1612903	13101.40516	30000	0	0	30000	44.3125	2004
08.01.2020 11:56:20	1	1	1	1	102.3	64.25	0	29952.607	505.3763441	15289.86492	30000	0	0	30000	44.25	2004
08.01.2020 11:56:21	1	1	1	1	102.3	64.25	0	29763.033	535.483871	16026.96165	30000	0	0	30000	44	2004
08.01.2020 11:56:22	1	1	1	1	102	64	0	30000	524.7311828	15435.00122	30000	0	0	30000	44.3125	2004
08.01.2020 11:56:23	1	1	1	1	102	64.25	0	29810.427	533.3333333	15987.82377	30000	0	0	30000	44.3125	2004
08.01.2020 11:56:24	1	1	1	1	102	64.25	0	30000	531.1827957	16000.05436	30000	0	0	30000	44.125	2004
08.01.2020 11:56:25	1	1	1	1	102	64	0	29905.213	481.7204301	14406.00114	30000	0	0	30000	44.0625	2004
08.01.2020 11:56:26	1	1	1	1	102	64	0	27962.085	481.7204301	13469.95352	30000	0	0	30000	44.625	2004
08.01.2020 11:56:27	1	1	1	1	102	64.5	0	29952.607	496.7741935	14879.73256	30000	0	0	30000	43.6875	2004
08.01.2020 11:56:28	1	1	1	1	102	63.5	0	29952.607	516.1290323	15354.27935	30000	0	0	30000	44.4375	2004
08.01.2020 11:56:29	1	1	1	1	102	64.25	0	30000	496.7741935	14879.73256	30000	0	0	30000	44.1875	2004
08.01.2020 11:56:30	1	1	1	1	102	64	0	30000	533.3333333	15934.82456	30000	0	0	30000	43.8125	2004
08.01.2020 11:56:31	1	1	1	1	102	63.75	0	29952.607	518.2795699	15548.338	30000	0	0	30000	44	2004
08.01.2020 11:56:32	1	1	1	1	100.8	64	0	29478.673	445.1612903	13101.40516	30000	0	0	30000	44.3125	2004
08.01.2020 11:56:33	1	1	1	1	100.8	63.5	0	30000	496.7741935	14902.56299	30000	0	0	30000	44.25	2004
08.01.2020 11:56:34	1	1	1	1	100.8	64.25	0	29905.213	533.3333333	15974.77781	30000	0	0	30000	44.375	2004
08.01.2020 11:56:35	1	1	1	1	100.8	64.25	0	29905.213	483.8709677	14469.6002	30000	0	0	30000	44.125	2004
08.01.2020 11:56:36	1	1	1	1	100.8	64	0	29810.427	466.6666667	13933.0851	30000	0	0	30000	44.375	2004
08.01.2020 11:56:37	1	1	1	1	100.8	64.25	0	30000	501.0752688	15008.56141	30000	0	0	30000	44.5	2004
08.01.2020 11:56:38	1	1	1	1	100.8	64.5	0	30000	511.827957	15289.86492	30000	0	0	30000	44.1875	2004
08.01.2020 11:56:39	1	1	1	1	100.8	64	0	29952.607	535.483871	16013.10032	30000	0	0	30000	43.75	2004
08.01.2020 11:56:40	1	1	1	1	100.8	63.75	0	26303.318	481.7204301	12670.88848	30000	0	0	30000	44.5	2004
08.01.2020 11:56:41	1	1	1	1	99.75	64.5	0	29810.427	464.516129	13739.02645	30000	0	0	30000	44.625	2004
08.01.2020 11:56:42	1	1	1	1	99.75	64.5	0	29905.213	464.516129	13827.08667	30000	0	0	30000	44.3125	2004
08.01.2020 11:56:43	1	1	1	1	99.75	64.25	0	29715.64	438.7096774	12716.54934	30000	0	0	30000	44	2004
08.01.2020 11:56:44	1	1	1	1	99.75	64	0	29810.427	443.0107527	13142.17378	30000	0	0	30000	44.5	2004
08.01.2020 11:56:46	1	1	1	1	99.75	64.5	0	29952.607	468.8172043	13955.10015	30000	0	0	30000	43.6875	2004
08.01.2020 11:56:47	1	1	1	1	99.75	63.5	0	30000	486.0215054	14493.246	30000	0	0	30000	44.4375	2004
08.01.2020 11:56:48	1	1	1	1	99.75	64.25	0	30000	488.172043	14644.90528	30000	0	0	30000	44.0625	2004
08.01.2020 11:56:49	1	1	1	1	99.75	64	0	27630.332	438.7096774	12061.80523	30000	0	0	30000	44.5	2004
08.01.2020 11:56:50	1	1	1	1	99.75	64.5	0	29715.64	481.7204301	14314.67942	30000	0	0	30000	44.375	2004
08.01.2020 11:56:51	1	1	1	1	99.75	64.25	0	28009.479	507.5268817	14311.41793	30000	0	0	30000	44.5625	2004
08.01.2020 11:56:52	1	1	1	1	99.5	64.5	0	29620.853	544.0860215	16090.5607	30000	0	0	30000	44.5	2004
08.01.2020 11:56:53	1	1	1	1	99.5	64.5	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	44.25	2004
08.01.2020 11:56:54	1	1	1	1	99.5	64.25	0	28436.019	490.3225806	14026.85293	30000	0	0	30000	44.4375	2004
08.01.2020 11:56:55	1	1	1	1	99.5	64.25	0	28957.346	546.2365591	15754.62724	30000	0	0	30000	44.0625	2004
08.01.2020 11:56:56	1	1	1	1	99.5	64	0	29573.46	531.1827957	15733.42755	30000	0	0	30000	44.375	2004
08.01.2020 11:56:57	1	1	1	1	99.5	64.25	0	28957.346	552.688172	16004.13122	30000	0	0	30000	43	2004
08.01.2020 11:56:58	1	1	1	1	99.5	63	0	29052.133	552.688172	16082.40698	30000	0	0	30000	44.1875	2004
08.01.2020 11:56:59	1	1	1	1	99.5	64	0	29052.133	552.688172	16056.31506	30000	0	0	30000	43.5	2004
08.01.2020 11:57:00	1	1	1	1	99.5	63.5	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	44.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 11:57:01	1	1	1	1	99.5	64	0	29052.133	552.688172	16056.31506	30000	0	0	30000	44.5	2004
08.01.2020 11:57:02	1	1	1	1	99	64.5	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	44.5	2004
08.01.2020 11:57:03	1	1	1	1	99	64.5	0	28625.592	556.9892473	15943.79366	30000	0	0	30000	44.0625	2004
08.01.2020 11:57:04	1	1	1	1	99	64	0	28436.019	559.1397849	15987.0084	30000	0	0	30000	44.0625	2004
08.01.2020 11:57:05	1	1	1	1	99	64	0	28293.839	524.7311828	14907.45522	30000	0	0	30000	44.0625	2004
08.01.2020 11:57:06	1	1	1	1	99	64	0	28436.019	559.1397849	16048.16134	30000	0	0	30000	44.4375	2004
08.01.2020 11:57:07	1	1	1	1	99	64.25	0	28578.199	572.0430108	16293.58845	30000	0	0	30000	44.0625	2004
08.01.2020 11:57:08	1	1	1	1	99	64	0	26966.825	539.7849462	14723.18104	30000	0	0	30000	44.375	2004
08.01.2020 11:57:09	1	1	1	1	99	64.25	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	44.375	2004
08.01.2020 11:57:10	1	1	1	1	99	64.25	0	28199.052	567.7419355	15721.19697	30000	0	0	30000	44.4375	2004
08.01.2020 11:57:11	1	1	1	1	99	64.25	0	28578.199	565.5913978	16163.12886	30000	0	0	30000	44.3125	2004
08.01.2020 11:57:12	1	1	1	1	98.75	64.25	0	28436.019	563.4408602	15960.91648	30000	0	0	30000	44.125	2004
08.01.2020 11:57:13	1	1	1	1	98.75	64	0	28530.806	559.1397849	16040.00761	30000	0	0	30000	43.625	2004
08.01.2020 11:57:14	1	1	1	1	98.75	63.5	0	28483.412	554.8387097	16101.97592	30000	0	0	30000	44.5	2004
08.01.2020 11:57:21	1	1	1	1	98.75	64.5	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	44.5625	2004
08.01.2020 11:57:21	1	1	1	1	98.75	64.5	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	44.5625	2004
08.01.2020 11:57:21	1	1	1	1	98.75	64.5	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	44.5625	2004
08.01.2020 11:57:21	1	1	1	1	98.75	64.5	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	44.5625	2004
08.01.2020 11:57:21	1	1	1	1	98.75	64.5	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	44.5625	2004
08.01.2020 11:57:21	1	1	1	1	98	64.5	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	43.8125	2004
08.01.2020 11:57:22	1	1	1	1	98	63.75	0	28625.592	561.2903226	16040.00761	30000	0	0	30000	43.8125	2004
08.01.2020 11:57:23	1	1	1	1	98	63.75	0	28483.412	561.2903226	16048.16134	30000	0	0	30000	44.625	2004
08.01.2020 11:57:24	1	1	1	1	98	64.5	0	28341.232	561.2903226	15934.00919	30000	0	0	30000	44.3125	2004
08.01.2020 11:57:25	1	1	1	1	98	64.25	0	28578.199	533.3333333	15241.75794	30000	0	0	30000	44.5625	2004
08.01.2020 11:57:26	1	1	1	1	98	64.5	0	28388.626	563.4408602	15995.16212	30000	0	0	30000	44.5	2004
08.01.2020 11:57:28	1	1	1	1	98	64.5	0	28388.626	563.4408602	15968.25483	30000	0	0	30000	44.5625	2004
08.01.2020 11:57:29	1	1	1	1	98	64.5	0	28578.199	563.4408602	16101.97592	30000	0	0	30000	43.8125	2004
08.01.2020 11:57:30	1	1	1	1	98	63.75	0	27440.758	546.2365591	15107.22148	30000	0	0	30000	44.625	2004
08.01.2020 11:57:31	1	1	1	1	98	64.5	0	28199.052	569.8924731	16009.83883	30000	0	0	30000	44.5625	2004
08.01.2020 11:57:32	1	1	1	1	98.5	64.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	44.125	2004
08.01.2020 11:57:33	1	1	1	1	98.5	64	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	44.5625	2004
08.01.2020 11:57:34	1	1	1	1	98.5	64.5	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	44.375	2004
08.01.2020 11:57:35	1	1	1	1	98.5	64.25	0	28199.052	569.8924731	15948.68589	30000	0	0	30000	44.5625	2004
08.01.2020 11:57:36	1	1	1	1	98.5	64.5	0	28009.479	563.4408602	16009.83883	30000	0	0	30000	44.125	2004
08.01.2020 11:57:37	1	1	1	1	98.5	64	0	28009.479	567.7419355	16009.83883	30000	0	0	30000	44.25	2004
08.01.2020 11:57:38	1	1	1	1	98.5	64.25	0	28104.265	569.8924731	15961.73185	30000	0	0	30000	43.5625	2004
08.01.2020 11:57:39	1	1	1	1	98.5	63.5	0	28341.232	567.7419355	16029.40777	30000	0	0	30000	44.3125	2004
08.01.2020 11:57:40	1	1	1	1	98.5	64.25	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	43.9375	2004
08.01.2020 11:57:41	1	1	1	1	98.5	63.75	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	44.3125	2004
08.01.2020 11:57:42	1	1	1	1	99	64.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	44.4375	2004
08.01.2020 11:57:43	1	1	1	1	99	64.25	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	44.3125	2004
08.01.2020 11:57:44	1	1	1	1	99	64.25	0	28009.479	574.1935484	16191.66689	30000	0	0	30000	44.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 11:57:45	1	1	1	1	99	64	0	27867.299	572.0430108	16000.86973	30000	0	0	30000	44.5625	2004
08.01.2020 11:57:46	1	1	1	1	99	64.5	0	28009.479	576.344086	16142.74454	30000	0	0	30000	44.6875	2004
08.01.2020 11:57:47	1	1	1	1	99	64.5	0	27867.299	572.0430108	15941.34754	30000	0	0	30000	44.5625	2004
08.01.2020 11:57:48	1	1	1	1	99	64.5	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	44.5625	2004
08.01.2020 11:57:49	1	1	1	1	99	64.5	0	27914.692	576.344086	16061.20729	30000	0	0	30000	43.5625	2004
08.01.2020 11:57:50	1	1	1	1	99	63.5	0	27962.085	572.0430108	15968.25483	30000	0	0	30000	44.625	2004
08.01.2020 11:57:51	1	1	1	1	99	64.5	0	27867.299	574.1935484	15973.96244	30000	0	0	30000	44.4375	2004
08.01.2020 11:57:52	1	1	1	1	101	64.25	0	27819.905	569.8924731	15913.62487	30000	0	0	30000	44.625	2004
08.01.2020 11:57:53	1	1	1	1	101	64.5	0	27962.085	567.7419355	15995.16212	30000	0	0	30000	43.5625	2004
08.01.2020 11:57:54	1	1	1	1	101	63.5	0	28009.479	565.5913978	15961.73185	30000	0	0	30000	43.75	2004
08.01.2020 11:57:55	1	1	1	1	101	63.75	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	44.625	2004
08.01.2020 11:57:56	1	1	1	1	101	64	0	28293.839	541.9354839	15281.7112	30000	0	0	30000	44.5625	2004
08.01.2020 11:57:57	1	1	1	1	101	64.5	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	44.5625	2004
08.01.2020 11:57:58	1	1	1	1	101	64.5	0	28293.839	569.8924731	16009.83883	30000	0	0	30000	44.4375	2004
08.01.2020 11:57:59	1	1	1	1	101	64.25	0	28578.199	559.1397849	15978.85467	30000	0	0	30000	44.375	2004
08.01.2020 11:58:00	1	1	1	1	101	64.25	0	28957.346	554.8387097	16119.09874	30000	0	0	30000	44.125	2004
08.01.2020 11:58:01	1	1	1	1	101.5	64	0	29526.066	546.2365591	16038.37687	30000	0	0	30000	44.625	2004
08.01.2020 11:58:02	1	1	1	1	101.5	64.5	0	30000	518.2795699	15612.75243	30000	0	0	30000	44.5625	2004
08.01.2020 11:58:03	1	1	1	1	101.5	64.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	44.0625	2004
08.01.2020 11:58:04	1	1	1	1	101.5	64	0	30000	468.8172043	14128.7745	30000	0	0	30000	44.625	2004
08.01.2020 11:58:05	1	1	1	1	101.5	64.5	0	28815.166	443.0107527	12785.85601	30000	0	0	30000	43.625	2004
08.01.2020 11:58:06	1	1	1	1	101.5	63.5	0	29336.493	483.8709677	14194.81967	30000	0	0	30000	44	2004
08.01.2020 11:58:07	1	1	1	1	101.5	64	0	29526.066	541.9354839	16026.96165	30000	0	0	30000	44.625	2004
08.01.2020 11:58:09	1	1	1	1	101.5	64.5	0	29668.246	541.9354839	16052.2382	30000	0	0	30000	44.0625	2004
08.01.2020 11:58:10	1	1	1	1	101.5	64	0	29905.213	522.5806452	15691.84356	30000	0	0	30000	44.625	2004
08.01.2020 11:58:11	1	1	1	1	101.5	64.5	0	29478.673	505.3763441	14897.67075	30000	0	0	30000	44.4375	2004
08.01.2020 11:58:12	1	1	1	1	101.3	64.25	0	29336.493	546.2365591	15960.91648	30000	0	0	30000	43.5625	2004
08.01.2020 11:58:13	1	1	1	1	101.3	63.5	0	29383.886	544.0860215	16050.60745	30000	0	0	30000	44.5	2004
08.01.2020 11:58:14	1	1	1	1	101.3	64.5	0	29668.246	537.6344086	16013.91569	30000	0	0	30000	44.625	2004
08.01.2020 11:58:15	1	1	1	1	101.3	64.5	0	29905.213	535.483871	16013.10032	30000	0	0	30000	44.5625	2004
08.01.2020 11:58:16	1	1	1	1	101.3	64.5	0	29478.673	539.7849462	15885.90221	30000	0	0	30000	44.625	2004
08.01.2020 11:58:22	1	1	1	1	101.5	64.5	0	30000	524.7311828	15805.99571	30000	0	0	30000	44.5	2004
08.01.2020 11:58:22	1	1	1	1	101.5	64.5	0	30000	524.7311828	15805.99571	30000	0	0	30000	44.5	2004
08.01.2020 11:58:22	1	1	1	1	101.5	64.5	0	30000	524.7311828	15805.99571	30000	0	0	30000	44.5	2004
08.01.2020 11:58:22	1	1	1	1	101.5	64.5	0	30000	524.7311828	15805.99571	30000	0	0	30000	44.5	2004
08.01.2020 11:58:22	1	1	1	1	101.5	64.5	0	30000	524.7311828	15805.99571	30000	0	0	30000	44.5	2004
08.01.2020 11:58:22	1	1	1	1	101.5	64.5	0	30000	524.7311828	15805.99571	30000	0	0	30000	44.5	2004
08.01.2020 11:58:23	1	1	1	1	101.5	64.5	0	30000	520.4301075	15548.338	30000	0	0	30000	44.5625	2004
08.01.2020 11:58:24	1	1	1	1	101.5	64.5	0	29620.853	541.9354839	15988.63914	30000	0	0	30000	44.625	2004
08.01.2020 11:58:25	1	1	1	1	101.5	64.5	0	29573.46	539.7849462	15988.63914	30000	0	0	30000	44.375	2004
08.01.2020 11:58:26	1	1	1	1	101.5	64.25	0	29052.133	546.2365591	15994.34675	30000	0	0	30000	44.5625	2004
08.01.2020 11:58:27	1	1	1	1	101.5	64.5	0	29052.133	552.688172	16004.13122	30000	0	0	30000	44.5625	2004
08.01.2020 11:58:28	1	1	1	1	101.5	64.5	0	28957.346	554.8387097	16066.09953	30000	0	0	30000	44.25	2004

	Modbus [On / Off]	onoff [On / Off]	REED [On / Off]	TC_Connect [On / Off]	T_Gas [°C]	T_onoff [°C]	Timer_hyst [s]	hv_u [V]	hv_i [u]	hv_p [mW]	hv_u_max_soft [V]	error	trouble	u_max_set [V]	t_box [°C]	vers
08.01.2020 11:58:29	1	1	1	1	101.5	64.25	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	44.5625	2004
08.01.2020 11:58:30	1	1	1	1	101.5	64.5	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	43.875	2004
08.01.2020 11:58:31	1	1	1	1	101.5	63.75	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	44.5	2004
08.01.2020 11:58:32	1	1	1	1	101.5	64.5	0	28625.592	556.9892473	15917.70174	30000	0	0	30000	44.625	2004
08.01.2020 11:58:33	1	1	1	1	101.5	64.5	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	44	2004
08.01.2020 11:58:34	1	1	1	1	101.5	64	0	28815.166	552.688172	15987.82377	30000	0	0	30000	44.25	2004
08.01.2020 11:58:35	1	1	1	1	101.5	64.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	43.8125	2004
08.01.2020 11:58:36	1	1	1	1	101.5	63.75	0	28862.559	556.9892473	16075.884	30000	0	0	30000	44.4375	2004
08.01.2020 11:58:37	1	1	1	1	101.5	64.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	44.625	2004
08.01.2020 11:58:38	1	1	1	1	101.5	64.5	0	28625.592	556.9892473	15855.73343	30000	0	0	30000	44.4375	2004
08.01.2020 11:58:39	1	1	1	1	101.5	64.25	0	28625.592	561.2903226	16066.9149	30000	0	0	30000	44.625	2004
08.01.2020 11:58:40	1	1	1	1	101.5	64.5	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	44.25	2004
08.01.2020 11:58:41	1	1	1	1	101.3	64.25	0	28625.592	559.1397849	15917.70174	30000	0	0	30000	44	2004
08.01.2020 11:58:42	1	1	1	1	101.3	64	0	28625.592	550.5376344	16049.79208	30000	0	0	30000	44.125	2004
08.01.2020 11:58:43	1	1	1	1	101.3	64	0	28625.592	556.9892473	16066.9149	30000	0	0	30000	44.5625	2004
08.01.2020 11:58:44	1	1	1	1	101.3	64.5	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	44	2004
08.01.2020 11:58:45	1	1	1	1	101.3	64	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	44.4375	2004
08.01.2020 11:58:46	1	1	1	1	101.3	64.25	0	28625.592	554.8387097	15855.73343	30000	0	0	30000	44.5	2004
08.01.2020 11:58:48	1	1	1	1	101.3	64.5	0	28625.592	561.2903226	15943.79366	30000	0	0	30000	44.625	2004
08.01.2020 11:58:49	1	1	1	1	101.3	64.5	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	44.6875	2004
08.01.2020 11:58:50	1	1	1	1	101.3	64.5	0	29004.739	507.5268817	14696.27375	30000	0	0	30000	44.5	2004
08.01.2020 11:58:51	1	1	1	1	101.3	64.5	0	28578.199	556.9892473	15978.85467	30000	0	0	30000	44.625	2004
08.01.2020 11:58:52	1	1	1	1	102	64.5	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	44.625	2004
08.01.2020 11:58:53	1	1	1	1	102	64.5	0	28815.166	556.9892473	16111.76039	30000	0	0	30000	44.75	2004
08.01.2020 11:58:54	1	1	1	1	102	64.75	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	44.625	2004
08.01.2020 11:58:55	1	1	1	1	102	64.5	0	28625.592	559.1397849	16040.00761	30000	0	0	30000	43.0625	2004
08.01.2020 11:58:56	1	1	1	1	102	63	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	44.5	2004
08.01.2020 11:58:57	1	1	1	1	102	64.5	0	28815.166	563.4408602	16049.79208	30000	0	0	30000	44.625	2004
08.01.2020 11:58:58	1	1	1	1	102	64.5	0	28862.559	556.9892473	16075.884	30000	0	0	30000	44.8125	2004
08.01.2020 11:58:59	1	1	1	1	102	64.75	0	28815.166	559.1397849	16111.76039	30000	0	0	30000	43.9375	2004
08.01.2020 11:59:00	1	1	1	1	102	63.75	0	28672.986	554.8387097	15820.67241	30000	0	0	30000	44.3125	2004
08.01.2020 11:59:01	1	1	1	1	102	64.25	0	28625.592	554.8387097	16111.76039	30000	0	0	30000	44.5625	2004
08.01.2020 11:59:02	1	1	1	1	102.3	64.5	0	27440.758	516.1290323	14114.09779	30000	0	0	30000	44.6875	2004
08.01.2020 11:59:03	1	1	1	1	102.3	64.5	0	25876.777	518.2795699	13435.70788	30000	0	0	30000	44.0625	2004
08.01.2020 11:59:04	1	1	1	1	102.3	64	0	28483.412	565.5913978	15987.0084	30000	0	0	30000	44.375	2004
08.01.2020 11:59:05	1	1	1	1	102.3	64.25	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	43.3125	2004
08.01.2020 11:59:06	1	1	1	1	102.3	63.25	0	28815.166	556.9892473	16111.76039	30000	0	0	30000	44.5	2004
08.01.2020 11:59:07	1	1	1	1	102.3	64.5	0	28625.592	561.2903226	16066.9149	30000	0	0	30000	44.75	2004
08.01.2020 11:59:08	1	1	1	1	102.3	64.75	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	44.6875	2004
08.01.2020 11:59:09	1	1	1	1	102.3	64.5	0	26919.431	526.8817204	14183.40445	30000	0	0	30000	44.625	2004
08.01.2020 11:59:10	1	1	1	1	102.3	64.5	0	28815.166	556.9892473	16111.76039	30000	0	0	30000	44.625	2004
08.01.2020 11:59:11	1	1	1	1	102.3	64.5	0	28625.592	554.8387097	15917.70174	30000	0	0	30000	44.625	2004
08.01.2020 11:59:12	1	1	1	1	101.8	64.5	0	28625.592	552.688172	15820.67241	30000	0	0	30000	44.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 11:59:13	1	1	1	1	101.8	64	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	44.75	2004
08.01.2020 11:59:14	1	1	1	1	101.8	64.75	0	28815.166	559.1397849	16173.7287	30000	0	0	30000	44.875	2004
08.01.2020 11:59:15	1	1	1	1	101.8	64.75	0	27298.578	518.2795699	14148.34343	30000	0	0	30000	44.625	2004
08.01.2020 11:59:16	1	1	1	1	101.8	64.5	0	28530.806	563.4408602	16101.97592	30000	0	0	30000	44.75	2004
08.01.2020 11:59:17	1	1	1	1	101.8	64.75	0	28388.626	561.2903226	15995.16212	30000	0	0	30000	44.8125	2004
08.01.2020 11:59:24	1	1	1	1	102.5	64.5	0	28436.019	554.8387097	15864.70252	30000	0	0	30000	44.375	2004
08.01.2020 11:59:24	1	1	1	1	102.5	64.5	0	28436.019	554.8387097	15864.70252	30000	0	0	30000	44.375	2004
08.01.2020 11:59:24	1	1	1	1	102.5	64.5	0	28436.019	554.8387097	15864.70252	30000	0	0	30000	44.375	2004
08.01.2020 11:59:24	1	1	1	1	102.5	64.5	0	28436.019	554.8387097	15864.70252	30000	0	0	30000	44.375	2004
08.01.2020 11:59:24	1	1	1	1	102.5	64.5	0	28436.019	554.8387097	15864.70252	30000	0	0	30000	44.375	2004
08.01.2020 11:59:24	1	1	1	1	102.5	64.25	0	28625.592	559.1397849	16173.7287	30000	0	0	30000	43.9375	2004
08.01.2020 11:59:25	1	1	1	1	102.5	63.75	0	28578.199	559.1397849	16066.9149	30000	0	0	30000	44.4375	2004
08.01.2020 11:59:26	1	1	1	1	102.5	64.25	0	28578.199	559.1397849	15917.70174	30000	0	0	30000	44.6875	2004
08.01.2020 11:59:27	1	1	1	1	102.5	64.5	0	28625.592	554.8387097	16049.79208	30000	0	0	30000	44.5625	2004
08.01.2020 11:59:29	1	1	1	1	102.5	64.5	0	29146.919	544.0860215	15858.17955	30000	0	0	30000	44.6875	2004
08.01.2020 11:59:30	1	1	1	1	102.5	64.5	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	44.625	2004
08.01.2020 11:59:31	1	1	1	1	102.5	64.5	0	28625.592	556.9892473	15943.79366	30000	0	0	30000	43.6875	2004
08.01.2020 11:59:32	1	1	1	1	102.5	63.5	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	43.375	2004
08.01.2020 11:59:33	1	1	1	1	102.5	63.25	0	28483.412	544.0860215	15558.12247	30000	0	0	30000	44.625	2004
08.01.2020 11:59:34	1	1	1	1	102.5	64.5	0	28815.166	554.8387097	15969.88558	30000	0	0	30000	44.625	2004
08.01.2020 11:59:37	1	1	1	1	102.5	64.5	0	28578.199	552.688172	15943.79366	30000	0	0	30000	44.3125	2004
08.01.2020 11:59:37	1	1	1	1	102.5	64.5	0	28578.199	552.688172	15943.79366	30000	0	0	30000	44.3125	2004
08.01.2020 11:59:37	1	1	1	1	102.5	64.5	0	28578.199	552.688172	15943.79366	30000	0	0	30000	44.3125	2004
08.01.2020 11:59:38	1	1	1	1	102.5	64.25	0	28815.166	552.688172	16049.79208	30000	0	0	30000	44.375	2004
08.01.2020 11:59:39	1	1	1	1	102.5	64.25	0	27535.545	535.483871	14769.65727	30000	0	0	30000	44.625	2004
08.01.2020 11:59:40	1	1	1	1	102.5	64.5	0	28909.953	552.688172	16004.13122	30000	0	0	30000	44.375	2004
08.01.2020 11:59:41	1	1	1	1	102.5	64.25	0	29336.493	533.3333333	15646.1827	30000	0	0	30000	44.1875	2004
08.01.2020 11:59:42	1	1	1	1	102.8	64	0	28957.346	552.688172	16181.06705	30000	0	0	30000	44.5625	2004
08.01.2020 11:59:43	1	1	1	1	102.8	64.5	0	27867.299	481.7204301	13424.29266	30000	0	0	30000	44.5625	2004
08.01.2020 11:59:44	1	1	1	1	102.8	64.5	0	29336.493	550.5376344	16176.99019	30000	0	0	30000	44.75	2004
08.01.2020 11:59:45	1	1	1	1	102.8	64.75	0	27345.972	522.5806452	14339.95597	30000	0	0	30000	43.5	2004
08.01.2020 11:59:46	1	1	1	1	102.8	63.5	0	28957.346	544.0860215	15942.16291	30000	0	0	30000	44.3125	2004
08.01.2020 11:59:47	1	1	1	1	102.8	64.25	0	29099.526	548.3870968	15983.74691	30000	0	0	30000	44.8125	2004
08.01.2020 11:59:48	1	1	1	1	102.8	64.75	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	44.625	2004
08.01.2020 11:59:49	1	1	1	1	102.8	64.5	0	29146.919	548.3870968	16046.53059	30000	0	0	30000	44.5625	2004
08.01.2020 11:59:50	1	1	1	1	102.8	64.5	0	28957.346	550.5376344	15879.37923	30000	0	0	30000	44.625	2004
08.01.2020 11:59:51	1	1	1	1	102.8	64.5	0	29052.133	552.688172	16056.31506	30000	0	0	30000	44.5625	2004
08.01.2020 11:59:52	1	1	1	1	102.8	64.5	0	28862.559	529.0322581	15082.76031	30000	0	0	30000	44.75	2004
08.01.2020 11:59:53	1	1	1	1	102.8	64.75	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	44.625	2004
08.01.2020 11:59:54	1	1	1	1	102.8	64.5	0	29336.493	522.5806452	15305.357	30000	0	0	30000	44.4375	2004
08.01.2020 11:59:55	1	1	1	1	102.8	64.25	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	44.625	2004
08.01.2020 11:59:56	1	1	1	1	102.8	64.5	0	28957.346	552.688172	16004.13122	30000	0	0	30000	44.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 11:59:57	1	1	1	1	102.8	64.75	0	28862.559	552.688172	15827.19539	30000	0	0	30000	44.25	2004
08.01.2020 11:59:58	1	1	1	1	102.8	64.25	0	29478.673	539.7849462	15885.90221	30000	0	0	30000	44.75	2004
08.01.2020 11:59:59	1	1	1	1	102.8	64.5	0	28815.166	494.6236559	14066.80619	30000	0	0	30000	44.4375	2004
08.01.2020 12:00:00	1	1	1	1	102.8	64.25	0	29810.427	496.7741935	14744.38072	30000	0	0	30000	44.625	2004
08.01.2020 12:00:01	1	1	1	1	102.8	64.5	0	26066.351	488.172043	12724.70307	30000	0	0	30000	44.1875	2004
08.01.2020 12:00:02	1	1	1	1	102.8	64	0	28672.986	464.516129	13385.15478	30000	0	0	30000	44.625	2004
08.01.2020 12:00:03	1	1	1	1	102.8	64.5	0	29857.82	522.5806452	15602.96796	30000	0	0	30000	44.625	2004
08.01.2020 12:00:04	1	1	1	1	102.8	64.5	0	27061.611	434.4086022	11656.56511	30000	0	0	30000	44.75	2004
08.01.2020 12:00:05	1	1	1	1	102.8	64.75	0	29336.493	541.9354839	15960.91648	30000	0	0	30000	44.8125	2004
08.01.2020 12:00:06	1	1	1	1	102.8	64.75	0	29289.1	546.2365591	15998.42361	30000	0	0	30000	44.375	2004
08.01.2020 12:00:07	1	1	1	1	102.8	64.25	0	26919.431	494.6236559	13117.71261	30000	0	0	30000	44.3125	2004
08.01.2020 12:00:08	1	1	1	1	102.8	64.25	0	29052.133	550.5376344	16056.31506	30000	0	0	30000	44.3125	2004
08.01.2020 12:00:10	1	1	1	1	102.8	64.25	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	44.625	2004
08.01.2020 12:00:11	1	1	1	1	102.8	64.5	0	26066.351	501.0752688	13253.06444	30000	0	0	30000	44.375	2004
08.01.2020 12:00:12	1	1	1	1	101.5	64.25	0	29431.28	546.2365591	16075.884	30000	0	0	30000	44.5625	2004
08.01.2020 12:00:13	1	1	1	1	101.5	64.5	0	29146.919	546.2365591	16046.53059	30000	0	0	30000	44.625	2004
08.01.2020 12:00:14	1	1	1	1	101.5	64.5	0	29336.493	548.3870968	16087.29921	30000	0	0	30000	44.4375	2004
08.01.2020 12:00:15	1	1	1	1	101.5	64.25	0	29715.64	516.1290323	15337.15652	30000	0	0	30000	44.3125	2004
08.01.2020 12:00:16	1	1	1	1	101.5	64.25	0	29289.1	544.0860215	15960.91648	30000	0	0	30000	44.625	2004
08.01.2020 12:00:17	1	1	1	1	101.5	64.5	0	29526.066	539.7849462	15911.99413	30000	0	0	30000	44.375	2004
08.01.2020 12:00:18	1	1	1	1	101.5	64.25	0	29715.64	464.516129	13803.44087	30000	0	0	30000	44.1875	2004
08.01.2020 12:00:19	1	1	1	1	101.5	64	0	29668.246	535.483871	15975.59318	30000	0	0	30000	44.625	2004
08.01.2020 12:00:25	1	1	1	1	102.5	64.5	0	29905.213	496.7741935	14832.44095	30000	0	0	30000	44.6875	2004
08.01.2020 12:00:25	1	1	1	1	102.5	64.5	0	29905.213	496.7741935	14832.44095	30000	0	0	30000	44.6875	2004
08.01.2020 12:00:25	1	1	1	1	102.5	64.5	0	29905.213	496.7741935	14832.44095	30000	0	0	30000	44.6875	2004
08.01.2020 12:00:25	1	1	1	1	102.5	64.5	0	29905.213	496.7741935	14832.44095	30000	0	0	30000	44.6875	2004
08.01.2020 12:00:25	1	1	1	1	102.5	64.5	0	29905.213	496.7741935	14832.44095	30000	0	0	30000	44.6875	2004
08.01.2020 12:00:26	1	1	1	1	102.5	64.5	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	44.1875	2004
08.01.2020 12:00:27	1	1	1	1	102.5	64	0	28862.559	486.0215054	14089.63662	30000	0	0	30000	44.375	2004
08.01.2020 12:00:28	1	1	1	1	102.5	64.25	0	29905.213	526.8817204	15730.98144	30000	0	0	30000	44.125	2004
08.01.2020 12:00:29	1	1	1	1	102.5	64	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	44.125	2004
08.01.2020 12:00:30	1	1	1	1	102.5	64	0	29336.493	544.0860215	16024.51553	30000	0	0	30000	44.25	2004
08.01.2020 12:00:31	1	1	1	1	102.5	64.25	0	29241.706	550.5376344	16035.11538	30000	0	0	30000	44.625	2004
08.01.2020 12:00:32	1	1	1	1	102	64.5	0	29241.706	546.2365591	16276.46563	30000	0	0	30000	44.625	2004
08.01.2020 12:00:33	1	1	1	1	102	64.5	0	27914.692	529.0322581	14913.16283	30000	0	0	30000	44.625	2004
08.01.2020 12:00:34	1	1	1	1	102	64.5	0	28862.559	550.5376344	15951.94738	30000	0	0	30000	44.5625	2004
08.01.2020 12:00:35	1	1	1	1	102	64.5	0	28957.346	552.688172	16066.09953	30000	0	0	30000	44.125	2004
08.01.2020 12:00:36	1	1	1	1	102	64	0	29099.526	552.688172	16056.31506	30000	0	0	30000	45	2004
08.01.2020 12:00:37	1	1	1	1	102	65	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	44.75	2004
08.01.2020 12:00:38	1	1	1	1	102	64.75	0	29052.133	550.5376344	15942.16291	30000	0	0	30000	44.25	2004
08.01.2020 12:00:39	1	1	1	1	102	64.25	0	29052.133	550.5376344	15754.62724	30000	0	0	30000	44.625	2004
08.01.2020 12:00:40	1	1	1	1	102	64.75	0	28862.559	552.688172	15951.94738	30000	0	0	30000	43.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 12:00:41	1	1	1	1	100.8	63.5	0	29052.133	554.8387097	16119.09874	30000	0	0	30000	44.75	2004
08.01.2020 12:00:42	1	1	1	1	100.8	64.75	0	28815.166	550.5376344	15863.88715	30000	0	0	30000	44.4375	2004
08.01.2020 12:00:43	1	1	1	1	100.8	64.25	0	28957.346	554.8387097	16004.13122	30000	0	0	30000	43.9375	2004
08.01.2020 12:00:44	1	1	1	1	100.8	63.75	0	28957.346	554.8387097	16004.13122	30000	0	0	30000	44.875	2004
08.01.2020 12:00:45	1	1	1	1	100.8	64.75	0	28815.166	550.5376344	15863.88715	30000	0	0	30000	44.625	2004
08.01.2020 12:00:46	1	1	1	1	100.8	64.5	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	44.6875	2004
08.01.2020 12:00:47	1	1	1	1	100.8	64.5	0	28862.559	554.8387097	16013.91569	30000	0	0	30000	44.5	2004
08.01.2020 12:00:49	1	1	1	1	100.8	64.5	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	44.75	2004
08.01.2020 12:00:50	1	1	1	1	100.8	64.75	0	28957.346	550.5376344	16207.97434	30000	0	0	30000	44.6875	2004
08.01.2020 12:00:51	1	1	1	1	100.8	64.5	0	28625.592	546.2365591	15987.82377	30000	0	0	30000	44.625	2004
08.01.2020 12:00:52	1	1	1	1	99.75	64.5	0	28957.346	554.8387097	16128.88321	30000	0	0	30000	44.625	2004
08.01.2020 12:00:53	1	1	1	1	99.75	64.5	0	28815.166	552.688172	15925.85546	30000	0	0	30000	44.25	2004
08.01.2020 12:00:54	1	1	1	1	99.75	64.25	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	44.5625	2004
08.01.2020 12:00:55	1	1	1	1	99.75	64.5	0	28436.019	509.6774194	14493.246	30000	0	0	30000	44.75	2004
08.01.2020 12:00:56	1	1	1	1	99.75	64.75	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	44.625	2004
08.01.2020 12:00:57	1	1	1	1	99.75	64.5	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	44.6875	2004
08.01.2020 12:00:58	1	1	1	1	99.75	64.5	0	28957.346	554.8387097	16066.09953	30000	0	0	30000	44.5625	2004
08.01.2020 12:00:59	1	1	1	1	99.75	64.5	0	28957.346	554.8387097	16066.09953	30000	0	0	30000	43.8125	2004
08.01.2020 12:01:00	1	1	1	1	99.75	63.75	0	29336.493	511.827957	15015.08439	30000	0	0	30000	44.3125	2004
08.01.2020 12:01:01	1	1	1	1	99.75	64.25	0	29857.82	533.3333333	15924.22472	30000	0	0	30000	44.75	2004
08.01.2020 12:01:02	1	1	1	1	99.5	64.75	0	29905.213	522.5806452	15627.42913	30000	0	0	30000	44.6875	2004
08.01.2020 12:01:03	1	1	1	1	99.5	64.5	0	29905.213	498.9247312	15225.45049	30000	0	0	30000	44.625	2004
08.01.2020 12:01:04	1	1	1	1	99.5	64.5	0	26113.744	460.2150538	12074.03582	30000	0	0	30000	44.5	2004
08.01.2020 12:01:05	1	1	1	1	99.5	64.5	0	29905.213	496.7741935	14856.08676	30000	0	0	30000	44.5	2004
08.01.2020 12:01:06	1	1	1	1	99.5	64.5	0	29905.213	503.2258065	15072.97584	30000	0	0	30000	44.625	2004
08.01.2020 12:01:07	1	1	1	1	99.5	64.5	0	29952.607	496.7741935	14879.73256	30000	0	0	30000	44.375	2004
08.01.2020 12:01:08	1	1	1	1	99.5	64.25	0	27630.332	417.2043011	11586.44307	30000	0	0	30000	44.6875	2004
08.01.2020 12:01:09	1	1	1	1	99.5	64.5	0	29905.213	535.483871	16013.10032	30000	0	0	30000	44.625	2004
08.01.2020 12:01:10	1	1	1	1	99.5	64.5	0	29905.213	496.7741935	15008.56141	30000	0	0	30000	44.6875	2004
08.01.2020 12:01:11	1	1	1	1	99.5	64.5	0	29715.64	481.7204301	14314.67942	30000	0	0	30000	44.8125	2004
08.01.2020 12:01:12	1	1	1	1	99	64.75	0	29620.853	481.7204301	14269.01856	30000	0	0	30000	44.875	2004
08.01.2020 12:01:13	1	1	1	1	99	64.75	0	29810.427	481.7204301	14383.17071	30000	0	0	30000	44.875	2004
08.01.2020 12:01:14	1	1	1	1	99	64.75	0	28578.199	427.9569892	12229.77197	30000	0	0	30000	44.25	2004
08.01.2020 12:01:15	1	1	1	1	99	64.25	0	29763.033	453.7634409	13590.62865	30000	0	0	30000	44.625	2004
08.01.2020 12:01:16	1	1	1	1	99	64.75	0	28625.592	432.2580645	12229.77197	30000	0	0	30000	44.3125	2004
08.01.2020 12:01:17	1	1	1	1	99	64.25	0	27630.332	356.9892473	9863.561003	30000	0	0	30000	44.5	2004
08.01.2020 12:01:18	1	1	1	1	99	64.5	0	28199.052	443.0107527	12492.32191	30000	0	0	30000	44.5	2004
08.01.2020 12:01:19	1	1	1	1	99	64.5	0	28341.232	423.655914	12006.35991	30000	0	0	30000	44.125	2004
08.01.2020 12:01:20	1	1	1	1	99	64	0	28436.019	427.9569892	12169.4344	30000	0	0	30000	44.8125	2004
08.01.2020 12:01:27	1	1	1	1	101	64.5	0	29715.64	539.7849462	15911.99413	30000	0	0	30000	44.5	2004
08.01.2020 12:01:27	1	1	1	1	101	64.5	0	29715.64	539.7849462	15911.99413	30000	0	0	30000	44.5	2004
08.01.2020 12:01:27	1	1	1	1	101	64.5	0	29715.64	539.7849462	15911.99413	30000	0	0	30000	44.5	2004
08.01.2020 12:01:27	1	1	1	1	101	64.5	0	29715.64	539.7849462	15911.99413	30000	0	0	30000	44.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 12:01:27	1	1	1	1	101	64.5	0	29715.64	539.7849462	15911.99413	30000	0	0	30000	44.5	2004
08.01.2020 12:01:27	1	1	1	1	101	64.5	0	29715.64	539.7849462	15911.99413	30000	0	0	30000	44.5	2004
08.01.2020 12:01:28	1	1	1	1	101	64.5	0	27298.578	453.7634409	12680.67295	30000	0	0	30000	44.375	2004
08.01.2020 12:01:29	1	1	1	1	101	64.25	0	29431.28	509.6774194	15000.40769	30000	0	0	30000	44.625	2004
08.01.2020 12:01:30	1	1	1	1	101	64.5	0	29289.1	546.2365591	15935.63993	30000	0	0	30000	44.6875	2004
08.01.2020 12:01:31	1	1	1	1	101	64.5	0	29289.1	550.5376344	16087.29921	30000	0	0	30000	44.5	2004
08.01.2020 12:01:32	1	1	1	1	99.25	64.5	0	29099.526	550.5376344	16046.53059	30000	0	0	30000	44.5625	2004
08.01.2020 12:01:33	1	1	1	1	99.25	64.5	0	29146.919	505.3763441	14729.70402	30000	0	0	30000	44.625	2004
08.01.2020 12:01:34	1	1	1	1	99.25	64.5	0	27440.758	492.4731183	13277.52562	30000	0	0	30000	44.375	2004
08.01.2020 12:01:35	1	1	1	1	99.25	64.25	0	27298.578	520.4301075	14265.75707	30000	0	0	30000	44.3125	2004
08.01.2020 12:01:36	1	1	1	1	99.25	64.25	0	29336.493	550.5376344	16061.20729	30000	0	0	30000	44.625	2004
08.01.2020 12:01:37	1	1	1	1	99.25	64.5	0	28815.166	498.9247312	14438.61604	30000	0	0	30000	43.75	2004
08.01.2020 12:01:38	1	1	1	1	99.25	63.75	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	44.625	2004
08.01.2020 12:01:39	1	1	1	1	99.25	64.5	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	44.625	2004
08.01.2020 12:01:40	1	1	1	1	99.25	64.5	0	29052.133	546.2365591	16082.40698	30000	0	0	30000	44.75	2004
08.01.2020 12:01:41	1	1	1	1	99.25	64.75	0	28957.346	552.688172	16004.13122	30000	0	0	30000	43.8125	2004
08.01.2020 12:01:42	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
08.01.2020 12:01:43	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
08.01.2020 12:01:44	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
08.01.2020 12:01:45	1	0	1	1	100.3	20	0	0	0	0	30000	0	0	30000	0	2004
08.01.2020 12:01:46	1	1	1	1	100.3	65.25	0	0	0	0	30000	0	0	30000	44.9375	2004
08.01.2020 12:01:47	1	1	1	1	100.3	64.75	0	0	0	0	30000	0	0	30000	44.9375	2004
08.01.2020 12:01:48	1	1	1	1	100.3	64.75	0	0	0	0	30000	0	0	30000	44.875	2004
08.01.2020 12:01:49	1	1	1	1	100.3	64.75	0	0	0	0	30000	0	0	30000	45	2004
08.01.2020 12:01:50	1	1	1	1	100.3	65	0	0	0	0	30000	0	0	30000	44.9375	2004
08.01.2020 12:01:51	1	1	1	1	100.3	64.75	0	0	0	0	30000	0	0	30000	45.25	2004
08.01.2020 12:01:52	1	1	1	1	100.3	65.25	0	0	0	0	30000	0	0	30000	45.25	2004
08.01.2020 12:01:53	1	1	1	1	100.3	65.25	0	0	0	0	30000	0	0	30000	45.3125	2004
08.01.2020 12:01:54	1	1	1	1	100.3	65.25	0	0	0	0	30000	0	0	30000	45	2004
08.01.2020 12:01:55	1	1	1	1	99.5	65.25	0	10426.54	0	0	30000	0	0	30000	44.6875	2004
08.01.2020 12:01:56	1	1	1	1	99.5	64.5	0	11232.227	0	0	30000	0	0	30000	44.75	2004
08.01.2020 12:01:57	1	1	1	1	99.5	64.75	0	10900.474	0	0	30000	0	0	30000	44.875	2004
08.01.2020 12:01:58	1	1	1	1	99.5	64.75	0	12748.815	6.451612903	81.53724893	30000	0	0	30000	44.625	2004
08.01.2020 12:01:59	1	1	1	1	99.5	64.5	0	13412.322	10.75268817	143.5055581	30000	0	0	30000	44.625	2004
08.01.2020 12:02:00	1	1	1	1	99.5	64.5	0	14170.616	12.90322581	182.6434376	30000	0	0	30000	44.875	2004
08.01.2020 12:02:01	1	1	1	1	99.5	64.75	0	14976.303	19.35483871	289.4572337	30000	0	0	30000	44.625	2004
08.01.2020 12:02:02	1	1	1	1	99.5	64.5	0	15829.384	27.95698925	441.9318892	30000	0	0	30000	44.8125	2004
08.01.2020 12:02:04	1	1	1	1	99.5	64.75	0	16682.464	32.25806452	574.0222325	30000	0	0	30000	44.75	2004
08.01.2020 12:02:05	1	1	1	1	99	64.75	0	17393.365	45.16129032	785.2037072	30000	0	0	30000	44.9375	2004
08.01.2020 12:02:06	1	1	1	1	99	64.75	0	18151.659	51.61290323	975.1854972	30000	0	0	30000	44.8125	2004
08.01.2020 12:02:07	1	1	1	1	99	64.75	0	18862.559	58.06451613	1091.783763	30000	0	0	30000	44.75	2004
08.01.2020 12:02:08	1	1	1	1	99	64.75	0	17962.085	62.3655914	1119.506428	30000	0	0	30000	44.8125	2004
08.01.2020 12:02:09	1	1	1	1	99	64.75	0	20473.934	88.17204301	1805.234691	30000	0	0	30000	44.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 12:02:10	1	1	1	1	99	64.75	0	20616.114	92.47311828	1906.34088	30000	0	0	30000	44.8125	2004
08.01.2020 12:02:11	1	1	1	1	99	64.75	0	21943.128	105.3763441	2265.104775	30000	0	0	30000	44.8125	2004
08.01.2020 12:02:12	1	1	1	1	99	64.75	0	22559.242	113.9784946	2641.806865	30000	0	0	30000	44.875	2004
08.01.2020 12:02:13	1	1	1	1	99	64.75	0	23459.716	137.6344086	3228.875058	30000	0	0	30000	44.75	2004
08.01.2020 12:02:14	1	1	1	1	99	64.75	0	24360.19	169.8924731	4093.985269	30000	0	0	30000	44.6875	2004
08.01.2020 12:02:15	1	1	1	1	98.5	64.5	0	24976.303	189.2473118	4717.745223	30000	0	0	30000	44.625	2004
08.01.2020 12:02:16	1	1	1	1	98.5	64.5	0	25734.597	240.8602151	6253.091621	30000	0	0	30000	43.5	2004
08.01.2020 12:02:17	1	1	1	1	98.5	63.5	0	26445.498	309.6774194	8189.601283	30000	0	0	30000	44.625	2004
08.01.2020 12:02:18	1	1	1	1	98.5	64.5	0	27298.578	378.4946237	10097.57291	30000	0	0	30000	44.6875	2004
08.01.2020 12:02:19	1	1	1	1	98.5	64.5	0	28009.479	496.7741935	14008.09937	30000	0	0	30000	44.8125	2004
08.01.2020 12:02:20	1	1	1	1	98.5	64.75	0	28815.166	496.7741935	14314.67942	30000	0	0	30000	44	2004
08.01.2020 12:02:21	1	1	1	1	98.5	64	0	29146.919	610.7526882	17859.10363	30000	0	0	30000	44.875	2004
08.01.2020 12:02:22	1	1	1	1	98.5	64.75	0	10663.507	0	0	30000	0	0	30000	44.8125	2004
08.01.2020 12:02:28	1	1	1	1	98.75	64.5	0	15308.057	23.65591398	394.6402848	30000	0	0	30000	44.75	2004
08.01.2020 12:02:28	1	1	1	1	98.75	64.5	0	15308.057	23.65591398	394.6402848	30000	0	0	30000	44.75	2004
08.01.2020 12:02:28	1	1	1	1	98.75	64.5	0	15308.057	23.65591398	394.6402848	30000	0	0	30000	44.75	2004
08.01.2020 12:02:28	1	1	1	1	98.75	64.5	0	15308.057	23.65591398	394.6402848	30000	0	0	30000	44.75	2004
08.01.2020 12:02:28	1	1	1	1	98.75	64.5	0	15308.057	23.65591398	394.6402848	30000	0	0	30000	44.75	2004
08.01.2020 12:02:28	1	1	1	1	98.75	64.5	0	15308.057	23.65591398	394.6402848	30000	0	0	30000	44.75	2004
08.01.2020 12:02:29	1	1	1	1	98.75	64.75	0	16066.351	32.25806452	517.7615307	30000	0	0	30000	44.8125	2004
08.01.2020 12:02:30	1	1	1	1	98.75	64.75	0	16824.645	36.55913978	614.790857	30000	0	0	30000	44.6875	2004
08.01.2020 12:02:31	1	1	1	1	98.75	64.5	0	17677.725	51.61290323	909.9556981	30000	0	0	30000	44.875	2004
08.01.2020 12:02:32	1	1	1	1	98.75	64.75	0	18436.019	53.76344086	985.7853396	30000	0	0	30000	44.8125	2004
08.01.2020 12:02:33	1	1	1	1	98.75	64.75	0	18151.659	55.91397849	1014.323377	30000	0	0	30000	45.1875	2004
08.01.2020 12:02:34	1	1	1	1	98.75	65	0	17772.512	66.66666667	1146.41372	30000	0	0	30000	45	2004
08.01.2020 12:02:35	1	1	1	1	98	65	0	20710.9	92.47311828	1914.494605	30000	0	0	30000	45.125	2004
08.01.2020 12:02:36	1	1	1	1	98	65	0	19052.133	88.17204301	1679.667328	30000	0	0	30000	44.6875	2004
08.01.2020 12:02:37	1	1	1	1	98	64.5	0	22180.095	116.1290323	2676.867882	30000	0	0	30000	44.875	2004
08.01.2020 12:02:38	1	1	1	1	98	64.75	0	19620.853	109.6774194	2146.060392	30000	0	0	30000	44.625	2004
08.01.2020 12:02:39	1	1	1	1	98	64.5	0	23649.289	150.5376344	3559.916288	30000	0	0	30000	44.8125	2004
08.01.2020 12:02:40	1	1	1	1	98	64.75	0	24218.009	180.6451613	4322.289566	30000	0	0	30000	44.75	2004
08.01.2020 12:02:41	1	1	1	1	98	64.75	0	25118.483	219.3548387	5573.886337	30000	0	0	30000	44.8125	2004
08.01.2020 12:02:42	1	1	1	1	98	64.75	0	25734.597	253.7634409	6530.318267	30000	0	0	30000	44.75	2004
08.01.2020 12:02:43	1	1	1	1	98	64.75	0	26682.464	337.6344086	9040.850162	30000	0	0	30000	44.625	2004
08.01.2020 12:02:44	1	1	1	1	97.25	64.5	0	27440.758	378.4946237	10422.09116	30000	0	0	30000	44.625	2004
08.01.2020 12:02:46	1	1	1	1	97.25	64.5	0	28483.412	496.7741935	14065.17544	30000	0	0	30000	44.8125	2004
08.01.2020 12:02:47	1	1	1	1	97.25	64.75	0	28957.346	559.1397849	16190.85152	30000	0	0	30000	43.375	2004
08.01.2020 12:02:48	1	1	1	1	97.25	63.25	0	29241.706	610.7526882	17738.42851	30000	0	0	30000	44.875	2004
08.01.2020 12:02:49	1	1	1	1	97.25	64.75	0	29146.919	619.3548387	18114.31522	30000	0	0	30000	44.625	2004
08.01.2020 12:02:50	1	1	1	1	97.25	64.5	0	29146.919	610.7526882	17738.42851	30000	0	0	30000	44.125	2004
08.01.2020 12:02:51	1	1	1	1	97.25	64	0	29146.919	606.4516129	17738.42851	30000	0	0	30000	44.5	2004
08.01.2020 12:02:52	1	1	1	1	97.25	64.5	0	29146.919	608.6021505	17801.21219	30000	0	0	30000	44.6875	2004
08.01.2020 12:02:53	1	1	1	1	97.25	64.5	0	29146.919	533.3333333	15482.29283	30000	0	0	30000	44.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 12:02:54	1	1	1	1	97.25	64	0	24739.336	494.6236559	12212.64915	30000	0	0	30000	44.625	2004
08.01.2020 12:02:55	1	1	1	1	97.5	64.5	0	29146.919	587.0967742	17236.97442	30000	0	0	30000	44.4375	2004
08.01.2020 12:02:56	1	1	1	1	97.5	64.25	0	10710.9	0	0	30000	0	0	30000	44.6875	2004
08.01.2020 12:02:57	1	1	1	1	97.5	64.5	0	11374.408	0	0	30000	0	0	30000	44.75	2004
08.01.2020 12:02:58	1	1	1	1	97.5	64.75	0	12227.488	2.150537634	26.091919666	30000	0	0	30000	44.8125	2004
08.01.2020 12:02:59	1	1	1	1	97.5	64.75	0	12037.915	4.301075269	25.27654717	30000	0	0	30000	44.875	2004
08.01.2020 12:03:00	1	1	1	1	97.5	64.75	0	13507.109	8.602150538	115.7828935	30000	0	0	30000	44.6875	2004
08.01.2020 12:03:01	1	1	1	1	97.5	64.5	0	14549.763	19.35483871	281.3035088	30000	0	0	30000	44.8125	2004
08.01.2020 12:03:02	1	1	1	1	97.5	64.75	0	14691.943	23.65591398	315.5491534	30000	0	0	30000	44.8125	2004
08.01.2020 12:03:03	1	1	1	1	97.5	64.75	0	14976.303	25.80645161	423.9936945	30000	0	0	30000	44.8125	2004
08.01.2020 12:03:04	1	1	1	1	97.5	64.75	0	16398.104	34.40860215	564.2377626	30000	0	0	30000	44.75	2004
08.01.2020 12:03:05	1	1	1	1	96.5	64.75	0	17630.332	51.61290323	907.5095806	30000	0	0	30000	44.75	2004
08.01.2020 12:03:06	1	1	1	1	96.5	64.75	0	18388.626	60.21505376	1109.721958	30000	0	0	30000	44.8125	2004
08.01.2020 12:03:07	1	1	1	1	96.5	64.75	0	19146.919	70.96774194	1361.672057	30000	0	0	30000	44.875	2004
08.01.2020 12:03:08	1	1	1	1	96.5	64.75	0	19668.246	75.2688172	1479.901068	30000	0	0	30000	44.6875	2004
08.01.2020 12:03:09	1	1	1	1	96.5	64.5	0	20710.9	96.77419355	2004.185579	30000	0	0	30000	44.75	2004
08.01.2020 12:03:10	1	1	1	1	96.5	64.75	0	21374.408	105.3763441	2266.73552	30000	0	0	30000	44.9375	2004
08.01.2020 12:03:11	1	1	1	1	96.5	64.75	0	22227.488	122.5806452	2724.159487	30000	0	0	30000	44.625	2004
08.01.2020 12:03:12	1	1	1	1	96.5	64.5	0	22985.782	137.6344086	3163.645259	30000	0	0	30000	44.6875	2004
08.01.2020 12:03:13	1	1	1	1	96.5	64.5	0	23696.682	150.5376344	3625.146088	30000	0	0	30000	45	2004
08.01.2020 12:03:14	1	1	1	1	96.5	65	0	23601.896	163.4408602	3857.527247	30000	0	0	30000	44.6875	2004
08.01.2020 12:03:15	1	1	1	1	96	64.5	0	25118.483	206.4516129	5185.769032	30000	0	0	30000	44.9375	2004
08.01.2020 12:03:16	1	1	1	1	96	64.75	0	22132.701	206.4516129	4569.34743	30000	0	0	30000	44.8125	2004
08.01.2020 12:03:17	1	1	1	1	96	64.5	0	26777.251	296.7741935	8003.696355	30000	0	0	30000	44.6875	2004
08.01.2020 12:03:18	1	1	1	1	96	64.5	0	27298.578	341.9354839	9334.384258	30000	0	0	30000	44.3125	2004
08.01.2020 12:03:19	1	1	1	1	96	64.25	0	27630.332	412.9032258	11408.69187	30000	0	0	30000	44.4375	2004
08.01.2020 12:03:20	1	1	1	1	96	64.25	0	27962.085	378.4946237	10643.0571	30000	0	0	30000	44.875	2004
08.01.2020 12:03:21	1	1	1	1	96	64.75	0	26682.464	369.8924731	9869.268611	30000	0	0	30000	44.625	2004
08.01.2020 12:03:22	1	1	1	1	96	64.5	0	28436.019	481.7204301	13721.08825	30000	0	0	30000	44	2004
08.01.2020 12:03:23	1	1	1	1	96	64	0	25734.597	322.5806452	8301.307314	30000	0	0	30000	44.5625	2004
08.01.2020 12:03:30	1	1	1	1	96	64.5	0	28957.346	552.688172	16004.13122	30000	0	0	30000	44.4375	2004
08.01.2020 12:03:30	1	1	1	1	96	64.5	0	28957.346	552.688172	16004.13122	30000	0	0	30000	44.4375	2004
08.01.2020 12:03:30	1	1	1	1	96	64.5	0	28957.346	552.688172	16004.13122	30000	0	0	30000	44.4375	2004
08.01.2020 12:03:30	1	1	1	1	96	64.5	0	28957.346	552.688172	16004.13122	30000	0	0	30000	44.4375	2004
08.01.2020 12:03:30	1	1	1	1	96	64.5	0	28957.346	552.688172	16004.13122	30000	0	0	30000	44.4375	2004
08.01.2020 12:03:30	1	1	1	1	96	64.5	0	28957.346	552.688172	16004.13122	30000	0	0	30000	44.4375	2004
08.01.2020 12:03:30	1	1	1	1	96	64.5	0	28957.346	552.688172	16004.13122	30000	0	0	30000	44.4375	2004
08.01.2020 12:03:31	1	1	1	1	96	64.25	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	44.6875	2004
08.01.2020 12:03:32	1	1	1	1	96	64.5	0	28862.559	552.688172	16075.884	30000	0	0	30000	44.3125	2004
08.01.2020 12:03:33	1	1	1	1	96	64.25	0	28862.559	516.1290323	14958.82369	30000	0	0	30000	44.1875	2004
08.01.2020 12:03:34	1	1	1	1	96	64	0	29146.919	503.2258065	14729.70402	30000	0	0	30000	44.1875	2004
08.01.2020 12:03:35	1	1	1	1	96	64	0	29146.919	550.5376344	16161.49811	30000	0	0	30000	44.625	2004
08.01.2020 12:03:36	1	1	1	1	96	64.5	0	29052.133	529.0322581	15344.49488	30000	0	0	30000	44.375	2004
08.01.2020 12:03:37	1	1	1	1	96	64.25	0	28625.592	554.8387097	16049.79208	30000	0	0	30000	44.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 12:03:38	1	1	1	1	96	64	0	28530.806	552.688172	15855.73343	30000	0	0	30000	44.625	2004
08.01.2020 12:03:39	1	1	1	1	96	64.5	0	28815.166	520.4301075	14934.36251	30000	0	0	30000	44.625	2004
08.01.2020 12:03:40	1	1	1	1	96	64.5	0	28625.592	554.8387097	16173.7287	30000	0	0	30000	44.75	2004
08.01.2020 12:03:41	1	1	1	1	96	64.75	0	28862.559	556.9892473	16075.884	30000	0	0	30000	44.5625	2004
08.01.2020 12:03:42	1	1	1	1	96	64.5	0	28815.166	552.688172	15820.67241	30000	0	0	30000	44.125	2004
08.01.2020 12:03:43	1	1	1	1	96	64	0	28957.346	554.8387097	16128.88321	30000	0	0	30000	44.625	2004
08.01.2020 12:03:44	1	1	1	1	96	64.5	0	28957.346	559.1397849	16128.88321	30000	0	0	30000	43.875	2004
08.01.2020 12:03:45	1	1	1	1	96	63.75	0	28862.559	556.9892473	16252.81983	30000	0	0	30000	44.875	2004
08.01.2020 12:03:46	1	1	1	1	96	64.75	0	28625.592	535.483871	15302.91088	30000	0	0	30000	44.625	2004
08.01.2020 12:03:47	1	1	1	1	96	64.5	0	28625.592	552.688172	15820.67241	30000	0	0	30000	44.625	2004
08.01.2020 12:03:48	1	1	1	1	96	64.5	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	44.6875	2004
08.01.2020 12:03:49	1	1	1	1	96	64.5	0	28625.592	556.9892473	15978.85467	30000	0	0	30000	44.0625	2004
08.01.2020 12:03:50	1	1	1	1	96	64	0	28625.592	556.9892473	15943.79366	30000	0	0	30000	43.875	2004
08.01.2020 12:03:51	1	1	1	1	96	63.75	0	28625.592	556.9892473	16173.7287	30000	0	0	30000	44.625	2004
08.01.2020 12:03:52	1	1	1	1	96	64.5	0	28815.166	561.2903226	16173.7287	30000	0	0	30000	44.5	2004
08.01.2020 12:03:53	1	1	1	1	96	64.5	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	44.9375	2004
08.01.2020 12:03:54	1	1	1	1	96	64.75	0	28483.412	481.7204301	13721.08825	30000	0	0	30000	44.4375	2004
08.01.2020 12:03:55	1	1	1	1	95.75	64.25	0	28625.592	559.1397849	16005.76197	30000	0	0	30000	45.0625	2004
08.01.2020 12:03:56	1	1	1	1	95.75	65	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	44.6875	2004
08.01.2020 12:03:57	1	1	1	1	95.75	64	0	28909.953	554.8387097	16128.88321	30000	0	0	30000	44.125	2004
08.01.2020 12:03:58	1	1	1	1	95.75	64	0	29146.919	522.5806452	15231.1581	30000	0	0	30000	44.4375	2004
08.01.2020 12:03:59	1	1	1	1	95.75	64.25	0	28530.806	550.5376344	15794.58049	30000	0	0	30000	43.625	2004
08.01.2020 12:04:00	1	1	1	1	95.75	63.5	0	28625.592	556.9892473	15943.79366	30000	0	0	30000	44.6875	2004
08.01.2020 12:04:01	1	1	1	1	95.75	64.5	0	28957.346	529.0322581	15256.43465	30000	0	0	30000	44.75	2004
08.01.2020 12:04:02	1	1	1	1	95.75	64.75	0	29146.919	537.6344086	15669.8285	30000	0	0	30000	44.375	2004
08.01.2020 12:04:04	1	1	1	1	95.75	64.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	44.5	2004
08.01.2020 12:04:05	1	1	1	1	96.5	64.5	0	28815.166	481.7204301	14190.7428	30000	0	0	30000	44.625	2004
08.01.2020 12:04:06	1	1	1	1	96.5	64.5	0	28862.559	552.688172	15951.94738	30000	0	0	30000	44.6875	2004
08.01.2020 12:04:07	1	1	1	1	96.5	64.5	0	29289.1	516.1290323	15092.54478	30000	0	0	30000	44.4375	2004
08.01.2020 12:04:08	1	1	1	1	96.5	64.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	44.3125	2004
08.01.2020 12:04:09	1	1	1	1	96.5	64.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	44.6875	2004
08.01.2020 12:04:10	1	1	1	1	96.5	64.5	0	29052.133	531.1827957	15431.73973	30000	0	0	30000	44.625	2004
08.01.2020 12:04:11	1	1	1	1	96.5	64.5	0	27630.332	511.827957	14082.29826	30000	0	0	30000	44.1875	2004
08.01.2020 12:04:12	1	1	1	1	96.5	64	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	44.6875	2004
08.01.2020 12:04:13	1	1	1	1	96.5	64.5	0	28199.052	509.6774194	14371.7555	30000	0	0	30000	44.625	2004
08.01.2020 12:04:14	1	1	1	1	96.5	64.5	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	44.4375	2004
08.01.2020 12:04:15	1	1	1	1	96.5	64.25	0	28862.559	554.8387097	15951.94738	30000	0	0	30000	44.625	2004
08.01.2020 12:04:16	1	1	1	1	96.5	64.5	0	29146.919	552.688172	16108.4989	30000	0	0	30000	43.8125	2004
08.01.2020 12:04:17	1	1	1	1	96.5	63.75	0	28862.559	552.688172	16075.884	30000	0	0	30000	43.875	2004
08.01.2020 12:04:18	1	1	1	1	96.5	63.75	0	26113.744	509.6774194	13309.32514	30000	0	0	30000	44.75	2004
08.01.2020 12:04:19	1	1	1	1	96.5	64.75	0	29241.706	548.3870968	16098.71443	30000	0	0	30000	44.5625	2004
08.01.2020 12:04:20	1	1	1	1	96.5	64.5	0	27962.085	516.1290323	14432.09306	30000	0	0	30000	44.75	2004
08.01.2020 12:04:21	1	1	1	1	96.5	64.75	0	29431.28	496.7741935	14644.08991	30000	0	0	30000	44.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 12:04:22	1	1	1	1	96.5	64.25	0	29478.673	544.0860215	16101.97592	30000	0	0	30000	44.5625	2004
08.01.2020 12:04:23	1	1	1	1	96.5	64.5	0	28578.199	533.3333333	15241.75794	30000	0	0	30000	44.25	2004
08.01.2020 12:04:24	1	1	1	1	96.5	64.25	0	28625.592	554.8387097	15943.79366	30000	0	0	30000	44.125	2004
08.01.2020 12:04:25	1	1	1	1	96.75	64	0	28815.166	552.688172	15951.94738	30000	0	0	30000	44.625	2004
08.01.2020 12:04:32	1	1	1	1	96.75	64.5	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	44.25	2004
08.01.2020 12:04:32	1	1	1	1	96.75	64.5	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	44.25	2004
08.01.2020 12:04:32	1	1	1	1	96.75	64.5	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	44.25	2004
08.01.2020 12:04:32	1	1	1	1	96.75	64.5	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	44.25	2004
08.01.2020 12:04:32	1	1	1	1	96.75	64.5	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	44.25	2004
08.01.2020 12:04:32	1	1	1	1	96.75	64.5	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	44.25	2004
08.01.2020 12:04:32	1	1	1	1	96.75	64.25	0	28815.166	550.5376344	15951.94738	30000	0	0	30000	44.5625	2004
08.01.2020 12:04:33	1	1	1	1	96.75	64.5	0	28625.592	554.8387097	15820.67241	30000	0	0	30000	44.75	2004
08.01.2020 12:04:34	1	1	1	1	96.75	64.75	0	28815.166	559.1397849	16173.7287	30000	0	0	30000	44.75	2004
08.01.2020 12:04:35	1	1	1	1	96.75	64.75	0	28483.412	561.2903226	16136.22156	30000	0	0	30000	44.75	2004
08.01.2020 12:04:36	1	1	1	1	96.75	64.5	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	43.4375	2004
08.01.2020 12:04:37	1	1	1	1	96.75	63.25	0	27867.299	522.5806452	14562.55266	30000	0	0	30000	44.875	2004
08.01.2020 12:04:38	1	1	1	1	96.75	64.75	0	27962.085	518.2795699	14491.61525	30000	0	0	30000	44.5625	2004
08.01.2020 12:04:39	1	1	1	1	96.75	64.5	0	28625.592	554.8387097	15733.42755	30000	0	0	30000	44.8125	2004
08.01.2020 12:04:40	1	1	1	1	96.75	64.75	0	26018.957	511.827957	13341.12467	30000	0	0	30000	44.125	2004
08.01.2020 12:04:41	1	1	1	1	96.75	64	0	28578.199	556.9892473	15917.70174	30000	0	0	30000	44.625	2004
08.01.2020 12:04:42	1	1	1	1	96.75	64.5	0	28578.199	559.1397849	15917.70174	30000	0	0	30000	44.4375	2004
08.01.2020 12:04:44	1	1	1	1	96.75	64.25	0	28815.166	561.2903226	16173.7287	30000	0	0	30000	44.5	2004
08.01.2020 12:04:45	1	1	1	1	97.5	64.5	0	29052.133	544.0860215	15718.75085	30000	0	0	30000	44.625	2004
08.01.2020 12:04:46	1	1	1	1	97.5	64.5	0	28957.346	548.3870968	15942.16291	30000	0	0	30000	44.625	2004
08.01.2020 12:04:47	1	1	1	1	97.5	64.5	0	0	0	0	30000	0	8	30000	44.9375	2004
08.01.2020 12:04:48	1	1	1	1	97.5	64.75	0	10426.54	0	0	30000	0	0	30000	44.75	2004
08.01.2020 12:04:49	1	1	1	1	97.5	64.75	0	10853.081	0	0	30000	0	0	30000	44.9375	2004
08.01.2020 12:04:50	1	1	1	1	97.5	64.75	0	12037.915	2.150537634	51.36846683	30000	0	0	30000	44.6875	2004
08.01.2020 12:04:51	1	1	1	1	97.5	64.5	0	12843.602	6.451612903	110.8906585	30000	0	0	30000	44.6875	2004
08.01.2020 12:04:52	1	1	1	1	97.5	64.5	0	13507.109	10.75268817	173.6743402	30000	0	0	30000	44.625	2004
08.01.2020 12:04:53	1	1	1	1	97.5	64.5	0	14407.583	19.35483871	278.8573914	30000	0	0	30000	44.8125	2004
08.01.2020 12:04:54	1	1	1	1	97.5	64.75	0	15165.877	27.95698925	456.608594	30000	0	0	30000	44.875	2004
08.01.2020 12:04:55	1	1	1	1	97	64.75	0	15876.777	34.40860215	512.0539233	30000	0	0	30000	44.875	2004
08.01.2020 12:04:56	1	1	1	1	97	64.75	0	16729.858	43.01075269	755.0349251	30000	0	0	30000	44.875	2004
08.01.2020 12:04:57	1	1	1	1	97	64.75	0	17488.152	51.61290323	940.1244802	30000	0	0	30000	44.75	2004
08.01.2020 12:04:58	1	1	1	1	97	64.75	0	18056.872	55.91397849	1047.753649	30000	0	0	30000	44.8125	2004
08.01.2020 12:04:59	1	1	1	1	97	64.75	0	18672.986	64.51612903	1164.351915	30000	0	0	30000	44.9375	2004
08.01.2020 12:05:00	1	1	1	1	97	64.75	0	19810.427	83.87096774	1660.913761	30000	0	0	30000	44.9375	2004
08.01.2020 12:05:01	1	1	1	1	97	64.75	0	20568.72	92.47311828	1950.370994	30000	0	0	30000	44.6875	2004
08.01.2020 12:05:02	1	1	1	1	97	64.5	0	21279.621	109.6774194	2242.274346	30000	0	0	30000	44.6875	2004
08.01.2020 12:05:03	1	1	1	1	97	64.5	0	21469.194	116.1290323	2435.517626	30000	0	0	30000	44.875	2004
08.01.2020 12:05:04	1	1	1	1	97	64.75	0	22559.242	129.0322581	2935.340962	30000	0	0	30000	44.875	2004
08.01.2020 12:05:05	1	1	1	1	96.5	64.75	0	23080.569	137.6344086	3176.691218	30000	0	0	30000	44.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 12:05:06	1	1	1	1	96.5	64.75	0	21800.948	126.8817204	2760.035876	30000	0	0	30000	44.75	2004
08.01.2020 12:05:07	1	1	1	1	96.5	64.75	0	23933.649	152.688172	3653.684125	30000	0	0	30000	44.8125	2004
08.01.2020 12:05:08	1	1	1	1	96.5	64.75	0	22417.062	159.1397849	3630.853695	30000	0	0	30000	44.8125	2004
08.01.2020 12:05:09	1	1	1	1	96.5	64.75	0	22748.815	152.688172	3473.486805	30000	0	0	30000	44.8125	2004
08.01.2020 12:05:10	1	1	1	1	96.5	64.75	0	24691.943	169.8924731	4072.785584	30000	0	0	30000	44.8125	2004
08.01.2020 12:05:11	1	1	1	1	96.5	64.75	0	24028.436	189.2473118	4529.394178	30000	0	0	30000	44.75	2004
08.01.2020 12:05:12	1	1	1	1	96.5	64.75	0	22132.701	176.344086	3950.479711	30000	0	0	30000	44.5625	2004
08.01.2020 12:05:13	1	1	1	1	96.5	64.5	0	24691.943	217.2043011	5362.704862	30000	0	0	30000	44.875	2004
08.01.2020 12:05:14	1	1	1	1	96.5	64.75	0	24502.37	225.8064516	5532.30234	30000	0	0	30000	44.6875	2004
08.01.2020 12:05:15	1	1	1	1	96	64.75	0	24786.73	266.6666667	6556.410187	30000	0	0	30000	44.75	2004
08.01.2020 12:05:16	1	1	1	1	96	64.75	0	25924.171	286.0215054	7470.442747	30000	0	0	30000	44.8125	2004
08.01.2020 12:05:17	1	1	1	1	96	64.75	0	24218.009	262.3655914	6353.382437	30000	0	0	30000	44.75	2004
08.01.2020 12:05:18	1	1	1	1	96	64.75	0	25639.81	266.6666667	6781.452994	30000	0	0	30000	44.875	2004
08.01.2020 12:05:19	1	1	1	1	96	64.75	0	25402.844	270.9677419	6828.744598	30000	0	0	30000	44.75	2004
08.01.2020 12:05:20	1	1	1	1	96	64.75	0	22843.602	221.5053763	5147.446525	30000	0	0	30000	44.625	2004
08.01.2020 12:05:21	1	1	1	1	96	64.5	0	25260.664	279.5698925	7061.94113	30000	0	0	30000	44.75	2004
08.01.2020 12:05:23	1	1	1	1	96	64.75	0	24549.763	270.9677419	6651.808768	30000	0	0	30000	44.625	2004
08.01.2020 12:05:24	1	1	1	1	96	64.5	0	23838.863	294.6236559	7022.803251	30000	0	0	30000	44.6875	2004
08.01.2020 12:05:25	1	1	1	1	95.5	64.5	0	24597.156	290.3225806	7246.215313	30000	0	0	30000	44.25	2004
08.01.2020 12:05:26	1	1	1	1	95.5	64.25	0	26255.924	301.0752688	7890.359579	30000	0	0	30000	44.25	2004
08.01.2020 12:05:27	1	1	1	1	95.5	64.25	0	25734.597	316.1290323	8134.971326	30000	0	0	30000	44.75	2004
08.01.2020 12:05:33	1	1	1	1	95.5	64.5	0	26113.744	348.3870968	9186.801837	30000	0	0	30000	44.6875	2004
08.01.2020 12:05:33	1	1	1	1	95.5	64.5	0	26113.744	348.3870968	9186.801837	30000	0	0	30000	44.6875	2004
08.01.2020 12:05:33	1	1	1	1	95.5	64.5	0	26113.744	348.3870968	9186.801837	30000	0	0	30000	44.6875	2004
08.01.2020 12:05:33	1	1	1	1	95.5	64.5	0	26113.744	348.3870968	9186.801837	30000	0	0	30000	44.6875	2004
08.01.2020 12:05:33	1	1	1	1	95.5	64.5	0	26113.744	348.3870968	9186.801837	30000	0	0	30000	44.6875	2004
08.01.2020 12:05:33	1	1	1	1	95.5	64.5	0	26113.744	348.3870968	9186.801837	30000	0	0	30000	44.6875	2004
08.01.2020 12:05:33	1	1	1	1	95.5	64.5	0	26113.744	348.3870968	9186.801837	30000	0	0	30000	44.6875	2004
08.01.2020 12:05:34	1	1	1	1	95.5	64.5	0	25924.171	350.5376344	9087.326394	30000	0	0	30000	44.875	2004
08.01.2020 12:05:35	1	1	1	1	96.5	64.75	0	26540.284	359.1397849	9531.7044	30000	0	0	30000	44.875	2004
08.01.2020 12:05:36	1	1	1	1	96.5	64.75	0	26492.891	367.7419355	9799.146577	30000	0	0	30000	44.625	2004
08.01.2020 12:05:37	1	1	1	1	96.5	64.5	0	25450.237	369.8924731	9413.475389	30000	0	0	30000	44.75	2004
08.01.2020 12:05:38	1	1	1	1	96.5	64.75	0	28009.479	389.2473118	10902.34555	30000	0	0	30000	44.625	2004
08.01.2020 12:05:39	1	1	1	1	96.5	64.5	0	25165.877	387.0967742	9741.25513	30000	0	0	30000	44.875	2004
08.01.2020 12:05:40	1	1	1	1	96.5	64.75	0	27298.578	412.9032258	11271.70929	30000	0	0	30000	44.8125	2004
08.01.2020 12:05:41	1	1	1	1	96.5	64.75	0	28199.052	419.3548387	11764.19428	30000	0	0	30000	44.6875	2004
08.01.2020 12:05:42	1	1	1	1	96.5	64.5	0	26824.645	395.6989247	10614.51907	30000	0	0	30000	44.8125	2004
08.01.2020 12:05:43	1	1	1	1	96.5	64.75	0	25355.45	404.3010753	10232.10937	30000	0	0	30000	44.6875	2004
08.01.2020 12:05:44	1	1	1	1	96.5	64.5	0	22322.275	339.7849462	7568.287446	30000	0	0	30000	44.6875	2004
08.01.2020 12:05:45	1	1	1	1	96.25	64.5	0	26919.431	395.6989247	10709.91765	30000	0	0	30000	44.6875	2004
08.01.2020 12:05:46	1	1	1	1	96.25	64.5	0	28388.626	427.9569892	12149.05009	30000	0	0	30000	43.25	2004
08.01.2020 12:05:47	1	1	1	1	96.25	63.25	0	26682.464	397.8494624	10558.25836	30000	0	0	30000	44.8125	2004
08.01.2020 12:05:48	1	1	1	1	96.25	64.75	0	25734.597	367.7419355	9463.213111	30000	0	0	30000	44.25	2004
08.01.2020 12:05:49	1	1	1	1	96.25	64.25	0	27630.332	488.172043	13487.89172	30000	0	0	30000	44.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 12:05:50	1	1	1	1	96.25	64.5	0	26018.957	395.6989247	9979.343897	30000	0	0	30000	45.0625	2004
08.01.2020 12:05:51	1	1	1	1	96.25	65	0	23270.142	412.9032258	9608.349414	30000	0	0	30000	44.75	2004
08.01.2020 12:05:52	1	1	1	1	96.25	64.75	0	28436.019	464.516129	13209.03433	30000	0	0	30000	45.0625	2004
08.01.2020 12:05:53	1	1	1	1	96.25	65	0	26919.431	481.7204301	12967.68407	30000	0	0	30000	45.125	2004
08.01.2020 12:05:54	1	1	1	1	96.25	64.25	0	28578.199	518.2795699	14835.70244	30000	0	0	30000	44.75	2004
08.01.2020 12:05:55	1	1	1	1	96.25	64.75	0	27819.905	501.0752688	13939.60808	30000	0	0	30000	44.625	2004
08.01.2020 12:05:56	1	1	1	1	96.25	64.5	0	28530.806	481.7204301	13766.74911	30000	0	0	30000	44.6875	2004
08.01.2020 12:05:57	1	1	1	1	96.25	64.5	0	28578.199	546.2365591	15558.12247	30000	0	0	30000	44.75	2004
08.01.2020 12:05:58	1	1	1	1	96.25	64.75	0	27914.692	537.6344086	14947.40847	30000	0	0	30000	44.0625	2004
08.01.2020 12:06:00	1	1	1	1	96.25	64	0	28009.479	533.3333333	14997.96157	30000	0	0	30000	44.1875	2004
08.01.2020 12:06:01	1	1	1	1	96.25	64	0	28199.052	537.6344086	15221.37363	30000	0	0	30000	43	2004
08.01.2020 12:06:02	1	1	1	1	96.25	63	0	28009.479	533.3333333	14757.42668	30000	0	0	30000	44.5625	2004
08.01.2020 12:06:03	1	1	1	1	96.25	64.5	0	25924.171	490.3225806	12766.28707	30000	0	0	30000	43.9375	2004
08.01.2020 12:06:04	1	1	1	1	96.25	63.75	0	28341.232	559.1397849	15934.00919	30000	0	0	30000	44.75	2004
08.01.2020 12:06:05	1	1	1	1	95.75	64.75	0	28815.166	561.2903226	16173.7287	30000	0	0	30000	44.125	2004
08.01.2020 12:06:06	1	1	1	1	95.75	64	0	28388.626	561.2903226	15960.91648	30000	0	0	30000	44.875	2004
08.01.2020 12:06:07	1	1	1	1	95.75	64.75	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	43.4375	2004
08.01.2020 12:06:08	1	1	1	1	95.75	63.25	0	27156.398	511.827957	13816.48683	30000	0	0	30000	44.5625	2004
08.01.2020 12:06:09	1	1	1	1	95.75	64.5	0	28957.346	550.5376344	16128.88321	30000	0	0	30000	44.6875	2004
08.01.2020 12:06:10	1	1	1	1	95.75	64.5	0	28625.592	554.8387097	15943.79366	30000	0	0	30000	44.1875	2004
08.01.2020 12:06:11	1	1	1	1	95.75	64	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	44.625	2004
08.01.2020 12:06:12	1	1	1	1	95.75	64.5	0	28815.166	552.688172	15925.85546	30000	0	0	30000	44.625	2004
08.01.2020 12:06:13	1	1	1	1	95.75	64.5	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	44.0625	2004
08.01.2020 12:06:14	1	1	1	1	95.75	64	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	44.8125	2004
08.01.2020 12:06:15	1	1	1	1	96	64.75	0	28625.592	550.5376344	15820.67241	30000	0	0	30000	44.5625	2004
08.01.2020 12:06:16	1	1	1	1	96	64.5	0	29052.133	554.8387097	16119.09874	30000	0	0	30000	44.8125	2004
08.01.2020 12:06:17	1	1	1	1	96	64.75	0	28862.559	556.9892473	16101.97592	30000	0	0	30000	44.625	2004
08.01.2020 12:06:18	1	1	1	1	96	64.5	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	44.625	2004
08.01.2020 12:06:19	1	1	1	1	96	64.5	0	28862.559	556.9892473	16315.60351	30000	0	0	30000	44.5625	2004
08.01.2020 12:06:20	1	1	1	1	96	64.5	0	28625.592	556.9892473	16049.79208	30000	0	0	30000	44.75	2004
08.01.2020 12:06:21	1	1	1	1	96	64.75	0	28625.592	556.9892473	15943.79366	30000	0	0	30000	44.3125	2004
08.01.2020 12:06:22	1	1	1	1	96	64.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	44.6875	2004
08.01.2020 12:06:23	1	1	1	1	96	64.5	0	28862.559	554.8387097	15951.94738	30000	0	0	30000	44.9375	2004
08.01.2020 12:06:24	1	1	1	1	96	64.75	0	29052.133	552.688172	16066.09953	30000	0	0	30000	44.625	2004
08.01.2020 12:06:25	1	1	1	1	97.25	64.5	0	28957.346	554.8387097	16004.13122	30000	0	0	30000	44.0625	2004
08.01.2020 12:06:26	1	1	1	1	97.25	64	0	28815.166	552.688172	15925.85546	30000	0	0	30000	44.875	2004
08.01.2020 12:06:27	1	1	1	1	97.25	64.75	0	29052.133	552.688172	16056.31506	30000	0	0	30000	44.625	2004
08.01.2020 12:06:28	1	1	1	1	97.25	64.5	0	28862.559	554.8387097	15951.94738	30000	0	0	30000	44.875	2004
08.01.2020 12:06:35	1	1	1	1	97	64.75	0	29052.133	554.8387097	16056.31506	30000	0	0	30000	44.625	2004
08.01.2020 12:06:35	1	1	1	1	97	64.75	0	29052.133	554.8387097	16056.31506	30000	0	0	30000	44.625	2004
08.01.2020 12:06:35	1	1	1	1	97	64.75	0	29052.133	554.8387097	16056.31506	30000	0	0	30000	44.625	2004
08.01.2020 12:06:35	1	1	1	1	97	64.75	0	29052.133	554.8387097	16056.31506	30000	0	0	30000	44.625	2004
08.01.2020 12:06:35	1	1	1	1	97	64.75	0	29052.133	554.8387097	16056.31506	30000	0	0	30000	44.625	2004
08.01.2020 12:06:35	1	1	1	1	97	64.75	0	29052.133	554.8387097	16056.31506	30000	0	0	30000	44.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 12:06:35	1	1	1	1	97	64.75	0	29052.133	554.8387097	16056.31506	30000	0	0	30000	44.625	2004
08.01.2020 12:06:35	1	1	1	1	97	64.5	0	29383.886	526.8817204	15506.754	30000	0	0	30000	44.5625	2004
08.01.2020 12:06:36	1	1	1	1	97	64.5	0	28625.592	552.688172	15636.39823	30000	0	0	30000	44.1875	2004
08.01.2020 12:06:37	1	1	1	1	97	64	0	28957.346	554.8387097	16128.88321	30000	0	0	30000	43.9375	2004
08.01.2020 12:06:39	1	1	1	1	97	63.75	0	28909.953	556.9892473	15951.94738	30000	0	0	30000	44.125	2004
08.01.2020 12:06:40	1	1	1	1	97	64	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	44.3125	2004
08.01.2020 12:06:41	1	1	1	1	97	64.25	0	28625.592	554.8387097	15733.42755	30000	0	0	30000	43.625	2004
08.01.2020 12:06:42	1	1	1	1	97	63.5	0	28815.166	559.1397849	16111.76039	30000	0	0	30000	44.6875	2004
08.01.2020 12:06:43	1	1	1	1	97	64.5	0	28815.166	556.9892473	15987.82377	30000	0	0	30000	44.6875	2004
08.01.2020 12:06:44	1	1	1	1	97	64.5	0	28815.166	550.5376344	15987.82377	30000	0	0	30000	44.625	2004
08.01.2020 12:06:45	1	1	1	1	96.75	64.5	0	28625.592	556.9892473	16049.79208	30000	0	0	30000	44.6875	2004
08.01.2020 12:06:46	1	1	1	1	96.75	64.5	0	28436.019	559.1397849	15987.0084	30000	0	0	30000	44.5625	2004
08.01.2020 12:06:47	1	1	1	1	96.75	64.5	0	26398.104	518.2795699	13624.8743	30000	0	0	30000	44.75	2004
08.01.2020 12:06:48	1	1	1	1	96.75	64.75	0	27298.578	425.8064516	11682.65703	30000	0	0	30000	44.6875	2004
08.01.2020 12:06:49	1	1	1	1	96.75	64.5	0	28530.806	563.4408602	16013.91569	30000	0	0	30000	44.625	2004
08.01.2020 12:06:50	1	1	1	1	96.75	64.5	0	27298.578	518.2795699	14148.34343	30000	0	0	30000	44.9375	2004
08.01.2020 12:06:51	1	1	1	1	96.75	64.75	0	28957.346	533.3333333	15567.90694	30000	0	0	30000	44	2004
08.01.2020 12:06:52	1	1	1	1	96.75	64	0	28341.232	561.2903226	16029.40777	30000	0	0	30000	44.75	2004
08.01.2020 12:06:53	1	1	1	1	96.75	64.75	0	28341.232	563.4408602	15968.25483	30000	0	0	30000	44.6875	2004
08.01.2020 12:06:54	1	1	1	1	96.75	64.5	0	28009.479	554.8387097	16070.17639	30000	0	0	30000	44.75	2004
08.01.2020 12:06:55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
08.01.2020 12:06:56	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
08.01.2020 12:06:57	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
08.01.2020 12:06:58	1	0	1	1	98.75	20	0	0	0	0	30000	0	0	30000	0	2004
08.01.2020 12:06:59	1	1	1	1	98.75	65.25	0	0	0	0	30000	0	0	30000	45.0625	2004
08.01.2020 12:07:00	1	1	1	1	98.75	65	0	0	0	0	30000	0	0	30000	45.0625	2004
08.01.2020 12:07:01	1	1	1	1	98.75	65	0	0	0	0	30000	0	0	30000	45	2004
08.01.2020 12:07:02	1	1	1	1	98.75	65	0	0	0	0	30000	0	0	30000	44.75	2004
08.01.2020 12:07:03	1	1	1	1	98.75	64.75	0	0	0	0	30000	0	0	30000	44.8125	2004
08.01.2020 12:07:04	1	1	1	1	98.75	64.75	0	0	0	0	30000	0	0	30000	45	2004
08.01.2020 12:07:05	1	1	1	1	98.75	65	0	0	0	0	30000	0	0	30000	44.8125	2004
08.01.2020 12:07:06	1	1	1	1	98.75	64.75	0	0	0	0	30000	0	0	30000	44.875	2004
08.01.2020 12:07:07	1	1	1	1	98.75	64.75	0	0	0	0	30000	0	0	30000	45.0625	2004
08.01.2020 12:07:08	1	1	1	1	97.25	65	0	10379.147	0	0	30000	0	0	30000	45.3125	2004
08.01.2020 12:07:09	1	1	1	1	97.25	65.25	0	11184.834	0	0	30000	0	0	30000	45.0625	2004
08.01.2020 12:07:10	1	1	1	1	97.25	65	0	11943.128	0	0	30000	0	0	30000	45.25	2004
08.01.2020 12:07:11	1	1	1	1	97.25	65.25	0	12654.028	2.150537634	53.8145843	30000	0	0	30000	45.1875	2004
08.01.2020 12:07:12	1	1	1	1	97.25	64.75	0	12085.308	2.150537634	25.27654717	30000	0	0	30000	44.8125	2004
08.01.2020 12:07:13	1	1	1	1	97.25	64.75	0	13601.896	10.75268817	145.9516756	30000	0	0	30000	44.8125	2004
08.01.2020 12:07:14	1	1	1	1	97.25	64.75	0	14312.796	17.20430108	246.2424918	30000	0	0	30000	44.8125	2004
08.01.2020 12:07:16	1	1	1	1	97.25	64.75	0	15734.597	30.10752688	473.7314163	30000	0	0	30000	44.75	2004
08.01.2020 12:07:17	1	1	1	1	97.25	64.75	0	15308.057	32.25806452	493.300356	30000	0	0	30000	44.8125	2004
08.01.2020 12:07:18	1	1	1	1	96.5	64.75	0	17345.972	47.31182796	857.7718588	30000	0	0	30000	44.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 12:07:19	1	1	1	1	96.5	64.75	0	17867.299	53.76344086	922.1862854	30000	0	0	30000	44.75	2004
08.01.2020 12:07:20	1	1	1	1	96.5	64.75	0	18815.166	64.51612903	1210.828147	30000	0	0	30000	44.8125	2004
08.01.2020 12:07:21	1	1	1	1	96.5	64.75	0	19668.246	75.2688172	1479.901068	30000	0	0	30000	44.75	2004
08.01.2020 12:07:22	1	1	1	1	96.5	64.75	0	20379.147	90.32258065	1884.325823	30000	0	0	30000	44.6875	2004
08.01.2020 12:07:23	1	1	1	1	96.5	64.5	0	20473.934	90.32258065	1849.264806	30000	0	0	30000	42.125	2004
08.01.2020 12:07:24	1	1	1	1	96.5	62	0	20616.114	103.2258065	2128.122197	30000	0	0	30000	44.8125	2004
08.01.2020 12:07:25	1	1	1	1	96.5	64.75	0	22559.242	137.6344086	3131.030359	30000	0	0	30000	44.875	2004
08.01.2020 12:07:26	1	1	1	1	96.5	64.75	0	22748.815	129.0322581	2886.418612	30000	0	0	30000	44.75	2004
08.01.2020 12:07:27	1	1	1	1	96.5	64.75	0	24123.223	169.8924731	4098.062131	30000	0	0	30000	44.8125	2004
08.01.2020 12:07:28	1	1	1	1	96.25	64.75	0	23317.536	178.4946237	4320.658821	30000	0	0	30000	44.8125	2004
08.01.2020 12:07:29	1	1	1	1	96.25	64.75	0	11042.654	6.451612903	70.93740657	30000	0	0	30000	44.8125	2004
08.01.2020 12:07:30	1	1	1	1	96.25	64.75	0	10853.081	0	0	30000	0	0	30000	44.875	2004
08.01.2020 12:07:36	1	1	1	1	96.25	64.75	0	15402.844	21.50537634	363.6561302	30000	0	0	30000	44.6875	2004
08.01.2020 12:07:36	1	1	1	1	96.25	64.75	0	15402.844	21.50537634	363.6561302	30000	0	0	30000	44.6875	2004
08.01.2020 12:07:36	1	1	1	1	96.25	64.75	0	15402.844	21.50537634	363.6561302	30000	0	0	30000	44.6875	2004
08.01.2020 12:07:36	1	1	1	1	96.25	64.75	0	15402.844	21.50537634	363.6561302	30000	0	0	30000	44.6875	2004
08.01.2020 12:07:36	1	1	1	1	96.25	64.75	0	15402.844	21.50537634	363.6561302	30000	0	0	30000	44.6875	2004
08.01.2020 12:07:36	1	1	1	1	96.25	64.75	0	15402.844	21.50537634	363.6561302	30000	0	0	30000	44.6875	2004
08.01.2020 12:07:37	1	1	1	1	96.25	64.75	0	15402.844	21.50537634	363.6561302	30000	0	0	30000	44.6875	2004
08.01.2020 12:07:37	1	1	1	1	96.25	64.75	0	15402.844	21.50537634	363.6561302	30000	0	0	30000	44.6875	2004
08.01.2020 12:07:37	1	1	1	1	96.25	64.5	0	14549.763	25.80645161	375.0713451	30000	0	0	30000	44.6875	2004
08.01.2020 12:07:38	1	1	1	1	95.75	64.5	0	16966.825	40.86021505	693.0666159	30000	0	0	30000	44.8125	2004
08.01.2020 12:07:39	1	1	1	1	95.75	64.75	0	17772.512	53.76344086	954.801185	30000	0	0	30000	44.8125	2004
08.01.2020 12:07:40	1	1	1	1	95.75	64.75	0	18151.659	53.76344086	975.1854972	30000	0	0	30000	44.875	2004
08.01.2020 12:07:41	1	1	1	1	95.75	64.75	0	18151.659	60.21505376	1053.461256	30000	0	0	30000	44.75	2004
08.01.2020 12:07:42	1	1	1	1	95.75	64.75	0	19857.82	73.11827957	1451.363031	30000	0	0	30000	44.6875	2004
08.01.2020 12:07:43	1	1	1	1	95.75	64.5	0	20853.081	92.47311828	1928.355937	30000	0	0	30000	44.75	2004
08.01.2020 12:07:44	1	1	1	1	95.75	64.75	0	21563.981	103.2258065	2292.012068	30000	0	0	30000	44.75	2004
08.01.2020 12:07:45	1	1	1	1	95.75	64.75	0	22369.668	120.4301075	2693.990705	30000	0	0	30000	44.625	2004
08.01.2020 12:07:46	1	1	1	1	95.75	64.5	0	23175.355	137.6344086	3189.737178	30000	0	0	30000	44.75	2004
08.01.2020 12:07:47	1	1	1	1	95.75	64.75	0	23886.256	167.7419355	4014.078765	30000	0	0	30000	44.75	2004
08.01.2020 12:07:48	1	1	1	1	95	64.75	0	24502.37	178.4946237	4356.535211	30000	0	0	30000	44.875	2004
08.01.2020 12:07:49	1	1	1	1	95	64.75	0	25497.63	253.7634409	6469.980703	30000	0	0	30000	44.8125	2004
08.01.2020 12:07:50	1	1	1	1	95	64.75	0	26208.531	320.4301075	8397.521268	30000	0	0	30000	45	2004
08.01.2020 12:07:51	1	1	1	1	95	65	0	25924.171	344.0860215	8975.620363	30000	0	0	30000	44.6875	2004
08.01.2020 12:07:52	1	1	1	1	95	64.5	0	27630.332	427.9569892	12004.72916	30000	0	0	30000	45.25	2004
08.01.2020 12:07:53	1	1	1	1	95	65.25	0	28436.019	481.7204301	13698.25782	30000	0	0	30000	44.375	2004
08.01.2020 12:07:54	1	1	1	1	95	64.75	0	29146.919	576.344086	16798.30403	30000	0	0	30000	44.6875	2004
08.01.2020 12:07:55	1	1	1	1	95	64.5	0	29289.1	597.8494624	17538.66225	30000	0	0	30000	44.375	2004
08.01.2020 12:07:57	1	1	1	1	95	64.25	0	29478.673	602.1505376	17722.12106	30000	0	0	30000	44.875	2004
08.01.2020 12:07:58	1	1	1	1	95	64.75	0	25071.09	412.9032258	10312.83125	30000	0	0	30000	44.75	2004
08.01.2020 12:07:59	1	1	1	1	95	64.75	0	26208.531	432.2580645	11461.69108	30000	0	0	30000	44.6875	2004
08.01.2020 12:08:00	1	1	1	1	95	64.5	0	30000	445.1612903	13312.58663	30000	0	0	30000	44.4375	2004
08.01.2020 12:08:01	1	1	1	1	95	64.25	0	30000	432.2580645	12967.68407	30000	0	0	30000	44.5	2004
08.01.2020 12:08:02	1	1	1	1	95	64.5	0	24407.583	303.2258065	7400.320713	30000	0	0	30000	44.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 12:08:03	1	1	1	1	95	64.5	0	29905.213	378.4946237	11419.29171	30000	0	0	30000	43.9375	2004
08.01.2020 12:08:04	1	1	1	1	95	63.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	44.75	2004
08.01.2020 12:08:05	1	1	1	1	95	64.75	0	29810.427	365.5913978	10961.86775	30000	0	0	30000	44.125	2004
08.01.2020 12:08:06	1	1	1	1	95	64	0	28815.166	309.6774194	8985.404832	30000	0	0	30000	44.6875	2004
08.01.2020 12:08:07	1	1	1	1	95	64.5	0	24597.156	292.4731183	7141.032262	30000	0	0	30000	44.75	2004
08.01.2020 12:08:08	1	1	1	1	95.5	64.75	0	29905.213	333.3333333	10032.34311	30000	0	0	30000	44.75	2004
08.01.2020 12:08:09	1	1	1	1	95.5	64.75	0	10616.114	0	0	30000	0	0	30000	44.75	2004
08.01.2020 12:08:10	1	1	1	1	95.5	64.75	0	10758.294	0	0	30000	0	0	30000	44.8125	2004
08.01.2020 12:08:11	1	1	1	1	95.5	64.75	0	12085.308	0	0	30000	0	0	30000	44.75	2004
08.01.2020 12:08:12	1	1	1	1	95.5	64.75	0	12890.995	0	0	30000	0	0	30000	44.8125	2004
08.01.2020 12:08:13	1	1	1	1	95.5	64.75	0	13601.896	4.301075269	58.70681923	30000	0	0	30000	44.625	2004
08.01.2020 12:08:14	1	1	1	1	95.5	64.5	0	14265.403	8.602150538	91.32171881	30000	0	0	30000	44.6875	2004
08.01.2020 12:08:15	1	1	1	1	95.5	64.5	0	15165.877	15.05376344	195.6893974	30000	0	0	30000	44.8125	2004
08.01.2020 12:08:16	1	1	1	1	95.5	64.75	0	15876.777	21.50537634	340.8257005	30000	0	0	30000	44.9375	2004
08.01.2020 12:08:17	1	1	1	1	95.5	64.75	0	16682.464	25.80645161	430.5166744	30000	0	0	30000	44.9375	2004
08.01.2020 12:08:18	1	1	1	1	95.5	64.75	0	17488.152	36.55913978	601.7448971	30000	0	0	30000	44.8125	2004
08.01.2020 12:08:19	1	1	1	1	95.5	64.75	0	18151.659	38.70967742	662.8978338	30000	0	0	30000	44.8125	2004
08.01.2020 12:08:20	1	1	1	1	95.5	64.75	0	18720.379	43.01075269	844.7258989	30000	0	0	30000	44.8125	2004
08.01.2020 12:08:21	1	1	1	1	95.5	64.75	0	17867.299	45.16129032	729.758378	30000	0	0	30000	44.875	2004
08.01.2020 12:08:22	1	1	1	1	95.5	64.75	0	18388.626	55.91397849	1024.923219	30000	0	0	30000	44.8125	2004
08.01.2020 12:08:23	1	1	1	1	95.5	64.75	0	21374.408	77.41935484	1608.729921	30000	0	0	30000	44.6875	2004
08.01.2020 12:08:24	1	1	1	1	95.5	64.5	0	19336.493	73.11827957	1458.701383	30000	0	0	30000	44.8125	2004
08.01.2020 12:08:25	1	1	1	1	95.5	64.75	0	22890.995	94.62365591	2214.551681	30000	0	0	30000	44.75	2004
08.01.2020 12:08:26	1	1	1	1	95.5	64.75	0	22559.242	94.62365591	2177.859919	30000	0	0	30000	44.8125	2004
08.01.2020 12:08:27	1	1	1	1	95.5	64.75	0	24170.616	137.6344086	3320.196777	30000	0	0	30000	44.8125	2004
08.01.2020 12:08:28	1	1	1	1	95.25	64.75	0	25165.877	167.7419355	4221.183377	30000	0	0	30000	44.6875	2004
08.01.2020 12:08:29	1	1	1	1	95.25	64.5	0	25734.597	206.4516129	5312.96714	30000	0	0	30000	44.8125	2004
08.01.2020 12:08:30	1	1	1	1	95.25	64.75	0	21848.341	169.8924731	3719.729296	30000	0	0	30000	44.875	2004
08.01.2020 12:08:31	1	1	1	1	95.25	64.75	0	0	0	0	30000	0	8	30000	45.125	2004
08.01.2020 12:08:38	1	1	1	1	95	64.75	0	13554.502	6.451612903	87.24485636	30000	0	0	30000	44.6875	2004
08.01.2020 12:08:38	1	1	1	1	95	64.75	0	13554.502	6.451612903	87.24485636	30000	0	0	30000	44.6875	2004
08.01.2020 12:08:38	1	1	1	1	95	64.75	0	13554.502	6.451612903	87.24485636	30000	0	0	30000	44.6875	2004
08.01.2020 12:08:38	1	1	1	1	95	64.75	0	13554.502	6.451612903	87.24485636	30000	0	0	30000	44.6875	2004
08.01.2020 12:08:38	1	1	1	1	95	64.75	0	13554.502	6.451612903	87.24485636	30000	0	0	30000	44.6875	2004
08.01.2020 12:08:38	1	1	1	1	95	64.75	0	13554.502	6.451612903	87.24485636	30000	0	0	30000	44.6875	2004
08.01.2020 12:08:39	1	1	1	1	95	64.5	0	14976.303	12.90322581	225.0428071	30000	0	0	30000	44.875	2004
08.01.2020 12:08:40	1	1	1	1	95	64.75	0	15829.384	19.35483871	305.7646835	30000	0	0	30000	44.75	2004
08.01.2020 12:08:41	1	1	1	1	95	64.75	0	16492.891	25.80645161	430.5166744	30000	0	0	30000	44.75	2004
08.01.2020 12:08:42	1	1	1	1	95	64.75	0	17393.365	32.25806452	560.9762727	30000	0	0	30000	44.75	2004
08.01.2020 12:08:43	1	1	1	1	95	64.75	0	16824.645	32.25806452	614.790857	30000	0	0	30000	44.6875	2004
08.01.2020 12:08:44	1	1	1	1	95	64.5	0	17582.938	38.70967742	642.5135216	30000	0	0	30000	44.75	2004
08.01.2020 12:08:45	1	1	1	1	95	64.75	0	19668.246	53.76344086	1056.722746	30000	0	0	30000	44.8125	2004
08.01.2020 12:08:46	1	1	1	1	95	64.75	0	17440.758	43.01075269	712.6355557	30000	0	0	30000	44.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 12:08:47	1	1	1	1	95	64.5	0	21137.441	73.11827957	1598.130079	30000	0	0	30000	44.75	2004
08.01.2020 12:08:48	1	1	1	1	93.75	64.75	0	21943.128	90.32258065	1951.186367	30000	0	0	30000	44.6875	2004
08.01.2020 12:08:49	1	1	1	1	93.75	64.5	0	22796.209	103.2258065	2353.165004	30000	0	0	30000	44.75	2004
08.01.2020 12:08:50	1	1	1	1	93.75	64.75	0	21137.441	103.2258065	2181.936781	30000	0	0	30000	43.9375	2004
08.01.2020 12:08:51	1	1	1	1	93.75	63.75	0	24218.009	129.0322581	3124.507379	30000	0	0	30000	44.875	2004
08.01.2020 12:08:52	1	1	1	1	93.75	64.75	0	22890.995	124.7311828	2915.772022	30000	0	0	30000	44.625	2004
08.01.2020 12:08:53	1	1	1	1	93.75	64.5	0	24691.943	137.6344086	3398.472536	30000	0	0	30000	44.75	2004
08.01.2020 12:08:54	1	1	1	1	93.75	64.75	0	23080.569	129.0322581	2928.002609	30000	0	0	30000	44.6875	2004
08.01.2020 12:08:55	1	1	1	1	93.75	64.5	0	23412.322	126.8817204	3020.955073	30000	0	0	30000	44.8125	2004
08.01.2020 12:08:56	1	1	1	1	93.75	64.75	0	24976.303	137.6344086	3437.610415	30000	0	0	30000	44.75	2004
08.01.2020 12:08:57	1	1	1	1	93.75	64.75	0	23696.682	129.0322581	3063.354442	30000	0	0	30000	44.6875	2004
08.01.2020 12:08:58	1	1	1	1	93.75	64.5	0	24881.517	144.0860215	3471.040687	30000	0	0	30000	44.8125	2004
08.01.2020 12:08:59	1	1	1	1	93.75	64.75	0	23412.322	129.0322581	2963.878999	30000	0	0	30000	44.6875	2004
08.01.2020 12:09:00	1	1	1	1	93.75	64.5	0	24218.009	141.9354839	3488.978882	30000	0	0	30000	44.75	2004
08.01.2020 12:09:01	1	1	1	1	93.75	64.75	0	24549.763	163.4408602	3906.449596	30000	0	0	30000	44.875	2004
08.01.2020 12:09:02	1	1	1	1	93.75	64.75	0	24218.009	169.8924731	4114.369581	30000	0	0	30000	44.9375	2004
08.01.2020 12:09:03	1	1	1	1	93.75	64.75	0	21943.128	148.3870968	3303.073954	30000	0	0	30000	44.8125	2004
08.01.2020 12:09:04	1	1	1	1	93.75	64.75	0	25118.483	184.9462366	4698.991656	30000	0	0	30000	44.8125	2004
08.01.2020 12:09:05	1	1	1	1	93.75	64.75	0	24407.583	180.6451613	4460.902889	30000	0	0	30000	44.6875	2004
08.01.2020 12:09:06	1	1	1	1	93.75	64.5	0	25165.877	187.0967742	4707.960753	30000	0	0	30000	45	2004
08.01.2020 12:09:07	1	1	1	1	93.75	65	0	25355.45	221.5053763	5605.685864	30000	0	0	30000	44.75	2004
08.01.2020 12:09:08	1	1	1	1	94	64.75	0	27061.611	243.0107527	6575.979126	30000	0	0	30000	45	2004
08.01.2020 12:09:09	1	1	1	1	94	65	0	26208.531	240.8602151	6312.613812	30000	0	0	30000	44.75	2004
08.01.2020 12:09:10	1	1	1	1	94	64.75	0	25165.877	212.9032258	5357.812627	30000	0	0	30000	44.75	2004
08.01.2020 12:09:11	1	1	1	1	94	64.75	0	26018.957	240.8602151	6266.952953	30000	0	0	30000	44.75	2004
08.01.2020 12:09:13	1	1	1	1	94	64.75	0	21943.128	227.9569892	4860.435409	30000	0	0	30000	44.875	2004
08.01.2020 12:09:14	1	1	1	1	94	64.75	0	25118.483	251.6129032	6602.071046	30000	0	0	30000	44.75	2004
08.01.2020 12:09:15	1	1	1	1	94	64.75	0	25165.877	283.8709677	7089.663795	30000	0	0	30000	44.75	2004
08.01.2020 12:09:16	1	1	1	1	94	64.75	0	23554.502	240.8602151	5673.361781	30000	0	0	30000	44.6875	2004
08.01.2020 12:09:17	1	1	1	1	94	64.5	0	26587.678	277.4193548	7375.859538	30000	0	0	30000	44.8125	2004
08.01.2020 12:09:18	1	1	1	1	92	64.75	0	26682.464	322.5806452	8607.071997	30000	0	0	30000	44.5625	2004
08.01.2020 12:09:19	1	1	1	1	92	64.5	0	26303.318	301.0752688	7862.636915	30000	0	0	30000	44.8125	2004
08.01.2020 12:09:20	1	1	1	1	92	64.75	0	26587.678	303.2258065	8061.587802	30000	0	0	30000	44.8125	2004
08.01.2020 12:09:21	1	1	1	1	92	64.75	0	25924.171	335.483871	8696.762971	30000	0	0	30000	44.75	2004
08.01.2020 12:09:22	1	1	1	1	92	64.75	0	27440.758	346.2365591	9398.798685	30000	0	0	30000	44.8125	2004
08.01.2020 12:09:23	1	1	1	1	92	64.75	0	27867.299	322.5806452	9049.003887	30000	0	0	30000	44.75	2004
08.01.2020 12:09:24	1	1	1	1	92	64.75	0	29241.706	365.5913978	10655.28769	30000	0	0	30000	44.625	2004
08.01.2020 12:09:25	1	1	1	1	92	64.5	0	28199.052	367.7419355	10430.24488	30000	0	0	30000	44.8125	2004
08.01.2020 12:09:26	1	1	1	1	92	64.75	0	26066.351	346.2365591	8912.836681	30000	0	0	30000	44.75	2004
08.01.2020 12:09:27	1	1	1	1	92	64.75	0	24976.303	341.9354839	8540.211453	30000	0	0	30000	44.6875	2004
08.01.2020 12:09:28	1	1	1	1	94.25	64.5	0	26872.038	339.7849462	9188.432582	30000	0	0	30000	44.1875	2004
08.01.2020 12:09:29	1	1	1	1	94.25	64	0	29715.64	427.9569892	12716.54934	30000	0	0	30000	43.5	2004
08.01.2020 12:09:30	1	1	1	1	94.25	63.5	0	28625.592	417.2043011	12003.91379	30000	0	0	30000	44.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 12:09:31	1	1	1	1	94.25	64.5	0	28625.592	415.0537634	11880.79254	30000	0	0	30000	44.75	2004
08.01.2020 12:09:32	1	1	1	1	94.25	64.75	0	28578.199	419.3548387	11944.3916	30000	0	0	30000	44.6875	2004
08.01.2020 12:09:33	1	1	1	1	94.25	64.5	0	28625.592	412.9032258	11819.63961	30000	0	0	30000	44.625	2004
08.01.2020 12:09:40	1	1	1	1	93.25	63.75	0	0	0	0	30000	0	8	30000	44.625	2004
08.01.2020 12:09:40	1	1	1	1	93.25	63.75	0	0	0	0	30000	0	8	30000	44.625	2004
08.01.2020 12:09:40	1	1	1	1	93.25	63.75	0	0	0	0	30000	0	8	30000	44.625	2004
08.01.2020 12:09:40	1	1	1	1	93.25	63.75	0	0	0	0	30000	0	8	30000	44.625	2004
08.01.2020 12:09:40	1	1	1	1	93.25	63.75	0	0	0	0	30000	0	8	30000	44.625	2004
08.01.2020 12:09:40	1	1	1	1	93.25	63.75	0	0	0	0	30000	0	8	30000	44.625	2004
08.01.2020 12:09:40	1	1	1	1	93.25	64.5	0	0	0	0	30000	0	8	30000	44.75	2004
08.01.2020 12:09:41	1	1	1	1	93.25	64.75	0	10663.507	0	0	30000	0	0	30000	44.6875	2004
08.01.2020 12:09:42	1	1	1	1	93.25	64.5	0	11516.588	0	0	30000	0	0	30000	44.75	2004
08.01.2020 12:09:43	1	1	1	1	93.25	64.75	0	12322.275	2.150537634	26.09191966	30000	0	0	30000	44.6875	2004
08.01.2020 12:09:44	1	1	1	1	93.25	64.5	0	13033.175	4.301075269	83.9833664	30000	0	0	30000	44.625	2004
08.01.2020 12:09:45	1	1	1	1	93.25	64.5	0	13886.256	10.75268817	149.2131655	30000	0	0	30000	44.6875	2004
08.01.2020 12:09:46	1	1	1	1	93.25	64.5	0	14644.55	15.05376344	220.1505721	30000	0	0	30000	45.0625	2004
08.01.2020 12:09:47	1	1	1	1	93.25	65	0	15402.844	23.65591398	362.0253853	30000	0	0	30000	45.125	2004
08.01.2020 12:09:48	1	1	1	1	93.5	65	0	16066.351	30.10752688	483.5158862	30000	0	0	30000	44.75	2004
08.01.2020 12:09:49	1	1	1	1	93.5	64.75	0	16966.825	40.86021505	693.0666159	30000	0	0	30000	44.625	2004
08.01.2020 12:09:51	1	1	1	1	93.5	64.5	0	17677.725	47.31182796	874.0793086	30000	0	0	30000	44.75	2004
08.01.2020 12:09:52	1	1	1	1	93.5	64.75	0	18341.232	53.76344086	985.7853396	30000	0	0	30000	44.625	2004
08.01.2020 12:09:53	1	1	1	1	93.5	64.5	0	16824.645	51.61290323	868.3717011	30000	0	0	30000	44.625	2004
08.01.2020 12:09:54	1	1	1	1	93.5	64.5	0	20047.393	77.41935484	1508.439105	30000	0	0	30000	44.6875	2004
08.01.2020 12:09:55	1	1	1	1	93.5	64.5	0	20758.294	83.87096774	1740.820265	30000	0	0	30000	44.375	2004
08.01.2020 12:09:56	1	1	1	1	93.5	64.25	0	21516.588	92.47311828	1989.508874	30000	0	0	30000	44.625	2004
08.01.2020 12:09:57	1	1	1	1	93.5	64.5	0	22369.668	107.5268817	2453.45582	30000	0	0	30000	44.5625	2004
08.01.2020 12:09:58	1	1	1	1	93	64.5	0	19668.246	96.77419355	1903.07939	30000	0	0	30000	44.6875	2004
08.01.2020 12:09:59	1	1	1	1	93	64.5	0	23364.929	111.827957	2663.00655	30000	0	0	30000	44.5625	2004
08.01.2020 12:10:00	1	1	1	1	93	64.5	0	23791.469	137.6344086	3268.012937	30000	0	0	30000	44.625	2004
08.01.2020 12:10:01	1	1	1	1	93	64.5	0	23791.469	122.5806452	2915.772022	30000	0	0	30000	44.6875	2004
08.01.2020 12:10:02	1	1	1	1	93	64.5	0	24123.223	139.7849462	3320.196777	30000	0	0	30000	44.625	2004
08.01.2020 12:10:03	1	1	1	1	93	64.5	0	24218.009	156.9892473	3697.714239	30000	0	0	30000	44.6875	2004
08.01.2020 12:10:04	1	1	1	1	93	64.5	0	24502.37	165.5913978	4057.293507	30000	0	0	30000	44.625	2004
08.01.2020 12:10:05	1	1	1	1	93	64.5	0	24597.156	161.2903226	3966.787161	30000	0	0	30000	44.625	2004
08.01.2020 12:10:06	1	1	1	1	93	64.5	0	24976.303	178.4946237	4457.641399	30000	0	0	30000	44.6875	2004
08.01.2020 12:10:07	1	1	1	1	93	64.5	0	25260.664	189.2473118	4725.898948	30000	0	0	30000	44.6875	2004
08.01.2020 12:10:08	1	1	1	1	92.75	64.5	0	25260.664	206.4516129	5224.906912	30000	0	0	30000	44.5625	2004
08.01.2020 12:10:09	1	1	1	1	92.75	64.5	0	25687.204	206.4516129	5367.597097	30000	0	0	30000	44.6875	2004
08.01.2020 12:10:10	1	1	1	1	92.75	64.5	0	26066.351	217.2043011	5519.25638	30000	0	0	30000	44.625	2004
08.01.2020 12:10:11	1	1	1	1	92.75	64.5	0	25260.664	221.5053763	5595.086022	30000	0	0	30000	44.625	2004
08.01.2020 12:10:12	1	1	1	1	92.75	64.5	0	25592.417	217.2043011	5438.534504	30000	0	0	30000	44.625	2004
08.01.2020 12:10:13	1	1	1	1	92.75	64.5	0	22938.389	191.3978495	4429.918735	30000	0	0	30000	44.625	2004
08.01.2020 12:10:14	1	1	1	1	92.75	64.5	0	25639.81	206.4516129	5293.398201	30000	0	0	30000	44.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 12:10:15	1	1	1	1	92.75	64.5	0	26208.531	253.7634409	6706.438725	30000	0	0	30000	44.625	2004
08.01.2020 12:10:16	1	1	1	1	92.75	64.5	0	26113.744	240.8602151	6289.783383	30000	0	0	30000	44.5625	2004
08.01.2020 12:10:17	1	1	1	1	92.75	64.5	0	23412.322	221.5053763	5196.368875	30000	0	0	30000	44.5	2004
08.01.2020 12:10:18	1	1	1	1	94	64.5	0	27061.611	268.8172043	7273.937977	30000	0	0	30000	44.625	2004
08.01.2020 12:10:19	1	1	1	1	94	64.5	0	25876.777	247.311828	6466.719213	30000	0	0	30000	44.5	2004
08.01.2020 12:10:20	1	1	1	1	94	64.5	0	26113.744	260.2150538	6794.498954	30000	0	0	30000	44.625	2004
08.01.2020 12:10:21	1	1	1	1	94	64.5	0	24502.37	243.0107527	5965.265132	30000	0	0	30000	44.5625	2004
08.01.2020 12:10:22	1	1	1	1	94	64.5	0	26966.825	286.0215054	7712.608377	30000	0	0	30000	44.625	2004
08.01.2020 12:10:23	1	1	1	1	94	64.5	0	26682.464	279.5698925	7459.027532	30000	0	0	30000	44.875	2004
08.01.2020 12:10:24	1	1	1	1	94	64.75	0	22748.815	243.0107527	5577.147827	30000	0	0	30000	44.625	2004
08.01.2020 12:10:25	1	1	1	1	94	64.5	0	26777.251	298.9247312	8003.696355	30000	0	0	30000	44.5625	2004
08.01.2020 12:10:26	1	1	1	1	94	64.5	0	27535.545	301.0752688	8304.568804	30000	0	0	30000	44.75	2004
08.01.2020 12:10:28	1	1	1	1	93	64.75	0	27061.611	311.827957	8380.398445	30000	0	0	30000	44.8125	2004
08.01.2020 12:10:29	1	1	1	1	93	64.75	0	27630.332	322.5806452	8912.836681	30000	0	0	30000	44.625	2004
08.01.2020 12:10:30	1	1	1	1	93	64.5	0	28009.479	339.7849462	9561.05781	30000	0	0	30000	44.5625	2004
08.01.2020 12:10:31	1	1	1	1	93	64.5	0	27867.299	337.6344086	9332.753513	30000	0	0	30000	44.5	2004
08.01.2020 12:10:32	1	1	1	1	93	64.5	0	29146.919	348.3870968	10375.61493	30000	0	0	30000	44.625	2004
08.01.2020 12:10:33	1	1	1	1	93	64.5	0	24691.943	316.1290323	7820.237545	30000	0	0	30000	44.625	2004
08.01.2020 12:10:34	1	1	1	1	93	64.5	0	28957.346	348.3870968	10150.57212	30000	0	0	30000	44.625	2004
08.01.2020 12:10:35	1	1	1	1	93	64.5	0	28009.479	378.4946237	10601.47311	30000	0	0	30000	44.625	2004
08.01.2020 12:10:41	1	1	1	1	92.75	64.5	0	26208.531	339.7849462	8993.558557	30000	0	0	30000	44.625	2004
08.01.2020 12:10:41	1	1	1	1	92.75	64.5	0	26208.531	339.7849462	8993.558557	30000	0	0	30000	44.625	2004
08.01.2020 12:10:41	1	1	1	1	92.75	64.5	0	26208.531	339.7849462	8993.558557	30000	0	0	30000	44.625	2004
08.01.2020 12:10:41	1	1	1	1	92.75	64.5	0	26208.531	339.7849462	8993.558557	30000	0	0	30000	44.625	2004
08.01.2020 12:10:41	1	1	1	1	92.75	64.5	0	26208.531	339.7849462	8993.558557	30000	0	0	30000	44.625	2004
08.01.2020 12:10:41	1	1	1	1	92.75	64.5	0	26208.531	339.7849462	8993.558557	30000	0	0	30000	44.625	2004
08.01.2020 12:10:41	1	1	1	1	92.75	64.5	0	26208.531	339.7849462	8993.558557	30000	0	0	30000	44.625	2004
08.01.2020 12:10:42	1	1	1	1	92.75	64.5	0	28199.052	384.9462366	10855.05395	30000	0	0	30000	44.5625	2004
08.01.2020 12:10:43	1	1	1	1	92.75	64.5	0	28009.479	331.1827957	9215.339874	30000	0	0	30000	44.625	2004
08.01.2020 12:10:44	1	1	1	1	92.75	64.5	0	28815.166	369.8924731	10720.51749	30000	0	0	30000	44.625	2004
08.01.2020 12:10:45	1	1	1	1	92.75	64.5	0	28388.626	378.4946237	10744.97866	30000	0	0	30000	44.5625	2004
08.01.2020 12:10:46	1	1	1	1	92.75	64.5	0	29146.919	400	11595.41217	30000	0	0	30000	44.5	2004
08.01.2020 12:10:47	1	1	1	1	92.75	64.5	0	27630.332	387.0967742	10635.71875	30000	0	0	30000	44.625	2004
08.01.2020 12:10:48	1	1	1	1	93.5	64.5	0	28625.592	350.5376344	10162.80271	30000	0	0	30000	44.5	2004
08.01.2020 12:10:49	1	1	1	1	93.5	64.5	0	29620.853	415.0537634	12357.78545	30000	0	0	30000	44.5625	2004
08.01.2020 12:10:50	1	1	1	1	93.5	64.5	0	28815.166	397.8494624	11464.1372	30000	0	0	30000	44.625	2004
08.01.2020 12:10:51	1	1	1	1	93.5	64.5	0	29289.1	464.516129	13627.32041	30000	0	0	30000	44.5625	2004
08.01.2020 12:10:52	1	1	1	1	93.5	64.5	0	28815.166	455.9139785	13137.28155	30000	0	0	30000	44.625	2004
08.01.2020 12:10:53	1	1	1	1	93.5	64.5	0	28199.052	451.6129032	12552.65947	30000	0	0	30000	44.5	2004
08.01.2020 12:10:54	1	1	1	1	93.5	64.5	0	27440.758	464.516129	12746.71813	30000	0	0	30000	44	2004
08.01.2020 12:10:55	1	1	1	1	93.5	64	0	23649.289	402.1505376	9510.504716	30000	0	0	30000	44.625	2004
08.01.2020 12:10:56	1	1	1	1	93.5	64.5	0	28009.479	464.516129	13219.63417	30000	0	0	30000	44.5	2004
08.01.2020 12:10:57	1	1	1	1	93.5	64.5	0	25355.45	425.8064516	10796.34713	30000	0	0	30000	44.625	2004
08.01.2020 12:10:58	1	1	1	1	93.25	64.5	0	27630.332	496.7741935	13844.2095	30000	0	0	30000	44.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 12:10:59	1	1	1	1	93.25	64.5	0	28625.592	486.0215054	13973.85372	30000	0	0	30000	44.8125	2004
08.01.2020 12:11:00	1	1	1	1	93.25	64.75	0	28957.346	440.8602151	12765.47169	30000	0	0	30000	44.1875	2004
08.01.2020 12:11:01	1	1	1	1	93.25	64	0	28862.559	511.827957	14772.10339	30000	0	0	30000	44.3125	2004
08.01.2020 12:11:04	1	1	1	1	93.25	64	0	29478.673	488.172043	14366.86326	30000	0	0	30000	44.0625	2004
08.01.2020 12:11:04	1	1	1	1	93.25	64	0	29478.673	488.172043	14366.86326	30000	0	0	30000	44.0625	2004
08.01.2020 12:11:05	1	1	1	1	93.25	64	0	27962.085	481.7204301	13552.30615	30000	0	0	30000	44.5625	2004
08.01.2020 12:11:06	1	1	1	1	93.25	64.5	0	29052.133	552.688172	16056.31506	30000	0	0	30000	44.4375	2004
08.01.2020 12:11:07	1	1	1	1	93.25	64.25	0	28862.559	546.2365591	16004.13122	30000	0	0	30000	44.3125	2004
08.01.2020 12:11:08	1	1	1	1	93.75	64.25	0	28957.346	552.688172	15817.41092	30000	0	0	30000	44.5	2004
08.01.2020 12:11:09	1	1	1	1	93.75	64.5	0	29146.919	552.688172	16161.49811	30000	0	0	30000	44.125	2004
08.01.2020 12:11:10	1	1	1	1	93.75	64	0	28815.166	552.688172	15863.88715	30000	0	0	30000	44.125	2004
08.01.2020 12:11:11	1	1	1	1	93.75	64	0	28957.346	552.688172	16252.81983	30000	0	0	30000	44.125	2004
08.01.2020 12:11:12	1	1	1	1	93.75	64	0	29099.526	552.688172	15754.62724	30000	0	0	30000	44.5	2004
08.01.2020 12:11:13	1	1	1	1	93.75	64.5	0	28957.346	554.8387097	16128.88321	30000	0	0	30000	43.25	2004
08.01.2020 12:11:14	1	1	1	1	93.75	63.25	0	28815.166	559.1397849	15925.85546	30000	0	0	30000	44.5625	2004
08.01.2020 12:11:15	1	1	1	1	93.75	64.5	0	29099.526	550.5376344	16046.53059	30000	0	0	30000	44.5625	2004
08.01.2020 12:11:16	1	1	1	1	93.75	64.5	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	44.5	2004
08.01.2020 12:11:17	1	1	1	1	93.75	64.5	0	29383.886	546.2365591	16050.60745	30000	0	0	30000	44.5	2004
08.01.2020 12:11:18	1	1	1	1	93.5	64.5	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	44.4375	2004
08.01.2020 12:11:19	1	1	1	1	93.5	64.25	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	44.6875	2004
08.01.2020 12:11:20	1	1	1	1	93.5	64.5	0	29241.706	550.5376344	15983.74691	30000	0	0	30000	44.5	2004
08.01.2020 12:11:21	1	1	1	1	93.5	64.5	0	29099.526	550.5376344	15931.56307	30000	0	0	30000	44.1875	2004
08.01.2020 12:11:22	1	1	1	1	93.5	64	0	29383.886	552.688172	16024.51553	30000	0	0	30000	44.625	2004
08.01.2020 12:11:23	1	1	1	1	93.5	64.5	0	29241.706	546.2365591	15920.96323	30000	0	0	30000	44.5	2004
08.01.2020 12:11:24	1	1	1	1	93.5	64.5	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	44.3125	2004
08.01.2020 12:11:25	1	1	1	1	93.5	64.25	0	29146.919	544.0860215	15858.17955	30000	0	0	30000	43.8125	2004
08.01.2020 12:11:26	1	1	1	1	93.5	63.75	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	44.625	2004
08.01.2020 12:11:27	1	1	1	1	93.5	64.5	0	29478.673	544.0860215	16101.97592	30000	0	0	30000	44.3125	2004
08.01.2020 12:11:28	1	1	1	1	93.75	64.25	0	29478.673	541.9354839	15975.59318	30000	0	0	30000	44.625	2004
08.01.2020 12:11:29	1	1	1	1	93.75	64.5	0	29478.673	537.6344086	15937.27068	30000	0	0	30000	44.1875	2004
08.01.2020 12:11:30	1	1	1	1	93.75	64	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	43.5625	2004
08.01.2020 12:11:31	1	1	1	1	93.75	63.5	0	29431.28	541.9354839	16013.10032	30000	0	0	30000	44.5	2004
08.01.2020 12:11:32	1	1	1	1	93.75	64.5	0	29431.28	539.7849462	15949.50126	30000	0	0	30000	44.75	2004
08.01.2020 12:11:33	1	1	1	1	93.75	64.75	0	29431.28	544.0860215	15860.62566	30000	0	0	30000	43.4375	2004
08.01.2020 12:11:34	1	1	1	1	93.75	63.25	0	29478.673	544.0860215	16013.10032	30000	0	0	30000	44.75	2004
08.01.2020 12:11:35	1	1	1	1	93.75	64.75	0	29478.673	539.7849462	16217.75881	30000	0	0	30000	44.1875	2004
08.01.2020 12:11:36	1	1	1	1	93.75	64	0	29573.46	541.9354839	16052.2382	30000	0	0	30000	44.4375	2004
08.01.2020 12:11:43	1	1	1	1	93.75	64.5	0	29573.46	541.9354839	16052.2382	30000	0	0	30000	44.25	2004
08.01.2020 12:11:43	1	1	1	1	93.75	64.5	0	29573.46	541.9354839	16052.2382	30000	0	0	30000	44.25	2004
08.01.2020 12:11:43	1	1	1	1	93.75	64.5	0	29573.46	541.9354839	16052.2382	30000	0	0	30000	44.25	2004
08.01.2020 12:11:43	1	1	1	1	93.75	64.5	0	29573.46	541.9354839	16052.2382	30000	0	0	30000	44.25	2004
08.01.2020 12:11:43	1	1	1	1	93.75	64.5	0	29573.46	541.9354839	16052.2382	30000	0	0	30000	44.25	2004
08.01.2020 12:11:43	1	1	1	1	93.75	64.5	0	29573.46	541.9354839	16052.2382	30000	0	0	30000	44.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 12:11:44	1	1	1	1	93.75	64.25	0	29431.28	541.9354839	15885.90221	30000	0	0	30000	44.625	2004
08.01.2020 12:11:45	1	1	1	1	93.75	64.5	0	30000	535.483871	16039.19224	30000	0	0	30000	44.375	2004
08.01.2020 12:11:46	1	1	1	1	93.75	64.25	0	29715.64	544.0860215	16013.91569	30000	0	0	30000	44.6875	2004
08.01.2020 12:11:47	1	1	1	1	93.75	64.5	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	44.5	2004
08.01.2020 12:11:48	1	1	1	1	94	64.5	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	44.5625	2004
08.01.2020 12:11:49	1	1	1	1	94	64.5	0	29620.853	544.0860215	16115.83725	30000	0	0	30000	44.5	2004
08.01.2020 12:11:50	1	1	1	1	94	64.5	0	29383.886	541.9354839	15924.22472	30000	0	0	30000	44.625	2004
08.01.2020 12:11:51	1	1	1	1	94	64.5	0	26255.924	486.0215054	12737.74903	30000	0	0	30000	44.125	2004
08.01.2020 12:11:52	1	1	1	1	94	64	0	29336.493	541.9354839	15683.68983	30000	0	0	30000	44.25	2004
08.01.2020 12:11:53	1	1	1	1	94	64.25	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	43.625	2004
08.01.2020 12:11:54	1	1	1	1	94	63.5	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	43.4375	2004
08.01.2020 12:11:55	1	1	1	1	94	63.25	0	29099.526	550.5376344	15957.65499	30000	0	0	30000	44	2004
08.01.2020 12:11:56	1	1	1	1	94	64	0	29336.493	546.2365591	16150.89827	30000	0	0	30000	44.4375	2004
08.01.2020 12:11:57	1	1	1	1	94	64.25	0	29146.919	550.5376344	16098.71443	30000	0	0	30000	44.625	2004
08.01.2020 12:11:58	1	1	1	1	94.25	64.5	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	44.375	2004
08.01.2020 12:11:59	1	1	1	1	94.25	64.25	0	28862.559	552.688172	15951.94738	30000	0	0	30000	44.5	2004
08.01.2020 12:12:00	1	1	1	1	94.25	64.5	0	28862.559	552.688172	15951.94738	30000	0	0	30000	44.5625	2004
08.01.2020 12:12:01	1	1	1	1	94.25	64.5	0	29241.706	537.6344086	15658.41329	30000	0	0	30000	44.5625	2004
08.01.2020 12:12:02	1	1	1	1	94.25	64.5	0	28957.346	554.8387097	16066.09953	30000	0	0	30000	44.625	2004
08.01.2020 12:12:03	1	1	1	1	94.25	64.5	0	28862.559	554.8387097	16013.91569	30000	0	0	30000	43.875	2004
08.01.2020 12:12:04	1	1	1	1	94.25	63.75	0	28862.559	552.688172	15951.94738	30000	0	0	30000	44.5	2004
08.01.2020 12:12:05	1	1	1	1	94.25	64.5	0	28815.166	550.5376344	15925.85546	30000	0	0	30000	44.1875	2004
08.01.2020 12:12:06	1	1	1	1	94.25	64	0	28957.346	552.688172	16004.13122	30000	0	0	30000	44.625	2004
08.01.2020 12:12:07	1	1	1	1	94.25	64.5	0	28862.559	552.688172	15889.97907	30000	0	0	30000	44.5625	2004
08.01.2020 12:12:08	1	1	1	1	94.5	64.5	0	28957.346	552.688172	16004.13122	30000	0	0	30000	44.5625	2004
08.01.2020 12:12:09	1	1	1	1	94.5	64.5	0	28957.346	556.9892473	16066.09953	30000	0	0	30000	44.6875	2004
08.01.2020 12:12:10	1	1	1	1	94.5	64.5	0	29052.133	552.688172	16145.19066	30000	0	0	30000	44	2004
08.01.2020 12:12:11	1	1	1	1	94.5	64	0	28957.346	554.8387097	16128.88321	30000	0	0	30000	44.6875	2004
08.01.2020 12:12:12	1	1	1	1	94.5	64.5	0	28862.559	550.5376344	15951.94738	30000	0	0	30000	44.6875	2004
08.01.2020 12:12:13	1	1	1	1	94.5	64.5	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	44.3125	2004
08.01.2020 12:12:14	1	1	1	1	94.5	64.25	0	28862.559	554.8387097	16013.91569	30000	0	0	30000	43.5	2004
08.01.2020 12:12:15	1	1	1	1	94.5	63.5	0	29289.1	535.483871	15708.96638	30000	0	0	30000	44.625	2004
08.01.2020 12:12:16	1	1	1	1	94.5	64.5	0	28862.559	554.8387097	16013.91569	30000	0	0	30000	43.9375	2004
08.01.2020 12:12:17	1	1	1	1	94.5	63.75	0	28862.559	552.688172	15951.94738	30000	0	0	30000	44.5625	2004
08.01.2020 12:12:18	1	1	1	1	94.25	64.5	0	29099.526	556.9892473	15931.56307	30000	0	0	30000	44.125	2004
08.01.2020 12:12:19	1	1	1	1	94.25	64	0	28957.346	550.5376344	16056.31506	30000	0	0	30000	44.625	2004
08.01.2020 12:12:20	1	1	1	1	94.25	64.5	0	28957.346	552.688172	15942.16291	30000	0	0	30000	44.3125	2004
08.01.2020 12:12:22	1	1	1	1	94.25	64.75	0	28957.346	550.5376344	15817.41092	30000	0	0	30000	44.6875	2004
08.01.2020 12:12:23	1	1	1	1	94.25	64.5	0	29241.706	550.5376344	16161.49811	30000	0	0	30000	44.5625	2004
08.01.2020 12:12:24	1	1	1	1	94.25	64.5	0	29146.919	544.0860215	15858.17955	30000	0	0	30000	44.5625	2004
08.01.2020 12:12:25	1	1	1	1	94.25	64.5	0	29478.673	546.2365591	16165.57497	30000	0	0	30000	43.6875	2004
08.01.2020 12:12:26	1	1	1	1	94.25	63.5	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	44.375	2004
08.01.2020 12:12:27	1	1	1	1	94.25	64.25	0	29099.526	546.2365591	15920.96323	30000	0	0	30000	44.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 12:12:28	1	1	1	1	94.25	64.5	0	29241.706	550.5376344	15920.96323	30000	0	0	30000	44.625	2004
08.01.2020 12:12:29	1	1	1	1	94.25	64.5	0	29099.526	541.9354839	15832.08763	30000	0	0	30000	44.3125	2004
08.01.2020 12:12:30	1	1	1	1	94.25	64.25	0	28957.346	511.827957	14821.02574	30000	0	0	30000	44.625	2004
08.01.2020 12:12:31	1	1	1	1	94.25	64.5	0	28957.346	554.8387097	16066.09953	30000	0	0	30000	44.625	2004
08.01.2020 12:12:32	1	1	1	1	94.25	64.5	0	28957.346	554.8387097	16004.13122	30000	0	0	30000	44.125	2004
08.01.2020 12:12:33	1	1	1	1	94.25	64	0	28815.166	550.5376344	15863.88715	30000	0	0	30000	44.125	2004
08.01.2020 12:12:34	1	1	1	1	94.25	64	0	28862.559	552.688172	15925.85546	30000	0	0	30000	44.5625	2004
08.01.2020 12:12:35	1	1	1	1	94.25	64.5	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	44.4375	2004
08.01.2020 12:12:36	1	1	1	1	94.25	64.25	0	28815.166	554.8387097	16013.91569	30000	0	0	30000	44.625	2004
08.01.2020 12:12:37	1	1	1	1	94.25	64.5	0	28862.559	554.8387097	15951.94738	30000	0	0	30000	44.5	2004
08.01.2020 12:12:38	1	1	1	1	94.25	64.5	0	28815.166	550.5376344	15863.88715	30000	0	0	30000	43.6875	2004
08.01.2020 12:12:45	1	1	1	1	94.25	64.25	0	28436.019	552.688172	15987.0084	30000	0	0	30000	44.6875	2004
08.01.2020 12:12:45	1	1	1	1	94.25	64.25	0	28436.019	552.688172	15987.0084	30000	0	0	30000	44.6875	2004
08.01.2020 12:12:45	1	1	1	1	94.25	64.25	0	28436.019	552.688172	15987.0084	30000	0	0	30000	44.6875	2004
08.01.2020 12:12:45	1	1	1	1	94.25	64.25	0	28436.019	552.688172	15987.0084	30000	0	0	30000	44.6875	2004
08.01.2020 12:12:45	1	1	1	1	94.25	64.25	0	28436.019	552.688172	15987.0084	30000	0	0	30000	44.6875	2004
08.01.2020 12:12:45	1	1	1	1	94.25	64.25	0	28436.019	552.688172	15987.0084	30000	0	0	30000	44.6875	2004
08.01.2020 12:12:45	1	1	1	1	94.25	64.5	0	28388.626	563.4408602	15995.16212	30000	0	0	30000	44.625	2004
08.01.2020 12:12:46	1	1	1	1	94.25	64.5	0	28483.412	556.9892473	16040.00761	30000	0	0	30000	44.5625	2004
08.01.2020 12:12:47	1	1	1	1	94.25	64.5	0	28199.052	561.2903226	15827.19539	30000	0	0	30000	44.625	2004
08.01.2020 12:12:48	1	1	1	1	94.5	64.5	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	44.125	2004
08.01.2020 12:12:49	1	1	1	1	94.5	64	0	28578.199	563.4408602	15987.0084	30000	0	0	30000	44.75	2004
08.01.2020 12:12:50	1	1	1	1	94.5	64.75	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	44.625	2004
08.01.2020 12:12:51	1	1	1	1	94.5	64.5	0	28436.019	561.2903226	15907.10189	30000	0	0	30000	44.5625	2004
08.01.2020 12:12:52	1	1	1	1	94.5	64.5	0	24123.223	494.6236559	12030.82108	30000	0	0	30000	44.5625	2004
08.01.2020 12:12:53	1	1	1	1	94.5	64.5	0	28293.839	565.5913978	15948.68589	30000	0	0	30000	44.5625	2004
08.01.2020 12:12:54	1	1	1	1	94.5	64.5	0	28341.232	567.7419355	16002.50048	30000	0	0	30000	43.9375	2004
08.01.2020 12:12:55	1	1	1	1	94.5	63.75	0	28199.052	561.2903226	16300.11143	30000	0	0	30000	44.625	2004
08.01.2020 12:12:56	1	1	1	1	94.5	64.5	0	28341.232	567.7419355	15941.34754	30000	0	0	30000	44.5625	2004
08.01.2020 12:12:58	1	1	1	1	94.5	64.5	0	28388.626	563.4408602	16056.31506	30000	0	0	30000	44.6875	2004
08.01.2020 12:12:59	1	1	1	1	94.5	64.75	0	28625.592	561.2903226	16040.00761	30000	0	0	30000	44.125	2004
08.01.2020 12:13:00	1	1	1	1	94.5	64	0	28578.199	556.9892473	15917.70174	30000	0	0	30000	43.875	2004
08.01.2020 12:13:01	1	1	1	1	94.5	63.75	0	28388.626	563.4408602	15995.16212	30000	0	0	30000	44.6875	2004
08.01.2020 12:13:02	1	1	1	1	94.5	64.5	0	28578.199	559.1397849	15978.85467	30000	0	0	30000	44.625	2004
08.01.2020 12:13:03	1	1	1	1	94.5	64.5	0	28815.166	559.1397849	16111.76039	30000	0	0	30000	44.625	2004
08.01.2020 12:13:04	1	1	1	1	94.5	64.5	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	43.8125	2004
08.01.2020 12:13:05	1	1	1	1	94.5	63.75	0	28815.166	550.5376344	15863.88715	30000	0	0	30000	44.25	2004
08.01.2020 12:13:06	1	1	1	1	94.5	64.25	0	29146.919	550.5376344	16161.49811	30000	0	0	30000	44.375	2004
08.01.2020 12:13:07	1	1	1	1	94.5	64.25	0	29336.493	546.2365591	15960.91648	30000	0	0	30000	44.25	2004
08.01.2020 12:13:08	1	1	1	1	94	64.25	0	26113.744	496.7741935	12972.57631	30000	0	0	30000	44.625	2004
08.01.2020 12:13:09	1	1	1	1	94	64.5	0	29383.886	546.2365591	16024.51553	30000	0	0	30000	44.625	2004
08.01.2020 12:13:10	1	1	1	1	94	64.5	0	29241.706	550.5376344	15983.74691	30000	0	0	30000	44.5625	2004
08.01.2020 12:13:11	1	1	1	1	94	64.5	0	29146.919	552.688172	16108.4989	30000	0	0	30000	44.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 12:13:12	1	1	1	1	94	64.25	0	28957.346	552.688172	16004.13122	30000	0	0	30000	44.375	2004
08.01.2020 12:13:13	1	1	1	1	94	64.25	0	29099.526	550.5376344	16020.43867	30000	0	0	30000	44.0625	2004
08.01.2020 12:13:14	1	1	1	1	94	64	0	29336.493	546.2365591	15960.91648	30000	0	0	30000	44.3125	2004
08.01.2020 12:13:15	1	1	1	1	94	64.25	0	29573.46	535.483871	15899.76354	30000	0	0	30000	44.625	2004
08.01.2020 12:13:16	1	1	1	1	94	64.5	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	44.5625	2004
08.01.2020 12:13:17	1	1	1	1	94	64.5	0	29526.066	544.0860215	16026.96165	30000	0	0	30000	44.5	2004
08.01.2020 12:13:18	1	1	1	1	93.75	64.5	0	29620.853	535.483871	15975.59318	30000	0	0	30000	44.5625	2004
08.01.2020 12:13:19	1	1	1	1	93.75	64.5	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	44.375	2004
08.01.2020 12:13:20	1	1	1	1	93.75	64.25	0	29478.673	541.9354839	16038.37687	30000	0	0	30000	44.125	2004
08.01.2020 12:13:21	1	1	1	1	93.75	64	0	27867.299	460.2150538	12824.99388	30000	0	0	30000	44.5625	2004
08.01.2020 12:13:22	1	1	1	1	93.75	64.5	0	29336.493	546.2365591	15960.91648	30000	0	0	30000	43.3125	2004
08.01.2020 12:13:23	1	1	1	1	93.75	63.25	0	29289.1	546.2365591	16087.29921	30000	0	0	30000	44.5625	2004
08.01.2020 12:13:24	1	1	1	1	93.75	64.5	0	29383.886	546.2365591	16113.39113	30000	0	0	30000	44.5	2004
08.01.2020 12:13:25	1	1	1	1	93.75	64.5	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	44.625	2004
08.01.2020 12:13:26	1	1	1	1	93.75	64.5	0	29241.706	550.5376344	15983.74691	30000	0	0	30000	44.5	2004
08.01.2020 12:13:27	1	1	1	1	93.75	64.5	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	44.0625	2004
08.01.2020 12:13:28	1	1	1	1	93.5	64	0	29146.919	544.0860215	15920.96323	30000	0	0	30000	44.625	2004
08.01.2020 12:13:29	1	1	1	1	93.5	64.5	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	44.375	2004
08.01.2020 12:13:30	1	1	1	1	93.5	64.25	0	29146.919	548.3870968	16046.53059	30000	0	0	30000	44.625	2004
08.01.2020 12:13:31	1	1	1	1	93.5	64.5	0	29099.526	550.5376344	16108.4989	30000	0	0	30000	43.8125	2004
08.01.2020 12:13:32	1	1	1	1	93.5	63.75	0	28862.559	554.8387097	15889.97907	30000	0	0	30000	44.4375	2004
08.01.2020 12:13:33	1	1	1	1	93.5	64.25	0	26777.251	503.2258065	13474.84576	30000	0	0	30000	44.375	2004
08.01.2020 12:13:34	1	1	1	1	93.5	64.25	0	29336.493	535.483871	15708.96638	30000	0	0	30000	44.75	2004
08.01.2020 12:13:35	1	1	1	1	93.5	64.75	0	28862.559	556.9892473	16075.884	30000	0	0	30000	44.25	2004
08.01.2020 12:13:36	1	1	1	1	93.5	64.25	0	28625.592	552.688172	15925.85546	30000	0	0	30000	44.625	2004
08.01.2020 12:13:37	1	1	1	1	93.5	64.5	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	44.75	2004
08.01.2020 12:13:39	1	1	1	1	94	64.75	0	29004.739	556.9892473	16181.06705	30000	0	0	30000	44.5	2004
08.01.2020 12:13:40	1	1	1	1	94	64.75	0	28815.166	552.688172	15925.85546	30000	0	0	30000	44.625	2004
08.01.2020 12:13:46	1	1	1	1	94	64.5	0	28578.199	556.9892473	15890.79444	30000	0	0	30000	43.75	2004
08.01.2020 12:13:46	1	1	1	1	94	64.5	0	28578.199	556.9892473	15890.79444	30000	0	0	30000	43.75	2004
08.01.2020 12:13:46	1	1	1	1	94	64.5	0	28578.199	556.9892473	15890.79444	30000	0	0	30000	43.75	2004
08.01.2020 12:13:46	1	1	1	1	94	64.5	0	28578.199	556.9892473	15890.79444	30000	0	0	30000	43.75	2004
08.01.2020 12:13:46	1	1	1	1	94	64.5	0	28578.199	556.9892473	15890.79444	30000	0	0	30000	43.75	2004
08.01.2020 12:13:46	1	1	1	1	94	64.5	0	28578.199	556.9892473	15890.79444	30000	0	0	30000	43.75	2004
08.01.2020 12:13:47	1	1	1	1	94	63.75	0	28483.412	556.9892473	15864.70252	30000	0	0	30000	43.8125	2004
08.01.2020 12:13:48	1	1	1	1	94.25	63.75	0	28530.806	561.2903226	15987.0084	30000	0	0	30000	44.625	2004
08.01.2020 12:13:49	1	1	1	1	94.25	64.5	0	28388.626	561.2903226	15960.91648	30000	0	0	30000	44.625	2004
08.01.2020 12:13:50	1	1	1	1	94.25	64.5	0	28388.626	561.2903226	15934.00919	30000	0	0	30000	44.6875	2004
08.01.2020 12:13:51	1	1	1	1	94.25	64.5	0	28341.232	563.4408602	15881.00997	30000	0	0	30000	43.375	2004
08.01.2020 12:13:52	1	1	1	1	94.25	63.25	0	28341.232	563.4408602	16056.31506	30000	0	0	30000	44.4375	2004
08.01.2020 12:13:53	1	1	1	1	94.25	64.25	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	43	2004
08.01.2020 12:13:54	1	1	1	1	94.25	63	0	28199.052	529.0322581	14978.39263	30000	0	0	30000	44.625	2004
08.01.2020 12:13:55	1	1	1	1	94.25	64.5	0	28293.839	563.4408602	16029.40777	30000	0	0	30000	44.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 12:13:56	1	1	1	1	94.25	64.5	0	28388.626	569.8924731	15941.34754	30000	0	0	30000	44.3125	2004
08.01.2020 12:13:57	1	1	1	1	94.25	64.25	0	28199.052	565.5913978	15827.19539	30000	0	0	30000	44.5625	2004
08.01.2020 12:13:58	1	1	1	1	94	64.5	0	25924.171	522.5806452	13547.41391	30000	0	0	30000	44.6875	2004
08.01.2020 12:13:59	1	1	1	1	94	64.5	0	28341.232	563.4408602	15968.25483	30000	0	0	30000	44.625	2004
08.01.2020 12:14:00	1	1	1	1	94	64.5	0	26540.284	516.1290323	13755.3339	30000	0	0	30000	44.5625	2004
08.01.2020 12:14:01	1	1	1	1	94	64.5	0	28483.412	561.2903226	16075.06863	30000	0	0	30000	44.5625	2004
08.01.2020 12:14:02	1	1	1	1	94	64.5	0	28436.019	563.4408602	15960.91648	30000	0	0	30000	44.5625	2004
08.01.2020 12:14:03	1	1	1	1	94	64.5	0	28341.232	563.4408602	15941.34754	30000	0	0	30000	44.5	2004
08.01.2020 12:14:04	1	1	1	1	94	64.5	0	28388.626	563.4408602	15907.10189	30000	0	0	30000	44.5625	2004
08.01.2020 12:14:05	1	1	1	1	94	64.5	0	28199.052	563.4408602	15888.34833	30000	0	0	30000	44.625	2004
08.01.2020 12:14:06	1	1	1	1	94	64.5	0	28341.232	563.4408602	15968.25483	30000	0	0	30000	44.1875	2004
08.01.2020 12:14:07	1	1	1	1	94	64	0	28957.346	554.8387097	16128.88321	30000	0	0	30000	44.5625	2004
08.01.2020 12:14:08	1	1	1	1	95.75	64.5	0	28388.626	563.4408602	15907.10189	30000	0	0	30000	44.375	2004
08.01.2020 12:14:09	1	1	1	1	95.75	64.25	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	44.5	2004
08.01.2020 12:14:10	1	1	1	1	95.75	64.5	0	28436.019	563.4408602	16083.22235	30000	0	0	30000	44.375	2004
08.01.2020 12:14:11	1	1	1	1	95.75	64.25	0	27298.578	539.7849462	14735.41163	30000	0	0	30000	44.625	2004
08.01.2020 12:14:12	1	1	1	1	95.75	64.5	0	28578.199	563.4408602	16040.00761	30000	0	0	30000	44.625	2004
08.01.2020 12:14:13	1	1	1	1	95.75	64.5	0	28436.019	554.8387097	15987.0084	30000	0	0	30000	44.3125	2004
08.01.2020 12:14:14	1	1	1	1	95.75	64.25	0	28578.199	556.9892473	15917.70174	30000	0	0	30000	44.5625	2004
08.01.2020 12:14:15	1	1	1	1	95.75	64.5	0	28862.559	556.9892473	16075.884	30000	0	0	30000	44.3125	2004
08.01.2020 12:14:16	1	1	1	1	95.75	64.25	0	28483.412	556.9892473	15917.70174	30000	0	0	30000	44.4375	2004
08.01.2020 12:14:17	1	1	1	1	95.75	64.25	0	28625.592	554.8387097	16049.79208	30000	0	0	30000	44.5625	2004
08.01.2020 12:14:18	1	1	1	1	95.5	64.5	0	28672.986	552.688172	15987.82377	30000	0	0	30000	44	2004
08.01.2020 12:14:19	1	1	1	1	95.5	64	0	28957.346	556.9892473	16066.09953	30000	0	0	30000	44.5625	2004
08.01.2020 12:14:21	1	1	1	1	95.5	64.5	0	28862.559	550.5376344	15951.94738	30000	0	0	30000	44.625	2004
08.01.2020 12:14:22	1	1	1	1	95.5	64.25	0	28815.166	554.8387097	16075.884	30000	0	0	30000	44.375	2004
08.01.2020 12:14:23	1	1	1	1	95.5	64.25	0	28815.166	559.1397849	16049.79208	30000	0	0	30000	43.625	2004
08.01.2020 12:14:24	1	1	1	1	95.5	63.5	0	29241.706	526.8817204	15168.37442	30000	0	0	30000	44.625	2004
08.01.2020 12:14:25	1	1	1	1	95.5	64.5	0	28625.592	554.8387097	15794.58049	30000	0	0	30000	44.75	2004
08.01.2020 12:14:26	1	1	1	1	95.5	64.75	0	28625.592	556.9892473	15917.70174	30000	0	0	30000	44.0625	2004
08.01.2020 12:14:27	1	1	1	1	95.5	64	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	44.4375	2004
08.01.2020 12:14:28	1	1	1	1	95	64.25	0	28625.592	550.5376344	16049.79208	30000	0	0	30000	44.625	2004
08.01.2020 12:14:29	1	1	1	1	95	64.5	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	43.9375	2004
08.01.2020 12:14:30	1	1	1	1	95	63.75	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	44.625	2004
08.01.2020 12:14:31	1	1	1	1	95	64.5	0	28957.346	556.9892473	15951.94738	30000	0	0	30000	44.125	2004
08.01.2020 12:14:32	1	1	1	1	95	64	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	44.75	2004
08.01.2020 12:14:33	1	1	1	1	95	64.75	0	28815.166	554.8387097	16111.76039	30000	0	0	30000	44.5625	2004
08.01.2020 12:14:34	1	1	1	1	95	64.5	0	28957.346	552.688172	16066.09953	30000	0	0	30000	44.625	2004
08.01.2020 12:14:35	1	1	1	1	95	64.5	0	29052.133	554.8387097	16056.31506	30000	0	0	30000	42.9375	2004
08.01.2020 12:14:36	1	1	1	1	95	62.75	0	29052.133	550.5376344	16056.31506	30000	0	0	30000	44.625	2004
08.01.2020 12:14:37	1	1	1	1	95	64.5	0	29620.853	533.3333333	15772.56543	30000	0	0	30000	44.625	2004
08.01.2020 12:14:38	1	1	1	1	93.5	64.5	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	44.625	2004
08.01.2020 12:14:39	1	1	1	1	93.5	64.5	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	44.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 12:14:40	1	1	1	1	93.5	64.5	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	44.625	2004
08.01.2020 12:14:41	1	1	1	1	93.5	64.5	0	29099.526	552.688172	16082.40698	30000	0	0	30000	44.125	2004
08.01.2020 12:14:48	1	1	1	1	93.5	64.5	0	28578.199	552.688172	15855.73343	30000	0	0	30000	44.1875	2004
08.01.2020 12:14:48	1	1	1	1	93.5	64.5	0	28578.199	552.688172	15855.73343	30000	0	0	30000	44.1875	2004
08.01.2020 12:14:48	1	1	1	1	93.5	64.5	0	28578.199	552.688172	15855.73343	30000	0	0	30000	44.1875	2004
08.01.2020 12:14:48	1	1	1	1	93.5	64.5	0	28578.199	552.688172	15855.73343	30000	0	0	30000	44.1875	2004
08.01.2020 12:14:48	1	1	1	1	93.5	64.5	0	28578.199	552.688172	15855.73343	30000	0	0	30000	44.1875	2004
08.01.2020 12:14:48	1	1	1	1	93.5	64.5	0	28578.199	552.688172	15855.73343	30000	0	0	30000	44.1875	2004
08.01.2020 12:14:48	1	1	1	1	94.5	64	0	28625.592	556.9892473	15855.73343	30000	0	0	30000	44.4375	2004
08.01.2020 12:14:49	1	1	1	1	94.5	64.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	44.25	2004
08.01.2020 12:14:50	1	1	1	1	94.5	64.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	44.125	2004
08.01.2020 12:14:51	1	1	1	1	94.5	64	0	28815.166	563.4408602	15794.58049	30000	0	0	30000	44.5625	2004
08.01.2020 12:14:52	1	1	1	1	94.5	64.5	0	28909.953	556.9892473	16128.88321	30000	0	0	30000	44.1875	2004
08.01.2020 12:14:53	1	1	1	1	94.5	64	0	29241.706	546.2365591	16035.11538	30000	0	0	30000	43.8125	2004
08.01.2020 12:14:54	1	1	1	1	94.5	63.75	0	28815.166	552.688172	16075.884	30000	0	0	30000	44.625	2004
08.01.2020 12:14:55	1	1	1	1	94.5	64.5	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	44.5	2004
08.01.2020 12:14:56	1	1	1	1	94.5	64.5	0	28625.592	550.5376344	16049.79208	30000	0	0	30000	44.375	2004
08.01.2020 12:14:58	1	1	1	1	94.5	64.25	0	28625.592	559.1397849	15978.85467	30000	0	0	30000	44.8125	2004
08.01.2020 12:14:59	1	1	1	1	94.75	64.75	0	28578.199	563.4408602	15978.85467	30000	0	0	30000	44.4375	2004
08.01.2020 12:15:00	1	1	1	1	94.75	64.75	0	28483.412	559.1397849	15987.0084	30000	0	0	30000	44.3125	2004
08.01.2020 12:15:01	1	1	1	1	94.75	64.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	44.5625	2004
08.01.2020 12:15:02	1	1	1	1	94.75	64.5	0	28625.592	556.9892473	16049.79208	30000	0	0	30000	44.3125	2004
08.01.2020 12:15:03	1	1	1	1	94.75	64.25	0	28578.199	559.1397849	15917.70174	30000	0	0	30000	44.625	2004
08.01.2020 12:15:04	1	1	1	1	94.75	64.5	0	28388.626	563.4408602	15934.00919	30000	0	0	30000	44.25	2004
08.01.2020 12:15:05	1	1	1	1	94.75	64.25	0	28293.839	563.4408602	16002.50048	30000	0	0	30000	43.5625	2004
08.01.2020 12:15:06	1	1	1	1	94.75	63.5	0	28293.839	559.1397849	15907.10189	30000	0	0	30000	44.5625	2004
08.01.2020 12:15:07	1	1	1	1	94.75	64.5	0	28578.199	563.4408602	16163.12886	30000	0	0	30000	44.625	2004
08.01.2020 12:15:08	1	1	1	1	95	64.5	0	28625.592	559.1397849	16005.76197	30000	0	0	30000	44.5625	2004
08.01.2020 12:15:09	1	1	1	1	95	64.5	0	26587.678	511.827957	13722.719	30000	0	0	30000	44.625	2004
08.01.2020 12:15:10	1	1	1	1	95	64.5	0	28436.019	561.2903226	15987.0084	30000	0	0	30000	44	2004
08.01.2020 12:15:11	1	1	1	1	95	64	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	44.25	2004
08.01.2020 12:15:12	1	1	1	1	95	64.25	0	28578.199	563.4408602	16101.97592	30000	0	0	30000	44.5625	2004
08.01.2020 12:15:13	1	1	1	1	95	64.5	0	28625.592	556.9892473	16111.76039	30000	0	0	30000	44.5	2004
08.01.2020 12:15:14	1	1	1	1	95	64.5	0	28625.592	561.2903226	16040.00761	30000	0	0	30000	44.5625	2004
08.01.2020 12:15:15	1	1	1	1	95	64.5	0	28815.166	559.1397849	16111.76039	30000	0	0	30000	44	2004
08.01.2020 12:15:16	1	1	1	1	95	64	0	28483.412	554.8387097	15978.85467	30000	0	0	30000	44.5	2004
08.01.2020 12:15:17	1	1	1	1	95	64.5	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	44.625	2004
08.01.2020 12:15:18	1	1	1	1	95.5	64.5	0	28815.166	552.688172	15925.85546	30000	0	0	30000	43.8125	2004
08.01.2020 12:15:19	1	1	1	1	95.5	63.75	0	28957.346	554.8387097	16128.88321	30000	0	0	30000	44.375	2004
08.01.2020 12:15:20	1	1	1	1	95.5	64.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	44.625	2004
08.01.2020 12:15:21	1	1	1	1	95.5	64.5	0	28199.052	481.7204301	13704.7808	30000	0	0	30000	44.25	2004
08.01.2020 12:15:22	1	1	1	1	95.5	64.25	0	28625.592	556.9892473	16005.76197	30000	0	0	30000	44.3125	2004
08.01.2020 12:15:23	1	1	1	1	95.5	64.25	0	28578.199	561.2903226	16013.91569	30000	0	0	30000	44.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 12:15:24	1	1	1	1	95.5	64.5	0	28625.592	563.4408602	16128.88321	30000	0	0	30000	44.5625	2004
08.01.2020 12:15:25	1	1	1	1	95.5	64.5	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	44.5625	2004
08.01.2020 12:15:26	1	1	1	1	95.5	64.5	0	27440.758	535.483871	14744.38072	30000	0	0	30000	44.625	2004
08.01.2020 12:15:27	1	1	1	1	95.5	64.5	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	44.6875	2004
08.01.2020 12:15:28	1	1	1	1	95.5	64.5	0	28578.199	561.2903226	15952.76275	30000	0	0	30000	44.5	2004
08.01.2020 12:15:29	1	1	1	1	95.5	64.5	0	28625.592	559.1397849	16066.9149	30000	0	0	30000	44.25	2004
08.01.2020 12:15:30	1	1	1	1	95.5	64.25	0	28625.592	556.9892473	16111.76039	30000	0	0	30000	43.75	2004
08.01.2020 12:15:31	1	1	1	1	95.5	63.75	0	28815.166	556.9892473	15863.88715	30000	0	0	30000	44.0625	2004
08.01.2020 12:15:32	1	1	1	1	95.5	64	0	28578.199	556.9892473	15917.70174	30000	0	0	30000	44.5	2004
08.01.2020 12:15:33	1	1	1	1	95.5	64.5	0	28625.592	556.9892473	16005.76197	30000	0	0	30000	44.3125	2004
08.01.2020 12:15:34	1	1	1	1	95.5	64.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	44.5	2004
08.01.2020 12:15:35	1	1	1	1	95.5	64.5	0	28625.592	563.4408602	15978.85467	30000	0	0	30000	44.625	2004
08.01.2020 12:15:37	1	1	1	1	95.5	64.5	0	28625.592	559.1397849	16173.7287	30000	0	0	30000	44.25	2004
08.01.2020 12:15:38	1	1	1	1	95.5	64.25	0	28483.412	556.9892473	15864.70252	30000	0	0	30000	45	2004
08.01.2020 12:15:39	1	1	1	1	95.25	65	0	24739.336	496.7741935	12312.93996	30000	0	0	30000	44.1875	2004
08.01.2020 12:15:40	1	1	1	1	95.25	64.75	0	28483.412	563.4408602	15987.0084	30000	0	0	30000	44.125	2004
08.01.2020 12:15:41	1	1	1	1	95.25	64	0	28436.019	563.4408602	16022.06942	30000	0	0	30000	44.375	2004
08.01.2020 12:15:42	1	1	1	1	95.25	64.25	0	28483.412	563.4408602	16075.06863	30000	0	0	30000	44.1875	2004
08.01.2020 12:15:43	1	1	1	1	95.25	64	0	28436.019	565.5913978	16109.31427	30000	0	0	30000	44.625	2004
08.01.2020 12:15:49	1	1	1	1	95.75	64	0	28341.232	563.4408602	15907.10189	30000	0	0	30000	44.25	2004
08.01.2020 12:15:49	1	1	1	1	95.75	64	0	28341.232	563.4408602	15907.10189	30000	0	0	30000	44.25	2004
08.01.2020 12:15:49	1	1	1	1	95.75	64	0	28341.232	563.4408602	15907.10189	30000	0	0	30000	44.25	2004
08.01.2020 12:15:49	1	1	1	1	95.75	64	0	28341.232	563.4408602	15907.10189	30000	0	0	30000	44.25	2004
08.01.2020 12:15:49	1	1	1	1	95.75	64	0	28341.232	563.4408602	15907.10189	30000	0	0	30000	44.25	2004
08.01.2020 12:15:49	1	1	1	1	95.75	64	0	28341.232	563.4408602	15907.10189	30000	0	0	30000	44.25	2004
08.01.2020 12:15:50	1	1	1	1	95.75	64.25	0	28436.019	565.5913978	16083.22235	30000	0	0	30000	44.375	2004
08.01.2020 12:15:51	1	1	1	1	95.75	64.25	0	28293.839	565.5913978	16002.50048	30000	0	0	30000	44.3125	2004
08.01.2020 12:15:52	1	1	1	1	95.75	64.25	0	27630.332	550.5376344	15270.29598	30000	0	0	30000	44.5	2004
08.01.2020 12:15:53	1	1	1	1	95.75	64.5	0	28483.412	533.3333333	15277.63433	30000	0	0	30000	44.625	2004
08.01.2020 12:15:54	1	1	1	1	95.75	64.5	0	28341.232	563.4408602	15968.25483	30000	0	0	30000	44.1875	2004
08.01.2020 12:15:55	1	1	1	1	95.75	64	0	28293.839	567.7419355	16123.99098	30000	0	0	30000	44.4375	2004
08.01.2020 12:15:56	1	1	1	1	95.75	64.25	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	43.8125	2004
08.01.2020 12:15:57	1	1	1	1	95.75	63.75	0	28436.019	563.4408602	15960.91648	30000	0	0	30000	44.3125	2004
08.01.2020 12:15:58	1	1	1	1	96	64.25	0	25924.171	518.2795699	13435.70788	30000	0	0	30000	44.375	2004
08.01.2020 12:15:59	1	1	1	1	96	64.25	0	28625.592	559.1397849	15943.79366	30000	0	0	30000	44.6875	2004
08.01.2020 12:16:00	1	1	1	1	96	64.5	0	28815.166	559.1397849	15943.79366	30000	0	0	30000	44.3125	2004
08.01.2020 12:16:01	1	1	1	1	96	64.25	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	44	2004
08.01.2020 12:16:02	1	1	1	1	96	64	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	44.625	2004
08.01.2020 12:16:03	1	1	1	1	96	64.5	0	28815.166	559.1397849	16049.79208	30000	0	0	30000	44.5625	2004
08.01.2020 12:16:04	1	1	1	1	96	64.5	0	28957.346	524.7311828	15132.49803	30000	0	0	30000	44.5625	2004
08.01.2020 12:16:05	1	1	1	1	96	64.5	0	28625.592	559.1397849	15943.79366	30000	0	0	30000	44.1875	2004
08.01.2020 12:16:06	1	1	1	1	96	64	0	29241.706	550.5376344	15858.17955	30000	0	0	30000	44.4375	2004
08.01.2020 12:16:07	1	1	1	1	96	64.25	0	28625.592	559.1397849	16173.7287	30000	0	0	30000	44.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 12:16:08	1	1	1	1	95.75	64.5	0	28578.199	561.2903226	16190.03615	30000	0	0	30000	43.75	2004
08.01.2020 12:16:09	1	1	1	1	95.75	63.75	0	28815.166	559.1397849	15882.64072	30000	0	0	30000	44.625	2004
08.01.2020 12:16:10	1	1	1	1	95.75	64.5	0	25924.171	516.1290323	13380.26255	30000	0	0	30000	44.625	2004
08.01.2020 12:16:11	1	1	1	1	95.75	64.5	0	28625.592	559.1397849	15917.70174	30000	0	0	30000	44.6875	2004
08.01.2020 12:16:12	1	1	1	1	95.75	64.5	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	44.625	2004
08.01.2020 12:16:13	1	1	1	1	95.75	64.5	0	28815.166	550.5376344	15863.88715	30000	0	0	30000	44.625	2004
08.01.2020 12:16:14	1	1	1	1	95.75	64.5	0	28815.166	552.688172	15925.85546	30000	0	0	30000	44.625	2004
08.01.2020 12:16:16	1	1	1	1	95.75	64.5	0	29241.706	552.688172	16161.49811	30000	0	0	30000	44.4375	2004
08.01.2020 12:16:17	1	1	1	1	95.75	64.25	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	44.875	2004
08.01.2020 12:16:18	1	1	1	1	96.75	64.5	0	29099.526	552.688172	16056.31506	30000	0	0	30000	44.6875	2004
08.01.2020 12:16:19	1	1	1	1	96.75	64.5	0	29099.526	550.5376344	16020.43867	30000	0	0	30000	44.4375	2004
08.01.2020 12:16:20	1	1	1	1	96.75	64.25	0	29099.526	550.5376344	16082.40698	30000	0	0	30000	44.1875	2004
08.01.2020 12:16:21	1	1	1	1	96.75	64	0	28862.559	550.5376344	15951.94738	30000	0	0	30000	44.5	2004
08.01.2020 12:16:22	1	1	1	1	96.75	64.5	0	28957.346	554.8387097	16128.88321	30000	0	0	30000	44.5	2004
08.01.2020 12:16:23	1	1	1	1	96.75	64.5	0	28862.559	554.8387097	16075.884	30000	0	0	30000	44.5	2004
08.01.2020 12:16:24	1	1	1	1	96.75	64.5	0	28625.592	554.8387097	15794.58049	30000	0	0	30000	44.4375	2004
08.01.2020 12:16:25	1	1	1	1	96.75	64.25	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	44.5625	2004
08.01.2020 12:16:26	1	1	1	1	96.75	64.5	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	44.1875	2004
08.01.2020 12:16:27	1	1	1	1	96.75	64	0	26113.744	507.5268817	13309.32514	30000	0	0	30000	44.375	2004
08.01.2020 12:16:28	1	1	1	1	96.75	64.25	0	28625.592	559.1397849	15943.79366	30000	0	0	30000	43.375	2004
08.01.2020 12:16:29	1	1	1	1	96.75	63.25	0	28815.166	559.1397849	16049.79208	30000	0	0	30000	44.6875	2004
08.01.2020 12:16:30	1	1	1	1	96.75	64.5	0	28578.199	561.2903226	16101.97592	30000	0	0	30000	44.375	2004
08.01.2020 12:16:31	1	1	1	1	96.75	64.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	44.5	2004
08.01.2020 12:16:32	1	1	1	1	96.75	64.5	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	44.0625	2004
08.01.2020 12:16:33	1	1	1	1	96.75	64	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	44.4375	2004
08.01.2020 12:16:34	1	1	1	1	96.75	64.25	0	28625.592	559.1397849	16173.7287	30000	0	0	30000	44.3125	2004
08.01.2020 12:16:35	1	1	1	1	96.75	64.25	0	28436.019	561.2903226	15811.70331	30000	0	0	30000	44.3125	2004
08.01.2020 12:16:36	1	1	1	1	96.75	64.25	0	28815.166	561.2903226	16173.7287	30000	0	0	30000	44.625	2004
08.01.2020 12:16:37	1	1	1	1	96.75	64.5	0	28578.199	563.4408602	16101.97592	30000	0	0	30000	44.5	2004
08.01.2020 12:16:38	1	1	1	1	96.25	64.5	0	28578.199	561.2903226	16013.91569	30000	0	0	30000	44.375	2004
08.01.2020 12:16:39	1	1	1	1	96.25	64.25	0	28530.806	561.2903226	16013.91569	30000	0	0	30000	44	2004
08.01.2020 12:16:40	1	1	1	1	96.25	64	0	28483.412	563.4408602	15987.0084	30000	0	0	30000	44.625	2004
08.01.2020 12:16:41	1	1	1	1	96.25	64.5	0	28388.626	563.4408602	16056.31506	30000	0	0	30000	43.9375	2004
08.01.2020 12:16:42	1	1	1	1	96.25	63.75	0	26255.924	524.7311828	13915.1469	30000	0	0	30000	44.625	2004
08.01.2020 12:16:43	1	1	1	1	96.25	64.5	0	28341.232	507.5268817	14407.63189	30000	0	0	30000	44.5625	2004
08.01.2020 12:16:44	1	1	1	1	96.25	64.5	0	28293.839	563.4408602	16002.50048	30000	0	0	30000	44.625	2004
08.01.2020 12:16:51	1	1	1	1	96.25	64.5	0	28341.232	567.7419355	16029.40777	30000	0	0	30000	43.625	2004
08.01.2020 12:16:51	1	1	1	1	96.25	64.5	0	28341.232	567.7419355	16029.40777	30000	0	0	30000	43.625	2004
08.01.2020 12:16:51	1	1	1	1	96.25	64.5	0	28341.232	567.7419355	16029.40777	30000	0	0	30000	43.625	2004
08.01.2020 12:16:51	1	1	1	1	96.25	64.5	0	28341.232	567.7419355	16029.40777	30000	0	0	30000	43.625	2004
08.01.2020 12:16:51	1	1	1	1	96.25	64.5	0	28341.232	567.7419355	16029.40777	30000	0	0	30000	43.625	2004
08.01.2020 12:16:51	1	1	1	1	96.25	64.5	0	28341.232	567.7419355	16029.40777	30000	0	0	30000	43.625	2004
08.01.2020 12:16:51	1	1	1	1	96.25	63.5	0	28293.839	567.7419355	16063.65341	30000	0	0	30000	44.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 12:16:52	1	1	1	1	96.25	64.5	0	28009.479	567.7419355	16070.17639	30000	0	0	30000	44.625	2004
08.01.2020 12:16:53	1	1	1	1	96.25	64.5	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	44.0625	2004
08.01.2020 12:16:54	1	1	1	1	96.25	64	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	44.625	2004
08.01.2020 12:16:56	1	1	1	1	96.25	64.5	0	28199.052	565.5913978	16009.83883	30000	0	0	30000	44.8125	2004
08.01.2020 12:16:57	1	1	1	1	96.25	64.75	0	28388.626	569.8924731	16177.80556	30000	0	0	30000	44.3125	2004
08.01.2020 12:16:58	1	1	1	1	96.25	64.25	0	28009.479	569.8924731	15902.20966	30000	0	0	30000	43.9375	2004
08.01.2020 12:16:59	1	1	1	1	96.5	63.75	0	28009.479	563.4408602	15948.68589	30000	0	0	30000	44.875	2004
08.01.2020 12:17:00	1	1	1	1	96.5	64.25	0	28199.052	572.0430108	15948.68589	30000	0	0	30000	44.375	2004
08.01.2020 12:17:01	1	1	1	1	96.5	64.25	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	44.625	2004
08.01.2020 12:17:02	1	1	1	1	96.5	64.5	0	28341.232	563.4408602	16056.31506	30000	0	0	30000	44.625	2004
08.01.2020 12:17:03	1	1	1	1	96.5	64.5	0	28341.232	565.5913978	16029.40777	30000	0	0	30000	44.625	2004
08.01.2020 12:17:04	1	1	1	1	96.5	64.5	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	44.375	2004
08.01.2020 12:17:05	1	1	1	1	96.5	64.25	0	28625.592	559.1397849	16173.7287	30000	0	0	30000	44.5	2004
08.01.2020 12:17:06	1	1	1	1	96.5	64.5	0	28815.166	559.1397849	15943.79366	30000	0	0	30000	44.4375	2004
08.01.2020 12:17:07	1	1	1	1	96.5	64.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	44.5	2004
08.01.2020 12:17:08	1	1	1	1	96.5	64.5	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	44.625	2004
08.01.2020 12:17:09	1	1	1	1	96.5	64.5	0	28909.953	559.1397849	16075.884	30000	0	0	30000	44.5625	2004
08.01.2020 12:17:10	1	1	1	1	96.5	64.5	0	28293.839	565.5913978	15948.68589	30000	0	0	30000	44.375	2004
08.01.2020 12:17:11	1	1	1	1	96.5	64.25	0	28293.839	565.5913978	16002.50048	30000	0	0	30000	44.625	2004
08.01.2020 12:17:12	1	1	1	1	96.5	64.5	0	28388.626	565.5913978	16056.31506	30000	0	0	30000	44.625	2004
08.01.2020 12:17:13	1	1	1	1	96.5	64.5	0	28199.052	572.0430108	16130.51396	30000	0	0	30000	44.5625	2004
08.01.2020 12:17:14	1	1	1	1	96.5	64.5	0	28625.592	550.5376344	15759.51947	30000	0	0	30000	44	2004
08.01.2020 12:17:15	1	1	1	1	96.5	64	0	28341.232	565.5913978	16056.31506	30000	0	0	30000	44.625	2004
08.01.2020 12:17:16	1	1	1	1	96.5	64.5	0	28388.626	563.4408602	15995.16212	30000	0	0	30000	44.5625	2004
08.01.2020 12:17:17	1	1	1	1	96.5	64.5	0	26066.351	518.2795699	13484.63023	30000	0	0	30000	44.625	2004
08.01.2020 12:17:18	1	1	1	1	96	64.5	0	28341.232	563.4408602	15941.34754	30000	0	0	30000	43.25	2004
08.01.2020 12:17:19	1	1	1	1	96	63.25	0	28436.019	565.5913978	15995.16212	30000	0	0	30000	44.625	2004
08.01.2020 12:17:20	1	1	1	1	96	64.5	0	26398.104	481.7204301	12716.54934	30000	0	0	30000	44.625	2004
08.01.2020 12:17:21	1	1	1	1	96	64.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	44.375	2004
08.01.2020 12:17:22	1	1	1	1	96	64.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	44.25	2004
08.01.2020 12:17:23	1	1	1	1	96	64.25	0	25876.777	524.7311828	13658.30457	30000	0	0	30000	44	2004
08.01.2020 12:17:24	1	1	1	1	96	64	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	44.625	2004
08.01.2020 12:17:25	1	1	1	1	96	64.5	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	44.625	2004
08.01.2020 12:17:26	1	1	1	1	96	64.5	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	44.75	2004
08.01.2020 12:17:27	1	1	1	1	96	64.75	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	44.375	2004
08.01.2020 12:17:28	1	1	1	1	96.5	64.25	0	28009.479	572.0430108	16203.08211	30000	0	0	30000	44.75	2004
08.01.2020 12:17:29	1	1	1	1	96.5	64.75	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	44.6875	2004
08.01.2020 12:17:30	1	1	1	1	96.5	64.5	0	27962.085	569.8924731	15961.73185	30000	0	0	30000	44.625	2004
08.01.2020 12:17:31	1	1	1	1	96.5	64.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	44.5625	2004
08.01.2020 12:17:32	1	1	1	1	96.5	64.5	0	27914.692	567.7419355	16022.06942	30000	0	0	30000	44	2004
08.01.2020 12:17:33	1	1	1	1	96.5	64	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	44.5625	2004
08.01.2020 12:17:34	1	1	1	1	96.5	64.5	0	28009.479	576.344086	15961.73185	30000	0	0	30000	44	2004
08.01.2020 12:17:36	1	1	1	1	96.5	64	0	27962.085	565.5913978	15902.20966	30000	0	0	30000	44.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 12:17:37	1	1	1	1	96.5	64.75	0	27867.299	569.8924731	15881.00997	30000	0	0	30000	44.625	2004
08.01.2020 12:17:38	1	1	1	1	96.5	64.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	44.6875	2004
08.01.2020 12:17:39	1	1	1	1	97.25	65	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	44.3125	2004
08.01.2020 12:17:40	1	1	1	1	97.25	64.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	44.3125	2004
08.01.2020 12:17:41	1	1	1	1	97.25	64.25	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	44.625	2004
08.01.2020 12:17:42	1	1	1	1	97.25	64.5	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	44.4375	2004
08.01.2020 12:17:43	1	1	1	1	97.25	64.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	44.0625	2004
08.01.2020 12:17:44	1	1	1	1	97.25	64	0	27962.085	572.0430108	15995.16212	30000	0	0	30000	44.25	2004
08.01.2020 12:17:45	1	1	1	1	97.25	64.25	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	44.375	2004
08.01.2020 12:17:46	1	1	1	1	97.25	64.25	0	28009.479	572.0430108	16191.66689	30000	0	0	30000	44.625	2004
08.01.2020 12:17:53	1	1	1	1	97.5	64.5	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	44.5625	2004
08.01.2020 12:17:53	1	1	1	1	97.5	64.5	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	44.5625	2004
08.01.2020 12:17:53	1	1	1	1	97.5	64.5	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	44.5625	2004
08.01.2020 12:17:53	1	1	1	1	97.5	64.5	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	44.5625	2004
08.01.2020 12:17:53	1	1	1	1	97.5	64.5	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	44.5625	2004
08.01.2020 12:17:53	1	1	1	1	97.5	64.5	0	28009.479	569.8924731	15934.82456	30000	0	0	30000	43.875	2004
08.01.2020 12:17:54	1	1	1	1	97.5	63.75	0	28009.479	574.1935484	16055.49969	30000	0	0	30000	44.4375	2004
08.01.2020 12:17:55	1	1	1	1	97.5	64.25	0	27962.085	569.8924731	15934.82456	30000	0	0	30000	44.25	2004
08.01.2020 12:17:56	1	1	1	1	97.5	64.25	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	44.0625	2004
08.01.2020 12:17:57	1	1	1	1	97.5	64	0	28199.052	574.1935484	16082.40698	30000	0	0	30000	44.0625	2004
08.01.2020 12:17:58	1	1	1	1	98.25	64	0	28009.479	567.7419355	16130.51396	30000	0	0	30000	44.3125	2004
08.01.2020 12:17:59	1	1	1	1	98.25	64.25	0	28009.479	569.8924731	15934.82456	30000	0	0	30000	44.5625	2004
08.01.2020 12:18:00	1	1	1	1	98.25	64.5	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	44.5625	2004
08.01.2020 12:18:01	1	1	1	1	98.25	64.5	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	44.5625	2004
08.01.2020 12:18:02	1	1	1	1	98.25	64.5	0	28625.592	563.4408602	16040.00761	30000	0	0	30000	44.625	2004
08.01.2020 12:18:03	1	1	1	1	98.25	64.5	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	44.3125	2004
08.01.2020 12:18:04	1	1	1	1	98.25	64.25	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	44.625	2004
08.01.2020 12:18:05	1	1	1	1	98.25	64.5	0	27867.299	567.7419355	15881.00997	30000	0	0	30000	44.75	2004
08.01.2020 12:18:06	1	1	1	1	98.25	64.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	44.875	2004
08.01.2020 12:18:07	1	1	1	1	98.25	64.75	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	44.5	2004
08.01.2020 12:18:08	1	1	1	1	98.5	64.5	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	44.625	2004
08.01.2020 12:18:09	1	1	1	1	98.5	64.5	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	44.75	2004
08.01.2020 12:18:10	1	1	1	1	98.5	64.75	0	28199.052	565.5913978	16123.99098	30000	0	0	30000	44.625	2004
08.01.2020 12:18:11	1	1	1	1	98.5	64.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	44.25	2004
08.01.2020 12:18:12	1	1	1	1	98.5	64.25	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	43.625	2004
08.01.2020 12:18:13	1	1	1	1	98.5	63.5	0	27630.332	567.7419355	15686.95132	30000	0	0	30000	44.1875	2004
08.01.2020 12:18:15	1	1	1	1	98.5	64	0	28199.052	576.344086	16252.00446	30000	0	0	30000	44.625	2004
08.01.2020 12:18:16	1	1	1	1	98.5	64.5	0	28483.412	567.7419355	16171.28258	30000	0	0	30000	45.0625	2004
08.01.2020 12:18:17	1	1	1	1	98.5	65	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	44.625	2004
08.01.2020 12:18:18	1	1	1	1	98.5	64.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	44.625	2004
08.01.2020 12:18:19	1	1	1	1	98.5	64.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	44.625	2004
08.01.2020 12:18:20	1	1	1	1	98.5	64.5	0	28293.839	563.4408602	15941.34754	30000	0	0	30000	44.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 12:18:21	1	1	1	1	98.5	64.5	0	28388.626	563.4408602	15934.00919	30000	0	0	30000	44.5625	2004
08.01.2020 12:18:22	1	1	1	1	98.5	64.5	0	28957.346	559.1397849	16190.85152	30000	0	0	30000	43.4375	2004
08.01.2020 12:18:23	1	1	1	1	98.5	63.25	0	28530.806	559.1397849	15978.85467	30000	0	0	30000	44.25	2004
08.01.2020 12:18:24	1	1	1	1	98.5	64.25	0	28862.559	556.9892473	16137.85231	30000	0	0	30000	44.625	2004
08.01.2020 12:18:25	1	1	1	1	98.5	64.5	0	28625.592	561.2903226	16005.76197	30000	0	0	30000	44.25	2004
08.01.2020 12:18:26	1	1	1	1	98.5	64.25	0	27914.692	518.2795699	14467.15408	30000	0	0	30000	44.3125	2004
08.01.2020 12:18:27	1	1	1	1	98.5	64.25	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	44.625	2004
08.01.2020 12:18:28	1	1	1	1	98.5	64.5	0	28625.592	552.688172	16049.79208	30000	0	0	30000	44.5625	2004
08.01.2020 12:18:29	1	1	1	1	98.5	64.5	0	25402.844	503.2258065	12783.40989	30000	0	0	30000	44.5	2004
08.01.2020 12:18:30	1	1	1	1	98.5	64.5	0	28862.559	556.9892473	16075.884	30000	0	0	30000	44.25	2004
08.01.2020 12:18:31	1	1	1	1	98.5	64.25	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	44.75	2004
08.01.2020 12:18:32	1	1	1	1	98.5	64.75	0	29052.133	554.8387097	16128.88321	30000	0	0	30000	44.625	2004
08.01.2020 12:18:33	1	1	1	1	98.5	64.5	0	29336.493	550.5376344	16087.29921	30000	0	0	30000	44.5625	2004
08.01.2020 12:18:34	1	1	1	1	98.5	64.5	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	44.4375	2004
08.01.2020 12:18:35	1	1	1	1	98.5	64.25	0	28625.592	554.8387097	15820.67241	30000	0	0	30000	44.0625	2004
08.01.2020 12:18:36	1	1	1	1	98.5	64	0	28625.592	559.1397849	16066.9149	30000	0	0	30000	44.5	2004
08.01.2020 12:18:37	1	1	1	1	98.5	64.5	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	44.1875	2004
08.01.2020 12:18:38	1	1	1	1	98.25	64	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	44.4375	2004
08.01.2020 12:18:39	1	1	1	1	98.25	64.25	0	28625.592	556.9892473	16049.79208	30000	0	0	30000	44	2004
08.01.2020 12:18:40	1	1	1	1	98.25	64	0	28625.592	556.9892473	16049.79208	30000	0	0	30000	44.75	2004
08.01.2020 12:18:41	1	1	1	1	98.25	64.75	0	27867.299	481.7204301	13424.29266	30000	0	0	30000	44.625	2004
08.01.2020 12:18:42	1	1	1	1	98.25	64.5	0	28578.199	561.2903226	15925.85546	30000	0	0	30000	44.4375	2004
08.01.2020 12:18:43	1	1	1	1	98.25	64.25	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	44.625	2004
08.01.2020 12:18:44	1	1	1	1	98.25	64.5	0	28862.559	554.8387097	16013.91569	30000	0	0	30000	44.375	2004
08.01.2020 12:18:45	1	1	1	1	98.25	64.25	0	28578.199	561.2903226	16101.97592	30000	0	0	30000	44.625	2004
08.01.2020 12:18:46	1	1	1	1	98.25	64.5	0	28530.806	559.1397849	15925.85546	30000	0	0	30000	44	2004
08.01.2020 12:18:47	1	1	1	1	98.25	64	0	28483.412	561.2903226	16040.00761	30000	0	0	30000	43.0625	2004
08.01.2020 12:18:54	1	1	1	1	97.25	64.5	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	44.5625	2004
08.01.2020 12:18:54	1	1	1	1	97.25	64.5	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	44.5625	2004
08.01.2020 12:18:54	1	1	1	1	97.25	64.5	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	44.5625	2004
08.01.2020 12:18:54	1	1	1	1	97.25	64.5	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	44.5625	2004
08.01.2020 12:18:54	1	1	1	1	97.25	64.5	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	44.5625	2004
08.01.2020 12:18:54	1	1	1	1	97.25	64.5	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	44.5625	2004
08.01.2020 12:18:55	1	1	1	1	97.25	64.5	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	44.75	2004
08.01.2020 12:18:56	1	1	1	1	97.25	64.75	0	28009.479	572.0430108	16130.51396	30000	0	0	30000	44.5625	2004
08.01.2020 12:18:57	1	1	1	1	97.25	64.5	0	27914.692	572.0430108	15907.91727	30000	0	0	30000	44.375	2004
08.01.2020 12:18:58	1	1	1	1	97.25	64.25	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	43.75	2004
08.01.2020 12:18:59	1	1	1	1	96.5	63.75	0	25592.417	529.0322581	13593.89014	30000	0	0	30000	44.375	2004
08.01.2020 12:19:00	1	1	1	1	96.5	64	0	27867.299	567.7419355	15854.10268	30000	0	0	30000	44.3125	2004
08.01.2020 12:19:01	1	1	1	1	96.5	64.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	44.0625	2004
08.01.2020 12:19:02	1	1	1	1	96.5	64	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	44.0625	2004
08.01.2020 12:19:03	1	1	1	1	96.5	64	0	28009.479	576.344086	15961.73185	30000	0	0	30000	44.5	2004
08.01.2020 12:19:04	1	1	1	1	96.5	64.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	44.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 12:19:05	1	1	1	1	96.5	64.25	0	28483.412	529.0322581	15129.23654	30000	0	0	30000	44.75	2004
08.01.2020 12:19:06	1	1	1	1	96.5	64.75	0	28341.232	567.7419355	16090.5607	30000	0	0	30000	44.4375	2004
08.01.2020 12:19:07	1	1	1	1	96.5	64.25	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	44.25	2004
08.01.2020 12:19:08	1	1	1	1	95.25	64.25	0	27867.299	569.8924731	15881.00997	30000	0	0	30000	44.375	2004
08.01.2020 12:19:09	1	1	1	1	95.25	64.25	0	27914.692	569.8924731	15848.39508	30000	0	0	30000	44.625	2004
08.01.2020 12:19:10	1	1	1	1	95.25	64.5	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	44.5625	2004
08.01.2020 12:19:11	1	1	1	1	95.25	64.5	0	27867.299	569.8924731	15854.10268	30000	0	0	30000	44.5625	2004
08.01.2020 12:19:12	1	1	1	1	95.25	64.5	0	0	0	0	30000	0	8	30000	45	2004
08.01.2020 12:19:13	1	1	1	1	95.25	65	0	9668.2464	0	0	30000	0	0	30000	44.625	2004
08.01.2020 12:19:14	1	1	1	1	95.25	64.5	0	10758.294	0	0	30000	0	0	30000	44.6875	2004
08.01.2020 12:19:15	1	1	1	1	95.25	64.5	0	11943.128	0	25.27654717	30000	0	0	30000	44.6875	2004
08.01.2020 12:19:16	1	1	1	1	95.25	64.5	0	12748.815	6.451612903	81.53724893	30000	0	0	30000	44.8125	2004
08.01.2020 12:19:17	1	1	1	1	95.25	64.75	0	12938.389	8.602150538	83.16799391	30000	0	0	30000	44.75	2004
08.01.2020 12:19:18	1	1	1	1	97.25	64.75	0	13601.896	15.05376344	204.6584948	30000	0	0	30000	44.625	2004
08.01.2020 12:19:19	1	1	1	1	97.25	64.5	0	14976.303	25.80645161	386.4865599	30000	0	0	30000	44.625	2004
08.01.2020 12:19:20	1	1	1	1	97.25	64.5	0	15829.384	32.25806452	546.2995679	30000	0	0	30000	44.6875	2004
08.01.2020 12:19:21	1	1	1	1	97.25	64.5	0	16492.891	40.86021505	673.4976762	30000	0	0	30000	44.625	2004
08.01.2020 12:19:22	1	1	1	1	97.25	64.5	0	17345.972	53.76344086	895.2789933	30000	0	0	30000	44.5625	2004
08.01.2020 12:19:23	1	1	1	1	97.25	64.5	0	18056.872	60.21505376	1047.753649	30000	0	0	30000	44.75	2004
08.01.2020 12:19:24	1	1	1	1	97.25	64.75	0	16350.711	60.21505376	984.1545946	30000	0	0	30000	44.6875	2004
08.01.2020 12:19:25	1	1	1	1	97.25	64.5	0	19668.246	83.87096774	1645.421683	30000	0	0	30000	44.75	2004
08.01.2020 12:19:26	1	1	1	1	97.25	64.75	0	20000	98.92473118	1934.878917	30000	0	0	30000	44.625	2004
08.01.2020 12:19:27	1	1	1	1	97.25	64.5	0	21137.441	113.9784946	2459.9788	30000	0	0	30000	44.625	2004
08.01.2020 12:19:28	1	1	1	1	96.75	64.5	0	21042.654	120.4301075	2534.177697	30000	0	0	30000	44.625	2004
08.01.2020 12:19:29	1	1	1	1	96.75	64.5	0	21563.981	126.8817204	2735.574702	30000	0	0	30000	44.625	2004
08.01.2020 12:19:30	1	1	1	1	96.75	64.5	0	22985.782	144.0860215	3311.227679	30000	0	0	30000	44.625	2004
08.01.2020 12:19:31	1	1	1	1	96.75	64.5	0	20616.114	137.6344086	2837.496263	30000	0	0	30000	44.5625	2004
08.01.2020 12:19:32	1	1	1	1	96.75	64.5	0	22417.062	150.5376344	3374.011361	30000	0	0	30000	44.8125	2004
08.01.2020 12:19:33	1	1	1	1	96.75	64.75	0	22748.815	137.6344086	3131.030359	30000	0	0	30000	44.6875	2004
08.01.2020 12:19:35	1	1	1	1	96.75	64.5	0	18483.412	137.6344086	2543.962167	30000	0	0	30000	44.75	2004
08.01.2020 12:19:36	1	1	1	1	96.75	64.75	0	20995.261	163.4408602	3431.087435	30000	0	0	30000	44.6875	2004
08.01.2020 12:19:37	1	1	1	1	96.75	64.5	0	23175.355	174.1935484	3936.618378	30000	0	0	30000	44.75	2004
08.01.2020 12:19:38	1	1	1	1	96.75	64.75	0	22511.848	169.8924731	3824.096975	30000	0	0	30000	44.5625	2004
08.01.2020 12:19:39	1	1	1	1	97.25	64.5	0	23270.142	169.8924731	3952.925828	30000	0	0	30000	44.6875	2004
08.01.2020 12:19:40	1	1	1	1	97.25	64.75	0	21943.128	156.9892473	3569.700758	30000	0	0	30000	44.75	2004
08.01.2020 12:19:41	1	1	1	1	97.25	64.75	0	22890.995	178.4946237	4076.862447	30000	0	0	30000	44.625	2004
08.01.2020 12:19:42	1	1	1	1	97.25	64.5	0	21563.981	169.8924731	3663.468595	30000	0	0	30000	44.625	2004
08.01.2020 12:19:43	1	1	1	1	97.25	64.5	0	23459.716	189.2473118	4439.703204	30000	0	0	30000	44.6875	2004
08.01.2020 12:19:44	1	1	1	1	97.25	64.5	0	23175.355	206.4516129	4784.605767	30000	0	0	30000	44.75	2004
08.01.2020 12:19:45	1	1	1	1	97.25	64.75	0	23270.142	221.5053763	5153.969505	30000	0	0	30000	44.75	2004
08.01.2020 12:19:46	1	1	1	1	97.25	64.75	0	23364.929	249.4623656	5727.991738	30000	0	0	30000	44.75	2004
08.01.2020 12:19:47	1	1	1	1	97.25	64.75	0	25071.09	236.5591398	5930.204115	30000	0	0	30000	44.375	2004
08.01.2020 12:19:48	1	1	1	1	98.75	64.25	0	24502.37	275.2688172	6796.945071	30000	0	0	30000	44.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 12:19:49	1	1	1	1	98.75	64.25	0	24928.91	277.4193548	6915.174082	30000	0	0	30000	44.625	2004
08.01.2020 12:19:55	1	1	1	1	98.75	64.5	0	21232.227	232.2580645	4977.033675	30000	0	0	30000	44.75	2004
08.01.2020 12:19:55	1	1	1	1	98.75	64.5	0	21232.227	232.2580645	4977.033675	30000	0	0	30000	44.75	2004
08.01.2020 12:19:55	1	1	1	1	98.75	64.5	0	21232.227	232.2580645	4977.033675	30000	0	0	30000	44.75	2004
08.01.2020 12:19:55	1	1	1	1	98.75	64.5	0	21232.227	232.2580645	4977.033675	30000	0	0	30000	44.75	2004
08.01.2020 12:19:55	1	1	1	1	98.75	64.5	0	21232.227	232.2580645	4977.033675	30000	0	0	30000	44.75	2004
08.01.2020 12:19:55	1	1	1	1	98.75	64.5	0	21232.227	232.2580645	4977.033675	30000	0	0	30000	44.75	2004
08.01.2020 12:19:56	1	1	1	1	98.75	64.75	0	25924.171	281.7204301	7441.90471	30000	0	0	30000	44.625	2004
08.01.2020 12:19:57	1	1	1	1	98.75	64.5	0	24881.517	281.7204301	7022.803251	30000	0	0	30000	44.625	2004
08.01.2020 12:19:58	1	1	1	1	96.25	64.5	0	24028.436	268.8172043	6355.828554	30000	0	0	30000	44.6875	2004
08.01.2020 12:19:59	1	1	1	1	96.25	64.5	0	24881.517	305.3763441	7558.502976	30000	0	0	30000	44.6875	2004
08.01.2020 12:20:00	1	1	1	1	96.25	64.5	0	25071.09	279.5698925	7008.941918	30000	0	0	30000	44.1875	2004
08.01.2020 12:20:01	1	1	1	1	96.25	64	0	24928.91	305.3763441	7612.31756	30000	0	0	30000	44.75	2004
08.01.2020 12:20:02	1	1	1	1	96.25	64.75	0	26824.645	316.1290323	8464.381812	30000	0	0	30000	44.625	2004
08.01.2020 12:20:03	1	1	1	1	96.25	64.5	0	25402.844	309.6774194	7936.020439	30000	0	0	30000	44.625	2004
08.01.2020 12:20:04	1	1	1	1	96.25	64.5	0	25402.844	316.1290323	8045.280352	30000	0	0	30000	44.6875	2004
08.01.2020 12:20:05	1	1	1	1	96.25	64.5	0	20473.934	253.7634409	5239.583616	30000	0	0	30000	44.6875	2004
08.01.2020 12:20:06	1	1	1	1	96.25	64.5	0	24786.73	326.8817204	7927.051341	30000	0	0	30000	44.75	2004
08.01.2020 12:20:07	1	1	1	1	96.25	64.75	0	27298.578	331.1827957	8982.143342	30000	0	0	30000	44.625	2004
08.01.2020 12:20:08	1	1	1	1	94.75	64.5	0	24691.943	313.9784946	7820.237545	30000	0	0	30000	44.5625	2004
08.01.2020 12:20:09	1	1	1	1	94.75	64.5	0	25308.057	339.7849462	8598.918272	30000	0	0	30000	44.6875	2004
08.01.2020 12:20:10	1	1	1	1	94.75	64.5	0	27298.578	359.1397849	9820.346262	30000	0	0	30000	44.5625	2004
08.01.2020 12:20:11	1	1	1	1	94.75	64.5	0	23175.355	298.9247312	6927.404669	30000	0	0	30000	44.5	2004
08.01.2020 12:20:12	1	1	1	1	94.75	64.5	0	26682.464	333.3333333	8836.191667	30000	0	0	30000	44.375	2004
08.01.2020 12:20:13	1	1	1	1	94.75	64.25	0	28009.479	354.8387097	9998.912837	30000	0	0	30000	44.5	2004
08.01.2020 12:20:15	1	1	1	1	94.75	64.5	0	26682.464	339.7849462	9066.126709	30000	0	0	30000	44.625	2004
08.01.2020 12:20:16	1	1	1	1	94.75	64.5	0	23175.355	305.3763441	7141.032262	30000	0	0	30000	44.8125	2004
08.01.2020 12:20:17	1	1	1	1	94.75	64.75	0	25545.024	352.688172	8954.420678	30000	0	0	30000	44.625	2004
08.01.2020 12:20:18	1	1	1	1	94.75	64.5	0	26540.284	346.2365591	9189.247955	30000	0	0	30000	44.625	2004
08.01.2020 12:20:19	1	1	1	1	96.75	64.5	0	26303.318	350.5376344	9220.232109	30000	0	0	30000	44.5625	2004
08.01.2020 12:20:20	1	1	1	1	96.75	64.5	0	26398.104	384.9462366	10161.17196	30000	0	0	30000	44.125	2004
08.01.2020 12:20:21	1	1	1	1	96.75	64.75	0	26398.104	404.3010753	10559.07374	30000	0	0	30000	44.625	2004
08.01.2020 12:20:22	1	1	1	1	96.75	64.5	0	25308.057	384.9462366	9760.008697	30000	0	0	30000	44.5	2004
08.01.2020 12:20:23	1	1	1	1	96.75	64.5	0	26635.071	397.8494624	10596.58087	30000	0	0	30000	44.3125	2004
08.01.2020 12:20:24	1	1	1	1	96.75	64.25	0	28199.052	404.3010753	11340.20058	30000	0	0	30000	44.4375	2004
08.01.2020 12:20:25	1	1	1	1	96.75	64.25	0	28341.232	419.3548387	11884.8694	30000	0	0	30000	44.3125	2004
08.01.2020 12:20:26	1	1	1	1	96.75	64.25	0	26398.104	412.9032258	10919.46838	30000	0	0	30000	44.3125	2004
08.01.2020 12:20:27	1	1	1	1	96.75	64.25	0	28341.232	481.7204301	13652.59696	30000	0	0	30000	44.625	2004
08.01.2020 12:20:28	1	1	1	1	94.25	64.5	0	26682.464	425.8064516	11418.47634	30000	0	0	30000	44.6875	2004
08.01.2020 12:20:29	1	1	1	1	94.25	64.5	0	26208.531	412.9032258	10782.4858	30000	0	0	30000	44.625	2004
08.01.2020 12:20:30	1	1	1	1	94.25	64.5	0	27393.365	427.9569892	11742.99459	30000	0	0	30000	44.625	2004
08.01.2020 12:20:31	1	1	1	1	94.25	64.5	0	26966.825	468.8172043	12642.35045	30000	0	0	30000	44.4375	2004
08.01.2020 12:20:32	1	1	1	1	94.25	64.25	0	27819.905	415.0537634	11666.34958	30000	0	0	30000	44.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 12:20:33	1	1	1	1	94.25	64.75	0	25734.597	425.8064516	11013.23621	30000	0	0	30000	44.5625	2004
08.01.2020 12:20:34	1	1	1	1	94.25	64.5	0	26066.351	445.1612903	11624.76558	30000	0	0	30000	44.3125	2004
08.01.2020 12:20:35	1	1	1	1	94.25	64.25	0	28625.592	481.7204301	13789.57954	30000	0	0	30000	44.375	2004
08.01.2020 12:20:36	1	1	1	1	94.25	64.25	0	27298.578	481.7204301	13150.32751	30000	0	0	30000	44.5	2004
08.01.2020 12:20:37	1	1	1	1	94.25	64.5	0	27440.758	481.7204301	13218.8188	30000	0	0	30000	44.5625	2004
08.01.2020 12:20:38	1	1	1	1	93.75	64.5	0	26966.825	453.7634409	12236.29495	30000	0	0	30000	44.25	2004
08.01.2020 12:20:39	1	1	1	1	93.75	64.25	0	27014.218	481.7204301	13013.34493	30000	0	0	30000	44.6875	2004
08.01.2020 12:20:40	1	1	1	1	93.75	64.5	0	26587.678	483.8709677	12864.94714	30000	0	0	30000	44.625	2004
08.01.2020 12:20:41	1	1	1	1	93.75	64.5	0	27298.578	503.2258065	13737.3957	30000	0	0	30000	43.9375	2004
08.01.2020 12:20:42	1	1	1	1	93.75	63.75	0	27630.332	434.4086022	12121.32743	30000	0	0	30000	44.5	2004
08.01.2020 12:20:43	1	1	1	1	93.75	64.5	0	27440.758	507.5268817	13867.8553	30000	0	0	30000	44.625	2004
08.01.2020 12:20:44	1	1	1	1	93.75	64.5	0	24170.616	440.8602151	10655.28769	30000	0	0	30000	44.5	2004
08.01.2020 12:20:45	1	1	1	1	93.75	64.5	0	25497.63	443.0107527	11328.78537	30000	0	0	30000	44.25	2004
08.01.2020 12:20:46	1	1	1	1	93.75	64.25	0	26919.431	516.1290323	13662.38143	30000	0	0	30000	43.75	2004
08.01.2020 12:20:47	1	1	1	1	93.75	63.75	0	27819.905	518.2795699	14418.23173	30000	0	0	30000	44.625	2004
08.01.2020 12:20:48	1	1	1	1	95.25	64.5	0	27867.299	509.6774194	14083.11364	30000	0	0	30000	44.625	2004
08.01.2020 12:20:49	1	1	1	1	95.25	64.5	0	27109.005	516.1290323	13991.79192	30000	0	0	30000	44.625	2004
08.01.2020 12:20:50	1	1	1	1	95.25	64.5	0	27914.692	518.2795699	14467.15408	30000	0	0	30000	44.5	2004
08.01.2020 12:20:57	1	1	1	1	95.25	64.5	0	28957.346	533.3333333	15319.21833	30000	0	0	30000	44.375	2004
08.01.2020 12:20:57	1	1	1	1	95.25	64.5	0	28957.346	533.3333333	15319.21833	30000	0	0	30000	44.375	2004
08.01.2020 12:20:57	1	1	1	1	95.25	64.5	0	28957.346	533.3333333	15319.21833	30000	0	0	30000	44.375	2004
08.01.2020 12:20:57	1	1	1	1	95.25	64.5	0	28957.346	533.3333333	15319.21833	30000	0	0	30000	44.375	2004
08.01.2020 12:20:57	1	1	1	1	95.25	64.5	0	28957.346	533.3333333	15319.21833	30000	0	0	30000	44.375	2004
08.01.2020 12:20:57	1	1	1	1	95.25	64.5	0	28957.346	533.3333333	15319.21833	30000	0	0	30000	44.375	2004
08.01.2020 12:20:58	1	1	1	1	95.25	64.25	0	28862.559	550.5376344	15951.94738	30000	0	0	30000	43.8125	2004
08.01.2020 12:20:59	1	1	1	1	96	63.75	0	28009.479	524.7311828	14576.41399	30000	0	0	30000	44.75	2004
08.01.2020 12:21:00	1	1	1	1	96	64.75	0	28199.052	526.8817204	14978.39263	30000	0	0	30000	44.25	2004
08.01.2020 12:21:01	1	1	1	1	96	64.25	0	28815.166	552.688172	15925.85546	30000	0	0	30000	44.5	2004
08.01.2020 12:21:02	1	1	1	1	96	64.5	0	28957.346	554.8387097	16066.09953	30000	0	0	30000	44.625	2004
08.01.2020 12:21:03	1	1	1	1	96	64.75	0	28009.479	496.7741935	13914.33153	30000	0	0	30000	44.3125	2004
08.01.2020 12:21:04	1	1	1	1	96	64.25	0	29336.493	546.2365591	16050.60745	30000	0	0	30000	44.5625	2004
08.01.2020 12:21:05	1	1	1	1	96	64.5	0	29336.493	544.0860215	15898.1328	30000	0	0	30000	44.5625	2004
08.01.2020 12:21:06	1	1	1	1	96	64.5	0	29383.886	541.9354839	15949.50126	30000	0	0	30000	44.625	2004
08.01.2020 12:21:07	1	1	1	1	96	64.5	0	29431.28	490.3225806	14366.86326	30000	0	0	30000	44.4375	2004
08.01.2020 12:21:08	1	1	1	1	95.25	64.25	0	25545.024	425.8064516	10877.06901	30000	0	0	30000	44.5	2004
08.01.2020 12:21:09	1	1	1	1	95.25	64.5	0	29478.673	453.7634409	13439.78474	30000	0	0	30000	44.1875	2004
08.01.2020 12:21:10	1	1	1	1	95.25	64	0	27867.299	438.7096774	12084.63566	30000	0	0	30000	44.375	2004
08.01.2020 12:21:11	1	1	1	1	95.25	64.25	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	44.25	2004
08.01.2020 12:21:12	1	1	1	1	95.25	64.25	0	27440.758	507.5268817	13926.56212	30000	0	0	30000	44.4375	2004
08.01.2020 12:21:13	1	1	1	1	95.25	64.25	0	28625.592	516.1290323	14712.5812	30000	0	0	30000	44.5	2004
08.01.2020 12:21:14	1	1	1	1	95.25	64.5	0	29810.427	524.7311828	15642.10584	30000	0	0	30000	44.5	2004
08.01.2020 12:21:15	1	1	1	1	95.25	64.5	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	44.625	2004
08.01.2020 12:21:16	1	1	1	1	95.25	64.5	0	29526.066	535.483871	16052.2382	30000	0	0	30000	44.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 12:21:17	1	1	1	1	95.25	64.25	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	44.625	2004
08.01.2020 12:21:18	1	1	1	1	94.5	64.5	0	29478.673	541.9354839	15911.99413	30000	0	0	30000	44.375	2004
08.01.2020 12:21:19	1	1	1	1	94.5	64.25	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	44.375	2004
08.01.2020 12:21:20	1	1	1	1	94.5	64.25	0	26824.645	488.172043	13071.23638	30000	0	0	30000	44.125	2004
08.01.2020 12:21:21	1	1	1	1	94.5	64	0	29241.706	541.9354839	15909.54801	30000	0	0	30000	44.625	2004
08.01.2020 12:21:22	1	1	1	1	94.5	64.5	0	29336.493	546.2365591	16150.89827	30000	0	0	30000	44.5	2004
08.01.2020 12:21:23	1	1	1	1	94.5	64.5	0	29336.493	541.9354839	15987.0084	30000	0	0	30000	43.9375	2004
08.01.2020 12:21:24	1	1	1	1	94.5	63.75	0	29715.64	488.172043	14506.29196	30000	0	0	30000	44.625	2004
08.01.2020 12:21:25	1	1	1	1	94.5	64.5	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	44.5625	2004
08.01.2020 12:21:26	1	1	1	1	94.5	64.5	0	26350.711	486.0215054	12829.88612	30000	0	0	30000	44.25	2004
08.01.2020 12:21:27	1	1	1	1	94.5	64.25	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	44.5625	2004
08.01.2020 12:21:28	1	1	1	1	93.5	64.5	0	29431.28	546.2365591	16075.884	30000	0	0	30000	44.3125	2004
08.01.2020 12:21:29	1	1	1	1	93.5	64.25	0	29383.886	544.0860215	15960.91648	30000	0	0	30000	44.5	2004
08.01.2020 12:21:30	1	1	1	1	93.5	64.5	0	27630.332	490.3225806	13487.89172	30000	0	0	30000	43.875	2004
08.01.2020 12:21:31	1	1	1	1	93.5	63.75	0	29052.133	546.2365591	15894.87131	30000	0	0	30000	44.4375	2004
08.01.2020 12:21:32	1	1	1	1	93.5	64.25	0	29146.919	550.5376344	15920.96323	30000	0	0	30000	44.0625	2004
08.01.2020 12:21:33	1	1	1	1	93.5	64	0	29052.133	546.2365591	15868.77939	30000	0	0	30000	44.5	2004
08.01.2020 12:21:34	1	1	1	1	93.5	64.5	0	28957.346	546.2365591	15817.41092	30000	0	0	30000	44.5625	2004
08.01.2020 12:21:35	1	1	1	1	93.5	64.5	0	29241.706	550.5376344	16161.49811	30000	0	0	30000	44.375	2004
08.01.2020 12:21:36	1	1	1	1	93.5	64.25	0	29052.133	548.3870968	15994.34675	30000	0	0	30000	44.375	2004
08.01.2020 12:21:37	1	1	1	1	93.5	64.25	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	44.625	2004
08.01.2020 12:21:39	1	1	1	1	93.25	64.5	0	29099.526	550.5376344	16046.53059	30000	0	0	30000	44.25	2004
08.01.2020 12:21:40	1	1	1	1	93.25	64.25	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	44.625	2004
08.01.2020 12:21:41	1	1	1	1	93.25	64.5	0	26208.531	507.5268817	13301.17142	30000	0	0	30000	44.625	2004
08.01.2020 12:21:42	1	1	1	1	93.25	64.5	0	29241.706	518.2795699	15242.57332	30000	0	0	30000	45	2004
08.01.2020 12:21:43	1	1	1	1	93.25	64.5	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	44.3125	2004
08.01.2020 12:21:44	1	1	1	1	93.25	64.25	0	28815.166	552.688172	15925.85546	30000	0	0	30000	44.5	2004
08.01.2020 12:21:45	1	1	1	1	93.25	64.5	0	28815.166	552.688172	15925.85546	30000	0	0	30000	44.5	2004
08.01.2020 12:21:46	1	1	1	1	93.25	64.5	0	28625.592	556.9892473	15943.79366	30000	0	0	30000	44.625	2004
08.01.2020 12:21:47	1	1	1	1	93.25	64.5	0	28578.199	546.2365591	15794.58049	30000	0	0	30000	44.625	2004
08.01.2020 12:21:48	1	1	1	1	93.75	64.5	0	28578.199	559.1397849	15978.85467	30000	0	0	30000	44.0625	2004
08.01.2020 12:21:49	1	1	1	1	93.75	64	0	28625.592	559.1397849	16066.9149	30000	0	0	30000	44.25	2004
08.01.2020 12:21:50	1	1	1	1	93.75	64.25	0	28625.592	563.4408602	16066.9149	30000	0	0	30000	44.625	2004
08.01.2020 12:21:51	1	1	1	1	93.75	64.5	0	29052.133	524.7311828	15306.98774	30000	0	0	30000	44.625	2004
08.01.2020 12:21:52	1	1	1	1	93.75	64.5	0	28815.166	559.1397849	16173.7287	30000	0	0	30000	44.375	2004
08.01.2020 12:21:58	1	1	1	1	93.5	64.5	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	44.625	2004
08.01.2020 12:21:58	1	1	1	1	93.5	64.5	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	44.625	2004
08.01.2020 12:21:58	1	1	1	1	93.5	64.5	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	44.625	2004
08.01.2020 12:21:58	1	1	1	1	93.5	64.5	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	44.625	2004
08.01.2020 12:21:58	1	1	1	1	93.5	64.5	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	44.625	2004
08.01.2020 12:21:58	1	1	1	1	93.5	64.5	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	44.625	2004
08.01.2020 12:21:59	1	1	1	1	93.5	64.5	0	28815.166	550.5376344	16075.884	30000	0	0	30000	43.875	2004
08.01.2020 12:22:00	1	1	1	1	93.5	63.75	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	44.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 12:22:01	1	1	1	1	93.5	64	0	29146.919	546.2365591	15732.61218	30000	0	0	30000	44.4375	2004
08.01.2020 12:22:02	1	1	1	1	93.5	64.25	0	29573.46	541.9354839	15937.27068	30000	0	0	30000	44.5625	2004
08.01.2020 12:22:03	1	1	1	1	93.5	64.5	0	28957.346	550.5376344	15754.62724	30000	0	0	30000	44	2004
08.01.2020 12:22:04	1	1	1	1	93.5	64	0	28815.166	501.0752688	14500.58435	30000	0	0	30000	44.1875	2004
08.01.2020 12:22:05	1	1	1	1	93.5	64	0	29241.706	539.7849462	16124.80635	30000	0	0	30000	44.375	2004
08.01.2020 12:22:06	1	1	1	1	93.5	64.25	0	29241.706	548.3870968	15920.96323	30000	0	0	30000	44.625	2004
08.01.2020 12:22:07	1	1	1	1	93.5	64.5	0	29620.853	537.6344086	15925.04009	30000	0	0	30000	44.625	2004
08.01.2020 12:22:08	1	1	1	1	93.75	64.5	0	29052.133	552.688172	16145.19066	30000	0	0	30000	44.625	2004
08.01.2020 12:22:09	1	1	1	1	93.75	64.5	0	28957.346	552.688172	16004.13122	30000	0	0	30000	44.3125	2004
08.01.2020 12:22:10	1	1	1	1	93.75	64.25	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	44.1875	2004
08.01.2020 12:22:11	1	1	1	1	93.75	64	0	29526.066	537.6344086	15722.01234	30000	0	0	30000	44	2004
08.01.2020 12:22:12	1	1	1	1	93.75	64	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	43.8125	2004
08.01.2020 12:22:13	1	1	1	1	93.75	63.75	0	29241.706	554.8387097	16098.71443	30000	0	0	30000	44.25	2004
08.01.2020 12:22:14	1	1	1	1	93.75	64.25	0	27962.085	481.7204301	13447.12309	30000	0	0	30000	44.4375	2004
08.01.2020 12:22:15	1	1	1	1	93.75	64.25	0	29146.919	554.8387097	16108.4989	30000	0	0	30000	44.1875	2004
08.01.2020 12:22:16	1	1	1	1	93.75	64	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	44.4375	2004
08.01.2020 12:22:18	1	1	1	1	93.75	64.25	0	28815.166	550.5376344	15863.88715	30000	0	0	30000	44.3125	2004
08.01.2020 12:22:19	1	1	1	1	93.75	64.25	0	28957.346	554.8387097	16040.00761	30000	0	0	30000	44.3125	2004
08.01.2020 12:22:20	1	1	1	1	93.75	64.25	0	28957.346	552.688172	16004.13122	30000	0	0	30000	44.5625	2004
08.01.2020 12:22:21	1	1	1	1	93.75	64.5	0	28815.166	552.688172	15863.88715	30000	0	0	30000	44.625	2004
08.01.2020 12:22:22	1	1	1	1	93.75	64.5	0	28957.346	556.9892473	16190.85152	30000	0	0	30000	44.3125	2004
08.01.2020 12:22:23	1	1	1	1	93.75	63.75	0	28862.559	552.688172	15951.94738	30000	0	0	30000	44.1875	2004
08.01.2020 12:22:24	1	1	1	1	93.75	64	0	28957.346	554.8387097	16004.13122	30000	0	0	30000	44.25	2004
08.01.2020 12:22:25	1	1	1	1	93.75	64.25	0	29052.133	552.688172	16056.31506	30000	0	0	30000	43.9375	2004
08.01.2020 12:22:26	1	1	1	1	93.75	63.75	0	28909.953	552.688172	16004.13122	30000	0	0	30000	44.5625	2004
08.01.2020 12:22:27	1	1	1	1	93.75	64.5	0	28815.166	552.688172	15925.85546	30000	0	0	30000	44.25	2004
08.01.2020 12:22:28	1	1	1	1	93.25	64.25	0	28815.166	552.688172	15925.85546	30000	0	0	30000	44.25	2004
08.01.2020 12:22:31	1	1	1	1	93.25	63.5	0	29052.133	550.5376344	16082.40698	30000	0	0	30000	44.6875	2004
08.01.2020 12:22:31	1	1	1	1	93.25	63.5	0	29052.133	550.5376344	16082.40698	30000	0	0	30000	44.6875	2004
08.01.2020 12:22:31	1	1	1	1	93.25	63.5	0	29052.133	550.5376344	16082.40698	30000	0	0	30000	44.6875	2004
08.01.2020 12:22:32	1	1	1	1	93.25	64.5	0	28957.346	554.8387097	16128.88321	30000	0	0	30000	44.3125	2004
08.01.2020 12:22:33	1	1	1	1	93.25	64.25	0	29004.739	554.8387097	16066.09953	30000	0	0	30000	44.625	2004
08.01.2020 12:22:34	1	1	1	1	93.25	64.5	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	44.5625	2004
08.01.2020 12:22:35	1	1	1	1	93.25	64.5	0	28957.346	554.8387097	16066.09953	30000	0	0	30000	44.625	2004
08.01.2020 12:22:36	1	1	1	1	93.25	64.5	0	28957.346	552.688172	16040.00761	30000	0	0	30000	44.125	2004
08.01.2020 12:22:37	1	1	1	1	93.25	64	0	29146.919	552.688172	15983.74691	30000	0	0	30000	44.0625	2004
08.01.2020 12:22:38	1	1	1	1	92.5	64	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	44.625	2004
08.01.2020 12:22:39	1	1	1	1	92.5	64.5	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	44.5	2004
08.01.2020 12:22:40	1	1	1	1	92.5	64.5	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	44.625	2004
08.01.2020 12:22:41	1	1	1	1	92.5	64.5	0	28578.199	556.9892473	15917.70174	30000	0	0	30000	44.5625	2004
08.01.2020 12:22:42	1	1	1	1	92.5	64.5	0	28625.592	554.8387097	15943.79366	30000	0	0	30000	44	2004
08.01.2020 12:22:43	1	1	1	1	92.5	64	0	28341.232	496.7741935	14079.03677	30000	0	0	30000	43.9375	2004
08.01.2020 12:22:44	1	1	1	1	92.5	63.75	0	28483.412	559.1397849	15987.0084	30000	0	0	30000	43.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 12:22:45	1	1	1	1	92.5	63.75	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	44.625	2004
08.01.2020 12:22:46	1	1	1	1	92.5	64.5	0	28388.626	563.4408602	16056.31506	30000	0	0	30000	44.6875	2004
08.01.2020 12:22:47	1	1	1	1	92.5	64.5	0	28293.839	563.4408602	15968.25483	30000	0	0	30000	44	2004
08.01.2020 12:22:48	1	1	1	1	91.75	64	0	28293.839	565.5913978	16029.40777	30000	0	0	30000	44.5625	2004
08.01.2020 12:22:49	1	1	1	1	91.75	64.5	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	44.625	2004
08.01.2020 12:22:50	1	1	1	1	91.75	64.5	0	28341.232	567.7419355	16123.99098	30000	0	0	30000	44.25	2004
08.01.2020 12:22:51	1	1	1	1	91.75	64.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	44.625	2004
08.01.2020 12:22:52	1	1	1	1	91.75	64.5	0	26966.825	546.2365591	14787.59547	30000	0	0	30000	44.0625	2004
08.01.2020 12:22:53	1	1	1	1	91.75	64	0	27867.299	572.0430108	15881.00997	30000	0	0	30000	44.4375	2004
08.01.2020 12:23:00	1	1	1	1	92.5	64	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	44.5625	2004
08.01.2020 12:23:00	1	1	1	1	92.5	64	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	44.5625	2004
08.01.2020 12:23:00	1	1	1	1	92.5	64	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	44.5625	2004
08.01.2020 12:23:00	1	1	1	1	92.5	64	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	44.5625	2004
08.01.2020 12:23:00	1	1	1	1	92.5	64	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	44.5625	2004
08.01.2020 12:23:01	1	1	1	1	92.5	64.5	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	44.875	2004
08.01.2020 12:23:02	1	1	1	1	92.5	64.5	0	28815.166	516.1290323	14872.39421	30000	0	0	30000	44.625	2004
08.01.2020 12:23:03	1	1	1	1	92.5	64.5	0	28578.199	516.1290323	14811.24127	30000	0	0	30000	44.25	2004
08.01.2020 12:23:04	1	1	1	1	92.5	64.25	0	28625.592	559.1397849	16005.76197	30000	0	0	30000	44.5625	2004
08.01.2020 12:23:05	1	1	1	1	92.5	64.5	0	28815.166	559.1397849	16111.76039	30000	0	0	30000	44.1875	2004
08.01.2020 12:23:06	1	1	1	1	92.5	64	0	28625.592	559.1397849	15943.79366	30000	0	0	30000	44.5	2004
08.01.2020 12:23:07	1	1	1	1	92.5	64.5	0	28625.592	554.8387097	16049.79208	30000	0	0	30000	44.8125	2004
08.01.2020 12:23:08	1	1	1	1	92.25	64.75	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	44.4375	2004
08.01.2020 12:23:09	1	1	1	1	92.25	64.25	0	28625.592	559.1397849	16005.76197	30000	0	0	30000	44.1875	2004
08.01.2020 12:23:10	1	1	1	1	92.25	64	0	28578.199	563.4408602	16040.00761	30000	0	0	30000	44.875	2004
08.01.2020 12:23:11	1	1	1	1	92.25	64.75	0	28436.019	565.5913978	15987.0084	30000	0	0	30000	44.625	2004
08.01.2020 12:23:12	1	1	1	1	92.25	64.5	0	28483.412	559.1397849	15960.91648	30000	0	0	30000	44.625	2004
08.01.2020 12:23:13	1	1	1	1	92.25	64.5	0	28483.412	546.2365591	15558.12247	30000	0	0	30000	44.625	2004
08.01.2020 12:23:14	1	1	1	1	92.25	64.5	0	24218.009	481.7204301	11360.58489	30000	0	0	30000	44.625	2004
08.01.2020 12:23:15	1	1	1	1	92.25	64.5	0	28578.199	559.1397849	16040.00761	30000	0	0	30000	44.4375	2004
08.01.2020 12:23:16	1	1	1	1	92.25	64.25	0	28578.199	556.9892473	15733.42755	30000	0	0	30000	44.25	2004
08.01.2020 12:23:17	1	1	1	1	92.25	64.25	0	28862.559	556.9892473	16128.88321	30000	0	0	30000	44.75	2004
08.01.2020 12:23:18	1	1	1	1	91.75	64.75	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	44.75	2004
08.01.2020 12:23:19	1	1	1	1	91.75	64.75	0	28957.346	552.688172	16004.13122	30000	0	0	30000	44.625	2004
08.01.2020 12:23:20	1	1	1	1	91.75	64.5	0	28815.166	554.8387097	15801.91884	30000	0	0	30000	44.1875	2004
08.01.2020 12:23:21	1	1	1	1	91.75	64	0	29099.526	552.688172	16119.09874	30000	0	0	30000	44.75	2004
08.01.2020 12:23:22	1	1	1	1	91.75	64.75	0	28009.479	481.7204301	13492.78395	30000	0	0	30000	44.625	2004
08.01.2020 12:23:23	1	1	1	1	91.75	64.5	0	29526.066	529.0322581	15594.81423	30000	0	0	30000	44.625	2004
08.01.2020 12:23:24	1	1	1	1	91.75	64.5	0	29099.526	554.8387097	16082.40698	30000	0	0	30000	44.625	2004
08.01.2020 12:23:25	1	1	1	1	91.75	64.5	0	27630.332	496.7741935	13725.98049	30000	0	0	30000	44.625	2004
08.01.2020 12:23:26	1	1	1	1	91.75	64.5	0	29336.493	520.4301075	15267.03449	30000	0	0	30000	44.625	2004
08.01.2020 12:23:27	1	1	1	1	91.75	64.5	0	29099.526	546.2365591	15894.87131	30000	0	0	30000	44.625	2004
08.01.2020 12:23:28	1	1	1	1	91.75	64.5	0	28862.559	550.5376344	15951.94738	30000	0	0	30000	44.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 12:23:29	1	1	1	1	91.75	64.25	0	29052.133	550.5376344	15931.56307	30000	0	0	30000	44.375	2004
08.01.2020 12:23:31	1	1	1	1	91.75	64.25	0	29241.706	509.6774194	14792.4877	30000	0	0	30000	44.625	2004
08.01.2020 12:23:32	1	1	1	1	91.75	64.5	0	28957.346	554.8387097	16066.09953	30000	0	0	30000	44.6875	2004
08.01.2020 12:23:33	1	1	1	1	91.75	64.5	0	28909.953	554.8387097	16128.88321	30000	0	0	30000	44.0625	2004
08.01.2020 12:23:34	1	1	1	1	91.75	64	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	44.125	2004
08.01.2020 12:23:35	1	1	1	1	91.75	64	0	28957.346	556.9892473	16128.88321	30000	0	0	30000	44.9375	2004
08.01.2020 12:23:36	1	1	1	1	91.75	64.75	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	44.25	2004
08.01.2020 12:23:37	1	1	1	1	91.75	64.25	0	28815.166	550.5376344	15987.82377	30000	0	0	30000	44.5	2004
08.01.2020 12:23:38	1	1	1	1	92.5	64	0	28862.559	554.8387097	16128.88321	30000	0	0	30000	44.75	2004
08.01.2020 12:23:39	1	1	1	1	92.5	64.75	0	28672.986	552.688172	15987.82377	30000	0	0	30000	44.75	2004
08.01.2020 12:23:40	1	1	1	1	92.5	64.75	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	44.875	2004
08.01.2020 12:23:41	1	1	1	1	92.5	64.75	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	44.75	2004
08.01.2020 12:23:42	1	1	1	1	92.5	64.75	0	29146.919	554.8387097	16171.28258	30000	0	0	30000	44.6875	2004
08.01.2020 12:23:43	1	1	1	1	92.5	64.5	0	27345.972	539.7849462	14760.68817	30000	0	0	30000	44.6875	2004
08.01.2020 12:23:44	1	1	1	1	92.5	64.5	0	28625.592	559.1397849	16005.76197	30000	0	0	30000	44.3125	2004
08.01.2020 12:23:45	1	1	1	1	92.5	64.25	0	28436.019	561.2903226	15934.00919	30000	0	0	30000	44.625	2004
08.01.2020 12:23:46	1	1	1	1	92.5	64.5	0	28293.839	563.4408602	15941.34754	30000	0	0	30000	44.5	2004
08.01.2020 12:23:47	1	1	1	1	92.5	64.5	0	28436.019	563.4408602	16022.06942	30000	0	0	30000	44.4375	2004
08.01.2020 12:23:48	1	1	1	1	92.75	64.25	0	28436.019	563.4408602	15987.0084	30000	0	0	30000	44.625	2004
08.01.2020 12:23:49	1	1	1	1	92.75	64.5	0	28483.412	554.8387097	16040.00761	30000	0	0	30000	43.875	2004
08.01.2020 12:23:50	1	1	1	1	92.75	63.75	0	25734.597	520.4301075	13392.49314	30000	0	0	30000	44.5625	2004
08.01.2020 12:23:51	1	1	1	1	92.75	64.5	0	28436.019	563.4408602	16083.22235	30000	0	0	30000	44.0625	2004
08.01.2020 12:23:52	1	1	1	1	92.75	64	0	28341.232	565.5913978	16029.40777	30000	0	0	30000	44.5	2004
08.01.2020 12:23:53	1	1	1	1	92.75	64.5	0	28341.232	556.9892473	16083.22235	30000	0	0	30000	44.4375	2004
08.01.2020 12:23:54	1	1	1	1	92.75	64.25	0	28578.199	561.2903226	15978.85467	30000	0	0	30000	44.625	2004
08.01.2020 12:23:55	1	1	1	1	92.75	64.5	0	28625.592	561.2903226	16040.00761	30000	0	0	30000	44.75	2004
08.01.2020 12:24:03	1	1	1	1	93.5	64.5	0	28625.592	556.9892473	15943.79366	30000	0	0	30000	44.4375	2004
08.01.2020 12:24:03	1	1	1	1	93.5	64.5	0	28625.592	556.9892473	15943.79366	30000	0	0	30000	44.4375	2004
08.01.2020 12:24:03	1	1	1	1	93.5	64.5	0	28625.592	556.9892473	15943.79366	30000	0	0	30000	44.4375	2004
08.01.2020 12:24:03	1	1	1	1	93.5	64.5	0	28625.592	556.9892473	15943.79366	30000	0	0	30000	44.4375	2004
08.01.2020 12:24:03	1	1	1	1	93.5	64.5	0	28625.592	556.9892473	15943.79366	30000	0	0	30000	44.4375	2004
08.01.2020 12:24:03	1	1	1	1	93.5	64.5	0	28625.592	556.9892473	15943.79366	30000	0	0	30000	44.4375	2004
08.01.2020 12:24:03	1	1	1	1	93.5	64.25	0	28578.199	559.1397849	15978.85467	30000	0	0	30000	44.5625	2004
08.01.2020 12:24:04	1	1	1	1	93.5	64.5	0	28578.199	556.9892473	15917.70174	30000	0	0	30000	44.6875	2004
08.01.2020 12:24:05	1	1	1	1	93.5	64.5	0	28483.412	559.1397849	15925.85546	30000	0	0	30000	44.5	2004
08.01.2020 12:24:06	1	1	1	1	93.5	64.5	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	44.5625	2004
08.01.2020 12:24:07	1	1	1	1	93.5	64.5	0	29052.133	552.688172	16004.13122	30000	0	0	30000	44.625	2004
08.01.2020 12:24:09	1	1	1	1	94	64.5	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	44.6875	2004
08.01.2020 12:24:10	1	1	1	1	94	64.5	0	28862.559	550.5376344	15889.97907	30000	0	0	30000	44.5625	2004
08.01.2020 12:24:11	1	1	1	1	94	64.5	0	28862.559	556.9892473	16075.884	30000	0	0	30000	44.6875	2004
08.01.2020 12:24:12	1	1	1	1	94	64.5	0	28957.346	554.8387097	16004.13122	30000	0	0	30000	43.9375	2004
08.01.2020 12:24:13	1	1	1	1	94	63.75	0	29526.066	537.6344086	15810.07257	30000	0	0	30000	44.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 12:24:14	1	1	1	1	94	64.75	0	28862.559	496.7741935	14337.50985	30000	0	0	30000	44.375	2004
08.01.2020 12:24:15	1	1	1	1	94	64.25	0	29146.919	546.2365591	15909.54801	30000	0	0	30000	44.625	2004
08.01.2020 12:24:16	1	1	1	1	94	64.5	0	29573.46	520.4301075	15669.8285	30000	0	0	30000	44.875	2004
08.01.2020 12:24:17	1	1	1	1	94	64.5	0	29383.886	488.172043	14344.03283	30000	0	0	30000	44.75	2004
08.01.2020 12:24:18	1	1	1	1	94	64.75	0	28957.346	552.688172	16004.13122	30000	0	0	30000	43.75	2004
08.01.2020 12:24:19	1	1	1	1	94	63.75	0	29052.133	554.8387097	16145.19066	30000	0	0	30000	44.6875	2004
08.01.2020 12:24:20	1	1	1	1	94	64.5	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	44.375	2004
08.01.2020 12:24:21	1	1	1	1	94	64.25	0	28862.559	552.688172	16013.91569	30000	0	0	30000	44.75	2004
08.01.2020 12:24:22	1	1	1	1	94	64.75	0	29052.133	552.688172	16056.31506	30000	0	0	30000	44.625	2004
08.01.2020 12:24:23	1	1	1	1	94	64.5	0	28009.479	537.6344086	14997.96157	30000	0	0	30000	43.875	2004
08.01.2020 12:24:24	1	1	1	1	94	63.75	0	28862.559	550.5376344	15889.97907	30000	0	0	30000	44.25	2004
08.01.2020 12:24:25	1	1	1	1	94	64.25	0	29099.526	554.8387097	16207.97434	30000	0	0	30000	44.375	2004
08.01.2020 12:24:26	1	1	1	1	94	64.25	0	29383.886	550.5376344	16176.99019	30000	0	0	30000	43.875	2004
08.01.2020 12:24:27	1	1	1	1	94	63.75	0	25924.171	481.7204301	12488.24505	30000	0	0	30000	44.625	2004
08.01.2020 12:24:28	1	1	1	1	93.75	64.5	0	28625.592	556.9892473	16049.79208	30000	0	0	30000	44.4375	2004
08.01.2020 12:24:29	1	1	1	1	93.75	64.25	0	28578.199	559.1397849	16040.00761	30000	0	0	30000	44.875	2004
08.01.2020 12:24:30	1	1	1	1	93.75	64.75	0	28862.559	533.3333333	15393.41723	30000	0	0	30000	44.6875	2004
08.01.2020 12:24:31	1	1	1	1	93.75	64.5	0	28815.166	565.5913978	16128.88321	30000	0	0	30000	44.625	2004
08.01.2020 12:24:32	1	1	1	1	93.75	64.5	0	28578.199	567.7419355	15925.85546	30000	0	0	30000	44.0625	2004
08.01.2020 12:24:33	1	1	1	1	93.75	64	0	26350.711	518.2795699	13738.21107	30000	0	0	30000	44.75	2004
08.01.2020 12:24:34	1	1	1	1	93.75	64.75	0	28388.626	561.2903226	15934.00919	30000	0	0	30000	44.75	2004
08.01.2020 12:24:35	1	1	1	1	93.75	64.75	0	28341.232	556.9892473	15995.16212	30000	0	0	30000	44.625	2004
08.01.2020 12:24:36	1	1	1	1	93.75	64.5	0	27630.332	522.5806452	14438.61604	30000	0	0	30000	44.5	2004
08.01.2020 12:24:37	1	1	1	1	93.75	64.5	0	26113.744	520.4301075	13589.81328	30000	0	0	30000	44.625	2004
08.01.2020 12:24:38	1	1	1	1	95.25	64.5	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	44.625	2004
08.01.2020 12:24:39	1	1	1	1	95.25	64.5	0	28341.232	565.5913978	16002.50048	30000	0	0	30000	44.125	2004
08.01.2020 12:24:40	1	1	1	1	95.25	64	0	28436.019	567.7419355	16144.37529	30000	0	0	30000	44.375	2004
08.01.2020 12:24:41	1	1	1	1	95.25	64.25	0	28625.592	548.3870968	15671.45924	30000	0	0	30000	44.4375	2004
08.01.2020 12:24:42	1	1	1	1	95.25	64.25	0	28009.479	565.5913978	15841.8721	30000	0	0	30000	44.5625	2004
08.01.2020 12:24:43	1	1	1	1	95.25	64.5	0	28009.479	565.5913978	16009.83883	30000	0	0	30000	44.6875	2004
08.01.2020 12:24:44	1	1	1	1	95.25	64.5	0	28009.479	567.7419355	15841.8721	30000	0	0	30000	44.5625	2004
08.01.2020 12:24:45	1	1	1	1	95.25	64.5	0	28009.479	567.7419355	16009.83883	30000	0	0	30000	44.625	2004
08.01.2020 12:24:46	1	1	1	1	95.25	64.5	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	44.1875	2004
08.01.2020 12:24:47	1	1	1	1	95.25	64	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	44.5625	2004
08.01.2020 12:24:48	1	1	1	1	96	64.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	44.625	2004
08.01.2020 12:24:50	1	1	1	1	96	64.5	0	28388.626	546.2365591	15532.84592	30000	0	0	30000	44.25	2004
08.01.2020 12:24:51	1	1	1	1	96	64.25	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	44.625	2004
08.01.2020 12:24:52	1	1	1	1	96	64.5	0	27962.085	569.8924731	15934.82456	30000	0	0	30000	44.625	2004
08.01.2020 12:24:53	1	1	1	1	96	64.5	0	27914.692	576.344086	15907.91727	30000	0	0	30000	44.5625	2004
08.01.2020 12:24:54	1	1	1	1	96	64.5	0	27914.692	567.7419355	15934.82456	30000	0	0	30000	44.8125	2004
08.01.2020 12:24:55	1	1	1	1	96	64.75	0	28009.479	572.0430108	16070.17639	30000	0	0	30000	44.625	2004
08.01.2020 12:24:56	1	1	1	1	96	64.5	0	25734.597	524.7311828	13447.93847	30000	0	0	30000	44.625	2004
08.01.2020 12:24:57	1	1	1	1	96	64.5	0	28199.052	569.8924731	16009.83883	30000	0	0	30000	44.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 12:25:03	1	1	1	1	96.25	64.5	0	0	0	0	30000	0	8	30000	44.8125	2004
08.01.2020 12:25:03	1	1	1	1	96.25	64.5	0	0	0	0	30000	0	8	30000	44.8125	2004
08.01.2020 12:25:03	1	1	1	1	96.25	64.5	0	0	0	0	30000	0	8	30000	44.8125	2004
08.01.2020 12:25:03	1	1	1	1	96.25	64.5	0	0	0	0	30000	0	8	30000	44.8125	2004
08.01.2020 12:25:03	1	1	1	1	96.25	64.5	0	0	0	0	30000	0	8	30000	44.8125	2004
08.01.2020 12:25:03	1	1	1	1	96.25	64.5	0	0	0	0	30000	0	8	30000	44.8125	2004
08.01.2020 12:25:04	1	1	1	1	96.25	64.75	0	10616.114	0	0	30000	0	0	30000	44.75	2004
08.01.2020 12:25:05	1	1	1	1	96.25	64.75	0	11279.621	0	0	30000	0	0	30000	44.625	2004
08.01.2020 12:25:06	1	1	1	1	96.25	64.5	0	12085.308	2.150537634	25.27654717	30000	0	0	30000	44.625	2004
08.01.2020 12:25:07	1	1	1	1	96.25	64.5	0	12843.602	6.451612903	82.35262142	30000	0	0	30000	44.6875	2004
08.01.2020 12:25:08	1	1	1	1	96.25	64.5	0	13696.682	10.75268817	145.9516756	30000	0	0	30000	44.9375	2004
08.01.2020 12:25:09	1	1	1	1	96.25	64.75	0	14407.583	15.05376344	216.8890822	30000	0	0	30000	44.8125	2004
08.01.2020 12:25:10	1	1	1	1	96.25	64.75	0	15165.877	21.50537634	326.1489957	30000	0	0	30000	44.75	2004
08.01.2020 12:25:11	1	1	1	1	96.25	64.75	0	15592.417	25.80645161	437.8550268	30000	0	0	30000	44.75	2004
08.01.2020 12:25:12	1	1	1	1	96.25	64.75	0	15497.63	32.25806452	499.823336	30000	0	0	30000	44.8125	2004
08.01.2020 12:25:13	1	1	1	1	96.25	64.75	0	17488.152	47.31182796	826.7877042	30000	0	0	30000	44.8125	2004
08.01.2020 12:25:14	1	1	1	1	96.25	64.75	0	16303.318	43.01075269	736.2813579	30000	0	0	30000	44.875	2004
08.01.2020 12:25:15	1	1	1	1	96.25	64.75	0	18815.166	58.06451613	1091.783763	30000	0	0	30000	44.75	2004
08.01.2020 12:25:16	1	1	1	1	96.25	64.75	0	16729.858	58.06451613	971.1086348	30000	0	0	30000	44.6875	2004
08.01.2020 12:25:17	1	1	1	1	96.25	64.5	0	20568.72	92.47311828	1906.34088	30000	0	0	30000	44.8125	2004
08.01.2020 12:25:18	1	1	1	1	96.25	64.75	0	21232.227	103.2258065	2196.613486	30000	0	0	30000	44.75	2004
08.01.2020 12:25:19	1	1	1	1	96.25	64.75	0	21943.128	120.4301075	2642.622238	30000	0	0	30000	44.75	2004
08.01.2020 12:25:20	1	1	1	1	96.25	64.75	0	22796.209	122.5806452	2794.281521	30000	0	0	30000	44.6875	2004
08.01.2020 12:25:21	1	1	1	1	96.25	64.5	0	21895.735	120.4301075	2642.622238	30000	0	0	30000	44.875	2004
08.01.2020 12:25:22	1	1	1	1	96.25	64.75	0	21706.161	122.5806452	2666.26804	30000	0	0	30000	44.875	2004
08.01.2020 12:25:23	1	1	1	1	96.25	64.75	0	23507.109	144.0860215	3387.057321	30000	0	0	30000	44.875	2004
08.01.2020 12:25:24	1	1	1	1	96.25	64.75	0	23507.109	152.688172	3595.792678	30000	0	0	30000	44.875	2004
08.01.2020 12:25:25	1	1	1	1	96.25	64.75	0	21090.047	144.0860215	3038.077895	30000	0	0	30000	44.8125	2004
08.01.2020 12:25:26	1	1	1	1	96.25	64.75	0	24407.583	178.4946237	4356.535211	30000	0	0	30000	44.75	2004
08.01.2020 12:25:27	1	1	1	1	96.25	64.75	0	23507.109	182.7956989	4457.641399	30000	0	0	30000	44.8125	2004
08.01.2020 12:25:28	1	1	1	1	95	64.75	0	24976.303	206.4516129	5156.415623	30000	0	0	30000	44.4375	2004
08.01.2020 12:25:30	1	1	1	1	95	64.25	0	22748.815	206.4516129	4696.545539	30000	0	0	30000	44.875	2004
08.01.2020 12:25:31	1	1	1	1	95	64.75	0	22748.815	206.4516129	4696.545539	30000	0	0	30000	44.8125	2004
08.01.2020 12:25:32	1	1	1	1	95	64.75	0	25260.664	221.5053763	5595.086022	30000	0	0	30000	44.8125	2004
08.01.2020 12:25:33	1	1	1	1	95	64.75	0	25308.057	206.4516129	5234.691382	30000	0	0	30000	44.875	2004
08.01.2020 12:25:34	1	1	1	1	95	64.75	0	24502.37	225.8064516	5532.30234	30000	0	0	30000	44.6875	2004
08.01.2020 12:25:35	1	1	1	1	95	64.5	0	25260.664	234.4086022	5921.235018	30000	0	0	30000	45	2004
08.01.2020 12:25:36	1	1	1	1	95	65	0	23080.569	206.4516129	4765.036828	30000	0	0	30000	45.1875	2004
08.01.2020 12:25:37	1	1	1	1	95	65	0	24407.583	212.9032258	5300.736553	30000	0	0	30000	44.875	2004
08.01.2020 12:25:38	1	1	1	1	93	64.5	0	27298.578	258.0645161	7162.231946	30000	0	0	30000	44.75	2004
08.01.2020 12:25:39	1	1	1	1	93	64.75	0	25924.171	270.9677419	7079.879325	30000	0	0	30000	44.8125	2004
08.01.2020 12:25:40	1	1	1	1	93	64.75	0	27440.758	281.7204301	7730.546571	30000	0	0	30000	44.875	2004
08.01.2020 12:25:41	1	1	1	1	93	64.75	0	23744.076	236.5591398	5719.02264	30000	0	0	30000	44.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 12:25:42	1	1	1	1	93	64.75	0	25971.564	251.6129032	6578.425244	30000	0	0	30000	44.8125	2004
08.01.2020 12:25:43	1	1	1	1	93	64.75	0	26303.318	260.2150538	6787.975974	30000	0	0	30000	44.8125	2004
08.01.2020 12:25:44	1	1	1	1	93	64.75	0	22227.488	232.2580645	5173.538445	30000	0	0	30000	44.875	2004
08.01.2020 12:25:45	1	1	1	1	93	64.75	0	27345.972	309.6774194	8497.812084	30000	0	0	30000	44.625	2004
08.01.2020 12:25:46	1	1	1	1	93	64.5	0	26966.825	275.2688172	7481.04259	30000	0	0	30000	44.8125	2004
08.01.2020 12:25:47	1	1	1	1	93	64.75	0	26682.464	277.4193548	7401.951458	30000	0	0	30000	44.625	2004
08.01.2020 12:25:48	1	1	1	1	93.5	64.5	0	27630.332	322.5806452	8912.836681	30000	0	0	30000	44.75	2004
08.01.2020 12:25:49	1	1	1	1	93.5	64.75	0	25165.877	294.6236559	7496.534667	30000	0	0	30000	44.8125	2004
08.01.2020 12:25:50	1	1	1	1	93.5	64.75	0	0	0	0	30000	0	8	30000	44.875	2004
08.01.2020 12:25:51	1	1	1	1	93.5	64.75	0	0	0	0	30000	0	8	30000	45.125	2004
08.01.2020 12:25:52	1	1	1	1	93.5	65	0	10663.507	0	0	30000	0	0	30000	44.6875	2004
08.01.2020 12:25:53	1	1	1	1	93.5	64.5	0	11232.227	0	0	30000	0	0	30000	44.8125	2004
08.01.2020 12:25:54	1	1	1	1	93.5	64.75	0	12085.308	0	26.09191966	30000	0	0	30000	44.8125	2004
08.01.2020 12:25:55	1	1	1	1	93.5	64.75	0	12890.995	6.451612903	26.90729215	30000	0	0	30000	44.875	2004
08.01.2020 12:25:56	1	1	1	1	93.5	64.75	0	13696.682	10.75268817	147.5824206	30000	0	0	30000	44.875	2004
08.01.2020 12:25:57	1	1	1	1	93.5	64.75	0	14454.976	15.05376344	216.8890822	30000	0	0	30000	44.8125	2004
08.01.2020 12:25:58	1	1	1	1	93	64.75	0	15213.27	21.50537634	294.3494686	30000	0	0	30000	44.6875	2004
08.01.2020 12:26:05	1	1	1	1	93	64.75	0	16824.645	45.16129032	759.1117876	30000	0	0	30000	44.625	2004
08.01.2020 12:26:05	1	1	1	1	93	64.75	0	16824.645	45.16129032	759.1117876	30000	0	0	30000	44.625	2004
08.01.2020 12:26:05	1	1	1	1	93	64.75	0	16824.645	45.16129032	759.1117876	30000	0	0	30000	44.625	2004
08.01.2020 12:26:05	1	1	1	1	93	64.75	0	16824.645	45.16129032	759.1117876	30000	0	0	30000	44.625	2004
08.01.2020 12:26:05	1	1	1	1	93	64.75	0	16824.645	45.16129032	759.1117876	30000	0	0	30000	44.625	2004
08.01.2020 12:26:05	1	1	1	1	93	64.5	0	20616.114	73.11827957	1551.653847	30000	0	0	30000	44.875	2004
08.01.2020 12:26:06	1	1	1	1	93	64.75	0	20995.261	81.72043011	1715.543718	30000	0	0	30000	44.8125	2004
08.01.2020 12:26:07	1	1	1	1	93	64.75	0	22227.488	96.77419355	2150.952627	30000	0	0	30000	44.875	2004
08.01.2020 12:26:08	1	1	1	1	93.25	64.75	0	22890.995	94.62365591	2165.629332	30000	0	0	30000	44.8125	2004
08.01.2020 12:26:10	1	1	1	1	93.25	64.75	0	23554.502	103.2258065	2431.440763	30000	0	0	30000	44.875	2004
08.01.2020 12:26:11	1	1	1	1	93.25	64.75	0	23554.502	105.3763441	2481.993858	30000	0	0	30000	44.875	2004
08.01.2020 12:26:12	1	1	1	1	93.25	64.75	0	24123.223	122.5806452	2956.540646	30000	0	0	30000	44.875	2004
08.01.2020 12:26:13	1	1	1	1	93.25	64.75	0	21090.047	105.3763441	2226.782268	30000	0	0	30000	44.8125	2004
08.01.2020 12:26:14	1	1	1	1	93.25	64.75	0	25308.057	139.7849462	3591.715816	30000	0	0	30000	44.8125	2004
08.01.2020 12:26:15	1	1	1	1	93.25	64.75	0	24218.009	137.6344086	3333.242736	30000	0	0	30000	45.125	2004
08.01.2020 12:26:16	1	1	1	1	93.25	65	0	23601.896	122.5806452	3254.966977	30000	0	0	30000	44.75	2004
08.01.2020 12:26:17	1	1	1	1	93.25	64.75	0	25213.27	144.0860215	3639.00742	30000	0	0	30000	45.0625	2004
08.01.2020 12:26:18	1	1	1	1	93.25	65	0	25165.877	163.4408602	4112.738836	30000	0	0	30000	44.6875	2004
08.01.2020 12:26:19	1	1	1	1	94.25	64.75	0	25639.81	167.7419355	4355.719838	30000	0	0	30000	44.6875	2004
08.01.2020 12:26:20	1	1	1	1	94.25	64.5	0	24739.336	189.2473118	4681.868834	30000	0	0	30000	44.75	2004
08.01.2020 12:26:21	1	1	1	1	94.25	64.75	0	25118.483	206.4516129	5195.553502	30000	0	0	30000	44.625	2004
08.01.2020 12:26:22	1	1	1	1	94.25	64.5	0	23175.355	191.3978495	4485.364064	30000	0	0	30000	44.6875	2004
08.01.2020 12:26:23	1	1	1	1	94.25	64.5	0	24691.943	212.9032258	5130.323703	30000	0	0	30000	44.8125	2004
08.01.2020 12:26:24	1	1	1	1	94.25	64.75	0	26540.284	243.0107527	6506.672465	30000	0	0	30000	44.6875	2004
08.01.2020 12:26:25	1	1	1	1	94.25	64.5	0	0	0	0	30000	0	8	30000	45	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 12:26:26	1	1	1	1	94.25	65	0	10379.147	0	0	30000	0	0	30000	44.8125	2004
08.01.2020 12:26:27	1	1	1	1	94.25	64.75	0	11279.621	0	0	30000	0	0	30000	44.8125	2004
08.01.2020 12:26:28	1	1	1	1	94.75	64.75	0	11184.834	0	0	30000	0	0	30000	44.8125	2004
08.01.2020 12:26:29	1	1	1	1	94.75	64.75	0	12748.815	2.150537634	26.90729215	30000	0	0	30000	44.8125	2004
08.01.2020 12:26:30	1	1	1	1	94.75	64.75	0	13364.929	4.301075269	85.61411138	30000	0	0	30000	44.6875	2004
08.01.2020 12:26:31	1	1	1	1	94.75	64.5	0	14170.616	10.75268817	151.659283	30000	0	0	30000	44.625	2004
08.01.2020 12:26:32	1	1	1	1	94.75	64.5	0	15165.877	17.20430108	257.6577066	30000	0	0	30000	44.8125	2004
08.01.2020 12:26:33	1	1	1	1	94.75	64.75	0	15829.384	25.80645161	408.5016172	30000	0	0	30000	44.6875	2004
08.01.2020 12:26:34	1	1	1	1	94.75	64.5	0	16492.891	32.25806452	538.145843	30000	0	0	30000	44.625	2004
08.01.2020 12:26:35	1	1	1	1	94.75	64.5	0	17345.972	40.86021505	708.5586932	30000	0	0	30000	44.6875	2004
08.01.2020 12:26:36	1	1	1	1	94.75	64.5	0	16208.531	38.70967742	627.0214443	30000	0	0	30000	44.75	2004
08.01.2020 12:26:37	1	1	1	1	94.75	64.75	0	18909.953	62.3655914	1179.02862	30000	0	0	30000	44.75	2004
08.01.2020 12:26:38	1	1	1	1	94.5	64.75	0	19668.246	66.66666667	1311.118963	30000	0	0	30000	44.8125	2004
08.01.2020 12:26:39	1	1	1	1	94.5	64.75	0	20473.934	81.72043011	1717.174463	30000	0	0	30000	44.75	2004
08.01.2020 12:26:40	1	1	1	1	94.5	64.75	0	21232.227	94.62365591	2009.077814	30000	0	0	30000	44.75	2004
08.01.2020 12:26:41	1	1	1	1	94.5	64.75	0	21943.128	113.9784946	2521.94711	30000	0	0	30000	44.875	2004
08.01.2020 12:26:42	1	1	1	1	94.5	64.75	0	20379.147	103.2258065	2103.661022	30000	0	0	30000	44.75	2004
08.01.2020 12:26:43	1	1	1	1	94.5	64.75	0	21753.555	113.9784946	2478.732368	30000	0	0	30000	44.9375	2004
08.01.2020 12:26:44	1	1	1	1	94.5	64.75	0	18815.166	105.3763441	1982.170522	30000	0	0	30000	44.9375	2004
08.01.2020 12:26:45	1	1	1	1	94.5	64.75	0	22132.701	122.5806452	2712.744272	30000	0	0	30000	44.6875	2004
08.01.2020 12:26:46	1	1	1	1	94.5	64.5	0	23080.569	152.688172	3537.901231	30000	0	0	30000	44.9375	2004
08.01.2020 12:26:47	1	1	1	1	94.5	64.75	0	22890.995	152.688172	3494.686489	30000	0	0	30000	44.75	2004
08.01.2020 12:26:48	1	1	1	1	94	64.75	0	22559.242	141.9354839	3250.074742	30000	0	0	30000	44.75	2004
08.01.2020 12:26:49	1	1	1	1	94	64.75	0	22132.701	144.0860215	3188.921806	30000	0	0	30000	44.8125	2004
08.01.2020 12:26:50	1	1	1	1	94	64.75	0	22322.275	144.0860215	3215.829098	30000	0	0	30000	44.75	2004
08.01.2020 12:26:52	1	1	1	1	94	64.75	0	20616.114	137.6344086	2837.496263	30000	0	0	30000	44.875	2004
08.01.2020 12:26:53	1	1	1	1	94	64.75	0	24218.009	178.4946237	4322.289566	30000	0	0	30000	44.75	2004
08.01.2020 12:26:54	1	1	1	1	94	64.75	0	23838.863	184.9462366	4511.455983	30000	0	0	30000	44.8125	2004
08.01.2020 12:26:55	1	1	1	1	94	64.75	0	24075.829	206.4516129	4970.510695	30000	0	0	30000	44.625	2004
08.01.2020 12:26:56	1	1	1	1	94	64.5	0	25260.664	210.7526882	5387.98141	30000	0	0	30000	45.25	2004
08.01.2020 12:26:57	1	1	1	1	94	65.25	0	23649.289	208.6021505	4983.556655	30000	0	0	30000	45.0625	2004
08.01.2020 12:26:58	1	1	1	1	94	65	0	24407.583	225.8064516	5532.30234	30000	0	0	30000	44.75	2004
08.01.2020 12:26:59	1	1	1	1	93	64.75	0	26966.825	260.2150538	7017.095643	30000	0	0	30000	44.75	2004
08.01.2020 12:27:00	1	1	1	1	93	64.75	0	25355.45	245.1612903	6215.584486	30000	0	0	30000	45	2004
08.01.2020 12:27:07	1	1	1	1	93	64.75	0	12274.882	2.150537634	52.99921181	30000	0	0	30000	44.8125	2004
08.01.2020 12:27:07	1	1	1	1	93	64.75	0	12274.882	2.150537634	52.99921181	30000	0	0	30000	44.8125	2004
08.01.2020 12:27:07	1	1	1	1	93	64.75	0	12274.882	2.150537634	52.99921181	30000	0	0	30000	44.8125	2004
08.01.2020 12:27:07	1	1	1	1	93	64.75	0	12274.882	2.150537634	52.99921181	30000	0	0	30000	44.8125	2004
08.01.2020 12:27:07	1	1	1	1	93	64.75	0	12274.882	2.150537634	52.99921181	30000	0	0	30000	44.8125	2004
08.01.2020 12:27:07	1	1	1	1	93	64.75	0	12274.882	2.150537634	52.99921181	30000	0	0	30000	44.8125	2004
08.01.2020 12:27:07	1	1	1	1	93	64.75	0	13127.962	6.451612903	83.9833664	30000	0	0	30000	44.625	2004
08.01.2020 12:27:08	1	1	1	1	93.75	64.5	0	13886.256	12.90322581	147.5824206	30000	0	0	30000	44.8125	2004
08.01.2020 12:27:09	1	1	1	1	93.75	64.75	0	13933.649	15.05376344	210.3661022	30000	0	0	30000	44.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 12:27:10	1	1	1	1	93.75	64.5	0	15450.237	27.95698925	398.7171473	30000	0	0	30000	44.8125	2004
08.01.2020 12:27:11	1	1	1	1	93.75	64.75	0	15497.63	27.95698925	432.9627918	30000	0	0	30000	44.8125	2004
08.01.2020 12:27:12	1	1	1	1	93.75	64.75	0	16919.431	45.16129032	759.1117876	30000	0	0	30000	44.8125	2004
08.01.2020 12:27:13	1	1	1	1	93.75	64.75	0	16966.825	45.16129032	765.6347675	30000	0	0	30000	44.8125	2004
08.01.2020 12:27:14	1	1	1	1	93.75	64.75	0	17014.218	40.86021505	694.6973609	30000	0	0	30000	44.625	2004
08.01.2020 12:27:15	1	1	1	1	93.75	64.5	0	17109.005	45.16129032	772.1577474	30000	0	0	30000	44.6875	2004
08.01.2020 12:27:16	1	1	1	1	93.75	64.5	0	17109.005	45.16129032	735.4659854	30000	0	0	30000	44.625	2004
08.01.2020 12:27:17	1	1	1	1	93.75	64.5	0	17109.005	45.16129032	808.8495094	30000	0	0	30000	44.875	2004
08.01.2020 12:27:18	1	1	1	1	93.75	64.75	0	17014.218	45.16129032	772.1577474	30000	0	0	30000	44.6875	2004
08.01.2020 12:27:19	1	1	1	1	93.75	64.5	0	17109.005	45.16129032	735.4659854	30000	0	0	30000	44.6875	2004
08.01.2020 12:27:20	1	1	1	1	93.75	64.5	0	17251.185	47.31182796	816.1878618	30000	0	0	30000	44.75	2004
08.01.2020 12:27:21	1	1	1	1	93.75	64.75	0	17345.972	47.31182796	820.2647243	30000	0	0	30000	44.75	2004
08.01.2020 12:27:22	1	1	1	1	93.75	64.75	0	17345.972	47.31182796	820.2647243	30000	0	0	30000	44.6875	2004
08.01.2020 12:27:23	1	1	1	1	93.75	64.5	0	17345.972	47.31182796	857.7718588	30000	0	0	30000	44.75	2004
08.01.2020 12:27:24	1	1	1	1	93.75	64.75	0	17345.972	47.31182796	820.2647243	30000	0	0	30000	44.6875	2004
08.01.2020 12:27:25	1	1	1	1	93.75	64.5	0	17345.972	47.31182796	857.7718588	30000	0	0	30000	44.75	2004
08.01.2020 12:27:26	1	1	1	1	93.75	64.75	0	17345.972	47.31182796	820.2647243	30000	0	0	30000	44.8125	2004
08.01.2020 12:27:28	1	1	1	1	93.75	64.75	0	17345.972	47.31182796	860.2179762	30000	0	0	30000	44.75	2004
08.01.2020 12:27:29	1	1	1	1	93.5	64.75	0	17345.972	49.46236559	857.7718588	30000	0	0	30000	44.6875	2004
08.01.2020 12:27:30	1	1	1	1	93.5	64.5	0	17345.972	51.61290323	857.7718588	30000	0	0	30000	44.625	2004
08.01.2020 12:27:31	1	1	1	1	93.5	64.5	0	17345.972	51.61290323	895.2789933	30000	0	0	30000	44.75	2004
08.01.2020 12:27:32	1	1	1	1	93.5	64.75	0	17345.972	51.61290323	895.2789933	30000	0	0	30000	44.8125	2004
08.01.2020 12:27:33	1	1	1	1	93.5	64.75	0	17393.365	51.61290323	897.7251108	30000	0	0	30000	45.3125	2004
08.01.2020 12:27:34	1	1	1	1	93.5	65.25	0	16729.858	51.61290323	863.4794662	30000	0	0	30000	44.8125	2004
08.01.2020 12:27:35	1	1	1	1	93.5	64.75	0	16824.645	53.76344086	940.1244802	30000	0	0	30000	45.25	2004
08.01.2020 12:27:36	1	1	1	1	93.5	65.25	0	19336.493	66.66666667	1289.103906	30000	0	0	30000	44.6875	2004
08.01.2020 12:27:37	1	1	1	1	93.5	64.5	0	20473.934	92.47311828	1849.264806	30000	0	0	30000	44.6875	2004
08.01.2020 12:27:38	1	1	1	1	93.5	64.5	0	21042.654	94.62365591	1991.139619	30000	0	0	30000	44.875	2004
08.01.2020 12:27:39	1	1	1	1	93.5	64.75	0	21943.128	120.4301075	2665.452668	30000	0	0	30000	44.8125	2004
08.01.2020 12:27:40	1	1	1	1	93.5	64.75	0	22227.488	126.8817204	2867.665045	30000	0	0	30000	44.8125	2004
08.01.2020 12:27:41	1	1	1	1	93.5	64.75	0	21563.981	120.4301075	2504.008915	30000	0	0	30000	44.8125	2004
08.01.2020 12:27:42	1	1	1	1	93.5	64.75	0	21042.654	126.8817204	2618.161063	30000	0	0	30000	44.8125	2004
08.01.2020 12:27:43	1	1	1	1	93.5	64.75	0	23222.749	152.688172	3537.901231	30000	0	0	30000	44.75	2004
08.01.2020 12:27:44	1	1	1	1	93.5	64.75	0	23507.109	167.7419355	3993.694453	30000	0	0	30000	44.875	2004
08.01.2020 12:27:45	1	1	1	1	93.5	64.75	0	22890.995	163.4408602	3593.34656	30000	0	0	30000	44.6875	2004
08.01.2020 12:27:46	1	1	1	1	93.5	64.5	0	20900.474	139.7849462	2966.325116	30000	0	0	30000	44.625	2004
08.01.2020 12:27:47	1	1	1	1	93.5	64.5	0	23554.502	169.8924731	4001.032805	30000	0	0	30000	44.8125	2004
08.01.2020 12:27:48	1	1	1	1	93.5	64.75	0	23554.502	169.8924731	4001.032805	30000	0	0	30000	44.75	2004
08.01.2020 12:27:49	1	1	1	1	93.5	64.75	0	23601.896	169.8924731	4001.032805	30000	0	0	30000	44.8125	2004
08.01.2020 12:27:50	1	1	1	1	93.5	64.75	0	23222.749	169.8924731	3936.618378	30000	0	0	30000	44.625	2004
08.01.2020 12:27:51	1	1	1	1	93.5	64.5	0	23554.502	169.8924731	4001.032805	30000	0	0	30000	44.75	2004
08.01.2020 12:27:52	1	1	1	1	93.5	64.75	0	23412.322	169.8924731	3985.540728	30000	0	0	30000	44.6875	2004
08.01.2020 12:27:53	1	1	1	1	93.5	64.5	0	23175.355	169.8924731	3936.618378	30000	0	0	30000	44.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 12:27:54	1	1	1	1	93.5	64.75	0	23364.929	169.8924731	3969.233278	30000	0	0	30000	44.3125	2004
08.01.2020 12:27:55	1	1	1	1	93.5	64.25	0	23364.929	174.1935484	3969.233278	30000	0	0	30000	44.6875	2004
08.01.2020 12:27:56	1	1	1	1	93.5	64.5	0	23412.322	176.344086	3977.387003	30000	0	0	30000	44.8125	2004
08.01.2020 12:27:57	1	1	1	1	93.5	64.75	0	23554.502	169.8924731	4001.032805	30000	0	0	30000	44.6875	2004
08.01.2020 12:27:58	1	1	1	1	92.25	64.5	0	23554.502	169.8924731	4001.032805	30000	0	0	30000	44.75	2004
08.01.2020 12:27:59	1	1	1	1	92.25	64.75	0	23554.502	169.8924731	3993.694453	30000	0	0	30000	44.75	2004
08.01.2020 12:28:00	1	1	1	1	92.25	64.75	0	23649.289	167.7419355	3966.787161	30000	0	0	30000	44.5	2004
08.01.2020 12:28:01	1	1	1	1	92.25	64.5	0	24028.436	163.4408602	3926.833909	30000	0	0	30000	44.6875	2004
08.01.2020 12:28:08	1	1	1	1	92.25	64.5	0	24502.37	206.4516129	5058.570924	30000	0	0	30000	44.75	2004
08.01.2020 12:28:08	1	1	1	1	92.25	64.5	0	24502.37	206.4516129	5058.570924	30000	0	0	30000	44.75	2004
08.01.2020 12:28:08	1	1	1	1	92.25	64.5	0	24502.37	206.4516129	5058.570924	30000	0	0	30000	44.75	2004
08.01.2020 12:28:08	1	1	1	1	92.25	64.5	0	24502.37	206.4516129	5058.570924	30000	0	0	30000	44.75	2004
08.01.2020 12:28:08	1	1	1	1	92.25	64.5	0	24502.37	206.4516129	5058.570924	30000	0	0	30000	44.75	2004
08.01.2020 12:28:09	1	1	1	1	92	64.75	0	24834.123	206.4516129	5136.846683	30000	0	0	30000	44.6875	2004
08.01.2020 12:28:10	1	1	1	1	92	64.5	0	24549.763	193.5483871	5078.139864	30000	0	0	30000	44.6875	2004
08.01.2020 12:28:11	1	1	1	1	92	64.5	0	24691.943	206.4516129	5097.708803	30000	0	0	30000	44.625	2004
08.01.2020 12:28:12	1	1	1	1	92	64.5	0	24739.336	206.4516129	5107.493273	30000	0	0	30000	44.625	2004
08.01.2020 12:28:13	1	1	1	1	92	64.5	0	24597.156	206.4516129	4813.143805	30000	0	0	30000	44.8125	2004
08.01.2020 12:28:14	1	1	1	1	92	64.75	0	24549.763	195.6989247	5058.570924	30000	0	0	30000	44.8125	2004
08.01.2020 12:28:15	1	1	1	1	92	64.75	0	24218.009	206.4516129	4999.864105	30000	0	0	30000	45.0625	2004
08.01.2020 12:28:16	1	1	1	1	92	65	0	24454.976	206.4516129	5039.001984	30000	0	0	30000	44.625	2004
08.01.2020 12:28:17	1	1	1	1	92	64.75	0	24218.009	206.4516129	4999.864105	30000	0	0	30000	44.6875	2004
08.01.2020 12:28:18	1	1	1	1	93	64.5	0	24407.583	206.4516129	5039.001984	30000	0	0	30000	44.75	2004
08.01.2020 12:28:19	1	1	1	1	93	64.75	0	24502.37	206.4516129	5058.570924	30000	0	0	30000	44.6875	2004
08.01.2020 12:28:20	1	1	1	1	93	64.5	0	24691.943	193.5483871	4725.898948	30000	0	0	30000	44.625	2004
08.01.2020 12:28:21	1	1	1	1	93	64.5	0	24218.009	206.4516129	4999.864105	30000	0	0	30000	44.8125	2004
08.01.2020 12:28:22	1	1	1	1	93	64.75	0	24218.009	206.4516129	4999.864105	30000	0	0	30000	44.6875	2004
08.01.2020 12:28:23	1	1	1	1	93	64.5	0	24407.583	206.4516129	4999.864105	30000	0	0	30000	44.625	2004
08.01.2020 12:28:24	1	1	1	1	93	64.5	0	24597.156	206.4516129	4760.144593	30000	0	0	30000	44.8125	2004
08.01.2020 12:28:25	1	1	1	1	93	64.75	0	24739.336	206.4516129	5117.277743	30000	0	0	30000	44.75	2004
08.01.2020 12:28:26	1	1	1	1	93	64.75	0	24597.156	206.4516129	5078.139864	30000	0	0	30000	44.75	2004
08.01.2020 12:28:27	1	1	1	1	93	64.75	0	24786.73	206.4516129	5117.277743	30000	0	0	30000	44.75	2004
08.01.2020 12:28:28	1	1	1	1	92.75	64.75	0	24549.763	206.4516129	4813.143805	30000	0	0	30000	44.8125	2004
08.01.2020 12:28:29	1	1	1	1	92.75	64.75	0	24502.37	191.3978495	4689.207186	30000	0	0	30000	44.75	2004
08.01.2020 12:28:30	1	1	1	1	92.75	64.75	0	24739.336	195.6989247	5117.277743	30000	0	0	30000	44.8125	2004
08.01.2020 12:28:31	1	1	1	1	92.75	64.75	0	24691.943	195.6989247	4831.897372	30000	0	0	30000	44.8125	2004
08.01.2020 12:28:32	1	1	1	1	92.75	64.75	0	0	0	0	30000	0	8	30000	44.8125	2004
08.01.2020 12:28:33	1	1	1	1	92.75	64.75	0	10284.36	0	0	30000	0	0	30000	42.125	2004
08.01.2020 12:28:34	1	1	1	1	92.75	62	0	11042.654	0	0	30000	0	0	30000	44.625	2004
08.01.2020 12:28:35	1	1	1	1	92.75	64.5	0	10853.081	0	0	30000	0	0	30000	44.625	2004
08.01.2020 12:28:36	1	1	1	1	92.75	64.5	0	12606.635	2.150537634	26.90729215	30000	0	0	30000	44.8125	2004
08.01.2020 12:28:37	1	1	1	1	92.75	64.75	0	12180.095	2.150537634	26.09191966	30000	0	0	30000	44.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 12:28:38	1	1	1	1	92.25	64.5	0	13791.469	10.75268817	147.5824206	30000	0	0	30000	44.6875	2004
08.01.2020 12:28:39	1	1	1	1	92.25	64.5	0	14834.123	19.35483871	255.2115892	30000	0	0	30000	44.75	2004
08.01.2020 12:28:40	1	1	1	1	92.25	64.75	0	15592.417	25.80645161	437.0396543	30000	0	0	30000	44.75	2004
08.01.2020 12:28:41	1	1	1	1	92.25	64.75	0	15876.777	27.95698925	443.5626342	30000	0	0	30000	44.5625	2004
08.01.2020 12:28:42	1	1	1	1	92.25	64.5	0	17156.398	40.86021505	700.4049683	30000	0	0	30000	44.6875	2004
08.01.2020 12:28:43	1	1	1	1	92.25	64.5	0	17772.512	51.61290323	802.3265295	30000	0	0	30000	44	2004
08.01.2020 12:28:44	1	1	1	1	92.25	64	0	18625.592	58.06451613	1081.183921	30000	0	0	30000	44.75	2004
08.01.2020 12:28:45	1	1	1	1	92.25	64.75	0	19526.066	70.96774194	1298.073003	30000	0	0	30000	44.6875	2004
08.01.2020 12:28:46	1	1	1	1	92.25	64.5	0	19668.246	75.2688172	1479.901068	30000	0	0	30000	44.625	2004
08.01.2020 12:28:48	1	1	1	1	92.25	64.5	0	19952.607	73.11827957	1501.100753	30000	0	0	30000	44.625	2004
08.01.2020 12:28:49	1	1	1	1	92	64.5	0	20142.18	81.72043011	1594.868589	30000	0	0	30000	44.75	2004
08.01.2020 12:28:50	1	1	1	1	92	64.75	0	20142.18	81.72043011	1594.868589	30000	0	0	30000	44.625	2004
08.01.2020 12:28:51	1	1	1	1	92	64.5	0	20047.393	81.72043011	1688.636425	30000	0	0	30000	44.6875	2004
08.01.2020 12:28:52	1	1	1	1	92	64.5	0	20047.393	81.72043011	1602.206942	30000	0	0	30000	44.8125	2004
08.01.2020 12:28:53	1	1	1	1	92	64.75	0	20142.18	79.56989247	1594.868589	30000	0	0	30000	44.6875	2004
08.01.2020 12:28:54	1	1	1	1	92	64.5	0	20047.393	79.56989247	1602.206942	30000	0	0	30000	44.6875	2004
08.01.2020 12:28:55	1	1	1	1	92	64.5	0	20189.573	79.56989247	1653.575408	30000	0	0	30000	44.625	2004
08.01.2020 12:28:56	1	1	1	1	92	64.5	0	18293.839	66.66666667	1218.981872	30000	0	0	30000	45	2004
08.01.2020 12:28:57	1	1	1	1	92	65	0	20331.754	81.72043011	1617.699019	30000	0	0	30000	44.625	2004
08.01.2020 12:28:58	1	1	1	1	92	64.75	0	20379.147	81.72043011	1620.960509	30000	0	0	30000	44.5	2004
08.01.2020 12:28:59	1	1	1	1	92	64.5	0	20379.147	79.56989247	1617.699019	30000	0	0	30000	44.75	2004
08.01.2020 12:29:00	1	1	1	1	92	64.75	0	18341.232	64.51612903	1143.15223	30000	0	0	30000	44.6875	2004
08.01.2020 12:29:01	1	1	1	1	92	64.5	0	20521.327	77.41935484	1636.452586	30000	0	0	30000	44.6875	2004
08.01.2020 12:29:02	1	1	1	1	92	64.5	0	20616.114	81.72043011	1684.559563	30000	0	0	30000	44.625	2004
08.01.2020 12:29:03	1	1	1	1	92	64.5	0	20568.72	79.56989247	1684.559563	30000	0	0	30000	44.6875	2004
08.01.2020 12:29:10	1	1	1	1	91.75	64.5	0	21943.128	103.2258065	2284.673715	30000	0	0	30000	44.8125	2004
08.01.2020 12:29:10	1	1	1	1	91.75	64.5	0	21943.128	103.2258065	2284.673715	30000	0	0	30000	44.8125	2004
08.01.2020 12:29:10	1	1	1	1	91.75	64.5	0	21943.128	103.2258065	2284.673715	30000	0	0	30000	44.8125	2004
08.01.2020 12:29:10	1	1	1	1	91.75	64.5	0	21943.128	103.2258065	2284.673715	30000	0	0	30000	44.8125	2004
08.01.2020 12:29:10	1	1	1	1	91.75	64.5	0	21943.128	103.2258065	2284.673715	30000	0	0	30000	44.8125	2004
08.01.2020 12:29:10	1	1	1	1	91.75	64.75	0	22748.815	116.1290323	2641.806865	30000	0	0	30000	44.625	2004
08.01.2020 12:29:11	1	1	1	1	91.75	64.5	0	23033.175	109.6774194	2570.054086	30000	0	0	30000	44.75	2004
08.01.2020 12:29:12	1	1	1	1	91.75	64.75	0	23222.749	120.4301075	2791.020031	30000	0	0	30000	44.625	2004
08.01.2020 12:29:13	1	1	1	1	91.75	64.5	0	23459.716	129.0322581	3020.955073	30000	0	0	30000	44.5625	2004
08.01.2020 12:29:14	1	1	1	1	91.75	64.5	0	23649.289	129.0322581	3254.966977	30000	0	0	30000	44.625	2004
08.01.2020 12:29:15	1	1	1	1	91.75	64.5	0	23744.076	129.0322581	3063.354442	30000	0	0	30000	44.6875	2004
08.01.2020 12:29:16	1	1	1	1	91.75	64.5	0	23838.863	126.8817204	3024.216563	30000	0	0	30000	44.625	2004
08.01.2020 12:29:17	1	1	1	1	91.75	64.5	0	24028.436	137.6344086	2945.125431	30000	0	0	30000	44.625	2004
08.01.2020 12:29:18	1	1	1	1	91.5	64.5	0	24360.19	137.6344086	3359.334656	30000	0	0	30000	44.625	2004
08.01.2020 12:29:19	1	1	1	1	91.5	64.5	0	24407.583	144.0860215	3516.701546	30000	0	0	30000	44.6875	2004
08.01.2020 12:29:20	1	1	1	1	91.5	64.5	0	24407.583	144.0860215	3411.518495	30000	0	0	30000	44.625	2004
08.01.2020 12:29:21	1	1	1	1	91.5	64.5	0	24502.37	144.0860215	3516.701546	30000	0	0	30000	44.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 12:29:22	1	1	1	1	91.5	64.5	0	24597.156	150.5376344	3702.606474	30000	0	0	30000	44.625	2004
08.01.2020 12:29:23	1	1	1	1	91.5	64.5	0	24691.943	152.688172	3769.467018	30000	0	0	30000	42.1875	2004
08.01.2020 12:29:24	1	1	1	1	91.5	62	0	24691.943	150.5376344	3663.468595	30000	0	0	30000	44.6875	2004
08.01.2020 12:29:25	1	1	1	1	91.5	64.5	0	24881.517	152.688172	3791.482075	30000	0	0	30000	44.625	2004
08.01.2020 12:29:27	1	1	1	1	91.5	64.5	0	24549.763	152.688172	3748.267333	30000	0	0	30000	44.625	2004
08.01.2020 12:29:28	1	1	1	1	91.5	64.5	0	24976.303	163.4408602	4089.908406	30000	0	0	30000	44.5625	2004
08.01.2020 12:29:29	1	1	1	1	91.25	64.5	0	25165.877	167.7419355	4151.061343	30000	0	0	30000	44.625	2004
08.01.2020 12:29:30	1	1	1	1	91.25	64.5	0	24597.156	152.688172	3755.605686	30000	0	0	30000	44.625	2004
08.01.2020 12:29:31	1	1	1	1	91.25	64.5	0	25308.057	169.8924731	4643.546327	30000	0	0	30000	44.625	2004
08.01.2020 12:29:32	1	1	1	1	91.25	64.5	0	22890.995	161.2903226	3740.928981	30000	0	0	30000	44.625	2004
08.01.2020 12:29:33	1	1	1	1	91.25	64.5	0	24976.303	191.3978495	4779.713532	30000	0	0	30000	44.625	2004
08.01.2020 12:29:34	1	1	1	1	91.25	64.5	0	25071.09	206.4516129	4779.713532	30000	0	0	30000	44.8125	2004
08.01.2020 12:29:35	1	1	1	1	91.25	64.75	0	25355.45	206.4516129	4961.541598	30000	0	0	30000	44.75	2004
08.01.2020 12:29:36	1	1	1	1	91.25	64.75	0	24976.303	206.4516129	5156.415623	30000	0	0	30000	44.8125	2004
08.01.2020 12:29:37	1	1	1	1	91.25	64.75	0	24691.943	206.4516129	5107.493273	30000	0	0	30000	44.625	2004
08.01.2020 12:29:38	1	1	1	1	91.75	64.75	0	24786.73	206.4516129	5117.277743	30000	0	0	30000	44.6875	2004
08.01.2020 12:29:39	1	1	1	1	91.75	64.5	0	24691.943	206.4516129	5097.708803	30000	0	0	30000	44.625	2004
08.01.2020 12:29:40	1	1	1	1	91.75	64.5	0	24549.763	193.5483871	4751.175495	30000	0	0	30000	44.625	2004
08.01.2020 12:29:41	1	1	1	1	91.75	64.5	0	24881.517	206.4516129	5136.846683	30000	0	0	30000	44.6875	2004
08.01.2020 12:29:42	1	1	1	1	91.75	64.5	0	24597.156	195.6989247	4813.143805	30000	0	0	30000	44.625	2004
08.01.2020 12:29:43	1	1	1	1	91.75	64.5	0	24976.303	206.4516129	5156.415623	30000	0	0	30000	44.625	2004
08.01.2020 12:29:44	1	1	1	1	91.75	64.5	0	24597.156	206.4516129	5087.924333	30000	0	0	30000	44.6875	2004
08.01.2020 12:29:45	1	1	1	1	91.75	64.5	0	24407.583	193.5483871	5039.001984	30000	0	0	30000	44.5625	2004
08.01.2020 12:29:46	1	1	1	1	91.75	64.5	0	24502.37	206.4516129	4742.206398	30000	0	0	30000	44.625	2004
08.01.2020 12:29:47	1	1	1	1	91.75	64.5	0	24218.009	195.6989247	4738.944908	30000	0	0	30000	44.6875	2004
08.01.2020 12:29:48	1	1	1	1	92	64.5	0	24691.943	206.4516129	5097.708803	30000	0	0	30000	44.625	2004
08.01.2020 12:29:49	1	1	1	1	92	64.5	0	24597.156	206.4516129	5078.139864	30000	0	0	30000	44.625	2004
08.01.2020 12:29:50	1	1	1	1	92	64.5	0	24691.943	206.4516129	5097.708803	30000	0	0	30000	44.5	2004
08.01.2020 12:29:51	1	1	1	1	92	64.5	0	24691.943	206.4516129	5097.708803	30000	0	0	30000	44.625	2004
08.01.2020 12:29:52	1	1	1	1	92	64.5	0	24786.73	206.4516129	4850.650939	30000	0	0	30000	44.5	2004
08.01.2020 12:29:53	1	1	1	1	92	64.5	0	24597.156	206.4516129	5078.139864	30000	0	0	30000	44.5	2004
08.01.2020 12:29:54	1	1	1	1	92	64.5	0	24407.583	193.5483871	5039.001984	30000	0	0	30000	44.625	2004
08.01.2020 12:29:55	1	1	1	1	92	64.5	0	24691.943	206.4516129	5107.493273	30000	0	0	30000	44.5625	2004
08.01.2020 12:29:56	1	1	1	1	92	64.5	0	24218.009	206.4516129	4999.864105	30000	0	0	30000	44.5	2004
08.01.2020 12:29:57	1	1	1	1	92	64.5	0	24218.009	206.4516129	4738.944908	30000	0	0	30000	44.625	2004
08.01.2020 12:29:58	1	1	1	1	92.25	64.5	0	24218.009	206.4516129	4999.864105	30000	0	0	30000	44.625	2004
08.01.2020 12:29:59	1	1	1	1	92.25	64.5	0	24218.009	208.6021505	4999.864105	30000	0	0	30000	44.625	2004
08.01.2020 12:30:00	1	1	1	1	92.25	64.5	0	24218.009	206.4516129	4990.079635	30000	0	0	30000	44.5625	2004
08.01.2020 12:30:01	1	1	1	1	92.25	64.5	0	24218.009	206.4516129	4999.864105	30000	0	0	30000	44.375	2004
08.01.2020 12:30:02	1	1	1	1	92.25	64.25	0	24218.009	193.5483871	4738.944908	30000	0	0	30000	44.625	2004
08.01.2020 12:30:03	1	1	1	1	92.25	64.5	0	24549.763	206.4516129	5078.139864	30000	0	0	30000	44.5625	2004
08.01.2020 12:30:04	1	1	1	1	92.25	64.5	0	24218.009	206.4516129	4999.864105	30000	0	0	30000	44.6875	2004
08.01.2020 12:30:11	1	1	1	1	92.25	64.5	0	24881.517	240.8602151	5992.987797	30000	0	0	30000	44.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 12:30:11	1	1	1	1	92.25	64.5	0	24881.517	240.8602151	5992.987797	30000	0	0	30000	44.5625	2004
08.01.2020 12:30:11	1	1	1	1	92.25	64.5	0	24881.517	240.8602151	5992.987797	30000	0	0	30000	44.5625	2004
08.01.2020 12:30:11	1	1	1	1	92.25	64.5	0	24881.517	240.8602151	5992.987797	30000	0	0	30000	44.5625	2004
08.01.2020 12:30:11	1	1	1	1	92.25	64.5	0	24881.517	240.8602151	5992.987797	30000	0	0	30000	44.5625	2004
08.01.2020 12:30:11	1	1	1	1	92.25	64.5	0	24881.517	240.8602151	5992.987797	30000	0	0	30000	44.5625	2004
08.01.2020 12:30:12	1	1	1	1	92.25	64.5	0	24881.517	240.8602151	5992.987797	30000	0	0	30000	44.25	2004
08.01.2020 12:30:13	1	1	1	1	92.25	64.25	0	24881.517	240.8602151	5992.987797	30000	0	0	30000	44.625	2004
08.01.2020 12:30:14	1	1	1	1	92.25	64.5	0	24976.303	236.5591398	6015.818226	30000	0	0	30000	44.625	2004
08.01.2020 12:30:15	1	1	1	1	92.25	64.5	0	24976.303	236.5591398	5854.374473	30000	0	0	30000	44.625	2004
08.01.2020 12:30:16	1	1	1	1	92.25	64.5	0	24881.517	240.8602151	6004.403011	30000	0	0	30000	44.5625	2004
08.01.2020 12:30:17	1	1	1	1	92.25	64.5	0	24786.73	236.5591398	5809.528986	30000	0	0	30000	44.6875	2004
08.01.2020 12:30:18	1	1	1	1	92.25	64.5	0	24834.123	240.8602151	5992.987797	30000	0	0	30000	44.625	2004
08.01.2020 12:30:19	1	1	1	1	92.5	64.5	0	25071.09	240.8602151	6038.648656	30000	0	0	30000	44.625	2004
08.01.2020 12:30:20	1	1	1	1	92.5	64.5	0	24928.91	240.8602151	6004.403011	30000	0	0	30000	44.6875	2004
08.01.2020 12:30:21	1	1	1	1	92.5	64.5	0	24786.73	240.8602151	5970.157367	30000	0	0	30000	44.625	2004
08.01.2020 12:30:22	1	1	1	1	92.5	64.5	0	24976.303	240.8602151	6015.818226	30000	0	0	30000	44.5	2004
08.01.2020 12:30:23	1	1	1	1	92.5	64.5	0	24691.943	240.8602151	5947.326937	30000	0	0	30000	44.625	2004
08.01.2020 12:30:24	1	1	1	1	92.5	64.5	0	24976.303	243.0107527	6068.817438	30000	0	0	30000	44.5	2004
08.01.2020 12:30:25	1	1	1	1	92.5	64.5	0	24218.009	243.0107527	5884.543256	30000	0	0	30000	44.625	2004
08.01.2020 12:30:26	1	1	1	1	92.5	64.5	0	24881.517	240.8602151	5992.987797	30000	0	0	30000	44.625	2004
08.01.2020 12:30:27	1	1	1	1	92.5	64.5	0	24976.303	247.311828	6253.906993	30000	0	0	30000	44.625	2004
08.01.2020 12:30:28	1	1	1	1	92.75	64.5	0	24928.91	243.0107527	6004.403011	30000	0	0	30000	44.5	2004
08.01.2020 12:30:29	1	1	1	1	92.75	64.5	0	24786.73	240.8602151	5970.157367	30000	0	0	30000	44.6875	2004
08.01.2020 12:30:30	1	1	1	1	92.75	64.5	0	24834.123	243.0107527	6045.987008	30000	0	0	30000	44.5625	2004
08.01.2020 12:30:31	1	1	1	1	92.75	64.5	0	24928.91	247.311828	6176.446607	30000	0	0	30000	44.5625	2004
08.01.2020 12:30:32	1	1	1	1	92.75	64.5	0	24218.009	245.1612903	5936.727095	30000	0	0	30000	44.625	2004
08.01.2020 12:30:33	1	1	1	1	92.75	64.5	0	24786.73	240.8602151	5970.157367	30000	0	0	30000	44.5	2004
08.01.2020 12:30:34	1	1	1	1	92.75	64.5	0	24881.517	243.0107527	6034.571794	30000	0	0	30000	44.625	2004
08.01.2020 12:30:35	1	1	1	1	92.75	64.5	0	24454.976	243.0107527	5878.835648	30000	0	0	30000	43.375	2004
08.01.2020 12:30:36	1	1	1	1	92.75	63.25	0	24786.73	240.8602151	5970.157367	30000	0	0	30000	44.5625	2004
08.01.2020 12:30:37	1	1	1	1	92.75	64.5	0	24691.943	240.8602151	6011.741364	30000	0	0	30000	44.6875	2004
08.01.2020 12:30:38	1	1	1	1	93	64.5	0	24834.123	243.0107527	6034.571794	30000	0	0	30000	44.625	2004
08.01.2020 12:30:39	1	1	1	1	93	64.5	0	24786.73	240.8602151	5958.742152	30000	0	0	30000	44.5625	2004
08.01.2020 12:30:40	1	1	1	1	93	64.5	0	24739.336	240.8602151	5970.157367	30000	0	0	30000	44.5	2004
08.01.2020 12:30:41	1	1	1	1	93	64.5	0	25071.09	240.8602151	6038.648656	30000	0	0	30000	44.5	2004
08.01.2020 12:30:42	1	1	1	1	93	64.5	0	24976.303	240.8602151	6015.818226	30000	0	0	30000	44.5	2004
08.01.2020 12:30:43	1	1	1	1	93	64.5	0	24881.517	240.8602151	5992.987797	30000	0	0	30000	44.5	2004
08.01.2020 12:30:44	1	1	1	1	93	64.5	0	25687.204	243.0107527	6363.982279	30000	0	0	30000	44.625	2004
08.01.2020 12:30:45	1	1	1	1	93	64.5	0	24881.517	240.8602151	5992.987797	30000	0	0	30000	44.625	2004
08.01.2020 12:30:46	1	1	1	1	93	64.5	0	24834.123	243.0107527	6034.571794	30000	0	0	30000	44.5625	2004
08.01.2020 12:30:48	1	1	1	1	93	64.5	0	24928.91	240.8602151	6004.403011	30000	0	0	30000	44.625	2004
08.01.2020 12:30:49	1	1	1	1	92.75	64.5	0	24881.517	243.0107527	6045.987008	30000	0	0	30000	44.625	2004
08.01.2020 12:30:50	1	1	1	1	92.75	64.5	0	24834.123	240.8602151	5981.572582	30000	0	0	30000	44.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 12:30:51	1	1	1	1	92.75	64.25	0	24928.91	240.8602151	6015.818226	30000	0	0	30000	44.5625	2004
08.01.2020 12:30:52	1	1	1	1	92.75	64.5	0	24976.303	240.8602151	6200.092409	30000	0	0	30000	44.5625	2004
08.01.2020 12:30:53	1	1	1	1	92.75	64.5	0	24881.517	240.8602151	5992.987797	30000	0	0	30000	44.625	2004
08.01.2020 12:30:54	1	1	1	1	92.75	64.5	0	24928.91	240.8602151	6004.403011	30000	0	0	30000	44.5	2004
08.01.2020 12:30:55	1	1	1	1	92.75	64.5	0	24881.517	240.8602151	6045.987008	30000	0	0	30000	44.75	2004
08.01.2020 12:30:56	1	1	1	1	92.75	64.75	0	24881.517	243.0107527	5992.987797	30000	0	0	30000	44.75	2004
08.01.2020 12:30:57	1	1	1	1	92.75	64.75	0	24786.73	243.0107527	5970.157367	30000	0	0	30000	44.5	2004
08.01.2020 12:30:58	1	1	1	1	92.75	64.5	0	24881.517	245.1612903	6045.987008	30000	0	0	30000	44.625	2004
08.01.2020 12:30:59	1	1	1	1	92.75	64.75	0	22985.782	221.5053763	5091.185823	30000	0	0	30000	44.625	2004
08.01.2020 12:31:00	1	1	1	1	92.75	64.5	0	24597.156	240.8602151	6000.326149	30000	0	0	30000	44.625	2004
08.01.2020 12:31:01	1	1	1	1	92.75	64.5	0	24786.73	243.0107527	6011.741364	30000	0	0	30000	44.5625	2004
08.01.2020 12:31:02	1	1	1	1	92.75	64.5	0	24881.517	249.4623656	5981.572582	30000	0	0	30000	43.875	2004
08.01.2020 12:31:03	1	1	1	1	92.75	63.75	0	24976.303	240.8602151	5962.003642	30000	0	0	30000	44.5625	2004
08.01.2020 12:31:04	1	1	1	1	92.75	64.5	0	25165.877	240.8602151	6006.849129	30000	0	0	30000	44.625	2004
08.01.2020 12:31:05	1	1	1	1	92.75	64.5	0	25545.024	262.3655914	6756.991819	30000	0	0	30000	44.625	2004
08.01.2020 12:31:06	1	1	1	1	92.75	64.5	0	26777.251	275.2688172	7268.23037	30000	0	0	30000	44.5	2004
08.01.2020 12:31:13	1	1	1	1	92.25	64.5	0	25734.597	264.516129	7079.879325	30000	0	0	30000	44.75	2004
08.01.2020 12:31:13	1	1	1	1	92.25	64.5	0	25734.597	264.516129	7079.879325	30000	0	0	30000	44.75	2004
08.01.2020 12:31:13	1	1	1	1	92.25	64.5	0	25734.597	264.516129	7079.879325	30000	0	0	30000	44.75	2004
08.01.2020 12:31:13	1	1	1	1	92.25	64.5	0	25734.597	264.516129	7079.879325	30000	0	0	30000	44.75	2004
08.01.2020 12:31:13	1	1	1	1	92.25	64.5	0	25734.597	264.516129	7079.879325	30000	0	0	30000	44.75	2004
08.01.2020 12:31:13	1	1	1	1	92.25	64.75	0	25829.384	270.9677419	6917.620199	30000	0	0	30000	44.375	2004
08.01.2020 12:31:14	1	1	1	1	92.25	64.25	0	25924.171	270.9677419	7024.433996	30000	0	0	30000	44.5625	2004
08.01.2020 12:31:15	1	1	1	1	92.25	64.5	0	25924.171	270.9677419	7024.433996	30000	0	0	30000	44.1875	2004
08.01.2020 12:31:16	1	1	1	1	92.25	64	0	25734.597	273.1182796	7165.493436	30000	0	0	30000	44.625	2004
08.01.2020 12:31:17	1	1	1	1	92.25	64.5	0	25924.171	273.1182796	7079.879325	30000	0	0	30000	44.5625	2004
08.01.2020 12:31:18	1	1	1	1	92	64.5	0	25734.597	270.9677419	6973.065529	30000	0	0	30000	42.5625	2004
08.01.2020 12:31:19	1	1	1	1	92	62.5	0	25687.204	270.9677419	6960.019569	30000	0	0	30000	44.625	2004
08.01.2020 12:31:20	1	1	1	1	92	64.5	0	25734.597	270.9677419	7028.510858	30000	0	0	30000	44.5625	2004
08.01.2020 12:31:21	1	1	1	1	92	64.5	0	25734.597	273.1182796	7028.510858	30000	0	0	30000	44.5625	2004
08.01.2020 12:31:22	1	1	1	1	92	64.5	0	25924.171	275.2688172	7136.140027	30000	0	0	30000	44.5	2004
08.01.2020 12:31:23	1	1	1	1	92	64.5	0	25734.597	275.2688172	6917.620199	30000	0	0	30000	44.4375	2004
08.01.2020 12:31:24	1	1	1	1	92	64.25	0	25592.417	268.8172043	6946.973609	30000	0	0	30000	44.4375	2004
08.01.2020 12:31:25	1	1	1	1	92	64.25	0	25734.597	270.9677419	6973.065529	30000	0	0	30000	44.5625	2004
08.01.2020 12:31:27	1	1	1	1	92	64.5	0	25545.024	268.8172043	6921.697062	30000	0	0	30000	44.625	2004
08.01.2020 12:31:28	1	1	1	1	92	64.5	0	25734.597	275.2688172	7083.956187	30000	0	0	30000	44.4375	2004
08.01.2020 12:31:29	1	1	1	1	92	64.25	0	25639.81	270.9677419	6946.973609	30000	0	0	30000	44.5625	2004
08.01.2020 12:31:30	1	1	1	1	92	64.5	0	25639.81	273.1182796	7002.418938	30000	0	0	30000	44.625	2004
08.01.2020 12:31:31	1	1	1	1	92	64.5	0	25118.483	273.1182796	6752.099584	30000	0	0	30000	44.5625	2004
08.01.2020 12:31:32	1	1	1	1	92	64.5	0	25450.237	275.2688172	7005.680428	30000	0	0	30000	44.4375	2004
08.01.2020 12:31:33	1	1	1	1	92	64.25	0	25639.81	275.2688172	6989.372979	30000	0	0	30000	44.5	2004
08.01.2020 12:31:34	1	1	1	1	92	64.5	0	25592.417	268.8172043	7002.418938	30000	0	0	30000	44.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 12:31:35	1	1	1	1	92	64.5	0	25545.024	273.1182796	6989.372979	30000	0	0	30000	44.6875	2004
08.01.2020 12:31:36	1	1	1	1	92	64.5	0	25687.204	270.9677419	6946.973609	30000	0	0	30000	44.625	2004
08.01.2020 12:31:37	1	1	1	1	92	64.5	0	25545.024	268.8172043	6921.697062	30000	0	0	30000	44.5	2004
08.01.2020 12:31:38	1	1	1	1	92	64.5	0	25734.597	273.1182796	7028.510858	30000	0	0	30000	44.625	2004
08.01.2020 12:31:39	1	1	1	1	92.75	64.5	0	25734.597	273.1182796	7028.510858	30000	0	0	30000	44.5	2004
08.01.2020 12:31:40	1	1	1	1	92.75	64.5	0	25545.024	270.9677419	6921.697062	30000	0	0	30000	44.5	2004
08.01.2020 12:31:41	1	1	1	1	92.75	64.5	0	25734.597	268.8172043	6917.620199	30000	0	0	30000	44.4375	2004
08.01.2020 12:31:42	1	1	1	1	92.75	64.25	0	25734.597	270.9677419	6973.065529	30000	0	0	30000	44.5	2004
08.01.2020 12:31:43	1	1	1	1	92.75	64.5	0	25924.171	268.8172043	7024.433996	30000	0	0	30000	44.5	2004
08.01.2020 12:31:44	1	1	1	1	92.75	64.5	0	26066.351	270.9677419	7006.495801	30000	0	0	30000	44.5	2004
08.01.2020 12:31:45	1	1	1	1	92.75	64.5	0	25734.597	270.9677419	6973.065529	30000	0	0	30000	44.4375	2004
08.01.2020 12:31:46	1	1	1	1	92.75	64.25	0	25734.597	270.9677419	7024.433996	30000	0	0	30000	44.125	2004
08.01.2020 12:31:47	1	1	1	1	92.75	64	0	25734.597	270.9677419	6973.065529	30000	0	0	30000	44.5625	2004
08.01.2020 12:31:48	1	1	1	1	92.25	64.5	0	25592.417	268.8172043	6892.343652	30000	0	0	30000	44.5625	2004
08.01.2020 12:31:49	1	1	1	1	92.25	64.5	0	25734.597	270.9677419	6973.065529	30000	0	0	30000	44.4375	2004
08.01.2020 12:31:50	1	1	1	1	92.25	64.25	0	25924.171	270.9677419	7024.433996	30000	0	0	30000	44.5625	2004
08.01.2020 12:31:51	1	1	1	1	92.25	64.5	0	25734.597	270.9677419	6973.065529	30000	0	0	30000	44.5	2004
08.01.2020 12:31:52	1	1	1	1	92.25	64.5	0	25734.597	270.9677419	6973.065529	30000	0	0	30000	44.4375	2004
08.01.2020 12:31:53	1	1	1	1	92.25	64.25	0	25876.777	273.1182796	7011.388036	30000	0	0	30000	44.625	2004
08.01.2020 12:31:54	1	1	1	1	92.25	64.5	0	25687.204	270.9677419	6973.065529	30000	0	0	30000	44.4375	2004
08.01.2020 12:31:55	1	1	1	1	92.25	64.25	0	25734.597	270.9677419	6973.065529	30000	0	0	30000	44.5625	2004
08.01.2020 12:31:56	1	1	1	1	92.25	64.5	0	25687.204	273.1182796	7083.956187	30000	0	0	30000	44.3125	2004
08.01.2020 12:31:57	1	1	1	1	92.25	64.25	0	25734.597	268.8172043	6973.065529	30000	0	0	30000	44.4375	2004
08.01.2020 12:31:58	1	1	1	1	92	64.25	0	25734.597	266.6666667	6998.342076	30000	0	0	30000	44.5	2004
08.01.2020 12:31:59	1	1	1	1	92	64.5	0	26018.957	273.1182796	7105.971245	30000	0	0	30000	44.5625	2004
08.01.2020 12:32:00	1	1	1	1	92	64.5	0	26066.351	268.8172043	6994.265213	30000	0	0	30000	44.4375	2004
08.01.2020 12:32:01	1	1	1	1	92	64.25	0	26113.744	266.6666667	7019.541761	30000	0	0	30000	44.5	2004
08.01.2020 12:32:02	1	1	1	1	92	64.5	0	26208.531	268.8172043	7044.818308	30000	0	0	30000	44.5625	2004
08.01.2020 12:32:03	1	1	1	1	92	64.5	0	26255.924	268.8172043	7057.864268	30000	0	0	30000	44.5625	2004
08.01.2020 12:32:04	1	1	1	1	92	64.5	0	26018.957	266.6666667	6994.265213	30000	0	0	30000	44.5	2004
08.01.2020 12:32:06	1	1	1	1	92	64.5	0	26635.071	294.6236559	7833.283505	30000	0	0	30000	44.5625	2004
08.01.2020 12:32:07	1	1	1	1	92	64.5	0	26398.104	290.3225806	7649.824695	30000	0	0	30000	44.5	2004
08.01.2020 12:32:08	1	1	1	1	92	64.5	0	26587.678	298.9247312	8004.511728	30000	0	0	30000	44.5	2004
08.01.2020 12:32:14	1	1	1	1	92	64.25	0	26587.678	301.0752688	8004.511728	30000	0	0	30000	44.4375	2004
08.01.2020 12:32:14	1	1	1	1	92	64.25	0	26587.678	301.0752688	8004.511728	30000	0	0	30000	44.4375	2004
08.01.2020 12:32:14	1	1	1	1	92	64.25	0	26587.678	301.0752688	8004.511728	30000	0	0	30000	44.4375	2004
08.01.2020 12:32:14	1	1	1	1	92	64.25	0	26587.678	301.0752688	8004.511728	30000	0	0	30000	44.4375	2004
08.01.2020 12:32:14	1	1	1	1	92	64.25	0	26587.678	301.0752688	8004.511728	30000	0	0	30000	44.4375	2004
08.01.2020 12:32:14	1	1	1	1	92	64.25	0	26587.678	301.0752688	8004.511728	30000	0	0	30000	44.4375	2004
08.01.2020 12:32:15	1	1	1	1	92	64.25	0	26587.678	298.9247312	7819.422173	30000	0	0	30000	44.8125	2004
08.01.2020 12:32:16	1	1	1	1	92	64.75	0	26587.678	298.9247312	7947.435654	30000	0	0	30000	44.4375	2004
08.01.2020 12:32:17	1	1	1	1	92	64.5	0	26777.251	298.9247312	8003.696355	30000	0	0	30000	44.4375	2004
08.01.2020 12:32:18	1	1	1	1	91.75	64.25	0	26729.858	296.7741935	7975.973691	30000	0	0	30000	44.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 12:32:19	1	1	1	1	91.75	64.5	0	26682.464	301.0752688	8090.125839	30000	0	0	30000	44.4375	2004
08.01.2020 12:32:20	1	1	1	1	91.75	64.25	0	26540.284	301.0752688	8047.72647	30000	0	0	30000	44.5625	2004
08.01.2020 12:32:21	1	1	1	1	91.75	64.5	0	26587.678	301.0752688	8004.511728	30000	0	0	30000	44.5	2004
08.01.2020 12:32:22	1	1	1	1	91.75	64.5	0	26682.464	301.0752688	8090.125839	30000	0	0	30000	44.4375	2004
08.01.2020 12:32:23	1	1	1	1	91.75	64.25	0	26492.891	301.0752688	7990.650395	30000	0	0	30000	44.5	2004
08.01.2020 12:32:24	1	1	1	1	91.75	64.5	0	26255.924	305.3763441	7961.296986	30000	0	0	30000	44.5625	2004
08.01.2020 12:32:25	1	1	1	1	91.75	64.5	0	26113.744	305.3763441	7974.342946	30000	0	0	30000	44.0625	2004
08.01.2020 12:32:26	1	1	1	1	91.75	64	0	26113.744	305.3763441	8030.603647	30000	0	0	30000	44.5	2004
08.01.2020 12:32:27	1	1	1	1	91.75	64.5	0	26208.531	305.3763441	7918.082244	30000	0	0	30000	44.5	2004
08.01.2020 12:32:28	1	1	1	1	91.25	64.5	0	25924.171	303.2258065	7860.190797	30000	0	0	30000	44.4375	2004
08.01.2020 12:32:29	1	1	1	1	91.25	64.25	0	26113.744	305.3763441	7974.342946	30000	0	0	30000	44.5625	2004
08.01.2020 12:32:30	1	1	1	1	91.25	64.5	0	26113.744	305.3763441	7974.342946	30000	0	0	30000	44.5625	2004
08.01.2020 12:32:31	1	1	1	1	91.25	64.5	0	26018.957	301.0752688	7889.544207	30000	0	0	30000	44.625	2004
08.01.2020 12:32:32	1	1	1	1	91.25	64.5	0	26113.744	305.3763441	8030.603647	30000	0	0	30000	44.4375	2004
08.01.2020 12:32:33	1	1	1	1	91.25	64.25	0	26113.744	305.3763441	7974.342946	30000	0	0	30000	44.5625	2004
08.01.2020 12:32:34	1	1	1	1	91.25	64.5	0	26113.744	305.3763441	8030.603647	30000	0	0	30000	44.4375	2004
08.01.2020 12:32:35	1	1	1	1	91.25	64.25	0	26113.744	307.5268817	8142.309678	30000	0	0	30000	44.5	2004
08.01.2020 12:32:36	1	1	1	1	91.25	64.5	0	26208.531	307.5268817	7918.082244	30000	0	0	30000	44.4375	2004
08.01.2020 12:32:37	1	1	1	1	91.25	64.25	0	26113.744	305.3763441	7974.342946	30000	0	0	30000	44.5	2004
08.01.2020 12:32:38	1	1	1	1	91	64.5	0	26113.744	307.5268817	7974.342946	30000	0	0	30000	44.4375	2004
08.01.2020 12:32:39	1	1	1	1	91	64.25	0	26303.318	307.5268817	8145.571168	30000	0	0	30000	44.3125	2004
08.01.2020 12:32:40	1	1	1	1	91	64.25	0	26113.744	307.5268817	8015.926943	30000	0	0	30000	44.4375	2004
08.01.2020 12:32:41	1	1	1	1	91	64.25	0	25924.171	305.3763441	8001.250238	30000	0	0	30000	44.5625	2004
08.01.2020 12:32:42	1	1	1	1	91	64.5	0	26066.351	305.3763441	8015.926943	30000	0	0	30000	44.375	2004
08.01.2020 12:32:43	1	1	1	1	91	64.25	0	26113.744	305.3763441	8030.603647	30000	0	0	30000	44.4375	2004
08.01.2020 12:32:44	1	1	1	1	91	64.25	0	26113.744	307.5268817	8030.603647	30000	0	0	30000	44.5625	2004
08.01.2020 12:32:45	1	1	1	1	91	64.5	0	26350.711	305.3763441	8032.234392	30000	0	0	30000	44.625	2004
08.01.2020 12:32:47	1	1	1	1	91	64.5	0	26398.104	305.3763441	8117.848504	30000	0	0	30000	44.4375	2004
08.01.2020 12:32:48	1	1	1	1	91	64.25	0	26350.711	305.3763441	8046.911097	30000	0	0	30000	44.4375	2004
08.01.2020 12:32:49	1	1	1	1	91.5	64.25	0	26303.318	305.3763441	8032.234392	30000	0	0	30000	44.375	2004
08.01.2020 12:32:50	1	1	1	1	91.5	64.25	0	26303.318	305.3763441	8032.234392	30000	0	0	30000	44.5	2004
08.01.2020 12:32:51	1	1	1	1	91.5	64.5	0	26066.351	305.3763441	7889.544207	30000	0	0	30000	44.375	2004
08.01.2020 12:32:52	1	1	1	1	91.5	64.25	0	26066.351	307.5268817	7889.544207	30000	0	0	30000	44.4375	2004
08.01.2020 12:32:53	1	1	1	1	91.5	64.25	0	26018.957	305.3763441	7889.544207	30000	0	0	30000	44.4375	2004
08.01.2020 12:32:54	1	1	1	1	91.5	64.25	0	26113.744	303.2258065	7974.342946	30000	0	0	30000	44.5625	2004
08.01.2020 12:32:55	1	1	1	1	91.5	64.5	0	26113.744	307.5268817	8059.141685	30000	0	0	30000	44.5625	2004
08.01.2020 12:32:56	1	1	1	1	91.5	64.5	0	26066.351	303.2258065	7847.96021	30000	0	0	30000	44.625	2004
08.01.2020 12:32:57	1	1	1	1	91.5	64.5	0	26208.531	307.5268817	8002.880983	30000	0	0	30000	44.5625	2004
08.01.2020 12:32:58	1	1	1	1	91.5	64.5	0	25876.777	305.3763441	7971.896828	30000	0	0	30000	44.625	2004
08.01.2020 12:32:59	1	1	1	1	91.25	64.5	0	26113.744	307.5268817	8030.603647	30000	0	0	30000	44.3125	2004
08.01.2020 12:33:00	1	1	1	1	91.25	64.5	0	26113.744	305.3763441	8030.603647	30000	0	0	30000	44.625	2004
08.01.2020 12:33:01	1	1	1	1	91.25	64.5	0	26303.318	307.5268817	8032.234392	30000	0	0	30000	44.4375	2004
08.01.2020 12:33:02	1	1	1	1	91.25	64.25	0	26255.924	305.3763441	8017.557688	30000	0	0	30000	44.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 12:33:03	1	1	1	1	91.25	64.5	0	26492.891	301.0752688	8047.72647	30000	0	0	30000	44.5	2004
08.01.2020 12:33:04	1	1	1	1	91.25	64.5	0	26350.711	301.0752688	7876.498247	30000	0	0	30000	44.4375	2004
08.01.2020 12:33:05	1	1	1	1	91.25	64.25	0	26682.464	326.8817204	8664.148072	30000	0	0	30000	44.375	2004
08.01.2020 12:33:06	1	1	1	1	91.25	64.25	0	26966.825	333.3333333	9046.557769	30000	0	0	30000	44.5625	2004
08.01.2020 12:33:07	1	1	1	1	91.25	64.5	0	27061.611	331.1827957	9020.465849	30000	0	0	30000	44.375	2004
08.01.2020 12:33:08	1	1	1	1	91.75	64.25	0	27061.611	331.1827957	8845.976137	30000	0	0	30000	44.4375	2004
08.01.2020 12:33:09	1	1	1	1	91.75	64.25	0	27109.005	335.483871	9334.384258	30000	0	0	30000	44.375	2004
08.01.2020 12:33:16	1	1	1	1	91.75	64.25	0	26445.498	341.9354839	9042.480907	30000	0	0	30000	44.25	2004
08.01.2020 12:33:16	1	1	1	1	91.75	64.25	0	26445.498	341.9354839	9042.480907	30000	0	0	30000	44.25	2004
08.01.2020 12:33:16	1	1	1	1	91.75	64.25	0	26445.498	341.9354839	9042.480907	30000	0	0	30000	44.25	2004
08.01.2020 12:33:16	1	1	1	1	91.75	64.25	0	26445.498	341.9354839	9042.480907	30000	0	0	30000	44.25	2004
08.01.2020 12:33:16	1	1	1	1	91.75	64.25	0	26445.498	341.9354839	9042.480907	30000	0	0	30000	44.25	2004
08.01.2020 12:33:16	1	1	1	1	91.75	64.25	0	26540.284	337.6344086	9033.511809	30000	0	0	30000	44.5	2004
08.01.2020 12:33:17	1	1	1	1	91.75	64.5	0	26587.678	333.3333333	9008.235262	30000	0	0	30000	44.4375	2004
08.01.2020 12:33:18	1	1	1	1	90.75	64.25	0	26492.891	337.6344086	8960.943658	30000	0	0	30000	44.4375	2004
08.01.2020 12:33:19	1	1	1	1	90.75	64.25	0	26587.678	337.6344086	9033.511809	30000	0	0	30000	44.375	2004
08.01.2020 12:33:20	1	1	1	1	90.75	64.25	0	26350.711	339.7849462	9009.866007	30000	0	0	30000	44.25	2004
08.01.2020 12:33:21	1	1	1	1	90.75	64.25	0	26492.891	341.9354839	9075.095806	30000	0	0	30000	44.3125	2004
08.01.2020 12:33:22	1	1	1	1	90.75	64.25	0	26350.711	341.9354839	9009.866007	30000	0	0	30000	44.5	2004
08.01.2020 12:33:23	1	1	1	1	90.75	64.5	0	26350.711	341.9354839	9009.866007	30000	0	0	30000	44.4375	2004
08.01.2020 12:33:24	1	1	1	1	90.75	64.25	0	26398.104	339.7849462	8912.836681	30000	0	0	30000	44.1875	2004
08.01.2020 12:33:25	1	1	1	1	90.75	64	0	26682.464	341.9354839	9090.587884	30000	0	0	30000	44.5	2004
08.01.2020 12:33:26	1	1	1	1	90.75	64.5	0	26398.104	337.6344086	8969.097383	30000	0	0	30000	44.375	2004
08.01.2020 12:33:28	1	1	1	1	90.75	64.25	0	26350.711	337.6344086	8896.529231	30000	0	0	30000	44.4375	2004
08.01.2020 12:33:29	1	1	1	1	91	64.25	0	26682.464	339.7849462	9008.235262	30000	0	0	30000	44.3125	2004
08.01.2020 12:33:30	1	1	1	1	91	64.25	0	26445.498	339.7849462	8928.328758	30000	0	0	30000	44.5	2004
08.01.2020 12:33:31	1	1	1	1	91	64.5	0	26303.318	341.9354839	8993.558557	30000	0	0	30000	44.4375	2004
08.01.2020 12:33:32	1	1	1	1	91	64.25	0	26113.744	346.2365591	8929.144131	30000	0	0	30000	44.375	2004
08.01.2020 12:33:33	1	1	1	1	91	64.25	0	26303.318	341.9354839	8993.558557	30000	0	0	30000	44.3125	2004
08.01.2020 12:33:34	1	1	1	1	91	64.25	0	26303.318	341.9354839	8993.558557	30000	0	0	30000	44.625	2004
08.01.2020 12:33:35	1	1	1	1	91	64.5	0	26113.744	346.2365591	8929.144131	30000	0	0	30000	44.4375	2004
08.01.2020 12:33:36	1	1	1	1	91	64.25	0	26113.744	344.0860215	8929.144131	30000	0	0	30000	44.375	2004
08.01.2020 12:33:37	1	1	1	1	91	64.25	0	26303.318	344.0860215	8993.558557	30000	0	0	30000	44.375	2004
08.01.2020 12:33:38	1	1	1	1	91	64.25	0	26066.351	341.9354839	8912.836681	30000	0	0	30000	44.4375	2004
08.01.2020 12:33:39	1	1	1	1	91.25	64.25	0	26113.744	341.9354839	9074.280434	30000	0	0	30000	44.625	2004
08.01.2020 12:33:40	1	1	1	1	91.25	64.5	0	26113.744	344.0860215	8985.404832	30000	0	0	30000	44.5	2004
08.01.2020 12:33:41	1	1	1	1	91.25	64.5	0	26066.351	344.0860215	9040.850162	30000	0	0	30000	44.1875	2004
08.01.2020 12:33:42	1	1	1	1	91.25	64	0	26208.531	346.2365591	9074.280434	30000	0	0	30000	44.4375	2004
08.01.2020 12:33:43	1	1	1	1	91.25	64.25	0	25924.171	346.2365591	8975.620363	30000	0	0	30000	44.3125	2004
08.01.2020 12:33:44	1	1	1	1	91.25	64.25	0	26113.744	346.2365591	9040.850162	30000	0	0	30000	44.3125	2004
08.01.2020 12:33:45	1	1	1	1	91.25	64.25	0	25924.171	341.9354839	8975.620363	30000	0	0	30000	44.5	2004
08.01.2020 12:33:46	1	1	1	1	91.25	64.5	0	26066.351	341.9354839	9097.110863	30000	0	0	30000	44.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 12:33:47	1	1	1	1	91.25	64.25	0	25924.171	348.3870968	8975.620363	30000	0	0	30000	44.5625	2004
08.01.2020 12:33:48	1	1	1	1	91.5	64.5	0	26066.351	348.3870968	9080.803414	30000	0	0	30000	44.3125	2004
08.01.2020 12:33:49	1	1	1	1	91.5	64.25	0	25924.171	344.0860215	8975.620363	30000	0	0	30000	44.4375	2004
08.01.2020 12:33:50	1	1	1	1	91.5	64.25	0	25924.171	348.3870968	9087.326394	30000	0	0	30000	44.5	2004
08.01.2020 12:33:51	1	1	1	1	91.5	64.5	0	25924.171	346.2365591	8975.620363	30000	0	0	30000	44.5	2004
08.01.2020 12:33:52	1	1	1	1	91.5	64.5	0	25924.171	348.3870968	9087.326394	30000	0	0	30000	44.375	2004
08.01.2020 12:33:53	1	1	1	1	91.5	64.25	0	25924.171	346.2365591	8975.620363	30000	0	0	30000	44.5625	2004
08.01.2020 12:33:54	1	1	1	1	91.5	64.5	0	25734.597	346.2365591	8909.575191	30000	0	0	30000	44.5	2004
08.01.2020 12:33:55	1	1	1	1	91.5	64.5	0	25876.777	344.0860215	8975.620363	30000	0	0	30000	44.5	2004
08.01.2020 12:33:56	1	1	1	1	91.5	64.5	0	25924.171	348.3870968	9031.065692	30000	0	0	30000	44.4375	2004
08.01.2020 12:33:57	1	1	1	1	91.5	64.25	0	25734.597	348.3870968	8965.02052	30000	0	0	30000	44.375	2004
08.01.2020 12:33:58	1	1	1	1	91.5	64.25	0	25734.597	346.2365591	9031.065692	30000	0	0	30000	44.3125	2004
08.01.2020 12:33:59	1	1	1	1	91.5	64.25	0	26113.744	346.2365591	9040.850162	30000	0	0	30000	44.3125	2004
08.01.2020 12:34:00	1	1	1	1	91.5	64.25	0	26255.924	341.9354839	8960.943658	30000	0	0	30000	44.5	2004
08.01.2020 12:34:01	1	1	1	1	91.5	64.5	0	26398.104	341.9354839	9026.173457	30000	0	0	30000	44.4375	2004
08.01.2020 12:34:02	1	1	1	1	91.5	64.25	0	26303.318	337.6344086	9009.866007	30000	0	0	30000	44.5625	2004
08.01.2020 12:34:03	1	1	1	1	91.5	64.5	0	26398.104	335.483871	9058.788356	30000	0	0	30000	44.375	2004
08.01.2020 12:34:04	1	1	1	1	91.5	64.25	0	26445.498	339.7849462	8912.836681	30000	0	0	30000	43.5625	2004
08.01.2020 12:34:05	1	1	1	1	91.5	63.5	0	27109.005	369.8924731	10027.45087	30000	0	0	30000	44.5625	2004
08.01.2020 12:34:06	1	1	1	1	91.5	64.5	0	27630.332	369.8924731	10202.75596	30000	0	0	30000	44.4375	2004
08.01.2020 12:34:07	1	1	1	1	91.5	64.25	0	27582.938	369.8924731	10184.81776	30000	0	0	30000	44.375	2004
08.01.2020 12:34:09	1	1	1	1	91	64.25	0	27630.332	363.4408602	10041.31221	30000	0	0	30000	44.25	2004
08.01.2020 12:34:10	1	1	1	1	91	64.25	0	27630.332	369.8924731	10160.35659	30000	0	0	30000	44.375	2004
08.01.2020 12:34:11	1	1	1	1	91	64.25	0	27298.578	363.4408602	9921.45245	30000	0	0	30000	44.5	2004
08.01.2020 12:34:17	1	1	1	1	91	64.25	0	28009.479	359.1397849	10059.2504	30000	0	0	30000	44.3125	2004
08.01.2020 12:34:17	1	1	1	1	91	64.25	0	28009.479	359.1397849	10059.2504	30000	0	0	30000	44.3125	2004
08.01.2020 12:34:17	1	1	1	1	91	64.25	0	28009.479	359.1397849	10059.2504	30000	0	0	30000	44.3125	2004
08.01.2020 12:34:17	1	1	1	1	91	64.25	0	28009.479	359.1397849	10059.2504	30000	0	0	30000	44.3125	2004
08.01.2020 12:34:17	1	1	1	1	91	64.25	0	28009.479	359.1397849	10059.2504	30000	0	0	30000	44.3125	2004
08.01.2020 12:34:17	1	1	1	1	91	64.25	0	28009.479	359.1397849	10059.2504	30000	0	0	30000	44.3125	2004
08.01.2020 12:34:17	1	1	1	1	91	64.25	0	28009.479	359.1397849	10059.2504	30000	0	0	30000	44.3125	2004
08.01.2020 12:34:18	1	1	1	1	91	64.25	0	28009.479	363.4408602	10059.2504	30000	0	0	30000	44.125	2004
08.01.2020 12:34:19	1	1	1	1	91.5	64	0	27867.299	359.1397849	10007.88193	30000	0	0	30000	44.75	2004
08.01.2020 12:34:20	1	1	1	1	91.5	64.75	0	27630.332	363.4408602	10041.31221	30000	0	0	30000	44.3125	2004
08.01.2020 12:34:21	1	1	1	1	91.5	64.25	0	27630.332	367.7419355	9905.960373	30000	0	0	30000	44.5625	2004
08.01.2020 12:34:22	1	1	1	1	91.5	64.25	0	27440.758	361.2903226	9854.591906	30000	0	0	30000	44.3125	2004
08.01.2020 12:34:23	1	1	1	1	91.5	64.25	0	27109.005	361.2903226	9660.533254	30000	0	0	30000	44.3125	2004
08.01.2020 12:34:24	1	1	1	1	91.5	64.25	0	27345.972	365.5913978	9938.575272	30000	0	0	30000	44.4375	2004
08.01.2020 12:34:25	1	1	1	1	91.5	64.25	0	27630.332	369.8924731	10219.87878	30000	0	0	30000	44.1875	2004
08.01.2020 12:34:26	1	1	1	1	91.5	64	0	27298.578	363.4408602	9869.268611	30000	0	0	30000	44.3125	2004
08.01.2020 12:34:27	1	1	1	1	91.5	64.25	0	27440.758	361.2903226	10091.04993	30000	0	0	30000	43.9375	2004
08.01.2020 12:34:28	1	1	1	1	92.5	63.75	0	27535.545	369.8924731	10149.75675	30000	0	0	30000	44.5	2004
08.01.2020 12:34:29	1	1	1	1	92.5	64.5	0	27582.938	363.4408602	10160.35659	30000	0	0	30000	44.3125	2004
08.01.2020 12:34:30	1	1	1	1	92.5	64.25	0	27582.938	367.7419355	10125.29557	30000	0	0	30000	44.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 12:34:31	1	1	1	1	92.5	64.25	0	27582.938	372.0430108	10184.81776	30000	0	0	30000	44.3125	2004
08.01.2020 12:34:32	1	1	1	1	92.5	64.25	0	27298.578	365.5913978	10038.86609	30000	0	0	30000	44.3125	2004
08.01.2020 12:34:33	1	1	1	1	92.5	64.25	0	27440.758	369.8924731	10149.75675	30000	0	0	30000	44.375	2004
08.01.2020 12:34:34	1	1	1	1	92.5	64.25	0	27109.005	361.2903226	9852.145789	30000	0	0	30000	44.375	2004
08.01.2020 12:34:35	1	1	1	1	92.5	64.25	0	27109.005	367.7419355	9852.145789	30000	0	0	30000	44.4375	2004
08.01.2020 12:34:36	1	1	1	1	92.5	64.25	0	27298.578	365.5913978	9980.159269	30000	0	0	30000	44.1875	2004
08.01.2020 12:34:37	1	1	1	1	92.5	64	0	27061.611	361.2903226	9718.4247	30000	0	0	30000	44.3125	2004
08.01.2020 12:34:38	1	1	1	1	91.25	64.25	0	27298.578	359.1397849	9804.038812	30000	0	0	30000	44.5	2004
08.01.2020 12:34:39	1	1	1	1	91.25	64.5	0	27345.972	365.5913978	9997.282092	30000	0	0	30000	43.625	2004
08.01.2020 12:34:40	1	1	1	1	91.25	63.5	0	27298.578	359.1397849	9804.038812	30000	0	0	30000	44.3125	2004
08.01.2020 12:34:41	1	1	1	1	91.25	64.25	0	27298.578	359.1397849	9804.038812	30000	0	0	30000	44.3125	2004
08.01.2020 12:34:42	1	1	1	1	91.25	64.25	0	27630.332	365.5913978	9905.960373	30000	0	0	30000	44.375	2004
08.01.2020 12:34:43	1	1	1	1	91.25	64.25	0	27819.905	365.5913978	10349.52301	30000	0	0	30000	44.5	2004
08.01.2020 12:34:44	1	1	1	1	91.25	64.5	0	27582.938	363.4408602	9854.591906	30000	0	0	30000	44.1875	2004
08.01.2020 12:34:46	1	1	1	1	91.25	64	0	27630.332	363.4408602	10041.31221	30000	0	0	30000	44.125	2004
08.01.2020 12:34:47	1	1	1	1	91.25	64	0	27440.758	356.9892473	9854.591906	30000	0	0	30000	43.25	2004
08.01.2020 12:34:48	1	1	1	1	91.25	63.25	0	27630.332	359.1397849	10170.14106	30000	0	0	30000	44.1875	2004
08.01.2020 12:34:49	1	1	1	1	91.25	64	0	27582.938	361.2903226	9854.591906	30000	0	0	30000	44.4375	2004
08.01.2020 12:34:50	1	1	1	1	91.25	64.25	0	27867.299	365.5913978	10188.07925	30000	0	0	30000	44.375	2004
08.01.2020 12:34:51	1	1	1	1	91.25	64.25	0	27440.758	359.1397849	9854.591906	30000	0	0	30000	44.375	2004
08.01.2020 12:34:52	1	1	1	1	91.25	64.25	0	27630.332	367.7419355	10041.31221	30000	0	0	30000	44.25	2004
08.01.2020 12:34:53	1	1	1	1	91.25	64.25	0	27582.938	363.4408602	9854.591906	30000	0	0	30000	44.5	2004
08.01.2020 12:34:54	1	1	1	1	91.25	64.5	0	27630.332	359.1397849	9923.083195	30000	0	0	30000	44.375	2004
08.01.2020 12:34:55	1	1	1	1	91.25	64.25	0	27630.332	363.4408602	10041.31221	30000	0	0	30000	44	2004
08.01.2020 12:34:58	1	1	1	1	90.75	64.5	0	27109.005	363.4408602	9852.145789	30000	0	0	30000	44.125	2004
08.01.2020 12:34:58	1	1	1	1	90.75	64.5	0	27109.005	363.4408602	9852.145789	30000	0	0	30000	44.125	2004
08.01.2020 12:34:58	1	1	1	1	90.75	64.5	0	27109.005	363.4408602	9852.145789	30000	0	0	30000	44.125	2004
08.01.2020 12:34:59	1	1	1	1	90.75	64	0	27440.758	367.7419355	10091.04993	30000	0	0	30000	44.5	2004
08.01.2020 12:35:00	1	1	1	1	90.75	64.5	0	27298.578	365.5913978	10055.98891	30000	0	0	30000	43.5	2004
08.01.2020 12:35:01	1	1	1	1	90.75	63.5	0	27298.578	363.4408602	9921.45245	30000	0	0	30000	44.4375	2004
08.01.2020 12:35:02	1	1	1	1	90.75	64.25	0	27440.758	363.4408602	10208.46357	30000	0	0	30000	44.5	2004
08.01.2020 12:35:03	1	1	1	1	90.75	64.5	0	27440.758	361.2903226	9795.885087	30000	0	0	30000	44.375	2004
08.01.2020 12:35:04	1	1	1	1	90.75	64.25	0	27298.578	359.1397849	9938.575272	30000	0	0	30000	44.5	2004
08.01.2020 12:35:05	1	1	1	1	90.75	64.5	0	27867.299	395.6989247	11008.34398	30000	0	0	30000	43.875	2004
08.01.2020 12:35:06	1	1	1	1	90.75	63.75	0	27630.332	389.2473118	10989.59041	30000	0	0	30000	44.3125	2004
08.01.2020 12:35:07	1	1	1	1	90.75	64.25	0	27914.692	389.2473118	10865.65379	30000	0	0	30000	44.4375	2004
08.01.2020 12:35:08	1	1	1	1	91.25	64.25	0	27819.905	391.3978495	10828.14666	30000	0	0	30000	44.375	2004
08.01.2020 12:35:09	1	1	1	1	91.25	64.25	0	27914.692	395.6989247	11064.60468	30000	0	0	30000	44.3125	2004
08.01.2020 12:35:10	1	1	1	1	91.25	64.25	0	27867.299	395.6989247	11027.09755	30000	0	0	30000	44.1875	2004
08.01.2020 12:35:11	1	1	1	1	91.25	64	0	27440.758	391.3978495	10858.31544	30000	0	0	30000	44.25	2004
08.01.2020 12:35:12	1	1	1	1	91.25	64.25	0	27440.758	397.8494624	10975.72908	30000	0	0	30000	44.5	2004
08.01.2020 12:35:19	1	1	1	1	92.25	64.25	0	27298.578	400	11036.88202	30000	0	0	30000	44.3125	2004
08.01.2020 12:35:19	1	1	1	1	92.25	64.25	0	27298.578	400	11036.88202	30000	0	0	30000	44.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 12:35:19	1	1	1	1	92.25	64.25	0	27298.578	400	11036.88202	30000	0	0	30000	44.3125	2004
08.01.2020 12:35:19	1	1	1	1	92.25	64.25	0	27298.578	400	11036.88202	30000	0	0	30000	44.3125	2004
08.01.2020 12:35:19	1	1	1	1	92.25	64.25	0	27298.578	400	11036.88202	30000	0	0	30000	44.3125	2004
08.01.2020 12:35:19	1	1	1	1	92.25	64.25	0	27298.578	400	11036.88202	30000	0	0	30000	44.3125	2004
08.01.2020 12:35:19	1	1	1	1	92.25	64.25	0	27298.578	400	11036.88202	30000	0	0	30000	44.5	2004
08.01.2020 12:35:20	1	1	1	1	92.25	64.5	0	27298.578	400	10860.76156	30000	0	0	30000	44	2004
08.01.2020 12:35:21	1	1	1	1	92.25	64	0	27298.578	397.8494624	10860.76156	30000	0	0	30000	44.3125	2004
08.01.2020 12:35:22	1	1	1	1	92.25	64.25	0	27298.578	404.3010753	10996.92876	30000	0	0	30000	44.125	2004
08.01.2020 12:35:23	1	1	1	1	92.25	64	0	27345.972	404.3010753	11055.63558	30000	0	0	30000	44.375	2004
08.01.2020 12:35:24	1	1	1	1	92.25	64.25	0	27298.578	402.1505376	11055.63558	30000	0	0	30000	43.75	2004
08.01.2020 12:35:25	1	1	1	1	92.25	63.75	0	27298.578	412.9032258	11271.70929	30000	0	0	30000	44.3125	2004
08.01.2020 12:35:27	1	1	1	1	92.25	64.25	0	27298.578	404.3010753	11036.88202	30000	0	0	30000	44.4375	2004
08.01.2020 12:35:28	1	1	1	1	92.25	64.25	0	27109.005	404.3010753	10960.237	30000	0	0	30000	44.375	2004
08.01.2020 12:35:29	1	1	1	1	92.75	64.25	0	26966.825	404.3010753	10902.34555	30000	0	0	30000	44.1875	2004
08.01.2020 12:35:30	1	1	1	1	92.75	64	0	26919.431	404.3010753	10902.34555	30000	0	0	30000	44.3125	2004
08.01.2020 12:35:31	1	1	1	1	92.75	64.25	0	27298.578	404.3010753	10960.237	30000	0	0	30000	44.375	2004
08.01.2020 12:35:32	1	1	1	1	92.75	64.25	0	27298.578	412.9032258	11271.70929	30000	0	0	30000	44.375	2004
08.01.2020 12:35:33	1	1	1	1	92.75	64.25	0	26872.038	404.3010753	10883.59199	30000	0	0	30000	44.3125	2004
08.01.2020 12:35:34	1	1	1	1	92.75	64.25	0	26777.251	404.3010753	10825.70054	30000	0	0	30000	44.4375	2004
08.01.2020 12:35:35	1	1	1	1	92.75	64.25	0	26872.038	412.9032258	10845.26948	30000	0	0	30000	43.8125	2004
08.01.2020 12:35:36	1	1	1	1	92.75	63.75	0	26919.431	412.9032258	11115.15777	30000	0	0	30000	43.875	2004
08.01.2020 12:35:37	1	1	1	1	92.75	63.75	0	26966.825	412.9032258	11134.72671	30000	0	0	30000	43.5625	2004
08.01.2020 12:35:38	1	1	1	1	92.75	63.5	0	26824.645	412.9032258	11056.45096	30000	0	0	30000	44.625	2004
08.01.2020 12:35:39	1	1	1	1	93	64.5	0	26824.645	412.9032258	11076.0199	30000	0	0	30000	43.25	2004
08.01.2020 12:35:40	1	1	1	1	93	63.25	0	26682.464	406.4516129	10787.37803	30000	0	0	30000	44.5	2004
08.01.2020 12:35:41	1	1	1	1	93	64.5	0	27298.578	412.9032258	11193.43353	30000	0	0	30000	44.375	2004
08.01.2020 12:35:42	1	1	1	1	93	64.25	0	26919.431	412.9032258	11115.15777	30000	0	0	30000	44.5	2004
08.01.2020 12:35:43	1	1	1	1	93	64.5	0	26682.464	404.3010753	10844.45411	30000	0	0	30000	44.125	2004
08.01.2020 12:35:44	1	1	1	1	93	64	0	26919.431	412.9032258	11115.15777	30000	0	0	30000	44.25	2004
08.01.2020 12:35:45	1	1	1	1	93	64.25	0	26919.431	412.9032258	11095.58883	30000	0	0	30000	44.4375	2004
08.01.2020 12:35:46	1	1	1	1	93	64.25	0	27014.218	412.9032258	11134.72671	30000	0	0	30000	44.375	2004
08.01.2020 12:35:47	1	1	1	1	93	64.25	0	26682.464	404.3010753	10787.37803	30000	0	0	30000	44.4375	2004
08.01.2020 12:35:48	1	1	1	1	92.75	64.25	0	26966.825	412.9032258	11115.15777	30000	0	0	30000	44	2004
08.01.2020 12:35:49	1	1	1	1	92.75	64	0	26587.678	404.3010753	10978.1752	30000	0	0	30000	44.4375	2004
08.01.2020 12:35:50	1	1	1	1	92.75	64.25	0	27109.005	412.9032258	11271.70929	30000	0	0	30000	44.375	2004
08.01.2020 12:35:51	1	1	1	1	92.75	64.25	0	26682.464	404.3010753	10787.37803	30000	0	0	30000	43.6875	2004
08.01.2020 12:35:52	1	1	1	1	92.75	63.5	0	26682.464	404.3010753	10787.37803	30000	0	0	30000	43.75	2004
08.01.2020 12:35:53	1	1	1	1	92.75	63.75	0	26777.251	404.3010753	10825.70054	30000	0	0	30000	44.4375	2004
08.01.2020 12:35:54	1	1	1	1	92.75	64.25	0	26919.431	404.3010753	10864.02305	30000	0	0	30000	44.4375	2004
08.01.2020 12:35:55	1	1	1	1	92.75	64.25	0	27109.005	412.9032258	11193.43353	30000	0	0	30000	44.375	2004
08.01.2020 12:35:56	1	1	1	1	92.75	64.25	0	27156.398	412.9032258	11037.69739	30000	0	0	30000	44.4375	2004
08.01.2020 12:35:57	1	1	1	1	92.75	64.25	0	26872.038	404.3010753	10941.48343	30000	0	0	30000	44.375	2004
08.01.2020 12:35:58	1	1	1	1	92	64.25	0	26966.825	406.4516129	10960.237	30000	0	0	30000	44.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 12:35:59	1	1	1	1	92	64.25	0	27298.578	412.9032258	11271.70929	30000	0	0	30000	44.4375	2004
08.01.2020 12:36:00	1	1	1	1	92	64.25	0	26966.825	404.3010753	10883.59199	30000	0	0	30000	44.5	2004
08.01.2020 12:36:01	1	1	1	1	92	64.5	0	26777.251	412.9032258	11017.31308	30000	0	0	30000	44.25	2004
08.01.2020 12:36:02	1	1	1	1	92	64.25	0	27061.611	412.9032258	10902.34555	30000	0	0	30000	44.4375	2004
08.01.2020 12:36:03	1	1	1	1	92	64.25	0	26729.858	404.3010753	10787.37803	30000	0	0	30000	44.375	2004
08.01.2020 12:36:04	1	1	1	1	92	64.25	0	26966.825	404.3010753	10902.34555	30000	0	0	30000	44.375	2004
08.01.2020 12:36:06	1	1	1	1	92	64.25	0	25450.237	397.8494624	10125.29557	30000	0	0	30000	44.3125	2004
08.01.2020 12:36:07	1	1	1	1	92	64.25	0	27914.692	432.2580645	11966.40665	30000	0	0	30000	44.25	2004
08.01.2020 12:36:08	1	1	1	1	92	64.25	0	28862.559	427.9569892	12351.26247	30000	0	0	30000	43.9375	2004
08.01.2020 12:36:09	1	1	1	1	92.75	63.75	0	28009.479	432.2580645	11986.79097	30000	0	0	30000	44.125	2004
08.01.2020 12:36:10	1	1	1	1	92.75	64	0	28009.479	427.9569892	11986.79097	30000	0	0	30000	44.3125	2004
08.01.2020 12:36:11	1	1	1	1	92.75	64.25	0	28009.479	434.4086022	11986.79097	30000	0	0	30000	44.3125	2004
08.01.2020 12:36:12	1	1	1	1	92.75	64.25	0	27819.905	434.4086022	12084.63566	30000	0	0	30000	44.375	2004
08.01.2020 12:36:13	1	1	1	1	92.75	64.25	0	27440.758	432.2580645	11861.2236	30000	0	0	30000	44.375	2004
08.01.2020 12:36:14	1	1	1	1	92.75	64.25	0	27914.692	438.7096774	12225.69511	30000	0	0	30000	44.3125	2004
08.01.2020 12:36:20	1	1	1	1	93.75	64.25	0	27962.085	438.7096774	12206.94154	30000	0	0	30000	44.4375	2004
08.01.2020 12:36:20	1	1	1	1	93.75	64.25	0	27962.085	438.7096774	12206.94154	30000	0	0	30000	44.4375	2004
08.01.2020 12:36:20	1	1	1	1	93.75	64.25	0	27962.085	438.7096774	12206.94154	30000	0	0	30000	44.4375	2004
08.01.2020 12:36:20	1	1	1	1	93.75	64.25	0	27962.085	438.7096774	12206.94154	30000	0	0	30000	44.4375	2004
08.01.2020 12:36:20	1	1	1	1	93.75	64.25	0	27962.085	438.7096774	12206.94154	30000	0	0	30000	44.4375	2004
08.01.2020 12:36:20	1	1	1	1	93.75	64.25	0	27962.085	438.7096774	12206.94154	30000	0	0	30000	44.4375	2004
08.01.2020 12:36:20	1	1	1	1	93.75	64.25	0	27962.085	438.7096774	12206.94154	30000	0	0	30000	44.4375	2004
08.01.2020 12:36:21	1	1	1	1	93.75	64.25	0	27630.332	432.2580645	11942.76085	30000	0	0	30000	44.3125	2004
08.01.2020 12:36:22	1	1	1	1	93.75	64.25	0	27867.299	432.2580645	12065.8821	30000	0	0	30000	44.125	2004
08.01.2020 12:36:23	1	1	1	1	93.75	64	0	27819.905	436.5591398	12225.69511	30000	0	0	30000	43.0625	2004
08.01.2020 12:36:24	1	1	1	1	93.75	63	0	27819.905	438.7096774	12004.72916	30000	0	0	30000	43.9375	2004
08.01.2020 12:36:25	1	1	1	1	93.75	63.75	0	27582.938	432.2580645	11922.37654	30000	0	0	30000	44	2004
08.01.2020 12:36:26	1	1	1	1	93.75	64	0	27630.332	434.4086022	12061.80523	30000	0	0	30000	44.3125	2004
08.01.2020 12:36:27	1	1	1	1	93.75	64.25	0	27630.332	443.0107527	12180.84962	30000	0	0	30000	44.3125	2004
08.01.2020 12:36:28	1	1	1	1	95	64.25	0	27345.972	436.5591398	11861.2236	30000	0	0	30000	44.5	2004
08.01.2020 12:36:29	1	1	1	1	95	64.5	0	27345.972	434.4086022	12055.28225	30000	0	0	30000	44.3125	2004
08.01.2020 12:36:30	1	1	1	1	95	64.25	0	27582.938	438.7096774	12100.94311	30000	0	0	30000	44.125	2004
08.01.2020 12:36:31	1	1	1	1	95	64	0	27819.905	440.8602151	12264.01761	30000	0	0	30000	44.375	2004
08.01.2020 12:36:32	1	1	1	1	95	64.25	0	27298.578	432.2580645	11937.86862	30000	0	0	30000	43.75	2004
08.01.2020 12:36:33	1	1	1	1	95	63.75	0	27298.578	436.5591398	11976.19112	30000	0	0	30000	43.5625	2004
08.01.2020 12:36:34	1	1	1	1	95	63.5	0	27298.578	436.5591398	11917.4843	30000	0	0	30000	43.5625	2004
08.01.2020 12:36:35	1	1	1	1	95	63.5	0	27156.398	436.5591398	11976.19112	30000	0	0	30000	44.1875	2004
08.01.2020 12:36:36	1	1	1	1	95	64	0	27298.578	440.8602151	12034.89794	30000	0	0	30000	43.875	2004
08.01.2020 12:36:37	1	1	1	1	95	63.75	0	27109.005	438.7096774	11893.02313	30000	0	0	30000	44.4375	2004
08.01.2020 12:36:38	1	1	1	1	94.75	64.25	0	27298.578	438.7096774	12034.89794	30000	0	0	30000	44.25	2004
08.01.2020 12:36:39	1	1	1	1	94.75	64.25	0	26966.825	438.7096774	11830.23945	30000	0	0	30000	43.6875	2004
08.01.2020 12:36:40	1	1	1	1	94.75	63.5	0	27440.758	443.0107527	12096.86625	30000	0	0	30000	44.3125	2004
08.01.2020 12:36:41	1	1	1	1	94.75	64.25	0	27061.611	438.7096774	11893.02313	30000	0	0	30000	44.3125	2004
08.01.2020 12:36:42	1	1	1	1	94.75	64.25	0	27298.578	438.7096774	11601.11978	30000	0	0	30000	44.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 12:36:43	1	1	1	1	94.75	64.25	0	27156.398	438.7096774	11976.19112	30000	0	0	30000	44.25	2004
08.01.2020 12:36:45	1	1	1	1	94.75	64.25	0	26919.431	438.7096774	11888.13089	30000	0	0	30000	44.25	2004
08.01.2020 12:36:46	1	1	1	1	94.75	64.25	0	27345.972	440.8602151	12055.28225	30000	0	0	30000	44.25	2004
08.01.2020 12:36:47	1	1	1	1	94.75	64.25	0	27109.005	434.4086022	11950.91458	30000	0	0	30000	43.8125	2004
08.01.2020 12:36:48	1	1	1	1	94.75	63.75	0	27298.578	438.7096774	12034.89794	30000	0	0	30000	44.25	2004
08.01.2020 12:36:49	1	1	1	1	94.25	64.25	0	27298.578	438.7096774	11976.19112	30000	0	0	30000	44.1875	2004
08.01.2020 12:36:50	1	1	1	1	94.25	64	0	27298.578	440.8602151	12093.60476	30000	0	0	30000	44.375	2004
08.01.2020 12:36:51	1	1	1	1	94.25	64.25	0	27298.578	438.7096774	11976.19112	30000	0	0	30000	44.3125	2004
08.01.2020 12:36:52	1	1	1	1	94.25	64.25	0	27298.578	440.8602151	12034.89794	30000	0	0	30000	43.9375	2004
08.01.2020 12:36:53	1	1	1	1	94.25	63.75	0	27109.005	438.7096774	11950.91458	30000	0	0	30000	44.375	2004
08.01.2020 12:36:54	1	1	1	1	94.25	64.25	0	27156.398	438.7096774	11913.40744	30000	0	0	30000	44.375	2004
08.01.2020 12:36:55	1	1	1	1	94.25	64.25	0	27156.398	443.0107527	12152.31158	30000	0	0	30000	44.375	2004
08.01.2020 12:36:56	1	1	1	1	94.25	64.25	0	27298.578	438.7096774	12034.89794	30000	0	0	30000	44.125	2004
08.01.2020 12:36:57	1	1	1	1	94.25	64	0	27298.578	443.0107527	11913.40744	30000	0	0	30000	44.375	2004
08.01.2020 12:36:58	1	1	1	1	94.5	64	0	27203.791	438.7096774	11976.19112	30000	0	0	30000	44.375	2004
08.01.2020 12:36:59	1	1	1	1	94.5	64.25	0	27582.938	443.0107527	12219.17213	30000	0	0	30000	43.875	2004
08.01.2020 12:37:00	1	1	1	1	94.5	63.75	0	27440.758	438.7096774	12096.86625	30000	0	0	30000	44.1875	2004
08.01.2020 12:37:01	1	1	1	1	94.5	64	0	27345.972	438.7096774	12055.28225	30000	0	0	30000	44.4375	2004
08.01.2020 12:37:02	1	1	1	1	94.5	64.25	0	27345.972	432.2580645	11820.45498	30000	0	0	30000	44.3125	2004
08.01.2020 12:37:03	1	1	1	1	94.5	64.25	0	27819.905	434.4086022	12204.49542	30000	0	0	30000	44.1875	2004
08.01.2020 12:37:04	1	1	1	1	94.5	64	0	27630.332	432.2580645	11824.53184	30000	0	0	30000	44.4375	2004
08.01.2020 12:37:05	1	1	1	1	94.5	64.25	0	0	0	0	30000	0	8	30000	44.3125	2004
08.01.2020 12:37:06	1	1	1	1	94.5	64.25	0	0	0	0	30000	0	8	30000	44.5625	2004
08.01.2020 12:37:07	1	1	1	1	94.5	64.5	0	10663.507	0	0	30000	0	0	30000	44.4375	2004
08.01.2020 12:37:08	1	1	1	1	94.75	64.25	0	10379.147	0	0	30000	0	0	30000	44.4375	2004
08.01.2020 12:37:09	1	1	1	1	94.75	64.25	0	12085.308	2.150537634	26.09191966	30000	0	0	30000	44.4375	2004
08.01.2020 12:37:10	1	1	1	1	94.75	64.25	0	12985.782	6.451612903	55.44532927	30000	0	0	30000	44.3125	2004
08.01.2020 12:37:11	1	1	1	1	94.75	64.25	0	13744.076	10.75268817	146.7670481	30000	0	0	30000	44.1875	2004
08.01.2020 12:37:12	1	1	1	1	94.75	64	0	14454.976	17.20430108	279.6727638	30000	0	0	30000	44.3125	2004
08.01.2020 12:37:13	1	1	1	1	94.75	64.25	0	15213.27	25.80645161	392.1941674	30000	0	0	30000	44.375	2004
08.01.2020 12:37:14	1	1	1	1	94.75	64.25	0	16066.351	32.25806452	517.7615307	30000	0	0	30000	44.3125	2004
08.01.2020 12:37:15	1	1	1	1	94.75	64.25	0	16777.251	38.70967742	647.4057565	30000	0	0	30000	44.375	2004
08.01.2020 12:37:22	1	1	1	1	92	64.25	0	21374.408	103.2258065	2252.058816	30000	0	0	30000	44.25	2004
08.01.2020 12:37:22	1	1	1	1	92	64.25	0	21374.408	103.2258065	2252.058816	30000	0	0	30000	44.25	2004
08.01.2020 12:37:22	1	1	1	1	92	64.25	0	21374.408	103.2258065	2252.058816	30000	0	0	30000	44.25	2004
08.01.2020 12:37:22	1	1	1	1	92	64.25	0	21374.408	103.2258065	2252.058816	30000	0	0	30000	44.25	2004
08.01.2020 12:37:22	1	1	1	1	92	64.25	0	21374.408	103.2258065	2252.058816	30000	0	0	30000	44.25	2004
08.01.2020 12:37:22	1	1	1	1	92	64.25	0	22227.488	120.4301075	2724.159487	30000	0	0	30000	44.3125	2004
08.01.2020 12:37:24	1	1	1	1	92	64.25	0	22748.815	126.8817204	2886.418612	30000	0	0	30000	44.375	2004
08.01.2020 12:37:25	1	1	1	1	92	64.25	0	22890.995	137.6344086	3150.599299	30000	0	0	30000	43.875	2004
08.01.2020 12:37:26	1	1	1	1	92	63.75	0	22464.455	120.4301075	2699.698312	30000	0	0	30000	44.375	2004
08.01.2020 12:37:27	1	1	1	1	92	64.25	0	22890.995	137.6344086	3150.599299	30000	0	0	30000	44.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 12:37:28	1	1	1	1	92	64.25	0	22890.995	137.6344086	3150.599299	30000	0	0	30000	44.375	2004
08.01.2020 12:37:29	1	1	1	1	90.5	64.25	0	22890.995	137.6344086	3150.599299	30000	0	0	30000	44.375	2004
08.01.2020 12:37:30	1	1	1	1	90.5	64.25	0	22985.782	139.7849462	3212.567608	30000	0	0	30000	44.25	2004
08.01.2020 12:37:31	1	1	1	1	90.5	64.25	0	22985.782	139.7849462	3212.567608	30000	0	0	30000	44.375	2004
08.01.2020 12:37:32	1	1	1	1	90.5	64.25	0	22985.782	139.7849462	3199.521648	30000	0	0	30000	44.25	2004
08.01.2020 12:37:33	1	1	1	1	90.5	64.25	0	22890.995	139.7849462	3199.521648	30000	0	0	30000	44.3125	2004
08.01.2020 12:37:34	1	1	1	1	90.5	64.25	0	22985.782	139.7849462	3199.521648	30000	0	0	30000	44.625	2004
08.01.2020 12:37:35	1	1	1	1	90.5	64.5	0	22890.995	137.6344086	3262.30533	30000	0	0	30000	43.9375	2004
08.01.2020 12:37:36	1	1	1	1	90.5	63.75	0	22890.995	137.6344086	3150.599299	30000	0	0	30000	44.1875	2004
08.01.2020 12:37:37	1	1	1	1	90.5	64.5	0	22890.995	137.6344086	3150.599299	30000	0	0	30000	44.3125	2004
08.01.2020 12:37:38	1	1	1	1	90.75	64.25	0	22938.389	137.6344086	3163.645259	30000	0	0	30000	43.0625	2004
08.01.2020 12:37:39	1	1	1	1	90.75	63	0	22938.389	137.6344086	3150.599299	30000	0	0	30000	44.25	2004
08.01.2020 12:37:40	1	1	1	1	90.75	64.25	0	22985.782	137.6344086	3163.645259	30000	0	0	30000	44.375	2004
08.01.2020 12:37:41	1	1	1	1	90.75	64.25	0	22985.782	137.6344086	3150.599299	30000	0	0	30000	44.25	2004
08.01.2020 12:37:42	1	1	1	1	90.75	64.25	0	22890.995	137.6344086	3150.599299	30000	0	0	30000	44.25	2004
08.01.2020 12:37:43	1	1	1	1	90.75	64.25	0	22938.389	137.6344086	3150.599299	30000	0	0	30000	44.3125	2004
08.01.2020 12:37:44	1	1	1	1	90.75	64.25	0	23364.929	139.7849462	3316.119914	30000	0	0	30000	44.4375	2004
08.01.2020 12:37:45	1	1	1	1	90.75	64.25	0	24075.829	161.2903226	3890.142147	30000	0	0	30000	44.1875	2004
08.01.2020 12:37:46	1	1	1	1	90.75	64	0	24123.223	174.1935484	4253.798277	30000	0	0	30000	44.1875	2004
08.01.2020 12:37:47	1	1	1	1	90.75	64	0	24881.517	189.2473118	4708.776126	30000	0	0	30000	44.3125	2004
08.01.2020 12:37:48	1	1	1	1	90.75	64.25	0	23981.043	206.4516129	4960.726225	30000	0	0	30000	44.4375	2004
08.01.2020 12:37:49	1	1	1	1	90.75	64.25	0	26303.318	240.8602151	6346.859457	30000	0	0	30000	44.3125	2004
08.01.2020 12:37:50	1	1	1	1	90.75	64.25	0	24928.91	232.2580645	5800.559889	30000	0	0	30000	44.5	2004
08.01.2020 12:37:51	1	1	1	1	90.75	64.5	0	25118.483	236.5591398	5876.389531	30000	0	0	30000	44.375	2004
08.01.2020 12:37:52	1	1	1	1	90.75	64.25	0	27440.758	305.3763441	8379.583073	30000	0	0	30000	44.3125	2004
08.01.2020 12:37:53	1	1	1	1	90.75	64.25	0	25924.171	275.2688172	7165.493436	30000	0	0	30000	44.25	2004
08.01.2020 12:37:54	1	1	1	1	90.75	64.25	0	26350.711	294.6236559	7763.161471	30000	0	0	30000	44.375	2004
08.01.2020 12:37:55	1	1	1	1	90.75	64.25	0	26350.711	309.6774194	8145.571168	30000	0	0	30000	43.9375	2004
08.01.2020 12:37:56	1	1	1	1	90.75	63.75	0	26587.678	326.8817204	8633.163917	30000	0	0	30000	44.3125	2004
08.01.2020 12:37:57	1	1	1	1	90.75	64.25	0	26919.431	344.0860215	9204.740032	30000	0	0	30000	44.375	2004
08.01.2020 12:37:58	1	1	1	1	90.5	64.25	0	27298.578	354.8387097	9745.331992	30000	0	0	30000	44.125	2004
08.01.2020 12:37:59	1	1	1	1	90.5	64	0	26113.744	339.7849462	8929.144131	30000	0	0	30000	43.8125	2004
08.01.2020 12:38:01	1	1	1	1	90.5	63.75	0	26966.825	369.8924731	9974.451662	30000	0	0	30000	44.3125	2004
08.01.2020 12:38:02	1	1	1	1	90.5	64.25	0	27061.611	369.8924731	10009.51268	30000	0	0	30000	44.25	2004
08.01.2020 12:38:03	1	1	1	1	90.5	64.25	0	27440.758	387.0967742	10621.85742	30000	0	0	30000	44.125	2004
08.01.2020 12:38:04	1	1	1	1	90.5	64	0	26824.645	369.8924731	9997.282092	30000	0	0	30000	44.25	2004
08.01.2020 12:38:05	1	1	1	1	90.5	64.25	0	27582.938	402.1505376	11092.32734	30000	0	0	30000	44.3125	2004
08.01.2020 12:38:06	1	1	1	1	90.5	64.25	0	27867.299	402.1505376	11285.57062	30000	0	0	30000	44.3125	2004
08.01.2020 12:38:07	1	1	1	1	90.5	64.25	0	27867.299	412.9032258	11566.05876	30000	0	0	30000	44.25	2004
08.01.2020 12:38:08	1	1	1	1	90.5	64.25	0	26113.744	400	10539.5048	30000	0	0	30000	44.25	2004
08.01.2020 12:38:09	1	1	1	1	91.75	64.25	0	28199.052	436.5591398	12067.51284	30000	0	0	30000	44.125	2004
08.01.2020 12:38:10	1	1	1	1	91.75	64	0	26872.038	378.4946237	10343.8154	30000	0	0	30000	44.3125	2004
08.01.2020 12:38:11	1	1	1	1	91.75	64.25	0	28293.839	453.7634409	12899.19278	30000	0	0	30000	44.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 12:38:12	1	1	1	1	91.75	64	0	28388.626	455.9139785	13209.03433	30000	0	0	30000	44.125	2004
08.01.2020 12:38:13	1	1	1	1	91.75	64	0	28009.479	458.0645161	12916.3156	30000	0	0	30000	43.875	2004
08.01.2020 12:38:14	1	1	1	1	91.75	63.75	0	28199.052	464.516129	13098.95904	30000	0	0	30000	44.0625	2004
08.01.2020 12:38:15	1	1	1	1	91.75	64	0	28009.479	464.516129	13010.89881	30000	0	0	30000	44.0625	2004
08.01.2020 12:38:16	1	1	1	1	91.75	64	0	27819.905	466.6666667	12982.36078	30000	0	0	30000	44.375	2004
08.01.2020 12:38:17	1	1	1	1	91.75	64.25	0	28009.479	468.8172043	13492.78395	30000	0	0	30000	44.1875	2004
08.01.2020 12:38:24	1	1	1	1	92.5	64	0	28009.479	464.516129	13191.09613	30000	0	0	30000	44.25	2004
08.01.2020 12:38:24	1	1	1	1	92.5	64	0	28009.479	464.516129	13191.09613	30000	0	0	30000	44.25	2004
08.01.2020 12:38:24	1	1	1	1	92.5	64	0	28009.479	464.516129	13191.09613	30000	0	0	30000	44.25	2004
08.01.2020 12:38:24	1	1	1	1	92.5	64	0	28009.479	464.516129	13191.09613	30000	0	0	30000	44.25	2004
08.01.2020 12:38:24	1	1	1	1	92.5	64.25	0	27582.938	464.516129	12812.7633	30000	0	0	30000	44.1875	2004
08.01.2020 12:38:25	1	1	1	1	92.5	64	0	27867.299	466.6666667	13004.37583	30000	0	0	30000	43.6875	2004
08.01.2020 12:38:26	1	1	1	1	92.5	63.5	0	27867.299	464.516129	13026.39089	30000	0	0	30000	44.4375	2004
08.01.2020 12:38:27	1	1	1	1	92.5	64.25	0	27962.085	464.516129	12966.8687	30000	0	0	30000	44	2004
08.01.2020 12:38:28	1	1	1	1	92.5	64	0	28009.479	466.6666667	13010.89881	30000	0	0	30000	44.0625	2004
08.01.2020 12:38:29	1	1	1	1	92.5	64	0	27914.692	464.516129	13026.39089	30000	0	0	30000	44.0625	2004
08.01.2020 12:38:30	1	1	1	1	92.5	64	0	27914.692	466.6666667	13026.39089	30000	0	0	30000	44	2004
08.01.2020 12:38:31	1	1	1	1	92.5	64	0	27867.299	464.516129	12944.85364	30000	0	0	30000	44.125	2004
08.01.2020 12:38:32	1	1	1	1	92.5	64	0	28009.479	466.6666667	13010.89881	30000	0	0	30000	44.25	2004
08.01.2020 12:38:33	1	1	1	1	92.5	64.25	0	28293.839	466.6666667	13225.34178	30000	0	0	30000	44.1875	2004
08.01.2020 12:38:34	1	1	1	1	92.5	64	0	28009.479	464.516129	12868.20863	30000	0	0	30000	44.0625	2004
08.01.2020 12:38:35	1	1	1	1	92.5	64	0	28009.479	464.516129	13010.89881	30000	0	0	30000	44.3125	2004
08.01.2020 12:38:36	1	1	1	1	92.5	64.25	0	28009.479	464.516129	13010.89881	30000	0	0	30000	44.25	2004
08.01.2020 12:38:37	1	1	1	1	92.5	64.25	0	27867.299	460.2150538	12764.65632	30000	0	0	30000	44.3125	2004
08.01.2020 12:38:38	1	1	1	1	92.75	64.25	0	28199.052	481.7204301	13098.95904	30000	0	0	30000	43.125	2004
08.01.2020 12:38:40	1	1	1	1	92.75	63	0	28199.052	466.6666667	12829.88612	30000	0	0	30000	44.3125	2004
08.01.2020 12:38:41	1	1	1	1	92.75	64.25	0	28009.479	464.516129	13037.8061	30000	0	0	30000	44.25	2004
08.01.2020 12:38:42	1	1	1	1	92.75	64.25	0	28009.479	464.516129	13159.29661	30000	0	0	30000	44.375	2004
08.01.2020 12:38:43	1	1	1	1	92.75	64.25	0	28199.052	460.2150538	12977.46854	30000	0	0	30000	44.25	2004
08.01.2020 12:38:44	1	1	1	1	92.75	64.25	0	28009.479	460.2150538	12890.22368	30000	0	0	30000	44.25	2004
08.01.2020 12:38:45	1	1	1	1	92.75	64.25	0	28199.052	466.6666667	12890.22368	30000	0	0	30000	43.75	2004
08.01.2020 12:38:46	1	1	1	1	92.75	63.75	0	28199.052	460.2150538	12890.22368	30000	0	0	30000	44.0625	2004
08.01.2020 12:38:47	1	1	1	1	92.75	64	0	28009.479	464.516129	13098.95904	30000	0	0	30000	43.1875	2004
08.01.2020 12:38:48	1	1	1	1	92.75	63	0	28009.479	460.2150538	12890.22368	30000	0	0	30000	44.0625	2004
08.01.2020 12:38:49	1	1	1	1	93.5	64	0	28009.479	460.2150538	12890.22368	30000	0	0	30000	44.3125	2004
08.01.2020 12:38:50	1	1	1	1	93.5	64.25	0	28341.232	460.2150538	13020.68328	30000	0	0	30000	44.25	2004
08.01.2020 12:38:51	1	1	1	1	93.5	64.25	0	0	0	0	30000	0	8	30000	44.25	2004
08.01.2020 12:38:52	1	1	1	1	93.5	64.25	0	10616.114	0	0	30000	0	0	30000	44.4375	2004
08.01.2020 12:38:53	1	1	1	1	93.5	64.25	0	11327.014	0	0	30000	0	0	30000	44.625	2004
08.01.2020 12:38:54	1	1	1	1	93.5	64.5	0	12085.308	2.150537634	25.27654717	30000	0	0	30000	44.75	2004
08.01.2020 12:38:55	1	1	1	1	93.5	64.75	0	12843.602	6.451612903	82.35262142	30000	0	0	30000	44.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 12:38:56	1	1	1	1	93.5	64.5	0	13554.502	10.75268817	115.7828935	30000	0	0	30000	44.625	2004
08.01.2020 12:38:57	1	1	1	1	93.5	64.25	0	14312.796	15.05376344	215.2583372	30000	0	0	30000	44.3125	2004
08.01.2020 12:38:58	1	1	1	1	93.25	64.25	0	15165.877	21.50537634	326.1489957	30000	0	0	30000	44.5	2004
08.01.2020 12:38:59	1	1	1	1	93.25	64.5	0	14312.796	19.35483871	276.4112739	30000	0	0	30000	44.375	2004
08.01.2020 12:39:00	1	1	1	1	93.25	64.25	0	16492.891	34.40860215	567.4992526	30000	0	0	30000	44.25	2004
08.01.2020 12:39:01	1	1	1	1	93.25	64.25	0	17488.152	45.16129032	789.2805697	30000	0	0	30000	44.375	2004
08.01.2020 12:39:02	1	1	1	1	93.25	64.25	0	18151.659	53.76344086	1020.030984	30000	0	0	30000	44.1875	2004
08.01.2020 12:39:03	1	1	1	1	93.25	64	0	18909.953	64.51612903	1182.29011	30000	0	0	30000	44.1875	2004
08.01.2020 12:39:04	1	1	1	1	93.25	64	0	19668.246	73.11827957	1487.239421	30000	0	0	30000	44.1875	2004
08.01.2020 12:39:05	1	1	1	1	93.25	64	0	20473.934	88.17204301	1717.174463	30000	0	0	30000	44.3125	2004
08.01.2020 12:39:06	1	1	1	1	93.25	64.25	0	21279.621	98.92473118	2196.613486	30000	0	0	30000	44.1875	2004
08.01.2020 12:39:07	1	1	1	1	93.25	64	0	21943.128	109.6774194	2406.164216	30000	0	0	30000	44.3125	2004
08.01.2020 12:39:08	1	1	1	1	91.5	64.25	0	22796.209	124.7311828	2794.281521	30000	0	0	30000	44.375	2004
08.01.2020 12:39:09	1	1	1	1	91.5	64.25	0	23412.322	137.6344086	3278.61278	30000	0	0	30000	44.25	2004
08.01.2020 12:39:10	1	1	1	1	91.5	64.25	0	23412.322	137.6344086	3215.829098	30000	0	0	30000	44.5	2004
08.01.2020 12:39:11	1	1	1	1	91.5	64.5	0	23412.322	137.6344086	3215.829098	30000	0	0	30000	44.4375	2004
08.01.2020 12:39:12	1	1	1	1	91.5	64.25	0	23412.322	129.0322581	3026.66268	30000	0	0	30000	44.25	2004
08.01.2020 12:39:13	1	1	1	1	91.5	64.25	0	23412.322	122.5806452	2875.003397	30000	0	0	30000	44.1875	2004
08.01.2020 12:39:14	1	1	1	1	91.5	64	0	23507.109	129.0322581	3235.398038	30000	0	0	30000	44.1875	2004
08.01.2020 12:39:15	1	1	1	1	91.5	64	0	23601.896	137.6344086	3241.921018	30000	0	0	30000	44.125	2004
08.01.2020 12:39:16	1	1	1	1	91.5	64	0	23601.896	137.6344086	3254.966977	30000	0	0	30000	44.3125	2004
08.01.2020 12:39:17	1	1	1	1	91.5	64.25	0	23601.896	137.6344086	3254.966977	30000	0	0	30000	44.25	2004
08.01.2020 12:39:18	1	1	1	1	90	64.25	0	23649.289	137.6344086	3254.966977	30000	0	0	30000	44.3125	2004
08.01.2020 12:39:25	1	1	1	1	90	64.25	0	23696.682	141.9354839	3420.487593	30000	0	0	30000	44.3125	2004
08.01.2020 12:39:25	1	1	1	1	90	64.25	0	23696.682	141.9354839	3420.487593	30000	0	0	30000	44.3125	2004
08.01.2020 12:39:25	1	1	1	1	90	64.25	0	23696.682	141.9354839	3420.487593	30000	0	0	30000	44.3125	2004
08.01.2020 12:39:25	1	1	1	1	90	64.25	0	23696.682	141.9354839	3420.487593	30000	0	0	30000	44.3125	2004
08.01.2020 12:39:25	1	1	1	1	90	64.25	0	23696.682	141.9354839	3420.487593	30000	0	0	30000	44.3125	2004
08.01.2020 12:39:25	1	1	1	1	90	64.25	0	23696.682	141.9354839	3420.487593	30000	0	0	30000	44.3125	2004
08.01.2020 12:39:26	1	1	1	1	90	64.25	0	23744.076	144.0860215	3420.487593	30000	0	0	30000	44.3125	2004
08.01.2020 12:39:27	1	1	1	1	90	64.25	0	23744.076	144.0860215	3420.487593	30000	0	0	30000	44.25	2004
08.01.2020 12:39:28	1	1	1	1	90	64.25	0	23649.289	144.0860215	3407.441633	30000	0	0	30000	44.375	2004
08.01.2020 12:39:29	1	1	1	1	89.5	64.25	0	23649.289	144.0860215	3407.441633	30000	0	0	30000	44.3125	2004
08.01.2020 12:39:30	1	1	1	1	89.5	64.25	0	23933.649	148.3870968	3609.65401	30000	0	0	30000	44.1875	2004
08.01.2020 12:39:31	1	1	1	1	89.5	64	0	22890.995	152.688172	3494.686489	30000	0	0	30000	44.3125	2004
08.01.2020 12:39:32	1	1	1	1	89.5	64.25	0	24218.009	176.344086	4114.369581	30000	0	0	30000	44.25	2004
08.01.2020 12:39:33	1	1	1	1	89.5	64.25	0	24454.976	189.2473118	4637.023347	30000	0	0	30000	44.1875	2004
08.01.2020 12:39:34	1	1	1	1	89.5	64	0	24407.583	189.2473118	4619.085152	30000	0	0	30000	44.0625	2004
08.01.2020 12:39:35	1	1	1	1	89.5	64	0	24502.37	206.4516129	5058.570924	30000	0	0	30000	44.125	2004
08.01.2020 12:39:36	1	1	1	1	89.5	64	0	26587.678	225.8064516	6117.739787	30000	0	0	30000	44.1875	2004
08.01.2020 12:39:37	1	1	1	1	89.5	64	0	24976.303	219.3548387	5478.487756	30000	0	0	30000	44.625	2004
08.01.2020 12:39:38	1	1	1	1	89.25	64.25	0	26018.957	247.311828	6434.104313	30000	0	0	30000	44.25	2004
08.01.2020 12:39:39	1	1	1	1	89.25	64.25	0	24976.303	230.1075269	5768.760362	30000	0	0	30000	44.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 12:39:40	1	1	1	1	89.25	64.25	0	25355.45	251.6129032	6391.704944	30000	0	0	30000	44.3125	2004
08.01.2020 12:39:41	1	1	1	1	89.25	64.25	0	25876.777	264.516129	6844.236675	30000	0	0	30000	44.125	2004
08.01.2020 12:39:42	1	1	1	1	89.25	64	0	26303.318	264.516129	6819.775501	30000	0	0	30000	44.4375	2004
08.01.2020 12:39:43	1	1	1	1	89.25	64.25	0	25924.171	279.5698925	7303.291387	30000	0	0	30000	43.875	2004
08.01.2020 12:39:44	1	1	1	1	89.25	63.75	0	25639.81	275.2688172	7167.939554	30000	0	0	30000	44.375	2004
08.01.2020 12:39:45	1	1	1	1	89.25	64.25	0	26018.957	292.4731183	7665.316772	30000	0	0	30000	43.75	2004
08.01.2020 12:39:46	1	1	1	1	89.25	63.75	0	26113.744	311.827957	8086.864349	30000	0	0	30000	44.1875	2004
08.01.2020 12:39:47	1	1	1	1	89.25	64	0	26350.711	322.5806452	8541.026826	30000	0	0	30000	44.25	2004
08.01.2020 12:39:48	1	1	1	1	90.5	64.25	0	26540.284	339.7849462	9018.019732	30000	0	0	30000	44.3125	2004
08.01.2020 12:39:49	1	1	1	1	90.5	64.25	0	26777.251	356.9892473	9525.18142	30000	0	0	30000	44.4375	2004
08.01.2020 12:39:50	1	1	1	1	90.5	64.25	0	27156.398	369.8924731	10156.27973	30000	0	0	30000	44.3125	2004
08.01.2020 12:39:51	1	1	1	1	90.5	64.25	0	27298.578	367.7419355	10038.86609	30000	0	0	30000	44.1875	2004
08.01.2020 12:39:52	1	1	1	1	90.5	64	0	26587.678	365.5913978	9777.13152	30000	0	0	30000	44.125	2004
08.01.2020 12:39:53	1	1	1	1	90.5	64	0	27061.611	384.9462366	10264.72427	30000	0	0	30000	44.1875	2004
08.01.2020 12:39:54	1	1	1	1	90.5	64	0	26966.825	384.9462366	10380.50716	30000	0	0	30000	44.25	2004
08.01.2020 12:39:55	1	1	1	1	90.5	64.25	0	28009.479	427.9569892	11986.79097	30000	0	0	30000	44.25	2004
08.01.2020 12:39:56	1	1	1	1	90.5	64.25	0	27298.578	397.8494624	10860.76156	30000	0	0	30000	44.4375	2004
08.01.2020 12:39:57	1	1	1	1	90.5	64.25	0	27345.972	415.0537634	11349.98505	30000	0	0	30000	44.3125	2004
08.01.2020 12:39:58	1	1	1	1	90.25	64.25	0	27535.545	427.9569892	11742.99459	30000	0	0	30000	44.3125	2004
08.01.2020 12:39:59	1	1	1	1	90.25	64.25	0	27819.905	445.1612903	12383.87737	30000	0	0	30000	44.3125	2004
08.01.2020 12:40:01	1	1	1	1	90.25	64.25	0	27914.692	460.2150538	12824.99388	30000	0	0	30000	44.4375	2004
08.01.2020 12:40:02	1	1	1	1	90.25	64.25	0	28009.479	466.6666667	13070.421	30000	0	0	30000	44.0625	2004
08.01.2020 12:40:03	1	1	1	1	90.25	64	0	27962.085	481.7204301	13026.39089	30000	0	0	30000	44.1875	2004
08.01.2020 12:40:04	1	1	1	1	90.25	64	0	27962.085	466.6666667	13026.39089	30000	0	0	30000	44.125	2004
08.01.2020 12:40:05	1	1	1	1	90.25	64	0	27819.905	468.8172043	12922.83858	30000	0	0	30000	44.0625	2004
08.01.2020 12:40:06	1	1	1	1	90.25	64	0	27819.905	468.8172043	12982.36078	30000	0	0	30000	44.3125	2004
08.01.2020 12:40:07	1	1	1	1	90.25	64.25	0	27914.692	481.7204301	13447.12309	30000	0	0	30000	44.375	2004
08.01.2020 12:40:08	1	1	1	1	90.25	64.25	0	27630.332	466.6666667	12893.48517	30000	0	0	30000	44	2004
08.01.2020 12:40:09	1	1	1	1	91.25	64	0	27867.299	464.516129	12966.8687	30000	0	0	30000	44.1875	2004
08.01.2020 12:40:10	1	1	1	1	91.25	64	0	28009.479	464.516129	13159.29661	30000	0	0	30000	44.25	2004
08.01.2020 12:40:11	1	1	1	1	91.25	64.25	0	28436.019	464.516129	13209.03433	30000	0	0	30000	44.3125	2004
08.01.2020 12:40:12	1	1	1	1	91.25	64.25	0	28009.479	455.9139785	13098.95904	30000	0	0	30000	44.25	2004
08.01.2020 12:40:13	1	1	1	1	91.25	64.25	0	28009.479	464.516129	13010.89881	30000	0	0	30000	43	2004
08.01.2020 12:40:14	1	1	1	1	91.25	63	0	28009.479	464.516129	13010.89881	30000	0	0	30000	44.625	2004
08.01.2020 12:40:15	1	1	1	1	91.25	64.5	0	28009.479	464.516129	12890.22368	30000	0	0	30000	44.5	2004
08.01.2020 12:40:16	1	1	1	1	91.25	64.5	0	28199.052	458.0645161	12977.46854	30000	0	0	30000	43.8125	2004
08.01.2020 12:40:17	1	1	1	1	91.25	63.75	0	28199.052	464.516129	13098.95904	30000	0	0	30000	44.125	2004
08.01.2020 12:40:18	1	1	1	1	92.75	63.75	0	28199.052	464.516129	13098.95904	30000	0	0	30000	44.25	2004
08.01.2020 12:40:19	1	1	1	1	92.75	64.25	0	28009.479	460.2150538	12890.22368	30000	0	0	30000	44.25	2004
08.01.2020 12:40:20	1	1	1	1	92.75	64.25	0	28009.479	460.2150538	12950.56125	30000	0	0	30000	44.3125	2004
08.01.2020 12:40:28	1	1	1	1	92.75	63.75	0	28009.479	464.516129	13010.89881	30000	0	0	30000	44.25	2004
08.01.2020 12:40:28	1	1	1	1	92.75	63.75	0	28009.479	464.516129	13010.89881	30000	0	0	30000	44.25	2004
08.01.2020 12:40:28	1	1	1	1	92.75	63.75	0	28009.479	464.516129	13010.89881	30000	0	0	30000	44.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 12:40:28	1	1	1	1	92.75	63.75	0	28009.479	464.516129	13010.89881	30000	0	0	30000	44.25	2004
08.01.2020 12:40:28	1	1	1	1	92.75	63.75	0	28009.479	464.516129	13010.89881	30000	0	0	30000	44.25	2004
08.01.2020 12:40:28	1	1	1	1	92.75	63.75	0	28009.479	464.516129	13010.89881	30000	0	0	30000	44.25	2004
08.01.2020 12:40:28	1	1	1	1	92.75	63.75	0	28009.479	464.516129	13010.89881	30000	0	0	30000	44.25	2004
08.01.2020 12:40:28	1	1	1	1	93.25	64.25	0	27867.299	464.516129	12944.85364	30000	0	0	30000	44.1875	2004
08.01.2020 12:40:29	1	1	1	1	93.25	64	0	28009.479	466.6666667	13070.421	30000	0	0	30000	44.375	2004
08.01.2020 12:40:30	1	1	1	1	93.25	64.25	0	27440.758	464.516129	12746.71813	30000	0	0	30000	44.375	2004
08.01.2020 12:40:31	1	1	1	1	93.25	64.25	0	27630.332	466.6666667	12893.48517	30000	0	0	30000	43.6875	2004
08.01.2020 12:40:32	1	1	1	1	93.25	63.5	0	27630.332	481.7204301	12893.48517	30000	0	0	30000	44.125	2004
08.01.2020 12:40:33	1	1	1	1	93.25	64	0	27630.332	481.7204301	13012.52956	30000	0	0	30000	43.0625	2004
08.01.2020 12:40:34	1	1	1	1	93.25	63	0	27345.972	460.2150538	12584.459	30000	0	0	30000	43.5	2004
08.01.2020 12:40:35	1	1	1	1	93.25	63.5	0	27962.085	481.7204301	13469.95352	30000	0	0	30000	44.1875	2004
08.01.2020 12:40:36	1	1	1	1	93.25	64	0	27298.578	464.516129	12878.80847	30000	0	0	30000	44.125	2004
08.01.2020 12:40:37	1	1	1	1	93.25	64	0	27298.578	464.516129	12739.37977	30000	0	0	30000	44.25	2004
08.01.2020 12:40:38	1	1	1	1	93.25	64.25	0	27630.332	466.6666667	12893.48517	30000	0	0	30000	44.1875	2004
08.01.2020 12:40:39	1	1	1	1	93.25	64	0	27630.332	466.6666667	12893.48517	30000	0	0	30000	44.3125	2004
08.01.2020 12:40:40	1	1	1	1	93.25	64.25	0	27630.332	481.7204301	13012.52956	30000	0	0	30000	44.25	2004
08.01.2020 12:40:42	1	1	1	1	93.25	64.25	0	27630.332	466.6666667	12893.48517	30000	0	0	30000	43.5625	2004
08.01.2020 12:40:43	1	1	1	1	93.25	63.5	0	27630.332	481.7204301	13310.14052	30000	0	0	30000	44.25	2004
08.01.2020 12:40:44	1	1	1	1	93.25	64.25	0	27962.085	481.7204301	13469.95352	30000	0	0	30000	44.1875	2004
08.01.2020 12:40:45	1	1	1	1	93.25	64	0	27630.332	481.7204301	13057.37504	30000	0	0	30000	43.75	2004
08.01.2020 12:40:46	1	1	1	1	93.25	63.75	0	27156.398	415.0537634	11447.82975	30000	0	0	30000	43.625	2004
08.01.2020 12:40:47	1	1	1	1	93.25	63.5	0	27345.972	466.6666667	12761.39483	30000	0	0	30000	44.125	2004
08.01.2020 12:40:48	1	1	1	1	93.25	64	0	27867.299	481.7204301	13447.12309	30000	0	0	30000	44.1875	2004
08.01.2020 12:40:49	1	1	1	1	95.25	64	0	27819.905	481.7204301	13401.46223	30000	0	0	30000	44.1875	2004
08.01.2020 12:40:50	1	1	1	1	95.25	64	0	27630.332	481.7204301	12871.47012	30000	0	0	30000	44.1875	2004
08.01.2020 12:40:51	1	1	1	1	95.25	64	0	27345.972	460.2150538	12746.71813	30000	0	0	30000	44.25	2004
08.01.2020 12:40:52	1	1	1	1	95.25	64.25	0	27298.578	466.6666667	12761.39483	30000	0	0	30000	42.625	2004
08.01.2020 12:40:53	1	1	1	1	95.25	62.5	0	27440.758	468.8172043	12805.42494	30000	0	0	30000	44.3125	2004
08.01.2020 12:40:54	1	1	1	1	95.25	64.25	0	27156.398	464.516129	12614.62778	30000	0	0	30000	44.25	2004
08.01.2020 12:40:55	1	1	1	1	95.25	64.25	0	27440.758	466.6666667	12746.71813	30000	0	0	30000	44.125	2004
08.01.2020 12:40:56	1	1	1	1	95.25	64	0	27440.758	481.7204301	13218.8188	30000	0	0	30000	44.375	2004
08.01.2020 12:40:57	1	1	1	1	95.25	64.25	0	27440.758	481.7204301	13218.8188	30000	0	0	30000	44.3125	2004
08.01.2020 12:40:58	1	1	1	1	95.25	64.25	0	27440.758	466.6666667	13218.8188	30000	0	0	30000	44.5	2004
08.01.2020 12:40:59	1	1	1	1	93.25	64.5	0	27440.758	466.6666667	12805.42494	30000	0	0	30000	44.25	2004
08.01.2020 12:41:00	1	1	1	1	93.25	64.25	0	27819.905	468.8172043	13401.46223	30000	0	0	30000	44.125	2004
08.01.2020 12:41:01	1	1	1	1	93.25	64	0	27630.332	466.6666667	12893.48517	30000	0	0	30000	43.875	2004
08.01.2020 12:41:02	1	1	1	1	93.25	63.75	0	27345.972	464.516129	12702.68801	30000	0	0	30000	44.0625	2004
08.01.2020 12:41:03	1	1	1	1	93.25	64	0	27630.332	481.7204301	13012.52956	30000	0	0	30000	44.1875	2004
08.01.2020 12:41:04	1	1	1	1	93.25	64	0	27630.332	468.8172043	12953.00737	30000	0	0	30000	44.1875	2004
08.01.2020 12:41:05	1	1	1	1	93.25	64	0	28199.052	481.7204301	13492.78395	30000	0	0	30000	43.1875	2004
08.01.2020 12:41:06	1	1	1	1	93.25	63	0	28009.479	464.516129	13070.421	30000	0	0	30000	43.8125	2004
08.01.2020 12:41:07	1	1	1	1	93.25	63.75	0	27867.299	464.516129	12982.36078	30000	0	0	30000	44.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 12:41:08	1	1	1	1	95	64	0	28009.479	496.7741935	13914.33153	30000	0	0	30000	43.5625	2004
08.01.2020 12:41:09	1	1	1	1	95	63.5	0	28199.052	496.7741935	13886.60887	30000	0	0	30000	44.1875	2004
08.01.2020 12:41:10	1	1	1	1	95	64	0	28009.479	498.9247312	14008.09937	30000	0	0	30000	44.25	2004
08.01.2020 12:41:11	1	1	1	1	95	64.25	0	28009.479	494.6236559	14129.58987	30000	0	0	30000	44.0625	2004
08.01.2020 12:41:12	1	1	1	1	95	64	0	28009.479	494.6236559	13947.7618	30000	0	0	30000	44.1875	2004
08.01.2020 12:41:13	1	1	1	1	95	64	0	28199.052	494.6236559	13947.7618	30000	0	0	30000	43.9375	2004
08.01.2020 12:41:14	1	1	1	1	95	63.75	0	28578.199	492.4731183	14135.29748	30000	0	0	30000	44.25	2004
08.01.2020 12:41:15	1	1	1	1	95	64.25	0	28436.019	490.3225806	13881.71663	30000	0	0	30000	43.75	2004
08.01.2020 12:41:16	1	1	1	1	95	63.75	0	28578.199	494.6236559	14135.29748	30000	0	0	30000	44.1875	2004
08.01.2020 12:41:17	1	1	1	1	95	64	0	28341.232	494.6236559	14079.03677	30000	0	0	30000	43.6875	2004
08.01.2020 12:41:18	1	1	1	1	94.5	63.5	0	28009.479	496.7741935	13914.33153	30000	0	0	30000	43.1875	2004
08.01.2020 12:41:19	1	1	1	1	94.5	63	0	28009.479	501.0752688	13974.66909	30000	0	0	30000	44.0625	2004
08.01.2020 12:41:21	1	1	1	1	94.5	64	0	27962.085	501.0752688	14010.54548	30000	0	0	30000	43.375	2004
08.01.2020 12:41:22	1	1	1	1	94.5	63.25	0	28009.479	496.7741935	13914.33153	30000	0	0	30000	44.375	2004
08.01.2020 12:41:28	1	1	1	1	94.5	64	0	28009.479	496.7741935	13914.33153	30000	0	0	30000	42.9375	2004
08.01.2020 12:41:28	1	1	1	1	94.5	64	0	28009.479	496.7741935	13914.33153	30000	0	0	30000	42.9375	2004
08.01.2020 12:41:28	1	1	1	1	94.5	64	0	28009.479	496.7741935	13914.33153	30000	0	0	30000	42.9375	2004
08.01.2020 12:41:28	1	1	1	1	94.5	64	0	28009.479	496.7741935	13914.33153	30000	0	0	30000	42.9375	2004
08.01.2020 12:41:28	1	1	1	1	94.5	64	0	28009.479	496.7741935	13914.33153	30000	0	0	30000	42.9375	2004
08.01.2020 12:41:28	1	1	1	1	94.5	64	0	28009.479	496.7741935	13914.33153	30000	0	0	30000	42.9375	2004
08.01.2020 12:41:29	1	1	1	1	94.75	62.75	0	28009.479	494.6236559	13914.33153	30000	0	0	30000	44.125	2004
08.01.2020 12:41:30	1	1	1	1	94.75	64	0	28293.839	496.7741935	14200.52727	30000	0	0	30000	44.25	2004
08.01.2020 12:41:31	1	1	1	1	94.75	64.25	0	28199.052	492.4731183	14079.03677	30000	0	0	30000	44	2004
08.01.2020 12:41:32	1	1	1	1	94.75	64	0	28293.839	494.6236559	14008.09937	30000	0	0	30000	43.8125	2004
08.01.2020 12:41:33	1	1	1	1	94.75	63.75	0	28199.052	494.6236559	14055.39097	30000	0	0	30000	44.25	2004
08.01.2020 12:41:34	1	1	1	1	94.75	64.25	0	28199.052	488.172043	13933.90047	30000	0	0	30000	44.5	2004
08.01.2020 12:41:35	1	1	1	1	94.75	64.5	0	28293.839	494.6236559	14079.03677	30000	0	0	30000	44.4375	2004
08.01.2020 12:41:36	1	1	1	1	94.75	64.25	0	28341.232	494.6236559	13956.7309	30000	0	0	30000	44.0625	2004
08.01.2020 12:41:37	1	1	1	1	94.75	64.25	0	28578.199	494.6236559	14073.32917	30000	0	0	30000	43.4375	2004
08.01.2020 12:41:38	1	1	1	1	94.75	63.25	0	28530.806	490.3225806	14073.32917	30000	0	0	30000	44	2004
08.01.2020 12:41:39	1	1	1	1	94.75	64	0	28578.199	494.6236559	13973.85372	30000	0	0	30000	44.25	2004
08.01.2020 12:41:40	1	1	1	1	94.75	64.25	0	28625.592	488.172043	13951.02329	30000	0	0	30000	44.3125	2004
08.01.2020 12:41:41	1	1	1	1	94.75	64.25	0	29052.133	490.3225806	14307.34107	30000	0	0	30000	44.1875	2004
08.01.2020 12:41:42	1	1	1	1	94.75	64	0	28625.592	488.172043	13973.85372	30000	0	0	30000	44	2004
08.01.2020 12:41:43	1	1	1	1	94.75	64	0	28625.592	490.3225806	14066.80619	30000	0	0	30000	44.125	2004
08.01.2020 12:41:44	1	1	1	1	94.75	64	0	28578.199	492.4731183	13904.54706	30000	0	0	30000	44.1875	2004
08.01.2020 12:41:45	1	1	1	1	94.75	64	0	28436.019	490.3225806	13881.71663	30000	0	0	30000	44.125	2004
08.01.2020 12:41:46	1	1	1	1	94.75	64	0	28578.199	490.3225806	13965.7	30000	0	0	30000	44.3125	2004
08.01.2020 12:41:47	1	1	1	1	94.75	64.25	0	28388.626	494.6236559	14041.52964	30000	0	0	30000	44.1875	2004
08.01.2020 12:41:48	1	1	1	1	95.25	64	0	28293.839	494.6236559	13994.23803	30000	0	0	30000	44	2004
08.01.2020 12:41:49	1	1	1	1	95.25	64	0	28388.626	492.4731183	13980.3767	30000	0	0	30000	44.1875	2004
08.01.2020 12:41:50	1	1	1	1	95.25	64	0	28341.232	492.4731183	14041.52964	30000	0	0	30000	43.75	2004
08.01.2020 12:41:51	1	1	1	1	95.25	63.75	0	28199.052	494.6236559	13886.60887	30000	0	0	30000	43.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 12:41:52	1	1	1	1	95.25	63.75	0	28293.839	496.7741935	14055.39097	30000	0	0	30000	43.875	2004
08.01.2020 12:41:53	1	1	1	1	95.25	63.75	0	28199.052	494.6236559	14129.58987	30000	0	0	30000	44.25	2004
08.01.2020 12:41:54	1	1	1	1	95.25	64.25	0	28293.839	496.7741935	14055.39097	30000	0	0	30000	43.1875	2004
08.01.2020 12:41:55	1	1	1	1	95.25	63	0	28341.232	492.4731183	14017.88384	30000	0	0	30000	44.1875	2004
08.01.2020 12:41:57	1	1	1	1	95.25	64	0	28388.626	494.6236559	14041.52964	30000	0	0	30000	44.3125	2004
08.01.2020 12:41:58	1	1	1	1	95.25	64.25	0	28341.232	490.3225806	13956.7309	30000	0	0	30000	44.25	2004
08.01.2020 12:41:59	1	1	1	1	95	64.25	0	28293.839	492.4731183	13994.23803	30000	0	0	30000	44.3125	2004
08.01.2020 12:42:00	1	1	1	1	95	64.25	0	28199.052	494.6236559	14017.88384	30000	0	0	30000	44.25	2004
08.01.2020 12:42:01	1	1	1	1	95	64.25	0	28578.199	494.6236559	14196.45041	30000	0	0	30000	44.125	2004
08.01.2020 12:42:02	1	1	1	1	95	64	0	28578.199	488.172043	14012.17623	30000	0	0	30000	43.75	2004
08.01.2020 12:42:03	1	1	1	1	95	63.75	0	28957.346	481.7204301	13949.39255	30000	0	0	30000	44.0625	2004
08.01.2020 12:42:04	1	1	1	1	95	64	0	29241.706	481.7204301	14086.37513	30000	0	0	30000	43.1875	2004
08.01.2020 12:42:05	1	1	1	1	95	63	0	29715.64	481.7204301	14291.84899	30000	0	0	30000	43.875	2004
08.01.2020 12:42:06	1	1	1	1	95	63.75	0	29336.493	481.7204301	14132.03599	30000	0	0	30000	44.125	2004
08.01.2020 12:42:07	1	1	1	1	95	64	0	28957.346	481.7204301	13451.19996	30000	0	0	30000	44.0625	2004
08.01.2020 12:42:08	1	1	1	1	95	64	0	29099.526	481.7204301	13995.05341	30000	0	0	30000	44	2004
08.01.2020 12:42:09	1	1	1	1	95	64	0	29478.673	509.6774194	15024.05349	30000	0	0	30000	43	2004
08.01.2020 12:42:10	1	1	1	1	95	63	0	29715.64	507.5268817	15081.12956	30000	0	0	30000	44.0625	2004
08.01.2020 12:42:11	1	1	1	1	95	64	0	29715.64	501.0752688	14953.11608	30000	0	0	30000	44.5	2004
08.01.2020 12:42:12	1	1	1	1	95	64.5	0	29431.28	507.5268817	14936.80863	30000	0	0	30000	44.0625	2004
08.01.2020 12:42:13	1	1	1	1	95	64	0	29099.526	516.1290323	14893.59389	30000	0	0	30000	44.1875	2004
08.01.2020 12:42:14	1	1	1	1	95	64	0	28957.346	518.2795699	15007.74604	30000	0	0	30000	44.125	2004
08.01.2020 12:42:15	1	1	1	1	95	64	0	28862.559	516.1290323	14958.82369	30000	0	0	30000	43.75	2004
08.01.2020 12:42:16	1	1	1	1	95	63.75	0	28957.346	520.4301075	15069.71435	30000	0	0	30000	44.25	2004
08.01.2020 12:42:17	1	1	1	1	95	64.25	0	29099.526	520.4301075	15119.45207	30000	0	0	30000	44	2004
08.01.2020 12:42:18	1	1	1	1	95.5	64	0	28862.559	518.2795699	14958.82369	30000	0	0	30000	43.875	2004
08.01.2020 12:42:19	1	1	1	1	95.5	63.75	0	28815.166	522.5806452	14934.36251	30000	0	0	30000	43.5625	2004
08.01.2020 12:42:20	1	1	1	1	95.5	63.5	0	28957.346	518.2795699	15132.49803	30000	0	0	30000	44.1875	2004
08.01.2020 12:42:21	1	1	1	1	95.5	64	0	28862.559	522.5806452	15082.76031	30000	0	0	30000	43.5	2004
08.01.2020 12:42:22	1	1	1	1	95.5	63.5	0	28625.592	518.2795699	14934.36251	30000	0	0	30000	44.1875	2004
08.01.2020 12:42:23	1	1	1	1	95.5	64	0	28672.986	520.4301075	14996.33082	30000	0	0	30000	43.9375	2004
08.01.2020 12:42:30	1	1	1	1	95.5	63.75	0	28578.199	524.7311828	14934.36251	30000	0	0	30000	44.375	2004
08.01.2020 12:42:30	1	1	1	1	95.5	63.75	0	28578.199	524.7311828	14934.36251	30000	0	0	30000	44.375	2004
08.01.2020 12:42:30	1	1	1	1	95.5	63.75	0	28578.199	524.7311828	14934.36251	30000	0	0	30000	44.375	2004
08.01.2020 12:42:30	1	1	1	1	95.5	63.75	0	28578.199	524.7311828	14934.36251	30000	0	0	30000	44.375	2004
08.01.2020 12:42:30	1	1	1	1	95.5	63.75	0	28578.199	524.7311828	14934.36251	30000	0	0	30000	44.375	2004
08.01.2020 12:42:30	1	1	1	1	95.5	64.25	0	28625.592	524.7311828	14995.51545	30000	0	0	30000	43.9375	2004
08.01.2020 12:42:31	1	1	1	1	95.5	63.75	0	28815.166	522.5806452	14934.36251	30000	0	0	30000	44.1875	2004
08.01.2020 12:42:32	1	1	1	1	95.5	64	0	28625.592	522.5806452	14958.82369	30000	0	0	30000	43.8125	2004
08.01.2020 12:42:34	1	1	1	1	95.5	63.75	0	28815.166	522.5806452	15058.29913	30000	0	0	30000	43.625	2004
08.01.2020 12:42:35	1	1	1	1	95.5	63.5	0	28578.199	522.5806452	14934.36251	30000	0	0	30000	43.75	2004
08.01.2020 12:42:36	1	1	1	1	95.5	63.75	0	28625.592	522.5806452	15020.792	30000	0	0	30000	43.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 12:42:37	1	1	1	1	95.5	63.5	0	28625.592	522.5806452	14750.08833	30000	0	0	30000	43.9375	2004
08.01.2020 12:42:38	1	1	1	1	95.5	63.75	0	28388.626	511.827957	14799.01068	30000	0	0	30000	43.8125	2004
08.01.2020 12:42:39	1	1	1	1	95.5	63.75	0	28530.806	524.7311828	15056.66839	30000	0	0	30000	44.0625	2004
08.01.2020 12:42:40	1	1	1	1	95.5	64	0	28815.166	522.5806452	15058.29913	30000	0	0	30000	44.25	2004
08.01.2020 12:42:41	1	1	1	1	95.5	64.25	0	28483.412	524.7311828	15006.93067	30000	0	0	30000	44.125	2004
08.01.2020 12:42:42	1	1	1	1	95.5	64	0	28483.412	524.7311828	14884.62479	30000	0	0	30000	43.5625	2004
08.01.2020 12:42:43	1	1	1	1	95.5	63.5	0	28625.592	524.7311828	15120.26744	30000	0	0	30000	43.8125	2004
08.01.2020 12:42:44	1	1	1	1	95.5	63.75	0	28293.839	516.1290323	14834.88707	30000	0	0	30000	43.9375	2004
08.01.2020 12:42:45	1	1	1	1	95.5	63.75	0	28625.592	526.8817204	15118.6367	30000	0	0	30000	43.1875	2004
08.01.2020 12:42:46	1	1	1	1	95.5	63	0	28625.592	524.7311828	15056.66839	30000	0	0	30000	44.125	2004
08.01.2020 12:42:47	1	1	1	1	95.5	64	0	28625.592	524.7311828	15120.26744	30000	0	0	30000	44.4375	2004
08.01.2020 12:42:48	1	1	1	1	95.5	64.25	0	28530.806	524.7311828	14884.62479	30000	0	0	30000	44.0625	2004
08.01.2020 12:42:49	1	1	1	1	95.5	64	0	28815.166	524.7311828	15120.26744	30000	0	0	30000	44.125	2004
08.01.2020 12:42:50	1	1	1	1	95.5	64	0	28815.166	524.7311828	15020.792	30000	0	0	30000	44.4375	2004
08.01.2020 12:42:51	1	1	1	1	95.5	64	0	28815.166	524.7311828	15182.23575	30000	0	0	30000	43.875	2004
08.01.2020 12:42:52	1	1	1	1	95.5	63.75	0	28815.166	522.5806452	15058.29913	30000	0	0	30000	44.125	2004
08.01.2020 12:42:53	1	1	1	1	95.5	64	0	28862.559	524.7311828	15082.76031	30000	0	0	30000	44.125	2004
08.01.2020 12:42:54	1	1	1	1	95.5	64	0	28815.166	518.2795699	14934.36251	30000	0	0	30000	44.125	2004
08.01.2020 12:42:55	1	1	1	1	95.5	64	0	28862.559	518.2795699	14958.82369	30000	0	0	30000	44.1875	2004
08.01.2020 12:42:56	1	1	1	1	95.5	64	0	28957.346	518.2795699	14945.77773	30000	0	0	30000	44.125	2004
08.01.2020 12:42:57	1	1	1	1	95.5	64	0	28957.346	520.4301075	14945.77773	30000	0	0	30000	44.0625	2004
08.01.2020 12:42:58	1	1	1	1	95.5	64	0	29052.133	516.1290323	15007.74604	30000	0	0	30000	44.0625	2004
08.01.2020 12:42:59	1	1	1	1	95.5	64	0	29099.526	516.1290323	15019.16125	30000	0	0	30000	43.875	2004
08.01.2020 12:43:00	1	1	1	1	95.5	63.75	0	29099.526	509.6774194	14918.05506	30000	0	0	30000	44.125	2004
08.01.2020 12:43:01	1	1	1	1	95.5	64	0	29620.853	507.5268817	14969.42353	30000	0	0	30000	44.25	2004
08.01.2020 12:43:02	1	1	1	1	95.5	64.25	0	29620.853	507.5268817	14969.42353	30000	0	0	30000	44.1875	2004
08.01.2020 12:43:03	1	1	1	1	95.5	64	0	29715.64	509.6774194	15081.12956	30000	0	0	30000	44.125	2004
08.01.2020 12:43:04	1	1	1	1	95.5	64	0	29526.066	509.6774194	15048.51466	30000	0	0	30000	44.0625	2004
08.01.2020 12:43:05	1	1	1	1	95.5	64	0	29383.886	503.2258065	15000.40769	30000	0	0	30000	43.8125	2004
08.01.2020 12:43:06	1	1	1	1	95.5	63.75	0	29431.28	509.6774194	14975.94651	30000	0	0	30000	43.875	2004
08.01.2020 12:43:07	1	1	1	1	95.5	63.75	0	29526.066	505.3763441	14984.91561	30000	0	0	30000	43.9375	2004
08.01.2020 12:43:08	1	1	1	1	96	63.75	0	29905.213	516.1290323	15435.00122	30000	0	0	30000	44	2004
08.01.2020 12:43:09	1	1	1	1	96	64	0	29857.82	539.7849462	16116.65262	30000	0	0	30000	44.0625	2004
08.01.2020 12:43:10	1	1	1	1	96	64	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	44.1875	2004
08.01.2020 12:43:12	1	1	1	1	96	64	0	29431.28	544.0860215	16038.37687	30000	0	0	30000	44.125	2004
08.01.2020 12:43:13	1	1	1	1	96	64	0	29383.886	541.9354839	16013.10032	30000	0	0	30000	44.0625	2004
08.01.2020 12:43:14	1	1	1	1	96	64	0	29383.886	544.0860215	15987.0084	30000	0	0	30000	43.5625	2004
08.01.2020 12:43:15	1	1	1	1	96	63.5	0	29526.066	544.0860215	16255.26595	30000	0	0	30000	44.125	2004
08.01.2020 12:43:16	1	1	1	1	96	64	0	29431.28	541.9354839	16013.10032	30000	0	0	30000	43.4375	2004
08.01.2020 12:43:17	1	1	1	1	96	63.25	0	29336.493	546.2365591	15960.91648	30000	0	0	30000	44.1875	2004
08.01.2020 12:43:18	1	1	1	1	96	64	0	29289.1	546.2365591	15998.42361	30000	0	0	30000	44.0625	2004
08.01.2020 12:43:19	1	1	1	1	96	64	0	29241.706	550.5376344	16098.71443	30000	0	0	30000	44	2004
08.01.2020 12:43:20	1	1	1	1	96	64	0	29289.1	550.5376344	16150.89827	30000	0	0	30000	43.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 12:43:21	1	1	1	1	96	63.5	0	29052.133	546.2365591	15957.65499	30000	0	0	30000	43.9375	2004
08.01.2020 12:43:22	1	1	1	1	96	63.75	0	29146.919	546.2365591	15858.17955	30000	0	0	30000	44.3125	2004
08.01.2020 12:43:23	1	1	1	1	96	64.25	0	29146.919	546.2365591	16161.49811	30000	0	0	30000	44.375	2004
08.01.2020 12:43:24	1	1	1	1	96	64.25	0	29146.919	548.3870968	15983.74691	30000	0	0	30000	44.125	2004
08.01.2020 12:43:25	1	1	1	1	96	64	0	29099.526	546.2365591	15894.87131	30000	0	0	30000	44.125	2004
08.01.2020 12:43:32	1	1	1	1	96	63.75	0	28957.346	546.2365591	15817.41092	30000	0	0	30000	44.0625	2004
08.01.2020 12:43:32	1	1	1	1	96	63.75	0	28957.346	546.2365591	15817.41092	30000	0	0	30000	44.0625	2004
08.01.2020 12:43:32	1	1	1	1	96	63.75	0	28957.346	546.2365591	15817.41092	30000	0	0	30000	44.0625	2004
08.01.2020 12:43:32	1	1	1	1	96	63.75	0	28957.346	546.2365591	15817.41092	30000	0	0	30000	44.0625	2004
08.01.2020 12:43:32	1	1	1	1	96	63.75	0	28957.346	546.2365591	15817.41092	30000	0	0	30000	44.0625	2004
08.01.2020 12:43:32	1	1	1	1	96	64	0	29099.526	550.5376344	16020.43867	30000	0	0	30000	44.1875	2004
08.01.2020 12:43:33	1	1	1	1	96	64	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	43.6875	2004
08.01.2020 12:43:34	1	1	1	1	96	63.5	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	43.5625	2004
08.01.2020 12:43:35	1	1	1	1	96	63.5	0	29146.919	546.2365591	15858.17955	30000	0	0	30000	44.3125	2004
08.01.2020 12:43:36	1	1	1	1	96	64.25	0	29099.526	550.5376344	15942.16291	30000	0	0	30000	43.875	2004
08.01.2020 12:43:37	1	1	1	1	96	63.75	0	29146.919	550.5376344	15858.17955	30000	0	0	30000	44.25	2004
08.01.2020 12:43:38	1	1	1	1	95.75	64.25	0	29146.919	552.688172	16046.53059	30000	0	0	30000	44.25	2004
08.01.2020 12:43:39	1	1	1	1	95.75	64.25	0	29146.919	550.5376344	15681.24371	30000	0	0	30000	44.0625	2004
08.01.2020 12:43:40	1	1	1	1	95.75	64	0	29052.133	550.5376344	16020.43867	30000	0	0	30000	43.875	2004
08.01.2020 12:43:41	1	1	1	1	95.75	63.75	0	29099.526	548.3870968	15957.65499	30000	0	0	30000	44	2004
08.01.2020 12:43:42	1	1	1	1	95.75	64	0	29052.133	550.5376344	15879.37923	30000	0	0	30000	43.875	2004
08.01.2020 12:43:43	1	1	1	1	95.75	63.75	0	29241.706	550.5376344	16098.71443	30000	0	0	30000	44.0625	2004
08.01.2020 12:43:44	1	1	1	1	95.75	64	0	29146.919	548.3870968	15983.74691	30000	0	0	30000	43.875	2004
08.01.2020 12:43:45	1	1	1	1	95.75	63.75	0	29146.919	546.2365591	16046.53059	30000	0	0	30000	44	2004
08.01.2020 12:43:46	1	1	1	1	95.75	64	0	29289.1	546.2365591	15972.33169	30000	0	0	30000	43.5	2004
08.01.2020 12:43:47	1	1	1	1	95.75	63.5	0	29146.919	541.9354839	15858.17955	30000	0	0	30000	43.4375	2004
08.01.2020 12:43:48	1	1	1	1	95.75	63.25	0	29336.493	546.2365591	15960.91648	30000	0	0	30000	43.625	2004
08.01.2020 12:43:49	1	1	1	1	95.75	63.5	0	29241.706	546.2365591	16046.53059	30000	0	0	30000	44.1875	2004
08.01.2020 12:43:50	1	1	1	1	95.75	64	0	29241.706	544.0860215	15732.61218	30000	0	0	30000	43.5625	2004
08.01.2020 12:43:52	1	1	1	1	95.75	63.5	0	29241.706	546.2365591	15972.33169	30000	0	0	30000	43.625	2004
08.01.2020 12:43:53	1	1	1	1	95.75	63.5	0	29241.706	546.2365591	16098.71443	30000	0	0	30000	44.1875	2004
08.01.2020 12:43:54	1	1	1	1	95.75	64	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	43.875	2004
08.01.2020 12:43:55	1	1	1	1	95.75	63.75	0	29241.706	546.2365591	16098.71443	30000	0	0	30000	44.125	2004
08.01.2020 12:43:56	1	1	1	1	95.75	64	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	44.125	2004
08.01.2020 12:43:57	1	1	1	1	95.75	64	0	29146.919	546.2365591	15972.33169	30000	0	0	30000	44.0625	2004
08.01.2020 12:43:58	1	1	1	1	95.75	64	0	29383.886	541.9354839	15860.62566	30000	0	0	30000	43.5	2004
08.01.2020 12:43:59	1	1	1	1	95.75	63.5	0	29620.853	537.6344086	15963.3626	30000	0	0	30000	43.625	2004
08.01.2020 12:44:00	1	1	1	1	95.75	63.5	0	29620.853	539.7849462	16013.91569	30000	0	0	30000	44	2004
08.01.2020 12:44:01	1	1	1	1	95.75	64	0	29715.64	537.6344086	15962.54722	30000	0	0	30000	43.9375	2004
08.01.2020 12:44:02	1	1	1	1	95.75	63.75	0	29905.213	533.3333333	16039.19224	30000	0	0	30000	43.625	2004
08.01.2020 12:44:03	1	1	1	1	95.75	63.5	0	29905.213	539.7849462	16013.10032	30000	0	0	30000	43.9375	2004
08.01.2020 12:44:04	1	1	1	1	95.75	63.75	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	43.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 12:44:05	1	1	1	1	95.75	63.5	0	29431.28	541.9354839	16013.10032	30000	0	0	30000	44.1875	2004
08.01.2020 12:44:06	1	1	1	1	95.75	64	0	29715.64	546.2365591	16078.33012	30000	0	0	30000	44	2004
08.01.2020 12:44:07	1	1	1	1	95.75	64	0	29478.673	541.9354839	15911.99413	30000	0	0	30000	44.125	2004
08.01.2020 12:44:08	1	1	1	1	95.75	64	0	29289.1	546.2365591	16024.51553	30000	0	0	30000	44.375	2004
08.01.2020 12:44:09	1	1	1	1	95.75	64.25	0	29241.706	546.2365591	16035.11538	30000	0	0	30000	44.3125	2004
08.01.2020 12:44:10	1	1	1	1	95.75	64.25	0	29146.919	546.2365591	15795.39586	30000	0	0	30000	43.5625	2004
08.01.2020 12:44:11	1	1	1	1	95.75	62.75	0	29383.886	550.5376344	16087.29921	30000	0	0	30000	44	2004
08.01.2020 12:44:12	1	1	1	1	95.75	64	0	29336.493	546.2365591	16087.29921	30000	0	0	30000	43.75	2004
08.01.2020 12:44:13	1	1	1	1	95.75	63.75	0	29336.493	544.0860215	15935.63993	30000	0	0	30000	43.9375	2004
08.01.2020 12:44:14	1	1	1	1	95.75	63.75	0	29241.706	541.9354839	15935.63993	30000	0	0	30000	44.3125	2004
08.01.2020 12:44:15	1	1	1	1	95.75	64.25	0	29526.066	544.0860215	15975.59318	30000	0	0	30000	44.125	2004
08.01.2020 12:44:16	1	1	1	1	95.75	64	0	29431.28	541.9354839	15885.90221	30000	0	0	30000	43.6875	2004
08.01.2020 12:44:17	1	1	1	1	95.75	63.5	0	29620.853	541.9354839	16115.83725	30000	0	0	30000	44.0625	2004
08.01.2020 12:44:18	1	1	1	1	95.75	64	0	29715.64	544.0860215	16167.20572	30000	0	0	30000	43.3125	2004
08.01.2020 12:44:19	1	1	1	1	95.75	63.25	0	29478.673	539.7849462	15975.59318	30000	0	0	30000	44.125	2004
08.01.2020 12:44:20	1	1	1	1	95.75	64	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	43.8125	2004
08.01.2020 12:44:21	1	1	1	1	95.75	63.75	0	29573.46	537.6344086	15988.63914	30000	0	0	30000	43.9375	2004
08.01.2020 12:44:22	1	1	1	1	95.75	63.75	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	44.125	2004
08.01.2020 12:44:23	1	1	1	1	95.75	64	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	44.25	2004
08.01.2020 12:44:24	1	1	1	1	95.75	64.25	0	29620.853	541.9354839	16115.83725	30000	0	0	30000	44.1875	2004
08.01.2020 12:44:25	1	1	1	1	95.75	64	0	29383.886	541.9354839	16229.17403	30000	0	0	30000	44.25	2004
08.01.2020 12:44:26	1	1	1	1	95.75	64.25	0	29383.886	539.7849462	16075.884	30000	0	0	30000	44.0625	2004
08.01.2020 12:44:33	1	1	1	1	95.75	63.75	0	29146.919	550.5376344	16020.43867	30000	0	0	30000	44.125	2004
08.01.2020 12:44:33	1	1	1	1	95.75	63.75	0	29146.919	550.5376344	16020.43867	30000	0	0	30000	44.125	2004
08.01.2020 12:44:33	1	1	1	1	95.75	63.75	0	29146.919	550.5376344	16020.43867	30000	0	0	30000	44.125	2004
08.01.2020 12:44:33	1	1	1	1	95.75	63.75	0	29146.919	550.5376344	16020.43867	30000	0	0	30000	44.125	2004
08.01.2020 12:44:33	1	1	1	1	95.75	63.75	0	29146.919	550.5376344	16020.43867	30000	0	0	30000	44.125	2004
08.01.2020 12:44:33	1	1	1	1	95.75	63.75	0	29146.919	550.5376344	16020.43867	30000	0	0	30000	44.125	2004
08.01.2020 12:44:34	1	1	1	1	95.75	64	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	43.9375	2004
08.01.2020 12:44:35	1	1	1	1	95.75	63.75	0	29289.1	546.2365591	16035.11538	30000	0	0	30000	44.0625	2004
08.01.2020 12:44:36	1	1	1	1	95.75	64	0	29146.919	544.0860215	16161.49811	30000	0	0	30000	44	2004
08.01.2020 12:44:37	1	1	1	1	95.75	64	0	29052.133	552.688172	16004.13122	30000	0	0	30000	44.0625	2004
08.01.2020 12:44:38	1	1	1	1	95.75	64	0	29099.526	550.5376344	15994.34675	30000	0	0	30000	43.3125	2004
08.01.2020 12:44:39	1	1	1	1	96	63.25	0	28957.346	554.8387097	15817.41092	30000	0	0	30000	44	2004
08.01.2020 12:44:40	1	1	1	1	96	64	0	29099.526	552.688172	16082.40698	30000	0	0	30000	44.125	2004
08.01.2020 12:44:41	1	1	1	1	96	64	0	29336.493	552.688172	16161.49811	30000	0	0	30000	43.375	2004
08.01.2020 12:44:42	1	1	1	1	96	63.25	0	29146.919	552.688172	16046.53059	30000	0	0	30000	43.3125	2004
08.01.2020 12:44:43	1	1	1	1	96	63.25	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	43.6875	2004
08.01.2020 12:44:44	1	1	1	1	96	63.5	0	29146.919	550.5376344	16108.4989	30000	0	0	30000	43.25	2004
08.01.2020 12:44:45	1	1	1	1	96	63.25	0	29052.133	550.5376344	15931.56307	30000	0	0	30000	43.8125	2004
08.01.2020 12:44:46	1	1	1	1	96	63.75	0	29146.919	550.5376344	16108.4989	30000	0	0	30000	43.875	2004
08.01.2020 12:44:47	1	1	1	1	96	63.75	0	29146.919	546.2365591	16046.53059	30000	0	0	30000	44.4375	2004
08.01.2020 12:44:48	1	1	1	1	95.75	63.75	0	29099.526	550.5376344	15994.34675	30000	0	0	30000	44.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 12:44:49	1	1	1	1	95.75	64	0	29146.919	518.2795699	15105.59074	30000	0	0	30000	44.125	2004
08.01.2020 12:44:50	1	1	1	1	95.75	64	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	43.625	2004
08.01.2020 12:44:51	1	1	1	1	95.75	63.5	0	28909.953	552.688172	15889.97907	30000	0	0	30000	43.9375	2004
08.01.2020 12:44:52	1	1	1	1	95.75	63.75	0	29146.919	550.5376344	16098.71443	30000	0	0	30000	44	2004
08.01.2020 12:44:53	1	1	1	1	95.75	64	0	29099.526	550.5376344	16082.40698	30000	0	0	30000	44.1875	2004
08.01.2020 12:44:54	1	1	1	1	95.75	64	0	29241.706	550.5376344	16098.71443	30000	0	0	30000	43.3125	2004
08.01.2020 12:44:55	1	1	1	1	95.75	63.25	0	28957.346	550.5376344	15931.56307	30000	0	0	30000	44.25	2004
08.01.2020 12:44:56	1	1	1	1	95.75	64.25	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	44.0625	2004
08.01.2020 12:44:57	1	1	1	1	95.75	64	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	43.1875	2004
08.01.2020 12:44:58	1	1	1	1	96	63	0	29241.706	544.0860215	15669.8285	30000	0	0	30000	43.75	2004
08.01.2020 12:44:59	1	1	1	1	96	63.75	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	44.1875	2004
08.01.2020 12:45:00	1	1	1	1	96	64	0	29573.46	539.7849462	15963.3626	30000	0	0	30000	43.375	2004
08.01.2020 12:45:01	1	1	1	1	96	63.25	0	29810.427	537.6344086	16154.97513	30000	0	0	30000	44.125	2004
08.01.2020 12:45:02	1	1	1	1	96	64	0	30000	518.2795699	15548.338	30000	0	0	30000	43.875	2004
08.01.2020 12:45:03	1	1	1	1	96	63.75	0	29952.607	524.7311828	15781.53453	30000	0	0	30000	44.0625	2004
08.01.2020 12:45:04	1	1	1	1	96	64	0	29857.82	537.6344086	16077.51474	30000	0	0	30000	44.0625	2004
08.01.2020 12:45:05	1	1	1	1	96	64	0	29763.033	537.6344086	16090.5607	30000	0	0	30000	44.125	2004
08.01.2020 12:45:06	1	1	1	1	96	64	0	29952.607	533.3333333	15885.08684	30000	0	0	30000	44	2004
08.01.2020 12:45:08	1	1	1	1	96	64	0	29952.607	516.1290323	15483.92357	30000	0	0	30000	44.125	2004
08.01.2020 12:45:09	1	1	1	1	95.75	64	0	30000	516.1290323	15483.92357	30000	0	0	30000	42.8125	2004
08.01.2020 12:45:10	1	1	1	1	95.75	62.75	0	29952.607	505.3763441	15266.21912	30000	0	0	30000	43.75	2004
08.01.2020 12:45:11	1	1	1	1	95.75	63.75	0	30000	481.7204301	14451.662	30000	0	0	30000	43.875	2004
08.01.2020 12:45:12	1	1	1	1	95.75	63.75	0	30000	464.516129	14021.9607	30000	0	0	30000	43.875	2004
08.01.2020 12:45:13	1	1	1	1	95.75	63.75	0	29905.213	455.9139785	13741.47256	30000	0	0	30000	43.375	2004
08.01.2020 12:45:14	1	1	1	1	95.75	63.25	0	30000	466.6666667	13999.94564	30000	0	0	30000	43.625	2004
08.01.2020 12:45:15	1	1	1	1	95.75	63.5	0	30047.393	453.7634409	13612.64371	30000	0	0	30000	43.875	2004
08.01.2020 12:45:16	1	1	1	1	95.75	63.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	44.1875	2004
08.01.2020 12:45:17	1	1	1	1	95.75	64	0	30000	468.8172043	14064.36007	30000	0	0	30000	43.6875	2004
08.01.2020 12:45:18	1	1	1	1	95.75	63.5	0	30000	464.516129	13999.94564	30000	0	0	30000	43.5	2004
08.01.2020 12:45:19	1	1	1	1	95.5	63.5	0	30000	494.6236559	14838.14856	30000	0	0	30000	43.625	2004
08.01.2020 12:45:20	1	1	1	1	95.5	63.5	0	30000	488.172043	14516.07643	30000	0	0	30000	43.5625	2004
08.01.2020 12:45:21	1	1	1	1	95.5	63.5	0	30000	505.3763441	15225.45049	30000	0	0	30000	43.9375	2004
08.01.2020 12:45:22	1	1	1	1	95.5	63.75	0	29857.82	455.9139785	13548.22928	30000	0	0	30000	43.75	2004
08.01.2020 12:45:23	1	1	1	1	95.5	63.75	0	29952.607	486.0215054	14644.90528	30000	0	0	30000	44	2004
08.01.2020 12:45:24	1	1	1	1	95.5	64	0	30000	522.5806452	15741.58128	30000	0	0	30000	44.0625	2004
08.01.2020 12:45:25	1	1	1	1	95.5	64	0	29905.213	535.483871	15885.08684	30000	0	0	30000	44.1875	2004
08.01.2020 12:45:26	1	1	1	1	95.5	64	0	29810.427	535.483871	15962.54722	30000	0	0	30000	44.125	2004
08.01.2020 12:45:27	1	1	1	1	95.5	63.75	0	29810.427	535.483871	15962.54722	30000	0	0	30000	44.125	2004
08.01.2020 12:45:28	1	1	1	1	96.25	64	0	29857.82	537.6344086	16026.96165	30000	0	0	30000	43.625	2004
08.01.2020 12:45:35	1	1	1	1	96.25	62.25	0	29526.066	539.7849462	15873.67162	30000	0	0	30000	44.0625	2004
08.01.2020 12:45:35	1	1	1	1	96.25	62.25	0	29526.066	539.7849462	15873.67162	30000	0	0	30000	44.0625	2004
08.01.2020 12:45:35	1	1	1	1	96.25	62.25	0	29526.066	539.7849462	15873.67162	30000	0	0	30000	44.0625	2004
08.01.2020 12:45:35	1	1	1	1	96.25	62.25	0	29526.066	539.7849462	15873.67162	30000	0	0	30000	44.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 12:45:35	1	1	1	1	96.25	62.25	0	29526.066	539.7849462	15873.67162	30000	0	0	30000	44.0625	2004
08.01.2020 12:45:35	1	1	1	1	96.25	62.25	0	29526.066	539.7849462	15873.67162	30000	0	0	30000	44.0625	2004
08.01.2020 12:45:35	1	1	1	1	96.25	64	0	29620.853	541.9354839	15988.63914	30000	0	0	30000	43.375	2004
08.01.2020 12:45:36	1	1	1	1	96.25	63.25	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	44.125	2004
08.01.2020 12:45:37	1	1	1	1	96.25	64	0	29857.82	537.6344086	16052.2382	30000	0	0	30000	43.875	2004
08.01.2020 12:45:38	1	1	1	1	96.5	63.75	0	29952.607	535.483871	16013.10032	30000	0	0	30000	43.5625	2004
08.01.2020 12:45:39	1	1	1	1	96.5	63.5	0	29952.607	535.483871	16193.29764	30000	0	0	30000	44.25	2004
08.01.2020 12:45:40	1	1	1	1	96.5	64.25	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	43.375	2004
08.01.2020 12:45:41	1	1	1	1	96.5	63.25	0	30000	522.5806452	15741.58128	30000	0	0	30000	42.75	2004
08.01.2020 12:45:42	1	1	1	1	96.5	62.75	0	30000	524.7311828	15805.99571	30000	0	0	30000	44	2004
08.01.2020 12:45:43	1	1	1	1	96.5	64	0	30000	520.4301075	15612.75243	30000	0	0	30000	43.5	2004
08.01.2020 12:45:45	1	1	1	1	96.5	63.5	0	30000	522.5806452	15677.16685	30000	0	0	30000	43.5625	2004
08.01.2020 12:45:46	1	1	1	1	96.5	63.5	0	30000	503.2258065	14856.08676	30000	0	0	30000	44	2004
08.01.2020 12:45:47	1	1	1	1	96.5	64	0	29952.607	507.5268817	15225.45049	30000	0	0	30000	43.125	2004
08.01.2020 12:45:48	1	1	1	1	96.5	63	0	30000	509.6774194	15289.86492	30000	0	0	30000	44.3125	2004
08.01.2020 12:45:49	1	1	1	1	95.75	64.25	0	30000	498.9247312	14902.56299	30000	0	0	30000	43.4375	2004
08.01.2020 12:45:50	1	1	1	1	95.75	63.25	0	29810.427	453.7634409	13633.02802	30000	0	0	30000	44	2004
08.01.2020 12:45:51	1	1	1	1	95.75	64	0	30000	520.4301075	15677.16685	30000	0	0	30000	43.625	2004
08.01.2020 12:45:52	1	1	1	1	95.75	63.5	0	30000	518.2795699	15548.338	30000	0	0	30000	43.9375	2004
08.01.2020 12:45:53	1	1	1	1	95.75	63.75	0	30000	520.4301075	15612.75243	30000	0	0	30000	43.3125	2004
08.01.2020 12:45:54	1	1	1	1	95.75	63.25	0	30000	533.3333333	16000.05436	30000	0	0	30000	43.9375	2004
08.01.2020 12:45:55	1	1	1	1	95.75	63.75	0	29952.607	533.3333333	15934.82456	30000	0	0	30000	44	2004
08.01.2020 12:45:56	1	1	1	1	95.75	64	0	29952.607	535.483871	15949.50126	30000	0	0	30000	43.625	2004
08.01.2020 12:45:57	1	1	1	1	95.75	63.5	0	30000	531.1827957	15934.82456	30000	0	0	30000	43.6875	2004
08.01.2020 12:45:58	1	1	1	1	95.75	63.5	0	30047.393	516.1290323	15161.03607	30000	0	0	30000	43.75	2004
08.01.2020 12:45:59	1	1	1	1	96	63.75	0	30000	496.7741935	14902.56299	30000	0	0	30000	43.5625	2004
08.01.2020 12:46:00	1	1	1	1	96	63.5	0	30000	496.7741935	14902.56299	30000	0	0	30000	44.0625	2004
08.01.2020 12:46:01	1	1	1	1	96	64	0	29905.213	481.7204301	14451.662	30000	0	0	30000	42.875	2004
08.01.2020 12:46:02	1	1	1	1	96	62.75	0	30000	481.7204301	14451.662	30000	0	0	30000	44	2004
08.01.2020 12:46:03	1	1	1	1	96	64	0	30000	468.8172043	14451.662	30000	0	0	30000	43.5625	2004
08.01.2020 12:46:04	1	1	1	1	96	63.5	0	30047.393	468.8172043	14021.9607	30000	0	0	30000	44.25	2004
08.01.2020 12:46:05	1	1	1	1	96	64.25	0	30000	464.516129	13762.67225	30000	0	0	30000	44	2004
08.01.2020 12:46:06	1	1	1	1	96	64	0	30000	496.7741935	14902.56299	30000	0	0	30000	43.5	2004
08.01.2020 12:46:07	1	1	1	1	96	64	0	30000	503.2258065	15032.20721	30000	0	0	30000	44.1875	2004
08.01.2020 12:46:08	1	1	1	1	96	64	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	43.875	2004
08.01.2020 12:46:09	1	1	1	1	96	63.75	0	29857.82	537.6344086	15987.82377	30000	0	0	30000	44.1875	2004
08.01.2020 12:46:10	1	1	1	1	96	64	0	29715.64	541.9354839	16295.2192	30000	0	0	30000	43.8125	2004
08.01.2020 12:46:11	1	1	1	1	96	63.75	0	29715.64	537.6344086	15950.31664	30000	0	0	30000	44	2004
08.01.2020 12:46:12	1	1	1	1	96	64	0	28483.412	486.0215054	13782.24119	30000	0	0	30000	44.125	2004
08.01.2020 12:46:13	1	1	1	1	96	64	0	29383.886	535.483871	16013.10032	30000	0	0	30000	44.125	2004
08.01.2020 12:46:14	1	1	1	1	96	64	0	29431.28	544.0860215	16075.884	30000	0	0	30000	44.125	2004
08.01.2020 12:46:15	1	1	1	1	96	64	0	29383.886	546.2365591	15960.91648	30000	0	0	30000	44.125	2004
08.01.2020 12:46:16	1	1	1	1	96	64	0	27630.332	516.1290323	14260.86484	30000	0	0	30000	43.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 12:46:17	1	1	1	1	96	63.25	0	29289.1	544.0860215	15935.63993	30000	0	0	30000	43.8125	2004
08.01.2020 12:46:18	1	1	1	1	96	63.75	0	29241.706	544.0860215	15783.98065	30000	0	0	30000	43.6875	2004
08.01.2020 12:46:19	1	1	1	1	96	63.5	0	29620.853	541.9354839	15988.63914	30000	0	0	30000	44.0625	2004
08.01.2020 12:46:20	1	1	1	1	96	64	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	43.9375	2004
08.01.2020 12:46:21	1	1	1	1	96	63.75	0	29715.64	544.0860215	16167.20572	30000	0	0	30000	44.0625	2004
08.01.2020 12:46:22	1	1	1	1	96	64	0	29620.853	537.6344086	16013.91569	30000	0	0	30000	44.0625	2004
08.01.2020 12:46:25	1	1	1	1	96	64	0	29336.493	541.9354839	15898.1328	30000	0	0	30000	43.75	2004
08.01.2020 12:46:25	1	1	1	1	96	64	0	29336.493	541.9354839	15898.1328	30000	0	0	30000	43.75	2004
08.01.2020 12:46:25	1	1	1	1	96	63.75	0	29431.28	544.0860215	16101.97592	30000	0	0	30000	43.375	2004
08.01.2020 12:46:27	1	1	1	1	96	63.25	0	29383.886	546.2365591	16013.10032	30000	0	0	30000	44	2004
08.01.2020 12:46:28	1	1	1	1	96	64	0	29383.886	546.2365591	16113.39113	30000	0	0	30000	43.8125	2004
08.01.2020 12:46:29	1	1	1	1	95.75	63.75	0	29241.706	541.9354839	16024.51553	30000	0	0	30000	43.75	2004
08.01.2020 12:46:30	1	1	1	1	95.75	63.75	0	29052.133	546.2365591	15931.56307	30000	0	0	30000	44.125	2004
08.01.2020 12:46:36	1	1	1	1	95.75	64	0	28957.346	554.8387097	16128.88321	30000	0	0	30000	44.125	2004
08.01.2020 12:46:36	1	1	1	1	95.75	64	0	28957.346	554.8387097	16128.88321	30000	0	0	30000	44.125	2004
08.01.2020 12:46:36	1	1	1	1	95.75	64	0	28957.346	554.8387097	16128.88321	30000	0	0	30000	44.125	2004
08.01.2020 12:46:36	1	1	1	1	95.75	64	0	28957.346	554.8387097	16128.88321	30000	0	0	30000	44.125	2004
08.01.2020 12:46:36	1	1	1	1	95.75	64	0	28957.346	554.8387097	16128.88321	30000	0	0	30000	44.125	2004
08.01.2020 12:46:36	1	1	1	1	95.75	64	0	28957.346	554.8387097	16128.88321	30000	0	0	30000	44.125	2004
08.01.2020 12:46:36	1	1	1	1	95.75	64	0	28957.346	554.8387097	16128.88321	30000	0	0	30000	44.125	2004
08.01.2020 12:46:37	1	1	1	1	95.75	64	0	28862.559	552.688172	16066.09953	30000	0	0	30000	43.5	2004
08.01.2020 12:46:38	1	1	1	1	95.75	63.5	0	28815.166	550.5376344	15925.85546	30000	0	0	30000	43.75	2004
08.01.2020 12:46:39	1	1	1	1	95.75	63.75	0	28957.346	556.9892473	16377.57182	30000	0	0	30000	44.0625	2004
08.01.2020 12:46:40	1	1	1	1	95.75	64	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	43.625	2004
08.01.2020 12:46:41	1	1	1	1	95.75	63.5	0	28957.346	556.9892473	16128.88321	30000	0	0	30000	43.8125	2004
08.01.2020 12:46:42	1	1	1	1	95.75	63.75	0	28862.559	552.688172	15951.94738	30000	0	0	30000	44.1875	2004
08.01.2020 12:46:43	1	1	1	1	95.75	64	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	44.125	2004
08.01.2020 12:46:44	1	1	1	1	95.75	64	0	29052.133	550.5376344	15817.41092	30000	0	0	30000	44.125	2004
08.01.2020 12:46:45	1	1	1	1	95.75	64	0	28957.346	548.3870968	15942.16291	30000	0	0	30000	44.25	2004
08.01.2020 12:46:46	1	1	1	1	95.75	64.25	0	28957.346	548.3870968	15942.16291	30000	0	0	30000	44.4375	2004
08.01.2020 12:46:47	1	1	1	1	95.75	64.25	0	29099.526	548.3870968	15868.77939	30000	0	0	30000	43.8125	2004
08.01.2020 12:46:48	1	1	1	1	95.75	64	0	28862.559	550.5376344	15889.97907	30000	0	0	30000	43.75	2004
08.01.2020 12:46:49	1	1	1	1	95.75	63.75	0	29241.706	548.3870968	16098.71443	30000	0	0	30000	44.1875	2004
08.01.2020 12:46:50	1	1	1	1	95.75	64	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	44	2004
08.01.2020 12:46:51	1	1	1	1	95.75	64	0	29289.1	550.5376344	16061.20729	30000	0	0	30000	43.9375	2004
08.01.2020 12:46:52	1	1	1	1	95.75	63.75	0	29336.493	546.2365591	16050.60745	30000	0	0	30000	44.0625	2004
08.01.2020 12:46:53	1	1	1	1	95.75	64	0	29383.886	544.0860215	16050.60745	30000	0	0	30000	43.75	2004
08.01.2020 12:46:54	1	1	1	1	95.75	63.75	0	29431.28	546.2365591	16075.884	30000	0	0	30000	43.6875	2004
08.01.2020 12:46:55	1	1	1	1	95.75	63.5	0	29241.706	546.2365591	15972.33169	30000	0	0	30000	43.8125	2004
08.01.2020 12:46:56	1	1	1	1	95.75	63.75	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	44.125	2004
08.01.2020 12:46:57	1	1	1	1	95.75	64	0	29146.919	550.5376344	15957.65499	30000	0	0	30000	44	2004
08.01.2020 12:46:58	1	1	1	1	95.75	64	0	29099.526	554.8387097	16359.63363	30000	0	0	30000	44.0625	2004
08.01.2020 12:46:59	1	1	1	1	95.75	64	0	28957.346	550.5376344	15994.34675	30000	0	0	30000	43.8125	2004
08.01.2020 12:47:00	1	1	1	1	95.75	63.75	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	44.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 12:47:01	1	1	1	1	95.75	64	0	29146.919	548.3870968	16046.53059	30000	0	0	30000	43.8125	2004
08.01.2020 12:47:02	1	1	1	1	95.75	63.75	0	29099.526	546.2365591	15957.65499	30000	0	0	30000	43.875	2004
08.01.2020 12:47:03	1	1	1	1	95.75	63.75	0	29478.673	546.2365591	16075.884	30000	0	0	30000	43.8125	2004
08.01.2020 12:47:04	1	1	1	1	95.75	63.75	0	29526.066	541.9354839	16090.5607	30000	0	0	30000	43.0625	2004
08.01.2020 12:47:06	1	1	1	1	95.75	63	0	29573.46	541.9354839	16090.5607	30000	0	0	30000	44.125	2004
08.01.2020 12:47:07	1	1	1	1	95.75	64	0	29289.1	546.2365591	16150.89827	30000	0	0	30000	43.625	2004
08.01.2020 12:47:08	1	1	1	1	95.75	63.5	0	29099.526	550.5376344	16020.43867	30000	0	0	30000	44.0625	2004
08.01.2020 12:47:09	1	1	1	1	95.75	64	0	28957.346	552.688172	16004.13122	30000	0	0	30000	43.8125	2004
08.01.2020 12:47:10	1	1	1	1	95.75	63.75	0	28862.559	554.8387097	15951.94738	30000	0	0	30000	44.125	2004
08.01.2020 12:47:11	1	1	1	1	95.75	64	0	28862.559	554.8387097	16252.81983	30000	0	0	30000	43.8125	2004
08.01.2020 12:47:12	1	1	1	1	95.75	63.75	0	28862.559	554.8387097	16013.91569	30000	0	0	30000	43	2004
08.01.2020 12:47:13	1	1	1	1	95.75	63	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	43.9375	2004
08.01.2020 12:47:14	1	1	1	1	95.75	63.75	0	28815.166	559.1397849	16049.79208	30000	0	0	30000	44.0625	2004
08.01.2020 12:47:15	1	1	1	1	95.75	64	0	28957.346	556.9892473	16128.88321	30000	0	0	30000	44.25	2004
08.01.2020 12:47:16	1	1	1	1	95.75	64.25	0	28862.559	559.1397849	15925.85546	30000	0	0	30000	43.0625	2004
08.01.2020 12:47:17	1	1	1	1	95.75	63	0	28862.559	552.688172	15951.94738	30000	0	0	30000	44.0625	2004
08.01.2020 12:47:18	1	1	1	1	95.75	64	0	28957.346	552.688172	16004.13122	30000	0	0	30000	44.0625	2004
08.01.2020 12:47:19	1	1	1	1	95.5	64	0	29052.133	552.688172	16056.31506	30000	0	0	30000	44.125	2004
08.01.2020 12:47:20	1	1	1	1	95.5	64	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	43.25	2004
08.01.2020 12:47:21	1	1	1	1	95.5	63.25	0	28862.559	552.688172	15951.94738	30000	0	0	30000	43.5625	2004
08.01.2020 12:47:22	1	1	1	1	95.5	63.5	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	43.9375	2004
08.01.2020 12:47:23	1	1	1	1	95.5	63.75	0	29052.133	552.688172	16056.31506	30000	0	0	30000	43.5	2004
08.01.2020 12:47:24	1	1	1	1	95.5	63.5	0	28909.953	550.5376344	16004.13122	30000	0	0	30000	44.125	2004
08.01.2020 12:47:25	1	1	1	1	95.5	64	0	28957.346	552.688172	16004.13122	30000	0	0	30000	43.875	2004
08.01.2020 12:47:26	1	1	1	1	95.5	63.75	0	28957.346	552.688172	16004.13122	30000	0	0	30000	43.375	2004
08.01.2020 12:47:27	1	1	1	1	95.5	63.25	0	28815.166	550.5376344	15863.88715	30000	0	0	30000	44.0625	2004
08.01.2020 12:47:28	1	1	1	1	95.5	64	0	28862.559	554.8387097	16075.884	30000	0	0	30000	44.0625	2004
08.01.2020 12:47:29	1	1	1	1	95.5	64	0	28625.592	552.688172	15987.82377	30000	0	0	30000	43.625	2004
08.01.2020 12:47:30	1	1	1	1	95.5	63.5	0	28672.986	554.8387097	15987.82377	30000	0	0	30000	43.8125	2004
08.01.2020 12:47:31	1	1	1	1	95.5	63.75	0	28625.592	554.8387097	15943.79366	30000	0	0	30000	43.75	2004
08.01.2020 12:47:38	1	1	1	1	95.5	63.75	0	28815.166	559.1397849	16049.79208	30000	0	0	30000	44.125	2004
08.01.2020 12:47:38	1	1	1	1	95.5	63.75	0	28815.166	559.1397849	16049.79208	30000	0	0	30000	44.125	2004
08.01.2020 12:47:38	1	1	1	1	95.5	63.75	0	28815.166	559.1397849	16049.79208	30000	0	0	30000	44.125	2004
08.01.2020 12:47:38	1	1	1	1	95.5	63.75	0	28815.166	559.1397849	16049.79208	30000	0	0	30000	44.125	2004
08.01.2020 12:47:38	1	1	1	1	95.5	63.75	0	28815.166	559.1397849	16049.79208	30000	0	0	30000	44.125	2004
08.01.2020 12:47:38	1	1	1	1	95.75	64	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	43.9375	2004
08.01.2020 12:47:39	1	1	1	1	95.75	63.75	0	28815.166	556.9892473	16235.69701	30000	0	0	30000	43.875	2004
08.01.2020 12:47:40	1	1	1	1	95.75	63.75	0	28625.592	554.8387097	16049.79208	30000	0	0	30000	43.3125	2004
08.01.2020 12:47:42	1	1	1	1	95.75	63.25	0	28815.166	556.9892473	16111.76039	30000	0	0	30000	44.1875	2004
08.01.2020 12:47:43	1	1	1	1	95.75	64	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	43.875	2004
08.01.2020 12:47:44	1	1	1	1	95.75	63.75	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	44.125	2004
08.01.2020 12:47:45	1	1	1	1	95.75	64	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	44.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 12:47:46	1	1	1	1	95.75	64	0	28625.592	550.5376344	15987.82377	30000	0	0	30000	44	2004
08.01.2020 12:47:47	1	1	1	1	95.75	64	0	28815.166	554.8387097	16199.82062	30000	0	0	30000	44.125	2004
08.01.2020 12:47:48	1	1	1	1	95.75	64	0	28625.592	552.688172	16049.79208	30000	0	0	30000	43.875	2004
08.01.2020 12:47:49	1	1	1	1	95.5	63.75	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	43.625	2004
08.01.2020 12:47:50	1	1	1	1	95.5	63.5	0	28578.199	556.9892473	16040.00761	30000	0	0	30000	43.625	2004
08.01.2020 12:47:51	1	1	1	1	95.5	63.5	0	28578.199	559.1397849	16040.00761	30000	0	0	30000	43.4375	2004
08.01.2020 12:47:52	1	1	1	1	95.5	63.25	0	28625.592	561.2903226	16040.00761	30000	0	0	30000	44.0625	2004
08.01.2020 12:47:53	1	1	1	1	95.5	64	0	28625.592	556.9892473	16049.79208	30000	0	0	30000	44.1875	2004
08.01.2020 12:47:54	1	1	1	1	95.5	64	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	43.9375	2004
08.01.2020 12:47:55	1	1	1	1	95.5	63.75	0	28483.412	556.9892473	15864.70252	30000	0	0	30000	43.8125	2004
08.01.2020 12:47:56	1	1	1	1	95.5	63.75	0	28578.199	554.8387097	15794.58049	30000	0	0	30000	44	2004
08.01.2020 12:47:57	1	1	1	1	95.5	64	0	28815.166	561.2903226	15943.79366	30000	0	0	30000	42.875	2004
08.01.2020 12:47:58	1	1	1	1	95.5	62.75	0	28815.166	556.9892473	16173.7287	30000	0	0	30000	43.5625	2004
08.01.2020 12:47:59	1	1	1	1	95.5	63.5	0	28199.052	522.5806452	14675.07406	30000	0	0	30000	44.0625	2004
08.01.2020 12:48:00	1	1	1	1	95.5	64	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	43.8125	2004
08.01.2020 12:48:01	1	1	1	1	95.5	63.75	0	28578.199	565.5913978	16163.12886	30000	0	0	30000	44.125	2004
08.01.2020 12:48:02	1	1	1	1	95.5	64	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	44.1875	2004
08.01.2020 12:48:03	1	1	1	1	95.5	64	0	28341.232	563.4408602	15995.16212	30000	0	0	30000	44	2004
08.01.2020 12:48:04	1	1	1	1	95.5	64	0	28341.232	559.1397849	15934.00919	30000	0	0	30000	43.875	2004
08.01.2020 12:48:05	1	1	1	1	95.5	63.75	0	28483.412	559.1397849	15925.85546	30000	0	0	30000	43.75	2004
08.01.2020 12:48:06	1	1	1	1	95.5	63.75	0	28625.592	556.9892473	16173.7287	30000	0	0	30000	44.1875	2004
08.01.2020 12:48:07	1	1	1	1	95.5	64	0	28578.199	554.8387097	15794.58049	30000	0	0	30000	44.0625	2004
08.01.2020 12:48:08	1	1	1	1	95.5	64	0	28815.166	561.2903226	16173.7287	30000	0	0	30000	44.125	2004
08.01.2020 12:48:09	1	1	1	1	95.5	64	0	28815.166	556.9892473	16111.76039	30000	0	0	30000	43.875	2004
08.01.2020 12:48:10	1	1	1	1	95.5	63.75	0	28815.166	554.8387097	15951.94738	30000	0	0	30000	43.4375	2004
08.01.2020 12:48:11	1	1	1	1	95.5	63.25	0	28815.166	552.688172	15925.85546	30000	0	0	30000	44	2004
08.01.2020 12:48:12	1	1	1	1	95.5	64	0	28672.986	554.8387097	15820.67241	30000	0	0	30000	43.4375	2004
08.01.2020 12:48:13	1	1	1	1	95.5	63.25	0	28625.592	556.9892473	16111.76039	30000	0	0	30000	44.125	2004
08.01.2020 12:48:14	1	1	1	1	95.5	64	0	28625.592	554.8387097	15943.79366	30000	0	0	30000	43.9375	2004
08.01.2020 12:48:15	1	1	1	1	95.5	63.75	0	28578.199	561.2903226	15987.0084	30000	0	0	30000	44.0625	2004
08.01.2020 12:48:16	1	1	1	1	95.5	64	0	28578.199	559.1397849	15987.0084	30000	0	0	30000	43.75	2004
08.01.2020 12:48:17	1	1	1	1	95.5	63.75	0	28625.592	556.9892473	15733.42755	30000	0	0	30000	43.8125	2004
08.01.2020 12:48:18	1	1	1	1	95.25	63.75	0	28625.592	559.1397849	16154.97513	30000	0	0	30000	43.5625	2004
08.01.2020 12:48:19	1	1	1	1	95.25	63.5	0	28625.592	554.8387097	16173.7287	30000	0	0	30000	43.875	2004
08.01.2020 12:48:20	1	1	1	1	95.25	63.75	0	28862.559	554.8387097	16013.91569	30000	0	0	30000	43.875	2004
08.01.2020 12:48:22	1	1	1	1	95.25	63.75	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	44.125	2004
08.01.2020 12:48:23	1	1	1	1	95.25	64	0	28578.199	552.688172	15733.42755	30000	0	0	30000	43.8125	2004
08.01.2020 12:48:24	1	1	1	1	95.25	63.75	0	28862.559	554.8387097	16013.91569	30000	0	0	30000	43.8125	2004
08.01.2020 12:48:25	1	1	1	1	95.25	63.75	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	43.625	2004
08.01.2020 12:48:26	1	1	1	1	95.25	63.5	0	28862.559	546.2365591	16013.91569	30000	0	0	30000	43.5625	2004
08.01.2020 12:48:27	1	1	1	1	95.25	63.5	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	43.5	2004
08.01.2020 12:48:28	1	1	1	1	95.25	63.5	0	28957.346	556.9892473	16128.88321	30000	0	0	30000	44.1875	2004
08.01.2020 12:48:29	1	1	1	1	95.5	64	0	28625.592	556.9892473	16049.79208	30000	0	0	30000	43.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 12:48:30	1	1	1	1	95.5	63.75	0	28578.199	556.9892473	15943.79366	30000	0	0	30000	44	2004
08.01.2020 12:48:31	1	1	1	1	95.5	64	0	28578.199	559.1397849	15978.85467	30000	0	0	30000	44	2004
08.01.2020 12:48:32	1	1	1	1	95.5	64	0	28436.019	559.1397849	15716.30473	30000	0	0	30000	43.8125	2004
08.01.2020 12:48:33	1	1	1	1	95.5	63.75	0	28578.199	565.5913978	16163.12886	30000	0	0	30000	43.4375	2004
08.01.2020 12:48:39	1	1	1	1	95.25	64	0	28293.839	565.5913978	15968.25483	30000	0	0	30000	43.6875	2004
08.01.2020 12:48:39	1	1	1	1	95.25	64	0	28293.839	565.5913978	15968.25483	30000	0	0	30000	43.6875	2004
08.01.2020 12:48:39	1	1	1	1	95.25	64	0	28293.839	565.5913978	15968.25483	30000	0	0	30000	43.6875	2004
08.01.2020 12:48:39	1	1	1	1	95.25	64	0	28293.839	565.5913978	15968.25483	30000	0	0	30000	43.6875	2004
08.01.2020 12:48:39	1	1	1	1	95.25	64	0	28293.839	565.5913978	15968.25483	30000	0	0	30000	43.6875	2004
08.01.2020 12:48:39	1	1	1	1	95.25	64	0	28293.839	565.5913978	15968.25483	30000	0	0	30000	43.6875	2004
08.01.2020 12:48:40	1	1	1	1	95.25	63.5	0	28341.232	567.7419355	16177.80556	30000	0	0	30000	43.8125	2004
08.01.2020 12:48:41	1	1	1	1	95.25	63.75	0	28293.839	563.4408602	16212.05121	30000	0	0	30000	43.4375	2004
08.01.2020 12:48:42	1	1	1	1	95.25	63.25	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	44.0625	2004
08.01.2020 12:48:43	1	1	1	1	95.25	64	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	44	2004
08.01.2020 12:48:44	1	1	1	1	95.25	63.5	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	44.125	2004
08.01.2020 12:48:45	1	1	1	1	95.25	64	0	28293.839	567.7419355	16123.99098	30000	0	0	30000	44.0625	2004
08.01.2020 12:48:46	1	1	1	1	95.25	64	0	28009.479	561.2903226	15902.20966	30000	0	0	30000	43.8125	2004
08.01.2020 12:48:47	1	1	1	1	95.25	63.75	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	43.8125	2004
08.01.2020 12:48:48	1	1	1	1	95	63.75	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	43.75	2004
08.01.2020 12:48:49	1	1	1	1	95	63.75	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	43.5625	2004
08.01.2020 12:48:50	1	1	1	1	95	63.5	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	43.3125	2004
08.01.2020 12:48:51	1	1	1	1	95	63.25	0	28009.479	567.7419355	15721.19697	30000	0	0	30000	43.625	2004
08.01.2020 12:48:52	1	1	1	1	95	63.5	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	43.4375	2004
08.01.2020 12:48:53	1	1	1	1	95	63.25	0	28293.839	569.8924731	16070.17639	30000	0	0	30000	44.1875	2004
08.01.2020 12:48:54	1	1	1	1	95	64	0	28009.479	567.7419355	15781.53453	30000	0	0	30000	43.9375	2004
08.01.2020 12:48:55	1	1	1	1	95	63.75	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	43.875	2004
08.01.2020 12:48:56	1	1	1	1	95	63.75	0	28009.479	572.0430108	16009.83883	30000	0	0	30000	44.125	2004
08.01.2020 12:48:57	1	1	1	1	95	64	0	28009.479	565.5913978	15841.8721	30000	0	0	30000	44.1875	2004
08.01.2020 12:48:58	1	1	1	1	94.75	64	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	44.125	2004
08.01.2020 12:48:59	1	1	1	1	94.75	64	0	28483.412	565.5913978	16109.31427	30000	0	0	30000	43.875	2004
08.01.2020 12:49:00	1	1	1	1	94.75	63.75	0	28341.232	563.4408602	16056.31506	30000	0	0	30000	43.875	2004
08.01.2020 12:49:01	1	1	1	1	94.75	63.75	0	28388.626	561.2903226	16029.40777	30000	0	0	30000	43.8125	2004
08.01.2020 12:49:03	1	1	1	1	94.75	63.75	0	28483.412	563.4408602	16022.06942	30000	0	0	30000	43.625	2004
08.01.2020 12:49:04	1	1	1	1	94.75	63.5	0	28388.626	563.4408602	15995.16212	30000	0	0	30000	43.5625	2004
08.01.2020 12:49:05	1	1	1	1	94.75	63.5	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	43.8125	2004
08.01.2020 12:49:06	1	1	1	1	94.75	63.75	0	28436.019	561.2903226	15934.00919	30000	0	0	30000	43.9375	2004
08.01.2020 12:49:07	1	1	1	1	94.75	63.75	0	28388.626	563.4408602	16083.22235	30000	0	0	30000	43.8125	2004
08.01.2020 12:49:08	1	1	1	1	94.75	63.75	0	28388.626	565.5913978	16117.468	30000	0	0	30000	44	2004
08.01.2020 12:49:09	1	1	1	1	94.75	64	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	43.625	2004
08.01.2020 12:49:10	1	1	1	1	94.75	63.5	0	28293.839	561.2903226	16002.50048	30000	0	0	30000	44.0625	2004
08.01.2020 12:49:11	1	1	1	1	94.75	64	0	28483.412	561.2903226	16048.16134	30000	0	0	30000	43.5	2004
08.01.2020 12:49:12	1	1	1	1	94.75	63.5	0	28436.019	559.1397849	15960.91648	30000	0	0	30000	43.5625	2004
08.01.2020 12:49:13	1	1	1	1	94.75	63.5	0	28530.806	561.2903226	16101.97592	30000	0	0	30000	43.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 12:49:14	1	1	1	1	94.75	63.75	0	28483.412	559.1397849	15925.85546	30000	0	0	30000	43.75	2004
08.01.2020 12:49:15	1	1	1	1	94.75	63.75	0	28293.839	561.2903226	15881.00997	30000	0	0	30000	44	2004
08.01.2020 12:49:16	1	1	1	1	94.75	64	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	44.1875	2004
08.01.2020 12:49:17	1	1	1	1	94.75	64	0	28483.412	559.1397849	15925.85546	30000	0	0	30000	43.4375	2004
08.01.2020 12:49:18	1	1	1	1	94.75	63.25	0	28578.199	556.9892473	16040.00761	30000	0	0	30000	43.125	2004
08.01.2020 12:49:19	1	1	1	1	94.75	63	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	43.8125	2004
08.01.2020 12:49:20	1	1	1	1	94.75	63.75	0	28341.232	556.9892473	15907.10189	30000	0	0	30000	44.125	2004
08.01.2020 12:49:21	1	1	1	1	94.75	64	0	28578.199	563.4408602	16040.00761	30000	0	0	30000	43.5	2004
08.01.2020 12:49:22	1	1	1	1	94.75	63.5	0	28578.199	556.9892473	15917.70174	30000	0	0	30000	44.25	2004
08.01.2020 12:49:23	1	1	1	1	94.75	64.25	0	28578.199	559.1397849	16040.00761	30000	0	0	30000	43.5625	2004
08.01.2020 12:49:24	1	1	1	1	94.75	63.5	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	44.375	2004
08.01.2020 12:49:25	1	1	1	1	94.75	64.25	0	28815.166	554.8387097	15820.67241	30000	0	0	30000	44.25	2004
08.01.2020 12:49:26	1	1	1	1	94.75	63.5	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	43.75	2004
08.01.2020 12:49:27	1	1	1	1	94.75	63.75	0	28578.199	550.5376344	16049.79208	30000	0	0	30000	43.4375	2004
08.01.2020 12:49:28	1	1	1	1	95	63.25	0	28625.592	559.1397849	16111.76039	30000	0	0	30000	43.5625	2004
08.01.2020 12:49:29	1	1	1	1	95	63.5	0	28578.199	559.1397849	15978.85467	30000	0	0	30000	43.625	2004
08.01.2020 12:49:30	1	1	1	1	95	63.5	0	28625.592	559.1397849	16066.9149	30000	0	0	30000	44.0625	2004
08.01.2020 12:49:31	1	1	1	1	95	64	0	28815.166	559.1397849	16111.76039	30000	0	0	30000	44.125	2004
08.01.2020 12:49:32	1	1	1	1	95	64	0	28625.592	556.9892473	15917.70174	30000	0	0	30000	44.0625	2004
08.01.2020 12:49:33	1	1	1	1	95	64	0	28625.592	559.1397849	16111.76039	30000	0	0	30000	43.3125	2004
08.01.2020 12:49:34	1	1	1	1	95	63.25	0	28293.839	546.2365591	15394.2326	30000	0	0	30000	44.125	2004
08.01.2020 12:49:41	1	1	1	1	95	64	0	28625.592	550.5376344	15820.67241	30000	0	0	30000	44.0625	2004
08.01.2020 12:49:41	1	1	1	1	95	64	0	28625.592	550.5376344	15820.67241	30000	0	0	30000	44.0625	2004
08.01.2020 12:49:41	1	1	1	1	95	64	0	28625.592	550.5376344	15820.67241	30000	0	0	30000	44.0625	2004
08.01.2020 12:49:41	1	1	1	1	95	64	0	28625.592	550.5376344	15820.67241	30000	0	0	30000	44.0625	2004
08.01.2020 12:49:41	1	1	1	1	95	64	0	28625.592	550.5376344	15820.67241	30000	0	0	30000	44.0625	2004
08.01.2020 12:49:41	1	1	1	1	95	64	0	28578.199	556.9892473	15917.70174	30000	0	0	30000	44.0625	2004
08.01.2020 12:49:43	1	1	1	1	95	64	0	28483.412	563.4408602	15864.70252	30000	0	0	30000	43.6875	2004
08.01.2020 12:49:44	1	1	1	1	95	63.5	0	28483.412	567.7419355	16048.16134	30000	0	0	30000	43.8125	2004
08.01.2020 12:49:45	1	1	1	1	95	63.75	0	28530.806	563.4408602	16048.16134	30000	0	0	30000	43.5	2004
08.01.2020 12:49:46	1	1	1	1	95	63.5	0	28341.232	561.2903226	15907.10189	30000	0	0	30000	43.5625	2004
08.01.2020 12:49:47	1	1	1	1	95	63.5	0	28436.019	561.2903226	16022.06942	30000	0	0	30000	44.125	2004
08.01.2020 12:49:48	1	1	1	1	95	64	0	28341.232	565.5913978	16029.40777	30000	0	0	30000	43.9375	2004
08.01.2020 12:49:49	1	1	1	1	95.25	63.75	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	44.0625	2004
08.01.2020 12:49:50	1	1	1	1	95.25	64	0	28341.232	565.5913978	16029.40777	30000	0	0	30000	43.875	2004
08.01.2020 12:49:51	1	1	1	1	95.25	63.75	0	28341.232	567.7419355	16029.40777	30000	0	0	30000	43.5	2004
08.01.2020 12:49:52	1	1	1	1	95.25	63.5	0	28625.592	556.9892473	16049.79208	30000	0	0	30000	43.75	2004
08.01.2020 12:49:53	1	1	1	1	95.25	63.75	0	28341.232	567.7419355	16029.40777	30000	0	0	30000	43.8125	2004
08.01.2020 12:49:54	1	1	1	1	95.25	63.75	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	43.75	2004
08.01.2020 12:49:55	1	1	1	1	95.25	63.75	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	43.125	2004
08.01.2020 12:49:56	1	1	1	1	95.25	63	0	28341.232	569.8924731	16123.99098	30000	0	0	30000	43.75	2004
08.01.2020 12:49:57	1	1	1	1	95.25	63.75	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	44.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 12:49:58	1	1	1	1	95.25	64	0	28009.479	565.5913978	16252.00446	30000	0	0	30000	44	2004
08.01.2020 12:49:59	1	1	1	1	95	64	0	28009.479	567.7419355	16009.83883	30000	0	0	30000	43.875	2004
08.01.2020 12:50:00	1	1	1	1	95	63.75	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	44.0625	2004
08.01.2020 12:50:01	1	1	1	1	95	64	0	28009.479	565.5913978	15841.8721	30000	0	0	30000	43.875	2004
08.01.2020 12:50:02	1	1	1	1	95	63.75	0	28293.839	569.8924731	15948.68589	30000	0	0	30000	44.375	2004
08.01.2020 12:50:03	1	1	1	1	95	64.25	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	43.75	2004
08.01.2020 12:50:04	1	1	1	1	95	64	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	43.8125	2004
08.01.2020 12:50:05	1	1	1	1	95	63.75	0	28483.412	559.1397849	15987.0084	30000	0	0	30000	44.25	2004
08.01.2020 12:50:06	1	1	1	1	95	64.25	0	28483.412	559.1397849	15987.0084	30000	0	0	30000	44.125	2004
08.01.2020 12:50:07	1	1	1	1	95	64	0	28625.592	561.2903226	16040.00761	30000	0	0	30000	44.125	2004
08.01.2020 12:50:08	1	1	1	1	95.25	64	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	44.3125	2004
08.01.2020 12:50:09	1	1	1	1	95.25	64.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	43.375	2004
08.01.2020 12:50:10	1	1	1	1	95.25	63.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	43.75	2004
08.01.2020 12:50:11	1	1	1	1	95.25	63.75	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	44	2004
08.01.2020 12:50:12	1	1	1	1	95.25	64	0	28862.559	554.8387097	16075.884	30000	0	0	30000	44.3125	2004
08.01.2020 12:50:13	1	1	1	1	95.25	64.25	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	43.8125	2004
08.01.2020 12:50:14	1	1	1	1	95.25	63.75	0	28815.166	556.9892473	16173.7287	30000	0	0	30000	43.875	2004
08.01.2020 12:50:15	1	1	1	1	95.25	63.75	0	28625.592	556.9892473	15943.79366	30000	0	0	30000	44	2004
08.01.2020 12:50:16	1	1	1	1	95.25	64	0	28578.199	559.1397849	16040.00761	30000	0	0	30000	43.4375	2004
08.01.2020 12:50:17	1	1	1	1	95.25	63.25	0	28578.199	559.1397849	16040.00761	30000	0	0	30000	43.75	2004
08.01.2020 12:50:18	1	1	1	1	94.5	63.75	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	43.9375	2004
08.01.2020 12:50:19	1	1	1	1	94.5	63.75	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	44.0625	2004
08.01.2020 12:50:20	1	1	1	1	94.5	64	0	28483.412	561.2903226	16048.16134	30000	0	0	30000	43.75	2004
08.01.2020 12:50:22	1	1	1	1	94.5	63.75	0	28578.199	561.2903226	15864.70252	30000	0	0	30000	44	2004
08.01.2020 12:50:23	1	1	1	1	94.5	64	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	43.8125	2004
08.01.2020 12:50:24	1	1	1	1	94.5	63.75	0	28436.019	559.1397849	15960.91648	30000	0	0	30000	44.0625	2004
08.01.2020 12:50:25	1	1	1	1	94.5	64	0	28625.592	561.2903226	15978.85467	30000	0	0	30000	44.0625	2004
08.01.2020 12:50:26	1	1	1	1	94.5	64	0	28625.592	556.9892473	16173.7287	30000	0	0	30000	43.25	2004
08.01.2020 12:50:27	1	1	1	1	94.5	63.25	0	28625.592	559.1397849	16173.7287	30000	0	0	30000	44.0625	2004
08.01.2020 12:50:28	1	1	1	1	94.5	64	0	28578.199	550.5376344	15969.88558	30000	0	0	30000	44.0625	2004
08.01.2020 12:50:29	1	1	1	1	94.75	64	0	28862.559	556.9892473	16075.884	30000	0	0	30000	43.5	2004
08.01.2020 12:50:30	1	1	1	1	94.75	63.5	0	28625.592	550.5376344	15925.85546	30000	0	0	30000	44	2004
08.01.2020 12:50:31	1	1	1	1	94.75	64	0	28862.559	554.8387097	15951.94738	30000	0	0	30000	43.3125	2004
08.01.2020 12:50:32	1	1	1	1	94.75	63.25	0	28815.166	552.688172	15925.85546	30000	0	0	30000	44	2004
08.01.2020 12:50:33	1	1	1	1	94.75	64	0	28957.346	556.9892473	16128.88321	30000	0	0	30000	43.625	2004
08.01.2020 12:50:34	1	1	1	1	94.75	63.5	0	28862.559	554.8387097	16040.00761	30000	0	0	30000	43.9375	2004
08.01.2020 12:50:35	1	1	1	1	94.75	63.75	0	28862.559	556.9892473	16137.85231	30000	0	0	30000	44.0625	2004
08.01.2020 12:50:36	1	1	1	1	94.75	64	0	28815.166	552.688172	16049.79208	30000	0	0	30000	44	2004
08.01.2020 12:50:42	1	1	1	1	94.25	63.75	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	43.9375	2004
08.01.2020 12:50:42	1	1	1	1	94.25	63.75	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	43.9375	2004
08.01.2020 12:50:43	1	1	1	1	94.25	63.75	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	43.9375	2004
08.01.2020 12:50:43	1	1	1	1	94.25	63.75	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	43.9375	2004
08.01.2020 12:50:43	1	1	1	1	94.25	63.75	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	43.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 12:50:43	1	1	1	1	94.25	63.75	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	43.9375	2004
08.01.2020 12:50:43	1	1	1	1	94.25	63.75	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	43.9375	2004
08.01.2020 12:50:44	1	1	1	1	94.25	63.75	0	28578.199	559.1397849	15890.79444	30000	0	0	30000	44.1875	2004
08.01.2020 12:50:45	1	1	1	1	94.25	64	0	28625.592	559.1397849	16066.9149	30000	0	0	30000	44	2004
08.01.2020 12:50:46	1	1	1	1	94.25	64	0	28815.166	561.2903226	16173.7287	30000	0	0	30000	44.0625	2004
08.01.2020 12:50:47	1	1	1	1	94.25	64	0	28578.199	559.1397849	15864.70252	30000	0	0	30000	44	2004
08.01.2020 12:50:48	1	1	1	1	94.75	64	0	28578.199	559.1397849	15978.85467	30000	0	0	30000	44.125	2004
08.01.2020 12:50:49	1	1	1	1	94.75	64	0	28578.199	559.1397849	15917.70174	30000	0	0	30000	44.0625	2004
08.01.2020 12:50:50	1	1	1	1	94.75	64	0	28625.592	556.9892473	16049.79208	30000	0	0	30000	44.0625	2004
08.01.2020 12:50:51	1	1	1	1	94.75	64	0	28625.592	559.1397849	16005.76197	30000	0	0	30000	44	2004
08.01.2020 12:50:52	1	1	1	1	94.75	64	0	28625.592	559.1397849	15943.79366	30000	0	0	30000	44.0625	2004
08.01.2020 12:50:53	1	1	1	1	94.75	64	0	28625.592	559.1397849	15943.79366	30000	0	0	30000	43.8125	2004
08.01.2020 12:50:54	1	1	1	1	94.75	63.25	0	28388.626	561.2903226	15960.91648	30000	0	0	30000	43.8125	2004
08.01.2020 12:50:55	1	1	1	1	94.75	63.75	0	28436.019	563.4408602	16056.31506	30000	0	0	30000	43.9375	2004
08.01.2020 12:50:56	1	1	1	1	94.75	63.75	0	28436.019	563.4408602	15838.61061	30000	0	0	30000	43.6875	2004
08.01.2020 12:50:57	1	1	1	1	94.75	63.5	0	28483.412	563.4408602	15960.91648	30000	0	0	30000	43.375	2004
08.01.2020 12:50:58	1	1	1	1	94.75	63.25	0	28530.806	559.1397849	15864.70252	30000	0	0	30000	43.5625	2004
08.01.2020 12:50:59	1	1	1	1	94.75	63.5	0	28483.412	559.1397849	15803.54959	30000	0	0	30000	43.25	2004
08.01.2020 12:51:00	1	1	1	1	94.75	63.25	0	28530.806	559.1397849	15978.85467	30000	0	0	30000	43.25	2004
08.01.2020 12:51:01	1	1	1	1	94.75	63.25	0	28625.592	556.9892473	16005.76197	30000	0	0	30000	43.9375	2004
08.01.2020 12:51:02	1	1	1	1	94.75	63.75	0	28862.559	556.9892473	16199.82062	30000	0	0	30000	43.3125	2004
08.01.2020 12:51:03	1	1	1	1	94.75	63.25	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	44.0625	2004
08.01.2020 12:51:05	1	1	1	1	94.75	64	0	28815.166	552.688172	16075.884	30000	0	0	30000	43.5	2004
08.01.2020 12:51:06	1	1	1	1	94.75	63.5	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	43.5625	2004
08.01.2020 12:51:07	1	1	1	1	94.75	63.5	0	28436.019	561.2903226	15987.0084	30000	0	0	30000	44	2004
08.01.2020 12:51:08	1	1	1	1	94.75	64	0	28625.592	561.2903226	16066.9149	30000	0	0	30000	43.75	2004
08.01.2020 12:51:09	1	1	1	1	94.5	63.75	0	28530.806	567.7419355	16048.16134	30000	0	0	30000	44.0625	2004
08.01.2020 12:51:10	1	1	1	1	94.5	64	0	28436.019	559.1397849	15838.61061	30000	0	0	30000	43.875	2004
08.01.2020 12:51:11	1	1	1	1	94.5	63.75	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	44.125	2004
08.01.2020 12:51:12	1	1	1	1	94.5	64	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	43.6875	2004
08.01.2020 12:51:13	1	1	1	1	94.5	63.5	0	28483.412	563.4408602	15716.30473	30000	0	0	30000	43.875	2004
08.01.2020 12:51:14	1	1	1	1	94.5	63.75	0	28578.199	559.1397849	16190.03615	30000	0	0	30000	44	2004
08.01.2020 12:51:15	1	1	1	1	94.5	64	0	28578.199	563.4408602	16163.12886	30000	0	0	30000	43.6875	2004
08.01.2020 12:51:16	1	1	1	1	94.5	63.5	0	28388.626	556.9892473	15934.00919	30000	0	0	30000	43.8125	2004
08.01.2020 12:51:17	1	1	1	1	94.5	63.75	0	28293.839	563.4408602	15968.25483	30000	0	0	30000	43.5	2004
08.01.2020 12:51:18	1	1	1	1	94.5	63.5	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	44.1875	2004
08.01.2020 12:51:19	1	1	1	1	94.75	64	0	28625.592	563.4408602	16040.00761	30000	0	0	30000	43.9375	2004
08.01.2020 12:51:20	1	1	1	1	94.75	63.75	0	28625.592	556.9892473	16173.7287	30000	0	0	30000	43.1875	2004
08.01.2020 12:51:21	1	1	1	1	94.75	63	0	28578.199	563.4408602	16297.66532	30000	0	0	30000	43.6875	2004
08.01.2020 12:51:22	1	1	1	1	94.75	63.5	0	28815.166	559.1397849	15978.85467	30000	0	0	30000	43.5625	2004
08.01.2020 12:51:23	1	1	1	1	94.75	63.5	0	28625.592	559.1397849	16128.88321	30000	0	0	30000	44.0625	2004
08.01.2020 12:51:24	1	1	1	1	94.75	64	0	28815.166	559.1397849	16005.76197	30000	0	0	30000	44.1875	2004
08.01.2020 12:51:25	1	1	1	1	94.75	64	0	28625.592	563.4408602	16066.9149	30000	0	0	30000	43.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 12:51:26	1	1	1	1	94.75	63.75	0	28625.592	554.8387097	16049.79208	30000	0	0	30000	43.875	2004
08.01.2020 12:51:27	1	1	1	1	94.75	64.25	0	28672.986	556.9892473	16111.76039	30000	0	0	30000	44.1875	2004
08.01.2020 12:51:28	1	1	1	1	94.5	64	0	28862.559	554.8387097	15951.94738	30000	0	0	30000	43.9375	2004
08.01.2020 12:51:29	1	1	1	1	94.5	63.75	0	28957.346	554.8387097	16128.88321	30000	0	0	30000	43.75	2004
08.01.2020 12:51:30	1	1	1	1	94.5	63.75	0	28957.346	554.8387097	16066.09953	30000	0	0	30000	43.9375	2004
08.01.2020 12:51:31	1	1	1	1	94.5	63.75	0	28815.166	552.688172	15951.94738	30000	0	0	30000	44.0625	2004
08.01.2020 12:51:32	1	1	1	1	94.5	64	0	28862.559	554.8387097	15951.94738	30000	0	0	30000	44.0625	2004
08.01.2020 12:51:33	1	1	1	1	94.5	64	0	28862.559	554.8387097	15978.0393	30000	0	0	30000	44	2004
08.01.2020 12:51:34	1	1	1	1	94.5	64	0	28862.559	554.8387097	16075.884	30000	0	0	30000	43.1875	2004
08.01.2020 12:51:35	1	1	1	1	94.5	63	0	28909.953	556.9892473	16199.82062	30000	0	0	30000	43.5625	2004
08.01.2020 12:51:36	1	1	1	1	94.5	63.5	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	44	2004
08.01.2020 12:51:37	1	1	1	1	94.5	64	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	43.75	2004
08.01.2020 12:51:44	1	1	1	1	94.5	64	0	28625.592	552.688172	15925.85546	30000	0	0	30000	43.9375	2004
08.01.2020 12:51:44	1	1	1	1	94.5	64	0	28625.592	552.688172	15925.85546	30000	0	0	30000	43.9375	2004
08.01.2020 12:51:44	1	1	1	1	94.5	64	0	28625.592	552.688172	15925.85546	30000	0	0	30000	43.9375	2004
08.01.2020 12:51:44	1	1	1	1	94.5	64	0	28625.592	552.688172	15925.85546	30000	0	0	30000	43.9375	2004
08.01.2020 12:51:44	1	1	1	1	94.5	64	0	28625.592	552.688172	15925.85546	30000	0	0	30000	43.9375	2004
08.01.2020 12:51:44	1	1	1	1	94.5	64	0	28625.592	552.688172	15925.85546	30000	0	0	30000	43.9375	2004
08.01.2020 12:51:45	1	1	1	1	94.5	63.75	0	28957.346	556.9892473	16128.88321	30000	0	0	30000	43.625	2004
08.01.2020 12:51:46	1	1	1	1	94.5	63.5	0	28625.592	552.688172	15820.67241	30000	0	0	30000	44.1875	2004
08.01.2020 12:51:47	1	1	1	1	94.5	64	0	0	0	0	30000	0	8	30000	43.125	2004
08.01.2020 12:51:48	1	1	1	1	94.5	63	0	0	0	0	30000	0	8	30000	44.3125	2004
08.01.2020 12:51:49	1	1	1	1	94.75	64.25	0	10663.507	0	0	30000	0	0	30000	44.0625	2004
08.01.2020 12:51:50	1	1	1	1	94.75	64	0	11516.588	0	0	30000	0	0	30000	43.9375	2004
08.01.2020 12:51:51	1	1	1	1	94.75	63.75	0	12227.488	2.150537634	26.09191966	30000	0	0	30000	44.125	2004
08.01.2020 12:51:52	1	1	1	1	94.75	64	0	12985.782	6.451612903	83.16799391	30000	0	0	30000	44	2004
08.01.2020 12:51:53	1	1	1	1	94.75	64	0	13791.469	8.602150538	147.5824206	30000	0	0	30000	44.0625	2004
08.01.2020 12:51:54	1	1	1	1	94.75	64	0	14549.763	17.20430108	250.3193542	30000	0	0	30000	44.0625	2004
08.01.2020 12:51:55	1	1	1	1	94.75	64	0	15308.057	25.80645161	394.6402848	30000	0	0	30000	44.125	2004
08.01.2020 12:51:56	1	1	1	1	94.75	64	0	16161.137	32.25806452	517.7615307	30000	0	0	30000	43.875	2004
08.01.2020 12:51:57	1	1	1	1	94.75	63.75	0	16919.431	40.86021505	687.3590085	30000	0	0	30000	44	2004
08.01.2020 12:51:58	1	1	1	1	94.75	64	0	17630.332	49.46236559	831.6799391	30000	0	0	30000	44	2004
08.01.2020 12:51:59	1	1	1	1	94.25	64	0	18388.626	55.91397849	1069.768706	30000	0	0	30000	44.0625	2004
08.01.2020 12:52:00	1	1	1	1	94.25	64	0	19194.313	66.66666667	1279.319436	30000	0	0	30000	44.0625	2004
08.01.2020 12:52:01	1	1	1	1	94.25	64	0	19952.607	79.56989247	1587.530237	30000	0	0	30000	44.4375	2004
08.01.2020 12:52:02	1	1	1	1	94.25	64.25	0	20710.9	90.32258065	1914.494605	30000	0	0	30000	44.125	2004
08.01.2020 12:52:03	1	1	1	1	94.25	64	0	21469.194	103.2258065	2221.074661	30000	0	0	30000	44.0625	2004
08.01.2020 12:52:04	1	1	1	1	94.25	64	0	22227.488	113.9784946	2676.867882	30000	0	0	30000	44.125	2004
08.01.2020 12:52:05	1	1	1	1	94.25	64	0	23033.175	137.6344086	3170.168239	30000	0	0	30000	43.9375	2004
08.01.2020 12:52:06	1	1	1	1	94.25	63.75	0	23649.289	144.0860215	3407.441633	30000	0	0	30000	43.5	2004
08.01.2020 12:52:07	1	1	1	1	94.25	63.5	0	22559.242	141.9354839	3277.797407	30000	0	0	30000	43.9375	2004
08.01.2020 12:52:08	1	1	1	1	93.5	63.75	0	23554.502	161.2903226	3798.820428	30000	0	0	30000	44.125	2004
08.01.2020 12:52:09	1	1	1	1	93.5	64	0	24218.009	176.344086	4217.921887	30000	0	0	30000	43.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 12:52:10	1	1	1	1	93.5	63.75	0	25260.664	189.2473118	4789.498002	30000	0	0	30000	44.0625	2004
08.01.2020 12:52:11	1	1	1	1	93.5	64	0	25497.63	206.4516129	5264.044791	30000	0	0	30000	44.25	2004
08.01.2020 12:52:12	1	1	1	1	93.5	64.25	0	24691.943	193.5483871	4831.897372	30000	0	0	30000	44.1875	2004
08.01.2020 12:52:13	1	1	1	1	93.5	64	0	24218.009	206.4516129	4999.864105	30000	0	0	30000	44.1875	2004
08.01.2020 12:52:14	1	1	1	1	93.5	64	0	24407.583	206.4516129	5039.001984	30000	0	0	30000	44	2004
08.01.2020 12:52:15	1	1	1	1	93.5	64	0	24834.123	219.3548387	5447.503601	30000	0	0	30000	44.125	2004
08.01.2020 12:52:16	1	1	1	1	93.5	64	0	25545.024	206.4516129	5273.829261	30000	0	0	30000	43.6875	2004
08.01.2020 12:52:17	1	1	1	1	93.5	63.5	0	25734.597	247.311828	6363.982279	30000	0	0	30000	44.0625	2004
08.01.2020 12:52:18	1	1	1	1	93.5	64	0	25734.597	258.0645161	6695.838882	30000	0	0	30000	44	2004
08.01.2020 12:52:19	1	1	1	1	93.5	64	0	25734.597	275.2688172	7028.510858	30000	0	0	30000	43.9375	2004
08.01.2020 12:52:21	1	1	1	1	93.5	63.75	0	25734.597	268.8172043	6942.896747	30000	0	0	30000	44.0625	2004
08.01.2020 12:52:22	1	1	1	1	93.5	64	0	25734.597	268.8172043	6862.17487	30000	0	0	30000	43.75	2004
08.01.2020 12:52:23	1	1	1	1	93.5	63.75	0	25734.597	266.6666667	6887.451417	30000	0	0	30000	44	2004
08.01.2020 12:52:24	1	1	1	1	93.5	64	0	25734.597	260.2150538	6751.284212	30000	0	0	30000	43.875	2004
08.01.2020 12:52:25	1	1	1	1	93.5	63.75	0	25876.777	258.0645161	6641.208926	30000	0	0	30000	44.0625	2004
08.01.2020 12:52:26	1	1	1	1	93.5	64	0	25734.597	253.7634409	6585.763596	30000	0	0	30000	44.125	2004
08.01.2020 12:52:27	1	1	1	1	93.5	64	0	25734.597	253.7634409	6474.872938	30000	0	0	30000	43.9375	2004
08.01.2020 12:52:28	1	1	1	1	93.5	63.75	0	25734.597	260.2150538	6721.11543	30000	0	0	30000	44.25	2004
08.01.2020 12:52:29	1	1	1	1	94.25	64.25	0	25734.597	255.9139785	6585.763596	30000	0	0	30000	43.875	2004
08.01.2020 12:52:30	1	1	1	1	94.25	63.75	0	26018.957	281.7204301	7329.383307	30000	0	0	30000	43.9375	2004
08.01.2020 12:52:31	1	1	1	1	94.25	63.75	0	26303.318	296.7741935	7805.56084	30000	0	0	30000	43.875	2004
08.01.2020 12:52:32	1	1	1	1	94.25	63.75	0	26398.104	309.6774194	8174.924578	30000	0	0	30000	43.875	2004
08.01.2020 12:52:33	1	1	1	1	94.25	63.75	0	26303.318	309.6774194	8088.495094	30000	0	0	30000	43.875	2004
08.01.2020 12:52:34	1	1	1	1	94.25	63.75	0	26350.711	324.7311828	8541.026826	30000	0	0	30000	44.0625	2004
08.01.2020 12:52:35	1	1	1	1	94.25	64	0	26682.464	350.5376344	9353.137825	30000	0	0	30000	43.875	2004
08.01.2020 12:52:36	1	1	1	1	94.25	63.75	0	26540.284	354.8387097	9417.552252	30000	0	0	30000	43.625	2004
08.01.2020 12:52:37	1	1	1	1	94.25	63.5	0	27582.938	395.6989247	10914.57614	30000	0	0	30000	44	2004
08.01.2020 12:52:38	1	1	1	1	94.25	64	0	26540.284	354.8387097	9433.859702	30000	0	0	30000	44	2004
08.01.2020 12:52:39	1	1	1	1	94.25	64	0	26682.464	369.8924731	9869.268611	30000	0	0	30000	43.75	2004
08.01.2020 12:52:46	1	1	1	1	94.25	63.75	0	27345.972	460.2150538	12628.48911	30000	0	0	30000	44.0625	2004
08.01.2020 12:52:46	1	1	1	1	94.25	63.75	0	27345.972	460.2150538	12628.48911	30000	0	0	30000	44.0625	2004
08.01.2020 12:52:46	1	1	1	1	94.25	63.75	0	27345.972	460.2150538	12628.48911	30000	0	0	30000	44.0625	2004
08.01.2020 12:52:46	1	1	1	1	94.25	63.75	0	27345.972	460.2150538	12628.48911	30000	0	0	30000	44.0625	2004
08.01.2020 12:52:46	1	1	1	1	94.25	63.75	0	27345.972	460.2150538	12628.48911	30000	0	0	30000	44.0625	2004
08.01.2020 12:52:46	1	1	1	1	94.25	64	0	27582.938	481.7204301	12990.5145	30000	0	0	30000	44.125	2004
08.01.2020 12:52:47	1	1	1	1	94.25	64	0	28341.232	516.1290323	14505.47659	30000	0	0	30000	43.5	2004
08.01.2020 12:52:48	1	1	1	1	94	63.5	0	27345.972	501.0752688	13761.0415	30000	0	0	30000	43.875	2004
08.01.2020 12:52:49	1	1	1	1	94	63.75	0	26398.104	488.172043	12909.79262	30000	0	0	30000	43.75	2004
08.01.2020 12:52:50	1	1	1	1	94	63.75	0	28341.232	522.5806452	14810.4259	30000	0	0	30000	43.3125	2004
08.01.2020 12:52:51	1	1	1	1	94	63.25	0	29146.919	522.5806452	15231.1581	30000	0	0	30000	43.875	2004
08.01.2020 12:52:52	1	1	1	1	94	63.75	0	28578.199	541.9354839	15863.88715	30000	0	0	30000	43.8125	2004
08.01.2020 12:52:53	1	1	1	1	94	63.75	0	28815.166	550.5376344	15987.82377	30000	0	0	30000	43.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 12:52:54	1	1	1	1	94	63.5	0	28625.592	556.9892473	16049.79208	30000	0	0	30000	43.125	2004
08.01.2020 12:52:55	1	1	1	1	94	63	0	28625.592	556.9892473	16049.79208	30000	0	0	30000	43.5625	2004
08.01.2020 12:52:56	1	1	1	1	94	63.5	0	28625.592	556.9892473	15882.64072	30000	0	0	30000	43.8125	2004
08.01.2020 12:52:57	1	1	1	1	94	63.75	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	43.25	2004
08.01.2020 12:52:58	1	1	1	1	94	63.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	43.6875	2004
08.01.2020 12:52:59	1	1	1	1	94	63.5	0	28815.166	556.9892473	15987.82377	30000	0	0	30000	43.6875	2004
08.01.2020 12:53:00	1	1	1	1	94	63.5	0	28625.592	554.8387097	15794.58049	30000	0	0	30000	43.625	2004
08.01.2020 12:53:02	1	1	1	1	94	63.5	0	28578.199	559.1397849	15917.70174	30000	0	0	30000	43.75	2004
08.01.2020 12:53:03	1	1	1	1	94	63.75	0	28625.592	559.1397849	15943.79366	30000	0	0	30000	43.875	2004
08.01.2020 12:53:04	1	1	1	1	94	63.75	0	28625.592	559.1397849	16111.76039	30000	0	0	30000	43.875	2004
08.01.2020 12:53:05	1	1	1	1	94	63.75	0	28625.592	561.2903226	15794.58049	30000	0	0	30000	43.1875	2004
08.01.2020 12:53:06	1	1	1	1	94	63	0	28672.986	556.9892473	16111.76039	30000	0	0	30000	43.9375	2004
08.01.2020 12:53:07	1	1	1	1	94	63.75	0	28862.559	559.1397849	16075.884	30000	0	0	30000	43.625	2004
08.01.2020 12:53:08	1	1	1	1	94	63.5	0	28815.166	563.4408602	16049.79208	30000	0	0	30000	43.4375	2004
08.01.2020 12:53:09	1	1	1	1	94.75	63.25	0	28625.592	552.688172	15820.67241	30000	0	0	30000	44.0625	2004
08.01.2020 12:53:10	1	1	1	1	94.75	64	0	28625.592	552.688172	16049.79208	30000	0	0	30000	43.375	2004
08.01.2020 12:53:11	1	1	1	1	94.75	63.25	0	28862.559	559.1397849	16075.884	30000	0	0	30000	43.6875	2004
08.01.2020 12:53:12	1	1	1	1	94.75	63.5	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	43.8125	2004
08.01.2020 12:53:13	1	1	1	1	94.75	63.75	0	28862.559	554.8387097	16013.91569	30000	0	0	30000	44	2004
08.01.2020 12:53:14	1	1	1	1	94.75	64	0	28815.166	550.5376344	15925.85546	30000	0	0	30000	44.0625	2004
08.01.2020 12:53:15	1	1	1	1	94.75	64	0	28862.559	554.8387097	15951.94738	30000	0	0	30000	43.9375	2004
08.01.2020 12:53:16	1	1	1	1	94.75	63.75	0	28815.166	552.688172	15925.85546	30000	0	0	30000	44	2004
08.01.2020 12:53:17	1	1	1	1	94.75	64	0	28862.559	552.688172	15978.0393	30000	0	0	30000	43.9375	2004
08.01.2020 12:53:18	1	1	1	1	94.75	63.75	0	29052.133	554.8387097	16145.19066	30000	0	0	30000	43	2004
08.01.2020 12:53:19	1	1	1	1	94.25	63	0	29052.133	554.8387097	16004.13122	30000	0	0	30000	43.9375	2004
08.01.2020 12:53:20	1	1	1	1	94.25	63.75	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	43.5625	2004
08.01.2020 12:53:21	1	1	1	1	94.25	63.5	0	28625.592	554.8387097	16049.79208	30000	0	0	30000	43.3125	2004
08.01.2020 12:53:22	1	1	1	1	94.25	63.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	43.875	2004
08.01.2020 12:53:23	1	1	1	1	94.25	63.75	0	28815.166	559.1397849	15925.85546	30000	0	0	30000	43.625	2004
08.01.2020 12:53:24	1	1	1	1	94.25	63.5	0	28625.592	556.9892473	15943.79366	30000	0	0	30000	43.9375	2004
08.01.2020 12:53:25	1	1	1	1	94.25	63.75	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	43.875	2004
08.01.2020 12:53:26	1	1	1	1	94.25	64	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	43.5	2004
08.01.2020 12:53:27	1	1	1	1	94.25	63.5	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	43.5	2004
08.01.2020 12:53:28	1	1	1	1	94	63.5	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	43.8125	2004
08.01.2020 12:53:29	1	1	1	1	94	63.75	0	28625.592	550.5376344	16049.79208	30000	0	0	30000	43.625	2004
08.01.2020 12:53:30	1	1	1	1	94	63.5	0	28862.559	554.8387097	15987.82377	30000	0	0	30000	43.875	2004
08.01.2020 12:53:31	1	1	1	1	94	63.75	0	28862.559	554.8387097	16013.91569	30000	0	0	30000	43.5625	2004
08.01.2020 12:53:32	1	1	1	1	94	63.5	0	28625.592	556.9892473	15855.73343	30000	0	0	30000	43.8125	2004
08.01.2020 12:53:33	1	1	1	1	94	63.75	0	28957.346	556.9892473	16128.88321	30000	0	0	30000	43.875	2004
08.01.2020 12:53:34	1	1	1	1	94	63.75	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	43.9375	2004
08.01.2020 12:53:35	1	1	1	1	94	63.75	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	43.9375	2004
08.01.2020 12:53:36	1	1	1	1	94	63.75	0	28625.592	554.8387097	16049.79208	30000	0	0	30000	43.8125	2004
08.01.2020 12:53:37	1	1	1	1	94	63.75	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	43.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 12:53:38	1	1	1	1	94.25	63.5	0	28625.592	559.1397849	16049.79208	30000	0	0	30000	43.6875	2004
08.01.2020 12:53:40	1	1	1	1	94.25	63.5	0	28625.592	556.9892473	15917.70174	30000	0	0	30000	44	2004
08.01.2020 12:53:41	1	1	1	1	94.25	64	0	28578.199	552.688172	15794.58049	30000	0	0	30000	43.625	2004
08.01.2020 12:53:47	1	1	1	1	94.25	63.75	0	28625.592	556.9892473	16049.79208	30000	0	0	30000	43.375	2004
08.01.2020 12:53:47	1	1	1	1	94.25	63.75	0	28625.592	556.9892473	16049.79208	30000	0	0	30000	43.375	2004
08.01.2020 12:53:47	1	1	1	1	94.25	63.75	0	28625.592	556.9892473	16049.79208	30000	0	0	30000	43.375	2004
08.01.2020 12:53:47	1	1	1	1	94.25	63.75	0	28625.592	556.9892473	16049.79208	30000	0	0	30000	43.375	2004
08.01.2020 12:53:47	1	1	1	1	94.25	63.75	0	28625.592	556.9892473	16049.79208	30000	0	0	30000	43.375	2004
08.01.2020 12:53:47	1	1	1	1	94.25	63.75	0	28625.592	556.9892473	16049.79208	30000	0	0	30000	43.375	2004
08.01.2020 12:53:47	1	1	1	1	94.25	63.75	0	28625.592	556.9892473	16049.79208	30000	0	0	30000	43.375	2004
08.01.2020 12:53:48	1	1	1	1	94.25	63.25	0	28625.592	554.8387097	15882.64072	30000	0	0	30000	43.5625	2004
08.01.2020 12:53:49	1	1	1	1	94.5	63.5	0	28625.592	552.688172	15820.67241	30000	0	0	30000	43.1875	2004
08.01.2020 12:53:50	1	1	1	1	94.5	63	0	28578.199	548.3870968	15987.82377	30000	0	0	30000	43.375	2004
08.01.2020 12:53:51	1	1	1	1	94.5	63.25	0	28815.166	556.9892473	15987.82377	30000	0	0	30000	44	2004
08.01.2020 12:53:52	1	1	1	1	94.5	64	0	28815.166	559.1397849	16111.76039	30000	0	0	30000	43.875	2004
08.01.2020 12:53:53	1	1	1	1	94.5	63.75	0	28483.412	556.9892473	15716.30473	30000	0	0	30000	43.75	2004
08.01.2020 12:53:54	1	1	1	1	94.5	63.75	0	28578.199	559.1397849	16040.00761	30000	0	0	30000	43.4375	2004
08.01.2020 12:53:55	1	1	1	1	94.5	63.25	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	43.9375	2004
08.01.2020 12:53:56	1	1	1	1	94.5	63.75	0	28578.199	559.1397849	16040.00761	30000	0	0	30000	43.5	2004
08.01.2020 12:53:57	1	1	1	1	94.5	63.5	0	28625.592	561.2903226	15943.79366	30000	0	0	30000	44	2004
08.01.2020 12:53:58	1	1	1	1	94.5	64	0	28815.166	559.1397849	16049.79208	30000	0	0	30000	43.0625	2004
08.01.2020 12:53:59	1	1	1	1	95	63	0	28625.592	559.1397849	16173.7287	30000	0	0	30000	43.9375	2004
08.01.2020 12:54:00	1	1	1	1	95	63.75	0	28436.019	556.9892473	15864.70252	30000	0	0	30000	44	2004
08.01.2020 12:54:01	1	1	1	1	95	64	0	28578.199	559.1397849	15978.85467	30000	0	0	30000	43.8125	2004
08.01.2020 12:54:02	1	1	1	1	95	63.75	0	28625.592	556.9892473	15917.70174	30000	0	0	30000	44.0625	2004
08.01.2020 12:54:03	1	1	1	1	95	63.75	0	28578.199	559.1397849	16066.9149	30000	0	0	30000	43.875	2004
08.01.2020 12:54:04	1	1	1	1	95	63.75	0	28815.166	561.2903226	16173.7287	30000	0	0	30000	43.75	2004
08.01.2020 12:54:05	1	1	1	1	95	63.75	0	28815.166	559.1397849	15943.79366	30000	0	0	30000	43.9375	2004
08.01.2020 12:54:06	1	1	1	1	95	63.75	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	43.9375	2004
08.01.2020 12:54:07	1	1	1	1	95	63.75	0	28957.346	559.1397849	16128.88321	30000	0	0	30000	43.875	2004
08.01.2020 12:54:08	1	1	1	1	94.75	63.75	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	43.8125	2004
08.01.2020 12:54:09	1	1	1	1	94.75	63.75	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	43.9375	2004
08.01.2020 12:54:10	1	1	1	1	94.75	63.75	0	28625.592	556.9892473	15943.79366	30000	0	0	30000	43.9375	2004
08.01.2020 12:54:11	1	1	1	1	94.75	63.75	0	28815.166	554.8387097	15863.88715	30000	0	0	30000	43.875	2004
08.01.2020 12:54:12	1	1	1	1	94.75	63.75	0	28625.592	552.688172	15794.58049	30000	0	0	30000	43.8125	2004
08.01.2020 12:54:13	1	1	1	1	94.75	63.75	0	28815.166	559.1397849	16049.79208	30000	0	0	30000	43.875	2004
08.01.2020 12:54:14	1	1	1	1	94.75	63.75	0	28815.166	554.8387097	16111.76039	30000	0	0	30000	43.875	2004
08.01.2020 12:54:15	1	1	1	1	94.75	63.75	0	28483.412	559.1397849	15864.70252	30000	0	0	30000	43.875	2004
08.01.2020 12:54:16	1	1	1	1	94.75	63.75	0	28815.166	556.9892473	16173.7287	30000	0	0	30000	43.5625	2004
08.01.2020 12:54:18	1	1	1	1	94.75	63.5	0	28815.166	552.688172	15925.85546	30000	0	0	30000	43.8125	2004
08.01.2020 12:54:19	1	1	1	1	95	63.75	0	28957.346	556.9892473	16128.88321	30000	0	0	30000	43.625	2004
08.01.2020 12:54:20	1	1	1	1	95	63.5	0	28862.559	554.8387097	16075.884	30000	0	0	30000	42.75	2004
08.01.2020 12:54:21	1	1	1	1	95	62.75	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	43.6875	2004
08.01.2020 12:54:22	1	1	1	1	95	63.5	0	29099.526	554.8387097	16082.40698	30000	0	0	30000	43.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 12:54:23	1	1	1	1	95	63.75	0	28862.559	548.3870968	16004.13122	30000	0	0	30000	43.8125	2004
08.01.2020 12:54:24	1	1	1	1	95	63.75	0	25924.171	507.5268817	13156.85049	30000	0	0	30000	43.9375	2004
08.01.2020 12:54:25	1	1	1	1	95	63.75	0	28815.166	550.5376344	15925.85546	30000	0	0	30000	43.75	2004
08.01.2020 12:54:26	1	1	1	1	95	63.75	0	28625.592	550.5376344	15759.51947	30000	0	0	30000	43.8125	2004
08.01.2020 12:54:27	1	1	1	1	95	63.75	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	43.875	2004
08.01.2020 12:54:28	1	1	1	1	95	63.75	0	29004.739	556.9892473	16128.88321	30000	0	0	30000	43.25	2004
08.01.2020 12:54:29	1	1	1	1	95	63.25	0	28625.592	550.5376344	15863.88715	30000	0	0	30000	43.9375	2004
08.01.2020 12:54:30	1	1	1	1	95	63.75	0	28483.412	552.688172	15742.39665	30000	0	0	30000	44.0625	2004
08.01.2020 12:54:31	1	1	1	1	95	64	0	28815.166	559.1397849	16111.76039	30000	0	0	30000	44	2004
08.01.2020 12:54:32	1	1	1	1	95	64	0	28578.199	556.9892473	15917.70174	30000	0	0	30000	42.875	2004
08.01.2020 12:54:33	1	1	1	1	95	62.75	0	28625.592	556.9892473	15943.79366	30000	0	0	30000	43.6875	2004
08.01.2020 12:54:34	1	1	1	1	95	63.5	0	28862.559	559.1397849	16075.884	30000	0	0	30000	43.8125	2004
08.01.2020 12:54:35	1	1	1	1	95	63.75	0	28815.166	554.8387097	15908.73264	30000	0	0	30000	43.8125	2004
08.01.2020 12:54:36	1	1	1	1	95	63.75	0	28815.166	556.9892473	16075.884	30000	0	0	30000	43.4375	2004
08.01.2020 12:54:37	1	1	1	1	95	63.25	0	28862.559	559.1397849	16075.884	30000	0	0	30000	43.8125	2004
08.01.2020 12:54:38	1	1	1	1	95	63.75	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	44.0625	2004
08.01.2020 12:54:39	1	1	1	1	95	64	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	43.25	2004
08.01.2020 12:54:40	1	1	1	1	95	63.25	0	28625.592	554.8387097	15943.79366	30000	0	0	30000	43.875	2004
08.01.2020 12:54:41	1	1	1	1	95	63.75	0	28625.592	556.9892473	15943.79366	30000	0	0	30000	43.8125	2004
08.01.2020 12:54:42	1	1	1	1	95	63.75	0	28815.166	559.1397849	16049.79208	30000	0	0	30000	44.0625	2004
08.01.2020 12:54:49	1	1	1	1	95.25	63.25	0	28625.592	554.8387097	16049.79208	30000	0	0	30000	43.5625	2004
08.01.2020 12:54:49	1	1	1	1	95.25	63.25	0	28625.592	554.8387097	16049.79208	30000	0	0	30000	43.5625	2004
08.01.2020 12:54:49	1	1	1	1	95.25	63.25	0	28625.592	554.8387097	16049.79208	30000	0	0	30000	43.5625	2004
08.01.2020 12:54:49	1	1	1	1	95.25	63.25	0	28625.592	554.8387097	16049.79208	30000	0	0	30000	43.5625	2004
08.01.2020 12:54:49	1	1	1	1	95.25	63.5	0	28815.166	561.2903226	16261.78893	30000	0	0	30000	44	2004
08.01.2020 12:54:50	1	1	1	1	95.25	64	0	28625.592	554.8387097	15925.85546	30000	0	0	30000	43.9375	2004
08.01.2020 12:54:51	1	1	1	1	95.25	63.75	0	28862.559	552.688172	16075.884	30000	0	0	30000	43.875	2004
08.01.2020 12:54:52	1	1	1	1	95.25	63.75	0	28815.166	552.688172	15925.85546	30000	0	0	30000	43.875	2004
08.01.2020 12:54:53	1	1	1	1	95.25	63.75	0	28815.166	552.688172	15987.82377	30000	0	0	30000	43.8125	2004
08.01.2020 12:54:54	1	1	1	1	95.25	63.75	0	28862.559	554.8387097	16013.91569	30000	0	0	30000	44	2004
08.01.2020 12:54:55	1	1	1	1	95.25	64	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	43.75	2004
08.01.2020 12:54:57	1	1	1	1	95.25	63.75	0	28909.953	554.8387097	16013.91569	30000	0	0	30000	43.875	2004
08.01.2020 12:54:58	1	1	1	1	95.25	63.75	0	29052.133	554.8387097	16119.09874	30000	0	0	30000	43.8125	2004
08.01.2020 12:54:59	1	1	1	1	95.5	63.75	0	28862.559	550.5376344	15951.94738	30000	0	0	30000	43.25	2004
08.01.2020 12:55:00	1	1	1	1	95.5	63.25	0	28862.559	550.5376344	15889.97907	30000	0	0	30000	43.625	2004
08.01.2020 12:55:01	1	1	1	1	95.5	63.5	0	29052.133	554.8387097	16004.13122	30000	0	0	30000	43.3125	2004
08.01.2020 12:55:02	1	1	1	1	95.5	63.25	0	28815.166	552.688172	15925.85546	30000	0	0	30000	43.9375	2004
08.01.2020 12:55:03	1	1	1	1	95.5	63.75	0	28815.166	552.688172	15925.85546	30000	0	0	30000	44	2004
08.01.2020 12:55:04	1	1	1	1	95.5	64	0	28625.592	552.688172	15759.51947	30000	0	0	30000	43.8125	2004
08.01.2020 12:55:05	1	1	1	1	95.5	63.75	0	28625.592	552.688172	16049.79208	30000	0	0	30000	43.9375	2004
08.01.2020 12:55:06	1	1	1	1	95.5	63.75	0	28815.166	559.1397849	16049.79208	30000	0	0	30000	44.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 12:55:07	1	1	1	1	95.5	64	0	28625.592	556.9892473	16111.76039	30000	0	0	30000	43.8125	2004
08.01.2020 12:55:08	1	1	1	1	95.5	63.75	0	28530.806	556.9892473	15917.70174	30000	0	0	30000	43.875	2004
08.01.2020 12:55:09	1	1	1	1	95.5	63.75	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	43.875	2004
08.01.2020 12:55:10	1	1	1	1	95.5	63.75	0	28957.346	554.8387097	16128.88321	30000	0	0	30000	43.6875	2004
08.01.2020 12:55:11	1	1	1	1	95.5	63.5	0	29004.739	550.5376344	15817.41092	30000	0	0	30000	43.3125	2004
08.01.2020 12:55:12	1	1	1	1	95.5	63.25	0	28909.953	546.2365591	15879.37923	30000	0	0	30000	43.5	2004
08.01.2020 12:55:13	1	1	1	1	95.5	63.5	0	29052.133	550.5376344	15931.56307	30000	0	0	30000	43.8125	2004
08.01.2020 12:55:14	1	1	1	1	95.5	63.75	0	29052.133	550.5376344	16082.40698	30000	0	0	30000	43.5	2004
08.01.2020 12:55:15	1	1	1	1	95.5	63.5	0	28957.346	552.688172	16004.13122	30000	0	0	30000	43.75	2004
08.01.2020 12:55:16	1	1	1	1	95.5	63.75	0	28957.346	554.8387097	16377.57182	30000	0	0	30000	43.3125	2004
08.01.2020 12:55:17	1	1	1	1	95.5	63.25	0	28862.559	556.9892473	16075.884	30000	0	0	30000	43.875	2004
08.01.2020 12:55:18	1	1	1	1	95.5	63.75	0	28625.592	554.8387097	16049.79208	30000	0	0	30000	44	2004
08.01.2020 12:55:19	1	1	1	1	95.25	64	0	28625.592	559.1397849	16005.76197	30000	0	0	30000	44.125	2004
08.01.2020 12:55:20	1	1	1	1	95.25	64	0	28578.199	556.9892473	15890.79444	30000	0	0	30000	43.75	2004
08.01.2020 12:55:21	1	1	1	1	95.25	63.75	0	28625.592	559.1397849	16066.9149	30000	0	0	30000	43.9375	2004
08.01.2020 12:55:22	1	1	1	1	95.25	63.75	0	28625.592	559.1397849	16066.9149	30000	0	0	30000	43.625	2004
08.01.2020 12:55:23	1	1	1	1	95.25	63.5	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	43.6875	2004
08.01.2020 12:55:24	1	1	1	1	95.25	63.5	0	28388.626	561.2903226	16022.06942	30000	0	0	30000	43.8125	2004
08.01.2020 12:55:25	1	1	1	1	95.25	63.75	0	28388.626	559.1397849	15872.85625	30000	0	0	30000	43.8125	2004
08.01.2020 12:55:26	1	1	1	1	95.25	63.75	0	28578.199	559.1397849	15978.85467	30000	0	0	30000	43.6875	2004
08.01.2020 12:55:27	1	1	1	1	95.25	63.5	0	28341.232	559.1397849	15934.00919	30000	0	0	30000	43.875	2004
08.01.2020 12:55:28	1	1	1	1	95.75	63.75	0	28578.199	559.1397849	15978.85467	30000	0	0	30000	43.875	2004
08.01.2020 12:55:29	1	1	1	1	95.75	63.75	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	43.3125	2004
08.01.2020 12:55:30	1	1	1	1	95.75	63.25	0	28341.232	556.9892473	15785.61139	30000	0	0	30000	43.4375	2004
08.01.2020 12:55:31	1	1	1	1	95.75	63.25	0	28578.199	559.1397849	15943.79366	30000	0	0	30000	43.8125	2004
08.01.2020 12:55:32	1	1	1	1	95.75	63.75	0	28578.199	554.8387097	15943.79366	30000	0	0	30000	43.75	2004
08.01.2020 12:55:33	1	1	1	1	95.75	63.75	0	28578.199	556.9892473	15917.70174	30000	0	0	30000	43.875	2004
08.01.2020 12:55:35	1	1	1	1	95.75	63.75	0	28578.199	556.9892473	15943.79366	30000	0	0	30000	43.9375	2004
08.01.2020 12:55:36	1	1	1	1	95.75	63.75	0	28530.806	559.1397849	15952.76275	30000	0	0	30000	43.8125	2004
08.01.2020 12:55:37	1	1	1	1	95.75	63.75	0	28388.626	559.1397849	15934.00919	30000	0	0	30000	43.375	2004
08.01.2020 12:55:38	1	1	1	1	95.75	63.25	0	28625.592	561.2903226	16066.9149	30000	0	0	30000	43.375	2004
08.01.2020 12:55:39	1	1	1	1	95.5	63.25	0	28436.019	554.8387097	15987.0084	30000	0	0	30000	43.25	2004
08.01.2020 12:55:40	1	1	1	1	95.5	63.25	0	28578.199	559.1397849	15864.70252	30000	0	0	30000	43.75	2004
08.01.2020 12:55:41	1	1	1	1	95.5	63.75	0	28436.019	565.5913978	15960.91648	30000	0	0	30000	43.375	2004
08.01.2020 12:55:42	1	1	1	1	95.5	63.25	0	28341.232	559.1397849	15819.85704	30000	0	0	30000	43.8125	2004
08.01.2020 12:55:43	1	1	1	1	95.5	63.75	0	28199.052	563.4408602	15881.00997	30000	0	0	30000	43.8125	2004
08.01.2020 12:55:44	1	1	1	1	95.5	63.75	0	28436.019	563.4408602	16109.31427	30000	0	0	30000	43.6875	2004
08.01.2020 12:55:50	1	1	1	1	95.75	63.25	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	43.875	2004
08.01.2020 12:55:50	1	1	1	1	95.75	63.25	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	43.875	2004
08.01.2020 12:55:50	1	1	1	1	95.75	63.25	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	43.875	2004
08.01.2020 12:55:50	1	1	1	1	95.75	63.25	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	43.875	2004
08.01.2020 12:55:50	1	1	1	1	95.75	63.25	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	43.875	2004
08.01.2020 12:55:50	1	1	1	1	95.75	63.25	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	43.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 12:55:51	1	1	1	1	95.75	63.75	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	43.0625	2004
08.01.2020 12:55:52	1	1	1	1	95.75	63	0	28199.052	563.4408602	15888.34833	30000	0	0	30000	43.6875	2004
08.01.2020 12:55:53	1	1	1	1	95.75	63.5	0	28388.626	563.4408602	16205.52823	30000	0	0	30000	43.8125	2004
08.01.2020 12:55:54	1	1	1	1	95.75	63.75	0	28341.232	561.2903226	15995.16212	30000	0	0	30000	43.875	2004
08.01.2020 12:55:55	1	1	1	1	95.75	63.75	0	28436.019	563.4408602	15960.91648	30000	0	0	30000	43.5	2004
08.01.2020 12:55:56	1	1	1	1	95.75	63.5	0	28388.626	561.2903226	15934.00919	30000	0	0	30000	43.75	2004
08.01.2020 12:55:57	1	1	1	1	95.75	63.75	0	28483.412	561.2903226	15864.70252	30000	0	0	30000	43.5625	2004
08.01.2020 12:55:58	1	1	1	1	95.75	63.5	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	43.625	2004
08.01.2020 12:55:59	1	1	1	1	96.25	63.5	0	28293.839	561.2903226	15881.00997	30000	0	0	30000	43.4375	2004
08.01.2020 12:56:00	1	1	1	1	96.25	63.25	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	44.1875	2004
08.01.2020 12:56:01	1	1	1	1	96.25	64	0	28483.412	556.9892473	15716.30473	30000	0	0	30000	44.1875	2004
08.01.2020 12:56:02	1	1	1	1	96.25	63.25	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	43.8125	2004
08.01.2020 12:56:03	1	1	1	1	96.25	63.75	0	28530.806	561.2903226	16040.00761	30000	0	0	30000	43.25	2004
08.01.2020 12:56:04	1	1	1	1	96.25	63.25	0	28625.592	559.1397849	16066.9149	30000	0	0	30000	43.875	2004
08.01.2020 12:56:05	1	1	1	1	96.25	63.75	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	43.9375	2004
08.01.2020 12:56:06	1	1	1	1	96.25	63.75	0	28625.592	556.9892473	15943.79366	30000	0	0	30000	43.5625	2004
08.01.2020 12:56:07	1	1	1	1	96.25	63.5	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	43	2004
08.01.2020 12:56:08	1	1	1	1	96.25	63	0	28625.592	556.9892473	16297.66532	30000	0	0	30000	43.875	2004
08.01.2020 12:56:09	1	1	1	1	96.25	63.75	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	42.6875	2004
08.01.2020 12:56:10	1	1	1	1	96.25	62.5	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	43.9375	2004
08.01.2020 12:56:11	1	1	1	1	96.25	63.75	0	28436.019	559.1397849	15899.76354	30000	0	0	30000	43.9375	2004
08.01.2020 12:56:12	1	1	1	1	96.25	63.75	0	28293.839	556.9892473	15758.7041	30000	0	0	30000	43.875	2004
08.01.2020 12:56:13	1	1	1	1	96.25	63.75	0	28388.626	561.2903226	15934.00919	30000	0	0	30000	43.75	2004
08.01.2020 12:56:14	1	1	1	1	96.25	63.75	0	28483.412	563.4408602	15960.91648	30000	0	0	30000	42.6875	2004
08.01.2020 12:56:16	1	1	1	1	96.25	62.5	0	28436.019	561.2903226	15987.0084	30000	0	0	30000	43.25	2004
08.01.2020 12:56:17	1	1	1	1	96.25	63.25	0	28388.626	563.4408602	16056.31506	30000	0	0	30000	43.625	2004
08.01.2020 12:56:18	1	1	1	1	96.25	63.5	0	28436.019	563.4408602	15960.91648	30000	0	0	30000	43.8125	2004
08.01.2020 12:56:19	1	1	1	1	96.25	63.75	0	28199.052	563.4408602	15948.68589	30000	0	0	30000	43.875	2004
08.01.2020 12:56:20	1	1	1	1	96.25	63.75	0	28199.052	563.4408602	15827.19539	30000	0	0	30000	43.75	2004
08.01.2020 12:56:21	1	1	1	1	96.25	63.75	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	43.0625	2004
08.01.2020 12:56:22	1	1	1	1	96.25	63	0	28199.052	565.5913978	16009.83883	30000	0	0	30000	43.9375	2004
08.01.2020 12:56:23	1	1	1	1	96.25	63.75	0	28199.052	561.2903226	16009.83883	30000	0	0	30000	44	2004
08.01.2020 12:56:24	1	1	1	1	96.25	64	0	28293.839	565.5913978	16002.50048	30000	0	0	30000	43.8125	2004
08.01.2020 12:56:25	1	1	1	1	96.25	63.75	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	42.9375	2004
08.01.2020 12:56:26	1	1	1	1	96.25	62.75	0	28341.232	563.4408602	16056.31506	30000	0	0	30000	42.6875	2004
08.01.2020 12:56:27	1	1	1	1	96.25	62.5	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	44	2004
08.01.2020 12:56:28	1	1	1	1	96.25	64	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	43.75	2004
08.01.2020 12:56:29	1	1	1	1	96	63.75	0	28009.479	567.7419355	15721.19697	30000	0	0	30000	43.9375	2004
08.01.2020 12:56:30	1	1	1	1	96	63.75	0	28293.839	567.7419355	15948.68589	30000	0	0	30000	44	2004
08.01.2020 12:56:31	1	1	1	1	96	64	0	28009.479	565.5913978	16009.83883	30000	0	0	30000	43.5	2004
08.01.2020 12:56:32	1	1	1	1	96	63.5	0	28293.839	569.8924731	16070.17639	30000	0	0	30000	43.875	2004
08.01.2020 12:56:33	1	1	1	1	96	63.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	44	2004
08.01.2020 12:56:34	1	1	1	1	96	64	0	28009.479	567.7419355	16070.17639	30000	0	0	30000	44	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 12:56:35	1	1	1	1	96	64	0	28199.052	565.5913978	15841.8721	30000	0	0	30000	44	2004
08.01.2020 12:56:36	1	1	1	1	96	64	0	28341.232	567.7419355	16029.40777	30000	0	0	30000	44	2004
08.01.2020 12:56:37	1	1	1	1	96	64	0	28483.412	567.7419355	16048.16134	30000	0	0	30000	43.8125	2004
08.01.2020 12:56:38	1	1	1	1	96	63.75	0	28388.626	567.7419355	16177.80556	30000	0	0	30000	43.875	2004
08.01.2020 12:56:39	1	1	1	1	96.25	63.75	0	28388.626	565.5913978	16056.31506	30000	0	0	30000	43.9375	2004
08.01.2020 12:56:40	1	1	1	1	96.25	63.75	0	28009.479	565.5913978	15660.8594	30000	0	0	30000	44	2004
08.01.2020 12:56:41	1	1	1	1	96.25	64	0	28388.626	565.5913978	16056.31506	30000	0	0	30000	44.125	2004
08.01.2020 12:56:42	1	1	1	1	96.25	64	0	28199.052	559.1397849	15948.68589	30000	0	0	30000	43.75	2004
08.01.2020 12:56:43	1	1	1	1	96.25	63.75	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	44.0625	2004
08.01.2020 12:56:44	1	1	1	1	96.25	64	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	43.875	2004
08.01.2020 12:56:45	1	1	1	1	96.25	63.75	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	44.1875	2004
08.01.2020 12:56:52	1	1	1	1	96.5	63.75	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	43.75	2004
08.01.2020 12:56:52	1	1	1	1	96.5	63.75	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	43.75	2004
08.01.2020 12:56:52	1	1	1	1	96.5	63.75	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	43.75	2004
08.01.2020 12:56:52	1	1	1	1	96.5	63.75	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	43.75	2004
08.01.2020 12:56:52	1	1	1	1	96.5	63.75	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	43.75	2004
08.01.2020 12:56:52	1	1	1	1	96.5	63.75	0	28009.479	572.0430108	16070.17639	30000	0	0	30000	43.875	2004
08.01.2020 12:56:53	1	1	1	1	96.5	63.75	0	28293.839	567.7419355	16123.99098	30000	0	0	30000	43.5625	2004
08.01.2020 12:56:54	1	1	1	1	96.5	63.5	0	28246.445	563.4408602	16002.50048	30000	0	0	30000	43.0625	2004
08.01.2020 12:56:55	1	1	1	1	96.5	63	0	28341.232	569.8924731	16123.99098	30000	0	0	30000	43.875	2004
08.01.2020 12:56:57	1	1	1	1	96.5	63.75	0	28009.479	563.4408602	15841.8721	30000	0	0	30000	43.8125	2004
08.01.2020 12:56:58	1	1	1	1	96.5	63.75	0	28009.479	567.7419355	16070.17639	30000	0	0	30000	43.375	2004
08.01.2020 12:56:59	1	1	1	1	96	63.25	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	43.8125	2004
08.01.2020 12:57:00	1	1	1	1	96	63.75	0	28199.052	567.7419355	15827.19539	30000	0	0	30000	43.75	2004
08.01.2020 12:57:01	1	1	1	1	96	63.75	0	28293.839	565.5913978	15948.68589	30000	0	0	30000	43.3125	2004
08.01.2020 12:57:02	1	1	1	1	96	63.25	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	43.6875	2004
08.01.2020 12:57:03	1	1	1	1	96	63.5	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	43.3125	2004
08.01.2020 12:57:04	1	1	1	1	96	63.25	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	43.8125	2004
08.01.2020 12:57:05	1	1	1	1	96	63.75	0	28199.052	565.5913978	16070.17639	30000	0	0	30000	43.8125	2004
08.01.2020 12:57:06	1	1	1	1	96	63.75	0	28341.232	572.0430108	16123.99098	30000	0	0	30000	43.5625	2004
08.01.2020 12:57:07	1	1	1	1	96	63.5	0	28293.839	567.7419355	15948.68589	30000	0	0	30000	43.25	2004
08.01.2020 12:57:08	1	1	1	1	96	63.25	0	28388.626	567.7419355	16090.5607	30000	0	0	30000	43.6875	2004
08.01.2020 12:57:09	1	1	1	1	96.25	63.5	0	28483.412	567.7419355	16171.28258	30000	0	0	30000	43.6875	2004
08.01.2020 12:57:10	1	1	1	1	96.25	63.5	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	43.875	2004
08.01.2020 12:57:11	1	1	1	1	96.25	63.75	0	28672.986	559.1397849	16005.76197	30000	0	0	30000	43.875	2004
08.01.2020 12:57:12	1	1	1	1	96.25	63.75	0	28483.412	561.2903226	15960.91648	30000	0	0	30000	44	2004
08.01.2020 12:57:13	1	1	1	1	96.25	64	0	28578.199	559.1397849	15917.70174	30000	0	0	30000	42.9375	2004
08.01.2020 12:57:14	1	1	1	1	96.25	62.75	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	43.5625	2004
08.01.2020 12:57:15	1	1	1	1	96.25	63.5	0	28909.953	533.3333333	15443.97032	30000	0	0	30000	43.8125	2004
08.01.2020 12:57:16	1	1	1	1	96.25	63.75	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	43.75	2004
08.01.2020 12:57:17	1	1	1	1	96.25	63.75	0	28625.592	554.8387097	16049.79208	30000	0	0	30000	44.25	2004
08.01.2020 12:57:18	1	1	1	1	96.25	64.25	0	28815.166	556.9892473	16075.884	30000	0	0	30000	43.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 12:57:19	1	1	1	1	96.5	63.5	0	28625.592	559.1397849	16049.79208	30000	0	0	30000	43.75	2004
08.01.2020 12:57:20	1	1	1	1	96.5	64.25	0	28625.592	559.1397849	16005.76197	30000	0	0	30000	43.75	2004
08.01.2020 12:57:21	1	1	1	1	96.5	63.75	0	28625.592	556.9892473	15943.79366	30000	0	0	30000	43.8125	2004
08.01.2020 12:57:22	1	1	1	1	96.5	63.75	0	28530.806	559.1397849	15978.85467	30000	0	0	30000	43.9375	2004
08.01.2020 12:57:23	1	1	1	1	96.5	63.75	0	28483.412	559.1397849	15987.0084	30000	0	0	30000	43.8125	2004
08.01.2020 12:57:24	1	1	1	1	96.5	63.75	0	28578.199	559.1397849	16040.00761	30000	0	0	30000	43.875	2004
08.01.2020 12:57:25	1	1	1	1	96.5	63.75	0	28388.626	561.2903226	15934.00919	30000	0	0	30000	43.75	2004
08.01.2020 12:57:26	1	1	1	1	96.5	63.75	0	28578.199	563.4408602	15987.0084	30000	0	0	30000	43.875	2004
08.01.2020 12:57:27	1	1	1	1	96.5	63.75	0	28530.806	563.4408602	16040.00761	30000	0	0	30000	43.9375	2004
08.01.2020 12:57:28	1	1	1	1	96.25	63.75	0	28483.412	561.2903226	16040.00761	30000	0	0	30000	43.75	2004
08.01.2020 12:57:29	1	1	1	1	96.25	63.75	0	28625.592	556.9892473	16111.76039	30000	0	0	30000	43.8125	2004
08.01.2020 12:57:30	1	1	1	1	96.25	63.75	0	28625.592	559.1397849	16066.9149	30000	0	0	30000	43.6875	2004
08.01.2020 12:57:32	1	1	1	1	96.25	63.5	0	28625.592	556.9892473	16005.76197	30000	0	0	30000	43.875	2004
08.01.2020 12:57:33	1	1	1	1	96.25	63.75	0	28625.592	559.1397849	16173.7287	30000	0	0	30000	43.375	2004
08.01.2020 12:57:34	1	1	1	1	96.25	63.25	0	27630.332	518.2795699	14260.86484	30000	0	0	30000	43.9375	2004
08.01.2020 12:57:35	1	1	1	1	96.25	63.75	0	28578.199	554.8387097	16421.60194	30000	0	0	30000	43.8125	2004
08.01.2020 12:57:36	1	1	1	1	96.25	63.75	0	28483.412	565.5913978	16048.16134	30000	0	0	30000	43.875	2004
08.01.2020 12:57:37	1	1	1	1	96.25	63.75	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	43.9375	2004
08.01.2020 12:57:38	1	1	1	1	96.25	63.75	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	43.8125	2004
08.01.2020 12:57:39	1	1	1	1	96.5	63.75	0	28578.199	559.1397849	16040.00761	30000	0	0	30000	43.6875	2004
08.01.2020 12:57:40	1	1	1	1	96.5	63.5	0	28436.019	565.5913978	16083.22235	30000	0	0	30000	43.875	2004
08.01.2020 12:57:41	1	1	1	1	96.5	63.75	0	28341.232	563.4408602	15645.36733	30000	0	0	30000	43.9375	2004
08.01.2020 12:57:42	1	1	1	1	96.5	63.75	0	28341.232	563.4408602	15881.00997	30000	0	0	30000	44.0625	2004
08.01.2020 12:57:43	1	1	1	1	96.5	64	0	28388.626	565.5913978	16117.468	30000	0	0	30000	43.5625	2004
08.01.2020 12:57:44	1	1	1	1	96.5	63.5	0	28341.232	563.4408602	15907.10189	30000	0	0	30000	43.9375	2004
08.01.2020 12:57:45	1	1	1	1	96.5	63.75	0	28436.019	559.1397849	16232.43552	30000	0	0	30000	43.6875	2004
08.01.2020 12:57:46	1	1	1	1	96.5	63.5	0	28388.626	563.4408602	15995.16212	30000	0	0	30000	44	2004
08.01.2020 12:57:47	1	1	1	1	96.5	64	0	28388.626	563.4408602	15995.16212	30000	0	0	30000	43.3125	2004
08.01.2020 12:57:54	1	1	1	1	96.25	64	0	28199.052	565.5913978	16123.99098	30000	0	0	30000	43.9375	2004
08.01.2020 12:57:54	1	1	1	1	96.25	64	0	28199.052	565.5913978	16123.99098	30000	0	0	30000	43.9375	2004
08.01.2020 12:57:54	1	1	1	1	96.25	64	0	28199.052	565.5913978	16123.99098	30000	0	0	30000	43.9375	2004
08.01.2020 12:57:54	1	1	1	1	96.25	64	0	28199.052	565.5913978	16123.99098	30000	0	0	30000	43.9375	2004
08.01.2020 12:57:54	1	1	1	1	96.25	64	0	28199.052	565.5913978	16123.99098	30000	0	0	30000	43.9375	2004
08.01.2020 12:57:54	1	1	1	1	96.25	64	0	28199.052	565.5913978	16123.99098	30000	0	0	30000	43.9375	2004
08.01.2020 12:57:54	1	1	1	1	96.25	64	0	28199.052	565.5913978	16123.99098	30000	0	0	30000	43.9375	2004
08.01.2020 12:57:56	1	1	1	1	96.25	64	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	43.625	2004
08.01.2020 12:57:56	1	1	1	1	96.25	64	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	43.625	2004
08.01.2020 12:57:56	1	1	1	1	96.25	64	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	43.625	2004
08.01.2020 12:57:57	1	1	1	1	96.25	63.5	0	28199.052	563.4408602	16009.83883	30000	0	0	30000	44	2004
08.01.2020 12:57:58	1	1	1	1	96.5	64	0	28436.019	565.5913978	16109.31427	30000	0	0	30000	43.875	2004
08.01.2020 12:57:59	1	1	1	1	96.5	63.75	0	28388.626	563.4408602	15995.16212	30000	0	0	30000	43.875	2004
08.01.2020 12:58:00	1	1	1	1	96.5	63.75	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	43.6875	2004
08.01.2020 12:58:01	1	1	1	1	96.5	63.5	0	28483.412	559.1397849	15987.0084	30000	0	0	30000	43.875	2004
08.01.2020 12:58:02	1	1	1	1	96.5	63.75	0	28625.592	561.2903226	16066.9149	30000	0	0	30000	43.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 12:58:03	1	1	1	1	96.5	63.75	0	28815.166	559.1397849	16173.7287	30000	0	0	30000	43.9375	2004
08.01.2020 12:58:04	1	1	1	1	96.5	63.75	0	28578.199	559.1397849	15917.70174	30000	0	0	30000	43.625	2004
08.01.2020 12:58:05	1	1	1	1	96.5	63.5	0	28625.592	563.4408602	15978.85467	30000	0	0	30000	42.4375	2004
08.01.2020 12:58:06	1	1	1	1	96.5	62.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	43.8125	2004
08.01.2020 12:58:07	1	1	1	1	96.5	63.75	0	28578.199	554.8387097	15917.70174	30000	0	0	30000	43.5625	2004
08.01.2020 12:58:08	1	1	1	1	97	63.5	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	43.375	2004
08.01.2020 12:58:10	1	1	1	1	97	63.25	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	43.75	2004
08.01.2020 12:58:11	1	1	1	1	97	63.75	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	43.3125	2004
08.01.2020 12:58:12	1	1	1	1	97	63.25	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	43.8125	2004
08.01.2020 12:58:13	1	1	1	1	97	63.75	0	28625.592	561.2903226	16040.00761	30000	0	0	30000	43.8125	2004
08.01.2020 12:58:14	1	1	1	1	97	63.75	0	28625.592	559.1397849	16005.76197	30000	0	0	30000	43.75	2004
08.01.2020 12:58:15	1	1	1	1	97	63.75	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	43.8125	2004
08.01.2020 12:58:16	1	1	1	1	97	63.75	0	28625.592	556.9892473	15917.70174	30000	0	0	30000	43.6875	2004
08.01.2020 12:58:17	1	1	1	1	97	63.5	0	28578.199	556.9892473	15943.79366	30000	0	0	30000	43.875	2004
08.01.2020 12:58:18	1	1	1	1	97	63.75	0	28388.626	559.1397849	15934.00919	30000	0	0	30000	43.625	2004
08.01.2020 12:58:19	1	1	1	1	96.5	63.5	0	28483.412	565.5913978	15987.0084	30000	0	0	30000	43.375	2004
08.01.2020 12:58:20	1	1	1	1	96.5	63.25	0	28436.019	569.8924731	15995.16212	30000	0	0	30000	42.9375	2004
08.01.2020 12:58:21	1	1	1	1	96.5	62.75	0	28578.199	563.4408602	16163.12886	30000	0	0	30000	42.625	2004
08.01.2020 12:58:22	1	1	1	1	96.5	62.5	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	43.9375	2004
08.01.2020 12:58:23	1	1	1	1	96.5	63.75	0	28483.412	559.1397849	15987.0084	30000	0	0	30000	43.8125	2004
08.01.2020 12:58:24	1	1	1	1	96.5	63.75	0	28530.806	561.2903226	15987.0084	30000	0	0	30000	43.875	2004
08.01.2020 12:58:25	1	1	1	1	96.5	63.75	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	44	2004
08.01.2020 12:58:26	1	1	1	1	96.5	64	0	28436.019	556.9892473	16109.31427	30000	0	0	30000	43.8125	2004
08.01.2020 12:58:27	1	1	1	1	96.5	63.75	0	28388.626	556.9892473	15750.55038	30000	0	0	30000	43.625	2004
08.01.2020 12:58:28	1	1	1	1	96.5	63.5	0	28436.019	556.9892473	16109.31427	30000	0	0	30000	43.375	2004
08.01.2020 12:58:29	1	1	1	1	96.75	63.25	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	43.875	2004
08.01.2020 12:58:30	1	1	1	1	96.75	63.75	0	28436.019	559.1397849	15960.91648	30000	0	0	30000	43.9375	2004
08.01.2020 12:58:31	1	1	1	1	96.75	63.75	0	28578.199	561.2903226	15803.54959	30000	0	0	30000	43.875	2004
08.01.2020 12:58:32	1	1	1	1	96.75	63.75	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	43.9375	2004
08.01.2020 12:58:33	1	1	1	1	96.75	63.75	0	28578.199	565.5913978	16163.12886	30000	0	0	30000	43.875	2004
08.01.2020 12:58:34	1	1	1	1	96.75	63.75	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	43.5625	2004
08.01.2020 12:58:35	1	1	1	1	96.75	63.5	0	28483.412	563.4408602	16109.31427	30000	0	0	30000	43.8125	2004
08.01.2020 12:58:36	1	1	1	1	96.75	63.75	0	28388.626	563.4408602	16029.40777	30000	0	0	30000	43.75	2004
08.01.2020 12:58:37	1	1	1	1	96.75	63.75	0	28341.232	563.4408602	16029.40777	30000	0	0	30000	44.0625	2004
08.01.2020 12:58:38	1	1	1	1	97	63.25	0	28341.232	576.344086	16002.50048	30000	0	0	30000	43.625	2004
08.01.2020 12:58:39	1	1	1	1	97	63.5	0	28293.839	567.7419355	15948.68589	30000	0	0	30000	43.875	2004
08.01.2020 12:58:40	1	1	1	1	97	63.75	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	43.75	2004
08.01.2020 12:58:41	1	1	1	1	97	63.75	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	43.5625	2004
08.01.2020 12:58:42	1	1	1	1	97	63.5	0	28009.479	567.7419355	15841.8721	30000	0	0	30000	43.5	2004
08.01.2020 12:58:43	1	1	1	1	97	63.5	0	28009.479	567.7419355	15841.8721	30000	0	0	30000	43.875	2004
08.01.2020 12:58:44	1	1	1	1	97	63.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	43.1875	2004
08.01.2020 12:58:45	1	1	1	1	97	63	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	43.5625	2004
08.01.2020 12:58:46	1	1	1	1	97	63.5	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	43.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 12:58:47	1	1	1	1	97	63.5	0	28199.052	569.8924731	16312.34202	30000	0	0	30000	43.625	2004
08.01.2020 12:58:48	1	1	1	1	96.75	63.5	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	43.875	2004
08.01.2020 12:58:55	1	1	1	1	96.75	63.75	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	43.875	2004
08.01.2020 12:58:55	1	1	1	1	96.75	63.75	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	43.875	2004
08.01.2020 12:58:55	1	1	1	1	96.75	63.75	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	43.875	2004
08.01.2020 12:58:55	1	1	1	1	96.75	63.75	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	43.875	2004
08.01.2020 12:58:55	1	1	1	1	96.75	63.75	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	43.875	2004
08.01.2020 12:58:55	1	1	1	1	96.75	63.75	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	43.875	2004
08.01.2020 12:58:56	1	1	1	1	96.75	63.75	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	43.9375	2004
08.01.2020 12:58:57	1	1	1	1	96.75	63.75	0	28009.479	569.8924731	16009.83883	30000	0	0	30000	43.4375	2004
08.01.2020 12:58:58	1	1	1	1	96.75	63.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	43.875	2004
08.01.2020 12:58:59	1	1	1	1	96.75	63.75	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	43.5625	2004
08.01.2020 12:59:00	1	1	1	1	96.75	63.5	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	43.5	2004
08.01.2020 12:59:01	1	1	1	1	96.75	63.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	43.4375	2004
08.01.2020 12:59:02	1	1	1	1	96.75	63.25	0	28199.052	572.0430108	16252.00446	30000	0	0	30000	43.875	2004
08.01.2020 12:59:03	1	1	1	1	96.75	63.75	0	28293.839	567.7419355	16009.83883	30000	0	0	30000	43	2004
08.01.2020 12:59:04	1	1	1	1	96.75	63	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	43.6875	2004
08.01.2020 12:59:05	1	1	1	1	96.75	63.5	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	43.6875	2004
08.01.2020 12:59:06	1	1	1	1	96.75	63.5	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	43.75	2004
08.01.2020 12:59:07	1	1	1	1	96.75	63.75	0	28388.626	563.4408602	16056.31506	30000	0	0	30000	43.75	2004
08.01.2020 12:59:08	1	1	1	1	96.75	63.75	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	43.6875	2004
08.01.2020 12:59:09	1	1	1	1	96.5	63.5	0	28625.592	556.9892473	16049.79208	30000	0	0	30000	43.1875	2004
08.01.2020 12:59:10	1	1	1	1	96.5	63	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	43.625	2004
08.01.2020 12:59:11	1	1	1	1	96.5	63.5	0	28672.986	554.8387097	15987.82377	30000	0	0	30000	43.375	2004
08.01.2020 12:59:12	1	1	1	1	96.5	63.25	0	28862.559	556.9892473	16075.884	30000	0	0	30000	43.875	2004
08.01.2020 12:59:13	1	1	1	1	96.5	63.75	0	28578.199	554.8387097	15943.79366	30000	0	0	30000	43.75	2004
08.01.2020 12:59:14	1	1	1	1	96.5	63.75	0	28578.199	563.4408602	15987.0084	30000	0	0	30000	43.625	2004
08.01.2020 12:59:15	1	1	1	1	96.5	63.5	0	28625.592	559.1397849	16040.00761	30000	0	0	30000	43.875	2004
08.01.2020 12:59:16	1	1	1	1	96.5	63.75	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	43.3125	2004
08.01.2020 12:59:17	1	1	1	1	96.5	63.25	0	28341.232	561.2903226	15827.19539	30000	0	0	30000	43.6875	2004
08.01.2020 12:59:18	1	1	1	1	96.5	63.5	0	28293.839	563.4408602	15888.34833	30000	0	0	30000	43.4375	2004
08.01.2020 12:59:19	1	1	1	1	96	63.75	0	28293.839	561.2903226	15968.25483	30000	0	0	30000	43.75	2004
08.01.2020 12:59:20	1	1	1	1	96	63.75	0	28293.839	569.8924731	16150.89827	30000	0	0	30000	43.5	2004
08.01.2020 12:59:21	1	1	1	1	96	63.5	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	43.3125	2004
08.01.2020 12:59:22	1	1	1	1	96	63.25	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	43.6875	2004
08.01.2020 12:59:23	1	1	1	1	96	63.5	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	43.875	2004
08.01.2020 12:59:24	1	1	1	1	96	63.75	0	28009.479	563.4408602	16070.17639	30000	0	0	30000	43.3125	2004
08.01.2020 12:59:25	1	1	1	1	96	63.25	0	28293.839	567.7419355	16070.17639	30000	0	0	30000	43.5	2004
08.01.2020 12:59:26	1	1	1	1	96	63.5	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	43.6875	2004
08.01.2020 12:59:27	1	1	1	1	96	63.5	0	28293.839	565.5913978	16002.50048	30000	0	0	30000	43.875	2004
08.01.2020 12:59:28	1	1	1	1	96	63.75	0	28388.626	567.7419355	16056.31506	30000	0	0	30000	43.875	2004
08.01.2020 12:59:30	1	1	1	1	96	63.75	0	28388.626	565.5913978	16029.40777	30000	0	0	30000	42.9375	2004
08.01.2020 12:59:30	1	1	1	1	96	62.75	0	28293.839	567.7419355	16063.65341	30000	0	0	30000	43.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 12:59:32	1	1	1	1	96	63.75	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	43.625	2004
08.01.2020 12:59:33	1	1	1	1	96	63.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	43.6875	2004
08.01.2020 12:59:34	1	1	1	1	96	63.5	0	28009.479	572.0430108	16142.74454	30000	0	0	30000	43.6875	2004
08.01.2020 12:59:35	1	1	1	1	96	63.5	0	28199.052	574.1935484	16191.66689	30000	0	0	30000	43.8125	2004
08.01.2020 12:59:36	1	1	1	1	96	63.75	0	28009.479	574.1935484	15961.73185	30000	0	0	30000	43.6875	2004
08.01.2020 12:59:37	1	1	1	1	96	63.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	43.625	2004
08.01.2020 12:59:38	1	1	1	1	96	63.5	0	28009.479	574.1935484	15995.16212	30000	0	0	30000	43.4375	2004
08.01.2020 12:59:39	1	1	1	1	95.75	63.25	0	27914.692	572.0430108	15881.00997	30000	0	0	30000	43.75	2004
08.01.2020 12:59:40	1	1	1	1	95.75	63.75	0	27867.299	576.344086	15973.96244	30000	0	0	30000	43.8125	2004
08.01.2020 12:59:41	1	1	1	1	95.75	63.75	0	27962.085	572.0430108	16055.49969	30000	0	0	30000	43.6875	2004
08.01.2020 12:59:42	1	1	1	1	95.75	63.5	0	27914.692	569.8924731	15968.25483	30000	0	0	30000	43.5625	2004
08.01.2020 12:59:43	1	1	1	1	95.75	63.5	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	43.625	2004
08.01.2020 12:59:44	1	1	1	1	95.75	63.5	0	27867.299	572.0430108	16000.86973	30000	0	0	30000	43.8125	2004
08.01.2020 12:59:45	1	1	1	1	95.75	63.75	0	27867.299	574.1935484	16027.77702	30000	0	0	30000	42.9375	2004
08.01.2020 12:59:46	1	1	1	1	95.75	62.75	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	43.6875	2004
08.01.2020 12:59:47	1	1	1	1	95.75	63.5	0	27819.905	574.1935484	15973.96244	30000	0	0	30000	43.8125	2004
08.01.2020 12:59:48	1	1	1	1	95.75	63.75	0	27630.332	572.0430108	15919.33248	30000	0	0	30000	43.75	2004
08.01.2020 12:59:49	1	1	1	1	96	63.75	0	27962.085	572.0430108	16055.49969	30000	0	0	30000	43.125	2004
08.01.2020 12:59:50	1	1	1	1	96	63	0	28009.479	574.1935484	16142.74454	30000	0	0	30000	43.8125	2004
08.01.2020 12:59:57	1	1	1	1	96	63.25	0	27914.692	574.1935484	16088.11459	30000	0	0	30000	43.9375	2004
08.01.2020 12:59:57	1	1	1	1	96	63.25	0	27914.692	574.1935484	16088.11459	30000	0	0	30000	43.9375	2004
08.01.2020 12:59:57	1	1	1	1	96	63.25	0	27914.692	574.1935484	16088.11459	30000	0	0	30000	43.9375	2004
08.01.2020 12:59:57	1	1	1	1	96	63.25	0	27914.692	574.1935484	16088.11459	30000	0	0	30000	43.9375	2004
08.01.2020 12:59:57	1	1	1	1	96	63.25	0	27914.692	574.1935484	16088.11459	30000	0	0	30000	43.9375	2004
08.01.2020 12:59:57	1	1	1	1	96	63.25	0	27914.692	574.1935484	16088.11459	30000	0	0	30000	43.9375	2004
08.01.2020 12:59:57	1	1	1	1	96	63.75	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	44.0625	2004
08.01.2020 12:59:58	1	1	1	1	96	64	0	28009.479	574.1935484	16022.06942	30000	0	0	30000	43.5625	2004
08.01.2020 12:59:59	1	1	1	1	96.75	63.75	0	28009.479	572.0430108	15841.8721	30000	0	0	30000	43.5625	2004
08.01.2020 13:00:00	1	1	1	1	96.75	63.5	0	27914.692	569.8924731	15907.91727	30000	0	0	30000	43.875	2004
08.01.2020 13:00:01	1	1	1	1	96.75	63.75	0	28009.479	576.344086	16022.06942	30000	0	0	30000	43.375	2004
08.01.2020 13:00:02	1	1	1	1	96.75	63.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	43.8125	2004
08.01.2020 13:00:03	1	1	1	1	96.75	63.75	0	27867.299	572.0430108	15881.00997	30000	0	0	30000	43.75	2004
08.01.2020 13:00:04	1	1	1	1	96.75	63.75	0	27914.692	569.8924731	15907.91727	30000	0	0	30000	43.875	2004
08.01.2020 13:00:05	1	1	1	1	96.75	63.75	0	27914.692	572.0430108	15968.25483	30000	0	0	30000	43.75	2004
08.01.2020 13:00:06	1	1	1	1	96.75	63.75	0	27867.299	572.0430108	15745.65814	30000	0	0	30000	43.375	2004
08.01.2020 13:00:07	1	1	1	1	96.75	63.25	0	27867.299	572.0430108	15941.34754	30000	0	0	30000	43.1875	2004
08.01.2020 13:00:09	1	1	1	1	96.75	63	0	28009.479	574.1935484	16203.08211	30000	0	0	30000	43.5	2004
08.01.2020 13:00:10	1	1	1	1	96.75	63.5	0	28009.479	563.4408602	16070.17639	30000	0	0	30000	43.8125	2004
08.01.2020 13:00:11	1	1	1	1	96.75	63.75	0	28341.232	565.5913978	16029.40777	30000	0	0	30000	43.625	2004
08.01.2020 13:00:12	1	1	1	1	96.75	63.5	0	28341.232	567.7419355	16029.40777	30000	0	0	30000	43.375	2004
08.01.2020 13:00:13	1	1	1	1	96.75	63.25	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	43.75	2004
08.01.2020 13:00:14	1	1	1	1	96.75	63.75	0	28199.052	567.7419355	15660.8594	30000	0	0	30000	43.75	2004
08.01.2020 13:00:15	1	1	1	1	96.75	63.75	0	28293.839	563.4408602	16150.89827	30000	0	0	30000	43.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 13:00:16	1	1	1	1	96.75	63.75	0	28199.052	565.5913978	16123.99098	30000	0	0	30000	43.6875	2004
08.01.2020 13:00:17	1	1	1	1	96.75	63.5	0	28293.839	565.5913978	16002.50048	30000	0	0	30000	43.8125	2004
08.01.2020 13:00:18	1	1	1	1	96.75	63.75	0	28388.626	576.344086	16002.50048	30000	0	0	30000	43.875	2004
08.01.2020 13:00:19	1	1	1	1	97.25	63.75	0	28293.839	563.4408602	16029.40777	30000	0	0	30000	43.25	2004
08.01.2020 13:00:20	1	1	1	1	97.25	63.25	0	28293.839	565.5913978	15827.19539	30000	0	0	30000	43.5625	2004
08.01.2020 13:00:21	1	1	1	1	97.25	63.5	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	43.375	2004
08.01.2020 13:00:22	1	1	1	1	97.25	63.25	0	28009.479	563.4408602	15948.68589	30000	0	0	30000	43.75	2004
08.01.2020 13:00:23	1	1	1	1	97.25	63.75	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	43.625	2004
08.01.2020 13:00:24	1	1	1	1	97.25	63.5	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	43.75	2004
08.01.2020 13:00:25	1	1	1	1	97.25	63.75	0	28199.052	572.0430108	16070.17639	30000	0	0	30000	43.75	2004
08.01.2020 13:00:26	1	1	1	1	97.25	63.75	0	28009.479	569.8924731	15841.8721	30000	0	0	30000	43.6875	2004
08.01.2020 13:00:27	1	1	1	1	97.25	63.5	0	28009.479	567.7419355	15841.8721	30000	0	0	30000	43.8125	2004
08.01.2020 13:00:28	1	1	1	1	97.25	63.75	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	43.3125	2004
08.01.2020 13:00:29	1	1	1	1	97.5	63.25	0	28009.479	572.0430108	15721.19697	30000	0	0	30000	43.875	2004
08.01.2020 13:00:30	1	1	1	1	97.5	63.75	0	24881.517	481.7204301	11985.97559	30000	0	0	30000	43.8125	2004
08.01.2020 13:00:31	1	1	1	1	97.5	63.75	0	27962.085	567.7419355	15934.82456	30000	0	0	30000	43.4375	2004
08.01.2020 13:00:32	1	1	1	1	97.5	63.25	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	43.8125	2004
08.01.2020 13:00:33	1	1	1	1	97.5	63.75	0	28009.479	565.5913978	15961.73185	30000	0	0	30000	43.0625	2004
08.01.2020 13:00:34	1	1	1	1	97.5	63	0	28009.479	567.7419355	16009.83883	30000	0	0	30000	43.75	2004
08.01.2020 13:00:35	1	1	1	1	97.5	63.75	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	44.1875	2004
08.01.2020 13:00:36	1	1	1	1	97.5	64	0	28341.232	576.344086	15827.19539	30000	0	0	30000	44.0625	2004
08.01.2020 13:00:37	1	1	1	1	97.5	63.75	0	28293.839	567.7419355	16009.83883	30000	0	0	30000	43	2004
08.01.2020 13:00:38	1	1	1	1	97.25	63	0	28199.052	563.4408602	16002.50048	30000	0	0	30000	43.6875	2004
08.01.2020 13:00:39	1	1	1	1	97.25	63.5	0	28009.479	565.5913978	15921.7786	30000	0	0	30000	43.8125	2004
08.01.2020 13:00:40	1	1	1	1	97.25	63.75	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	43.8125	2004
08.01.2020 13:00:41	1	1	1	1	97.25	63.75	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	43.1875	2004
08.01.2020 13:00:42	1	1	1	1	97.25	63	0	28009.479	569.8924731	16191.66689	30000	0	0	30000	42.9375	2004
08.01.2020 13:00:43	1	1	1	1	97.25	62.75	0	28009.479	569.8924731	16130.51396	30000	0	0	30000	43.3125	2004
08.01.2020 13:00:44	1	1	1	1	97.25	63.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	42.8125	2004
08.01.2020 13:00:45	1	1	1	1	97.25	62.75	0	28199.052	572.0430108	16130.51396	30000	0	0	30000	43.6875	2004
08.01.2020 13:00:46	1	1	1	1	97.25	63.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	43.625	2004
08.01.2020 13:00:48	1	1	1	1	97.25	63.5	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	43.6875	2004
08.01.2020 13:00:49	1	1	1	1	97.25	63.5	0	28293.839	569.8924731	16009.83883	30000	0	0	30000	43.5625	2004
08.01.2020 13:00:50	1	1	1	1	97.25	63.5	0	28199.052	565.5913978	15721.19697	30000	0	0	30000	43.625	2004
08.01.2020 13:00:51	1	1	1	1	97.25	63.5	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	43.625	2004
08.01.2020 13:00:52	1	1	1	1	97.25	63.5	0	28009.479	561.2903226	15961.73185	30000	0	0	30000	43.6875	2004
08.01.2020 13:00:58	1	1	1	1	97.25	63.25	0	28246.445	567.7419355	15948.68589	30000	0	0	30000	43.25	2004
08.01.2020 13:00:58	1	1	1	1	97.25	63.25	0	28246.445	567.7419355	15948.68589	30000	0	0	30000	43.25	2004
08.01.2020 13:00:58	1	1	1	1	97.25	63.25	0	28246.445	567.7419355	15948.68589	30000	0	0	30000	43.25	2004
08.01.2020 13:00:58	1	1	1	1	97.25	63.25	0	28246.445	567.7419355	15948.68589	30000	0	0	30000	43.25	2004
08.01.2020 13:00:58	1	1	1	1	97.25	63.25	0	28246.445	567.7419355	15948.68589	30000	0	0	30000	43.25	2004
08.01.2020 13:00:58	1	1	1	1	97.25	63.25	0	28246.445	567.7419355	15948.68589	30000	0	0	30000	43.25	2004
08.01.2020 13:00:59	1	1	1	1	97.5	63.25	0	28009.479	567.7419355	15841.8721	30000	0	0	30000	43.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 13:01:00	1	1	1	1	97.5	63.75	0	28199.052	567.7419355	16130.51396	30000	0	0	30000	43.6875	2004
08.01.2020 13:01:01	1	1	1	1	97.5	63.5	0	28293.839	567.7419355	16063.65341	30000	0	0	30000	44.0625	2004
08.01.2020 13:01:02	1	1	1	1	97.5	64	0	28009.479	565.5913978	15841.8721	30000	0	0	30000	43.75	2004
08.01.2020 13:01:03	1	1	1	1	97.5	63.75	0	28293.839	565.5913978	16029.40777	30000	0	0	30000	43.625	2004
08.01.2020 13:01:04	1	1	1	1	97.5	63.5	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	43.8125	2004
08.01.2020 13:01:05	1	1	1	1	97.5	63.75	0	28483.412	556.9892473	15925.85546	30000	0	0	30000	43.6875	2004
08.01.2020 13:01:06	1	1	1	1	97.5	63.5	0	28578.199	559.1397849	15978.85467	30000	0	0	30000	43.875	2004
08.01.2020 13:01:07	1	1	1	1	97.5	63.75	0	28578.199	565.5913978	16163.12886	30000	0	0	30000	43.9375	2004
08.01.2020 13:01:08	1	1	1	1	97.5	63.75	0	28436.019	561.2903226	15987.0084	30000	0	0	30000	43.4375	2004
08.01.2020 13:01:09	1	1	1	1	97.5	63.25	0	28388.626	565.5913978	15995.16212	30000	0	0	30000	43.5	2004
08.01.2020 13:01:10	1	1	1	1	97.5	63.5	0	28341.232	565.5913978	16177.80556	30000	0	0	30000	43.3125	2004
08.01.2020 13:01:11	1	1	1	1	97.5	63.25	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	43.6875	2004
08.01.2020 13:01:12	1	1	1	1	97.5	63.5	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	43.9375	2004
08.01.2020 13:01:13	1	1	1	1	97.5	63.75	0	28199.052	563.4408602	15941.34754	30000	0	0	30000	43.6875	2004
08.01.2020 13:01:14	1	1	1	1	97.5	63.5	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	43.625	2004
08.01.2020 13:01:15	1	1	1	1	97.5	63.5	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	43.75	2004
08.01.2020 13:01:16	1	1	1	1	97.5	63.75	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	43.6875	2004
08.01.2020 13:01:17	1	1	1	1	97.5	63.5	0	28625.592	554.8387097	16049.79208	30000	0	0	30000	43.3125	2004
08.01.2020 13:01:18	1	1	1	1	97.25	63.25	0	28578.199	559.1397849	15978.85467	30000	0	0	30000	43.875	2004
08.01.2020 13:01:19	1	1	1	1	97.25	63.75	0	28436.019	561.2903226	16022.06942	30000	0	0	30000	43.875	2004
08.01.2020 13:01:20	1	1	1	1	97.25	63.75	0	28436.019	563.4408602	15995.16212	30000	0	0	30000	43.8125	2004
08.01.2020 13:01:21	1	1	1	1	97.25	63.75	0	28341.232	561.2903226	15968.25483	30000	0	0	30000	43.625	2004
08.01.2020 13:01:23	1	1	1	1	97.25	63.5	0	28388.626	565.5913978	15907.10189	30000	0	0	30000	42.875	2004
08.01.2020 13:01:24	1	1	1	1	97.25	62.75	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	42.4375	2004
08.01.2020 13:01:25	1	1	1	1	97.25	62.25	0	28341.232	567.7419355	16238.9585	30000	0	0	30000	43.5	2004
08.01.2020 13:01:26	1	1	1	1	97.25	63.5	0	28341.232	563.4408602	16029.40777	30000	0	0	30000	43.875	2004
08.01.2020 13:01:27	1	1	1	1	97.25	63.75	0	28293.839	565.5913978	16002.50048	30000	0	0	30000	43.3125	2004
08.01.2020 13:01:28	1	1	1	1	97.25	63.25	0	28199.052	565.5913978	15888.34833	30000	0	0	30000	43.5625	2004
08.01.2020 13:01:29	1	1	1	1	96.75	63.5	0	28199.052	567.7419355	16130.51396	30000	0	0	30000	43.9375	2004
08.01.2020 13:01:30	1	1	1	1	96.75	63.75	0	28199.052	567.7419355	16123.99098	30000	0	0	30000	43.8125	2004
08.01.2020 13:01:31	1	1	1	1	96.75	63.75	0	28199.052	567.7419355	16191.66689	30000	0	0	30000	43.8125	2004
08.01.2020 13:01:32	1	1	1	1	96.75	63.75	0	28009.479	567.7419355	16009.83883	30000	0	0	30000	43.625	2004
08.01.2020 13:01:33	1	1	1	1	96.75	63.5	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	43.125	2004
08.01.2020 13:01:34	1	1	1	1	96.75	63	0	28009.479	565.5913978	15902.20966	30000	0	0	30000	43.875	2004
08.01.2020 13:01:35	1	1	1	1	96.75	63.75	0	28199.052	572.0430108	16130.51396	30000	0	0	30000	43.375	2004
08.01.2020 13:01:36	1	1	1	1	96.75	63.25	0	28199.052	567.7419355	16063.65341	30000	0	0	30000	43.0625	2004
08.01.2020 13:01:37	1	1	1	1	96.75	63	0	28009.479	567.7419355	15948.68589	30000	0	0	30000	43.375	2004
08.01.2020 13:01:38	1	1	1	1	96.75	63.25	0	28009.479	565.5913978	15841.8721	30000	0	0	30000	43.125	2004
08.01.2020 13:01:39	1	1	1	1	97.25	63	0	28293.839	567.7419355	16123.99098	30000	0	0	30000	43.25	2004
08.01.2020 13:01:40	1	1	1	1	97.25	63.25	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	43.25	2004
08.01.2020 13:01:41	1	1	1	1	97.25	63.25	0	28009.479	569.8924731	15902.20966	30000	0	0	30000	43.625	2004
08.01.2020 13:01:42	1	1	1	1	97.25	63.5	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	43.3125	2004
08.01.2020 13:01:43	1	1	1	1	97.25	63.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	43.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 13:01:44	1	1	1	1	97.25	63.5	0	28009.479	567.7419355	16070.17639	30000	0	0	30000	43.875	2004
08.01.2020 13:01:45	1	1	1	1	97.25	63.75	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	43.1875	2004
08.01.2020 13:01:46	1	1	1	1	97.25	63	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	43.75	2004
08.01.2020 13:01:47	1	1	1	1	97.25	63.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	43.875	2004
08.01.2020 13:01:48	1	1	1	1	97.25	63.75	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	42.9375	2004
08.01.2020 13:01:49	1	1	1	1	97.75	62.75	0	28388.626	567.7419355	16056.31506	30000	0	0	30000	44.125	2004
08.01.2020 13:01:50	1	1	1	1	97.75	64	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	43.625	2004
08.01.2020 13:01:51	1	1	1	1	97.75	63.5	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	43.25	2004
08.01.2020 13:01:52	1	1	1	1	97.75	63.25	0	28199.052	563.4408602	15841.8721	30000	0	0	30000	43.625	2004
08.01.2020 13:01:53	1	1	1	1	97.75	63.5	0	28009.479	567.7419355	15948.68589	30000	0	0	30000	43.6875	2004
08.01.2020 13:02:00	1	1	1	1	97.75	63.5	0	28625.592	561.2903226	15794.58049	30000	0	0	30000	43.875	2004
08.01.2020 13:02:00	1	1	1	1	97.75	63.5	0	28625.592	561.2903226	15794.58049	30000	0	0	30000	43.875	2004
08.01.2020 13:02:00	1	1	1	1	97.75	63.5	0	28625.592	561.2903226	15794.58049	30000	0	0	30000	43.875	2004
08.01.2020 13:02:00	1	1	1	1	97.75	63.5	0	28625.592	561.2903226	15794.58049	30000	0	0	30000	43.875	2004
08.01.2020 13:02:00	1	1	1	1	97.75	63.5	0	28625.592	561.2903226	15794.58049	30000	0	0	30000	43.875	2004
08.01.2020 13:02:00	1	1	1	1	97.75	63.75	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	43.75	2004
08.01.2020 13:02:01	1	1	1	1	97.75	63.75	0	28483.412	556.9892473	15864.70252	30000	0	0	30000	43.6875	2004
08.01.2020 13:02:02	1	1	1	1	97.75	63.5	0	28578.199	556.9892473	15978.85467	30000	0	0	30000	43.4375	2004
08.01.2020 13:02:03	1	1	1	1	97.75	63.25	0	28578.199	559.1397849	16040.00761	30000	0	0	30000	42.8125	2004
08.01.2020 13:02:05	1	1	1	1	97.75	62.75	0	28483.412	556.9892473	16101.97592	30000	0	0	30000	43.25	2004
08.01.2020 13:02:06	1	1	1	1	97.75	63.25	0	28483.412	561.2903226	16109.31427	30000	0	0	30000	43.1875	2004
08.01.2020 13:02:07	1	1	1	1	97.75	63	0	28483.412	559.1397849	15987.0084	30000	0	0	30000	43.8125	2004
08.01.2020 13:02:08	1	1	1	1	97.75	63.75	0	28815.166	559.1397849	16049.79208	30000	0	0	30000	43.0625	2004
08.01.2020 13:02:09	1	1	1	1	97.5	63	0	28815.166	559.1397849	15943.79366	30000	0	0	30000	43.25	2004
08.01.2020 13:02:10	1	1	1	1	97.5	63.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	43.625	2004
08.01.2020 13:02:11	1	1	1	1	97.5	63.5	0	28672.986	554.8387097	16049.79208	30000	0	0	30000	43.6875	2004
08.01.2020 13:02:12	1	1	1	1	97.5	63.5	0	28530.806	561.2903226	15987.0084	30000	0	0	30000	43.8125	2004
08.01.2020 13:02:13	1	1	1	1	97.5	63.75	0	28578.199	561.2903226	16066.9149	30000	0	0	30000	43.8125	2004
08.01.2020 13:02:14	1	1	1	1	97.5	63.75	0	28436.019	559.1397849	15960.91648	30000	0	0	30000	43.75	2004
08.01.2020 13:02:15	1	1	1	1	97.5	63.75	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	43.625	2004
08.01.2020 13:02:16	1	1	1	1	97.5	63.5	0	28388.626	565.5913978	16029.40777	30000	0	0	30000	43.5	2004
08.01.2020 13:02:17	1	1	1	1	97.5	63.5	0	28388.626	565.5913978	16056.31506	30000	0	0	30000	43.625	2004
08.01.2020 13:02:18	1	1	1	1	97.5	63.5	0	28341.232	567.7419355	16090.5607	30000	0	0	30000	43.0625	2004
08.01.2020 13:02:19	1	1	1	1	97.5	63	0	28199.052	569.8924731	16009.83883	30000	0	0	30000	43.5	2004
08.01.2020 13:02:20	1	1	1	1	97.5	63.5	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	43.6875	2004
08.01.2020 13:02:21	1	1	1	1	97.5	63.5	0	28009.479	572.0430108	16130.51396	30000	0	0	30000	43.25	2004
08.01.2020 13:02:22	1	1	1	1	97.5	63.25	0	28009.479	569.8924731	15781.53453	30000	0	0	30000	43	2004
08.01.2020 13:02:23	1	1	1	1	97.5	63	0	27914.692	567.7419355	15907.91727	30000	0	0	30000	43.5	2004
08.01.2020 13:02:24	1	1	1	1	97.5	63.5	0	27867.299	567.7419355	15854.10268	30000	0	0	30000	43.8125	2004
08.01.2020 13:02:25	1	1	1	1	97.5	63.75	0	27914.692	574.1935484	15968.25483	30000	0	0	30000	43.75	2004
08.01.2020 13:02:26	1	1	1	1	97.5	63.75	0	28009.479	574.1935484	16022.06942	30000	0	0	30000	43.6875	2004
08.01.2020 13:02:27	1	1	1	1	97.5	63.5	0	27819.905	574.1935484	15973.96244	30000	0	0	30000	43.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 13:02:28	1	1	1	1	97.5	63.75	0	27725.118	574.1935484	15864.70252	30000	0	0	30000	43.4375	2004
08.01.2020 13:02:29	1	1	1	1	97	63.25	0	27867.299	574.1935484	15973.96244	30000	0	0	30000	43.4375	2004
08.01.2020 13:02:30	1	1	1	1	97	63.25	0	27867.299	576.344086	16000.86973	30000	0	0	30000	43.5625	2004
08.01.2020 13:02:31	1	1	1	1	97	63.5	0	27819.905	576.344086	16033.48463	30000	0	0	30000	43.8125	2004
08.01.2020 13:02:32	1	1	1	1	97	63.75	0	27630.332	576.344086	16033.48463	30000	0	0	30000	43.875	2004
08.01.2020 13:02:33	1	1	1	1	97	63.75	0	27819.905	576.344086	16033.48463	30000	0	0	30000	43.625	2004
08.01.2020 13:02:34	1	1	1	1	97	63.5	0	27819.905	576.344086	16033.48463	30000	0	0	30000	43.0625	2004
08.01.2020 13:02:35	1	1	1	1	97	64	0	27819.905	574.1935484	16033.48463	30000	0	0	30000	43.8125	2004
08.01.2020 13:02:36	1	1	1	1	97	63.75	0	27630.332	567.7419355	15973.96244	30000	0	0	30000	43.8125	2004
08.01.2020 13:02:37	1	1	1	1	97	63.75	0	27867.299	574.1935484	15973.96244	30000	0	0	30000	43.6875	2004
08.01.2020 13:02:38	1	1	1	1	97.25	63.5	0	27914.692	576.344086	16000.86973	30000	0	0	30000	43.1875	2004
08.01.2020 13:02:39	1	1	1	1	97.25	63	0	28009.479	576.344086	16055.49969	30000	0	0	30000	43.8125	2004
08.01.2020 13:02:40	1	1	1	1	97.25	63.75	0	27819.905	572.0430108	15973.96244	30000	0	0	30000	43.5625	2004
08.01.2020 13:02:41	1	1	1	1	97.25	63.5	0	27914.692	574.1935484	16115.83725	30000	0	0	30000	42.5	2004
08.01.2020 13:02:42	1	1	1	1	97.25	62.5	0	27867.299	572.0430108	16000.86973	30000	0	0	30000	43.75	2004
08.01.2020 13:02:44	1	1	1	1	97.25	63.75	0	27867.299	576.344086	16000.86973	30000	0	0	30000	43.6875	2004
08.01.2020 13:02:45	1	1	1	1	97.25	63.5	0	27914.692	574.1935484	16027.77702	30000	0	0	30000	43.625	2004
08.01.2020 13:02:46	1	1	1	1	97.25	63.5	0	27819.905	567.7419355	15913.62487	30000	0	0	30000	43.5	2004
08.01.2020 13:02:47	1	1	1	1	97.25	63.5	0	27819.905	576.344086	15973.96244	30000	0	0	30000	43.625	2004
08.01.2020 13:02:48	1	1	1	1	97.25	63.5	0	28388.626	567.7419355	16117.468	30000	0	0	30000	43.4375	2004
08.01.2020 13:02:49	1	1	1	1	96.75	63.25	0	27819.905	569.8924731	15854.10268	30000	0	0	30000	43.5625	2004
08.01.2020 13:02:50	1	1	1	1	96.75	63.5	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	42.9375	2004
08.01.2020 13:02:51	1	1	1	1	96.75	62.75	0	28009.479	572.0430108	15841.8721	30000	0	0	30000	43.375	2004
08.01.2020 13:02:52	1	1	1	1	96.75	63.25	0	28009.479	574.1935484	15961.73185	30000	0	0	30000	43.5	2004
08.01.2020 13:02:53	1	1	1	1	96.75	63.5	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	43.875	2004
08.01.2020 13:02:54	1	1	1	1	96.75	63.75	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	43.875	2004
08.01.2020 13:02:55	1	1	1	1	96.75	63.75	0	27914.692	572.0430108	15968.25483	30000	0	0	30000	43.8125	2004
08.01.2020 13:03:02	1	1	1	1	97.25	63.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	43.4375	2004
08.01.2020 13:03:02	1	1	1	1	97.25	63.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	43.4375	2004
08.01.2020 13:03:02	1	1	1	1	97.25	63.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	43.4375	2004
08.01.2020 13:03:02	1	1	1	1	97.25	63.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	43.4375	2004
08.01.2020 13:03:02	1	1	1	1	97.25	63.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	43.4375	2004
08.01.2020 13:03:02	1	1	1	1	97.25	63.25	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	43.375	2004
08.01.2020 13:03:03	1	1	1	1	97.25	63.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	43.8125	2004
08.01.2020 13:03:04	1	1	1	1	97.25	63.75	0	28341.232	567.7419355	16177.80556	30000	0	0	30000	43.5625	2004
08.01.2020 13:03:05	1	1	1	1	97.25	63.5	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	43.8125	2004
08.01.2020 13:03:06	1	1	1	1	97.25	63.75	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	43.625	2004
08.01.2020 13:03:07	1	1	1	1	97.25	63.5	0	28436.019	565.5913978	15811.70331	30000	0	0	30000	42.3125	2004
08.01.2020 13:03:08	1	1	1	1	97.25	62.25	0	28530.806	565.5913978	16136.22156	30000	0	0	30000	43.6875	2004
08.01.2020 13:03:09	1	1	1	1	97	63.5	0	28199.052	563.4408602	15888.34833	30000	0	0	30000	43.625	2004
08.01.2020 13:03:10	1	1	1	1	97	63.5	0	28436.019	565.5913978	16022.06942	30000	0	0	30000	43.75	2004
08.01.2020 13:03:11	1	1	1	1	97	63.5	0	28578.199	563.4408602	16313.15739	30000	0	0	30000	43.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 13:03:12	1	1	1	1	97	63.5	0	28388.626	561.2903226	15934.00919	30000	0	0	30000	42.75	2004
08.01.2020 13:03:13	1	1	1	1	97	62.75	0	28436.019	563.4408602	16083.22235	30000	0	0	30000	43.8125	2004
08.01.2020 13:03:14	1	1	1	1	97	63.75	0	28578.199	565.5913978	16136.22156	30000	0	0	30000	43.8125	2004
08.01.2020 13:03:15	1	1	1	1	97	63.75	0	28341.232	563.4408602	16177.80556	30000	0	0	30000	43.625	2004
08.01.2020 13:03:16	1	1	1	1	97	63.5	0	28009.479	559.1397849	15721.19697	30000	0	0	30000	42.75	2004
08.01.2020 13:03:17	1	1	1	1	97	62.75	0	28388.626	567.7419355	16029.40777	30000	0	0	30000	43.3125	2004
08.01.2020 13:03:18	1	1	1	1	97	63.25	0	28388.626	563.4408602	15995.16212	30000	0	0	30000	43.6875	2004
08.01.2020 13:03:19	1	1	1	1	97	63.5	0	28341.232	565.5913978	16029.40777	30000	0	0	30000	43.625	2004
08.01.2020 13:03:21	1	1	1	1	97	63.5	0	28388.626	563.4408602	16056.31506	30000	0	0	30000	43.625	2004
08.01.2020 13:03:22	1	1	1	1	97	63.5	0	28293.839	556.9892473	15758.7041	30000	0	0	30000	43.25	2004
08.01.2020 13:03:23	1	1	1	1	97	63.25	0	28199.052	561.2903226	15948.68589	30000	0	0	30000	43.625	2004
08.01.2020 13:03:24	1	1	1	1	97	63.5	0	28293.839	569.8924731	15948.68589	30000	0	0	30000	43.9375	2004
08.01.2020 13:03:25	1	1	1	1	97	63.75	0	28293.839	576.344086	16070.17639	30000	0	0	30000	43.5	2004
08.01.2020 13:03:26	1	1	1	1	97	63.5	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	43.75	2004
08.01.2020 13:03:27	1	1	1	1	97	63.75	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	43.5625	2004
08.01.2020 13:03:28	1	1	1	1	97	63.5	0	28199.052	572.0430108	16070.17639	30000	0	0	30000	43.4375	2004
08.01.2020 13:03:29	1	1	1	1	96.75	63.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	43.625	2004
08.01.2020 13:03:30	1	1	1	1	96.75	63.5	0	28009.479	563.4408602	16070.17639	30000	0	0	30000	43.6875	2004
08.01.2020 13:03:31	1	1	1	1	96.75	63.5	0	28009.479	567.7419355	16070.17639	30000	0	0	30000	43.75	2004
08.01.2020 13:03:32	1	1	1	1	96.75	63.75	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	42.0625	2004
08.01.2020 13:03:33	1	1	1	1	96.75	62	0	28009.479	569.8924731	15841.8721	30000	0	0	30000	42.0625	2004
08.01.2020 13:03:34	1	1	1	1	96.75	62	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	43.375	2004
08.01.2020 13:03:35	1	1	1	1	96.75	63.25	0	28151.659	574.1935484	15961.73185	30000	0	0	30000	43.1875	2004
08.01.2020 13:03:36	1	1	1	1	96.75	63	0	28199.052	565.5913978	16070.17639	30000	0	0	30000	43.6875	2004
08.01.2020 13:03:37	1	1	1	1	96.75	63.5	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	43.6875	2004
08.01.2020 13:03:38	1	1	1	1	96.75	63.5	0	28009.479	567.7419355	16009.83883	30000	0	0	30000	43.75	2004
08.01.2020 13:03:39	1	1	1	1	96.75	63.75	0	28293.839	567.7419355	16063.65341	30000	0	0	30000	43.6875	2004
08.01.2020 13:03:40	1	1	1	1	96.75	63.5	0	28341.232	565.5913978	16029.40777	30000	0	0	30000	43.25	2004
08.01.2020 13:03:41	1	1	1	1	96.75	63.25	0	28436.019	572.0430108	16056.31506	30000	0	0	30000	43.125	2004
08.01.2020 13:03:42	1	1	1	1	96.75	63	0	28199.052	563.4408602	15948.68589	30000	0	0	30000	43.8125	2004
08.01.2020 13:03:43	1	1	1	1	96.75	63.75	0	28436.019	563.4408602	16022.06942	30000	0	0	30000	43.5	2004
08.01.2020 13:03:44	1	1	1	1	96.75	63.5	0	28199.052	565.5913978	15841.8721	30000	0	0	30000	43.5	2004
08.01.2020 13:03:45	1	1	1	1	96.75	63.5	0	28341.232	565.5913978	15941.34754	30000	0	0	30000	42.5625	2004
08.01.2020 13:03:46	1	1	1	1	96.75	62.5	0	28199.052	554.8387097	15968.25483	30000	0	0	30000	43.75	2004
08.01.2020 13:03:47	1	1	1	1	96.75	63.75	0	28341.232	559.1397849	16056.31506	30000	0	0	30000	42.6875	2004
08.01.2020 13:03:48	1	1	1	1	96.75	62.5	0	28293.839	563.4408602	15888.34833	30000	0	0	30000	42.5	2004
08.01.2020 13:03:49	1	1	1	1	96.5	62.5	0	28436.019	565.5913978	16083.22235	30000	0	0	30000	43.5625	2004
08.01.2020 13:03:50	1	1	1	1	96.5	63.5	0	28341.232	563.4408602	16056.31506	30000	0	0	30000	43.8125	2004
08.01.2020 13:03:51	1	1	1	1	96.5	63.75	0	28293.839	563.4408602	15941.34754	30000	0	0	30000	43.875	2004
08.01.2020 13:03:52	1	1	1	1	96.5	63.75	0	28388.626	565.5913978	16056.31506	30000	0	0	30000	43.875	2004
08.01.2020 13:03:53	1	1	1	1	96.5	63.75	0	28388.626	563.4408602	16056.31506	30000	0	0	30000	43.8125	2004
08.01.2020 13:03:54	1	1	1	1	96.5	63.5	0	28436.019	561.2903226	16022.06942	30000	0	0	30000	43.75	2004
08.01.2020 13:03:55	1	1	1	1	96.5	63.75	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	43.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 13:03:56	1	1	1	1	96.5	63.5	0	28388.626	565.5913978	16056.31506	30000	0	0	30000	43.1875	2004
08.01.2020 13:04:03	1	1	1	1	96.5	63.5	0	28436.019	563.4408602	16022.06942	30000	0	0	30000	43.75	2004
08.01.2020 13:04:03	1	1	1	1	96.5	63.5	0	28436.019	563.4408602	16022.06942	30000	0	0	30000	43.75	2004
08.01.2020 13:04:03	1	1	1	1	96.5	63.5	0	28436.019	563.4408602	16022.06942	30000	0	0	30000	43.75	2004
08.01.2020 13:04:03	1	1	1	1	96.5	63.5	0	28436.019	563.4408602	16022.06942	30000	0	0	30000	43.75	2004
08.01.2020 13:04:03	1	1	1	1	96.5	63.5	0	28436.019	563.4408602	16022.06942	30000	0	0	30000	43.75	2004
08.01.2020 13:04:03	1	1	1	1	96.5	63.5	0	28436.019	563.4408602	16022.06942	30000	0	0	30000	43.75	2004
08.01.2020 13:04:04	1	1	1	1	96.5	63.75	0	28483.412	563.4408602	16109.31427	30000	0	0	30000	43.4375	2004
08.01.2020 13:04:05	1	1	1	1	96.5	63.25	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	43.8125	2004
08.01.2020 13:04:06	1	1	1	1	96.5	63.75	0	29099.526	550.5376344	16046.53059	30000	0	0	30000	43.75	2004
08.01.2020 13:04:07	1	1	1	1	96.5	63.75	0	29289.1	550.5376344	16035.11538	30000	0	0	30000	43.375	2004
08.01.2020 13:04:08	1	1	1	1	96.5	63.25	0	29383.886	546.2365591	15987.0084	30000	0	0	30000	43.8125	2004
08.01.2020 13:04:09	1	1	1	1	97	63.75	0	29289.1	546.2365591	15998.42361	30000	0	0	30000	43.5	2004
08.01.2020 13:04:10	1	1	1	1	97	63.5	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	43.8125	2004
08.01.2020 13:04:11	1	1	1	1	97	63.75	0	29383.886	544.0860215	16050.60745	30000	0	0	30000	43.625	2004
08.01.2020 13:04:12	1	1	1	1	97	63.5	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	43.75	2004
08.01.2020 13:04:13	1	1	1	1	97	63.75	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	43.25	2004
08.01.2020 13:04:14	1	1	1	1	97	63.25	0	29146.919	546.2365591	15972.33169	30000	0	0	30000	43.8125	2004
08.01.2020 13:04:15	1	1	1	1	97	63.75	0	29146.919	546.2365591	16046.53059	30000	0	0	30000	43.625	2004
08.01.2020 13:04:16	1	1	1	1	97	63.5	0	29241.706	552.688172	16161.49811	30000	0	0	30000	43.5625	2004
08.01.2020 13:04:17	1	1	1	1	97	63.5	0	29052.133	550.5376344	16056.31506	30000	0	0	30000	43.5	2004
08.01.2020 13:04:18	1	1	1	1	97	63.5	0	29052.133	552.688172	16056.31506	30000	0	0	30000	43.8125	2004
08.01.2020 13:04:19	1	1	1	1	96.75	63.75	0	29052.133	552.688172	16056.31506	30000	0	0	30000	43.125	2004
08.01.2020 13:04:20	1	1	1	1	96.75	63	0	28862.559	550.5376344	16004.13122	30000	0	0	30000	43.5625	2004
08.01.2020 13:04:21	1	1	1	1	96.75	63.5	0	28957.346	546.2365591	16004.13122	30000	0	0	30000	43.6875	2004
08.01.2020 13:04:22	1	1	1	1	96.75	63.5	0	28862.559	552.688172	15951.94738	30000	0	0	30000	43.6875	2004
08.01.2020 13:04:23	1	1	1	1	96.75	63.5	0	28862.559	552.688172	15951.94738	30000	0	0	30000	43.5	2004
08.01.2020 13:04:24	1	1	1	1	96.75	63.5	0	28815.166	550.5376344	15951.94738	30000	0	0	30000	43.375	2004
08.01.2020 13:04:25	1	1	1	1	96.75	63.25	0	28862.559	554.8387097	16066.09953	30000	0	0	30000	43.375	2004
08.01.2020 13:04:26	1	1	1	1	96.75	63.25	0	28957.346	554.8387097	16004.13122	30000	0	0	30000	43.6875	2004
08.01.2020 13:04:27	1	1	1	1	96.75	63.5	0	29099.526	554.8387097	16082.40698	30000	0	0	30000	43.75	2004
08.01.2020 13:04:28	1	1	1	1	96.75	63.75	0	28815.166	548.3870968	15863.88715	30000	0	0	30000	43.75	2004
08.01.2020 13:04:29	1	1	1	1	96.5	63.75	0	28957.346	554.8387097	16004.13122	30000	0	0	30000	43.625	2004
08.01.2020 13:04:30	1	1	1	1	96.5	63.5	0	28862.559	550.5376344	15951.94738	30000	0	0	30000	43.875	2004
08.01.2020 13:04:31	1	1	1	1	96.5	63.75	0	29052.133	554.8387097	16207.97434	30000	0	0	30000	44.1875	2004
08.01.2020 13:04:32	1	1	1	1	96.5	64	0	28909.953	550.5376344	16128.88321	30000	0	0	30000	43.875	2004
08.01.2020 13:04:33	1	1	1	1	96.5	63.75	0	28815.166	552.688172	15677.98222	30000	0	0	30000	43.8125	2004
08.01.2020 13:04:34	1	1	1	1	96.5	63.75	0	28957.346	554.8387097	16128.88321	30000	0	0	30000	44.3125	2004
08.01.2020 13:04:35	1	1	1	1	96.5	63.75	0	28862.559	554.8387097	15951.94738	30000	0	0	30000	43.875	2004
08.01.2020 13:04:36	1	1	1	1	96.5	63.75	0	28815.166	552.688172	15925.85546	30000	0	0	30000	42.5	2004
08.01.2020 13:04:37	1	1	1	1	96.5	62.5	0	28625.592	554.8387097	15820.67241	30000	0	0	30000	43.6875	2004
08.01.2020 13:04:38	1	1	1	1	97	63.5	0	28862.559	556.9892473	16137.85231	30000	0	0	30000	43.5	2004
08.01.2020 13:04:39	1	1	1	1	97	63.5	0	28862.559	561.2903226	16075.884	30000	0	0	30000	42.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 13:04:40	1	1	1	1	97	62	0	28625.592	556.9892473	15943.79366	30000	0	0	30000	42.9375	2004
08.01.2020 13:04:41	1	1	1	1	97	62.75	0	28625.592	559.1397849	15882.64072	30000	0	0	30000	42.4375	2004
08.01.2020 13:04:43	1	1	1	1	97	62.25	0	28578.199	559.1397849	16040.00761	30000	0	0	30000	42.8125	2004
08.01.2020 13:04:44	1	1	1	1	97	62.75	0	28625.592	559.1397849	16173.7287	30000	0	0	30000	43.8125	2004
08.01.2020 13:04:45	1	1	1	1	97	63.75	0	28578.199	559.1397849	16040.00761	30000	0	0	30000	43.6875	2004
08.01.2020 13:04:46	1	1	1	1	97	63.5	0	28530.806	563.4408602	16101.97592	30000	0	0	30000	42.9375	2004
08.01.2020 13:04:47	1	1	1	1	97	62.75	0	28483.412	563.4408602	16083.22235	30000	0	0	30000	43.5625	2004
08.01.2020 13:04:48	1	1	1	1	97	63.5	0	28293.839	561.2903226	15881.00997	30000	0	0	30000	43.75	2004
08.01.2020 13:04:49	1	1	1	1	95.75	63.75	0	28293.839	559.1397849	15827.19539	30000	0	0	30000	43.75	2004
08.01.2020 13:04:50	1	1	1	1	95.75	63.75	0	28436.019	565.5913978	16083.22235	30000	0	0	30000	43.75	2004
08.01.2020 13:04:51	1	1	1	1	95.75	63.75	0	28341.232	563.4408602	16029.40777	30000	0	0	30000	42.6875	2004
08.01.2020 13:04:52	1	1	1	1	95.75	62.5	0	28293.839	567.7419355	16002.50048	30000	0	0	30000	43	2004
08.01.2020 13:04:53	1	1	1	1	95.75	63	0	28293.839	567.7419355	16063.65341	30000	0	0	30000	43.875	2004
08.01.2020 13:04:54	1	1	1	1	95.75	63.75	0	28293.839	565.5913978	16063.65341	30000	0	0	30000	43.125	2004
08.01.2020 13:04:55	1	1	1	1	95.75	63	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	43.375	2004
08.01.2020 13:04:56	1	1	1	1	95.75	63.25	0	28009.479	563.4408602	15961.73185	30000	0	0	30000	43.0625	2004
08.01.2020 13:04:57	1	1	1	1	95.75	63	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	43.9375	2004
08.01.2020 13:04:58	1	1	1	1	95.75	63.75	0	28009.479	565.5913978	15948.68589	30000	0	0	30000	42.5625	2004
08.01.2020 13:05:05	1	1	1	1	96	63.75	0	28483.412	561.2903226	16040.00761	30000	0	0	30000	43.375	2004
08.01.2020 13:05:05	1	1	1	1	96	63.75	0	28483.412	561.2903226	16040.00761	30000	0	0	30000	43.375	2004
08.01.2020 13:05:05	1	1	1	1	96	63.75	0	28483.412	561.2903226	16040.00761	30000	0	0	30000	43.375	2004
08.01.2020 13:05:05	1	1	1	1	96	63.75	0	28483.412	561.2903226	16040.00761	30000	0	0	30000	43.375	2004
08.01.2020 13:05:05	1	1	1	1	96	63.75	0	28483.412	561.2903226	16040.00761	30000	0	0	30000	43.375	2004
08.01.2020 13:05:05	1	1	1	1	96	63.25	0	28625.592	554.8387097	16049.79208	30000	0	0	30000	43.6875	2004
08.01.2020 13:05:06	1	1	1	1	96	63.5	0	28625.592	552.688172	15925.85546	30000	0	0	30000	43.625	2004
08.01.2020 13:05:07	1	1	1	1	96	63.5	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	43.625	2004
08.01.2020 13:05:08	1	1	1	1	96	63.5	0	28388.626	559.1397849	15934.00919	30000	0	0	30000	43.75	2004
08.01.2020 13:05:09	1	1	1	1	95.75	63.75	0	28436.019	563.4408602	16022.06942	30000	0	0	30000	43.5625	2004
08.01.2020 13:05:10	1	1	1	1	95.75	63.5	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	43.6875	2004
08.01.2020 13:05:11	1	1	1	1	95.75	63.5	0	28009.479	569.8924731	15841.8721	30000	0	0	30000	43.6875	2004
08.01.2020 13:05:12	1	1	1	1	95.75	63.5	0	28009.479	572.0430108	15841.8721	30000	0	0	30000	43.5	2004
08.01.2020 13:05:13	1	1	1	1	95.75	63.5	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	43.625	2004
08.01.2020 13:05:14	1	1	1	1	95.75	63.5	0	28009.479	567.7419355	15875.30237	30000	0	0	30000	44.0625	2004
08.01.2020 13:05:15	1	1	1	1	95.75	64	0	28199.052	569.8924731	16130.51396	30000	0	0	30000	43.5625	2004
08.01.2020 13:05:16	1	1	1	1	95.75	63.5	0	28815.166	546.2365591	15801.91884	30000	0	0	30000	43.75	2004
08.01.2020 13:05:17	1	1	1	1	95.75	62.75	0	0	0	0	30000	0	8	30000	44	2004
08.01.2020 13:05:18	1	1	1	1	95.75	64	0	10426.54	0	0	30000	0	0	30000	43.875	2004
08.01.2020 13:05:19	1	1	1	1	95.75	63.75	0	11327.014	0	0	30000	0	0	30000	43.75	2004
08.01.2020 13:05:20	1	1	1	1	95.75	63.75	0	12085.308	2.150537634	25.27654717	30000	0	0	30000	43.875	2004
08.01.2020 13:05:21	1	1	1	1	95.75	63.75	0	12843.602	6.451612903	55.44532927	30000	0	0	30000	43.75	2004
08.01.2020 13:05:22	1	1	1	1	95.75	63.75	0	13554.502	8.602150538	145.9516756	30000	0	0	30000	43.8125	2004
08.01.2020 13:05:23	1	1	1	1	95.75	63.75	0	14407.583	17.20430108	216.8890822	30000	0	0	30000	43.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 13:05:24	1	1	1	1	95.75	63.75	0	15165.877	21.50537634	358.7638953	30000	0	0	30000	43.875	2004
08.01.2020 13:05:26	1	1	1	1	95.75	63.75	0	15876.777	32.25806452	512.0539233	30000	0	0	30000	43.625	2004
08.01.2020 13:05:27	1	1	1	1	95.75	63.5	0	16729.858	40.86021505	683.2821461	30000	0	0	30000	43.6875	2004
08.01.2020 13:05:28	1	1	1	1	95.75	63.5	0	17488.152	51.61290323	864.2948387	30000	0	0	30000	43.8125	2004
08.01.2020 13:05:29	1	1	1	1	95	63.75	0	18151.659	58.06451613	1053.461256	30000	0	0	30000	43.625	2004
08.01.2020 13:05:30	1	1	1	1	95	63.5	0	18957.346	66.66666667	1266.273476	30000	0	0	30000	43.8125	2004
08.01.2020 13:05:31	1	1	1	1	95	63.75	0	19857.82	79.56989247	1576.115022	30000	0	0	30000	43.875	2004
08.01.2020 13:05:32	1	1	1	1	95	63.75	0	20616.114	83.87096774	1720.435952	30000	0	0	30000	43.5625	2004
08.01.2020 13:05:33	1	1	1	1	95	63.5	0	21279.621	103.2258065	2196.613486	30000	0	0	30000	43.625	2004
08.01.2020 13:05:34	1	1	1	1	95	63.5	0	21943.128	109.6774194	2406.164216	30000	0	0	30000	43.75	2004
08.01.2020 13:05:35	1	1	1	1	95	63.75	0	22890.995	122.5806452	2805.696736	30000	0	0	30000	43.8125	2004
08.01.2020 13:05:36	1	1	1	1	95	63.75	0	23080.569	129.0322581	2977.740331	30000	0	0	30000	43.875	2004
08.01.2020 13:05:37	1	1	1	1	95	63.75	0	21753.555	120.4301075	2619.791808	30000	0	0	30000	43.6875	2004
08.01.2020 13:05:38	1	1	1	1	95	63.5	0	23317.536	144.0860215	3359.334656	30000	0	0	30000	43.8125	2004
08.01.2020 13:05:39	1	1	1	1	94.5	63.75	0	24976.303	165.5913978	4135.569266	30000	0	0	30000	43.875	2004
08.01.2020 13:05:40	1	1	1	1	94.5	63.75	0	24691.943	178.4946237	4301.089881	30000	0	0	30000	43.875	2004
08.01.2020 13:05:41	1	1	1	1	94.5	63.75	0	24028.436	169.8924731	4081.754682	30000	0	0	30000	43.75	2004
08.01.2020 13:05:42	1	1	1	1	94.5	63.75	0	24976.303	206.4516129	5175.984562	30000	0	0	30000	43.6875	2004
08.01.2020 13:05:43	1	1	1	1	94.5	63.5	0	22274.882	176.344086	3784.143723	30000	0	0	30000	43.875	2004
08.01.2020 13:05:44	1	1	1	1	94.5	63.75	0	25355.45	212.9032258	5397.765879	30000	0	0	30000	43.6875	2004
08.01.2020 13:05:45	1	1	1	1	94.5	63.5	0	25402.844	208.6021505	5299.105808	30000	0	0	30000	43.75	2004
08.01.2020 13:05:46	1	1	1	1	94.5	63.75	0	25402.844	212.9032258	5462.995679	30000	0	0	30000	43.6875	2004
08.01.2020 13:05:47	1	1	1	1	94.5	63.5	0	21137.441	174.1935484	3590.900443	30000	0	0	30000	43.8125	2004
08.01.2020 13:05:48	1	1	1	1	94.5	63.75	0	25260.664	189.2473118	4780.528905	30000	0	0	30000	43.6875	2004
08.01.2020 13:05:49	1	1	1	1	94.25	63.5	0	25497.63	225.8064516	5757.345147	30000	0	0	30000	43.6875	2004
08.01.2020 13:05:50	1	1	1	1	94.25	63.5	0	25355.45	195.6989247	4952.5725	30000	0	0	30000	43.875	2004
08.01.2020 13:05:51	1	1	1	1	94.25	63.75	0	25592.417	225.8064516	5657.869703	30000	0	0	30000	43.6875	2004
08.01.2020 13:05:52	1	1	1	1	94.25	63.5	0	25592.417	223.655914	5668.469546	30000	0	0	30000	43.75	2004
08.01.2020 13:05:53	1	1	1	1	94.25	63.75	0	25734.597	225.8064516	5700.269073	30000	0	0	30000	43.875	2004
08.01.2020 13:05:54	1	1	1	1	94.25	63.75	0	25734.597	240.8602151	6143.016335	30000	0	0	30000	43.8125	2004
08.01.2020 13:05:55	1	1	1	1	94.25	63.75	0	25734.597	247.311828	6363.982279	30000	0	0	30000	44.125	2004
08.01.2020 13:05:56	1	1	1	1	94.25	64	0	25734.597	243.0107527	6253.091621	30000	0	0	30000	43.6875	2004
08.01.2020 13:05:57	1	1	1	1	94.25	63.5	0	22369.668	210.7526882	4666.376756	30000	0	0	30000	43.875	2004
08.01.2020 13:05:58	1	1	1	1	95.25	64	0	25734.597	253.7634409	6530.318267	30000	0	0	30000	43.25	2004
08.01.2020 13:05:59	1	1	1	1	95.25	63.25	0	25497.63	279.5698925	7196.477591	30000	0	0	30000	43.8125	2004
08.01.2020 13:06:06	1	1	1	1	95.25	63.75	0	27393.365	354.8387097	9736.362895	30000	0	0	30000	43.8125	2004
08.01.2020 13:06:06	1	1	1	1	95.25	63.75	0	27393.365	354.8387097	9736.362895	30000	0	0	30000	43.8125	2004
08.01.2020 13:06:06	1	1	1	1	95.25	63.75	0	27393.365	354.8387097	9736.362895	30000	0	0	30000	43.8125	2004
08.01.2020 13:06:06	1	1	1	1	95.25	63.75	0	27393.365	354.8387097	9736.362895	30000	0	0	30000	43.8125	2004
08.01.2020 13:06:06	1	1	1	1	95.25	63.75	0	27393.365	354.8387097	9736.362895	30000	0	0	30000	43.8125	2004
08.01.2020 13:06:06	1	1	1	1	95.25	63.75	0	27393.365	354.8387097	9736.362895	30000	0	0	30000	43.8125	2004
08.01.2020 13:06:06	1	1	1	1	95.25	63.75	0	27393.365	354.8387097	9736.362895	30000	0	0	30000	43.8125	2004
08.01.2020 13:06:07	1	1	1	1	95.25	63.75	0	27630.332	367.7419355	10279.40097	30000	0	0	30000	43.8125	2004
08.01.2020 13:06:08	1	1	1	1	95.25	63.75	0	28009.479	389.2473118	10883.59199	30000	0	0	30000	43.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 13:06:09	1	1	1	1	95	63.75	0	27440.758	384.9462366	10563.1506	30000	0	0	30000	43.75	2004
08.01.2020 13:06:10	1	1	1	1	95	63.75	0	27298.578	395.6989247	10802.05474	30000	0	0	30000	43.6875	2004
08.01.2020 13:06:11	1	1	1	1	95	63.5	0	27582.938	412.9032258	11389.12293	30000	0	0	30000	43.6875	2004
08.01.2020 13:06:12	1	1	1	1	95	63.5	0	28815.166	397.8494624	11464.1372	30000	0	0	30000	43.6875	2004
08.01.2020 13:06:13	1	1	1	1	95	63.5	0	28862.559	451.6129032	12847.82431	30000	0	0	30000	43.625	2004
08.01.2020 13:06:14	1	1	1	1	95	63.5	0	29052.133	460.2150538	13726.79586	30000	0	0	30000	43.5	2004
08.01.2020 13:06:15	1	1	1	1	95	63.5	0	29146.919	481.7204301	13726.79586	30000	0	0	30000	43.75	2004
08.01.2020 13:06:16	1	1	1	1	95	63.75	0	29383.886	496.7741935	14321.2024	30000	0	0	30000	43.75	2004
08.01.2020 13:06:17	1	1	1	1	95	63.75	0	29526.066	505.3763441	14984.91561	30000	0	0	30000	43.5625	2004
08.01.2020 13:06:18	1	1	1	1	95	63.5	0	29905.213	507.5268817	15177.34352	30000	0	0	30000	43.25	2004
08.01.2020 13:06:19	1	1	1	1	94.75	63.25	0	29573.46	520.4301075	15390.97111	30000	0	0	30000	43.625	2004
08.01.2020 13:06:20	1	1	1	1	94.75	63.5	0	29573.46	481.7204301	14246.18813	30000	0	0	30000	43.5625	2004
08.01.2020 13:06:21	1	1	1	1	94.75	63.5	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	43.6875	2004
08.01.2020 13:06:22	1	1	1	1	94.75	63.5	0	29431.28	539.7849462	15937.27068	30000	0	0	30000	43.625	2004
08.01.2020 13:06:23	1	1	1	1	94.75	63.5	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	43.625	2004
08.01.2020 13:06:24	1	1	1	1	94.75	63.5	0	29478.673	535.483871	15937.27068	30000	0	0	30000	43.6875	2004
08.01.2020 13:06:25	1	1	1	1	94.75	63.5	0	29431.28	535.483871	15885.90221	30000	0	0	30000	43.6875	2004
08.01.2020 13:06:26	1	1	1	1	94.75	63.5	0	29383.886	544.0860215	16038.37687	30000	0	0	30000	43.3125	2004
08.01.2020 13:06:27	1	1	1	1	94.75	63.25	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	43.5	2004
08.01.2020 13:06:28	1	1	1	1	94.75	63.5	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	43.6875	2004
08.01.2020 13:06:29	1	1	1	1	95	63.5	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	43.4375	2004
08.01.2020 13:06:30	1	1	1	1	95	63.25	0	29336.493	544.0860215	15898.1328	30000	0	0	30000	43.625	2004
08.01.2020 13:06:31	1	1	1	1	95	63.5	0	29336.493	541.9354839	15960.91648	30000	0	0	30000	43.6875	2004
08.01.2020 13:06:32	1	1	1	1	95	63.5	0	29526.066	544.0860215	16038.37687	30000	0	0	30000	42.9375	2004
08.01.2020 13:06:33	1	1	1	1	95	62.75	0	29383.886	537.6344086	15860.62566	30000	0	0	30000	43.375	2004
08.01.2020 13:06:34	1	1	1	1	95	63.25	0	29336.493	541.9354839	15898.1328	30000	0	0	30000	43.25	2004
08.01.2020 13:06:35	1	1	1	1	95	63.25	0	29573.46	546.2365591	16128.06784	30000	0	0	30000	43.75	2004
08.01.2020 13:06:36	1	1	1	1	95	63.75	0	29336.493	539.7849462	16024.51553	30000	0	0	30000	44.125	2004
08.01.2020 13:06:37	1	1	1	1	95	64	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	44	2004
08.01.2020 13:06:38	1	1	1	1	95.25	63.5	0	29289.1	546.2365591	15972.33169	30000	0	0	30000	43.8125	2004
08.01.2020 13:06:39	1	1	1	1	95.25	63.75	0	29241.706	537.6344086	16024.51553	30000	0	0	30000	43.75	2004
08.01.2020 13:06:40	1	1	1	1	95.25	63.75	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	42.3125	2004
08.01.2020 13:06:41	1	1	1	1	95.25	62.25	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	43.75	2004
08.01.2020 13:06:42	1	1	1	1	95.25	63.75	0	29052.133	550.5376344	15957.65499	30000	0	0	30000	43.6875	2004
08.01.2020 13:06:43	1	1	1	1	95.25	63.5	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	43.625	2004
08.01.2020 13:06:44	1	1	1	1	95.25	63.5	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	43.625	2004
08.01.2020 13:06:46	1	1	1	1	95.25	63.5	0	29052.133	550.5376344	15942.16291	30000	0	0	30000	42.6875	2004
08.01.2020 13:06:47	1	1	1	1	95.25	62.5	0	28862.559	550.5376344	15951.94738	30000	0	0	30000	43.625	2004
08.01.2020 13:06:48	1	1	1	1	95.25	63.5	0	28957.346	552.688172	16004.13122	30000	0	0	30000	43.4375	2004
08.01.2020 13:06:49	1	1	1	1	95.25	63.25	0	28862.559	552.688172	15951.94738	30000	0	0	30000	43.375	2004
08.01.2020 13:06:50	1	1	1	1	95.25	63.25	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	43.5	2004
08.01.2020 13:06:51	1	1	1	1	95.25	63.5	0	28957.346	554.8387097	16128.88321	30000	0	0	30000	43.6875	2004
08.01.2020 13:06:52	1	1	1	1	95.25	63.5	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	43.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 13:06:53	1	1	1	1	95.25	63.5	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	43.8125	2004
08.01.2020 13:06:54	1	1	1	1	95.25	63.75	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	43.0625	2004
08.01.2020 13:06:55	1	1	1	1	95.25	63	0	28957.346	554.8387097	16066.09953	30000	0	0	30000	43.75	2004
08.01.2020 13:06:56	1	1	1	1	95.25	63.75	0	28862.559	554.8387097	16128.88321	30000	0	0	30000	43.625	2004
08.01.2020 13:06:57	1	1	1	1	95.25	63.5	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	43.3125	2004
08.01.2020 13:06:58	1	1	1	1	95.25	63.25	0	28862.559	552.688172	15827.19539	30000	0	0	30000	43.0625	2004
08.01.2020 13:06:59	1	1	1	1	94.75	63	0	28957.346	556.9892473	16128.88321	30000	0	0	30000	43.0625	2004
08.01.2020 13:07:00	1	1	1	1	94.75	63	0	28957.346	552.688172	16128.88321	30000	0	0	30000	43.6875	2004
08.01.2020 13:07:01	1	1	1	1	94.75	63.5	0	29099.526	550.5376344	15994.34675	30000	0	0	30000	43.625	2004
08.01.2020 13:07:08	1	1	1	1	94.75	63.5	0	29431.28	541.9354839	15708.96638	30000	0	0	30000	43.8125	2004
08.01.2020 13:07:08	1	1	1	1	94.75	63.5	0	29431.28	541.9354839	15708.96638	30000	0	0	30000	43.8125	2004
08.01.2020 13:07:08	1	1	1	1	94.75	63.5	0	29431.28	541.9354839	15708.96638	30000	0	0	30000	43.8125	2004
08.01.2020 13:07:08	1	1	1	1	94.75	63.5	0	29431.28	541.9354839	15708.96638	30000	0	0	30000	43.8125	2004
08.01.2020 13:07:08	1	1	1	1	94.75	63.5	0	29431.28	541.9354839	15708.96638	30000	0	0	30000	43.8125	2004
08.01.2020 13:07:08	1	1	1	1	94.75	63.75	0	29478.673	541.9354839	15975.59318	30000	0	0	30000	43	2004
08.01.2020 13:07:09	1	1	1	1	94.5	63	0	29526.066	541.9354839	16064.46878	30000	0	0	30000	43.625	2004
08.01.2020 13:07:10	1	1	1	1	94.5	63.5	0	29905.213	535.483871	15949.50126	30000	0	0	30000	43.5	2004
08.01.2020 13:07:11	1	1	1	1	94.5	63.5	0	30000	501.0752688	14902.56299	30000	0	0	30000	43.6875	2004
08.01.2020 13:07:12	1	1	1	1	94.5	63.5	0	29952.607	518.2795699	15548.338	30000	0	0	30000	43.5	2004
08.01.2020 13:07:13	1	1	1	1	94.5	63.5	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	43.5625	2004
08.01.2020 13:07:14	1	1	1	1	94.5	63.5	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	43.8125	2004
08.01.2020 13:07:15	1	1	1	1	94.5	63.75	0	29526.066	544.0860215	16026.96165	30000	0	0	30000	42.6875	2004
08.01.2020 13:07:16	1	1	1	1	94.5	62.5	0	29620.853	541.9354839	15988.63914	30000	0	0	30000	43.4375	2004
08.01.2020 13:07:17	1	1	1	1	94.5	63.75	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	43.5625	2004
08.01.2020 13:07:18	1	1	1	1	94.75	63.5	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	43.375	2004
08.01.2020 13:07:19	1	1	1	1	94.75	63.25	0	29478.673	544.0860215	16038.37687	30000	0	0	30000	43.4375	2004
08.01.2020 13:07:20	1	1	1	1	94.75	63.25	0	29383.886	537.6344086	16013.10032	30000	0	0	30000	43.375	2004
08.01.2020 13:07:21	1	1	1	1	94.75	63.25	0	29241.706	546.2365591	15983.74691	30000	0	0	30000	43.4375	2004
08.01.2020 13:07:23	1	1	1	1	94.75	63.25	0	29336.493	546.2365591	15960.91648	30000	0	0	30000	43.625	2004
08.01.2020 13:07:24	1	1	1	1	94.75	63.5	0	29383.886	544.0860215	16113.39113	30000	0	0	30000	43.1875	2004
08.01.2020 13:07:25	1	1	1	1	94.75	63	0	29289.1	550.5376344	16098.71443	30000	0	0	30000	42.75	2004
08.01.2020 13:07:26	1	1	1	1	94.75	62.75	0	29146.919	548.3870968	16046.53059	30000	0	0	30000	42.6875	2004
08.01.2020 13:07:27	1	1	1	1	94.75	62.5	0	29004.739	548.3870968	15994.34675	30000	0	0	30000	43.625	2004
08.01.2020 13:07:28	1	1	1	1	94.75	63.5	0	28957.346	552.688172	16004.13122	30000	0	0	30000	43.5625	2004
08.01.2020 13:07:29	1	1	1	1	94.75	63.5	0	28957.346	550.5376344	16056.31506	30000	0	0	30000	43.0625	2004
08.01.2020 13:07:30	1	1	1	1	94.75	63	0	28815.166	554.8387097	15863.88715	30000	0	0	30000	43.5	2004
08.01.2020 13:07:31	1	1	1	1	94.75	63.5	0	28957.346	554.8387097	16004.13122	30000	0	0	30000	43.625	2004
08.01.2020 13:07:32	1	1	1	1	94.75	63.5	0	28625.592	552.688172	15794.58049	30000	0	0	30000	43.3125	2004
08.01.2020 13:07:33	1	1	1	1	94.75	63.25	0	28483.412	554.8387097	15777.45767	30000	0	0	30000	43.0625	2004
08.01.2020 13:07:34	1	1	1	1	94.75	63	0	28578.199	559.1397849	15917.70174	30000	0	0	30000	43.375	2004
08.01.2020 13:07:35	1	1	1	1	94.75	63.25	0	28625.592	559.1397849	16190.03615	30000	0	0	30000	43	2004
08.01.2020 13:07:36	1	1	1	1	94.75	63	0	28341.232	563.4408602	15941.34754	30000	0	0	30000	43.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 13:07:37	1	1	1	1	94.75	63.25	0	28483.412	563.4408602	15987.0084	30000	0	0	30000	42.9375	2004
08.01.2020 13:07:38	1	1	1	1	94.75	62.75	0	28199.052	563.4408602	16002.50048	30000	0	0	30000	43.3125	2004
08.01.2020 13:07:39	1	1	1	1	94.25	63.25	0	28341.232	563.4408602	15995.16212	30000	0	0	30000	43.25	2004
08.01.2020 13:07:40	1	1	1	1	94.25	63.25	0	28341.232	569.8924731	16150.89827	30000	0	0	30000	42.5625	2004
08.01.2020 13:07:41	1	1	1	1	94.25	62.5	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	43.5	2004
08.01.2020 13:07:42	1	1	1	1	94.25	63.5	0	28293.839	565.5913978	16002.50048	30000	0	0	30000	43.3125	2004
08.01.2020 13:07:43	1	1	1	1	94.25	63.25	0	28293.839	567.7419355	16002.50048	30000	0	0	30000	43.625	2004
08.01.2020 13:07:44	1	1	1	1	94.25	63.5	0	28009.479	567.7419355	15841.8721	30000	0	0	30000	43.1875	2004
08.01.2020 13:07:45	1	1	1	1	94.25	63	0	28293.839	567.7419355	16002.50048	30000	0	0	30000	43.5	2004
08.01.2020 13:07:46	1	1	1	1	94.25	63.5	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	42.9375	2004
08.01.2020 13:07:47	1	1	1	1	94.25	62.75	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	43.3125	2004
08.01.2020 13:07:48	1	1	1	1	94.25	63.25	0	28009.479	574.1935484	16191.66689	30000	0	0	30000	43.375	2004
08.01.2020 13:07:49	1	1	1	1	94	63.25	0	28009.479	567.7419355	15841.8721	30000	0	0	30000	43.1875	2004
08.01.2020 13:07:50	1	1	1	1	94	63	0	28199.052	572.0430108	16070.17639	30000	0	0	30000	43.625	2004
08.01.2020 13:07:51	1	1	1	1	94	63.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	43.25	2004
08.01.2020 13:07:52	1	1	1	1	94	63.25	0	28009.479	567.7419355	16070.17639	30000	0	0	30000	43.875	2004
08.01.2020 13:07:53	1	1	1	1	94	63.75	0	28009.479	565.5913978	15948.68589	30000	0	0	30000	43.0625	2004
08.01.2020 13:07:54	1	1	1	1	94	63	0	28009.479	565.5913978	15841.8721	30000	0	0	30000	43.375	2004
08.01.2020 13:07:55	1	1	1	1	94	63.75	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	42.875	2004
08.01.2020 13:07:56	1	1	1	1	94	62.75	0	28009.479	569.8924731	16191.66689	30000	0	0	30000	43.375	2004
08.01.2020 13:07:57	1	1	1	1	94	63.25	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	43.25	2004
08.01.2020 13:07:58	1	1	1	1	94.25	63.25	0	28009.479	567.7419355	16070.17639	30000	0	0	30000	43.1875	2004
08.01.2020 13:07:59	1	1	1	1	94.25	63	0	28009.479	565.5913978	15948.68589	30000	0	0	30000	43.4375	2004
08.01.2020 13:08:00	1	1	1	1	94.25	63.25	0	28199.052	565.5913978	16063.65341	30000	0	0	30000	43.3125	2004
08.01.2020 13:08:02	1	1	1	1	94.25	63.25	0	28341.232	565.5913978	16029.40777	30000	0	0	30000	43.375	2004
08.01.2020 13:08:03	1	1	1	1	94.25	63.25	0	28009.479	563.4408602	16009.83883	30000	0	0	30000	43.5	2004
08.01.2020 13:08:09	1	1	1	1	94	63.5	0	28862.559	561.2903226	16075.884	30000	0	0	30000	43.5	2004
08.01.2020 13:08:09	1	1	1	1	94	63.5	0	28862.559	561.2903226	16075.884	30000	0	0	30000	43.5	2004
08.01.2020 13:08:09	1	1	1	1	94	63.5	0	28862.559	561.2903226	16075.884	30000	0	0	30000	43.5	2004
08.01.2020 13:08:09	1	1	1	1	94	63.5	0	28862.559	561.2903226	16075.884	30000	0	0	30000	43.5	2004
08.01.2020 13:08:09	1	1	1	1	94	63.5	0	28862.559	561.2903226	16075.884	30000	0	0	30000	43.5	2004
08.01.2020 13:08:09	1	1	1	1	94	63.5	0	28862.559	561.2903226	16075.884	30000	0	0	30000	43.5	2004
08.01.2020 13:08:10	1	1	1	1	94	63.5	0	28625.592	556.9892473	15943.79366	30000	0	0	30000	42.9375	2004
08.01.2020 13:08:11	1	1	1	1	94	62.75	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	43.3125	2004
08.01.2020 13:08:12	1	1	1	1	94	63.25	0	28815.166	556.9892473	15925.85546	30000	0	0	30000	43.1875	2004
08.01.2020 13:08:13	1	1	1	1	94	63	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	43.375	2004
08.01.2020 13:08:14	1	1	1	1	94	63.25	0	28815.166	552.688172	15925.85546	30000	0	0	30000	43.375	2004
08.01.2020 13:08:15	1	1	1	1	94	63.25	0	28957.346	546.2365591	16066.09953	30000	0	0	30000	43.375	2004
08.01.2020 13:08:16	1	1	1	1	94	63.25	0	29004.739	546.2365591	15942.16291	30000	0	0	30000	43.375	2004
08.01.2020 13:08:17	1	1	1	1	94	63.25	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	43.5	2004
08.01.2020 13:08:18	1	1	1	1	94	63.5	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	43.5	2004
08.01.2020 13:08:19	1	1	1	1	93.5	63.5	0	29336.493	552.688172	16098.71443	30000	0	0	30000	43.5625	2004
08.01.2020 13:08:20	1	1	1	1	93.5	63.5	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	43.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 13:08:21	1	1	1	1	93.5	63.5	0	28862.559	544.0860215	15889.97907	30000	0	0	30000	43.25	2004
08.01.2020 13:08:22	1	1	1	1	93.5	63.25	0	28957.346	556.9892473	16128.88321	30000	0	0	30000	43.375	2004
08.01.2020 13:08:23	1	1	1	1	93.5	63.25	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	43.5	2004
08.01.2020 13:08:24	1	1	1	1	93.5	63.5	0	28625.592	556.9892473	16049.79208	30000	0	0	30000	43.3125	2004
08.01.2020 13:08:25	1	1	1	1	93.5	63.25	0	28483.412	565.5913978	15838.61061	30000	0	0	30000	43	2004
08.01.2020 13:08:26	1	1	1	1	93.5	63	0	28341.232	559.1397849	15881.00997	30000	0	0	30000	43.625	2004
08.01.2020 13:08:27	1	1	1	1	93.5	63.5	0	28578.199	565.5913978	16163.12886	30000	0	0	30000	43.3125	2004
08.01.2020 13:08:28	1	1	1	1	93.5	63.25	0	28436.019	561.2903226	16083.22235	30000	0	0	30000	43.375	2004
08.01.2020 13:08:29	1	1	1	1	94	63.25	0	28293.839	563.4408602	16002.50048	30000	0	0	30000	43.375	2004
08.01.2020 13:08:30	1	1	1	1	94	63.25	0	28388.626	563.4408602	15934.00919	30000	0	0	30000	43	2004
08.01.2020 13:08:31	1	1	1	1	94	63	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	43.625	2004
08.01.2020 13:08:32	1	1	1	1	94	63.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	43.375	2004
08.01.2020 13:08:33	1	1	1	1	94	63.25	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	43.4375	2004
08.01.2020 13:08:34	1	1	1	1	94	63.25	0	28009.479	569.8924731	15721.19697	30000	0	0	30000	43.9375	2004
08.01.2020 13:08:35	1	1	1	1	94	63.75	0	28009.479	565.5913978	15961.73185	30000	0	0	30000	42.8125	2004
08.01.2020 13:08:36	1	1	1	1	94	62.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	43.5625	2004
08.01.2020 13:08:37	1	1	1	1	94	63.5	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	43.125	2004
08.01.2020 13:08:38	1	1	1	1	94.25	63	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	43.3125	2004
08.01.2020 13:08:39	1	1	1	1	94.25	63.25	0	27962.085	567.7419355	15788.05751	30000	0	0	30000	43.625	2004
08.01.2020 13:08:41	1	1	1	1	94.25	63.5	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	42.75	2004
08.01.2020 13:08:42	1	1	1	1	94.25	62.75	0	28199.052	572.0430108	16130.51396	30000	0	0	30000	43.5	2004
08.01.2020 13:08:43	1	1	1	1	94.25	63.5	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	43.75	2004
08.01.2020 13:08:44	1	1	1	1	94.25	63.75	0	28009.479	572.0430108	16070.17639	30000	0	0	30000	43.625	2004
08.01.2020 13:08:45	1	1	1	1	94.25	63.5	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	43.3125	2004
08.01.2020 13:08:46	1	1	1	1	94.25	63.25	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	42.5	2004
08.01.2020 13:08:47	1	1	1	1	94.25	62.5	0	27867.299	567.7419355	15821.48778	30000	0	0	30000	43.375	2004
08.01.2020 13:08:48	1	1	1	1	94.25	63.25	0	28009.479	569.8924731	15902.20966	30000	0	0	30000	43.75	2004
08.01.2020 13:08:49	1	1	1	1	94.25	63.75	0	28199.052	574.1935484	16130.51396	30000	0	0	30000	43.375	2004
08.01.2020 13:08:50	1	1	1	1	94.25	63.25	0	27630.332	569.8924731	15745.65814	30000	0	0	30000	43.625	2004
08.01.2020 13:08:51	1	1	1	1	94.25	63.5	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	43.4375	2004
08.01.2020 13:08:52	1	1	1	1	94.25	63.25	0	27867.299	569.8924731	15734.24293	30000	0	0	30000	43.5	2004
08.01.2020 13:08:53	1	1	1	1	94.25	63.5	0	27819.905	576.344086	15745.65814	30000	0	0	30000	43.5625	2004
08.01.2020 13:08:54	1	1	1	1	94.25	63.5	0	27914.692	574.1935484	16055.49969	30000	0	0	30000	42.3125	2004
08.01.2020 13:08:55	1	1	1	1	94.25	62.25	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	43.5625	2004
08.01.2020 13:08:56	1	1	1	1	94.25	63.5	0	27914.692	576.344086	15941.34754	30000	0	0	30000	43.5	2004
08.01.2020 13:08:57	1	1	1	1	94.25	63.5	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	43.625	2004
08.01.2020 13:08:58	1	1	1	1	94.25	63.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	43.3125	2004
08.01.2020 13:08:59	1	1	1	1	94.5	63.25	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	43.6875	2004
08.01.2020 13:09:00	1	1	1	1	94.5	63.5	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	43.125	2004
08.01.2020 13:09:01	1	1	1	1	94.5	63	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	43.625	2004
08.01.2020 13:09:02	1	1	1	1	94.5	63.5	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	42.875	2004
08.01.2020 13:09:03	1	1	1	1	94.5	62.75	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	43.75	2004
08.01.2020 13:09:04	1	1	1	1	94.5	63.75	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	43.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 13:09:11	1	1	1	1	94.75	63.5	0	29289.1	546.2365591	15972.33169	30000	0	0	30000	43.375	2004
08.01.2020 13:09:11	1	1	1	1	94.75	63.5	0	29289.1	546.2365591	15972.33169	30000	0	0	30000	43.375	2004
08.01.2020 13:09:11	1	1	1	1	94.75	63.5	0	29289.1	546.2365591	15972.33169	30000	0	0	30000	43.375	2004
08.01.2020 13:09:11	1	1	1	1	94.75	63.5	0	29289.1	546.2365591	15972.33169	30000	0	0	30000	43.375	2004
08.01.2020 13:09:11	1	1	1	1	94.75	63.5	0	29289.1	546.2365591	15972.33169	30000	0	0	30000	43.375	2004
08.01.2020 13:09:11	1	1	1	1	94.75	63.25	0	29383.886	541.9354839	15949.50126	30000	0	0	30000	43.375	2004
08.01.2020 13:09:12	1	1	1	1	94.75	63.25	0	29289.1	546.2365591	15960.91648	30000	0	0	30000	43.3125	2004
08.01.2020 13:09:13	1	1	1	1	94.75	63.25	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	43.625	2004
08.01.2020 13:09:14	1	1	1	1	94.75	63.5	0	28862.559	550.5376344	15951.94738	30000	0	0	30000	43.9375	2004
08.01.2020 13:09:15	1	1	1	1	94.75	63.75	0	29099.526	554.8387097	16082.40698	30000	0	0	30000	43.75	2004
08.01.2020 13:09:16	1	1	1	1	94.75	63.5	0	28957.346	554.8387097	15879.37923	30000	0	0	30000	43.6875	2004
08.01.2020 13:09:17	1	1	1	1	94.75	63.5	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	43.6875	2004
08.01.2020 13:09:18	1	1	1	1	94.5	63.5	0	28957.346	552.688172	16004.13122	30000	0	0	30000	43.0625	2004
08.01.2020 13:09:19	1	1	1	1	94.5	63	0	28862.559	552.688172	15951.94738	30000	0	0	30000	42.75	2004
08.01.2020 13:09:20	1	1	1	1	94.5	62.75	0	29099.526	554.8387097	16234.06626	30000	0	0	30000	43.375	2004
08.01.2020 13:09:24	1	1	1	1	94.5	63.5	0	28625.592	559.1397849	16173.7287	30000	0	0	30000	43.5	2004
08.01.2020 13:09:24	1	1	1	1	94.5	63.5	0	28625.592	559.1397849	16173.7287	30000	0	0	30000	43.5	2004
08.01.2020 13:09:24	1	1	1	1	94.5	63.5	0	28625.592	559.1397849	16173.7287	30000	0	0	30000	43.5	2004
08.01.2020 13:09:25	1	1	1	1	94.5	63.5	0	28436.019	559.1397849	15987.0084	30000	0	0	30000	43.375	2004
08.01.2020 13:09:26	1	1	1	1	94.5	63.25	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	43.6875	2004
08.01.2020 13:09:27	1	1	1	1	94.5	63.5	0	28436.019	563.4408602	16022.06942	30000	0	0	30000	43.5	2004
08.01.2020 13:09:28	1	1	1	1	94.5	63.5	0	28341.232	565.5913978	16177.80556	30000	0	0	30000	43.625	2004
08.01.2020 13:09:29	1	1	1	1	94.25	63.5	0	28293.839	567.7419355	16029.40777	30000	0	0	30000	42.9375	2004
08.01.2020 13:09:30	1	1	1	1	94.25	62.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	43.125	2004
08.01.2020 13:09:31	1	1	1	1	94.25	63	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	42.5625	2004
08.01.2020 13:09:32	1	1	1	1	94.25	62.5	0	28009.479	569.8924731	16082.40698	30000	0	0	30000	43.125	2004
08.01.2020 13:09:33	1	1	1	1	94.25	63	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	43.5	2004
08.01.2020 13:09:34	1	1	1	1	94.25	63.5	0	27962.085	572.0430108	15995.16212	30000	0	0	30000	43.375	2004
08.01.2020 13:09:35	1	1	1	1	94.25	63.25	0	27962.085	569.8924731	15907.91727	30000	0	0	30000	43.4375	2004
08.01.2020 13:09:36	1	1	1	1	94.25	63.25	0	27867.299	569.8924731	15881.00997	30000	0	0	30000	43.5625	2004
08.01.2020 13:09:37	1	1	1	1	94.25	63.5	0	27867.299	576.344086	15973.96244	30000	0	0	30000	43.5625	2004
08.01.2020 13:09:38	1	1	1	1	94.25	63.5	0	28009.479	578.4946237	16055.49969	30000	0	0	30000	43.5625	2004
08.01.2020 13:09:39	1	1	1	1	94.5	63.5	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	43.5	2004
08.01.2020 13:09:40	1	1	1	1	94.5	63.5	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	43.5625	2004
08.01.2020 13:09:41	1	1	1	1	94.5	63.5	0	27867.299	574.1935484	15941.34754	30000	0	0	30000	43	2004
08.01.2020 13:09:42	1	1	1	1	94.5	63	0	28009.479	576.344086	16142.74454	30000	0	0	30000	43.5625	2004
08.01.2020 13:09:43	1	1	1	1	94.5	63.5	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	43.125	2004
08.01.2020 13:09:44	1	1	1	1	94.5	63	0	28009.479	556.9892473	15600.52184	30000	0	0	30000	43.3125	2004
08.01.2020 13:09:45	1	1	1	1	94.5	63.25	0	27914.692	572.0430108	16027.77702	30000	0	0	30000	43.125	2004
08.01.2020 13:09:46	1	1	1	1	94.5	63	0	27867.299	576.344086	15854.10268	30000	0	0	30000	43.5625	2004
08.01.2020 13:09:47	1	1	1	1	94.5	63.5	0	27962.085	576.344086	16142.74454	30000	0	0	30000	43.5	2004
08.01.2020 13:09:48	1	1	1	1	94.5	63.5	0	27819.905	576.344086	15973.96244	30000	0	0	30000	43.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 13:09:49	1	1	1	1	94.75	63.5	0	27819.905	576.344086	15973.96244	30000	0	0	30000	43	2004
08.01.2020 13:09:50	1	1	1	1	94.75	63	0	27725.118	574.1935484	15864.70252	30000	0	0	30000	43.625	2004
08.01.2020 13:09:51	1	1	1	1	94.75	63.5	0	27819.905	576.344086	16033.48463	30000	0	0	30000	43.4375	2004
08.01.2020 13:09:52	1	1	1	1	94.75	63.25	0	27867.299	576.344086	16000.86973	30000	0	0	30000	43.5	2004
08.01.2020 13:09:53	1	1	1	1	94.75	63.5	0	27867.299	574.1935484	16061.20729	30000	0	0	30000	43.375	2004
08.01.2020 13:09:54	1	1	1	1	94.75	63.25	0	27630.332	572.0430108	16093.00682	30000	0	0	30000	43.8125	2004
08.01.2020 13:09:55	1	1	1	1	94.75	63.5	0	27867.299	576.344086	16000.86973	30000	0	0	30000	43.125	2004
08.01.2020 13:09:56	1	1	1	1	94.75	63	0	27819.905	565.5913978	15881.00997	30000	0	0	30000	43.5625	2004
08.01.2020 13:09:57	1	1	1	1	94.75	63.5	0	28009.479	544.0860215	15239.31183	30000	0	0	30000	43.625	2004
08.01.2020 13:09:58	1	1	1	1	94.75	63.5	0	28009.479	563.4408602	15781.53453	30000	0	0	30000	43.5625	2004
08.01.2020 13:10:00	1	1	1	1	94.75	63.5	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	43.4375	2004
08.01.2020 13:10:01	1	1	1	1	94.75	63.25	0	28672.986	563.4408602	16173.7287	30000	0	0	30000	43.4375	2004
08.01.2020 13:10:02	1	1	1	1	94.75	63.25	0	28625.592	556.9892473	16049.79208	30000	0	0	30000	43.0625	2004
08.01.2020 13:10:03	1	1	1	1	94.75	63	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	43.5625	2004
08.01.2020 13:10:04	1	1	1	1	94.75	63.5	0	28625.592	554.8387097	16049.79208	30000	0	0	30000	43.75	2004
08.01.2020 13:10:05	1	1	1	1	94.75	63.75	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	43.25	2004
08.01.2020 13:10:06	1	1	1	1	94.75	63.25	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	43.5625	2004
08.01.2020 13:10:12	1	1	1	1	94.25	63	0	28909.953	552.688172	16004.13122	30000	0	0	30000	43.5625	2004
08.01.2020 13:10:12	1	1	1	1	94.25	63	0	28909.953	552.688172	16004.13122	30000	0	0	30000	43.5625	2004
08.01.2020 13:10:12	1	1	1	1	94.25	63	0	28909.953	552.688172	16004.13122	30000	0	0	30000	43.5625	2004
08.01.2020 13:10:12	1	1	1	1	94.25	63	0	28909.953	552.688172	16004.13122	30000	0	0	30000	43.5625	2004
08.01.2020 13:10:12	1	1	1	1	94.25	63	0	28909.953	552.688172	16004.13122	30000	0	0	30000	43.5625	2004
08.01.2020 13:10:12	1	1	1	1	94.25	63	0	28909.953	552.688172	16004.13122	30000	0	0	30000	43.5625	2004
08.01.2020 13:10:13	1	1	1	1	94.25	63.5	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	42.9375	2004
08.01.2020 13:10:14	1	1	1	1	94.25	62.75	0	28862.559	552.688172	15889.97907	30000	0	0	30000	43	2004
08.01.2020 13:10:15	1	1	1	1	94.25	63	0	28815.166	552.688172	15925.85546	30000	0	0	30000	43.4375	2004
08.01.2020 13:10:16	1	1	1	1	94.25	63.25	0	29004.739	554.8387097	16119.09874	30000	0	0	30000	42.9375	2004
08.01.2020 13:10:17	1	1	1	1	94.25	62.75	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	43.25	2004
08.01.2020 13:10:18	1	1	1	1	94.25	63.25	0	29052.133	550.5376344	15942.16291	30000	0	0	30000	43.4375	2004
08.01.2020 13:10:19	1	1	1	1	94.25	63.25	0	28957.346	550.5376344	16119.09874	30000	0	0	30000	43.5	2004
08.01.2020 13:10:20	1	1	1	1	94.25	63.5	0	29099.526	554.8387097	16082.40698	30000	0	0	30000	43.5625	2004
08.01.2020 13:10:21	1	1	1	1	94.25	63.5	0	29052.133	550.5376344	16020.43867	30000	0	0	30000	43.5625	2004
08.01.2020 13:10:22	1	1	1	1	94.25	63.5	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	43.75	2004
08.01.2020 13:10:23	1	1	1	1	94.25	63.75	0	29099.526	552.688172	16082.40698	30000	0	0	30000	42.5	2004
08.01.2020 13:10:24	1	1	1	1	94.25	62.5	0	29099.526	550.5376344	16020.43867	30000	0	0	30000	43.5	2004
08.01.2020 13:10:25	1	1	1	1	94.25	63.5	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	43.375	2004
08.01.2020 13:10:26	1	1	1	1	94.25	63.25	0	29004.739	550.5376344	15942.16291	30000	0	0	30000	43.5	2004
08.01.2020 13:10:27	1	1	1	1	94.25	63.5	0	29146.919	550.5376344	15858.17955	30000	0	0	30000	43.0625	2004
08.01.2020 13:10:28	1	1	1	1	94.25	63	0	29146.919	554.8387097	15983.74691	30000	0	0	30000	43.4375	2004
08.01.2020 13:10:29	1	1	1	1	94	63.25	0	29052.133	546.2365591	15994.34675	30000	0	0	30000	43.5625	2004
08.01.2020 13:10:30	1	1	1	1	94	63.5	0	28815.166	541.9354839	15579.32215	30000	0	0	30000	43.5	2004
08.01.2020 13:10:31	1	1	1	1	94	63.25	0	28483.412	533.3333333	15302.91088	30000	0	0	30000	43.5625	2004
08.01.2020 13:10:32	1	1	1	1	94	63.5	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	43.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 13:10:33	1	1	1	1	94	63.5	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	43.5625	2004
08.01.2020 13:10:34	1	1	1	1	94	63.5	0	29289.1	548.3870968	16150.89827	30000	0	0	30000	43.5625	2004
08.01.2020 13:10:36	1	1	1	1	94	63.5	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	42.9375	2004
08.01.2020 13:10:37	1	1	1	1	94	62.75	0	29052.133	550.5376344	15931.56307	30000	0	0	30000	43.75	2004
08.01.2020 13:10:38	1	1	1	1	94	63.75	0	29052.133	550.5376344	15942.16291	30000	0	0	30000	43.5	2004
08.01.2020 13:10:39	1	1	1	1	94.5	63.5	0	28909.953	552.688172	15951.94738	30000	0	0	30000	43.125	2004
08.01.2020 13:10:40	1	1	1	1	94.5	63	0	28957.346	554.8387097	16004.13122	30000	0	0	30000	43	2004
08.01.2020 13:10:41	1	1	1	1	94.5	63	0	28862.559	550.5376344	15978.0393	30000	0	0	30000	43.1875	2004
08.01.2020 13:10:42	1	1	1	1	94.5	63	0	28625.592	550.5376344	15925.85546	30000	0	0	30000	43.5625	2004
08.01.2020 13:10:43	1	1	1	1	94.5	63.5	0	28957.346	556.9892473	16004.13122	30000	0	0	30000	43.25	2004
08.01.2020 13:10:44	1	1	1	1	94.5	63.25	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	42.8125	2004
08.01.2020 13:10:45	1	1	1	1	94.5	62.75	0	28815.166	556.9892473	15987.82377	30000	0	0	30000	42.5625	2004
08.01.2020 13:10:46	1	1	1	1	94.5	62.5	0	28672.986	554.8387097	16049.79208	30000	0	0	30000	43.5625	2004
08.01.2020 13:10:47	1	1	1	1	94.5	63.5	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	43.5	2004
08.01.2020 13:10:48	1	1	1	1	94.5	63.5	0	28625.592	554.8387097	15943.79366	30000	0	0	30000	42.9375	2004
08.01.2020 13:10:49	1	1	1	1	93.75	62.75	0	28672.986	554.8387097	15969.88558	30000	0	0	30000	43.125	2004
08.01.2020 13:10:50	1	1	1	1	93.75	63	0	28815.166	559.1397849	16049.79208	30000	0	0	30000	43.375	2004
08.01.2020 13:10:51	1	1	1	1	93.75	63.25	0	28672.986	556.9892473	16049.79208	30000	0	0	30000	43.4375	2004
08.01.2020 13:10:52	1	1	1	1	93.75	63.25	0	28815.166	559.1397849	16111.76039	30000	0	0	30000	43.5625	2004
08.01.2020 13:10:53	1	1	1	1	93.75	63.5	0	28625.592	556.9892473	15733.42755	30000	0	0	30000	43.0625	2004
08.01.2020 13:10:54	1	1	1	1	93.75	63	0	28578.199	559.1397849	15917.70174	30000	0	0	30000	43.3125	2004
08.01.2020 13:10:55	1	1	1	1	93.75	63.25	0	28578.199	559.1397849	15978.85467	30000	0	0	30000	43.5	2004
08.01.2020 13:10:56	1	1	1	1	93.75	63.5	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	43.5625	2004
08.01.2020 13:10:57	1	1	1	1	93.75	63.5	0	28578.199	559.1397849	15978.85467	30000	0	0	30000	42.9375	2004
08.01.2020 13:10:58	1	1	1	1	93.75	62.75	0	28578.199	554.8387097	15855.73343	30000	0	0	30000	43.3125	2004
08.01.2020 13:10:59	1	1	1	1	94	63.25	0	28815.166	546.2365591	15863.88715	30000	0	0	30000	42.6875	2004
08.01.2020 13:11:00	1	1	1	1	94	62.5	0	28909.953	550.5376344	15916.07099	30000	0	0	30000	43.5	2004
08.01.2020 13:11:01	1	1	1	1	94	63.5	0	29241.706	550.5376344	16161.49811	30000	0	0	30000	42.5	2004
08.01.2020 13:11:02	1	1	1	1	94	62.5	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	43.3125	2004
08.01.2020 13:11:03	1	1	1	1	94	63.25	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	43.625	2004
08.01.2020 13:11:04	1	1	1	1	94	63.5	0	29241.706	550.5376344	16035.11538	30000	0	0	30000	43.25	2004
08.01.2020 13:11:05	1	1	1	1	94	63.25	0	29052.133	552.688172	16004.13122	30000	0	0	30000	43.5	2004
08.01.2020 13:11:06	1	1	1	1	94	63.5	0	29146.919	546.2365591	16046.53059	30000	0	0	30000	43.4375	2004
08.01.2020 13:11:07	1	1	1	1	94	63.25	0	29478.673	546.2365591	16191.66689	30000	0	0	30000	41.9375	2004
08.01.2020 13:11:14	1	1	1	1	94	63.25	0	30000	533.3333333	16000.05436	30000	0	0	30000	42.6875	2004
08.01.2020 13:11:14	1	1	1	1	94	63.25	0	30000	533.3333333	16000.05436	30000	0	0	30000	42.6875	2004
08.01.2020 13:11:14	1	1	1	1	94	63.25	0	30000	533.3333333	16000.05436	30000	0	0	30000	42.6875	2004
08.01.2020 13:11:14	1	1	1	1	94	63.25	0	30000	533.3333333	16000.05436	30000	0	0	30000	42.6875	2004
08.01.2020 13:11:14	1	1	1	1	94	63.25	0	30000	533.3333333	16000.05436	30000	0	0	30000	42.6875	2004
08.01.2020 13:11:14	1	1	1	1	94	63.25	0	30000	533.3333333	16000.05436	30000	0	0	30000	42.6875	2004
08.01.2020 13:11:15	1	1	1	1	94	62.5	0	30000	507.5268817	15137.39026	30000	0	0	30000	43.125	2004
08.01.2020 13:11:16	1	1	1	1	94	63	0	30000	494.6236559	14838.14856	30000	0	0	30000	43.4375	2004
08.01.2020 13:11:17	1	1	1	1	94	63.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	43.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 13:11:18	1	1	1	1	94	63.5	0	30000	481.7204301	14451.662	30000	0	0	30000	43.3125	2004
08.01.2020 13:11:19	1	1	1	1	93.75	63.25	0	30047.393	481.7204301	13999.94564	30000	0	0	30000	43.1875	2004
08.01.2020 13:11:20	1	1	1	1	93.75	63	0	30000	453.7634409	13612.64371	30000	0	0	30000	43.125	2004
08.01.2020 13:11:21	1	1	1	1	93.75	63	0	30000	443.0107527	13289.7562	30000	0	0	30000	43.125	2004
08.01.2020 13:11:22	1	1	1	1	93.75	63	0	30000	438.7096774	13225.34178	30000	0	0	30000	43.625	2004
08.01.2020 13:11:23	1	1	1	1	93.75	63.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	43	2004
08.01.2020 13:11:24	1	1	1	1	93.75	63	0	30000	419.3548387	12580.38214	30000	0	0	30000	43.625	2004
08.01.2020 13:11:25	1	1	1	1	93.75	63.5	0	30000	415.0537634	12387.13886	30000	0	0	30000	43.3125	2004
08.01.2020 13:11:26	1	1	1	1	93.75	63.25	0	30047.393	419.3548387	12387.13886	30000	0	0	30000	43.375	2004
08.01.2020 13:11:27	1	1	1	1	93.75	63.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.1875	2004
08.01.2020 13:11:28	1	1	1	1	93.75	63	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.5625	2004
08.01.2020 13:11:29	1	1	1	1	93.5	63.5	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	43.3125	2004
08.01.2020 13:11:30	1	1	1	1	93.5	63.25	0	30000	402.1505376	11999.83693	30000	0	0	30000	43.625	2004
08.01.2020 13:11:31	1	1	1	1	93.5	63.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.3125	2004
08.01.2020 13:11:32	1	1	1	1	93.5	63.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	43.4375	2004
08.01.2020 13:11:33	1	1	1	1	93.5	63.25	0	29952.607	423.655914	12709.21099	30000	0	0	30000	43.3125	2004
08.01.2020 13:11:34	1	1	1	1	93.5	63.25	0	30000	432.2580645	13032.0985	30000	0	0	30000	43.3125	2004
08.01.2020 13:11:35	1	1	1	1	93.5	63.25	0	30000	440.8602151	13225.34178	30000	0	0	30000	43.5625	2004
08.01.2020 13:11:36	1	1	1	1	93.5	63.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	43.25	2004
08.01.2020 13:11:37	1	1	1	1	93.5	63.25	0	30000	443.0107527	13289.7562	30000	0	0	30000	43.25	2004
08.01.2020 13:11:38	1	1	1	1	93.5	63.25	0	30000	445.1612903	13269.37189	30000	0	0	30000	42.875	2004
08.01.2020 13:11:39	1	1	1	1	93.75	62.75	0	29952.607	438.7096774	13140.54304	30000	0	0	30000	43.125	2004
08.01.2020 13:11:40	1	1	1	1	93.75	63	0	29952.607	427.9569892	13160.92735	30000	0	0	30000	42.5	2004
08.01.2020 13:11:41	1	1	1	1	93.75	62.5	0	30000	443.0107527	13289.7562	30000	0	0	30000	43.125	2004
08.01.2020 13:11:42	1	1	1	1	93.75	63	0	30000	443.0107527	13354.17063	30000	0	0	30000	43.3125	2004
08.01.2020 13:11:43	1	1	1	1	93.75	63.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	43.25	2004
08.01.2020 13:11:44	1	1	1	1	93.75	63.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	43.125	2004
08.01.2020 13:11:45	1	1	1	1	93.75	63	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.3125	2004
08.01.2020 13:11:46	1	1	1	1	93.75	62.25	0	30000	449.4623656	13354.17063	30000	0	0	30000	43.375	2004
08.01.2020 13:11:47	1	1	1	1	93.75	63.25	0	29952.607	464.516129	13999.94564	30000	0	0	30000	43	2004
08.01.2020 13:11:48	1	1	1	1	93.75	63	0	30000	464.516129	13935.53122	30000	0	0	30000	43.75	2004
08.01.2020 13:11:49	1	1	1	1	93	63.75	0	30000	483.8709677	14534.01462	30000	0	0	30000	43.5625	2004
08.01.2020 13:11:50	1	1	1	1	93	63.75	0	30000	496.7741935	14902.56299	30000	0	0	30000	42.9375	2004
08.01.2020 13:11:51	1	1	1	1	93	62.75	0	30047.393	518.2795699	15354.27935	30000	0	0	30000	43.4375	2004
08.01.2020 13:11:52	1	1	1	1	93	63.25	0	30047.393	529.0322581	15677.16685	30000	0	0	30000	43.375	2004
08.01.2020 13:11:53	1	1	1	1	93	63.25	0	30000	529.0322581	15934.82456	30000	0	0	30000	43.5625	2004
08.01.2020 13:11:54	1	1	1	1	93	63.5	0	29715.64	531.1827957	15911.99413	30000	0	0	30000	43.0625	2004
08.01.2020 13:11:56	1	1	1	1	93	63	0	29857.82	533.3333333	15770.11932	30000	0	0	30000	43.625	2004
08.01.2020 13:11:57	1	1	1	1	93	63.5	0	30000	529.0322581	15870.41013	30000	0	0	30000	43.25	2004
08.01.2020 13:11:58	1	1	1	1	93	63.25	0	29905.213	520.4301075	15677.16685	30000	0	0	30000	43	2004
08.01.2020 13:11:59	1	1	1	1	92.75	63	0	30000	509.6774194	15289.86492	30000	0	0	30000	43.3125	2004
08.01.2020 13:12:00	1	1	1	1	92.75	63.25	0	30000	503.2258065	15096.62164	30000	0	0	30000	43.25	2004
08.01.2020 13:12:01	1	1	1	1	92.75	63.25	0	30000	483.8709677	14451.662	30000	0	0	30000	43.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 13:12:02	1	1	1	1	92.75	63	0	30000	464.516129	13913.51616	30000	0	0	30000	43.375	2004
08.01.2020 13:12:03	1	1	1	1	92.75	63.25	0	30000	432.2580645	12967.68407	30000	0	0	30000	43.5625	2004
08.01.2020 13:12:04	1	1	1	1	92.75	63.5	0	29952.607	419.3548387	12709.21099	30000	0	0	30000	43.625	2004
08.01.2020 13:12:05	1	1	1	1	92.75	63.5	0	30047.393	417.2043011	12471.12222	30000	0	0	30000	43.1875	2004
08.01.2020 13:12:06	1	1	1	1	92.75	63	0	30000	397.8494624	11999.83693	30000	0	0	30000	43.3125	2004
08.01.2020 13:12:07	1	1	1	1	92.75	63.25	0	30000	400	12064.25135	30000	0	0	30000	42.625	2004
08.01.2020 13:12:08	1	1	1	1	92.75	62.5	0	30000	404.3010753	12193.08021	30000	0	0	30000	43.6875	2004
08.01.2020 13:12:09	1	1	1	1	93.25	63.5	0	30000	402.1505376	12064.25135	30000	0	0	30000	43.125	2004
08.01.2020 13:12:17	1	1	1	1	93.25	63.5	0	30000	533.3333333	16000.05436	30000	0	0	30000	43.125	2004
08.01.2020 13:12:17	1	1	1	1	93.25	63.5	0	30000	533.3333333	16000.05436	30000	0	0	30000	43.125	2004
08.01.2020 13:12:17	1	1	1	1	93.25	63.5	0	30000	533.3333333	16000.05436	30000	0	0	30000	43.125	2004
08.01.2020 13:12:17	1	1	1	1	93.25	63.5	0	30000	533.3333333	16000.05436	30000	0	0	30000	43.125	2004
08.01.2020 13:12:17	1	1	1	1	93.25	63.5	0	30000	533.3333333	16000.05436	30000	0	0	30000	43.125	2004
08.01.2020 13:12:17	1	1	1	1	93.25	63	0	29810.427	533.3333333	16013.10032	30000	0	0	30000	43.0625	2004
08.01.2020 13:12:18	1	1	1	1	93.25	63	0	29905.213	537.6344086	15987.82377	30000	0	0	30000	43.5	2004
08.01.2020 13:12:19	1	1	1	1	92.75	63.5	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	43.0625	2004
08.01.2020 13:12:20	1	1	1	1	92.75	63	0	29715.64	535.483871	15911.99413	30000	0	0	30000	43.4375	2004
08.01.2020 13:12:21	1	1	1	1	92.75	63.25	0	30000	507.5268817	15289.86492	30000	0	0	30000	42.8125	2004
08.01.2020 13:12:22	1	1	1	1	92.75	62.75	0	30000	509.6774194	15289.86492	30000	0	0	30000	43.375	2004
08.01.2020 13:12:23	1	1	1	1	92.75	63.25	0	30000	507.5268817	15289.86492	30000	0	0	30000	43.375	2004
08.01.2020 13:12:24	1	1	1	1	92.75	63.25	0	30000	496.7741935	14902.56299	30000	0	0	30000	43.375	2004
08.01.2020 13:12:25	1	1	1	1	92.75	63.25	0	30000	507.5268817	15225.45049	30000	0	0	30000	43.25	2004
08.01.2020 13:12:26	1	1	1	1	92.75	63.25	0	29905.213	488.172043	14686.48928	30000	0	0	30000	42.4375	2004
08.01.2020 13:12:27	1	1	1	1	92.75	62.25	0	30000	533.3333333	16000.05436	30000	0	0	30000	43.0625	2004
08.01.2020 13:12:28	1	1	1	1	92.75	63	0	30000	533.3333333	16039.19224	30000	0	0	30000	44	2004
08.01.2020 13:12:29	1	1	1	1	93.25	64	0	29810.427	535.483871	15987.82377	30000	0	0	30000	43.125	2004
08.01.2020 13:12:30	1	1	1	1	93.25	63	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	43.5	2004
08.01.2020 13:12:31	1	1	1	1	93.25	62	0	29857.82	533.3333333	15949.50126	30000	0	0	30000	43.4375	2004
08.01.2020 13:12:32	1	1	1	1	93.25	63.25	0	29810.427	535.483871	15962.54722	30000	0	0	30000	43.3125	2004
08.01.2020 13:12:34	1	1	1	1	93.25	63.25	0	30000	531.1827957	15845.94896	30000	0	0	30000	43.1875	2004
08.01.2020 13:12:35	1	1	1	1	93.25	63	0	30000	531.1827957	15934.82456	30000	0	0	30000	43.5	2004
08.01.2020 13:12:36	1	1	1	1	93.25	63.5	0	29952.607	531.1827957	15885.08684	30000	0	0	30000	43.4375	2004
08.01.2020 13:12:37	1	1	1	1	93.25	63.25	0	30000	526.8817204	15805.99571	30000	0	0	30000	43.5	2004
08.01.2020 13:12:38	1	1	1	1	93.25	63.5	0	29952.607	533.3333333	16013.10032	30000	0	0	30000	43.375	2004
08.01.2020 13:12:39	1	1	1	1	93.5	63.25	0	30000	533.3333333	15934.82456	30000	0	0	30000	43.625	2004
08.01.2020 13:12:40	1	1	1	1	93.5	63.5	0	30000	533.3333333	15934.82456	30000	0	0	30000	43	2004
08.01.2020 13:12:41	1	1	1	1	93.5	63	0	29857.82	535.483871	15962.54722	30000	0	0	30000	43.375	2004
08.01.2020 13:12:42	1	1	1	1	93.5	63.25	0	29905.213	535.483871	16013.10032	30000	0	0	30000	42.9375	2004
08.01.2020 13:12:43	1	1	1	1	93.5	62.75	0	29668.246	535.483871	15911.99413	30000	0	0	30000	43.5	2004
08.01.2020 13:12:44	1	1	1	1	93.5	63.5	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	43.4375	2004
08.01.2020 13:12:45	1	1	1	1	93.5	63.25	0	29526.066	537.6344086	15873.67162	30000	0	0	30000	43.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 13:12:46	1	1	1	1	93.5	63.5	0	29526.066	539.7849462	16179.43631	30000	0	0	30000	43.5625	2004
08.01.2020 13:12:47	1	1	1	1	93.5	63.5	0	29526.066	539.7849462	15937.27068	30000	0	0	30000	43.625	2004
08.01.2020 13:12:48	1	1	1	1	93.5	63.5	0	29526.066	539.7849462	15963.3626	30000	0	0	30000	43.0625	2004
08.01.2020 13:12:49	1	1	1	1	93	63	0	29526.066	541.9354839	15937.27068	30000	0	0	30000	43.1875	2004
08.01.2020 13:12:50	1	1	1	1	93	63	0	29383.886	541.9354839	16038.37687	30000	0	0	30000	43.375	2004
08.01.2020 13:12:51	1	1	1	1	93	63.25	0	29526.066	546.2365591	16165.57497	30000	0	0	30000	43.375	2004
08.01.2020 13:12:52	1	1	1	1	93	63.25	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	43.1875	2004
08.01.2020 13:12:53	1	1	1	1	93	63	0	29146.919	544.0860215	16098.71443	30000	0	0	30000	43.5625	2004
08.01.2020 13:12:54	1	1	1	1	93	63.5	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	42.1875	2004
08.01.2020 13:12:55	1	1	1	1	93	62	0	29383.886	546.2365591	16075.884	30000	0	0	30000	43.625	2004
08.01.2020 13:12:56	1	1	1	1	93	63.5	0	29289.1	546.2365591	16124.80635	30000	0	0	30000	43.4375	2004
08.01.2020 13:12:57	1	1	1	1	93	63.25	0	29146.919	546.2365591	15858.17955	30000	0	0	30000	42.9375	2004
08.01.2020 13:12:58	1	1	1	1	93	62.75	0	29146.919	548.3870968	16046.53059	30000	0	0	30000	43.1875	2004
08.01.2020 13:12:59	1	1	1	1	93.5	63	0	28957.346	556.9892473	16004.13122	30000	0	0	30000	43.4375	2004
08.01.2020 13:13:00	1	1	1	1	93.5	63.25	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	43.5	2004
08.01.2020 13:13:01	1	1	1	1	93.5	63.5	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	43.375	2004
08.01.2020 13:13:02	1	1	1	1	93.5	63.25	0	29383.886	544.0860215	16013.10032	30000	0	0	30000	43.0625	2004
08.01.2020 13:13:03	1	1	1	1	93.5	63	0	29526.066	509.6774194	14921.31655	30000	0	0	30000	43.4375	2004
08.01.2020 13:13:04	1	1	1	1	93.5	63.25	0	29620.853	546.2365591	16052.2382	30000	0	0	30000	43.3125	2004
08.01.2020 13:13:05	1	1	1	1	93.5	63.25	0	29620.853	541.9354839	15988.63914	30000	0	0	30000	43.5	2004
08.01.2020 13:13:06	1	1	1	1	93.5	63.5	0	29810.427	539.7849462	16040.00761	30000	0	0	30000	43.3125	2004
08.01.2020 13:13:07	1	1	1	1	93.5	63.25	0	29810.427	537.6344086	16090.5607	30000	0	0	30000	42.9375	2004
08.01.2020 13:13:08	1	1	1	1	93.5	62.75	0	30000	522.5806452	15677.16685	30000	0	0	30000	43.6875	2004
08.01.2020 13:13:09	1	1	1	1	93.75	63.5	0	29952.607	509.6774194	15289.86492	30000	0	0	30000	43.3125	2004
08.01.2020 13:13:10	1	1	1	1	93.75	63.25	0	30000	496.7741935	14902.56299	30000	0	0	30000	43.375	2004
08.01.2020 13:13:18	1	1	1	1	93.75	63	0	30000	359.1397849	10903.16093	30000	0	0	30000	43.4375	2004
08.01.2020 13:13:18	1	1	1	1	93.75	63	0	30000	359.1397849	10903.16093	30000	0	0	30000	43.4375	2004
08.01.2020 13:13:18	1	1	1	1	93.75	63	0	30000	359.1397849	10903.16093	30000	0	0	30000	43.4375	2004
08.01.2020 13:13:18	1	1	1	1	93.75	63	0	30000	359.1397849	10903.16093	30000	0	0	30000	43.4375	2004
08.01.2020 13:13:18	1	1	1	1	93.75	63	0	30000	359.1397849	10903.16093	30000	0	0	30000	43.4375	2004
08.01.2020 13:13:18	1	1	1	1	93.75	63	0	30000	359.1397849	10903.16093	30000	0	0	30000	43.4375	2004
08.01.2020 13:13:18	1	1	1	1	93.75	63	0	30000	359.1397849	10903.16093	30000	0	0	30000	43.4375	2004
08.01.2020 13:13:19	1	1	1	1	93.5	63.25	0	30000	352.688172	10515.85899	30000	0	0	30000	43.4375	2004
08.01.2020 13:13:20	1	1	1	1	93.5	63.25	0	30000	356.9892473	10773.5167	30000	0	0	30000	43.375	2004
08.01.2020 13:13:21	1	1	1	1	93.5	63.25	0	30000	384.9462366	11676.94942	30000	0	0	30000	43.25	2004
08.01.2020 13:13:22	1	1	1	1	93.5	63.25	0	30000	417.2043011	12580.38214	30000	0	0	30000	43.25	2004
08.01.2020 13:13:23	1	1	1	1	93.5	63.25	0	29952.607	445.1612903	13333.78632	30000	0	0	30000	43.25	2004
08.01.2020 13:13:24	1	1	1	1	93.5	63.25	0	30047.393	481.7204301	14451.662	30000	0	0	30000	43.3125	2004
08.01.2020 13:13:25	1	1	1	1	93.5	63.25	0	30000	496.7741935	14902.56299	30000	0	0	30000	43.375	2004
08.01.2020 13:13:26	1	1	1	1	93.5	63.25	0	30000	507.5268817	15225.45049	30000	0	0	30000	42.9375	2004
08.01.2020 13:13:27	1	1	1	1	93.5	62.75	0	30000	516.1290323	15548.338	30000	0	0	30000	43.375	2004
08.01.2020 13:13:28	1	1	1	1	93.5	63.25	0	30000	516.1290323	15677.16685	30000	0	0	30000	42.875	2004
08.01.2020 13:13:29	1	1	1	1	93.75	62.75	0	30000	518.2795699	15548.338	30000	0	0	30000	43.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 13:13:30	1	1	1	1	93.75	63.25	0	29905.213	516.1290323	15483.92357	30000	0	0	30000	43.3125	2004
08.01.2020 13:13:31	1	1	1	1	93.75	63.25	0	30000	518.2795699	15548.338	30000	0	0	30000	43.5625	2004
08.01.2020 13:13:32	1	1	1	1	93.75	63.5	0	29952.607	529.0322581	15870.41013	30000	0	0	30000	42.5	2004
08.01.2020 13:13:33	1	1	1	1	93.75	62.5	0	29952.607	533.3333333	15974.77781	30000	0	0	30000	43.375	2004
08.01.2020 13:13:34	1	1	1	1	93.75	63.25	0	29810.427	535.483871	15848.39508	30000	0	0	30000	43.5	2004
08.01.2020 13:13:35	1	1	1	1	93.75	63.5	0	29952.607	535.483871	16013.10032	30000	0	0	30000	43.5625	2004
08.01.2020 13:13:36	1	1	1	1	93.75	63.5	0	29715.64	535.483871	16103.60666	30000	0	0	30000	43.375	2004
08.01.2020 13:13:37	1	1	1	1	93.75	63.25	0	29810.427	535.483871	16116.65262	30000	0	0	30000	43.375	2004
08.01.2020 13:13:38	1	1	1	1	93.75	63.25	0	29810.427	537.6344086	15975.59318	30000	0	0	30000	42.5625	2004
08.01.2020 13:13:39	1	1	1	1	93.75	62.5	0	29810.427	541.9354839	16040.00761	30000	0	0	30000	43.3125	2004
08.01.2020 13:13:40	1	1	1	1	93.75	63.25	0	29810.427	539.7849462	15848.39508	30000	0	0	30000	43.375	2004
08.01.2020 13:13:41	1	1	1	1	93.75	63.25	0	29810.427	539.7849462	16154.97513	30000	0	0	30000	43.5625	2004
08.01.2020 13:13:42	1	1	1	1	93.75	63.5	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	43.5625	2004
08.01.2020 13:13:43	1	1	1	1	93.75	63.5	0	29573.46	533.3333333	15988.63914	30000	0	0	30000	43	2004
08.01.2020 13:13:44	1	1	1	1	93.75	63	0	29763.033	539.7849462	16154.97513	30000	0	0	30000	43.1875	2004
08.01.2020 13:13:45	1	1	1	1	93.75	63	0	29478.673	541.9354839	16013.10032	30000	0	0	30000	43.125	2004
08.01.2020 13:13:46	1	1	1	1	93.75	63	0	29431.28	539.7849462	15885.90221	30000	0	0	30000	43.0625	2004
08.01.2020 13:13:47	1	1	1	1	93.75	63	0	29431.28	541.9354839	15975.59318	30000	0	0	30000	43.5625	2004
08.01.2020 13:13:48	1	1	1	1	93.75	63.5	0	29478.673	546.2365591	16013.10032	30000	0	0	30000	43.9375	2004
08.01.2020 13:13:49	1	1	1	1	93.5	63.75	0	29526.066	546.2365591	16128.06784	30000	0	0	30000	43.25	2004
08.01.2020 13:13:50	1	1	1	1	93.5	63.25	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	43.3125	2004
08.01.2020 13:13:52	1	1	1	1	93.5	63.25	0	29146.919	546.2365591	16046.53059	30000	0	0	30000	43.625	2004
08.01.2020 13:13:53	1	1	1	1	93.5	63.5	0	29146.919	548.3870968	15983.74691	30000	0	0	30000	42.5	2004
08.01.2020 13:13:54	1	1	1	1	93.5	62.5	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	43.5	2004
08.01.2020 13:13:55	1	1	1	1	93.5	63.5	0	29146.919	548.3870968	15983.74691	30000	0	0	30000	43.4375	2004
08.01.2020 13:13:56	1	1	1	1	93.5	63.25	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	43	2004
08.01.2020 13:13:57	1	1	1	1	93.5	63	0	29004.739	550.5376344	15942.16291	30000	0	0	30000	43.375	2004
08.01.2020 13:13:58	1	1	1	1	93.5	63.25	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	43.4375	2004
08.01.2020 13:13:59	1	1	1	1	94	63.25	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	43.5625	2004
08.01.2020 13:14:00	1	1	1	1	94	63.5	0	29241.706	546.2365591	16150.89827	30000	0	0	30000	43.4375	2004
08.01.2020 13:14:01	1	1	1	1	94	63.25	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	43.4375	2004
08.01.2020 13:14:02	1	1	1	1	94	63.25	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	43.0625	2004
08.01.2020 13:14:03	1	1	1	1	94	63	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	42.875	2004
08.01.2020 13:14:04	1	1	1	1	94	62.75	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	43.375	2004
08.01.2020 13:14:05	1	1	1	1	94	63.25	0	29715.64	539.7849462	15911.99413	30000	0	0	30000	43.5	2004
08.01.2020 13:14:06	1	1	1	1	94	63.5	0	29715.64	535.483871	15848.39508	30000	0	0	30000	43.125	2004
08.01.2020 13:14:07	1	1	1	1	94	63	0	29810.427	533.3333333	16154.97513	30000	0	0	30000	42.9375	2004
08.01.2020 13:14:08	1	1	1	1	94	62.75	0	29905.213	535.483871	16013.10032	30000	0	0	30000	43.1875	2004
08.01.2020 13:14:09	1	1	1	1	93.25	63	0	29526.066	541.9354839	16064.46878	30000	0	0	30000	43.5	2004
08.01.2020 13:14:10	1	1	1	1	93.25	63.5	0	29715.64	544.0860215	16040.00761	30000	0	0	30000	43.0625	2004
08.01.2020 13:14:11	1	1	1	1	93.25	63	0	29620.853	537.6344086	15733.42755	30000	0	0	30000	43.4375	2004
08.01.2020 13:14:12	1	1	1	1	93.25	63.25	0	29905.213	533.3333333	16077.51474	30000	0	0	30000	43.3125	2004
08.01.2020 13:14:20	1	1	1	1	93.5	63	0	29952.607	524.7311828	15627.42913	30000	0	0	30000	43.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 13:14:20	1	1	1	1	93.5	63	0	29952.607	524.7311828	15627.42913	30000	0	0	30000	43.5	2004
08.01.2020 13:14:20	1	1	1	1	93.5	63	0	29952.607	524.7311828	15627.42913	30000	0	0	30000	43.5	2004
08.01.2020 13:14:20	1	1	1	1	93.5	63	0	29952.607	524.7311828	15627.42913	30000	0	0	30000	43.5	2004
08.01.2020 13:14:20	1	1	1	1	93.5	63	0	29952.607	524.7311828	15627.42913	30000	0	0	30000	43.5	2004
08.01.2020 13:14:20	1	1	1	1	93.5	63	0	29952.607	524.7311828	15627.42913	30000	0	0	30000	43.5	2004
08.01.2020 13:14:20	1	1	1	1	93.5	63.5	0	30000	516.1290323	15701.62803	30000	0	0	30000	43.5	2004
08.01.2020 13:14:21	1	1	1	1	93.5	63.5	0	30000	518.2795699	15548.338	30000	0	0	30000	43.25	2004
08.01.2020 13:14:22	1	1	1	1	93.5	63.25	0	29715.64	535.483871	16026.96165	30000	0	0	30000	43.25	2004
08.01.2020 13:14:23	1	1	1	1	93.5	63.25	0	29715.64	539.7849462	16013.91569	30000	0	0	30000	43.625	2004
08.01.2020 13:14:24	1	1	1	1	93.5	63.5	0	29526.066	539.7849462	15937.27068	30000	0	0	30000	43	2004
08.01.2020 13:14:25	1	1	1	1	93.5	63	0	29620.853	544.0860215	16052.2382	30000	0	0	30000	43.6875	2004
08.01.2020 13:14:26	1	1	1	1	93.5	63.5	0	29478.673	544.0860215	16038.37687	30000	0	0	30000	43.3125	2004
08.01.2020 13:14:27	1	1	1	1	93.5	63.25	0	29336.493	541.9354839	15898.1328	30000	0	0	30000	43.25	2004
08.01.2020 13:14:29	1	1	1	1	93	63.25	0	29336.493	550.5376344	15909.54801	30000	0	0	30000	43.375	2004
08.01.2020 13:14:30	1	1	1	1	93	63.25	0	29383.886	546.2365591	15960.91648	30000	0	0	30000	43.4375	2004
08.01.2020 13:14:31	1	1	1	1	93	63.25	0	29383.886	544.0860215	15960.91648	30000	0	0	30000	43.625	2004
08.01.2020 13:14:32	1	1	1	1	93	63.5	0	29289.1	546.2365591	15998.42361	30000	0	0	30000	43	2004
08.01.2020 13:14:33	1	1	1	1	93	63	0	29383.886	544.0860215	15835.34912	30000	0	0	30000	42.9375	2004
08.01.2020 13:14:34	1	1	1	1	93	62.75	0	29478.673	546.2365591	16101.97592	30000	0	0	30000	43.1875	2004
08.01.2020 13:14:35	1	1	1	1	93	63	0	29241.706	541.9354839	16061.20729	30000	0	0	30000	43.375	2004
08.01.2020 13:14:36	1	1	1	1	93	63.25	0	29336.493	550.5376344	16087.29921	30000	0	0	30000	42.1875	2004
08.01.2020 13:14:37	1	1	1	1	93	62	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	43.4375	2004
08.01.2020 13:14:38	1	1	1	1	93	63.25	0	29146.919	546.2365591	16234.06626	30000	0	0	30000	43	2004
08.01.2020 13:14:39	1	1	1	1	92.75	63	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	43.375	2004
08.01.2020 13:14:40	1	1	1	1	92.75	63.25	0	29099.526	550.5376344	15806.81108	30000	0	0	30000	43.4375	2004
08.01.2020 13:14:41	1	1	1	1	92.75	63.25	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	43.6875	2004
08.01.2020 13:14:42	1	1	1	1	92.75	63.5	0	29052.133	550.5376344	16082.40698	30000	0	0	30000	42.875	2004
08.01.2020 13:14:43	1	1	1	1	92.75	62.75	0	29289.1	550.5376344	16150.89827	30000	0	0	30000	43.25	2004
08.01.2020 13:14:44	1	1	1	1	92.75	63.25	0	29052.133	550.5376344	15942.16291	30000	0	0	30000	43.375	2004
08.01.2020 13:14:45	1	1	1	1	92.75	63.25	0	29052.133	550.5376344	15879.37923	30000	0	0	30000	43.4375	2004
08.01.2020 13:14:46	1	1	1	1	92.75	63.25	0	28957.346	552.688172	16004.13122	30000	0	0	30000	42.8125	2004
08.01.2020 13:14:47	1	1	1	1	92.75	62.75	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	43.0625	2004
08.01.2020 13:14:48	1	1	1	1	92.75	63	0	29146.919	550.5376344	16108.4989	30000	0	0	30000	43.4375	2004
08.01.2020 13:14:49	1	1	1	1	92.75	63.25	0	29336.493	550.5376344	16087.29921	30000	0	0	30000	43.125	2004
08.01.2020 13:14:50	1	1	1	1	92.75	63	0	29241.706	550.5376344	16124.80635	30000	0	0	30000	43.3125	2004
08.01.2020 13:14:51	1	1	1	1	92.75	63.25	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	43.4375	2004
08.01.2020 13:14:52	1	1	1	1	92.75	63.25	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	43.4375	2004
08.01.2020 13:14:53	1	1	1	1	92.75	63.25	0	29478.673	546.2365591	16038.37687	30000	0	0	30000	43.4375	2004
08.01.2020 13:14:54	1	1	1	1	92.75	63.25	0	29526.066	548.3870968	16064.46878	30000	0	0	30000	43.5	2004
08.01.2020 13:14:55	1	1	1	1	92.75	63.5	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	43.3125	2004
08.01.2020 13:14:56	1	1	1	1	92.75	63.25	0	29526.066	539.7849462	15937.27068	30000	0	0	30000	43	2004
08.01.2020 13:14:57	1	1	1	1	92.75	63	0	29526.066	533.3333333	15963.3626	30000	0	0	30000	43.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 13:14:58	1	1	1	1	92.75	63.5	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	43.5	2004
08.01.2020 13:14:59	1	1	1	1	93.25	63.5	0	29573.46	544.0860215	16090.5607	30000	0	0	30000	43.125	2004
08.01.2020 13:15:00	1	1	1	1	93.25	63	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	43.0625	2004
08.01.2020 13:15:01	1	1	1	1	93.25	63	0	29241.706	546.2365591	15858.17955	30000	0	0	30000	43.375	2004
08.01.2020 13:15:02	1	1	1	1	93.25	63.25	0	29099.526	546.2365591	16171.28258	30000	0	0	30000	43.5	2004
08.01.2020 13:15:03	1	1	1	1	93.25	63.5	0	29099.526	552.688172	16082.40698	30000	0	0	30000	43	2004
08.01.2020 13:15:04	1	1	1	1	93.25	63	0	29052.133	552.688172	16181.06705	30000	0	0	30000	43.375	2004
08.01.2020 13:15:05	1	1	1	1	93.25	63.25	0	28815.166	544.0860215	15863.88715	30000	0	0	30000	43.875	2004
08.01.2020 13:15:06	1	1	1	1	93.25	63.75	0	28909.953	554.8387097	16101.97592	30000	0	0	30000	43.625	2004
08.01.2020 13:15:07	1	1	1	1	93.25	63.5	0	28815.166	550.5376344	15863.88715	30000	0	0	30000	43.3125	2004
08.01.2020 13:15:08	1	1	1	1	93.25	62.75	0	29146.919	550.5376344	16108.4989	30000	0	0	30000	43.375	2004
08.01.2020 13:15:10	1	1	1	1	93.25	63.25	0	28957.346	541.9354839	15957.65499	30000	0	0	30000	42.875	2004
08.01.2020 13:15:11	1	1	1	1	93.25	62.75	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	42.9375	2004
08.01.2020 13:15:12	1	1	1	1	93.25	62.75	0	29099.526	550.5376344	16056.31506	30000	0	0	30000	42.625	2004
08.01.2020 13:15:13	1	1	1	1	93.25	62.5	0	28957.346	546.2365591	16004.13122	30000	0	0	30000	43.4375	2004
08.01.2020 13:15:14	1	1	1	1	93.25	63.25	0	28862.559	552.688172	15951.94738	30000	0	0	30000	43.3125	2004
08.01.2020 13:15:21	1	1	1	1	92.75	63	0	29478.673	544.0860215	16038.37687	30000	0	0	30000	43	2004
08.01.2020 13:15:21	1	1	1	1	92.75	63	0	29478.673	544.0860215	16038.37687	30000	0	0	30000	43	2004
08.01.2020 13:15:21	1	1	1	1	92.75	63	0	29478.673	544.0860215	16038.37687	30000	0	0	30000	43	2004
08.01.2020 13:15:21	1	1	1	1	92.75	63	0	29478.673	544.0860215	16038.37687	30000	0	0	30000	43	2004
08.01.2020 13:15:21	1	1	1	1	92.75	63	0	29478.673	544.0860215	16038.37687	30000	0	0	30000	43	2004
08.01.2020 13:15:21	1	1	1	1	92.75	63	0	29478.673	544.0860215	16038.37687	30000	0	0	30000	43	2004
08.01.2020 13:15:21	1	1	1	1	92.75	63	0	29478.673	544.0860215	16038.37687	30000	0	0	30000	43	2004
08.01.2020 13:15:22	1	1	1	1	92.75	63	0	29526.066	541.9354839	16064.46878	30000	0	0	30000	43.4375	2004
08.01.2020 13:15:23	1	1	1	1	92.75	63.25	0	29478.673	541.9354839	15885.90221	30000	0	0	30000	43	2004
08.01.2020 13:15:24	1	1	1	1	92.75	63	0	29478.673	541.9354839	16038.37687	30000	0	0	30000	42.9375	2004
08.01.2020 13:15:25	1	1	1	1	92.75	62.75	0	29383.886	541.9354839	15949.50126	30000	0	0	30000	43.125	2004
08.01.2020 13:15:26	1	1	1	1	92.75	63	0	29526.066	541.9354839	15873.67162	30000	0	0	30000	43.1875	2004
08.01.2020 13:15:27	1	1	1	1	92.75	63	0	29526.066	544.0860215	16090.5607	30000	0	0	30000	43	2004
08.01.2020 13:15:28	1	1	1	1	92.75	63	0	29526.066	544.0860215	16090.5607	30000	0	0	30000	43.375	2004
08.01.2020 13:15:29	1	1	1	1	93.25	63.25	0	29715.64	539.7849462	16103.60666	30000	0	0	30000	43.4375	2004
08.01.2020 13:15:30	1	1	1	1	93.25	63.25	0	29763.033	537.6344086	15720.38159	30000	0	0	30000	42.875	2004
08.01.2020 13:15:31	1	1	1	1	93.25	62.75	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	43.125	2004
08.01.2020 13:15:32	1	1	1	1	93.25	63	0	29810.427	539.7849462	16090.5607	30000	0	0	30000	43.4375	2004
08.01.2020 13:15:33	1	1	1	1	93.25	63.25	0	29857.82	537.6344086	16052.2382	30000	0	0	30000	42.9375	2004
08.01.2020 13:15:34	1	1	1	1	93.25	62.75	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	42.0625	2004
08.01.2020 13:15:35	1	1	1	1	93.25	62	0	29715.64	537.6344086	16167.20572	30000	0	0	30000	42.8125	2004
08.01.2020 13:15:36	1	1	1	1	93.25	62.75	0	29715.64	537.6344086	15911.99413	30000	0	0	30000	43.25	2004
08.01.2020 13:15:37	1	1	1	1	93.25	63.25	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	43.3125	2004
08.01.2020 13:15:38	1	1	1	1	93.25	63.25	0	29620.853	535.483871	15925.04009	30000	0	0	30000	42.8125	2004
08.01.2020 13:15:39	1	1	1	1	93	62.75	0	29715.64	539.7849462	15975.59318	30000	0	0	30000	42.75	2004
08.01.2020 13:15:40	1	1	1	1	93	62.75	0	29905.213	537.6344086	16077.51474	30000	0	0	30000	43.25	2004
08.01.2020 13:15:41	1	1	1	1	93	63.25	0	30000	533.3333333	16064.46878	30000	0	0	30000	43.0625	2004

	Modbus [On / Off]	onoff [On / Off]	REED [On / Off]	TC_Connect [On / Off]	T_Gas [°C]	T_onoff [°C]	Timer_hyst [s]	hv_u [V]	hv_i [u]	hv_p [mW]	hv_u_max_soft [V]	error	trouble	u_max_set [V]	t_box [°C]	vers
08.01.2020 13:15:42	1	1	1	1	93	63	0	29905.213	533.3333333	15974.77781	30000	0	0	30000	43	2004
08.01.2020 13:15:43	1	1	1	1	93	63	0	30000	529.0322581	15934.82456	30000	0	0	30000	42.8125	2004
08.01.2020 13:15:44	1	1	1	1	93	62.75	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	43.125	2004
08.01.2020 13:15:45	1	1	1	1	93	63	0	29905.213	535.483871	16013.10032	30000	0	0	30000	43.8125	2004
08.01.2020 13:15:46	1	1	1	1	93	63.75	0	29857.82	537.6344086	15987.82377	30000	0	0	30000	43.5	2004
08.01.2020 13:15:47	1	1	1	1	93	63.5	0	29905.213	535.483871	16128.88321	30000	0	0	30000	43.125	2004
08.01.2020 13:15:48	1	1	1	1	93	63	0	29857.82	535.483871	15987.82377	30000	0	0	30000	42.875	2004
08.01.2020 13:15:50	1	1	1	1	93.5	63.25	0	29905.213	537.6344086	16103.60666	30000	0	0	30000	43.1875	2004
08.01.2020 13:15:51	1	1	1	1	93.5	63	0	29857.82	537.6344086	16013.10032	30000	0	0	30000	43.3125	2004
08.01.2020 13:15:52	1	1	1	1	93.5	63.25	0	30000	541.9354839	16039.19224	30000	0	0	30000	43.5625	2004
08.01.2020 13:15:53	1	1	1	1	93.5	63.5	0	29810.427	539.7849462	16090.5607	30000	0	0	30000	43.4375	2004
08.01.2020 13:15:54	1	1	1	1	93.5	63.25	0	29810.427	537.6344086	15962.54722	30000	0	0	30000	43.0625	2004
08.01.2020 13:15:55	1	1	1	1	93.5	63	0	29526.066	537.6344086	15873.67162	30000	0	0	30000	43.25	2004
08.01.2020 13:15:56	1	1	1	1	93.5	63.25	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	43.5	2004
08.01.2020 13:15:57	1	1	1	1	93.5	63.5	0	29573.46	539.7849462	15963.3626	30000	0	0	30000	43.3125	2004
08.01.2020 13:15:58	1	1	1	1	93.5	63.25	0	30000	516.1290323	15418.69377	30000	0	0	30000	42.5625	2004
08.01.2020 13:15:59	1	1	1	1	93.5	62.5	0	30000	486.0215054	14516.07643	30000	0	0	30000	42.625	2004
08.01.2020 13:16:00	1	1	1	1	93.5	62.5	0	30000	481.7204301	14451.662	30000	0	0	30000	43.5	2004
08.01.2020 13:16:01	1	1	1	1	93.5	63.5	0	30000	486.0215054	14644.90528	30000	0	0	30000	43.25	2004
08.01.2020 13:16:02	1	1	1	1	93.5	63.25	0	30000	486.0215054	14516.07643	30000	0	0	30000	43.4375	2004
08.01.2020 13:16:03	1	1	1	1	93.5	63.25	0	30000	496.7741935	14902.56299	30000	0	0	30000	43.1875	2004
08.01.2020 13:16:04	1	1	1	1	93.5	63	0	30000	507.5268817	15161.03607	30000	0	0	30000	43.3125	2004
08.01.2020 13:16:05	1	1	1	1	93.5	63.25	0	30000	501.0752688	15289.86492	30000	0	0	30000	43.125	2004
08.01.2020 13:16:06	1	1	1	1	93.5	63	0	30000	531.1827957	15781.53453	30000	0	0	30000	42.625	2004
08.01.2020 13:16:07	1	1	1	1	93.5	62.5	0	29810.427	535.483871	16077.51474	30000	0	0	30000	43.4375	2004
08.01.2020 13:16:08	1	1	1	1	93.5	63.25	0	29715.64	537.6344086	15848.39508	30000	0	0	30000	43.375	2004
08.01.2020 13:16:09	1	1	1	1	93.25	63.25	0	29905.213	535.483871	16013.10032	30000	0	0	30000	43.25	2004
08.01.2020 13:16:10	1	1	1	1	93.25	63.25	0	29952.607	533.3333333	15974.77781	30000	0	0	30000	43.5	2004
08.01.2020 13:16:11	1	1	1	1	93.25	63.5	0	30000	518.2795699	15548.338	30000	0	0	30000	43.5	2004
08.01.2020 13:16:12	1	1	1	1	93.25	63.5	0	30000	529.0322581	15805.99571	30000	0	0	30000	42.8125	2004
08.01.2020 13:16:13	1	1	1	1	93.25	62.75	0	29952.607	533.3333333	15974.77781	30000	0	0	30000	43.3125	2004
08.01.2020 13:16:14	1	1	1	1	93.25	63.25	0	30000	531.1827957	15870.41013	30000	0	0	30000	43	2004
08.01.2020 13:16:15	1	1	1	1	93.25	63	0	30000	533.3333333	16000.05436	30000	0	0	30000	43.375	2004
08.01.2020 13:16:23	1	1	1	1	93.25	63	0	30000	488.172043	14644.90528	30000	0	0	30000	42.8125	2004
08.01.2020 13:16:23	1	1	1	1	93.25	63	0	30000	488.172043	14644.90528	30000	0	0	30000	42.8125	2004
08.01.2020 13:16:23	1	1	1	1	93.25	63	0	30000	488.172043	14644.90528	30000	0	0	30000	42.8125	2004
08.01.2020 13:16:23	1	1	1	1	93.25	63	0	30000	488.172043	14644.90528	30000	0	0	30000	42.8125	2004
08.01.2020 13:16:23	1	1	1	1	93.25	63	0	30000	488.172043	14644.90528	30000	0	0	30000	42.8125	2004
08.01.2020 13:16:23	1	1	1	1	93.25	63	0	30000	488.172043	14644.90528	30000	0	0	30000	42.8125	2004
08.01.2020 13:16:23	1	1	1	1	93.25	63	0	30000	488.172043	14644.90528	30000	0	0	30000	42.8125	2004
08.01.2020 13:16:23	1	1	1	1	93.25	63	0	30000	488.172043	14644.90528	30000	0	0	30000	42.8125	2004
08.01.2020 13:16:23	1	1	1	1	93.25	63	0	30000	488.172043	14644.90528	30000	0	0	30000	42.8125	2004
08.01.2020 13:16:23	1	1	1	1	93.25	63	0	30000	488.172043	14644.90528	30000	0	0	30000	42.8125	2004
08.01.2020 13:16:23	1	1	1	1	93.25	63	0	30000	488.172043	14644.90528	30000	0	0	30000	42.8125	2004
08.01.2020 13:16:23	1	1	1	1	93.25	63	0	30000	488.172043	14644.90528	30000	0	0	30000	42.8125	2004
08.01.2020 13:16:23	1	1	1	1	93.25	63	0	30000	488.172043	14644.90528	30000	0	0	30000	42.8125	2004
08.01.2020 13:16:23	1	1	1	1	93.25	62.75	0	30000	483.8709677	14516.07643	30000	0	0	30000	43.375	2004
08.01.2020 13:16:24	1	1	1	1	93.25	63.25	0	30000	501.0752688	14967.79279	30000	0	0	30000	42.9375	2004
08.01.2020 13:16:25	1	1	1	1	93.25	62.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	43.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 13:16:26	1	1	1	1	93.25	63.25	0	30000	511.827957	15289.86492	30000	0	0	30000	43.75	2004
08.01.2020 13:16:27	1	1	1	1	93.25	63.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	42.875	2004
08.01.2020 13:16:28	1	1	1	1	93.25	62.75	0	30000	516.1290323	15354.27935	30000	0	0	30000	43.375	2004
08.01.2020 13:16:30	1	1	1	1	93.25	63.25	0	30000	516.1290323	15354.27935	30000	0	0	30000	43.1875	2004
08.01.2020 13:16:31	1	1	1	1	93.25	63	0	30000	516.1290323	15483.92357	30000	0	0	30000	43.1875	2004
08.01.2020 13:16:32	1	1	1	1	93.25	63	0	29952.607	526.8817204	15805.99571	30000	0	0	30000	43.125	2004
08.01.2020 13:16:33	1	1	1	1	93.25	63	0	30000	522.5806452	15677.16685	30000	0	0	30000	42.75	2004
08.01.2020 13:16:34	1	1	1	1	93.25	62.75	0	30000	524.7311828	15627.42913	30000	0	0	30000	42.9375	2004
08.01.2020 13:16:35	1	1	1	1	93.25	62.75	0	30000	526.8817204	15805.99571	30000	0	0	30000	43.125	2004
08.01.2020 13:16:36	1	1	1	1	93.25	63	0	30000	529.0322581	15934.82456	30000	0	0	30000	42.5625	2004
08.01.2020 13:16:37	1	1	1	1	93.25	62.5	0	30000	526.8817204	15805.99571	30000	0	0	30000	43.25	2004
08.01.2020 13:16:38	1	1	1	1	93.25	63.25	0	29905.213	535.483871	15974.77781	30000	0	0	30000	43.1875	2004
08.01.2020 13:16:39	1	1	1	1	93	63	0	30000	531.1827957	16000.05436	30000	0	0	30000	43	2004
08.01.2020 13:16:40	1	1	1	1	93	63	0	30000	524.7311828	15677.16685	30000	0	0	30000	43.375	2004
08.01.2020 13:16:41	1	1	1	1	93	63.25	0	28957.346	453.7634409	13139.72767	30000	0	0	30000	43.1875	2004
08.01.2020 13:16:42	1	1	1	1	93	63	0	30000	501.0752688	15032.20721	30000	0	0	30000	42.875	2004
08.01.2020 13:16:43	1	1	1	1	93	62.75	0	29905.213	481.7204301	14428.83157	30000	0	0	30000	42.6875	2004
08.01.2020 13:16:44	1	1	1	1	93	62.5	0	30000	501.0752688	15032.20721	30000	0	0	30000	43.375	2004
08.01.2020 13:16:45	1	1	1	1	93	63.25	0	30000	498.9247312	15032.20721	30000	0	0	30000	42.8125	2004
08.01.2020 13:16:46	1	1	1	1	93	62.75	0	29905.213	488.172043	14902.56299	30000	0	0	30000	43.3125	2004
08.01.2020 13:16:47	1	1	1	1	93	63.25	0	30000	488.172043	14644.90528	30000	0	0	30000	43.375	2004
08.01.2020 13:16:48	1	1	1	1	93	63.25	0	30000	481.7204301	14451.662	30000	0	0	30000	43.1875	2004
08.01.2020 13:16:49	1	1	1	1	93.25	63	0	30000	481.7204301	14428.83157	30000	0	0	30000	43.3125	2004
08.01.2020 13:16:50	1	1	1	1	93.25	63.25	0	29905.213	481.7204301	14451.662	30000	0	0	30000	43.375	2004
08.01.2020 13:16:51	1	1	1	1	93.25	63.25	0	30000	464.516129	14128.7745	30000	0	0	30000	43.1875	2004
08.01.2020 13:16:52	1	1	1	1	93.25	63	0	30000	466.6666667	13999.94564	30000	0	0	30000	43.1875	2004
08.01.2020 13:16:53	1	1	1	1	93.25	63	0	29952.607	464.516129	13999.94564	30000	0	0	30000	43.0625	2004
08.01.2020 13:16:54	1	1	1	1	93.25	63	0	30000	464.516129	13935.53122	30000	0	0	30000	43.1875	2004
08.01.2020 13:16:55	1	1	1	1	93.25	63	0	30000	460.2150538	13935.53122	30000	0	0	30000	43.25	2004
08.01.2020 13:16:56	1	1	1	1	93.25	63.25	0	30000	464.516129	13935.53122	30000	0	0	30000	43.25	2004
08.01.2020 13:16:57	1	1	1	1	93.25	63.25	0	30000	481.7204301	14516.07643	30000	0	0	30000	43.3125	2004
08.01.2020 13:16:58	1	1	1	1	93.25	63.25	0	30000	494.6236559	14750.9037	30000	0	0	30000	43.0625	2004
08.01.2020 13:16:59	1	1	1	1	93.25	63	0	30000	503.2258065	15096.62164	30000	0	0	30000	43.375	2004
08.01.2020 13:17:00	1	1	1	1	93.25	63.25	0	30000	518.2795699	15548.338	30000	0	0	30000	43.375	2004
08.01.2020 13:17:01	1	1	1	1	93.25	63.25	0	30000	516.1290323	15354.27935	30000	0	0	30000	43.3125	2004
08.01.2020 13:17:02	1	1	1	1	93.25	63.25	0	29715.64	537.6344086	15911.99413	30000	0	0	30000	43.25	2004
08.01.2020 13:17:03	1	1	1	1	93.25	63.25	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	43	2004
08.01.2020 13:17:04	1	1	1	1	93.25	63	0	29810.427	529.0322581	15987.82377	30000	0	0	30000	43.375	2004
08.01.2020 13:17:05	1	1	1	1	93.25	63.25	0	29668.246	537.6344086	15861.44103	30000	0	0	30000	43.5625	2004
08.01.2020 13:17:07	1	1	1	1	93.25	63	0	29715.64	533.3333333	16103.60666	30000	0	0	30000	43	2004
08.01.2020 13:17:08	1	1	1	1	93.25	63	0	29526.066	541.9354839	15937.27068	30000	0	0	30000	43.25	2004
08.01.2020 13:17:09	1	1	1	1	93.25	63.25	0	29431.28	541.9354839	16013.10032	30000	0	0	30000	42.6875	2004
08.01.2020 13:17:10	1	1	1	1	93.25	62.5	0	29431.28	546.2365591	16013.10032	30000	0	0	30000	43.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 13:17:11	1	1	1	1	93.25	63.25	0	29383.886	544.0860215	15771.75006	30000	0	0	30000	43.125	2004
08.01.2020 13:17:12	1	1	1	1	93.25	63	0	29336.493	541.9354839	15898.1328	30000	0	0	30000	43.1875	2004
08.01.2020 13:17:13	1	1	1	1	93.25	63	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	43.3125	2004
08.01.2020 13:17:14	1	1	1	1	93.25	63.25	0	30000	526.8817204	15805.99571	30000	0	0	30000	43.0625	2004
08.01.2020 13:17:15	1	1	1	1	93.25	63	0	30000	518.2795699	15483.92357	30000	0	0	30000	43	2004
08.01.2020 13:17:16	1	1	1	1	93.25	63	0	30000	505.3763441	15161.03607	30000	0	0	30000	43.1875	2004
08.01.2020 13:17:17	1	1	1	1	93.25	63	0	30047.393	522.5806452	15701.62803	30000	0	0	30000	43.125	2004
08.01.2020 13:17:26	1	1	1	1	93	63	0	29478.673	544.0860215	16013.10032	30000	0	0	30000	43.0625	2004
08.01.2020 13:17:26	1	1	1	1	93	63	0	29478.673	544.0860215	16013.10032	30000	0	0	30000	43.0625	2004
08.01.2020 13:17:26	1	1	1	1	93	63	0	29478.673	544.0860215	16013.10032	30000	0	0	30000	43.0625	2004
08.01.2020 13:17:26	1	1	1	1	93	63	0	29478.673	544.0860215	16013.10032	30000	0	0	30000	43.0625	2004
08.01.2020 13:17:26	1	1	1	1	93	63	0	29478.673	544.0860215	16013.10032	30000	0	0	30000	43.0625	2004
08.01.2020 13:17:26	1	1	1	1	93	63	0	29478.673	544.0860215	16013.10032	30000	0	0	30000	43.0625	2004
08.01.2020 13:17:26	1	1	1	1	93	63	0	29478.673	544.0860215	16013.10032	30000	0	0	30000	43.0625	2004
08.01.2020 13:17:26	1	1	1	1	93	63	0	29146.919	544.0860215	15858.17955	30000	0	0	30000	43.5	2004
08.01.2020 13:17:27	1	1	1	1	93	63.5	0	29146.919	544.0860215	15858.17955	30000	0	0	30000	43.0625	2004
08.01.2020 13:17:28	1	1	1	1	93	63	0	29431.28	546.2365591	16013.10032	30000	0	0	30000	43	2004
08.01.2020 13:17:29	1	1	1	1	93.5	63	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	43.0625	2004
08.01.2020 13:17:30	1	1	1	1	93.5	63	0	29336.493	550.5376344	16087.29921	30000	0	0	30000	43.3125	2004
08.01.2020 13:17:31	1	1	1	1	93.5	63.25	0	29099.526	546.2365591	15957.65499	30000	0	0	30000	42.9375	2004
08.01.2020 13:17:32	1	1	1	1	93.5	62.75	0	29099.526	546.2365591	15983.74691	30000	0	0	30000	43.3125	2004
08.01.2020 13:17:33	1	1	1	1	93.5	63.25	0	29241.706	550.5376344	16161.49811	30000	0	0	30000	43.125	2004
08.01.2020 13:17:34	1	1	1	1	93.5	63	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	43.5625	2004
08.01.2020 13:17:35	1	1	1	1	93.5	63.5	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	43.3125	2004
08.01.2020 13:17:36	1	1	1	1	93.5	63.25	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	43.5	2004
08.01.2020 13:17:37	1	1	1	1	93.5	63.5	0	28862.559	550.5376344	15889.97907	30000	0	0	30000	43	2004
08.01.2020 13:17:38	1	1	1	1	93.5	63	0	29052.133	552.688172	16004.13122	30000	0	0	30000	43.1875	2004
08.01.2020 13:17:39	1	1	1	1	93.25	63	0	26303.318	498.9247312	13179.68092	30000	0	0	30000	43	2004
08.01.2020 13:17:40	1	1	1	1	93.25	63	0	28957.346	554.8387097	16004.13122	30000	0	0	30000	43.1875	2004
08.01.2020 13:17:41	1	1	1	1	93.25	63	0	28862.559	554.8387097	16013.91569	30000	0	0	30000	43	2004
08.01.2020 13:17:42	1	1	1	1	93.25	63	0	28957.346	554.8387097	16128.88321	30000	0	0	30000	43.6875	2004
08.01.2020 13:17:43	1	1	1	1	93.25	63.5	0	28957.346	554.8387097	16066.09953	30000	0	0	30000	43.25	2004
08.01.2020 13:17:44	1	1	1	1	93.25	63.25	0	28862.559	554.8387097	15951.94738	30000	0	0	30000	42.875	2004
08.01.2020 13:17:46	1	1	1	1	93.25	63.75	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	43.0625	2004
08.01.2020 13:17:47	1	1	1	1	93.25	63	0	28957.346	554.8387097	16066.09953	30000	0	0	30000	43.25	2004
08.01.2020 13:17:48	1	1	1	1	93.25	63.25	0	28862.559	554.8387097	16075.884	30000	0	0	30000	43.4375	2004
08.01.2020 13:17:49	1	1	1	1	93.25	63.25	0	28957.346	561.2903226	16252.81983	30000	0	0	30000	43.3125	2004
08.01.2020 13:17:50	1	1	1	1	93.25	63.25	0	28815.166	552.688172	15925.85546	30000	0	0	30000	43	2004
08.01.2020 13:17:51	1	1	1	1	93.25	63	0	28815.166	556.9892473	15987.82377	30000	0	0	30000	43.5625	2004
08.01.2020 13:17:52	1	1	1	1	93.25	63.5	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	43.0625	2004
08.01.2020 13:17:53	1	1	1	1	93.25	63	0	28862.559	556.9892473	15925.85546	30000	0	0	30000	43.5625	2004
08.01.2020 13:17:54	1	1	1	1	93.25	63.5	0	28862.559	561.2903226	16199.82062	30000	0	0	30000	43.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 13:17:55	1	1	1	1	93.25	63.25	0	28625.592	554.8387097	15987.82377	30000	0	0	30000	43.4375	2004
08.01.2020 13:17:56	1	1	1	1	93.25	63.25	0	28625.592	554.8387097	16049.79208	30000	0	0	30000	43.4375	2004
08.01.2020 13:17:57	1	1	1	1	93.25	63.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	42.4375	2004
08.01.2020 13:17:58	1	1	1	1	93.25	62.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	42.875	2004
08.01.2020 13:17:59	1	1	1	1	93.25	62.75	0	28578.199	552.688172	15943.79366	30000	0	0	30000	43.25	2004
08.01.2020 13:18:00	1	1	1	1	93.25	63.25	0	28815.166	556.9892473	15925.85546	30000	0	0	30000	43.125	2004
08.01.2020 13:18:01	1	1	1	1	93.25	63	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	43.25	2004
08.01.2020 13:18:02	1	1	1	1	93.25	63.25	0	28862.559	556.9892473	16075.884	30000	0	0	30000	42.9375	2004
08.01.2020 13:18:03	1	1	1	1	93.25	62.75	0	28625.592	554.8387097	15943.79366	30000	0	0	30000	43.375	2004
08.01.2020 13:18:04	1	1	1	1	93.25	63.25	0	28815.166	556.9892473	15943.79366	30000	0	0	30000	43.4375	2004
08.01.2020 13:18:05	1	1	1	1	93.25	63.25	0	28957.346	556.9892473	16128.88321	30000	0	0	30000	43.3125	2004
08.01.2020 13:18:06	1	1	1	1	93.25	63.25	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	43.25	2004
08.01.2020 13:18:07	1	1	1	1	93.25	63.25	0	28578.199	552.688172	15794.58049	30000	0	0	30000	43.375	2004
08.01.2020 13:18:08	1	1	1	1	93.25	63.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	43.4375	2004
08.01.2020 13:18:09	1	1	1	1	93.5	63.25	0	28862.559	554.8387097	15987.82377	30000	0	0	30000	43.5	2004
08.01.2020 13:18:10	1	1	1	1	93.5	63.5	0	28672.986	556.9892473	16111.76039	30000	0	0	30000	43.125	2004
08.01.2020 13:18:11	1	1	1	1	93.5	63	0	28957.346	556.9892473	16128.88321	30000	0	0	30000	43.3125	2004
08.01.2020 13:18:12	1	1	1	1	93.5	63.25	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	43.5625	2004
08.01.2020 13:18:13	1	1	1	1	93.5	63.5	0	28436.019	561.2903226	16048.16134	30000	0	0	30000	43.5625	2004
08.01.2020 13:18:14	1	1	1	1	93.5	63.5	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	43.25	2004
08.01.2020 13:18:15	1	1	1	1	93.5	63.25	0	28625.592	556.9892473	15733.42755	30000	0	0	30000	43.5625	2004
08.01.2020 13:18:16	1	1	1	1	93.5	63.5	0	28436.019	556.9892473	15960.91648	30000	0	0	30000	42.9375	2004
08.01.2020 13:18:17	1	1	1	1	93.5	62.75	0	28625.592	552.688172	15759.51947	30000	0	0	30000	42.875	2004
08.01.2020 13:18:18	1	1	1	1	93.5	62.75	0	28862.559	552.688172	16075.884	30000	0	0	30000	43.375	2004
08.01.2020 13:18:27	1	1	1	1	93.5	63	0	28815.166	559.1397849	15925.85546	30000	0	0	30000	43.3125	2004
08.01.2020 13:18:27	1	1	1	1	93.5	63	0	28815.166	559.1397849	15925.85546	30000	0	0	30000	43.3125	2004
08.01.2020 13:18:27	1	1	1	1	93.5	63	0	28815.166	559.1397849	15925.85546	30000	0	0	30000	43.3125	2004
08.01.2020 13:18:27	1	1	1	1	93.5	63	0	28815.166	559.1397849	15925.85546	30000	0	0	30000	43.3125	2004
08.01.2020 13:18:27	1	1	1	1	93.5	63	0	28815.166	559.1397849	15925.85546	30000	0	0	30000	43.3125	2004
08.01.2020 13:18:27	1	1	1	1	93.5	63	0	28815.166	559.1397849	15925.85546	30000	0	0	30000	43.3125	2004
08.01.2020 13:18:27	1	1	1	1	93.5	63	0	28815.166	559.1397849	15925.85546	30000	0	0	30000	43.3125	2004
08.01.2020 13:18:27	1	1	1	1	93.5	63.25	0	28815.166	552.688172	15987.82377	30000	0	0	30000	43.375	2004
08.01.2020 13:18:28	1	1	1	1	93.5	63.25	0	28815.166	552.688172	15925.85546	30000	0	0	30000	43.0625	2004
08.01.2020 13:18:29	1	1	1	1	93.75	63	0	28672.986	552.688172	15925.85546	30000	0	0	30000	43.375	2004
08.01.2020 13:18:30	1	1	1	1	93.75	63.25	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	43.375	2004
08.01.2020 13:18:31	1	1	1	1	93.75	63.25	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	43.25	2004
08.01.2020 13:18:32	1	1	1	1	93.75	63.25	0	28815.166	550.5376344	15863.88715	30000	0	0	30000	43.375	2004
08.01.2020 13:18:33	1	1	1	1	93.75	63.25	0	28957.346	556.9892473	16190.85152	30000	0	0	30000	43.1875	2004
08.01.2020 13:18:34	1	1	1	1	93.75	63	0	28815.166	559.1397849	16049.79208	30000	0	0	30000	43	2004
08.01.2020 13:18:35	1	1	1	1	93.75	63	0	28815.166	556.9892473	15987.82377	30000	0	0	30000	43.375	2004
08.01.2020 13:18:36	1	1	1	1	93.75	63.25	0	28862.559	556.9892473	16075.884	30000	0	0	30000	43.1875	2004
08.01.2020 13:18:37	1	1	1	1	93.75	63	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	43.375	2004
08.01.2020 13:18:38	1	1	1	1	93.75	63.25	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	43.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 13:18:39	1	1	1	1	92.75	63	0	28815.166	552.688172	15925.85546	30000	0	0	30000	42.9375	2004
08.01.2020 13:18:40	1	1	1	1	92.75	62.75	0	28862.559	554.8387097	16075.884	30000	0	0	30000	43.4375	2004
08.01.2020 13:18:41	1	1	1	1	92.75	63.25	0	28625.592	550.5376344	15846.76433	30000	0	0	30000	43.375	2004
08.01.2020 13:18:42	1	1	1	1	92.75	63.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	42.8125	2004
08.01.2020 13:18:43	1	1	1	1	92.75	62.75	0	28625.592	554.8387097	16049.79208	30000	0	0	30000	42.8125	2004
08.01.2020 13:18:44	1	1	1	1	92.75	62.75	0	28815.166	550.5376344	16261.78893	30000	0	0	30000	43	2004
08.01.2020 13:18:45	1	1	1	1	92.75	63	0	28815.166	552.688172	15925.85546	30000	0	0	30000	43.0625	2004
08.01.2020 13:18:46	1	1	1	1	92.75	63	0	28625.592	554.8387097	15943.79366	30000	0	0	30000	43.375	2004
08.01.2020 13:18:47	1	1	1	1	92.75	63.25	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	43.4375	2004
08.01.2020 13:18:48	1	1	1	1	92.75	63.25	0	28625.592	552.688172	15820.67241	30000	0	0	30000	43.1875	2004
08.01.2020 13:18:49	1	1	1	1	93.25	63	0	28909.953	554.8387097	16013.91569	30000	0	0	30000	43.25	2004
08.01.2020 13:18:50	1	1	1	1	93.25	63.25	0	28672.986	550.5376344	15785.61139	30000	0	0	30000	43.125	2004
08.01.2020 13:18:51	1	1	1	1	93.25	63	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	43.1875	2004
08.01.2020 13:18:52	1	1	1	1	93.25	63	0	29099.526	554.8387097	16145.19066	30000	0	0	30000	43.375	2004
08.01.2020 13:18:53	1	1	1	1	93.25	63.25	0	28815.166	550.5376344	15863.88715	30000	0	0	30000	42.875	2004
08.01.2020 13:18:54	1	1	1	1	93.25	62.75	0	28625.592	550.5376344	15863.88715	30000	0	0	30000	43.125	2004
08.01.2020 13:18:55	1	1	1	1	93.25	63	0	28957.346	554.8387097	16066.09953	30000	0	0	30000	43.375	2004
08.01.2020 13:18:56	1	1	1	1	93.25	63.25	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	43.625	2004
08.01.2020 13:18:57	1	1	1	1	93.25	63.5	0	29052.133	544.0860215	15868.77939	30000	0	0	30000	43.3125	2004
08.01.2020 13:18:58	1	1	1	1	93.25	63.25	0	29620.853	541.9354839	15988.63914	30000	0	0	30000	43.6875	2004
08.01.2020 13:18:59	1	1	1	1	93.25	63.5	0	29668.246	541.9354839	15861.44103	30000	0	0	30000	43.375	2004
08.01.2020 13:19:01	1	1	1	1	93.25	63.25	0	29905.213	535.483871	16077.51474	30000	0	0	30000	43.375	2004
08.01.2020 13:19:02	1	1	1	1	93.25	63.25	0	29715.64	535.483871	15911.99413	30000	0	0	30000	42.375	2004
08.01.2020 13:19:03	1	1	1	1	93.25	62.25	0	29620.853	537.6344086	16167.20572	30000	0	0	30000	43.1875	2004
08.01.2020 13:19:04	1	1	1	1	93.25	63	0	29573.46	541.9354839	16026.96165	30000	0	0	30000	43.3125	2004
08.01.2020 13:19:05	1	1	1	1	93.25	63.25	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	43.3125	2004
08.01.2020 13:19:06	1	1	1	1	93.25	63.25	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	42.875	2004
08.01.2020 13:19:07	1	1	1	1	93.25	62.75	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	42.8125	2004
08.01.2020 13:19:08	1	1	1	1	93.25	62.75	0	29099.526	550.5376344	16020.43867	30000	0	0	30000	43.5	2004
08.01.2020 13:19:09	1	1	1	1	93	63.5	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	43.0625	2004
08.01.2020 13:19:10	1	1	1	1	93	63	0	29004.739	550.5376344	16056.31506	30000	0	0	30000	43.4375	2004
08.01.2020 13:19:11	1	1	1	1	93	63.25	0	28862.559	554.8387097	15951.94738	30000	0	0	30000	43.375	2004
08.01.2020 13:19:12	1	1	1	1	93	63.25	0	28862.559	552.688172	15951.94738	30000	0	0	30000	42.75	2004
08.01.2020 13:19:13	1	1	1	1	93	62.75	0	28815.166	554.8387097	15820.67241	30000	0	0	30000	43.25	2004
08.01.2020 13:19:14	1	1	1	1	93	63.25	0	28862.559	546.2365591	15951.94738	30000	0	0	30000	43.125	2004
08.01.2020 13:19:15	1	1	1	1	93	63	0	28815.166	552.688172	15925.85546	30000	0	0	30000	43.3125	2004
08.01.2020 13:19:16	1	1	1	1	93	63.25	0	28862.559	552.688172	15951.94738	30000	0	0	30000	43.25	2004
08.01.2020 13:19:17	1	1	1	1	93	63.25	0	29052.133	550.5376344	16046.53059	30000	0	0	30000	43.375	2004
08.01.2020 13:19:18	1	1	1	1	93	63.25	0	29052.133	548.3870968	16046.53059	30000	0	0	30000	42.875	2004
08.01.2020 13:19:19	1	1	1	1	93.5	62.75	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	43	2004
08.01.2020 13:19:20	1	1	1	1	93.5	63	0	29146.919	546.2365591	16108.4989	30000	0	0	30000	42.875	2004
08.01.2020 13:19:31	1	1	1	1	93.75	63.25	0	28815.166	559.1397849	16049.79208	30000	0	0	30000	42.9375	2004
08.01.2020 13:19:31	1	1	1	1	93.75	63.25	0	28815.166	559.1397849	16049.79208	30000	0	0	30000	42.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 13:19:31	1	1	1	1	93.75	63.25	0	28815.166	559.1397849	16049.79208	30000	0	0	30000	42.9375	2004
08.01.2020 13:19:31	1	1	1	1	93.75	63.25	0	28815.166	559.1397849	16049.79208	30000	0	0	30000	42.9375	2004
08.01.2020 13:19:31	1	1	1	1	93.75	63.25	0	28815.166	559.1397849	16049.79208	30000	0	0	30000	42.9375	2004
08.01.2020 13:19:31	1	1	1	1	93.75	63.25	0	28815.166	559.1397849	16049.79208	30000	0	0	30000	42.9375	2004
08.01.2020 13:19:31	1	1	1	1	93.75	63.25	0	28815.166	559.1397849	16049.79208	30000	0	0	30000	42.9375	2004
08.01.2020 13:19:31	1	1	1	1	93.75	63.25	0	28815.166	559.1397849	16049.79208	30000	0	0	30000	42.9375	2004
08.01.2020 13:19:31	1	1	1	1	93.75	63.25	0	28815.166	559.1397849	16049.79208	30000	0	0	30000	42.9375	2004
08.01.2020 13:19:31	1	1	1	1	93.75	62.75	0	28815.166	552.688172	15925.85546	30000	0	0	30000	43.0625	2004
08.01.2020 13:19:32	1	1	1	1	93.75	63	0	28815.166	556.9892473	15943.79366	30000	0	0	30000	43.1875	2004
08.01.2020 13:19:33	1	1	1	1	93.75	63	0	28483.412	546.2365591	15820.67241	30000	0	0	30000	43.25	2004
08.01.2020 13:19:34	1	1	1	1	93.75	63.25	0	28578.199	554.8387097	15917.70174	30000	0	0	30000	43.5625	2004
08.01.2020 13:19:35	1	1	1	1	93.75	63.5	0	28672.986	556.9892473	16049.79208	30000	0	0	30000	43.5	2004
08.01.2020 13:19:36	1	1	1	1	93.75	63.5	0	28625.592	554.8387097	16049.79208	30000	0	0	30000	42.9375	2004
08.01.2020 13:19:37	1	1	1	1	93.75	62.75	0	28483.412	559.1397849	15864.70252	30000	0	0	30000	43.125	2004
08.01.2020 13:19:38	1	1	1	1	93.75	63	0	28483.412	559.1397849	16040.00761	30000	0	0	30000	43.125	2004
08.01.2020 13:19:39	1	1	1	1	93.75	63	0	28483.412	565.5913978	16083.22235	30000	0	0	30000	43.625	2004
08.01.2020 13:19:40	1	1	1	1	93.75	63.5	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	42.875	2004
08.01.2020 13:19:41	1	1	1	1	93.75	62.75	0	28530.806	559.1397849	16040.00761	30000	0	0	30000	43.75	2004
08.01.2020 13:19:43	1	1	1	1	93.75	63.75	0	28578.199	561.2903226	16013.91569	30000	0	0	30000	43.4375	2004
08.01.2020 13:19:44	1	1	1	1	93.75	63.25	0	28483.412	559.1397849	15925.85546	30000	0	0	30000	43	2004
08.01.2020 13:19:45	1	1	1	1	93.75	63	0	28815.166	559.1397849	16173.7287	30000	0	0	30000	43	2004
08.01.2020 13:19:46	1	1	1	1	93.75	63	0	28483.412	552.688172	15978.85467	30000	0	0	30000	43.3125	2004
08.01.2020 13:19:47	1	1	1	1	93.75	63.25	0	28483.412	563.4408602	15987.0084	30000	0	0	30000	43.3125	2004
08.01.2020 13:19:48	1	1	1	1	93.75	63.25	0	28578.199	556.9892473	16066.9149	30000	0	0	30000	43.1875	2004
08.01.2020 13:19:49	1	1	1	1	94	63	0	28530.806	561.2903226	15864.70252	30000	0	0	30000	42.875	2004
08.01.2020 13:19:50	1	1	1	1	94	62.75	0	28578.199	559.1397849	15917.70174	30000	0	0	30000	43.0625	2004
08.01.2020 13:19:51	1	1	1	1	94	63	0	28672.986	556.9892473	16111.76039	30000	0	0	30000	43	2004
08.01.2020 13:19:52	1	1	1	1	94	63	0	28483.412	552.688172	15952.76275	30000	0	0	30000	42.9375	2004
08.01.2020 13:19:53	1	1	1	1	94	62.75	0	28483.412	556.9892473	16101.97592	30000	0	0	30000	43.25	2004
08.01.2020 13:19:54	1	1	1	1	94	63.25	0	28578.199	556.9892473	15917.70174	30000	0	0	30000	43.25	2004
08.01.2020 13:19:55	1	1	1	1	94	63.25	0	28625.592	556.9892473	16049.79208	30000	0	0	30000	42.9375	2004
08.01.2020 13:19:56	1	1	1	1	94	62.75	0	28815.166	559.1397849	15943.79366	30000	0	0	30000	43.4375	2004
08.01.2020 13:19:57	1	1	1	1	94	63.25	0	28957.346	556.9892473	16190.85152	30000	0	0	30000	43.1875	2004
08.01.2020 13:19:58	1	1	1	1	94	63	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	42.3125	2004
08.01.2020 13:19:59	1	1	1	1	93.75	62.25	0	28815.166	550.5376344	15951.94738	30000	0	0	30000	42.9375	2004
08.01.2020 13:20:00	1	1	1	1	93.75	62.75	0	28862.559	559.1397849	16013.91569	30000	0	0	30000	43.625	2004
08.01.2020 13:20:01	1	1	1	1	93.75	63.5	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	43.1875	2004
08.01.2020 13:20:02	1	1	1	1	93.75	63	0	28483.412	554.8387097	15890.79444	30000	0	0	30000	43.4375	2004
08.01.2020 13:20:03	1	1	1	1	93.75	63.25	0	28578.199	559.1397849	15978.85467	30000	0	0	30000	43.375	2004
08.01.2020 13:20:04	1	1	1	1	93.75	63.25	0	28530.806	559.1397849	16040.00761	30000	0	0	30000	43.4375	2004
08.01.2020 13:20:05	1	1	1	1	93.75	63.25	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	43.375	2004
08.01.2020 13:20:06	1	1	1	1	93.75	63.25	0	28578.199	559.1397849	16040.00761	30000	0	0	30000	43.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 13:20:07	1	1	1	1	93.75	63	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	43.1875	2004
08.01.2020 13:20:08	1	1	1	1	93.75	63	0	28483.412	559.1397849	15925.85546	30000	0	0	30000	42.6875	2004
08.01.2020 13:20:09	1	1	1	1	93.75	62.5	0	28578.199	559.1397849	15925.85546	30000	0	0	30000	43.375	2004
08.01.2020 13:20:10	1	1	1	1	93.75	63.25	0	28815.166	559.1397849	16173.7287	30000	0	0	30000	43.3125	2004
08.01.2020 13:20:11	1	1	1	1	93.75	63.25	0	28625.592	559.1397849	15943.79366	30000	0	0	30000	43.25	2004
08.01.2020 13:20:12	1	1	1	1	93.75	63.25	0	28815.166	561.2903226	16173.7287	30000	0	0	30000	43.1875	2004
08.01.2020 13:20:13	1	1	1	1	93.75	63	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	43.4375	2004
08.01.2020 13:20:14	1	1	1	1	93.75	63.25	0	28672.986	559.1397849	16031.85389	30000	0	0	30000	43.3125	2004
08.01.2020 13:20:15	1	1	1	1	93.75	63.25	0	28815.166	559.1397849	16049.79208	30000	0	0	30000	42.0625	2004
08.01.2020 13:20:17	1	1	1	1	93.75	62	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	43.125	2004
08.01.2020 13:20:18	1	1	1	1	93.75	63	0	28625.592	554.8387097	16049.79208	30000	0	0	30000	43	2004
08.01.2020 13:20:19	1	1	1	1	93.25	63.5	0	28815.166	556.9892473	15987.82377	30000	0	0	30000	43.375	2004
08.01.2020 13:20:20	1	1	1	1	93.25	63.25	0	28862.559	556.9892473	16075.884	30000	0	0	30000	43.0625	2004
08.01.2020 13:20:21	1	1	1	1	93.25	63	0	28862.559	554.8387097	15951.94738	30000	0	0	30000	42.75	2004
08.01.2020 13:20:22	1	1	1	1	93.25	62.75	0	28815.166	550.5376344	15951.94738	30000	0	0	30000	43.3125	2004
08.01.2020 13:20:29	1	1	1	1	93.75	63	0	28815.166	550.5376344	15863.88715	30000	0	0	30000	43.1875	2004
08.01.2020 13:20:29	1	1	1	1	93.75	63	0	28815.166	550.5376344	15863.88715	30000	0	0	30000	43.1875	2004
08.01.2020 13:20:29	1	1	1	1	93.75	63	0	28815.166	550.5376344	15863.88715	30000	0	0	30000	43.1875	2004
08.01.2020 13:20:29	1	1	1	1	93.75	63	0	28815.166	550.5376344	15863.88715	30000	0	0	30000	43.1875	2004
08.01.2020 13:20:29	1	1	1	1	93.75	63	0	28815.166	550.5376344	15863.88715	30000	0	0	30000	43.1875	2004
08.01.2020 13:20:29	1	1	1	1	93.75	63	0	28815.166	550.5376344	15863.88715	30000	0	0	30000	43.1875	2004
08.01.2020 13:20:30	1	1	1	1	93.75	63	0	28815.166	552.688172	15925.85546	30000	0	0	30000	43.125	2004
08.01.2020 13:20:31	1	1	1	1	93.75	63	0	28862.559	554.8387097	16013.91569	30000	0	0	30000	43.375	2004
08.01.2020 13:20:32	1	1	1	1	93.75	63.25	0	28625.592	550.5376344	15925.85546	30000	0	0	30000	43.0625	2004
08.01.2020 13:20:33	1	1	1	1	93.75	63	0	28862.559	554.8387097	16013.91569	30000	0	0	30000	43.3125	2004
08.01.2020 13:20:34	1	1	1	1	93.75	63.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	43.25	2004
08.01.2020 13:20:35	1	1	1	1	93.75	63.25	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	43.1875	2004
08.01.2020 13:20:36	1	1	1	1	93.75	63	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	42.6875	2004
08.01.2020 13:20:37	1	1	1	1	93.75	62.5	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	43.375	2004
08.01.2020 13:20:38	1	1	1	1	93.75	63.25	0	28436.019	556.9892473	15925.85546	30000	0	0	30000	43.4375	2004
08.01.2020 13:20:39	1	1	1	1	94	63.25	0	28625.592	561.2903226	15978.85467	30000	0	0	30000	43.375	2004
08.01.2020 13:20:40	1	1	1	1	94	63.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	43.5625	2004
08.01.2020 13:20:41	1	1	1	1	94	63.5	0	28625.592	559.1397849	16066.9149	30000	0	0	30000	43.1875	2004
08.01.2020 13:20:42	1	1	1	1	94	63	0	28815.166	561.2903226	16173.7287	30000	0	0	30000	43.1875	2004
08.01.2020 13:20:43	1	1	1	1	94	63	0	28483.412	563.4408602	15925.85546	30000	0	0	30000	43.25	2004
08.01.2020 13:20:44	1	1	1	1	94	63.25	0	28388.626	565.5913978	15934.00919	30000	0	0	30000	43.1875	2004
08.01.2020 13:20:45	1	1	1	1	94	63	0	28388.626	563.4408602	15934.00919	30000	0	0	30000	43.375	2004
08.01.2020 13:20:46	1	1	1	1	94	63.25	0	28530.806	563.4408602	15987.0084	30000	0	0	30000	42.875	2004
08.01.2020 13:20:47	1	1	1	1	94	62.75	0	28436.019	563.4408602	15960.91648	30000	0	0	30000	43.3125	2004
08.01.2020 13:20:48	1	1	1	1	94	63.25	0	28578.199	563.4408602	16101.97592	30000	0	0	30000	43.5	2004
08.01.2020 13:20:51	1	1	1	1	94	63	0	28436.019	561.2903226	16022.06942	30000	0	0	30000	42.625	2004
08.01.2020 13:20:51	1	1	1	1	94	63	0	28436.019	561.2903226	16022.06942	30000	0	0	30000	42.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 13:20:51	1	1	1	1	94	62.5	0	28293.839	563.4408602	16002.50048	30000	0	0	30000	43.25	2004
08.01.2020 13:20:52	1	1	1	1	94	63.25	0	28009.479	563.4408602	15781.53453	30000	0	0	30000	42.1875	2004
08.01.2020 13:20:53	1	1	1	1	94	62	0	28341.232	567.7419355	16063.65341	30000	0	0	30000	43.3125	2004
08.01.2020 13:20:54	1	1	1	1	94	63.25	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	43	2004
08.01.2020 13:20:55	1	1	1	1	94	63	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	43.25	2004
08.01.2020 13:20:56	1	1	1	1	94	63.25	0	28388.626	563.4408602	16056.31506	30000	0	0	30000	42.875	2004
08.01.2020 13:20:57	1	1	1	1	94	62.75	0	28483.412	565.5913978	16109.31427	30000	0	0	30000	43.0625	2004
08.01.2020 13:20:58	1	1	1	1	94	63	0	28341.232	563.4408602	15907.10189	30000	0	0	30000	42.9375	2004
08.01.2020 13:20:59	1	1	1	1	94.25	62.75	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	43.25	2004
08.01.2020 13:21:01	1	1	1	1	94.25	63.25	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	43.4375	2004
08.01.2020 13:21:02	1	1	1	1	94.25	63.25	0	28341.232	556.9892473	15934.00919	30000	0	0	30000	43.3125	2004
08.01.2020 13:21:03	1	1	1	1	94.25	63.5	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	43.1875	2004
08.01.2020 13:21:04	1	1	1	1	94.25	63	0	28530.806	561.2903226	16013.91569	30000	0	0	30000	43.1875	2004
08.01.2020 13:21:05	1	1	1	1	94.25	63	0	28862.559	556.9892473	16075.884	30000	0	0	30000	42.875	2004
08.01.2020 13:21:06	1	1	1	1	94.25	62.75	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	43.3125	2004
08.01.2020 13:21:07	1	1	1	1	94.25	63.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	42.9375	2004
08.01.2020 13:21:08	1	1	1	1	94.25	62.75	0	28625.592	554.8387097	15987.82377	30000	0	0	30000	43.3125	2004
08.01.2020 13:21:09	1	1	1	1	94.25	63.25	0	28625.592	556.9892473	16049.79208	30000	0	0	30000	43.25	2004
08.01.2020 13:21:10	1	1	1	1	94.25	63.25	0	28625.592	554.8387097	15882.64072	30000	0	0	30000	43.4375	2004
08.01.2020 13:21:11	1	1	1	1	94.25	63.25	0	28625.592	556.9892473	16005.76197	30000	0	0	30000	42.8125	2004
08.01.2020 13:21:12	1	1	1	1	94.25	62.75	0	28625.592	559.1397849	15978.85467	30000	0	0	30000	43.4375	2004
08.01.2020 13:21:13	1	1	1	1	94.25	63.25	0	28815.166	559.1397849	16049.79208	30000	0	0	30000	43.1875	2004
08.01.2020 13:21:14	1	1	1	1	94.25	63	0	28625.592	554.8387097	15943.79366	30000	0	0	30000	43.0625	2004
08.01.2020 13:21:15	1	1	1	1	94.25	63	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	43.375	2004
08.01.2020 13:21:16	1	1	1	1	94.25	63.25	0	28625.592	556.9892473	16049.79208	30000	0	0	30000	43.1875	2004
08.01.2020 13:21:17	1	1	1	1	94.25	63	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	42.75	2004
08.01.2020 13:21:18	1	1	1	1	94.25	62.75	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	43.25	2004
08.01.2020 13:21:19	1	1	1	1	94.25	63.25	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	42.875	2004
08.01.2020 13:21:20	1	1	1	1	94.25	62.75	0	29099.526	550.5376344	16020.43867	30000	0	0	30000	42.9375	2004
08.01.2020 13:21:21	1	1	1	1	94.25	62.75	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	43.0625	2004
08.01.2020 13:21:22	1	1	1	1	94.25	63	0	29146.919	544.0860215	15858.17955	30000	0	0	30000	43.0625	2004
08.01.2020 13:21:23	1	1	1	1	94.25	63	0	29241.706	546.2365591	15909.54801	30000	0	0	30000	43.25	2004
08.01.2020 13:21:30	1	1	1	1	94	62.75	0	28957.346	552.688172	16004.13122	30000	0	0	30000	42.875	2004
08.01.2020 13:21:30	1	1	1	1	94	62.75	0	28957.346	552.688172	16004.13122	30000	0	0	30000	42.875	2004
08.01.2020 13:21:30	1	1	1	1	94	62.75	0	28957.346	552.688172	16004.13122	30000	0	0	30000	42.875	2004
08.01.2020 13:21:30	1	1	1	1	94	62.75	0	28957.346	552.688172	16004.13122	30000	0	0	30000	42.875	2004
08.01.2020 13:21:30	1	1	1	1	94	62.75	0	28957.346	552.688172	16004.13122	30000	0	0	30000	42.875	2004
08.01.2020 13:21:30	1	1	1	1	94	62.75	0	28957.346	552.688172	16004.13122	30000	0	0	30000	42.875	2004
08.01.2020 13:21:30	1	1	1	1	94	62.75	0	28957.346	552.688172	16004.13122	30000	0	0	30000	42.875	2004
08.01.2020 13:21:30	1	1	1	1	94	62.75	0	28957.346	552.688172	16004.13122	30000	0	0	30000	42.875	2004
08.01.2020 13:21:31	1	1	1	1	94	63.25	0	28815.166	552.688172	15987.82377	30000	0	0	30000	43.125	2004
08.01.2020 13:21:32	1	1	1	1	94	63	0	28957.346	548.3870968	16181.06705	30000	0	0	30000	43.3125	2004
08.01.2020 13:21:33	1	1	1	1	94	63.25	0	28957.346	554.8387097	15879.37923	30000	0	0	30000	43.3125	2004
08.01.2020 13:21:34	1	1	1	1	94	63.25	0	28815.166	548.3870968	15925.85546	30000	0	0	30000	43.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 13:21:35	1	1	1	1	94	63.25	0	28957.346	554.8387097	16128.88321	30000	0	0	30000	43.375	2004
08.01.2020 13:21:36	1	1	1	1	94	63.25	0	28957.346	554.8387097	15951.94738	30000	0	0	30000	43.5	2004
08.01.2020 13:21:38	1	1	1	1	94	63.5	0	29052.133	554.8387097	16056.31506	30000	0	0	30000	43.25	2004
08.01.2020 13:21:39	1	1	1	1	94	63.25	0	28957.346	552.688172	16004.13122	30000	0	0	30000	43.75	2004
08.01.2020 13:21:40	1	1	1	1	94.25	63.75	0	29004.739	544.0860215	15994.34675	30000	0	0	30000	43.125	2004
08.01.2020 13:21:41	1	1	1	1	94.25	63	0	28957.346	552.688172	16004.13122	30000	0	0	30000	43.5	2004
08.01.2020 13:21:42	1	1	1	1	94.25	63.5	0	29099.526	554.8387097	16422.41731	30000	0	0	30000	42.875	2004
08.01.2020 13:21:43	1	1	1	1	94.25	62.75	0	28957.346	556.9892473	16128.88321	30000	0	0	30000	43.25	2004
08.01.2020 13:21:44	1	1	1	1	94.25	63.25	0	28957.346	554.8387097	16004.13122	30000	0	0	30000	42.8125	2004
08.01.2020 13:21:45	1	1	1	1	94.25	62.75	0	28862.559	552.688172	16013.91569	30000	0	0	30000	43	2004
08.01.2020 13:21:46	1	1	1	1	94.25	63	0	28957.346	561.2903226	16199.82062	30000	0	0	30000	43.4375	2004
08.01.2020 13:21:47	1	1	1	1	94.25	63.25	0	28815.166	550.5376344	15987.82377	30000	0	0	30000	43.3125	2004
08.01.2020 13:21:48	1	1	1	1	94.25	63.25	0	28862.559	556.9892473	16128.88321	30000	0	0	30000	43.375	2004
08.01.2020 13:21:49	1	1	1	1	94.5	63.25	0	28815.166	559.1397849	15987.82377	30000	0	0	30000	43.3125	2004
08.01.2020 13:21:50	1	1	1	1	94.5	63.25	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	43.25	2004
08.01.2020 13:21:51	1	1	1	1	94.5	63.25	0	28578.199	559.1397849	15917.70174	30000	0	0	30000	43.3125	2004
08.01.2020 13:21:52	1	1	1	1	94.5	63.25	0	28625.592	556.9892473	15917.70174	30000	0	0	30000	42.875	2004
08.01.2020 13:21:53	1	1	1	1	94.5	62.75	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	43.5625	2004
08.01.2020 13:21:54	1	1	1	1	94.5	63.5	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	43.125	2004
08.01.2020 13:21:55	1	1	1	1	94.5	63	0	28625.592	554.8387097	15733.42755	30000	0	0	30000	43	2004
08.01.2020 13:21:56	1	1	1	1	94.5	63	0	28625.592	556.9892473	16049.79208	30000	0	0	30000	43	2004
08.01.2020 13:21:57	1	1	1	1	94.5	63	0	28578.199	550.5376344	15820.67241	30000	0	0	30000	43.1875	2004
08.01.2020 13:21:58	1	1	1	1	94.5	63	0	28625.592	554.8387097	16049.79208	30000	0	0	30000	43.5625	2004
08.01.2020 13:21:59	1	1	1	1	94.25	63.5	0	28672.986	552.688172	15925.85546	30000	0	0	30000	43.3125	2004
08.01.2020 13:22:00	1	1	1	1	94.25	63.25	0	28862.559	552.688172	15951.94738	30000	0	0	30000	42.9375	2004
08.01.2020 13:22:01	1	1	1	1	94.25	62.75	0	28862.559	554.8387097	16013.91569	30000	0	0	30000	42.8125	2004
08.01.2020 13:22:02	1	1	1	1	94.25	62.75	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	43.375	2004
08.01.2020 13:22:03	1	1	1	1	94.25	63.25	0	28957.346	554.8387097	16004.13122	30000	0	0	30000	43.4375	2004
08.01.2020 13:22:04	1	1	1	1	94.25	63.25	0	28957.346	554.8387097	16066.09953	30000	0	0	30000	43.3125	2004
08.01.2020 13:22:05	1	1	1	1	94.25	63.25	0	28862.559	552.688172	16013.91569	30000	0	0	30000	43.5	2004
08.01.2020 13:22:06	1	1	1	1	94.25	63.5	0	28957.346	552.688172	16066.09953	30000	0	0	30000	43.25	2004
08.01.2020 13:22:07	1	1	1	1	94.25	63.25	0	29241.706	541.9354839	16061.20729	30000	0	0	30000	43.1875	2004
08.01.2020 13:22:08	1	1	1	1	94.25	63	0	29383.886	541.9354839	15771.75006	30000	0	0	30000	42.8125	2004
08.01.2020 13:22:09	1	1	1	1	94.5	62.75	0	29241.706	546.2365591	15920.96323	30000	0	0	30000	43.25	2004
08.01.2020 13:22:10	1	1	1	1	94.5	63.25	0	29241.706	546.2365591	15920.96323	30000	0	0	30000	43.3125	2004
08.01.2020 13:22:11	1	1	1	1	94.5	63.25	0	29146.919	550.5376344	16035.11538	30000	0	0	30000	43.4375	2004
08.01.2020 13:22:12	1	1	1	1	94.5	63.25	0	29336.493	554.8387097	16061.20729	30000	0	0	30000	43.4375	2004
08.01.2020 13:22:13	1	1	1	1	94.5	63.25	0	29146.919	544.0860215	15858.17955	30000	0	0	30000	42.375	2004
08.01.2020 13:22:14	1	1	1	1	94.5	62.25	0	29478.673	546.2365591	16101.97592	30000	0	0	30000	43.5	2004
08.01.2020 13:22:15	1	1	1	1	94.5	63.5	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	43.3125	2004
08.01.2020 13:22:16	1	1	1	1	94.5	63.25	0	29431.28	544.0860215	16291.95771	30000	0	0	30000	42.75	2004
08.01.2020 13:22:17	1	1	1	1	94.5	62.75	0	29431.28	541.9354839	16000.86973	30000	0	0	30000	43.375	2004
08.01.2020 13:22:19	1	1	1	1	94.5	63.25	0	29383.886	539.7849462	15924.22472	30000	0	0	30000	43.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 13:22:20	1	1	1	1	95	63.25	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	43.8125	2004
08.01.2020 13:22:21	1	1	1	1	95	63.75	0	29810.427	533.3333333	15987.82377	30000	0	0	30000	43.5	2004
08.01.2020 13:22:22	1	1	1	1	95	63.5	0	29905.213	494.6236559	14750.9037	30000	0	0	30000	43.875	2004
08.01.2020 13:22:23	1	1	1	1	95	63.25	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	43.375	2004
08.01.2020 13:22:24	1	1	1	1	95	63.25	0	29810.427	533.3333333	15898.94817	30000	0	0	30000	43.375	2004
08.01.2020 13:22:25	1	1	1	1	95	63.25	0	30000	533.3333333	16000.05436	30000	0	0	30000	43.4375	2004
08.01.2020 13:22:31	1	1	1	1	94.75	62.75	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	43.1875	2004
08.01.2020 13:22:31	1	1	1	1	94.75	62.75	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	43.1875	2004
08.01.2020 13:22:31	1	1	1	1	94.75	62.75	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	43.1875	2004
08.01.2020 13:22:31	1	1	1	1	94.75	62.75	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	43.1875	2004
08.01.2020 13:22:31	1	1	1	1	94.75	62.75	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	43.1875	2004
08.01.2020 13:22:32	1	1	1	1	94.75	63	0	29526.066	546.2365591	16165.57497	30000	0	0	30000	42.4375	2004
08.01.2020 13:22:33	1	1	1	1	94.75	62.25	0	29478.673	544.0860215	16038.37687	30000	0	0	30000	43.3125	2004
08.01.2020 13:22:34	1	1	1	1	94.75	63.25	0	29383.886	544.0860215	15960.91648	30000	0	0	30000	43.3125	2004
08.01.2020 13:22:35	1	1	1	1	94.75	63.25	0	29336.493	541.9354839	15960.91648	30000	0	0	30000	43.375	2004
08.01.2020 13:22:36	1	1	1	1	94.75	63.25	0	29336.493	541.9354839	15960.91648	30000	0	0	30000	43.1875	2004
08.01.2020 13:22:37	1	1	1	1	94.75	63	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	42.9375	2004
08.01.2020 13:22:38	1	1	1	1	94.75	62.75	0	29383.886	546.2365591	15987.0084	30000	0	0	30000	42.75	2004
08.01.2020 13:22:39	1	1	1	1	94.5	62.75	0	29289.1	541.9354839	15846.76433	30000	0	0	30000	43	2004
08.01.2020 13:22:40	1	1	1	1	94.5	63	0	29146.919	544.0860215	15858.17955	30000	0	0	30000	43.25	2004
08.01.2020 13:22:41	1	1	1	1	94.5	63.25	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	43.375	2004
08.01.2020 13:22:42	1	1	1	1	94.5	63.25	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	43.4375	2004
08.01.2020 13:22:43	1	1	1	1	94.5	63.25	0	29146.919	550.5376344	15832.08763	30000	0	0	30000	43.375	2004
08.01.2020 13:22:44	1	1	1	1	94.5	63.25	0	29099.526	550.5376344	15931.56307	30000	0	0	30000	42.75	2004
08.01.2020 13:22:45	1	1	1	1	94.5	62.75	0	29099.526	550.5376344	16020.43867	30000	0	0	30000	43.25	2004
08.01.2020 13:22:46	1	1	1	1	94.5	63.25	0	29146.919	544.0860215	15983.74691	30000	0	0	30000	43.25	2004
08.01.2020 13:22:47	1	1	1	1	94.5	63.25	0	29052.133	554.8387097	16128.88321	30000	0	0	30000	42.6875	2004
08.01.2020 13:22:48	1	1	1	1	94.5	62.5	0	28862.559	550.5376344	15889.97907	30000	0	0	30000	43.3125	2004
08.01.2020 13:22:49	1	1	1	1	94.75	63.25	0	28862.559	554.8387097	16101.97592	30000	0	0	30000	43.5	2004
08.01.2020 13:22:50	1	1	1	1	94.75	63.5	0	28957.346	554.8387097	16004.13122	30000	0	0	30000	43.5	2004
08.01.2020 13:22:51	1	1	1	1	94.75	63.5	0	28815.166	550.5376344	15863.88715	30000	0	0	30000	43.1875	2004
08.01.2020 13:22:52	1	1	1	1	94.75	63	0	28862.559	554.8387097	16040.00761	30000	0	0	30000	43.4375	2004
08.01.2020 13:22:53	1	1	1	1	94.75	63.25	0	28862.559	550.5376344	15889.97907	30000	0	0	30000	43.1875	2004
08.01.2020 13:22:54	1	1	1	1	94.75	63	0	28815.166	550.5376344	15925.85546	30000	0	0	30000	43.3125	2004
08.01.2020 13:22:55	1	1	1	1	94.75	63.25	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	43.3125	2004
08.01.2020 13:22:56	1	1	1	1	94.75	63.25	0	28815.166	552.688172	15925.85546	30000	0	0	30000	42.8125	2004
08.01.2020 13:22:57	1	1	1	1	94.75	62.75	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	43.0625	2004
08.01.2020 13:22:59	1	1	1	1	94.75	63	0	28625.592	556.9892473	15943.79366	30000	0	0	30000	43.125	2004
08.01.2020 13:23:00	1	1	1	1	94.75	63	0	28815.166	556.9892473	16173.7287	30000	0	0	30000	43.4375	2004
08.01.2020 13:23:01	1	1	1	1	94.75	63.25	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	43.75	2004
08.01.2020 13:23:02	1	1	1	1	94.75	63.75	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	43.75	2004
08.01.2020 13:23:03	1	1	1	1	94.75	63.5	0	29336.493	548.3870968	16024.51553	30000	0	0	30000	43.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 13:23:04	1	1	1	1	94.75	63	0	29241.706	546.2365591	15972.33169	30000	0	0	30000	43.1875	2004
08.01.2020 13:23:05	1	1	1	1	94.75	63	0	29052.133	550.5376344	16082.40698	30000	0	0	30000	43.4375	2004
08.01.2020 13:23:06	1	1	1	1	94.75	63.25	0	28957.346	552.688172	16119.09874	30000	0	0	30000	42.9375	2004
08.01.2020 13:23:07	1	1	1	1	94.75	62.75	0	28862.559	554.8387097	16049.79208	30000	0	0	30000	43.3125	2004
08.01.2020 13:23:08	1	1	1	1	94.75	63.25	0	28625.592	550.5376344	15759.51947	30000	0	0	30000	43.3125	2004
08.01.2020 13:23:09	1	1	1	1	94.75	63.25	0	28862.559	552.688172	15951.94738	30000	0	0	30000	43.0625	2004
08.01.2020 13:23:10	1	1	1	1	94.75	63	0	28862.559	550.5376344	15889.97907	30000	0	0	30000	43.375	2004
08.01.2020 13:23:11	1	1	1	1	94.75	63.25	0	29099.526	550.5376344	16020.43867	30000	0	0	30000	42.9375	2004
08.01.2020 13:23:12	1	1	1	1	94.75	62.75	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	42.75	2004
08.01.2020 13:23:13	1	1	1	1	94.75	62.75	0	28957.346	554.8387097	16004.13122	30000	0	0	30000	43.5	2004
08.01.2020 13:23:14	1	1	1	1	94.75	63.5	0	28862.559	552.688172	16075.884	30000	0	0	30000	43.3125	2004
08.01.2020 13:23:15	1	1	1	1	94.75	63.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	43	2004
08.01.2020 13:23:16	1	1	1	1	94.75	63	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	43.1875	2004
08.01.2020 13:23:17	1	1	1	1	94.75	63	0	28957.346	554.8387097	16128.88321	30000	0	0	30000	42.875	2004
08.01.2020 13:23:18	1	1	1	1	94.75	62.75	0	28957.346	552.688172	15951.94738	30000	0	0	30000	43.5	2004
08.01.2020 13:23:19	1	1	1	1	94.75	63.5	0	28862.559	550.5376344	16013.91569	30000	0	0	30000	43.3125	2004
08.01.2020 13:23:20	1	1	1	1	94.75	63.25	0	28815.166	552.688172	15925.85546	30000	0	0	30000	43.375	2004
08.01.2020 13:23:21	1	1	1	1	94.75	63.25	0	28625.592	554.8387097	15987.82377	30000	0	0	30000	42.9375	2004
08.01.2020 13:23:22	1	1	1	1	94.75	62.75	0	28815.166	559.1397849	16173.7287	30000	0	0	30000	42.5	2004
08.01.2020 13:23:23	1	1	1	1	94.75	62.5	0	28436.019	554.8387097	15864.70252	30000	0	0	30000	43.25	2004
08.01.2020 13:23:24	1	1	1	1	94.75	63.25	0	28530.806	556.9892473	15864.70252	30000	0	0	30000	43.625	2004
08.01.2020 13:23:25	1	1	1	1	94.75	63.5	0	28625.592	556.9892473	16173.7287	30000	0	0	30000	43	2004
08.01.2020 13:23:26	1	1	1	1	94.75	63	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	43.5625	2004
08.01.2020 13:23:33	1	1	1	1	94.5	62.75	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	43	2004
08.01.2020 13:23:33	1	1	1	1	94.5	62.75	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	43	2004
08.01.2020 13:23:33	1	1	1	1	94.5	62.75	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	43	2004
08.01.2020 13:23:33	1	1	1	1	94.5	62.75	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	43	2004
08.01.2020 13:23:33	1	1	1	1	94.5	62.75	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	43	2004
08.01.2020 13:23:33	1	1	1	1	94.5	63	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	43.25	2004
08.01.2020 13:23:35	1	1	1	1	94.5	63.25	0	28436.019	561.2903226	16048.16134	30000	0	0	30000	43.125	2004
08.01.2020 13:23:36	1	1	1	1	94.5	63	0	28436.019	559.1397849	15899.76354	30000	0	0	30000	43.1875	2004
08.01.2020 13:23:37	1	1	1	1	94.5	63	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	43.0625	2004
08.01.2020 13:23:38	1	1	1	1	94.5	63	0	28483.412	559.1397849	16040.00761	30000	0	0	30000	43.125	2004
08.01.2020 13:23:39	1	1	1	1	94.75	63.25	0	28483.412	561.2903226	16040.00761	30000	0	0	30000	43.125	2004
08.01.2020 13:23:40	1	1	1	1	94.75	63	0	28341.232	559.1397849	15785.61139	30000	0	0	30000	43.3125	2004
08.01.2020 13:23:41	1	1	1	1	94.75	63.25	0	28388.626	556.9892473	15960.91648	30000	0	0	30000	43.375	2004
08.01.2020 13:23:42	1	1	1	1	94.75	63.25	0	28293.839	561.2903226	15827.19539	30000	0	0	30000	43	2004
08.01.2020 13:23:43	1	1	1	1	94.75	63	0	28388.626	565.5913978	16056.31506	30000	0	0	30000	43.375	2004
08.01.2020 13:23:44	1	1	1	1	94.75	63.25	0	28293.839	561.2903226	15819.85704	30000	0	0	30000	43.3125	2004
08.01.2020 13:23:45	1	1	1	1	94.75	63.25	0	28341.232	563.4408602	16029.40777	30000	0	0	30000	43.125	2004
08.01.2020 13:23:46	1	1	1	1	94.75	63	0	28436.019	563.4408602	16022.06942	30000	0	0	30000	43.25	2004
08.01.2020 13:23:47	1	1	1	1	94.75	63.25	0	28293.839	563.4408602	16002.50048	30000	0	0	30000	43.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 13:23:48	1	1	1	1	94.75	63.25	0	28293.839	565.5913978	15948.68589	30000	0	0	30000	43.4375	2004
08.01.2020 13:23:49	1	1	1	1	94.75	63.25	0	28341.232	565.5913978	16029.40777	30000	0	0	30000	43.3125	2004
08.01.2020 13:23:50	1	1	1	1	94.75	63.25	0	28341.232	565.5913978	15968.25483	30000	0	0	30000	43	2004
08.01.2020 13:23:51	1	1	1	1	94.75	63	0	26113.744	520.4301075	13589.81328	30000	0	0	30000	43.1875	2004
08.01.2020 13:23:52	1	1	1	1	94.75	63	0	28341.232	561.2903226	16029.40777	30000	0	0	30000	43.1875	2004
08.01.2020 13:23:53	1	1	1	1	94.75	63	0	28293.839	563.4408602	15968.25483	30000	0	0	30000	43.4375	2004
08.01.2020 13:23:54	1	1	1	1	94.75	63.25	0	28293.839	563.4408602	16002.50048	30000	0	0	30000	43.0625	2004
08.01.2020 13:23:55	1	1	1	1	94.75	63	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	43.0625	2004
08.01.2020 13:23:56	1	1	1	1	94.75	63	0	28436.019	565.5913978	16144.37529	30000	0	0	30000	43.375	2004
08.01.2020 13:23:57	1	1	1	1	94.75	63.25	0	28341.232	556.9892473	16083.22235	30000	0	0	30000	43.25	2004
08.01.2020 13:23:58	1	1	1	1	94.75	63.25	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	42.9375	2004
08.01.2020 13:23:59	1	1	1	1	94.75	62.75	0	28436.019	563.4408602	15934.00919	30000	0	0	30000	43.4375	2004
08.01.2020 13:24:00	1	1	1	1	94.75	63.25	0	28578.199	559.1397849	16040.00761	30000	0	0	30000	43.3125	2004
08.01.2020 13:24:01	1	1	1	1	94.75	63.25	0	28483.412	559.1397849	15925.85546	30000	0	0	30000	43.0625	2004
08.01.2020 13:24:02	1	1	1	1	94.75	63	0	28578.199	554.8387097	15917.70174	30000	0	0	30000	43.625	2004
08.01.2020 13:24:03	1	1	1	1	94.75	63.5	0	28625.592	552.688172	15733.42755	30000	0	0	30000	43.4375	2004
08.01.2020 13:24:04	1	1	1	1	94.75	63.25	0	28862.559	565.5913978	15925.85546	30000	0	0	30000	43.4375	2004
08.01.2020 13:24:05	1	1	1	1	94.75	63.25	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	43.3125	2004
08.01.2020 13:24:06	1	1	1	1	94.75	63.25	0	28625.592	556.9892473	15943.79366	30000	0	0	30000	43	2004
08.01.2020 13:24:07	1	1	1	1	94.75	63	0	28625.592	550.5376344	15820.67241	30000	0	0	30000	42.9375	2004
08.01.2020 13:24:08	1	1	1	1	94.75	62.75	0	28862.559	554.8387097	15987.82377	30000	0	0	30000	43.4375	2004
08.01.2020 13:24:09	1	1	1	1	94.25	63.25	0	29146.919	550.5376344	16234.06626	30000	0	0	30000	43.375	2004
08.01.2020 13:24:10	1	1	1	1	94.25	63.25	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	43.0625	2004
08.01.2020 13:24:11	1	1	1	1	94.25	63	0	29052.133	550.5376344	16056.31506	30000	0	0	30000	43.375	2004
08.01.2020 13:24:12	1	1	1	1	94.25	63.25	0	29526.066	526.8817204	15620.09078	30000	0	0	30000	43.375	2004
08.01.2020 13:24:13	1	1	1	1	94.25	63.25	0	29052.133	552.688172	16056.31506	30000	0	0	30000	42.875	2004
08.01.2020 13:24:15	1	1	1	1	94.25	62.75	0	29052.133	554.8387097	16082.40698	30000	0	0	30000	42.875	2004
08.01.2020 13:24:16	1	1	1	1	94.25	62.75	0	28957.346	552.688172	16004.13122	30000	0	0	30000	42.9375	2004
08.01.2020 13:24:17	1	1	1	1	94.25	62.75	0	28862.559	563.4408602	16075.884	30000	0	0	30000	43.4375	2004
08.01.2020 13:24:18	1	1	1	1	94.25	63.25	0	28957.346	554.8387097	16030.22314	30000	0	0	30000	43.25	2004
08.01.2020 13:24:19	1	1	1	1	94.25	63.25	0	28909.953	550.5376344	16128.88321	30000	0	0	30000	43.25	2004
08.01.2020 13:24:20	1	1	1	1	95	63.75	0	28815.166	550.5376344	15889.97907	30000	0	0	30000	43.25	2004
08.01.2020 13:24:21	1	1	1	1	95	63.25	0	28957.346	552.688172	15942.16291	30000	0	0	30000	43.625	2004
08.01.2020 13:24:22	1	1	1	1	95	63.5	0	28909.953	552.688172	16004.13122	30000	0	0	30000	43.375	2004
08.01.2020 13:24:23	1	1	1	1	95	63.25	0	28957.346	552.688172	16004.13122	30000	0	0	30000	43.25	2004
08.01.2020 13:24:24	1	1	1	1	95	63.25	0	28815.166	550.5376344	15863.88715	30000	0	0	30000	42.9375	2004
08.01.2020 13:24:25	1	1	1	1	95	62.75	0	28815.166	552.688172	15863.88715	30000	0	0	30000	43.25	2004
08.01.2020 13:24:26	1	1	1	1	95	63.25	0	29004.739	554.8387097	16128.88321	30000	0	0	30000	43	2004
08.01.2020 13:24:27	1	1	1	1	95	63	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	43.25	2004
08.01.2020 13:24:28	1	1	1	1	95	63.25	0	28815.166	550.5376344	16075.884	30000	0	0	30000	42.8125	2004
08.01.2020 13:24:35	1	1	1	1	94.5	63.25	0	28815.166	552.688172	15863.88715	30000	0	0	30000	42.75	2004
08.01.2020 13:24:35	1	1	1	1	94.5	63.25	0	28815.166	552.688172	15863.88715	30000	0	0	30000	42.75	2004
08.01.2020 13:24:35	1	1	1	1	94.5	63.25	0	28815.166	552.688172	15863.88715	30000	0	0	30000	42.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 13:24:35	1	1	1	1	94.5	63.25	0	28815.166	552.688172	15863.88715	30000	0	0	30000	42.75	2004
08.01.2020 13:24:35	1	1	1	1	94.5	63.25	0	28815.166	552.688172	15863.88715	30000	0	0	30000	42.75	2004
08.01.2020 13:24:35	1	1	1	1	94.5	63.25	0	28815.166	552.688172	15863.88715	30000	0	0	30000	42.75	2004
08.01.2020 13:24:35	1	1	1	1	94.5	63.25	0	28815.166	552.688172	15863.88715	30000	0	0	30000	42.75	2004
08.01.2020 13:24:36	1	1	1	1	94.5	62.75	0	28815.166	552.688172	15925.85546	30000	0	0	30000	43.5625	2004
08.01.2020 13:24:37	1	1	1	1	94.5	63.5	0	29052.133	556.9892473	16128.88321	30000	0	0	30000	43.3125	2004
08.01.2020 13:24:38	1	1	1	1	94.5	63.25	0	28815.166	552.688172	15925.85546	30000	0	0	30000	42.8125	2004
08.01.2020 13:24:39	1	1	1	1	95.25	62.75	0	28957.346	554.8387097	16066.09953	30000	0	0	30000	42.8125	2004
08.01.2020 13:24:40	1	1	1	1	95.25	62.75	0	28862.559	552.688172	16252.81983	30000	0	0	30000	43.5	2004
08.01.2020 13:24:41	1	1	1	1	95.25	63.5	0	29052.133	554.8387097	16181.06705	30000	0	0	30000	42.8125	2004
08.01.2020 13:24:42	1	1	1	1	95.25	62.75	0	28862.559	550.5376344	15978.0393	30000	0	0	30000	43.3125	2004
08.01.2020 13:24:43	1	1	1	1	95.25	63.25	0	29052.133	554.8387097	16181.06705	30000	0	0	30000	43.375	2004
08.01.2020 13:24:44	1	1	1	1	95.25	63.25	0	28862.559	552.688172	16004.13122	30000	0	0	30000	43.4375	2004
08.01.2020 13:24:45	1	1	1	1	95.25	63.25	0	28957.346	554.8387097	16004.13122	30000	0	0	30000	43.375	2004
08.01.2020 13:24:46	1	1	1	1	95.25	63.25	0	29146.919	552.688172	16108.4989	30000	0	0	30000	43.0625	2004
08.01.2020 13:24:47	1	1	1	1	95.25	63	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	43.3125	2004
08.01.2020 13:24:48	1	1	1	1	95.25	63.25	0	29052.133	546.2365591	16020.43867	30000	0	0	30000	43	2004
08.01.2020 13:24:49	1	1	1	1	94.75	63	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	43.5	2004
08.01.2020 13:24:50	1	1	1	1	94.75	63.5	0	29052.133	546.2365591	15957.65499	30000	0	0	30000	43.125	2004
08.01.2020 13:24:52	1	1	1	1	94.75	63	0	29099.526	546.2365591	16046.53059	30000	0	0	30000	43.4375	2004
08.01.2020 13:24:53	1	1	1	1	94.75	63.25	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	43.375	2004
08.01.2020 13:24:54	1	1	1	1	94.75	63.25	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	43.3125	2004
08.01.2020 13:24:55	1	1	1	1	94.75	63.25	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	42.1875	2004
08.01.2020 13:24:56	1	1	1	1	94.75	62	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	43.6875	2004
08.01.2020 13:24:57	1	1	1	1	94.75	63.25	0	29099.526	550.5376344	16108.4989	30000	0	0	30000	43.125	2004
08.01.2020 13:24:58	1	1	1	1	94.75	63	0	28815.166	550.5376344	15759.51947	30000	0	0	30000	43.375	2004
08.01.2020 13:24:59	1	1	1	1	95	63.25	0	29052.133	550.5376344	15942.16291	30000	0	0	30000	43.1875	2004
08.01.2020 13:25:00	1	1	1	1	95	63	0	29052.133	548.3870968	15994.34675	30000	0	0	30000	43.1875	2004
08.01.2020 13:25:01	1	1	1	1	95	63	0	29099.526	550.5376344	15994.34675	30000	0	0	30000	43.3125	2004
08.01.2020 13:25:02	1	1	1	1	95	63.25	0	28815.166	552.688172	15951.94738	30000	0	0	30000	43.375	2004
08.01.2020 13:25:03	1	1	1	1	95	63.25	0	28957.346	552.688172	16066.09953	30000	0	0	30000	43.125	2004
08.01.2020 13:25:04	1	1	1	1	95	63	0	28957.346	559.1397849	15951.94738	30000	0	0	30000	43.4375	2004
08.01.2020 13:25:05	1	1	1	1	95	63.25	0	29052.133	552.688172	16119.09874	30000	0	0	30000	43.125	2004
08.01.2020 13:25:06	1	1	1	1	95	63	0	28957.346	559.1397849	16128.88321	30000	0	0	30000	43.4375	2004
08.01.2020 13:25:07	1	1	1	1	95	63.25	0	28862.559	552.688172	16075.884	30000	0	0	30000	43.5625	2004
08.01.2020 13:25:08	1	1	1	1	95	63.5	0	28862.559	556.9892473	16075.884	30000	0	0	30000	43.3125	2004
08.01.2020 13:25:09	1	1	1	1	95	63.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	43.5	2004
08.01.2020 13:25:10	1	1	1	1	95	63.5	0	28815.166	550.5376344	15863.88715	30000	0	0	30000	43.625	2004
08.01.2020 13:25:11	1	1	1	1	95	63.5	0	28957.346	552.688172	16004.13122	30000	0	0	30000	43	2004
08.01.2020 13:25:12	1	1	1	1	95	63	0	28957.346	556.9892473	16128.88321	30000	0	0	30000	43.25	2004
08.01.2020 13:25:13	1	1	1	1	95	63.25	0	28625.592	552.688172	15882.64072	30000	0	0	30000	43.3125	2004
08.01.2020 13:25:14	1	1	1	1	95	63.25	0	28862.559	556.9892473	16013.91569	30000	0	0	30000	43.125	2004
08.01.2020 13:25:15	1	1	1	1	95	63	0	28815.166	550.5376344	15863.88715	30000	0	0	30000	42.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 13:25:16	1	1	1	1	95	62.25	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	43.375	2004
08.01.2020 13:25:17	1	1	1	1	95	63.25	0	28957.346	552.688172	16004.13122	30000	0	0	30000	43.3125	2004
08.01.2020 13:25:18	1	1	1	1	95	63.25	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	43.3125	2004
08.01.2020 13:25:19	1	1	1	1	94.75	63.25	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	42.5	2004
08.01.2020 13:25:20	1	1	1	1	94.75	62.5	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	43.3125	2004
08.01.2020 13:25:21	1	1	1	1	94.75	63.25	0	29099.526	556.9892473	16181.06705	30000	0	0	30000	42.0625	2004
08.01.2020 13:25:22	1	1	1	1	94.75	62	0	29099.526	550.5376344	16020.43867	30000	0	0	30000	43.1875	2004
08.01.2020 13:25:23	1	1	1	1	94.75	63	0	29146.919	550.5376344	16108.4989	30000	0	0	30000	43.0625	2004
08.01.2020 13:25:24	1	1	1	1	94.75	63	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	43.25	2004
08.01.2020 13:25:25	1	1	1	1	94.75	63.25	0	29052.133	550.5376344	15942.16291	30000	0	0	30000	43.375	2004
08.01.2020 13:25:26	1	1	1	1	94.75	63.25	0	28862.559	550.5376344	15889.97907	30000	0	0	30000	43.1875	2004
08.01.2020 13:25:27	1	1	1	1	94.75	63	0	29099.526	552.688172	16082.40698	30000	0	0	30000	43.0625	2004
08.01.2020 13:25:28	1	1	1	1	94.75	63	0	28957.346	554.8387097	16004.13122	30000	0	0	30000	43.125	2004
08.01.2020 13:25:29	1	1	1	1	95	63	0	28815.166	550.5376344	15863.88715	30000	0	0	30000	43.5	2004
08.01.2020 13:25:37	1	1	1	1	95	63	0	28815.166	552.688172	15925.85546	30000	0	0	30000	43.125	2004
08.01.2020 13:25:37	1	1	1	1	95	63	0	28815.166	552.688172	15925.85546	30000	0	0	30000	43.125	2004
08.01.2020 13:25:37	1	1	1	1	95	63	0	28815.166	552.688172	15925.85546	30000	0	0	30000	43.125	2004
08.01.2020 13:25:37	1	1	1	1	95	63	0	28815.166	552.688172	15925.85546	30000	0	0	30000	43.125	2004
08.01.2020 13:25:37	1	1	1	1	95	63	0	28815.166	552.688172	15925.85546	30000	0	0	30000	43.125	2004
08.01.2020 13:25:37	1	1	1	1	95	63	0	28815.166	552.688172	15925.85546	30000	0	0	30000	43.125	2004
08.01.2020 13:25:37	1	1	1	1	95	63	0	28815.166	552.688172	15925.85546	30000	0	0	30000	43.125	2004
08.01.2020 13:25:38	1	1	1	1	95	63	0	28862.559	556.9892473	16075.884	30000	0	0	30000	43.3125	2004
08.01.2020 13:25:39	1	1	1	1	95.5	63.25	0	28625.592	554.8387097	16049.79208	30000	0	0	30000	43	2004
08.01.2020 13:25:40	1	1	1	1	95.5	63	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	43.4375	2004
08.01.2020 13:25:41	1	1	1	1	95.5	63.25	0	28625.592	556.9892473	15882.64072	30000	0	0	30000	42.75	2004
08.01.2020 13:25:42	1	1	1	1	95.5	62.75	0	28625.592	556.9892473	16049.79208	30000	0	0	30000	43.375	2004
08.01.2020 13:25:43	1	1	1	1	95.5	63.25	0	28625.592	559.1397849	16066.9149	30000	0	0	30000	43.25	2004
08.01.2020 13:25:44	1	1	1	1	95.5	63.25	0	28483.412	559.1397849	16013.91569	30000	0	0	30000	43.375	2004
08.01.2020 13:25:45	1	1	1	1	95.5	63.25	0	28625.592	561.2903226	16005.76197	30000	0	0	30000	43.375	2004
08.01.2020 13:25:46	1	1	1	1	95.5	63.25	0	28483.412	563.4408602	16109.31427	30000	0	0	30000	43.3125	2004
08.01.2020 13:25:47	1	1	1	1	95.5	63.25	0	28341.232	561.2903226	15811.70331	30000	0	0	30000	42.875	2004
08.01.2020 13:25:48	1	1	1	1	95.5	62.75	0	28578.199	561.2903226	16101.97592	30000	0	0	30000	42.1875	2004
08.01.2020 13:25:49	1	1	1	1	95.5	62	0	28436.019	565.5913978	16083.22235	30000	0	0	30000	43.375	2004
08.01.2020 13:25:50	1	1	1	1	95.5	63.25	0	28625.592	561.2903226	16040.00761	30000	0	0	30000	43.5	2004
08.01.2020 13:25:51	1	1	1	1	95.5	63.5	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	42.75	2004
08.01.2020 13:25:52	1	1	1	1	95.5	62.75	0	28578.199	561.2903226	16173.7287	30000	0	0	30000	43.25	2004
08.01.2020 13:25:53	1	1	1	1	95.5	63.25	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	43.4375	2004
08.01.2020 13:25:54	1	1	1	1	95.5	63.25	0	28530.806	559.1397849	16040.00761	30000	0	0	30000	43.4375	2004
08.01.2020 13:25:55	1	1	1	1	95.5	63.25	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	43.4375	2004
08.01.2020 13:25:56	1	1	1	1	95.5	63.25	0	28578.199	561.2903226	16101.97592	30000	0	0	30000	43.1875	2004
08.01.2020 13:25:57	1	1	1	1	95.5	63	0	28625.592	556.9892473	15943.79366	30000	0	0	30000	42.9375	2004
08.01.2020 13:25:58	1	1	1	1	95.5	62.75	0	28815.166	550.5376344	15925.85546	30000	0	0	30000	43.1875	2004
08.01.2020 13:25:59	1	1	1	1	95.5	63	0	28957.346	552.688172	16004.13122	30000	0	0	30000	43.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 13:26:00	1	1	1	1	95.5	63.25	0	29146.919	550.5376344	16108.4989	30000	0	0	30000	42.9375	2004
08.01.2020 13:26:01	1	1	1	1	95.5	62.75	0	29336.493	541.9354839	15960.91648	30000	0	0	30000	42.6875	2004
08.01.2020 13:26:02	1	1	1	1	95.5	62.5	0	29146.919	537.6344086	15858.17955	30000	0	0	30000	43.375	2004
08.01.2020 13:26:03	1	1	1	1	95.5	63.25	0	29573.46	541.9354839	16090.5607	30000	0	0	30000	43	2004
08.01.2020 13:26:04	1	1	1	1	95.5	63	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	43.4375	2004
08.01.2020 13:26:05	1	1	1	1	95.5	63.25	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	43.1875	2004
08.01.2020 13:26:06	1	1	1	1	95.5	63	0	29383.886	550.5376344	16239.77387	30000	0	0	30000	43.5625	2004
08.01.2020 13:26:07	1	1	1	1	95.5	63.5	0	29241.706	546.2365591	16061.20729	30000	0	0	30000	42.4375	2004
08.01.2020 13:26:09	1	1	1	1	95.5	62.25	0	29336.493	546.2365591	15960.91648	30000	0	0	30000	43.25	2004
08.01.2020 13:26:10	1	1	1	1	95	63.25	0	29620.853	544.0860215	15988.63914	30000	0	0	30000	43.1875	2004
08.01.2020 13:26:11	1	1	1	1	95	63	0	29857.82	535.483871	15987.82377	30000	0	0	30000	43.3125	2004
08.01.2020 13:26:12	1	1	1	1	95	63.25	0	29715.64	533.3333333	15911.99413	30000	0	0	30000	42.9375	2004
08.01.2020 13:26:13	1	1	1	1	95	62.75	0	29715.64	535.483871	15911.99413	30000	0	0	30000	43.1875	2004
08.01.2020 13:26:14	1	1	1	1	95	63	0	29857.82	544.0860215	16090.5607	30000	0	0	30000	43.5625	2004
08.01.2020 13:26:15	1	1	1	1	95	63	0	29526.066	539.7849462	15899.76354	30000	0	0	30000	43.125	2004
08.01.2020 13:26:16	1	1	1	1	95	63	0	29810.427	539.7849462	16154.97513	30000	0	0	30000	43.0625	2004
08.01.2020 13:26:17	1	1	1	1	95	63	0	29573.46	541.9354839	16026.96165	30000	0	0	30000	43.125	2004
08.01.2020 13:26:18	1	1	1	1	95	63	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	43.1875	2004
08.01.2020 13:26:19	1	1	1	1	94.75	63	0	29431.28	541.9354839	16013.10032	30000	0	0	30000	43.125	2004
08.01.2020 13:26:20	1	1	1	1	94.75	63	0	29336.493	541.9354839	15898.1328	30000	0	0	30000	43.0625	2004
08.01.2020 13:26:21	1	1	1	1	94.75	63	0	29383.886	544.0860215	15987.0084	30000	0	0	30000	42.6875	2004
08.01.2020 13:26:22	1	1	1	1	94.75	62.5	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	43.0625	2004
08.01.2020 13:26:23	1	1	1	1	94.75	63	0	29289.1	546.2365591	15909.54801	30000	0	0	30000	43.3125	2004
08.01.2020 13:26:24	1	1	1	1	94.75	63.25	0	29336.493	546.2365591	15935.63993	30000	0	0	30000	42.8125	2004
08.01.2020 13:26:25	1	1	1	1	94.75	62.75	0	29146.919	544.0860215	15858.17955	30000	0	0	30000	43.3125	2004
08.01.2020 13:26:26	1	1	1	1	94.75	63.25	0	29146.919	544.0860215	15858.17955	30000	0	0	30000	42.8125	2004
08.01.2020 13:26:27	1	1	1	1	94.75	62.75	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	43.1875	2004
08.01.2020 13:26:28	1	1	1	1	94.75	63	0	29099.526	546.2365591	15957.65499	30000	0	0	30000	43	2004
08.01.2020 13:26:29	1	1	1	1	94.75	63	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	42.9375	2004
08.01.2020 13:26:30	1	1	1	1	94.75	62.75	0	29099.526	550.5376344	16020.43867	30000	0	0	30000	43.5	2004
08.01.2020 13:26:31	1	1	1	1	94.75	63.5	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	43.1875	2004
08.01.2020 13:26:39	1	1	1	1	94.75	63	0	29241.706	550.5376344	16098.71443	30000	0	0	30000	43.3125	2004
08.01.2020 13:26:39	1	1	1	1	94.75	63	0	29241.706	550.5376344	16098.71443	30000	0	0	30000	43.3125	2004
08.01.2020 13:26:39	1	1	1	1	94.75	63	0	29241.706	550.5376344	16098.71443	30000	0	0	30000	43.3125	2004
08.01.2020 13:26:39	1	1	1	1	94.75	63	0	29241.706	550.5376344	16098.71443	30000	0	0	30000	43.3125	2004
08.01.2020 13:26:39	1	1	1	1	94.75	63	0	29241.706	550.5376344	16098.71443	30000	0	0	30000	43.3125	2004
08.01.2020 13:26:39	1	1	1	1	94.75	63	0	29241.706	550.5376344	16098.71443	30000	0	0	30000	43.3125	2004
08.01.2020 13:26:39	1	1	1	1	95.25	63.25	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	43.4375	2004
08.01.2020 13:26:40	1	1	1	1	95.25	63.25	0	29383.886	546.2365591	16050.60745	30000	0	0	30000	43.5	2004
08.01.2020 13:26:41	1	1	1	1	95.25	63.5	0	29383.886	544.0860215	16013.10032	30000	0	0	30000	42.6875	2004
08.01.2020 13:26:42	1	1	1	1	95.25	62.5	0	29383.886	544.0860215	15987.0084	30000	0	0	30000	43.25	2004
08.01.2020 13:26:43	1	1	1	1	95.25	63.25	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	43.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 13:26:44	1	1	1	1	95.25	63	0	29526.066	541.9354839	16026.96165	30000	0	0	30000	43.25	2004
08.01.2020 13:26:45	1	1	1	1	95.25	63.25	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	43.375	2004
08.01.2020 13:26:46	1	1	1	1	95.25	63.25	0	29620.853	533.3333333	15950.31664	30000	0	0	30000	43	2004
08.01.2020 13:26:47	1	1	1	1	95.25	63	0	29715.64	535.483871	16040.00761	30000	0	0	30000	43.1875	2004
08.01.2020 13:26:49	1	1	1	1	95.25	63	0	29715.64	533.3333333	15911.99413	30000	0	0	30000	43.125	2004
08.01.2020 13:26:50	1	1	1	1	94.75	63	0	29810.427	541.9354839	16090.5607	30000	0	0	30000	43.375	2004
08.01.2020 13:26:51	1	1	1	1	94.75	63.25	0	29715.64	537.6344086	15911.99413	30000	0	0	30000	43.75	2004
08.01.2020 13:26:52	1	1	1	1	94.75	63.75	0	29857.82	535.483871	16013.10032	30000	0	0	30000	43.75	2004
08.01.2020 13:26:53	1	1	1	1	94.75	63.25	0	29857.82	537.6344086	15987.82377	30000	0	0	30000	42.5	2004
08.01.2020 13:26:54	1	1	1	1	94.75	62.5	0	29715.64	535.483871	15911.99413	30000	0	0	30000	43.1875	2004
08.01.2020 13:26:55	1	1	1	1	94.75	63	0	29810.427	537.6344086	16040.00761	30000	0	0	30000	43.25	2004
08.01.2020 13:26:56	1	1	1	1	94.75	63.25	0	29857.82	535.483871	15987.82377	30000	0	0	30000	42.875	2004
08.01.2020 13:26:57	1	1	1	1	94.75	62.75	0	29526.066	539.7849462	15937.27068	30000	0	0	30000	43.375	2004
08.01.2020 13:26:58	1	1	1	1	94.75	63.25	0	29383.886	541.9354839	15987.0084	30000	0	0	30000	43.125	2004
08.01.2020 13:26:59	1	1	1	1	94.5	63	0	29431.28	544.0860215	16075.884	30000	0	0	30000	42.75	2004
08.01.2020 13:27:00	1	1	1	1	94.5	62.75	0	29526.066	539.7849462	15873.67162	30000	0	0	30000	42.9375	2004
08.01.2020 13:27:01	1	1	1	1	94.5	62.75	0	29620.853	537.6344086	15925.04009	30000	0	0	30000	42.75	2004
08.01.2020 13:27:02	1	1	1	1	94.5	62.75	0	29668.246	541.9354839	16078.33012	30000	0	0	30000	43.125	2004
08.01.2020 13:27:03	1	1	1	1	94.5	63	0	29620.853	541.9354839	16115.83725	30000	0	0	30000	43.125	2004
08.01.2020 13:27:04	1	1	1	1	94.5	63	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	43	2004
08.01.2020 13:27:05	1	1	1	1	94.5	63	0	29715.64	533.3333333	16090.5607	30000	0	0	30000	43.3125	2004
08.01.2020 13:27:06	1	1	1	1	94.5	63.25	0	30000	533.3333333	15885.08684	30000	0	0	30000	43.25	2004
08.01.2020 13:27:07	1	1	1	1	94.5	63.25	0	29905.213	533.3333333	16077.51474	30000	0	0	30000	43.1875	2004
08.01.2020 13:27:08	1	1	1	1	94.5	63	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	43.25	2004
08.01.2020 13:27:09	1	1	1	1	94.25	63.25	0	29620.853	546.2365591	16115.83725	30000	0	0	30000	43.3125	2004
08.01.2020 13:27:10	1	1	1	1	94.25	63.25	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	43.25	2004
08.01.2020 13:27:11	1	1	1	1	94.25	63.25	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	43.5625	2004
08.01.2020 13:27:12	1	1	1	1	94.25	63.5	0	29052.133	550.5376344	15692.65893	30000	0	0	30000	43.5	2004
08.01.2020 13:27:13	1	1	1	1	94.25	63.5	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	43.25	2004
08.01.2020 13:27:14	1	1	1	1	94.25	63.25	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	43.3125	2004
08.01.2020 13:27:15	1	1	1	1	94.25	63.25	0	29052.133	552.688172	15968.25483	30000	0	0	30000	43.3125	2004
08.01.2020 13:27:16	1	1	1	1	94.25	63.25	0	29099.526	552.688172	16082.40698	30000	0	0	30000	43.5	2004
08.01.2020 13:27:17	1	1	1	1	94.25	63.5	0	28909.953	552.688172	16004.13122	30000	0	0	30000	43.375	2004
08.01.2020 13:27:18	1	1	1	1	94.25	63.25	0	28815.166	552.688172	15925.85546	30000	0	0	30000	43.0625	2004
08.01.2020 13:27:19	1	1	1	1	94.25	63	0	28815.166	552.688172	15925.85546	30000	0	0	30000	42.8125	2004
08.01.2020 13:27:20	1	1	1	1	94.25	62.75	0	29052.133	554.8387097	16243.85073	30000	0	0	30000	43.375	2004
08.01.2020 13:27:21	1	1	1	1	94.25	63.25	0	29099.526	554.8387097	15942.16291	30000	0	0	30000	43.4375	2004
08.01.2020 13:27:22	1	1	1	1	94.25	63.25	0	28862.559	550.5376344	15951.94738	30000	0	0	30000	43.375	2004
08.01.2020 13:27:23	1	1	1	1	94.25	63.25	0	28957.346	554.8387097	16128.88321	30000	0	0	30000	42.625	2004
08.01.2020 13:27:24	1	1	1	1	94.25	62.5	0	28957.346	554.8387097	16128.88321	30000	0	0	30000	43.125	2004
08.01.2020 13:27:25	1	1	1	1	94.25	63	0	28815.166	550.5376344	15925.85546	30000	0	0	30000	43.0625	2004
08.01.2020 13:27:27	1	1	1	1	94.25	63	0	28815.166	552.688172	15925.85546	30000	0	0	30000	43.375	2004
08.01.2020 13:27:28	1	1	1	1	94.25	63.25	0	28957.346	554.8387097	16128.88321	30000	0	0	30000	43.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 13:27:29	1	1	1	1	94.25	63.25	0	29099.526	550.5376344	16108.4989	30000	0	0	30000	43.625	2004
08.01.2020 13:27:30	1	1	1	1	94.75	63.5	0	29052.133	552.688172	16056.31506	30000	0	0	30000	43	2004
08.01.2020 13:27:31	1	1	1	1	94.75	63	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	43.5625	2004
08.01.2020 13:27:32	1	1	1	1	94.75	63.5	0	28957.346	552.688172	16004.13122	30000	0	0	30000	42.9375	2004
08.01.2020 13:27:33	1	1	1	1	94.75	62.75	0	28862.559	554.8387097	16013.91569	30000	0	0	30000	43.375	2004
08.01.2020 13:27:40	1	1	1	1	94.5	62.75	0	28957.346	559.1397849	16101.97592	30000	0	0	30000	43.3125	2004
08.01.2020 13:27:40	1	1	1	1	94.5	62.75	0	28957.346	559.1397849	16101.97592	30000	0	0	30000	43.3125	2004
08.01.2020 13:27:40	1	1	1	1	94.5	62.75	0	28957.346	559.1397849	16101.97592	30000	0	0	30000	43.3125	2004
08.01.2020 13:27:40	1	1	1	1	94.5	62.75	0	28957.346	559.1397849	16101.97592	30000	0	0	30000	43.3125	2004
08.01.2020 13:27:40	1	1	1	1	94.5	62.75	0	28957.346	559.1397849	16101.97592	30000	0	0	30000	43.3125	2004
08.01.2020 13:27:40	1	1	1	1	94.5	63.25	0	28625.592	556.9892473	16049.79208	30000	0	0	30000	43.125	2004
08.01.2020 13:27:41	1	1	1	1	94.5	63	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	42.9375	2004
08.01.2020 13:27:42	1	1	1	1	94.5	62.75	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	43.5	2004
08.01.2020 13:27:43	1	1	1	1	94.5	63.5	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	43.4375	2004
08.01.2020 13:27:44	1	1	1	1	94.5	63.25	0	28578.199	559.1397849	15917.70174	30000	0	0	30000	43.3125	2004
08.01.2020 13:27:45	1	1	1	1	94.5	63.25	0	28862.559	556.9892473	16075.884	30000	0	0	30000	43.3125	2004
08.01.2020 13:27:46	1	1	1	1	94.5	63.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	43.1875	2004
08.01.2020 13:27:47	1	1	1	1	94.5	63	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	43.375	2004
08.01.2020 13:27:48	1	1	1	1	94.5	63.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	43.375	2004
08.01.2020 13:27:49	1	1	1	1	94.5	63.25	0	28625.592	559.1397849	15943.79366	30000	0	0	30000	43.4375	2004
08.01.2020 13:27:50	1	1	1	1	94.5	63.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	43	2004
08.01.2020 13:27:51	1	1	1	1	94.5	63	0	28578.199	556.9892473	15645.36733	30000	0	0	30000	43.125	2004
08.01.2020 13:27:52	1	1	1	1	94.5	63	0	28578.199	559.1397849	15890.79444	30000	0	0	30000	43.375	2004
08.01.2020 13:27:53	1	1	1	1	94.5	63.25	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	43.25	2004
08.01.2020 13:27:54	1	1	1	1	94.5	63.25	0	28862.559	556.9892473	16075.884	30000	0	0	30000	43.0625	2004
08.01.2020 13:27:55	1	1	1	1	94.5	63	0	28862.559	559.1397849	16075.884	30000	0	0	30000	43.25	2004
08.01.2020 13:27:56	1	1	1	1	94.5	63.25	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	43.0625	2004
08.01.2020 13:27:57	1	1	1	1	94.5	63	0	28672.986	552.688172	15925.85546	30000	0	0	30000	43.0625	2004
08.01.2020 13:27:58	1	1	1	1	94.5	63	0	28862.559	552.688172	15951.94738	30000	0	0	30000	42.75	2004
08.01.2020 13:27:59	1	1	1	1	94.5	62.75	0	28957.346	552.688172	16004.13122	30000	0	0	30000	42.8125	2004
08.01.2020 13:28:00	1	1	1	1	94.5	62.75	0	28815.166	552.688172	15925.85546	30000	0	0	30000	43.375	2004
08.01.2020 13:28:01	1	1	1	1	94.5	63.25	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	43.3125	2004
08.01.2020 13:28:02	1	1	1	1	94.5	63.25	0	29431.28	544.0860215	15734.24293	30000	0	0	30000	43.1875	2004
08.01.2020 13:28:03	1	1	1	1	94.5	63	0	29526.066	539.7849462	15810.07257	30000	0	0	30000	43.1875	2004
08.01.2020 13:28:04	1	1	1	1	94.5	63	0	29715.64	539.7849462	16090.5607	30000	0	0	30000	43.5	2004
08.01.2020 13:28:06	1	1	1	1	94.5	63.5	0	29810.427	537.6344086	15975.59318	30000	0	0	30000	43	2004
08.01.2020 13:28:07	1	1	1	1	94.5	63	0	29952.607	535.483871	16064.46878	30000	0	0	30000	43.25	2004
08.01.2020 13:28:08	1	1	1	1	94.5	63.25	0	29857.82	541.9354839	15962.54722	30000	0	0	30000	43.1875	2004
08.01.2020 13:28:09	1	1	1	1	94.5	63	0	29763.033	539.7849462	16154.97513	30000	0	0	30000	43.5625	2004
08.01.2020 13:28:10	1	1	1	1	94.75	63.5	0	29431.28	550.5376344	15949.50126	30000	0	0	30000	43.5	2004
08.01.2020 13:28:11	1	1	1	1	94.75	63.5	0	29431.28	546.2365591	16075.884	30000	0	0	30000	43.5	2004
08.01.2020 13:28:12	1	1	1	1	94.75	63	0	29289.1	544.0860215	15960.91648	30000	0	0	30000	43.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 13:28:13	1	1	1	1	94.75	63.25	0	29241.706	548.3870968	15983.74691	30000	0	0	30000	43.125	2004
08.01.2020 13:28:14	1	1	1	1	94.75	63	0	29241.706	546.2365591	15972.33169	30000	0	0	30000	43.0625	2004
08.01.2020 13:28:15	1	1	1	1	94.75	63	0	29431.28	541.9354839	16013.10032	30000	0	0	30000	43.1875	2004
08.01.2020 13:28:16	1	1	1	1	94.75	63	0	29573.46	539.7849462	15963.3626	30000	0	0	30000	43.375	2004
08.01.2020 13:28:17	1	1	1	1	94.75	63.25	0	29526.066	541.9354839	15937.27068	30000	0	0	30000	43.1875	2004
08.01.2020 13:28:18	1	1	1	1	94.75	63	0	29715.64	541.9354839	16167.20572	30000	0	0	30000	43.25	2004
08.01.2020 13:28:19	1	1	1	1	94.5	63.25	0	29526.066	537.6344086	15810.07257	30000	0	0	30000	43.125	2004
08.01.2020 13:28:20	1	1	1	1	94.5	63	0	29383.886	541.9354839	15949.50126	30000	0	0	30000	43.3125	2004
08.01.2020 13:28:21	1	1	1	1	94.5	63.25	0	29526.066	546.2365591	16064.46878	30000	0	0	30000	42.875	2004
08.01.2020 13:28:22	1	1	1	1	94.5	62.75	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	43.25	2004
08.01.2020 13:28:23	1	1	1	1	94.5	63.25	0	29431.28	550.5376344	16013.10032	30000	0	0	30000	43.125	2004
08.01.2020 13:28:24	1	1	1	1	94.5	63	0	29478.673	544.0860215	16038.37687	30000	0	0	30000	43.0625	2004
08.01.2020 13:28:25	1	1	1	1	94.5	63	0	29526.066	541.9354839	16090.5607	30000	0	0	30000	43.375	2004
08.01.2020 13:28:26	1	1	1	1	94.5	63.25	0	29526.066	544.0860215	16038.37687	30000	0	0	30000	42.9375	2004
08.01.2020 13:28:27	1	1	1	1	94.5	62.75	0	29431.28	544.0860215	16038.37687	30000	0	0	30000	43.1875	2004
08.01.2020 13:28:28	1	1	1	1	94.5	63	0	29336.493	544.0860215	15783.98065	30000	0	0	30000	43.375	2004
08.01.2020 13:28:29	1	1	1	1	94.25	63.25	0	29146.919	546.2365591	15669.8285	30000	0	0	30000	43.0625	2004
08.01.2020 13:28:30	1	1	1	1	94.25	63	0	29146.919	546.2365591	16046.53059	30000	0	0	30000	42.8125	2004
08.01.2020 13:28:31	1	1	1	1	94.25	62.75	0	29099.526	550.5376344	15931.56307	30000	0	0	30000	43.5	2004
08.01.2020 13:28:32	1	1	1	1	94.25	63.5	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	43.3125	2004
08.01.2020 13:28:33	1	1	1	1	94.25	63.25	0	28957.346	544.0860215	15942.16291	30000	0	0	30000	43.0625	2004
08.01.2020 13:28:34	1	1	1	1	94.25	63	0	29052.133	552.688172	16056.31506	30000	0	0	30000	43.25	2004
08.01.2020 13:28:41	1	1	1	1	94.5	63.25	0	28957.346	554.8387097	16181.06705	30000	0	0	30000	42.8125	2004
08.01.2020 13:28:41	1	1	1	1	94.5	63.25	0	28957.346	554.8387097	16181.06705	30000	0	0	30000	42.8125	2004
08.01.2020 13:28:41	1	1	1	1	94.5	63.25	0	28957.346	554.8387097	16181.06705	30000	0	0	30000	42.8125	2004
08.01.2020 13:28:41	1	1	1	1	94.5	63.25	0	28957.346	554.8387097	16181.06705	30000	0	0	30000	42.8125	2004
08.01.2020 13:28:41	1	1	1	1	94.5	63.25	0	28957.346	554.8387097	16181.06705	30000	0	0	30000	42.8125	2004
08.01.2020 13:28:41	1	1	1	1	94.5	62.75	0	28815.166	552.688172	15925.85546	30000	0	0	30000	43.125	2004
08.01.2020 13:28:43	1	1	1	1	94.5	63	0	28957.346	554.8387097	16004.13122	30000	0	0	30000	42.8125	2004
08.01.2020 13:28:44	1	1	1	1	94.5	62.75	0	28815.166	546.2365591	15951.94738	30000	0	0	30000	43.25	2004
08.01.2020 13:28:45	1	1	1	1	94.5	63.25	0	28862.559	552.688172	15889.97907	30000	0	0	30000	43.25	2004
08.01.2020 13:28:46	1	1	1	1	94.5	63.25	0	28957.346	552.688172	16004.13122	30000	0	0	30000	43.25	2004
08.01.2020 13:28:47	1	1	1	1	94.5	63.25	0	28957.346	548.3870968	16004.13122	30000	0	0	30000	43.125	2004
08.01.2020 13:28:48	1	1	1	1	94.5	63	0	29099.526	550.5376344	15806.81108	30000	0	0	30000	43.1875	2004
08.01.2020 13:28:49	1	1	1	1	94.5	63	0	28957.346	552.688172	16004.13122	30000	0	0	30000	43.5625	2004
08.01.2020 13:28:50	1	1	1	1	94.75	63.5	0	29052.133	546.2365591	16046.53059	30000	0	0	30000	43.5	2004
08.01.2020 13:28:51	1	1	1	1	94.75	63	0	29052.133	550.5376344	15942.16291	30000	0	0	30000	43.1875	2004
08.01.2020 13:28:52	1	1	1	1	94.75	63	0	29052.133	550.5376344	16020.43867	30000	0	0	30000	43.5625	2004
08.01.2020 13:28:53	1	1	1	1	94.75	63.5	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	43.125	2004
08.01.2020 13:28:54	1	1	1	1	94.75	63	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	43	2004
08.01.2020 13:28:55	1	1	1	1	94.75	63	0	28957.346	548.3870968	15879.37923	30000	0	0	30000	43.0625	2004
08.01.2020 13:28:56	1	1	1	1	94.75	63	0	29146.919	546.2365591	15795.39586	30000	0	0	30000	43.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 13:28:57	1	1	1	1	94.75	63.25	0	29383.886	546.2365591	16024.51553	30000	0	0	30000	43.125	2004
08.01.2020 13:28:58	1	1	1	1	94.75	63	0	29383.886	546.2365591	16050.60745	30000	0	0	30000	42.6875	2004
08.01.2020 13:28:59	1	1	1	1	94	62.5	0	29383.886	546.2365591	15960.91648	30000	0	0	30000	43.3125	2004
08.01.2020 13:29:00	1	1	1	1	94	63.25	0	26777.251	494.6236559	13187.01927	30000	0	0	30000	43.375	2004
08.01.2020 13:29:01	1	1	1	1	94	63.25	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	43.1875	2004
08.01.2020 13:29:02	1	1	1	1	94	63	0	29146.919	544.0860215	15858.17955	30000	0	0	30000	43.0625	2004
08.01.2020 13:29:03	1	1	1	1	94	63	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	43.25	2004
08.01.2020 13:29:04	1	1	1	1	94	63.25	0	28862.559	546.2365591	15889.97907	30000	0	0	30000	43.0625	2004
08.01.2020 13:29:05	1	1	1	1	94	63	0	28862.559	554.8387097	15951.94738	30000	0	0	30000	42.6875	2004
08.01.2020 13:29:06	1	1	1	1	94	62.5	0	29099.526	550.5376344	16046.53059	30000	0	0	30000	43.25	2004
08.01.2020 13:29:07	1	1	1	1	94	63.25	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	43.0625	2004
08.01.2020 13:29:08	1	1	1	1	94	63	0	29383.886	546.2365591	15987.0084	30000	0	0	30000	43.3125	2004
08.01.2020 13:29:09	1	1	1	1	94	63.25	0	29668.246	541.9354839	16040.00761	30000	0	0	30000	43.125	2004
08.01.2020 13:29:10	1	1	1	1	94	63	0	29620.853	537.6344086	15925.04009	30000	0	0	30000	43	2004
08.01.2020 13:29:11	1	1	1	1	94	63	0	29810.427	537.6344086	16052.2382	30000	0	0	30000	43.1875	2004
08.01.2020 13:29:12	1	1	1	1	94	63	0	29857.82	537.6344086	15987.82377	30000	0	0	30000	43.1875	2004
08.01.2020 13:29:13	1	1	1	1	94	63	0	29810.427	537.6344086	16154.97513	30000	0	0	30000	43.0625	2004
08.01.2020 13:29:14	1	1	1	1	94	63	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	42.8125	2004
08.01.2020 13:29:15	1	1	1	1	94	62.75	0	29857.82	539.7849462	15962.54722	30000	0	0	30000	42.9375	2004
08.01.2020 13:29:16	1	1	1	1	94	62.75	0	29668.246	537.6344086	16040.00761	30000	0	0	30000	42.9375	2004
08.01.2020 13:29:17	1	1	1	1	94	62.75	0	29573.46	535.483871	15988.63914	30000	0	0	30000	42.8125	2004
08.01.2020 13:29:18	1	1	1	1	94	62.75	0	29715.64	537.6344086	15950.31664	30000	0	0	30000	42.75	2004
08.01.2020 13:29:19	1	1	1	1	94.25	62.75	0	29810.427	539.7849462	16090.5607	30000	0	0	30000	43.25	2004
08.01.2020 13:29:20	1	1	1	1	94.25	63.25	0	29810.427	537.6344086	15962.54722	30000	0	0	30000	43.3125	2004
08.01.2020 13:29:21	1	1	1	1	94.25	63.25	0	29715.64	537.6344086	15911.99413	30000	0	0	30000	42.875	2004
08.01.2020 13:29:22	1	1	1	1	94.25	62.75	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	43.1875	2004
08.01.2020 13:29:24	1	1	1	1	94.25	63	0	29620.853	535.483871	16103.60666	30000	0	0	30000	43.125	2004
08.01.2020 13:29:25	1	1	1	1	94.25	63	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	43.25	2004
08.01.2020 13:29:26	1	1	1	1	94.25	63.25	0	29810.427	539.7849462	16090.5607	30000	0	0	30000	43.1875	2004
08.01.2020 13:29:27	1	1	1	1	94.25	63	0	29763.033	535.483871	15911.99413	30000	0	0	30000	43.3125	2004
08.01.2020 13:29:28	1	1	1	1	94.25	63.25	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	42.9375	2004
08.01.2020 13:29:29	1	1	1	1	94.25	62.75	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	43.5	2004
08.01.2020 13:29:30	1	1	1	1	94.5	62.5	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	43.1875	2004
08.01.2020 13:29:31	1	1	1	1	94.5	63	0	29620.853	541.9354839	15988.63914	30000	0	0	30000	43.4375	2004
08.01.2020 13:29:32	1	1	1	1	94.5	63.25	0	29478.673	541.9354839	15975.59318	30000	0	0	30000	43.125	2004
08.01.2020 13:29:33	1	1	1	1	94.5	63	0	29431.28	544.0860215	16038.37687	30000	0	0	30000	43.0625	2004
08.01.2020 13:29:34	1	1	1	1	94.5	63	0	29146.919	541.9354839	15920.96323	30000	0	0	30000	43	2004
08.01.2020 13:29:35	1	1	1	1	94.5	63	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	42.8125	2004
08.01.2020 13:29:36	1	1	1	1	94.5	62.75	0	29146.919	548.3870968	15983.74691	30000	0	0	30000	43.125	2004
08.01.2020 13:29:43	1	1	1	1	94.75	63	0	28862.559	552.688172	15925.85546	30000	0	0	30000	43.4375	2004
08.01.2020 13:29:43	1	1	1	1	94.75	63	0	28862.559	552.688172	15925.85546	30000	0	0	30000	43.4375	2004
08.01.2020 13:29:43	1	1	1	1	94.75	63	0	28862.559	552.688172	15925.85546	30000	0	0	30000	43.4375	2004
08.01.2020 13:29:43	1	1	1	1	94.75	63	0	28862.559	552.688172	15925.85546	30000	0	0	30000	43.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 13:29:43	1	1	1	1	94.75	63	0	28862.559	552.688172	15925.85546	30000	0	0	30000	43.4375	2004
08.01.2020 13:29:43	1	1	1	1	94.75	63	0	28862.559	552.688172	15925.85546	30000	0	0	30000	43.4375	2004
08.01.2020 13:29:43	1	1	1	1	94.75	63.25	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	43.1875	2004
08.01.2020 13:29:44	1	1	1	1	94.75	63	0	28815.166	559.1397849	15987.82377	30000	0	0	30000	43.1875	2004
08.01.2020 13:29:45	1	1	1	1	94.75	63	0	28862.559	556.9892473	16128.88321	30000	0	0	30000	42.75	2004
08.01.2020 13:29:46	1	1	1	1	94.75	62.75	0	28909.953	556.9892473	16252.81983	30000	0	0	30000	43.1875	2004
08.01.2020 13:29:47	1	1	1	1	94.75	63	0	28815.166	552.688172	15987.82377	30000	0	0	30000	43.5625	2004
08.01.2020 13:29:48	1	1	1	1	94.75	63.5	0	28862.559	556.9892473	16075.884	30000	0	0	30000	43.0625	2004
08.01.2020 13:29:49	1	1	1	1	94.5	63	0	28625.592	561.2903226	15917.70174	30000	0	0	30000	43.25	2004
08.01.2020 13:29:50	1	1	1	1	94.5	63.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	43.0625	2004
08.01.2020 13:29:51	1	1	1	1	94.5	63	0	28625.592	559.1397849	15943.79366	30000	0	0	30000	43.375	2004
08.01.2020 13:29:52	1	1	1	1	94.5	63.25	0	28578.199	550.5376344	15855.73343	30000	0	0	30000	43.3125	2004
08.01.2020 13:29:53	1	1	1	1	94.5	63.25	0	28815.166	559.1397849	16173.7287	30000	0	0	30000	43.375	2004
08.01.2020 13:29:54	1	1	1	1	94.5	63.25	0	28625.592	556.9892473	16111.76039	30000	0	0	30000	43.125	2004
08.01.2020 13:29:55	1	1	1	1	94.5	63	0	28436.019	552.688172	15864.70252	30000	0	0	30000	43.3125	2004
08.01.2020 13:29:56	1	1	1	1	94.5	63.25	0	28483.412	556.9892473	15864.70252	30000	0	0	30000	42.625	2004
08.01.2020 13:29:57	1	1	1	1	94.5	62.5	0	28625.592	556.9892473	16005.76197	30000	0	0	30000	43.1875	2004
08.01.2020 13:29:58	1	1	1	1	94.5	63	0	28578.199	556.9892473	15943.79366	30000	0	0	30000	43.375	2004
08.01.2020 13:30:00	1	1	1	1	94.5	63.25	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	43.375	2004
08.01.2020 13:30:01	1	1	1	1	94.5	63.25	0	28815.166	554.8387097	16013.91569	30000	0	0	30000	43.3125	2004
08.01.2020 13:30:02	1	1	1	1	94.5	63.25	0	28815.166	550.5376344	16173.7287	30000	0	0	30000	43.1875	2004
08.01.2020 13:30:03	1	1	1	1	94.5	63	0	28815.166	556.9892473	15987.82377	30000	0	0	30000	43	2004
08.01.2020 13:30:04	1	1	1	1	94.5	63	0	28815.166	552.688172	15925.85546	30000	0	0	30000	43.125	2004
08.01.2020 13:30:05	1	1	1	1	94.5	63	0	28625.592	559.1397849	16173.7287	30000	0	0	30000	43.6875	2004
08.01.2020 13:30:06	1	1	1	1	94.5	63.5	0	28578.199	559.1397849	15917.70174	30000	0	0	30000	43.125	2004
08.01.2020 13:30:07	1	1	1	1	94.5	63	0	28625.592	559.1397849	15978.85467	30000	0	0	30000	43.0625	2004
08.01.2020 13:30:08	1	1	1	1	94.5	63	0	28578.199	559.1397849	15987.0084	30000	0	0	30000	42.9375	2004
08.01.2020 13:30:09	1	1	1	1	94.5	63.5	0	28578.199	559.1397849	15952.76275	30000	0	0	30000	43.25	2004
08.01.2020 13:30:10	1	1	1	1	94.5	63.25	0	28625.592	559.1397849	15917.70174	30000	0	0	30000	43.3125	2004
08.01.2020 13:30:11	1	1	1	1	94.5	63.25	0	28625.592	556.9892473	15943.79366	30000	0	0	30000	42.875	2004
08.01.2020 13:30:12	1	1	1	1	94.5	62.75	0	28815.166	559.1397849	15987.82377	30000	0	0	30000	43.125	2004
08.01.2020 13:30:13	1	1	1	1	94.5	63	0	28815.166	561.2903226	16049.79208	30000	0	0	30000	43.1875	2004
08.01.2020 13:30:14	1	1	1	1	94.5	63	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	43.375	2004
08.01.2020 13:30:15	1	1	1	1	94.5	63.25	0	28530.806	550.5376344	15917.70174	30000	0	0	30000	43.1875	2004
08.01.2020 13:30:16	1	1	1	1	94.5	63	0	28578.199	559.1397849	15978.85467	30000	0	0	30000	43.1875	2004
08.01.2020 13:30:17	1	1	1	1	94.5	63	0	28483.412	561.2903226	16048.16134	30000	0	0	30000	43.5	2004
08.01.2020 13:30:18	1	1	1	1	94.5	63.5	0	28341.232	561.2903226	15934.00919	30000	0	0	30000	43.5	2004
08.01.2020 13:30:19	1	1	1	1	94.75	63.5	0	28341.232	559.1397849	15872.85625	30000	0	0	30000	43.375	2004
08.01.2020 13:30:20	1	1	1	1	94.75	63.25	0	28436.019	563.4408602	16022.06942	30000	0	0	30000	42.9375	2004
08.01.2020 13:30:21	1	1	1	1	94.75	62.75	0	28436.019	563.4408602	16048.16134	30000	0	0	30000	43.125	2004
08.01.2020 13:30:22	1	1	1	1	94.75	63	0	28436.019	565.5913978	16056.31506	30000	0	0	30000	43.125	2004
08.01.2020 13:30:23	1	1	1	1	94.75	63	0	28578.199	563.4408602	16163.12886	30000	0	0	30000	43.4375	2004
08.01.2020 13:30:24	1	1	1	1	94.75	63.25	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	43.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 13:30:25	1	1	1	1	94.75	63.25	0	28293.839	565.5913978	15827.19539	30000	0	0	30000	43.125	2004
08.01.2020 13:30:26	1	1	1	1	94.75	63	0	28009.479	567.7419355	16070.17639	30000	0	0	30000	43.375	2004
08.01.2020 13:30:27	1	1	1	1	94.75	63.25	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	43.25	2004
08.01.2020 13:30:28	1	1	1	1	94.75	63.25	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	43.0625	2004
08.01.2020 13:30:29	1	1	1	1	94.75	63	0	28199.052	567.7419355	16130.51396	30000	0	0	30000	43.125	2004
08.01.2020 13:30:30	1	1	1	1	94.75	63	0	28009.479	572.0430108	15841.8721	30000	0	0	30000	43.3125	2004
08.01.2020 13:30:31	1	1	1	1	94.75	63.25	0	28009.479	569.8924731	15902.20966	30000	0	0	30000	43.3125	2004
08.01.2020 13:30:32	1	1	1	1	94.75	63.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	43.1875	2004
08.01.2020 13:30:33	1	1	1	1	94.75	63	0	28009.479	567.7419355	15841.8721	30000	0	0	30000	43.1875	2004
08.01.2020 13:30:34	1	1	1	1	94.75	63	0	28199.052	565.5913978	16009.83883	30000	0	0	30000	43.1875	2004
08.01.2020 13:30:35	1	1	1	1	94.75	63	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	43.0625	2004
08.01.2020 13:30:36	1	1	1	1	94.75	63	0	28341.232	567.7419355	16090.5607	30000	0	0	30000	42.875	2004
08.01.2020 13:30:37	1	1	1	1	94.75	62.75	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	43.125	2004
08.01.2020 13:30:44	1	1	1	1	95.25	62.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	43.0625	2004
08.01.2020 13:30:44	1	1	1	1	95.25	62.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	43.0625	2004
08.01.2020 13:30:44	1	1	1	1	95.25	62.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	43.0625	2004
08.01.2020 13:30:44	1	1	1	1	95.25	62.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	43.0625	2004
08.01.2020 13:30:44	1	1	1	1	95.25	62.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	43.0625	2004
08.01.2020 13:30:44	1	1	1	1	95.25	62.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	43.0625	2004
08.01.2020 13:30:45	1	1	1	1	95.25	63	0	28199.052	567.7419355	15841.8721	30000	0	0	30000	43.25	2004
08.01.2020 13:30:46	1	1	1	1	95.25	63.25	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	43.1875	2004
08.01.2020 13:30:47	1	1	1	1	95.25	63	0	28009.479	565.5913978	16009.83883	30000	0	0	30000	43.5625	2004
08.01.2020 13:30:48	1	1	1	1	95.25	63	0	28293.839	567.7419355	16009.83883	30000	0	0	30000	43.1875	2004
08.01.2020 13:30:49	1	1	1	1	95.5	63	0	28009.479	567.7419355	16009.83883	30000	0	0	30000	42.625	2004
08.01.2020 13:30:50	1	1	1	1	95.5	62.5	0	28293.839	567.7419355	16150.89827	30000	0	0	30000	43.3125	2004
08.01.2020 13:30:51	1	1	1	1	95.5	63.25	0	28199.052	567.7419355	15888.34833	30000	0	0	30000	43.3125	2004
08.01.2020 13:30:52	1	1	1	1	95.5	63.25	0	28199.052	565.5913978	16009.83883	30000	0	0	30000	43.3125	2004
08.01.2020 13:30:53	1	1	1	1	95.5	63.25	0	28341.232	567.7419355	16002.50048	30000	0	0	30000	43.4375	2004
08.01.2020 13:30:54	1	1	1	1	95.5	63.25	0	28293.839	572.0430108	15948.68589	30000	0	0	30000	43.1875	2004
08.01.2020 13:30:55	1	1	1	1	95.5	63	0	28199.052	563.4408602	15948.68589	30000	0	0	30000	42.25	2004
08.01.2020 13:30:56	1	1	1	1	95.5	62.25	0	28388.626	567.7419355	16144.37529	30000	0	0	30000	43	2004
08.01.2020 13:30:57	1	1	1	1	95.5	63	0	28199.052	569.8924731	15948.68589	30000	0	0	30000	43.1875	2004
08.01.2020 13:30:58	1	1	1	1	95.5	63	0	28341.232	561.2903226	15968.25483	30000	0	0	30000	43.1875	2004
08.01.2020 13:30:59	1	1	1	1	96	63	0	28815.166	554.8387097	15801.91884	30000	0	0	30000	43.375	2004
08.01.2020 13:31:00	1	1	1	1	96	63.25	0	28957.346	550.5376344	15994.34675	30000	0	0	30000	43.4375	2004
08.01.2020 13:31:01	1	1	1	1	96	63.25	0	29289.1	550.5376344	16061.20729	30000	0	0	30000	43.125	2004
08.01.2020 13:31:02	1	1	1	1	96	63	0	29336.493	550.5376344	16087.29921	30000	0	0	30000	42.625	2004
08.01.2020 13:31:03	1	1	1	1	96	62.5	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	43.3125	2004
08.01.2020 13:31:04	1	1	1	1	96	63.25	0	28957.346	556.9892473	16128.88321	30000	0	0	30000	43.4375	2004
08.01.2020 13:31:05	1	1	1	1	96	63.25	0	28625.592	554.8387097	15855.73343	30000	0	0	30000	43.375	2004
08.01.2020 13:31:06	1	1	1	1	96	63.25	0	28530.806	559.1397849	16040.00761	30000	0	0	30000	43.25	2004
08.01.2020 13:31:07	1	1	1	1	96	63.25	0	28436.019	565.5913978	16083.22235	30000	0	0	30000	42.75	2004
08.01.2020 13:31:08	1	1	1	1	96	62.75	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	43.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 13:31:09	1	1	1	1	95.5	63.25	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	43	2004
08.01.2020 13:31:10	1	1	1	1	95.5	63	0	28578.199	563.4408602	16101.97592	30000	0	0	30000	43.125	2004
08.01.2020 13:31:11	1	1	1	1	95.5	63	0	28341.232	556.9892473	15846.76433	30000	0	0	30000	43.625	2004
08.01.2020 13:31:12	1	1	1	1	95.5	63.5	0	28530.806	559.1397849	16040.00761	30000	0	0	30000	43.1875	2004
08.01.2020 13:31:13	1	1	1	1	95.5	63	0	28483.412	556.9892473	15978.85467	30000	0	0	30000	43.125	2004
08.01.2020 13:31:14	1	1	1	1	95.5	63	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	43.25	2004
08.01.2020 13:31:16	1	1	1	1	95.5	63.25	0	28578.199	563.4408602	16040.00761	30000	0	0	30000	43.375	2004
08.01.2020 13:31:17	1	1	1	1	95.5	63.25	0	28483.412	559.1397849	15987.0084	30000	0	0	30000	42.6875	2004
08.01.2020 13:31:18	1	1	1	1	95.5	62.5	0	28483.412	559.1397849	15987.0084	30000	0	0	30000	43.3125	2004
08.01.2020 13:31:19	1	1	1	1	95.5	63.25	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	43.0625	2004
08.01.2020 13:31:20	1	1	1	1	95.5	63	0	28293.839	561.2903226	15968.25483	30000	0	0	30000	42.5	2004
08.01.2020 13:31:21	1	1	1	1	95.5	62.5	0	28199.052	563.4408602	15888.34833	30000	0	0	30000	43.4375	2004
08.01.2020 13:31:22	1	1	1	1	95.5	63.25	0	28293.839	563.4408602	15941.34754	30000	0	0	30000	43.5	2004
08.01.2020 13:31:23	1	1	1	1	95.5	63.5	0	28293.839	561.2903226	16063.65341	30000	0	0	30000	43.1875	2004
08.01.2020 13:31:24	1	1	1	1	95.5	63	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	43.75	2004
08.01.2020 13:31:25	1	1	1	1	95.5	63.25	0	28009.479	565.5913978	15841.8721	30000	0	0	30000	42.9375	2004
08.01.2020 13:31:26	1	1	1	1	95.5	62.75	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	43.3125	2004
08.01.2020 13:31:27	1	1	1	1	95.5	63.25	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	43.5	2004
08.01.2020 13:31:28	1	1	1	1	95.5	63.5	0	28293.839	572.0430108	15781.53453	30000	0	0	30000	43.5	2004
08.01.2020 13:31:29	1	1	1	1	95.25	63.5	0	27962.085	567.7419355	15934.82456	30000	0	0	30000	43.25	2004
08.01.2020 13:31:30	1	1	1	1	95.25	63.25	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	42.875	2004
08.01.2020 13:31:31	1	1	1	1	95.25	62.75	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	43.3125	2004
08.01.2020 13:31:32	1	1	1	1	95.25	63.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	43.5	2004
08.01.2020 13:31:33	1	1	1	1	95.25	63.5	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	43.1875	2004
08.01.2020 13:31:34	1	1	1	1	95.25	63	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	43.125	2004
08.01.2020 13:31:35	1	1	1	1	95.25	63	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	42.625	2004
08.01.2020 13:31:36	1	1	1	1	95.25	62.5	0	28199.052	572.0430108	16191.66689	30000	0	0	30000	43.3125	2004
08.01.2020 13:31:37	1	1	1	1	95.25	63.25	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	42.9375	2004
08.01.2020 13:31:38	1	1	1	1	95.25	62.75	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	43.375	2004
08.01.2020 13:31:39	1	1	1	1	95.25	63.25	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	43.125	2004
08.01.2020 13:31:46	1	1	1	1	95.25	63.25	0	28009.479	574.1935484	16022.06942	30000	0	0	30000	43.1875	2004
08.01.2020 13:31:46	1	1	1	1	95.25	63.25	0	28009.479	574.1935484	16022.06942	30000	0	0	30000	43.1875	2004
08.01.2020 13:31:46	1	1	1	1	95.25	63.25	0	28009.479	574.1935484	16022.06942	30000	0	0	30000	43.1875	2004
08.01.2020 13:31:46	1	1	1	1	95.25	63.25	0	28009.479	574.1935484	16022.06942	30000	0	0	30000	43.1875	2004
08.01.2020 13:31:46	1	1	1	1	95.25	63.25	0	28009.479	574.1935484	16022.06942	30000	0	0	30000	43.1875	2004
08.01.2020 13:31:46	1	1	1	1	95.25	63.25	0	28009.479	574.1935484	16022.06942	30000	0	0	30000	43.1875	2004
08.01.2020 13:31:46	1	1	1	1	95.25	63	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	43.4375	2004
08.01.2020 13:31:47	1	1	1	1	95.25	63.25	0	27867.299	572.0430108	15854.10268	30000	0	0	30000	43.125	2004
08.01.2020 13:31:48	1	1	1	1	95.25	63	0	27962.085	578.4946237	15907.91727	30000	0	0	30000	43.1875	2004
08.01.2020 13:31:49	1	1	1	1	95.25	63	0	27819.905	569.8924731	15854.10268	30000	0	0	30000	43.4375	2004
08.01.2020 13:31:50	1	1	1	1	95.25	63.25	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	43.0625	2004
08.01.2020 13:31:51	1	1	1	1	95.25	63	0	27867.299	572.0430108	16000.86973	30000	0	0	30000	42.9375	2004
08.01.2020 13:31:52	1	1	1	1	95.25	62.75	0	27867.299	572.0430108	16000.86973	30000	0	0	30000	43.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 13:31:53	1	1	1	1	95.25	63.25	0	28009.479	574.1935484	15961.73185	30000	0	0	30000	42.75	2004
08.01.2020 13:31:54	1	1	1	1	95.25	62.75	0	27867.299	572.0430108	15941.34754	30000	0	0	30000	43.25	2004
08.01.2020 13:31:56	1	1	1	1	95.25	63.25	0	27914.692	572.0430108	16055.49969	30000	0	0	30000	43	2004
08.01.2020 13:31:57	1	1	1	1	95.25	63	0	28009.479	576.344086	16142.74454	30000	0	0	30000	42.9375	2004
08.01.2020 13:31:58	1	1	1	1	95.25	62.75	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	43.1875	2004
08.01.2020 13:31:59	1	1	1	1	95.25	63	0	28009.479	572.0430108	15841.8721	30000	0	0	30000	42.625	2004
08.01.2020 13:32:00	1	1	1	1	95.25	62.5	0	28199.052	574.1935484	16191.66689	30000	0	0	30000	43.4375	2004
08.01.2020 13:32:01	1	1	1	1	95.25	63.25	0	28009.479	572.0430108	15934.82456	30000	0	0	30000	43.375	2004
08.01.2020 13:32:02	1	1	1	1	95.25	63.25	0	28009.479	569.8924731	15934.82456	30000	0	0	30000	42.875	2004
08.01.2020 13:32:03	1	1	1	1	95.25	62.75	0	28009.479	567.7419355	15841.8721	30000	0	0	30000	43.1875	2004
08.01.2020 13:32:04	1	1	1	1	95.25	62.75	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	43.1875	2004
08.01.2020 13:32:05	1	1	1	1	95.25	63	0	28341.232	569.8924731	16150.89827	30000	0	0	30000	42.8125	2004
08.01.2020 13:32:06	1	1	1	1	95.25	62.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	43.3125	2004
08.01.2020 13:32:07	1	1	1	1	95.25	63.25	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	43.0625	2004
08.01.2020 13:32:08	1	1	1	1	95.25	63	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	43.125	2004
08.01.2020 13:32:09	1	1	1	1	95	63	0	28009.479	569.8924731	15721.19697	30000	0	0	30000	43.4375	2004
08.01.2020 13:32:10	1	1	1	1	95	63.25	0	28388.626	563.4408602	15995.16212	30000	0	0	30000	43.1875	2004
08.01.2020 13:32:11	1	1	1	1	95	63	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	42.8125	2004
08.01.2020 13:32:12	1	1	1	1	95	62.75	0	28293.839	563.4408602	15907.10189	30000	0	0	30000	42.8125	2004
08.01.2020 13:32:13	1	1	1	1	95	62.75	0	28436.019	559.1397849	15960.91648	30000	0	0	30000	43.375	2004
08.01.2020 13:32:14	1	1	1	1	95	63.25	0	28436.019	565.5913978	16022.06942	30000	0	0	30000	43.1875	2004
08.01.2020 13:32:15	1	1	1	1	95	63	0	28388.626	563.4408602	16083.22235	30000	0	0	30000	43.0625	2004
08.01.2020 13:32:19	1	1	1	1	95	62.75	0	28341.232	561.2903226	15968.25483	30000	0	0	30000	43.25	2004
08.01.2020 13:32:19	1	1	1	1	95	62.75	0	28341.232	561.2903226	15968.25483	30000	0	0	30000	43.25	2004
08.01.2020 13:32:19	1	1	1	1	95.25	63.25	0	28199.052	563.4408602	15888.34833	30000	0	0	30000	43	2004
08.01.2020 13:32:20	1	1	1	1	95.25	63	0	28436.019	563.4408602	16083.22235	30000	0	0	30000	42.875	2004
08.01.2020 13:32:21	1	1	1	1	95.25	62.75	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	42.375	2004
08.01.2020 13:32:22	1	1	1	1	95.25	62.25	0	28293.839	565.5913978	16009.83883	30000	0	0	30000	43.4375	2004
08.01.2020 13:32:23	1	1	1	1	95.25	63.25	0	28625.592	563.4408602	16040.00761	30000	0	0	30000	43.4375	2004
08.01.2020 13:32:24	1	1	1	1	95.25	63.25	0	28815.166	561.2903226	16173.7287	30000	0	0	30000	42.9375	2004
08.01.2020 13:32:25	1	1	1	1	95.25	62.75	0	28530.806	556.9892473	15978.85467	30000	0	0	30000	42.8125	2004
08.01.2020 13:32:26	1	1	1	1	95.25	62.75	0	28815.166	563.4408602	16297.66532	30000	0	0	30000	43.3125	2004
08.01.2020 13:32:27	1	1	1	1	95.25	63.25	0	28483.412	559.1397849	15803.54959	30000	0	0	30000	43.125	2004
08.01.2020 13:32:28	1	1	1	1	95.25	63	0	28436.019	563.4408602	16048.16134	30000	0	0	30000	43.1875	2004
08.01.2020 13:32:29	1	1	1	1	95.25	63	0	28672.986	561.2903226	16066.9149	30000	0	0	30000	42.875	2004
08.01.2020 13:32:30	1	1	1	1	95.25	62.75	0	28483.412	559.1397849	16040.00761	30000	0	0	30000	43.125	2004
08.01.2020 13:32:31	1	1	1	1	95.25	63	0	28625.592	556.9892473	15943.79366	30000	0	0	30000	43	2004
08.01.2020 13:32:32	1	1	1	1	95.25	63	0	28815.166	559.1397849	16173.7287	30000	0	0	30000	42.9375	2004
08.01.2020 13:32:33	1	1	1	1	95.25	62.75	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	43.3125	2004
08.01.2020 13:32:35	1	1	1	1	95.25	63.25	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	43.125	2004
08.01.2020 13:32:36	1	1	1	1	95.25	63	0	28625.592	550.5376344	15987.82377	30000	0	0	30000	43.1875	2004
08.01.2020 13:32:37	1	1	1	1	95.25	63	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	43.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 13:32:38	1	1	1	1	95.25	63	0	28625.592	552.688172	15987.82377	30000	0	0	30000	42.9375	2004
08.01.2020 13:32:39	1	1	1	1	95.25	62.75	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	43.25	2004
08.01.2020 13:32:40	1	1	1	1	95	63.25	0	28815.166	552.688172	15925.85546	30000	0	0	30000	43.5	2004
08.01.2020 13:32:41	1	1	1	1	95	63.5	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	42.875	2004
08.01.2020 13:32:48	1	1	1	1	95	62.75	0	28815.166	548.3870968	15925.85546	30000	0	0	30000	43.0625	2004
08.01.2020 13:32:48	1	1	1	1	95	62.75	0	28815.166	548.3870968	15925.85546	30000	0	0	30000	43.0625	2004
08.01.2020 13:32:48	1	1	1	1	95	62.75	0	28815.166	548.3870968	15925.85546	30000	0	0	30000	43.0625	2004
08.01.2020 13:32:48	1	1	1	1	95	62.75	0	28815.166	548.3870968	15925.85546	30000	0	0	30000	43.0625	2004
08.01.2020 13:32:48	1	1	1	1	95	62.75	0	28815.166	548.3870968	15925.85546	30000	0	0	30000	43.0625	2004
08.01.2020 13:32:48	1	1	1	1	95	62.75	0	28815.166	548.3870968	15925.85546	30000	0	0	30000	43.0625	2004
08.01.2020 13:32:48	1	1	1	1	95	63	0	28862.559	556.9892473	16075.884	30000	0	0	30000	43.1875	2004
08.01.2020 13:32:49	1	1	1	1	95	63	0	28862.559	552.688172	15951.94738	30000	0	0	30000	42.75	2004
08.01.2020 13:32:50	1	1	1	1	95	62.75	0	28957.346	552.688172	16004.13122	30000	0	0	30000	43.25	2004
08.01.2020 13:32:51	1	1	1	1	95	63.25	0	28815.166	552.688172	15925.85546	30000	0	0	30000	43.375	2004
08.01.2020 13:32:52	1	1	1	1	95	63.25	0	28815.166	554.8387097	16013.91569	30000	0	0	30000	43.5	2004
08.01.2020 13:32:53	1	1	1	1	95	63.5	0	28815.166	552.688172	15820.67241	30000	0	0	30000	43.3125	2004
08.01.2020 13:32:54	1	1	1	1	95	63.25	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	43.3125	2004
08.01.2020 13:32:55	1	1	1	1	95	63.25	0	28815.166	550.5376344	16013.91569	30000	0	0	30000	43.3125	2004
08.01.2020 13:32:56	1	1	1	1	95	63.25	0	28815.166	552.688172	15925.85546	30000	0	0	30000	43.375	2004
08.01.2020 13:32:57	1	1	1	1	95	63.25	0	28862.559	554.8387097	16128.88321	30000	0	0	30000	43.0625	2004
08.01.2020 13:32:58	1	1	1	1	95	63	0	28815.166	552.688172	15925.85546	30000	0	0	30000	43.25	2004
08.01.2020 13:32:59	1	1	1	1	95	63.25	0	28957.346	554.8387097	16066.09953	30000	0	0	30000	42.8125	2004
08.01.2020 13:33:00	1	1	1	1	95	62.75	0	28862.559	554.8387097	16013.91569	30000	0	0	30000	43	2004
08.01.2020 13:33:01	1	1	1	1	95	63	0	28625.592	552.688172	15925.85546	30000	0	0	30000	43.0625	2004
08.01.2020 13:33:02	1	1	1	1	95	63	0	28957.346	554.8387097	16066.09953	30000	0	0	30000	43.125	2004
08.01.2020 13:33:03	1	1	1	1	95	63	0	28957.346	556.9892473	16066.09953	30000	0	0	30000	43.25	2004
08.01.2020 13:33:04	1	1	1	1	95	63.25	0	28957.346	552.688172	16004.13122	30000	0	0	30000	43.0625	2004
08.01.2020 13:33:05	1	1	1	1	95	63	0	29146.919	559.1397849	16082.40698	30000	0	0	30000	43.3125	2004
08.01.2020 13:33:06	1	1	1	1	95	63.25	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	42.875	2004
08.01.2020 13:33:07	1	1	1	1	95	62.75	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	43.125	2004
08.01.2020 13:33:08	1	1	1	1	95	63	0	29052.133	550.5376344	15692.65893	30000	0	0	30000	42.8125	2004
08.01.2020 13:33:09	1	1	1	1	95	62.75	0	28957.346	552.688172	16004.13122	30000	0	0	30000	43.1875	2004
08.01.2020 13:33:10	1	1	1	1	95	63	0	29099.526	550.5376344	16020.43867	30000	0	0	30000	43.25	2004
08.01.2020 13:33:11	1	1	1	1	95	63.25	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	43.125	2004
08.01.2020 13:33:12	1	1	1	1	95	63	0	29004.739	550.5376344	16056.31506	30000	0	0	30000	43.3125	2004
08.01.2020 13:33:14	1	1	1	1	95	63.25	0	28815.166	552.688172	15951.94738	30000	0	0	30000	43	2004
08.01.2020 13:33:15	1	1	1	1	95	63	0	28957.346	552.688172	16004.13122	30000	0	0	30000	43.1875	2004
08.01.2020 13:33:16	1	1	1	1	95	63	0	28862.559	556.9892473	16075.884	30000	0	0	30000	43.125	2004
08.01.2020 13:33:17	1	1	1	1	95	63	0	28862.559	552.688172	15951.94738	30000	0	0	30000	42.9375	2004
08.01.2020 13:33:18	1	1	1	1	95	62.75	0	28815.166	556.9892473	15925.85546	30000	0	0	30000	42.9375	2004
08.01.2020 13:33:19	1	1	1	1	95	62.75	0	28625.592	554.8387097	15882.64072	30000	0	0	30000	43.3125	2004
08.01.2020 13:33:20	1	1	1	1	95.25	63.25	0	28625.592	556.9892473	15943.79366	30000	0	0	30000	42.875	2004
08.01.2020 13:33:21	1	1	1	1	95.25	62.75	0	28625.592	556.9892473	16111.76039	30000	0	0	30000	42.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 13:33:22	1	1	1	1	95.25	63.25	0	28815.166	559.1397849	16111.76039	30000	0	0	30000	43.1875	2004
08.01.2020 13:33:23	1	1	1	1	95.25	63	0	28578.199	556.9892473	15855.73343	30000	0	0	30000	42.875	2004
08.01.2020 13:33:24	1	1	1	1	95.25	62.75	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	43.125	2004
08.01.2020 13:33:25	1	1	1	1	95.25	63	0	28578.199	563.4408602	16040.00761	30000	0	0	30000	42.75	2004
08.01.2020 13:33:26	1	1	1	1	95.25	62.75	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	42.8125	2004
08.01.2020 13:33:27	1	1	1	1	95.25	62.75	0	28483.412	554.8387097	15987.0084	30000	0	0	30000	43.3125	2004
08.01.2020 13:33:28	1	1	1	1	95.25	63.25	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	43.375	2004
08.01.2020 13:33:29	1	1	1	1	94.75	63.25	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	43.4375	2004
08.01.2020 13:33:30	1	1	1	1	94.75	63.25	0	28578.199	565.5913978	16101.97592	30000	0	0	30000	43.125	2004
08.01.2020 13:33:31	1	1	1	1	94.75	63	0	28388.626	561.2903226	15934.00919	30000	0	0	30000	42.5	2004
08.01.2020 13:33:32	1	1	1	1	94.75	62.5	0	28483.412	563.4408602	16109.31427	30000	0	0	30000	43.3125	2004
08.01.2020 13:33:33	1	1	1	1	94.75	63.25	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	43.1875	2004
08.01.2020 13:33:34	1	1	1	1	94.75	63	0	28483.412	563.4408602	15987.0084	30000	0	0	30000	42.5625	2004
08.01.2020 13:33:35	1	1	1	1	94.75	62.5	0	28341.232	561.2903226	15995.16212	30000	0	0	30000	43.375	2004
08.01.2020 13:33:36	1	1	1	1	94.75	63.25	0	28436.019	563.4408602	15960.91648	30000	0	0	30000	43.0625	2004
08.01.2020 13:33:37	1	1	1	1	94.75	63	0	28483.412	561.2903226	16048.16134	30000	0	0	30000	43.3125	2004
08.01.2020 13:33:38	1	1	1	1	94.75	63.25	0	28341.232	563.4408602	15881.00997	30000	0	0	30000	43.3125	2004
08.01.2020 13:33:39	1	1	1	1	95	63.25	0	28341.232	565.5913978	16002.50048	30000	0	0	30000	43	2004
08.01.2020 13:33:40	1	1	1	1	95	63	0	28341.232	567.7419355	16056.31506	30000	0	0	30000	42.8125	2004
08.01.2020 13:33:41	1	1	1	1	95	62.75	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	43.25	2004
08.01.2020 13:33:42	1	1	1	1	95	63.25	0	28388.626	563.4408602	15995.16212	30000	0	0	30000	43.25	2004
08.01.2020 13:33:49	1	1	1	1	95	63	0	28341.232	565.5913978	16056.31506	30000	0	0	30000	43.375	2004
08.01.2020 13:33:49	1	1	1	1	95	63	0	28341.232	565.5913978	16056.31506	30000	0	0	30000	43.375	2004
08.01.2020 13:33:49	1	1	1	1	95	63	0	28341.232	565.5913978	16056.31506	30000	0	0	30000	43.375	2004
08.01.2020 13:33:49	1	1	1	1	95	63	0	28341.232	565.5913978	16056.31506	30000	0	0	30000	43.375	2004
08.01.2020 13:33:49	1	1	1	1	95	63	0	28341.232	565.5913978	16056.31506	30000	0	0	30000	43.375	2004
08.01.2020 13:33:49	1	1	1	1	95	63	0	28341.232	565.5913978	16056.31506	30000	0	0	30000	43.375	2004
08.01.2020 13:33:50	1	1	1	1	95	63.25	0	28341.232	565.5913978	16029.40777	30000	0	0	30000	42.75	2004
08.01.2020 13:33:51	1	1	1	1	95	62.75	0	28199.052	563.4408602	15888.34833	30000	0	0	30000	43.375	2004
08.01.2020 13:33:52	1	1	1	1	95	63.25	0	28009.479	565.5913978	15841.8721	30000	0	0	30000	43.0625	2004
08.01.2020 13:33:53	1	1	1	1	95	63	0	28293.839	565.5913978	15948.68589	30000	0	0	30000	43	2004
08.01.2020 13:33:54	1	1	1	1	95	63	0	28199.052	572.0430108	16009.83883	30000	0	0	30000	42.9375	2004
08.01.2020 13:33:55	1	1	1	1	95	62.75	0	28293.839	565.5913978	16063.65341	30000	0	0	30000	43.125	2004
08.01.2020 13:33:56	1	1	1	1	95	63	0	28341.232	565.5913978	15941.34754	30000	0	0	30000	43.1875	2004
08.01.2020 13:33:57	1	1	1	1	95	63	0	28341.232	565.5913978	16029.40777	30000	0	0	30000	42.9375	2004
08.01.2020 13:33:58	1	1	1	1	95	62.75	0	28578.199	552.688172	16066.9149	30000	0	0	30000	43.3125	2004
08.01.2020 13:33:59	1	1	1	1	95	63.25	0	28862.559	556.9892473	16075.884	30000	0	0	30000	43.125	2004
08.01.2020 13:34:00	1	1	1	1	95	63	0	28530.806	550.5376344	15794.58049	30000	0	0	30000	43	2004
08.01.2020 13:34:01	1	1	1	1	95	63.25	0	28578.199	552.688172	15855.73343	30000	0	0	30000	43.1875	2004
08.01.2020 13:34:02	1	1	1	1	95	63	0	28815.166	550.5376344	16013.91569	30000	0	0	30000	43.0625	2004
08.01.2020 13:34:03	1	1	1	1	95	63	0	28909.953	554.8387097	16252.81983	30000	0	0	30000	43.3125	2004
08.01.2020 13:34:04	1	1	1	1	95	63.25	0	28625.592	552.688172	15820.67241	30000	0	0	30000	43	2004
08.01.2020 13:34:05	1	1	1	1	95	63	0	28625.592	554.8387097	15846.76433	30000	0	0	30000	42.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 13:34:06	1	1	1	1	95	62.75	0	28625.592	556.9892473	15943.79366	30000	0	0	30000	43.1875	2004
08.01.2020 13:34:07	1	1	1	1	95	63	0	29146.919	556.9892473	15983.74691	30000	0	0	30000	43.125	2004
08.01.2020 13:34:08	1	1	1	1	95	63	0	29052.133	552.688172	16082.40698	30000	0	0	30000	43.125	2004
08.01.2020 13:34:09	1	1	1	1	94.75	63	0	28815.166	552.688172	16137.85231	30000	0	0	30000	43.3125	2004
08.01.2020 13:34:10	1	1	1	1	94.75	63.25	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	42.4375	2004
08.01.2020 13:34:11	1	1	1	1	94.75	62.25	0	28862.559	552.688172	16137.85231	30000	0	0	30000	43.3125	2004
08.01.2020 13:34:12	1	1	1	1	94.75	63.25	0	28862.559	554.8387097	15951.94738	30000	0	0	30000	43	2004
08.01.2020 13:34:13	1	1	1	1	94.75	63	0	28957.346	556.9892473	16128.88321	30000	0	0	30000	42.75	2004
08.01.2020 13:34:14	1	1	1	1	94.75	62.75	0	28862.559	554.8387097	16164.7596	30000	0	0	30000	42.4375	2004
08.01.2020 13:34:15	1	1	1	1	94.75	62.25	0	28957.346	561.2903226	16013.91569	30000	0	0	30000	43.4375	2004
08.01.2020 13:34:16	1	1	1	1	94.75	63.25	0	28815.166	550.5376344	15925.85546	30000	0	0	30000	43.1875	2004
08.01.2020 13:34:17	1	1	1	1	94.75	63	0	28815.166	552.688172	15925.85546	30000	0	0	30000	42.875	2004
08.01.2020 13:34:18	1	1	1	1	94.75	62.75	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	43.125	2004
08.01.2020 13:34:19	1	1	1	1	94.75	63	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	43.125	2004
08.01.2020 13:34:20	1	1	1	1	94.75	63	0	28815.166	556.9892473	15925.85546	30000	0	0	30000	43.25	2004
08.01.2020 13:34:21	1	1	1	1	94.75	63.25	0	28625.592	556.9892473	15943.79366	30000	0	0	30000	43.25	2004
08.01.2020 13:34:22	1	1	1	1	94.75	63.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	42.1875	2004
08.01.2020 13:34:23	1	1	1	1	94.75	62	0	28578.199	556.9892473	15768.48857	30000	0	0	30000	43.3125	2004
08.01.2020 13:34:24	1	1	1	1	94.75	63.25	0	28625.592	556.9892473	15978.85467	30000	0	0	30000	42.875	2004
08.01.2020 13:34:25	1	1	1	1	94.75	62.75	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	42.6875	2004
08.01.2020 13:34:26	1	1	1	1	94.75	62.5	0	28483.412	559.1397849	15925.85546	30000	0	0	30000	43.3125	2004
08.01.2020 13:34:28	1	1	1	1	94.75	63.25	0	28625.592	559.1397849	16173.7287	30000	0	0	30000	42.875	2004
08.01.2020 13:34:29	1	1	1	1	94.75	62.75	0	28530.806	561.2903226	15987.0084	30000	0	0	30000	43.1875	2004
08.01.2020 13:34:30	1	1	1	1	95	63	0	28483.412	559.1397849	15777.45767	30000	0	0	30000	43.1875	2004
08.01.2020 13:34:31	1	1	1	1	95	63	0	28436.019	561.2903226	16109.31427	30000	0	0	30000	43.3125	2004
08.01.2020 13:34:32	1	1	1	1	95	63.25	0	28625.592	563.4408602	16040.00761	30000	0	0	30000	43.3125	2004
08.01.2020 13:34:33	1	1	1	1	95	63.25	0	28483.412	561.2903226	15925.85546	30000	0	0	30000	43.1875	2004
08.01.2020 13:34:34	1	1	1	1	95	63	0	28436.019	565.5913978	16083.22235	30000	0	0	30000	43.5	2004
08.01.2020 13:34:35	1	1	1	1	95	63.5	0	28199.052	563.4408602	15888.34833	30000	0	0	30000	42.5625	2004
08.01.2020 13:34:36	1	1	1	1	95	62.5	0	28483.412	567.7419355	16048.16134	30000	0	0	30000	43.5	2004
08.01.2020 13:34:37	1	1	1	1	95	63.5	0	28436.019	561.2903226	16083.22235	30000	0	0	30000	42.9375	2004
08.01.2020 13:34:38	1	1	1	1	95	62.75	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	43.1875	2004
08.01.2020 13:34:39	1	1	1	1	94.75	63	0	28293.839	563.4408602	15706.52026	30000	0	0	30000	43.1875	2004
08.01.2020 13:34:40	1	1	1	1	94.75	63	0	28293.839	563.4408602	15941.34754	30000	0	0	30000	42.75	2004
08.01.2020 13:34:41	1	1	1	1	94.75	62.75	0	28436.019	563.4408602	16083.22235	30000	0	0	30000	43	2004
08.01.2020 13:34:42	1	1	1	1	94.75	63	0	28341.232	565.5913978	16029.40777	30000	0	0	30000	43.0625	2004
08.01.2020 13:34:43	1	1	1	1	94.75	63	0	28388.626	563.4408602	15995.16212	30000	0	0	30000	43.25	2004
08.01.2020 13:34:44	1	1	1	1	94.75	63.25	0	28483.412	563.4408602	16109.31427	30000	0	0	30000	43.125	2004
08.01.2020 13:34:51	1	1	1	1	94.75	62	0	28625.592	559.1397849	16173.7287	30000	0	0	30000	43.375	2004
08.01.2020 13:34:51	1	1	1	1	94.75	62	0	28625.592	559.1397849	16173.7287	30000	0	0	30000	43.375	2004
08.01.2020 13:34:51	1	1	1	1	94.75	62	0	28625.592	559.1397849	16173.7287	30000	0	0	30000	43.375	2004
08.01.2020 13:34:51	1	1	1	1	94.75	62	0	28625.592	559.1397849	16173.7287	30000	0	0	30000	43.375	2004
08.01.2020 13:34:51	1	1	1	1	94.75	62	0	28625.592	559.1397849	16173.7287	30000	0	0	30000	43.375	2004
08.01.2020 13:34:51	1	1	1	1	94.75	62	0	28625.592	559.1397849	16173.7287	30000	0	0	30000	43.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 13:34:51	1	1	1	1	94.75	62	0	28625.592	559.1397849	16173.7287	30000	0	0	30000	43.375	2004
08.01.2020 13:34:51	1	1	1	1	94.75	63.25	0	28625.592	559.1397849	15917.70174	30000	0	0	30000	43.3125	2004
08.01.2020 13:34:52	1	1	1	1	94.75	63.25	0	28625.592	556.9892473	15794.58049	30000	0	0	30000	43.25	2004
08.01.2020 13:34:53	1	1	1	1	94.75	63.25	0	28578.199	559.1397849	15829.64151	30000	0	0	30000	43.25	2004
08.01.2020 13:34:54	1	1	1	1	94.75	63.25	0	28625.592	550.5376344	16049.79208	30000	0	0	30000	43.375	2004
08.01.2020 13:34:55	1	1	1	1	94.75	63.25	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	42.8125	2004
08.01.2020 13:34:56	1	1	1	1	94.75	62.75	0	28625.592	554.8387097	15943.79366	30000	0	0	30000	43.25	2004
08.01.2020 13:34:57	1	1	1	1	94.75	63.25	0	28957.346	548.3870968	16056.31506	30000	0	0	30000	43.375	2004
08.01.2020 13:34:58	1	1	1	1	94.75	63.25	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	43.3125	2004
08.01.2020 13:34:59	1	1	1	1	94.5	63.25	0	29099.526	550.5376344	16046.53059	30000	0	0	30000	43.1875	2004
08.01.2020 13:35:00	1	1	1	1	94.5	63	0	29241.706	550.5376344	16035.11538	30000	0	0	30000	43.0625	2004
08.01.2020 13:35:01	1	1	1	1	94.5	63	0	29099.526	550.5376344	15994.34675	30000	0	0	30000	42.375	2004
08.01.2020 13:35:02	1	1	1	1	94.5	62.25	0	28957.346	552.688172	16004.13122	30000	0	0	30000	43.0625	2004
08.01.2020 13:35:03	1	1	1	1	94.5	63	0	28957.346	550.5376344	15879.37923	30000	0	0	30000	42.625	2004
08.01.2020 13:35:04	1	1	1	1	94.5	62.5	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	43.125	2004
08.01.2020 13:35:06	1	1	1	1	94.5	63	0	29099.526	550.5376344	16108.4989	30000	0	0	30000	42.8125	2004
08.01.2020 13:35:07	1	1	1	1	94.5	62.75	0	29146.919	548.3870968	16108.4989	30000	0	0	30000	43.5	2004
08.01.2020 13:35:08	1	1	1	1	94.5	63.5	0	28862.559	546.2365591	15703.25877	30000	0	0	30000	43	2004
08.01.2020 13:35:09	1	1	1	1	94.5	63	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	43.0625	2004
08.01.2020 13:35:10	1	1	1	1	94.25	63	0	29099.526	546.2365591	16046.53059	30000	0	0	30000	43.125	2004
08.01.2020 13:35:11	1	1	1	1	94.25	63	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	42.3125	2004
08.01.2020 13:35:12	1	1	1	1	94.25	62.25	0	28862.559	552.688172	15987.82377	30000	0	0	30000	43.1875	2004
08.01.2020 13:35:13	1	1	1	1	94.25	63	0	29052.133	552.688172	16207.97434	30000	0	0	30000	43.1875	2004
08.01.2020 13:35:14	1	1	1	1	94.25	63	0	29099.526	550.5376344	16056.31506	30000	0	0	30000	43.375	2004
08.01.2020 13:35:15	1	1	1	1	94.25	63.25	0	28957.346	539.7849462	15931.56307	30000	0	0	30000	43.4375	2004
08.01.2020 13:35:16	1	1	1	1	94.25	63.25	0	29431.28	546.2365591	16318.04963	30000	0	0	30000	43.25	2004
08.01.2020 13:35:17	1	1	1	1	94.25	63.25	0	29146.919	544.0860215	15858.17955	30000	0	0	30000	43.75	2004
08.01.2020 13:35:18	1	1	1	1	94.25	63.25	0	29289.1	546.2365591	15998.42361	30000	0	0	30000	42.875	2004
08.01.2020 13:35:19	1	1	1	1	94.75	62.75	0	29241.706	546.2365591	15909.54801	30000	0	0	30000	43.3125	2004
08.01.2020 13:35:20	1	1	1	1	94.75	63.25	0	29241.706	548.3870968	16124.80635	30000	0	0	30000	43.375	2004
08.01.2020 13:35:21	1	1	1	1	94.75	63.25	0	29052.133	550.5376344	15957.65499	30000	0	0	30000	43.375	2004
08.01.2020 13:35:22	1	1	1	1	94.75	63.25	0	29146.919	546.2365591	15858.17955	30000	0	0	30000	42.625	2004
08.01.2020 13:35:23	1	1	1	1	94.75	62.5	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	43.25	2004
08.01.2020 13:35:24	1	1	1	1	94.75	63.25	0	29146.919	550.5376344	16108.4989	30000	0	0	30000	43.25	2004
08.01.2020 13:35:25	1	1	1	1	94.75	63.25	0	29146.919	550.5376344	16020.43867	30000	0	0	30000	43.375	2004
08.01.2020 13:35:26	1	1	1	1	94.75	63.25	0	29099.526	550.5376344	15994.34675	30000	0	0	30000	42.875	2004
08.01.2020 13:35:27	1	1	1	1	94.75	62.75	0	28957.346	552.688172	16004.13122	30000	0	0	30000	43.375	2004
08.01.2020 13:35:28	1	1	1	1	94.75	63.25	0	29052.133	552.688172	16056.31506	30000	0	0	30000	43.0625	2004
08.01.2020 13:35:29	1	1	1	1	94.5	63	0	28957.346	552.688172	16004.13122	30000	0	0	30000	43.1875	2004
08.01.2020 13:35:30	1	1	1	1	94.5	63	0	28862.559	550.5376344	15889.97907	30000	0	0	30000	43.3125	2004
08.01.2020 13:35:31	1	1	1	1	94.5	63.25	0	28957.346	552.688172	16004.13122	30000	0	0	30000	43.3125	2004
08.01.2020 13:35:32	1	1	1	1	94.5	63.25	0	29146.919	559.1397849	16108.4989	30000	0	0	30000	43.25	2004
08.01.2020 13:35:33	1	1	1	1	94.5	63.25	0	28957.346	552.688172	16004.13122	30000	0	0	30000	42.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 13:35:34	1	1	1	1	94.5	62.75	0	28815.166	552.688172	15925.85546	30000	0	0	30000	42.5	2004
08.01.2020 13:35:35	1	1	1	1	94.5	62.5	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	43.0625	2004
08.01.2020 13:35:36	1	1	1	1	94.5	63	0	28815.166	559.1397849	16049.79208	30000	0	0	30000	43.3125	2004
08.01.2020 13:35:37	1	1	1	1	94.5	63.25	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	43.375	2004
08.01.2020 13:35:38	1	1	1	1	94.5	63.25	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	43.1875	2004
08.01.2020 13:35:39	1	1	1	1	94.5	63	0	28625.592	554.8387097	15917.70174	30000	0	0	30000	43.3125	2004
08.01.2020 13:35:40	1	1	1	1	94.5	63.25	0	28578.199	563.4408602	16040.00761	30000	0	0	30000	42.9375	2004
08.01.2020 13:35:41	1	1	1	1	94.5	62.75	0	28815.166	556.9892473	16111.76039	30000	0	0	30000	43.125	2004
08.01.2020 13:35:42	1	1	1	1	94.5	63	0	28578.199	554.8387097	15794.58049	30000	0	0	30000	42.625	2004
08.01.2020 13:35:43	1	1	1	1	94.5	62.5	0	28815.166	559.1397849	15925.85546	30000	0	0	30000	42.9375	2004
08.01.2020 13:35:45	1	1	1	1	94.5	62.75	0	28625.592	554.8387097	15820.67241	30000	0	0	30000	43	2004
08.01.2020 13:35:46	1	1	1	1	94.5	63	0	28862.559	556.9892473	16075.884	30000	0	0	30000	43	2004
08.01.2020 13:35:52	1	1	1	1	94.25	63.25	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	43.3125	2004
08.01.2020 13:35:52	1	1	1	1	94.25	63.25	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	43.3125	2004
08.01.2020 13:35:52	1	1	1	1	94.25	63.25	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	43.3125	2004
08.01.2020 13:35:52	1	1	1	1	94.25	63.25	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	43.3125	2004
08.01.2020 13:35:52	1	1	1	1	94.25	63.25	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	43.3125	2004
08.01.2020 13:35:52	1	1	1	1	94.25	63.25	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	43.3125	2004
08.01.2020 13:35:53	1	1	1	1	94.25	63.25	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	43.3125	2004
08.01.2020 13:35:54	1	1	1	1	94.25	63.25	0	28815.166	552.688172	15925.85546	30000	0	0	30000	43.3125	2004
08.01.2020 13:35:55	1	1	1	1	94.25	63.25	0	28862.559	554.8387097	15951.94738	30000	0	0	30000	43.625	2004
08.01.2020 13:35:56	1	1	1	1	94.25	63.5	0	28815.166	552.688172	15925.85546	30000	0	0	30000	43.75	2004
08.01.2020 13:35:57	1	1	1	1	94.25	63.75	0	28862.559	556.9892473	15951.94738	30000	0	0	30000	43.375	2004
08.01.2020 13:35:58	1	1	1	1	94.25	62.25	0	28957.346	552.688172	16004.13122	30000	0	0	30000	42.8125	2004
08.01.2020 13:35:59	1	1	1	1	94.25	62.75	0	29099.526	552.688172	15994.34675	30000	0	0	30000	43.125	2004
08.01.2020 13:36:00	1	1	1	1	94.25	63	0	28862.559	552.688172	15889.97907	30000	0	0	30000	43.125	2004
08.01.2020 13:36:01	1	1	1	1	94.25	63	0	28862.559	556.9892473	15925.85546	30000	0	0	30000	43.0625	2004
08.01.2020 13:36:02	1	1	1	1	94.25	63	0	28625.592	563.4408602	15917.70174	30000	0	0	30000	43.125	2004
08.01.2020 13:36:03	1	1	1	1	94.25	63	0	28625.592	552.688172	15987.82377	30000	0	0	30000	43.25	2004
08.01.2020 13:36:04	1	1	1	1	94.25	63.25	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	43.3125	2004
08.01.2020 13:36:05	1	1	1	1	94.25	63.25	0	28862.559	556.9892473	16075.884	30000	0	0	30000	43.375	2004
08.01.2020 13:36:06	1	1	1	1	94.25	63.25	0	28957.346	554.8387097	16128.88321	30000	0	0	30000	43.25	2004
08.01.2020 13:36:07	1	1	1	1	94.25	63.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	43.125	2004
08.01.2020 13:36:08	1	1	1	1	94.25	63	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	43.0625	2004
08.01.2020 13:36:09	1	1	1	1	94.25	63	0	28815.166	550.5376344	15925.85546	30000	0	0	30000	42.875	2004
08.01.2020 13:36:10	1	1	1	1	94.25	62.75	0	28957.346	554.8387097	16066.09953	30000	0	0	30000	43.1875	2004
08.01.2020 13:36:11	1	1	1	1	94.25	63	0	28815.166	554.8387097	16075.884	30000	0	0	30000	43.3125	2004
08.01.2020 13:36:12	1	1	1	1	94.25	63.25	0	28815.166	550.5376344	15739.95053	30000	0	0	30000	43.4375	2004
08.01.2020 13:36:13	1	1	1	1	94.25	63.25	0	28862.559	554.8387097	16013.91569	30000	0	0	30000	42.1875	2004
08.01.2020 13:36:14	1	1	1	1	94.25	62	0	28862.559	554.8387097	16075.884	30000	0	0	30000	43.25	2004
08.01.2020 13:36:15	1	1	1	1	94.25	63.25	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	43.3125	2004
08.01.2020 13:36:16	1	1	1	1	94.25	63.25	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	42.8125	2004
08.01.2020 13:36:17	1	1	1	1	94.25	62.75	0	28625.592	559.1397849	16005.76197	30000	0	0	30000	43.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 13:36:18	1	1	1	1	94.25	63	0	28578.199	556.9892473	15917.70174	30000	0	0	30000	43.375	2004
08.01.2020 13:36:19	1	1	1	1	94.5	63.25	0	28578.199	556.9892473	15917.70174	30000	0	0	30000	43.1875	2004
08.01.2020 13:36:20	1	1	1	1	94.5	63	0	28625.592	554.8387097	15943.79366	30000	0	0	30000	43.25	2004
08.01.2020 13:36:21	1	1	1	1	94.5	63.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	43.25	2004
08.01.2020 13:36:22	1	1	1	1	94.5	63.25	0	28625.592	556.9892473	15855.73343	30000	0	0	30000	43.375	2004
08.01.2020 13:36:23	1	1	1	1	94.5	63.25	0	28815.166	556.9892473	16137.85231	30000	0	0	30000	43.25	2004
08.01.2020 13:36:24	1	1	1	1	94.5	63.25	0	28578.199	554.8387097	15882.64072	30000	0	0	30000	43.125	2004
08.01.2020 13:36:25	1	1	1	1	94.5	63	0	28483.412	563.4408602	15987.0084	30000	0	0	30000	43.0625	2004
08.01.2020 13:36:27	1	1	1	1	94.5	63	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	43.25	2004
08.01.2020 13:36:28	1	1	1	1	94.5	63.25	0	28341.232	559.1397849	15907.10189	30000	0	0	30000	43.25	2004
08.01.2020 13:36:29	1	1	1	1	94.5	63.25	0	28341.232	563.4408602	16056.31506	30000	0	0	30000	42.9375	2004
08.01.2020 13:36:30	1	1	1	1	94.5	62.75	0	28388.626	565.5913978	16056.31506	30000	0	0	30000	43.1875	2004
08.01.2020 13:36:31	1	1	1	1	94.5	63	0	28199.052	563.4408602	15600.52184	30000	0	0	30000	43	2004
08.01.2020 13:36:32	1	1	1	1	94.5	63	0	28293.839	563.4408602	16029.40777	30000	0	0	30000	43.375	2004
08.01.2020 13:36:33	1	1	1	1	94.5	63.25	0	28199.052	559.1397849	16029.40777	30000	0	0	30000	43.25	2004
08.01.2020 13:36:34	1	1	1	1	94.5	63.25	0	28293.839	563.4408602	16177.80556	30000	0	0	30000	43.3125	2004
08.01.2020 13:36:35	1	1	1	1	94.5	63.25	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	43.375	2004
08.01.2020 13:36:36	1	1	1	1	94.5	63.25	0	28341.232	556.9892473	15724.45846	30000	0	0	30000	43.125	2004
08.01.2020 13:36:37	1	1	1	1	94.5	63	0	28388.626	563.4408602	15995.16212	30000	0	0	30000	43.5625	2004
08.01.2020 13:36:38	1	1	1	1	94.5	63	0	28341.232	563.4408602	16029.40777	30000	0	0	30000	43	2004
08.01.2020 13:36:39	1	1	1	1	94.25	63	0	28388.626	563.4408602	16083.22235	30000	0	0	30000	43.0625	2004
08.01.2020 13:36:40	1	1	1	1	94.25	63	0	28341.232	565.5913978	16029.40777	30000	0	0	30000	43.25	2004
08.01.2020 13:36:41	1	1	1	1	94.25	63.25	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	43	2004
08.01.2020 13:36:42	1	1	1	1	94.25	63	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	43.3125	2004
08.01.2020 13:36:43	1	1	1	1	94.25	63.25	0	28009.479	567.7419355	16070.17639	30000	0	0	30000	43.125	2004
08.01.2020 13:36:44	1	1	1	1	94.25	63	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	43.3125	2004
08.01.2020 13:36:45	1	1	1	1	94.25	63.25	0	28199.052	572.0430108	15961.73185	30000	0	0	30000	43.25	2004
08.01.2020 13:36:46	1	1	1	1	94.25	63.25	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	43.25	2004
08.01.2020 13:36:47	1	1	1	1	94.25	63.25	0	28009.479	565.5913978	15841.8721	30000	0	0	30000	43.125	2004
08.01.2020 13:36:54	1	1	1	1	94.5	62.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	42.6875	2004
08.01.2020 13:36:54	1	1	1	1	94.5	62.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	42.6875	2004
08.01.2020 13:36:54	1	1	1	1	94.5	62.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	42.6875	2004
08.01.2020 13:36:54	1	1	1	1	94.5	62.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	42.6875	2004
08.01.2020 13:36:54	1	1	1	1	94.5	62.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	42.6875	2004
08.01.2020 13:36:54	1	1	1	1	94.5	62.5	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	43.0625	2004
08.01.2020 13:36:55	1	1	1	1	94.5	63	0	27962.085	572.0430108	15995.16212	30000	0	0	30000	43.3125	2004
08.01.2020 13:36:56	1	1	1	1	94.5	63.25	0	27962.085	569.8924731	15995.16212	30000	0	0	30000	42.6875	2004
08.01.2020 13:36:57	1	1	1	1	94.5	62.5	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	43.1875	2004
08.01.2020 13:36:58	1	1	1	1	94.5	63	0	28009.479	576.344086	16082.40698	30000	0	0	30000	43.25	2004
08.01.2020 13:36:59	1	1	1	1	94.25	63.25	0	27867.299	567.7419355	15881.00997	30000	0	0	30000	42.875	2004
08.01.2020 13:37:00	1	1	1	1	94.25	62.75	0	28009.479	563.4408602	15721.19697	30000	0	0	30000	43.375	2004
08.01.2020 13:37:01	1	1	1	1	94.25	63.25	0	28341.232	559.1397849	15907.10189	30000	0	0	30000	43.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 13:37:02	1	1	1	1	94.25	63	0	28388.626	563.4408602	16056.31506	30000	0	0	30000	43	2004
08.01.2020 13:37:03	1	1	1	1	94.25	63	0	28436.019	559.1397849	15925.85546	30000	0	0	30000	43.0625	2004
08.01.2020 13:37:04	1	1	1	1	94.25	63	0	28483.412	563.4408602	16109.31427	30000	0	0	30000	42.625	2004
08.01.2020 13:37:05	1	1	1	1	94.25	62.5	0	28578.199	563.4408602	16101.97592	30000	0	0	30000	43.1875	2004
08.01.2020 13:37:06	1	1	1	1	94.25	63	0	28341.232	559.1397849	15907.10189	30000	0	0	30000	43.0625	2004
08.01.2020 13:37:08	1	1	1	1	94.25	63	0	28530.806	561.2903226	16075.06863	30000	0	0	30000	43.1875	2004
08.01.2020 13:37:09	1	1	1	1	94.25	63	0	28483.412	561.2903226	15777.45767	30000	0	0	30000	42.9375	2004
08.01.2020 13:37:10	1	1	1	1	94.5	62.75	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	43.1875	2004
08.01.2020 13:37:11	1	1	1	1	94.5	63	0	28341.232	563.4408602	15968.25483	30000	0	0	30000	42.75	2004
08.01.2020 13:37:12	1	1	1	1	94.5	62.75	0	28341.232	563.4408602	16029.40777	30000	0	0	30000	43.1875	2004
08.01.2020 13:37:13	1	1	1	1	94.5	63	0	28293.839	563.4408602	16002.50048	30000	0	0	30000	43	2004
08.01.2020 13:37:14	1	1	1	1	94.5	63	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	43.1875	2004
08.01.2020 13:37:15	1	1	1	1	94.5	63	0	28436.019	563.4408602	16048.16134	30000	0	0	30000	43.125	2004
08.01.2020 13:37:16	1	1	1	1	94.5	63	0	28199.052	563.4408602	15948.68589	30000	0	0	30000	43.0625	2004
08.01.2020 13:37:17	1	1	1	1	94.5	63	0	28341.232	563.4408602	15941.34754	30000	0	0	30000	43.375	2004
08.01.2020 13:37:18	1	1	1	1	94.5	63.25	0	28388.626	565.5913978	16056.31506	30000	0	0	30000	43.5	2004
08.01.2020 13:37:19	1	1	1	1	94.5	63.5	0	28293.839	563.4408602	15941.34754	30000	0	0	30000	43	2004
08.01.2020 13:37:20	1	1	1	1	95	63	0	28388.626	563.4408602	16056.31506	30000	0	0	30000	42.4375	2004
08.01.2020 13:37:21	1	1	1	1	95	62.25	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	42.8125	2004
08.01.2020 13:37:22	1	1	1	1	95	62.75	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	43.25	2004
08.01.2020 13:37:23	1	1	1	1	95	63.25	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	42.875	2004
08.01.2020 13:37:24	1	1	1	1	95	62.75	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	43.4375	2004
08.01.2020 13:37:25	1	1	1	1	95	63.25	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	42.625	2004
08.01.2020 13:37:26	1	1	1	1	95	62.5	0	28199.052	569.8924731	15961.73185	30000	0	0	30000	43.125	2004
08.01.2020 13:37:27	1	1	1	1	95	63	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	43.1875	2004
08.01.2020 13:37:28	1	1	1	1	95	63	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	42.6875	2004
08.01.2020 13:37:29	1	1	1	1	94.75	62.5	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	43.3125	2004
08.01.2020 13:37:30	1	1	1	1	94.75	63.25	0	28009.479	569.8924731	16373.49496	30000	0	0	30000	43.1875	2004
08.01.2020 13:37:31	1	1	1	1	94.75	63	0	27867.299	569.8924731	15907.91727	30000	0	0	30000	43.3125	2004
08.01.2020 13:37:32	1	1	1	1	94.75	63.25	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	43.375	2004
08.01.2020 13:37:33	1	1	1	1	94.75	63.25	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	43.1875	2004
08.01.2020 13:37:34	1	1	1	1	94.75	63	0	27867.299	569.8924731	15907.91727	30000	0	0	30000	43.25	2004
08.01.2020 13:37:35	1	1	1	1	94.75	63.25	0	28009.479	572.0430108	16191.66689	30000	0	0	30000	43.1875	2004
08.01.2020 13:37:36	1	1	1	1	94.75	63	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	43.25	2004
08.01.2020 13:37:37	1	1	1	1	94.75	63.25	0	27819.905	569.8924731	15854.10268	30000	0	0	30000	42.8125	2004
08.01.2020 13:37:38	1	1	1	1	94.75	62.75	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	42.5625	2004
08.01.2020 13:37:39	1	1	1	1	95.25	62.5	0	27914.692	569.8924731	15907.91727	30000	0	0	30000	43.1875	2004
08.01.2020 13:37:40	1	1	1	1	95.25	63	0	27867.299	572.0430108	15941.34754	30000	0	0	30000	43.3125	2004
08.01.2020 13:37:41	1	1	1	1	95.25	63.25	0	27914.692	572.0430108	15761.15022	30000	0	0	30000	43.0625	2004
08.01.2020 13:37:42	1	1	1	1	95.25	63	0	27914.692	572.0430108	15881.00997	30000	0	0	30000	42.1875	2004
08.01.2020 13:37:43	1	1	1	1	95.25	62	0	27914.692	572.0430108	15968.25483	30000	0	0	30000	43.125	2004
08.01.2020 13:37:45	1	1	1	1	95.25	63	0	27772.512	572.0430108	15854.10268	30000	0	0	30000	42.9375	2004
08.01.2020 13:37:46	1	1	1	1	95.25	62.75	0	28199.052	574.1935484	16082.40698	30000	0	0	30000	43.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 13:37:47	1	1	1	1	95.25	63	0	27867.299	569.8924731	15941.34754	30000	0	0	30000	43.25	2004
08.01.2020 13:37:48	1	1	1	1	95.25	63.25	0	27867.299	569.8924731	15881.00997	30000	0	0	30000	43	2004
08.01.2020 13:37:49	1	1	1	1	95.25	63	0	27867.299	569.8924731	15881.00997	30000	0	0	30000	43.125	2004
08.01.2020 13:37:56	1	1	1	1	94.75	63	0	28009.479	565.5913978	15841.8721	30000	0	0	30000	43.25	2004
08.01.2020 13:37:56	1	1	1	1	94.75	63	0	28009.479	565.5913978	15841.8721	30000	0	0	30000	43.25	2004
08.01.2020 13:37:56	1	1	1	1	94.75	63	0	28009.479	565.5913978	15841.8721	30000	0	0	30000	43.25	2004
08.01.2020 13:37:56	1	1	1	1	94.75	63	0	28009.479	565.5913978	15841.8721	30000	0	0	30000	43.25	2004
08.01.2020 13:37:56	1	1	1	1	94.75	63	0	28009.479	565.5913978	15841.8721	30000	0	0	30000	43.25	2004
08.01.2020 13:37:56	1	1	1	1	94.75	63	0	28009.479	565.5913978	15841.8721	30000	0	0	30000	43.25	2004
08.01.2020 13:37:56	1	1	1	1	94.75	63.25	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	42.8125	2004
08.01.2020 13:37:57	1	1	1	1	94.75	62.75	0	28341.232	567.7419355	16150.89827	30000	0	0	30000	43.25	2004
08.01.2020 13:37:58	1	1	1	1	94.75	63.25	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	43.5625	2004
08.01.2020 13:37:59	1	1	1	1	94.75	63.5	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	43.3125	2004
08.01.2020 13:38:00	1	1	1	1	94.75	63	0	28009.479	572.0430108	16070.17639	30000	0	0	30000	43.375	2004
08.01.2020 13:38:01	1	1	1	1	94.75	63.25	0	28009.479	567.7419355	16070.17639	30000	0	0	30000	43.375	2004
08.01.2020 13:38:02	1	1	1	1	94.75	63.25	0	28199.052	572.0430108	15961.73185	30000	0	0	30000	42.8125	2004
08.01.2020 13:38:03	1	1	1	1	94.75	62.75	0	28009.479	565.5913978	15721.19697	30000	0	0	30000	43.125	2004
08.01.2020 13:38:04	1	1	1	1	94.75	63	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	42.9375	2004
08.01.2020 13:38:05	1	1	1	1	94.75	62.75	0	28009.479	563.4408602	15961.73185	30000	0	0	30000	43.25	2004
08.01.2020 13:38:06	1	1	1	1	94.75	63.25	0	28009.479	572.0430108	16191.66689	30000	0	0	30000	42.75	2004
08.01.2020 13:38:07	1	1	1	1	94.75	62.75	0	28009.479	567.7419355	16070.17639	30000	0	0	30000	43.125	2004
08.01.2020 13:38:08	1	1	1	1	94.75	63	0	28341.232	567.7419355	16150.89827	30000	0	0	30000	43.1875	2004
08.01.2020 13:38:09	1	1	1	1	95	63	0	28009.479	567.7419355	16009.83883	30000	0	0	30000	42.375	2004
08.01.2020 13:38:10	1	1	1	1	95	62.25	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	43.25	2004
08.01.2020 13:38:11	1	1	1	1	95	63.25	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	43.0625	2004
08.01.2020 13:38:12	1	1	1	1	95	63	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	43.25	2004
08.01.2020 13:38:13	1	1	1	1	95	63.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	43	2004
08.01.2020 13:38:14	1	1	1	1	95	63	0	28009.479	572.0430108	16142.74454	30000	0	0	30000	43.4375	2004
08.01.2020 13:38:15	1	1	1	1	95	63.25	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	42.5	2004
08.01.2020 13:38:16	1	1	1	1	95	62.5	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	43.125	2004
08.01.2020 13:38:17	1	1	1	1	95	63	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	43.0625	2004
08.01.2020 13:38:18	1	1	1	1	95	63	0	28199.052	567.7419355	16130.51396	30000	0	0	30000	43.0625	2004
08.01.2020 13:38:19	1	1	1	1	95	63	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	43.25	2004
08.01.2020 13:38:20	1	1	1	1	95	63.25	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	43.375	2004
08.01.2020 13:38:21	1	1	1	1	95	63.25	0	28009.479	565.5913978	15948.68589	30000	0	0	30000	42.25	2004
08.01.2020 13:38:22	1	1	1	1	95	62.25	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	42.375	2004
08.01.2020 13:38:23	1	1	1	1	95	62.25	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	43	2004
08.01.2020 13:38:24	1	1	1	1	95	63	0	28341.232	567.7419355	16090.5607	30000	0	0	30000	43.375	2004
08.01.2020 13:38:26	1	1	1	1	95	63.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	43	2004
08.01.2020 13:38:27	1	1	1	1	95	63	0	28009.479	563.4408602	16070.17639	30000	0	0	30000	42.875	2004
08.01.2020 13:38:28	1	1	1	1	95	62.75	0	28009.479	569.8924731	15902.20966	30000	0	0	30000	43.375	2004
08.01.2020 13:38:29	1	1	1	1	95	63.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	43.3125	2004
08.01.2020 13:38:30	1	1	1	1	95.25	63.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	43.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 13:38:31	1	1	1	1	95.25	63.25	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	43.1875	2004
08.01.2020 13:38:32	1	1	1	1	95.25	63	0	28341.232	567.7419355	16002.50048	30000	0	0	30000	42.875	2004
08.01.2020 13:38:33	1	1	1	1	95.25	62.75	0	28009.479	565.5913978	15948.68589	30000	0	0	30000	42.5	2004
08.01.2020 13:38:34	1	1	1	1	95.25	62.5	0	28388.626	567.7419355	16117.468	30000	0	0	30000	43.625	2004
08.01.2020 13:38:35	1	1	1	1	95.25	63.5	0	28293.839	565.5913978	16029.40777	30000	0	0	30000	42.9375	2004
08.01.2020 13:38:36	1	1	1	1	95.25	62.75	0	28199.052	563.4408602	16002.50048	30000	0	0	30000	43.3125	2004
08.01.2020 13:38:37	1	1	1	1	95.25	63.25	0	28199.052	567.7419355	15888.34833	30000	0	0	30000	43.3125	2004
08.01.2020 13:38:38	1	1	1	1	95.25	63.25	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	43.0625	2004
08.01.2020 13:38:39	1	1	1	1	95	63	0	28436.019	567.7419355	16083.22235	30000	0	0	30000	42.6875	2004
08.01.2020 13:38:40	1	1	1	1	95	62.5	0	28293.839	565.5913978	15881.00997	30000	0	0	30000	43.125	2004
08.01.2020 13:38:41	1	1	1	1	95	63	0	28293.839	565.5913978	16002.50048	30000	0	0	30000	43.25	2004
08.01.2020 13:38:42	1	1	1	1	95	63.25	0	28341.232	563.4408602	15968.25483	30000	0	0	30000	42.8125	2004
08.01.2020 13:38:43	1	1	1	1	95	62.75	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	42.8125	2004
08.01.2020 13:38:44	1	1	1	1	95	62.75	0	28293.839	565.5913978	15948.68589	30000	0	0	30000	43.1875	2004
08.01.2020 13:38:45	1	1	1	1	95	63	0	28293.839	563.4408602	16002.50048	30000	0	0	30000	43.0625	2004
08.01.2020 13:38:46	1	1	1	1	95	63	0	28341.232	563.4408602	15907.10189	30000	0	0	30000	42.875	2004
08.01.2020 13:38:47	1	1	1	1	95	62.75	0	28483.412	563.4408602	16109.31427	30000	0	0	30000	43.0625	2004
08.01.2020 13:38:48	1	1	1	1	95	63	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	43.0625	2004
08.01.2020 13:38:49	1	1	1	1	95	63	0	28436.019	563.4408602	15995.16212	30000	0	0	30000	43.1875	2004
08.01.2020 13:38:50	1	1	1	1	95	63	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	43	2004
08.01.2020 13:38:57	1	1	1	1	95	63.25	0	28578.199	561.2903226	16163.12886	30000	0	0	30000	42.8125	2004
08.01.2020 13:38:57	1	1	1	1	95	63.25	0	28578.199	561.2903226	16163.12886	30000	0	0	30000	42.8125	2004
08.01.2020 13:38:57	1	1	1	1	95	63.25	0	28578.199	561.2903226	16163.12886	30000	0	0	30000	42.8125	2004
08.01.2020 13:38:57	1	1	1	1	95	63.25	0	28578.199	561.2903226	16163.12886	30000	0	0	30000	42.8125	2004
08.01.2020 13:38:57	1	1	1	1	95	63.25	0	28578.199	561.2903226	16163.12886	30000	0	0	30000	42.8125	2004
08.01.2020 13:38:57	1	1	1	1	95	62.75	0	28625.592	561.2903226	16005.76197	30000	0	0	30000	43.0625	2004
08.01.2020 13:38:58	1	1	1	1	95	63	0	28625.592	563.4408602	16066.9149	30000	0	0	30000	43.1875	2004
08.01.2020 13:38:59	1	1	1	1	94.75	63	0	28625.592	554.8387097	15855.73343	30000	0	0	30000	43.0625	2004
08.01.2020 13:39:00	1	1	1	1	94.75	63	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	42.8125	2004
08.01.2020 13:39:01	1	1	1	1	94.75	62.75	0	28815.166	552.688172	15925.85546	30000	0	0	30000	42.6875	2004
08.01.2020 13:39:02	1	1	1	1	94.75	62.5	0	28957.346	556.9892473	16075.884	30000	0	0	30000	43.25	2004
08.01.2020 13:39:03	1	1	1	1	94.75	63.25	0	28815.166	559.1397849	16049.79208	30000	0	0	30000	43.125	2004
08.01.2020 13:39:05	1	1	1	1	94.75	63	0	28815.166	559.1397849	16173.7287	30000	0	0	30000	43.1875	2004
08.01.2020 13:39:06	1	1	1	1	94.75	63	0	28815.166	559.1397849	16111.76039	30000	0	0	30000	43.25	2004
08.01.2020 13:39:07	1	1	1	1	94.75	63.25	0	28578.199	554.8387097	15917.70174	30000	0	0	30000	43.0625	2004
08.01.2020 13:39:08	1	1	1	1	94.75	63	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	43.125	2004
08.01.2020 13:39:09	1	1	1	1	94.75	63	0	29099.526	550.5376344	16056.31506	30000	0	0	30000	42.6875	2004
08.01.2020 13:39:10	1	1	1	1	95.25	62.5	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	43.25	2004
08.01.2020 13:39:11	1	1	1	1	95.25	63.25	0	28957.346	552.688172	16004.13122	30000	0	0	30000	43.3125	2004
08.01.2020 13:39:12	1	1	1	1	95.25	63.25	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	43.3125	2004
08.01.2020 13:39:13	1	1	1	1	95.25	63.25	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	42.875	2004
08.01.2020 13:39:14	1	1	1	1	95.25	62.75	0	29383.886	546.2365591	16050.60745	30000	0	0	30000	43.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 13:39:15	1	1	1	1	95.25	63	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	42.25	2004
08.01.2020 13:39:16	1	1	1	1	95.25	62.25	0	29289.1	550.5376344	16035.11538	30000	0	0	30000	42.5625	2004
08.01.2020 13:39:17	1	1	1	1	95.25	62.5	0	29241.706	544.0860215	15858.17955	30000	0	0	30000	43.5625	2004
08.01.2020 13:39:18	1	1	1	1	95.25	63.5	0	29289.1	541.9354839	15909.54801	30000	0	0	30000	43.0625	2004
08.01.2020 13:39:19	1	1	1	1	94.25	62.75	0	29383.886	546.2365591	16075.884	30000	0	0	30000	42.0625	2004
08.01.2020 13:39:20	1	1	1	1	94.25	62	0	29336.493	544.0860215	16024.51553	30000	0	0	30000	42.8125	2004
08.01.2020 13:39:21	1	1	1	1	94.25	62.75	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	42.8125	2004
08.01.2020 13:39:22	1	1	1	1	94.25	62.75	0	29146.919	535.483871	15732.61218	30000	0	0	30000	43	2004
08.01.2020 13:39:23	1	1	1	1	94.25	63	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	43	2004
08.01.2020 13:39:24	1	1	1	1	94.25	63	0	29431.28	541.9354839	15924.22472	30000	0	0	30000	43.1875	2004
08.01.2020 13:39:25	1	1	1	1	94.25	63	0	29431.28	550.5376344	15987.0084	30000	0	0	30000	43.3125	2004
08.01.2020 13:39:26	1	1	1	1	94.25	63.25	0	29336.493	544.0860215	16150.89827	30000	0	0	30000	42.5	2004
08.01.2020 13:39:27	1	1	1	1	94.25	62.5	0	29431.28	541.9354839	15759.51947	30000	0	0	30000	43.3125	2004
08.01.2020 13:39:28	1	1	1	1	94.25	63.25	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	42.9375	2004
08.01.2020 13:39:29	1	1	1	1	94.5	62.75	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	43.125	2004
08.01.2020 13:39:30	1	1	1	1	94.5	63	0	29336.493	541.9354839	15898.1328	30000	0	0	30000	42.8125	2004
08.01.2020 13:39:31	1	1	1	1	94.5	62.75	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	43.1875	2004
08.01.2020 13:39:32	1	1	1	1	94.5	63	0	29573.46	541.9354839	16052.2382	30000	0	0	30000	42.75	2004
08.01.2020 13:39:33	1	1	1	1	94.5	62.75	0	29383.886	541.9354839	15949.50126	30000	0	0	30000	43.125	2004
08.01.2020 13:39:34	1	1	1	1	94.5	63	0	29431.28	544.0860215	16038.37687	30000	0	0	30000	43	2004
08.01.2020 13:39:35	1	1	1	1	94.5	63	0	29526.066	546.2365591	16191.66689	30000	0	0	30000	43.25	2004
08.01.2020 13:39:36	1	1	1	1	94.5	63.25	0	29336.493	539.7849462	15835.34912	30000	0	0	30000	43.1875	2004
08.01.2020 13:39:37	1	1	1	1	94.5	63	0	29526.066	541.9354839	15937.27068	30000	0	0	30000	43.125	2004
08.01.2020 13:39:38	1	1	1	1	94.5	63	0	29526.066	537.6344086	15963.3626	30000	0	0	30000	43.0625	2004
08.01.2020 13:39:39	1	1	1	1	94.25	63	0	29431.28	539.7849462	15885.90221	30000	0	0	30000	43	2004
08.01.2020 13:39:40	1	1	1	1	94.25	63	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	43.0625	2004
08.01.2020 13:39:41	1	1	1	1	94.25	63	0	29526.066	541.9354839	15963.3626	30000	0	0	30000	43.1875	2004
08.01.2020 13:39:43	1	1	1	1	94.25	63	0	29526.066	541.9354839	16307.44979	30000	0	0	30000	42.5625	2004
08.01.2020 13:39:44	1	1	1	1	94.25	62.5	0	29573.46	541.9354839	15988.63914	30000	0	0	30000	43.0625	2004
08.01.2020 13:39:45	1	1	1	1	94.25	63	0	29573.46	541.9354839	16000.86973	30000	0	0	30000	43	2004
08.01.2020 13:39:46	1	1	1	1	94.25	63	0	29526.066	541.9354839	16064.46878	30000	0	0	30000	42.6875	2004
08.01.2020 13:39:47	1	1	1	1	94.25	62.5	0	29573.46	541.9354839	16026.96165	30000	0	0	30000	42.8125	2004
08.01.2020 13:39:48	1	1	1	1	94.25	62.75	0	29336.493	541.9354839	15987.0084	30000	0	0	30000	43	2004
08.01.2020 13:39:49	1	1	1	1	94.25	63	0	29478.673	544.0860215	16038.37687	30000	0	0	30000	43.125	2004
08.01.2020 13:39:50	1	1	1	1	94	63	0	29573.46	539.7849462	15988.63914	30000	0	0	30000	43.1875	2004
08.01.2020 13:39:51	1	1	1	1	94	63	0	29478.673	537.6344086	15937.27068	30000	0	0	30000	43.0625	2004
08.01.2020 13:39:52	1	1	1	1	94	63	0	29763.033	541.9354839	16154.97513	30000	0	0	30000	42.625	2004
08.01.2020 13:39:59	1	1	1	1	94	63	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	43.25	2004
08.01.2020 13:39:59	1	1	1	1	94	63	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	43.25	2004
08.01.2020 13:39:59	1	1	1	1	94	63	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	43.25	2004
08.01.2020 13:39:59	1	1	1	1	94	63	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	43.25	2004
08.01.2020 13:39:59	1	1	1	1	94	63	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	43.25	2004
08.01.2020 13:39:59	1	1	1	1	94	63	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	43.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 13:39:59	1	1	1	1	94.5	63.25	0	29336.493	550.5376344	16024.51553	30000	0	0	30000	43	2004
08.01.2020 13:40:00	1	1	1	1	94.5	63	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	43.0625	2004
08.01.2020 13:40:01	1	1	1	1	94.5	63	0	29146.919	550.5376344	15795.39586	30000	0	0	30000	43.375	2004
08.01.2020 13:40:02	1	1	1	1	94.5	63.25	0	28957.346	552.688172	15942.16291	30000	0	0	30000	43.3125	2004
08.01.2020 13:40:03	1	1	1	1	94.5	63.25	0	29146.919	548.3870968	16046.53059	30000	0	0	30000	43.25	2004
08.01.2020 13:40:04	1	1	1	1	94.5	63.25	0	29431.28	548.3870968	16139.48305	30000	0	0	30000	43.125	2004
08.01.2020 13:40:05	1	1	1	1	94.5	63	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	42.625	2004
08.01.2020 13:40:06	1	1	1	1	94.5	62.5	0	29431.28	546.2365591	15898.1328	30000	0	0	30000	43.1875	2004
08.01.2020 13:40:07	1	1	1	1	94.5	63	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	43.0625	2004
08.01.2020 13:40:08	1	1	1	1	94.5	63	0	29146.919	544.0860215	15858.17955	30000	0	0	30000	43.0625	2004
08.01.2020 13:40:09	1	1	1	1	94.25	63	0	29478.673	544.0860215	16038.37687	30000	0	0	30000	42.1875	2004
08.01.2020 13:40:10	1	1	1	1	94.25	62	0	29573.46	544.0860215	16090.5607	30000	0	0	30000	43.25	2004
08.01.2020 13:40:11	1	1	1	1	94.25	63.25	0	29336.493	541.9354839	15708.96638	30000	0	0	30000	42.5	2004
08.01.2020 13:40:12	1	1	1	1	94.25	62.5	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	42.8125	2004
08.01.2020 13:40:13	1	1	1	1	94.25	62.75	0	29289.1	546.2365591	15972.33169	30000	0	0	30000	43.0625	2004
08.01.2020 13:40:14	1	1	1	1	94.25	63	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	43.4375	2004
08.01.2020 13:40:15	1	1	1	1	94.25	63.25	0	29241.706	546.2365591	15972.33169	30000	0	0	30000	42.875	2004
08.01.2020 13:40:16	1	1	1	1	94.25	62.75	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	42.875	2004
08.01.2020 13:40:17	1	1	1	1	94.25	62.75	0	29241.706	546.2365591	15920.96323	30000	0	0	30000	43	2004
08.01.2020 13:40:18	1	1	1	1	94.25	63	0	29241.706	550.5376344	15972.33169	30000	0	0	30000	43.25	2004
08.01.2020 13:40:19	1	1	1	1	94.5	63.25	0	29336.493	546.2365591	15960.91648	30000	0	0	30000	43.0625	2004
08.01.2020 13:40:20	1	1	1	1	94.5	63	0	29383.886	544.0860215	16013.10032	30000	0	0	30000	43.0625	2004
08.01.2020 13:40:21	1	1	1	1	94.5	63	0	29383.886	544.0860215	15960.91648	30000	0	0	30000	43.3125	2004
08.01.2020 13:40:22	1	1	1	1	94.5	63.25	0	29146.919	548.3870968	15858.17955	30000	0	0	30000	42.75	2004
08.01.2020 13:40:24	1	1	1	1	94.5	62.75	0	29241.706	546.2365591	15909.54801	30000	0	0	30000	43.125	2004
08.01.2020 13:40:25	1	1	1	1	94.5	63	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	43.1875	2004
08.01.2020 13:40:26	1	1	1	1	94.5	63	0	29289.1	546.2365591	16061.20729	30000	0	0	30000	43.1875	2004
08.01.2020 13:40:27	1	1	1	1	94.5	63	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	43.25	2004
08.01.2020 13:40:28	1	1	1	1	94.5	63.25	0	29099.526	548.3870968	16020.43867	30000	0	0	30000	43.1875	2004
08.01.2020 13:40:29	1	1	1	1	94.5	63	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	43.1875	2004
08.01.2020 13:40:30	1	1	1	1	94	63	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	43.0625	2004
08.01.2020 13:40:31	1	1	1	1	94	63	0	29526.066	544.0860215	15848.39508	30000	0	0	30000	42.9375	2004
08.01.2020 13:40:32	1	1	1	1	94	62.75	0	29383.886	541.9354839	15960.91648	30000	0	0	30000	43.1875	2004
08.01.2020 13:40:33	1	1	1	1	94	63	0	29241.706	539.7849462	16087.29921	30000	0	0	30000	42.25	2004
08.01.2020 13:40:34	1	1	1	1	94	62.25	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	43.3125	2004
08.01.2020 13:40:35	1	1	1	1	94	63.25	0	29336.493	537.6344086	16203.08211	30000	0	0	30000	43.125	2004
08.01.2020 13:40:36	1	1	1	1	94	63	0	29336.493	546.2365591	16087.29921	30000	0	0	30000	43	2004
08.01.2020 13:40:37	1	1	1	1	94	63	0	28957.346	546.2365591	15879.37923	30000	0	0	30000	43.1875	2004
08.01.2020 13:40:38	1	1	1	1	94	63	0	29336.493	550.5376344	16035.11538	30000	0	0	30000	43.1875	2004
08.01.2020 13:40:39	1	1	1	1	94.25	63	0	29146.919	550.5376344	15858.17955	30000	0	0	30000	43.25	2004
08.01.2020 13:40:40	1	1	1	1	94.25	63.25	0	29289.1	546.2365591	16098.71443	30000	0	0	30000	43.125	2004
08.01.2020 13:40:41	1	1	1	1	94.25	63	0	29241.706	548.3870968	16035.11538	30000	0	0	30000	43.1875	2004
08.01.2020 13:40:42	1	1	1	1	94.25	63	0	29241.706	550.5376344	16098.71443	30000	0	0	30000	42.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 13:40:43	1	1	1	1	94.25	62.75	0	29336.493	550.5376344	16150.89827	30000	0	0	30000	43.25	2004
08.01.2020 13:40:44	1	1	1	1	94.25	63.25	0	29052.133	546.2365591	15994.34675	30000	0	0	30000	42.6875	2004
08.01.2020 13:40:45	1	1	1	1	94.25	62.5	0	28862.559	550.5376344	16066.09953	30000	0	0	30000	42.9375	2004
08.01.2020 13:40:46	1	1	1	1	94.25	62.75	0	28957.346	554.8387097	15817.41092	30000	0	0	30000	43.0625	2004
08.01.2020 13:40:47	1	1	1	1	94.25	63	0	28862.559	552.688172	16013.91569	30000	0	0	30000	43.1875	2004
08.01.2020 13:40:48	1	1	1	1	94.25	63	0	28957.346	556.9892473	16128.88321	30000	0	0	30000	43.125	2004
08.01.2020 13:40:49	1	1	1	1	94.5	63	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	43.1875	2004
08.01.2020 13:40:50	1	1	1	1	94.5	63	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	42.9375	2004
08.01.2020 13:40:51	1	1	1	1	94.5	62.75	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	43.0625	2004
08.01.2020 13:40:52	1	1	1	1	94.5	63	0	28625.592	554.8387097	15820.67241	30000	0	0	30000	43.125	2004
08.01.2020 13:40:53	1	1	1	1	94.5	63	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	43.0625	2004
08.01.2020 13:41:00	1	1	1	1	94.5	63	0	29241.706	546.2365591	15909.54801	30000	0	0	30000	43.3125	2004
08.01.2020 13:41:00	1	1	1	1	94.5	63	0	29241.706	546.2365591	15909.54801	30000	0	0	30000	43.3125	2004
08.01.2020 13:41:00	1	1	1	1	94.5	63	0	29241.706	546.2365591	15909.54801	30000	0	0	30000	43.3125	2004
08.01.2020 13:41:00	1	1	1	1	94.5	63	0	29241.706	546.2365591	15909.54801	30000	0	0	30000	43.3125	2004
08.01.2020 13:41:00	1	1	1	1	94.5	63	0	29241.706	546.2365591	15909.54801	30000	0	0	30000	43.3125	2004
08.01.2020 13:41:00	1	1	1	1	94.5	63	0	29241.706	546.2365591	15909.54801	30000	0	0	30000	43.3125	2004
08.01.2020 13:41:00	1	1	1	1	94.5	63	0	29241.706	546.2365591	15909.54801	30000	0	0	30000	43.3125	2004
08.01.2020 13:41:01	1	1	1	1	94.5	63.25	0	29383.886	546.2365591	16024.51553	30000	0	0	30000	42.5625	2004
08.01.2020 13:41:02	1	1	1	1	94.5	62.5	0	29857.82	537.6344086	15987.82377	30000	0	0	30000	43.375	2004
08.01.2020 13:41:03	1	1	1	1	94.5	63.25	0	30000	533.3333333	15652.70568	30000	0	0	30000	43.1875	2004
08.01.2020 13:41:04	1	1	1	1	94.5	63	0	29952.607	533.3333333	16000.05436	30000	0	0	30000	42.5	2004
08.01.2020 13:41:05	1	1	1	1	94.5	62.5	0	29715.64	541.9354839	15975.59318	30000	0	0	30000	43.0625	2004
08.01.2020 13:41:06	1	1	1	1	94.5	63	0	29810.427	496.7741935	14896.85538	30000	0	0	30000	43.1875	2004
08.01.2020 13:41:07	1	1	1	1	94.5	63	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	43.3125	2004
08.01.2020 13:41:08	1	1	1	1	94.5	63.25	0	29620.853	537.6344086	15925.04009	30000	0	0	30000	43.25	2004
08.01.2020 13:41:09	1	1	1	1	94.5	63.25	0	30000	522.5806452	15652.70568	30000	0	0	30000	42.75	2004
08.01.2020 13:41:10	1	1	1	1	94.5	62.75	0	30000	516.1290323	15548.338	30000	0	0	30000	43.125	2004
08.01.2020 13:41:11	1	1	1	1	94.5	63	0	30000	490.3225806	14644.90528	30000	0	0	30000	43.3125	2004
08.01.2020 13:41:12	1	1	1	1	94.5	63.25	0	30000	481.7204301	14451.662	30000	0	0	30000	43.625	2004
08.01.2020 13:41:13	1	1	1	1	94.5	63.5	0	29952.607	483.8709677	14580.49085	30000	0	0	30000	42.875	2004
08.01.2020 13:41:14	1	1	1	1	94.5	62.75	0	30000	509.6774194	15289.86492	30000	0	0	30000	43.25	2004
08.01.2020 13:41:15	1	1	1	1	94.5	63	0	30000	520.4301075	15677.16685	30000	0	0	30000	43	2004
08.01.2020 13:41:16	1	1	1	1	94.5	63	0	30000	533.3333333	16000.05436	30000	0	0	30000	42.875	2004
08.01.2020 13:41:17	1	1	1	1	94.5	62.75	0	29810.427	537.6344086	15962.54722	30000	0	0	30000	43.1875	2004
08.01.2020 13:41:18	1	1	1	1	94.5	63	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	43.125	2004
08.01.2020 13:41:19	1	1	1	1	95	63	0	29620.853	535.483871	15861.44103	30000	0	0	30000	42.9375	2004
08.01.2020 13:41:20	1	1	1	1	95	62.75	0	29905.213	537.6344086	16141.92917	30000	0	0	30000	42.75	2004
08.01.2020 13:41:21	1	1	1	1	95	62.75	0	29905.213	535.483871	16000.05436	30000	0	0	30000	43.1875	2004
08.01.2020 13:41:22	1	1	1	1	95	63	0	30000	531.1827957	16128.88321	30000	0	0	30000	42.875	2004
08.01.2020 13:41:23	1	1	1	1	95	62.75	0	30000	520.4301075	15548.338	30000	0	0	30000	43	2004
08.01.2020 13:41:24	1	1	1	1	95	63	0	30000	518.2795699	15677.16685	30000	0	0	30000	42.3125	2004
08.01.2020 13:41:25	1	1	1	1	95	62.25	0	30000	522.5806452	15677.16685	30000	0	0	30000	42.5625	2004
08.01.2020 13:41:26	1	1	1	1	95	62.5	0	30000	522.5806452	15677.16685	30000	0	0	30000	42.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 13:41:27	1	1	1	1	95	62.25	0	30000	522.5806452	15677.16685	30000	0	0	30000	43.0625	2004
08.01.2020 13:41:28	1	1	1	1	95	63	0	30000	520.4301075	15548.338	30000	0	0	30000	43.1875	2004
08.01.2020 13:41:29	1	1	1	1	95	63	0	30000	526.8817204	15805.99571	30000	0	0	30000	42.625	2004
08.01.2020 13:41:30	1	1	1	1	95	62.5	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	43.0625	2004
08.01.2020 13:41:31	1	1	1	1	95	63	0	29620.853	535.483871	15911.99413	30000	0	0	30000	42.5	2004
08.01.2020 13:41:32	1	1	1	1	95	62.5	0	29620.853	539.7849462	15861.44103	30000	0	0	30000	43.1875	2004
08.01.2020 13:41:33	1	1	1	1	95	63	0	29336.493	544.0860215	15898.1328	30000	0	0	30000	43.1875	2004
08.01.2020 13:41:34	1	1	1	1	95	63	0	29383.886	544.0860215	16075.884	30000	0	0	30000	42.375	2004
08.01.2020 13:41:35	1	1	1	1	95	62.25	0	29289.1	550.5376344	16098.71443	30000	0	0	30000	43.1875	2004
08.01.2020 13:41:36	1	1	1	1	95	63	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	43.0625	2004
08.01.2020 13:41:37	1	1	1	1	95	63	0	29099.526	544.0860215	15920.96323	30000	0	0	30000	43.0625	2004
08.01.2020 13:41:38	1	1	1	1	95	63	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	42.9375	2004
08.01.2020 13:41:39	1	1	1	1	95.25	62.75	0	29099.526	550.5376344	16046.53059	30000	0	0	30000	43.0625	2004
08.01.2020 13:41:40	1	1	1	1	95.25	63	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	43.125	2004
08.01.2020 13:41:42	1	1	1	1	95.25	63	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	43.1875	2004
08.01.2020 13:41:43	1	1	1	1	95.25	63	0	29052.133	548.3870968	15817.41092	30000	0	0	30000	43.1875	2004
08.01.2020 13:41:44	1	1	1	1	95.25	63	0	29099.526	550.5376344	16020.43867	30000	0	0	30000	43.25	2004
08.01.2020 13:41:45	1	1	1	1	95.25	63.25	0	29004.739	552.688172	16004.13122	30000	0	0	30000	42.4375	2004
08.01.2020 13:41:46	1	1	1	1	95.25	62.25	0	29099.526	550.5376344	16171.28258	30000	0	0	30000	43.1875	2004
08.01.2020 13:41:47	1	1	1	1	95.25	63	0	28957.346	552.688172	16004.13122	30000	0	0	30000	42.9375	2004
08.01.2020 13:41:48	1	1	1	1	95.25	62.75	0	29052.133	552.688172	16056.31506	30000	0	0	30000	42.8125	2004
08.01.2020 13:41:49	1	1	1	1	95.25	62.75	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	43.1875	2004
08.01.2020 13:41:50	1	1	1	1	95.75	63	0	28957.346	550.5376344	15879.37923	30000	0	0	30000	43.1875	2004
08.01.2020 13:41:51	1	1	1	1	95.75	63	0	29099.526	552.688172	16108.4989	30000	0	0	30000	43.1875	2004
08.01.2020 13:41:52	1	1	1	1	95.75	63	0	28957.346	554.8387097	16040.00761	30000	0	0	30000	43.1875	2004
08.01.2020 13:41:53	1	1	1	1	95.75	63	0	28862.559	554.8387097	16013.91569	30000	0	0	30000	43.4375	2004
08.01.2020 13:41:54	1	1	1	1	95.75	63.25	0	28625.592	552.688172	15987.82377	30000	0	0	30000	43.3125	2004
08.01.2020 13:41:55	1	1	1	1	95.75	63.25	0	28625.592	556.9892473	16049.79208	30000	0	0	30000	43.1875	2004
08.01.2020 13:42:02	1	1	1	1	96	63	0	29146.919	546.2365591	16046.53059	30000	0	0	30000	43.125	2004
08.01.2020 13:42:02	1	1	1	1	96	63	0	29146.919	546.2365591	16046.53059	30000	0	0	30000	43.125	2004
08.01.2020 13:42:02	1	1	1	1	96	63	0	29146.919	546.2365591	16046.53059	30000	0	0	30000	43.125	2004
08.01.2020 13:42:02	1	1	1	1	96	63	0	29146.919	546.2365591	16046.53059	30000	0	0	30000	43.125	2004
08.01.2020 13:42:02	1	1	1	1	96	63	0	29146.919	546.2365591	16046.53059	30000	0	0	30000	43.125	2004
08.01.2020 13:42:02	1	1	1	1	96	63	0	29146.919	546.2365591	16046.53059	30000	0	0	30000	43.125	2004
08.01.2020 13:42:02	1	1	1	1	96	63	0	29573.46	546.2365591	16064.46878	30000	0	0	30000	43.0625	2004
08.01.2020 13:42:03	1	1	1	1	96	63	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	42.8125	2004
08.01.2020 13:42:04	1	1	1	1	96	62.75	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	43	2004
08.01.2020 13:42:05	1	1	1	1	96	63	0	29099.526	550.5376344	16020.43867	30000	0	0	30000	43.3125	2004
08.01.2020 13:42:06	1	1	1	1	96	63.25	0	29099.526	554.8387097	15942.16291	30000	0	0	30000	43.1875	2004
08.01.2020 13:42:07	1	1	1	1	96	63	0	29099.526	550.5376344	16020.43867	30000	0	0	30000	42.6875	2004
08.01.2020 13:42:08	1	1	1	1	96	62.5	0	29052.133	548.3870968	15868.77939	30000	0	0	30000	43.125	2004
08.01.2020 13:42:09	1	1	1	1	95.75	63	0	29146.919	546.2365591	16061.20729	30000	0	0	30000	42.9375	2004
08.01.2020 13:42:10	1	1	1	1	95.75	62.75	0	29052.133	544.0860215	15806.81108	30000	0	0	30000	43.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 13:42:11	1	1	1	1	95.75	63.25	0	29099.526	548.3870968	15957.65499	30000	0	0	30000	43.125	2004
08.01.2020 13:42:12	1	1	1	1	95.75	63	0	29099.526	550.5376344	16046.53059	30000	0	0	30000	42.3125	2004
08.01.2020 13:42:13	1	1	1	1	95.75	62.25	0	29099.526	550.5376344	16056.31506	30000	0	0	30000	43.25	2004
08.01.2020 13:42:14	1	1	1	1	95.75	63.25	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	43	2004
08.01.2020 13:42:15	1	1	1	1	95.75	63	0	29052.133	552.688172	16119.09874	30000	0	0	30000	43.125	2004
08.01.2020 13:42:16	1	1	1	1	95.75	63	0	28862.559	552.688172	15951.94738	30000	0	0	30000	42.9375	2004
08.01.2020 13:42:17	1	1	1	1	95.75	62.75	0	29052.133	552.688172	16056.31506	30000	0	0	30000	43.0625	2004
08.01.2020 13:42:18	1	1	1	1	95.75	63	0	28957.346	550.5376344	15879.37923	30000	0	0	30000	43.125	2004
08.01.2020 13:42:19	1	1	1	1	96	63	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	42.75	2004
08.01.2020 13:42:20	1	1	1	1	96	62.75	0	29099.526	550.5376344	15994.34675	30000	0	0	30000	43.125	2004
08.01.2020 13:42:22	1	1	1	1	96	63	0	29052.133	554.8387097	16270.75802	30000	0	0	30000	42.625	2004
08.01.2020 13:42:23	1	1	1	1	96	62.5	0	28957.346	554.8387097	16004.13122	30000	0	0	30000	43.125	2004
08.01.2020 13:42:24	1	1	1	1	96	63	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	42.8125	2004
08.01.2020 13:42:25	1	1	1	1	96	62.75	0	28625.592	552.688172	15794.58049	30000	0	0	30000	42.875	2004
08.01.2020 13:42:26	1	1	1	1	96	62.75	0	28815.166	556.9892473	15987.82377	30000	0	0	30000	42.8125	2004
08.01.2020 13:42:27	1	1	1	1	96	62.75	0	28815.166	556.9892473	16111.76039	30000	0	0	30000	42.9375	2004
08.01.2020 13:42:28	1	1	1	1	96	62.75	0	28625.592	556.9892473	15943.79366	30000	0	0	30000	42.875	2004
08.01.2020 13:42:29	1	1	1	1	96	62.75	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	43	2004
08.01.2020 13:42:30	1	1	1	1	96.25	63	0	28625.592	552.688172	16111.76039	30000	0	0	30000	43.1875	2004
08.01.2020 13:42:31	1	1	1	1	96.25	63	0	28578.199	554.8387097	15978.85467	30000	0	0	30000	43.125	2004
08.01.2020 13:42:32	1	1	1	1	96.25	63	0	28625.592	561.2903226	16173.7287	30000	0	0	30000	42.75	2004
08.01.2020 13:42:33	1	1	1	1	96.25	62.75	0	28483.412	559.1397849	16048.16134	30000	0	0	30000	43.0625	2004
08.01.2020 13:42:34	1	1	1	1	96.25	63	0	28578.199	559.1397849	15978.85467	30000	0	0	30000	42.9375	2004
08.01.2020 13:42:35	1	1	1	1	96.25	63	0	28530.806	561.2903226	16013.91569	30000	0	0	30000	43.3125	2004
08.01.2020 13:42:36	1	1	1	1	96.25	63.25	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	42.75	2004
08.01.2020 13:42:37	1	1	1	1	96.25	62.75	0	28578.199	563.4408602	16163.12886	30000	0	0	30000	42.375	2004
08.01.2020 13:42:38	1	1	1	1	96.25	62.25	0	28388.626	561.2903226	15934.00919	30000	0	0	30000	42.6875	2004
08.01.2020 13:42:39	1	1	1	1	96	62.5	0	28388.626	563.4408602	16056.31506	30000	0	0	30000	42.5625	2004
08.01.2020 13:42:40	1	1	1	1	96	62.5	0	28199.052	561.2903226	15881.00997	30000	0	0	30000	43.0625	2004
08.01.2020 13:42:41	1	1	1	1	96	63	0	28388.626	563.4408602	16056.31506	30000	0	0	30000	43	2004
08.01.2020 13:42:42	1	1	1	1	96	63	0	28436.019	563.4408602	15960.91648	30000	0	0	30000	43.0625	2004
08.01.2020 13:42:43	1	1	1	1	96	63	0	28199.052	561.2903226	15888.34833	30000	0	0	30000	42.9375	2004
08.01.2020 13:42:44	1	1	1	1	96	62.75	0	28436.019	559.1397849	16048.16134	30000	0	0	30000	42.6875	2004
08.01.2020 13:42:45	1	1	1	1	96	62.5	0	28199.052	563.4408602	15888.34833	30000	0	0	30000	42.875	2004
08.01.2020 13:42:46	1	1	1	1	96	62.75	0	28436.019	561.2903226	15995.16212	30000	0	0	30000	43.25	2004
08.01.2020 13:42:47	1	1	1	1	96	63.25	0	28293.839	561.2903226	15948.68589	30000	0	0	30000	42.6875	2004
08.01.2020 13:42:48	1	1	1	1	96	62.5	0	28293.839	563.4408602	15827.19539	30000	0	0	30000	42.8125	2004
08.01.2020 13:42:49	1	1	1	1	96.75	62.75	0	28293.839	567.7419355	16009.83883	30000	0	0	30000	42.9375	2004
08.01.2020 13:42:50	1	1	1	1	96.75	62.75	0	28293.839	567.7419355	16002.50048	30000	0	0	30000	42.9375	2004
08.01.2020 13:42:51	1	1	1	1	96.75	62.75	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	43.3125	2004
08.01.2020 13:42:52	1	1	1	1	96.75	63.25	0	28341.232	567.7419355	16090.5607	30000	0	0	30000	43	2004
08.01.2020 13:42:53	1	1	1	1	96.75	63	0	28009.479	565.5913978	16009.83883	30000	0	0	30000	43.25	2004
08.01.2020 13:42:54	1	1	1	1	96.75	63.25	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	43.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 13:42:55	1	1	1	1	96.75	63	0	28293.839	567.7419355	15948.68589	30000	0	0	30000	43.1875	2004
08.01.2020 13:42:56	1	1	1	1	96.75	63	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	43.1875	2004
08.01.2020 13:43:04	1	1	1	1	96.25	62.5	0	28199.052	563.4408602	15888.34833	30000	0	0	30000	43.25	2004
08.01.2020 13:43:04	1	1	1	1	96.25	62.5	0	28199.052	563.4408602	15888.34833	30000	0	0	30000	43.25	2004
08.01.2020 13:43:04	1	1	1	1	96.25	62.5	0	28199.052	563.4408602	15888.34833	30000	0	0	30000	43.25	2004
08.01.2020 13:43:04	1	1	1	1	96.25	62.5	0	28199.052	563.4408602	15888.34833	30000	0	0	30000	43.25	2004
08.01.2020 13:43:04	1	1	1	1	96.25	62.5	0	28199.052	563.4408602	15888.34833	30000	0	0	30000	43.25	2004
08.01.2020 13:43:04	1	1	1	1	96.25	63.25	0	28341.232	565.5913978	16029.40777	30000	0	0	30000	43.125	2004
08.01.2020 13:43:05	1	1	1	1	96.25	63	0	28341.232	567.7419355	16029.40777	30000	0	0	30000	42.875	2004
08.01.2020 13:43:06	1	1	1	1	96.25	62.75	0	28199.052	563.4408602	15888.34833	30000	0	0	30000	42.375	2004
08.01.2020 13:43:07	1	1	1	1	96.25	62.25	0	28341.232	565.5913978	16002.50048	30000	0	0	30000	41.9375	2004
08.01.2020 13:43:08	1	1	1	1	96.25	61.75	0	28436.019	563.4408602	16048.16134	30000	0	0	30000	43.1875	2004
08.01.2020 13:43:09	1	1	1	1	96.25	63	0	28341.232	563.4408602	15968.25483	30000	0	0	30000	43.1875	2004
08.01.2020 13:43:10	1	1	1	1	96.5	63	0	28293.839	563.4408602	16029.40777	30000	0	0	30000	42.9375	2004
08.01.2020 13:43:11	1	1	1	1	96.5	62.75	0	28436.019	563.4408602	16048.16134	30000	0	0	30000	43.25	2004
08.01.2020 13:43:12	1	1	1	1	96.5	63.25	0	28388.626	563.4408602	16056.31506	30000	0	0	30000	43.3125	2004
08.01.2020 13:43:13	1	1	1	1	96.5	63.25	0	28388.626	563.4408602	15995.16212	30000	0	0	30000	43.375	2004
08.01.2020 13:43:14	1	1	1	1	96.5	63	0	28341.232	565.5913978	15968.25483	30000	0	0	30000	43.0625	2004
08.01.2020 13:43:15	1	1	1	1	96.5	63	0	28436.019	561.2903226	15934.00919	30000	0	0	30000	42.9375	2004
08.01.2020 13:43:16	1	1	1	1	96.5	62.75	0	28341.232	563.4408602	16029.40777	30000	0	0	30000	42.9375	2004
08.01.2020 13:43:17	1	1	1	1	96.5	62.75	0	28388.626	565.5913978	16056.31506	30000	0	0	30000	42.1875	2004
08.01.2020 13:43:18	1	1	1	1	96.5	62	0	28341.232	563.4408602	15968.25483	30000	0	0	30000	42.625	2004
08.01.2020 13:43:19	1	1	1	1	96.75	62.5	0	28341.232	563.4408602	16029.40777	30000	0	0	30000	42.4375	2004
08.01.2020 13:43:20	1	1	1	1	96.75	62.25	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	43.25	2004
08.01.2020 13:43:21	1	1	1	1	96.75	63.25	0	28436.019	561.2903226	15899.76354	30000	0	0	30000	43.1875	2004
08.01.2020 13:43:22	1	1	1	1	96.75	63	0	28436.019	561.2903226	16048.16134	30000	0	0	30000	42.6875	2004
08.01.2020 13:43:23	1	1	1	1	96.75	62.5	0	28341.232	561.2903226	15934.00919	30000	0	0	30000	42.625	2004
08.01.2020 13:43:24	1	1	1	1	96.75	62.5	0	28199.052	556.9892473	15766.85783	30000	0	0	30000	43.1875	2004
08.01.2020 13:43:25	1	1	1	1	96.75	63	0	28483.412	563.4408602	15987.0084	30000	0	0	30000	43.25	2004
08.01.2020 13:43:26	1	1	1	1	96.75	63.25	0	28436.019	559.1397849	15934.00919	30000	0	0	30000	43.3125	2004
08.01.2020 13:43:27	1	1	1	1	96.75	63.25	0	28009.479	561.2903226	15827.19539	30000	0	0	30000	43.25	2004
08.01.2020 13:43:28	1	1	1	1	96.75	63.25	0	28436.019	563.4408602	16083.22235	30000	0	0	30000	42.6875	2004
08.01.2020 13:43:29	1	1	1	1	96	62.5	0	28293.839	561.2903226	15968.25483	30000	0	0	30000	43.1875	2004
08.01.2020 13:43:30	1	1	1	1	96	63	0	28293.839	565.5913978	15948.68589	30000	0	0	30000	42.5	2004
08.01.2020 13:43:31	1	1	1	1	96	62.5	0	28341.232	563.4408602	16177.80556	30000	0	0	30000	43.125	2004
08.01.2020 13:43:32	1	1	1	1	96	63	0	28199.052	563.4408602	15888.34833	30000	0	0	30000	43.1875	2004
08.01.2020 13:43:33	1	1	1	1	96	63	0	28388.626	563.4408602	16056.31506	30000	0	0	30000	42.6875	2004
08.01.2020 13:43:34	1	1	1	1	96	62.5	0	28293.839	565.5913978	16002.50048	30000	0	0	30000	42.625	2004
08.01.2020 13:43:35	1	1	1	1	96	62.5	0	28436.019	563.4408602	16083.22235	30000	0	0	30000	43.3125	2004
08.01.2020 13:43:36	1	1	1	1	96	63.25	0	28436.019	563.4408602	16083.22235	30000	0	0	30000	42.9375	2004
08.01.2020 13:43:37	1	1	1	1	96	62.75	0	28341.232	561.2903226	15907.10189	30000	0	0	30000	42.6875	2004
08.01.2020 13:43:39	1	1	1	1	96	62.5	0	28341.232	563.4408602	16029.40777	30000	0	0	30000	43.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 13:43:40	1	1	1	1	96.25	63.25	0	28578.199	563.4408602	16101.97592	30000	0	0	30000	42.8125	2004
08.01.2020 13:43:41	1	1	1	1	96.25	62.75	0	28530.806	559.1397849	15978.85467	30000	0	0	30000	43.1875	2004
08.01.2020 13:43:42	1	1	1	1	96.25	63	0	28578.199	559.1397849	16040.00761	30000	0	0	30000	43.125	2004
08.01.2020 13:43:43	1	1	1	1	96.25	63	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	43.1875	2004
08.01.2020 13:43:46	1	1	1	1	96.25	63.25	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	43.0625	2004
08.01.2020 13:43:46	1	1	1	1	96.25	63.25	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	43.0625	2004
08.01.2020 13:43:46	1	1	1	1	96.25	63.25	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	43.0625	2004
08.01.2020 13:43:47	1	1	1	1	96.25	63	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	43	2004
08.01.2020 13:43:48	1	1	1	1	96.25	63	0	28530.806	565.5913978	15987.0084	30000	0	0	30000	43.1875	2004
08.01.2020 13:43:49	1	1	1	1	96.25	63	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	42.8125	2004
08.01.2020 13:43:50	1	1	1	1	96.5	62.75	0	28341.232	561.2903226	15934.00919	30000	0	0	30000	43.5	2004
08.01.2020 13:43:51	1	1	1	1	96.5	63.5	0	28341.232	561.2903226	15907.10189	30000	0	0	30000	43.4375	2004
08.01.2020 13:43:52	1	1	1	1	96.5	63.25	0	28388.626	563.4408602	15995.16212	30000	0	0	30000	43.0625	2004
08.01.2020 13:43:53	1	1	1	1	96.5	63	0	28199.052	565.5913978	15827.19539	30000	0	0	30000	43.375	2004
08.01.2020 13:43:54	1	1	1	1	96.5	63.25	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	42.875	2004
08.01.2020 13:43:55	1	1	1	1	96.5	62.75	0	28436.019	563.4408602	16083.22235	30000	0	0	30000	42.9375	2004
08.01.2020 13:43:56	1	1	1	1	96.5	62.75	0	28483.412	565.5913978	16109.31427	30000	0	0	30000	43	2004
08.01.2020 13:43:57	1	1	1	1	96.5	63	0	28293.839	565.5913978	15948.68589	30000	0	0	30000	43.3125	2004
08.01.2020 13:43:58	1	1	1	1	96.5	63.25	0	28388.626	563.4408602	15995.16212	30000	0	0	30000	43.25	2004
08.01.2020 13:44:05	1	1	1	1	95.75	63	0	28815.166	552.688172	15987.82377	30000	0	0	30000	43.25	2004
08.01.2020 13:44:05	1	1	1	1	95.75	63	0	28815.166	552.688172	15987.82377	30000	0	0	30000	43.25	2004
08.01.2020 13:44:05	1	1	1	1	95.75	63	0	28815.166	552.688172	15987.82377	30000	0	0	30000	43.25	2004
08.01.2020 13:44:05	1	1	1	1	95.75	63	0	28815.166	552.688172	15987.82377	30000	0	0	30000	43.25	2004
08.01.2020 13:44:05	1	1	1	1	95.75	63	0	28815.166	552.688172	15987.82377	30000	0	0	30000	43.25	2004
08.01.2020 13:44:05	1	1	1	1	95.75	63.25	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	43.25	2004
08.01.2020 13:44:06	1	1	1	1	95.75	63.25	0	29052.133	550.5376344	15817.41092	30000	0	0	30000	43.1875	2004
08.01.2020 13:44:07	1	1	1	1	95.75	63	0	29383.886	550.5376344	16087.29921	30000	0	0	30000	43.125	2004
08.01.2020 13:44:08	1	1	1	1	95.75	63	0	29241.706	546.2365591	16035.11538	30000	0	0	30000	43.25	2004
08.01.2020 13:44:09	1	1	1	1	95.25	63.25	0	29146.919	550.5376344	15972.33169	30000	0	0	30000	42.6875	2004
08.01.2020 13:44:10	1	1	1	1	95.25	62.5	0	29336.493	546.2365591	16087.29921	30000	0	0	30000	42.625	2004
08.01.2020 13:44:11	1	1	1	1	95.25	62.5	0	29146.919	546.2365591	15858.17955	30000	0	0	30000	43.0625	2004
08.01.2020 13:44:12	1	1	1	1	95.25	63	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	43.0625	2004
08.01.2020 13:44:13	1	1	1	1	95.25	63	0	29620.853	544.0860215	16026.96165	30000	0	0	30000	43.25	2004
08.01.2020 13:44:14	1	1	1	1	95.25	63.25	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	43.3125	2004
08.01.2020 13:44:16	1	1	1	1	95.25	63.25	0	29431.28	544.0860215	15708.96638	30000	0	0	30000	43.125	2004
08.01.2020 13:44:17	1	1	1	1	95.25	63	0	29336.493	541.9354839	15835.34912	30000	0	0	30000	43.25	2004
08.01.2020 13:44:18	1	1	1	1	95.25	63.25	0	29336.493	546.2365591	15960.91648	30000	0	0	30000	43.1875	2004
08.01.2020 13:44:19	1	1	1	1	95.25	63	0	29526.066	544.0860215	16000.86973	30000	0	0	30000	43	2004
08.01.2020 13:44:20	1	1	1	1	95.25	63	0	29620.853	541.9354839	16078.33012	30000	0	0	30000	42.875	2004
08.01.2020 13:44:21	1	1	1	1	95.25	62.75	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	42.8125	2004
08.01.2020 13:44:22	1	1	1	1	95.25	62.75	0	29526.066	541.9354839	15937.27068	30000	0	0	30000	42.8125	2004
08.01.2020 13:44:23	1	1	1	1	95.25	62.75	0	29526.066	533.3333333	15899.76354	30000	0	0	30000	42.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 13:44:24	1	1	1	1	95.25	62.5	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	42.6875	2004
08.01.2020 13:44:25	1	1	1	1	95.25	62.5	0	29857.82	539.7849462	16206.3436	30000	0	0	30000	42.3125	2004
08.01.2020 13:44:26	1	1	1	1	95.25	62.25	0	29668.246	537.6344086	15988.63914	30000	0	0	30000	43.1875	2004
08.01.2020 13:44:27	1	1	1	1	95.25	63	0	29526.066	537.6344086	15899.76354	30000	0	0	30000	41.875	2004
08.01.2020 13:44:28	1	1	1	1	95.25	61.75	0	29668.246	537.6344086	15950.31664	30000	0	0	30000	43.1875	2004
08.01.2020 13:44:29	1	1	1	1	95.25	63	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	43.5625	2004
08.01.2020 13:44:30	1	1	1	1	95.25	63.5	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	42.875	2004
08.01.2020 13:44:31	1	1	1	1	95.25	62.75	0	29810.427	537.6344086	15911.99413	30000	0	0	30000	43.25	2004
08.01.2020 13:44:32	1	1	1	1	95.25	63	0	29857.82	535.483871	16077.51474	30000	0	0	30000	43.0625	2004
08.01.2020 13:44:33	1	1	1	1	95.25	63	0	29810.427	537.6344086	16090.5607	30000	0	0	30000	42.8125	2004
08.01.2020 13:44:34	1	1	1	1	95.25	62.75	0	29810.427	537.6344086	16116.65262	30000	0	0	30000	42.9375	2004
08.01.2020 13:44:35	1	1	1	1	95.25	62.75	0	29573.46	541.9354839	16026.96165	30000	0	0	30000	43.1875	2004
08.01.2020 13:44:36	1	1	1	1	95.25	63	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	43	2004
08.01.2020 13:44:37	1	1	1	1	95.25	63	0	29241.706	544.0860215	15909.54801	30000	0	0	30000	43	2004
08.01.2020 13:44:38	1	1	1	1	95.25	63	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	42.8125	2004
08.01.2020 13:44:39	1	1	1	1	95.75	62.75	0	28957.346	550.5376344	15994.34675	30000	0	0	30000	43.375	2004
08.01.2020 13:44:40	1	1	1	1	95.75	63.25	0	28862.559	552.688172	15951.94738	30000	0	0	30000	43	2004
08.01.2020 13:44:41	1	1	1	1	95.75	63	0	28862.559	554.8387097	16252.81983	30000	0	0	30000	42.875	2004
08.01.2020 13:44:42	1	1	1	1	95.75	62.75	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	43.125	2004
08.01.2020 13:44:43	1	1	1	1	95.75	63	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	42.875	2004
08.01.2020 13:44:44	1	1	1	1	95.75	62.75	0	28815.166	554.8387097	15733.42755	30000	0	0	30000	43	2004
08.01.2020 13:44:45	1	1	1	1	95.75	63	0	28862.559	559.1397849	16199.82062	30000	0	0	30000	43.1875	2004
08.01.2020 13:44:46	1	1	1	1	95.75	63	0	28862.559	559.1397849	16075.884	30000	0	0	30000	43.125	2004
08.01.2020 13:44:47	1	1	1	1	95.75	63	0	28578.199	550.5376344	15882.64072	30000	0	0	30000	43	2004
08.01.2020 13:44:48	1	1	1	1	95.75	63	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	43.25	2004
08.01.2020 13:44:49	1	1	1	1	95.5	63.25	0	28625.592	554.8387097	15987.82377	30000	0	0	30000	42.4375	2004
08.01.2020 13:44:50	1	1	1	1	95.5	62.25	0	28578.199	552.688172	15794.58049	30000	0	0	30000	43.25	2004
08.01.2020 13:44:51	1	1	1	1	95.5	63.25	0	28578.199	552.688172	15855.73343	30000	0	0	30000	42.6875	2004
08.01.2020 13:44:52	1	1	1	1	95.5	62.5	0	28815.166	550.5376344	15863.88715	30000	0	0	30000	43.125	2004
08.01.2020 13:44:54	1	1	1	1	95.5	63	0	29052.133	554.8387097	16332.72633	30000	0	0	30000	42.9375	2004
08.01.2020 13:44:55	1	1	1	1	95.5	62.75	0	28815.166	552.688172	16049.79208	30000	0	0	30000	43.1875	2004
08.01.2020 13:44:56	1	1	1	1	95.5	63	0	28862.559	554.8387097	15951.94738	30000	0	0	30000	43.125	2004
08.01.2020 13:44:57	1	1	1	1	95.5	63	0	28957.346	552.688172	16066.09953	30000	0	0	30000	43.1875	2004
08.01.2020 13:44:58	1	1	1	1	95.5	63	0	28957.346	552.688172	15942.16291	30000	0	0	30000	42.9375	2004
08.01.2020 13:44:59	1	1	1	1	95.5	62.75	0	29099.526	550.5376344	16020.43867	30000	0	0	30000	42.75	2004
08.01.2020 13:45:00	1	1	1	1	95.75	62.75	0	29099.526	550.5376344	16020.43867	30000	0	0	30000	42.75	2004
08.01.2020 13:45:07	1	1	1	1	95.75	63	0	28862.559	554.8387097	16075.884	30000	0	0	30000	43.125	2004
08.01.2020 13:45:07	1	1	1	1	95.75	63	0	28862.559	554.8387097	16075.884	30000	0	0	30000	43.125	2004
08.01.2020 13:45:07	1	1	1	1	95.75	63	0	28862.559	554.8387097	16075.884	30000	0	0	30000	43.125	2004
08.01.2020 13:45:07	1	1	1	1	95.75	63	0	28862.559	554.8387097	16075.884	30000	0	0	30000	43.125	2004
08.01.2020 13:45:07	1	1	1	1	95.75	63	0	28862.559	554.8387097	16075.884	30000	0	0	30000	43.125	2004
08.01.2020 13:45:07	1	1	1	1	95.75	63	0	28862.559	554.8387097	16075.884	30000	0	0	30000	43.125	2004
08.01.2020 13:45:07	1	1	1	1	95.75	63	0	28815.166	550.5376344	15863.88715	30000	0	0	30000	43.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 13:45:08	1	1	1	1	95.75	63	0	28625.592	550.5376344	15925.85546	30000	0	0	30000	43.3125	2004
08.01.2020 13:45:09	1	1	1	1	95.75	63.25	0	28578.199	556.9892473	15917.70174	30000	0	0	30000	43.3125	2004
08.01.2020 13:45:10	1	1	1	1	96	63.25	0	28578.199	559.1397849	16005.76197	30000	0	0	30000	43.375	2004
08.01.2020 13:45:11	1	1	1	1	96	63.25	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	43.1875	2004
08.01.2020 13:45:12	1	1	1	1	96	63.25	0	28388.626	561.2903226	15995.16212	30000	0	0	30000	43.0625	2004
08.01.2020 13:45:13	1	1	1	1	96	63	0	28341.232	567.7419355	16002.50048	30000	0	0	30000	43	2004
08.01.2020 13:45:14	1	1	1	1	96	63	0	28293.839	565.5913978	15948.68589	30000	0	0	30000	43.1875	2004
08.01.2020 13:45:15	1	1	1	1	96	63	0	28293.839	567.7419355	16070.17639	30000	0	0	30000	43.1875	2004
08.01.2020 13:45:16	1	1	1	1	96	63	0	28341.232	565.5913978	16029.40777	30000	0	0	30000	43.0625	2004
08.01.2020 13:45:17	1	1	1	1	96	63	0	28388.626	563.4408602	15934.00919	30000	0	0	30000	43.0625	2004
08.01.2020 13:45:18	1	1	1	1	96	63	0	28388.626	563.4408602	16056.31506	30000	0	0	30000	42.5625	2004
08.01.2020 13:45:19	1	1	1	1	95.75	62.5	0	28483.412	565.5913978	16083.22235	30000	0	0	30000	43.1875	2004
08.01.2020 13:45:20	1	1	1	1	95.75	63	0	28388.626	559.1397849	16022.06942	30000	0	0	30000	43.0625	2004
08.01.2020 13:45:21	1	1	1	1	95.75	63	0	28483.412	567.7419355	16109.31427	30000	0	0	30000	43.25	2004
08.01.2020 13:45:22	1	1	1	1	95.75	63.25	0	28436.019	569.8924731	15934.00919	30000	0	0	30000	43.0625	2004
08.01.2020 13:45:23	1	1	1	1	95.75	63	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	42.6875	2004
08.01.2020 13:45:24	1	1	1	1	95.75	62.5	0	28341.232	563.4408602	15846.76433	30000	0	0	30000	42.875	2004
08.01.2020 13:45:25	1	1	1	1	95.75	62.75	0	28341.232	563.4408602	15968.25483	30000	0	0	30000	43.1875	2004
08.01.2020 13:45:26	1	1	1	1	95.75	63	0	28436.019	563.4408602	16083.22235	30000	0	0	30000	42.875	2004
08.01.2020 13:45:27	1	1	1	1	95.75	62.75	0	28199.052	565.5913978	15827.19539	30000	0	0	30000	42.9375	2004
08.01.2020 13:45:28	1	1	1	1	95.75	62.75	0	28341.232	565.5913978	16029.40777	30000	0	0	30000	42.4375	2004
08.01.2020 13:45:29	1	1	1	1	95.75	62.25	0	28341.232	567.7419355	16029.40777	30000	0	0	30000	42.4375	2004
08.01.2020 13:45:30	1	1	1	1	95.75	62.25	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	42.875	2004
08.01.2020 13:45:31	1	1	1	1	95.75	62.75	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	43	2004
08.01.2020 13:45:33	1	1	1	1	95.75	63	0	28815.166	559.1397849	16049.79208	30000	0	0	30000	42.9375	2004
08.01.2020 13:45:34	1	1	1	1	95.75	62.75	0	28625.592	556.9892473	15882.64072	30000	0	0	30000	43.0625	2004
08.01.2020 13:45:35	1	1	1	1	95.75	63	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	42.5	2004
08.01.2020 13:45:36	1	1	1	1	95.75	62.5	0	28815.166	559.1397849	16049.79208	30000	0	0	30000	43.0625	2004
08.01.2020 13:45:37	1	1	1	1	95.75	63	0	28815.166	550.5376344	15925.85546	30000	0	0	30000	42.9375	2004
08.01.2020 13:45:38	1	1	1	1	95.75	62.75	0	28625.592	552.688172	15820.67241	30000	0	0	30000	42.8125	2004
08.01.2020 13:45:39	1	1	1	1	95.75	62.75	0	28625.592	554.8387097	15733.42755	30000	0	0	30000	42.5	2004
08.01.2020 13:45:40	1	1	1	1	95.5	62.5	0	28815.166	556.9892473	16137.85231	30000	0	0	30000	43.1875	2004
08.01.2020 13:45:41	1	1	1	1	95.5	63	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	43.125	2004
08.01.2020 13:45:42	1	1	1	1	95.5	63	0	28625.592	556.9892473	16049.79208	30000	0	0	30000	43.125	2004
08.01.2020 13:45:43	1	1	1	1	95.5	63	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	42.75	2004
08.01.2020 13:45:44	1	1	1	1	95.5	62.75	0	28815.166	559.1397849	16111.76039	30000	0	0	30000	42.875	2004
08.01.2020 13:45:45	1	1	1	1	95.5	62.75	0	28625.592	559.1397849	15917.70174	30000	0	0	30000	43.125	2004
08.01.2020 13:45:46	1	1	1	1	95.5	63	0	28483.412	559.1397849	16101.97592	30000	0	0	30000	42.875	2004
08.01.2020 13:45:47	1	1	1	1	95.5	62.75	0	28625.592	559.1397849	16111.76039	30000	0	0	30000	43.375	2004
08.01.2020 13:45:48	1	1	1	1	95.5	63.25	0	28957.346	554.8387097	16315.60351	30000	0	0	30000	43.125	2004
08.01.2020 13:45:49	1	1	1	1	95.5	63	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	43.125	2004
08.01.2020 13:45:50	1	1	1	1	95.5	63	0	28862.559	554.8387097	15951.94738	30000	0	0	30000	42.4375	2004
08.01.2020 13:45:51	1	1	1	1	95.5	62.25	0	28815.166	552.688172	15987.82377	30000	0	0	30000	43.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 13:45:52	1	1	1	1	95.5	63.25	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	43.0625	2004
08.01.2020 13:45:53	1	1	1	1	95.5	63	0	28625.592	559.1397849	16005.76197	30000	0	0	30000	43.0625	2004
08.01.2020 13:45:54	1	1	1	1	95.5	63	0	28625.592	559.1397849	16173.7287	30000	0	0	30000	42.75	2004
08.01.2020 13:45:55	1	1	1	1	95.5	62.75	0	28341.232	559.1397849	15785.61139	30000	0	0	30000	43.125	2004
08.01.2020 13:45:56	1	1	1	1	95.5	63	0	28483.412	559.1397849	15987.0084	30000	0	0	30000	43.375	2004
08.01.2020 13:45:57	1	1	1	1	95.5	63.25	0	28483.412	556.9892473	15978.85467	30000	0	0	30000	43.0625	2004
08.01.2020 13:45:58	1	1	1	1	95.5	63	0	28436.019	565.5913978	15960.91648	30000	0	0	30000	42.5	2004
08.01.2020 13:45:59	1	1	1	1	95.25	62.5	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	43	2004
08.01.2020 13:46:00	1	1	1	1	95.25	63	0	28815.166	559.1397849	15943.79366	30000	0	0	30000	43.1875	2004
08.01.2020 13:46:01	1	1	1	1	95.25	63	0	28625.592	554.8387097	16049.79208	30000	0	0	30000	42.75	2004
08.01.2020 13:46:08	1	1	1	1	95.25	62.5	0	30000	524.7311828	15548.338	30000	0	0	30000	43.1875	2004
08.01.2020 13:46:08	1	1	1	1	95.25	62.5	0	30000	524.7311828	15548.338	30000	0	0	30000	43.1875	2004
08.01.2020 13:46:08	1	1	1	1	95.25	62.5	0	30000	524.7311828	15548.338	30000	0	0	30000	43.1875	2004
08.01.2020 13:46:08	1	1	1	1	95.25	62.5	0	30000	524.7311828	15548.338	30000	0	0	30000	43.1875	2004
08.01.2020 13:46:08	1	1	1	1	95.25	62.5	0	30000	524.7311828	15548.338	30000	0	0	30000	43.1875	2004
08.01.2020 13:46:08	1	1	1	1	95.25	63	0	30000	511.827957	15354.27935	30000	0	0	30000	43.1875	2004
08.01.2020 13:46:09	1	1	1	1	95.25	63	0	30000	507.5268817	15225.45049	30000	0	0	30000	43	2004
08.01.2020 13:46:11	1	1	1	1	95.25	63	0	30000	503.2258065	15096.62164	30000	0	0	30000	42.75	2004
08.01.2020 13:46:12	1	1	1	1	95.25	62.75	0	29952.607	496.7741935	15032.20721	30000	0	0	30000	42.75	2004
08.01.2020 13:46:13	1	1	1	1	95.25	62.75	0	30000	494.6236559	14902.56299	30000	0	0	30000	43.125	2004
08.01.2020 13:46:14	1	1	1	1	95.25	63	0	30000	501.0752688	15096.62164	30000	0	0	30000	42.5	2004
08.01.2020 13:46:15	1	1	1	1	95.25	62.5	0	30047.393	505.3763441	15161.03607	30000	0	0	30000	43.125	2004
08.01.2020 13:46:16	1	1	1	1	95.25	63	0	30000	501.0752688	15096.62164	30000	0	0	30000	42.9375	2004
08.01.2020 13:46:17	1	1	1	1	95.25	62.75	0	30000	507.5268817	15161.03607	30000	0	0	30000	42.75	2004
08.01.2020 13:46:18	1	1	1	1	95.25	62.75	0	29810.427	464.516129	13847.47099	30000	0	0	30000	42.9375	2004
08.01.2020 13:46:19	1	1	1	1	95.25	62.75	0	30000	516.1290323	15354.27935	30000	0	0	30000	43.125	2004
08.01.2020 13:46:20	1	1	1	1	95.25	63	0	30000	518.2795699	15548.338	30000	0	0	30000	43	2004
08.01.2020 13:46:21	1	1	1	1	95.25	63	0	30000	520.4301075	15548.338	30000	0	0	30000	43	2004
08.01.2020 13:46:22	1	1	1	1	95.25	63	0	30000	529.0322581	15934.82456	30000	0	0	30000	42.8125	2004
08.01.2020 13:46:23	1	1	1	1	95.25	62.75	0	30000	526.8817204	15805.99571	30000	0	0	30000	42.625	2004
08.01.2020 13:46:24	1	1	1	1	95.25	62.5	0	29952.607	533.3333333	16039.19224	30000	0	0	30000	43.375	2004
08.01.2020 13:46:25	1	1	1	1	95.25	63.25	0	29952.607	531.1827957	16000.05436	30000	0	0	30000	42.875	2004
08.01.2020 13:46:26	1	1	1	1	95.25	62.75	0	29952.607	535.483871	16257.71206	30000	0	0	30000	43.6875	2004
08.01.2020 13:46:27	1	1	1	1	95.25	63.5	0	29905.213	533.3333333	16206.3436	30000	0	0	30000	43.3125	2004
08.01.2020 13:46:28	1	1	1	1	95.25	63.25	0	29810.427	535.483871	15962.54722	30000	0	0	30000	43.5625	2004
08.01.2020 13:46:29	1	1	1	1	95.25	63	0	29905.213	541.9354839	15987.82377	30000	0	0	30000	42.9375	2004
08.01.2020 13:46:30	1	1	1	1	95.25	62.75	0	29857.82	537.6344086	16052.2382	30000	0	0	30000	43.0625	2004
08.01.2020 13:46:31	1	1	1	1	95.25	63	0	29763.033	533.3333333	15848.39508	30000	0	0	30000	42.75	2004
08.01.2020 13:46:32	1	1	1	1	95.25	62.75	0	29905.213	535.483871	16013.10032	30000	0	0	30000	43.0625	2004
08.01.2020 13:46:33	1	1	1	1	95.25	63	0	29857.82	531.1827957	15859.81029	30000	0	0	30000	42.9375	2004
08.01.2020 13:46:34	1	1	1	1	95.25	62.75	0	29952.607	535.483871	16013.10032	30000	0	0	30000	43.125	2004
08.01.2020 13:46:35	1	1	1	1	95.25	63	0	29857.82	533.3333333	16013.10032	30000	0	0	30000	43.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 13:46:36	1	1	1	1	95.25	63	0	29857.82	533.3333333	16077.51474	30000	0	0	30000	42.8125	2004
08.01.2020 13:46:37	1	1	1	1	95.25	62.75	0	30000	524.7311828	15677.16685	30000	0	0	30000	42.8125	2004
08.01.2020 13:46:38	1	1	1	1	95.25	62.75	0	30000	520.4301075	15548.338	30000	0	0	30000	42.8125	2004
08.01.2020 13:46:39	1	1	1	1	95	62.75	0	30000	526.8817204	15805.99571	30000	0	0	30000	42.1875	2004
08.01.2020 13:46:40	1	1	1	1	95	62	0	30000	529.0322581	15934.82456	30000	0	0	30000	42.9375	2004
08.01.2020 13:46:41	1	1	1	1	95	62.75	0	29905.213	524.7311828	15949.50126	30000	0	0	30000	42.5	2004
08.01.2020 13:46:42	1	1	1	1	95	62.5	0	30000	533.3333333	16000.05436	30000	0	0	30000	43.125	2004
08.01.2020 13:46:43	1	1	1	1	95	63	0	29952.607	533.3333333	15949.50126	30000	0	0	30000	42.6875	2004
08.01.2020 13:46:44	1	1	1	1	95	62.5	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	43.3125	2004
08.01.2020 13:46:45	1	1	1	1	95	63.25	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	42.375	2004
08.01.2020 13:46:46	1	1	1	1	95	62.25	0	29952.607	533.3333333	16039.19224	30000	0	0	30000	42.9375	2004
08.01.2020 13:46:47	1	1	1	1	95	62.75	0	29810.427	533.3333333	15898.94817	30000	0	0	30000	42.4375	2004
08.01.2020 13:46:49	1	1	1	1	95	62.25	0	29905.213	526.8817204	16064.46878	30000	0	0	30000	42.875	2004
08.01.2020 13:46:50	1	1	1	1	94.5	62.75	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	42.875	2004
08.01.2020 13:46:51	1	1	1	1	94.5	62.75	0	29810.427	533.3333333	15987.82377	30000	0	0	30000	42.375	2004
08.01.2020 13:46:52	1	1	1	1	94.5	62.25	0	30094.787	539.7849462	16000.05436	30000	0	0	30000	42.6875	2004
08.01.2020 13:46:53	1	1	1	1	94.5	62.5	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	43.3125	2004
08.01.2020 13:46:54	1	1	1	1	94.5	63.25	0	29905.213	529.0322581	16000.05436	30000	0	0	30000	43.125	2004
08.01.2020 13:46:55	1	1	1	1	94.5	63	0	30000	533.3333333	16000.05436	30000	0	0	30000	42.5625	2004
08.01.2020 13:46:56	1	1	1	1	94.5	62.5	0	29952.607	533.3333333	16039.19224	30000	0	0	30000	42.75	2004
08.01.2020 13:46:57	1	1	1	1	94.5	62.75	0	30000	524.7311828	15741.58128	30000	0	0	30000	42.875	2004
08.01.2020 13:46:58	1	1	1	1	94.5	62.75	0	30000	526.8817204	15805.99571	30000	0	0	30000	42.8125	2004
08.01.2020 13:46:59	1	1	1	1	94.5	62.75	0	30000	522.5806452	15677.16685	30000	0	0	30000	42.9375	2004
08.01.2020 13:47:00	1	1	1	1	94	62.75	0	30000	520.4301075	15612.75243	30000	0	0	30000	43.0625	2004
08.01.2020 13:47:01	1	1	1	1	94	63	0	30000	518.2795699	15548.338	30000	0	0	30000	43.125	2004
08.01.2020 13:47:02	1	1	1	1	94	63	0	29952.607	526.8817204	15781.53453	30000	0	0	30000	43.0625	2004
08.01.2020 13:47:03	1	1	1	1	94	63	0	30000	535.483871	16064.46878	30000	0	0	30000	42.6875	2004
08.01.2020 13:47:10	1	1	1	1	94	62.75	0	29146.919	544.0860215	15983.74691	30000	0	0	30000	43.5	2004
08.01.2020 13:47:10	1	1	1	1	94	62.75	0	29146.919	544.0860215	15983.74691	30000	0	0	30000	43.5	2004
08.01.2020 13:47:10	1	1	1	1	94	62.75	0	29146.919	544.0860215	15983.74691	30000	0	0	30000	43.5	2004
08.01.2020 13:47:10	1	1	1	1	94	62.75	0	29146.919	544.0860215	15983.74691	30000	0	0	30000	43.5	2004
08.01.2020 13:47:10	1	1	1	1	94	62.75	0	29146.919	544.0860215	15983.74691	30000	0	0	30000	43.5	2004
08.01.2020 13:47:10	1	1	1	1	94	62.75	0	29146.919	544.0860215	15983.74691	30000	0	0	30000	43.5	2004
08.01.2020 13:47:10	1	1	1	1	94.25	63.5	0	29336.493	550.5376344	16087.29921	30000	0	0	30000	43.0625	2004
08.01.2020 13:47:11	1	1	1	1	94.25	63	0	29146.919	550.5376344	15858.17955	30000	0	0	30000	43	2004
08.01.2020 13:47:12	1	1	1	1	94.25	63	0	29241.706	550.5376344	16108.4989	30000	0	0	30000	43	2004
08.01.2020 13:47:13	1	1	1	1	94.25	63	0	29099.526	544.0860215	15983.74691	30000	0	0	30000	42.5625	2004
08.01.2020 13:47:14	1	1	1	1	94.25	62.5	0	29241.706	546.2365591	15920.96323	30000	0	0	30000	42.5	2004
08.01.2020 13:47:15	1	1	1	1	94.25	62.5	0	29241.706	546.2365591	15909.54801	30000	0	0	30000	42.9375	2004
08.01.2020 13:47:16	1	1	1	1	94.25	62.75	0	29289.1	541.9354839	15960.91648	30000	0	0	30000	43.125	2004
08.01.2020 13:47:17	1	1	1	1	94.25	63	0	29431.28	546.2365591	15885.90221	30000	0	0	30000	42.8125	2004
08.01.2020 13:47:18	1	1	1	1	94.25	62.75	0	29383.886	546.2365591	16176.99019	30000	0	0	30000	43	2004
08.01.2020 13:47:19	1	1	1	1	94.25	63	0	29431.28	537.6344086	15975.59318	30000	0	0	30000	43.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 13:47:20	1	1	1	1	94.25	63	0	29905.213	541.9354839	16141.92917	30000	0	0	30000	42.8125	2004
08.01.2020 13:47:21	1	1	1	1	94.25	62.75	0	29715.64	537.6344086	15911.99413	30000	0	0	30000	42.5	2004
08.01.2020 13:47:22	1	1	1	1	94.25	62.5	0	29905.213	535.483871	16013.10032	30000	0	0	30000	43.1875	2004
08.01.2020 13:47:23	1	1	1	1	94.25	63	0	29668.246	537.6344086	15886.71758	30000	0	0	30000	42.6875	2004
08.01.2020 13:47:24	1	1	1	1	94.25	62.5	0	29526.066	541.9354839	16064.46878	30000	0	0	30000	42.8125	2004
08.01.2020 13:47:25	1	1	1	1	94.25	62.75	0	29383.886	544.0860215	15987.0084	30000	0	0	30000	42.875	2004
08.01.2020 13:47:26	1	1	1	1	94.25	62.75	0	29289.1	546.2365591	15846.76433	30000	0	0	30000	42.9375	2004
08.01.2020 13:47:27	1	1	1	1	94.25	62.75	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	43.1875	2004
08.01.2020 13:47:28	1	1	1	1	94.25	63	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	43	2004
08.01.2020 13:47:29	1	1	1	1	93.5	63	0	29336.493	554.8387097	15972.33169	30000	0	0	30000	43	2004
08.01.2020 13:47:30	1	1	1	1	93.5	63	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	42.6875	2004
08.01.2020 13:47:31	1	1	1	1	93.5	62.5	0	29241.706	537.6344086	16150.89827	30000	0	0	30000	43.0625	2004
08.01.2020 13:47:33	1	1	1	1	93.5	63	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	43.0625	2004
08.01.2020 13:47:34	1	1	1	1	93.5	63	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	42.625	2004
08.01.2020 13:47:35	1	1	1	1	93.5	62.5	0	29715.64	539.7849462	15861.44103	30000	0	0	30000	43.125	2004
08.01.2020 13:47:36	1	1	1	1	93.5	63	0	29526.066	539.7849462	15963.3626	30000	0	0	30000	42.75	2004
08.01.2020 13:47:37	1	1	1	1	93.5	62.75	0	29810.427	537.6344086	16040.00761	30000	0	0	30000	43.125	2004
08.01.2020 13:47:38	1	1	1	1	93.5	63	0	29810.427	537.6344086	15962.54722	30000	0	0	30000	43	2004
08.01.2020 13:47:39	1	1	1	1	93.5	63	0	29810.427	535.483871	15962.54722	30000	0	0	30000	42.875	2004
08.01.2020 13:47:40	1	1	1	1	93.25	62.75	0	29810.427	533.3333333	15848.39508	30000	0	0	30000	43.0625	2004
08.01.2020 13:47:41	1	1	1	1	93.25	63	0	29905.213	535.483871	15949.50126	30000	0	0	30000	43.0625	2004
08.01.2020 13:47:42	1	1	1	1	93.25	63	0	29905.213	535.483871	15949.50126	30000	0	0	30000	43.125	2004
08.01.2020 13:47:43	1	1	1	1	93.25	63	0	29905.213	529.0322581	16000.05436	30000	0	0	30000	42.8125	2004
08.01.2020 13:47:44	1	1	1	1	93.25	62.75	0	29905.213	524.7311828	15805.99571	30000	0	0	30000	42.875	2004
08.01.2020 13:47:45	1	1	1	1	93.25	62.75	0	30000	529.0322581	16115.02188	30000	0	0	30000	42.8125	2004
08.01.2020 13:47:46	1	1	1	1	93.25	62.75	0	29952.607	526.8817204	15652.70568	30000	0	0	30000	42.875	2004
08.01.2020 13:47:47	1	1	1	1	93.25	62.75	0	30000	526.8817204	15805.99571	30000	0	0	30000	43.0625	2004
08.01.2020 13:47:48	1	1	1	1	93.25	63	0	30000	531.1827957	15934.82456	30000	0	0	30000	42.6875	2004
08.01.2020 13:47:49	1	1	1	1	93.75	63.5	0	30000	531.1827957	15934.82456	30000	0	0	30000	43	2004
08.01.2020 13:47:50	1	1	1	1	93.75	63	0	29905.213	533.3333333	15885.08684	30000	0	0	30000	43.0625	2004
08.01.2020 13:47:51	1	1	1	1	93.75	63	0	30047.393	533.3333333	16025.33091	30000	0	0	30000	43.0625	2004
08.01.2020 13:47:52	1	1	1	1	93.75	63	0	30000	533.3333333	16000.05436	30000	0	0	30000	42.875	2004
08.01.2020 13:47:53	1	1	1	1	93.75	62.75	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	43.125	2004
08.01.2020 13:47:54	1	1	1	1	93.75	63	0	29952.607	533.3333333	16013.10032	30000	0	0	30000	43.25	2004
08.01.2020 13:47:55	1	1	1	1	93.75	63.25	0	29810.427	533.3333333	15655.96717	30000	0	0	30000	42.4375	2004
08.01.2020 13:47:56	1	1	1	1	93.75	62.25	0	29905.213	535.483871	16052.2382	30000	0	0	30000	43.1875	2004
08.01.2020 13:47:57	1	1	1	1	93.75	63	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	42.75	2004
08.01.2020 13:47:58	1	1	1	1	93.75	62.75	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	43.1875	2004
08.01.2020 13:47:59	1	1	1	1	94	63	0	29952.607	533.3333333	15974.77781	30000	0	0	30000	43.0625	2004
08.01.2020 13:48:00	1	1	1	1	94	63	0	30000	524.7311828	15741.58128	30000	0	0	30000	42.8125	2004
08.01.2020 13:48:01	1	1	1	1	94	62.75	0	30000	522.5806452	15677.16685	30000	0	0	30000	43.0625	2004
08.01.2020 13:48:02	1	1	1	1	94	63	0	30000	507.5268817	15161.03607	30000	0	0	30000	43.0625	2004
08.01.2020 13:48:03	1	1	1	1	94	63	0	29905.213	464.516129	13891.5011	30000	0	0	30000	42.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 13:48:04	1	1	1	1	94	62.5	0	30000	488.172043	14644.90528	30000	0	0	30000	42.875	2004
08.01.2020 13:48:12	1	1	1	1	93.5	62	0	30000	481.7204301	14451.662	30000	0	0	30000	42.5625	2004
08.01.2020 13:48:12	1	1	1	1	93.5	62	0	30000	481.7204301	14451.662	30000	0	0	30000	42.5625	2004
08.01.2020 13:48:12	1	1	1	1	93.5	62	0	30000	481.7204301	14451.662	30000	0	0	30000	42.5625	2004
08.01.2020 13:48:12	1	1	1	1	93.5	62	0	30000	481.7204301	14451.662	30000	0	0	30000	42.5625	2004
08.01.2020 13:48:12	1	1	1	1	93.5	62	0	30000	481.7204301	14451.662	30000	0	0	30000	42.5625	2004
08.01.2020 13:48:12	1	1	1	1	93.5	62.5	0	30000	466.6666667	13977.93058	30000	0	0	30000	43	2004
08.01.2020 13:48:13	1	1	1	1	93.5	63	0	30000	464.516129	13935.53122	30000	0	0	30000	42.5	2004
08.01.2020 13:48:14	1	1	1	1	93.5	62.5	0	29952.607	460.2150538	13612.64371	30000	0	0	30000	42.75	2004
08.01.2020 13:48:15	1	1	1	1	93.5	62.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	42.75	2004
08.01.2020 13:48:16	1	1	1	1	93.5	62.75	0	30000	460.2150538	13805.88699	30000	0	0	30000	42.8125	2004
08.01.2020 13:48:17	1	1	1	1	93.5	62.75	0	30000	460.2150538	13741.47256	30000	0	0	30000	43.3125	2004
08.01.2020 13:48:18	1	1	1	1	93.5	63.25	0	30000	464.516129	13935.53122	30000	0	0	30000	42.3125	2004
08.01.2020 13:48:19	1	1	1	1	93.5	62.25	0	29952.607	460.2150538	13805.88699	30000	0	0	30000	43.0625	2004
08.01.2020 13:48:20	1	1	1	1	93	63	0	30000	460.2150538	13805.88699	30000	0	0	30000	42.1875	2004
08.01.2020 13:48:21	1	1	1	1	93	62	0	30000	455.9139785	13677.05814	30000	0	0	30000	43.25	2004
08.01.2020 13:48:22	1	1	1	1	93	63.25	0	30000	453.7634409	13612.64371	30000	0	0	30000	42.9375	2004
08.01.2020 13:48:23	1	1	1	1	93	62.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	43.0625	2004
08.01.2020 13:48:24	1	1	1	1	93	63	0	30000	460.2150538	13741.47256	30000	0	0	30000	43.1875	2004
08.01.2020 13:48:25	1	1	1	1	93	63	0	30000	466.6666667	13999.94564	30000	0	0	30000	42.25	2004
08.01.2020 13:48:26	1	1	1	1	93	62.25	0	30000	481.7204301	14451.662	30000	0	0	30000	43.5625	2004
08.01.2020 13:48:27	1	1	1	1	93	63.5	0	30000	481.7204301	14428.83157	30000	0	0	30000	43.1875	2004
08.01.2020 13:48:28	1	1	1	1	93	63	0	30000	481.7204301	14451.662	30000	0	0	30000	42.6875	2004
08.01.2020 13:48:29	1	1	1	1	93.25	63	0	30000	481.7204301	14451.662	30000	0	0	30000	42.25	2004
08.01.2020 13:48:30	1	1	1	1	93.25	62.25	0	30000	486.0215054	14516.07643	30000	0	0	30000	42.9375	2004
08.01.2020 13:48:31	1	1	1	1	93.25	62.75	0	29952.607	486.0215054	14644.90528	30000	0	0	30000	43.125	2004
08.01.2020 13:48:32	1	1	1	1	93.25	63	0	29952.607	488.172043	14644.90528	30000	0	0	30000	42.8125	2004
08.01.2020 13:48:33	1	1	1	1	93.25	62.75	0	30000	494.6236559	14902.56299	30000	0	0	30000	43	2004
08.01.2020 13:48:34	1	1	1	1	93.25	63	0	29952.607	505.3763441	15289.86492	30000	0	0	30000	43.0625	2004
08.01.2020 13:48:35	1	1	1	1	93.25	63	0	30000	516.1290323	15459.4624	30000	0	0	30000	43	2004
08.01.2020 13:48:36	1	1	1	1	93.25	63	0	30000	526.8817204	15805.99571	30000	0	0	30000	43.125	2004
08.01.2020 13:48:37	1	1	1	1	93.25	63	0	29952.607	533.3333333	16039.19224	30000	0	0	30000	42.25	2004
08.01.2020 13:48:38	1	1	1	1	93.25	62.25	0	29905.213	535.483871	16013.10032	30000	0	0	30000	42.1875	2004
08.01.2020 13:48:39	1	1	1	1	92.75	62	0	30000	533.3333333	16064.46878	30000	0	0	30000	42.8125	2004
08.01.2020 13:48:40	1	1	1	1	92.75	62.75	0	30000	520.4301075	15612.75243	30000	0	0	30000	42.75	2004
08.01.2020 13:48:41	1	1	1	1	92.75	62.75	0	30000	520.4301075	15612.75243	30000	0	0	30000	43.1875	2004
08.01.2020 13:48:42	1	1	1	1	92.75	63	0	30000	516.1290323	15483.92357	30000	0	0	30000	43	2004
08.01.2020 13:48:43	1	1	1	1	92.75	63	0	30000	509.6774194	15354.27935	30000	0	0	30000	42.6875	2004
08.01.2020 13:48:44	1	1	1	1	92.75	62.5	0	30000	516.1290323	15483.92357	30000	0	0	30000	42.75	2004
08.01.2020 13:48:45	1	1	1	1	92.75	62.75	0	30000	507.5268817	15225.45049	30000	0	0	30000	42.5	2004
08.01.2020 13:48:47	1	1	1	1	92.75	62.5	0	30000	518.2795699	15548.338	30000	0	0	30000	42.875	2004
08.01.2020 13:48:48	1	1	1	1	92.75	62.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	42.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 13:48:49	1	1	1	1	92.75	62.75	0	29952.607	509.6774194	15289.86492	30000	0	0	30000	43.0625	2004
08.01.2020 13:48:50	1	1	1	1	92.25	63	0	30000	503.2258065	15161.03607	30000	0	0	30000	42.9375	2004
08.01.2020 13:48:51	1	1	1	1	92.25	62.75	0	30000	505.3763441	15161.03607	30000	0	0	30000	42.5625	2004
08.01.2020 13:48:52	1	1	1	1	92.25	62.5	0	30000	498.9247312	14902.56299	30000	0	0	30000	42.8125	2004
08.01.2020 13:48:53	1	1	1	1	92.25	62.75	0	30000	501.0752688	15032.20721	30000	0	0	30000	42.6875	2004
08.01.2020 13:48:54	1	1	1	1	92.25	62.5	0	30000	498.9247312	14902.56299	30000	0	0	30000	43.125	2004
08.01.2020 13:48:55	1	1	1	1	92.25	63	0	30000	501.0752688	15032.20721	30000	0	0	30000	42.8125	2004
08.01.2020 13:48:56	1	1	1	1	92.25	62.75	0	26777.251	445.1612903	11919.93042	30000	0	0	30000	42.625	2004
08.01.2020 13:48:57	1	1	1	1	92.25	62.5	0	30000	501.0752688	15032.20721	30000	0	0	30000	42.9375	2004
08.01.2020 13:48:58	1	1	1	1	92.25	62.75	0	29715.64	490.3225806	14506.29196	30000	0	0	30000	42.6875	2004
08.01.2020 13:48:59	1	1	1	1	92.25	62.5	0	30000	501.0752688	15032.20721	30000	0	0	30000	43	2004
08.01.2020 13:49:00	1	1	1	1	91.5	63	0	30000	490.3225806	14709.31971	30000	0	0	30000	42.9375	2004
08.01.2020 13:49:01	1	1	1	1	91.5	62.75	0	30000	481.7204301	14451.662	30000	0	0	30000	43	2004
08.01.2020 13:49:02	1	1	1	1	91.5	63	0	30000	481.7204301	14451.662	30000	0	0	30000	43.3125	2004
08.01.2020 13:49:03	1	1	1	1	91.5	63.25	0	30000	494.6236559	14902.56299	30000	0	0	30000	42.8125	2004
08.01.2020 13:49:04	1	1	1	1	91.5	62.75	0	30000	490.3225806	14773.73413	30000	0	0	30000	43.25	2004
08.01.2020 13:49:05	1	1	1	1	91.5	63.25	0	30000	503.2258065	15096.62164	30000	0	0	30000	43.375	2004
08.01.2020 13:49:06	1	1	1	1	91.5	63.25	0	30000	496.7741935	14791.67233	30000	0	0	30000	43.1875	2004
08.01.2020 13:49:13	1	1	1	1	91.5	63	0	30000	464.516129	13698.25782	30000	0	0	30000	42.125	2004
08.01.2020 13:49:13	1	1	1	1	91.5	63	0	30000	464.516129	13698.25782	30000	0	0	30000	42.125	2004
08.01.2020 13:49:13	1	1	1	1	91.5	63	0	30000	464.516129	13698.25782	30000	0	0	30000	42.125	2004
08.01.2020 13:49:13	1	1	1	1	91.5	63	0	30000	464.516129	13698.25782	30000	0	0	30000	42.125	2004
08.01.2020 13:49:13	1	1	1	1	91.5	63	0	30000	464.516129	13698.25782	30000	0	0	30000	42.125	2004
08.01.2020 13:49:13	1	1	1	1	91.5	63	0	30000	464.516129	13698.25782	30000	0	0	30000	42.125	2004
08.01.2020 13:49:13	1	1	1	1	91.5	62	0	30000	460.2150538	13805.88699	30000	0	0	30000	42.875	2004
08.01.2020 13:49:14	1	1	1	1	91.5	62.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	42.9375	2004
08.01.2020 13:49:15	1	1	1	1	91.5	62.75	0	30000	440.8602151	13375.37032	30000	0	0	30000	42.625	2004
08.01.2020 13:49:16	1	1	1	1	91.5	62.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.625	2004
08.01.2020 13:49:17	1	1	1	1	91.5	62.5	0	30000	443.0107527	13354.17063	30000	0	0	30000	42.75	2004
08.01.2020 13:49:18	1	1	1	1	91.5	62.75	0	29905.213	438.7096774	13160.92735	30000	0	0	30000	43	2004
08.01.2020 13:49:19	1	1	1	1	90.75	63	0	30000	438.7096774	13096.51292	30000	0	0	30000	43.125	2004
08.01.2020 13:49:20	1	1	1	1	90.75	63	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.8125	2004
08.01.2020 13:49:21	1	1	1	1	90.75	62.75	0	30000	423.655914	12709.21099	30000	0	0	30000	42.3125	2004
08.01.2020 13:49:22	1	1	1	1	90.75	62.25	0	30000	415.0537634	12580.38214	30000	0	0	30000	42.5	2004
08.01.2020 13:49:23	1	1	1	1	90.75	62.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	43.0625	2004
08.01.2020 13:49:24	1	1	1	1	90.75	63	0	30000	417.2043011	12580.38214	30000	0	0	30000	43.1875	2004
08.01.2020 13:49:25	1	1	1	1	90.75	63	0	30000	415.0537634	12451.55328	30000	0	0	30000	42.9375	2004
08.01.2020 13:49:26	1	1	1	1	90.75	62.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	42.75	2004
08.01.2020 13:49:28	1	1	1	1	90.75	62.75	0	30000	423.655914	12773.62542	30000	0	0	30000	42.75	2004
08.01.2020 13:49:29	1	1	1	1	90.75	62.75	0	30000	443.0107527	13289.7562	30000	0	0	30000	42.875	2004
08.01.2020 13:49:30	1	1	1	1	90.25	62.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	43	2004
08.01.2020 13:49:31	1	1	1	1	90.25	63	0	29952.607	449.4623656	13763.48762	30000	0	0	30000	42.75	2004
08.01.2020 13:49:32	1	1	1	1	90.25	62.75	0	30000	464.516129	13935.53122	30000	0	0	30000	42.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 13:49:33	1	1	1	1	90.25	62.5	0	29905.213	481.7204301	14451.662	30000	0	0	30000	42.1875	2004
08.01.2020 13:49:34	1	1	1	1	90.25	62	0	30000	488.172043	14709.31971	30000	0	0	30000	43	2004
08.01.2020 13:49:35	1	1	1	1	90.25	63	0	30000	496.7741935	14902.56299	30000	0	0	30000	43.25	2004
08.01.2020 13:49:36	1	1	1	1	90.25	63.25	0	29952.607	501.0752688	15096.62164	30000	0	0	30000	42.875	2004
08.01.2020 13:49:37	1	1	1	1	90.25	62.75	0	30000	524.7311828	15741.58128	30000	0	0	30000	42.875	2004
08.01.2020 13:49:38	1	1	1	1	90.25	62.75	0	30000	511.827957	15289.86492	30000	0	0	30000	42.9375	2004
08.01.2020 13:49:39	1	1	1	1	90.25	62.75	0	30000	520.4301075	15677.16685	30000	0	0	30000	42.625	2004
08.01.2020 13:49:40	1	1	1	1	90	62.5	0	30000	522.5806452	15677.16685	30000	0	0	30000	42.875	2004
08.01.2020 13:49:41	1	1	1	1	90	62.75	0	30000	526.8817204	15870.41013	30000	0	0	30000	42.75	2004
08.01.2020 13:49:42	1	1	1	1	90	62.75	0	29952.607	533.3333333	15885.08684	30000	0	0	30000	42.1875	2004
08.01.2020 13:49:43	1	1	1	1	90	62	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	42.875	2004
08.01.2020 13:49:44	1	1	1	1	90	62.75	0	29905.213	531.1827957	15974.77781	30000	0	0	30000	42.5	2004
08.01.2020 13:49:45	1	1	1	1	90	62.5	0	30000	533.3333333	16000.05436	30000	0	0	30000	43.0625	2004
08.01.2020 13:49:46	1	1	1	1	90	63	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	42.875	2004
08.01.2020 13:49:47	1	1	1	1	90	62.75	0	30047.393	533.3333333	15870.41013	30000	0	0	30000	43.5	2004
08.01.2020 13:49:48	1	1	1	1	90	62.75	0	29952.607	533.3333333	16064.46878	30000	0	0	30000	42.9375	2004
08.01.2020 13:49:49	1	1	1	1	90	62.75	0	29905.213	529.0322581	15974.77781	30000	0	0	30000	42.8125	2004
08.01.2020 13:49:50	1	1	1	1	90	62.75	0	30000	533.3333333	16064.46878	30000	0	0	30000	42.4375	2004
08.01.2020 13:49:51	1	1	1	1	90	62.25	0	29905.213	537.6344086	15987.82377	30000	0	0	30000	43.125	2004
08.01.2020 13:49:52	1	1	1	1	90	63	0	29715.64	537.6344086	15911.99413	30000	0	0	30000	43.125	2004
08.01.2020 13:49:53	1	1	1	1	90	63	0	29905.213	535.483871	16128.88321	30000	0	0	30000	43	2004
08.01.2020 13:49:54	1	1	1	1	90	63	0	29857.82	526.8817204	15924.22472	30000	0	0	30000	42.9375	2004
08.01.2020 13:49:55	1	1	1	1	90	62.75	0	29952.607	529.0322581	15974.77781	30000	0	0	30000	42.875	2004
08.01.2020 13:49:56	1	1	1	1	90	62.75	0	29952.607	533.3333333	16000.05436	30000	0	0	30000	42.75	2004
08.01.2020 13:49:57	1	1	1	1	90	62.75	0	29905.213	522.5806452	15677.16685	30000	0	0	30000	42.75	2004
08.01.2020 13:49:58	1	1	1	1	90	62.75	0	30000	526.8817204	15741.58128	30000	0	0	30000	42.875	2004
08.01.2020 13:49:59	1	1	1	1	89.75	62.75	0	30000	520.4301075	15677.16685	30000	0	0	30000	42.8125	2004
08.01.2020 13:50:00	1	1	1	1	89.75	62.75	0	30000	529.0322581	15934.82456	30000	0	0	30000	42.9375	2004
08.01.2020 13:50:01	1	1	1	1	89.75	62.75	0	30000	526.8817204	15805.99571	30000	0	0	30000	42.625	2004
08.01.2020 13:50:02	1	1	1	1	89.75	62.5	0	30000	524.7311828	15741.58128	30000	0	0	30000	42.9375	2004
08.01.2020 13:50:03	1	1	1	1	89.75	62.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	42.75	2004
08.01.2020 13:50:04	1	1	1	1	89.75	62.75	0	30000	503.2258065	15161.03607	30000	0	0	30000	43.1875	2004
08.01.2020 13:50:05	1	1	1	1	89.75	63	0	30000	511.827957	15354.27935	30000	0	0	30000	42.25	2004
08.01.2020 13:50:07	1	1	1	1	89.75	62.25	0	30000	518.2795699	15612.75243	30000	0	0	30000	42.8125	2004
08.01.2020 13:50:08	1	1	1	1	89.75	62.75	0	30000	524.7311828	15741.58128	30000	0	0	30000	42.3125	2004
08.01.2020 13:50:14	1	1	1	1	89.25	62.5	0	29952.607	535.483871	16013.10032	30000	0	0	30000	43	2004
08.01.2020 13:50:14	1	1	1	1	89.25	62.5	0	29952.607	535.483871	16013.10032	30000	0	0	30000	43	2004
08.01.2020 13:50:14	1	1	1	1	89.25	62.5	0	29952.607	535.483871	16013.10032	30000	0	0	30000	43	2004
08.01.2020 13:50:14	1	1	1	1	89.25	62.5	0	29952.607	535.483871	16013.10032	30000	0	0	30000	43	2004
08.01.2020 13:50:14	1	1	1	1	89.25	62.5	0	29952.607	535.483871	16013.10032	30000	0	0	30000	43	2004
08.01.2020 13:50:14	1	1	1	1	89.25	62.5	0	29952.607	535.483871	16013.10032	30000	0	0	30000	43	2004
08.01.2020 13:50:15	1	1	1	1	89.25	63	0	29905.213	535.483871	16013.10032	30000	0	0	30000	43.125	2004
08.01.2020 13:50:16	1	1	1	1	89.25	63	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	42.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 13:50:17	1	1	1	1	89.25	62.5	0	29763.033	535.483871	15962.54722	30000	0	0	30000	42.875	2004
08.01.2020 13:50:18	1	1	1	1	89.25	62.75	0	29715.64	533.3333333	15631.50599	30000	0	0	30000	43.0625	2004
08.01.2020 13:50:19	1	1	1	1	89.25	63	0	29857.82	537.6344086	15987.82377	30000	0	0	30000	42.9375	2004
08.01.2020 13:50:20	1	1	1	1	89.25	62.75	0	29810.427	533.3333333	15987.82377	30000	0	0	30000	43	2004
08.01.2020 13:50:21	1	1	1	1	89.25	63	0	29905.213	537.6344086	16077.51474	30000	0	0	30000	43.1875	2004
08.01.2020 13:50:22	1	1	1	1	89.25	63	0	29905.213	537.6344086	16077.51474	30000	0	0	30000	42.5625	2004
08.01.2020 13:50:23	1	1	1	1	89.25	62.5	0	29905.213	535.483871	15987.82377	30000	0	0	30000	43.3125	2004
08.01.2020 13:50:24	1	1	1	1	89.25	63.25	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	42.8125	2004
08.01.2020 13:50:25	1	1	1	1	89.25	63	0	29857.82	535.483871	15898.94817	30000	0	0	30000	42.75	2004
08.01.2020 13:50:26	1	1	1	1	89.25	62.75	0	29857.82	541.9354839	16141.92917	30000	0	0	30000	42.875	2004
08.01.2020 13:50:27	1	1	1	1	89.25	62.75	0	29715.64	535.483871	15911.99413	30000	0	0	30000	42.6875	2004
08.01.2020 13:50:28	1	1	1	1	89.25	62.5	0	29620.853	537.6344086	15963.3626	30000	0	0	30000	42.875	2004
08.01.2020 13:50:29	1	1	1	1	89.25	62.75	0	29573.46	539.7849462	15899.76354	30000	0	0	30000	43	2004
08.01.2020 13:50:30	1	1	1	1	89.25	63	0	29573.46	537.6344086	15963.3626	30000	0	0	30000	43	2004
08.01.2020 13:50:31	1	1	1	1	89.25	63	0	29526.066	541.9354839	15963.3626	30000	0	0	30000	43.125	2004
08.01.2020 13:50:32	1	1	1	1	89.25	63	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	43.0625	2004
08.01.2020 13:50:33	1	1	1	1	89.25	63	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	42.75	2004
08.01.2020 13:50:34	1	1	1	1	89.25	62.75	0	29620.853	550.5376344	16026.96165	30000	0	0	30000	42.8125	2004
08.01.2020 13:50:35	1	1	1	1	89.25	62.75	0	29526.066	546.2365591	16064.46878	30000	0	0	30000	43.0625	2004
08.01.2020 13:50:36	1	1	1	1	89.25	63	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	42.625	2004
08.01.2020 13:50:37	1	1	1	1	89.25	62.5	0	29241.706	544.0860215	15960.91648	30000	0	0	30000	43.125	2004
08.01.2020 13:50:38	1	1	1	1	89.25	63	0	29241.706	546.2365591	15920.96323	30000	0	0	30000	42.5	2004
08.01.2020 13:50:39	1	1	1	1	88.75	62.5	0	29336.493	548.3870968	16150.89827	30000	0	0	30000	42.875	2004
08.01.2020 13:50:40	1	1	1	1	88.75	62.75	0	29146.919	550.5376344	15832.08763	30000	0	0	30000	42.9375	2004
08.01.2020 13:50:41	1	1	1	1	88.75	62.75	0	29052.133	544.0860215	15868.77939	30000	0	0	30000	43	2004
08.01.2020 13:50:42	1	1	1	1	88.75	63	0	29052.133	544.0860215	15994.34675	30000	0	0	30000	42.9375	2004
08.01.2020 13:50:44	1	1	1	1	88.75	62.75	0	28957.346	550.5376344	15754.62724	30000	0	0	30000	42.875	2004
08.01.2020 13:50:45	1	1	1	1	88.75	62.75	0	29099.526	550.5376344	15994.34675	30000	0	0	30000	43.0625	2004
08.01.2020 13:50:46	1	1	1	1	88.75	63	0	28957.346	552.688172	16004.13122	30000	0	0	30000	42.8125	2004
08.01.2020 13:50:47	1	1	1	1	88.75	62.75	0	28862.559	546.2365591	15942.16291	30000	0	0	30000	43	2004
08.01.2020 13:50:48	1	1	1	1	88.75	63	0	29099.526	550.5376344	16020.43867	30000	0	0	30000	42.875	2004
08.01.2020 13:50:49	1	1	1	1	88.75	62.75	0	0	0	0	30000	0	8	30000	43.375	2004
08.01.2020 13:50:50	1	1	1	1	88.75	63.25	0	10616.114	0	0	30000	0	0	30000	43.0625	2004
08.01.2020 13:50:51	1	1	1	1	88.75	63	0	11279.621	0	0	30000	0	0	30000	43.25	2004
08.01.2020 13:50:52	1	1	1	1	88.75	63.25	0	12085.308	4.301075269	25.27654717	30000	0	0	30000	43.0625	2004
08.01.2020 13:50:53	1	1	1	1	88.75	63	0	12843.602	10.75268817	110.8906585	30000	0	0	30000	43.1875	2004
08.01.2020 13:50:54	1	1	1	1	88.75	63	0	13601.896	15.05376344	204.6584948	30000	0	0	30000	43.25	2004
08.01.2020 13:50:55	1	1	1	1	88.75	63.25	0	14407.583	21.50537634	309.8415459	30000	0	0	30000	43	2004
08.01.2020 13:50:56	1	1	1	1	88.75	63	0	15213.27	27.95698925	424.8090669	30000	0	0	30000	43.25	2004
08.01.2020 13:50:57	1	1	1	1	88.75	63.25	0	15876.777	34.40860215	546.2995679	30000	0	0	30000	43.125	2004
08.01.2020 13:50:58	1	1	1	1	88.75	63	0	16682.464	40.86021505	681.6514011	30000	0	0	30000	43	2004
08.01.2020 13:50:59	1	1	1	1	88.75	63	0	17488.152	49.46236559	902.6173457	30000	0	0	30000	43.125	2004
08.01.2020 13:51:00	1	1	1	1	88.25	63	0	18293.839	58.06451613	975.1854972	30000	0	0	30000	43.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 13:51:01	1	1	1	1	88.25	63.5	0	19052.133	62.3655914	1187.997717	30000	0	0	30000	43.375	2004
08.01.2020 13:51:02	1	1	1	1	88.25	63.25	0	19810.427	66.66666667	1323.34955	30000	0	0	30000	43.625	2004
08.01.2020 13:51:03	1	1	1	1	88.25	63.5	0	20568.72	73.11827957	1500.28538	30000	0	0	30000	43.625	2004
08.01.2020 13:51:04	1	1	1	1	88.25	63	0	21374.408	81.72043011	1746.527872	30000	0	0	30000	43.125	2004
08.01.2020 13:51:05	1	1	1	1	88.25	63	0	22132.701	88.17204301	1951.186367	30000	0	0	30000	43.125	2004
08.01.2020 13:51:06	1	1	1	1	88.25	63	0	22890.995	94.62365591	2165.629332	30000	0	0	30000	43.0625	2004
08.01.2020 13:51:07	1	1	1	1	88.25	63	0	23601.896	113.9784946	2684.206235	30000	0	0	30000	43.125	2004
08.01.2020 13:51:08	1	1	1	1	88.25	63	0	23364.929	126.8817204	3014.432093	30000	0	0	30000	43.125	2004
08.01.2020 13:51:09	1	1	1	1	87.5	63	0	24218.009	144.0860215	3488.978882	30000	0	0	30000	43.125	2004
08.01.2020 13:51:16	1	1	1	1	87.5	63.25	0	25876.777	193.5483871	4943.603403	30000	0	0	30000	43.1875	2004
08.01.2020 13:51:16	1	1	1	1	87.5	63.25	0	25876.777	193.5483871	4943.603403	30000	0	0	30000	43.1875	2004
08.01.2020 13:51:16	1	1	1	1	87.5	63.25	0	25876.777	193.5483871	4943.603403	30000	0	0	30000	43.1875	2004
08.01.2020 13:51:16	1	1	1	1	87.5	63.25	0	25876.777	193.5483871	4943.603403	30000	0	0	30000	43.1875	2004
08.01.2020 13:51:16	1	1	1	1	87.5	63	0	25734.597	189.2473118	4952.5725	30000	0	0	30000	43	2004
08.01.2020 13:51:17	1	1	1	1	87.5	63	0	25734.597	189.2473118	4897.127171	30000	0	0	30000	43.0625	2004
08.01.2020 13:51:18	1	1	1	1	87.5	63	0	25876.777	193.5483871	4952.5725	30000	0	0	30000	43.1875	2004
08.01.2020 13:51:19	1	1	1	1	87	63	0	25924.171	191.3978495	4952.5725	30000	0	0	30000	43.3125	2004
08.01.2020 13:51:20	1	1	1	1	87	63.25	0	25924.171	191.3978495	4961.541598	30000	0	0	30000	43.25	2004
08.01.2020 13:51:21	1	1	1	1	87	63.25	0	25734.597	189.2473118	4870.219879	30000	0	0	30000	43.0625	2004
08.01.2020 13:51:22	1	1	1	1	87	63	0	25876.777	189.2473118	4759.32922	30000	0	0	30000	43.1875	2004
08.01.2020 13:51:24	1	1	1	1	87	63	0	25734.597	189.2473118	4897.127171	30000	0	0	30000	43.1875	2004
08.01.2020 13:51:25	1	1	1	1	87	63	0	25734.597	189.2473118	4888.158074	30000	0	0	30000	43.0625	2004
08.01.2020 13:51:26	1	1	1	1	87	63	0	25876.777	189.2473118	4759.32922	30000	0	0	30000	43.25	2004
08.01.2020 13:51:27	1	1	1	1	87	63.25	0	25734.597	189.2473118	4888.158074	30000	0	0	30000	43.3125	2004
08.01.2020 13:51:28	1	1	1	1	87	63.25	0	25734.597	184.9462366	4840.866469	30000	0	0	30000	43.25	2004
08.01.2020 13:51:29	1	1	1	1	87	63.25	0	25734.597	189.2473118	4906.096268	30000	0	0	30000	43.25	2004
08.01.2020 13:51:30	1	1	1	1	86.5	63.25	0	25876.777	184.9462366	4785.42114	30000	0	0	30000	43.125	2004
08.01.2020 13:51:31	1	1	1	1	86.5	63	0	23080.569	163.4408602	3771.913136	30000	0	0	30000	43.125	2004
08.01.2020 13:51:32	1	1	1	1	86.5	63	0	26350.711	219.3548387	5847.036121	30000	0	0	30000	42.625	2004
08.01.2020 13:51:33	1	1	1	1	86.5	62.5	0	27819.905	240.8602151	6700.731117	30000	0	0	30000	42.9375	2004
08.01.2020 13:51:34	1	1	1	1	86.5	62.75	0	26966.825	249.4623656	6715.407822	30000	0	0	30000	42.625	2004
08.01.2020 13:51:35	1	1	1	1	86.5	62.5	0	27156.398	264.516129	7220.938766	30000	0	0	30000	43.25	2004
08.01.2020 13:51:36	1	1	1	1	86.5	63.25	0	27535.545	279.5698925	7770.499823	30000	0	0	30000	43.0625	2004
08.01.2020 13:51:37	1	1	1	1	86.5	63	0	27819.905	296.7741935	8196.124263	30000	0	0	30000	43.125	2004
08.01.2020 13:51:38	1	1	1	1	86.5	63	0	27914.692	309.6774194	8644.579132	30000	0	0	30000	42.9375	2004
08.01.2020 13:51:39	1	1	1	1	86.5	62.75	0	28009.479	324.7311828	9155.817683	30000	0	0	30000	43.0625	2004
08.01.2020 13:51:40	1	1	1	1	86	63	0	28341.232	339.7849462	9690.702036	30000	0	0	30000	43.375	2004
08.01.2020 13:51:41	1	1	1	1	86	63.25	0	28625.592	352.688172	10162.80271	30000	0	0	30000	43.3125	2004
08.01.2020 13:51:42	1	1	1	1	86	63	0	29336.493	378.4946237	11103.74256	30000	0	0	30000	42.9375	2004
08.01.2020 13:51:43	1	1	1	1	86	62.75	0	29620.853	395.6989247	11720.97953	30000	0	0	30000	43.1875	2004
08.01.2020 13:51:44	1	1	1	1	86	63	0	29905.213	419.3548387	12540.42889	30000	0	0	30000	43	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 13:51:45	1	1	1	1	86	63	0	29526.066	423.655914	12675.78072	30000	0	0	30000	43.125	2004
08.01.2020 13:51:46	1	1	1	1	86	63	0	29573.46	445.1612903	13185.38852	30000	0	0	30000	43.125	2004
08.01.2020 13:51:47	1	1	1	1	86	63	0	30000	445.1612903	13354.17063	30000	0	0	30000	43.125	2004
08.01.2020 13:51:48	1	1	1	1	86	63	0	30000	464.516129	13935.53122	30000	0	0	30000	43	2004
08.01.2020 13:51:49	1	1	1	1	86	63	0	30000	464.516129	13999.94564	30000	0	0	30000	43.125	2004
08.01.2020 13:51:50	1	1	1	1	86	63	0	30000	481.7204301	14451.662	30000	0	0	30000	43.0625	2004
08.01.2020 13:51:51	1	1	1	1	86	63	0	30000	481.7204301	14128.7745	30000	0	0	30000	42.625	2004
08.01.2020 13:51:52	1	1	1	1	86	62.5	0	30000	464.516129	13935.53122	30000	0	0	30000	42.375	2004
08.01.2020 13:51:53	1	1	1	1	86	62.25	0	29905.213	464.516129	13935.53122	30000	0	0	30000	42.9375	2004
08.01.2020 13:51:54	1	1	1	1	86	62.75	0	30000	460.2150538	13741.47256	30000	0	0	30000	42.3125	2004
08.01.2020 13:51:55	1	1	1	1	86	62.25	0	30000	464.516129	13805.88699	30000	0	0	30000	43.0625	2004
08.01.2020 13:51:56	1	1	1	1	86	63	0	30000	466.6666667	13999.94564	30000	0	0	30000	42.4375	2004
08.01.2020 13:51:57	1	1	1	1	86	62.25	0	30000	453.7634409	13677.05814	30000	0	0	30000	42.5625	2004
08.01.2020 13:51:58	1	1	1	1	86	62.5	0	30000	440.8602151	13160.92735	30000	0	0	30000	42.75	2004
08.01.2020 13:51:59	1	1	1	1	85.75	62.75	0	30000	438.7096774	13160.92735	30000	0	0	30000	43.0625	2004
08.01.2020 13:52:01	1	1	1	1	85.75	63	0	30000	443.0107527	13354.17063	30000	0	0	30000	42.9375	2004
08.01.2020 13:52:02	1	1	1	1	85.75	62.75	0	30000	445.1612903	13248.17221	30000	0	0	30000	42.75	2004
08.01.2020 13:52:03	1	1	1	1	85.75	62.75	0	29952.607	445.1612903	13354.17063	30000	0	0	30000	43	2004
08.01.2020 13:52:04	1	1	1	1	85.75	63	0	30000	445.1612903	13505.01454	30000	0	0	30000	43	2004
08.01.2020 13:52:05	1	1	1	1	85.75	63	0	29952.607	438.7096774	13204.95746	30000	0	0	30000	43.0625	2004
08.01.2020 13:52:06	1	1	1	1	85.75	63	0	30000	436.5591398	13160.92735	30000	0	0	30000	42.875	2004
08.01.2020 13:52:07	1	1	1	1	85.75	62.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	42.4375	2004
08.01.2020 13:52:08	1	1	1	1	85.75	62.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	43.125	2004
08.01.2020 13:52:09	1	1	1	1	85.75	63	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.75	2004
08.01.2020 13:52:10	1	1	1	1	86	62.75	0	30000	369.8924731	11031.98978	30000	0	0	30000	43	2004
08.01.2020 13:52:11	1	1	1	1	86	63	0	30000	356.9892473	10709.10227	30000	0	0	30000	42.9375	2004
08.01.2020 13:52:18	1	1	1	1	86	62.75	0	30000	380.6451613	11354.87729	30000	0	0	30000	42.8125	2004
08.01.2020 13:52:18	1	1	1	1	86	62.75	0	30000	380.6451613	11354.87729	30000	0	0	30000	42.8125	2004
08.01.2020 13:52:18	1	1	1	1	86	62.75	0	30000	380.6451613	11354.87729	30000	0	0	30000	42.8125	2004
08.01.2020 13:52:18	1	1	1	1	86	62.75	0	30000	380.6451613	11354.87729	30000	0	0	30000	42.8125	2004
08.01.2020 13:52:18	1	1	1	1	86	62.75	0	30000	380.6451613	11354.87729	30000	0	0	30000	42.8125	2004
08.01.2020 13:52:18	1	1	1	1	86	62.75	0	30000	380.6451613	11354.87729	30000	0	0	30000	42.8125	2004
08.01.2020 13:52:18	1	1	1	1	86	62.75	0	29952.607	384.9462366	11548.12057	30000	0	0	30000	43.125	2004
08.01.2020 13:52:19	1	1	1	1	86	63	0	29905.213	397.8494624	12064.25135	30000	0	0	30000	42.875	2004
08.01.2020 13:52:20	1	1	1	1	85.75	62.75	0	30000	412.9032258	12128.66578	30000	0	0	30000	43.25	2004
08.01.2020 13:52:21	1	1	1	1	85.75	63.25	0	30000	412.9032258	12406.7078	30000	0	0	30000	42.875	2004
08.01.2020 13:52:22	1	1	1	1	85.75	63.25	0	30000	412.9032258	12128.66578	30000	0	0	30000	42.6875	2004
08.01.2020 13:52:23	1	1	1	1	85.75	62.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	43	2004
08.01.2020 13:52:24	1	1	1	1	85.75	63	0	29905.213	406.4516129	12387.13886	30000	0	0	30000	41.9375	2004
08.01.2020 13:52:25	1	1	1	1	85.75	61.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	43	2004
08.01.2020 13:52:26	1	1	1	1	85.75	63	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.0625	2004
08.01.2020 13:52:27	1	1	1	1	85.75	63	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.1875	2004
08.01.2020 13:52:28	1	1	1	1	85.75	62	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 13:52:29	1	1	1	1	84.75	62.75	0	30000	419.3548387	12709.21099	30000	0	0	30000	42.625	2004
08.01.2020 13:52:30	1	1	1	1	84.75	62.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	43	2004
08.01.2020 13:52:31	1	1	1	1	84.75	63	0	30000	425.8064516	12773.62542	30000	0	0	30000	42.9375	2004
08.01.2020 13:52:32	1	1	1	1	84.75	62.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.875	2004
08.01.2020 13:52:33	1	1	1	1	84.75	62.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	42.9375	2004
08.01.2020 13:52:34	1	1	1	1	84.75	62.75	0	30000	425.8064516	12709.21099	30000	0	0	30000	42.625	2004
08.01.2020 13:52:35	1	1	1	1	84.75	62.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.875	2004
08.01.2020 13:52:36	1	1	1	1	84.75	62.75	0	30000	432.2580645	12967.68407	30000	0	0	30000	42.625	2004
08.01.2020 13:52:37	1	1	1	1	84.75	62.5	0	30094.787	443.0107527	12967.68407	30000	0	0	30000	42.75	2004
08.01.2020 13:52:38	1	1	1	1	84.75	62.75	0	30000	438.7096774	12838.03984	30000	0	0	30000	42.875	2004
08.01.2020 13:52:39	1	1	1	1	84	62.75	0	30000	443.0107527	13354.17063	30000	0	0	30000	42.625	2004
08.01.2020 13:52:41	1	1	1	1	84	62.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.125	2004
08.01.2020 13:52:42	1	1	1	1	84	62	0	30000	466.6666667	13999.94564	30000	0	0	30000	42.8125	2004
08.01.2020 13:52:43	1	1	1	1	84	62.75	0	30000	464.516129	13999.94564	30000	0	0	30000	43.125	2004
08.01.2020 13:52:44	1	1	1	1	84	63	0	30000	464.516129	13999.94564	30000	0	0	30000	42.9375	2004
08.01.2020 13:52:45	1	1	1	1	84	62.75	0	30000	466.6666667	13999.94564	30000	0	0	30000	42.75	2004
08.01.2020 13:52:46	1	1	1	1	84	62.75	0	30000	481.7204301	14451.662	30000	0	0	30000	43.1875	2004
08.01.2020 13:52:47	1	1	1	1	84	63	0	30000	481.7204301	14451.662	30000	0	0	30000	42.3125	2004
08.01.2020 13:52:48	1	1	1	1	84	62.25	0	30000	460.2150538	13805.88699	30000	0	0	30000	42.625	2004
08.01.2020 13:52:49	1	1	1	1	84	62.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.9375	2004
08.01.2020 13:52:50	1	1	1	1	84	62.75	0	30000	425.8064516	12689.64205	30000	0	0	30000	42.3125	2004
08.01.2020 13:52:51	1	1	1	1	84	62.25	0	30000	423.655914	12709.21099	30000	0	0	30000	42.8125	2004
08.01.2020 13:52:52	1	1	1	1	84	62.75	0	30000	427.9569892	12818.4709	30000	0	0	30000	42.9375	2004
08.01.2020 13:52:53	1	1	1	1	84	62.75	0	29952.607	438.7096774	13076.12861	30000	0	0	30000	43	2004
08.01.2020 13:52:54	1	1	1	1	84	63	0	30000	445.1612903	13333.78632	30000	0	0	30000	42.625	2004
08.01.2020 13:52:55	1	1	1	1	84	62.5	0	30000	460.2150538	13805.88699	30000	0	0	30000	42.875	2004
08.01.2020 13:52:56	1	1	1	1	84	62.75	0	30000	468.8172043	14064.36007	30000	0	0	30000	43.0625	2004
08.01.2020 13:52:57	1	1	1	1	84	63	0	30000	468.8172043	13999.94564	30000	0	0	30000	43.5	2004
08.01.2020 13:52:58	1	1	1	1	84	63.5	0	30000	460.2150538	13805.88699	30000	0	0	30000	42.75	2004
08.01.2020 13:52:59	1	1	1	1	84	62.75	0	30000	451.6129032	13612.64371	30000	0	0	30000	43.25	2004
08.01.2020 13:53:00	1	1	1	1	84	63.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.8125	2004
08.01.2020 13:53:01	1	1	1	1	84	62.75	0	30000	438.7096774	13160.92735	30000	0	0	30000	42.8125	2004
08.01.2020 13:53:02	1	1	1	1	84	63.25	0	29952.607	436.5591398	13096.51292	30000	0	0	30000	42.9375	2004
08.01.2020 13:53:03	1	1	1	1	84	62.75	0	30000	434.4086022	13160.92735	30000	0	0	30000	42.8125	2004
08.01.2020 13:53:04	1	1	1	1	84	62.75	0	30000	434.4086022	12967.68407	30000	0	0	30000	42.9375	2004
08.01.2020 13:53:05	1	1	1	1	84	62.75	0	30047.393	443.0107527	13160.92735	30000	0	0	30000	42.3125	2004
08.01.2020 13:53:06	1	1	1	1	84	62.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	43	2004
08.01.2020 13:53:07	1	1	1	1	84	63	0	30000	460.2150538	13805.88699	30000	0	0	30000	42.75	2004
08.01.2020 13:53:08	1	1	1	1	84	62.75	0	30000	455.9139785	13612.64371	30000	0	0	30000	42.8125	2004
08.01.2020 13:53:09	1	1	1	1	83.5	62.75	0	30000	443.0107527	13225.34178	30000	0	0	30000	42.875	2004
08.01.2020 13:53:10	1	1	1	1	83.5	62.75	0	30000	438.7096774	13160.92735	30000	0	0	30000	41.75	2004
08.01.2020 13:53:11	1	1	1	1	83.5	61.75	0	29905.213	438.7096774	13096.51292	30000	0	0	30000	42.75	2004
08.01.2020 13:53:12	1	1	1	1	83.5	62.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 13:53:19	1	1	1	1	83.5	62.75	0	30000	391.3978495	11871.00807	30000	0	0	30000	43.125	2004
08.01.2020 13:53:19	1	1	1	1	83.5	62.75	0	30000	391.3978495	11871.00807	30000	0	0	30000	43.125	2004
08.01.2020 13:53:19	1	1	1	1	83.5	62.75	0	30000	391.3978495	11871.00807	30000	0	0	30000	43.125	2004
08.01.2020 13:53:19	1	1	1	1	83.5	62.75	0	30000	391.3978495	11871.00807	30000	0	0	30000	43.125	2004
08.01.2020 13:53:19	1	1	1	1	83.5	62.75	0	30000	391.3978495	11871.00807	30000	0	0	30000	43.125	2004
08.01.2020 13:53:19	1	1	1	1	83.5	62.75	0	30000	391.3978495	11871.00807	30000	0	0	30000	43.125	2004
08.01.2020 13:53:20	1	1	1	1	83.5	63	0	30000	389.2473118	11612.53499	30000	0	0	30000	42.5	2004
08.01.2020 13:53:21	1	1	1	1	83.5	62.5	0	30000	384.9462366	11548.12057	30000	0	0	30000	42.8125	2004
08.01.2020 13:53:22	1	1	1	1	83.5	62.75	0	30000	389.2473118	11741.36385	30000	0	0	30000	43.0625	2004
08.01.2020 13:53:23	1	1	1	1	83.5	63	0	30047.393	397.8494624	11871.00807	30000	0	0	30000	43.0625	2004
08.01.2020 13:53:24	1	1	1	1	83.5	63	0	30000	397.8494624	11935.4225	30000	0	0	30000	43	2004
08.01.2020 13:53:25	1	1	1	1	83.5	63	0	30000	404.3010753	12128.66578	30000	0	0	30000	43	2004
08.01.2020 13:53:26	1	1	1	1	83.5	63	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.9375	2004
08.01.2020 13:53:27	1	1	1	1	83.5	62.75	0	30000	438.7096774	13182.12704	30000	0	0	30000	42.8125	2004
08.01.2020 13:53:28	1	1	1	1	83.5	62.75	0	29905.213	438.7096774	13612.64371	30000	0	0	30000	43.125	2004
08.01.2020 13:53:29	1	1	1	1	83.5	63	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.75	2004
08.01.2020 13:53:30	1	1	1	1	83.25	62.75	0	29952.607	464.516129	13935.53122	30000	0	0	30000	42.625	2004
08.01.2020 13:53:31	1	1	1	1	83.25	62.5	0	30000	481.7204301	14451.662	30000	0	0	30000	42.25	2004
08.01.2020 13:53:32	1	1	1	1	83.25	62.25	0	30000	481.7204301	14451.662	30000	0	0	30000	42.875	2004
08.01.2020 13:53:33	1	1	1	1	83.25	62.75	0	30000	481.7204301	14451.662	30000	0	0	30000	42.8125	2004
08.01.2020 13:53:34	1	1	1	1	83.25	62.75	0	29905.213	490.3225806	14727.2579	30000	0	0	30000	42.875	2004
08.01.2020 13:53:35	1	1	1	1	83.25	62.75	0	30000	492.4731183	14773.73413	30000	0	0	30000	42.8125	2004
08.01.2020 13:53:36	1	1	1	1	83.25	62.75	0	29715.64	494.6236559	15064.82211	30000	0	0	30000	42.8125	2004
08.01.2020 13:53:37	1	1	1	1	83.25	62.75	0	29905.213	507.5268817	15177.34352	30000	0	0	30000	42.75	2004
08.01.2020 13:53:38	1	1	1	1	83.25	62.75	0	30000	516.1290323	15548.338	30000	0	0	30000	42.25	2004
08.01.2020 13:53:39	1	1	1	1	83.25	62.25	0	30000	520.4301075	15523.87682	30000	0	0	30000	42.5	2004
08.01.2020 13:53:40	1	1	1	1	82.75	62.5	0	29952.607	533.3333333	16039.19224	30000	0	0	30000	42.875	2004
08.01.2020 13:53:41	1	1	1	1	82.75	62.75	0	29810.427	535.483871	15962.54722	30000	0	0	30000	42.875	2004
08.01.2020 13:53:42	1	1	1	1	82.75	62.75	0	29905.213	535.483871	15949.50126	30000	0	0	30000	43.25	2004
08.01.2020 13:53:43	1	1	1	1	82.75	63.25	0	29857.82	533.3333333	15924.22472	30000	0	0	30000	42.75	2004
08.01.2020 13:53:44	1	1	1	1	82.75	63	0	29810.427	535.483871	15987.82377	30000	0	0	30000	42.9375	2004
08.01.2020 13:53:45	1	1	1	1	82.75	62.75	0	29810.427	526.8817204	16013.10032	30000	0	0	30000	42.8125	2004
08.01.2020 13:53:46	1	1	1	1	82.75	62.75	0	29952.607	533.3333333	15974.77781	30000	0	0	30000	42.9375	2004
08.01.2020 13:53:47	1	1	1	1	82.75	62.75	0	29715.64	533.3333333	16154.97513	30000	0	0	30000	42.75	2004
08.01.2020 13:53:48	1	1	1	1	82.75	62.75	0	29905.213	533.3333333	15974.77781	30000	0	0	30000	42.8125	2004
08.01.2020 13:53:49	1	1	1	1	83.25	62.75	0	30000	526.8817204	15805.99571	30000	0	0	30000	42.8125	2004
08.01.2020 13:53:50	1	1	1	1	83.25	62.75	0	30000	524.7311828	15741.58128	30000	0	0	30000	42.75	2004
08.01.2020 13:53:51	1	1	1	1	83.25	62.75	0	30000	507.5268817	15266.21912	30000	0	0	30000	42.9375	2004
08.01.2020 13:53:52	1	1	1	1	83.25	62.75	0	30000	488.172043	14773.73413	30000	0	0	30000	43	2004
08.01.2020 13:53:53	1	1	1	1	83.25	63	0	29952.607	481.7204301	14516.07643	30000	0	0	30000	42.75	2004
08.01.2020 13:53:54	1	1	1	1	83.25	62.75	0	30000	481.7204301	14428.83157	30000	0	0	30000	42.5	2004
08.01.2020 13:53:55	1	1	1	1	83.25	62.5	0	30000	486.0215054	14644.90528	30000	0	0	30000	42.6875	2004
08.01.2020 13:53:56	1	1	1	1	83.25	62.5	0	30000	488.172043	14644.90528	30000	0	0	30000	43	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 13:53:57	1	1	1	1	83.25	63	0	30000	481.7204301	14451.662	30000	0	0	30000	42.375	2004
08.01.2020 13:53:58	1	1	1	1	83.25	62.25	0	30000	449.4623656	13354.17063	30000	0	0	30000	42.875	2004
08.01.2020 13:54:00	1	1	1	1	83.75	62.75	0	30000	404.3010753	12193.08021	30000	0	0	30000	42.375	2004
08.01.2020 13:54:01	1	1	1	1	83.75	62.25	0	30000	391.3978495	11676.94942	30000	0	0	30000	43	2004
08.01.2020 13:54:02	1	1	1	1	83.75	63	0	30000	369.8924731	11160.81863	30000	0	0	30000	43.125	2004
08.01.2020 13:54:03	1	1	1	1	83.75	63	0	30000	359.1397849	10644.68785	30000	0	0	30000	42.875	2004
08.01.2020 13:54:04	1	1	1	1	83.75	62.75	0	29952.607	350.5376344	10515.85899	30000	0	0	30000	42.9375	2004
08.01.2020 13:54:05	1	1	1	1	83.75	62.75	0	30000	359.1397849	10499.55155	30000	0	0	30000	42.4375	2004
08.01.2020 13:54:06	1	1	1	1	83.75	62.25	0	29952.607	363.4408602	10903.16093	30000	0	0	30000	43.0625	2004
08.01.2020 13:54:07	1	1	1	1	83.75	63	0	30000	359.1397849	10773.5167	30000	0	0	30000	43	2004
08.01.2020 13:54:08	1	1	1	1	83.75	63	0	30000	363.4408602	10903.16093	30000	0	0	30000	43.125	2004
08.01.2020 13:54:09	1	1	1	1	83.75	63	0	29952.607	356.9892473	10773.5167	30000	0	0	30000	42.8125	2004
08.01.2020 13:54:10	1	1	1	1	83.75	62.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.9375	2004
08.01.2020 13:54:11	1	1	1	1	83.75	62.75	0	29905.213	352.688172	10709.10227	30000	0	0	30000	42.9375	2004
08.01.2020 13:54:12	1	1	1	1	83.75	62.75	0	30000	354.8387097	10709.10227	30000	0	0	30000	42.9375	2004
08.01.2020 13:54:13	1	1	1	1	83.75	62.75	0	30000	352.688172	10644.68785	30000	0	0	30000	42.9375	2004
08.01.2020 13:54:14	1	1	1	1	83.75	62.75	0	30000	356.9892473	10773.5167	30000	0	0	30000	42.8125	2004
08.01.2020 13:54:21	1	1	1	1	83.25	63	0	30000	363.4408602	10903.16093	30000	0	0	30000	43.5625	2004
08.01.2020 13:54:21	1	1	1	1	83.25	63	0	30000	363.4408602	10903.16093	30000	0	0	30000	43.5625	2004
08.01.2020 13:54:21	1	1	1	1	83.25	63	0	30000	363.4408602	10903.16093	30000	0	0	30000	43.5625	2004
08.01.2020 13:54:21	1	1	1	1	83.25	63	0	30000	363.4408602	10903.16093	30000	0	0	30000	43.5625	2004
08.01.2020 13:54:21	1	1	1	1	83.25	63	0	30000	363.4408602	10903.16093	30000	0	0	30000	43.5625	2004
08.01.2020 13:54:21	1	1	1	1	83.25	63.5	0	30000	363.4408602	10903.16093	30000	0	0	30000	42.875	2004
08.01.2020 13:54:22	1	1	1	1	83.25	63	0	30000	369.8924731	11031.98978	30000	0	0	30000	42.9375	2004
08.01.2020 13:54:23	1	1	1	1	83.25	62.75	0	29952.607	369.8924731	11096.40421	30000	0	0	30000	42.9375	2004
08.01.2020 13:54:24	1	1	1	1	83.25	62.75	0	29952.607	378.4946237	11354.87729	30000	0	0	30000	43	2004
08.01.2020 13:54:25	1	1	1	1	83.25	63	0	29905.213	367.7419355	11143.69581	30000	0	0	30000	42.9375	2004
08.01.2020 13:54:26	1	1	1	1	83.25	62.75	0	30000	369.8924731	11079.28139	30000	0	0	30000	42.875	2004
08.01.2020 13:54:27	1	1	1	1	83.25	62.75	0	30000	367.7419355	11031.98978	30000	0	0	30000	42.5625	2004
08.01.2020 13:54:28	1	1	1	1	83.25	62.5	0	30000	363.4408602	10967.57535	30000	0	0	30000	42.625	2004
08.01.2020 13:54:29	1	1	1	1	83.5	62.5	0	30000	372.0430108	11160.81863	30000	0	0	30000	42.6875	2004
08.01.2020 13:54:30	1	1	1	1	83.5	62.5	0	30000	372.0430108	11160.81863	30000	0	0	30000	42.9375	2004
08.01.2020 13:54:31	1	1	1	1	83.5	62.75	0	30000	380.6451613	11419.29171	30000	0	0	30000	42.8125	2004
08.01.2020 13:54:32	1	1	1	1	83.5	62.75	0	30000	384.9462366	11548.12057	30000	0	0	30000	42.625	2004
08.01.2020 13:54:33	1	1	1	1	83.5	62.5	0	30000	380.6451613	11401.35352	30000	0	0	30000	42.6875	2004
08.01.2020 13:54:34	1	1	1	1	83.5	62.5	0	30000	380.6451613	11419.29171	30000	0	0	30000	42.875	2004
08.01.2020 13:54:35	1	1	1	1	83.5	62.75	0	30000	378.4946237	11079.28139	30000	0	0	30000	42.5	2004
08.01.2020 13:54:36	1	1	1	1	83.5	62.5	0	30000	372.0430108	11160.81863	30000	0	0	30000	42.8125	2004
08.01.2020 13:54:38	1	1	1	1	83.5	62.75	0	29952.607	369.8924731	11160.81863	30000	0	0	30000	42.6875	2004
08.01.2020 13:54:39	1	1	1	1	83.5	62.5	0	30000	372.0430108	11225.23306	30000	0	0	30000	42.625	2004
08.01.2020 13:54:40	1	1	1	1	83.5	62.5	0	29905.213	369.8924731	11079.28139	30000	0	0	30000	42.75	2004
08.01.2020 13:54:41	1	1	1	1	83.5	62.75	0	30000	372.0430108	11354.87729	30000	0	0	30000	43	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 13:54:42	1	1	1	1	83.5	63	0	30000	369.8924731	11096.40421	30000	0	0	30000	43	2004
08.01.2020 13:54:43	1	1	1	1	83.5	63	0	29952.607	367.7419355	11096.40421	30000	0	0	30000	42.8125	2004
08.01.2020 13:54:44	1	1	1	1	83.5	62.75	0	30000	369.8924731	10903.16093	30000	0	0	30000	42.9375	2004
08.01.2020 13:54:45	1	1	1	1	83.5	62.75	0	30000	363.4408602	10773.5167	30000	0	0	30000	42.8125	2004
08.01.2020 13:54:46	1	1	1	1	83.5	62.75	0	30000	356.9892473	10967.57535	30000	0	0	30000	43	2004
08.01.2020 13:54:47	1	1	1	1	83.5	63	0	30000	367.7419355	11031.98978	30000	0	0	30000	42.75	2004
08.01.2020 13:54:48	1	1	1	1	83.5	62.75	0	30000	365.5913978	11031.98978	30000	0	0	30000	42.875	2004
08.01.2020 13:54:49	1	1	1	1	83.5	62.75	0	30000	363.4408602	10967.57535	30000	0	0	30000	42.8125	2004
08.01.2020 13:54:50	1	1	1	1	83.25	62.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	42.9375	2004
08.01.2020 13:54:51	1	1	1	1	83.25	62.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.875	2004
08.01.2020 13:54:52	1	1	1	1	83.25	62.75	0	30000	365.5913978	11031.98978	30000	0	0	30000	42.6875	2004
08.01.2020 13:54:53	1	1	1	1	83.25	62.5	0	30000	359.1397849	10709.10227	30000	0	0	30000	42.375	2004
08.01.2020 13:54:54	1	1	1	1	83.25	62.25	0	30000	350.5376344	10451.44457	30000	0	0	30000	42.75	2004
08.01.2020 13:54:55	1	1	1	1	83.25	62.75	0	29952.607	359.1397849	10773.5167	30000	0	0	30000	42.9375	2004
08.01.2020 13:54:56	1	1	1	1	83.25	62.75	0	30000	352.688172	10515.85899	30000	0	0	30000	42.5	2004
08.01.2020 13:54:57	1	1	1	1	83.25	62.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.9375	2004
08.01.2020 13:54:58	1	1	1	1	83.25	62.75	0	30000	354.8387097	10644.68785	30000	0	0	30000	43.3125	2004
08.01.2020 13:54:59	1	1	1	1	83.25	63.25	0	30000	352.688172	10515.85899	30000	0	0	30000	42.3125	2004
08.01.2020 13:55:00	1	1	1	1	82.75	62.75	0	30000	356.9892473	10644.68785	30000	0	0	30000	42.5	2004
08.01.2020 13:55:01	1	1	1	1	82.75	62.5	0	30000	348.3870968	10451.44457	30000	0	0	30000	42.625	2004
08.01.2020 13:55:02	1	1	1	1	82.75	62.5	0	30000	341.9354839	10387.03014	30000	0	0	30000	42.75	2004
08.01.2020 13:55:03	1	1	1	1	82.75	62.75	0	29905.213	354.8387097	10628.3804	30000	0	0	30000	42.9375	2004
08.01.2020 13:55:04	1	1	1	1	82.75	62.75	0	30000	354.8387097	10644.68785	30000	0	0	30000	42.75	2004
08.01.2020 13:55:05	1	1	1	1	82.75	62.75	0	29952.607	337.6344086	10241.89384	30000	0	0	30000	42.875	2004
08.01.2020 13:55:06	1	1	1	1	82.75	62.75	0	30000	331.1827957	9999.728209	30000	0	0	30000	43.1875	2004
08.01.2020 13:55:07	1	1	1	1	82.75	63	0	29952.607	339.7849462	10177.47941	30000	0	0	30000	42.75	2004
08.01.2020 13:55:08	1	1	1	1	82.75	62.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	42.8125	2004
08.01.2020 13:55:09	1	1	1	1	82.5	62.75	0	30000	333.3333333	9999.728209	30000	0	0	30000	43	2004
08.01.2020 13:55:10	1	1	1	1	82.5	63	0	30000	333.3333333	9999.728209	30000	0	0	30000	42.9375	2004
08.01.2020 13:55:13	1	1	1	1	82.5	62.5	0	30000	339.7849462	10192.97149	30000	0	0	30000	43	2004
08.01.2020 13:55:13	1	1	1	1	82.5	62.5	0	30000	339.7849462	10192.97149	30000	0	0	30000	43	2004
08.01.2020 13:55:13	1	1	1	1	82.5	63	0	30000	337.6344086	10128.55706	30000	0	0	30000	42.9375	2004
08.01.2020 13:55:14	1	1	1	1	82.5	62.75	0	30000	335.483871	10128.55706	30000	0	0	30000	42.5625	2004
08.01.2020 13:55:16	1	1	1	1	82.5	62.5	0	30000	341.9354839	10273.69337	30000	0	0	30000	43.125	2004
08.01.2020 13:55:22	1	1	1	1	82.5	62.75	0	30000	337.6344086	10273.69337	30000	0	0	30000	43	2004
08.01.2020 13:55:22	1	1	1	1	82.5	62.75	0	30000	337.6344086	10273.69337	30000	0	0	30000	43	2004
08.01.2020 13:55:22	1	1	1	1	82.5	62.75	0	30000	337.6344086	10273.69337	30000	0	0	30000	43	2004
08.01.2020 13:55:22	1	1	1	1	82.5	62.75	0	30000	337.6344086	10273.69337	30000	0	0	30000	43	2004
08.01.2020 13:55:22	1	1	1	1	82.5	62.75	0	30000	337.6344086	10273.69337	30000	0	0	30000	43	2004
08.01.2020 13:55:22	1	1	1	1	82.5	62.75	0	30000	337.6344086	10273.69337	30000	0	0	30000	43	2004
08.01.2020 13:55:23	1	1	1	1	82.5	63	0	30000	337.6344086	10128.55706	30000	0	0	30000	43.0625	2004
08.01.2020 13:55:24	1	1	1	1	82.5	63	0	29952.607	348.3870968	10387.03014	30000	0	0	30000	42.9375	2004
08.01.2020 13:55:25	1	1	1	1	82.5	62.75	0	30000	354.8387097	10515.85899	30000	0	0	30000	42.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 13:55:26	1	1	1	1	82.5	62.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.25	2004
08.01.2020 13:55:27	1	1	1	1	82.5	62.25	0	30000	369.8924731	10967.57535	30000	0	0	30000	43.0625	2004
08.01.2020 13:55:28	1	1	1	1	82.5	63	0	30000	378.4946237	11160.81863	30000	0	0	30000	42.9375	2004
08.01.2020 13:55:29	1	1	1	1	82.5	62.75	0	30000	384.9462366	11548.12057	30000	0	0	30000	42.25	2004
08.01.2020 13:55:30	1	1	1	1	81.75	62.25	0	30000	380.6451613	11483.70614	30000	0	0	30000	42.9375	2004
08.01.2020 13:55:31	1	1	1	1	81.75	62.75	0	30000	397.8494624	11999.83693	30000	0	0	30000	42.8125	2004
08.01.2020 13:55:32	1	1	1	1	81.75	62.75	0	29952.607	391.3978495	11741.36385	30000	0	0	30000	42.0625	2004
08.01.2020 13:55:33	1	1	1	1	81.75	62	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.1875	2004
08.01.2020 13:55:34	1	1	1	1	81.75	62	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.125	2004
08.01.2020 13:55:35	1	1	1	1	81.75	63	0	29905.213	417.2043011	12580.38214	30000	0	0	30000	42.875	2004
08.01.2020 13:55:36	1	1	1	1	81.75	62.75	0	30000	421.5053763	12580.38214	30000	0	0	30000	43.25	2004
08.01.2020 13:55:37	1	1	1	1	81.75	63.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	43	2004
08.01.2020 13:55:38	1	1	1	1	81.75	63	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.9375	2004
08.01.2020 13:55:39	1	1	1	1	82	62	0	29952.607	438.7096774	13160.92735	30000	0	0	30000	42.9375	2004
08.01.2020 13:55:40	1	1	1	1	82	62.75	0	30000	443.0107527	13054.92893	30000	0	0	30000	42.875	2004
08.01.2020 13:55:41	1	1	1	1	82	62.75	0	30000	443.0107527	13289.7562	30000	0	0	30000	42.9375	2004
08.01.2020 13:55:42	1	1	1	1	82	62.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	42.5	2004
08.01.2020 13:55:43	1	1	1	1	82	62.5	0	30000	466.6666667	13999.94564	30000	0	0	30000	42.875	2004
08.01.2020 13:55:44	1	1	1	1	82	62.75	0	30000	464.516129	13935.53122	30000	0	0	30000	42.75	2004
08.01.2020 13:55:45	1	1	1	1	82	62.75	0	30000	464.516129	13612.64371	30000	0	0	30000	42.375	2004
08.01.2020 13:55:46	1	1	1	1	82	62.25	0	30000	464.516129	13935.53122	30000	0	0	30000	42.875	2004
08.01.2020 13:55:47	1	1	1	1	82	62.75	0	30000	466.6666667	13999.94564	30000	0	0	30000	43	2004
08.01.2020 13:55:48	1	1	1	1	82	63	0	30047.393	481.7204301	14128.7745	30000	0	0	30000	42.625	2004
08.01.2020 13:55:49	1	1	1	1	82	62.5	0	30000	458.0645161	13741.47256	30000	0	0	30000	42.875	2004
08.01.2020 13:55:50	1	1	1	1	82	62.75	0	29952.607	423.655914	12580.38214	30000	0	0	30000	42.75	2004
08.01.2020 13:55:51	1	1	1	1	82	62.75	0	29952.607	402.1505376	11897.09999	30000	0	0	30000	42.5625	2004
08.01.2020 13:55:53	1	1	1	1	82	62.5	0	30000	384.9462366	11548.12057	30000	0	0	30000	43.0625	2004
08.01.2020 13:55:54	1	1	1	1	82	63	0	30000	382.7956989	11483.70614	30000	0	0	30000	42.6875	2004
08.01.2020 13:55:55	1	1	1	1	82	62.5	0	30000	380.6451613	11419.29171	30000	0	0	30000	42.6875	2004
08.01.2020 13:55:56	1	1	1	1	82	62.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.9375	2004
08.01.2020 13:55:57	1	1	1	1	82	62.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.5625	2004
08.01.2020 13:55:58	1	1	1	1	82	62.5	0	29905.213	367.7419355	11096.40421	30000	0	0	30000	42.6875	2004
08.01.2020 13:55:59	1	1	1	1	82	62.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.8125	2004
08.01.2020 13:56:00	1	1	1	1	81.75	62.75	0	29952.607	369.8924731	11354.87729	30000	0	0	30000	42.75	2004
08.01.2020 13:56:01	1	1	1	1	81.75	62.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.9375	2004
08.01.2020 13:56:02	1	1	1	1	81.75	62.75	0	29952.607	378.4946237	11354.87729	30000	0	0	30000	42.8125	2004
08.01.2020 13:56:03	1	1	1	1	81.75	62.75	0	29952.607	367.7419355	10903.16093	30000	0	0	30000	42.5625	2004
08.01.2020 13:56:04	1	1	1	1	81.75	62.5	0	30000	369.8924731	11096.40421	30000	0	0	30000	43.0625	2004
08.01.2020 13:56:05	1	1	1	1	81.75	63	0	30000	369.8924731	11096.40421	30000	0	0	30000	42.9375	2004
08.01.2020 13:56:06	1	1	1	1	81.75	62.75	0	30000	378.4946237	11336.93909	30000	0	0	30000	42.5625	2004
08.01.2020 13:56:07	1	1	1	1	81.75	62.5	0	29952.607	380.6451613	11401.35352	30000	0	0	30000	43.0625	2004
08.01.2020 13:56:08	1	1	1	1	81.75	63	0	30000	391.3978495	11741.36385	30000	0	0	30000	43	2004
08.01.2020 13:56:09	1	1	1	1	81.75	63	0	30000	404.3010753	12128.66578	30000	0	0	30000	43	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 13:56:10	1	1	1	1	81.25	63	0	30000	402.1505376	12064.25135	30000	0	0	30000	42.5625	2004
08.01.2020 13:56:11	1	1	1	1	81.25	62.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	43	2004
08.01.2020 13:56:12	1	1	1	1	81.25	63	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.0625	2004
08.01.2020 13:56:13	1	1	1	1	81.25	63	0	29952.607	412.9032258	12451.55328	30000	0	0	30000	42.4375	2004
08.01.2020 13:56:14	1	1	1	1	81.25	62.25	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	42.875	2004
08.01.2020 13:56:15	1	1	1	1	81.25	62.75	0	30000	419.3548387	12451.55328	30000	0	0	30000	42.875	2004
08.01.2020 13:56:16	1	1	1	1	81.25	62.75	0	30000	423.655914	12878.80847	30000	0	0	30000	43.3125	2004
08.01.2020 13:56:17	1	1	1	1	81.25	63.25	0	29905.213	417.2043011	12580.38214	30000	0	0	30000	42.1875	2004
08.01.2020 13:56:24	1	1	1	1	81.25	62.5	0	30000	404.3010753	12387.13886	30000	0	0	30000	42.875	2004
08.01.2020 13:56:24	1	1	1	1	81.25	62.5	0	30000	404.3010753	12387.13886	30000	0	0	30000	42.875	2004
08.01.2020 13:56:24	1	1	1	1	81.25	62.5	0	30000	404.3010753	12387.13886	30000	0	0	30000	42.875	2004
08.01.2020 13:56:24	1	1	1	1	81.25	62.5	0	30000	404.3010753	12387.13886	30000	0	0	30000	42.875	2004
08.01.2020 13:56:24	1	1	1	1	81.25	62.5	0	30000	404.3010753	12387.13886	30000	0	0	30000	42.875	2004
08.01.2020 13:56:24	1	1	1	1	81.25	62.75	0	30000	397.8494624	11935.4225	30000	0	0	30000	42.5	2004
08.01.2020 13:56:25	1	1	1	1	81.25	62.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	42.875	2004
08.01.2020 13:56:26	1	1	1	1	81.25	62.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.875	2004
08.01.2020 13:56:27	1	1	1	1	81.25	62.75	0	29905.213	412.9032258	12387.13886	30000	0	0	30000	42.875	2004
08.01.2020 13:56:28	1	1	1	1	81.25	62.75	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	43.0625	2004
08.01.2020 13:56:29	1	1	1	1	81.25	63	0	30000	415.0537634	12451.55328	30000	0	0	30000	42.75	2004
08.01.2020 13:56:30	1	1	1	1	81.25	62.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	42.5	2004
08.01.2020 13:56:31	1	1	1	1	81.25	62.5	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	42.75	2004
08.01.2020 13:56:33	1	1	1	1	81.25	62.75	0	30000	419.3548387	12451.55328	30000	0	0	30000	42.375	2004
08.01.2020 13:56:34	1	1	1	1	81.25	62.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	42.9375	2004
08.01.2020 13:56:35	1	1	1	1	81.25	62.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	42.9375	2004
08.01.2020 13:56:36	1	1	1	1	81.25	62.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	42.875	2004
08.01.2020 13:56:37	1	1	1	1	81.25	62.75	0	30000	425.8064516	12709.21099	30000	0	0	30000	42.25	2004
08.01.2020 13:56:38	1	1	1	1	81.25	62.25	0	29952.607	415.0537634	12580.38214	30000	0	0	30000	42.875	2004
08.01.2020 13:56:39	1	1	1	1	81.25	62.75	0	30047.393	425.8064516	12709.21099	30000	0	0	30000	42.4375	2004
08.01.2020 13:56:40	1	1	1	1	81	62.25	0	30000	423.655914	12709.21099	30000	0	0	30000	42.9375	2004
08.01.2020 13:56:41	1	1	1	1	81	62.75	0	30000	417.2043011	12580.38214	30000	0	0	30000	42.875	2004
08.01.2020 13:56:42	1	1	1	1	81	62.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.5	2004
08.01.2020 13:56:43	1	1	1	1	81	62.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.875	2004
08.01.2020 13:56:44	1	1	1	1	81	62.75	0	29905.213	395.6989247	11916.66893	30000	0	0	30000	42.625	2004
08.01.2020 13:56:45	1	1	1	1	81	62.5	0	30000	397.8494624	11852.2545	30000	0	0	30000	42.75	2004
08.01.2020 13:56:46	1	1	1	1	81	62.75	0	30000	404.3010753	12064.25135	30000	0	0	30000	42.375	2004
08.01.2020 13:56:47	1	1	1	1	81	62.25	0	30000	412.9032258	12367.56992	30000	0	0	30000	43	2004
08.01.2020 13:56:48	1	1	1	1	81	63	0	30000	419.3548387	12580.38214	30000	0	0	30000	43	2004
08.01.2020 13:56:49	1	1	1	1	81	63	0	29905.213	427.9569892	12838.03984	30000	0	0	30000	43.125	2004
08.01.2020 13:56:50	1	1	1	1	81.25	63	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.9375	2004
08.01.2020 13:56:51	1	1	1	1	81.25	62.75	0	30000	425.8064516	12838.03984	30000	0	0	30000	42.8125	2004
08.01.2020 13:56:52	1	1	1	1	81.25	62.75	0	30000	423.655914	12580.38214	30000	0	0	30000	42.625	2004
08.01.2020 13:56:53	1	1	1	1	81.25	62.5	0	30000	415.0537634	12580.38214	30000	0	0	30000	43.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 13:56:54	1	1	1	1	81.25	63	0	30000	419.3548387	12858.42416	30000	0	0	30000	43.25	2004
08.01.2020 13:56:55	1	1	1	1	81.25	63.25	0	30000	415.0537634	12773.62542	30000	0	0	30000	42.875	2004
08.01.2020 13:56:56	1	1	1	1	81.25	62.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	42.9375	2004
08.01.2020 13:56:57	1	1	1	1	81.25	62.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	42.4375	2004
08.01.2020 13:56:58	1	1	1	1	81.25	62.25	0	30000	425.8064516	12838.03984	30000	0	0	30000	42.8125	2004
08.01.2020 13:56:59	1	1	1	1	81.75	62.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	42.8125	2004
08.01.2020 13:57:00	1	1	1	1	81.75	62.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	42.9375	2004
08.01.2020 13:57:01	1	1	1	1	81.75	62.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	42.25	2004
08.01.2020 13:57:02	1	1	1	1	81.75	62.25	0	30000	397.8494624	11935.4225	30000	0	0	30000	42.375	2004
08.01.2020 13:57:03	1	1	1	1	81.75	62.25	0	30000	395.6989247	11741.36385	30000	0	0	30000	42.8125	2004
08.01.2020 13:57:04	1	1	1	1	81.75	62.75	0	29952.607	380.6451613	11483.70614	30000	0	0	30000	42.8125	2004
08.01.2020 13:57:05	1	1	1	1	81.75	62.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	43.125	2004
08.01.2020 13:57:06	1	1	1	1	81.75	63	0	29952.607	378.4946237	11354.87729	30000	0	0	30000	43	2004
08.01.2020 13:57:07	1	1	1	1	81.75	63	0	30000	363.4408602	10967.57535	30000	0	0	30000	42.875	2004
08.01.2020 13:57:08	1	1	1	1	81.75	62.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.625	2004
08.01.2020 13:57:09	1	1	1	1	81.5	62.5	0	29905.213	354.8387097	10709.10227	30000	0	0	30000	43	2004
08.01.2020 13:57:10	1	1	1	1	81.5	63	0	30000	352.688172	10644.68785	30000	0	0	30000	42.8125	2004
08.01.2020 13:57:11	1	1	1	1	81.5	62.75	0	30000	359.1397849	10709.10227	30000	0	0	30000	42.9375	2004
08.01.2020 13:57:12	1	1	1	1	81.5	62.75	0	30000	356.9892473	10773.5167	30000	0	0	30000	42.4375	2004
08.01.2020 13:57:14	1	1	1	1	81.5	62.25	0	30000	350.5376344	10515.85899	30000	0	0	30000	42.3125	2004
08.01.2020 13:57:15	1	1	1	1	81.5	62.25	0	30000	352.688172	10644.68785	30000	0	0	30000	43	2004
08.01.2020 13:57:16	1	1	1	1	81.5	63	0	30000	363.4408602	10757.20925	30000	0	0	30000	42.875	2004
08.01.2020 13:57:17	1	1	1	1	81.5	62.75	0	30047.393	363.4408602	10920.28375	30000	0	0	30000	42.875	2004
08.01.2020 13:57:18	1	1	1	1	81.5	62.75	0	30000	378.4946237	11160.81863	30000	0	0	30000	42.875	2004
08.01.2020 13:57:19	1	1	1	1	81.5	62.75	0	30000	378.4946237	11501.64433	30000	0	0	30000	43	2004
08.01.2020 13:57:26	1	1	1	1	81.5	62	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.5625	2004
08.01.2020 13:57:26	1	1	1	1	81.5	62	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.5625	2004
08.01.2020 13:57:26	1	1	1	1	81.5	62	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.5625	2004
08.01.2020 13:57:26	1	1	1	1	81.5	62	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.5625	2004
08.01.2020 13:57:26	1	1	1	1	81.5	62	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.5625	2004
08.01.2020 13:57:26	1	1	1	1	81.5	62	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.5625	2004
08.01.2020 13:57:26	1	1	1	1	81.5	62.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.375	2004
08.01.2020 13:57:27	1	1	1	1	81.5	62.25	0	30000	378.4946237	11419.29171	30000	0	0	30000	43	2004
08.01.2020 13:57:28	1	1	1	1	81.5	63	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.8125	2004
08.01.2020 13:57:29	1	1	1	1	81.5	62.75	0	29952.607	363.4408602	11096.40421	30000	0	0	30000	42.8125	2004
08.01.2020 13:57:30	1	1	1	1	81.5	62.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	42.25	2004
08.01.2020 13:57:31	1	1	1	1	81.5	62.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.9375	2004
08.01.2020 13:57:32	1	1	1	1	81.5	62.75	0	30000	395.6989247	11935.4225	30000	0	0	30000	42.9375	2004
08.01.2020 13:57:33	1	1	1	1	81.5	62.75	0	30047.393	412.9032258	12387.13886	30000	0	0	30000	42.5625	2004
08.01.2020 13:57:34	1	1	1	1	81.5	62.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	43	2004
08.01.2020 13:57:35	1	1	1	1	81.5	63	0	30094.787	427.9569892	12580.38214	30000	0	0	30000	43	2004
08.01.2020 13:57:36	1	1	1	1	81.5	63	0	29952.607	427.9569892	12838.03984	30000	0	0	30000	43.3125	2004
08.01.2020 13:57:37	1	1	1	1	81.5	63.25	0	29952.607	438.7096774	13160.92735	30000	0	0	30000	42.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 13:57:38	1	1	1	1	81.5	62.75	0	30000	443.0107527	13354.17063	30000	0	0	30000	43.375	2004
08.01.2020 13:57:39	1	1	1	1	81.5	63.25	0	30000	438.7096774	13160.92735	30000	0	0	30000	42.875	2004
08.01.2020 13:57:40	1	1	1	1	81.75	62.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.9375	2004
08.01.2020 13:57:41	1	1	1	1	81.75	62.75	0	30000	440.8602151	13225.34178	30000	0	0	30000	42.75	2004
08.01.2020 13:57:42	1	1	1	1	81.75	62.75	0	30000	440.8602151	13225.34178	30000	0	0	30000	42.75	2004
08.01.2020 13:57:43	1	1	1	1	81.75	62.75	0	30047.393	445.1612903	13354.17063	30000	0	0	30000	42.9375	2004
08.01.2020 13:57:44	1	1	1	1	81.75	62.75	0	30000	436.5591398	13160.92735	30000	0	0	30000	42.9375	2004
08.01.2020 13:57:45	1	1	1	1	81.75	62.75	0	30000	438.7096774	13160.92735	30000	0	0	30000	42.8125	2004
08.01.2020 13:57:46	1	1	1	1	81.75	62.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.625	2004
08.01.2020 13:57:47	1	1	1	1	81.75	62.5	0	30000	445.1612903	13269.37189	30000	0	0	30000	42.5625	2004
08.01.2020 13:57:48	1	1	1	1	81.75	62.5	0	30000	449.4623656	13354.17063	30000	0	0	30000	42.875	2004
08.01.2020 13:57:49	1	1	1	1	81.5	62.75	0	29952.607	445.1612903	13612.64371	30000	0	0	30000	42.375	2004
08.01.2020 13:57:50	1	1	1	1	81.5	62.25	0	29952.607	460.2150538	13741.47256	30000	0	0	30000	42.9375	2004
08.01.2020 13:57:51	1	1	1	1	81.5	62.75	0	30000	464.516129	13805.88699	30000	0	0	30000	43.0625	2004
08.01.2020 13:57:52	1	1	1	1	81.5	63	0	30000	466.6666667	13935.53122	30000	0	0	30000	43	2004
08.01.2020 13:57:53	1	1	1	1	81.5	63	0	30047.393	481.7204301	14516.07643	30000	0	0	30000	42.8125	2004
08.01.2020 13:57:55	1	1	1	1	81.5	62.75	0	30000	488.172043	14580.49085	30000	0	0	30000	42	2004
08.01.2020 13:57:56	1	1	1	1	81.5	62	0	30000	490.3225806	14709.31971	30000	0	0	30000	42.6875	2004
08.01.2020 13:57:57	1	1	1	1	81.5	62.5	0	30000	481.7204301	14451.662	30000	0	0	30000	42.4375	2004
08.01.2020 13:57:58	1	1	1	1	81.5	62.25	0	30000	445.1612903	13333.78632	30000	0	0	30000	42.25	2004
08.01.2020 13:57:59	1	1	1	1	81.5	62.25	0	29952.607	425.8064516	12838.03984	30000	0	0	30000	42.5625	2004
08.01.2020 13:58:00	1	1	1	1	81.75	62.5	0	30000	425.8064516	12838.03984	30000	0	0	30000	42.9375	2004
08.01.2020 13:58:01	1	1	1	1	81.75	62.75	0	30000	417.2043011	12471.12222	30000	0	0	30000	42.875	2004
08.01.2020 13:58:02	1	1	1	1	81.75	62.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.9375	2004
08.01.2020 13:58:03	1	1	1	1	81.75	62.75	0	30000	404.3010753	11999.83693	30000	0	0	30000	42.75	2004
08.01.2020 13:58:04	1	1	1	1	81.75	62.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	43	2004
08.01.2020 13:58:05	1	1	1	1	81.75	63	0	30000	391.3978495	11676.94942	30000	0	0	30000	42.875	2004
08.01.2020 13:58:06	1	1	1	1	81.75	62.75	0	30000	395.6989247	11935.4225	30000	0	0	30000	42.9375	2004
08.01.2020 13:58:07	1	1	1	1	81.75	62.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	42.6875	2004
08.01.2020 13:58:08	1	1	1	1	81.75	62.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.375	2004
08.01.2020 13:58:09	1	1	1	1	81.75	62.25	0	30000	412.9032258	11833.50094	30000	0	0	30000	42.875	2004
08.01.2020 13:58:10	1	1	1	1	81.75	62.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	42.75	2004
08.01.2020 13:58:11	1	1	1	1	81.75	62.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	42.8125	2004
08.01.2020 13:58:12	1	1	1	1	81.75	62.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.625	2004
08.01.2020 13:58:13	1	1	1	1	81.75	62.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	42.6875	2004
08.01.2020 13:58:14	1	1	1	1	81.75	62.5	0	29952.607	419.3548387	12580.38214	30000	0	0	30000	43.0625	2004
08.01.2020 13:58:15	1	1	1	1	81.75	63	0	29952.607	415.0537634	12580.38214	30000	0	0	30000	42.5625	2004
08.01.2020 13:58:16	1	1	1	1	81.75	62.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	43.3125	2004
08.01.2020 13:58:17	1	1	1	1	81.75	63.25	0	30000	432.2580645	12967.68407	30000	0	0	30000	42.75	2004
08.01.2020 13:58:18	1	1	1	1	81.75	62.75	0	30000	438.7096774	13160.92735	30000	0	0	30000	42.875	2004
08.01.2020 13:58:19	1	1	1	1	82	62.75	0	30000	445.1612903	13548.22928	30000	0	0	30000	42.875	2004
08.01.2020 13:58:20	1	1	1	1	82	62.75	0	30000	460.2150538	13805.88699	30000	0	0	30000	42.875	2004
08.01.2020 13:58:27	1	1	1	1	82	62.75	0	30000	466.6666667	13999.94564	30000	0	0	30000	42.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 13:58:27	1	1	1	1	82	62.75	0	30000	466.6666667	13999.94564	30000	0	0	30000	42.1875	2004
08.01.2020 13:58:27	1	1	1	1	82	62.75	0	30000	466.6666667	13999.94564	30000	0	0	30000	42.1875	2004
08.01.2020 13:58:27	1	1	1	1	82	62.75	0	30000	466.6666667	13999.94564	30000	0	0	30000	42.1875	2004
08.01.2020 13:58:27	1	1	1	1	82	62.75	0	30000	466.6666667	13999.94564	30000	0	0	30000	42.1875	2004
08.01.2020 13:58:27	1	1	1	1	82	62	0	30000	464.516129	13935.53122	30000	0	0	30000	42.75	2004
08.01.2020 13:58:28	1	1	1	1	82	62.75	0	30000	468.8172043	14064.36007	30000	0	0	30000	42.125	2004
08.01.2020 13:58:29	1	1	1	1	82.25	62	0	30000	466.6666667	13999.94564	30000	0	0	30000	42.4375	2004
08.01.2020 13:58:30	1	1	1	1	82.25	62.25	0	30000	464.516129	13999.94564	30000	0	0	30000	42.5	2004
08.01.2020 13:58:31	1	1	1	1	82.25	62.5	0	30000	481.7204301	14451.662	30000	0	0	30000	42.8125	2004
08.01.2020 13:58:32	1	1	1	1	82.25	62.75	0	30000	464.516129	13762.67225	30000	0	0	30000	42.8125	2004
08.01.2020 13:58:34	1	1	1	1	82.25	62.75	0	29952.607	460.2150538	13870.30142	30000	0	0	30000	42.9375	2004
08.01.2020 13:58:35	1	1	1	1	82.25	62.75	0	30000	466.6666667	13999.94564	30000	0	0	30000	42.75	2004
08.01.2020 13:58:36	1	1	1	1	82.25	62.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.9375	2004
08.01.2020 13:58:37	1	1	1	1	82.25	62.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.9375	2004
08.01.2020 13:58:38	1	1	1	1	82.25	62.75	0	29952.607	438.7096774	13160.92735	30000	0	0	30000	42.75	2004
08.01.2020 13:58:39	1	1	1	1	82.25	62.75	0	30000	438.7096774	13225.34178	30000	0	0	30000	42.3125	2004
08.01.2020 13:58:40	1	1	1	1	81.75	62.25	0	29905.213	438.7096774	13160.92735	30000	0	0	30000	42.75	2004
08.01.2020 13:58:41	1	1	1	1	81.75	62.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.875	2004
08.01.2020 13:58:42	1	1	1	1	81.75	62.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	42.6875	2004
08.01.2020 13:58:43	1	1	1	1	81.75	62.5	0	30000	458.0645161	13805.88699	30000	0	0	30000	42.625	2004
08.01.2020 13:58:44	1	1	1	1	81.75	62.5	0	30000	481.7204301	14451.662	30000	0	0	30000	42.875	2004
08.01.2020 13:58:45	1	1	1	1	81.75	62.75	0	30000	488.172043	14644.90528	30000	0	0	30000	42.6875	2004
08.01.2020 13:58:46	1	1	1	1	81.75	62.5	0	29952.607	498.9247312	14902.56299	30000	0	0	30000	41.75	2004
08.01.2020 13:58:47	1	1	1	1	81.75	61.75	0	29952.607	516.1290323	15483.92357	30000	0	0	30000	42.3125	2004
08.01.2020 13:58:48	1	1	1	1	81.75	62.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	42.875	2004
08.01.2020 13:58:49	1	1	1	1	81.75	62.75	0	30000	526.8817204	15805.99571	30000	0	0	30000	42.5	2004
08.01.2020 13:58:50	1	1	1	1	81.5	62.5	0	30000	529.0322581	15845.94896	30000	0	0	30000	42.8125	2004
08.01.2020 13:58:51	1	1	1	1	81.5	62.75	0	30000	526.8817204	15498.60028	30000	0	0	30000	42.75	2004
08.01.2020 13:58:52	1	1	1	1	81.5	62.75	0	30000	529.0322581	15934.82456	30000	0	0	30000	42.875	2004
08.01.2020 13:58:53	1	1	1	1	81.5	62.75	0	30000	529.0322581	15870.41013	30000	0	0	30000	42.5	2004
08.01.2020 13:58:54	1	1	1	1	81.5	62.5	0	29857.82	535.483871	16013.10032	30000	0	0	30000	42.875	2004
08.01.2020 13:58:55	1	1	1	1	81.5	62.75	0	30000	533.3333333	16064.46878	30000	0	0	30000	43.3125	2004
08.01.2020 13:58:56	1	1	1	1	81.5	63.25	0	29905.213	533.3333333	15924.22472	30000	0	0	30000	42.1875	2004
08.01.2020 13:58:57	1	1	1	1	81.5	62	0	30000	520.4301075	15548.338	30000	0	0	30000	43.0625	2004
08.01.2020 13:58:58	1	1	1	1	81.5	63	0	30000	505.3763441	15161.03607	30000	0	0	30000	42.625	2004
08.01.2020 13:58:59	1	1	1	1	82	62.75	0	29905.213	481.7204301	14451.662	30000	0	0	30000	42.875	2004
08.01.2020 13:59:00	1	1	1	1	82	62.75	0	29952.607	460.2150538	13935.53122	30000	0	0	30000	42.75	2004
08.01.2020 13:59:01	1	1	1	1	82	62.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.75	2004
08.01.2020 13:59:02	1	1	1	1	82	62.75	0	30000	438.7096774	13160.92735	30000	0	0	30000	42.3125	2004
08.01.2020 13:59:03	1	1	1	1	82	62.25	0	30000	443.0107527	13119.34335	30000	0	0	30000	42.6875	2004
08.01.2020 13:59:04	1	1	1	1	82	62.5	0	30000	453.7634409	13612.64371	30000	0	0	30000	42.625	2004
08.01.2020 13:59:05	1	1	1	1	82	62.5	0	30000	455.9139785	13741.47256	30000	0	0	30000	42.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 13:59:06	1	1	1	1	82	62.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	41.625	2004
08.01.2020 13:59:07	1	1	1	1	82	61.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.875	2004
08.01.2020 13:59:08	1	1	1	1	82	62.75	0	30000	438.7096774	13160.92735	30000	0	0	30000	42.9375	2004
08.01.2020 13:59:09	1	1	1	1	81.5	62.75	0	29905.213	427.9569892	12838.03984	30000	0	0	30000	42.875	2004
08.01.2020 13:59:10	1	1	1	1	81.5	62.75	0	30000	434.4086022	12967.68407	30000	0	0	30000	42.75	2004
08.01.2020 13:59:12	1	1	1	1	81.5	62.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.875	2004
08.01.2020 13:59:13	1	1	1	1	81.5	62.75	0	30000	432.2580645	12967.68407	30000	0	0	30000	42.8125	2004
08.01.2020 13:59:14	1	1	1	1	81.5	62.75	0	30000	432.2580645	12858.42416	30000	0	0	30000	42.6875	2004
08.01.2020 13:59:15	1	1	1	1	81.5	62.5	0	30000	434.4086022	13096.51292	30000	0	0	30000	42.5	2004
08.01.2020 13:59:16	1	1	1	1	81.5	62.5	0	30000	432.2580645	12838.03984	30000	0	0	30000	42.1875	2004
08.01.2020 13:59:17	1	1	1	1	81.5	62	0	29952.607	443.0107527	13354.17063	30000	0	0	30000	42.8125	2004
08.01.2020 13:59:18	1	1	1	1	81.5	62.75	0	30000	449.4623656	13354.17063	30000	0	0	30000	42.625	2004
08.01.2020 13:59:19	1	1	1	1	81.5	62.5	0	30000	455.9139785	13979.56133	30000	0	0	30000	42.6875	2004
08.01.2020 13:59:20	1	1	1	1	81.25	62.5	0	29952.607	460.2150538	13935.53122	30000	0	0	30000	42.75	2004
08.01.2020 13:59:21	1	1	1	1	81.25	62.75	0	30000	468.8172043	14128.7745	30000	0	0	30000	42.6875	2004
08.01.2020 13:59:22	1	1	1	1	81.25	62.5	0	30000	486.0215054	14516.07643	30000	0	0	30000	42.625	2004
08.01.2020 13:59:29	1	1	1	1	81.25	62.5	0	30000	501.0752688	15032.20721	30000	0	0	30000	42.8125	2004
08.01.2020 13:59:29	1	1	1	1	81.25	62.5	0	30000	501.0752688	15032.20721	30000	0	0	30000	42.8125	2004
08.01.2020 13:59:29	1	1	1	1	81.25	62.5	0	30000	501.0752688	15032.20721	30000	0	0	30000	42.8125	2004
08.01.2020 13:59:29	1	1	1	1	81.25	62.5	0	30000	501.0752688	15032.20721	30000	0	0	30000	42.8125	2004
08.01.2020 13:59:29	1	1	1	1	81.25	62.5	0	30000	501.0752688	15032.20721	30000	0	0	30000	42.8125	2004
08.01.2020 13:59:29	1	1	1	1	81.25	62.5	0	30000	501.0752688	15032.20721	30000	0	0	30000	42.8125	2004
08.01.2020 13:59:29	1	1	1	1	81.25	62.75	0	30000	507.5268817	15161.03607	30000	0	0	30000	42.625	2004
08.01.2020 13:59:30	1	1	1	1	81.25	62.5	0	30000	509.6774194	15354.27935	30000	0	0	30000	42.75	2004
08.01.2020 13:59:31	1	1	1	1	81.25	62.75	0	30000	511.827957	15483.92357	30000	0	0	30000	42.125	2004
08.01.2020 13:59:32	1	1	1	1	81.25	62	0	30000	516.1290323	15483.92357	30000	0	0	30000	42.8125	2004
08.01.2020 13:59:33	1	1	1	1	81.25	62.75	0	30000	501.0752688	15032.20721	30000	0	0	30000	42.625	2004
08.01.2020 13:59:34	1	1	1	1	81.25	62.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	42.5625	2004
08.01.2020 13:59:35	1	1	1	1	81.25	62.5	0	30000	458.0645161	13741.47256	30000	0	0	30000	42.875	2004
08.01.2020 13:59:36	1	1	1	1	81.25	62.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	43.0625	2004
08.01.2020 13:59:37	1	1	1	1	81.25	63	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.9375	2004
08.01.2020 13:59:38	1	1	1	1	81.25	62.75	0	30047.393	451.6129032	13354.17063	30000	0	0	30000	42.9375	2004
08.01.2020 13:59:39	1	1	1	1	81.25	62.75	0	30000	438.7096774	13160.92735	30000	0	0	30000	43.1875	2004
08.01.2020 13:59:40	1	1	1	1	81.5	63	0	30000	432.2580645	12967.68407	30000	0	0	30000	42.9375	2004
08.01.2020 13:59:41	1	1	1	1	81.5	63	0	29952.607	445.1612903	13354.17063	30000	0	0	30000	42.1875	2004
08.01.2020 13:59:42	1	1	1	1	81.5	62	0	30000	445.1612903	13483.81486	30000	0	0	30000	42.5625	2004
08.01.2020 13:59:43	1	1	1	1	81.5	62.5	0	30000	449.4623656	13354.17063	30000	0	0	30000	42.8125	2004
08.01.2020 13:59:44	1	1	1	1	81.5	62.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.4375	2004
08.01.2020 13:59:45	1	1	1	1	81.5	62.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.6875	2004
08.01.2020 13:59:46	1	1	1	1	81.5	62.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.375	2004
08.01.2020 13:59:47	1	1	1	1	81.5	62.25	0	29952.607	445.1612903	13354.17063	30000	0	0	30000	42.625	2004
08.01.2020 13:59:48	1	1	1	1	81.5	62.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.75	2004
08.01.2020 13:59:49	1	1	1	1	81	62.75	0	30000	443.0107527	13354.17063	30000	0	0	30000	42.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 13:59:50	1	1	1	1	81	62.75	0	30000	438.7096774	13160.92735	30000	0	0	30000	42.8125	2004
08.01.2020 13:59:51	1	1	1	1	81	62.75	0	30000	443.0107527	13354.17063	30000	0	0	30000	42.6875	2004
08.01.2020 13:59:52	1	1	1	1	81	62.5	0	30000	443.0107527	13225.34178	30000	0	0	30000	42.5625	2004
08.01.2020 13:59:54	1	1	1	1	81	62.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.1875	2004
08.01.2020 13:59:55	1	1	1	1	81	62	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.75	2004
08.01.2020 13:59:56	1	1	1	1	81	62.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	42.4375	2004
08.01.2020 13:59:57	1	1	1	1	81	62.25	0	30000	438.7096774	13096.51292	30000	0	0	30000	42.5625	2004
08.01.2020 13:59:58	1	1	1	1	81	62.5	0	30000	412.9032258	12045.49778	30000	0	0	30000	42.75	2004
08.01.2020 13:59:59	1	1	1	1	81	62.75	0	30000	378.4946237	11336.93909	30000	0	0	30000	42.625	2004
08.01.2020 14:00:00	1	1	1	1	80.75	62.5	0	30000	363.4408602	10903.16093	30000	0	0	30000	42.75	2004
08.01.2020 14:00:01	1	1	1	1	80.75	62.75	0	30000	352.688172	10515.85899	30000	0	0	30000	42.625	2004
08.01.2020 14:00:02	1	1	1	1	80.75	62.5	0	30000	352.688172	10580.27342	30000	0	0	30000	42.625	2004
08.01.2020 14:00:03	1	1	1	1	80.75	62.5	0	30000	363.4408602	10903.16093	30000	0	0	30000	42.9375	2004
08.01.2020 14:00:04	1	1	1	1	80.75	62.75	0	30000	374.1935484	11160.81863	30000	0	0	30000	42.5	2004
08.01.2020 14:00:05	1	1	1	1	80.75	62.5	0	30000	380.6451613	11419.29171	30000	0	0	30000	42.8125	2004
08.01.2020 14:00:06	1	1	1	1	80.75	62.75	0	30000	380.6451613	11419.29171	30000	0	0	30000	42.8125	2004
08.01.2020 14:00:07	1	1	1	1	80.75	62.75	0	30000	389.2473118	11741.36385	30000	0	0	30000	42.8125	2004
08.01.2020 14:00:08	1	1	1	1	80.75	62.75	0	30000	387.0967742	11548.12057	30000	0	0	30000	42.5	2004
08.01.2020 14:00:09	1	1	1	1	80.75	62.5	0	30000	391.3978495	11676.94942	30000	0	0	30000	42.6875	2004
08.01.2020 14:00:10	1	1	1	1	80.5	62.5	0	30000	387.0967742	11612.53499	30000	0	0	30000	42.75	2004
08.01.2020 14:00:11	1	1	1	1	80.5	62.75	0	29952.607	378.4946237	11483.70614	30000	0	0	30000	42.875	2004
08.01.2020 14:00:12	1	1	1	1	80.5	62.75	0	30000	378.4946237	11419.29171	30000	0	0	30000	41.1875	2004
08.01.2020 14:00:13	1	1	1	1	80.5	61	0	30000	372.0430108	11160.81863	30000	0	0	30000	43.125	2004
08.01.2020 14:00:14	1	1	1	1	80.5	63	0	30000	369.8924731	11014.86696	30000	0	0	30000	42.4375	2004
08.01.2020 14:00:15	1	1	1	1	80.5	62.25	0	30000	369.8924731	11096.40421	30000	0	0	30000	43.25	2004
08.01.2020 14:00:16	1	1	1	1	80.5	63.25	0	29952.607	369.8924731	11096.40421	30000	0	0	30000	42.875	2004
08.01.2020 14:00:17	1	1	1	1	80.5	63	0	30000	365.5913978	10950.45253	30000	0	0	30000	42.625	2004
08.01.2020 14:00:18	1	1	1	1	80.5	62.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	43	2004
08.01.2020 14:00:19	1	1	1	1	80.5	63	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.5	2004
08.01.2020 14:00:20	1	1	1	1	80.5	62.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	43	2004
08.01.2020 14:00:21	1	1	1	1	80.5	63	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.75	2004
08.01.2020 14:00:22	1	1	1	1	80.5	62.75	0	30000	369.8924731	11160.81863	30000	0	0	30000	42.375	2004
08.01.2020 14:00:23	1	1	1	1	80.5	62.25	0	30000	369.8924731	10903.16093	30000	0	0	30000	42.875	2004
08.01.2020 14:00:30	1	1	1	1	80.25	62.25	0	29905.213	365.5913978	10886.03811	30000	0	0	30000	42.3125	2004
08.01.2020 14:00:30	1	1	1	1	80.25	62.25	0	29905.213	365.5913978	10886.03811	30000	0	0	30000	42.3125	2004
08.01.2020 14:00:30	1	1	1	1	80.25	62.25	0	29905.213	365.5913978	10886.03811	30000	0	0	30000	42.3125	2004
08.01.2020 14:00:30	1	1	1	1	80.25	62.25	0	29905.213	365.5913978	10886.03811	30000	0	0	30000	42.3125	2004
08.01.2020 14:00:30	1	1	1	1	80.25	62.25	0	29905.213	365.5913978	10886.03811	30000	0	0	30000	42.3125	2004
08.01.2020 14:00:30	1	1	1	1	80.25	62.25	0	29905.213	365.5913978	10886.03811	30000	0	0	30000	42.3125	2004
08.01.2020 14:00:31	1	1	1	1	80.25	62.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.75	2004
08.01.2020 14:00:32	1	1	1	1	80.25	62.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.3125	2004
08.01.2020 14:00:33	1	1	1	1	80.25	62.25	0	30000	404.3010753	12193.08021	30000	0	0	30000	42.8125	2004
08.01.2020 14:00:34	1	1	1	1	80.25	62.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 14:00:35	1	1	1	1	80.25	62.5	0	30000	425.8064516	12838.03984	30000	0	0	30000	42.5625	2004
08.01.2020 14:00:36	1	1	1	1	80.25	62.5	0	30000	438.7096774	13160.92735	30000	0	0	30000	42.6875	2004
08.01.2020 14:00:37	1	1	1	1	80.25	62.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.3125	2004
08.01.2020 14:00:38	1	1	1	1	80.25	62.25	0	29952.607	434.4086022	13096.51292	30000	0	0	30000	42.25	2004
08.01.2020 14:00:39	1	1	1	1	80.25	62.25	0	30000	432.2580645	12838.03984	30000	0	0	30000	42.375	2004
08.01.2020 14:00:40	1	1	1	1	80	62.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.4375	2004
08.01.2020 14:00:41	1	1	1	1	80	62.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.75	2004
08.01.2020 14:00:42	1	1	1	1	80	62.75	0	30000	432.2580645	12967.68407	30000	0	0	30000	42.625	2004
08.01.2020 14:00:43	1	1	1	1	80	62.5	0	30000	438.7096774	13096.51292	30000	0	0	30000	42.1875	2004
08.01.2020 14:00:44	1	1	1	1	80	62	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.75	2004
08.01.2020 14:00:45	1	1	1	1	80	62.75	0	30000	445.1612903	13289.7562	30000	0	0	30000	42.9375	2004
08.01.2020 14:00:46	1	1	1	1	80	62.75	0	30000	451.6129032	13612.64371	30000	0	0	30000	42.5625	2004
08.01.2020 14:00:47	1	1	1	1	80	62.5	0	30000	451.6129032	13548.22928	30000	0	0	30000	42.8125	2004
08.01.2020 14:00:48	1	1	1	1	80	62.75	0	30047.393	453.7634409	13612.64371	30000	0	0	30000	42.6875	2004
08.01.2020 14:00:49	1	1	1	1	80	62.5	0	30000	464.516129	13612.64371	30000	0	0	30000	42.6875	2004
08.01.2020 14:00:50	1	1	1	1	80	62.5	0	30000	458.0645161	13741.47256	30000	0	0	30000	42.9375	2004
08.01.2020 14:00:51	1	1	1	1	80	62.75	0	30000	464.516129	13999.94564	30000	0	0	30000	43	2004
08.01.2020 14:00:52	1	1	1	1	80	63	0	30000	481.7204301	14516.07643	30000	0	0	30000	42.1875	2004
08.01.2020 14:00:53	1	1	1	1	80	62	0	30000	488.172043	14493.246	30000	0	0	30000	43.0625	2004
08.01.2020 14:00:54	1	1	1	1	80	63	0	30000	494.6236559	14838.14856	30000	0	0	30000	42.4375	2004
08.01.2020 14:00:55	1	1	1	1	80	62.75	0	30000	496.7741935	14902.56299	30000	0	0	30000	42.8125	2004
08.01.2020 14:00:56	1	1	1	1	80	62.75	0	29952.607	503.2258065	15161.03607	30000	0	0	30000	42.4375	2004
08.01.2020 14:00:57	1	1	1	1	80	62.25	0	29905.213	516.1290323	15483.92357	30000	0	0	30000	42.375	2004
08.01.2020 14:00:58	1	1	1	1	80	62.25	0	30000	509.6774194	15289.86492	30000	0	0	30000	42.3125	2004
08.01.2020 14:00:59	1	1	1	1	79.75	62.25	0	30000	488.172043	14644.90528	30000	0	0	30000	42.25	2004
08.01.2020 14:01:00	1	1	1	1	79.75	62.25	0	30047.393	481.7204301	14451.662	30000	0	0	30000	41.5625	2004
08.01.2020 14:01:01	1	1	1	1	79.75	61.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.4375	2004
08.01.2020 14:01:02	1	1	1	1	79.75	62.25	0	30000	438.7096774	13160.92735	30000	0	0	30000	42.875	2004
08.01.2020 14:01:03	1	1	1	1	79.75	62.75	0	29952.607	443.0107527	13289.7562	30000	0	0	30000	42.3125	2004
08.01.2020 14:01:04	1	1	1	1	79.75	62.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	43	2004
08.01.2020 14:01:06	1	1	1	1	79.75	63	0	30142.18	436.5591398	12967.68407	30000	0	0	30000	42.8125	2004
08.01.2020 14:01:07	1	1	1	1	79.75	62.75	0	30000	425.8064516	12773.62542	30000	0	0	30000	42.875	2004
08.01.2020 14:01:08	1	1	1	1	79.75	62.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.1875	2004
08.01.2020 14:01:09	1	1	1	1	79.75	62	0	30000	402.1505376	12128.66578	30000	0	0	30000	42.75	2004
08.01.2020 14:01:10	1	1	1	1	79.75	62.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.5625	2004
08.01.2020 14:01:11	1	1	1	1	79.75	62.5	0	30000	395.6989247	11935.4225	30000	0	0	30000	42.4375	2004
08.01.2020 14:01:12	1	1	1	1	79.75	62.25	0	30000	389.2473118	11676.94942	30000	0	0	30000	42.875	2004
08.01.2020 14:01:13	1	1	1	1	79.75	62.75	0	30000	395.6989247	11741.36385	30000	0	0	30000	42.75	2004
08.01.2020 14:01:14	1	1	1	1	79.75	62.75	0	30000	389.2473118	11741.36385	30000	0	0	30000	42.6875	2004
08.01.2020 14:01:15	1	1	1	1	79.75	62.5	0	30000	391.3978495	11741.36385	30000	0	0	30000	42.25	2004
08.01.2020 14:01:16	1	1	1	1	79.75	62.25	0	29952.607	395.6989247	11871.00807	30000	0	0	30000	42.875	2004
08.01.2020 14:01:17	1	1	1	1	79.75	62.75	0	29952.607	395.6989247	11871.00807	30000	0	0	30000	42.75	2004
08.01.2020 14:01:18	1	1	1	1	79.75	62.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 14:01:19	1	1	1	1	79.75	62.25	0	30000	387.0967742	11548.12057	30000	0	0	30000	42.9375	2004
08.01.2020 14:01:20	1	1	1	1	80	62.75	0	30000	384.9462366	11612.53499	30000	0	0	30000	43	2004
08.01.2020 14:01:21	1	1	1	1	80	63	0	30000	391.3978495	11612.53499	30000	0	0	30000	42.5	2004
08.01.2020 14:01:22	1	1	1	1	80	62.5	0	30000	391.3978495	11741.36385	30000	0	0	30000	42.5	2004
08.01.2020 14:01:23	1	1	1	1	80	62.5	0	30000	395.6989247	11741.36385	30000	0	0	30000	41	2004
08.01.2020 14:01:24	1	1	1	1	80	61	0	30000	395.6989247	11871.00807	30000	0	0	30000	42	2004
08.01.2020 14:01:25	1	1	1	1	80	62	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.75	2004
08.01.2020 14:01:32	1	1	1	1	80	62.75	0	30000	425.8064516	12838.03984	30000	0	0	30000	42.8125	2004
08.01.2020 14:01:32	1	1	1	1	80	62.75	0	30000	425.8064516	12838.03984	30000	0	0	30000	42.8125	2004
08.01.2020 14:01:32	1	1	1	1	80	62.75	0	30000	425.8064516	12838.03984	30000	0	0	30000	42.8125	2004
08.01.2020 14:01:32	1	1	1	1	80	62.75	0	30000	425.8064516	12838.03984	30000	0	0	30000	42.8125	2004
08.01.2020 14:01:32	1	1	1	1	80	62.75	0	30000	425.8064516	12838.03984	30000	0	0	30000	42.8125	2004
08.01.2020 14:01:32	1	1	1	1	80	62.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	43.125	2004
08.01.2020 14:01:33	1	1	1	1	80	63	0	30000	434.4086022	13096.51292	30000	0	0	30000	42.5	2004
08.01.2020 14:01:34	1	1	1	1	80	62.5	0	29952.607	434.4086022	13160.92735	30000	0	0	30000	42.9375	2004
08.01.2020 14:01:35	1	1	1	1	80	62.75	0	30000	440.8602151	13225.34178	30000	0	0	30000	43	2004
08.01.2020 14:01:36	1	1	1	1	80	62.5	0	30000	443.0107527	13289.7562	30000	0	0	30000	42.75	2004
08.01.2020 14:01:37	1	1	1	1	80	62.75	0	30000	443.0107527	13225.34178	30000	0	0	30000	42.25	2004
08.01.2020 14:01:38	1	1	1	1	80	62.25	0	30000	460.2150538	13805.88699	30000	0	0	30000	42.1875	2004
08.01.2020 14:01:39	1	1	1	1	80.25	62	0	29952.607	453.7634409	13741.47256	30000	0	0	30000	42.75	2004
08.01.2020 14:01:40	1	1	1	1	80.25	62.75	0	30000	458.0645161	13741.47256	30000	0	0	30000	42.3125	2004
08.01.2020 14:01:41	1	1	1	1	80.25	62.25	0	30000	466.6666667	13935.53122	30000	0	0	30000	42.6875	2004
08.01.2020 14:01:42	1	1	1	1	80.25	62.5	0	30000	481.7204301	13935.53122	30000	0	0	30000	42.1875	2004
08.01.2020 14:01:43	1	1	1	1	80.25	62	0	30000	464.516129	13935.53122	30000	0	0	30000	42.625	2004
08.01.2020 14:01:44	1	1	1	1	80.25	62.5	0	30000	466.6666667	13935.53122	30000	0	0	30000	42.375	2004
08.01.2020 14:01:45	1	1	1	1	80.25	62.25	0	30000	464.516129	13935.53122	30000	0	0	30000	42.5625	2004
08.01.2020 14:01:46	1	1	1	1	80.25	62.5	0	30000	481.7204301	14451.662	30000	0	0	30000	42.5625	2004
08.01.2020 14:01:47	1	1	1	1	80.25	62.5	0	29952.607	481.7204301	14451.662	30000	0	0	30000	42.875	2004
08.01.2020 14:01:49	1	1	1	1	80.25	62.75	0	30000	481.7204301	14451.662	30000	0	0	30000	42.9375	2004
08.01.2020 14:01:50	1	1	1	1	80.25	62.75	0	30000	481.7204301	14451.662	30000	0	0	30000	42.625	2004
08.01.2020 14:01:51	1	1	1	1	80.25	62.5	0	30000	481.7204301	14451.662	30000	0	0	30000	42.625	2004
08.01.2020 14:01:52	1	1	1	1	80.25	62.5	0	29952.607	481.7204301	14451.662	30000	0	0	30000	42.75	2004
08.01.2020 14:01:53	1	1	1	1	80.25	62.75	0	30000	494.6236559	14838.14856	30000	0	0	30000	42.25	2004
08.01.2020 14:01:54	1	1	1	1	80.25	62.25	0	30000	496.7741935	14902.56299	30000	0	0	30000	42.0625	2004
08.01.2020 14:01:55	1	1	1	1	80.25	62	0	30000	496.7741935	14967.79279	30000	0	0	30000	42.0625	2004
08.01.2020 14:01:56	1	1	1	1	80.25	62	0	30000	496.7741935	14879.73256	30000	0	0	30000	42.8125	2004
08.01.2020 14:01:57	1	1	1	1	80.25	62.75	0	30000	464.516129	13935.53122	30000	0	0	30000	42.625	2004
08.01.2020 14:01:58	1	1	1	1	80.25	62.5	0	30000	449.4623656	13354.17063	30000	0	0	30000	42.5	2004
08.01.2020 14:01:59	1	1	1	1	80.25	62.5	0	30000	440.8602151	13289.7562	30000	0	0	30000	42.5	2004
08.01.2020 14:02:00	1	1	1	1	80.25	62.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.8125	2004
08.01.2020 14:02:01	1	1	1	1	80.25	62.75	0	30000	402.1505376	12128.66578	30000	0	0	30000	42.75	2004
08.01.2020 14:02:02	1	1	1	1	80.25	62.75	0	29952.607	369.8924731	11096.40421	30000	0	0	30000	42.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 14:02:03	1	1	1	1	80.25	62.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	42.5	2004
08.01.2020 14:02:04	1	1	1	1	80.25	62.5	0	30000	350.5376344	10515.85899	30000	0	0	30000	42.9375	2004
08.01.2020 14:02:05	1	1	1	1	80.25	62.75	0	29952.607	354.8387097	10580.27342	30000	0	0	30000	42.75	2004
08.01.2020 14:02:06	1	1	1	1	80.25	62.75	0	30000	350.5376344	10580.27342	30000	0	0	30000	42.75	2004
08.01.2020 14:02:07	1	1	1	1	80.25	62.75	0	30000	352.688172	10580.27342	30000	0	0	30000	42.6875	2004
08.01.2020 14:02:08	1	1	1	1	80.25	62.5	0	30000	356.9892473	10709.10227	30000	0	0	30000	42.0625	2004
08.01.2020 14:02:09	1	1	1	1	80.25	62	0	30000	369.8924731	11096.40421	30000	0	0	30000	42.6875	2004
08.01.2020 14:02:10	1	1	1	1	79.75	62.5	0	30000	372.0430108	11160.81863	30000	0	0	30000	42.6875	2004
08.01.2020 14:02:11	1	1	1	1	79.75	62.5	0	30000	369.8924731	11079.28139	30000	0	0	30000	42.8125	2004
08.01.2020 14:02:12	1	1	1	1	79.75	62.75	0	30000	372.0430108	11160.81863	30000	0	0	30000	42.6875	2004
08.01.2020 14:02:13	1	1	1	1	79.75	62.5	0	30000	372.0430108	11354.87729	30000	0	0	30000	42.5625	2004
08.01.2020 14:02:14	1	1	1	1	79.75	62.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	43.0625	2004
08.01.2020 14:02:15	1	1	1	1	79.75	63	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.875	2004
08.01.2020 14:02:16	1	1	1	1	79.75	62.75	0	30000	380.6451613	11483.70614	30000	0	0	30000	42.625	2004
08.01.2020 14:02:17	1	1	1	1	79.75	62.5	0	30000	395.6989247	11741.36385	30000	0	0	30000	42.875	2004
08.01.2020 14:02:18	1	1	1	1	79.75	62.75	0	30000	395.6989247	11805.77827	30000	0	0	30000	42.8125	2004
08.01.2020 14:02:19	1	1	1	1	80	62.75	0	30000	387.0967742	11548.12057	30000	0	0	30000	42.75	2004
08.01.2020 14:02:20	1	1	1	1	80	62.75	0	30000	382.7956989	11548.12057	30000	0	0	30000	42.6875	2004
08.01.2020 14:02:21	1	1	1	1	80	62.5	0	30000	387.0967742	11548.12057	30000	0	0	30000	42.8125	2004
08.01.2020 14:02:22	1	1	1	1	80	62.75	0	30000	380.6451613	11401.35352	30000	0	0	30000	42.9375	2004
08.01.2020 14:02:23	1	1	1	1	80	62.75	0	30000	387.0967742	11612.53499	30000	0	0	30000	42.25	2004
08.01.2020 14:02:24	1	1	1	1	80	62.25	0	29952.607	389.2473118	11852.2545	30000	0	0	30000	42.8125	2004
08.01.2020 14:02:26	1	1	1	1	80	62.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.75	2004
08.01.2020 14:02:27	1	1	1	1	80	62.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	43.0625	2004
08.01.2020 14:02:34	1	1	1	1	80	63	0	29905.213	397.8494624	11935.4225	30000	0	0	30000	42.8125	2004
08.01.2020 14:02:34	1	1	1	1	80	63	0	29905.213	397.8494624	11935.4225	30000	0	0	30000	42.8125	2004
08.01.2020 14:02:34	1	1	1	1	80	63	0	29905.213	397.8494624	11935.4225	30000	0	0	30000	42.8125	2004
08.01.2020 14:02:34	1	1	1	1	80	63	0	29905.213	397.8494624	11935.4225	30000	0	0	30000	42.8125	2004
08.01.2020 14:02:34	1	1	1	1	80	63	0	29905.213	397.8494624	11935.4225	30000	0	0	30000	42.8125	2004
08.01.2020 14:02:34	1	1	1	1	80	63	0	29905.213	397.8494624	11935.4225	30000	0	0	30000	42.8125	2004
08.01.2020 14:02:34	1	1	1	1	80	62.75	0	30000	382.7956989	11548.12057	30000	0	0	30000	42.6875	2004
08.01.2020 14:02:35	1	1	1	1	80	62.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.9375	2004
08.01.2020 14:02:36	1	1	1	1	80	62.75	0	30000	378.4946237	11336.93909	30000	0	0	30000	42.6875	2004
08.01.2020 14:02:37	1	1	1	1	80	62.5	0	30000	378.4946237	11419.29171	30000	0	0	30000	42.8125	2004
08.01.2020 14:02:38	1	1	1	1	80	62.75	0	30000	372.0430108	11190.17204	30000	0	0	30000	42.4375	2004
08.01.2020 14:02:39	1	1	1	1	80	62.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.8125	2004
08.01.2020 14:02:40	1	1	1	1	79.75	62.75	0	29952.607	378.4946237	11354.87729	30000	0	0	30000	42.8125	2004
08.01.2020 14:02:41	1	1	1	1	79.75	62.75	0	30000	380.6451613	11419.29171	30000	0	0	30000	42.75	2004
08.01.2020 14:02:42	1	1	1	1	79.75	62.75	0	30000	380.6451613	11483.70614	30000	0	0	30000	42.1875	2004
08.01.2020 14:02:43	1	1	1	1	79.75	62	0	30000	382.7956989	11548.12057	30000	0	0	30000	42.9375	2004
08.01.2020 14:02:44	1	1	1	1	79.75	62.75	0	29952.607	387.0967742	11676.94942	30000	0	0	30000	42.125	2004
08.01.2020 14:02:45	1	1	1	1	79.75	62	0	30000	389.2473118	11676.94942	30000	0	0	30000	42.1875	2004
08.01.2020 14:02:46	1	1	1	1	79.75	62	0	30000	389.2473118	11741.36385	30000	0	0	30000	42.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 14:02:47	1	1	1	1	79.75	62.75	0	30000	391.3978495	11935.4225	30000	0	0	30000	41.9375	2004
08.01.2020 14:02:48	1	1	1	1	79.75	61.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.5	2004
08.01.2020 14:02:49	1	1	1	1	79.75	62.5	0	30000	400	11935.4225	30000	0	0	30000	42.875	2004
08.01.2020 14:02:50	1	1	1	1	79.25	62.75	0	30000	404.3010753	11935.4225	30000	0	0	30000	42.875	2004
08.01.2020 14:02:51	1	1	1	1	79.25	62.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	43.25	2004
08.01.2020 14:02:52	1	1	1	1	79.25	63.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	42.75	2004
08.01.2020 14:02:53	1	1	1	1	79.25	62.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	42.6875	2004
08.01.2020 14:02:54	1	1	1	1	79.25	63	0	30000	419.3548387	12580.38214	30000	0	0	30000	42.6875	2004
08.01.2020 14:02:55	1	1	1	1	79.25	62.5	0	29952.607	427.9569892	12838.03984	30000	0	0	30000	42.5	2004
08.01.2020 14:02:56	1	1	1	1	79.25	62.5	0	30000	425.8064516	12773.62542	30000	0	0	30000	42.8125	2004
08.01.2020 14:02:57	1	1	1	1	79.25	62.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.6875	2004
08.01.2020 14:02:58	1	1	1	1	79.25	62.5	0	30000	397.8494624	11935.4225	30000	0	0	30000	42.875	2004
08.01.2020 14:02:59	1	1	1	1	79.75	62.75	0	30000	387.0967742	11676.94942	30000	0	0	30000	42.75	2004
08.01.2020 14:03:00	1	1	1	1	79.75	62.75	0	30000	395.6989247	11935.4225	30000	0	0	30000	42.375	2004
08.01.2020 14:03:01	1	1	1	1	79.75	62.25	0	30000	400	12128.66578	30000	0	0	30000	42.6875	2004
08.01.2020 14:03:02	1	1	1	1	79.75	62.5	0	30000	395.6989247	11852.2545	30000	0	0	30000	42.8125	2004
08.01.2020 14:03:03	1	1	1	1	79.75	62.75	0	30000	391.3978495	11741.36385	30000	0	0	30000	42.75	2004
08.01.2020 14:03:05	1	1	1	1	79.75	62.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.875	2004
08.01.2020 14:03:06	1	1	1	1	79.75	62.75	0	30000	369.8924731	11354.87729	30000	0	0	30000	41.9375	2004
08.01.2020 14:03:07	1	1	1	1	79.75	61.75	0	30000	367.7419355	11079.28139	30000	0	0	30000	42.5625	2004
08.01.2020 14:03:08	1	1	1	1	79.75	62.5	0	30000	363.4408602	10967.57535	30000	0	0	30000	42.375	2004
08.01.2020 14:03:09	1	1	1	1	79.75	62.25	0	30000	365.5913978	10903.16093	30000	0	0	30000	42.6875	2004
08.01.2020 14:03:10	1	1	1	1	79.5	62.5	0	29952.607	352.688172	10644.68785	30000	0	0	30000	42.625	2004
08.01.2020 14:03:11	1	1	1	1	79.5	62.5	0	30000	352.688172	10515.85899	30000	0	0	30000	42.8125	2004
08.01.2020 14:03:12	1	1	1	1	79.5	62.75	0	30189.573	341.9354839	10192.97149	30000	0	0	30000	42.375	2004
08.01.2020 14:03:13	1	1	1	1	79.5	62.25	0	29952.607	337.6344086	10113.06499	30000	0	0	30000	42.5	2004
08.01.2020 14:03:14	1	1	1	1	79.5	62.5	0	30000	337.6344086	10128.55706	30000	0	0	30000	42.6875	2004
08.01.2020 14:03:15	1	1	1	1	79.5	62.5	0	29952.607	335.483871	10128.55706	30000	0	0	30000	42.8125	2004
08.01.2020 14:03:16	1	1	1	1	79.5	62.75	0	29952.607	337.6344086	10257.38592	30000	0	0	30000	42.6875	2004
08.01.2020 14:03:17	1	1	1	1	79.5	62.5	0	30000	337.6344086	10128.55706	30000	0	0	30000	42.75	2004
08.01.2020 14:03:18	1	1	1	1	79.5	62.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	42.8125	2004
08.01.2020 14:03:19	1	1	1	1	79.5	62.75	0	30000	344.0860215	10257.38592	30000	0	0	30000	42.6875	2004
08.01.2020 14:03:20	1	1	1	1	79.25	62.5	0	30000	348.3870968	10370.72269	30000	0	0	30000	42.625	2004
08.01.2020 14:03:21	1	1	1	1	79.25	62.5	0	30000	350.5376344	10515.85899	30000	0	0	30000	42.375	2004
08.01.2020 14:03:22	1	1	1	1	79.25	62.25	0	29952.607	350.5376344	10644.68785	30000	0	0	30000	42.6875	2004
08.01.2020 14:03:23	1	1	1	1	79.25	62.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.75	2004
08.01.2020 14:03:24	1	1	1	1	79.25	62.75	0	30000	363.4408602	10563.96597	30000	0	0	30000	42.9375	2004
08.01.2020 14:03:25	1	1	1	1	79.25	62.75	0	30000	359.1397849	10903.16093	30000	0	0	30000	42.5625	2004
08.01.2020 14:03:26	1	1	1	1	79.25	62.5	0	30000	354.8387097	10773.5167	30000	0	0	30000	42.125	2004
08.01.2020 14:03:27	1	1	1	1	79.25	62	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.8125	2004
08.01.2020 14:03:28	1	1	1	1	79.25	62.75	0	30000	365.5913978	10903.16093	30000	0	0	30000	43.0625	2004
08.01.2020 14:03:35	1	1	1	1	79.25	62.75	0	30000	348.3870968	10515.85899	30000	0	0	30000	42.9375	2004
08.01.2020 14:03:35	1	1	1	1	79.25	62.75	0	30000	348.3870968	10515.85899	30000	0	0	30000	42.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 14:03:35	1	1	1	1	79.25	62.75	0	30000	348.3870968	10515.85899	30000	0	0	30000	42.9375	2004
08.01.2020 14:03:35	1	1	1	1	79.25	62.75	0	30000	348.3870968	10515.85899	30000	0	0	30000	42.9375	2004
08.01.2020 14:03:35	1	1	1	1	79.25	62.75	0	30000	348.3870968	10515.85899	30000	0	0	30000	42.9375	2004
08.01.2020 14:03:35	1	1	1	1	79.25	62.75	0	30000	348.3870968	10515.85899	30000	0	0	30000	42.9375	2004
08.01.2020 14:03:35	1	1	1	1	79.25	62.75	0	29952.607	339.7849462	10257.38592	30000	0	0	30000	42.25	2004
08.01.2020 14:03:36	1	1	1	1	79.25	62.25	0	30000	335.483871	10064.14264	30000	0	0	30000	42.75	2004
08.01.2020 14:03:37	1	1	1	1	79.25	62.75	0	30000	335.483871	9999.728209	30000	0	0	30000	42.8125	2004
08.01.2020 14:03:38	1	1	1	1	79.25	62.75	0	30000	329.0322581	9870.899356	30000	0	0	30000	42.1875	2004
08.01.2020 14:03:39	1	1	1	1	79	62	0	30000	322.5806452	9676.840703	30000	0	0	30000	42.25	2004
08.01.2020 14:03:40	1	1	1	1	79	62.25	0	30000	320.4301075	9404.506292	30000	0	0	30000	42.875	2004
08.01.2020 14:03:41	1	1	1	1	79	62.75	0	30000	322.5806452	9741.25513	30000	0	0	30000	42.8125	2004
08.01.2020 14:03:43	1	1	1	1	79	62.75	0	29905.213	324.7311828	9741.25513	30000	0	0	30000	42.6875	2004
08.01.2020 14:03:44	1	1	1	1	79	62.5	0	30000	318.2795699	9612.426277	30000	0	0	30000	42.75	2004
08.01.2020 14:03:45	1	1	1	1	79	62.75	0	30000	313.9784946	9419.182997	30000	0	0	30000	42.8125	2004
08.01.2020 14:03:46	1	1	1	1	79	62.75	0	30000	309.6774194	9225.124344	30000	0	0	30000	42.875	2004
08.01.2020 14:03:47	1	1	1	1	79	62.75	0	29905.213	296.7741935	9031.881064	30000	0	0	30000	42.8125	2004
08.01.2020 14:03:48	1	1	1	1	79	62.75	0	30000	301.0752688	9031.881064	30000	0	0	30000	42.4375	2004
08.01.2020 14:03:49	1	1	1	1	79	62.25	0	29952.607	296.7741935	8967.466638	30000	0	0	30000	42.125	2004
08.01.2020 14:03:50	1	1	1	1	78.75	62	0	30000	298.9247312	8838.637784	30000	0	0	30000	42.5	2004
08.01.2020 14:03:51	1	1	1	1	78.75	62.5	0	30000	277.4193548	8322.506999	30000	0	0	30000	42.75	2004
08.01.2020 14:03:52	1	1	1	1	78.75	62.75	0	30000	277.4193548	8309.461039	30000	0	0	30000	42.625	2004
08.01.2020 14:03:53	1	1	1	1	78.75	62.5	0	30000	277.4193548	8322.506999	30000	0	0	30000	42.8125	2004
08.01.2020 14:03:54	1	1	1	1	78.75	62.75	0	30000	275.2688172	8322.506999	30000	0	0	30000	42.4375	2004
08.01.2020 14:03:55	1	1	1	1	78.75	62.25	0	30000	281.7204301	8322.506999	30000	0	0	30000	42.875	2004
08.01.2020 14:03:56	1	1	1	1	78.75	62.75	0	30000	268.8172043	8128.448346	30000	0	0	30000	42.75	2004
08.01.2020 14:03:57	1	1	1	1	78.75	62.75	0	30000	262.3655914	7935.205066	30000	0	0	30000	42.75	2004
08.01.2020 14:03:58	1	1	1	1	78.75	62.75	0	30000	260.2150538	7741.961786	30000	0	0	30000	42.8125	2004
08.01.2020 14:03:59	1	1	1	1	78.75	62.75	0	30000	247.311828	7483.488707	30000	0	0	30000	42.875	2004
08.01.2020 14:04:00	1	1	1	1	78.5	62.75	0	30000	258.0645161	7676.731987	30000	0	0	30000	42.8125	2004
08.01.2020 14:04:01	1	1	1	1	78.5	62.75	0	30000	266.6666667	7999.619493	30000	0	0	30000	42.75	2004
08.01.2020 14:04:02	1	1	1	1	78.5	62.75	0	29952.607	273.1182796	8192.862773	30000	0	0	30000	42.75	2004
08.01.2020 14:04:03	1	1	1	1	78.5	62.75	0	30000	279.5698925	8258.092572	30000	0	0	30000	41.8125	2004
08.01.2020 14:04:04	1	1	1	1	78.5	61.75	0	30000	266.6666667	8064.033919	30000	0	0	30000	42.625	2004
08.01.2020 14:04:05	1	1	1	1	78.5	62.5	0	30000	262.3655914	7870.79064	30000	0	0	30000	42.8125	2004
08.01.2020 14:04:06	1	1	1	1	78.5	62.75	0	30000	266.6666667	7999.619493	30000	0	0	30000	42.9375	2004
08.01.2020 14:04:07	1	1	1	1	78.5	62.75	0	30000	268.8172043	8064.033919	30000	0	0	30000	42.25	2004
08.01.2020 14:04:08	1	1	1	1	78.5	62.25	0	30000	275.2688172	8258.092572	30000	0	0	30000	43.3125	2004
08.01.2020 14:04:09	1	1	1	1	78.5	63.25	0	30000	286.0215054	8644.579132	30000	0	0	30000	42.75	2004
08.01.2020 14:04:10	1	1	1	1	78.5	62.75	0	30000	281.7204301	8438.289892	30000	0	0	30000	42.4375	2004
08.01.2020 14:04:11	1	1	1	1	78.5	63	0	30000	283.8709677	8451.335852	30000	0	0	30000	42.875	2004
08.01.2020 14:04:12	1	1	1	1	78.5	62.75	0	29952.607	277.4193548	8451.335852	30000	0	0	30000	42.75	2004
08.01.2020 14:04:13	1	1	1	1	78.5	62.75	0	30000	290.3225806	8708.993559	30000	0	0	30000	42.75	2004
08.01.2020 14:04:14	1	1	1	1	78.5	62.75	0	30000	298.9247312	9031.881064	30000	0	0	30000	42.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 14:04:15	1	1	1	1	78.5	62.5	0	30000	305.3763441	9096.295491	30000	0	0	30000	42.75	2004
08.01.2020 14:04:16	1	1	1	1	78.5	62.75	0	30000	322.5806452	9483.597423	30000	0	0	30000	42.8125	2004
08.01.2020 14:04:17	1	1	1	1	78.5	62.75	0	30000	316.1290323	9483.597423	30000	0	0	30000	42.75	2004
08.01.2020 14:04:18	1	1	1	1	78.5	62.75	0	30000	322.5806452	9741.25513	30000	0	0	30000	42.75	2004
08.01.2020 14:04:19	1	1	1	1	78.25	62.75	0	30000	333.3333333	9999.728209	30000	0	0	30000	42.6875	2004
08.01.2020 14:04:21	1	1	1	1	78.25	62.5	0	30000	335.483871	9999.728209	30000	0	0	30000	42.375	2004
08.01.2020 14:04:22	1	1	1	1	78.25	62.25	0	30000	333.3333333	9999.728209	30000	0	0	30000	42.75	2004
08.01.2020 14:04:23	1	1	1	1	78.25	62.75	0	29952.607	329.0322581	9999.728209	30000	0	0	30000	42.75	2004
08.01.2020 14:04:24	1	1	1	1	78.25	62.75	0	30000	326.8817204	9870.899356	30000	0	0	30000	42.875	2004
08.01.2020 14:04:25	1	1	1	1	78.25	62.75	0	30000	318.2795699	9548.01185	30000	0	0	30000	41.9375	2004
08.01.2020 14:04:26	1	1	1	1	78.25	61.75	0	30000	305.3763441	9160.709918	30000	0	0	30000	42.1875	2004
08.01.2020 14:04:27	1	1	1	1	78.25	62	0	29952.607	301.0752688	9096.295491	30000	0	0	30000	42.625	2004
08.01.2020 14:04:28	1	1	1	1	78.25	62.5	0	30000	307.5268817	9225.124344	30000	0	0	30000	42.75	2004
08.01.2020 14:04:29	1	1	1	1	78.25	62.75	0	30000	305.3763441	9160.709918	30000	0	0	30000	42.8125	2004
08.01.2020 14:04:30	1	1	1	1	77.75	62.75	0	30000	303.2258065	9096.295491	30000	0	0	30000	42.5625	2004
08.01.2020 14:04:37	1	1	1	1	77.75	62.75	0	29952.607	296.7741935	9031.881064	30000	0	0	30000	42	2004
08.01.2020 14:04:37	1	1	1	1	77.75	62.75	0	29952.607	296.7741935	9031.881064	30000	0	0	30000	42	2004
08.01.2020 14:04:37	1	1	1	1	77.75	62.75	0	29952.607	296.7741935	9031.881064	30000	0	0	30000	42	2004
08.01.2020 14:04:37	1	1	1	1	77.75	62.75	0	29952.607	296.7741935	9031.881064	30000	0	0	30000	42	2004
08.01.2020 14:04:37	1	1	1	1	77.75	62.75	0	29952.607	296.7741935	9031.881064	30000	0	0	30000	42	2004
08.01.2020 14:04:37	1	1	1	1	77.75	62	0	30000	301.0752688	8967.466638	30000	0	0	30000	42.6875	2004
08.01.2020 14:04:38	1	1	1	1	77.75	62.5	0	30000	301.0752688	9031.881064	30000	0	0	30000	42.6875	2004
08.01.2020 14:04:39	1	1	1	1	77.75	62.5	0	30000	296.7741935	8967.466638	30000	0	0	30000	42.625	2004
08.01.2020 14:04:40	1	1	1	1	77.75	62.5	0	29952.607	305.3763441	9225.124344	30000	0	0	30000	42.6875	2004
08.01.2020 14:04:41	1	1	1	1	77.75	62.5	0	30000	311.827957	9290.354143	30000	0	0	30000	42.0625	2004
08.01.2020 14:04:42	1	1	1	1	77.75	62	0	30000	305.3763441	9160.709918	30000	0	0	30000	41.6875	2004
08.01.2020 14:04:43	1	1	1	1	77.75	61.5	0	30000	307.5268817	9096.295491	30000	0	0	30000	42.1875	2004
08.01.2020 14:04:44	1	1	1	1	77.75	62	0	30000	303.2258065	9160.709918	30000	0	0	30000	42.375	2004
08.01.2020 14:04:45	1	1	1	1	77.75	62.25	0	30000	305.3763441	9160.709918	30000	0	0	30000	42.8125	2004
08.01.2020 14:04:46	1	1	1	1	77.75	62.75	0	30000	305.3763441	9096.295491	30000	0	0	30000	42.5625	2004
08.01.2020 14:04:47	1	1	1	1	77.75	62.5	0	30000	311.827957	9225.124344	30000	0	0	30000	43	2004
08.01.2020 14:04:48	1	1	1	1	77.75	63	0	30000	305.3763441	9160.709918	30000	0	0	30000	43.1875	2004
08.01.2020 14:04:49	1	1	1	1	77.75	63	0	30000	307.5268817	9225.124344	30000	0	0	30000	42.25	2004
08.01.2020 14:04:50	1	1	1	1	77.75	62.25	0	30000	305.3763441	9031.881064	30000	0	0	30000	43.25	2004
08.01.2020 14:04:51	1	1	1	1	77.75	62.75	0	30000	305.3763441	9160.709918	30000	0	0	30000	43	2004
08.01.2020 14:04:52	1	1	1	1	77.75	63	0	30000	307.5268817	9225.124344	30000	0	0	30000	42.6875	2004
08.01.2020 14:04:53	1	1	1	1	77.75	62.5	0	30000	305.3763441	9160.709918	30000	0	0	30000	42.6875	2004
08.01.2020 14:04:54	1	1	1	1	77.75	62.5	0	30000	309.6774194	9225.124344	30000	0	0	30000	42.75	2004
08.01.2020 14:04:55	1	1	1	1	77.75	62.75	0	30000	311.827957	9354.76857	30000	0	0	30000	42.9375	2004
08.01.2020 14:04:56	1	1	1	1	77.75	62.75	0	30000	316.1290323	9483.597423	30000	0	0	30000	42.5	2004
08.01.2020 14:04:57	1	1	1	1	77.75	62.5	0	30000	318.2795699	9483.597423	30000	0	0	30000	42.875	2004
08.01.2020 14:04:58	1	1	1	1	77.75	62.75	0	30000	322.5806452	9741.25513	30000	0	0	30000	42.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 14:04:59	1	1	1	1	77.75	62.75	0	30000	329.0322581	9870.899356	30000	0	0	30000	42	2004
08.01.2020 14:05:01	1	1	1	1	77.75	62	0	30000	335.483871	10064.14264	30000	0	0	30000	42.375	2004
08.01.2020 14:05:02	1	1	1	1	77.75	62.25	0	30000	341.9354839	10257.38592	30000	0	0	30000	42.5625	2004
08.01.2020 14:05:03	1	1	1	1	77.75	62.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.75	2004
08.01.2020 14:05:04	1	1	1	1	77.75	62.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	42.6875	2004
08.01.2020 14:05:05	1	1	1	1	77.75	62.5	0	30000	372.0430108	11160.81863	30000	0	0	30000	42.8125	2004
08.01.2020 14:05:06	1	1	1	1	77.75	62.75	0	30000	363.4408602	10967.57535	30000	0	0	30000	42.5625	2004
08.01.2020 14:05:07	1	1	1	1	77.75	62.5	0	30047.393	359.1397849	10773.5167	30000	0	0	30000	42.8125	2004
08.01.2020 14:05:08	1	1	1	1	77.75	62.75	0	29952.607	359.1397849	10773.5167	30000	0	0	30000	42.25	2004
08.01.2020 14:05:09	1	1	1	1	77.75	62.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.875	2004
08.01.2020 14:05:10	1	1	1	1	77.5	62.75	0	30000	352.688172	10515.85899	30000	0	0	30000	42.8125	2004
08.01.2020 14:05:11	1	1	1	1	77.5	62.75	0	30000	344.0860215	10096.75754	30000	0	0	30000	42.1875	2004
08.01.2020 14:05:12	1	1	1	1	77.5	62	0	30000	335.483871	9999.728209	30000	0	0	30000	42.6875	2004
08.01.2020 14:05:13	1	1	1	1	77.5	62.5	0	30000	329.0322581	9886.391433	30000	0	0	30000	42.0625	2004
08.01.2020 14:05:14	1	1	1	1	77.5	62	0	30000	313.9784946	9483.597423	30000	0	0	30000	42.8125	2004
08.01.2020 14:05:15	1	1	1	1	77.5	62.75	0	30000	316.1290323	9483.597423	30000	0	0	30000	42.8125	2004
08.01.2020 14:05:16	1	1	1	1	77.5	62.75	0	30000	309.6774194	9354.76857	30000	0	0	30000	42.75	2004
08.01.2020 14:05:17	1	1	1	1	77.5	62.75	0	30000	313.9784946	9354.76857	30000	0	0	30000	42.5	2004
08.01.2020 14:05:18	1	1	1	1	77.5	62.5	0	30000	311.827957	9354.76857	30000	0	0	30000	42.9375	2004
08.01.2020 14:05:19	1	1	1	1	77.5	62.75	0	30000	313.9784946	9419.182997	30000	0	0	30000	42.8125	2004
08.01.2020 14:05:20	1	1	1	1	77	62.75	0	29952.607	313.9784946	9548.01185	30000	0	0	30000	42.8125	2004
08.01.2020 14:05:21	1	1	1	1	77	62.75	0	29952.607	324.7311828	9806.484929	30000	0	0	30000	42.875	2004
08.01.2020 14:05:22	1	1	1	1	77	62.75	0	30000	329.0322581	9999.728209	30000	0	0	30000	42.8125	2004
08.01.2020 14:05:23	1	1	1	1	77	62.75	0	30000	329.0322581	9870.899356	30000	0	0	30000	42.625	2004
08.01.2020 14:05:24	1	1	1	1	77	62.5	0	30000	326.8817204	9741.25513	30000	0	0	30000	42.8125	2004
08.01.2020 14:05:25	1	1	1	1	77	62.75	0	29952.607	324.7311828	9726.578425	30000	0	0	30000	43.125	2004
08.01.2020 14:05:26	1	1	1	1	77	63	0	29905.213	322.5806452	9806.484929	30000	0	0	30000	42.875	2004
08.01.2020 14:05:27	1	1	1	1	77	62.75	0	30000	326.8817204	9870.899356	30000	0	0	30000	41.6875	2004
08.01.2020 14:05:28	1	1	1	1	77	62.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.875	2004
08.01.2020 14:05:29	1	1	1	1	77	62.75	0	30000	329.0322581	9870.899356	30000	0	0	30000	42.6875	2004
08.01.2020 14:05:30	1	1	1	1	77	62.5	0	30000	329.0322581	9870.899356	30000	0	0	30000	42.75	2004
08.01.2020 14:05:31	1	1	1	1	77	62.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.8125	2004
08.01.2020 14:05:38	1	1	1	1	77	62.5	0	30000	354.8387097	10644.68785	30000	0	0	30000	42.75	2004
08.01.2020 14:05:38	1	1	1	1	77	62.5	0	30000	354.8387097	10644.68785	30000	0	0	30000	42.75	2004
08.01.2020 14:05:38	1	1	1	1	77	62.5	0	30000	354.8387097	10644.68785	30000	0	0	30000	42.75	2004
08.01.2020 14:05:38	1	1	1	1	77	62.5	0	30000	354.8387097	10644.68785	30000	0	0	30000	42.75	2004
08.01.2020 14:05:38	1	1	1	1	77	62.5	0	30000	354.8387097	10644.68785	30000	0	0	30000	42.75	2004
08.01.2020 14:05:38	1	1	1	1	77	62.5	0	30000	354.8387097	10644.68785	30000	0	0	30000	42.75	2004
08.01.2020 14:05:39	1	1	1	1	77	62.75	0	29952.607	356.9892473	10709.10227	30000	0	0	30000	42.3125	2004
08.01.2020 14:05:40	1	1	1	1	76.5	62.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.1875	2004
08.01.2020 14:05:41	1	1	1	1	76.5	62	0	30000	365.5913978	10757.20925	30000	0	0	30000	42.5625	2004
08.01.2020 14:05:42	1	1	1	1	76.5	62.5	0	30000	372.0430108	11031.98978	30000	0	0	30000	42.6875	2004
08.01.2020 14:05:43	1	1	1	1	76.5	62.5	0	30000	378.4946237	11336.93909	30000	0	0	30000	42.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 14:05:44	1	1	1	1	76.5	62.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.25	2004
08.01.2020 14:05:45	1	1	1	1	76.5	62.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.375	2004
08.01.2020 14:05:46	1	1	1	1	76.5	62.25	0	30000	380.6451613	11419.29171	30000	0	0	30000	42.1875	2004
08.01.2020 14:05:47	1	1	1	1	76.5	62	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.375	2004
08.01.2020 14:05:48	1	1	1	1	76.5	62.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.3125	2004
08.01.2020 14:05:49	1	1	1	1	76.5	62.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.625	2004
08.01.2020 14:05:50	1	1	1	1	76.75	62.5	0	30000	372.0430108	11096.40421	30000	0	0	30000	42.75	2004
08.01.2020 14:05:51	1	1	1	1	76.75	62.75	0	29952.607	369.8924731	11079.28139	30000	0	0	30000	42.75	2004
08.01.2020 14:05:52	1	1	1	1	76.75	62.75	0	30000	372.0430108	11160.81863	30000	0	0	30000	42.8125	2004
08.01.2020 14:05:53	1	1	1	1	76.75	62.75	0	29952.607	378.4946237	11143.69581	30000	0	0	30000	42.75	2004
08.01.2020 14:05:54	1	1	1	1	76.75	62.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	42.8125	2004
08.01.2020 14:05:55	1	1	1	1	76.75	62.75	0	29952.607	363.4408602	10967.57535	30000	0	0	30000	42.75	2004
08.01.2020 14:05:56	1	1	1	1	76.75	62.75	0	29952.607	361.2903226	10903.16093	30000	0	0	30000	42.625	2004
08.01.2020 14:05:57	1	1	1	1	76.75	62.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.6875	2004
08.01.2020 14:05:58	1	1	1	1	76.75	62.5	0	30000	356.9892473	10709.10227	30000	0	0	30000	42.5625	2004
08.01.2020 14:05:59	1	1	1	1	76.75	62.5	0	30000	352.688172	10515.85899	30000	0	0	30000	42.5	2004
08.01.2020 14:06:00	1	1	1	1	76.75	62.5	0	30000	363.4408602	10967.57535	30000	0	0	30000	42.6875	2004
08.01.2020 14:06:01	1	1	1	1	76.75	62.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.3125	2004
08.01.2020 14:06:02	1	1	1	1	76.75	62.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.6875	2004
08.01.2020 14:06:03	1	1	1	1	76.75	62.5	0	30000	365.5913978	10903.16093	30000	0	0	30000	42.6875	2004
08.01.2020 14:06:04	1	1	1	1	76.75	62.5	0	30000	369.8924731	10903.16093	30000	0	0	30000	42.5625	2004
08.01.2020 14:06:05	1	1	1	1	76.75	62.5	0	30000	361.2903226	10903.16093	30000	0	0	30000	42.9375	2004
08.01.2020 14:06:06	1	1	1	1	76.75	62.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	41.625	2004
08.01.2020 14:06:07	1	1	1	1	76.75	61.5	0	30000	363.4408602	10757.20925	30000	0	0	30000	42.75	2004
08.01.2020 14:06:08	1	1	1	1	76.75	62.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	42.625	2004
08.01.2020 14:06:09	1	1	1	1	76.75	62.5	0	29952.607	378.4946237	11160.81863	30000	0	0	30000	42.1875	2004
08.01.2020 14:06:10	1	1	1	1	76.75	62	0	30000	369.8924731	10773.5167	30000	0	0	30000	42.25	2004
08.01.2020 14:06:11	1	1	1	1	76.75	62.25	0	30000	341.9354839	10257.38592	30000	0	0	30000	42.8125	2004
08.01.2020 14:06:12	1	1	1	1	76.75	62.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	42.5625	2004
08.01.2020 14:06:13	1	1	1	1	76.75	62.5	0	30000	335.483871	10064.14264	30000	0	0	30000	42.75	2004
08.01.2020 14:06:14	1	1	1	1	76.75	62.75	0	30000	335.483871	9999.728209	30000	0	0	30000	42.1875	2004
08.01.2020 14:06:15	1	1	1	1	76.75	62	0	30000	335.483871	10128.55706	30000	0	0	30000	42.75	2004
08.01.2020 14:06:16	1	1	1	1	76.75	62.75	0	30000	335.483871	10128.55706	30000	0	0	30000	42.625	2004
08.01.2020 14:06:18	1	1	1	1	76.75	62.5	0	30000	335.483871	10064.14264	30000	0	0	30000	42.375	2004
08.01.2020 14:06:19	1	1	1	1	76.75	62.25	0	29952.607	329.0322581	9855.407279	30000	0	0	30000	42.5625	2004
08.01.2020 14:06:20	1	1	1	1	77	62.5	0	30000	320.4301075	9612.426277	30000	0	0	30000	42.75	2004
08.01.2020 14:06:21	1	1	1	1	77	62.75	0	30094.787	324.7311828	9483.597423	30000	0	0	30000	42.6875	2004
08.01.2020 14:06:22	1	1	1	1	77	62.5	0	30000	309.6774194	9354.76857	30000	0	0	30000	42.5625	2004
08.01.2020 14:06:23	1	1	1	1	77	62.5	0	30000	298.9247312	8967.466638	30000	0	0	30000	42.8125	2004
08.01.2020 14:06:24	1	1	1	1	77	62.75	0	30000	303.2258065	9096.295491	30000	0	0	30000	42.6875	2004
08.01.2020 14:06:25	1	1	1	1	77	62.5	0	30000	303.2258065	9096.295491	30000	0	0	30000	42.625	2004
08.01.2020 14:06:26	1	1	1	1	77	62.5	0	30000	311.827957	9354.76857	30000	0	0	30000	42.75	2004
08.01.2020 14:06:27	1	1	1	1	77	62.75	0	29952.607	305.3763441	9211.263012	30000	0	0	30000	42.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 14:06:28	1	1	1	1	77	62.5	0	30000	309.6774194	9290.354143	30000	0	0	30000	42.75	2004
08.01.2020 14:06:29	1	1	1	1	77	62.75	0	29905.213	309.6774194	9354.76857	30000	0	0	30000	42.75	2004
08.01.2020 14:06:30	1	1	1	1	77	62.75	0	30000	309.6774194	9290.354143	30000	0	0	30000	42.25	2004
08.01.2020 14:06:31	1	1	1	1	77	62.25	0	30000	309.6774194	9160.709918	30000	0	0	30000	42.5	2004
08.01.2020 14:06:32	1	1	1	1	77	62.5	0	30000	316.1290323	9483.597423	30000	0	0	30000	42.375	2004
08.01.2020 14:06:33	1	1	1	1	77	62.25	0	29952.607	316.1290323	9548.01185	30000	0	0	30000	42.625	2004
08.01.2020 14:06:40	1	1	1	1	77	62.5	0	30000	339.7849462	10257.38592	30000	0	0	30000	41.25	2004
08.01.2020 14:06:40	1	1	1	1	77	62.5	0	30000	339.7849462	10257.38592	30000	0	0	30000	41.25	2004
08.01.2020 14:06:40	1	1	1	1	77	62.5	0	30000	339.7849462	10257.38592	30000	0	0	30000	41.25	2004
08.01.2020 14:06:40	1	1	1	1	77	62.5	0	30000	339.7849462	10257.38592	30000	0	0	30000	41.25	2004
08.01.2020 14:06:40	1	1	1	1	77	62.5	0	30000	339.7849462	10257.38592	30000	0	0	30000	41.25	2004
08.01.2020 14:06:40	1	1	1	1	77	62.5	0	30000	339.7849462	10257.38592	30000	0	0	30000	41.25	2004
08.01.2020 14:06:43	1	1	1	1	76.5	62.75	0	30000	356.9892473	10773.5167	30000	0	0	30000	42.625	2004
08.01.2020 14:06:43	1	1	1	1	76.5	62.75	0	30000	356.9892473	10773.5167	30000	0	0	30000	42.625	2004
08.01.2020 14:06:43	1	1	1	1	76.5	62.75	0	30000	356.9892473	10773.5167	30000	0	0	30000	42.625	2004
08.01.2020 14:06:43	1	1	1	1	76.5	62.5	0	30000	363.4408602	10903.16093	30000	0	0	30000	42.375	2004
08.01.2020 14:06:44	1	1	1	1	76.5	62.25	0	30000	369.8924731	11031.98978	30000	0	0	30000	42.3125	2004
08.01.2020 14:06:45	1	1	1	1	76.5	62.25	0	30000	369.8924731	11160.81863	30000	0	0	30000	42.75	2004
08.01.2020 14:06:46	1	1	1	1	76.5	62.75	0	30000	369.8924731	11160.81863	30000	0	0	30000	42.375	2004
08.01.2020 14:06:47	1	1	1	1	76.5	62.25	0	30000	378.4946237	11096.40421	30000	0	0	30000	43.125	2004
08.01.2020 14:06:48	1	1	1	1	76.5	62.75	0	30000	359.1397849	10628.3804	30000	0	0	30000	42.25	2004
08.01.2020 14:06:49	1	1	1	1	76.75	62.25	0	29952.607	359.1397849	11031.98978	30000	0	0	30000	42.75	2004
08.01.2020 14:06:50	1	1	1	1	76.75	62.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	42.5625	2004
08.01.2020 14:06:51	1	1	1	1	76.75	62.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.625	2004
08.01.2020 14:06:52	1	1	1	1	76.75	62.5	0	30000	354.8387097	10709.10227	30000	0	0	30000	42.125	2004
08.01.2020 14:06:53	1	1	1	1	76.75	62	0	30000	354.8387097	10580.27342	30000	0	0	30000	42.375	2004
08.01.2020 14:06:54	1	1	1	1	76.75	62.25	0	30000	350.5376344	10515.85899	30000	0	0	30000	42.6875	2004
08.01.2020 14:06:56	1	1	1	1	76.75	62.5	0	30000	346.2365591	10451.44457	30000	0	0	30000	42.5	2004
08.01.2020 14:06:57	1	1	1	1	76.75	62.5	0	30000	346.2365591	10387.03014	30000	0	0	30000	42.5625	2004
08.01.2020 14:06:58	1	1	1	1	76.75	62.5	0	30000	350.5376344	10515.85899	30000	0	0	30000	42.5625	2004
08.01.2020 14:06:59	1	1	1	1	76.75	62.5	0	29952.607	359.1397849	10757.20925	30000	0	0	30000	42.75	2004
08.01.2020 14:07:00	1	1	1	1	76.75	62.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.5	2004
08.01.2020 14:07:01	1	1	1	1	76.75	62.5	0	30000	354.8387097	10644.68785	30000	0	0	30000	42.4375	2004
08.01.2020 14:07:02	1	1	1	1	76.75	62.25	0	30000	350.5376344	10515.85899	30000	0	0	30000	42.4375	2004
08.01.2020 14:07:03	1	1	1	1	76.75	62.25	0	30000	344.0860215	10387.03014	30000	0	0	30000	42.5	2004
08.01.2020 14:07:04	1	1	1	1	76.75	62.5	0	30047.393	346.2365591	10128.55706	30000	0	0	30000	42.375	2004
08.01.2020 14:07:05	1	1	1	1	76.75	62.25	0	30000	339.7849462	10113.06499	30000	0	0	30000	42.5625	2004
08.01.2020 14:07:06	1	1	1	1	76.75	62.5	0	30000	341.9354839	10257.38592	30000	0	0	30000	42.5	2004
08.01.2020 14:07:07	1	1	1	1	76.75	62.5	0	30000	348.3870968	10387.03014	30000	0	0	30000	42.75	2004
08.01.2020 14:07:08	1	1	1	1	76.75	62.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	42.6875	2004
08.01.2020 14:07:09	1	1	1	1	76.75	62.5	0	30000	369.8924731	11031.98978	30000	0	0	30000	42.5625	2004
08.01.2020 14:07:10	1	1	1	1	76.75	62.5	0	30000	369.8924731	11031.98978	30000	0	0	30000	42.5625	2004
08.01.2020 14:07:11	1	1	1	1	76.75	62.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 14:07:12	1	1	1	1	76.75	62	0	29952.607	359.1397849	11096.40421	30000	0	0	30000	42.75	2004
08.01.2020 14:07:13	1	1	1	1	76.75	62.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.6875	2004
08.01.2020 14:07:14	1	1	1	1	76.75	62.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.625	2004
08.01.2020 14:07:15	1	1	1	1	76.75	62.5	0	30000	387.0967742	11676.94942	30000	0	0	30000	42.75	2004
08.01.2020 14:07:16	1	1	1	1	76.75	62.75	0	30000	384.9462366	11548.12057	30000	0	0	30000	42.6875	2004
08.01.2020 14:07:17	1	1	1	1	76.75	62.5	0	30000	380.6451613	11419.29171	30000	0	0	30000	42.625	2004
08.01.2020 14:07:18	1	1	1	1	76.75	62.5	0	30000	378.4946237	11419.29171	30000	0	0	30000	41.75	2004
08.01.2020 14:07:19	1	1	1	1	76.75	61.75	0	30000	387.0967742	11530.18237	30000	0	0	30000	42.75	2004
08.01.2020 14:07:20	1	1	1	1	76.75	62.75	0	30000	384.9462366	11676.94942	30000	0	0	30000	42	2004
08.01.2020 14:07:21	1	1	1	1	76.75	62	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.625	2004
08.01.2020 14:07:22	1	1	1	1	76.75	62.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.75	2004
08.01.2020 14:07:23	1	1	1	1	76.75	62.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.6875	2004
08.01.2020 14:07:24	1	1	1	1	76.75	62.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.6875	2004
08.01.2020 14:07:25	1	1	1	1	76.75	62.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.625	2004
08.01.2020 14:07:26	1	1	1	1	76.75	62.5	0	30000	404.3010753	12064.25135	30000	0	0	30000	42.875	2004
08.01.2020 14:07:27	1	1	1	1	76.75	62.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	42.8125	2004
08.01.2020 14:07:28	1	1	1	1	76.75	62.75	0	30000	415.0537634	12367.56992	30000	0	0	30000	42.5625	2004
08.01.2020 14:07:29	1	1	1	1	77	63	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.375	2004
08.01.2020 14:07:30	1	1	1	1	77	62.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.75	2004
08.01.2020 14:07:31	1	1	1	1	77	62.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	42.6875	2004
08.01.2020 14:07:32	1	1	1	1	77	62.5	0	30000	412.9032258	12193.08021	30000	0	0	30000	42.1875	2004
08.01.2020 14:07:33	1	1	1	1	77	62	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.6875	2004
08.01.2020 14:07:34	1	1	1	1	77	62.5	0	30000	434.4086022	12967.68407	30000	0	0	30000	42.6875	2004
08.01.2020 14:07:42	1	1	1	1	77.25	62.25	0	30000	458.0645161	13805.88699	30000	0	0	30000	42.625	2004
08.01.2020 14:07:42	1	1	1	1	77.25	62.25	0	30000	458.0645161	13805.88699	30000	0	0	30000	42.625	2004
08.01.2020 14:07:42	1	1	1	1	77.25	62.25	0	30000	458.0645161	13805.88699	30000	0	0	30000	42.625	2004
08.01.2020 14:07:42	1	1	1	1	77.25	62.25	0	30000	458.0645161	13805.88699	30000	0	0	30000	42.625	2004
08.01.2020 14:07:42	1	1	1	1	77.25	62.25	0	30000	458.0645161	13805.88699	30000	0	0	30000	42.625	2004
08.01.2020 14:07:42	1	1	1	1	77.25	62.5	0	30000	460.2150538	13870.30142	30000	0	0	30000	42.25	2004
08.01.2020 14:07:43	1	1	1	1	77.25	62.25	0	30000	464.516129	13935.53122	30000	0	0	30000	42.5	2004
08.01.2020 14:07:44	1	1	1	1	77.25	62.5	0	30000	481.7204301	14451.662	30000	0	0	30000	42.4375	2004
08.01.2020 14:07:45	1	1	1	1	77.25	62.25	0	30000	466.6666667	13935.53122	30000	0	0	30000	41.6875	2004
08.01.2020 14:07:46	1	1	1	1	77.25	61.5	0	30000	464.516129	13805.88699	30000	0	0	30000	42.1875	2004
08.01.2020 14:07:47	1	1	1	1	77.25	62	0	30000	481.7204301	14451.662	30000	0	0	30000	42.1875	2004
08.01.2020 14:07:48	1	1	1	1	77.25	62	0	29952.607	466.6666667	13977.93058	30000	0	0	30000	42.6875	2004
08.01.2020 14:07:49	1	1	1	1	77.25	62.5	0	30000	481.7204301	14451.662	30000	0	0	30000	42.5625	2004
08.01.2020 14:07:50	1	1	1	1	77.25	62.5	0	30000	464.516129	13935.53122	30000	0	0	30000	42.625	2004
08.01.2020 14:07:51	1	1	1	1	77.25	62.5	0	30000	464.516129	13935.53122	30000	0	0	30000	42.5	2004
08.01.2020 14:07:52	1	1	1	1	77.25	62.5	0	29952.607	451.6129032	13612.64371	30000	0	0	30000	41.9375	2004
08.01.2020 14:07:53	1	1	1	1	77.25	61.75	0	30000	464.516129	13999.94564	30000	0	0	30000	42.6875	2004
08.01.2020 14:07:54	1	1	1	1	77.25	62.5	0	30000	481.7204301	14128.7745	30000	0	0	30000	42.625	2004
08.01.2020 14:07:55	1	1	1	1	77.25	62.5	0	30000	460.2150538	13805.88699	30000	0	0	30000	42.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 14:07:56	1	1	1	1	77.25	62	0	29952.607	438.7096774	13289.7562	30000	0	0	30000	42.625	2004
08.01.2020 14:07:57	1	1	1	1	77.25	62.5	0	30000	427.9569892	13160.92735	30000	0	0	30000	42.0625	2004
08.01.2020 14:07:58	1	1	1	1	77.25	62	0	29905.213	425.8064516	12709.21099	30000	0	0	30000	42.3125	2004
08.01.2020 14:07:59	1	1	1	1	77.25	62.25	0	30000	419.3548387	12709.21099	30000	0	0	30000	42.5625	2004
08.01.2020 14:08:00	1	1	1	1	77.25	62.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.5625	2004
08.01.2020 14:08:01	1	1	1	1	77.25	62.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.6875	2004
08.01.2020 14:08:02	1	1	1	1	77.25	62.5	0	30000	400	11935.4225	30000	0	0	30000	42.6875	2004
08.01.2020 14:08:03	1	1	1	1	77.25	62.5	0	30000	412.9032258	12193.08021	30000	0	0	30000	42.3125	2004
08.01.2020 14:08:04	1	1	1	1	77.25	62.25	0	30000	404.3010753	12387.13886	30000	0	0	30000	43.0625	2004
08.01.2020 14:08:05	1	1	1	1	77.25	63	0	30000	404.3010753	12128.66578	30000	0	0	30000	43.0625	2004
08.01.2020 14:08:06	1	1	1	1	77.25	62.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.4375	2004
08.01.2020 14:08:07	1	1	1	1	77.25	62.25	0	29952.607	380.6451613	11465.76794	30000	0	0	30000	42.3125	2004
08.01.2020 14:08:08	1	1	1	1	77.25	62.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.4375	2004
08.01.2020 14:08:09	1	1	1	1	77.25	62.25	0	30000	363.4408602	11031.98978	30000	0	0	30000	42.75	2004
08.01.2020 14:08:10	1	1	1	1	77.25	62.75	0	30000	350.5376344	10451.44457	30000	0	0	30000	42.4375	2004
08.01.2020 14:08:11	1	1	1	1	77.25	62.25	0	30000	356.9892473	10709.10227	30000	0	0	30000	42.6875	2004
08.01.2020 14:08:12	1	1	1	1	77.25	62.5	0	30000	356.9892473	10515.85899	30000	0	0	30000	42.625	2004
08.01.2020 14:08:13	1	1	1	1	77.25	62.5	0	30000	363.4408602	10773.5167	30000	0	0	30000	42.5625	2004
08.01.2020 14:08:15	1	1	1	1	77.25	62.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.5625	2004
08.01.2020 14:08:16	1	1	1	1	77.25	62.5	0	30000	384.9462366	11382.59995	30000	0	0	30000	42.6875	2004
08.01.2020 14:08:17	1	1	1	1	77.25	62.5	0	29952.607	395.6989247	11935.4225	30000	0	0	30000	41.75	2004
08.01.2020 14:08:18	1	1	1	1	77.25	61.75	0	30000	415.0537634	12367.56992	30000	0	0	30000	42.625	2004
08.01.2020 14:08:19	1	1	1	1	77.25	62.5	0	29952.607	427.9569892	12818.4709	30000	0	0	30000	42.1875	2004
08.01.2020 14:08:20	1	1	1	1	77.25	62	0	30000	438.7096774	12967.68407	30000	0	0	30000	42.375	2004
08.01.2020 14:08:21	1	1	1	1	77.25	62.25	0	30000	438.7096774	13096.51292	30000	0	0	30000	42.4375	2004
08.01.2020 14:08:22	1	1	1	1	77.25	62.25	0	30000	432.2580645	12838.03984	30000	0	0	30000	42.625	2004
08.01.2020 14:08:23	1	1	1	1	77.25	62.5	0	30000	464.516129	13870.30142	30000	0	0	30000	42.5625	2004
08.01.2020 14:08:24	1	1	1	1	77.25	62.5	0	30000	460.2150538	13805.88699	30000	0	0	30000	42.6875	2004
08.01.2020 14:08:25	1	1	1	1	77.25	62.5	0	30000	455.9139785	13677.05814	30000	0	0	30000	41.625	2004
08.01.2020 14:08:26	1	1	1	1	77.25	61.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.5	2004
08.01.2020 14:08:27	1	1	1	1	77.25	62.5	0	30000	460.2150538	13805.88699	30000	0	0	30000	42.625	2004
08.01.2020 14:08:28	1	1	1	1	77.25	62.5	0	30000	464.516129	13935.53122	30000	0	0	30000	42.5	2004
08.01.2020 14:08:29	1	1	1	1	77.25	62.5	0	30000	464.516129	13935.53122	30000	0	0	30000	42.375	2004
08.01.2020 14:08:30	1	1	1	1	77.25	62.25	0	30000	468.8172043	14128.7745	30000	0	0	30000	42.6875	2004
08.01.2020 14:08:31	1	1	1	1	77.25	62.5	0	30000	481.7204301	14451.662	30000	0	0	30000	42.3125	2004
08.01.2020 14:08:32	1	1	1	1	77.25	62.25	0	30000	490.3225806	14773.73413	30000	0	0	30000	42.375	2004
08.01.2020 14:08:33	1	1	1	1	77.25	62.25	0	30000	494.6236559	14838.14856	30000	0	0	30000	42.3125	2004
08.01.2020 14:08:34	1	1	1	1	77.25	62.25	0	30000	492.4731183	14773.73413	30000	0	0	30000	42	2004
08.01.2020 14:08:35	1	1	1	1	77.25	62	0	30047.393	494.6236559	14902.56299	30000	0	0	30000	42.625	2004
08.01.2020 14:08:36	1	1	1	1	77.25	62.5	0	30000	494.6236559	14902.56299	30000	0	0	30000	41.9375	2004
08.01.2020 14:08:43	1	1	1	1	77.25	62	0	30000	507.5268817	15289.86492	30000	0	0	30000	42.625	2004
08.01.2020 14:08:43	1	1	1	1	77.25	62	0	30000	507.5268817	15289.86492	30000	0	0	30000	42.625	2004
08.01.2020 14:08:43	1	1	1	1	77.25	62	0	30000	507.5268817	15289.86492	30000	0	0	30000	42.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 14:08:43	1	1	1	1	77.25	62	0	30000	507.5268817	15289.86492	30000	0	0	30000	42.625	2004
08.01.2020 14:08:43	1	1	1	1	77.25	62	0	30000	507.5268817	15289.86492	30000	0	0	30000	42.625	2004
08.01.2020 14:08:43	1	1	1	1	77.25	62	0	30000	507.5268817	15289.86492	30000	0	0	30000	42.625	2004
08.01.2020 14:08:43	1	1	1	1	77.25	62.5	0	30000	518.2795699	15548.338	30000	0	0	30000	42.4375	2004
08.01.2020 14:08:44	1	1	1	1	77.25	62.25	0	29952.607	516.1290323	15459.4624	30000	0	0	30000	42.4375	2004
08.01.2020 14:08:45	1	1	1	1	77.25	62.25	0	30000	522.5806452	15677.16685	30000	0	0	30000	42.3125	2004
08.01.2020 14:08:46	1	1	1	1	77.25	62.5	0	30000	516.1290323	15483.92357	30000	0	0	30000	42.125	2004
08.01.2020 14:08:47	1	1	1	1	77.25	62	0	30000	516.1290323	15483.92357	30000	0	0	30000	42.1875	2004
08.01.2020 14:08:48	1	1	1	1	77.25	62	0	30000	518.2795699	15548.338	30000	0	0	30000	42	2004
08.01.2020 14:08:49	1	1	1	1	77.75	62	0	30000	516.1290323	15548.338	30000	0	0	30000	42.5	2004
08.01.2020 14:08:50	1	1	1	1	77.75	62.5	0	30000	516.1290323	15483.92357	30000	0	0	30000	42.125	2004
08.01.2020 14:08:51	1	1	1	1	77.75	62	0	30000	520.4301075	15548.338	30000	0	0	30000	42.375	2004
08.01.2020 14:08:53	1	1	1	1	77.75	62.25	0	30000	526.8817204	16089.74533	30000	0	0	30000	42.5	2004
08.01.2020 14:08:54	1	1	1	1	77.75	62.5	0	30000	524.7311828	15741.58128	30000	0	0	30000	42.6875	2004
08.01.2020 14:08:55	1	1	1	1	77.75	62.5	0	30000	529.0322581	15934.82456	30000	0	0	30000	42.5625	2004
08.01.2020 14:08:56	1	1	1	1	77.75	62.5	0	30000	529.0322581	15870.41013	30000	0	0	30000	42.125	2004
08.01.2020 14:08:57	1	1	1	1	77.75	62	0	30000	522.5806452	15741.58128	30000	0	0	30000	42.5	2004
08.01.2020 14:08:58	1	1	1	1	77.75	62.5	0	30000	516.1290323	15483.92357	30000	0	0	30000	42.1875	2004
08.01.2020 14:08:59	1	1	1	1	77.75	62	0	29952.607	496.7741935	15161.03607	30000	0	0	30000	42.6875	2004
08.01.2020 14:09:00	1	1	1	1	77.75	62.5	0	30000	501.0752688	15032.20721	30000	0	0	30000	42.4375	2004
08.01.2020 14:09:01	1	1	1	1	77.75	62.25	0	30000	496.7741935	14727.2579	30000	0	0	30000	42.5625	2004
08.01.2020 14:09:02	1	1	1	1	77.75	62.5	0	30000	505.3763441	15161.03607	30000	0	0	30000	42.625	2004
08.01.2020 14:09:03	1	1	1	1	77.75	62.5	0	30000	507.5268817	15137.39026	30000	0	0	30000	42	2004
08.01.2020 14:09:04	1	1	1	1	77.75	62	0	30000	509.6774194	15289.86492	30000	0	0	30000	42.1875	2004
08.01.2020 14:09:05	1	1	1	1	77.75	62	0	30000	507.5268817	15289.86492	30000	0	0	30000	42.3125	2004
08.01.2020 14:09:06	1	1	1	1	77.75	62.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	42.25	2004
08.01.2020 14:09:07	1	1	1	1	77.75	62.25	0	29952.607	501.0752688	15225.45049	30000	0	0	30000	42.3125	2004
08.01.2020 14:09:08	1	1	1	1	77.75	62.25	0	30000	496.7741935	14902.56299	30000	0	0	30000	42	2004
08.01.2020 14:09:09	1	1	1	1	77.75	62	0	30000	481.7204301	14451.662	30000	0	0	30000	42.5625	2004
08.01.2020 14:09:10	1	1	1	1	77.25	62.5	0	30000	455.9139785	13612.64371	30000	0	0	30000	42.0625	2004
08.01.2020 14:09:11	1	1	1	1	77.25	62	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.5	2004
08.01.2020 14:09:12	1	1	1	1	77.25	61.5	0	30000	445.1612903	13483.81486	30000	0	0	30000	42.3125	2004
08.01.2020 14:09:13	1	1	1	1	77.25	62.25	0	30000	460.2150538	13805.88699	30000	0	0	30000	42.75	2004
08.01.2020 14:09:14	1	1	1	1	77.25	62.75	0	30000	466.6666667	13999.94564	30000	0	0	30000	42.4375	2004
08.01.2020 14:09:15	1	1	1	1	77.25	62.25	0	30000	481.7204301	14428.83157	30000	0	0	30000	42.25	2004
08.01.2020 14:09:16	1	1	1	1	77.25	62.25	0	30000	481.7204301	14451.662	30000	0	0	30000	42.5	2004
08.01.2020 14:09:17	1	1	1	1	77.25	62.5	0	30000	488.172043	14709.31971	30000	0	0	30000	42.5	2004
08.01.2020 14:09:18	1	1	1	1	77.25	62.5	0	30000	486.0215054	14516.07643	30000	0	0	30000	42.4375	2004
08.01.2020 14:09:19	1	1	1	1	77.25	62.25	0	30000	488.172043	14644.90528	30000	0	0	30000	42.1875	2004
08.01.2020 14:09:20	1	1	1	1	77.25	62	0	30000	507.5268817	15225.45049	30000	0	0	30000	43.0625	2004
08.01.2020 14:09:21	1	1	1	1	77.25	63	0	29905.213	494.6236559	15032.20721	30000	0	0	30000	42.375	2004
08.01.2020 14:09:22	1	1	1	1	77.25	62.25	0	30000	496.7741935	14902.56299	30000	0	0	30000	42.375	2004
08.01.2020 14:09:23	1	1	1	1	77.25	62.25	0	30000	507.5268817	15225.45049	30000	0	0	30000	42.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 14:09:24	1	1	1	1	77.25	62.5	0	30000	507.5268817	15225.45049	30000	0	0	30000	42.1875	2004
08.01.2020 14:09:25	1	1	1	1	77.25	62	0	30000	516.1290323	15548.338	30000	0	0	30000	42.375	2004
08.01.2020 14:09:26	1	1	1	1	77.25	62.25	0	30000	516.1290323	15418.69377	30000	0	0	30000	42.25	2004
08.01.2020 14:09:27	1	1	1	1	77.25	62.25	0	30000	516.1290323	15241.75794	30000	0	0	30000	42.375	2004
08.01.2020 14:09:28	1	1	1	1	77.25	62.25	0	30000	522.5806452	15677.16685	30000	0	0	30000	41.875	2004
08.01.2020 14:09:29	1	1	1	1	76.75	61.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	42.125	2004
08.01.2020 14:09:31	1	1	1	1	76.75	62	0	30000	518.2795699	15548.338	30000	0	0	30000	42.1875	2004
08.01.2020 14:09:32	1	1	1	1	76.75	62	0	29952.607	505.3763441	15354.27935	30000	0	0	30000	41.1875	2004
08.01.2020 14:09:33	1	1	1	1	76.75	61	0	30000	503.2258065	15161.03607	30000	0	0	30000	41.875	2004
08.01.2020 14:09:34	1	1	1	1	76.75	61.75	0	30000	501.0752688	15032.20721	30000	0	0	30000	42.5	2004
08.01.2020 14:09:35	1	1	1	1	76.75	62.5	0	30000	492.4731183	14773.73413	30000	0	0	30000	42.5	2004
08.01.2020 14:09:36	1	1	1	1	76.75	62.5	0	30000	486.0215054	14644.90528	30000	0	0	30000	42.3125	2004
08.01.2020 14:09:37	1	1	1	1	76.75	62.25	0	30000	481.7204301	14451.662	30000	0	0	30000	42.4375	2004
08.01.2020 14:09:38	1	1	1	1	76.75	62.25	0	30000	481.7204301	14451.662	30000	0	0	30000	41.625	2004
08.01.2020 14:09:45	1	1	1	1	76.75	62	0	30000	516.1290323	15266.21912	30000	0	0	30000	42.3125	2004
08.01.2020 14:09:45	1	1	1	1	76.75	62	0	30000	516.1290323	15266.21912	30000	0	0	30000	42.3125	2004
08.01.2020 14:09:45	1	1	1	1	76.75	62	0	30000	516.1290323	15266.21912	30000	0	0	30000	42.3125	2004
08.01.2020 14:09:45	1	1	1	1	76.75	62	0	30000	516.1290323	15266.21912	30000	0	0	30000	42.3125	2004
08.01.2020 14:09:45	1	1	1	1	76.75	62	0	30000	516.1290323	15266.21912	30000	0	0	30000	42.3125	2004
08.01.2020 14:09:45	1	1	1	1	76.75	62	0	30000	516.1290323	15266.21912	30000	0	0	30000	42.3125	2004
08.01.2020 14:09:45	1	1	1	1	76.75	62.25	0	30000	518.2795699	15548.338	30000	0	0	30000	42.5	2004
08.01.2020 14:09:46	1	1	1	1	76.75	62.5	0	30000	520.4301075	15677.16685	30000	0	0	30000	42.3125	2004
08.01.2020 14:09:47	1	1	1	1	76.75	62.25	0	29905.213	509.6774194	15548.338	30000	0	0	30000	42.3125	2004
08.01.2020 14:09:48	1	1	1	1	76.75	62.25	0	30000	520.4301075	15677.16685	30000	0	0	30000	42.5	2004
08.01.2020 14:09:49	1	1	1	1	76.75	62.5	0	30000	516.1290323	15483.92357	30000	0	0	30000	42.5	2004
08.01.2020 14:09:50	1	1	1	1	76.5	62.5	0	30000	516.1290323	15354.27935	30000	0	0	30000	42.5625	2004
08.01.2020 14:09:51	1	1	1	1	76.5	62.5	0	30000	516.1290323	15548.338	30000	0	0	30000	42.375	2004
08.01.2020 14:09:52	1	1	1	1	76.5	62.25	0	30000	516.1290323	15459.4624	30000	0	0	30000	42.4375	2004
08.01.2020 14:09:53	1	1	1	1	76.5	62.25	0	30000	518.2795699	15548.338	30000	0	0	30000	42.3125	2004
08.01.2020 14:09:54	1	1	1	1	76.5	62.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	41.875	2004
08.01.2020 14:09:55	1	1	1	1	76.5	61.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	42.375	2004
08.01.2020 14:09:56	1	1	1	1	76.5	62.25	0	30000	503.2258065	15096.62164	30000	0	0	30000	42.4375	2004
08.01.2020 14:09:57	1	1	1	1	76.5	62.25	0	29952.607	481.7204301	14516.07643	30000	0	0	30000	42.0625	2004
08.01.2020 14:09:58	1	1	1	1	76.5	62	0	30000	481.7204301	14128.7745	30000	0	0	30000	42.6875	2004
08.01.2020 14:09:59	1	1	1	1	76.5	62.5	0	30000	453.7634409	13677.05814	30000	0	0	30000	42.1875	2004
08.01.2020 14:10:00	1	1	1	1	76.75	62	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.8125	2004
08.01.2020 14:10:01	1	1	1	1	76.75	62.75	0	30000	443.0107527	13289.7562	30000	0	0	30000	42.5	2004
08.01.2020 14:10:02	1	1	1	1	76.75	62.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	42	2004
08.01.2020 14:10:03	1	1	1	1	76.75	62	0	30000	453.7634409	13612.64371	30000	0	0	30000	42.5	2004
08.01.2020 14:10:04	1	1	1	1	76.75	62.5	0	30000	453.7634409	13677.05814	30000	0	0	30000	42.625	2004
08.01.2020 14:10:05	1	1	1	1	76.75	62.5	0	29952.607	455.9139785	13741.47256	30000	0	0	30000	42.5	2004
08.01.2020 14:10:06	1	1	1	1	76.75	62.5	0	30000	449.4623656	13612.64371	30000	0	0	30000	42.5625	2004
08.01.2020 14:10:07	1	1	1	1	76.75	62.5	0	30000	445.1612903	13204.95746	30000	0	0	30000	42.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 14:10:08	1	1	1	1	76.75	62.5	0	30000	443.0107527	13289.7562	30000	0	0	30000	42.0625	2004
08.01.2020 14:10:10	1	1	1	1	76.5	62	0	30000	443.0107527	13289.7562	30000	0	0	30000	42.5	2004
08.01.2020 14:10:11	1	1	1	1	76.5	62.5	0	30000	434.4086022	12838.03984	30000	0	0	30000	42.125	2004
08.01.2020 14:10:12	1	1	1	1	76.5	62	0	30000	438.7096774	13160.92735	30000	0	0	30000	42.4375	2004
08.01.2020 14:10:13	1	1	1	1	76.5	62.25	0	30000	434.4086022	13032.0985	30000	0	0	30000	42.5625	2004
08.01.2020 14:10:14	1	1	1	1	76.5	62.5	0	29952.607	438.7096774	13160.92735	30000	0	0	30000	42.3125	2004
08.01.2020 14:10:15	1	1	1	1	76.5	62.25	0	29952.607	445.1612903	13354.17063	30000	0	0	30000	42	2004
08.01.2020 14:10:16	1	1	1	1	76.5	62	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.4375	2004
08.01.2020 14:10:17	1	1	1	1	76.5	62.25	0	30000	451.6129032	13612.64371	30000	0	0	30000	42.1875	2004
08.01.2020 14:10:18	1	1	1	1	76.5	62	0	30000	460.2150538	13935.53122	30000	0	0	30000	42.375	2004
08.01.2020 14:10:19	1	1	1	1	76.5	62.25	0	30000	460.2150538	13741.47256	30000	0	0	30000	42.5	2004
08.01.2020 14:10:20	1	1	1	1	76.5	62.5	0	30000	455.9139785	13612.64371	30000	0	0	30000	42.1875	2004
08.01.2020 14:10:21	1	1	1	1	76.5	62	0	29952.607	464.516129	13935.53122	30000	0	0	30000	42.125	2004
08.01.2020 14:10:22	1	1	1	1	76.5	62	0	30000	460.2150538	13805.88699	30000	0	0	30000	42.3125	2004
08.01.2020 14:10:23	1	1	1	1	76.5	62.25	0	30000	460.2150538	13805.88699	30000	0	0	30000	42.125	2004
08.01.2020 14:10:24	1	1	1	1	76.5	62	0	30000	481.7204301	14128.7745	30000	0	0	30000	42.25	2004
08.01.2020 14:10:25	1	1	1	1	76.5	62.25	0	30000	481.7204301	14451.662	30000	0	0	30000	42.0625	2004
08.01.2020 14:10:26	1	1	1	1	76.5	62	0	30000	483.8709677	14516.07643	30000	0	0	30000	42.375	2004
08.01.2020 14:10:27	1	1	1	1	76.5	62.25	0	30000	481.7204301	14538.90686	30000	0	0	30000	41.8125	2004
08.01.2020 14:10:28	1	1	1	1	76.5	61.75	0	30000	496.7741935	14902.56299	30000	0	0	30000	42.3125	2004
08.01.2020 14:10:29	1	1	1	1	76.5	62.25	0	30000	503.2258065	15096.62164	30000	0	0	30000	42.1875	2004
08.01.2020 14:10:30	1	1	1	1	76.75	62	0	30000	505.3763441	15161.03607	30000	0	0	30000	42.375	2004
08.01.2020 14:10:31	1	1	1	1	76.75	62.25	0	30000	507.5268817	15289.86492	30000	0	0	30000	41.8125	2004
08.01.2020 14:10:32	1	1	1	1	76.75	61.75	0	30000	507.5268817	15225.45049	30000	0	0	30000	42.375	2004
08.01.2020 14:10:33	1	1	1	1	76.75	62.25	0	30000	509.6774194	15289.86492	30000	0	0	30000	42.4375	2004
08.01.2020 14:10:34	1	1	1	1	76.75	62.25	0	29952.607	503.2258065	15161.03607	30000	0	0	30000	42.0625	2004
08.01.2020 14:10:35	1	1	1	1	76.75	62	0	30000	503.2258065	15032.20721	30000	0	0	30000	42.5	2004
08.01.2020 14:10:36	1	1	1	1	76.75	62.5	0	30000	501.0752688	14902.56299	30000	0	0	30000	42.3125	2004
08.01.2020 14:10:37	1	1	1	1	76.75	62.25	0	30000	503.2258065	15161.03607	30000	0	0	30000	42.5	2004
08.01.2020 14:10:38	1	1	1	1	76.75	62.5	0	30000	507.5268817	15225.45049	30000	0	0	30000	42.75	2004
08.01.2020 14:10:39	1	1	1	1	76.75	62.75	0	30000	492.4731183	14773.73413	30000	0	0	30000	42.25	2004
08.01.2020 14:10:46	1	1	1	1	77.5	62.25	0	30000	492.4731183	14709.31971	30000	0	0	30000	42.0625	2004
08.01.2020 14:10:46	1	1	1	1	77.5	62.25	0	30000	492.4731183	14709.31971	30000	0	0	30000	42.0625	2004
08.01.2020 14:10:46	1	1	1	1	77.5	62.25	0	30000	492.4731183	14709.31971	30000	0	0	30000	42.0625	2004
08.01.2020 14:10:46	1	1	1	1	77.5	62.25	0	30000	492.4731183	14709.31971	30000	0	0	30000	42.0625	2004
08.01.2020 14:10:46	1	1	1	1	77.5	62	0	30000	483.8709677	14516.07643	30000	0	0	30000	42.6875	2004
08.01.2020 14:10:48	1	1	1	1	77.5	62.5	0	30000	481.7204301	14474.49243	30000	0	0	30000	42.25	2004
08.01.2020 14:10:49	1	1	1	1	77.5	62.25	0	30000	438.7096774	13225.34178	30000	0	0	30000	42.4375	2004
08.01.2020 14:10:50	1	1	1	1	78	62.25	0	30000	438.7096774	13160.92735	30000	0	0	30000	42.3125	2004
08.01.2020 14:10:51	1	1	1	1	78	62.25	0	30000	423.655914	12709.21099	30000	0	0	30000	42.3125	2004
08.01.2020 14:10:52	1	1	1	1	78	62.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	42.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 14:10:53	1	1	1	1	78	62.25	0	30000	417.2043011	12451.55328	30000	0	0	30000	42.5	2004
08.01.2020 14:10:54	1	1	1	1	78	62.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.5625	2004
08.01.2020 14:10:55	1	1	1	1	78	62.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.5	2004
08.01.2020 14:10:56	1	1	1	1	78	62.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.375	2004
08.01.2020 14:10:57	1	1	1	1	78	62.25	0	29952.607	412.9032258	12367.56992	30000	0	0	30000	42.1875	2004
08.01.2020 14:10:58	1	1	1	1	78	62	0	30000	419.3548387	12709.21099	30000	0	0	30000	42.3125	2004
08.01.2020 14:10:59	1	1	1	1	78	62.25	0	30000	438.7096774	13160.92735	30000	0	0	30000	42.25	2004
08.01.2020 14:11:00	1	1	1	1	78.25	62.25	0	30000	453.7634409	13612.64371	30000	0	0	30000	42.1875	2004
08.01.2020 14:11:01	1	1	1	1	78.25	62	0	30000	453.7634409	13612.64371	30000	0	0	30000	42.625	2004
08.01.2020 14:11:02	1	1	1	1	78.25	62.5	0	30000	443.0107527	13354.17063	30000	0	0	30000	42.4375	2004
08.01.2020 14:11:03	1	1	1	1	78.25	62.25	0	30142.18	419.3548387	12387.13886	30000	0	0	30000	42.1875	2004
08.01.2020 14:11:04	1	1	1	1	78.25	62	0	30000	380.6451613	11548.12057	30000	0	0	30000	42.5625	2004
08.01.2020 14:11:05	1	1	1	1	78.25	62.5	0	30000	363.4408602	10773.5167	30000	0	0	30000	42.3125	2004
08.01.2020 14:11:06	1	1	1	1	78.25	62.25	0	30000	350.5376344	10515.85899	30000	0	0	30000	42.5625	2004
08.01.2020 14:11:07	1	1	1	1	78.25	62.5	0	30000	354.8387097	10563.96597	30000	0	0	30000	42.4375	2004
08.01.2020 14:11:08	1	1	1	1	78.25	62.25	0	30000	344.0860215	10257.38592	30000	0	0	30000	42.4375	2004
08.01.2020 14:11:09	1	1	1	1	78.25	62.25	0	30000	346.2365591	10387.03014	30000	0	0	30000	41.625	2004
08.01.2020 14:11:10	1	1	1	1	78.5	61.5	0	29952.607	344.0860215	10451.44457	30000	0	0	30000	42.125	2004
08.01.2020 14:11:11	1	1	1	1	78.5	62	0	30000	356.9892473	10644.68785	30000	0	0	30000	42.25	2004
08.01.2020 14:11:12	1	1	1	1	78.5	62.25	0	30000	369.8924731	10903.16093	30000	0	0	30000	42.375	2004
08.01.2020 14:11:13	1	1	1	1	78.5	62.25	0	30000	369.8924731	11096.40421	30000	0	0	30000	42.5	2004
08.01.2020 14:11:14	1	1	1	1	78.5	62.5	0	30000	367.7419355	11031.98978	30000	0	0	30000	42.5625	2004
08.01.2020 14:11:15	1	1	1	1	78.5	62.5	0	30000	372.0430108	11160.81863	30000	0	0	30000	42.5	2004
08.01.2020 14:11:16	1	1	1	1	78.5	62.5	0	29952.607	372.0430108	11160.81863	30000	0	0	30000	42.4375	2004
08.01.2020 14:11:17	1	1	1	1	78.5	62.25	0	29952.607	378.4946237	11354.87729	30000	0	0	30000	42.8125	2004
08.01.2020 14:11:18	1	1	1	1	78.5	62.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.875	2004
08.01.2020 14:11:19	1	1	1	1	78.5	62.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.375	2004
08.01.2020 14:11:20	1	1	1	1	78.5	62.75	0	30000	387.0967742	11419.29171	30000	0	0	30000	42.0625	2004
08.01.2020 14:11:21	1	1	1	1	78.5	62	0	30000	387.0967742	11676.94942	30000	0	0	30000	42.375	2004
08.01.2020 14:11:22	1	1	1	1	78.5	62.25	0	30000	402.1505376	11999.83693	30000	0	0	30000	42.1875	2004
08.01.2020 14:11:23	1	1	1	1	78.5	62	0	29905.213	400	12064.25135	30000	0	0	30000	42.1875	2004
08.01.2020 14:11:24	1	1	1	1	78.5	62	0	30000	400	11935.4225	30000	0	0	30000	42.625	2004
08.01.2020 14:11:25	1	1	1	1	78.5	62.5	0	30000	400	11935.4225	30000	0	0	30000	42.1875	2004
08.01.2020 14:11:26	1	1	1	1	78.5	62	0	29952.607	400	12064.25135	30000	0	0	30000	42.5625	2004
08.01.2020 14:11:28	1	1	1	1	78.5	62.5	0	30000	404.3010753	12064.25135	30000	0	0	30000	41.875	2004
08.01.2020 14:11:29	1	1	1	1	78.5	61.75	0	30000	397.8494624	11999.83693	30000	0	0	30000	42.1875	2004
08.01.2020 14:11:30	1	1	1	1	78.5	62	0	30000	404.3010753	12128.66578	30000	0	0	30000	42.3125	2004
08.01.2020 14:11:31	1	1	1	1	78.5	62.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	42.1875	2004
08.01.2020 14:11:32	1	1	1	1	78.5	62	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.5	2004
08.01.2020 14:11:33	1	1	1	1	78.5	62.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	42.125	2004
08.01.2020 14:11:34	1	1	1	1	78.5	62	0	29952.607	404.3010753	11935.4225	30000	0	0	30000	42.5625	2004
08.01.2020 14:11:35	1	1	1	1	78.5	62.5	0	30000	400	12064.25135	30000	0	0	30000	42.5625	2004
08.01.2020 14:11:36	1	1	1	1	78.5	62.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 14:11:37	1	1	1	1	78.5	62.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	42.5	2004
08.01.2020 14:11:38	1	1	1	1	78.5	62.5	0	30000	417.2043011	12367.56992	30000	0	0	30000	42.375	2004
08.01.2020 14:11:39	1	1	1	1	78.5	62.25	0	30000	423.655914	12773.62542	30000	0	0	30000	42.4375	2004
08.01.2020 14:11:40	1	1	1	1	78	62.25	0	30000	412.9032258	12471.12222	30000	0	0	30000	42.4375	2004
08.01.2020 14:11:41	1	1	1	1	78	62.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	42.4375	2004
08.01.2020 14:11:49	1	1	1	1	78	62	0	30000	417.2043011	12580.38214	30000	0	0	30000	42.5	2004
08.01.2020 14:11:49	1	1	1	1	78	62	0	30000	417.2043011	12580.38214	30000	0	0	30000	42.5	2004
08.01.2020 14:11:49	1	1	1	1	78	62	0	30000	417.2043011	12580.38214	30000	0	0	30000	42.5	2004
08.01.2020 14:11:49	1	1	1	1	78	62.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	42.5	2004
08.01.2020 14:11:49	1	1	1	1	78	62.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	42.5	2004
08.01.2020 14:11:49	1	1	1	1	78	62.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	42.5	2004
08.01.2020 14:11:49	1	1	1	1	78	62.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	42.5	2004
08.01.2020 14:11:50	1	1	1	1	79	62.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	42.5	2004
08.01.2020 14:11:51	1	1	1	1	79	62.5	0	30000	417.2043011	12451.55328	30000	0	0	30000	42.5625	2004
08.01.2020 14:11:52	1	1	1	1	79	62.5	0	30000	432.2580645	12838.03984	30000	0	0	30000	42.3125	2004
08.01.2020 14:11:53	1	1	1	1	79	62.25	0	29952.607	419.3548387	12580.38214	30000	0	0	30000	41.875	2004
08.01.2020 14:11:54	1	1	1	1	79	61.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.375	2004
08.01.2020 14:11:55	1	1	1	1	79	62.25	0	29952.607	438.7096774	13289.7562	30000	0	0	30000	42.375	2004
08.01.2020 14:11:56	1	1	1	1	79	62.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.4375	2004
08.01.2020 14:11:57	1	1	1	1	79	62.25	0	30000	438.7096774	13160.92735	30000	0	0	30000	42.25	2004
08.01.2020 14:11:58	1	1	1	1	79	62.25	0	30000	404.3010753	12387.13886	30000	0	0	30000	42.5	2004
08.01.2020 14:11:59	1	1	1	1	79	62.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.9375	2004
08.01.2020 14:12:00	1	1	1	1	79	62.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.5	2004
08.01.2020 14:12:01	1	1	1	1	79	62	0	29952.607	395.6989247	11935.4225	30000	0	0	30000	42.5	2004
08.01.2020 14:12:02	1	1	1	1	79	62.5	0	30000	395.6989247	11741.36385	30000	0	0	30000	42.375	2004
08.01.2020 14:12:03	1	1	1	1	79	62.25	0	30000	384.9462366	11676.94942	30000	0	0	30000	42.5	2004
08.01.2020 14:12:04	1	1	1	1	79	62.5	0	30000	397.8494624	11935.4225	30000	0	0	30000	42.125	2004
08.01.2020 14:12:05	1	1	1	1	79	62	0	30000	395.6989247	11741.36385	30000	0	0	30000	42.5	2004
08.01.2020 14:12:07	1	1	1	1	79	62.5	0	30000	380.6451613	11419.29171	30000	0	0	30000	42.25	2004
08.01.2020 14:12:08	1	1	1	1	79	62.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.8125	2004
08.01.2020 14:12:09	1	1	1	1	79	61.75	0	30000	369.8924731	11031.98978	30000	0	0	30000	42.4375	2004
08.01.2020 14:12:10	1	1	1	1	78.75	62.25	0	30000	359.1397849	10903.16093	30000	0	0	30000	42.375	2004
08.01.2020 14:12:11	1	1	1	1	78.75	62.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.125	2004
08.01.2020 14:12:12	1	1	1	1	78.75	62	0	30000	365.5913978	11031.98978	30000	0	0	30000	42.3125	2004
08.01.2020 14:12:13	1	1	1	1	78.75	62.25	0	29952.607	378.4946237	11225.23306	30000	0	0	30000	42.1875	2004
08.01.2020 14:12:14	1	1	1	1	78.75	62	0	30047.393	384.9462366	11354.87729	30000	0	0	30000	42.1875	2004
08.01.2020 14:12:15	1	1	1	1	78.75	62	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.375	2004
08.01.2020 14:12:16	1	1	1	1	78.75	62.25	0	30000	400	11935.4225	30000	0	0	30000	42.6875	2004
08.01.2020 14:12:17	1	1	1	1	78.75	62.5	0	29952.607	406.4516129	12387.13886	30000	0	0	30000	42.375	2004
08.01.2020 14:12:18	1	1	1	1	78.75	62.25	0	30000	404.3010753	12090.34327	30000	0	0	30000	42.375	2004
08.01.2020 14:12:19	1	1	1	1	78.75	62.25	0	29952.607	404.3010753	12387.13886	30000	0	0	30000	42.5	2004
08.01.2020 14:12:20	1	1	1	1	79.25	62.5	0	30000	412.9032258	12128.66578	30000	0	0	30000	42.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 14:12:21	1	1	1	1	79.25	62.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	42.4375	2004
08.01.2020 14:12:22	1	1	1	1	79.25	62.25	0	29952.607	395.6989247	11871.00807	30000	0	0	30000	42.375	2004
08.01.2020 14:12:23	1	1	1	1	79.25	62.25	0	30000	384.9462366	11548.12057	30000	0	0	30000	42.25	2004
08.01.2020 14:12:24	1	1	1	1	79.25	62.25	0	30000	378.4946237	11336.93909	30000	0	0	30000	42.1875	2004
08.01.2020 14:12:25	1	1	1	1	79.25	62	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.375	2004
08.01.2020 14:12:26	1	1	1	1	79.25	62.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.5	2004
08.01.2020 14:12:27	1	1	1	1	79.25	62.5	0	30000	380.6451613	11354.87729	30000	0	0	30000	42.375	2004
08.01.2020 14:12:28	1	1	1	1	79.25	62.25	0	30000	384.9462366	11530.18237	30000	0	0	30000	42.3125	2004
08.01.2020 14:12:29	1	1	1	1	79.25	62.25	0	29952.607	389.2473118	11741.36385	30000	0	0	30000	42.375	2004
08.01.2020 14:12:30	1	1	1	1	79.25	62.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.5	2004
08.01.2020 14:12:31	1	1	1	1	79.25	62.5	0	30000	404.3010753	12064.25135	30000	0	0	30000	42.3125	2004
08.01.2020 14:12:32	1	1	1	1	79.25	62.25	0	30000	397.8494624	11999.83693	30000	0	0	30000	42.1875	2004
08.01.2020 14:12:33	1	1	1	1	79.25	62	0	30000	400	12064.25135	30000	0	0	30000	42.4375	2004
08.01.2020 14:12:34	1	1	1	1	79.25	62.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.25	2004
08.01.2020 14:12:35	1	1	1	1	79.25	62.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	42.875	2004
08.01.2020 14:12:36	1	1	1	1	79.25	62.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.625	2004
08.01.2020 14:12:37	1	1	1	1	79.25	62.5	0	30000	425.8064516	12838.03984	30000	0	0	30000	42.4375	2004
08.01.2020 14:12:38	1	1	1	1	79.25	62.5	0	30000	419.3548387	12411.60003	30000	0	0	30000	42.4375	2004
08.01.2020 14:12:39	1	1	1	1	79.75	62.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	42.25	2004
08.01.2020 14:12:40	1	1	1	1	79.75	62.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	42.3125	2004
08.01.2020 14:12:41	1	1	1	1	79.75	62.25	0	30000	425.8064516	12838.03984	30000	0	0	30000	42.5	2004
08.01.2020 14:12:42	1	1	1	1	79.75	62.5	0	30000	421.5053763	12838.03984	30000	0	0	30000	41.75	2004
08.01.2020 14:12:50	1	1	1	1	79.75	62.25	0	30000	434.4086022	12967.68407	30000	0	0	30000	42.3125	2004
08.01.2020 14:12:50	1	1	1	1	79.75	62.25	0	30000	434.4086022	12967.68407	30000	0	0	30000	42.3125	2004
08.01.2020 14:12:50	1	1	1	1	79.75	62.25	0	30000	427.9569892	12773.62542	30000	0	0	30000	42.4375	2004
08.01.2020 14:12:50	1	1	1	1	79.75	62.25	0	30000	427.9569892	12773.62542	30000	0	0	30000	42.4375	2004
08.01.2020 14:12:50	1	1	1	1	79.75	62.25	0	30000	427.9569892	12773.62542	30000	0	0	30000	42.4375	2004
08.01.2020 14:12:50	1	1	1	1	79.75	62.25	0	30000	427.9569892	12773.62542	30000	0	0	30000	42.4375	2004
08.01.2020 14:12:50	1	1	1	1	79.75	62.25	0	30000	427.9569892	12773.62542	30000	0	0	30000	42.4375	2004
08.01.2020 14:12:51	1	1	1	1	79.75	62.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.6875	2004
08.01.2020 14:12:52	1	1	1	1	79.75	61.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.4375	2004
08.01.2020 14:12:53	1	1	1	1	79.75	62.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	42.375	2004
08.01.2020 14:12:54	1	1	1	1	79.75	62.25	0	29952.607	419.3548387	12580.38214	30000	0	0	30000	42.25	2004
08.01.2020 14:12:55	1	1	1	1	79.75	62.25	0	29952.607	427.9569892	12838.03984	30000	0	0	30000	42.3125	2004
08.01.2020 14:12:56	1	1	1	1	79.75	62.25	0	29952.607	419.3548387	12838.03984	30000	0	0	30000	42.125	2004
08.01.2020 14:12:57	1	1	1	1	79.75	62	0	30000	415.0537634	12451.55328	30000	0	0	30000	42.1875	2004
08.01.2020 14:12:58	1	1	1	1	79.75	62	0	30000	397.8494624	11935.4225	30000	0	0	30000	42.25	2004
08.01.2020 14:12:59	1	1	1	1	79.75	62.25	0	30000	391.3978495	11871.00807	30000	0	0	30000	42.375	2004
08.01.2020 14:13:00	1	1	1	1	80	62.25	0	30000	397.8494624	11935.4225	30000	0	0	30000	42.25	2004
08.01.2020 14:13:01	1	1	1	1	80	62.25	0	30000	391.3978495	11741.36385	30000	0	0	30000	42.3125	2004
08.01.2020 14:13:02	1	1	1	1	80	62.25	0	30000	380.6451613	11419.29171	30000	0	0	30000	42.4375	2004
08.01.2020 14:13:03	1	1	1	1	80	62.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	42	2004
08.01.2020 14:13:04	1	1	1	1	80	62	0	30000	384.9462366	11548.12057	30000	0	0	30000	42.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 14:13:05	1	1	1	1	80	62	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.1875	2004
08.01.2020 14:13:06	1	1	1	1	80	62	0	30000	404.3010753	12128.66578	30000	0	0	30000	42.5	2004
08.01.2020 14:13:07	1	1	1	1	80	62.5	0	29952.607	412.9032258	12367.56992	30000	0	0	30000	42	2004
08.01.2020 14:13:08	1	1	1	1	80	62	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.0625	2004
08.01.2020 14:13:09	1	1	1	1	80	62	0	30000	404.3010753	12426.27674	30000	0	0	30000	42.1875	2004
08.01.2020 14:13:10	1	1	1	1	80	62	0	30000	415.0537634	12451.55328	30000	0	0	30000	42.125	2004
08.01.2020 14:13:11	1	1	1	1	80	62	0	30000	415.0537634	12431.98434	30000	0	0	30000	42.0625	2004
08.01.2020 14:13:12	1	1	1	1	80	62	0	29905.213	412.9032258	12387.13886	30000	0	0	30000	42.1875	2004
08.01.2020 14:13:13	1	1	1	1	80	62	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.8125	2004
08.01.2020 14:13:14	1	1	1	1	80	62.75	0	30000	419.3548387	12709.21099	30000	0	0	30000	42.25	2004
08.01.2020 14:13:15	1	1	1	1	80	62.25	0	30047.393	427.9569892	12858.42416	30000	0	0	30000	42.5625	2004
08.01.2020 14:13:16	1	1	1	1	80	62.5	0	30000	427.9569892	12967.68407	30000	0	0	30000	42.1875	2004
08.01.2020 14:13:17	1	1	1	1	80	62	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.1875	2004
08.01.2020 14:13:18	1	1	1	1	80	62.25	0	30000	453.7634409	13612.64371	30000	0	0	30000	41.8125	2004
08.01.2020 14:13:19	1	1	1	1	79.75	61.75	0	29905.213	453.7634409	13462.61517	30000	0	0	30000	41.5	2004
08.01.2020 14:13:20	1	1	1	1	79.75	61.5	0	30000	460.2150538	13741.47256	30000	0	0	30000	42.0625	2004
08.01.2020 14:13:21	1	1	1	1	79.75	62	0	30000	464.516129	13935.53122	30000	0	0	30000	42.4375	2004
08.01.2020 14:13:23	1	1	1	1	79.75	62.25	0	30000	451.6129032	13548.22928	30000	0	0	30000	41.75	2004
08.01.2020 14:13:24	1	1	1	1	79.75	61.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	41.875	2004
08.01.2020 14:13:25	1	1	1	1	79.75	61.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.625	2004
08.01.2020 14:13:26	1	1	1	1	79.75	61.5	0	30000	438.7096774	13160.92735	30000	0	0	30000	42.1875	2004
08.01.2020 14:13:27	1	1	1	1	79.75	62	0	30000	443.0107527	13289.7562	30000	0	0	30000	42.3125	2004
08.01.2020 14:13:28	1	1	1	1	79.75	62.25	0	30000	434.4086022	12967.68407	30000	0	0	30000	42.125	2004
08.01.2020 14:13:29	1	1	1	1	79.75	62	0	30000	425.8064516	12773.62542	30000	0	0	30000	42.0625	2004
08.01.2020 14:13:30	1	1	1	1	79.5	62	0	30000	419.3548387	12580.38214	30000	0	0	30000	42.4375	2004
08.01.2020 14:13:31	1	1	1	1	79.5	62.25	0	30000	417.2043011	12451.55328	30000	0	0	30000	42.3125	2004
08.01.2020 14:13:32	1	1	1	1	79.5	62.25	0	29952.607	421.5053763	12580.38214	30000	0	0	30000	42.1875	2004
08.01.2020 14:13:33	1	1	1	1	79.5	62	0	30000	423.655914	12709.21099	30000	0	0	30000	42.1875	2004
08.01.2020 14:13:34	1	1	1	1	79.5	62	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.25	2004
08.01.2020 14:13:35	1	1	1	1	79.5	62.25	0	30000	427.9569892	12754.05648	30000	0	0	30000	42.4375	2004
08.01.2020 14:13:36	1	1	1	1	79.5	62.25	0	29905.213	423.655914	12709.21099	30000	0	0	30000	42.3125	2004
08.01.2020 14:13:37	1	1	1	1	79.5	62.25	0	30000	425.8064516	12773.62542	30000	0	0	30000	41.625	2004
08.01.2020 14:13:38	1	1	1	1	79.5	61.5	0	30000	412.9032258	12451.55328	30000	0	0	30000	42	2004
08.01.2020 14:13:39	1	1	1	1	79.5	62	0	30000	415.0537634	12367.56992	30000	0	0	30000	41.875	2004
08.01.2020 14:13:40	1	1	1	1	79	61.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.875	2004
08.01.2020 14:13:41	1	1	1	1	79	61.75	0	30000	404.3010753	12406.7078	30000	0	0	30000	42.1875	2004
08.01.2020 14:13:42	1	1	1	1	79	62	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	42.4375	2004
08.01.2020 14:13:43	1	1	1	1	79	62.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.4375	2004
08.01.2020 14:13:44	1	1	1	1	79	62.25	0	30000	419.3548387	12709.21099	30000	0	0	30000	42.4375	2004
08.01.2020 14:13:51	1	1	1	1	79	62	0	30000	481.7204301	14128.7745	30000	0	0	30000	42.1875	2004
08.01.2020 14:13:51	1	1	1	1	79	62	0	30000	481.7204301	14128.7745	30000	0	0	30000	42.1875	2004
08.01.2020 14:13:51	1	1	1	1	79	62	0	30000	481.7204301	14128.7745	30000	0	0	30000	42.1875	2004
08.01.2020 14:13:51	1	1	1	1	79	62	0	30000	481.7204301	14128.7745	30000	0	0	30000	42.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 14:13:51	1	1	1	1	79	62	0	30000	481.7204301	14128.7745	30000	0	0	30000	42.1875	2004
08.01.2020 14:13:51	1	1	1	1	79	62	0	30000	481.7204301	14128.7745	30000	0	0	30000	42.1875	2004
08.01.2020 14:13:51	1	1	1	1	79	62	0	30000	481.7204301	14128.7745	30000	0	0	30000	42.1875	2004
08.01.2020 14:13:52	1	1	1	1	79	62	0	30000	458.0645161	13741.47256	30000	0	0	30000	41.8125	2004
08.01.2020 14:13:53	1	1	1	1	79	61.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.3125	2004
08.01.2020 14:13:54	1	1	1	1	79	62.25	0	30000	438.7096774	13160.92735	30000	0	0	30000	42.4375	2004
08.01.2020 14:13:55	1	1	1	1	79	62.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.1875	2004
08.01.2020 14:13:56	1	1	1	1	79	62	0	30000	425.8064516	12709.21099	30000	0	0	30000	42.8125	2004
08.01.2020 14:13:57	1	1	1	1	79	62.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	42.1875	2004
08.01.2020 14:13:58	1	1	1	1	79	62.5	0	30000	400	11935.4225	30000	0	0	30000	42.1875	2004
08.01.2020 14:13:59	1	1	1	1	79.5	62	0	30000	384.9462366	11548.12057	30000	0	0	30000	42.375	2004
08.01.2020 14:14:00	1	1	1	1	79.5	62.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.9375	2004
08.01.2020 14:14:01	1	1	1	1	79.5	61.75	0	30000	378.4946237	11419.29171	30000	0	0	30000	42.125	2004
08.01.2020 14:14:03	1	1	1	1	79.5	62	0	30000	387.0967742	11908.51521	30000	0	0	30000	42.25	2004
08.01.2020 14:14:04	1	1	1	1	79.5	62.25	0	30000	380.6451613	11419.29171	30000	0	0	30000	42.5	2004
08.01.2020 14:14:05	1	1	1	1	79.5	62.5	0	30000	382.7956989	11419.29171	30000	0	0	30000	42	2004
08.01.2020 14:14:06	1	1	1	1	79.5	62	0	30000	380.6451613	11319.0009	30000	0	0	30000	42.125	2004
08.01.2020 14:14:07	1	1	1	1	79.5	62	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.375	2004
08.01.2020 14:14:08	1	1	1	1	79.5	62.25	0	30000	389.2473118	11871.00807	30000	0	0	30000	42.0625	2004
08.01.2020 14:14:09	1	1	1	1	79.5	62	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.3125	2004
08.01.2020 14:14:10	1	1	1	1	79.25	61.25	0	30000	432.2580645	12818.4709	30000	0	0	30000	41.875	2004
08.01.2020 14:14:11	1	1	1	1	79.25	61.75	0	30000	443.0107527	13289.7562	30000	0	0	30000	42.125	2004
08.01.2020 14:14:12	1	1	1	1	79.25	62	0	30000	451.6129032	13612.64371	30000	0	0	30000	42.1875	2004
08.01.2020 14:14:13	1	1	1	1	79.25	62	0	30000	453.7634409	13612.64371	30000	0	0	30000	42.0625	2004
08.01.2020 14:14:14	1	1	1	1	79.25	62	0	29952.607	445.1612903	13354.17063	30000	0	0	30000	41.6875	2004
08.01.2020 14:14:15	1	1	1	1	79.25	61.5	0	29952.607	458.0645161	13741.47256	30000	0	0	30000	42.3125	2004
08.01.2020 14:14:16	1	1	1	1	79.25	62.25	0	30000	445.1612903	13333.78632	30000	0	0	30000	41.9375	2004
08.01.2020 14:14:17	1	1	1	1	79.25	61.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.1875	2004
08.01.2020 14:14:18	1	1	1	1	79.25	62	0	30000	453.7634409	13612.64371	30000	0	0	30000	41.8125	2004
08.01.2020 14:14:19	1	1	1	1	79.25	61.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	42.3125	2004
08.01.2020 14:14:20	1	1	1	1	79.25	62.25	0	30000	449.4623656	13483.81486	30000	0	0	30000	42.25	2004
08.01.2020 14:14:21	1	1	1	1	79.25	62.25	0	30000	453.7634409	13612.64371	30000	0	0	30000	42.25	2004
08.01.2020 14:14:22	1	1	1	1	79.25	62.25	0	29952.607	464.516129	13935.53122	30000	0	0	30000	42	2004
08.01.2020 14:14:23	1	1	1	1	79.25	62	0	30000	458.0645161	13741.47256	30000	0	0	30000	42.3125	2004
08.01.2020 14:14:24	1	1	1	1	79.25	62.25	0	30000	438.7096774	13160.92735	30000	0	0	30000	41.4375	2004
08.01.2020 14:14:25	1	1	1	1	79.25	61.25	0	30000	453.7634409	13612.64371	30000	0	0	30000	42.1875	2004
08.01.2020 14:14:26	1	1	1	1	79.25	62	0	30000	466.6666667	14451.662	30000	0	0	30000	42.1875	2004
08.01.2020 14:14:27	1	1	1	1	79.25	62	0	30000	481.7204301	14128.7745	30000	0	0	30000	42.1875	2004
08.01.2020 14:14:28	1	1	1	1	79.25	62	0	30000	481.7204301	14451.662	30000	0	0	30000	42.375	2004
08.01.2020 14:14:29	1	1	1	1	79.25	62.25	0	30000	481.7204301	14128.7745	30000	0	0	30000	41.9375	2004
08.01.2020 14:14:30	1	1	1	1	79.5	61.75	0	30000	464.516129	13698.25782	30000	0	0	30000	42.125	2004
08.01.2020 14:14:31	1	1	1	1	79.5	62	0	30000	464.516129	13935.53122	30000	0	0	30000	41.8125	2004
08.01.2020 14:14:32	1	1	1	1	79.5	61.75	0	30000	458.0645161	13805.88699	30000	0	0	30000	42.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 14:14:33	1	1	1	1	79.5	62.25	0	30047.393	464.516129	13935.53122	30000	0	0	30000	42.375	2004
08.01.2020 14:14:34	1	1	1	1	79.5	62.25	0	30000	464.516129	13935.53122	30000	0	0	30000	42.4375	2004
08.01.2020 14:14:35	1	1	1	1	79.5	62.25	0	30000	453.7634409	13612.64371	30000	0	0	30000	42.1875	2004
08.01.2020 14:14:36	1	1	1	1	79.5	62	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.4375	2004
08.01.2020 14:14:37	1	1	1	1	79.5	62.25	0	30000	451.6129032	13483.81486	30000	0	0	30000	42.4375	2004
08.01.2020 14:14:38	1	1	1	1	79.5	62.25	0	30000	434.4086022	13096.51292	30000	0	0	30000	42.0625	2004
08.01.2020 14:14:39	1	1	1	1	79.75	62	0	30000	438.7096774	13182.12704	30000	0	0	30000	41.9375	2004
08.01.2020 14:14:41	1	1	1	1	79.75	61.75	0	29952.607	427.9569892	13032.0985	30000	0	0	30000	42.4375	2004
08.01.2020 14:14:42	1	1	1	1	79.75	62.25	0	30000	434.4086022	13011.71418	30000	0	0	30000	42.375	2004
08.01.2020 14:14:43	1	1	1	1	79.75	62.25	0	30000	423.655914	12709.21099	30000	0	0	30000	42.25	2004
08.01.2020 14:14:44	1	1	1	1	79.75	62.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	41.9375	2004
08.01.2020 14:14:45	1	1	1	1	79.75	61.75	0	29952.607	415.0537634	12451.55328	30000	0	0	30000	42.25	2004
08.01.2020 14:14:46	1	1	1	1	79.75	62.25	0	29952.607	415.0537634	12451.55328	30000	0	0	30000	42.375	2004
08.01.2020 14:14:54	1	1	1	1	79	62.25	0	30000	483.8709677	14580.49085	30000	0	0	30000	42.1875	2004
08.01.2020 14:14:54	1	1	1	1	79	62.25	0	30000	483.8709677	14580.49085	30000	0	0	30000	42.1875	2004
08.01.2020 14:14:54	1	1	1	1	79	62.25	0	30000	483.8709677	14580.49085	30000	0	0	30000	42.1875	2004
08.01.2020 14:14:54	1	1	1	1	79	62.25	0	30000	483.8709677	14580.49085	30000	0	0	30000	42.1875	2004
08.01.2020 14:14:54	1	1	1	1	79	62.25	0	30000	483.8709677	14580.49085	30000	0	0	30000	42.1875	2004
08.01.2020 14:14:54	1	1	1	1	79	62.25	0	30000	483.8709677	14580.49085	30000	0	0	30000	42.1875	2004
08.01.2020 14:14:54	1	1	1	1	79	62.25	0	30000	483.8709677	14580.49085	30000	0	0	30000	42.1875	2004
08.01.2020 14:14:54	1	1	1	1	79	62	0	29952.607	481.7204301	14451.662	30000	0	0	30000	41.625	2004
08.01.2020 14:14:55	1	1	1	1	79	61.5	0	29952.607	483.8709677	14516.07643	30000	0	0	30000	41.5	2004
08.01.2020 14:14:56	1	1	1	1	79	61.5	0	30000	481.7204301	14451.662	30000	0	0	30000	42.125	2004
08.01.2020 14:14:57	1	1	1	1	79	62	0	30000	481.7204301	14451.662	30000	0	0	30000	42.4375	2004
08.01.2020 14:14:58	1	1	1	1	79	62.25	0	29952.607	466.6666667	14064.36007	30000	0	0	30000	41.875	2004
08.01.2020 14:14:59	1	1	1	1	79	61.75	0	30094.787	466.6666667	13677.05814	30000	0	0	30000	42	2004
08.01.2020 14:15:00	1	1	1	1	79.25	62	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.3125	2004
08.01.2020 14:15:01	1	1	1	1	79.25	62.25	0	30000	423.655914	12709.21099	30000	0	0	30000	42	2004
08.01.2020 14:15:02	1	1	1	1	79.25	62	0	30000	425.8064516	12773.62542	30000	0	0	30000	41.6875	2004
08.01.2020 14:15:03	1	1	1	1	79.25	61.5	0	30000	425.8064516	12773.62542	30000	0	0	30000	42	2004
08.01.2020 14:15:04	1	1	1	1	79.25	62	0	30000	432.2580645	12967.68407	30000	0	0	30000	42.4375	2004
08.01.2020 14:15:05	1	1	1	1	79.25	62.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.75	2004
08.01.2020 14:15:06	1	1	1	1	79.25	61.75	0	30000	466.6666667	14128.7745	30000	0	0	30000	42.3125	2004
08.01.2020 14:15:07	1	1	1	1	79.25	62.25	0	30000	481.7204301	14516.07643	30000	0	0	30000	42.375	2004
08.01.2020 14:15:08	1	1	1	1	79.25	62.25	0	30000	486.0215054	14516.07643	30000	0	0	30000	42.375	2004
08.01.2020 14:15:09	1	1	1	1	79.25	62.25	0	29952.607	481.7204301	14516.07643	30000	0	0	30000	42.4375	2004
08.01.2020 14:15:10	1	1	1	1	79.25	62.25	0	30000	481.7204301	14451.662	30000	0	0	30000	42.1875	2004
08.01.2020 14:15:11	1	1	1	1	79.25	62	0	30000	481.7204301	14451.662	30000	0	0	30000	42.25	2004
08.01.2020 14:15:12	1	1	1	1	79.25	62.25	0	30000	481.7204301	14497.32286	30000	0	0	30000	42.1875	2004
08.01.2020 14:15:13	1	1	1	1	79.25	62	0	30000	488.172043	14644.90528	30000	0	0	30000	42.8125	2004
08.01.2020 14:15:14	1	1	1	1	79.25	62.75	0	30000	492.4731183	14773.73413	30000	0	0	30000	42.0625	2004
08.01.2020 14:15:15	1	1	1	1	79.25	62	0	29952.607	505.3763441	15161.03607	30000	0	0	30000	42.375	2004
08.01.2020 14:15:16	1	1	1	1	79.25	62.5	0	30000	516.1290323	15483.92357	30000	0	0	30000	42.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 14:15:17	1	1	1	1	79.25	62.25	0	30000	522.5806452	15677.16685	30000	0	0	30000	42.25	2004
08.01.2020 14:15:18	1	1	1	1	79.25	62.25	0	30000	529.0322581	15934.82456	30000	0	0	30000	42.125	2004
08.01.2020 14:15:20	1	1	1	1	79.5	62	0	30000	526.8817204	15805.99571	30000	0	0	30000	42.375	2004
08.01.2020 14:15:21	1	1	1	1	79.5	62.25	0	30000	522.5806452	15677.16685	30000	0	0	30000	42.1875	2004
08.01.2020 14:15:22	1	1	1	1	79.5	62	0	30000	529.0322581	15677.16685	30000	0	0	30000	42.125	2004
08.01.2020 14:15:23	1	1	1	1	79.5	62	0	30000	522.5806452	15677.16685	30000	0	0	30000	41.875	2004
08.01.2020 14:15:24	1	1	1	1	79.5	61.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	42.25	2004
08.01.2020 14:15:25	1	1	1	1	79.5	62.25	0	30000	520.4301075	15612.75243	30000	0	0	30000	42.3125	2004
08.01.2020 14:15:26	1	1	1	1	79.5	62.25	0	30000	520.4301075	15677.16685	30000	0	0	30000	42.1875	2004
08.01.2020 14:15:27	1	1	1	1	79.5	62	0	30000	518.2795699	15548.338	30000	0	0	30000	42.0625	2004
08.01.2020 14:15:28	1	1	1	1	79.5	62	0	30000	529.0322581	15934.82456	30000	0	0	30000	41.6875	2004
08.01.2020 14:15:29	1	1	1	1	79.5	61.5	0	30000	529.0322581	15870.41013	30000	0	0	30000	42.1875	2004
08.01.2020 14:15:30	1	1	1	1	79.5	62	0	30000	537.6344086	15974.77781	30000	0	0	30000	42.125	2004
08.01.2020 14:15:31	1	1	1	1	79.5	62	0	29952.607	533.3333333	15974.77781	30000	0	0	30000	42.4375	2004
08.01.2020 14:15:32	1	1	1	1	79.5	62.25	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	41.5625	2004
08.01.2020 14:15:33	1	1	1	1	79.5	61.5	0	29952.607	535.483871	16064.46878	30000	0	0	30000	42	2004
08.01.2020 14:15:34	1	1	1	1	79.5	62	0	29905.213	533.3333333	16000.05436	30000	0	0	30000	41.875	2004
08.01.2020 14:15:35	1	1	1	1	79.5	61.75	0	30000	533.3333333	16000.05436	30000	0	0	30000	42.375	2004
08.01.2020 14:15:36	1	1	1	1	79.5	62.25	0	29905.213	533.3333333	16000.05436	30000	0	0	30000	42.375	2004
08.01.2020 14:15:37	1	1	1	1	79.5	62.25	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	42.625	2004
08.01.2020 14:15:38	1	1	1	1	79.5	62.5	0	29857.82	533.3333333	15898.94817	30000	0	0	30000	42.3125	2004
08.01.2020 14:15:39	1	1	1	1	79.5	62.25	0	29857.82	524.7311828	15974.77781	30000	0	0	30000	42.375	2004
08.01.2020 14:15:40	1	1	1	1	79.75	62.25	0	29905.213	533.3333333	16039.19224	30000	0	0	30000	42.3125	2004
08.01.2020 14:15:41	1	1	1	1	79.75	62.25	0	29857.82	537.6344086	15987.82377	30000	0	0	30000	42.4375	2004
08.01.2020 14:15:42	1	1	1	1	79.75	62.25	0	29905.213	535.483871	15987.82377	30000	0	0	30000	42.3125	2004
08.01.2020 14:15:43	1	1	1	1	79.75	62.25	0	29905.213	535.483871	16013.10032	30000	0	0	30000	42.1875	2004
08.01.2020 14:15:44	1	1	1	1	79.75	62	0	29905.213	535.483871	16013.10032	30000	0	0	30000	42.1875	2004
08.01.2020 14:15:45	1	1	1	1	79.75	62	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	42.25	2004
08.01.2020 14:15:46	1	1	1	1	79.75	62.25	0	30000	529.0322581	16064.46878	30000	0	0	30000	42.375	2004
08.01.2020 14:15:47	1	1	1	1	79.75	62.25	0	30000	531.1827957	16000.05436	30000	0	0	30000	42.625	2004
08.01.2020 14:15:55	1	1	1	1	80.25	62	0	30000	526.8817204	15805.99571	30000	0	0	30000	42.3125	2004
08.01.2020 14:15:55	1	1	1	1	80.25	62	0	30000	526.8817204	15805.99571	30000	0	0	30000	42.3125	2004
08.01.2020 14:15:55	1	1	1	1	80.25	62	0	30000	526.8817204	15805.99571	30000	0	0	30000	42.3125	2004
08.01.2020 14:15:55	1	1	1	1	80.25	62	0	30000	526.8817204	15805.99571	30000	0	0	30000	42.3125	2004
08.01.2020 14:15:55	1	1	1	1	80.25	62	0	30000	526.8817204	15805.99571	30000	0	0	30000	42.3125	2004
08.01.2020 14:15:55	1	1	1	1	80.25	62.25	0	30000	524.7311828	15677.16685	30000	0	0	30000	42.125	2004
08.01.2020 14:15:57	1	1	1	1	80.25	62	0	30000	524.7311828	15805.99571	30000	0	0	30000	41.9375	2004
08.01.2020 14:15:58	1	1	1	1	80.25	61.75	0	30000	507.5268817	15137.39026	30000	0	0	30000	42.1875	2004
08.01.2020 14:15:59	1	1	1	1	80.25	62	0	30000	464.516129	13935.53122	30000	0	0	30000	42.25	2004
08.01.2020 14:16:00	1	1	1	1	80.25	62.25	0	30000	419.3548387	12709.21099	30000	0	0	30000	42.1875	2004
08.01.2020 14:16:01	1	1	1	1	80.25	62	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 14:16:02	1	1	1	1	80.25	62.5	0	30000	417.2043011	12451.55328	30000	0	0	30000	42.4375	2004
08.01.2020 14:16:03	1	1	1	1	80.25	62.25	0	30000	400	12064.25135	30000	0	0	30000	41.9375	2004
08.01.2020 14:16:04	1	1	1	1	80.25	61.75	0	30000	400	11916.66893	30000	0	0	30000	42.3125	2004
08.01.2020 14:16:05	1	1	1	1	80.25	62.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	42.25	2004
08.01.2020 14:16:06	1	1	1	1	80.25	62.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.0625	2004
08.01.2020 14:16:07	1	1	1	1	80.25	62	0	30047.393	443.0107527	13354.17063	30000	0	0	30000	41.6875	2004
08.01.2020 14:16:08	1	1	1	1	80.25	61.5	0	30000	458.0645161	13741.47256	30000	0	0	30000	41.8125	2004
08.01.2020 14:16:09	1	1	1	1	80.25	61.75	0	30000	481.7204301	14451.662	30000	0	0	30000	42.3125	2004
08.01.2020 14:16:10	1	1	1	1	80.25	62.25	0	30000	481.7204301	14451.662	30000	0	0	30000	42.375	2004
08.01.2020 14:16:11	1	1	1	1	80.25	62.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	42.3125	2004
08.01.2020 14:16:12	1	1	1	1	80.25	62.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	42	2004
08.01.2020 14:16:13	1	1	1	1	80.25	62	0	30000	492.4731183	14773.73413	30000	0	0	30000	41.75	2004
08.01.2020 14:16:14	1	1	1	1	80.25	61.75	0	30000	490.3225806	14773.73413	30000	0	0	30000	41.9375	2004
08.01.2020 14:16:15	1	1	1	1	80.25	61.75	0	30000	488.172043	14773.73413	30000	0	0	30000	42.1875	2004
08.01.2020 14:16:16	1	1	1	1	80.25	62	0	30047.393	483.8709677	14516.07643	30000	0	0	30000	42.1875	2004
08.01.2020 14:16:17	1	1	1	1	80.25	62	0	30000	481.7204301	14428.83157	30000	0	0	30000	42.1875	2004
08.01.2020 14:16:18	1	1	1	1	80.25	62	0	30000	464.516129	13935.53122	30000	0	0	30000	42	2004
08.01.2020 14:16:19	1	1	1	1	80.25	62	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.9375	2004
08.01.2020 14:16:20	1	1	1	1	80.25	61.75	0	30000	438.7096774	13160.92735	30000	0	0	30000	42	2004
08.01.2020 14:16:21	1	1	1	1	80.25	62	0	29905.213	419.3548387	12838.03984	30000	0	0	30000	42.375	2004
08.01.2020 14:16:22	1	1	1	1	80.25	62.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.9375	2004
08.01.2020 14:16:23	1	1	1	1	80.25	61.75	0	30000	423.655914	12773.62542	30000	0	0	30000	42.125	2004
08.01.2020 14:16:24	1	1	1	1	80.25	62	0	30094.787	419.3548387	12599.95108	30000	0	0	30000	42.1875	2004
08.01.2020 14:16:25	1	1	1	1	80.25	62	0	30000	419.3548387	12580.38214	30000	0	0	30000	42.0625	2004
08.01.2020 14:16:26	1	1	1	1	80.25	62	0	30000	419.3548387	12580.38214	30000	0	0	30000	42.5	2004
08.01.2020 14:16:27	1	1	1	1	80.25	62.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.6875	2004
08.01.2020 14:16:28	1	1	1	1	80.25	62.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	42.3125	2004
08.01.2020 14:16:29	1	1	1	1	80.5	62.25	0	30000	425.8064516	12773.62542	30000	0	0	30000	42.1875	2004
08.01.2020 14:16:30	1	1	1	1	80.5	62	0	30000	419.3548387	12560.8132	30000	0	0	30000	42.0625	2004
08.01.2020 14:16:31	1	1	1	1	80.5	62	0	30000	400	11935.4225	30000	0	0	30000	41.6875	2004
08.01.2020 14:16:32	1	1	1	1	80.5	61.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	42.1875	2004
08.01.2020 14:16:34	1	1	1	1	80.5	62	0	30047.393	412.9032258	12128.66578	30000	0	0	30000	42.3125	2004
08.01.2020 14:16:35	1	1	1	1	80.5	62.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.1875	2004
08.01.2020 14:16:36	1	1	1	1	80.5	62	0	30000	419.3548387	12411.60003	30000	0	0	30000	41.9375	2004
08.01.2020 14:16:37	1	1	1	1	80.5	61.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	42.0625	2004
08.01.2020 14:16:38	1	1	1	1	80.5	62	0	30000	434.4086022	13096.51292	30000	0	0	30000	41.8125	2004
08.01.2020 14:16:39	1	1	1	1	80.5	61.75	0	30000	443.0107527	13289.7562	30000	0	0	30000	41.0625	2004
08.01.2020 14:16:40	1	1	1	1	80.5	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.8125	2004
08.01.2020 14:16:41	1	1	1	1	80.5	60.75	0	30000	455.9139785	13677.05814	30000	0	0	30000	41.875	2004
08.01.2020 14:16:42	1	1	1	1	80.5	61.75	0	30000	481.7204301	14451.662	30000	0	0	30000	42.0625	2004
08.01.2020 14:16:43	1	1	1	1	80.5	62	0	30000	481.7204301	14451.662	30000	0	0	30000	41.375	2004
08.01.2020 14:16:44	1	1	1	1	80.5	61.25	0	30000	481.7204301	14451.662	30000	0	0	30000	42.1875	2004
08.01.2020 14:16:45	1	1	1	1	80.5	62	0	30000	483.8709677	14516.07643	30000	0	0	30000	42.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 14:16:46	1	1	1	1	80.5	62	0	30000	481.7204301	14451.662	30000	0	0	30000	42.375	2004
08.01.2020 14:16:47	1	1	1	1	80.5	62.25	0	30000	486.0215054	14644.90528	30000	0	0	30000	42.1875	2004
08.01.2020 14:16:48	1	1	1	1	80.5	62	0	30000	494.6236559	14838.14856	30000	0	0	30000	42.125	2004
08.01.2020 14:16:49	1	1	1	1	80.5	62	0	29905.213	483.8709677	14838.14856	30000	0	0	30000	42.3125	2004
08.01.2020 14:16:56	1	1	1	1	80.25	61.75	0	30000	490.3225806	14644.90528	30000	0	0	30000	42.1875	2004
08.01.2020 14:16:56	1	1	1	1	80.25	61.75	0	30000	490.3225806	14644.90528	30000	0	0	30000	42.1875	2004
08.01.2020 14:16:56	1	1	1	1	80.25	61.75	0	30000	490.3225806	14644.90528	30000	0	0	30000	42.1875	2004
08.01.2020 14:16:56	1	1	1	1	80.25	61.75	0	30000	490.3225806	14644.90528	30000	0	0	30000	42.1875	2004
08.01.2020 14:16:56	1	1	1	1	80.25	61.75	0	30000	490.3225806	14644.90528	30000	0	0	30000	42.1875	2004
08.01.2020 14:16:56	1	1	1	1	80.25	61.75	0	30000	490.3225806	14644.90528	30000	0	0	30000	42.1875	2004
08.01.2020 14:16:56	1	1	1	1	80.25	61.75	0	30000	490.3225806	14644.90528	30000	0	0	30000	42.1875	2004
08.01.2020 14:16:56	1	1	1	1	80.25	61.75	0	30000	490.3225806	14644.90528	30000	0	0	30000	42.1875	2004
08.01.2020 14:16:57	1	1	1	1	80.25	62	0	30000	464.516129	13720.27288	30000	0	0	30000	41.5	2004
08.01.2020 14:16:58	1	1	1	1	80.25	61.5	0	30000	460.2150538	13870.30142	30000	0	0	30000	42.3125	2004
08.01.2020 14:16:59	1	1	1	1	80.25	62.25	0	30000	458.0645161	13741.47256	30000	0	0	30000	42.1875	2004
08.01.2020 14:17:00	1	1	1	1	80.25	62	0	30000	481.7204301	14451.662	30000	0	0	30000	42	2004
08.01.2020 14:17:01	1	1	1	1	80.25	62	0	30000	464.516129	13935.53122	30000	0	0	30000	42.125	2004
08.01.2020 14:17:02	1	1	1	1	80.25	62	0	30000	464.516129	13870.30142	30000	0	0	30000	42	2004
08.01.2020 14:17:03	1	1	1	1	80.25	62	0	30000	464.516129	13935.53122	30000	0	0	30000	42	2004
08.01.2020 14:17:04	1	1	1	1	80.25	62	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.9375	2004
08.01.2020 14:17:05	1	1	1	1	80.25	61.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.6875	2004
08.01.2020 14:17:06	1	1	1	1	80.25	61.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.25	2004
08.01.2020 14:17:07	1	1	1	1	80.25	62.25	0	30047.393	432.2580645	12773.62542	30000	0	0	30000	42.8125	2004
08.01.2020 14:17:08	1	1	1	1	80.25	62.75	0	30047.393	427.9569892	12838.03984	30000	0	0	30000	42.375	2004
08.01.2020 14:17:09	1	1	1	1	80.25	62.25	0	30000	421.5053763	12669.25774	30000	0	0	30000	42.25	2004
08.01.2020 14:17:10	1	1	1	1	80.5	62.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.75	2004
08.01.2020 14:17:11	1	1	1	1	80.5	62	0	30000	427.9569892	12838.03984	30000	0	0	30000	42	2004
08.01.2020 14:17:12	1	1	1	1	80.5	62	0	30000	438.7096774	13160.92735	30000	0	0	30000	42.25	2004
08.01.2020 14:17:14	1	1	1	1	80.5	62.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.1875	2004
08.01.2020 14:17:15	1	1	1	1	80.5	62	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.1875	2004
08.01.2020 14:17:16	1	1	1	1	80.5	62	0	30000	438.7096774	13225.34178	30000	0	0	30000	42.375	2004
08.01.2020 14:17:17	1	1	1	1	80.5	62.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.1875	2004
08.01.2020 14:17:18	1	1	1	1	80.5	62	0	29905.213	443.0107527	13354.17063	30000	0	0	30000	42.0625	2004
08.01.2020 14:17:19	1	1	1	1	80.5	62	0	30000	453.7634409	13612.64371	30000	0	0	30000	42.5	2004
08.01.2020 14:17:20	1	1	1	1	80.25	62.5	0	29952.607	445.1612903	13333.78632	30000	0	0	30000	42.125	2004
08.01.2020 14:17:21	1	1	1	1	80.25	62	0	30000	466.6666667	13999.94564	30000	0	0	30000	42	2004
08.01.2020 14:17:22	1	1	1	1	80.25	62	0	30000	464.516129	13935.53122	30000	0	0	30000	42.375	2004
08.01.2020 14:17:23	1	1	1	1	80.25	62.25	0	30000	481.7204301	14128.7745	30000	0	0	30000	41.8125	2004
08.01.2020 14:17:24	1	1	1	1	80.25	61.75	0	30000	481.7204301	14451.662	30000	0	0	30000	42.1875	2004
08.01.2020 14:17:25	1	1	1	1	80.25	62	0	30000	483.8709677	14516.07643	30000	0	0	30000	41.9375	2004
08.01.2020 14:17:26	1	1	1	1	80.25	61.75	0	30000	490.3225806	14644.90528	30000	0	0	30000	42.1875	2004
08.01.2020 14:17:27	1	1	1	1	80.25	62	0	30000	494.6236559	14838.14856	30000	0	0	30000	41.6875	2004
08.01.2020 14:17:28	1	1	1	1	80.25	61.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	41.5625	2004
08.01.2020 14:17:29	1	1	1	1	80.25	61.5	0	30000	483.8709677	14644.90528	30000	0	0	30000	41.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 14:17:30	1	1	1	1	80	61.75	0	30000	496.7741935	14902.56299	30000	0	0	30000	42.25	2004
08.01.2020 14:17:31	1	1	1	1	80	62.25	0	30000	490.3225806	14534.01462	30000	0	0	30000	42.125	2004
08.01.2020 14:17:32	1	1	1	1	80	62	0	30000	494.6236559	14838.14856	30000	0	0	30000	41.9375	2004
08.01.2020 14:17:33	1	1	1	1	80	61.75	0	30000	483.8709677	14516.07643	30000	0	0	30000	42.0625	2004
08.01.2020 14:17:34	1	1	1	1	80	62	0	30000	492.4731183	14838.14856	30000	0	0	30000	42.125	2004
08.01.2020 14:17:35	1	1	1	1	80	62	0	29952.607	492.4731183	14773.73413	30000	0	0	30000	42.1875	2004
08.01.2020 14:17:36	1	1	1	1	80	62	0	30000	492.4731183	14773.73413	30000	0	0	30000	42.375	2004
08.01.2020 14:17:37	1	1	1	1	80	62.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	42.0625	2004
08.01.2020 14:17:38	1	1	1	1	80	62	0	30000	518.2795699	15548.338	30000	0	0	30000	41.3125	2004
08.01.2020 14:17:39	1	1	1	1	80	61.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	41.625	2004
08.01.2020 14:17:40	1	1	1	1	80	61.5	0	30000	496.7741935	14902.56299	30000	0	0	30000	42.25	2004
08.01.2020 14:17:41	1	1	1	1	80	62.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	42.4375	2004
08.01.2020 14:17:42	1	1	1	1	80	62.25	0	30000	524.7311828	15677.16685	30000	0	0	30000	41.6875	2004
08.01.2020 14:17:43	1	1	1	1	80	61.5	0	29905.213	533.3333333	15795.39586	30000	0	0	30000	42.1875	2004
08.01.2020 14:17:44	1	1	1	1	80	62	0	29857.82	533.3333333	15924.22472	30000	0	0	30000	42.1875	2004
08.01.2020 14:17:45	1	1	1	1	80	62	0	29763.033	533.3333333	15848.39508	30000	0	0	30000	41.9375	2004
08.01.2020 14:17:46	1	1	1	1	80	61.75	0	30000	533.3333333	16000.05436	30000	0	0	30000	42.4375	2004
08.01.2020 14:17:47	1	1	1	1	80	62.25	0	29905.213	537.6344086	16077.51474	30000	0	0	30000	42.25	2004
08.01.2020 14:17:48	1	1	1	1	80	62.25	0	29905.213	537.6344086	15987.82377	30000	0	0	30000	42.625	2004
08.01.2020 14:17:49	1	1	1	1	80	62.5	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	42.25	2004
08.01.2020 14:17:50	1	1	1	1	80.25	62.25	0	29620.853	535.483871	15861.44103	30000	0	0	30000	41.9375	2004
08.01.2020 14:17:58	1	1	1	1	80.25	62	0	29952.607	481.7204301	14451.662	30000	0	0	30000	42.0625	2004
08.01.2020 14:17:58	1	1	1	1	80.25	62	0	29952.607	481.7204301	14451.662	30000	0	0	30000	42.0625	2004
08.01.2020 14:17:58	1	1	1	1	80.25	62	0	29952.607	481.7204301	14451.662	30000	0	0	30000	42.0625	2004
08.01.2020 14:17:58	1	1	1	1	80.25	62	0	29952.607	481.7204301	14451.662	30000	0	0	30000	42.0625	2004
08.01.2020 14:17:58	1	1	1	1	80.25	62	0	29952.607	481.7204301	14451.662	30000	0	0	30000	42.0625	2004
08.01.2020 14:17:58	1	1	1	1	80.25	62	0	29952.607	481.7204301	14451.662	30000	0	0	30000	42.0625	2004
08.01.2020 14:17:59	1	1	1	1	80.25	62	0	30000	481.7204301	14406.00114	30000	0	0	30000	42.3125	2004
08.01.2020 14:18:00	1	1	1	1	80.75	62.25	0	30000	464.516129	13999.94564	30000	0	0	30000	42.3125	2004
08.01.2020 14:18:01	1	1	1	1	80.75	62.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.75	2004
08.01.2020 14:18:02	1	1	1	1	80.75	61.75	0	30000	417.2043011	12580.38214	30000	0	0	30000	42.3125	2004
08.01.2020 14:18:03	1	1	1	1	80.75	62.25	0	29905.213	391.3978495	11999.83693	30000	0	0	30000	42.1875	2004
08.01.2020 14:18:04	1	1	1	1	80.75	62	0	30000	372.0430108	11160.81863	30000	0	0	30000	42.1875	2004
08.01.2020 14:18:05	1	1	1	1	80.75	62	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.3125	2004
08.01.2020 14:18:06	1	1	1	1	80.75	62.25	0	30000	363.4408602	10773.5167	30000	0	0	30000	42.25	2004
08.01.2020 14:18:07	1	1	1	1	80.75	62.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.75	2004
08.01.2020 14:18:10	1	1	1	1	80.75	62	0	30000	395.6989247	11741.36385	30000	0	0	30000	42.1875	2004
08.01.2020 14:18:10	1	1	1	1	80.75	62	0	30000	395.6989247	11741.36385	30000	0	0	30000	41.625	2004
08.01.2020 14:18:10	1	1	1	1	81.25	62	0	29952.607	404.3010753	12128.66578	30000	0	0	30000	41.625	2004
08.01.2020 14:18:11	1	1	1	1	81.25	61.5	0	30000	397.8494624	11935.4225	30000	0	0	30000	41.875	2004
08.01.2020 14:18:12	1	1	1	1	81.25	61.75	0	30000	391.3978495	11871.00807	30000	0	0	30000	42.1875	2004
08.01.2020 14:18:13	1	1	1	1	81.25	62	0	30000	397.8494624	11935.4225	30000	0	0	30000	42.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 14:18:14	1	1	1	1	81.25	62	0	29952.607	397.8494624	11935.4225	30000	0	0	30000	42.25	2004
08.01.2020 14:18:15	1	1	1	1	81.25	62.25	0	30047.393	397.8494624	11935.4225	30000	0	0	30000	42.1875	2004
08.01.2020 14:18:16	1	1	1	1	81.25	62	0	30000	404.3010753	12128.66578	30000	0	0	30000	42.25	2004
08.01.2020 14:18:17	1	1	1	1	81.25	62.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	42.4375	2004
08.01.2020 14:18:18	1	1	1	1	81.25	62.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.1875	2004
08.01.2020 14:18:19	1	1	1	1	81.25	62	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.25	2004
08.01.2020 14:18:20	1	1	1	1	80.5	62.25	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	42.125	2004
08.01.2020 14:18:21	1	1	1	1	80.5	62	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.25	2004
08.01.2020 14:18:22	1	1	1	1	80.5	62.25	0	30000	419.3548387	12451.55328	30000	0	0	30000	42.375	2004
08.01.2020 14:18:23	1	1	1	1	80.5	62.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	41.8125	2004
08.01.2020 14:18:24	1	1	1	1	80.5	61.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	41.8125	2004
08.01.2020 14:18:25	1	1	1	1	80.5	61.75	0	30000	432.2580645	12967.68407	30000	0	0	30000	42.1875	2004
08.01.2020 14:18:26	1	1	1	1	80.5	62	0	30000	427.9569892	12818.4709	30000	0	0	30000	42.5625	2004
08.01.2020 14:18:27	1	1	1	1	80.5	62.5	0	30000	427.9569892	12967.68407	30000	0	0	30000	42.25	2004
08.01.2020 14:18:28	1	1	1	1	80.5	62.25	0	30047.393	438.7096774	13096.51292	30000	0	0	30000	42.4375	2004
08.01.2020 14:18:29	1	1	1	1	80.5	62.5	0	30000	453.7634409	13612.64371	30000	0	0	30000	41.75	2004
08.01.2020 14:18:30	1	1	1	1	80.5	61.75	0	30000	460.2150538	13870.30142	30000	0	0	30000	42.1875	2004
08.01.2020 14:18:32	1	1	1	1	80.5	62	0	30000	466.6666667	13999.94564	30000	0	0	30000	42.25	2004
08.01.2020 14:18:33	1	1	1	1	80.5	62.25	0	30000	481.7204301	14451.662	30000	0	0	30000	42.125	2004
08.01.2020 14:18:34	1	1	1	1	80.5	62	0	30000	481.7204301	14644.90528	30000	0	0	30000	42.1875	2004
08.01.2020 14:18:35	1	1	1	1	80.5	62	0	30000	494.6236559	14838.14856	30000	0	0	30000	42.1875	2004
08.01.2020 14:18:36	1	1	1	1	80.5	62	0	30000	501.0752688	15032.20721	30000	0	0	30000	42.0625	2004
08.01.2020 14:18:37	1	1	1	1	80.5	62	0	30047.393	496.7741935	14902.56299	30000	0	0	30000	41.9375	2004
08.01.2020 14:18:38	1	1	1	1	80.5	61.75	0	30000	501.0752688	15096.62164	30000	0	0	30000	42.1875	2004
08.01.2020 14:18:39	1	1	1	1	80.5	62	0	30000	490.3225806	14644.90528	30000	0	0	30000	42.25	2004
08.01.2020 14:18:40	1	1	1	1	80.5	62.25	0	30047.393	516.1290323	15289.86492	30000	0	0	30000	42.1875	2004
08.01.2020 14:18:41	1	1	1	1	80.5	62	0	30000	511.827957	15354.27935	30000	0	0	30000	42	2004
08.01.2020 14:18:42	1	1	1	1	80.5	62	0	30000	516.1290323	15483.92357	30000	0	0	30000	42.1875	2004
08.01.2020 14:18:43	1	1	1	1	80.5	62	0	30000	509.6774194	15289.86492	30000	0	0	30000	41.625	2004
08.01.2020 14:18:44	1	1	1	1	80.5	61.5	0	30000	501.0752688	15032.20721	30000	0	0	30000	42.375	2004
08.01.2020 14:18:45	1	1	1	1	80.5	62.25	0	30000	503.2258065	15032.20721	30000	0	0	30000	42.0625	2004
08.01.2020 14:18:46	1	1	1	1	80.5	62	0	30047.393	511.827957	15354.27935	30000	0	0	30000	41.9375	2004
08.01.2020 14:18:47	1	1	1	1	80.5	61.75	0	30000	518.2795699	15548.338	30000	0	0	30000	42.1875	2004
08.01.2020 14:18:48	1	1	1	1	80.5	62	0	30000	516.1290323	15483.92357	30000	0	0	30000	41.625	2004
08.01.2020 14:18:49	1	1	1	1	80.5	61.5	0	30000	518.2795699	15548.338	30000	0	0	30000	42.1875	2004
08.01.2020 14:18:50	1	1	1	1	80.25	62	0	29952.607	516.1290323	15459.4624	30000	0	0	30000	42.25	2004
08.01.2020 14:18:51	1	1	1	1	80.25	62.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	42.125	2004
08.01.2020 14:18:52	1	1	1	1	80.25	62	0	30000	518.2795699	15548.338	30000	0	0	30000	41.875	2004
08.01.2020 14:18:59	1	1	1	1	80.25	61.75	0	30000	464.516129	13935.53122	30000	0	0	30000	42.3125	2004
08.01.2020 14:18:59	1	1	1	1	80.25	61.75	0	30000	464.516129	13935.53122	30000	0	0	30000	42.3125	2004
08.01.2020 14:18:59	1	1	1	1	80.25	61.75	0	30000	464.516129	13935.53122	30000	0	0	30000	42.3125	2004
08.01.2020 14:18:59	1	1	1	1	80.25	61.75	0	30000	464.516129	13935.53122	30000	0	0	30000	42.3125	2004
08.01.2020 14:18:59	1	1	1	1	80.25	61.75	0	30000	464.516129	13935.53122	30000	0	0	30000	42.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 14:18:59	1	1	1	1	80.25	61.75	0	30000	464.516129	13935.53122	30000	0	0	30000	42.3125	2004
08.01.2020 14:18:59	1	1	1	1	80.25	61.75	0	30000	464.516129	13935.53122	30000	0	0	30000	42.3125	2004
08.01.2020 14:19:00	1	1	1	1	80.25	62.25	0	29952.607	445.1612903	13354.17063	30000	0	0	30000	42.1875	2004
08.01.2020 14:19:01	1	1	1	1	80.25	62	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.375	2004
08.01.2020 14:19:02	1	1	1	1	80.25	62.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	42.125	2004
08.01.2020 14:19:03	1	1	1	1	80.25	62	0	30000	415.0537634	12451.55328	30000	0	0	30000	42.1875	2004
08.01.2020 14:19:04	1	1	1	1	80.25	62	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.75	2004
08.01.2020 14:19:05	1	1	1	1	80.25	62.75	0	30000	402.1505376	12064.25135	30000	0	0	30000	42.1875	2004
08.01.2020 14:19:06	1	1	1	1	80.25	62	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.1875	2004
08.01.2020 14:19:07	1	1	1	1	80.25	62	0	30000	404.3010753	12128.66578	30000	0	0	30000	42.6875	2004
08.01.2020 14:19:08	1	1	1	1	80.25	61.5	0	30000	404.3010753	12387.13886	30000	0	0	30000	42.25	2004
08.01.2020 14:19:10	1	1	1	1	80.25	62.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.1875	2004
08.01.2020 14:19:11	1	1	1	1	80.25	62	0	30000	415.0537634	12451.55328	30000	0	0	30000	41.875	2004
08.01.2020 14:19:12	1	1	1	1	80.25	61.75	0	30000	404.3010753	12193.08021	30000	0	0	30000	42.1875	2004
08.01.2020 14:19:13	1	1	1	1	80.25	62	0	30000	404.3010753	12128.66578	30000	0	0	30000	42.125	2004
08.01.2020 14:19:14	1	1	1	1	80.25	62	0	29905.213	395.6989247	12193.08021	30000	0	0	30000	41.9375	2004
08.01.2020 14:19:15	1	1	1	1	80.25	61.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	42	2004
08.01.2020 14:19:16	1	1	1	1	80.25	62	0	30000	369.8924731	11096.40421	30000	0	0	30000	41.875	2004
08.01.2020 14:19:17	1	1	1	1	80.25	61.75	0	30000	359.1397849	10757.20925	30000	0	0	30000	42.0625	2004
08.01.2020 14:19:18	1	1	1	1	80.25	62	0	30000	352.688172	10644.68785	30000	0	0	30000	42.25	2004
08.01.2020 14:19:19	1	1	1	1	80.25	62.25	0	30000	356.9892473	10773.5167	30000	0	0	30000	42.3125	2004
08.01.2020 14:19:20	1	1	1	1	79.75	62.25	0	29905.213	365.5913978	10903.16093	30000	0	0	30000	42.375	2004
08.01.2020 14:19:21	1	1	1	1	79.75	62.25	0	29952.607	378.4946237	11354.87729	30000	0	0	30000	41.75	2004
08.01.2020 14:19:22	1	1	1	1	79.75	61.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.125	2004
08.01.2020 14:19:23	1	1	1	1	79.75	62	0	29905.213	380.6451613	11419.29171	30000	0	0	30000	42.3125	2004
08.01.2020 14:19:24	1	1	1	1	79.75	62.25	0	30000	384.9462366	11548.12057	30000	0	0	30000	42.1875	2004
08.01.2020 14:19:25	1	1	1	1	79.75	62	0	30000	404.3010753	11871.00807	30000	0	0	30000	42.3125	2004
08.01.2020 14:19:26	1	1	1	1	79.75	62.25	0	30000	404.3010753	11916.66893	30000	0	0	30000	42.125	2004
08.01.2020 14:19:27	1	1	1	1	79.75	62	0	30000	404.3010753	12128.66578	30000	0	0	30000	41.625	2004
08.01.2020 14:19:28	1	1	1	1	79.75	61.5	0	29952.607	402.1505376	12064.25135	30000	0	0	30000	42.3125	2004
08.01.2020 14:19:29	1	1	1	1	79.75	62.25	0	29952.607	380.6451613	11612.53499	30000	0	0	30000	42.1875	2004
08.01.2020 14:19:30	1	1	1	1	79.25	62	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.0625	2004
08.01.2020 14:19:31	1	1	1	1	79.25	62	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.1875	2004
08.01.2020 14:19:32	1	1	1	1	79.25	62	0	30000	378.4946237	11096.40421	30000	0	0	30000	42.0625	2004
08.01.2020 14:19:33	1	1	1	1	79.25	62	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.75	2004
08.01.2020 14:19:34	1	1	1	1	79.25	61.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.3125	2004
08.01.2020 14:19:35	1	1	1	1	79.25	62.25	0	30000	378.4946237	11419.29171	30000	0	0	30000	42.25	2004
08.01.2020 14:19:36	1	1	1	1	79.25	62.25	0	30000	380.6451613	11419.29171	30000	0	0	30000	42.1875	2004
08.01.2020 14:19:37	1	1	1	1	79.25	62	0	30000	387.0967742	11530.18237	30000	0	0	30000	42.1875	2004
08.01.2020 14:19:38	1	1	1	1	79.25	62	0	30000	391.3978495	11871.00807	30000	0	0	30000	42.1875	2004
08.01.2020 14:19:39	1	1	1	1	79.25	62	0	30000	404.3010753	12193.08021	30000	0	0	30000	42.125	2004
08.01.2020 14:19:40	1	1	1	1	79	62	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.1875	2004
08.01.2020 14:19:41	1	1	1	1	79	62	0	30000	415.0537634	12387.13886	30000	0	0	30000	42.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 14:19:42	1	1	1	1	79	62	0	30000	425.8064516	12773.62542	30000	0	0	30000	42.4375	2004
08.01.2020 14:19:43	1	1	1	1	79	62.25	0	30047.393	438.7096774	12838.03984	30000	0	0	30000	41.8125	2004
08.01.2020 14:19:44	1	1	1	1	79	61.75	0	30000	432.2580645	12838.03984	30000	0	0	30000	42.6875	2004
08.01.2020 14:19:45	1	1	1	1	79	62.5	0	30000	440.8602151	13225.34178	30000	0	0	30000	42.625	2004
08.01.2020 14:19:46	1	1	1	1	79	62.5	0	30000	443.0107527	13289.7562	30000	0	0	30000	42.125	2004
08.01.2020 14:19:48	1	1	1	1	79	62	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.1875	2004
08.01.2020 14:19:49	1	1	1	1	79	62	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.1875	2004
08.01.2020 14:19:50	1	1	1	1	79.25	62	0	29952.607	453.7634409	13720.27288	30000	0	0	30000	41.875	2004
08.01.2020 14:19:51	1	1	1	1	79.25	61.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.25	2004
08.01.2020 14:19:52	1	1	1	1	79.25	62.25	0	29952.607	445.1612903	13354.17063	30000	0	0	30000	42.25	2004
08.01.2020 14:19:53	1	1	1	1	79.25	62.25	0	29952.607	427.9569892	13160.92735	30000	0	0	30000	41.8125	2004
08.01.2020 14:19:54	1	1	1	1	79.25	61.75	0	30000	423.655914	12754.05648	30000	0	0	30000	42.1875	2004
08.01.2020 14:20:01	1	1	1	1	79	62	0	30000	395.6989247	12064.25135	30000	0	0	30000	42.3125	2004
08.01.2020 14:20:01	1	1	1	1	79	62	0	30000	395.6989247	12064.25135	30000	0	0	30000	42.3125	2004
08.01.2020 14:20:01	1	1	1	1	79	62	0	30000	395.6989247	12064.25135	30000	0	0	30000	42.3125	2004
08.01.2020 14:20:01	1	1	1	1	79	62	0	30000	395.6989247	12064.25135	30000	0	0	30000	42.3125	2004
08.01.2020 14:20:01	1	1	1	1	79	62	0	30000	395.6989247	12064.25135	30000	0	0	30000	42.3125	2004
08.01.2020 14:20:01	1	1	1	1	79	62	0	30000	395.6989247	12064.25135	30000	0	0	30000	42.3125	2004
08.01.2020 14:20:01	1	1	1	1	79	62	0	30000	395.6989247	12064.25135	30000	0	0	30000	42.3125	2004
08.01.2020 14:20:02	1	1	1	1	79	62.25	0	30000	397.8494624	11935.4225	30000	0	0	30000	42.3125	2004
08.01.2020 14:20:03	1	1	1	1	79	62.25	0	30000	400	12064.25135	30000	0	0	30000	42.125	2004
08.01.2020 14:20:04	1	1	1	1	79	62	0	30000	400	12128.66578	30000	0	0	30000	42.25	2004
08.01.2020 14:20:05	1	1	1	1	79	62.25	0	30000	397.8494624	11935.4225	30000	0	0	30000	42.5	2004
08.01.2020 14:20:06	1	1	1	1	79	62.5	0	30000	400	12128.66578	30000	0	0	30000	42.375	2004
08.01.2020 14:20:07	1	1	1	1	79	62.25	0	29952.607	397.8494624	11916.66893	30000	0	0	30000	42.4375	2004
08.01.2020 14:20:08	1	1	1	1	79	62.25	0	30000	395.6989247	11935.4225	30000	0	0	30000	41.6875	2004
08.01.2020 14:20:09	1	1	1	1	79	61.5	0	30000	391.3978495	11871.00807	30000	0	0	30000	41.6875	2004
08.01.2020 14:20:10	1	1	1	1	79	61.5	0	30000	380.6451613	11419.29171	30000	0	0	30000	42.375	2004
08.01.2020 14:20:11	1	1	1	1	79	62.25	0	29952.607	378.4946237	11160.81863	30000	0	0	30000	42.3125	2004
08.01.2020 14:20:12	1	1	1	1	79	62.25	0	30000	380.6451613	11419.29171	30000	0	0	30000	42.3125	2004
08.01.2020 14:20:13	1	1	1	1	79	62.25	0	30000	384.9462366	11548.12057	30000	0	0	30000	42.1875	2004
08.01.2020 14:20:14	1	1	1	1	79	62	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.3125	2004
08.01.2020 14:20:15	1	1	1	1	79	62.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.4375	2004
08.01.2020 14:20:16	1	1	1	1	79	62.25	0	30000	365.5913978	10773.5167	30000	0	0	30000	42.5	2004
08.01.2020 14:20:17	1	1	1	1	79	62.5	0	30000	359.1397849	11001.821	30000	0	0	30000	42.3125	2004
08.01.2020 14:20:18	1	1	1	1	79	62.25	0	30000	363.4408602	10757.20925	30000	0	0	30000	42.375	2004
08.01.2020 14:20:19	1	1	1	1	79	62.25	0	29952.607	356.9892473	10709.10227	30000	0	0	30000	42.375	2004
08.01.2020 14:20:20	1	1	1	1	79.25	62.25	0	29952.607	352.688172	10709.10227	30000	0	0	30000	42.25	2004
08.01.2020 14:20:21	1	1	1	1	79.25	62.25	0	30000	356.9892473	10709.10227	30000	0	0	30000	42.25	2004
08.01.2020 14:20:22	1	1	1	1	79.25	62.25	0	29905.213	350.5376344	10644.68785	30000	0	0	30000	42.375	2004
08.01.2020 14:20:23	1	1	1	1	79.25	62.25	0	30000	354.8387097	10482.42872	30000	0	0	30000	42.125	2004
08.01.2020 14:20:24	1	1	1	1	79.25	62	0	29952.607	354.8387097	10644.68785	30000	0	0	30000	42.1875	2004
08.01.2020 14:20:25	1	1	1	1	79.25	62	0	30000	354.8387097	10644.68785	30000	0	0	30000	42.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 14:20:26	1	1	1	1	79.25	62.25	0	30000	363.4408602	10903.16093	30000	0	0	30000	42.125	2004
08.01.2020 14:20:27	1	1	1	1	79.25	62	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.75	2004
08.01.2020 14:20:29	1	1	1	1	79.25	62.75	0	30000	365.5913978	10903.16093	30000	0	0	30000	42.375	2004
08.01.2020 14:20:30	1	1	1	1	78.5	62.25	0	30000	378.4946237	11160.81863	30000	0	0	30000	41.5	2004
08.01.2020 14:20:31	1	1	1	1	78.5	61.5	0	29905.213	372.0430108	11354.87729	30000	0	0	30000	42.3125	2004
08.01.2020 14:20:32	1	1	1	1	78.5	62.25	0	30000	384.9462366	11612.53499	30000	0	0	30000	42.25	2004
08.01.2020 14:20:33	1	1	1	1	78.5	62.25	0	30047.393	395.6989247	11871.00807	30000	0	0	30000	42.3125	2004
08.01.2020 14:20:34	1	1	1	1	78.5	62.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	42.3125	2004
08.01.2020 14:20:35	1	1	1	1	78.5	62.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.25	2004
08.01.2020 14:20:36	1	1	1	1	78.5	62.25	0	29952.607	395.6989247	11871.00807	30000	0	0	30000	42	2004
08.01.2020 14:20:37	1	1	1	1	78.5	62	0	30000	395.6989247	11935.4225	30000	0	0	30000	42.1875	2004
08.01.2020 14:20:38	1	1	1	1	78.5	62	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.4375	2004
08.01.2020 14:20:39	1	1	1	1	78.5	62.25	0	29952.607	419.3548387	12580.38214	30000	0	0	30000	42.375	2004
08.01.2020 14:20:40	1	1	1	1	78	62.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.9375	2004
08.01.2020 14:20:41	1	1	1	1	78	61.75	0	30000	438.7096774	13160.92735	30000	0	0	30000	42.3125	2004
08.01.2020 14:20:42	1	1	1	1	78	62.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.875	2004
08.01.2020 14:20:43	1	1	1	1	78	61.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	42.4375	2004
08.01.2020 14:20:44	1	1	1	1	78	62.25	0	30000	458.0645161	13805.88699	30000	0	0	30000	41.6875	2004
08.01.2020 14:20:45	1	1	1	1	78	61.5	0	30000	464.516129	13935.53122	30000	0	0	30000	42.125	2004
08.01.2020 14:20:46	1	1	1	1	78	62	0	30000	464.516129	13935.53122	30000	0	0	30000	41.875	2004
08.01.2020 14:20:47	1	1	1	1	78	61.75	0	30000	481.7204301	14451.662	30000	0	0	30000	42	2004
08.01.2020 14:20:48	1	1	1	1	78	62	0	30000	481.7204301	14451.662	30000	0	0	30000	41.6875	2004
08.01.2020 14:20:49	1	1	1	1	78	61.5	0	30000	468.8172043	14128.7745	30000	0	0	30000	41.875	2004
08.01.2020 14:20:50	1	1	1	1	77.75	61.75	0	30000	481.7204301	13999.94564	30000	0	0	30000	41.125	2004
08.01.2020 14:20:51	1	1	1	1	77.75	61	0	30000	464.516129	13935.53122	30000	0	0	30000	42.1875	2004
08.01.2020 14:20:52	1	1	1	1	77.75	62	0	30000	481.7204301	14128.7745	30000	0	0	30000	42.3125	2004
08.01.2020 14:20:53	1	1	1	1	77.75	62.25	0	30000	464.516129	13935.53122	30000	0	0	30000	41.8125	2004
08.01.2020 14:20:54	1	1	1	1	77.75	61.75	0	29952.607	460.2150538	13999.94564	30000	0	0	30000	41.9375	2004
08.01.2020 14:20:55	1	1	1	1	77.75	61.75	0	30000	458.0645161	13741.47256	30000	0	0	30000	41.9375	2004
08.01.2020 14:21:02	1	1	1	1	78.25	62.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	42.1875	2004
08.01.2020 14:21:02	1	1	1	1	78.25	62.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	42.1875	2004
08.01.2020 14:21:02	1	1	1	1	78.25	62.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	42.1875	2004
08.01.2020 14:21:02	1	1	1	1	78.25	62.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	42.1875	2004
08.01.2020 14:21:02	1	1	1	1	78.25	62.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	42.1875	2004
08.01.2020 14:21:02	1	1	1	1	78.25	62	0	29952.607	419.3548387	12580.38214	30000	0	0	30000	42.375	2004
08.01.2020 14:21:03	1	1	1	1	78.25	62.25	0	30000	425.8064516	12773.62542	30000	0	0	30000	42.625	2004
08.01.2020 14:21:04	1	1	1	1	78.25	62.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	41.9375	2004
08.01.2020 14:21:06	1	1	1	1	78.25	62.25	0	29905.213	404.3010753	12387.13886	30000	0	0	30000	42.25	2004
08.01.2020 14:21:07	1	1	1	1	78.25	62.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.125	2004
08.01.2020 14:21:08	1	1	1	1	78.25	62	0	30000	404.3010753	12128.66578	30000	0	0	30000	41.75	2004
08.01.2020 14:21:09	1	1	1	1	78.25	61.75	0	30000	404.3010753	12064.25135	30000	0	0	30000	42.1875	2004
08.01.2020 14:21:10	1	1	1	1	78.25	62	0	29952.607	404.3010753	12128.66578	30000	0	0	30000	42.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 14:21:11	1	1	1	1	78.25	62	0	30000	397.8494624	11935.4225	30000	0	0	30000	41.9375	2004
08.01.2020 14:21:12	1	1	1	1	78.25	61.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	42.1875	2004
08.01.2020 14:21:13	1	1	1	1	78.25	62	0	30047.393	397.8494624	11935.4225	30000	0	0	30000	42.1875	2004
08.01.2020 14:21:14	1	1	1	1	78.25	62	0	30000	391.3978495	11741.36385	30000	0	0	30000	42.375	2004
08.01.2020 14:21:15	1	1	1	1	78.25	62.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.1875	2004
08.01.2020 14:21:16	1	1	1	1	78.25	62	0	30000	380.6451613	11483.70614	30000	0	0	30000	42.125	2004
08.01.2020 14:21:17	1	1	1	1	78.25	62	0	30000	378.4946237	11483.70614	30000	0	0	30000	42.1875	2004
08.01.2020 14:21:18	1	1	1	1	78.25	62	0	29952.607	380.6451613	11419.29171	30000	0	0	30000	42.25	2004
08.01.2020 14:21:19	1	1	1	1	78.25	62.25	0	30000	391.3978495	11548.12057	30000	0	0	30000	42.125	2004
08.01.2020 14:21:20	1	1	1	1	77.75	62	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.5	2004
08.01.2020 14:21:21	1	1	1	1	77.75	61.5	0	30000	372.0430108	11160.81863	30000	0	0	30000	41.875	2004
08.01.2020 14:21:22	1	1	1	1	77.75	61.75	0	30000	367.7419355	11096.40421	30000	0	0	30000	41.8125	2004
08.01.2020 14:21:23	1	1	1	1	77.75	61.75	0	30047.393	372.0430108	11160.81863	30000	0	0	30000	42.125	2004
08.01.2020 14:21:24	1	1	1	1	77.75	62	0	30000	384.9462366	11548.12057	30000	0	0	30000	42.1875	2004
08.01.2020 14:21:25	1	1	1	1	77.75	62	0	30000	369.8924731	11096.40421	30000	0	0	30000	42.1875	2004
08.01.2020 14:21:26	1	1	1	1	77.75	62	0	30000	369.8924731	11160.81863	30000	0	0	30000	42.3125	2004
08.01.2020 14:21:27	1	1	1	1	77.75	62.25	0	30047.393	369.8924731	10903.16093	30000	0	0	30000	42.1875	2004
08.01.2020 14:21:28	1	1	1	1	77.75	62	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.25	2004
08.01.2020 14:21:29	1	1	1	1	77.75	62.25	0	30000	380.6451613	11419.29171	30000	0	0	30000	42	2004
08.01.2020 14:21:30	1	1	1	1	78	62	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.3125	2004
08.01.2020 14:21:31	1	1	1	1	78	62.25	0	30000	382.7956989	11548.12057	30000	0	0	30000	42.125	2004
08.01.2020 14:21:32	1	1	1	1	78	62	0	29952.607	384.9462366	11676.94942	30000	0	0	30000	42.125	2004
08.01.2020 14:21:33	1	1	1	1	78	62	0	30000	387.0967742	11676.94942	30000	0	0	30000	41.8125	2004
08.01.2020 14:21:34	1	1	1	1	78	61.75	0	30000	391.3978495	11871.00807	30000	0	0	30000	41.6875	2004
08.01.2020 14:21:35	1	1	1	1	78	61.5	0	29952.607	397.8494624	11935.4225	30000	0	0	30000	41.9375	2004
08.01.2020 14:21:36	1	1	1	1	78	61.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.1875	2004
08.01.2020 14:21:37	1	1	1	1	78	62	0	30000	387.0967742	11548.12057	30000	0	0	30000	42.25	2004
08.01.2020 14:21:38	1	1	1	1	78	62.25	0	30000	384.9462366	11548.12057	30000	0	0	30000	41.3125	2004
08.01.2020 14:21:39	1	1	1	1	78	61.25	0	30047.393	387.0967742	11548.12057	30000	0	0	30000	42.125	2004
08.01.2020 14:21:40	1	1	1	1	77.75	62	0	29905.213	378.4946237	11548.12057	30000	0	0	30000	42.3125	2004
08.01.2020 14:21:41	1	1	1	1	77.75	62.25	0	30000	382.7956989	11483.70614	30000	0	0	30000	42.0625	2004
08.01.2020 14:21:42	1	1	1	1	77.75	62	0	30000	380.6451613	11419.29171	30000	0	0	30000	42.4375	2004
08.01.2020 14:21:43	1	1	1	1	77.75	62.25	0	30000	387.0967742	11612.53499	30000	0	0	30000	42.125	2004
08.01.2020 14:21:44	1	1	1	1	77.75	62	0	30000	384.9462366	11548.12057	30000	0	0	30000	41.875	2004
08.01.2020 14:21:46	1	1	1	1	77.75	62.25	0	30000	384.9462366	11612.53499	30000	0	0	30000	42.25	2004
08.01.2020 14:21:47	1	1	1	1	77.75	62.25	0	30000	384.9462366	11530.18237	30000	0	0	30000	42.125	2004
08.01.2020 14:21:48	1	1	1	1	77.75	62	0	30000	378.4946237	11419.29171	30000	0	0	30000	41.25	2004
08.01.2020 14:21:49	1	1	1	1	77.75	61.25	0	30000	380.6451613	11612.53499	30000	0	0	30000	41.9375	2004
08.01.2020 14:21:50	1	1	1	1	77.75	61.75	0	30000	380.6451613	11419.29171	30000	0	0	30000	42.4375	2004
08.01.2020 14:21:51	1	1	1	1	77.75	62.25	0	30000	384.9462366	11548.12057	30000	0	0	30000	42.1875	2004
08.01.2020 14:21:52	1	1	1	1	77.75	62	0	30000	391.3978495	11676.94942	30000	0	0	30000	42	2004
08.01.2020 14:21:53	1	1	1	1	77.75	62	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.125	2004
08.01.2020 14:21:54	1	1	1	1	77.75	62	0	30000	397.8494624	12128.66578	30000	0	0	30000	42.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 14:21:55	1	1	1	1	77.75	62	0	30000	412.9032258	12193.08021	30000	0	0	30000	42.1875	2004
08.01.2020 14:21:56	1	1	1	1	77.75	62	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.1875	2004
08.01.2020 14:21:57	1	1	1	1	77.75	62	0	30000	391.3978495	11676.94942	30000	0	0	30000	42.1875	2004
08.01.2020 14:22:04	1	1	1	1	78	62	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.25	2004
08.01.2020 14:22:04	1	1	1	1	78	62	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.25	2004
08.01.2020 14:22:04	1	1	1	1	78	62	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.25	2004
08.01.2020 14:22:04	1	1	1	1	78	62	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.25	2004
08.01.2020 14:22:04	1	1	1	1	78	62	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.25	2004
08.01.2020 14:22:04	1	1	1	1	78	62	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.25	2004
08.01.2020 14:22:04	1	1	1	1	78	62.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	42.375	2004
08.01.2020 14:22:05	1	1	1	1	78	62.25	0	30000	391.3978495	11852.2545	30000	0	0	30000	42.125	2004
08.01.2020 14:22:06	1	1	1	1	78	62	0	30000	380.6451613	11419.29171	30000	0	0	30000	42.25	2004
08.01.2020 14:22:07	1	1	1	1	78	62.25	0	29952.607	384.9462366	11612.53499	30000	0	0	30000	42.25	2004
08.01.2020 14:22:08	1	1	1	1	78	62.25	0	30000	382.7956989	11548.12057	30000	0	0	30000	42.375	2004
08.01.2020 14:22:09	1	1	1	1	78	62.25	0	30000	395.6989247	11741.36385	30000	0	0	30000	42.0625	2004
08.01.2020 14:22:10	1	1	1	1	77.5	62	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.25	2004
08.01.2020 14:22:11	1	1	1	1	77.5	62.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.375	2004
08.01.2020 14:22:12	1	1	1	1	77.5	62.25	0	30000	395.6989247	11935.4225	30000	0	0	30000	42.125	2004
08.01.2020 14:22:13	1	1	1	1	77.5	62	0	30000	397.8494624	11935.4225	30000	0	0	30000	41.875	2004
08.01.2020 14:22:14	1	1	1	1	77.5	61.75	0	30000	395.6989247	11676.94942	30000	0	0	30000	42.25	2004
08.01.2020 14:22:15	1	1	1	1	77.5	62.25	0	30000	391.3978495	11871.00807	30000	0	0	30000	41.625	2004
08.01.2020 14:22:16	1	1	1	1	77.5	61.5	0	30000	402.1505376	11935.4225	30000	0	0	30000	42.25	2004
08.01.2020 14:22:17	1	1	1	1	77.5	62.25	0	30000	402.1505376	12064.25135	30000	0	0	30000	42.1875	2004
08.01.2020 14:22:18	1	1	1	1	77.5	62	0	30000	391.3978495	11741.36385	30000	0	0	30000	42.125	2004
08.01.2020 14:22:19	1	1	1	1	77.5	62	0	29952.607	389.2473118	11935.4225	30000	0	0	30000	41.875	2004
08.01.2020 14:22:20	1	1	1	1	76.75	61.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.25	2004
08.01.2020 14:22:21	1	1	1	1	76.75	62.25	0	29905.213	391.3978495	11935.4225	30000	0	0	30000	41.5	2004
08.01.2020 14:22:22	1	1	1	1	76.75	61.5	0	30000	397.8494624	11935.4225	30000	0	0	30000	42.6875	2004
08.01.2020 14:22:23	1	1	1	1	76.75	62.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.5	2004
08.01.2020 14:22:25	1	1	1	1	76.75	62.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	42.625	2004
08.01.2020 14:22:26	1	1	1	1	76.75	61	0	30000	417.2043011	12580.38214	30000	0	0	30000	42.125	2004
08.01.2020 14:22:27	1	1	1	1	76.75	62	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.25	2004
08.01.2020 14:22:28	1	1	1	1	76.75	62.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	42	2004
08.01.2020 14:22:29	1	1	1	1	76.75	62	0	30000	397.8494624	11871.00807	30000	0	0	30000	42.125	2004
08.01.2020 14:22:30	1	1	1	1	77.5	62	0	30000	384.9462366	11612.53499	30000	0	0	30000	42.1875	2004
08.01.2020 14:22:31	1	1	1	1	77.5	62	0	30000	380.6451613	11354.87729	30000	0	0	30000	42.375	2004
08.01.2020 14:22:32	1	1	1	1	77.5	62.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.375	2004
08.01.2020 14:22:33	1	1	1	1	77.5	62.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.125	2004
08.01.2020 14:22:34	1	1	1	1	77.5	62	0	30000	352.688172	10515.85899	30000	0	0	30000	41.9375	2004
08.01.2020 14:22:35	1	1	1	1	77.5	61.75	0	29905.213	341.9354839	10241.89384	30000	0	0	30000	42.375	2004
08.01.2020 14:22:36	1	1	1	1	77.5	62.25	0	30000	335.483871	10064.14264	30000	0	0	30000	41.9375	2004
08.01.2020 14:22:37	1	1	1	1	77.5	61.75	0	30000	329.0322581	9935.313783	30000	0	0	30000	42.25	2004
08.01.2020 14:22:38	1	1	1	1	77.5	62.25	0	30000	322.5806452	9806.484929	30000	0	0	30000	42.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 14:22:39	1	1	1	1	77.5	62	0	29952.607	329.0322581	9870.899356	30000	0	0	30000	42.25	2004
08.01.2020 14:22:40	1	1	1	1	77.5	62.25	0	30000	320.4301075	9612.426277	30000	0	0	30000	42.1875	2004
08.01.2020 14:22:41	1	1	1	1	77.5	62	0	29952.607	318.2795699	9597.749572	30000	0	0	30000	42.375	2004
08.01.2020 14:22:42	1	1	1	1	77.5	62.25	0	30000	326.8817204	9870.899356	30000	0	0	30000	41.75	2004
08.01.2020 14:22:43	1	1	1	1	77.5	61.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	42.25	2004
08.01.2020 14:22:44	1	1	1	1	77.5	62.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.375	2004
08.01.2020 14:22:45	1	1	1	1	77.5	62.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.3125	2004
08.01.2020 14:22:46	1	1	1	1	77.5	62.25	0	30000	397.8494624	11935.4225	30000	0	0	30000	42.3125	2004
08.01.2020 14:22:47	1	1	1	1	77.5	62.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.0625	2004
08.01.2020 14:22:48	1	1	1	1	77.5	62	0	30000	425.8064516	12580.38214	30000	0	0	30000	41.6875	2004
08.01.2020 14:22:49	1	1	1	1	77.5	61.5	0	30000	432.2580645	13096.51292	30000	0	0	30000	42.1875	2004
08.01.2020 14:22:50	1	1	1	1	77.5	62	0	30000	438.7096774	13225.34178	30000	0	0	30000	42.125	2004
08.01.2020 14:22:51	1	1	1	1	77.5	62	0	30000	440.8602151	13289.7562	30000	0	0	30000	41.875	2004
08.01.2020 14:22:52	1	1	1	1	77.5	61.75	0	30047.393	453.7634409	13612.64371	30000	0	0	30000	42.1875	2004
08.01.2020 14:22:53	1	1	1	1	77.5	62	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.3125	2004
08.01.2020 14:22:54	1	1	1	1	77.5	62.25	0	30000	451.6129032	13612.64371	30000	0	0	30000	42.375	2004
08.01.2020 14:22:55	1	1	1	1	77.5	62.25	0	30000	440.8602151	13160.92735	30000	0	0	30000	42.0625	2004
08.01.2020 14:22:56	1	1	1	1	77.5	62	0	30047.393	434.4086022	12838.03984	30000	0	0	30000	42.1875	2004
08.01.2020 14:22:57	1	1	1	1	77.5	62	0	30000	391.3978495	11594.5968	30000	0	0	30000	42.1875	2004
08.01.2020 14:22:58	1	1	1	1	77.5	62	0	30000	356.9892473	10709.10227	30000	0	0	30000	42.125	2004
08.01.2020 14:23:05	1	1	1	1	76.75	62.25	0	29952.607	369.8924731	11160.81863	30000	0	0	30000	42.125	2004
08.01.2020 14:23:05	1	1	1	1	76.75	62.25	0	29952.607	369.8924731	11160.81863	30000	0	0	30000	42.125	2004
08.01.2020 14:23:05	1	1	1	1	76.75	62.25	0	29952.607	369.8924731	11160.81863	30000	0	0	30000	42.125	2004
08.01.2020 14:23:05	1	1	1	1	76.75	62.25	0	29952.607	369.8924731	11160.81863	30000	0	0	30000	42.125	2004
08.01.2020 14:23:05	1	1	1	1	76.75	62.25	0	29952.607	369.8924731	11160.81863	30000	0	0	30000	42.125	2004
08.01.2020 14:23:05	1	1	1	1	76.75	62.25	0	29952.607	369.8924731	11160.81863	30000	0	0	30000	42.125	2004
08.01.2020 14:23:05	1	1	1	1	76.75	62.25	0	29952.607	369.8924731	11160.81863	30000	0	0	30000	42.125	2004
08.01.2020 14:23:06	1	1	1	1	76.75	62	0	30094.787	378.4946237	11160.81863	30000	0	0	30000	42.8125	2004
08.01.2020 14:23:07	1	1	1	1	76.75	62.5	0	30000	363.4408602	10903.16093	30000	0	0	30000	42.1875	2004
08.01.2020 14:23:08	1	1	1	1	76.75	62	0	30047.393	341.9354839	10273.69337	30000	0	0	30000	42.0625	2004
08.01.2020 14:23:09	1	1	1	1	76.75	62	0	30000	331.1827957	9870.899356	30000	0	0	30000	42.1875	2004
08.01.2020 14:23:10	1	1	1	1	77.5	62	0	29952.607	322.5806452	9676.840703	30000	0	0	30000	42.25	2004
08.01.2020 14:23:11	1	1	1	1	77.5	62.25	0	30000	326.8817204	9870.899356	30000	0	0	30000	42.5	2004
08.01.2020 14:23:12	1	1	1	1	77.5	62.5	0	30000	335.483871	10064.14264	30000	0	0	30000	42.3125	2004
08.01.2020 14:23:13	1	1	1	1	77.5	62.25	0	30000	344.0860215	10257.38592	30000	0	0	30000	42.1875	2004
08.01.2020 14:23:14	1	1	1	1	77.5	62	0	29952.607	341.9354839	10257.38592	30000	0	0	30000	42.375	2004
08.01.2020 14:23:15	1	1	1	1	77.5	62.25	0	30000	341.9354839	10257.38592	30000	0	0	30000	42.3125	2004
08.01.2020 14:23:16	1	1	1	1	77.5	62.25	0	30000	350.5376344	10515.85899	30000	0	0	30000	42.4375	2004
08.01.2020 14:23:17	1	1	1	1	77.5	62.25	0	30000	361.2903226	10903.16093	30000	0	0	30000	42.1875	2004
08.01.2020 14:23:18	1	1	1	1	77.5	62	0	30000	363.4408602	10903.16093	30000	0	0	30000	42.375	2004
08.01.2020 14:23:19	1	1	1	1	77.5	62.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.25	2004
08.01.2020 14:23:20	1	1	1	1	77.5	62.25	0	30000	369.8924731	11160.81863	30000	0	0	30000	42.3125	2004
08.01.2020 14:23:21	1	1	1	1	77.5	62.25	0	30000	369.8924731	11096.40421	30000	0	0	30000	42.375	2004
08.01.2020 14:23:22	1	1	1	1	77.5	62.25	0	30000	363.4408602	10903.16093	30000	0	0	30000	42.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 14:23:23	1	1	1	1	77.5	62	0	30000	350.5376344	10807.76235	30000	0	0	30000	42.125	2004
08.01.2020 14:23:24	1	1	1	1	77.5	62	0	30000	354.8387097	10451.44457	30000	0	0	30000	42.125	2004
08.01.2020 14:23:25	1	1	1	1	77.5	62	0	30000	341.9354839	10128.55706	30000	0	0	30000	42.25	2004
08.01.2020 14:23:26	1	1	1	1	77.5	62.25	0	30000	344.0860215	10257.38592	30000	0	0	30000	42.25	2004
08.01.2020 14:23:27	1	1	1	1	77.5	62.25	0	30000	341.9354839	10387.03014	30000	0	0	30000	42.1875	2004
08.01.2020 14:23:28	1	1	1	1	77.5	62	0	30000	346.2365591	10387.03014	30000	0	0	30000	42.3125	2004
08.01.2020 14:23:29	1	1	1	1	77.5	62.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.4375	2004
08.01.2020 14:23:30	1	1	1	1	77.5	62.25	0	30000	363.4408602	10903.16093	30000	0	0	30000	42.3125	2004
08.01.2020 14:23:31	1	1	1	1	77.5	62.25	0	30000	378.4946237	11437.22991	30000	0	0	30000	42.25	2004
08.01.2020 14:23:32	1	1	1	1	77.5	62.25	0	30000	378.4946237	11419.29171	30000	0	0	30000	42.1875	2004
08.01.2020 14:23:33	1	1	1	1	77.5	62	0	30000	384.9462366	11548.12057	30000	0	0	30000	41.5	2004
08.01.2020 14:23:34	1	1	1	1	77.5	61.5	0	30000	384.9462366	11419.29171	30000	0	0	30000	42.4375	2004
08.01.2020 14:23:35	1	1	1	1	77.5	62.25	0	30000	380.6451613	11419.29171	30000	0	0	30000	42.4375	2004
08.01.2020 14:23:36	1	1	1	1	77.5	62.25	0	30000	384.9462366	11612.53499	30000	0	0	30000	42.25	2004
08.01.2020 14:23:37	1	1	1	1	77.5	62.25	0	30000	380.6451613	11419.29171	30000	0	0	30000	42.3125	2004
08.01.2020 14:23:38	1	1	1	1	77.5	62.25	0	30000	387.0967742	11612.53499	30000	0	0	30000	41.8125	2004
08.01.2020 14:23:39	1	1	1	1	77.5	61.75	0	30000	382.7956989	11419.29171	30000	0	0	30000	42.3125	2004
08.01.2020 14:23:40	1	1	1	1	77.5	62.25	0	30000	378.4946237	11419.29171	30000	0	0	30000	42.3125	2004
08.01.2020 14:23:41	1	1	1	1	77.5	62.25	0	30000	380.6451613	11419.29171	30000	0	0	30000	41.4375	2004
08.01.2020 14:23:42	1	1	1	1	77.5	61.25	0	30000	384.9462366	11548.12057	30000	0	0	30000	42.75	2004
08.01.2020 14:23:43	1	1	1	1	77.5	62.75	0	30047.393	387.0967742	11419.29171	30000	0	0	30000	42.5	2004
08.01.2020 14:23:45	1	1	1	1	77.5	62.5	0	30000	372.0430108	11225.23306	30000	0	0	30000	42.4375	2004
08.01.2020 14:23:46	1	1	1	1	77.5	62.5	0	30000	372.0430108	11178.75683	30000	0	0	30000	42.1875	2004
08.01.2020 14:23:47	1	1	1	1	77.5	62	0	30000	367.7419355	11014.86696	30000	0	0	30000	42.1875	2004
08.01.2020 14:23:48	1	1	1	1	77.5	62	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.25	2004
08.01.2020 14:23:49	1	1	1	1	77.5	62.25	0	29952.607	359.1397849	10773.5167	30000	0	0	30000	42.1875	2004
08.01.2020 14:23:50	1	1	1	1	77.5	62	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.1875	2004
08.01.2020 14:23:51	1	1	1	1	77.5	62	0	30000	356.9892473	10773.5167	30000	0	0	30000	41.5	2004
08.01.2020 14:23:52	1	1	1	1	77.5	61.5	0	30000	356.9892473	10726.2251	30000	0	0	30000	42.1875	2004
08.01.2020 14:23:53	1	1	1	1	77.5	62	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.125	2004
08.01.2020 14:23:54	1	1	1	1	77.5	62	0	30000	365.5913978	11131.46522	30000	0	0	30000	42.1875	2004
08.01.2020 14:23:55	1	1	1	1	77.5	62	0	30000	363.4408602	10903.16093	30000	0	0	30000	42.4375	2004
08.01.2020 14:23:56	1	1	1	1	77.5	62.25	0	29952.607	356.9892473	10482.42872	30000	0	0	30000	42.25	2004
08.01.2020 14:23:57	1	1	1	1	77.5	62.25	0	29952.607	359.1397849	10773.5167	30000	0	0	30000	42.1875	2004
08.01.2020 14:23:58	1	1	1	1	77.5	62	0	30000	356.9892473	10709.10227	30000	0	0	30000	41.875	2004
08.01.2020 14:23:59	1	1	1	1	77.5	61.75	0	30000	356.9892473	10709.10227	30000	0	0	30000	42.375	2004
08.01.2020 14:24:00	1	1	1	1	77.5	62.25	0	30000	354.8387097	10644.68785	30000	0	0	30000	41.75	2004
08.01.2020 14:24:07	1	1	1	1	77.5	62.25	0	30000	346.2365591	10387.03014	30000	0	0	30000	42.125	2004
08.01.2020 14:24:07	1	1	1	1	77.5	62.25	0	30000	346.2365591	10387.03014	30000	0	0	30000	42.125	2004
08.01.2020 14:24:07	1	1	1	1	77.5	62.25	0	30000	346.2365591	10387.03014	30000	0	0	30000	42.125	2004
08.01.2020 14:24:07	1	1	1	1	77.5	62.25	0	30000	346.2365591	10387.03014	30000	0	0	30000	42.125	2004
08.01.2020 14:24:07	1	1	1	1	77.5	62.25	0	30000	346.2365591	10387.03014	30000	0	0	30000	42.125	2004
08.01.2020 14:24:07	1	1	1	1	77.5	62.25	0	30000	346.2365591	10387.03014	30000	0	0	30000	42.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 14:24:07	1	1	1	1	77.5	62.25	0	30000	346.2365591	10387.03014	30000	0	0	30000	42.125	2004
08.01.2020 14:24:08	1	1	1	1	77.5	62	0	30000	346.2365591	10451.44457	30000	0	0	30000	42.125	2004
08.01.2020 14:24:09	1	1	1	1	77.5	62	0	30000	329.0322581	9806.484929	30000	0	0	30000	42.3125	2004
08.01.2020 14:24:10	1	1	1	1	77.25	62.25	0	30000	318.2795699	9483.597423	30000	0	0	30000	42.0625	2004
08.01.2020 14:24:11	1	1	1	1	77.25	62	0	30000	309.6774194	9275.677439	30000	0	0	30000	42.4375	2004
08.01.2020 14:24:12	1	1	1	1	77.25	62.25	0	30000	309.6774194	9290.354143	30000	0	0	30000	42.3125	2004
08.01.2020 14:24:13	1	1	1	1	77.25	62.25	0	30000	311.827957	9419.182997	30000	0	0	30000	42.3125	2004
08.01.2020 14:24:14	1	1	1	1	77.25	62.25	0	30000	313.9784946	9354.76857	30000	0	0	30000	42.125	2004
08.01.2020 14:24:15	1	1	1	1	77.25	62	0	30000	313.9784946	9354.76857	30000	0	0	30000	42.25	2004
08.01.2020 14:24:16	1	1	1	1	77.25	62.25	0	30000	316.1290323	9483.597423	30000	0	0	30000	42.375	2004
08.01.2020 14:24:17	1	1	1	1	77.25	62.25	0	30000	318.2795699	9548.01185	30000	0	0	30000	42.25	2004
08.01.2020 14:24:18	1	1	1	1	77.25	62.25	0	29952.607	324.7311828	9806.484929	30000	0	0	30000	42.25	2004
08.01.2020 14:24:19	1	1	1	1	77.25	62.25	0	29952.607	326.8817204	10128.55706	30000	0	0	30000	42.1875	2004
08.01.2020 14:24:20	1	1	1	1	77.25	62	0	30000	329.0322581	9870.899356	30000	0	0	30000	42.25	2004
08.01.2020 14:24:22	1	1	1	1	77.25	62.25	0	30000	339.7849462	10192.97149	30000	0	0	30000	42.625	2004
08.01.2020 14:24:23	1	1	1	1	77.25	62.5	0	30000	348.3870968	10435.13712	30000	0	0	30000	42.1875	2004
08.01.2020 14:24:24	1	1	1	1	77.25	61.75	0	29905.213	350.5376344	10451.44457	30000	0	0	30000	42.125	2004
08.01.2020 14:24:25	1	1	1	1	77.25	62	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.1875	2004
08.01.2020 14:24:26	1	1	1	1	77.25	62	0	30000	367.7419355	11160.81863	30000	0	0	30000	42.1875	2004
08.01.2020 14:24:27	1	1	1	1	77.25	62	0	30000	380.6451613	11419.29171	30000	0	0	30000	41.125	2004
08.01.2020 14:24:28	1	1	1	1	77.25	61	0	30000	387.0967742	11548.12057	30000	0	0	30000	42.375	2004
08.01.2020 14:24:29	1	1	1	1	77.25	62.25	0	29952.607	395.6989247	11871.00807	30000	0	0	30000	42.0625	2004
08.01.2020 14:24:30	1	1	1	1	77.25	62	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.1875	2004
08.01.2020 14:24:31	1	1	1	1	77.25	62	0	29952.607	404.3010753	12367.56992	30000	0	0	30000	42.25	2004
08.01.2020 14:24:32	1	1	1	1	77.25	62.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	42.0625	2004
08.01.2020 14:24:33	1	1	1	1	77.25	62	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	42.3125	2004
08.01.2020 14:24:34	1	1	1	1	77.25	62.25	0	30094.787	412.9032258	12387.13886	30000	0	0	30000	42.3125	2004
08.01.2020 14:24:35	1	1	1	1	77.25	62.25	0	29952.607	412.9032258	12580.38214	30000	0	0	30000	41.6875	2004
08.01.2020 14:24:36	1	1	1	1	77.25	61.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	42.1875	2004
08.01.2020 14:24:37	1	1	1	1	77.25	62	0	30000	438.7096774	13225.34178	30000	0	0	30000	41.8125	2004
08.01.2020 14:24:38	1	1	1	1	77.25	61.75	0	29952.607	434.4086022	13096.51292	30000	0	0	30000	42.375	2004
08.01.2020 14:24:39	1	1	1	1	77.25	62.25	0	30000	425.8064516	12773.62542	30000	0	0	30000	42.4375	2004
08.01.2020 14:24:40	1	1	1	1	77.5	62.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.25	2004
08.01.2020 14:24:41	1	1	1	1	77.5	62.25	0	30000	397.8494624	11935.4225	30000	0	0	30000	41.1875	2004
08.01.2020 14:24:42	1	1	1	1	77.5	61	0	30000	389.2473118	11676.94942	30000	0	0	30000	42	2004
08.01.2020 14:24:43	1	1	1	1	77.5	62	0	30000	384.9462366	11548.12057	30000	0	0	30000	41.5625	2004
08.01.2020 14:24:44	1	1	1	1	77.5	61.5	0	29905.213	395.6989247	11871.00807	30000	0	0	30000	42.375	2004
08.01.2020 14:24:45	1	1	1	1	77.5	62.25	0	30000	384.9462366	11548.12057	30000	0	0	30000	42.25	2004
08.01.2020 14:24:46	1	1	1	1	77.5	62.25	0	30000	389.2473118	11676.94942	30000	0	0	30000	42.125	2004
08.01.2020 14:24:47	1	1	1	1	77.5	62	0	30000	395.6989247	11741.36385	30000	0	0	30000	42	2004
08.01.2020 14:24:48	1	1	1	1	77.5	62	0	29905.213	391.3978495	11741.36385	30000	0	0	30000	42.25	2004
08.01.2020 14:24:49	1	1	1	1	77.5	62.25	0	30000	389.2473118	11676.94942	30000	0	0	30000	41.875	2004
08.01.2020 14:24:50	1	1	1	1	78	61.75	0	30000	395.6989247	11594.5968	30000	0	0	30000	41.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 14:24:51	1	1	1	1	78	61.25	0	30047.393	378.4946237	11160.81863	30000	0	0	30000	41.6875	2004
08.01.2020 14:24:52	1	1	1	1	78	61.5	0	30047.393	384.9462366	11354.87729	30000	0	0	30000	41.625	2004
08.01.2020 14:24:53	1	1	1	1	78	61.5	0	29952.607	380.6451613	11419.29171	30000	0	0	30000	42.3125	2004
08.01.2020 14:24:54	1	1	1	1	78	62.25	0	30000	384.9462366	11548.12057	30000	0	0	30000	41.9375	2004
08.01.2020 14:24:55	1	1	1	1	78	61.75	0	29952.607	395.6989247	11871.00807	30000	0	0	30000	42.25	2004
08.01.2020 14:24:56	1	1	1	1	78	62.25	0	30000	382.7956989	11548.12057	30000	0	0	30000	42	2004
08.01.2020 14:24:57	1	1	1	1	78	62	0	30000	378.4946237	11584.81233	30000	0	0	30000	42.25	2004
08.01.2020 14:24:58	1	1	1	1	78	62.25	0	29952.607	363.4408602	11372.81548	30000	0	0	30000	42.375	2004
08.01.2020 14:24:59	1	1	1	1	78	62.25	0	30000	378.4946237	11160.81863	30000	0	0	30000	42.25	2004
08.01.2020 14:25:00	1	1	1	1	77.75	62.25	0	30000	380.6451613	11419.29171	30000	0	0	30000	42.375	2004
08.01.2020 14:25:02	1	1	1	1	77.75	62.25	0	30000	384.9462366	11548.12057	30000	0	0	30000	42.5	2004
08.01.2020 14:25:09	1	1	1	1	77.75	62	0	30000	384.9462366	11548.12057	30000	0	0	30000	42.25	2004
08.01.2020 14:25:09	1	1	1	1	77.75	62	0	30000	384.9462366	11548.12057	30000	0	0	30000	42.25	2004
08.01.2020 14:25:09	1	1	1	1	77.75	62	0	30000	384.9462366	11548.12057	30000	0	0	30000	42.25	2004
08.01.2020 14:25:09	1	1	1	1	77.75	62	0	30000	384.9462366	11548.12057	30000	0	0	30000	42.25	2004
08.01.2020 14:25:09	1	1	1	1	77.75	62.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.3125	2004
08.01.2020 14:25:09	1	1	1	1	77.75	62.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.3125	2004
08.01.2020 14:25:10	1	1	1	1	77.75	62.25	0	30000	372.0430108	11096.40421	30000	0	0	30000	42.125	2004
08.01.2020 14:25:11	1	1	1	1	77.75	62	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.25	2004
08.01.2020 14:25:12	1	1	1	1	77.75	62.25	0	30000	382.7956989	11548.12057	30000	0	0	30000	42.3125	2004
08.01.2020 14:25:13	1	1	1	1	77.75	62.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.3125	2004
08.01.2020 14:25:14	1	1	1	1	77.75	62.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.9375	2004
08.01.2020 14:25:15	1	1	1	1	77.75	61.75	0	30000	384.9462366	11548.12057	30000	0	0	30000	42.125	2004
08.01.2020 14:25:16	1	1	1	1	77.75	62	0	30000	389.2473118	11548.12057	30000	0	0	30000	42.1875	2004
08.01.2020 14:25:17	1	1	1	1	77.75	62	0	30000	391.3978495	11741.36385	30000	0	0	30000	42.1875	2004
08.01.2020 14:25:18	1	1	1	1	77.75	62	0	30000	389.2473118	11871.00807	30000	0	0	30000	42.125	2004
08.01.2020 14:25:19	1	1	1	1	77.75	62	0	29905.213	382.7956989	11676.94942	30000	0	0	30000	41.625	2004
08.01.2020 14:25:20	1	1	1	1	77.75	61.5	0	30000	387.0967742	11548.12057	30000	0	0	30000	41.8125	2004
08.01.2020 14:25:21	1	1	1	1	77.75	61.75	0	29952.607	382.7956989	11548.12057	30000	0	0	30000	42.25	2004
08.01.2020 14:25:22	1	1	1	1	77.75	62.25	0	29952.607	378.4946237	11354.87729	30000	0	0	30000	41.9375	2004
08.01.2020 14:25:23	1	1	1	1	77.75	61.75	0	30000	372.0430108	11160.81863	30000	0	0	30000	41.8125	2004
08.01.2020 14:25:24	1	1	1	1	77.75	61.75	0	30000	367.7419355	11031.98978	30000	0	0	30000	42.125	2004
08.01.2020 14:25:25	1	1	1	1	77.75	62	0	29952.607	359.1397849	11096.40421	30000	0	0	30000	42.25	2004
08.01.2020 14:25:26	1	1	1	1	77.75	62.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.1875	2004
08.01.2020 14:25:27	1	1	1	1	77.75	62	0	30000	361.2903226	10773.5167	30000	0	0	30000	42.1875	2004
08.01.2020 14:25:28	1	1	1	1	77.75	62	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.25	2004
08.01.2020 14:25:29	1	1	1	1	77.75	62.25	0	30000	359.1397849	10644.68785	30000	0	0	30000	42.1875	2004
08.01.2020 14:25:30	1	1	1	1	77.5	62	0	30000	352.688172	10515.85899	30000	0	0	30000	42.1875	2004
08.01.2020 14:25:31	1	1	1	1	77.5	62	0	30000	350.5376344	10644.68785	30000	0	0	30000	42.1875	2004
08.01.2020 14:25:32	1	1	1	1	77.5	62	0	30000	354.8387097	10515.85899	30000	0	0	30000	42.125	2004
08.01.2020 14:25:33	1	1	1	1	77.5	62	0	30000	350.5376344	10515.85899	30000	0	0	30000	42.1875	2004
08.01.2020 14:25:34	1	1	1	1	77.5	62	0	30000	356.9892473	10709.10227	30000	0	0	30000	42.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 14:25:35	1	1	1	1	77.5	62.25	0	30000	356.9892473	10709.10227	30000	0	0	30000	42.5	2004
08.01.2020 14:25:36	1	1	1	1	77.5	62.5	0	30000	356.9892473	10515.85899	30000	0	0	30000	42.1875	2004
08.01.2020 14:25:37	1	1	1	1	77.5	62	0	30000	354.8387097	10628.3804	30000	0	0	30000	42.6875	2004
08.01.2020 14:25:39	1	1	1	1	77.5	62.5	0	30000	352.688172	10709.10227	30000	0	0	30000	42.5	2004
08.01.2020 14:25:40	1	1	1	1	77.5	62.5	0	30000	359.1397849	10628.3804	30000	0	0	30000	42.5	2004
08.01.2020 14:25:41	1	1	1	1	77.5	62.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	41.6875	2004
08.01.2020 14:25:42	1	1	1	1	77.5	62.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.1875	2004
08.01.2020 14:25:43	1	1	1	1	77.5	62	0	29905.213	359.1397849	10903.16093	30000	0	0	30000	42.125	2004
08.01.2020 14:25:44	1	1	1	1	77.5	62	0	30000	359.1397849	10773.5167	30000	0	0	30000	41.875	2004
08.01.2020 14:25:45	1	1	1	1	77.5	61.75	0	30000	359.1397849	10790.63952	30000	0	0	30000	42	2004
08.01.2020 14:25:46	1	1	1	1	77.5	62	0	30000	354.8387097	10709.10227	30000	0	0	30000	42.1875	2004
08.01.2020 14:25:47	1	1	1	1	77.5	62	0	29952.607	350.5376344	10709.10227	30000	0	0	30000	42.1875	2004
08.01.2020 14:25:48	1	1	1	1	77.5	62	0	30000	350.5376344	10387.03014	30000	0	0	30000	42.25	2004
08.01.2020 14:25:49	1	1	1	1	77.5	62.25	0	30000	350.5376344	10451.44457	30000	0	0	30000	41.8125	2004
08.01.2020 14:25:50	1	1	1	1	77.5	61.75	0	30000	344.0860215	10257.38592	30000	0	0	30000	42.1875	2004
08.01.2020 14:25:51	1	1	1	1	77.5	62	0	30000	354.8387097	10515.85899	30000	0	0	30000	42.0625	2004
08.01.2020 14:25:52	1	1	1	1	77.5	62	0	30000	350.5376344	10499.55155	30000	0	0	30000	42.3125	2004
08.01.2020 14:25:53	1	1	1	1	77.5	62.25	0	30000	352.688172	10515.85899	30000	0	0	30000	42.25	2004
08.01.2020 14:25:54	1	1	1	1	77.5	62.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.25	2004
08.01.2020 14:25:55	1	1	1	1	77.5	62.25	0	29952.607	363.4408602	11031.98978	30000	0	0	30000	42.1875	2004
08.01.2020 14:25:56	1	1	1	1	77.5	62	0	30000	369.8924731	11096.40421	30000	0	0	30000	41.9375	2004
08.01.2020 14:25:57	1	1	1	1	77.5	61.75	0	30047.393	378.4946237	11354.87729	30000	0	0	30000	42.125	2004
08.01.2020 14:25:58	1	1	1	1	77.5	62	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.25	2004
08.01.2020 14:25:59	1	1	1	1	77.5	62.25	0	30000	372.0430108	11354.87729	30000	0	0	30000	41.1875	2004
08.01.2020 14:26:00	1	1	1	1	77.5	61	0	30000	359.1397849	10628.3804	30000	0	0	30000	42.25	2004
08.01.2020 14:26:01	1	1	1	1	77.5	62.25	0	30000	346.2365591	10257.38592	30000	0	0	30000	42.25	2004
08.01.2020 14:26:02	1	1	1	1	77.5	62.25	0	30000	333.3333333	9999.728209	30000	0	0	30000	42.1875	2004
08.01.2020 14:26:03	1	1	1	1	77.5	62	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.1875	2004
08.01.2020 14:26:10	1	1	1	1	77.5	62	0	29952.607	320.4301075	9612.426277	30000	0	0	30000	42.1875	2004
08.01.2020 14:26:10	1	1	1	1	77.5	62	0	29952.607	320.4301075	9612.426277	30000	0	0	30000	42.1875	2004
08.01.2020 14:26:10	1	1	1	1	77.5	62	0	29952.607	320.4301075	9612.426277	30000	0	0	30000	42.1875	2004
08.01.2020 14:26:10	1	1	1	1	77.5	62	0	29952.607	320.4301075	9612.426277	30000	0	0	30000	42.1875	2004
08.01.2020 14:26:10	1	1	1	1	77.5	62	0	29952.607	320.4301075	9612.426277	30000	0	0	30000	42.1875	2004
08.01.2020 14:26:10	1	1	1	1	77.5	62	0	30000	339.7849462	9999.728209	30000	0	0	30000	42.125	2004
08.01.2020 14:26:11	1	1	1	1	77.5	62	0	30000	346.2365591	10257.38592	30000	0	0	30000	42.0625	2004
08.01.2020 14:26:12	1	1	1	1	77.5	62	0	30000	348.3870968	10387.03014	30000	0	0	30000	42.125	2004
08.01.2020 14:26:13	1	1	1	1	77.5	62	0	30000	344.0860215	10257.38592	30000	0	0	30000	42.375	2004
08.01.2020 14:26:14	1	1	1	1	77.5	62.25	0	30047.393	337.6344086	10144.86451	30000	0	0	30000	42.1875	2004
08.01.2020 14:26:15	1	1	1	1	77.5	62	0	30000	331.1827957	9870.899356	30000	0	0	30000	42.625	2004
08.01.2020 14:26:17	1	1	1	1	77.5	62.5	0	30000	316.1290323	9483.597423	30000	0	0	30000	42.1875	2004
08.01.2020 14:26:18	1	1	1	1	77.5	62	0	30000	311.827957	9354.76857	30000	0	0	30000	42.5625	2004
08.01.2020 14:26:19	1	1	1	1	77.5	62.5	0	30000	305.3763441	9096.295491	30000	0	0	30000	42.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 14:26:20	1	1	1	1	77.75	62	0	30000	296.7741935	8981.32797	30000	0	0	30000	42.1875	2004
08.01.2020 14:26:21	1	1	1	1	77.75	62	0	30000	292.4731183	8838.637784	30000	0	0	30000	42.1875	2004
08.01.2020 14:26:22	1	1	1	1	77.75	62	0	30000	283.8709677	8515.750279	30000	0	0	30000	42.1875	2004
08.01.2020 14:26:23	1	1	1	1	77.75	62	0	30000	281.7204301	8515.750279	30000	0	0	30000	42.125	2004
08.01.2020 14:26:24	1	1	1	1	77.75	62	0	29952.607	288.172043	8631.533172	30000	0	0	30000	42.25	2004
08.01.2020 14:26:25	1	1	1	1	77.75	62.25	0	30000	301.0752688	9225.124344	30000	0	0	30000	41.875	2004
08.01.2020 14:26:26	1	1	1	1	77.75	61.75	0	30000	320.4301075	9612.426277	30000	0	0	30000	42.3125	2004
08.01.2020 14:26:27	1	1	1	1	77.75	62.25	0	30000	335.483871	10064.14264	30000	0	0	30000	42.1875	2004
08.01.2020 14:26:28	1	1	1	1	77.75	62	0	30000	341.9354839	10257.38592	30000	0	0	30000	42.375	2004
08.01.2020 14:26:29	1	1	1	1	77.75	62.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.0625	2004
08.01.2020 14:26:30	1	1	1	1	77.75	62	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.1875	2004
08.01.2020 14:26:31	1	1	1	1	77.75	62	0	30000	369.8924731	10967.57535	30000	0	0	30000	42.125	2004
08.01.2020 14:26:32	1	1	1	1	77.75	62	0	30000	380.6451613	11319.0009	30000	0	0	30000	41.875	2004
08.01.2020 14:26:33	1	1	1	1	77.75	61.75	0	30000	384.9462366	11548.12057	30000	0	0	30000	42.125	2004
08.01.2020 14:26:34	1	1	1	1	77.75	62	0	30000	397.8494624	11935.4225	30000	0	0	30000	42.1875	2004
08.01.2020 14:26:35	1	1	1	1	77.75	62	0	30000	404.3010753	12128.66578	30000	0	0	30000	42.0625	2004
08.01.2020 14:26:36	1	1	1	1	77.75	62	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.875	2004
08.01.2020 14:26:37	1	1	1	1	77.75	61.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	42.25	2004
08.01.2020 14:26:38	1	1	1	1	77.75	62.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	41.625	2004
08.01.2020 14:26:39	1	1	1	1	77.75	61.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.0625	2004
08.01.2020 14:26:40	1	1	1	1	77.5	62	0	30000	404.3010753	12128.66578	30000	0	0	30000	42.0625	2004
08.01.2020 14:26:41	1	1	1	1	77.5	62	0	30000	404.3010753	12128.66578	30000	0	0	30000	42.0625	2004
08.01.2020 14:26:42	1	1	1	1	77.5	62	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.1875	2004
08.01.2020 14:26:43	1	1	1	1	77.5	62	0	30000	415.0537634	12387.13886	30000	0	0	30000	42	2004
08.01.2020 14:26:44	1	1	1	1	77.5	62	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.6875	2004
08.01.2020 14:26:45	1	1	1	1	77.5	61.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.1875	2004
08.01.2020 14:26:46	1	1	1	1	77.5	62	0	30000	397.8494624	11935.4225	30000	0	0	30000	42.1875	2004
08.01.2020 14:26:47	1	1	1	1	77.5	62	0	30000	415.0537634	12387.13886	30000	0	0	30000	42.125	2004
08.01.2020 14:26:48	1	1	1	1	77.5	62	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.5625	2004
08.01.2020 14:26:49	1	1	1	1	77.5	61.5	0	30000	412.9032258	12348.00098	30000	0	0	30000	42	2004
08.01.2020 14:26:50	1	1	1	1	78.5	62	0	30000	415.0537634	12451.55328	30000	0	0	30000	41.9375	2004
08.01.2020 14:26:51	1	1	1	1	78.5	61.75	0	30000	412.9032258	12109.91221	30000	0	0	30000	42.1875	2004
08.01.2020 14:26:52	1	1	1	1	78.5	62	0	30000	412.9032258	12128.66578	30000	0	0	30000	41.9375	2004
08.01.2020 14:26:54	1	1	1	1	78.5	61.75	0	30000	404.3010753	12193.08021	30000	0	0	30000	42.6875	2004
08.01.2020 14:26:55	1	1	1	1	78.5	62.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.1875	2004
08.01.2020 14:26:56	1	1	1	1	78.5	62	0	30000	412.9032258	12193.08021	30000	0	0	30000	41.5625	2004
08.01.2020 14:26:57	1	1	1	1	78.5	62.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.125	2004
08.01.2020 14:26:58	1	1	1	1	78.5	62	0	29952.607	395.6989247	11871.00807	30000	0	0	30000	42.1875	2004
08.01.2020 14:26:59	1	1	1	1	78.5	62	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.1875	2004
08.01.2020 14:27:00	1	1	1	1	79	62	0	30000	382.7956989	11465.76794	30000	0	0	30000	41.9375	2004
08.01.2020 14:27:01	1	1	1	1	79	61.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.0625	2004
08.01.2020 14:27:02	1	1	1	1	79	62	0	30000	380.6451613	11419.29171	30000	0	0	30000	42	2004
08.01.2020 14:27:03	1	1	1	1	79	62	0	30000	380.6451613	11419.29171	30000	0	0	30000	42.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 14:27:04	1	1	1	1	79	62	0	30000	395.6989247	11871.00807	30000	0	0	30000	41.8125	2004
08.01.2020 14:27:05	1	1	1	1	79	61.75	0	30000	404.3010753	12064.25135	30000	0	0	30000	42.25	2004
08.01.2020 14:27:12	1	1	1	1	78.5	62	0	30000	427.9569892	12798.08659	30000	0	0	30000	42.125	2004
08.01.2020 14:27:12	1	1	1	1	78.5	62	0	30000	427.9569892	12798.08659	30000	0	0	30000	42.125	2004
08.01.2020 14:27:12	1	1	1	1	78.5	62	0	30000	427.9569892	12798.08659	30000	0	0	30000	42.125	2004
08.01.2020 14:27:12	1	1	1	1	78.5	62	0	30047.393	445.1612903	13375.37032	30000	0	0	30000	42.1875	2004
08.01.2020 14:27:12	1	1	1	1	78.5	62	0	30047.393	445.1612903	13375.37032	30000	0	0	30000	42.1875	2004
08.01.2020 14:27:12	1	1	1	1	78.5	62	0	30047.393	445.1612903	13375.37032	30000	0	0	30000	42.1875	2004
08.01.2020 14:27:12	1	1	1	1	78.5	62	0	30047.393	445.1612903	13375.37032	30000	0	0	30000	42.1875	2004
08.01.2020 14:27:12	1	1	1	1	78.5	62	0	30047.393	445.1612903	13375.37032	30000	0	0	30000	42.1875	2004
08.01.2020 14:27:13	1	1	1	1	78.5	62	0	30000	455.9139785	13612.64371	30000	0	0	30000	41.6875	2004
08.01.2020 14:27:14	1	1	1	1	78.5	61.5	0	30000	453.7634409	13612.64371	30000	0	0	30000	41.625	2004
08.01.2020 14:27:15	1	1	1	1	78.5	61.5	0	30000	445.1612903	13483.81486	30000	0	0	30000	42.0625	2004
08.01.2020 14:27:16	1	1	1	1	78.5	62	0	30000	445.1612903	13354.17063	30000	0	0	30000	42	2004
08.01.2020 14:27:17	1	1	1	1	78.5	62	0	29905.213	425.8064516	12838.03984	30000	0	0	30000	42	2004
08.01.2020 14:27:18	1	1	1	1	78.5	62	0	30000	434.4086022	12967.68407	30000	0	0	30000	41.8125	2004
08.01.2020 14:27:19	1	1	1	1	78.5	61.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.9375	2004
08.01.2020 14:27:20	1	1	1	1	78.75	61.75	0	30000	443.0107527	13289.7562	30000	0	0	30000	42.1875	2004
08.01.2020 14:27:21	1	1	1	1	78.75	62	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.3125	2004
08.01.2020 14:27:22	1	1	1	1	78.75	61.25	0	30047.393	443.0107527	13354.17063	30000	0	0	30000	42.1875	2004
08.01.2020 14:27:23	1	1	1	1	78.75	62	0	30000	427.9569892	13160.92735	30000	0	0	30000	42.0625	2004
08.01.2020 14:27:24	1	1	1	1	78.75	62	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.875	2004
08.01.2020 14:27:25	1	1	1	1	78.75	61.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	42	2004
08.01.2020 14:27:26	1	1	1	1	78.75	62	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.1875	2004
08.01.2020 14:27:27	1	1	1	1	78.75	62	0	30000	432.2580645	12967.68407	30000	0	0	30000	42	2004
08.01.2020 14:27:28	1	1	1	1	78.75	62	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.875	2004
08.01.2020 14:27:29	1	1	1	1	78.75	61.75	0	30000	440.8602151	13225.34178	30000	0	0	30000	41.9375	2004
08.01.2020 14:27:30	1	1	1	1	78.75	61.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.9375	2004
08.01.2020 14:27:31	1	1	1	1	78.75	61.75	0	30000	455.9139785	13354.17063	30000	0	0	30000	42.25	2004
08.01.2020 14:27:32	1	1	1	1	78.75	62.25	0	29952.607	460.2150538	13805.88699	30000	0	0	30000	41.9375	2004
08.01.2020 14:27:33	1	1	1	1	78.75	61.75	0	30000	460.2150538	13805.88699	30000	0	0	30000	42	2004
08.01.2020 14:27:34	1	1	1	1	78.75	62	0	30000	455.9139785	13677.05814	30000	0	0	30000	42.1875	2004
08.01.2020 14:27:36	1	1	1	1	78.75	62	0	30000	453.7634409	13612.64371	30000	0	0	30000	42.4375	2004
08.01.2020 14:27:37	1	1	1	1	78.75	62.25	0	30000	458.0645161	13741.47256	30000	0	0	30000	42.1875	2004
08.01.2020 14:27:38	1	1	1	1	78.75	62	0	30000	445.1612903	13483.81486	30000	0	0	30000	42.125	2004
08.01.2020 14:27:39	1	1	1	1	78.75	62	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.375	2004
08.01.2020 14:27:40	1	1	1	1	78.75	62.25	0	30000	434.4086022	13160.92735	30000	0	0	30000	41.8125	2004
08.01.2020 14:27:41	1	1	1	1	79.25	62	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.125	2004
08.01.2020 14:27:42	1	1	1	1	79.25	62	0	29905.213	434.4086022	12967.68407	30000	0	0	30000	42.1875	2004
08.01.2020 14:27:43	1	1	1	1	79.25	62	0	29905.213	443.0107527	13354.17063	30000	0	0	30000	42.1875	2004
08.01.2020 14:27:44	1	1	1	1	79.25	62	0	30000	443.0107527	13289.7562	30000	0	0	30000	42.0625	2004
08.01.2020 14:27:45	1	1	1	1	79.25	62	0	30000	443.0107527	13354.17063	30000	0	0	30000	42.25	2004
08.01.2020 14:27:46	1	1	1	1	79.25	62.25	0	30000	451.6129032	13354.17063	30000	0	0	30000	42.1875	2004
08.01.2020 14:27:47	1	1	1	1	79.25	62	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 14:27:48	1	1	1	1	79.25	62	0	30000	434.4086022	12967.68407	30000	0	0	30000	41.75	2004
08.01.2020 14:27:49	1	1	1	1	79.25	61.75	0	30000	438.7096774	12967.68407	30000	0	0	30000	42.25	2004
08.01.2020 14:27:50	1	1	1	1	79.25	62.25	0	29952.607	438.7096774	13204.95746	30000	0	0	30000	41.9375	2004
08.01.2020 14:27:51	1	1	1	1	79.25	61.75	0	30000	438.7096774	13096.51292	30000	0	0	30000	41.8125	2004
08.01.2020 14:27:52	1	1	1	1	79.25	61.75	0	29952.607	427.9569892	12818.4709	30000	0	0	30000	41.75	2004
08.01.2020 14:27:53	1	1	1	1	79.25	61.75	0	30000	432.2580645	12838.03984	30000	0	0	30000	41.9375	2004
08.01.2020 14:27:54	1	1	1	1	79.25	61.75	0	30000	427.9569892	13160.92735	30000	0	0	30000	42.1875	2004
08.01.2020 14:27:55	1	1	1	1	79.25	62	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.375	2004
08.01.2020 14:27:56	1	1	1	1	79.25	61.25	0	30000	434.4086022	13032.0985	30000	0	0	30000	41.75	2004
08.01.2020 14:27:57	1	1	1	1	79.25	61.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.125	2004
08.01.2020 14:27:58	1	1	1	1	79.25	62	0	30000	443.0107527	13225.34178	30000	0	0	30000	42.1875	2004
08.01.2020 14:27:59	1	1	1	1	79.25	62	0	30000	445.1612903	13354.17063	30000	0	0	30000	42	2004
08.01.2020 14:28:00	1	1	1	1	79.25	62	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.875	2004
08.01.2020 14:28:01	1	1	1	1	79.25	61.75	0	29952.607	438.7096774	13160.92735	30000	0	0	30000	41.625	2004
08.01.2020 14:28:02	1	1	1	1	79.25	61.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.1875	2004
08.01.2020 14:28:03	1	1	1	1	79.25	62	0	30000	464.516129	13805.88699	30000	0	0	30000	41.4375	2004
08.01.2020 14:28:04	1	1	1	1	79.25	61.25	0	30000	453.7634409	13612.64371	30000	0	0	30000	42.0625	2004
08.01.2020 14:28:05	1	1	1	1	79.25	62	0	30000	449.4623656	13612.64371	30000	0	0	30000	42.1875	2004
08.01.2020 14:28:06	1	1	1	1	79.25	62	0	30000	445.1612903	13612.64371	30000	0	0	30000	42.0625	2004
08.01.2020 14:28:13	1	1	1	1	79.25	61.75	0	30047.393	458.0645161	13741.47256	30000	0	0	30000	41.5	2004
08.01.2020 14:28:13	1	1	1	1	79.25	61.75	0	30047.393	458.0645161	13741.47256	30000	0	0	30000	41.5	2004
08.01.2020 14:28:13	1	1	1	1	79.25	61.75	0	30047.393	458.0645161	13741.47256	30000	0	0	30000	41.5	2004
08.01.2020 14:28:13	1	1	1	1	79.25	61.75	0	30047.393	458.0645161	13741.47256	30000	0	0	30000	41.5	2004
08.01.2020 14:28:13	1	1	1	1	79.25	61.75	0	30047.393	458.0645161	13741.47256	30000	0	0	30000	41.5	2004
08.01.2020 14:28:13	1	1	1	1	79.25	61.75	0	30047.393	458.0645161	13741.47256	30000	0	0	30000	41.5	2004
08.01.2020 14:28:13	1	1	1	1	79.25	61.5	0	30000	464.516129	13483.81486	30000	0	0	30000	42	2004
08.01.2020 14:28:14	1	1	1	1	79.25	62	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.9375	2004
08.01.2020 14:28:15	1	1	1	1	79.25	61.75	0	30000	449.4623656	13354.17063	30000	0	0	30000	41.8125	2004
08.01.2020 14:28:16	1	1	1	1	79.25	61.75	0	30000	438.7096774	13225.34178	30000	0	0	30000	42	2004
08.01.2020 14:28:17	1	1	1	1	79.25	62	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.875	2004
08.01.2020 14:28:19	1	1	1	1	79.25	61.75	0	29952.607	438.7096774	13225.34178	30000	0	0	30000	42.3125	2004
08.01.2020 14:28:20	1	1	1	1	79.25	62.25	0	30000	427.9569892	13096.51292	30000	0	0	30000	42.1875	2004
08.01.2020 14:28:21	1	1	1	1	79.25	62	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.6875	2004
08.01.2020 14:28:22	1	1	1	1	79.25	62.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.0625	2004
08.01.2020 14:28:23	1	1	1	1	79.25	62	0	30000	427.9569892	12838.03984	30000	0	0	30000	42	2004
08.01.2020 14:28:24	1	1	1	1	79.25	62	0	30000	443.0107527	13289.7562	30000	0	0	30000	42.0625	2004
08.01.2020 14:28:25	1	1	1	1	79.25	62	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.0625	2004
08.01.2020 14:28:26	1	1	1	1	79.25	62	0	30000	453.7634409	13612.64371	30000	0	0	30000	42.0625	2004
08.01.2020 14:28:27	1	1	1	1	79.25	62	0	30000	453.7634409	13612.64371	30000	0	0	30000	42	2004
08.01.2020 14:28:28	1	1	1	1	79.25	62	0	30000	443.0107527	12818.4709	30000	0	0	30000	41.5	2004
08.01.2020 14:28:29	1	1	1	1	79.25	61.5	0	30000	412.9032258	12193.08021	30000	0	0	30000	42.1875	2004
08.01.2020 14:28:30	1	1	1	1	79.5	62	0	30000	384.9462366	11548.12057	30000	0	0	30000	41.125	2004
08.01.2020 14:28:31	1	1	1	1	79.5	61	0	30047.393	369.8924731	11096.40421	30000	0	0	30000	42.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 14:28:32	1	1	1	1	79.5	62.25	0	29952.607	359.1397849	10967.57535	30000	0	0	30000	42.1875	2004
08.01.2020 14:28:33	1	1	1	1	79.5	62	0	30000	363.4408602	11096.40421	30000	0	0	30000	42.1875	2004
08.01.2020 14:28:34	1	1	1	1	79.5	62	0	30000	356.9892473	10773.5167	30000	0	0	30000	42	2004
08.01.2020 14:28:35	1	1	1	1	79.5	62	0	30000	361.2903226	10903.16093	30000	0	0	30000	42.1875	2004
08.01.2020 14:28:36	1	1	1	1	79.5	62	0	29952.607	356.9892473	10773.5167	30000	0	0	30000	42.1875	2004
08.01.2020 14:28:37	1	1	1	1	79.5	62	0	30000	356.9892473	10709.10227	30000	0	0	30000	42.0625	2004
08.01.2020 14:28:38	1	1	1	1	79.5	62	0	30000	356.9892473	10709.10227	30000	0	0	30000	42.125	2004
08.01.2020 14:28:39	1	1	1	1	79.5	62	0	30000	354.8387097	10644.68785	30000	0	0	30000	42.3125	2004
08.01.2020 14:28:40	1	1	1	1	79.75	62.25	0	30000	350.5376344	10387.03014	30000	0	0	30000	42.25	2004
08.01.2020 14:28:41	1	1	1	1	79.75	62.25	0	30000	348.3870968	10451.44457	30000	0	0	30000	41.375	2004
08.01.2020 14:28:42	1	1	1	1	79.75	61.25	0	30000	348.3870968	10451.44457	30000	0	0	30000	42.1875	2004
08.01.2020 14:28:43	1	1	1	1	79.75	62	0	30000	363.4408602	10903.16093	30000	0	0	30000	41.625	2004
08.01.2020 14:28:44	1	1	1	1	79.75	61.5	0	30000	380.6451613	11354.87729	30000	0	0	30000	42.1875	2004
08.01.2020 14:28:45	1	1	1	1	79.75	62	0	30000	404.3010753	11935.4225	30000	0	0	30000	42.3125	2004
08.01.2020 14:28:46	1	1	1	1	79.75	62.25	0	30000	417.2043011	12451.55328	30000	0	0	30000	42.1875	2004
08.01.2020 14:28:47	1	1	1	1	79.75	62	0	30000	425.8064516	12838.03984	30000	0	0	30000	41.9375	2004
08.01.2020 14:28:48	1	1	1	1	79.75	61.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.9375	2004
08.01.2020 14:28:49	1	1	1	1	79.75	61.75	0	30000	423.655914	12709.21099	30000	0	0	30000	41.75	2004
08.01.2020 14:28:50	1	1	1	1	80	61.75	0	30000	415.0537634	12580.38214	30000	0	0	30000	41.6875	2004
08.01.2020 14:28:51	1	1	1	1	80	61.5	0	29905.213	412.9032258	12451.55328	30000	0	0	30000	42.1875	2004
08.01.2020 14:28:52	1	1	1	1	80	62	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.125	2004
08.01.2020 14:28:53	1	1	1	1	80	62	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.875	2004
08.01.2020 14:28:54	1	1	1	1	80	61.75	0	30000	436.5591398	13160.92735	30000	0	0	30000	41.75	2004
08.01.2020 14:28:55	1	1	1	1	80	61.75	0	30000	443.0107527	13289.7562	30000	0	0	30000	42	2004
08.01.2020 14:28:57	1	1	1	1	80	62	0	30000	453.7634409	13741.47256	30000	0	0	30000	42.5625	2004
08.01.2020 14:28:58	1	1	1	1	80	62.5	0	29952.607	445.1612903	13677.05814	30000	0	0	30000	42.1875	2004
08.01.2020 14:28:59	1	1	1	1	80	62	0	30000	455.9139785	13612.64371	30000	0	0	30000	41.9375	2004
08.01.2020 14:29:00	1	1	1	1	80.75	62.25	0	29952.607	451.6129032	13312.58663	30000	0	0	30000	41.5	2004
08.01.2020 14:29:01	1	1	1	1	80.75	61.5	0	30000	443.0107527	13289.7562	30000	0	0	30000	42.1875	2004
08.01.2020 14:29:02	1	1	1	1	80.75	62	0	30047.393	427.9569892	12838.03984	30000	0	0	30000	41.875	2004
08.01.2020 14:29:03	1	1	1	1	80.75	61.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	42.125	2004
08.01.2020 14:29:04	1	1	1	1	80.75	62	0	30000	400	12064.25135	30000	0	0	30000	42.1875	2004
08.01.2020 14:29:05	1	1	1	1	80.75	62	0	29952.607	395.6989247	11935.4225	30000	0	0	30000	42.0625	2004
08.01.2020 14:29:06	1	1	1	1	80.75	62	0	29905.213	402.1505376	12128.66578	30000	0	0	30000	41.9375	2004
08.01.2020 14:29:07	1	1	1	1	80.75	61.75	0	29952.607	425.8064516	12773.62542	30000	0	0	30000	42.1875	2004
08.01.2020 14:29:08	1	1	1	1	80.75	62	0	29952.607	440.8602151	13225.34178	30000	0	0	30000	40.9375	2004
08.01.2020 14:29:15	1	1	1	1	81	62	0	29952.607	460.2150538	13999.94564	30000	0	0	30000	41.75	2004
08.01.2020 14:29:15	1	1	1	1	81	62	0	29952.607	460.2150538	13999.94564	30000	0	0	30000	41.75	2004
08.01.2020 14:29:15	1	1	1	1	81	62	0	29952.607	460.2150538	13999.94564	30000	0	0	30000	41.75	2004
08.01.2020 14:29:15	1	1	1	1	81	62	0	29952.607	460.2150538	13999.94564	30000	0	0	30000	41.75	2004
08.01.2020 14:29:15	1	1	1	1	81	62	0	29952.607	460.2150538	13999.94564	30000	0	0	30000	41.75	2004
08.01.2020 14:29:15	1	1	1	1	81	62	0	29952.607	460.2150538	13999.94564	30000	0	0	30000	41.75	2004
08.01.2020 14:29:15	1	1	1	1	81	61.75	0	30000	466.6666667	13999.94564	30000	0	0	30000	42	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 14:29:16	1	1	1	1	81	62	0	30000	481.7204301	14451.662	30000	0	0	30000	42.0625	2004
08.01.2020 14:29:17	1	1	1	1	81	62	0	29952.607	481.7204301	14451.662	30000	0	0	30000	42.25	2004
08.01.2020 14:29:18	1	1	1	1	81	62.25	0	30000	486.0215054	14516.07643	30000	0	0	30000	40.875	2004
08.01.2020 14:29:19	1	1	1	1	81	60.75	0	30000	483.8709677	14516.07643	30000	0	0	30000	42.125	2004
08.01.2020 14:29:20	1	1	1	1	81.5	62	0	30000	486.0215054	14644.90528	30000	0	0	30000	41.4375	2004
08.01.2020 14:29:21	1	1	1	1	81.5	61.25	0	30000	490.3225806	14644.90528	30000	0	0	30000	42.25	2004
08.01.2020 14:29:22	1	1	1	1	81.5	62.25	0	30000	494.6236559	14773.73413	30000	0	0	30000	41.9375	2004
08.01.2020 14:29:23	1	1	1	1	81.5	61.75	0	30000	486.0215054	14644.90528	30000	0	0	30000	41.875	2004
08.01.2020 14:29:24	1	1	1	1	81.5	61.75	0	30000	496.7741935	14902.56299	30000	0	0	30000	42.1875	2004
08.01.2020 14:29:25	1	1	1	1	81.5	62	0	30000	492.4731183	14750.9037	30000	0	0	30000	42.1875	2004
08.01.2020 14:29:26	1	1	1	1	81.5	62	0	30047.393	488.172043	14644.90528	30000	0	0	30000	41.875	2004
08.01.2020 14:29:27	1	1	1	1	81.5	61.75	0	30000	483.8709677	14644.90528	30000	0	0	30000	42.125	2004
08.01.2020 14:29:28	1	1	1	1	81.5	62	0	29905.213	494.6236559	14838.14856	30000	0	0	30000	41.5	2004
08.01.2020 14:29:29	1	1	1	1	81.5	61.5	0	30047.393	492.4731183	14773.73413	30000	0	0	30000	42.125	2004
08.01.2020 14:29:30	1	1	1	1	81.75	62	0	30000	503.2258065	15032.20721	30000	0	0	30000	42.1875	2004
08.01.2020 14:29:31	1	1	1	1	81.75	62	0	30000	505.3763441	15161.03607	30000	0	0	30000	41.8125	2004
08.01.2020 14:29:33	1	1	1	1	81.75	61.75	0	30000	507.5268817	15225.45049	30000	0	0	30000	42.125	2004
08.01.2020 14:29:34	1	1	1	1	81.75	62	0	30000	507.5268817	15289.86492	30000	0	0	30000	42.1875	2004
08.01.2020 14:29:35	1	1	1	1	81.75	62	0	30000	511.827957	15354.27935	30000	0	0	30000	42.5625	2004
08.01.2020 14:29:38	1	1	1	1	81.75	62.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	41.5625	2004
08.01.2020 14:29:38	1	1	1	1	81.75	62.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	41.5625	2004
08.01.2020 14:29:38	1	1	1	1	81.75	62.5	0	29952.607	507.5268817	15354.27935	30000	0	0	30000	41.875	2004
08.01.2020 14:29:39	1	1	1	1	81.75	61.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	42.125	2004
08.01.2020 14:29:40	1	1	1	1	81.75	62	0	30000	511.827957	15483.92357	30000	0	0	30000	42.1875	2004
08.01.2020 14:29:41	1	1	1	1	81.75	62	0	30000	518.2795699	15483.92357	30000	0	0	30000	42.1875	2004
08.01.2020 14:29:42	1	1	1	1	81.75	62	0	30000	520.4301075	15677.16685	30000	0	0	30000	42.1875	2004
08.01.2020 14:29:43	1	1	1	1	81.75	62	0	30000	526.8817204	15805.99571	30000	0	0	30000	42.1875	2004
08.01.2020 14:29:44	1	1	1	1	81.75	62	0	30000	526.8817204	15805.99571	30000	0	0	30000	42.125	2004
08.01.2020 14:29:45	1	1	1	1	81.75	62	0	30000	533.3333333	16000.05436	30000	0	0	30000	41.375	2004
08.01.2020 14:29:46	1	1	1	1	81.75	61.25	0	30000	529.0322581	15934.82456	30000	0	0	30000	42.1875	2004
08.01.2020 14:29:47	1	1	1	1	81.75	62	0	29952.607	533.3333333	16000.05436	30000	0	0	30000	41.9375	2004
08.01.2020 14:29:48	1	1	1	1	81.75	61.75	0	29952.607	533.3333333	16128.88321	30000	0	0	30000	42.1875	2004
08.01.2020 14:29:49	1	1	1	1	81.75	62	0	29905.213	535.483871	15974.77781	30000	0	0	30000	42.3125	2004
08.01.2020 14:29:50	1	1	1	1	82.25	62.25	0	29952.607	533.3333333	15949.50126	30000	0	0	30000	41.625	2004
08.01.2020 14:29:51	1	1	1	1	82.25	61.5	0	29810.427	533.3333333	15962.54722	30000	0	0	30000	42	2004
08.01.2020 14:29:52	1	1	1	1	82.25	62	0	29810.427	533.3333333	15924.22472	30000	0	0	30000	42.1875	2004
08.01.2020 14:29:53	1	1	1	1	82.25	62	0	30000	533.3333333	16000.05436	30000	0	0	30000	42	2004
08.01.2020 14:29:54	1	1	1	1	82.25	62	0	30000	533.3333333	16064.46878	30000	0	0	30000	41.875	2004
08.01.2020 14:29:55	1	1	1	1	82.25	61.75	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	42.0625	2004
08.01.2020 14:29:56	1	1	1	1	82.25	62	0	29905.213	537.6344086	15795.39586	30000	0	0	30000	42.125	2004
08.01.2020 14:29:57	1	1	1	1	82.25	62	0	30000	533.3333333	15974.77781	30000	0	0	30000	41.75	2004
08.01.2020 14:29:58	1	1	1	1	82.25	61.75	0	30000	533.3333333	16000.05436	30000	0	0	30000	41.75	2004
08.01.2020 14:29:59	1	1	1	1	82.25	61.75	0	30000	529.0322581	15870.41013	30000	0	0	30000	42.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 14:30:00	1	1	1	1	82	62	0	30000	520.4301075	15855.73343	30000	0	0	30000	41.1875	2004
08.01.2020 14:30:01	1	1	1	1	82	61	0	30000	518.2795699	15483.92357	30000	0	0	30000	41.5625	2004
08.01.2020 14:30:02	1	1	1	1	82	61.5	0	30000	526.8817204	15805.99571	30000	0	0	30000	42.375	2004
08.01.2020 14:30:03	1	1	1	1	82	62.25	0	30047.393	526.8817204	15805.99571	30000	0	0	30000	41.8125	2004
08.01.2020 14:30:04	1	1	1	1	82	61.75	0	30000	522.5806452	15677.16685	30000	0	0	30000	41.8125	2004
08.01.2020 14:30:05	1	1	1	1	82	61.75	0	30000	529.0322581	15870.41013	30000	0	0	30000	41.5	2004
08.01.2020 14:30:06	1	1	1	1	82	61.5	0	30000	535.483871	16064.46878	30000	0	0	30000	42.1875	2004
08.01.2020 14:30:07	1	1	1	1	82	62	0	29857.82	535.483871	16077.51474	30000	0	0	30000	42.1875	2004
08.01.2020 14:30:08	1	1	1	1	82	62	0	29810.427	537.6344086	16090.5607	30000	0	0	30000	42	2004
08.01.2020 14:30:09	1	1	1	1	82	62	0	29715.64	535.483871	15911.99413	30000	0	0	30000	42.25	2004
08.01.2020 14:30:17	1	1	1	1	81.75	61.5	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	42.4375	2004
08.01.2020 14:30:17	1	1	1	1	81.75	61.5	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	42.4375	2004
08.01.2020 14:30:17	1	1	1	1	81.75	61.5	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	42.4375	2004
08.01.2020 14:30:17	1	1	1	1	81.75	61.5	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	42.4375	2004
08.01.2020 14:30:17	1	1	1	1	81.75	61.5	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	42.4375	2004
08.01.2020 14:30:17	1	1	1	1	81.75	61.5	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	42.4375	2004
08.01.2020 14:30:17	1	1	1	1	81.75	61.5	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	42.4375	2004
08.01.2020 14:30:18	1	1	1	1	81.75	62.25	0	29715.64	533.3333333	16090.5607	30000	0	0	30000	42.1875	2004
08.01.2020 14:30:19	1	1	1	1	81.75	61.75	0	29857.82	537.6344086	16052.2382	30000	0	0	30000	42.3125	2004
08.01.2020 14:30:20	1	1	1	1	82.5	62.25	0	29573.46	535.483871	15836.16449	30000	0	0	30000	42.1875	2004
08.01.2020 14:30:21	1	1	1	1	82.5	62	0	29810.427	537.6344086	16090.5607	30000	0	0	30000	42.0625	2004
08.01.2020 14:30:22	1	1	1	1	82.5	62	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	42.1875	2004
08.01.2020 14:30:23	1	1	1	1	82.5	62	0	29715.64	539.7849462	16167.20572	30000	0	0	30000	42.125	2004
08.01.2020 14:30:24	1	1	1	1	82.5	62	0	29668.246	537.6344086	15975.59318	30000	0	0	30000	41.9375	2004
08.01.2020 14:30:25	1	1	1	1	82.5	61.75	0	29810.427	544.0860215	16090.5607	30000	0	0	30000	42.25	2004
08.01.2020 14:30:26	1	1	1	1	82.5	62.25	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	42.3125	2004
08.01.2020 14:30:27	1	1	1	1	82.5	62.25	0	29620.853	537.6344086	15925.04009	30000	0	0	30000	42.1875	2004
08.01.2020 14:30:28	1	1	1	1	82.5	62	0	29668.246	541.9354839	16013.91569	30000	0	0	30000	42.125	2004
08.01.2020 14:30:29	1	1	1	1	82.5	62	0	29715.64	541.9354839	15975.59318	30000	0	0	30000	42.25	2004
08.01.2020 14:30:30	1	1	1	1	82.25	62.25	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	41.9375	2004
08.01.2020 14:30:31	1	1	1	1	82.25	61.75	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	42.0625	2004
08.01.2020 14:30:32	1	1	1	1	82.25	62	0	29620.853	544.0860215	16052.2382	30000	0	0	30000	42.125	2004
08.01.2020 14:30:33	1	1	1	1	82.25	62	0	29478.673	544.0860215	16038.37687	30000	0	0	30000	42.1875	2004
08.01.2020 14:30:34	1	1	1	1	82.25	62	0	29431.28	541.9354839	15885.90221	30000	0	0	30000	41.875	2004
08.01.2020 14:30:35	1	1	1	1	82.25	61.75	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	42.3125	2004
08.01.2020 14:30:36	1	1	1	1	82.25	62.25	0	29478.673	541.9354839	16000.86973	30000	0	0	30000	42	2004
08.01.2020 14:30:37	1	1	1	1	82.25	62	0	29526.066	539.7849462	15937.27068	30000	0	0	30000	42.375	2004
08.01.2020 14:30:38	1	1	1	1	82.25	62.25	0	29526.066	541.9354839	16038.37687	30000	0	0	30000	42.1875	2004
08.01.2020 14:30:39	1	1	1	1	82.25	62	0	29478.673	541.9354839	15949.50126	30000	0	0	30000	42.0625	2004
08.01.2020 14:30:40	1	1	1	1	83.25	62	0	29526.066	541.9354839	16026.96165	30000	0	0	30000	41.75	2004
08.01.2020 14:30:41	1	1	1	1	83.25	61.75	0	29620.853	537.6344086	15963.3626	30000	0	0	30000	42.3125	2004
08.01.2020 14:30:42	1	1	1	1	83.25	62.25	0	29715.64	541.9354839	16013.91569	30000	0	0	30000	42	2004
08.01.2020 14:30:43	1	1	1	1	83.25	62	0	29620.853	541.9354839	16115.83725	30000	0	0	30000	42.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 14:30:44	1	1	1	1	83.25	62.25	0	29526.066	539.7849462	16217.75881	30000	0	0	30000	42	2004
08.01.2020 14:30:45	1	1	1	1	83.25	62	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	42.1875	2004
08.01.2020 14:30:46	1	1	1	1	83.25	62	0	29620.853	539.7849462	16052.2382	30000	0	0	30000	42.25	2004
08.01.2020 14:30:47	1	1	1	1	83.25	62.25	0	29478.673	539.7849462	15885.90221	30000	0	0	30000	41.9375	2004
08.01.2020 14:30:48	1	1	1	1	83.25	61.75	0	29526.066	541.9354839	15873.67162	30000	0	0	30000	42.3125	2004
08.01.2020 14:30:49	1	1	1	1	83.25	62.25	0	29526.066	541.9354839	15937.27068	30000	0	0	30000	42.1875	2004
08.01.2020 14:30:50	1	1	1	1	83	62	0	29431.28	539.7849462	15885.90221	30000	0	0	30000	42.3125	2004
08.01.2020 14:30:51	1	1	1	1	83	62.25	0	29526.066	537.6344086	15963.3626	30000	0	0	30000	42.0625	2004
08.01.2020 14:30:53	1	1	1	1	83	62	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	42.3125	2004
08.01.2020 14:30:54	1	1	1	1	83	62.25	0	29620.853	541.9354839	15988.63914	30000	0	0	30000	42.1875	2004
08.01.2020 14:30:55	1	1	1	1	83	62	0	29620.853	541.9354839	15988.63914	30000	0	0	30000	42.0625	2004
08.01.2020 14:30:56	1	1	1	1	83	62	0	29478.673	539.7849462	15885.90221	30000	0	0	30000	42.5	2004
08.01.2020 14:30:57	1	1	1	1	83	62.5	0	29715.64	539.7849462	15975.59318	30000	0	0	30000	42.0625	2004
08.01.2020 14:30:58	1	1	1	1	83	62	0	29715.64	541.9354839	15861.44103	30000	0	0	30000	42.1875	2004
08.01.2020 14:30:59	1	1	1	1	83	62	0	30000	526.8817204	15805.99571	30000	0	0	30000	42.1875	2004
08.01.2020 14:31:00	1	1	1	1	82.75	62	0	30000	518.2795699	15548.338	30000	0	0	30000	41.875	2004
08.01.2020 14:31:01	1	1	1	1	82.75	61.75	0	30000	509.6774194	15289.86492	30000	0	0	30000	41.3125	2004
08.01.2020 14:31:02	1	1	1	1	82.75	61.25	0	30000	494.6236559	14838.14856	30000	0	0	30000	42.125	2004
08.01.2020 14:31:03	1	1	1	1	82.75	62	0	30000	445.1612903	13612.64371	30000	0	0	30000	42.1875	2004
08.01.2020 14:31:04	1	1	1	1	82.75	62	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.8125	2004
08.01.2020 14:31:05	1	1	1	1	82.75	61.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.1875	2004
08.01.2020 14:31:06	1	1	1	1	82.75	62	0	29905.213	380.6451613	11530.18237	30000	0	0	30000	42.3125	2004
08.01.2020 14:31:07	1	1	1	1	82.75	62.25	0	29952.607	382.7956989	11676.94942	30000	0	0	30000	42.1875	2004
08.01.2020 14:31:08	1	1	1	1	82.75	62	0	30000	391.3978495	11676.94942	30000	0	0	30000	42.125	2004
08.01.2020 14:31:09	1	1	1	1	82.75	62	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.1875	2004
08.01.2020 14:31:10	1	1	1	1	83.25	62	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.1875	2004
08.01.2020 14:31:11	1	1	1	1	83.25	62	0	30000	404.3010753	12064.25135	30000	0	0	30000	41.8125	2004
08.01.2020 14:31:18	1	1	1	1	83.25	61.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.1875	2004
08.01.2020 14:31:18	1	1	1	1	83.25	61.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.1875	2004
08.01.2020 14:31:18	1	1	1	1	83.25	61.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.1875	2004
08.01.2020 14:31:18	1	1	1	1	83.25	61.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.1875	2004
08.01.2020 14:31:18	1	1	1	1	83.25	61.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.1875	2004
08.01.2020 14:31:18	1	1	1	1	83.25	61.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.1875	2004
08.01.2020 14:31:18	1	1	1	1	83.25	61.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.1875	2004
08.01.2020 14:31:19	1	1	1	1	83.25	62	0	30000	436.5591398	12967.68407	30000	0	0	30000	42.0625	2004
08.01.2020 14:31:20	1	1	1	1	82.75	62	0	30000	440.8602151	13310.95589	30000	0	0	30000	42.0625	2004
08.01.2020 14:31:21	1	1	1	1	82.75	62	0	30000	443.0107527	13269.37189	30000	0	0	30000	42.375	2004
08.01.2020 14:31:22	1	1	1	1	82.75	62.25	0	29952.607	438.7096774	13160.92735	30000	0	0	30000	42.25	2004
08.01.2020 14:31:23	1	1	1	1	82.75	62.25	0	29905.213	427.9569892	12838.03984	30000	0	0	30000	42.25	2004
08.01.2020 14:31:24	1	1	1	1	82.75	62.25	0	30000	432.2580645	12967.68407	30000	0	0	30000	42.1875	2004
08.01.2020 14:31:25	1	1	1	1	82.75	62	0	30000	432.2580645	12838.03984	30000	0	0	30000	42.25	2004
08.01.2020 14:31:26	1	1	1	1	82.75	62.25	0	30000	432.2580645	12838.03984	30000	0	0	30000	42.1875	2004
08.01.2020 14:31:27	1	1	1	1	82.75	62	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 14:31:28	1	1	1	1	82.75	62	0	30000	425.8064516	12709.21099	30000	0	0	30000	42.1875	2004
08.01.2020 14:31:29	1	1	1	1	82.75	62	0	29952.607	415.0537634	12348.00098	30000	0	0	30000	41.875	2004
08.01.2020 14:31:30	1	1	1	1	82.75	61.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.25	2004
08.01.2020 14:31:31	1	1	1	1	82.75	62.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.1875	2004
08.01.2020 14:31:33	1	1	1	1	82.75	62	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.5625	2004
08.01.2020 14:31:34	1	1	1	1	82.75	61.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.1875	2004
08.01.2020 14:31:35	1	1	1	1	82.75	62	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.625	2004
08.01.2020 14:31:36	1	1	1	1	82.75	61.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	42.1875	2004
08.01.2020 14:31:37	1	1	1	1	82.75	62	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.4375	2004
08.01.2020 14:31:38	1	1	1	1	82.75	62.25	0	30000	412.9032258	12367.56992	30000	0	0	30000	41.9375	2004
08.01.2020 14:31:39	1	1	1	1	82.75	61.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.8125	2004
08.01.2020 14:31:40	1	1	1	1	82.25	62.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.0625	2004
08.01.2020 14:31:41	1	1	1	1	82.25	62	0	30047.393	412.9032258	12387.13886	30000	0	0	30000	42.1875	2004
08.01.2020 14:31:42	1	1	1	1	82.25	62	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.1875	2004
08.01.2020 14:31:43	1	1	1	1	82.25	62	0	30000	415.0537634	12580.38214	30000	0	0	30000	41.8125	2004
08.01.2020 14:31:44	1	1	1	1	82.25	61.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	41.8125	2004
08.01.2020 14:31:45	1	1	1	1	82.25	61.75	0	30000	423.655914	12560.8132	30000	0	0	30000	42.3125	2004
08.01.2020 14:31:46	1	1	1	1	82.25	62.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	41.9375	2004
08.01.2020 14:31:47	1	1	1	1	82.25	61.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	42.0625	2004
08.01.2020 14:31:48	1	1	1	1	82.25	62	0	30000	419.3548387	12580.38214	30000	0	0	30000	42.0625	2004
08.01.2020 14:31:49	1	1	1	1	82.25	62	0	30000	423.655914	12773.62542	30000	0	0	30000	42.25	2004
08.01.2020 14:31:50	1	1	1	1	82.5	62.25	0	30000	425.8064516	12838.03984	30000	0	0	30000	42.1875	2004
08.01.2020 14:31:51	1	1	1	1	82.5	62	0	30000	419.3548387	12709.21099	30000	0	0	30000	42.1875	2004
08.01.2020 14:31:52	1	1	1	1	82.5	62	0	30000	434.4086022	13096.51292	30000	0	0	30000	42.1875	2004
08.01.2020 14:31:53	1	1	1	1	82.5	62	0	30000	438.7096774	13096.51292	30000	0	0	30000	42.25	2004
08.01.2020 14:31:54	1	1	1	1	82.5	62.25	0	30094.787	451.6129032	13354.17063	30000	0	0	30000	42.1875	2004
08.01.2020 14:31:55	1	1	1	1	82.5	62	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.0625	2004
08.01.2020 14:31:56	1	1	1	1	82.5	62	0	30000	436.5591398	13096.51292	30000	0	0	30000	41.875	2004
08.01.2020 14:31:57	1	1	1	1	82.5	61.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.125	2004
08.01.2020 14:31:58	1	1	1	1	82.5	62	0	30000	438.7096774	13182.12704	30000	0	0	30000	42.125	2004
08.01.2020 14:31:59	1	1	1	1	82.5	62	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.9375	2004
08.01.2020 14:32:00	1	1	1	1	82.5	61.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	41.8125	2004
08.01.2020 14:32:01	1	1	1	1	82.5	61.75	0	30000	417.2043011	12451.55328	30000	0	0	30000	41.8125	2004
08.01.2020 14:32:02	1	1	1	1	82.5	61.75	0	30000	412.9032258	12451.55328	30000	0	0	30000	42	2004
08.01.2020 14:32:03	1	1	1	1	82.5	62	0	30000	412.9032258	12193.08021	30000	0	0	30000	41.8125	2004
08.01.2020 14:32:04	1	1	1	1	82.5	61.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.1875	2004
08.01.2020 14:32:05	1	1	1	1	82.5	62	0	30000	395.6989247	11871.00807	30000	0	0	30000	41.3125	2004
08.01.2020 14:32:06	1	1	1	1	82.5	61.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.75	2004
08.01.2020 14:32:07	1	1	1	1	82.5	61.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	41.875	2004
08.01.2020 14:32:08	1	1	1	1	82.5	61.75	0	30000	361.2903226	10675.672	30000	0	0	30000	42.0625	2004
08.01.2020 14:32:09	1	1	1	1	82.5	62	0	30000	367.7419355	11031.98978	30000	0	0	30000	41.8125	2004
08.01.2020 14:32:10	1	1	1	1	82	61.75	0	30000	369.8924731	11160.81863	30000	0	0	30000	42.1875	2004
08.01.2020 14:32:12	1	1	1	1	82	62	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 14:32:13	1	1	1	1	82	61.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.25	2004
08.01.2020 14:32:20	1	1	1	1	82	62.5	0	30000	417.2043011	12451.55328	30000	0	0	30000	42.0625	2004
08.01.2020 14:32:20	1	1	1	1	82	62.5	0	30000	417.2043011	12451.55328	30000	0	0	30000	42.0625	2004
08.01.2020 14:32:20	1	1	1	1	82	62.5	0	30000	417.2043011	12451.55328	30000	0	0	30000	42.0625	2004
08.01.2020 14:32:20	1	1	1	1	82	62.5	0	30000	417.2043011	12451.55328	30000	0	0	30000	42.0625	2004
08.01.2020 14:32:20	1	1	1	1	82	62.5	0	30000	417.2043011	12451.55328	30000	0	0	30000	42.0625	2004
08.01.2020 14:32:20	1	1	1	1	82	62.5	0	30000	417.2043011	12451.55328	30000	0	0	30000	42.0625	2004
08.01.2020 14:32:20	1	1	1	1	82.5	62	0	30000	415.0537634	12580.38214	30000	0	0	30000	41.8125	2004
08.01.2020 14:32:21	1	1	1	1	82.5	61.75	0	30000	417.2043011	12580.38214	30000	0	0	30000	42.125	2004
08.01.2020 14:32:22	1	1	1	1	82.5	62	0	30000	419.3548387	12580.38214	30000	0	0	30000	42.0625	2004
08.01.2020 14:32:23	1	1	1	1	82.5	62	0	30000	425.8064516	12773.62542	30000	0	0	30000	42.25	2004
08.01.2020 14:32:24	1	1	1	1	82.5	62.25	0	30000	438.7096774	13160.92735	30000	0	0	30000	42.125	2004
08.01.2020 14:32:25	1	1	1	1	82.5	62	0	29952.607	455.9139785	13805.88699	30000	0	0	30000	41.875	2004
08.01.2020 14:32:26	1	1	1	1	82.5	61.75	0	29952.607	481.7204301	14428.83157	30000	0	0	30000	42	2004
08.01.2020 14:32:27	1	1	1	1	82.5	62	0	30000	481.7204301	14451.662	30000	0	0	30000	41.875	2004
08.01.2020 14:32:28	1	1	1	1	82.5	61.75	0	29952.607	494.6236559	14879.73256	30000	0	0	30000	42.1875	2004
08.01.2020 14:32:29	1	1	1	1	82.5	62	0	30000	496.7741935	14856.08676	30000	0	0	30000	42.125	2004
08.01.2020 14:32:30	1	1	1	1	82.5	62	0	30000	509.6774194	15289.86492	30000	0	0	30000	41.875	2004
08.01.2020 14:32:31	1	1	1	1	82.5	61.75	0	30000	518.2795699	15483.92357	30000	0	0	30000	42.125	2004
08.01.2020 14:32:32	1	1	1	1	82.5	62	0	30000	518.2795699	15548.338	30000	0	0	30000	41.875	2004
08.01.2020 14:32:33	1	1	1	1	82.5	61.75	0	30000	518.2795699	15741.58128	30000	0	0	30000	42	2004
08.01.2020 14:32:34	1	1	1	1	82.5	62	0	30047.393	524.7311828	15548.338	30000	0	0	30000	41.8125	2004
08.01.2020 14:32:35	1	1	1	1	82.5	61.75	0	30000	522.5806452	15612.75243	30000	0	0	30000	41.75	2004
08.01.2020 14:32:36	1	1	1	1	82.5	61.75	0	30000	524.7311828	15741.58128	30000	0	0	30000	42.125	2004
08.01.2020 14:32:37	1	1	1	1	82.5	62	0	30000	524.7311828	15741.58128	30000	0	0	30000	42	2004
08.01.2020 14:32:38	1	1	1	1	82.5	62	0	30000	537.6344086	15934.82456	30000	0	0	30000	42.1875	2004
08.01.2020 14:32:39	1	1	1	1	82.5	62	0	30000	529.0322581	15870.41013	30000	0	0	30000	41.8125	2004
08.01.2020 14:32:40	1	1	1	1	83	61.75	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	41.75	2004
08.01.2020 14:32:41	1	1	1	1	83	61.75	0	30000	533.3333333	16064.46878	30000	0	0	30000	41.9375	2004
08.01.2020 14:32:42	1	1	1	1	83	61.75	0	29905.213	533.3333333	16168.02109	30000	0	0	30000	42.1875	2004
08.01.2020 14:32:43	1	1	1	1	83	62	0	29715.64	533.3333333	15911.99413	30000	0	0	30000	42.1875	2004
08.01.2020 14:32:44	1	1	1	1	83	62	0	29810.427	537.6344086	16026.96165	30000	0	0	30000	41.5625	2004
08.01.2020 14:32:45	1	1	1	1	83	61.5	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	41.3125	2004
08.01.2020 14:32:46	1	1	1	1	83	61.25	0	29526.066	539.7849462	15963.3626	30000	0	0	30000	42.1875	2004
08.01.2020 14:32:47	1	1	1	1	83	62	0	29620.853	533.3333333	16013.91569	30000	0	0	30000	41.8125	2004
08.01.2020 14:32:48	1	1	1	1	83	61.75	0	29668.246	537.6344086	16013.91569	30000	0	0	30000	42	2004
08.01.2020 14:32:49	1	1	1	1	83	62	0	29620.853	541.9354839	16103.60666	30000	0	0	30000	41.9375	2004
08.01.2020 14:32:51	1	1	1	1	82.75	61.75	0	29478.673	537.6344086	15975.59318	30000	0	0	30000	42.25	2004
08.01.2020 14:32:52	1	1	1	1	82.75	62.25	0	29431.28	541.9354839	15911.99413	30000	0	0	30000	42.1875	2004
08.01.2020 14:32:53	1	1	1	1	82.75	62	0	29620.853	541.9354839	16026.96165	30000	0	0	30000	41.875	2004
08.01.2020 14:32:54	1	1	1	1	82.75	61.75	0	29715.64	539.7849462	16295.2192	30000	0	0	30000	41.4375	2004
08.01.2020 14:32:55	1	1	1	1	82.75	61.25	0	29526.066	541.9354839	15963.3626	30000	0	0	30000	42.5625	2004
08.01.2020 14:32:56	1	1	1	1	82.75	62.5	0	29763.033	537.6344086	16090.5607	30000	0	0	30000	42.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 14:32:57	1	1	1	1	82.75	62	0	29857.82	533.3333333	15987.82377	30000	0	0	30000	41.875	2004
08.01.2020 14:32:58	1	1	1	1	82.75	61.75	0	29952.607	496.7741935	15225.45049	30000	0	0	30000	42.3125	2004
08.01.2020 14:32:59	1	1	1	1	82.75	61.5	0	30047.393	481.7204301	14451.662	30000	0	0	30000	42	2004
08.01.2020 14:33:00	1	1	1	1	83.25	62	0	30000	451.6129032	13612.64371	30000	0	0	30000	41.875	2004
08.01.2020 14:33:01	1	1	1	1	83.25	61.75	0	29952.607	460.2150538	13870.30142	30000	0	0	30000	42.1875	2004
08.01.2020 14:33:02	1	1	1	1	83.25	62	0	30000	464.516129	13935.53122	30000	0	0	30000	42.125	2004
08.01.2020 14:33:03	1	1	1	1	83.25	62	0	30000	481.7204301	14451.662	30000	0	0	30000	42	2004
08.01.2020 14:33:04	1	1	1	1	83.25	62	0	30000	486.0215054	14644.90528	30000	0	0	30000	41.9375	2004
08.01.2020 14:33:05	1	1	1	1	83.25	61.75	0	30000	494.6236559	14773.73413	30000	0	0	30000	42.125	2004
08.01.2020 14:33:06	1	1	1	1	83.25	62	0	29952.607	486.0215054	14644.90528	30000	0	0	30000	42.1875	2004
08.01.2020 14:33:07	1	1	1	1	83.25	62	0	29952.607	481.7204301	14451.662	30000	0	0	30000	41.875	2004
08.01.2020 14:33:08	1	1	1	1	83.25	61.75	0	30000	481.7204301	14451.662	30000	0	0	30000	42.125	2004
08.01.2020 14:33:09	1	1	1	1	83.25	62	0	30000	460.2150538	13805.88699	30000	0	0	30000	41.3125	2004
08.01.2020 14:33:10	1	1	1	1	83.25	61.25	0	30000	464.516129	13870.30142	30000	0	0	30000	41.0625	2004
08.01.2020 14:33:11	1	1	1	1	83.25	61	0	30000	458.0645161	13741.47256	30000	0	0	30000	42.1875	2004
08.01.2020 14:33:12	1	1	1	1	83.25	62	0	30000	460.2150538	13805.88699	30000	0	0	30000	42.1875	2004
08.01.2020 14:33:13	1	1	1	1	83.25	62	0	30000	458.0645161	13591.44402	30000	0	0	30000	42.125	2004
08.01.2020 14:33:14	1	1	1	1	83.25	62	0	30000	451.6129032	13612.64371	30000	0	0	30000	42	2004
08.01.2020 14:33:21	1	1	1	1	83.5	62	0	30000	455.9139785	13612.64371	30000	0	0	30000	42.25	2004
08.01.2020 14:33:21	1	1	1	1	83.5	62	0	30000	455.9139785	13612.64371	30000	0	0	30000	42.25	2004
08.01.2020 14:33:21	1	1	1	1	83.5	62	0	30000	455.9139785	13612.64371	30000	0	0	30000	42.25	2004
08.01.2020 14:33:21	1	1	1	1	83.5	62	0	30000	455.9139785	13612.64371	30000	0	0	30000	42.25	2004
08.01.2020 14:33:21	1	1	1	1	83.5	62	0	30000	455.9139785	13612.64371	30000	0	0	30000	42.25	2004
08.01.2020 14:33:21	1	1	1	1	83.5	62	0	30000	455.9139785	13612.64371	30000	0	0	30000	42.25	2004
08.01.2020 14:33:21	1	1	1	1	83.5	62	0	30000	455.9139785	13612.64371	30000	0	0	30000	42.25	2004
08.01.2020 14:33:22	1	1	1	1	83.5	62.25	0	30000	453.7634409	13354.17063	30000	0	0	30000	42.1875	2004
08.01.2020 14:33:23	1	1	1	1	83.5	62	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.125	2004
08.01.2020 14:33:24	1	1	1	1	83.5	62	0	30000	438.7096774	13160.92735	30000	0	0	30000	42.1875	2004
08.01.2020 14:33:25	1	1	1	1	83.5	62	0	30000	427.9569892	12669.25774	30000	0	0	30000	42.1875	2004
08.01.2020 14:33:26	1	1	1	1	83.5	62	0	30000	419.3548387	12580.38214	30000	0	0	30000	42.1875	2004
08.01.2020 14:33:27	1	1	1	1	83.5	62	0	30000	419.3548387	12580.38214	30000	0	0	30000	41.8125	2004
08.01.2020 14:33:28	1	1	1	1	83.5	61.75	0	30000	412.9032258	12348.00098	30000	0	0	30000	42.125	2004
08.01.2020 14:33:30	1	1	1	1	83.5	62	0	30000	404.3010753	12387.13886	30000	0	0	30000	42.1875	2004
08.01.2020 14:33:31	1	1	1	1	83.5	62	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.25	2004
08.01.2020 14:33:32	1	1	1	1	83.5	62.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.1875	2004
08.01.2020 14:33:33	1	1	1	1	83.5	62	0	30000	400	11999.83693	30000	0	0	30000	42.25	2004
08.01.2020 14:33:34	1	1	1	1	83.5	62.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	42.625	2004
08.01.2020 14:33:35	1	1	1	1	83.5	62.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.4375	2004
08.01.2020 14:33:36	1	1	1	1	83.5	62.25	0	30000	432.2580645	12798.08659	30000	0	0	30000	42.625	2004
08.01.2020 14:33:37	1	1	1	1	83.5	62	0	29952.607	427.9569892	13096.51292	30000	0	0	30000	41.9375	2004
08.01.2020 14:33:38	1	1	1	1	83.5	61.75	0	30000	438.7096774	13225.34178	30000	0	0	30000	42.25	2004
08.01.2020 14:33:39	1	1	1	1	83.5	62.25	0	30000	438.7096774	13160.92735	30000	0	0	30000	42.125	2004
08.01.2020 14:33:40	1	1	1	1	83.25	62	0	29952.607	443.0107527	13354.17063	30000	0	0	30000	41.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 14:33:41	1	1	1	1	83.25	61.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	41	2004
08.01.2020 14:33:42	1	1	1	1	83.25	61	0	30000	458.0645161	13741.47256	30000	0	0	30000	42.1875	2004
08.01.2020 14:33:43	1	1	1	1	83.25	62	0	30000	468.8172043	14064.36007	30000	0	0	30000	41.1875	2004
08.01.2020 14:33:44	1	1	1	1	83.25	61	0	30047.393	481.7204301	14128.7745	30000	0	0	30000	41.5625	2004
08.01.2020 14:33:45	1	1	1	1	83.25	61.5	0	30000	466.6666667	13999.94564	30000	0	0	30000	41.6875	2004
08.01.2020 14:33:46	1	1	1	1	83.25	61.5	0	30000	466.6666667	13977.93058	30000	0	0	30000	42.25	2004
08.01.2020 14:33:47	1	1	1	1	83.25	62.25	0	30000	464.516129	14064.36007	30000	0	0	30000	42.1875	2004
08.01.2020 14:33:48	1	1	1	1	83.25	62	0	30000	464.516129	13935.53122	30000	0	0	30000	42.125	2004
08.01.2020 14:33:49	1	1	1	1	83.25	62	0	30000	466.6666667	13999.94564	30000	0	0	30000	42.0625	2004
08.01.2020 14:33:50	1	1	1	1	83	62	0	30000	468.8172043	13999.94564	30000	0	0	30000	42.25	2004
08.01.2020 14:33:51	1	1	1	1	83	62.25	0	30000	481.7204301	14128.7745	30000	0	0	30000	42.1875	2004
08.01.2020 14:33:52	1	1	1	1	83	62	0	30000	468.8172043	13999.94564	30000	0	0	30000	41.8125	2004
08.01.2020 14:33:53	1	1	1	1	83	61.75	0	29952.607	464.516129	13935.53122	30000	0	0	30000	42	2004
08.01.2020 14:33:54	1	1	1	1	83	62	0	30047.393	466.6666667	13935.53122	30000	0	0	30000	41.5	2004
08.01.2020 14:33:55	1	1	1	1	83	61.5	0	30000	466.6666667	14021.9607	30000	0	0	30000	42.1875	2004
08.01.2020 14:33:56	1	1	1	1	83	62	0	30000	468.8172043	13999.94564	30000	0	0	30000	42.1875	2004
08.01.2020 14:33:57	1	1	1	1	83	62	0	29952.607	445.1612903	13612.64371	30000	0	0	30000	42.1875	2004
08.01.2020 14:33:58	1	1	1	1	83	62	0	29952.607	440.8602151	13354.17063	30000	0	0	30000	42.1875	2004
08.01.2020 14:33:59	1	1	1	1	83	62	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.0625	2004
08.01.2020 14:34:00	1	1	1	1	83.25	62	0	30000	440.8602151	13354.17063	30000	0	0	30000	42.1875	2004
08.01.2020 14:34:01	1	1	1	1	83.25	62	0	30094.787	438.7096774	12838.03984	30000	0	0	30000	42.1875	2004
08.01.2020 14:34:02	1	1	1	1	83.25	62	0	30047.393	423.655914	12451.55328	30000	0	0	30000	42.1875	2004
08.01.2020 14:34:03	1	1	1	1	83.25	62	0	30000	412.9032258	12367.56992	30000	0	0	30000	42.125	2004
08.01.2020 14:34:04	1	1	1	1	83.25	62	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.8125	2004
08.01.2020 14:34:05	1	1	1	1	83.25	61.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.1875	2004
08.01.2020 14:34:06	1	1	1	1	83.25	62	0	30000	419.3548387	12580.38214	30000	0	0	30000	42.125	2004
08.01.2020 14:34:08	1	1	1	1	83.25	62	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.125	2004
08.01.2020 14:34:09	1	1	1	1	83.25	62	0	30000	404.3010753	12128.66578	30000	0	0	30000	42.25	2004
08.01.2020 14:34:10	1	1	1	1	83.25	62.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	41.9375	2004
08.01.2020 14:34:11	1	1	1	1	83.25	61.75	0	29905.213	400	11935.4225	30000	0	0	30000	42.1875	2004
08.01.2020 14:34:12	1	1	1	1	83.25	62	0	30000	397.8494624	11935.4225	30000	0	0	30000	42.1875	2004
08.01.2020 14:34:13	1	1	1	1	83.25	62	0	30000	397.8494624	11852.2545	30000	0	0	30000	42.625	2004
08.01.2020 14:34:14	1	1	1	1	83.25	62.5	0	29952.607	397.8494624	12128.66578	30000	0	0	30000	42.5	2004
08.01.2020 14:34:15	1	1	1	1	83.25	62.5	0	30000	404.3010753	11897.09999	30000	0	0	30000	42.25	2004
08.01.2020 14:34:16	1	1	1	1	83.25	62.25	0	30047.393	412.9032258	12387.13886	30000	0	0	30000	41.75	2004
08.01.2020 14:34:23	1	1	1	1	83.5	62.25	0	29952.607	400	12128.66578	30000	0	0	30000	42.1875	2004
08.01.2020 14:34:23	1	1	1	1	83.5	62	0	30000	402.1505376	12064.25135	30000	0	0	30000	41.625	2004
08.01.2020 14:34:23	1	1	1	1	83.5	62	0	30000	402.1505376	12064.25135	30000	0	0	30000	41.625	2004
08.01.2020 14:34:23	1	1	1	1	83.5	62	0	30000	402.1505376	12064.25135	30000	0	0	30000	41.625	2004
08.01.2020 14:34:23	1	1	1	1	83.5	62	0	30000	402.1505376	12064.25135	30000	0	0	30000	41.625	2004
08.01.2020 14:34:23	1	1	1	1	83.5	62	0	30000	402.1505376	12064.25135	30000	0	0	30000	41.625	2004
08.01.2020 14:34:23	1	1	1	1	83.5	62	0	30000	402.1505376	12064.25135	30000	0	0	30000	41.625	2004
08.01.2020 14:34:24	1	1	1	1	83.5	61.5	0	30000	397.8494624	11935.4225	30000	0	0	30000	41.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 14:34:25	1	1	1	1	83.5	61.75	0	29952.607	389.2473118	11871.00807	30000	0	0	30000	41.6875	2004
08.01.2020 14:34:26	1	1	1	1	83.5	61.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.0625	2004
08.01.2020 14:34:27	1	1	1	1	83.5	62	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.3125	2004
08.01.2020 14:34:28	1	1	1	1	83.5	62.25	0	30000	387.0967742	11612.53499	30000	0	0	30000	42	2004
08.01.2020 14:34:29	1	1	1	1	83.5	62	0	30000	387.0967742	11511.4288	30000	0	0	30000	42.1875	2004
08.01.2020 14:34:30	1	1	1	1	82.5	62	0	30000	384.9462366	11419.29171	30000	0	0	30000	42.1875	2004
08.01.2020 14:34:31	1	1	1	1	82.5	62	0	29952.607	384.9462366	11548.12057	30000	0	0	30000	42.125	2004
08.01.2020 14:34:32	1	1	1	1	82.5	62	0	30000	380.6451613	11419.29171	30000	0	0	30000	42.0625	2004
08.01.2020 14:34:33	1	1	1	1	82.5	62	0	30000	380.6451613	11419.29171	30000	0	0	30000	41.9375	2004
08.01.2020 14:34:34	1	1	1	1	82.5	61.75	0	30000	378.4946237	11419.29171	30000	0	0	30000	41.9375	2004
08.01.2020 14:34:35	1	1	1	1	82.5	61.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.125	2004
08.01.2020 14:34:36	1	1	1	1	82.5	62	0	30000	380.6451613	11419.29171	30000	0	0	30000	42.0625	2004
08.01.2020 14:34:37	1	1	1	1	82.5	62	0	30000	378.4946237	11419.29171	30000	0	0	30000	42.0625	2004
08.01.2020 14:34:38	1	1	1	1	82.5	62	0	30000	380.6451613	11419.29171	30000	0	0	30000	42.1875	2004
08.01.2020 14:34:39	1	1	1	1	82.5	62	0	30000	380.6451613	11548.12057	30000	0	0	30000	42.125	2004
08.01.2020 14:34:40	1	1	1	1	81.5	62	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.0625	2004
08.01.2020 14:34:41	1	1	1	1	81.5	62	0	30000	380.6451613	11419.29171	30000	0	0	30000	41.6875	2004
08.01.2020 14:34:43	1	1	1	1	81.5	61.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.1875	2004
08.01.2020 14:34:44	1	1	1	1	81.5	62	0	29905.213	384.9462366	11401.35352	30000	0	0	30000	41	2004
08.01.2020 14:34:45	1	1	1	1	81.5	61	0	30000	384.9462366	11548.12057	30000	0	0	30000	41.8125	2004
08.01.2020 14:34:46	1	1	1	1	81.5	61.75	0	30000	402.1505376	11999.83693	30000	0	0	30000	41.4375	2004
08.01.2020 14:34:47	1	1	1	1	81.5	61.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	41.875	2004
08.01.2020 14:34:48	1	1	1	1	81.5	61.75	0	29952.607	402.1505376	12064.25135	30000	0	0	30000	42.1875	2004
08.01.2020 14:34:49	1	1	1	1	81.5	62	0	29952.607	397.8494624	11935.4225	30000	0	0	30000	42.1875	2004
08.01.2020 14:34:50	1	1	1	1	81.5	62	0	30000	400	11916.66893	30000	0	0	30000	42.1875	2004
08.01.2020 14:34:51	1	1	1	1	81	62	0	30000	404.3010753	12128.66578	30000	0	0	30000	42.5	2004
08.01.2020 14:34:52	1	1	1	1	81	62	0	30000	404.3010753	12128.66578	30000	0	0	30000	42.125	2004
08.01.2020 14:34:53	1	1	1	1	81	62	0	30000	404.3010753	12128.66578	30000	0	0	30000	42	2004
08.01.2020 14:34:54	1	1	1	1	81	62	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.125	2004
08.01.2020 14:34:55	1	1	1	1	81	62	0	30000	412.9032258	12387.13886	30000	0	0	30000	42	2004
08.01.2020 14:34:56	1	1	1	1	81	62	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.8125	2004
08.01.2020 14:34:57	1	1	1	1	81	61.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.25	2004
08.01.2020 14:34:58	1	1	1	1	81	62.25	0	30000	402.1505376	12064.25135	30000	0	0	30000	42.125	2004
08.01.2020 14:34:59	1	1	1	1	81	62	0	30000	404.3010753	12128.66578	30000	0	0	30000	42.0625	2004
08.01.2020 14:35:00	1	1	1	1	80.5	62	0	30000	400	12128.66578	30000	0	0	30000	42.0625	2004
08.01.2020 14:35:01	1	1	1	1	80.5	62	0	30000	402.1505376	12128.66578	30000	0	0	30000	41.5625	2004
08.01.2020 14:35:02	1	1	1	1	80.5	61.5	0	30000	397.8494624	11935.4225	30000	0	0	30000	42.125	2004
08.01.2020 14:35:03	1	1	1	1	80.5	62	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.0625	2004
08.01.2020 14:35:04	1	1	1	1	80.5	62	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.1875	2004
08.01.2020 14:35:05	1	1	1	1	80.5	62	0	30000	400	11999.83693	30000	0	0	30000	41.8125	2004
08.01.2020 14:35:06	1	1	1	1	80.5	61.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	41.6875	2004
08.01.2020 14:35:07	1	1	1	1	80.5	61.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.75	2004
08.01.2020 14:35:08	1	1	1	1	80.5	61.75	0	29905.213	415.0537634	12451.55328	30000	0	0	30000	42	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 14:35:09	1	1	1	1	80.5	62	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.25	2004
08.01.2020 14:35:10	1	1	1	1	80.25	62.25	0	30000	438.7096774	13354.17063	30000	0	0	30000	42.25	2004
08.01.2020 14:35:11	1	1	1	1	80.25	62.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	42	2004
08.01.2020 14:35:12	1	1	1	1	80.25	62	0	30000	464.516129	13935.53122	30000	0	0	30000	42.1875	2004
08.01.2020 14:35:13	1	1	1	1	80.25	62	0	29952.607	468.8172043	14128.7745	30000	0	0	30000	42.1875	2004
08.01.2020 14:35:14	1	1	1	1	80.25	62	0	30000	466.6666667	14451.662	30000	0	0	30000	41.9375	2004
08.01.2020 14:35:15	1	1	1	1	80.25	61.75	0	29905.213	481.7204301	14451.662	30000	0	0	30000	42.125	2004
08.01.2020 14:35:16	1	1	1	1	80.25	62	0	30000	464.516129	13762.67225	30000	0	0	30000	42.125	2004
08.01.2020 14:35:17	1	1	1	1	80.25	62	0	29952.607	451.6129032	13612.64371	30000	0	0	30000	40.5	2004
08.01.2020 14:35:25	1	1	1	1	79.75	62	0	30000	481.7204301	14516.07643	30000	0	0	30000	42.125	2004
08.01.2020 14:35:25	1	1	1	1	79.75	62	0	30000	481.7204301	14516.07643	30000	0	0	30000	42.125	2004
08.01.2020 14:35:25	1	1	1	1	79.75	62	0	30000	481.7204301	14516.07643	30000	0	0	30000	42.125	2004
08.01.2020 14:35:25	1	1	1	1	79.75	62	0	30000	481.7204301	14516.07643	30000	0	0	30000	42.125	2004
08.01.2020 14:35:25	1	1	1	1	79.75	62	0	30000	481.7204301	14516.07643	30000	0	0	30000	42.125	2004
08.01.2020 14:35:25	1	1	1	1	79.75	62	0	30000	481.7204301	14516.07643	30000	0	0	30000	42.125	2004
08.01.2020 14:35:25	1	1	1	1	79.75	62	0	30000	481.7204301	14516.07643	30000	0	0	30000	42.125	2004
08.01.2020 14:35:26	1	1	1	1	79.75	62	0	30000	481.7204301	14451.662	30000	0	0	30000	42.5	2004
08.01.2020 14:35:27	1	1	1	1	79.75	62.5	0	30000	483.8709677	14580.49085	30000	0	0	30000	42.25	2004
08.01.2020 14:35:28	1	1	1	1	79.75	62.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	42.3125	2004
08.01.2020 14:35:29	1	1	1	1	79.75	62.25	0	29905.213	481.7204301	14516.07643	30000	0	0	30000	41.9375	2004
08.01.2020 14:35:30	1	1	1	1	79.75	61.75	0	30000	483.8709677	14516.07643	30000	0	0	30000	41.5	2004
08.01.2020 14:35:31	1	1	1	1	79.75	61.5	0	30000	490.3225806	14644.90528	30000	0	0	30000	41.5	2004
08.01.2020 14:35:32	1	1	1	1	79.75	61.5	0	30000	490.3225806	14644.90528	30000	0	0	30000	41.5625	2004
08.01.2020 14:35:33	1	1	1	1	79.75	61.5	0	29952.607	492.4731183	14838.14856	30000	0	0	30000	42.125	2004
08.01.2020 14:35:34	1	1	1	1	79.75	62	0	30000	492.4731183	14773.73413	30000	0	0	30000	42	2004
08.01.2020 14:35:35	1	1	1	1	79.75	62	0	30000	488.172043	14644.90528	30000	0	0	30000	41.75	2004
08.01.2020 14:35:36	1	1	1	1	79.75	61.75	0	30000	492.4731183	14773.73413	30000	0	0	30000	41.375	2004
08.01.2020 14:35:37	1	1	1	1	79.75	61.25	0	30000	481.7204301	14516.07643	30000	0	0	30000	42.1875	2004
08.01.2020 14:35:38	1	1	1	1	79.75	62	0	30000	488.172043	14644.90528	30000	0	0	30000	42.1875	2004
08.01.2020 14:35:39	1	1	1	1	79.75	62	0	30000	481.7204301	14451.662	30000	0	0	30000	42.0625	2004
08.01.2020 14:35:40	1	1	1	1	80	62	0	30000	483.8709677	14516.07643	30000	0	0	30000	42	2004
08.01.2020 14:35:41	1	1	1	1	80	62	0	30000	483.8709677	14516.07643	30000	0	0	30000	42	2004
08.01.2020 14:35:42	1	1	1	1	80	62	0	30000	481.7204301	14451.662	30000	0	0	30000	42.0625	2004
08.01.2020 14:35:43	1	1	1	1	80	62	0	30000	481.7204301	14516.07643	30000	0	0	30000	41.5	2004
08.01.2020 14:35:44	1	1	1	1	80	61.5	0	30000	481.7204301	14451.662	30000	0	0	30000	41.375	2004
08.01.2020 14:35:45	1	1	1	1	80	61.25	0	30000	466.6666667	13999.94564	30000	0	0	30000	42	2004
08.01.2020 14:35:46	1	1	1	1	80	62	0	30000	481.7204301	14428.83157	30000	0	0	30000	41.8125	2004
08.01.2020 14:35:47	1	1	1	1	80	61.75	0	30000	481.7204301	14451.662	30000	0	0	30000	42.25	2004
08.01.2020 14:35:48	1	1	1	1	80	62.25	0	29952.607	466.6666667	13955.10015	30000	0	0	30000	42.25	2004
08.01.2020 14:35:49	1	1	1	1	80	62.25	0	30000	481.7204301	14451.662	30000	0	0	30000	41.6875	2004
08.01.2020 14:35:50	1	1	1	1	80	61.5	0	30000	481.7204301	14128.7745	30000	0	0	30000	41.8125	2004
08.01.2020 14:35:51	1	1	1	1	80	61.75	0	30000	481.7204301	14451.662	30000	0	0	30000	42.25	2004
08.01.2020 14:35:52	1	1	1	1	80	62.25	0	30000	481.7204301	14451.662	30000	0	0	30000	42.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 14:35:53	1	1	1	1	80	62	0	30000	481.7204301	14451.662	30000	0	0	30000	42.125	2004
08.01.2020 14:35:54	1	1	1	1	80	62	0	30000	481.7204301	14451.662	30000	0	0	30000	42.0625	2004
08.01.2020 14:35:55	1	1	1	1	80	62	0	30000	481.7204301	14451.662	30000	0	0	30000	41.6875	2004
08.01.2020 14:35:56	1	1	1	1	80	61.5	0	30000	451.6129032	13462.61517	30000	0	0	30000	41.625	2004
08.01.2020 14:35:57	1	1	1	1	80	61.5	0	29952.607	438.7096774	13096.51292	30000	0	0	30000	41.6875	2004
08.01.2020 14:35:58	1	1	1	1	80	61.5	0	29952.607	425.8064516	12838.03984	30000	0	0	30000	42	2004
08.01.2020 14:35:59	1	1	1	1	80	62	0	29952.607	423.655914	12838.03984	30000	0	0	30000	41.875	2004
08.01.2020 14:36:00	1	1	1	1	80	61.75	0	30000	427.9569892	13160.92735	30000	0	0	30000	42.1875	2004
08.01.2020 14:36:02	1	1	1	1	80	62	0	30000	423.655914	12709.21099	30000	0	0	30000	41.875	2004
08.01.2020 14:36:03	1	1	1	1	80	61.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	42.1875	2004
08.01.2020 14:36:04	1	1	1	1	80	62	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.1875	2004
08.01.2020 14:36:05	1	1	1	1	80	62	0	30047.393	395.6989247	11871.00807	30000	0	0	30000	42.1875	2004
08.01.2020 14:36:06	1	1	1	1	80	62	0	30000	391.3978495	11741.36385	30000	0	0	30000	42.25	2004
08.01.2020 14:36:07	1	1	1	1	80	62.25	0	29952.607	395.6989247	11871.00807	30000	0	0	30000	41.4375	2004
08.01.2020 14:36:08	1	1	1	1	80	61.25	0	29952.607	395.6989247	11935.4225	30000	0	0	30000	42.3125	2004
08.01.2020 14:36:09	1	1	1	1	80	62.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	41.875	2004
08.01.2020 14:36:10	1	1	1	1	80	61.75	0	30000	412.9032258	12406.7078	30000	0	0	30000	42.3125	2004
08.01.2020 14:36:11	1	1	1	1	80	62.25	0	30000	417.2043011	12431.98434	30000	0	0	30000	41.8125	2004
08.01.2020 14:36:12	1	1	1	1	80	62	0	29952.607	415.0537634	12580.38214	30000	0	0	30000	41.375	2004
08.01.2020 14:36:13	1	1	1	1	80	61.25	0	30000	425.8064516	12773.62542	30000	0	0	30000	42.1875	2004
08.01.2020 14:36:14	1	1	1	1	80	62	0	30000	419.3548387	12709.21099	30000	0	0	30000	41.4375	2004
08.01.2020 14:36:15	1	1	1	1	80	61.25	0	29952.607	423.655914	12818.4709	30000	0	0	30000	42.1875	2004
08.01.2020 14:36:16	1	1	1	1	80	62	0	29905.213	425.8064516	12669.25774	30000	0	0	30000	42.25	2004
08.01.2020 14:36:17	1	1	1	1	80	62.25	0	29952.607	427.9569892	12838.03984	30000	0	0	30000	41.9375	2004
08.01.2020 14:36:18	1	1	1	1	80	61.75	0	30000	443.0107527	12990.5145	30000	0	0	30000	42.0625	2004
08.01.2020 14:36:19	1	1	1	1	80	62	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.125	2004
08.01.2020 14:36:26	1	1	1	1	79.75	61.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.1875	2004
08.01.2020 14:36:26	1	1	1	1	79.75	61.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.1875	2004
08.01.2020 14:36:26	1	1	1	1	79.75	61.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.1875	2004
08.01.2020 14:36:26	1	1	1	1	79.75	61.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.1875	2004
08.01.2020 14:36:26	1	1	1	1	79.75	61.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.1875	2004
08.01.2020 14:36:26	1	1	1	1	79.75	61.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.1875	2004
08.01.2020 14:36:26	1	1	1	1	79.75	61.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.1875	2004
08.01.2020 14:36:26	1	1	1	1	79.75	61.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.1875	2004
08.01.2020 14:36:27	1	1	1	1	79.75	62	0	29952.607	445.1612903	13269.37189	30000	0	0	30000	42.0625	2004
08.01.2020 14:36:28	1	1	1	1	79.75	62	0	29952.607	443.0107527	13289.7562	30000	0	0	30000	41.5625	2004
08.01.2020 14:36:29	1	1	1	1	79.75	61.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.125	2004
08.01.2020 14:36:30	1	1	1	1	80	62	0	30000	443.0107527	13354.17063	30000	0	0	30000	41.75	2004
08.01.2020 14:36:31	1	1	1	1	80	61.75	0	29952.607	445.1612903	13354.17063	30000	0	0	30000	42.125	2004
08.01.2020 14:36:32	1	1	1	1	80	62	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.0625	2004
08.01.2020 14:36:33	1	1	1	1	80	61	0	30000	449.4623656	13354.17063	30000	0	0	30000	42	2004
08.01.2020 14:36:34	1	1	1	1	80	62	0	30000	460.2150538	13741.47256	30000	0	0	30000	42.25	2004
08.01.2020 14:36:35	1	1	1	1	80	62.25	0	30000	458.0645161	13741.47256	30000	0	0	30000	42.1875	2004
08.01.2020 14:36:36	1	1	1	1	80	62	0	30000	464.516129	13612.64371	30000	0	0	30000	40.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 14:36:37	1	1	1	1	80	60.75	0	30000	455.9139785	13612.64371	30000	0	0	30000	41.5625	2004
08.01.2020 14:36:38	1	1	1	1	80	61.5	0	29952.607	455.9139785	13677.05814	30000	0	0	30000	42.1875	2004
08.01.2020 14:36:39	1	1	1	1	80	62	0	30000	468.8172043	14064.36007	30000	0	0	30000	42.1875	2004
08.01.2020 14:36:41	1	1	1	1	80.25	62	0	30000	466.6666667	13999.94564	30000	0	0	30000	41.8125	2004
08.01.2020 14:36:42	1	1	1	1	80.25	61.75	0	30000	481.7204301	14451.662	30000	0	0	30000	42.1875	2004
08.01.2020 14:36:43	1	1	1	1	80.25	62	0	30000	481.7204301	14451.662	30000	0	0	30000	42.125	2004
08.01.2020 14:36:44	1	1	1	1	80.25	62	0	30000	488.172043	14644.90528	30000	0	0	30000	42.0625	2004
08.01.2020 14:36:45	1	1	1	1	80.25	62	0	30000	494.6236559	14838.14856	30000	0	0	30000	42.125	2004
08.01.2020 14:36:46	1	1	1	1	80.25	62	0	30000	496.7741935	14902.56299	30000	0	0	30000	41.875	2004
08.01.2020 14:36:47	1	1	1	1	80.25	61.75	0	30000	501.0752688	15032.20721	30000	0	0	30000	42	2004
08.01.2020 14:36:48	1	1	1	1	80.25	62	0	30000	505.3763441	15161.03607	30000	0	0	30000	42.5	2004
08.01.2020 14:36:49	1	1	1	1	80.25	62	0	30000	507.5268817	15225.45049	30000	0	0	30000	41.9375	2004
08.01.2020 14:36:50	1	1	1	1	80.5	61.75	0	30000	503.2258065	15096.62164	30000	0	0	30000	41.875	2004
08.01.2020 14:36:51	1	1	1	1	80.5	61	0	30000	507.5268817	15161.03607	30000	0	0	30000	42.0625	2004
08.01.2020 14:36:52	1	1	1	1	80.5	62	0	30000	505.3763441	15161.03607	30000	0	0	30000	41.625	2004
08.01.2020 14:36:53	1	1	1	1	80.5	61.5	0	30000	507.5268817	15289.86492	30000	0	0	30000	41.625	2004
08.01.2020 14:36:54	1	1	1	1	80.5	61.5	0	29952.607	505.3763441	15161.03607	30000	0	0	30000	41.8125	2004
08.01.2020 14:36:55	1	1	1	1	80.5	61.75	0	30000	505.3763441	15161.03607	30000	0	0	30000	41.9375	2004
08.01.2020 14:36:56	1	1	1	1	80.5	61.75	0	30000	501.0752688	15032.20721	30000	0	0	30000	42.125	2004
08.01.2020 14:36:57	1	1	1	1	80.5	62	0	30000	490.3225806	14644.90528	30000	0	0	30000	41.875	2004
08.01.2020 14:36:58	1	1	1	1	80.5	61.75	0	30000	481.7204301	14428.83157	30000	0	0	30000	42	2004
08.01.2020 14:36:59	1	1	1	1	80.5	62	0	30000	460.2150538	13805.88699	30000	0	0	30000	41.3125	2004
08.01.2020 14:37:00	1	1	1	1	80.5	61.25	0	29952.607	438.7096774	13119.34335	30000	0	0	30000	42.1875	2004
08.01.2020 14:37:01	1	1	1	1	80.5	62	0	30000	440.8602151	13225.34178	30000	0	0	30000	41.6875	2004
08.01.2020 14:37:02	1	1	1	1	80.5	61.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.5	2004
08.01.2020 14:37:03	1	1	1	1	80.5	61.5	0	30000	425.8064516	12709.21099	30000	0	0	30000	42	2004
08.01.2020 14:37:04	1	1	1	1	80.5	62	0	30000	427.9569892	12838.03984	30000	0	0	30000	42	2004
08.01.2020 14:37:05	1	1	1	1	80.5	62	0	29952.607	421.5053763	12580.38214	30000	0	0	30000	42.1875	2004
08.01.2020 14:37:06	1	1	1	1	80.5	62	0	30000	419.3548387	12580.38214	30000	0	0	30000	42.0625	2004
08.01.2020 14:37:07	1	1	1	1	80.5	62	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.1875	2004
08.01.2020 14:37:08	1	1	1	1	80.5	62	0	30000	415.0537634	12580.38214	30000	0	0	30000	42.1875	2004
08.01.2020 14:37:09	1	1	1	1	80.5	62	0	30000	419.3548387	12580.38214	30000	0	0	30000	41.6875	2004
08.01.2020 14:37:10	1	1	1	1	80.5	61.5	0	30000	425.8064516	12709.21099	30000	0	0	30000	41.3125	2004
08.01.2020 14:37:11	1	1	1	1	80.5	61.25	0	30000	427.9569892	12967.68407	30000	0	0	30000	42.1875	2004
08.01.2020 14:37:12	1	1	1	1	80.5	62	0	30000	445.1612903	13333.78632	30000	0	0	30000	40.8125	2004
08.01.2020 14:37:13	1	1	1	1	80.5	60.75	0	30000	464.516129	13935.53122	30000	0	0	30000	42.1875	2004
08.01.2020 14:37:14	1	1	1	1	80.5	62	0	30000	488.172043	14516.07643	30000	0	0	30000	42	2004
08.01.2020 14:37:15	1	1	1	1	80.5	62	0	30000	509.6774194	15201.80469	30000	0	0	30000	42.1875	2004
08.01.2020 14:37:16	1	1	1	1	80.5	62	0	29905.213	524.7311828	15717.1201	30000	0	0	30000	41.75	2004
08.01.2020 14:37:18	1	1	1	1	80.5	61.75	0	29620.853	537.6344086	15950.31664	30000	0	0	30000	42.0625	2004
08.01.2020 14:37:19	1	1	1	1	80.5	62	0	29668.246	537.6344086	15950.31664	30000	0	0	30000	42.1875	2004
08.01.2020 14:37:20	1	1	1	1	80.5	62	0	29810.427	541.9354839	16154.97513	30000	0	0	30000	42.25	2004
08.01.2020 14:37:21	1	1	1	1	80.5	62.25	0	29715.64	535.483871	15975.59318	30000	0	0	30000	42	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 14:37:28	1	1	1	1	80.5	61.25	0	29526.066	541.9354839	16064.46878	30000	0	0	30000	42.0625	2004
08.01.2020 14:37:28	1	1	1	1	80.5	61.25	0	29526.066	541.9354839	16064.46878	30000	0	0	30000	42.0625	2004
08.01.2020 14:37:28	1	1	1	1	80.5	61.25	0	29526.066	541.9354839	16064.46878	30000	0	0	30000	42.0625	2004
08.01.2020 14:37:28	1	1	1	1	80.5	61.25	0	29526.066	541.9354839	16064.46878	30000	0	0	30000	42.0625	2004
08.01.2020 14:37:28	1	1	1	1	80.5	61.25	0	29526.066	541.9354839	16064.46878	30000	0	0	30000	42.0625	2004
08.01.2020 14:37:28	1	1	1	1	80.5	62	0	29526.066	544.0860215	16115.83725	30000	0	0	30000	42.0625	2004
08.01.2020 14:37:29	1	1	1	1	80.5	62	0	29573.46	544.0860215	16090.5607	30000	0	0	30000	42.0625	2004
08.01.2020 14:37:30	1	1	1	1	80.75	62	0	29573.46	541.9354839	16115.83725	30000	0	0	30000	42.125	2004
08.01.2020 14:37:31	1	1	1	1	80.75	62	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	42.1875	2004
08.01.2020 14:37:32	1	1	1	1	80.75	62	0	29431.28	539.7849462	15860.62566	30000	0	0	30000	41.8125	2004
08.01.2020 14:37:33	1	1	1	1	80.75	61.75	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	42.1875	2004
08.01.2020 14:37:34	1	1	1	1	80.75	62	0	29905.213	541.9354839	16141.92917	30000	0	0	30000	41.9375	2004
08.01.2020 14:37:35	1	1	1	1	80.75	61.75	0	29905.213	537.6344086	16013.10032	30000	0	0	30000	42.25	2004
08.01.2020 14:37:36	1	1	1	1	80.75	62.25	0	29857.82	535.483871	15834.53374	30000	0	0	30000	42.1875	2004
08.01.2020 14:37:37	1	1	1	1	80.75	62	0	29952.607	533.3333333	16000.05436	30000	0	0	30000	41.125	2004
08.01.2020 14:37:38	1	1	1	1	80.75	61	0	29810.427	533.3333333	15962.54722	30000	0	0	30000	41.5	2004
08.01.2020 14:37:39	1	1	1	1	80.75	61.5	0	29857.82	533.3333333	15949.50126	30000	0	0	30000	42.1875	2004
08.01.2020 14:37:40	1	1	1	1	80.5	62	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	42	2004
08.01.2020 14:37:41	1	1	1	1	80.5	62	0	29905.213	537.6344086	16013.10032	30000	0	0	30000	42.0625	2004
08.01.2020 14:37:42	1	1	1	1	80.5	62	0	29905.213	537.6344086	16077.51474	30000	0	0	30000	42.125	2004
08.01.2020 14:37:43	1	1	1	1	80.5	62	0	29810.427	535.483871	15962.54722	30000	0	0	30000	41.5625	2004
08.01.2020 14:37:44	1	1	1	1	80.5	61.5	0	29905.213	535.483871	16013.10032	30000	0	0	30000	42.1875	2004
08.01.2020 14:37:45	1	1	1	1	80.5	62	0	29715.64	535.483871	15911.99413	30000	0	0	30000	42.1875	2004
08.01.2020 14:37:46	1	1	1	1	80.5	62	0	29810.427	535.483871	15962.54722	30000	0	0	30000	41.9375	2004
08.01.2020 14:37:47	1	1	1	1	80.5	61.75	0	29810.427	535.483871	15783.98065	30000	0	0	30000	41.5625	2004
08.01.2020 14:37:48	1	1	1	1	80.5	61.5	0	29810.427	535.483871	15962.54722	30000	0	0	30000	42.1875	2004
08.01.2020 14:37:49	1	1	1	1	80.5	62	0	29810.427	533.3333333	15987.82377	30000	0	0	30000	42.3125	2004
08.01.2020 14:37:50	1	1	1	1	80.75	62.25	0	29857.82	533.3333333	15924.22472	30000	0	0	30000	42.1875	2004
08.01.2020 14:37:51	1	1	1	1	80.75	62	0	29857.82	533.3333333	15949.50126	30000	0	0	30000	42.0625	2004
08.01.2020 14:37:52	1	1	1	1	80.75	62	0	29857.82	537.6344086	15962.54722	30000	0	0	30000	41.3125	2004
08.01.2020 14:37:53	1	1	1	1	80.75	61.25	0	29857.82	535.483871	15987.82377	30000	0	0	30000	42	2004
08.01.2020 14:37:55	1	1	1	1	80.75	62	0	29810.427	535.483871	15962.54722	30000	0	0	30000	41.5625	2004
08.01.2020 14:37:56	1	1	1	1	80.75	61.5	0	29905.213	535.483871	15987.82377	30000	0	0	30000	42.1875	2004
08.01.2020 14:37:57	1	1	1	1	80.75	62	0	30000	529.0322581	15934.82456	30000	0	0	30000	41.375	2004
08.01.2020 14:37:58	1	1	1	1	80.75	61.25	0	30000	490.3225806	14644.90528	30000	0	0	30000	42.125	2004
08.01.2020 14:37:59	1	1	1	1	80.75	62	0	30000	468.8172043	13999.94564	30000	0	0	30000	42	2004
08.01.2020 14:38:00	1	1	1	1	80.75	62	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.125	2004
08.01.2020 14:38:01	1	1	1	1	80.75	62	0	30000	423.655914	12709.21099	30000	0	0	30000	42.5625	2004
08.01.2020 14:38:02	1	1	1	1	80.75	62.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.4375	2004
08.01.2020 14:38:03	1	1	1	1	80.75	62.25	0	30000	417.2043011	12580.38214	30000	0	0	30000	42.1875	2004
08.01.2020 14:38:04	1	1	1	1	80.75	62	0	30000	415.0537634	12348.00098	30000	0	0	30000	42.125	2004
08.01.2020 14:38:05	1	1	1	1	80.75	61.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	42.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 14:38:06	1	1	1	1	80.75	62	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.125	2004
08.01.2020 14:38:07	1	1	1	1	80.75	62	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.125	2004
08.01.2020 14:38:08	1	1	1	1	80.75	62	0	30000	384.9462366	11548.12057	30000	0	0	30000	42.0625	2004
08.01.2020 14:38:09	1	1	1	1	80.75	62	0	30000	372.0430108	11160.81863	30000	0	0	30000	42.25	2004
08.01.2020 14:38:10	1	1	1	1	80.75	62.25	0	30000	374.1935484	11160.81863	30000	0	0	30000	42	2004
08.01.2020 14:38:11	1	1	1	1	80.75	62	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.1875	2004
08.01.2020 14:38:12	1	1	1	1	80.75	62	0	30000	378.4946237	11160.81863	30000	0	0	30000	42	2004
08.01.2020 14:38:13	1	1	1	1	80.75	62	0	30000	369.8924731	11096.40421	30000	0	0	30000	42	2004
08.01.2020 14:38:14	1	1	1	1	80.75	62	0	30000	365.5913978	10903.16093	30000	0	0	30000	42.125	2004
08.01.2020 14:38:15	1	1	1	1	80.75	62	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.0625	2004
08.01.2020 14:38:16	1	1	1	1	80.75	62	0	30000	359.1397849	10773.5167	30000	0	0	30000	41.3125	2004
08.01.2020 14:38:17	1	1	1	1	80.75	61.25	0	29952.607	354.8387097	10482.42872	30000	0	0	30000	42.1875	2004
08.01.2020 14:38:18	1	1	1	1	80.75	62	0	30000	356.9892473	10773.5167	30000	0	0	30000	41.6875	2004
08.01.2020 14:38:19	1	1	1	1	80.75	61.5	0	30000	354.8387097	10644.68785	30000	0	0	30000	42.1875	2004
08.01.2020 14:38:20	1	1	1	1	80.5	62	0	30000	352.688172	10773.5167	30000	0	0	30000	42.1875	2004
08.01.2020 14:38:21	1	1	1	1	80.5	62	0	30000	352.688172	10499.55155	30000	0	0	30000	42.125	2004
08.01.2020 14:38:22	1	1	1	1	80.5	62	0	29952.607	350.5376344	10515.85899	30000	0	0	30000	42.1875	2004
08.01.2020 14:38:29	1	1	1	1	80.5	62	0	30000	382.7956989	11612.53499	30000	0	0	30000	42.1875	2004
08.01.2020 14:38:29	1	1	1	1	80.5	62	0	30000	382.7956989	11612.53499	30000	0	0	30000	42.1875	2004
08.01.2020 14:38:29	1	1	1	1	80.5	62	0	30000	382.7956989	11612.53499	30000	0	0	30000	42.1875	2004
08.01.2020 14:38:29	1	1	1	1	80.5	62	0	30000	382.7956989	11612.53499	30000	0	0	30000	42.1875	2004
08.01.2020 14:38:29	1	1	1	1	80.5	62	0	30000	382.7956989	11612.53499	30000	0	0	30000	42.1875	2004
08.01.2020 14:38:29	1	1	1	1	80.5	62	0	30000	382.7956989	11612.53499	30000	0	0	30000	42.1875	2004
08.01.2020 14:38:29	1	1	1	1	80.5	62	0	30000	382.7956989	11612.53499	30000	0	0	30000	42.1875	2004
08.01.2020 14:38:30	1	1	1	1	80.25	62	0	30000	395.6989247	11871.00807	30000	0	0	30000	41.9375	2004
08.01.2020 14:38:31	1	1	1	1	80.25	61.75	0	30000	395.6989247	11935.4225	30000	0	0	30000	41.9375	2004
08.01.2020 14:38:32	1	1	1	1	80.25	61.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	42	2004
08.01.2020 14:38:34	1	1	1	1	80.25	62	0	30000	404.3010753	12064.25135	30000	0	0	30000	42.0625	2004
08.01.2020 14:38:35	1	1	1	1	80.25	62	0	30000	404.3010753	12128.66578	30000	0	0	30000	42.0625	2004
08.01.2020 14:38:36	1	1	1	1	80.25	62	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	42	2004
08.01.2020 14:38:37	1	1	1	1	80.25	62	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.1875	2004
08.01.2020 14:38:38	1	1	1	1	80.25	62	0	30000	412.9032258	12451.55328	30000	0	0	30000	41.5	2004
08.01.2020 14:38:39	1	1	1	1	80.25	61.5	0	30047.393	423.655914	12580.38214	30000	0	0	30000	42.0625	2004
08.01.2020 14:38:40	1	1	1	1	80.25	62	0	30000	427.9569892	12689.64205	30000	0	0	30000	42.25	2004
08.01.2020 14:38:41	1	1	1	1	80	62.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.1875	2004
08.01.2020 14:38:42	1	1	1	1	80	62	0	30000	425.8064516	12709.21099	30000	0	0	30000	42.375	2004
08.01.2020 14:38:43	1	1	1	1	80	62.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	42.25	2004
08.01.2020 14:38:44	1	1	1	1	80	62.25	0	30000	412.9032258	12451.55328	30000	0	0	30000	42.1875	2004
08.01.2020 14:38:45	1	1	1	1	80	62	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.1875	2004
08.01.2020 14:38:46	1	1	1	1	80	62	0	30000	404.3010753	12128.66578	30000	0	0	30000	42.1875	2004
08.01.2020 14:38:47	1	1	1	1	80	62	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.375	2004
08.01.2020 14:38:48	1	1	1	1	80	61.25	0	30000	419.3548387	12451.55328	30000	0	0	30000	42.25	2004
08.01.2020 14:38:49	1	1	1	1	80	62.25	0	30000	432.2580645	12838.03984	30000	0	0	30000	42.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 14:38:50	1	1	1	1	80	62	0	30000	436.5591398	13160.92735	30000	0	0	30000	42.125	2004
08.01.2020 14:38:51	1	1	1	1	80	62	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.3125	2004
08.01.2020 14:38:52	1	1	1	1	80	61.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.125	2004
08.01.2020 14:38:53	1	1	1	1	80	62	0	30000	419.3548387	12580.38214	30000	0	0	30000	41.75	2004
08.01.2020 14:38:54	1	1	1	1	80	61.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	42.0625	2004
08.01.2020 14:38:55	1	1	1	1	80	62	0	30000	423.655914	12773.62542	30000	0	0	30000	42	2004
08.01.2020 14:38:56	1	1	1	1	80	62	0	30000	432.2580645	12967.68407	30000	0	0	30000	42	2004
08.01.2020 14:38:57	1	1	1	1	80	62	0	30000	453.7634409	13591.44402	30000	0	0	30000	42.0625	2004
08.01.2020 14:38:58	1	1	1	1	80	62	0	30000	455.9139785	13741.47256	30000	0	0	30000	42	2004
08.01.2020 14:38:59	1	1	1	1	80	62	0	29952.607	453.7634409	13935.53122	30000	0	0	30000	41.5	2004
08.01.2020 14:39:00	1	1	1	1	80	61.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.875	2004
08.01.2020 14:39:01	1	1	1	1	80	61.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.9375	2004
08.01.2020 14:39:02	1	1	1	1	80	61.75	0	30047.393	440.8602151	13225.34178	30000	0	0	30000	41.5625	2004
08.01.2020 14:39:03	1	1	1	1	80	61.5	0	30000	434.4086022	12967.68407	30000	0	0	30000	42.125	2004
08.01.2020 14:39:04	1	1	1	1	80	62	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.1875	2004
08.01.2020 14:39:05	1	1	1	1	80	62	0	30000	427.9569892	12838.03984	30000	0	0	30000	42	2004
08.01.2020 14:39:06	1	1	1	1	80	62	0	30000	415.0537634	12515.96771	30000	0	0	30000	42	2004
08.01.2020 14:39:07	1	1	1	1	80	62	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.1875	2004
08.01.2020 14:39:08	1	1	1	1	80	62	0	30047.393	404.3010753	11935.4225	30000	0	0	30000	42	2004
08.01.2020 14:39:09	1	1	1	1	80	62	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.1875	2004
08.01.2020 14:39:10	1	1	1	1	80	62	0	30000	395.6989247	11935.4225	30000	0	0	30000	41.4375	2004
08.01.2020 14:39:11	1	1	1	1	80	61.25	0	30000	387.0967742	11612.53499	30000	0	0	30000	42.125	2004
08.01.2020 14:39:13	1	1	1	1	80	62	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.75	2004
08.01.2020 14:39:14	1	1	1	1	80	61.75	0	29952.607	372.0430108	11319.0009	30000	0	0	30000	42.1875	2004
08.01.2020 14:39:15	1	1	1	1	80	62	0	30000	378.4946237	11160.81863	30000	0	0	30000	41.875	2004
08.01.2020 14:39:16	1	1	1	1	80	61.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	42.1875	2004
08.01.2020 14:39:17	1	1	1	1	80	62	0	30000	369.8924731	11096.40421	30000	0	0	30000	42.0625	2004
08.01.2020 14:39:18	1	1	1	1	80	62	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.1875	2004
08.01.2020 14:39:19	1	1	1	1	80	62	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.0625	2004
08.01.2020 14:39:20	1	1	1	1	80	62	0	30000	387.0967742	11548.12057	30000	0	0	30000	42.375	2004
08.01.2020 14:39:21	1	1	1	1	80.25	62.25	0	30000	389.2473118	11676.94942	30000	0	0	30000	42.5625	2004
08.01.2020 14:39:22	1	1	1	1	80.25	62.5	0	29952.607	395.6989247	11852.2545	30000	0	0	30000	41.875	2004
08.01.2020 14:39:23	1	1	1	1	80.25	62	0	30094.787	412.9032258	12128.66578	30000	0	0	30000	42.1875	2004
08.01.2020 14:39:24	1	1	1	1	80.25	62	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.125	2004
08.01.2020 14:39:31	1	1	1	1	79.75	61.5	0	30000	438.7096774	13096.51292	30000	0	0	30000	41.9375	2004
08.01.2020 14:39:31	1	1	1	1	79.75	61.5	0	30000	438.7096774	13096.51292	30000	0	0	30000	41.9375	2004
08.01.2020 14:39:31	1	1	1	1	79.75	61.5	0	30000	438.7096774	13096.51292	30000	0	0	30000	41.9375	2004
08.01.2020 14:39:31	1	1	1	1	79.75	61.5	0	30000	438.7096774	13096.51292	30000	0	0	30000	41.9375	2004
08.01.2020 14:39:31	1	1	1	1	79.75	61.5	0	30000	438.7096774	13096.51292	30000	0	0	30000	41.9375	2004
08.01.2020 14:39:31	1	1	1	1	79.75	61.5	0	30000	438.7096774	13096.51292	30000	0	0	30000	41.9375	2004
08.01.2020 14:39:31	1	1	1	1	79.75	61.5	0	30000	438.7096774	13096.51292	30000	0	0	30000	41.9375	2004
08.01.2020 14:39:31	1	1	1	1	79.75	61.75	0	30000	434.4086022	13096.51292	30000	0	0	30000	41.75	2004
08.01.2020 14:39:32	1	1	1	1	79.75	61.75	0	30000	436.5591398	13096.51292	30000	0	0	30000	41.8125	2004
08.01.2020 14:39:33	1	1	1	1	79.75	61.75	0	30000	438.7096774	13160.92735	30000	0	0	30000	41.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 14:39:34	1	1	1	1	79.75	61.75	0	30000	438.7096774	13160.92735	30000	0	0	30000	42.1875	2004
08.01.2020 14:39:35	1	1	1	1	79.75	62	0	30000	427.9569892	12838.03984	30000	0	0	30000	42	2004
08.01.2020 14:39:36	1	1	1	1	79.75	62	0	30000	412.9032258	12451.55328	30000	0	0	30000	42	2004
08.01.2020 14:39:37	1	1	1	1	79.75	62	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.875	2004
08.01.2020 14:39:38	1	1	1	1	79.75	61.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	41.5625	2004
08.01.2020 14:39:39	1	1	1	1	79.75	61.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	42	2004
08.01.2020 14:39:40	1	1	1	1	79.75	62	0	30000	389.2473118	11548.12057	30000	0	0	30000	42.0625	2004
08.01.2020 14:39:41	1	1	1	1	79.75	62	0	30000	395.6989247	11871.00807	30000	0	0	30000	41.5	2004
08.01.2020 14:39:42	1	1	1	1	79.75	61.5	0	30000	402.1505376	12128.66578	30000	0	0	30000	42.0625	2004
08.01.2020 14:39:43	1	1	1	1	79.75	62	0	30000	404.3010753	12128.66578	30000	0	0	30000	41.5625	2004
08.01.2020 14:39:44	1	1	1	1	79.75	61.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.0625	2004
08.01.2020 14:39:45	1	1	1	1	79.75	62	0	30047.393	417.2043011	12451.55328	30000	0	0	30000	42.0625	2004
08.01.2020 14:39:46	1	1	1	1	79.75	62	0	30000	421.5053763	12580.38214	30000	0	0	30000	42	2004
08.01.2020 14:39:47	1	1	1	1	79.75	62	0	30000	417.2043011	12451.55328	30000	0	0	30000	41.9375	2004
08.01.2020 14:39:48	1	1	1	1	79.75	61.75	0	30000	425.8064516	12709.21099	30000	0	0	30000	42.0625	2004
08.01.2020 14:39:50	1	1	1	1	79.75	62	0	30000	425.8064516	12754.05648	30000	0	0	30000	41.8125	2004
08.01.2020 14:39:51	1	1	1	1	79.25	61.75	0	30000	421.5053763	12709.21099	30000	0	0	30000	42.0625	2004
08.01.2020 14:39:52	1	1	1	1	79.25	62	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.125	2004
08.01.2020 14:39:53	1	1	1	1	79.25	62	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.875	2004
08.01.2020 14:39:54	1	1	1	1	79.25	61.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.75	2004
08.01.2020 14:39:55	1	1	1	1	79.25	61.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	42	2004
08.01.2020 14:39:56	1	1	1	1	79.25	62	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.0625	2004
08.01.2020 14:39:57	1	1	1	1	79.25	62	0	30000	412.9032258	12451.55328	30000	0	0	30000	41.625	2004
08.01.2020 14:39:58	1	1	1	1	79.25	61.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	42.1875	2004
08.01.2020 14:39:59	1	1	1	1	79.25	62	0	30000	404.3010753	12128.66578	30000	0	0	30000	42.125	2004
08.01.2020 14:40:00	1	1	1	1	79.25	62	0	30000	402.1505376	12406.7078	30000	0	0	30000	42.25	2004
08.01.2020 14:40:01	1	1	1	1	79.5	62.25	0	30000	400	11999.83693	30000	0	0	30000	42.1875	2004
08.01.2020 14:40:02	1	1	1	1	79.5	62	0	30000	389.2473118	11741.36385	30000	0	0	30000	42	2004
08.01.2020 14:40:03	1	1	1	1	79.5	62	0	29952.607	387.0967742	11548.12057	30000	0	0	30000	42.125	2004
08.01.2020 14:40:04	1	1	1	1	79.5	62	0	30000	384.9462366	11548.12057	30000	0	0	30000	42	2004
08.01.2020 14:40:05	1	1	1	1	79.5	62	0	29952.607	380.6451613	11419.29171	30000	0	0	30000	42.0625	2004
08.01.2020 14:40:06	1	1	1	1	79.5	62	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.125	2004
08.01.2020 14:40:07	1	1	1	1	79.5	62	0	30000	372.0430108	10886.03811	30000	0	0	30000	42.0625	2004
08.01.2020 14:40:08	1	1	1	1	79.5	62	0	30000	369.8924731	11096.40421	30000	0	0	30000	41.9375	2004
08.01.2020 14:40:09	1	1	1	1	79.5	61.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	42	2004
08.01.2020 14:40:10	1	1	1	1	79	62	0	30000	369.8924731	11014.86696	30000	0	0	30000	41.5	2004
08.01.2020 14:40:11	1	1	1	1	79	61.5	0	30000	372.0430108	11160.81863	30000	0	0	30000	42	2004
08.01.2020 14:40:12	1	1	1	1	79	62	0	30000	384.9462366	11566.05876	30000	0	0	30000	42.125	2004
08.01.2020 14:40:13	1	1	1	1	79	62	0	30000	395.6989247	11805.77827	30000	0	0	30000	41.8125	2004
08.01.2020 14:40:14	1	1	1	1	79	61.75	0	30000	391.3978495	11871.00807	30000	0	0	30000	42.1875	2004
08.01.2020 14:40:15	1	1	1	1	79	62	0	30000	397.8494624	12064.25135	30000	0	0	30000	42.0625	2004
08.01.2020 14:40:16	1	1	1	1	79	62	0	29952.607	404.3010753	12128.66578	30000	0	0	30000	42.0625	2004
08.01.2020 14:40:17	1	1	1	1	79	62	0	30000	402.1505376	12064.25135	30000	0	0	30000	42.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 14:40:18	1	1	1	1	79	62	0	30000	404.3010753	12064.25135	30000	0	0	30000	41.6875	2004
08.01.2020 14:40:19	1	1	1	1	79	61.5	0	30047.393	404.3010753	11999.83693	30000	0	0	30000	42.1875	2004
08.01.2020 14:40:20	1	1	1	1	79.25	62	0	29905.213	384.9462366	11871.00807	30000	0	0	30000	41.6875	2004
08.01.2020 14:40:21	1	1	1	1	79.25	61.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	42.0625	2004
08.01.2020 14:40:22	1	1	1	1	79.25	62	0	30000	412.9032258	12387.13886	30000	0	0	30000	42	2004
08.01.2020 14:40:23	1	1	1	1	79.25	62	0	30047.393	415.0537634	12387.13886	30000	0	0	30000	41.9375	2004
08.01.2020 14:40:24	1	1	1	1	79.25	61.75	0	30000	417.2043011	12580.38214	30000	0	0	30000	41.75	2004
08.01.2020 14:40:25	1	1	1	1	79.25	61.75	0	30000	423.655914	12689.64205	30000	0	0	30000	42.1875	2004
08.01.2020 14:40:33	1	1	1	1	79.25	61.75	0	30047.393	488.172043	14516.07643	30000	0	0	30000	41.6875	2004
08.01.2020 14:40:33	1	1	1	1	79.25	61.75	0	30047.393	488.172043	14516.07643	30000	0	0	30000	41.6875	2004
08.01.2020 14:40:33	1	1	1	1	79.25	61.75	0	30047.393	488.172043	14516.07643	30000	0	0	30000	41.6875	2004
08.01.2020 14:40:33	1	1	1	1	79.25	61.75	0	30047.393	488.172043	14516.07643	30000	0	0	30000	41.6875	2004
08.01.2020 14:40:33	1	1	1	1	79.25	61.5	0	30000	488.172043	14644.90528	30000	0	0	30000	42.125	2004
08.01.2020 14:40:34	1	1	1	1	79.25	62	0	30000	483.8709677	14580.49085	30000	0	0	30000	41.875	2004
08.01.2020 14:40:35	1	1	1	1	79.25	61.75	0	29905.213	483.8709677	14516.07643	30000	0	0	30000	42.25	2004
08.01.2020 14:40:36	1	1	1	1	79.25	62.25	0	30000	492.4731183	14773.73413	30000	0	0	30000	42.125	2004
08.01.2020 14:40:37	1	1	1	1	79.25	62	0	29952.607	488.172043	14644.90528	30000	0	0	30000	42.25	2004
08.01.2020 14:40:38	1	1	1	1	79.25	62.25	0	30000	492.4731183	14838.14856	30000	0	0	30000	41.75	2004
08.01.2020 14:40:39	1	1	1	1	79.25	61.75	0	30000	490.3225806	14926.20879	30000	0	0	30000	42.0625	2004
08.01.2020 14:40:40	1	1	1	1	79.75	62	0	30000	486.0215054	14580.49085	30000	0	0	30000	40.5	2004
08.01.2020 14:40:41	1	1	1	1	79.75	60.5	0	30000	488.172043	14644.90528	30000	0	0	30000	41.125	2004
08.01.2020 14:40:42	1	1	1	1	79.75	61	0	29952.607	488.172043	14622.07485	30000	0	0	30000	42.1875	2004
08.01.2020 14:40:43	1	1	1	1	79.75	62	0	30000	492.4731183	14773.73413	30000	0	0	30000	41.5	2004
08.01.2020 14:40:44	1	1	1	1	79.75	61.5	0	30000	501.0752688	15032.20721	30000	0	0	30000	41.6875	2004
08.01.2020 14:40:45	1	1	1	1	79.75	61.5	0	30000	492.4731183	14773.73413	30000	0	0	30000	41.875	2004
08.01.2020 14:40:46	1	1	1	1	79.75	61.75	0	30000	498.9247312	14902.56299	30000	0	0	30000	42.0625	2004
08.01.2020 14:40:47	1	1	1	1	79.75	62	0	30000	494.6236559	14902.56299	30000	0	0	30000	41.6875	2004
08.01.2020 14:40:48	1	1	1	1	79.75	61.5	0	30000	496.7741935	14902.56299	30000	0	0	30000	41.9375	2004
08.01.2020 14:40:49	1	1	1	1	79.75	61.75	0	30000	494.6236559	15032.20721	30000	0	0	30000	42.125	2004
08.01.2020 14:40:50	1	1	1	1	80	62	0	29952.607	494.6236559	14902.56299	30000	0	0	30000	41	2004
08.01.2020 14:40:51	1	1	1	1	80	61	0	30000	486.0215054	14644.90528	30000	0	0	30000	42.1875	2004
08.01.2020 14:40:52	1	1	1	1	80	62	0	30000	481.7204301	14516.07643	30000	0	0	30000	41.125	2004
08.01.2020 14:40:53	1	1	1	1	80	61	0	30000	481.7204301	14451.662	30000	0	0	30000	41.8125	2004
08.01.2020 14:40:54	1	1	1	1	80	61.75	0	30000	481.7204301	14451.662	30000	0	0	30000	41.8125	2004
08.01.2020 14:40:55	1	1	1	1	80	61.75	0	30000	481.7204301	14451.662	30000	0	0	30000	41.6875	2004
08.01.2020 14:40:56	1	1	1	1	80	61.5	0	30000	481.7204301	14451.662	30000	0	0	30000	42	2004
08.01.2020 14:40:57	1	1	1	1	80	62	0	30000	466.6666667	13977.93058	30000	0	0	30000	42.1875	2004
08.01.2020 14:40:58	1	1	1	1	80	62	0	30000	460.2150538	13805.88699	30000	0	0	30000	41.9375	2004
08.01.2020 14:40:59	1	1	1	1	80	61.75	0	30000	423.655914	12580.38214	30000	0	0	30000	42.125	2004
08.01.2020 14:41:00	1	1	1	1	79.5	62	0	29952.607	380.6451613	11483.70614	30000	0	0	30000	41.8125	2004
08.01.2020 14:41:01	1	1	1	1	79.5	61.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	41.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 14:41:05	1	1	1	1	79.5	61.75	0	30000	339.7849462	10128.55706	30000	0	0	30000	42.1875	2004
08.01.2020 14:41:05	1	1	1	1	79.5	61.75	0	30000	339.7849462	10128.55706	30000	0	0	30000	42.1875	2004
08.01.2020 14:41:05	1	1	1	1	79.5	61.75	0	30000	339.7849462	10128.55706	30000	0	0	30000	42.1875	2004
08.01.2020 14:41:06	1	1	1	1	79.5	62	0	29952.607	329.0322581	9870.899356	30000	0	0	30000	41.9375	2004
08.01.2020 14:41:07	1	1	1	1	79.5	61.75	0	30000	335.483871	10064.14264	30000	0	0	30000	42	2004
08.01.2020 14:41:08	1	1	1	1	79.5	62	0	30000	337.6344086	10128.55706	30000	0	0	30000	42.125	2004
08.01.2020 14:41:09	1	1	1	1	79.5	62	0	30000	335.483871	9999.728209	30000	0	0	30000	42	2004
08.01.2020 14:41:10	1	1	1	1	79.5	62	0	30000	335.483871	10032.34311	30000	0	0	30000	42.125	2004
08.01.2020 14:41:11	1	1	1	1	79.5	62	0	30000	344.0860215	10257.38592	30000	0	0	30000	42.0625	2004
08.01.2020 14:41:12	1	1	1	1	79.5	62	0	29952.607	346.2365591	10387.03014	30000	0	0	30000	42.1875	2004
08.01.2020 14:41:13	1	1	1	1	79.5	62	0	30000	354.8387097	10644.68785	30000	0	0	30000	42.375	2004
08.01.2020 14:41:14	1	1	1	1	79.5	62.25	0	30000	341.9354839	10387.03014	30000	0	0	30000	42.1875	2004
08.01.2020 14:41:15	1	1	1	1	79.5	62	0	30000	350.5376344	10387.03014	30000	0	0	30000	42.1875	2004
08.01.2020 14:41:16	1	1	1	1	79.5	62	0	30000	367.7419355	11031.98978	30000	0	0	30000	41.5	2004
08.01.2020 14:41:17	1	1	1	1	79.5	62	0	30000	380.6451613	11419.29171	30000	0	0	30000	42.125	2004
08.01.2020 14:41:18	1	1	1	1	79.5	62	0	30000	389.2473118	11676.94942	30000	0	0	30000	41.9375	2004
08.01.2020 14:41:19	1	1	1	1	79.5	61.75	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	41.4375	2004
08.01.2020 14:41:20	1	1	1	1	79.5	61.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.1875	2004
08.01.2020 14:41:21	1	1	1	1	79.5	62	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.9375	2004
08.01.2020 14:41:22	1	1	1	1	79.5	61.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	42.1875	2004
08.01.2020 14:41:23	1	1	1	1	79.5	62	0	29952.607	425.8064516	12838.03984	30000	0	0	30000	42.125	2004
08.01.2020 14:41:24	1	1	1	1	79.5	62	0	30000	427.9569892	12818.4709	30000	0	0	30000	42.1875	2004
08.01.2020 14:41:25	1	1	1	1	79.5	62	0	30047.393	434.4086022	12773.62542	30000	0	0	30000	42.1875	2004
08.01.2020 14:41:26	1	1	1	1	79.5	62	0	29905.213	425.8064516	12773.62542	30000	0	0	30000	42	2004
08.01.2020 14:41:27	1	1	1	1	79.5	62	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.8125	2004
08.01.2020 14:41:34	1	1	1	1	79.25	61.5	0	30000	481.7204301	14451.662	30000	0	0	30000	41.875	2004
08.01.2020 14:41:34	1	1	1	1	79.25	61.5	0	30000	481.7204301	14451.662	30000	0	0	30000	41.875	2004
08.01.2020 14:41:34	1	1	1	1	79.25	61.5	0	30000	481.7204301	14451.662	30000	0	0	30000	41.875	2004
08.01.2020 14:41:34	1	1	1	1	79.25	61.5	0	30000	481.7204301	14451.662	30000	0	0	30000	41.875	2004
08.01.2020 14:41:34	1	1	1	1	79.25	61.5	0	30000	481.7204301	14451.662	30000	0	0	30000	41.875	2004
08.01.2020 14:41:34	1	1	1	1	79.25	61.5	0	30000	481.7204301	14451.662	30000	0	0	30000	41.875	2004
08.01.2020 14:41:34	1	1	1	1	79.25	61.75	0	30000	486.0215054	14580.49085	30000	0	0	30000	42.1875	2004
08.01.2020 14:41:35	1	1	1	1	79.25	62	0	30000	492.4731183	14709.31971	30000	0	0	30000	42.0625	2004
08.01.2020 14:41:36	1	1	1	1	79.25	62	0	29952.607	488.172043	14773.73413	30000	0	0	30000	41.875	2004
08.01.2020 14:41:37	1	1	1	1	79.25	61.75	0	30000	492.4731183	14773.73413	30000	0	0	30000	41.625	2004
08.01.2020 14:41:38	1	1	1	1	79.25	61.5	0	30000	494.6236559	14902.56299	30000	0	0	30000	42.125	2004
08.01.2020 14:41:39	1	1	1	1	79.25	62	0	30000	496.7741935	14902.56299	30000	0	0	30000	42.125	2004
08.01.2020 14:41:40	1	1	1	1	79.5	62	0	29952.607	507.5268817	15225.45049	30000	0	0	30000	42.1875	2004
08.01.2020 14:41:41	1	1	1	1	79.5	62	0	30000	501.0752688	15032.20721	30000	0	0	30000	41.5625	2004
08.01.2020 14:41:42	1	1	1	1	79.5	61.5	0	29905.213	516.1290323	15483.92357	30000	0	0	30000	41.9375	2004
08.01.2020 14:41:43	1	1	1	1	79.5	61.75	0	30000	507.5268817	15225.45049	30000	0	0	30000	41.75	2004
08.01.2020 14:41:44	1	1	1	1	79.5	61.75	0	30000	505.3763441	15225.45049	30000	0	0	30000	42.0625	2004
08.01.2020 14:41:46	1	1	1	1	79.5	62	0	30000	511.827957	15225.45049	30000	0	0	30000	41.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 14:41:47	1	1	1	1	79.5	61.5	0	30000	509.6774194	15137.39026	30000	0	0	30000	42	2004
08.01.2020 14:41:48	1	1	1	1	79.5	62	0	30000	516.1290323	15354.27935	30000	0	0	30000	41.9375	2004
08.01.2020 14:41:49	1	1	1	1	79.5	61.75	0	30000	509.6774194	15289.86492	30000	0	0	30000	41.25	2004
08.01.2020 14:41:50	1	1	1	1	79.5	61.25	0	30000	509.6774194	15289.86492	30000	0	0	30000	41.9375	2004
08.01.2020 14:41:51	1	1	1	1	80	61.75	0	30000	518.2795699	15548.338	30000	0	0	30000	41.75	2004
08.01.2020 14:41:52	1	1	1	1	80	61.75	0	30000	520.4301075	15612.75243	30000	0	0	30000	41.125	2004
08.01.2020 14:41:53	1	1	1	1	80	61	0	30000	505.3763441	15161.03607	30000	0	0	30000	41.875	2004
08.01.2020 14:41:54	1	1	1	1	80	61.75	0	30000	494.6236559	15032.20721	30000	0	0	30000	42.1875	2004
08.01.2020 14:41:55	1	1	1	1	80	62	0	30000	492.4731183	14644.90528	30000	0	0	30000	41.75	2004
08.01.2020 14:41:56	1	1	1	1	80	61.75	0	30047.393	516.1290323	15508.38475	30000	0	0	30000	41.625	2004
08.01.2020 14:41:57	1	1	1	1	80	61.5	0	30000	522.5806452	15766.85783	30000	0	0	30000	42.125	2004
08.01.2020 14:41:58	1	1	1	1	80	62	0	30000	524.7311828	15677.16685	30000	0	0	30000	41.5	2004
08.01.2020 14:41:59	1	1	1	1	80	61.5	0	30000	522.5806452	15677.16685	30000	0	0	30000	42.0625	2004
08.01.2020 14:42:00	1	1	1	1	80.25	62	0	29905.213	518.2795699	15741.58128	30000	0	0	30000	42.0625	2004
08.01.2020 14:42:01	1	1	1	1	80.25	62	0	30000	518.2795699	15548.338	30000	0	0	30000	42	2004
08.01.2020 14:42:02	1	1	1	1	80.25	62	0	30000	496.7741935	14902.56299	30000	0	0	30000	42.125	2004
08.01.2020 14:42:03	1	1	1	1	80.25	62	0	30000	481.7204301	14451.662	30000	0	0	30000	42.0625	2004
08.01.2020 14:42:04	1	1	1	1	80.25	62	0	29952.607	460.2150538	13805.88699	30000	0	0	30000	41.0625	2004
08.01.2020 14:42:05	1	1	1	1	80.25	61	0	30000	455.9139785	13462.61517	30000	0	0	30000	42	2004
08.01.2020 14:42:06	1	1	1	1	80.25	62	0	30000	445.1612903	13483.81486	30000	0	0	30000	41.3125	2004
08.01.2020 14:42:07	1	1	1	1	80.25	61.25	0	29952.607	445.1612903	13354.17063	30000	0	0	30000	42	2004
08.01.2020 14:42:08	1	1	1	1	80.25	62	0	30000	481.7204301	14451.662	30000	0	0	30000	42	2004
08.01.2020 14:42:09	1	1	1	1	80.25	62	0	30000	468.8172043	14451.662	30000	0	0	30000	42	2004
08.01.2020 14:42:10	1	1	1	1	80.5	62	0	30000	483.8709677	14516.07643	30000	0	0	30000	41.875	2004
08.01.2020 14:42:11	1	1	1	1	80.5	61.75	0	30000	488.172043	14644.90528	30000	0	0	30000	42.125	2004
08.01.2020 14:42:12	1	1	1	1	80.5	62	0	30047.393	483.8709677	14516.07643	30000	0	0	30000	42.125	2004
08.01.2020 14:42:13	1	1	1	1	80.5	62	0	30000	481.7204301	14451.662	30000	0	0	30000	42.125	2004
08.01.2020 14:42:14	1	1	1	1	80.5	62	0	30000	488.172043	14644.90528	30000	0	0	30000	41.8125	2004
08.01.2020 14:42:15	1	1	1	1	80.5	61.75	0	30000	492.4731183	14773.73413	30000	0	0	30000	41.9375	2004
08.01.2020 14:42:16	1	1	1	1	80.5	61.75	0	30000	494.6236559	14902.56299	30000	0	0	30000	42.1875	2004
08.01.2020 14:42:17	1	1	1	1	80.5	62	0	30000	507.5268817	15289.86492	30000	0	0	30000	42	2004
08.01.2020 14:42:18	1	1	1	1	80.5	62	0	30000	503.2258065	15032.20721	30000	0	0	30000	42.125	2004
08.01.2020 14:42:19	1	1	1	1	80.5	62	0	30000	501.0752688	15032.20721	30000	0	0	30000	41.875	2004
08.01.2020 14:42:20	1	1	1	1	80.75	61.75	0	29952.607	496.7741935	14879.73256	30000	0	0	30000	41.875	2004
08.01.2020 14:42:21	1	1	1	1	80.75	61.75	0	29952.607	501.0752688	15032.20721	30000	0	0	30000	42.125	2004
08.01.2020 14:42:23	1	1	1	1	80.75	62	0	30000	507.5268817	15161.03607	30000	0	0	30000	41.6875	2004
08.01.2020 14:42:24	1	1	1	1	80.75	61.5	0	29952.607	505.3763441	15225.45049	30000	0	0	30000	41.875	2004
08.01.2020 14:42:25	1	1	1	1	80.75	61.75	0	30000	501.0752688	15032.20721	30000	0	0	30000	42.0625	2004
08.01.2020 14:42:26	1	1	1	1	80.75	62	0	30000	501.0752688	15032.20721	30000	0	0	30000	42.125	2004
08.01.2020 14:42:27	1	1	1	1	80.75	62	0	30000	496.7741935	14750.9037	30000	0	0	30000	41.5	2004
08.01.2020 14:42:28	1	1	1	1	80.75	61.5	0	30000	509.6774194	15289.86492	30000	0	0	30000	42.125	2004
08.01.2020 14:42:29	1	1	1	1	80.75	62	0	30000	507.5268817	15225.45049	30000	0	0	30000	41.4375	2004
08.01.2020 14:42:36	1	1	1	1	81	62	0	30000	501.0752688	15032.20721	30000	0	0	30000	41.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 14:42:36	1	1	1	1	81	62	0	30000	501.0752688	15032.20721	30000	0	0	30000	41.8125	2004
08.01.2020 14:42:36	1	1	1	1	81	62	0	30000	501.0752688	15032.20721	30000	0	0	30000	41.8125	2004
08.01.2020 14:42:36	1	1	1	1	81	62	0	30000	501.0752688	15032.20721	30000	0	0	30000	41.8125	2004
08.01.2020 14:42:36	1	1	1	1	81	62	0	30000	501.0752688	15032.20721	30000	0	0	30000	41.8125	2004
08.01.2020 14:42:36	1	1	1	1	81	61.75	0	29952.607	509.6774194	15225.45049	30000	0	0	30000	42.3125	2004
08.01.2020 14:42:37	1	1	1	1	81	62.25	0	30000	509.6774194	15289.86492	30000	0	0	30000	41.9375	2004
08.01.2020 14:42:38	1	1	1	1	81	62	0	30000	507.5268817	15225.45049	30000	0	0	30000	41.75	2004
08.01.2020 14:42:39	1	1	1	1	81	61.75	0	30000	516.1290323	15548.338	30000	0	0	30000	42.1875	2004
08.01.2020 14:42:40	1	1	1	1	80.75	62	0	30000	509.6774194	15289.86492	30000	0	0	30000	41.375	2004
08.01.2020 14:42:41	1	1	1	1	80.75	61.25	0	29905.213	503.2258065	15225.45049	30000	0	0	30000	41.5625	2004
08.01.2020 14:42:42	1	1	1	1	80.75	61.5	0	30000	496.7741935	15032.20721	30000	0	0	30000	41.75	2004
08.01.2020 14:42:43	1	1	1	1	80.75	61.75	0	30000	494.6236559	14773.73413	30000	0	0	30000	42	2004
08.01.2020 14:42:44	1	1	1	1	80.75	62	0	30000	488.172043	14644.90528	30000	0	0	30000	41.9375	2004
08.01.2020 14:42:45	1	1	1	1	80.75	61.75	0	30000	481.7204301	14451.662	30000	0	0	30000	42.1875	2004
08.01.2020 14:42:46	1	1	1	1	80.75	62	0	29952.607	466.6666667	13999.94564	30000	0	0	30000	41.75	2004
08.01.2020 14:42:47	1	1	1	1	80.75	61.75	0	30047.393	481.7204301	14451.662	30000	0	0	30000	42.1875	2004
08.01.2020 14:42:48	1	1	1	1	80.75	62	0	30000	468.8172043	14064.36007	30000	0	0	30000	41.875	2004
08.01.2020 14:42:49	1	1	1	1	80.75	61.75	0	30000	464.516129	13935.53122	30000	0	0	30000	42.125	2004
08.01.2020 14:42:50	1	1	1	1	80.5	62	0	30000	481.7204301	14451.662	30000	0	0	30000	42.0625	2004
08.01.2020 14:42:51	1	1	1	1	80.5	62	0	30000	481.7204301	14451.662	30000	0	0	30000	41.8125	2004
08.01.2020 14:42:52	1	1	1	1	80.5	61.75	0	29952.607	481.7204301	14451.662	30000	0	0	30000	41.5	2004
08.01.2020 14:42:53	1	1	1	1	80.5	61.5	0	29905.213	481.7204301	14428.83157	30000	0	0	30000	42.1875	2004
08.01.2020 14:42:54	1	1	1	1	80.5	62	0	30000	481.7204301	14451.662	30000	0	0	30000	41.9375	2004
08.01.2020 14:42:55	1	1	1	1	80.5	61.75	0	30000	481.7204301	14106.75944	30000	0	0	30000	41.5625	2004
08.01.2020 14:42:56	1	1	1	1	80.5	61.5	0	30047.393	481.7204301	14451.662	30000	0	0	30000	42	2004
08.01.2020 14:42:57	1	1	1	1	80.5	62	0	30000	481.7204301	14451.662	30000	0	0	30000	42.125	2004
08.01.2020 14:42:58	1	1	1	1	80.5	62	0	30000	481.7204301	14451.662	30000	0	0	30000	41.9375	2004
08.01.2020 14:42:59	1	1	1	1	80.5	61.75	0	30000	464.516129	13935.53122	30000	0	0	30000	42	2004
08.01.2020 14:43:00	1	1	1	1	80.75	62	0	30000	455.9139785	13612.64371	30000	0	0	30000	41.875	2004
08.01.2020 14:43:01	1	1	1	1	80.75	61.75	0	29952.607	445.1612903	13354.17063	30000	0	0	30000	41.625	2004
08.01.2020 14:43:03	1	1	1	1	80.75	61.5	0	30000	434.4086022	13032.0985	30000	0	0	30000	42.1875	2004
08.01.2020 14:43:04	1	1	1	1	80.75	62	0	29952.607	438.7096774	13160.92735	30000	0	0	30000	42	2004
08.01.2020 14:43:05	1	1	1	1	80.75	62	0	30000	425.8064516	12540.42889	30000	0	0	30000	41.0625	2004
08.01.2020 14:43:06	1	1	1	1	80.75	61	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.125	2004
08.01.2020 14:43:07	1	1	1	1	80.75	62	0	29952.607	425.8064516	12838.03984	30000	0	0	30000	42.125	2004
08.01.2020 14:43:08	1	1	1	1	80.75	62	0	30000	434.4086022	12838.03984	30000	0	0	30000	41.5625	2004
08.01.2020 14:43:09	1	1	1	1	80.75	61.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.0625	2004
08.01.2020 14:43:10	1	1	1	1	80.75	62	0	30000	415.0537634	12451.55328	30000	0	0	30000	42.125	2004
08.01.2020 14:43:11	1	1	1	1	80.75	62	0	30000	404.3010753	12128.66578	30000	0	0	30000	42	2004
08.01.2020 14:43:12	1	1	1	1	80.75	62	0	30000	382.7956989	11548.12057	30000	0	0	30000	42.625	2004
08.01.2020 14:43:13	1	1	1	1	80.75	62.5	0	29952.607	372.0430108	11160.81863	30000	0	0	30000	42.1875	2004
08.01.2020 14:43:14	1	1	1	1	80.75	62	0	30000	372.0430108	11208.11024	30000	0	0	30000	42.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 14:43:15	1	1	1	1	80.75	62.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.125	2004
08.01.2020 14:43:16	1	1	1	1	80.75	62	0	30000	380.6451613	11548.12057	30000	0	0	30000	41.875	2004
08.01.2020 14:43:17	1	1	1	1	80.75	61.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.125	2004
08.01.2020 14:43:18	1	1	1	1	80.75	62	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.1875	2004
08.01.2020 14:43:19	1	1	1	1	80.75	62	0	30000	417.2043011	12451.55328	30000	0	0	30000	42	2004
08.01.2020 14:43:20	1	1	1	1	81	62	0	29952.607	425.8064516	12773.62542	30000	0	0	30000	42.125	2004
08.01.2020 14:43:21	1	1	1	1	81	62	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.0625	2004
08.01.2020 14:43:22	1	1	1	1	81	62	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.5	2004
08.01.2020 14:43:23	1	1	1	1	81	61.5	0	30000	458.0645161	13805.88699	30000	0	0	30000	42.0625	2004
08.01.2020 14:43:24	1	1	1	1	81	62	0	30000	464.516129	13935.53122	30000	0	0	30000	41.8125	2004
08.01.2020 14:43:25	1	1	1	1	81	61.75	0	30000	466.6666667	13999.94564	30000	0	0	30000	42	2004
08.01.2020 14:43:26	1	1	1	1	81	62	0	29952.607	481.7204301	14451.662	30000	0	0	30000	41.375	2004
08.01.2020 14:43:27	1	1	1	1	81	61.25	0	30000	481.7204301	14451.662	30000	0	0	30000	42.0625	2004
08.01.2020 14:43:28	1	1	1	1	81	62	0	30000	486.0215054	14644.90528	30000	0	0	30000	41.5	2004
08.01.2020 14:43:29	1	1	1	1	81	61.5	0	29952.607	490.3225806	14644.90528	30000	0	0	30000	41.875	2004
08.01.2020 14:43:30	1	1	1	1	80.75	61.75	0	30000	490.3225806	14773.73413	30000	0	0	30000	41.6875	2004
08.01.2020 14:43:37	1	1	1	1	80.75	61.75	0	29952.607	488.172043	14644.90528	30000	0	0	30000	41.75	2004
08.01.2020 14:43:37	1	1	1	1	80.75	61.75	0	29952.607	488.172043	14644.90528	30000	0	0	30000	41.75	2004
08.01.2020 14:43:37	1	1	1	1	80.75	61.75	0	29952.607	488.172043	14644.90528	30000	0	0	30000	41.75	2004
08.01.2020 14:43:37	1	1	1	1	80.75	61.75	0	29952.607	488.172043	14644.90528	30000	0	0	30000	41.75	2004
08.01.2020 14:43:37	1	1	1	1	80.75	61.75	0	29952.607	488.172043	14644.90528	30000	0	0	30000	41.75	2004
08.01.2020 14:43:37	1	1	1	1	80.75	61.75	0	29952.607	488.172043	14644.90528	30000	0	0	30000	41.75	2004
08.01.2020 14:43:38	1	1	1	1	80.75	61.75	0	29952.607	488.172043	14644.90528	30000	0	0	30000	41.75	2004
08.01.2020 14:43:38	1	1	1	1	80.75	61.75	0	30000	496.7741935	14902.56299	30000	0	0	30000	41.9375	2004
08.01.2020 14:43:39	1	1	1	1	80.75	61.75	0	30000	496.7741935	14902.56299	30000	0	0	30000	41.4375	2004
08.01.2020 14:43:40	1	1	1	1	81	61.25	0	30000	501.0752688	14856.08676	30000	0	0	30000	41.375	2004
08.01.2020 14:43:41	1	1	1	1	81	61.25	0	30000	494.6236559	14773.73413	30000	0	0	30000	42.1875	2004
08.01.2020 14:43:43	1	1	1	1	81	62	0	30000	494.6236559	14838.14856	30000	0	0	30000	41.9375	2004
08.01.2020 14:43:44	1	1	1	1	81	61.75	0	30000	490.3225806	14644.90528	30000	0	0	30000	41.625	2004
08.01.2020 14:43:45	1	1	1	1	81	61.5	0	30000	481.7204301	14451.662	30000	0	0	30000	41.375	2004
08.01.2020 14:43:46	1	1	1	1	81	61.25	0	30000	481.7204301	14451.662	30000	0	0	30000	41.3125	2004
08.01.2020 14:43:47	1	1	1	1	81	61.25	0	30000	486.0215054	14516.07643	30000	0	0	30000	41.8125	2004
08.01.2020 14:43:48	1	1	1	1	81	61.75	0	30000	496.7741935	14902.56299	30000	0	0	30000	42.0625	2004
08.01.2020 14:43:49	1	1	1	1	81	62	0	30000	494.6236559	14838.14856	30000	0	0	30000	41.375	2004
08.01.2020 14:43:50	1	1	1	1	81	61.25	0	29952.607	501.0752688	15008.56141	30000	0	0	30000	41.5	2004
08.01.2020 14:43:51	1	1	1	1	81	61.5	0	30000	516.1290323	15225.45049	30000	0	0	30000	42.0625	2004
08.01.2020 14:43:52	1	1	1	1	81	62	0	30000	496.7741935	14902.56299	30000	0	0	30000	42.0625	2004
08.01.2020 14:43:53	1	1	1	1	81	62	0	29952.607	481.7204301	14644.90528	30000	0	0	30000	42.0625	2004
08.01.2020 14:43:54	1	1	1	1	81	62	0	30000	481.7204301	14451.662	30000	0	0	30000	41.625	2004
08.01.2020 14:43:55	1	1	1	1	81	61.5	0	30000	481.7204301	14451.662	30000	0	0	30000	41.75	2004
08.01.2020 14:43:56	1	1	1	1	81	61.75	0	30000	453.7634409	13741.47256	30000	0	0	30000	42.125	2004
08.01.2020 14:43:57	1	1	1	1	81	62	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.6875	2004
08.01.2020 14:43:58	1	1	1	1	81	62.25	0	29952.607	445.1612903	13483.81486	30000	0	0	30000	42.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 14:43:59	1	1	1	1	81	62	0	30000	453.7634409	13354.17063	30000	0	0	30000	42.125	2004
08.01.2020 14:44:00	1	1	1	1	81.25	62	0	30000	453.7634409	13612.64371	30000	0	0	30000	41.875	2004
08.01.2020 14:44:01	1	1	1	1	81.25	61.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	41.75	2004
08.01.2020 14:44:02	1	1	1	1	81.25	61.75	0	30000	443.0107527	13354.17063	30000	0	0	30000	42.0625	2004
08.01.2020 14:44:03	1	1	1	1	81.25	62	0	30000	451.6129032	13312.58663	30000	0	0	30000	41.8125	2004
08.01.2020 14:44:04	1	1	1	1	81.25	61.75	0	30000	443.0107527	13354.17063	30000	0	0	30000	41.5625	2004
08.01.2020 14:44:05	1	1	1	1	81.25	61.5	0	30000	443.0107527	13225.34178	30000	0	0	30000	41.5625	2004
08.01.2020 14:44:06	1	1	1	1	81.25	61.5	0	29952.607	438.7096774	13160.92735	30000	0	0	30000	42	2004
08.01.2020 14:44:07	1	1	1	1	81.25	62	0	30000	432.2580645	13032.0985	30000	0	0	30000	42.125	2004
08.01.2020 14:44:08	1	1	1	1	81.25	62	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.9375	2004
08.01.2020 14:44:09	1	1	1	1	81.25	61.75	0	30000	434.4086022	12967.68407	30000	0	0	30000	42.125	2004
08.01.2020 14:44:10	1	1	1	1	81	62	0	30000	443.0107527	13289.7562	30000	0	0	30000	41.3125	2004
08.01.2020 14:44:11	1	1	1	1	81	61.25	0	30000	438.7096774	13160.92735	30000	0	0	30000	42	2004
08.01.2020 14:44:12	1	1	1	1	81	62	0	29952.607	440.8602151	13225.34178	30000	0	0	30000	41.875	2004
08.01.2020 14:44:13	1	1	1	1	81	61.75	0	29952.607	451.6129032	13612.64371	30000	0	0	30000	42.0625	2004
08.01.2020 14:44:14	1	1	1	1	81	62	0	30000	481.7204301	14128.7745	30000	0	0	30000	42.125	2004
08.01.2020 14:44:15	1	1	1	1	81	62	0	30000	481.7204301	14516.07643	30000	0	0	30000	41.9375	2004
08.01.2020 14:44:16	1	1	1	1	81	61.75	0	29952.607	481.7204301	14451.662	30000	0	0	30000	42.1875	2004
08.01.2020 14:44:17	1	1	1	1	81	62	0	30000	481.7204301	14451.662	30000	0	0	30000	41.9375	2004
08.01.2020 14:44:18	1	1	1	1	81	61.75	0	30000	481.7204301	14451.662	30000	0	0	30000	42.125	2004
08.01.2020 14:44:20	1	1	1	1	81	62	0	29952.607	468.8172043	14128.7745	30000	0	0	30000	41.5	2004
08.01.2020 14:44:21	1	1	1	1	81.25	61.5	0	30000	466.6666667	13999.94564	30000	0	0	30000	42.1875	2004
08.01.2020 14:44:22	1	1	1	1	81.25	62	0	30000	481.7204301	14451.662	30000	0	0	30000	41.875	2004
08.01.2020 14:44:23	1	1	1	1	81.25	61.75	0	30000	481.7204301	14516.07643	30000	0	0	30000	42	2004
08.01.2020 14:44:24	1	1	1	1	81.25	62	0	30000	490.3225806	14644.90528	30000	0	0	30000	42	2004
08.01.2020 14:44:25	1	1	1	1	81.25	62	0	29952.607	486.0215054	14580.49085	30000	0	0	30000	41.3125	2004
08.01.2020 14:44:26	1	1	1	1	81.25	61.25	0	30000	492.4731183	14902.56299	30000	0	0	30000	41.8125	2004
08.01.2020 14:44:27	1	1	1	1	81.25	61.75	0	29952.607	492.4731183	14773.73413	30000	0	0	30000	42.125	2004
08.01.2020 14:44:28	1	1	1	1	81.25	62	0	30000	486.0215054	14644.90528	30000	0	0	30000	42.125	2004
08.01.2020 14:44:29	1	1	1	1	81.25	62	0	29952.607	483.8709677	14580.49085	30000	0	0	30000	41.875	2004
08.01.2020 14:44:30	1	1	1	1	81.25	61.75	0	30000	481.7204301	14451.662	30000	0	0	30000	41.625	2004
08.01.2020 14:44:31	1	1	1	1	81.5	61.5	0	29905.213	481.7204301	14451.662	30000	0	0	30000	41.625	2004
08.01.2020 14:44:32	1	1	1	1	81.5	61.5	0	30000	481.7204301	14474.49243	30000	0	0	30000	41.75	2004
08.01.2020 14:44:39	1	1	1	1	81.5	61.5	0	30000	466.6666667	13999.94564	30000	0	0	30000	41.9375	2004
08.01.2020 14:44:39	1	1	1	1	81.5	61.5	0	30000	466.6666667	13999.94564	30000	0	0	30000	41.9375	2004
08.01.2020 14:44:39	1	1	1	1	81.5	61.5	0	30000	466.6666667	13999.94564	30000	0	0	30000	41.9375	2004
08.01.2020 14:44:39	1	1	1	1	81.5	61.5	0	30000	466.6666667	13999.94564	30000	0	0	30000	41.9375	2004
08.01.2020 14:44:39	1	1	1	1	81.5	61.5	0	30000	466.6666667	13999.94564	30000	0	0	30000	41.9375	2004
08.01.2020 14:44:39	1	1	1	1	81.5	61.5	0	30000	466.6666667	13999.94564	30000	0	0	30000	41.9375	2004
08.01.2020 14:44:39	1	1	1	1	81.5	61.5	0	30000	466.6666667	13999.94564	30000	0	0	30000	41.9375	2004
08.01.2020 14:44:39	1	1	1	1	81.5	61.5	0	30000	466.6666667	13999.94564	30000	0	0	30000	41.9375	2004
08.01.2020 14:44:40	1	1	1	1	81.5	61.75	0	30000	481.7204301	14451.662	30000	0	0	30000	41.75	2004
08.01.2020 14:44:41	1	1	1	1	81.5	61.75	0	29952.607	481.7204301	14451.662	30000	0	0	30000	41.625	2004
08.01.2020 14:44:42	1	1	1	1	81.5	61.5	0	29952.607	481.7204301	14451.662	30000	0	0	30000	42	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 14:44:43	1	1	1	1	81.5	62	0	30000	481.7204301	14451.662	30000	0	0	30000	41.8125	2004
08.01.2020 14:44:44	1	1	1	1	81.5	61.75	0	30000	481.7204301	14451.662	30000	0	0	30000	41.625	2004
08.01.2020 14:44:45	1	1	1	1	81.5	61.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	41.9375	2004
08.01.2020 14:44:46	1	1	1	1	81.5	61.75	0	30000	488.172043	14644.90528	30000	0	0	30000	42.0625	2004
08.01.2020 14:44:47	1	1	1	1	81.5	62	0	30000	488.172043	14773.73413	30000	0	0	30000	41.5	2004
08.01.2020 14:44:48	1	1	1	1	81.5	61.5	0	30000	494.6236559	14838.14856	30000	0	0	30000	41.75	2004
08.01.2020 14:44:49	1	1	1	1	81.5	61.75	0	30000	496.7741935	14902.56299	30000	0	0	30000	42	2004
08.01.2020 14:44:50	1	1	1	1	81.5	62	0	30000	496.7741935	14727.2579	30000	0	0	30000	41.6875	2004
08.01.2020 14:44:51	1	1	1	1	81.5	61.5	0	30000	492.4731183	14644.90528	30000	0	0	30000	41.875	2004
08.01.2020 14:44:52	1	1	1	1	81.5	61.75	0	30000	488.172043	14644.90528	30000	0	0	30000	41.9375	2004
08.01.2020 14:44:53	1	1	1	1	81.5	61.75	0	30000	481.7204301	14451.662	30000	0	0	30000	42.0625	2004
08.01.2020 14:44:54	1	1	1	1	81.5	62	0	30000	483.8709677	14516.07643	30000	0	0	30000	42.0625	2004
08.01.2020 14:44:55	1	1	1	1	81.5	62	0	30000	483.8709677	14428.83157	30000	0	0	30000	41.125	2004
08.01.2020 14:44:56	1	1	1	1	81.5	61	0	30047.393	481.7204301	14451.662	30000	0	0	30000	42.0625	2004
08.01.2020 14:44:57	1	1	1	1	81.5	62	0	30000	481.7204301	14451.662	30000	0	0	30000	42.1875	2004
08.01.2020 14:44:59	1	1	1	1	81.5	62	0	30047.393	488.172043	14451.662	30000	0	0	30000	42.1875	2004
08.01.2020 14:45:00	1	1	1	1	81.5	62	0	30000	481.7204301	14106.75944	30000	0	0	30000	42	2004
08.01.2020 14:45:01	1	1	1	1	81.5	62	0	30000	438.7096774	13160.92735	30000	0	0	30000	42.125	2004
08.01.2020 14:45:02	1	1	1	1	81.5	62	0	29905.213	419.3548387	12580.38214	30000	0	0	30000	42.1875	2004
08.01.2020 14:45:03	1	1	1	1	81.5	62	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.0625	2004
08.01.2020 14:45:04	1	1	1	1	81.5	62	0	30000	415.0537634	12451.55328	30000	0	0	30000	41.8125	2004
08.01.2020 14:45:05	1	1	1	1	81.5	61.75	0	30094.787	432.2580645	12709.21099	30000	0	0	30000	41.875	2004
08.01.2020 14:45:06	1	1	1	1	81.5	61.75	0	30000	443.0107527	13289.7562	30000	0	0	30000	41.5625	2004
08.01.2020 14:45:07	1	1	1	1	81.5	61.5	0	30000	427.9569892	12967.68407	30000	0	0	30000	42	2004
08.01.2020 14:45:08	1	1	1	1	81.5	62	0	30000	425.8064516	12580.38214	30000	0	0	30000	42.1875	2004
08.01.2020 14:45:09	1	1	1	1	81.5	62	0	30000	419.3548387	12580.38214	30000	0	0	30000	42.1875	2004
08.01.2020 14:45:10	1	1	1	1	81.5	62	0	30000	415.0537634	12451.55328	30000	0	0	30000	42.5	2004
08.01.2020 14:45:11	1	1	1	1	81.5	62.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.25	2004
08.01.2020 14:45:12	1	1	1	1	81.5	62	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.6875	2004
08.01.2020 14:45:13	1	1	1	1	81.5	61.5	0	30000	417.2043011	12451.55328	30000	0	0	30000	42	2004
08.01.2020 14:45:14	1	1	1	1	81.5	62	0	30000	419.3548387	12580.38214	30000	0	0	30000	42.0625	2004
08.01.2020 14:45:15	1	1	1	1	81.5	62	0	30000	417.2043011	12451.55328	30000	0	0	30000	42.1875	2004
08.01.2020 14:45:16	1	1	1	1	81.5	62	0	30000	404.3010753	12128.66578	30000	0	0	30000	42.0625	2004
08.01.2020 14:45:17	1	1	1	1	81.5	62	0	29905.213	384.9462366	11659.01122	30000	0	0	30000	42.125	2004
08.01.2020 14:45:18	1	1	1	1	81.5	62	0	30000	363.4408602	10903.16093	30000	0	0	30000	41.6875	2004
08.01.2020 14:45:19	1	1	1	1	81.5	61.5	0	30000	365.5913978	10757.20925	30000	0	0	30000	41.875	2004
08.01.2020 14:45:20	1	1	1	1	81.5	61.75	0	30000	354.8387097	10709.10227	30000	0	0	30000	42.1875	2004
08.01.2020 14:45:21	1	1	1	1	81.5	62	0	30000	348.3870968	10515.85899	30000	0	0	30000	41.875	2004
08.01.2020 14:45:22	1	1	1	1	81.5	61.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	41.4375	2004
08.01.2020 14:45:23	1	1	1	1	81.5	61.25	0	30000	348.3870968	10387.03014	30000	0	0	30000	42.1875	2004
08.01.2020 14:45:24	1	1	1	1	81.5	62	0	30000	346.2365591	10387.03014	30000	0	0	30000	42.1875	2004
08.01.2020 14:45:25	1	1	1	1	81.5	62	0	30000	344.0860215	10257.38592	30000	0	0	30000	42.1875	2004
08.01.2020 14:45:26	1	1	1	1	81.5	62	0	30000	348.3870968	10387.03014	30000	0	0	30000	41.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 14:45:27	1	1	1	1	81.5	61.5	0	30000	346.2365591	10387.03014	30000	0	0	30000	42.1875	2004
08.01.2020 14:45:28	1	1	1	1	81.5	62	0	30000	346.2365591	10387.03014	30000	0	0	30000	42.125	2004
08.01.2020 14:45:29	1	1	1	1	81.5	62	0	30000	348.3870968	10370.72269	30000	0	0	30000	42.1875	2004
08.01.2020 14:45:30	1	1	1	1	80.75	62	0	30000	348.3870968	10451.44457	30000	0	0	30000	42.1875	2004
08.01.2020 14:45:31	1	1	1	1	80.75	62	0	30000	346.2365591	10241.89384	30000	0	0	30000	41.6875	2004
08.01.2020 14:45:32	1	1	1	1	80.75	61.5	0	30000	344.0860215	10257.38592	30000	0	0	30000	42.125	2004
08.01.2020 14:45:33	1	1	1	1	80.75	62	0	30000	341.9354839	10387.03014	30000	0	0	30000	42.1875	2004
08.01.2020 14:45:41	1	1	1	1	80.75	61.5	0	29952.607	352.688172	10709.10227	30000	0	0	30000	41.625	2004
08.01.2020 14:45:41	1	1	1	1	80.75	61.5	0	29952.607	352.688172	10709.10227	30000	0	0	30000	41.625	2004
08.01.2020 14:45:41	1	1	1	1	80.75	61.5	0	30000	363.4408602	10903.16093	30000	0	0	30000	41.875	2004
08.01.2020 14:45:41	1	1	1	1	80.75	61.5	0	30000	363.4408602	10903.16093	30000	0	0	30000	41.875	2004
08.01.2020 14:45:41	1	1	1	1	80.75	61.5	0	30000	363.4408602	10903.16093	30000	0	0	30000	41.875	2004
08.01.2020 14:45:41	1	1	1	1	80.75	61.5	0	30000	363.4408602	10903.16093	30000	0	0	30000	41.875	2004
08.01.2020 14:45:41	1	1	1	1	80.75	61.5	0	30000	363.4408602	10903.16093	30000	0	0	30000	41.875	2004
08.01.2020 14:45:42	1	1	1	1	80.75	61.75	0	30000	369.8924731	11031.98978	30000	0	0	30000	41.5625	2004
08.01.2020 14:45:43	1	1	1	1	80.75	61.5	0	30000	372.0430108	11160.81863	30000	0	0	30000	41.4375	2004
08.01.2020 14:45:44	1	1	1	1	80.75	61.25	0	30000	378.4946237	11419.29171	30000	0	0	30000	41.6875	2004
08.01.2020 14:45:45	1	1	1	1	80.75	61.5	0	30000	387.0967742	11548.12057	30000	0	0	30000	41.4375	2004
08.01.2020 14:45:46	1	1	1	1	80.75	61.25	0	30000	412.9032258	12490.69116	30000	0	0	30000	41.75	2004
08.01.2020 14:45:47	1	1	1	1	80.75	61.75	0	30000	425.8064516	12773.62542	30000	0	0	30000	41.5	2004
08.01.2020 14:45:48	1	1	1	1	80.75	61.5	0	30000	434.4086022	13032.0985	30000	0	0	30000	42	2004
08.01.2020 14:45:49	1	1	1	1	80.75	62	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.1875	2004
08.01.2020 14:45:50	1	1	1	1	80.75	62	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.9375	2004
08.01.2020 14:45:51	1	1	1	1	80.5	61.75	0	30000	451.6129032	13612.64371	30000	0	0	30000	42.0625	2004
08.01.2020 14:45:52	1	1	1	1	80.5	62	0	29905.213	453.7634409	13612.64371	30000	0	0	30000	42.25	2004
08.01.2020 14:45:53	1	1	1	1	80.5	61.75	0	30000	460.2150538	13805.88699	30000	0	0	30000	41.875	2004
08.01.2020 14:45:54	1	1	1	1	80.5	61.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.9375	2004
08.01.2020 14:45:55	1	1	1	1	80.5	61.75	0	30000	445.1612903	13375.37032	30000	0	0	30000	42	2004
08.01.2020 14:45:56	1	1	1	1	80.5	62	0	30000	438.7096774	13160.92735	30000	0	0	30000	41.75	2004
08.01.2020 14:45:57	1	1	1	1	80.5	61.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	42	2004
08.01.2020 14:45:58	1	1	1	1	80.5	62	0	30047.393	412.9032258	12387.13886	30000	0	0	30000	42.125	2004
08.01.2020 14:45:59	1	1	1	1	80.5	62	0	30000	391.3978495	11741.36385	30000	0	0	30000	42.0625	2004
08.01.2020 14:46:00	1	1	1	1	81.25	62	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.0625	2004
08.01.2020 14:46:01	1	1	1	1	81.25	62	0	30000	380.6451613	11354.87729	30000	0	0	30000	42	2004
08.01.2020 14:46:02	1	1	1	1	81.25	62	0	29952.607	365.5913978	11390.75368	30000	0	0	30000	42.0625	2004
08.01.2020 14:46:03	1	1	1	1	81.25	62	0	30000	363.4408602	10903.16093	30000	0	0	30000	41.6875	2004
08.01.2020 14:46:04	1	1	1	1	81.25	61.5	0	29952.607	352.688172	10580.27342	30000	0	0	30000	42.125	2004
08.01.2020 14:46:05	1	1	1	1	81.25	62	0	30000	350.5376344	10515.85899	30000	0	0	30000	42.0625	2004
08.01.2020 14:46:06	1	1	1	1	81.25	62	0	30000	339.7849462	10192.97149	30000	0	0	30000	42.125	2004
08.01.2020 14:46:07	1	1	1	1	81.25	62	0	30000	337.6344086	10128.55706	30000	0	0	30000	42.0625	2004
08.01.2020 14:46:08	1	1	1	1	81.25	62	0	29952.607	341.9354839	10192.97149	30000	0	0	30000	42.125	2004
08.01.2020 14:46:09	1	1	1	1	81.25	62	0	30000	341.9354839	10257.38592	30000	0	0	30000	42.125	2004
08.01.2020 14:46:10	1	1	1	1	81	62	0	30000	352.688172	10515.85899	30000	0	0	30000	42.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 14:46:11	1	1	1	1	81	62	0	30000	352.688172	10515.85899	30000	0	0	30000	42	2004
08.01.2020 14:46:12	1	1	1	1	81	62	0	30000	352.688172	10644.68785	30000	0	0	30000	42	2004
08.01.2020 14:46:13	1	1	1	1	81	62	0	29952.607	354.8387097	10644.68785	30000	0	0	30000	42.125	2004
08.01.2020 14:46:15	1	1	1	1	81	62	0	30000	352.688172	10515.85899	30000	0	0	30000	42	2004
08.01.2020 14:46:16	1	1	1	1	81	62	0	30000	356.9892473	10773.5167	30000	0	0	30000	42.0625	2004
08.01.2020 14:46:17	1	1	1	1	81	62	0	29905.213	348.3870968	10644.68785	30000	0	0	30000	41.9375	2004
08.01.2020 14:46:18	1	1	1	1	81	61.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	42	2004
08.01.2020 14:46:19	1	1	1	1	81	62	0	30000	350.5376344	10353.59987	30000	0	0	30000	42.1875	2004
08.01.2020 14:46:20	1	1	1	1	81	62	0	30000	350.5376344	10515.85899	30000	0	0	30000	41.25	2004
08.01.2020 14:46:21	1	1	1	1	80.5	61.25	0	30000	346.2365591	10387.03014	30000	0	0	30000	42.1875	2004
08.01.2020 14:46:22	1	1	1	1	80.5	62	0	30000	350.5376344	10515.85899	30000	0	0	30000	42.0625	2004
08.01.2020 14:46:23	1	1	1	1	80.5	62	0	30000	346.2365591	10451.44457	30000	0	0	30000	41.75	2004
08.01.2020 14:46:24	1	1	1	1	80.5	61.75	0	30000	348.3870968	10515.85899	30000	0	0	30000	42.1875	2004
08.01.2020 14:46:25	1	1	1	1	80.5	62	0	30000	346.2365591	10451.44457	30000	0	0	30000	41.75	2004
08.01.2020 14:46:26	1	1	1	1	80.5	61.75	0	30000	348.3870968	10387.03014	30000	0	0	30000	42.0625	2004
08.01.2020 14:46:27	1	1	1	1	80.5	62	0	30000	344.0860215	10387.03014	30000	0	0	30000	41.875	2004
08.01.2020 14:46:28	1	1	1	1	80.5	61.75	0	30000	348.3870968	10580.27342	30000	0	0	30000	42.1875	2004
08.01.2020 14:46:29	1	1	1	1	80.5	62	0	30000	344.0860215	10257.38592	30000	0	0	30000	42.4375	2004
08.01.2020 14:46:30	1	1	1	1	80.5	62.25	0	30000	341.9354839	10257.38592	30000	0	0	30000	42.1875	2004
08.01.2020 14:46:31	1	1	1	1	80.75	62	0	30000	344.0860215	10257.38592	30000	0	0	30000	42.0625	2004
08.01.2020 14:46:32	1	1	1	1	80.75	62	0	29905.213	341.9354839	10225.58639	30000	0	0	30000	41.5	2004
08.01.2020 14:46:33	1	1	1	1	80.75	61.5	0	30000	339.7849462	10192.97149	30000	0	0	30000	42.0625	2004
08.01.2020 14:46:34	1	1	1	1	80.75	62	0	30000	339.7849462	10128.55706	30000	0	0	30000	41.25	2004
08.01.2020 14:46:35	1	1	1	1	80.75	61.25	0	30000	335.483871	10064.14264	30000	0	0	30000	42.1875	2004
08.01.2020 14:46:42	1	1	1	1	80.5	62	0	30000	335.483871	10128.55706	30000	0	0	30000	42.125	2004
08.01.2020 14:46:42	1	1	1	1	80.5	62	0	30000	335.483871	10128.55706	30000	0	0	30000	42.125	2004
08.01.2020 14:46:42	1	1	1	1	80.5	62	0	30000	335.483871	10128.55706	30000	0	0	30000	42.125	2004
08.01.2020 14:46:42	1	1	1	1	80.5	62	0	30000	335.483871	10128.55706	30000	0	0	30000	42.125	2004
08.01.2020 14:46:42	1	1	1	1	80.5	62	0	30000	335.483871	10128.55706	30000	0	0	30000	42.125	2004
08.01.2020 14:46:42	1	1	1	1	80.5	62	0	29905.213	329.0322581	9999.728209	30000	0	0	30000	42.0625	2004
08.01.2020 14:46:43	1	1	1	1	80.5	62	0	29952.607	326.8817204	9775.500775	30000	0	0	30000	41.875	2004
08.01.2020 14:46:44	1	1	1	1	80.5	61.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.0625	2004
08.01.2020 14:46:45	1	1	1	1	80.5	62	0	30000	329.0322581	9870.899356	30000	0	0	30000	42.0625	2004
08.01.2020 14:46:46	1	1	1	1	80.5	62	0	30000	326.8817204	9870.899356	30000	0	0	30000	42.0625	2004
08.01.2020 14:46:47	1	1	1	1	80.5	62	0	30000	333.3333333	9999.728209	30000	0	0	30000	42.1875	2004
08.01.2020 14:46:48	1	1	1	1	80.5	62	0	30000	333.3333333	9935.313783	30000	0	0	30000	42.1875	2004
08.01.2020 14:46:49	1	1	1	1	80.5	62	0	30000	320.4301075	9612.426277	30000	0	0	30000	42	2004
08.01.2020 14:46:50	1	1	1	1	80.25	62	0	30000	307.5268817	9225.124344	30000	0	0	30000	41.9375	2004
08.01.2020 14:46:51	1	1	1	1	80.25	61.75	0	30000	303.2258065	9096.295491	30000	0	0	30000	41.5625	2004
08.01.2020 14:46:52	1	1	1	1	80.25	61.5	0	30000	296.7741935	8838.637784	30000	0	0	30000	41.875	2004
08.01.2020 14:46:53	1	1	1	1	80.25	61.75	0	30000	294.6236559	8838.637784	30000	0	0	30000	42.1875	2004
08.01.2020 14:46:54	1	1	1	1	80.25	62	0	30000	294.6236559	8838.637784	30000	0	0	30000	42.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 14:46:55	1	1	1	1	80.25	62	0	30000	296.7741935	8838.637784	30000	0	0	30000	42	2004
08.01.2020 14:46:57	1	1	1	1	80.25	62	0	30000	296.7741935	8903.052211	30000	0	0	30000	42	2004
08.01.2020 14:46:58	1	1	1	1	80.25	62	0	30000	303.2258065	9096.295491	30000	0	0	30000	41.6875	2004
08.01.2020 14:46:59	1	1	1	1	80.25	61.5	0	30000	311.827957	9354.76857	30000	0	0	30000	42.125	2004
08.01.2020 14:47:00	1	1	1	1	80.25	62	0	29952.607	313.9784946	9483.597423	30000	0	0	30000	41.875	2004
08.01.2020 14:47:01	1	1	1	1	80.25	61.75	0	30000	313.9784946	9433.859702	30000	0	0	30000	41.3125	2004
08.01.2020 14:47:02	1	1	1	1	80.25	61.25	0	30000	313.9784946	9419.182997	30000	0	0	30000	42.0625	2004
08.01.2020 14:47:03	1	1	1	1	80.25	62	0	30047.393	316.1290323	9483.597423	30000	0	0	30000	42.0625	2004
08.01.2020 14:47:04	1	1	1	1	80.25	62	0	30000	322.5806452	9676.840703	30000	0	0	30000	42.0625	2004
08.01.2020 14:47:05	1	1	1	1	80.25	62	0	30000	329.0322581	9870.899356	30000	0	0	30000	42	2004
08.01.2020 14:47:06	1	1	1	1	80.25	62	0	30000	339.7849462	10128.55706	30000	0	0	30000	41.625	2004
08.01.2020 14:47:07	1	1	1	1	80.25	61.5	0	30000	339.7849462	10128.55706	30000	0	0	30000	42.375	2004
08.01.2020 14:47:08	1	1	1	1	80.25	62.25	0	30000	348.3870968	10257.38592	30000	0	0	30000	42.0625	2004
08.01.2020 14:47:09	1	1	1	1	80.25	62	0	30000	348.3870968	10387.03014	30000	0	0	30000	42.4375	2004
08.01.2020 14:47:10	1	1	1	1	80.25	62.25	0	30000	348.3870968	10241.89384	30000	0	0	30000	42.5625	2004
08.01.2020 14:47:11	1	1	1	1	80	62	0	30000	346.2365591	10387.03014	30000	0	0	30000	41.8125	2004
08.01.2020 14:47:12	1	1	1	1	80	61.75	0	30000	339.7849462	10192.97149	30000	0	0	30000	42.0625	2004
08.01.2020 14:47:13	1	1	1	1	80	62	0	30000	341.9354839	10257.38592	30000	0	0	30000	42	2004
08.01.2020 14:47:14	1	1	1	1	80	62	0	30000	344.0860215	10273.69337	30000	0	0	30000	41.625	2004
08.01.2020 14:47:15	1	1	1	1	80	61.5	0	30000	346.2365591	10387.03014	30000	0	0	30000	42.1875	2004
08.01.2020 14:47:16	1	1	1	1	80	62	0	30000	356.9892473	10709.10227	30000	0	0	30000	41.9375	2004
08.01.2020 14:47:17	1	1	1	1	80	61.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	42	2004
08.01.2020 14:47:18	1	1	1	1	80	62	0	30000	369.8924731	11160.81863	30000	0	0	30000	41.875	2004
08.01.2020 14:47:19	1	1	1	1	80	61.75	0	30000	384.9462366	11548.12057	30000	0	0	30000	41.9375	2004
08.01.2020 14:47:20	1	1	1	1	79.5	61.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.5	2004
08.01.2020 14:47:21	1	1	1	1	79.5	61.5	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	42.125	2004
08.01.2020 14:47:22	1	1	1	1	79.5	62	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.25	2004
08.01.2020 14:47:23	1	1	1	1	79.5	62.25	0	30000	425.8064516	12838.03984	30000	0	0	30000	41.5	2004
08.01.2020 14:47:24	1	1	1	1	79.5	61.5	0	30000	425.8064516	12773.62542	30000	0	0	30000	41.8125	2004
08.01.2020 14:47:25	1	1	1	1	79.5	61.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.0625	2004
08.01.2020 14:47:26	1	1	1	1	79.5	62	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.375	2004
08.01.2020 14:47:27	1	1	1	1	79.5	61.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.8125	2004
08.01.2020 14:47:28	1	1	1	1	79.5	61.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.125	2004
08.01.2020 14:47:29	1	1	1	1	79.5	62	0	30000	432.2580645	12838.03984	30000	0	0	30000	42.0625	2004
08.01.2020 14:47:30	1	1	1	1	80	62	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.875	2004
08.01.2020 14:47:31	1	1	1	1	80	61.75	0	30000	425.8064516	12838.03984	30000	0	0	30000	41.75	2004
08.01.2020 14:47:32	1	1	1	1	80	61.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.25	2004
08.01.2020 14:47:34	1	1	1	1	80	62.25	0	30000	425.8064516	12838.03984	30000	0	0	30000	41.75	2004
08.01.2020 14:47:35	1	1	1	1	80	61.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.875	2004
08.01.2020 14:47:36	1	1	1	1	80	61.75	0	30000	427.9569892	12773.62542	30000	0	0	30000	41.5	2004
08.01.2020 14:47:37	1	1	1	1	80	61.5	0	30000	425.8064516	12773.62542	30000	0	0	30000	41.6875	2004
08.01.2020 14:47:44	1	1	1	1	80	61.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	41.75	2004
08.01.2020 14:47:44	1	1	1	1	80	61.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	41.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 14:47:44	1	1	1	1	80	61.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	41.75	2004
08.01.2020 14:47:44	1	1	1	1	80	61.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	41.75	2004
08.01.2020 14:47:44	1	1	1	1	80	61.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	41.75	2004
08.01.2020 14:47:44	1	1	1	1	80	61.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	41.75	2004
08.01.2020 14:47:44	1	1	1	1	80	61.75	0	30000	419.3548387	12387.13886	30000	0	0	30000	42.0625	2004
08.01.2020 14:47:45	1	1	1	1	80	62	0	30000	419.3548387	12580.38214	30000	0	0	30000	41.625	2004
08.01.2020 14:47:46	1	1	1	1	80	61.5	0	29905.213	419.3548387	12580.38214	30000	0	0	30000	41.1875	2004
08.01.2020 14:47:47	1	1	1	1	80	61	0	30000	419.3548387	12838.03984	30000	0	0	30000	41.9375	2004
08.01.2020 14:47:48	1	1	1	1	80	61.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.0625	2004
08.01.2020 14:47:49	1	1	1	1	80	62	0	30000	432.2580645	12967.68407	30000	0	0	30000	42.375	2004
08.01.2020 14:47:50	1	1	1	1	80.25	62.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.5625	2004
08.01.2020 14:47:51	1	1	1	1	80.25	61.5	0	30000	434.4086022	13096.51292	30000	0	0	30000	41.9375	2004
08.01.2020 14:47:52	1	1	1	1	80.25	61.75	0	30047.393	432.2580645	12838.03984	30000	0	0	30000	41.9375	2004
08.01.2020 14:47:53	1	1	1	1	80.25	61.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	42	2004
08.01.2020 14:47:54	1	1	1	1	80.25	62	0	30000	438.7096774	13160.92735	30000	0	0	30000	41.5	2004
08.01.2020 14:47:55	1	1	1	1	80.25	61.5	0	30000	432.2580645	12838.03984	30000	0	0	30000	42.125	2004
08.01.2020 14:47:56	1	1	1	1	80.25	62	0	30000	443.0107527	13289.7562	30000	0	0	30000	42.125	2004
08.01.2020 14:47:57	1	1	1	1	80.25	62	0	30000	419.3548387	12580.38214	30000	0	0	30000	41.1875	2004
08.01.2020 14:47:58	1	1	1	1	80.25	61	0	30000	404.3010753	12193.08021	30000	0	0	30000	42.1875	2004
08.01.2020 14:47:59	1	1	1	1	80.25	62	0	30000	395.6989247	11871.00807	30000	0	0	30000	41.4375	2004
08.01.2020 14:48:00	1	1	1	1	80.25	61.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.1875	2004
08.01.2020 14:48:01	1	1	1	1	80.25	62	0	30000	369.8924731	11160.81863	30000	0	0	30000	42.1875	2004
08.01.2020 14:48:02	1	1	1	1	80.25	62	0	30000	369.8924731	11031.98978	30000	0	0	30000	42.0625	2004
08.01.2020 14:48:03	1	1	1	1	80.25	62	0	30000	372.0430108	11354.87729	30000	0	0	30000	42.1875	2004
08.01.2020 14:48:04	1	1	1	1	80.25	62	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.125	2004
08.01.2020 14:48:05	1	1	1	1	80.25	62	0	30000	384.9462366	11548.12057	30000	0	0	30000	42.0625	2004
08.01.2020 14:48:06	1	1	1	1	80.25	62	0	30000	395.6989247	11640.25766	30000	0	0	30000	41.9375	2004
08.01.2020 14:48:07	1	1	1	1	80.25	61.75	0	30000	397.8494624	11640.25766	30000	0	0	30000	42.0625	2004
08.01.2020 14:48:08	1	1	1	1	80.25	62	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.1875	2004
08.01.2020 14:48:09	1	1	1	1	80.25	62	0	30000	384.9462366	11548.12057	30000	0	0	30000	42.0625	2004
08.01.2020 14:48:10	1	1	1	1	80	62	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.1875	2004
08.01.2020 14:48:11	1	1	1	1	80	62	0	30000	363.4408602	10903.16093	30000	0	0	30000	42.125	2004
08.01.2020 14:48:13	1	1	1	1	80	62	0	30000	359.1397849	10773.5167	30000	0	0	30000	42	2004
08.01.2020 14:48:14	1	1	1	1	80	62	0	30000	359.1397849	10773.5167	30000	0	0	30000	41.9375	2004
08.01.2020 14:48:15	1	1	1	1	80	61.75	0	30000	365.5913978	10903.16093	30000	0	0	30000	41.75	2004
08.01.2020 14:48:16	1	1	1	1	80	61.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.75	2004
08.01.2020 14:48:17	1	1	1	1	80	61.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.1875	2004
08.01.2020 14:48:18	1	1	1	1	80	62	0	30000	380.6451613	11419.29171	30000	0	0	30000	42.1875	2004
08.01.2020 14:48:19	1	1	1	1	80	62	0	30000	387.0967742	11676.94942	30000	0	0	30000	41.9375	2004
08.01.2020 14:48:20	1	1	1	1	80	61.75	0	30047.393	395.6989247	11548.12057	30000	0	0	30000	41.9375	2004
08.01.2020 14:48:21	1	1	1	1	79.75	61.75	0	30000	384.9462366	11612.53499	30000	0	0	30000	42.0625	2004
08.01.2020 14:48:22	1	1	1	1	79.75	62	0	30000	404.3010753	12193.08021	30000	0	0	30000	42.1875	2004
08.01.2020 14:48:23	1	1	1	1	79.75	62	0	30000	417.2043011	12580.38214	30000	0	0	30000	42.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 14:48:24	1	1	1	1	79.75	62	0	30000	423.655914	12773.62542	30000	0	0	30000	41.375	2004
08.01.2020 14:48:25	1	1	1	1	79.75	61.25	0	30047.393	425.8064516	12773.62542	30000	0	0	30000	42.0625	2004
08.01.2020 14:48:26	1	1	1	1	79.75	62	0	30000	425.8064516	12773.62542	30000	0	0	30000	41.75	2004
08.01.2020 14:48:27	1	1	1	1	79.75	61.75	0	29952.607	425.8064516	12773.62542	30000	0	0	30000	42.1875	2004
08.01.2020 14:48:28	1	1	1	1	79.75	62	0	30000	419.3548387	12580.38214	30000	0	0	30000	42.0625	2004
08.01.2020 14:48:29	1	1	1	1	79.75	62	0	30000	419.3548387	12580.38214	30000	0	0	30000	42.5	2004
08.01.2020 14:48:30	1	1	1	1	79.75	61.5	0	29952.607	427.9569892	12773.62542	30000	0	0	30000	41.9375	2004
08.01.2020 14:48:31	1	1	1	1	79.75	61.75	0	29952.607	415.0537634	12580.38214	30000	0	0	30000	42	2004
08.01.2020 14:48:32	1	1	1	1	79.75	62	0	30000	415.0537634	12451.55328	30000	0	0	30000	42.125	2004
08.01.2020 14:48:33	1	1	1	1	79.75	62	0	30000	415.0537634	12451.55328	30000	0	0	30000	42.1875	2004
08.01.2020 14:48:34	1	1	1	1	79.75	62	0	30000	415.0537634	12580.38214	30000	0	0	30000	41.25	2004
08.01.2020 14:48:35	1	1	1	1	79.75	61.25	0	30000	417.2043011	12431.98434	30000	0	0	30000	42	2004
08.01.2020 14:48:36	1	1	1	1	79.75	62	0	30000	415.0537634	12387.13886	30000	0	0	30000	42.0625	2004
08.01.2020 14:48:37	1	1	1	1	79.75	62	0	30000	419.3548387	12580.38214	30000	0	0	30000	42	2004
08.01.2020 14:48:38	1	1	1	1	79.75	62	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.0625	2004
08.01.2020 14:48:46	1	1	1	1	80	62	0	30047.393	380.6451613	11419.29171	30000	0	0	30000	42.125	2004
08.01.2020 14:48:46	1	1	1	1	80	62	0	30047.393	380.6451613	11419.29171	30000	0	0	30000	42.125	2004
08.01.2020 14:48:46	1	1	1	1	80	62	0	30047.393	380.6451613	11419.29171	30000	0	0	30000	42.125	2004
08.01.2020 14:48:46	1	1	1	1	80	62	0	30047.393	380.6451613	11419.29171	30000	0	0	30000	42.125	2004
08.01.2020 14:48:46	1	1	1	1	80	62	0	30047.393	380.6451613	11419.29171	30000	0	0	30000	42.125	2004
08.01.2020 14:48:46	1	1	1	1	80	62	0	30047.393	380.6451613	11419.29171	30000	0	0	30000	42.125	2004
08.01.2020 14:48:46	1	1	1	1	80	62	0	30000	380.6451613	11419.29171	30000	0	0	30000	42	2004
08.01.2020 14:48:47	1	1	1	1	80	62	0	30000	382.7956989	11419.29171	30000	0	0	30000	41.875	2004
08.01.2020 14:48:48	1	1	1	1	80	61.75	0	30000	369.8924731	11354.87729	30000	0	0	30000	41.75	2004
08.01.2020 14:48:49	1	1	1	1	80	61.75	0	30000	374.1935484	11354.87729	30000	0	0	30000	41.9375	2004
08.01.2020 14:48:50	1	1	1	1	79.5	61.75	0	30000	378.4946237	11096.40421	30000	0	0	30000	42	2004
08.01.2020 14:48:52	1	1	1	1	79.5	62	0	30000	369.8924731	11031.98978	30000	0	0	30000	42	2004
08.01.2020 14:48:53	1	1	1	1	79.5	62	0	30000	363.4408602	10903.16093	30000	0	0	30000	42.125	2004
08.01.2020 14:48:54	1	1	1	1	79.5	62	0	30000	363.4408602	10903.16093	30000	0	0	30000	41.9375	2004
08.01.2020 14:48:55	1	1	1	1	79.5	61.75	0	30000	361.2903226	10903.16093	30000	0	0	30000	41.8125	2004
08.01.2020 14:48:56	1	1	1	1	79.5	61.75	0	30000	365.5913978	10903.16093	30000	0	0	30000	42.1875	2004
08.01.2020 14:48:57	1	1	1	1	79.5	62	0	30000	378.4946237	11354.87729	30000	0	0	30000	42	2004
08.01.2020 14:48:58	1	1	1	1	79.5	62	0	30000	389.2473118	11676.94942	30000	0	0	30000	42.0625	2004
08.01.2020 14:48:59	1	1	1	1	79.5	62	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.9375	2004
08.01.2020 14:49:00	1	1	1	1	79.5	61.75	0	30000	419.3548387	12709.21099	30000	0	0	30000	42.125	2004
08.01.2020 14:49:01	1	1	1	1	79.5	62	0	30000	438.7096774	13160.92735	30000	0	0	30000	42	2004
08.01.2020 14:49:02	1	1	1	1	79.5	62	0	29952.607	440.8602151	13289.7562	30000	0	0	30000	42	2004
08.01.2020 14:49:03	1	1	1	1	79.5	62	0	30000	445.1612903	13289.7562	30000	0	0	30000	42.25	2004
08.01.2020 14:49:04	1	1	1	1	79.5	62.25	0	30000	445.1612903	13119.34335	30000	0	0	30000	42.125	2004
08.01.2020 14:49:05	1	1	1	1	79.5	62	0	29952.607	427.9569892	12967.68407	30000	0	0	30000	41.9375	2004
08.01.2020 14:49:06	1	1	1	1	79.5	61.5	0	30000	425.8064516	12709.21099	30000	0	0	30000	42.1875	2004
08.01.2020 14:49:07	1	1	1	1	79.5	62	0	30000	425.8064516	12773.62542	30000	0	0	30000	42.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 14:49:08	1	1	1	1	79.5	62	0	30000	419.3548387	12580.38214	30000	0	0	30000	42	2004
08.01.2020 14:49:09	1	1	1	1	79.5	62	0	30000	432.2580645	12967.68407	30000	0	0	30000	42.1875	2004
08.01.2020 14:49:10	1	1	1	1	80	62	0	30000	425.8064516	12773.62542	30000	0	0	30000	42.0625	2004
08.01.2020 14:49:11	1	1	1	1	80	62	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.8125	2004
08.01.2020 14:49:12	1	1	1	1	80	61.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.1875	2004
08.01.2020 14:49:13	1	1	1	1	80	62	0	30000	419.3548387	12580.38214	30000	0	0	30000	41.8125	2004
08.01.2020 14:49:14	1	1	1	1	80	61.75	0	29952.607	425.8064516	12773.62542	30000	0	0	30000	41.9375	2004
08.01.2020 14:49:15	1	1	1	1	80	61.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.8125	2004
08.01.2020 14:49:16	1	1	1	1	80	61.75	0	29952.607	419.3548387	12560.8132	30000	0	0	30000	42	2004
08.01.2020 14:49:17	1	1	1	1	80	62	0	30000	404.3010753	12064.25135	30000	0	0	30000	42	2004
08.01.2020 14:49:18	1	1	1	1	80	62	0	30000	387.0967742	11548.12057	30000	0	0	30000	42.0625	2004
08.01.2020 14:49:19	1	1	1	1	80	62	0	30000	380.6451613	11419.29171	30000	0	0	30000	41.625	2004
08.01.2020 14:49:20	1	1	1	1	79.75	61.5	0	30047.393	372.0430108	11160.81863	30000	0	0	30000	41.4375	2004
08.01.2020 14:49:21	1	1	1	1	79.75	61.25	0	30000	372.0430108	11160.81863	30000	0	0	30000	42	2004
08.01.2020 14:49:22	1	1	1	1	79.75	62	0	30000	365.5913978	10903.16093	30000	0	0	30000	41.6875	2004
08.01.2020 14:49:23	1	1	1	1	79.75	61.5	0	29952.607	369.8924731	11031.98978	30000	0	0	30000	42.125	2004
08.01.2020 14:49:24	1	1	1	1	79.75	62	0	29952.607	365.5913978	11031.98978	30000	0	0	30000	41.75	2004
08.01.2020 14:49:25	1	1	1	1	79.75	61.75	0	30000	367.7419355	11031.98978	30000	0	0	30000	42.0625	2004
08.01.2020 14:49:26	1	1	1	1	79.75	62	0	30000	363.4408602	10967.57535	30000	0	0	30000	42	2004
08.01.2020 14:49:27	1	1	1	1	79.75	62	0	30000	365.5913978	11031.98978	30000	0	0	30000	41.25	2004
08.01.2020 14:49:29	1	1	1	1	79.75	61.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.125	2004
08.01.2020 14:49:30	1	1	1	1	79.75	62	0	30000	382.7956989	11548.12057	30000	0	0	30000	42.125	2004
08.01.2020 14:49:31	1	1	1	1	80	62	0	30000	400	11935.4225	30000	0	0	30000	41.875	2004
08.01.2020 14:49:32	1	1	1	1	80	61.75	0	30000	395.6989247	11935.4225	30000	0	0	30000	42.0625	2004
08.01.2020 14:49:33	1	1	1	1	80	62	0	30000	404.3010753	12387.13886	30000	0	0	30000	42	2004
08.01.2020 14:49:34	1	1	1	1	80	62	0	30000	395.6989247	11871.00807	30000	0	0	30000	41.9375	2004
08.01.2020 14:49:35	1	1	1	1	80	61.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	41.375	2004
08.01.2020 14:49:36	1	1	1	1	80	61.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	41.0625	2004
08.01.2020 14:49:37	1	1	1	1	80	61	0	30000	384.9462366	11676.94942	30000	0	0	30000	42	2004
08.01.2020 14:49:38	1	1	1	1	80	62	0	30000	395.6989247	11871.00807	30000	0	0	30000	41.875	2004
08.01.2020 14:49:39	1	1	1	1	80	61.75	0	30000	395.6989247	11741.36385	30000	0	0	30000	41.6875	2004
08.01.2020 14:49:40	1	1	1	1	80	61.5	0	30000	389.2473118	11695.70299	30000	0	0	30000	41.8125	2004
08.01.2020 14:49:47	1	1	1	1	80.25	62	0	30000	384.9462366	11354.87729	30000	0	0	30000	42.0625	2004
08.01.2020 14:49:47	1	1	1	1	80.25	62	0	30000	384.9462366	11354.87729	30000	0	0	30000	42.0625	2004
08.01.2020 14:49:47	1	1	1	1	80.25	62	0	30000	384.9462366	11354.87729	30000	0	0	30000	42.0625	2004
08.01.2020 14:49:47	1	1	1	1	80.25	62	0	30000	384.9462366	11354.87729	30000	0	0	30000	42.0625	2004
08.01.2020 14:49:47	1	1	1	1	80.25	62	0	30000	384.9462366	11354.87729	30000	0	0	30000	42.0625	2004
08.01.2020 14:49:47	1	1	1	1	80.25	62	0	30000	384.9462366	11354.87729	30000	0	0	30000	42.0625	2004
08.01.2020 14:49:47	1	1	1	1	80.25	62	0	30000	384.9462366	11354.87729	30000	0	0	30000	42.0625	2004
08.01.2020 14:49:48	1	1	1	1	80.25	62.25	0	30000	380.6451613	11419.29171	30000	0	0	30000	41.875	2004
08.01.2020 14:49:49	1	1	1	1	80.25	61.75	0	30000	384.9462366	11548.12057	30000	0	0	30000	42	2004
08.01.2020 14:49:50	1	1	1	1	80.25	62	0	30000	384.9462366	11419.29171	30000	0	0	30000	42.0625	2004
08.01.2020 14:49:51	1	1	1	1	80.25	62	0	30000	395.6989247	11871.00807	30000	0	0	30000	41.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 14:49:52	1	1	1	1	80.25	61.25	0	30000	395.6989247	11935.4225	30000	0	0	30000	41.875	2004
08.01.2020 14:49:53	1	1	1	1	80.25	61.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.625	2004
08.01.2020 14:49:54	1	1	1	1	80.25	61.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.9375	2004
08.01.2020 14:49:55	1	1	1	1	80.25	61.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.125	2004
08.01.2020 14:49:56	1	1	1	1	80.25	62	0	30000	404.3010753	12128.66578	30000	0	0	30000	41.3125	2004
08.01.2020 14:49:57	1	1	1	1	80.25	61.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.9375	2004
08.01.2020 14:49:58	1	1	1	1	80.25	61.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	41.8125	2004
08.01.2020 14:49:59	1	1	1	1	80.25	61.75	0	30000	404.3010753	11935.4225	30000	0	0	30000	42.0625	2004
08.01.2020 14:50:00	1	1	1	1	80	62	0	30000	380.6451613	11419.29171	30000	0	0	30000	42.0625	2004
08.01.2020 14:50:01	1	1	1	1	80	62	0	30000	363.4408602	10903.16093	30000	0	0	30000	42.125	2004
08.01.2020 14:50:02	1	1	1	1	80	62	0	29905.213	326.8817204	9741.25513	30000	0	0	30000	42.125	2004
08.01.2020 14:50:03	1	1	1	1	80	62	0	30000	296.7741935	8967.466638	30000	0	0	30000	41.9375	2004
08.01.2020 14:50:04	1	1	1	1	80	61.75	0	30000	281.7204301	8451.335852	30000	0	0	30000	41.875	2004
08.01.2020 14:50:05	1	1	1	1	80	61.75	0	29952.607	283.8709677	8515.750279	30000	0	0	30000	41.4375	2004
08.01.2020 14:50:06	1	1	1	1	80	61.25	0	30000	273.1182796	8322.506999	30000	0	0	30000	42.125	2004
08.01.2020 14:50:07	1	1	1	1	80	62	0	30000	275.2688172	8322.506999	30000	0	0	30000	41.9375	2004
08.01.2020 14:50:09	1	1	1	1	80	61.75	0	30000	268.8172043	8128.448346	30000	0	0	30000	41.9375	2004
08.01.2020 14:50:10	1	1	1	1	80	61.75	0	30000	270.9677419	8128.448346	30000	0	0	30000	41.9375	2004
08.01.2020 14:50:11	1	1	1	1	80	61.75	0	30000	260.2150538	7806.376213	30000	0	0	30000	42	2004
08.01.2020 14:50:12	1	1	1	1	80	62	0	30000	268.8172043	8064.033919	30000	0	0	30000	41.6875	2004
08.01.2020 14:50:13	1	1	1	1	80	61.5	0	30000	270.9677419	8064.033919	30000	0	0	30000	41.4375	2004
08.01.2020 14:50:14	1	1	1	1	80	61.25	0	30000	279.5698925	8180.632185	30000	0	0	30000	41.875	2004
08.01.2020 14:50:15	1	1	1	1	80	61.75	0	29952.607	283.8709677	8451.335852	30000	0	0	30000	42.0625	2004
08.01.2020 14:50:16	1	1	1	1	80	62	0	30000	292.4731183	8708.993559	30000	0	0	30000	41.9375	2004
08.01.2020 14:50:17	1	1	1	1	80	61.75	0	30000	294.6236559	8838.637784	30000	0	0	30000	41.9375	2004
08.01.2020 14:50:18	1	1	1	1	80	61.75	0	30000	303.2258065	9096.295491	30000	0	0	30000	42.125	2004
08.01.2020 14:50:19	1	1	1	1	80	62	0	30000	313.9784946	9354.76857	30000	0	0	30000	41.9375	2004
08.01.2020 14:50:20	1	1	1	1	80	61.75	0	29905.213	331.1827957	9999.728209	30000	0	0	30000	41.9375	2004
08.01.2020 14:50:21	1	1	1	1	79.75	61.75	0	30000	348.3870968	10241.89384	30000	0	0	30000	41.875	2004
08.01.2020 14:50:22	1	1	1	1	79.75	61.75	0	30000	350.5376344	10644.68785	30000	0	0	30000	41.9375	2004
08.01.2020 14:50:23	1	1	1	1	79.75	61.75	0	30000	354.8387097	10644.68785	30000	0	0	30000	42.1875	2004
08.01.2020 14:50:24	1	1	1	1	79.75	62	0	30000	359.1397849	10515.85899	30000	0	0	30000	42.3125	2004
08.01.2020 14:50:25	1	1	1	1	79.75	62.25	0	30000	344.0860215	10403.33759	30000	0	0	30000	42.4375	2004
08.01.2020 14:50:26	1	1	1	1	79.75	62.25	0	30000	346.2365591	10387.03014	30000	0	0	30000	41.8125	2004
08.01.2020 14:50:27	1	1	1	1	79.75	62	0	30000	341.9354839	10257.38592	30000	0	0	30000	42	2004
08.01.2020 14:50:28	1	1	1	1	79.75	62	0	29952.607	341.9354839	10241.89384	30000	0	0	30000	41.75	2004
08.01.2020 14:50:29	1	1	1	1	79.75	61.75	0	30000	335.483871	10128.55706	30000	0	0	30000	41.9375	2004
08.01.2020 14:50:30	1	1	1	1	79.75	61.75	0	29952.607	335.483871	10257.38592	30000	0	0	30000	41.5625	2004
08.01.2020 14:50:31	1	1	1	1	79.75	61.5	0	30000	329.0322581	9999.728209	30000	0	0	30000	41.8125	2004
08.01.2020 14:50:32	1	1	1	1	79.75	61.75	0	30000	335.483871	10064.14264	30000	0	0	30000	42.0625	2004
08.01.2020 14:50:33	1	1	1	1	79.75	62	0	30000	337.6344086	10192.97149	30000	0	0	30000	42	2004
08.01.2020 14:50:34	1	1	1	1	79.75	62	0	30000	335.483871	9999.728209	30000	0	0	30000	41.8125	2004
08.01.2020 14:50:35	1	1	1	1	79.75	61.75	0	29905.213	331.1827957	10064.14264	30000	0	0	30000	41.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 14:50:36	1	1	1	1	79.75	61.5	0	30000	331.1827957	9935.313783	30000	0	0	30000	42.125	2004
08.01.2020 14:50:37	1	1	1	1	79.75	62	0	30000	329.0322581	9870.899356	30000	0	0	30000	42.0625	2004
08.01.2020 14:50:38	1	1	1	1	79.75	62	0	30000	329.0322581	9870.899356	30000	0	0	30000	42.0625	2004
08.01.2020 14:50:39	1	1	1	1	79.75	62	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.1875	2004
08.01.2020 14:50:40	1	1	1	1	80	62	0	29952.607	326.8817204	9870.899356	30000	0	0	30000	41.625	2004
08.01.2020 14:50:41	1	1	1	1	80	61.5	0	30000	318.2795699	9483.597423	30000	0	0	30000	42	2004
08.01.2020 14:50:49	1	1	1	1	80	61.75	0	29905.213	329.0322581	9870.899356	30000	0	0	30000	42	2004
08.01.2020 14:50:49	1	1	1	1	80	61.75	0	29905.213	329.0322581	9870.899356	30000	0	0	30000	42	2004
08.01.2020 14:50:49	1	1	1	1	80	61.75	0	29905.213	329.0322581	9870.899356	30000	0	0	30000	42	2004
08.01.2020 14:50:49	1	1	1	1	80	61.75	0	29905.213	329.0322581	9870.899356	30000	0	0	30000	42	2004
08.01.2020 14:50:49	1	1	1	1	80	61.75	0	29905.213	329.0322581	9870.899356	30000	0	0	30000	42	2004
08.01.2020 14:50:49	1	1	1	1	80	61.75	0	29905.213	329.0322581	9870.899356	30000	0	0	30000	42	2004
08.01.2020 14:50:50	1	1	1	1	80	62	0	30000	326.8817204	9806.484929	30000	0	0	30000	42	2004
08.01.2020 14:50:51	1	1	1	1	79.75	62	0	29905.213	322.5806452	9870.899356	30000	0	0	30000	42	2004
08.01.2020 14:50:52	1	1	1	1	79.75	62	0	30000	329.0322581	9870.899356	30000	0	0	30000	42	2004
08.01.2020 14:50:53	1	1	1	1	79.75	62	0	30000	326.8817204	9935.313783	30000	0	0	30000	42.0625	2004
08.01.2020 14:50:54	1	1	1	1	79.75	62	0	29952.607	326.8817204	9806.484929	30000	0	0	30000	42	2004
08.01.2020 14:50:55	1	1	1	1	79.75	62	0	30000	326.8817204	9806.484929	30000	0	0	30000	42	2004
08.01.2020 14:50:56	1	1	1	1	79.75	62	0	30000	322.5806452	9741.25513	30000	0	0	30000	42.125	2004
08.01.2020 14:50:57	1	1	1	1	79.75	62	0	30000	337.6344086	10048.65056	30000	0	0	30000	41.875	2004
08.01.2020 14:50:58	1	1	1	1	79.75	61.75	0	30000	339.7849462	10192.97149	30000	0	0	30000	42.0625	2004
08.01.2020 14:50:59	1	1	1	1	79.75	62	0	30000	348.3870968	10515.85899	30000	0	0	30000	42.0625	2004
08.01.2020 14:51:00	1	1	1	1	79.75	62	0	30000	350.5376344	10515.85899	30000	0	0	30000	41.4375	2004
08.01.2020 14:51:01	1	1	1	1	80	61.25	0	29952.607	339.7849462	10387.03014	30000	0	0	30000	41.5625	2004
08.01.2020 14:51:02	1	1	1	1	80	61.5	0	30000	337.6344086	10192.97149	30000	0	0	30000	41.75	2004
08.01.2020 14:51:03	1	1	1	1	80	61.75	0	30000	331.1827957	9870.899356	30000	0	0	30000	41.8125	2004
08.01.2020 14:51:04	1	1	1	1	80	61.75	0	30000	326.8817204	9935.313783	30000	0	0	30000	42.0625	2004
08.01.2020 14:51:05	1	1	1	1	80	62	0	29952.607	335.483871	10064.14264	30000	0	0	30000	42.375	2004
08.01.2020 14:51:06	1	1	1	1	80	62.25	0	30000	337.6344086	10192.97149	30000	0	0	30000	42.125	2004
08.01.2020 14:51:07	1	1	1	1	80	62	0	30000	337.6344086	10257.38592	30000	0	0	30000	41.875	2004
08.01.2020 14:51:08	1	1	1	1	80	61.75	0	30094.787	346.2365591	10273.69337	30000	0	0	30000	42	2004
08.01.2020 14:51:09	1	1	1	1	80	61.75	0	30000	337.6344086	10128.55706	30000	0	0	30000	42.0625	2004
08.01.2020 14:51:10	1	1	1	1	79.75	62	0	30000	335.483871	10064.14264	30000	0	0	30000	42.0625	2004
08.01.2020 14:51:11	1	1	1	1	79.75	62	0	30000	333.3333333	9999.728209	30000	0	0	30000	42	2004
08.01.2020 14:51:12	1	1	1	1	79.75	62	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.0625	2004
08.01.2020 14:51:13	1	1	1	1	79.75	62	0	30000	329.0322581	9806.484929	30000	0	0	30000	41.9375	2004
08.01.2020 14:51:14	1	1	1	1	79.75	61.75	0	30000	329.0322581	9870.899356	30000	0	0	30000	41.9375	2004
08.01.2020 14:51:15	1	1	1	1	79.75	61.75	0	30000	337.6344086	10064.14264	30000	0	0	30000	41.8125	2004
08.01.2020 14:51:16	1	1	1	1	79.75	61.75	0	30000	346.2365591	10387.03014	30000	0	0	30000	41.25	2004
08.01.2020 14:51:17	1	1	1	1	79.75	61.25	0	29952.607	350.5376344	10644.68785	30000	0	0	30000	42.125	2004
08.01.2020 14:51:18	1	1	1	1	79.75	62	0	30000	372.0430108	11160.81863	30000	0	0	30000	41.875	2004
08.01.2020 14:51:19	1	1	1	1	79.75	61.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 14:51:20	1	1	1	1	80	61	0	30000	384.9462366	11548.12057	30000	0	0	30000	41.9375	2004
08.01.2020 14:51:21	1	1	1	1	80	61.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	41.9375	2004
08.01.2020 14:51:22	1	1	1	1	80	61.75	0	29952.607	400	11935.4225	30000	0	0	30000	42.125	2004
08.01.2020 14:51:23	1	1	1	1	80	62	0	30047.393	412.9032258	11935.4225	30000	0	0	30000	42	2004
08.01.2020 14:51:24	1	1	1	1	80	62	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	41.875	2004
08.01.2020 14:51:25	1	1	1	1	80	61.75	0	30000	397.8494624	11935.4225	30000	0	0	30000	42	2004
08.01.2020 14:51:26	1	1	1	1	80	62	0	30000	404.3010753	12128.66578	30000	0	0	30000	41.9375	2004
08.01.2020 14:51:27	1	1	1	1	80	61.75	0	30000	412.9032258	12535.53665	30000	0	0	30000	41.9375	2004
08.01.2020 14:51:28	1	1	1	1	80	61.75	0	30000	415.0537634	12387.13886	30000	0	0	30000	41.4375	2004
08.01.2020 14:51:29	1	1	1	1	80	61.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	42	2004
08.01.2020 14:51:31	1	1	1	1	80.5	62	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.875	2004
08.01.2020 14:51:32	1	1	1	1	80.5	61.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	42	2004
08.01.2020 14:51:33	1	1	1	1	80.5	62	0	30000	404.3010753	12128.66578	30000	0	0	30000	41.9375	2004
08.01.2020 14:51:34	1	1	1	1	80.5	61.75	0	30000	415.0537634	12367.56992	30000	0	0	30000	42.0625	2004
08.01.2020 14:51:35	1	1	1	1	80.5	62	0	30000	427.9569892	12838.03984	30000	0	0	30000	42	2004
08.01.2020 14:51:36	1	1	1	1	80.5	62	0	30000	423.655914	12709.21099	30000	0	0	30000	41.9375	2004
08.01.2020 14:51:37	1	1	1	1	80.5	61.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	42	2004
08.01.2020 14:51:38	1	1	1	1	80.5	62	0	30000	419.3548387	12515.96771	30000	0	0	30000	42.0625	2004
08.01.2020 14:51:39	1	1	1	1	80.5	62	0	30000	427.9569892	12689.64205	30000	0	0	30000	41.5625	2004
08.01.2020 14:51:40	1	1	1	1	80.5	61.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	41.8125	2004
08.01.2020 14:51:41	1	1	1	1	80.75	61.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.625	2004
08.01.2020 14:51:42	1	1	1	1	80.75	61.5	0	30000	432.2580645	13096.51292	30000	0	0	30000	42.0625	2004
08.01.2020 14:51:43	1	1	1	1	80.75	62	0	30000	419.3548387	12560.8132	30000	0	0	30000	42	2004
08.01.2020 14:51:50	1	1	1	1	81.25	62	0	30000	453.7634409	13612.64371	30000	0	0	30000	42	2004
08.01.2020 14:51:50	1	1	1	1	81.25	62	0	30000	453.7634409	13612.64371	30000	0	0	30000	42	2004
08.01.2020 14:51:50	1	1	1	1	81.25	62	0	30000	453.7634409	13612.64371	30000	0	0	30000	42	2004
08.01.2020 14:51:50	1	1	1	1	81.25	62	0	30000	453.7634409	13612.64371	30000	0	0	30000	42	2004
08.01.2020 14:51:50	1	1	1	1	81.25	62	0	30000	453.7634409	13612.64371	30000	0	0	30000	42	2004
08.01.2020 14:51:50	1	1	1	1	81.25	62	0	30000	453.7634409	13612.64371	30000	0	0	30000	42	2004
08.01.2020 14:51:51	1	1	1	1	81.25	62	0	30000	464.516129	13935.53122	30000	0	0	30000	41.4375	2004
08.01.2020 14:51:52	1	1	1	1	81.25	61.25	0	30000	464.516129	13935.53122	30000	0	0	30000	41.75	2004
08.01.2020 14:51:53	1	1	1	1	81.25	61.75	0	30000	481.7204301	14428.83157	30000	0	0	30000	41.8125	2004
08.01.2020 14:51:54	1	1	1	1	81.25	61.75	0	30000	481.7204301	14451.662	30000	0	0	30000	41.75	2004
08.01.2020 14:51:55	1	1	1	1	81.25	61.75	0	30000	481.7204301	14451.662	30000	0	0	30000	41.8125	2004
08.01.2020 14:51:56	1	1	1	1	81.25	61.75	0	29952.607	468.8172043	13955.10015	30000	0	0	30000	42	2004
08.01.2020 14:51:57	1	1	1	1	81.25	62	0	30000	455.9139785	13612.64371	30000	0	0	30000	42	2004
08.01.2020 14:51:58	1	1	1	1	81.25	62	0	30000	460.2150538	13805.88699	30000	0	0	30000	41.75	2004
08.01.2020 14:51:59	1	1	1	1	81.25	61.75	0	29905.213	453.7634409	13591.44402	30000	0	0	30000	42.125	2004
08.01.2020 14:52:00	1	1	1	1	81	62	0	30000	453.7634409	13612.64371	30000	0	0	30000	41.3125	2004
08.01.2020 14:52:01	1	1	1	1	81	61.25	0	30047.393	438.7096774	12818.4709	30000	0	0	30000	41.3125	2004
08.01.2020 14:52:02	1	1	1	1	81	61.25	0	30094.787	425.8064516	12580.38214	30000	0	0	30000	42	2004
08.01.2020 14:52:03	1	1	1	1	81	62	0	30000	404.3010753	12128.66578	30000	0	0	30000	41.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 14:52:04	1	1	1	1	81	61.5	0	30000	378.4946237	11419.29171	30000	0	0	30000	42.0625	2004
08.01.2020 14:52:05	1	1	1	1	81	62	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.0625	2004
08.01.2020 14:52:06	1	1	1	1	81	62	0	30000	367.7419355	10886.03811	30000	0	0	30000	42.125	2004
08.01.2020 14:52:07	1	1	1	1	81	62	0	30000	369.8924731	11372.81548	30000	0	0	30000	42.125	2004
08.01.2020 14:52:08	1	1	1	1	81	62	0	30000	378.4946237	11354.87729	30000	0	0	30000	42	2004
08.01.2020 14:52:09	1	1	1	1	81	62	0	30000	384.9462366	11548.12057	30000	0	0	30000	41.875	2004
08.01.2020 14:52:10	1	1	1	1	81	61.75	0	30000	400	11935.4225	30000	0	0	30000	42.125	2004
08.01.2020 14:52:12	1	1	1	1	81	62	0	30047.393	412.9032258	12471.12222	30000	0	0	30000	41.75	2004
08.01.2020 14:52:13	1	1	1	1	81	61.75	0	30000	419.3548387	12709.21099	30000	0	0	30000	42.1875	2004
08.01.2020 14:52:14	1	1	1	1	81	62	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.75	2004
08.01.2020 14:52:15	1	1	1	1	81	61.75	0	30000	438.7096774	13160.92735	30000	0	0	30000	42.125	2004
08.01.2020 14:52:16	1	1	1	1	81	62	0	30000	440.8602151	13160.92735	30000	0	0	30000	42.0625	2004
08.01.2020 14:52:17	1	1	1	1	81	62	0	30000	436.5591398	13096.51292	30000	0	0	30000	41.6875	2004
08.01.2020 14:52:18	1	1	1	1	81	61.5	0	30000	443.0107527	13225.34178	30000	0	0	30000	41.9375	2004
08.01.2020 14:52:19	1	1	1	1	81	61.75	0	30000	455.9139785	13612.64371	30000	0	0	30000	40.9375	2004
08.01.2020 14:52:20	1	1	1	1	81	60.75	0	30000	455.9139785	13612.64371	30000	0	0	30000	41.875	2004
08.01.2020 14:52:21	1	1	1	1	80.5	61.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.875	2004
08.01.2020 14:52:22	1	1	1	1	80.5	61.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.3125	2004
08.01.2020 14:52:23	1	1	1	1	80.5	61.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.0625	2004
08.01.2020 14:52:24	1	1	1	1	80.5	62	0	30000	404.3010753	12193.08021	30000	0	0	30000	42.0625	2004
08.01.2020 14:52:25	1	1	1	1	80.5	62	0	29952.607	395.6989247	11935.4225	30000	0	0	30000	41.4375	2004
08.01.2020 14:52:26	1	1	1	1	80.5	61.25	0	30000	400	11999.83693	30000	0	0	30000	41.6875	2004
08.01.2020 14:52:27	1	1	1	1	80.5	61.5	0	30000	391.3978495	11871.00807	30000	0	0	30000	41.875	2004
08.01.2020 14:52:28	1	1	1	1	80.5	61.75	0	30000	391.3978495	11871.00807	30000	0	0	30000	42.0625	2004
08.01.2020 14:52:29	1	1	1	1	80.5	62	0	30000	395.6989247	11871.00807	30000	0	0	30000	41.4375	2004
08.01.2020 14:52:32	1	1	1	1	81	62	0	30000	395.6989247	11935.4225	30000	0	0	30000	42	2004
08.01.2020 14:52:32	1	1	1	1	81	62	0	30000	395.6989247	11935.4225	30000	0	0	30000	42	2004
08.01.2020 14:52:32	1	1	1	1	81	62	0	30000	395.6989247	11935.4225	30000	0	0	30000	42	2004
08.01.2020 14:52:33	1	1	1	1	81	62	0	30000	387.0967742	11548.12057	30000	0	0	30000	41.4375	2004
08.01.2020 14:52:34	1	1	1	1	81	61.25	0	30000	384.9462366	11612.53499	30000	0	0	30000	41.8125	2004
08.01.2020 14:52:35	1	1	1	1	81	61.75	0	30000	384.9462366	11871.00807	30000	0	0	30000	42	2004
08.01.2020 14:52:36	1	1	1	1	81	62	0	30000	400	11999.83693	30000	0	0	30000	41.5625	2004
08.01.2020 14:52:37	1	1	1	1	81	61.5	0	30000	404.3010753	12109.91221	30000	0	0	30000	42.0625	2004
08.01.2020 14:52:38	1	1	1	1	81	62	0	30000	397.8494624	11935.4225	30000	0	0	30000	41.3125	2004
08.01.2020 14:52:39	1	1	1	1	81	61.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	42	2004
08.01.2020 14:52:40	1	1	1	1	80.75	62	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.6875	2004
08.01.2020 14:52:41	1	1	1	1	80.75	61.5	0	29952.607	412.9032258	12451.55328	30000	0	0	30000	41.8125	2004
08.01.2020 14:52:42	1	1	1	1	80.75	61.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	41.8125	2004
08.01.2020 14:52:43	1	1	1	1	80.75	61.75	0	30000	419.3548387	12515.96771	30000	0	0	30000	42	2004
08.01.2020 14:52:44	1	1	1	1	80.75	62	0	30000	423.655914	12709.21099	30000	0	0	30000	41.9375	2004
08.01.2020 14:52:52	1	1	1	1	81.25	62	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.8125	2004
08.01.2020 14:52:52	1	1	1	1	81.25	62	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.8125	2004
08.01.2020 14:52:52	1	1	1	1	81.25	62	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 14:52:52	1	1	1	1	81.25	62	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.8125	2004
08.01.2020 14:52:52	1	1	1	1	81.25	62	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.8125	2004
08.01.2020 14:52:52	1	1	1	1	81.25	62	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.8125	2004
08.01.2020 14:52:52	1	1	1	1	81.25	62	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.8125	2004
08.01.2020 14:52:53	1	1	1	1	81.25	61.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	41.1875	2004
08.01.2020 14:52:54	1	1	1	1	81.25	61	0	29952.607	445.1612903	13505.01454	30000	0	0	30000	41.75	2004
08.01.2020 14:52:55	1	1	1	1	81.25	61.75	0	30000	445.1612903	13204.95746	30000	0	0	30000	41.4375	2004
08.01.2020 14:52:56	1	1	1	1	81.25	61.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.8125	2004
08.01.2020 14:52:57	1	1	1	1	81.25	61.75	0	30000	412.9032258	12451.55328	30000	0	0	30000	41.8125	2004
08.01.2020 14:52:58	1	1	1	1	81.25	61.75	0	30000	402.1505376	11833.50094	30000	0	0	30000	41.75	2004
08.01.2020 14:52:59	1	1	1	1	81.25	61.75	0	30047.393	395.6989247	11659.01122	30000	0	0	30000	41.625	2004
08.01.2020 14:53:00	1	1	1	1	81.25	61.5	0	30000	387.0967742	11676.94942	30000	0	0	30000	41.75	2004
08.01.2020 14:53:01	1	1	1	1	81.5	61.75	0	30000	380.6451613	11419.29171	30000	0	0	30000	41	2004
08.01.2020 14:53:02	1	1	1	1	81.5	61	0	30000	363.4408602	10903.16093	30000	0	0	30000	41.8125	2004
08.01.2020 14:53:03	1	1	1	1	81.5	61.75	0	30000	352.688172	10644.68785	30000	0	0	30000	42.125	2004
08.01.2020 14:53:04	1	1	1	1	81.5	62	0	29905.213	354.8387097	10757.20925	30000	0	0	30000	41.5	2004
08.01.2020 14:53:05	1	1	1	1	81.5	61.5	0	30000	365.5913978	10967.57535	30000	0	0	30000	42	2004
08.01.2020 14:53:06	1	1	1	1	81.5	62	0	30000	372.0430108	11160.81863	30000	0	0	30000	42.0625	2004
08.01.2020 14:53:07	1	1	1	1	81.5	62	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.3125	2004
08.01.2020 14:53:08	1	1	1	1	81.5	62.25	0	29952.607	378.4946237	11225.23306	30000	0	0	30000	42.1875	2004
08.01.2020 14:53:09	1	1	1	1	81.5	62	0	29952.607	384.9462366	11548.12057	30000	0	0	30000	41.9375	2004
08.01.2020 14:53:10	1	1	1	1	81.75	61.75	0	30000	391.3978495	11548.12057	30000	0	0	30000	41.9375	2004
08.01.2020 14:53:11	1	1	1	1	81.75	61.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	41.5625	2004
08.01.2020 14:53:12	1	1	1	1	81.75	61.5	0	30000	412.9032258	12193.08021	30000	0	0	30000	41.75	2004
08.01.2020 14:53:13	1	1	1	1	81.75	61.75	0	30000	419.3548387	12451.55328	30000	0	0	30000	42.125	2004
08.01.2020 14:53:14	1	1	1	1	81.75	62	0	30000	419.3548387	12580.38214	30000	0	0	30000	42.0625	2004
08.01.2020 14:53:15	1	1	1	1	81.75	62	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.75	2004
08.01.2020 14:53:16	1	1	1	1	81.75	61.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	41.5625	2004
08.01.2020 14:53:17	1	1	1	1	81.75	61.5	0	30000	423.655914	12709.21099	30000	0	0	30000	41.875	2004
08.01.2020 14:53:18	1	1	1	1	81.75	61.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.125	2004
08.01.2020 14:53:19	1	1	1	1	81.75	62	0	30000	419.3548387	12580.38214	30000	0	0	30000	41.875	2004
08.01.2020 14:53:20	1	1	1	1	81.75	61.75	0	30000	412.9032258	12451.55328	30000	0	0	30000	41.8125	2004
08.01.2020 14:53:21	1	1	1	1	81.75	61.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	41.8125	2004
08.01.2020 14:53:22	1	1	1	1	81.75	61.75	0	30000	425.8064516	12838.03984	30000	0	0	30000	41.875	2004
08.01.2020 14:53:23	1	1	1	1	81.75	61.75	0	29905.213	427.9569892	12838.03984	30000	0	0	30000	41.5625	2004
08.01.2020 14:53:24	1	1	1	1	81.75	61.5	0	30000	436.5591398	13096.51292	30000	0	0	30000	41.9375	2004
08.01.2020 14:53:25	1	1	1	1	81.75	61.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.9375	2004
08.01.2020 14:53:26	1	1	1	1	81.75	61.75	0	30047.393	427.9569892	12838.03984	30000	0	0	30000	41.9375	2004
08.01.2020 14:53:27	1	1	1	1	81.75	61.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	42	2004
08.01.2020 14:53:28	1	1	1	1	81.75	62	0	30000	417.2043011	12451.55328	30000	0	0	30000	42	2004
08.01.2020 14:53:30	1	1	1	1	81.75	62	0	30000	421.5053763	12580.38214	30000	0	0	30000	41.9375	2004
08.01.2020 14:53:31	1	1	1	1	82	61.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.6875	2004
08.01.2020 14:53:32	1	1	1	1	82	61.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 14:53:33	1	1	1	1	82	61.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.125	2004
08.01.2020 14:53:34	1	1	1	1	82	62	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.8125	2004
08.01.2020 14:53:35	1	1	1	1	82	61.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	41.9375	2004
08.01.2020 14:53:36	1	1	1	1	82	61.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	42.0625	2004
08.01.2020 14:53:37	1	1	1	1	82	62	0	30000	423.655914	12580.38214	30000	0	0	30000	42	2004
08.01.2020 14:53:38	1	1	1	1	82	62	0	29952.607	412.9032258	12580.38214	30000	0	0	30000	41.5625	2004
08.01.2020 14:53:39	1	1	1	1	82	61.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	41.6875	2004
08.01.2020 14:53:40	1	1	1	1	82	61.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	42.125	2004
08.01.2020 14:53:41	1	1	1	1	81.75	62	0	30000	423.655914	12773.62542	30000	0	0	30000	41.9375	2004
08.01.2020 14:53:42	1	1	1	1	81.75	61.75	0	30000	427.9569892	12818.4709	30000	0	0	30000	42.0625	2004
08.01.2020 14:53:43	1	1	1	1	81.75	62	0	30000	432.2580645	12838.03984	30000	0	0	30000	41.125	2004
08.01.2020 14:53:44	1	1	1	1	81.75	61	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.875	2004
08.01.2020 14:53:45	1	1	1	1	81.75	61.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.1875	2004
08.01.2020 14:53:46	1	1	1	1	81.75	61	0	30000	425.8064516	12838.03984	30000	0	0	30000	42.25	2004
08.01.2020 14:53:53	1	1	1	1	81.75	61.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.125	2004
08.01.2020 14:53:53	1	1	1	1	81.75	61.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.125	2004
08.01.2020 14:53:53	1	1	1	1	81.75	61.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.125	2004
08.01.2020 14:53:53	1	1	1	1	81.75	61.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.125	2004
08.01.2020 14:53:53	1	1	1	1	81.75	61.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.125	2004
08.01.2020 14:53:53	1	1	1	1	81.75	61.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.125	2004
08.01.2020 14:53:53	1	1	1	1	81.75	61.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.125	2004
08.01.2020 14:53:53	1	1	1	1	81.75	61.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.125	2004
08.01.2020 14:53:54	1	1	1	1	81.75	62	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.0625	2004
08.01.2020 14:53:55	1	1	1	1	81.75	62	0	30000	404.3010753	12128.66578	30000	0	0	30000	41.8125	2004
08.01.2020 14:53:56	1	1	1	1	81.75	61.75	0	30000	389.2473118	11741.36385	30000	0	0	30000	41.8125	2004
08.01.2020 14:53:57	1	1	1	1	81.75	61.75	0	30000	400	11935.4225	30000	0	0	30000	41.875	2004
08.01.2020 14:53:58	1	1	1	1	81.75	61.75	0	30000	404.3010753	11999.83693	30000	0	0	30000	41.9375	2004
08.01.2020 14:53:59	1	1	1	1	81.75	61.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.8125	2004
08.01.2020 14:54:00	1	1	1	1	82	61.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	42	2004
08.01.2020 14:54:01	1	1	1	1	82	62	0	30000	395.6989247	11871.00807	30000	0	0	30000	41.75	2004
08.01.2020 14:54:02	1	1	1	1	82	61.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.125	2004
08.01.2020 14:54:03	1	1	1	1	82	62	0	30000	391.3978495	11741.36385	30000	0	0	30000	42	2004
08.01.2020 14:54:05	1	1	1	1	82	62	0	30000	380.6451613	11419.29171	30000	0	0	30000	41.5	2004
08.01.2020 14:54:06	1	1	1	1	82	61.5	0	29952.607	365.5913978	10903.16093	30000	0	0	30000	41.875	2004
08.01.2020 14:54:07	1	1	1	1	82	61.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	41.9375	2004
08.01.2020 14:54:08	1	1	1	1	82	61.75	0	29952.607	341.9354839	10387.03014	30000	0	0	30000	41.875	2004
08.01.2020 14:54:09	1	1	1	1	82	61.75	0	30000	339.7849462	10192.97149	30000	0	0	30000	41.875	2004
08.01.2020 14:54:10	1	1	1	1	82	61.75	0	30000	335.483871	10128.55706	30000	0	0	30000	41.9375	2004
08.01.2020 14:54:11	1	1	1	1	81.75	61.75	0	30000	335.483871	10064.14264	30000	0	0	30000	42.0625	2004
08.01.2020 14:54:12	1	1	1	1	81.75	62	0	29952.607	339.7849462	10192.97149	30000	0	0	30000	41.5625	2004
08.01.2020 14:54:13	1	1	1	1	81.75	61.5	0	30000	341.9354839	10257.38592	30000	0	0	30000	42.0625	2004
08.01.2020 14:54:14	1	1	1	1	81.75	62	0	30047.393	341.9354839	10257.38592	30000	0	0	30000	41.875	2004
08.01.2020 14:54:15	1	1	1	1	81.75	61.75	0	30000	344.0860215	10257.38592	30000	0	0	30000	42.0625	2004
08.01.2020 14:54:16	1	1	1	1	81.75	62	0	29952.607	341.9354839	10387.03014	30000	0	0	30000	41.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 14:54:17	1	1	1	1	81.75	61.75	0	30000	354.8387097	10644.68785	30000	0	0	30000	41.8125	2004
08.01.2020 14:54:18	1	1	1	1	81.75	61.75	0	30000	352.688172	10644.68785	30000	0	0	30000	42	2004
08.01.2020 14:54:19	1	1	1	1	81.75	62	0	30000	350.5376344	10515.85899	30000	0	0	30000	41.9375	2004
08.01.2020 14:54:20	1	1	1	1	81.75	61.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	41.5625	2004
08.01.2020 14:54:21	1	1	1	1	81.75	61.5	0	30000	354.8387097	10515.85899	30000	0	0	30000	41.375	2004
08.01.2020 14:54:22	1	1	1	1	81.75	61.25	0	30000	346.2365591	10451.44457	30000	0	0	30000	41.75	2004
08.01.2020 14:54:23	1	1	1	1	81.75	61.75	0	30000	352.688172	10580.27342	30000	0	0	30000	42.25	2004
08.01.2020 14:54:24	1	1	1	1	81.75	62.25	0	30000	352.688172	10515.85899	30000	0	0	30000	42.1875	2004
08.01.2020 14:54:25	1	1	1	1	81.75	62	0	30000	352.688172	10515.85899	30000	0	0	30000	42	2004
08.01.2020 14:54:26	1	1	1	1	81.75	62.25	0	30000	350.5376344	10644.68785	30000	0	0	30000	42.0625	2004
08.01.2020 14:54:27	1	1	1	1	81.75	62	0	30000	346.2365591	10387.03014	30000	0	0	30000	41.6875	2004
08.01.2020 14:54:28	1	1	1	1	81.75	61.5	0	30000	346.2365591	10387.03014	30000	0	0	30000	41.8125	2004
08.01.2020 14:54:29	1	1	1	1	81.75	61.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	42.125	2004
08.01.2020 14:54:30	1	1	1	1	81.75	62	0	30000	348.3870968	10225.58639	30000	0	0	30000	41.6875	2004
08.01.2020 14:54:31	1	1	1	1	81.75	61.5	0	30000	346.2365591	10387.03014	30000	0	0	30000	41.8125	2004
08.01.2020 14:54:32	1	1	1	1	81.75	61.75	0	30000	337.6344086	10128.55706	30000	0	0	30000	41.0625	2004
08.01.2020 14:54:33	1	1	1	1	81.75	61	0	30000	335.483871	9839.099829	30000	0	0	30000	41.9375	2004
08.01.2020 14:54:34	1	1	1	1	81.75	61.75	0	29905.213	339.7849462	10192.97149	30000	0	0	30000	42.0625	2004
08.01.2020 14:54:35	1	1	1	1	81.75	62	0	30000	339.7849462	10192.97149	30000	0	0	30000	41.8125	2004
08.01.2020 14:54:36	1	1	1	1	81.75	61.75	0	30000	335.483871	10064.14264	30000	0	0	30000	42.0625	2004
08.01.2020 14:54:37	1	1	1	1	81.75	62	0	30000	329.0322581	9999.728209	30000	0	0	30000	42	2004
08.01.2020 14:54:38	1	1	1	1	81.75	62	0	30000	329.0322581	9870.899356	30000	0	0	30000	41.625	2004
08.01.2020 14:54:39	1	1	1	1	81.75	61.5	0	30000	329.0322581	9870.899356	30000	0	0	30000	42.1875	2004
08.01.2020 14:54:40	1	1	1	1	81.5	62	0	30000	329.0322581	9870.899356	30000	0	0	30000	42.125	2004
08.01.2020 14:54:41	1	1	1	1	81.5	62	0	30000	326.8817204	9806.484929	30000	0	0	30000	41.1875	2004
08.01.2020 14:54:42	1	1	1	1	81.5	61	0	30000	318.2795699	9483.597423	30000	0	0	30000	42	2004
08.01.2020 14:54:43	1	1	1	1	81.5	62	0	30000	311.827957	9354.76857	30000	0	0	30000	42.0625	2004
08.01.2020 14:54:44	1	1	1	1	81.5	62	0	30000	305.3763441	9160.709918	30000	0	0	30000	42.0625	2004
08.01.2020 14:54:45	1	1	1	1	81.5	62	0	30000	298.9247312	9031.881064	30000	0	0	30000	41.375	2004
08.01.2020 14:54:46	1	1	1	1	81.5	61.25	0	30000	294.6236559	8838.637784	30000	0	0	30000	42.0625	2004
08.01.2020 14:54:47	1	1	1	1	81.5	62	0	30000	294.6236559	8838.637784	30000	0	0	30000	41.875	2004
08.01.2020 14:54:48	1	1	1	1	81.5	61.75	0	30047.393	346.2365591	10192.97149	30000	0	0	30000	42.0625	2004
08.01.2020 14:54:49	1	1	1	1	81.5	61.75	0	30047.393	346.2365591	10192.97149	30000	0	0	30000	42.0625	2004
08.01.2020 14:54:50	1	1	1	1	81.5	61.75	0	30047.393	346.2365591	10192.97149	30000	0	0	30000	42.0625	2004
08.01.2020 14:54:51	1	1	1	1	81.5	61.75	0	30047.393	346.2365591	10192.97149	30000	0	0	30000	42.0625	2004
08.01.2020 14:54:52	1	1	1	1	81.5	61.75	0	30047.393	346.2365591	10192.97149	30000	0	0	30000	42.0625	2004
08.01.2020 14:54:53	1	1	1	1	81.5	61.75	0	30047.393	346.2365591	10192.97149	30000	0	0	30000	42.0625	2004
08.01.2020 14:54:54	1	1	1	1	81.5	61.75	0	30047.393	346.2365591	10192.97149	30000	0	0	30000	42.0625	2004
08.01.2020 14:54:55	1	1	1	1	81.5	62	0	30000	339.7849462	10048.65056	30000	0	0	30000	42.0625	2004
08.01.2020 14:54:56	1	1	1	1	81.5	62	0	30000	339.7849462	10192.97149	30000	0	0	30000	41.5	2004
08.01.2020 14:54:57	1	1	1	1	81.5	61.5	0	30047.393	337.6344086	10064.14264	30000	0	0	30000	41.9375	2004
08.01.2020 14:54:58	1	1	1	1	81.5	61.75	0	30000	326.8817204	9999.728209	30000	0	0	30000	41.75	2004
08.01.2020 14:55:00	1	1	1	1	81.5	61.75	0	30000	326.8817204	9533.335145	30000	0	0	30000	42.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 14:55:01	1	1	1	1	81.25	62	0	30000	335.483871	9870.899356	30000	0	0	30000	42.0625	2004
08.01.2020 14:55:02	1	1	1	1	81.25	62	0	30047.393	331.1827957	9806.484929	30000	0	0	30000	42	2004
08.01.2020 14:55:03	1	1	1	1	81.25	62	0	29905.213	320.4301075	9389.014215	30000	0	0	30000	42.4375	2004
08.01.2020 14:55:04	1	1	1	1	81.25	62.25	0	30047.393	316.1290323	9483.597423	30000	0	0	30000	41.8125	2004
08.01.2020 14:55:05	1	1	1	1	81.25	61.75	0	30000	316.1290323	9483.597423	30000	0	0	30000	42.1875	2004
08.01.2020 14:55:06	1	1	1	1	81.25	62	0	30000	309.6774194	9419.182997	30000	0	0	30000	42.4375	2004
08.01.2020 14:55:07	1	1	1	1	81.25	62	0	30000	311.827957	9354.76857	30000	0	0	30000	41.875	2004
08.01.2020 14:55:08	1	1	1	1	81.25	61.75	0	29952.607	313.9784946	9340.091865	30000	0	0	30000	41.5	2004
08.01.2020 14:55:09	1	1	1	1	81.25	61.5	0	30000	311.827957	9419.182997	30000	0	0	30000	41.5	2004
08.01.2020 14:55:10	1	1	1	1	80.75	61.5	0	30000	311.827957	9354.76857	30000	0	0	30000	41.875	2004
08.01.2020 14:55:11	1	1	1	1	80.75	61.75	0	30000	313.9784946	9354.76857	30000	0	0	30000	41.9375	2004
08.01.2020 14:55:12	1	1	1	1	80.75	61.75	0	30000	313.9784946	9225.124344	30000	0	0	30000	41.5625	2004
08.01.2020 14:55:13	1	1	1	1	80.75	61.5	0	30000	311.827957	9419.182997	30000	0	0	30000	41.875	2004
08.01.2020 14:55:14	1	1	1	1	80.75	61.75	0	30000	313.9784946	9419.182997	30000	0	0	30000	42	2004
08.01.2020 14:55:15	1	1	1	1	80.75	62	0	30000	313.9784946	9483.597423	30000	0	0	30000	42	2004
08.01.2020 14:55:16	1	1	1	1	80.75	62	0	30000	313.9784946	9354.76857	30000	0	0	30000	42.125	2004
08.01.2020 14:55:17	1	1	1	1	80.75	62	0	30000	316.1290323	9324.599788	30000	0	0	30000	42	2004
08.01.2020 14:55:18	1	1	1	1	80.75	62	0	30000	322.5806452	9612.426277	30000	0	0	30000	41.875	2004
08.01.2020 14:55:19	1	1	1	1	80.75	61.75	0	30000	324.7311828	9612.426277	30000	0	0	30000	41.875	2004
08.01.2020 14:55:21	1	1	1	1	81	61.75	0	29905.213	326.8817204	9775.500775	30000	0	0	30000	41.75	2004
08.01.2020 14:55:21	1	1	1	1	81	61.75	0	30000	335.483871	10192.97149	30000	0	0	30000	41.9375	2004
08.01.2020 14:55:22	1	1	1	1	81	61.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	42.0625	2004
08.01.2020 14:55:24	1	1	1	1	81	62	0	30000	341.9354839	10192.97149	30000	0	0	30000	42.0625	2004
08.01.2020 14:55:25	1	1	1	1	81	62	0	30000	350.5376344	10515.85899	30000	0	0	30000	42.0625	2004
08.01.2020 14:55:26	1	1	1	1	81	62	0	30000	348.3870968	10451.44457	30000	0	0	30000	41.25	2004
08.01.2020 14:55:27	1	1	1	1	81	61.25	0	30000	341.9354839	10257.38592	30000	0	0	30000	41.75	2004
08.01.2020 14:55:28	1	1	1	1	81	61.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	41.9375	2004
08.01.2020 14:55:29	1	1	1	1	81	61.75	0	30000	337.6344086	10128.55706	30000	0	0	30000	41.5625	2004
08.01.2020 14:55:30	1	1	1	1	81	61.5	0	29952.607	335.483871	9903.514255	30000	0	0	30000	42	2004
08.01.2020 14:55:31	1	1	1	1	80.75	62	0	30000	335.483871	10064.14264	30000	0	0	30000	41.8125	2004
08.01.2020 14:55:32	1	1	1	1	80.75	61.75	0	29952.607	333.3333333	10128.55706	30000	0	0	30000	42.125	2004
08.01.2020 14:55:33	1	1	1	1	80.75	62	0	30000	329.0322581	9806.484929	30000	0	0	30000	41.625	2004
08.01.2020 14:55:34	1	1	1	1	80.75	61.5	0	30000	329.0322581	9870.899356	30000	0	0	30000	41.9375	2004
08.01.2020 14:55:35	1	1	1	1	80.75	61.75	0	30000	329.0322581	9870.899356	30000	0	0	30000	41.125	2004
08.01.2020 14:55:36	1	1	1	1	80.75	61	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.125	2004
08.01.2020 14:55:37	1	1	1	1	80.75	62	0	30000	326.8817204	9806.484929	30000	0	0	30000	42.125	2004
08.01.2020 14:55:38	1	1	1	1	80.75	62	0	29905.213	320.4301075	9806.484929	30000	0	0	30000	41.5	2004
08.01.2020 14:55:39	1	1	1	1	80.75	61.5	0	29905.213	324.7311828	9806.484929	30000	0	0	30000	41.9375	2004
08.01.2020 14:55:40	1	1	1	1	80.75	61.75	0	30000	322.5806452	9517.843068	30000	0	0	30000	42.1875	2004
08.01.2020 14:55:41	1	1	1	1	80.75	62	0	30000	320.4301075	9612.426277	30000	0	0	30000	41.5625	2004
08.01.2020 14:55:42	1	1	1	1	80.75	61.5	0	30000	316.1290323	9548.01185	30000	0	0	30000	42.3125	2004
08.01.2020 14:55:43	1	1	1	1	80.75	62.25	0	30000	318.2795699	9483.597423	30000	0	0	30000	42.1875	2004
08.01.2020 14:55:44	1	1	1	1	80.75	62	0	30000	316.1290323	9548.01185	30000	0	0	30000	42.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 14:55:45	1	1	1	1	80.75	62	0	29952.607	313.9784946	9340.091865	30000	0	0	30000	41.5625	2004
08.01.2020 14:55:46	1	1	1	1	80.75	61.5	0	30000	318.2795699	9548.01185	30000	0	0	30000	41.6875	2004
08.01.2020 14:55:47	1	1	1	1	80.75	61.5	0	30000	329.0322581	9870.899356	30000	0	0	30000	41.9375	2004
08.01.2020 14:55:48	1	1	1	1	80.75	61.75	0	29905.213	329.0322581	10064.14264	30000	0	0	30000	40.875	2004
08.01.2020 14:55:49	1	1	1	1	80.75	60.75	0	29952.607	335.483871	10128.55706	30000	0	0	30000	41.8125	2004
08.01.2020 14:55:56	1	1	1	1	80.75	61.75	0	30000	350.5376344	10597.39624	30000	0	0	30000	41.875	2004
08.01.2020 14:55:56	1	1	1	1	80.75	61.75	0	30000	350.5376344	10597.39624	30000	0	0	30000	41.875	2004
08.01.2020 14:55:56	1	1	1	1	80.75	61.75	0	30000	350.5376344	10597.39624	30000	0	0	30000	41.875	2004
08.01.2020 14:55:56	1	1	1	1	80.75	61.75	0	30000	350.5376344	10597.39624	30000	0	0	30000	41.875	2004
08.01.2020 14:55:56	1	1	1	1	80.75	61.75	0	30000	350.5376344	10597.39624	30000	0	0	30000	41.875	2004
08.01.2020 14:55:56	1	1	1	1	80.75	61.75	0	30000	350.5376344	10597.39624	30000	0	0	30000	41.875	2004
08.01.2020 14:55:56	1	1	1	1	80.75	61.75	0	30000	350.5376344	10597.39624	30000	0	0	30000	41.875	2004
08.01.2020 14:55:56	1	1	1	1	80.75	61.75	0	30000	350.5376344	10597.39624	30000	0	0	30000	41.875	2004
08.01.2020 14:55:57	1	1	1	1	80.75	61.75	0	30000	354.8387097	10644.68785	30000	0	0	30000	42	2004
08.01.2020 14:55:58	1	1	1	1	80.75	62	0	30000	359.1397849	10773.5167	30000	0	0	30000	41.25	2004
08.01.2020 14:55:59	1	1	1	1	80.75	61.25	0	30000	359.1397849	10937.40657	30000	0	0	30000	41.75	2004
08.01.2020 14:56:00	1	1	1	1	80.75	61.75	0	30000	359.1397849	10499.55155	30000	0	0	30000	41.8125	2004
08.01.2020 14:56:02	1	1	1	1	80.75	61.75	0	30000	356.9892473	10644.68785	30000	0	0	30000	41.625	2004
08.01.2020 14:56:03	1	1	1	1	80.75	61.5	0	30000	348.3870968	10387.03014	30000	0	0	30000	41.875	2004
08.01.2020 14:56:04	1	1	1	1	80.75	61.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	42	2004
08.01.2020 14:56:05	1	1	1	1	80.75	62	0	30000	337.6344086	10192.97149	30000	0	0	30000	41.875	2004
08.01.2020 14:56:06	1	1	1	1	80.75	61.75	0	30000	335.483871	10128.55706	30000	0	0	30000	42	2004
08.01.2020 14:56:07	1	1	1	1	80.75	62	0	30000	326.8817204	9999.728209	30000	0	0	30000	42	2004
08.01.2020 14:56:08	1	1	1	1	80.75	62	0	29952.607	331.1827957	9903.514255	30000	0	0	30000	41	2004
08.01.2020 14:56:09	1	1	1	1	80.75	61	0	30000	329.0322581	9870.899356	30000	0	0	30000	41.875	2004
08.01.2020 14:56:10	1	1	1	1	80.75	61.75	0	30000	329.0322581	9870.899356	30000	0	0	30000	41.875	2004
08.01.2020 14:56:11	1	1	1	1	80	61.75	0	29952.607	335.483871	10128.55706	30000	0	0	30000	41.75	2004
08.01.2020 14:56:12	1	1	1	1	80	61.75	0	30000	339.7849462	10192.97149	30000	0	0	30000	41.9375	2004
08.01.2020 14:56:13	1	1	1	1	80	61.75	0	30000	335.483871	10128.55706	30000	0	0	30000	41.875	2004
08.01.2020 14:56:14	1	1	1	1	80	61.75	0	30000	335.483871	9999.728209	30000	0	0	30000	41.9375	2004
08.01.2020 14:56:15	1	1	1	1	80	61.75	0	30000	331.1827957	9999.728209	30000	0	0	30000	41.6875	2004
08.01.2020 14:56:16	1	1	1	1	80	61.5	0	30047.393	326.8817204	9806.484929	30000	0	0	30000	41.5	2004
08.01.2020 14:56:17	1	1	1	1	80	61.5	0	30000	322.5806452	9676.840703	30000	0	0	30000	41.9375	2004
08.01.2020 14:56:18	1	1	1	1	80	61.75	0	30000	316.1290323	9548.01185	30000	0	0	30000	42.0625	2004
08.01.2020 14:56:19	1	1	1	1	80	62	0	30000	318.2795699	9548.01185	30000	0	0	30000	41.875	2004
08.01.2020 14:56:20	1	1	1	1	80	61.75	0	29905.213	316.1290323	9612.426277	30000	0	0	30000	41.875	2004
08.01.2020 14:56:21	1	1	1	1	80.5	61.75	0	30000	320.4301075	9612.426277	30000	0	0	30000	42.0625	2004
08.01.2020 14:56:22	1	1	1	1	80.5	62	0	30000	318.2795699	9548.01185	30000	0	0	30000	41.75	2004
08.01.2020 14:56:23	1	1	1	1	80.5	61.75	0	30000	320.4301075	9612.426277	30000	0	0	30000	42.4375	2004
08.01.2020 14:56:24	1	1	1	1	80.5	62.25	0	30000	316.1290323	9483.597423	30000	0	0	30000	41.75	2004
08.01.2020 14:56:25	1	1	1	1	80.5	62	0	30000	320.4301075	9483.597423	30000	0	0	30000	41.8125	2004
08.01.2020 14:56:26	1	1	1	1	80.5	61.75	0	30000	318.2795699	9612.426277	30000	0	0	30000	42.0625	2004
08.01.2020 14:56:27	1	1	1	1	80.5	62	0	30047.393	324.7311828	9741.25513	30000	0	0	30000	42	2004
08.01.2020 14:56:28	1	1	1	1	80.5	62	0	30047.393	324.7311828	9756.747207	30000	0	0	30000	41.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 14:56:29	1	1	1	1	80.5	61.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	41.25	2004
08.01.2020 14:56:30	1	1	1	1	80.5	61.25	0	29905.213	326.8817204	9806.484929	30000	0	0	30000	41.25	2004
08.01.2020 14:56:31	1	1	1	1	80.5	61.25	0	30000	326.8817204	9741.25513	30000	0	0	30000	41.9375	2004
08.01.2020 14:56:32	1	1	1	1	80.5	61.75	0	30000	318.2795699	9612.426277	30000	0	0	30000	41.625	2004
08.01.2020 14:56:33	1	1	1	1	80.5	61.5	0	30000	316.1290323	9483.597423	30000	0	0	30000	41.1875	2004
08.01.2020 14:56:34	1	1	1	1	80.5	61	0	30047.393	318.2795699	9354.76857	30000	0	0	30000	41.8125	2004
08.01.2020 14:56:35	1	1	1	1	80.5	61.75	0	30000	309.6774194	9354.76857	30000	0	0	30000	41.875	2004
08.01.2020 14:56:36	1	1	1	1	80.5	61.75	0	30000	316.1290323	9483.597423	30000	0	0	30000	41.875	2004
08.01.2020 14:56:37	1	1	1	1	80.5	61.75	0	30000	326.8817204	9612.426277	30000	0	0	30000	41.9375	2004
08.01.2020 14:56:38	1	1	1	1	80.5	61.75	0	29952.607	318.2795699	9533.335145	30000	0	0	30000	41.9375	2004
08.01.2020 14:56:39	1	1	1	1	80.5	61.75	0	30000	318.2795699	9548.01185	30000	0	0	30000	42	2004
08.01.2020 14:56:40	1	1	1	1	80.25	62	0	30000	318.2795699	9612.426277	30000	0	0	30000	42	2004
08.01.2020 14:56:41	1	1	1	1	80.25	62	0	30000	320.4301075	9612.426277	30000	0	0	30000	41.9375	2004
08.01.2020 14:56:43	1	1	1	1	80.25	61.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	41.8125	2004
08.01.2020 14:56:44	1	1	1	1	80.25	61.75	0	30000	324.7311828	9676.840703	30000	0	0	30000	41.875	2004
08.01.2020 14:56:45	1	1	1	1	80.25	61.75	0	30000	322.5806452	9806.484929	30000	0	0	30000	41.75	2004
08.01.2020 14:56:46	1	1	1	1	80.25	61.75	0	30000	318.2795699	9548.01185	30000	0	0	30000	41.875	2004
08.01.2020 14:56:47	1	1	1	1	80.25	61.75	0	30000	320.4301075	9483.597423	30000	0	0	30000	40.8125	2004
08.01.2020 14:56:48	1	1	1	1	80.25	60.75	0	30000	318.2795699	9483.597423	30000	0	0	30000	42.125	2004
08.01.2020 14:56:49	1	1	1	1	80.25	62	0	29952.607	320.4301075	9612.426277	30000	0	0	30000	41.6875	2004
08.01.2020 14:56:50	1	1	1	1	80.25	61.5	0	30000	326.8817204	9806.484929	30000	0	0	30000	41.8125	2004
08.01.2020 14:56:51	1	1	1	1	80.25	61.75	0	30000	331.1827957	9935.313783	30000	0	0	30000	42.0625	2004
08.01.2020 14:56:58	1	1	1	1	80.25	62	0	30000	363.4408602	10903.16093	30000	0	0	30000	41.9375	2004
08.01.2020 14:56:58	1	1	1	1	80.25	62	0	30000	363.4408602	10903.16093	30000	0	0	30000	41.9375	2004
08.01.2020 14:56:58	1	1	1	1	80.25	62	0	30000	363.4408602	10903.16093	30000	0	0	30000	41.9375	2004
08.01.2020 14:56:58	1	1	1	1	80.25	62	0	30000	363.4408602	10903.16093	30000	0	0	30000	41.9375	2004
08.01.2020 14:56:58	1	1	1	1	80.25	62	0	30000	363.4408602	10903.16093	30000	0	0	30000	41.9375	2004
08.01.2020 14:56:58	1	1	1	1	80.25	62	0	30000	363.4408602	10903.16093	30000	0	0	30000	41.9375	2004
08.01.2020 14:56:59	1	1	1	1	80.25	61.75	0	30000	359.1397849	10790.63952	30000	0	0	30000	42	2004
08.01.2020 14:57:00	1	1	1	1	80.25	62	0	30000	354.8387097	10709.10227	30000	0	0	30000	41.9375	2004
08.01.2020 14:57:01	1	1	1	1	80.25	61.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	41.5625	2004
08.01.2020 14:57:02	1	1	1	1	80.25	61.5	0	30000	346.2365591	10387.03014	30000	0	0	30000	42.1875	2004
08.01.2020 14:57:03	1	1	1	1	80.25	62	0	30000	350.5376344	10580.27342	30000	0	0	30000	41.6875	2004
08.01.2020 14:57:04	1	1	1	1	80.25	61.5	0	30000	346.2365591	10257.38592	30000	0	0	30000	41.6875	2004
08.01.2020 14:57:05	1	1	1	1	80.25	61.5	0	30000	341.9354839	10257.38592	30000	0	0	30000	41.6875	2004
08.01.2020 14:57:06	1	1	1	1	80.25	61.5	0	30000	344.0860215	10387.03014	30000	0	0	30000	41.9375	2004
08.01.2020 14:57:07	1	1	1	1	80.25	61.75	0	30000	352.688172	10499.55155	30000	0	0	30000	41.75	2004
08.01.2020 14:57:08	1	1	1	1	80.25	61.75	0	30000	356.9892473	10773.5167	30000	0	0	30000	42.0625	2004
08.01.2020 14:57:09	1	1	1	1	80.25	62	0	29952.607	367.7419355	11014.86696	30000	0	0	30000	41.875	2004
08.01.2020 14:57:10	1	1	1	1	80	61.75	0	30000	365.5913978	10903.16093	30000	0	0	30000	41.875	2004
08.01.2020 14:57:11	1	1	1	1	80	61.75	0	30000	378.4946237	11143.69581	30000	0	0	30000	41.9375	2004
08.01.2020 14:57:12	1	1	1	1	80	61.75	0	30000	384.9462366	11419.29171	30000	0	0	30000	41.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 14:57:13	1	1	1	1	80	61.75	0	30000	380.6451613	11419.29171	30000	0	0	30000	41.9375	2004
08.01.2020 14:57:14	1	1	1	1	80	61.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.9375	2004
08.01.2020 14:57:15	1	1	1	1	80	61.75	0	29952.607	365.5913978	10903.16093	30000	0	0	30000	41.625	2004
08.01.2020 14:57:16	1	1	1	1	80	61.5	0	29952.607	363.4408602	11031.98978	30000	0	0	30000	42	2004
08.01.2020 14:57:17	1	1	1	1	80	62	0	30000	369.8924731	11096.40421	30000	0	0	30000	41.8125	2004
08.01.2020 14:57:18	1	1	1	1	80	61.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.8125	2004
08.01.2020 14:57:19	1	1	1	1	80	61.75	0	30094.787	384.9462366	11419.29171	30000	0	0	30000	41.8125	2004
08.01.2020 14:57:20	1	1	1	1	80	61.75	0	30047.393	384.9462366	11483.70614	30000	0	0	30000	42	2004
08.01.2020 14:57:21	1	1	1	1	80	62	0	30000	391.3978495	11741.36385	30000	0	0	30000	42	2004
08.01.2020 14:57:23	1	1	1	1	80	62	0	30000	391.3978495	11871.00807	30000	0	0	30000	41.6875	2004
08.01.2020 14:57:24	1	1	1	1	80	61.5	0	30000	412.9032258	12451.55328	30000	0	0	30000	41.75	2004
08.01.2020 14:57:25	1	1	1	1	80	61.75	0	29952.607	415.0537634	12348.00098	30000	0	0	30000	41.625	2004
08.01.2020 14:57:26	1	1	1	1	80	61.5	0	29952.607	419.3548387	12580.38214	30000	0	0	30000	41.875	2004
08.01.2020 14:57:27	1	1	1	1	80	61.75	0	30000	423.655914	12709.21099	30000	0	0	30000	41.9375	2004
08.01.2020 14:57:28	1	1	1	1	80	61.75	0	29952.607	415.0537634	12773.62542	30000	0	0	30000	41.875	2004
08.01.2020 14:57:29	1	1	1	1	80	61.75	0	30000	419.3548387	12709.21099	30000	0	0	30000	41.875	2004
08.01.2020 14:57:30	1	1	1	1	80	61.75	0	30000	423.655914	12644.79656	30000	0	0	30000	41.375	2004
08.01.2020 14:57:31	1	1	1	1	80	61.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	41.875	2004
08.01.2020 14:57:32	1	1	1	1	80	61.75	0	30000	421.5053763	12773.62542	30000	0	0	30000	41.6875	2004
08.01.2020 14:57:33	1	1	1	1	80	61.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	42.0625	2004
08.01.2020 14:57:34	1	1	1	1	80	62	0	29905.213	419.3548387	12709.21099	30000	0	0	30000	41.5625	2004
08.01.2020 14:57:35	1	1	1	1	80	61.5	0	30000	423.655914	12709.21099	30000	0	0	30000	41.75	2004
08.01.2020 14:57:36	1	1	1	1	80	61.75	0	30000	415.0537634	12729.5953	30000	0	0	30000	41.875	2004
08.01.2020 14:57:37	1	1	1	1	80	61.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.9375	2004
08.01.2020 14:57:38	1	1	1	1	80	61.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.9375	2004
08.01.2020 14:57:39	1	1	1	1	80	61.75	0	30000	397.8494624	12193.08021	30000	0	0	30000	41.9375	2004
08.01.2020 14:57:40	1	1	1	1	80	61.75	0	30000	397.8494624	11935.4225	30000	0	0	30000	42.125	2004
08.01.2020 14:57:41	1	1	1	1	80	62	0	30000	391.3978495	11741.36385	30000	0	0	30000	41.875	2004
08.01.2020 14:57:42	1	1	1	1	80	61.75	0	30000	384.9462366	11419.29171	30000	0	0	30000	42.25	2004
08.01.2020 14:57:43	1	1	1	1	80	62.25	0	30047.393	374.1935484	11178.75683	30000	0	0	30000	42	2004
08.01.2020 14:57:44	1	1	1	1	80	61.75	0	30000	367.7419355	11031.98978	30000	0	0	30000	41.8125	2004
08.01.2020 14:57:45	1	1	1	1	80	61.75	0	30000	356.9892473	10709.10227	30000	0	0	30000	42.1875	2004
08.01.2020 14:57:46	1	1	1	1	80	62	0	30000	359.1397849	10773.5167	30000	0	0	30000	41.875	2004
08.01.2020 14:57:47	1	1	1	1	80	61.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	42	2004
08.01.2020 14:57:48	1	1	1	1	80	62	0	30000	356.9892473	10773.5167	30000	0	0	30000	41.8125	2004
08.01.2020 14:57:49	1	1	1	1	80	61.75	0	29905.213	356.9892473	10709.10227	30000	0	0	30000	41.375	2004
08.01.2020 14:57:50	1	1	1	1	80	61.25	0	30000	369.8924731	11031.98978	30000	0	0	30000	41.8125	2004
08.01.2020 14:57:51	1	1	1	1	80	61.75	0	30000	367.7419355	11031.98978	30000	0	0	30000	41.8125	2004
08.01.2020 14:57:52	1	1	1	1	80	61.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.375	2004
08.01.2020 14:57:59	1	1	1	1	80	61.75	0	30000	378.4946237	11143.69581	30000	0	0	30000	41.875	2004
08.01.2020 14:57:59	1	1	1	1	80	61.75	0	30000	378.4946237	11143.69581	30000	0	0	30000	41.875	2004
08.01.2020 14:57:59	1	1	1	1	80	61.75	0	30000	378.4946237	11143.69581	30000	0	0	30000	41.875	2004
08.01.2020 14:57:59	1	1	1	1	80	61.75	0	30000	378.4946237	11143.69581	30000	0	0	30000	41.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 14:57:59	1	1	1	1	80	61.75	0	30000	378.4946237	11143.69581	30000	0	0	30000	41.875	2004
08.01.2020 14:57:59	1	1	1	1	80	61.75	0	30000	378.4946237	11143.69581	30000	0	0	30000	41.875	2004
08.01.2020 14:57:59	1	1	1	1	80	61.75	0	29952.607	369.8924731	11096.40421	30000	0	0	30000	41.4375	2004
08.01.2020 14:58:01	1	1	1	1	79.25	61.25	0	30000	369.8924731	11096.40421	30000	0	0	30000	41.9375	2004
08.01.2020 14:58:02	1	1	1	1	79.25	61.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.875	2004
08.01.2020 14:58:03	1	1	1	1	79.25	61.75	0	30000	378.4946237	11419.29171	30000	0	0	30000	41.9375	2004
08.01.2020 14:58:04	1	1	1	1	79.25	61.75	0	30000	380.6451613	11419.29171	30000	0	0	30000	42.0625	2004
08.01.2020 14:58:05	1	1	1	1	79.25	62	0	30000	378.4946237	11160.81863	30000	0	0	30000	41.75	2004
08.01.2020 14:58:06	1	1	1	1	79.25	61.75	0	30000	378.4946237	11125.75762	30000	0	0	30000	41.875	2004
08.01.2020 14:58:07	1	1	1	1	79.25	61.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	40.6875	2004
08.01.2020 14:58:08	1	1	1	1	79.25	60.5	0	30000	378.4946237	11419.29171	30000	0	0	30000	41.8125	2004
08.01.2020 14:58:09	1	1	1	1	79.25	61.75	0	29905.213	380.6451613	11483.70614	30000	0	0	30000	42	2004
08.01.2020 14:58:10	1	1	1	1	79.25	62	0	30000	384.9462366	11548.12057	30000	0	0	30000	41.4375	2004
08.01.2020 14:58:11	1	1	1	1	79.75	61.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.9375	2004
08.01.2020 14:58:12	1	1	1	1	79.75	61.75	0	29905.213	378.4946237	11483.70614	30000	0	0	30000	41.9375	2004
08.01.2020 14:58:13	1	1	1	1	79.75	61.75	0	30000	389.2473118	11676.94942	30000	0	0	30000	41.875	2004
08.01.2020 14:58:14	1	1	1	1	79.75	61.75	0	30000	389.2473118	11548.12057	30000	0	0	30000	42	2004
08.01.2020 14:58:15	1	1	1	1	79.75	62	0	30000	384.9462366	11419.29171	30000	0	0	30000	41.4375	2004
08.01.2020 14:58:16	1	1	1	1	79.75	61.25	0	30000	384.9462366	11548.12057	30000	0	0	30000	42.0625	2004
08.01.2020 14:58:17	1	1	1	1	79.75	62	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.8125	2004
08.01.2020 14:58:18	1	1	1	1	79.75	61.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.8125	2004
08.01.2020 14:58:19	1	1	1	1	79.75	61.75	0	30000	378.4946237	11160.81863	30000	0	0	30000	41.6875	2004
08.01.2020 14:58:20	1	1	1	1	79.75	61.5	0	30000	363.4408602	10903.16093	30000	0	0	30000	41.875	2004
08.01.2020 14:58:21	1	1	1	1	79.75	61.75	0	30000	356.9892473	10773.5167	30000	0	0	30000	42.0625	2004
08.01.2020 14:58:22	1	1	1	1	79.75	62	0	30000	350.5376344	10515.85899	30000	0	0	30000	42.3125	2004
08.01.2020 14:58:23	1	1	1	1	79.75	62.25	0	30000	354.8387097	10644.68785	30000	0	0	30000	41.875	2004
08.01.2020 14:58:24	1	1	1	1	79.75	62	0	30000	352.688172	10418.0143	30000	0	0	30000	41.125	2004
08.01.2020 14:58:25	1	1	1	1	79.75	61	0	30000	356.9892473	10773.5167	30000	0	0	30000	41.4375	2004
08.01.2020 14:58:26	1	1	1	1	79.75	61.25	0	30000	369.8924731	11096.40421	30000	0	0	30000	41.8125	2004
08.01.2020 14:58:27	1	1	1	1	79.75	61.75	0	30000	378.4946237	11096.40421	30000	0	0	30000	41.625	2004
08.01.2020 14:58:28	1	1	1	1	79.75	61.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	41.9375	2004
08.01.2020 14:58:29	1	1	1	1	79.75	61.75	0	30000	363.4408602	10757.20925	30000	0	0	30000	41.875	2004
08.01.2020 14:58:30	1	1	1	1	79.25	61.75	0	30000	365.5913978	11031.98978	30000	0	0	30000	41.9375	2004
08.01.2020 14:58:31	1	1	1	1	79.25	61.75	0	30000	365.5913978	10903.16093	30000	0	0	30000	42	2004
08.01.2020 14:58:32	1	1	1	1	79.25	62	0	30000	372.0430108	11160.81863	30000	0	0	30000	41.9375	2004
08.01.2020 14:58:33	1	1	1	1	79.25	61.75	0	30000	378.4946237	11160.81863	30000	0	0	30000	41.8125	2004
08.01.2020 14:58:34	1	1	1	1	79.25	61.75	0	30000	380.6451613	11354.87729	30000	0	0	30000	41.9375	2004
08.01.2020 14:58:35	1	1	1	1	79.25	61.75	0	30000	397.8494624	11871.00807	30000	0	0	30000	41.8125	2004
08.01.2020 14:58:36	1	1	1	1	79.25	61.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	42	2004
08.01.2020 14:58:37	1	1	1	1	79.25	62	0	30000	389.2473118	11741.36385	30000	0	0	30000	41.625	2004
08.01.2020 14:58:38	1	1	1	1	79.25	61.5	0	30000	384.9462366	11548.12057	30000	0	0	30000	41.8125	2004
08.01.2020 14:58:40	1	1	1	1	79.25	61.75	0	30000	389.2473118	11676.94942	30000	0	0	30000	41.875	2004
08.01.2020 14:58:41	1	1	1	1	78.75	61.75	0	30000	382.7956989	11548.12057	30000	0	0	30000	41.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 14:58:42	1	1	1	1	78.75	61.75	0	30000	380.6451613	11419.29171	30000	0	0	30000	41.8125	2004
08.01.2020 14:58:43	1	1	1	1	78.75	61.75	0	30000	387.0967742	11676.94942	30000	0	0	30000	40.875	2004
08.01.2020 14:58:44	1	1	1	1	78.75	60.75	0	30094.787	387.0967742	11354.87729	30000	0	0	30000	41.875	2004
08.01.2020 14:58:45	1	1	1	1	78.75	61.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.875	2004
08.01.2020 14:58:46	1	1	1	1	78.75	61.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.0625	2004
08.01.2020 14:58:47	1	1	1	1	78.75	62	0	30000	367.7419355	10967.57535	30000	0	0	30000	41.375	2004
08.01.2020 14:58:48	1	1	1	1	78.75	61.25	0	30000	367.7419355	11014.86696	30000	0	0	30000	42.0625	2004
08.01.2020 14:58:49	1	1	1	1	78.75	62	0	29952.607	378.4946237	11225.23306	30000	0	0	30000	41.8125	2004
08.01.2020 14:58:50	1	1	1	1	78.75	61.75	0	30000	378.4946237	11419.29171	30000	0	0	30000	42.125	2004
08.01.2020 14:58:51	1	1	1	1	78	62	0	29905.213	382.7956989	11483.70614	30000	0	0	30000	41.8125	2004
08.01.2020 14:58:52	1	1	1	1	78	61.75	0	29905.213	397.8494624	11833.50094	30000	0	0	30000	41.75	2004
08.01.2020 14:58:53	1	1	1	1	78	61.75	0	30000	402.1505376	11935.4225	30000	0	0	30000	41.625	2004
08.01.2020 14:58:54	1	1	1	1	78	61.5	0	30000	400	12064.25135	30000	0	0	30000	42.125	2004
08.01.2020 14:59:01	1	1	1	1	78	61.25	0	29952.607	369.8924731	11079.28139	30000	0	0	30000	42	2004
08.01.2020 14:59:01	1	1	1	1	78	61.25	0	29952.607	369.8924731	11079.28139	30000	0	0	30000	42	2004
08.01.2020 14:59:01	1	1	1	1	78	61.25	0	29952.607	369.8924731	11079.28139	30000	0	0	30000	42	2004
08.01.2020 14:59:01	1	1	1	1	78	61.25	0	29952.607	369.8924731	11079.28139	30000	0	0	30000	42	2004
08.01.2020 14:59:01	1	1	1	1	78	61.25	0	29952.607	369.8924731	11079.28139	30000	0	0	30000	42	2004
08.01.2020 14:59:01	1	1	1	1	78	61.25	0	29952.607	369.8924731	11079.28139	30000	0	0	30000	42	2004
08.01.2020 14:59:01	1	1	1	1	77.5	62	0	29952.607	359.1397849	10773.5167	30000	0	0	30000	41.6875	2004
08.01.2020 14:59:02	1	1	1	1	77.5	61.5	0	30000	356.9892473	10709.10227	30000	0	0	30000	42.1875	2004
08.01.2020 14:59:03	1	1	1	1	77.5	62	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.25	2004
08.01.2020 14:59:04	1	1	1	1	77.5	62.25	0	30000	378.4946237	11208.11024	30000	0	0	30000	42.0625	2004
08.01.2020 14:59:05	1	1	1	1	77.5	62	0	30000	380.6451613	11419.29171	30000	0	0	30000	41.875	2004
08.01.2020 14:59:06	1	1	1	1	77.5	61.75	0	30000	387.0967742	11548.12057	30000	0	0	30000	42	2004
08.01.2020 14:59:07	1	1	1	1	77.5	62	0	30000	382.7956989	11548.12057	30000	0	0	30000	41.0625	2004
08.01.2020 14:59:08	1	1	1	1	77.5	61	0	30000	380.6451613	11419.29171	30000	0	0	30000	41.9375	2004
08.01.2020 14:59:09	1	1	1	1	77.5	61.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.75	2004
08.01.2020 14:59:10	1	1	1	1	77.25	61.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.875	2004
08.01.2020 14:59:11	1	1	1	1	77.25	61.75	0	30000	369.8924731	11031.98978	30000	0	0	30000	42.0625	2004
08.01.2020 14:59:12	1	1	1	1	77.25	62	0	30000	359.1397849	10773.5167	30000	0	0	30000	42.0625	2004
08.01.2020 14:59:13	1	1	1	1	77.25	62	0	30000	354.8387097	10482.42872	30000	0	0	30000	41.4375	2004
08.01.2020 14:59:14	1	1	1	1	77.25	61.25	0	29905.213	352.688172	10644.68785	30000	0	0	30000	41.4375	2004
08.01.2020 14:59:15	1	1	1	1	77.25	61.25	0	30000	352.688172	10773.5167	30000	0	0	30000	41.75	2004
08.01.2020 14:59:16	1	1	1	1	77.25	61.75	0	30000	359.1397849	10903.16093	30000	0	0	30000	41.4375	2004
08.01.2020 14:59:17	1	1	1	1	77.25	61.25	0	30000	365.5913978	10903.16093	30000	0	0	30000	41.875	2004
08.01.2020 14:59:18	1	1	1	1	77.25	61.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.75	2004
08.01.2020 14:59:19	1	1	1	1	77.25	61.75	0	30000	412.9032258	12090.34327	30000	0	0	30000	41.875	2004
08.01.2020 14:59:20	1	1	1	1	76.75	61.75	0	30000	419.3548387	12773.62542	30000	0	0	30000	41.5	2004
08.01.2020 14:59:21	1	1	1	1	76.75	61.5	0	30000	425.8064516	12773.62542	30000	0	0	30000	42	2004
08.01.2020 14:59:22	1	1	1	1	76.75	62	0	30000	440.8602151	13225.34178	30000	0	0	30000	41.6875	2004
08.01.2020 14:59:24	1	1	1	1	76.75	61.5	0	30000	438.7096774	13160.92735	30000	0	0	30000	41.6875	2004
08.01.2020 14:59:25	1	1	1	1	76.75	61.5	0	30000	449.4623656	13354.17063	30000	0	0	30000	41.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 14:59:26	1	1	1	1	76.75	61.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.6875	2004
08.01.2020 14:59:27	1	1	1	1	76.75	61.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.375	2004
08.01.2020 14:59:28	1	1	1	1	76.75	61.25	0	29905.213	455.9139785	13741.47256	30000	0	0	30000	41.875	2004
08.01.2020 14:59:29	1	1	1	1	76.75	61.75	0	29952.607	453.7634409	13569.42897	30000	0	0	30000	41.8125	2004
08.01.2020 14:59:30	1	1	1	1	76.75	61.75	0	29952.607	453.7634409	13612.64371	30000	0	0	30000	41.8125	2004
08.01.2020 14:59:31	1	1	1	1	76.75	61.75	0	30000	455.9139785	13741.47256	30000	0	0	30000	41.9375	2004
08.01.2020 14:59:32	1	1	1	1	76.75	61.75	0	30000	455.9139785	13741.47256	30000	0	0	30000	41.9375	2004
08.01.2020 14:59:33	1	1	1	1	76.75	61.75	0	29952.607	464.516129	13999.94564	30000	0	0	30000	41.3125	2004
08.01.2020 14:59:34	1	1	1	1	76.75	61.25	0	30000	466.6666667	14064.36007	30000	0	0	30000	41.375	2004
08.01.2020 14:59:35	1	1	1	1	76.75	61.25	0	30000	481.7204301	14128.7745	30000	0	0	30000	41.125	2004
08.01.2020 14:59:36	1	1	1	1	76.75	61	0	30000	468.8172043	13999.94564	30000	0	0	30000	41.875	2004
08.01.2020 14:59:37	1	1	1	1	76.75	61.75	0	30000	481.7204301	14451.662	30000	0	0	30000	41.8125	2004
08.01.2020 14:59:38	1	1	1	1	76.75	61.75	0	29952.607	481.7204301	14428.83157	30000	0	0	30000	41.375	2004
08.01.2020 14:59:39	1	1	1	1	76.75	61.25	0	30000	481.7204301	14451.662	30000	0	0	30000	41.875	2004
08.01.2020 14:59:40	1	1	1	1	76.75	61.75	0	30000	481.7204301	14451.662	30000	0	0	30000	41.375	2004
08.01.2020 14:59:41	1	1	1	1	77	61.25	0	29905.213	481.7204301	14451.662	30000	0	0	30000	41.3125	2004
08.01.2020 14:59:42	1	1	1	1	77	61.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.9375	2004
08.01.2020 14:59:43	1	1	1	1	77	60.75	0	29952.607	481.7204301	14451.662	30000	0	0	30000	41.625	2004
08.01.2020 14:59:44	1	1	1	1	77	61.5	0	30000	486.0215054	14493.246	30000	0	0	30000	41.4375	2004
08.01.2020 14:59:45	1	1	1	1	77	61.25	0	30000	488.172043	14644.90528	30000	0	0	30000	42	2004
08.01.2020 14:59:46	1	1	1	1	77	62	0	30000	488.172043	14644.90528	30000	0	0	30000	41.875	2004
08.01.2020 14:59:47	1	1	1	1	77	61.75	0	30000	488.172043	14773.73413	30000	0	0	30000	41.75	2004
08.01.2020 14:59:48	1	1	1	1	77	61.25	0	30000	488.172043	14773.73413	30000	0	0	30000	41.5	2004
08.01.2020 14:59:49	1	1	1	1	77	61.5	0	29905.213	488.172043	14902.56299	30000	0	0	30000	41.5625	2004
08.01.2020 14:59:50	1	1	1	1	77.75	61.5	0	30000	494.6236559	14773.73413	30000	0	0	30000	41.875	2004
08.01.2020 14:59:51	1	1	1	1	77.75	61.75	0	30000	492.4731183	14773.73413	30000	0	0	30000	42	2004
08.01.2020 14:59:52	1	1	1	1	77.75	62	0	29952.607	483.8709677	14516.07643	30000	0	0	30000	41.9375	2004
08.01.2020 14:59:53	1	1	1	1	77.75	61.75	0	30000	483.8709677	14644.90528	30000	0	0	30000	41.625	2004
08.01.2020 14:59:54	1	1	1	1	77.75	61.5	0	29905.213	488.172043	14644.90528	30000	0	0	30000	41.625	2004
08.01.2020 14:59:55	1	1	1	1	77.75	61.5	0	30000	481.7204301	14451.662	30000	0	0	30000	41.75	2004
08.01.2020 15:00:02	1	1	1	1	78	62	0	30000	481.7204301	14451.662	30000	0	0	30000	41.5625	2004
08.01.2020 15:00:02	1	1	1	1	78	62	0	30000	481.7204301	14451.662	30000	0	0	30000	41.5625	2004
08.01.2020 15:00:02	1	1	1	1	78	62	0	30000	481.7204301	14451.662	30000	0	0	30000	41.5625	2004
08.01.2020 15:00:02	1	1	1	1	78	62	0	30000	481.7204301	14451.662	30000	0	0	30000	41.5625	2004
08.01.2020 15:00:02	1	1	1	1	78	62	0	30000	481.7204301	14451.662	30000	0	0	30000	41.5625	2004
08.01.2020 15:00:02	1	1	1	1	78	62	0	30000	481.7204301	14451.662	30000	0	0	30000	41.5625	2004
08.01.2020 15:00:03	1	1	1	1	78	61.5	0	30000	490.3225806	14644.90528	30000	0	0	30000	41.6875	2004
08.01.2020 15:00:04	1	1	1	1	78	61.5	0	30000	498.9247312	15032.20721	30000	0	0	30000	40.375	2004
08.01.2020 15:00:05	1	1	1	1	78	60.25	0	29905.213	507.5268817	15225.45049	30000	0	0	30000	41.1875	2004
08.01.2020 15:00:06	1	1	1	1	78	61	0	30000	501.0752688	15032.20721	30000	0	0	30000	41.5	2004
08.01.2020 15:00:07	1	1	1	1	78	61.5	0	30000	501.0752688	15032.20721	30000	0	0	30000	41.6875	2004
08.01.2020 15:00:08	1	1	1	1	78	61.5	0	30000	494.6236559	14838.14856	30000	0	0	30000	41	2004
08.01.2020 15:00:09	1	1	1	1	78	61	0	30000	490.3225806	14838.14856	30000	0	0	30000	41.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 15:00:10	1	1	1	1	78	61.5	0	30000	492.4731183	14773.73413	30000	0	0	30000	41.5625	2004
08.01.2020 15:00:11	1	1	1	1	78	61.5	0	30000	483.8709677	14451.662	30000	0	0	30000	41.25	2004
08.01.2020 15:00:12	1	1	1	1	78	61.25	0	30000	481.7204301	14451.662	30000	0	0	30000	41.875	2004
08.01.2020 15:00:13	1	1	1	1	78	61.75	0	30000	466.6666667	13999.94564	30000	0	0	30000	41.5625	2004
08.01.2020 15:00:14	1	1	1	1	78	61.5	0	29952.607	458.0645161	13870.30142	30000	0	0	30000	41.9375	2004
08.01.2020 15:00:15	1	1	1	1	78	61.75	0	30000	464.516129	13870.30142	30000	0	0	30000	41.875	2004
08.01.2020 15:00:16	1	1	1	1	78	61.75	0	30000	460.2150538	13805.88699	30000	0	0	30000	41.875	2004
08.01.2020 15:00:17	1	1	1	1	78	61.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	41.75	2004
08.01.2020 15:00:18	1	1	1	1	78	61.75	0	29952.607	455.9139785	13741.47256	30000	0	0	30000	41.625	2004
08.01.2020 15:00:19	1	1	1	1	78	61.5	0	30000	460.2150538	13935.53122	30000	0	0	30000	40.875	2004
08.01.2020 15:00:20	1	1	1	1	78	60.75	0	30000	460.2150538	13805.88699	30000	0	0	30000	41.875	2004
08.01.2020 15:00:21	1	1	1	1	78.5	61.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	41.8125	2004
08.01.2020 15:00:22	1	1	1	1	78.5	61.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.9375	2004
08.01.2020 15:00:23	1	1	1	1	78.5	61.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.75	2004
08.01.2020 15:00:24	1	1	1	1	78.5	61.75	0	30000	445.1612903	13483.81486	30000	0	0	30000	41.8125	2004
08.01.2020 15:00:25	1	1	1	1	78.5	61.75	0	30000	464.516129	13935.53122	30000	0	0	30000	42	2004
08.01.2020 15:00:26	1	1	1	1	78.5	62	0	30000	481.7204301	14451.662	30000	0	0	30000	42	2004
08.01.2020 15:00:27	1	1	1	1	78.5	62	0	30000	481.7204301	14451.662	30000	0	0	30000	42.125	2004
08.01.2020 15:00:28	1	1	1	1	78.5	62	0	30000	496.7741935	14838.14856	30000	0	0	30000	42.375	2004
08.01.2020 15:00:29	1	1	1	1	78.5	60.75	0	30000	496.7741935	14902.56299	30000	0	0	30000	41.9375	2004
08.01.2020 15:00:30	1	1	1	1	78.75	61.75	0	30000	494.6236559	14773.73413	30000	0	0	30000	42.0625	2004
08.01.2020 15:00:31	1	1	1	1	78.75	62	0	30000	486.0215054	14534.01462	30000	0	0	30000	41.8125	2004
08.01.2020 15:00:32	1	1	1	1	78.75	61.75	0	30000	494.6236559	14773.73413	30000	0	0	30000	40.3125	2004
08.01.2020 15:00:33	1	1	1	1	78.75	60.25	0	30000	496.7741935	15225.45049	30000	0	0	30000	41.625	2004
08.01.2020 15:00:34	1	1	1	1	78.75	61.5	0	30000	496.7741935	14902.56299	30000	0	0	30000	41.3125	2004
08.01.2020 15:00:35	1	1	1	1	78.75	61.25	0	30000	492.4731183	14493.246	30000	0	0	30000	41.75	2004
08.01.2020 15:00:36	1	1	1	1	78.75	61.75	0	30000	481.7204301	14516.07643	30000	0	0	30000	41.9375	2004
08.01.2020 15:00:37	1	1	1	1	78.75	61.75	0	30000	483.8709677	14516.07643	30000	0	0	30000	41.9375	2004
08.01.2020 15:00:38	1	1	1	1	78.75	61.75	0	30000	483.8709677	14516.07643	30000	0	0	30000	41.75	2004
08.01.2020 15:00:39	1	1	1	1	78.75	61.75	0	29952.607	483.8709677	14516.07643	30000	0	0	30000	41.625	2004
08.01.2020 15:00:40	1	1	1	1	78.75	61.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	41.6875	2004
08.01.2020 15:00:41	1	1	1	1	78.75	61.5	0	30000	488.172043	14644.90528	30000	0	0	30000	41.75	2004
08.01.2020 15:00:43	1	1	1	1	78.75	61.75	0	30000	494.6236559	14926.20879	30000	0	0	30000	41.625	2004
08.01.2020 15:00:44	1	1	1	1	78.75	61.5	0	30000	507.5268817	15289.86492	30000	0	0	30000	41.8125	2004
08.01.2020 15:00:45	1	1	1	1	78.75	61.75	0	30000	511.827957	15289.86492	30000	0	0	30000	41.8125	2004
08.01.2020 15:00:46	1	1	1	1	78.75	61.75	0	30000	535.483871	15805.99571	30000	0	0	30000	41.625	2004
08.01.2020 15:00:47	1	1	1	1	78.75	61.5	0	30000	526.8817204	15677.16685	30000	0	0	30000	41.8125	2004
08.01.2020 15:00:48	1	1	1	1	78.75	61.75	0	30000	524.7311828	15805.99571	30000	0	0	30000	41.1875	2004
08.01.2020 15:00:49	1	1	1	1	78.75	61	0	30000	520.4301075	15677.16685	30000	0	0	30000	41.875	2004
08.01.2020 15:00:50	1	1	1	1	78.75	61.75	0	30000	518.2795699	15483.92357	30000	0	0	30000	41.375	2004
08.01.2020 15:00:51	1	1	1	1	79.25	61.25	0	30000	507.5268817	15225.45049	30000	0	0	30000	41.6875	2004
08.01.2020 15:00:52	1	1	1	1	79.25	61.5	0	30000	496.7741935	15032.20721	30000	0	0	30000	41.125	2004
08.01.2020 15:00:53	1	1	1	1	79.25	61	0	30000	522.5806452	15677.16685	30000	0	0	30000	41.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 15:00:54	1	1	1	1	79.25	61.75	0	30000	522.5806452	15677.16685	30000	0	0	30000	41.9375	2004
08.01.2020 15:00:55	1	1	1	1	79.25	61.75	0	30000	522.5806452	15741.58128	30000	0	0	30000	41.3125	2004
08.01.2020 15:00:56	1	1	1	1	79.25	61.25	0	30000	522.5806452	15677.16685	30000	0	0	30000	41.5	2004
08.01.2020 15:00:57	1	1	1	1	79.25	61.5	0	30000	516.1290323	15483.92357	30000	0	0	30000	41.875	2004
08.01.2020 15:01:04	1	1	1	1	79.25	61.25	0	30000	453.7634409	13354.17063	30000	0	0	30000	41.5625	2004
08.01.2020 15:01:04	1	1	1	1	79.25	61.25	0	30000	453.7634409	13354.17063	30000	0	0	30000	41.5625	2004
08.01.2020 15:01:04	1	1	1	1	79.25	61.25	0	30000	453.7634409	13354.17063	30000	0	0	30000	41.5625	2004
08.01.2020 15:01:04	1	1	1	1	79.25	61.25	0	30000	453.7634409	13354.17063	30000	0	0	30000	41.5625	2004
08.01.2020 15:01:04	1	1	1	1	79.25	61.25	0	30000	453.7634409	13354.17063	30000	0	0	30000	41.5625	2004
08.01.2020 15:01:04	1	1	1	1	79.25	61.25	0	30000	453.7634409	13354.17063	30000	0	0	30000	41.5625	2004
08.01.2020 15:01:04	1	1	1	1	79.25	61.5	0	30000	455.9139785	13612.64371	30000	0	0	30000	41.9375	2004
08.01.2020 15:01:05	1	1	1	1	79.25	61.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.1875	2004
08.01.2020 15:01:06	1	1	1	1	79.25	62	0	30000	438.7096774	13160.92735	30000	0	0	30000	41.9375	2004
08.01.2020 15:01:07	1	1	1	1	79.25	61.75	0	30000	438.7096774	13160.92735	30000	0	0	30000	42.25	2004
08.01.2020 15:01:08	1	1	1	1	79.25	62.25	0	29952.607	445.1612903	13612.64371	30000	0	0	30000	41.8125	2004
08.01.2020 15:01:09	1	1	1	1	79.25	61.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.3125	2004
08.01.2020 15:01:10	1	1	1	1	80	61.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.5625	2004
08.01.2020 15:01:11	1	1	1	1	80	61.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.6875	2004
08.01.2020 15:01:12	1	1	1	1	80	61.5	0	30000	445.1612903	13333.78632	30000	0	0	30000	41.8125	2004
08.01.2020 15:01:13	1	1	1	1	80	61.75	0	30000	427.9569892	13032.0985	30000	0	0	30000	42	2004
08.01.2020 15:01:14	1	1	1	1	80	62	0	30000	438.7096774	13160.92735	30000	0	0	30000	41.9375	2004
08.01.2020 15:01:15	1	1	1	1	80	61.75	0	30000	440.8602151	13225.34178	30000	0	0	30000	41.875	2004
08.01.2020 15:01:16	1	1	1	1	80	61.75	0	30000	432.2580645	12967.68407	30000	0	0	30000	41.25	2004
08.01.2020 15:01:17	1	1	1	1	80	61.25	0	29952.607	438.7096774	13225.34178	30000	0	0	30000	41.75	2004
08.01.2020 15:01:18	1	1	1	1	80	61.75	0	30000	438.7096774	13225.34178	30000	0	0	30000	41.9375	2004
08.01.2020 15:01:19	1	1	1	1	80	61.75	0	30000	443.0107527	13225.34178	30000	0	0	30000	41.625	2004
08.01.2020 15:01:20	1	1	1	1	80.5	61.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.6875	2004
08.01.2020 15:01:21	1	1	1	1	80.5	61.5	0	30000	451.6129032	13612.64371	30000	0	0	30000	40.8125	2004
08.01.2020 15:01:22	1	1	1	1	80.5	60.75	0	30000	464.516129	13741.47256	30000	0	0	30000	41.625	2004
08.01.2020 15:01:24	1	1	1	1	80.5	61.5	0	30000	464.516129	13935.53122	30000	0	0	30000	41.4375	2004
08.01.2020 15:01:25	1	1	1	1	80.5	61.25	0	30000	481.7204301	14451.662	30000	0	0	30000	41.6875	2004
08.01.2020 15:01:26	1	1	1	1	80.5	61.5	0	30000	468.8172043	14064.36007	30000	0	0	30000	41.1875	2004
08.01.2020 15:01:27	1	1	1	1	80.5	61	0	30000	481.7204301	14451.662	30000	0	0	30000	41	2004
08.01.2020 15:01:28	1	1	1	1	80.5	61	0	30000	481.7204301	14451.662	30000	0	0	30000	41.75	2004
08.01.2020 15:01:29	1	1	1	1	80.5	61.75	0	30000	486.0215054	14644.90528	30000	0	0	30000	41.8125	2004
08.01.2020 15:01:30	1	1	1	1	80.5	61.75	0	30000	503.2258065	15096.62164	30000	0	0	30000	40.9375	2004
08.01.2020 15:01:31	1	1	1	1	80.25	60.75	0	30000	503.2258065	15225.45049	30000	0	0	30000	41.125	2004
08.01.2020 15:01:32	1	1	1	1	80.25	61	0	30000	516.1290323	15354.27935	30000	0	0	30000	41.4375	2004
08.01.2020 15:01:33	1	1	1	1	80.25	61.25	0	30000	511.827957	15289.86492	30000	0	0	30000	42	2004
08.01.2020 15:01:34	1	1	1	1	80.25	62	0	30000	516.1290323	15483.92357	30000	0	0	30000	41.8125	2004
08.01.2020 15:01:35	1	1	1	1	80.25	61.75	0	30000	507.5268817	15225.45049	30000	0	0	30000	41.875	2004
08.01.2020 15:01:36	1	1	1	1	80.25	61.75	0	30000	507.5268817	15225.45049	30000	0	0	30000	40.375	2004
08.01.2020 15:01:37	1	1	1	1	80.25	60.25	0	30000	522.5806452	15677.16685	30000	0	0	30000	41.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 15:01:38	1	1	1	1	80.25	61.5	0	30000	529.0322581	15934.82456	30000	0	0	30000	41.6875	2004
08.01.2020 15:01:39	1	1	1	1	80.25	61.5	0	30000	529.0322581	16000.05436	30000	0	0	30000	41.4375	2004
08.01.2020 15:01:40	1	1	1	1	80.25	61.25	0	30000	529.0322581	15781.53453	30000	0	0	30000	41.6875	2004
08.01.2020 15:01:41	1	1	1	1	81	61.5	0	30000	524.7311828	15870.41013	30000	0	0	30000	42	2004
08.01.2020 15:01:42	1	1	1	1	81	62	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	41.375	2004
08.01.2020 15:01:43	1	1	1	1	81	61.25	0	29763.033	537.6344086	15962.54722	30000	0	0	30000	41.9375	2004
08.01.2020 15:01:44	1	1	1	1	81	61.75	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	41.5	2004
08.01.2020 15:01:45	1	1	1	1	81	61.5	0	29810.427	537.6344086	16116.65262	30000	0	0	30000	41.5625	2004
08.01.2020 15:01:46	1	1	1	1	81	61.5	0	29620.853	537.6344086	15886.71758	30000	0	0	30000	41.1875	2004
08.01.2020 15:01:47	1	1	1	1	81	61	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	41.75	2004
08.01.2020 15:01:48	1	1	1	1	81	61.75	0	29620.853	537.6344086	15925.04009	30000	0	0	30000	41.875	2004
08.01.2020 15:01:49	1	1	1	1	81	61.75	0	29620.853	539.7849462	15925.04009	30000	0	0	30000	42.25	2004
08.01.2020 15:01:50	1	1	1	1	81	62.25	0	29668.246	539.7849462	16013.91569	30000	0	0	30000	41.6875	2004
08.01.2020 15:01:51	1	1	1	1	81	62	0	29715.64	537.6344086	15911.99413	30000	0	0	30000	41.9375	2004
08.01.2020 15:01:52	1	1	1	1	81	61.75	0	29857.82	537.6344086	15962.54722	30000	0	0	30000	41.8125	2004
08.01.2020 15:01:53	1	1	1	1	81	61.75	0	29810.427	537.6344086	16026.96165	30000	0	0	30000	41.5	2004
08.01.2020 15:01:54	1	1	1	1	81	61.5	0	29905.213	535.483871	16013.10032	30000	0	0	30000	41.8125	2004
08.01.2020 15:01:55	1	1	1	1	81	61.75	0	30000	533.3333333	15885.08684	30000	0	0	30000	41.875	2004
08.01.2020 15:01:56	1	1	1	1	81	61.75	0	30000	533.3333333	16000.05436	30000	0	0	30000	41.25	2004
08.01.2020 15:01:57	1	1	1	1	81	61.25	0	30000	533.3333333	16000.05436	30000	0	0	30000	41.375	2004
08.01.2020 15:01:58	1	1	1	1	81	61.25	0	30000	518.2795699	15483.92357	30000	0	0	30000	41.375	2004
08.01.2020 15:02:05	1	1	1	1	81.5	61.25	0	30000	453.7634409	13612.64371	30000	0	0	30000	41.625	2004
08.01.2020 15:02:05	1	1	1	1	81.5	61.25	0	30000	453.7634409	13612.64371	30000	0	0	30000	41.625	2004
08.01.2020 15:02:05	1	1	1	1	81.5	61.25	0	30000	453.7634409	13612.64371	30000	0	0	30000	41.625	2004
08.01.2020 15:02:05	1	1	1	1	81.5	61.25	0	30000	453.7634409	13612.64371	30000	0	0	30000	41.625	2004
08.01.2020 15:02:05	1	1	1	1	81.5	61.25	0	30000	453.7634409	13612.64371	30000	0	0	30000	41.625	2004
08.01.2020 15:02:05	1	1	1	1	81.5	61.25	0	30000	453.7634409	13612.64371	30000	0	0	30000	41.625	2004
08.01.2020 15:02:06	1	1	1	1	81.5	61.5	0	30000	468.8172043	14128.7745	30000	0	0	30000	41.8125	2004
08.01.2020 15:02:07	1	1	1	1	81.5	61.75	0	30047.393	458.0645161	13741.47256	30000	0	0	30000	41.875	2004
08.01.2020 15:02:08	1	1	1	1	81.5	61.75	0	30000	445.1612903	13375.37032	30000	0	0	30000	41.25	2004
08.01.2020 15:02:09	1	1	1	1	81.5	61.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.875	2004
08.01.2020 15:02:10	1	1	1	1	81.5	61.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.3125	2004
08.01.2020 15:02:11	1	1	1	1	81.5	61.25	0	30000	425.8064516	12773.62542	30000	0	0	30000	41.875	2004
08.01.2020 15:02:12	1	1	1	1	81.5	61.75	0	30000	425.8064516	12709.21099	30000	0	0	30000	41.5	2004
08.01.2020 15:02:13	1	1	1	1	81.5	61.5	0	30000	415.0537634	12387.13886	30000	0	0	30000	41.625	2004
08.01.2020 15:02:14	1	1	1	1	81.5	61.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.75	2004
08.01.2020 15:02:15	1	1	1	1	81.5	61.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.8125	2004
08.01.2020 15:02:16	1	1	1	1	81.5	61.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.75	2004
08.01.2020 15:02:17	1	1	1	1	81.5	61.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.9375	2004
08.01.2020 15:02:18	1	1	1	1	81.5	61.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.8125	2004
08.01.2020 15:02:19	1	1	1	1	81.5	61.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	42	2004
08.01.2020 15:02:20	1	1	1	1	81.5	62	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.75	2004
08.01.2020 15:02:21	1	1	1	1	81.25	61.75	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	41.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 15:02:22	1	1	1	1	81.25	61.75	0	30000	419.3548387	12451.55328	30000	0	0	30000	41.625	2004
08.01.2020 15:02:23	1	1	1	1	81.25	61.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.875	2004
08.01.2020 15:02:24	1	1	1	1	81.25	61.75	0	30000	427.9569892	12818.4709	30000	0	0	30000	41.8125	2004
08.01.2020 15:02:25	1	1	1	1	81.25	61.75	0	30000	443.0107527	13354.17063	30000	0	0	30000	41.9375	2004
08.01.2020 15:02:26	1	1	1	1	81.25	61.75	0	29952.607	460.2150538	13999.94564	30000	0	0	30000	41.9375	2004
08.01.2020 15:02:27	1	1	1	1	81.25	61.75	0	30000	481.7204301	14428.83157	30000	0	0	30000	42.1875	2004
08.01.2020 15:02:28	1	1	1	1	81.25	61.75	0	30000	481.7204301	14451.662	30000	0	0	30000	41.8125	2004
08.01.2020 15:02:29	1	1	1	1	81.25	61.75	0	30000	486.0215054	14644.90528	30000	0	0	30000	41	2004
08.01.2020 15:02:30	1	1	1	1	81.25	61	0	30000	488.172043	14644.90528	30000	0	0	30000	41.6875	2004
08.01.2020 15:02:31	1	1	1	1	81.25	61.5	0	30000	490.3225806	14580.49085	30000	0	0	30000	41.625	2004
08.01.2020 15:02:32	1	1	1	1	81.25	61.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	41.8125	2004
08.01.2020 15:02:33	1	1	1	1	81.25	61.75	0	30000	481.7204301	13977.93058	30000	0	0	30000	41.4375	2004
08.01.2020 15:02:34	1	1	1	1	81.25	61.25	0	30000	451.6129032	13354.17063	30000	0	0	30000	40.875	2004
08.01.2020 15:02:35	1	1	1	1	81.25	60.75	0	30000	440.8602151	13289.7562	30000	0	0	30000	41.875	2004
08.01.2020 15:02:36	1	1	1	1	81.25	61.75	0	30000	440.8602151	13054.92893	30000	0	0	30000	41.75	2004
08.01.2020 15:02:37	1	1	1	1	81.25	61.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.5	2004
08.01.2020 15:02:38	1	1	1	1	81.25	61.5	0	30000	417.2043011	12814.39404	30000	0	0	30000	41.75	2004
08.01.2020 15:02:39	1	1	1	1	81.25	61.75	0	30000	412.9032258	12620.33539	30000	0	0	30000	42	2004
08.01.2020 15:02:40	1	1	1	1	81.25	62	0	29905.213	412.9032258	12193.08021	30000	0	0	30000	41.75	2004
08.01.2020 15:02:42	1	1	1	1	81.25	61.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.5	2004
08.01.2020 15:02:43	1	1	1	1	81.25	61.5	0	30000	415.0537634	12580.38214	30000	0	0	30000	41.625	2004
08.01.2020 15:02:44	1	1	1	1	81.25	61.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.8125	2004
08.01.2020 15:02:45	1	1	1	1	81.25	61.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.625	2004
08.01.2020 15:02:46	1	1	1	1	81.25	61.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.8125	2004
08.01.2020 15:02:47	1	1	1	1	81.25	61.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.1875	2004
08.01.2020 15:02:48	1	1	1	1	81.25	61	0	30000	449.4623656	13763.48762	30000	0	0	30000	41.5625	2004
08.01.2020 15:02:49	1	1	1	1	81.25	61.5	0	30000	453.7634409	13612.64371	30000	0	0	30000	41.6875	2004
08.01.2020 15:02:50	1	1	1	1	81.25	61.5	0	30000	464.516129	13935.53122	30000	0	0	30000	41.75	2004
08.01.2020 15:02:51	1	1	1	1	81.5	61.75	0	30047.393	481.7204301	14451.662	30000	0	0	30000	41.25	2004
08.01.2020 15:02:52	1	1	1	1	81.5	61.25	0	30000	481.7204301	14451.662	30000	0	0	30000	41.6875	2004
08.01.2020 15:02:53	1	1	1	1	81.5	61.5	0	30000	481.7204301	14451.662	30000	0	0	30000	41.5625	2004
08.01.2020 15:02:54	1	1	1	1	81.5	61.5	0	30000	481.7204301	14451.662	30000	0	0	30000	41.5625	2004
08.01.2020 15:02:55	1	1	1	1	81.5	61.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.875	2004
08.01.2020 15:02:56	1	1	1	1	81.5	60.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	41.3125	2004
08.01.2020 15:02:57	1	1	1	1	81.5	61.25	0	30000	438.7096774	13096.51292	30000	0	0	30000	41.3125	2004
08.01.2020 15:02:58	1	1	1	1	81.5	61.25	0	30000	425.8064516	12773.62542	30000	0	0	30000	41.5625	2004
08.01.2020 15:02:59	1	1	1	1	81.5	61.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	41.75	2004
08.01.2020 15:03:00	1	1	1	1	81.5	61.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	41.1875	2004
08.01.2020 15:03:07	1	1	1	1	81.75	61.75	0	30000	380.6451613	11483.70614	30000	0	0	30000	41.75	2004
08.01.2020 15:03:07	1	1	1	1	81.75	61.75	0	30000	380.6451613	11483.70614	30000	0	0	30000	41.75	2004
08.01.2020 15:03:07	1	1	1	1	81.75	61.75	0	30000	380.6451613	11483.70614	30000	0	0	30000	41.75	2004
08.01.2020 15:03:07	1	1	1	1	81.75	61.75	0	30000	380.6451613	11483.70614	30000	0	0	30000	41.75	2004
08.01.2020 15:03:07	1	1	1	1	81.75	61.75	0	30000	380.6451613	11483.70614	30000	0	0	30000	41.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 15:03:07	1	1	1	1	81.75	61.75	0	30000	380.6451613	11483.70614	30000	0	0	30000	41.75	2004
08.01.2020 15:03:07	1	1	1	1	81.75	61.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.75	2004
08.01.2020 15:03:08	1	1	1	1	81.75	61.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	41.6875	2004
08.01.2020 15:03:09	1	1	1	1	81.75	61.5	0	30000	378.4946237	11225.23306	30000	0	0	30000	41.8125	2004
08.01.2020 15:03:10	1	1	1	1	81.75	61.75	0	29905.213	363.4408602	11160.81863	30000	0	0	30000	41.625	2004
08.01.2020 15:03:11	1	1	1	1	81.75	61.5	0	30000	378.4946237	11160.81863	30000	0	0	30000	41.75	2004
08.01.2020 15:03:12	1	1	1	1	81.75	61.75	0	30000	372.0430108	11096.40421	30000	0	0	30000	41.8125	2004
08.01.2020 15:03:13	1	1	1	1	81.75	61.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.8125	2004
08.01.2020 15:03:14	1	1	1	1	81.75	61.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.8125	2004
08.01.2020 15:03:15	1	1	1	1	81.75	61.75	0	30000	384.9462366	11548.12057	30000	0	0	30000	41.75	2004
08.01.2020 15:03:16	1	1	1	1	81.75	61.75	0	30000	380.6451613	11419.29171	30000	0	0	30000	41.6875	2004
08.01.2020 15:03:17	1	1	1	1	81.75	61.5	0	30000	384.9462366	11548.12057	30000	0	0	30000	41.75	2004
08.01.2020 15:03:18	1	1	1	1	81.75	61.75	0	29952.607	380.6451613	11319.0009	30000	0	0	30000	41.6875	2004
08.01.2020 15:03:19	1	1	1	1	81.75	61.5	0	30000	378.4946237	11419.29171	30000	0	0	30000	41.75	2004
08.01.2020 15:03:20	1	1	1	1	81.75	61.75	0	30000	389.2473118	11465.76794	30000	0	0	30000	40.875	2004
08.01.2020 15:03:22	1	1	1	1	81.75	60.75	0	30000	389.2473118	11741.36385	30000	0	0	30000	41.625	2004
08.01.2020 15:03:23	1	1	1	1	81.75	61.5	0	30000	395.6989247	11659.01122	30000	0	0	30000	41.625	2004
08.01.2020 15:03:24	1	1	1	1	81.75	61.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	41.875	2004
08.01.2020 15:03:25	1	1	1	1	81.75	61.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.75	2004
08.01.2020 15:03:26	1	1	1	1	81.75	61.75	0	30000	412.9032258	12367.56992	30000	0	0	30000	41.875	2004
08.01.2020 15:03:27	1	1	1	1	81.75	61.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.75	2004
08.01.2020 15:03:28	1	1	1	1	81.75	61.75	0	29952.607	412.9032258	12431.98434	30000	0	0	30000	41.875	2004
08.01.2020 15:03:29	1	1	1	1	81.75	61.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	41.5	2004
08.01.2020 15:03:30	1	1	1	1	81.75	61.5	0	30000	423.655914	12709.21099	30000	0	0	30000	41.75	2004
08.01.2020 15:03:31	1	1	1	1	81.75	61.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.5625	2004
08.01.2020 15:03:32	1	1	1	1	81.75	61.5	0	30000	427.9569892	13032.0985	30000	0	0	30000	41.4375	2004
08.01.2020 15:03:33	1	1	1	1	81.75	61.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.75	2004
08.01.2020 15:03:34	1	1	1	1	81.75	61.75	0	30047.393	427.9569892	12838.03984	30000	0	0	30000	41.3125	2004
08.01.2020 15:03:35	1	1	1	1	81.75	61.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.8125	2004
08.01.2020 15:03:36	1	1	1	1	81.75	61.75	0	30142.18	432.2580645	12967.68407	30000	0	0	30000	41.6875	2004
08.01.2020 15:03:37	1	1	1	1	81.75	61.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.4375	2004
08.01.2020 15:03:38	1	1	1	1	81.75	61.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.3125	2004
08.01.2020 15:03:39	1	1	1	1	81.75	61.25	0	29952.607	425.8064516	12838.03984	30000	0	0	30000	41.75	2004
08.01.2020 15:03:40	1	1	1	1	81.75	61.75	0	29952.607	419.3548387	12838.03984	30000	0	0	30000	41.5625	2004
08.01.2020 15:03:41	1	1	1	1	81.5	61.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.5	2004
08.01.2020 15:03:42	1	1	1	1	81.5	61.5	0	30000	419.3548387	12515.96771	30000	0	0	30000	41.625	2004
08.01.2020 15:03:43	1	1	1	1	81.5	61.5	0	29952.607	412.9032258	12451.55328	30000	0	0	30000	41.75	2004
08.01.2020 15:03:44	1	1	1	1	81.5	61.75	0	29905.213	412.9032258	12387.13886	30000	0	0	30000	42.1875	2004
08.01.2020 15:03:45	1	1	1	1	81.5	62	0	30000	404.3010753	12387.13886	30000	0	0	30000	41.6875	2004
08.01.2020 15:03:46	1	1	1	1	81.5	61.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	42.0625	2004
08.01.2020 15:03:47	1	1	1	1	81.5	62	0	30000	404.3010753	12064.25135	30000	0	0	30000	42.0625	2004
08.01.2020 15:03:48	1	1	1	1	81.5	62	0	30000	397.8494624	11871.00807	30000	0	0	30000	42.1875	2004
08.01.2020 15:03:49	1	1	1	1	81.5	62	0	30000	391.3978495	11741.36385	30000	0	0	30000	41.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 15:03:50	1	1	1	1	81.75	61.75	0	30000	384.9462366	11530.18237	30000	0	0	30000	41.6875	2004
08.01.2020 15:03:51	1	1	1	1	81.75	61.5	0	30000	387.0967742	11676.94942	30000	0	0	30000	42	2004
08.01.2020 15:03:52	1	1	1	1	81.75	62	0	29905.213	380.6451613	11419.29171	30000	0	0	30000	41.4375	2004
08.01.2020 15:03:53	1	1	1	1	81.75	61.25	0	30000	382.7956989	11548.12057	30000	0	0	30000	41.25	2004
08.01.2020 15:03:54	1	1	1	1	81.75	61.25	0	30000	382.7956989	11419.29171	30000	0	0	30000	41.625	2004
08.01.2020 15:03:55	1	1	1	1	81.75	61.5	0	30000	380.6451613	11548.12057	30000	0	0	30000	41.75	2004
08.01.2020 15:03:56	1	1	1	1	81.75	61.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.875	2004
08.01.2020 15:04:00	1	1	1	1	81.75	61	0	30000	387.0967742	11548.12057	30000	0	0	30000	41.75	2004
08.01.2020 15:04:00	1	1	1	1	81.75	61	0	30000	387.0967742	11548.12057	30000	0	0	30000	41.75	2004
08.01.2020 15:04:00	1	1	1	1	81.25	61.75	0	29905.213	395.6989247	11871.00807	30000	0	0	30000	41.8125	2004
08.01.2020 15:04:02	1	1	1	1	81.25	61.75	0	30000	404.3010753	12193.08021	30000	0	0	30000	41.8125	2004
08.01.2020 15:04:03	1	1	1	1	81.25	61.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.8125	2004
08.01.2020 15:04:09	1	1	1	1	81.25	61.75	0	30000	387.0967742	11676.94942	30000	0	0	30000	41.5	2004
08.01.2020 15:04:09	1	1	1	1	81.25	61.75	0	30000	387.0967742	11676.94942	30000	0	0	30000	41.5	2004
08.01.2020 15:04:09	1	1	1	1	81.25	61.75	0	30000	387.0967742	11676.94942	30000	0	0	30000	41.5	2004
08.01.2020 15:04:09	1	1	1	1	81.25	61.75	0	30000	387.0967742	11676.94942	30000	0	0	30000	41.5	2004
08.01.2020 15:04:09	1	1	1	1	81.25	61.75	0	30000	387.0967742	11676.94942	30000	0	0	30000	41.5	2004
08.01.2020 15:04:09	1	1	1	1	81.25	61.75	0	30000	387.0967742	11676.94942	30000	0	0	30000	41.5	2004
08.01.2020 15:04:09	1	1	1	1	81.25	61.75	0	30000	387.0967742	11676.94942	30000	0	0	30000	41.5	2004
08.01.2020 15:04:10	1	1	1	1	81.25	61.5	0	30000	384.9462366	11612.53499	30000	0	0	30000	41.75	2004
08.01.2020 15:04:11	1	1	1	1	81	61.75	0	30000	384.9462366	11548.12057	30000	0	0	30000	41.75	2004
08.01.2020 15:04:12	1	1	1	1	81	61.75	0	30000	387.0967742	11548.12057	30000	0	0	30000	41.8125	2004
08.01.2020 15:04:13	1	1	1	1	81	61.75	0	30000	400	12064.25135	30000	0	0	30000	41.75	2004
08.01.2020 15:04:14	1	1	1	1	81	61.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.875	2004
08.01.2020 15:04:15	1	1	1	1	81	61.75	0	29952.607	415.0537634	12451.55328	30000	0	0	30000	41.25	2004
08.01.2020 15:04:16	1	1	1	1	81	61.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	41.8125	2004
08.01.2020 15:04:17	1	1	1	1	81	61.75	0	30000	438.7096774	13160.92735	30000	0	0	30000	41.625	2004
08.01.2020 15:04:18	1	1	1	1	81	61.5	0	30000	440.8602151	13225.34178	30000	0	0	30000	41.5625	2004
08.01.2020 15:04:19	1	1	1	1	81	61.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.9375	2004
08.01.2020 15:04:20	1	1	1	1	81	61.75	0	30000	455.9139785	13612.64371	30000	0	0	30000	41.6875	2004
08.01.2020 15:04:21	1	1	1	1	80.5	61.5	0	30000	460.2150538	13805.88699	30000	0	0	30000	41.6875	2004
08.01.2020 15:04:22	1	1	1	1	80.5	61.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.75	2004
08.01.2020 15:04:23	1	1	1	1	80.5	61.75	0	30000	443.0107527	13354.17063	30000	0	0	30000	41.9375	2004
08.01.2020 15:04:24	1	1	1	1	80.5	61.75	0	30000	438.7096774	13160.92735	30000	0	0	30000	41.6875	2004
08.01.2020 15:04:25	1	1	1	1	80.5	61.5	0	30000	438.7096774	13332.15557	30000	0	0	30000	41.625	2004
08.01.2020 15:04:26	1	1	1	1	80.5	61.5	0	29952.607	443.0107527	13354.17063	30000	0	0	30000	41.625	2004
08.01.2020 15:04:27	1	1	1	1	80.5	61.5	0	30000	438.7096774	13160.92735	30000	0	0	30000	41.5625	2004
08.01.2020 15:04:28	1	1	1	1	80.5	61.75	0	30000	438.7096774	13160.92735	30000	0	0	30000	41.1875	2004
08.01.2020 15:04:29	1	1	1	1	80.5	61	0	30000	438.7096774	13096.51292	30000	0	0	30000	42.0625	2004
08.01.2020 15:04:30	1	1	1	1	80.75	62	0	30000	438.7096774	13160.92735	30000	0	0	30000	41.375	2004
08.01.2020 15:04:31	1	1	1	1	80.75	61.25	0	30000	438.7096774	13375.37032	30000	0	0	30000	41.8125	2004
08.01.2020 15:04:32	1	1	1	1	80.75	61.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.6875	2004
08.01.2020 15:04:33	1	1	1	1	80.75	61.5	0	30000	443.0107527	13289.7562	30000	0	0	30000	41.5	2004
08.01.2020 15:04:34	1	1	1	1	80.75	61.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 15:04:35	1	1	1	1	80.75	61.5	0	30000	443.0107527	13375.37032	30000	0	0	30000	41.75	2004
08.01.2020 15:04:36	1	1	1	1	80.75	61.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.875	2004
08.01.2020 15:04:37	1	1	1	1	80.75	61.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.4375	2004
08.01.2020 15:04:38	1	1	1	1	80.75	61.25	0	29952.607	449.4623656	13354.17063	30000	0	0	30000	41.3125	2004
08.01.2020 15:04:39	1	1	1	1	80.75	61.25	0	30000	453.7634409	13612.64371	30000	0	0	30000	41.5	2004
08.01.2020 15:04:41	1	1	1	1	80.75	61.5	0	30000	464.516129	13935.53122	30000	0	0	30000	41.8125	2004
08.01.2020 15:04:42	1	1	1	1	80.75	61.75	0	29952.607	481.7204301	14451.662	30000	0	0	30000	41.6875	2004
08.01.2020 15:04:43	1	1	1	1	80.75	61.5	0	30000	481.7204301	14451.662	30000	0	0	30000	41.625	2004
08.01.2020 15:04:44	1	1	1	1	80.75	61.5	0	30000	486.0215054	14516.07643	30000	0	0	30000	41.625	2004
08.01.2020 15:04:45	1	1	1	1	80.75	61.5	0	30000	488.172043	14644.90528	30000	0	0	30000	41.875	2004
08.01.2020 15:04:46	1	1	1	1	80.75	61.75	0	30000	494.6236559	14622.07485	30000	0	0	30000	41.1875	2004
08.01.2020 15:04:47	1	1	1	1	80.75	61	0	30000	496.7741935	14902.56299	30000	0	0	30000	41.5	2004
08.01.2020 15:04:48	1	1	1	1	80.75	61.5	0	30000	505.3763441	15161.03607	30000	0	0	30000	41.6875	2004
08.01.2020 15:04:49	1	1	1	1	80.75	61.5	0	29905.213	507.5268817	15161.03607	30000	0	0	30000	41.625	2004
08.01.2020 15:04:50	1	1	1	1	80.75	61.5	0	30000	516.1290323	15483.92357	30000	0	0	30000	41.6875	2004
08.01.2020 15:04:51	1	1	1	1	80.5	61.5	0	30000	516.1290323	15483.92357	30000	0	0	30000	41.25	2004
08.01.2020 15:04:52	1	1	1	1	80.5	61.25	0	29905.213	498.9247312	15008.56141	30000	0	0	30000	41.5	2004
08.01.2020 15:04:53	1	1	1	1	80.5	61.5	0	30000	507.5268817	15225.45049	30000	0	0	30000	41.625	2004
08.01.2020 15:04:54	1	1	1	1	80.5	61.5	0	29905.213	496.7741935	15161.03607	30000	0	0	30000	41.6875	2004
08.01.2020 15:04:55	1	1	1	1	80.5	61.5	0	30000	496.7741935	14902.56299	30000	0	0	30000	41.625	2004
08.01.2020 15:04:56	1	1	1	1	80.5	61.5	0	30000	492.4731183	14773.73413	30000	0	0	30000	40.5	2004
08.01.2020 15:04:57	1	1	1	1	80.5	60.5	0	30047.393	460.2150538	13805.88699	30000	0	0	30000	41.6875	2004
08.01.2020 15:04:58	1	1	1	1	80.5	61.5	0	30000	423.655914	12709.21099	30000	0	0	30000	41.4375	2004
08.01.2020 15:04:59	1	1	1	1	80.5	61.25	0	30000	404.3010753	12193.08021	30000	0	0	30000	41.8125	2004
08.01.2020 15:05:00	1	1	1	1	80.5	61.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.6875	2004
08.01.2020 15:05:01	1	1	1	1	80.5	61.5	0	30000	350.5376344	10580.27342	30000	0	0	30000	41.625	2004
08.01.2020 15:05:02	1	1	1	1	80.5	61.5	0	30000	344.0860215	10451.44457	30000	0	0	30000	41.5625	2004
08.01.2020 15:05:03	1	1	1	1	80.5	61.5	0	30000	339.7849462	10128.55706	30000	0	0	30000	41.5625	2004
08.01.2020 15:05:04	1	1	1	1	80.5	61.5	0	29952.607	339.7849462	10192.97149	30000	0	0	30000	41.875	2004
08.01.2020 15:05:11	1	1	1	1	80.25	61.25	0	30000	301.0752688	9031.881064	30000	0	0	30000	41.75	2004
08.01.2020 15:05:11	1	1	1	1	80.25	61.25	0	30000	301.0752688	9031.881064	30000	0	0	30000	41.75	2004
08.01.2020 15:05:11	1	1	1	1	80.25	61.25	0	30000	301.0752688	9031.881064	30000	0	0	30000	41.75	2004
08.01.2020 15:05:11	1	1	1	1	80.25	61.25	0	30000	301.0752688	9031.881064	30000	0	0	30000	41.75	2004
08.01.2020 15:05:11	1	1	1	1	80.25	61.25	0	30000	301.0752688	9031.881064	30000	0	0	30000	41.75	2004
08.01.2020 15:05:11	1	1	1	1	80.25	61.75	0	29952.607	309.6774194	9275.677439	30000	0	0	30000	41.875	2004
08.01.2020 15:05:12	1	1	1	1	80.25	61.75	0	30000	305.3763441	9096.295491	30000	0	0	30000	41.875	2004
08.01.2020 15:05:13	1	1	1	1	80.25	61.75	0	30000	301.0752688	9031.881064	30000	0	0	30000	41.875	2004
08.01.2020 15:05:14	1	1	1	1	80.25	61.75	0	29952.607	292.4731183	8874.514174	30000	0	0	30000	41.625	2004
08.01.2020 15:05:15	1	1	1	1	80.25	61.5	0	30000	286.0215054	8580.164705	30000	0	0	30000	41.5625	2004
08.01.2020 15:05:16	1	1	1	1	80.25	61.5	0	30000	288.172043	8451.335852	30000	0	0	30000	41.875	2004
08.01.2020 15:05:17	1	1	1	1	80.25	61.75	0	30000	286.0215054	8580.164705	30000	0	0	30000	41.875	2004
08.01.2020 15:05:18	1	1	1	1	80.25	61.75	0	29952.607	283.8709677	8360.014133	30000	0	0	30000	41.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 15:05:19	1	1	1	1	80.25	61.75	0	30000	281.7204301	8451.335852	30000	0	0	30000	41.5	2004
08.01.2020 15:05:21	1	1	1	1	79.5	61.5	0	30000	279.5698925	8322.506999	30000	0	0	30000	41.75	2004
08.01.2020 15:05:22	1	1	1	1	79.5	61.75	0	30000	273.1182796	8258.092572	30000	0	0	30000	41.6875	2004
08.01.2020 15:05:23	1	1	1	1	79.5	61.5	0	30047.393	275.2688172	8322.506999	30000	0	0	30000	41.8125	2004
08.01.2020 15:05:24	1	1	1	1	79.5	61.75	0	30000	273.1182796	8192.862773	30000	0	0	30000	41.75	2004
08.01.2020 15:05:25	1	1	1	1	79.5	61.75	0	30000	264.516129	7935.205066	30000	0	0	30000	41.4375	2004
08.01.2020 15:05:26	1	1	1	1	79.5	61.25	0	30000	266.6666667	8192.862773	30000	0	0	30000	41.4375	2004
08.01.2020 15:05:27	1	1	1	1	79.5	61.25	0	30000	266.6666667	7870.79064	30000	0	0	30000	41.875	2004
08.01.2020 15:05:28	1	1	1	1	79.5	61.75	0	30000	266.6666667	7999.619493	30000	0	0	30000	41.8125	2004
08.01.2020 15:05:29	1	1	1	1	79.5	61.75	0	29952.607	264.516129	7999.619493	30000	0	0	30000	41.8125	2004
08.01.2020 15:05:30	1	1	1	1	79.5	61.75	0	30000	268.8172043	8064.033919	30000	0	0	30000	41.6875	2004
08.01.2020 15:05:31	1	1	1	1	79.25	61.5	0	30000	266.6666667	7999.619493	30000	0	0	30000	41.5	2004
08.01.2020 15:05:32	1	1	1	1	79.25	61.5	0	30000	270.9677419	8192.862773	30000	0	0	30000	41.5625	2004
08.01.2020 15:05:33	1	1	1	1	79.25	61.5	0	30000	275.2688172	8258.092572	30000	0	0	30000	41.625	2004
08.01.2020 15:05:34	1	1	1	1	79.25	61.5	0	30000	286.0215054	8580.164705	30000	0	0	30000	40.6875	2004
08.01.2020 15:05:35	1	1	1	1	79.25	60.5	0	30000	290.3225806	8708.993559	30000	0	0	30000	41.75	2004
08.01.2020 15:05:36	1	1	1	1	79.25	61.75	0	29952.607	298.9247312	8967.466638	30000	0	0	30000	41.75	2004
08.01.2020 15:05:37	1	1	1	1	79.25	61.75	0	30000	305.3763441	9096.295491	30000	0	0	30000	41.5625	2004
08.01.2020 15:05:38	1	1	1	1	79.25	61.5	0	30000	307.5268817	9146.848585	30000	0	0	30000	41.75	2004
08.01.2020 15:05:39	1	1	1	1	79.25	61.75	0	29952.607	298.9247312	8874.514174	30000	0	0	30000	41.625	2004
08.01.2020 15:05:40	1	1	1	1	79.25	61.5	0	30000	292.4731183	8580.164705	30000	0	0	30000	41.5625	2004
08.01.2020 15:05:41	1	1	1	1	79	61.5	0	30000	288.172043	8644.579132	30000	0	0	30000	41.75	2004
08.01.2020 15:05:42	1	1	1	1	79	61.75	0	30000	290.3225806	8708.993559	30000	0	0	30000	41.125	2004
08.01.2020 15:05:43	1	1	1	1	79	61	0	30000	296.7741935	8903.052211	30000	0	0	30000	41.8125	2004
08.01.2020 15:05:44	1	1	1	1	79	61.75	0	30000	301.0752688	9096.295491	30000	0	0	30000	40.8125	2004
08.01.2020 15:05:45	1	1	1	1	79	62	0	30000	307.5268817	9225.124344	30000	0	0	30000	41	2004
08.01.2020 15:05:46	1	1	1	1	79	61	0	29905.213	316.1290323	9419.182997	30000	0	0	30000	41.8125	2004
08.01.2020 15:05:47	1	1	1	1	79	61.75	0	30000	313.9784946	9483.597423	30000	0	0	30000	41.75	2004
08.01.2020 15:05:48	1	1	1	1	79	61.75	0	30000	324.7311828	9597.749572	30000	0	0	30000	41.6875	2004
08.01.2020 15:05:49	1	1	1	1	79	61.5	0	29952.607	331.1827957	9999.728209	30000	0	0	30000	41.1875	2004
08.01.2020 15:05:50	1	1	1	1	78.75	61	0	30000	341.9354839	10257.38592	30000	0	0	30000	41.1875	2004
08.01.2020 15:05:51	1	1	1	1	78.75	61	0	30000	348.3870968	10387.03014	30000	0	0	30000	41.6875	2004
08.01.2020 15:05:52	1	1	1	1	78.75	61.5	0	30000	348.3870968	10451.44457	30000	0	0	30000	41.625	2004
08.01.2020 15:05:53	1	1	1	1	78.75	61.5	0	29952.607	348.3870968	10515.85899	30000	0	0	30000	41.75	2004
08.01.2020 15:05:54	1	1	1	1	78.75	61.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	41.6875	2004
08.01.2020 15:05:55	1	1	1	1	78.75	61.5	0	29952.607	341.9354839	10515.85899	30000	0	0	30000	41.75	2004
08.01.2020 15:05:56	1	1	1	1	78.75	61.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	41.75	2004
08.01.2020 15:05:58	1	1	1	1	78.75	61.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	41.8125	2004
08.01.2020 15:05:59	1	1	1	1	78.75	61.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	41.3125	2004
08.01.2020 15:06:00	1	1	1	1	78.75	61.25	0	30000	346.2365591	10387.03014	30000	0	0	30000	41.5	2004
08.01.2020 15:06:01	1	1	1	1	78.5	61.5	0	30000	350.5376344	10515.85899	30000	0	0	30000	41.875	2004
08.01.2020 15:06:02	1	1	1	1	78.5	61.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	41.75	2004
08.01.2020 15:06:03	1	1	1	1	78.5	61.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	41.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 15:06:04	1	1	1	1	78.5	61.5	0	30000	346.2365591	10515.85899	30000	0	0	30000	41.6875	2004
08.01.2020 15:06:05	1	1	1	1	78.5	61.5	0	30000	356.9892473	10709.10227	30000	0	0	30000	41.6875	2004
08.01.2020 15:06:06	1	1	1	1	78.5	61.5	0	30000	356.9892473	10644.68785	30000	0	0	30000	41.3125	2004
08.01.2020 15:06:13	1	1	1	1	78	61.5	0	30000	335.483871	10064.14264	30000	0	0	30000	41.8125	2004
08.01.2020 15:06:13	1	1	1	1	78	61.5	0	30000	335.483871	10064.14264	30000	0	0	30000	41.8125	2004
08.01.2020 15:06:13	1	1	1	1	78	61.5	0	30000	335.483871	10064.14264	30000	0	0	30000	41.8125	2004
08.01.2020 15:06:13	1	1	1	1	78	61.5	0	30000	335.483871	10064.14264	30000	0	0	30000	41.8125	2004
08.01.2020 15:06:13	1	1	1	1	78	61.5	0	30000	335.483871	10064.14264	30000	0	0	30000	41.8125	2004
08.01.2020 15:06:13	1	1	1	1	78	61.5	0	30000	335.483871	10064.14264	30000	0	0	30000	41.8125	2004
08.01.2020 15:06:13	1	1	1	1	78	61.5	0	30000	335.483871	10064.14264	30000	0	0	30000	41.8125	2004
08.01.2020 15:06:13	1	1	1	1	78	61.5	0	30000	335.483871	10064.14264	30000	0	0	30000	41.8125	2004
08.01.2020 15:06:13	1	1	1	1	78	61.75	0	30000	320.4301075	9612.426277	30000	0	0	30000	41.1875	2004
08.01.2020 15:06:14	1	1	1	1	78	61	0	30000	318.2795699	9483.597423	30000	0	0	30000	41.6875	2004
08.01.2020 15:06:15	1	1	1	1	78	61.5	0	30000	322.5806452	9612.426277	30000	0	0	30000	41.1875	2004
08.01.2020 15:06:16	1	1	1	1	78	61	0	29952.607	329.0322581	9870.899356	30000	0	0	30000	41.6875	2004
08.01.2020 15:06:17	1	1	1	1	78	61.5	0	30000	335.483871	9999.728209	30000	0	0	30000	41.6875	2004
08.01.2020 15:06:18	1	1	1	1	78	61.5	0	30000	341.9354839	10273.69337	30000	0	0	30000	41.5625	2004
08.01.2020 15:06:19	1	1	1	1	78	61.5	0	30000	346.2365591	10387.03014	30000	0	0	30000	41.875	2004
08.01.2020 15:06:20	1	1	1	1	78	61.75	0	30000	352.688172	10644.68785	30000	0	0	30000	42	2004
08.01.2020 15:06:21	1	1	1	1	78.25	62	0	30047.393	356.9892473	10709.10227	30000	0	0	30000	41.75	2004
08.01.2020 15:06:22	1	1	1	1	78.25	61.75	0	30000	352.688172	10773.5167	30000	0	0	30000	41.5625	2004
08.01.2020 15:06:23	1	1	1	1	78.25	61.5	0	30000	354.8387097	10644.68785	30000	0	0	30000	41.6875	2004
08.01.2020 15:06:24	1	1	1	1	78.25	61.5	0	29952.607	354.8387097	10644.68785	30000	0	0	30000	41.75	2004
08.01.2020 15:06:25	1	1	1	1	78.25	61.75	0	29952.607	356.9892473	10773.5167	30000	0	0	30000	41.6875	2004
08.01.2020 15:06:26	1	1	1	1	78.25	61.5	0	30047.393	365.5913978	10773.5167	30000	0	0	30000	41.625	2004
08.01.2020 15:06:27	1	1	1	1	78.25	61.5	0	29905.213	350.5376344	10773.5167	30000	0	0	30000	41.8125	2004
08.01.2020 15:06:28	1	1	1	1	78.25	61.75	0	30000	354.8387097	10580.27342	30000	0	0	30000	41.625	2004
08.01.2020 15:06:29	1	1	1	1	78.25	61.5	0	30000	356.9892473	10499.55155	30000	0	0	30000	41.3125	2004
08.01.2020 15:06:30	1	1	1	1	77.75	61.25	0	29905.213	359.1397849	10773.5167	30000	0	0	30000	41.6875	2004
08.01.2020 15:06:32	1	1	1	1	77.75	61.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	41.8125	2004
08.01.2020 15:06:32	1	1	1	1	77.75	61.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	41.6875	2004
08.01.2020 15:06:34	1	1	1	1	77.75	61.5	0	30000	356.9892473	10773.5167	30000	0	0	30000	41.6875	2004
08.01.2020 15:06:35	1	1	1	1	77.75	61.5	0	30000	350.5376344	10515.85899	30000	0	0	30000	41.625	2004
08.01.2020 15:06:36	1	1	1	1	77.75	61.5	0	30000	350.5376344	10499.55155	30000	0	0	30000	41.6875	2004
08.01.2020 15:06:37	1	1	1	1	77.75	61.5	0	30000	350.5376344	10515.85899	30000	0	0	30000	41.6875	2004
08.01.2020 15:06:38	1	1	1	1	77.75	61.5	0	30000	350.5376344	10515.85899	30000	0	0	30000	41.625	2004
08.01.2020 15:06:39	1	1	1	1	77.75	61.5	0	30000	356.9892473	10773.5167	30000	0	0	30000	41.5625	2004
08.01.2020 15:06:40	1	1	1	1	77.75	61.5	0	30000	356.9892473	10709.10227	30000	0	0	30000	41.5	2004
08.01.2020 15:06:41	1	1	1	1	77.75	61.5	0	30000	354.8387097	10709.10227	30000	0	0	30000	41.4375	2004
08.01.2020 15:06:42	1	1	1	1	77.75	61.25	0	30000	354.8387097	10709.10227	30000	0	0	30000	41.875	2004
08.01.2020 15:06:43	1	1	1	1	77.75	61.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	41.75	2004
08.01.2020 15:06:44	1	1	1	1	77.75	61.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	41.25	2004
08.01.2020 15:06:45	1	1	1	1	77.75	61.25	0	30000	356.9892473	10644.68785	30000	0	0	30000	41.5625	2004
08.01.2020 15:06:46	1	1	1	1	77.75	61.5	0	30000	363.4408602	10773.5167	30000	0	0	30000	41.5	2004
08.01.2020 15:06:47	1	1	1	1	77.75	61.5	0	29952.607	356.9892473	10903.16093	30000	0	0	30000	41.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 15:06:48	1	1	1	1	77.75	61.25	0	30000	363.4408602	10773.5167	30000	0	0	30000	41.5625	2004
08.01.2020 15:06:49	1	1	1	1	77.75	61.5	0	30000	365.5913978	11031.98978	30000	0	0	30000	41.6875	2004
08.01.2020 15:06:50	1	1	1	1	77.75	61.5	0	29952.607	369.8924731	11079.28139	30000	0	0	30000	41.5625	2004
08.01.2020 15:06:51	1	1	1	1	77.75	61.5	0	30000	369.8924731	11096.40421	30000	0	0	30000	41.75	2004
08.01.2020 15:06:52	1	1	1	1	77.75	61.75	0	30000	365.5913978	11031.98978	30000	0	0	30000	41.4375	2004
08.01.2020 15:06:53	1	1	1	1	77.75	61.25	0	30000	367.7419355	11031.98978	30000	0	0	30000	41.5625	2004
08.01.2020 15:06:54	1	1	1	1	77.75	61.5	0	30000	365.5913978	10967.57535	30000	0	0	30000	41.4375	2004
08.01.2020 15:06:55	1	1	1	1	77.75	61.25	0	30000	369.8924731	11096.40421	30000	0	0	30000	41.75	2004
08.01.2020 15:06:56	1	1	1	1	77.75	61.75	0	30000	367.7419355	11031.98978	30000	0	0	30000	41.875	2004
08.01.2020 15:06:57	1	1	1	1	77.75	61.75	0	30000	367.7419355	11096.40421	30000	0	0	30000	41.75	2004
08.01.2020 15:06:58	1	1	1	1	77.75	61.75	0	30000	378.4946237	11160.81863	30000	0	0	30000	41.75	2004
08.01.2020 15:06:59	1	1	1	1	77.75	61.75	0	30000	372.0430108	11096.40421	30000	0	0	30000	42	2004
08.01.2020 15:07:00	1	1	1	1	77.75	62	0	29952.607	374.1935484	11354.87729	30000	0	0	30000	42.125	2004
08.01.2020 15:07:01	1	1	1	1	78	62	0	30000	369.8924731	11031.98978	30000	0	0	30000	41.1875	2004
08.01.2020 15:07:02	1	1	1	1	78	61.75	0	29952.607	356.9892473	10773.5167	30000	0	0	30000	41.8125	2004
08.01.2020 15:07:03	1	1	1	1	78	61.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	41.8125	2004
08.01.2020 15:07:04	1	1	1	1	78	61.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	41.875	2004
08.01.2020 15:07:05	1	1	1	1	78	61.75	0	29952.607	359.1397849	10967.57535	30000	0	0	30000	41.625	2004
08.01.2020 15:07:06	1	1	1	1	78	61.5	0	30000	356.9892473	10773.5167	30000	0	0	30000	41.875	2004
08.01.2020 15:07:07	1	1	1	1	78	61.75	0	29952.607	350.5376344	10515.85899	30000	0	0	30000	41.75	2004
08.01.2020 15:07:15	1	1	1	1	77.75	61.75	0	30000	335.483871	10128.55706	30000	0	0	30000	41.5	2004
08.01.2020 15:07:15	1	1	1	1	77.75	61.75	0	30000	335.483871	10128.55706	30000	0	0	30000	41.5	2004
08.01.2020 15:07:15	1	1	1	1	77.75	61.75	0	30000	335.483871	10128.55706	30000	0	0	30000	41.5	2004
08.01.2020 15:07:15	1	1	1	1	77.75	61.75	0	30000	335.483871	10128.55706	30000	0	0	30000	41.5	2004
08.01.2020 15:07:15	1	1	1	1	77.75	61.75	0	30000	335.483871	10128.55706	30000	0	0	30000	41.5	2004
08.01.2020 15:07:15	1	1	1	1	77.75	61.75	0	30000	335.483871	10128.55706	30000	0	0	30000	41.5	2004
08.01.2020 15:07:15	1	1	1	1	77.75	61.75	0	30000	335.483871	10128.55706	30000	0	0	30000	41.5	2004
08.01.2020 15:07:16	1	1	1	1	77.75	61.5	0	30000	333.3333333	9999.728209	30000	0	0	30000	41.625	2004
08.01.2020 15:07:17	1	1	1	1	77.75	61.5	0	30000	333.3333333	9870.899356	30000	0	0	30000	41.75	2004
08.01.2020 15:07:18	1	1	1	1	77.75	61.75	0	30000	333.3333333	9870.899356	30000	0	0	30000	41.8125	2004
08.01.2020 15:07:19	1	1	1	1	77.75	61.75	0	30000	346.2365591	10451.44457	30000	0	0	30000	41.75	2004
08.01.2020 15:07:20	1	1	1	1	77.75	61.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	40.9375	2004
08.01.2020 15:07:21	1	1	1	1	77.5	60.75	0	30000	352.688172	10580.27342	30000	0	0	30000	41.8125	2004
08.01.2020 15:07:22	1	1	1	1	77.5	61.75	0	30000	356.9892473	10773.5167	30000	0	0	30000	41.6875	2004
08.01.2020 15:07:23	1	1	1	1	77.5	61.5	0	30000	363.4408602	10773.5167	30000	0	0	30000	41.375	2004
08.01.2020 15:07:24	1	1	1	1	77.5	61.25	0	30000	365.5913978	10903.16093	30000	0	0	30000	41.1875	2004
08.01.2020 15:07:25	1	1	1	1	77.5	61	0	30000	369.8924731	11160.81863	30000	0	0	30000	41.625	2004
08.01.2020 15:07:26	1	1	1	1	77.5	61.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.8125	2004
08.01.2020 15:07:27	1	1	1	1	77.5	61.75	0	30000	380.6451613	11419.29171	30000	0	0	30000	41.8125	2004
08.01.2020 15:07:28	1	1	1	1	77.5	61.75	0	30000	382.7956989	11548.12057	30000	0	0	30000	41.5625	2004
08.01.2020 15:07:29	1	1	1	1	77.5	61.5	0	30000	380.6451613	11548.12057	30000	0	0	30000	41.5625	2004
08.01.2020 15:07:30	1	1	1	1	77.5	61.5	0	30000	380.6451613	11419.29171	30000	0	0	30000	41.625	2004
08.01.2020 15:07:31	1	1	1	1	77.25	61.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 15:07:32	1	1	1	1	77.25	61.75	0	30000	378.4946237	11160.81863	30000	0	0	30000	41.4375	2004
08.01.2020 15:07:33	1	1	1	1	77.25	61.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.75	2004
08.01.2020 15:07:34	1	1	1	1	77.25	61.75	0	30000	380.6451613	11419.29171	30000	0	0	30000	41.75	2004
08.01.2020 15:07:35	1	1	1	1	77.25	61.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.8125	2004
08.01.2020 15:07:36	1	1	1	1	77.25	61.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.5625	2004
08.01.2020 15:07:37	1	1	1	1	77.25	61.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.625	2004
08.01.2020 15:07:38	1	1	1	1	77.25	61.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.4375	2004
08.01.2020 15:07:39	1	1	1	1	77.25	61.25	0	30000	369.8924731	11096.40421	30000	0	0	30000	42.0625	2004
08.01.2020 15:07:40	1	1	1	1	77.5	61.75	0	30000	369.8924731	11160.81863	30000	0	0	30000	41.6875	2004
08.01.2020 15:07:41	1	1	1	1	77.5	61.5	0	30000	367.7419355	11031.98978	30000	0	0	30000	40.9375	2004
08.01.2020 15:07:42	1	1	1	1	77.5	60.75	0	30000	372.0430108	11160.81863	30000	0	0	30000	41.8125	2004
08.01.2020 15:07:43	1	1	1	1	77.5	61.75	0	30000	372.0430108	11160.81863	30000	0	0	30000	41	2004
08.01.2020 15:07:44	1	1	1	1	77.5	61	0	29952.607	372.0430108	11419.29171	30000	0	0	30000	41.6875	2004
08.01.2020 15:07:45	1	1	1	1	77.5	61.5	0	30000	378.4946237	11143.69581	30000	0	0	30000	41	2004
08.01.2020 15:07:46	1	1	1	1	77.5	61	0	30000	372.0430108	11354.87729	30000	0	0	30000	41.8125	2004
08.01.2020 15:07:47	1	1	1	1	77.5	61.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	41.6875	2004
08.01.2020 15:07:48	1	1	1	1	77.5	61.5	0	30000	369.8924731	11160.81863	30000	0	0	30000	41.875	2004
08.01.2020 15:07:49	1	1	1	1	77.5	61.75	0	30000	369.8924731	11160.81863	30000	0	0	30000	41.625	2004
08.01.2020 15:07:51	1	1	1	1	77.75	61.5	0	30000	378.4946237	11160.81863	30000	0	0	30000	41.6875	2004
08.01.2020 15:07:52	1	1	1	1	77.75	61.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.625	2004
08.01.2020 15:07:53	1	1	1	1	77.75	61.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.625	2004
08.01.2020 15:07:54	1	1	1	1	77.75	61.5	0	30000	387.0967742	11566.05876	30000	0	0	30000	41.4375	2004
08.01.2020 15:07:55	1	1	1	1	77.75	61.25	0	30000	412.9032258	12128.66578	30000	0	0	30000	40.625	2004
08.01.2020 15:07:56	1	1	1	1	77.75	60.5	0	30000	404.3010753	12387.13886	30000	0	0	30000	41.75	2004
08.01.2020 15:07:57	1	1	1	1	77.75	61.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.75	2004
08.01.2020 15:07:58	1	1	1	1	77.75	61.75	0	30000	438.7096774	12818.4709	30000	0	0	30000	41.25	2004
08.01.2020 15:07:59	1	1	1	1	77.75	61.25	0	29952.607	427.9569892	12838.03984	30000	0	0	30000	41.125	2004
08.01.2020 15:08:00	1	1	1	1	77.75	61	0	29952.607	427.9569892	12838.03984	30000	0	0	30000	41.8125	2004
08.01.2020 15:08:01	1	1	1	1	77.5	61.75	0	30000	438.7096774	13225.34178	30000	0	0	30000	41.6875	2004
08.01.2020 15:08:02	1	1	1	1	77.5	61.5	0	30000	438.7096774	13160.92735	30000	0	0	30000	41.75	2004
08.01.2020 15:08:03	1	1	1	1	77.5	61.75	0	30000	423.655914	12709.21099	30000	0	0	30000	41.5625	2004
08.01.2020 15:08:04	1	1	1	1	77.5	61.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.8125	2004
08.01.2020 15:08:05	1	1	1	1	77.5	61.75	0	30000	425.8064516	12580.38214	30000	0	0	30000	41	2004
08.01.2020 15:08:06	1	1	1	1	77.5	61	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.75	2004
08.01.2020 15:08:07	1	1	1	1	77.5	61.75	0	30000	400	11935.4225	30000	0	0	30000	41.1875	2004
08.01.2020 15:08:08	1	1	1	1	77.5	61	0	30000	384.9462366	11548.12057	30000	0	0	30000	41.0625	2004
08.01.2020 15:08:09	1	1	1	1	77.5	61	0	29952.607	359.1397849	11031.98978	30000	0	0	30000	41.6875	2004
08.01.2020 15:08:16	1	1	1	1	76.75	61.5	0	29952.607	419.3548387	12411.60003	30000	0	0	30000	41.625	2004
08.01.2020 15:08:16	1	1	1	1	76.75	61.5	0	29952.607	419.3548387	12411.60003	30000	0	0	30000	41.625	2004
08.01.2020 15:08:16	1	1	1	1	76.75	61.5	0	29952.607	419.3548387	12411.60003	30000	0	0	30000	41.625	2004
08.01.2020 15:08:16	1	1	1	1	76.75	61.5	0	29952.607	419.3548387	12411.60003	30000	0	0	30000	41.625	2004
08.01.2020 15:08:16	1	1	1	1	76.75	61.5	0	29952.607	419.3548387	12411.60003	30000	0	0	30000	41.625	2004
08.01.2020 15:08:16	1	1	1	1	76.75	61.5	0	29952.607	419.3548387	12411.60003	30000	0	0	30000	41.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 15:08:16	1	1	1	1	76.75	61.5	0	29952.607	419.3548387	12411.60003	30000	0	0	30000	41.625	2004
08.01.2020 15:08:17	1	1	1	1	76.75	61.5	0	30000	427.9569892	12798.08659	30000	0	0	30000	41.875	2004
08.01.2020 15:08:18	1	1	1	1	76.75	61.75	0	29952.607	425.8064516	12798.08659	30000	0	0	30000	41.75	2004
08.01.2020 15:08:19	1	1	1	1	76.75	61.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.1875	2004
08.01.2020 15:08:20	1	1	1	1	76.75	62	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.8125	2004
08.01.2020 15:08:21	1	1	1	1	77.5	61.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.3125	2004
08.01.2020 15:08:22	1	1	1	1	77.5	61.25	0	29952.607	427.9569892	12798.08659	30000	0	0	30000	41.6875	2004
08.01.2020 15:08:23	1	1	1	1	77.5	61.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.5	2004
08.01.2020 15:08:24	1	1	1	1	77.5	61.5	0	29905.213	427.9569892	13160.92735	30000	0	0	30000	41.625	2004
08.01.2020 15:08:25	1	1	1	1	77.5	61.5	0	30000	445.1612903	13375.37032	30000	0	0	30000	41.75	2004
08.01.2020 15:08:26	1	1	1	1	77.5	61.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.6875	2004
08.01.2020 15:08:27	1	1	1	1	77.5	61.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.5625	2004
08.01.2020 15:08:28	1	1	1	1	77.5	61.5	0	29952.607	453.7634409	13591.44402	30000	0	0	30000	41.5	2004
08.01.2020 15:08:29	1	1	1	1	77.5	61.5	0	30094.787	451.6129032	13354.17063	30000	0	0	30000	41.5625	2004
08.01.2020 15:08:31	1	1	1	1	77.75	61.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.5625	2004
08.01.2020 15:08:32	1	1	1	1	77.75	61.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.6875	2004
08.01.2020 15:08:33	1	1	1	1	77.75	61.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.8125	2004
08.01.2020 15:08:34	1	1	1	1	77.75	61.75	0	30000	443.0107527	13289.7562	30000	0	0	30000	41.6875	2004
08.01.2020 15:08:35	1	1	1	1	77.75	61.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.6875	2004
08.01.2020 15:08:36	1	1	1	1	77.75	61.5	0	30000	458.0645161	13741.47256	30000	0	0	30000	41.6875	2004
08.01.2020 15:08:37	1	1	1	1	77.75	61.5	0	30000	453.7634409	13612.64371	30000	0	0	30000	41.5	2004
08.01.2020 15:08:38	1	1	1	1	77.75	61.5	0	30000	451.6129032	13483.81486	30000	0	0	30000	40.8125	2004
08.01.2020 15:08:39	1	1	1	1	77.75	60.75	0	30000	458.0645161	13720.27288	30000	0	0	30000	41.625	2004
08.01.2020 15:08:40	1	1	1	1	77.75	61.5	0	30000	453.7634409	13741.47256	30000	0	0	30000	41.25	2004
08.01.2020 15:08:41	1	1	1	1	78.25	61.25	0	29952.607	464.516129	13935.53122	30000	0	0	30000	41.75	2004
08.01.2020 15:08:42	1	1	1	1	78.25	61.75	0	29952.607	460.2150538	13805.88699	30000	0	0	30000	41.3125	2004
08.01.2020 15:08:43	1	1	1	1	78.25	61.25	0	30000	466.6666667	13935.53122	30000	0	0	30000	41.4375	2004
08.01.2020 15:08:44	1	1	1	1	78.25	61.25	0	29952.607	453.7634409	13935.53122	30000	0	0	30000	41.625	2004
08.01.2020 15:08:45	1	1	1	1	78.25	61.5	0	30000	464.516129	13805.88699	30000	0	0	30000	41.4375	2004
08.01.2020 15:08:46	1	1	1	1	78.25	61.25	0	29905.213	453.7634409	13913.51616	30000	0	0	30000	41.625	2004
08.01.2020 15:08:47	1	1	1	1	78.25	61.5	0	30000	464.516129	13935.53122	30000	0	0	30000	41.0625	2004
08.01.2020 15:08:48	1	1	1	1	78.25	61	0	30000	481.7204301	14451.662	30000	0	0	30000	42	2004
08.01.2020 15:08:49	1	1	1	1	78.25	62	0	30000	481.7204301	13977.93058	30000	0	0	30000	41.5625	2004
08.01.2020 15:08:50	1	1	1	1	78.25	61.5	0	30000	481.7204301	14451.662	30000	0	0	30000	41.5625	2004
08.01.2020 15:08:51	1	1	1	1	78.5	61.5	0	30000	481.7204301	14451.662	30000	0	0	30000	41.5	2004
08.01.2020 15:08:52	1	1	1	1	78.5	61.5	0	30000	481.7204301	14451.662	30000	0	0	30000	41.0625	2004
08.01.2020 15:08:53	1	1	1	1	78.5	61	0	30000	481.7204301	14516.07643	30000	0	0	30000	41.125	2004
08.01.2020 15:08:54	1	1	1	1	78.5	61	0	30000	481.7204301	13955.10015	30000	0	0	30000	41.5625	2004
08.01.2020 15:08:55	1	1	1	1	78.5	61.5	0	30000	481.7204301	14451.662	30000	0	0	30000	41.5625	2004
08.01.2020 15:08:56	1	1	1	1	78.5	61.5	0	30000	481.7204301	14451.662	30000	0	0	30000	42.0625	2004
08.01.2020 15:08:57	1	1	1	1	78.5	62	0	30000	464.516129	13870.30142	30000	0	0	30000	41.9375	2004
08.01.2020 15:08:58	1	1	1	1	78.5	61.75	0	30000	449.4623656	13483.81486	30000	0	0	30000	41.3125	2004
08.01.2020 15:08:59	1	1	1	1	78.5	61.25	0	30000	443.0107527	13289.7562	30000	0	0	30000	41.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 15:09:00	1	1	1	1	79	62	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.5625	2004
08.01.2020 15:09:01	1	1	1	1	79	60.5	0	30000	445.1612903	13375.37032	30000	0	0	30000	41.6875	2004
08.01.2020 15:09:02	1	1	1	1	79	61.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.4375	2004
08.01.2020 15:09:03	1	1	1	1	79	61.25	0	30047.393	464.516129	13741.47256	30000	0	0	30000	40.9375	2004
08.01.2020 15:09:04	1	1	1	1	79	60.75	0	30000	458.0645161	13741.47256	30000	0	0	30000	41.5	2004
08.01.2020 15:09:05	1	1	1	1	79	61.5	0	30000	458.0645161	13741.47256	30000	0	0	30000	41.5	2004
08.01.2020 15:09:06	1	1	1	1	79	61.5	0	30000	458.0645161	13741.47256	30000	0	0	30000	41.5	2004
08.01.2020 15:09:07	1	1	1	1	79	61.5	0	30000	455.9139785	13741.47256	30000	0	0	30000	41.5	2004
08.01.2020 15:09:08	1	1	1	1	79	61.5	0	30000	451.6129032	13483.81486	30000	0	0	30000	41.625	2004
08.01.2020 15:09:10	1	1	1	1	79	61.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.9375	2004
08.01.2020 15:09:11	1	1	1	1	79	61.75	0	30000	438.7096774	13289.7562	30000	0	0	30000	41.6875	2004
08.01.2020 15:09:18	1	1	1	1	79	61.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.75	2004
08.01.2020 15:09:18	1	1	1	1	79	61.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.75	2004
08.01.2020 15:09:18	1	1	1	1	79	61.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.75	2004
08.01.2020 15:09:18	1	1	1	1	79	61.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.75	2004
08.01.2020 15:09:18	1	1	1	1	79	61.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.75	2004
08.01.2020 15:09:18	1	1	1	1	79	61.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.75	2004
08.01.2020 15:09:18	1	1	1	1	79	61.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.75	2004
08.01.2020 15:09:19	1	1	1	1	79	61.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.6875	2004
08.01.2020 15:09:20	1	1	1	1	79	61.5	0	29905.213	425.8064516	12818.4709	30000	0	0	30000	41.5625	2004
08.01.2020 15:09:21	1	1	1	1	79.25	61.5	0	30000	438.7096774	13160.92735	30000	0	0	30000	41.8125	2004
08.01.2020 15:09:22	1	1	1	1	79.25	61.75	0	30000	453.7634409	13741.47256	30000	0	0	30000	41.375	2004
08.01.2020 15:09:23	1	1	1	1	79.25	61.25	0	30000	460.2150538	13741.47256	30000	0	0	30000	40.4375	2004
08.01.2020 15:09:24	1	1	1	1	79.25	60.25	0	30000	464.516129	13999.94564	30000	0	0	30000	41.1875	2004
08.01.2020 15:09:25	1	1	1	1	79.25	61	0	30000	481.7204301	14451.662	30000	0	0	30000	41.75	2004
08.01.2020 15:09:26	1	1	1	1	79.25	61.75	0	29952.607	466.6666667	13698.25782	30000	0	0	30000	41.4375	2004
08.01.2020 15:09:27	1	1	1	1	79.25	61.25	0	30000	464.516129	13935.53122	30000	0	0	30000	41.5	2004
08.01.2020 15:09:28	1	1	1	1	79.25	61.5	0	30000	464.516129	13935.53122	30000	0	0	30000	41.75	2004
08.01.2020 15:09:29	1	1	1	1	79.25	61.75	0	30000	466.6666667	14128.7745	30000	0	0	30000	41.6875	2004
08.01.2020 15:09:30	1	1	1	1	79.25	61.5	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.75	2004
08.01.2020 15:09:31	1	1	1	1	78.75	60.75	0	30000	464.516129	13935.53122	30000	0	0	30000	41.5625	2004
08.01.2020 15:09:32	1	1	1	1	78.75	61.5	0	30000	466.6666667	13999.94564	30000	0	0	30000	41.25	2004
08.01.2020 15:09:33	1	1	1	1	78.75	61.25	0	30000	466.6666667	13977.93058	30000	0	0	30000	41.8125	2004
08.01.2020 15:09:34	1	1	1	1	78.75	61.75	0	30000	466.6666667	13999.94564	30000	0	0	30000	41.75	2004
08.01.2020 15:09:35	1	1	1	1	78.75	61.75	0	30000	466.6666667	13935.53122	30000	0	0	30000	42.125	2004
08.01.2020 15:09:36	1	1	1	1	78.75	62	0	30047.393	468.8172043	13999.94564	30000	0	0	30000	41.5625	2004
08.01.2020 15:09:37	1	1	1	1	78.75	61.5	0	30000	464.516129	13935.53122	30000	0	0	30000	41.75	2004
08.01.2020 15:09:38	1	1	1	1	78.75	61.75	0	30000	466.6666667	14064.36007	30000	0	0	30000	42	2004
08.01.2020 15:09:39	1	1	1	1	78.75	61.75	0	30000	464.516129	13935.53122	30000	0	0	30000	41.4375	2004
08.01.2020 15:09:40	1	1	1	1	79	61.25	0	30000	466.6666667	13999.94564	30000	0	0	30000	41.5	2004
08.01.2020 15:09:41	1	1	1	1	79	61.5	0	30000	466.6666667	13935.53122	30000	0	0	30000	41.5	2004
08.01.2020 15:09:42	1	1	1	1	79	61.5	0	30000	464.516129	13762.67225	30000	0	0	30000	41.75	2004
08.01.2020 15:09:43	1	1	1	1	79	61.75	0	29952.607	464.516129	13955.10015	30000	0	0	30000	41.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 15:09:44	1	1	1	1	79	61.5	0	29952.607	464.516129	13999.94564	30000	0	0	30000	41.3125	2004
08.01.2020 15:09:45	1	1	1	1	79	61.25	0	30000	458.0645161	13935.53122	30000	0	0	30000	41.4375	2004
08.01.2020 15:09:46	1	1	1	1	79	61.25	0	30000	453.7634409	13612.64371	30000	0	0	30000	41.75	2004
08.01.2020 15:09:47	1	1	1	1	79	61.75	0	30000	455.9139785	13591.44402	30000	0	0	30000	41.75	2004
08.01.2020 15:09:48	1	1	1	1	79	61.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.9375	2004
08.01.2020 15:09:49	1	1	1	1	79	61.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.5625	2004
08.01.2020 15:09:51	1	1	1	1	79.25	61.5	0	30000	440.8602151	13225.34178	30000	0	0	30000	41.5	2004
08.01.2020 15:09:52	1	1	1	1	79.25	61.5	0	30000	440.8602151	13204.95746	30000	0	0	30000	41.5625	2004
08.01.2020 15:09:53	1	1	1	1	79.25	61.5	0	29952.607	436.5591398	13225.34178	30000	0	0	30000	41.625	2004
08.01.2020 15:09:54	1	1	1	1	79.25	61.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.4375	2004
08.01.2020 15:09:55	1	1	1	1	79.25	61.25	0	30000	445.1612903	13483.81486	30000	0	0	30000	41.625	2004
08.01.2020 15:09:56	1	1	1	1	79.25	61.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.375	2004
08.01.2020 15:09:57	1	1	1	1	79.25	61.25	0	30000	436.5591398	13096.51292	30000	0	0	30000	41.6875	2004
08.01.2020 15:09:58	1	1	1	1	79.25	61.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.5	2004
08.01.2020 15:09:59	1	1	1	1	79.25	61.5	0	30000	419.3548387	12387.13886	30000	0	0	30000	41.5	2004
08.01.2020 15:10:00	1	1	1	1	79.25	61.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	41.75	2004
08.01.2020 15:10:01	1	1	1	1	79.5	61.75	0	30000	380.6451613	11548.12057	30000	0	0	30000	41.4375	2004
08.01.2020 15:10:02	1	1	1	1	79.5	61.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.875	2004
08.01.2020 15:10:03	1	1	1	1	79.5	61.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	41.4375	2004
08.01.2020 15:10:04	1	1	1	1	79.5	61.25	0	30000	354.8387097	10644.68785	30000	0	0	30000	41.8125	2004
08.01.2020 15:10:05	1	1	1	1	79.5	61.75	0	30000	350.5376344	10241.89384	30000	0	0	30000	41.8125	2004
08.01.2020 15:10:06	1	1	1	1	79.5	61.75	0	29952.607	350.5376344	10515.85899	30000	0	0	30000	41.6875	2004
08.01.2020 15:10:07	1	1	1	1	79.5	61.5	0	30000	348.3870968	10387.03014	30000	0	0	30000	41.5625	2004
08.01.2020 15:10:08	1	1	1	1	79.5	61.5	0	30000	350.5376344	10644.68785	30000	0	0	30000	41.75	2004
08.01.2020 15:10:09	1	1	1	1	79.5	61.75	0	30000	339.7849462	10192.97149	30000	0	0	30000	41.75	2004
08.01.2020 15:10:10	1	1	1	1	79.5	61.75	0	30000	335.483871	10128.55706	30000	0	0	30000	41.8125	2004
08.01.2020 15:10:11	1	1	1	1	79.5	61.75	0	30000	331.1827957	9999.728209	30000	0	0	30000	41.875	2004
08.01.2020 15:10:12	1	1	1	1	79.5	61.75	0	30000	346.2365591	10387.03014	30000	0	0	30000	41.75	2004
08.01.2020 15:10:19	1	1	1	1	79.5	61.75	0	30000	384.9462366	11419.29171	30000	0	0	30000	41.6875	2004
08.01.2020 15:10:19	1	1	1	1	79.5	61.75	0	30000	384.9462366	11419.29171	30000	0	0	30000	41.6875	2004
08.01.2020 15:10:19	1	1	1	1	79.5	61.75	0	30000	384.9462366	11419.29171	30000	0	0	30000	41.6875	2004
08.01.2020 15:10:19	1	1	1	1	79.5	61.75	0	30000	384.9462366	11419.29171	30000	0	0	30000	41.6875	2004
08.01.2020 15:10:19	1	1	1	1	79.5	61.75	0	30000	384.9462366	11419.29171	30000	0	0	30000	41.6875	2004
08.01.2020 15:10:19	1	1	1	1	79.5	61.75	0	30000	384.9462366	11419.29171	30000	0	0	30000	41.6875	2004
08.01.2020 15:10:19	1	1	1	1	79.5	61.75	0	30000	384.9462366	11419.29171	30000	0	0	30000	41.6875	2004
08.01.2020 15:10:20	1	1	1	1	79.5	61.5	0	30000	387.0967742	11548.12057	30000	0	0	30000	41.6875	2004
08.01.2020 15:10:21	1	1	1	1	79.5	61.5	0	30000	382.7956989	11483.70614	30000	0	0	30000	41.9375	2004
08.01.2020 15:10:22	1	1	1	1	79.5	61.75	0	30000	382.7956989	11419.29171	30000	0	0	30000	42.1875	2004
08.01.2020 15:10:23	1	1	1	1	79.5	62	0	30000	384.9462366	11548.12057	30000	0	0	30000	41.6875	2004
08.01.2020 15:10:24	1	1	1	1	79.5	62	0	30000	382.7956989	11419.29171	30000	0	0	30000	41.6875	2004
08.01.2020 15:10:25	1	1	1	1	79.5	61.5	0	29952.607	384.9462366	11548.12057	30000	0	0	30000	41.75	2004
08.01.2020 15:10:26	1	1	1	1	79.5	61.75	0	30000	391.3978495	11741.36385	30000	0	0	30000	41.375	2004
08.01.2020 15:10:27	1	1	1	1	79.5	61.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	41.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 15:10:28	1	1	1	1	79.5	61.25	0	30047.393	395.6989247	11871.00807	30000	0	0	30000	41.6875	2004
08.01.2020 15:10:29	1	1	1	1	79.5	61.5	0	30000	391.3978495	11741.36385	30000	0	0	30000	41.75	2004
08.01.2020 15:10:30	1	1	1	1	79.5	61.75	0	30000	389.2473118	11548.12057	30000	0	0	30000	41.1875	2004
08.01.2020 15:10:31	1	1	1	1	79.5	61	0	30000	389.2473118	11741.36385	30000	0	0	30000	41.625	2004
08.01.2020 15:10:33	1	1	1	1	79.5	61.5	0	29952.607	395.6989247	11871.00807	30000	0	0	30000	41.75	2004
08.01.2020 15:10:34	1	1	1	1	79.5	61.75	0	30000	397.8494624	11999.83693	30000	0	0	30000	41.625	2004
08.01.2020 15:10:35	1	1	1	1	79.5	61.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.625	2004
08.01.2020 15:10:36	1	1	1	1	79.5	61.5	0	29952.607	415.0537634	12709.21099	30000	0	0	30000	41.0625	2004
08.01.2020 15:10:37	1	1	1	1	79.5	61	0	30000	419.3548387	12580.38214	30000	0	0	30000	41.5625	2004
08.01.2020 15:10:38	1	1	1	1	79.5	61.5	0	29905.213	415.0537634	12773.62542	30000	0	0	30000	41.5625	2004
08.01.2020 15:10:39	1	1	1	1	79.5	61.5	0	30000	434.4086022	12967.68407	30000	0	0	30000	41.75	2004
08.01.2020 15:10:40	1	1	1	1	79.5	61.75	0	30000	438.7096774	13160.92735	30000	0	0	30000	41.6875	2004
08.01.2020 15:10:41	1	1	1	1	79.25	61.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.3125	2004
08.01.2020 15:10:42	1	1	1	1	79.25	61.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.75	2004
08.01.2020 15:10:43	1	1	1	1	79.25	61.75	0	30000	460.2150538	13741.47256	30000	0	0	30000	41.625	2004
08.01.2020 15:10:44	1	1	1	1	79.25	61.5	0	30000	453.7634409	13741.47256	30000	0	0	30000	41.5625	2004
08.01.2020 15:10:45	1	1	1	1	79.25	61.5	0	30000	453.7634409	13612.64371	30000	0	0	30000	41.375	2004
08.01.2020 15:10:46	1	1	1	1	79.25	61.25	0	30000	445.1612903	13548.22928	30000	0	0	30000	41.625	2004
08.01.2020 15:10:47	1	1	1	1	79.25	61.5	0	30000	451.6129032	13354.17063	30000	0	0	30000	41.625	2004
08.01.2020 15:10:48	1	1	1	1	79.25	61.5	0	30094.787	451.6129032	13354.17063	30000	0	0	30000	41.375	2004
08.01.2020 15:10:49	1	1	1	1	79.25	61.25	0	30000	443.0107527	13204.95746	30000	0	0	30000	41.6875	2004
08.01.2020 15:10:50	1	1	1	1	79.25	61.5	0	30000	443.0107527	13289.7562	30000	0	0	30000	41.3125	2004
08.01.2020 15:10:51	1	1	1	1	79	61.25	0	30000	440.8602151	13225.34178	30000	0	0	30000	41.8125	2004
08.01.2020 15:10:52	1	1	1	1	79	61.75	0	30000	436.5591398	13096.51292	30000	0	0	30000	41.75	2004
08.01.2020 15:10:53	1	1	1	1	79	61.75	0	30000	438.7096774	13160.92735	30000	0	0	30000	41.625	2004
08.01.2020 15:10:54	1	1	1	1	79	61.5	0	29952.607	432.2580645	12838.03984	30000	0	0	30000	41.75	2004
08.01.2020 15:10:55	1	1	1	1	79	61.75	0	30000	415.0537634	12580.38214	30000	0	0	30000	41.5	2004
08.01.2020 15:10:56	1	1	1	1	79	61.5	0	30000	404.3010753	12064.25135	30000	0	0	30000	41.9375	2004
08.01.2020 15:10:57	1	1	1	1	79	61.75	0	29905.213	387.0967742	11871.00807	30000	0	0	30000	42.1875	2004
08.01.2020 15:10:58	1	1	1	1	79	62	0	30000	397.8494624	11741.36385	30000	0	0	30000	41.3125	2004
08.01.2020 15:10:59	1	1	1	1	79	61.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	41.8125	2004
08.01.2020 15:11:00	1	1	1	1	79.5	61.5	0	30094.787	380.6451613	11419.29171	30000	0	0	30000	41.4375	2004
08.01.2020 15:11:01	1	1	1	1	79.5	61.25	0	29905.213	365.5913978	10932.51434	30000	0	0	30000	41.75	2004
08.01.2020 15:11:02	1	1	1	1	79.5	61.75	0	30000	352.688172	10644.68785	30000	0	0	30000	41.375	2004
08.01.2020 15:11:03	1	1	1	1	79.5	61.25	0	30047.393	352.688172	10387.03014	30000	0	0	30000	41.75	2004
08.01.2020 15:11:04	1	1	1	1	79.5	61.75	0	30000	331.1827957	9935.313783	30000	0	0	30000	41.6875	2004
08.01.2020 15:11:05	1	1	1	1	79.5	61.5	0	29952.607	320.4301075	9806.484929	30000	0	0	30000	41.875	2004
08.01.2020 15:11:06	1	1	1	1	79.5	61.75	0	30000	331.1827957	9935.313783	30000	0	0	30000	41.75	2004
08.01.2020 15:11:08	1	1	1	1	79.5	61.75	0	29952.607	341.9354839	10387.03014	30000	0	0	30000	41.5625	2004
08.01.2020 15:11:09	1	1	1	1	79.5	61.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	41.6875	2004
08.01.2020 15:11:10	1	1	1	1	79.5	61.5	0	30000	372.0430108	11160.81863	30000	0	0	30000	41.8125	2004
08.01.2020 15:11:11	1	1	1	1	79.75	61.75	0	30000	382.7956989	11419.29171	30000	0	0	30000	41.6875	2004
08.01.2020 15:11:12	1	1	1	1	79.75	61.5	0	29952.607	384.9462366	11612.53499	30000	0	0	30000	41.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 15:11:13	1	1	1	1	79.75	61.5	0	29952.607	391.3978495	11741.36385	30000	0	0	30000	41	2004
08.01.2020 15:11:14	1	1	1	1	79.75	61	0	30000	389.2473118	11612.53499	30000	0	0	30000	41.5625	2004
08.01.2020 15:11:21	1	1	1	1	79.75	61.5	0	30000	384.9462366	11548.12057	30000	0	0	30000	40.6875	2004
08.01.2020 15:11:21	1	1	1	1	79.75	61.5	0	30000	384.9462366	11548.12057	30000	0	0	30000	40.6875	2004
08.01.2020 15:11:21	1	1	1	1	79.75	61.5	0	30000	384.9462366	11548.12057	30000	0	0	30000	40.6875	2004
08.01.2020 15:11:21	1	1	1	1	79.75	61.5	0	30000	384.9462366	11548.12057	30000	0	0	30000	40.6875	2004
08.01.2020 15:11:21	1	1	1	1	79.75	61.5	0	30000	384.9462366	11548.12057	30000	0	0	30000	40.6875	2004
08.01.2020 15:11:21	1	1	1	1	79.75	61.5	0	30000	384.9462366	11548.12057	30000	0	0	30000	40.6875	2004
08.01.2020 15:11:21	1	1	1	1	79.75	61.5	0	30000	384.9462366	11548.12057	30000	0	0	30000	40.6875	2004
08.01.2020 15:11:22	1	1	1	1	79.75	60.5	0	30000	382.7956989	11336.93909	30000	0	0	30000	41.75	2004
08.01.2020 15:11:23	1	1	1	1	79.75	61.75	0	30000	395.6989247	11935.4225	30000	0	0	30000	41.6875	2004
08.01.2020 15:11:24	1	1	1	1	79.75	61.5	0	30000	395.6989247	11935.4225	30000	0	0	30000	41.6875	2004
08.01.2020 15:11:25	1	1	1	1	79.75	61.5	0	30000	397.8494624	11999.83693	30000	0	0	30000	41.6875	2004
08.01.2020 15:11:26	1	1	1	1	79.75	61.5	0	30000	404.3010753	12064.25135	30000	0	0	30000	41.6875	2004
08.01.2020 15:11:27	1	1	1	1	79.75	61.5	0	30000	400	11935.4225	30000	0	0	30000	41.375	2004
08.01.2020 15:11:28	1	1	1	1	79.75	61.25	0	29952.607	412.9032258	12580.38214	30000	0	0	30000	41.625	2004
08.01.2020 15:11:29	1	1	1	1	79.75	61.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	41.375	2004
08.01.2020 15:11:30	1	1	1	1	79.75	61.25	0	29952.607	438.7096774	13160.92735	30000	0	0	30000	41.375	2004
08.01.2020 15:11:31	1	1	1	1	80.25	61.25	0	30000	443.0107527	13160.92735	30000	0	0	30000	41.75	2004
08.01.2020 15:11:32	1	1	1	1	80.25	61.75	0	30000	438.7096774	13289.7562	30000	0	0	30000	41.25	2004
08.01.2020 15:11:33	1	1	1	1	80.25	61.25	0	30000	438.7096774	13096.51292	30000	0	0	30000	41.5	2004
08.01.2020 15:11:34	1	1	1	1	80.25	61.5	0	30000	466.6666667	13999.94564	30000	0	0	30000	41.5	2004
08.01.2020 15:11:35	1	1	1	1	80.25	61.5	0	29952.607	466.6666667	13999.94564	30000	0	0	30000	41.75	2004
08.01.2020 15:11:36	1	1	1	1	80.25	61.75	0	30000	464.516129	13935.53122	30000	0	0	30000	42.1875	2004
08.01.2020 15:11:37	1	1	1	1	80.25	62	0	29905.213	481.7204301	14428.83157	30000	0	0	30000	41.9375	2004
08.01.2020 15:11:38	1	1	1	1	80.25	61.75	0	30000	486.0215054	14451.662	30000	0	0	30000	40.6875	2004
08.01.2020 15:11:39	1	1	1	1	80.25	61.5	0	30000	481.7204301	14451.662	30000	0	0	30000	41.5	2004
08.01.2020 15:11:40	1	1	1	1	80	61.5	0	30000	468.8172043	14128.7745	30000	0	0	30000	41.8125	2004
08.01.2020 15:11:41	1	1	1	1	80	61.75	0	30000	481.7204301	14451.662	30000	0	0	30000	41.75	2004
08.01.2020 15:11:42	1	1	1	1	80	61.75	0	30000	481.7204301	14451.662	30000	0	0	30000	41.4375	2004
08.01.2020 15:11:43	1	1	1	1	80	61.25	0	30000	481.7204301	14516.07643	30000	0	0	30000	41.625	2004
08.01.2020 15:11:44	1	1	1	1	80	61.5	0	30000	481.7204301	14451.662	30000	0	0	30000	41	2004
08.01.2020 15:11:45	1	1	1	1	80	61	0	30000	481.7204301	14451.662	30000	0	0	30000	41	2004
08.01.2020 15:11:46	1	1	1	1	80	61	0	30000	486.0215054	14516.07643	30000	0	0	30000	41.75	2004
08.01.2020 15:11:48	1	1	1	1	80	61.75	0	30000	483.8709677	14667.73571	30000	0	0	30000	41.125	2004
08.01.2020 15:11:49	1	1	1	1	80	61	0	29952.607	481.7204301	14451.662	30000	0	0	30000	41.6875	2004
08.01.2020 15:11:50	1	1	1	1	80	61.5	0	30000	492.4731183	14838.14856	30000	0	0	30000	40.9375	2004
08.01.2020 15:11:51	1	1	1	1	80.5	60.75	0	30000	496.7741935	14902.56299	30000	0	0	30000	41.625	2004
08.01.2020 15:11:52	1	1	1	1	80.5	61.5	0	30000	503.2258065	15096.62164	30000	0	0	30000	41.4375	2004
08.01.2020 15:11:53	1	1	1	1	80.5	61.25	0	30000	505.3763441	15161.03607	30000	0	0	30000	41.4375	2004
08.01.2020 15:11:54	1	1	1	1	80.5	61.25	0	30000	501.0752688	15032.20721	30000	0	0	30000	41.625	2004
08.01.2020 15:11:55	1	1	1	1	80.5	61.5	0	29952.607	503.2258065	15289.86492	30000	0	0	30000	41.75	2004
08.01.2020 15:11:56	1	1	1	1	80.5	61.75	0	30000	486.0215054	14667.73571	30000	0	0	30000	41.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 15:11:57	1	1	1	1	80.5	61.75	0	30000	486.0215054	14451.662	30000	0	0	30000	41.1875	2004
08.01.2020 15:11:58	1	1	1	1	80.5	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.625	2004
08.01.2020 15:11:59	1	1	1	1	80.5	61.5	0	29905.213	445.1612903	13354.17063	30000	0	0	30000	41.5	2004
08.01.2020 15:12:00	1	1	1	1	80.5	61.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.5	2004
08.01.2020 15:12:01	1	1	1	1	81	61.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	41.1875	2004
08.01.2020 15:12:02	1	1	1	1	81	61	0	30000	404.3010753	12128.66578	30000	0	0	30000	41.3125	2004
08.01.2020 15:12:03	1	1	1	1	81	61.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	41.5625	2004
08.01.2020 15:12:04	1	1	1	1	81	61.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.6875	2004
08.01.2020 15:12:05	1	1	1	1	81	61.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.875	2004
08.01.2020 15:12:06	1	1	1	1	81	61.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.8125	2004
08.01.2020 15:12:07	1	1	1	1	81	61.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.75	2004
08.01.2020 15:12:08	1	1	1	1	81	61.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.5625	2004
08.01.2020 15:12:09	1	1	1	1	81	61.5	0	30000	449.4623656	13354.17063	30000	0	0	30000	41.6875	2004
08.01.2020 15:12:10	1	1	1	1	81	61.5	0	29952.607	460.2150538	13741.47256	30000	0	0	30000	41.3125	2004
08.01.2020 15:12:11	1	1	1	1	80.75	61.25	0	30000	481.7204301	14451.662	30000	0	0	30000	41.625	2004
08.01.2020 15:12:12	1	1	1	1	80.75	61.5	0	30000	481.7204301	14516.07643	30000	0	0	30000	41.125	2004
08.01.2020 15:12:13	1	1	1	1	80.75	61	0	30000	481.7204301	14516.07643	30000	0	0	30000	40.9375	2004
08.01.2020 15:12:14	1	1	1	1	80.75	60.75	0	30000	486.0215054	14644.90528	30000	0	0	30000	40.9375	2004
08.01.2020 15:12:15	1	1	1	1	80.75	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	41.6875	2004
08.01.2020 15:12:23	1	1	1	1	81	61.5	0	30000	496.7741935	14902.56299	30000	0	0	30000	41.3125	2004
08.01.2020 15:12:23	1	1	1	1	81	61.5	0	30000	496.7741935	14902.56299	30000	0	0	30000	41.3125	2004
08.01.2020 15:12:23	1	1	1	1	81	61.5	0	30000	496.7741935	14902.56299	30000	0	0	30000	41.3125	2004
08.01.2020 15:12:23	1	1	1	1	81	61.5	0	30000	496.7741935	14902.56299	30000	0	0	30000	41.3125	2004
08.01.2020 15:12:23	1	1	1	1	81	61.5	0	30000	496.7741935	14902.56299	30000	0	0	30000	41.3125	2004
08.01.2020 15:12:23	1	1	1	1	81	61.5	0	30000	496.7741935	14902.56299	30000	0	0	30000	41.3125	2004
08.01.2020 15:12:23	1	1	1	1	81	61.5	0	30000	496.7741935	14902.56299	30000	0	0	30000	41.3125	2004
08.01.2020 15:12:23	1	1	1	1	81	61.25	0	30000	494.6236559	14838.14856	30000	0	0	30000	41.0625	2004
08.01.2020 15:12:24	1	1	1	1	81	61	0	30000	492.4731183	14773.73413	30000	0	0	30000	41.1875	2004
08.01.2020 15:12:25	1	1	1	1	81	61	0	30000	488.172043	14644.90528	30000	0	0	30000	41.625	2004
08.01.2020 15:12:26	1	1	1	1	81	61.5	0	29952.607	481.7204301	14451.662	30000	0	0	30000	41.75	2004
08.01.2020 15:12:28	1	1	1	1	81	61.75	0	30000	481.7204301	14451.662	30000	0	0	30000	41.5625	2004
08.01.2020 15:12:29	1	1	1	1	81	61.5	0	30000	488.172043	14709.31971	30000	0	0	30000	40.5625	2004
08.01.2020 15:12:30	1	1	1	1	81	60.5	0	30000	505.3763441	15161.03607	30000	0	0	30000	41.6875	2004
08.01.2020 15:12:31	1	1	1	1	81.25	61.5	0	30047.393	516.1290323	15418.69377	30000	0	0	30000	41.625	2004
08.01.2020 15:12:32	1	1	1	1	81.25	61.5	0	30000	518.2795699	15612.75243	30000	0	0	30000	41.3125	2004
08.01.2020 15:12:33	1	1	1	1	81.25	61.25	0	30000	516.1290323	15354.27935	30000	0	0	30000	41.5	2004
08.01.2020 15:12:34	1	1	1	1	81.25	61.5	0	29952.607	509.6774194	15266.21912	30000	0	0	30000	41.5	2004
08.01.2020 15:12:35	1	1	1	1	81.25	61.5	0	30000	509.6774194	15289.86492	30000	0	0	30000	41.3125	2004
08.01.2020 15:12:36	1	1	1	1	81.25	61.25	0	30000	509.6774194	15289.86492	30000	0	0	30000	41.375	2004
08.01.2020 15:12:37	1	1	1	1	81.25	61.25	0	30000	505.3763441	15161.03607	30000	0	0	30000	41.5625	2004
08.01.2020 15:12:38	1	1	1	1	81.25	61.5	0	29952.607	498.9247312	15161.03607	30000	0	0	30000	40.8125	2004
08.01.2020 15:12:39	1	1	1	1	81.25	60.75	0	30000	496.7741935	14902.56299	30000	0	0	30000	41.6875	2004
08.01.2020 15:12:40	1	1	1	1	81.25	61.5	0	30000	507.5268817	15161.03607	30000	0	0	30000	41.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 15:12:41	1	1	1	1	81.25	61.5	0	30000	494.6236559	14838.14856	30000	0	0	30000	41.75	2004
08.01.2020 15:12:42	1	1	1	1	81.25	61.75	0	30000	494.6236559	14750.9037	30000	0	0	30000	41.875	2004
08.01.2020 15:12:43	1	1	1	1	81.25	61.75	0	30000	503.2258065	15032.20721	30000	0	0	30000	41.5	2004
08.01.2020 15:12:44	1	1	1	1	81.25	61.5	0	30000	511.827957	15354.27935	30000	0	0	30000	41.8125	2004
08.01.2020 15:12:45	1	1	1	1	81.25	61.75	0	30000	511.827957	15354.27935	30000	0	0	30000	41.75	2004
08.01.2020 15:12:46	1	1	1	1	81.25	61.75	0	30000	505.3763441	15225.45049	30000	0	0	30000	41.625	2004
08.01.2020 15:12:47	1	1	1	1	81.25	61.5	0	30000	509.6774194	15225.45049	30000	0	0	30000	41	2004
08.01.2020 15:12:48	1	1	1	1	81.25	61	0	30000	505.3763441	15161.03607	30000	0	0	30000	41.6875	2004
08.01.2020 15:12:49	1	1	1	1	81.25	61.5	0	30000	503.2258065	15161.03607	30000	0	0	30000	41.6875	2004
08.01.2020 15:12:50	1	1	1	1	81.25	61.5	0	30000	501.0752688	15032.20721	30000	0	0	30000	41.75	2004
08.01.2020 15:12:51	1	1	1	1	81.5	61.75	0	30000	496.7741935	14902.56299	30000	0	0	30000	41.125	2004
08.01.2020 15:12:52	1	1	1	1	81.5	61	0	29952.607	496.7741935	14902.56299	30000	0	0	30000	41.625	2004
08.01.2020 15:12:53	1	1	1	1	81.5	61.5	0	29952.607	483.8709677	14516.07643	30000	0	0	30000	41.5625	2004
08.01.2020 15:12:54	1	1	1	1	81.5	61.5	0	30000	481.7204301	14451.662	30000	0	0	30000	41.3125	2004
08.01.2020 15:12:55	1	1	1	1	81.5	61.25	0	30000	464.516129	13999.94564	30000	0	0	30000	41.625	2004
08.01.2020 15:12:56	1	1	1	1	81.5	61.5	0	30000	453.7634409	13612.64371	30000	0	0	30000	41.6875	2004
08.01.2020 15:12:57	1	1	1	1	81.5	61.5	0	30000	425.8064516	12773.62542	30000	0	0	30000	42.0625	2004
08.01.2020 15:12:58	1	1	1	1	81.5	62	0	30000	425.8064516	12773.62542	30000	0	0	30000	41.5	2004
08.01.2020 15:12:59	1	1	1	1	81.5	61.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	40.5625	2004
08.01.2020 15:13:00	1	1	1	1	81.75	62	0	29905.213	427.9569892	12838.03984	30000	0	0	30000	41.75	2004
08.01.2020 15:13:01	1	1	1	1	81.75	61.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.5	2004
08.01.2020 15:13:02	1	1	1	1	81.75	61.5	0	29952.607	419.3548387	12580.38214	30000	0	0	30000	40.9375	2004
08.01.2020 15:13:03	1	1	1	1	81.75	60.75	0	30000	415.0537634	12387.13886	30000	0	0	30000	41.3125	2004
08.01.2020 15:13:04	1	1	1	1	81.75	61.25	0	30000	412.9032258	11916.66893	30000	0	0	30000	41.5625	2004
08.01.2020 15:13:05	1	1	1	1	81.75	61.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	41.3125	2004
08.01.2020 15:13:07	1	1	1	1	81.75	61.25	0	30000	389.2473118	11676.94942	30000	0	0	30000	41.5	2004
08.01.2020 15:13:08	1	1	1	1	81.75	61.5	0	30000	384.9462366	11548.12057	30000	0	0	30000	41.25	2004
08.01.2020 15:13:09	1	1	1	1	81.75	61.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.625	2004
08.01.2020 15:13:10	1	1	1	1	81.75	61.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.5	2004
08.01.2020 15:13:11	1	1	1	1	81.75	61.5	0	30000	391.3978495	11676.94942	30000	0	0	30000	41.75	2004
08.01.2020 15:13:12	1	1	1	1	81.75	61.75	0	30000	384.9462366	11530.18237	30000	0	0	30000	41.1875	2004
08.01.2020 15:13:13	1	1	1	1	81.75	61	0	30000	404.3010753	12128.66578	30000	0	0	30000	40.9375	2004
08.01.2020 15:13:14	1	1	1	1	81.75	60.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.3125	2004
08.01.2020 15:13:15	1	1	1	1	81.75	61.25	0	30000	423.655914	12709.21099	30000	0	0	30000	41.625	2004
08.01.2020 15:13:16	1	1	1	1	81.75	61.5	0	30000	427.9569892	12818.4709	30000	0	0	30000	41.5625	2004
08.01.2020 15:13:17	1	1	1	1	81.75	61.5	0	29952.607	458.0645161	13741.47256	30000	0	0	30000	41.6875	2004
08.01.2020 15:13:24	1	1	1	1	81.5	61.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.3125	2004
08.01.2020 15:13:24	1	1	1	1	81.5	61.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.3125	2004
08.01.2020 15:13:24	1	1	1	1	81.5	61.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.3125	2004
08.01.2020 15:13:24	1	1	1	1	81.5	61.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.3125	2004
08.01.2020 15:13:24	1	1	1	1	81.5	61.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.3125	2004
08.01.2020 15:13:24	1	1	1	1	81.5	61.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.3125	2004
08.01.2020 15:13:24	1	1	1	1	81.5	61.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.3125	2004
08.01.2020 15:13:24	1	1	1	1	81.5	61.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 15:13:25	1	1	1	1	81.5	61.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.375	2004
08.01.2020 15:13:26	1	1	1	1	81.5	61.25	0	30000	458.0645161	13741.47256	30000	0	0	30000	41.625	2004
08.01.2020 15:13:27	1	1	1	1	81.5	61.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.6875	2004
08.01.2020 15:13:28	1	1	1	1	81.5	61.5	0	30000	451.6129032	13612.64371	30000	0	0	30000	41.5625	2004
08.01.2020 15:13:29	1	1	1	1	81.5	61.5	0	30047.393	455.9139785	13612.64371	30000	0	0	30000	41.625	2004
08.01.2020 15:13:30	1	1	1	1	81.5	61.5	0	30000	438.7096774	13289.7562	30000	0	0	30000	41.125	2004
08.01.2020 15:13:31	1	1	1	1	81.5	61	0	29952.607	449.4623656	13505.01454	30000	0	0	30000	41.5625	2004
08.01.2020 15:13:32	1	1	1	1	81.5	61.5	0	30000	453.7634409	13612.64371	30000	0	0	30000	41.6875	2004
08.01.2020 15:13:33	1	1	1	1	81.5	61.5	0	30000	453.7634409	13677.05814	30000	0	0	30000	41.25	2004
08.01.2020 15:13:34	1	1	1	1	81.5	61.25	0	30000	449.4623656	13483.81486	30000	0	0	30000	41.5625	2004
08.01.2020 15:13:35	1	1	1	1	81.5	61.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.8125	2004
08.01.2020 15:13:36	1	1	1	1	81.5	61.75	0	30000	449.4623656	13354.17063	30000	0	0	30000	42	2004
08.01.2020 15:13:37	1	1	1	1	81.5	62	0	30000	458.0645161	13612.64371	30000	0	0	30000	41.25	2004
08.01.2020 15:13:38	1	1	1	1	81.5	61.25	0	30000	455.9139785	13612.64371	30000	0	0	30000	41.25	2004
08.01.2020 15:13:39	1	1	1	1	81.5	61.75	0	30000	464.516129	13935.53122	30000	0	0	30000	40.9375	2004
08.01.2020 15:13:40	1	1	1	1	81.25	60.75	0	30000	464.516129	13935.53122	30000	0	0	30000	41.75	2004
08.01.2020 15:13:41	1	1	1	1	81.25	61.75	0	30000	468.8172043	14128.7745	30000	0	0	30000	41.5625	2004
08.01.2020 15:13:42	1	1	1	1	81.25	61.5	0	30000	481.7204301	14451.662	30000	0	0	30000	41.5625	2004
08.01.2020 15:13:43	1	1	1	1	81.25	61.5	0	30047.393	481.7204301	14451.662	30000	0	0	30000	40.875	2004
08.01.2020 15:13:45	1	1	1	1	81.25	60.75	0	30000	481.7204301	14644.90528	30000	0	0	30000	41.5625	2004
08.01.2020 15:13:46	1	1	1	1	81.25	61.5	0	30047.393	494.6236559	14838.14856	30000	0	0	30000	41.875	2004
08.01.2020 15:13:47	1	1	1	1	81.25	61.75	0	30000	492.4731183	14773.73413	30000	0	0	30000	41.0625	2004
08.01.2020 15:13:48	1	1	1	1	81.25	61	0	30000	496.7741935	14902.56299	30000	0	0	30000	41.25	2004
08.01.2020 15:13:49	1	1	1	1	81.25	61.25	0	30000	490.3225806	14644.90528	30000	0	0	30000	40.5	2004
08.01.2020 15:13:50	1	1	1	1	81.25	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	41.25	2004
08.01.2020 15:13:51	1	1	1	1	81.25	61.25	0	30000	490.3225806	14773.73413	30000	0	0	30000	41	2004
08.01.2020 15:13:52	1	1	1	1	81.25	61	0	30000	488.172043	14644.90528	30000	0	0	30000	41.6875	2004
08.01.2020 15:13:53	1	1	1	1	81.25	61.5	0	30000	488.172043	14644.90528	30000	0	0	30000	41.5	2004
08.01.2020 15:13:54	1	1	1	1	81.25	61.5	0	29952.607	488.172043	14644.90528	30000	0	0	30000	41.5625	2004
08.01.2020 15:13:55	1	1	1	1	81.25	61.5	0	29905.213	490.3225806	14773.73413	30000	0	0	30000	41.5	2004
08.01.2020 15:13:56	1	1	1	1	81.25	61.5	0	30000	488.172043	14644.90528	30000	0	0	30000	41.3125	2004
08.01.2020 15:13:57	1	1	1	1	81.25	61.25	0	30000	498.9247312	15161.03607	30000	0	0	30000	41.9375	2004
08.01.2020 15:13:58	1	1	1	1	81.25	61.75	0	29952.607	496.7741935	14902.56299	30000	0	0	30000	41.625	2004
08.01.2020 15:13:59	1	1	1	1	81.25	61.5	0	30000	492.4731183	14644.90528	30000	0	0	30000	41.0625	2004
08.01.2020 15:14:00	1	1	1	1	81.25	61	0	30000	481.7204301	14516.07643	30000	0	0	30000	41.6875	2004
08.01.2020 15:14:01	1	1	1	1	81	61.5	0	29952.607	481.7204301	14451.662	30000	0	0	30000	41.4375	2004
08.01.2020 15:14:02	1	1	1	1	81	61.25	0	30000	443.0107527	13354.17063	30000	0	0	30000	41.5625	2004
08.01.2020 15:14:03	1	1	1	1	81	61.5	0	30000	427.9569892	12580.38214	30000	0	0	30000	41.1875	2004
08.01.2020 15:14:04	1	1	1	1	81	61	0	30000	415.0537634	12580.38214	30000	0	0	30000	41.8125	2004
08.01.2020 15:14:05	1	1	1	1	81	61.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	41.75	2004
08.01.2020 15:14:06	1	1	1	1	81	61.75	0	30000	412.9032258	12128.66578	30000	0	0	30000	41.25	2004
08.01.2020 15:14:07	1	1	1	1	81	61.25	0	30000	389.2473118	11676.94942	30000	0	0	30000	41.6875	2004
08.01.2020 15:14:08	1	1	1	1	81	61.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 15:14:09	1	1	1	1	81	61.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.875	2004
08.01.2020 15:14:10	1	1	1	1	81	61.75	0	30000	384.9462366	11548.12057	30000	0	0	30000	40.8125	2004
08.01.2020 15:14:11	1	1	1	1	81.25	60.75	0	30000	395.6989247	11852.2545	30000	0	0	30000	41.9375	2004
08.01.2020 15:14:12	1	1	1	1	81.25	61.75	0	29905.213	395.6989247	11871.00807	30000	0	0	30000	41.8125	2004
08.01.2020 15:14:13	1	1	1	1	81.25	61.75	0	30000	400	11999.83693	30000	0	0	30000	41.6875	2004
08.01.2020 15:14:14	1	1	1	1	81.25	61.5	0	30000	397.8494624	11916.66893	30000	0	0	30000	42.125	2004
08.01.2020 15:14:15	1	1	1	1	81.25	62	0	30000	404.3010753	12064.25135	30000	0	0	30000	41.9375	2004
08.01.2020 15:14:16	1	1	1	1	81.25	61.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	41.75	2004
08.01.2020 15:14:17	1	1	1	1	81.25	61.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.6875	2004
08.01.2020 15:14:18	1	1	1	1	81.25	61.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.625	2004
08.01.2020 15:14:26	1	1	1	1	81	61.5	0	29905.213	427.9569892	12838.03984	30000	0	0	30000	41.4375	2004
08.01.2020 15:14:26	1	1	1	1	81	61.5	0	29905.213	427.9569892	12838.03984	30000	0	0	30000	41.4375	2004
08.01.2020 15:14:26	1	1	1	1	81	61.5	0	29905.213	427.9569892	12838.03984	30000	0	0	30000	41.4375	2004
08.01.2020 15:14:26	1	1	1	1	81	61.5	0	29905.213	427.9569892	12838.03984	30000	0	0	30000	41.4375	2004
08.01.2020 15:14:26	1	1	1	1	81	61.5	0	29905.213	427.9569892	12838.03984	30000	0	0	30000	41.4375	2004
08.01.2020 15:14:26	1	1	1	1	81	61.5	0	29905.213	427.9569892	12838.03984	30000	0	0	30000	41.4375	2004
08.01.2020 15:14:26	1	1	1	1	81	61.5	0	29905.213	427.9569892	12838.03984	30000	0	0	30000	41.4375	2004
08.01.2020 15:14:26	1	1	1	1	81	61.5	0	29905.213	427.9569892	12838.03984	30000	0	0	30000	41.4375	2004
08.01.2020 15:14:27	1	1	1	1	81	61.25	0	30000	427.9569892	12967.68407	30000	0	0	30000	41.75	2004
08.01.2020 15:14:28	1	1	1	1	81	61.75	0	30000	438.7096774	13096.51292	30000	0	0	30000	41.4375	2004
08.01.2020 15:14:29	1	1	1	1	81	61.25	0	30000	438.7096774	12967.68407	30000	0	0	30000	41.3125	2004
08.01.2020 15:14:30	1	1	1	1	81	61.25	0	30047.393	427.9569892	12967.68407	30000	0	0	30000	41.4375	2004
08.01.2020 15:14:31	1	1	1	1	80.75	61.25	0	30000	443.0107527	13225.34178	30000	0	0	30000	41.6875	2004
08.01.2020 15:14:32	1	1	1	1	80.75	61.5	0	29952.607	443.0107527	13183.75778	30000	0	0	30000	41.625	2004
08.01.2020 15:14:33	1	1	1	1	80.75	61.5	0	30000	464.516129	13935.53122	30000	0	0	30000	41.5	2004
08.01.2020 15:14:34	1	1	1	1	80.75	61.5	0	30000	481.7204301	14451.662	30000	0	0	30000	41.375	2004
08.01.2020 15:14:35	1	1	1	1	80.75	61.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	41.6875	2004
08.01.2020 15:14:36	1	1	1	1	80.75	61.5	0	30000	494.6236559	14838.14856	30000	0	0	30000	40.75	2004
08.01.2020 15:14:37	1	1	1	1	80.75	60.75	0	30000	488.172043	14644.90528	30000	0	0	30000	41.375	2004
08.01.2020 15:14:38	1	1	1	1	80.75	61.25	0	30000	488.172043	14949.85459	30000	0	0	30000	41.4375	2004
08.01.2020 15:14:39	1	1	1	1	80.75	61.25	0	30000	488.172043	14622.07485	30000	0	0	30000	40.75	2004
08.01.2020 15:14:40	1	1	1	1	80.75	60.75	0	30000	492.4731183	14773.73413	30000	0	0	30000	41.8125	2004
08.01.2020 15:14:41	1	1	1	1	81	61.75	0	30000	486.0215054	14428.83157	30000	0	0	30000	41.375	2004
08.01.2020 15:14:42	1	1	1	1	81	61.25	0	30000	490.3225806	14493.246	30000	0	0	30000	41.4375	2004
08.01.2020 15:14:43	1	1	1	1	81	61.25	0	30000	488.172043	14644.90528	30000	0	0	30000	41.4375	2004
08.01.2020 15:14:44	1	1	1	1	81	61.25	0	30000	488.172043	14644.90528	30000	0	0	30000	41.4375	2004
08.01.2020 15:14:45	1	1	1	1	81	61.25	0	30000	488.172043	14644.90528	30000	0	0	30000	41.5625	2004
08.01.2020 15:14:46	1	1	1	1	81	61.5	0	30000	486.0215054	14580.49085	30000	0	0	30000	41.625	2004
08.01.2020 15:14:47	1	1	1	1	81	61.5	0	30000	481.7204301	14451.662	30000	0	0	30000	41.5	2004
08.01.2020 15:14:48	1	1	1	1	81	61.5	0	30000	481.7204301	14451.662	30000	0	0	30000	41.375	2004
08.01.2020 15:14:49	1	1	1	1	81	61.25	0	30000	488.172043	14709.31971	30000	0	0	30000	41.375	2004
08.01.2020 15:14:50	1	1	1	1	81	61.25	0	30000	492.4731183	14773.73413	30000	0	0	30000	41.6875	2004
08.01.2020 15:14:51	1	1	1	1	81.5	61.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	41.875	2004
08.01.2020 15:14:52	1	1	1	1	81.5	61.75	0	30000	488.172043	14644.90528	30000	0	0	30000	41.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 15:14:53	1	1	1	1	81.5	61.75	0	30000	488.172043	14644.90528	30000	0	0	30000	41.8125	2004
08.01.2020 15:14:54	1	1	1	1	81.5	62	0	30000	481.7204301	14451.662	30000	0	0	30000	41.5	2004
08.01.2020 15:14:55	1	1	1	1	81.5	61.5	0	30000	481.7204301	14451.662	30000	0	0	30000	41.6875	2004
08.01.2020 15:14:56	1	1	1	1	81.5	61.5	0	30000	481.7204301	14451.662	30000	0	0	30000	41.5	2004
08.01.2020 15:14:57	1	1	1	1	81.5	61.5	0	30000	481.7204301	14451.662	30000	0	0	30000	41.3125	2004
08.01.2020 15:14:59	1	1	1	1	81.5	61.25	0	30047.393	445.1612903	13354.17063	30000	0	0	30000	40.375	2004
08.01.2020 15:15:00	1	1	1	1	81.5	60.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.75	2004
08.01.2020 15:15:01	1	1	1	1	81.5	61.75	0	30000	438.7096774	12838.03984	30000	0	0	30000	41.4375	2004
08.01.2020 15:15:02	1	1	1	1	81.5	61.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.5	2004
08.01.2020 15:15:03	1	1	1	1	81.5	61.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	41.125	2004
08.01.2020 15:15:04	1	1	1	1	81.5	61	0	29952.607	404.3010753	12128.66578	30000	0	0	30000	41.125	2004
08.01.2020 15:15:05	1	1	1	1	81.5	61	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.875	2004
08.01.2020 15:15:06	1	1	1	1	81.5	61.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	41.375	2004
08.01.2020 15:15:07	1	1	1	1	81.5	61.25	0	29905.213	369.8924731	11354.87729	30000	0	0	30000	41.25	2004
08.01.2020 15:15:08	1	1	1	1	81.5	61.25	0	30000	382.7956989	11419.29171	30000	0	0	30000	41.4375	2004
08.01.2020 15:15:09	1	1	1	1	81.5	61.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	41.75	2004
08.01.2020 15:15:10	1	1	1	1	81.5	61.75	0	30000	395.6989247	11935.4225	30000	0	0	30000	41.625	2004
08.01.2020 15:15:11	1	1	1	1	81	61.5	0	30000	391.3978495	11741.36385	30000	0	0	30000	41.4375	2004
08.01.2020 15:15:12	1	1	1	1	81	61.25	0	30000	391.3978495	11741.36385	30000	0	0	30000	41.6875	2004
08.01.2020 15:15:13	1	1	1	1	81	61.5	0	30000	391.3978495	11741.36385	30000	0	0	30000	41.75	2004
08.01.2020 15:15:14	1	1	1	1	81	61.75	0	30000	384.9462366	11548.12057	30000	0	0	30000	41.3125	2004
08.01.2020 15:15:15	1	1	1	1	81	61.25	0	30000	380.6451613	11419.29171	30000	0	0	30000	41.6875	2004
08.01.2020 15:15:16	1	1	1	1	81	61.5	0	30000	380.6451613	11419.29171	30000	0	0	30000	41.75	2004
08.01.2020 15:15:17	1	1	1	1	81	61.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.25	2004
08.01.2020 15:15:18	1	1	1	1	81	61.25	0	30000	378.4946237	11419.29171	30000	0	0	30000	40.75	2004
08.01.2020 15:15:19	1	1	1	1	81	60.75	0	30000	382.7956989	11548.12057	30000	0	0	30000	40.8125	2004
08.01.2020 15:15:20	1	1	1	1	81	60.75	0	30000	380.6451613	11319.0009	30000	0	0	30000	41.8125	2004
08.01.2020 15:15:27	1	1	1	1	81	61.25	0	30000	395.6989247	11935.4225	30000	0	0	30000	41.75	2004
08.01.2020 15:15:27	1	1	1	1	81	61.25	0	30000	395.6989247	11935.4225	30000	0	0	30000	41.75	2004
08.01.2020 15:15:27	1	1	1	1	81	61.25	0	30000	395.6989247	11935.4225	30000	0	0	30000	41.75	2004
08.01.2020 15:15:27	1	1	1	1	81	61.25	0	30000	395.6989247	11935.4225	30000	0	0	30000	41.75	2004
08.01.2020 15:15:27	1	1	1	1	81	61.25	0	30000	395.6989247	11935.4225	30000	0	0	30000	41.75	2004
08.01.2020 15:15:27	1	1	1	1	81	61.25	0	30000	395.6989247	11935.4225	30000	0	0	30000	41.75	2004
08.01.2020 15:15:27	1	1	1	1	81	61.25	0	30000	395.6989247	11935.4225	30000	0	0	30000	41.75	2004
08.01.2020 15:15:30	1	1	1	1	81	61.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	41.125	2004
08.01.2020 15:15:30	1	1	1	1	81	61.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	41.125	2004
08.01.2020 15:15:30	1	1	1	1	81	61	0	30000	412.9032258	12387.13886	30000	0	0	30000	42	2004
08.01.2020 15:15:31	1	1	1	1	81.25	61.25	0	29952.607	404.3010753	12128.66578	30000	0	0	30000	41.3125	2004
08.01.2020 15:15:32	1	1	1	1	81.25	61.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.5	2004
08.01.2020 15:15:33	1	1	1	1	81.25	61.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.625	2004
08.01.2020 15:15:34	1	1	1	1	81.25	61.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	40.5625	2004
08.01.2020 15:15:35	1	1	1	1	81.25	60.5	0	30000	412.9032258	12348.00098	30000	0	0	30000	41.6875	2004
08.01.2020 15:15:37	1	1	1	1	81.25	61.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 15:15:38	1	1	1	1	81.25	61.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	41.6875	2004
08.01.2020 15:15:39	1	1	1	1	81.25	61.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	41.8125	2004
08.01.2020 15:15:40	1	1	1	1	81.25	61.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.75	2004
08.01.2020 15:15:41	1	1	1	1	80.75	61.75	0	29905.213	400	12387.13886	30000	0	0	30000	41.75	2004
08.01.2020 15:15:42	1	1	1	1	80.75	61.75	0	30000	412.9032258	12406.7078	30000	0	0	30000	41.625	2004
08.01.2020 15:15:43	1	1	1	1	80.75	61.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	41.75	2004
08.01.2020 15:15:44	1	1	1	1	80.75	61.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.75	2004
08.01.2020 15:15:45	1	1	1	1	80.75	61.75	0	30000	415.0537634	12431.98434	30000	0	0	30000	41.625	2004
08.01.2020 15:15:46	1	1	1	1	80.75	61.5	0	30000	417.2043011	12580.38214	30000	0	0	30000	41.4375	2004
08.01.2020 15:15:47	1	1	1	1	80.75	61.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	41.6875	2004
08.01.2020 15:15:48	1	1	1	1	80.75	61.5	0	30000	427.9569892	12773.62542	30000	0	0	30000	41.625	2004
08.01.2020 15:15:49	1	1	1	1	80.75	61.5	0	29952.607	445.1612903	13333.78632	30000	0	0	30000	41.75	2004
08.01.2020 15:15:50	1	1	1	1	80.75	61.75	0	30047.393	460.2150538	13805.88699	30000	0	0	30000	41.6875	2004
08.01.2020 15:15:51	1	1	1	1	81	61.5	0	30000	481.7204301	14451.662	30000	0	0	30000	41.5625	2004
08.01.2020 15:15:52	1	1	1	1	81	61.5	0	30000	481.7204301	14451.662	30000	0	0	30000	41.375	2004
08.01.2020 15:15:53	1	1	1	1	81	61.25	0	30000	481.7204301	14451.662	30000	0	0	30000	41.5625	2004
08.01.2020 15:15:54	1	1	1	1	81	61.5	0	30000	464.516129	13633.84339	30000	0	0	30000	40.9375	2004
08.01.2020 15:15:55	1	1	1	1	81	60.75	0	30000	445.1612903	13633.84339	30000	0	0	30000	41.4375	2004
08.01.2020 15:15:56	1	1	1	1	81	61.25	0	30000	438.7096774	13354.17063	30000	0	0	30000	41.375	2004
08.01.2020 15:15:57	1	1	1	1	81	61.25	0	29952.607	436.5591398	13076.12861	30000	0	0	30000	41.1875	2004
08.01.2020 15:15:58	1	1	1	1	81	61	0	30000	438.7096774	13160.92735	30000	0	0	30000	40.4375	2004
08.01.2020 15:15:59	1	1	1	1	81	60.25	0	29952.607	427.9569892	12838.03984	30000	0	0	30000	41.5625	2004
08.01.2020 15:16:00	1	1	1	1	81	61.5	0	30000	421.5053763	12709.21099	30000	0	0	30000	40.3125	2004
08.01.2020 15:16:01	1	1	1	1	81	60.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.75	2004
08.01.2020 15:16:02	1	1	1	1	81	61.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	41.5625	2004
08.01.2020 15:16:03	1	1	1	1	81	61.5	0	29952.607	380.6451613	11548.12057	30000	0	0	30000	41.8125	2004
08.01.2020 15:16:04	1	1	1	1	81	61.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.75	2004
08.01.2020 15:16:05	1	1	1	1	81	61.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.8125	2004
08.01.2020 15:16:06	1	1	1	1	81	61.75	0	30000	378.4946237	11160.81863	30000	0	0	30000	41.9375	2004
08.01.2020 15:16:07	1	1	1	1	81	61.75	0	30000	369.8924731	11160.81863	30000	0	0	30000	41.9375	2004
08.01.2020 15:16:08	1	1	1	1	81	61.75	0	30000	359.1397849	10903.16093	30000	0	0	30000	42.125	2004
08.01.2020 15:16:09	1	1	1	1	81	62	0	29952.607	350.5376344	10644.68785	30000	0	0	30000	41.75	2004
08.01.2020 15:16:10	1	1	1	1	81.75	61.5	0	30000	350.5376344	10515.85899	30000	0	0	30000	41.875	2004
08.01.2020 15:16:11	1	1	1	1	81.75	61.75	0	30000	352.688172	10515.85899	30000	0	0	30000	41.8125	2004
08.01.2020 15:16:12	1	1	1	1	81.75	61.75	0	29952.607	346.2365591	10387.03014	30000	0	0	30000	41.625	2004
08.01.2020 15:16:13	1	1	1	1	81.75	61.5	0	29952.607	346.2365591	10451.44457	30000	0	0	30000	41.5625	2004
08.01.2020 15:16:14	1	1	1	1	81.75	61.5	0	30000	350.5376344	10515.85899	30000	0	0	30000	41.4375	2004
08.01.2020 15:16:16	1	1	1	1	81.75	61.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	41.6875	2004
08.01.2020 15:16:17	1	1	1	1	81.75	61.5	0	30000	356.9892473	10580.27342	30000	0	0	30000	41.375	2004
08.01.2020 15:16:18	1	1	1	1	81.75	61.25	0	29952.607	359.1397849	10773.5167	30000	0	0	30000	40.1875	2004
08.01.2020 15:16:19	1	1	1	1	81.75	60	0	30000	369.8924731	10757.20925	30000	0	0	30000	41.5625	2004
08.01.2020 15:16:20	1	1	1	1	81.75	61.5	0	30000	363.4408602	10903.16093	30000	0	0	30000	41	2004
08.01.2020 15:16:21	1	1	1	1	81	61	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 15:16:22	1	1	1	1	81	61.25	0	30000	384.9462366	11530.18237	30000	0	0	30000	41.375	2004
08.01.2020 15:16:29	1	1	1	1	81	61.5	0	30000	427.9569892	12709.21099	30000	0	0	30000	41.875	2004
08.01.2020 15:16:29	1	1	1	1	81	61.5	0	30000	427.9569892	12709.21099	30000	0	0	30000	41.875	2004
08.01.2020 15:16:29	1	1	1	1	81	61.5	0	30000	427.9569892	12709.21099	30000	0	0	30000	41.875	2004
08.01.2020 15:16:29	1	1	1	1	81	61.5	0	30000	427.9569892	12709.21099	30000	0	0	30000	41.875	2004
08.01.2020 15:16:29	1	1	1	1	81	61.5	0	30000	427.9569892	12709.21099	30000	0	0	30000	41.875	2004
08.01.2020 15:16:29	1	1	1	1	81	61.5	0	30000	427.9569892	12709.21099	30000	0	0	30000	41.875	2004
08.01.2020 15:16:29	1	1	1	1	81	61.5	0	30000	427.9569892	12709.21099	30000	0	0	30000	41.875	2004
08.01.2020 15:16:30	1	1	1	1	81	61.75	0	30000	423.655914	12580.38214	30000	0	0	30000	41.5	2004
08.01.2020 15:16:31	1	1	1	1	81	61.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.5	2004
08.01.2020 15:16:32	1	1	1	1	81	61.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	41.8125	2004
08.01.2020 15:16:33	1	1	1	1	81	61.75	0	30000	425.8064516	12838.03984	30000	0	0	30000	41.3125	2004
08.01.2020 15:16:34	1	1	1	1	81	61.25	0	30000	434.4086022	12967.68407	30000	0	0	30000	41.8125	2004
08.01.2020 15:16:35	1	1	1	1	81	61.75	0	30000	443.0107527	13354.17063	30000	0	0	30000	41.5625	2004
08.01.2020 15:16:36	1	1	1	1	81	61.5	0	30000	464.516129	13935.53122	30000	0	0	30000	41.625	2004
08.01.2020 15:16:37	1	1	1	1	81	61.5	0	30000	481.7204301	14451.662	30000	0	0	30000	41.75	2004
08.01.2020 15:16:38	1	1	1	1	81	61.75	0	30000	481.7204301	14451.662	30000	0	0	30000	41.4375	2004
08.01.2020 15:16:39	1	1	1	1	81	61.25	0	30000	494.6236559	14838.14856	30000	0	0	30000	41.75	2004
08.01.2020 15:16:40	1	1	1	1	81	61.75	0	30000	496.7741935	14926.20879	30000	0	0	30000	41.75	2004
08.01.2020 15:16:41	1	1	1	1	81	61.75	0	30000	492.4731183	14709.31971	30000	0	0	30000	41.5	2004
08.01.2020 15:16:42	1	1	1	1	81	61.5	0	29952.607	488.172043	14644.90528	30000	0	0	30000	41.5	2004
08.01.2020 15:16:43	1	1	1	1	81	61.5	0	29952.607	481.7204301	14451.662	30000	0	0	30000	41.6875	2004
08.01.2020 15:16:44	1	1	1	1	81	61.5	0	30000	488.172043	14516.07643	30000	0	0	30000	41.625	2004
08.01.2020 15:16:45	1	1	1	1	81	61.5	0	29952.607	496.7741935	14902.56299	30000	0	0	30000	40.5625	2004
08.01.2020 15:16:46	1	1	1	1	81	60.5	0	29905.213	509.6774194	15483.92357	30000	0	0	30000	42.0625	2004
08.01.2020 15:16:47	1	1	1	1	81	62	0	30000	524.7311828	15741.58128	30000	0	0	30000	41.375	2004
08.01.2020 15:16:48	1	1	1	1	81	61.25	0	29905.213	522.5806452	15949.50126	30000	0	0	30000	42	2004
08.01.2020 15:16:49	1	1	1	1	81	62	0	30000	533.3333333	15934.82456	30000	0	0	30000	41.6875	2004
08.01.2020 15:16:50	1	1	1	1	80.75	61.75	0	29905.213	533.3333333	16039.19224	30000	0	0	30000	41.625	2004
08.01.2020 15:16:51	1	1	1	1	80.75	61.5	0	29952.607	537.6344086	16039.19224	30000	0	0	30000	41.5	2004
08.01.2020 15:16:52	1	1	1	1	80.75	61.5	0	29810.427	535.483871	15937.27068	30000	0	0	30000	41.8125	2004
08.01.2020 15:16:53	1	1	1	1	80.75	61.75	0	30000	533.3333333	16000.05436	30000	0	0	30000	41.625	2004
08.01.2020 15:16:55	1	1	1	1	80.75	61.5	0	29952.607	535.483871	16013.10032	30000	0	0	30000	41.625	2004
08.01.2020 15:16:56	1	1	1	1	80.75	61.5	0	30000	526.8817204	15805.99571	30000	0	0	30000	41.5625	2004
08.01.2020 15:16:57	1	1	1	1	80.75	61.5	0	29952.607	509.6774194	15354.27935	30000	0	0	30000	41.625	2004
08.01.2020 15:16:58	1	1	1	1	80.75	61.5	0	30000	507.5268817	15161.03607	30000	0	0	30000	40.9375	2004
08.01.2020 15:16:59	1	1	1	1	80.75	60.75	0	30000	488.172043	14644.90528	30000	0	0	30000	41.375	2004
08.01.2020 15:17:00	1	1	1	1	80.75	61.25	0	30000	464.516129	13870.30142	30000	0	0	30000	41.625	2004
08.01.2020 15:17:01	1	1	1	1	80.75	61.5	0	30000	425.8064516	12773.62542	30000	0	0	30000	41.4375	2004
08.01.2020 15:17:02	1	1	1	1	80.75	61.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.5625	2004
08.01.2020 15:17:03	1	1	1	1	80.75	61.5	0	30000	389.2473118	11548.12057	30000	0	0	30000	41.375	2004
08.01.2020 15:17:04	1	1	1	1	80.75	61.25	0	30000	387.0967742	11676.94942	30000	0	0	30000	41.75	2004
08.01.2020 15:17:05	1	1	1	1	80.75	61.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 15:17:06	1	1	1	1	80.75	61.75	0	30000	372.0430108	11160.81863	30000	0	0	30000	41.625	2004
08.01.2020 15:17:07	1	1	1	1	80.75	61.5	0	30000	367.7419355	11014.86696	30000	0	0	30000	41.375	2004
08.01.2020 15:17:08	1	1	1	1	80.75	61.25	0	30000	365.5913978	10967.57535	30000	0	0	30000	41.5625	2004
08.01.2020 15:17:09	1	1	1	1	80.75	61.5	0	30000	372.0430108	11160.81863	30000	0	0	30000	41.125	2004
08.01.2020 15:17:10	1	1	1	1	80.75	61	0	30000	372.0430108	11354.87729	30000	0	0	30000	41.75	2004
08.01.2020 15:17:11	1	1	1	1	80.75	61.75	0	30000	372.0430108	11160.81863	30000	0	0	30000	41.8125	2004
08.01.2020 15:17:12	1	1	1	1	80.75	61.75	0	30000	374.1935484	11354.87729	30000	0	0	30000	41.8125	2004
08.01.2020 15:17:13	1	1	1	1	80.75	61.75	0	30000	378.4946237	11336.93909	30000	0	0	30000	41.75	2004
08.01.2020 15:17:14	1	1	1	1	80.75	61.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.6875	2004
08.01.2020 15:17:15	1	1	1	1	80.75	61.5	0	30000	397.8494624	11935.4225	30000	0	0	30000	41.0625	2004
08.01.2020 15:17:16	1	1	1	1	80.75	61	0	29952.607	404.3010753	12387.13886	30000	0	0	30000	41.5625	2004
08.01.2020 15:17:17	1	1	1	1	80.75	61.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.3125	2004
08.01.2020 15:17:18	1	1	1	1	80.75	61.25	0	30000	438.7096774	13225.34178	30000	0	0	30000	41.375	2004
08.01.2020 15:17:19	1	1	1	1	80.75	61.25	0	30000	438.7096774	13225.34178	30000	0	0	30000	41.5625	2004
08.01.2020 15:17:20	1	1	1	1	80.75	61.5	0	30000	443.0107527	13225.34178	30000	0	0	30000	41.4375	2004
08.01.2020 15:17:21	1	1	1	1	80.75	61.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.5	2004
08.01.2020 15:17:22	1	1	1	1	80.75	61.5	0	30000	438.7096774	13160.92735	30000	0	0	30000	41	2004
08.01.2020 15:17:23	1	1	1	1	80.75	61	0	29952.607	438.7096774	13225.34178	30000	0	0	30000	41.6875	2004
08.01.2020 15:17:31	1	1	1	1	80.5	61.5	0	30000	464.516129	13935.53122	30000	0	0	30000	41.4375	2004
08.01.2020 15:17:31	1	1	1	1	80.5	61.5	0	30000	464.516129	13935.53122	30000	0	0	30000	41.4375	2004
08.01.2020 15:17:31	1	1	1	1	80.5	61.5	0	30000	464.516129	13935.53122	30000	0	0	30000	41.4375	2004
08.01.2020 15:17:31	1	1	1	1	80.5	61.5	0	30000	464.516129	13935.53122	30000	0	0	30000	41.4375	2004
08.01.2020 15:17:31	1	1	1	1	80.5	61.5	0	30000	464.516129	13935.53122	30000	0	0	30000	41.4375	2004
08.01.2020 15:17:31	1	1	1	1	80.5	61.5	0	30000	464.516129	13935.53122	30000	0	0	30000	41.4375	2004
08.01.2020 15:17:31	1	1	1	1	80.5	61.5	0	30000	464.516129	13935.53122	30000	0	0	30000	41.4375	2004
08.01.2020 15:17:31	1	1	1	1	80.5	61.25	0	30000	455.9139785	13612.64371	30000	0	0	30000	41.5	2004
08.01.2020 15:17:32	1	1	1	1	80.5	61.5	0	29952.607	458.0645161	13784.6873	30000	0	0	30000	41.6875	2004
08.01.2020 15:17:34	1	1	1	1	80.5	61.5	0	30000	453.7634409	13612.64371	30000	0	0	30000	41.75	2004
08.01.2020 15:17:35	1	1	1	1	80.5	61.75	0	29905.213	451.6129032	13312.58663	30000	0	0	30000	41.625	2004
08.01.2020 15:17:36	1	1	1	1	80.5	61.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.75	2004
08.01.2020 15:17:37	1	1	1	1	80.5	61.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	41.3125	2004
08.01.2020 15:17:38	1	1	1	1	80.5	61.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.3125	2004
08.01.2020 15:17:39	1	1	1	1	80.5	61.25	0	30000	464.516129	13935.53122	30000	0	0	30000	41.5625	2004
08.01.2020 15:17:40	1	1	1	1	80.5	61.5	0	30000	468.8172043	13999.94564	30000	0	0	30000	41.625	2004
08.01.2020 15:17:41	1	1	1	1	80.75	61.5	0	30000	466.6666667	13999.94564	30000	0	0	30000	41.375	2004
08.01.2020 15:17:42	1	1	1	1	80.75	61.25	0	29905.213	481.7204301	14451.662	30000	0	0	30000	41.5625	2004
08.01.2020 15:17:43	1	1	1	1	80.75	61.5	0	29952.607	481.7204301	14451.662	30000	0	0	30000	41.3125	2004
08.01.2020 15:17:44	1	1	1	1	80.75	61.25	0	30047.393	483.8709677	13955.10015	30000	0	0	30000	41.5625	2004
08.01.2020 15:17:45	1	1	1	1	80.75	61.5	0	30000	481.7204301	14516.07643	30000	0	0	30000	41.8125	2004
08.01.2020 15:17:46	1	1	1	1	80.75	61.75	0	30000	488.172043	14644.90528	30000	0	0	30000	41.3125	2004
08.01.2020 15:17:47	1	1	1	1	80.75	61.25	0	30000	488.172043	14644.90528	30000	0	0	30000	41.6875	2004
08.01.2020 15:17:48	1	1	1	1	80.75	61.5	0	30000	488.172043	14644.90528	30000	0	0	30000	41.8125	2004
08.01.2020 15:17:49	1	1	1	1	80.75	61.75	0	30000	501.0752688	15032.20721	30000	0	0	30000	41.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 15:17:50	1	1	1	1	80.75	61.5	0	30000	496.7741935	15032.20721	30000	0	0	30000	41.6875	2004
08.01.2020 15:17:51	1	1	1	1	80.75	61.5	0	30000	498.9247312	14902.56299	30000	0	0	30000	41.6875	2004
08.01.2020 15:17:52	1	1	1	1	80.75	61.5	0	30000	494.6236559	14838.14856	30000	0	0	30000	41.75	2004
08.01.2020 15:17:53	1	1	1	1	80.75	61.75	0	30000	501.0752688	15032.20721	30000	0	0	30000	41.6875	2004
08.01.2020 15:17:54	1	1	1	1	80.75	61.5	0	30000	507.5268817	15225.45049	30000	0	0	30000	41.5625	2004
08.01.2020 15:17:55	1	1	1	1	80.75	61.5	0	29952.607	516.1290323	15483.92357	30000	0	0	30000	41.5	2004
08.01.2020 15:17:56	1	1	1	1	80.75	61.5	0	30000	509.6774194	15289.86492	30000	0	0	30000	41.6875	2004
08.01.2020 15:17:57	1	1	1	1	80.75	61.5	0	30000	498.9247312	14902.56299	30000	0	0	30000	41.5	2004
08.01.2020 15:17:58	1	1	1	1	80.75	61.5	0	29905.213	481.7204301	14451.662	30000	0	0	30000	41.1875	2004
08.01.2020 15:17:59	1	1	1	1	80.75	61	0	30000	466.6666667	14128.7745	30000	0	0	30000	41.125	2004
08.01.2020 15:18:00	1	1	1	1	80.75	61	0	30000	453.7634409	13612.64371	30000	0	0	30000	40.8125	2004
08.01.2020 15:18:01	1	1	1	1	80.75	60.75	0	29952.607	445.1612903	13354.17063	30000	0	0	30000	41.5	2004
08.01.2020 15:18:02	1	1	1	1	80.75	61.5	0	30000	443.0107527	13225.34178	30000	0	0	30000	42.125	2004
08.01.2020 15:18:03	1	1	1	1	80.75	62	0	30000	427.9569892	12818.4709	30000	0	0	30000	41.75	2004
08.01.2020 15:18:04	1	1	1	1	80.75	61.75	0	30000	438.7096774	13160.92735	30000	0	0	30000	41.4375	2004
08.01.2020 15:18:05	1	1	1	1	80.75	62	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.625	2004
08.01.2020 15:18:06	1	1	1	1	80.75	61.5	0	30000	438.7096774	13160.92735	30000	0	0	30000	41.5	2004
08.01.2020 15:18:07	1	1	1	1	80.75	61.5	0	30000	432.2580645	12967.68407	30000	0	0	30000	41.375	2004
08.01.2020 15:18:09	1	1	1	1	80.75	61.25	0	30000	419.3548387	12709.21099	30000	0	0	30000	41.1875	2004
08.01.2020 15:18:10	1	1	1	1	80.75	61	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	41.625	2004
08.01.2020 15:18:11	1	1	1	1	80.5	61.5	0	30000	404.3010753	12064.25135	30000	0	0	30000	41.625	2004
08.01.2020 15:18:12	1	1	1	1	80.5	61.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	41.5625	2004
08.01.2020 15:18:13	1	1	1	1	80.5	61.5	0	30000	400	11935.4225	30000	0	0	30000	41.75	2004
08.01.2020 15:18:14	1	1	1	1	80.5	61.75	0	30047.393	400	11935.4225	30000	0	0	30000	41.6875	2004
08.01.2020 15:18:15	1	1	1	1	80.5	61.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	41.75	2004
08.01.2020 15:18:16	1	1	1	1	80.5	61.75	0	30000	397.8494624	11935.4225	30000	0	0	30000	41.75	2004
08.01.2020 15:18:17	1	1	1	1	80.5	61.75	0	30000	404.3010753	12064.25135	30000	0	0	30000	41.75	2004
08.01.2020 15:18:18	1	1	1	1	80.5	61.75	0	30000	404.3010753	12064.25135	30000	0	0	30000	41.5625	2004
08.01.2020 15:18:19	1	1	1	1	80.5	61.5	0	29905.213	395.6989247	11871.00807	30000	0	0	30000	41.8125	2004
08.01.2020 15:18:20	1	1	1	1	80.5	61.75	0	30000	395.6989247	11935.4225	30000	0	0	30000	41.125	2004
08.01.2020 15:18:21	1	1	1	1	80.75	61	0	30000	395.6989247	11871.00807	30000	0	0	30000	41.8125	2004
08.01.2020 15:18:22	1	1	1	1	80.75	61.75	0	29905.213	400	12045.49778	30000	0	0	30000	41	2004
08.01.2020 15:18:23	1	1	1	1	80.75	61	0	30000	397.8494624	11935.4225	30000	0	0	30000	41.3125	2004
08.01.2020 15:18:24	1	1	1	1	80.75	61.25	0	30000	397.8494624	11935.4225	30000	0	0	30000	41.875	2004
08.01.2020 15:18:25	1	1	1	1	80.75	61.75	0	29952.607	389.2473118	11871.00807	30000	0	0	30000	41.625	2004
08.01.2020 15:18:32	1	1	1	1	80.75	61.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	41.6875	2004
08.01.2020 15:18:32	1	1	1	1	80.75	61.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	41.6875	2004
08.01.2020 15:18:32	1	1	1	1	80.75	61.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	41.6875	2004
08.01.2020 15:18:32	1	1	1	1	80.75	61.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	41.6875	2004
08.01.2020 15:18:32	1	1	1	1	80.75	61.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	41.6875	2004
08.01.2020 15:18:32	1	1	1	1	80.75	61.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	41.6875	2004
08.01.2020 15:18:32	1	1	1	1	80.75	61.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	41.6875	2004
08.01.2020 15:18:32	1	1	1	1	80.75	61.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	41.6875	2004
08.01.2020 15:18:32	1	1	1	1	80.75	61.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	41.6875	2004
08.01.2020 15:18:33	1	1	1	1	80.75	61.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 15:18:34	1	1	1	1	80.75	61.75	0	30047.393	412.9032258	12193.08021	30000	0	0	30000	41.75	2004
08.01.2020 15:18:35	1	1	1	1	80.75	61.75	0	30000	397.8494624	11852.2545	30000	0	0	30000	41.75	2004
08.01.2020 15:18:36	1	1	1	1	80.75	61.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	41.75	2004
08.01.2020 15:18:37	1	1	1	1	80.75	61.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	41.375	2004
08.01.2020 15:18:38	1	1	1	1	80.75	61.25	0	29905.213	391.3978495	11871.00807	30000	0	0	30000	41.75	2004
08.01.2020 15:18:39	1	1	1	1	80.75	61.75	0	30000	391.3978495	11676.94942	30000	0	0	30000	41.6875	2004
08.01.2020 15:18:40	1	1	1	1	80.75	61.5	0	30000	380.6451613	11483.70614	30000	0	0	30000	42.125	2004
08.01.2020 15:18:41	1	1	1	1	81	62	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.9375	2004
08.01.2020 15:18:42	1	1	1	1	81	61.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.8125	2004
08.01.2020 15:18:43	1	1	1	1	81	61.5	0	30000	367.7419355	11031.98978	30000	0	0	30000	41.25	2004
08.01.2020 15:18:44	1	1	1	1	81	61.25	0	30000	365.5913978	10967.57535	30000	0	0	30000	41.6875	2004
08.01.2020 15:18:45	1	1	1	1	81	61.5	0	30000	365.5913978	11031.98978	30000	0	0	30000	41.625	2004
08.01.2020 15:18:47	1	1	1	1	81	61.5	0	30000	363.4408602	10903.16093	30000	0	0	30000	41.5	2004
08.01.2020 15:18:48	1	1	1	1	81	61.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	41.1875	2004
08.01.2020 15:18:49	1	1	1	1	81	61	0	30000	359.1397849	10692.79483	30000	0	0	30000	41.75	2004
08.01.2020 15:18:50	1	1	1	1	81	61.75	0	30000	354.8387097	10709.10227	30000	0	0	30000	41.75	2004
08.01.2020 15:18:51	1	1	1	1	80.75	61.75	0	30000	352.688172	10644.68785	30000	0	0	30000	41.875	2004
08.01.2020 15:18:52	1	1	1	1	80.75	61.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	41.9375	2004
08.01.2020 15:18:53	1	1	1	1	80.75	61.75	0	30000	350.5376344	10451.44457	30000	0	0	30000	41.75	2004
08.01.2020 15:18:54	1	1	1	1	80.75	61.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	40.9375	2004
08.01.2020 15:18:55	1	1	1	1	80.75	60.75	0	30000	356.9892473	10644.68785	30000	0	0	30000	41.125	2004
08.01.2020 15:18:56	1	1	1	1	80.75	61	0	30000	356.9892473	10644.68785	30000	0	0	30000	41.25	2004
08.01.2020 15:18:57	1	1	1	1	80.75	61.25	0	30000	350.5376344	10807.76235	30000	0	0	30000	41.75	2004
08.01.2020 15:18:58	1	1	1	1	80.75	61.75	0	29952.607	350.5376344	10515.85899	30000	0	0	30000	41.75	2004
08.01.2020 15:18:59	1	1	1	1	80.75	61.75	0	30000	348.3870968	10387.03014	30000	0	0	30000	41.6875	2004
08.01.2020 15:19:00	1	1	1	1	80.75	61.5	0	30000	346.2365591	10387.03014	30000	0	0	30000	41.75	2004
08.01.2020 15:19:01	1	1	1	1	80.25	61.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	41.8125	2004
08.01.2020 15:19:02	1	1	1	1	80.25	61.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	41.6875	2004
08.01.2020 15:19:03	1	1	1	1	80.25	61.5	0	29905.213	354.8387097	10482.42872	30000	0	0	30000	41.8125	2004
08.01.2020 15:19:04	1	1	1	1	80.25	61.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	41.625	2004
08.01.2020 15:19:05	1	1	1	1	80.25	61.5	0	29952.607	354.8387097	10709.10227	30000	0	0	30000	41.8125	2004
08.01.2020 15:19:06	1	1	1	1	80.25	61.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	41.75	2004
08.01.2020 15:19:07	1	1	1	1	80.25	61.75	0	30000	363.4408602	10967.57535	30000	0	0	30000	41.625	2004
08.01.2020 15:19:08	1	1	1	1	80.25	61.5	0	30000	365.5913978	10903.16093	30000	0	0	30000	41.6875	2004
08.01.2020 15:19:09	1	1	1	1	80.25	61.5	0	29952.607	361.2903226	10773.5167	30000	0	0	30000	41.0625	2004
08.01.2020 15:19:10	1	1	1	1	80.25	61	0	30000	359.1397849	10773.5167	30000	0	0	30000	41.625	2004
08.01.2020 15:19:11	1	1	1	1	80.25	61.5	0	30000	365.5913978	10903.16093	30000	0	0	30000	41.625	2004
08.01.2020 15:19:12	1	1	1	1	80.25	61.5	0	29952.607	356.9892473	10692.79483	30000	0	0	30000	41.375	2004
08.01.2020 15:19:13	1	1	1	1	80.25	61.25	0	30000	356.9892473	10709.10227	30000	0	0	30000	41.75	2004
08.01.2020 15:19:14	1	1	1	1	80.25	61.75	0	30000	348.3870968	10515.85899	30000	0	0	30000	40.9375	2004
08.01.2020 15:19:15	1	1	1	1	80.25	60.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	41.6875	2004
08.01.2020 15:19:16	1	1	1	1	80.25	61.5	0	30000	348.3870968	10387.03014	30000	0	0	30000	41.8125	2004
08.01.2020 15:19:17	1	1	1	1	80.25	61.75	0	30000	348.3870968	10515.85899	30000	0	0	30000	41.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 15:19:18	1	1	1	1	80.25	61.75	0	30000	346.2365591	10451.44457	30000	0	0	30000	42.1875	2004
08.01.2020 15:19:19	1	1	1	1	80.25	62	0	30000	350.5376344	10515.85899	30000	0	0	30000	40.5	2004
08.01.2020 15:19:20	1	1	1	1	80.25	61.75	0	30000	346.2365591	10387.03014	30000	0	0	30000	41.6875	2004
08.01.2020 15:19:21	1	1	1	1	80.25	61.5	0	30000	348.3870968	10451.44457	30000	0	0	30000	41.6875	2004
08.01.2020 15:19:23	1	1	1	1	80.25	61.5	0	30000	350.5376344	10515.85899	30000	0	0	30000	41.375	2004
08.01.2020 15:19:24	1	1	1	1	80.25	61.25	0	30047.393	350.5376344	10387.03014	30000	0	0	30000	41.8125	2004
08.01.2020 15:19:25	1	1	1	1	80.25	61.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	40.25	2004
08.01.2020 15:19:26	1	1	1	1	80.25	60.25	0	30000	339.7849462	10128.55706	30000	0	0	30000	41.75	2004
08.01.2020 15:19:27	1	1	1	1	80.25	61.75	0	29952.607	339.7849462	10113.06499	30000	0	0	30000	41.5625	2004
08.01.2020 15:19:34	1	1	1	1	80	61.5	0	30000	346.2365591	10387.03014	30000	0	0	30000	41.75	2004
08.01.2020 15:19:34	1	1	1	1	80	61.5	0	30000	346.2365591	10387.03014	30000	0	0	30000	41.75	2004
08.01.2020 15:19:34	1	1	1	1	80	61.5	0	30000	346.2365591	10387.03014	30000	0	0	30000	41.75	2004
08.01.2020 15:19:34	1	1	1	1	80	61.5	0	30000	346.2365591	10387.03014	30000	0	0	30000	41.75	2004
08.01.2020 15:19:34	1	1	1	1	80	61.5	0	30000	346.2365591	10387.03014	30000	0	0	30000	41.75	2004
08.01.2020 15:19:34	1	1	1	1	80	61.5	0	30000	346.2365591	10387.03014	30000	0	0	30000	41.75	2004
08.01.2020 15:19:34	1	1	1	1	80	61.5	0	30000	346.2365591	10387.03014	30000	0	0	30000	41.75	2004
08.01.2020 15:19:35	1	1	1	1	80	61.75	0	30000	346.2365591	10451.44457	30000	0	0	30000	41.8125	2004
08.01.2020 15:19:36	1	1	1	1	80	61.75	0	30094.787	354.8387097	10387.03014	30000	0	0	30000	41.75	2004
08.01.2020 15:19:37	1	1	1	1	80	61.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	41.625	2004
08.01.2020 15:19:38	1	1	1	1	80	61.5	0	30000	335.483871	10064.14264	30000	0	0	30000	41.6875	2004
08.01.2020 15:19:39	1	1	1	1	80	61.5	0	30000	341.9354839	10257.38592	30000	0	0	30000	41.6875	2004
08.01.2020 15:19:40	1	1	1	1	80	61.5	0	30000	350.5376344	10515.85899	30000	0	0	30000	41.6875	2004
08.01.2020 15:19:41	1	1	1	1	79.75	61.5	0	30000	350.5376344	10644.68785	30000	0	0	30000	41.6875	2004
08.01.2020 15:19:42	1	1	1	1	79.75	61.5	0	29952.607	356.9892473	10644.68785	30000	0	0	30000	41.75	2004
08.01.2020 15:19:43	1	1	1	1	79.75	61.75	0	30000	356.9892473	10644.68785	30000	0	0	30000	40.4375	2004
08.01.2020 15:19:44	1	1	1	1	79.75	60.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	41.75	2004
08.01.2020 15:19:45	1	1	1	1	79.75	61.75	0	30000	356.9892473	10773.5167	30000	0	0	30000	40.875	2004
08.01.2020 15:19:46	1	1	1	1	79.75	60.75	0	30000	356.9892473	10709.10227	30000	0	0	30000	41.3125	2004
08.01.2020 15:19:47	1	1	1	1	79.75	61.25	0	30000	354.8387097	10644.68785	30000	0	0	30000	41.3125	2004
08.01.2020 15:19:48	1	1	1	1	79.75	61.25	0	30000	354.8387097	10644.68785	30000	0	0	30000	41.6875	2004
08.01.2020 15:19:49	1	1	1	1	79.75	61.5	0	30000	356.9892473	10709.10227	30000	0	0	30000	41.1875	2004
08.01.2020 15:19:50	1	1	1	1	79.75	61	0	30000	359.1397849	10773.5167	30000	0	0	30000	41.6875	2004
08.01.2020 15:19:51	1	1	1	1	79.75	61.5	0	30000	359.1397849	10611.25758	30000	0	0	30000	41.5625	2004
08.01.2020 15:19:52	1	1	1	1	79.75	61.5	0	30000	363.4408602	10903.16093	30000	0	0	30000	41.625	2004
08.01.2020 15:19:53	1	1	1	1	79.75	61.5	0	30000	369.8924731	11031.98978	30000	0	0	30000	40.9375	2004
08.01.2020 15:19:54	1	1	1	1	79.75	60.75	0	30000	361.2903226	10903.16093	30000	0	0	30000	41.375	2004
08.01.2020 15:19:55	1	1	1	1	79.75	61.25	0	29952.607	359.1397849	10773.5167	30000	0	0	30000	41.75	2004
08.01.2020 15:19:56	1	1	1	1	79.75	61.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	41.875	2004
08.01.2020 15:19:57	1	1	1	1	79.75	61.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	41.8125	2004
08.01.2020 15:19:58	1	1	1	1	79.75	61.5	0	30000	359.1397849	10644.68785	30000	0	0	30000	41.5625	2004
08.01.2020 15:19:59	1	1	1	1	79.75	61.5	0	30000	363.4408602	10903.16093	30000	0	0	30000	41.75	2004
08.01.2020 15:20:01	1	1	1	1	79.75	61.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	40.125	2004
08.01.2020 15:20:02	1	1	1	1	79.75	60	0	30000	363.4408602	10903.16093	30000	0	0	30000	41.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 15:20:03	1	1	1	1	79.75	61.5	0	30000	363.4408602	10903.16093	30000	0	0	30000	41.75	2004
08.01.2020 15:20:04	1	1	1	1	79.75	61.75	0	30000	367.7419355	11031.98978	30000	0	0	30000	41.25	2004
08.01.2020 15:20:05	1	1	1	1	79.75	61.25	0	30000	369.8924731	11096.40421	30000	0	0	30000	41.5625	2004
08.01.2020 15:20:06	1	1	1	1	79.75	61.5	0	30000	369.8924731	11031.98978	30000	0	0	30000	41.1875	2004
08.01.2020 15:20:07	1	1	1	1	79.75	61	0	30094.787	372.0430108	10773.5167	30000	0	0	30000	41.75	2004
08.01.2020 15:20:08	1	1	1	1	79.75	61.75	0	29952.607	356.9892473	10692.79483	30000	0	0	30000	41.625	2004
08.01.2020 15:20:09	1	1	1	1	79.75	61.5	0	30000	352.688172	10515.85899	30000	0	0	30000	41.4375	2004
08.01.2020 15:20:10	1	1	1	1	79.75	61.25	0	30000	359.1397849	10903.16093	30000	0	0	30000	41.8125	2004
08.01.2020 15:20:11	1	1	1	1	79.5	61.75	0	30000	369.8924731	11079.28139	30000	0	0	30000	41.6875	2004
08.01.2020 15:20:12	1	1	1	1	79.5	61.5	0	30000	356.9892473	10773.5167	30000	0	0	30000	41.6875	2004
08.01.2020 15:20:13	1	1	1	1	79.5	61.5	0	30000	361.2903226	10903.16093	30000	0	0	30000	41.9375	2004
08.01.2020 15:20:14	1	1	1	1	79.5	61.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	41.75	2004
08.01.2020 15:20:15	1	1	1	1	79.5	61.75	0	30000	365.5913978	10967.57535	30000	0	0	30000	41.8125	2004
08.01.2020 15:20:16	1	1	1	1	79.5	61.75	0	29952.607	374.1935484	11354.87729	30000	0	0	30000	41.1875	2004
08.01.2020 15:20:17	1	1	1	1	79.5	61	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.75	2004
08.01.2020 15:20:18	1	1	1	1	79.5	61.75	0	30000	380.6451613	11419.29171	30000	0	0	30000	41.5625	2004
08.01.2020 15:20:19	1	1	1	1	79.5	61.5	0	30000	378.4946237	11419.29171	30000	0	0	30000	41.8125	2004
08.01.2020 15:20:20	1	1	1	1	79.5	61.75	0	30000	382.7956989	11548.12057	30000	0	0	30000	41.5625	2004
08.01.2020 15:20:21	1	1	1	1	79.5	61.5	0	30000	380.6451613	11419.29171	30000	0	0	30000	41.6875	2004
08.01.2020 15:20:22	1	1	1	1	79.5	61.5	0	29952.607	378.4946237	11419.29171	30000	0	0	30000	41.875	2004
08.01.2020 15:20:23	1	1	1	1	79.5	61.75	0	29952.607	382.7956989	11548.12057	30000	0	0	30000	41.625	2004
08.01.2020 15:20:24	1	1	1	1	79.5	61.5	0	30000	380.6451613	11354.87729	30000	0	0	30000	41.5625	2004
08.01.2020 15:20:25	1	1	1	1	79.5	61.5	0	30000	380.6451613	11354.87729	30000	0	0	30000	41.75	2004
08.01.2020 15:20:26	1	1	1	1	79.5	61.75	0	30000	380.6451613	11419.29171	30000	0	0	30000	41.25	2004
08.01.2020 15:20:27	1	1	1	1	79.5	61.25	0	30047.393	382.7956989	11354.87729	30000	0	0	30000	41.625	2004
08.01.2020 15:20:28	1	1	1	1	79.5	61.5	0	30000	380.6451613	11419.29171	30000	0	0	30000	40.625	2004
08.01.2020 15:20:36	1	1	1	1	79.5	61.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.6875	2004
08.01.2020 15:20:36	1	1	1	1	79.5	61.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.6875	2004
08.01.2020 15:20:36	1	1	1	1	79.5	61.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.6875	2004
08.01.2020 15:20:36	1	1	1	1	79.5	61.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.6875	2004
08.01.2020 15:20:36	1	1	1	1	79.5	61.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.6875	2004
08.01.2020 15:20:36	1	1	1	1	79.5	61.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.6875	2004
08.01.2020 15:20:36	1	1	1	1	79.5	61.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.6875	2004
08.01.2020 15:20:36	1	1	1	1	79.5	61.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.6875	2004
08.01.2020 15:20:36	1	1	1	1	79.5	61.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.6875	2004
08.01.2020 15:20:37	1	1	1	1	79.5	61.75	0	30000	369.8924731	11160.81863	30000	0	0	30000	41.875	2004
08.01.2020 15:20:37	1	1	1	1	79.5	61.75	0	30000	384.9462366	11548.12057	30000	0	0	30000	41.8125	2004
08.01.2020 15:20:38	1	1	1	1	79.5	61.75	0	30000	384.9462366	11612.53499	30000	0	0	30000	41.6875	2004
08.01.2020 15:20:39	1	1	1	1	79.5	61.5	0	30000	389.2473118	11548.12057	30000	0	0	30000	41.6875	2004
08.01.2020 15:20:40	1	1	1	1	79.75	62	0	30000	395.6989247	11676.94942	30000	0	0	30000	41.1875	2004
08.01.2020 15:20:41	1	1	1	1	79.75	61	0	30000	395.6989247	11871.00807	30000	0	0	30000	41.625	2004
08.01.2020 15:20:43	1	1	1	1	79.75	61.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	41.5625	2004
08.01.2020 15:20:44	1	1	1	1	79.75	61.5	0	30000	404.3010753	12387.13886	30000	0	0	30000	41.8125	2004
08.01.2020 15:20:45	1	1	1	1	79.75	61.75	0	30000	404.3010753	12387.13886	30000	0	0	30000	41.375	2004
08.01.2020 15:20:46	1	1	1	1	79.75	61.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	41.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 15:20:47	1	1	1	1	79.75	61.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	41.3125	2004
08.01.2020 15:20:48	1	1	1	1	79.75	61.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.4375	2004
08.01.2020 15:20:49	1	1	1	1	79.75	61.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.5	2004
08.01.2020 15:20:50	1	1	1	1	79.75	61.5	0	29905.213	425.8064516	12838.03984	30000	0	0	30000	41.375	2004
08.01.2020 15:20:51	1	1	1	1	79.5	61.25	0	30000	432.2580645	13032.0985	30000	0	0	30000	41.5625	2004
08.01.2020 15:20:52	1	1	1	1	79.5	61.5	0	30000	432.2580645	12838.03984	30000	0	0	30000	41.8125	2004
08.01.2020 15:20:53	1	1	1	1	79.5	61.75	0	29952.607	438.7096774	12947.29976	30000	0	0	30000	41.625	2004
08.01.2020 15:20:54	1	1	1	1	79.5	61.5	0	29952.607	443.0107527	13289.7562	30000	0	0	30000	41.75	2004
08.01.2020 15:20:55	1	1	1	1	79.5	61.75	0	30000	438.7096774	13160.92735	30000	0	0	30000	40.0625	2004
08.01.2020 15:20:56	1	1	1	1	79.5	60	0	30000	427.9569892	12838.03984	30000	0	0	30000	41	2004
08.01.2020 15:20:57	1	1	1	1	79.5	61	0	30000	412.9032258	12406.7078	30000	0	0	30000	41.6875	2004
08.01.2020 15:20:58	1	1	1	1	79.5	61.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.6875	2004
08.01.2020 15:20:59	1	1	1	1	79.5	61.5	0	30000	397.8494624	11935.4225	30000	0	0	30000	41.4375	2004
08.01.2020 15:21:00	1	1	1	1	79.5	61.25	0	30000	378.4946237	11419.29171	30000	0	0	30000	41.5625	2004
08.01.2020 15:21:01	1	1	1	1	79.5	61.5	0	30000	367.7419355	11031.98978	30000	0	0	30000	40.8125	2004
08.01.2020 15:21:02	1	1	1	1	79.5	60.75	0	30000	348.3870968	10451.44457	30000	0	0	30000	41.75	2004
08.01.2020 15:21:03	1	1	1	1	79.5	61.75	0	30000	346.2365591	10387.03014	30000	0	0	30000	41.3125	2004
08.01.2020 15:21:04	1	1	1	1	79.5	61.25	0	30000	335.483871	10257.38592	30000	0	0	30000	41.75	2004
08.01.2020 15:21:05	1	1	1	1	79.5	61.75	0	30000	335.483871	9984.236132	30000	0	0	30000	41.6875	2004
08.01.2020 15:21:06	1	1	1	1	79.5	61.5	0	30000	329.0322581	9870.899356	30000	0	0	30000	41.8125	2004
08.01.2020 15:21:07	1	1	1	1	79.5	61.75	0	30047.393	326.8817204	9741.25513	30000	0	0	30000	41.8125	2004
08.01.2020 15:21:08	1	1	1	1	79.5	61.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	41.5	2004
08.01.2020 15:21:09	1	1	1	1	79.5	61.5	0	29952.607	331.1827957	9999.728209	30000	0	0	30000	41.375	2004
08.01.2020 15:21:10	1	1	1	1	79.5	61.25	0	30000	333.3333333	9999.728209	30000	0	0	30000	41.75	2004
08.01.2020 15:21:11	1	1	1	1	79.25	61.75	0	30000	335.483871	10064.14264	30000	0	0	30000	41.75	2004
08.01.2020 15:21:12	1	1	1	1	79.25	61.75	0	30000	333.3333333	10064.14264	30000	0	0	30000	41.6875	2004
08.01.2020 15:21:13	1	1	1	1	79.25	61.5	0	30000	333.3333333	9999.728209	30000	0	0	30000	41.8125	2004
08.01.2020 15:21:14	1	1	1	1	79.25	61.75	0	30000	339.7849462	10257.38592	30000	0	0	30000	41.8125	2004
08.01.2020 15:21:15	1	1	1	1	79.25	61.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	42.0625	2004
08.01.2020 15:21:16	1	1	1	1	79.25	62	0	29952.607	356.9892473	10709.10227	30000	0	0	30000	41.75	2004
08.01.2020 15:21:17	1	1	1	1	79.25	61.75	0	30000	354.8387097	10773.5167	30000	0	0	30000	41.6875	2004
08.01.2020 15:21:18	1	1	1	1	79.25	61.5	0	30000	365.5913978	10903.16093	30000	0	0	30000	41.9375	2004
08.01.2020 15:21:19	1	1	1	1	79.25	61.5	0	30000	378.4946237	11160.81863	30000	0	0	30000	41.5625	2004
08.01.2020 15:21:20	1	1	1	1	78.75	61.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.625	2004
08.01.2020 15:21:22	1	1	1	1	78.75	61.5	0	29952.607	380.6451613	11401.35352	30000	0	0	30000	41.75	2004
08.01.2020 15:21:23	1	1	1	1	78.75	61.75	0	30000	395.6989247	11741.36385	30000	0	0	30000	41.5625	2004
08.01.2020 15:21:24	1	1	1	1	78.75	61.5	0	30000	391.3978495	11548.12057	30000	0	0	30000	41.5	2004
08.01.2020 15:21:25	1	1	1	1	78.75	61.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	41.625	2004
08.01.2020 15:21:26	1	1	1	1	78.75	61.5	0	30000	378.4946237	11419.29171	30000	0	0	30000	41.5625	2004
08.01.2020 15:21:27	1	1	1	1	78.75	61.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.625	2004
08.01.2020 15:21:28	1	1	1	1	78.75	61.5	0	30000	382.7956989	11354.87729	30000	0	0	30000	41.125	2004
08.01.2020 15:21:29	1	1	1	1	78.75	61	0	30000	382.7956989	11419.29171	30000	0	0	30000	41.625	2004
08.01.2020 15:21:30	1	1	1	1	78.75	61.5	0	29952.607	380.6451613	11419.29171	30000	0	0	30000	41.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 15:21:37	1	1	1	1	79	61.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	41.6875	2004
08.01.2020 15:21:37	1	1	1	1	79	61.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	41.6875	2004
08.01.2020 15:21:37	1	1	1	1	79	61.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	41.6875	2004
08.01.2020 15:21:37	1	1	1	1	79	61.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	41.6875	2004
08.01.2020 15:21:37	1	1	1	1	79	61.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	41.6875	2004
08.01.2020 15:21:37	1	1	1	1	79	61.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	41.6875	2004
08.01.2020 15:21:37	1	1	1	1	79	61.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	41.6875	2004
08.01.2020 15:21:38	1	1	1	1	79	61.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	41.5625	2004
08.01.2020 15:21:39	1	1	1	1	79	61.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.6875	2004
08.01.2020 15:21:40	1	1	1	1	79	61.5	0	29952.607	419.3548387	12580.38214	30000	0	0	30000	41.0625	2004
08.01.2020 15:21:41	1	1	1	1	79	61	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.25	2004
08.01.2020 15:21:42	1	1	1	1	79	61.25	0	30000	425.8064516	12709.21099	30000	0	0	30000	41.375	2004
08.01.2020 15:21:43	1	1	1	1	79	61.25	0	29952.607	427.9569892	12818.4709	30000	0	0	30000	41.5625	2004
08.01.2020 15:21:44	1	1	1	1	79	61.5	0	30000	425.8064516	12838.03984	30000	0	0	30000	41.75	2004
08.01.2020 15:21:45	1	1	1	1	79	61.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	40.9375	2004
08.01.2020 15:21:46	1	1	1	1	79	60.75	0	30000	423.655914	12773.62542	30000	0	0	30000	41.5	2004
08.01.2020 15:21:47	1	1	1	1	79	61.5	0	30000	443.0107527	13225.34178	30000	0	0	30000	41.5625	2004
08.01.2020 15:21:48	1	1	1	1	79	61.5	0	30000	440.8602151	13225.34178	30000	0	0	30000	41.75	2004
08.01.2020 15:21:49	1	1	1	1	79	61.75	0	29952.607	427.9569892	12838.03984	30000	0	0	30000	41.5625	2004
08.01.2020 15:21:50	1	1	1	1	79	61.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.625	2004
08.01.2020 15:21:51	1	1	1	1	79	61.5	0	30000	425.8064516	12773.62542	30000	0	0	30000	40.875	2004
08.01.2020 15:21:52	1	1	1	1	79	60.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.75	2004
08.01.2020 15:21:53	1	1	1	1	79	61.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.5	2004
08.01.2020 15:21:54	1	1	1	1	79	61.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.1875	2004
08.01.2020 15:21:55	1	1	1	1	79	61	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.6875	2004
08.01.2020 15:21:56	1	1	1	1	79	61.5	0	30000	419.3548387	12451.55328	30000	0	0	30000	41.625	2004
08.01.2020 15:21:57	1	1	1	1	79	61.5	0	30000	397.8494624	11935.4225	30000	0	0	30000	41.8125	2004
08.01.2020 15:21:58	1	1	1	1	79	61.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.0625	2004
08.01.2020 15:21:59	1	1	1	1	79	61.75	0	29952.607	359.1397849	11031.98978	30000	0	0	30000	41.75	2004
08.01.2020 15:22:01	1	1	1	1	79.5	61.75	0	30000	350.5376344	10580.27342	30000	0	0	30000	41.5	2004
08.01.2020 15:22:02	1	1	1	1	79.5	61.5	0	30000	346.2365591	10387.03014	30000	0	0	30000	41.0625	2004
08.01.2020 15:22:03	1	1	1	1	79.5	61	0	30000	339.7849462	10419.64504	30000	0	0	30000	41.75	2004
08.01.2020 15:22:04	1	1	1	1	79.5	61.75	0	29952.607	339.7849462	10128.55706	30000	0	0	30000	41.375	2004
08.01.2020 15:22:05	1	1	1	1	79.5	61.25	0	30000	326.8817204	9806.484929	30000	0	0	30000	41.6875	2004
08.01.2020 15:22:06	1	1	1	1	79.5	61.5	0	30000	316.1290323	9290.354143	30000	0	0	30000	41.5	2004
08.01.2020 15:22:07	1	1	1	1	79.5	61.5	0	30000	316.1290323	9483.597423	30000	0	0	30000	41.625	2004
08.01.2020 15:22:08	1	1	1	1	79.5	61.5	0	30000	311.827957	9225.124344	30000	0	0	30000	41.6875	2004
08.01.2020 15:22:09	1	1	1	1	79.5	61.5	0	30000	305.3763441	9160.709918	30000	0	0	30000	41.5	2004
08.01.2020 15:22:10	1	1	1	1	79.5	61.5	0	30000	296.7741935	8903.052211	30000	0	0	30000	41.75	2004
08.01.2020 15:22:11	1	1	1	1	79.25	61.75	0	30000	301.0752688	8981.32797	30000	0	0	30000	41.75	2004
08.01.2020 15:22:12	1	1	1	1	79.25	61.75	0	30000	303.2258065	9096.295491	30000	0	0	30000	41.75	2004
08.01.2020 15:22:13	1	1	1	1	79.25	61.75	0	30000	305.3763441	9096.295491	30000	0	0	30000	41.4375	2004
08.01.2020 15:22:14	1	1	1	1	79.25	61.25	0	29905.213	298.9247312	8953.605305	30000	0	0	30000	41.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 15:22:15	1	1	1	1	79.25	61.5	0	30000	294.6236559	8708.993559	30000	0	0	30000	40.625	2004
08.01.2020 15:22:16	1	1	1	1	79.25	60.5	0	30000	294.6236559	8838.637784	30000	0	0	30000	41.75	2004
08.01.2020 15:22:17	1	1	1	1	79.25	61.75	0	30000	296.7741935	9096.295491	30000	0	0	30000	41.75	2004
08.01.2020 15:22:18	1	1	1	1	79.25	61.75	0	29952.607	298.9247312	8967.466638	30000	0	0	30000	41.625	2004
08.01.2020 15:22:19	1	1	1	1	79.25	61.5	0	30000	305.3763441	9096.295491	30000	0	0	30000	41.8125	2004
08.01.2020 15:22:20	1	1	1	1	79.25	61.75	0	29952.607	301.0752688	9225.124344	30000	0	0	30000	41.6875	2004
08.01.2020 15:22:21	1	1	1	1	78.5	61.5	0	30000	305.3763441	9096.295491	30000	0	0	30000	41.875	2004
08.01.2020 15:22:22	1	1	1	1	78.5	61.75	0	30000	305.3763441	9225.124344	30000	0	0	30000	41.25	2004
08.01.2020 15:22:23	1	1	1	1	78.5	61.25	0	30000	309.6774194	9290.354143	30000	0	0	30000	41.625	2004
08.01.2020 15:22:24	1	1	1	1	78.5	61.5	0	30000	320.4301075	9612.426277	30000	0	0	30000	41.75	2004
08.01.2020 15:22:25	1	1	1	1	78.5	61.75	0	29905.213	326.8817204	9790.992852	30000	0	0	30000	41.6875	2004
08.01.2020 15:22:26	1	1	1	1	78.5	61.5	0	30000	331.1827957	9999.728209	30000	0	0	30000	40.4375	2004
08.01.2020 15:22:27	1	1	1	1	78.5	60.25	0	30000	341.9354839	10257.38592	30000	0	0	30000	41.6875	2004
08.01.2020 15:22:28	1	1	1	1	78.5	61.5	0	30000	346.2365591	10387.03014	30000	0	0	30000	41.0625	2004
08.01.2020 15:22:29	1	1	1	1	78.5	61	0	29952.607	346.2365591	10644.68785	30000	0	0	30000	41.75	2004
08.01.2020 15:22:30	1	1	1	1	78.5	61.75	0	30000	354.8387097	10644.68785	30000	0	0	30000	41.625	2004
08.01.2020 15:22:31	1	1	1	1	77.75	61.5	0	30000	354.8387097	10644.68785	30000	0	0	30000	41.6875	2004
08.01.2020 15:22:39	1	1	1	1	77.75	61.5	0	30000	341.9354839	10257.38592	30000	0	0	30000	41.4375	2004
08.01.2020 15:22:39	1	1	1	1	77.75	61.5	0	30000	341.9354839	10257.38592	30000	0	0	30000	41.4375	2004
08.01.2020 15:22:39	1	1	1	1	77.75	61.5	0	30000	341.9354839	10257.38592	30000	0	0	30000	41.4375	2004
08.01.2020 15:22:39	1	1	1	1	77.75	61.5	0	30000	341.9354839	10257.38592	30000	0	0	30000	41.4375	2004
08.01.2020 15:22:39	1	1	1	1	77.75	61.5	0	30000	341.9354839	10257.38592	30000	0	0	30000	41.4375	2004
08.01.2020 15:22:39	1	1	1	1	77.75	61.5	0	30000	341.9354839	10257.38592	30000	0	0	30000	41.4375	2004
08.01.2020 15:22:39	1	1	1	1	77.75	61.5	0	30000	341.9354839	10257.38592	30000	0	0	30000	41.4375	2004
08.01.2020 15:22:40	1	1	1	1	77.75	61.5	0	30000	341.9354839	10257.38592	30000	0	0	30000	41.4375	2004
08.01.2020 15:22:40	1	1	1	1	77.5	61.5	0	30000	341.9354839	10257.38592	30000	0	0	30000	41.75	2004
08.01.2020 15:22:41	1	1	1	1	77.5	61.75	0	30000	337.6344086	10128.55706	30000	0	0	30000	41.8125	2004
08.01.2020 15:22:43	1	1	1	1	77.5	61.75	0	30000	335.483871	9999.728209	30000	0	0	30000	41.625	2004
08.01.2020 15:22:44	1	1	1	1	77.5	61.5	0	30000	326.8817204	9741.25513	30000	0	0	30000	41.8125	2004
08.01.2020 15:22:45	1	1	1	1	77.5	61.75	0	30000	320.4301075	9612.426277	30000	0	0	30000	41.5	2004
08.01.2020 15:22:46	1	1	1	1	77.5	61.5	0	30000	316.1290323	9483.597423	30000	0	0	30000	41.25	2004
08.01.2020 15:22:47	1	1	1	1	77.5	61.25	0	30000	309.6774194	9354.76857	30000	0	0	30000	41.375	2004
08.01.2020 15:22:48	1	1	1	1	77.5	61.25	0	30000	307.5268817	9290.354143	30000	0	0	30000	41.9375	2004
08.01.2020 15:22:49	1	1	1	1	77.5	61.75	0	30000	307.5268817	9225.124344	30000	0	0	30000	41.625	2004
08.01.2020 15:22:50	1	1	1	1	77.5	61.5	0	30000	311.827957	9369.445275	30000	0	0	30000	41.4375	2004
08.01.2020 15:22:51	1	1	1	1	76.75	61.25	0	30000	313.9784946	9419.182997	30000	0	0	30000	41.6875	2004
08.01.2020 15:22:52	1	1	1	1	76.75	61.5	0	30000	313.9784946	9354.76857	30000	0	0	30000	41.1875	2004
08.01.2020 15:22:53	1	1	1	1	76.75	61	0	29952.607	309.6774194	9290.354143	30000	0	0	30000	41.5625	2004
08.01.2020 15:22:54	1	1	1	1	76.75	61.5	0	30047.393	322.5806452	9354.76857	30000	0	0	30000	41.625	2004
08.01.2020 15:22:55	1	1	1	1	76.75	61.5	0	30000	313.9784946	9483.597423	30000	0	0	30000	41.5625	2004
08.01.2020 15:22:56	1	1	1	1	76.75	61.5	0	30000	320.4301075	9612.426277	30000	0	0	30000	41.75	2004
08.01.2020 15:22:57	1	1	1	1	76.75	61.75	0	30000	326.8817204	9870.899356	30000	0	0	30000	41.6875	2004
08.01.2020 15:22:58	1	1	1	1	76.75	61.5	0	30000	324.7311828	9806.484929	30000	0	0	30000	41.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 15:22:59	1	1	1	1	76.75	61.5	0	30000	335.483871	10128.55706	30000	0	0	30000	41.0625	2004
08.01.2020 15:23:00	1	1	1	1	76.75	61	0	29952.607	341.9354839	10257.38592	30000	0	0	30000	41.5	2004
08.01.2020 15:23:01	1	1	1	1	76	61.5	0	30000	348.3870968	10515.85899	30000	0	0	30000	41.1875	2004
08.01.2020 15:23:02	1	1	1	1	76	61	0	30000	346.2365591	10387.03014	30000	0	0	30000	41.6875	2004
08.01.2020 15:23:03	1	1	1	1	76	61.5	0	30000	341.9354839	10257.38592	30000	0	0	30000	41	2004
08.01.2020 15:23:04	1	1	1	1	76	61	0	30000	339.7849462	10257.38592	30000	0	0	30000	41.5625	2004
08.01.2020 15:23:05	1	1	1	1	76	61.5	0	30000	344.0860215	10257.38592	30000	0	0	30000	41.125	2004
08.01.2020 15:23:06	1	1	1	1	76	61	0	30000	341.9354839	10257.38592	30000	0	0	30000	41.25	2004
08.01.2020 15:23:07	1	1	1	1	76	61.25	0	30000	344.0860215	10257.38592	30000	0	0	30000	40.5625	2004
08.01.2020 15:23:08	1	1	1	1	76	60.5	0	30000	337.6344086	10128.55706	30000	0	0	30000	41.625	2004
08.01.2020 15:23:09	1	1	1	1	76	61.5	0	30000	337.6344086	9999.728209	30000	0	0	30000	41.625	2004
08.01.2020 15:23:10	1	1	1	1	76	61.5	0	30000	329.0322581	9935.313783	30000	0	0	30000	41.4375	2004
08.01.2020 15:23:11	1	1	1	1	76	61.25	0	30000	335.483871	10064.14264	30000	0	0	30000	41.75	2004
08.01.2020 15:23:12	1	1	1	1	76	61.75	0	30000	337.6344086	10128.55706	30000	0	0	30000	41	2004
08.01.2020 15:23:13	1	1	1	1	76	61	0	29952.607	335.483871	9999.728209	30000	0	0	30000	41.6875	2004
08.01.2020 15:23:14	1	1	1	1	76	61.5	0	30000	350.5376344	10515.85899	30000	0	0	30000	41.6875	2004
08.01.2020 15:23:15	1	1	1	1	76	61.5	0	30000	378.4946237	11160.81863	30000	0	0	30000	41.75	2004
08.01.2020 15:23:16	1	1	1	1	76	61.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	41.75	2004
08.01.2020 15:23:17	1	1	1	1	76	61.75	0	30000	404.3010753	12193.08021	30000	0	0	30000	41.4375	2004
08.01.2020 15:23:18	1	1	1	1	76	61.25	0	30047.393	425.8064516	12580.38214	30000	0	0	30000	41.125	2004
08.01.2020 15:23:19	1	1	1	1	76	61	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.5625	2004
08.01.2020 15:23:20	1	1	1	1	76	61.5	0	29952.607	425.8064516	12838.03984	30000	0	0	30000	41.8125	2004
08.01.2020 15:23:21	1	1	1	1	76	61.75	0	30000	432.2580645	12967.68407	30000	0	0	30000	41.1875	2004
08.01.2020 15:23:22	1	1	1	1	76	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.6875	2004
08.01.2020 15:23:24	1	1	1	1	76	61.5	0	30000	445.1612903	13333.78632	30000	0	0	30000	41.5625	2004
08.01.2020 15:23:25	1	1	1	1	76	61.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.5625	2004
08.01.2020 15:23:26	1	1	1	1	76	61.5	0	30000	453.7634409	13612.64371	30000	0	0	30000	41.4375	2004
08.01.2020 15:23:27	1	1	1	1	76	61.25	0	30000	453.7634409	13612.64371	30000	0	0	30000	41.3125	2004
08.01.2020 15:23:28	1	1	1	1	76	61.25	0	30000	449.4623656	13354.17063	30000	0	0	30000	41.6875	2004
08.01.2020 15:23:29	1	1	1	1	76	61.5	0	30000	466.6666667	13999.94564	30000	0	0	30000	41.625	2004
08.01.2020 15:23:30	1	1	1	1	76	61.5	0	30000	481.7204301	13913.51616	30000	0	0	30000	41.5625	2004
08.01.2020 15:23:31	1	1	1	1	77	61.5	0	30000	468.8172043	14064.36007	30000	0	0	30000	41.5	2004
08.01.2020 15:23:32	1	1	1	1	77	61.5	0	30000	481.7204301	14451.662	30000	0	0	30000	41.6875	2004
08.01.2020 15:23:33	1	1	1	1	77	61.5	0	29952.607	468.8172043	14451.662	30000	0	0	30000	41.625	2004
08.01.2020 15:23:40	1	1	1	1	77	61	0	30000	412.9032258	12367.56992	30000	0	0	30000	41.3125	2004
08.01.2020 15:23:40	1	1	1	1	77	61	0	30000	412.9032258	12367.56992	30000	0	0	30000	41.3125	2004
08.01.2020 15:23:40	1	1	1	1	77	61	0	30000	412.9032258	12367.56992	30000	0	0	30000	41.3125	2004
08.01.2020 15:23:40	1	1	1	1	77	61	0	30000	412.9032258	12367.56992	30000	0	0	30000	41.3125	2004
08.01.2020 15:23:40	1	1	1	1	77	61	0	30000	412.9032258	12367.56992	30000	0	0	30000	41.3125	2004
08.01.2020 15:23:40	1	1	1	1	77	61	0	30000	412.9032258	12367.56992	30000	0	0	30000	41.3125	2004
08.01.2020 15:23:41	1	1	1	1	77.5	61.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.625	2004
08.01.2020 15:23:42	1	1	1	1	77.5	61.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	41.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 15:23:43	1	1	1	1	77.5	61.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	41.375	2004
08.01.2020 15:23:44	1	1	1	1	77.5	61.25	0	30000	412.9032258	12471.12222	30000	0	0	30000	41.8125	2004
08.01.2020 15:23:45	1	1	1	1	77.5	61.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	41.4375	2004
08.01.2020 15:23:46	1	1	1	1	77.5	61.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	41.375	2004
08.01.2020 15:23:47	1	1	1	1	77.5	61.25	0	29905.213	412.9032258	12387.13886	30000	0	0	30000	41.1875	2004
08.01.2020 15:23:48	1	1	1	1	77.5	61	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.6875	2004
08.01.2020 15:23:49	1	1	1	1	77.5	61.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.6875	2004
08.01.2020 15:23:50	1	1	1	1	77.5	61.5	0	30000	412.9032258	12193.08021	30000	0	0	30000	41.5	2004
08.01.2020 15:23:51	1	1	1	1	78	61.5	0	30000	402.1505376	12128.66578	30000	0	0	30000	41.1875	2004
08.01.2020 15:23:52	1	1	1	1	78	61	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.5	2004
08.01.2020 15:23:53	1	1	1	1	78	61.5	0	30000	412.9032258	12128.66578	30000	0	0	30000	41.6875	2004
08.01.2020 15:23:54	1	1	1	1	78	61.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.375	2004
08.01.2020 15:23:55	1	1	1	1	78	61.25	0	30047.393	417.2043011	12580.38214	30000	0	0	30000	41.5625	2004
08.01.2020 15:23:56	1	1	1	1	78	61.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.8125	2004
08.01.2020 15:23:57	1	1	1	1	78	61.75	0	30000	427.9569892	12858.42416	30000	0	0	30000	41.25	2004
08.01.2020 15:23:58	1	1	1	1	78	61.25	0	29952.607	440.8602151	13225.34178	30000	0	0	30000	41.4375	2004
08.01.2020 15:23:59	1	1	1	1	78	61.25	0	29952.607	438.7096774	13225.34178	30000	0	0	30000	42.0625	2004
08.01.2020 15:24:01	1	1	1	1	78.5	61.75	0	29952.607	445.1612903	13354.17063	30000	0	0	30000	41.4375	2004
08.01.2020 15:24:02	1	1	1	1	78.5	61.25	0	29905.213	440.8602151	13354.17063	30000	0	0	30000	40.6875	2004
08.01.2020 15:24:03	1	1	1	1	78.5	60.5	0	29905.213	443.0107527	13354.17063	30000	0	0	30000	40.8125	2004
08.01.2020 15:24:04	1	1	1	1	78.5	60.75	0	29952.607	427.9569892	12838.03984	30000	0	0	30000	41.5625	2004
08.01.2020 15:24:05	1	1	1	1	78.5	61.5	0	30047.393	419.3548387	12580.38214	30000	0	0	30000	41.6875	2004
08.01.2020 15:24:06	1	1	1	1	78.5	61.5	0	30142.18	415.0537634	12451.55328	30000	0	0	30000	41.625	2004
08.01.2020 15:24:07	1	1	1	1	78.5	61.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	41.4375	2004
08.01.2020 15:24:08	1	1	1	1	78.5	61.25	0	30000	389.2473118	11676.94942	30000	0	0	30000	41.625	2004
08.01.2020 15:24:09	1	1	1	1	78.5	61.5	0	30000	380.6451613	11419.29171	30000	0	0	30000	41.5	2004
08.01.2020 15:24:10	1	1	1	1	78.5	61.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.4375	2004
08.01.2020 15:24:11	1	1	1	1	78.75	61.25	0	30000	361.2903226	11114.3424	30000	0	0	30000	41.3125	2004
08.01.2020 15:24:12	1	1	1	1	78.75	61.25	0	30000	348.3870968	10515.85899	30000	0	0	30000	41.6875	2004
08.01.2020 15:24:13	1	1	1	1	78.75	61.5	0	30000	326.8817204	9806.484929	30000	0	0	30000	40.125	2004
08.01.2020 15:24:14	1	1	1	1	78.75	60	0	30000	320.4301075	9468.920719	30000	0	0	30000	41.4375	2004
08.01.2020 15:24:15	1	1	1	1	78.75	61.25	0	29952.607	316.1290323	9483.597423	30000	0	0	30000	41.5	2004
08.01.2020 15:24:16	1	1	1	1	78.75	61.5	0	30000	313.9784946	9419.182997	30000	0	0	30000	41.6875	2004
08.01.2020 15:24:17	1	1	1	1	78.75	61.5	0	30000	316.1290323	9533.335145	30000	0	0	30000	41.25	2004
08.01.2020 15:24:18	1	1	1	1	78.75	61.25	0	30000	329.0322581	9935.313783	30000	0	0	30000	41.25	2004
08.01.2020 15:24:19	1	1	1	1	78.75	61.25	0	30000	341.9354839	10257.38592	30000	0	0	30000	41.5	2004
08.01.2020 15:24:20	1	1	1	1	78.75	61.5	0	29952.607	359.1397849	10773.5167	30000	0	0	30000	41.75	2004
08.01.2020 15:24:21	1	1	1	1	78.5	61.75	0	30000	384.9462366	11548.12057	30000	0	0	30000	41.25	2004
08.01.2020 15:24:22	1	1	1	1	78.5	61.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	40.8125	2004
08.01.2020 15:24:23	1	1	1	1	78.5	60.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	41.5625	2004
08.01.2020 15:24:24	1	1	1	1	78.5	61.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.6875	2004
08.01.2020 15:24:25	1	1	1	1	78.5	61.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	41.125	2004
08.01.2020 15:24:26	1	1	1	1	78.5	61	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 15:24:27	1	1	1	1	78.5	61	0	30000	427.9569892	12773.62542	30000	0	0	30000	41.6875	2004
08.01.2020 15:24:28	1	1	1	1	78.5	61.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.4375	2004
08.01.2020 15:24:29	1	1	1	1	78.5	61.25	0	30000	453.7634409	13612.64371	30000	0	0	30000	41.125	2004
08.01.2020 15:24:30	1	1	1	1	78.5	61	0	30094.787	455.9139785	13354.17063	30000	0	0	30000	40.9375	2004
08.01.2020 15:24:31	1	1	1	1	79	60.75	0	30000	466.6666667	14064.36007	30000	0	0	30000	41.625	2004
08.01.2020 15:24:32	1	1	1	1	79	61.5	0	30000	466.6666667	13999.94564	30000	0	0	30000	41.8125	2004
08.01.2020 15:24:33	1	1	1	1	79	61.75	0	29905.213	466.6666667	13999.94564	30000	0	0	30000	41.4375	2004
08.01.2020 15:24:34	1	1	1	1	79	61.25	0	30000	466.6666667	13999.94564	30000	0	0	30000	41.6875	2004
08.01.2020 15:24:42	1	1	1	1	79.5	62	0	30000	481.7204301	14451.662	30000	0	0	30000	41.625	2004
08.01.2020 15:24:42	1	1	1	1	79.5	62	0	30000	481.7204301	14451.662	30000	0	0	30000	41.625	2004
08.01.2020 15:24:42	1	1	1	1	79.5	62	0	30000	481.7204301	14451.662	30000	0	0	30000	41.625	2004
08.01.2020 15:24:42	1	1	1	1	79.5	62	0	30000	481.7204301	14451.662	30000	0	0	30000	41.625	2004
08.01.2020 15:24:42	1	1	1	1	79.5	62	0	30000	481.7204301	14451.662	30000	0	0	30000	41.625	2004
08.01.2020 15:24:42	1	1	1	1	79.5	62	0	30000	481.7204301	14451.662	30000	0	0	30000	41.625	2004
08.01.2020 15:24:42	1	1	1	1	79.5	62	0	30000	481.7204301	14451.662	30000	0	0	30000	41.625	2004
08.01.2020 15:24:43	1	1	1	1	79.5	61.5	0	30000	464.516129	13935.53122	30000	0	0	30000	40.5	2004
08.01.2020 15:24:44	1	1	1	1	79.5	60.5	0	30000	443.0107527	13289.7562	30000	0	0	30000	40.8125	2004
08.01.2020 15:24:45	1	1	1	1	79.5	60.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	40.8125	2004
08.01.2020 15:24:46	1	1	1	1	79.5	60.75	0	30000	425.8064516	12709.21099	30000	0	0	30000	41.4375	2004
08.01.2020 15:24:47	1	1	1	1	79.5	61.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	41.0625	2004
08.01.2020 15:24:48	1	1	1	1	79.5	61	0	30000	412.9032258	12451.55328	30000	0	0	30000	41.0625	2004
08.01.2020 15:24:49	1	1	1	1	79.5	61	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.625	2004
08.01.2020 15:24:50	1	1	1	1	79.5	61.5	0	29905.213	404.3010753	12367.56992	30000	0	0	30000	41.6875	2004
08.01.2020 15:24:51	1	1	1	1	79.5	61.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	41.25	2004
08.01.2020 15:24:52	1	1	1	1	79.5	61.25	0	30000	404.3010753	12064.25135	30000	0	0	30000	41.4375	2004
08.01.2020 15:24:53	1	1	1	1	79.5	61.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	41.8125	2004
08.01.2020 15:24:54	1	1	1	1	79.5	61.75	0	30000	400	12064.25135	30000	0	0	30000	41.5625	2004
08.01.2020 15:24:55	1	1	1	1	79.5	61.5	0	30000	400	12064.25135	30000	0	0	30000	41.625	2004
08.01.2020 15:24:56	1	1	1	1	79.5	61.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.625	2004
08.01.2020 15:24:57	1	1	1	1	79.5	61.5	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	41	2004
08.01.2020 15:24:58	1	1	1	1	79.5	61	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.625	2004
08.01.2020 15:24:59	1	1	1	1	79.5	61.5	0	30000	412.9032258	11833.50094	30000	0	0	30000	41.5	2004
08.01.2020 15:25:00	1	1	1	1	79.5	61.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.6875	2004
08.01.2020 15:25:01	1	1	1	1	80	61.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	41.6875	2004
08.01.2020 15:25:02	1	1	1	1	80	61.5	0	30000	423.655914	12709.21099	30000	0	0	30000	41.375	2004
08.01.2020 15:25:03	1	1	1	1	80	61.25	0	29952.607	432.2580645	12967.68407	30000	0	0	30000	41.625	2004
08.01.2020 15:25:04	1	1	1	1	80	61.5	0	30000	440.8602151	13225.34178	30000	0	0	30000	41.375	2004
08.01.2020 15:25:05	1	1	1	1	80	61.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.0625	2004
08.01.2020 15:25:06	1	1	1	1	80	61	0	30047.393	445.1612903	13354.17063	30000	0	0	30000	41.5625	2004
08.01.2020 15:25:07	1	1	1	1	80	61.5	0	30000	451.6129032	13612.64371	30000	0	0	30000	41.5625	2004
08.01.2020 15:25:08	1	1	1	1	80	61.5	0	30000	458.0645161	13741.47256	30000	0	0	30000	41.5	2004
08.01.2020 15:25:09	1	1	1	1	80	61.5	0	30000	464.516129	13935.53122	30000	0	0	30000	40.875	2004
08.01.2020 15:25:10	1	1	1	1	80	60.75	0	30000	466.6666667	14128.7745	30000	0	0	30000	41.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 15:25:11	1	1	1	1	79.75	61.5	0	30047.393	481.7204301	14451.662	30000	0	0	30000	41.5	2004
08.01.2020 15:25:12	1	1	1	1	79.75	61.5	0	29952.607	481.7204301	14451.662	30000	0	0	30000	41.5625	2004
08.01.2020 15:25:13	1	1	1	1	79.75	61.5	0	30000	481.7204301	14451.662	30000	0	0	30000	41.75	2004
08.01.2020 15:25:14	1	1	1	1	79.75	61.75	0	30000	488.172043	14644.90528	30000	0	0	30000	41.5625	2004
08.01.2020 15:25:15	1	1	1	1	79.75	61.5	0	30000	483.8709677	14580.49085	30000	0	0	30000	41.5	2004
08.01.2020 15:25:17	1	1	1	1	79.75	61.5	0	30047.393	486.0215054	14644.90528	30000	0	0	30000	42.0625	2004
08.01.2020 15:25:18	1	1	1	1	79.75	61.5	0	30000	490.3225806	14773.73413	30000	0	0	30000	41.5625	2004
08.01.2020 15:25:19	1	1	1	1	79.75	61.5	0	30000	490.3225806	14516.07643	30000	0	0	30000	40.5625	2004
08.01.2020 15:25:20	1	1	1	1	79.75	60.5	0	30000	494.6236559	14773.73413	30000	0	0	30000	41.5	2004
08.01.2020 15:25:21	1	1	1	1	80.5	61.5	0	30000	488.172043	14644.90528	30000	0	0	30000	41.25	2004
08.01.2020 15:25:22	1	1	1	1	80.5	61.25	0	30000	494.6236559	14902.56299	30000	0	0	30000	41.5625	2004
08.01.2020 15:25:23	1	1	1	1	80.5	61.5	0	30047.393	488.172043	14644.90528	30000	0	0	30000	41.75	2004
08.01.2020 15:25:24	1	1	1	1	80.5	61.75	0	29952.607	490.3225806	14709.31971	30000	0	0	30000	41.4375	2004
08.01.2020 15:25:25	1	1	1	1	80.5	61.25	0	30000	494.6236559	15032.20721	30000	0	0	30000	41.5625	2004
08.01.2020 15:25:26	1	1	1	1	80.5	61.5	0	30000	494.6236559	14902.56299	30000	0	0	30000	41.25	2004
08.01.2020 15:25:27	1	1	1	1	80.5	61.25	0	30000	494.6236559	14838.14856	30000	0	0	30000	41.125	2004
08.01.2020 15:25:28	1	1	1	1	80.5	61	0	30000	509.6774194	15289.86492	30000	0	0	30000	41.5	2004
08.01.2020 15:25:29	1	1	1	1	80.5	61.5	0	30000	509.6774194	15289.86492	30000	0	0	30000	41	2004
08.01.2020 15:25:30	1	1	1	1	80.5	61	0	30000	507.5268817	15289.86492	30000	0	0	30000	41.5625	2004
08.01.2020 15:25:31	1	1	1	1	80.5	61.5	0	30000	501.0752688	15032.20721	30000	0	0	30000	40.5625	2004
08.01.2020 15:25:32	1	1	1	1	80.5	60.5	0	30000	496.7741935	14967.79279	30000	0	0	30000	41.5	2004
08.01.2020 15:25:33	1	1	1	1	80.5	61.5	0	30000	507.5268817	15161.03607	30000	0	0	30000	41.625	2004
08.01.2020 15:25:34	1	1	1	1	80.5	61.5	0	30000	505.3763441	15008.56141	30000	0	0	30000	41.3125	2004
08.01.2020 15:25:35	1	1	1	1	80.5	61.25	0	30000	505.3763441	15161.03607	30000	0	0	30000	41.5625	2004
08.01.2020 15:25:36	1	1	1	1	80.5	61.5	0	30000	509.6774194	15289.86492	30000	0	0	30000	41.4375	2004
08.01.2020 15:25:43	1	1	1	1	80.5	61.25	0	30000	522.5806452	15677.16685	30000	0	0	30000	40.6875	2004
08.01.2020 15:25:43	1	1	1	1	80.5	61.25	0	30000	522.5806452	15677.16685	30000	0	0	30000	40.6875	2004
08.01.2020 15:25:43	1	1	1	1	80.5	61.25	0	30000	522.5806452	15677.16685	30000	0	0	30000	40.6875	2004
08.01.2020 15:25:43	1	1	1	1	80.5	61.25	0	30000	522.5806452	15677.16685	30000	0	0	30000	40.6875	2004
08.01.2020 15:25:43	1	1	1	1	80.5	61.25	0	30000	522.5806452	15677.16685	30000	0	0	30000	40.6875	2004
08.01.2020 15:25:43	1	1	1	1	80.5	61.25	0	30000	522.5806452	15677.16685	30000	0	0	30000	40.6875	2004
08.01.2020 15:25:43	1	1	1	1	80.5	61.25	0	30000	522.5806452	15677.16685	30000	0	0	30000	40.6875	2004
08.01.2020 15:25:43	1	1	1	1	80.5	61.25	0	30000	522.5806452	15677.16685	30000	0	0	30000	40.6875	2004
08.01.2020 15:25:44	1	1	1	1	80.5	60.5	0	30000	516.1290323	15483.92357	30000	0	0	30000	41.6875	2004
08.01.2020 15:25:45	1	1	1	1	80.5	61.5	0	29952.607	511.827957	15483.92357	30000	0	0	30000	40.9375	2004
08.01.2020 15:25:46	1	1	1	1	80.5	60.75	0	30000	520.4301075	15612.75243	30000	0	0	30000	41.375	2004
08.01.2020 15:25:47	1	1	1	1	80.5	61.25	0	30000	522.5806452	15677.16685	30000	0	0	30000	41.5625	2004
08.01.2020 15:25:48	1	1	1	1	80.5	61.5	0	30000	533.3333333	15805.99571	30000	0	0	30000	41.25	2004
08.01.2020 15:25:49	1	1	1	1	80.5	61.25	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	41.375	2004
08.01.2020 15:25:50	1	1	1	1	80.5	61.25	0	30000	533.3333333	16000.05436	30000	0	0	30000	41.5625	2004
08.01.2020 15:25:51	1	1	1	1	81	61.5	0	30000	535.483871	15974.77781	30000	0	0	30000	41.5	2004
08.01.2020 15:25:52	1	1	1	1	81	61.5	0	29952.607	529.0322581	16025.33091	30000	0	0	30000	41.4375	2004
08.01.2020 15:25:53	1	1	1	1	81	61.25	0	29905.213	537.6344086	15642.10584	30000	0	0	30000	42	2004
08.01.2020 15:25:54	1	1	1	1	81	62	0	30000	533.3333333	15974.77781	30000	0	0	30000	41.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 15:25:56	1	1	1	1	81	61.25	0	30000	529.0322581	15805.99571	30000	0	0	30000	41.375	2004
08.01.2020 15:25:57	1	1	1	1	81	61.25	0	30000	509.6774194	14984.10024	30000	0	0	30000	41.8125	2004
08.01.2020 15:25:58	1	1	1	1	81	61.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	41.3125	2004
08.01.2020 15:25:59	1	1	1	1	81	61.25	0	30000	486.0215054	14516.07643	30000	0	0	30000	41.4375	2004
08.01.2020 15:26:00	1	1	1	1	81	61.25	0	30000	483.8709677	14406.00114	30000	0	0	30000	41.625	2004
08.01.2020 15:26:01	1	1	1	1	80.75	61.5	0	30000	481.7204301	14516.07643	30000	0	0	30000	41.75	2004
08.01.2020 15:26:02	1	1	1	1	80.75	61.75	0	30000	466.6666667	13935.53122	30000	0	0	30000	41.375	2004
08.01.2020 15:26:03	1	1	1	1	80.75	61.25	0	30000	440.8602151	13225.34178	30000	0	0	30000	41.5625	2004
08.01.2020 15:26:04	1	1	1	1	80.75	61.5	0	30000	425.8064516	12838.03984	30000	0	0	30000	41.375	2004
08.01.2020 15:26:05	1	1	1	1	80.75	61.25	0	29952.607	395.6989247	11871.00807	30000	0	0	30000	41.5625	2004
08.01.2020 15:26:06	1	1	1	1	80.75	61.5	0	30000	404.3010753	11935.4225	30000	0	0	30000	41.5	2004
08.01.2020 15:26:07	1	1	1	1	80.75	61.5	0	29952.607	395.6989247	11871.00807	30000	0	0	30000	41.5625	2004
08.01.2020 15:26:08	1	1	1	1	80.75	61.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	41.1875	2004
08.01.2020 15:26:09	1	1	1	1	80.75	61	0	30000	395.6989247	11871.00807	30000	0	0	30000	41.25	2004
08.01.2020 15:26:10	1	1	1	1	80.75	61.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	41.3125	2004
08.01.2020 15:26:11	1	1	1	1	80.5	61.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	41.6875	2004
08.01.2020 15:26:12	1	1	1	1	80.5	61.5	0	30000	400	11999.83693	30000	0	0	30000	41.75	2004
08.01.2020 15:26:13	1	1	1	1	80.5	61.75	0	30000	402.1505376	12064.25135	30000	0	0	30000	41.3125	2004
08.01.2020 15:26:14	1	1	1	1	80.5	61.25	0	30000	391.3978495	11741.36385	30000	0	0	30000	41.625	2004
08.01.2020 15:26:15	1	1	1	1	80.5	61.5	0	29952.607	384.9462366	11530.18237	30000	0	0	30000	41.5625	2004
08.01.2020 15:26:16	1	1	1	1	80.5	61.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	41	2004
08.01.2020 15:26:17	1	1	1	1	80.5	61	0	30000	380.6451613	11419.29171	30000	0	0	30000	41.5625	2004
08.01.2020 15:26:18	1	1	1	1	80.5	61.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.375	2004
08.01.2020 15:26:19	1	1	1	1	80.5	61.25	0	29952.607	367.7419355	11354.87729	30000	0	0	30000	41.0625	2004
08.01.2020 15:26:20	1	1	1	1	80.5	61	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.625	2004
08.01.2020 15:26:21	1	1	1	1	80	61.5	0	30000	369.8924731	11160.81863	30000	0	0	30000	40.8125	2004
08.01.2020 15:26:22	1	1	1	1	80	60.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	40.6875	2004
08.01.2020 15:26:23	1	1	1	1	80	60.5	0	30000	382.7956989	11419.29171	30000	0	0	30000	41.3125	2004
08.01.2020 15:26:24	1	1	1	1	80	61.25	0	30000	387.0967742	11676.94942	30000	0	0	30000	41.125	2004
08.01.2020 15:26:25	1	1	1	1	80	61	0	30000	391.3978495	11741.36385	30000	0	0	30000	41.5625	2004
08.01.2020 15:26:26	1	1	1	1	80	61.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	41.0625	2004
08.01.2020 15:26:27	1	1	1	1	80	61	0	30000	384.9462366	11612.53499	30000	0	0	30000	41.5	2004
08.01.2020 15:26:28	1	1	1	1	80	61.5	0	29905.213	391.3978495	11871.00807	30000	0	0	30000	41.625	2004
08.01.2020 15:26:29	1	1	1	1	80	61.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	41.5625	2004
08.01.2020 15:26:30	1	1	1	1	80	61.5	0	30000	395.6989247	11741.36385	30000	0	0	30000	41.5625	2004
08.01.2020 15:26:31	1	1	1	1	80.25	61.5	0	30000	391.3978495	11871.00807	30000	0	0	30000	41.5625	2004
08.01.2020 15:26:32	1	1	1	1	80.25	61.5	0	30000	382.7956989	11548.12057	30000	0	0	30000	41.625	2004
08.01.2020 15:26:33	1	1	1	1	80.25	61.5	0	30000	391.3978495	11741.36385	30000	0	0	30000	41.75	2004
08.01.2020 15:26:34	1	1	1	1	80.25	61.75	0	30000	391.3978495	11676.94942	30000	0	0	30000	41.5	2004
08.01.2020 15:26:35	1	1	1	1	80.25	61.5	0	30000	389.2473118	11676.94942	30000	0	0	30000	41.625	2004
08.01.2020 15:26:36	1	1	1	1	80.25	61.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	42.0625	2004
08.01.2020 15:26:38	1	1	1	1	80.25	62	0	30000	402.1505376	11935.4225	30000	0	0	30000	41.5625	2004
08.01.2020 15:26:45	1	1	1	1	80.5	61.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	41.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 15:26:45	1	1	1	1	80.5	61.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	41.625	2004
08.01.2020 15:26:45	1	1	1	1	80.5	61.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	41.625	2004
08.01.2020 15:26:45	1	1	1	1	80.5	61.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	41.625	2004
08.01.2020 15:26:45	1	1	1	1	80.5	61.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	41.625	2004
08.01.2020 15:26:45	1	1	1	1	80.5	61.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	41.625	2004
08.01.2020 15:26:45	1	1	1	1	80.5	61.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	41.625	2004
08.01.2020 15:26:46	1	1	1	1	80.5	61.5	0	30000	387.0967742	11548.12057	30000	0	0	30000	41.375	2004
08.01.2020 15:26:47	1	1	1	1	80.5	61.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	41.6875	2004
08.01.2020 15:26:48	1	1	1	1	80.5	61.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	41.625	2004
08.01.2020 15:26:49	1	1	1	1	80.5	61.5	0	30000	397.8494624	11935.4225	30000	0	0	30000	41.375	2004
08.01.2020 15:26:50	1	1	1	1	80.5	61.25	0	30000	404.3010753	11935.4225	30000	0	0	30000	41.6875	2004
08.01.2020 15:26:51	1	1	1	1	80.25	61.5	0	30000	412.9032258	12451.55328	30000	0	0	30000	41.625	2004
08.01.2020 15:26:52	1	1	1	1	80.25	61.5	0	30000	412.9032258	12451.55328	30000	0	0	30000	40.9375	2004
08.01.2020 15:26:53	1	1	1	1	80.25	60.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.4375	2004
08.01.2020 15:26:54	1	1	1	1	80.25	61.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	41.625	2004
08.01.2020 15:26:58	1	1	1	1	80.25	61.5	0	30000	438.7096774	13160.92735	30000	0	0	30000	41.0625	2004
08.01.2020 15:26:58	1	1	1	1	80.25	61.5	0	30000	438.7096774	13160.92735	30000	0	0	30000	41.0625	2004
08.01.2020 15:26:58	1	1	1	1	80.25	61.5	0	30000	438.7096774	13160.92735	30000	0	0	30000	41.0625	2004
08.01.2020 15:26:58	1	1	1	1	80.25	61	0	30000	443.0107527	13289.7562	30000	0	0	30000	41.375	2004
08.01.2020 15:26:59	1	1	1	1	80.25	61.25	0	29905.213	438.7096774	13289.7562	30000	0	0	30000	41.75	2004
08.01.2020 15:27:00	1	1	1	1	80.25	61.75	0	30000	432.2580645	13032.0985	30000	0	0	30000	41.5625	2004
08.01.2020 15:27:01	1	1	1	1	80	61.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.1875	2004
08.01.2020 15:27:02	1	1	1	1	80	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.4375	2004
08.01.2020 15:27:03	1	1	1	1	80	61.25	0	30000	458.0645161	13483.81486	30000	0	0	30000	40.9375	2004
08.01.2020 15:27:04	1	1	1	1	80	60.75	0	30000	458.0645161	13805.88699	30000	0	0	30000	40.6875	2004
08.01.2020 15:27:05	1	1	1	1	80	60.5	0	29952.607	451.6129032	13612.64371	30000	0	0	30000	40.875	2004
08.01.2020 15:27:06	1	1	1	1	80	60.75	0	30000	445.1612903	13289.7562	30000	0	0	30000	40.9375	2004
08.01.2020 15:27:07	1	1	1	1	80	60.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.5625	2004
08.01.2020 15:27:08	1	1	1	1	80	61.5	0	30000	389.2473118	11676.94942	30000	0	0	30000	41.0625	2004
08.01.2020 15:27:09	1	1	1	1	80	61	0	29905.213	369.8924731	11160.81863	30000	0	0	30000	41.5	2004
08.01.2020 15:27:10	1	1	1	1	80	61.5	0	30000	378.4946237	11160.81863	30000	0	0	30000	41.25	2004
08.01.2020 15:27:11	1	1	1	1	79.5	61.25	0	30000	365.5913978	10967.57535	30000	0	0	30000	41.5	2004
08.01.2020 15:27:12	1	1	1	1	79.5	61.5	0	30000	354.8387097	10644.68785	30000	0	0	30000	41.625	2004
08.01.2020 15:27:13	1	1	1	1	79.5	61.5	0	30000	348.3870968	10515.85899	30000	0	0	30000	41.0625	2004
08.01.2020 15:27:14	1	1	1	1	79.5	61	0	30000	346.2365591	10257.38592	30000	0	0	30000	41.75	2004
08.01.2020 15:27:15	1	1	1	1	79.5	61.75	0	29952.607	337.6344086	10192.97149	30000	0	0	30000	41.6875	2004
08.01.2020 15:27:16	1	1	1	1	79.5	61.5	0	30000	341.9354839	10128.55706	30000	0	0	30000	42.125	2004
08.01.2020 15:27:18	1	1	1	1	79.5	62	0	30000	335.483871	10064.14264	30000	0	0	30000	41.875	2004
08.01.2020 15:27:19	1	1	1	1	79.5	61.75	0	30000	339.7849462	10192.97149	30000	0	0	30000	41.625	2004
08.01.2020 15:27:20	1	1	1	1	79.5	62	0	30000	339.7849462	10128.55706	30000	0	0	30000	41.625	2004
08.01.2020 15:27:21	1	1	1	1	79.5	61.5	0	30000	339.7849462	10064.14264	30000	0	0	30000	41.625	2004
08.01.2020 15:27:22	1	1	1	1	79.5	61.5	0	30000	339.7849462	10257.38592	30000	0	0	30000	40.8125	2004
08.01.2020 15:27:23	1	1	1	1	79.5	60.75	0	30000	339.7849462	10128.55706	30000	0	0	30000	41.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 15:27:24	1	1	1	1	79.5	61.5	0	30000	335.483871	10128.55706	30000	0	0	30000	41.375	2004
08.01.2020 15:27:25	1	1	1	1	79.5	61.25	0	30000	341.9354839	10387.03014	30000	0	0	30000	41.375	2004
08.01.2020 15:27:26	1	1	1	1	79.5	61.25	0	30000	337.6344086	10192.97149	30000	0	0	30000	41.5	2004
08.01.2020 15:27:27	1	1	1	1	79.5	61.5	0	30000	341.9354839	10387.03014	30000	0	0	30000	41.75	2004
08.01.2020 15:27:28	1	1	1	1	79.5	61.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	41.6875	2004
08.01.2020 15:27:29	1	1	1	1	79.5	61.5	0	30000	344.0860215	10257.38592	30000	0	0	30000	41.625	2004
08.01.2020 15:27:30	1	1	1	1	79.5	61.5	0	30000	341.9354839	10241.89384	30000	0	0	30000	41.625	2004
08.01.2020 15:27:31	1	1	1	1	79	61.5	0	30000	346.2365591	10257.38592	30000	0	0	30000	41.375	2004
08.01.2020 15:27:32	1	1	1	1	79	61.25	0	30000	339.7849462	10257.38592	30000	0	0	30000	40.9375	2004
08.01.2020 15:27:33	1	1	1	1	79	60.75	0	30000	348.3870968	10515.85899	30000	0	0	30000	41.3125	2004
08.01.2020 15:27:34	1	1	1	1	79	61.25	0	30000	356.9892473	10709.10227	30000	0	0	30000	41.4375	2004
08.01.2020 15:27:35	1	1	1	1	79	61.25	0	30000	354.8387097	10644.68785	30000	0	0	30000	41.625	2004
08.01.2020 15:27:36	1	1	1	1	79	61.5	0	29905.213	350.5376344	10773.5167	30000	0	0	30000	41.625	2004
08.01.2020 15:27:37	1	1	1	1	79	61.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	41.625	2004
08.01.2020 15:27:38	1	1	1	1	79	61.5	0	30000	356.9892473	10709.10227	30000	0	0	30000	41.5	2004
08.01.2020 15:27:39	1	1	1	1	79	61.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	41.8125	2004
08.01.2020 15:27:46	1	1	1	1	79.25	61.5	0	30000	352.688172	10580.27342	30000	0	0	30000	41.625	2004
08.01.2020 15:27:46	1	1	1	1	79.25	61.5	0	30000	352.688172	10580.27342	30000	0	0	30000	41.625	2004
08.01.2020 15:27:46	1	1	1	1	79.25	61.5	0	30000	352.688172	10580.27342	30000	0	0	30000	41.625	2004
08.01.2020 15:27:46	1	1	1	1	79.25	61.5	0	30000	352.688172	10580.27342	30000	0	0	30000	41.625	2004
08.01.2020 15:27:46	1	1	1	1	79.25	61.5	0	30000	352.688172	10580.27342	30000	0	0	30000	41.625	2004
08.01.2020 15:27:46	1	1	1	1	79.25	61.5	0	30000	352.688172	10580.27342	30000	0	0	30000	41.625	2004
08.01.2020 15:27:46	1	1	1	1	79.25	61.5	0	30000	352.688172	10580.27342	30000	0	0	30000	41.625	2004
08.01.2020 15:27:47	1	1	1	1	79.25	61.5	0	30000	354.8387097	10709.10227	30000	0	0	30000	41.375	2004
08.01.2020 15:27:48	1	1	1	1	79.25	61.25	0	29952.607	356.9892473	10692.79483	30000	0	0	30000	41.375	2004
08.01.2020 15:27:49	1	1	1	1	79.25	61.25	0	30000	356.9892473	10709.10227	30000	0	0	30000	41.6875	2004
08.01.2020 15:27:50	1	1	1	1	79.25	61.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	41.625	2004
08.01.2020 15:27:51	1	1	1	1	78.75	61.5	0	30047.393	356.9892473	10644.68785	30000	0	0	30000	41.4375	2004
08.01.2020 15:27:52	1	1	1	1	78.75	61.25	0	30000	350.5376344	10515.85899	30000	0	0	30000	41.3125	2004
08.01.2020 15:27:53	1	1	1	1	78.75	61.25	0	30000	350.5376344	10644.68785	30000	0	0	30000	41.6875	2004
08.01.2020 15:27:54	1	1	1	1	78.75	61.5	0	30000	354.8387097	10644.68785	30000	0	0	30000	41.1875	2004
08.01.2020 15:27:56	1	1	1	1	78.75	61	0	29952.607	350.5376344	10387.03014	30000	0	0	30000	41.4375	2004
08.01.2020 15:27:57	1	1	1	1	78.75	61.25	0	30000	341.9354839	10273.69337	30000	0	0	30000	41.375	2004
08.01.2020 15:27:58	1	1	1	1	78.75	61.25	0	30000	333.3333333	9984.236132	30000	0	0	30000	41.9375	2004
08.01.2020 15:27:59	1	1	1	1	78.75	61.5	0	30000	335.483871	10064.14264	30000	0	0	30000	41.375	2004
08.01.2020 15:28:00	1	1	1	1	78.75	61.25	0	29952.607	335.483871	10064.14264	30000	0	0	30000	41.625	2004
08.01.2020 15:28:01	1	1	1	1	79	61.5	0	30000	339.7849462	10257.38592	30000	0	0	30000	41.125	2004
08.01.2020 15:28:02	1	1	1	1	79	61	0	29952.607	341.9354839	10387.03014	30000	0	0	30000	41.25	2004
08.01.2020 15:28:03	1	1	1	1	79	61.25	0	30000	341.9354839	10257.38592	30000	0	0	30000	41.5	2004
08.01.2020 15:28:04	1	1	1	1	79	61.5	0	30000	341.9354839	10257.38592	30000	0	0	30000	41.6875	2004
08.01.2020 15:28:05	1	1	1	1	79	61.5	0	30000	346.2365591	10387.03014	30000	0	0	30000	41.375	2004
08.01.2020 15:28:06	1	1	1	1	79	61.25	0	30000	346.2365591	10387.03014	30000	0	0	30000	41.1875	2004
08.01.2020 15:28:07	1	1	1	1	79	61	0	30000	341.9354839	10192.97149	30000	0	0	30000	41.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 15:28:08	1	1	1	1	79	61.5	0	30000	348.3870968	10451.44457	30000	0	0	30000	41.375	2004
08.01.2020 15:28:09	1	1	1	1	79	61.25	0	30000	356.9892473	10773.5167	30000	0	0	30000	41.5625	2004
08.01.2020 15:28:10	1	1	1	1	79	61.5	0	30000	365.5913978	10903.16093	30000	0	0	30000	41.5	2004
08.01.2020 15:28:11	1	1	1	1	78.75	61.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.1875	2004
08.01.2020 15:28:12	1	1	1	1	78.75	61	0	30000	384.9462366	11548.12057	30000	0	0	30000	41.125	2004
08.01.2020 15:28:13	1	1	1	1	78.75	61	0	30000	382.7956989	11548.12057	30000	0	0	30000	41.4375	2004
08.01.2020 15:28:14	1	1	1	1	78.75	61.25	0	30000	382.7956989	11401.35352	30000	0	0	30000	41.375	2004
08.01.2020 15:28:15	1	1	1	1	78.75	61.25	0	30000	380.6451613	11354.87729	30000	0	0	30000	41.25	2004
08.01.2020 15:28:16	1	1	1	1	78.75	61.25	0	30000	378.4946237	11419.29171	30000	0	0	30000	41.625	2004
08.01.2020 15:28:17	1	1	1	1	78.75	61.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.5625	2004
08.01.2020 15:28:18	1	1	1	1	78.75	61.5	0	30000	378.4946237	11390.75368	30000	0	0	30000	41.4375	2004
08.01.2020 15:28:19	1	1	1	1	78.75	61.25	0	30000	369.8924731	11096.40421	30000	0	0	30000	41.5625	2004
08.01.2020 15:28:20	1	1	1	1	78.75	61.5	0	30000	372.0430108	11160.81863	30000	0	0	30000	41.625	2004
08.01.2020 15:28:21	1	1	1	1	79.25	61.5	0	30000	369.8924731	11096.40421	30000	0	0	30000	41.5	2004
08.01.2020 15:28:22	1	1	1	1	79.25	61.5	0	30000	372.0430108	11160.81863	30000	0	0	30000	41.5625	2004
08.01.2020 15:28:23	1	1	1	1	79.25	61.5	0	30000	369.8924731	11096.40421	30000	0	0	30000	41.625	2004
08.01.2020 15:28:24	1	1	1	1	79.25	61.5	0	30000	378.4946237	11419.29171	30000	0	0	30000	41.25	2004
08.01.2020 15:28:25	1	1	1	1	79.25	61.25	0	30000	384.9462366	11548.12057	30000	0	0	30000	41.5625	2004
08.01.2020 15:28:26	1	1	1	1	79.25	61.5	0	30000	384.9462366	11548.12057	30000	0	0	30000	41.375	2004
08.01.2020 15:28:27	1	1	1	1	79.25	61.25	0	30000	391.3978495	11741.36385	30000	0	0	30000	41.1875	2004
08.01.2020 15:28:28	1	1	1	1	79.25	61	0	30000	404.3010753	12128.66578	30000	0	0	30000	41.6875	2004
08.01.2020 15:28:29	1	1	1	1	79.25	61.5	0	30000	404.3010753	12193.08021	30000	0	0	30000	41.25	2004
08.01.2020 15:28:30	1	1	1	1	79.25	61.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	41.5	2004
08.01.2020 15:28:31	1	1	1	1	79	61.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.25	2004
08.01.2020 15:28:32	1	1	1	1	79	61.25	0	30047.393	397.8494624	11935.4225	30000	0	0	30000	41.9375	2004
08.01.2020 15:28:33	1	1	1	1	79	61.75	0	29952.607	395.6989247	11935.4225	30000	0	0	30000	41.4375	2004
08.01.2020 15:28:35	1	1	1	1	79	61.25	0	30000	404.3010753	12109.91221	30000	0	0	30000	41.9375	2004
08.01.2020 15:28:36	1	1	1	1	79	61.75	0	30000	397.8494624	12406.7078	30000	0	0	30000	41.6875	2004
08.01.2020 15:28:37	1	1	1	1	79	61.5	0	30000	400	11935.4225	30000	0	0	30000	41.4375	2004
08.01.2020 15:28:38	1	1	1	1	79	62	0	30000	397.8494624	11935.4225	30000	0	0	30000	41.5625	2004
08.01.2020 15:28:39	1	1	1	1	79	61.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	41.3125	2004
08.01.2020 15:28:40	1	1	1	1	79	61.25	0	30000	397.8494624	11935.4225	30000	0	0	30000	41.375	2004
08.01.2020 15:28:41	1	1	1	1	79	61.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	41.5	2004
08.01.2020 15:28:48	1	1	1	1	79	61.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.4375	2004
08.01.2020 15:28:48	1	1	1	1	79	61.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.4375	2004
08.01.2020 15:28:48	1	1	1	1	79	61.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.4375	2004
08.01.2020 15:28:48	1	1	1	1	79	61.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.4375	2004
08.01.2020 15:28:48	1	1	1	1	79	61.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.4375	2004
08.01.2020 15:28:48	1	1	1	1	79	61.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.4375	2004
08.01.2020 15:28:48	1	1	1	1	79	61.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.4375	2004
08.01.2020 15:28:49	1	1	1	1	79	61.25	0	30000	425.8064516	12838.03984	30000	0	0	30000	41.6875	2004
08.01.2020 15:28:50	1	1	1	1	79	61.5	0	30000	425.8064516	12689.64205	30000	0	0	30000	41.375	2004
08.01.2020 15:28:51	1	1	1	1	79	61.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 15:28:52	1	1	1	1	79	61.5	0	30000	434.4086022	13160.92735	30000	0	0	30000	41.625	2004
08.01.2020 15:28:53	1	1	1	1	79	61.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.5625	2004
08.01.2020 15:28:54	1	1	1	1	79	61.5	0	30000	423.655914	12709.21099	30000	0	0	30000	41	2004
08.01.2020 15:28:55	1	1	1	1	79	61	0	30000	412.9032258	12387.13886	30000	0	0	30000	40.75	2004
08.01.2020 15:28:56	1	1	1	1	79	60.75	0	29952.607	412.9032258	12109.91221	30000	0	0	30000	41.5625	2004
08.01.2020 15:28:57	1	1	1	1	79	61.5	0	30000	404.3010753	11935.4225	30000	0	0	30000	41.375	2004
08.01.2020 15:28:58	1	1	1	1	79	61.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	41.5625	2004
08.01.2020 15:28:59	1	1	1	1	79	61.5	0	30000	391.3978495	11871.00807	30000	0	0	30000	41.4375	2004
08.01.2020 15:29:00	1	1	1	1	79	61.25	0	30000	395.6989247	11935.4225	30000	0	0	30000	41.6875	2004
08.01.2020 15:29:01	1	1	1	1	79	61.5	0	29952.607	387.0967742	11676.94942	30000	0	0	30000	41.5	2004
08.01.2020 15:29:02	1	1	1	1	79	61.5	0	30000	380.6451613	11419.29171	30000	0	0	30000	41.6875	2004
08.01.2020 15:29:03	1	1	1	1	79	61.5	0	29952.607	372.0430108	11160.81863	30000	0	0	30000	41.5	2004
08.01.2020 15:29:04	1	1	1	1	79	61.5	0	30000	378.4946237	11096.40421	30000	0	0	30000	41.3125	2004
08.01.2020 15:29:05	1	1	1	1	79	61.25	0	30000	369.8924731	11096.40421	30000	0	0	30000	41.5625	2004
08.01.2020 15:29:06	1	1	1	1	79	61.5	0	30000	369.8924731	11225.23306	30000	0	0	30000	41.1875	2004
08.01.2020 15:29:07	1	1	1	1	79	61	0	30000	369.8924731	11096.40421	30000	0	0	30000	41.3125	2004
08.01.2020 15:29:08	1	1	1	1	79	61.25	0	30000	384.9462366	11548.12057	30000	0	0	30000	39.875	2004
08.01.2020 15:29:09	1	1	1	1	79	59.75	0	29952.607	384.9462366	11465.76794	30000	0	0	30000	41.375	2004
08.01.2020 15:29:10	1	1	1	1	79	61.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	41.25	2004
08.01.2020 15:29:11	1	1	1	1	78.75	61.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	41.375	2004
08.01.2020 15:29:12	1	1	1	1	78.75	61.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	41.0625	2004
08.01.2020 15:29:13	1	1	1	1	78.75	61	0	30000	404.3010753	12128.66578	30000	0	0	30000	41.375	2004
08.01.2020 15:29:14	1	1	1	1	78.75	61.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	41.5625	2004
08.01.2020 15:29:15	1	1	1	1	78.75	61.5	0	29952.607	419.3548387	12560.8132	30000	0	0	30000	40.4375	2004
08.01.2020 15:29:16	1	1	1	1	78.75	60.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	41.375	2004
08.01.2020 15:29:18	1	1	1	1	78.75	61.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	41.125	2004
08.01.2020 15:29:19	1	1	1	1	78.75	61	0	30000	419.3548387	12451.55328	30000	0	0	30000	41.625	2004
08.01.2020 15:29:20	1	1	1	1	78.75	61.5	0	30000	421.5053763	12858.42416	30000	0	0	30000	41.375	2004
08.01.2020 15:29:21	1	1	1	1	78.5	61.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.5625	2004
08.01.2020 15:29:22	1	1	1	1	78.5	61.5	0	29952.607	445.1612903	13354.17063	30000	0	0	30000	40.75	2004
08.01.2020 15:29:23	1	1	1	1	78.5	60.75	0	30000	445.1612903	13333.78632	30000	0	0	30000	41.5625	2004
08.01.2020 15:29:24	1	1	1	1	78.5	61.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.5625	2004
08.01.2020 15:29:25	1	1	1	1	78.5	61.5	0	30000	453.7634409	13612.64371	30000	0	0	30000	41.1875	2004
08.01.2020 15:29:26	1	1	1	1	78.5	61	0	30000	451.6129032	13612.64371	30000	0	0	30000	41.1875	2004
08.01.2020 15:29:27	1	1	1	1	78.5	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.375	2004
08.01.2020 15:29:28	1	1	1	1	78.5	61.25	0	30000	455.9139785	13677.05814	30000	0	0	30000	41.3125	2004
08.01.2020 15:29:29	1	1	1	1	78.5	61.25	0	30000	445.1612903	13289.7562	30000	0	0	30000	41.5	2004
08.01.2020 15:29:30	1	1	1	1	78.5	61.5	0	30000	438.7096774	13160.92735	30000	0	0	30000	41.1875	2004
08.01.2020 15:29:31	1	1	1	1	79	61	0	30000	438.7096774	13160.92735	30000	0	0	30000	41.375	2004
08.01.2020 15:29:32	1	1	1	1	79	61.25	0	30000	438.7096774	13289.7562	30000	0	0	30000	41.25	2004
08.01.2020 15:29:33	1	1	1	1	79	61.25	0	30000	449.4623656	13354.17063	30000	0	0	30000	41.5625	2004
08.01.2020 15:29:34	1	1	1	1	79	61.5	0	30000	460.2150538	13741.47256	30000	0	0	30000	41.4375	2004
08.01.2020 15:29:35	1	1	1	1	79	61.25	0	29905.213	464.516129	13935.53122	30000	0	0	30000	41.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 15:29:36	1	1	1	1	79	61.5	0	30000	481.7204301	14451.662	30000	0	0	30000	41.375	2004
08.01.2020 15:29:37	1	1	1	1	79	61.25	0	30000	481.7204301	14451.662	30000	0	0	30000	41.125	2004
08.01.2020 15:29:38	1	1	1	1	79	61	0	30000	481.7204301	14451.662	30000	0	0	30000	41.375	2004
08.01.2020 15:29:39	1	1	1	1	79	61.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	41.3125	2004
08.01.2020 15:29:40	1	1	1	1	79	61.25	0	29905.213	481.7204301	14516.07643	30000	0	0	30000	41.5625	2004
08.01.2020 15:29:41	1	1	1	1	79	61.5	0	30000	494.6236559	14838.14856	30000	0	0	30000	41.6875	2004
08.01.2020 15:29:42	1	1	1	1	79	61.5	0	30000	492.4731183	14838.14856	30000	0	0	30000	41.75	2004
08.01.2020 15:29:49	1	1	1	1	79	61	0	30000	498.9247312	15032.20721	30000	0	0	30000	41.3125	2004
08.01.2020 15:29:49	1	1	1	1	79	61	0	30000	498.9247312	15032.20721	30000	0	0	30000	41.3125	2004
08.01.2020 15:29:49	1	1	1	1	79	61	0	30000	498.9247312	15032.20721	30000	0	0	30000	41.3125	2004
08.01.2020 15:29:49	1	1	1	1	79	61	0	30000	498.9247312	15032.20721	30000	0	0	30000	41.3125	2004
08.01.2020 15:29:49	1	1	1	1	79	61	0	30000	498.9247312	15032.20721	30000	0	0	30000	41.3125	2004
08.01.2020 15:29:49	1	1	1	1	79	61	0	30000	498.9247312	15032.20721	30000	0	0	30000	41.3125	2004
08.01.2020 15:29:49	1	1	1	1	79	61	0	30000	498.9247312	15032.20721	30000	0	0	30000	41.3125	2004
08.01.2020 15:29:50	1	1	1	1	79	61.25	0	30000	498.9247312	15161.03607	30000	0	0	30000	41.125	2004
08.01.2020 15:29:51	1	1	1	1	79	61	0	30000	516.1290323	15483.92357	30000	0	0	30000	41.375	2004
08.01.2020 15:29:52	1	1	1	1	79	61.25	0	30000	509.6774194	15289.86492	30000	0	0	30000	41.375	2004
08.01.2020 15:29:53	1	1	1	1	79	61.25	0	30000	503.2258065	14856.08676	30000	0	0	30000	41.4375	2004
08.01.2020 15:29:54	1	1	1	1	79	61.25	0	30000	503.2258065	15032.20721	30000	0	0	30000	41.5	2004
08.01.2020 15:29:55	1	1	1	1	79	61.5	0	30000	496.7741935	14902.56299	30000	0	0	30000	40.1875	2004
08.01.2020 15:29:56	1	1	1	1	79	60	0	30000	466.6666667	13999.94564	30000	0	0	30000	41.625	2004
08.01.2020 15:29:58	1	1	1	1	79	61.5	0	30000	427.9569892	12988.06838	30000	0	0	30000	41.1875	2004
08.01.2020 15:29:59	1	1	1	1	79	61	0	30000	438.7096774	13160.92735	30000	0	0	30000	41.3125	2004
08.01.2020 15:30:00	1	1	1	1	79	61.25	0	30000	423.655914	12709.21099	30000	0	0	30000	41.9375	2004
08.01.2020 15:30:01	1	1	1	1	79	61.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	40.9375	2004
08.01.2020 15:30:02	1	1	1	1	78.75	61.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.125	2004
08.01.2020 15:30:03	1	1	1	1	78.75	61	0	30000	391.3978495	11741.36385	30000	0	0	30000	41.1875	2004
08.01.2020 15:30:04	1	1	1	1	78.75	61	0	30000	395.6989247	11871.00807	30000	0	0	30000	41.0625	2004
08.01.2020 15:30:05	1	1	1	1	78.75	61	0	29905.213	402.1505376	12064.25135	30000	0	0	30000	41.5625	2004
08.01.2020 15:30:06	1	1	1	1	78.75	61.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.125	2004
08.01.2020 15:30:07	1	1	1	1	78.75	61	0	30000	415.0537634	12599.95108	30000	0	0	30000	41.625	2004
08.01.2020 15:30:08	1	1	1	1	78.75	61.5	0	30000	427.9569892	13032.0985	30000	0	0	30000	41.5625	2004
08.01.2020 15:30:09	1	1	1	1	78.75	61.5	0	29952.607	443.0107527	13354.17063	30000	0	0	30000	41.3125	2004
08.01.2020 15:30:10	1	1	1	1	78.75	61.25	0	30000	434.4086022	12967.68407	30000	0	0	30000	41.25	2004
08.01.2020 15:30:11	1	1	1	1	79	61.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	41.25	2004
08.01.2020 15:30:12	1	1	1	1	79	61.25	0	30000	404.3010753	12387.13886	30000	0	0	30000	41.125	2004
08.01.2020 15:30:13	1	1	1	1	79	61	0	30000	395.6989247	11852.2545	30000	0	0	30000	41.5	2004
08.01.2020 15:30:14	1	1	1	1	79	61.5	0	30000	387.0967742	11548.12057	30000	0	0	30000	41.25	2004
08.01.2020 15:30:15	1	1	1	1	79	61.25	0	30000	380.6451613	11419.29171	30000	0	0	30000	41.5	2004
08.01.2020 15:30:16	1	1	1	1	79	61.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.5625	2004
08.01.2020 15:30:17	1	1	1	1	79	61.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.625	2004
08.01.2020 15:30:18	1	1	1	1	79	61.5	0	29952.607	378.4946237	11419.29171	30000	0	0	30000	41.5625	2004
08.01.2020 15:30:19	1	1	1	1	79	61.5	0	30000	384.9462366	11612.53499	30000	0	0	30000	41.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 15:30:20	1	1	1	1	79	61.5	0	30000	389.2473118	11871.00807	30000	0	0	30000	41.625	2004
08.01.2020 15:30:21	1	1	1	1	79	61.5	0	30000	395.6989247	11741.36385	30000	0	0	30000	41.5	2004
08.01.2020 15:30:22	1	1	1	1	79	61.5	0	29952.607	395.6989247	11935.4225	30000	0	0	30000	41.5625	2004
08.01.2020 15:30:23	1	1	1	1	79	61.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	40.25	2004
08.01.2020 15:30:24	1	1	1	1	79	60.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	41.5625	2004
08.01.2020 15:30:25	1	1	1	1	79	61.5	0	29905.213	391.3978495	11916.66893	30000	0	0	30000	41.0625	2004
08.01.2020 15:30:26	1	1	1	1	79	61	0	30000	395.6989247	11741.36385	30000	0	0	30000	41.5	2004
08.01.2020 15:30:27	1	1	1	1	79	61.5	0	30000	395.6989247	11935.4225	30000	0	0	30000	40.75	2004
08.01.2020 15:30:28	1	1	1	1	79	60.75	0	30000	397.8494624	11935.4225	30000	0	0	30000	41.375	2004
08.01.2020 15:30:29	1	1	1	1	79	61.25	0	30000	397.8494624	11852.2545	30000	0	0	30000	41	2004
08.01.2020 15:30:30	1	1	1	1	79	61	0	30000	395.6989247	11871.00807	30000	0	0	30000	41.4375	2004
08.01.2020 15:30:31	1	1	1	1	79.25	61.25	0	30000	397.8494624	11935.4225	30000	0	0	30000	40.8125	2004
08.01.2020 15:30:32	1	1	1	1	79.25	60.75	0	30000	400	12064.25135	30000	0	0	30000	41.125	2004
08.01.2020 15:30:33	1	1	1	1	79.25	61	0	30000	397.8494624	11935.4225	30000	0	0	30000	41.5	2004
08.01.2020 15:30:35	1	1	1	1	79.25	61.5	0	30047.393	412.9032258	11871.00807	30000	0	0	30000	41.5625	2004
08.01.2020 15:30:36	1	1	1	1	79.25	61.5	0	30000	397.8494624	12064.25135	30000	0	0	30000	41.9375	2004
08.01.2020 15:30:37	1	1	1	1	79.25	61.75	0	30000	400	12064.25135	30000	0	0	30000	41.375	2004
08.01.2020 15:30:38	1	1	1	1	79.25	61.75	0	30000	397.8494624	11935.4225	30000	0	0	30000	41.25	2004
08.01.2020 15:30:39	1	1	1	1	79.25	61.25	0	30000	400	11935.4225	30000	0	0	30000	41.375	2004
08.01.2020 15:30:40	1	1	1	1	79.25	61.25	0	29952.607	397.8494624	11935.4225	30000	0	0	30000	41.4375	2004
08.01.2020 15:30:41	1	1	1	1	79.5	61.25	0	30000	400	11935.4225	30000	0	0	30000	40.75	2004
08.01.2020 15:30:42	1	1	1	1	79.5	60.75	0	30000	397.8494624	11935.4225	30000	0	0	30000	41.625	2004
08.01.2020 15:30:43	1	1	1	1	79.5	61.5	0	30000	397.8494624	11935.4225	30000	0	0	30000	41.5625	2004
08.01.2020 15:30:44	1	1	1	1	79.5	61.5	0	30000	397.8494624	11935.4225	30000	0	0	30000	41.25	2004
08.01.2020 15:30:51	1	1	1	1	79	61.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.5	2004
08.01.2020 15:30:51	1	1	1	1	79	61.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.5	2004
08.01.2020 15:30:51	1	1	1	1	79	61.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.5	2004
08.01.2020 15:30:51	1	1	1	1	79	61.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.5	2004
08.01.2020 15:30:51	1	1	1	1	79	61.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.5	2004
08.01.2020 15:30:51	1	1	1	1	79	61.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.5	2004
08.01.2020 15:30:51	1	1	1	1	79	61.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.5	2004
08.01.2020 15:30:52	1	1	1	1	79	61.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	41.5	2004
08.01.2020 15:30:53	1	1	1	1	79	61.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	40.9375	2004
08.01.2020 15:30:54	1	1	1	1	79	60.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.5625	2004
08.01.2020 15:30:55	1	1	1	1	79	61.5	0	30000	404.3010753	11935.4225	30000	0	0	30000	40.625	2004
08.01.2020 15:30:56	1	1	1	1	79	60.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.5625	2004
08.01.2020 15:30:57	1	1	1	1	79	61.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	41.5625	2004
08.01.2020 15:30:58	1	1	1	1	79	61.5	0	29952.607	380.6451613	11419.29171	30000	0	0	30000	41.0625	2004
08.01.2020 15:30:59	1	1	1	1	79	61	0	30000	367.7419355	10740.08643	30000	0	0	30000	41.5	2004
08.01.2020 15:31:00	1	1	1	1	79	61.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	41.625	2004
08.01.2020 15:31:01	1	1	1	1	79	61.5	0	30000	356.9892473	10628.3804	30000	0	0	30000	41.4375	2004
08.01.2020 15:31:02	1	1	1	1	79	61.25	0	30000	350.5376344	10580.27342	30000	0	0	30000	41.3125	2004
08.01.2020 15:31:03	1	1	1	1	79	61.25	0	30000	341.9354839	10387.03014	30000	0	0	30000	41.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 15:31:04	1	1	1	1	79	61.5	0	30000	363.4408602	10903.16093	30000	0	0	30000	41.5625	2004
08.01.2020 15:31:05	1	1	1	1	79	61.5	0	30000	369.8924731	11372.81548	30000	0	0	30000	41.1875	2004
08.01.2020 15:31:06	1	1	1	1	79	61	0	30000	395.6989247	11871.00807	30000	0	0	30000	41.6875	2004
08.01.2020 15:31:07	1	1	1	1	79	61.5	0	30000	391.3978495	11741.36385	30000	0	0	30000	41.375	2004
08.01.2020 15:31:08	1	1	1	1	79	61.25	0	30000	389.2473118	11741.36385	30000	0	0	30000	41.375	2004
08.01.2020 15:31:09	1	1	1	1	79	61.25	0	30000	395.6989247	11659.01122	30000	0	0	30000	41.0625	2004
08.01.2020 15:31:10	1	1	1	1	79	61	0	29952.607	389.2473118	11676.94942	30000	0	0	30000	41.125	2004
08.01.2020 15:31:11	1	1	1	1	78.75	61	0	30000	395.6989247	11676.94942	30000	0	0	30000	41.5	2004
08.01.2020 15:31:13	1	1	1	1	78.75	61.5	0	29905.213	389.2473118	11676.94942	30000	0	0	30000	41.5625	2004
08.01.2020 15:31:14	1	1	1	1	78.75	61.5	0	29952.607	391.3978495	11871.00807	30000	0	0	30000	42	2004
08.01.2020 15:31:15	1	1	1	1	78.75	62	0	30000	404.3010753	12064.25135	30000	0	0	30000	41.4375	2004
08.01.2020 15:31:16	1	1	1	1	78.75	61.25	0	29952.607	412.9032258	12193.08021	30000	0	0	30000	41.5	2004
08.01.2020 15:31:17	1	1	1	1	78.75	61.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.375	2004
08.01.2020 15:31:18	1	1	1	1	78.75	61.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.0625	2004
08.01.2020 15:31:19	1	1	1	1	78.75	61	0	30000	419.3548387	12580.38214	30000	0	0	30000	41.25	2004
08.01.2020 15:31:20	1	1	1	1	78.75	61.25	0	30000	427.9569892	12709.21099	30000	0	0	30000	41.5625	2004
08.01.2020 15:31:21	1	1	1	1	79.5	61.5	0	30000	419.3548387	12515.96771	30000	0	0	30000	41.375	2004
08.01.2020 15:31:22	1	1	1	1	79.5	61.25	0	30000	421.5053763	12858.42416	30000	0	0	30000	41.25	2004
08.01.2020 15:31:23	1	1	1	1	79.5	61.25	0	30000	432.2580645	12838.03984	30000	0	0	30000	41.125	2004
08.01.2020 15:31:24	1	1	1	1	79.5	61	0	30000	443.0107527	13269.37189	30000	0	0	30000	41.1875	2004
08.01.2020 15:31:25	1	1	1	1	79.5	61	0	30000	464.516129	13935.53122	30000	0	0	30000	41.5	2004
08.01.2020 15:31:26	1	1	1	1	79.5	61.5	0	30000	481.7204301	14451.662	30000	0	0	30000	41.4375	2004
08.01.2020 15:31:27	1	1	1	1	79.5	61.25	0	30000	481.7204301	14451.662	30000	0	0	30000	41.5	2004
08.01.2020 15:31:28	1	1	1	1	79.5	61.5	0	29952.607	496.7741935	14902.56299	30000	0	0	30000	41.4375	2004
08.01.2020 15:31:29	1	1	1	1	79.5	61.25	0	30000	501.0752688	15055.85302	30000	0	0	30000	40.9375	2004
08.01.2020 15:31:30	1	1	1	1	79.5	60.75	0	30000	511.827957	15354.27935	30000	0	0	30000	41.5625	2004
08.01.2020 15:31:31	1	1	1	1	79.75	61.5	0	30000	507.5268817	15225.45049	30000	0	0	30000	40.4375	2004
08.01.2020 15:31:32	1	1	1	1	79.75	60.25	0	30000	505.3763441	15161.03607	30000	0	0	30000	41.125	2004
08.01.2020 15:31:33	1	1	1	1	79.75	61	0	30000	507.5268817	15225.45049	30000	0	0	30000	41.3125	2004
08.01.2020 15:31:34	1	1	1	1	79.75	61.25	0	30000	507.5268817	15225.45049	30000	0	0	30000	41.375	2004
08.01.2020 15:31:35	1	1	1	1	79.75	61.25	0	30000	507.5268817	15225.45049	30000	0	0	30000	41.3125	2004
08.01.2020 15:31:36	1	1	1	1	79.75	61.25	0	29952.607	496.7741935	15161.03607	30000	0	0	30000	41.375	2004
08.01.2020 15:31:37	1	1	1	1	79.75	61.25	0	30000	507.5268817	15161.03607	30000	0	0	30000	41.1875	2004
08.01.2020 15:31:38	1	1	1	1	79.75	61	0	30000	496.7741935	15096.62164	30000	0	0	30000	41.5	2004
08.01.2020 15:31:39	1	1	1	1	79.75	61.5	0	30000	496.7741935	14838.14856	30000	0	0	30000	40.875	2004
08.01.2020 15:31:40	1	1	1	1	79.75	60.75	0	30000	492.4731183	14773.73413	30000	0	0	30000	40.875	2004
08.01.2020 15:31:41	1	1	1	1	80	60.75	0	30000	486.0215054	14580.49085	30000	0	0	30000	41.625	2004
08.01.2020 15:31:42	1	1	1	1	80	61.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.5625	2004
08.01.2020 15:31:43	1	1	1	1	80	60.5	0	30000	481.7204301	14516.07643	30000	0	0	30000	41.5625	2004
08.01.2020 15:31:44	1	1	1	1	80	61.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	41.5	2004
08.01.2020 15:31:45	1	1	1	1	80	61.5	0	30000	488.172043	14516.07643	30000	0	0	30000	41.5625	2004
08.01.2020 15:31:53	1	1	1	1	79.75	60.25	0	30000	488.172043	14709.31971	30000	0	0	30000	41.9375	2004
08.01.2020 15:31:53	1	1	1	1	79.75	60.25	0	30000	488.172043	14709.31971	30000	0	0	30000	41.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 15:31:53	1	1	1	1	79.75	60.25	0	30000	488.172043	14709.31971	30000	0	0	30000	41.9375	2004
08.01.2020 15:31:53	1	1	1	1	79.75	60.25	0	30000	488.172043	14709.31971	30000	0	0	30000	41.9375	2004
08.01.2020 15:31:53	1	1	1	1	79.75	60.25	0	30000	488.172043	14709.31971	30000	0	0	30000	41.9375	2004
08.01.2020 15:31:53	1	1	1	1	79.75	60.25	0	30000	488.172043	14709.31971	30000	0	0	30000	41.9375	2004
08.01.2020 15:31:53	1	1	1	1	79.75	60.25	0	30000	488.172043	14709.31971	30000	0	0	30000	41.9375	2004
08.01.2020 15:31:54	1	1	1	1	79.75	61.75	0	30000	490.3225806	14644.90528	30000	0	0	30000	39.9375	2004
08.01.2020 15:31:55	1	1	1	1	79.75	61.5	0	30000	488.172043	14644.90528	30000	0	0	30000	40.5625	2004
08.01.2020 15:31:56	1	1	1	1	79.75	60.5	0	30047.393	481.7204301	14474.49243	30000	0	0	30000	40.9375	2004
08.01.2020 15:31:57	1	1	1	1	79.75	60.75	0	30000	460.2150538	13591.44402	30000	0	0	30000	40.9375	2004
08.01.2020 15:31:58	1	1	1	1	79.75	60.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	40.875	2004
08.01.2020 15:31:59	1	1	1	1	79.75	60.75	0	30000	449.4623656	13612.64371	30000	0	0	30000	41.6875	2004
08.01.2020 15:32:00	1	1	1	1	79.75	61.5	0	30000	443.0107527	13289.7562	30000	0	0	30000	41.125	2004
08.01.2020 15:32:01	1	1	1	1	80	61	0	29952.607	415.0537634	12431.98434	30000	0	0	30000	41.3125	2004
08.01.2020 15:32:02	1	1	1	1	80	61.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	41.5625	2004
08.01.2020 15:32:03	1	1	1	1	80	61.5	0	30000	382.7956989	11419.29171	30000	0	0	30000	40.75	2004
08.01.2020 15:32:04	1	1	1	1	80	60.75	0	30047.393	389.2473118	11548.12057	30000	0	0	30000	41.5	2004
08.01.2020 15:32:05	1	1	1	1	80	61.5	0	30000	384.9462366	11548.12057	30000	0	0	30000	41.5625	2004
08.01.2020 15:32:06	1	1	1	1	80	61.5	0	30000	380.6451613	11419.29171	30000	0	0	30000	41.25	2004
08.01.2020 15:32:07	1	1	1	1	80	61.25	0	30000	363.4408602	10773.5167	30000	0	0	30000	41.4375	2004
08.01.2020 15:32:08	1	1	1	1	80	61.25	0	30000	348.3870968	10387.03014	30000	0	0	30000	40.9375	2004
08.01.2020 15:32:09	1	1	1	1	80	60.75	0	29952.607	339.7849462	10387.03014	30000	0	0	30000	41.1875	2004
08.01.2020 15:32:10	1	1	1	1	80	61	0	30000	350.5376344	10580.27342	30000	0	0	30000	41.8125	2004
08.01.2020 15:32:11	1	1	1	1	80	61.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	40.9375	2004
08.01.2020 15:32:12	1	1	1	1	80	60.75	0	29952.607	339.7849462	10257.38592	30000	0	0	30000	41.3125	2004
08.01.2020 15:32:13	1	1	1	1	80	61.25	0	30000	339.7849462	10257.38592	30000	0	0	30000	41.5	2004
08.01.2020 15:32:14	1	1	1	1	80	61.5	0	30047.393	341.9354839	10257.38592	30000	0	0	30000	41.3125	2004
08.01.2020 15:32:15	1	1	1	1	80	61.25	0	30000	335.483871	10064.14264	30000	0	0	30000	41.5625	2004
08.01.2020 15:32:16	1	1	1	1	80	61.5	0	30000	333.3333333	10064.14264	30000	0	0	30000	41.4375	2004
08.01.2020 15:32:17	1	1	1	1	80	61.25	0	30000	326.8817204	9741.25513	30000	0	0	30000	41.125	2004
08.01.2020 15:32:18	1	1	1	1	80	61	0	30047.393	326.8817204	9806.484929	30000	0	0	30000	41.5	2004
08.01.2020 15:32:19	1	1	1	1	80	61.5	0	30000	322.5806452	9676.840703	30000	0	0	30000	41.4375	2004
08.01.2020 15:32:20	1	1	1	1	80	61.25	0	29952.607	320.4301075	9741.25513	30000	0	0	30000	41.625	2004
08.01.2020 15:32:21	1	1	1	1	79.5	61.5	0	30000	326.8817204	9806.484929	30000	0	0	30000	41.5625	2004
08.01.2020 15:32:22	1	1	1	1	79.5	61.5	0	30000	326.8817204	9950.80586	30000	0	0	30000	41.5	2004
08.01.2020 15:32:23	1	1	1	1	79.5	61.5	0	30000	331.1827957	9999.728209	30000	0	0	30000	41.1875	2004
08.01.2020 15:32:24	1	1	1	1	79.5	61	0	30000	333.3333333	9999.728209	30000	0	0	30000	41.5625	2004
08.01.2020 15:32:25	1	1	1	1	79.5	61.5	0	29952.607	326.8817204	9935.313783	30000	0	0	30000	41.5	2004
08.01.2020 15:32:26	1	1	1	1	79.5	61.5	0	30000	333.3333333	9999.728209	30000	0	0	30000	41.5625	2004
08.01.2020 15:32:28	1	1	1	1	79.5	61.5	0	30000	337.6344086	10128.55706	30000	0	0	30000	41.5625	2004
08.01.2020 15:32:29	1	1	1	1	79.5	61.5	0	30000	337.6344086	10128.55706	30000	0	0	30000	42	2004
08.01.2020 15:32:30	1	1	1	1	79.5	62	0	30000	346.2365591	10387.03014	30000	0	0	30000	41.125	2004
08.01.2020 15:32:31	1	1	1	1	79.5	61	0	30000	350.5376344	10515.85899	30000	0	0	30000	42	2004
08.01.2020 15:32:32	1	1	1	1	79.25	62	0	29905.213	354.8387097	10644.68785	30000	0	0	30000	41.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 15:32:33	1	1	1	1	79.25	61.5	0	30000	363.4408602	10903.16093	30000	0	0	30000	41.375	2004
08.01.2020 15:32:34	1	1	1	1	79.25	61	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.75	2004
08.01.2020 15:32:35	1	1	1	1	79.25	61.75	0	30000	389.2473118	11676.94942	30000	0	0	30000	40.875	2004
08.01.2020 15:32:36	1	1	1	1	79.25	60.75	0	29952.607	397.8494624	12064.25135	30000	0	0	30000	41.375	2004
08.01.2020 15:32:37	1	1	1	1	79.25	61.25	0	30000	404.3010753	12064.25135	30000	0	0	30000	41.625	2004
08.01.2020 15:32:38	1	1	1	1	79.25	61.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	41.6875	2004
08.01.2020 15:32:39	1	1	1	1	79.25	61.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.5625	2004
08.01.2020 15:32:40	1	1	1	1	79.25	61.5	0	30000	412.9032258	12451.55328	30000	0	0	30000	41.5625	2004
08.01.2020 15:32:41	1	1	1	1	79.5	61.5	0	30000	415.0537634	12515.96771	30000	0	0	30000	41.25	2004
08.01.2020 15:32:42	1	1	1	1	79.5	61.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	40.875	2004
08.01.2020 15:32:43	1	1	1	1	79.5	60.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.625	2004
08.01.2020 15:32:44	1	1	1	1	79.5	61.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	41	2004
08.01.2020 15:32:45	1	1	1	1	79.5	61	0	30000	372.0430108	11160.81863	30000	0	0	30000	41	2004
08.01.2020 15:32:46	1	1	1	1	79.5	61	0	30000	359.1397849	10773.5167	30000	0	0	30000	41.5625	2004
08.01.2020 15:32:47	1	1	1	1	79.5	61.5	0	30000	346.2365591	10515.85899	30000	0	0	30000	40.6875	2004
08.01.2020 15:32:54	1	1	1	1	79.25	61.5	0	30000	335.483871	10128.55706	30000	0	0	30000	41.5625	2004
08.01.2020 15:32:54	1	1	1	1	79.25	61.5	0	30000	335.483871	10128.55706	30000	0	0	30000	41.5625	2004
08.01.2020 15:32:54	1	1	1	1	79.25	61.5	0	30000	335.483871	10128.55706	30000	0	0	30000	41.5625	2004
08.01.2020 15:32:54	1	1	1	1	79.25	61.5	0	30000	335.483871	10128.55706	30000	0	0	30000	41.5625	2004
08.01.2020 15:32:54	1	1	1	1	79.25	61.5	0	30000	335.483871	10128.55706	30000	0	0	30000	41.5625	2004
08.01.2020 15:32:54	1	1	1	1	79.25	61.5	0	30000	335.483871	10128.55706	30000	0	0	30000	41.5625	2004
08.01.2020 15:32:54	1	1	1	1	79.25	61.5	0	30000	335.483871	10128.55706	30000	0	0	30000	41.5625	2004
08.01.2020 15:32:55	1	1	1	1	79.25	61.5	0	30000	339.7849462	10192.97149	30000	0	0	30000	41.5625	2004
08.01.2020 15:32:56	1	1	1	1	79.25	61.5	0	30000	331.1827957	9870.899356	30000	0	0	30000	41.4375	2004
08.01.2020 15:32:57	1	1	1	1	79.25	61.25	0	30000	331.1827957	9662.163999	30000	0	0	30000	41.5	2004
08.01.2020 15:32:58	1	1	1	1	79.25	61.5	0	30000	322.5806452	9612.426277	30000	0	0	30000	41.6875	2004
08.01.2020 15:32:59	1	1	1	1	79.25	61.5	0	30000	316.1290323	9483.597423	30000	0	0	30000	41.625	2004
08.01.2020 15:33:00	1	1	1	1	79.25	61.5	0	30000	311.827957	9354.76857	30000	0	0	30000	41.375	2004
08.01.2020 15:33:01	1	1	1	1	79.25	61.25	0	30000	309.6774194	9290.354143	30000	0	0	30000	41.5625	2004
08.01.2020 15:33:02	1	1	1	1	79.25	61.5	0	30000	316.1290323	9483.597423	30000	0	0	30000	41.5	2004
08.01.2020 15:33:03	1	1	1	1	79.25	61.5	0	29952.607	320.4301075	9676.840703	30000	0	0	30000	41.1875	2004
08.01.2020 15:33:04	1	1	1	1	79.25	61	0	30000	331.1827957	9935.313783	30000	0	0	30000	41.8125	2004
08.01.2020 15:33:05	1	1	1	1	79.25	61.75	0	30000	337.6344086	10128.55706	30000	0	0	30000	41.5625	2004
08.01.2020 15:33:06	1	1	1	1	79.25	61.5	0	30047.393	341.9354839	10128.55706	30000	0	0	30000	41.625	2004
08.01.2020 15:33:08	1	1	1	1	79.25	61.5	0	30000	341.9354839	10192.97149	30000	0	0	30000	41.625	2004
08.01.2020 15:33:09	1	1	1	1	79.25	61.5	0	30000	337.6344086	10128.55706	30000	0	0	30000	42	2004
08.01.2020 15:33:10	1	1	1	1	79.25	62	0	29905.213	335.483871	10064.14264	30000	0	0	30000	41.3125	2004
08.01.2020 15:33:11	1	1	1	1	79.25	61.25	0	30000	346.2365591	10257.38592	30000	0	0	30000	41.0625	2004
08.01.2020 15:33:12	1	1	1	1	79	61.75	0	30000	348.3870968	10451.44457	30000	0	0	30000	41.3125	2004
08.01.2020 15:33:13	1	1	1	1	79	61.25	0	30000	352.688172	10644.68785	30000	0	0	30000	41	2004
08.01.2020 15:33:14	1	1	1	1	79	61	0	30000	354.8387097	10920.28375	30000	0	0	30000	41.3125	2004
08.01.2020 15:33:15	1	1	1	1	79	61.25	0	30000	361.2903226	10757.20925	30000	0	0	30000	41.1875	2004
08.01.2020 15:33:16	1	1	1	1	79	61	0	30000	359.1397849	10773.5167	30000	0	0	30000	41.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 15:33:17	1	1	1	1	79	61.5	0	29952.607	356.9892473	10692.79483	30000	0	0	30000	41.625	2004
08.01.2020 15:33:18	1	1	1	1	79	61.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	41.5	2004
08.01.2020 15:33:19	1	1	1	1	79	61.5	0	30000	356.9892473	10709.10227	30000	0	0	30000	41.125	2004
08.01.2020 15:33:20	1	1	1	1	79	61	0	30000	359.1397849	10903.16093	30000	0	0	30000	41.6875	2004
08.01.2020 15:33:21	1	1	1	1	78.5	61.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	41.75	2004
08.01.2020 15:33:22	1	1	1	1	78.5	61.75	0	30000	359.1397849	10757.20925	30000	0	0	30000	41.5	2004
08.01.2020 15:33:23	1	1	1	1	78.5	61.5	0	29952.607	359.1397849	10773.5167	30000	0	0	30000	41.625	2004
08.01.2020 15:33:24	1	1	1	1	78.5	61.5	0	30000	361.2903226	10773.5167	30000	0	0	30000	41.5	2004
08.01.2020 15:33:25	1	1	1	1	78.5	61.5	0	30000	369.8924731	11096.40421	30000	0	0	30000	40.75	2004
08.01.2020 15:33:26	1	1	1	1	78.5	60.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.5625	2004
08.01.2020 15:33:27	1	1	1	1	78.5	61.5	0	30000	378.4946237	11419.29171	30000	0	0	30000	41.1875	2004
08.01.2020 15:33:28	1	1	1	1	78.5	61	0	30000	378.4946237	11419.29171	30000	0	0	30000	41.375	2004
08.01.2020 15:33:29	1	1	1	1	78.5	61.25	0	30000	380.6451613	11419.29171	30000	0	0	30000	40.625	2004
08.01.2020 15:33:30	1	1	1	1	78.5	60.5	0	30000	384.9462366	11382.59995	30000	0	0	30000	41.625	2004
08.01.2020 15:33:31	1	1	1	1	78.75	61.5	0	30000	380.6451613	11419.29171	30000	0	0	30000	41.625	2004
08.01.2020 15:33:32	1	1	1	1	78.75	61.5	0	30000	378.4946237	11483.70614	30000	0	0	30000	41.5	2004
08.01.2020 15:33:33	1	1	1	1	78.75	61.5	0	30000	391.3978495	11511.4288	30000	0	0	30000	41.5	2004
08.01.2020 15:33:34	1	1	1	1	78.75	61.5	0	30000	384.9462366	11548.12057	30000	0	0	30000	41.625	2004
08.01.2020 15:33:35	1	1	1	1	78.75	61.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	41.6875	2004
08.01.2020 15:33:36	1	1	1	1	78.75	61.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	41.625	2004
08.01.2020 15:33:37	1	1	1	1	78.75	61.5	0	29952.607	404.3010753	12109.91221	30000	0	0	30000	41.4375	2004
08.01.2020 15:33:38	1	1	1	1	78.75	61.25	0	30000	404.3010753	12387.13886	30000	0	0	30000	41.1875	2004
08.01.2020 15:33:39	1	1	1	1	78.75	61	0	30000	412.9032258	12451.55328	30000	0	0	30000	41.5	2004
08.01.2020 15:33:40	1	1	1	1	78.75	61.5	0	30000	412.9032258	12451.55328	30000	0	0	30000	41.625	2004
08.01.2020 15:33:41	1	1	1	1	78.75	61.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	41.625	2004
08.01.2020 15:33:42	1	1	1	1	78.75	61.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	40.9375	2004
08.01.2020 15:33:44	1	1	1	1	78.75	60.75	0	30000	425.8064516	12709.21099	30000	0	0	30000	41	2004
08.01.2020 15:33:45	1	1	1	1	78.75	61	0	30000	415.0537634	12515.96771	30000	0	0	30000	41.4375	2004
08.01.2020 15:33:46	1	1	1	1	78.75	61.25	0	29952.607	421.5053763	12580.38214	30000	0	0	30000	41.375	2004
08.01.2020 15:33:47	1	1	1	1	78.75	61.25	0	29952.607	423.655914	12580.38214	30000	0	0	30000	40.375	2004
08.01.2020 15:33:48	1	1	1	1	78.75	60.25	0	30000	425.8064516	12773.62542	30000	0	0	30000	41.875	2004
08.01.2020 15:33:49	1	1	1	1	78.75	61.75	0	30000	423.655914	12838.03984	30000	0	0	30000	41.3125	2004
08.01.2020 15:33:56	1	1	1	1	78.75	61.25	0	29905.213	419.3548387	12773.62542	30000	0	0	30000	41.5625	2004
08.01.2020 15:33:56	1	1	1	1	78.75	61.25	0	29905.213	419.3548387	12773.62542	30000	0	0	30000	41.5625	2004
08.01.2020 15:33:56	1	1	1	1	78.75	61.25	0	29905.213	419.3548387	12773.62542	30000	0	0	30000	41.5625	2004
08.01.2020 15:33:56	1	1	1	1	78.75	61.25	0	29905.213	419.3548387	12773.62542	30000	0	0	30000	41.5625	2004
08.01.2020 15:33:56	1	1	1	1	78.75	61.25	0	29905.213	419.3548387	12773.62542	30000	0	0	30000	41.5625	2004
08.01.2020 15:33:56	1	1	1	1	78.75	61.25	0	29905.213	419.3548387	12773.62542	30000	0	0	30000	41.5625	2004
08.01.2020 15:33:56	1	1	1	1	78.75	61.25	0	29905.213	419.3548387	12773.62542	30000	0	0	30000	41.5625	2004
08.01.2020 15:33:56	1	1	1	1	78.75	61.25	0	29905.213	419.3548387	12773.62542	30000	0	0	30000	41.5625	2004
08.01.2020 15:33:57	1	1	1	1	78.75	61.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.125	2004
08.01.2020 15:33:58	1	1	1	1	78.75	61	0	30000	404.3010753	12128.66578	30000	0	0	30000	41.625	2004
08.01.2020 15:33:59	1	1	1	1	78.75	61.5	0	29952.607	378.4946237	11354.87729	30000	0	0	30000	41.625	2004
08.01.2020 15:34:00	1	1	1	1	78.75	61.5	0	30000	356.9892473	10709.10227	30000	0	0	30000	41.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 15:34:01	1	1	1	1	78.5	61.5	0	30000	363.4408602	10903.16093	30000	0	0	30000	41.4375	2004
08.01.2020 15:34:02	1	1	1	1	78.5	61.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	41.625	2004
08.01.2020 15:34:03	1	1	1	1	78.5	61.5	0	30000	356.9892473	10709.10227	30000	0	0	30000	41.4375	2004
08.01.2020 15:34:04	1	1	1	1	78.5	61.25	0	30000	337.6344086	10128.55706	30000	0	0	30000	41.5	2004
08.01.2020 15:34:05	1	1	1	1	78.5	61.5	0	29952.607	322.5806452	9870.899356	30000	0	0	30000	41.6875	2004
08.01.2020 15:34:06	1	1	1	1	78.5	61.5	0	30000	320.4301075	9676.840703	30000	0	0	30000	41.5625	2004
08.01.2020 15:34:07	1	1	1	1	78.5	61.5	0	30000	322.5806452	9676.840703	30000	0	0	30000	40.9375	2004
08.01.2020 15:34:08	1	1	1	1	78.5	60.75	0	30000	326.8817204	9676.840703	30000	0	0	30000	41.4375	2004
08.01.2020 15:34:09	1	1	1	1	78.5	61.25	0	30000	326.8817204	9870.899356	30000	0	0	30000	41.625	2004
08.01.2020 15:34:10	1	1	1	1	78.5	61.5	0	29952.607	322.5806452	9806.484929	30000	0	0	30000	41.125	2004
08.01.2020 15:34:11	1	1	1	1	78.5	61	0	30000	320.4301075	9612.426277	30000	0	0	30000	41.625	2004
08.01.2020 15:34:12	1	1	1	1	78.5	61.5	0	30000	316.1290323	9483.597423	30000	0	0	30000	41.5	2004
08.01.2020 15:34:13	1	1	1	1	78.5	61.5	0	30000	311.827957	9354.76857	30000	0	0	30000	41.6875	2004
08.01.2020 15:34:14	1	1	1	1	78.5	61.5	0	30000	316.1290323	9483.597423	30000	0	0	30000	41.125	2004
08.01.2020 15:34:15	1	1	1	1	78.5	61	0	30000	316.1290323	9548.01185	30000	0	0	30000	41.5625	2004
08.01.2020 15:34:16	1	1	1	1	78.5	61.5	0	30000	320.4301075	9676.840703	30000	0	0	30000	41.5	2004
08.01.2020 15:34:17	1	1	1	1	78.5	61.5	0	30000	337.6344086	9775.500775	30000	0	0	30000	41.6875	2004
08.01.2020 15:34:18	1	1	1	1	78.5	61.5	0	30000	335.483871	10128.55706	30000	0	0	30000	40.75	2004
08.01.2020 15:34:19	1	1	1	1	78.5	60.75	0	30000	346.2365591	10387.03014	30000	0	0	30000	41.625	2004
08.01.2020 15:34:20	1	1	1	1	78.5	61.5	0	29952.607	356.9892473	10628.3804	30000	0	0	30000	41.1875	2004
08.01.2020 15:34:21	1	1	1	1	78.25	61	0	30000	363.4408602	10903.16093	30000	0	0	30000	41.25	2004
08.01.2020 15:34:22	1	1	1	1	78.25	61.25	0	30000	369.8924731	11160.81863	30000	0	0	30000	41.1875	2004
08.01.2020 15:34:23	1	1	1	1	78.25	61	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.6875	2004
08.01.2020 15:34:25	1	1	1	1	78.25	61.5	0	30000	380.6451613	11419.29171	30000	0	0	30000	41.4375	2004
08.01.2020 15:34:26	1	1	1	1	78.25	61.25	0	30000	384.9462366	11548.12057	30000	0	0	30000	41.25	2004
08.01.2020 15:34:27	1	1	1	1	78.25	61.25	0	29952.607	391.3978495	11676.94942	30000	0	0	30000	41.8125	2004
08.01.2020 15:34:28	1	1	1	1	78.25	61.75	0	29905.213	397.8494624	11999.83693	30000	0	0	30000	41.1875	2004
08.01.2020 15:34:29	1	1	1	1	78.25	61	0	30000	404.3010753	12128.66578	30000	0	0	30000	42.0625	2004
08.01.2020 15:34:30	1	1	1	1	78.25	62	0	30000	412.9032258	12451.55328	30000	0	0	30000	41.9375	2004
08.01.2020 15:34:31	1	1	1	1	78.25	61.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	41.625	2004
08.01.2020 15:34:32	1	1	1	1	78.5	61.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	41.4375	2004
08.01.2020 15:34:33	1	1	1	1	78.5	61.25	0	30000	423.655914	12709.21099	30000	0	0	30000	41.6875	2004
08.01.2020 15:34:34	1	1	1	1	78.5	61.5	0	30000	425.8064516	12773.62542	30000	0	0	30000	41.3125	2004
08.01.2020 15:34:35	1	1	1	1	78.5	61.25	0	30000	432.2580645	12838.03984	30000	0	0	30000	41	2004
08.01.2020 15:34:36	1	1	1	1	78.5	61	0	30000	427.9569892	12773.62542	30000	0	0	30000	40.9375	2004
08.01.2020 15:34:37	1	1	1	1	78.5	60.75	0	29952.607	425.8064516	12838.03984	30000	0	0	30000	41.3125	2004
08.01.2020 15:34:38	1	1	1	1	78.5	61.25	0	30000	427.9569892	12818.4709	30000	0	0	30000	41.0625	2004
08.01.2020 15:34:39	1	1	1	1	78.5	61	0	30000	419.3548387	12709.21099	30000	0	0	30000	41.4375	2004
08.01.2020 15:34:40	1	1	1	1	78.5	61.25	0	30000	432.2580645	13160.92735	30000	0	0	30000	41.5625	2004
08.01.2020 15:34:41	1	1	1	1	78.5	61.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.0625	2004
08.01.2020 15:34:42	1	1	1	1	78.5	61	0	30000	432.2580645	12967.68407	30000	0	0	30000	40.8125	2004
08.01.2020 15:34:43	1	1	1	1	78.5	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.625	2004
08.01.2020 15:34:44	1	1	1	1	78.5	61.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 15:34:45	1	1	1	1	78.5	60.5	0	29952.607	445.1612903	13612.64371	30000	0	0	30000	40.875	2004
08.01.2020 15:34:46	1	1	1	1	78.5	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.5	2004
08.01.2020 15:34:47	1	1	1	1	78.5	61.5	0	30000	443.0107527	13354.17063	30000	0	0	30000	41	2004
08.01.2020 15:34:48	1	1	1	1	78.5	61	0	30047.393	455.9139785	13612.64371	30000	0	0	30000	41.4375	2004
08.01.2020 15:34:49	1	1	1	1	78.5	61.25	0	29905.213	445.1612903	13354.17063	30000	0	0	30000	40.25	2004
08.01.2020 15:34:50	1	1	1	1	78.5	60.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.5	2004
08.01.2020 15:34:58	1	1	1	1	78.75	61	0	30000	466.6666667	13999.94564	30000	0	0	30000	41.5625	2004
08.01.2020 15:34:58	1	1	1	1	78.75	61	0	30000	466.6666667	13999.94564	30000	0	0	30000	41.5625	2004
08.01.2020 15:34:58	1	1	1	1	78.75	61	0	30000	466.6666667	13999.94564	30000	0	0	30000	41.5625	2004
08.01.2020 15:34:58	1	1	1	1	78.75	61	0	30000	466.6666667	13999.94564	30000	0	0	30000	41.5625	2004
08.01.2020 15:34:58	1	1	1	1	78.75	61	0	30000	466.6666667	13999.94564	30000	0	0	30000	41.5625	2004
08.01.2020 15:34:58	1	1	1	1	78.75	61	0	30000	466.6666667	13999.94564	30000	0	0	30000	41.5625	2004
08.01.2020 15:34:58	1	1	1	1	78.75	61.5	0	30000	453.7634409	13612.64371	30000	0	0	30000	41.5	2004
08.01.2020 15:34:59	1	1	1	1	78.75	61.5	0	30000	438.7096774	13182.12704	30000	0	0	30000	40.9375	2004
08.01.2020 15:35:00	1	1	1	1	78.75	60.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	40.875	2004
08.01.2020 15:35:01	1	1	1	1	78.75	60.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	40.9375	2004
08.01.2020 15:35:02	1	1	1	1	78.75	60.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	41.5625	2004
08.01.2020 15:35:04	1	1	1	1	78.75	61.5	0	30000	415.0537634	12580.38214	30000	0	0	30000	41.75	2004
08.01.2020 15:35:05	1	1	1	1	78.75	61.75	0	30000	425.8064516	12773.62542	30000	0	0	30000	41.25	2004
08.01.2020 15:35:06	1	1	1	1	78.75	61.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.5625	2004
08.01.2020 15:35:07	1	1	1	1	78.75	61.5	0	30000	438.7096774	13160.92735	30000	0	0	30000	41.5625	2004
08.01.2020 15:35:08	1	1	1	1	78.75	61.5	0	30000	438.7096774	12818.4709	30000	0	0	30000	42	2004
08.01.2020 15:35:09	1	1	1	1	78.75	62	0	30000	443.0107527	13225.34178	30000	0	0	30000	41.375	2004
08.01.2020 15:35:10	1	1	1	1	78.75	61.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.8125	2004
08.01.2020 15:35:11	1	1	1	1	79.25	61.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.5625	2004
08.01.2020 15:35:12	1	1	1	1	79.25	61.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	41.1875	2004
08.01.2020 15:35:13	1	1	1	1	79.25	61	0	30000	404.3010753	12128.66578	30000	0	0	30000	41.4375	2004
08.01.2020 15:35:14	1	1	1	1	79.25	61.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	41.5625	2004
08.01.2020 15:35:15	1	1	1	1	79.25	61.5	0	29952.607	395.6989247	11676.94942	30000	0	0	30000	41.25	2004
08.01.2020 15:35:16	1	1	1	1	79.25	61.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	40.4375	2004
08.01.2020 15:35:17	1	1	1	1	79.25	60.25	0	29952.607	391.3978495	11659.01122	30000	0	0	30000	41.4375	2004
08.01.2020 15:35:18	1	1	1	1	79.25	61.25	0	29952.607	397.8494624	11935.4225	30000	0	0	30000	41.6875	2004
08.01.2020 15:35:19	1	1	1	1	79.25	61.5	0	30000	412.9032258	12128.66578	30000	0	0	30000	41.125	2004
08.01.2020 15:35:20	1	1	1	1	79.25	61	0	30000	412.9032258	12193.08021	30000	0	0	30000	41.375	2004
08.01.2020 15:35:21	1	1	1	1	79	61.25	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	41	2004
08.01.2020 15:35:22	1	1	1	1	79	61	0	30000	419.3548387	12580.38214	30000	0	0	30000	41.4375	2004
08.01.2020 15:35:23	1	1	1	1	79	61.25	0	30000	425.8064516	12838.03984	30000	0	0	30000	41	2004
08.01.2020 15:35:24	1	1	1	1	79	61	0	30047.393	434.4086022	12967.68407	30000	0	0	30000	41.5	2004
08.01.2020 15:35:25	1	1	1	1	79	61.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.0625	2004
08.01.2020 15:35:26	1	1	1	1	79	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.4375	2004
08.01.2020 15:35:27	1	1	1	1	79	61.25	0	30000	449.4623656	13483.81486	30000	0	0	30000	41.125	2004
08.01.2020 15:35:28	1	1	1	1	79	61	0	30000	453.7634409	13612.64371	30000	0	0	30000	41.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 15:35:29	1	1	1	1	79	61.5	0	30000	453.7634409	13612.64371	30000	0	0	30000	41.4375	2004
08.01.2020 15:35:30	1	1	1	1	79	61.25	0	30000	453.7634409	13612.64371	30000	0	0	30000	41.375	2004
08.01.2020 15:35:31	1	1	1	1	78.75	61.25	0	30000	464.516129	13935.53122	30000	0	0	30000	41.4375	2004
08.01.2020 15:35:32	1	1	1	1	78.75	61.25	0	30000	460.2150538	13741.47256	30000	0	0	30000	41.125	2004
08.01.2020 15:35:33	1	1	1	1	78.75	61	0	30000	458.0645161	13741.47256	30000	0	0	30000	40.8125	2004
08.01.2020 15:35:34	1	1	1	1	78.75	60.75	0	30000	464.516129	13870.30142	30000	0	0	30000	41.625	2004
08.01.2020 15:35:35	1	1	1	1	78.75	61.5	0	30000	464.516129	13913.51616	30000	0	0	30000	41.1875	2004
08.01.2020 15:35:36	1	1	1	1	78.75	61	0	30000	464.516129	14173.61998	30000	0	0	30000	40.8125	2004
08.01.2020 15:35:37	1	1	1	1	78.75	60.75	0	30000	460.2150538	13805.88699	30000	0	0	30000	41.5625	2004
08.01.2020 15:35:38	1	1	1	1	78.75	61.5	0	30047.393	455.9139785	13633.84339	30000	0	0	30000	41.25	2004
08.01.2020 15:35:39	1	1	1	1	78.75	61.25	0	30000	449.4623656	13354.17063	30000	0	0	30000	41.1875	2004
08.01.2020 15:35:40	1	1	1	1	78.75	61	0	29952.607	443.0107527	13354.17063	30000	0	0	30000	40.6875	2004
08.01.2020 15:35:41	1	1	1	1	78.75	60.5	0	30000	438.7096774	13096.51292	30000	0	0	30000	40.6875	2004
08.01.2020 15:35:43	1	1	1	1	78.75	60.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.6875	2004
08.01.2020 15:35:44	1	1	1	1	78.75	61.5	0	29952.607	443.0107527	13225.34178	30000	0	0	30000	41.3125	2004
08.01.2020 15:35:45	1	1	1	1	78.75	61.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.5625	2004
08.01.2020 15:35:46	1	1	1	1	78.75	61.5	0	30000	458.0645161	13805.88699	30000	0	0	30000	41.125	2004
08.01.2020 15:35:47	1	1	1	1	78.75	61	0	30047.393	445.1612903	13354.17063	30000	0	0	30000	40.9375	2004
08.01.2020 15:35:48	1	1	1	1	78.75	60.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	41	2004
08.01.2020 15:35:49	1	1	1	1	78.75	61	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.5625	2004
08.01.2020 15:35:50	1	1	1	1	78.75	61.5	0	29952.607	391.3978495	11676.94942	30000	0	0	30000	41.4375	2004
08.01.2020 15:35:51	1	1	1	1	78.75	61.25	0	30000	391.3978495	11676.94942	30000	0	0	30000	40.875	2004
08.01.2020 15:35:52	1	1	1	1	79.25	61.5	0	30000	395.6989247	11935.4225	30000	0	0	30000	40.875	2004
08.01.2020 15:35:59	1	1	1	1	79.25	60.75	0	30000	443.0107527	13289.7562	30000	0	0	30000	40.8125	2004
08.01.2020 15:35:59	1	1	1	1	79.25	60.75	0	30000	443.0107527	13289.7562	30000	0	0	30000	40.8125	2004
08.01.2020 15:35:59	1	1	1	1	79.25	60.75	0	30000	443.0107527	13289.7562	30000	0	0	30000	40.8125	2004
08.01.2020 15:35:59	1	1	1	1	79.25	60.75	0	30000	443.0107527	13289.7562	30000	0	0	30000	40.8125	2004
08.01.2020 15:35:59	1	1	1	1	79.25	60.75	0	30000	443.0107527	13289.7562	30000	0	0	30000	40.8125	2004
08.01.2020 15:35:59	1	1	1	1	79.25	60.75	0	30000	443.0107527	13289.7562	30000	0	0	30000	40.8125	2004
08.01.2020 15:36:00	1	1	1	1	79.25	60.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	41.5625	2004
08.01.2020 15:36:01	1	1	1	1	79	61.5	0	29952.607	397.8494624	11935.4225	30000	0	0	30000	41.625	2004
08.01.2020 15:36:02	1	1	1	1	79	61.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	40.6875	2004
08.01.2020 15:36:03	1	1	1	1	79	60.5	0	30000	400	11999.83693	30000	0	0	30000	41	2004
08.01.2020 15:36:04	1	1	1	1	79	61	0	30000	404.3010753	12128.66578	30000	0	0	30000	41.625	2004
08.01.2020 15:36:05	1	1	1	1	79	61.5	0	30000	395.6989247	11935.4225	30000	0	0	30000	41.5625	2004
08.01.2020 15:36:06	1	1	1	1	79	61.5	0	30000	400	12064.25135	30000	0	0	30000	41.625	2004
08.01.2020 15:36:07	1	1	1	1	79	61.5	0	30047.393	395.6989247	11871.00807	30000	0	0	30000	41.0625	2004
08.01.2020 15:36:08	1	1	1	1	79	61	0	30000	380.6451613	11483.70614	30000	0	0	30000	41.1875	2004
08.01.2020 15:36:09	1	1	1	1	79	61	0	30094.787	369.8924731	10773.5167	30000	0	0	30000	41.625	2004
08.01.2020 15:36:10	1	1	1	1	79	61.5	0	30000	363.4408602	11031.98978	30000	0	0	30000	41.625	2004
08.01.2020 15:36:11	1	1	1	1	79.25	61.5	0	30000	363.4408602	10903.16093	30000	0	0	30000	41.5625	2004
08.01.2020 15:36:12	1	1	1	1	79.25	61.5	0	29905.213	365.5913978	11096.40421	30000	0	0	30000	41.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 15:36:13	1	1	1	1	79.25	61.5	0	30000	378.4946237	11225.23306	30000	0	0	30000	41.625	2004
08.01.2020 15:36:14	1	1	1	1	79.25	61.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.25	2004
08.01.2020 15:36:15	1	1	1	1	79.25	61.25	0	30000	372.0430108	10868.09991	30000	0	0	30000	41.4375	2004
08.01.2020 15:36:16	1	1	1	1	79.25	61.25	0	30000	365.5913978	10903.16093	30000	0	0	30000	40.9375	2004
08.01.2020 15:36:17	1	1	1	1	79.25	60.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	41.625	2004
08.01.2020 15:36:18	1	1	1	1	79.25	61.5	0	30000	363.4408602	10903.16093	30000	0	0	30000	41.375	2004
08.01.2020 15:36:19	1	1	1	1	79.25	61.25	0	30000	350.5376344	10644.68785	30000	0	0	30000	41.375	2004
08.01.2020 15:36:20	1	1	1	1	79.25	61.25	0	30000	356.9892473	10757.20925	30000	0	0	30000	41.625	2004
08.01.2020 15:36:21	1	1	1	1	79	61.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	41.3125	2004
08.01.2020 15:36:23	1	1	1	1	79	61.25	0	29952.607	346.2365591	10515.85899	30000	0	0	30000	41.5625	2004
08.01.2020 15:36:24	1	1	1	1	79	61.5	0	30000	350.5376344	10515.85899	30000	0	0	30000	41.5	2004
08.01.2020 15:36:25	1	1	1	1	79	61.5	0	29952.607	341.9354839	10387.03014	30000	0	0	30000	41.6875	2004
08.01.2020 15:36:26	1	1	1	1	79	61.5	0	30000	341.9354839	10192.97149	30000	0	0	30000	41.5625	2004
08.01.2020 15:36:27	1	1	1	1	79	61.5	0	29905.213	341.9354839	10387.03014	30000	0	0	30000	40.3125	2004
08.01.2020 15:36:28	1	1	1	1	79	60.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	41.6875	2004
08.01.2020 15:36:29	1	1	1	1	79	61.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	41.4375	2004
08.01.2020 15:36:30	1	1	1	1	79	61.75	0	29952.607	359.1397849	10773.5167	30000	0	0	30000	41.75	2004
08.01.2020 15:36:31	1	1	1	1	79	61.75	0	29905.213	359.1397849	11031.98978	30000	0	0	30000	41.5	2004
08.01.2020 15:36:32	1	1	1	1	79	61.5	0	29952.607	365.5913978	10886.03811	30000	0	0	30000	41.5	2004
08.01.2020 15:36:33	1	1	1	1	79	61.5	0	30000	365.5913978	11031.98978	30000	0	0	30000	41.1875	2004
08.01.2020 15:36:34	1	1	1	1	79	61	0	30000	359.1397849	10773.5167	30000	0	0	30000	40.9375	2004
08.01.2020 15:36:35	1	1	1	1	79	60.75	0	30000	363.4408602	10967.57535	30000	0	0	30000	41.375	2004
08.01.2020 15:36:36	1	1	1	1	79	61.25	0	30000	365.5913978	10967.57535	30000	0	0	30000	41.625	2004
08.01.2020 15:36:37	1	1	1	1	79	61.5	0	30000	369.8924731	11096.40421	30000	0	0	30000	41.5625	2004
08.01.2020 15:36:38	1	1	1	1	79	61.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.3125	2004
08.01.2020 15:36:39	1	1	1	1	79	61.25	0	30000	382.7956989	11419.29171	30000	0	0	30000	40.8125	2004
08.01.2020 15:36:40	1	1	1	1	79	60.75	0	29952.607	395.6989247	11871.00807	30000	0	0	30000	41.5625	2004
08.01.2020 15:36:41	1	1	1	1	79.25	61.5	0	30000	400	11999.83693	30000	0	0	30000	41.3125	2004
08.01.2020 15:36:42	1	1	1	1	79.25	61.25	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	41.625	2004
08.01.2020 15:36:43	1	1	1	1	79.25	61.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	41.375	2004
08.01.2020 15:36:44	1	1	1	1	79.25	61.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	41.1875	2004
08.01.2020 15:36:45	1	1	1	1	79.25	61	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.375	2004
08.01.2020 15:36:46	1	1	1	1	79.25	61.25	0	30000	419.3548387	12560.8132	30000	0	0	30000	41.5	2004
08.01.2020 15:36:47	1	1	1	1	79.25	61.5	0	30000	419.3548387	12560.8132	30000	0	0	30000	41.6875	2004
08.01.2020 15:36:48	1	1	1	1	79.25	61.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	41.5625	2004
08.01.2020 15:36:49	1	1	1	1	79.25	61.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	41.5625	2004
08.01.2020 15:36:50	1	1	1	1	79.25	61.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	41.5	2004
08.01.2020 15:36:51	1	1	1	1	79.25	61.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	41.375	2004
08.01.2020 15:36:52	1	1	1	1	79.25	61.25	0	30000	419.3548387	12878.80847	30000	0	0	30000	41.5	2004
08.01.2020 15:36:53	1	1	1	1	79.25	61.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	41.5625	2004
08.01.2020 15:37:01	1	1	1	1	79.25	61.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.375	2004
08.01.2020 15:37:01	1	1	1	1	79.25	61.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.375	2004
08.01.2020 15:37:01	1	1	1	1	79.25	61.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 15:37:01	1	1	1	1	79.25	61.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.375	2004
08.01.2020 15:37:01	1	1	1	1	79.25	61.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.375	2004
08.01.2020 15:37:01	1	1	1	1	79.25	61.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.375	2004
08.01.2020 15:37:01	1	1	1	1	79.25	61.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.375	2004
08.01.2020 15:37:01	1	1	1	1	79.5	61.25	0	30000	369.8924731	11096.40421	30000	0	0	30000	41.125	2004
08.01.2020 15:37:02	1	1	1	1	79.5	61	0	29952.607	365.5913978	11031.98978	30000	0	0	30000	41.5	2004
08.01.2020 15:37:04	1	1	1	1	79.5	61.5	0	30000	378.4946237	11160.81863	30000	0	0	30000	41.3125	2004
08.01.2020 15:37:05	1	1	1	1	79.5	61.25	0	30000	380.6451613	11419.29171	30000	0	0	30000	39.75	2004
08.01.2020 15:37:06	1	1	1	1	79.5	59.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.625	2004
08.01.2020 15:37:07	1	1	1	1	79.5	61.5	0	30000	378.4946237	11160.81863	30000	0	0	30000	41.5625	2004
08.01.2020 15:37:08	1	1	1	1	79.5	61.5	0	29952.607	378.4946237	11336.93909	30000	0	0	30000	41.8125	2004
08.01.2020 15:37:09	1	1	1	1	79.5	61.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.625	2004
08.01.2020 15:37:10	1	1	1	1	79.5	61.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.9375	2004
08.01.2020 15:37:11	1	1	1	1	79.5	61.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	40.8125	2004
08.01.2020 15:37:12	1	1	1	1	79.25	60.75	0	30047.393	382.7956989	11354.87729	30000	0	0	30000	41.6875	2004
08.01.2020 15:37:13	1	1	1	1	79.25	62	0	30000	382.7956989	11419.29171	30000	0	0	30000	41.25	2004
08.01.2020 15:37:14	1	1	1	1	79.25	61.25	0	30000	391.3978495	11741.36385	30000	0	0	30000	41.5625	2004
08.01.2020 15:37:15	1	1	1	1	79.25	61.5	0	29905.213	412.9032258	12387.13886	30000	0	0	30000	41.5	2004
08.01.2020 15:37:16	1	1	1	1	79.25	61.5	0	29952.607	423.655914	12773.62542	30000	0	0	30000	41.3125	2004
08.01.2020 15:37:17	1	1	1	1	79.25	61.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.25	2004
08.01.2020 15:37:18	1	1	1	1	79.25	61.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	40.6875	2004
08.01.2020 15:37:19	1	1	1	1	79.25	60.5	0	30000	417.2043011	12367.56992	30000	0	0	30000	40.9375	2004
08.01.2020 15:37:20	1	1	1	1	79.25	60.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.1875	2004
08.01.2020 15:37:21	1	1	1	1	79.25	61	0	30000	397.8494624	11935.4225	30000	0	0	30000	40.8125	2004
08.01.2020 15:37:22	1	1	1	1	79.25	60.75	0	29952.607	384.9462366	11548.12057	30000	0	0	30000	41.625	2004
08.01.2020 15:37:23	1	1	1	1	79.25	61.5	0	30000	378.4946237	11419.29171	30000	0	0	30000	41.125	2004
08.01.2020 15:37:24	1	1	1	1	79.25	61	0	30047.393	378.4946237	11354.87729	30000	0	0	30000	41.5	2004
08.01.2020 15:37:25	1	1	1	1	79.25	61.5	0	30000	372.0430108	11096.40421	30000	0	0	30000	41	2004
08.01.2020 15:37:26	1	1	1	1	79.25	61	0	30000	372.0430108	11354.87729	30000	0	0	30000	41.25	2004
08.01.2020 15:37:27	1	1	1	1	79.25	61.25	0	30000	365.5913978	11031.98978	30000	0	0	30000	41.3125	2004
08.01.2020 15:37:28	1	1	1	1	79.25	61.25	0	30000	356.9892473	10709.10227	30000	0	0	30000	41.4375	2004
08.01.2020 15:37:29	1	1	1	1	79.25	61.25	0	30000	365.5913978	11031.98978	30000	0	0	30000	41.4375	2004
08.01.2020 15:37:30	1	1	1	1	79.25	61.25	0	30000	380.6451613	11419.29171	30000	0	0	30000	41.3125	2004
08.01.2020 15:37:31	1	1	1	1	79.75	61.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	41.25	2004
08.01.2020 15:37:32	1	1	1	1	79.75	61.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	41.5	2004
08.01.2020 15:37:33	1	1	1	1	79.75	61.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.5	2004
08.01.2020 15:37:34	1	1	1	1	79.75	61.5	0	29952.607	419.3548387	12580.38214	30000	0	0	30000	41.25	2004
08.01.2020 15:37:35	1	1	1	1	79.75	61.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.4375	2004
08.01.2020 15:37:36	1	1	1	1	79.75	61.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.4375	2004
08.01.2020 15:37:37	1	1	1	1	79.75	61.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	41.0625	2004
08.01.2020 15:37:38	1	1	1	1	79.75	61	0	30000	404.3010753	12128.66578	30000	0	0	30000	41.3125	2004
08.01.2020 15:37:39	1	1	1	1	79.75	61.25	0	29952.607	404.3010753	12128.66578	30000	0	0	30000	41.5625	2004
08.01.2020 15:37:40	1	1	1	1	79.75	61.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	41.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 15:37:42	1	1	1	1	80	61.25	0	30000	389.2473118	11676.94942	30000	0	0	30000	41.3125	2004
08.01.2020 15:37:43	1	1	1	1	80	61.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.375	2004
08.01.2020 15:37:44	1	1	1	1	80	61.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.625	2004
08.01.2020 15:37:45	1	1	1	1	80	61.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.3125	2004
08.01.2020 15:37:46	1	1	1	1	80	61.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.5	2004
08.01.2020 15:37:47	1	1	1	1	80	61.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.875	2004
08.01.2020 15:37:48	1	1	1	1	80	61.75	0	29952.607	372.0430108	11354.87729	30000	0	0	30000	41.4375	2004
08.01.2020 15:37:49	1	1	1	1	80	61.25	0	30000	378.4946237	11061.34319	30000	0	0	30000	41.75	2004
08.01.2020 15:37:50	1	1	1	1	80	61.5	0	30000	369.8924731	11160.81863	30000	0	0	30000	41.1875	2004
08.01.2020 15:37:51	1	1	1	1	79.75	61	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.25	2004
08.01.2020 15:37:52	1	1	1	1	79.75	61.25	0	30000	395.6989247	11741.36385	30000	0	0	30000	41.5625	2004
08.01.2020 15:37:53	1	1	1	1	79.75	61.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.5	2004
08.01.2020 15:37:54	1	1	1	1	79.75	61.5	0	30000	427.9569892	12773.62542	30000	0	0	30000	41.125	2004
08.01.2020 15:37:55	1	1	1	1	79.75	61	0	30000	438.7096774	12926.10007	30000	0	0	30000	40.9375	2004
08.01.2020 15:38:02	1	1	1	1	79.75	60.5	0	30000	365.5913978	11096.40421	30000	0	0	30000	41.5	2004
08.01.2020 15:38:02	1	1	1	1	79.75	60.5	0	30000	365.5913978	11096.40421	30000	0	0	30000	41.5	2004
08.01.2020 15:38:02	1	1	1	1	79.75	60.5	0	30000	365.5913978	11096.40421	30000	0	0	30000	41.5	2004
08.01.2020 15:38:02	1	1	1	1	79.75	60.5	0	30000	365.5913978	11096.40421	30000	0	0	30000	41.5	2004
08.01.2020 15:38:02	1	1	1	1	79.75	60.5	0	30000	365.5913978	11096.40421	30000	0	0	30000	41.5	2004
08.01.2020 15:38:02	1	1	1	1	79.75	60.5	0	30000	365.5913978	11096.40421	30000	0	0	30000	41.5	2004
08.01.2020 15:38:02	1	1	1	1	79.75	60.5	0	30000	365.5913978	11096.40421	30000	0	0	30000	41.5	2004
08.01.2020 15:38:02	1	1	1	1	79.75	60.5	0	30000	365.5913978	11096.40421	30000	0	0	30000	41.5	2004
08.01.2020 15:38:03	1	1	1	1	79.75	61.5	0	30000	365.5913978	11031.98978	30000	0	0	30000	41.5	2004
08.01.2020 15:38:04	1	1	1	1	79.75	61.5	0	29905.213	359.1397849	10903.16093	30000	0	0	30000	41.5625	2004
08.01.2020 15:38:05	1	1	1	1	79.75	61.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	41.625	2004
08.01.2020 15:38:06	1	1	1	1	79.75	61.5	0	30000	365.5913978	10967.57535	30000	0	0	30000	41.1875	2004
08.01.2020 15:38:07	1	1	1	1	79.75	61	0	29952.607	359.1397849	10903.16093	30000	0	0	30000	41.5625	2004
08.01.2020 15:38:08	1	1	1	1	79.75	61.5	0	30000	341.9354839	10387.03014	30000	0	0	30000	41.3125	2004
08.01.2020 15:38:09	1	1	1	1	79.75	61.25	0	30000	337.6344086	10128.55706	30000	0	0	30000	40.6875	2004
08.01.2020 15:38:10	1	1	1	1	79.75	60.5	0	30000	339.7849462	10257.38592	30000	0	0	30000	41.5	2004
08.01.2020 15:38:11	1	1	1	1	79.75	61.5	0	30047.393	354.8387097	10644.68785	30000	0	0	30000	40.875	2004
08.01.2020 15:38:12	1	1	1	1	79.75	60.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	40.5625	2004
08.01.2020 15:38:13	1	1	1	1	79.75	60.5	0	30000	384.9462366	11548.12057	30000	0	0	30000	41.5625	2004
08.01.2020 15:38:14	1	1	1	1	79.75	61.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	41.4375	2004
08.01.2020 15:38:15	1	1	1	1	79.75	61.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	40.875	2004
08.01.2020 15:38:16	1	1	1	1	79.75	60.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.375	2004
08.01.2020 15:38:17	1	1	1	1	79.75	61.25	0	30000	412.9032258	12451.55328	30000	0	0	30000	41.3125	2004
08.01.2020 15:38:19	1	1	1	1	79.75	61.25	0	30000	415.0537634	12348.00098	30000	0	0	30000	41.5	2004
08.01.2020 15:38:20	1	1	1	1	79.75	61.5	0	30000	425.8064516	12709.21099	30000	0	0	30000	41.375	2004
08.01.2020 15:38:21	1	1	1	1	79.75	61.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.25	2004
08.01.2020 15:38:22	1	1	1	1	79.75	61.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.1875	2004
08.01.2020 15:38:25	1	1	1	1	79.75	61.5	0	30000	440.8602151	13289.7562	30000	0	0	30000	41.8125	2004
08.01.2020 15:38:25	1	1	1	1	79.75	61.5	0	30000	440.8602151	13289.7562	30000	0	0	30000	41.8125	2004
08.01.2020 15:38:25	1	1	1	1	79.75	61.5	0	30000	440.8602151	13289.7562	30000	0	0	30000	41.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 15:38:26	1	1	1	1	79.75	61.75	0	29952.607	438.7096774	12947.29976	30000	0	0	30000	41.875	2004
08.01.2020 15:38:27	1	1	1	1	79.75	61.75	0	30000	440.8602151	13225.34178	30000	0	0	30000	40.875	2004
08.01.2020 15:38:28	1	1	1	1	79.75	61.5	0	30000	440.8602151	13269.37189	30000	0	0	30000	40.8125	2004
08.01.2020 15:38:29	1	1	1	1	79.75	60.75	0	30000	438.7096774	13160.92735	30000	0	0	30000	41.4375	2004
08.01.2020 15:38:30	1	1	1	1	79.75	61.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.875	2004
08.01.2020 15:38:31	1	1	1	1	80.25	60.75	0	30000	443.0107527	13354.17063	30000	0	0	30000	41.1875	2004
08.01.2020 15:38:32	1	1	1	1	80.25	61	0	29952.607	443.0107527	13354.17063	30000	0	0	30000	41.25	2004
08.01.2020 15:38:33	1	1	1	1	80.25	61.25	0	30000	443.0107527	13225.34178	30000	0	0	30000	40.8125	2004
08.01.2020 15:38:34	1	1	1	1	80.25	60.75	0	30000	449.4623656	13354.17063	30000	0	0	30000	40.8125	2004
08.01.2020 15:38:35	1	1	1	1	80.25	60.75	0	30000	443.0107527	13354.17063	30000	0	0	30000	41.3125	2004
08.01.2020 15:38:36	1	1	1	1	80.25	61.25	0	29952.607	440.8602151	13354.17063	30000	0	0	30000	41.5625	2004
08.01.2020 15:38:37	1	1	1	1	80.25	61.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.125	2004
08.01.2020 15:38:38	1	1	1	1	80.25	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.5	2004
08.01.2020 15:38:39	1	1	1	1	80.25	61.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.625	2004
08.01.2020 15:38:40	1	1	1	1	80.25	61.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.5	2004
08.01.2020 15:38:41	1	1	1	1	80.25	61.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.5625	2004
08.01.2020 15:38:42	1	1	1	1	80.25	60.5	0	29952.607	445.1612903	13269.37189	30000	0	0	30000	41.5	2004
08.01.2020 15:38:43	1	1	1	1	80.25	61.5	0	30000	438.7096774	13225.34178	30000	0	0	30000	40.625	2004
08.01.2020 15:38:44	1	1	1	1	80.25	60.5	0	29905.213	434.4086022	13225.34178	30000	0	0	30000	41.1875	2004
08.01.2020 15:38:45	1	1	1	1	80.25	61	0	30000	443.0107527	13354.17063	30000	0	0	30000	41.375	2004
08.01.2020 15:38:46	1	1	1	1	80.25	61.25	0	30000	460.2150538	13805.88699	30000	0	0	30000	41.5	2004
08.01.2020 15:38:47	1	1	1	1	80.25	61.5	0	29905.213	458.0645161	13741.47256	30000	0	0	30000	41.0625	2004
08.01.2020 15:38:48	1	1	1	1	80.25	61	0	29952.607	453.7634409	13805.88699	30000	0	0	30000	40.75	2004
08.01.2020 15:38:49	1	1	1	1	80.25	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	41.6875	2004
08.01.2020 15:38:50	1	1	1	1	80.25	61.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.3125	2004
08.01.2020 15:38:51	1	1	1	1	80	60.25	0	30000	481.7204301	14428.83157	30000	0	0	30000	41.375	2004
08.01.2020 15:38:52	1	1	1	1	80	61.25	0	30000	486.0215054	14516.07643	30000	0	0	30000	41	2004
08.01.2020 15:38:53	1	1	1	1	80	61	0	30000	483.8709677	14516.07643	30000	0	0	30000	41.625	2004
08.01.2020 15:38:54	1	1	1	1	80	61.5	0	30000	481.7204301	14451.662	30000	0	0	30000	41.125	2004
08.01.2020 15:38:55	1	1	1	1	80	61	0	30000	483.8709677	14516.07643	30000	0	0	30000	41.5	2004
08.01.2020 15:38:57	1	1	1	1	80	61.5	0	29952.607	481.7204301	14451.662	30000	0	0	30000	40.75	2004
08.01.2020 15:39:05	1	1	1	1	80.25	61.75	0	30047.393	455.9139785	13354.17063	30000	0	0	30000	41.8125	2004
08.01.2020 15:39:05	1	1	1	1	80.25	61.75	0	30047.393	455.9139785	13354.17063	30000	0	0	30000	41.8125	2004
08.01.2020 15:39:05	1	1	1	1	80.25	61.75	0	30047.393	455.9139785	13354.17063	30000	0	0	30000	41.8125	2004
08.01.2020 15:39:05	1	1	1	1	80.25	61.75	0	30047.393	455.9139785	13354.17063	30000	0	0	30000	41.8125	2004
08.01.2020 15:39:05	1	1	1	1	80.25	61.75	0	30047.393	455.9139785	13354.17063	30000	0	0	30000	41.8125	2004
08.01.2020 15:39:05	1	1	1	1	80.25	61.75	0	30047.393	455.9139785	13354.17063	30000	0	0	30000	41.8125	2004
08.01.2020 15:39:05	1	1	1	1	80.25	61.75	0	30047.393	455.9139785	13354.17063	30000	0	0	30000	41.8125	2004
08.01.2020 15:39:05	1	1	1	1	80.25	61.75	0	30047.393	455.9139785	13354.17063	30000	0	0	30000	41.8125	2004
08.01.2020 15:39:05	1	1	1	1	80.25	61.75	0	30047.393	455.9139785	13354.17063	30000	0	0	30000	41.8125	2004
08.01.2020 15:39:06	1	1	1	1	80.25	61.75	0	30000	464.516129	13935.53122	30000	0	0	30000	41.5	2004
08.01.2020 15:39:07	1	1	1	1	80.25	61.5	0	30000	481.7204301	14451.662	30000	0	0	30000	41.1875	2004
08.01.2020 15:39:08	1	1	1	1	80.25	62	0	30000	464.516129	13999.94564	30000	0	0	30000	41.3125	2004
08.01.2020 15:39:09	1	1	1	1	80.25	61.25	0	30000	455.9139785	13741.47256	30000	0	0	30000	41.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 15:39:10	1	1	1	1	80.25	61	0	29952.607	445.1612903	13333.78632	30000	0	0	30000	41.25	2004
08.01.2020 15:39:11	1	1	1	1	80.5	61.25	0	30000	443.0107527	13289.7562	30000	0	0	30000	40.75	2004
08.01.2020 15:39:12	1	1	1	1	80.5	60.75	0	29952.607	427.9569892	12838.03984	30000	0	0	30000	41.125	2004
08.01.2020 15:39:13	1	1	1	1	80.5	61	0	30000	425.8064516	12773.62542	30000	0	0	30000	41.1875	2004
08.01.2020 15:39:14	1	1	1	1	80.5	61	0	30000	427.9569892	12838.03984	30000	0	0	30000	40.375	2004
08.01.2020 15:39:15	1	1	1	1	80.5	60.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.1875	2004
08.01.2020 15:39:16	1	1	1	1	80.5	61	0	30000	397.8494624	11852.2545	30000	0	0	30000	41.125	2004
08.01.2020 15:39:17	1	1	1	1	80.5	61	0	29952.607	397.8494624	11999.83693	30000	0	0	30000	41.4375	2004
08.01.2020 15:39:18	1	1	1	1	80.5	61.25	0	30000	400	11935.4225	30000	0	0	30000	41.375	2004
08.01.2020 15:39:19	1	1	1	1	80.5	61.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	41.4375	2004
08.01.2020 15:39:20	1	1	1	1	80.5	61.25	0	30000	402.1505376	12128.66578	30000	0	0	30000	41.375	2004
08.01.2020 15:39:21	1	1	1	1	80.5	61.25	0	30000	397.8494624	11935.4225	30000	0	0	30000	41.5	2004
08.01.2020 15:39:22	1	1	1	1	80.5	61.5	0	30000	397.8494624	12064.25135	30000	0	0	30000	41.3125	2004
08.01.2020 15:39:23	1	1	1	1	80.5	61.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	41.5	2004
08.01.2020 15:39:24	1	1	1	1	80.5	61.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	41.5	2004
08.01.2020 15:39:25	1	1	1	1	80.5	61.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	41.0625	2004
08.01.2020 15:39:26	1	1	1	1	80.5	61	0	30000	397.8494624	11871.00807	30000	0	0	30000	40.625	2004
08.01.2020 15:39:27	1	1	1	1	80.5	60.5	0	30000	404.3010753	12387.13886	30000	0	0	30000	41.375	2004
08.01.2020 15:39:28	1	1	1	1	80.5	61.25	0	30000	404.3010753	12109.91221	30000	0	0	30000	41.4375	2004
08.01.2020 15:39:29	1	1	1	1	80.5	61.25	0	30000	412.9032258	12620.33539	30000	0	0	30000	40.4375	2004
08.01.2020 15:39:30	1	1	1	1	80.5	60.25	0	30000	425.8064516	12773.62542	30000	0	0	30000	41.25	2004
08.01.2020 15:39:31	1	1	1	1	80.25	61.25	0	30000	443.0107527	13354.17063	30000	0	0	30000	41.5625	2004
08.01.2020 15:39:32	1	1	1	1	80.25	61.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.3125	2004
08.01.2020 15:39:33	1	1	1	1	80.25	61.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.1875	2004
08.01.2020 15:39:34	1	1	1	1	80.25	61	0	29952.607	451.6129032	13354.17063	30000	0	0	30000	40.9375	2004
08.01.2020 15:39:35	1	1	1	1	80.25	60.75	0	30000	455.9139785	13612.64371	30000	0	0	30000	41.4375	2004
08.01.2020 15:39:36	1	1	1	1	80.25	61.25	0	30000	460.2150538	13935.53122	30000	0	0	30000	41.1875	2004
08.01.2020 15:39:37	1	1	1	1	80.25	61	0	30000	468.8172043	14064.36007	30000	0	0	30000	41.0625	2004
08.01.2020 15:39:39	1	1	1	1	80.25	61	0	30000	481.7204301	14128.7745	30000	0	0	30000	41.4375	2004
08.01.2020 15:39:40	1	1	1	1	80.25	61.25	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.75	2004
08.01.2020 15:39:41	1	1	1	1	80.25	60.75	0	30000	468.8172043	13999.94564	30000	0	0	30000	41.25	2004
08.01.2020 15:39:42	1	1	1	1	80.5	61.25	0	30000	481.7204301	13955.10015	30000	0	0	30000	41.0625	2004
08.01.2020 15:39:43	1	1	1	1	80.5	61	0	30000	481.7204301	14451.662	30000	0	0	30000	41.4375	2004
08.01.2020 15:39:44	1	1	1	1	80.5	61.25	0	30000	481.7204301	14451.662	30000	0	0	30000	41.3125	2004
08.01.2020 15:39:45	1	1	1	1	80.5	61.25	0	30000	481.7204301	14451.662	30000	0	0	30000	41.5	2004
08.01.2020 15:39:46	1	1	1	1	80.5	61.5	0	29905.213	466.6666667	14451.662	30000	0	0	30000	41.375	2004
08.01.2020 15:39:47	1	1	1	1	80.5	61.25	0	30000	481.7204301	14451.662	30000	0	0	30000	41.4375	2004
08.01.2020 15:39:48	1	1	1	1	80.5	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	41.25	2004
08.01.2020 15:39:49	1	1	1	1	80.5	61.25	0	30000	481.7204301	14106.75944	30000	0	0	30000	41.25	2004
08.01.2020 15:39:50	1	1	1	1	80.5	61.25	0	30000	481.7204301	14451.662	30000	0	0	30000	41.5	2004
08.01.2020 15:39:51	1	1	1	1	81	61.5	0	30000	466.6666667	13935.53122	30000	0	0	30000	41.4375	2004
08.01.2020 15:39:52	1	1	1	1	81	61.25	0	30000	464.516129	13935.53122	30000	0	0	30000	41.3125	2004
08.01.2020 15:39:53	1	1	1	1	81	61.25	0	30047.393	466.6666667	13935.53122	30000	0	0	30000	41.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 15:39:54	1	1	1	1	81	61	0	30000	464.516129	13870.30142	30000	0	0	30000	41.4375	2004
08.01.2020 15:39:55	1	1	1	1	81	61.25	0	30000	455.9139785	13333.78632	30000	0	0	30000	41.25	2004
08.01.2020 15:39:56	1	1	1	1	81	61.25	0	30000	453.7634409	13612.64371	30000	0	0	30000	41.1875	2004
08.01.2020 15:39:57	1	1	1	1	81	61	0	30000	453.7634409	13612.64371	30000	0	0	30000	41.1875	2004
08.01.2020 15:39:58	1	1	1	1	81	61	0	30000	460.2150538	13935.53122	30000	0	0	30000	41.4375	2004
08.01.2020 15:40:06	1	1	1	1	80.75	61	0	30000	481.7204301	14128.7745	30000	0	0	30000	41.5625	2004
08.01.2020 15:40:06	1	1	1	1	80.75	61	0	30000	481.7204301	14128.7745	30000	0	0	30000	41.5625	2004
08.01.2020 15:40:06	1	1	1	1	80.75	61	0	30000	481.7204301	14128.7745	30000	0	0	30000	41.5625	2004
08.01.2020 15:40:06	1	1	1	1	80.75	61	0	30000	481.7204301	14128.7745	30000	0	0	30000	41.5625	2004
08.01.2020 15:40:06	1	1	1	1	80.75	61	0	30000	481.7204301	14128.7745	30000	0	0	30000	41.5625	2004
08.01.2020 15:40:06	1	1	1	1	80.75	61.5	0	30000	453.7634409	13612.64371	30000	0	0	30000	41.25	2004
08.01.2020 15:40:07	1	1	1	1	80.75	61.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.5	2004
08.01.2020 15:40:08	1	1	1	1	80.75	61.5	0	30000	432.2580645	12838.03984	30000	0	0	30000	41.125	2004
08.01.2020 15:40:09	1	1	1	1	80.75	61	0	30000	451.6129032	13483.81486	30000	0	0	30000	41.375	2004
08.01.2020 15:40:10	1	1	1	1	80.75	61.25	0	30000	460.2150538	13935.53122	30000	0	0	30000	41.5625	2004
08.01.2020 15:40:11	1	1	1	1	80.75	61.5	0	30000	481.7204301	14451.662	30000	0	0	30000	41.625	2004
08.01.2020 15:40:12	1	1	1	1	80.75	61.5	0	30000	466.6666667	14128.7745	30000	0	0	30000	40.625	2004
08.01.2020 15:40:13	1	1	1	1	80.75	60.5	0	30000	464.516129	13935.53122	30000	0	0	30000	41.0625	2004
08.01.2020 15:40:15	1	1	1	1	80.75	61	0	30000	481.7204301	14451.662	30000	0	0	30000	40.8125	2004
08.01.2020 15:40:16	1	1	1	1	80.75	60.75	0	29905.213	460.2150538	13741.47256	30000	0	0	30000	40.875	2004
08.01.2020 15:40:17	1	1	1	1	80.75	60.75	0	30000	445.1612903	13483.81486	30000	0	0	30000	41.1875	2004
08.01.2020 15:40:18	1	1	1	1	80.75	61	0	30000	438.7096774	13160.92735	30000	0	0	30000	41.3125	2004
08.01.2020 15:40:19	1	1	1	1	80.75	61.25	0	30000	436.5591398	13225.34178	30000	0	0	30000	41.375	2004
08.01.2020 15:40:20	1	1	1	1	80.75	61.25	0	29952.607	432.2580645	12838.03984	30000	0	0	30000	41.5	2004
08.01.2020 15:40:21	1	1	1	1	80.75	61.5	0	30000	440.8602151	13289.7562	30000	0	0	30000	41.4375	2004
08.01.2020 15:40:22	1	1	1	1	81	61.25	0	30000	453.7634409	13612.64371	30000	0	0	30000	41.375	2004
08.01.2020 15:40:23	1	1	1	1	81	61.25	0	30000	453.7634409	13612.64371	30000	0	0	30000	41.875	2004
08.01.2020 15:40:24	1	1	1	1	81	61.75	0	30000	466.6666667	13999.94564	30000	0	0	30000	41.5	2004
08.01.2020 15:40:25	1	1	1	1	81	61.5	0	30000	481.7204301	14451.662	30000	0	0	30000	41.6875	2004
08.01.2020 15:40:26	1	1	1	1	81	62	0	30000	488.172043	14644.90528	30000	0	0	30000	41.5	2004
08.01.2020 15:40:27	1	1	1	1	81	61.5	0	30000	488.172043	14644.90528	30000	0	0	30000	41.25	2004
08.01.2020 15:40:28	1	1	1	1	81	61.25	0	30000	488.172043	14644.90528	30000	0	0	30000	41.3125	2004
08.01.2020 15:40:29	1	1	1	1	81	61.25	0	30000	488.172043	14469.6002	30000	0	0	30000	41.4375	2004
08.01.2020 15:40:30	1	1	1	1	81	61.25	0	29952.607	490.3225806	14773.73413	30000	0	0	30000	41.125	2004
08.01.2020 15:40:31	1	1	1	1	81	61	0	29952.607	492.4731183	14838.14856	30000	0	0	30000	40.75	2004
08.01.2020 15:40:32	1	1	1	1	81	60.75	0	29952.607	496.7741935	14879.73256	30000	0	0	30000	41.4375	2004
08.01.2020 15:40:33	1	1	1	1	81	61.25	0	29905.213	490.3225806	14773.73413	30000	0	0	30000	41.4375	2004
08.01.2020 15:40:34	1	1	1	1	81	61.25	0	30000	481.7204301	14451.662	30000	0	0	30000	41.375	2004
08.01.2020 15:40:35	1	1	1	1	81	61.25	0	30000	468.8172043	14451.662	30000	0	0	30000	40.75	2004
08.01.2020 15:40:36	1	1	1	1	81	60.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	41.5	2004
08.01.2020 15:40:37	1	1	1	1	81	61.5	0	30000	445.1612903	13333.78632	30000	0	0	30000	40.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 15:40:38	1	1	1	1	81	60.75	0	30000	449.4623656	13354.17063	30000	0	0	30000	41.5	2004
08.01.2020 15:40:39	1	1	1	1	81	61.5	0	30000	438.7096774	13160.92735	30000	0	0	30000	41.1875	2004
08.01.2020 15:40:40	1	1	1	1	81	61	0	30000	443.0107527	13354.17063	30000	0	0	30000	41.3125	2004
08.01.2020 15:40:41	1	1	1	1	81	61.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	41.375	2004
08.01.2020 15:40:42	1	1	1	1	81	61.25	0	29952.607	419.3548387	12560.8132	30000	0	0	30000	41.25	2004
08.01.2020 15:40:43	1	1	1	1	81	61.25	0	30000	417.2043011	12451.55328	30000	0	0	30000	41.3125	2004
08.01.2020 15:40:44	1	1	1	1	81	61.25	0	30000	404.3010753	12387.13886	30000	0	0	30000	41.3125	2004
08.01.2020 15:40:45	1	1	1	1	81	61.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	40.875	2004
08.01.2020 15:40:46	1	1	1	1	81	60.75	0	30000	412.9032258	12154.7577	30000	0	0	30000	41.5	2004
08.01.2020 15:40:47	1	1	1	1	81	61.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	40.8125	2004
08.01.2020 15:40:48	1	1	1	1	81	60.75	0	30000	400	12064.25135	30000	0	0	30000	41.4375	2004
08.01.2020 15:40:49	1	1	1	1	81	61.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	41.375	2004
08.01.2020 15:40:50	1	1	1	1	81	61.25	0	30000	395.6989247	11805.77827	30000	0	0	30000	41.25	2004
08.01.2020 15:40:51	1	1	1	1	81.25	61.25	0	30000	382.7956989	11419.29171	30000	0	0	30000	41.4375	2004
08.01.2020 15:40:52	1	1	1	1	81.25	61.25	0	30000	378.4946237	11336.93909	30000	0	0	30000	41.4375	2004
08.01.2020 15:40:54	1	1	1	1	81.25	61.25	0	30000	372.0430108	11143.69581	30000	0	0	30000	41.3125	2004
08.01.2020 15:40:55	1	1	1	1	81.25	61.25	0	30000	369.8924731	11160.81863	30000	0	0	30000	41.5	2004
08.01.2020 15:40:56	1	1	1	1	81.25	61.5	0	30000	369.8924731	11096.40421	30000	0	0	30000	41.5	2004
08.01.2020 15:40:57	1	1	1	1	81.25	61.5	0	30000	378.4946237	11419.29171	30000	0	0	30000	41.375	2004
08.01.2020 15:40:58	1	1	1	1	81.25	61.25	0	30000	384.9462366	11548.12057	30000	0	0	30000	40.6875	2004
08.01.2020 15:40:59	1	1	1	1	81.25	60.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	41.375	2004
08.01.2020 15:41:00	1	1	1	1	81.25	61.25	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	41	2004
08.01.2020 15:41:07	1	1	1	1	81	61	0	30000	350.5376344	10515.85899	30000	0	0	30000	41.25	2004
08.01.2020 15:41:07	1	1	1	1	81	61	0	30000	350.5376344	10515.85899	30000	0	0	30000	41.25	2004
08.01.2020 15:41:07	1	1	1	1	81	61	0	30000	350.5376344	10515.85899	30000	0	0	30000	41.25	2004
08.01.2020 15:41:07	1	1	1	1	81	61	0	30000	350.5376344	10515.85899	30000	0	0	30000	41.25	2004
08.01.2020 15:41:07	1	1	1	1	81	61	0	30000	350.5376344	10515.85899	30000	0	0	30000	41.25	2004
08.01.2020 15:41:07	1	1	1	1	81	61	0	30000	350.5376344	10515.85899	30000	0	0	30000	41.25	2004
08.01.2020 15:41:07	1	1	1	1	81	61	0	30000	350.5376344	10515.85899	30000	0	0	30000	41.25	2004
08.01.2020 15:41:08	1	1	1	1	81	61.25	0	30000	350.5376344	10515.85899	30000	0	0	30000	41.375	2004
08.01.2020 15:41:09	1	1	1	1	81	61.25	0	30000	352.688172	10515.85899	30000	0	0	30000	41.375	2004
08.01.2020 15:41:10	1	1	1	1	81	61.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	41.25	2004
08.01.2020 15:41:11	1	1	1	1	81.25	61.25	0	30000	365.5913978	10903.16093	30000	0	0	30000	40.9375	2004
08.01.2020 15:41:12	1	1	1	1	81.25	60.75	0	30000	369.8924731	11031.98978	30000	0	0	30000	41.5	2004
08.01.2020 15:41:13	1	1	1	1	81.25	61.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.25	2004
08.01.2020 15:41:14	1	1	1	1	81.25	61.25	0	30000	384.9462366	11548.12057	30000	0	0	30000	41.375	2004
08.01.2020 15:41:15	1	1	1	1	81.25	61.25	0	30000	387.0967742	11548.12057	30000	0	0	30000	41.1875	2004
08.01.2020 15:41:16	1	1	1	1	81.25	61	0	30000	380.6451613	11336.93909	30000	0	0	30000	41.4375	2004
08.01.2020 15:41:17	1	1	1	1	81.25	61.25	0	30000	374.1935484	11160.81863	30000	0	0	30000	41.625	2004
08.01.2020 15:41:18	1	1	1	1	81.25	61.5	0	29952.607	363.4408602	10773.5167	30000	0	0	30000	41.1875	2004
08.01.2020 15:41:19	1	1	1	1	81.25	61	0	30000	372.0430108	11225.23306	30000	0	0	30000	41.375	2004
08.01.2020 15:41:20	1	1	1	1	81.25	61.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.25	2004
08.01.2020 15:41:21	1	1	1	1	81.25	61.25	0	30000	380.6451613	11419.29171	30000	0	0	30000	41.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 15:41:22	1	1	1	1	81.25	61.5	0	30000	387.0967742	11548.12057	30000	0	0	30000	41.375	2004
08.01.2020 15:41:23	1	1	1	1	81.25	61.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.5625	2004
08.01.2020 15:41:24	1	1	1	1	81.25	61.5	0	30000	365.5913978	10903.16093	30000	0	0	30000	41.4375	2004
08.01.2020 15:41:25	1	1	1	1	81.25	61.25	0	30000	363.4408602	10903.16093	30000	0	0	30000	41.5	2004
08.01.2020 15:41:26	1	1	1	1	81.25	61.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	41.3125	2004
08.01.2020 15:41:27	1	1	1	1	81.25	61.25	0	30000	352.688172	10644.68785	30000	0	0	30000	41	2004
08.01.2020 15:41:28	1	1	1	1	81.25	61	0	29952.607	350.5376344	10353.59987	30000	0	0	30000	41.0625	2004
08.01.2020 15:41:30	1	1	1	1	81.25	61	0	30000	359.1397849	10773.5167	30000	0	0	30000	41.4375	2004
08.01.2020 15:41:31	1	1	1	1	81.25	61.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	41.5625	2004
08.01.2020 15:41:32	1	1	1	1	81.25	61.5	0	30000	369.8924731	11031.98978	30000	0	0	30000	41.375	2004
08.01.2020 15:41:33	1	1	1	1	81.25	61.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.1875	2004
08.01.2020 15:41:34	1	1	1	1	81.25	61	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.5	2004
08.01.2020 15:41:35	1	1	1	1	81.25	61.5	0	30000	367.7419355	10967.57535	30000	0	0	30000	41.375	2004
08.01.2020 15:41:36	1	1	1	1	81.25	61.25	0	30000	359.1397849	10757.20925	30000	0	0	30000	41.625	2004
08.01.2020 15:41:37	1	1	1	1	81.25	61.5	0	30000	363.4408602	11031.98978	30000	0	0	30000	41	2004
08.01.2020 15:41:38	1	1	1	1	81.25	61	0	29952.607	367.7419355	11096.40421	30000	0	0	30000	41.875	2004
08.01.2020 15:41:39	1	1	1	1	81.25	61.75	0	30000	380.6451613	11419.29171	30000	0	0	30000	41.3125	2004
08.01.2020 15:41:40	1	1	1	1	81.25	60.75	0	30000	384.9462366	11548.12057	30000	0	0	30000	41.4375	2004
08.01.2020 15:41:41	1	1	1	1	81.25	61.25	0	30000	382.7956989	11419.29171	30000	0	0	30000	41.5625	2004
08.01.2020 15:41:42	1	1	1	1	81.25	61.5	0	30000	391.3978495	11676.94942	30000	0	0	30000	41.4375	2004
08.01.2020 15:41:43	1	1	1	1	81.25	61.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	40.75	2004
08.01.2020 15:41:44	1	1	1	1	81.25	60.75	0	30000	395.6989247	11676.94942	30000	0	0	30000	41.25	2004
08.01.2020 15:41:45	1	1	1	1	81.25	61.25	0	30000	397.8494624	11935.4225	30000	0	0	30000	41.375	2004
08.01.2020 15:41:46	1	1	1	1	81.25	61.25	0	30000	395.6989247	11999.83693	30000	0	0	30000	41.4375	2004
08.01.2020 15:41:47	1	1	1	1	81.25	61.25	0	30000	404.3010753	12193.08021	30000	0	0	30000	41.3125	2004
08.01.2020 15:41:48	1	1	1	1	81.25	61.25	0	30000	417.2043011	12451.55328	30000	0	0	30000	41.375	2004
08.01.2020 15:41:49	1	1	1	1	81.25	61.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	41.375	2004
08.01.2020 15:41:50	1	1	1	1	81.25	61.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	41.4375	2004
08.01.2020 15:41:51	1	1	1	1	81	61.25	0	30000	415.0537634	12580.38214	30000	0	0	30000	41.4375	2004
08.01.2020 15:41:52	1	1	1	1	81	61.25	0	30000	417.2043011	12580.38214	30000	0	0	30000	41.5625	2004
08.01.2020 15:41:53	1	1	1	1	81	61.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.5	2004
08.01.2020 15:41:54	1	1	1	1	81	61.5	0	30000	419.3548387	12709.21099	30000	0	0	30000	41.0625	2004
08.01.2020 15:41:55	1	1	1	1	81	61	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.3125	2004
08.01.2020 15:41:56	1	1	1	1	81	61.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.6875	2004
08.01.2020 15:41:57	1	1	1	1	81	61.5	0	30000	419.3548387	12709.21099	30000	0	0	30000	41.3125	2004
08.01.2020 15:41:58	1	1	1	1	81	61.25	0	29952.607	415.0537634	12451.55328	30000	0	0	30000	41.375	2004
08.01.2020 15:41:59	1	1	1	1	81	61.25	0	30000	402.1505376	11981.08336	30000	0	0	30000	41.3125	2004
08.01.2020 15:42:00	1	1	1	1	81	61.25	0	30000	402.1505376	12045.49778	30000	0	0	30000	41.5	2004
08.01.2020 15:42:01	1	1	1	1	81.25	61.5	0	29952.607	391.3978495	11723.42565	30000	0	0	30000	41.0625	2004
08.01.2020 15:42:09	1	1	1	1	81.25	60.75	0	30000	427.9569892	12967.68407	30000	0	0	30000	41.375	2004
08.01.2020 15:42:09	1	1	1	1	81.25	60.75	0	30000	427.9569892	12967.68407	30000	0	0	30000	41.375	2004
08.01.2020 15:42:09	1	1	1	1	81.25	60.75	0	30000	427.9569892	12967.68407	30000	0	0	30000	41.375	2004
08.01.2020 15:42:09	1	1	1	1	81.25	60.75	0	30000	427.9569892	12967.68407	30000	0	0	30000	41.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 15:42:09	1	1	1	1	81.25	60.75	0	30000	427.9569892	12967.68407	30000	0	0	30000	41.375	2004
08.01.2020 15:42:09	1	1	1	1	81.25	60.75	0	30000	427.9569892	12967.68407	30000	0	0	30000	41.375	2004
08.01.2020 15:42:09	1	1	1	1	81.25	60.75	0	30000	427.9569892	12967.68407	30000	0	0	30000	41.375	2004
08.01.2020 15:42:10	1	1	1	1	81.25	61.25	0	30000	425.8064516	12773.62542	30000	0	0	30000	41.125	2004
08.01.2020 15:42:11	1	1	1	1	81.25	61	0	30000	421.5053763	12580.38214	30000	0	0	30000	41	2004
08.01.2020 15:42:12	1	1	1	1	81	61	0	30000	415.0537634	12451.55328	30000	0	0	30000	41.625	2004
08.01.2020 15:42:13	1	1	1	1	81	61.5	0	29952.607	423.655914	12709.21099	30000	0	0	30000	41.5	2004
08.01.2020 15:42:14	1	1	1	1	81	61.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	41.375	2004
08.01.2020 15:42:15	1	1	1	1	81	61.25	0	30000	412.9032258	12090.34327	30000	0	0	30000	41.0625	2004
08.01.2020 15:42:16	1	1	1	1	81	61	0	29952.607	412.9032258	12580.38214	30000	0	0	30000	41.375	2004
08.01.2020 15:42:17	1	1	1	1	81	61.25	0	30000	425.8064516	12838.03984	30000	0	0	30000	41.5	2004
08.01.2020 15:42:18	1	1	1	1	81	61.5	0	29952.607	421.5053763	12580.38214	30000	0	0	30000	41.5	2004
08.01.2020 15:42:19	1	1	1	1	81	61.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	41.25	2004
08.01.2020 15:42:20	1	1	1	1	81	61.25	0	29905.213	415.0537634	12709.21099	30000	0	0	30000	41.375	2004
08.01.2020 15:42:21	1	1	1	1	81.25	61.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	41.1875	2004
08.01.2020 15:42:22	1	1	1	1	81.25	61	0	30000	415.0537634	12451.55328	30000	0	0	30000	41.125	2004
08.01.2020 15:42:23	1	1	1	1	81.25	61	0	30000	419.3548387	12580.38214	30000	0	0	30000	41.125	2004
08.01.2020 15:42:24	1	1	1	1	81.25	61	0	30000	419.3548387	12580.38214	30000	0	0	30000	41.3125	2004
08.01.2020 15:42:25	1	1	1	1	81.25	61.25	0	30000	419.3548387	12560.8132	30000	0	0	30000	41.5625	2004
08.01.2020 15:42:26	1	1	1	1	81.25	61.5	0	30000	419.3548387	12451.55328	30000	0	0	30000	41.625	2004
08.01.2020 15:42:27	1	1	1	1	81.25	61.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	41.5	2004
08.01.2020 15:42:28	1	1	1	1	81.25	61.5	0	30000	425.8064516	12773.62542	30000	0	0	30000	41.5	2004
08.01.2020 15:42:29	1	1	1	1	81.25	61.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	41.5	2004
08.01.2020 15:42:30	1	1	1	1	81.25	61.5	0	30000	425.8064516	12689.64205	30000	0	0	30000	41.25	2004
08.01.2020 15:42:31	1	1	1	1	81.25	61.25	0	30000	419.3548387	12451.55328	30000	0	0	30000	41.1875	2004
08.01.2020 15:42:32	1	1	1	1	81.25	61	0	30000	419.3548387	12580.38214	30000	0	0	30000	40.875	2004
08.01.2020 15:42:33	1	1	1	1	81.25	60.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	40	2004
08.01.2020 15:42:34	1	1	1	1	81.25	60	0	29952.607	415.0537634	12451.55328	30000	0	0	30000	41.375	2004
08.01.2020 15:42:35	1	1	1	1	81.25	61.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.375	2004
08.01.2020 15:42:36	1	1	1	1	81.25	61.25	0	30000	400	12064.25135	30000	0	0	30000	40.875	2004
08.01.2020 15:42:37	1	1	1	1	81.25	60.75	0	30000	387.0967742	11612.53499	30000	0	0	30000	41.3125	2004
08.01.2020 15:42:38	1	1	1	1	81.25	61.25	0	30000	378.4946237	11419.29171	30000	0	0	30000	41.4375	2004
08.01.2020 15:42:39	1	1	1	1	81.25	61.25	0	30047.393	372.0430108	11160.81863	30000	0	0	30000	41.1875	2004
08.01.2020 15:42:40	1	1	1	1	81.25	61	0	30000	367.7419355	11096.40421	30000	0	0	30000	41.125	2004
08.01.2020 15:42:41	1	1	1	1	80.5	61	0	29952.607	365.5913978	10740.08643	30000	0	0	30000	40.9375	2004
08.01.2020 15:42:42	1	1	1	1	80.5	60.75	0	30000	369.8924731	11160.81863	30000	0	0	30000	41.5625	2004
08.01.2020 15:42:43	1	1	1	1	80.5	61.5	0	30000	363.4408602	10903.16093	30000	0	0	30000	40.9375	2004
08.01.2020 15:42:45	1	1	1	1	80.5	60.75	0	30000	363.4408602	10967.57535	30000	0	0	30000	41.4375	2004
08.01.2020 15:42:46	1	1	1	1	80.5	61.25	0	30000	367.7419355	11031.98978	30000	0	0	30000	40.9375	2004
08.01.2020 15:42:47	1	1	1	1	80.5	60.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	41.0625	2004
08.01.2020 15:42:48	1	1	1	1	80.5	61	0	30000	369.8924731	11096.40421	30000	0	0	30000	41.4375	2004
08.01.2020 15:42:49	1	1	1	1	80.5	61.25	0	30000	367.7419355	11096.40421	30000	0	0	30000	41.4375	2004
08.01.2020 15:42:50	1	1	1	1	80.5	61.25	0	30000	367.7419355	11031.98978	30000	0	0	30000	41.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 15:42:51	1	1	1	1	80.5	61.5	0	30000	367.7419355	10903.16093	30000	0	0	30000	41.375	2004
08.01.2020 15:42:52	1	1	1	1	80	61.25	0	30000	367.7419355	11096.40421	30000	0	0	30000	41.875	2004
08.01.2020 15:42:53	1	1	1	1	80	61.75	0	30000	367.7419355	10903.16093	30000	0	0	30000	41.5	2004
08.01.2020 15:42:54	1	1	1	1	80	61.5	0	30000	380.6451613	11419.29171	30000	0	0	30000	41.4375	2004
08.01.2020 15:42:55	1	1	1	1	80	61.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.875	2004
08.01.2020 15:42:56	1	1	1	1	80	60.75	0	29952.607	378.4946237	11336.93909	30000	0	0	30000	41.5	2004
08.01.2020 15:42:57	1	1	1	1	80	61.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.25	2004
08.01.2020 15:42:58	1	1	1	1	80	61.25	0	30000	380.6451613	11419.29171	30000	0	0	30000	41.5	2004
08.01.2020 15:42:59	1	1	1	1	80	61.5	0	30000	384.9462366	11889.76164	30000	0	0	30000	41.5	2004
08.01.2020 15:43:00	1	1	1	1	80	61.5	0	30000	387.0967742	11548.12057	30000	0	0	30000	41.625	2004
08.01.2020 15:43:01	1	1	1	1	79.5	61.5	0	30000	397.8494624	11954.17607	30000	0	0	30000	41.375	2004
08.01.2020 15:43:02	1	1	1	1	79.5	61.25	0	30000	397.8494624	11954.17607	30000	0	0	30000	41.125	2004
08.01.2020 15:43:03	1	1	1	1	79.5	61	0	29952.607	400	12387.13886	30000	0	0	30000	41.3125	2004
08.01.2020 15:43:10	1	1	1	1	79.5	61	0	30000	443.0107527	13289.7562	30000	0	0	30000	41.25	2004
08.01.2020 15:43:10	1	1	1	1	79.5	61	0	30000	443.0107527	13289.7562	30000	0	0	30000	41.25	2004
08.01.2020 15:43:10	1	1	1	1	79.5	61	0	30000	443.0107527	13289.7562	30000	0	0	30000	41.25	2004
08.01.2020 15:43:10	1	1	1	1	79.5	61	0	30000	443.0107527	13289.7562	30000	0	0	30000	41.25	2004
08.01.2020 15:43:10	1	1	1	1	79.5	61	0	30000	443.0107527	13289.7562	30000	0	0	30000	41.25	2004
08.01.2020 15:43:10	1	1	1	1	79.5	61	0	30000	443.0107527	13289.7562	30000	0	0	30000	41.25	2004
08.01.2020 15:43:10	1	1	1	1	79.5	61	0	30000	443.0107527	13289.7562	30000	0	0	30000	41.25	2004
08.01.2020 15:43:10	1	1	1	1	79.5	61	0	30000	443.0107527	13289.7562	30000	0	0	30000	41.25	2004
08.01.2020 15:43:11	1	1	1	1	78.75	61.25	0	30000	438.7096774	13225.34178	30000	0	0	30000	41.1875	2004
08.01.2020 15:43:12	1	1	1	1	78.75	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.4375	2004
08.01.2020 15:43:13	1	1	1	1	78.75	61.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.3125	2004
08.01.2020 15:43:14	1	1	1	1	78.75	61.25	0	30000	451.6129032	13612.64371	30000	0	0	30000	40.875	2004
08.01.2020 15:43:15	1	1	1	1	78.75	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.5	2004
08.01.2020 15:43:16	1	1	1	1	78.75	61.5	0	30000	445.1612903	13483.81486	30000	0	0	30000	41.4375	2004
08.01.2020 15:43:17	1	1	1	1	78.75	61.25	0	30000	453.7634409	13612.64371	30000	0	0	30000	41.6875	2004
08.01.2020 15:43:18	1	1	1	1	78.75	61.5	0	30000	453.7634409	13612.64371	30000	0	0	30000	40.875	2004
08.01.2020 15:43:19	1	1	1	1	78.75	60.75	0	30000	453.7634409	13677.05814	30000	0	0	30000	40.9375	2004
08.01.2020 15:43:20	1	1	1	1	78.75	60.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	41.375	2004
08.01.2020 15:43:21	1	1	1	1	78.75	61.25	0	30000	453.7634409	13612.64371	30000	0	0	30000	41.5	2004
08.01.2020 15:43:22	1	1	1	1	78.75	61.5	0	30000	460.2150538	13741.47256	30000	0	0	30000	41.125	2004
08.01.2020 15:43:24	1	1	1	1	78.75	61	0	30000	453.7634409	13612.64371	30000	0	0	30000	40.8125	2004
08.01.2020 15:43:25	1	1	1	1	78.75	60.75	0	29952.607	451.6129032	13612.64371	30000	0	0	30000	41.125	2004
08.01.2020 15:43:26	1	1	1	1	78.75	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.4375	2004
08.01.2020 15:43:27	1	1	1	1	78.75	61.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.375	2004
08.01.2020 15:43:28	1	1	1	1	78.75	61.25	0	30094.787	464.516129	13741.47256	30000	0	0	30000	40.8125	2004
08.01.2020 15:43:29	1	1	1	1	78.75	60.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	41.1875	2004
08.01.2020 15:43:30	1	1	1	1	78.75	61	0	30000	453.7634409	13612.64371	30000	0	0	30000	41.1875	2004
08.01.2020 15:43:31	1	1	1	1	78.75	61	0	30000	449.4623656	13612.64371	30000	0	0	30000	41.5	2004
08.01.2020 15:43:32	1	1	1	1	79	61.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.4375	2004
08.01.2020 15:43:33	1	1	1	1	79	61.25	0	29952.607	443.0107527	13655.85845	30000	0	0	30000	41.75	2004
08.01.2020 15:43:34	1	1	1	1	79	61.75	0	30000	445.1612903	13375.37032	30000	0	0	30000	41.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 15:43:35	1	1	1	1	79	61.5	0	30000	443.0107527	13289.7562	30000	0	0	30000	40.375	2004
08.01.2020 15:43:36	1	1	1	1	79	60.25	0	30000	443.0107527	13225.34178	30000	0	0	30000	40.8125	2004
08.01.2020 15:43:37	1	1	1	1	79	60.75	0	30000	438.7096774	13160.92735	30000	0	0	30000	41.5	2004
08.01.2020 15:43:38	1	1	1	1	79	61.5	0	30000	443.0107527	13225.34178	30000	0	0	30000	40.875	2004
08.01.2020 15:43:39	1	1	1	1	79	60.75	0	29952.607	432.2580645	13096.51292	30000	0	0	30000	41.375	2004
08.01.2020 15:43:40	1	1	1	1	79	61.25	0	30000	438.7096774	13160.92735	30000	0	0	30000	41.375	2004
08.01.2020 15:43:41	1	1	1	1	79.25	61.25	0	30000	438.7096774	13160.92735	30000	0	0	30000	41.3125	2004
08.01.2020 15:43:42	1	1	1	1	79.25	61.25	0	30000	438.7096774	13160.92735	30000	0	0	30000	41.4375	2004
08.01.2020 15:43:43	1	1	1	1	79.25	61.25	0	30000	440.8602151	13289.7562	30000	0	0	30000	41	2004
08.01.2020 15:43:44	1	1	1	1	79.25	61	0	30047.393	445.1612903	13375.37032	30000	0	0	30000	41.4375	2004
08.01.2020 15:43:45	1	1	1	1	79.25	61.25	0	30000	451.6129032	13612.64371	30000	0	0	30000	41.3125	2004
08.01.2020 15:43:46	1	1	1	1	79.25	61.25	0	30000	460.2150538	13741.47256	30000	0	0	30000	41.1875	2004
08.01.2020 15:43:47	1	1	1	1	79.25	61	0	30000	464.516129	13935.53122	30000	0	0	30000	40.8125	2004
08.01.2020 15:43:48	1	1	1	1	79.25	60.75	0	30000	460.2150538	13935.53122	30000	0	0	30000	41.375	2004
08.01.2020 15:43:49	1	1	1	1	79.25	61.25	0	30000	460.2150538	13741.47256	30000	0	0	30000	41.375	2004
08.01.2020 15:43:50	1	1	1	1	79.25	61.25	0	30000	464.516129	13870.30142	30000	0	0	30000	41.4375	2004
08.01.2020 15:43:51	1	1	1	1	79.5	61.25	0	30047.393	481.7204301	14128.7745	30000	0	0	30000	41.125	2004
08.01.2020 15:43:52	1	1	1	1	79.5	61	0	30000	481.7204301	14042.34501	30000	0	0	30000	40.8125	2004
08.01.2020 15:43:53	1	1	1	1	79.5	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	41.1875	2004
08.01.2020 15:43:54	1	1	1	1	79.5	61	0	30000	481.7204301	14451.662	30000	0	0	30000	40.8125	2004
08.01.2020 15:43:55	1	1	1	1	79.5	60.75	0	30000	453.7634409	13591.44402	30000	0	0	30000	41.375	2004
08.01.2020 15:43:56	1	1	1	1	79.5	61.25	0	30000	443.0107527	13160.92735	30000	0	0	30000	41.4375	2004
08.01.2020 15:43:57	1	1	1	1	79.5	61.25	0	30000	438.7096774	13160.92735	30000	0	0	30000	41.625	2004
08.01.2020 15:43:58	1	1	1	1	79.5	61.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.4375	2004
08.01.2020 15:43:59	1	1	1	1	79.5	61.25	0	29952.607	415.0537634	12451.55328	30000	0	0	30000	40.4375	2004
08.01.2020 15:44:01	1	1	1	1	79.5	60.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	41.25	2004
08.01.2020 15:44:02	1	1	1	1	79.75	61.25	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	41.4375	2004
08.01.2020 15:44:03	1	1	1	1	79.75	61.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	41.4375	2004
08.01.2020 15:44:04	1	1	1	1	79.75	61.25	0	30000	391.3978495	11741.36385	30000	0	0	30000	41.4375	2004
08.01.2020 15:44:05	1	1	1	1	79.75	61.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	41	2004
08.01.2020 15:44:12	1	1	1	1	79.75	61.5	0	30000	356.9892473	10773.5167	30000	0	0	30000	41.4375	2004
08.01.2020 15:44:12	1	1	1	1	79.75	61.5	0	30000	356.9892473	10773.5167	30000	0	0	30000	41.4375	2004
08.01.2020 15:44:12	1	1	1	1	79.75	61.5	0	30000	356.9892473	10773.5167	30000	0	0	30000	41.4375	2004
08.01.2020 15:44:12	1	1	1	1	79.75	61.5	0	30000	356.9892473	10773.5167	30000	0	0	30000	41.4375	2004
08.01.2020 15:44:12	1	1	1	1	79.75	61.5	0	30000	356.9892473	10773.5167	30000	0	0	30000	41.4375	2004
08.01.2020 15:44:12	1	1	1	1	79.75	61.5	0	30000	356.9892473	10773.5167	30000	0	0	30000	41.4375	2004
08.01.2020 15:44:12	1	1	1	1	79.75	61.5	0	30000	356.9892473	10773.5167	30000	0	0	30000	41.4375	2004
08.01.2020 15:44:13	1	1	1	1	79.75	61.25	0	30000	363.4408602	10903.16093	30000	0	0	30000	41.75	2004
08.01.2020 15:44:14	1	1	1	1	79.75	61.5	0	30000	369.8924731	11096.40421	30000	0	0	30000	41.5625	2004
08.01.2020 15:44:15	1	1	1	1	79.75	61.5	0	30000	369.8924731	11031.98978	30000	0	0	30000	41.25	2004
08.01.2020 15:44:16	1	1	1	1	79.75	61.25	0	30000	369.8924731	11031.98978	30000	0	0	30000	41.375	2004
08.01.2020 15:44:17	1	1	1	1	79.75	61.25	0	30000	369.8924731	11160.81863	30000	0	0	30000	41.5625	2004
08.01.2020 15:44:18	1	1	1	1	79.75	61.5	0	30094.787	380.6451613	11372.81548	30000	0	0	30000	41.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 15:44:19	1	1	1	1	79.75	61.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.4375	2004
08.01.2020 15:44:20	1	1	1	1	79.75	61.25	0	29952.607	378.4946237	11354.87729	30000	0	0	30000	41.3125	2004
08.01.2020 15:44:21	1	1	1	1	79.75	61.25	0	30000	380.6451613	11419.29171	30000	0	0	30000	41.25	2004
08.01.2020 15:44:22	1	1	1	1	79.75	61.25	0	30000	380.6451613	11319.0009	30000	0	0	30000	41.375	2004
08.01.2020 15:44:23	1	1	1	1	79.75	61.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	40.75	2004
08.01.2020 15:44:24	1	1	1	1	79.75	60.75	0	30000	380.6451613	11354.87729	30000	0	0	30000	40.5625	2004
08.01.2020 15:44:25	1	1	1	1	79.75	60.5	0	29952.607	380.6451613	11548.12057	30000	0	0	30000	41.3125	2004
08.01.2020 15:44:26	1	1	1	1	79.75	61.25	0	30000	380.6451613	11419.29171	30000	0	0	30000	41.4375	2004
08.01.2020 15:44:27	1	1	1	1	79.75	61.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	40.9375	2004
08.01.2020 15:44:28	1	1	1	1	79.75	60.75	0	29952.607	378.4946237	11143.69581	30000	0	0	30000	41.3125	2004
08.01.2020 15:44:29	1	1	1	1	79.75	61.25	0	29905.213	378.4946237	11160.81863	30000	0	0	30000	41.375	2004
08.01.2020 15:44:30	1	1	1	1	79.75	61.25	0	30000	372.0430108	11160.81863	30000	0	0	30000	40.75	2004
08.01.2020 15:44:31	1	1	1	1	79.75	60.75	0	30000	378.4946237	11160.81863	30000	0	0	30000	41.5	2004
08.01.2020 15:44:32	1	1	1	1	79.75	61.5	0	30000	378.4946237	11160.81863	30000	0	0	30000	41.125	2004
08.01.2020 15:44:33	1	1	1	1	79.75	61	0	30000	369.8924731	11096.40421	30000	0	0	30000	41.4375	2004
08.01.2020 15:44:34	1	1	1	1	79.75	61.25	0	30000	369.8924731	11096.40421	30000	0	0	30000	41.25	2004
08.01.2020 15:44:35	1	1	1	1	79.75	61.25	0	29905.213	363.4408602	11079.28139	30000	0	0	30000	41.375	2004
08.01.2020 15:44:36	1	1	1	1	79.75	61.25	0	30000	365.5913978	11031.98978	30000	0	0	30000	41.375	2004
08.01.2020 15:44:37	1	1	1	1	79.75	61.25	0	30000	369.8924731	11096.40421	30000	0	0	30000	41.4375	2004
08.01.2020 15:44:38	1	1	1	1	79.75	61.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.4375	2004
08.01.2020 15:44:40	1	1	1	1	79.75	61.25	0	30000	378.4946237	11649.22676	30000	0	0	30000	41.375	2004
08.01.2020 15:44:41	1	1	1	1	79.75	61.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.4375	2004
08.01.2020 15:44:42	1	1	1	1	80	61.25	0	30000	384.9462366	11548.12057	30000	0	0	30000	41.3125	2004
08.01.2020 15:44:43	1	1	1	1	80	61.25	0	30000	395.6989247	11548.12057	30000	0	0	30000	41.5	2004
08.01.2020 15:44:44	1	1	1	1	80	61.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	41.375	2004
08.01.2020 15:44:45	1	1	1	1	80	61.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	40.9375	2004
08.01.2020 15:44:46	1	1	1	1	80	60.75	0	30000	404.3010753	12193.08021	30000	0	0	30000	41.5	2004
08.01.2020 15:44:47	1	1	1	1	80	61.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.6875	2004
08.01.2020 15:44:48	1	1	1	1	80	61.5	0	29952.607	415.0537634	12580.38214	30000	0	0	30000	41.375	2004
08.01.2020 15:44:49	1	1	1	1	80	61.25	0	30000	423.655914	12580.38214	30000	0	0	30000	41.1875	2004
08.01.2020 15:44:50	1	1	1	1	80	61.75	0	30000	438.7096774	13096.51292	30000	0	0	30000	41.25	2004
08.01.2020 15:44:51	1	1	1	1	80	61.25	0	30000	436.5591398	13160.92735	30000	0	0	30000	40.75	2004
08.01.2020 15:44:52	1	1	1	1	80	60.75	0	29952.607	427.9569892	13096.51292	30000	0	0	30000	41.5625	2004
08.01.2020 15:44:53	1	1	1	1	80	61.5	0	29952.607	449.4623656	13483.81486	30000	0	0	30000	41.4375	2004
08.01.2020 15:44:54	1	1	1	1	80	61.25	0	30000	443.0107527	13225.34178	30000	0	0	30000	40.75	2004
08.01.2020 15:44:55	1	1	1	1	80	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.9375	2004
08.01.2020 15:44:56	1	1	1	1	80	60.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.5	2004
08.01.2020 15:44:57	1	1	1	1	80	61.5	0	30000	425.8064516	12773.62542	30000	0	0	30000	40.8125	2004
08.01.2020 15:44:58	1	1	1	1	80	60.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.1875	2004
08.01.2020 15:44:59	1	1	1	1	80	61	0	30000	395.6989247	11871.00807	30000	0	0	30000	40.375	2004
08.01.2020 15:45:00	1	1	1	1	80	60.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.375	2004
08.01.2020 15:45:01	1	1	1	1	79.75	61.25	0	29952.607	369.8924731	11096.40421	30000	0	0	30000	41.5	2004
08.01.2020 15:45:02	1	1	1	1	79.75	61.5	0	30000	350.5376344	10515.85899	30000	0	0	30000	41.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 15:45:03	1	1	1	1	79.75	61.5	0	30000	341.9354839	10387.03014	30000	0	0	30000	41.5625	2004
08.01.2020 15:45:04	1	1	1	1	79.75	61.5	0	30000	350.5376344	10451.44457	30000	0	0	30000	41.4375	2004
08.01.2020 15:45:05	1	1	1	1	79.75	61.25	0	30000	346.2365591	10387.03014	30000	0	0	30000	41.0625	2004
08.01.2020 15:45:06	1	1	1	1	79.75	61	0	30000	339.7849462	10128.55706	30000	0	0	30000	40.9375	2004
08.01.2020 15:45:14	1	1	1	1	79.75	60.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	40.5	2004
08.01.2020 15:45:14	1	1	1	1	79.75	60.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	40.5	2004
08.01.2020 15:45:14	1	1	1	1	79.75	60.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	40.5	2004
08.01.2020 15:45:14	1	1	1	1	79.75	60.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	40.5	2004
08.01.2020 15:45:14	1	1	1	1	79.75	60.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	40.5	2004
08.01.2020 15:45:14	1	1	1	1	79.75	60.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	40.5	2004
08.01.2020 15:45:14	1	1	1	1	79.75	60.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	40.5	2004
08.01.2020 15:45:14	1	1	1	1	79.75	60.5	0	29905.213	378.4946237	11419.29171	30000	0	0	30000	40.9375	2004
08.01.2020 15:45:15	1	1	1	1	79.75	60.75	0	30000	380.6451613	11419.29171	30000	0	0	30000	41.375	2004
08.01.2020 15:45:17	1	1	1	1	79.75	61.25	0	30000	391.3978495	11741.36385	30000	0	0	30000	41.5	2004
08.01.2020 15:45:18	1	1	1	1	79.75	61.5	0	30000	389.2473118	11741.36385	30000	0	0	30000	40	2004
08.01.2020 15:45:19	1	1	1	1	79.75	60	0	30000	397.8494624	11935.4225	30000	0	0	30000	41.0625	2004
08.01.2020 15:45:20	1	1	1	1	79.75	61	0	30000	404.3010753	11935.4225	30000	0	0	30000	41.375	2004
08.01.2020 15:45:21	1	1	1	1	79.75	61.25	0	30000	404.3010753	12387.13886	30000	0	0	30000	41.375	2004
08.01.2020 15:45:22	1	1	1	1	79.5	61.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.1875	2004
08.01.2020 15:45:23	1	1	1	1	79.5	61	0	29952.607	415.0537634	12515.96771	30000	0	0	30000	41.5625	2004
08.01.2020 15:45:24	1	1	1	1	79.5	61.5	0	30000	425.8064516	12709.21099	30000	0	0	30000	41.375	2004
08.01.2020 15:45:25	1	1	1	1	79.5	61.25	0	30000	440.8602151	13225.34178	30000	0	0	30000	41.375	2004
08.01.2020 15:45:26	1	1	1	1	79.5	61.25	0	29952.607	445.1612903	13548.22928	30000	0	0	30000	40.8125	2004
08.01.2020 15:45:27	1	1	1	1	79.5	60.75	0	29952.607	460.2150538	13591.44402	30000	0	0	30000	41	2004
08.01.2020 15:45:28	1	1	1	1	79.5	61	0	30000	455.9139785	13612.64371	30000	0	0	30000	41.3125	2004
08.01.2020 15:45:29	1	1	1	1	79.5	61.25	0	30047.393	464.516129	13935.53122	30000	0	0	30000	41.625	2004
08.01.2020 15:45:30	1	1	1	1	79.5	61	0	30000	464.516129	13935.53122	30000	0	0	30000	41.0625	2004
08.01.2020 15:45:31	1	1	1	1	79.75	61	0	30000	481.7204301	14451.662	30000	0	0	30000	40.75	2004
08.01.2020 15:45:32	1	1	1	1	79.75	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	41.5625	2004
08.01.2020 15:45:33	1	1	1	1	79.75	61.5	0	30000	481.7204301	14451.662	30000	0	0	30000	41.0625	2004
08.01.2020 15:45:34	1	1	1	1	79.75	61	0	30047.393	481.7204301	14451.662	30000	0	0	30000	41.375	2004
08.01.2020 15:45:35	1	1	1	1	79.75	61.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.875	2004
08.01.2020 15:45:36	1	1	1	1	79.75	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.3125	2004
08.01.2020 15:45:37	1	1	1	1	79.75	60.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	41	2004
08.01.2020 15:45:38	1	1	1	1	79.75	61	0	30000	481.7204301	14451.662	30000	0	0	30000	41.375	2004
08.01.2020 15:45:39	1	1	1	1	79.75	61.25	0	29952.607	483.8709677	14557.66042	30000	0	0	30000	41.1875	2004
08.01.2020 15:45:40	1	1	1	1	79.75	61	0	30000	492.4731183	14773.73413	30000	0	0	30000	41.5625	2004
08.01.2020 15:45:41	1	1	1	1	79.75	61.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	41.25	2004
08.01.2020 15:45:42	1	1	1	1	79.75	61.25	0	30000	481.7204301	14451.662	30000	0	0	30000	41.25	2004
08.01.2020 15:45:43	1	1	1	1	79.75	61.25	0	30000	481.7204301	14406.00114	30000	0	0	30000	41.125	2004
08.01.2020 15:45:44	1	1	1	1	79.75	61	0	30000	481.7204301	14451.662	30000	0	0	30000	41.375	2004
08.01.2020 15:45:45	1	1	1	1	79.75	61.25	0	30000	470.9677419	14451.662	30000	0	0	30000	40.8125	2004
08.01.2020 15:45:46	1	1	1	1	79.75	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	41.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 15:45:47	1	1	1	1	79.75	61.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.75	2004
08.01.2020 15:45:48	1	1	1	1	79.75	60.75	0	30000	468.8172043	14064.36007	30000	0	0	30000	41.0625	2004
08.01.2020 15:45:49	1	1	1	1	79.75	61	0	30000	481.7204301	14451.662	30000	0	0	30000	41.25	2004
08.01.2020 15:45:50	1	1	1	1	79.75	61.25	0	30000	481.7204301	14451.662	30000	0	0	30000	41.3125	2004
08.01.2020 15:45:51	1	1	1	1	79.75	61.25	0	30000	468.8172043	13977.93058	30000	0	0	30000	41.375	2004
08.01.2020 15:45:52	1	1	1	1	79.75	61.25	0	30000	481.7204301	14451.662	30000	0	0	30000	41.375	2004
08.01.2020 15:45:53	1	1	1	1	79.75	61.25	0	30000	453.7634409	13892.31647	30000	0	0	30000	41.4375	2004
08.01.2020 15:45:54	1	1	1	1	79.75	61.25	0	30000	464.516129	13935.53122	30000	0	0	30000	41.1875	2004
08.01.2020 15:45:55	1	1	1	1	79.75	61	0	29952.607	466.6666667	13999.94564	30000	0	0	30000	41.375	2004
08.01.2020 15:45:57	1	1	1	1	79.75	61.25	0	30000	464.516129	13935.53122	30000	0	0	30000	40.75	2004
08.01.2020 15:45:58	1	1	1	1	79.75	60.75	0	30000	455.9139785	13741.47256	30000	0	0	30000	41.125	2004
08.01.2020 15:45:59	1	1	1	1	79.75	61	0	30000	438.7096774	13096.51292	30000	0	0	30000	41.1875	2004
08.01.2020 15:46:00	1	1	1	1	79.75	61	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.0625	2004
08.01.2020 15:46:01	1	1	1	1	79.75	61	0	30000	438.7096774	13160.92735	30000	0	0	30000	40.375	2004
08.01.2020 15:46:02	1	1	1	1	79.75	60.25	0	30000	438.7096774	13160.92735	30000	0	0	30000	41.3125	2004
08.01.2020 15:46:03	1	1	1	1	79.75	61.25	0	30000	438.7096774	13096.51292	30000	0	0	30000	41.3125	2004
08.01.2020 15:46:04	1	1	1	1	79.75	61.25	0	30000	443.0107527	13354.17063	30000	0	0	30000	41.3125	2004
08.01.2020 15:46:05	1	1	1	1	79.75	61.25	0	30000	443.0107527	13289.7562	30000	0	0	30000	41.1875	2004
08.01.2020 15:46:06	1	1	1	1	79.75	61	0	30000	438.7096774	13160.92735	30000	0	0	30000	41.3125	2004
08.01.2020 15:46:07	1	1	1	1	79.75	61.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	41.375	2004
08.01.2020 15:46:08	1	1	1	1	79.75	61.5	0	30000	412.9032258	12367.56992	30000	0	0	30000	40.875	2004
08.01.2020 15:46:15	1	1	1	1	79.5	61.5	0	30000	445.1612903	13333.78632	30000	0	0	30000	40.8125	2004
08.01.2020 15:46:15	1	1	1	1	79.5	61.5	0	30000	445.1612903	13333.78632	30000	0	0	30000	40.8125	2004
08.01.2020 15:46:15	1	1	1	1	79.5	61.5	0	30000	445.1612903	13333.78632	30000	0	0	30000	40.8125	2004
08.01.2020 15:46:15	1	1	1	1	79.5	61.5	0	30000	445.1612903	13333.78632	30000	0	0	30000	40.8125	2004
08.01.2020 15:46:15	1	1	1	1	79.5	61.5	0	30000	445.1612903	13333.78632	30000	0	0	30000	40.8125	2004
08.01.2020 15:46:15	1	1	1	1	79.5	61.5	0	30000	445.1612903	13333.78632	30000	0	0	30000	40.8125	2004
08.01.2020 15:46:15	1	1	1	1	79.5	61.5	0	30000	445.1612903	13333.78632	30000	0	0	30000	40.8125	2004
08.01.2020 15:46:16	1	1	1	1	79.5	60.75	0	30000	445.1612903	13483.81486	30000	0	0	30000	39.8125	2004
08.01.2020 15:46:17	1	1	1	1	79.5	59.75	0	30000	451.6129032	13612.64371	30000	0	0	30000	41.3125	2004
08.01.2020 15:46:18	1	1	1	1	79.5	61.25	0	30000	453.7634409	13591.44402	30000	0	0	30000	40.75	2004
08.01.2020 15:46:19	1	1	1	1	79.5	60.75	0	30000	438.7096774	13225.34178	30000	0	0	30000	40.75	2004
08.01.2020 15:46:20	1	1	1	1	79.5	60.75	0	29952.607	432.2580645	13289.7562	30000	0	0	30000	40.875	2004
08.01.2020 15:46:21	1	1	1	1	79	60.75	0	29905.213	438.7096774	13204.95746	30000	0	0	30000	40.3125	2004
08.01.2020 15:46:22	1	1	1	1	79	60.25	0	30000	438.7096774	13225.34178	30000	0	0	30000	40.625	2004
08.01.2020 15:46:23	1	1	1	1	79	60.5	0	30000	438.7096774	13160.92735	30000	0	0	30000	41.4375	2004
08.01.2020 15:46:24	1	1	1	1	79	61.25	0	30000	434.4086022	13032.0985	30000	0	0	30000	41.1875	2004
08.01.2020 15:46:25	1	1	1	1	79	61	0	30000	427.9569892	13160.92735	30000	0	0	30000	41	2004
08.01.2020 15:46:26	1	1	1	1	79	61	0	29952.607	423.655914	13032.0985	30000	0	0	30000	40.6875	2004
08.01.2020 15:46:27	1	1	1	1	79	60.5	0	30000	425.8064516	12838.03984	30000	0	0	30000	41.4375	2004
08.01.2020 15:46:28	1	1	1	1	79	61.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.25	2004
08.01.2020 15:46:29	1	1	1	1	79	61.25	0	30000	436.5591398	13096.51292	30000	0	0	30000	41.4375	2004
08.01.2020 15:46:30	1	1	1	1	79	61.25	0	30000	438.7096774	12818.4709	30000	0	0	30000	40.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 15:46:32	1	1	1	1	79.5	60.75	0	30000	436.5591398	13096.51292	30000	0	0	30000	41.5625	2004
08.01.2020 15:46:33	1	1	1	1	79.5	61.5	0	30000	445.1612903	13204.95746	30000	0	0	30000	41.3125	2004
08.01.2020 15:46:34	1	1	1	1	79.5	61.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.25	2004
08.01.2020 15:46:35	1	1	1	1	79.5	61.25	0	30000	443.0107527	13289.7562	30000	0	0	30000	41.5	2004
08.01.2020 15:46:36	1	1	1	1	79.5	61.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.1875	2004
08.01.2020 15:46:37	1	1	1	1	79.5	61	0	30000	443.0107527	13354.17063	30000	0	0	30000	41.4375	2004
08.01.2020 15:46:38	1	1	1	1	79.5	61.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.75	2004
08.01.2020 15:46:39	1	1	1	1	79.5	60.75	0	30000	443.0107527	13289.7562	30000	0	0	30000	41.1875	2004
08.01.2020 15:46:40	1	1	1	1	79.5	61	0	30000	443.0107527	13354.17063	30000	0	0	30000	41.25	2004
08.01.2020 15:46:41	1	1	1	1	79.5	61.25	0	30000	458.0645161	13741.47256	30000	0	0	30000	41.3125	2004
08.01.2020 15:46:42	1	1	1	1	79.75	61.25	0	29905.213	449.4623656	13612.64371	30000	0	0	30000	40.6875	2004
08.01.2020 15:46:43	1	1	1	1	79.75	60.5	0	30000	460.2150538	13935.53122	30000	0	0	30000	40.3125	2004
08.01.2020 15:46:44	1	1	1	1	79.75	60.25	0	29952.607	453.7634409	13805.88699	30000	0	0	30000	41.8125	2004
08.01.2020 15:46:45	1	1	1	1	79.75	61.75	0	29952.607	464.516129	13913.51616	30000	0	0	30000	41	2004
08.01.2020 15:46:46	1	1	1	1	79.75	61	0	30000	466.6666667	13999.94564	30000	0	0	30000	41.125	2004
08.01.2020 15:46:47	1	1	1	1	79.75	61	0	30000	501.0752688	15032.20721	30000	0	0	30000	40.6875	2004
08.01.2020 15:46:48	1	1	1	1	79.75	60.5	0	30000	496.7741935	14902.56299	30000	0	0	30000	40.375	2004
08.01.2020 15:46:49	1	1	1	1	79.75	60.25	0	30000	496.7741935	14902.56299	30000	0	0	30000	41.5	2004
08.01.2020 15:46:50	1	1	1	1	79.75	61.5	0	29952.607	501.0752688	15096.62164	30000	0	0	30000	41.3125	2004
08.01.2020 15:46:51	1	1	1	1	79.5	61.25	0	30000	501.0752688	14879.73256	30000	0	0	30000	40.6875	2004
08.01.2020 15:46:52	1	1	1	1	79.5	60.5	0	30000	501.0752688	15032.20721	30000	0	0	30000	41.125	2004
08.01.2020 15:46:53	1	1	1	1	79.5	61	0	30000	505.3763441	15161.03607	30000	0	0	30000	41.125	2004
08.01.2020 15:46:54	1	1	1	1	79.5	61	0	30000	492.4731183	14773.73413	30000	0	0	30000	40.8125	2004
08.01.2020 15:46:55	1	1	1	1	79.5	60.75	0	30000	483.8709677	14516.07643	30000	0	0	30000	41.125	2004
08.01.2020 15:46:56	1	1	1	1	79.5	61	0	29952.607	481.7204301	14451.662	30000	0	0	30000	41.5	2004
08.01.2020 15:46:57	1	1	1	1	79.5	61.5	0	30000	458.0645161	13741.47256	30000	0	0	30000	40.75	2004
08.01.2020 15:46:58	1	1	1	1	79.5	60.75	0	30000	436.5591398	13096.51292	30000	0	0	30000	41.375	2004
08.01.2020 15:46:59	1	1	1	1	79.5	61.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	41.3125	2004
08.01.2020 15:47:00	1	1	1	1	79.5	61.25	0	30000	397.8494624	11999.83693	30000	0	0	30000	41.125	2004
08.01.2020 15:47:01	1	1	1	1	79.5	61	0	30000	397.8494624	11871.00807	30000	0	0	30000	41.375	2004
08.01.2020 15:47:02	1	1	1	1	79.5	61.25	0	30000	389.2473118	11676.94942	30000	0	0	30000	40.125	2004
08.01.2020 15:47:03	1	1	1	1	79.5	60	0	30000	384.9462366	11548.12057	30000	0	0	30000	41.25	2004
08.01.2020 15:47:04	1	1	1	1	79.5	61.25	0	30000	380.6451613	11419.29171	30000	0	0	30000	41.3125	2004
08.01.2020 15:47:05	1	1	1	1	79.5	61.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.4375	2004
08.01.2020 15:47:06	1	1	1	1	79.5	61.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.3125	2004
08.01.2020 15:47:07	1	1	1	1	79.5	61.25	0	30000	367.7419355	11096.40421	30000	0	0	30000	41.1875	2004
08.01.2020 15:47:08	1	1	1	1	79.5	61	0	30000	367.7419355	11031.98978	30000	0	0	30000	41.375	2004
08.01.2020 15:47:09	1	1	1	1	79.5	61.25	0	30000	354.8387097	10709.10227	30000	0	0	30000	41.3125	2004
08.01.2020 15:47:17	1	1	1	1	79.75	61	0	29952.607	320.4301075	9676.840703	30000	0	0	30000	41.0625	2004
08.01.2020 15:47:17	1	1	1	1	79.75	61	0	29952.607	320.4301075	9676.840703	30000	0	0	30000	41.0625	2004
08.01.2020 15:47:17	1	1	1	1	79.75	61	0	29952.607	320.4301075	9676.840703	30000	0	0	30000	41.0625	2004
08.01.2020 15:47:17	1	1	1	1	79.75	61	0	29952.607	320.4301075	9676.840703	30000	0	0	30000	41.0625	2004
08.01.2020 15:47:17	1	1	1	1	79.75	61	0	29952.607	320.4301075	9676.840703	30000	0	0	30000	41.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 15:47:17	1	1	1	1	79.75	61	0	29952.607	320.4301075	9676.840703	30000	0	0	30000	41.0625	2004
08.01.2020 15:47:17	1	1	1	1	79.75	61	0	29952.607	320.4301075	9676.840703	30000	0	0	30000	41.0625	2004
08.01.2020 15:47:18	1	1	1	1	79.75	61	0	30000	318.2795699	9468.920719	30000	0	0	30000	41.4375	2004
08.01.2020 15:47:19	1	1	1	1	79.75	61.25	0	30000	331.1827957	9870.899356	30000	0	0	30000	41.25	2004
08.01.2020 15:47:20	1	1	1	1	79.75	61.25	0	30000	331.1827957	9999.728209	30000	0	0	30000	41.125	2004
08.01.2020 15:47:21	1	1	1	1	79.75	61	0	29952.607	333.3333333	9999.728209	30000	0	0	30000	41.4375	2004
08.01.2020 15:47:22	1	1	1	1	79.5	61.25	0	30000	337.6344086	9999.728209	30000	0	0	30000	41.8125	2004
08.01.2020 15:47:23	1	1	1	1	79.5	61.75	0	30000	335.483871	10064.14264	30000	0	0	30000	41.4375	2004
08.01.2020 15:47:24	1	1	1	1	79.5	61.25	0	30000	335.483871	9999.728209	30000	0	0	30000	41.1875	2004
08.01.2020 15:47:25	1	1	1	1	79.5	61.75	0	29905.213	335.483871	10128.55706	30000	0	0	30000	41.375	2004
08.01.2020 15:47:26	1	1	1	1	79.5	61.25	0	30000	329.0322581	9870.899356	30000	0	0	30000	41.375	2004
08.01.2020 15:47:27	1	1	1	1	79.5	61.25	0	29952.607	331.1827957	9935.313783	30000	0	0	30000	40.9375	2004
08.01.2020 15:47:28	1	1	1	1	79.5	60.75	0	30047.393	335.483871	9806.484929	30000	0	0	30000	41.25	2004
08.01.2020 15:47:29	1	1	1	1	79.5	61.25	0	30000	329.0322581	9711.086348	30000	0	0	30000	41.375	2004
08.01.2020 15:47:30	1	1	1	1	79.5	61.25	0	30000	326.8817204	9806.484929	30000	0	0	30000	41.4375	2004
08.01.2020 15:47:31	1	1	1	1	79.75	61.25	0	30000	324.7311828	9741.25513	30000	0	0	30000	41.375	2004
08.01.2020 15:47:32	1	1	1	1	79.75	61.25	0	29905.213	320.4301075	9806.484929	30000	0	0	30000	40.8125	2004
08.01.2020 15:47:33	1	1	1	1	79.75	60.75	0	30000	329.0322581	9870.899356	30000	0	0	30000	40.9375	2004
08.01.2020 15:47:34	1	1	1	1	79.75	60.75	0	30000	329.0322581	9870.899356	30000	0	0	30000	41.25	2004
08.01.2020 15:47:35	1	1	1	1	79.75	61.25	0	30000	331.1827957	9870.899356	30000	0	0	30000	40.5625	2004
08.01.2020 15:47:36	1	1	1	1	79.75	60.5	0	30000	331.1827957	9999.728209	30000	0	0	30000	41.25	2004
08.01.2020 15:47:37	1	1	1	1	79.75	61.25	0	30000	333.3333333	9935.313783	30000	0	0	30000	41.4375	2004
08.01.2020 15:47:38	1	1	1	1	79.75	61.25	0	30000	333.3333333	9999.728209	30000	0	0	30000	40.125	2004
08.01.2020 15:47:39	1	1	1	1	79.75	60	0	30000	329.0322581	9935.313783	30000	0	0	30000	41.375	2004
08.01.2020 15:47:40	1	1	1	1	79.75	61.25	0	30000	329.0322581	9870.899356	30000	0	0	30000	41.4375	2004
08.01.2020 15:47:41	1	1	1	1	79.5	61.25	0	30000	331.1827957	9870.899356	30000	0	0	30000	41.3125	2004
08.01.2020 15:47:42	1	1	1	1	79.5	61.25	0	30000	333.3333333	9999.728209	30000	0	0	30000	41.3125	2004
08.01.2020 15:47:43	1	1	1	1	79.5	61.25	0	29952.607	335.483871	10128.55706	30000	0	0	30000	41.3125	2004
08.01.2020 15:47:44	1	1	1	1	79.5	61.25	0	30000	346.2365591	10387.03014	30000	0	0	30000	40.8125	2004
08.01.2020 15:47:45	1	1	1	1	79.5	60.75	0	30000	350.5376344	10644.68785	30000	0	0	30000	41.375	2004
08.01.2020 15:47:47	1	1	1	1	79.5	61.25	0	29952.607	365.5913978	10886.03811	30000	0	0	30000	41.4375	2004
08.01.2020 15:47:48	1	1	1	1	79.5	61.25	0	30000	380.6451613	11419.29171	30000	0	0	30000	40.875	2004
08.01.2020 15:47:49	1	1	1	1	79.5	60.75	0	30000	382.7956989	11548.12057	30000	0	0	30000	40.6875	2004
08.01.2020 15:47:50	1	1	1	1	79.5	60.5	0	30000	389.2473118	11676.94942	30000	0	0	30000	41.3125	2004
08.01.2020 15:47:51	1	1	1	1	79.5	61.25	0	30000	412.9032258	12451.55328	30000	0	0	30000	41.4375	2004
08.01.2020 15:47:52	1	1	1	1	79.25	61.25	0	30000	412.9032258	12154.7577	30000	0	0	30000	41.5	2004
08.01.2020 15:47:53	1	1	1	1	79.25	61.5	0	30000	434.4086022	12967.68407	30000	0	0	30000	41.3125	2004
08.01.2020 15:47:54	1	1	1	1	79.25	61.25	0	29952.607	427.9569892	13160.92735	30000	0	0	30000	40.9375	2004
08.01.2020 15:47:55	1	1	1	1	79.25	60.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.375	2004
08.01.2020 15:47:56	1	1	1	1	79.25	61.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.3125	2004
08.01.2020 15:47:57	1	1	1	1	79.25	61.25	0	30000	425.8064516	12580.38214	30000	0	0	30000	40.3125	2004
08.01.2020 15:47:58	1	1	1	1	79.25	60.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	41.3125	2004
08.01.2020 15:47:59	1	1	1	1	79.25	61.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 15:48:00	1	1	1	1	79.25	61.75	0	30000	404.3010753	12387.13886	30000	0	0	30000	41.4375	2004
08.01.2020 15:48:01	1	1	1	1	79.25	61.25	0	30000	404.3010753	12064.25135	30000	0	0	30000	41.5	2004
08.01.2020 15:48:02	1	1	1	1	79.75	61	0	30000	391.3978495	11447.01438	30000	0	0	30000	40.875	2004
08.01.2020 15:48:03	1	1	1	1	79.75	60.75	0	29905.213	363.4408602	11160.81863	30000	0	0	30000	41.5625	2004
08.01.2020 15:48:04	1	1	1	1	79.75	61.5	0	29952.607	344.0860215	10257.38592	30000	0	0	30000	41.1875	2004
08.01.2020 15:48:05	1	1	1	1	79.75	61	0	30000	331.1827957	9999.728209	30000	0	0	30000	41	2004
08.01.2020 15:48:06	1	1	1	1	79.75	61	0	30000	326.8817204	9870.899356	30000	0	0	30000	41.5	2004
08.01.2020 15:48:07	1	1	1	1	79.75	61.5	0	29905.213	322.5806452	9676.840703	30000	0	0	30000	41.375	2004
08.01.2020 15:48:08	1	1	1	1	79.75	61.25	0	29952.607	326.8817204	9870.899356	30000	0	0	30000	41.375	2004
08.01.2020 15:48:09	1	1	1	1	79.75	61.25	0	30000	329.0322581	9870.899356	30000	0	0	30000	41.1875	2004
08.01.2020 15:48:10	1	1	1	1	79.75	61	0	30000	335.483871	10064.14264	30000	0	0	30000	41.375	2004
08.01.2020 15:48:11	1	1	1	1	79.75	61.25	0	30000	337.6344086	10128.55706	30000	0	0	30000	41.4375	2004
08.01.2020 15:48:19	1	1	1	1	79.75	61.25	0	30000	346.2365591	10370.72269	30000	0	0	30000	40.3125	2004
08.01.2020 15:48:19	1	1	1	1	79.75	61.25	0	30000	346.2365591	10370.72269	30000	0	0	30000	40.3125	2004
08.01.2020 15:48:19	1	1	1	1	79.75	61.25	0	30000	346.2365591	10370.72269	30000	0	0	30000	40.3125	2004
08.01.2020 15:48:19	1	1	1	1	79.75	61.25	0	30000	346.2365591	10370.72269	30000	0	0	30000	40.3125	2004
08.01.2020 15:48:19	1	1	1	1	79.75	61.25	0	30000	346.2365591	10370.72269	30000	0	0	30000	40.3125	2004
08.01.2020 15:48:19	1	1	1	1	79.75	61.25	0	30000	346.2365591	10370.72269	30000	0	0	30000	40.3125	2004
08.01.2020 15:48:19	1	1	1	1	79.75	61.25	0	30000	346.2365591	10370.72269	30000	0	0	30000	40.3125	2004
08.01.2020 15:48:19	1	1	1	1	79.75	60.25	0	30000	346.2365591	10322.61571	30000	0	0	30000	41.375	2004
08.01.2020 15:48:20	1	1	1	1	79.75	61.25	0	30000	350.5376344	10709.10227	30000	0	0	30000	41.3125	2004
08.01.2020 15:48:21	1	1	1	1	79.75	61.25	0	30000	352.688172	10499.55155	30000	0	0	30000	40.5625	2004
08.01.2020 15:48:22	1	1	1	1	79.75	60.5	0	30000	363.4408602	10773.5167	30000	0	0	30000	41.3125	2004
08.01.2020 15:48:23	1	1	1	1	79.75	61.25	0	30000	369.8924731	11096.40421	30000	0	0	30000	41.3125	2004
08.01.2020 15:48:24	1	1	1	1	79.75	61.25	0	30000	378.4946237	11225.23306	30000	0	0	30000	40.8125	2004
08.01.2020 15:48:25	1	1	1	1	79.75	60.75	0	29952.607	378.4946237	11354.87729	30000	0	0	30000	40.875	2004
08.01.2020 15:48:27	1	1	1	1	79.75	60.75	0	30000	378.4946237	11419.29171	30000	0	0	30000	41.25	2004
08.01.2020 15:48:28	1	1	1	1	79.75	61.25	0	30000	384.9462366	11548.12057	30000	0	0	30000	40.9375	2004
08.01.2020 15:48:29	1	1	1	1	79.75	60.75	0	30000	382.7956989	11548.12057	30000	0	0	30000	40.8125	2004
08.01.2020 15:48:30	1	1	1	1	79.75	60.75	0	30000	391.3978495	11871.00807	30000	0	0	30000	41.5625	2004
08.01.2020 15:48:31	1	1	1	1	79.75	61.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	41.125	2004
08.01.2020 15:48:32	1	1	1	1	79.5	61	0	29905.213	397.8494624	11935.4225	30000	0	0	30000	41.3125	2004
08.01.2020 15:48:33	1	1	1	1	79.5	61.25	0	30000	404.3010753	12387.13886	30000	0	0	30000	41.5625	2004
08.01.2020 15:48:34	1	1	1	1	79.5	61.5	0	30047.393	427.9569892	12580.38214	30000	0	0	30000	40.875	2004
08.01.2020 15:48:35	1	1	1	1	79.5	60.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.4375	2004
08.01.2020 15:48:36	1	1	1	1	79.5	61.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.375	2004
08.01.2020 15:48:37	1	1	1	1	79.5	61.25	0	30000	460.2150538	13805.88699	30000	0	0	30000	41.8125	2004
08.01.2020 15:48:38	1	1	1	1	79.5	61.75	0	30000	464.516129	13935.53122	30000	0	0	30000	41.75	2004
08.01.2020 15:48:39	1	1	1	1	79.5	61.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.9375	2004
08.01.2020 15:48:40	1	1	1	1	79.5	61.5	0	30047.393	481.7204301	14451.662	30000	0	0	30000	40.6875	2004
08.01.2020 15:48:41	1	1	1	1	80	60.5	0	29905.213	481.7204301	14451.662	30000	0	0	30000	41.25	2004
08.01.2020 15:48:42	1	1	1	1	80	61.25	0	30000	481.7204301	14474.49243	30000	0	0	30000	41.25	2004
08.01.2020 15:48:43	1	1	1	1	80	61.25	0	30000	481.7204301	14516.07643	30000	0	0	30000	40.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 15:48:44	1	1	1	1	80	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	41.3125	2004
08.01.2020 15:48:45	1	1	1	1	80	61.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.9375	2004
08.01.2020 15:48:46	1	1	1	1	80	60.75	0	29952.607	483.8709677	14644.90528	30000	0	0	30000	41.5625	2004
08.01.2020 15:48:47	1	1	1	1	80	61.5	0	30000	488.172043	14644.90528	30000	0	0	30000	41	2004
08.01.2020 15:48:48	1	1	1	1	80	61	0	30047.393	481.7204301	14451.662	30000	0	0	30000	41.375	2004
08.01.2020 15:48:49	1	1	1	1	80	61.25	0	30000	464.516129	13805.88699	30000	0	0	30000	41.4375	2004
08.01.2020 15:48:50	1	1	1	1	80	61.25	0	30000	464.516129	13935.53122	30000	0	0	30000	40.5625	2004
08.01.2020 15:48:51	1	1	1	1	79.75	60.5	0	29905.213	458.0645161	13741.47256	30000	0	0	30000	40.75	2004
08.01.2020 15:48:52	1	1	1	1	79.75	60.75	0	30000	455.9139785	13805.88699	30000	0	0	30000	41.1875	2004
08.01.2020 15:48:53	1	1	1	1	79.75	61	0	29952.607	464.516129	13720.27288	30000	0	0	30000	41.3125	2004
08.01.2020 15:48:54	1	1	1	1	79.75	61.25	0	30000	481.7204301	14451.662	30000	0	0	30000	41.0625	2004
08.01.2020 15:48:55	1	1	1	1	79.75	61	0	30000	468.8172043	13977.93058	30000	0	0	30000	41.375	2004
08.01.2020 15:48:56	1	1	1	1	79.75	61.25	0	30000	466.6666667	13935.53122	30000	0	0	30000	40.8125	2004
08.01.2020 15:48:57	1	1	1	1	79.75	60.75	0	30000	458.0645161	13333.78632	30000	0	0	30000	41	2004
08.01.2020 15:48:58	1	1	1	1	79.75	61	0	30000	443.0107527	13354.17063	30000	0	0	30000	41.1875	2004
08.01.2020 15:48:59	1	1	1	1	79.75	61	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.5	2004
08.01.2020 15:49:00	1	1	1	1	79.75	61.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.25	2004
08.01.2020 15:49:01	1	1	1	1	79.75	61.25	0	30000	432.2580645	12967.68407	30000	0	0	30000	41	2004
08.01.2020 15:49:02	1	1	1	1	79.75	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.25	2004
08.01.2020 15:49:04	1	1	1	1	79.75	61.25	0	30000	443.0107527	13225.34178	30000	0	0	30000	41.4375	2004
08.01.2020 15:49:05	1	1	1	1	79.75	61.25	0	30047.393	440.8602151	13160.92735	30000	0	0	30000	41	2004
08.01.2020 15:49:06	1	1	1	1	79.75	61	0	30000	419.3548387	12580.38214	30000	0	0	30000	40.8125	2004
08.01.2020 15:49:07	1	1	1	1	79.75	60.75	0	30000	384.9462366	11548.12057	30000	0	0	30000	40.9375	2004
08.01.2020 15:49:08	1	1	1	1	79.75	60.75	0	29952.607	369.8924731	11160.81863	30000	0	0	30000	41.3125	2004
08.01.2020 15:49:09	1	1	1	1	79.75	61.25	0	30000	382.7956989	11483.70614	30000	0	0	30000	41.3125	2004
08.01.2020 15:49:10	1	1	1	1	79.75	61.25	0	30000	387.0967742	11548.12057	30000	0	0	30000	41.375	2004
08.01.2020 15:49:11	1	1	1	1	79.75	61.25	0	30000	378.4946237	11419.29171	30000	0	0	30000	41.3125	2004
08.01.2020 15:49:12	1	1	1	1	80	61.25	0	30000	387.0967742	11676.94942	30000	0	0	30000	41.375	2004
08.01.2020 15:49:13	1	1	1	1	80	61.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	41.3125	2004
08.01.2020 15:49:20	1	1	1	1	80	61.75	0	30000	464.516129	13935.53122	30000	0	0	30000	40.75	2004
08.01.2020 15:49:20	1	1	1	1	80	61.75	0	30000	464.516129	13935.53122	30000	0	0	30000	40.75	2004
08.01.2020 15:49:20	1	1	1	1	80	61.75	0	30000	464.516129	13935.53122	30000	0	0	30000	40.75	2004
08.01.2020 15:49:20	1	1	1	1	80	61.75	0	30000	464.516129	13935.53122	30000	0	0	30000	40.75	2004
08.01.2020 15:49:20	1	1	1	1	80	61.75	0	30000	464.516129	13935.53122	30000	0	0	30000	40.75	2004
08.01.2020 15:49:20	1	1	1	1	80	61.75	0	30000	464.516129	13935.53122	30000	0	0	30000	40.75	2004
08.01.2020 15:49:21	1	1	1	1	80.25	60.75	0	30000	466.6666667	14064.36007	30000	0	0	30000	41.375	2004
08.01.2020 15:49:22	1	1	1	1	80.25	61.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.625	2004
08.01.2020 15:49:23	1	1	1	1	80.25	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	41.25	2004
08.01.2020 15:49:24	1	1	1	1	80.25	61.25	0	30000	481.7204301	14451.662	30000	0	0	30000	41.3125	2004
08.01.2020 15:49:25	1	1	1	1	80.25	61.25	0	30000	481.7204301	14451.662	30000	0	0	30000	41.125	2004
08.01.2020 15:49:26	1	1	1	1	80.25	61	0	30000	481.7204301	14516.07643	30000	0	0	30000	41.1875	2004
08.01.2020 15:49:27	1	1	1	1	80.25	61	0	29952.607	481.7204301	14451.662	30000	0	0	30000	41.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 15:49:28	1	1	1	1	80.25	61.25	0	30000	481.7204301	14451.662	30000	0	0	30000	41	2004
08.01.2020 15:49:29	1	1	1	1	80.25	61	0	30000	481.7204301	14451.662	30000	0	0	30000	41.1875	2004
08.01.2020 15:49:30	1	1	1	1	80.25	61	0	30000	481.7204301	14451.662	30000	0	0	30000	41.1875	2004
08.01.2020 15:49:31	1	1	1	1	80.5	61	0	30000	481.7204301	14428.83157	30000	0	0	30000	41	2004
08.01.2020 15:49:32	1	1	1	1	80.5	61	0	30000	466.6666667	13999.94564	30000	0	0	30000	41.1875	2004
08.01.2020 15:49:33	1	1	1	1	80.5	61	0	30000	464.516129	13999.94564	30000	0	0	30000	41.375	2004
08.01.2020 15:49:34	1	1	1	1	80.5	61.25	0	30000	464.516129	13999.94564	30000	0	0	30000	41.3125	2004
08.01.2020 15:49:35	1	1	1	1	80.5	61.25	0	30000	460.2150538	13935.53122	30000	0	0	30000	41	2004
08.01.2020 15:49:36	1	1	1	1	80.5	61	0	30000	458.0645161	13805.88699	30000	0	0	30000	41.0625	2004
08.01.2020 15:49:37	1	1	1	1	80.5	61	0	30000	458.0645161	13741.47256	30000	0	0	30000	41.4375	2004
08.01.2020 15:49:38	1	1	1	1	80.5	61.25	0	30000	458.0645161	13741.47256	30000	0	0	30000	41.25	2004
08.01.2020 15:49:39	1	1	1	1	80.5	61.25	0	29952.607	460.2150538	13935.53122	30000	0	0	30000	41.125	2004
08.01.2020 15:49:40	1	1	1	1	80.5	61	0	30000	464.516129	13935.53122	30000	0	0	30000	40.625	2004
08.01.2020 15:49:41	1	1	1	1	80.75	60.5	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.875	2004
08.01.2020 15:49:43	1	1	1	1	80.75	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.75	2004
08.01.2020 15:49:44	1	1	1	1	80.75	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	41.4375	2004
08.01.2020 15:49:45	1	1	1	1	80.75	61.25	0	30000	481.7204301	14451.662	30000	0	0	30000	41.3125	2004
08.01.2020 15:49:46	1	1	1	1	80.75	61.25	0	30000	464.516129	13935.53122	30000	0	0	30000	41.3125	2004
08.01.2020 15:49:47	1	1	1	1	80.75	61.25	0	30094.787	464.516129	13591.44402	30000	0	0	30000	41.3125	2004
08.01.2020 15:49:48	1	1	1	1	80.75	61.25	0	30000	453.7634409	13612.64371	30000	0	0	30000	41.125	2004
08.01.2020 15:49:49	1	1	1	1	80.75	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.625	2004
08.01.2020 15:49:50	1	1	1	1	80.75	60.5	0	30000	449.4623656	13612.64371	30000	0	0	30000	41.25	2004
08.01.2020 15:49:53	1	1	1	1	80.75	61.25	0	30000	427.9569892	12754.05648	30000	0	0	30000	41.4375	2004
08.01.2020 15:49:53	1	1	1	1	80.75	61.25	0	30000	427.9569892	12754.05648	30000	0	0	30000	41.4375	2004
08.01.2020 15:49:53	1	1	1	1	80.75	61.25	0	30000	427.9569892	12754.05648	30000	0	0	30000	41.4375	2004
08.01.2020 15:49:53	1	1	1	1	80.75	61.25	0	30000	427.9569892	12754.05648	30000	0	0	30000	41.4375	2004
08.01.2020 15:49:54	1	1	1	1	80.75	61.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	41.25	2004
08.01.2020 15:49:55	1	1	1	1	80.75	61.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	41.6875	2004
08.01.2020 15:49:56	1	1	1	1	80.75	61.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.6875	2004
08.01.2020 15:49:57	1	1	1	1	80.75	61.5	0	30000	436.5591398	13096.51292	30000	0	0	30000	41.4375	2004
08.01.2020 15:49:58	1	1	1	1	80.75	60.5	0	30000	436.5591398	13096.51292	30000	0	0	30000	41.25	2004
08.01.2020 15:49:59	1	1	1	1	80.75	61.25	0	30000	438.7096774	13160.92735	30000	0	0	30000	40.6875	2004
08.01.2020 15:50:00	1	1	1	1	80.75	60.5	0	30000	443.0107527	13289.7562	30000	0	0	30000	41.375	2004
08.01.2020 15:50:01	1	1	1	1	81	61.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.1875	2004
08.01.2020 15:50:02	1	1	1	1	81	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.6875	2004
08.01.2020 15:50:03	1	1	1	1	81	60.5	0	30000	449.4623656	13354.17063	30000	0	0	30000	41.1875	2004
08.01.2020 15:50:04	1	1	1	1	81	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	41	2004
08.01.2020 15:50:05	1	1	1	1	81	61	0	30000	419.3548387	12773.62542	30000	0	0	30000	41.1875	2004
08.01.2020 15:50:06	1	1	1	1	81	61	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.3125	2004
08.01.2020 15:50:07	1	1	1	1	81	61.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	41	2004
08.01.2020 15:50:08	1	1	1	1	81	61	0	30000	395.6989247	11871.00807	30000	0	0	30000	40.875	2004
08.01.2020 15:50:09	1	1	1	1	81	60.75	0	30000	402.1505376	12148.23472	30000	0	0	30000	41.3125	2004
08.01.2020 15:50:10	1	1	1	1	81	61.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.3125	2004
08.01.2020 15:50:11	1	1	1	1	80.5	61.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	40.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 15:50:12	1	1	1	1	80.5	60.75	0	30000	419.3548387	12709.21099	30000	0	0	30000	41.4375	2004
08.01.2020 15:50:13	1	1	1	1	80.5	61.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.125	2004
08.01.2020 15:50:14	1	1	1	1	80.5	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.0625	2004
08.01.2020 15:50:22	1	1	1	1	80.5	60.5	0	30000	516.1290323	15354.27935	30000	0	0	30000	41.125	2004
08.01.2020 15:50:22	1	1	1	1	80.5	60.5	0	30000	516.1290323	15354.27935	30000	0	0	30000	41.125	2004
08.01.2020 15:50:22	1	1	1	1	80.5	60.5	0	30000	516.1290323	15354.27935	30000	0	0	30000	41.125	2004
08.01.2020 15:50:22	1	1	1	1	80.5	60.5	0	30000	516.1290323	15354.27935	30000	0	0	30000	41.125	2004
08.01.2020 15:50:22	1	1	1	1	80.5	60.5	0	30000	516.1290323	15354.27935	30000	0	0	30000	41.125	2004
08.01.2020 15:50:22	1	1	1	1	80.5	60.5	0	30000	516.1290323	15354.27935	30000	0	0	30000	41.125	2004
08.01.2020 15:50:22	1	1	1	1	80.5	60.5	0	30000	516.1290323	15354.27935	30000	0	0	30000	41.125	2004
08.01.2020 15:50:22	1	1	1	1	80.5	60.5	0	30000	516.1290323	15354.27935	30000	0	0	30000	41.125	2004
08.01.2020 15:50:23	1	1	1	1	80.5	61	0	29952.607	511.827957	15354.27935	30000	0	0	30000	41.25	2004
08.01.2020 15:50:24	1	1	1	1	80.5	61.25	0	30000	507.5268817	15289.86492	30000	0	0	30000	41.375	2004
08.01.2020 15:50:25	1	1	1	1	80.5	61.25	0	30000	511.827957	15354.27935	30000	0	0	30000	41.25	2004
08.01.2020 15:50:26	1	1	1	1	80.5	61.25	0	30000	503.2258065	15161.03607	30000	0	0	30000	40.5	2004
08.01.2020 15:50:27	1	1	1	1	80.5	60.5	0	30000	505.3763441	15184.68187	30000	0	0	30000	41.25	2004
08.01.2020 15:50:28	1	1	1	1	80.5	61.25	0	30000	507.5268817	15289.86492	30000	0	0	30000	40.8125	2004
08.01.2020 15:50:29	1	1	1	1	80.5	60.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	41.0625	2004
08.01.2020 15:50:30	1	1	1	1	80.5	61	0	29905.213	505.3763441	15161.03607	30000	0	0	30000	40.875	2004
08.01.2020 15:50:31	1	1	1	1	80.5	60.75	0	30000	498.9247312	14902.56299	30000	0	0	30000	41.4375	2004
08.01.2020 15:50:32	1	1	1	1	80.75	61.25	0	30000	492.4731183	14709.31971	30000	0	0	30000	41.3125	2004
08.01.2020 15:50:33	1	1	1	1	80.75	61.25	0	29952.607	481.7204301	14516.07643	30000	0	0	30000	40.3125	2004
08.01.2020 15:50:34	1	1	1	1	80.75	60.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.8125	2004
08.01.2020 15:50:35	1	1	1	1	80.75	60.75	0	30000	488.172043	14644.90528	30000	0	0	30000	41.0625	2004
08.01.2020 15:50:36	1	1	1	1	80.75	61.75	0	30000	503.2258065	15032.20721	30000	0	0	30000	41	2004
08.01.2020 15:50:37	1	1	1	1	80.75	61	0	30000	509.6774194	15161.03607	30000	0	0	30000	41.4375	2004
08.01.2020 15:50:38	1	1	1	1	80.75	61.25	0	30000	503.2258065	15161.03607	30000	0	0	30000	41.375	2004
08.01.2020 15:50:39	1	1	1	1	80.75	61.25	0	30000	496.7741935	14902.56299	30000	0	0	30000	41.25	2004
08.01.2020 15:50:40	1	1	1	1	80.75	61.25	0	30000	494.6236559	14838.14856	30000	0	0	30000	41.375	2004
08.01.2020 15:50:41	1	1	1	1	81.25	61.25	0	30000	498.9247312	15032.20721	30000	0	0	30000	41	2004
08.01.2020 15:50:42	1	1	1	1	81.25	61	0	30000	494.6236559	14534.01462	30000	0	0	30000	41.5	2004
08.01.2020 15:50:43	1	1	1	1	81.25	61.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.6875	2004
08.01.2020 15:50:44	1	1	1	1	81.25	60.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	41.1875	2004
08.01.2020 15:50:45	1	1	1	1	81.25	61	0	30000	481.7204301	14451.662	30000	0	0	30000	41.0625	2004
08.01.2020 15:50:46	1	1	1	1	81.25	61	0	30000	481.7204301	13977.93058	30000	0	0	30000	40.5	2004
08.01.2020 15:50:47	1	1	1	1	81.25	60.5	0	30000	464.516129	13935.53122	30000	0	0	30000	41.375	2004
08.01.2020 15:50:48	1	1	1	1	81.25	61.25	0	30000	466.6666667	13999.94564	30000	0	0	30000	41.5	2004
08.01.2020 15:50:49	1	1	1	1	81.25	61.5	0	29952.607	464.516129	13913.51616	30000	0	0	30000	40.875	2004
08.01.2020 15:50:50	1	1	1	1	81.25	60.75	0	30000	460.2150538	13935.53122	30000	0	0	30000	41.125	2004
08.01.2020 15:50:51	1	1	1	1	80.5	61	0	30000	464.516129	13935.53122	30000	0	0	30000	41.25	2004
08.01.2020 15:50:52	1	1	1	1	80.5	61.25	0	30000	464.516129	13935.53122	30000	0	0	30000	41.1875	2004
08.01.2020 15:50:53	1	1	1	1	80.5	61	0	29952.607	458.0645161	13805.88699	30000	0	0	30000	40.5625	2004
08.01.2020 15:50:54	1	1	1	1	80.5	60.5	0	30000	458.0645161	13741.47256	30000	0	0	30000	40.75	2004
08.01.2020 15:50:55	1	1	1	1	80.5	60.75	0	30000	458.0645161	13805.88699	30000	0	0	30000	41.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 15:50:56	1	1	1	1	80.5	61	0	29952.607	445.1612903	13354.17063	30000	0	0	30000	41.3125	2004
08.01.2020 15:50:57	1	1	1	1	80.5	61.25	0	29952.607	445.1612903	13612.64371	30000	0	0	30000	41.1875	2004
08.01.2020 15:50:58	1	1	1	1	80.5	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.0625	2004
08.01.2020 15:50:59	1	1	1	1	80.5	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.3125	2004
08.01.2020 15:51:01	1	1	1	1	80.5	61.25	0	30047.393	419.3548387	12580.38214	30000	0	0	30000	41.4375	2004
08.01.2020 15:51:02	1	1	1	1	80.5	61.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	41.1875	2004
08.01.2020 15:51:03	1	1	1	1	80.5	61	0	30000	380.6451613	11419.29171	30000	0	0	30000	41	2004
08.01.2020 15:51:04	1	1	1	1	80.5	61	0	30000	380.6451613	11419.29171	30000	0	0	30000	41.3125	2004
08.01.2020 15:51:05	1	1	1	1	80.5	61.25	0	30000	378.4946237	11336.93909	30000	0	0	30000	40.375	2004
08.01.2020 15:51:06	1	1	1	1	80.5	60.25	0	30000	378.4946237	11160.81863	30000	0	0	30000	41.375	2004
08.01.2020 15:51:07	1	1	1	1	80.5	61.25	0	30000	372.0430108	11160.81863	30000	0	0	30000	41.5	2004
08.01.2020 15:51:08	1	1	1	1	80.5	61.5	0	30000	367.7419355	11031.98978	30000	0	0	30000	41.3125	2004
08.01.2020 15:51:09	1	1	1	1	80.5	61.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	41.25	2004
08.01.2020 15:51:10	1	1	1	1	80.5	61.25	0	30000	346.2365591	10451.44457	30000	0	0	30000	41.25	2004
08.01.2020 15:51:11	1	1	1	1	80.5	61.25	0	30000	339.7849462	10128.55706	30000	0	0	30000	41.4375	2004
08.01.2020 15:51:12	1	1	1	1	80.25	61.25	0	29905.213	335.483871	10257.38592	30000	0	0	30000	41.25	2004
08.01.2020 15:51:13	1	1	1	1	80.25	61.25	0	30000	339.7849462	10257.38592	30000	0	0	30000	41.5625	2004
08.01.2020 15:51:14	1	1	1	1	80.25	61.5	0	29952.607	337.6344086	10128.55706	30000	0	0	30000	40.875	2004
08.01.2020 15:51:15	1	1	1	1	80.25	60.75	0	30000	337.6344086	10064.14264	30000	0	0	30000	41.6875	2004
08.01.2020 15:51:16	1	1	1	1	80.25	61.5	0	30000	341.9354839	10451.44457	30000	0	0	30000	41.4375	2004
08.01.2020 15:51:23	1	1	1	1	79.75	61.25	0	30047.393	356.9892473	10709.10227	30000	0	0	30000	41.25	2004
08.01.2020 15:51:23	1	1	1	1	79.75	61.25	0	30047.393	356.9892473	10709.10227	30000	0	0	30000	41.25	2004
08.01.2020 15:51:23	1	1	1	1	79.75	61.25	0	30047.393	356.9892473	10709.10227	30000	0	0	30000	41.25	2004
08.01.2020 15:51:23	1	1	1	1	79.75	61.25	0	30047.393	356.9892473	10709.10227	30000	0	0	30000	41.25	2004
08.01.2020 15:51:23	1	1	1	1	79.75	61.25	0	30047.393	356.9892473	10709.10227	30000	0	0	30000	41.25	2004
08.01.2020 15:51:23	1	1	1	1	79.75	61.25	0	30047.393	356.9892473	10709.10227	30000	0	0	30000	41.25	2004
08.01.2020 15:51:23	1	1	1	1	79.75	61.25	0	30047.393	356.9892473	10709.10227	30000	0	0	30000	41.25	2004
08.01.2020 15:51:23	1	1	1	1	79.75	61.25	0	30047.393	356.9892473	10709.10227	30000	0	0	30000	41.25	2004
08.01.2020 15:51:24	1	1	1	1	79.75	61.25	0	30000	354.8387097	10628.3804	30000	0	0	30000	41.3125	2004
08.01.2020 15:51:25	1	1	1	1	79.75	61.25	0	30000	352.688172	10515.85899	30000	0	0	30000	40.6875	2004
08.01.2020 15:51:26	1	1	1	1	79.75	60.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	41.375	2004
08.01.2020 15:51:27	1	1	1	1	79.75	61.25	0	30000	354.8387097	10644.68785	30000	0	0	30000	41.25	2004
08.01.2020 15:51:28	1	1	1	1	79.75	61.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	41.3125	2004
08.01.2020 15:51:29	1	1	1	1	79.75	61.25	0	30000	356.9892473	10709.10227	30000	0	0	30000	40.6875	2004
08.01.2020 15:51:30	1	1	1	1	79.75	60.5	0	30000	354.8387097	10644.68785	30000	0	0	30000	41.3125	2004
08.01.2020 15:51:31	1	1	1	1	79.5	61.25	0	30000	352.688172	10515.85899	30000	0	0	30000	40.9375	2004
08.01.2020 15:51:32	1	1	1	1	79.5	60.75	0	30000	356.9892473	10709.10227	30000	0	0	30000	41.5	2004
08.01.2020 15:51:33	1	1	1	1	79.5	61.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	41.375	2004
08.01.2020 15:51:34	1	1	1	1	79.5	61.25	0	30000	365.5913978	10773.5167	30000	0	0	30000	40.125	2004
08.01.2020 15:51:35	1	1	1	1	79.5	60	0	30000	367.7419355	11096.40421	30000	0	0	30000	41.125	2004
08.01.2020 15:51:36	1	1	1	1	79.5	61	0	30000	378.4946237	11354.87729	30000	0	0	30000	40.8125	2004
08.01.2020 15:51:37	1	1	1	1	79.5	60.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.125	2004
08.01.2020 15:51:38	1	1	1	1	79.5	61	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.3125	2004
08.01.2020 15:51:40	1	1	1	1	79.5	61.25	0	30000	378.4946237	11419.29171	30000	0	0	30000	41.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 15:51:41	1	1	1	1	79.5	61.25	0	29952.607	380.6451613	11419.29171	30000	0	0	30000	41	2004
08.01.2020 15:51:42	1	1	1	1	79.5	61	0	30000	384.9462366	11548.12057	30000	0	0	30000	41.25	2004
08.01.2020 15:51:43	1	1	1	1	79.5	61.25	0	29952.607	395.6989247	11833.50094	30000	0	0	30000	41.375	2004
08.01.2020 15:51:44	1	1	1	1	79.5	61.25	0	30000	404.3010753	12064.25135	30000	0	0	30000	41.125	2004
08.01.2020 15:51:45	1	1	1	1	79.5	61	0	30000	400	12387.13886	30000	0	0	30000	41.4375	2004
08.01.2020 15:51:46	1	1	1	1	79.5	61.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.4375	2004
08.01.2020 15:51:47	1	1	1	1	79.5	61.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.375	2004
08.01.2020 15:51:48	1	1	1	1	79.5	61.25	0	30000	412.9032258	12367.56992	30000	0	0	30000	41.3125	2004
08.01.2020 15:51:49	1	1	1	1	79.5	61.25	0	30000	419.3548387	12387.13886	30000	0	0	30000	41	2004
08.01.2020 15:51:50	1	1	1	1	79.5	61	0	29952.607	419.3548387	12411.60003	30000	0	0	30000	41.375	2004
08.01.2020 15:51:51	1	1	1	1	79.5	61.25	0	30000	425.8064516	12773.62542	30000	0	0	30000	41.3125	2004
08.01.2020 15:51:52	1	1	1	1	79.5	61.25	0	30000	425.8064516	12754.05648	30000	0	0	30000	41.25	2004
08.01.2020 15:51:53	1	1	1	1	79.5	61.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.625	2004
08.01.2020 15:51:54	1	1	1	1	79.5	61.5	0	30000	434.4086022	12838.03984	30000	0	0	30000	41.3125	2004
08.01.2020 15:51:55	1	1	1	1	79.5	61.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	40.125	2004
08.01.2020 15:51:56	1	1	1	1	79.5	61	0	29952.607	417.2043011	12580.38214	30000	0	0	30000	41.3125	2004
08.01.2020 15:51:57	1	1	1	1	79.5	61.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	41.4375	2004
08.01.2020 15:51:58	1	1	1	1	79.5	61.25	0	30000	406.4516129	12387.13886	30000	0	0	30000	41.5	2004
08.01.2020 15:51:59	1	1	1	1	79.5	61.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.25	2004
08.01.2020 15:52:00	1	1	1	1	79.5	61.25	0	30000	397.8494624	11935.4225	30000	0	0	30000	41.5	2004
08.01.2020 15:52:01	1	1	1	1	79.75	61.5	0	29952.607	404.3010753	12128.66578	30000	0	0	30000	41.25	2004
08.01.2020 15:52:02	1	1	1	1	79.75	61.25	0	30000	397.8494624	11935.4225	30000	0	0	30000	41.5	2004
08.01.2020 15:52:03	1	1	1	1	79.75	61.5	0	30000	387.0967742	11548.12057	30000	0	0	30000	41.4375	2004
08.01.2020 15:52:04	1	1	1	1	79.75	61.25	0	29905.213	359.1397849	11031.98978	30000	0	0	30000	41.5	2004
08.01.2020 15:52:05	1	1	1	1	79.75	61.5	0	29952.607	363.4408602	10886.03811	30000	0	0	30000	41.0625	2004
08.01.2020 15:52:06	1	1	1	1	79.75	61	0	30000	354.8387097	10644.68785	30000	0	0	30000	41.0625	2004
08.01.2020 15:52:07	1	1	1	1	79.75	61	0	29952.607	339.7849462	10387.03014	30000	0	0	30000	41.5	2004
08.01.2020 15:52:08	1	1	1	1	79.75	61.5	0	30000	335.483871	10064.14264	30000	0	0	30000	41.4375	2004
08.01.2020 15:52:09	1	1	1	1	79.75	61.25	0	30000	339.7849462	10032.34311	30000	0	0	30000	41.375	2004
08.01.2020 15:52:10	1	1	1	1	79.75	61.25	0	30000	337.6344086	10192.97149	30000	0	0	30000	41.3125	2004
08.01.2020 15:52:11	1	1	1	1	79.75	61.25	0	30000	341.9354839	10257.38592	30000	0	0	30000	41.125	2004
08.01.2020 15:52:12	1	1	1	1	79.75	61	0	30000	346.2365591	10387.03014	30000	0	0	30000	41.3125	2004
08.01.2020 15:52:13	1	1	1	1	79.75	61.25	0	30000	354.8387097	10644.68785	30000	0	0	30000	40.3125	2004
08.01.2020 15:52:14	1	1	1	1	79.75	60.25	0	30000	350.5376344	10644.68785	30000	0	0	30000	41.25	2004
08.01.2020 15:52:15	1	1	1	1	79.75	61.25	0	30000	350.5376344	10515.85899	30000	0	0	30000	41.25	2004
08.01.2020 15:52:16	1	1	1	1	79.75	61.25	0	29952.607	346.2365591	10370.72269	30000	0	0	30000	41.3125	2004
08.01.2020 15:52:17	1	1	1	1	79.75	61.25	0	30000	341.9354839	10257.38592	30000	0	0	30000	41.1875	2004
08.01.2020 15:52:25	1	1	1	1	79.25	61.25	0	30000	352.688172	10644.68785	30000	0	0	30000	41.3125	2004
08.01.2020 15:52:25	1	1	1	1	79.25	61.25	0	30000	352.688172	10644.68785	30000	0	0	30000	41.3125	2004
08.01.2020 15:52:25	1	1	1	1	79.25	61.25	0	30000	352.688172	10644.68785	30000	0	0	30000	41.3125	2004
08.01.2020 15:52:25	1	1	1	1	79.25	61.25	0	30000	352.688172	10644.68785	30000	0	0	30000	41.3125	2004
08.01.2020 15:52:25	1	1	1	1	79.25	61.25	0	30000	352.688172	10644.68785	30000	0	0	30000	41.3125	2004
08.01.2020 15:52:25	1	1	1	1	79.25	61.25	0	30000	352.688172	10644.68785	30000	0	0	30000	41.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 15:52:25	1	1	1	1	79.25	61.25	0	30000	352.688172	10644.68785	30000	0	0	30000	41.3125	2004
08.01.2020 15:52:26	1	1	1	1	79.25	61.25	0	30000	356.9892473	10773.5167	30000	0	0	30000	41.1875	2004
08.01.2020 15:52:27	1	1	1	1	79.25	61	0	30000	359.1397849	10773.5167	30000	0	0	30000	41.3125	2004
08.01.2020 15:52:28	1	1	1	1	79.25	61.25	0	30000	369.8924731	10886.03811	30000	0	0	30000	41.0625	2004
08.01.2020 15:52:29	1	1	1	1	79.25	61	0	30000	367.7419355	11031.98978	30000	0	0	30000	41.375	2004
08.01.2020 15:52:30	1	1	1	1	79.25	61.25	0	30000	378.4946237	11160.81863	30000	0	0	30000	41.3125	2004
08.01.2020 15:52:31	1	1	1	1	79.25	61.25	0	29952.607	378.4946237	11354.87729	30000	0	0	30000	41.4375	2004
08.01.2020 15:52:32	1	1	1	1	79	61.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.375	2004
08.01.2020 15:52:33	1	1	1	1	79	61.25	0	30000	380.6451613	11419.29171	30000	0	0	30000	41.625	2004
08.01.2020 15:52:34	1	1	1	1	79	61.5	0	30000	382.7956989	11419.29171	30000	0	0	30000	41.25	2004
08.01.2020 15:52:35	1	1	1	1	79	61.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	41.5625	2004
08.01.2020 15:52:36	1	1	1	1	79	61.5	0	29952.607	395.6989247	11935.4225	30000	0	0	30000	41.25	2004
08.01.2020 15:52:37	1	1	1	1	79	61.25	0	30000	404.3010753	11999.83693	30000	0	0	30000	41.375	2004
08.01.2020 15:52:38	1	1	1	1	79	61.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	41.375	2004
08.01.2020 15:52:39	1	1	1	1	79	61.25	0	30000	389.2473118	11676.94942	30000	0	0	30000	40.9375	2004
08.01.2020 15:52:40	1	1	1	1	79	60.75	0	30000	391.3978495	11741.36385	30000	0	0	30000	41.125	2004
08.01.2020 15:52:41	1	1	1	1	79	61	0	30000	387.0967742	11548.12057	30000	0	0	30000	41	2004
08.01.2020 15:52:42	1	1	1	1	79	61	0	30000	384.9462366	11548.12057	30000	0	0	30000	41.3125	2004
08.01.2020 15:52:43	1	1	1	1	79	61.25	0	29905.213	380.6451613	11676.94942	30000	0	0	30000	41.5	2004
08.01.2020 15:52:44	1	1	1	1	79	61.5	0	30000	387.0967742	11676.94942	30000	0	0	30000	41.25	2004
08.01.2020 15:52:45	1	1	1	1	79	61.25	0	29952.607	382.7956989	11548.12057	30000	0	0	30000	41.125	2004
08.01.2020 15:52:46	1	1	1	1	79	61	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.375	2004
08.01.2020 15:52:47	1	1	1	1	79	61.25	0	30000	382.7956989	11419.29171	30000	0	0	30000	41.375	2004
08.01.2020 15:52:48	1	1	1	1	79	61.25	0	30000	380.6451613	11354.87729	30000	0	0	30000	40.75	2004
08.01.2020 15:52:49	1	1	1	1	79	60.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	40.9375	2004
08.01.2020 15:52:50	1	1	1	1	79	60.75	0	30000	380.6451613	11336.93909	30000	0	0	30000	41.3125	2004
08.01.2020 15:52:51	1	1	1	1	79	61.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.25	2004
08.01.2020 15:52:52	1	1	1	1	79	61.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	40.5	2004
08.01.2020 15:52:53	1	1	1	1	79	60.5	0	30000	378.4946237	11319.0009	30000	0	0	30000	41.25	2004
08.01.2020 15:52:54	1	1	1	1	79	61.25	0	30000	380.6451613	11401.35352	30000	0	0	30000	41	2004
08.01.2020 15:52:55	1	1	1	1	79	61	0	29905.213	382.7956989	11354.87729	30000	0	0	30000	41.375	2004
08.01.2020 15:52:56	1	1	1	1	79	61.25	0	30000	369.8924731	11031.98978	30000	0	0	30000	41.4375	2004
08.01.2020 15:52:57	1	1	1	1	79	61.25	0	30000	369.8924731	11031.98978	30000	0	0	30000	41.3125	2004
08.01.2020 15:52:58	1	1	1	1	79	61.25	0	30000	363.4408602	10903.16093	30000	0	0	30000	41.3125	2004
08.01.2020 15:53:00	1	1	1	1	79	61.25	0	30000	363.4408602	10903.16093	30000	0	0	30000	41.0625	2004
08.01.2020 15:53:01	1	1	1	1	79	61	0	30000	363.4408602	10773.5167	30000	0	0	30000	41.25	2004
08.01.2020 15:53:02	1	1	1	1	79	61.25	0	30000	356.9892473	10644.68785	30000	0	0	30000	41.1875	2004
08.01.2020 15:53:03	1	1	1	1	79	61	0	29952.607	348.3870968	10515.85899	30000	0	0	30000	40.9375	2004
08.01.2020 15:53:04	1	1	1	1	79	60.75	0	30000	339.7849462	10192.97149	30000	0	0	30000	41.125	2004
08.01.2020 15:53:05	1	1	1	1	79	61	0	30000	335.483871	10128.55706	30000	0	0	30000	40.9375	2004
08.01.2020 15:53:06	1	1	1	1	79	60.75	0	30000	331.1827957	9870.899356	30000	0	0	30000	40.875	2004
08.01.2020 15:53:07	1	1	1	1	79	60.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	40.6875	2004
08.01.2020 15:53:08	1	1	1	1	79	60.5	0	30000	322.5806452	9612.426277	30000	0	0	30000	41.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 15:53:09	1	1	1	1	79	61	0	30000	320.4301075	9612.426277	30000	0	0	30000	41.25	2004
08.01.2020 15:53:10	1	1	1	1	79	61.25	0	29952.607	324.7311828	9790.992852	30000	0	0	30000	41.0625	2004
08.01.2020 15:53:11	1	1	1	1	79	61	0	30000	331.1827957	10064.14264	30000	0	0	30000	41.25	2004
08.01.2020 15:53:12	1	1	1	1	79	61.25	0	30000	329.0322581	9870.899356	30000	0	0	30000	41	2004
08.01.2020 15:53:13	1	1	1	1	79	61	0	29952.607	331.1827957	10192.97149	30000	0	0	30000	41.3125	2004
08.01.2020 15:53:14	1	1	1	1	79	61.25	0	29952.607	335.483871	10064.14264	30000	0	0	30000	41.4375	2004
08.01.2020 15:53:15	1	1	1	1	79	61.25	0	30000	335.483871	10064.14264	30000	0	0	30000	41.3125	2004
08.01.2020 15:53:16	1	1	1	1	79	61.25	0	30000	341.9354839	10257.38592	30000	0	0	30000	41.6875	2004
08.01.2020 15:53:17	1	1	1	1	79	61.5	0	29952.607	339.7849462	10257.38592	30000	0	0	30000	41.125	2004
08.01.2020 15:53:18	1	1	1	1	79	61	0	30000	341.9354839	10241.89384	30000	0	0	30000	41.3125	2004
08.01.2020 15:53:19	1	1	1	1	79	61.25	0	30000	341.9354839	10192.97149	30000	0	0	30000	41.0625	2004
08.01.2020 15:53:27	1	1	1	1	78.75	61.25	0	30000	326.8817204	10080.45009	30000	0	0	30000	40.9375	2004
08.01.2020 15:53:27	1	1	1	1	78.75	61.25	0	30000	326.8817204	10080.45009	30000	0	0	30000	40.9375	2004
08.01.2020 15:53:27	1	1	1	1	78.75	61.25	0	30000	326.8817204	10080.45009	30000	0	0	30000	40.9375	2004
08.01.2020 15:53:27	1	1	1	1	78.75	61.25	0	30000	326.8817204	10080.45009	30000	0	0	30000	40.9375	2004
08.01.2020 15:53:27	1	1	1	1	78.75	61.25	0	30000	326.8817204	10080.45009	30000	0	0	30000	40.9375	2004
08.01.2020 15:53:27	1	1	1	1	78.75	61.25	0	30000	326.8817204	10080.45009	30000	0	0	30000	40.9375	2004
08.01.2020 15:53:27	1	1	1	1	78.75	61.25	0	30000	326.8817204	10080.45009	30000	0	0	30000	40.9375	2004
08.01.2020 15:53:27	1	1	1	1	78.75	60.75	0	30000	322.5806452	9741.25513	30000	0	0	30000	41.25	2004
08.01.2020 15:53:28	1	1	1	1	78.75	61.25	0	30000	326.8817204	9806.484929	30000	0	0	30000	40.5625	2004
08.01.2020 15:53:29	1	1	1	1	78.75	60.5	0	29952.607	326.8817204	9676.840703	30000	0	0	30000	41.25	2004
08.01.2020 15:53:30	1	1	1	1	78.75	61.25	0	30000	322.5806452	9806.484929	30000	0	0	30000	41.375	2004
08.01.2020 15:53:31	1	1	1	1	79.25	61.25	0	30000	320.4301075	9533.335145	30000	0	0	30000	41.125	2004
08.01.2020 15:53:32	1	1	1	1	79.25	61	0	29952.607	318.2795699	9548.01185	30000	0	0	30000	41.1875	2004
08.01.2020 15:53:33	1	1	1	1	79.25	61	0	30000	318.2795699	9548.01185	30000	0	0	30000	41.25	2004
08.01.2020 15:53:34	1	1	1	1	79.25	61.25	0	30047.393	320.4301075	9483.597423	30000	0	0	30000	41.3125	2004
08.01.2020 15:53:35	1	1	1	1	79.25	61.25	0	30000	322.5806452	9676.840703	30000	0	0	30000	41.0625	2004
08.01.2020 15:53:37	1	1	1	1	79.25	61	0	29905.213	311.827957	9612.426277	30000	0	0	30000	40.8125	2004
08.01.2020 15:53:38	1	1	1	1	79.25	60.75	0	30000	316.1290323	9483.597423	30000	0	0	30000	41.375	2004
08.01.2020 15:53:39	1	1	1	1	79.25	61.25	0	30000	318.2795699	9612.426277	30000	0	0	30000	41.25	2004
08.01.2020 15:53:40	1	1	1	1	79.25	61.25	0	30000	322.5806452	9612.426277	30000	0	0	30000	41.375	2004
08.01.2020 15:53:41	1	1	1	1	79.25	61.25	0	30000	320.4301075	9612.426277	30000	0	0	30000	41.5	2004
08.01.2020 15:53:42	1	1	1	1	79	61.5	0	30000	320.4301075	9548.01185	30000	0	0	30000	41.25	2004
08.01.2020 15:53:43	1	1	1	1	79	61.25	0	30000	316.1290323	9483.597423	30000	0	0	30000	40.4375	2004
08.01.2020 15:53:44	1	1	1	1	79	60.25	0	30000	318.2795699	9612.426277	30000	0	0	30000	41.3125	2004
08.01.2020 15:53:45	1	1	1	1	79	61.25	0	30000	326.8817204	9741.25513	30000	0	0	30000	41.3125	2004
08.01.2020 15:53:46	1	1	1	1	79	61.25	0	29952.607	322.5806452	9806.484929	30000	0	0	30000	41.375	2004
08.01.2020 15:53:47	1	1	1	1	79	61.25	0	30000	335.483871	9999.728209	30000	0	0	30000	41.1875	2004
08.01.2020 15:53:48	1	1	1	1	79	61	0	30000	337.6344086	10128.55706	30000	0	0	30000	41.375	2004
08.01.2020 15:53:49	1	1	1	1	79	61.25	0	30047.393	346.2365591	10192.97149	30000	0	0	30000	40.4375	2004
08.01.2020 15:53:50	1	1	1	1	79	60.25	0	30000	341.9354839	10387.03014	30000	0	0	30000	41.3125	2004
08.01.2020 15:53:51	1	1	1	1	79	61.25	0	30000	350.5376344	10387.03014	30000	0	0	30000	41.4375	2004
08.01.2020 15:53:52	1	1	1	1	78.75	61.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	41.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 15:53:53	1	1	1	1	78.75	61.25	0	30000	367.7419355	10967.57535	30000	0	0	30000	40.5625	2004
08.01.2020 15:53:54	1	1	1	1	78.75	60.5	0	30000	365.5913978	10903.16093	30000	0	0	30000	41.3125	2004
08.01.2020 15:53:55	1	1	1	1	78.75	61.25	0	30000	369.8924731	11354.87729	30000	0	0	30000	41.8125	2004
08.01.2020 15:53:56	1	1	1	1	78.75	61	0	30000	378.4946237	11437.22991	30000	0	0	30000	41	2004
08.01.2020 15:53:57	1	1	1	1	78.75	61	0	30000	372.0430108	11354.87729	30000	0	0	30000	41.375	2004
08.01.2020 15:53:58	1	1	1	1	78.75	61.25	0	30047.393	378.4946237	11354.87729	30000	0	0	30000	41.1875	2004
08.01.2020 15:53:59	1	1	1	1	78.75	61	0	30000	378.4946237	11096.40421	30000	0	0	30000	41.25	2004
08.01.2020 15:54:00	1	1	1	1	78.75	61.25	0	30000	365.5913978	10967.57535	30000	0	0	30000	41.375	2004
08.01.2020 15:54:01	1	1	1	1	78.75	61.25	0	29905.213	363.4408602	11014.86696	30000	0	0	30000	41.3125	2004
08.01.2020 15:54:02	1	1	1	1	78.75	61.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	40.9375	2004
08.01.2020 15:54:03	1	1	1	1	78.75	60.75	0	30000	365.5913978	11031.98978	30000	0	0	30000	41.3125	2004
08.01.2020 15:54:04	1	1	1	1	78.75	61.25	0	30000	378.4946237	11225.23306	30000	0	0	30000	40.875	2004
08.01.2020 15:54:05	1	1	1	1	78.75	60.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.3125	2004
08.01.2020 15:54:06	1	1	1	1	78.75	61.25	0	30000	365.5913978	10773.5167	30000	0	0	30000	41.0625	2004
08.01.2020 15:54:07	1	1	1	1	78.75	61	0	30000	350.5376344	10499.55155	30000	0	0	30000	41.375	2004
08.01.2020 15:54:08	1	1	1	1	78.75	61.25	0	30000	341.9354839	10257.38592	30000	0	0	30000	41.1875	2004
08.01.2020 15:54:09	1	1	1	1	78.75	61	0	29952.607	339.7849462	10192.97149	30000	0	0	30000	40.875	2004
08.01.2020 15:54:10	1	1	1	1	78.75	60.75	0	30000	331.1827957	10128.55706	30000	0	0	30000	41.1875	2004
08.01.2020 15:54:11	1	1	1	1	78.75	61	0	30000	335.483871	10128.55706	30000	0	0	30000	41.125	2004
08.01.2020 15:54:12	1	1	1	1	78.75	61	0	29952.607	337.6344086	10128.55706	30000	0	0	30000	41.4375	2004
08.01.2020 15:54:14	1	1	1	1	78.75	61.25	0	30000	341.9354839	10257.38592	30000	0	0	30000	41.3125	2004
08.01.2020 15:54:15	1	1	1	1	78.75	61.25	0	30000	346.2365591	10387.03014	30000	0	0	30000	40.5	2004
08.01.2020 15:54:16	1	1	1	1	78.75	60.5	0	30094.787	348.3870968	10387.03014	30000	0	0	30000	41.375	2004
08.01.2020 15:54:17	1	1	1	1	78.75	61.25	0	29905.213	346.2365591	10644.68785	30000	0	0	30000	41.4375	2004
08.01.2020 15:54:18	1	1	1	1	78.75	61.25	0	30000	356.9892473	10709.10227	30000	0	0	30000	41.0625	2004
08.01.2020 15:54:19	1	1	1	1	78.75	61	0	30000	359.1397849	10611.25758	30000	0	0	30000	40.5	2004
08.01.2020 15:54:20	1	1	1	1	78.75	60.5	0	30000	363.4408602	10644.68785	30000	0	0	30000	41.5	2004
08.01.2020 15:54:21	1	1	1	1	78.75	61.5	0	29952.607	359.1397849	10903.16093	30000	0	0	30000	41.25	2004
08.01.2020 15:54:28	1	1	1	1	78.75	61.25	0	30000	384.9462366	11548.12057	30000	0	0	30000	41.3125	2004
08.01.2020 15:54:28	1	1	1	1	78.75	61.25	0	30000	384.9462366	11548.12057	30000	0	0	30000	41.3125	2004
08.01.2020 15:54:28	1	1	1	1	78.75	61.25	0	30000	384.9462366	11548.12057	30000	0	0	30000	41.3125	2004
08.01.2020 15:54:28	1	1	1	1	78.75	61.25	0	30000	384.9462366	11548.12057	30000	0	0	30000	41.3125	2004
08.01.2020 15:54:28	1	1	1	1	78.75	61.25	0	30000	384.9462366	11548.12057	30000	0	0	30000	41.3125	2004
08.01.2020 15:54:28	1	1	1	1	78.75	61.25	0	30000	384.9462366	11548.12057	30000	0	0	30000	41.3125	2004
08.01.2020 15:54:28	1	1	1	1	78.75	61.25	0	30000	384.9462366	11548.12057	30000	0	0	30000	41.3125	2004
08.01.2020 15:54:29	1	1	1	1	78.75	61.25	0	30000	391.3978495	11676.94942	30000	0	0	30000	41.375	2004
08.01.2020 15:54:30	1	1	1	1	78.75	61.25	0	30000	384.9462366	11676.94942	30000	0	0	30000	41.125	2004
08.01.2020 15:54:31	1	1	1	1	78.75	61	0	30000	389.2473118	11676.94942	30000	0	0	30000	41.3125	2004
08.01.2020 15:54:32	1	1	1	1	78.75	61.25	0	29952.607	389.2473118	11741.36385	30000	0	0	30000	41.6875	2004
08.01.2020 15:54:33	1	1	1	1	78.75	61.5	0	30000	391.3978495	11741.36385	30000	0	0	30000	41.5	2004
08.01.2020 15:54:34	1	1	1	1	78.75	61.5	0	30000	391.3978495	11741.36385	30000	0	0	30000	41.375	2004
08.01.2020 15:54:35	1	1	1	1	78.75	61.25	0	30000	382.7956989	11548.12057	30000	0	0	30000	41.6875	2004
08.01.2020 15:54:36	1	1	1	1	78.75	61.25	0	30000	384.9462366	11419.29171	30000	0	0	30000	40.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 15:54:37	1	1	1	1	78.75	60.75	0	30000	384.9462366	11548.12057	30000	0	0	30000	41.1875	2004
08.01.2020 15:54:38	1	1	1	1	78.75	61	0	30000	382.7956989	11419.29171	30000	0	0	30000	41.125	2004
08.01.2020 15:54:39	1	1	1	1	78.75	61	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.375	2004
08.01.2020 15:54:40	1	1	1	1	78.75	61.25	0	30000	380.6451613	11419.29171	30000	0	0	30000	41.3125	2004
08.01.2020 15:54:41	1	1	1	1	78.75	61.25	0	30000	380.6451613	11419.29171	30000	0	0	30000	41.0625	2004
08.01.2020 15:54:42	1	1	1	1	78.75	61	0	30000	380.6451613	11354.87729	30000	0	0	30000	41.0625	2004
08.01.2020 15:54:43	1	1	1	1	78.75	61	0	30000	378.4946237	11354.87729	30000	0	0	30000	40.5	2004
08.01.2020 15:54:44	1	1	1	1	78.75	60.5	0	30000	380.6451613	11419.29171	30000	0	0	30000	41.125	2004
08.01.2020 15:54:45	1	1	1	1	78.75	61	0	30000	378.4946237	11419.29171	30000	0	0	30000	41	2004
08.01.2020 15:54:46	1	1	1	1	78.75	61	0	30000	378.4946237	11354.87729	30000	0	0	30000	40.9375	2004
08.01.2020 15:54:47	1	1	1	1	78.75	60.75	0	30000	384.9462366	11548.12057	30000	0	0	30000	41.125	2004
08.01.2020 15:54:48	1	1	1	1	78.75	61	0	30000	384.9462366	11612.53499	30000	0	0	30000	41.1875	2004
08.01.2020 15:54:49	1	1	1	1	78.75	61	0	30000	380.6451613	11419.29171	30000	0	0	30000	41.1875	2004
08.01.2020 15:54:50	1	1	1	1	78.75	61	0	30000	387.0967742	11548.12057	30000	0	0	30000	41.375	2004
08.01.2020 15:54:51	1	1	1	1	78.5	61.25	0	30000	384.9462366	11548.12057	30000	0	0	30000	41.0625	2004
08.01.2020 15:54:52	1	1	1	1	78.5	61	0	30000	389.2473118	11676.94942	30000	0	0	30000	41.375	2004
08.01.2020 15:54:53	1	1	1	1	78.5	61.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	41.3125	2004
08.01.2020 15:54:54	1	1	1	1	78.5	61.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	41.375	2004
08.01.2020 15:54:55	1	1	1	1	78.5	61.25	0	30000	395.6989247	11741.36385	30000	0	0	30000	41.125	2004
08.01.2020 15:54:57	1	1	1	1	78.5	61	0	30000	391.3978495	11741.36385	30000	0	0	30000	40.625	2004
08.01.2020 15:54:58	1	1	1	1	78.5	60.5	0	30000	380.6451613	11419.29171	30000	0	0	30000	41.4375	2004
08.01.2020 15:54:59	1	1	1	1	78.5	61.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.3125	2004
08.01.2020 15:55:00	1	1	1	1	78.5	61.25	0	29952.607	365.5913978	11031.98978	30000	0	0	30000	41.4375	2004
08.01.2020 15:55:01	1	1	1	1	78.5	61.25	0	30000	356.9892473	10773.5167	30000	0	0	30000	41.4375	2004
08.01.2020 15:55:02	1	1	1	1	78.5	61.25	0	30000	365.5913978	10967.57535	30000	0	0	30000	41.1875	2004
08.01.2020 15:55:03	1	1	1	1	78.5	61	0	29952.607	369.8924731	11096.40421	30000	0	0	30000	41.3125	2004
08.01.2020 15:55:04	1	1	1	1	78.5	61.25	0	30000	365.5913978	10903.16093	30000	0	0	30000	41.5	2004
08.01.2020 15:55:05	1	1	1	1	78.5	61.5	0	30000	369.8924731	11096.40421	30000	0	0	30000	41.125	2004
08.01.2020 15:55:06	1	1	1	1	78.5	61	0	30000	367.7419355	11096.40421	30000	0	0	30000	41.125	2004
08.01.2020 15:55:07	1	1	1	1	78.5	61	0	30000	363.4408602	10903.16093	30000	0	0	30000	41.0625	2004
08.01.2020 15:55:08	1	1	1	1	78.5	61	0	30000	352.688172	10644.68785	30000	0	0	30000	41.25	2004
08.01.2020 15:55:09	1	1	1	1	78.5	61.25	0	29952.607	335.483871	10128.55706	30000	0	0	30000	41.4375	2004
08.01.2020 15:55:10	1	1	1	1	78.5	61.25	0	30000	335.483871	9935.313783	30000	0	0	30000	41.6875	2004
08.01.2020 15:55:11	1	1	1	1	78.5	61.5	0	30000	331.1827957	9999.728209	30000	0	0	30000	41.625	2004
08.01.2020 15:55:12	1	1	1	1	78.5	61.5	0	30000	335.483871	9999.728209	30000	0	0	30000	41.375	2004
08.01.2020 15:55:13	1	1	1	1	78.5	61.5	0	30047.393	335.483871	9999.728209	30000	0	0	30000	41.125	2004
08.01.2020 15:55:14	1	1	1	1	78.5	61	0	30000	329.0322581	9935.313783	30000	0	0	30000	41.1875	2004
08.01.2020 15:55:15	1	1	1	1	78.5	61	0	29905.213	329.0322581	9790.992852	30000	0	0	30000	41.375	2004
08.01.2020 15:55:16	1	1	1	1	78.5	61.25	0	30000	329.0322581	9870.899356	30000	0	0	30000	40.125	2004
08.01.2020 15:55:17	1	1	1	1	78.5	60	0	30000	329.0322581	9870.899356	30000	0	0	30000	41.3125	2004
08.01.2020 15:55:18	1	1	1	1	78.5	61.25	0	30047.393	331.1827957	9870.899356	30000	0	0	30000	41.25	2004
08.01.2020 15:55:19	1	1	1	1	78.5	61.25	0	30000	341.9354839	10257.38592	30000	0	0	30000	41.25	2004
08.01.2020 15:55:20	1	1	1	1	78.5	61.25	0	30000	341.9354839	10257.38592	30000	0	0	30000	41.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 15:55:21	1	1	1	1	78.25	61.25	0	30000	352.688172	10435.13712	30000	0	0	30000	40.8125	2004
08.01.2020 15:55:22	1	1	1	1	78.25	60.75	0	30000	352.688172	10499.55155	30000	0	0	30000	41.3125	2004
08.01.2020 15:55:30	1	1	1	1	78.25	61.25	0	30000	369.8924731	11096.40421	30000	0	0	30000	41.3125	2004
08.01.2020 15:55:30	1	1	1	1	78.25	61.25	0	30000	369.8924731	11096.40421	30000	0	0	30000	41.3125	2004
08.01.2020 15:55:30	1	1	1	1	78.25	61.25	0	30000	369.8924731	11096.40421	30000	0	0	30000	41.3125	2004
08.01.2020 15:55:30	1	1	1	1	78.25	61.25	0	30000	369.8924731	11096.40421	30000	0	0	30000	41.3125	2004
08.01.2020 15:55:30	1	1	1	1	78.25	61.25	0	30000	369.8924731	11096.40421	30000	0	0	30000	41.3125	2004
08.01.2020 15:55:30	1	1	1	1	78.25	61.25	0	30000	369.8924731	11096.40421	30000	0	0	30000	41.3125	2004
08.01.2020 15:55:30	1	1	1	1	78.25	61.25	0	30000	369.8924731	11096.40421	30000	0	0	30000	41.3125	2004
08.01.2020 15:55:31	1	1	1	1	78.25	61.25	0	30000	372.0430108	11160.81863	30000	0	0	30000	41.25	2004
08.01.2020 15:55:32	1	1	1	1	78.25	61.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.1875	2004
08.01.2020 15:55:33	1	1	1	1	78.25	61	0	30000	372.0430108	11160.81863	30000	0	0	30000	41.25	2004
08.01.2020 15:55:34	1	1	1	1	78.25	61.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.1875	2004
08.01.2020 15:55:36	1	1	1	1	78.25	61	0	29905.213	372.0430108	11354.87729	30000	0	0	30000	41	2004
08.01.2020 15:55:37	1	1	1	1	78.25	61	0	30000	380.6451613	11419.29171	30000	0	0	30000	41.3125	2004
08.01.2020 15:55:38	1	1	1	1	78.25	61.25	0	30000	369.8924731	11225.23306	30000	0	0	30000	41	2004
08.01.2020 15:55:39	1	1	1	1	78.25	61	0	30000	372.0430108	11160.81863	30000	0	0	30000	41.125	2004
08.01.2020 15:55:40	1	1	1	1	78.25	61	0	30000	363.4408602	10773.5167	30000	0	0	30000	41.25	2004
08.01.2020 15:55:41	1	1	1	1	78.25	61.25	0	30000	356.9892473	10628.3804	30000	0	0	30000	40.6875	2004
08.01.2020 15:55:42	1	1	1	1	78.25	60.5	0	30000	356.9892473	10644.68785	30000	0	0	30000	41.4375	2004
08.01.2020 15:55:43	1	1	1	1	78.25	61.25	0	30000	350.5376344	10515.85899	30000	0	0	30000	40.875	2004
08.01.2020 15:55:44	1	1	1	1	78.25	60.75	0	29952.607	339.7849462	10257.38592	30000	0	0	30000	41.4375	2004
08.01.2020 15:55:45	1	1	1	1	78.25	61.25	0	29952.607	335.483871	10128.55706	30000	0	0	30000	40.8125	2004
08.01.2020 15:55:46	1	1	1	1	78.25	60.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	41.375	2004
08.01.2020 15:55:47	1	1	1	1	78.25	61.25	0	30000	326.8817204	9870.899356	30000	0	0	30000	40.875	2004
08.01.2020 15:55:48	1	1	1	1	78.25	60.75	0	30000	326.8817204	9870.899356	30000	0	0	30000	41.1875	2004
08.01.2020 15:55:49	1	1	1	1	78.25	61	0	30000	324.7311828	9612.426277	30000	0	0	30000	41.375	2004
08.01.2020 15:55:50	1	1	1	1	78.25	61.25	0	30047.393	311.827957	9290.354143	30000	0	0	30000	41.25	2004
08.01.2020 15:55:51	1	1	1	1	78.25	61.25	0	30000	313.9784946	9354.76857	30000	0	0	30000	40.25	2004
08.01.2020 15:55:52	1	1	1	1	78.25	60.25	0	29905.213	313.9784946	9419.182997	30000	0	0	30000	41.4375	2004
08.01.2020 15:55:53	1	1	1	1	78.25	61.25	0	30000	318.2795699	9548.01185	30000	0	0	30000	41.375	2004
08.01.2020 15:55:54	1	1	1	1	78.25	61.25	0	30000	326.8817204	9806.484929	30000	0	0	30000	41.25	2004
08.01.2020 15:55:55	1	1	1	1	78.25	61.25	0	30000	329.0322581	9870.899356	30000	0	0	30000	41.375	2004
08.01.2020 15:55:56	1	1	1	1	78.25	61.25	0	30000	335.483871	10128.55706	30000	0	0	30000	41.3125	2004
08.01.2020 15:55:57	1	1	1	1	78.25	61.25	0	30000	335.483871	10064.14264	30000	0	0	30000	41.1875	2004
08.01.2020 15:55:58	1	1	1	1	78.25	61	0	30000	333.3333333	9999.728209	30000	0	0	30000	41.4375	2004
08.01.2020 15:55:59	1	1	1	1	78.25	61.25	0	30000	335.483871	10064.14264	30000	0	0	30000	41.0625	2004
08.01.2020 15:56:00	1	1	1	1	78.25	61	0	30000	331.1827957	9999.728209	30000	0	0	30000	41.1875	2004
08.01.2020 15:56:01	1	1	1	1	78	61	0	30000	335.483871	10064.14264	30000	0	0	30000	41.4375	2004
08.01.2020 15:56:02	1	1	1	1	78	61.25	0	30000	326.8817204	9726.578425	30000	0	0	30000	41.25	2004
08.01.2020 15:56:03	1	1	1	1	78	61.25	0	30000	311.827957	9354.76857	30000	0	0	30000	41.375	2004
08.01.2020 15:56:04	1	1	1	1	78	61.25	0	30000	298.9247312	8903.052211	30000	0	0	30000	41.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 15:56:05	1	1	1	1	78	61	0	30000	294.6236559	8838.637784	30000	0	0	30000	41.25	2004
08.01.2020 15:56:06	1	1	1	1	78	61.25	0	30000	296.7741935	8903.052211	30000	0	0	30000	41.125	2004
08.01.2020 15:56:07	1	1	1	1	78	61	0	30000	294.6236559	8708.993559	30000	0	0	30000	40.875	2004
08.01.2020 15:56:08	1	1	1	1	78	60.75	0	30000	290.3225806	8708.993559	30000	0	0	30000	41.25	2004
08.01.2020 15:56:09	1	1	1	1	78	61.25	0	30000	290.3225806	8708.993559	30000	0	0	30000	41.3125	2004
08.01.2020 15:56:10	1	1	1	1	78	61.25	0	30000	292.4731183	8838.637784	30000	0	0	30000	41.125	2004
08.01.2020 15:56:11	1	1	1	1	78	61	0	30000	283.8709677	8580.164705	30000	0	0	30000	41.3125	2004
08.01.2020 15:56:12	1	1	1	1	78	61.25	0	30000	288.172043	8644.579132	30000	0	0	30000	40.9375	2004
08.01.2020 15:56:14	1	1	1	1	78	60.75	0	30000	283.8709677	8515.750279	30000	0	0	30000	41.125	2004
08.01.2020 15:56:15	1	1	1	1	78	61	0	30000	277.4193548	8322.506999	30000	0	0	30000	41.25	2004
08.01.2020 15:56:16	1	1	1	1	78	61.25	0	29905.213	273.1182796	8116.217759	30000	0	0	30000	41.1875	2004
08.01.2020 15:56:17	1	1	1	1	78	61	0	30000	281.7204301	8451.335852	30000	0	0	30000	40.9375	2004
08.01.2020 15:56:18	1	1	1	1	78	60.75	0	30000	292.4731183	8644.579132	30000	0	0	30000	41.3125	2004
08.01.2020 15:56:19	1	1	1	1	78	61.25	0	29952.607	294.6236559	8838.637784	30000	0	0	30000	41.25	2004
08.01.2020 15:56:20	1	1	1	1	78	61.25	0	30000	305.3763441	9031.881064	30000	0	0	30000	41.1875	2004
08.01.2020 15:56:21	1	1	1	1	78	61	0	30000	307.5268817	9082.434159	30000	0	0	30000	40.75	2004
08.01.2020 15:56:22	1	1	1	1	77.75	60.75	0	30000	311.827957	9354.76857	30000	0	0	30000	41.3125	2004
08.01.2020 15:56:23	1	1	1	1	77.75	61.25	0	29952.607	320.4301075	9612.426277	30000	0	0	30000	41.4375	2004
08.01.2020 15:56:24	1	1	1	1	77.75	61.25	0	30000	320.4301075	9612.426277	30000	0	0	30000	40.875	2004
08.01.2020 15:56:31	1	1	1	1	77.75	61.25	0	30000	333.3333333	10064.14264	30000	0	0	30000	41.1875	2004
08.01.2020 15:56:31	1	1	1	1	77.75	61.25	0	30000	333.3333333	10064.14264	30000	0	0	30000	41.1875	2004
08.01.2020 15:56:31	1	1	1	1	77.75	61.25	0	30000	333.3333333	10064.14264	30000	0	0	30000	41.1875	2004
08.01.2020 15:56:31	1	1	1	1	77.75	61.25	0	30000	333.3333333	10064.14264	30000	0	0	30000	41.1875	2004
08.01.2020 15:56:31	1	1	1	1	77.75	61.25	0	30000	333.3333333	10064.14264	30000	0	0	30000	41.1875	2004
08.01.2020 15:56:31	1	1	1	1	77.75	61.25	0	30000	333.3333333	10064.14264	30000	0	0	30000	41.1875	2004
08.01.2020 15:56:31	1	1	1	1	77.75	61.25	0	30000	333.3333333	10064.14264	30000	0	0	30000	41.1875	2004
08.01.2020 15:56:31	1	1	1	1	77.75	61.25	0	30000	333.3333333	10064.14264	30000	0	0	30000	41.1875	2004
08.01.2020 15:56:32	1	1	1	1	77.25	61	0	30000	350.5376344	10515.85899	30000	0	0	30000	41.6875	2004
08.01.2020 15:56:33	1	1	1	1	77.25	61.5	0	30000	352.688172	10644.68785	30000	0	0	30000	41.25	2004
08.01.2020 15:56:34	1	1	1	1	77.25	61.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	39.875	2004
08.01.2020 15:56:35	1	1	1	1	77.25	59.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	40.375	2004
08.01.2020 15:56:36	1	1	1	1	77.25	60.25	0	30000	363.4408602	10773.5167	30000	0	0	30000	40.8125	2004
08.01.2020 15:56:37	1	1	1	1	77.25	60.75	0	30000	361.2903226	10773.5167	30000	0	0	30000	40.8125	2004
08.01.2020 15:56:38	1	1	1	1	77.25	60.75	0	30000	367.7419355	11096.40421	30000	0	0	30000	41	2004
08.01.2020 15:56:39	1	1	1	1	77.25	61	0	30000	359.1397849	10773.5167	30000	0	0	30000	40.625	2004
08.01.2020 15:56:40	1	1	1	1	77.25	60.5	0	30000	369.8924731	11096.40421	30000	0	0	30000	41.4375	2004
08.01.2020 15:56:41	1	1	1	1	77.5	61.25	0	29905.213	363.4408602	11160.81863	30000	0	0	30000	40.9375	2004
08.01.2020 15:56:42	1	1	1	1	77.5	60.75	0	30000	367.7419355	11031.98978	30000	0	0	30000	41.3125	2004
08.01.2020 15:56:43	1	1	1	1	77.5	61.25	0	30000	372.0430108	11160.81863	30000	0	0	30000	40.0625	2004
08.01.2020 15:56:44	1	1	1	1	77.5	60	0	30000	363.4408602	10903.16093	30000	0	0	30000	41.1875	2004
08.01.2020 15:56:45	1	1	1	1	77.5	61	0	30000	369.8924731	11160.81863	30000	0	0	30000	41.125	2004
08.01.2020 15:56:46	1	1	1	1	77.5	61	0	30000	372.0430108	11031.98978	30000	0	0	30000	41.3125	2004
08.01.2020 15:56:47	1	1	1	1	77.5	61.25	0	29952.607	380.6451613	11419.29171	30000	0	0	30000	41.3125	2004
08.01.2020 15:56:48	1	1	1	1	77.5	61.25	0	30000	397.8494624	11935.4225	30000	0	0	30000	41	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 15:56:49	1	1	1	1	77.5	61	0	30000	425.8064516	12773.62542	30000	0	0	30000	41.1875	2004
08.01.2020 15:56:51	1	1	1	1	77.5	61	0	30000	438.7096774	13160.92735	30000	0	0	30000	41.0625	2004
08.01.2020 15:56:52	1	1	1	1	77.75	61	0	30000	438.7096774	13160.92735	30000	0	0	30000	41.0625	2004
08.01.2020 15:56:53	1	1	1	1	77.75	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.5625	2004
08.01.2020 15:56:54	1	1	1	1	77.75	60.5	0	30000	449.4623656	13548.22928	30000	0	0	30000	40.25	2004
08.01.2020 15:56:55	1	1	1	1	77.75	60.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	41	2004
08.01.2020 15:56:56	1	1	1	1	77.75	61	0	30000	438.7096774	13160.92735	30000	0	0	30000	41.25	2004
08.01.2020 15:56:57	1	1	1	1	77.75	61.25	0	30000	425.8064516	12838.03984	30000	0	0	30000	41.3125	2004
08.01.2020 15:56:58	1	1	1	1	77.75	61.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.3125	2004
08.01.2020 15:56:59	1	1	1	1	77.75	61.25	0	30000	419.3548387	12387.13886	30000	0	0	30000	41.1875	2004
08.01.2020 15:57:00	1	1	1	1	77.75	61	0	30000	380.6451613	11419.29171	30000	0	0	30000	41	2004
08.01.2020 15:57:01	1	1	1	1	77.75	61	0	30047.393	378.4946237	11079.28139	30000	0	0	30000	41.1875	2004
08.01.2020 15:57:02	1	1	1	1	77.75	61	0	30000	367.7419355	11096.40421	30000	0	0	30000	40.125	2004
08.01.2020 15:57:03	1	1	1	1	77.75	60	0	30094.787	369.8924731	10773.5167	30000	0	0	30000	41.3125	2004
08.01.2020 15:57:04	1	1	1	1	77.75	61.25	0	30000	363.4408602	10903.16093	30000	0	0	30000	41.25	2004
08.01.2020 15:57:05	1	1	1	1	77.75	61.25	0	29952.607	361.2903226	11014.86696	30000	0	0	30000	41.125	2004
08.01.2020 15:57:06	1	1	1	1	77.75	61	0	29905.213	365.5913978	11031.98978	30000	0	0	30000	41.3125	2004
08.01.2020 15:57:07	1	1	1	1	77.75	61.25	0	30000	378.4946237	11160.81863	30000	0	0	30000	40.75	2004
08.01.2020 15:57:08	1	1	1	1	77.75	60.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	41.25	2004
08.01.2020 15:57:09	1	1	1	1	77.75	59.75	0	30000	365.5913978	11031.98978	30000	0	0	30000	41.375	2004
08.01.2020 15:57:10	1	1	1	1	77.75	61.25	0	30000	365.5913978	11096.40421	30000	0	0	30000	41.25	2004
08.01.2020 15:57:11	1	1	1	1	77.75	61.25	0	30000	367.7419355	11096.40421	30000	0	0	30000	41.375	2004
08.01.2020 15:57:12	1	1	1	1	77.75	61.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	40.3125	2004
08.01.2020 15:57:13	1	1	1	1	77.75	60.25	0	29952.607	378.4946237	11354.87729	30000	0	0	30000	41.3125	2004
08.01.2020 15:57:14	1	1	1	1	77.75	61.25	0	30000	380.6451613	11483.70614	30000	0	0	30000	40.5	2004
08.01.2020 15:57:15	1	1	1	1	77.75	60.5	0	30000	382.7956989	11419.29171	30000	0	0	30000	40.8125	2004
08.01.2020 15:57:16	1	1	1	1	77.75	60.75	0	29905.213	380.6451613	11419.29171	30000	0	0	30000	41.3125	2004
08.01.2020 15:57:17	1	1	1	1	77.75	61.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	40.6875	2004
08.01.2020 15:57:18	1	1	1	1	77.75	60.5	0	30000	369.8924731	11014.86696	30000	0	0	30000	41	2004
08.01.2020 15:57:19	1	1	1	1	77.75	61	0	30000	369.8924731	10868.09991	30000	0	0	30000	40.5	2004
08.01.2020 15:57:20	1	1	1	1	77.75	60.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	40.375	2004
08.01.2020 15:57:21	1	1	1	1	77.5	60.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.125	2004
08.01.2020 15:57:22	1	1	1	1	77.5	61	0	30000	380.6451613	11419.29171	30000	0	0	30000	41.3125	2004
08.01.2020 15:57:23	1	1	1	1	77.5	61.25	0	30000	387.0967742	11548.12057	30000	0	0	30000	41.3125	2004
08.01.2020 15:57:24	1	1	1	1	77.5	61.25	0	30000	391.3978495	11676.94942	30000	0	0	30000	41.0625	2004
08.01.2020 15:57:25	1	1	1	1	77.5	61	0	30000	397.8494624	11935.4225	30000	0	0	30000	41.25	2004
08.01.2020 15:57:33	1	1	1	1	77.75	61	0	30000	417.2043011	12451.55328	30000	0	0	30000	41.375	2004
08.01.2020 15:57:33	1	1	1	1	77.75	61	0	30000	417.2043011	12451.55328	30000	0	0	30000	41.375	2004
08.01.2020 15:57:33	1	1	1	1	77.75	61	0	30000	417.2043011	12451.55328	30000	0	0	30000	41.375	2004
08.01.2020 15:57:33	1	1	1	1	77.75	61	0	30000	417.2043011	12451.55328	30000	0	0	30000	41.375	2004
08.01.2020 15:57:33	1	1	1	1	77.75	61	0	30000	417.2043011	12451.55328	30000	0	0	30000	41.375	2004
08.01.2020 15:57:33	1	1	1	1	77.75	61	0	30000	417.2043011	12451.55328	30000	0	0	30000	41.375	2004
08.01.2020 15:57:33	1	1	1	1	77.75	61	0	30000	417.2043011	12451.55328	30000	0	0	30000	41.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 15:57:34	1	1	1	1	77.75	61.25	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	41.1875	2004
08.01.2020 15:57:35	1	1	1	1	77.75	61	0	30000	423.655914	12709.21099	30000	0	0	30000	41.125	2004
08.01.2020 15:57:36	1	1	1	1	77.75	61	0	30000	427.9569892	12580.38214	30000	0	0	30000	41.1875	2004
08.01.2020 15:57:37	1	1	1	1	77.75	61	0	30000	423.655914	12794.00973	30000	0	0	30000	40.5625	2004
08.01.2020 15:57:38	1	1	1	1	77.75	60.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	41.125	2004
08.01.2020 15:57:39	1	1	1	1	77.75	61	0	29952.607	412.9032258	12367.56992	30000	0	0	30000	41.0625	2004
08.01.2020 15:57:40	1	1	1	1	77.75	61	0	30000	415.0537634	12451.55328	30000	0	0	30000	41.0625	2004
08.01.2020 15:57:41	1	1	1	1	77.75	61	0	30047.393	419.3548387	12580.38214	30000	0	0	30000	41.125	2004
08.01.2020 15:57:42	1	1	1	1	78.25	61	0	30000	415.0537634	12451.55328	30000	0	0	30000	40.875	2004
08.01.2020 15:57:43	1	1	1	1	78.25	60.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.0625	2004
08.01.2020 15:57:44	1	1	1	1	78.25	61	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	40.9375	2004
08.01.2020 15:57:45	1	1	1	1	78.25	60.75	0	29952.607	412.9032258	12348.00098	30000	0	0	30000	41.375	2004
08.01.2020 15:57:46	1	1	1	1	78.25	61.25	0	29905.213	412.9032258	12367.56992	30000	0	0	30000	41.3125	2004
08.01.2020 15:57:47	1	1	1	1	78.25	61.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	40.9375	2004
08.01.2020 15:57:48	1	1	1	1	78.25	60.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	40.875	2004
08.01.2020 15:57:49	1	1	1	1	78.25	60.75	0	29952.607	400	12128.66578	30000	0	0	30000	41.375	2004
08.01.2020 15:57:50	1	1	1	1	78.25	61.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	41	2004
08.01.2020 15:57:51	1	1	1	1	78	61.5	0	30000	412.9032258	12406.7078	30000	0	0	30000	40.625	2004
08.01.2020 15:57:52	1	1	1	1	78	60.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.125	2004
08.01.2020 15:57:53	1	1	1	1	78	61	0	30000	412.9032258	11961.51442	30000	0	0	30000	41.1875	2004
08.01.2020 15:57:54	1	1	1	1	78	61	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.25	2004
08.01.2020 15:57:55	1	1	1	1	78	61.25	0	30000	406.4516129	12128.66578	30000	0	0	30000	40.5	2004
08.01.2020 15:57:56	1	1	1	1	78	60.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	40.8125	2004
08.01.2020 15:57:57	1	1	1	1	78	60.75	0	30000	400	11935.4225	30000	0	0	30000	41.3125	2004
08.01.2020 15:57:58	1	1	1	1	78	61.25	0	30000	391.3978495	11871.00807	30000	0	0	30000	41.1875	2004
08.01.2020 15:57:59	1	1	1	1	78	61	0	30000	378.4946237	11419.29171	30000	0	0	30000	41.3125	2004
08.01.2020 15:58:00	1	1	1	1	78	61.25	0	30000	367.7419355	11031.98978	30000	0	0	30000	41.125	2004
08.01.2020 15:58:01	1	1	1	1	78.25	61	0	30000	354.8387097	10709.10227	30000	0	0	30000	41.1875	2004
08.01.2020 15:58:02	1	1	1	1	78.25	61	0	30000	341.9354839	10387.03014	30000	0	0	30000	41.25	2004
08.01.2020 15:58:03	1	1	1	1	78.25	61.25	0	30000	335.483871	10257.38592	30000	0	0	30000	41.125	2004
08.01.2020 15:58:04	1	1	1	1	78.25	61	0	30000	350.5376344	10709.10227	30000	0	0	30000	41.125	2004
08.01.2020 15:58:05	1	1	1	1	78.25	61	0	30000	348.3870968	10451.44457	30000	0	0	30000	41.125	2004
08.01.2020 15:58:06	1	1	1	1	78.25	61	0	30000	352.688172	10580.27342	30000	0	0	30000	40.5	2004
08.01.2020 15:58:07	1	1	1	1	78.25	60.5	0	30047.393	346.2365591	10403.33759	30000	0	0	30000	41.0625	2004
08.01.2020 15:58:08	1	1	1	1	78.25	61	0	30000	339.7849462	10192.97149	30000	0	0	30000	41.3125	2004
08.01.2020 15:58:10	1	1	1	1	78.25	61.25	0	30000	339.7849462	10192.97149	30000	0	0	30000	41.3125	2004
08.01.2020 15:58:11	1	1	1	1	78.25	61.25	0	30000	346.2365591	10241.89384	30000	0	0	30000	41.3125	2004
08.01.2020 15:58:12	1	1	1	1	78.25	61.25	0	30000	350.5376344	10515.85899	30000	0	0	30000	41.0625	2004
08.01.2020 15:58:13	1	1	1	1	78.25	61	0	30000	365.5913978	10903.16093	30000	0	0	30000	41.25	2004
08.01.2020 15:58:14	1	1	1	1	78.25	61.25	0	30000	372.0430108	11178.75683	30000	0	0	30000	41.25	2004
08.01.2020 15:58:15	1	1	1	1	78.25	61.25	0	30000	387.0967742	11548.12057	30000	0	0	30000	41	2004
08.01.2020 15:58:16	1	1	1	1	78.25	61	0	30000	395.6989247	11871.00807	30000	0	0	30000	41.3125	2004
08.01.2020 15:58:17	1	1	1	1	78.25	61.25	0	30000	404.3010753	12064.25135	30000	0	0	30000	41	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 15:58:18	1	1	1	1	78.25	61	0	30000	404.3010753	12128.66578	30000	0	0	30000	40.625	2004
08.01.2020 15:58:19	1	1	1	1	78.25	60.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.25	2004
08.01.2020 15:58:20	1	1	1	1	78.25	61.25	0	29952.607	423.655914	12580.38214	30000	0	0	30000	41.25	2004
08.01.2020 15:58:21	1	1	1	1	78.25	61.25	0	30000	421.5053763	12644.79656	30000	0	0	30000	41.25	2004
08.01.2020 15:58:22	1	1	1	1	78.25	61.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	41.1875	2004
08.01.2020 15:58:23	1	1	1	1	78.25	61	0	30000	419.3548387	12580.38214	30000	0	0	30000	40.625	2004
08.01.2020 15:58:24	1	1	1	1	78.25	60.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	41.125	2004
08.01.2020 15:58:25	1	1	1	1	78.25	61	0	29905.213	419.3548387	12580.38214	30000	0	0	30000	41.1875	2004
08.01.2020 15:58:26	1	1	1	1	78.25	61	0	30000	425.8064516	12773.62542	30000	0	0	30000	41	2004
08.01.2020 15:58:27	1	1	1	1	78.25	61	0	30000	419.3548387	12580.38214	30000	0	0	30000	41.125	2004
08.01.2020 15:58:34	1	1	1	1	78	61.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	40.3125	2004
08.01.2020 15:58:34	1	1	1	1	78	61.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	40.3125	2004
08.01.2020 15:58:34	1	1	1	1	78	61.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	40.3125	2004
08.01.2020 15:58:34	1	1	1	1	78	61.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	40.3125	2004
08.01.2020 15:58:34	1	1	1	1	78	61.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	40.3125	2004
08.01.2020 15:58:34	1	1	1	1	78	61.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	40.3125	2004
08.01.2020 15:58:34	1	1	1	1	78	61.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	40.3125	2004
08.01.2020 15:58:34	1	1	1	1	78	61.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	40.3125	2004
08.01.2020 15:58:35	1	1	1	1	78	60.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.375	2004
08.01.2020 15:58:36	1	1	1	1	78	61.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.1875	2004
08.01.2020 15:58:37	1	1	1	1	78	61	0	30000	425.8064516	12773.62542	30000	0	0	30000	41.125	2004
08.01.2020 15:58:38	1	1	1	1	78	61	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.0625	2004
08.01.2020 15:58:39	1	1	1	1	78	61	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.125	2004
08.01.2020 15:58:40	1	1	1	1	78	61	0	30000	427.9569892	12798.08659	30000	0	0	30000	41.1875	2004
08.01.2020 15:58:41	1	1	1	1	78.25	61	0	30000	432.2580645	13052.48281	30000	0	0	30000	41.125	2004
08.01.2020 15:58:42	1	1	1	1	78.25	61	0	30000	440.8602151	13225.34178	30000	0	0	30000	40.6875	2004
08.01.2020 15:58:43	1	1	1	1	78.25	60.5	0	29952.607	438.7096774	13160.92735	30000	0	0	30000	41.375	2004
08.01.2020 15:58:44	1	1	1	1	78.25	61.25	0	29905.213	438.7096774	13354.17063	30000	0	0	30000	40.625	2004
08.01.2020 15:58:45	1	1	1	1	78.25	60.5	0	30000	438.7096774	13096.51292	30000	0	0	30000	40.4375	2004
08.01.2020 15:58:46	1	1	1	1	78.25	60.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.25	2004
08.01.2020 15:58:47	1	1	1	1	78.25	61.25	0	30000	419.3548387	12773.62542	30000	0	0	30000	41.1875	2004
08.01.2020 15:58:48	1	1	1	1	78.25	61	0	30000	425.8064516	12773.62542	30000	0	0	30000	41.125	2004
08.01.2020 15:58:50	1	1	1	1	78.25	61	0	30000	427.9569892	12838.03984	30000	0	0	30000	40.6875	2004
08.01.2020 15:58:51	1	1	1	1	78.25	60.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.3125	2004
08.01.2020 15:58:52	1	1	1	1	78	61.25	0	29952.607	427.9569892	12838.03984	30000	0	0	30000	41.25	2004
08.01.2020 15:58:53	1	1	1	1	78	61.25	0	30000	436.5591398	12818.4709	30000	0	0	30000	40.5625	2004
08.01.2020 15:58:54	1	1	1	1	78	60.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.25	2004
08.01.2020 15:58:55	1	1	1	1	78	61.25	0	30000	427.9569892	12818.4709	30000	0	0	30000	41.1875	2004
08.01.2020 15:58:56	1	1	1	1	78	61	0	30000	427.9569892	12838.03984	30000	0	0	30000	40.75	2004
08.01.2020 15:58:57	1	1	1	1	78	60.75	0	29952.607	427.9569892	13160.92735	30000	0	0	30000	41.1875	2004
08.01.2020 15:58:58	1	1	1	1	78	61	0	30000	432.2580645	12838.03984	30000	0	0	30000	40.75	2004
08.01.2020 15:58:59	1	1	1	1	78	60.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.1875	2004
08.01.2020 15:59:00	1	1	1	1	78	61	0	30000	419.3548387	12580.38214	30000	0	0	30000	41	2004
08.01.2020 15:59:01	1	1	1	1	78	61	0	30000	406.4516129	12128.66578	30000	0	0	30000	40.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 15:59:02	1	1	1	1	78.25	60.5	0	30000	387.0967742	11548.12057	30000	0	0	30000	41.25	2004
08.01.2020 15:59:03	1	1	1	1	78.25	61.25	0	30000	372.0430108	11437.22991	30000	0	0	30000	40.875	2004
08.01.2020 15:59:04	1	1	1	1	78.25	60.75	0	29952.607	367.7419355	11031.98978	30000	0	0	30000	40.9375	2004
08.01.2020 15:59:05	1	1	1	1	78.25	60.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	40.75	2004
08.01.2020 15:59:06	1	1	1	1	78.25	60.75	0	29952.607	378.4946237	11354.87729	30000	0	0	30000	40.9375	2004
08.01.2020 15:59:07	1	1	1	1	78.25	60.75	0	30000	389.2473118	11676.94942	30000	0	0	30000	41.5	2004
08.01.2020 15:59:08	1	1	1	1	78.25	61	0	30000	400	11935.4225	30000	0	0	30000	41.0625	2004
08.01.2020 15:59:09	1	1	1	1	78.25	61	0	30000	415.0537634	12580.38214	30000	0	0	30000	40.875	2004
08.01.2020 15:59:10	1	1	1	1	78.25	60.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.3125	2004
08.01.2020 15:59:11	1	1	1	1	78.25	61.25	0	30000	425.8064516	12838.03984	30000	0	0	30000	40.875	2004
08.01.2020 15:59:12	1	1	1	1	78.25	60.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.3125	2004
08.01.2020 15:59:13	1	1	1	1	78.25	61.25	0	30000	438.7096774	12754.05648	30000	0	0	30000	41.1875	2004
08.01.2020 15:59:14	1	1	1	1	78.25	61	0	30000	419.3548387	12709.21099	30000	0	0	30000	40.75	2004
08.01.2020 15:59:15	1	1	1	1	78.25	60.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.0625	2004
08.01.2020 15:59:16	1	1	1	1	78.25	61	0	30000	400	11935.4225	30000	0	0	30000	41.125	2004
08.01.2020 15:59:17	1	1	1	1	78.25	61	0	30000	387.0967742	11612.53499	30000	0	0	30000	41.125	2004
08.01.2020 15:59:18	1	1	1	1	78.25	61	0	30000	384.9462366	11548.12057	30000	0	0	30000	41.1875	2004
08.01.2020 15:59:19	1	1	1	1	78.25	61	0	29952.607	378.4946237	11354.87729	30000	0	0	30000	41.125	2004
08.01.2020 15:59:20	1	1	1	1	78.25	61	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.3125	2004
08.01.2020 15:59:21	1	1	1	1	78.25	61.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.3125	2004
08.01.2020 15:59:22	1	1	1	1	78.25	61.25	0	30000	382.7956989	11548.12057	30000	0	0	30000	41.3125	2004
08.01.2020 15:59:23	1	1	1	1	78.25	61.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.25	2004
08.01.2020 15:59:24	1	1	1	1	78.25	61.25	0	30000	389.2473118	11676.94942	30000	0	0	30000	40.4375	2004
08.01.2020 15:59:26	1	1	1	1	78.25	60.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	41.25	2004
08.01.2020 15:59:27	1	1	1	1	78.25	61.25	0	30000	391.3978495	11871.00807	30000	0	0	30000	40.5	2004
08.01.2020 15:59:28	1	1	1	1	78.25	60.5	0	30000	389.2473118	11676.94942	30000	0	0	30000	41.1875	2004
08.01.2020 15:59:29	1	1	1	1	78.25	61	0	30000	400	11871.00807	30000	0	0	30000	41.125	2004
08.01.2020 15:59:36	1	1	1	1	78.5	61.25	0	29952.607	438.7096774	13160.92735	30000	0	0	30000	41.0625	2004
08.01.2020 15:59:36	1	1	1	1	78.5	61.25	0	29952.607	438.7096774	13160.92735	30000	0	0	30000	41.0625	2004
08.01.2020 15:59:36	1	1	1	1	78.5	61.25	0	29952.607	438.7096774	13160.92735	30000	0	0	30000	41.0625	2004
08.01.2020 15:59:36	1	1	1	1	78.5	61.25	0	29952.607	438.7096774	13160.92735	30000	0	0	30000	41.0625	2004
08.01.2020 15:59:36	1	1	1	1	78.5	61.25	0	29952.607	438.7096774	13160.92735	30000	0	0	30000	41.0625	2004
08.01.2020 15:59:36	1	1	1	1	78.5	61.25	0	29952.607	438.7096774	13160.92735	30000	0	0	30000	41.0625	2004
08.01.2020 15:59:36	1	1	1	1	78.5	61.25	0	29952.607	438.7096774	13160.92735	30000	0	0	30000	41.0625	2004
08.01.2020 15:59:37	1	1	1	1	78.5	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.25	2004
08.01.2020 15:59:38	1	1	1	1	78.5	61.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.8125	2004
08.01.2020 15:59:39	1	1	1	1	78.5	60.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	41.1875	2004
08.01.2020 15:59:40	1	1	1	1	78.5	61	0	30000	453.7634409	13612.64371	30000	0	0	30000	41	2004
08.01.2020 15:59:41	1	1	1	1	78.5	61	0	30000	464.516129	13849.10173	30000	0	0	30000	41.1875	2004
08.01.2020 15:59:42	1	1	1	1	78.5	61	0	30000	464.516129	13999.94564	30000	0	0	30000	41.0625	2004
08.01.2020 15:59:43	1	1	1	1	78.5	61	0	30000	464.516129	13935.53122	30000	0	0	30000	40.75	2004
08.01.2020 15:59:44	1	1	1	1	78.5	60.75	0	30000	460.2150538	13677.05814	30000	0	0	30000	40.3125	2004
08.01.2020 15:59:45	1	1	1	1	78.5	60.25	0	30000	453.7634409	13741.47256	30000	0	0	30000	41	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 15:59:46	1	1	1	1	78.5	61	0	30000	455.9139785	13677.05814	30000	0	0	30000	41.25	2004
08.01.2020 15:59:47	1	1	1	1	78.5	61.25	0	29905.213	440.8602151	13677.05814	30000	0	0	30000	41.5625	2004
08.01.2020 15:59:48	1	1	1	1	78.5	61	0	30000	451.6129032	13612.64371	30000	0	0	30000	40.0625	2004
08.01.2020 15:59:49	1	1	1	1	78.5	60	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.25	2004
08.01.2020 15:59:50	1	1	1	1	78.5	61.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.4375	2004
08.01.2020 15:59:51	1	1	1	1	78.5	61.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.875	2004
08.01.2020 15:59:52	1	1	1	1	78.5	60.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	41.25	2004
08.01.2020 15:59:53	1	1	1	1	78.5	61.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.25	2004
08.01.2020 15:59:54	1	1	1	1	78.5	61.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	41	2004
08.01.2020 15:59:55	1	1	1	1	78.5	61	0	30000	443.0107527	13354.17063	30000	0	0	30000	40.75	2004
08.01.2020 15:59:56	1	1	1	1	78.5	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.375	2004
08.01.2020 15:59:57	1	1	1	1	78.5	61.25	0	30000	438.7096774	13160.92735	30000	0	0	30000	41.25	2004
08.01.2020 15:59:58	1	1	1	1	78.5	61.25	0	29952.607	425.8064516	12773.62542	30000	0	0	30000	41.125	2004
08.01.2020 15:59:59	1	1	1	1	78.5	61	0	29905.213	425.8064516	12773.62542	30000	0	0	30000	41.25	2004
08.01.2020 16:00:00	1	1	1	1	78.5	61.25	0	30000	425.8064516	12838.03984	30000	0	0	30000	41.125	2004
08.01.2020 16:00:01	1	1	1	1	78.5	61	0	29952.607	419.3548387	12580.38214	30000	0	0	30000	39.9375	2004
08.01.2020 16:00:02	1	1	1	1	78.5	59.75	0	30000	412.9032258	12580.38214	30000	0	0	30000	41.125	2004
08.01.2020 16:00:04	1	1	1	1	78.5	61	0	30000	404.3010753	12128.66578	30000	0	0	30000	41.0625	2004
08.01.2020 16:00:05	1	1	1	1	78.5	61	0	30000	387.0967742	11548.12057	30000	0	0	30000	41	2004
08.01.2020 16:00:06	1	1	1	1	78.5	61	0	30000	378.4946237	11225.23306	30000	0	0	30000	41.1875	2004
08.01.2020 16:00:07	1	1	1	1	78.5	61	0	30000	350.5376344	10644.68785	30000	0	0	30000	41.3125	2004
08.01.2020 16:00:08	1	1	1	1	78.5	61.25	0	30000	335.483871	10064.14264	30000	0	0	30000	41.25	2004
08.01.2020 16:00:09	1	1	1	1	78.5	61.25	0	30000	318.2795699	9612.426277	30000	0	0	30000	41	2004
08.01.2020 16:00:10	1	1	1	1	78.5	61	0	30000	313.9784946	9275.677439	30000	0	0	30000	41.1875	2004
08.01.2020 16:00:11	1	1	1	1	78.5	61	0	30000	320.4301075	9612.426277	30000	0	0	30000	41.125	2004
08.01.2020 16:00:12	1	1	1	1	78.75	61	0	30047.393	329.0322581	9741.25513	30000	0	0	30000	41.1875	2004
08.01.2020 16:00:13	1	1	1	1	78.75	61	0	30000	322.5806452	9612.426277	30000	0	0	30000	41.125	2004
08.01.2020 16:00:14	1	1	1	1	78.75	61	0	30000	322.5806452	9676.840703	30000	0	0	30000	41.1875	2004
08.01.2020 16:00:15	1	1	1	1	78.75	61	0	30000	322.5806452	9612.426277	30000	0	0	30000	41.125	2004
08.01.2020 16:00:16	1	1	1	1	78.75	61	0	30000	322.5806452	9676.840703	30000	0	0	30000	41.3125	2004
08.01.2020 16:00:17	1	1	1	1	78.75	61.25	0	29952.607	329.0322581	9855.407279	30000	0	0	30000	40.9375	2004
08.01.2020 16:00:18	1	1	1	1	78.75	60.75	0	30000	329.0322581	9855.407279	30000	0	0	30000	41	2004
08.01.2020 16:00:19	1	1	1	1	78.75	61	0	30094.787	341.9354839	9999.728209	30000	0	0	30000	41	2004
08.01.2020 16:00:20	1	1	1	1	78.75	61	0	29905.213	331.1827957	9967.928682	30000	0	0	30000	41.0625	2004
08.01.2020 16:00:21	1	1	1	1	78.75	61	0	30000	335.483871	10064.14264	30000	0	0	30000	41.3125	2004
08.01.2020 16:00:22	1	1	1	1	78.75	61.25	0	30000	335.483871	10064.14264	30000	0	0	30000	41.0625	2004
08.01.2020 16:00:23	1	1	1	1	78.75	61	0	30000	333.3333333	10064.14264	30000	0	0	30000	41.1875	2004
08.01.2020 16:00:24	1	1	1	1	78.75	61	0	30000	335.483871	10064.14264	30000	0	0	30000	41.6875	2004
08.01.2020 16:00:25	1	1	1	1	78.75	61.5	0	30000	341.9354839	10257.38592	30000	0	0	30000	41.5625	2004
08.01.2020 16:00:26	1	1	1	1	78.75	61.5	0	30000	346.2365591	10387.03014	30000	0	0	30000	41.3125	2004
08.01.2020 16:00:27	1	1	1	1	78.75	61.25	0	30000	350.5376344	10515.85899	30000	0	0	30000	40.8125	2004
08.01.2020 16:00:28	1	1	1	1	78.75	61	0	30000	359.1397849	10773.5167	30000	0	0	30000	40.9375	2004
08.01.2020 16:00:29	1	1	1	1	78.75	60.75	0	30000	365.5913978	11031.98978	30000	0	0	30000	40.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 16:00:30	1	1	1	1	78.75	60.75	0	30000	374.1935484	11225.23306	30000	0	0	30000	41	2004
08.01.2020 16:00:38	1	1	1	1	79	61.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	41	2004
08.01.2020 16:00:38	1	1	1	1	79	61.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	41	2004
08.01.2020 16:00:38	1	1	1	1	79	61.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	41	2004
08.01.2020 16:00:38	1	1	1	1	79	61.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	41	2004
08.01.2020 16:00:38	1	1	1	1	79	61.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	41	2004
08.01.2020 16:00:38	1	1	1	1	79	61.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	41	2004
08.01.2020 16:00:38	1	1	1	1	79	61.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	41	2004
08.01.2020 16:00:38	1	1	1	1	79	61	0	29952.607	425.8064516	12838.03984	30000	0	0	30000	41.3125	2004
08.01.2020 16:00:39	1	1	1	1	79	61.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.8125	2004
08.01.2020 16:00:40	1	1	1	1	79	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.75	2004
08.01.2020 16:00:41	1	1	1	1	78.75	60.75	0	30000	458.0645161	13741.47256	30000	0	0	30000	40.8125	2004
08.01.2020 16:00:43	1	1	1	1	78.75	60.75	0	30000	449.4623656	13375.37032	30000	0	0	30000	41	2004
08.01.2020 16:00:44	1	1	1	1	78.75	61	0	30000	443.0107527	13289.7562	30000	0	0	30000	41.1875	2004
08.01.2020 16:00:45	1	1	1	1	78.75	61	0	30000	443.0107527	13289.7562	30000	0	0	30000	41.1875	2004
08.01.2020 16:00:46	1	1	1	1	78.75	61	0	29952.607	440.8602151	13204.95746	30000	0	0	30000	40.375	2004
08.01.2020 16:00:47	1	1	1	1	78.75	60.25	0	29905.213	443.0107527	13354.17063	30000	0	0	30000	40.75	2004
08.01.2020 16:00:48	1	1	1	1	78.75	60.75	0	30000	453.7634409	13483.81486	30000	0	0	30000	40.9375	2004
08.01.2020 16:00:49	1	1	1	1	78.75	60.75	0	29905.213	453.7634409	13741.47256	30000	0	0	30000	41.125	2004
08.01.2020 16:00:50	1	1	1	1	78.75	61	0	30000	466.6666667	13935.53122	30000	0	0	30000	40.125	2004
08.01.2020 16:00:51	1	1	1	1	78.75	60	0	30000	464.516129	13935.53122	30000	0	0	30000	41	2004
08.01.2020 16:00:52	1	1	1	1	79	61	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.625	2004
08.01.2020 16:00:53	1	1	1	1	79	60.5	0	30047.393	481.7204301	13935.53122	30000	0	0	30000	40.875	2004
08.01.2020 16:00:54	1	1	1	1	79	60.75	0	30000	464.516129	13935.53122	30000	0	0	30000	41	2004
08.01.2020 16:00:55	1	1	1	1	79	61	0	29952.607	464.516129	13935.53122	30000	0	0	30000	40.75	2004
08.01.2020 16:00:56	1	1	1	1	79	60.75	0	30000	464.516129	13935.53122	30000	0	0	30000	41.1875	2004
08.01.2020 16:00:57	1	1	1	1	79	61	0	30047.393	455.9139785	13741.47256	30000	0	0	30000	41.25	2004
08.01.2020 16:00:58	1	1	1	1	79	61.25	0	30000	468.8172043	13999.94564	30000	0	0	30000	41.0625	2004
08.01.2020 16:00:59	1	1	1	1	79	61	0	30000	481.7204301	14451.662	30000	0	0	30000	40.1875	2004
08.01.2020 16:01:00	1	1	1	1	79	60	0	30000	481.7204301	14451.662	30000	0	0	30000	40.8125	2004
08.01.2020 16:01:01	1	1	1	1	79	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	41.3125	2004
08.01.2020 16:01:02	1	1	1	1	79.75	61.25	0	30000	481.7204301	14451.662	30000	0	0	30000	41.1875	2004
08.01.2020 16:01:03	1	1	1	1	79.75	61	0	29905.213	481.7204301	14451.662	30000	0	0	30000	41.5625	2004
08.01.2020 16:01:04	1	1	1	1	79.75	61.5	0	30000	451.6129032	13483.81486	30000	0	0	30000	41.1875	2004
08.01.2020 16:01:05	1	1	1	1	79.75	60.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	41	2004
08.01.2020 16:01:06	1	1	1	1	79.75	61	0	30000	423.655914	12709.21099	30000	0	0	30000	41.25	2004
08.01.2020 16:01:07	1	1	1	1	79.75	61.25	0	30000	423.655914	12773.62542	30000	0	0	30000	40.6875	2004
08.01.2020 16:01:08	1	1	1	1	79.75	60.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	40.375	2004
08.01.2020 16:01:09	1	1	1	1	79.75	60.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	41.125	2004
08.01.2020 16:01:10	1	1	1	1	79.75	61	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.0625	2004
08.01.2020 16:01:11	1	1	1	1	79.75	61	0	30000	427.9569892	12838.03984	30000	0	0	30000	40.9375	2004
08.01.2020 16:01:12	1	1	1	1	79.75	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.25	2004
08.01.2020 16:01:13	1	1	1	1	79.75	61.25	0	30000	453.7634409	13612.64371	30000	0	0	30000	40.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 16:01:14	1	1	1	1	79.75	60.25	0	30000	464.516129	13935.53122	30000	0	0	30000	41.1875	2004
08.01.2020 16:01:15	1	1	1	1	79.75	61	0	30000	466.666667	13935.53122	30000	0	0	30000	41	2004
08.01.2020 16:01:16	1	1	1	1	79.75	61	0	30000	466.666667	13999.94564	30000	0	0	30000	40.375	2004
08.01.2020 16:01:20	1	1	1	1	79.75	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.5	2004
08.01.2020 16:01:20	1	1	1	1	79.75	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.5	2004
08.01.2020 16:01:20	1	1	1	1	79.75	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.5	2004
08.01.2020 16:01:21	1	1	1	1	79.75	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	41.125	2004
08.01.2020 16:01:22	1	1	1	1	80	61	0	30000	481.7204301	14451.662	30000	0	0	30000	40.75	2004
08.01.2020 16:01:23	1	1	1	1	80	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.4375	2004
08.01.2020 16:01:24	1	1	1	1	80	60.25	0	29952.607	488.172043	14709.31971	30000	0	0	30000	41	2004
08.01.2020 16:01:25	1	1	1	1	80	61	0	30000	492.4731183	14773.73413	30000	0	0	30000	41.1875	2004
08.01.2020 16:01:26	1	1	1	1	80	61	0	30000	492.4731183	14926.20879	30000	0	0	30000	41.0625	2004
08.01.2020 16:01:27	1	1	1	1	80	61	0	30000	501.0752688	15032.20721	30000	0	0	30000	40.9375	2004
08.01.2020 16:01:28	1	1	1	1	80	60.75	0	30000	498.9247312	15032.20721	30000	0	0	30000	40.9375	2004
08.01.2020 16:01:29	1	1	1	1	80	60.75	0	30000	501.0752688	15032.20721	30000	0	0	30000	40.4375	2004
08.01.2020 16:01:30	1	1	1	1	80	60.25	0	30000	511.827957	15418.69377	30000	0	0	30000	40.875	2004
08.01.2020 16:01:31	1	1	1	1	80	60.75	0	30000	505.3763441	15032.20721	30000	0	0	30000	41.25	2004
08.01.2020 16:01:32	1	1	1	1	80.25	61.25	0	29952.607	498.9247312	15032.20721	30000	0	0	30000	40.875	2004
08.01.2020 16:01:39	1	1	1	1	80.25	60.5	0	30000	516.1290323	15177.34352	30000	0	0	30000	41	2004
08.01.2020 16:01:39	1	1	1	1	80.25	60.5	0	30000	516.1290323	15177.34352	30000	0	0	30000	41	2004
08.01.2020 16:01:39	1	1	1	1	80.25	60.5	0	30000	516.1290323	15177.34352	30000	0	0	30000	41	2004
08.01.2020 16:01:39	1	1	1	1	80.25	60.5	0	30000	516.1290323	15177.34352	30000	0	0	30000	41	2004
08.01.2020 16:01:39	1	1	1	1	80.25	60.5	0	30000	516.1290323	15177.34352	30000	0	0	30000	41	2004
08.01.2020 16:01:39	1	1	1	1	80.25	60.5	0	30000	516.1290323	15177.34352	30000	0	0	30000	41	2004
08.01.2020 16:01:40	1	1	1	1	80.25	61	0	30000	524.7311828	15717.1201	30000	0	0	30000	41.1875	2004
08.01.2020 16:01:41	1	1	1	1	80.25	61	0	30000	516.1290323	15508.38475	30000	0	0	30000	41.1875	2004
08.01.2020 16:01:42	1	1	1	1	80.5	61.25	0	30000	507.5268817	15225.45049	30000	0	0	30000	40.875	2004
08.01.2020 16:01:43	1	1	1	1	80.5	60.75	0	30000	503.2258065	15096.62164	30000	0	0	30000	41.1875	2004
08.01.2020 16:01:44	1	1	1	1	80.5	61	0	30000	516.1290323	15483.92357	30000	0	0	30000	41.3125	2004
08.01.2020 16:01:45	1	1	1	1	80.5	61.25	0	30000	511.827957	15289.86492	30000	0	0	30000	41	2004
08.01.2020 16:01:46	1	1	1	1	80.5	61	0	30000	507.5268817	15289.86492	30000	0	0	30000	41.25	2004
08.01.2020 16:01:47	1	1	1	1	80.5	61.25	0	30000	507.5268817	15161.03607	30000	0	0	30000	41.125	2004
08.01.2020 16:01:48	1	1	1	1	80.5	61	0	30000	507.5268817	15289.86492	30000	0	0	30000	40.9375	2004
08.01.2020 16:01:49	1	1	1	1	80.5	60.75	0	30000	501.0752688	14944.14698	30000	0	0	30000	41	2004
08.01.2020 16:01:50	1	1	1	1	80.5	61	0	30000	505.3763441	15096.62164	30000	0	0	30000	41.125	2004
08.01.2020 16:01:51	1	1	1	1	81	61	0	29905.213	503.2258065	14984.10024	30000	0	0	30000	41.25	2004
08.01.2020 16:01:52	1	1	1	1	81	61.25	0	30000	509.6774194	15225.45049	30000	0	0	30000	40.6875	2004
08.01.2020 16:01:53	1	1	1	1	81	60.5	0	30000	511.827957	15508.38475	30000	0	0	30000	41.125	2004
08.01.2020 16:01:54	1	1	1	1	81	61	0	30000	501.0752688	15032.20721	30000	0	0	30000	41.125	2004
08.01.2020 16:01:55	1	1	1	1	81	61	0	30000	501.0752688	15032.20721	30000	0	0	30000	40.5	2004
08.01.2020 16:01:56	1	1	1	1	81	60.5	0	30000	486.0215054	14580.49085	30000	0	0	30000	39.9375	2004
08.01.2020 16:01:57	1	1	1	1	81	59.75	0	29905.213	481.7204301	14451.662	30000	0	0	30000	41.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 16:01:59	1	1	1	1	81	61	0	30000	466.6666667	13999.94564	30000	0	0	30000	41.375	2004
08.01.2020 16:02:00	1	1	1	1	81	61.25	0	30000	453.7634409	13741.47256	30000	0	0	30000	40.875	2004
08.01.2020 16:02:01	1	1	1	1	81	60.75	0	29952.607	427.9569892	12838.03984	30000	0	0	30000	41.1875	2004
08.01.2020 16:02:02	1	1	1	1	80.75	61	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.1875	2004
08.01.2020 16:02:03	1	1	1	1	80.75	61	0	30000	387.0967742	11612.53499	30000	0	0	30000	41.1875	2004
08.01.2020 16:02:04	1	1	1	1	80.75	61	0	30000	378.4946237	11354.87729	30000	0	0	30000	40.875	2004
08.01.2020 16:02:05	1	1	1	1	80.75	60.75	0	29952.607	352.688172	10773.5167	30000	0	0	30000	40.5625	2004
08.01.2020 16:02:06	1	1	1	1	80.75	60.5	0	30000	356.9892473	10709.10227	30000	0	0	30000	41.25	2004
08.01.2020 16:02:07	1	1	1	1	80.75	61.25	0	30000	350.5376344	10451.44457	30000	0	0	30000	41.3125	2004
08.01.2020 16:02:08	1	1	1	1	80.75	61.25	0	30000	346.2365591	10451.44457	30000	0	0	30000	41.25	2004
08.01.2020 16:02:09	1	1	1	1	80.75	61.25	0	30000	346.2365591	10387.03014	30000	0	0	30000	40.9375	2004
08.01.2020 16:02:10	1	1	1	1	80.75	60.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	40.875	2004
08.01.2020 16:02:11	1	1	1	1	80.75	60.75	0	30000	339.7849462	10257.38592	30000	0	0	30000	40.9375	2004
08.01.2020 16:02:12	1	1	1	1	80.75	60.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	41.125	2004
08.01.2020 16:02:13	1	1	1	1	80.75	61	0	30000	346.2365591	10387.03014	30000	0	0	30000	41.0625	2004
08.01.2020 16:02:14	1	1	1	1	80.75	61	0	30000	344.0860215	10257.38592	30000	0	0	30000	41.25	2004
08.01.2020 16:02:15	1	1	1	1	80.75	61.25	0	30000	341.9354839	10257.38592	30000	0	0	30000	41.0625	2004
08.01.2020 16:02:16	1	1	1	1	80.75	61	0	30000	335.483871	9999.728209	30000	0	0	30000	41.25	2004
08.01.2020 16:02:17	1	1	1	1	80.75	61.25	0	30000	337.6344086	9984.236132	30000	0	0	30000	40.9375	2004
08.01.2020 16:02:18	1	1	1	1	80.75	60.75	0	29905.213	333.3333333	9855.407279	30000	0	0	30000	41.5625	2004
08.01.2020 16:02:19	1	1	1	1	80.75	61.5	0	29952.607	329.0322581	9919.821705	30000	0	0	30000	41	2004
08.01.2020 16:02:20	1	1	1	1	80.75	60.75	0	30000	333.3333333	9967.928682	30000	0	0	30000	41.1875	2004
08.01.2020 16:02:21	1	1	1	1	80.75	61	0	29952.607	335.483871	10128.55706	30000	0	0	30000	41.25	2004
08.01.2020 16:02:22	1	1	1	1	80.75	61.25	0	30000	333.3333333	9999.728209	30000	0	0	30000	41.3125	2004
08.01.2020 16:02:23	1	1	1	1	80.75	61.25	0	30000	331.1827957	9935.313783	30000	0	0	30000	41	2004
08.01.2020 16:02:24	1	1	1	1	80.75	61	0	30000	329.0322581	9935.313783	30000	0	0	30000	41.25	2004
08.01.2020 16:02:25	1	1	1	1	80.75	61.25	0	30000	333.3333333	9935.313783	30000	0	0	30000	41.25	2004
08.01.2020 16:02:26	1	1	1	1	80.75	61.25	0	30000	326.8817204	9870.899356	30000	0	0	30000	40.875	2004
08.01.2020 16:02:27	1	1	1	1	80.75	60.75	0	30000	326.8817204	9612.426277	30000	0	0	30000	41.1875	2004
08.01.2020 16:02:28	1	1	1	1	80.75	61	0	30000	324.7311828	9741.25513	30000	0	0	30000	40.875	2004
08.01.2020 16:02:29	1	1	1	1	80.75	60.75	0	29952.607	322.5806452	9676.840703	30000	0	0	30000	40.875	2004
08.01.2020 16:02:30	1	1	1	1	80.75	60.75	0	29952.607	322.5806452	9676.840703	30000	0	0	30000	41.125	2004
08.01.2020 16:02:31	1	1	1	1	80.25	61	0	29952.607	320.4301075	9870.899356	30000	0	0	30000	41.25	2004
08.01.2020 16:02:32	1	1	1	1	80.25	61.25	0	30000	331.1827957	9806.484929	30000	0	0	30000	41.125	2004
08.01.2020 16:02:33	1	1	1	1	80.25	61	0	29905.213	324.7311828	9597.749572	30000	0	0	30000	40.625	2004
08.01.2020 16:02:41	1	1	1	1	80.25	61	0	29952.607	331.1827957	10064.14264	30000	0	0	30000	40.9375	2004
08.01.2020 16:02:41	1	1	1	1	80.25	61	0	29952.607	331.1827957	10064.14264	30000	0	0	30000	40.9375	2004
08.01.2020 16:02:41	1	1	1	1	80.25	61	0	29952.607	331.1827957	10064.14264	30000	0	0	30000	40.9375	2004
08.01.2020 16:02:41	1	1	1	1	80.25	61	0	29952.607	331.1827957	10064.14264	30000	0	0	30000	40.9375	2004
08.01.2020 16:02:41	1	1	1	1	80.25	61	0	29952.607	331.1827957	10064.14264	30000	0	0	30000	40.9375	2004
08.01.2020 16:02:41	1	1	1	1	80.25	61	0	29952.607	331.1827957	10064.14264	30000	0	0	30000	40.9375	2004
08.01.2020 16:02:41	1	1	1	1	80.25	61	0	29952.607	331.1827957	10064.14264	30000	0	0	30000	40.9375	2004
08.01.2020 16:02:42	1	1	1	1	79.25	60.75	0	30000	339.7849462	10192.97149	30000	0	0	30000	40.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 16:02:43	1	1	1	1	79.25	60.75	0	30000	335.483871	10128.55706	30000	0	0	30000	41.25	2004
08.01.2020 16:02:44	1	1	1	1	79.25	61.25	0	30000	335.483871	10064.14264	30000	0	0	30000	41.25	2004
08.01.2020 16:02:45	1	1	1	1	79.25	61.25	0	30000	337.6344086	10064.14264	30000	0	0	30000	40.5	2004
08.01.2020 16:02:46	1	1	1	1	79.25	60.5	0	30000	337.6344086	10128.55706	30000	0	0	30000	41.3125	2004
08.01.2020 16:02:47	1	1	1	1	79.25	61.25	0	30000	337.6344086	10128.55706	30000	0	0	30000	41.1875	2004
08.01.2020 16:02:48	1	1	1	1	79.25	61	0	30000	335.483871	10064.14264	30000	0	0	30000	41.0625	2004
08.01.2020 16:02:49	1	1	1	1	79.25	61	0	30000	335.483871	10128.55706	30000	0	0	30000	41	2004
08.01.2020 16:02:50	1	1	1	1	79.25	61	0	30000	335.483871	9999.728209	30000	0	0	30000	41.125	2004
08.01.2020 16:02:51	1	1	1	1	79.25	61	0	30000	335.483871	10064.14264	30000	0	0	30000	40.8125	2004
08.01.2020 16:02:52	1	1	1	1	78.75	60.75	0	30000	329.0322581	9870.899356	30000	0	0	30000	40.875	2004
08.01.2020 16:02:53	1	1	1	1	78.75	60.75	0	30000	329.0322581	9790.992852	30000	0	0	30000	41.0625	2004
08.01.2020 16:02:54	1	1	1	1	78.75	61	0	30000	320.4301075	9612.426277	30000	0	0	30000	40.9375	2004
08.01.2020 16:02:55	1	1	1	1	78.75	60.75	0	30047.393	313.9784946	9483.597423	30000	0	0	30000	41.5625	2004
08.01.2020 16:02:56	1	1	1	1	78.75	61.5	0	30000	316.1290323	9548.01185	30000	0	0	30000	40.9375	2004
08.01.2020 16:02:57	1	1	1	1	78.75	60.75	0	30000	307.5268817	9096.295491	30000	0	0	30000	41.25	2004
08.01.2020 16:02:58	1	1	1	1	78.75	61.25	0	30000	301.0752688	9096.295491	30000	0	0	30000	41.25	2004
08.01.2020 16:02:59	1	1	1	1	78.75	61	0	30000	296.7741935	8903.052211	30000	0	0	30000	41.1875	2004
08.01.2020 16:03:00	1	1	1	1	78.75	61	0	29952.607	298.9247312	8967.466638	30000	0	0	30000	41.25	2004
08.01.2020 16:03:01	1	1	1	1	78	61.25	0	30000	307.5268817	9225.124344	30000	0	0	30000	40.9375	2004
08.01.2020 16:03:02	1	1	1	1	78	60.75	0	30000	320.4301075	9612.426277	30000	0	0	30000	41.1875	2004
08.01.2020 16:03:03	1	1	1	1	78	61	0	30094.787	337.6344086	9806.484929	30000	0	0	30000	41.125	2004
08.01.2020 16:03:04	1	1	1	1	78	61	0	29952.607	331.1827957	10064.14264	30000	0	0	30000	41.0625	2004
08.01.2020 16:03:05	1	1	1	1	78	61	0	30000	339.7849462	10192.97149	30000	0	0	30000	40.8125	2004
08.01.2020 16:03:06	1	1	1	1	78	60.75	0	29952.607	350.5376344	10515.85899	30000	0	0	30000	41.125	2004
08.01.2020 16:03:07	1	1	1	1	78	61	0	30000	359.1397849	10773.5167	30000	0	0	30000	41.125	2004
08.01.2020 16:03:08	1	1	1	1	78	61	0	30000	369.8924731	11096.40421	30000	0	0	30000	40.9375	2004
08.01.2020 16:03:09	1	1	1	1	78	60.75	0	30000	378.4946237	11143.69581	30000	0	0	30000	41	2004
08.01.2020 16:03:10	1	1	1	1	78	61	0	30000	384.9462366	11548.12057	30000	0	0	30000	41	2004
08.01.2020 16:03:11	1	1	1	1	77.25	61	0	29905.213	382.7956989	11676.94942	30000	0	0	30000	40.875	2004
08.01.2020 16:03:13	1	1	1	1	77.25	60.75	0	30000	391.3978495	11741.36385	30000	0	0	30000	41	2004
08.01.2020 16:03:14	1	1	1	1	77.25	61	0	30000	395.6989247	11871.00807	30000	0	0	30000	41.1875	2004
08.01.2020 16:03:15	1	1	1	1	77.25	61	0	30000	412.9032258	12193.08021	30000	0	0	30000	41.0625	2004
08.01.2020 16:03:16	1	1	1	1	77.25	61	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.0625	2004
08.01.2020 16:03:17	1	1	1	1	77.25	61	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.0625	2004
08.01.2020 16:03:18	1	1	1	1	77.25	61	0	30000	412.9032258	12451.55328	30000	0	0	30000	41.25	2004
08.01.2020 16:03:19	1	1	1	1	77.25	61.25	0	30000	438.7096774	13096.51292	30000	0	0	30000	41.125	2004
08.01.2020 16:03:20	1	1	1	1	77.25	61	0	30000	427.9569892	13032.0985	30000	0	0	30000	41.125	2004
08.01.2020 16:03:21	1	1	1	1	77.25	61	0	29952.607	436.5591398	13140.54304	30000	0	0	30000	40.6875	2004
08.01.2020 16:03:22	1	1	1	1	77.25	60.5	0	30000	440.8602151	13225.34178	30000	0	0	30000	41.0625	2004
08.01.2020 16:03:23	1	1	1	1	77.25	61	0	30000	445.1612903	13289.7562	30000	0	0	30000	40.9375	2004
08.01.2020 16:03:24	1	1	1	1	77.25	60.75	0	29952.607	451.6129032	13612.64371	30000	0	0	30000	41	2004
08.01.2020 16:03:25	1	1	1	1	77.25	61	0	30000	458.0645161	13741.47256	30000	0	0	30000	40.8125	2004
08.01.2020 16:03:26	1	1	1	1	77.25	60.75	0	30000	460.2150538	13741.47256	30000	0	0	30000	41	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 16:03:27	1	1	1	1	77.25	61	0	30000	464.516129	13935.53122	30000	0	0	30000	41.25	2004
08.01.2020 16:03:28	1	1	1	1	77.25	61.25	0	30000	464.516129	13935.53122	30000	0	0	30000	40.0625	2004
08.01.2020 16:03:29	1	1	1	1	77.25	60	0	30000	453.7634409	13612.64371	30000	0	0	30000	41.25	2004
08.01.2020 16:03:30	1	1	1	1	77.25	61.25	0	30000	455.9139785	13870.30142	30000	0	0	30000	41.125	2004
08.01.2020 16:03:31	1	1	1	1	77.25	61	0	29952.607	460.2150538	13999.94564	30000	0	0	30000	40.6875	2004
08.01.2020 16:03:32	1	1	1	1	77.5	60.5	0	30000	481.7204301	14128.7745	30000	0	0	30000	41.1875	2004
08.01.2020 16:03:33	1	1	1	1	77.5	61	0	29952.607	464.516129	13913.51616	30000	0	0	30000	41.5625	2004
08.01.2020 16:03:34	1	1	1	1	77.5	61.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.8125	2004
08.01.2020 16:03:35	1	1	1	1	77.5	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	41.0625	2004
08.01.2020 16:03:43	1	1	1	1	77.5	60.25	0	29952.607	443.0107527	13354.17063	30000	0	0	30000	40.9375	2004
08.01.2020 16:03:43	1	1	1	1	77.5	60.25	0	29952.607	443.0107527	13354.17063	30000	0	0	30000	40.9375	2004
08.01.2020 16:03:43	1	1	1	1	77.5	60.25	0	29952.607	443.0107527	13354.17063	30000	0	0	30000	40.9375	2004
08.01.2020 16:03:43	1	1	1	1	77.5	60.25	0	29952.607	443.0107527	13354.17063	30000	0	0	30000	40.9375	2004
08.01.2020 16:03:43	1	1	1	1	77.5	60.25	0	29952.607	443.0107527	13354.17063	30000	0	0	30000	40.9375	2004
08.01.2020 16:03:43	1	1	1	1	77.5	60.25	0	29952.607	443.0107527	13354.17063	30000	0	0	30000	40.9375	2004
08.01.2020 16:03:43	1	1	1	1	77.5	60.25	0	29952.607	443.0107527	13354.17063	30000	0	0	30000	40.9375	2004
08.01.2020 16:03:43	1	1	1	1	77.5	60.25	0	29952.607	443.0107527	13354.17063	30000	0	0	30000	40.9375	2004
08.01.2020 16:03:43	1	1	1	1	77.5	60.25	0	29952.607	443.0107527	13354.17063	30000	0	0	30000	40.9375	2004
08.01.2020 16:03:44	1	1	1	1	77.5	60.75	0	30000	434.4086022	13096.51292	30000	0	0	30000	41.125	2004
08.01.2020 16:03:45	1	1	1	1	77.5	61	0	30000	432.2580645	12838.03984	30000	0	0	30000	41.375	2004
08.01.2020 16:03:46	1	1	1	1	77.5	61.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.25	2004
08.01.2020 16:03:47	1	1	1	1	77.5	61.25	0	30000	438.7096774	13160.92735	30000	0	0	30000	41.125	2004
08.01.2020 16:03:48	1	1	1	1	77.5	61	0	30000	438.7096774	13160.92735	30000	0	0	30000	40.8125	2004
08.01.2020 16:03:49	1	1	1	1	77.5	60.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	41	2004
08.01.2020 16:03:50	1	1	1	1	77.5	61	0	30000	434.4086022	12967.68407	30000	0	0	30000	41.125	2004
08.01.2020 16:03:52	1	1	1	1	77.5	61	0	30000	427.9569892	12838.03984	30000	0	0	30000	41	2004
08.01.2020 16:03:53	1	1	1	1	77.5	61	0	29952.607	425.8064516	12838.03984	30000	0	0	30000	40.5	2004
08.01.2020 16:03:54	1	1	1	1	77.5	60.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.1875	2004
08.01.2020 16:03:55	1	1	1	1	77.5	61	0	30000	425.8064516	12838.03984	30000	0	0	30000	40.5625	2004
08.01.2020 16:03:56	1	1	1	1	77.5	60.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.3125	2004
08.01.2020 16:03:57	1	1	1	1	77.5	61.25	0	30000	427.9569892	12818.4709	30000	0	0	30000	41.375	2004
08.01.2020 16:03:58	1	1	1	1	77.5	61.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.0625	2004
08.01.2020 16:03:59	1	1	1	1	77.5	61	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.1875	2004
08.01.2020 16:04:00	1	1	1	1	77.5	61	0	30000	417.2043011	12580.38214	30000	0	0	30000	41.25	2004
08.01.2020 16:04:01	1	1	1	1	77.5	61.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	41.25	2004
08.01.2020 16:04:02	1	1	1	1	77.5	61.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	40.9375	2004
08.01.2020 16:04:03	1	1	1	1	77.5	60.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.1875	2004
08.01.2020 16:04:04	1	1	1	1	77.5	61	0	29952.607	415.0537634	12580.38214	30000	0	0	30000	41.3125	2004
08.01.2020 16:04:05	1	1	1	1	77.5	61.25	0	30000	440.8602151	13289.7562	30000	0	0	30000	41.125	2004
08.01.2020 16:04:06	1	1	1	1	77.5	61	0	30047.393	453.7634409	13354.17063	30000	0	0	30000	41.25	2004
08.01.2020 16:04:07	1	1	1	1	77.5	61.25	0	30000	438.7096774	13160.92735	30000	0	0	30000	41.125	2004
08.01.2020 16:04:08	1	1	1	1	77.5	61	0	30000	440.8602151	13160.92735	30000	0	0	30000	40.75	2004
08.01.2020 16:04:09	1	1	1	1	77.5	60.75	0	30000	455.9139785	13612.64371	30000	0	0	30000	41.3125	2004
08.01.2020 16:04:10	1	1	1	1	77.5	61.25	0	30000	458.0645161	13805.88699	30000	0	0	30000	41	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 16:04:11	1	1	1	1	77.5	61	0	30000	460.2150538	13591.44402	30000	0	0	30000	41.1875	2004
08.01.2020 16:04:12	1	1	1	1	77.25	61	0	30000	481.7204301	14451.662	30000	0	0	30000	41.5625	2004
08.01.2020 16:04:13	1	1	1	1	77.25	61.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.4375	2004
08.01.2020 16:04:14	1	1	1	1	77.25	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	41.5625	2004
08.01.2020 16:04:15	1	1	1	1	77.25	61	0	30000	483.8709677	14516.07643	30000	0	0	30000	41.1875	2004
08.01.2020 16:04:16	1	1	1	1	77.25	61	0	30000	494.6236559	14773.73413	30000	0	0	30000	40.9375	2004
08.01.2020 16:04:17	1	1	1	1	77.25	60.75	0	30000	488.172043	14732.96551	30000	0	0	30000	41.125	2004
08.01.2020 16:04:18	1	1	1	1	77.25	61	0	30000	492.4731183	14773.73413	30000	0	0	30000	41.1875	2004
08.01.2020 16:04:19	1	1	1	1	77.25	61	0	29905.213	496.7741935	14902.56299	30000	0	0	30000	40	2004
08.01.2020 16:04:20	1	1	1	1	77.25	60	0	30047.393	505.3763441	14902.56299	30000	0	0	30000	41.1875	2004
08.01.2020 16:04:21	1	1	1	1	77.75	61	0	30000	498.9247312	14856.08676	30000	0	0	30000	40.75	2004
08.01.2020 16:04:22	1	1	1	1	77.75	60.75	0	30000	496.7741935	15032.20721	30000	0	0	30000	40.625	2004
08.01.2020 16:04:23	1	1	1	1	77.75	60.5	0	30000	494.6236559	14773.73413	30000	0	0	30000	40.5	2004
08.01.2020 16:04:24	1	1	1	1	77.75	60.5	0	29952.607	494.6236559	14838.14856	30000	0	0	30000	40.875	2004
08.01.2020 16:04:25	1	1	1	1	77.75	60.75	0	30000	503.2258065	15161.03607	30000	0	0	30000	40.875	2004
08.01.2020 16:04:26	1	1	1	1	77.75	60.75	0	30047.393	507.5268817	15032.20721	30000	0	0	30000	41.0625	2004
08.01.2020 16:04:27	1	1	1	1	77.75	61	0	30000	501.0752688	15032.20721	30000	0	0	30000	41.375	2004
08.01.2020 16:04:28	1	1	1	1	77.75	61.25	0	30000	501.0752688	15032.20721	30000	0	0	30000	40.9375	2004
08.01.2020 16:04:30	1	1	1	1	77.75	60.75	0	30000	507.5268817	15137.39026	30000	0	0	30000	40.75	2004
08.01.2020 16:04:31	1	1	1	1	77.75	60.75	0	30000	511.827957	15483.92357	30000	0	0	30000	41.125	2004
08.01.2020 16:04:32	1	1	1	1	78	61	0	30000	509.6774194	15289.86492	30000	0	0	30000	40.875	2004
08.01.2020 16:04:33	1	1	1	1	78	60.75	0	30000	509.6774194	15354.27935	30000	0	0	30000	41	2004
08.01.2020 16:04:34	1	1	1	1	78	61	0	30000	529.0322581	15612.75243	30000	0	0	30000	41.375	2004
08.01.2020 16:04:35	1	1	1	1	78	61.25	0	30000	518.2795699	15548.338	30000	0	0	30000	40.875	2004
08.01.2020 16:04:36	1	1	1	1	78	60.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	39.875	2004
08.01.2020 16:04:37	1	1	1	1	78	59.75	0	30000	509.6774194	15289.86492	30000	0	0	30000	40.9375	2004
08.01.2020 16:04:44	1	1	1	1	78	60.75	0	30000	531.1827957	15934.82456	30000	0	0	30000	41.375	2004
08.01.2020 16:04:44	1	1	1	1	78	60.75	0	30000	531.1827957	15934.82456	30000	0	0	30000	41.375	2004
08.01.2020 16:04:44	1	1	1	1	78	60.75	0	30000	531.1827957	15934.82456	30000	0	0	30000	41.375	2004
08.01.2020 16:04:44	1	1	1	1	78	60.75	0	30000	531.1827957	15934.82456	30000	0	0	30000	41.375	2004
08.01.2020 16:04:44	1	1	1	1	78	60.75	0	30000	531.1827957	15934.82456	30000	0	0	30000	41.375	2004
08.01.2020 16:04:44	1	1	1	1	78	60.75	0	30000	531.1827957	15934.82456	30000	0	0	30000	41.375	2004
08.01.2020 16:04:44	1	1	1	1	78	60.75	0	30000	531.1827957	15934.82456	30000	0	0	30000	41.375	2004
08.01.2020 16:04:45	1	1	1	1	78	61.25	0	30000	533.3333333	15934.82456	30000	0	0	30000	41.1875	2004
08.01.2020 16:04:46	1	1	1	1	78	61	0	30000	522.5806452	15677.16685	30000	0	0	30000	41.125	2004
08.01.2020 16:04:47	1	1	1	1	78	61	0	30000	524.7311828	15805.99571	30000	0	0	30000	40.8125	2004
08.01.2020 16:04:48	1	1	1	1	78	60.75	0	30000	518.2795699	15548.338	30000	0	0	30000	41.125	2004
08.01.2020 16:04:49	1	1	1	1	78	61	0	30000	524.7311828	15741.58128	30000	0	0	30000	40.5625	2004
08.01.2020 16:04:50	1	1	1	1	78	60.5	0	30000	520.4301075	15612.75243	30000	0	0	30000	41.0625	2004
08.01.2020 16:04:51	1	1	1	1	78	61	0	30000	520.4301075	15612.75243	30000	0	0	30000	41.1875	2004
08.01.2020 16:04:52	1	1	1	1	78.5	61	0	30000	522.5806452	15677.16685	30000	0	0	30000	41.125	2004
08.01.2020 16:04:53	1	1	1	1	78.5	61	0	30000	518.2795699	15612.75243	30000	0	0	30000	41.125	2004
08.01.2020 16:04:54	1	1	1	1	78.5	61	0	30000	529.0322581	15870.41013	30000	0	0	30000	41.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 16:04:55	1	1	1	1	78.5	60.5	0	30047.393	516.1290323	15225.45049	30000	0	0	30000	40.8125	2004
08.01.2020 16:04:56	1	1	1	1	78.5	60.75	0	30000	488.172043	14644.90528	30000	0	0	30000	40.8125	2004
08.01.2020 16:04:57	1	1	1	1	78.5	60.75	0	30000	455.9139785	13677.05814	30000	0	0	30000	40.9375	2004
08.01.2020 16:04:58	1	1	1	1	78.5	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.625	2004
08.01.2020 16:04:59	1	1	1	1	78.5	60.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.4375	2004
08.01.2020 16:05:00	1	1	1	1	78.5	60.25	0	29952.607	425.8064516	12773.62542	30000	0	0	30000	41.125	2004
08.01.2020 16:05:01	1	1	1	1	78.75	61	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.375	2004
08.01.2020 16:05:02	1	1	1	1	78.75	61.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	41	2004
08.01.2020 16:05:03	1	1	1	1	78.75	61	0	29952.607	378.4946237	11483.70614	30000	0	0	30000	40.6875	2004
08.01.2020 16:05:04	1	1	1	1	78.75	60.5	0	30000	382.7956989	11419.29171	30000	0	0	30000	40.9375	2004
08.01.2020 16:05:05	1	1	1	1	78.75	60.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.0625	2004
08.01.2020 16:05:06	1	1	1	1	78.75	61	0	30000	369.8924731	11096.40421	30000	0	0	30000	40.875	2004
08.01.2020 16:05:07	1	1	1	1	78.75	60.75	0	30000	359.1397849	10757.20925	30000	0	0	30000	41.0625	2004
08.01.2020 16:05:08	1	1	1	1	78.75	61	0	30000	354.8387097	10580.27342	30000	0	0	30000	41.25	2004
08.01.2020 16:05:10	1	1	1	1	78.75	61.25	0	30000	337.6344086	10257.38592	30000	0	0	30000	40.875	2004
08.01.2020 16:05:11	1	1	1	1	78.75	60.75	0	30000	335.483871	10048.65056	30000	0	0	30000	41.1875	2004
08.01.2020 16:05:12	1	1	1	1	79	61	0	30000	335.483871	10064.14264	30000	0	0	30000	41.0625	2004
08.01.2020 16:05:13	1	1	1	1	79	61	0	30000	346.2365591	10257.38592	30000	0	0	30000	41.25	2004
08.01.2020 16:05:14	1	1	1	1	79	61.25	0	30000	350.5376344	10451.44457	30000	0	0	30000	41.25	2004
08.01.2020 16:05:15	1	1	1	1	79	61.25	0	30000	363.4408602	10903.16093	30000	0	0	30000	41.1875	2004
08.01.2020 16:05:16	1	1	1	1	79	61	0	30000	372.0430108	11160.81863	30000	0	0	30000	41.1875	2004
08.01.2020 16:05:17	1	1	1	1	79	61	0	30000	372.0430108	11160.81863	30000	0	0	30000	40.6875	2004
08.01.2020 16:05:18	1	1	1	1	79	60.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.0625	2004
08.01.2020 16:05:19	1	1	1	1	79	61	0	29952.607	378.4946237	11548.12057	30000	0	0	30000	40.9375	2004
08.01.2020 16:05:20	1	1	1	1	79	60.75	0	30000	391.3978495	11676.94942	30000	0	0	30000	41	2004
08.01.2020 16:05:21	1	1	1	1	79	61	0	30000	395.6989247	11871.00807	30000	0	0	30000	41.1875	2004
08.01.2020 16:05:22	1	1	1	1	78.5	61	0	30000	395.6989247	11871.00807	30000	0	0	30000	41	2004
08.01.2020 16:05:23	1	1	1	1	78.5	61	0	30000	395.6989247	11871.00807	30000	0	0	30000	41.125	2004
08.01.2020 16:05:24	1	1	1	1	78.5	61	0	29952.607	391.3978495	11676.94942	30000	0	0	30000	40.625	2004
08.01.2020 16:05:25	1	1	1	1	78.5	60.5	0	29952.607	395.6989247	11871.00807	30000	0	0	30000	40.4375	2004
08.01.2020 16:05:26	1	1	1	1	78.5	60.25	0	30000	389.2473118	11676.94942	30000	0	0	30000	41.125	2004
08.01.2020 16:05:27	1	1	1	1	78.5	61	0	30000	395.6989247	11935.4225	30000	0	0	30000	41.25	2004
08.01.2020 16:05:28	1	1	1	1	78.5	61.25	0	30000	412.9032258	12193.08021	30000	0	0	30000	40.875	2004
08.01.2020 16:05:29	1	1	1	1	78.5	60.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	40.625	2004
08.01.2020 16:05:30	1	1	1	1	78.5	60.5	0	30000	436.5591398	13160.92735	30000	0	0	30000	41.125	2004
08.01.2020 16:05:31	1	1	1	1	78.5	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.25	2004
08.01.2020 16:05:32	1	1	1	1	78.75	61.25	0	30000	453.7634409	13612.64371	30000	0	0	30000	41.25	2004
08.01.2020 16:05:33	1	1	1	1	78.75	61.25	0	30000	466.6666667	13999.94564	30000	0	0	30000	41.125	2004
08.01.2020 16:05:34	1	1	1	1	78.75	61.25	0	30000	464.516129	13935.53122	30000	0	0	30000	41.0625	2004
08.01.2020 16:05:35	1	1	1	1	78.75	61	0	30000	464.516129	13935.53122	30000	0	0	30000	41.125	2004
08.01.2020 16:05:36	1	1	1	1	78.75	61	0	29905.213	453.7634409	13805.88699	30000	0	0	30000	41.1875	2004
08.01.2020 16:05:37	1	1	1	1	78.75	61	0	29952.607	455.9139785	13935.53122	30000	0	0	30000	40.9375	2004
08.01.2020 16:05:38	1	1	1	1	78.75	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 16:05:46	1	1	1	1	79	61	0	30000	427.9569892	12838.03984	30000	0	0	30000	41	2004
08.01.2020 16:05:46	1	1	1	1	79	61	0	30000	427.9569892	12838.03984	30000	0	0	30000	41	2004
08.01.2020 16:05:46	1	1	1	1	79	61	0	30000	427.9569892	12838.03984	30000	0	0	30000	41	2004
08.01.2020 16:05:46	1	1	1	1	79	61	0	30000	427.9569892	12838.03984	30000	0	0	30000	41	2004
08.01.2020 16:05:46	1	1	1	1	79	61	0	30000	427.9569892	12838.03984	30000	0	0	30000	41	2004
08.01.2020 16:05:46	1	1	1	1	79	61	0	30000	427.9569892	12838.03984	30000	0	0	30000	41	2004
08.01.2020 16:05:46	1	1	1	1	79	61	0	30000	432.2580645	12838.03984	30000	0	0	30000	40.6875	2004
08.01.2020 16:05:48	1	1	1	1	79	60.5	0	30000	427.9569892	12818.4709	30000	0	0	30000	41.125	2004
08.01.2020 16:05:49	1	1	1	1	79	61	0	29952.607	427.9569892	12838.03984	30000	0	0	30000	40.4375	2004
08.01.2020 16:05:50	1	1	1	1	79	60.25	0	30000	434.4086022	13096.51292	30000	0	0	30000	41.25	2004
08.01.2020 16:05:51	1	1	1	1	79	61.25	0	30000	438.7096774	13160.92735	30000	0	0	30000	41.125	2004
08.01.2020 16:05:52	1	1	1	1	79	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	40	2004
08.01.2020 16:05:53	1	1	1	1	79	60	0	29952.607	445.1612903	13548.22928	30000	0	0	30000	41.3125	2004
08.01.2020 16:05:54	1	1	1	1	79	61.25	0	30000	460.2150538	13612.64371	30000	0	0	30000	41.0625	2004
08.01.2020 16:05:55	1	1	1	1	79	61	0	30000	460.2150538	13805.88699	30000	0	0	30000	41.1875	2004
08.01.2020 16:05:56	1	1	1	1	79	61	0	29952.607	453.7634409	13612.64371	30000	0	0	30000	40.625	2004
08.01.2020 16:05:57	1	1	1	1	79	60.5	0	30000	432.2580645	13032.0985	30000	0	0	30000	41.0625	2004
08.01.2020 16:05:58	1	1	1	1	79	61	0	30000	412.9032258	12387.13886	30000	0	0	30000	41	2004
08.01.2020 16:05:59	1	1	1	1	79	61	0	30000	395.6989247	11871.00807	30000	0	0	30000	40.875	2004
08.01.2020 16:06:00	1	1	1	1	79	60.75	0	29905.213	395.6989247	11871.00807	30000	0	0	30000	41.1875	2004
08.01.2020 16:06:01	1	1	1	1	79	61	0	30000	384.9462366	11741.36385	30000	0	0	30000	41.0625	2004
08.01.2020 16:06:02	1	1	1	1	79.75	61	0	30000	380.6451613	11419.29171	30000	0	0	30000	40.375	2004
08.01.2020 16:06:03	1	1	1	1	79.75	60.25	0	30000	382.7956989	11548.12057	30000	0	0	30000	40.6875	2004
08.01.2020 16:06:04	1	1	1	1	79.75	60.5	0	30000	382.7956989	11319.0009	30000	0	0	30000	41.1875	2004
08.01.2020 16:06:05	1	1	1	1	79.75	61	0	30000	378.4946237	11354.87729	30000	0	0	30000	40.875	2004
08.01.2020 16:06:06	1	1	1	1	79.75	60.75	0	30000	378.4946237	11160.81863	30000	0	0	30000	41.125	2004
08.01.2020 16:06:07	1	1	1	1	79.75	61	0	30000	359.1397849	10709.10227	30000	0	0	30000	40.8125	2004
08.01.2020 16:06:08	1	1	1	1	79.75	60.75	0	29905.213	339.7849462	10515.85899	30000	0	0	30000	41.4375	2004
08.01.2020 16:06:09	1	1	1	1	79.75	61.25	0	30000	346.2365591	10515.85899	30000	0	0	30000	40.875	2004
08.01.2020 16:06:10	1	1	1	1	79.75	60.75	0	30000	346.2365591	10257.38592	30000	0	0	30000	40.5625	2004
08.01.2020 16:06:11	1	1	1	1	79.5	61.5	0	29952.607	337.6344086	10128.55706	30000	0	0	30000	41.0625	2004
08.01.2020 16:06:12	1	1	1	1	79.5	61	0	30000	333.3333333	10064.14264	30000	0	0	30000	41.0625	2004
08.01.2020 16:06:13	1	1	1	1	79.5	61	0	29952.607	333.3333333	9935.313783	30000	0	0	30000	41	2004
08.01.2020 16:06:14	1	1	1	1	79.5	61	0	30000	333.3333333	10064.14264	30000	0	0	30000	40.875	2004
08.01.2020 16:06:15	1	1	1	1	79.5	60.75	0	30000	339.7849462	10128.55706	30000	0	0	30000	40.9375	2004
08.01.2020 16:06:16	1	1	1	1	79.5	60.75	0	29952.607	333.3333333	9984.236132	30000	0	0	30000	40.625	2004
08.01.2020 16:06:17	1	1	1	1	79.5	60.5	0	30000	335.483871	10128.55706	30000	0	0	30000	40.75	2004
08.01.2020 16:06:18	1	1	1	1	79.5	60.75	0	30000	335.483871	10064.14264	30000	0	0	30000	41.0625	2004
08.01.2020 16:06:19	1	1	1	1	79.5	61	0	30000	333.3333333	9999.728209	30000	0	0	30000	41.125	2004
08.01.2020 16:06:20	1	1	1	1	79.5	61	0	30000	335.483871	9999.728209	30000	0	0	30000	41.0625	2004
08.01.2020 16:06:21	1	1	1	1	79	61	0	30000	335.483871	10064.14264	30000	0	0	30000	40.8125	2004
08.01.2020 16:06:22	1	1	1	1	79	60.75	0	30000	335.483871	10048.65056	30000	0	0	30000	41	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 16:06:24	1	1	1	1	79	61	0	30000	335.483871	9870.899356	30000	0	0	30000	41	2004
08.01.2020 16:06:25	1	1	1	1	79	61	0	30000	335.483871	10064.14264	30000	0	0	30000	41.25	2004
08.01.2020 16:06:26	1	1	1	1	79	61.25	0	30000	333.3333333	10128.55706	30000	0	0	30000	41.1875	2004
08.01.2020 16:06:27	1	1	1	1	79	61	0	30000	335.483871	10128.55706	30000	0	0	30000	41.1875	2004
08.01.2020 16:06:28	1	1	1	1	79	61	0	30000	337.6344086	10128.55706	30000	0	0	30000	41.1875	2004
08.01.2020 16:06:29	1	1	1	1	79	61	0	30000	341.9354839	10257.38592	30000	0	0	30000	41.0625	2004
08.01.2020 16:06:30	1	1	1	1	79	61	0	30000	348.3870968	10515.85899	30000	0	0	30000	40.9375	2004
08.01.2020 16:06:31	1	1	1	1	79	60.75	0	30000	348.3870968	10451.44457	30000	0	0	30000	41	2004
08.01.2020 16:06:32	1	1	1	1	78.75	61	0	29952.607	350.5376344	10580.27342	30000	0	0	30000	40.625	2004
08.01.2020 16:06:33	1	1	1	1	78.75	60.5	0	30000	354.8387097	10644.68785	30000	0	0	30000	41.1875	2004
08.01.2020 16:06:34	1	1	1	1	78.75	61	0	30000	359.1397849	10773.5167	30000	0	0	30000	41.375	2004
08.01.2020 16:06:35	1	1	1	1	78.75	61.25	0	29905.213	354.8387097	10644.68785	30000	0	0	30000	40.375	2004
08.01.2020 16:06:36	1	1	1	1	78.75	60.25	0	30000	352.688172	10709.10227	30000	0	0	30000	41.0625	2004
08.01.2020 16:06:37	1	1	1	1	78.75	61	0	30000	356.9892473	10790.63952	30000	0	0	30000	41.0625	2004
08.01.2020 16:06:38	1	1	1	1	78.75	61	0	30000	352.688172	10515.85899	30000	0	0	30000	41.125	2004
08.01.2020 16:06:39	1	1	1	1	78.75	61	0	30000	350.5376344	10580.27342	30000	0	0	30000	40.875	2004
08.01.2020 16:06:40	1	1	1	1	78.75	60.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	41.1875	2004
08.01.2020 16:06:47	1	1	1	1	78.5	61	0	30000	348.3870968	10387.03014	30000	0	0	30000	40.5625	2004
08.01.2020 16:06:47	1	1	1	1	78.5	61	0	30000	348.3870968	10387.03014	30000	0	0	30000	40.5625	2004
08.01.2020 16:06:47	1	1	1	1	78.5	61	0	30000	348.3870968	10387.03014	30000	0	0	30000	40.5625	2004
08.01.2020 16:06:47	1	1	1	1	78.5	61	0	30000	348.3870968	10387.03014	30000	0	0	30000	40.5625	2004
08.01.2020 16:06:47	1	1	1	1	78.5	61	0	30000	348.3870968	10387.03014	30000	0	0	30000	40.5625	2004
08.01.2020 16:06:47	1	1	1	1	78.5	61	0	30000	348.3870968	10387.03014	30000	0	0	30000	40.5625	2004
08.01.2020 16:06:47	1	1	1	1	78.5	61	0	30000	348.3870968	10387.03014	30000	0	0	30000	40.5625	2004
08.01.2020 16:06:47	1	1	1	1	78.5	61	0	30000	348.3870968	10387.03014	30000	0	0	30000	40.5625	2004
08.01.2020 16:06:48	1	1	1	1	78.5	60.5	0	30000	350.5376344	10515.85899	30000	0	0	30000	41.0625	2004
08.01.2020 16:06:49	1	1	1	1	78.5	61	0	30000	348.3870968	10451.44457	30000	0	0	30000	41.4375	2004
08.01.2020 16:06:50	1	1	1	1	78.5	61.25	0	30000	344.0860215	10387.03014	30000	0	0	30000	40.6875	2004
08.01.2020 16:06:51	1	1	1	1	78.5	60.5	0	30000	348.3870968	10515.85899	30000	0	0	30000	41.125	2004
08.01.2020 16:06:52	1	1	1	1	78.25	61.5	0	30000	346.2365591	10387.03014	30000	0	0	30000	41	2004
08.01.2020 16:06:53	1	1	1	1	78.25	61	0	30000	346.2365591	10387.03014	30000	0	0	30000	41.1875	2004
08.01.2020 16:06:54	1	1	1	1	78.25	61	0	30000	346.2365591	10387.03014	30000	0	0	30000	41.1875	2004
08.01.2020 16:06:55	1	1	1	1	78.25	61	0	30000	350.5376344	10515.85899	30000	0	0	30000	41.1875	2004
08.01.2020 16:06:56	1	1	1	1	78.25	61	0	30000	350.5376344	10515.85899	30000	0	0	30000	41.125	2004
08.01.2020 16:06:57	1	1	1	1	78.25	61	0	29952.607	356.9892473	10709.10227	30000	0	0	30000	40.9375	2004
08.01.2020 16:06:58	1	1	1	1	78.25	60.75	0	30000	356.9892473	10709.10227	30000	0	0	30000	41	2004
08.01.2020 16:06:59	1	1	1	1	78.25	61	0	30000	356.9892473	10644.68785	30000	0	0	30000	41.3125	2004
08.01.2020 16:07:00	1	1	1	1	78.25	61.25	0	30000	359.1397849	10903.16093	30000	0	0	30000	41.1875	2004
08.01.2020 16:07:01	1	1	1	1	78	61	0	30000	363.4408602	10967.57535	30000	0	0	30000	40.4375	2004
08.01.2020 16:07:02	1	1	1	1	78	60.25	0	30000	369.8924731	11014.86696	30000	0	0	30000	40.75	2004
08.01.2020 16:07:04	1	1	1	1	78	60.75	0	30000	378.4946237	11160.81863	30000	0	0	30000	41.1875	2004
08.01.2020 16:07:05	1	1	1	1	78	61	0	30000	382.7956989	11483.70614	30000	0	0	30000	41.0625	2004
08.01.2020 16:07:06	1	1	1	1	78	61	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.0625	2004
08.01.2020 16:07:07	1	1	1	1	78	61	0	30047.393	359.1397849	10773.5167	30000	0	0	30000	41	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 16:07:08	1	1	1	1	78	61	0	30000	352.688172	10515.85899	30000	0	0	30000	40.875	2004
08.01.2020 16:07:09	1	1	1	1	78	60.75	0	30000	352.688172	10644.68785	30000	0	0	30000	41.0625	2004
08.01.2020 16:07:10	1	1	1	1	78	61	0	30000	356.9892473	10709.10227	30000	0	0	30000	40.5	2004
08.01.2020 16:07:11	1	1	1	1	78	60.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	41.125	2004
08.01.2020 16:07:12	1	1	1	1	78.25	61	0	30000	356.9892473	10773.5167	30000	0	0	30000	41.0625	2004
08.01.2020 16:07:13	1	1	1	1	78.25	61	0	30000	372.0430108	11160.81863	30000	0	0	30000	41.25	2004
08.01.2020 16:07:14	1	1	1	1	78.25	61.25	0	30000	380.6451613	11419.29171	30000	0	0	30000	41.25	2004
08.01.2020 16:07:15	1	1	1	1	78.25	61.25	0	30000	380.6451613	11419.29171	30000	0	0	30000	41.0625	2004
08.01.2020 16:07:16	1	1	1	1	78.25	61	0	30000	378.4946237	11354.87729	30000	0	0	30000	40.75	2004
08.01.2020 16:07:17	1	1	1	1	78.25	60.75	0	30000	378.4946237	11419.29171	30000	0	0	30000	41.25	2004
08.01.2020 16:07:18	1	1	1	1	78.25	61.25	0	30000	384.9462366	11548.12057	30000	0	0	30000	40.8125	2004
08.01.2020 16:07:19	1	1	1	1	78.25	60.75	0	30000	387.0967742	11612.53499	30000	0	0	30000	40.375	2004
08.01.2020 16:07:20	1	1	1	1	78.25	60.25	0	29952.607	384.9462366	11548.12057	30000	0	0	30000	41.4375	2004
08.01.2020 16:07:21	1	1	1	1	78.25	61.25	0	30000	387.0967742	11548.12057	30000	0	0	30000	40.625	2004
08.01.2020 16:07:22	1	1	1	1	78.5	60.5	0	30000	389.2473118	11676.94942	30000	0	0	30000	41.1875	2004
08.01.2020 16:07:23	1	1	1	1	78.5	61	0	30000	382.7956989	11419.29171	30000	0	0	30000	41.3125	2004
08.01.2020 16:07:24	1	1	1	1	78.5	61.25	0	30000	384.9462366	11483.70614	30000	0	0	30000	40.75	2004
08.01.2020 16:07:25	1	1	1	1	78.5	60.75	0	30000	378.4946237	11419.29171	30000	0	0	30000	41.1875	2004
08.01.2020 16:07:26	1	1	1	1	78.5	61	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.125	2004
08.01.2020 16:07:27	1	1	1	1	78.5	61	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.125	2004
08.01.2020 16:07:28	1	1	1	1	78.5	61	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.4375	2004
08.01.2020 16:07:29	1	1	1	1	78.5	61.25	0	30000	384.9462366	11548.12057	30000	0	0	30000	41.5625	2004
08.01.2020 16:07:30	1	1	1	1	78.5	61.5	0	30000	391.3978495	11741.36385	30000	0	0	30000	40.875	2004
08.01.2020 16:07:31	1	1	1	1	78.25	61	0	30000	397.8494624	11935.4225	30000	0	0	30000	41.25	2004
08.01.2020 16:07:32	1	1	1	1	78.25	61.25	0	29952.607	397.8494624	11961.51442	30000	0	0	30000	40.9375	2004
08.01.2020 16:07:33	1	1	1	1	78.25	60.75	0	30000	412.9032258	12193.08021	30000	0	0	30000	40.875	2004
08.01.2020 16:07:34	1	1	1	1	78.25	60.75	0	30000	412.9032258	12451.55328	30000	0	0	30000	41.1875	2004
08.01.2020 16:07:35	1	1	1	1	78.25	61	0	29952.607	419.3548387	12580.38214	30000	0	0	30000	41.1875	2004
08.01.2020 16:07:36	1	1	1	1	78.25	61	0	30000	417.2043011	12451.55328	30000	0	0	30000	41.0625	2004
08.01.2020 16:07:37	1	1	1	1	78.25	61	0	30000	412.9032258	12451.55328	30000	0	0	30000	41.25	2004
08.01.2020 16:07:38	1	1	1	1	78.25	61.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.3125	2004
08.01.2020 16:07:39	1	1	1	1	78.25	61.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	41	2004
08.01.2020 16:07:40	1	1	1	1	78.25	61	0	30000	400	11935.4225	30000	0	0	30000	41	2004
08.01.2020 16:07:41	1	1	1	1	78.75	61	0	30000	402.1505376	11999.83693	30000	0	0	30000	41.1875	2004
08.01.2020 16:07:49	1	1	1	1	78.75	61	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.125	2004
08.01.2020 16:07:49	1	1	1	1	78.75	61	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.125	2004
08.01.2020 16:07:49	1	1	1	1	78.75	61	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.125	2004
08.01.2020 16:07:49	1	1	1	1	78.75	61	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.125	2004
08.01.2020 16:07:49	1	1	1	1	78.75	61	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.125	2004
08.01.2020 16:07:49	1	1	1	1	78.75	61	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.125	2004
08.01.2020 16:07:49	1	1	1	1	78.75	61	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.125	2004
08.01.2020 16:07:50	1	1	1	1	78.75	61	0	30000	415.0537634	12367.56992	30000	0	0	30000	41.125	2004
08.01.2020 16:07:51	1	1	1	1	78.75	61	0	30000	415.0537634	12451.55328	30000	0	0	30000	40.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 16:07:52	1	1	1	1	78	60.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.125	2004
08.01.2020 16:07:53	1	1	1	1	78	61	0	30000	415.0537634	12451.55328	30000	0	0	30000	40.9375	2004
08.01.2020 16:07:54	1	1	1	1	78	60.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.1875	2004
08.01.2020 16:07:55	1	1	1	1	78	61	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.0625	2004
08.01.2020 16:07:56	1	1	1	1	78	61	0	30047.393	415.0537634	12471.12222	30000	0	0	30000	40.8125	2004
08.01.2020 16:07:57	1	1	1	1	78	60.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.25	2004
08.01.2020 16:07:58	1	1	1	1	78	61.25	0	30000	400	12064.25135	30000	0	0	30000	41.3125	2004
08.01.2020 16:07:59	1	1	1	1	78	61.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	41.1875	2004
08.01.2020 16:08:00	1	1	1	1	78	61	0	29952.607	389.2473118	11741.36385	30000	0	0	30000	41.1875	2004
08.01.2020 16:08:01	1	1	1	1	78	61	0	30000	384.9462366	11972.92963	30000	0	0	30000	41.125	2004
08.01.2020 16:08:02	1	1	1	1	78.5	61	0	30000	384.9462366	11548.12057	30000	0	0	30000	40.75	2004
08.01.2020 16:08:03	1	1	1	1	78.5	60.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	41.0625	2004
08.01.2020 16:08:04	1	1	1	1	78.5	61	0	30000	359.1397849	10773.5167	30000	0	0	30000	41.0625	2004
08.01.2020 16:08:05	1	1	1	1	78.5	61	0	29952.607	350.5376344	10515.85899	30000	0	0	30000	41.1875	2004
08.01.2020 16:08:06	1	1	1	1	78.5	61	0	30000	350.5376344	10451.44457	30000	0	0	30000	41.125	2004
08.01.2020 16:08:07	1	1	1	1	78.5	61	0	30000	354.8387097	10644.68785	30000	0	0	30000	41.5625	2004
08.01.2020 16:08:08	1	1	1	1	78.5	61.5	0	30000	346.2365591	10387.03014	30000	0	0	30000	41	2004
08.01.2020 16:08:09	1	1	1	1	78.5	60.75	0	30000	337.6344086	10128.55706	30000	0	0	30000	39.9375	2004
08.01.2020 16:08:10	1	1	1	1	78.5	59.75	0	30000	341.9354839	10241.89384	30000	0	0	30000	41.125	2004
08.01.2020 16:08:11	1	1	1	1	78.5	61	0	30000	346.2365591	10257.38592	30000	0	0	30000	40.6875	2004
08.01.2020 16:08:12	1	1	1	1	78.5	60.5	0	30000	341.9354839	10257.38592	30000	0	0	30000	40.75	2004
08.01.2020 16:08:13	1	1	1	1	78.5	60.75	0	30000	337.6344086	9919.821705	30000	0	0	30000	41.25	2004
08.01.2020 16:08:14	1	1	1	1	78.5	61.25	0	30000	326.8817204	9676.840703	30000	0	0	30000	41.125	2004
08.01.2020 16:08:15	1	1	1	1	78.5	61	0	30000	316.1290323	9483.597423	30000	0	0	30000	41.0625	2004
08.01.2020 16:08:16	1	1	1	1	78.5	61	0	30000	313.9784946	9354.76857	30000	0	0	30000	41	2004
08.01.2020 16:08:17	1	1	1	1	78.5	61	0	30000	318.2795699	9612.426277	30000	0	0	30000	41.125	2004
08.01.2020 16:08:18	1	1	1	1	78.5	61	0	30000	322.5806452	9612.426277	30000	0	0	30000	41.0625	2004
08.01.2020 16:08:20	1	1	1	1	78.5	61	0	30000	322.5806452	9612.426277	30000	0	0	30000	41	2004
08.01.2020 16:08:21	1	1	1	1	78.5	61	0	30000	335.483871	10064.14264	30000	0	0	30000	41	2004
08.01.2020 16:08:22	1	1	1	1	78	61	0	30000	335.483871	10064.14264	30000	0	0	30000	40.5	2004
08.01.2020 16:08:23	1	1	1	1	78	60.5	0	30000	341.9354839	10257.38592	30000	0	0	30000	41.25	2004
08.01.2020 16:08:24	1	1	1	1	78	61.25	0	30000	346.2365591	10387.03014	30000	0	0	30000	41.1875	2004
08.01.2020 16:08:25	1	1	1	1	78	61	0	30047.393	346.2365591	10387.03014	30000	0	0	30000	41.0625	2004
08.01.2020 16:08:26	1	1	1	1	78	61	0	30000	341.9354839	10257.38592	30000	0	0	30000	41.0625	2004
08.01.2020 16:08:27	1	1	1	1	78	61	0	29952.607	339.7849462	10257.38592	30000	0	0	30000	41.25	2004
08.01.2020 16:08:28	1	1	1	1	78	61.25	0	30000	335.483871	10064.14264	30000	0	0	30000	41.125	2004
08.01.2020 16:08:29	1	1	1	1	78	61	0	30000	335.483871	10064.14264	30000	0	0	30000	41.25	2004
08.01.2020 16:08:30	1	1	1	1	78	61.25	0	30000	335.483871	9999.728209	30000	0	0	30000	41.1875	2004
08.01.2020 16:08:31	1	1	1	1	78	61	0	30000	346.2365591	10387.03014	30000	0	0	30000	40.6875	2004
08.01.2020 16:08:32	1	1	1	1	78	60.5	0	30000	350.5376344	10515.85899	30000	0	0	30000	41.125	2004
08.01.2020 16:08:33	1	1	1	1	78	61	0	30000	356.9892473	10709.10227	30000	0	0	30000	41.1875	2004
08.01.2020 16:08:34	1	1	1	1	78	61	0	30000	359.1397849	10773.5167	30000	0	0	30000	40.9375	2004
08.01.2020 16:08:35	1	1	1	1	78	60.75	0	29952.607	363.4408602	10903.16093	30000	0	0	30000	40.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 16:08:36	1	1	1	1	78	60.5	0	30000	367.7419355	11096.40421	30000	0	0	30000	41.1875	2004
08.01.2020 16:08:37	1	1	1	1	78	61	0	30000	367.7419355	11031.98978	30000	0	0	30000	41	2004
08.01.2020 16:08:38	1	1	1	1	78	61	0	30000	369.8924731	11031.98978	30000	0	0	30000	41.0625	2004
08.01.2020 16:08:39	1	1	1	1	78	61	0	30000	372.0430108	11160.81863	30000	0	0	30000	41.1875	2004
08.01.2020 16:08:40	1	1	1	1	78	61	0	29952.607	369.8924731	11160.81863	30000	0	0	30000	41.1875	2004
08.01.2020 16:08:41	1	1	1	1	78	61	0	29952.607	372.0430108	11160.81863	30000	0	0	30000	40.8125	2004
08.01.2020 16:08:42	1	1	1	1	77.75	60.75	0	30000	378.4946237	11372.81548	30000	0	0	30000	41.1875	2004
08.01.2020 16:08:43	1	1	1	1	77.75	61	0	29905.213	378.4946237	11354.87729	30000	0	0	30000	40.5625	2004
08.01.2020 16:08:51	1	1	1	1	77.75	61	0	30000	369.8924731	11096.40421	30000	0	0	30000	41.0625	2004
08.01.2020 16:08:51	1	1	1	1	77.75	61	0	30000	369.8924731	11096.40421	30000	0	0	30000	41.0625	2004
08.01.2020 16:08:51	1	1	1	1	77.75	61	0	30000	369.8924731	11096.40421	30000	0	0	30000	41.0625	2004
08.01.2020 16:08:51	1	1	1	1	77.75	61	0	30000	369.8924731	11096.40421	30000	0	0	30000	41.0625	2004
08.01.2020 16:08:51	1	1	1	1	77.75	61	0	30000	369.8924731	11096.40421	30000	0	0	30000	41.0625	2004
08.01.2020 16:08:51	1	1	1	1	77.75	61	0	30000	369.8924731	11096.40421	30000	0	0	30000	41.0625	2004
08.01.2020 16:08:51	1	1	1	1	77.75	61	0	30000	372.0430108	11160.81863	30000	0	0	30000	41.25	2004
08.01.2020 16:08:52	1	1	1	1	77.75	61.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	40.75	2004
08.01.2020 16:08:53	1	1	1	1	77.75	60.75	0	30000	382.7956989	11419.29171	30000	0	0	30000	41.125	2004
08.01.2020 16:08:54	1	1	1	1	77.75	61	0	30000	384.9462366	11548.12057	30000	0	0	30000	40.5625	2004
08.01.2020 16:08:55	1	1	1	1	77.75	60.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	41.125	2004
08.01.2020 16:08:56	1	1	1	1	77.75	61	0	30000	400	11999.83693	30000	0	0	30000	41.1875	2004
08.01.2020 16:08:57	1	1	1	1	77.75	61	0	30000	389.2473118	11676.94942	30000	0	0	30000	41.0625	2004
08.01.2020 16:08:58	1	1	1	1	77.75	61	0	30000	382.7956989	11548.12057	30000	0	0	30000	41	2004
08.01.2020 16:09:00	1	1	1	1	77.75	61	0	29952.607	378.4946237	11354.87729	30000	0	0	30000	41.1875	2004
08.01.2020 16:09:01	1	1	1	1	77.75	61	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.125	2004
08.01.2020 16:09:02	1	1	1	1	77.25	61	0	30000	372.0430108	11160.81863	30000	0	0	30000	41.1875	2004
08.01.2020 16:09:03	1	1	1	1	77.25	61	0	30000	359.1397849	10773.5167	30000	0	0	30000	41.25	2004
08.01.2020 16:09:04	1	1	1	1	77.25	61.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	40.9375	2004
08.01.2020 16:09:05	1	1	1	1	77.25	60.75	0	30000	352.688172	10515.85899	30000	0	0	30000	41.1875	2004
08.01.2020 16:09:06	1	1	1	1	77.25	61	0	30000	350.5376344	10515.85899	30000	0	0	30000	40.6875	2004
08.01.2020 16:09:07	1	1	1	1	77.25	60.5	0	30000	354.8387097	10644.68785	30000	0	0	30000	41	2004
08.01.2020 16:09:08	1	1	1	1	77.25	61	0	30000	359.1397849	10773.5167	30000	0	0	30000	41.125	2004
08.01.2020 16:09:09	1	1	1	1	77.25	61	0	30000	359.1397849	10903.16093	30000	0	0	30000	41	2004
08.01.2020 16:09:10	1	1	1	1	77.25	61	0	30000	354.8387097	10709.10227	30000	0	0	30000	40.9375	2004
08.01.2020 16:09:11	1	1	1	1	77.25	60.75	0	30000	356.9892473	10709.10227	30000	0	0	30000	41	2004
08.01.2020 16:09:12	1	1	1	1	77.5	61	0	30000	363.4408602	10903.16093	30000	0	0	30000	40.625	2004
08.01.2020 16:09:13	1	1	1	1	77.5	60.5	0	30047.393	359.1397849	10773.5167	30000	0	0	30000	41.25	2004
08.01.2020 16:09:14	1	1	1	1	77.5	61.25	0	30000	354.8387097	10709.10227	30000	0	0	30000	40.4375	2004
08.01.2020 16:09:15	1	1	1	1	77.5	60.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	41.125	2004
08.01.2020 16:09:16	1	1	1	1	77.5	61	0	30000	356.9892473	10709.10227	30000	0	0	30000	40.875	2004
08.01.2020 16:09:17	1	1	1	1	77.5	60.75	0	30000	365.5913978	11031.98978	30000	0	0	30000	40.875	2004
08.01.2020 16:09:18	1	1	1	1	77.5	60.75	0	30000	372.0430108	11160.81863	30000	0	0	30000	41.1875	2004
08.01.2020 16:09:19	1	1	1	1	77.5	61	0	30000	378.4946237	11419.29171	30000	0	0	30000	41.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 16:09:20	1	1	1	1	77.5	61	0	30000	378.4946237	11354.87729	30000	0	0	30000	40.75	2004
08.01.2020 16:09:21	1	1	1	1	77.5	60.75	0	30000	378.4946237	11483.70614	30000	0	0	30000	40.875	2004
08.01.2020 16:09:22	1	1	1	1	78	60.75	0	30000	378.4946237	11419.29171	30000	0	0	30000	40.8125	2004
08.01.2020 16:09:23	1	1	1	1	78	60.75	0	30000	378.4946237	11419.29171	30000	0	0	30000	41.125	2004
08.01.2020 16:09:24	1	1	1	1	78	61	0	30000	395.6989247	11741.36385	30000	0	0	30000	41.1875	2004
08.01.2020 16:09:25	1	1	1	1	78	61	0	30000	404.3010753	12064.25135	30000	0	0	30000	41.1875	2004
08.01.2020 16:09:26	1	1	1	1	78	61	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.0625	2004
08.01.2020 16:09:27	1	1	1	1	78	61	0	30000	417.2043011	12387.13886	30000	0	0	30000	41.0625	2004
08.01.2020 16:09:28	1	1	1	1	78	61	0	30000	415.0537634	12451.55328	30000	0	0	30000	41.3125	2004
08.01.2020 16:09:29	1	1	1	1	78	61.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.4375	2004
08.01.2020 16:09:30	1	1	1	1	78	61.25	0	30000	432.2580645	12838.03984	30000	0	0	30000	41	2004
08.01.2020 16:09:31	1	1	1	1	77.75	61	0	29905.213	427.9569892	13225.34178	30000	0	0	30000	41	2004
08.01.2020 16:09:32	1	1	1	1	77.75	61	0	30000	438.7096774	13225.34178	30000	0	0	30000	40.875	2004
08.01.2020 16:09:33	1	1	1	1	77.75	60.75	0	29952.607	443.0107527	13354.17063	30000	0	0	30000	41.125	2004
08.01.2020 16:09:34	1	1	1	1	77.75	61	0	30047.393	453.7634409	13612.64371	30000	0	0	30000	40.8125	2004
08.01.2020 16:09:35	1	1	1	1	77.75	60.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	40.6875	2004
08.01.2020 16:09:36	1	1	1	1	77.75	60.5	0	30000	464.516129	13741.47256	30000	0	0	30000	40.875	2004
08.01.2020 16:09:37	1	1	1	1	77.75	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	41.0625	2004
08.01.2020 16:09:38	1	1	1	1	77.75	61	0	30000	481.7204301	14451.662	30000	0	0	30000	40.875	2004
08.01.2020 16:09:39	1	1	1	1	77.75	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	41.125	2004
08.01.2020 16:09:40	1	1	1	1	77.75	61	0	30000	481.7204301	14580.49085	30000	0	0	30000	40.625	2004
08.01.2020 16:09:42	1	1	1	1	77.5	60.5	0	29952.607	481.7204301	14451.662	30000	0	0	30000	40.875	2004
08.01.2020 16:09:43	1	1	1	1	77.5	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.6875	2004
08.01.2020 16:09:44	1	1	1	1	77.5	60.5	0	30000	481.7204301	14516.07643	30000	0	0	30000	41.125	2004
08.01.2020 16:09:45	1	1	1	1	77.5	61	0	30000	481.7204301	14516.07643	30000	0	0	30000	40.6875	2004
08.01.2020 16:09:52	1	1	1	1	78.5	61	0	30000	438.7096774	13225.34178	30000	0	0	30000	41.1875	2004
08.01.2020 16:09:52	1	1	1	1	78.5	61	0	30000	438.7096774	13225.34178	30000	0	0	30000	41.1875	2004
08.01.2020 16:09:52	1	1	1	1	78.5	61	0	30000	438.7096774	13225.34178	30000	0	0	30000	41.1875	2004
08.01.2020 16:09:52	1	1	1	1	78.5	61	0	30000	438.7096774	13225.34178	30000	0	0	30000	41.1875	2004
08.01.2020 16:09:52	1	1	1	1	78.5	61	0	30000	438.7096774	13225.34178	30000	0	0	30000	41.1875	2004
08.01.2020 16:09:52	1	1	1	1	78.5	61	0	30000	438.7096774	13225.34178	30000	0	0	30000	41.1875	2004
08.01.2020 16:09:52	1	1	1	1	78.5	61	0	30000	438.7096774	13225.34178	30000	0	0	30000	41.1875	2004
08.01.2020 16:09:52	1	1	1	1	78.5	61	0	30000	438.7096774	13225.34178	30000	0	0	30000	41.1875	2004
08.01.2020 16:09:52	1	1	1	1	78.5	61	0	30000	438.7096774	13225.34178	30000	0	0	30000	41.1875	2004
08.01.2020 16:09:53	1	1	1	1	78.5	61	0	30000	438.7096774	13160.92735	30000	0	0	30000	41.0625	2004
08.01.2020 16:09:54	1	1	1	1	78.5	61	0	30000	432.2580645	12967.68407	30000	0	0	30000	41.125	2004
08.01.2020 16:09:55	1	1	1	1	78.5	61	0	30000	438.7096774	13160.92735	30000	0	0	30000	41.125	2004
08.01.2020 16:09:56	1	1	1	1	78.5	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.1875	2004
08.01.2020 16:09:57	1	1	1	1	78.5	61	0	30000	438.7096774	13160.92735	30000	0	0	30000	40.9375	2004
08.01.2020 16:09:58	1	1	1	1	78.5	60.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	40.75	2004
08.01.2020 16:09:59	1	1	1	1	78.5	60.75	0	30000	438.7096774	13140.54304	30000	0	0	30000	41.3125	2004
08.01.2020 16:10:00	1	1	1	1	78.5	61.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.3125	2004
08.01.2020 16:10:01	1	1	1	1	78.5	61.25	0	30000	445.1612903	13333.78632	30000	0	0	30000	41.0625	2004
08.01.2020 16:10:02	1	1	1	1	78.5	61	0	30000	445.1612903	13333.78632	30000	0	0	30000	41.125	2004
08.01.2020 16:10:03	1	1	1	1	78.5	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 16:10:04	1	1	1	1	78.5	60.75	0	30000	438.7096774	13160.92735	30000	0	0	30000	40.75	2004
08.01.2020 16:10:05	1	1	1	1	78.5	60.75	0	30000	440.8602151	13225.34178	30000	0	0	30000	41.125	2004
08.01.2020 16:10:06	1	1	1	1	78.5	61	0	30000	415.0537634	12580.38214	30000	0	0	30000	41.0625	2004
08.01.2020 16:10:07	1	1	1	1	78.5	61	0	29952.607	425.8064516	12773.62542	30000	0	0	30000	40.375	2004
08.01.2020 16:10:08	1	1	1	1	78.5	60.25	0	30047.393	415.0537634	12451.55328	30000	0	0	30000	41.1875	2004
08.01.2020 16:10:09	1	1	1	1	78.5	61	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	40.625	2004
08.01.2020 16:10:10	1	1	1	1	78.5	60.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	40.625	2004
08.01.2020 16:10:11	1	1	1	1	78	60.75	0	30000	412.9032258	12045.49778	30000	0	0	30000	41.1875	2004
08.01.2020 16:10:12	1	1	1	1	78	61	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.1875	2004
08.01.2020 16:10:13	1	1	1	1	78	61	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.0625	2004
08.01.2020 16:10:14	1	1	1	1	78	61	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	40.9375	2004
08.01.2020 16:10:15	1	1	1	1	78	60.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.1875	2004
08.01.2020 16:10:16	1	1	1	1	78	61	0	30000	415.0537634	12451.55328	30000	0	0	30000	41.0625	2004
08.01.2020 16:10:17	1	1	1	1	78	61	0	30000	415.0537634	12387.13886	30000	0	0	30000	41.375	2004
08.01.2020 16:10:18	1	1	1	1	78	61.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.125	2004
08.01.2020 16:10:19	1	1	1	1	78	61	0	30047.393	412.9032258	12387.13886	30000	0	0	30000	41.25	2004
08.01.2020 16:10:21	1	1	1	1	78	61.25	0	30000	404.3010753	12406.7078	30000	0	0	30000	41.3125	2004
08.01.2020 16:10:22	1	1	1	1	78.5	61.25	0	30000	400	11935.4225	30000	0	0	30000	40.75	2004
08.01.2020 16:10:23	1	1	1	1	78.5	60.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	41.25	2004
08.01.2020 16:10:24	1	1	1	1	78.5	61.25	0	30000	400	11935.4225	30000	0	0	30000	40.8125	2004
08.01.2020 16:10:25	1	1	1	1	78.5	60.75	0	30000	389.2473118	11676.94942	30000	0	0	30000	40.875	2004
08.01.2020 16:10:26	1	1	1	1	78.5	60.75	0	30000	387.0967742	11548.12057	30000	0	0	30000	41.25	2004
08.01.2020 16:10:27	1	1	1	1	78.5	61.25	0	30000	378.4946237	11419.29171	30000	0	0	30000	41.3125	2004
08.01.2020 16:10:28	1	1	1	1	78.5	61.25	0	29952.607	378.4946237	11354.87729	30000	0	0	30000	40.9375	2004
08.01.2020 16:10:29	1	1	1	1	78.5	60.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.125	2004
08.01.2020 16:10:30	1	1	1	1	78.5	61	0	29952.607	380.6451613	11419.29171	30000	0	0	30000	41.3125	2004
08.01.2020 16:10:31	1	1	1	1	78.5	61.25	0	29952.607	378.4946237	11354.87729	30000	0	0	30000	41.1875	2004
08.01.2020 16:10:32	1	1	1	1	78.75	61	0	30000	380.6451613	11419.29171	30000	0	0	30000	41.1875	2004
08.01.2020 16:10:33	1	1	1	1	78.75	61	0	30000	382.7956989	11483.70614	30000	0	0	30000	40.8125	2004
08.01.2020 16:10:34	1	1	1	1	78.75	60.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	41.125	2004
08.01.2020 16:10:35	1	1	1	1	78.75	61	0	30047.393	400	11871.00807	30000	0	0	30000	41.125	2004
08.01.2020 16:10:36	1	1	1	1	78.75	61	0	30047.393	391.3978495	11676.94942	30000	0	0	30000	41.0625	2004
08.01.2020 16:10:37	1	1	1	1	78.75	61	0	30000	395.6989247	11871.00807	30000	0	0	30000	40.9375	2004
08.01.2020 16:10:38	1	1	1	1	78.75	60.75	0	29952.607	404.3010753	12109.91221	30000	0	0	30000	41.125	2004
08.01.2020 16:10:39	1	1	1	1	78.75	61	0	29952.607	423.655914	12838.03984	30000	0	0	30000	41.125	2004
08.01.2020 16:10:40	1	1	1	1	78.75	61	0	29905.213	436.5591398	13160.92735	30000	0	0	30000	41.0625	2004
08.01.2020 16:10:41	1	1	1	1	78.75	61	0	30000	438.7096774	13160.92735	30000	0	0	30000	40.6875	2004
08.01.2020 16:10:42	1	1	1	1	78.75	60.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.75	2004
08.01.2020 16:10:43	1	1	1	1	78.75	60.75	0	30000	458.0645161	13741.47256	30000	0	0	30000	40.875	2004
08.01.2020 16:10:44	1	1	1	1	78.75	60.75	0	29952.607	453.7634409	13612.64371	30000	0	0	30000	41.125	2004
08.01.2020 16:10:45	1	1	1	1	78.75	61	0	30000	451.6129032	13354.17063	30000	0	0	30000	41.0625	2004
08.01.2020 16:10:46	1	1	1	1	78.75	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.1875	2004
08.01.2020 16:10:54	1	1	1	1	79	61.25	0	30047.393	458.0645161	13741.47256	30000	0	0	30000	41.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 16:10:54	1	1	1	1	79	61.25	0	30047.393	458.0645161	13741.47256	30000	0	0	30000	41.0625	2004
08.01.2020 16:10:54	1	1	1	1	79	61.25	0	30047.393	458.0645161	13741.47256	30000	0	0	30000	41.0625	2004
08.01.2020 16:10:54	1	1	1	1	79	61.25	0	30047.393	458.0645161	13741.47256	30000	0	0	30000	41.0625	2004
08.01.2020 16:10:54	1	1	1	1	79	61.25	0	30047.393	458.0645161	13741.47256	30000	0	0	30000	41.0625	2004
08.01.2020 16:10:54	1	1	1	1	79	61.25	0	30047.393	458.0645161	13741.47256	30000	0	0	30000	41.0625	2004
08.01.2020 16:10:54	1	1	1	1	79	61	0	29952.607	440.8602151	13225.34178	30000	0	0	30000	41.3125	2004
08.01.2020 16:10:55	1	1	1	1	79	61.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.625	2004
08.01.2020 16:10:56	1	1	1	1	79	60.5	0	30000	443.0107527	13289.7562	30000	0	0	30000	41.25	2004
08.01.2020 16:10:57	1	1	1	1	79	61.25	0	29952.607	427.9569892	12838.03984	30000	0	0	30000	40.9375	2004
08.01.2020 16:10:58	1	1	1	1	79	60.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	40.75	2004
08.01.2020 16:10:59	1	1	1	1	79	60.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.0625	2004
08.01.2020 16:11:01	1	1	1	1	79	61	0	30000	425.8064516	12773.62542	30000	0	0	30000	41.0625	2004
08.01.2020 16:11:02	1	1	1	1	79	61	0	30000	423.655914	12709.21099	30000	0	0	30000	40.75	2004
08.01.2020 16:11:03	1	1	1	1	79	60.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	41	2004
08.01.2020 16:11:04	1	1	1	1	79	61	0	30000	404.3010753	12148.23472	30000	0	0	30000	40.6875	2004
08.01.2020 16:11:05	1	1	1	1	79	60.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	41.3125	2004
08.01.2020 16:11:06	1	1	1	1	79	61.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	41.25	2004
08.01.2020 16:11:07	1	1	1	1	79	61.25	0	30000	389.2473118	11741.36385	30000	0	0	30000	41.25	2004
08.01.2020 16:11:08	1	1	1	1	79	61.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	41.125	2004
08.01.2020 16:11:09	1	1	1	1	79	61	0	29952.607	395.6989247	12064.25135	30000	0	0	30000	41.1875	2004
08.01.2020 16:11:10	1	1	1	1	79	61	0	30000	384.9462366	11548.12057	30000	0	0	30000	40.4375	2004
08.01.2020 16:11:11	1	1	1	1	79	60.25	0	30000	365.5913978	11031.98978	30000	0	0	30000	41.1875	2004
08.01.2020 16:11:12	1	1	1	1	79.25	61	0	30000	367.7419355	11031.98978	30000	0	0	30000	41.25	2004
08.01.2020 16:11:13	1	1	1	1	79.25	61.25	0	30000	372.0430108	11354.87729	30000	0	0	30000	40.9375	2004
08.01.2020 16:11:14	1	1	1	1	79.25	60.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	40.9375	2004
08.01.2020 16:11:15	1	1	1	1	79.25	60.75	0	29952.607	378.4946237	11548.12057	30000	0	0	30000	41.25	2004
08.01.2020 16:11:16	1	1	1	1	79.25	61.25	0	30000	389.2473118	11676.94942	30000	0	0	30000	41.1875	2004
08.01.2020 16:11:17	1	1	1	1	79.25	61	0	30000	387.0967742	11548.12057	30000	0	0	30000	41	2004
08.01.2020 16:11:18	1	1	1	1	79.25	61	0	30000	382.7956989	11465.76794	30000	0	0	30000	41	2004
08.01.2020 16:11:19	1	1	1	1	79.25	61	0	30000	391.3978495	11741.36385	30000	0	0	30000	41.1875	2004
08.01.2020 16:11:20	1	1	1	1	79.25	61	0	29952.607	380.6451613	11548.12057	30000	0	0	30000	41.25	2004
08.01.2020 16:11:21	1	1	1	1	79.25	61.25	0	30000	380.6451613	11419.29171	30000	0	0	30000	40.625	2004
08.01.2020 16:11:22	1	1	1	1	78.75	60.5	0	30000	380.6451613	11419.29171	30000	0	0	30000	41.375	2004
08.01.2020 16:11:23	1	1	1	1	78.75	61.25	0	30000	372.0430108	11160.81863	30000	0	0	30000	40.25	2004
08.01.2020 16:11:24	1	1	1	1	78.75	60.25	0	30000	372.0430108	11079.28139	30000	0	0	30000	41.375	2004
08.01.2020 16:11:25	1	1	1	1	78.75	61.25	0	30000	365.5913978	10903.16093	30000	0	0	30000	39.625	2004
08.01.2020 16:11:26	1	1	1	1	78.75	59.5	0	30000	365.5913978	10903.16093	30000	0	0	30000	40.75	2004
08.01.2020 16:11:27	1	1	1	1	78.75	60.75	0	30000	365.5913978	10967.57535	30000	0	0	30000	41.1875	2004
08.01.2020 16:11:28	1	1	1	1	78.75	61	0	29952.607	354.8387097	10773.5167	30000	0	0	30000	41.25	2004
08.01.2020 16:11:29	1	1	1	1	78.75	61.25	0	30000	352.688172	10644.68785	30000	0	0	30000	40.6875	2004
08.01.2020 16:11:30	1	1	1	1	78.75	61.5	0	30047.393	350.5376344	10532.16644	30000	0	0	30000	41.1875	2004
08.01.2020 16:11:31	1	1	1	1	78.75	61	0	30000	341.9354839	10257.38592	30000	0	0	30000	41.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 16:11:32	1	1	1	1	78.75	61.25	0	29952.607	350.5376344	10515.85899	30000	0	0	30000	41.1875	2004
08.01.2020 16:11:33	1	1	1	1	78.75	61	0	30000	359.1397849	10773.5167	30000	0	0	30000	40.8125	2004
08.01.2020 16:11:34	1	1	1	1	78.75	60.75	0	30000	372.0430108	11160.81863	30000	0	0	30000	41.25	2004
08.01.2020 16:11:35	1	1	1	1	78.75	61.25	0	30000	382.7956989	11548.12057	30000	0	0	30000	41.25	2004
08.01.2020 16:11:36	1	1	1	1	78.75	61.25	0	30000	404.3010753	12064.25135	30000	0	0	30000	40.625	2004
08.01.2020 16:11:37	1	1	1	1	78.75	60.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	41.25	2004
08.01.2020 16:11:39	1	1	1	1	78.75	61.25	0	30000	404.3010753	12193.08021	30000	0	0	30000	40.75	2004
08.01.2020 16:11:40	1	1	1	1	78.75	60.75	0	30000	412.9032258	12367.56992	30000	0	0	30000	41.1875	2004
08.01.2020 16:11:41	1	1	1	1	78.75	61	0	30000	419.3548387	12580.38214	30000	0	0	30000	41.3125	2004
08.01.2020 16:11:42	1	1	1	1	78.75	61.25	0	30000	419.3548387	12709.21099	30000	0	0	30000	41.0625	2004
08.01.2020 16:11:43	1	1	1	1	78.75	61	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.25	2004
08.01.2020 16:11:44	1	1	1	1	78.75	61.25	0	30000	427.9569892	12967.68407	30000	0	0	30000	41.125	2004
08.01.2020 16:11:45	1	1	1	1	78.75	61	0	30000	432.2580645	12967.68407	30000	0	0	30000	41.125	2004
08.01.2020 16:11:46	1	1	1	1	78.75	61	0	29952.607	438.7096774	13225.34178	30000	0	0	30000	41.0625	2004
08.01.2020 16:11:47	1	1	1	1	78.75	61	0	30000	440.8602151	13354.17063	30000	0	0	30000	40.9375	2004
08.01.2020 16:11:48	1	1	1	1	78.75	60.75	0	30000	443.0107527	13289.7562	30000	0	0	30000	40.4375	2004
08.01.2020 16:11:55	1	1	1	1	79	61	0	29952.607	365.5913978	11096.40421	30000	0	0	30000	41.125	2004
08.01.2020 16:11:55	1	1	1	1	79	61	0	29952.607	365.5913978	11096.40421	30000	0	0	30000	41.125	2004
08.01.2020 16:11:55	1	1	1	1	79	61	0	29952.607	365.5913978	11096.40421	30000	0	0	30000	41.125	2004
08.01.2020 16:11:55	1	1	1	1	79	61	0	29952.607	365.5913978	11096.40421	30000	0	0	30000	41.125	2004
08.01.2020 16:11:55	1	1	1	1	79	61	0	29952.607	365.5913978	11096.40421	30000	0	0	30000	41.125	2004
08.01.2020 16:11:55	1	1	1	1	79	61	0	29952.607	365.5913978	11096.40421	30000	0	0	30000	41.125	2004
08.01.2020 16:11:55	1	1	1	1	79	61	0	29952.607	365.5913978	11096.40421	30000	0	0	30000	41.125	2004
08.01.2020 16:11:56	1	1	1	1	79	61	0	30000	372.0430108	10903.16093	30000	0	0	30000	41.25	2004
08.01.2020 16:11:57	1	1	1	1	79	61.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	40.3125	2004
08.01.2020 16:11:58	1	1	1	1	79	60.25	0	30000	363.4408602	10773.5167	30000	0	0	30000	41.0625	2004
08.01.2020 16:11:59	1	1	1	1	79	61	0	30000	363.4408602	10903.16093	30000	0	0	30000	41.0625	2004
08.01.2020 16:12:00	1	1	1	1	79	61	0	30000	363.4408602	11031.98978	30000	0	0	30000	41.25	2004
08.01.2020 16:12:01	1	1	1	1	79	61.25	0	30000	356.9892473	10709.10227	30000	0	0	30000	40.8125	2004
08.01.2020 16:12:02	1	1	1	1	79.25	60.75	0	30000	346.2365591	10387.03014	30000	0	0	30000	41.1875	2004
08.01.2020 16:12:03	1	1	1	1	79.25	61	0	30000	341.9354839	10387.03014	30000	0	0	30000	41.25	2004
08.01.2020 16:12:04	1	1	1	1	79.25	61.25	0	30000	339.7849462	10192.97149	30000	0	0	30000	41.0625	2004
08.01.2020 16:12:05	1	1	1	1	79.25	61	0	30000	333.3333333	10064.14264	30000	0	0	30000	41.1875	2004
08.01.2020 16:12:06	1	1	1	1	79.25	61	0	30000	326.8817204	9806.484929	30000	0	0	30000	41.375	2004
08.01.2020 16:12:07	1	1	1	1	79.25	61.25	0	30000	329.0322581	9999.728209	30000	0	0	30000	40.9375	2004
08.01.2020 16:12:08	1	1	1	1	79.25	60.75	0	30000	331.1827957	9935.313783	30000	0	0	30000	40.875	2004
08.01.2020 16:12:09	1	1	1	1	79.25	61	0	30000	331.1827957	9935.313783	30000	0	0	30000	41.3125	2004
08.01.2020 16:12:10	1	1	1	1	79.25	61.25	0	30000	329.0322581	9870.899356	30000	0	0	30000	41.0625	2004
08.01.2020 16:12:11	1	1	1	1	79	61	0	29952.607	331.1827957	10064.14264	30000	0	0	30000	41.25	2004
08.01.2020 16:12:12	1	1	1	1	79	61.25	0	30000	346.2365591	10387.03014	30000	0	0	30000	41.1875	2004
08.01.2020 16:12:13	1	1	1	1	79	61	0	30000	354.8387097	10580.27342	30000	0	0	30000	41	2004
08.01.2020 16:12:14	1	1	1	1	79	61	0	30000	346.2365591	10451.44457	30000	0	0	30000	41.25	2004
08.01.2020 16:12:15	1	1	1	1	79	61.25	0	30000	341.9354839	10257.38592	30000	0	0	30000	41	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 16:12:16	1	1	1	1	79	61	0	30000	339.7849462	10257.38592	30000	0	0	30000	41.375	2004
08.01.2020 16:12:17	1	1	1	1	79	61.25	0	30000	335.483871	10064.14264	30000	0	0	30000	41.375	2004
08.01.2020 16:12:18	1	1	1	1	79	61.25	0	30000	335.483871	10192.97149	30000	0	0	30000	41.25	2004
08.01.2020 16:12:20	1	1	1	1	79	61.25	0	30000	333.3333333	9999.728209	30000	0	0	30000	40.5625	2004
08.01.2020 16:12:21	1	1	1	1	79	60.5	0	30000	329.0322581	9806.484929	30000	0	0	30000	41.3125	2004
08.01.2020 16:12:22	1	1	1	1	78.75	61.25	0	30000	322.5806452	9612.426277	30000	0	0	30000	41.25	2004
08.01.2020 16:12:23	1	1	1	1	78.75	61.25	0	30000	316.1290323	9548.01185	30000	0	0	30000	41.25	2004
08.01.2020 16:12:24	1	1	1	1	78.75	61.25	0	30000	320.4301075	9548.01185	30000	0	0	30000	41.3125	2004
08.01.2020 16:12:25	1	1	1	1	78.75	61.25	0	30000	311.827957	9419.182997	30000	0	0	30000	40.875	2004
08.01.2020 16:12:26	1	1	1	1	78.75	60.75	0	30000	303.2258065	9031.881064	30000	0	0	30000	41.125	2004
08.01.2020 16:12:27	1	1	1	1	78.75	61	0	29905.213	307.5268817	9225.124344	30000	0	0	30000	41.1875	2004
08.01.2020 16:12:28	1	1	1	1	78.75	61	0	30000	309.6774194	9354.76857	30000	0	0	30000	40.5	2004
08.01.2020 16:12:29	1	1	1	1	78.75	60.5	0	29952.607	311.827957	9275.677439	30000	0	0	30000	41.0625	2004
08.01.2020 16:12:30	1	1	1	1	78.75	61	0	30000	313.9784946	9354.76857	30000	0	0	30000	40.8125	2004
08.01.2020 16:12:31	1	1	1	1	78.75	60.75	0	30000	318.2795699	9548.01185	30000	0	0	30000	41.3125	2004
08.01.2020 16:12:32	1	1	1	1	78	61.25	0	30000	311.827957	9354.76857	30000	0	0	30000	41.125	2004
08.01.2020 16:12:33	1	1	1	1	78	61	0	30000	307.5268817	9354.76857	30000	0	0	30000	41	2004
08.01.2020 16:12:34	1	1	1	1	78	61	0	29952.607	301.0752688	9018.019732	30000	0	0	30000	41.3125	2004
08.01.2020 16:12:35	1	1	1	1	78	61.25	0	30000	305.3763441	9096.295491	30000	0	0	30000	39.5	2004
08.01.2020 16:12:36	1	1	1	1	78	59.5	0	30000	307.5268817	9096.295491	30000	0	0	30000	41.3125	2004
08.01.2020 16:12:37	1	1	1	1	78	61.25	0	30000	301.0752688	9096.295491	30000	0	0	30000	41.25	2004
08.01.2020 16:12:38	1	1	1	1	78	61.25	0	30000	307.5268817	9225.124344	30000	0	0	30000	40.9375	2004
08.01.2020 16:12:39	1	1	1	1	78	60.75	0	30000	303.2258065	9096.295491	30000	0	0	30000	41	2004
08.01.2020 16:12:40	1	1	1	1	78	61	0	30000	303.2258065	9160.709918	30000	0	0	30000	40.625	2004
08.01.2020 16:12:41	1	1	1	1	78	60.5	0	30000	313.9784946	9354.76857	30000	0	0	30000	40.875	2004
08.01.2020 16:12:42	1	1	1	1	77.75	60.75	0	30000	305.3763441	9160.709918	30000	0	0	30000	41.25	2004
08.01.2020 16:12:43	1	1	1	1	77.75	61.25	0	30000	309.6774194	9290.354143	30000	0	0	30000	41	2004
08.01.2020 16:12:44	1	1	1	1	77.75	61	0	30000	311.827957	9419.182997	30000	0	0	30000	41.4375	2004
08.01.2020 16:12:47	1	1	1	1	77.75	59.75	0	30000	311.827957	9354.76857	30000	0	0	30000	41.375	2004
08.01.2020 16:12:47	1	1	1	1	77.75	59.75	0	30000	311.827957	9354.76857	30000	0	0	30000	41.375	2004
08.01.2020 16:12:47	1	1	1	1	77.75	59.75	0	30000	311.827957	9354.76857	30000	0	0	30000	41.375	2004
08.01.2020 16:12:48	1	1	1	1	77.75	61.25	0	30000	309.6774194	9225.124344	30000	0	0	30000	41.3125	2004
08.01.2020 16:12:49	1	1	1	1	77.75	61.25	0	30000	309.6774194	9225.124344	30000	0	0	30000	41.25	2004
08.01.2020 16:12:57	1	1	1	1	78	61	0	30000	309.6774194	9225.124344	30000	0	0	30000	40.75	2004
08.01.2020 16:12:57	1	1	1	1	78	61	0	30000	309.6774194	9225.124344	30000	0	0	30000	40.75	2004
08.01.2020 16:12:57	1	1	1	1	78	61	0	30000	309.6774194	9225.124344	30000	0	0	30000	40.75	2004
08.01.2020 16:12:57	1	1	1	1	78	61	0	30000	309.6774194	9225.124344	30000	0	0	30000	40.75	2004
08.01.2020 16:12:57	1	1	1	1	78	61	0	30000	309.6774194	9225.124344	30000	0	0	30000	40.75	2004
08.01.2020 16:12:57	1	1	1	1	78	61	0	30000	309.6774194	9225.124344	30000	0	0	30000	40.75	2004
08.01.2020 16:12:57	1	1	1	1	78	61	0	30000	309.6774194	9225.124344	30000	0	0	30000	40.75	2004
08.01.2020 16:12:58	1	1	1	1	78	60.75	0	30047.393	307.5268817	9160.709918	30000	0	0	30000	40.0625	2004
08.01.2020 16:12:59	1	1	1	1	78	60	0	30000	296.7741935	8695.947599	30000	0	0	30000	40.5625	2004
08.01.2020 16:13:00	1	1	1	1	78	60.5	0	30000	296.7741935	9031.881064	30000	0	0	30000	41.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 16:13:01	1	1	1	1	78	61	0	30000	311.827957	9354.76857	30000	0	0	30000	40.75	2004
08.01.2020 16:13:02	1	1	1	1	77.75	60.75	0	30000	313.9784946	9483.597423	30000	0	0	30000	41.1875	2004
08.01.2020 16:13:03	1	1	1	1	77.75	61	0	29952.607	316.1290323	9483.597423	30000	0	0	30000	41.1875	2004
08.01.2020 16:13:04	1	1	1	1	77.75	61	0	30000	326.8817204	9741.25513	30000	0	0	30000	41.0625	2004
08.01.2020 16:13:05	1	1	1	1	77.75	61	0	30000	320.4301075	9612.426277	30000	0	0	30000	41.0625	2004
08.01.2020 16:13:06	1	1	1	1	77.75	61	0	30000	311.827957	9275.677439	30000	0	0	30000	40.375	2004
08.01.2020 16:13:07	1	1	1	1	77.75	60.25	0	30000	305.3763441	9096.295491	30000	0	0	30000	41.125	2004
08.01.2020 16:13:08	1	1	1	1	77.75	61	0	30000	298.9247312	9096.295491	30000	0	0	30000	41	2004
08.01.2020 16:13:09	1	1	1	1	77.75	61	0	30000	296.7741935	8838.637784	30000	0	0	30000	40.75	2004
08.01.2020 16:13:10	1	1	1	1	77.75	60.75	0	30000	296.7741935	8838.637784	30000	0	0	30000	40.625	2004
08.01.2020 16:13:11	1	1	1	1	77.75	60.5	0	29952.607	286.0215054	8708.993559	30000	0	0	30000	41.125	2004
08.01.2020 16:13:12	1	1	1	1	77.75	61	0	30000	292.4731183	8838.637784	30000	0	0	30000	41.25	2004
08.01.2020 16:13:13	1	1	1	1	77.75	61.25	0	30000	288.172043	8644.579132	30000	0	0	30000	41.125	2004
08.01.2020 16:13:14	1	1	1	1	77.75	61	0	30000	286.0215054	8580.164705	30000	0	0	30000	41	2004
08.01.2020 16:13:15	1	1	1	1	77.75	61	0	30000	296.7741935	8903.052211	30000	0	0	30000	41.1875	2004
08.01.2020 16:13:16	1	1	1	1	77.75	61	0	29952.607	303.2258065	9082.434159	30000	0	0	30000	41.1875	2004
08.01.2020 16:13:17	1	1	1	1	77.75	61	0	30000	303.2258065	9160.709918	30000	0	0	30000	41.0625	2004
08.01.2020 16:13:18	1	1	1	1	77.75	61	0	30000	305.3763441	9160.709918	30000	0	0	30000	41.125	2004
08.01.2020 16:13:19	1	1	1	1	77.75	61	0	30000	303.2258065	8967.466638	30000	0	0	30000	41.25	2004
08.01.2020 16:13:20	1	1	1	1	77.75	61.25	0	30047.393	298.9247312	8967.466638	30000	0	0	30000	41.5	2004
08.01.2020 16:13:21	1	1	1	1	77.75	61.5	0	30000	298.9247312	8967.466638	30000	0	0	30000	41.25	2004
08.01.2020 16:13:22	1	1	1	1	78	61.25	0	30000	296.7741935	8903.052211	30000	0	0	30000	41.5625	2004
08.01.2020 16:13:23	1	1	1	1	78	61.5	0	30000	294.6236559	8903.052211	30000	0	0	30000	41.0625	2004
08.01.2020 16:13:24	1	1	1	1	78	61.5	0	30000	301.0752688	9031.881064	30000	0	0	30000	41.125	2004
08.01.2020 16:13:25	1	1	1	1	78	61	0	30000	296.7741935	8967.466638	30000	0	0	30000	41.25	2004
08.01.2020 16:13:26	1	1	1	1	78	61.25	0	30000	294.6236559	8838.637784	30000	0	0	30000	40.8125	2004
08.01.2020 16:13:27	1	1	1	1	78	60.75	0	30000	283.8709677	8580.164705	30000	0	0	30000	41.1875	2004
08.01.2020 16:13:28	1	1	1	1	78	61	0	30000	273.1182796	8192.862773	30000	0	0	30000	39.875	2004
08.01.2020 16:13:29	1	1	1	1	78	59.75	0	30000	266.6666667	7999.619493	30000	0	0	30000	41.0625	2004
08.01.2020 16:13:30	1	1	1	1	78	61	0	30000	260.2150538	7741.961786	30000	0	0	30000	41.25	2004
08.01.2020 16:13:31	1	1	1	1	78	61.25	0	30000	264.516129	8077.079879	30000	0	0	30000	41.25	2004
08.01.2020 16:13:32	1	1	1	1	78	61.25	0	30000	262.3655914	7935.205066	30000	0	0	30000	41.25	2004
08.01.2020 16:13:34	1	1	1	1	78	61.25	0	30000	266.6666667	7999.619493	30000	0	0	30000	40.9375	2004
08.01.2020 16:13:35	1	1	1	1	78	60.75	0	30000	270.9677419	8128.448346	30000	0	0	30000	40.625	2004
08.01.2020 16:13:36	1	1	1	1	78	60.5	0	29952.607	270.9677419	8192.862773	30000	0	0	30000	40.625	2004
08.01.2020 16:13:37	1	1	1	1	78	60.5	0	30000	268.8172043	8064.033919	30000	0	0	30000	41.125	2004
08.01.2020 16:13:38	1	1	1	1	78	61	0	30000	273.1182796	8258.092572	30000	0	0	30000	41.125	2004
08.01.2020 16:13:39	1	1	1	1	78	61	0	30142.18	273.1182796	8192.862773	30000	0	0	30000	41.0625	2004
08.01.2020 16:13:40	1	1	1	1	78	61	0	30000	277.4193548	8322.506999	30000	0	0	30000	41.0625	2004
08.01.2020 16:13:41	1	1	1	1	78	61	0	30000	277.4193548	8322.506999	30000	0	0	30000	41.25	2004
08.01.2020 16:13:42	1	1	1	1	77.75	61.25	0	30000	288.172043	8580.164705	30000	0	0	30000	40.75	2004
08.01.2020 16:13:43	1	1	1	1	77.75	60.75	0	30000	281.7204301	8451.335852	30000	0	0	30000	40.25	2004
08.01.2020 16:13:44	1	1	1	1	77.75	60.25	0	30000	283.8709677	8464.381812	30000	0	0	30000	40.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 16:13:45	1	1	1	1	77.75	60.5	0	30000	292.4731183	8774.223358	30000	0	0	30000	41.1875	2004
08.01.2020 16:13:46	1	1	1	1	77.75	61	0	30000	292.4731183	8708.993559	30000	0	0	30000	41.1875	2004
08.01.2020 16:13:47	1	1	1	1	77.75	61	0	30047.393	283.8709677	8451.335852	30000	0	0	30000	40.5625	2004
08.01.2020 16:13:48	1	1	1	1	77.75	60.5	0	30000	286.0215054	8580.164705	30000	0	0	30000	41.125	2004
08.01.2020 16:13:49	1	1	1	1	77.75	61	0	30000	288.172043	8708.993559	30000	0	0	30000	41.1875	2004
08.01.2020 16:13:50	1	1	1	1	77.75	61	0	30000	294.6236559	8838.637784	30000	0	0	30000	40.6875	2004
08.01.2020 16:13:51	1	1	1	1	77.75	60.5	0	30000	298.9247312	9031.881064	30000	0	0	30000	40.75	2004
08.01.2020 16:13:59	1	1	1	1	78	61.25	0	30000	309.6774194	9354.76857	30000	0	0	30000	41.0625	2004
08.01.2020 16:13:59	1	1	1	1	78	61.25	0	30000	309.6774194	9354.76857	30000	0	0	30000	41.0625	2004
08.01.2020 16:13:59	1	1	1	1	78	61.25	0	30000	309.6774194	9354.76857	30000	0	0	30000	41.0625	2004
08.01.2020 16:13:59	1	1	1	1	78	61.25	0	30000	309.6774194	9354.76857	30000	0	0	30000	41.0625	2004
08.01.2020 16:13:59	1	1	1	1	78	61.25	0	30000	309.6774194	9354.76857	30000	0	0	30000	41.0625	2004
08.01.2020 16:13:59	1	1	1	1	78	61.25	0	30000	309.6774194	9354.76857	30000	0	0	30000	41.0625	2004
08.01.2020 16:13:59	1	1	1	1	78	61	0	30000	316.1290323	9483.597423	30000	0	0	30000	41.25	2004
08.01.2020 16:14:00	1	1	1	1	78	61.25	0	30000	316.1290323	9483.597423	30000	0	0	30000	41.3125	2004
08.01.2020 16:14:01	1	1	1	1	78	61.25	0	30000	331.1827957	9870.899356	30000	0	0	30000	40.9375	2004
08.01.2020 16:14:02	1	1	1	1	78	60.75	0	30000	335.483871	10128.55706	30000	0	0	30000	40.875	2004
08.01.2020 16:14:03	1	1	1	1	78	60.75	0	30000	337.6344086	9935.313783	30000	0	0	30000	41.125	2004
08.01.2020 16:14:04	1	1	1	1	78	60.75	0	30000	320.4301075	9676.840703	30000	0	0	30000	41.1875	2004
08.01.2020 16:14:05	1	1	1	1	78	61	0	30000	311.827957	9146.848585	30000	0	0	30000	41.0625	2004
08.01.2020 16:14:06	1	1	1	1	78	61	0	30000	301.0752688	9031.881064	30000	0	0	30000	40.625	2004
08.01.2020 16:14:07	1	1	1	1	78	60.5	0	30000	309.6774194	9225.124344	30000	0	0	30000	40.75	2004
08.01.2020 16:14:08	1	1	1	1	78	60.75	0	30000	307.5268817	9225.124344	30000	0	0	30000	40.625	2004
08.01.2020 16:14:09	1	1	1	1	78	60.5	0	30000	309.6774194	9354.76857	30000	0	0	30000	40.9375	2004
08.01.2020 16:14:10	1	1	1	1	78	60.75	0	30000	316.1290323	9483.597423	30000	0	0	30000	40.8125	2004
08.01.2020 16:14:12	1	1	1	1	77.5	60.75	0	29952.607	326.8817204	9806.484929	30000	0	0	30000	40.8125	2004
08.01.2020 16:14:13	1	1	1	1	77.5	60.75	0	29952.607	320.4301075	9483.597423	30000	0	0	30000	41.25	2004
08.01.2020 16:14:14	1	1	1	1	77.5	61.25	0	30094.787	335.483871	9806.484929	30000	0	0	30000	41.1875	2004
08.01.2020 16:14:15	1	1	1	1	77.5	61	0	30000	320.4301075	9612.426277	30000	0	0	30000	40.5	2004
08.01.2020 16:14:16	1	1	1	1	77.5	60.5	0	29905.213	320.4301075	9806.484929	30000	0	0	30000	41.0625	2004
08.01.2020 16:14:17	1	1	1	1	77.5	61	0	30000	326.8817204	9806.484929	30000	0	0	30000	41.1875	2004
08.01.2020 16:14:18	1	1	1	1	77.5	61	0	30000	326.8817204	9741.25513	30000	0	0	30000	40.875	2004
08.01.2020 16:14:19	1	1	1	1	77.5	60.75	0	30000	333.3333333	10064.14264	30000	0	0	30000	41	2004
08.01.2020 16:14:20	1	1	1	1	77.5	61	0	30000	331.1827957	9935.313783	30000	0	0	30000	41	2004
08.01.2020 16:14:21	1	1	1	1	77.5	61	0	29952.607	331.1827957	9999.728209	30000	0	0	30000	41.25	2004
08.01.2020 16:14:22	1	1	1	1	77.75	61.25	0	30000	335.483871	9999.728209	30000	0	0	30000	41.1875	2004
08.01.2020 16:14:23	1	1	1	1	77.75	61	0	30000	333.3333333	9999.728209	30000	0	0	30000	41.0625	2004
08.01.2020 16:14:24	1	1	1	1	77.75	61	0	30000	333.3333333	9999.728209	30000	0	0	30000	40.4375	2004
08.01.2020 16:14:25	1	1	1	1	77.75	60.25	0	30000	331.1827957	10064.14264	30000	0	0	30000	41.125	2004
08.01.2020 16:14:26	1	1	1	1	77.75	61	0	30000	335.483871	10064.14264	30000	0	0	30000	41.125	2004
08.01.2020 16:14:27	1	1	1	1	77.75	61	0	30000	329.0322581	9870.899356	30000	0	0	30000	41.125	2004
08.01.2020 16:14:28	1	1	1	1	77.75	61	0	30000	333.3333333	9999.728209	30000	0	0	30000	40.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 16:14:29	1	1	1	1	77.75	60.75	0	29952.607	341.9354839	10257.38592	30000	0	0	30000	41.125	2004
08.01.2020 16:14:30	1	1	1	1	77.75	61	0	30000	350.5376344	10515.85899	30000	0	0	30000	39.8125	2004
08.01.2020 16:14:31	1	1	1	1	77.75	59.75	0	30000	378.4946237	11160.81863	30000	0	0	30000	41.25	2004
08.01.2020 16:14:32	1	1	1	1	77.75	61.25	0	29952.607	380.6451613	11419.29171	30000	0	0	30000	41.1875	2004
08.01.2020 16:14:33	1	1	1	1	77.75	61	0	30000	382.7956989	11483.70614	30000	0	0	30000	40.75	2004
08.01.2020 16:14:34	1	1	1	1	77.75	60.75	0	30000	382.7956989	11548.12057	30000	0	0	30000	40.9375	2004
08.01.2020 16:14:35	1	1	1	1	77.75	60.75	0	30000	382.7956989	11419.29171	30000	0	0	30000	40.6875	2004
08.01.2020 16:14:36	1	1	1	1	77.75	60.5	0	29905.213	384.9462366	11612.53499	30000	0	0	30000	41.125	2004
08.01.2020 16:14:37	1	1	1	1	77.75	61	0	30000	389.2473118	11676.94942	30000	0	0	30000	41.1875	2004
08.01.2020 16:14:38	1	1	1	1	77.75	61	0	30000	397.8494624	11575.84323	30000	0	0	30000	41.5625	2004
08.01.2020 16:14:39	1	1	1	1	77.75	61.5	0	30000	395.6989247	11935.4225	30000	0	0	30000	41.375	2004
08.01.2020 16:14:40	1	1	1	1	77.75	61.25	0	29952.607	404.3010753	12128.66578	30000	0	0	30000	41.5625	2004
08.01.2020 16:14:41	1	1	1	1	77.75	61.5	0	30000	412.9032258	12128.66578	30000	0	0	30000	41.6875	2004
08.01.2020 16:14:42	1	1	1	1	77.75	60.5	0	30000	402.1505376	12387.13886	30000	0	0	30000	41.125	2004
08.01.2020 16:14:43	1	1	1	1	77.75	61	0	30000	404.3010753	12387.13886	30000	0	0	30000	40.75	2004
08.01.2020 16:14:44	1	1	1	1	77.75	60.75	0	29952.607	412.9032258	12128.66578	30000	0	0	30000	41.1875	2004
08.01.2020 16:14:45	1	1	1	1	77.75	61	0	30000	412.9032258	12387.13886	30000	0	0	30000	40.5	2004
08.01.2020 16:14:46	1	1	1	1	77.75	60.5	0	30000	412.9032258	12348.00098	30000	0	0	30000	41.25	2004
08.01.2020 16:14:47	1	1	1	1	77.75	61.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	41.25	2004
08.01.2020 16:14:48	1	1	1	1	77.75	61.25	0	30000	406.4516129	12193.08021	30000	0	0	30000	41	2004
08.01.2020 16:14:49	1	1	1	1	77.75	61	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.0625	2004
08.01.2020 16:14:51	1	1	1	1	77.75	61	0	30000	415.0537634	12451.55328	30000	0	0	30000	41	2004
08.01.2020 16:14:52	1	1	1	1	77.75	61	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.0625	2004
08.01.2020 16:14:53	1	1	1	1	77.75	61	0	30000	412.9032258	12109.91221	30000	0	0	30000	41.0625	2004
08.01.2020 16:15:00	1	1	1	1	77.75	60.75	0	30000	372.0430108	11160.81863	30000	0	0	30000	40.9375	2004
08.01.2020 16:15:00	1	1	1	1	77.75	60.75	0	30000	372.0430108	11160.81863	30000	0	0	30000	40.9375	2004
08.01.2020 16:15:00	1	1	1	1	77.75	60.75	0	30000	372.0430108	11160.81863	30000	0	0	30000	40.9375	2004
08.01.2020 16:15:00	1	1	1	1	77.75	60.75	0	30000	372.0430108	11160.81863	30000	0	0	30000	40.9375	2004
08.01.2020 16:15:00	1	1	1	1	77.75	60.75	0	30000	372.0430108	11160.81863	30000	0	0	30000	40.9375	2004
08.01.2020 16:15:00	1	1	1	1	77.75	60.75	0	30000	372.0430108	11160.81863	30000	0	0	30000	40.9375	2004
08.01.2020 16:15:00	1	1	1	1	77.75	60.75	0	30000	372.0430108	11160.81863	30000	0	0	30000	40.9375	2004
08.01.2020 16:15:01	1	1	1	1	77.75	60.75	0	30000	367.7419355	11096.40421	30000	0	0	30000	41.125	2004
08.01.2020 16:15:02	1	1	1	1	78	61	0	30000	341.9354839	10257.38592	30000	0	0	30000	41	2004
08.01.2020 16:15:03	1	1	1	1	78	61	0	30000	335.483871	10064.14264	30000	0	0	30000	41.0625	2004
08.01.2020 16:15:04	1	1	1	1	78	61	0	30000	335.483871	9806.484929	30000	0	0	30000	40.75	2004
08.01.2020 16:15:05	1	1	1	1	78	60.75	0	30000	329.0322581	10064.14264	30000	0	0	30000	41.1875	2004
08.01.2020 16:15:06	1	1	1	1	78	61	0	30000	329.0322581	9870.899356	30000	0	0	30000	41.0625	2004
08.01.2020 16:15:07	1	1	1	1	78	61	0	30000	326.8817204	9806.484929	30000	0	0	30000	40.8125	2004
08.01.2020 16:15:08	1	1	1	1	78	60.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	41.3125	2004
08.01.2020 16:15:09	1	1	1	1	78	61.25	0	30000	329.0322581	9935.313783	30000	0	0	30000	40.125	2004
08.01.2020 16:15:10	1	1	1	1	78	60	0	30000	329.0322581	9870.899356	30000	0	0	30000	41.25	2004
08.01.2020 16:15:11	1	1	1	1	78	61.25	0	30000	337.6344086	10128.55706	30000	0	0	30000	41.1875	2004
08.01.2020 16:15:12	1	1	1	1	77.75	61	0	30000	326.8817204	9646.671921	30000	0	0	30000	40.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 16:15:13	1	1	1	1	77.75	60.75	0	30000	316.1290323	9483.597423	30000	0	0	30000	41.1875	2004
08.01.2020 16:15:14	1	1	1	1	77.75	61	0	29905.213	311.827957	9354.76857	30000	0	0	30000	41.1875	2004
08.01.2020 16:15:15	1	1	1	1	77.75	61	0	29952.607	301.0752688	9160.709918	30000	0	0	30000	41.1875	2004
08.01.2020 16:15:16	1	1	1	1	77.75	61	0	30000	309.6774194	9290.354143	30000	0	0	30000	41.125	2004
08.01.2020 16:15:17	1	1	1	1	77.75	61	0	30000	309.6774194	9275.677439	30000	0	0	30000	41.3125	2004
08.01.2020 16:15:18	1	1	1	1	77.75	61.25	0	30000	311.827957	9354.76857	30000	0	0	30000	41.125	2004
08.01.2020 16:15:19	1	1	1	1	77.75	61	0	30000	316.1290323	9548.01185	30000	0	0	30000	40.75	2004
08.01.2020 16:15:20	1	1	1	1	77.75	60.75	0	30000	320.4301075	9483.597423	30000	0	0	30000	41.0625	2004
08.01.2020 16:15:21	1	1	1	1	77.75	61	0	30000	316.1290323	9483.597423	30000	0	0	30000	41.25	2004
08.01.2020 16:15:22	1	1	1	1	78	61.25	0	30000	322.5806452	9612.426277	30000	0	0	30000	41.0625	2004
08.01.2020 16:15:23	1	1	1	1	78	61	0	30000	322.5806452	9741.25513	30000	0	0	30000	41.3125	2004
08.01.2020 16:15:24	1	1	1	1	78	61.25	0	30000	316.1290323	9419.182997	30000	0	0	30000	40.625	2004
08.01.2020 16:15:25	1	1	1	1	78	61	0	30000	320.4301075	9612.426277	30000	0	0	30000	41.125	2004
08.01.2020 16:15:26	1	1	1	1	78	61	0	30000	320.4301075	9612.426277	30000	0	0	30000	41.0625	2004
08.01.2020 16:15:27	1	1	1	1	78	61	0	30000	322.5806452	9676.840703	30000	0	0	30000	40.375	2004
08.01.2020 16:15:28	1	1	1	1	78	60.25	0	30047.393	331.1827957	9886.391433	30000	0	0	30000	39.875	2004
08.01.2020 16:15:29	1	1	1	1	78	59.75	0	30000	331.1827957	9870.899356	30000	0	0	30000	40.8125	2004
08.01.2020 16:15:30	1	1	1	1	78	60.75	0	30000	329.0322581	9870.899356	30000	0	0	30000	41.3125	2004
08.01.2020 16:15:32	1	1	1	1	77.5	61.25	0	30000	333.3333333	10064.14264	30000	0	0	30000	40.875	2004
08.01.2020 16:15:33	1	1	1	1	77.5	60.75	0	30000	335.483871	10064.14264	30000	0	0	30000	41.25	2004
08.01.2020 16:15:34	1	1	1	1	77.5	61.25	0	30000	335.483871	10064.14264	30000	0	0	30000	41.125	2004
08.01.2020 16:15:35	1	1	1	1	77.5	61	0	30000	350.5376344	10515.85899	30000	0	0	30000	41.0625	2004
08.01.2020 16:15:36	1	1	1	1	77.5	61	0	30000	341.9354839	10257.38592	30000	0	0	30000	41.125	2004
08.01.2020 16:15:37	1	1	1	1	77.5	61	0	30000	339.7849462	10257.38592	30000	0	0	30000	41.125	2004
08.01.2020 16:15:38	1	1	1	1	77.5	61	0	30000	339.7849462	10192.97149	30000	0	0	30000	40.25	2004
08.01.2020 16:15:39	1	1	1	1	77.5	60.25	0	30000	348.3870968	10451.44457	30000	0	0	30000	41.125	2004
08.01.2020 16:15:40	1	1	1	1	77.5	61	0	30000	346.2365591	10387.03014	30000	0	0	30000	41.1875	2004
08.01.2020 16:15:41	1	1	1	1	77.5	61	0	30000	346.2365591	10387.03014	30000	0	0	30000	41.0625	2004
08.01.2020 16:15:42	1	1	1	1	77.25	61	0	30000	348.3870968	10515.85899	30000	0	0	30000	41.125	2004
08.01.2020 16:15:43	1	1	1	1	77.25	61	0	30000	359.1397849	10773.5167	30000	0	0	30000	40.625	2004
08.01.2020 16:15:44	1	1	1	1	77.25	60.5	0	30000	380.6451613	11336.93909	30000	0	0	30000	41.1875	2004
08.01.2020 16:15:45	1	1	1	1	77.25	61	0	30000	382.7956989	11548.12057	30000	0	0	30000	41.25	2004
08.01.2020 16:15:46	1	1	1	1	77.25	61.25	0	30000	397.8494624	11999.83693	30000	0	0	30000	41.1875	2004
08.01.2020 16:15:47	1	1	1	1	77.25	61	0	30000	400	11999.83693	30000	0	0	30000	41.125	2004
08.01.2020 16:15:48	1	1	1	1	77.25	61	0	30000	395.6989247	11871.00807	30000	0	0	30000	41.1875	2004
08.01.2020 16:15:49	1	1	1	1	77.25	61	0	30000	395.6989247	11871.00807	30000	0	0	30000	40.75	2004
08.01.2020 16:15:50	1	1	1	1	77.25	60.75	0	30000	384.9462366	11548.12057	30000	0	0	30000	40.5625	2004
08.01.2020 16:15:51	1	1	1	1	77.25	60.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	40.8125	2004
08.01.2020 16:15:52	1	1	1	1	77.5	60.75	0	29905.213	365.5913978	11160.81863	30000	0	0	30000	41.125	2004
08.01.2020 16:15:53	1	1	1	1	77.5	61	0	30000	372.0430108	11160.81863	30000	0	0	30000	40.9375	2004
08.01.2020 16:15:54	1	1	1	1	77.5	60.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	41.25	2004
08.01.2020 16:16:02	1	1	1	1	77.5	61	0	30000	322.5806452	9741.25513	30000	0	0	30000	41	2004
08.01.2020 16:16:02	1	1	1	1	77.5	61	0	30000	322.5806452	9741.25513	30000	0	0	30000	41	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 16:16:02	1	1	1	1	77.5	61	0	30000	322.5806452	9741.25513	30000	0	0	30000	41	2004
08.01.2020 16:16:02	1	1	1	1	77.5	61	0	30000	322.5806452	9741.25513	30000	0	0	30000	41	2004
08.01.2020 16:16:02	1	1	1	1	77.5	61	0	30000	322.5806452	9741.25513	30000	0	0	30000	41	2004
08.01.2020 16:16:02	1	1	1	1	77.5	61	0	30000	322.5806452	9741.25513	30000	0	0	30000	41	2004
08.01.2020 16:16:02	1	1	1	1	77.5	61	0	30000	322.5806452	9741.25513	30000	0	0	30000	41	2004
08.01.2020 16:16:02	1	1	1	1	77.5	61	0	30000	311.827957	9419.182997	30000	0	0	30000	40.8125	2004
08.01.2020 16:16:03	1	1	1	1	77.5	60.75	0	30000	303.2258065	9096.295491	30000	0	0	30000	41.125	2004
08.01.2020 16:16:04	1	1	1	1	77.5	61	0	30000	292.4731183	8774.223358	30000	0	0	30000	41.1875	2004
08.01.2020 16:16:05	1	1	1	1	77.5	61	0	30000	292.4731183	8838.637784	30000	0	0	30000	41.125	2004
08.01.2020 16:16:06	1	1	1	1	77.5	61	0	29952.607	292.4731183	8708.993559	30000	0	0	30000	40.625	2004
08.01.2020 16:16:07	1	1	1	1	77.5	60.5	0	30000	290.3225806	8774.223358	30000	0	0	30000	41.25	2004
08.01.2020 16:16:08	1	1	1	1	77.5	61.25	0	30000	292.4731183	8838.637784	30000	0	0	30000	40.9375	2004
08.01.2020 16:16:09	1	1	1	1	77.5	60.75	0	30000	296.7741935	8889.190879	30000	0	0	30000	40.4375	2004
08.01.2020 16:16:10	1	1	1	1	77.5	60.25	0	30000	288.172043	8644.579132	30000	0	0	30000	41.0625	2004
08.01.2020 16:16:12	1	1	1	1	77.75	61	0	30000	286.0215054	8580.164705	30000	0	0	30000	41	2004
08.01.2020 16:16:13	1	1	1	1	77.75	61	0	29905.213	286.0215054	8644.579132	30000	0	0	30000	41.25	2004
08.01.2020 16:16:14	1	1	1	1	77.75	61.25	0	30000	294.6236559	8838.637784	30000	0	0	30000	41.0625	2004
08.01.2020 16:16:15	1	1	1	1	77.75	61	0	30000	303.2258065	8967.466638	30000	0	0	30000	41.125	2004
08.01.2020 16:16:16	1	1	1	1	77.75	61	0	29952.607	296.7741935	8838.637784	30000	0	0	30000	40.6875	2004
08.01.2020 16:16:17	1	1	1	1	77.75	60.5	0	30000	296.7741935	8967.466638	30000	0	0	30000	41.1875	2004
08.01.2020 16:16:18	1	1	1	1	77.75	61	0	30000	301.0752688	9239.801049	30000	0	0	30000	40.6875	2004
08.01.2020 16:16:19	1	1	1	1	77.75	60.5	0	30000	309.6774194	9290.354143	30000	0	0	30000	41.3125	2004
08.01.2020 16:16:20	1	1	1	1	77.75	61.25	0	30000	311.827957	9354.76857	30000	0	0	30000	41	2004
08.01.2020 16:16:21	1	1	1	1	77.75	61	0	30000	311.827957	9354.76857	30000	0	0	30000	41.0625	2004
08.01.2020 16:16:22	1	1	1	1	77.75	61	0	30000	313.9784946	9354.76857	30000	0	0	30000	41.125	2004
08.01.2020 16:16:23	1	1	1	1	77.75	61	0	30000	316.1290323	9483.597423	30000	0	0	30000	40.25	2004
08.01.2020 16:16:24	1	1	1	1	77.75	60.25	0	30000	318.2795699	9612.426277	30000	0	0	30000	40.4375	2004
08.01.2020 16:16:25	1	1	1	1	77.75	60.25	0	30047.393	320.4301075	9612.426277	30000	0	0	30000	40.6875	2004
08.01.2020 16:16:26	1	1	1	1	77.75	60.5	0	30000	318.2795699	9612.426277	30000	0	0	30000	40.625	2004
08.01.2020 16:16:27	1	1	1	1	77.75	60.5	0	30000	318.2795699	9612.426277	30000	0	0	30000	41.0625	2004
08.01.2020 16:16:28	1	1	1	1	77.75	61	0	30000	318.2795699	9548.01185	30000	0	0	30000	40.875	2004
08.01.2020 16:16:29	1	1	1	1	77.75	60.75	0	30000	311.827957	9483.597423	30000	0	0	30000	41	2004
08.01.2020 16:16:30	1	1	1	1	77.75	61	0	30000	324.7311828	9741.25513	30000	0	0	30000	41.1875	2004
08.01.2020 16:16:31	1	1	1	1	77.75	61	0	30000	326.8817204	9870.899356	30000	0	0	30000	40.9375	2004
08.01.2020 16:16:32	1	1	1	1	77.75	60.75	0	29952.607	326.8817204	9806.484929	30000	0	0	30000	40.5625	2004
08.01.2020 16:16:33	1	1	1	1	77.75	60.5	0	30000	333.3333333	10064.14264	30000	0	0	30000	40.1875	2004
08.01.2020 16:16:34	1	1	1	1	77.75	60	0	30000	348.3870968	10515.85899	30000	0	0	30000	40.875	2004
08.01.2020 16:16:35	1	1	1	1	77.75	60.75	0	30000	350.5376344	10241.89384	30000	0	0	30000	41.125	2004
08.01.2020 16:16:36	1	1	1	1	77.75	61	0	29952.607	346.2365591	10387.03014	30000	0	0	30000	41.1875	2004
08.01.2020 16:16:37	1	1	1	1	77.75	61	0	30000	341.9354839	10387.03014	30000	0	0	30000	41.0625	2004
08.01.2020 16:16:38	1	1	1	1	77.75	61	0	30000	326.8817204	9806.484929	30000	0	0	30000	41	2004
08.01.2020 16:16:39	1	1	1	1	77.75	61	0	29952.607	316.1290323	9468.920719	30000	0	0	30000	41	2004
08.01.2020 16:16:40	1	1	1	1	77.75	61	0	30000	311.827957	9354.76857	30000	0	0	30000	41.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 16:16:41	1	1	1	1	77.75	61	0	30000	313.9784946	9354.76857	30000	0	0	30000	41.5	2004
08.01.2020 16:16:42	1	1	1	1	78	61.5	0	30000	311.827957	9354.76857	30000	0	0	30000	41.25	2004
08.01.2020 16:16:43	1	1	1	1	78	61.25	0	30000	316.1290323	9483.597423	30000	0	0	30000	41	2004
08.01.2020 16:16:44	1	1	1	1	78	61	0	30000	309.6774194	9290.354143	30000	0	0	30000	41.125	2004
08.01.2020 16:16:45	1	1	1	1	78	61	0	30000	305.3763441	9196.586307	30000	0	0	30000	41.1875	2004
08.01.2020 16:16:46	1	1	1	1	78	61	0	30000	311.827957	9354.76857	30000	0	0	30000	40.8125	2004
08.01.2020 16:16:47	1	1	1	1	78	60.75	0	30000	320.4301075	9612.426277	30000	0	0	30000	41	2004
08.01.2020 16:16:48	1	1	1	1	78	61	0	30000	329.0322581	9935.313783	30000	0	0	30000	41.0625	2004
08.01.2020 16:16:49	1	1	1	1	78	61	0	30000	346.2365591	10370.72269	30000	0	0	30000	41	2004
08.01.2020 16:16:51	1	1	1	1	78	61	0	30000	341.9354839	10387.03014	30000	0	0	30000	41.1875	2004
08.01.2020 16:16:52	1	1	1	1	78	61	0	30000	341.9354839	10257.38592	30000	0	0	30000	41.125	2004
08.01.2020 16:16:53	1	1	1	1	78	61	0	30000	335.483871	9999.728209	30000	0	0	30000	41.0625	2004
08.01.2020 16:16:54	1	1	1	1	78	61	0	30000	326.8817204	9806.484929	30000	0	0	30000	40.8125	2004
08.01.2020 16:16:55	1	1	1	1	78	60.75	0	30000	322.5806452	9676.840703	30000	0	0	30000	41.125	2004
08.01.2020 16:16:56	1	1	1	1	78	61	0	30000	324.7311828	9741.25513	30000	0	0	30000	40.6875	2004
08.01.2020 16:17:03	1	1	1	1	77.25	61	0	30047.393	320.4301075	9612.426277	30000	0	0	30000	41.0625	2004
08.01.2020 16:17:03	1	1	1	1	77.25	61	0	30047.393	320.4301075	9612.426277	30000	0	0	30000	41.0625	2004
08.01.2020 16:17:03	1	1	1	1	77.25	61	0	30047.393	320.4301075	9612.426277	30000	0	0	30000	41.0625	2004
08.01.2020 16:17:03	1	1	1	1	77.25	61	0	30047.393	320.4301075	9612.426277	30000	0	0	30000	41.0625	2004
08.01.2020 16:17:03	1	1	1	1	77.25	61	0	30047.393	320.4301075	9612.426277	30000	0	0	30000	41.0625	2004
08.01.2020 16:17:03	1	1	1	1	77.25	61	0	30047.393	320.4301075	9612.426277	30000	0	0	30000	41.0625	2004
08.01.2020 16:17:03	1	1	1	1	77.25	61	0	30047.393	320.4301075	9612.426277	30000	0	0	30000	41.0625	2004
08.01.2020 16:17:04	1	1	1	1	77.25	61	0	30000	307.5268817	9225.124344	30000	0	0	30000	40.875	2004
08.01.2020 16:17:05	1	1	1	1	77.25	60.75	0	29905.213	301.0752688	9225.124344	30000	0	0	30000	41.0625	2004
08.01.2020 16:17:06	1	1	1	1	77.25	61	0	30000	329.0322581	9662.163999	30000	0	0	30000	40.6875	2004
08.01.2020 16:17:07	1	1	1	1	77.25	60.5	0	30000	324.7311828	9612.426277	30000	0	0	30000	40.625	2004
08.01.2020 16:17:08	1	1	1	1	77.25	60.5	0	29952.607	316.1290323	9548.01185	30000	0	0	30000	40.9375	2004
08.01.2020 16:17:09	1	1	1	1	77.25	60.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	41	2004
08.01.2020 16:17:10	1	1	1	1	77.25	61	0	29952.607	320.4301075	9612.426277	30000	0	0	30000	41.0625	2004
08.01.2020 16:17:11	1	1	1	1	77.25	61	0	30047.393	339.7849462	9999.728209	30000	0	0	30000	40.6875	2004
08.01.2020 16:17:12	1	1	1	1	77.5	60.5	0	30000	341.9354839	10241.89384	30000	0	0	30000	41.1875	2004
08.01.2020 16:17:13	1	1	1	1	77.5	61	0	29952.607	350.5376344	10515.85899	30000	0	0	30000	40.9375	2004
08.01.2020 16:17:14	1	1	1	1	77.5	60.75	0	30000	356.9892473	10773.5167	30000	0	0	30000	41.0625	2004
08.01.2020 16:17:15	1	1	1	1	77.5	61	0	30000	359.1397849	10773.5167	30000	0	0	30000	40.8125	2004
08.01.2020 16:17:16	1	1	1	1	77.5	60.75	0	30000	369.8924731	10903.16093	30000	0	0	30000	41	2004
08.01.2020 16:17:17	1	1	1	1	77.5	61	0	30000	369.8924731	11160.81863	30000	0	0	30000	40.9375	2004
08.01.2020 16:17:18	1	1	1	1	77.5	60.75	0	30000	367.7419355	11160.81863	30000	0	0	30000	41.0625	2004
08.01.2020 16:17:19	1	1	1	1	77.5	61	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.3125	2004
08.01.2020 16:17:20	1	1	1	1	77.5	61.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	40.9375	2004
08.01.2020 16:17:21	1	1	1	1	77.5	60.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.3125	2004
08.01.2020 16:17:22	1	1	1	1	77.75	61.25	0	30000	380.6451613	11419.29171	30000	0	0	30000	41.125	2004
08.01.2020 16:17:23	1	1	1	1	77.75	61	0	30000	380.6451613	11419.29171	30000	0	0	30000	40.4375	2004
08.01.2020 16:17:24	1	1	1	1	77.75	61	0	30000	387.0967742	11548.12057	30000	0	0	30000	40.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 16:17:25	1	1	1	1	77.75	60.75	0	29952.607	378.4946237	11548.12057	30000	0	0	30000	41	2004
08.01.2020 16:17:26	1	1	1	1	77.75	61	0	29952.607	389.2473118	11676.94942	30000	0	0	30000	40.625	2004
08.01.2020 16:17:27	1	1	1	1	77.75	60.5	0	30000	384.9462366	11566.05876	30000	0	0	30000	40.625	2004
08.01.2020 16:17:28	1	1	1	1	77.75	60.5	0	30000	384.9462366	11548.12057	30000	0	0	30000	41.0625	2004
08.01.2020 16:17:30	1	1	1	1	77.75	61	0	30000	395.6989247	11676.94942	30000	0	0	30000	41	2004
08.01.2020 16:17:31	1	1	1	1	77.75	61	0	30000	395.6989247	11871.00807	30000	0	0	30000	40.875	2004
08.01.2020 16:17:32	1	1	1	1	78	60.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	41	2004
08.01.2020 16:17:33	1	1	1	1	78	61	0	29905.213	415.0537634	12431.98434	30000	0	0	30000	40.6875	2004
08.01.2020 16:17:34	1	1	1	1	78	60.5	0	30000	423.655914	12709.21099	30000	0	0	30000	41	2004
08.01.2020 16:17:35	1	1	1	1	78	61	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.0625	2004
08.01.2020 16:17:36	1	1	1	1	78	61	0	30000	434.4086022	13032.0985	30000	0	0	30000	40.8125	2004
08.01.2020 16:17:37	1	1	1	1	78	60.75	0	30000	438.7096774	13160.92735	30000	0	0	30000	41	2004
08.01.2020 16:17:38	1	1	1	1	78	61	0	30000	438.7096774	13225.34178	30000	0	0	30000	40.6875	2004
08.01.2020 16:17:39	1	1	1	1	78	60.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.6875	2004
08.01.2020 16:17:40	1	1	1	1	78	60.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.3125	2004
08.01.2020 16:17:41	1	1	1	1	78	61.25	0	30000	464.516129	13741.47256	30000	0	0	30000	40.75	2004
08.01.2020 16:17:42	1	1	1	1	78.25	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.875	2004
08.01.2020 16:17:43	1	1	1	1	78.25	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.9375	2004
08.01.2020 16:17:44	1	1	1	1	78.25	60.75	0	30000	438.7096774	13160.92735	30000	0	0	30000	40.6875	2004
08.01.2020 16:17:45	1	1	1	1	78.25	60.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.9375	2004
08.01.2020 16:17:46	1	1	1	1	78.25	60.75	0	29905.213	438.7096774	13354.17063	30000	0	0	30000	40.8125	2004
08.01.2020 16:17:47	1	1	1	1	78.25	60.75	0	30000	440.8602151	13289.7562	30000	0	0	30000	40.875	2004
08.01.2020 16:17:48	1	1	1	1	78.25	60.75	0	30000	443.0107527	13225.34178	30000	0	0	30000	40.6875	2004
08.01.2020 16:17:49	1	1	1	1	78.25	60.5	0	30000	434.4086022	13096.51292	30000	0	0	30000	41.0625	2004
08.01.2020 16:17:50	1	1	1	1	78.25	61	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.25	2004
08.01.2020 16:17:51	1	1	1	1	78.25	61.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	40.9375	2004
08.01.2020 16:17:52	1	1	1	1	78.25	60.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	40.875	2004
08.01.2020 16:17:53	1	1	1	1	78.25	60.75	0	30000	425.8064516	12709.21099	30000	0	0	30000	41.125	2004
08.01.2020 16:17:54	1	1	1	1	78.25	61	0	30000	419.3548387	12878.80847	30000	0	0	30000	40.75	2004
08.01.2020 16:17:55	1	1	1	1	78.25	60.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	40.875	2004
08.01.2020 16:17:56	1	1	1	1	78.25	60.75	0	30000	412.9032258	12620.33539	30000	0	0	30000	41.0625	2004
08.01.2020 16:17:57	1	1	1	1	78.25	61	0	30000	419.3548387	12580.38214	30000	0	0	30000	41.125	2004
08.01.2020 16:18:05	1	1	1	1	78.25	60.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.125	2004
08.01.2020 16:18:05	1	1	1	1	78.25	60.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.125	2004
08.01.2020 16:18:05	1	1	1	1	78.25	60.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.125	2004
08.01.2020 16:18:05	1	1	1	1	78.25	60.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.125	2004
08.01.2020 16:18:05	1	1	1	1	78.25	60.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.125	2004
08.01.2020 16:18:05	1	1	1	1	78.25	60.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.125	2004
08.01.2020 16:18:05	1	1	1	1	78.25	60.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.125	2004
08.01.2020 16:18:05	1	1	1	1	78.25	61	0	30000	425.8064516	12560.8132	30000	0	0	30000	41	2004
08.01.2020 16:18:06	1	1	1	1	78.25	61	0	29905.213	425.8064516	12838.03984	30000	0	0	30000	40.9375	2004
08.01.2020 16:18:07	1	1	1	1	78.25	60.75	0	30000	440.8602151	13076.12861	30000	0	0	30000	40.875	2004
08.01.2020 16:18:09	1	1	1	1	78.25	60.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	41	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 16:18:10	1	1	1	1	78.25	61	0	30000	421.5053763	12580.38214	30000	0	0	30000	41.1875	2004
08.01.2020 16:18:11	1	1	1	1	78.25	61	0	30000	425.8064516	12709.21099	30000	0	0	30000	41.0625	2004
08.01.2020 16:18:12	1	1	1	1	78.5	61	0	30000	427.9569892	12709.21099	30000	0	0	30000	40.9375	2004
08.01.2020 16:18:13	1	1	1	1	78.5	60.75	0	30000	425.8064516	12838.03984	30000	0	0	30000	40.75	2004
08.01.2020 16:18:14	1	1	1	1	78.5	60.75	0	30047.393	425.8064516	12580.38214	30000	0	0	30000	40.625	2004
08.01.2020 16:18:15	1	1	1	1	78.5	60.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.0625	2004
08.01.2020 16:18:16	1	1	1	1	78.5	61	0	30000	412.9032258	12387.13886	30000	0	0	30000	40.875	2004
08.01.2020 16:18:17	1	1	1	1	78.5	60.75	0	29905.213	412.9032258	12387.13886	30000	0	0	30000	40.5625	2004
08.01.2020 16:18:18	1	1	1	1	78.5	60.5	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	40.875	2004
08.01.2020 16:18:19	1	1	1	1	78.5	60.75	0	30000	412.9032258	12451.55328	30000	0	0	30000	41	2004
08.01.2020 16:18:20	1	1	1	1	78.5	61	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.25	2004
08.01.2020 16:18:21	1	1	1	1	78.5	61.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	41	2004
08.01.2020 16:18:22	1	1	1	1	78.75	61	0	30000	412.9032258	12451.55328	30000	0	0	30000	41.0625	2004
08.01.2020 16:18:23	1	1	1	1	78.75	61	0	30000	415.0537634	12451.55328	30000	0	0	30000	41	2004
08.01.2020 16:18:24	1	1	1	1	78.75	61	0	30000	417.2043011	12387.13886	30000	0	0	30000	40.75	2004
08.01.2020 16:18:25	1	1	1	1	78.75	60.75	0	30000	412.9032258	12451.55328	30000	0	0	30000	40.4375	2004
08.01.2020 16:18:26	1	1	1	1	78.75	60.25	0	30000	419.3548387	12496.39877	30000	0	0	30000	40.875	2004
08.01.2020 16:18:27	1	1	1	1	78.75	60.75	0	30000	415.0537634	12580.38214	30000	0	0	30000	40.875	2004
08.01.2020 16:18:28	1	1	1	1	78.75	60.75	0	30000	415.0537634	12580.38214	30000	0	0	30000	41.0625	2004
08.01.2020 16:18:29	1	1	1	1	78.75	61	0	30000	406.4516129	12387.13886	30000	0	0	30000	40.5	2004
08.01.2020 16:18:30	1	1	1	1	78.75	60.5	0	30000	397.8494624	11999.83693	30000	0	0	30000	40.4375	2004
08.01.2020 16:18:31	1	1	1	1	78.75	60.25	0	30000	395.6989247	11852.2545	30000	0	0	30000	41.0625	2004
08.01.2020 16:18:32	1	1	1	1	78.5	61	0	30000	404.3010753	12064.25135	30000	0	0	30000	40.25	2004
08.01.2020 16:18:33	1	1	1	1	78.5	60.25	0	30000	412.9032258	12451.55328	30000	0	0	30000	41.0625	2004
08.01.2020 16:18:34	1	1	1	1	78.5	61	0	30000	425.8064516	12773.62542	30000	0	0	30000	41.125	2004
08.01.2020 16:18:35	1	1	1	1	78.5	61	0	30000	419.3548387	12580.38214	30000	0	0	30000	41	2004
08.01.2020 16:18:36	1	1	1	1	78.5	61	0	30000	427.9569892	12838.03984	30000	0	0	30000	40.625	2004
08.01.2020 16:18:37	1	1	1	1	78.5	60.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	40.75	2004
08.01.2020 16:18:38	1	1	1	1	78.5	60.75	0	30000	432.2580645	12838.03984	30000	0	0	30000	40.75	2004
08.01.2020 16:18:39	1	1	1	1	78.5	60.75	0	30000	432.2580645	12838.03984	30000	0	0	30000	41.4375	2004
08.01.2020 16:18:40	1	1	1	1	78.5	61.25	0	29952.607	432.2580645	12967.68407	30000	0	0	30000	40.875	2004
08.01.2020 16:18:41	1	1	1	1	79	61.25	0	29905.213	436.5591398	13289.7562	30000	0	0	30000	40.875	2004
08.01.2020 16:18:42	1	1	1	1	79	60.75	0	29952.607	445.1612903	13354.17063	30000	0	0	30000	40.875	2004
08.01.2020 16:18:43	1	1	1	1	79	60.75	0	30000	451.6129032	13354.17063	30000	0	0	30000	41.0625	2004
08.01.2020 16:18:44	1	1	1	1	79	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.875	2004
08.01.2020 16:18:45	1	1	1	1	79	60.75	0	30000	438.7096774	13160.92735	30000	0	0	30000	41	2004
08.01.2020 16:18:47	1	1	1	1	79	61	0	30000	443.0107527	13289.7562	30000	0	0	30000	41	2004
08.01.2020 16:18:48	1	1	1	1	79	61	0	30000	427.9569892	12838.03984	30000	0	0	30000	40.75	2004
08.01.2020 16:18:49	1	1	1	1	79	60.75	0	30000	438.7096774	13160.92735	30000	0	0	30000	41	2004
08.01.2020 16:18:50	1	1	1	1	79	61	0	30000	440.8602151	13225.34178	30000	0	0	30000	41.125	2004
08.01.2020 16:18:51	1	1	1	1	79	61	0	30000	453.7634409	13612.64371	30000	0	0	30000	40.1875	2004
08.01.2020 16:18:52	1	1	1	1	79	60	0	30000	455.9139785	13612.64371	30000	0	0	30000	41.0625	2004
08.01.2020 16:18:53	1	1	1	1	79	61	0	30000	468.8172043	13935.53122	30000	0	0	30000	40.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 16:18:54	1	1	1	1	79	60.5	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.75	2004
08.01.2020 16:18:55	1	1	1	1	79	60.75	0	29952.607	464.516129	13870.30142	30000	0	0	30000	40.8125	2004
08.01.2020 16:18:56	1	1	1	1	79	60.75	0	30000	464.516129	13805.88699	30000	0	0	30000	40.9375	2004
08.01.2020 16:18:57	1	1	1	1	79	60.75	0	30000	458.0645161	13741.47256	30000	0	0	30000	40.6875	2004
08.01.2020 16:18:58	1	1	1	1	79	60.5	0	30000	443.0107527	13354.17063	30000	0	0	30000	40.9375	2004
08.01.2020 16:18:59	1	1	1	1	79	60.75	0	30000	443.0107527	13140.54304	30000	0	0	30000	40.0625	2004
08.01.2020 16:19:07	1	1	1	1	78.75	61	0	30000	365.5913978	10967.57535	30000	0	0	30000	41.0625	2004
08.01.2020 16:19:07	1	1	1	1	78.75	61	0	30000	365.5913978	10967.57535	30000	0	0	30000	41.0625	2004
08.01.2020 16:19:07	1	1	1	1	78.75	61	0	30000	365.5913978	10967.57535	30000	0	0	30000	41.0625	2004
08.01.2020 16:19:07	1	1	1	1	78.75	61	0	30000	365.5913978	10967.57535	30000	0	0	30000	41.0625	2004
08.01.2020 16:19:07	1	1	1	1	78.75	61	0	30000	365.5913978	10967.57535	30000	0	0	30000	41.0625	2004
08.01.2020 16:19:07	1	1	1	1	78.75	61	0	30000	365.5913978	10967.57535	30000	0	0	30000	41.0625	2004
08.01.2020 16:19:07	1	1	1	1	78.75	61	0	30000	378.4946237	11354.87729	30000	0	0	30000	41	2004
08.01.2020 16:19:08	1	1	1	1	78.75	61	0	30000	384.9462366	11676.94942	30000	0	0	30000	41	2004
08.01.2020 16:19:09	1	1	1	1	78.75	61	0	30000	400	11935.4225	30000	0	0	30000	41.125	2004
08.01.2020 16:19:10	1	1	1	1	78.75	61	0	30000	404.3010753	12387.13886	30000	0	0	30000	41	2004
08.01.2020 16:19:11	1	1	1	1	78.75	61	0	30000	417.2043011	12580.38214	30000	0	0	30000	40.875	2004
08.01.2020 16:19:12	1	1	1	1	79	60.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	39.9375	2004
08.01.2020 16:19:13	1	1	1	1	79	59.75	0	30047.393	415.0537634	12490.69116	30000	0	0	30000	41	2004
08.01.2020 16:19:14	1	1	1	1	79	61	0	30000	404.3010753	12128.66578	30000	0	0	30000	40.6875	2004
08.01.2020 16:19:15	1	1	1	1	79	60.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	41.1875	2004
08.01.2020 16:19:16	1	1	1	1	79	61	0	30000	384.9462366	11382.59995	30000	0	0	30000	41.625	2004
08.01.2020 16:19:17	1	1	1	1	79	61.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	40.8125	2004
08.01.2020 16:19:18	1	1	1	1	79	60.75	0	30000	380.6451613	11419.29171	30000	0	0	30000	40.9375	2004
08.01.2020 16:19:19	1	1	1	1	79	60.5	0	30000	384.9462366	11548.12057	30000	0	0	30000	40.75	2004
08.01.2020 16:19:20	1	1	1	1	79	60.75	0	29952.607	389.2473118	11741.36385	30000	0	0	30000	40.8125	2004
08.01.2020 16:19:21	1	1	1	1	78.5	60.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	41	2004
08.01.2020 16:19:22	1	1	1	1	78.5	61	0	30000	395.6989247	11871.00807	30000	0	0	30000	40.875	2004
08.01.2020 16:19:24	1	1	1	1	78.5	60.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	41	2004
08.01.2020 16:19:25	1	1	1	1	78.5	61	0	29952.607	389.2473118	11548.12057	30000	0	0	30000	41	2004
08.01.2020 16:19:26	1	1	1	1	78.5	61	0	30000	395.6989247	11871.00807	30000	0	0	30000	40.6875	2004
08.01.2020 16:19:27	1	1	1	1	78.5	60.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	40.6875	2004
08.01.2020 16:19:28	1	1	1	1	78.5	60.5	0	30000	391.3978495	11676.94942	30000	0	0	30000	40.9375	2004
08.01.2020 16:19:29	1	1	1	1	78.5	60.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	41.0625	2004
08.01.2020 16:19:30	1	1	1	1	78.5	61	0	30000	384.9462366	11548.12057	30000	0	0	30000	41	2004
08.01.2020 16:19:31	1	1	1	1	78.5	61	0	30000	389.2473118	11676.94942	30000	0	0	30000	41	2004
08.01.2020 16:19:32	1	1	1	1	78.75	61	0	30000	387.0967742	11612.53499	30000	0	0	30000	41.0625	2004
08.01.2020 16:19:33	1	1	1	1	78.75	61	0	30000	384.9462366	11548.12057	30000	0	0	30000	41.1875	2004
08.01.2020 16:19:34	1	1	1	1	78.75	61	0	29952.607	380.6451613	11612.53499	30000	0	0	30000	41.25	2004
08.01.2020 16:19:35	1	1	1	1	78.75	61.25	0	30000	382.7956989	11419.29171	30000	0	0	30000	41.125	2004
08.01.2020 16:19:36	1	1	1	1	78.75	61	0	30000	389.2473118	11676.94942	30000	0	0	30000	41.0625	2004
08.01.2020 16:19:37	1	1	1	1	78.75	61	0	30000	387.0967742	11548.12057	30000	0	0	30000	41.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 16:19:38	1	1	1	1	78.75	61	0	30000	389.2473118	11511.4288	30000	0	0	30000	40.5625	2004
08.01.2020 16:19:39	1	1	1	1	78.75	60.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	40.625	2004
08.01.2020 16:19:40	1	1	1	1	78.75	60.5	0	30000	402.1505376	12064.25135	30000	0	0	30000	41.1875	2004
08.01.2020 16:19:41	1	1	1	1	78.75	61	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	41	2004
08.01.2020 16:19:42	1	1	1	1	78.75	61	0	30000	432.2580645	12540.42889	30000	0	0	30000	40.5625	2004
08.01.2020 16:19:43	1	1	1	1	78.75	60.5	0	30000	432.2580645	12838.03984	30000	0	0	30000	40.9375	2004
08.01.2020 16:19:44	1	1	1	1	78.75	60.75	0	30000	436.5591398	13160.92735	30000	0	0	30000	40.75	2004
08.01.2020 16:19:45	1	1	1	1	78.75	60.75	0	30000	443.0107527	13225.34178	30000	0	0	30000	41.1875	2004
08.01.2020 16:19:46	1	1	1	1	78.75	61	0	30000	443.0107527	13354.17063	30000	0	0	30000	40.9375	2004
08.01.2020 16:19:47	1	1	1	1	78.75	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.125	2004
08.01.2020 16:19:48	1	1	1	1	78.75	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.0625	2004
08.01.2020 16:19:49	1	1	1	1	78.75	61	0	30047.393	443.0107527	13289.7562	30000	0	0	30000	40.8125	2004
08.01.2020 16:19:50	1	1	1	1	78.75	60.75	0	30000	445.1612903	13612.64371	30000	0	0	30000	41	2004
08.01.2020 16:19:51	1	1	1	1	78.75	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.5625	2004
08.01.2020 16:19:52	1	1	1	1	78.5	60.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.25	2004
08.01.2020 16:19:53	1	1	1	1	78.5	60.25	0	30000	481.7204301	14128.7745	30000	0	0	30000	40.75	2004
08.01.2020 16:19:54	1	1	1	1	78.5	60.75	0	30000	470.9677419	13999.94564	30000	0	0	30000	40.8125	2004
08.01.2020 16:19:55	1	1	1	1	78.5	60.75	0	30000	486.0215054	14516.07643	30000	0	0	30000	41.5	2004
08.01.2020 16:19:56	1	1	1	1	78.5	61.5	0	30000	464.516129	13935.53122	30000	0	0	30000	40.75	2004
08.01.2020 16:19:57	1	1	1	1	78.5	60.5	0	29905.213	460.2150538	13805.88699	30000	0	0	30000	40.875	2004
08.01.2020 16:19:58	1	1	1	1	78.5	60.75	0	30000	464.516129	13805.88699	30000	0	0	30000	41.25	2004
08.01.2020 16:19:59	1	1	1	1	78.5	61.25	0	30000	464.516129	13935.53122	30000	0	0	30000	41	2004
08.01.2020 16:20:00	1	1	1	1	78.5	61	0	30000	455.9139785	13870.30142	30000	0	0	30000	40.1875	2004
08.01.2020 16:20:08	1	1	1	1	78.75	60.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	40.75	2004
08.01.2020 16:20:08	1	1	1	1	78.75	60.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	40.75	2004
08.01.2020 16:20:08	1	1	1	1	78.75	60.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	40.75	2004
08.01.2020 16:20:08	1	1	1	1	78.75	60.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	40.75	2004
08.01.2020 16:20:08	1	1	1	1	78.75	60.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	40.75	2004
08.01.2020 16:20:08	1	1	1	1	78.75	60.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	40.75	2004
08.01.2020 16:20:08	1	1	1	1	78.75	60.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	40.75	2004
08.01.2020 16:20:09	1	1	1	1	78.75	60.75	0	30000	425.8064516	12773.62542	30000	0	0	30000	40.9375	2004
08.01.2020 16:20:10	1	1	1	1	78.75	60.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	40.8125	2004
08.01.2020 16:20:11	1	1	1	1	78.75	60.75	0	29952.607	427.9569892	13182.12704	30000	0	0	30000	40.75	2004
08.01.2020 16:20:12	1	1	1	1	79	60.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.125	2004
08.01.2020 16:20:13	1	1	1	1	79	61	0	29952.607	423.655914	12709.21099	30000	0	0	30000	41.25	2004
08.01.2020 16:20:14	1	1	1	1	79	61.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	41.0625	2004
08.01.2020 16:20:15	1	1	1	1	79	61	0	30000	419.3548387	12709.21099	30000	0	0	30000	41	2004
08.01.2020 16:20:16	1	1	1	1	79	61	0	30000	419.3548387	12599.95108	30000	0	0	30000	40.8125	2004
08.01.2020 16:20:17	1	1	1	1	79	60.75	0	30000	415.0537634	12515.96771	30000	0	0	30000	40.875	2004
08.01.2020 16:20:18	1	1	1	1	79	60.75	0	30000	423.655914	12709.21099	30000	0	0	30000	41	2004
08.01.2020 16:20:19	1	1	1	1	79	61	0	30047.393	427.9569892	12838.03984	30000	0	0	30000	40.5	2004
08.01.2020 16:20:20	1	1	1	1	79	60.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.0625	2004
08.01.2020 16:20:21	1	1	1	1	79	61	0	29952.607	427.9569892	13160.92735	30000	0	0	30000	40.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 16:20:22	1	1	1	1	79.25	60.75	0	30000	421.5053763	12580.38214	30000	0	0	30000	41.0625	2004
08.01.2020 16:20:23	1	1	1	1	79.25	61	0	29905.213	412.9032258	12367.56992	30000	0	0	30000	40.75	2004
08.01.2020 16:20:24	1	1	1	1	79.25	60.75	0	30000	415.0537634	12367.56992	30000	0	0	30000	40.625	2004
08.01.2020 16:20:25	1	1	1	1	79.25	60.5	0	30000	412.9032258	12109.91221	30000	0	0	30000	41.125	2004
08.01.2020 16:20:26	1	1	1	1	79.25	61	0	30000	404.3010753	12128.66578	30000	0	0	30000	40.9375	2004
08.01.2020 16:20:27	1	1	1	1	79.25	60.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	40.875	2004
08.01.2020 16:20:28	1	1	1	1	79.25	60.75	0	30000	412.9032258	12451.55328	30000	0	0	30000	41.125	2004
08.01.2020 16:20:29	1	1	1	1	79.25	61	0	30000	415.0537634	12451.55328	30000	0	0	30000	41	2004
08.01.2020 16:20:30	1	1	1	1	79.25	61	0	30000	412.9032258	12387.13886	30000	0	0	30000	40.875	2004
08.01.2020 16:20:31	1	1	1	1	79.25	60.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	40.8125	2004
08.01.2020 16:20:32	1	1	1	1	79.5	60.75	0	30000	400	11935.4225	30000	0	0	30000	40.6875	2004
08.01.2020 16:20:33	1	1	1	1	79.5	60.5	0	29952.607	397.8494624	11935.4225	30000	0	0	30000	40.875	2004
08.01.2020 16:20:34	1	1	1	1	79.5	60.75	0	30000	391.3978495	11676.94942	30000	0	0	30000	41.0625	2004
08.01.2020 16:20:35	1	1	1	1	79.5	61	0	29952.607	387.0967742	11676.94942	30000	0	0	30000	40.8125	2004
08.01.2020 16:20:36	1	1	1	1	79.5	60.75	0	30000	395.6989247	11935.4225	30000	0	0	30000	40.375	2004
08.01.2020 16:20:37	1	1	1	1	79.5	61	0	29952.607	404.3010753	12128.66578	30000	0	0	30000	41	2004
08.01.2020 16:20:38	1	1	1	1	79.5	61	0	30000	412.9032258	12387.13886	30000	0	0	30000	40.9375	2004
08.01.2020 16:20:39	1	1	1	1	79.5	60.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	40.5	2004
08.01.2020 16:20:41	1	1	1	1	79.5	60.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	40.6875	2004
08.01.2020 16:20:42	1	1	1	1	79.25	60.5	0	30000	412.9032258	12471.12222	30000	0	0	30000	40.875	2004
08.01.2020 16:20:43	1	1	1	1	79.25	60.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.0625	2004
08.01.2020 16:20:44	1	1	1	1	79.25	61	0	30000	412.9032258	12387.13886	30000	0	0	30000	40.9375	2004
08.01.2020 16:20:45	1	1	1	1	79.25	60.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.0625	2004
08.01.2020 16:20:46	1	1	1	1	79.25	61	0	30000	412.9032258	12387.13886	30000	0	0	30000	39.875	2004
08.01.2020 16:20:47	1	1	1	1	79.25	59.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	40.875	2004
08.01.2020 16:20:48	1	1	1	1	79.25	60.75	0	30000	404.3010753	12387.13886	30000	0	0	30000	40.625	2004
08.01.2020 16:20:49	1	1	1	1	79.25	60.5	0	30000	412.9032258	12193.08021	30000	0	0	30000	40.1875	2004
08.01.2020 16:20:50	1	1	1	1	79.25	60	0	30000	404.3010753	12128.66578	30000	0	0	30000	41	2004
08.01.2020 16:20:51	1	1	1	1	79.25	61	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.0625	2004
08.01.2020 16:20:52	1	1	1	1	78	61	0	30000	404.3010753	12128.66578	30000	0	0	30000	41	2004
08.01.2020 16:20:53	1	1	1	1	78	61	0	29952.607	404.3010753	12387.13886	30000	0	0	30000	40.5625	2004
08.01.2020 16:20:54	1	1	1	1	78	60.5	0	30000	415.0537634	12387.13886	30000	0	0	30000	40.75	2004
08.01.2020 16:20:55	1	1	1	1	78	60.75	0	30000	404.3010753	12387.13886	30000	0	0	30000	40.9375	2004
08.01.2020 16:20:56	1	1	1	1	78	60.75	0	30000	395.6989247	11935.4225	30000	0	0	30000	41.25	2004
08.01.2020 16:20:57	1	1	1	1	78	61.25	0	30000	384.9462366	11612.53499	30000	0	0	30000	41.125	2004
08.01.2020 16:20:58	1	1	1	1	78	61	0	30000	378.4946237	11354.87729	30000	0	0	30000	40.75	2004
08.01.2020 16:20:59	1	1	1	1	78	60.75	0	29952.607	378.4946237	11354.87729	30000	0	0	30000	41	2004
08.01.2020 16:21:00	1	1	1	1	78	61	0	30000	372.0430108	11160.81863	30000	0	0	30000	40.75	2004
08.01.2020 16:21:01	1	1	1	1	78	60.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	41	2004
08.01.2020 16:21:02	1	1	1	1	77.75	61	0	29952.607	359.1397849	10692.79483	30000	0	0	30000	41.125	2004
08.01.2020 16:21:10	1	1	1	1	77.75	60.75	0	30000	313.9784946	9354.76857	30000	0	0	30000	40.9375	2004
08.01.2020 16:21:10	1	1	1	1	77.75	60.75	0	30000	313.9784946	9354.76857	30000	0	0	30000	40.9375	2004
08.01.2020 16:21:10	1	1	1	1	77.75	60.75	0	30000	313.9784946	9354.76857	30000	0	0	30000	40.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 16:21:10	1	1	1	1	77.75	60.75	0	30000	313.9784946	9354.76857	30000	0	0	30000	40.9375	2004
08.01.2020 16:21:10	1	1	1	1	77.75	60.75	0	30000	313.9784946	9354.76857	30000	0	0	30000	40.9375	2004
08.01.2020 16:21:10	1	1	1	1	77.75	60.75	0	30000	313.9784946	9354.76857	30000	0	0	30000	40.9375	2004
08.01.2020 16:21:10	1	1	1	1	77.75	60.75	0	30000	313.9784946	9354.76857	30000	0	0	30000	40.9375	2004
08.01.2020 16:21:10	1	1	1	1	77.75	60.75	0	30000	309.6774194	9290.354143	30000	0	0	30000	41	2004
08.01.2020 16:21:11	1	1	1	1	77.75	61	0	30000	313.9784946	9354.76857	30000	0	0	30000	40.5	2004
08.01.2020 16:21:12	1	1	1	1	77	60.5	0	30000	316.1290323	9483.597423	30000	0	0	30000	40.8125	2004
08.01.2020 16:21:13	1	1	1	1	77	60.75	0	30000	318.2795699	9612.426277	30000	0	0	30000	41.375	2004
08.01.2020 16:21:14	1	1	1	1	77	60	0	30000	326.8817204	9806.484929	30000	0	0	30000	41.1875	2004
08.01.2020 16:21:15	1	1	1	1	77	61	0	29952.607	331.1827957	9919.821705	30000	0	0	30000	41.0625	2004
08.01.2020 16:21:16	1	1	1	1	77	61	0	30000	344.0860215	10387.03014	30000	0	0	30000	41	2004
08.01.2020 16:21:17	1	1	1	1	77	61	0	30000	348.3870968	10451.44457	30000	0	0	30000	41.125	2004
08.01.2020 16:21:19	1	1	1	1	77	61	0	30000	348.3870968	10451.44457	30000	0	0	30000	40.6875	2004
08.01.2020 16:21:20	1	1	1	1	77	60.5	0	29952.607	369.8924731	11160.81863	30000	0	0	30000	40.5625	2004
08.01.2020 16:21:21	1	1	1	1	77	60.5	0	30000	384.9462366	11548.12057	30000	0	0	30000	41	2004
08.01.2020 16:21:22	1	1	1	1	76.5	61	0	30000	389.2473118	11676.94942	30000	0	0	30000	40.75	2004
08.01.2020 16:21:23	1	1	1	1	76.5	60.75	0	30000	400	12064.25135	30000	0	0	30000	40.6875	2004
08.01.2020 16:21:24	1	1	1	1	76.5	60.5	0	29905.213	404.3010753	12025.92885	30000	0	0	30000	40.5625	2004
08.01.2020 16:21:25	1	1	1	1	76.5	60.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	40.5625	2004
08.01.2020 16:21:26	1	1	1	1	76.5	60.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	41	2004
08.01.2020 16:21:27	1	1	1	1	76.5	61	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.1875	2004
08.01.2020 16:21:28	1	1	1	1	76.5	61	0	30000	438.7096774	13160.92735	30000	0	0	30000	41	2004
08.01.2020 16:21:29	1	1	1	1	76.5	61	0	30000	438.7096774	13160.92735	30000	0	0	30000	40.8125	2004
08.01.2020 16:21:30	1	1	1	1	76.5	60.75	0	30000	434.4086022	13096.51292	30000	0	0	30000	40.9375	2004
08.01.2020 16:21:31	1	1	1	1	76.5	60.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	40.75	2004
08.01.2020 16:21:32	1	1	1	1	76.5	60.75	0	30000	425.8064516	12709.21099	30000	0	0	30000	41	2004
08.01.2020 16:21:33	1	1	1	1	76.5	61	0	29952.607	425.8064516	12773.62542	30000	0	0	30000	41	2004
08.01.2020 16:21:34	1	1	1	1	76.5	61	0	29952.607	427.9569892	13076.12861	30000	0	0	30000	41	2004
08.01.2020 16:21:35	1	1	1	1	76.5	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.9375	2004
08.01.2020 16:21:36	1	1	1	1	76.5	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.0625	2004
08.01.2020 16:21:37	1	1	1	1	76.5	61	0	30000	451.6129032	13483.81486	30000	0	0	30000	41.125	2004
08.01.2020 16:21:38	1	1	1	1	76.5	61	0	29905.213	464.516129	14451.662	30000	0	0	30000	40.875	2004
08.01.2020 16:21:39	1	1	1	1	76.5	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	41.0625	2004
08.01.2020 16:21:40	1	1	1	1	76.5	61	0	30000	481.7204301	14406.00114	30000	0	0	30000	40.8125	2004
08.01.2020 16:21:41	1	1	1	1	76.5	60.75	0	30000	481.7204301	14428.83157	30000	0	0	30000	40.5625	2004
08.01.2020 16:21:42	1	1	1	1	76.75	60.5	0	30000	481.7204301	13999.94564	30000	0	0	30000	40.9375	2004
08.01.2020 16:21:43	1	1	1	1	76.75	60.75	0	30000	481.7204301	14128.7745	30000	0	0	30000	41.0625	2004
08.01.2020 16:21:44	1	1	1	1	76.75	61	0	30000	481.7204301	14128.7745	30000	0	0	30000	41.0625	2004
08.01.2020 16:21:45	1	1	1	1	76.75	61	0	30000	481.7204301	14451.662	30000	0	0	30000	40.6875	2004
08.01.2020 16:21:46	1	1	1	1	76.75	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.875	2004
08.01.2020 16:21:47	1	1	1	1	76.75	60.75	0	30094.787	492.4731183	14451.662	30000	0	0	30000	40.8125	2004
08.01.2020 16:21:48	1	1	1	1	76.75	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	41	2004
08.01.2020 16:21:49	1	1	1	1	76.75	61	0	30000	481.7204301	14451.662	30000	0	0	30000	40.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 16:21:50	1	1	1	1	76.75	60.75	0	29952.607	488.172043	14709.31971	30000	0	0	30000	40.9375	2004
08.01.2020 16:21:51	1	1	1	1	76.75	60.75	0	30000	483.8709677	14516.07643	30000	0	0	30000	41.125	2004
08.01.2020 16:21:52	1	1	1	1	77.25	61	0	30000	492.4731183	14773.73413	30000	0	0	30000	41.375	2004
08.01.2020 16:21:53	1	1	1	1	77.25	61.25	0	29905.213	488.172043	14557.66042	30000	0	0	30000	40.875	2004
08.01.2020 16:21:54	1	1	1	1	77.25	60.75	0	29952.607	488.172043	14709.31971	30000	0	0	30000	41.125	2004
08.01.2020 16:21:55	1	1	1	1	77.25	60.75	0	30000	486.0215054	14644.90528	30000	0	0	30000	40.625	2004
08.01.2020 16:21:56	1	1	1	1	77.25	60.5	0	30000	488.172043	14644.90528	30000	0	0	30000	41	2004
08.01.2020 16:21:57	1	1	1	1	77.25	61	0	30000	481.7204301	14516.07643	30000	0	0	30000	40.25	2004
08.01.2020 16:21:59	1	1	1	1	77.25	60.25	0	29952.607	468.8172043	13999.94564	30000	0	0	30000	41.0625	2004
08.01.2020 16:22:00	1	1	1	1	77.25	61	0	30000	481.7204301	14128.7745	30000	0	0	30000	40.8125	2004
08.01.2020 16:22:01	1	1	1	1	77.25	60.75	0	29905.213	449.4623656	13741.47256	30000	0	0	30000	41	2004
08.01.2020 16:22:02	1	1	1	1	77.5	61	0	29952.607	464.516129	13805.88699	30000	0	0	30000	40.75	2004
08.01.2020 16:22:03	1	1	1	1	77.5	60.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	40.8125	2004
08.01.2020 16:22:04	1	1	1	1	77.5	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.9375	2004
08.01.2020 16:22:11	1	1	1	1	77.5	60.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	40.125	2004
08.01.2020 16:22:11	1	1	1	1	77.5	60.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	40.125	2004
08.01.2020 16:22:11	1	1	1	1	77.5	60.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	40.125	2004
08.01.2020 16:22:11	1	1	1	1	77.5	60.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	40.125	2004
08.01.2020 16:22:11	1	1	1	1	77.5	60.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	40.125	2004
08.01.2020 16:22:11	1	1	1	1	77.5	60.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	40.125	2004
08.01.2020 16:22:11	1	1	1	1	77.5	60.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	40.125	2004
08.01.2020 16:22:11	1	1	1	1	77.5	60.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	40.125	2004
08.01.2020 16:22:12	1	1	1	1	77.5	60	0	30000	427.9569892	12838.03984	30000	0	0	30000	40.6875	2004
08.01.2020 16:22:13	1	1	1	1	77.5	60.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	40.6875	2004
08.01.2020 16:22:14	1	1	1	1	77.5	60.5	0	30000	432.2580645	12818.4709	30000	0	0	30000	41	2004
08.01.2020 16:22:15	1	1	1	1	77.5	61	0	30000	438.7096774	13160.92735	30000	0	0	30000	41	2004
08.01.2020 16:22:16	1	1	1	1	77.5	61	0	30000	443.0107527	13289.7562	30000	0	0	30000	40.75	2004
08.01.2020 16:22:17	1	1	1	1	77.5	60.75	0	30000	449.4623656	13548.22928	30000	0	0	30000	40.875	2004
08.01.2020 16:22:18	1	1	1	1	77.5	60.75	0	30047.393	445.1612903	13375.37032	30000	0	0	30000	40.3125	2004
08.01.2020 16:22:19	1	1	1	1	77.5	60.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.75	2004
08.01.2020 16:22:20	1	1	1	1	77.5	60.75	0	30000	438.7096774	13160.92735	30000	0	0	30000	40.6875	2004
08.01.2020 16:22:21	1	1	1	1	77.5	60.5	0	30000	440.8602151	13160.92735	30000	0	0	30000	40.875	2004
08.01.2020 16:22:22	1	1	1	1	77.75	60.75	0	29952.607	427.9569892	12838.03984	30000	0	0	30000	41	2004
08.01.2020 16:22:23	1	1	1	1	77.75	61	0	29952.607	427.9569892	12838.03984	30000	0	0	30000	40.6875	2004
08.01.2020 16:22:24	1	1	1	1	77.75	60.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	40.875	2004
08.01.2020 16:22:25	1	1	1	1	77.75	60.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	41	2004
08.01.2020 16:22:26	1	1	1	1	77.75	61	0	30000	427.9569892	12838.03984	30000	0	0	30000	40.75	2004
08.01.2020 16:22:27	1	1	1	1	77.75	60.75	0	29952.607	434.4086022	12967.68407	30000	0	0	30000	40.8125	2004
08.01.2020 16:22:28	1	1	1	1	77.75	60.75	0	30000	434.4086022	13096.51292	30000	0	0	30000	40.75	2004
08.01.2020 16:22:29	1	1	1	1	77.75	60.75	0	30000	438.7096774	13160.92735	30000	0	0	30000	41	2004
08.01.2020 16:22:30	1	1	1	1	77.75	61	0	30000	443.0107527	13225.34178	30000	0	0	30000	41.3125	2004
08.01.2020 16:22:31	1	1	1	1	77.75	61.25	0	30000	438.7096774	13160.92735	30000	0	0	30000	41.125	2004
08.01.2020 16:22:32	1	1	1	1	77.75	61	0	30000	438.7096774	13225.34178	30000	0	0	30000	41.125	2004
08.01.2020 16:22:33	1	1	1	1	77.75	61	0	29952.607	440.8602151	13289.7562	30000	0	0	30000	41.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 16:22:34	1	1	1	1	77.75	61	0	30000	443.0107527	13354.17063	30000	0	0	30000	40.8125	2004
08.01.2020 16:22:36	1	1	1	1	77.75	60.75	0	30000	449.4623656	13354.17063	30000	0	0	30000	40.875	2004
08.01.2020 16:22:37	1	1	1	1	77.75	60.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	40.9375	2004
08.01.2020 16:22:38	1	1	1	1	77.75	60.75	0	30000	458.0645161	13805.88699	30000	0	0	30000	40.5625	2004
08.01.2020 16:22:39	1	1	1	1	77.75	60.5	0	30000	464.516129	13935.53122	30000	0	0	30000	40.875	2004
08.01.2020 16:22:40	1	1	1	1	77.75	60.75	0	30000	464.516129	13935.53122	30000	0	0	30000	40.9375	2004
08.01.2020 16:22:41	1	1	1	1	77.75	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.5625	2004
08.01.2020 16:22:42	1	1	1	1	77.75	60.5	0	29952.607	466.6666667	13999.94564	30000	0	0	30000	40.5	2004
08.01.2020 16:22:43	1	1	1	1	77.75	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	41.125	2004
08.01.2020 16:22:44	1	1	1	1	77.75	61	0	30000	481.7204301	14451.662	30000	0	0	30000	40.25	2004
08.01.2020 16:22:45	1	1	1	1	77.75	60.25	0	29952.607	481.7204301	14451.662	30000	0	0	30000	40.75	2004
08.01.2020 16:22:46	1	1	1	1	77.75	60.75	0	30000	466.6666667	13999.94564	30000	0	0	30000	41.125	2004
08.01.2020 16:22:47	1	1	1	1	77.75	61	0	29905.213	455.9139785	13913.51616	30000	0	0	30000	40.625	2004
08.01.2020 16:22:48	1	1	1	1	77.75	60.5	0	30000	481.7204301	14516.07643	30000	0	0	30000	40.75	2004
08.01.2020 16:22:49	1	1	1	1	77.75	60.75	0	30000	492.4731183	14902.56299	30000	0	0	30000	40.6875	2004
08.01.2020 16:22:50	1	1	1	1	77.75	60.5	0	30000	507.5268817	15225.45049	30000	0	0	30000	40.875	2004
08.01.2020 16:22:51	1	1	1	1	77.75	60.75	0	30000	505.3763441	15161.03607	30000	0	0	30000	40.875	2004
08.01.2020 16:22:52	1	1	1	1	78	60.75	0	30000	503.2258065	15161.03607	30000	0	0	30000	40.9375	2004
08.01.2020 16:22:53	1	1	1	1	78	60.75	0	30000	501.0752688	15032.20721	30000	0	0	30000	41	2004
08.01.2020 16:22:54	1	1	1	1	78	61	0	30000	501.0752688	15096.62164	30000	0	0	30000	40.875	2004
08.01.2020 16:22:55	1	1	1	1	78	60.75	0	29952.607	496.7741935	14902.56299	30000	0	0	30000	40.9375	2004
08.01.2020 16:22:56	1	1	1	1	78	60.75	0	30047.393	496.7741935	14644.90528	30000	0	0	30000	41.0625	2004
08.01.2020 16:22:57	1	1	1	1	78	61	0	30000	494.6236559	14815.31813	30000	0	0	30000	40.5	2004
08.01.2020 16:22:58	1	1	1	1	78	60.5	0	30000	486.0215054	14644.90528	30000	0	0	30000	40.125	2004
08.01.2020 16:22:59	1	1	1	1	78	60	0	30000	488.172043	14580.49085	30000	0	0	30000	40.9375	2004
08.01.2020 16:23:00	1	1	1	1	78	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.4375	2004
08.01.2020 16:23:01	1	1	1	1	78	60.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.9375	2004
08.01.2020 16:23:02	1	1	1	1	78.75	60.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	40.9375	2004
08.01.2020 16:23:03	1	1	1	1	78.75	60.75	0	30000	389.2473118	11612.53499	30000	0	0	30000	41.0625	2004
08.01.2020 16:23:04	1	1	1	1	78.75	61	0	30000	382.7956989	11336.93909	30000	0	0	30000	40.875	2004
08.01.2020 16:23:05	1	1	1	1	78.75	60.75	0	30000	395.6989247	11852.2545	30000	0	0	30000	40.9375	2004
08.01.2020 16:23:13	1	1	1	1	78.5	60.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	40.6875	2004
08.01.2020 16:23:13	1	1	1	1	78.5	60.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	40.6875	2004
08.01.2020 16:23:13	1	1	1	1	78.5	60.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	40.6875	2004
08.01.2020 16:23:13	1	1	1	1	78.5	60.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	40.6875	2004
08.01.2020 16:23:13	1	1	1	1	78.5	60.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	40.6875	2004
08.01.2020 16:23:13	1	1	1	1	78.5	60.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	40.6875	2004
08.01.2020 16:23:13	1	1	1	1	78.5	60.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	40.6875	2004
08.01.2020 16:23:13	1	1	1	1	78.5	60.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	40.6875	2004
08.01.2020 16:23:14	1	1	1	1	78.5	60.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	40.5	2004
08.01.2020 16:23:15	1	1	1	1	78.5	60.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	40.9375	2004
08.01.2020 16:23:16	1	1	1	1	78.5	60.75	0	30000	380.6451613	11419.29171	30000	0	0	30000	40.8125	2004
08.01.2020 16:23:17	1	1	1	1	78.5	60.75	0	29952.607	380.6451613	11354.87729	30000	0	0	30000	40.8125	2004
08.01.2020 16:23:18	1	1	1	1	78.5	60.75	0	30000	395.6989247	11741.36385	30000	0	0	30000	41.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 16:23:19	1	1	1	1	78.5	61	0	30000	395.6989247	11741.36385	30000	0	0	30000	40.9375	2004
08.01.2020 16:23:20	1	1	1	1	78.5	60.75	0	30000	384.9462366	11548.12057	30000	0	0	30000	40.875	2004
08.01.2020 16:23:21	1	1	1	1	78.5	60.75	0	29952.607	380.6451613	11419.29171	30000	0	0	30000	40.6875	2004
08.01.2020 16:23:22	1	1	1	1	78.75	60.5	0	30000	380.6451613	11419.29171	30000	0	0	30000	40.5625	2004
08.01.2020 16:23:23	1	1	1	1	78.75	60.5	0	30000	380.6451613	11419.29171	30000	0	0	30000	40.875	2004
08.01.2020 16:23:24	1	1	1	1	78.75	60.75	0	30000	380.6451613	11483.70614	30000	0	0	30000	41	2004
08.01.2020 16:23:25	1	1	1	1	78.75	61	0	30000	384.9462366	11548.12057	30000	0	0	30000	40.9375	2004
08.01.2020 16:23:26	1	1	1	1	78.75	60.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	40.875	2004
08.01.2020 16:23:27	1	1	1	1	78.75	60.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	41	2004
08.01.2020 16:23:28	1	1	1	1	78.75	61	0	30000	419.3548387	12580.38214	30000	0	0	30000	40.8125	2004
08.01.2020 16:23:29	1	1	1	1	78.75	60.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	40.6875	2004
08.01.2020 16:23:30	1	1	1	1	78.75	60.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	40.9375	2004
08.01.2020 16:23:31	1	1	1	1	78.75	60.75	0	30000	425.8064516	12773.62542	30000	0	0	30000	40.0625	2004
08.01.2020 16:23:32	1	1	1	1	79	60	0	30000	425.8064516	12773.62542	30000	0	0	30000	41	2004
08.01.2020 16:23:33	1	1	1	1	79	61	0	30000	425.8064516	12709.21099	30000	0	0	30000	40.9375	2004
08.01.2020 16:23:34	1	1	1	1	79	60.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	40.4375	2004
08.01.2020 16:23:35	1	1	1	1	79	60.25	0	30000	438.7096774	12967.68407	30000	0	0	30000	41	2004
08.01.2020 16:23:36	1	1	1	1	79	61	0	30000	438.7096774	13160.92735	30000	0	0	30000	41	2004
08.01.2020 16:23:37	1	1	1	1	79	61	0	29952.607	427.9569892	12967.68407	30000	0	0	30000	40.4375	2004
08.01.2020 16:23:38	1	1	1	1	79	60.25	0	30000	438.7096774	13160.92735	30000	0	0	30000	41	2004
08.01.2020 16:23:39	1	1	1	1	79	61	0	30000	438.7096774	13160.92735	30000	0	0	30000	40.6875	2004
08.01.2020 16:23:40	1	1	1	1	79	60.5	0	29952.607	427.9569892	12838.03984	30000	0	0	30000	41	2004
08.01.2020 16:23:41	1	1	1	1	79	61	0	30000	438.7096774	13225.34178	30000	0	0	30000	41.125	2004
08.01.2020 16:23:42	1	1	1	1	79.75	61	0	30000	432.2580645	12967.68407	30000	0	0	30000	40.75	2004
08.01.2020 16:23:43	1	1	1	1	79.75	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.0625	2004
08.01.2020 16:23:44	1	1	1	1	79.75	60	0	30000	453.7634409	13741.47256	30000	0	0	30000	41.125	2004
08.01.2020 16:23:45	1	1	1	1	79.75	61	0	30000	453.7634409	13612.64371	30000	0	0	30000	40.9375	2004
08.01.2020 16:23:46	1	1	1	1	79.75	60.75	0	30000	453.7634409	13591.44402	30000	0	0	30000	41.125	2004
08.01.2020 16:23:47	1	1	1	1	79.75	61	0	30000	453.7634409	13612.64371	30000	0	0	30000	41.3125	2004
08.01.2020 16:23:48	1	1	1	1	79.75	60.75	0	30000	458.0645161	13741.47256	30000	0	0	30000	40.5625	2004
08.01.2020 16:23:49	1	1	1	1	79.75	60.5	0	30000	449.4623656	13483.81486	30000	0	0	30000	40.875	2004
08.01.2020 16:23:50	1	1	1	1	79.75	60.75	0	30000	451.6129032	13548.22928	30000	0	0	30000	40.75	2004
08.01.2020 16:23:52	1	1	1	1	80	60.75	0	30000	451.6129032	13612.64371	30000	0	0	30000	40.625	2004
08.01.2020 16:23:53	1	1	1	1	80	60.5	0	29952.607	455.9139785	13612.64371	30000	0	0	30000	41	2004
08.01.2020 16:23:54	1	1	1	1	80	61	0	30000	464.516129	13935.53122	30000	0	0	30000	40.4375	2004
08.01.2020 16:23:55	1	1	1	1	80	60.25	0	30000	468.8172043	14128.7745	30000	0	0	30000	40.9375	2004
08.01.2020 16:23:56	1	1	1	1	80	60.75	0	30000	464.516129	13935.53122	30000	0	0	30000	40.75	2004
08.01.2020 16:23:57	1	1	1	1	80	60.75	0	30000	445.1612903	13612.64371	30000	0	0	30000	40.875	2004
08.01.2020 16:23:58	1	1	1	1	80	60.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	40.5	2004
08.01.2020 16:23:59	1	1	1	1	80	60.5	0	30000	415.0537634	12515.96771	30000	0	0	30000	40.8125	2004
08.01.2020 16:24:00	1	1	1	1	80	60.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	40.75	2004
08.01.2020 16:24:01	1	1	1	1	80	60.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	40.875	2004
08.01.2020 16:24:02	1	1	1	1	79.75	60.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	41	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 16:24:03	1	1	1	1	79.75	61	0	30000	402.1505376	11916.66893	30000	0	0	30000	41	2004
08.01.2020 16:24:04	1	1	1	1	79.75	61	0	29952.607	387.0967742	11548.12057	30000	0	0	30000	41.0625	2004
08.01.2020 16:24:05	1	1	1	1	79.75	61	0	30000	384.9462366	11548.12057	30000	0	0	30000	41.1875	2004
08.01.2020 16:24:06	1	1	1	1	79.75	61	0	30000	359.1397849	10773.5167	30000	0	0	30000	40.75	2004
08.01.2020 16:24:07	1	1	1	1	79.75	60.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.0625	2004
08.01.2020 16:24:14	1	1	1	1	79.5	60.25	0	30000	404.3010753	12193.08021	30000	0	0	30000	40.875	2004
08.01.2020 16:24:14	1	1	1	1	79.5	60.25	0	30000	404.3010753	12193.08021	30000	0	0	30000	40.875	2004
08.01.2020 16:24:14	1	1	1	1	79.5	60.25	0	30000	404.3010753	12193.08021	30000	0	0	30000	40.875	2004
08.01.2020 16:24:14	1	1	1	1	79.5	60.25	0	30000	404.3010753	12193.08021	30000	0	0	30000	40.875	2004
08.01.2020 16:24:14	1	1	1	1	79.5	60.25	0	30000	404.3010753	12193.08021	30000	0	0	30000	40.875	2004
08.01.2020 16:24:14	1	1	1	1	79.5	60.25	0	30000	404.3010753	12193.08021	30000	0	0	30000	40.875	2004
08.01.2020 16:24:14	1	1	1	1	79.5	60.25	0	30000	404.3010753	12193.08021	30000	0	0	30000	40.875	2004
08.01.2020 16:24:17	1	1	1	1	79.5	61	0	30047.393	427.9569892	12773.62542	30000	0	0	30000	40.9375	2004
08.01.2020 16:24:17	1	1	1	1	79.5	61	0	30047.393	427.9569892	12773.62542	30000	0	0	30000	40.9375	2004
08.01.2020 16:24:17	1	1	1	1	79.5	61	0	30047.393	427.9569892	12773.62542	30000	0	0	30000	40.9375	2004
08.01.2020 16:24:18	1	1	1	1	79.5	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	41	2004
08.01.2020 16:24:19	1	1	1	1	79.5	61	0	30000	451.6129032	13612.64371	30000	0	0	30000	40.8125	2004
08.01.2020 16:24:20	1	1	1	1	79.5	60.75	0	30000	460.2150538	13805.88699	30000	0	0	30000	40.375	2004
08.01.2020 16:24:21	1	1	1	1	79.5	60.25	0	30000	481.7204301	14128.7745	30000	0	0	30000	41.0625	2004
08.01.2020 16:24:22	1	1	1	1	79.5	61	0	30000	464.516129	14451.662	30000	0	0	30000	40.8125	2004
08.01.2020 16:24:23	1	1	1	1	79.5	60.75	0	30000	468.8172043	14451.662	30000	0	0	30000	41	2004
08.01.2020 16:24:24	1	1	1	1	79.5	61	0	29952.607	481.7204301	14428.83157	30000	0	0	30000	40.6875	2004
08.01.2020 16:24:25	1	1	1	1	79.5	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.375	2004
08.01.2020 16:24:26	1	1	1	1	79.5	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	41.3125	2004
08.01.2020 16:24:27	1	1	1	1	79.5	61.25	0	30000	488.172043	14644.90528	30000	0	0	30000	40.8125	2004
08.01.2020 16:24:28	1	1	1	1	79.5	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.875	2004
08.01.2020 16:24:29	1	1	1	1	79.5	60.75	0	30000	490.3225806	14773.73413	30000	0	0	30000	39.75	2004
08.01.2020 16:24:31	1	1	1	1	79.5	59.75	0	30000	490.3225806	14644.90528	30000	0	0	30000	40.6875	2004
08.01.2020 16:24:32	1	1	1	1	79.5	60.5	0	30000	488.172043	14644.90528	30000	0	0	30000	40.875	2004
08.01.2020 16:24:33	1	1	1	1	79.5	60.75	0	30000	496.7741935	14902.56299	30000	0	0	30000	39.9375	2004
08.01.2020 16:24:34	1	1	1	1	79.5	59.75	0	30000	503.2258065	15161.03607	30000	0	0	30000	40.6875	2004
08.01.2020 16:24:35	1	1	1	1	79.5	60.5	0	30000	488.172043	14773.73413	30000	0	0	30000	40.4375	2004
08.01.2020 16:24:36	1	1	1	1	79.5	60.25	0	29952.607	488.172043	14469.6002	30000	0	0	30000	40.25	2004
08.01.2020 16:24:37	1	1	1	1	79.5	60.25	0	30000	494.6236559	14838.14856	30000	0	0	30000	40.3125	2004
08.01.2020 16:24:38	1	1	1	1	79.5	60.25	0	30000	492.4731183	14861.79436	30000	0	0	30000	40.375	2004
08.01.2020 16:24:39	1	1	1	1	79.5	60.25	0	30000	488.172043	14644.90528	30000	0	0	30000	40.4375	2004
08.01.2020 16:24:40	1	1	1	1	79.5	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.6875	2004
08.01.2020 16:24:41	1	1	1	1	79.5	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.5	2004
08.01.2020 16:24:42	1	1	1	1	79.5	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.5	2004
08.01.2020 16:24:43	1	1	1	1	79.5	60.5	0	30000	488.172043	14644.90528	30000	0	0	30000	40.9375	2004
08.01.2020 16:24:44	1	1	1	1	79.5	60.75	0	30000	488.172043	14773.73413	30000	0	0	30000	40.8125	2004
08.01.2020 16:24:45	1	1	1	1	79.5	60.75	0	30000	492.4731183	14773.73413	30000	0	0	30000	40.1875	2004
08.01.2020 16:24:46	1	1	1	1	79.5	60	0	29905.213	494.6236559	14838.14856	30000	0	0	30000	40.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 16:24:47	1	1	1	1	79.5	60.75	0	30000	486.0215054	14516.07643	30000	0	0	30000	40.9375	2004
08.01.2020 16:24:48	1	1	1	1	79.5	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.75	2004
08.01.2020 16:24:49	1	1	1	1	79.5	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	41	2004
08.01.2020 16:24:50	1	1	1	1	79.5	61	0	30000	468.8172043	14451.662	30000	0	0	30000	40.625	2004
08.01.2020 16:24:51	1	1	1	1	79.5	60.5	0	30000	464.516129	13935.53122	30000	0	0	30000	40.875	2004
08.01.2020 16:24:52	1	1	1	1	80.5	60.75	0	30000	460.2150538	13805.88699	30000	0	0	30000	40.8125	2004
08.01.2020 16:24:53	1	1	1	1	80.5	60.75	0	30000	464.516129	13805.88699	30000	0	0	30000	40.3125	2004
08.01.2020 16:24:54	1	1	1	1	80.5	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.6875	2004
08.01.2020 16:24:55	1	1	1	1	80.5	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.9375	2004
08.01.2020 16:24:56	1	1	1	1	80.5	60.75	0	30000	460.2150538	13741.47256	30000	0	0	30000	40.375	2004
08.01.2020 16:24:57	1	1	1	1	80.5	60.25	0	30000	440.8602151	13289.7562	30000	0	0	30000	40.625	2004
08.01.2020 16:24:58	1	1	1	1	80.5	60.5	0	30000	432.2580645	12967.68407	30000	0	0	30000	41.0625	2004
08.01.2020 16:24:59	1	1	1	1	80.5	61	0	30000	404.3010753	12128.66578	30000	0	0	30000	40.625	2004
08.01.2020 16:25:00	1	1	1	1	80.5	60.5	0	30000	395.6989247	11935.4225	30000	0	0	30000	40.875	2004
08.01.2020 16:25:01	1	1	1	1	80.5	60.75	0	30000	391.3978495	11676.94942	30000	0	0	30000	40.375	2004
08.01.2020 16:25:02	1	1	1	1	81	60.25	0	29952.607	384.9462366	11548.12057	30000	0	0	30000	41.25	2004
08.01.2020 16:25:03	1	1	1	1	81	61.25	0	30000	380.6451613	11419.29171	30000	0	0	30000	41.1875	2004
08.01.2020 16:25:04	1	1	1	1	81	61	0	30047.393	372.0430108	11160.81863	30000	0	0	30000	41.0625	2004
08.01.2020 16:25:05	1	1	1	1	81	61	0	30000	372.0430108	11225.23306	30000	0	0	30000	41.5	2004
08.01.2020 16:25:06	1	1	1	1	81	60.75	0	30000	369.8924731	11031.98978	30000	0	0	30000	41.1875	2004
08.01.2020 16:25:08	1	1	1	1	81	61	0	29905.213	378.4946237	11354.87729	30000	0	0	30000	41	2004
08.01.2020 16:25:09	1	1	1	1	81	61	0	30000	395.6989247	11871.00807	30000	0	0	30000	40.875	2004
08.01.2020 16:25:16	1	1	1	1	81	60.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.0625	2004
08.01.2020 16:25:16	1	1	1	1	81	60.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.0625	2004
08.01.2020 16:25:16	1	1	1	1	81	60.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.0625	2004
08.01.2020 16:25:16	1	1	1	1	81	60.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.0625	2004
08.01.2020 16:25:16	1	1	1	1	81	60.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.0625	2004
08.01.2020 16:25:16	1	1	1	1	81	60.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.0625	2004
08.01.2020 16:25:16	1	1	1	1	81	60.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.0625	2004
08.01.2020 16:25:17	1	1	1	1	81	61	0	30000	438.7096774	13225.34178	30000	0	0	30000	40.8125	2004
08.01.2020 16:25:18	1	1	1	1	81	60.75	0	30000	443.0107527	13526.21423	30000	0	0	30000	40.875	2004
08.01.2020 16:25:19	1	1	1	1	81	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.3125	2004
08.01.2020 16:25:20	1	1	1	1	81	60.25	0	30000	453.7634409	13741.47256	30000	0	0	30000	40.5	2004
08.01.2020 16:25:21	1	1	1	1	81	60.5	0	30000	460.2150538	13805.88699	30000	0	0	30000	40.625	2004
08.01.2020 16:25:22	1	1	1	1	80.5	60.5	0	30000	455.9139785	13935.53122	30000	0	0	30000	40.375	2004
08.01.2020 16:25:23	1	1	1	1	80.5	60.25	0	30000	460.2150538	13805.88699	30000	0	0	30000	40.875	2004
08.01.2020 16:25:24	1	1	1	1	80.5	60.75	0	29905.213	455.9139785	13741.47256	30000	0	0	30000	40.8125	2004
08.01.2020 16:25:25	1	1	1	1	80.5	60.75	0	30000	464.516129	13935.53122	30000	0	0	30000	41	2004
08.01.2020 16:25:26	1	1	1	1	80.5	61	0	30000	464.516129	13935.53122	30000	0	0	30000	40.9375	2004
08.01.2020 16:25:27	1	1	1	1	80.5	60.75	0	30000	460.2150538	13805.88699	30000	0	0	30000	41.125	2004
08.01.2020 16:25:28	1	1	1	1	80.5	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	39.625	2004
08.01.2020 16:25:29	1	1	1	1	80.5	59.5	0	30000	434.4086022	13096.51292	30000	0	0	30000	40.6875	2004
08.01.2020 16:25:30	1	1	1	1	80.5	60.5	0	30000	425.8064516	12709.21099	30000	0	0	30000	40.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 16:25:31	1	1	1	1	80.5	60.75	0	30142.18	427.9569892	12838.03984	30000	0	0	30000	40.4375	2004
08.01.2020 16:25:32	1	1	1	1	80.5	60.25	0	30094.787	427.9569892	12773.62542	30000	0	0	30000	40.75	2004
08.01.2020 16:25:33	1	1	1	1	80.5	60.75	0	30000	423.655914	12709.21099	30000	0	0	30000	40.8125	2004
08.01.2020 16:25:34	1	1	1	1	80.5	60.75	0	30000	425.8064516	12773.62542	30000	0	0	30000	40.9375	2004
08.01.2020 16:25:35	1	1	1	1	80.5	60.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	40.9375	2004
08.01.2020 16:25:36	1	1	1	1	80.5	60.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	40.75	2004
08.01.2020 16:25:37	1	1	1	1	80.5	60.75	0	30000	404.3010753	12064.25135	30000	0	0	30000	40.5625	2004
08.01.2020 16:25:38	1	1	1	1	80.5	60.5	0	29905.213	395.6989247	11981.08336	30000	0	0	30000	41.0625	2004
08.01.2020 16:25:39	1	1	1	1	80.5	61	0	30000	395.6989247	11935.4225	30000	0	0	30000	41.125	2004
08.01.2020 16:25:40	1	1	1	1	80.5	61	0	30000	391.3978495	11805.77827	30000	0	0	30000	40.9375	2004
08.01.2020 16:25:41	1	1	1	1	80.5	60.75	0	30000	389.2473118	11695.70299	30000	0	0	30000	40.1875	2004
08.01.2020 16:25:42	1	1	1	1	80.75	60	0	29952.607	395.6989247	11935.4225	30000	0	0	30000	41.25	2004
08.01.2020 16:25:43	1	1	1	1	80.75	61.25	0	30000	391.3978495	11676.94942	30000	0	0	30000	40.9375	2004
08.01.2020 16:25:44	1	1	1	1	80.75	60.75	0	30000	391.3978495	11741.36385	30000	0	0	30000	41.4375	2004
08.01.2020 16:25:45	1	1	1	1	80.75	61.25	0	30000	384.9462366	11548.12057	30000	0	0	30000	41	2004
08.01.2020 16:25:47	1	1	1	1	80.75	61	0	30000	389.2473118	11676.94942	30000	0	0	30000	40.875	2004
08.01.2020 16:25:48	1	1	1	1	80.75	60.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	41	2004
08.01.2020 16:25:49	1	1	1	1	80.75	61	0	29952.607	395.6989247	11935.4225	30000	0	0	30000	41.0625	2004
08.01.2020 16:25:50	1	1	1	1	80.75	61	0	30000	395.6989247	11935.4225	30000	0	0	30000	40.1875	2004
08.01.2020 16:25:51	1	1	1	1	80.75	60	0	30000	404.3010753	12064.25135	30000	0	0	30000	40.9375	2004
08.01.2020 16:25:52	1	1	1	1	80.75	60.75	0	29952.607	397.8494624	11935.4225	30000	0	0	30000	40.875	2004
08.01.2020 16:25:53	1	1	1	1	80.75	60.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	40.6875	2004
08.01.2020 16:25:54	1	1	1	1	80.75	60.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	41	2004
08.01.2020 16:25:55	1	1	1	1	80.75	61	0	30000	397.8494624	11916.66893	30000	0	0	30000	41.0625	2004
08.01.2020 16:25:56	1	1	1	1	80.75	61	0	29952.607	395.6989247	11871.00807	30000	0	0	30000	40.9375	2004
08.01.2020 16:25:57	1	1	1	1	80.75	60.75	0	29952.607	384.9462366	11530.18237	30000	0	0	30000	40.9375	2004
08.01.2020 16:25:58	1	1	1	1	80.75	60.75	0	30000	372.0430108	11160.81863	30000	0	0	30000	41.0625	2004
08.01.2020 16:25:59	1	1	1	1	80.75	61	0	30000	359.1397849	10903.16093	30000	0	0	30000	40.9375	2004
08.01.2020 16:26:00	1	1	1	1	80.75	60.75	0	30000	352.688172	10515.85899	30000	0	0	30000	41.0625	2004
08.01.2020 16:26:01	1	1	1	1	80.75	61	0	30000	341.9354839	10257.38592	30000	0	0	30000	40.875	2004
08.01.2020 16:26:02	1	1	1	1	80.5	60.75	0	29952.607	322.5806452	9741.25513	30000	0	0	30000	40.9375	2004
08.01.2020 16:26:03	1	1	1	1	80.5	60.75	0	30000	320.4301075	9483.597423	30000	0	0	30000	41	2004
08.01.2020 16:26:04	1	1	1	1	80.5	61	0	30000	320.4301075	9612.426277	30000	0	0	30000	40.6875	2004
08.01.2020 16:26:05	1	1	1	1	80.5	60.5	0	30000	322.5806452	9806.484929	30000	0	0	30000	40.75	2004
08.01.2020 16:26:06	1	1	1	1	80.5	60.75	0	30000	313.9784946	9483.597423	30000	0	0	30000	40.9375	2004
08.01.2020 16:26:07	1	1	1	1	80.5	60.75	0	30000	305.3763441	9160.709918	30000	0	0	30000	40.875	2004
08.01.2020 16:26:08	1	1	1	1	80.5	60.75	0	30000	303.2258065	9031.881064	30000	0	0	30000	41.0625	2004
08.01.2020 16:26:09	1	1	1	1	80.5	61	0	30000	303.2258065	9096.295491	30000	0	0	30000	40.8125	2004
08.01.2020 16:26:10	1	1	1	1	80.5	60.75	0	30000	305.3763441	9160.709918	30000	0	0	30000	40.8125	2004
08.01.2020 16:26:18	1	1	1	1	80.25	61	0	30000	301.0752688	9031.881064	30000	0	0	30000	41.0625	2004
08.01.2020 16:26:18	1	1	1	1	80.25	61	0	30000	301.0752688	9031.881064	30000	0	0	30000	41.0625	2004
08.01.2020 16:26:18	1	1	1	1	80.25	61	0	30000	301.0752688	9031.881064	30000	0	0	30000	41.0625	2004
08.01.2020 16:26:18	1	1	1	1	80.25	61	0	30000	301.0752688	9031.881064	30000	0	0	30000	41.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 16:26:18	1	1	1	1	80.25	61	0	30000	301.0752688	9031.881064	30000	0	0	30000	41.0625	2004
08.01.2020 16:26:18	1	1	1	1	80.25	61	0	30000	301.0752688	9031.881064	30000	0	0	30000	41.0625	2004
08.01.2020 16:26:18	1	1	1	1	80.25	61	0	30000	301.0752688	9031.881064	30000	0	0	30000	41.0625	2004
08.01.2020 16:26:18	1	1	1	1	80.25	61	0	30000	296.7741935	8967.466638	30000	0	0	30000	41.1875	2004
08.01.2020 16:26:19	1	1	1	1	80.25	61	0	30000	301.0752688	9031.881064	30000	0	0	30000	40.9375	2004
08.01.2020 16:26:20	1	1	1	1	80.25	60.75	0	30000	296.7741935	8903.052211	30000	0	0	30000	41.375	2004
08.01.2020 16:26:21	1	1	1	1	80.25	61.25	0	29952.607	290.3225806	8824.776452	30000	0	0	30000	41	2004
08.01.2020 16:26:22	1	1	1	1	80.5	61	0	30000	290.3225806	8838.637784	30000	0	0	30000	41	2004
08.01.2020 16:26:24	1	1	1	1	80.5	61.25	0	30000	294.6236559	8708.993559	30000	0	0	30000	41	2004
08.01.2020 16:26:25	1	1	1	1	80.5	61	0	30000	292.4731183	8774.223358	30000	0	0	30000	40.8125	2004
08.01.2020 16:26:26	1	1	1	1	80.5	60.75	0	30000	288.172043	8708.993559	30000	0	0	30000	40.5	2004
08.01.2020 16:26:27	1	1	1	1	80.5	60.5	0	30000	288.172043	8644.579132	30000	0	0	30000	40.875	2004
08.01.2020 16:26:28	1	1	1	1	80.5	60.75	0	30000	290.3225806	8708.993559	30000	0	0	30000	40.875	2004
08.01.2020 16:26:29	1	1	1	1	80.5	60.75	0	30000	290.3225806	8708.993559	30000	0	0	30000	41.0625	2004
08.01.2020 16:26:30	1	1	1	1	80.5	61	0	30000	286.0215054	8644.579132	30000	0	0	30000	40.75	2004
08.01.2020 16:26:31	1	1	1	1	80.5	60.75	0	30000	283.8709677	8580.164705	30000	0	0	30000	40.8125	2004
08.01.2020 16:26:32	1	1	1	1	80	60.75	0	30047.393	288.172043	8580.164705	30000	0	0	30000	40.875	2004
08.01.2020 16:26:33	1	1	1	1	80	60.75	0	30000	288.172043	8644.579132	30000	0	0	30000	40.9375	2004
08.01.2020 16:26:34	1	1	1	1	80	60.75	0	30000	292.4731183	8774.223358	30000	0	0	30000	41.1875	2004
08.01.2020 16:26:35	1	1	1	1	80	61	0	30000	286.0215054	8644.579132	30000	0	0	30000	41.0625	2004
08.01.2020 16:26:36	1	1	1	1	80	61	0	30000	292.4731183	8708.993559	30000	0	0	30000	40.8125	2004
08.01.2020 16:26:37	1	1	1	1	80	60.75	0	30000	294.6236559	8838.637784	30000	0	0	30000	40.875	2004
08.01.2020 16:26:38	1	1	1	1	80	60.75	0	30000	303.2258065	8967.466638	30000	0	0	30000	41.0625	2004
08.01.2020 16:26:39	1	1	1	1	80	61	0	30047.393	307.5268817	9096.295491	30000	0	0	30000	40.9375	2004
08.01.2020 16:26:40	1	1	1	1	80	60.75	0	30000	303.2258065	9096.295491	30000	0	0	30000	40.9375	2004
08.01.2020 16:26:41	1	1	1	1	80	60.75	0	30000	309.6774194	9354.76857	30000	0	0	30000	40.875	2004
08.01.2020 16:26:42	1	1	1	1	79.5	60.75	0	30000	316.1290323	9468.920719	30000	0	0	30000	40.8125	2004
08.01.2020 16:26:43	1	1	1	1	79.5	60.75	0	29905.213	316.1290323	9483.597423	30000	0	0	30000	41	2004
08.01.2020 16:26:44	1	1	1	1	79.5	61	0	30000	320.4301075	9612.426277	30000	0	0	30000	41.0625	2004
08.01.2020 16:26:45	1	1	1	1	79.5	61	0	30000	331.1827957	9935.313783	30000	0	0	30000	40.8125	2004
08.01.2020 16:26:46	1	1	1	1	79.5	60.75	0	30000	331.1827957	10064.14264	30000	0	0	30000	40.8125	2004
08.01.2020 16:26:47	1	1	1	1	79.5	60.75	0	30000	335.483871	9999.728209	30000	0	0	30000	41.0625	2004
08.01.2020 16:26:48	1	1	1	1	79.5	61	0	30000	331.1827957	9999.728209	30000	0	0	30000	41	2004
08.01.2020 16:26:49	1	1	1	1	79.5	61	0	30000	335.483871	9999.728209	30000	0	0	30000	41	2004
08.01.2020 16:26:50	1	1	1	1	79.5	61	0	30000	331.1827957	9999.728209	30000	0	0	30000	40.5	2004
08.01.2020 16:26:51	1	1	1	1	79.5	60.5	0	30000	339.7849462	10128.55706	30000	0	0	30000	41	2004
08.01.2020 16:26:52	1	1	1	1	79.5	61	0	30000	337.6344086	10128.55706	30000	0	0	30000	41.0625	2004
08.01.2020 16:26:53	1	1	1	1	79.5	61	0	30000	337.6344086	10128.55706	30000	0	0	30000	41.0625	2004
08.01.2020 16:26:54	1	1	1	1	79.5	61	0	30000	331.1827957	10064.14264	30000	0	0	30000	40.5	2004
08.01.2020 16:26:55	1	1	1	1	79.5	60.5	0	29905.213	337.6344086	10257.38592	30000	0	0	30000	40.75	2004
08.01.2020 16:26:56	1	1	1	1	79.5	60.75	0	30000	337.6344086	10403.33759	30000	0	0	30000	40.8125	2004
08.01.2020 16:26:57	1	1	1	1	79.5	60.75	0	29952.607	333.3333333	10113.06499	30000	0	0	30000	40.9375	2004
08.01.2020 16:26:58	1	1	1	1	79.5	60.75	0	29952.607	329.0322581	10064.14264	30000	0	0	30000	41.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 16:26:59	1	1	1	1	79.5	61	0	30000	326.8817204	9806.484929	30000	0	0	30000	41.0625	2004
08.01.2020 16:27:00	1	1	1	1	79.5	61	0	30000	316.1290323	9548.01185	30000	0	0	30000	40.9375	2004
08.01.2020 16:27:01	1	1	1	1	79.5	60.75	0	30000	305.3763441	9225.124344	30000	0	0	30000	41.3125	2004
08.01.2020 16:27:02	1	1	1	1	79	61.25	0	30000	301.0752688	9031.881064	30000	0	0	30000	40.875	2004
08.01.2020 16:27:04	1	1	1	1	79	60.75	0	29952.607	292.4731183	8903.052211	30000	0	0	30000	41	2004
08.01.2020 16:27:05	1	1	1	1	79	61	0	30000	294.6236559	8903.052211	30000	0	0	30000	40.5	2004
08.01.2020 16:27:06	1	1	1	1	79	60.5	0	30000	301.0752688	9031.881064	30000	0	0	30000	41	2004
08.01.2020 16:27:07	1	1	1	1	79	61	0	30000	309.6774194	9354.76857	30000	0	0	30000	40.75	2004
08.01.2020 16:27:08	1	1	1	1	79	60.75	0	29905.213	303.2258065	9225.124344	30000	0	0	30000	40.9375	2004
08.01.2020 16:27:09	1	1	1	1	79	60.75	0	30000	313.9784946	9419.182997	30000	0	0	30000	40.4375	2004
08.01.2020 16:27:10	1	1	1	1	79	60.25	0	30000	313.9784946	9483.597423	30000	0	0	30000	40.8125	2004
08.01.2020 16:27:11	1	1	1	1	79	60.75	0	30000	320.4301075	9612.426277	30000	0	0	30000	40.8125	2004
08.01.2020 16:27:12	1	1	1	1	79	60.75	0	30000	322.5806452	9676.840703	30000	0	0	30000	40.875	2004
08.01.2020 16:27:20	1	1	1	1	79	60.5	0	30000	346.2365591	10451.44457	30000	0	0	30000	40.875	2004
08.01.2020 16:27:20	1	1	1	1	79	60.5	0	30000	346.2365591	10451.44457	30000	0	0	30000	40.875	2004
08.01.2020 16:27:20	1	1	1	1	79	60.5	0	30000	346.2365591	10451.44457	30000	0	0	30000	40.875	2004
08.01.2020 16:27:20	1	1	1	1	79	60.5	0	30000	346.2365591	10451.44457	30000	0	0	30000	40.875	2004
08.01.2020 16:27:20	1	1	1	1	79	60.5	0	30000	346.2365591	10451.44457	30000	0	0	30000	40.875	2004
08.01.2020 16:27:20	1	1	1	1	79	60.5	0	30000	346.2365591	10451.44457	30000	0	0	30000	40.875	2004
08.01.2020 16:27:20	1	1	1	1	79	60.5	0	30000	346.2365591	10451.44457	30000	0	0	30000	40.875	2004
08.01.2020 16:27:20	1	1	1	1	79	60.5	0	30000	346.2365591	10451.44457	30000	0	0	30000	40.875	2004
08.01.2020 16:27:20	1	1	1	1	79	60.75	0	30000	346.2365591	10387.03014	30000	0	0	30000	40.875	2004
08.01.2020 16:27:21	1	1	1	1	79	60.75	0	30000	346.2365591	10387.03014	30000	0	0	30000	40.9375	2004
08.01.2020 16:27:22	1	1	1	1	79	60.75	0	30000	344.0860215	10257.38592	30000	0	0	30000	41	2004
08.01.2020 16:27:23	1	1	1	1	79	61	0	30000	341.9354839	10387.03014	30000	0	0	30000	41	2004
08.01.2020 16:27:24	1	1	1	1	79	61	0	30000	348.3870968	10515.85899	30000	0	0	30000	40.625	2004
08.01.2020 16:27:25	1	1	1	1	79	60.5	0	29952.607	341.9354839	10451.44457	30000	0	0	30000	41	2004
08.01.2020 16:27:26	1	1	1	1	79	61	0	30000	354.8387097	10644.68785	30000	0	0	30000	40.9375	2004
08.01.2020 16:27:27	1	1	1	1	79	60.75	0	30000	356.9892473	10773.5167	30000	0	0	30000	41.0625	2004
08.01.2020 16:27:28	1	1	1	1	79	61	0	30000	350.5376344	10499.55155	30000	0	0	30000	40.875	2004
08.01.2020 16:27:29	1	1	1	1	79	60.75	0	30000	356.9892473	10709.10227	30000	0	0	30000	40.5625	2004
08.01.2020 16:27:30	1	1	1	1	79	60.5	0	30000	359.1397849	10903.16093	30000	0	0	30000	40.5	2004
08.01.2020 16:27:31	1	1	1	1	79	60.5	0	30000	363.4408602	10903.16093	30000	0	0	30000	40.9375	2004
08.01.2020 16:27:32	1	1	1	1	79	60.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	40.6875	2004
08.01.2020 16:27:33	1	1	1	1	79	60.5	0	29952.607	363.4408602	10903.16093	30000	0	0	30000	40.75	2004
08.01.2020 16:27:34	1	1	1	1	79	60.75	0	30000	365.5913978	11031.98978	30000	0	0	30000	41	2004
08.01.2020 16:27:35	1	1	1	1	79	61	0	30000	378.4946237	11354.87729	30000	0	0	30000	40.5625	2004
08.01.2020 16:27:36	1	1	1	1	79	60.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	41	2004
08.01.2020 16:27:37	1	1	1	1	79	61	0	30000	380.6451613	11419.29171	30000	0	0	30000	41	2004
08.01.2020 16:27:38	1	1	1	1	79	61	0	30000	382.7956989	11548.12057	30000	0	0	30000	40.8125	2004
08.01.2020 16:27:39	1	1	1	1	79	60.75	0	29905.213	380.6451613	11548.12057	30000	0	0	30000	40.5625	2004
08.01.2020 16:27:40	1	1	1	1	79	60.5	0	30000	395.6989247	11741.36385	30000	0	0	30000	40.5625	2004
08.01.2020 16:27:41	1	1	1	1	79	60.5	0	29952.607	395.6989247	11935.4225	30000	0	0	30000	40.875	2004
08.01.2020 16:27:42	1	1	1	1	79.25	60.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	41.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 16:27:43	1	1	1	1	79.25	61.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	40.875	2004
08.01.2020 16:27:45	1	1	1	1	79.25	60.25	0	30000	404.3010753	12387.13886	30000	0	0	30000	40.75	2004
08.01.2020 16:27:46	1	1	1	1	79.25	60.75	0	30000	412.9032258	12193.08021	30000	0	0	30000	41	2004
08.01.2020 16:27:47	1	1	1	1	79.25	61	0	30000	412.9032258	12387.13886	30000	0	0	30000	40.8125	2004
08.01.2020 16:27:48	1	1	1	1	79.25	60.75	0	30000	412.9032258	12620.33539	30000	0	0	30000	41.1875	2004
08.01.2020 16:27:49	1	1	1	1	79.25	61	0	29905.213	406.4516129	12387.13886	30000	0	0	30000	40.9375	2004
08.01.2020 16:27:50	1	1	1	1	79.25	60.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	40.875	2004
08.01.2020 16:27:51	1	1	1	1	79.25	60.75	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	40.625	2004
08.01.2020 16:27:52	1	1	1	1	78.75	60.5	0	30000	415.0537634	12387.13886	30000	0	0	30000	40.8125	2004
08.01.2020 16:27:53	1	1	1	1	78.75	60.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	40.9375	2004
08.01.2020 16:27:54	1	1	1	1	78.75	60.75	0	30000	419.3548387	12431.98434	30000	0	0	30000	40.875	2004
08.01.2020 16:27:55	1	1	1	1	78.75	60.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	41	2004
08.01.2020 16:27:56	1	1	1	1	78.75	61	0	30000	395.6989247	11741.36385	30000	0	0	30000	41.0625	2004
08.01.2020 16:27:57	1	1	1	1	78.75	61	0	30000	367.7419355	11354.87729	30000	0	0	30000	40.8125	2004
08.01.2020 16:27:58	1	1	1	1	78.75	60.75	0	30000	354.8387097	10644.68785	30000	0	0	30000	40.8125	2004
08.01.2020 16:27:59	1	1	1	1	78.75	60.75	0	30000	348.3870968	10515.85899	30000	0	0	30000	40.9375	2004
08.01.2020 16:28:00	1	1	1	1	78.75	60.75	0	29952.607	339.7849462	10257.38592	30000	0	0	30000	40.9375	2004
08.01.2020 16:28:01	1	1	1	1	78.75	60.75	0	30000	337.6344086	10128.55706	30000	0	0	30000	40.5625	2004
08.01.2020 16:28:02	1	1	1	1	79.25	60.5	0	30000	329.0322581	9870.899356	30000	0	0	30000	40.875	2004
08.01.2020 16:28:03	1	1	1	1	79.25	60.75	0	29952.607	326.8817204	9806.484929	30000	0	0	30000	40.5625	2004
08.01.2020 16:28:04	1	1	1	1	79.25	60.5	0	30000	333.3333333	9935.313783	30000	0	0	30000	40.9375	2004
08.01.2020 16:28:05	1	1	1	1	79.25	60.75	0	30094.787	341.9354839	10064.14264	30000	0	0	30000	40.8125	2004
08.01.2020 16:28:06	1	1	1	1	79.25	60.75	0	30000	335.483871	10064.14264	30000	0	0	30000	41	2004
08.01.2020 16:28:07	1	1	1	1	79.25	61	0	29952.607	339.7849462	10192.97149	30000	0	0	30000	40.875	2004
08.01.2020 16:28:08	1	1	1	1	79.25	60.75	0	30000	337.6344086	10128.55706	30000	0	0	30000	40.375	2004
08.01.2020 16:28:09	1	1	1	1	79.25	60.25	0	29952.607	337.6344086	10192.97149	30000	0	0	30000	40.9375	2004
08.01.2020 16:28:10	1	1	1	1	79.25	60.75	0	30000	337.6344086	10128.55706	30000	0	0	30000	40.75	2004
08.01.2020 16:28:11	1	1	1	1	79.25	60.75	0	30000	333.3333333	10064.14264	30000	0	0	30000	40.9375	2004
08.01.2020 16:28:12	1	1	1	1	78.75	60.75	0	30000	333.3333333	9984.236132	30000	0	0	30000	40.875	2004
08.01.2020 16:28:13	1	1	1	1	78.75	60.75	0	30000	335.483871	10064.14264	30000	0	0	30000	41	2004
08.01.2020 16:28:21	1	1	1	1	78.75	60.25	0	29952.607	337.6344086	10322.61571	30000	0	0	30000	41.0625	2004
08.01.2020 16:28:21	1	1	1	1	78.75	60.25	0	29952.607	337.6344086	10322.61571	30000	0	0	30000	41.0625	2004
08.01.2020 16:28:21	1	1	1	1	78.75	60.25	0	29952.607	337.6344086	10322.61571	30000	0	0	30000	41.0625	2004
08.01.2020 16:28:21	1	1	1	1	78.75	60.25	0	29952.607	337.6344086	10322.61571	30000	0	0	30000	41.0625	2004
08.01.2020 16:28:21	1	1	1	1	78.75	60.25	0	29952.607	337.6344086	10322.61571	30000	0	0	30000	41.0625	2004
08.01.2020 16:28:21	1	1	1	1	78.75	60.25	0	29952.607	337.6344086	10322.61571	30000	0	0	30000	41.0625	2004
08.01.2020 16:28:21	1	1	1	1	78.75	61	0	30000	339.7849462	10257.38592	30000	0	0	30000	40.6875	2004
08.01.2020 16:28:22	1	1	1	1	79	60.5	0	30000	337.6344086	10257.38592	30000	0	0	30000	41.5	2004
08.01.2020 16:28:24	1	1	1	1	79	60.75	0	30000	339.7849462	10128.55706	30000	0	0	30000	40.9375	2004
08.01.2020 16:28:25	1	1	1	1	79	60.75	0	30000	337.6344086	10113.06499	30000	0	0	30000	40.9375	2004
08.01.2020 16:28:26	1	1	1	1	79	60.75	0	30000	346.2365591	10387.03014	30000	0	0	30000	41	2004
08.01.2020 16:28:27	1	1	1	1	79	61	0	30000	346.2365591	10387.03014	30000	0	0	30000	41.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 16:28:28	1	1	1	1	79	61	0	30000	352.688172	10515.85899	30000	0	0	30000	40.1875	2004
08.01.2020 16:28:29	1	1	1	1	79	60	0	30000	356.9892473	10709.10227	30000	0	0	30000	40.75	2004
08.01.2020 16:28:30	1	1	1	1	79	60.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	40.6875	2004
08.01.2020 16:28:31	1	1	1	1	79	60.5	0	29952.607	359.1397849	10757.20925	30000	0	0	30000	40.5	2004
08.01.2020 16:28:32	1	1	1	1	79	60.5	0	30000	350.5376344	10726.2251	30000	0	0	30000	40.9375	2004
08.01.2020 16:28:33	1	1	1	1	79	60.75	0	30000	346.2365591	10257.38592	30000	0	0	30000	40.9375	2004
08.01.2020 16:28:34	1	1	1	1	79	60.75	0	30000	346.2365591	10387.03014	30000	0	0	30000	41	2004
08.01.2020 16:28:35	1	1	1	1	79	61	0	30000	348.3870968	10515.85899	30000	0	0	30000	40.5625	2004
08.01.2020 16:28:36	1	1	1	1	79	60.5	0	30000	352.688172	10515.85899	30000	0	0	30000	40.6875	2004
08.01.2020 16:28:37	1	1	1	1	79	60.5	0	30000	354.8387097	10807.76235	30000	0	0	30000	40.6875	2004
08.01.2020 16:28:38	1	1	1	1	79	60.5	0	30000	363.4408602	10903.16093	30000	0	0	30000	40.9375	2004
08.01.2020 16:28:39	1	1	1	1	79	60.75	0	30000	369.8924731	11031.98978	30000	0	0	30000	41.0625	2004
08.01.2020 16:28:40	1	1	1	1	79	61	0	30000	369.8924731	11096.40421	30000	0	0	30000	40.9375	2004
08.01.2020 16:28:41	1	1	1	1	79	60.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	40.625	2004
08.01.2020 16:28:42	1	1	1	1	79.25	60.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	40.875	2004
08.01.2020 16:28:43	1	1	1	1	79.25	60.75	0	29905.213	378.4946237	11319.0009	30000	0	0	30000	40.75	2004
08.01.2020 16:28:44	1	1	1	1	79.25	60.75	0	29952.607	372.0430108	11354.87729	30000	0	0	30000	41.0625	2004
08.01.2020 16:28:45	1	1	1	1	79.25	61	0	30000	382.7956989	11354.87729	30000	0	0	30000	40.9375	2004
08.01.2020 16:28:46	1	1	1	1	79.25	60.75	0	30000	395.6989247	11741.36385	30000	0	0	30000	41.1875	2004
08.01.2020 16:28:47	1	1	1	1	79.25	61	0	29905.213	397.8494624	12109.91221	30000	0	0	30000	40.875	2004
08.01.2020 16:28:48	1	1	1	1	79.25	60.75	0	30000	404.3010753	12193.08021	30000	0	0	30000	41.0625	2004
08.01.2020 16:28:49	1	1	1	1	79.25	61	0	30000	412.9032258	12387.13886	30000	0	0	30000	40.5	2004
08.01.2020 16:28:50	1	1	1	1	79.25	60.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	40.625	2004
08.01.2020 16:28:51	1	1	1	1	79.25	60.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	40.9375	2004
08.01.2020 16:28:52	1	1	1	1	79	60.75	0	29905.213	425.8064516	12709.21099	30000	0	0	30000	41	2004
08.01.2020 16:28:53	1	1	1	1	79	61	0	29952.607	423.655914	12838.03984	30000	0	0	30000	41.0625	2004
08.01.2020 16:28:54	1	1	1	1	79	61	0	30000	425.8064516	12773.62542	30000	0	0	30000	40.875	2004
08.01.2020 16:28:55	1	1	1	1	79	60.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	40.8125	2004
08.01.2020 16:28:56	1	1	1	1	79	60.75	0	29952.607	419.3548387	12580.38214	30000	0	0	30000	40.875	2004
08.01.2020 16:28:57	1	1	1	1	79	60.75	0	30000	412.9032258	12431.98434	30000	0	0	30000	40.6875	2004
08.01.2020 16:28:58	1	1	1	1	79	60.5	0	30000	395.6989247	12128.66578	30000	0	0	30000	41.25	2004
08.01.2020 16:28:59	1	1	1	1	79	61.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.375	2004
08.01.2020 16:29:00	1	1	1	1	79	61.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	40.625	2004
08.01.2020 16:29:02	1	1	1	1	79	60.5	0	29952.607	378.4946237	11354.87729	30000	0	0	30000	40.4375	2004
08.01.2020 16:29:03	1	1	1	1	79	61	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.125	2004
08.01.2020 16:29:04	1	1	1	1	79	61	0	30000	378.4946237	11354.87729	30000	0	0	30000	40.75	2004
08.01.2020 16:29:05	1	1	1	1	79	60.75	0	30142.18	378.4946237	11354.87729	30000	0	0	30000	41.0625	2004
08.01.2020 16:29:06	1	1	1	1	79	61	0	30000	363.4408602	10903.16093	30000	0	0	30000	40.5	2004
08.01.2020 16:29:07	1	1	1	1	79	60.5	0	30000	350.5376344	10515.85899	30000	0	0	30000	41	2004
08.01.2020 16:29:08	1	1	1	1	79	61	0	30000	350.5376344	10515.85899	30000	0	0	30000	40.875	2004
08.01.2020 16:29:09	1	1	1	1	79	60.75	0	29952.607	350.5376344	10644.68785	30000	0	0	30000	40.9375	2004
08.01.2020 16:29:10	1	1	1	1	79	60.75	0	30000	354.8387097	10644.68785	30000	0	0	30000	41.0625	2004
08.01.2020 16:29:11	1	1	1	1	79	61	0	30000	350.5376344	10515.85899	30000	0	0	30000	41	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 16:29:12	1	1	1	1	79	61	0	30000	356.9892473	10773.5167	30000	0	0	30000	41.0625	2004
08.01.2020 16:29:13	1	1	1	1	79	61	0	30000	356.9892473	10709.10227	30000	0	0	30000	40.875	2004
08.01.2020 16:29:14	1	1	1	1	79	60.75	0	30000	359.1397849	10709.10227	30000	0	0	30000	41.1875	2004
08.01.2020 16:29:15	1	1	1	1	79	61	0	30000	354.8387097	10644.68785	30000	0	0	30000	41.0625	2004
08.01.2020 16:29:22	1	1	1	1	79	61	0	29952.607	400	11999.83693	30000	0	0	30000	40.9375	2004
08.01.2020 16:29:22	1	1	1	1	79	61	0	29952.607	400	11999.83693	30000	0	0	30000	40.9375	2004
08.01.2020 16:29:22	1	1	1	1	79	61	0	29952.607	400	11999.83693	30000	0	0	30000	40.9375	2004
08.01.2020 16:29:22	1	1	1	1	79	61	0	29952.607	400	11999.83693	30000	0	0	30000	40.9375	2004
08.01.2020 16:29:22	1	1	1	1	79	61	0	29952.607	400	11999.83693	30000	0	0	30000	40.9375	2004
08.01.2020 16:29:22	1	1	1	1	79	61	0	29952.607	400	11999.83693	30000	0	0	30000	40.9375	2004
08.01.2020 16:29:23	1	1	1	1	79	60.75	0	30000	415.0537634	12387.13886	30000	0	0	30000	40.625	2004
08.01.2020 16:29:24	1	1	1	1	79	60.5	0	30000	419.3548387	12709.21099	30000	0	0	30000	41	2004
08.01.2020 16:29:25	1	1	1	1	79	61	0	30000	419.3548387	12709.21099	30000	0	0	30000	40.8125	2004
08.01.2020 16:29:26	1	1	1	1	79	60.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	40.9375	2004
08.01.2020 16:29:27	1	1	1	1	79	60.75	0	29952.607	419.3548387	12838.03984	30000	0	0	30000	41.0625	2004
08.01.2020 16:29:28	1	1	1	1	79	61	0	30000	427.9569892	12838.03984	30000	0	0	30000	40.625	2004
08.01.2020 16:29:29	1	1	1	1	79	60.5	0	30000	427.9569892	12967.68407	30000	0	0	30000	41.0625	2004
08.01.2020 16:29:30	1	1	1	1	79	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.5625	2004
08.01.2020 16:29:31	1	1	1	1	79	60.5	0	30000	451.6129032	13333.78632	30000	0	0	30000	40.375	2004
08.01.2020 16:29:32	1	1	1	1	78.5	60.25	0	30000	449.4623656	13483.81486	30000	0	0	30000	40.625	2004
08.01.2020 16:29:33	1	1	1	1	78.5	60.5	0	29952.607	466.6666667	13891.5011	30000	0	0	30000	40.6875	2004
08.01.2020 16:29:34	1	1	1	1	78.5	60.5	0	30000	464.516129	13935.53122	30000	0	0	30000	40.75	2004
08.01.2020 16:29:35	1	1	1	1	78.5	60.75	0	30000	464.516129	13935.53122	30000	0	0	30000	40.5625	2004
08.01.2020 16:29:36	1	1	1	1	78.5	60.5	0	29905.213	460.2150538	13784.6873	30000	0	0	30000	40.8125	2004
08.01.2020 16:29:37	1	1	1	1	78.5	60.75	0	30000	460.2150538	13935.53122	30000	0	0	30000	41.1875	2004
08.01.2020 16:29:38	1	1	1	1	78.5	61	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.625	2004
08.01.2020 16:29:39	1	1	1	1	78.5	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	41.1875	2004
08.01.2020 16:29:40	1	1	1	1	78.5	61	0	30000	464.516129	13935.53122	30000	0	0	30000	40.9375	2004
08.01.2020 16:29:42	1	1	1	1	78.5	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	41.1875	2004
08.01.2020 16:29:43	1	1	1	1	78.5	61	0	30000	481.7204301	14451.662	30000	0	0	30000	40.125	2004
08.01.2020 16:29:44	1	1	1	1	78.5	60	0	30000	481.7204301	13999.94564	30000	0	0	30000	40.625	2004
08.01.2020 16:29:45	1	1	1	1	78.5	60.5	0	30000	460.2150538	13741.47256	30000	0	0	30000	40.8125	2004
08.01.2020 16:29:46	1	1	1	1	78.5	60.75	0	29952.607	445.1612903	13354.17063	30000	0	0	30000	40.9375	2004
08.01.2020 16:29:47	1	1	1	1	78.5	60.75	0	30000	438.7096774	13160.92735	30000	0	0	30000	40.75	2004
08.01.2020 16:29:48	1	1	1	1	78.5	60.75	0	30000	432.2580645	13032.0985	30000	0	0	30000	40.9375	2004
08.01.2020 16:29:49	1	1	1	1	78.5	60.75	0	30000	438.7096774	13160.92735	30000	0	0	30000	40.9375	2004
08.01.2020 16:29:50	1	1	1	1	78.5	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.9375	2004
08.01.2020 16:29:51	1	1	1	1	78.5	60.75	0	30000	438.7096774	13096.51292	30000	0	0	30000	40.75	2004
08.01.2020 16:29:52	1	1	1	1	78.5	60.75	0	30000	432.2580645	13032.0985	30000	0	0	30000	40.8125	2004
08.01.2020 16:29:53	1	1	1	1	78.5	60.75	0	30000	432.2580645	13160.92735	30000	0	0	30000	40.9375	2004
08.01.2020 16:29:54	1	1	1	1	78.5	60.75	0	30000	438.7096774	13160.92735	30000	0	0	30000	40.5	2004
08.01.2020 16:29:55	1	1	1	1	78.5	60.5	0	30000	438.7096774	13160.92735	30000	0	0	30000	40.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 16:29:56	1	1	1	1	78.5	60.75	0	30000	421.5053763	12838.03984	30000	0	0	30000	41.0625	2004
08.01.2020 16:29:57	1	1	1	1	78.5	61	0	30000	425.8064516	12773.62542	30000	0	0	30000	41	2004
08.01.2020 16:29:58	1	1	1	1	78.5	61	0	30000	415.0537634	12451.55328	30000	0	0	30000	41	2004
08.01.2020 16:29:59	1	1	1	1	78.5	61	0	30000	412.9032258	12193.08021	30000	0	0	30000	41	2004
08.01.2020 16:30:00	1	1	1	1	78.5	61	0	30000	400	11999.83693	30000	0	0	30000	40.6875	2004
08.01.2020 16:30:01	1	1	1	1	78.5	60.5	0	30000	391.3978495	11741.36385	30000	0	0	30000	41	2004
08.01.2020 16:30:02	1	1	1	1	78.5	61	0	30000	395.6989247	11871.00807	30000	0	0	30000	41.0625	2004
08.01.2020 16:30:03	1	1	1	1	78.5	61	0	30000	395.6989247	11871.00807	30000	0	0	30000	41	2004
08.01.2020 16:30:04	1	1	1	1	78.5	61	0	30000	378.4946237	11354.87729	30000	0	0	30000	40.9375	2004
08.01.2020 16:30:05	1	1	1	1	78.5	60.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	41	2004
08.01.2020 16:30:06	1	1	1	1	78.5	61	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.125	2004
08.01.2020 16:30:07	1	1	1	1	78.5	61	0	30000	369.8924731	11096.40421	30000	0	0	30000	40.5	2004
08.01.2020 16:30:08	1	1	1	1	78.5	60.5	0	30000	363.4408602	10967.57535	30000	0	0	30000	40.9375	2004
08.01.2020 16:30:09	1	1	1	1	78.5	60.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	41.0625	2004
08.01.2020 16:30:10	1	1	1	1	78.5	61	0	30000	352.688172	10515.85899	30000	0	0	30000	39.9375	2004
08.01.2020 16:30:11	1	1	1	1	78.5	59.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	40.9375	2004
08.01.2020 16:30:12	1	1	1	1	78.75	60.75	0	30000	339.7849462	10241.89384	30000	0	0	30000	40.5625	2004
08.01.2020 16:30:13	1	1	1	1	78.75	60.5	0	30000	341.9354839	10257.38592	30000	0	0	30000	41	2004
08.01.2020 16:30:14	1	1	1	1	78.75	61	0	30000	346.2365591	10387.03014	30000	0	0	30000	41	2004
08.01.2020 16:30:15	1	1	1	1	78.75	61	0	30000	359.1397849	10773.5167	30000	0	0	30000	41	2004
08.01.2020 16:30:16	1	1	1	1	78.75	61	0	30000	372.0430108	11160.81863	30000	0	0	30000	41.1875	2004
08.01.2020 16:30:24	1	1	1	1	78.5	61	0	30000	395.6989247	11871.00807	30000	0	0	30000	40.875	2004
08.01.2020 16:30:24	1	1	1	1	78.5	61	0	30000	395.6989247	11871.00807	30000	0	0	30000	40.875	2004
08.01.2020 16:30:24	1	1	1	1	78.5	61	0	30000	395.6989247	11871.00807	30000	0	0	30000	40.875	2004
08.01.2020 16:30:24	1	1	1	1	78.5	61	0	30000	395.6989247	11871.00807	30000	0	0	30000	40.875	2004
08.01.2020 16:30:24	1	1	1	1	78.5	61	0	30000	395.6989247	11871.00807	30000	0	0	30000	40.875	2004
08.01.2020 16:30:24	1	1	1	1	78.5	61	0	30000	395.6989247	11871.00807	30000	0	0	30000	40.875	2004
08.01.2020 16:30:24	1	1	1	1	78.5	61	0	30000	395.6989247	11871.00807	30000	0	0	30000	40.875	2004
08.01.2020 16:30:24	1	1	1	1	78.5	61	0	30000	395.6989247	11871.00807	30000	0	0	30000	40.875	2004
08.01.2020 16:30:25	1	1	1	1	78.5	60.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	41.0625	2004
08.01.2020 16:30:26	1	1	1	1	78.5	61	0	30000	397.8494624	11871.00807	30000	0	0	30000	40.5625	2004
08.01.2020 16:30:27	1	1	1	1	78.5	60.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	40.4375	2004
08.01.2020 16:30:28	1	1	1	1	78.5	60.25	0	30000	391.3978495	11741.36385	30000	0	0	30000	40.6875	2004
08.01.2020 16:30:29	1	1	1	1	78.5	60.5	0	30000	387.0967742	11676.94942	30000	0	0	30000	40.9375	2004
08.01.2020 16:30:30	1	1	1	1	78.5	60.75	0	30000	384.9462366	11548.12057	30000	0	0	30000	40.875	2004
08.01.2020 16:30:31	1	1	1	1	78.5	60.75	0	30000	384.9462366	11548.12057	30000	0	0	30000	40.9375	2004
08.01.2020 16:30:32	1	1	1	1	78.75	60.75	0	30000	389.2473118	11871.00807	30000	0	0	30000	41	2004
08.01.2020 16:30:33	1	1	1	1	78.75	61	0	30000	387.0967742	11612.53499	30000	0	0	30000	40.9375	2004
08.01.2020 16:30:34	1	1	1	1	78.75	60.75	0	30000	382.7956989	11548.12057	30000	0	0	30000	40.75	2004
08.01.2020 16:30:35	1	1	1	1	78.75	60.75	0	30000	380.6451613	11419.29171	30000	0	0	30000	40.5	2004
08.01.2020 16:30:36	1	1	1	1	78.75	60.5	0	30000	387.0967742	11676.94942	30000	0	0	30000	41.0625	2004
08.01.2020 16:30:37	1	1	1	1	78.75	61	0	30000	389.2473118	11871.00807	30000	0	0	30000	40.5625	2004
08.01.2020 16:30:38	1	1	1	1	78.75	60.5	0	30000	391.3978495	11676.94942	30000	0	0	30000	40.4375	2004
08.01.2020 16:30:39	1	1	1	1	78.75	60.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	41	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 16:30:40	1	1	1	1	78.75	61	0	30000	397.8494624	11935.4225	30000	0	0	30000	41	2004
08.01.2020 16:30:41	1	1	1	1	78.75	61	0	30000	395.6989247	11871.00807	30000	0	0	30000	40.9375	2004
08.01.2020 16:30:42	1	1	1	1	78.5	60.75	0	30000	391.3978495	11741.36385	30000	0	0	30000	40.625	2004
08.01.2020 16:30:43	1	1	1	1	78.5	60.5	0	30000	397.8494624	11935.4225	30000	0	0	30000	40.9375	2004
08.01.2020 16:30:44	1	1	1	1	78.5	60.75	0	30000	395.6989247	11935.4225	30000	0	0	30000	41	2004
08.01.2020 16:30:45	1	1	1	1	78.5	61	0	30000	395.6989247	11871.00807	30000	0	0	30000	41.0625	2004
08.01.2020 16:30:46	1	1	1	1	78.5	61	0	30000	402.1505376	11871.00807	30000	0	0	30000	40.875	2004
08.01.2020 16:30:47	1	1	1	1	78.5	60.75	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	40.9375	2004
08.01.2020 16:30:48	1	1	1	1	78.5	60.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.0625	2004
08.01.2020 16:30:49	1	1	1	1	78.5	61	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.0625	2004
08.01.2020 16:30:50	1	1	1	1	78.5	61	0	30000	415.0537634	12367.56992	30000	0	0	30000	40.875	2004
08.01.2020 16:30:51	1	1	1	1	78.5	60.75	0	30000	417.2043011	12580.38214	30000	0	0	30000	41.0625	2004
08.01.2020 16:30:52	1	1	1	1	78.5	61	0	30000	419.3548387	12560.8132	30000	0	0	30000	40.875	2004
08.01.2020 16:30:53	1	1	1	1	78.5	60.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	40.9375	2004
08.01.2020 16:30:54	1	1	1	1	78.5	60.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	40.4375	2004
08.01.2020 16:30:55	1	1	1	1	78.5	60.25	0	30000	425.8064516	12773.62542	30000	0	0	30000	41	2004
08.01.2020 16:30:56	1	1	1	1	78.5	61	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.125	2004
08.01.2020 16:30:57	1	1	1	1	78.5	61	0	30000	425.8064516	12838.03984	30000	0	0	30000	41.375	2004
08.01.2020 16:30:59	1	1	1	1	78.5	61.25	0	30000	419.3548387	12451.55328	30000	0	0	30000	41	2004
08.01.2020 16:31:00	1	1	1	1	78.5	61	0	30000	419.3548387	12451.55328	30000	0	0	30000	41.25	2004
08.01.2020 16:31:01	1	1	1	1	78.5	61	0	30000	412.9032258	12387.13886	30000	0	0	30000	40.9375	2004
08.01.2020 16:31:02	1	1	1	1	78	60.75	0	30000	412.9032258	12193.08021	30000	0	0	30000	41.0625	2004
08.01.2020 16:31:03	1	1	1	1	78	61	0	30000	380.6451613	11548.12057	30000	0	0	30000	41.125	2004
08.01.2020 16:31:04	1	1	1	1	78	61	0	30000	365.5913978	11096.40421	30000	0	0	30000	40.875	2004
08.01.2020 16:31:05	1	1	1	1	78	60.75	0	30000	356.9892473	10773.5167	30000	0	0	30000	41	2004
08.01.2020 16:31:06	1	1	1	1	78	61	0	30000	356.9892473	10515.85899	30000	0	0	30000	40.75	2004
08.01.2020 16:31:07	1	1	1	1	78	60.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	41.0625	2004
08.01.2020 16:31:08	1	1	1	1	78	61	0	30000	346.2365591	10435.13712	30000	0	0	30000	41.0625	2004
08.01.2020 16:31:09	1	1	1	1	78	61	0	30000	346.2365591	10387.03014	30000	0	0	30000	41	2004
08.01.2020 16:31:10	1	1	1	1	78	61	0	30000	346.2365591	10387.03014	30000	0	0	30000	40.9375	2004
08.01.2020 16:31:11	1	1	1	1	78	60.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	40.875	2004
08.01.2020 16:31:12	1	1	1	1	78	60.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	41.0625	2004
08.01.2020 16:31:13	1	1	1	1	78	61	0	30000	354.8387097	10790.63952	30000	0	0	30000	41.125	2004
08.01.2020 16:31:14	1	1	1	1	78	61	0	30000	359.1397849	10773.5167	30000	0	0	30000	40.9375	2004
08.01.2020 16:31:15	1	1	1	1	78	60.75	0	29952.607	356.9892473	10773.5167	30000	0	0	30000	40.375	2004
08.01.2020 16:31:16	1	1	1	1	78	60.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	40.8125	2004
08.01.2020 16:31:17	1	1	1	1	78	60.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	40.5625	2004
08.01.2020 16:31:18	1	1	1	1	78	60.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	41.0625	2004
08.01.2020 16:31:26	1	1	1	1	78.25	60.75	0	30000	389.2473118	11676.94942	30000	0	0	30000	40.9375	2004
08.01.2020 16:31:26	1	1	1	1	78.25	60.75	0	30000	389.2473118	11676.94942	30000	0	0	30000	40.9375	2004
08.01.2020 16:31:26	1	1	1	1	78.25	60.75	0	30000	389.2473118	11676.94942	30000	0	0	30000	40.9375	2004
08.01.2020 16:31:26	1	1	1	1	78.25	60.75	0	30000	389.2473118	11676.94942	30000	0	0	30000	40.9375	2004
08.01.2020 16:31:26	1	1	1	1	78.25	60.75	0	30000	389.2473118	11676.94942	30000	0	0	30000	40.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 16:31:26	1	1	1	1	78.25	60.75	0	30000	389.2473118	11676.94942	30000	0	0	30000	40.9375	2004
08.01.2020 16:31:26	1	1	1	1	78.25	60.75	0	30000	389.2473118	11676.94942	30000	0	0	30000	40.9375	2004
08.01.2020 16:31:26	1	1	1	1	78.25	60.75	0	30000	387.0967742	11548.12057	30000	0	0	30000	40.9375	2004
08.01.2020 16:31:27	1	1	1	1	78.25	60.75	0	30047.393	395.6989247	11676.94942	30000	0	0	30000	40.375	2004
08.01.2020 16:31:28	1	1	1	1	78.25	60.25	0	30000	384.9462366	11612.53499	30000	0	0	30000	41	2004
08.01.2020 16:31:29	1	1	1	1	78.25	61	0	29952.607	387.0967742	11676.94942	30000	0	0	30000	41	2004
08.01.2020 16:31:30	1	1	1	1	78.25	61	0	29952.607	387.0967742	11676.94942	30000	0	0	30000	41	2004
08.01.2020 16:31:31	1	1	1	1	78.25	61	0	29952.607	380.6451613	11548.12057	30000	0	0	30000	40.9375	2004
08.01.2020 16:31:32	1	1	1	1	78	60.75	0	30000	384.9462366	11548.12057	30000	0	0	30000	40.5625	2004
08.01.2020 16:31:33	1	1	1	1	78	60.5	0	30000	391.3978495	11676.94942	30000	0	0	30000	40.75	2004
08.01.2020 16:31:35	1	1	1	1	78	60.75	0	30000	387.0967742	11676.94942	30000	0	0	30000	41.5625	2004
08.01.2020 16:31:36	1	1	1	1	78	61.5	0	30000	395.6989247	11852.2545	30000	0	0	30000	40.9375	2004
08.01.2020 16:31:37	1	1	1	1	78	60.75	0	30000	397.8494624	11871.00807	30000	0	0	30000	41.25	2004
08.01.2020 16:31:38	1	1	1	1	78	60.75	0	30000	404.3010753	12064.25135	30000	0	0	30000	41.0625	2004
08.01.2020 16:31:39	1	1	1	1	78	61	0	30000	404.3010753	11935.4225	30000	0	0	30000	40.5625	2004
08.01.2020 16:31:40	1	1	1	1	78	60.5	0	30000	412.9032258	12193.08021	30000	0	0	30000	41	2004
08.01.2020 16:31:41	1	1	1	1	78	61	0	29905.213	404.3010753	12387.13886	30000	0	0	30000	40.875	2004
08.01.2020 16:31:42	1	1	1	1	78.25	60.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	40.8125	2004
08.01.2020 16:31:43	1	1	1	1	78.25	60.75	0	29952.607	417.2043011	12580.38214	30000	0	0	30000	40.875	2004
08.01.2020 16:31:44	1	1	1	1	78.25	60.75	0	30000	425.8064516	12709.21099	30000	0	0	30000	40.8125	2004
08.01.2020 16:31:45	1	1	1	1	78.25	60.75	0	30000	432.2580645	13096.51292	30000	0	0	30000	40.625	2004
08.01.2020 16:31:46	1	1	1	1	78.25	60.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	40.5625	2004
08.01.2020 16:31:47	1	1	1	1	78.25	60.5	0	29952.607	427.9569892	12838.03984	30000	0	0	30000	40.8125	2004
08.01.2020 16:31:48	1	1	1	1	78.25	60.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.0625	2004
08.01.2020 16:31:49	1	1	1	1	78.25	61	0	29952.607	436.5591398	13096.51292	30000	0	0	30000	40.9375	2004
08.01.2020 16:31:50	1	1	1	1	78.25	60.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.0625	2004
08.01.2020 16:31:51	1	1	1	1	78.25	61	0	30000	438.7096774	13160.92735	30000	0	0	30000	41	2004
08.01.2020 16:31:52	1	1	1	1	78	61	0	30000	443.0107527	13289.7562	30000	0	0	30000	40.75	2004
08.01.2020 16:31:53	1	1	1	1	78	60.75	0	30000	445.1612903	13204.95746	30000	0	0	30000	40.9375	2004
08.01.2020 16:31:54	1	1	1	1	78	60.75	0	30000	449.4623656	13612.64371	30000	0	0	30000	40.875	2004
08.01.2020 16:31:55	1	1	1	1	78	60.75	0	30000	443.0107527	13140.54304	30000	0	0	30000	40.875	2004
08.01.2020 16:31:56	1	1	1	1	78	60.75	0	30000	434.4086022	12967.68407	30000	0	0	30000	40.375	2004
08.01.2020 16:31:57	1	1	1	1	78	60.25	0	30000	415.0537634	12580.38214	30000	0	0	30000	40.5	2004
08.01.2020 16:31:58	1	1	1	1	78	60.5	0	30000	400	11999.83693	30000	0	0	30000	41	2004
08.01.2020 16:31:59	1	1	1	1	78	61	0	30000	380.6451613	11354.87729	30000	0	0	30000	41.0625	2004
08.01.2020 16:32:00	1	1	1	1	78	61	0	30000	372.0430108	11160.81863	30000	0	0	30000	41.0625	2004
08.01.2020 16:32:01	1	1	1	1	78	61	0	30000	378.4946237	11354.87729	30000	0	0	30000	41	2004
08.01.2020 16:32:02	1	1	1	1	77.75	61	0	30000	378.4946237	11354.87729	30000	0	0	30000	40.4375	2004
08.01.2020 16:32:03	1	1	1	1	77.75	60.25	0	30000	365.5913978	10967.57535	30000	0	0	30000	41.0625	2004
08.01.2020 16:32:04	1	1	1	1	77.75	61	0	30000	359.1397849	10773.5167	30000	0	0	30000	41	2004
08.01.2020 16:32:05	1	1	1	1	77.75	61	0	30000	356.9892473	10644.68785	30000	0	0	30000	40.5625	2004
08.01.2020 16:32:06	1	1	1	1	77.75	60.5	0	30000	363.4408602	10757.20925	30000	0	0	30000	40.875	2004
08.01.2020 16:32:07	1	1	1	1	77.75	60.75	0	30000	359.1397849	10903.16093	30000	0	0	30000	41	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 16:32:08	1	1	1	1	77.75	61	0	30000	369.8924731	11031.98978	30000	0	0	30000	40.8125	2004
08.01.2020 16:32:09	1	1	1	1	77.75	60.75	0	30000	380.6451613	11419.29171	30000	0	0	30000	40.875	2004
08.01.2020 16:32:10	1	1	1	1	77.75	60.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	40.8125	2004
08.01.2020 16:32:11	1	1	1	1	77.75	60.75	0	30000	363.4408602	10967.57535	30000	0	0	30000	41.0625	2004
08.01.2020 16:32:12	1	1	1	1	77.5	61	0	30000	363.4408602	10967.57535	30000	0	0	30000	40.9375	2004
08.01.2020 16:32:13	1	1	1	1	77.5	60.75	0	29952.607	359.1397849	11031.98978	30000	0	0	30000	41.25	2004
08.01.2020 16:32:14	1	1	1	1	77.5	61.25	0	30047.393	378.4946237	11160.81863	30000	0	0	30000	40.75	2004
08.01.2020 16:32:16	1	1	1	1	77.5	60.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	41.25	2004
08.01.2020 16:32:17	1	1	1	1	77.5	61.25	0	30000	378.4946237	11160.81863	30000	0	0	30000	41	2004
08.01.2020 16:32:18	1	1	1	1	77.5	60.75	0	30000	380.6451613	11419.29171	30000	0	0	30000	40.75	2004
08.01.2020 16:32:19	1	1	1	1	77.5	60.75	0	30000	380.6451613	11419.29171	30000	0	0	30000	40.8125	2004
08.01.2020 16:32:20	1	1	1	1	77.5	60.75	0	30000	380.6451613	11483.70614	30000	0	0	30000	40.9375	2004
08.01.2020 16:32:28	1	1	1	1	77.5	61	0	30000	397.8494624	11999.83693	30000	0	0	30000	40.5625	2004
08.01.2020 16:32:28	1	1	1	1	77.5	61	0	30000	397.8494624	11999.83693	30000	0	0	30000	40.5625	2004
08.01.2020 16:32:28	1	1	1	1	77.5	61	0	30000	397.8494624	11999.83693	30000	0	0	30000	40.5625	2004
08.01.2020 16:32:28	1	1	1	1	77.5	61	0	30000	397.8494624	11999.83693	30000	0	0	30000	40.5625	2004
08.01.2020 16:32:28	1	1	1	1	77.5	61	0	30000	397.8494624	11999.83693	30000	0	0	30000	40.5625	2004
08.01.2020 16:32:28	1	1	1	1	77.5	61	0	30000	397.8494624	11999.83693	30000	0	0	30000	40.5625	2004
08.01.2020 16:32:28	1	1	1	1	77.5	61	0	30000	397.8494624	11999.83693	30000	0	0	30000	40.5625	2004
08.01.2020 16:32:28	1	1	1	1	77.5	60.5	0	30000	397.8494624	11999.83693	30000	0	0	30000	41	2004
08.01.2020 16:32:29	1	1	1	1	77.5	61	0	30000	391.3978495	11741.36385	30000	0	0	30000	41.125	2004
08.01.2020 16:32:30	1	1	1	1	77.5	61	0	30000	384.9462366	11382.59995	30000	0	0	30000	40.5625	2004
08.01.2020 16:32:31	1	1	1	1	77.5	60.5	0	29952.607	384.9462366	11548.12057	30000	0	0	30000	40.9375	2004
08.01.2020 16:32:32	1	1	1	1	77.25	60.75	0	29905.213	380.6451613	11530.18237	30000	0	0	30000	40.9375	2004
08.01.2020 16:32:33	1	1	1	1	77.25	60.75	0	30047.393	384.9462366	11548.12057	30000	0	0	30000	41	2004
08.01.2020 16:32:34	1	1	1	1	77.25	61	0	30000	380.6451613	11419.29171	30000	0	0	30000	40.875	2004
08.01.2020 16:32:35	1	1	1	1	77.25	60.75	0	30000	378.4946237	11419.29171	30000	0	0	30000	40.9375	2004
08.01.2020 16:32:36	1	1	1	1	77.25	60.75	0	30000	372.0430108	11160.81863	30000	0	0	30000	41.125	2004
08.01.2020 16:32:37	1	1	1	1	77.25	61	0	30000	369.8924731	11031.98978	30000	0	0	30000	40.9375	2004
08.01.2020 16:32:38	1	1	1	1	77.25	60.75	0	30000	369.8924731	11160.81863	30000	0	0	30000	40.9375	2004
08.01.2020 16:32:39	1	1	1	1	77.25	60.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	40.9375	2004
08.01.2020 16:32:40	1	1	1	1	77.25	60.75	0	30000	380.6451613	11401.35352	30000	0	0	30000	40.4375	2004
08.01.2020 16:32:41	1	1	1	1	77.25	60.25	0	30000	380.6451613	11419.29171	30000	0	0	30000	40.875	2004
08.01.2020 16:32:42	1	1	1	1	77.5	60.75	0	30000	382.7956989	11483.70614	30000	0	0	30000	40.9375	2004
08.01.2020 16:32:43	1	1	1	1	77.5	60.75	0	30000	384.9462366	11548.12057	30000	0	0	30000	40.5625	2004
08.01.2020 16:32:44	1	1	1	1	77.5	60.5	0	30000	391.3978495	11548.12057	30000	0	0	30000	40.875	2004
08.01.2020 16:32:45	1	1	1	1	77.5	60.75	0	29952.607	384.9462366	11871.00807	30000	0	0	30000	41	2004
08.01.2020 16:32:46	1	1	1	1	77.5	61	0	29952.607	391.3978495	11871.00807	30000	0	0	30000	40.75	2004
08.01.2020 16:32:47	1	1	1	1	77.5	60.75	0	30094.787	412.9032258	12064.25135	30000	0	0	30000	41.0625	2004
08.01.2020 16:32:48	1	1	1	1	77.5	61	0	30000	397.8494624	11999.83693	30000	0	0	30000	40.9375	2004
08.01.2020 16:32:49	1	1	1	1	77.5	60.75	0	30000	397.8494624	11871.00807	30000	0	0	30000	41	2004
08.01.2020 16:32:50	1	1	1	1	77.5	61	0	29952.607	397.8494624	12128.66578	30000	0	0	30000	39.9375	2004
08.01.2020 16:32:51	1	1	1	1	77.5	59.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	41.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 16:32:53	1	1	1	1	77.75	61	0	30000	415.0537634	12451.55328	30000	0	0	30000	41.1875	2004
08.01.2020 16:32:54	1	1	1	1	77.75	61	0	29952.607	412.9032258	12451.55328	30000	0	0	30000	41.375	2004
08.01.2020 16:32:55	1	1	1	1	77.75	61.25	0	30000	397.8494624	11935.4225	30000	0	0	30000	41	2004
08.01.2020 16:32:56	1	1	1	1	77.75	61	0	30000	395.6989247	11871.00807	30000	0	0	30000	41.0625	2004
08.01.2020 16:32:57	1	1	1	1	77.75	61	0	30000	384.9462366	11548.12057	30000	0	0	30000	40.9375	2004
08.01.2020 16:32:58	1	1	1	1	77.75	60.75	0	30000	372.0430108	11225.23306	30000	0	0	30000	40.9375	2004
08.01.2020 16:32:59	1	1	1	1	77.75	60.75	0	30000	356.9892473	10709.10227	30000	0	0	30000	41.0625	2004
08.01.2020 16:33:00	1	1	1	1	77.75	61	0	30000	346.2365591	10451.44457	30000	0	0	30000	41.0625	2004
08.01.2020 16:33:01	1	1	1	1	77.75	61	0	30000	337.6344086	10113.06499	30000	0	0	30000	40.25	2004
08.01.2020 16:33:02	1	1	1	1	77.75	60.25	0	30000	329.0322581	9935.313783	30000	0	0	30000	40.5625	2004
08.01.2020 16:33:03	1	1	1	1	77.75	60.5	0	30000	329.0322581	9870.899356	30000	0	0	30000	41	2004
08.01.2020 16:33:04	1	1	1	1	77.75	61	0	30000	320.4301075	9676.840703	30000	0	0	30000	40.6875	2004
08.01.2020 16:33:05	1	1	1	1	77.75	60.5	0	30000	313.9784946	9340.091865	30000	0	0	30000	41	2004
08.01.2020 16:33:06	1	1	1	1	77.75	61	0	29952.607	313.9784946	9612.426277	30000	0	0	30000	40.9375	2004
08.01.2020 16:33:07	1	1	1	1	77.75	60.75	0	30000	322.5806452	9676.840703	30000	0	0	30000	41.0625	2004
08.01.2020 16:33:08	1	1	1	1	77.75	61	0	30000	329.0322581	9870.899356	30000	0	0	30000	40.9375	2004
08.01.2020 16:33:09	1	1	1	1	77.75	60.75	0	30000	337.6344086	9919.821705	30000	0	0	30000	40.5	2004
08.01.2020 16:33:10	1	1	1	1	77.75	60.5	0	30000	339.7849462	10128.55706	30000	0	0	30000	40.875	2004
08.01.2020 16:33:11	1	1	1	1	77.75	60.75	0	30000	337.6344086	10128.55706	30000	0	0	30000	41.125	2004
08.01.2020 16:33:12	1	1	1	1	77.75	61	0	30000	339.7849462	10257.38592	30000	0	0	30000	41	2004
08.01.2020 16:33:13	1	1	1	1	77.75	61	0	30000	341.9354839	10451.44457	30000	0	0	30000	41.0625	2004
08.01.2020 16:33:14	1	1	1	1	77.75	61	0	30047.393	341.9354839	10257.38592	30000	0	0	30000	41.0625	2004
08.01.2020 16:33:15	1	1	1	1	77.75	61	0	30000	341.9354839	10257.38592	30000	0	0	30000	41.125	2004
08.01.2020 16:33:16	1	1	1	1	77.75	61	0	30000	341.9354839	10387.03014	30000	0	0	30000	40.375	2004
08.01.2020 16:33:17	1	1	1	1	77.75	60.25	0	30000	346.2365591	10241.89384	30000	0	0	30000	41.1875	2004
08.01.2020 16:33:18	1	1	1	1	77.75	61	0	30000	348.3870968	10515.85899	30000	0	0	30000	41.125	2004
08.01.2020 16:33:19	1	1	1	1	77.75	61	0	30000	341.9354839	10257.38592	30000	0	0	30000	40.4375	2004
08.01.2020 16:33:20	1	1	1	1	77.75	60.25	0	29952.607	337.6344086	10387.03014	30000	0	0	30000	40.5625	2004
08.01.2020 16:33:21	1	1	1	1	77.75	60.5	0	30000	341.9354839	10257.38592	30000	0	0	30000	40.5625	2004
08.01.2020 16:33:29	1	1	1	1	77.5	61	0	30000	326.8817204	9806.484929	30000	0	0	30000	40.75	2004
08.01.2020 16:33:29	1	1	1	1	77.5	61	0	30000	326.8817204	9806.484929	30000	0	0	30000	40.75	2004
08.01.2020 16:33:29	1	1	1	1	77.5	61	0	30000	326.8817204	9806.484929	30000	0	0	30000	40.75	2004
08.01.2020 16:33:29	1	1	1	1	77.5	61	0	30000	326.8817204	9806.484929	30000	0	0	30000	40.75	2004
08.01.2020 16:33:29	1	1	1	1	77.5	61	0	30000	326.8817204	9806.484929	30000	0	0	30000	40.75	2004
08.01.2020 16:33:29	1	1	1	1	77.5	61	0	30000	326.8817204	9806.484929	30000	0	0	30000	40.75	2004
08.01.2020 16:33:29	1	1	1	1	77.5	60.75	0	30000	331.1827957	9999.728209	30000	0	0	30000	41.125	2004
08.01.2020 16:33:30	1	1	1	1	77.5	61	0	30000	331.1827957	9935.313783	30000	0	0	30000	40.5	2004
08.01.2020 16:33:31	1	1	1	1	77.5	60.5	0	30000	333.3333333	9999.728209	30000	0	0	30000	41.0625	2004
08.01.2020 16:33:33	1	1	1	1	77.5	61	0	29952.607	339.7849462	10192.97149	30000	0	0	30000	41.0625	2004
08.01.2020 16:33:34	1	1	1	1	77.5	61	0	29905.213	346.2365591	10387.03014	30000	0	0	30000	41.0625	2004
08.01.2020 16:33:35	1	1	1	1	77.5	61	0	30000	346.2365591	10467.75202	30000	0	0	30000	41.4375	2004
08.01.2020 16:33:36	1	1	1	1	77.5	61.25	0	30000	354.8387097	10644.68785	30000	0	0	30000	41.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 16:33:37	1	1	1	1	77.5	61	0	30000	354.8387097	10644.68785	30000	0	0	30000	40.625	2004
08.01.2020 16:33:38	1	1	1	1	77.5	60.5	0	30000	359.1397849	10644.68785	30000	0	0	30000	40.5625	2004
08.01.2020 16:33:39	1	1	1	1	77.5	60.5	0	30000	359.1397849	10903.16093	30000	0	0	30000	41	2004
08.01.2020 16:33:40	1	1	1	1	77.5	61	0	30000	369.8924731	11160.81863	30000	0	0	30000	40.5	2004
08.01.2020 16:33:41	1	1	1	1	77.5	60.5	0	30000	372.0430108	11208.11024	30000	0	0	30000	40.8125	2004
08.01.2020 16:33:42	1	1	1	1	76.75	60.75	0	30000	372.0430108	11160.81863	30000	0	0	30000	40.4375	2004
08.01.2020 16:33:43	1	1	1	1	76.75	60.25	0	30000	369.8924731	11096.40421	30000	0	0	30000	41.0625	2004
08.01.2020 16:33:44	1	1	1	1	76.75	61	0	30000	372.0430108	11178.75683	30000	0	0	30000	40.75	2004
08.01.2020 16:33:45	1	1	1	1	76.75	60.75	0	30000	378.4946237	11419.29171	30000	0	0	30000	40.625	2004
08.01.2020 16:33:46	1	1	1	1	76.75	60.5	0	29952.607	378.4946237	11336.93909	30000	0	0	30000	40.5	2004
08.01.2020 16:33:47	1	1	1	1	76.75	60.5	0	30000	380.6451613	11354.87729	30000	0	0	30000	40.875	2004
08.01.2020 16:33:48	1	1	1	1	76.75	60.75	0	29952.607	378.4946237	11419.29171	30000	0	0	30000	40.8125	2004
08.01.2020 16:33:49	1	1	1	1	76.75	60.75	0	30000	384.9462366	11612.53499	30000	0	0	30000	40.75	2004
08.01.2020 16:33:50	1	1	1	1	76.75	60.75	0	30000	384.9462366	11548.12057	30000	0	0	30000	40.9375	2004
08.01.2020 16:33:51	1	1	1	1	76.75	60.75	0	30000	391.3978495	11741.36385	30000	0	0	30000	40.875	2004
08.01.2020 16:33:52	1	1	1	1	76.75	60.75	0	30000	397.8494624	11935.4225	30000	0	0	30000	40.5625	2004
08.01.2020 16:33:53	1	1	1	1	76.75	60.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	40.625	2004
08.01.2020 16:33:54	1	1	1	1	76.75	60.5	0	30000	412.9032258	12090.34327	30000	0	0	30000	40.8125	2004
08.01.2020 16:33:55	1	1	1	1	76.75	60.75	0	30000	412.9032258	12193.08021	30000	0	0	30000	40.4375	2004
08.01.2020 16:33:56	1	1	1	1	76.75	60.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	40.9375	2004
08.01.2020 16:33:57	1	1	1	1	76.75	60.75	0	30000	391.3978495	11741.36385	30000	0	0	30000	40.9375	2004
08.01.2020 16:33:58	1	1	1	1	76.75	60.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	41	2004
08.01.2020 16:33:59	1	1	1	1	76.75	61	0	30000	382.7956989	11483.70614	30000	0	0	30000	40.625	2004
08.01.2020 16:34:00	1	1	1	1	76.75	60.5	0	30000	389.2473118	11676.94942	30000	0	0	30000	40.625	2004
08.01.2020 16:34:01	1	1	1	1	76.75	60.5	0	30000	387.0967742	11612.53499	30000	0	0	30000	40.75	2004
08.01.2020 16:34:02	1	1	1	1	76.75	60.75	0	30000	389.2473118	11676.94942	30000	0	0	30000	40.3125	2004
08.01.2020 16:34:03	1	1	1	1	76.75	60.25	0	30000	384.9462366	11548.12057	30000	0	0	30000	40.625	2004
08.01.2020 16:34:04	1	1	1	1	76.75	60.5	0	30000	378.4946237	11419.29171	30000	0	0	30000	40.875	2004
08.01.2020 16:34:05	1	1	1	1	76.75	60.75	0	29905.213	359.1397849	11031.98978	30000	0	0	30000	40.875	2004
08.01.2020 16:34:06	1	1	1	1	76.75	60.75	0	30000	350.5376344	10773.5167	30000	0	0	30000	40.875	2004
08.01.2020 16:34:07	1	1	1	1	76.75	60.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	40.8125	2004
08.01.2020 16:34:08	1	1	1	1	76.75	60.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	40.8125	2004
08.01.2020 16:34:09	1	1	1	1	76.75	60.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	40.75	2004
08.01.2020 16:34:10	1	1	1	1	76.75	60.75	0	30000	326.8817204	9741.25513	30000	0	0	30000	40.875	2004
08.01.2020 16:34:12	1	1	1	1	76.75	60.75	0	29952.607	305.3763441	9225.124344	30000	0	0	30000	40.3125	2004
08.01.2020 16:34:13	1	1	1	1	76.75	60.25	0	30000	301.0752688	9096.295491	30000	0	0	30000	41.0625	2004
08.01.2020 16:34:14	1	1	1	1	76.75	61	0	29905.213	294.6236559	8824.776452	30000	0	0	30000	41.5	2004
08.01.2020 16:34:15	1	1	1	1	76.75	61.5	0	30000	294.6236559	8838.637784	30000	0	0	30000	40.375	2004
08.01.2020 16:34:16	1	1	1	1	76.75	60.25	0	30000	288.172043	8644.579132	30000	0	0	30000	41	2004
08.01.2020 16:34:17	1	1	1	1	76.75	61	0	30000	281.7204301	8451.335852	30000	0	0	30000	41.375	2004
08.01.2020 16:34:18	1	1	1	1	76.75	61.25	0	30000	279.5698925	8258.092572	30000	0	0	30000	40.75	2004
08.01.2020 16:34:19	1	1	1	1	76.75	60.75	0	30000	277.4193548	8322.506999	30000	0	0	30000	40.75	2004
08.01.2020 16:34:20	1	1	1	1	76.75	60.75	0	30000	275.2688172	8258.092572	30000	0	0	30000	40.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 16:34:21	1	1	1	1	76.75	60.75	0	30000	277.4193548	8322.506999	30000	0	0	30000	40.8125	2004
08.01.2020 16:34:22	1	1	1	1	76.5	60.75	0	30000	277.4193548	8258.092572	30000	0	0	30000	41	2004
08.01.2020 16:34:23	1	1	1	1	76.5	61	0	30000	277.4193548	8386.921425	30000	0	0	30000	40.8125	2004
08.01.2020 16:34:31	1	1	1	1	76.5	60.5	0	30000	318.2795699	9548.01185	30000	0	0	30000	40.3125	2004
08.01.2020 16:34:31	1	1	1	1	76.5	60.5	0	30000	318.2795699	9548.01185	30000	0	0	30000	40.3125	2004
08.01.2020 16:34:31	1	1	1	1	76.5	60.5	0	30000	318.2795699	9548.01185	30000	0	0	30000	40.3125	2004
08.01.2020 16:34:31	1	1	1	1	76.5	60.5	0	30000	318.2795699	9548.01185	30000	0	0	30000	40.3125	2004
08.01.2020 16:34:31	1	1	1	1	76.5	60.5	0	30000	318.2795699	9548.01185	30000	0	0	30000	40.3125	2004
08.01.2020 16:34:31	1	1	1	1	76.5	60.5	0	30000	318.2795699	9548.01185	30000	0	0	30000	40.3125	2004
08.01.2020 16:34:31	1	1	1	1	76.5	60.5	0	30000	318.2795699	9548.01185	30000	0	0	30000	40.3125	2004
08.01.2020 16:34:31	1	1	1	1	76.5	60.25	0	30000	322.5806452	9676.840703	30000	0	0	30000	40.9375	2004
08.01.2020 16:34:32	1	1	1	1	76.25	60.75	0	30000	329.0322581	9855.407279	30000	0	0	30000	40.625	2004
08.01.2020 16:34:33	1	1	1	1	76.25	60.5	0	30094.787	333.3333333	9999.728209	30000	0	0	30000	41.0625	2004
08.01.2020 16:34:34	1	1	1	1	76.25	61	0	29952.607	329.0322581	9935.313783	30000	0	0	30000	40.8125	2004
08.01.2020 16:34:35	1	1	1	1	76.25	60.75	0	30000	335.483871	10128.55706	30000	0	0	30000	41	2004
08.01.2020 16:34:36	1	1	1	1	76.25	61	0	30000	337.6344086	10128.55706	30000	0	0	30000	40.8125	2004
08.01.2020 16:34:37	1	1	1	1	76.25	60.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	40.9375	2004
08.01.2020 16:34:38	1	1	1	1	76.25	60.75	0	30000	346.2365591	10387.03014	30000	0	0	30000	40.875	2004
08.01.2020 16:34:39	1	1	1	1	76.25	60.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	41	2004
08.01.2020 16:34:40	1	1	1	1	76.25	61	0	29952.607	352.688172	10515.85899	30000	0	0	30000	41.125	2004
08.01.2020 16:34:41	1	1	1	1	76.25	61	0	29905.213	356.9892473	10773.5167	30000	0	0	30000	40.625	2004
08.01.2020 16:34:42	1	1	1	1	76.25	60.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	40.875	2004
08.01.2020 16:34:43	1	1	1	1	76.25	60.75	0	30000	356.9892473	10709.10227	30000	0	0	30000	40.875	2004
08.01.2020 16:34:44	1	1	1	1	76.25	60.75	0	30000	356.9892473	10692.79483	30000	0	0	30000	40.75	2004
08.01.2020 16:34:45	1	1	1	1	76.25	60.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	40.9375	2004
08.01.2020 16:34:46	1	1	1	1	76.25	60.75	0	30000	356.9892473	10709.10227	30000	0	0	30000	40.75	2004
08.01.2020 16:34:47	1	1	1	1	76.25	60.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	41	2004
08.01.2020 16:34:48	1	1	1	1	76.25	61	0	30000	359.1397849	10773.5167	30000	0	0	30000	40.75	2004
08.01.2020 16:34:49	1	1	1	1	76.25	60.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	41	2004
08.01.2020 16:34:50	1	1	1	1	76.25	61	0	30000	363.4408602	10675.672	30000	0	0	30000	40.875	2004
08.01.2020 16:34:51	1	1	1	1	76.25	60.75	0	29905.213	369.8924731	11096.40421	30000	0	0	30000	40.875	2004
08.01.2020 16:34:53	1	1	1	1	76.5	60.75	0	30000	367.7419355	11096.40421	30000	0	0	30000	41	2004
08.01.2020 16:34:54	1	1	1	1	76.5	61	0	30000	378.4946237	11354.87729	30000	0	0	30000	41	2004
08.01.2020 16:34:55	1	1	1	1	76.5	61	0	30000	378.4946237	11354.87729	30000	0	0	30000	40.0625	2004
08.01.2020 16:34:56	1	1	1	1	76.5	60	0	30000	378.4946237	11354.87729	30000	0	0	30000	40.875	2004
08.01.2020 16:34:57	1	1	1	1	76.5	60.75	0	30000	380.6451613	11354.87729	30000	0	0	30000	40.875	2004
08.01.2020 16:34:58	1	1	1	1	76.5	61	0	30000	365.5913978	10903.16093	30000	0	0	30000	40.25	2004
08.01.2020 16:34:59	1	1	1	1	76.5	60.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	40.875	2004
08.01.2020 16:35:00	1	1	1	1	76.5	60.75	0	30000	359.1397849	10903.16093	30000	0	0	30000	40.4375	2004
08.01.2020 16:35:01	1	1	1	1	76.5	60.25	0	30000	350.5376344	10515.85899	30000	0	0	30000	41.0625	2004
08.01.2020 16:35:02	1	1	1	1	76.25	61	0	30000	348.3870968	10515.85899	30000	0	0	30000	41.0625	2004
08.01.2020 16:35:03	1	1	1	1	76.25	61	0	30000	344.0860215	10387.03014	30000	0	0	30000	40.8125	2004
08.01.2020 16:35:04	1	1	1	1	76.25	60.75	0	30000	339.7849462	10257.38592	30000	0	0	30000	40.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 16:35:05	1	1	1	1	76.25	60.75	0	30000	331.1827957	9999.728209	30000	0	0	30000	40.9375	2004
08.01.2020 16:35:06	1	1	1	1	76.25	60.75	0	30000	326.8817204	9741.25513	30000	0	0	30000	40.9375	2004
08.01.2020 16:35:07	1	1	1	1	76.25	60.75	0	30000	311.827957	9433.859702	30000	0	0	30000	40.9375	2004
08.01.2020 16:35:08	1	1	1	1	76.25	60.75	0	30000	311.827957	9354.76857	30000	0	0	30000	41.0625	2004
08.01.2020 16:35:09	1	1	1	1	76.25	61	0	30000	311.827957	9290.354143	30000	0	0	30000	41.125	2004
08.01.2020 16:35:10	1	1	1	1	76.25	61	0	30000	303.2258065	9096.295491	30000	0	0	30000	40.875	2004
08.01.2020 16:35:11	1	1	1	1	76.25	60.75	0	30000	296.7741935	8838.637784	30000	0	0	30000	40.6875	2004
08.01.2020 16:35:12	1	1	1	1	75.75	60.5	0	29952.607	290.3225806	8708.993559	30000	0	0	30000	40.75	2004
08.01.2020 16:35:13	1	1	1	1	75.75	60.75	0	30047.393	298.9247312	8903.052211	30000	0	0	30000	40.8125	2004
08.01.2020 16:35:14	1	1	1	1	75.75	60.75	0	29905.213	296.7741935	8953.605305	30000	0	0	30000	40.75	2004
08.01.2020 16:35:15	1	1	1	1	75.75	60.75	0	30000	301.0752688	9031.881064	30000	0	0	30000	40.875	2004
08.01.2020 16:35:16	1	1	1	1	75.75	60.75	0	30000	298.9247312	9031.881064	30000	0	0	30000	40.9375	2004
08.01.2020 16:35:17	1	1	1	1	75.75	60.75	0	30000	303.2258065	9096.295491	30000	0	0	30000	40.9375	2004
08.01.2020 16:35:18	1	1	1	1	75.75	60.75	0	29952.607	303.2258065	9225.124344	30000	0	0	30000	40.5	2004
08.01.2020 16:35:19	1	1	1	1	75.75	60.5	0	29952.607	298.9247312	9096.295491	30000	0	0	30000	40.625	2004
08.01.2020 16:35:20	1	1	1	1	75.75	60.5	0	30000	301.0752688	9031.881064	30000	0	0	30000	40.8125	2004
08.01.2020 16:35:21	1	1	1	1	75.75	60.75	0	30000	305.3763441	9225.124344	30000	0	0	30000	40.375	2004
08.01.2020 16:35:22	1	1	1	1	76	60.25	0	30000	305.3763441	9160.709918	30000	0	0	30000	40.75	2004
08.01.2020 16:35:23	1	1	1	1	76	60.75	0	29952.607	303.2258065	9160.709918	30000	0	0	30000	40.75	2004
08.01.2020 16:35:24	1	1	1	1	76	60.75	0	30000	316.1290323	9340.091865	30000	0	0	30000	40.9375	2004
08.01.2020 16:35:32	1	1	1	1	76	61	0	30000	307.5268817	9225.124344	30000	0	0	30000	41	2004
08.01.2020 16:35:32	1	1	1	1	76	61	0	30000	307.5268817	9225.124344	30000	0	0	30000	41	2004
08.01.2020 16:35:32	1	1	1	1	76	61	0	30000	307.5268817	9225.124344	30000	0	0	30000	41	2004
08.01.2020 16:35:32	1	1	1	1	76	61	0	30000	307.5268817	9225.124344	30000	0	0	30000	41	2004
08.01.2020 16:35:32	1	1	1	1	76	61	0	30000	307.5268817	9225.124344	30000	0	0	30000	41	2004
08.01.2020 16:35:32	1	1	1	1	76	61	0	30000	307.5268817	9225.124344	30000	0	0	30000	41	2004
08.01.2020 16:35:32	1	1	1	1	76	61	0	30000	311.827957	9354.76857	30000	0	0	30000	40.875	2004
08.01.2020 16:35:33	1	1	1	1	76	60.75	0	30000	316.1290323	9354.76857	30000	0	0	30000	40.875	2004
08.01.2020 16:35:35	1	1	1	1	76	60.75	0	30000	309.6774194	9082.434159	30000	0	0	30000	40.9375	2004
08.01.2020 16:35:36	1	1	1	1	76	60.75	0	30000	307.5268817	9225.124344	30000	0	0	30000	41.375	2004
08.01.2020 16:35:37	1	1	1	1	76	61.25	0	30000	309.6774194	9225.124344	30000	0	0	30000	41	2004
08.01.2020 16:35:38	1	1	1	1	76	61	0	30000	296.7741935	8903.052211	30000	0	0	30000	40.8125	2004
08.01.2020 16:35:39	1	1	1	1	76	60.75	0	30000	298.9247312	9031.881064	30000	0	0	30000	41.4375	2004
08.01.2020 16:35:40	1	1	1	1	76	60.75	0	30000	298.9247312	8903.052211	30000	0	0	30000	40.9375	2004
08.01.2020 16:35:41	1	1	1	1	76	60.75	0	30000	296.7741935	8838.637784	30000	0	0	30000	40.875	2004
08.01.2020 16:35:42	1	1	1	1	76	60.75	0	30000	292.4731183	8708.993559	30000	0	0	30000	41.0625	2004
08.01.2020 16:35:45	1	1	1	1	76	60.25	0	29905.213	283.8709677	8631.533172	30000	0	0	30000	41.0625	2004
08.01.2020 16:35:45	1	1	1	1	76	60.25	0	29905.213	283.8709677	8631.533172	30000	0	0	30000	41.0625	2004
08.01.2020 16:35:45	1	1	1	1	76	61	0	30000	286.0215054	8580.164705	30000	0	0	30000	40.375	2004
08.01.2020 16:35:46	1	1	1	1	76	60.25	0	30000	283.8709677	8580.164705	30000	0	0	30000	40.875	2004
08.01.2020 16:35:47	1	1	1	1	76	60.75	0	30000	277.4193548	8451.335852	30000	0	0	30000	40.5625	2004
08.01.2020 16:35:48	1	1	1	1	76	60.5	0	30000	279.5698925	8451.335852	30000	0	0	30000	41	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 16:35:49	1	1	1	1	76	61	0	30000	283.8709677	8451.335852	30000	0	0	30000	41	2004
08.01.2020 16:35:50	1	1	1	1	76	61	0	30000	279.5698925	8322.506999	30000	0	0	30000	41.0625	2004
08.01.2020 16:35:51	1	1	1	1	76	61	0	30000	283.8709677	8515.750279	30000	0	0	30000	40.9375	2004
08.01.2020 16:35:52	1	1	1	1	76	60.75	0	30000	283.8709677	8515.750279	30000	0	0	30000	40.9375	2004
08.01.2020 16:35:53	1	1	1	1	76	60.75	0	29952.607	281.7204301	8580.164705	30000	0	0	30000	40.9375	2004
08.01.2020 16:35:54	1	1	1	1	76	60.75	0	30000	281.7204301	8515.750279	30000	0	0	30000	41	2004
08.01.2020 16:35:55	1	1	1	1	76	61	0	30000	281.7204301	8451.335852	30000	0	0	30000	41	2004
08.01.2020 16:35:56	1	1	1	1	76	61	0	30000	281.7204301	8451.335852	30000	0	0	30000	41.125	2004
08.01.2020 16:35:57	1	1	1	1	76	61	0	30000	286.0215054	8580.164705	30000	0	0	30000	40.8125	2004
08.01.2020 16:35:58	1	1	1	1	76	60.75	0	30000	288.172043	8708.993559	30000	0	0	30000	41	2004
08.01.2020 16:35:59	1	1	1	1	76	61	0	30000	288.172043	8708.993559	30000	0	0	30000	40.875	2004
08.01.2020 16:36:00	1	1	1	1	76	60.75	0	30000	290.3225806	8708.993559	30000	0	0	30000	41.125	2004
08.01.2020 16:36:01	1	1	1	1	76	61	0	29952.607	279.5698925	8644.579132	30000	0	0	30000	40.5	2004
08.01.2020 16:36:02	1	1	1	1	75.75	60.5	0	30000	296.7741935	8708.993559	30000	0	0	30000	40.9375	2004
08.01.2020 16:36:03	1	1	1	1	75.75	60.75	0	30000	296.7741935	8903.052211	30000	0	0	30000	40.9375	2004
08.01.2020 16:36:04	1	1	1	1	75.75	60.75	0	30000	298.9247312	8953.605305	30000	0	0	30000	40.9375	2004
08.01.2020 16:36:05	1	1	1	1	75.75	60.75	0	29952.607	305.3763441	9096.295491	30000	0	0	30000	40.6875	2004
08.01.2020 16:36:06	1	1	1	1	75.75	60.5	0	30000	301.0752688	9031.881064	30000	0	0	30000	41	2004
08.01.2020 16:36:07	1	1	1	1	75.75	61	0	30000	301.0752688	9031.881064	30000	0	0	30000	40.9375	2004
08.01.2020 16:36:08	1	1	1	1	75.75	60.75	0	29905.213	298.9247312	8967.466638	30000	0	0	30000	41.1875	2004
08.01.2020 16:36:09	1	1	1	1	75.75	61	0	30000	301.0752688	8810.099747	30000	0	0	30000	41.0625	2004
08.01.2020 16:36:10	1	1	1	1	75.75	61	0	30000	303.2258065	8953.605305	30000	0	0	30000	40.875	2004
08.01.2020 16:36:12	1	1	1	1	75.75	60.75	0	30000	301.0752688	9096.295491	30000	0	0	30000	40.125	2004
08.01.2020 16:36:13	1	1	1	1	76	60	0	30000	305.3763441	9096.295491	30000	0	0	30000	41	2004
08.01.2020 16:36:14	1	1	1	1	76	61	0	30000	309.6774194	9290.354143	30000	0	0	30000	41.1875	2004
08.01.2020 16:36:15	1	1	1	1	76	61	0	30000	309.6774194	9290.354143	30000	0	0	30000	40.9375	2004
08.01.2020 16:36:16	1	1	1	1	76	60.75	0	30000	305.3763441	9225.124344	30000	0	0	30000	41.125	2004
08.01.2020 16:36:17	1	1	1	1	76	61	0	29952.607	309.6774194	9354.76857	30000	0	0	30000	40.625	2004
08.01.2020 16:36:18	1	1	1	1	76	60.5	0	30000	313.9784946	9433.859702	30000	0	0	30000	40.5625	2004
08.01.2020 16:36:19	1	1	1	1	76	61.5	0	29952.607	311.827957	9354.76857	30000	0	0	30000	41.0625	2004
08.01.2020 16:36:20	1	1	1	1	76	61	0	30000	316.1290323	9419.182997	30000	0	0	30000	40.5625	2004
08.01.2020 16:36:21	1	1	1	1	76	60.5	0	30000	313.9784946	9354.76857	30000	0	0	30000	40.125	2004
08.01.2020 16:36:22	1	1	1	1	76	60	0	29952.607	309.6774194	9354.76857	30000	0	0	30000	41	2004
08.01.2020 16:36:23	1	1	1	1	76	61	0	30000	313.9784946	9290.354143	30000	0	0	30000	40.875	2004
08.01.2020 16:36:24	1	1	1	1	76	60.75	0	30000	309.6774194	9354.76857	30000	0	0	30000	40.9375	2004
08.01.2020 16:36:25	1	1	1	1	76	60.75	0	30000	313.9784946	9404.506292	30000	0	0	30000	40.5	2004
08.01.2020 16:36:26	1	1	1	1	76	60.5	0	29952.607	313.9784946	9419.182997	30000	0	0	30000	40.5625	2004
08.01.2020 16:36:33	1	1	1	1	76	61	0	30000	337.6344086	10064.14264	30000	0	0	30000	40.3125	2004
08.01.2020 16:36:33	1	1	1	1	76	61	0	30000	337.6344086	10064.14264	30000	0	0	30000	40.3125	2004
08.01.2020 16:36:34	1	1	1	1	76	61	0	30000	337.6344086	10064.14264	30000	0	0	30000	40.3125	2004
08.01.2020 16:36:34	1	1	1	1	76	61	0	30000	337.6344086	10064.14264	30000	0	0	30000	40.3125	2004
08.01.2020 16:36:34	1	1	1	1	76	61	0	30000	337.6344086	10064.14264	30000	0	0	30000	40.3125	2004
08.01.2020 16:36:34	1	1	1	1	76	61	0	30000	337.6344086	10064.14264	30000	0	0	30000	40.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 16:36:34	1	1	1	1	76	61	0	30000	337.6344086	10064.14264	30000	0	0	30000	40.3125	2004
08.01.2020 16:36:34	1	1	1	1	76	60.25	0	30000	346.2365591	10387.03014	30000	0	0	30000	40.75	2004
08.01.2020 16:36:35	1	1	1	1	76	60.75	0	30000	354.8387097	10773.5167	30000	0	0	30000	41	2004
08.01.2020 16:36:36	1	1	1	1	76	61	0	30000	354.8387097	10644.68785	30000	0	0	30000	41.0625	2004
08.01.2020 16:36:37	1	1	1	1	76	61	0	30000	352.688172	10644.68785	30000	0	0	30000	41	2004
08.01.2020 16:36:38	1	1	1	1	76	61	0	30000	350.5376344	10451.44457	30000	0	0	30000	41.0625	2004
08.01.2020 16:36:39	1	1	1	1	76	61	0	29952.607	346.2365591	10515.85899	30000	0	0	30000	40.75	2004
08.01.2020 16:36:40	1	1	1	1	76	60.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	41.125	2004
08.01.2020 16:36:41	1	1	1	1	76	61	0	30000	335.483871	10064.14264	30000	0	0	30000	41	2004
08.01.2020 16:36:42	1	1	1	1	76.5	61	0	30047.393	339.7849462	10209.27894	30000	0	0	30000	40.875	2004
08.01.2020 16:36:43	1	1	1	1	76.5	60.75	0	30000	341.9354839	10241.89384	30000	0	0	30000	40.3125	2004
08.01.2020 16:36:44	1	1	1	1	76.5	60.25	0	30047.393	341.9354839	10257.38592	30000	0	0	30000	41	2004
08.01.2020 16:36:45	1	1	1	1	76.5	61	0	29952.607	337.6344086	10192.97149	30000	0	0	30000	40.625	2004
08.01.2020 16:36:46	1	1	1	1	76.5	60.5	0	29905.213	335.483871	10128.55706	30000	0	0	30000	40.875	2004
08.01.2020 16:36:47	1	1	1	1	76.5	60.75	0	30000	339.7849462	10128.55706	30000	0	0	30000	40.8125	2004
08.01.2020 16:36:48	1	1	1	1	76.5	60.75	0	30047.393	341.9354839	10257.38592	30000	0	0	30000	40.6875	2004
08.01.2020 16:36:49	1	1	1	1	76.5	60.5	0	30000	339.7849462	10128.55706	30000	0	0	30000	40.875	2004
08.01.2020 16:36:50	1	1	1	1	76.5	60.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	41.0625	2004
08.01.2020 16:36:52	1	1	1	1	76.5	61	0	30000	341.9354839	10257.38592	30000	0	0	30000	40.5	2004
08.01.2020 16:36:53	1	1	1	1	76.5	60.5	0	29952.607	348.3870968	10451.44457	30000	0	0	30000	40.9375	2004
08.01.2020 16:36:54	1	1	1	1	76.5	60.75	0	30047.393	350.5376344	10678.11812	30000	0	0	30000	41.1875	2004
08.01.2020 16:36:55	1	1	1	1	76.5	61	0	30000	350.5376344	10515.85899	30000	0	0	30000	41.3125	2004
08.01.2020 16:36:56	1	1	1	1	76.5	61.25	0	30000	346.2365591	10257.38592	30000	0	0	30000	41.25	2004
08.01.2020 16:36:57	1	1	1	1	76.5	61.25	0	30000	344.0860215	10257.38592	30000	0	0	30000	40.375	2004
08.01.2020 16:36:58	1	1	1	1	76.5	60.5	0	30000	335.483871	10128.55706	30000	0	0	30000	40.9375	2004
08.01.2020 16:36:59	1	1	1	1	76.5	60.75	0	30000	320.4301075	9612.426277	30000	0	0	30000	40.9375	2004
08.01.2020 16:37:00	1	1	1	1	76.5	60.75	0	30000	311.827957	9354.76857	30000	0	0	30000	41.125	2004
08.01.2020 16:37:01	1	1	1	1	76.5	61	0	30000	305.3763441	9096.295491	30000	0	0	30000	41	2004
08.01.2020 16:37:02	1	1	1	1	76.5	61	0	30000	311.827957	9354.76857	30000	0	0	30000	41	2004
08.01.2020 16:37:03	1	1	1	1	76.5	61	0	30000	337.6344086	9999.728209	30000	0	0	30000	41.0625	2004
08.01.2020 16:37:04	1	1	1	1	76.5	61	0	30000	348.3870968	10387.03014	30000	0	0	30000	41.0625	2004
08.01.2020 16:37:05	1	1	1	1	76.5	61	0	30000	359.1397849	10773.5167	30000	0	0	30000	41	2004
08.01.2020 16:37:06	1	1	1	1	76.5	61	0	30000	369.8924731	10967.57535	30000	0	0	30000	40.75	2004
08.01.2020 16:37:07	1	1	1	1	76.5	60.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	40.125	2004
08.01.2020 16:37:08	1	1	1	1	76.5	60	0	30000	378.4946237	11419.29171	30000	0	0	30000	40.8125	2004
08.01.2020 16:37:09	1	1	1	1	76.5	60.75	0	30000	382.7956989	11419.29171	30000	0	0	30000	41.0625	2004
08.01.2020 16:37:10	1	1	1	1	76.5	61	0	29952.607	372.0430108	11160.81863	30000	0	0	30000	40.8125	2004
08.01.2020 16:37:11	1	1	1	1	76.5	60.75	0	30000	369.8924731	10886.03811	30000	0	0	30000	40.3125	2004
08.01.2020 16:37:12	1	1	1	1	76.5	60.25	0	29952.607	372.0430108	11014.86696	30000	0	0	30000	40.875	2004
08.01.2020 16:37:13	1	1	1	1	76.5	60.75	0	29905.213	367.7419355	11354.87729	30000	0	0	30000	40.9375	2004
08.01.2020 16:37:14	1	1	1	1	76.5	60.75	0	30000	384.9462366	11548.12057	30000	0	0	30000	41	2004
08.01.2020 16:37:15	1	1	1	1	76.5	61	0	29952.607	395.6989247	11935.4225	30000	0	0	30000	40.3125	2004
08.01.2020 16:37:16	1	1	1	1	76.5	60.25	0	30000	391.3978495	11741.36385	30000	0	0	30000	39.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 16:37:17	1	1	1	1	76.5	59.5	0	30000	389.2473118	11741.36385	30000	0	0	30000	41	2004
08.01.2020 16:37:18	1	1	1	1	76.5	61	0	30000	395.6989247	11741.36385	30000	0	0	30000	40.875	2004
08.01.2020 16:37:19	1	1	1	1	76.5	60.75	0	30000	397.8494624	11935.4225	30000	0	0	30000	40.1875	2004
08.01.2020 16:37:20	1	1	1	1	76.5	60	0	30000	395.6989247	11935.4225	30000	0	0	30000	40.875	2004
08.01.2020 16:37:21	1	1	1	1	76.5	60.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	40.8125	2004
08.01.2020 16:37:22	1	1	1	1	76.5	60.75	0	30000	384.9462366	11548.12057	30000	0	0	30000	40.6875	2004
08.01.2020 16:37:23	1	1	1	1	76.5	60.5	0	30000	391.3978495	11511.4288	30000	0	0	30000	40.875	2004
08.01.2020 16:37:24	1	1	1	1	76.5	60.75	0	30000	391.3978495	11723.42565	30000	0	0	30000	40.5625	2004
08.01.2020 16:37:25	1	1	1	1	76.5	60.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	40.875	2004
08.01.2020 16:37:26	1	1	1	1	76.5	60.75	0	30000	391.3978495	11871.00807	30000	0	0	30000	40.625	2004
08.01.2020 16:37:27	1	1	1	1	76.5	60.5	0	29952.607	395.6989247	11871.00807	30000	0	0	30000	40.4375	2004
08.01.2020 16:37:35	1	1	1	1	77	61.25	0	30000	425.8064516	12773.62542	30000	0	0	30000	41.125	2004
08.01.2020 16:37:35	1	1	1	1	77	61.25	0	30000	425.8064516	12773.62542	30000	0	0	30000	41.125	2004
08.01.2020 16:37:35	1	1	1	1	77	61.25	0	30000	425.8064516	12773.62542	30000	0	0	30000	41.125	2004
08.01.2020 16:37:35	1	1	1	1	77	61.25	0	30000	425.8064516	12773.62542	30000	0	0	30000	41.125	2004
08.01.2020 16:37:35	1	1	1	1	77	61.25	0	30000	425.8064516	12773.62542	30000	0	0	30000	41.125	2004
08.01.2020 16:37:35	1	1	1	1	77	61.25	0	30000	425.8064516	12773.62542	30000	0	0	30000	41.125	2004
08.01.2020 16:37:35	1	1	1	1	77	61.25	0	30000	425.8064516	12773.62542	30000	0	0	30000	41.125	2004
08.01.2020 16:37:36	1	1	1	1	77	61	0	30000	434.4086022	12967.68407	30000	0	0	30000	40.6875	2004
08.01.2020 16:37:37	1	1	1	1	77	60.5	0	30047.393	427.9569892	12838.03984	30000	0	0	30000	41.0625	2004
08.01.2020 16:37:38	1	1	1	1	77	61	0	30000	432.2580645	13032.0985	30000	0	0	30000	40.9375	2004
08.01.2020 16:37:39	1	1	1	1	77	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.3125	2004
08.01.2020 16:37:40	1	1	1	1	77	60.25	0	30000	438.7096774	13225.34178	30000	0	0	30000	40.8125	2004
08.01.2020 16:37:41	1	1	1	1	77	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.9375	2004
08.01.2020 16:37:42	1	1	1	1	77.25	60.75	0	30000	449.4623656	13612.64371	30000	0	0	30000	40.4375	2004
08.01.2020 16:37:43	1	1	1	1	77.25	60.25	0	29952.607	445.1612903	13354.17063	30000	0	0	30000	40.875	2004
08.01.2020 16:37:44	1	1	1	1	77.25	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.25	2004
08.01.2020 16:37:45	1	1	1	1	77.25	60.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.1875	2004
08.01.2020 16:37:46	1	1	1	1	77.25	60	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.5	2004
08.01.2020 16:37:47	1	1	1	1	77.25	60.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.625	2004
08.01.2020 16:37:48	1	1	1	1	77.25	60.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.4375	2004
08.01.2020 16:37:49	1	1	1	1	77.25	60.25	0	30094.787	445.1612903	13354.17063	30000	0	0	30000	41	2004
08.01.2020 16:37:50	1	1	1	1	77.25	61	0	30094.787	432.2580645	12967.68407	30000	0	0	30000	40.8125	2004
08.01.2020 16:37:51	1	1	1	1	77.25	60.75	0	30000	438.7096774	13160.92735	30000	0	0	30000	41	2004
08.01.2020 16:37:52	1	1	1	1	76.75	61	0	30000	440.8602151	13160.92735	30000	0	0	30000	41.0625	2004
08.01.2020 16:37:53	1	1	1	1	76.75	61	0	30000	443.0107527	13354.17063	30000	0	0	30000	40.3125	2004
08.01.2020 16:37:54	1	1	1	1	76.75	60.25	0	30000	443.0107527	13289.7562	30000	0	0	30000	40.875	2004
08.01.2020 16:37:55	1	1	1	1	76.75	60.75	0	30000	443.0107527	13354.17063	30000	0	0	30000	40.5625	2004
08.01.2020 16:37:56	1	1	1	1	76.75	60.5	0	30000	443.0107527	13289.7562	30000	0	0	30000	40.4375	2004
08.01.2020 16:37:57	1	1	1	1	76.75	60.25	0	30000	440.8602151	13289.7562	30000	0	0	30000	40.5	2004
08.01.2020 16:37:58	1	1	1	1	76.75	60.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	40.9375	2004
08.01.2020 16:37:59	1	1	1	1	76.75	60.75	0	30000	421.5053763	12580.38214	30000	0	0	30000	40.875	2004
08.01.2020 16:38:00	1	1	1	1	76.75	60.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	40.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 16:38:01	1	1	1	1	76.75	60.75	0	30000	389.2473118	11871.00807	30000	0	0	30000	40.9375	2004
08.01.2020 16:38:02	1	1	1	1	76.5	60.75	0	29952.607	397.8494624	11935.4225	30000	0	0	30000	40.9375	2004
08.01.2020 16:38:03	1	1	1	1	76.5	60.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	40.875	2004
08.01.2020 16:38:04	1	1	1	1	76.5	60.75	0	30000	384.9462366	11548.12057	30000	0	0	30000	40.75	2004
08.01.2020 16:38:05	1	1	1	1	76.5	60.75	0	29952.607	382.7956989	11483.70614	30000	0	0	30000	40.375	2004
08.01.2020 16:38:06	1	1	1	1	76.5	60.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	40.875	2004
08.01.2020 16:38:07	1	1	1	1	76.5	60.75	0	30000	384.9462366	11548.12057	30000	0	0	30000	40.875	2004
08.01.2020 16:38:08	1	1	1	1	76.5	60.75	0	30000	382.7956989	11419.29171	30000	0	0	30000	40.9375	2004
08.01.2020 16:38:09	1	1	1	1	76.5	60.75	0	30000	384.9462366	11548.12057	30000	0	0	30000	40.5625	2004
08.01.2020 16:38:10	1	1	1	1	76.5	60.5	0	30000	391.3978495	11871.00807	30000	0	0	30000	39.6875	2004
08.01.2020 16:38:11	1	1	1	1	76.5	59.5	0	30000	380.6451613	11419.29171	30000	0	0	30000	40.9375	2004
08.01.2020 16:38:13	1	1	1	1	76	60.75	0	29905.213	367.7419355	11096.40421	30000	0	0	30000	40.9375	2004
08.01.2020 16:38:14	1	1	1	1	76	60.75	0	29952.607	359.1397849	10903.16093	30000	0	0	30000	40.875	2004
08.01.2020 16:38:15	1	1	1	1	76	60.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	40.9375	2004
08.01.2020 16:38:16	1	1	1	1	76	60.75	0	30000	363.4408602	11031.98978	30000	0	0	30000	41.25	2004
08.01.2020 16:38:17	1	1	1	1	76	61.25	0	30000	367.7419355	11096.40421	30000	0	0	30000	41	2004
08.01.2020 16:38:18	1	1	1	1	76	61	0	30000	367.7419355	10967.57535	30000	0	0	30000	40.9375	2004
08.01.2020 16:38:19	1	1	1	1	76	60.75	0	30000	369.8924731	11160.81863	30000	0	0	30000	40.9375	2004
08.01.2020 16:38:20	1	1	1	1	76	60.5	0	30000	378.4946237	11096.40421	30000	0	0	30000	41	2004
08.01.2020 16:38:21	1	1	1	1	76	61	0	30000	369.8924731	11096.40421	30000	0	0	30000	40.875	2004
08.01.2020 16:38:22	1	1	1	1	75.5	60.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	40.5625	2004
08.01.2020 16:38:23	1	1	1	1	75.5	60.5	0	30000	365.5913978	10967.57535	30000	0	0	30000	40.6875	2004
08.01.2020 16:38:24	1	1	1	1	75.5	60.5	0	30000	367.7419355	11096.40421	30000	0	0	30000	41.125	2004
08.01.2020 16:38:25	1	1	1	1	75.5	61	0	30000	365.5913978	11031.98978	30000	0	0	30000	40.75	2004
08.01.2020 16:38:26	1	1	1	1	75.5	60.75	0	30000	367.7419355	11031.98978	30000	0	0	30000	40.9375	2004
08.01.2020 16:38:27	1	1	1	1	75.5	60.75	0	30000	356.9892473	10709.10227	30000	0	0	30000	40.8125	2004
08.01.2020 16:38:28	1	1	1	1	75.5	60.75	0	30000	350.5376344	10644.68785	30000	0	0	30000	40.5625	2004
08.01.2020 16:38:29	1	1	1	1	75.5	60.5	0	30000	350.5376344	10515.85899	30000	0	0	30000	40.75	2004
08.01.2020 16:38:37	1	1	1	1	75	60.5	0	30000	337.6344086	10128.55706	30000	0	0	30000	40.9375	2004
08.01.2020 16:38:37	1	1	1	1	75	60.5	0	30000	337.6344086	10128.55706	30000	0	0	30000	40.9375	2004
08.01.2020 16:38:37	1	1	1	1	75	60.5	0	30000	337.6344086	10128.55706	30000	0	0	30000	40.9375	2004
08.01.2020 16:38:37	1	1	1	1	75	60.5	0	30000	337.6344086	10128.55706	30000	0	0	30000	40.9375	2004
08.01.2020 16:38:37	1	1	1	1	75	60.5	0	30000	337.6344086	10128.55706	30000	0	0	30000	40.9375	2004
08.01.2020 16:38:37	1	1	1	1	75	60.5	0	30000	337.6344086	10128.55706	30000	0	0	30000	40.9375	2004
08.01.2020 16:38:37	1	1	1	1	75	60.75	0	30000	335.483871	10128.55706	30000	0	0	30000	40.9375	2004
08.01.2020 16:38:38	1	1	1	1	75	60.75	0	30000	335.483871	10064.14264	30000	0	0	30000	40.875	2004
08.01.2020 16:38:39	1	1	1	1	75	60.75	0	30000	337.6344086	10128.55706	30000	0	0	30000	40.8125	2004
08.01.2020 16:38:40	1	1	1	1	75	60.75	0	29952.607	333.3333333	10128.55706	30000	0	0	30000	40.5	2004
08.01.2020 16:38:41	1	1	1	1	75	60.5	0	30000	337.6344086	10128.55706	30000	0	0	30000	40.8125	2004
08.01.2020 16:38:42	1	1	1	1	74.5	60.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	40.8125	2004
08.01.2020 16:38:43	1	1	1	1	74.5	60.75	0	30000	346.2365591	10387.03014	30000	0	0	30000	40.75	2004
08.01.2020 16:38:44	1	1	1	1	74.5	60.75	0	30000	350.5376344	10580.27342	30000	0	0	30000	41.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 16:38:45	1	1	1	1	74.5	61	0	30000	365.5913978	10903.16093	30000	0	0	30000	41	2004
08.01.2020 16:38:46	1	1	1	1	74.5	61	0	30000	367.7419355	10773.5167	30000	0	0	30000	40.75	2004
08.01.2020 16:38:47	1	1	1	1	74.5	60.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	41.125	2004
08.01.2020 16:38:48	1	1	1	1	74.5	61	0	30000	369.8924731	11096.40421	30000	0	0	30000	40.75	2004
08.01.2020 16:38:50	1	1	1	1	74.5	60.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	40.375	2004
08.01.2020 16:38:51	1	1	1	1	74.5	60.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	40.9375	2004
08.01.2020 16:38:52	1	1	1	1	74.5	60.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.0625	2004
08.01.2020 16:38:53	1	1	1	1	74.5	61	0	30000	369.8924731	11096.40421	30000	0	0	30000	40.375	2004
08.01.2020 16:38:54	1	1	1	1	74.5	60.25	0	30000	369.8924731	11096.40421	30000	0	0	30000	41.125	2004
08.01.2020 16:38:55	1	1	1	1	74.5	61	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.125	2004
08.01.2020 16:38:56	1	1	1	1	74.5	61	0	30000	369.8924731	11160.81863	30000	0	0	30000	40.5	2004
08.01.2020 16:38:57	1	1	1	1	74.5	60.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	40.9375	2004
08.01.2020 16:38:58	1	1	1	1	74.5	60.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	40.8125	2004
08.01.2020 16:38:59	1	1	1	1	74.5	60.75	0	29952.607	352.688172	10515.85899	30000	0	0	30000	41	2004
08.01.2020 16:39:00	1	1	1	1	74.5	61	0	29905.213	346.2365591	10387.03014	30000	0	0	30000	40.875	2004
08.01.2020 16:39:01	1	1	1	1	74.5	60.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	40.1875	2004
08.01.2020 16:39:02	1	1	1	1	75	60	0	30000	348.3870968	10387.03014	30000	0	0	30000	40.3125	2004
08.01.2020 16:39:03	1	1	1	1	75	60.25	0	29952.607	359.1397849	10773.5167	30000	0	0	30000	40.875	2004
08.01.2020 16:39:04	1	1	1	1	75	60.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	40.9375	2004
08.01.2020 16:39:05	1	1	1	1	75	60.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	40.8125	2004
08.01.2020 16:39:06	1	1	1	1	75	60.75	0	30000	372.0430108	11160.81863	30000	0	0	30000	41.0625	2004
08.01.2020 16:39:07	1	1	1	1	75	61	0	30000	369.8924731	11031.98978	30000	0	0	30000	41	2004
08.01.2020 16:39:08	1	1	1	1	75	61	0	30000	350.5376344	10773.5167	30000	0	0	30000	41	2004
08.01.2020 16:39:09	1	1	1	1	75	61	0	30000	341.9354839	10257.38592	30000	0	0	30000	40.8125	2004
08.01.2020 16:39:10	1	1	1	1	75	60.75	0	30000	335.483871	10064.14264	30000	0	0	30000	40.375	2004
08.01.2020 16:39:11	1	1	1	1	75	60.25	0	30000	329.0322581	9870.899356	30000	0	0	30000	40.875	2004
08.01.2020 16:39:12	1	1	1	1	75.25	60.75	0	30000	329.0322581	9870.899356	30000	0	0	30000	40.75	2004
08.01.2020 16:39:13	1	1	1	1	75.25	60.75	0	30000	329.0322581	9870.899356	30000	0	0	30000	40.8125	2004
08.01.2020 16:39:14	1	1	1	1	75.25	60.75	0	30000	333.3333333	9999.728209	30000	0	0	30000	41.0625	2004
08.01.2020 16:39:15	1	1	1	1	75.25	61	0	29952.607	339.7849462	10257.38592	30000	0	0	30000	40.9375	2004
08.01.2020 16:39:16	1	1	1	1	75.25	60.75	0	30000	346.2365591	10451.44457	30000	0	0	30000	41	2004
08.01.2020 16:39:17	1	1	1	1	75.25	61	0	30000	354.8387097	10644.68785	30000	0	0	30000	40.625	2004
08.01.2020 16:39:18	1	1	1	1	75.25	60.5	0	29952.607	359.1397849	10773.5167	30000	0	0	30000	40.9375	2004
08.01.2020 16:39:19	1	1	1	1	75.25	60.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	40.9375	2004
08.01.2020 16:39:20	1	1	1	1	75.25	60.75	0	30000	361.2903226	10773.5167	30000	0	0	30000	40.3125	2004
08.01.2020 16:39:21	1	1	1	1	75.25	60.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	41	2004
08.01.2020 16:39:22	1	1	1	1	75.25	61	0	29952.607	356.9892473	10773.5167	30000	0	0	30000	40.5625	2004
08.01.2020 16:39:23	1	1	1	1	75.25	60.5	0	30000	367.7419355	11014.86696	30000	0	0	30000	40.8125	2004
08.01.2020 16:39:24	1	1	1	1	75.25	60.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	40.75	2004
08.01.2020 16:39:25	1	1	1	1	75.25	60.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	41	2004
08.01.2020 16:39:26	1	1	1	1	75.25	61	0	30000	380.6451613	11419.29171	30000	0	0	30000	40.125	2004
08.01.2020 16:39:27	1	1	1	1	75.25	60	0	30000	389.2473118	11419.29171	30000	0	0	30000	41.125	2004
08.01.2020 16:39:28	1	1	1	1	75.25	61	0	30000	378.4946237	11419.29171	30000	0	0	30000	40.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 16:39:30	1	1	1	1	75.25	60.75	0	30000	384.9462366	11419.29171	30000	0	0	30000	41	2004
08.01.2020 16:39:31	1	1	1	1	75.25	61	0	30000	389.2473118	11676.94942	30000	0	0	30000	40.4375	2004
08.01.2020 16:39:38	1	1	1	1	75.5	60.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	41	2004
08.01.2020 16:39:38	1	1	1	1	75.5	60.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	41	2004
08.01.2020 16:39:38	1	1	1	1	75.5	60.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	41	2004
08.01.2020 16:39:38	1	1	1	1	75.5	60.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	41	2004
08.01.2020 16:39:38	1	1	1	1	75.5	60.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	41	2004
08.01.2020 16:39:38	1	1	1	1	75.5	60.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	41	2004
08.01.2020 16:39:38	1	1	1	1	75.5	60.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	41	2004
08.01.2020 16:39:39	1	1	1	1	75.5	61	0	30000	419.3548387	12580.38214	30000	0	0	30000	40.5	2004
08.01.2020 16:39:40	1	1	1	1	75.5	60.5	0	29905.213	415.0537634	12540.42889	30000	0	0	30000	40.375	2004
08.01.2020 16:39:41	1	1	1	1	75.5	60.25	0	29952.607	419.3548387	12580.38214	30000	0	0	30000	40.8125	2004
08.01.2020 16:39:42	1	1	1	1	76	60.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	40.75	2004
08.01.2020 16:39:43	1	1	1	1	76	60.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	40.5625	2004
08.01.2020 16:39:44	1	1	1	1	76	60.5	0	30000	397.8494624	11999.83693	30000	0	0	30000	40.8125	2004
08.01.2020 16:39:45	1	1	1	1	76	60.75	0	30047.393	404.3010753	12128.66578	30000	0	0	30000	40.5	2004
08.01.2020 16:39:46	1	1	1	1	76	60.5	0	30000	404.3010753	12064.25135	30000	0	0	30000	41	2004
08.01.2020 16:39:47	1	1	1	1	76	61	0	30000	402.1505376	12128.66578	30000	0	0	30000	40.6875	2004
08.01.2020 16:39:48	1	1	1	1	76	60.5	0	29952.607	395.6989247	11852.2545	30000	0	0	30000	40.9375	2004
08.01.2020 16:39:49	1	1	1	1	76	60.75	0	30000	395.6989247	11741.36385	30000	0	0	30000	40.5	2004
08.01.2020 16:39:50	1	1	1	1	76	60.5	0	30000	384.9462366	11612.53499	30000	0	0	30000	40.6875	2004
08.01.2020 16:39:51	1	1	1	1	76	60.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	41	2004
08.01.2020 16:39:52	1	1	1	1	76	61	0	30000	404.3010753	12128.66578	30000	0	0	30000	40.6875	2004
08.01.2020 16:39:53	1	1	1	1	76	60.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.0625	2004
08.01.2020 16:39:54	1	1	1	1	76	61	0	30000	417.2043011	12451.55328	30000	0	0	30000	40.625	2004
08.01.2020 16:39:55	1	1	1	1	76	60.5	0	29952.607	419.3548387	12580.38214	30000	0	0	30000	40.875	2004
08.01.2020 16:39:56	1	1	1	1	76	60.75	0	29905.213	412.9032258	12090.34327	30000	0	0	30000	40.8125	2004
08.01.2020 16:39:57	1	1	1	1	76	60.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	40.9375	2004
08.01.2020 16:39:58	1	1	1	1	76	60.75	0	30047.393	412.9032258	12128.66578	30000	0	0	30000	41.0625	2004
08.01.2020 16:39:59	1	1	1	1	76	61	0	30000	395.6989247	11871.00807	30000	0	0	30000	41.1875	2004
08.01.2020 16:40:00	1	1	1	1	76	61	0	30000	397.8494624	11935.4225	30000	0	0	30000	40.5625	2004
08.01.2020 16:40:01	1	1	1	1	76	60.5	0	29952.607	391.3978495	11741.36385	30000	0	0	30000	40.9375	2004
08.01.2020 16:40:02	1	1	1	1	76.5	60.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	40.9375	2004
08.01.2020 16:40:03	1	1	1	1	76.5	60.75	0	30000	417.2043011	12451.55328	30000	0	0	30000	40.75	2004
08.01.2020 16:40:04	1	1	1	1	76.5	60.75	0	29905.213	419.3548387	12580.38214	30000	0	0	30000	41	2004
08.01.2020 16:40:05	1	1	1	1	76.5	61	0	30000	427.9569892	12838.03984	30000	0	0	30000	40.6875	2004
08.01.2020 16:40:06	1	1	1	1	76.5	60.5	0	30000	417.2043011	12451.55328	30000	0	0	30000	40.9375	2004
08.01.2020 16:40:07	1	1	1	1	76.5	60.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	40.125	2004
08.01.2020 16:40:08	1	1	1	1	76.5	60	0	30000	404.3010753	12128.66578	30000	0	0	30000	40.9375	2004
08.01.2020 16:40:10	1	1	1	1	76.5	60.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	40.625	2004
08.01.2020 16:40:11	1	1	1	1	76.5	60.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	41	2004
08.01.2020 16:40:12	1	1	1	1	76.5	61	0	30000	400	11935.4225	30000	0	0	30000	40.75	2004
08.01.2020 16:40:13	1	1	1	1	76.75	60.75	0	30000	391.3978495	11741.36385	30000	0	0	30000	40.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 16:40:14	1	1	1	1	76.75	60.75	0	29952.607	395.6989247	11871.00807	30000	0	0	30000	41.25	2004
08.01.2020 16:40:15	1	1	1	1	76.75	61.25	0	30000	402.1505376	12387.13886	30000	0	0	30000	40.5	2004
08.01.2020 16:40:16	1	1	1	1	76.75	60.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.125	2004
08.01.2020 16:40:17	1	1	1	1	76.75	60.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	40.4375	2004
08.01.2020 16:40:18	1	1	1	1	76.75	60.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	41	2004
08.01.2020 16:40:19	1	1	1	1	76.75	61	0	30000	432.2580645	12967.68407	30000	0	0	30000	40.625	2004
08.01.2020 16:40:20	1	1	1	1	76.75	60.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	41	2004
08.01.2020 16:40:21	1	1	1	1	76.75	61	0	30000	436.5591398	13160.92735	30000	0	0	30000	40.8125	2004
08.01.2020 16:40:22	1	1	1	1	77.25	60.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	40.875	2004
08.01.2020 16:40:23	1	1	1	1	77.25	60.75	0	30000	425.8064516	12838.03984	30000	0	0	30000	40.875	2004
08.01.2020 16:40:24	1	1	1	1	77.25	60.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	40.5	2004
08.01.2020 16:40:25	1	1	1	1	77.25	60.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	40.875	2004
08.01.2020 16:40:26	1	1	1	1	77.25	60.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	40.9375	2004
08.01.2020 16:40:27	1	1	1	1	77.25	60.75	0	30000	412.9032258	12451.55328	30000	0	0	30000	40.875	2004
08.01.2020 16:40:28	1	1	1	1	77.25	60.75	0	30000	425.8064516	12773.62542	30000	0	0	30000	40.9375	2004
08.01.2020 16:40:29	1	1	1	1	77.25	60.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	40.9375	2004
08.01.2020 16:40:30	1	1	1	1	77.25	60.75	0	30000	443.0107527	13289.7562	30000	0	0	30000	40.5625	2004
08.01.2020 16:40:31	1	1	1	1	77.25	60.5	0	30000	436.5591398	13096.51292	30000	0	0	30000	40.875	2004
08.01.2020 16:40:32	1	1	1	1	77.5	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.875	2004
08.01.2020 16:40:40	1	1	1	1	77.5	60.25	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.5625	2004
08.01.2020 16:40:40	1	1	1	1	77.5	60.25	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.5625	2004
08.01.2020 16:40:40	1	1	1	1	77.5	60.25	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.5625	2004
08.01.2020 16:40:40	1	1	1	1	77.5	60.25	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.5625	2004
08.01.2020 16:40:40	1	1	1	1	77.5	60.25	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.5625	2004
08.01.2020 16:40:40	1	1	1	1	77.5	60.25	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.5625	2004
08.01.2020 16:40:40	1	1	1	1	77.5	60.25	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.5625	2004
08.01.2020 16:40:40	1	1	1	1	77.5	60.25	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.5625	2004
08.01.2020 16:40:40	1	1	1	1	77.5	60.25	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.5625	2004
08.01.2020 16:40:40	1	1	1	1	77.5	60.25	0	30047.393	464.516129	13784.6873	30000	0	0	30000	40.3125	2004
08.01.2020 16:40:41	1	1	1	1	77.5	60.25	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.875	2004
08.01.2020 16:40:42	1	1	1	1	78	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	39.625	2004
08.01.2020 16:40:43	1	1	1	1	78	59.5	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.625	2004
08.01.2020 16:40:44	1	1	1	1	78	60.5	0	30000	464.516129	13870.30142	30000	0	0	30000	40.75	2004
08.01.2020 16:40:45	1	1	1	1	78	60.75	0	30000	464.516129	13935.53122	30000	0	0	30000	40.5625	2004
08.01.2020 16:40:46	1	1	1	1	78	60.5	0	30000	458.0645161	13741.47256	30000	0	0	30000	40.8125	2004
08.01.2020 16:40:48	1	1	1	1	78	60.75	0	30000	451.6129032	13354.17063	30000	0	0	30000	40.6875	2004
08.01.2020 16:40:49	1	1	1	1	78	60.5	0	30000	443.0107527	13289.7562	30000	0	0	30000	40.875	2004
08.01.2020 16:40:50	1	1	1	1	78	60.75	0	29952.607	427.9569892	13032.0985	30000	0	0	30000	40.625	2004
08.01.2020 16:40:51	1	1	1	1	78	60.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	40.9375	2004
08.01.2020 16:40:52	1	1	1	1	78	60.75	0	30000	423.655914	12773.62542	30000	0	0	30000	40.75	2004
08.01.2020 16:40:53	1	1	1	1	78.5	60.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	40.4375	2004
08.01.2020 16:40:54	1	1	1	1	78.5	60.25	0	30000	421.5053763	12580.38214	30000	0	0	30000	41.25	2004
08.01.2020 16:40:55	1	1	1	1	78.5	60.5	0	30000	412.9032258	12599.95108	30000	0	0	30000	40.375	2004
08.01.2020 16:40:56	1	1	1	1	78.5	60.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	40.375	2004
08.01.2020 16:40:57	1	1	1	1	78.5	60.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	40.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 16:40:58	1	1	1	1	78.5	60.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	40.625	2004
08.01.2020 16:40:59	1	1	1	1	78.5	60.5	0	29952.607	423.655914	12709.21099	30000	0	0	30000	40.375	2004
08.01.2020 16:41:00	1	1	1	1	78.5	60.25	0	30000	427.9569892	12773.62542	30000	0	0	30000	40.125	2004
08.01.2020 16:41:01	1	1	1	1	78.5	60	0	30000	432.2580645	12967.68407	30000	0	0	30000	40.5	2004
08.01.2020 16:41:02	1	1	1	1	78.5	60.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	40.8125	2004
08.01.2020 16:41:03	1	1	1	1	78.5	60.75	0	30000	438.7096774	13160.92735	30000	0	0	30000	40.4375	2004
08.01.2020 16:41:04	1	1	1	1	78.5	60.25	0	30000	440.8602151	13096.51292	30000	0	0	30000	40.875	2004
08.01.2020 16:41:05	1	1	1	1	78.5	60.75	0	29952.607	425.8064516	12838.03984	30000	0	0	30000	40.75	2004
08.01.2020 16:41:06	1	1	1	1	78.5	60.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	40.625	2004
08.01.2020 16:41:07	1	1	1	1	78.5	60.5	0	30000	412.9032258	12451.55328	30000	0	0	30000	40.8125	2004
08.01.2020 16:41:08	1	1	1	1	78.5	60.75	0	30000	404.3010753	12387.13886	30000	0	0	30000	40.75	2004
08.01.2020 16:41:09	1	1	1	1	78.5	60.75	0	30000	391.3978495	11871.00807	30000	0	0	30000	40.5	2004
08.01.2020 16:41:10	1	1	1	1	78.5	60.5	0	30000	380.6451613	11419.29171	30000	0	0	30000	40.625	2004
08.01.2020 16:41:11	1	1	1	1	78.5	60.5	0	30000	372.0430108	11096.40421	30000	0	0	30000	40.8125	2004
08.01.2020 16:41:12	1	1	1	1	78.75	60.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	40.625	2004
08.01.2020 16:41:13	1	1	1	1	78.75	60.5	0	30000	359.1397849	10903.16093	30000	0	0	30000	40.8125	2004
08.01.2020 16:41:14	1	1	1	1	78.75	60.75	0	29952.607	354.8387097	10644.68785	30000	0	0	30000	40.875	2004
08.01.2020 16:41:15	1	1	1	1	78.75	60.75	0	30000	346.2365591	10387.03014	30000	0	0	30000	40.875	2004
08.01.2020 16:41:16	1	1	1	1	78.75	60.75	0	29905.213	339.7849462	10387.03014	30000	0	0	30000	40.4375	2004
08.01.2020 16:41:17	1	1	1	1	78.75	60.25	0	30000	354.8387097	10644.68785	30000	0	0	30000	40.875	2004
08.01.2020 16:41:18	1	1	1	1	78.75	60.75	0	30000	352.688172	10580.27342	30000	0	0	30000	40.75	2004
08.01.2020 16:41:19	1	1	1	1	78.75	60.75	0	30000	369.8924731	11014.86696	30000	0	0	30000	40.875	2004
08.01.2020 16:41:20	1	1	1	1	78.75	60.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	40.6875	2004
08.01.2020 16:41:21	1	1	1	1	78.75	60.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	40.75	2004
08.01.2020 16:41:22	1	1	1	1	79.25	60.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	40.25	2004
08.01.2020 16:41:24	1	1	1	1	79.25	60.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	39.8125	2004
08.01.2020 16:41:25	1	1	1	1	79.25	59.75	0	30000	382.7956989	11419.29171	30000	0	0	30000	40.8125	2004
08.01.2020 16:41:26	1	1	1	1	79.25	60.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	40.6875	2004
08.01.2020 16:41:27	1	1	1	1	79.25	60.5	0	29952.607	391.3978495	11741.36385	30000	0	0	30000	40.9375	2004
08.01.2020 16:41:28	1	1	1	1	79.25	60.75	0	30000	404.3010753	11833.50094	30000	0	0	30000	40.75	2004
08.01.2020 16:41:29	1	1	1	1	79.25	60.75	0	30000	400	12128.66578	30000	0	0	30000	40.5625	2004
08.01.2020 16:41:30	1	1	1	1	79.25	60.5	0	30000	404.3010753	12064.25135	30000	0	0	30000	41.375	2004
08.01.2020 16:41:31	1	1	1	1	79.25	61.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	40.75	2004
08.01.2020 16:41:32	1	1	1	1	79.25	60.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	41.25	2004
08.01.2020 16:41:33	1	1	1	1	79.25	61.25	0	30000	417.2043011	12451.55328	30000	0	0	30000	41	2004
08.01.2020 16:41:34	1	1	1	1	79.25	60.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	40.4375	2004
08.01.2020 16:41:42	1	1	1	1	79.25	60	0	30000	445.1612903	13289.7562	30000	0	0	30000	40.625	2004
08.01.2020 16:41:42	1	1	1	1	79.25	60	0	30000	445.1612903	13289.7562	30000	0	0	30000	40.625	2004
08.01.2020 16:41:42	1	1	1	1	79.25	60	0	30000	445.1612903	13289.7562	30000	0	0	30000	40.625	2004
08.01.2020 16:41:42	1	1	1	1	79.25	60	0	30000	445.1612903	13289.7562	30000	0	0	30000	40.625	2004
08.01.2020 16:41:42	1	1	1	1	79.25	60	0	30000	445.1612903	13289.7562	30000	0	0	30000	40.625	2004
08.01.2020 16:41:42	1	1	1	1	79.25	60	0	30000	445.1612903	13289.7562	30000	0	0	30000	40.625	2004
08.01.2020 16:41:42	1	1	1	1	79.25	60	0	30000	445.1612903	13289.7562	30000	0	0	30000	40.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 16:41:42	1	1	1	1	79.5	60.5	0	30047.393	445.1612903	13354.17063	30000	0	0	30000	40.4375	2004
08.01.2020 16:41:43	1	1	1	1	79.5	60.25	0	30000	443.0107527	13160.92735	30000	0	0	30000	40.5625	2004
08.01.2020 16:41:44	1	1	1	1	79.5	60.5	0	30000	438.7096774	13160.92735	30000	0	0	30000	40.125	2004
08.01.2020 16:41:45	1	1	1	1	79.5	60	0	30000	438.7096774	13225.34178	30000	0	0	30000	40.8125	2004
08.01.2020 16:41:46	1	1	1	1	79.5	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.875	2004
08.01.2020 16:41:47	1	1	1	1	79.5	60.75	0	29905.213	451.6129032	13612.64371	30000	0	0	30000	40.25	2004
08.01.2020 16:41:48	1	1	1	1	79.5	60.25	0	29952.607	460.2150538	13805.88699	30000	0	0	30000	40.875	2004
08.01.2020 16:41:49	1	1	1	1	79.5	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.5625	2004
08.01.2020 16:41:50	1	1	1	1	79.5	60.5	0	30000	488.172043	14580.49085	30000	0	0	30000	40.75	2004
08.01.2020 16:41:51	1	1	1	1	79.5	60.75	0	29952.607	481.7204301	14406.00114	30000	0	0	30000	40.875	2004
08.01.2020 16:41:52	1	1	1	1	79.5	60.75	0	30000	488.172043	14644.90528	30000	0	0	30000	40.5	2004
08.01.2020 16:41:53	1	1	1	1	79.5	60.5	0	30000	481.7204301	14516.07643	30000	0	0	30000	40.625	2004
08.01.2020 16:41:54	1	1	1	1	79.5	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.875	2004
08.01.2020 16:41:55	1	1	1	1	79.5	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.6875	2004
08.01.2020 16:41:56	1	1	1	1	79.5	60.5	0	30000	464.516129	13935.53122	30000	0	0	30000	40.75	2004
08.01.2020 16:41:57	1	1	1	1	79.5	60.75	0	30047.393	460.2150538	13677.05814	30000	0	0	30000	40.75	2004
08.01.2020 16:41:58	1	1	1	1	79.5	60.75	0	30000	458.0645161	13591.44402	30000	0	0	30000	40.9375	2004
08.01.2020 16:41:59	1	1	1	1	79.5	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.6875	2004
08.01.2020 16:42:00	1	1	1	1	79.5	60.5	0	30000	436.5591398	13032.0985	30000	0	0	30000	40.875	2004
08.01.2020 16:42:01	1	1	1	1	79.5	60.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	40.75	2004
08.01.2020 16:42:03	1	1	1	1	79.5	60.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	40.8125	2004
08.01.2020 16:42:04	1	1	1	1	79.5	60.75	0	30000	419.3548387	12451.55328	30000	0	0	30000	40.8125	2004
08.01.2020 16:42:05	1	1	1	1	79.5	60.75	0	30000	415.0537634	12580.38214	30000	0	0	30000	40.75	2004
08.01.2020 16:42:06	1	1	1	1	79.5	60.75	0	30000	402.1505376	12064.25135	30000	0	0	30000	40.75	2004
08.01.2020 16:42:07	1	1	1	1	79.5	60.75	0	29952.607	395.6989247	11935.4225	30000	0	0	30000	40.875	2004
08.01.2020 16:42:08	1	1	1	1	79.5	60.75	0	29905.213	402.1505376	12128.66578	30000	0	0	30000	40.625	2004
08.01.2020 16:42:09	1	1	1	1	79.5	60.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	40.875	2004
08.01.2020 16:42:10	1	1	1	1	79.5	60.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	40.5	2004
08.01.2020 16:42:11	1	1	1	1	79.5	60.5	0	29952.607	421.5053763	12580.38214	30000	0	0	30000	40.875	2004
08.01.2020 16:42:12	1	1	1	1	79.75	60	0	29952.607	443.0107527	13354.17063	30000	0	0	30000	40.875	2004
08.01.2020 16:42:13	1	1	1	1	79.75	60.75	0	30000	443.0107527	13225.34178	30000	0	0	30000	40.625	2004
08.01.2020 16:42:14	1	1	1	1	79.75	60.5	0	29952.607	443.0107527	13289.7562	30000	0	0	30000	40.875	2004
08.01.2020 16:42:15	1	1	1	1	79.75	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	41	2004
08.01.2020 16:42:16	1	1	1	1	79.75	61	0	30000	432.2580645	13096.51292	30000	0	0	30000	40.6875	2004
08.01.2020 16:42:17	1	1	1	1	79.75	60.5	0	30000	438.7096774	13160.92735	30000	0	0	30000	40.875	2004
08.01.2020 16:42:18	1	1	1	1	79.75	60.75	0	30000	425.8064516	12773.62542	30000	0	0	30000	40.9375	2004
08.01.2020 16:42:19	1	1	1	1	79.75	60.75	0	30000	425.8064516	12838.03984	30000	0	0	30000	40.8125	2004
08.01.2020 16:42:20	1	1	1	1	79.75	60.75	0	29952.607	423.655914	12411.60003	30000	0	0	30000	40.625	2004
08.01.2020 16:42:21	1	1	1	1	79.75	60.5	0	30000	423.655914	12580.38214	30000	0	0	30000	40.8125	2004
08.01.2020 16:42:22	1	1	1	1	79.75	60.75	0	30000	412.9032258	12451.55328	30000	0	0	30000	40.375	2004
08.01.2020 16:42:23	1	1	1	1	79.75	60.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	41	2004
08.01.2020 16:42:24	1	1	1	1	79.75	61	0	30000	400	11935.4225	30000	0	0	30000	40.125	2004
08.01.2020 16:42:25	1	1	1	1	79.75	60	0	30000	384.9462366	11548.12057	30000	0	0	30000	40.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 16:42:26	1	1	1	1	79.75	60.5	0	29952.607	391.3978495	11676.94942	30000	0	0	30000	40.8125	2004
08.01.2020 16:42:27	1	1	1	1	79.75	60.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	40.8125	2004
08.01.2020 16:42:28	1	1	1	1	79.75	60.75	0	30000	395.6989247	11935.4225	30000	0	0	30000	40.5	2004
08.01.2020 16:42:29	1	1	1	1	79.75	60.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	40.9375	2004
08.01.2020 16:42:30	1	1	1	1	79.75	60.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	40.625	2004
08.01.2020 16:42:31	1	1	1	1	79.75	60.5	0	30000	402.1505376	12064.25135	30000	0	0	30000	41.0625	2004
08.01.2020 16:42:32	1	1	1	1	79.75	61	0	30000	395.6989247	11889.76164	30000	0	0	30000	40.875	2004
08.01.2020 16:42:33	1	1	1	1	79.75	60.75	0	30000	397.8494624	12064.25135	30000	0	0	30000	40.9375	2004
08.01.2020 16:42:34	1	1	1	1	79.75	60.75	0	30000	391.3978495	11954.17607	30000	0	0	30000	40.6875	2004
08.01.2020 16:42:35	1	1	1	1	79.75	60.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	40.5625	2004
08.01.2020 16:42:43	1	1	1	1	80	60.75	0	30000	382.7956989	11530.18237	30000	0	0	30000	40.625	2004
08.01.2020 16:42:43	1	1	1	1	80	60.75	0	30000	382.7956989	11530.18237	30000	0	0	30000	40.625	2004
08.01.2020 16:42:43	1	1	1	1	80	60.75	0	30000	382.7956989	11530.18237	30000	0	0	30000	40.625	2004
08.01.2020 16:42:43	1	1	1	1	80	60.75	0	30000	382.7956989	11530.18237	30000	0	0	30000	40.625	2004
08.01.2020 16:42:43	1	1	1	1	80	60.75	0	30000	382.7956989	11530.18237	30000	0	0	30000	40.625	2004
08.01.2020 16:42:43	1	1	1	1	80	60.75	0	30000	382.7956989	11530.18237	30000	0	0	30000	40.625	2004
08.01.2020 16:42:43	1	1	1	1	80	60.75	0	30000	382.7956989	11530.18237	30000	0	0	30000	40.625	2004
08.01.2020 16:42:43	1	1	1	1	80	60.75	0	30000	382.7956989	11530.18237	30000	0	0	30000	40.625	2004
08.01.2020 16:42:44	1	1	1	1	80	60.5	0	30000	384.9462366	11548.12057	30000	0	0	30000	40.4375	2004
08.01.2020 16:42:45	1	1	1	1	80	60.25	0	29952.607	380.6451613	11548.12057	30000	0	0	30000	41	2004
08.01.2020 16:42:46	1	1	1	1	80	61	0	29952.607	389.2473118	11871.00807	30000	0	0	30000	41	2004
08.01.2020 16:42:47	1	1	1	1	80	61	0	30000	400	11999.83693	30000	0	0	30000	40.8125	2004
08.01.2020 16:42:48	1	1	1	1	80	60.75	0	29905.213	395.6989247	11935.4225	30000	0	0	30000	41.25	2004
08.01.2020 16:42:49	1	1	1	1	80	61.25	0	30000	387.0967742	11676.94942	30000	0	0	30000	40.8125	2004
08.01.2020 16:42:50	1	1	1	1	80	60.75	0	30000	384.9462366	11548.12057	30000	0	0	30000	40.75	2004
08.01.2020 16:42:51	1	1	1	1	80	60.75	0	29952.607	380.6451613	11548.12057	30000	0	0	30000	40.6875	2004
08.01.2020 16:42:52	1	1	1	1	79.75	60.5	0	30000	372.0430108	11225.23306	30000	0	0	30000	40.625	2004
08.01.2020 16:42:53	1	1	1	1	79.75	60.5	0	30000	374.1935484	11354.87729	30000	0	0	30000	40.9375	2004
08.01.2020 16:42:54	1	1	1	1	79.75	60.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	40.5	2004
08.01.2020 16:42:55	1	1	1	1	79.75	60.5	0	29952.607	378.4946237	11354.87729	30000	0	0	30000	40.875	2004
08.01.2020 16:42:56	1	1	1	1	79.75	60.75	0	30000	395.6989247	11805.77827	30000	0	0	30000	40.75	2004
08.01.2020 16:42:57	1	1	1	1	79.75	60.75	0	30000	397.8494624	11935.4225	30000	0	0	30000	40.4375	2004
08.01.2020 16:42:58	1	1	1	1	79.75	60.25	0	29952.607	395.6989247	11935.4225	30000	0	0	30000	40.5625	2004
08.01.2020 16:42:59	1	1	1	1	79.75	60.5	0	29905.213	378.4946237	11319.0009	30000	0	0	30000	40.3125	2004
08.01.2020 16:43:00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
08.01.2020 16:43:01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
08.01.2020 16:43:02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
08.01.2020 16:43:03	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
08.01.2020 16:43:04	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
08.01.2020 16:43:05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
08.01.2020 16:43:06	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
08.01.2020 16:43:07	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
08.01.2020 16:43:08	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
08.01.2020 16:43:09	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
08.01.2020 16:43:10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
08.01.2020 16:43:11	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
08.01.2020 16:43:12	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
08.01.2020 16:43:13	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
08.01.2020 16:43:15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
08.01.2020 16:43:16	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
08.01.2020 16:43:17	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0