

Com-Port	3 Port 3, 9600 baud, Open															
Open Connection	Close Connection			Clear Values				Dip-Switch 6-8 auf 0								
Adr. Übernehmen	Set Umax 30000 V															
OekoTube Adresse:	31 ON OFF Auto															
	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 09:02:26	1	0	1	1	17.75	36.75	0	0	0	0	30000	0	0	30000	16.5	2004
22.01.2020 09:02:26	1	0	1	1	17.75	36.75	0	0	0	0	30000	0	0	30000	16.5	2004
22.01.2020 09:02:27	1	0	1	1	17.75	36.5	0	0	0	0	30000	0	0	30000	16.5625	2004
22.01.2020 09:02:28	1	0	1	1	17.75	36.5	0	0	0	0	30000	0	0	30000	16.5625	2004
22.01.2020 09:02:29	1	0	1	1	17.5	36.5	0	0	0	0	30000	0	0	30000	16.4375	2004
22.01.2020 09:02:30	1	0	1	1	17.5	36.25	0	0	0	0	30000	0	0	30000	16.625	2004
22.01.2020 09:02:31	1	0	1	1	17.5	36.5	0	0	0	0	30000	0	0	30000	16.625	2004
22.01.2020 09:02:32	1	0	1	1	17.5	36.5	0	0	0	0	30000	0	0	30000	16.8125	2004
22.01.2020 09:02:33	1	0	1	1	17.5	36.75	0	0	0	0	30000	0	0	30000	16.75	2004
22.01.2020 09:02:34	1	0	1	1	17.5	36.75	0	0	0	0	30000	0	0	30000	17	2004
22.01.2020 09:02:35	1	0	1	1	17.5	37	0	0	0	0	30000	0	0	30000	16.5625	2004
22.01.2020 09:02:36	1	0	1	1	17.5	36.5	0	0	0	0	30000	0	0	30000	16.8125	2004
22.01.2020 09:02:37	1	0	1	1	17.5	36.75	0	0	0	0	30000	0	0	30000	16.875	2004
22.01.2020 09:02:38	1	0	1	1	17.5	36.75	0	0	0	0	30000	0	0	30000	16.625	2004
22.01.2020 09:02:39	1	0	1	1	17.75	36.5	0	0	0	0	30000	0	0	30000	16.625	2004
22.01.2020 09:02:40	1	0	1	1	17.75	36.5	0	0	0	0	30000	0	0	30000	16.6875	2004
22.01.2020 09:02:41	1	0	1	1	17.75	36.5	0	0	0	0	30000	0	0	30000	16.6875	2004
22.01.2020 09:02:42	1	0	1	1	17.75	36.5	0	0	0	0	30000	0	0	30000	16.625	2004
22.01.2020 09:02:43	1	0	1	1	17.75	36.5	0	0	0	0	30000	0	0	30000	16.9375	2004
22.01.2020 09:02:44	1	0	1	1	17.75	36.75	0	0	0	0	30000	0	0	30000	16.5	2004
22.01.2020 09:02:45	1	0	1	1	17.75	36.5	0	0	0	0	30000	0	0	30000	18.5	2004
22.01.2020 09:02:46	1	0	1	1	17.75	38.5	0	0	0	0	30000	0	0	30000	16.5	2004
22.01.2020 09:02:47	1	0	1	1	17.75	36.5	0	0	0	0	30000	0	0	30000	16.5625	2004
22.01.2020 09:02:48	1	0	1	1	17.75	36.5	0	0	0	0	30000	0	0	30000	16.75	2004
22.01.2020 09:02:49	1	0	1	1	17.75	36.75	0	0	0	0	30000	0	0	30000	16.875	2004
22.01.2020 09:02:50	1	0	1	1	17.75	36.75	0	0	0	0	30000	0	0	30000	16.6875	2004
22.01.2020 09:02:51	1	0	1	1	17.75	36.5	0	0	0	0	30000	0	0	30000	16.8125	2004
22.01.2020 09:02:52	1	0	1	1	17.75	36.75	0	0	0	0	30000	0	0	30000	16.9375	2004
22.01.2020 09:02:53	1	0	1	1	17.75	36.75	0	0	0	0	30000	0	0	30000	17	2004
22.01.2020 09:02:54	1	0	1	1	17.75	37	0	0	0	0	30000	0	0	30000	16.625	2004
22.01.2020 09:02:55	1	0	1	1	17.75	36.5	0	0	0	0	30000	0	0	30000	16.6875	2004
22.01.2020 09:02:56	1	0	1	1	17.75	36.5	0	0	0	0	30000	0	0	30000	16.4375	2004
22.01.2020 09:02:57	1	0	1	1	17.75	36.25	0	0	0	0	30000	0	0	30000	16.625	2004
22.01.2020 09:02:58	1	0	1	1	17.75	36.5	0	0	0	0	30000	0	0	30000	16.5	2004
22.01.2020 09:02:59	1	0	1	1	17.75	36.5	0	0	0	0	30000	0	0	30000	16.8125	2004
22.01.2020 09:03:01	1	0	1	1	17.75	36.75	0	0	0	0	30000	0	0	30000	16.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 09:03:02	1	0	1	1	17.75	36.5	0	0	0	0	30000	0	0	30000	16.625	2004
22.01.2020 09:03:03	1	0	1	1	17.75	36.5	0	0	0	0	30000	0	0	30000	16.5	2004
22.01.2020 09:03:04	1	0	1	1	17.75	36.5	0	0	0	0	30000	0	0	30000	16.6875	2004
22.01.2020 09:03:05	1	0	1	1	17.75	36.5	0	0	0	0	30000	0	0	30000	16.4375	2004
22.01.2020 09:03:06	1	0	1	1	17.75	36.25	0	0	0	0	30000	0	0	30000	16.8125	2004
22.01.2020 09:03:07	1	0	1	1	17.75	36.75	0	0	0	0	30000	0	0	30000	17	2004
22.01.2020 09:03:08	1	0	1	1	17.75	37	0	0	0	0	30000	0	0	30000	16.6875	2004
22.01.2020 09:03:09	1	0	1	1	17.75	36.5	0	0	0	0	30000	0	0	30000	16.5625	2004
22.01.2020 09:03:10	1	0	1	1	17.75	36.5	0	0	0	0	30000	0	0	30000	16.875	2004
22.01.2020 09:03:11	1	0	1	1	17.75	36.75	0	0	0	0	30000	0	0	30000	16.875	2004
22.01.2020 09:03:12	1	0	1	1	17.75	36.75	0	0	0	0	30000	0	0	30000	16.9375	2004
22.01.2020 09:03:13	1	0	1	1	17.75	36.75	0	0	0	0	30000	0	0	30000	16.9375	2004
22.01.2020 09:03:14	1	0	1	1	17.75	36.75	0	0	0	0	30000	0	0	30000	16.6875	2004
22.01.2020 09:03:17	1	0	1	1	17.75	36.5	0	0	0	0	30000	0	0	30000	16.375	2004
22.01.2020 09:03:23	1	0	1	1	17.75	36.75	0	0	0	0	30000	0	0	30000	16.8125	2004
22.01.2020 09:03:23	1	0	1	1	17.75	36.75	0	0	0	0	30000	0	0	30000	16.8125	2004
22.01.2020 09:03:23	1	0	1	1	17.75	36.75	0	0	0	0	30000	0	0	30000	16.8125	2004
22.01.2020 09:03:23	1	0	1	1	17.75	36.75	0	0	0	0	30000	0	0	30000	16.8125	2004
22.01.2020 09:03:23	1	0	1	1	17.75	36.75	0	0	0	0	30000	0	0	30000	16.8125	2004
22.01.2020 09:03:23	1	0	1	1	17.75	36.75	0	0	0	0	30000	0	0	30000	16.8125	2004
22.01.2020 09:03:23	1	0	1	1	17.75	36.75	0	0	0	0	30000	0	0	30000	16.8125	2004
22.01.2020 09:03:23	1	0	1	1	17.75	36.75	0	0	0	0	30000	0	0	30000	16.8125	2004
22.01.2020 09:03:23	1	0	1	1	17.75	36.75	0	0	0	0	30000	0	0	30000	16.8125	2004
22.01.2020 09:03:24	1	0	1	1	17.75	36.75	0	0	0	0	30000	0	0	30000	16.8125	2004
22.01.2020 09:03:25	1	0	1	1	17.75	38.25	0	0	0	0	30000	0	0	30000	16.75	2004
22.01.2020 09:03:26	1	0	1	1	17.75	36.75	0	0	0	0	30000	0	0	30000	16.5	2004
22.01.2020 09:03:27	1	0	1	1	17.75	36.5	0	0	0	0	30000	0	0	30000	16.8125	2004
22.01.2020 09:03:28	1	0	1	1	17.75	36.75	0	0	0	0	30000	0	0	30000	16.875	2004
22.01.2020 09:03:29	1	0	1	1	17.75	36.75	0	0	0	0	30000	0	0	30000	16.9375	2004
22.01.2020 09:03:30	1	0	1	1	17.75	36.75	0	0	0	0	30000	0	0	30000	16.5625	2004
22.01.2020 09:03:31	1	0	1	1	17.75	36.5	0	0	0	0	30000	0	0	30000	16.6875	2004
22.01.2020 09:03:32	1	0	1	1	17.75	36.5	0	0	0	0	30000	0	0	30000	17	2004
22.01.2020 09:03:33	1	0	1	1	17.75	37	0	0	0	0	30000	0	0	30000	16.8125	2004
22.01.2020 09:03:34	1	0	1	1	17.75	36.75	0	0	0	0	30000	0	0	30000	16.5	2004
22.01.2020 09:03:35	1	0	1	1	17.75	36.5	0	0	0	0	30000	0	0	30000	16.5625	2004
22.01.2020 09:03:36	1	0	1	1	17.75	36.5	0	0	0	0	30000	0	0	30000	16.5625	2004
22.01.2020 09:03:37	1	0	1	1	17.75	36.5	0	0	0	0	30000	0	0	30000	16.75	2004
22.01.2020 09:03:39	1	0	1	1	17.75	36.75	0	0	0	0	30000	0	0	30000	16.5625	2004
22.01.2020 09:03:40	1	0	1	1	17.75	36.5	0	0	0	0	30000	0	0	30000	16.5625	2004
22.01.2020 09:03:41	1	0	1	1	17.75	36.5	0	0	0	0	30000	0	0	30000	16.9375	2004
22.01.2020 09:03:42	1	0	1	1	17.75	36.75	0	0	0	0	30000	0	0	30000	16.875	2004
22.01.2020 09:03:43	1	0	1	1	17.75	36.75	0	0	0	0	30000	0	0	30000	16.875	2004
22.01.2020 09:03:44	1	0	1	1	17.75	36.75	0	0	0	0	30000	0	0	30000	16.6875	2004
22.01.2020 09:03:45	1	0	1	1	17.75	36.5	0	0	0	0	30000	0	0	30000	16.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 09:03:46	1	0	1	1	17.75	36.5	0	0	0	0	30000	0	0	30000	16.8125	2004
22.01.2020 09:03:47	1	0	1	1	17.75	36.75	0	0	0	0	30000	0	0	30000	16.875	2004
22.01.2020 09:03:48	1	0	1	1	17.75	36.75	0	0	0	0	30000	0	0	30000	16.6875	2004
22.01.2020 09:03:49	1	0	1	1	17.75	36.5	0	0	0	0	30000	0	0	30000	17	2004
22.01.2020 09:03:50	1	0	1	1	17.75	37	0	0	0	0	30000	0	0	30000	16.9375	2004
22.01.2020 09:03:51	1	0	1	1	17.75	36.75	0	0	0	0	30000	0	0	30000	16.875	2004
22.01.2020 09:03:52	1	0	1	1	17.75	36.75	0	0	0	0	30000	0	0	30000	16.9375	2004
22.01.2020 09:03:53	1	0	1	1	17.75	36.75	0	0	0	0	30000	0	0	30000	16.8125	2004
22.01.2020 09:03:54	1	0	1	1	17.75	36.75	0	0	0	0	30000	0	0	30000	16.5625	2004
22.01.2020 09:03:55	1	0	1	1	17.75	36.5	0	0	0	0	30000	0	0	30000	16.875	2004
22.01.2020 09:03:56	1	0	1	1	17.75	36.75	0	0	0	0	30000	0	0	30000	16.625	2004
22.01.2020 09:03:57	1	0	1	1	17.75	36.5	0	0	0	0	30000	0	0	30000	16.625	2004
22.01.2020 09:03:58	1	0	1	1	17.75	36.5	0	0	0	0	30000	0	0	30000	16.875	2004
22.01.2020 09:03:59	1	0	1	1	18	36.75	0	0	0	0	30000	0	0	30000	16.6875	2004
22.01.2020 09:04:00	1	0	1	1	18	36.5	0	0	0	0	30000	0	0	30000	17.25	2004
22.01.2020 09:04:01	1	0	1	1	18	37.25	0	0	0	0	30000	0	0	30000	18.5	2004
22.01.2020 09:04:02	1	0	1	1	18	38.5	0	0	0	0	30000	0	0	30000	19	2004
22.01.2020 09:04:03	1	0	1	1	18	39	0	0	0	0	30000	0	0	30000	17	2004
22.01.2020 09:04:04	1	0	1	1	18	36.75	0	0	0	0	30000	0	0	30000	16.625	2004
22.01.2020 09:04:05	1	0	1	1	18	36.5	0	0	0	0	30000	0	0	30000	17.1875	2004
22.01.2020 09:04:06	1	0	1	1	18	37	0	0	0	0	30000	0	0	30000	16.6875	2004
22.01.2020 09:04:07	1	0	1	1	18	36.5	0	0	0	0	30000	0	0	30000	16.625	2004
22.01.2020 09:04:08	1	0	1	1	17.75	36.5	0	0	0	0	30000	0	0	30000	17.0625	2004
22.01.2020 09:04:09	1	0	1	1	17.75	37	0	0	0	0	30000	0	0	30000	16.875	2004
22.01.2020 09:04:10	1	0	1	1	17.75	36.75	0	0	0	0	30000	0	0	30000	17	2004
22.01.2020 09:04:11	1	0	1	1	17.75	37	0	0	0	0	30000	0	0	30000	16.9375	2004
22.01.2020 09:04:12	1	0	1	1	17.75	36.75	0	0	0	0	30000	0	0	30000	16.75	2004
22.01.2020 09:04:13	1	0	1	1	17.75	36.75	0	0	0	0	30000	0	0	30000	16.875	2004
22.01.2020 09:04:14	1	0	1	1	17.75	36.75	0	0	0	0	30000	0	0	30000	16.625	2004
22.01.2020 09:04:16	1	0	1	1	17.75	36.5	0	0	0	0	30000	0	0	30000	16.625	2004
22.01.2020 09:04:17	1	0	1	1	17.75	36.5	0	0	0	0	30000	0	0	30000	16.5625	2004
22.01.2020 09:04:22	1	0	1	1	17.75	36.75	0	0	0	0	30000	0	0	30000	16.5	2004
22.01.2020 09:04:23	1	0	1	1	17.75	36.75	0	0	0	0	30000	0	0	30000	16.5	2004
22.01.2020 09:04:23	1	0	1	1	17.75	36.75	0	0	0	0	30000	0	0	30000	16.5	2004
22.01.2020 09:04:23	1	0	1	1	17.75	36.75	0	0	0	0	30000	0	0	30000	16.5	2004
22.01.2020 09:04:23	1	0	1	1	17.75	36.5	0	0	0	0	30000	0	0	30000	16.9375	2004
22.01.2020 09:04:24	1	0	1	1	17.75	36.75	0	0	0	0	30000	0	0	30000	16.5	2004
22.01.2020 09:04:25	1	0	1	1	17.75	36.5	0	0	0	0	30000	0	0	30000	17	2004
22.01.2020 09:04:26	1	0	1	1	17.75	37	0	0	0	0	30000	0	0	30000	16.9375	2004
22.01.2020 09:04:27	1	0	1	1	17.75	36.75	0	0	0	0	30000	0	0	30000	16.875	2004
22.01.2020 09:04:28	1	0	1	1	17.75	36.75	0	0	0	0	30000	0	0	30000	16.9375	2004
22.01.2020 09:04:29	1	0	1	1	17.75	36.75	0	0	0	0	30000	0	0	30000	16.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 09:04:30	1	0	1	1	17.75	36.75	0	0	0	0	30000	0	0	30000	16.5625	2004
22.01.2020 09:04:31	1	0	1	1	17.75	36.5	0	0	0	0	30000	0	0	30000	16.625	2004
22.01.2020 09:04:32	1	0	1	1	17.75	36.5	0	0	0	0	30000	0	0	30000	16.8125	2004
22.01.2020 09:04:33	1	0	1	1	17.75	36.75	0	0	0	0	30000	0	0	30000	16.9375	2004
22.01.2020 09:04:34	1	0	1	1	17.75	36.75	0	0	0	0	30000	0	0	30000	16.9375	2004
22.01.2020 09:04:35	1	0	1	1	17.75	36.75	0	0	0	0	30000	0	0	30000	17	2004
22.01.2020 09:04:36	1	0	1	1	17.75	37	0	0	0	0	30000	0	0	30000	16.875	2004
22.01.2020 09:04:37	1	0	1	1	17.75	36.75	0	0	0	0	30000	0	0	30000	16.6875	2004
22.01.2020 09:04:38	1	0	1	1	17.75	36.5	0	0	0	0	30000	0	0	30000	16.6875	2004
22.01.2020 09:04:39	1	0	1	1	17.75	36.5	0	0	0	0	30000	0	0	30000	16.8125	2004
22.01.2020 09:04:40	1	0	1	1	17.75	36.75	0	0	0	0	30000	0	0	30000	17.8125	2004
22.01.2020 09:04:41	1	0	1	1	17.75	37.75	0	0	0	0	30000	0	0	30000	19.0625	2004
22.01.2020 09:04:42	1	0	1	1	17.75	36.75	0	0	0	0	30000	0	0	30000	16.6875	2004
22.01.2020 09:04:43	1	0	1	1	17.75	36.5	0	0	0	0	30000	0	0	30000	16.625	2004
22.01.2020 09:04:44	1	0	1	1	17.75	36.5	0	0	0	0	30000	0	0	30000	16.6875	2004
22.01.2020 09:04:45	1	0	1	1	17.75	36.5	0	0	0	0	30000	0	0	30000	16.75	2004
22.01.2020 09:04:46	1	0	1	1	17.75	36.75	0	0	0	0	30000	0	0	30000	16.625	2004
22.01.2020 09:04:47	1	0	1	1	17.75	36.5	0	0	0	0	30000	0	0	30000	17	2004
22.01.2020 09:04:48	1	0	1	1	17.75	37	0	0	0	0	30000	0	0	30000	16.875	2004
22.01.2020 09:04:49	1	0	1	1	17.75	36.75	0	0	0	0	30000	0	0	30000	16.8125	2004
22.01.2020 09:04:50	1	0	1	1	17.75	36.75	0	0	0	0	30000	0	0	30000	16.875	2004
22.01.2020 09:04:51	1	0	1	1	17.75	36.75	0	0	0	0	30000	0	0	30000	16.9375	2004
22.01.2020 09:04:52	1	0	1	1	17.75	36.75	0	0	0	0	30000	0	0	30000	17	2004
22.01.2020 09:04:54	1	0	1	1	17.75	37	0	0	0	0	30000	0	0	30000	17.0625	2004
22.01.2020 09:04:55	1	0	1	1	17.75	37	0	0	0	0	30000	0	0	30000	16.75	2004
22.01.2020 09:04:56	1	0	1	1	17.75	36.75	0	0	0	0	30000	0	0	30000	16.75	2004
22.01.2020 09:04:57	1	0	1	1	17.75	36.75	0	0	0	0	30000	0	0	30000	16.875	2004
22.01.2020 09:04:58	1	0	1	1	17.75	36.75	0	0	0	0	30000	0	0	30000	16.6875	2004
22.01.2020 09:04:59	1	0	1	1	17.75	36.5	0	0	0	0	30000	0	0	30000	16.75	2004
22.01.2020 09:05:00	1	0	1	1	17.75	36.75	0	0	0	0	30000	0	0	30000	16.5625	2004
22.01.2020 09:05:01	1	0	1	1	17.75	36.5	0	0	0	0	30000	0	0	30000	17	2004
22.01.2020 09:05:02	1	0	1	1	17.75	37	0	0	0	0	30000	0	0	30000	16.8125	2004
22.01.2020 09:05:03	1	0	1	1	17.75	36.75	0	0	0	0	30000	0	0	30000	16.5625	2004
22.01.2020 09:05:04	1	0	1	1	17.75	36.5	0	0	0	0	30000	0	0	30000	16.75	2004
22.01.2020 09:05:05	1	0	1	1	17.75	36.75	0	0	0	0	30000	0	0	30000	16.8125	2004
22.01.2020 09:05:06	1	0	1	1	17.75	36.75	0	0	0	0	30000	0	0	30000	16.9375	2004
22.01.2020 09:05:07	1	0	1	1	17.75	36.75	0	0	0	0	30000	0	0	30000	16.875	2004
22.01.2020 09:05:08	1	0	1	1	17.75	36.75	0	0	0	0	30000	0	0	30000	16.9375	2004
22.01.2020 09:05:09	1	0	1	1	18	36.75	0	0	0	0	30000	0	0	30000	16.8125	2004
22.01.2020 09:05:10	1	0	1	1	18	36.75	0	0	0	0	30000	0	0	30000	16.9375	2004
22.01.2020 09:05:11	1	0	1	1	18	36.75	0	0	0	0	30000	0	0	30000	16.75	2004
22.01.2020 09:05:12	1	0	1	1	18	36.75	0	0	0	0	30000	0	0	30000	16.875	2004
22.01.2020 09:05:13	1	0	1	1	18	36.75	0	0	0	0	30000	0	0	30000	16.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 09:05:14	1	0	1	1	18	36.75	0	0	0	0	30000	0	0	30000	16.9375	2004
22.01.2020 09:05:15	1	0	1	1	18	36.75	0	0	0	0	30000	0	0	30000	16.9375	2004
22.01.2020 09:05:16	1	0	1	1	18	36.75	0	0	0	0	30000	0	0	30000	16.8125	2004
22.01.2020 09:05:17	1	0	1	1	18	36.75	0	0	0	0	30000	0	0	30000	16.9375	2004
22.01.2020 09:05:18	1	0	1	1	18	36.75	0	0	0	0	30000	0	0	30000	19.8125	2004
22.01.2020 09:05:24	1	0	1	1	18	36.5	0	0	0	0	30000	0	0	30000	16.5625	2004
22.01.2020 09:05:24	1	0	1	1	18	36.5	0	0	0	0	30000	0	0	30000	16.5625	2004
22.01.2020 09:05:24	1	0	1	1	18	36.5	0	0	0	0	30000	0	0	30000	16.5625	2004
22.01.2020 09:05:24	1	0	1	1	18	36.5	0	0	0	0	30000	0	0	30000	16.5625	2004
22.01.2020 09:05:24	1	0	1	1	18	36.5	0	0	0	0	30000	0	0	30000	16.5625	2004
22.01.2020 09:05:24	1	0	1	1	18	36.5	0	0	0	0	30000	0	0	30000	16.5625	2004
22.01.2020 09:05:24	1	0	1	1	18	36.5	0	0	0	0	30000	0	0	30000	16.5625	2004
22.01.2020 09:05:24	1	0	1	1	18	36.5	0	0	0	0	30000	0	0	30000	16.5625	2004
22.01.2020 09:05:25	1	0	1	1	18	36.75	0	0	0	0	30000	0	0	30000	16.6875	2004
22.01.2020 09:05:26	1	0	1	1	18	36.5	0	0	0	0	30000	0	0	30000	17.0625	2004
22.01.2020 09:05:27	1	0	1	1	18	37	0	0	0	0	30000	0	0	30000	16.75	2004
22.01.2020 09:05:28	1	0	1	1	18	36.75	0	0	0	0	30000	0	0	30000	16.9375	2004
22.01.2020 09:05:29	1	0	1	1	18	36.75	0	0	0	0	30000	0	0	30000	16.75	2004
22.01.2020 09:05:30	1	0	1	1	18	36.75	0	0	0	0	30000	0	0	30000	17.0625	2004
22.01.2020 09:05:32	1	0	1	1	18	37	0	0	0	0	30000	0	0	30000	16.625	2004
22.01.2020 09:05:33	1	0	1	1	18	36.5	0	0	0	0	30000	0	0	30000	16.9375	2004
22.01.2020 09:05:34	1	0	1	1	18	36.75	0	0	0	0	30000	0	0	30000	16.5	2004
22.01.2020 09:05:35	1	0	1	1	18	36.5	0	0	0	0	30000	0	0	30000	16.9375	2004
22.01.2020 09:05:36	1	0	1	1	18	36.75	0	0	0	0	30000	0	0	30000	16.9375	2004
22.01.2020 09:05:37	1	0	1	1	18	36.75	0	0	0	0	30000	0	0	30000	16.9375	2004
22.01.2020 09:05:38	1	0	1	1	18	36.75	0	0	0	0	30000	0	0	30000	17	2004
22.01.2020 09:05:39	1	0	1	1	18	37	0	0	0	0	30000	0	0	30000	17.125	2004
22.01.2020 09:05:40	1	0	1	1	18	37	0	0	0	0	30000	0	0	30000	16.9375	2004
22.01.2020 09:05:41	1	0	1	1	18	36.75	0	0	0	0	30000	0	0	30000	16.6875	2004
22.01.2020 09:05:42	1	0	1	1	18	36.5	0	0	0	0	30000	0	0	30000	16.9375	2004
22.01.2020 09:05:43	1	0	1	1	18	36.75	0	0	0	0	30000	0	0	30000	16.9375	2004
22.01.2020 09:05:44	1	0	1	1	18	36.75	0	0	0	0	30000	0	0	30000	16.625	2004
22.01.2020 09:05:45	1	0	1	1	18	36.5	0	0	0	0	30000	0	0	30000	16.9375	2004
22.01.2020 09:05:46	1	0	1	1	18	36.75	0	0	0	0	30000	0	0	30000	17	2004
22.01.2020 09:05:47	1	0	1	1	18	37	0	0	0	0	30000	0	0	30000	16.9375	2004
22.01.2020 09:05:48	1	0	1	1	18	36.75	0	0	0	0	30000	0	0	30000	16.9375	2004
22.01.2020 09:05:49	1	0	1	1	18	36.75	0	0	0	0	30000	0	0	30000	16.9375	2004
22.01.2020 09:05:50	1	0	1	1	18	36.75	0	0	0	0	30000	0	0	30000	16.625	2004
22.01.2020 09:05:51	1	0	1	1	18	36.5	0	0	0	0	30000	0	0	30000	16.75	2004
22.01.2020 09:05:52	1	0	1	1	18	36.75	0	0	0	0	30000	0	0	30000	16.875	2004
22.01.2020 09:05:53	1	0	1	1	18	36.75	0	0	0	0	30000	0	0	30000	16.9375	2004
22.01.2020 09:05:54	1	0	1	1	18	36.75	0	0	0	0	30000	0	0	30000	16.5625	2004
22.01.2020 09:05:55	1	0	1	1	18	36.5	0	0	0	0	30000	0	0	30000	16.9375	2004
22.01.2020 09:05:56	1	0	1	1	18	36.75	0	0	0	0	30000	0	0	30000	17.0625	2004
22.01.2020 09:05:57	1	0	1	1	18	37	0	0	0	0	30000	0	0	30000	18.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 09:05:58	1	0	1	1	18	38.5	0	0	0	0	30000	0	0	30000	16.8125	2004
22.01.2020 09:05:59	1	0	1	1	18	36.75	0	0	0	0	30000	0	0	30000	18.125	2004
22.01.2020 09:06:00	1	0	1	1	18	36.75	0	0	0	0	30000	0	0	30000	16.625	2004
22.01.2020 09:06:01	1	0	1	1	18	36.5	0	0	0	0	30000	0	0	30000	17.0625	2004
22.01.2020 09:06:02	1	0	1	1	18	37	0	0	0	0	30000	0	0	30000	16.9375	2004
22.01.2020 09:06:03	1	0	1	1	18	36.75	0	0	0	0	30000	0	0	30000	16.75	2004
22.01.2020 09:06:04	1	0	1	1	18	36.75	0	0	0	0	30000	0	0	30000	16.75	2004
22.01.2020 09:06:05	1	0	1	1	18	36.75	0	0	0	0	30000	0	0	30000	16.875	2004
22.01.2020 09:06:06	1	0	1	1	18	36.75	0	0	0	0	30000	0	0	30000	16.8125	2004
22.01.2020 09:06:07	1	0	1	1	18	36.75	0	0	0	0	30000	0	0	30000	16.625	2004
22.01.2020 09:06:08	1	0	1	1	18	36.5	0	0	0	0	30000	0	0	30000	16.5625	2004
22.01.2020 09:06:09	1	0	1	1	18	36.5	0	0	0	0	30000	0	0	30000	16.875	2004
22.01.2020 09:06:11	1	0	1	1	18	36.75	0	0	0	0	30000	0	0	30000	17.0625	2004
22.01.2020 09:06:12	1	0	1	1	18	37	0	0	0	0	30000	0	0	30000	16.8125	2004
22.01.2020 09:06:13	1	0	1	1	18	36.75	0	0	0	0	30000	0	0	30000	17	2004
22.01.2020 09:06:14	1	0	1	1	18	37	0	0	0	0	30000	0	0	30000	16.9375	2004
22.01.2020 09:06:15	1	0	1	1	18	36.75	0	0	0	0	30000	0	0	30000	16.75	2004
22.01.2020 09:06:16	1	0	1	1	18	36.75	0	0	0	0	30000	0	0	30000	16.8125	2004
22.01.2020 09:06:17	1	0	1	1	18	36.75	0	0	0	0	30000	0	0	30000	16.6875	2004
22.01.2020 09:06:18	1	0	1	1	18	36.5	0	0	0	0	30000	0	0	30000	17.125	2004
22.01.2020 09:06:19	1	0	1	1	18	37	0	0	0	0	30000	0	0	30000	16.9375	2004
22.01.2020 09:06:20	1	0	1	1	18	36.75	0	0	0	0	30000	0	0	30000	16.9375	2004
22.01.2020 09:06:26	1	0	1	1	18	36.75	0	0	0	0	30000	0	0	30000	16.6875	2004
22.01.2020 09:06:26	1	0	1	1	18	36.75	0	0	0	0	30000	0	0	30000	16.6875	2004
22.01.2020 09:06:26	1	0	1	1	18	36.75	0	0	0	0	30000	0	0	30000	16.6875	2004
22.01.2020 09:06:26	1	0	1	1	18	36.75	0	0	0	0	30000	0	0	30000	16.6875	2004
22.01.2020 09:06:26	1	0	1	1	18	36.5	0	0	0	0	30000	0	0	30000	16.75	2004
22.01.2020 09:06:27	1	0	1	1	18	36.75	0	0	0	0	30000	0	0	30000	17	2004
22.01.2020 09:06:28	1	0	1	1	18	37	0	0	0	0	30000	0	0	30000	16.625	2004
22.01.2020 09:06:29	1	0	1	1	18	36.5	0	0	0	0	30000	0	0	30000	16.6875	2004
22.01.2020 09:06:30	1	0	1	1	18	36.5	0	0	0	0	30000	0	0	30000	17	2004
22.01.2020 09:06:31	1	0	1	1	18	37	0	0	0	0	30000	0	0	30000	16.8125	2004
22.01.2020 09:06:32	1	0	1	1	18	36.75	0	0	0	0	30000	0	0	30000	16.75	2004
22.01.2020 09:06:33	1	0	1	1	18	36.75	0	0	0	0	30000	0	0	30000	16.75	2004
22.01.2020 09:06:34	1	0	1	1	18	36.75	0	0	0	0	30000	0	0	30000	16.5625	2004
22.01.2020 09:06:35	1	0	1	1	18	36.5	0	0	0	0	30000	0	0	30000	16.8125	2004
22.01.2020 09:06:36	1	0	1	1	18	36.75	0	0	0	0	30000	0	0	30000	17	2004
22.01.2020 09:06:37	1	0	1	1	18	37	0	0	0	0	30000	0	0	30000	18.3125	2004
22.01.2020 09:06:38	1	0	1	1	18	38.25	0	0	0	0	30000	0	0	30000	16.9375	2004
22.01.2020 09:06:39	1	0	1	1	18	36.75	0	0	0	0	30000	0	0	30000	19.1875	2004
22.01.2020 09:06:40	1	0	1	1	18	36.75	0	0	0	0	30000	0	0	30000	16.75	2004
22.01.2020 09:06:41	1	0	1	1	18	36.75	0	0	0	0	30000	0	0	30000	17	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 09:06:42	1	0	1	1	18	37	0	0	0	0	30000	0	0	30000	17	2004
22.01.2020 09:06:43	1	0	1	1	18	37	0	0	0	0	30000	0	0	30000	16.8125	2004
22.01.2020 09:06:44	1	0	1	1	18	36.75	0	0	0	0	30000	0	0	30000	16.75	2004
22.01.2020 09:06:45	1	0	1	1	18	36.75	0	0	0	0	30000	0	0	30000	16.8125	2004
22.01.2020 09:06:46	1	0	1	1	18	36.75	0	0	0	0	30000	0	0	30000	17	2004
22.01.2020 09:06:47	1	0	1	1	18	37	0	0	0	0	30000	0	0	30000	16.625	2004
22.01.2020 09:06:48	1	0	1	1	18	36.5	0	0	0	0	30000	0	0	30000	17.0625	2004
22.01.2020 09:06:49	1	0	1	1	18	37	0	0	0	0	30000	0	0	30000	16.9375	2004
22.01.2020 09:06:51	1	0	1	1	18	36.75	0	0	0	0	30000	0	0	30000	16.6875	2004
22.01.2020 09:06:52	1	0	1	1	18	36.5	0	0	0	0	30000	0	0	30000	16.5	2004
22.01.2020 09:06:53	1	0	1	1	18	36.5	0	0	0	0	30000	0	0	30000	17.0625	2004
22.01.2020 09:06:54	1	0	1	1	18	37	0	0	0	0	30000	0	0	30000	16.875	2004
22.01.2020 09:06:55	1	0	1	1	18	36.75	0	0	0	0	30000	0	0	30000	16.9375	2004
22.01.2020 09:06:56	1	0	1	1	18	36.75	0	0	0	0	30000	0	0	30000	16.75	2004
22.01.2020 09:06:57	1	0	1	1	18	36.75	0	0	0	0	30000	0	0	30000	16.8125	2004
22.01.2020 09:06:58	1	0	1	1	18	36.75	0	0	0	0	30000	0	0	30000	17.0625	2004
22.01.2020 09:06:59	1	0	1	1	18	37	0	0	0	0	30000	0	0	30000	16.9375	2004
22.01.2020 09:07:00	1	0	1	1	18	36.75	0	0	0	0	30000	0	0	30000	17	2004
22.01.2020 09:07:01	1	0	1	1	18	37	0	0	0	0	30000	0	0	30000	17	2004
22.01.2020 09:07:02	1	0	1	1	18	37	0	0	0	0	30000	0	0	30000	17.0625	2004
22.01.2020 09:07:03	1	0	1	1	18	37	0	0	0	0	30000	0	0	30000	16.875	2004
22.01.2020 09:07:04	1	0	1	1	18	36.75	0	0	0	0	30000	0	0	30000	17.125	2004
22.01.2020 09:07:05	1	0	1	1	18	37	0	0	0	0	30000	0	0	30000	16.6875	2004
22.01.2020 09:07:06	1	0	1	1	18	36.5	0	0	0	0	30000	0	0	30000	17	2004
22.01.2020 09:07:07	1	0	1	1	18	37	0	0	0	0	30000	0	0	30000	16.5625	2004
22.01.2020 09:07:08	1	0	1	1	18	36.5	0	0	0	0	30000	0	0	30000	16.875	2004
22.01.2020 09:07:09	1	0	1	1	18	36.75	0	0	0	0	30000	0	0	30000	16.9375	2004
22.01.2020 09:07:10	1	0	1	1	18	36.75	0	0	0	0	30000	0	0	30000	16.6875	2004
22.01.2020 09:07:11	1	0	1	1	18	36.5	0	0	0	0	30000	0	0	30000	17	2004
22.01.2020 09:07:12	1	0	1	1	18	37	0	0	0	0	30000	0	0	30000	16.8125	2004
22.01.2020 09:07:13	1	0	1	1	18	36.75	0	0	0	0	30000	0	0	30000	16.875	2004
22.01.2020 09:07:14	1	0	1	1	18	36.75	0	0	0	0	30000	0	0	30000	16.625	2004
22.01.2020 09:07:15	1	0	1	1	18	36.5	0	0	0	0	30000	0	0	30000	17	2004
22.01.2020 09:07:16	1	0	1	1	18	37	0	0	0	0	30000	0	0	30000	19.8125	2004
22.01.2020 09:07:17	1	0	1	1	18	39.75	0	0	0	0	30000	0	0	30000	17.625	2004
22.01.2020 09:07:18	1	0	1	1	18	37.5	0	0	0	0	30000	0	0	30000	17	2004
22.01.2020 09:07:19	1	0	1	1	18.25	37.75	0	0	0	0	30000	0	0	30000	16.6875	2004
22.01.2020 09:07:20	1	0	1	1	18.25	36.5	0	0	0	0	30000	0	0	30000	16.75	2004
22.01.2020 09:07:21	1	0	1	1	18.25	36.75	0	0	0	0	30000	0	0	30000	16.875	2004
22.01.2020 09:07:27	1	0	1	1	18.25	36.75	0	0	0	0	30000	0	0	30000	16.5625	2004
22.01.2020 09:07:27	1	0	1	1	18.25	36.75	0	0	0	0	30000	0	0	30000	16.5625	2004
22.01.2020 09:07:27	1	0	1	1	18.25	36.75	0	0	0	0	30000	0	0	30000	16.5625	2004
22.01.2020 09:07:27	1	0	1	1	18.25	36.75	0	0	0	0	30000	0	0	30000	16.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers	
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]		
22.01.2020 09:07:27	1	0	1	1	18.25	36.75	0	0	0	0	0	30000	0	0	30000	16.5625	2004
22.01.2020 09:07:27	1	0	1	1	18.25	36.5	0	0	0	0	0	30000	0	0	30000	16.6875	2004
22.01.2020 09:07:28	1	0	1	1	18	36.5	0	0	0	0	0	30000	0	0	30000	16.6875	2004
22.01.2020 09:07:30	1	0	1	1	18	36.5	0	0	0	0	0	30000	0	0	30000	16.75	2004
22.01.2020 09:07:31	1	0	1	1	18	36.75	0	0	0	0	0	30000	0	0	30000	16.9375	2004
22.01.2020 09:07:32	1	0	1	1	18	36.75	0	0	0	0	0	30000	0	0	30000	17	2004
22.01.2020 09:07:33	1	0	1	1	18	37	0	0	0	0	0	30000	0	0	30000	17.0625	2004
22.01.2020 09:07:34	1	0	1	1	18	37	0	0	0	0	0	30000	0	0	30000	16.6875	2004
22.01.2020 09:07:35	1	0	1	1	18	36.5	0	0	0	0	0	30000	0	0	30000	16.8125	2004
22.01.2020 09:07:36	1	0	1	1	18	36.75	0	0	0	0	0	30000	0	0	30000	16.75	2004
22.01.2020 09:07:37	1	0	1	1	18	36.75	0	0	0	0	0	30000	0	0	30000	17	2004
22.01.2020 09:07:38	1	0	1	1	18	37	0	0	0	0	0	30000	0	0	30000	16.9375	2004
22.01.2020 09:07:39	1	0	1	1	18.25	36.75	0	0	0	0	0	30000	0	0	30000	16.9375	2004
22.01.2020 09:07:40	1	0	1	1	18.25	36.75	0	0	0	0	0	30000	0	0	30000	17	2004
22.01.2020 09:07:41	1	0	1	1	18.25	37	0	0	0	0	0	30000	0	0	30000	16.8125	2004
22.01.2020 09:07:42	1	0	1	1	18.25	36.75	0	0	0	0	0	30000	0	0	30000	16.75	2004
22.01.2020 09:07:43	1	0	1	1	18.25	36.75	0	0	0	0	0	30000	0	0	30000	17	2004
22.01.2020 09:07:44	1	0	1	1	18.25	37	0	0	0	0	0	30000	0	0	30000	17	2004
22.01.2020 09:07:45	1	0	1	1	18.25	37	0	0	0	0	0	30000	0	0	30000	17.0625	2004
22.01.2020 09:07:46	1	0	1	1	18.25	37	0	0	0	0	0	30000	0	0	30000	16.9375	2004
22.01.2020 09:07:47	1	0	1	1	18.25	36.75	0	0	0	0	0	30000	0	0	30000	16.6875	2004
22.01.2020 09:07:48	1	0	1	1	18.25	36.5	0	0	0	0	0	30000	0	0	30000	16.6875	2004
22.01.2020 09:07:49	1	0	1	1	18.25	36.5	0	0	0	0	0	30000	0	0	30000	17.125	2004
22.01.2020 09:07:50	1	0	1	1	18.25	37	0	0	0	0	0	30000	0	0	30000	16.6875	2004
22.01.2020 09:07:51	1	0	1	1	18.25	36.5	0	0	0	0	0	30000	0	0	30000	17	2004
22.01.2020 09:07:52	1	0	1	1	18.25	37	0	0	0	0	0	30000	0	0	30000	17	2004
22.01.2020 09:07:53	1	0	1	1	18.25	37	0	0	0	0	0	30000	0	0	30000	17	2004
22.01.2020 09:07:54	1	0	1	1	18.25	37	0	0	0	0	0	30000	0	0	30000	17	2004
22.01.2020 09:07:55	1	0	1	1	18.25	37	0	0	0	0	0	30000	0	0	30000	16.9375	2004
22.01.2020 09:07:56	1	0	1	1	18.25	36.75	0	0	0	0	0	30000	0	0	30000	16.9375	2004
22.01.2020 09:07:57	1	0	1	1	18.25	36.75	0	0	0	0	0	30000	0	0	30000	19.9375	2004
22.01.2020 09:07:58	1	0	1	1	18.25	37	0	0	0	0	0	30000	0	0	30000	16.9375	2004
22.01.2020 09:07:59	1	0	1	1	18.25	36.75	0	0	0	0	0	30000	0	0	30000	17.0625	2004
22.01.2020 09:08:00	1	0	1	1	18.25	37	0	0	0	0	0	30000	0	0	30000	16.75	2004
22.01.2020 09:08:01	1	0	1	1	18.25	36.75	0	0	0	0	0	30000	0	0	30000	16.625	2004
22.01.2020 09:08:02	1	0	1	1	18.25	36.5	0	0	0	0	0	30000	0	0	30000	17	2004
22.01.2020 09:08:03	1	0	1	1	18.25	37	0	0	0	0	0	30000	0	0	30000	17	2004
22.01.2020 09:08:04	1	0	1	1	18.25	37	0	0	0	0	0	30000	0	0	30000	16.9375	2004
22.01.2020 09:08:05	1	0	1	1	18.25	36.75	0	0	0	0	0	30000	0	0	30000	17	2004
22.01.2020 09:08:06	1	0	1	1	18.25	37	0	0	0	0	0	30000	0	0	30000	16.875	2004
22.01.2020 09:08:08	1	0	1	1	18.25	36.75	0	0	0	0	0	30000	0	0	30000	17	2004
22.01.2020 09:08:09	1	0	1	1	18.25	37	0	0	0	0	0	30000	0	0	30000	17.0625	2004
22.01.2020 09:08:10	1	0	1	1	18.25	37	0	0	0	0	0	30000	0	0	30000	16.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 09:08:11	1	0	1	1	18.25	36.75	0	0	0	0	30000	0	0	30000	16.6875	2004
22.01.2020 09:08:12	1	0	1	1	18.25	36.5	0	0	0	0	30000	0	0	30000	16.625	2004
22.01.2020 09:08:13	1	0	1	1	18.25	36.5	0	0	0	0	30000	0	0	30000	17	2004
22.01.2020 09:08:14	1	0	1	1	18.25	37	0	0	0	0	30000	0	0	30000	16.9375	2004
22.01.2020 09:08:15	1	0	1	1	18.25	36.75	0	0	0	0	30000	0	0	30000	16.875	2004
22.01.2020 09:08:16	1	0	1	1	18.25	36.75	0	0	0	0	30000	0	0	30000	17.0625	2004
22.01.2020 09:08:17	1	0	1	1	18.25	37	0	0	0	0	30000	0	0	30000	16.8125	2004
22.01.2020 09:08:18	1	0	1	1	18.25	36.75	0	0	0	0	30000	0	0	30000	17.0625	2004
22.01.2020 09:08:19	1	0	1	1	18.25	37	0	0	0	0	30000	0	0	30000	16.5625	2004
22.01.2020 09:08:20	1	0	1	1	18.25	36.5	0	0	0	0	30000	0	0	30000	17.125	2004
22.01.2020 09:08:21	1	0	1	1	18.25	37	0	0	0	0	30000	0	0	30000	16.8125	2004
22.01.2020 09:08:22	1	0	1	1	18.25	36.75	0	0	0	0	30000	0	0	30000	16.875	2004
22.01.2020 09:08:23	1	0	1	1	18.25	36.75	0	0	0	0	30000	0	0	30000	16.5625	2004
22.01.2020 09:08:29	1	0	1	1	18.25	37	0	0	0	0	30000	0	0	30000	16.8125	2004
22.01.2020 09:08:29	1	0	1	1	18.25	37	0	0	0	0	30000	0	0	30000	16.8125	2004
22.01.2020 09:08:29	1	0	1	1	18.25	37	0	0	0	0	30000	0	0	30000	16.8125	2004
22.01.2020 09:08:29	1	0	1	1	18.25	37	0	0	0	0	30000	0	0	30000	16.8125	2004
22.01.2020 09:08:29	1	0	1	1	18.25	37	0	0	0	0	30000	0	0	30000	16.8125	2004
22.01.2020 09:08:29	1	0	1	1	18.25	36.75	0	0	0	0	30000	0	0	30000	16.75	2004
22.01.2020 09:08:30	1	0	1	1	18.25	36.75	0	0	0	0	30000	0	0	30000	17	2004
22.01.2020 09:08:31	1	0	1	1	18.25	37	0	0	0	0	30000	0	0	30000	17	2004
22.01.2020 09:08:32	1	0	1	1	18.25	37	0	0	0	0	30000	0	0	30000	17	2004
22.01.2020 09:08:33	1	0	1	1	18.25	37	0	0	0	0	30000	0	0	30000	19.9375	2004
22.01.2020 09:08:34	1	0	1	1	18.25	39.75	0	0	0	0	30000	0	0	30000	16.9375	2004
22.01.2020 09:08:35	1	0	1	1	18.25	36.75	0	0	0	0	30000	0	0	30000	17.0625	2004
22.01.2020 09:08:36	1	0	1	1	18.25	36.75	0	0	0	0	30000	0	0	30000	17	2004
22.01.2020 09:08:37	1	0	1	1	18.25	37	0	0	0	0	30000	0	0	30000	17	2004
22.01.2020 09:08:38	1	0	1	1	18.5	37	0	0	0	0	30000	0	0	30000	17	2004
22.01.2020 09:08:39	1	0	1	1	18.5	37	0	0	0	0	30000	0	0	30000	16.625	2004
22.01.2020 09:08:40	1	0	1	1	18.5	36.5	0	0	0	0	30000	0	0	30000	16.9375	2004
22.01.2020 09:08:41	1	0	1	1	18.5	36.75	0	0	0	0	30000	0	0	30000	16.75	2004
22.01.2020 09:08:42	1	0	1	1	18.5	36.75	0	0	0	0	30000	0	0	30000	16.6875	2004
22.01.2020 09:08:43	1	0	1	1	18.5	36.5	0	0	0	0	30000	0	0	30000	16.875	2004
22.01.2020 09:08:44	1	0	1	1	18.5	36.75	0	0	0	0	30000	0	0	30000	17.1875	2004
22.01.2020 09:08:46	1	0	1	1	18.5	37	0	0	0	0	30000	0	0	30000	16.8125	2004
22.01.2020 09:08:47	1	0	1	1	18.5	36.75	0	0	0	0	30000	0	0	30000	16.6875	2004
22.01.2020 09:08:48	1	0	1	1	18.5	36.5	0	0	0	0	30000	0	0	30000	16.9375	2004
22.01.2020 09:08:49	1	0	1	1	18.25	36.75	0	0	0	0	30000	0	0	30000	16.8125	2004
22.01.2020 09:08:50	1	0	1	1	18.25	36.75	0	0	0	0	30000	0	0	30000	16.9375	2004
22.01.2020 09:08:51	1	0	1	1	18.25	36.75	0	0	0	0	30000	0	0	30000	17	2004
22.01.2020 09:08:52	1	0	1	1	18.25	37	0	0	0	0	30000	0	0	30000	16.9375	2004
22.01.2020 09:08:53	1	0	1	1	18.25	36.75	0	0	0	0	30000	0	0	30000	16.5625	2004
22.01.2020 09:08:54	1	0	1	1	18.25	36.5	0	0	0	0	30000	0	0	30000	17	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 09:08:55	1	0	1	1	18.25	37	0	0	0	0	30000	0	0	30000	17	2004
22.01.2020 09:08:56	1	0	1	1	18.25	37	0	0	0	0	30000	0	0	30000	17.0625	2004
22.01.2020 09:08:57	1	0	1	1	18.25	37	0	0	0	0	30000	0	0	30000	17.0625	2004
22.01.2020 09:08:58	1	0	1	1	18.25	37	0	0	0	0	30000	0	0	30000	16.8125	2004
22.01.2020 09:08:59	1	0	1	1	18.5	36.75	0	0	0	0	30000	0	0	30000	17.0625	2004
22.01.2020 09:09:00	1	0	1	1	18.5	37	0	0	0	0	30000	0	0	30000	17.125	2004
22.01.2020 09:09:01	1	0	1	1	18.5	37	0	0	0	0	30000	0	0	30000	17	2004
22.01.2020 09:09:02	1	0	1	1	18.5	37	0	0	0	0	30000	0	0	30000	16.6875	2004
22.01.2020 09:09:03	1	0	1	1	18.5	36.5	0	0	0	0	30000	0	0	30000	16.75	2004
22.01.2020 09:09:04	1	0	1	1	18.5	36.75	0	0	0	0	30000	0	0	30000	16.625	2004
22.01.2020 09:09:05	1	0	1	1	18.5	36.5	0	0	0	0	30000	0	0	30000	16.8125	2004
22.01.2020 09:09:06	1	0	1	1	18.5	36.75	0	0	0	0	30000	0	0	30000	16.75	2004
22.01.2020 09:09:07	1	0	1	1	18.5	36.75	0	0	0	0	30000	0	0	30000	17	2004
22.01.2020 09:09:08	1	0	1	1	18.5	37	0	0	0	0	30000	0	0	30000	16.875	2004
22.01.2020 09:09:09	1	0	1	1	18.75	36.75	0	0	0	0	30000	0	0	30000	16.9375	2004
22.01.2020 09:09:10	1	0	1	1	18.75	36.75	0	0	0	0	30000	0	0	30000	16.9375	2004
22.01.2020 09:09:11	1	0	1	1	18.75	36.75	0	0	0	0	30000	0	0	30000	16.9375	2004
22.01.2020 09:09:12	1	0	1	1	18.75	36.75	0	0	0	0	30000	0	0	30000	16.8125	2004
22.01.2020 09:09:13	1	0	1	1	18.75	36.75	0	0	0	0	30000	0	0	30000	16.9375	2004
22.01.2020 09:09:14	1	0	1	1	18.75	36.75	0	0	0	0	30000	0	0	30000	17.0625	2004
22.01.2020 09:09:15	1	0	1	1	18.75	37	0	0	0	0	30000	0	0	30000	17.1875	2004
22.01.2020 09:09:16	1	0	1	1	18.75	37	0	0	0	0	30000	0	0	30000	16.8125	2004
22.01.2020 09:09:17	1	0	1	1	18.75	36.75	0	0	0	0	30000	0	0	30000	17	2004
22.01.2020 09:09:18	1	0	1	1	18.75	37	0	0	0	0	30000	0	0	30000	17	2004
22.01.2020 09:09:19	1	0	1	1	18.75	37	0	0	0	0	30000	0	0	30000	16.9375	2004
22.01.2020 09:09:20	1	0	1	1	18.75	36.75	0	0	0	0	30000	0	0	30000	16.6875	2004
22.01.2020 09:09:21	1	0	1	1	18.75	36.5	0	0	0	0	30000	0	0	30000	17.3125	2004
22.01.2020 09:09:22	1	0	1	1	18.75	37.25	0	0	0	0	30000	0	0	30000	17	2004
22.01.2020 09:09:24	1	0	1	1	18.75	37	0	0	0	0	30000	0	0	30000	17.25	2004
22.01.2020 09:09:25	1	0	1	1	18.75	37.25	0	0	0	0	30000	0	0	30000	16.9375	2004
22.01.2020 09:09:30	1	0	1	1	19	36.5	0	0	0	0	30000	0	0	30000	16.75	2004
22.01.2020 09:09:30	1	0	1	1	19	36.5	0	0	0	0	30000	0	0	30000	16.75	2004
22.01.2020 09:09:30	1	0	1	1	19	36.5	0	0	0	0	30000	0	0	30000	16.75	2004
22.01.2020 09:09:30	1	0	1	1	19	36.5	0	0	0	0	30000	0	0	30000	16.75	2004
22.01.2020 09:09:30	1	0	1	1	19	36.5	0	0	0	0	30000	0	0	30000	16.75	2004
22.01.2020 09:09:31	1	0	1	1	19	36.75	0	0	0	0	30000	0	0	30000	17.1875	2004
22.01.2020 09:09:32	1	0	1	1	19	37	0	0	0	0	30000	0	0	30000	17.0625	2004
22.01.2020 09:09:33	1	0	1	1	19	37	0	0	0	0	30000	0	0	30000	17.125	2004
22.01.2020 09:09:34	1	0	1	1	19	37	0	0	0	0	30000	0	0	30000	17.125	2004
22.01.2020 09:09:35	1	0	1	1	19	37	0	0	0	0	30000	0	0	30000	17.0625	2004
22.01.2020 09:09:36	1	0	1	1	19	37	0	0	0	0	30000	0	0	30000	16.875	2004
22.01.2020 09:09:37	1	0	1	1	19	36.75	0	0	0	0	30000	0	0	30000	17.0625	2004
22.01.2020 09:09:38	1	0	1	1	19	37	0	0	0	0	30000	0	0	30000	17	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers	
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]		
22.01.2020 09:09:39	1	0	1	1	19.5	37	0	0	0	0	0	30000	0	0	30000	17	2004
22.01.2020 09:09:40	1	0	1	1	19.5	37	0	0	0	0	0	30000	0	0	30000	16.75	2004
22.01.2020 09:09:41	1	0	1	1	19.5	36.75	0	0	0	0	0	30000	0	0	30000	17.125	2004
22.01.2020 09:09:42	1	0	1	1	19.5	37	0	0	0	0	0	30000	0	0	30000	17.0625	2004
22.01.2020 09:09:43	1	0	1	1	19.5	37	0	0	0	0	0	30000	0	0	30000	17.0625	2004
22.01.2020 09:09:44	1	0	1	1	19.5	37	0	0	0	0	0	30000	0	0	30000	17	2004
22.01.2020 09:09:45	1	0	1	1	19.5	37	0	0	0	0	0	30000	0	0	30000	16.6875	2004
22.01.2020 09:09:46	1	0	1	1	19.5	36.5	0	0	0	0	0	30000	0	0	30000	17.1875	2004
22.01.2020 09:09:47	1	0	1	1	19.5	37	0	0	0	0	0	30000	0	0	30000	16.625	2004
22.01.2020 09:09:48	1	0	1	1	19.5	36.5	0	0	0	0	0	30000	0	0	30000	17	2004
22.01.2020 09:09:49	1	0	1	1	19.75	37	0	0	0	0	0	30000	0	0	30000	17.25	2004
22.01.2020 09:09:50	1	0	1	1	19.75	37.25	0	0	0	0	0	30000	0	0	30000	16.875	2004
22.01.2020 09:09:51	1	0	1	1	19.75	36.75	0	0	0	0	0	30000	0	0	30000	17	2004
22.01.2020 09:09:52	1	0	1	1	19.75	37	0	0	0	0	0	30000	0	0	30000	16.8125	2004
22.01.2020 09:09:53	1	0	1	1	19.75	36.75	0	0	0	0	0	30000	0	0	30000	17	2004
22.01.2020 09:09:54	1	0	1	1	19.75	37	0	0	0	0	0	30000	0	0	30000	16.875	2004
22.01.2020 09:09:55	1	0	1	1	19.75	37.75	0	0	0	0	0	30000	0	0	30000	17.0625	2004
22.01.2020 09:09:56	1	0	1	1	19.75	37	0	0	0	0	0	30000	0	0	30000	17.0625	2004
22.01.2020 09:09:57	1	0	1	1	19.75	37	0	0	0	0	0	30000	0	0	30000	17.125	2004
22.01.2020 09:09:58	1	0	1	1	19.75	37	0	0	0	0	0	30000	0	0	30000	16.75	2004
22.01.2020 09:09:59	1	0	1	1	19.75	36.75	0	0	0	0	0	30000	0	0	30000	16.75	2004
22.01.2020 09:10:00	1	0	1	1	19.75	36.75	0	0	0	0	0	30000	0	0	30000	17	2004
22.01.2020 09:10:02	1	0	1	1	19.75	37	0	0	0	0	0	30000	0	0	30000	17.125	2004
22.01.2020 09:10:03	1	0	1	1	19.75	37	0	0	0	0	0	30000	0	0	30000	17.0625	2004
22.01.2020 09:10:04	1	0	1	1	19.75	37	0	0	0	0	0	30000	0	0	30000	16.9375	2004
22.01.2020 09:10:05	1	0	1	1	19.75	36.75	0	0	0	0	0	30000	0	0	30000	16.8125	2004
22.01.2020 09:10:06	1	0	1	1	19.75	36.75	0	0	0	0	0	30000	0	0	30000	16.9375	2004
22.01.2020 09:10:07	1	0	1	1	19.75	36.75	0	0	0	0	0	30000	0	0	30000	16.875	2004
22.01.2020 09:10:08	1	0	1	1	19.75	36.75	0	0	0	0	0	30000	0	0	30000	16.875	2004
22.01.2020 09:10:09	1	0	1	1	20	36.75	0	0	0	0	0	30000	0	0	30000	17.0625	2004
22.01.2020 09:10:10	1	0	1	1	20	37	0	0	0	0	0	30000	0	0	30000	17.0625	2004
22.01.2020 09:10:11	1	0	1	1	20	37	0	0	0	0	0	30000	0	0	30000	16.8125	2004
22.01.2020 09:10:12	1	0	1	1	20	36.75	0	0	0	0	0	30000	0	0	30000	16.875	2004
22.01.2020 09:10:13	1	0	1	1	20	36.75	0	0	0	0	0	30000	0	0	30000	17	2004
22.01.2020 09:10:14	1	0	1	1	20	37	0	0	0	0	0	30000	0	0	30000	16.75	2004
22.01.2020 09:10:15	1	0	1	1	20	36.75	0	0	0	0	0	30000	0	0	30000	17.0625	2004
22.01.2020 09:10:16	1	0	1	1	20	37	0	0	0	0	0	30000	0	0	30000	17	2004
22.01.2020 09:10:17	1	0	1	1	20	37	0	0	0	0	0	30000	0	0	30000	17.125	2004
22.01.2020 09:10:18	1	0	1	1	20	37	0	0	0	0	0	30000	0	0	30000	16.9375	2004
22.01.2020 09:10:19	1	0	1	1	20.25	36.75	0	0	0	0	0	30000	0	0	30000	16.6875	2004
22.01.2020 09:10:20	1	0	1	1	20.25	36.5	0	0	0	0	0	30000	0	0	30000	17.125	2004
22.01.2020 09:10:21	1	0	1	1	20.25	37	0	0	0	0	0	30000	0	0	30000	17.0625	2004
22.01.2020 09:10:22	1	0	1	1	20.25	37	0	0	0	0	0	30000	0	0	30000	16.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 09:10:23	1	0	1	1	20.25	36.5	0	0	0	0	30000	0	0	30000	16.6875	2004
22.01.2020 09:10:24	1	0	1	1	20.25	36.5	0	0	0	0	30000	0	0	30000	17.125	2004
22.01.2020 09:10:25	1	0	1	1	20.25	37	0	0	0	0	30000	0	0	30000	16.75	2004
22.01.2020 09:10:26	1	0	1	1	20.25	36.75	0	0	0	0	30000	0	0	30000	16.8125	2004
22.01.2020 09:10:32	1	0	1	1	20.75	38	0	0	0	0	30000	0	0	30000	16.75	2004
22.01.2020 09:10:32	1	0	1	1	20.75	38	0	0	0	0	30000	0	0	30000	16.75	2004
22.01.2020 09:10:32	1	0	1	1	20.75	38	0	0	0	0	30000	0	0	30000	16.75	2004
22.01.2020 09:10:32	1	0	1	1	20.75	38	0	0	0	0	30000	0	0	30000	16.75	2004
22.01.2020 09:10:32	1	0	1	1	20.75	38	0	0	0	0	30000	0	0	30000	16.75	2004
22.01.2020 09:10:32	1	0	1	1	20.75	37	0	0	0	0	30000	0	0	30000	16.625	2004
22.01.2020 09:10:33	1	0	1	1	20.75	36.5	0	0	0	0	30000	0	0	30000	16.75	2004
22.01.2020 09:10:34	1	0	1	1	20.75	36.75	0	0	0	0	30000	0	0	30000	16.9375	2004
22.01.2020 09:10:35	1	0	1	1	20.75	36.75	0	0	0	0	30000	0	0	30000	17	2004
22.01.2020 09:10:36	1	0	1	1	20.75	37	0	0	0	0	30000	0	0	30000	16.75	2004
22.01.2020 09:10:37	1	0	1	1	20.75	36.75	0	0	0	0	30000	0	0	30000	17.0625	2004
22.01.2020 09:10:39	1	0	1	1	21	37	0	0	0	0	30000	0	0	30000	17.125	2004
22.01.2020 09:10:40	1	0	1	1	21	37	0	0	0	0	30000	0	0	30000	16.8125	2004
22.01.2020 09:10:41	1	0	1	1	21	36.75	0	0	0	0	30000	0	0	30000	16.75	2004
22.01.2020 09:10:42	1	0	1	1	21	36.75	0	0	0	0	30000	0	0	30000	17	2004
22.01.2020 09:10:43	1	0	1	1	21	37	0	0	0	0	30000	0	0	30000	16.8125	2004
22.01.2020 09:10:44	1	0	1	1	21	36.75	0	0	0	0	30000	0	0	30000	17.0625	2004
22.01.2020 09:10:45	1	0	1	1	21	37	0	0	0	0	30000	0	0	30000	17.125	2004
22.01.2020 09:10:46	1	0	1	1	21	37	0	0	0	0	30000	0	0	30000	16.9375	2004
22.01.2020 09:10:47	1	0	1	1	21	36.75	0	0	0	0	30000	0	0	30000	16.875	2004
22.01.2020 09:10:48	1	0	1	1	21	36.75	0	0	0	0	30000	0	0	30000	16.8125	2004
22.01.2020 09:10:49	1	0	1	1	21.5	36.75	0	0	0	0	30000	0	0	30000	16.75	2004
22.01.2020 09:10:50	1	0	1	1	21.5	36.75	0	0	0	0	30000	0	0	30000	17.125	2004
22.01.2020 09:10:51	1	0	1	1	21.5	37	0	0	0	0	30000	0	0	30000	17.125	2004
22.01.2020 09:10:52	1	0	1	1	21.5	37	0	0	0	0	30000	0	0	30000	16.75	2004
22.01.2020 09:10:53	1	0	1	1	21.5	36.75	0	0	0	0	30000	0	0	30000	16.625	2004
22.01.2020 09:10:54	1	0	1	1	21.5	36.5	0	0	0	0	30000	0	0	30000	17.0625	2004
22.01.2020 09:10:55	1	0	1	1	21.5	37	0	0	0	0	30000	0	0	30000	17.0625	2004
22.01.2020 09:10:56	1	0	1	1	21.5	37	0	0	0	0	30000	0	0	30000	16.8125	2004
22.01.2020 09:10:57	1	0	1	1	21.5	36.75	0	0	0	0	30000	0	0	30000	16.6875	2004
22.01.2020 09:10:58	1	0	1	1	21.5	36.5	0	0	0	0	30000	0	0	30000	16.75	2004
22.01.2020 09:10:59	1	0	1	1	22	36.75	0	0	0	0	30000	0	0	30000	17	2004
22.01.2020 09:11:00	1	0	1	1	22	37	0	0	0	0	30000	0	0	30000	16.875	2004
22.01.2020 09:11:01	1	0	1	1	22	36.75	0	0	0	0	30000	0	0	30000	16.8125	2004
22.01.2020 09:11:02	1	0	1	1	22	36.75	0	0	0	0	30000	0	0	30000	16.625	2004
22.01.2020 09:11:03	1	0	1	1	22	36.5	0	0	0	0	30000	0	0	30000	16.6875	2004
22.01.2020 09:11:04	1	0	1	1	22	36.5	0	0	0	0	30000	0	0	30000	16.75	2004
22.01.2020 09:11:05	1	0	1	1	22	36.75	0	0	0	0	30000	0	0	30000	16.6875	2004
22.01.2020 09:11:06	1	0	1	1	22	36.5	0	0	0	0	30000	0	0	30000	16.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 09:11:07	1	0	1	1	22	36.5	0	0	0	0	30000	0	0	30000	17.0625	2004
22.01.2020 09:11:08	1	0	1	1	22	37	0	0	0	0	30000	0	0	30000	18.1875	2004
22.01.2020 09:11:09	1	0	1	1	22.5	38	0	0	0	0	30000	0	0	30000	16.9375	2004
22.01.2020 09:11:10	1	0	1	1	22.5	38.75	0	0	0	0	30000	0	0	30000	17.1875	2004
22.01.2020 09:11:11	1	0	1	1	22.5	37	0	0	0	0	30000	0	0	30000	17.125	2004
22.01.2020 09:11:12	1	0	1	1	22.5	37	0	0	0	0	30000	0	0	30000	16.625	2004
22.01.2020 09:11:13	1	0	1	1	22.5	36.5	0	0	0	0	30000	0	0	30000	16.875	2004
22.01.2020 09:11:14	1	0	1	1	22.5	36.75	0	0	0	0	30000	0	0	30000	17.0625	2004
22.01.2020 09:11:15	1	0	1	1	22.5	37	0	0	0	0	30000	0	0	30000	17.0625	2004
22.01.2020 09:11:16	1	0	1	1	22.5	37	0	0	0	0	30000	0	0	30000	17.125	2004
22.01.2020 09:11:18	1	0	1	1	22.5	37	0	0	0	0	30000	0	0	30000	16.8125	2004
22.01.2020 09:11:19	1	0	1	1	23.25	36.75	0	0	0	0	30000	0	0	30000	16.75	2004
22.01.2020 09:11:20	1	0	1	1	23.25	36.75	0	0	0	0	30000	0	0	30000	16.75	2004
22.01.2020 09:11:21	1	0	1	1	23.25	36.75	0	0	0	0	30000	0	0	30000	17.125	2004
22.01.2020 09:11:22	1	0	1	1	23.25	37	0	0	0	0	30000	0	0	30000	17.0625	2004
22.01.2020 09:11:23	1	0	1	1	23.25	37	0	0	0	0	30000	0	0	30000	16.5625	2004
22.01.2020 09:11:24	1	0	1	1	23.25	36.5	0	0	0	0	30000	0	0	30000	17.1875	2004
22.01.2020 09:11:25	1	0	1	1	23.25	37	0	0	0	0	30000	0	0	30000	17.125	2004
22.01.2020 09:11:26	1	0	1	1	23.25	37	0	0	0	0	30000	0	0	30000	16.8125	2004
22.01.2020 09:11:27	1	0	1	1	23.25	36.75	0	0	0	0	30000	0	0	30000	16.8125	2004
22.01.2020 09:11:28	1	0	1	1	23.25	36.75	0	0	0	0	30000	0	0	30000	17	2004
22.01.2020 09:11:34	1	0	1	1	23.75	36.75	0	0	0	0	30000	0	0	30000	17.0625	2004
22.01.2020 09:11:34	1	0	1	1	23.75	36.75	0	0	0	0	30000	0	0	30000	17.0625	2004
22.01.2020 09:11:34	1	0	1	1	23.75	36.75	0	0	0	0	30000	0	0	30000	17.0625	2004
22.01.2020 09:11:34	1	0	1	1	23.75	36.75	0	0	0	0	30000	0	0	30000	17.0625	2004
22.01.2020 09:11:34	1	0	1	1	23.75	36.75	0	0	0	0	30000	0	0	30000	17.0625	2004
22.01.2020 09:11:34	1	0	1	1	23.75	37	0	0	0	0	30000	0	0	30000	17	2004
22.01.2020 09:11:35	1	0	1	1	23.75	37	0	0	0	0	30000	0	0	30000	16.5625	2004
22.01.2020 09:11:36	1	0	1	1	23.75	36.5	0	0	0	0	30000	0	0	30000	16.8125	2004
22.01.2020 09:11:37	1	0	1	1	23.75	36.75	0	0	0	0	30000	0	0	30000	16.875	2004
22.01.2020 09:11:38	1	0	1	1	23.75	36.75	0	0	0	0	30000	0	0	30000	17	2004
22.01.2020 09:11:39	1	0	1	1	24.5	37	0	0	0	0	30000	0	0	30000	16.75	2004
22.01.2020 09:11:40	1	0	1	1	24.5	36.75	0	0	0	0	30000	0	0	30000	17.0625	2004
22.01.2020 09:11:41	1	0	1	1	24.5	37	0	0	0	0	30000	0	0	30000	16.8125	2004
22.01.2020 09:11:42	1	0	1	1	24.5	36.75	0	0	0	0	30000	0	0	30000	17.125	2004
22.01.2020 09:11:43	1	0	1	1	24.5	37	0	0	0	0	30000	0	0	30000	16.625	2004
22.01.2020 09:11:44	1	0	1	1	24.5	36.5	0	0	0	0	30000	0	0	30000	16.625	2004
22.01.2020 09:11:45	1	0	1	1	24.5	36.5	0	0	0	0	30000	0	0	30000	17.125	2004
22.01.2020 09:11:46	1	0	1	1	24.5	37	0	0	0	0	30000	0	0	30000	19.3125	2004
22.01.2020 09:11:47	1	0	1	1	24.5	39.25	0	0	0	0	30000	0	0	30000	17.625	2004
22.01.2020 09:11:48	1	0	1	1	24.5	37.5	0	0	0	0	30000	0	0	30000	17	2004
22.01.2020 09:11:49	1	0	1	1	25	38.5	0	0	0	0	30000	0	0	30000	17.0625	2004
22.01.2020 09:11:50	1	0	1	1	25	37	0	0	0	0	30000	0	0	30000	16.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 09:11:51	1	0	1	1	25	36.75	0	0	0	0	30000	0	0	30000	17	2004
22.01.2020 09:11:52	1	0	1	1	25	37	0	0	0	0	30000	0	0	30000	16.6875	2004
22.01.2020 09:11:53	1	0	1	1	25	36.5	0	0	0	0	30000	0	0	30000	17.0625	2004
22.01.2020 09:11:54	1	0	1	1	25	37	0	0	0	0	30000	0	0	30000	16.9375	2004
22.01.2020 09:11:55	1	0	1	1	25	36.75	0	0	0	0	30000	0	0	30000	17.125	2004
22.01.2020 09:11:57	1	0	1	1	25	37	0	0	0	0	30000	0	0	30000	17.1875	2004
22.01.2020 09:11:58	1	0	1	1	25	37	0	0	0	0	30000	0	0	30000	16.8125	2004
22.01.2020 09:11:59	1	0	1	1	26	36.75	0	0	0	0	30000	0	0	30000	16.625	2004
22.01.2020 09:12:00	1	0	1	1	26	36.5	0	0	0	0	30000	0	0	30000	16.9375	2004
22.01.2020 09:12:01	1	0	1	1	26	36.75	0	0	0	0	30000	0	0	30000	16.8125	2004
22.01.2020 09:12:02	1	0	1	1	26	36.75	0	0	0	0	30000	0	0	30000	17	2004
22.01.2020 09:12:03	1	0	1	1	26	37	0	0	0	0	30000	0	0	30000	17.125	2004
22.01.2020 09:12:04	1	0	1	1	26	37	0	0	0	0	30000	0	0	30000	17.0625	2004
22.01.2020 09:12:05	1	0	1	1	26	37	0	0	0	0	30000	0	0	30000	16.875	2004
22.01.2020 09:12:06	1	0	1	1	26	36.75	0	0	0	0	30000	0	0	30000	16.75	2004
22.01.2020 09:12:07	1	0	1	1	26	36.75	0	0	0	0	30000	0	0	30000	16.75	2004
22.01.2020 09:12:08	1	0	1	1	26	36.75	0	0	0	0	30000	0	0	30000	16.8125	2004
22.01.2020 09:12:09	1	0	1	1	26.25	36.75	0	0	0	0	30000	0	0	30000	17	2004
22.01.2020 09:12:10	1	0	1	1	26.25	37	0	0	0	0	30000	0	0	30000	17	2004
22.01.2020 09:12:11	1	0	1	1	26.25	37	0	0	0	0	30000	0	0	30000	17.1875	2004
22.01.2020 09:12:12	1	0	1	1	26.25	37	0	0	0	0	30000	0	0	30000	17.3125	2004
22.01.2020 09:12:13	1	0	1	1	26.25	37.25	0	0	0	0	30000	0	0	30000	17.0625	2004
22.01.2020 09:12:14	1	0	1	1	26.25	37	0	0	0	0	30000	0	0	30000	17.0625	2004
22.01.2020 09:12:15	1	0	1	1	26.25	37	0	0	0	0	30000	0	0	30000	16.6875	2004
22.01.2020 09:12:16	1	0	1	1	26.25	36.5	0	0	0	0	30000	0	0	30000	17.0625	2004
22.01.2020 09:12:17	1	0	1	1	26.25	37	0	0	0	0	30000	0	0	30000	17	2004
22.01.2020 09:12:18	1	0	1	1	26.25	37	0	0	0	0	30000	0	0	30000	17.3125	2004
22.01.2020 09:12:19	1	0	1	1	27	37.25	0	0	0	0	30000	0	0	30000	17.1875	2004
22.01.2020 09:12:20	1	0	1	1	27	37	0	0	0	0	30000	0	0	30000	16.875	2004
22.01.2020 09:12:21	1	0	1	1	27	36.75	0	0	0	0	30000	0	0	30000	16.9375	2004
22.01.2020 09:12:22	1	0	1	1	27	36.75	0	0	0	0	30000	0	0	30000	16.8125	2004
22.01.2020 09:12:23	1	0	1	1	27	36.75	0	0	0	0	30000	0	0	30000	17.0625	2004
22.01.2020 09:12:24	1	0	1	1	27	37	0	0	0	0	30000	0	0	30000	20	2004
22.01.2020 09:12:25	1	0	1	1	27	40	0	0	0	0	30000	0	0	30000	17.125	2004
22.01.2020 09:12:26	1	0	1	1	27	37	0	0	0	0	30000	0	0	30000	20.0625	2004
22.01.2020 09:12:27	1	0	1	1	27	40	0	0	0	0	30000	0	0	30000	17.1875	2004
22.01.2020 09:12:28	1	0	1	1	27.25	37	0	0	0	0	30000	0	0	30000	17.125	2004
22.01.2020 09:12:29	1	0	1	1	27.25	37	0	0	0	0	30000	0	0	30000	17	2004
22.01.2020 09:12:35	1	0	1	1	27.25	36.5	0	0	0	0	30000	0	0	30000	17.125	2004
22.01.2020 09:12:35	1	0	1	1	27.25	36.5	0	0	0	0	30000	0	0	30000	17.125	2004
22.01.2020 09:12:35	1	0	1	1	27.25	36.5	0	0	0	0	30000	0	0	30000	17.125	2004
22.01.2020 09:12:35	1	0	1	1	27.25	36.5	0	0	0	0	30000	0	0	30000	17.125	2004
22.01.2020 09:12:35	1	0	1	1	27.25	36.5	0	0	0	0	30000	0	0	30000	17.125	2004
22.01.2020 09:12:35	1	0	1	1	27.25	36.5	0	0	0	0	30000	0	0	30000	17.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers	
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]		
22.01.2020 09:12:36	1	0	1	1	27.25	37	0	0	0	0	0	30000	0	0	30000	16.8125	2004
22.01.2020 09:12:37	1	0	1	1	27.25	36.75	0	0	0	0	0	30000	0	0	30000	16.8125	2004
22.01.2020 09:12:38	1	0	1	1	27.25	36.75	0	0	0	0	0	30000	0	0	30000	17.3125	2004
22.01.2020 09:12:39	1	0	1	1	28.25	37.25	0	0	0	0	0	30000	0	0	30000	17.125	2004
22.01.2020 09:12:40	1	0	1	1	28.25	37	0	0	0	0	0	30000	0	0	30000	16.9375	2004
22.01.2020 09:12:41	1	0	1	1	28.25	36.75	0	0	0	0	0	30000	0	0	30000	16.8125	2004
22.01.2020 09:12:42	1	0	1	1	28.25	36.75	0	0	0	0	0	30000	0	0	30000	16.875	2004
22.01.2020 09:12:43	1	0	1	1	28.25	36.75	0	0	0	0	0	30000	0	0	30000	17.0625	2004
22.01.2020 09:12:44	1	0	1	1	28.25	37	0	0	0	0	0	30000	0	0	30000	16.875	2004
22.01.2020 09:12:45	1	0	1	1	28.25	36.75	0	0	0	0	0	30000	0	0	30000	17.125	2004
22.01.2020 09:12:46	1	0	1	1	28.25	37	0	0	0	0	0	30000	0	0	30000	17.125	2004
22.01.2020 09:12:47	1	0	1	1	28.25	37	0	0	0	0	0	30000	0	0	30000	17.125	2004
22.01.2020 09:12:48	1	0	1	1	28.25	37	0	0	0	0	0	30000	0	0	30000	17.125	2004
22.01.2020 09:12:49	1	0	1	1	28.5	37	0	0	0	0	0	30000	0	0	30000	17.1875	2004
22.01.2020 09:12:50	1	0	1	1	28.5	37	0	0	0	0	0	30000	0	0	30000	17.3125	2004
22.01.2020 09:12:51	1	0	1	1	28.5	37.25	0	0	0	0	0	30000	0	0	30000	16.8125	2004
22.01.2020 09:12:52	1	0	1	1	28.5	36.75	0	0	0	0	0	30000	0	0	30000	17.125	2004
22.01.2020 09:12:53	1	0	1	1	28.5	37	0	0	0	0	0	30000	0	0	30000	17.125	2004
22.01.2020 09:12:54	1	0	1	1	28.5	37	0	0	0	0	0	30000	0	0	30000	17.0625	2004
22.01.2020 09:12:55	1	0	1	1	28.5	37	0	0	0	0	0	30000	0	0	30000	17.0625	2004
22.01.2020 09:12:56	1	0	1	1	28.5	37	0	0	0	0	0	30000	0	0	30000	17.125	2004
22.01.2020 09:12:57	1	0	1	1	28.5	37	0	0	0	0	0	30000	0	0	30000	17.0625	2004
22.01.2020 09:12:58	1	0	1	1	28.5	37	0	0	0	0	0	30000	0	0	30000	17.125	2004
22.01.2020 09:12:59	1	0	1	1	29.25	37	0	0	0	0	0	30000	0	0	30000	17.125	2004
22.01.2020 09:13:00	1	0	1	1	29.25	37	0	0	0	0	0	30000	0	0	30000	16.75	2004
22.01.2020 09:13:01	1	0	1	1	29.25	36.75	0	0	0	0	0	30000	0	0	30000	17.125	2004
22.01.2020 09:13:02	1	0	1	1	29.25	37	0	0	0	0	0	30000	0	0	30000	16.8125	2004
22.01.2020 09:13:03	1	0	1	1	29.25	36.75	0	0	0	0	0	30000	0	0	30000	19.5	2004
22.01.2020 09:13:04	1	0	1	1	29.25	39.5	0	0	0	0	0	30000	0	0	30000	19.5625	2004
22.01.2020 09:13:05	1	0	1	1	29.25	39.5	0	0	0	0	0	30000	0	0	30000	17.125	2004
22.01.2020 09:13:06	1	0	1	1	29.25	37	0	0	0	0	0	30000	0	0	30000	20.125	2004
22.01.2020 09:13:07	1	0	1	1	29.25	37	0	0	0	0	0	30000	0	0	30000	16.8125	2004
22.01.2020 09:13:08	1	0	1	1	29.75	36.75	0	0	0	0	0	30000	0	0	30000	17	2004
22.01.2020 09:13:09	1	0	1	1	29.75	37	0	0	0	0	0	30000	0	0	30000	17.3125	2004
22.01.2020 09:13:10	1	0	1	1	29.75	37.25	0	0	0	0	0	30000	0	0	30000	17.1875	2004
22.01.2020 09:13:11	1	0	1	1	29.75	37	0	0	0	0	0	30000	0	0	30000	16.75	2004
22.01.2020 09:13:13	1	0	1	1	29.75	36.75	0	0	0	0	0	30000	0	0	30000	17.1875	2004
22.01.2020 09:13:14	1	0	1	1	29.75	37	0	0	0	0	0	30000	0	0	30000	17.125	2004
22.01.2020 09:13:15	1	0	1	1	29.75	37	0	0	0	0	0	30000	0	0	30000	17.125	2004
22.01.2020 09:13:16	1	0	1	1	29.75	37	0	0	0	0	0	30000	0	0	30000	16.8125	2004
22.01.2020 09:13:17	1	0	1	1	29.75	36.75	0	0	0	0	0	30000	0	0	30000	16.75	2004
22.01.2020 09:13:18	1	0	1	1	29.75	36.75	0	0	0	0	0	30000	0	0	30000	16.875	2004
22.01.2020 09:13:19	1	0	1	1	29.75	36.75	0	0	0	0	0	30000	0	0	30000	17.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 09:13:20	1	0	1	1	29.75	37	0	0	0	0	30000	0	0	30000	17.125	2004
22.01.2020 09:13:21	1	0	1	1	29.75	37	0	0	0	0	30000	0	0	30000	16.6875	2004
22.01.2020 09:13:22	1	0	1	1	29.75	36.5	0	0	0	0	30000	0	0	30000	16.9375	2004
22.01.2020 09:13:23	1	0	1	1	29.75	36.75	0	0	0	0	30000	0	0	30000	16.9375	2004
22.01.2020 09:13:24	1	0	1	1	29.75	36.75	0	0	0	0	30000	0	0	30000	16.75	2004
22.01.2020 09:13:25	1	0	1	1	29.75	36.75	0	0	0	0	30000	0	0	30000	17	2004
22.01.2020 09:13:26	1	0	1	1	29.75	37	0	0	0	0	30000	0	0	30000	16.8125	2004
22.01.2020 09:13:27	1	0	1	1	29.75	36.75	0	0	0	0	30000	0	0	30000	17.0625	2004
22.01.2020 09:13:28	1	0	1	1	29.75	37	0	0	0	0	30000	0	0	30000	16.875	2004
22.01.2020 09:13:29	1	0	1	1	30.25	36.75	0	0	0	0	30000	0	0	30000	17.1875	2004
22.01.2020 09:13:30	1	0	1	1	30.25	37	0	0	0	0	30000	0	0	30000	16.8125	2004
22.01.2020 09:13:31	1	0	1	1	30.25	36.75	0	0	0	0	30000	0	0	30000	16.75	2004
22.01.2020 09:13:37	1	0	1	1	30.25	36.75	0	0	0	0	30000	0	0	30000	16.875	2004
22.01.2020 09:13:37	1	0	1	1	30.25	36.75	0	0	0	0	30000	0	0	30000	16.875	2004
22.01.2020 09:13:37	1	0	1	1	30.25	36.75	0	0	0	0	30000	0	0	30000	16.875	2004
22.01.2020 09:13:37	1	0	1	1	30.25	36.75	0	0	0	0	30000	0	0	30000	16.875	2004
22.01.2020 09:13:37	1	0	1	1	30.25	36.75	0	0	0	0	30000	0	0	30000	17.125	2004
22.01.2020 09:13:38	1	0	1	1	30.25	37	0	0	0	0	30000	0	0	30000	17.0625	2004
22.01.2020 09:13:39	1	0	1	1	30.75	37	0	0	0	0	30000	0	0	30000	17.0625	2004
22.01.2020 09:13:40	1	0	1	1	30.75	37	0	0	0	0	30000	0	0	30000	16.75	2004
22.01.2020 09:13:41	1	0	1	1	30.75	36.75	0	0	0	0	30000	0	0	30000	17.9375	2004
22.01.2020 09:13:42	1	0	1	1	30.75	37.75	0	0	0	0	30000	0	0	30000	17.0625	2004
22.01.2020 09:13:43	1	0	1	1	30.75	37	0	0	0	0	30000	0	0	30000	17.8125	2004
22.01.2020 09:13:44	1	0	1	1	30.75	37.75	0	0	0	0	30000	0	0	30000	16.875	2004
22.01.2020 09:13:45	1	0	1	1	30.75	37.75	0	0	0	0	30000	0	0	30000	17.125	2004
22.01.2020 09:13:46	1	0	1	1	30.75	37	0	0	0	0	30000	0	0	30000	17.125	2004
22.01.2020 09:13:47	1	0	1	1	30.75	37	0	0	0	0	30000	0	0	30000	16.875	2004
22.01.2020 09:13:48	1	0	1	1	31.25	36.75	0	0	0	0	30000	0	0	30000	16.8125	2004
22.01.2020 09:13:49	1	0	1	1	31.25	36.75	0	0	0	0	30000	0	0	30000	17.125	2004
22.01.2020 09:13:51	1	0	1	1	31.25	37	0	0	0	0	30000	0	0	30000	17.1875	2004
22.01.2020 09:13:52	1	0	1	1	31.25	37	0	0	0	0	30000	0	0	30000	16.875	2004
22.01.2020 09:13:53	1	0	1	1	31.25	36.75	0	0	0	0	30000	0	0	30000	17.125	2004
22.01.2020 09:13:54	1	0	1	1	31.25	37	0	0	0	0	30000	0	0	30000	17.0625	2004
22.01.2020 09:13:55	1	0	1	1	31.25	37	0	0	0	0	30000	0	0	30000	17.1875	2004
22.01.2020 09:13:56	1	0	1	1	31.25	37	0	0	0	0	30000	0	0	30000	17	2004
22.01.2020 09:13:57	1	0	1	1	31.25	37	0	0	0	0	30000	0	0	30000	16.8125	2004
22.01.2020 09:13:58	1	0	1	1	31.25	36.75	0	0	0	0	30000	0	0	30000	17.125	2004
22.01.2020 09:13:59	1	0	1	1	31.75	37	0	0	0	0	30000	0	0	30000	16.8125	2004
22.01.2020 09:14:00	1	0	1	1	31.75	36.75	0	0	0	0	30000	0	0	30000	16.75	2004
22.01.2020 09:14:01	1	0	1	1	31.75	36.75	0	0	0	0	30000	0	0	30000	16.9375	2004
22.01.2020 09:14:02	1	0	1	1	31.75	36.75	0	0	0	0	30000	0	0	30000	16.9375	2004
22.01.2020 09:14:03	1	0	1	1	31.75	36.75	0	0	0	0	30000	0	0	30000	17	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 09:14:04	1	0	1	1	31.75	37	0	0	0	0	30000	0	0	30000	16.875	2004
22.01.2020 09:14:05	1	0	1	1	31.75	36.75	0	0	0	0	30000	0	0	30000	16.75	2004
22.01.2020 09:14:06	1	0	1	1	31.75	36.75	0	0	0	0	30000	0	0	30000	16.9375	2004
22.01.2020 09:14:07	1	0	1	1	31.75	36.75	0	0	0	0	30000	0	0	30000	16.75	2004
22.01.2020 09:14:08	1	0	1	1	31.75	36.75	0	0	0	0	30000	0	0	30000	16.8125	2004
22.01.2020 09:14:09	1	0	1	1	32	36.75	0	0	0	0	30000	0	0	30000	16.9375	2004
22.01.2020 09:14:10	1	0	1	1	32	36.75	0	0	0	0	30000	0	0	30000	16.875	2004
22.01.2020 09:14:11	1	0	1	1	32	36.75	0	0	0	0	30000	0	0	30000	17.0625	2004
22.01.2020 09:14:12	1	0	1	1	32	37	0	0	0	0	30000	0	0	30000	17.25	2004
22.01.2020 09:14:13	1	0	1	1	32	37.25	0	0	0	0	30000	0	0	30000	17.0625	2004
22.01.2020 09:14:14	1	0	1	1	32	37	0	0	0	0	30000	0	0	30000	16.6875	2004
22.01.2020 09:14:15	1	0	1	1	32	36.5	0	0	0	0	30000	0	0	30000	17.125	2004
22.01.2020 09:14:16	1	0	1	1	32	37	0	0	0	0	30000	0	0	30000	17.125	2004
22.01.2020 09:14:17	1	0	1	1	32	37	0	0	0	0	30000	0	0	30000	16.8125	2004
22.01.2020 09:14:18	1	0	1	1	32	36.75	0	0	0	0	30000	0	0	30000	17.125	2004
22.01.2020 09:14:19	1	0	1	1	32.75	37	0	0	0	0	30000	0	0	30000	17.25	2004
22.01.2020 09:14:20	1	0	1	1	32.75	37.25	0	0	0	0	30000	0	0	30000	17.125	2004
22.01.2020 09:14:21	1	0	1	1	32.75	37	0	0	0	0	30000	0	0	30000	17.125	2004
22.01.2020 09:14:22	1	0	1	1	32.75	37	0	0	0	0	30000	0	0	30000	17.125	2004
22.01.2020 09:14:23	1	0	1	1	32.75	37	0	0	0	0	30000	0	0	30000	17.125	2004
22.01.2020 09:14:24	1	0	1	1	32.75	36.75	0	0	0	0	30000	0	0	30000	17.1875	2004
22.01.2020 09:14:25	1	0	1	1	32.75	37	0	0	0	0	30000	0	0	30000	17.1875	2004
22.01.2020 09:14:26	1	0	1	1	32.75	37	0	0	0	0	30000	0	0	30000	17.125	2004
22.01.2020 09:14:27	1	0	1	1	32.75	37	0	0	0	0	30000	0	0	30000	16.875	2004
22.01.2020 09:14:29	1	0	1	1	33	36.75	0	0	0	0	30000	0	0	30000	16.875	2004
22.01.2020 09:14:30	1	0	1	1	33	36.75	0	0	0	0	30000	0	0	30000	16.75	2004
22.01.2020 09:14:31	1	0	1	1	33	36.75	0	0	0	0	30000	0	0	30000	17.3125	2004
22.01.2020 09:14:32	1	0	1	1	33	37.25	0	0	0	0	30000	0	0	30000	16.75	2004
22.01.2020 09:14:33	1	0	1	1	33	36.75	0	0	0	0	30000	0	0	30000	17.25	2004
22.01.2020 09:14:38	1	0	1	1	33	36.5	0	0	0	0	30000	0	0	30000	16.8125	2004
22.01.2020 09:14:38	1	0	1	1	33	36.5	0	0	0	0	30000	0	0	30000	16.8125	2004
22.01.2020 09:14:38	1	0	1	1	33	36.5	0	0	0	0	30000	0	0	30000	16.8125	2004
22.01.2020 09:14:38	1	0	1	1	33	36.5	0	0	0	0	30000	0	0	30000	16.8125	2004
22.01.2020 09:14:39	1	0	1	1	33.5	36.75	0	0	0	0	30000	0	0	30000	17.125	2004
22.01.2020 09:14:40	1	0	1	1	33.5	37	0	0	0	0	30000	0	0	30000	17	2004
22.01.2020 09:14:41	1	0	1	1	33.5	37	0	0	0	0	30000	0	0	30000	17.0625	2004
22.01.2020 09:14:42	1	0	1	1	33.5	37	0	0	0	0	30000	0	0	30000	17.125	2004
22.01.2020 09:14:44	1	0	1	1	33.5	36.75	0	0	0	0	30000	0	0	30000	16.875	2004
22.01.2020 09:14:44	1	0	1	1	33.5	36.75	0	0	0	0	30000	0	0	30000	16.875	2004
22.01.2020 09:14:45	1	0	1	1	33.5	36.75	0	0	0	0	30000	0	0	30000	16.9375	2004
22.01.2020 09:14:46	1	0	1	1	33.5	36.75	0	0	0	0	30000	0	0	30000	17.1875	2004
22.01.2020 09:14:47	1	0	1	1	33.5	37	0	0	0	0	30000	0	0	30000	17.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers	
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]		
22.01.2020 09:14:48	1	0	1	1	33.5	37.25	0	0	0	0	0	30000	0	0	30000	17.125	2004
22.01.2020 09:14:49	1	0	1	1	34	37	0	0	0	0	0	30000	0	0	30000	17.125	2004
22.01.2020 09:14:50	1	0	1	1	34	37	0	0	0	0	0	30000	0	0	30000	16.8125	2004
22.01.2020 09:14:51	1	0	1	1	34	36.75	0	0	0	0	0	30000	0	0	30000	16.8125	2004
22.01.2020 09:14:52	1	0	1	1	34	36.75	0	0	0	0	0	30000	0	0	30000	17	2004
22.01.2020 09:14:53	1	0	1	1	34	37	0	0	0	0	0	30000	0	0	30000	17.125	2004
22.01.2020 09:14:54	1	0	1	1	34	37	0	0	0	0	0	30000	0	0	30000	16.9375	2004
22.01.2020 09:14:55	1	0	1	1	34	36.75	0	0	0	0	0	30000	0	0	30000	17.0625	2004
22.01.2020 09:14:56	1	0	1	1	34	37	0	0	0	0	0	30000	0	0	30000	16.875	2004
22.01.2020 09:14:57	1	0	1	1	34	36.75	0	0	0	0	0	30000	0	0	30000	16.875	2004
22.01.2020 09:14:58	1	0	1	1	34	36.75	0	0	0	0	0	30000	0	0	30000	16.75	2004
22.01.2020 09:14:59	1	0	1	1	34.5	36.75	0	0	0	0	0	30000	0	0	30000	19.75	2004
22.01.2020 09:15:00	1	0	1	1	34.5	39.75	0	0	0	0	0	30000	0	0	30000	16.8125	2004
22.01.2020 09:15:01	1	0	1	1	34.5	36.75	0	0	0	0	0	30000	0	0	30000	17.125	2004
22.01.2020 09:15:02	1	0	1	1	34.5	37	0	0	0	0	0	30000	0	0	30000	17.125	2004
22.01.2020 09:15:03	1	0	1	1	34.5	36.75	0	0	0	0	0	30000	0	0	30000	16.75	2004
22.01.2020 09:15:04	1	0	1	1	34.5	36.75	0	0	0	0	0	30000	0	0	30000	16.875	2004
22.01.2020 09:15:05	1	0	1	1	34.5	36.75	0	0	0	0	0	30000	0	0	30000	16.875	2004
22.01.2020 09:15:07	1	0	1	1	34.5	36.75	0	0	0	0	0	30000	0	0	30000	17.0625	2004
22.01.2020 09:15:08	1	0	1	1	34.5	37	0	0	0	0	0	30000	0	0	30000	17.0625	2004
22.01.2020 09:15:09	1	0	1	1	35.25	37	0	0	0	0	0	30000	0	0	30000	17.25	2004
22.01.2020 09:15:10	1	0	1	1	35.25	37.25	0	0	0	0	0	30000	0	0	30000	16.8125	2004
22.01.2020 09:15:11	1	0	1	1	35.25	36.75	0	0	0	0	0	30000	0	0	30000	17.25	2004
22.01.2020 09:15:12	1	0	1	1	35.25	37.25	0	0	0	0	0	30000	0	0	30000	16.75	2004
22.01.2020 09:15:13	1	0	1	1	35.25	36.75	0	0	0	0	0	30000	0	0	30000	16.875	2004
22.01.2020 09:15:14	1	0	1	1	35.25	36.75	0	0	0	0	0	30000	0	0	30000	16.8125	2004
22.01.2020 09:15:15	1	0	1	1	35.25	36.75	0	0	0	0	0	30000	0	0	30000	17.1875	2004
22.01.2020 09:15:16	1	0	1	1	35.25	37	0	0	0	0	0	30000	0	0	30000	17.1875	2004
22.01.2020 09:15:17	1	0	1	1	35.25	37	0	0	0	0	0	30000	0	0	30000	17	2004
22.01.2020 09:15:18	1	0	1	1	35.25	37	0	0	0	0	0	30000	0	0	30000	17.0625	2004
22.01.2020 09:15:19	1	0	1	1	36	37	0	0	0	0	0	30000	0	0	30000	17.0625	2004
22.01.2020 09:15:20	1	0	1	1	36	37	0	0	0	0	0	30000	0	0	30000	17.1875	2004
22.01.2020 09:15:21	1	0	1	1	36	37	0	0	0	0	0	30000	0	0	30000	16.9375	2004
22.01.2020 09:15:22	1	0	1	1	36	36.75	0	0	0	0	0	30000	0	0	30000	17.1875	2004
22.01.2020 09:15:23	1	0	1	1	36	37	0	0	0	0	0	30000	0	0	30000	16.8125	2004
22.01.2020 09:15:24	1	0	1	1	36	36.75	0	0	0	0	0	30000	0	0	30000	16.875	2004
22.01.2020 09:15:25	1	0	1	1	36	36.75	0	0	0	0	0	30000	0	0	30000	16.875	2004
22.01.2020 09:15:26	1	0	1	1	36	36.75	0	0	0	0	0	30000	0	0	30000	16.75	2004
22.01.2020 09:15:27	1	0	1	1	36	36.75	0	0	0	0	0	30000	0	0	30000	16.6875	2004
22.01.2020 09:15:28	1	0	1	1	36	36.5	0	0	0	0	0	30000	0	0	30000	16.875	2004
22.01.2020 09:15:29	1	0	1	1	36.5	36.75	0	0	0	0	0	30000	0	0	30000	17.125	2004
22.01.2020 09:15:30	1	0	1	1	36.5	37	0	0	0	0	0	30000	0	0	30000	17.1875	2004
22.01.2020 09:15:31	1	0	1	1	36.5	37	0	0	0	0	0	30000	0	0	30000	17.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers	
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]		
22.01.2020 09:15:32	1	0	1	1	36.5	37	0	0	0	0	0	30000	0	0	30000	16.875	2004
22.01.2020 09:15:33	1	0	1	1	36.5	36.75	0	0	0	0	0	30000	0	0	30000	16.8125	2004
22.01.2020 09:15:34	1	0	1	1	36.5	36.75	0	0	0	0	0	30000	0	0	30000	17.1875	2004
22.01.2020 09:15:40	1	0	1	1	36.75	37	0	0	0	0	0	30000	0	0	30000	17.125	2004
22.01.2020 09:15:40	1	0	1	1	36.75	37	0	0	0	0	0	30000	0	0	30000	17.125	2004
22.01.2020 09:15:40	1	0	1	1	36.75	37	0	0	0	0	0	30000	0	0	30000	17.125	2004
22.01.2020 09:15:40	1	0	1	1	36.75	37	0	0	0	0	0	30000	0	0	30000	17.125	2004
22.01.2020 09:15:40	1	0	1	1	36.75	37	0	0	0	0	0	30000	0	0	30000	17.125	2004
22.01.2020 09:15:40	1	0	1	1	36.75	37	0	0	0	0	0	30000	0	0	30000	17.0625	2004
22.01.2020 09:15:41	1	0	1	1	36.75	40	0	0	0	0	0	30000	0	0	30000	16.8125	2004
22.01.2020 09:15:42	1	0	1	1	36.75	36.75	0	0	0	0	0	30000	0	0	30000	17.25	2004
22.01.2020 09:15:43	1	0	1	1	36.75	37.25	0	0	0	0	0	30000	0	0	30000	17	2004
22.01.2020 09:15:44	1	0	1	1	36.75	37	0	0	0	0	0	30000	0	0	30000	17.125	2004
22.01.2020 09:15:46	1	0	1	1	36.75	37	0	0	0	0	0	30000	0	0	30000	17.1875	2004
22.01.2020 09:15:47	1	0	1	1	36.75	37	0	0	0	0	0	30000	0	0	30000	17.125	2004
22.01.2020 09:15:48	1	0	1	1	36.75	37	0	0	0	0	0	30000	0	0	30000	17.125	2004
22.01.2020 09:15:49	1	0	1	1	37.25	37	0	0	0	0	0	30000	0	0	30000	17.1875	2004
22.01.2020 09:15:50	1	1	1	1	37.25	37	0	3033.1754	4.301075269	6.522979915	30000	0	0	30000	17.25	2004	
22.01.2020 09:15:51	1	1	1	1	37.25	37.25	0	10805.687	0	0	30000	0	0	30000	17.6875	2004	
22.01.2020 09:15:52	1	1	1	1	37.25	37.5	0	11611.374	0	0	30000	0	0	30000	16.625	2004	
22.01.2020 09:15:53	1	1	1	1	37.25	36.5	0	12322.275	0	0	30000	0	0	30000	17.0625	2004	
22.01.2020 09:15:54	1	1	1	1	37.25	37	0	13033.175	2.150537634	27.72266464	30000	0	0	30000	16.875	2004	
22.01.2020 09:15:55	1	1	1	1	37.25	36.75	0	13886.256	6.451612903	88.87560134	30000	0	0	30000	17	2004	
22.01.2020 09:15:56	1	1	1	1	37.25	37	0	14644.55	10.75268817	157.3668904	30000	0	0	30000	16.875	2004	
22.01.2020 09:15:57	1	1	1	1	37.25	36.75	0	15308.057	19.35483871	297.6109586	30000	0	0	30000	17.4375	2004	
22.01.2020 09:15:58	1	1	1	1	37.25	37.25	0	16208.531	25.80645161	383.22507	30000	0	0	30000	17.25	2004	
22.01.2020 09:15:59	1	1	1	1	37.5	37.25	0	16966.825	34.40860215	547.1149403	30000	0	0	30000	17.125	2004	
22.01.2020 09:16:00	1	1	1	1	37.5	37	0	17677.725	40.86021505	645.7750116	30000	0	0	30000	17.5	2004	
22.01.2020 09:16:01	1	1	1	1	37.5	37.5	0	18530.806	58.06451613	1075.476313	30000	0	0	30000	16.75	2004	
22.01.2020 09:16:02	1	1	1	1	37.5	36.75	0	19289.1	64.51612903	1285.842416	30000	0	0	30000	16.75	2004	
22.01.2020 09:16:03	1	1	1	1	37.5	36.75	0	20000	77.41935484	1505.177615	30000	0	0	30000	17.3125	2004	
22.01.2020 09:16:04	1	1	1	1	37.5	37.25	0	20853.081	88.17204301	1838.664963	30000	0	0	30000	17.1875	2004	
22.01.2020 09:16:05	1	1	1	1	37.5	37	0	21279.621	98.92473118	2196.613486	30000	0	0	30000	17.6875	2004	
22.01.2020 09:16:06	1	1	1	1	37.5	37.5	0	21943.128	113.9784946	2406.164216	30000	0	0	30000	16.625	2004	
22.01.2020 09:16:07	1	1	1	1	37.5	36.5	0	22796.209	124.7311828	2941.048569	30000	0	0	30000	16.6875	2004	
22.01.2020 09:16:08	1	1	1	1	37.5	36.5	0	23791.469	144.0860215	3420.487593	30000	0	0	30000	16.625	2004	
22.01.2020 09:16:09	1	1	1	1	38	36.5	0	24123.223	159.1397849	3786.58984	30000	0	0	30000	17.1875	2004	
22.01.2020 09:16:10	1	1	1	1	38	37	0	24928.91	174.1935484	4403.826815	30000	0	0	30000	16.75	2004	
22.01.2020 09:16:11	1	1	1	1	38	36.75	0	25450.237	189.2473118	4816.405294	30000	0	0	30000	17.375	2004	
22.01.2020 09:16:12	1	1	1	1	38	37.25	0	25734.597	206.4516129	5312.96714	30000	0	0	30000	17.9375	2004	
22.01.2020 09:16:13	1	1	1	1	38	37.75	0	25829.384	206.4516129	5332.53608	30000	0	0	30000	17.625	2004	
22.01.2020 09:16:14	1	1	1	1	38	37.5	0	26587.678	219.3548387	5831.544044	30000	0	0	30000	17.5	2004	
22.01.2020 09:16:15	1	1	1	1	38	37.5	0	27298.578	232.2580645	6399.043296	30000	0	0	30000	17.1875	2004	

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 09:16:16	1	1	1	1	38	37	0	27630.332	249.4623656	6892.343652	30000	0	0	30000	17.9375	2004
22.01.2020 09:16:17	1	1	1	1	38	37.75	0	27630.332	264.516129	7308.183622	30000	0	0	30000	18.0625	2004
22.01.2020 09:16:18	1	1	1	1	38	38	0	27819.905	279.5698925	7777.022803	30000	0	0	30000	18.75	2004
22.01.2020 09:16:19	1	1	1	1	39	37.25	0	28815.166	301.0752688	8675.563286	30000	0	0	30000	17.5	2004
22.01.2020 09:16:20	1	1	1	1	39	37.5	0	29715.64	324.7311828	9713.532465	30000	0	0	30000	17.4375	2004
22.01.2020 09:16:21	1	1	1	1	39	37.25	0	29857.82	341.9354839	10209.27894	30000	0	0	30000	17.5625	2004
22.01.2020 09:16:22	1	1	1	1	39	37.5	0	29952.607	348.3870968	10580.27342	30000	0	0	30000	17.1875	2004
22.01.2020 09:16:24	1	1	1	1	39	37	0	29952.607	341.9354839	10515.85899	30000	0	0	30000	17.1875	2004
22.01.2020 09:16:25	1	1	1	1	39	37	0	30000	339.7849462	10192.97149	30000	0	0	30000	17.0625	2004
22.01.2020 09:16:26	1	1	1	1	39	37	0	29952.607	367.7419355	11096.40421	30000	0	0	30000	16.875	2004
22.01.2020 09:16:27	1	1	1	1	39	36.75	0	30000	359.1397849	10790.63952	30000	0	0	30000	17.8125	2004
22.01.2020 09:16:28	1	1	1	1	39	37.75	0	29905.213	348.3870968	10515.85899	30000	0	0	30000	17.4375	2004
22.01.2020 09:16:29	1	1	1	1	39.75	37.25	0	30000	348.3870968	10661.81067	30000	0	0	30000	17.8125	2004
22.01.2020 09:16:30	1	1	1	1	39.75	37.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	17.9375	2004
22.01.2020 09:16:31	1	1	1	1	39.75	37.75	0	30000	335.483871	10128.55706	30000	0	0	30000	17.25	2004
22.01.2020 09:16:32	1	1	1	1	39.75	37.25	0	30000	359.1397849	10644.68785	30000	0	0	30000	17.5	2004
22.01.2020 09:16:33	1	1	1	1	39.75	37.5	0	30000	356.9892473	10644.68785	30000	0	0	30000	17.25	2004
22.01.2020 09:16:34	1	1	1	1	39.75	37.25	0	30000	350.5376344	10515.85899	30000	0	0	30000	17.125	2004
22.01.2020 09:16:35	1	1	1	1	39.75	37	0	29952.607	348.3870968	10435.13712	30000	0	0	30000	17.3125	2004
22.01.2020 09:16:36	1	1	1	1	39.75	37.25	0	30000	341.9354839	10257.38592	30000	0	0	30000	17.1875	2004
22.01.2020 09:16:42	1	1	1	1	40.25	37	0	30000	335.483871	9999.728209	30000	0	0	30000	17.0625	2004
22.01.2020 09:16:42	1	1	1	1	40.25	37	0	30000	335.483871	9999.728209	30000	0	0	30000	17.0625	2004
22.01.2020 09:16:42	1	1	1	1	40.25	37	0	30000	335.483871	9999.728209	30000	0	0	30000	17.0625	2004
22.01.2020 09:16:42	1	1	1	1	40.25	37	0	30000	335.483871	9999.728209	30000	0	0	30000	17.0625	2004
22.01.2020 09:16:42	1	1	1	1	40.25	37	0	30000	333.3333333	9999.728209	30000	0	0	30000	16.8125	2004
22.01.2020 09:16:43	1	1	1	1	40.25	36.75	0	30000	331.1827957	9870.899356	30000	0	0	30000	16.875	2004
22.01.2020 09:16:44	1	1	1	1	40.25	36.75	0	30000	329.0322581	9870.899356	30000	0	0	30000	17.5625	2004
22.01.2020 09:16:45	1	1	1	1	40.25	37.5	0	30000	326.8817204	9741.25513	30000	0	0	30000	17.1875	2004
22.01.2020 09:16:46	1	1	1	1	40.25	37	0	30000	318.2795699	9612.426277	30000	0	0	30000	17.4375	2004
22.01.2020 09:16:47	1	1	1	1	40.25	37.25	0	30000	335.483871	10064.14264	30000	0	0	30000	17.3125	2004
22.01.2020 09:16:48	1	1	1	1	40.25	37.25	0	29952.607	331.1827957	10064.14264	30000	0	0	30000	17.5	2004
22.01.2020 09:16:49	1	1	1	1	40.75	37.5	0	29952.607	335.483871	10128.55706	30000	0	0	30000	17.6875	2004
22.01.2020 09:16:50	1	1	1	1	40.75	37.5	0	29952.607	331.1827957	9999.728209	30000	0	0	30000	17.0625	2004
22.01.2020 09:16:51	1	1	1	1	40.75	37	0	30000	326.8817204	9806.484929	30000	0	0	30000	16.9375	2004
22.01.2020 09:16:52	1	1	1	1	40.75	36.75	0	29952.607	337.6344086	10128.55706	30000	0	0	30000	17	2004
22.01.2020 09:16:53	1	1	1	1	40.75	37	0	30047.393	339.7849462	10128.55706	30000	0	0	30000	18.75	2004
22.01.2020 09:16:54	1	1	1	1	40.75	38.75	0	30000	337.6344086	10128.55706	30000	0	0	30000	17.4375	2004
22.01.2020 09:16:55	1	1	1	1	40.75	37.25	0	29952.607	333.3333333	10064.14264	30000	0	0	30000	18.25	2004
22.01.2020 09:16:56	1	1	1	1	40.75	38.25	0	30000	335.483871	9999.728209	30000	0	0	30000	17.4375	2004
22.01.2020 09:16:57	1	1	1	1	40.75	37.25	0	30000	337.6344086	10128.55706	30000	0	0	30000	17.1875	2004
22.01.2020 09:16:58	1	1	1	1	41	36.75	0	30000	333.3333333	9999.728209	30000	0	0	30000	17.5	2004
22.01.2020 09:16:59	1	1	1	1	41	37.5	0	29952.607	329.0322581	9999.728209	30000	0	0	30000	17.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 09:17:00	1	1	1	1	41	37.75	0	30000	331.1827957	9903.514255	30000	0	0	30000	17.375	2004
22.01.2020 09:17:02	1	1	1	1	41	37.25	0	30000	326.8817204	9806.484929	30000	0	0	30000	16.875	2004
22.01.2020 09:17:03	1	1	1	1	41	36.75	0	29952.607	333.3333333	10064.14264	30000	0	0	30000	16.75	2004
22.01.2020 09:17:04	1	1	1	1	41	36.75	0	30000	316.1290323	9548.01185	30000	0	0	30000	17.0625	2004
22.01.2020 09:17:05	1	1	1	1	41	37	0	30000	316.1290323	9548.01185	30000	0	0	30000	16.9375	2004
22.01.2020 09:17:06	1	1	1	1	41	36.75	0	30000	318.2795699	9612.426277	30000	0	0	30000	16.75	2004
22.01.2020 09:17:07	1	1	1	1	41	36.75	0	30000	326.8817204	9741.25513	30000	0	0	30000	17.375	2004
22.01.2020 09:17:08	1	1	1	1	41	37.25	0	29905.213	316.1290323	9741.25513	30000	0	0	30000	17.5	2004
22.01.2020 09:17:09	1	1	1	1	41.75	37.5	0	30000	322.5806452	9676.840703	30000	0	0	30000	16.8125	2004
22.01.2020 09:17:10	1	1	1	1	41.75	36.75	0	30000	324.7311828	9676.840703	30000	0	0	30000	17.625	2004
22.01.2020 09:17:11	1	1	1	1	41.75	37.5	0	30000	322.5806452	9741.25513	30000	0	0	30000	16.875	2004
22.01.2020 09:17:12	1	1	1	1	41.75	36.75	0	30000	322.5806452	9676.840703	30000	0	0	30000	17.4375	2004
22.01.2020 09:17:13	1	1	1	1	41.75	37.25	0	30000	341.9354839	10225.58639	30000	0	0	30000	17.1875	2004
22.01.2020 09:17:14	1	1	1	1	41.75	37	0	30000	341.9354839	10257.38592	30000	0	0	30000	17.5	2004
22.01.2020 09:17:15	1	1	1	1	41.75	37.5	0	30000	346.2365591	10387.03014	30000	0	0	30000	17.5	2004
22.01.2020 09:17:16	1	1	1	1	41.75	37.5	0	30000	350.5376344	10515.85899	30000	0	0	30000	17.125	2004
22.01.2020 09:17:17	1	1	1	1	41.75	37	0	30000	348.3870968	10387.03014	30000	0	0	30000	17.625	2004
22.01.2020 09:17:18	1	1	1	1	41.75	37.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	17.0625	2004
22.01.2020 09:17:19	1	1	1	1	43.25	37	0	30000	359.1397849	10773.5167	30000	0	0	30000	17.25	2004
22.01.2020 09:17:20	1	1	1	1	43.25	37.25	0	30000	354.8387097	10482.42872	30000	0	0	30000	17.625	2004
22.01.2020 09:17:21	1	1	1	1	43.25	37.5	0	29952.607	365.5913978	11031.98978	30000	0	0	30000	17.375	2004
22.01.2020 09:17:22	1	1	1	1	43.25	37.25	0	30000	354.8387097	10644.68785	30000	0	0	30000	17.4375	2004
22.01.2020 09:17:23	1	1	1	1	43.25	37.25	0	30000	365.5913978	11031.98978	30000	0	0	30000	17.5	2004
22.01.2020 09:17:24	1	1	1	1	43.25	37.5	0	29336.493	369.8924731	10850.97709	30000	0	0	30000	17.375	2004
22.01.2020 09:17:25	1	1	1	1	43.25	37.25	0	29857.82	382.7956989	11493.49061	30000	0	0	30000	17.75	2004
22.01.2020 09:17:26	1	1	1	1	43.25	37.75	0	30000	378.4946237	11160.81863	30000	0	0	30000	16.875	2004
22.01.2020 09:17:27	1	1	1	1	43.25	36.75	0	30000	389.2473118	11676.94942	30000	0	0	30000	17.5625	2004
22.01.2020 09:17:28	1	1	1	1	43.25	37.5	0	29905.213	384.9462366	11447.01438	30000	0	0	30000	16.875	2004
22.01.2020 09:17:29	1	1	1	1	44.25	36.75	0	30000	378.4946237	11419.29171	30000	0	0	30000	17.6875	2004
22.01.2020 09:17:30	1	1	1	1	44.25	37.5	0	30000	387.0967742	11676.94942	30000	0	0	30000	16.8125	2004
22.01.2020 09:17:31	1	1	1	1	44.25	36.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	17.3125	2004
22.01.2020 09:17:32	1	1	1	1	44.25	37.25	0	30000	382.7956989	11419.29171	30000	0	0	30000	17	2004
22.01.2020 09:17:33	1	1	1	1	44.25	37	0	30000	387.0967742	11676.94942	30000	0	0	30000	17.4375	2004
22.01.2020 09:17:34	1	1	1	1	44.25	37.25	0	30000	384.9462366	11511.4288	30000	0	0	30000	18	2004
22.01.2020 09:17:35	1	1	1	1	44.25	38	0	30047.393	391.3978495	11676.94942	30000	0	0	30000	18.375	2004
22.01.2020 09:17:36	1	1	1	1	44.25	38.25	0	30000	372.0430108	11225.23306	30000	0	0	30000	17.3125	2004
22.01.2020 09:17:37	1	1	1	1	44.25	39.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	17.6875	2004
22.01.2020 09:17:43	1	1	1	1	44.75	37.5	0	30000	380.6451613	11419.29171	30000	0	0	30000	17.3125	2004
22.01.2020 09:17:43	1	1	1	1	44.75	37.5	0	30000	380.6451613	11419.29171	30000	0	0	30000	17.3125	2004
22.01.2020 09:17:43	1	1	1	1	44.75	37.5	0	30000	380.6451613	11419.29171	30000	0	0	30000	17.3125	2004
22.01.2020 09:17:43	1	1	1	1	44.75	37.5	0	30000	380.6451613	11419.29171	30000	0	0	30000	17.3125	2004
22.01.2020 09:17:43	1	1	1	1	44.75	37.5	0	30000	380.6451613	11419.29171	30000	0	0	30000	17.3125	2004
22.01.2020 09:17:44	1	1	1	1	44.75	37.25	0	29952.607	378.4946237	11354.87729	30000	0	0	30000	17.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 09:17:45	1	1	1	1	44.75	37.75	0	30000	367.7419355	10996.92876	30000	0	0	30000	17.375	2004
22.01.2020 09:17:46	1	1	1	1	44.75	37.25	0	29952.607	350.5376344	10611.25758	30000	0	0	30000	17	2004
22.01.2020 09:17:47	1	1	1	1	44.75	37	0	29952.607	359.1397849	10903.16093	30000	0	0	30000	17	2004
22.01.2020 09:17:48	1	1	1	1	44.75	37	0	29952.607	363.4408602	10903.16093	30000	0	0	30000	17.625	2004
22.01.2020 09:17:49	1	1	1	1	45.75	37.5	0	30000	363.4408602	10675.672	30000	0	0	30000	17.4375	2004
22.01.2020 09:17:50	1	1	1	1	45.75	37.25	0	30000	363.4408602	10903.16093	30000	0	0	30000	17.4375	2004
22.01.2020 09:17:51	1	1	1	1	45.75	37.25	0	30000	352.688172	10515.85899	30000	0	0	30000	17.125	2004
22.01.2020 09:17:52	1	1	1	1	45.75	37	0	30047.393	341.9354839	10257.38592	30000	0	0	30000	17.5	2004
22.01.2020 09:17:53	1	1	1	1	45.75	37.5	0	30142.18	350.5376344	10515.85899	30000	0	0	30000	17.25	2004
22.01.2020 09:17:54	1	1	1	1	45.75	37.25	0	30000	341.9354839	10387.03014	30000	0	0	30000	17.375	2004
22.01.2020 09:17:55	1	1	1	1	45.75	37.25	0	30000	350.5376344	10515.85899	30000	0	0	30000	16.875	2004
22.01.2020 09:17:56	1	1	1	1	45.75	36.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	17.1875	2004
22.01.2020 09:17:57	1	1	1	1	45.75	37	0	30000	350.5376344	10515.85899	30000	0	0	30000	17.25	2004
22.01.2020 09:17:58	1	1	1	1	45.75	37.25	0	29952.607	346.2365591	10387.03014	30000	0	0	30000	17.125	2004
22.01.2020 09:17:59	1	1	1	1	46.75	37	0	30000	354.8387097	10515.85899	30000	0	0	30000	17	2004
22.01.2020 09:18:00	1	1	1	1	46.75	37	0	30000	354.8387097	10482.42872	30000	0	0	30000	17.125	2004
22.01.2020 09:18:01	1	1	1	1	46.75	37	0	30000	356.9892473	10773.5167	30000	0	0	30000	17.75	2004
22.01.2020 09:18:02	1	1	1	1	46.75	37.75	0	30000	354.8387097	10644.68785	30000	0	0	30000	17.4375	2004
22.01.2020 09:18:03	1	1	1	1	46.75	37.25	0	30000	363.4408602	10903.16093	30000	0	0	30000	17.625	2004
22.01.2020 09:18:04	1	1	1	1	46.75	37.5	0	29952.607	367.7419355	11096.40421	30000	0	0	30000	17.125	2004
22.01.2020 09:18:05	1	1	1	1	46.75	37	0	30000	363.4408602	10903.16093	30000	0	0	30000	17.625	2004
22.01.2020 09:18:06	1	1	1	1	46.75	37.5	0	29905.213	354.8387097	10644.68785	30000	0	0	30000	16.9375	2004
22.01.2020 09:18:07	1	1	1	1	46.75	36.75	0	30000	359.1397849	10757.20925	30000	0	0	30000	17.25	2004
22.01.2020 09:18:09	1	1	1	1	47.75	37	0	30000	350.5376344	10515.85899	30000	0	0	30000	17.75	2004
22.01.2020 09:18:10	1	1	1	1	47.75	37.75	0	30000	344.0860215	10322.61571	30000	0	0	30000	17.125	2004
22.01.2020 09:18:11	1	1	1	1	47.75	37	0	30000	354.8387097	10644.68785	30000	0	0	30000	17.5625	2004
22.01.2020 09:18:12	1	1	1	1	47.75	37.5	0	29952.607	341.9354839	10387.03014	30000	0	0	30000	17.625	2004
22.01.2020 09:18:13	1	1	1	1	47.75	37.5	0	30000	346.2365591	10387.03014	30000	0	0	30000	17.375	2004
22.01.2020 09:18:14	1	1	1	1	47.75	37.25	0	30000	337.6344086	10128.55706	30000	0	0	30000	19	2004
22.01.2020 09:18:15	1	1	1	1	47.75	39	0	30000	352.688172	10580.27342	30000	0	0	30000	16.9375	2004
22.01.2020 09:18:16	1	1	1	1	47.75	37.75	0	30000	339.7849462	9967.928682	30000	0	0	30000	17.25	2004
22.01.2020 09:18:17	1	1	1	1	47.75	37.25	0	30000	335.483871	10064.14264	30000	0	0	30000	17.5	2004
22.01.2020 09:18:19	1	1	1	1	48.5	37.5	0	29952.607	333.3333333	9999.728209	30000	0	0	30000	17.1875	2004
22.01.2020 09:18:20	1	1	1	1	48.5	37	0	30000	339.7849462	10241.89384	30000	0	0	30000	17.1875	2004
22.01.2020 09:18:21	1	1	1	1	48.5	37	0	30000	359.1397849	10773.5167	30000	0	0	30000	17.6875	2004
22.01.2020 09:18:22	1	1	1	1	48.5	37.5	0	30000	365.5913978	10967.57535	30000	0	0	30000	17.5625	2004
22.01.2020 09:18:23	1	1	1	1	48.5	37.5	0	30000	359.1397849	10611.25758	30000	0	0	30000	17.25	2004
22.01.2020 09:18:24	1	1	1	1	48.5	37.25	0	30000	356.9892473	10773.5167	30000	0	0	30000	17.1875	2004
22.01.2020 09:18:25	1	1	1	1	48.5	37	0	30000	359.1397849	10773.5167	30000	0	0	30000	17.625	2004
22.01.2020 09:18:26	1	1	1	1	48.5	37.5	0	30000	354.8387097	10903.16093	30000	0	0	30000	17.625	2004
22.01.2020 09:18:27	1	1	1	1	48.5	37.5	0	30000	361.2903226	10903.16093	30000	0	0	30000	17.3125	2004
22.01.2020 09:18:28	1	1	1	1	48.5	37.25	0	30000	361.2903226	10903.16093	30000	0	0	30000	17.75	2004
22.01.2020 09:18:29	1	1	1	1	48.5	37.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	17.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 09:18:30	1	1	1	1	48.5	37.5	0	29905.213	400	12090.34327	30000	0	0	30000	17.9375	2004
22.01.2020 09:18:31	1	1	1	1	48.5	37.75	0	30000	389.2473118	11676.94942	30000	0	0	30000	17.75	2004
22.01.2020 09:18:32	1	1	1	1	48.5	37.75	0	30000	384.9462366	11548.12057	30000	0	0	30000	17.5625	2004
22.01.2020 09:18:33	1	1	1	1	48.5	37.5	0	30000	387.0967742	11612.53499	30000	0	0	30000	17.5625	2004
22.01.2020 09:18:34	1	1	1	1	48.5	37.5	0	29905.213	359.1397849	10903.16093	30000	0	0	30000	17.4375	2004
22.01.2020 09:18:35	1	1	1	1	48.5	37.25	0	29952.607	363.4408602	10903.16093	30000	0	0	30000	17.5625	2004
22.01.2020 09:18:36	1	1	1	1	48.5	37.5	0	30000	378.4946237	11160.81863	30000	0	0	30000	17.5625	2004
22.01.2020 09:18:37	1	1	1	1	48.5	37.5	0	30000	356.9892473	10709.10227	30000	0	0	30000	17.8125	2004
22.01.2020 09:18:38	1	1	1	1	48.5	37.75	0	30000	380.6451613	11548.12057	30000	0	0	30000	17.8125	2004
22.01.2020 09:18:39	1	1	1	1	49.25	37.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	17.5625	2004
22.01.2020 09:18:40	1	1	1	1	49.25	37.5	0	30000	369.8924731	11160.81863	30000	0	0	30000	17.9375	2004
22.01.2020 09:18:46	1	1	1	1	49.25	37.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	17.625	2004
22.01.2020 09:18:46	1	1	1	1	49.25	37.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	17.625	2004
22.01.2020 09:18:46	1	1	1	1	49.25	37.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	17.625	2004
22.01.2020 09:18:46	1	1	1	1	49.25	37.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	17.625	2004
22.01.2020 09:18:46	1	1	1	1	49.25	37.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	17.625	2004
22.01.2020 09:18:46	1	1	1	1	49.25	37.5	0	29952.607	369.8924731	11160.81863	30000	0	0	30000	17.8125	2004
22.01.2020 09:18:47	1	1	1	1	49.25	37.75	0	30000	344.0860215	10387.03014	30000	0	0	30000	17.1875	2004
22.01.2020 09:18:48	1	1	1	1	49.25	37	0	30000	369.8924731	11096.40421	30000	0	0	30000	17.9375	2004
22.01.2020 09:18:49	1	1	1	1	49.5	37.75	0	30000	352.688172	10644.68785	30000	0	0	30000	17.6875	2004
22.01.2020 09:18:50	1	1	1	1	49.5	37.5	0	30047.393	369.8924731	11031.98978	30000	0	0	30000	18.1875	2004
22.01.2020 09:18:51	1	1	1	1	49.5	38	0	30000	389.2473118	11354.87729	30000	0	0	30000	19.0625	2004
22.01.2020 09:18:52	1	1	1	1	49.5	39	0	30000	389.2473118	11676.94942	30000	0	0	30000	19.5	2004
22.01.2020 09:18:53	1	1	1	1	49.5	39.5	0	30000	374.1935484	11160.81863	30000	0	0	30000	17.625	2004
22.01.2020 09:18:54	1	1	1	1	49.5	38.5	0	30000	380.6451613	11419.29171	30000	0	0	30000	17.5	2004
22.01.2020 09:18:55	1	1	1	1	49.5	37.5	0	30047.393	369.8924731	11096.40421	30000	0	0	30000	17.9375	2004
22.01.2020 09:18:57	1	1	1	1	49.5	37.75	0	29952.607	380.6451613	11401.35352	30000	0	0	30000	17.1875	2004
22.01.2020 09:18:58	1	1	1	1	49.5	37	0	30000	389.2473118	11741.36385	30000	0	0	30000	17.5	2004
22.01.2020 09:18:59	1	1	1	1	50	37.5	0	30000	369.8924731	11096.40421	30000	0	0	30000	17.75	2004
22.01.2020 09:19:00	1	1	1	1	50	37.75	0	30000	382.7956989	11419.29171	30000	0	0	30000	17.5625	2004
22.01.2020 09:19:01	1	1	1	1	50	37.5	0	30000	365.5913978	10996.92876	30000	0	0	30000	17.3125	2004
22.01.2020 09:19:02	1	1	1	1	50	37.25	0	30000	363.4408602	10903.16093	30000	0	0	30000	17.9375	2004
22.01.2020 09:19:03	1	1	1	1	50	37.75	0	30000	380.6451613	11354.87729	30000	0	0	30000	17.6875	2004
22.01.2020 09:19:04	1	1	1	1	50	37.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	18.125	2004
22.01.2020 09:19:05	1	1	1	1	50	38	0	29905.213	365.5913978	11061.34319	30000	0	0	30000	18.0625	2004
22.01.2020 09:19:06	1	1	1	1	50	38	0	30000	384.9462366	11548.12057	30000	0	0	30000	17.5	2004
22.01.2020 09:19:07	1	1	1	1	50	37.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	17.625	2004
22.01.2020 09:19:08	1	1	1	1	50	37.5	0	30000	382.7956989	11548.12057	30000	0	0	30000	17.6875	2004
22.01.2020 09:19:09	1	1	1	1	50.5	37.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	17.6875	2004
22.01.2020 09:19:10	1	1	1	1	50.5	37.5	0	30000	389.2473118	11548.12057	30000	0	0	30000	17.375	2004
22.01.2020 09:19:11	1	1	1	1	50.5	37.25	0	29952.607	395.6989247	11871.00807	30000	0	0	30000	17.375	2004
22.01.2020 09:19:12	1	1	1	1	50.5	37.25	0	30000	389.2473118	11676.94942	30000	0	0	30000	17.8125	2004
22.01.2020 09:19:13	1	1	1	1	50.5	37.75	0	30000	397.8494624	11935.4225	30000	0	0	30000	17.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 09:19:14	1	1	1	1	50.5	37.25	0	29952.607	404.3010753	12109.91221	30000	0	0	30000	17.8125	2004
22.01.2020 09:19:15	1	1	1	1	50.5	37.75	0	29952.607	380.6451613	11419.29171	30000	0	0	30000	17.375	2004
22.01.2020 09:19:16	1	1	1	1	50.5	37.25	0	30000	397.8494624	11833.50094	30000	0	0	30000	17.75	2004
22.01.2020 09:19:17	1	1	1	1	50.5	37.75	0	30047.393	380.6451613	11354.87729	30000	0	0	30000	17.625	2004
22.01.2020 09:19:18	1	1	1	1	50.5	37.5	0	30000	380.6451613	11419.29171	30000	0	0	30000	17.625	2004
22.01.2020 09:19:19	1	1	1	1	51	37.5	0	30000	389.2473118	11676.94942	30000	0	0	30000	17.875	2004
22.01.2020 09:19:20	1	1	1	1	51	37.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	17.875	2004
22.01.2020 09:19:21	1	1	1	1	51	37.75	0	30000	378.4946237	11225.23306	30000	0	0	30000	17.9375	2004
22.01.2020 09:19:22	1	1	1	1	51	37.75	0	30000	380.6451613	11419.29171	30000	0	0	30000	17.8125	2004
22.01.2020 09:19:23	1	1	1	1	51	37.75	0	30000	400	12064.25135	30000	0	0	30000	17.6875	2004
22.01.2020 09:19:24	1	1	1	1	51	37.5	0	30000	363.4408602	10903.16093	30000	0	0	30000	17.75	2004
22.01.2020 09:19:25	1	1	1	1	51	37.75	0	30000	400	12064.25135	30000	0	0	30000	17.625	2004
22.01.2020 09:19:26	1	1	1	1	51	37.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	17.6875	2004
22.01.2020 09:19:27	1	1	1	1	51	37.5	0	30000	445.1612903	13225.34178	30000	0	0	30000	17.5	2004
22.01.2020 09:19:28	1	1	1	1	51	37.5	0	30000	417.2043011	12580.38214	30000	0	0	30000	18.125	2004
22.01.2020 09:19:29	1	1	1	1	51.5	38	0	30000	412.9032258	12387.13886	30000	0	0	30000	18.125	2004
22.01.2020 09:19:30	1	1	1	1	51.5	38	0	30000	415.0537634	12451.55328	30000	0	0	30000	18.9375	2004
22.01.2020 09:19:31	1	1	1	1	51.5	38.75	0	29905.213	404.3010753	12128.66578	30000	0	0	30000	19.125	2004
22.01.2020 09:19:32	1	1	1	1	51.5	39	0	30000	391.3978495	11741.36385	30000	0	0	30000	17.8125	2004
22.01.2020 09:19:33	1	1	1	1	51.5	37.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	17.6875	2004
22.01.2020 09:19:35	1	1	1	1	51.5	37.5	0	30000	415.0537634	12599.95108	30000	0	0	30000	17.75	2004
22.01.2020 09:19:36	1	1	1	1	51.5	37.75	0	30000	391.3978495	11741.36385	30000	0	0	30000	17.375	2004
22.01.2020 09:19:37	1	1	1	1	51.5	37.25	0	29952.607	412.9032258	12367.56992	30000	0	0	30000	18.125	2004
22.01.2020 09:19:38	1	1	1	1	51.5	38	0	30000	415.0537634	12451.55328	30000	0	0	30000	17.9375	2004
22.01.2020 09:19:39	1	1	1	1	52.25	37.75	0	30000	404.3010753	12193.08021	30000	0	0	30000	17.75	2004
22.01.2020 09:19:40	1	1	1	1	52.25	37.75	0	30000	395.6989247	11935.4225	30000	0	0	30000	17.6875	2004
22.01.2020 09:19:41	1	1	1	1	52.25	37.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	18.125	2004
22.01.2020 09:19:42	1	1	1	1	52.25	38	0	30000	395.6989247	11871.00807	30000	0	0	30000	17.8125	2004
22.01.2020 09:19:48	1	1	1	1	52.25	37.75	0	30000	412.9032258	12348.00098	30000	0	0	30000	17.4375	2004
22.01.2020 09:19:48	1	1	1	1	52.25	37.75	0	30000	412.9032258	12348.00098	30000	0	0	30000	17.4375	2004
22.01.2020 09:19:48	1	1	1	1	52.25	37.75	0	30000	412.9032258	12348.00098	30000	0	0	30000	17.4375	2004
22.01.2020 09:19:48	1	1	1	1	52.25	37.75	0	30000	412.9032258	12348.00098	30000	0	0	30000	17.4375	2004
22.01.2020 09:19:48	1	1	1	1	52.25	37.25	0	30000	425.8064516	12540.42889	30000	0	0	30000	17.8125	2004
22.01.2020 09:19:49	1	1	1	1	52.25	37.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	17.625	2004
22.01.2020 09:19:50	1	1	1	1	52.25	37.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	17.6875	2004
22.01.2020 09:19:51	1	1	1	1	52.25	37.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	18.0625	2004
22.01.2020 09:19:52	1	1	1	1	52.25	38	0	30000	412.9032258	12387.13886	30000	0	0	30000	17.625	2004
22.01.2020 09:19:53	1	1	1	1	52.25	37.5	0	30047.393	419.3548387	12580.38214	30000	0	0	30000	18.0625	2004
22.01.2020 09:19:54	1	1	1	1	52.25	38	0	30000	438.7096774	13096.51292	30000	0	0	30000	17.9375	2004
22.01.2020 09:19:55	1	1	1	1	52.25	37.75	0	30000	438.7096774	13160.92735	30000	0	0	30000	18.0625	2004
22.01.2020 09:19:56	1	1	1	1	52.25	38	0	30000	421.5053763	12580.38214	30000	0	0	30000	17.75	2004
22.01.2020 09:19:57	1	1	1	1	52.25	37.75	0	30000	412.9032258	12451.55328	30000	0	0	30000	17.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 09:19:58	1	1	1	1	52.25	37.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	18.125	2004
22.01.2020 09:19:59	1	1	1	1	52.75	38	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	17.5625	2004
22.01.2020 09:20:00	1	1	1	1	52.75	37.5	0	30000	397.8494624	11935.4225	30000	0	0	30000	18.5625	2004
22.01.2020 09:20:01	1	1	1	1	52.75	38.5	0	30000	415.0537634	12387.13886	30000	0	0	30000	18.375	2004
22.01.2020 09:20:02	1	1	1	1	52.75	38.25	0	30000	417.2043011	12580.38214	30000	0	0	30000	18.0625	2004
22.01.2020 09:20:03	1	1	1	1	52.75	38	0	30000	445.1612903	13289.7562	30000	0	0	30000	17.8125	2004
22.01.2020 09:20:04	1	1	1	1	52.75	37.75	0	30000	438.7096774	13289.7562	30000	0	0	30000	18.0625	2004
22.01.2020 09:20:05	1	1	1	1	52.75	38	0	30000	434.4086022	13160.92735	30000	0	0	30000	17.5	2004
22.01.2020 09:20:06	1	1	1	1	52.75	37.5	0	30000	425.8064516	12754.05648	30000	0	0	30000	18.5	2004
22.01.2020 09:20:07	1	1	1	1	52.75	38.5	0	30000	438.7096774	13096.51292	30000	0	0	30000	17.8125	2004
22.01.2020 09:20:08	1	1	1	1	52.75	37.75	0	30000	425.8064516	12540.42889	30000	0	0	30000	19.3125	2004
22.01.2020 09:20:09	1	1	1	1	53.75	39.25	0	29905.213	427.9569892	12838.03984	30000	0	0	30000	18.375	2004
22.01.2020 09:20:10	1	1	1	1	53.75	38.25	0	29952.607	445.1612903	13354.17063	30000	0	0	30000	18	2004
22.01.2020 09:20:11	1	1	1	1	53.75	39	0	30000	445.1612903	13354.17063	30000	0	0	30000	18.3125	2004
22.01.2020 09:20:13	1	1	1	1	53.75	38.25	0	30000	438.7096774	13160.92735	30000	0	0	30000	18.3125	2004
22.01.2020 09:20:14	1	1	1	1	53.75	38.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	17.5625	2004
22.01.2020 09:20:15	1	1	1	1	53.75	37.5	0	30000	449.4623656	13354.17063	30000	0	0	30000	17.8125	2004
22.01.2020 09:20:16	1	1	1	1	53.75	37.75	0	30000	449.4623656	13483.81486	30000	0	0	30000	17.9375	2004
22.01.2020 09:20:17	1	1	1	1	53.75	37.75	0	30000	445.1612903	13289.7562	30000	0	0	30000	17.8125	2004
22.01.2020 09:20:18	1	1	1	1	53.75	37.75	0	30000	464.516129	13999.94564	30000	0	0	30000	18.125	2004
22.01.2020 09:20:19	1	1	1	1	54	38	0	30000	464.516129	13935.53122	30000	0	0	30000	18.0625	2004
22.01.2020 09:20:20	1	1	1	1	54	38	0	30000	427.9569892	12838.03984	30000	0	0	30000	17.6875	2004
22.01.2020 09:20:21	1	1	1	1	54	37.5	0	30000	434.4086022	13096.51292	30000	0	0	30000	17.75	2004
22.01.2020 09:20:22	1	1	1	1	54	37.75	0	30000	436.5591398	12818.4709	30000	0	0	30000	18	2004
22.01.2020 09:20:23	1	1	1	1	54	38	0	30000	434.4086022	13096.51292	30000	0	0	30000	18.0625	2004
22.01.2020 09:20:24	1	1	1	1	54	38	0	30000	432.2580645	12967.68407	30000	0	0	30000	18	2004
22.01.2020 09:20:25	1	1	1	1	54	38	0	30000	432.2580645	12967.68407	30000	0	0	30000	17.625	2004
22.01.2020 09:20:26	1	1	1	1	54	37.5	0	30000	451.6129032	13612.64371	30000	0	0	30000	18.3125	2004
22.01.2020 09:20:27	1	1	1	1	54	38.25	0	30000	468.8172043	13999.94564	30000	0	0	30000	18	2004
22.01.2020 09:20:28	1	1	1	1	54	38	0	30000	451.6129032	13483.81486	30000	0	0	30000	18.1875	2004
22.01.2020 09:20:29	1	1	1	1	55.25	38	0	30000	432.2580645	13032.0985	30000	0	0	30000	17.875	2004
22.01.2020 09:20:30	1	1	1	1	55.25	37.75	0	30000	449.4623656	13354.17063	30000	0	0	30000	18.1875	2004
22.01.2020 09:20:31	1	1	1	1	55.25	38	0	29952.607	466.6666667	13999.94564	30000	0	0	30000	17.9375	2004
22.01.2020 09:20:32	1	1	1	1	55.25	37.75	0	29905.213	481.7204301	14451.662	30000	0	0	30000	17.9375	2004
22.01.2020 09:20:33	1	1	1	1	55.25	37.75	0	29952.607	438.7096774	13225.34178	30000	0	0	30000	18.25	2004
22.01.2020 09:20:34	1	1	1	1	55.25	38.25	0	30047.393	464.516129	13957.54627	30000	0	0	30000	17.9375	2004
22.01.2020 09:20:35	1	1	1	1	55.25	37.75	0	30000	481.7204301	14451.662	30000	0	0	30000	18.0625	2004
22.01.2020 09:20:36	1	1	1	1	55.25	38	0	29952.607	481.7204301	14451.662	30000	0	0	30000	18	2004
22.01.2020 09:20:37	1	1	1	1	55.25	38	0	29952.607	481.7204301	14451.662	30000	0	0	30000	18.125	2004
22.01.2020 09:20:38	1	1	1	1	55.25	38	0	29952.607	453.7634409	13569.42897	30000	0	0	30000	18.0625	2004
22.01.2020 09:20:39	1	1	1	1	55.5	38	0	29952.607	445.1612903	13354.17063	30000	0	0	30000	17.9375	2004
22.01.2020 09:20:40	1	1	1	1	55.5	37.75	0	30000	460.2150538	13805.88699	30000	0	0	30000	18.1875	2004
22.01.2020 09:20:41	1	1	1	1	55.5	38	0	30000	449.4623656	13354.17063	30000	0	0	30000	18.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 09:20:42	1	1	1	1	55.5	38	0	30000	445.1612903	13354.17063	30000	0	0	30000	17.9375	2004
22.01.2020 09:20:43	1	1	1	1	55.5	37.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	17.375	2004
22.01.2020 09:20:49	1	1	1	1	55.5	39	0	30000	466.6666667	13999.94564	30000	0	0	30000	19.375	2004
22.01.2020 09:20:49	1	1	1	1	55.5	39	0	30000	466.6666667	13999.94564	30000	0	0	30000	19.375	2004
22.01.2020 09:20:49	1	1	1	1	55.5	39	0	30000	466.6666667	13999.94564	30000	0	0	30000	19.375	2004
22.01.2020 09:20:49	1	1	1	1	55.5	39	0	30000	466.6666667	13999.94564	30000	0	0	30000	19.375	2004
22.01.2020 09:20:49	1	1	1	1	55.5	39	0	30000	466.6666667	13999.94564	30000	0	0	30000	19.375	2004
22.01.2020 09:20:49	1	1	1	1	56.25	37.5	0	30189.573	460.2150538	13935.53122	30000	0	0	30000	17.875	2004
22.01.2020 09:20:50	1	1	1	1	56.25	37.75	0	30000	481.7204301	14451.662	30000	0	0	30000	17.8125	2004
22.01.2020 09:20:52	1	1	1	1	56.25	37.75	0	29952.607	443.0107527	13248.17221	30000	0	0	30000	18.0625	2004
22.01.2020 09:20:53	1	1	1	1	56.25	38	0	30000	453.7634409	13612.64371	30000	0	0	30000	18	2004
22.01.2020 09:20:54	1	1	1	1	56.25	38	0	30000	481.7204301	14451.662	30000	0	0	30000	18.0625	2004
22.01.2020 09:20:55	1	1	1	1	56.25	38	0	30000	455.9139785	13612.64371	30000	0	0	30000	18.375	2004
22.01.2020 09:20:56	1	1	1	1	56.25	38.25	0	30000	481.7204301	14497.32286	30000	0	0	30000	18.25	2004
22.01.2020 09:20:57	1	1	1	1	56.25	38.25	0	29952.607	470.9677419	14128.7745	30000	0	0	30000	18.125	2004
22.01.2020 09:20:58	1	1	1	1	56.25	38	0	30000	468.8172043	13999.94564	30000	0	0	30000	17.6875	2004
22.01.2020 09:20:59	1	1	1	1	56.75	37.5	0	29952.607	464.516129	13935.53122	30000	0	0	30000	18.125	2004
22.01.2020 09:21:00	1	1	1	1	56.75	38	0	30000	455.9139785	13741.47256	30000	0	0	30000	18.8125	2004
22.01.2020 09:21:01	1	1	1	1	56.75	38.75	0	29952.607	445.1612903	13633.84339	30000	0	0	30000	18.25	2004
22.01.2020 09:21:02	1	1	1	1	56.75	38.25	0	30000	464.516129	13805.88699	30000	0	0	30000	18.0625	2004
22.01.2020 09:21:03	1	1	1	1	56.75	38	0	30000	470.9677419	14451.662	30000	0	0	30000	18.0625	2004
22.01.2020 09:21:04	1	1	1	1	56.75	38	0	30000	460.2150538	13870.30142	30000	0	0	30000	18.0625	2004
22.01.2020 09:21:05	1	1	1	1	56.75	38	0	30000	466.6666667	13999.94564	30000	0	0	30000	18.0625	2004
22.01.2020 09:21:06	1	1	1	1	56.75	38	0	30000	458.0645161	13805.88699	30000	0	0	30000	18.6875	2004
22.01.2020 09:21:07	1	1	1	1	56.75	38.5	0	30000	464.516129	13935.53122	30000	0	0	30000	18.0625	2004
22.01.2020 09:21:08	1	1	1	1	56.75	38	0	30000	481.7204301	14451.662	30000	0	0	30000	18.75	2004
22.01.2020 09:21:09	1	1	1	1	57	38.75	0	30000	458.0645161	13741.47256	30000	0	0	30000	18	2004
22.01.2020 09:21:10	1	1	1	1	57	38	0	30000	438.7096774	13160.92735	30000	0	0	30000	17.875	2004
22.01.2020 09:21:11	1	1	1	1	57	37.75	0	30000	464.516129	13805.88699	30000	0	0	30000	17.5625	2004
22.01.2020 09:21:12	1	1	1	1	57	37.5	0	30000	451.6129032	13612.64371	30000	0	0	30000	18.0625	2004
22.01.2020 09:21:13	1	1	1	1	57	38	0	30000	449.4623656	13354.17063	30000	0	0	30000	19.0625	2004
22.01.2020 09:21:14	1	1	1	1	57	39	0	30000	464.516129	13913.51616	30000	0	0	30000	18.6875	2004
22.01.2020 09:21:15	1	1	1	1	57	38.5	0	30047.393	453.7634409	13612.64371	30000	0	0	30000	18.0625	2004
22.01.2020 09:21:16	1	1	1	1	57	38	0	30000	449.4623656	13354.17063	30000	0	0	30000	18.8125	2004
22.01.2020 09:21:17	1	1	1	1	57	38.75	0	30000	438.7096774	13225.34178	30000	0	0	30000	18.125	2004
22.01.2020 09:21:18	1	1	1	1	57	38	0	30000	436.5591398	13225.34178	30000	0	0	30000	18.0625	2004
22.01.2020 09:21:19	1	1	1	1	57	38	0	29905.213	438.7096774	13032.0985	30000	0	0	30000	18.3125	2004
22.01.2020 09:21:20	1	1	1	1	57	38.25	0	30000	438.7096774	13160.92735	30000	0	0	30000	18.5	2004
22.01.2020 09:21:21	1	1	1	1	57	38.5	0	30000	432.2580645	12838.03984	30000	0	0	30000	18.6875	2004
22.01.2020 09:21:22	1	1	1	1	57	38.5	0	29952.607	427.9569892	12838.03984	30000	0	0	30000	18.3125	2004
22.01.2020 09:21:23	1	1	1	1	57	38.25	0	30000	438.7096774	13289.7562	30000	0	0	30000	18.5625	2004
22.01.2020 09:21:24	1	1	1	1	57	38.5	0	30000	432.2580645	12818.4709	30000	0	0	30000	18.5	2004
22.01.2020 09:21:25	1	1	1	1	57	38.5	0	29952.607	432.2580645	12967.68407	30000	0	0	30000	20.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 09:21:26	1	1	1	1	57	40	0	30000	427.9569892	12838.03984	30000	0	0	30000	18.125	2004
22.01.2020 09:21:27	1	1	1	1	57	38	0	29952.607	427.9569892	12838.03984	30000	0	0	30000	19.5625	2004
22.01.2020 09:21:28	1	1	1	1	57	39.5	0	30000	438.7096774	13160.92735	30000	0	0	30000	17.9375	2004
22.01.2020 09:21:29	1	1	1	1	57.25	38	0	30000	440.8602151	13289.7562	30000	0	0	30000	18.625	2004
22.01.2020 09:21:31	1	1	1	1	57.25	38.5	0	30047.393	425.8064516	12838.03984	30000	0	0	30000	19	2004
22.01.2020 09:21:32	1	1	1	1	57.25	39	0	30000	412.9032258	12109.91221	30000	0	0	30000	18.3125	2004
22.01.2020 09:21:33	1	1	1	1	57.25	38.25	0	30000	412.9032258	12451.55328	30000	0	0	30000	19.125	2004
22.01.2020 09:21:34	1	1	1	1	57.25	39	0	30047.393	427.9569892	12838.03984	30000	0	0	30000	19.1875	2004
22.01.2020 09:21:35	1	1	1	1	57.25	39	0	30000	438.7096774	13160.92735	30000	0	0	30000	18.5625	2004
22.01.2020 09:21:36	1	1	1	1	57.25	38.5	0	30000	432.2580645	12967.68407	30000	0	0	30000	18.4375	2004
22.01.2020 09:21:37	1	1	1	1	57.25	38.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	18.875	2004
22.01.2020 09:21:38	1	1	1	1	57.25	38.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	18.1875	2004
22.01.2020 09:21:39	1	1	1	1	57.5	38	0	30000	412.9032258	12406.7078	30000	0	0	30000	18.6875	2004
22.01.2020 09:21:40	1	1	1	1	57.5	38.5	0	30000	404.3010753	12064.25135	30000	0	0	30000	18.875	2004
22.01.2020 09:21:41	1	1	1	1	57.5	38.75	0	30000	391.3978495	11871.00807	30000	0	0	30000	17.9375	2004
22.01.2020 09:21:42	1	1	1	1	57.5	37.75	0	30047.393	391.3978495	11548.12057	30000	0	0	30000	18.9375	2004
22.01.2020 09:21:43	1	1	1	1	57.5	38.75	0	29905.213	378.4946237	11354.87729	30000	0	0	30000	18.375	2004
22.01.2020 09:21:44	1	1	1	1	57.5	38.25	0	30000	397.8494624	11935.4225	30000	0	0	30000	18.25	2004
22.01.2020 09:21:45	1	1	1	1	57.5	38.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	18.3125	2004
22.01.2020 09:21:51	1	1	1	1	57.75	38.5	0	30000	412.9032258	12451.55328	30000	0	0	30000	18.0625	2004
22.01.2020 09:21:51	1	1	1	1	57.75	38.5	0	30000	412.9032258	12451.55328	30000	0	0	30000	18.0625	2004
22.01.2020 09:21:51	1	1	1	1	57.75	38.5	0	30000	412.9032258	12451.55328	30000	0	0	30000	18.0625	2004
22.01.2020 09:21:51	1	1	1	1	57.75	38.5	0	30000	412.9032258	12451.55328	30000	0	0	30000	18.0625	2004
22.01.2020 09:21:51	1	1	1	1	57.75	38	0	30000	404.3010753	12193.08021	30000	0	0	30000	19.25	2004
22.01.2020 09:21:52	1	1	1	1	57.75	39.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	18.75	2004
22.01.2020 09:21:53	1	1	1	1	57.75	38.75	0	30000	400	11935.4225	30000	0	0	30000	18.0625	2004
22.01.2020 09:21:54	1	1	1	1	57.75	38	0	29952.607	395.6989247	11935.4225	30000	0	0	30000	19.0625	2004
22.01.2020 09:21:55	1	1	1	1	57.75	39	0	30000	387.0967742	11548.12057	30000	0	0	30000	18.5	2004
22.01.2020 09:21:56	1	1	1	1	57.75	38.5	0	30000	406.4516129	12128.66578	30000	0	0	30000	19.0625	2004
22.01.2020 09:21:57	1	1	1	1	57.75	39	0	30000	404.3010753	12128.66578	30000	0	0	30000	18.1875	2004
22.01.2020 09:21:58	1	1	1	1	57.75	38	0	30000	404.3010753	12064.25135	30000	0	0	30000	18.625	2004
22.01.2020 09:21:59	1	1	1	1	58	38.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	18.1875	2004
22.01.2020 09:22:00	1	1	1	1	58	38	0	30000	419.3548387	12580.38214	30000	0	0	30000	19.125	2004
22.01.2020 09:22:01	1	1	1	1	58	39	0	30000	415.0537634	12387.13886	30000	0	0	30000	19.1875	2004
22.01.2020 09:22:02	1	1	1	1	58	39	0	30000	425.8064516	12773.62542	30000	0	0	30000	18.9375	2004
22.01.2020 09:22:03	1	1	1	1	58	38.75	0	29905.213	406.4516129	12193.08021	30000	0	0	30000	18.25	2004
22.01.2020 09:22:04	1	1	1	1	58	38.25	0	30000	425.8064516	12838.03984	30000	0	0	30000	19.6875	2004
22.01.2020 09:22:05	1	1	1	1	58	39.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	19.3125	2004
22.01.2020 09:22:06	1	1	1	1	58	39.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	19.0625	2004
22.01.2020 09:22:07	1	1	1	1	58	39	0	30000	425.8064516	12773.62542	30000	0	0	30000	19.9375	2004
22.01.2020 09:22:09	1	1	1	1	59.25	38.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	19.5	2004
22.01.2020 09:22:10	1	1	1	1	59.25	39.5	0	29952.607	425.8064516	12540.42889	30000	0	0	30000	19.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 09:22:11	1	1	1	1	59.25	39	0	30000	434.4086022	12967.68407	30000	0	0	30000	18.8125	2004
22.01.2020 09:22:12	1	1	1	1	59.25	38.75	0	30000	415.0537634	12580.38214	30000	0	0	30000	18.9375	2004
22.01.2020 09:22:13	1	1	1	1	59.25	38.75	0	29952.607	425.8064516	12838.03984	30000	0	0	30000	18.5625	2004
22.01.2020 09:22:14	1	1	1	1	59.25	38.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	19	2004
22.01.2020 09:22:15	1	1	1	1	59.25	39	0	30000	436.5591398	13160.92735	30000	0	0	30000	19.5625	2004
22.01.2020 09:22:16	1	1	1	1	59.25	39.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	18.25	2004
22.01.2020 09:22:17	1	1	1	1	59.25	38.25	0	30000	436.5591398	13096.51292	30000	0	0	30000	18.4375	2004
22.01.2020 09:22:18	1	1	1	1	59.25	38.25	0	30000	434.4086022	13096.51292	30000	0	0	30000	18.8125	2004
22.01.2020 09:22:19	1	1	1	1	59.5	38.75	0	30000	436.5591398	13096.51292	30000	0	0	30000	18.375	2004
22.01.2020 09:22:20	1	1	1	1	59.5	38.25	0	30000	436.5591398	13096.51292	30000	0	0	30000	18.375	2004
22.01.2020 09:22:21	1	1	1	1	59.5	38.25	0	30000	436.5591398	13096.51292	30000	0	0	30000	19.1875	2004
22.01.2020 09:22:22	1	1	1	1	59.5	39	0	30000	419.3548387	12580.38214	30000	0	0	30000	18.625	2004
22.01.2020 09:22:23	1	1	1	1	59.5	38.5	0	30000	425.8064516	12838.03984	30000	0	0	30000	18.375	2004
22.01.2020 09:22:24	1	1	1	1	59.5	38.25	0	30000	432.2580645	12967.68407	30000	0	0	30000	19.6875	2004
22.01.2020 09:22:25	1	1	1	1	59.5	39.5	0	30000	436.5591398	13096.51292	30000	0	0	30000	18.5	2004
22.01.2020 09:22:26	1	1	1	1	59.5	38.5	0	30000	436.5591398	13096.51292	30000	0	0	30000	18.8125	2004
22.01.2020 09:22:27	1	1	1	1	59.5	38.75	0	30000	436.5591398	13160.92735	30000	0	0	30000	19.3125	2004
22.01.2020 09:22:28	1	1	1	1	59.5	39.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	19.0625	2004
22.01.2020 09:22:29	1	1	1	1	60	39	0	29905.213	423.655914	12709.21099	30000	0	0	30000	18.875	2004
22.01.2020 09:22:30	1	1	1	1	60	38.75	0	30000	438.7096774	13119.34335	30000	0	0	30000	18.5625	2004
22.01.2020 09:22:31	1	1	1	1	60	38.5	0	30000	443.0107527	13225.34178	30000	0	0	30000	18.5625	2004
22.01.2020 09:22:32	1	1	1	1	60	38.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	18.9375	2004
22.01.2020 09:22:33	1	1	1	1	60	38.75	0	30000	443.0107527	13289.7562	30000	0	0	30000	18.3125	2004
22.01.2020 09:22:34	1	1	1	1	60	38.25	0	30000	455.9139785	13612.64371	30000	0	0	30000	18.625	2004
22.01.2020 09:22:35	1	1	1	1	60	38.5	0	30000	466.6666667	14064.36007	30000	0	0	30000	18.9375	2004
22.01.2020 09:22:36	1	1	1	1	60	38.75	0	30000	458.0645161	13741.47256	30000	0	0	30000	19	2004
22.01.2020 09:22:37	1	1	1	1	60	39	0	30000	453.7634409	13612.64371	30000	0	0	30000	19.125	2004
22.01.2020 09:22:38	1	1	1	1	60	39	0	30000	443.0107527	13160.92735	30000	0	0	30000	18.4375	2004
22.01.2020 09:22:39	1	1	1	1	60.5	38.25	0	30000	464.516129	13870.30142	30000	0	0	30000	18.75	2004
22.01.2020 09:22:40	1	1	1	1	60.5	38.75	0	30000	466.6666667	13999.94564	30000	0	0	30000	18.625	2004
22.01.2020 09:22:41	1	1	1	1	60.5	38.5	0	30000	453.7634409	13354.17063	30000	0	0	30000	18.625	2004
22.01.2020 09:22:42	1	1	1	1	60.5	38.5	0	30000	453.7634409	13677.05814	30000	0	0	30000	18.625	2004
22.01.2020 09:22:43	1	1	1	1	60.5	38.5	0	30000	464.516129	13935.53122	30000	0	0	30000	19.75	2004
22.01.2020 09:22:44	1	1	1	1	60.5	39.75	0	29952.607	458.0645161	13720.27288	30000	0	0	30000	20.625	2004
22.01.2020 09:22:46	1	1	1	1	60.5	38.5	0	30000	449.4623656	13612.64371	30000	0	0	30000	19.3125	2004
22.01.2020 09:22:47	1	1	1	1	60.5	39.25	0	30000	451.6129032	13612.64371	30000	0	0	30000	18.5	2004
22.01.2020 09:22:52	1	1	1	1	61.5	39.25	0	29952.607	445.1612903	13354.17063	30000	0	0	30000	19	2004
22.01.2020 09:22:52	1	1	1	1	61.5	39.25	0	29952.607	445.1612903	13354.17063	30000	0	0	30000	19	2004
22.01.2020 09:22:52	1	1	1	1	61.5	39.25	0	29952.607	445.1612903	13354.17063	30000	0	0	30000	19	2004
22.01.2020 09:22:52	1	1	1	1	61.5	39.25	0	29952.607	445.1612903	13354.17063	30000	0	0	30000	19	2004
22.01.2020 09:22:52	1	1	1	1	61.5	39.25	0	29952.607	445.1612903	13354.17063	30000	0	0	30000	19	2004
22.01.2020 09:22:53	1	1	1	1	61.5	39	0	30000	438.7096774	12967.68407	30000	0	0	30000	18.5625	2004
22.01.2020 09:22:54	1	1	1	1	61.5	38.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	18.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 09:22:55	1	1	1	1	61.5	38.75	0	30000	443.0107527	13354.17063	30000	0	0	30000	19.5625	2004
22.01.2020 09:22:56	1	1	1	1	61.5	39.5	0	30000	449.4623656	13354.17063	30000	0	0	30000	19.125	2004
22.01.2020 09:22:57	1	1	1	1	61.5	39	0	29952.607	453.7634409	13612.64371	30000	0	0	30000	19.875	2004
22.01.2020 09:22:58	1	1	1	1	61.5	39.75	0	30000	453.7634409	13591.44402	30000	0	0	30000	19.1875	2004
22.01.2020 09:22:59	1	1	1	1	62.25	39	0	30000	445.1612903	13354.17063	30000	0	0	30000	18.6875	2004
22.01.2020 09:23:00	1	1	1	1	62.25	38.5	0	30000	445.1612903	13333.78632	30000	0	0	30000	18.75	2004
22.01.2020 09:23:01	1	1	1	1	62.25	38.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	19.0625	2004
22.01.2020 09:23:02	1	1	1	1	62.25	39	0	30000	443.0107527	13225.34178	30000	0	0	30000	18.6875	2004
22.01.2020 09:23:03	1	1	1	1	62.25	38.5	0	30000	453.7634409	13633.84339	30000	0	0	30000	19.0625	2004
22.01.2020 09:23:04	1	1	1	1	62.25	39	0	30000	438.7096774	13246.54146	30000	0	0	30000	19.1875	2004
22.01.2020 09:23:05	1	1	1	1	62.25	39	0	30000	440.8602151	13225.34178	30000	0	0	30000	18.625	2004
22.01.2020 09:23:06	1	1	1	1	62.25	38.5	0	30000	449.4623656	13483.81486	30000	0	0	30000	18.625	2004
22.01.2020 09:23:07	1	1	1	1	62.25	38.5	0	30000	460.2150538	13935.53122	30000	0	0	30000	18.5	2004
22.01.2020 09:23:08	1	1	1	1	62.25	38.5	0	30000	460.2150538	13805.88699	30000	0	0	30000	18.9375	2004
22.01.2020 09:23:09	1	1	1	1	63.25	38.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	18.625	2004
22.01.2020 09:23:10	1	1	1	1	63.25	38.5	0	30000	481.7204301	14451.662	30000	0	0	30000	19.6875	2004
22.01.2020 09:23:11	1	1	1	1	63.25	39.5	0	30000	445.1612903	13312.58663	30000	0	0	30000	19.0625	2004
22.01.2020 09:23:12	1	1	1	1	63.25	39	0	30000	458.0645161	13741.47256	30000	0	0	30000	18.875	2004
22.01.2020 09:23:13	1	1	1	1	63.25	38.75	0	29905.213	445.1612903	13354.17063	30000	0	0	30000	18.75	2004
22.01.2020 09:23:14	1	1	1	1	63.25	38.75	0	30000	470.9677419	14193.18892	30000	0	0	30000	19.125	2004
22.01.2020 09:23:15	1	1	1	1	63.25	39	0	30000	470.9677419	14128.7745	30000	0	0	30000	19	2004
22.01.2020 09:23:16	1	1	1	1	63.25	39	0	30000	466.6666667	14064.36007	30000	0	0	30000	18.8125	2004
22.01.2020 09:23:17	1	1	1	1	63.25	38.75	0	30000	460.2150538	13870.30142	30000	0	0	30000	18.5625	2004
22.01.2020 09:23:18	1	1	1	1	63.25	38.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	18.5625	2004
22.01.2020 09:23:19	1	1	1	1	64.25	38.5	0	30000	443.0107527	13289.7562	30000	0	0	30000	18.625	2004
22.01.2020 09:23:20	1	1	1	1	64.25	38.5	0	30000	451.6129032	13483.81486	30000	0	0	30000	19.25	2004
22.01.2020 09:23:21	1	1	1	1	64.25	39.25	0	29952.607	445.1612903	13612.64371	30000	0	0	30000	20.625	2004
22.01.2020 09:23:22	1	1	1	1	64.25	40.5	0	30000	438.7096774	13225.34178	30000	0	0	30000	18.875	2004
22.01.2020 09:23:24	1	1	1	1	64.25	38.75	0	30000	460.2150538	13741.47256	30000	0	0	30000	18.875	2004
22.01.2020 09:23:25	1	1	1	1	64.25	38.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	19.375	2004
22.01.2020 09:23:26	1	1	1	1	64.25	39.25	0	30000	445.1612903	13225.34178	30000	0	0	30000	19.0625	2004
22.01.2020 09:23:27	1	1	1	1	64.25	39	0	29952.607	443.0107527	13289.7562	30000	0	0	30000	19.0625	2004
22.01.2020 09:23:28	1	1	1	1	64.25	39	0	29905.213	438.7096774	13225.34178	30000	0	0	30000	19.125	2004
22.01.2020 09:23:29	1	1	1	1	64.25	39	0	29952.607	458.0645161	13741.47256	30000	0	0	30000	19.3125	2004
22.01.2020 09:23:30	1	1	1	1	64.25	39.25	0	29952.607	438.7096774	13225.34178	30000	0	0	30000	19.125	2004
22.01.2020 09:23:31	1	1	1	1	64.25	39	0	30000	445.1612903	13312.58663	30000	0	0	30000	19.125	2004
22.01.2020 09:23:32	1	1	1	1	64.25	39	0	30000	436.5591398	13160.92735	30000	0	0	30000	18.8125	2004
22.01.2020 09:23:33	1	1	1	1	64.25	38.75	0	30094.787	453.7634409	13354.17063	30000	0	0	30000	19.25	2004
22.01.2020 09:23:34	1	1	1	1	64.25	39.25	0	30000	460.2150538	13741.47256	30000	0	0	30000	19	2004
22.01.2020 09:23:35	1	1	1	1	64.25	39	0	30000	432.2580645	13032.0985	30000	0	0	30000	18.625	2004
22.01.2020 09:23:36	1	1	1	1	64.25	38.5	0	30000	432.2580645	12967.68407	30000	0	0	30000	18.625	2004
22.01.2020 09:23:37	1	1	1	1	64.25	38.5	0	29952.607	455.9139785	13698.25782	30000	0	0	30000	19.125	2004
22.01.2020 09:23:38	1	1	1	1	64.25	39	0	30000	445.1612903	13354.17063	30000	0	0	30000	19.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 09:23:39	1	1	1	1	65.25	39.25	0	30000	445.1612903	13140.54304	30000	0	0	30000	18.6875	2004
22.01.2020 09:23:40	1	1	1	1	65.25	38.5	0	30000	427.9569892	13096.51292	30000	0	0	30000	18.9375	2004
22.01.2020 09:23:41	1	1	1	1	65.25	38.75	0	30000	440.8602151	13225.34178	30000	0	0	30000	19.3125	2004
22.01.2020 09:23:42	1	1	1	1	65.25	39.25	0	30000	443.0107527	13289.7562	30000	0	0	30000	18.75	2004
22.01.2020 09:23:43	1	1	1	1	65.25	38.75	0	30000	453.7634409	13677.05814	30000	0	0	30000	18.875	2004
22.01.2020 09:23:44	1	1	1	1	65.25	38.75	0	30000	445.1612903	13225.34178	30000	0	0	30000	18.375	2004
22.01.2020 09:23:45	1	1	1	1	65.25	38.25	0	29905.213	443.0107527	13354.17063	30000	0	0	30000	19.25	2004
22.01.2020 09:23:46	1	1	1	1	65.25	39.25	0	30000	455.9139785	13612.64371	30000	0	0	30000	19.0625	2004
22.01.2020 09:23:47	1	1	1	1	65.25	39	0	30000	464.516129	13935.53122	30000	0	0	30000	18.8125	2004
22.01.2020 09:23:48	1	1	1	1	65.25	38.75	0	30000	453.7634409	13633.84339	30000	0	0	30000	19.4375	2004
22.01.2020 09:23:54	1	1	1	1	65.75	39.25	0	30000	445.1612903	13483.81486	30000	0	0	30000	18.75	2004
22.01.2020 09:23:54	1	1	1	1	65.75	39.25	0	30000	445.1612903	13483.81486	30000	0	0	30000	18.75	2004
22.01.2020 09:23:54	1	1	1	1	65.75	39.25	0	30000	445.1612903	13483.81486	30000	0	0	30000	18.75	2004
22.01.2020 09:23:54	1	1	1	1	65.75	39.25	0	30000	445.1612903	13483.81486	30000	0	0	30000	18.75	2004
22.01.2020 09:23:54	1	1	1	1	65.75	38.75	0	30000	455.9139785	13741.47256	30000	0	0	30000	18.75	2004
22.01.2020 09:23:55	1	1	1	1	65.75	38.75	0	29952.607	449.4623656	13548.22928	30000	0	0	30000	20	2004
22.01.2020 09:23:56	1	1	1	1	65.75	40	0	30000	451.6129032	13483.81486	30000	0	0	30000	19.125	2004
22.01.2020 09:23:57	1	1	1	1	65.75	39	0	30000	455.9139785	13677.05814	30000	0	0	30000	18.75	2004
22.01.2020 09:23:58	1	1	1	1	65.75	38.75	0	30000	443.0107527	13289.7562	30000	0	0	30000	19.75	2004
22.01.2020 09:23:59	1	1	1	1	66.25	39.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	19	2004
22.01.2020 09:24:00	1	1	1	1	66.25	39	0	29952.607	449.4623656	13248.17221	30000	0	0	30000	20.4375	2004
22.01.2020 09:24:02	1	1	1	1	66.25	40.25	0	30047.393	443.0107527	13310.95589	30000	0	0	30000	20.8125	2004
22.01.2020 09:24:03	1	1	1	1	66.25	38.75	0	30000	464.516129	13935.53122	30000	0	0	30000	18.8125	2004
22.01.2020 09:24:04	1	1	1	1	66.25	38.75	0	30000	460.2150538	13935.53122	30000	0	0	30000	19.75	2004
22.01.2020 09:24:05	1	1	1	1	66.25	39.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	19.125	2004
22.01.2020 09:24:06	1	1	1	1	66.25	39	0	30000	466.6666667	13999.94564	30000	0	0	30000	18.9375	2004
22.01.2020 09:24:07	1	1	1	1	66.25	38.75	0	30000	466.6666667	13935.53122	30000	0	0	30000	19.6875	2004
22.01.2020 09:24:08	1	1	1	1	66.25	39.5	0	30000	464.516129	13935.53122	30000	0	0	30000	19.25	2004
22.01.2020 09:24:09	1	1	1	1	67.5	39.25	0	29952.607	449.4623656	13354.17063	30000	0	0	30000	19.25	2004
22.01.2020 09:24:10	1	1	1	1	67.5	39.25	0	30094.787	460.2150538	13612.64371	30000	0	0	30000	19.0625	2004
22.01.2020 09:24:11	1	1	1	1	67.5	39	0	30000	453.7634409	13612.64371	30000	0	0	30000	19.3125	2004
22.01.2020 09:24:12	1	1	1	1	67.5	39.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	20	2004
22.01.2020 09:24:13	1	1	1	1	67.5	40	0	30000	449.4623656	13483.81486	30000	0	0	30000	19.5	2004
22.01.2020 09:24:14	1	1	1	1	67.5	39.5	0	29952.607	466.6666667	13999.94564	30000	0	0	30000	19.625	2004
22.01.2020 09:24:15	1	1	1	1	67.5	39.5	0	30000	453.7634409	13612.64371	30000	0	0	30000	19.0625	2004
22.01.2020 09:24:16	1	1	1	1	67.5	39	0	30000	458.0645161	13741.47256	30000	0	0	30000	19.625	2004
22.01.2020 09:24:17	1	1	1	1	67.5	39.5	0	30000	464.516129	13935.53122	30000	0	0	30000	19.375	2004
22.01.2020 09:24:18	1	1	1	1	67.5	39.25	0	30000	464.516129	13935.53122	30000	0	0	30000	18.875	2004
22.01.2020 09:24:19	1	1	1	1	67.75	38.75	0	29952.607	466.6666667	13977.93058	30000	0	0	30000	19.3125	2004
22.01.2020 09:24:20	1	1	1	1	67.75	39.25	0	30000	464.516129	13935.53122	30000	0	0	30000	19.875	2004
22.01.2020 09:24:21	1	1	1	1	67.75	39.75	0	30000	438.7096774	13160.92735	30000	0	0	30000	19.3125	2004
22.01.2020 09:24:22	1	1	1	1	67.75	39.25	0	30047.393	483.8709677	14516.07643	30000	0	0	30000	19.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 09:24:23	1	1	1	1	67.75	39.25	0	29952.607	464.516129	13935.53122	30000	0	0	30000	19.75	2004
22.01.2020 09:24:24	1	1	1	1	67.75	39.75	0	30000	455.9139785	13741.47256	30000	0	0	30000	19.0625	2004
22.01.2020 09:24:25	1	1	1	1	67.75	39	0	29952.607	464.516129	13999.94564	30000	0	0	30000	19.125	2004
22.01.2020 09:24:26	1	1	1	1	67.75	39	0	30000	464.516129	13569.42897	30000	0	0	30000	19	2004
22.01.2020 09:24:27	1	1	1	1	67.75	39	0	30000	451.6129032	13483.81486	30000	0	0	30000	18.75	2004
22.01.2020 09:24:28	1	1	1	1	67.75	38.75	0	30000	464.516129	13935.53122	30000	0	0	30000	19.25	2004
22.01.2020 09:24:29	1	1	1	1	68	39.25	0	30000	468.8172043	14064.36007	30000	0	0	30000	18.8125	2004
22.01.2020 09:24:30	1	1	1	1	68	38.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	18.75	2004
22.01.2020 09:24:31	1	1	1	1	68	38.75	0	30000	464.516129	13935.53122	30000	0	0	30000	19.625	2004
22.01.2020 09:24:32	1	1	1	1	68	39.5	0	30000	451.6129032	13612.64371	30000	0	0	30000	19.3125	2004
22.01.2020 09:24:33	1	1	1	1	68	39.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	19.9375	2004
22.01.2020 09:24:34	1	1	1	1	68	39.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	18.9375	2004
22.01.2020 09:24:35	1	1	1	1	68	38.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	19.5625	2004
22.01.2020 09:24:36	1	1	1	1	68	39.5	0	30000	460.2150538	13935.53122	30000	0	0	30000	19.0625	2004
22.01.2020 09:24:37	1	1	1	1	68	39	0	30000	451.6129032	13612.64371	30000	0	0	30000	20.1875	2004
22.01.2020 09:24:38	1	1	1	1	68	40	0	30000	455.9139785	13655.85845	30000	0	0	30000	20.5	2004
22.01.2020 09:24:39	1	1	1	1	68	40.5	0	30000	460.2150538	13935.53122	30000	0	0	30000	19.9375	2004
22.01.2020 09:24:41	1	1	1	1	68	39.75	0	29952.607	455.9139785	13612.64371	30000	0	0	30000	20.375	2004
22.01.2020 09:24:42	1	1	1	1	68	39.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	19.5	2004
22.01.2020 09:24:43	1	1	1	1	68	39.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	18.875	2004
22.01.2020 09:24:44	1	1	1	1	68	38.75	0	30000	440.8602151	13225.34178	30000	0	0	30000	19.9375	2004
22.01.2020 09:24:45	1	1	1	1	68	39.75	0	30000	434.4086022	13096.51292	30000	0	0	30000	19.625	2004
22.01.2020 09:24:46	1	1	1	1	68	39.5	0	30000	443.0107527	13289.7562	30000	0	0	30000	20.125	2004
22.01.2020 09:24:47	1	1	1	1	68	40	0	29952.607	427.9569892	12838.03984	30000	0	0	30000	19.8125	2004
22.01.2020 09:24:48	1	1	1	1	68	39.75	0	30000	438.7096774	13160.92735	30000	0	0	30000	21.125	2004
22.01.2020 09:24:49	1	1	1	1	68.25	41	0	29952.607	445.1612903	13354.17063	30000	0	0	30000	19.875	2004
22.01.2020 09:24:50	1	1	1	1	68.25	39.75	0	30000	455.9139785	13569.42897	30000	0	0	30000	19.625	2004
22.01.2020 09:24:56	1	1	1	1	68.25	39.25	0	30000	434.4086022	13032.0985	30000	0	0	30000	19.6875	2004
22.01.2020 09:24:56	1	1	1	1	68.25	39.25	0	30000	434.4086022	13032.0985	30000	0	0	30000	19.6875	2004
22.01.2020 09:24:56	1	1	1	1	68.25	39.25	0	30000	434.4086022	13032.0985	30000	0	0	30000	19.6875	2004
22.01.2020 09:24:56	1	1	1	1	68.25	39.25	0	30000	434.4086022	13032.0985	30000	0	0	30000	19.6875	2004
22.01.2020 09:24:56	1	1	1	1	68.25	39.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	20.125	2004
22.01.2020 09:24:57	1	1	1	1	68.25	40	0	30000	438.7096774	13225.34178	30000	0	0	30000	19.9375	2004
22.01.2020 09:24:58	1	1	1	1	68.25	39.75	0	30000	434.4086022	13096.51292	30000	0	0	30000	19.4375	2004
22.01.2020 09:24:59	1	1	1	1	69	39.25	0	30000	423.655914	12689.64205	30000	0	0	30000	20.5625	2004
22.01.2020 09:25:00	1	1	1	1	69	40.5	0	30000	404.3010753	12387.13886	30000	0	0	30000	19.6875	2004
22.01.2020 09:25:01	1	1	1	1	69	39.5	0	30000	417.2043011	12451.55328	30000	0	0	30000	19.125	2004
22.01.2020 09:25:02	1	1	1	1	69	39	0	30000	427.9569892	12967.68407	30000	0	0	30000	19.4375	2004
22.01.2020 09:25:03	1	1	1	1	69	39.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	20.375	2004
22.01.2020 09:25:04	1	1	1	1	69	40.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	20	2004
22.01.2020 09:25:05	1	1	1	1	69	40	0	30000	427.9569892	12838.03984	30000	0	0	30000	19.625	2004
22.01.2020 09:25:06	1	1	1	1	69	39.5	0	30000	449.4623656	13354.17063	30000	0	0	30000	20	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 09:25:07	1	1	1	1	69	40	0	30000	436.5591398	13096.51292	30000	0	0	30000	19.625	2004
22.01.2020 09:25:08	1	1	1	1	69	39.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	19.75	2004
22.01.2020 09:25:09	1	1	1	1	68.5	39.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	19.5	2004
22.01.2020 09:25:10	1	1	1	1	68.5	39.5	0	29952.607	415.0537634	12451.55328	30000	0	0	30000	20	2004
22.01.2020 09:25:11	1	1	1	1	68.5	40	0	30000	427.9569892	12838.03984	30000	0	0	30000	19.875	2004
22.01.2020 09:25:12	1	1	1	1	68.5	39.75	0	30000	438.7096774	13160.92735	30000	0	0	30000	20.5	2004
22.01.2020 09:25:13	1	1	1	1	68.5	40.5	0	30000	434.4086022	13032.0985	30000	0	0	30000	19.375	2004
22.01.2020 09:25:14	1	1	1	1	68.5	39.25	0	30000	445.1612903	13333.78632	30000	0	0	30000	20.5	2004
22.01.2020 09:25:15	1	1	1	1	68.5	40.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	20.375	2004
22.01.2020 09:25:16	1	1	1	1	68.5	40.25	0	30000	449.4623656	13354.17063	30000	0	0	30000	21.125	2004
22.01.2020 09:25:17	1	1	1	1	68.5	41	0	30000	449.4623656	13483.81486	30000	0	0	30000	20.5	2004
22.01.2020 09:25:19	1	1	1	1	68.5	40.5	0	30000	434.4086022	13160.92735	30000	0	0	30000	20.75	2004
22.01.2020 09:25:20	1	1	1	1	69.25	40.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	20.5625	2004
22.01.2020 09:25:21	1	1	1	1	69.25	39.25	0	29952.607	445.1612903	13354.17063	30000	0	0	30000	20.75	2004
22.01.2020 09:25:22	1	1	1	1	69.25	40.75	0	30047.393	449.4623656	13354.17063	30000	0	0	30000	19.4375	2004
22.01.2020 09:25:23	1	1	1	1	69.25	39.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	19.1875	2004
22.01.2020 09:25:24	1	1	1	1	69.25	39	0	29952.607	445.1612903	13548.22928	30000	0	0	30000	19.75	2004
22.01.2020 09:25:25	1	1	1	1	69.25	39.75	0	30000	455.9139785	13612.64371	30000	0	0	30000	19.875	2004
22.01.2020 09:25:26	1	1	1	1	69.25	39.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	20.5	2004
22.01.2020 09:25:27	1	1	1	1	69.25	40.5	0	30000	443.0107527	13289.7562	30000	0	0	30000	19.3125	2004
22.01.2020 09:25:28	1	1	1	1	69.25	39.25	0	30000	438.7096774	13160.92735	30000	0	0	30000	20.1875	2004
22.01.2020 09:25:29	1	1	1	1	68.75	40	0	30000	445.1612903	13354.17063	30000	0	0	30000	20	2004
22.01.2020 09:25:30	1	1	1	1	68.75	40	0	29952.607	455.9139785	13483.81486	30000	0	0	30000	19.8125	2004
22.01.2020 09:25:31	1	1	1	1	68.75	39.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	20.5	2004
22.01.2020 09:25:32	1	1	1	1	68.75	40.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	19.0625	2004
22.01.2020 09:25:33	1	1	1	1	68.75	39	0	29952.607	434.4086022	12967.68407	30000	0	0	30000	19.25	2004
22.01.2020 09:25:34	1	1	1	1	68.75	39.25	0	30000	432.2580645	12967.68407	30000	0	0	30000	19.125	2004
22.01.2020 09:25:35	1	1	1	1	68.75	39	0	30000	445.1612903	13354.17063	30000	0	0	30000	19.75	2004
22.01.2020 09:25:36	1	1	1	1	68.75	39.75	0	30000	449.4623656	13354.17063	30000	0	0	30000	19.1875	2004
22.01.2020 09:25:37	1	1	1	1	68.75	39	0	30000	445.1612903	13204.95746	30000	0	0	30000	19.5	2004
22.01.2020 09:25:38	1	1	1	1	68.75	39.5	0	30000	438.7096774	13246.54146	30000	0	0	30000	19.9375	2004
22.01.2020 09:25:39	1	1	1	1	69.25	39.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	19.75	2004
22.01.2020 09:25:40	1	1	1	1	69.25	39.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	19.5	2004
22.01.2020 09:25:41	1	1	1	1	69.25	39.5	0	30000	434.4086022	13160.92735	30000	0	0	30000	19.5625	2004
22.01.2020 09:25:42	1	1	1	1	69.25	39.5	0	30000	423.655914	12773.62542	30000	0	0	30000	19.5625	2004
22.01.2020 09:25:43	1	1	1	1	69.25	39.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	19.6875	2004
22.01.2020 09:25:44	1	1	1	1	69.25	39.5	0	30000	427.9569892	12967.68407	30000	0	0	30000	19.25	2004
22.01.2020 09:25:45	1	1	1	1	69.25	39.25	0	30000	438.7096774	12967.68407	30000	0	0	30000	19.3125	2004
22.01.2020 09:25:46	1	1	1	1	69.25	39.25	0	30000	427.9569892	12818.4709	30000	0	0	30000	19.375	2004
22.01.2020 09:25:47	1	1	1	1	69.25	39.25	0	30000	438.7096774	13160.92735	30000	0	0	30000	19.375	2004
22.01.2020 09:25:48	1	1	1	1	69.25	39.25	0	30000	449.4623656	13354.17063	30000	0	0	30000	20.0625	2004
22.01.2020 09:25:49	1	1	1	1	69.5	40	0	30000	460.2150538	13805.88699	30000	0	0	30000	19.4375	2004
22.01.2020 09:25:50	1	1	1	1	69.5	39.25	0	29905.213	443.0107527	13354.17063	30000	0	0	30000	19.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 09:25:51	1	1	1	1	69.5	39.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	20	2004
22.01.2020 09:25:57	1	1	1	1	69.5	40.5	0	30000	445.1612903	13333.78632	30000	0	0	30000	19.9375	2004
22.01.2020 09:25:57	1	1	1	1	69.5	40.5	0	30000	445.1612903	13333.78632	30000	0	0	30000	19.9375	2004
22.01.2020 09:25:57	1	1	1	1	69.5	40.5	0	30000	445.1612903	13333.78632	30000	0	0	30000	19.9375	2004
22.01.2020 09:25:57	1	1	1	1	69.5	40.5	0	30000	445.1612903	13333.78632	30000	0	0	30000	19.9375	2004
22.01.2020 09:25:57	1	1	1	1	69.5	40.5	0	30000	445.1612903	13333.78632	30000	0	0	30000	19.9375	2004
22.01.2020 09:25:58	1	1	1	1	69.5	39.75	0	29952.607	440.8602151	13225.34178	30000	0	0	30000	19.6875	2004
22.01.2020 09:25:59	1	1	1	1	69.5	39.5	0	30000	453.7634409	13612.64371	30000	0	0	30000	21.25	2004
22.01.2020 09:26:00	1	1	1	1	71.25	39.5	0	30000	445.1612903	13612.64371	30000	0	0	30000	19.875	2004
22.01.2020 09:26:01	1	1	1	1	71.25	39.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	20	2004
22.01.2020 09:26:02	1	1	1	1	71.25	40	0	30000	464.516129	13935.53122	30000	0	0	30000	19.5625	2004
22.01.2020 09:26:03	1	1	1	1	71.25	39.5	0	29952.607	445.1612903	13354.17063	30000	0	0	30000	19.8125	2004
22.01.2020 09:26:04	1	1	1	1	71.25	39.75	0	30000	451.6129032	13483.81486	30000	0	0	30000	19.8125	2004
22.01.2020 09:26:05	1	1	1	1	71.25	39.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	20.5625	2004
22.01.2020 09:26:06	1	1	1	1	71.25	40.5	0	30000	453.7634409	13677.05814	30000	0	0	30000	19.6875	2004
22.01.2020 09:26:07	1	1	1	1	71.25	39.5	0	29952.607	464.516129	13913.51616	30000	0	0	30000	19.6875	2004
22.01.2020 09:26:08	1	1	1	1	71.25	39.5	0	30000	464.516129	13999.94564	30000	0	0	30000	20.1875	2004
22.01.2020 09:26:09	1	1	1	1	71.75	40	0	30000	470.9677419	14128.7745	30000	0	0	30000	20.5	2004
22.01.2020 09:26:12	1	1	1	1	71.75	40	0	30047.393	481.7204301	14451.662	30000	0	0	30000	21.0625	2004
22.01.2020 09:26:12	1	1	1	1	71.75	40	0	30047.393	481.7204301	14451.662	30000	0	0	30000	21.0625	2004
22.01.2020 09:26:12	1	1	1	1	71.75	41	0	30000	470.9677419	14128.7745	30000	0	0	30000	19.5	2004
22.01.2020 09:26:13	1	1	1	1	71.75	39.5	0	30000	468.8172043	14128.7745	30000	0	0	30000	19.75	2004
22.01.2020 09:26:14	1	1	1	1	71.75	39.75	0	30000	483.8709677	14516.07643	30000	0	0	30000	19.875	2004
22.01.2020 09:26:15	1	1	1	1	71.75	39.75	0	30000	468.8172043	14128.7745	30000	0	0	30000	20	2004
22.01.2020 09:26:16	1	1	1	1	71.75	40	0	30000	492.4731183	14773.73413	30000	0	0	30000	19.5	2004
22.01.2020 09:26:17	1	1	1	1	71.75	39.5	0	30000	466.6666667	13999.94564	30000	0	0	30000	20.4375	2004
22.01.2020 09:26:18	1	1	1	1	71.75	40.25	0	30000	481.7204301	14451.662	30000	0	0	30000	20.125	2004
22.01.2020 09:26:19	1	1	1	1	71.75	40	0	29952.607	481.7204301	14451.662	30000	0	0	30000	19.4375	2004
22.01.2020 09:26:20	1	1	1	1	71.75	39.25	0	30000	470.9677419	14451.662	30000	0	0	30000	20.5625	2004
22.01.2020 09:26:21	1	1	1	1	71.75	40.5	0	30047.393	481.7204301	14451.662	30000	0	0	30000	19.75	2004
22.01.2020 09:26:22	1	1	1	1	71.75	39.75	0	30000	464.516129	13935.53122	30000	0	0	30000	19.8125	2004
22.01.2020 09:26:23	1	1	1	1	71.75	39.75	0	30000	466.6666667	13935.53122	30000	0	0	30000	20.625	2004
22.01.2020 09:26:24	1	1	1	1	71.75	40.5	0	30000	481.7204301	14451.662	30000	0	0	30000	20.5	2004
22.01.2020 09:26:25	1	1	1	1	71.75	40.5	0	29952.607	468.8172043	14064.36007	30000	0	0	30000	19.9375	2004
22.01.2020 09:26:26	1	1	1	1	71.75	39.75	0	30000	455.9139785	13612.64371	30000	0	0	30000	20.125	2004
22.01.2020 09:26:27	1	1	1	1	71.75	40	0	30000	464.516129	13935.53122	30000	0	0	30000	19.875	2004
22.01.2020 09:26:28	1	1	1	1	71.75	39.75	0	29952.607	460.2150538	13935.53122	30000	0	0	30000	20.375	2004
22.01.2020 09:26:29	1	1	1	1	72	40.25	0	30000	443.0107527	13289.7562	30000	0	0	30000	19.625	2004
22.01.2020 09:26:30	1	1	1	1	72	39.5	0	29905.213	445.1612903	13312.58663	30000	0	0	30000	19.4375	2004
22.01.2020 09:26:31	1	1	1	1	72	39.25	0	29905.213	466.6666667	14106.75944	30000	0	0	30000	20.0625	2004
22.01.2020 09:26:32	1	1	1	1	72	40	0	30000	453.7634409	13612.64371	30000	0	0	30000	19.875	2004
22.01.2020 09:26:33	1	1	1	1	72	39.75	0	30000	464.516129	13935.53122	30000	0	0	30000	20.3125	2004
22.01.2020 09:26:34	1	1	1	1	72	40.25	0	30000	427.9569892	12967.68407	30000	0	0	30000	19.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 09:26:35	1	1	1	1	72	39.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	20.3125	2004
22.01.2020 09:26:37	1	1	1	1	72	40.25	0	30000	466.6666667	13935.53122	30000	0	0	30000	20.4375	2004
22.01.2020 09:26:38	1	1	1	1	72	40.5	0	30000	464.516129	13935.53122	30000	0	0	30000	19.9375	2004
22.01.2020 09:26:39	1	1	1	1	73	39.75	0	30000	453.7634409	13935.53122	30000	0	0	30000	20.5	2004
22.01.2020 09:26:40	1	1	1	1	73	40.5	0	30000	466.6666667	13999.94564	30000	0	0	30000	20.5	2004
22.01.2020 09:26:41	1	1	1	1	73	40.5	0	30000	460.2150538	13805.88699	30000	0	0	30000	20	2004
22.01.2020 09:26:42	1	1	1	1	73	40	0	29905.213	453.7634409	13612.64371	30000	0	0	30000	20.0625	2004
22.01.2020 09:26:43	1	1	1	1	73	40	0	30000	445.1612903	13354.17063	30000	0	0	30000	20.375	2004
22.01.2020 09:26:44	1	1	1	1	73	40.25	0	30000	460.2150538	13741.47256	30000	0	0	30000	20	2004
22.01.2020 09:26:45	1	1	1	1	73	40	0	29952.607	453.7634409	13677.05814	30000	0	0	30000	19.6875	2004
22.01.2020 09:26:46	1	1	1	1	73	39.5	0	30000	455.9139785	13741.47256	30000	0	0	30000	20.625	2004
22.01.2020 09:26:47	1	1	1	1	73	40.5	0	30000	449.4623656	13612.64371	30000	0	0	30000	20.3125	2004
22.01.2020 09:26:48	1	1	1	1	73	40.25	0	30000	455.9139785	13612.64371	30000	0	0	30000	20.1875	2004
22.01.2020 09:26:49	1	1	1	1	72.25	40	0	30000	464.516129	13935.53122	30000	0	0	30000	20.3125	2004
22.01.2020 09:26:50	1	1	1	1	72.25	40.25	0	30000	440.8602151	13225.34178	30000	0	0	30000	19.75	2004
22.01.2020 09:26:51	1	1	1	1	72.25	39.75	0	30000	464.516129	13935.53122	30000	0	0	30000	20.0625	2004
22.01.2020 09:26:52	1	1	1	1	72.25	40	0	30000	464.516129	13935.53122	30000	0	0	30000	20.25	2004
22.01.2020 09:26:53	1	1	1	1	72.25	40.25	0	30000	445.1612903	13333.78632	30000	0	0	30000	20.3125	2004
22.01.2020 09:26:59	1	1	1	1	72.25	40	0	30047.393	464.516129	13805.88699	30000	0	0	30000	19.9375	2004
22.01.2020 09:26:59	1	1	1	1	72.25	40	0	30047.393	464.516129	13805.88699	30000	0	0	30000	19.9375	2004
22.01.2020 09:26:59	1	1	1	1	72.25	40	0	30047.393	464.516129	13805.88699	30000	0	0	30000	19.9375	2004
22.01.2020 09:26:59	1	1	1	1	72.25	40	0	30047.393	464.516129	13805.88699	30000	0	0	30000	19.9375	2004
22.01.2020 09:26:59	1	1	1	1	73.25	39.75	0	30000	464.516129	13935.53122	30000	0	0	30000	21.0625	2004
22.01.2020 09:27:00	1	1	1	1	73.25	41	0	30000	470.9677419	14451.662	30000	0	0	30000	19.5	2004
22.01.2020 09:27:01	1	1	1	1	73.25	39.5	0	30000	453.7634409	13612.64371	30000	0	0	30000	20.125	2004
22.01.2020 09:27:02	1	1	1	1	73.25	40	0	30000	466.6666667	14128.7745	30000	0	0	30000	20.75	2004
22.01.2020 09:27:03	1	1	1	1	73.25	40.75	0	30000	458.0645161	13741.47256	30000	0	0	30000	19.9375	2004
22.01.2020 09:27:04	1	1	1	1	73.25	39.75	0	30000	451.6129032	13483.81486	30000	0	0	30000	21.125	2004
22.01.2020 09:27:05	1	1	1	1	73.25	41	0	30000	481.7204301	14128.7745	30000	0	0	30000	20.1875	2004
22.01.2020 09:27:06	1	1	1	1	73.25	40	0	30000	443.0107527	13289.7562	30000	0	0	30000	20.125	2004
22.01.2020 09:27:07	1	1	1	1	73.25	40	0	30000	451.6129032	13483.81486	30000	0	0	30000	20.625	2004
22.01.2020 09:27:08	1	1	1	1	73.25	40.5	0	30000	453.7634409	13612.64371	30000	0	0	30000	20.75	2004
22.01.2020 09:27:09	1	1	1	1	75.5	40.75	0	30000	481.7204301	14451.662	30000	0	0	30000	20.5625	2004
22.01.2020 09:27:10	1	1	1	1	75.5	40.5	0	30000	470.9677419	14451.662	30000	0	0	30000	20.75	2004
22.01.2020 09:27:11	1	1	1	1	75.5	40.75	0	30000	481.7204301	14451.662	30000	0	0	30000	20.6875	2004
22.01.2020 09:27:12	1	1	1	1	75.5	40.5	0	30000	470.9677419	14128.7745	30000	0	0	30000	20.8125	2004
22.01.2020 09:27:14	1	1	1	1	75.5	40.75	0	30000	481.7204301	14451.662	30000	0	0	30000	19.625	2004
22.01.2020 09:27:15	1	1	1	1	75.5	39.5	0	30000	453.7634409	13612.64371	30000	0	0	30000	21.625	2004
22.01.2020 09:27:16	1	1	1	1	75.5	41.5	0	30000	464.516129	13935.53122	30000	0	0	30000	19.75	2004
22.01.2020 09:27:17	1	1	1	1	75.5	40	0	30000	458.0645161	13741.47256	30000	0	0	30000	19.9375	2004
22.01.2020 09:27:18	1	1	1	1	75.5	39.75	0	30000	468.8172043	14128.7745	30000	0	0	30000	20.625	2004
22.01.2020 09:27:19	1	1	1	1	76.25	40.5	0	29952.607	466.6666667	14128.7745	30000	0	0	30000	20.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 09:27:20	1	1	1	1	76.25	40	0	29905.213	481.7204301	14451.662	30000	0	0	30000	20.5	2004
22.01.2020 09:27:21	1	1	1	1	76.25	40.5	0	30000	464.516129	13935.53122	30000	0	0	30000	19.75	2004
22.01.2020 09:27:22	1	1	1	1	76.25	39.75	0	30000	451.6129032	13483.81486	30000	0	0	30000	20.8125	2004
22.01.2020 09:27:23	1	1	1	1	76.25	40.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	20.5625	2004
22.01.2020 09:27:24	1	1	1	1	76.25	40.5	0	29952.607	434.4086022	13225.34178	30000	0	0	30000	20.4375	2004
22.01.2020 09:27:25	1	1	1	1	76.25	40.25	0	30000	436.5591398	13160.92735	30000	0	0	30000	20.1875	2004
22.01.2020 09:27:26	1	1	1	1	76.25	40	0	30000	443.0107527	13225.34178	30000	0	0	30000	20.5	2004
22.01.2020 09:27:27	1	1	1	1	76.25	40.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	19.875	2004
22.01.2020 09:27:28	1	1	1	1	76.25	39.75	0	30000	440.8602151	13160.92735	30000	0	0	30000	19.9375	2004
22.01.2020 09:27:29	1	1	1	1	76	39.75	0	30000	434.4086022	12967.68407	30000	0	0	30000	20.1875	2004
22.01.2020 09:27:30	1	1	1	1	76	40	0	29952.607	445.1612903	13720.27288	30000	0	0	30000	20.3125	2004
22.01.2020 09:27:31	1	1	1	1	76	40.25	0	30000	455.9139785	13612.64371	30000	0	0	30000	20	2004
22.01.2020 09:27:32	1	1	1	1	76	40	0	29952.607	464.516129	13935.53122	30000	0	0	30000	20.1875	2004
22.01.2020 09:27:33	1	1	1	1	76	40	0	30000	460.2150538	13870.30142	30000	0	0	30000	20.9375	2004
22.01.2020 09:27:34	1	1	1	1	76	40.75	0	30000	458.0645161	13677.05814	30000	0	0	30000	20.5	2004
22.01.2020 09:27:35	1	1	1	1	76	40.5	0	30000	443.0107527	13119.34335	30000	0	0	30000	20.9375	2004
22.01.2020 09:27:36	1	1	1	1	76	40.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	20.4375	2004
22.01.2020 09:27:37	1	1	1	1	76	40.25	0	30000	453.7634409	13612.64371	30000	0	0	30000	20.6875	2004
22.01.2020 09:27:38	1	1	1	1	76	40.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	20	2004
22.01.2020 09:27:39	1	1	1	1	76	40	0	30000	481.7204301	14451.662	30000	0	0	30000	20.125	2004
22.01.2020 09:27:40	1	1	1	1	76	40	0	30000	490.3225806	14709.31971	30000	0	0	30000	20.75	2004
22.01.2020 09:27:41	1	1	1	1	76	40.75	0	29952.607	445.1612903	13483.81486	30000	0	0	30000	20.4375	2004
22.01.2020 09:27:42	1	1	1	1	76	40.25	0	30000	481.7204301	14451.662	30000	0	0	30000	20.25	2004
22.01.2020 09:27:43	1	1	1	1	76	40.25	0	30000	468.8172043	14451.662	30000	0	0	30000	20.375	2004
22.01.2020 09:27:44	1	1	1	1	76	40.25	0	30000	455.9139785	13612.64371	30000	0	0	30000	20.5	2004
22.01.2020 09:27:45	1	1	1	1	76	40.5	0	30000	451.6129032	13612.64371	30000	0	0	30000	21.5625	2004
22.01.2020 09:27:46	1	1	1	1	76	41.5	0	29952.607	451.6129032	13483.81486	30000	0	0	30000	21.375	2004
22.01.2020 09:27:47	1	1	1	1	76	41.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	21.5625	2004
22.01.2020 09:27:48	1	1	1	1	76	41.5	0	29905.213	445.1612903	13612.64371	30000	0	0	30000	21.0625	2004
22.01.2020 09:27:49	1	1	1	1	76.25	41	0	30000	445.1612903	13354.17063	30000	0	0	30000	20.6875	2004
22.01.2020 09:27:50	1	1	1	1	76.25	40.5	0	30000	473.1182796	13977.93058	30000	0	0	30000	20.5	2004
22.01.2020 09:27:52	1	1	1	1	76.25	40.5	0	30000	464.516129	13999.94564	30000	0	0	30000	21.8125	2004
22.01.2020 09:27:53	1	1	1	1	76.25	41.75	0	30000	464.516129	13935.53122	30000	0	0	30000	22.4375	2004
22.01.2020 09:27:54	1	1	1	1	76.25	40.25	0	30000	455.9139785	13677.05814	30000	0	0	30000	20.75	2004
22.01.2020 09:27:55	1	1	1	1	76.25	40.75	0	30000	464.516129	13935.53122	30000	0	0	30000	20.75	2004
22.01.2020 09:28:01	1	1	1	1	76.5	40.5	0	30000	449.4623656	13612.64371	30000	0	0	30000	20.375	2004
22.01.2020 09:28:01	1	1	1	1	76.5	40.5	0	30000	449.4623656	13612.64371	30000	0	0	30000	20.375	2004
22.01.2020 09:28:01	1	1	1	1	76.5	40.5	0	30000	449.4623656	13612.64371	30000	0	0	30000	20.375	2004
22.01.2020 09:28:01	1	1	1	1	76.5	40.5	0	30000	449.4623656	13612.64371	30000	0	0	30000	20.375	2004
22.01.2020 09:28:01	1	1	1	1	76.5	40.5	0	30000	449.4623656	13612.64371	30000	0	0	30000	20.375	2004
22.01.2020 09:28:01	1	1	1	1	76.5	40.25	0	30000	455.9139785	13741.47256	30000	0	0	30000	21.5	2004
22.01.2020 09:28:02	1	1	1	1	76.5	41.5	0	30000	455.9139785	13677.05814	30000	0	0	30000	20.6875	2004
22.01.2020 09:28:03	1	1	1	1	76.5	40.5	0	30000	451.6129032	13354.17063	30000	0	0	30000	20.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 09:28:04	1	1	1	1	76.5	40.25	0	30000	443.0107527	13354.17063	30000	0	0	30000	21.1875	2004
22.01.2020 09:28:05	1	1	1	1	76.5	41	0	30000	458.0645161	13741.47256	30000	0	0	30000	20.625	2004
22.01.2020 09:28:06	1	1	1	1	76.5	40.5	0	30000	481.7204301	14451.662	30000	0	0	30000	21.625	2004
22.01.2020 09:28:07	1	1	1	1	76.5	41.5	0	30000	458.0645161	13741.47256	30000	0	0	30000	21.3125	2004
22.01.2020 09:28:08	1	1	1	1	76.5	41.25	0	30000	464.516129	13935.53122	30000	0	0	30000	21.3125	2004
22.01.2020 09:28:09	1	1	1	1	76.25	41.25	0	30000	453.7634409	13612.64371	30000	0	0	30000	20.5	2004
22.01.2020 09:28:10	1	1	1	1	76.25	40.5	0	30000	453.7634409	13505.01454	30000	0	0	30000	20.375	2004
22.01.2020 09:28:11	1	1	1	1	76.25	40.25	0	30047.393	464.516129	13935.53122	30000	0	0	30000	20.75	2004
22.01.2020 09:28:12	1	1	1	1	76.25	40.75	0	30000	460.2150538	13935.53122	30000	0	0	30000	20.5	2004
22.01.2020 09:28:13	1	1	1	1	76.25	40.5	0	30000	481.7204301	14451.662	30000	0	0	30000	21.25	2004
22.01.2020 09:28:14	1	1	1	1	76.25	41.25	0	30000	481.7204301	14451.662	30000	0	0	30000	21.5625	2004
22.01.2020 09:28:15	1	1	1	1	76.25	41.5	0	30000	481.7204301	14451.662	30000	0	0	30000	20.1875	2004
22.01.2020 09:28:16	1	1	1	1	76.25	40	0	29952.607	466.6666667	14451.662	30000	0	0	30000	20.6875	2004
22.01.2020 09:28:17	1	1	1	1	76.25	40.5	0	30000	488.172043	14644.90528	30000	0	0	30000	20.375	2004
22.01.2020 09:28:18	1	1	1	1	76.25	40.25	0	30000	488.172043	14644.90528	30000	0	0	30000	20.1875	2004
22.01.2020 09:28:19	1	1	1	1	76.75	40	0	30000	481.7204301	14451.662	30000	0	0	30000	21.625	2004
22.01.2020 09:28:20	1	1	1	1	76.75	41.5	0	30000	481.7204301	14451.662	30000	0	0	30000	20.9375	2004
22.01.2020 09:28:21	1	1	1	1	76.75	40.75	0	30000	492.4731183	14838.14856	30000	0	0	30000	21.4375	2004
22.01.2020 09:28:22	1	1	1	1	76.75	41.25	0	30000	481.7204301	14428.83157	30000	0	0	30000	20.75	2004
22.01.2020 09:28:23	1	1	1	1	76.75	40.75	0	30000	481.7204301	14451.662	30000	0	0	30000	20.75	2004
22.01.2020 09:28:24	1	1	1	1	76.75	40.75	0	30000	488.172043	14644.90528	30000	0	0	30000	21.125	2004
22.01.2020 09:28:25	1	1	1	1	76.75	41	0	30000	501.0752688	15225.45049	30000	0	0	30000	20.9375	2004
22.01.2020 09:28:26	1	1	1	1	76.75	40.75	0	30000	503.2258065	14902.56299	30000	0	0	30000	20.5625	2004
22.01.2020 09:28:27	1	1	1	1	76.75	40.5	0	30000	503.2258065	15161.03607	30000	0	0	30000	20.8125	2004
22.01.2020 09:28:28	1	1	1	1	76.75	40.75	0	30000	490.3225806	14644.90528	30000	0	0	30000	20.8125	2004
22.01.2020 09:28:30	1	1	1	1	78	40.75	0	30000	507.5268817	15161.03607	30000	0	0	30000	20.9375	2004
22.01.2020 09:28:31	1	1	1	1	78	40.75	0	30000	464.516129	13935.53122	30000	0	0	30000	21.5	2004
22.01.2020 09:28:32	1	1	1	1	78	41.5	0	30047.393	488.172043	14580.49085	30000	0	0	30000	21.75	2004
22.01.2020 09:28:33	1	1	1	1	78	40.25	0	29952.607	481.7204301	14451.662	30000	0	0	30000	20.8125	2004
22.01.2020 09:28:34	1	1	1	1	78	40.75	0	30047.393	498.9247312	14838.14856	30000	0	0	30000	20.5	2004
22.01.2020 09:28:35	1	1	1	1	78	40.5	0	30000	498.9247312	15032.20721	30000	0	0	30000	20.75	2004
22.01.2020 09:28:36	1	1	1	1	78	40.75	0	30000	494.6236559	14773.73413	30000	0	0	30000	21	2004
22.01.2020 09:28:37	1	1	1	1	78	41	0	29952.607	481.7204301	14451.662	30000	0	0	30000	21.0625	2004
22.01.2020 09:28:38	1	1	1	1	78	41	0	29952.607	481.7204301	14644.90528	30000	0	0	30000	20.1875	2004
22.01.2020 09:28:39	1	1	1	1	78.25	40	0	30000	481.7204301	14451.662	30000	0	0	30000	20.4375	2004
22.01.2020 09:28:40	1	1	1	1	78.25	40.25	0	29952.607	481.7204301	14451.662	30000	0	0	30000	20.0625	2004
22.01.2020 09:28:41	1	1	1	1	78.25	40	0	29952.607	481.7204301	14451.662	30000	0	0	30000	20.5	2004
22.01.2020 09:28:42	1	1	1	1	78.25	40.5	0	30000	481.7204301	14451.662	30000	0	0	30000	20.4375	2004
22.01.2020 09:28:43	1	1	1	1	78.25	40.25	0	30000	481.7204301	14451.662	30000	0	0	30000	20.375	2004
22.01.2020 09:28:44	1	1	1	1	78.25	40.25	0	30000	464.516129	13999.94564	30000	0	0	30000	21.0625	2004
22.01.2020 09:28:45	1	1	1	1	78.25	41	0	30000	481.7204301	14451.662	30000	0	0	30000	20.3125	2004
22.01.2020 09:28:46	1	1	1	1	78.25	40.25	0	29952.607	466.6666667	13999.94564	30000	0	0	30000	21.0625	2004
22.01.2020 09:28:47	1	1	1	1	78.25	41	0	30000	481.7204301	14451.662	30000	0	0	30000	21.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 09:28:48	1	1	1	1	78.25	41.25	0	30000	481.7204301	14451.662	30000	0	0	30000	20.375	2004
22.01.2020 09:28:49	1	1	1	1	78.75	40.25	0	30000	458.0645161	13741.47256	30000	0	0	30000	21.25	2004
22.01.2020 09:28:50	1	1	1	1	78.75	41.25	0	30000	464.516129	13935.53122	30000	0	0	30000	20.5	2004
22.01.2020 09:28:51	1	1	1	1	78.75	40.5	0	30000	481.7204301	14451.662	30000	0	0	30000	19.875	2004
22.01.2020 09:28:52	1	1	1	1	78.75	39.75	0	30000	466.6666667	13999.94564	30000	0	0	30000	20.5	2004
22.01.2020 09:28:53	1	1	1	1	78.75	40.5	0	30000	481.7204301	14451.662	30000	0	0	30000	20.4375	2004
22.01.2020 09:28:54	1	1	1	1	78.75	40.25	0	30000	466.6666667	13999.94564	30000	0	0	30000	20.875	2004
22.01.2020 09:28:55	1	1	1	1	78.75	40.75	0	30000	453.7634409	13354.17063	30000	0	0	30000	20.8125	2004
22.01.2020 09:28:56	1	1	1	1	78.75	40.75	0	30000	468.8172043	13999.94564	30000	0	0	30000	20.5625	2004
22.01.2020 09:29:02	1	1	1	1	79.25	41.25	0	30000	466.6666667	13999.94564	30000	0	0	30000	20.8125	2004
22.01.2020 09:29:02	1	1	1	1	79.25	41.25	0	30000	466.6666667	13999.94564	30000	0	0	30000	20.8125	2004
22.01.2020 09:29:02	1	1	1	1	79.25	41.25	0	30000	466.6666667	13999.94564	30000	0	0	30000	20.8125	2004
22.01.2020 09:29:02	1	1	1	1	79.25	41.25	0	30000	466.6666667	13999.94564	30000	0	0	30000	20.8125	2004
22.01.2020 09:29:02	1	1	1	1	79.25	40.75	0	30000	481.7204301	14451.662	30000	0	0	30000	21	2004
22.01.2020 09:29:03	1	1	1	1	79.25	41	0	30000	468.8172043	13999.94564	30000	0	0	30000	20.4375	2004
22.01.2020 09:29:04	1	1	1	1	79.25	40.25	0	30000	481.7204301	14451.662	30000	0	0	30000	20.5	2004
22.01.2020 09:29:05	1	1	1	1	79.25	40.5	0	30000	481.7204301	14451.662	30000	0	0	30000	20.5625	2004
22.01.2020 09:29:06	1	1	1	1	79.25	40.5	0	30000	481.7204301	14451.662	30000	0	0	30000	20.875	2004
22.01.2020 09:29:08	1	1	1	1	79.25	40.75	0	30000	483.8709677	14516.07643	30000	0	0	30000	22.875	2004
22.01.2020 09:29:09	1	1	1	1	79.25	42.75	0	30000	483.8709677	14516.07643	30000	0	0	30000	21.625	2004
22.01.2020 09:29:10	1	1	1	1	80	41.5	0	30000	481.7204301	14193.18892	30000	0	0	30000	21.0625	2004
22.01.2020 09:29:11	1	1	1	1	80	41	0	30000	490.3225806	14644.90528	30000	0	0	30000	22.5	2004
22.01.2020 09:29:12	1	1	1	1	80	42.5	0	30047.393	481.7204301	14451.662	30000	0	0	30000	21.0625	2004
22.01.2020 09:29:13	1	1	1	1	80	41.25	0	30000	481.7204301	14451.662	30000	0	0	30000	20.5	2004
22.01.2020 09:29:14	1	1	1	1	80	40.5	0	30000	481.7204301	14451.662	30000	0	0	30000	21	2004
22.01.2020 09:29:15	1	1	1	1	80	41	0	30000	481.7204301	14451.662	30000	0	0	30000	21	2004
22.01.2020 09:29:16	1	1	1	1	80	41	0	29905.213	481.7204301	14406.00114	30000	0	0	30000	21.8125	2004
22.01.2020 09:29:17	1	1	1	1	80	41.75	0	30000	481.7204301	14451.662	30000	0	0	30000	20.75	2004
22.01.2020 09:29:18	1	1	1	1	80	40.75	0	30000	481.7204301	14451.662	30000	0	0	30000	21.0625	2004
22.01.2020 09:29:19	1	1	1	1	80.75	41	0	29952.607	481.7204301	14451.662	30000	0	0	30000	20.875	2004
22.01.2020 09:29:20	1	1	1	1	80.75	40.75	0	29905.213	481.7204301	14773.73413	30000	0	0	30000	21.1875	2004
22.01.2020 09:29:21	1	1	1	1	80.75	41	0	30000	481.7204301	14451.662	30000	0	0	30000	21.0625	2004
22.01.2020 09:29:22	1	1	1	1	80.75	41	0	30000	481.7204301	14451.662	30000	0	0	30000	20.5	2004
22.01.2020 09:29:23	1	1	1	1	80.75	40.5	0	30000	481.7204301	14428.83157	30000	0	0	30000	20.875	2004
22.01.2020 09:29:24	1	1	1	1	80.75	40.75	0	30000	460.2150538	13741.47256	30000	0	0	30000	20.75	2004
22.01.2020 09:29:25	1	1	1	1	80.75	40.75	0	30000	481.7204301	14451.662	30000	0	0	30000	20.875	2004
22.01.2020 09:29:26	1	1	1	1	80.75	40.75	0	29952.607	483.8709677	14516.07643	30000	0	0	30000	20.6875	2004
22.01.2020 09:29:27	1	1	1	1	80.75	40.5	0	30000	481.7204301	14451.662	30000	0	0	30000	22	2004
22.01.2020 09:29:28	1	1	1	1	80.75	42	0	29952.607	488.172043	14644.90528	30000	0	0	30000	20.8125	2004
22.01.2020 09:29:29	1	1	1	1	81.5	40.75	0	30000	483.8709677	14644.90528	30000	0	0	30000	20.875	2004
22.01.2020 09:29:30	1	1	1	1	81.5	40.75	0	30000	481.7204301	14451.662	30000	0	0	30000	21.25	2004
22.01.2020 09:29:31	1	1	1	1	81.5	41.25	0	30000	481.7204301	14451.662	30000	0	0	30000	21.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 09:29:32	1	1	1	1	81.5	41	0	30000	481.7204301	14516.07643	30000	0	0	30000	21.125	2004
22.01.2020 09:29:33	1	1	1	1	81.5	41	0	29905.213	490.3225806	14773.73413	30000	0	0	30000	20.375	2004
22.01.2020 09:29:34	1	1	1	1	81.5	40.25	0	30000	490.3225806	14773.73413	30000	0	0	30000	20.875	2004
22.01.2020 09:29:35	1	1	1	1	81.5	40.75	0	30000	481.7204301	14451.662	30000	0	0	30000	21.25	2004
22.01.2020 09:29:36	1	1	1	1	81.5	41.25	0	30000	488.172043	14644.90528	30000	0	0	30000	21.4375	2004
22.01.2020 09:29:37	1	1	1	1	81.5	41.25	0	30000	481.7204301	14451.662	30000	0	0	30000	21.75	2004
22.01.2020 09:29:38	1	1	1	1	81.5	41.75	0	30000	481.7204301	14516.07643	30000	0	0	30000	21.25	2004
22.01.2020 09:29:39	1	1	1	1	83.25	41.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	21.0625	2004
22.01.2020 09:29:40	1	1	1	1	83.25	41	0	29905.213	481.7204301	14451.662	30000	0	0	30000	21.0625	2004
22.01.2020 09:29:41	1	1	1	1	83.25	41	0	30000	468.8172043	14064.36007	30000	0	0	30000	21.375	2004
22.01.2020 09:29:42	1	1	1	1	83.25	41.25	0	29952.607	481.7204301	14451.662	30000	0	0	30000	21.8125	2004
22.01.2020 09:29:43	1	1	1	1	83.25	41.75	0	30000	486.0215054	14580.49085	30000	0	0	30000	21.5	2004
22.01.2020 09:29:44	1	1	1	1	83.25	41.5	0	30000	488.172043	14644.90528	30000	0	0	30000	20.5	2004
22.01.2020 09:29:46	1	1	1	1	83.25	40.5	0	29952.607	468.8172043	14128.7745	30000	0	0	30000	21	2004
22.01.2020 09:29:47	1	1	1	1	83.25	41	0	30000	481.7204301	14451.662	30000	0	0	30000	22.75	2004
22.01.2020 09:29:48	1	1	1	1	83.25	42.75	0	29952.607	486.0215054	14644.90528	30000	0	0	30000	21.75	2004
22.01.2020 09:29:49	1	1	1	1	83.25	41.75	0	30000	481.7204301	14451.662	30000	0	0	30000	21.75	2004
22.01.2020 09:29:50	1	1	1	1	84.5	41.75	0	29952.607	481.7204301	14451.662	30000	0	0	30000	21.6875	2004
22.01.2020 09:29:51	1	1	1	1	84.5	40.75	0	29905.213	470.9677419	14451.662	30000	0	0	30000	21.375	2004
22.01.2020 09:29:52	1	1	1	1	84.5	41.25	0	30000	481.7204301	14451.662	30000	0	0	30000	20.9375	2004
22.01.2020 09:29:53	1	1	1	1	84.5	40.75	0	29905.213	490.3225806	14773.73413	30000	0	0	30000	21.625	2004
22.01.2020 09:29:54	1	1	1	1	84.5	41.5	0	30047.393	481.7204301	14451.662	30000	0	0	30000	20.8125	2004
22.01.2020 09:29:55	1	1	1	1	84.5	40.75	0	30000	481.7204301	14451.662	30000	0	0	30000	20.6875	2004
22.01.2020 09:29:56	1	1	1	1	84.5	40.5	0	30000	481.7204301	14451.662	30000	0	0	30000	22	2004
22.01.2020 09:29:57	1	1	1	1	84.5	42	0	30000	481.7204301	14451.662	30000	0	0	30000	21.5	2004
22.01.2020 09:29:58	1	1	1	1	84.5	41.5	0	30000	481.7204301	14451.662	30000	0	0	30000	21.1875	2004
22.01.2020 09:30:04	1	1	1	1	85.5	41.75	0	30000	490.3225806	14644.90528	30000	0	0	30000	21.6875	2004
22.01.2020 09:30:04	1	1	1	1	85.5	41.75	0	30000	490.3225806	14644.90528	30000	0	0	30000	21.6875	2004
22.01.2020 09:30:04	1	1	1	1	85.5	41.75	0	30000	490.3225806	14644.90528	30000	0	0	30000	21.6875	2004
22.01.2020 09:30:04	1	1	1	1	85.5	41.75	0	30000	490.3225806	14644.90528	30000	0	0	30000	21.6875	2004
22.01.2020 09:30:04	1	1	1	1	85.5	41.75	0	30000	490.3225806	14644.90528	30000	0	0	30000	21.6875	2004
22.01.2020 09:30:04	1	1	1	1	85.5	41.75	0	30000	490.3225806	14644.90528	30000	0	0	30000	21.6875	2004
22.01.2020 09:30:05	1	1	1	1	85.5	41.5	0	30000	498.9247312	15055.85302	30000	0	0	30000	21.125	2004
22.01.2020 09:30:06	1	1	1	1	85.5	41	0	30000	509.6774194	15354.27935	30000	0	0	30000	21.375	2004
22.01.2020 09:30:07	1	1	1	1	85.5	41.25	0	30000	501.0752688	15032.20721	30000	0	0	30000	21.375	2004
22.01.2020 09:30:08	1	1	1	1	85.5	41.25	0	30000	501.0752688	15096.62164	30000	0	0	30000	22.0625	2004
22.01.2020 09:30:09	1	1	1	1	85	42	0	29952.607	483.8709677	14773.73413	30000	0	0	30000	21	2004
22.01.2020 09:30:10	1	1	1	1	85	41	0	30000	509.6774194	15289.86492	30000	0	0	30000	21.75	2004
22.01.2020 09:30:11	1	1	1	1	85	41.75	0	30000	503.2258065	15161.03607	30000	0	0	30000	20.8125	2004
22.01.2020 09:30:12	1	1	1	1	85	40.75	0	30000	501.0752688	15032.20721	30000	0	0	30000	21.8125	2004
22.01.2020 09:30:13	1	1	1	1	85	41.75	0	30000	505.3763441	15096.62164	30000	0	0	30000	22.5	2004
22.01.2020 09:30:14	1	1	1	1	85	42.5	0	30000	511.827957	15483.92357	30000	0	0	30000	21.625	2004
22.01.2020 09:30:15	1	1	1	1	85	41.5	0	30047.393	518.2795699	15548.338	30000	0	0	30000	21	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 09:30:16	1	1	1	1	85	41	0	29905.213	507.5268817	15177.34352	30000	0	0	30000	21.1875	2004
22.01.2020 09:30:17	1	1	1	1	85	41	0	30000	518.2795699	15483.92357	30000	0	0	30000	20.8125	2004
22.01.2020 09:30:18	1	1	1	1	85	40.75	0	30000	526.8817204	15756.25798	30000	0	0	30000	20.9375	2004
22.01.2020 09:30:19	1	1	1	1	86.5	40.75	0	30000	518.2795699	15548.338	30000	0	0	30000	20.9375	2004
22.01.2020 09:30:20	1	1	1	1	86.5	40.75	0	30000	507.5268817	15225.45049	30000	0	0	30000	21.0625	2004
22.01.2020 09:30:21	1	1	1	1	86.5	41	0	29952.607	507.5268817	15289.86492	30000	0	0	30000	21.625	2004
22.01.2020 09:30:22	1	1	1	1	86.5	41.5	0	30000	516.1290323	15483.92357	30000	0	0	30000	21	2004
22.01.2020 09:30:23	1	1	1	1	86.5	41	0	30000	507.5268817	15225.45049	30000	0	0	30000	21.375	2004
22.01.2020 09:30:25	1	1	1	1	86.5	41.25	0	29952.607	533.3333333	15934.82456	30000	0	0	30000	21.875	2004
22.01.2020 09:30:26	1	1	1	1	86.5	41.75	0	30000	501.0752688	15032.20721	30000	0	0	30000	23.125	2004
22.01.2020 09:30:27	1	1	1	1	86.5	43	0	30000	511.827957	15354.27935	30000	0	0	30000	21.4375	2004
22.01.2020 09:30:28	1	1	1	1	86.5	41.25	0	29952.607	511.827957	15483.92357	30000	0	0	30000	21.625	2004
22.01.2020 09:30:29	1	1	1	1	86.5	41.5	0	29952.607	509.6774194	15289.86492	30000	0	0	30000	21.5	2004
22.01.2020 09:30:30	1	1	1	1	87	40.75	0	30000	526.8817204	15805.99571	30000	0	0	30000	21.1875	2004
22.01.2020 09:30:31	1	1	1	1	87	41	0	30000	524.7311828	15741.58128	30000	0	0	30000	21.75	2004
22.01.2020 09:30:32	1	1	1	1	87	41.75	0	30000	507.5268817	15289.86492	30000	0	0	30000	21.8125	2004
22.01.2020 09:30:33	1	1	1	1	87	41.75	0	30000	507.5268817	15225.45049	30000	0	0	30000	21.0625	2004
22.01.2020 09:30:34	1	1	1	1	87	41	0	30000	522.5806452	15548.338	30000	0	0	30000	21.25	2004
22.01.2020 09:30:35	1	1	1	1	87	41.25	0	29952.607	501.0752688	15096.62164	30000	0	0	30000	21.125	2004
22.01.2020 09:30:36	1	1	1	1	87	41	0	29905.213	507.5268817	15483.92357	30000	0	0	30000	21.625	2004
22.01.2020 09:30:37	1	1	1	1	87	41.5	0	30000	501.0752688	15032.20721	30000	0	0	30000	21.5625	2004
22.01.2020 09:30:38	1	1	1	1	87	41.5	0	30000	507.5268817	15225.45049	30000	0	0	30000	21.0625	2004
22.01.2020 09:30:39	1	1	1	1	87.25	41	0	30000	516.1290323	15112.92909	30000	0	0	30000	21.125	2004
22.01.2020 09:30:40	1	1	1	1	87.25	41	0	29952.607	516.1290323	15435.00122	30000	0	0	30000	20.875	2004
22.01.2020 09:30:41	1	1	1	1	87.25	40.75	0	30000	524.7311828	15805.99571	30000	0	0	30000	21.375	2004
22.01.2020 09:30:42	1	1	1	1	87.25	41.25	0	30000	505.3763441	15161.03607	30000	0	0	30000	21.9375	2004
22.01.2020 09:30:43	1	1	1	1	87.25	41.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	21.75	2004
22.01.2020 09:30:44	1	1	1	1	87.25	41.75	0	30000	516.1290323	15548.338	30000	0	0	30000	21.6875	2004
22.01.2020 09:30:45	1	1	1	1	87.25	41.5	0	30000	516.1290323	15354.27935	30000	0	0	30000	21.9375	2004
22.01.2020 09:30:46	1	1	1	1	87.25	41.75	0	30000	522.5806452	15612.75243	30000	0	0	30000	21.6875	2004
22.01.2020 09:30:47	1	1	1	1	87.25	41.5	0	30000	507.5268817	14984.10024	30000	0	0	30000	21.1875	2004
22.01.2020 09:30:48	1	1	1	1	87.25	41	0	30000	516.1290323	15459.4624	30000	0	0	30000	21.3125	2004
22.01.2020 09:30:49	1	1	1	1	87.75	41.25	0	29952.607	516.1290323	15548.338	30000	0	0	30000	21.375	2004
22.01.2020 09:30:50	1	1	1	1	87.75	41.25	0	30000	509.6774194	15483.92357	30000	0	0	30000	21.1875	2004
22.01.2020 09:30:51	1	1	1	1	87.75	41	0	30000	509.6774194	15161.03607	30000	0	0	30000	22.4375	2004
22.01.2020 09:30:52	1	1	1	1	87.75	42.25	0	30000	501.0752688	15032.20721	30000	0	0	30000	20.5625	2004
22.01.2020 09:30:53	1	1	1	1	87.75	40.5	0	29952.607	505.3763441	15096.62164	30000	0	0	30000	21.1875	2004
22.01.2020 09:30:54	1	1	1	1	87.75	41	0	30000	496.7741935	14902.56299	30000	0	0	30000	21.4375	2004
22.01.2020 09:30:55	1	1	1	1	87.75	41.25	0	30000	498.9247312	15032.20721	30000	0	0	30000	21.3125	2004
22.01.2020 09:30:56	1	1	1	1	87.75	41.25	0	30000	501.0752688	15032.20721	30000	0	0	30000	21.875	2004
22.01.2020 09:30:57	1	1	1	1	87.75	41.75	0	29952.607	503.2258065	15225.45049	30000	0	0	30000	21.6875	2004
22.01.2020 09:30:58	1	1	1	1	87.75	41.5	0	30000	516.1290323	15483.92357	30000	0	0	30000	22.5625	2004
22.01.2020 09:30:59	1	1	1	1	88.25	42.5	0	30000	518.2795699	15548.338	30000	0	0	30000	21.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 09:31:06	1	1	1	1	88.25	42.75	0	30047.393	516.1290323	15289.86492	30000	0	0	30000	22.4375	2004
22.01.2020 09:31:06	1	1	1	1	88.25	42.75	0	30047.393	516.1290323	15289.86492	30000	0	0	30000	22.4375	2004
22.01.2020 09:31:06	1	1	1	1	88.25	42.75	0	30047.393	516.1290323	15289.86492	30000	0	0	30000	22.4375	2004
22.01.2020 09:31:06	1	1	1	1	88.25	42.75	0	30047.393	516.1290323	15289.86492	30000	0	0	30000	22.4375	2004
22.01.2020 09:31:06	1	1	1	1	88.25	42.75	0	30047.393	516.1290323	15289.86492	30000	0	0	30000	22.4375	2004
22.01.2020 09:31:06	1	1	1	1	88.25	42.75	0	30047.393	516.1290323	15289.86492	30000	0	0	30000	22.4375	2004
22.01.2020 09:31:07	1	1	1	1	88.25	42.25	0	30000	507.5268817	15289.86492	30000	0	0	30000	22	2004
22.01.2020 09:31:08	1	1	1	1	88.25	42.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	21.4375	2004
22.01.2020 09:31:09	1	1	1	1	88.75	41.25	0	30000	522.5806452	15677.16685	30000	0	0	30000	21.625	2004
22.01.2020 09:31:10	1	1	1	1	88.75	41.5	0	30000	518.2795699	15483.92357	30000	0	0	30000	21.5	2004
22.01.2020 09:31:11	1	1	1	1	88.75	41.5	0	30000	501.0752688	15032.20721	30000	0	0	30000	21.0625	2004
22.01.2020 09:31:12	1	1	1	1	88.75	41	0	30000	524.7311828	15652.70568	30000	0	0	30000	22.4375	2004
22.01.2020 09:31:13	1	1	1	1	88.75	42.25	0	30000	520.4301075	15548.338	30000	0	0	30000	22.4375	2004
22.01.2020 09:31:14	1	1	1	1	88.75	42.25	0	29905.213	511.827957	15354.27935	30000	0	0	30000	21.375	2004
22.01.2020 09:31:15	1	1	1	1	88.75	41.25	0	30000	518.2795699	15548.338	30000	0	0	30000	21.9375	2004
22.01.2020 09:31:16	1	1	1	1	88.75	41.75	0	30000	516.1290323	15548.338	30000	0	0	30000	21.1875	2004
22.01.2020 09:31:17	1	1	1	1	88.75	41	0	30000	501.0752688	15032.20721	30000	0	0	30000	21.875	2004
22.01.2020 09:31:18	1	1	1	1	88.75	41.75	0	29952.607	533.3333333	16064.46878	30000	0	0	30000	22.3125	2004
22.01.2020 09:31:19	1	1	1	1	89.5	42.25	0	30000	526.8817204	15741.58128	30000	0	0	30000	22	2004
22.01.2020 09:31:20	1	1	1	1	89.5	42	0	30000	531.1827957	16000.05436	30000	0	0	30000	22.0625	2004
22.01.2020 09:31:21	1	1	1	1	89.5	42	0	30000	533.3333333	16000.05436	30000	0	0	30000	21.4375	2004
22.01.2020 09:31:22	1	1	1	1	89.5	41.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	22.375	2004
22.01.2020 09:31:23	1	1	1	1	89.5	42.25	0	30000	522.5806452	15241.75794	30000	0	0	30000	21.375	2004
22.01.2020 09:31:24	1	1	1	1	89.5	41.25	0	30000	507.5268817	15096.62164	30000	0	0	30000	21.5	2004
22.01.2020 09:31:25	1	1	1	1	89.5	41.5	0	30000	496.7741935	14902.56299	30000	0	0	30000	22.125	2004
22.01.2020 09:31:26	1	1	1	1	89.5	42	0	30000	516.1290323	15483.92357	30000	0	0	30000	22.1875	2004
22.01.2020 09:31:27	1	1	1	1	89.5	42	0	30000	516.1290323	15354.27935	30000	0	0	30000	21.5	2004
22.01.2020 09:31:28	1	1	1	1	89.5	41.5	0	30000	516.1290323	15483.92357	30000	0	0	30000	22.0625	2004
22.01.2020 09:31:29	1	1	1	1	89.5	42	0	30000	516.1290323	15241.75794	30000	0	0	30000	21.875	2004
22.01.2020 09:31:30	1	1	1	1	89.5	41.75	0	29952.607	533.3333333	15949.50126	30000	0	0	30000	22.0625	2004
22.01.2020 09:31:31	1	1	1	1	89.5	42	0	30000	531.1827957	16000.05436	30000	0	0	30000	21.25	2004
22.01.2020 09:31:32	1	1	1	1	89.5	41.25	0	29905.213	526.8817204	15934.82456	30000	0	0	30000	21.75	2004
22.01.2020 09:31:33	1	1	1	1	89.5	41.75	0	30000	533.3333333	16000.05436	30000	0	0	30000	22.1875	2004
22.01.2020 09:31:34	1	1	1	1	89.5	42	0	30000	529.0322581	15805.99571	30000	0	0	30000	22.1875	2004
22.01.2020 09:31:35	1	1	1	1	89.5	42	0	30000	526.8817204	15805.99571	30000	0	0	30000	21.875	2004
22.01.2020 09:31:36	1	1	1	1	89.5	41.75	0	29905.213	533.3333333	16039.19224	30000	0	0	30000	21.3125	2004
22.01.2020 09:31:37	1	1	1	1	89.5	41.25	0	29810.427	531.1827957	15987.82377	30000	0	0	30000	22.125	2004
22.01.2020 09:31:38	1	1	1	1	89.5	42	0	29952.607	533.3333333	16013.10032	30000	0	0	30000	22.25	2004
22.01.2020 09:31:39	1	1	1	1	90.25	42.25	0	29952.607	533.3333333	16000.05436	30000	0	0	30000	23.125	2004
22.01.2020 09:31:40	1	1	1	1	90.25	43	0	29952.607	535.483871	16013.10032	30000	0	0	30000	22.4375	2004
22.01.2020 09:31:42	1	1	1	1	90.25	42.25	0	30000	533.3333333	16000.05436	30000	0	0	30000	22.5	2004
22.01.2020 09:31:43	1	1	1	1	90.25	42.5	0	30000	526.8817204	15805.99571	30000	0	0	30000	22.625	2004
22.01.2020 09:31:44	1	1	1	1	90.25	42.5	0	29810.427	535.483871	15528.76906	30000	0	0	30000	22.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 09:31:45	1	1	1	1	90.25	42.75	0	30000	526.8817204	15805.99571	30000	0	0	30000	23.0625	2004
22.01.2020 09:31:46	1	1	1	1	90.25	42	0	30000	526.8817204	15627.42913	30000	0	0	30000	22.4375	2004
22.01.2020 09:31:47	1	1	1	1	90.25	42.25	0	29905.213	535.483871	16064.46878	30000	0	0	30000	22.5	2004
22.01.2020 09:31:48	1	1	1	1	90.25	42.5	0	30000	531.1827957	15934.82456	30000	0	0	30000	22.5625	2004
22.01.2020 09:31:49	1	1	1	1	90.5	42.5	0	29905.213	533.3333333	15974.77781	30000	0	0	30000	21.75	2004
22.01.2020 09:31:50	1	1	1	1	90.5	41.75	0	30000	524.7311828	15870.41013	30000	0	0	30000	21.4375	2004
22.01.2020 09:31:51	1	1	1	1	90.5	41.25	0	30000	526.8817204	15588.29125	30000	0	0	30000	22.125	2004
22.01.2020 09:31:52	1	1	1	1	90.5	42	0	30000	520.4301075	15612.75243	30000	0	0	30000	21.5	2004
22.01.2020 09:31:53	1	1	1	1	90.5	41.5	0	30000	516.1290323	15483.92357	30000	0	0	30000	21.4375	2004
22.01.2020 09:31:54	1	1	1	1	90.5	41.25	0	30000	531.1827957	16000.05436	30000	0	0	30000	21.75	2004
22.01.2020 09:31:55	1	1	1	1	90.5	41.75	0	30000	511.827957	15354.27935	30000	0	0	30000	21.75	2004
22.01.2020 09:31:56	1	1	1	1	90.5	41.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	22.25	2004
22.01.2020 09:31:57	1	1	1	1	90.5	42.25	0	29952.607	507.5268817	15225.45049	30000	0	0	30000	21.8125	2004
22.01.2020 09:31:58	1	1	1	1	90.5	41.75	0	29952.607	505.3763441	15161.03607	30000	0	0	30000	21.6875	2004
22.01.2020 09:31:59	1	1	1	1	88.5	41.5	0	30000	511.827957	15483.92357	30000	0	0	30000	21.6875	2004
22.01.2020 09:32:00	1	1	1	1	88.5	41.5	0	30000	516.1290323	15418.69377	30000	0	0	30000	22.8125	2004
22.01.2020 09:32:01	1	1	1	1	88.5	42.75	0	30000	518.2795699	15548.338	30000	0	0	30000	21.125	2004
22.01.2020 09:32:07	1	1	1	1	88.5	42	0	30000	524.7311828	15652.70568	30000	0	0	30000	22.5	2004
22.01.2020 09:32:07	1	1	1	1	88.5	42	0	30000	524.7311828	15652.70568	30000	0	0	30000	22.5	2004
22.01.2020 09:32:07	1	1	1	1	88.5	42	0	30000	524.7311828	15652.70568	30000	0	0	30000	22.5	2004
22.01.2020 09:32:07	1	1	1	1	88.5	42	0	30000	524.7311828	15652.70568	30000	0	0	30000	22.5	2004
22.01.2020 09:32:07	1	1	1	1	88.5	42.5	0	30000	518.2795699	15548.338	30000	0	0	30000	22.5	2004
22.01.2020 09:32:07	1	1	1	1	88.5	42.5	0	29952.607	520.4301075	15677.16685	30000	0	0	30000	21.375	2004
22.01.2020 09:32:08	1	1	1	1	88.5	42.5	0	29952.607	520.4301075	15677.16685	30000	0	0	30000	21.375	2004
22.01.2020 09:32:09	1	1	1	1	87.5	41.25	0	29952.607	522.5806452	15741.58128	30000	0	0	30000	21.8125	2004
22.01.2020 09:32:10	1	1	1	1	87.5	41.75	0	30000	522.5806452	15677.16685	30000	0	0	30000	22.4375	2004
22.01.2020 09:32:11	1	1	1	1	87.5	42.25	0	30000	518.2795699	15612.75243	30000	0	0	30000	21.375	2004
22.01.2020 09:32:12	1	1	1	1	87.5	41.25	0	29905.213	533.3333333	16064.46878	30000	0	0	30000	23	2004
22.01.2020 09:32:13	1	1	1	1	87.5	43	0	30000	518.2795699	15548.338	30000	0	0	30000	21.8125	2004
22.01.2020 09:32:14	1	1	1	1	87.5	41.75	0	30000	516.1290323	15548.338	30000	0	0	30000	21.875	2004
22.01.2020 09:32:15	1	1	1	1	87.5	41.75	0	30000	507.5268817	15225.45049	30000	0	0	30000	21.75	2004
22.01.2020 09:32:16	1	1	1	1	87.5	41.75	0	30000	516.1290323	15418.69377	30000	0	0	30000	22.4375	2004
22.01.2020 09:32:17	1	1	1	1	87.5	42.25	0	29905.213	511.827957	15483.92357	30000	0	0	30000	22.3125	2004
22.01.2020 09:32:19	1	1	1	1	87.5	42.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	22.5625	2004
22.01.2020 09:32:20	1	1	1	1	88.75	42.5	0	30000	516.1290323	15483.92357	30000	0	0	30000	21.5625	2004
22.01.2020 09:32:21	1	1	1	1	88.75	41.5	0	29952.607	518.2795699	15548.338	30000	0	0	30000	22.4375	2004
22.01.2020 09:32:22	1	1	1	1	88.75	42.25	0	30047.393	511.827957	15354.27935	30000	0	0	30000	23.375	2004
22.01.2020 09:32:23	1	1	1	1	88.75	43.25	0	30000	496.7741935	14902.56299	30000	0	0	30000	22.375	2004
22.01.2020 09:32:24	1	1	1	1	88.75	42.25	0	30000	529.0322581	15781.53453	30000	0	0	30000	22.5625	2004
22.01.2020 09:32:25	1	1	1	1	88.75	41.5	0	30000	509.6774194	15314.32609	30000	0	0	30000	21.875	2004
22.01.2020 09:32:26	1	1	1	1	88.75	41.75	0	30000	520.4301075	15677.16685	30000	0	0	30000	22.0625	2004
22.01.2020 09:32:27	1	1	1	1	88.75	42	0	30047.393	518.2795699	15548.338	30000	0	0	30000	21.75	2004
22.01.2020 09:32:28	1	1	1	1	88.75	41.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	21.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 09:32:29	1	1	1	1	89.5	41.5	0	30000	511.827957	15289.86492	30000	0	0	30000	22.0625	2004
22.01.2020 09:32:30	1	1	1	1	89.5	42	0	30000	522.5806452	15677.16685	30000	0	0	30000	21.5	2004
22.01.2020 09:32:31	1	1	1	1	89.5	41.5	0	30000	520.4301075	15677.16685	30000	0	0	30000	22.1875	2004
22.01.2020 09:32:32	1	1	1	1	89.5	42	0	30000	522.5806452	15677.16685	30000	0	0	30000	21.75	2004
22.01.2020 09:32:33	1	1	1	1	89.5	41.75	0	30000	518.2795699	15498.60028	30000	0	0	30000	21.9375	2004
22.01.2020 09:32:34	1	1	1	1	89.5	41.75	0	30000	529.0322581	15895.68668	30000	0	0	30000	21.5625	2004
22.01.2020 09:32:35	1	1	1	1	89.5	41.5	0	29952.607	522.5806452	15677.16685	30000	0	0	30000	21.5625	2004
22.01.2020 09:32:36	1	1	1	1	89.5	41.5	0	30000	529.0322581	15934.82456	30000	0	0	30000	21.625	2004
22.01.2020 09:32:37	1	1	1	1	89.5	41.5	0	30000	520.4301075	15677.16685	30000	0	0	30000	22.1875	2004
22.01.2020 09:32:38	1	1	1	1	89.5	42	0	30000	524.7311828	15756.25798	30000	0	0	30000	23.1875	2004
22.01.2020 09:32:39	1	1	1	1	90	43	0	29857.82	537.6344086	16077.51474	30000	0	0	30000	22.625	2004
22.01.2020 09:32:40	1	1	1	1	90	42.5	0	30000	533.3333333	16000.05436	30000	0	0	30000	22.375	2004
22.01.2020 09:32:41	1	1	1	1	90	42.25	0	29952.607	529.0322581	16000.05436	30000	0	0	30000	22.6875	2004
22.01.2020 09:32:42	1	1	1	1	90	42.5	0	29905.213	535.483871	16013.10032	30000	0	0	30000	22.125	2004
22.01.2020 09:32:43	1	1	1	1	90	42	0	29952.607	516.1290323	15483.92357	30000	0	0	30000	22.25	2004
22.01.2020 09:32:44	1	1	1	1	90	42.25	0	29905.213	533.3333333	15820.67241	30000	0	0	30000	22.625	2004
22.01.2020 09:32:45	1	1	1	1	90	42.5	0	30000	520.4301075	15612.75243	30000	0	0	30000	22.9375	2004
22.01.2020 09:32:46	1	1	1	1	90	42.75	0	30000	516.1290323	15548.338	30000	0	0	30000	22.5	2004
22.01.2020 09:32:47	1	1	1	1	90	42.5	0	30047.393	524.7311828	15741.58128	30000	0	0	30000	22.9375	2004
22.01.2020 09:32:48	1	1	1	1	90	42.75	0	30000	522.5806452	15677.16685	30000	0	0	30000	21.4375	2004
22.01.2020 09:32:49	1	1	1	1	91	41.25	0	29952.607	535.483871	16064.46878	30000	0	0	30000	23.5625	2004
22.01.2020 09:32:50	1	1	1	1	91	43.5	0	29905.213	535.483871	16013.10032	30000	0	0	30000	22.75	2004
22.01.2020 09:32:51	1	1	1	1	91	42.75	0	29905.213	535.483871	15756.25798	30000	0	0	30000	23.0625	2004
22.01.2020 09:32:52	1	1	1	1	91	43	0	29857.82	533.3333333	16013.10032	30000	0	0	30000	21.9375	2004
22.01.2020 09:32:53	1	1	1	1	91	41.75	0	30000	541.9354839	16013.10032	30000	0	0	30000	23.1875	2004
22.01.2020 09:32:54	1	1	1	1	91	43	0	30000	535.483871	16039.19224	30000	0	0	30000	23.6875	2004
22.01.2020 09:32:55	1	1	1	1	91	43.5	0	29905.213	529.0322581	15949.50126	30000	0	0	30000	22.9375	2004
22.01.2020 09:32:56	1	1	1	1	91	42.75	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	22.9375	2004
22.01.2020 09:32:58	1	1	1	1	91	42.75	0	30000	529.0322581	15870.41013	30000	0	0	30000	22.5625	2004
22.01.2020 09:32:59	1	1	1	1	91	42.5	0	29952.607	518.2795699	15741.58128	30000	0	0	30000	22.1875	2004
22.01.2020 09:33:00	1	1	1	1	91.75	42	0	30000	526.8817204	15805.99571	30000	0	0	30000	22.75	2004
22.01.2020 09:33:01	1	1	1	1	91.75	42.75	0	29952.607	516.1290323	15677.16685	30000	0	0	30000	22.9375	2004
22.01.2020 09:33:02	1	1	1	1	91.75	42.75	0	30000	524.7311828	15805.99571	30000	0	0	30000	21.8125	2004
22.01.2020 09:33:03	1	1	1	1	91.75	41.75	0	29952.607	526.8817204	15805.99571	30000	0	0	30000	23	2004
22.01.2020 09:33:09	1	1	1	1	91.75	42.25	0	30000	524.7311828	15741.58128	30000	0	0	30000	22.3125	2004
22.01.2020 09:33:09	1	1	1	1	91.75	42.25	0	30000	524.7311828	15741.58128	30000	0	0	30000	22.3125	2004
22.01.2020 09:33:09	1	1	1	1	91.75	42.25	0	30000	524.7311828	15741.58128	30000	0	0	30000	22.3125	2004
22.01.2020 09:33:09	1	1	1	1	91.75	42.25	0	30000	524.7311828	15741.58128	30000	0	0	30000	22.3125	2004
22.01.2020 09:33:09	1	1	1	1	91.75	42.25	0	29715.64	535.483871	16026.96165	30000	0	0	30000	22.5	2004
22.01.2020 09:33:10	1	1	1	1	92	42.5	0	29810.427	537.6344086	15962.54722	30000	0	0	30000	22.9375	2004
22.01.2020 09:33:11	1	1	1	1	92	42.75	0	29952.607	535.483871	16039.19224	30000	0	0	30000	21.875	2004
22.01.2020 09:33:12	1	1	1	1	92	41.75	0	29810.427	541.9354839	16154.97513	30000	0	0	30000	21.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 09:33:13	1	1	1	1	92	41.75	0	29810.427	539.7849462	16090.5607	30000	0	0	30000	22.625	2004
22.01.2020 09:33:14	1	1	1	1	92	42.5	0	29763.033	537.6344086	15911.99413	30000	0	0	30000	22.625	2004
22.01.2020 09:33:15	1	1	1	1	92	42.5	0	29668.246	535.483871	16040.00761	30000	0	0	30000	22.5625	2004
22.01.2020 09:33:16	1	1	1	1	92	42.5	0	29668.246	537.6344086	15925.04009	30000	0	0	30000	22.125	2004
22.01.2020 09:33:17	1	1	1	1	92	42	0	29620.853	541.9354839	15988.63914	30000	0	0	30000	22.6875	2004
22.01.2020 09:33:18	1	1	1	1	92	42.5	0	29526.066	541.9354839	15937.27068	30000	0	0	30000	22.3125	2004
22.01.2020 09:33:19	1	1	1	1	92.25	42.25	0	29715.64	537.6344086	15886.71758	30000	0	0	30000	22.6875	2004
22.01.2020 09:33:20	1	1	1	1	92.25	42.5	0	29620.853	535.483871	15861.44103	30000	0	0	30000	22.625	2004
22.01.2020 09:33:21	1	1	1	1	92.25	42.5	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	22	2004
22.01.2020 09:33:22	1	1	1	1	92.25	42	0	29668.246	537.6344086	16040.00761	30000	0	0	30000	22.375	2004
22.01.2020 09:33:23	1	1	1	1	92.25	42.25	0	29715.64	535.483871	16040.00761	30000	0	0	30000	22.625	2004
22.01.2020 09:33:24	1	1	1	1	92.25	42.5	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	22.875	2004
22.01.2020 09:33:25	1	1	1	1	92.25	42.75	0	29620.853	541.9354839	15988.63914	30000	0	0	30000	23.1875	2004
22.01.2020 09:33:26	1	1	1	1	92.25	43	0	29810.427	535.483871	16026.96165	30000	0	0	30000	22.875	2004
22.01.2020 09:33:27	1	1	1	1	92.25	42.75	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	23.0625	2004
22.01.2020 09:33:28	1	1	1	1	92.25	43	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	22.625	2004
22.01.2020 09:33:29	1	1	1	1	93.5	42.5	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	23.3125	2004
22.01.2020 09:33:30	1	1	1	1	93.5	43.25	0	29810.427	539.7849462	16090.5607	30000	0	0	30000	23.5	2004
22.01.2020 09:33:31	1	1	1	1	93.5	43.5	0	29620.853	537.6344086	15925.04009	30000	0	0	30000	22.25	2004
22.01.2020 09:33:32	1	1	1	1	93.5	42.25	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	23.1875	2004
22.01.2020 09:33:33	1	1	1	1	93.5	43	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	22.6875	2004
22.01.2020 09:33:35	1	1	1	1	93.5	42.5	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	23.0625	2004
22.01.2020 09:33:36	1	1	1	1	93.5	43	0	29905.213	541.9354839	16181.06705	30000	0	0	30000	24.1875	2004
22.01.2020 09:33:37	1	1	1	1	93.5	44	0	29715.64	535.483871	15911.99413	30000	0	0	30000	22.9375	2004
22.01.2020 09:33:38	1	1	1	1	93.5	42.75	0	29857.82	535.483871	16013.10032	30000	0	0	30000	22.625	2004
22.01.2020 09:33:39	1	1	1	1	93.5	42.5	0	29526.066	537.6344086	15937.27068	30000	0	0	30000	23.4375	2004
22.01.2020 09:33:40	1	1	1	1	94	43.25	0	29620.853	539.7849462	16103.60666	30000	0	0	30000	23.3125	2004
22.01.2020 09:33:41	1	1	1	1	94	43.25	0	29810.427	539.7849462	16040.00761	30000	0	0	30000	23.5	2004
22.01.2020 09:33:42	1	1	1	1	94	43.5	0	29810.427	535.483871	16026.96165	30000	0	0	30000	22.9375	2004
22.01.2020 09:33:43	1	1	1	1	94	42.75	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	22.875	2004
22.01.2020 09:33:44	1	1	1	1	94	42.75	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	22.125	2004
22.01.2020 09:33:45	1	1	1	1	94	42	0	29620.853	533.3333333	15975.59318	30000	0	0	30000	22.25	2004
22.01.2020 09:33:46	1	1	1	1	94	42.25	0	29857.82	535.483871	15987.82377	30000	0	0	30000	22.9375	2004
22.01.2020 09:33:47	1	1	1	1	94	42.75	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	22.9375	2004
22.01.2020 09:33:48	1	1	1	1	94	42.75	0	29905.213	537.6344086	16141.92917	30000	0	0	30000	22.25	2004
22.01.2020 09:33:49	1	1	1	1	94.5	42.25	0	29810.427	535.483871	15962.54722	30000	0	0	30000	22.8125	2004
22.01.2020 09:33:50	1	1	1	1	94.5	42.75	0	29620.853	535.483871	15925.04009	30000	0	0	30000	22.4375	2004
22.01.2020 09:33:51	1	1	1	1	94.5	42.25	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	22.25	2004
22.01.2020 09:33:52	1	1	1	1	94.5	42.25	0	29905.213	539.7849462	16141.92917	30000	0	0	30000	22.625	2004
22.01.2020 09:33:53	1	1	1	1	94.5	42.5	0	29810.427	537.6344086	16026.96165	30000	0	0	30000	23.3125	2004
22.01.2020 09:33:54	1	1	1	1	94.5	43.25	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	22.1875	2004
22.01.2020 09:33:55	1	1	1	1	94.5	42	0	29810.427	531.1827957	15898.94817	30000	0	0	30000	22.3125	2004
22.01.2020 09:33:56	1	1	1	1	94.5	42.25	0	29810.427	535.483871	15783.98065	30000	0	0	30000	22.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 09:33:57	1	1	1	1	94.5	42.75	0	29668.246	537.6344086	16040.00761	30000	0	0	30000	22.6875	2004
22.01.2020 09:33:58	1	1	1	1	94.5	42.5	0	29810.427	537.6344086	16065.28416	30000	0	0	30000	22.5	2004
22.01.2020 09:33:59	1	1	1	1	94.5	42.5	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	23.25	2004
22.01.2020 09:34:00	1	1	1	1	94.5	43.25	0	29810.427	537.6344086	15975.59318	30000	0	0	30000	22.9375	2004
22.01.2020 09:34:01	1	1	1	1	94.5	42.75	0	29857.82	539.7849462	16141.92917	30000	0	0	30000	23.5625	2004
22.01.2020 09:34:02	1	1	1	1	94.5	43.5	0	29810.427	537.6344086	15975.59318	30000	0	0	30000	22.9375	2004
22.01.2020 09:34:03	1	1	1	1	94.5	42.75	0	29810.427	535.483871	16052.2382	30000	0	0	30000	22.9375	2004
22.01.2020 09:34:04	1	1	1	1	94.5	42.75	0	29526.066	537.6344086	15873.67162	30000	0	0	30000	22.9375	2004
22.01.2020 09:34:10	1	1	1	1	95	43.25	0	29526.066	537.6344086	15873.67162	30000	0	0	30000	23.25	2004
22.01.2020 09:34:10	1	1	1	1	95	43.25	0	29526.066	537.6344086	15873.67162	30000	0	0	30000	23.25	2004
22.01.2020 09:34:10	1	1	1	1	95	43.25	0	29526.066	537.6344086	15873.67162	30000	0	0	30000	23.25	2004
22.01.2020 09:34:10	1	1	1	1	95	43.25	0	29526.066	537.6344086	15873.67162	30000	0	0	30000	23.25	2004
22.01.2020 09:34:10	1	1	1	1	95	43.25	0	29526.066	539.7849462	15937.27068	30000	0	0	30000	22.625	2004
22.01.2020 09:34:11	1	1	1	1	95	42.5	0	29431.28	539.7849462	15949.50126	30000	0	0	30000	22.6875	2004
22.01.2020 09:34:12	1	1	1	1	95	42.5	0	29715.64	537.6344086	16103.60666	30000	0	0	30000	23.375	2004
22.01.2020 09:34:14	1	1	1	1	95	43.25	0	29857.82	535.483871	16013.10032	30000	0	0	30000	22.8125	2004
22.01.2020 09:34:15	1	1	1	1	95	42.75	0	29526.066	539.7849462	15937.27068	30000	0	0	30000	22.5625	2004
22.01.2020 09:34:16	1	1	1	1	95	42.5	0	29668.246	539.7849462	15950.31664	30000	0	0	30000	23.4375	2004
22.01.2020 09:34:17	1	1	1	1	95	43.25	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	22.0625	2004
22.01.2020 09:34:18	1	1	1	1	95	42	0	29810.427	529.0322581	15898.94817	30000	0	0	30000	24.1875	2004
22.01.2020 09:34:19	1	1	1	1	95	44	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	24.625	2004
22.01.2020 09:34:20	1	1	1	1	96	44.5	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	23.875	2004
22.01.2020 09:34:21	1	1	1	1	96	43.75	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	24	2004
22.01.2020 09:34:22	1	1	1	1	96	42.75	0	29857.82	535.483871	15834.53374	30000	0	0	30000	23.4375	2004
22.01.2020 09:34:23	1	1	1	1	96	43.25	0	29526.066	537.6344086	15873.67162	30000	0	0	30000	23	2004
22.01.2020 09:34:24	1	1	1	1	96	43	0	29810.427	537.6344086	16026.96165	30000	0	0	30000	22.875	2004
22.01.2020 09:34:25	1	1	1	1	96	42.75	0	29715.64	535.483871	15911.99413	30000	0	0	30000	22	2004
22.01.2020 09:34:26	1	1	1	1	96	42	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	23.3125	2004
22.01.2020 09:34:27	1	1	1	1	96	43.25	0	29526.066	539.7849462	15937.27068	30000	0	0	30000	22.5	2004
22.01.2020 09:34:28	1	1	1	1	96	42.5	0	29668.246	537.6344086	15988.63914	30000	0	0	30000	23.1875	2004
22.01.2020 09:34:29	1	1	1	1	96	43	0	29905.213	537.6344086	16013.10032	30000	0	0	30000	23.4375	2004
22.01.2020 09:34:30	1	1	1	1	96	43.25	0	29668.246	537.6344086	15975.59318	30000	0	0	30000	23.125	2004
22.01.2020 09:34:31	1	1	1	1	96	43	0	29905.213	535.483871	16013.10032	30000	0	0	30000	23.75	2004
22.01.2020 09:34:32	1	1	1	1	96	43.75	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	23	2004
22.01.2020 09:34:33	1	1	1	1	96	43	0	29905.213	535.483871	15949.50126	30000	0	0	30000	22.5	2004
22.01.2020 09:34:34	1	1	1	1	96	42.5	0	29810.427	535.483871	15962.54722	30000	0	0	30000	22.4375	2004
22.01.2020 09:34:35	1	1	1	1	96	42.25	0	29952.607	533.3333333	16013.10032	30000	0	0	30000	22.625	2004
22.01.2020 09:34:36	1	1	1	1	96	42.5	0	29810.427	537.6344086	16090.5607	30000	0	0	30000	24.375	2004
22.01.2020 09:34:37	1	1	1	1	96	44.25	0	29715.64	535.483871	15975.59318	30000	0	0	30000	22.75	2004
22.01.2020 09:34:38	1	1	1	1	96	42.75	0	29668.246	539.7849462	16040.00761	30000	0	0	30000	22.625	2004
22.01.2020 09:34:39	1	1	1	1	96.25	42.5	0	29857.82	537.6344086	16141.92917	30000	0	0	30000	23.0625	2004
22.01.2020 09:34:40	1	1	1	1	96.25	43	0	29668.246	539.7849462	15925.04009	30000	0	0	30000	23.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 09:34:41	1	1	1	1	96.25	43.75	0	29715.64	535.483871	15962.54722	30000	0	0	30000	22.3125	2004
22.01.2020 09:34:42	1	1	1	1	96.25	42.25	0	29810.427	539.7849462	16040.00761	30000	0	0	30000	22.0625	2004
22.01.2020 09:34:43	1	1	1	1	96.25	42	0	29810.427	537.6344086	16026.96165	30000	0	0	30000	22.125	2004
22.01.2020 09:34:44	1	1	1	1	96.25	42	0	29810.427	535.483871	15987.82377	30000	0	0	30000	23.0625	2004
22.01.2020 09:34:45	1	1	1	1	96.25	43	0	29952.607	535.483871	16013.10032	30000	0	0	30000	23.1875	2004
22.01.2020 09:34:46	1	1	1	1	96.25	43	0	29857.82	537.6344086	15987.82377	30000	0	0	30000	23.375	2004
22.01.2020 09:34:47	1	1	1	1	96.25	43.25	0	29810.427	535.483871	15962.54722	30000	0	0	30000	23.125	2004
22.01.2020 09:34:48	1	1	1	1	96.25	43	0	29478.673	537.6344086	15937.27068	30000	0	0	30000	23.5	2004
22.01.2020 09:34:49	1	1	1	1	96.75	43.5	0	29810.427	535.483871	15898.94817	30000	0	0	30000	22.625	2004
22.01.2020 09:34:51	1	1	1	1	96.75	42.5	0	29668.246	539.7849462	16103.60666	30000	0	0	30000	22.9375	2004
22.01.2020 09:34:52	1	1	1	1	96.75	42.75	0	29857.82	539.7849462	15962.54722	30000	0	0	30000	22.9375	2004
22.01.2020 09:34:53	1	1	1	1	96.75	42.75	0	29668.246	539.7849462	16040.00761	30000	0	0	30000	22.875	2004
22.01.2020 09:34:54	1	1	1	1	96.75	42.75	0	29620.853	537.6344086	15925.04009	30000	0	0	30000	23.125	2004
22.01.2020 09:34:55	1	1	1	1	96.75	43	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	22.6875	2004
22.01.2020 09:34:56	1	1	1	1	96.75	42.5	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	22.6875	2004
22.01.2020 09:34:57	1	1	1	1	96.75	42.5	0	29668.246	539.7849462	15988.63914	30000	0	0	30000	24.25	2004
22.01.2020 09:34:58	1	1	1	1	96.75	44.25	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	25	2004
22.01.2020 09:34:59	1	1	1	1	98	43.75	0	29763.033	546.2365591	16065.28416	30000	0	0	30000	23.8125	2004
22.01.2020 09:35:00	1	1	1	1	98	43.75	0	29905.213	550.5376344	16206.3436	30000	0	0	30000	23.5625	2004
22.01.2020 09:35:01	1	1	1	1	98	43.5	0	29857.82	539.7849462	16154.97513	30000	0	0	30000	23.5625	2004
22.01.2020 09:35:02	1	1	1	1	98	43.5	0	29715.64	541.9354839	16013.91569	30000	0	0	30000	23.0625	2004
22.01.2020 09:35:03	1	1	1	1	98	43	0	29526.066	539.7849462	15873.67162	30000	0	0	30000	23	2004
22.01.2020 09:35:04	1	1	1	1	98	43	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	22.5	2004
22.01.2020 09:35:05	1	1	1	1	98	42.5	0	29620.853	537.6344086	15899.76354	30000	0	0	30000	23.0625	2004
22.01.2020 09:35:06	1	1	1	1	98	43	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	23.0625	2004
22.01.2020 09:35:12	1	1	1	1	97.75	42.25	0	29573.46	539.7849462	15963.3626	30000	0	0	30000	23.375	2004
22.01.2020 09:35:12	1	1	1	1	97.75	42.25	0	29573.46	539.7849462	15963.3626	30000	0	0	30000	23.375	2004
22.01.2020 09:35:12	1	1	1	1	97.75	42.25	0	29573.46	539.7849462	15963.3626	30000	0	0	30000	23.375	2004
22.01.2020 09:35:12	1	1	1	1	97.75	42.25	0	29573.46	539.7849462	15963.3626	30000	0	0	30000	23.375	2004
22.01.2020 09:35:12	1	1	1	1	97.75	42.25	0	29573.46	539.7849462	15963.3626	30000	0	0	30000	23.375	2004
22.01.2020 09:35:12	1	1	1	1	97.75	43.25	0	29241.706	533.3333333	15835.34912	30000	0	0	30000	22.5	2004
22.01.2020 09:35:13	1	1	1	1	97.75	42.5	0	29526.066	539.7849462	16000.86973	30000	0	0	30000	23.6875	2004
22.01.2020 09:35:14	1	1	1	1	97.75	43.5	0	29526.066	541.9354839	16026.96165	30000	0	0	30000	22.6875	2004
22.01.2020 09:35:15	1	1	1	1	97.75	42.5	0	29478.673	539.7849462	15937.27068	30000	0	0	30000	22.6875	2004
22.01.2020 09:35:16	1	1	1	1	97.75	42.5	0	29668.246	541.9354839	16052.2382	30000	0	0	30000	23.9375	2004
22.01.2020 09:35:17	1	1	1	1	97.75	43.75	0	29336.493	535.483871	16013.10032	30000	0	0	30000	23.1875	2004
22.01.2020 09:35:18	1	1	1	1	97.75	43	0	29668.246	539.7849462	15988.63914	30000	0	0	30000	22.5	2004
22.01.2020 09:35:19	1	1	1	1	97.75	42.5	0	29668.246	541.9354839	15925.04009	30000	0	0	30000	23	2004
22.01.2020 09:35:20	1	1	1	1	97.75	43	0	29620.853	537.6344086	15925.04009	30000	0	0	30000	23	2004
22.01.2020 09:35:21	1	1	1	1	97.75	43	0	29668.246	537.6344086	15988.63914	30000	0	0	30000	23.5	2004
22.01.2020 09:35:22	1	1	1	1	97.75	43.5	0	29620.853	537.6344086	15925.04009	30000	0	0	30000	23.6875	2004
22.01.2020 09:35:23	1	1	1	1	97.75	43.5	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	23.6875	2004
22.01.2020 09:35:24	1	1	1	1	97.75	43.5	0	29668.246	539.7849462	15988.63914	30000	0	0	30000	24.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 09:35:25	1	1	1	1	97.75	44.25	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	23.5625	2004
22.01.2020 09:35:26	1	1	1	1	97.75	43.5	0	29763.033	537.6344086	16090.5607	30000	0	0	30000	22.9375	2004
22.01.2020 09:35:27	1	1	1	1	97.75	42.75	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	22.625	2004
22.01.2020 09:35:28	1	1	1	1	97.75	42.5	0	29905.213	535.483871	16013.10032	30000	0	0	30000	23.375	2004
22.01.2020 09:35:30	1	1	1	1	97.5	43.25	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	22.75	2004
22.01.2020 09:35:31	1	1	1	1	97.5	42.75	0	29857.82	535.483871	15962.54722	30000	0	0	30000	23.125	2004
22.01.2020 09:35:32	1	1	1	1	97.5	43	0	30000	533.3333333	15805.99571	30000	0	0	30000	23.9375	2004
22.01.2020 09:35:33	1	1	1	1	97.5	43.75	0	29857.82	533.3333333	15924.22472	30000	0	0	30000	22.9375	2004
22.01.2020 09:35:34	1	1	1	1	97.5	42.75	0	29763.033	533.3333333	15898.94817	30000	0	0	30000	22.6875	2004
22.01.2020 09:35:35	1	1	1	1	97.5	42.5	0	29905.213	535.483871	16013.10032	30000	0	0	30000	23.9375	2004
22.01.2020 09:35:36	1	1	1	1	97.5	43.75	0	29905.213	535.483871	15987.82377	30000	0	0	30000	24.6875	2004
22.01.2020 09:35:37	1	1	1	1	97.5	44.5	0	29857.82	533.3333333	16013.10032	30000	0	0	30000	23.75	2004
22.01.2020 09:35:38	1	1	1	1	97.5	43.5	0	30000	535.483871	16064.46878	30000	0	0	30000	23.75	2004
22.01.2020 09:35:39	1	1	1	1	97.75	43.75	0	29810.427	535.483871	15962.54722	30000	0	0	30000	23	2004
22.01.2020 09:35:40	1	1	1	1	97.75	43	0	30000	535.483871	16000.05436	30000	0	0	30000	23.5625	2004
22.01.2020 09:35:41	1	1	1	1	97.75	43.5	0	29857.82	537.6344086	15987.82377	30000	0	0	30000	22.9375	2004
22.01.2020 09:35:42	1	1	1	1	97.75	42.75	0	29905.213	535.483871	16077.51474	30000	0	0	30000	23.4375	2004
22.01.2020 09:35:43	1	1	1	1	97.75	43.25	0	29905.213	537.6344086	16013.10032	30000	0	0	30000	23.125	2004
22.01.2020 09:35:44	1	1	1	1	97.75	43	0	29715.64	533.3333333	15848.39508	30000	0	0	30000	22.5	2004
22.01.2020 09:35:45	1	1	1	1	97.75	42.5	0	30000	533.3333333	16000.05436	30000	0	0	30000	23	2004
22.01.2020 09:35:46	1	1	1	1	97.75	43	0	29715.64	533.3333333	15848.39508	30000	0	0	30000	23.3125	2004
22.01.2020 09:35:47	1	1	1	1	97.75	43.25	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	22.6875	2004
22.01.2020 09:35:48	1	1	1	1	97.75	42.5	0	29905.213	537.6344086	16013.10032	30000	0	0	30000	23.9375	2004
22.01.2020 09:35:49	1	1	1	1	97.25	43.75	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	23.3125	2004
22.01.2020 09:35:50	1	1	1	1	97.25	43.25	0	29763.033	537.6344086	15975.59318	30000	0	0	30000	23.4375	2004
22.01.2020 09:35:51	1	1	1	1	97.25	43.25	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	24.125	2004
22.01.2020 09:35:52	1	1	1	1	97.25	44	0	29905.213	537.6344086	16141.92917	30000	0	0	30000	23.25	2004
22.01.2020 09:35:53	1	1	1	1	97.25	43.25	0	29620.853	537.6344086	15925.04009	30000	0	0	30000	23.625	2004
22.01.2020 09:35:54	1	1	1	1	97.25	43.5	0	29620.853	537.6344086	15861.44103	30000	0	0	30000	23.6875	2004
22.01.2020 09:35:55	1	1	1	1	97.25	43.5	0	29668.246	537.6344086	15733.42755	30000	0	0	30000	23.1875	2004
22.01.2020 09:35:56	1	1	1	1	97.25	43	0	29620.853	539.7849462	15925.04009	30000	0	0	30000	23	2004
22.01.2020 09:35:57	1	1	1	1	97.25	43	0	29810.427	539.7849462	16090.5607	30000	0	0	30000	22.625	2004
22.01.2020 09:35:58	1	1	1	1	97.25	42.5	0	29668.246	537.6344086	15848.39508	30000	0	0	30000	23.3125	2004
22.01.2020 09:35:59	1	1	1	1	97.75	43.25	0	29526.066	539.7849462	15963.3626	30000	0	0	30000	23.4375	2004
22.01.2020 09:36:00	1	1	1	1	97.75	43.25	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	23.75	2004
22.01.2020 09:36:01	1	1	1	1	97.75	43.75	0	29620.853	537.6344086	15925.04009	30000	0	0	30000	23	2004
22.01.2020 09:36:02	1	1	1	1	97.75	43	0	29431.28	544.0860215	15708.96638	30000	0	0	30000	23.6875	2004
22.01.2020 09:36:03	1	1	1	1	97.75	43.5	0	29478.673	537.6344086	16064.46878	30000	0	0	30000	22.9375	2004
22.01.2020 09:36:04	1	1	1	1	97.75	42.75	0	29431.28	535.483871	15759.51947	30000	0	0	30000	23.4375	2004
22.01.2020 09:36:05	1	1	1	1	97.75	43.25	0	29526.066	539.7849462	15937.27068	30000	0	0	30000	22.8125	2004
22.01.2020 09:36:06	1	1	1	1	97.75	42.75	0	29620.853	537.6344086	15925.04009	30000	0	0	30000	24.125	2004
22.01.2020 09:36:07	1	1	1	1	97.75	44	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	23.125	2004
22.01.2020 09:36:13	1	1	1	1	97.75	43	0	29336.493	541.9354839	15987.0084	30000	0	0	30000	23.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 09:36:13	1	1	1	1	97.75	43	0	29336.493	541.9354839	15987.0084	30000	0	0	30000	23.5	2004
22.01.2020 09:36:13	1	1	1	1	97.75	43	0	29336.493	541.9354839	15987.0084	30000	0	0	30000	23.5	2004
22.01.2020 09:36:13	1	1	1	1	97.75	43	0	29336.493	541.9354839	15987.0084	30000	0	0	30000	23.5	2004
22.01.2020 09:36:13	1	1	1	1	97.75	43	0	29336.493	541.9354839	15987.0084	30000	0	0	30000	23.5	2004
22.01.2020 09:36:14	1	1	1	1	97.75	43.5	0	29431.28	541.9354839	16013.10032	30000	0	0	30000	23.0625	2004
22.01.2020 09:36:15	1	1	1	1	97.75	43	0	29715.64	541.9354839	16167.20572	30000	0	0	30000	23.25	2004
22.01.2020 09:36:16	1	1	1	1	97.75	42.75	0	29478.673	537.6344086	15963.3626	30000	0	0	30000	24	2004
22.01.2020 09:36:17	1	1	1	1	97.75	44	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	24.4375	2004
22.01.2020 09:36:18	1	1	1	1	97.75	44.25	0	29668.246	539.7849462	15988.63914	30000	0	0	30000	23.9375	2004
22.01.2020 09:36:19	1	1	1	1	98	43.75	0	29715.64	541.9354839	16167.20572	30000	0	0	30000	23.8125	2004
22.01.2020 09:36:20	1	1	1	1	98	43.75	0	29620.853	541.9354839	15963.3626	30000	0	0	30000	24	2004
22.01.2020 09:36:21	1	1	1	1	98	44	0	29478.673	539.7849462	15911.99413	30000	0	0	30000	22.875	2004
22.01.2020 09:36:22	1	1	1	1	98	42.75	0	29810.427	541.9354839	16103.60666	30000	0	0	30000	24.4375	2004
22.01.2020 09:36:23	1	1	1	1	98	44.25	0	29573.46	539.7849462	16052.2382	30000	0	0	30000	22.9375	2004
22.01.2020 09:36:24	1	1	1	1	98	42.75	0	29289.1	546.2365591	16087.29921	30000	0	0	30000	22.8125	2004
22.01.2020 09:36:25	1	1	1	1	98	42.75	0	29573.46	541.9354839	16064.46878	30000	0	0	30000	23.25	2004
22.01.2020 09:36:26	1	1	1	1	98	43.25	0	29431.28	533.3333333	15759.51947	30000	0	0	30000	23.1875	2004
22.01.2020 09:36:27	1	1	1	1	98	43	0	29431.28	541.9354839	16013.10032	30000	0	0	30000	23.25	2004
22.01.2020 09:36:28	1	1	1	1	98	43.25	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	23	2004
22.01.2020 09:36:29	1	1	1	1	97.5	43	0	29905.213	537.6344086	16013.10032	30000	0	0	30000	23.375	2004
22.01.2020 09:36:30	1	1	1	1	97.5	43.25	0	29620.853	537.6344086	16013.91569	30000	0	0	30000	23.375	2004
22.01.2020 09:36:31	1	1	1	1	97.5	43.25	0	29526.066	544.0860215	16090.5607	30000	0	0	30000	23.625	2004
22.01.2020 09:36:32	1	1	1	1	97.5	43.5	0	29620.853	537.6344086	15925.04009	30000	0	0	30000	23.5	2004
22.01.2020 09:36:33	1	1	1	1	97.5	43.5	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	24.1875	2004
22.01.2020 09:36:34	1	1	1	1	97.5	44	0	29715.64	537.6344086	15911.99413	30000	0	0	30000	22.5625	2004
22.01.2020 09:36:35	1	1	1	1	97.5	42.5	0	29857.82	537.6344086	16026.96165	30000	0	0	30000	23.875	2004
22.01.2020 09:36:36	1	1	1	1	97.5	43.75	0	29763.033	535.483871	16026.96165	30000	0	0	30000	22.9375	2004
22.01.2020 09:36:37	1	1	1	1	97.5	42.75	0	29715.64	539.7849462	15823.11853	30000	0	0	30000	23.625	2004
22.01.2020 09:36:38	1	1	1	1	97.5	43.5	0	29810.427	537.6344086	15975.59318	30000	0	0	30000	24	2004
22.01.2020 09:36:39	1	1	1	1	98.25	44	0	29810.427	539.7849462	16090.5607	30000	0	0	30000	23.625	2004
22.01.2020 09:36:40	1	1	1	1	98.25	43.5	0	29478.673	541.9354839	16064.46878	30000	0	0	30000	24.0625	2004
22.01.2020 09:36:41	1	1	1	1	98.25	44	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	22.875	2004
22.01.2020 09:36:42	1	1	1	1	98.25	42.75	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	23.1875	2004
22.01.2020 09:36:43	1	1	1	1	98.25	43	0	29526.066	535.483871	15899.76354	30000	0	0	30000	23.8125	2004
22.01.2020 09:36:44	1	1	1	1	98.25	43.75	0	29810.427	537.6344086	16026.96165	30000	0	0	30000	23.125	2004
22.01.2020 09:36:45	1	1	1	1	98.25	43	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	24.125	2004
22.01.2020 09:36:47	1	1	1	1	98.25	44	0	29857.82	541.9354839	16154.97513	30000	0	0	30000	24.5	2004
22.01.2020 09:36:48	1	1	1	1	98.25	44.5	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	23.8125	2004
22.01.2020 09:36:49	1	1	1	1	98.25	43.75	0	29857.82	535.483871	16013.10032	30000	0	0	30000	24.8125	2004
22.01.2020 09:36:50	1	1	1	1	98.25	44.75	0	29763.033	541.9354839	16219.38956	30000	0	0	30000	25.125	2004
22.01.2020 09:36:51	1	1	1	1	98.25	45	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	24.5625	2004
22.01.2020 09:36:52	1	1	1	1	98.25	44.5	0	29763.033	535.483871	15911.99413	30000	0	0	30000	23.6875	2004
22.01.2020 09:36:53	1	1	1	1	98.25	43.5	0	29573.46	541.9354839	16026.96165	30000	0	0	30000	24.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 09:36:54	1	1	1	1	98.25	44.75	0	29810.427	537.6344086	15962.54722	30000	0	0	30000	25.125	2004
22.01.2020 09:36:55	1	1	1	1	98.25	44.25	0	29336.493	537.6344086	15835.34912	30000	0	0	30000	23.75	2004
22.01.2020 09:36:56	1	1	1	1	98.25	43.75	0	29526.066	541.9354839	16064.46878	30000	0	0	30000	23.625	2004
22.01.2020 09:36:57	1	1	1	1	98.25	43.5	0	29431.28	539.7849462	16013.10032	30000	0	0	30000	24.125	2004
22.01.2020 09:36:58	1	1	1	1	98.25	44	0	29526.066	541.9354839	16026.96165	30000	0	0	30000	25	2004
22.01.2020 09:36:59	1	1	1	1	100	45	0	29478.673	539.7849462	16000.86973	30000	0	0	30000	24.0625	2004
22.01.2020 09:37:00	1	1	1	1	100	44	0	29526.066	541.9354839	16101.97592	30000	0	0	30000	24.125	2004
22.01.2020 09:37:01	1	1	1	1	100	44	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	23.875	2004
22.01.2020 09:37:02	1	1	1	1	100	43.75	0	29526.066	550.5376344	16255.26595	30000	0	0	30000	24.625	2004
22.01.2020 09:37:03	1	1	1	1	100	44.5	0	29526.066	541.9354839	15810.07257	30000	0	0	30000	23.375	2004
22.01.2020 09:37:04	1	1	1	1	100	43.25	0	29383.886	544.0860215	16013.10032	30000	0	0	30000	24.875	2004
22.01.2020 09:37:05	1	1	1	1	100	44.75	0	29336.493	546.2365591	15960.91648	30000	0	0	30000	25.1875	2004
22.01.2020 09:37:06	1	1	1	1	100	45	0	29146.919	546.2365591	15858.17955	30000	0	0	30000	24.25	2004
22.01.2020 09:37:07	1	1	1	1	100	44.25	0	29431.28	546.2365591	16203.08211	30000	0	0	30000	24.5	2004
22.01.2020 09:37:08	1	1	1	1	100	44.5	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	24.375	2004
22.01.2020 09:37:09	1	1	1	1	99.75	44.25	0	29146.919	546.2365591	15972.33169	30000	0	0	30000	25.25	2004
22.01.2020 09:37:15	1	1	1	1	99.75	44.75	0	29336.493	546.2365591	15935.63993	30000	0	0	30000	22.9375	2004
22.01.2020 09:37:15	1	1	1	1	99.75	44.75	0	29336.493	546.2365591	15935.63993	30000	0	0	30000	22.9375	2004
22.01.2020 09:37:15	1	1	1	1	99.75	44.75	0	29336.493	546.2365591	15935.63993	30000	0	0	30000	22.9375	2004
22.01.2020 09:37:15	1	1	1	1	99.75	44.75	0	29336.493	546.2365591	15935.63993	30000	0	0	30000	22.9375	2004
22.01.2020 09:37:15	1	1	1	1	99.75	42.75	0	29241.706	550.5376344	15795.39586	30000	0	0	30000	24.9375	2004
22.01.2020 09:37:16	1	1	1	1	99.75	44.75	0	29289.1	546.2365591	16024.51553	30000	0	0	30000	24.9375	2004
22.01.2020 09:37:17	1	1	1	1	99.75	44.75	0	29336.493	550.5376344	16203.08211	30000	0	0	30000	23.75	2004
22.01.2020 09:37:18	1	1	1	1	99.75	43.75	0	29336.493	546.2365591	15960.91648	30000	0	0	30000	23.8125	2004
22.01.2020 09:37:19	1	1	1	1	100	43.75	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	23.8125	2004
22.01.2020 09:37:20	1	1	1	1	100	43.75	0	29431.28	550.5376344	16013.10032	30000	0	0	30000	23.1875	2004
22.01.2020 09:37:21	1	1	1	1	100	43	0	29383.886	546.2365591	16013.10032	30000	0	0	30000	23.6875	2004
22.01.2020 09:37:22	1	1	1	1	100	43.5	0	29431.28	541.9354839	16013.10032	30000	0	0	30000	24.375	2004
22.01.2020 09:37:23	1	1	1	1	100	44.25	0	29573.46	544.0860215	16090.5607	30000	0	0	30000	22.9375	2004
22.01.2020 09:37:25	1	1	1	1	100	42.75	0	29289.1	541.9354839	15898.1328	30000	0	0	30000	23.5	2004
22.01.2020 09:37:26	1	1	1	1	100	43.5	0	29241.706	544.0860215	15732.61218	30000	0	0	30000	24.875	2004
22.01.2020 09:37:27	1	1	1	1	100	44.75	0	29289.1	544.0860215	15909.54801	30000	0	0	30000	23.5	2004
22.01.2020 09:37:28	1	1	1	1	100	43.5	0	29336.493	537.6344086	15924.22472	30000	0	0	30000	24.125	2004
22.01.2020 09:37:29	1	1	1	1	100	44	0	29431.28	546.2365591	16075.884	30000	0	0	30000	23.75	2004
22.01.2020 09:37:30	1	1	1	1	99.25	43.75	0	29431.28	544.0860215	16075.884	30000	0	0	30000	25.625	2004
22.01.2020 09:37:31	1	1	1	1	99.25	45.5	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	24.25	2004
22.01.2020 09:37:32	1	1	1	1	99.25	44.25	0	29620.853	541.9354839	16026.96165	30000	0	0	30000	25.75	2004
22.01.2020 09:37:33	1	1	1	1	99.25	45.75	0	29715.64	539.7849462	16103.60666	30000	0	0	30000	25.375	2004
22.01.2020 09:37:34	1	1	1	1	99.25	44.75	0	29620.853	539.7849462	16052.2382	30000	0	0	30000	24.6875	2004
22.01.2020 09:37:35	1	1	1	1	99.25	44.5	0	29383.886	541.9354839	15924.22472	30000	0	0	30000	24.875	2004
22.01.2020 09:37:36	1	1	1	1	99.25	44.75	0	29715.64	541.9354839	16167.20572	30000	0	0	30000	24.75	2004
22.01.2020 09:37:39	1	1	1	1	100.3	44.5	0	29526.066	537.6344086	16052.2382	30000	0	0	30000	23.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 09:37:39	1	1	1	1	100.3	44.5	0	29526.066	537.6344086	16052.2382	30000	0	0	30000	23.25	2004
22.01.2020 09:37:39	1	1	1	1	100.3	44.5	0	29526.066	537.6344086	16052.2382	30000	0	0	30000	23.25	2004
22.01.2020 09:37:40	1	1	1	1	100.3	43.25	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	23.625	2004
22.01.2020 09:37:41	1	1	1	1	100.3	43.5	0	29431.28	537.6344086	15885.90221	30000	0	0	30000	23.8125	2004
22.01.2020 09:37:42	1	1	1	1	100.3	43.75	0	29620.853	541.9354839	16026.96165	30000	0	0	30000	24.125	2004
22.01.2020 09:37:43	1	1	1	1	100.3	44	0	29620.853	539.7849462	15836.16449	30000	0	0	30000	23.5	2004
22.01.2020 09:37:44	1	1	1	1	100.3	43.5	0	29431.28	541.9354839	15975.59318	30000	0	0	30000	25.6875	2004
22.01.2020 09:37:45	1	1	1	1	100.3	45.5	0	29857.82	541.9354839	16154.97513	30000	0	0	30000	24.5	2004
22.01.2020 09:37:46	1	1	1	1	100.3	44.5	0	29383.886	535.483871	15771.75006	30000	0	0	30000	24.9375	2004
22.01.2020 09:37:47	1	1	1	1	100.3	44.75	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	24.875	2004
22.01.2020 09:37:48	1	1	1	1	100.3	44.75	0	29810.427	544.0860215	16065.28416	30000	0	0	30000	23.8125	2004
22.01.2020 09:37:49	1	1	1	1	99.5	43.75	0	29383.886	539.7849462	16203.08211	30000	0	0	30000	24.8125	2004
22.01.2020 09:37:50	1	1	1	1	99.5	44.75	0	29526.066	539.7849462	15988.63914	30000	0	0	30000	24.125	2004
22.01.2020 09:37:51	1	1	1	1	99.5	44	0	29620.853	537.6344086	16013.91569	30000	0	0	30000	24.8125	2004
22.01.2020 09:37:52	1	1	1	1	99.5	44.75	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	24.125	2004
22.01.2020 09:37:53	1	1	1	1	99.5	44	0	29383.886	539.7849462	15885.90221	30000	0	0	30000	24.125	2004
22.01.2020 09:37:54	1	1	1	1	99.5	44	0	29526.066	541.9354839	15937.27068	30000	0	0	30000	23.1875	2004
22.01.2020 09:37:55	1	1	1	1	99.5	43	0	29573.46	541.9354839	15963.3626	30000	0	0	30000	23.875	2004
22.01.2020 09:37:56	1	1	1	1	99.5	43.75	0	29431.28	539.7849462	15885.90221	30000	0	0	30000	24.5	2004
22.01.2020 09:37:57	1	1	1	1	99.5	44.5	0	29431.28	546.2365591	16075.884	30000	0	0	30000	24.3125	2004
22.01.2020 09:37:58	1	1	1	1	99.5	44.25	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	25.125	2004
22.01.2020 09:37:59	1	1	1	1	99.75	45	0	29431.28	541.9354839	16064.46878	30000	0	0	30000	25.1875	2004
22.01.2020 09:38:00	1	1	1	1	99.75	45	0	29383.886	544.0860215	15960.91648	30000	0	0	30000	24.9375	2004
22.01.2020 09:38:01	1	1	1	1	99.75	44.75	0	29383.886	541.9354839	15949.50126	30000	0	0	30000	24.375	2004
22.01.2020 09:38:03	1	1	1	1	99.75	44.25	0	29526.066	544.0860215	16090.5607	30000	0	0	30000	24.1875	2004
22.01.2020 09:38:04	1	1	1	1	99.75	44	0	29241.706	541.9354839	15846.76433	30000	0	0	30000	24.875	2004
22.01.2020 09:38:05	1	1	1	1	99.75	44.75	0	29573.46	539.7849462	15925.04009	30000	0	0	30000	23.3125	2004
22.01.2020 09:38:06	1	1	1	1	99.75	43.25	0	29336.493	539.7849462	15835.34912	30000	0	0	30000	25.3125	2004
22.01.2020 09:38:07	1	1	1	1	99.75	45.25	0	29573.46	539.7849462	15963.3626	30000	0	0	30000	24.5	2004
22.01.2020 09:38:08	1	1	1	1	99.75	44.5	0	29478.673	541.9354839	15975.59318	30000	0	0	30000	24.8125	2004
22.01.2020 09:38:09	1	1	1	1	99.75	44.75	0	29383.886	541.9354839	15960.91648	30000	0	0	30000	24.75	2004
22.01.2020 09:38:10	1	1	1	1	100.5	44.75	0	29620.853	546.2365591	16115.83725	30000	0	0	30000	24.125	2004
22.01.2020 09:38:11	1	1	1	1	100.5	44	0	29526.066	541.9354839	15937.27068	30000	0	0	30000	25.5	2004
22.01.2020 09:38:17	1	1	1	1	100.5	44.75	0	29431.28	535.483871	15885.90221	30000	0	0	30000	24.6875	2004
22.01.2020 09:38:17	1	1	1	1	100.5	44.75	0	29431.28	535.483871	15885.90221	30000	0	0	30000	24.6875	2004
22.01.2020 09:38:17	1	1	1	1	100.5	44.75	0	29431.28	535.483871	15885.90221	30000	0	0	30000	24.6875	2004
22.01.2020 09:38:17	1	1	1	1	100.5	44.75	0	29431.28	535.483871	15885.90221	30000	0	0	30000	24.6875	2004
22.01.2020 09:38:17	1	1	1	1	100.5	44.5	0	29573.46	541.9354839	16000.86973	30000	0	0	30000	24.4375	2004
22.01.2020 09:38:18	1	1	1	1	100.5	44.25	0	29478.673	541.9354839	15975.59318	30000	0	0	30000	24.625	2004
22.01.2020 09:38:19	1	1	1	1	100.3	44.5	0	29383.886	541.9354839	15949.50126	30000	0	0	30000	25.125	2004
22.01.2020 09:38:20	1	1	1	1	100.3	45	0	29383.886	541.9354839	15860.62566	30000	0	0	30000	25.25	2004
22.01.2020 09:38:21	1	1	1	1	100.3	45.25	0	28957.346	537.6344086	15832.08763	30000	0	0	30000	24.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 09:38:22	1	1	1	1	100.3	44.75	0	29573.46	541.9354839	16115.83725	30000	0	0	30000	23.3125	2004
22.01.2020 09:38:23	1	1	1	1	100.3	43.25	0	29383.886	535.483871	16013.10032	30000	0	0	30000	24.0625	2004
22.01.2020 09:38:24	1	1	1	1	100.3	44	0	29289.1	537.6344086	16024.51553	30000	0	0	30000	23.9375	2004
22.01.2020 09:38:25	1	1	1	1	100.3	43.75	0	29431.28	544.0860215	15885.90221	30000	0	0	30000	24.5	2004
22.01.2020 09:38:26	1	1	1	1	100.3	44.5	0	29336.493	546.2365591	16050.60745	30000	0	0	30000	24.9375	2004
22.01.2020 09:38:27	1	1	1	1	100.3	44.75	0	29431.28	541.9354839	16013.10032	30000	0	0	30000	25.0625	2004
22.01.2020 09:38:28	1	1	1	1	100.3	45	0	29478.673	544.0860215	16064.46878	30000	0	0	30000	24.75	2004
22.01.2020 09:38:29	1	1	1	1	100.3	44.75	0	29526.066	541.9354839	15873.67162	30000	0	0	30000	24.875	2004
22.01.2020 09:38:30	1	1	1	1	100.3	44.75	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	24	2004
22.01.2020 09:38:31	1	1	1	1	100.3	44	0	29431.28	539.7849462	16013.10032	30000	0	0	30000	24.875	2004
22.01.2020 09:38:32	1	1	1	1	100.3	44.75	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	23.6875	2004
22.01.2020 09:38:33	1	1	1	1	100.3	43.5	0	29715.64	544.0860215	16231.62015	30000	0	0	30000	24.4375	2004
22.01.2020 09:38:34	1	1	1	1	100.3	44.25	0	29383.886	539.7849462	15924.22472	30000	0	0	30000	25.3125	2004
22.01.2020 09:38:35	1	1	1	1	100.3	45.25	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	25.0625	2004
22.01.2020 09:38:36	1	1	1	1	100.3	45	0	29526.066	541.9354839	16026.96165	30000	0	0	30000	25.125	2004
22.01.2020 09:38:37	1	1	1	1	100.3	45	0	29573.46	541.9354839	16115.83725	30000	0	0	30000	24.125	2004
22.01.2020 09:38:38	1	1	1	1	100.3	44	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	25.25	2004
22.01.2020 09:38:39	1	1	1	1	100.3	45.25	0	29431.28	541.9354839	15975.59318	30000	0	0	30000	24.1875	2004
22.01.2020 09:38:41	1	1	1	1	100.3	44	0	29526.066	544.0860215	16090.5607	30000	0	0	30000	23.875	2004
22.01.2020 09:38:42	1	1	1	1	100.3	43.75	0	29431.28	546.2365591	15949.50126	30000	0	0	30000	24.1875	2004
22.01.2020 09:38:43	1	1	1	1	100.3	44	0	29383.886	544.0860215	15960.91648	30000	0	0	30000	25.1875	2004
22.01.2020 09:38:44	1	1	1	1	100.3	45	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	24.75	2004
22.01.2020 09:38:45	1	1	1	1	100.3	44.75	0	29573.46	541.9354839	16052.2382	30000	0	0	30000	24.6875	2004
22.01.2020 09:38:46	1	1	1	1	100.3	44.5	0	29526.066	541.9354839	16064.46878	30000	0	0	30000	24.9375	2004
22.01.2020 09:38:47	1	1	1	1	100.3	44.75	0	29431.28	535.483871	15911.99413	30000	0	0	30000	24.3125	2004
22.01.2020 09:38:48	1	1	1	1	100.3	44.25	0	29573.46	541.9354839	16115.83725	30000	0	0	30000	25.125	2004
22.01.2020 09:38:49	1	1	1	1	100.3	45	0	29526.066	541.9354839	15975.59318	30000	0	0	30000	24.9375	2004
22.01.2020 09:38:50	1	1	1	1	101	44.75	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	25.625	2004
22.01.2020 09:38:51	1	1	1	1	101	45.25	0	29810.427	544.0860215	16219.38956	30000	0	0	30000	25.25	2004
22.01.2020 09:38:52	1	1	1	1	101	45.25	0	29478.673	539.7849462	15911.99413	30000	0	0	30000	24.6875	2004
22.01.2020 09:38:53	1	1	1	1	101	44.5	0	29526.066	541.9354839	16064.46878	30000	0	0	30000	24.875	2004
22.01.2020 09:38:54	1	1	1	1	101	44.75	0	29383.886	541.9354839	15898.1328	30000	0	0	30000	25.125	2004
22.01.2020 09:38:55	1	1	1	1	101	45	0	29431.28	541.9354839	16038.37687	30000	0	0	30000	23.625	2004
22.01.2020 09:38:56	1	1	1	1	101	43.5	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	25.375	2004
22.01.2020 09:38:57	1	1	1	1	101	45.25	0	29431.28	546.2365591	16101.97592	30000	0	0	30000	24.5625	2004
22.01.2020 09:38:58	1	1	1	1	101	44.5	0	29526.066	544.0860215	15975.59318	30000	0	0	30000	24.9375	2004
22.01.2020 09:38:59	1	1	1	1	100.8	44.75	0	29383.886	544.0860215	15987.0084	30000	0	0	30000	25.4375	2004
22.01.2020 09:39:00	1	1	1	1	100.8	45.25	0	29336.493	537.6344086	15987.0084	30000	0	0	30000	24.625	2004
22.01.2020 09:39:01	1	1	1	1	100.8	44.5	0	29431.28	541.9354839	15885.90221	30000	0	0	30000	24.5	2004
22.01.2020 09:39:02	1	1	1	1	100.8	44.5	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	25.375	2004
22.01.2020 09:39:03	1	1	1	1	100.8	45.25	0	29146.919	541.9354839	15795.39586	30000	0	0	30000	24	2004
22.01.2020 09:39:04	1	1	1	1	100.8	44	0	29383.886	544.0860215	15987.0084	30000	0	0	30000	24.25	2004
22.01.2020 09:39:05	1	1	1	1	100.8	44.25	0	29336.493	546.2365591	15960.91648	30000	0	0	30000	24.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 09:39:06	1	1	1	1	100.8	44.25	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	24.375	2004
22.01.2020 09:39:07	1	1	1	1	100.8	44.25	0	29431.28	546.2365591	15987.0084	30000	0	0	30000	24.9375	2004
22.01.2020 09:39:08	1	1	1	1	100.8	44.75	0	29431.28	546.2365591	16139.48305	30000	0	0	30000	24.875	2004
22.01.2020 09:39:09	1	1	1	1	100.8	44.75	0	29289.1	550.5376344	16150.89827	30000	0	0	30000	25.0625	2004
22.01.2020 09:39:10	1	1	1	1	100.8	45	0	29241.706	550.5376344	15972.33169	30000	0	0	30000	25.125	2004
22.01.2020 09:39:11	1	1	1	1	100.8	45	0	29336.493	546.2365591	16150.89827	30000	0	0	30000	25.3125	2004
22.01.2020 09:39:12	1	1	1	1	100.8	45.25	0	29146.919	537.6344086	15909.54801	30000	0	0	30000	25.5625	2004
22.01.2020 09:39:18	1	1	1	1	100.8	46.25	0	29099.526	546.2365591	15806.81108	30000	0	0	30000	25.375	2004
22.01.2020 09:39:18	1	1	1	1	100.8	46.25	0	29099.526	546.2365591	15806.81108	30000	0	0	30000	25.375	2004
22.01.2020 09:39:18	1	1	1	1	100.8	46.25	0	29099.526	546.2365591	15806.81108	30000	0	0	30000	25.375	2004
22.01.2020 09:39:18	1	1	1	1	100.8	46.25	0	29099.526	546.2365591	15806.81108	30000	0	0	30000	25.375	2004
22.01.2020 09:39:18	1	1	1	1	100.8	46.25	0	29099.526	546.2365591	15806.81108	30000	0	0	30000	25.375	2004
22.01.2020 09:39:19	1	1	1	1	100.8	45.25	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	24.3125	2004
22.01.2020 09:39:20	1	1	1	1	101.3	44.25	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	24	2004
22.01.2020 09:39:21	1	1	1	1	101.3	44	0	28957.346	552.688172	16004.13122	30000	0	0	30000	25.125	2004
22.01.2020 09:39:22	1	1	1	1	101.3	45	0	29052.133	546.2365591	15692.65893	30000	0	0	30000	25.25	2004
22.01.2020 09:39:23	1	1	1	1	101.3	45.25	0	29099.526	550.5376344	15957.65499	30000	0	0	30000	24.125	2004
22.01.2020 09:39:24	1	1	1	1	101.3	44	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	25.0625	2004
22.01.2020 09:39:25	1	1	1	1	101.3	45	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	24.875	2004
22.01.2020 09:39:26	1	1	1	1	101.3	44.75	0	29241.706	546.2365591	15972.33169	30000	0	0	30000	24.5625	2004
22.01.2020 09:39:27	1	1	1	1	101.3	44.5	0	29336.493	544.0860215	16024.51553	30000	0	0	30000	26.25	2004
22.01.2020 09:39:28	1	1	1	1	101.3	46.25	0	29289.1	550.5376344	16024.51553	30000	0	0	30000	24.0625	2004
22.01.2020 09:39:29	1	1	1	1	101.3	44	0	29336.493	541.9354839	16024.51553	30000	0	0	30000	25.625	2004
22.01.2020 09:39:30	1	1	1	1	101.3	45.25	0	29383.886	546.2365591	16176.99019	30000	0	0	30000	25.3125	2004
22.01.2020 09:39:31	1	1	1	1	101.3	45.25	0	29099.526	550.5376344	15920.96323	30000	0	0	30000	24.875	2004
22.01.2020 09:39:32	1	1	1	1	101.3	44.75	0	29052.133	546.2365591	15894.87131	30000	0	0	30000	25.6875	2004
22.01.2020 09:39:33	1	1	1	1	101.3	45.5	0	29289.1	550.5376344	16124.80635	30000	0	0	30000	24.375	2004
22.01.2020 09:39:34	1	1	1	1	101.3	44.25	0	29383.886	550.5376344	16203.08211	30000	0	0	30000	24.6875	2004
22.01.2020 09:39:35	1	1	1	1	101.3	44.5	0	29146.919	546.2365591	16046.53059	30000	0	0	30000	24.5625	2004
22.01.2020 09:39:36	1	1	1	1	101.3	44.5	0	29241.706	546.2365591	15972.33169	30000	0	0	30000	25.9375	2004
22.01.2020 09:39:37	1	1	1	1	101.3	45.75	0	29336.493	550.5376344	16024.51553	30000	0	0	30000	25.5625	2004
22.01.2020 09:39:38	1	1	1	1	101.3	45.5	0	29289.1	550.5376344	15795.39586	30000	0	0	30000	24.75	2004
22.01.2020 09:39:39	1	1	1	1	100.8	44.75	0	29431.28	546.2365591	16229.17403	30000	0	0	30000	25.1875	2004
22.01.2020 09:39:40	1	1	1	1	100.8	45	0	29336.493	550.5376344	16050.60745	30000	0	0	30000	25.4375	2004
22.01.2020 09:39:41	1	1	1	1	100.8	45.25	0	29241.706	546.2365591	15935.63993	30000	0	0	30000	25.375	2004
22.01.2020 09:39:42	1	1	1	1	100.8	45.25	0	29289.1	546.2365591	16150.89827	30000	0	0	30000	26	2004
22.01.2020 09:39:43	1	1	1	1	100.8	46	0	29336.493	546.2365591	16050.60745	30000	0	0	30000	25.5	2004
22.01.2020 09:39:44	1	1	1	1	100.8	45.5	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	25.3125	2004
22.01.2020 09:39:45	1	1	1	1	100.8	45.25	0	29383.886	550.5376344	16176.99019	30000	0	0	30000	25.3125	2004
22.01.2020 09:39:46	1	1	1	1	100.8	45.25	0	29099.526	546.2365591	15894.87131	30000	0	0	30000	24.75	2004
22.01.2020 09:39:47	1	1	1	1	100.8	44.75	0	29241.706	550.5376344	16046.53059	30000	0	0	30000	25.3125	2004
22.01.2020 09:39:48	1	1	1	1	100.8	45.25	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	26.1875	2004
22.01.2020 09:39:49	1	1	1	1	101.3	46	0	29099.526	550.5376344	15994.34675	30000	0	0	30000	25.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 09:39:50	1	1	1	1	101.3	45.75	0	29241.706	550.5376344	16098.71443	30000	0	0	30000	24.25	2004
22.01.2020 09:39:51	1	1	1	1	101.3	44.25	0	29099.526	550.5376344	15868.77939	30000	0	0	30000	25.5	2004
22.01.2020 09:39:52	1	1	1	1	101.3	45.5	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	25.375	2004
22.01.2020 09:39:53	1	1	1	1	101.3	45.25	0	29146.919	550.5376344	15858.17955	30000	0	0	30000	24.9375	2004
22.01.2020 09:39:54	1	1	1	1	101.3	44.75	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	25.375	2004
22.01.2020 09:39:55	1	1	1	1	101.3	45.25	0	29241.706	552.688172	16098.71443	30000	0	0	30000	24.3125	2004
22.01.2020 09:39:56	1	1	1	1	101.3	44.25	0	29383.886	550.5376344	16150.89827	30000	0	0	30000	25.4375	2004
22.01.2020 09:39:58	1	1	1	1	101.3	45.25	0	29241.706	546.2365591	15983.74691	30000	0	0	30000	25	2004
22.01.2020 09:39:59	1	1	1	1	101.3	45	0	29099.526	550.5376344	15957.65499	30000	0	0	30000	24.5625	2004
22.01.2020 09:40:00	1	1	1	1	101.3	44.5	0	29289.1	546.2365591	16150.89827	30000	0	0	30000	24.25	2004
22.01.2020 09:40:01	1	1	1	1	101.3	44.25	0	29336.493	546.2365591	15960.91648	30000	0	0	30000	24.75	2004
22.01.2020 09:40:02	1	1	1	1	101.3	44.75	0	29052.133	546.2365591	15868.77939	30000	0	0	30000	25.5625	2004
22.01.2020 09:40:03	1	1	1	1	101.3	45.5	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	25.375	2004
22.01.2020 09:40:04	1	1	1	1	101.3	45.25	0	29241.706	550.5376344	16098.71443	30000	0	0	30000	24.9375	2004
22.01.2020 09:40:05	1	1	1	1	101.3	44.75	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	24.125	2004
22.01.2020 09:40:06	1	1	1	1	101.3	44	0	29146.919	544.0860215	15858.17955	30000	0	0	30000	24.8125	2004
22.01.2020 09:40:07	1	1	1	1	101.3	44.75	0	29146.919	550.5376344	16061.20729	30000	0	0	30000	24.625	2004
22.01.2020 09:40:08	1	1	1	1	101.3	44.75	0	29146.919	550.5376344	16098.71443	30000	0	0	30000	25.0625	2004
22.01.2020 09:40:09	1	1	1	1	101.3	45	0	29099.526	546.2365591	15770.11932	30000	0	0	30000	25.8125	2004
22.01.2020 09:40:10	1	1	1	1	101.3	45.75	0	29146.919	546.2365591	15858.17955	30000	0	0	30000	25.4375	2004
22.01.2020 09:40:11	1	1	1	1	101.3	45.25	0	29146.919	550.5376344	16098.71443	30000	0	0	30000	25.4375	2004
22.01.2020 09:40:12	1	1	1	1	101.3	45.25	0	28957.346	541.9354839	15817.41092	30000	0	0	30000	25.9375	2004
22.01.2020 09:40:13	1	1	1	1	101.3	45.75	0	28862.559	546.2365591	15951.94738	30000	0	0	30000	24	2004
22.01.2020 09:40:14	1	1	1	1	101.3	44	0	29289.1	550.5376344	16150.89827	30000	0	0	30000	25.625	2004
22.01.2020 09:40:20	1	1	1	1	101.3	44	0	29146.919	550.5376344	16020.43867	30000	0	0	30000	25.25	2004
22.01.2020 09:40:20	1	1	1	1	101.3	44	0	29146.919	550.5376344	16020.43867	30000	0	0	30000	25.25	2004
22.01.2020 09:40:20	1	1	1	1	101.3	44	0	29146.919	550.5376344	16020.43867	30000	0	0	30000	25.25	2004
22.01.2020 09:40:20	1	1	1	1	101.3	44	0	29146.919	550.5376344	16020.43867	30000	0	0	30000	25.25	2004
22.01.2020 09:40:20	1	1	1	1	101.3	44	0	29146.919	550.5376344	16020.43867	30000	0	0	30000	25.25	2004
22.01.2020 09:40:20	1	1	1	1	101.3	45.25	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	25.3125	2004
22.01.2020 09:40:21	1	1	1	1	101.3	45.25	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	25.125	2004
22.01.2020 09:40:22	1	1	1	1	101.3	45	0	28957.346	554.8387097	15942.16291	30000	0	0	30000	25.3125	2004
22.01.2020 09:40:23	1	1	1	1	101.3	45.25	0	29052.133	550.5376344	15879.37923	30000	0	0	30000	26.5	2004
22.01.2020 09:40:24	1	1	1	1	101.3	46.5	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	25.6875	2004
22.01.2020 09:40:25	1	1	1	1	101.3	45.5	0	29052.133	550.5376344	15942.16291	30000	0	0	30000	25.375	2004
22.01.2020 09:40:26	1	1	1	1	101.3	45.25	0	28957.346	550.5376344	15994.34675	30000	0	0	30000	25.25	2004
22.01.2020 09:40:27	1	1	1	1	101.3	45.25	0	28862.559	544.0860215	15942.16291	30000	0	0	30000	25.125	2004
22.01.2020 09:40:28	1	1	1	1	101.3	45	0	29146.919	550.5376344	16020.43867	30000	0	0	30000	25	2004
22.01.2020 09:40:29	1	1	1	1	101.3	45	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	25.125	2004
22.01.2020 09:40:30	1	1	1	1	101.3	45	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	25.75	2004
22.01.2020 09:40:31	1	1	1	1	101.3	45.75	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	24.6875	2004
22.01.2020 09:40:32	1	1	1	1	101.3	44.5	0	29099.526	550.5376344	15994.34675	30000	0	0	30000	26.625	2004
22.01.2020 09:40:33	1	1	1	1	101.3	46.5	0	29099.526	546.2365591	16020.43867	30000	0	0	30000	25.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 09:40:34	1	1	1	1	101.3	45.25	0	29146.919	552.688172	16108.4989	30000	0	0	30000	25.375	2004
22.01.2020 09:40:36	1	1	1	1	101.3	45.25	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	25.6875	2004
22.01.2020 09:40:37	1	1	1	1	101.3	45.5	0	29099.526	546.2365591	16046.53059	30000	0	0	30000	26.1875	2004
22.01.2020 09:40:38	1	1	1	1	101.3	46	0	29099.526	550.5376344	16046.53059	30000	0	0	30000	25.0625	2004
22.01.2020 09:40:39	1	1	1	1	101.3	45	0	29146.919	550.5376344	15957.65499	30000	0	0	30000	25.8125	2004
22.01.2020 09:40:40	1	1	1	1	101.3	45.75	0	29099.526	554.8387097	16020.43867	30000	0	0	30000	26.375	2004
22.01.2020 09:40:41	1	1	1	1	101.3	46.25	0	28957.346	550.5376344	15843.50284	30000	0	0	30000	26.4375	2004
22.01.2020 09:40:42	1	1	1	1	101.3	46.25	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	24.625	2004
22.01.2020 09:40:43	1	1	1	1	101.3	44.5	0	29431.28	552.688172	16265.86579	30000	0	0	30000	26.5	2004
22.01.2020 09:40:44	1	1	1	1	101.3	46.5	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	26.75	2004
22.01.2020 09:40:45	1	1	1	1	101.3	46.75	0	29052.133	546.2365591	15832.08763	30000	0	0	30000	24.6875	2004
22.01.2020 09:40:46	1	1	1	1	101.3	45	0	29241.706	546.2365591	16098.71443	30000	0	0	30000	25.625	2004
22.01.2020 09:40:47	1	1	1	1	101.3	45.5	0	29289.1	546.2365591	16024.51553	30000	0	0	30000	24.625	2004
22.01.2020 09:40:48	1	1	1	1	101.3	44.5	0	29146.919	544.0860215	16046.53059	30000	0	0	30000	25.375	2004
22.01.2020 09:40:49	1	1	1	1	101.5	45.25	0	29241.706	546.2365591	15909.54801	30000	0	0	30000	26	2004
22.01.2020 09:40:50	1	1	1	1	101.5	46	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	26.1875	2004
22.01.2020 09:40:51	1	1	1	1	101.5	46	0	29336.493	546.2365591	15846.76433	30000	0	0	30000	26.3125	2004
22.01.2020 09:40:52	1	1	1	1	101.5	46.25	0	29526.066	546.2365591	16217.75881	30000	0	0	30000	25.875	2004
22.01.2020 09:40:53	1	1	1	1	101.5	45.75	0	29146.919	546.2365591	15832.08763	30000	0	0	30000	25.4375	2004
22.01.2020 09:40:54	1	1	1	1	101.5	45.25	0	29241.706	546.2365591	15858.17955	30000	0	0	30000	25.875	2004
22.01.2020 09:40:55	1	1	1	1	101.5	45.75	0	29146.919	544.0860215	15858.17955	30000	0	0	30000	25.4375	2004
22.01.2020 09:40:56	1	1	1	1	101.5	45.25	0	29289.1	546.2365591	16024.51553	30000	0	0	30000	25.625	2004
22.01.2020 09:40:57	1	1	1	1	101.5	45.5	0	29383.886	546.2365591	16013.10032	30000	0	0	30000	24.875	2004
22.01.2020 09:40:58	1	1	1	1	101.5	44.75	0	29383.886	550.5376344	16203.08211	30000	0	0	30000	24.875	2004
22.01.2020 09:40:59	1	1	1	1	101.8	44.75	0	29194.313	546.2365591	15972.33169	30000	0	0	30000	25.875	2004
22.01.2020 09:41:00	1	1	1	1	101.8	45.75	0	28957.346	550.5376344	15754.62724	30000	0	0	30000	25.125	2004
22.01.2020 09:41:01	1	1	1	1	101.8	45	0	29241.706	544.0860215	15972.33169	30000	0	0	30000	26.0625	2004
22.01.2020 09:41:02	1	1	1	1	101.8	46	0	29336.493	546.2365591	15960.91648	30000	0	0	30000	25.875	2004
22.01.2020 09:41:03	1	1	1	1	101.8	45.75	0	29336.493	544.0860215	16150.89827	30000	0	0	30000	24.875	2004
22.01.2020 09:41:04	1	1	1	1	101.8	44.75	0	29146.919	550.5376344	16035.11538	30000	0	0	30000	24.8125	2004
22.01.2020 09:41:05	1	1	1	1	101.8	44.75	0	29052.133	552.688172	16004.13122	30000	0	0	30000	25.8125	2004
22.01.2020 09:41:06	1	1	1	1	101.8	45.75	0	29052.133	552.688172	16056.31506	30000	0	0	30000	26.125	2004
22.01.2020 09:41:07	1	1	1	1	101.8	46	0	29241.706	546.2365591	15858.17955	30000	0	0	30000	25.375	2004
22.01.2020 09:41:08	1	1	1	1	101.8	45.25	0	29146.919	546.2365591	15957.65499	30000	0	0	30000	26.1875	2004
22.01.2020 09:41:09	1	1	1	1	102	46	0	29336.493	546.2365591	16087.29921	30000	0	0	30000	25.4375	2004
22.01.2020 09:41:10	1	1	1	1	102	45.25	0	29146.919	546.2365591	16046.53059	30000	0	0	30000	25.9375	2004
22.01.2020 09:41:11	1	1	1	1	102	45.75	0	29146.919	550.5376344	16020.43867	30000	0	0	30000	25.4375	2004
22.01.2020 09:41:12	1	1	1	1	102	45.25	0	29099.526	546.2365591	15994.34675	30000	0	0	30000	25.125	2004
22.01.2020 09:41:14	1	1	1	1	102	45	0	29099.526	550.5376344	15994.34675	30000	0	0	30000	25.4375	2004
22.01.2020 09:41:15	1	1	1	1	102	45.25	0	29099.526	550.5376344	15858.17955	30000	0	0	30000	25.8125	2004
22.01.2020 09:41:16	1	1	1	1	102	45.75	0	29241.706	550.5376344	16046.53059	30000	0	0	30000	26.3125	2004
22.01.2020 09:41:22	1	1	1	1	101.5	46.25	0	29099.526	550.5376344	16020.43867	30000	0	0	30000	26	2004
22.01.2020 09:41:22	1	1	1	1	101.5	46.25	0	29099.526	550.5376344	16020.43867	30000	0	0	30000	26	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 09:41:22	1	1	1	1	101.5	46.25	0	29099.526	550.5376344	16020.43867	30000	0	0	30000	26	2004
22.01.2020 09:41:22	1	1	1	1	101.5	46.25	0	29099.526	550.5376344	16020.43867	30000	0	0	30000	26	2004
22.01.2020 09:41:22	1	1	1	1	101.5	46.25	0	29099.526	550.5376344	16020.43867	30000	0	0	30000	26	2004
22.01.2020 09:41:22	1	1	1	1	101.5	46	0	29099.526	546.2365591	16020.43867	30000	0	0	30000	26.1875	2004
22.01.2020 09:41:23	1	1	1	1	101.5	46	0	28957.346	546.2365591	15942.16291	30000	0	0	30000	26.625	2004
22.01.2020 09:41:24	1	1	1	1	101.5	46.5	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	26.8125	2004
22.01.2020 09:41:25	1	1	1	1	101.5	46.5	0	29099.526	550.5376344	16046.53059	30000	0	0	30000	25.6875	2004
22.01.2020 09:41:26	1	1	1	1	101.5	45.5	0	29099.526	550.5376344	16108.4989	30000	0	0	30000	26.5625	2004
22.01.2020 09:41:27	1	1	1	1	101.5	46.5	0	29052.133	550.5376344	16020.43867	30000	0	0	30000	25.5	2004
22.01.2020 09:41:28	1	1	1	1	101.5	45.5	0	29052.133	546.2365591	16046.53059	30000	0	0	30000	26.25	2004
22.01.2020 09:41:29	1	1	1	1	102	46.25	0	29241.706	544.0860215	15783.98065	30000	0	0	30000	26.1875	2004
22.01.2020 09:41:30	1	1	1	1	102	46	0	29431.28	550.5376344	16075.884	30000	0	0	30000	26.4375	2004
22.01.2020 09:41:31	1	1	1	1	102	46.25	0	29146.919	546.2365591	16098.71443	30000	0	0	30000	26.1875	2004
22.01.2020 09:41:32	1	1	1	1	102	46	0	29099.526	544.0860215	16046.53059	30000	0	0	30000	26.1875	2004
22.01.2020 09:41:33	1	1	1	1	102	46	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	24.875	2004
22.01.2020 09:41:34	1	1	1	1	102	44.75	0	29146.919	544.0860215	16108.4989	30000	0	0	30000	25.5625	2004
22.01.2020 09:41:35	1	1	1	1	102	45.5	0	29146.919	550.5376344	16098.71443	30000	0	0	30000	26.3125	2004
22.01.2020 09:41:36	1	1	1	1	102	46.25	0	29052.133	546.2365591	15868.77939	30000	0	0	30000	26.125	2004
22.01.2020 09:41:37	1	1	1	1	102	46	0	29099.526	552.688172	15957.65499	30000	0	0	30000	26	2004
22.01.2020 09:41:38	1	1	1	1	102	46	0	29146.919	550.5376344	15920.96323	30000	0	0	30000	26.5625	2004
22.01.2020 09:41:39	1	1	1	1	102.5	46.5	0	29052.133	546.2365591	15994.34675	30000	0	0	30000	26.6875	2004
22.01.2020 09:41:40	1	1	1	1	102.5	46.5	0	29146.919	552.688172	16046.53059	30000	0	0	30000	26.5	2004
22.01.2020 09:41:41	1	1	1	1	102.5	46.5	0	29241.706	552.688172	16213.68195	30000	0	0	30000	26.0625	2004
22.01.2020 09:41:42	1	1	1	1	102.5	46	0	29099.526	550.5376344	15957.65499	30000	0	0	30000	26.0625	2004
22.01.2020 09:41:43	1	1	1	1	102.5	46	0	29146.919	550.5376344	15707.33563	30000	0	0	30000	25.5625	2004
22.01.2020 09:41:44	1	1	1	1	102.5	45.5	0	29052.133	544.0860215	16046.53059	30000	0	0	30000	26.125	2004
22.01.2020 09:41:45	1	1	1	1	102.5	46	0	29383.886	546.2365591	16050.60745	30000	0	0	30000	26	2004
22.01.2020 09:41:46	1	1	1	1	102.5	46	0	29241.706	546.2365591	16061.20729	30000	0	0	30000	26.6875	2004
22.01.2020 09:41:47	1	1	1	1	102.5	46.5	0	29099.526	550.5376344	16020.43867	30000	0	0	30000	26.875	2004
22.01.2020 09:41:48	1	1	1	1	102.5	46.75	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	26.1875	2004
22.01.2020 09:41:49	1	1	1	1	102.3	46	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	26.5625	2004
22.01.2020 09:41:50	1	1	1	1	102.3	46.5	0	29146.919	550.5376344	15858.17955	30000	0	0	30000	25	2004
22.01.2020 09:41:51	1	1	1	1	102.3	45	0	29099.526	550.5376344	16020.43867	30000	0	0	30000	26.5	2004
22.01.2020 09:41:53	1	1	1	1	102.3	46.5	0	28957.346	546.2365591	15817.41092	30000	0	0	30000	25.75	2004
22.01.2020 09:41:54	1	1	1	1	102.3	45.75	0	29146.919	550.5376344	15994.34675	30000	0	0	30000	26.125	2004
22.01.2020 09:41:55	1	1	1	1	102.3	46	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	25.375	2004
22.01.2020 09:41:56	1	1	1	1	102.3	45.25	0	28862.559	544.0860215	15889.97907	30000	0	0	30000	26.1875	2004
22.01.2020 09:41:57	1	1	1	1	102.3	46	0	29146.919	550.5376344	16150.89827	30000	0	0	30000	25.5	2004
22.01.2020 09:41:58	1	1	1	1	102.3	45.5	0	29099.526	550.5376344	15994.34675	30000	0	0	30000	24.6875	2004
22.01.2020 09:41:59	1	1	1	1	102.3	44.5	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	25.5625	2004
22.01.2020 09:42:00	1	1	1	1	102.5	45.5	0	28862.559	550.5376344	15951.94738	30000	0	0	30000	26.125	2004
22.01.2020 09:42:01	1	1	1	1	102.5	46	0	28909.953	550.5376344	15889.97907	30000	0	0	30000	27.3125	2004
22.01.2020 09:42:02	1	1	1	1	102.5	47.25	0	29099.526	550.5376344	16020.43867	30000	0	0	30000	26.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 09:42:03	1	1	1	1	102.5	46.25	0	29099.526	548.3870968	15957.65499	30000	0	0	30000	26.6875	2004
22.01.2020 09:42:04	1	1	1	1	102.5	44.75	0	29146.919	550.5376344	15920.96323	30000	0	0	30000	26.9375	2004
22.01.2020 09:42:05	1	1	1	1	102.5	46.75	0	29146.919	552.688172	16108.4989	30000	0	0	30000	26.6875	2004
22.01.2020 09:42:06	1	1	1	1	102.5	46.5	0	29052.133	550.5376344	15931.56307	30000	0	0	30000	26.25	2004
22.01.2020 09:42:07	1	1	1	1	102.5	46.25	0	28862.559	552.688172	15951.94738	30000	0	0	30000	26.4375	2004
22.01.2020 09:42:08	1	1	1	1	102.5	46.25	0	29052.133	550.5376344	15942.16291	30000	0	0	30000	25.5625	2004
22.01.2020 09:42:09	1	1	1	1	102.3	45.5	0	29146.919	550.5376344	16108.4989	30000	0	0	30000	25.6875	2004
22.01.2020 09:42:10	1	1	1	1	102.3	45.5	0	29146.919	550.5376344	15957.65499	30000	0	0	30000	25.5625	2004
22.01.2020 09:42:11	1	1	1	1	102.3	45.5	0	28957.346	546.2365591	15879.37923	30000	0	0	30000	26.25	2004
22.01.2020 09:42:12	1	1	1	1	102.3	46.25	0	29099.526	544.0860215	15957.65499	30000	0	0	30000	26	2004
22.01.2020 09:42:13	1	1	1	1	102.3	46	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	25.5	2004
22.01.2020 09:42:14	1	1	1	1	102.3	45.5	0	28957.346	546.2365591	15994.34675	30000	0	0	30000	26	2004
22.01.2020 09:42:15	1	1	1	1	102.3	46	0	28957.346	554.8387097	16066.09953	30000	0	0	30000	25.9375	2004
22.01.2020 09:42:16	1	1	1	1	102.3	45.75	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	26	2004
22.01.2020 09:42:17	1	1	1	1	102.3	46	0	29146.919	550.5376344	15692.65893	30000	0	0	30000	25.5625	2004
22.01.2020 09:42:23	1	1	1	1	101.8	45	0	29146.919	550.5376344	15806.81108	30000	0	0	30000	25.625	2004
22.01.2020 09:42:23	1	1	1	1	101.8	45	0	29146.919	550.5376344	15806.81108	30000	0	0	30000	25.625	2004
22.01.2020 09:42:23	1	1	1	1	101.8	45	0	29146.919	550.5376344	15806.81108	30000	0	0	30000	25.625	2004
22.01.2020 09:42:23	1	1	1	1	101.8	45	0	29146.919	550.5376344	15806.81108	30000	0	0	30000	25.625	2004
22.01.2020 09:42:23	1	1	1	1	101.8	45	0	29146.919	550.5376344	15806.81108	30000	0	0	30000	25.625	2004
22.01.2020 09:42:23	1	1	1	1	101.8	45.5	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	25.5	2004
22.01.2020 09:42:24	1	1	1	1	101.8	45.5	0	28862.559	552.688172	15925.85546	30000	0	0	30000	26.625	2004
22.01.2020 09:42:25	1	1	1	1	101.8	46.5	0	29241.706	546.2365591	16024.51553	30000	0	0	30000	25.4375	2004
22.01.2020 09:42:26	1	1	1	1	101.8	45.25	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	26.4375	2004
22.01.2020 09:42:27	1	1	1	1	101.8	46.25	0	29146.919	544.0860215	15858.17955	30000	0	0	30000	25.875	2004
22.01.2020 09:42:28	1	1	1	1	101.8	45.75	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	24.9375	2004
22.01.2020 09:42:29	1	1	1	1	102.5	44.75	0	29241.706	550.5376344	16035.11538	30000	0	0	30000	25.375	2004
22.01.2020 09:42:31	1	1	1	1	102.5	45.25	0	29241.706	546.2365591	16087.29921	30000	0	0	30000	25.6875	2004
22.01.2020 09:42:32	1	1	1	1	102.5	45.5	0	29241.706	550.5376344	15972.33169	30000	0	0	30000	26	2004
22.01.2020 09:42:33	1	1	1	1	102.5	46	0	29146.919	544.0860215	15983.74691	30000	0	0	30000	25.1875	2004
22.01.2020 09:42:34	1	1	1	1	102.5	45	0	29289.1	546.2365591	16098.71443	30000	0	0	30000	26.5625	2004
22.01.2020 09:42:35	1	1	1	1	102.5	46.5	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	26.375	2004
22.01.2020 09:42:36	1	1	1	1	102.5	46.25	0	29146.919	544.0860215	16046.53059	30000	0	0	30000	25.6875	2004
22.01.2020 09:42:37	1	1	1	1	102.5	45.5	0	29241.706	550.5376344	16098.71443	30000	0	0	30000	25.0625	2004
22.01.2020 09:42:38	1	1	1	1	102.5	45	0	29289.1	546.2365591	15998.42361	30000	0	0	30000	25.375	2004
22.01.2020 09:42:39	1	1	1	1	102.5	45.25	0	29241.706	550.5376344	15972.33169	30000	0	0	30000	25.375	2004
22.01.2020 09:42:40	1	1	1	1	102.3	45.25	0	29478.673	550.5376344	16229.17403	30000	0	0	30000	26.75	2004
22.01.2020 09:42:41	1	1	1	1	102.3	46.75	0	29289.1	550.5376344	16150.89827	30000	0	0	30000	26.6875	2004
22.01.2020 09:42:42	1	1	1	1	102.3	46.5	0	29336.493	550.5376344	15998.42361	30000	0	0	30000	27.5	2004
22.01.2020 09:42:43	1	1	1	1	102.3	45.25	0	29052.133	544.0860215	15868.77939	30000	0	0	30000	24.8125	2004
22.01.2020 09:42:44	1	1	1	1	102.3	44.75	0	29099.526	546.2365591	15894.87131	30000	0	0	30000	25.8125	2004
22.01.2020 09:42:45	1	1	1	1	102.3	45.75	0	29431.28	546.2365591	16075.884	30000	0	0	30000	26.375	2004
22.01.2020 09:42:46	1	1	1	1	102.3	46.25	0	29289.1	550.5376344	16150.89827	30000	0	0	30000	26.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 09:42:47	1	1	1	1	102.3	46	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	25.6875	2004
22.01.2020 09:42:48	1	1	1	1	102.3	45.5	0	29289.1	550.5376344	15998.42361	30000	0	0	30000	25.875	2004
22.01.2020 09:42:49	1	1	1	1	101.5	45.75	0	29052.133	544.0860215	15832.08763	30000	0	0	30000	26.5625	2004
22.01.2020 09:42:50	1	1	1	1	101.5	46.5	0	29099.526	550.5376344	15931.56307	30000	0	0	30000	25.75	2004
22.01.2020 09:42:51	1	1	1	1	101.5	45.75	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	25.5	2004
22.01.2020 09:42:52	1	1	1	1	101.5	45.5	0	29146.919	546.2365591	16046.53059	30000	0	0	30000	26.1875	2004
22.01.2020 09:42:53	1	1	1	1	101.5	46	0	29052.133	539.7849462	15920.96323	30000	0	0	30000	26.625	2004
22.01.2020 09:42:54	1	1	1	1	101.5	46.5	0	29052.133	546.2365591	15806.81108	30000	0	0	30000	26.625	2004
22.01.2020 09:42:55	1	1	1	1	101.5	46.5	0	29336.493	550.5376344	15998.42361	30000	0	0	30000	25.8125	2004
22.01.2020 09:42:56	1	1	1	1	101.5	45.75	0	29146.919	544.0860215	16046.53059	30000	0	0	30000	26.0625	2004
22.01.2020 09:42:57	1	1	1	1	101.5	46	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	26.625	2004
22.01.2020 09:42:58	1	1	1	1	101.5	46.5	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	26.3125	2004
22.01.2020 09:42:59	1	1	1	1	101.5	46.25	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	25.5625	2004
22.01.2020 09:43:00	1	1	1	1	101.5	45.5	0	28862.559	552.688172	15889.97907	30000	0	0	30000	26.4375	2004
22.01.2020 09:43:01	1	1	1	1	101.5	46.25	0	29052.133	550.5376344	16056.31506	30000	0	0	30000	26.5625	2004
22.01.2020 09:43:02	1	1	1	1	101.5	46.5	0	29146.919	552.688172	16108.4989	30000	0	0	30000	26.1875	2004
22.01.2020 09:43:03	1	1	1	1	101.5	46	0	29052.133	550.5376344	15630.69062	30000	0	0	30000	26.5625	2004
22.01.2020 09:43:04	1	1	1	1	101.5	46.5	0	29052.133	546.2365591	15868.77939	30000	0	0	30000	26.6875	2004
22.01.2020 09:43:05	1	1	1	1	101.5	46.5	0	29146.919	546.2365591	15806.81108	30000	0	0	30000	26.0625	2004
22.01.2020 09:43:06	1	1	1	1	101.5	46	0	29052.133	550.5376344	15931.56307	30000	0	0	30000	24.9375	2004
22.01.2020 09:43:08	1	1	1	1	101.5	44.75	0	28862.559	550.5376344	15942.16291	30000	0	0	30000	25.6875	2004
22.01.2020 09:43:09	1	1	1	1	101.5	45.5	0	28862.559	550.5376344	15889.97907	30000	0	0	30000	26.375	2004
22.01.2020 09:43:10	1	1	1	1	101	46.25	0	28957.346	554.8387097	16004.13122	30000	0	0	30000	25.625	2004
22.01.2020 09:43:11	1	1	1	1	101	45.5	0	29289.1	550.5376344	15858.17955	30000	0	0	30000	26.25	2004
22.01.2020 09:43:12	1	1	1	1	101	46.25	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	25.6875	2004
22.01.2020 09:43:13	1	1	1	1	101	45.5	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	25.9375	2004
22.01.2020 09:43:14	1	1	1	1	101	45.75	0	29052.133	550.5376344	15942.16291	30000	0	0	30000	26.3125	2004
22.01.2020 09:43:15	1	1	1	1	101	46.25	0	28862.559	554.8387097	15951.94738	30000	0	0	30000	25.75	2004
22.01.2020 09:43:16	1	1	1	1	101	45.75	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	25.6875	2004
22.01.2020 09:43:17	1	1	1	1	101	45.5	0	29052.133	550.5376344	16056.31506	30000	0	0	30000	26.8125	2004
22.01.2020 09:43:18	1	1	1	1	101	46.75	0	29099.526	550.5376344	16171.28258	30000	0	0	30000	26.125	2004
22.01.2020 09:43:19	1	1	1	1	101	46	0	29146.919	550.5376344	16020.43867	30000	0	0	30000	27.625	2004
22.01.2020 09:43:25	1	1	1	1	101.8	47	0	29099.526	554.8387097	16171.28258	30000	0	0	30000	25.6875	2004
22.01.2020 09:43:25	1	1	1	1	101.8	47	0	29099.526	554.8387097	16171.28258	30000	0	0	30000	25.6875	2004
22.01.2020 09:43:25	1	1	1	1	101.8	47	0	29099.526	554.8387097	16171.28258	30000	0	0	30000	25.6875	2004
22.01.2020 09:43:25	1	1	1	1	101.8	47	0	29099.526	554.8387097	16171.28258	30000	0	0	30000	25.6875	2004
22.01.2020 09:43:25	1	1	1	1	101.8	47	0	29099.526	554.8387097	16171.28258	30000	0	0	30000	25.6875	2004
22.01.2020 09:43:25	1	1	1	1	101.8	45.5	0	29052.133	550.5376344	15942.16291	30000	0	0	30000	26.75	2004
22.01.2020 09:43:26	1	1	1	1	101.8	46.75	0	28909.953	552.688172	15951.94738	30000	0	0	30000	26.875	2004
22.01.2020 09:43:27	1	1	1	1	101.8	46.75	0	28862.559	552.688172	15951.94738	30000	0	0	30000	27.5625	2004
22.01.2020 09:43:28	1	1	1	1	101.8	47.5	0	29146.919	550.5376344	16108.4989	30000	0	0	30000	27.0625	2004
22.01.2020 09:43:29	1	1	1	1	102	47	0	28957.346	552.688172	16004.13122	30000	0	0	30000	26.5	2004
22.01.2020 09:43:30	1	1	1	1	102	46.5	0	29146.919	548.3870968	15868.77939	30000	0	0	30000	26	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 09:43:31	1	1	1	1	102	46	0	29336.493	550.5376344	16098.71443	30000	0	0	30000	25.375	2004
22.01.2020 09:43:32	1	1	1	1	102	45.25	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	25.4375	2004
22.01.2020 09:43:33	1	1	1	1	102	45.25	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	27.0625	2004
22.01.2020 09:43:34	1	1	1	1	102	47	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	26.125	2004
22.01.2020 09:43:35	1	1	1	1	102	46	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	26.625	2004
22.01.2020 09:43:36	1	1	1	1	102	46.5	0	29146.919	552.688172	16108.4989	30000	0	0	30000	26.1875	2004
22.01.2020 09:43:37	1	1	1	1	102	46	0	29146.919	546.2365591	15858.17955	30000	0	0	30000	26.5	2004
22.01.2020 09:43:38	1	1	1	1	102	46.5	0	29052.133	546.2365591	15994.34675	30000	0	0	30000	26.4375	2004
22.01.2020 09:43:39	1	1	1	1	101.5	46.25	0	29099.526	550.5376344	16020.43867	30000	0	0	30000	26.125	2004
22.01.2020 09:43:40	1	1	1	1	101.5	46	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	26.5	2004
22.01.2020 09:43:41	1	1	1	1	101.5	46.5	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	26.5	2004
22.01.2020 09:43:42	1	1	1	1	101.5	46.5	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	26.625	2004
22.01.2020 09:43:43	1	1	1	1	101.5	46.5	0	29052.133	546.2365591	15868.77939	30000	0	0	30000	25.875	2004
22.01.2020 09:43:44	1	1	1	1	101.5	45.75	0	28815.166	550.5376344	15863.88715	30000	0	0	30000	27.4375	2004
22.01.2020 09:43:46	1	1	1	1	101.5	47.25	0	28862.559	550.5376344	15889.97907	30000	0	0	30000	26.1875	2004
22.01.2020 09:43:47	1	1	1	1	101.5	46	0	29146.919	546.2365591	16046.53059	30000	0	0	30000	25.8125	2004
22.01.2020 09:43:48	1	1	1	1	101.5	45.75	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	26.875	2004
22.01.2020 09:43:49	1	1	1	1	101.5	46.75	0	29289.1	546.2365591	16124.80635	30000	0	0	30000	26.8125	2004
22.01.2020 09:43:50	1	1	1	1	102.3	46.75	0	29099.526	550.5376344	15994.34675	30000	0	0	30000	25.9375	2004
22.01.2020 09:43:51	1	1	1	1	102.3	45.75	0	29052.133	550.5376344	15931.56307	30000	0	0	30000	26.375	2004
22.01.2020 09:43:52	1	1	1	1	102.3	46.25	0	29146.919	544.0860215	15920.96323	30000	0	0	30000	26.625	2004
22.01.2020 09:43:53	1	1	1	1	102.3	46.5	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	27.4375	2004
22.01.2020 09:43:54	1	1	1	1	102.3	47.25	0	28815.166	552.688172	15863.88715	30000	0	0	30000	26.6875	2004
22.01.2020 09:43:55	1	1	1	1	102.3	46.5	0	29146.919	550.5376344	15920.96323	30000	0	0	30000	27.125	2004
22.01.2020 09:43:56	1	1	1	1	102.3	47	0	28862.559	550.5376344	15889.97907	30000	0	0	30000	26.5	2004
22.01.2020 09:43:57	1	1	1	1	102.3	46.5	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	27.75	2004
22.01.2020 09:43:58	1	1	1	1	102.3	47.75	0	29146.919	550.5376344	15920.96323	30000	0	0	30000	27	2004
22.01.2020 09:43:59	1	1	1	1	102	47.25	0	29241.706	546.2365591	16087.29921	30000	0	0	30000	25.75	2004
22.01.2020 09:44:00	1	1	1	1	102	45.75	0	29099.526	544.0860215	15894.87131	30000	0	0	30000	26.6875	2004
22.01.2020 09:44:01	1	1	1	1	102	46.5	0	29289.1	544.0860215	16024.51553	30000	0	0	30000	26.5	2004
22.01.2020 09:44:02	1	1	1	1	102	46.5	0	29052.133	550.5376344	15942.16291	30000	0	0	30000	26	2004
22.01.2020 09:44:03	1	1	1	1	102	46	0	29146.919	550.5376344	16020.43867	30000	0	0	30000	25.625	2004
22.01.2020 09:44:04	1	1	1	1	102	45.5	0	29241.706	550.5376344	16098.71443	30000	0	0	30000	25.8125	2004
22.01.2020 09:44:05	1	1	1	1	102	45.75	0	29146.919	550.5376344	16108.4989	30000	0	0	30000	27	2004
22.01.2020 09:44:06	1	1	1	1	102	47	0	29336.493	550.5376344	16087.29921	30000	0	0	30000	26.0625	2004
22.01.2020 09:44:07	1	1	1	1	102	46	0	29241.706	546.2365591	15972.33169	30000	0	0	30000	26.625	2004
22.01.2020 09:44:08	1	1	1	1	102	46.5	0	29241.706	546.2365591	15998.42361	30000	0	0	30000	26.375	2004
22.01.2020 09:44:09	1	1	1	1	101.5	46.25	0	29099.526	546.2365591	15920.96323	30000	0	0	30000	26.25	2004
22.01.2020 09:44:10	1	1	1	1	101.5	46.25	0	29146.919	539.7849462	15909.54801	30000	0	0	30000	26.5625	2004
22.01.2020 09:44:11	1	1	1	1	101.5	46.5	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	26.375	2004
22.01.2020 09:44:12	1	1	1	1	101.5	46.25	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	26.5625	2004
22.01.2020 09:44:13	1	1	1	1	101.5	46.5	0	28909.953	544.0860215	16004.13122	30000	0	0	30000	26.875	2004
22.01.2020 09:44:14	1	1	1	1	101.5	46.75	0	29478.673	550.5376344	16229.17403	30000	0	0	30000	26.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 09:44:15	1	1	1	1	101.5	46	0	28957.346	546.2365591	15868.77939	30000	0	0	30000	27	2004
22.01.2020 09:44:16	1	1	1	1	101.5	47	0	28957.346	550.5376344	15916.07099	30000	0	0	30000	26.1875	2004
22.01.2020 09:44:17	1	1	1	1	101.5	46	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	26.125	2004
22.01.2020 09:44:18	1	1	1	1	101.5	46	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	26.125	2004
22.01.2020 09:44:19	1	1	1	1	101.3	46	0	29052.133	544.0860215	16020.43867	30000	0	0	30000	26.4375	2004
22.01.2020 09:44:20	1	1	1	1	101.3	46.25	0	29052.133	546.2365591	15994.34675	30000	0	0	30000	26.4375	2004
22.01.2020 09:44:26	1	1	1	1	101.3	47.75	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	26.9375	2004
22.01.2020 09:44:26	1	1	1	1	101.3	47.75	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	26.9375	2004
22.01.2020 09:44:26	1	1	1	1	101.3	47.75	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	26.9375	2004
22.01.2020 09:44:26	1	1	1	1	101.3	47.75	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	26.9375	2004
22.01.2020 09:44:26	1	1	1	1	101.3	47.75	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	26.9375	2004
22.01.2020 09:44:27	1	1	1	1	101.3	46.75	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	27.5625	2004
22.01.2020 09:44:28	1	1	1	1	101.3	47.5	0	29099.526	550.5376344	16046.53059	30000	0	0	30000	26.5625	2004
22.01.2020 09:44:29	1	1	1	1	101.3	46.5	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	26.75	2004
22.01.2020 09:44:30	1	1	1	1	101.5	46.75	0	29241.706	550.5376344	16098.71443	30000	0	0	30000	26.75	2004
22.01.2020 09:44:31	1	1	1	1	101.5	46.75	0	28957.346	539.7849462	15894.87131	30000	0	0	30000	26.125	2004
22.01.2020 09:44:32	1	1	1	1	101.5	46	0	29052.133	546.2365591	15817.41092	30000	0	0	30000	26.8125	2004
22.01.2020 09:44:33	1	1	1	1	101.5	46.75	0	29052.133	546.2365591	15931.56307	30000	0	0	30000	27.375	2004
22.01.2020 09:44:34	1	1	1	1	101.5	47.25	0	28862.559	546.2365591	16004.13122	30000	0	0	30000	26.8125	2004
22.01.2020 09:44:35	1	1	1	1	101.5	46.75	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	28.1875	2004
22.01.2020 09:44:36	1	1	1	1	101.5	48	0	29241.706	550.5376344	16098.71443	30000	0	0	30000	26.4375	2004
22.01.2020 09:44:37	1	1	1	1	101.5	46.5	0	29146.919	554.8387097	16108.4989	30000	0	0	30000	26.375	2004
22.01.2020 09:44:38	1	1	1	1	101.5	46.25	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	27.75	2004
22.01.2020 09:44:39	1	1	1	1	102	47.75	0	28957.346	544.0860215	16181.06705	30000	0	0	30000	26.625	2004
22.01.2020 09:44:40	1	1	1	1	102	46.5	0	28957.346	550.5376344	15994.34675	30000	0	0	30000	27.75	2004
22.01.2020 09:44:41	1	1	1	1	102	47.75	0	28815.166	546.2365591	15863.88715	30000	0	0	30000	27.5625	2004
22.01.2020 09:44:42	1	1	1	1	102	47.5	0	29099.526	550.5376344	16020.43867	30000	0	0	30000	26.6875	2004
22.01.2020 09:44:43	1	1	1	1	102	46.5	0	29146.919	552.688172	16108.4989	30000	0	0	30000	25.5	2004
22.01.2020 09:44:44	1	1	1	1	102	45.5	0	29052.133	550.5376344	15879.37923	30000	0	0	30000	27.25	2004
22.01.2020 09:44:45	1	1	1	1	102	47.25	0	29052.133	550.5376344	16082.40698	30000	0	0	30000	27.6875	2004
22.01.2020 09:44:46	1	1	1	1	102	47.5	0	28957.346	552.688172	16004.13122	30000	0	0	30000	27	2004
22.01.2020 09:44:47	1	1	1	1	102	47	0	28957.346	552.688172	15942.16291	30000	0	0	30000	26.125	2004
22.01.2020 09:44:48	1	1	1	1	102	46	0	29052.133	559.1397849	16243.85073	30000	0	0	30000	25.5	2004
22.01.2020 09:44:49	1	1	1	1	102	45.5	0	29052.133	559.1397849	16004.13122	30000	0	0	30000	27.5	2004
22.01.2020 09:44:50	1	1	1	1	102	47.5	0	28815.166	550.5376344	15863.88715	30000	0	0	30000	26.0625	2004
22.01.2020 09:44:51	1	1	1	1	102	46	0	29146.919	554.8387097	16171.28258	30000	0	0	30000	26.4375	2004
22.01.2020 09:44:52	1	1	1	1	102	46.25	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	27.5625	2004
22.01.2020 09:44:53	1	1	1	1	102	47.5	0	28957.346	559.1397849	15754.62724	30000	0	0	30000	27.5625	2004
22.01.2020 09:44:54	1	1	1	1	102	47.5	0	29146.919	546.2365591	16046.53059	30000	0	0	30000	27.5625	2004
22.01.2020 09:44:55	1	1	1	1	102	47.5	0	29052.133	550.5376344	15942.16291	30000	0	0	30000	26.75	2004
22.01.2020 09:44:56	1	1	1	1	102	46.75	0	29146.919	546.2365591	15858.17955	30000	0	0	30000	27.0625	2004
22.01.2020 09:44:57	1	1	1	1	102	47	0	29146.919	552.688172	15920.96323	30000	0	0	30000	26.1875	2004
22.01.2020 09:44:58	1	1	1	1	102	46	0	29241.706	550.5376344	16108.4989	30000	0	0	30000	27.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 09:44:59	1	1	1	1	102	47	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	26.5625	2004
22.01.2020 09:45:00	1	1	1	1	102	46.5	0	29099.526	550.5376344	16046.53059	30000	0	0	30000	26.6875	2004
22.01.2020 09:45:01	1	1	1	1	102	46.5	0	28957.346	550.5376344	15817.41092	30000	0	0	30000	27.4375	2004
22.01.2020 09:45:03	1	1	1	1	102	47.25	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	27	2004
22.01.2020 09:45:04	1	1	1	1	102	47	0	29052.133	552.688172	16108.4989	30000	0	0	30000	25.9375	2004
22.01.2020 09:45:05	1	1	1	1	102	45.75	0	29099.526	552.688172	16108.4989	30000	0	0	30000	26.3125	2004
22.01.2020 09:45:06	1	1	1	1	102	46.25	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	26.8125	2004
22.01.2020 09:45:07	1	1	1	1	102	46.75	0	29146.919	554.8387097	16082.40698	30000	0	0	30000	26.4375	2004
22.01.2020 09:45:08	1	1	1	1	102	46.25	0	28957.346	552.688172	16004.13122	30000	0	0	30000	27.4375	2004
22.01.2020 09:45:09	1	1	1	1	102	47.25	0	29052.133	552.688172	16119.09874	30000	0	0	30000	27.1875	2004
22.01.2020 09:45:10	1	1	1	1	102.3	47	0	29052.133	550.5376344	16004.13122	30000	0	0	30000	27.0625	2004
22.01.2020 09:45:11	1	1	1	1	102.3	47	0	28957.346	552.688172	16004.13122	30000	0	0	30000	27.1875	2004
22.01.2020 09:45:12	1	1	1	1	102.3	47	0	28957.346	552.688172	16004.13122	30000	0	0	30000	27.125	2004
22.01.2020 09:45:13	1	1	1	1	102.3	47	0	28957.346	548.3870968	16066.09953	30000	0	0	30000	27.0625	2004
22.01.2020 09:45:14	1	1	1	1	102.3	47	0	29052.133	554.8387097	16119.09874	30000	0	0	30000	28.4375	2004
22.01.2020 09:45:15	1	1	1	1	102.3	48.25	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	26.6875	2004
22.01.2020 09:45:16	1	1	1	1	102.3	46.5	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	27.125	2004
22.01.2020 09:45:17	1	1	1	1	102.3	48	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	27.125	2004
22.01.2020 09:45:18	1	1	1	1	102.3	47	0	29052.133	546.2365591	15994.34675	30000	0	0	30000	27.375	2004
22.01.2020 09:45:19	1	1	1	1	102.8	47.25	0	29336.493	546.2365591	16150.89827	30000	0	0	30000	27.5625	2004
22.01.2020 09:45:20	1	1	1	1	102.8	47.5	0	29241.706	537.6344086	16024.51553	30000	0	0	30000	25.875	2004
22.01.2020 09:45:21	1	1	1	1	102.8	45.75	0	29431.28	550.5376344	16203.08211	30000	0	0	30000	27.6875	2004
22.01.2020 09:45:22	1	1	1	1	102.8	47.5	0	29146.919	546.2365591	15858.17955	30000	0	0	30000	26.6875	2004
22.01.2020 09:45:28	1	1	1	1	102.8	47	0	29573.46	550.5376344	16179.43631	30000	0	0	30000	26.4375	2004
22.01.2020 09:45:28	1	1	1	1	102.8	47	0	29573.46	550.5376344	16179.43631	30000	0	0	30000	26.4375	2004
22.01.2020 09:45:28	1	1	1	1	102.8	47	0	29573.46	550.5376344	16179.43631	30000	0	0	30000	26.4375	2004
22.01.2020 09:45:28	1	1	1	1	102.8	47	0	29573.46	550.5376344	16179.43631	30000	0	0	30000	26.4375	2004
22.01.2020 09:45:28	1	1	1	1	102.8	46.25	0	29336.493	550.5376344	16087.29921	30000	0	0	30000	27.5	2004
22.01.2020 09:45:29	1	1	1	1	101.5	47.5	0	29526.066	546.2365591	16255.26595	30000	0	0	30000	27.0625	2004
22.01.2020 09:45:30	1	1	1	1	101.5	47	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	26.5	2004
22.01.2020 09:45:31	1	1	1	1	101.5	46.5	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	27.3125	2004
22.01.2020 09:45:32	1	1	1	1	101.5	47.25	0	29052.133	546.2365591	15994.34675	30000	0	0	30000	27	2004
22.01.2020 09:45:33	1	1	1	1	101.5	47	0	29431.28	550.5376344	16203.08211	30000	0	0	30000	27.4375	2004
22.01.2020 09:45:34	1	1	1	1	101.5	47.25	0	29241.706	550.5376344	16098.71443	30000	0	0	30000	27.3125	2004
22.01.2020 09:45:35	1	1	1	1	101.5	47.25	0	29146.919	550.5376344	16108.4989	30000	0	0	30000	26.8125	2004
22.01.2020 09:45:36	1	1	1	1	101.5	46.75	0	28957.346	552.688172	16004.13122	30000	0	0	30000	28.0625	2004
22.01.2020 09:45:37	1	1	1	1	101.5	48	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	27.75	2004
22.01.2020 09:45:38	1	1	1	1	101.5	47.75	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	26.3125	2004
22.01.2020 09:45:39	1	1	1	1	102.5	46.25	0	29146.919	539.7849462	15732.61218	30000	0	0	30000	27.125	2004
22.01.2020 09:45:40	1	1	1	1	102.5	47	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	26.625	2004
22.01.2020 09:45:42	1	1	1	1	102.5	46.5	0	29241.706	550.5376344	15983.74691	30000	0	0	30000	26.125	2004
22.01.2020 09:45:43	1	1	1	1	102.5	46	0	29052.133	554.8387097	16207.97434	30000	0	0	30000	27	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 09:45:44	1	1	1	1	102.5	47	0	29099.526	552.688172	16056.31506	30000	0	0	30000	26.75	2004
22.01.2020 09:45:45	1	1	1	1	102.5	46.75	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	27.375	2004
22.01.2020 09:45:46	1	1	1	1	102.5	47.25	0	28957.346	550.5376344	15994.34675	30000	0	0	30000	26.625	2004
22.01.2020 09:45:47	1	1	1	1	102.5	46.5	0	29099.526	550.5376344	16020.43867	30000	0	0	30000	26.9375	2004
22.01.2020 09:45:48	1	1	1	1	102.5	46.75	0	29241.706	550.5376344	16046.53059	30000	0	0	30000	26.0625	2004
22.01.2020 09:45:49	1	1	1	1	102.5	46	0	29146.919	550.5376344	16108.4989	30000	0	0	30000	27.3125	2004
22.01.2020 09:45:50	1	1	1	1	102.3	47.25	0	29146.919	554.8387097	15858.17955	30000	0	0	30000	26.875	2004
22.01.2020 09:45:51	1	1	1	1	102.3	46.75	0	29099.526	550.5376344	16108.4989	30000	0	0	30000	28.1875	2004
22.01.2020 09:45:52	1	1	1	1	102.3	48	0	28957.346	552.688172	15942.16291	30000	0	0	30000	27.25	2004
22.01.2020 09:45:53	1	1	1	1	102.3	47.25	0	28909.953	546.2365591	15942.16291	30000	0	0	30000	28	2004
22.01.2020 09:45:54	1	1	1	1	102.3	48	0	28909.953	552.688172	16004.13122	30000	0	0	30000	27.6875	2004
22.01.2020 09:45:55	1	1	1	1	102.3	48	0	29052.133	552.688172	16056.31506	30000	0	0	30000	26.875	2004
22.01.2020 09:45:56	1	1	1	1	102.3	46.75	0	28625.592	552.688172	15820.67241	30000	0	0	30000	27.25	2004
22.01.2020 09:45:57	1	1	1	1	102.3	47.25	0	29146.919	554.8387097	16108.4989	30000	0	0	30000	26.75	2004
22.01.2020 09:45:58	1	1	1	1	102.3	46.75	0	28957.346	552.688172	16004.13122	30000	0	0	30000	27.875	2004
22.01.2020 09:45:59	1	1	1	1	103.3	47.75	0	28957.346	552.688172	16004.13122	30000	0	0	30000	27.125	2004
22.01.2020 09:46:00	1	1	1	1	103.3	47	0	28957.346	550.5376344	16190.85152	30000	0	0	30000	26.6875	2004
22.01.2020 09:46:01	1	1	1	1	103.3	46.5	0	28957.346	552.688172	16004.13122	30000	0	0	30000	27.3125	2004
22.01.2020 09:46:02	1	1	1	1	103.3	47.25	0	29052.133	552.688172	16004.13122	30000	0	0	30000	27.125	2004
22.01.2020 09:46:03	1	1	1	1	103.3	47	0	29146.919	539.7849462	16046.53059	30000	0	0	30000	27.5625	2004
22.01.2020 09:46:04	1	1	1	1	103.3	47.5	0	28957.346	552.688172	16004.13122	30000	0	0	30000	27.0625	2004
22.01.2020 09:46:05	1	1	1	1	103.3	47	0	28862.559	550.5376344	15889.97907	30000	0	0	30000	28	2004
22.01.2020 09:46:06	1	1	1	1	103.3	48	0	28862.559	550.5376344	15951.94738	30000	0	0	30000	27.5	2004
22.01.2020 09:46:07	1	1	1	1	103.3	47.5	0	28815.166	552.688172	15951.94738	30000	0	0	30000	27.125	2004
22.01.2020 09:46:08	1	1	1	1	103.3	47	0	28862.559	554.8387097	16013.91569	30000	0	0	30000	27.6875	2004
22.01.2020 09:46:09	1	1	1	1	103.5	47.5	0	28815.166	550.5376344	15925.85546	30000	0	0	30000	26.1875	2004
22.01.2020 09:46:10	1	1	1	1	103.5	46	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	27.1875	2004
22.01.2020 09:46:11	1	1	1	1	103.5	47	0	28815.166	552.688172	16049.79208	30000	0	0	30000	26.4375	2004
22.01.2020 09:46:12	1	1	1	1	103.5	46.25	0	28815.166	550.5376344	16049.79208	30000	0	0	30000	26.875	2004
22.01.2020 09:46:13	1	1	1	1	103.5	46.75	0	28578.199	559.1397849	15794.58049	30000	0	0	30000	28.3125	2004
22.01.2020 09:46:14	1	1	1	1	103.5	48.25	0	28578.199	550.5376344	15882.64072	30000	0	0	30000	28	2004
22.01.2020 09:46:15	1	1	1	1	103.5	48	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	27.4375	2004
22.01.2020 09:46:16	1	1	1	1	103.5	47.25	0	28815.166	550.5376344	15925.85546	30000	0	0	30000	27.9375	2004
22.01.2020 09:46:17	1	1	1	1	103.5	47.75	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	27.1875	2004
22.01.2020 09:46:19	1	1	1	1	103.5	47	0	28530.806	552.688172	15794.58049	30000	0	0	30000	27.3125	2004
22.01.2020 09:46:20	1	1	1	1	104	47.25	0	28815.166	552.688172	15863.88715	30000	0	0	30000	27.75	2004
22.01.2020 09:46:21	1	1	1	1	104	47.75	0	28625.592	552.688172	16173.7287	30000	0	0	30000	26.375	2004
22.01.2020 09:46:22	1	1	1	1	104	46.25	0	28815.166	554.8387097	15863.88715	30000	0	0	30000	27.375	2004
22.01.2020 09:46:23	1	1	1	1	104	47.25	0	28815.166	552.688172	15925.85546	30000	0	0	30000	28.3125	2004
22.01.2020 09:46:24	1	1	1	1	104	48.25	0	28957.346	552.688172	16004.13122	30000	0	0	30000	28	2004
22.01.2020 09:46:30	1	1	1	1	104	47.5	0	28815.166	550.5376344	15987.82377	30000	0	0	30000	27.875	2004
22.01.2020 09:46:30	1	1	1	1	104	47.5	0	28815.166	550.5376344	15987.82377	30000	0	0	30000	27.875	2004
22.01.2020 09:46:30	1	1	1	1	104	47.5	0	28815.166	550.5376344	15987.82377	30000	0	0	30000	27.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 09:46:30	1	1	1	1	104	47.5	0	28815.166	550.5376344	15987.82377	30000	0	0	30000	27.875	2004
22.01.2020 09:46:30	1	1	1	1	104	47.5	0	28815.166	550.5376344	15987.82377	30000	0	0	30000	27.875	2004
22.01.2020 09:46:30	1	1	1	1	104.3	47.75	0	28957.346	552.688172	16004.13122	30000	0	0	30000	26.375	2004
22.01.2020 09:46:31	1	1	1	1	104.3	46.25	0	28909.953	552.688172	15951.94738	30000	0	0	30000	27.8125	2004
22.01.2020 09:46:32	1	1	1	1	104.3	47.75	0	29052.133	554.8387097	16056.31506	30000	0	0	30000	28.1875	2004
22.01.2020 09:46:33	1	1	1	1	104.3	48	0	28862.559	554.8387097	16013.91569	30000	0	0	30000	27.3125	2004
22.01.2020 09:46:34	1	1	1	1	104.3	47.25	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	27.625	2004
22.01.2020 09:46:35	1	1	1	1	104.3	47.5	0	28957.346	554.8387097	16004.13122	30000	0	0	30000	26.5	2004
22.01.2020 09:46:36	1	1	1	1	104.3	46.5	0	28862.559	550.5376344	15942.16291	30000	0	0	30000	27.25	2004
22.01.2020 09:46:37	1	1	1	1	104.3	47.25	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	27.4375	2004
22.01.2020 09:46:38	1	1	1	1	104.3	47.25	0	28957.346	554.8387097	16004.13122	30000	0	0	30000	28.125	2004
22.01.2020 09:46:39	1	1	1	1	104.5	48	0	29052.133	550.5376344	16020.43867	30000	0	0	30000	27.1875	2004
22.01.2020 09:46:40	1	1	1	1	104.5	47	0	28862.559	550.5376344	16004.13122	30000	0	0	30000	27.75	2004
22.01.2020 09:46:41	1	1	1	1	104.5	47.75	0	28957.346	554.8387097	16066.09953	30000	0	0	30000	28.125	2004
22.01.2020 09:46:42	1	1	1	1	104.5	48	0	28862.559	550.5376344	15951.94738	30000	0	0	30000	27.75	2004
22.01.2020 09:46:43	1	1	1	1	104.5	47.75	0	29052.133	554.8387097	16181.06705	30000	0	0	30000	26.9375	2004
22.01.2020 09:46:44	1	1	1	1	104.5	46.75	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	27.5	2004
22.01.2020 09:46:45	1	1	1	1	104.5	47.5	0	28957.346	554.8387097	16128.88321	30000	0	0	30000	26.6875	2004
22.01.2020 09:46:46	1	1	1	1	104.5	46.5	0	28815.166	552.688172	15889.97907	30000	0	0	30000	26.9375	2004
22.01.2020 09:46:47	1	1	1	1	104.5	46.75	0	28815.166	550.5376344	15987.82377	30000	0	0	30000	27.5625	2004
22.01.2020 09:46:48	1	1	1	1	104.5	47.5	0	28815.166	559.1397849	16173.7287	30000	0	0	30000	28	2004
22.01.2020 09:46:49	1	1	1	1	104.5	48	0	28672.986	556.9892473	15908.73264	30000	0	0	30000	28.4375	2004
22.01.2020 09:46:50	1	1	1	1	104.5	48.25	0	28815.166	556.9892473	16235.69701	30000	0	0	30000	27.75	2004
22.01.2020 09:46:51	1	1	1	1	104.5	47.75	0	28862.559	559.1397849	16049.79208	30000	0	0	30000	27.625	2004
22.01.2020 09:46:52	1	1	1	1	104.5	47.5	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	27.5	2004
22.01.2020 09:46:53	1	1	1	1	104.5	47.5	0	28625.592	554.8387097	15820.67241	30000	0	0	30000	28.25	2004
22.01.2020 09:46:54	1	1	1	1	104.5	48.25	0	28957.346	554.8387097	16128.88321	30000	0	0	30000	27.9375	2004
22.01.2020 09:46:55	1	1	1	1	104.5	47.75	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	28	2004
22.01.2020 09:46:56	1	1	1	1	104.5	48	0	28530.806	554.8387097	15742.39665	30000	0	0	30000	28.1875	2004
22.01.2020 09:46:58	1	1	1	1	104.5	48	0	28815.166	556.9892473	16111.76039	30000	0	0	30000	27.8125	2004
22.01.2020 09:46:59	1	1	1	1	104.5	47.75	0	28672.986	556.9892473	15943.79366	30000	0	0	30000	27.75	2004
22.01.2020 09:47:00	1	1	1	1	105	47.75	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	28.1875	2004
22.01.2020 09:47:01	1	1	1	1	105	48	0	28815.166	559.1397849	16173.7287	30000	0	0	30000	27.8125	2004
22.01.2020 09:47:02	1	1	1	1	105	47.75	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	27.8125	2004
22.01.2020 09:47:03	1	1	1	1	105	47.75	0	28625.592	559.1397849	16005.76197	30000	0	0	30000	27.8125	2004
22.01.2020 09:47:04	1	1	1	1	105	47.75	0	28578.199	559.1397849	16040.00761	30000	0	0	30000	28.1875	2004
22.01.2020 09:47:05	1	1	1	1	105	48	0	28578.199	561.2903226	16005.76197	30000	0	0	30000	28.125	2004
22.01.2020 09:47:06	1	1	1	1	105	48	0	28530.806	556.9892473	15978.85467	30000	0	0	30000	28.375	2004
22.01.2020 09:47:07	1	1	1	1	105	48.25	0	28815.166	559.1397849	16031.85389	30000	0	0	30000	28.0625	2004
22.01.2020 09:47:08	1	1	1	1	105	48	0	28815.166	563.4408602	16173.7287	30000	0	0	30000	27.3125	2004
22.01.2020 09:47:09	1	1	1	1	105	47.25	0	28625.592	561.2903226	16066.9149	30000	0	0	30000	27.1875	2004
22.01.2020 09:47:10	1	1	1	1	105	47	0	28483.412	559.1397849	15864.70252	30000	0	0	30000	27	2004
22.01.2020 09:47:11	1	1	1	1	105	47	0	28625.592	561.2903226	16040.00761	30000	0	0	30000	28.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 09:47:12	1	1	1	1	105	48.25	0	28578.199	563.4408602	15987.0084	30000	0	0	30000	27.9375	2004
22.01.2020 09:47:13	1	1	1	1	105	48.25	0	28483.412	561.2903226	15960.91648	30000	0	0	30000	28.0625	2004
22.01.2020 09:47:14	1	1	1	1	105	48	0	28578.199	561.2903226	16101.97592	30000	0	0	30000	28.625	2004
22.01.2020 09:47:15	1	1	1	1	105	48.5	0	28388.626	561.2903226	15934.00919	30000	0	0	30000	27	2004
22.01.2020 09:47:16	1	1	1	1	105	47	0	28625.592	556.9892473	15943.79366	30000	0	0	30000	26.625	2004
22.01.2020 09:47:17	1	1	1	1	105	46.5	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	26.9375	2004
22.01.2020 09:47:18	1	1	1	1	105	46.75	0	28625.592	561.2903226	16040.00761	30000	0	0	30000	27.375	2004
22.01.2020 09:47:19	1	1	1	1	105.8	47.25	0	28483.412	559.1397849	15864.70252	30000	0	0	30000	26.8125	2004
22.01.2020 09:47:20	1	1	1	1	105.8	46.75	0	28530.806	561.2903226	15987.0084	30000	0	0	30000	28	2004
22.01.2020 09:47:21	1	1	1	1	105.8	48	0	28483.412	561.2903226	16048.16134	30000	0	0	30000	28.5625	2004
22.01.2020 09:47:22	1	1	1	1	105.8	48.5	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	27.625	2004
22.01.2020 09:47:23	1	1	1	1	105.8	47.5	0	28483.412	561.2903226	16013.91569	30000	0	0	30000	26.9375	2004
22.01.2020 09:47:24	1	1	1	1	105.8	46.75	0	28483.412	556.9892473	16101.97592	30000	0	0	30000	28.6875	2004
22.01.2020 09:47:25	1	1	1	1	105.8	48.5	0	28388.626	561.2903226	15960.91648	30000	0	0	30000	27.75	2004
22.01.2020 09:47:31	1	1	1	1	106	48.25	0	28483.412	563.4408602	15987.0084	30000	0	0	30000	28.8125	2004
22.01.2020 09:47:31	1	1	1	1	106	48.25	0	28483.412	563.4408602	15987.0084	30000	0	0	30000	28.8125	2004
22.01.2020 09:47:31	1	1	1	1	106	48.25	0	28483.412	563.4408602	15987.0084	30000	0	0	30000	28.8125	2004
22.01.2020 09:47:31	1	1	1	1	106	48.25	0	28483.412	563.4408602	15987.0084	30000	0	0	30000	28.8125	2004
22.01.2020 09:47:31	1	1	1	1	106	48.25	0	28483.412	563.4408602	15987.0084	30000	0	0	30000	28.8125	2004
22.01.2020 09:47:31	1	1	1	1	106	48.75	0	28625.592	559.1397849	16040.00761	30000	0	0	30000	28.25	2004
22.01.2020 09:47:32	1	1	1	1	106	48.25	0	28483.412	559.1397849	15987.0084	30000	0	0	30000	27.3125	2004
22.01.2020 09:47:33	1	1	1	1	106	47.25	0	28625.592	561.2903226	15978.85467	30000	0	0	30000	28.3125	2004
22.01.2020 09:47:35	1	1	1	1	106	48.25	0	28625.592	556.9892473	15969.88558	30000	0	0	30000	28.125	2004
22.01.2020 09:47:36	1	1	1	1	106	48	0	28815.166	556.9892473	15987.82377	30000	0	0	30000	28.3125	2004
22.01.2020 09:47:37	1	1	1	1	106	48.25	0	28815.166	556.9892473	16111.76039	30000	0	0	30000	27.375	2004
22.01.2020 09:47:38	1	1	1	1	106	47.25	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	27.5625	2004
22.01.2020 09:47:39	1	1	1	1	106	47.5	0	28625.592	556.9892473	15969.88558	30000	0	0	30000	28.6875	2004
22.01.2020 09:47:40	1	1	1	1	106	48.5	0	28672.986	556.9892473	16111.76039	30000	0	0	30000	28.25	2004
22.01.2020 09:47:41	1	1	1	1	106	48.25	0	28625.592	554.8387097	15882.64072	30000	0	0	30000	27.75	2004
22.01.2020 09:47:42	1	1	1	1	106	47.75	0	28672.986	556.9892473	16049.79208	30000	0	0	30000	27.8125	2004
22.01.2020 09:47:43	1	1	1	1	106	47.75	0	28815.166	556.9892473	15733.42755	30000	0	0	30000	27.3125	2004
22.01.2020 09:47:44	1	1	1	1	106	47.25	0	28625.592	559.1397849	15917.70174	30000	0	0	30000	28.6875	2004
22.01.2020 09:47:45	1	1	1	1	106	48.5	0	28578.199	559.1397849	16005.76197	30000	0	0	30000	27.9375	2004
22.01.2020 09:47:46	1	1	1	1	106	47.75	0	28578.199	559.1397849	15917.70174	30000	0	0	30000	27.1875	2004
22.01.2020 09:47:47	1	1	1	1	106	47	0	28530.806	561.2903226	16040.00761	30000	0	0	30000	28.5	2004
22.01.2020 09:47:48	1	1	1	1	106	48.5	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	27.5625	2004
22.01.2020 09:47:49	1	1	1	1	106	47.5	0	28625.592	556.9892473	16031.85389	30000	0	0	30000	28.3125	2004
22.01.2020 09:47:50	1	1	1	1	106.8	48.25	0	28815.166	559.1397849	16049.79208	30000	0	0	30000	28.25	2004
22.01.2020 09:47:51	1	1	1	1	106.8	48.75	0	28815.166	561.2903226	15925.85546	30000	0	0	30000	27.9375	2004
22.01.2020 09:47:52	1	1	1	1	106.8	47.75	0	28862.559	554.8387097	16128.88321	30000	0	0	30000	28.0625	2004
22.01.2020 09:47:53	1	1	1	1	106.8	48	0	28672.986	556.9892473	15943.79366	30000	0	0	30000	28.4375	2004
22.01.2020 09:47:54	1	1	1	1	106.8	48.25	0	28672.986	556.9892473	15969.88558	30000	0	0	30000	28.4375	2004
22.01.2020 09:47:55	1	1	1	1	106.8	48.25	0	28625.592	554.8387097	15943.79366	30000	0	0	30000	28.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 09:47:56	1	1	1	1	106.8	48	0	28578.199	565.5913978	15978.85467	30000	0	0	30000	27.9375	2004
22.01.2020 09:47:57	1	1	1	1	106.8	47.75	0	28625.592	556.9892473	16049.79208	30000	0	0	30000	28.5	2004
22.01.2020 09:47:58	1	1	1	1	106.8	48.5	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	28.5625	2004
22.01.2020 09:47:59	1	1	1	1	107.5	48.5	0	28625.592	556.9892473	15882.64072	30000	0	0	30000	28	2004
22.01.2020 09:48:00	1	1	1	1	107.5	48	0	28672.986	559.1397849	16111.76039	30000	0	0	30000	28.375	2004
22.01.2020 09:48:01	1	1	1	1	107.5	48.25	0	28625.592	559.1397849	16005.76197	30000	0	0	30000	28.125	2004
22.01.2020 09:48:02	1	1	1	1	107.5	48	0	28578.199	556.9892473	16066.9149	30000	0	0	30000	27.75	2004
22.01.2020 09:48:03	1	1	1	1	107.5	47.75	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	27.875	2004
22.01.2020 09:48:04	1	1	1	1	107.5	47.75	0	28530.806	559.1397849	15925.85546	30000	0	0	30000	29.125	2004
22.01.2020 09:48:05	1	1	1	1	107.5	49	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	26.5	2004
22.01.2020 09:48:06	1	1	1	1	107.5	46.5	0	28578.199	554.8387097	15943.79366	30000	0	0	30000	26.6875	2004
22.01.2020 09:48:07	1	1	1	1	107.5	46.5	0	28625.592	554.8387097	16173.7287	30000	0	0	30000	28.375	2004
22.01.2020 09:48:08	1	1	1	1	107.5	48.25	0	28578.199	561.2903226	15978.85467	30000	0	0	30000	28.5	2004
22.01.2020 09:48:09	1	1	1	1	107.3	48.5	0	28483.412	559.1397849	15864.70252	30000	0	0	30000	28.9375	2004
22.01.2020 09:48:10	1	1	1	1	107.3	48.75	0	28530.806	556.9892473	16040.00761	30000	0	0	30000	28.6875	2004
22.01.2020 09:48:11	1	1	1	1	107.3	48.5	0	28625.592	561.2903226	16066.9149	30000	0	0	30000	28.5625	2004
22.01.2020 09:48:12	1	1	1	1	107.3	48.5	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	28.5625	2004
22.01.2020 09:48:14	1	1	1	1	107.3	48.5	0	28625.592	556.9892473	16173.7287	30000	0	0	30000	27.375	2004
22.01.2020 09:48:15	1	1	1	1	107.3	47.25	0	28578.199	559.1397849	16005.76197	30000	0	0	30000	28.3125	2004
22.01.2020 09:48:16	1	1	1	1	107.3	48.25	0	28483.412	556.9892473	15925.85546	30000	0	0	30000	28.25	2004
22.01.2020 09:48:17	1	1	1	1	107.3	48.25	0	28578.199	559.1397849	15978.85467	30000	0	0	30000	27.6875	2004
22.01.2020 09:48:18	1	1	1	1	107.3	47.5	0	28625.592	559.1397849	16111.76039	30000	0	0	30000	28.3125	2004
22.01.2020 09:48:19	1	1	1	1	107.3	48.25	0	28578.199	559.1397849	16040.00761	30000	0	0	30000	28.5	2004
22.01.2020 09:48:20	1	1	1	1	107.8	48.5	0	28625.592	559.1397849	16040.00761	30000	0	0	30000	28.25	2004
22.01.2020 09:48:21	1	1	1	1	107.8	48.25	0	28625.592	559.1397849	16005.76197	30000	0	0	30000	28.875	2004
22.01.2020 09:48:22	1	1	1	1	107.8	48.75	0	28625.592	559.1397849	15943.79366	30000	0	0	30000	27.25	2004
22.01.2020 09:48:23	1	1	1	1	107.8	47.25	0	28815.166	559.1397849	16173.7287	30000	0	0	30000	28.0625	2004
22.01.2020 09:48:24	1	1	1	1	107.8	48	0	28436.019	552.688172	15987.0084	30000	0	0	30000	28.375	2004
22.01.2020 09:48:25	1	1	1	1	107.8	48.25	0	28625.592	559.1397849	16093.82219	30000	0	0	30000	29	2004
22.01.2020 09:48:26	1	1	1	1	107.8	49	0	28625.592	559.1397849	16040.00761	30000	0	0	30000	29.4375	2004
22.01.2020 09:48:27	1	1	1	1	107.8	49.25	0	28625.592	559.1397849	15978.85467	30000	0	0	30000	28.0625	2004
22.01.2020 09:48:33	1	1	1	1	108.3	48.75	0	28862.559	559.1397849	16137.85231	30000	0	0	30000	27.625	2004
22.01.2020 09:48:33	1	1	1	1	108.3	48.75	0	28862.559	559.1397849	16137.85231	30000	0	0	30000	27.625	2004
22.01.2020 09:48:33	1	1	1	1	108.3	48.75	0	28862.559	559.1397849	16137.85231	30000	0	0	30000	27.625	2004
22.01.2020 09:48:33	1	1	1	1	108.3	48.75	0	28862.559	559.1397849	16137.85231	30000	0	0	30000	27.625	2004
22.01.2020 09:48:33	1	1	1	1	108.3	47.5	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	28.3125	2004
22.01.2020 09:48:34	1	1	1	1	108.3	48.25	0	28578.199	556.9892473	15917.70174	30000	0	0	30000	28.875	2004
22.01.2020 09:48:35	1	1	1	1	108.3	48.75	0	28578.199	559.1397849	16040.00761	30000	0	0	30000	27.4375	2004
22.01.2020 09:48:36	1	1	1	1	108.3	47.25	0	28625.592	559.1397849	15943.79366	30000	0	0	30000	28.375	2004
22.01.2020 09:48:37	1	1	1	1	108.3	48.25	0	28578.199	559.1397849	15917.70174	30000	0	0	30000	27.75	2004
22.01.2020 09:48:38	1	1	1	1	108.3	47.75	0	28625.592	556.9892473	15917.70174	30000	0	0	30000	28.5	2004
22.01.2020 09:48:39	1	1	1	1	107.3	48.5	0	28578.199	556.9892473	15978.85467	30000	0	0	30000	27.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 09:48:40	1	1	1	1	107.3	47.25	0	28483.412	556.9892473	15864.70252	30000	0	0	30000	28.0625	2004
22.01.2020 09:48:41	1	1	1	1	107.3	48	0	28625.592	559.1397849	16005.76197	30000	0	0	30000	29.3125	2004
22.01.2020 09:48:42	1	1	1	1	107.3	49.25	0	28815.166	561.2903226	16235.69701	30000	0	0	30000	28.75	2004
22.01.2020 09:48:43	1	1	1	1	107.3	48.75	0	28625.592	559.1397849	16040.00761	30000	0	0	30000	27.8125	2004
22.01.2020 09:48:44	1	1	1	1	107.3	47.75	0	28625.592	554.8387097	15908.73264	30000	0	0	30000	28.0625	2004
22.01.2020 09:48:45	1	1	1	1	107.3	48	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	28.75	2004
22.01.2020 09:48:46	1	1	1	1	107.3	48.75	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	28.375	2004
22.01.2020 09:48:47	1	1	1	1	107.3	48.25	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	27.6875	2004
22.01.2020 09:48:48	1	1	1	1	107.3	47.5	0	28625.592	552.688172	15794.58049	30000	0	0	30000	27.125	2004
22.01.2020 09:48:49	1	1	1	1	108	47	0	28625.592	554.8387097	15908.73264	30000	0	0	30000	27.8125	2004
22.01.2020 09:48:50	1	1	1	1	108	47.75	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	29.1875	2004
22.01.2020 09:48:52	1	1	1	1	108	49	0	28625.592	559.1397849	16154.97513	30000	0	0	30000	28.25	2004
22.01.2020 09:48:53	1	1	1	1	108	48.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	27.9375	2004
22.01.2020 09:48:54	1	1	1	1	108	47.75	0	28815.166	556.9892473	15908.73264	30000	0	0	30000	28.5	2004
22.01.2020 09:48:55	1	1	1	1	108	48.5	0	28815.166	554.8387097	16111.76039	30000	0	0	30000	28.875	2004
22.01.2020 09:48:56	1	1	1	1	108	48.75	0	28625.592	552.688172	15969.88558	30000	0	0	30000	28.625	2004
22.01.2020 09:48:57	1	1	1	1	108	48.5	0	28815.166	554.8387097	15801.91884	30000	0	0	30000	29.25	2004
22.01.2020 09:48:58	1	1	1	1	108	49.25	0	28815.166	559.1397849	16173.7287	30000	0	0	30000	28.5	2004
22.01.2020 09:48:59	1	1	1	1	108	48.5	0	28625.592	556.9892473	15943.79366	30000	0	0	30000	28.0625	2004
22.01.2020 09:49:00	1	1	1	1	108.5	48	0	28530.806	559.1397849	16040.00761	30000	0	0	30000	27.875	2004
22.01.2020 09:49:01	1	1	1	1	108.5	47.75	0	28483.412	563.4408602	15987.0084	30000	0	0	30000	28.5625	2004
22.01.2020 09:49:02	1	1	1	1	108.5	48.5	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	28.625	2004
22.01.2020 09:49:03	1	1	1	1	108.5	48.5	0	28293.839	559.1397849	15881.00997	30000	0	0	30000	28.5	2004
22.01.2020 09:49:04	1	1	1	1	108.5	48.5	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	27.5625	2004
22.01.2020 09:49:05	1	1	1	1	108.5	47.5	0	28530.806	563.4408602	15987.0084	30000	0	0	30000	28.5	2004
22.01.2020 09:49:07	1	1	1	1	108.5	49.25	0	28436.019	559.1397849	15960.91648	30000	0	0	30000	28.8125	2004
22.01.2020 09:49:07	1	1	1	1	108.5	49.25	0	28436.019	559.1397849	15960.91648	30000	0	0	30000	28.8125	2004
22.01.2020 09:49:08	1	1	1	1	108.5	48.75	0	28436.019	563.4408602	16022.06942	30000	0	0	30000	28	2004
22.01.2020 09:49:09	1	1	1	1	108.3	48	0	28483.412	563.4408602	16136.22156	30000	0	0	30000	27.5	2004
22.01.2020 09:49:10	1	1	1	1	108.3	47.5	0	28483.412	563.4408602	16163.12886	30000	0	0	30000	28.4375	2004
22.01.2020 09:49:11	1	1	1	1	108.3	48.25	0	28341.232	561.2903226	15907.10189	30000	0	0	30000	27.75	2004
22.01.2020 09:49:12	1	1	1	1	108.3	47.75	0	28483.412	561.2903226	15803.54959	30000	0	0	30000	27.8125	2004
22.01.2020 09:49:13	1	1	1	1	108.3	47.75	0	28388.626	563.4408602	15995.16212	30000	0	0	30000	28.625	2004
22.01.2020 09:49:14	1	1	1	1	108.3	48.5	0	28388.626	561.2903226	15934.00919	30000	0	0	30000	27.375	2004
22.01.2020 09:49:15	1	1	1	1	108.3	47.25	0	28483.412	561.2903226	15960.91648	30000	0	0	30000	29.125	2004
22.01.2020 09:49:16	1	1	1	1	108.3	49	0	28625.592	561.2903226	16040.00761	30000	0	0	30000	29.1875	2004
22.01.2020 09:49:17	1	1	1	1	108.3	49	0	28388.626	563.4408602	16056.31506	30000	0	0	30000	28.1875	2004
22.01.2020 09:49:18	1	1	1	1	108.3	48	0	28578.199	563.4408602	16101.97592	30000	0	0	30000	28.9375	2004
22.01.2020 09:49:19	1	1	1	1	108.5	48.75	0	28388.626	563.4408602	15960.91648	30000	0	0	30000	28.6875	2004
22.01.2020 09:49:20	1	1	1	1	108.5	48.5	0	28436.019	563.4408602	16083.22235	30000	0	0	30000	28.8125	2004
22.01.2020 09:49:21	1	1	1	1	108.5	48.75	0	28436.019	563.4408602	15960.91648	30000	0	0	30000	28.75	2004
22.01.2020 09:49:22	1	1	1	1	108.5	48.75	0	28483.412	563.4408602	16109.31427	30000	0	0	30000	27.0625	2004
22.01.2020 09:49:23	1	1	1	1	108.5	47	0	28530.806	565.5913978	16109.31427	30000	0	0	30000	29.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 09:49:24	1	1	1	1	108.5	49	0	28388.626	565.5913978	15968.25483	30000	0	0	30000	28.0625	2004
22.01.2020 09:49:25	1	1	1	1	108.5	48	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	29.25	2004
22.01.2020 09:49:26	1	1	1	1	108.5	49.25	0	28530.806	563.4408602	16163.12886	30000	0	0	30000	28	2004
22.01.2020 09:49:27	1	1	1	1	108.5	48	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	28	2004
22.01.2020 09:49:28	1	1	1	1	108.5	48	0	28436.019	563.4408602	16083.22235	30000	0	0	30000	28.125	2004
22.01.2020 09:49:34	1	1	1	1	107.5	48.75	0	28625.592	565.5913978	16040.00761	30000	0	0	30000	27.8125	2004
22.01.2020 09:49:34	1	1	1	1	107.5	48.75	0	28625.592	565.5913978	16040.00761	30000	0	0	30000	27.8125	2004
22.01.2020 09:49:34	1	1	1	1	107.5	48.75	0	28625.592	565.5913978	16040.00761	30000	0	0	30000	27.8125	2004
22.01.2020 09:49:34	1	1	1	1	107.5	48.75	0	28625.592	565.5913978	16040.00761	30000	0	0	30000	27.8125	2004
22.01.2020 09:49:34	1	1	1	1	107.5	48.75	0	28625.592	565.5913978	16040.00761	30000	0	0	30000	27.8125	2004
22.01.2020 09:49:35	1	1	1	1	107.5	47.75	0	28578.199	559.1397849	15978.85467	30000	0	0	30000	28.5	2004
22.01.2020 09:49:36	1	1	1	1	107.5	48.5	0	28625.592	559.1397849	16093.82219	30000	0	0	30000	27.4375	2004
22.01.2020 09:49:37	1	1	1	1	107.5	47.25	0	28530.806	559.1397849	16040.00761	30000	0	0	30000	28.0625	2004
22.01.2020 09:49:38	1	1	1	1	107.5	48	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	28.9375	2004
22.01.2020 09:49:39	1	1	1	1	107.5	48.75	0	28578.199	554.8387097	16066.9149	30000	0	0	30000	28.625	2004
22.01.2020 09:49:40	1	1	1	1	107.8	48.5	0	28483.412	559.1397849	15952.76275	30000	0	0	30000	28.75	2004
22.01.2020 09:49:41	1	1	1	1	107.8	48.75	0	28815.166	559.1397849	16049.79208	30000	0	0	30000	29.3125	2004
22.01.2020 09:49:42	1	1	1	1	107.8	49.25	0	28625.592	563.4408602	16066.9149	30000	0	0	30000	28.8125	2004
22.01.2020 09:49:43	1	1	1	1	107.8	48.75	0	28625.592	559.1397849	15917.70174	30000	0	0	30000	28.625	2004
22.01.2020 09:49:44	1	1	1	1	107.8	48.5	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	28.875	2004
22.01.2020 09:49:45	1	1	1	1	107.8	48.75	0	28388.626	563.4408602	15995.16212	30000	0	0	30000	29.0625	2004
22.01.2020 09:49:46	1	1	1	1	107.8	49	0	28436.019	563.4408602	15960.91648	30000	0	0	30000	28.5625	2004
22.01.2020 09:49:47	1	1	1	1	107.8	48.5	0	28388.626	563.4408602	16056.31506	30000	0	0	30000	28.9375	2004
22.01.2020 09:49:48	1	1	1	1	107.8	48.75	0	28341.232	561.2903226	16205.52823	30000	0	0	30000	28.5	2004
22.01.2020 09:49:49	1	1	1	1	108.8	48.5	0	28483.412	559.1397849	15987.0084	30000	0	0	30000	29.5	2004
22.01.2020 09:49:50	1	1	1	1	108.8	49.5	0	28388.626	563.4408602	15995.16212	30000	0	0	30000	27.875	2004
22.01.2020 09:49:51	1	1	1	1	108.8	47.75	0	28578.199	563.4408602	16101.97592	30000	0	0	30000	28.75	2004
22.01.2020 09:49:52	1	1	1	1	108.8	48.75	0	28483.412	563.4408602	16136.22156	30000	0	0	30000	29.4375	2004
22.01.2020 09:49:53	1	1	1	1	108.8	49.25	0	28388.626	563.4408602	15995.16212	30000	0	0	30000	28.0625	2004
22.01.2020 09:49:54	1	1	1	1	108.8	48	0	28293.839	556.9892473	15941.34754	30000	0	0	30000	28.375	2004
22.01.2020 09:49:55	1	1	1	1	108.8	48.25	0	28293.839	563.4408602	15888.34833	30000	0	0	30000	28.8125	2004
22.01.2020 09:49:56	1	1	1	1	108.8	48.75	0	28436.019	563.4408602	16022.06942	30000	0	0	30000	29.6875	2004
22.01.2020 09:49:57	1	1	1	1	108.8	49.5	0	28436.019	569.8924731	16022.06942	30000	0	0	30000	27.6875	2004
22.01.2020 09:49:58	1	1	1	1	108.8	47.5	0	28483.412	563.4408602	15987.0084	30000	0	0	30000	28.0625	2004
22.01.2020 09:49:59	1	1	1	1	108	48	0	28625.592	565.5913978	16163.12886	30000	0	0	30000	29.3125	2004
22.01.2020 09:50:00	1	1	1	1	108	49.25	0	28815.166	561.2903226	16173.7287	30000	0	0	30000	29.25	2004
22.01.2020 09:50:01	1	1	1	1	108	49.25	0	28578.199	563.4408602	16163.12886	30000	0	0	30000	29.4375	2004
22.01.2020 09:50:02	1	1	1	1	108	49.25	0	28530.806	563.4408602	16163.12886	30000	0	0	30000	28.25	2004
22.01.2020 09:50:03	1	1	1	1	108	48.25	0	28483.412	565.5913978	16136.22156	30000	0	0	30000	28.25	2004
22.01.2020 09:50:04	1	1	1	1	108	48.25	0	28341.232	561.2903226	15934.00919	30000	0	0	30000	29.1875	2004
22.01.2020 09:50:05	1	1	1	1	108	49	0	28341.232	561.2903226	15907.10189	30000	0	0	30000	28.375	2004
22.01.2020 09:50:06	1	1	1	1	108	48.25	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	28.8125	2004
22.01.2020 09:50:07	1	1	1	1	108	48.75	0	28483.412	559.1397849	15987.0084	30000	0	0	30000	29.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 09:50:09	1	1	1	1	108	49	0	28483.412	561.2903226	15899.76354	30000	0	0	30000	29.25	2004
22.01.2020 09:50:10	1	1	1	1	108.3	49.25	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	28.75	2004
22.01.2020 09:50:11	1	1	1	1	108.3	48.75	0	28436.019	556.9892473	15987.0084	30000	0	0	30000	28.5	2004
22.01.2020 09:50:12	1	1	1	1	108.3	48.5	0	28578.199	563.4408602	16040.00761	30000	0	0	30000	29.5	2004
22.01.2020 09:50:13	1	1	1	1	108.3	49.5	0	28625.592	561.2903226	16101.97592	30000	0	0	30000	29	2004
22.01.2020 09:50:14	1	1	1	1	108.3	49	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	29.375	2004
22.01.2020 09:50:15	1	1	1	1	108.3	49.25	0	28388.626	563.4408602	15995.16212	30000	0	0	30000	29.75	2004
22.01.2020 09:50:16	1	1	1	1	108.3	49.75	0	28436.019	563.4408602	15995.16212	30000	0	0	30000	29.1875	2004
22.01.2020 09:50:17	1	1	1	1	108.3	49	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	28.6875	2004
22.01.2020 09:50:18	1	1	1	1	108.3	48.5	0	28530.806	561.2903226	15987.0084	30000	0	0	30000	29.3125	2004
22.01.2020 09:50:19	1	1	1	1	108.3	49.25	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	28.875	2004
22.01.2020 09:50:20	1	1	1	1	108.5	48.75	0	28436.019	554.8387097	15716.30473	30000	0	0	30000	29.125	2004
22.01.2020 09:50:21	1	1	1	1	108.5	49	0	28483.412	559.1397849	15987.0084	30000	0	0	30000	28.8125	2004
22.01.2020 09:50:22	1	1	1	1	108.5	48.75	0	28293.839	559.1397849	15758.7041	30000	0	0	30000	29.125	2004
22.01.2020 09:50:23	1	1	1	1	108.5	49	0	28483.412	563.4408602	16163.12886	30000	0	0	30000	29.6875	2004
22.01.2020 09:50:24	1	1	1	1	108.5	49.5	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	29.5	2004
22.01.2020 09:50:25	1	1	1	1	108.5	49.5	0	28388.626	556.9892473	16022.06942	30000	0	0	30000	29.6875	2004
22.01.2020 09:50:26	1	1	1	1	108.5	49.5	0	28578.199	561.2903226	16163.12886	30000	0	0	30000	29.0625	2004
22.01.2020 09:50:27	1	1	1	1	108.5	49	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	29.4375	2004
22.01.2020 09:50:28	1	1	1	1	108.5	49.25	0	28341.232	563.4408602	15758.7041	30000	0	0	30000	28.3125	2004
22.01.2020 09:50:29	1	1	1	1	107.8	48.25	0	28388.626	563.4408602	15934.00919	30000	0	0	30000	29	2004
22.01.2020 09:50:30	1	1	1	1	107.8	49	0	28530.806	565.5913978	15925.85546	30000	0	0	30000	28.25	2004
22.01.2020 09:50:36	1	1	1	1	107.8	48.25	0	28436.019	563.4408602	16083.22235	30000	0	0	30000	28.875	2004
22.01.2020 09:50:36	1	1	1	1	107.8	48.25	0	28436.019	563.4408602	16083.22235	30000	0	0	30000	28.875	2004
22.01.2020 09:50:36	1	1	1	1	107.8	48.25	0	28436.019	563.4408602	16083.22235	30000	0	0	30000	28.875	2004
22.01.2020 09:50:36	1	1	1	1	107.8	48.25	0	28436.019	563.4408602	16083.22235	30000	0	0	30000	28.875	2004
22.01.2020 09:50:36	1	1	1	1	107.8	48.75	0	28341.232	563.4408602	16300.11143	30000	0	0	30000	29	2004
22.01.2020 09:50:37	1	1	1	1	107.8	49	0	28436.019	559.1397849	15960.91648	30000	0	0	30000	29.0625	2004
22.01.2020 09:50:38	1	1	1	1	107.8	49	0	28483.412	565.5913978	16083.22235	30000	0	0	30000	28.375	2004
22.01.2020 09:50:39	1	1	1	1	107.5	48.25	0	28293.839	563.4408602	15888.34833	30000	0	0	30000	28.125	2004
22.01.2020 09:50:40	1	1	1	1	107.5	48	0	28341.232	563.4408602	16029.40777	30000	0	0	30000	28.625	2004
22.01.2020 09:50:41	1	1	1	1	107.5	48.5	0	28341.232	563.4408602	15907.10189	30000	0	0	30000	28.25	2004
22.01.2020 09:50:42	1	1	1	1	107.5	48.25	0	28009.479	561.2903226	16009.83883	30000	0	0	30000	27.6875	2004
22.01.2020 09:50:43	1	1	1	1	107.5	47.5	0	28341.232	563.4408602	15881.00997	30000	0	0	30000	29.1875	2004
22.01.2020 09:50:44	1	1	1	1	107.5	49	0	28530.806	572.0430108	16109.31427	30000	0	0	30000	28.9375	2004
22.01.2020 09:50:45	1	1	1	1	107.5	48.75	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	28.1875	2004
22.01.2020 09:50:46	1	1	1	1	107.5	48	0	28578.199	565.5913978	16163.12886	30000	0	0	30000	28.3125	2004
22.01.2020 09:50:47	1	1	1	1	107.5	48.25	0	28578.199	563.4408602	16013.91569	30000	0	0	30000	28.25	2004
22.01.2020 09:50:49	1	1	1	1	107.5	48.25	0	28483.412	559.1397849	15987.0084	30000	0	0	30000	29.6875	2004
22.01.2020 09:50:50	1	1	1	1	108.3	49.5	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	28.75	2004
22.01.2020 09:50:51	1	1	1	1	108.3	48.75	0	28625.592	561.2903226	16066.9149	30000	0	0	30000	28.6875	2004
22.01.2020 09:50:52	1	1	1	1	108.3	48.5	0	28436.019	556.9892473	15838.61061	30000	0	0	30000	27.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 09:50:53	1	1	1	1	108.3	47.75	0	28815.166	559.1397849	16111.76039	30000	0	0	30000	29.25	2004
22.01.2020 09:50:54	1	1	1	1	108.3	49.25	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	29.0625	2004
22.01.2020 09:50:55	1	1	1	1	108.3	49	0	28625.592	556.9892473	15943.79366	30000	0	0	30000	28.5	2004
22.01.2020 09:50:56	1	1	1	1	108.3	48.5	0	28625.592	561.2903226	16173.7287	30000	0	0	30000	29.3125	2004
22.01.2020 09:50:57	1	1	1	1	108.3	49.25	0	28815.166	559.1397849	16049.79208	30000	0	0	30000	29.25	2004
22.01.2020 09:50:58	1	1	1	1	108.3	49.25	0	28436.019	561.2903226	15987.0084	30000	0	0	30000	28.5	2004
22.01.2020 09:50:59	1	1	1	1	108.3	48.5	0	28388.626	563.4408602	15934.00919	30000	0	0	30000	28.6875	2004
22.01.2020 09:51:00	1	1	1	1	108.3	48.5	0	28293.839	563.4408602	16002.50048	30000	0	0	30000	29.5	2004
22.01.2020 09:51:01	1	1	1	1	108.3	49.5	0	28436.019	563.4408602	16022.06942	30000	0	0	30000	28.6875	2004
22.01.2020 09:51:02	1	1	1	1	108.3	48.5	0	28341.232	563.4408602	15941.34754	30000	0	0	30000	28.9375	2004
22.01.2020 09:51:03	1	1	1	1	108.3	48.75	0	28293.839	561.2903226	15907.10189	30000	0	0	30000	29	2004
22.01.2020 09:51:04	1	1	1	1	108.3	49	0	28578.199	561.2903226	16101.97592	30000	0	0	30000	30.125	2004
22.01.2020 09:51:05	1	1	1	1	108.3	50	0	28436.019	563.4408602	16048.16134	30000	0	0	30000	28.3125	2004
22.01.2020 09:51:06	1	1	1	1	108.3	50	0	28483.412	563.4408602	16409.37135	30000	0	0	30000	29.25	2004
22.01.2020 09:51:07	1	1	1	1	108.3	49.25	0	28388.626	563.4408602	15995.16212	30000	0	0	30000	29.5625	2004
22.01.2020 09:51:08	1	1	1	1	108.3	49.5	0	28341.232	563.4408602	16029.40777	30000	0	0	30000	29.9375	2004
22.01.2020 09:51:09	1	1	1	1	109.3	49.75	0	28293.839	563.4408602	15827.19539	30000	0	0	30000	29.9375	2004
22.01.2020 09:51:10	1	1	1	1	109.3	49.75	0	28341.232	563.4408602	15968.25483	30000	0	0	30000	29.6875	2004
22.01.2020 09:51:11	1	1	1	1	109.3	49.5	0	28483.412	563.4408602	16109.31427	30000	0	0	30000	29.9375	2004
22.01.2020 09:51:12	1	1	1	1	109.3	49.75	0	28388.626	563.4408602	16056.31506	30000	0	0	30000	29.8125	2004
22.01.2020 09:51:13	1	1	1	1	109.3	49.75	0	28293.839	563.4408602	16029.40777	30000	0	0	30000	29.25	2004
22.01.2020 09:51:14	1	1	1	1	109.3	49.25	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	30.0625	2004
22.01.2020 09:51:15	1	1	1	1	109.3	50	0	28293.839	565.5913978	16002.50048	30000	0	0	30000	29.1875	2004
22.01.2020 09:51:16	1	1	1	1	109.3	49	0	28483.412	567.7419355	15899.76354	30000	0	0	30000	29.125	2004
22.01.2020 09:51:17	1	1	1	1	109.3	49	0	28436.019	561.2903226	16022.06942	30000	0	0	30000	28.8125	2004
22.01.2020 09:51:18	1	1	1	1	109.3	48.75	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	29.375	2004
22.01.2020 09:51:19	1	1	1	1	109.5	49.25	0	28483.412	561.2903226	16109.31427	30000	0	0	30000	29.125	2004
22.01.2020 09:51:20	1	1	1	1	109.5	49	0	28530.806	561.2903226	16040.00761	30000	0	0	30000	28.9375	2004
22.01.2020 09:51:21	1	1	1	1	109.5	48.75	0	28388.626	563.4408602	15995.16212	30000	0	0	30000	28.8125	2004
22.01.2020 09:51:22	1	1	1	1	109.5	48.75	0	28578.199	563.4408602	15987.0084	30000	0	0	30000	28.8125	2004
22.01.2020 09:51:23	1	1	1	1	109.5	48.75	0	28341.232	561.2903226	15934.00919	30000	0	0	30000	29.5625	2004
22.01.2020 09:51:24	1	1	1	1	109.5	49.5	0	28436.019	561.2903226	15872.85625	30000	0	0	30000	28.5625	2004
22.01.2020 09:51:25	1	1	1	1	109.5	48.5	0	28388.626	561.2903226	15995.16212	30000	0	0	30000	28.6875	2004
22.01.2020 09:51:27	1	1	1	1	109.5	48.5	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	28.5	2004
22.01.2020 09:51:28	1	1	1	1	109.5	48.5	0	28483.412	565.5913978	16083.22235	30000	0	0	30000	28.5	2004
22.01.2020 09:51:29	1	1	1	1	109.5	48.5	0	28483.412	561.2903226	16109.31427	30000	0	0	30000	29.0625	2004
22.01.2020 09:51:30	1	1	1	1	109.3	49	0	28578.199	563.4408602	16101.97592	30000	0	0	30000	28.625	2004
22.01.2020 09:51:31	1	1	1	1	109.3	48.5	0	28483.412	552.688172	15978.85467	30000	0	0	30000	28.3125	2004
22.01.2020 09:51:32	1	1	1	1	109.3	48.25	0	28530.806	559.1397849	16040.00761	30000	0	0	30000	29.25	2004
22.01.2020 09:51:38	1	1	1	1	109.3	48.5	0	28625.592	556.9892473	16049.79208	30000	0	0	30000	29.375	2004
22.01.2020 09:51:38	1	1	1	1	109.3	48.5	0	28625.592	556.9892473	16049.79208	30000	0	0	30000	29.375	2004
22.01.2020 09:51:38	1	1	1	1	109.3	48.5	0	28625.592	556.9892473	16049.79208	30000	0	0	30000	29.375	2004
22.01.2020 09:51:38	1	1	1	1	109.3	48.5	0	28625.592	556.9892473	16049.79208	30000	0	0	30000	29.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 09:51:38	1	1	1	1	109.3	48.5	0	28625.592	556.9892473	16049.79208	30000	0	0	30000	29.375	2004
22.01.2020 09:51:38	1	1	1	1	109.3	49.25	0	28483.412	559.1397849	15978.85467	30000	0	0	30000	28.6875	2004
22.01.2020 09:51:39	1	1	1	1	109.3	48.5	0	28625.592	559.1397849	15978.85467	30000	0	0	30000	29.4375	2004
22.01.2020 09:51:40	1	1	1	1	109.8	49.25	0	28625.592	559.1397849	15943.79366	30000	0	0	30000	29.5625	2004
22.01.2020 09:51:41	1	1	1	1	109.8	49.5	0	28625.592	559.1397849	16066.9149	30000	0	0	30000	29.5625	2004
22.01.2020 09:51:42	1	1	1	1	109.8	49.5	0	28578.199	559.1397849	15978.85467	30000	0	0	30000	29.6875	2004
22.01.2020 09:51:43	1	1	1	1	109.8	49.5	0	28578.199	559.1397849	15794.58049	30000	0	0	30000	29.75	2004
22.01.2020 09:51:44	1	1	1	1	109.8	49.75	0	28483.412	559.1397849	15987.0084	30000	0	0	30000	29.625	2004
22.01.2020 09:51:45	1	1	1	1	109.8	49.75	0	28388.626	559.1397849	15872.85625	30000	0	0	30000	28.5	2004
22.01.2020 09:51:46	1	1	1	1	109.8	48.5	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	30.125	2004
22.01.2020 09:51:47	1	1	1	1	109.8	50	0	28436.019	559.1397849	15987.0084	30000	0	0	30000	28.5625	2004
22.01.2020 09:51:48	1	1	1	1	109.8	48.5	0	28388.626	563.4408602	15934.00919	30000	0	0	30000	29.4375	2004
22.01.2020 09:51:49	1	1	1	1	110.3	49.25	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	30.0625	2004
22.01.2020 09:51:50	1	1	1	1	110.3	50	0	28436.019	561.2903226	15987.0084	30000	0	0	30000	29.125	2004
22.01.2020 09:51:51	1	1	1	1	110.3	49	0	28436.019	561.2903226	15987.0084	30000	0	0	30000	29.5	2004
22.01.2020 09:51:52	1	1	1	1	110.3	49.5	0	28388.626	559.1397849	15960.91648	30000	0	0	30000	28.6875	2004
22.01.2020 09:51:53	1	1	1	1	110.3	48.5	0	28388.626	563.4408602	15934.00919	30000	0	0	30000	29.125	2004
22.01.2020 09:51:54	1	1	1	1	110.3	49	0	28388.626	559.1397849	16056.31506	30000	0	0	30000	29.75	2004
22.01.2020 09:51:55	1	1	1	1	110.3	49.75	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	29.375	2004
22.01.2020 09:51:56	1	1	1	1	110.3	49.25	0	28388.626	561.2903226	15907.10189	30000	0	0	30000	28.5625	2004
22.01.2020 09:51:57	1	1	1	1	110.3	48.5	0	28578.199	559.1397849	15987.0084	30000	0	0	30000	27.875	2004
22.01.2020 09:51:58	1	1	1	1	110.3	47.75	0	28483.412	563.4408602	15987.0084	30000	0	0	30000	30.1875	2004
22.01.2020 09:51:59	1	1	1	1	110.3	50	0	28388.626	561.2903226	15934.00919	30000	0	0	30000	28.9375	2004
22.01.2020 09:52:00	1	1	1	1	110.3	48.75	0	28388.626	563.4408602	15995.16212	30000	0	0	30000	29	2004
22.01.2020 09:52:01	1	1	1	1	110.3	49	0	28436.019	563.4408602	16083.22235	30000	0	0	30000	30.0625	2004
22.01.2020 09:52:02	1	1	1	1	110.3	50	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	28.375	2004
22.01.2020 09:52:03	1	1	1	1	110.3	48.25	0	28483.412	567.7419355	16109.31427	30000	0	0	30000	28.25	2004
22.01.2020 09:52:05	1	1	1	1	110.3	48.25	0	28341.232	563.4408602	15907.10189	30000	0	0	30000	29.6875	2004
22.01.2020 09:52:06	1	1	1	1	110.3	49.5	0	28341.232	563.4408602	16029.40777	30000	0	0	30000	28.125	2004
22.01.2020 09:52:07	1	1	1	1	110.3	48	0	28293.839	563.4408602	15881.00997	30000	0	0	30000	29.0625	2004
22.01.2020 09:52:08	1	1	1	1	110.3	49	0	28388.626	563.4408602	16056.31506	30000	0	0	30000	29.4375	2004
22.01.2020 09:52:09	1	1	1	1	110.3	49.25	0	28388.626	567.7419355	16029.40777	30000	0	0	30000	29.4375	2004
22.01.2020 09:52:10	1	1	1	1	110.3	49.25	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	29.75	2004
22.01.2020 09:52:11	1	1	1	1	110.3	49.75	0	28341.232	565.5913978	16029.40777	30000	0	0	30000	29.25	2004
22.01.2020 09:52:12	1	1	1	1	110.3	49.25	0	28199.052	563.4408602	15888.34833	30000	0	0	30000	29.4375	2004
22.01.2020 09:52:13	1	1	1	1	110.3	49.25	0	28341.232	563.4408602	16002.50048	30000	0	0	30000	29.1875	2004
22.01.2020 09:52:14	1	1	1	1	110.3	49	0	28436.019	567.7419355	16056.31506	30000	0	0	30000	29.25	2004
22.01.2020 09:52:15	1	1	1	1	110.3	49.25	0	28199.052	567.7419355	16063.65341	30000	0	0	30000	29.9375	2004
22.01.2020 09:52:16	1	1	1	1	110.3	49.75	0	28341.232	565.5913978	16002.50048	30000	0	0	30000	29.625	2004
22.01.2020 09:52:17	1	1	1	1	110.3	49.5	0	28009.479	563.4408602	15841.8721	30000	0	0	30000	29.625	2004
22.01.2020 09:52:18	1	1	1	1	110.3	49.5	0	28341.232	567.7419355	16029.40777	30000	0	0	30000	29.4375	2004
22.01.2020 09:52:19	1	1	1	1	110.3	49.25	0	28199.052	559.1397849	16090.5607	30000	0	0	30000	29.375	2004
22.01.2020 09:52:20	1	1	1	1	110	49.25	0	28293.839	565.5913978	16063.65341	30000	0	0	30000	29.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 09:52:21	1	1	1	1	110	49	0	28293.839	563.4408602	15881.00997	30000	0	0	30000	30.0625	2004
22.01.2020 09:52:22	1	1	1	1	110	50	0	28341.232	563.4408602	16029.40777	30000	0	0	30000	30.1875	2004
22.01.2020 09:52:23	1	1	1	1	110	50	0	28341.232	565.5913978	15698.36654	30000	0	0	30000	29.125	2004
22.01.2020 09:52:24	1	1	1	1	110	50.5	0	28341.232	563.4408602	15968.25483	30000	0	0	30000	29.375	2004
22.01.2020 09:52:25	1	1	1	1	110	49.25	0	28341.232	563.4408602	15934.00919	30000	0	0	30000	30.0625	2004
22.01.2020 09:52:26	1	1	1	1	110	50	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	29.875	2004
22.01.2020 09:52:27	1	1	1	1	110	49.75	0	28341.232	561.2903226	15934.00919	30000	0	0	30000	29.5	2004
22.01.2020 09:52:28	1	1	1	1	110	49.5	0	28341.232	567.7419355	16002.50048	30000	0	0	30000	28.5625	2004
22.01.2020 09:52:29	1	1	1	1	110.3	48.5	0	28436.019	563.4408602	16022.06942	30000	0	0	30000	30.25	2004
22.01.2020 09:52:30	1	1	1	1	110.3	50.25	0	28483.412	563.4408602	16075.06863	30000	0	0	30000	30.0625	2004
22.01.2020 09:52:31	1	1	1	1	110.3	50	0	28341.232	563.4408602	15907.10189	30000	0	0	30000	30.125	2004
22.01.2020 09:52:32	1	1	1	1	110.3	50	0	28388.626	563.4408602	16109.31427	30000	0	0	30000	30.1875	2004
22.01.2020 09:52:33	1	1	1	1	110.3	50	0	28436.019	563.4408602	15838.61061	30000	0	0	30000	29.6875	2004
22.01.2020 09:52:39	1	1	1	1	110.3	49.5	0	28436.019	563.4408602	15960.91648	30000	0	0	30000	29.25	2004
22.01.2020 09:52:39	1	1	1	1	110.3	49.5	0	28436.019	563.4408602	15960.91648	30000	0	0	30000	29.25	2004
22.01.2020 09:52:39	1	1	1	1	110.3	49.5	0	28436.019	563.4408602	15960.91648	30000	0	0	30000	29.25	2004
22.01.2020 09:52:39	1	1	1	1	110.3	49.5	0	28436.019	563.4408602	15960.91648	30000	0	0	30000	29.25	2004
22.01.2020 09:52:39	1	1	1	1	110.3	49.5	0	28436.019	563.4408602	15960.91648	30000	0	0	30000	29.25	2004
22.01.2020 09:52:39	1	1	1	1	110.3	49.25	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	30	2004
22.01.2020 09:52:40	1	1	1	1	110.3	50	0	28530.806	559.1397849	16040.00761	30000	0	0	30000	30.5	2004
22.01.2020 09:52:41	1	1	1	1	110.3	50.5	0	28483.412	565.5913978	15838.61061	30000	0	0	30000	30	2004
22.01.2020 09:52:42	1	1	1	1	110.3	50	0	28388.626	561.2903226	15934.00919	30000	0	0	30000	29.5	2004
22.01.2020 09:52:44	1	1	1	1	110.3	49.5	0	28341.232	561.2903226	15995.16212	30000	0	0	30000	28.25	2004
22.01.2020 09:52:45	1	1	1	1	110.3	48.25	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	29.1875	2004
22.01.2020 09:52:46	1	1	1	1	110.3	49	0	28388.626	561.2903226	15934.00919	30000	0	0	30000	29.625	2004
22.01.2020 09:52:47	1	1	1	1	110.3	49.5	0	28341.232	561.2903226	15968.25483	30000	0	0	30000	30.0625	2004
22.01.2020 09:52:48	1	1	1	1	110.3	50	0	28388.626	565.5913978	16056.31506	30000	0	0	30000	29.375	2004
22.01.2020 09:52:49	1	1	1	1	110.3	49.25	0	28436.019	561.2903226	16022.06942	30000	0	0	30000	29.125	2004
22.01.2020 09:52:50	1	1	1	1	109.8	49	0	28341.232	565.5913978	15827.19539	30000	0	0	30000	29.75	2004
22.01.2020 09:52:51	1	1	1	1	109.8	49.75	0	28625.592	561.2903226	16066.9149	30000	0	0	30000	29.25	2004
22.01.2020 09:52:52	1	1	1	1	109.8	49.25	0	28483.412	563.4408602	16013.91569	30000	0	0	30000	29.375	2004
22.01.2020 09:52:53	1	1	1	1	109.8	49.25	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	27.8125	2004
22.01.2020 09:52:54	1	1	1	1	109.8	47.75	0	28530.806	563.4408602	15987.0084	30000	0	0	30000	28.125	2004
22.01.2020 09:52:55	1	1	1	1	109.8	48	0	28436.019	561.2903226	15934.00919	30000	0	0	30000	29.5	2004
22.01.2020 09:52:56	1	1	1	1	109.8	49.5	0	28436.019	561.2903226	16083.22235	30000	0	0	30000	27.875	2004
22.01.2020 09:52:57	1	1	1	1	109.8	47.75	0	28436.019	559.1397849	15960.91648	30000	0	0	30000	28	2004
22.01.2020 09:52:58	1	1	1	1	109.8	48	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	29.0625	2004
22.01.2020 09:52:59	1	1	1	1	109.8	49	0	28578.199	559.1397849	16040.00761	30000	0	0	30000	28.5	2004
22.01.2020 09:53:00	1	1	1	1	108.8	48.5	0	28578.199	561.2903226	15978.85467	30000	0	0	30000	30.5625	2004
22.01.2020 09:53:01	1	1	1	1	108.8	49.75	0	28530.806	563.4408602	16040.00761	30000	0	0	30000	30.25	2004
22.01.2020 09:53:02	1	1	1	1	108.8	50.25	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	30.0625	2004
22.01.2020 09:53:03	1	1	1	1	108.8	50	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	29.25	2004
22.01.2020 09:53:04	1	1	1	1	108.8	49.25	0	28436.019	559.1397849	15987.0084	30000	0	0	30000	29.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 09:53:05	1	1	1	1	108.8	49	0	28436.019	561.2903226	15987.0084	30000	0	0	30000	30.0625	2004
22.01.2020 09:53:06	1	1	1	1	108.8	50	0	28530.806	559.1397849	15978.85467	30000	0	0	30000	28.625	2004
22.01.2020 09:53:07	1	1	1	1	108.8	48.5	0	28436.019	561.2903226	15987.0084	30000	0	0	30000	29	2004
22.01.2020 09:53:08	1	1	1	1	108.8	49	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	29.3125	2004
22.01.2020 09:53:09	1	1	1	1	109.5	49.25	0	28341.232	556.9892473	15934.00919	30000	0	0	30000	29.4375	2004
22.01.2020 09:53:10	1	1	1	1	109.5	49.25	0	28436.019	563.4408602	16056.31506	30000	0	0	30000	29.5625	2004
22.01.2020 09:53:11	1	1	1	1	109.5	49.5	0	28436.019	561.2903226	16022.06942	30000	0	0	30000	29.6875	2004
22.01.2020 09:53:12	1	1	1	1	109.5	49.5	0	28388.626	563.4408602	16056.31506	30000	0	0	30000	30.125	2004
22.01.2020 09:53:13	1	1	1	1	109.5	50	0	28199.052	561.2903226	15827.19539	30000	0	0	30000	30.4375	2004
22.01.2020 09:53:14	1	1	1	1	109.5	50.25	0	28341.232	563.4408602	16029.40777	30000	0	0	30000	29.5625	2004
22.01.2020 09:53:15	1	1	1	1	109.5	49.5	0	28436.019	565.5913978	16083.22235	30000	0	0	30000	30.3125	2004
22.01.2020 09:53:16	1	1	1	1	109.5	50.25	0	28341.232	565.5913978	16056.31506	30000	0	0	30000	29.9375	2004
22.01.2020 09:53:17	1	1	1	1	109.5	49.75	0	28293.839	565.5913978	15948.68589	30000	0	0	30000	28.875	2004
22.01.2020 09:53:18	1	1	1	1	109.5	48.75	0	28293.839	567.7419355	15948.68589	30000	0	0	30000	29.5	2004
22.01.2020 09:53:19	1	1	1	1	109.5	49.5	0	28530.806	565.5913978	16109.31427	30000	0	0	30000	29.75	2004
22.01.2020 09:53:20	1	1	1	1	109.5	49.75	0	28483.412	567.7419355	16109.31427	30000	0	0	30000	30.5625	2004
22.01.2020 09:53:22	1	1	1	1	109.5	50.5	0	28388.626	563.4408602	15960.91648	30000	0	0	30000	30	2004
22.01.2020 09:53:23	1	1	1	1	109.5	50	0	28199.052	561.2903226	15827.19539	30000	0	0	30000	30.5	2004
22.01.2020 09:53:24	1	1	1	1	109.5	50.5	0	28388.626	563.4408602	15995.16212	30000	0	0	30000	28.75	2004
22.01.2020 09:53:25	1	1	1	1	109.5	48.75	0	28341.232	563.4408602	16056.31506	30000	0	0	30000	29.375	2004
22.01.2020 09:53:26	1	1	1	1	109.5	49.25	0	28293.839	567.7419355	15975.59318	30000	0	0	30000	30.375	2004
22.01.2020 09:53:27	1	1	1	1	109.5	50.25	0	28483.412	563.4408602	16022.06942	30000	0	0	30000	29.125	2004
22.01.2020 09:53:28	1	1	1	1	109.5	49	0	28436.019	563.4408602	16109.31427	30000	0	0	30000	30.625	2004
22.01.2020 09:53:29	1	1	1	1	109.5	50.5	0	28578.199	565.5913978	16040.00761	30000	0	0	30000	30.25	2004
22.01.2020 09:53:30	1	1	1	1	109.5	50.25	0	28625.592	565.5913978	16483.57024	30000	0	0	30000	30.375	2004
22.01.2020 09:53:31	1	1	1	1	109.5	50.25	0	28436.019	563.4408602	15960.91648	30000	0	0	30000	29	2004
22.01.2020 09:53:32	1	1	1	1	109.5	49	0	28625.592	561.2903226	16066.9149	30000	0	0	30000	28.75	2004
22.01.2020 09:53:33	1	1	1	1	109.5	48.75	0	28341.232	563.4408602	15941.34754	30000	0	0	30000	29.5625	2004
22.01.2020 09:53:34	1	1	1	1	109.5	49.5	0	28341.232	561.2903226	15968.25483	30000	0	0	30000	29.875	2004
22.01.2020 09:53:35	1	1	1	1	109.5	49.75	0	28199.052	563.4408602	15948.68589	30000	0	0	30000	30.1875	2004
22.01.2020 09:53:41	1	1	1	1	109.5	49	0	28388.626	563.4408602	15960.91648	30000	0	0	30000	30.3125	2004
22.01.2020 09:53:41	1	1	1	1	109.5	49	0	28388.626	563.4408602	15960.91648	30000	0	0	30000	30.3125	2004
22.01.2020 09:53:41	1	1	1	1	109.5	49	0	28388.626	563.4408602	15960.91648	30000	0	0	30000	30.3125	2004
22.01.2020 09:53:41	1	1	1	1	109.5	49	0	28388.626	563.4408602	15960.91648	30000	0	0	30000	30.3125	2004
22.01.2020 09:53:41	1	1	1	1	109.5	50.25	0	28341.232	565.5913978	16029.40777	30000	0	0	30000	29.875	2004
22.01.2020 09:53:42	1	1	1	1	109.5	49.75	0	28388.626	561.2903226	15934.00919	30000	0	0	30000	29.0625	2004
22.01.2020 09:53:43	1	1	1	1	109.5	49	0	28388.626	563.4408602	15995.16212	30000	0	0	30000	29.625	2004
22.01.2020 09:53:44	1	1	1	1	109.5	49.5	0	28293.839	563.4408602	15706.52026	30000	0	0	30000	30.125	2004
22.01.2020 09:53:45	1	1	1	1	109.5	50	0	28199.052	563.4408602	15948.68589	30000	0	0	30000	30.375	2004
22.01.2020 09:53:46	1	1	1	1	109.5	50.25	0	28341.232	563.4408602	15968.25483	30000	0	0	30000	29.125	2004
22.01.2020 09:53:47	1	1	1	1	109.5	49	0	28341.232	567.7419355	16002.50048	30000	0	0	30000	30.0625	2004
22.01.2020 09:53:48	1	1	1	1	109.5	50	0	28388.626	572.0430108	15968.25483	30000	0	0	30000	29.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 09:53:49	1	1	1	1	109.5	49.5	0	28388.626	563.4408602	16056.31506	30000	0	0	30000	29.1875	2004
22.01.2020 09:53:50	1	1	1	1	109.5	49	0	28436.019	561.2903226	16171.28258	30000	0	0	30000	30.375	2004
22.01.2020 09:53:51	1	1	1	1	109.5	50.25	0	28293.839	567.7419355	16063.65341	30000	0	0	30000	29	2004
22.01.2020 09:53:52	1	1	1	1	109.5	49	0	28009.479	565.5913978	15948.68589	30000	0	0	30000	30.5625	2004
22.01.2020 09:53:53	1	1	1	1	109.5	50.5	0	28293.839	567.7419355	16090.5607	30000	0	0	30000	30	2004
22.01.2020 09:53:54	1	1	1	1	109.5	50	0	28436.019	561.2903226	16048.16134	30000	0	0	30000	30	2004
22.01.2020 09:53:55	1	1	1	1	109.5	50	0	28341.232	561.2903226	15934.00919	30000	0	0	30000	30.125	2004
22.01.2020 09:53:56	1	1	1	1	109.5	50	0	28293.839	563.4408602	16002.50048	30000	0	0	30000	30	2004
22.01.2020 09:53:57	1	1	1	1	109.5	50	0	28436.019	563.4408602	16083.22235	30000	0	0	30000	30	2004
22.01.2020 09:53:58	1	1	1	1	109.5	50	0	28483.412	561.2903226	16040.00761	30000	0	0	30000	30	2004
22.01.2020 09:54:00	1	1	1	1	109.5	50	0	28388.626	561.2903226	15785.61139	30000	0	0	30000	29.9375	2004
22.01.2020 09:54:01	1	1	1	1	109.5	49.75	0	28436.019	561.2903226	15934.00919	30000	0	0	30000	30	2004
22.01.2020 09:54:02	1	1	1	1	109.5	50	0	28436.019	563.4408602	15960.91648	30000	0	0	30000	30.125	2004
22.01.2020 09:54:03	1	1	1	1	109.5	50	0	28388.626	563.4408602	15724.45846	30000	0	0	30000	29.625	2004
22.01.2020 09:54:04	1	1	1	1	109.5	49.5	0	28293.839	565.5913978	16002.50048	30000	0	0	30000	30.1875	2004
22.01.2020 09:54:05	1	1	1	1	109.5	50	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	30.25	2004
22.01.2020 09:54:06	1	1	1	1	109.5	50.25	0	28388.626	563.4408602	16056.31506	30000	0	0	30000	30.1875	2004
22.01.2020 09:54:07	1	1	1	1	109.5	50	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	29.75	2004
22.01.2020 09:54:08	1	1	1	1	109.5	49.75	0	28009.479	565.5913978	15948.68589	30000	0	0	30000	30.5	2004
22.01.2020 09:54:09	1	1	1	1	109.5	50.5	0	28293.839	567.7419355	16245.48148	30000	0	0	30000	29.375	2004
22.01.2020 09:54:10	1	1	1	1	110	49.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	30.125	2004
22.01.2020 09:54:11	1	1	1	1	110	50	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	30	2004
22.01.2020 09:54:12	1	1	1	1	110	50	0	28009.479	563.4408602	15902.20966	30000	0	0	30000	29.6875	2004
22.01.2020 09:54:13	1	1	1	1	110	49.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	30.375	2004
22.01.2020 09:54:14	1	1	1	1	110	50.25	0	28009.479	567.7419355	15841.8721	30000	0	0	30000	29.875	2004
22.01.2020 09:54:15	1	1	1	1	110	49.75	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	31	2004
22.01.2020 09:54:16	1	1	1	1	110	51	0	28009.479	561.2903226	15841.8721	30000	0	0	30000	30.5625	2004
22.01.2020 09:54:17	1	1	1	1	110	50.5	0	28341.232	565.5913978	16063.65341	30000	0	0	30000	30.5625	2004
22.01.2020 09:54:18	1	1	1	1	110	50.5	0	28009.479	561.2903226	15948.68589	30000	0	0	30000	29.9375	2004
22.01.2020 09:54:19	1	1	1	1	110	49.75	0	28293.839	565.5913978	16002.50048	30000	0	0	30000	30.25	2004
22.01.2020 09:54:20	1	1	1	1	110	50.25	0	28341.232	565.5913978	16056.31506	30000	0	0	30000	30.5625	2004
22.01.2020 09:54:21	1	1	1	1	110	50.5	0	28246.445	567.7419355	16063.65341	30000	0	0	30000	30	2004
22.01.2020 09:54:22	1	1	1	1	110	50	0	28009.479	567.7419355	16009.83883	30000	0	0	30000	30.1875	2004
22.01.2020 09:54:23	1	1	1	1	110	50	0	28009.479	567.7419355	15841.8721	30000	0	0	30000	30.375	2004
22.01.2020 09:54:24	1	1	1	1	110	50.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	30.25	2004
22.01.2020 09:54:25	1	1	1	1	110	50.25	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	30.625	2004
22.01.2020 09:54:26	1	1	1	1	110	50.5	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	30.75	2004
22.01.2020 09:54:27	1	1	1	1	110	50.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	30.9375	2004
22.01.2020 09:54:28	1	1	1	1	110	50.75	0	28009.479	572.0430108	16163.94423	30000	0	0	30000	30.5625	2004
22.01.2020 09:54:29	1	1	1	1	110.3	50.5	0	27962.085	569.8924731	15814.9648	30000	0	0	30000	30.1875	2004
22.01.2020 09:54:30	1	1	1	1	110.3	50	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	30.75	2004
22.01.2020 09:54:31	1	1	1	1	110.3	50.75	0	28199.052	565.5913978	16009.83883	30000	0	0	30000	30.4375	2004
22.01.2020 09:54:32	1	1	1	1	110.3	50.25	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	30.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 09:54:33	1	1	1	1	110.3	50.25	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	29.6875	2004
22.01.2020 09:54:34	1	1	1	1	110.3	49.5	0	28009.479	569.8924731	16009.83883	30000	0	0	30000	30.0625	2004
22.01.2020 09:54:35	1	1	1	1	110.3	50	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	29.9375	2004
22.01.2020 09:54:36	1	1	1	1	110.3	49.75	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	30.3125	2004
22.01.2020 09:54:43	1	1	1	1	109.8	50.5	0	28009.479	567.7419355	16009.83883	30000	0	0	30000	30.25	2004
22.01.2020 09:54:43	1	1	1	1	109.8	50.5	0	28009.479	567.7419355	16009.83883	30000	0	0	30000	30.25	2004
22.01.2020 09:54:43	1	1	1	1	109.8	50.5	0	28009.479	567.7419355	16009.83883	30000	0	0	30000	30.25	2004
22.01.2020 09:54:43	1	1	1	1	109.8	50.5	0	28009.479	567.7419355	16009.83883	30000	0	0	30000	30.25	2004
22.01.2020 09:54:43	1	1	1	1	109.8	50.5	0	28009.479	567.7419355	16009.83883	30000	0	0	30000	30.25	2004
22.01.2020 09:54:43	1	1	1	1	109.8	50.25	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	30.25	2004
22.01.2020 09:54:44	1	1	1	1	109.8	50.25	0	28009.479	567.7419355	15841.8721	30000	0	0	30000	29.3125	2004
22.01.2020 09:54:45	1	1	1	1	109.8	49.25	0	28199.052	565.5913978	15888.34833	30000	0	0	30000	30.1875	2004
22.01.2020 09:54:46	1	1	1	1	109.8	50	0	28388.626	565.5913978	16117.468	30000	0	0	30000	30.25	2004
22.01.2020 09:54:47	1	1	1	1	109.8	50.25	0	28293.839	565.5913978	16150.89827	30000	0	0	30000	30.3125	2004
22.01.2020 09:54:48	1	1	1	1	109.8	50.25	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	30.3125	2004
22.01.2020 09:54:49	1	1	1	1	109.8	50.25	0	28009.479	563.4408602	15841.8721	30000	0	0	30000	29.625	2004
22.01.2020 09:54:50	1	1	1	1	109.8	49.5	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	30.8125	2004
22.01.2020 09:54:51	1	1	1	1	109.8	50.75	0	28293.839	561.2903226	16029.40777	30000	0	0	30000	30.25	2004
22.01.2020 09:54:52	1	1	1	1	109.8	50.25	0	28341.232	567.7419355	15888.34833	30000	0	0	30000	30.125	2004
22.01.2020 09:54:53	1	1	1	1	109.8	50	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	30.3125	2004
22.01.2020 09:54:54	1	1	1	1	109.8	50.25	0	28293.839	574.1935484	15948.68589	30000	0	0	30000	30.625	2004
22.01.2020 09:54:55	1	1	1	1	109.8	50.5	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	30.5625	2004
22.01.2020 09:54:56	1	1	1	1	109.8	50.5	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	30.3125	2004
22.01.2020 09:54:57	1	1	1	1	109.8	50.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	30.9375	2004
22.01.2020 09:54:58	1	1	1	1	109.8	50	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	30.3125	2004
22.01.2020 09:54:59	1	1	1	1	110.3	50.25	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	30.5625	2004
22.01.2020 09:55:00	1	1	1	1	110.3	50.5	0	28388.626	567.7419355	16056.31506	30000	0	0	30000	29.25	2004
22.01.2020 09:55:01	1	1	1	1	110.3	49.25	0	28009.479	567.7419355	15948.68589	30000	0	0	30000	30.6875	2004
22.01.2020 09:55:02	1	1	1	1	110.3	50.5	0	28009.479	565.5913978	15721.19697	30000	0	0	30000	29.3125	2004
22.01.2020 09:55:03	1	1	1	1	110.3	49.25	0	28009.479	567.7419355	16130.51396	30000	0	0	30000	29.8125	2004
22.01.2020 09:55:04	1	1	1	1	110.3	49.75	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	30.5	2004
22.01.2020 09:55:05	1	1	1	1	110.3	50.5	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	30.375	2004
22.01.2020 09:55:06	1	1	1	1	110.3	50.25	0	28293.839	565.5913978	16063.65341	30000	0	0	30000	29.6875	2004
22.01.2020 09:55:07	1	1	1	1	110.3	49.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	30.625	2004
22.01.2020 09:55:08	1	1	1	1	110.3	50.5	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	30.5	2004
22.01.2020 09:55:09	1	1	1	1	110.3	50.5	0	28293.839	569.8924731	16090.5607	30000	0	0	30000	30.3125	2004
22.01.2020 09:55:10	1	1	1	1	110.3	50.25	0	27867.299	565.5913978	15788.05751	30000	0	0	30000	30.8125	2004
22.01.2020 09:55:11	1	1	1	1	110.3	50.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	30.8125	2004
22.01.2020 09:55:12	1	1	1	1	110.3	50.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	30.4375	2004
22.01.2020 09:55:13	1	1	1	1	110.3	50.25	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	31	2004
22.01.2020 09:55:14	1	1	1	1	110.3	51	0	28009.479	567.7419355	16130.51396	30000	0	0	30000	31	2004
22.01.2020 09:55:15	1	1	1	1	110.3	51	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	30.25	2004
22.01.2020 09:55:17	1	1	1	1	110.3	50.25	0	28293.839	565.5913978	16063.65341	30000	0	0	30000	30.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 09:55:18	1	1	1	1	110.3	50.5	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	30.9375	2004
22.01.2020 09:55:19	1	1	1	1	110.3	50.75	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	29.8125	2004
22.01.2020 09:55:20	1	1	1	1	110.5	49.75	0	28341.232	569.8924731	16150.89827	30000	0	0	30000	30.25	2004
22.01.2020 09:55:21	1	1	1	1	110.5	50.25	0	28388.626	563.4408602	15758.7041	30000	0	0	30000	31.1875	2004
22.01.2020 09:55:22	1	1	1	1	110.5	51	0	28293.839	565.5913978	16002.50048	30000	0	0	30000	30.25	2004
22.01.2020 09:55:23	1	1	1	1	110.5	50.25	0	28009.479	565.5913978	15841.8721	30000	0	0	30000	29.9375	2004
22.01.2020 09:55:24	1	1	1	1	110.5	49.75	0	28009.479	567.7419355	16009.83883	30000	0	0	30000	30.125	2004
22.01.2020 09:55:25	1	1	1	1	110.5	50	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	29.0625	2004
22.01.2020 09:55:26	1	1	1	1	110.5	49	0	28341.232	567.7419355	16090.5607	30000	0	0	30000	30.0625	2004
22.01.2020 09:55:27	1	1	1	1	110.5	50	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	30.5	2004
22.01.2020 09:55:28	1	1	1	1	110.5	50.5	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	30.5	2004
22.01.2020 09:55:29	1	1	1	1	110.5	50.5	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	30.4375	2004
22.01.2020 09:55:30	1	1	1	1	109.8	50.25	0	28293.839	563.4408602	16029.40777	30000	0	0	30000	29.875	2004
22.01.2020 09:55:31	1	1	1	1	109.8	49.75	0	28341.232	565.5913978	16238.9585	30000	0	0	30000	31	2004
22.01.2020 09:55:32	1	1	1	1	109.8	51	0	28199.052	559.1397849	15948.68589	30000	0	0	30000	30.75	2004
22.01.2020 09:55:33	1	1	1	1	109.8	50.75	0	28199.052	565.5913978	16123.99098	30000	0	0	30000	30.4375	2004
22.01.2020 09:55:34	1	1	1	1	109.8	50.25	0	28293.839	563.4408602	15968.25483	30000	0	0	30000	31.3125	2004
22.01.2020 09:55:35	1	1	1	1	109.8	51.25	0	28388.626	563.4408602	16056.31506	30000	0	0	30000	30.8125	2004
22.01.2020 09:55:36	1	1	1	1	109.8	50.75	0	28199.052	565.5913978	16002.50048	30000	0	0	30000	30.875	2004
22.01.2020 09:55:37	1	1	1	1	109.8	50.75	0	28341.232	563.4408602	16029.40777	30000	0	0	30000	30.4375	2004
22.01.2020 09:55:38	1	1	1	1	109.8	50.25	0	28341.232	561.2903226	15934.00919	30000	0	0	30000	31.125	2004
22.01.2020 09:55:44	1	1	1	1	111	50	0	28483.412	565.5913978	16171.28258	30000	0	0	30000	31.0625	2004
22.01.2020 09:55:44	1	1	1	1	111	50	0	28483.412	565.5913978	16171.28258	30000	0	0	30000	31.0625	2004
22.01.2020 09:55:44	1	1	1	1	111	50	0	28483.412	565.5913978	16171.28258	30000	0	0	30000	31.0625	2004
22.01.2020 09:55:44	1	1	1	1	111	50	0	28483.412	565.5913978	16171.28258	30000	0	0	30000	31.0625	2004
22.01.2020 09:55:44	1	1	1	1	111	51	0	28530.806	565.5913978	16163.12886	30000	0	0	30000	29.9375	2004
22.01.2020 09:55:45	1	1	1	1	111	49.75	0	28578.199	563.4408602	16040.00761	30000	0	0	30000	30.8125	2004
22.01.2020 09:55:46	1	1	1	1	111	50.75	0	28530.806	552.688172	16190.03615	30000	0	0	30000	31.125	2004
22.01.2020 09:55:47	1	1	1	1	111	51	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	30.8125	2004
22.01.2020 09:55:48	1	1	1	1	111	50.75	0	28578.199	559.1397849	16040.00761	30000	0	0	30000	30.125	2004
22.01.2020 09:55:49	1	1	1	1	109.8	50	0	28578.199	563.4408602	16101.97592	30000	0	0	30000	29.0625	2004
22.01.2020 09:55:50	1	1	1	1	109.8	49	0	28341.232	561.2903226	15995.16212	30000	0	0	30000	30.75	2004
22.01.2020 09:55:51	1	1	1	1	109.8	50.75	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	30.875	2004
22.01.2020 09:55:52	1	1	1	1	109.8	50.75	0	28388.626	569.8924731	16056.31506	30000	0	0	30000	30.6875	2004
22.01.2020 09:55:53	1	1	1	1	109.8	50.5	0	28293.839	563.4408602	16002.50048	30000	0	0	30000	30.875	2004
22.01.2020 09:55:55	1	1	1	1	109.8	50.75	0	28341.232	565.5913978	16029.40777	30000	0	0	30000	30.5	2004
22.01.2020 09:55:56	1	1	1	1	109.8	50.5	0	28388.626	563.4408602	15934.00919	30000	0	0	30000	30.875	2004
22.01.2020 09:55:57	1	1	1	1	109.8	50.75	0	28341.232	569.8924731	15827.19539	30000	0	0	30000	30.3125	2004
22.01.2020 09:55:58	1	1	1	1	109.8	50.25	0	28388.626	565.5913978	16056.31506	30000	0	0	30000	30.5	2004
22.01.2020 09:55:59	1	1	1	1	109.8	50.5	0	28293.839	567.7419355	16063.65341	30000	0	0	30000	31.375	2004
22.01.2020 09:56:00	1	1	1	1	110.3	51.25	0	28293.839	563.4408602	15948.68589	30000	0	0	30000	30.5	2004
22.01.2020 09:56:01	1	1	1	1	110.3	50.5	0	28293.839	563.4408602	16002.50048	30000	0	0	30000	29.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 09:56:02	1	1	1	1	110.3	49.75	0	28199.052	563.4408602	15948.68589	30000	0	0	30000	30.25	2004
22.01.2020 09:56:03	1	1	1	1	110.3	50.25	0	28293.839	565.5913978	15948.68589	30000	0	0	30000	31.375	2004
22.01.2020 09:56:04	1	1	1	1	110.3	51.25	0	28199.052	563.4408602	16002.50048	30000	0	0	30000	30.6875	2004
22.01.2020 09:56:05	1	1	1	1	110.3	50.5	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	30.0625	2004
22.01.2020 09:56:06	1	1	1	1	110.3	50	0	28009.479	563.4408602	15902.20966	30000	0	0	30000	30.75	2004
22.01.2020 09:56:07	1	1	1	1	110.3	50.75	0	28199.052	567.7419355	16306.63441	30000	0	0	30000	30.625	2004
22.01.2020 09:56:08	1	1	1	1	110.3	50.5	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	30.125	2004
22.01.2020 09:56:09	1	1	1	1	110.3	50	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	31.125	2004
22.01.2020 09:56:10	1	1	1	1	110.8	51	0	28009.479	567.7419355	16252.00446	30000	0	0	30000	31.125	2004
22.01.2020 09:56:11	1	1	1	1	110.8	51	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	31.0625	2004
22.01.2020 09:56:12	1	1	1	1	110.8	51	0	28293.839	569.8924731	16123.99098	30000	0	0	30000	30.8125	2004
22.01.2020 09:56:13	1	1	1	1	110.8	50.75	0	28199.052	567.7419355	16191.66689	30000	0	0	30000	31.375	2004
22.01.2020 09:56:14	1	1	1	1	110.8	51.25	0	28009.479	572.0430108	16130.51396	30000	0	0	30000	30.75	2004
22.01.2020 09:56:15	1	1	1	1	110.8	50.5	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	30.8125	2004
22.01.2020 09:56:16	1	1	1	1	110.8	50.75	0	28009.479	565.5913978	16009.83883	30000	0	0	30000	30.1875	2004
22.01.2020 09:56:17	1	1	1	1	110.8	50	0	28009.479	572.0430108	16070.17639	30000	0	0	30000	31.375	2004
22.01.2020 09:56:18	1	1	1	1	110.8	51.25	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	31.3125	2004
22.01.2020 09:56:19	1	1	1	1	109.3	51.25	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	30.5625	2004
22.01.2020 09:56:20	1	1	1	1	109.3	50.5	0	27867.299	569.8924731	15854.10268	30000	0	0	30000	30.625	2004
22.01.2020 09:56:21	1	1	1	1	109.3	50.5	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	31.25	2004
22.01.2020 09:56:22	1	1	1	1	109.3	51.25	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	31.375	2004
22.01.2020 09:56:23	1	1	1	1	109.3	51.25	0	27867.299	567.7419355	15881.00997	30000	0	0	30000	30.875	2004
22.01.2020 09:56:24	1	1	1	1	109.3	50.75	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	31.125	2004
22.01.2020 09:56:25	1	1	1	1	109.3	51	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	31.5	2004
22.01.2020 09:56:26	1	1	1	1	109.3	51.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	29.5625	2004
22.01.2020 09:56:27	1	1	1	1	109.3	49.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	29.75	2004
22.01.2020 09:56:28	1	1	1	1	109.3	49.75	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	30.8125	2004
22.01.2020 09:56:29	1	1	1	1	108.5	50.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	30.875	2004
22.01.2020 09:56:30	1	1	1	1	108.5	50.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	31.375	2004
22.01.2020 09:56:31	1	1	1	1	108.5	51.25	0	28199.052	574.1935484	15961.73185	30000	0	0	30000	31.5	2004
22.01.2020 09:56:33	1	1	1	1	108.5	51.5	0	28341.232	574.1935484	16022.06942	30000	0	0	30000	30.625	2004
22.01.2020 09:56:34	1	1	1	1	108.5	50.5	0	28009.479	569.8924731	16043.2691	30000	0	0	30000	29.9375	2004
22.01.2020 09:56:35	1	1	1	1	108.5	49.75	0	28199.052	559.1397849	16002.50048	30000	0	0	30000	30.75	2004
22.01.2020 09:56:36	1	1	1	1	108.5	50.75	0	28341.232	567.7419355	16002.50048	30000	0	0	30000	30.9375	2004
22.01.2020 09:56:37	1	1	1	1	108.5	50.75	0	28009.479	563.4408602	15841.8721	30000	0	0	30000	30.1875	2004
22.01.2020 09:56:38	1	1	1	1	108.5	50	0	28199.052	578.4946237	16130.51396	30000	0	0	30000	30.25	2004
22.01.2020 09:56:39	1	1	1	1	108.5	50.25	0	28009.479	567.7419355	15841.8721	30000	0	0	30000	31.1875	2004
22.01.2020 09:56:40	1	1	1	1	108.3	51	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	31.1875	2004
22.01.2020 09:56:46	1	1	1	1	108.3	50	0	28293.839	565.5913978	16002.50048	30000	0	0	30000	31.4375	2004
22.01.2020 09:56:46	1	1	1	1	108.3	50	0	28293.839	565.5913978	16002.50048	30000	0	0	30000	31.4375	2004
22.01.2020 09:56:46	1	1	1	1	108.3	50	0	28293.839	565.5913978	16002.50048	30000	0	0	30000	31.4375	2004
22.01.2020 09:56:46	1	1	1	1	108.3	50	0	28293.839	565.5913978	16002.50048	30000	0	0	30000	31.4375	2004
22.01.2020 09:56:46	1	1	1	1	108.3	50	0	28293.839	565.5913978	16002.50048	30000	0	0	30000	31.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 09:56:46	1	1	1	1	108.3	51.25	0	28009.479	563.4408602	15781.53453	30000	0	0	30000	31.0625	2004
22.01.2020 09:56:47	1	1	1	1	108.3	51	0	28388.626	565.5913978	16117.468	30000	0	0	30000	31.375	2004
22.01.2020 09:56:48	1	1	1	1	108.3	51.25	0	28293.839	567.7419355	16002.50048	30000	0	0	30000	30.3125	2004
22.01.2020 09:56:49	1	1	1	1	108.3	50.25	0	28293.839	567.7419355	15948.68589	30000	0	0	30000	30.5	2004
22.01.2020 09:56:50	1	1	1	1	107.8	50.5	0	28293.839	563.4408602	15968.25483	30000	0	0	30000	31.5	2004
22.01.2020 09:56:51	1	1	1	1	107.8	51.5	0	28009.479	565.5913978	15948.68589	30000	0	0	30000	30.6875	2004
22.01.2020 09:56:52	1	1	1	1	107.8	50.5	0	28293.839	563.4408602	15881.00997	30000	0	0	30000	30.75	2004
22.01.2020 09:56:53	1	1	1	1	107.8	51	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	30.0625	2004
22.01.2020 09:56:54	1	1	1	1	107.8	50	0	28388.626	563.4408602	16205.52823	30000	0	0	30000	29.875	2004
22.01.2020 09:56:55	1	1	1	1	107.8	49.75	0	28199.052	563.4408602	15888.34833	30000	0	0	30000	31.25	2004
22.01.2020 09:56:56	1	1	1	1	107.8	51.25	0	28199.052	563.4408602	15948.68589	30000	0	0	30000	30.625	2004
22.01.2020 09:56:57	1	1	1	1	107.8	50.5	0	28341.232	565.5913978	16029.40777	30000	0	0	30000	30.6875	2004
22.01.2020 09:56:58	1	1	1	1	107.8	50.5	0	28199.052	563.4408602	15948.68589	30000	0	0	30000	30.9375	2004
22.01.2020 09:56:59	1	1	1	1	109.3	50.75	0	28483.412	565.5913978	16109.31427	30000	0	0	30000	30.9375	2004
22.01.2020 09:57:00	1	1	1	1	109.3	50.75	0	28293.839	563.4408602	16029.40777	30000	0	0	30000	31.375	2004
22.01.2020 09:57:01	1	1	1	1	109.3	51.25	0	28293.839	565.5913978	16002.50048	30000	0	0	30000	29.9375	2004
22.01.2020 09:57:02	1	1	1	1	109.3	49.75	0	28341.232	565.5913978	16029.40777	30000	0	0	30000	31	2004
22.01.2020 09:57:03	1	1	1	1	109.3	51	0	28388.626	565.5913978	16029.40777	30000	0	0	30000	30.25	2004
22.01.2020 09:57:04	1	1	1	1	109.3	50.25	0	28483.412	567.7419355	16171.28258	30000	0	0	30000	31.375	2004
22.01.2020 09:57:05	1	1	1	1	109.3	51.25	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	31.1875	2004
22.01.2020 09:57:06	1	1	1	1	109.3	51	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	31.25	2004
22.01.2020 09:57:07	1	1	1	1	109.3	51.25	0	28293.839	567.7419355	16063.65341	30000	0	0	30000	31.25	2004
22.01.2020 09:57:08	1	1	1	1	109.3	51.25	0	28009.479	565.5913978	15841.8721	30000	0	0	30000	31.4375	2004
22.01.2020 09:57:09	1	1	1	1	109.5	51.25	0	28199.052	572.0430108	15961.73185	30000	0	0	30000	30.8125	2004
22.01.2020 09:57:11	1	1	1	1	109.5	50.75	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	30.5	2004
22.01.2020 09:57:12	1	1	1	1	109.5	50.5	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	30.0625	2004
22.01.2020 09:57:13	1	1	1	1	109.5	50	0	28009.479	567.7419355	16070.17639	30000	0	0	30000	31	2004
22.01.2020 09:57:14	1	1	1	1	109.5	51	0	28199.052	569.8924731	16130.51396	30000	0	0	30000	30.75	2004
22.01.2020 09:57:15	1	1	1	1	109.5	50.75	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	30.375	2004
22.01.2020 09:57:16	1	1	1	1	109.5	50.25	0	28009.479	569.8924731	16191.66689	30000	0	0	30000	30	2004
22.01.2020 09:57:17	1	1	1	1	109.5	50	0	28009.479	567.7419355	15948.68589	30000	0	0	30000	30.5	2004
22.01.2020 09:57:18	1	1	1	1	109.5	50.5	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	31.375	2004
22.01.2020 09:57:19	1	1	1	1	109.5	51.25	0	28009.479	565.5913978	15841.8721	30000	0	0	30000	31.0625	2004
22.01.2020 09:57:20	1	1	1	1	108	51	0	28199.052	567.7419355	16245.48148	30000	0	0	30000	31.5625	2004
22.01.2020 09:57:21	1	1	1	1	108	51.5	0	28293.839	565.5913978	16063.65341	30000	0	0	30000	31.125	2004
22.01.2020 09:57:22	1	1	1	1	108	51	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	31.125	2004
22.01.2020 09:57:23	1	1	1	1	108	51	0	28293.839	567.7419355	15827.19539	30000	0	0	30000	30.1875	2004
22.01.2020 09:57:24	1	1	1	1	108	50	0	28293.839	567.7419355	16063.65341	30000	0	0	30000	31.5	2004
22.01.2020 09:57:25	1	1	1	1	108	51.5	0	28009.479	567.7419355	15948.68589	30000	0	0	30000	31.375	2004
22.01.2020 09:57:26	1	1	1	1	108	51.25	0	28341.232	567.7419355	16150.89827	30000	0	0	30000	30.25	2004
22.01.2020 09:57:27	1	1	1	1	108	50.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	30.375	2004
22.01.2020 09:57:28	1	1	1	1	108	50.25	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	31.6875	2004
22.01.2020 09:57:29	1	1	1	1	108	51.5	0	28293.839	567.7419355	16009.83883	30000	0	0	30000	30.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 09:57:30	1	1	1	1	107.8	50.75	0	28341.232	567.7419355	16002.50048	30000	0	0	30000	31.625	2004
22.01.2020 09:57:31	1	1	1	1	107.8	51.5	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	31.9375	2004
22.01.2020 09:57:32	1	1	1	1	107.8	50.75	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	31.5	2004
22.01.2020 09:57:33	1	1	1	1	107.8	51.5	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	30.25	2004
22.01.2020 09:57:34	1	1	1	1	107.8	50.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	31.125	2004
22.01.2020 09:57:35	1	1	1	1	107.8	51	0	28341.232	569.8924731	16123.99098	30000	0	0	30000	31.25	2004
22.01.2020 09:57:36	1	1	1	1	107.8	51.25	0	28009.479	565.5913978	16070.17639	30000	0	0	30000	29.9375	2004
22.01.2020 09:57:37	1	1	1	1	107.8	49.75	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	31.1875	2004
22.01.2020 09:57:38	1	1	1	1	107.8	51	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	31.75	2004
22.01.2020 09:57:39	1	1	1	1	105.8	51.75	0	28009.479	569.8924731	15781.53453	30000	0	0	30000	31.25	2004
22.01.2020 09:57:40	1	1	1	1	105.8	51.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	31.875	2004
22.01.2020 09:57:41	1	1	1	1	105.8	51.75	0	28009.479	565.5913978	15902.20966	30000	0	0	30000	30.4375	2004
22.01.2020 09:57:47	1	1	1	1	105.8	50.5	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	31.375	2004
22.01.2020 09:57:47	1	1	1	1	105.8	50.5	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	31.375	2004
22.01.2020 09:57:47	1	1	1	1	105.8	50.5	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	31.375	2004
22.01.2020 09:57:47	1	1	1	1	105.8	50.5	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	31.375	2004
22.01.2020 09:57:47	1	1	1	1	105.8	50.5	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	31.375	2004
22.01.2020 09:57:47	1	1	1	1	105.8	51.25	0	28009.479	569.8924731	15902.20966	30000	0	0	30000	30.4375	2004
22.01.2020 09:57:48	1	1	1	1	105.8	50.25	0	28199.052	572.0430108	16191.66689	30000	0	0	30000	29.0625	2004
22.01.2020 09:57:50	1	1	1	1	105	49	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	31.375	2004
22.01.2020 09:57:51	1	1	1	1	105	51.25	0	28009.479	567.7419355	15841.8721	30000	0	0	30000	29.8125	2004
22.01.2020 09:57:52	1	1	1	1	105	49.75	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	30.5625	2004
22.01.2020 09:57:53	1	1	1	1	105	50.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	30.75	2004
22.01.2020 09:57:54	1	1	1	1	105	50.75	0	28009.479	569.8924731	16082.40698	30000	0	0	30000	31.375	2004
22.01.2020 09:57:55	1	1	1	1	105	51.25	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	30.8125	2004
22.01.2020 09:57:56	1	1	1	1	105	50.75	0	28293.839	569.8924731	16063.65341	30000	0	0	30000	29.875	2004
22.01.2020 09:57:57	1	1	1	1	105	49.75	0	28293.839	567.7419355	16009.83883	30000	0	0	30000	30.1875	2004
22.01.2020 09:57:58	1	1	1	1	105	50	0	28009.479	567.7419355	16130.51396	30000	0	0	30000	31.8125	2004
22.01.2020 09:57:59	1	1	1	1	105	51.75	0	27914.692	567.7419355	15641.29046	30000	0	0	30000	31.9375	2004
22.01.2020 09:58:00	1	1	1	1	105.5	51.75	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	29.5	2004
22.01.2020 09:58:01	1	1	1	1	105.5	49.5	0	28199.052	569.8924731	16130.51396	30000	0	0	30000	31.9375	2004
22.01.2020 09:58:02	1	1	1	1	105.5	51.75	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	31.0625	2004
22.01.2020 09:58:03	1	1	1	1	105.5	51	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	31.4375	2004
22.01.2020 09:58:04	1	1	1	1	105.5	51.25	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	30.4375	2004
22.01.2020 09:58:05	1	1	1	1	105.5	50.25	0	28199.052	574.1935484	16082.40698	30000	0	0	30000	31.0625	2004
22.01.2020 09:58:06	1	1	1	1	105.5	51	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	31.875	2004
22.01.2020 09:58:07	1	1	1	1	105.5	51.75	0	27867.299	563.4408602	15907.91727	30000	0	0	30000	30.5625	2004
22.01.2020 09:58:08	1	1	1	1	105.5	50.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	31	2004
22.01.2020 09:58:09	1	1	1	1	105.5	51	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	32.1875	2004
22.01.2020 09:58:10	1	1	1	1	107.5	52	0	27962.085	574.1935484	16055.49969	30000	0	0	30000	30.6875	2004
22.01.2020 09:58:11	1	1	1	1	107.5	50.5	0	27819.905	569.8924731	15913.62487	30000	0	0	30000	30.875	2004
22.01.2020 09:58:12	1	1	1	1	107.5	50.25	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	31.4375	2004
22.01.2020 09:58:13	1	1	1	1	107.5	51.25	0	27867.299	569.8924731	15881.00997	30000	0	0	30000	30.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 09:58:14	1	1	1	1	107.5	50.5	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	31.25	2004
22.01.2020 09:58:15	1	1	1	1	107.5	51.25	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	31.4375	2004
22.01.2020 09:58:16	1	1	1	1	107.5	51.25	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	30.125	2004
22.01.2020 09:58:17	1	1	1	1	107.5	50	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	30	2004
22.01.2020 09:58:18	1	1	1	1	107.5	50	0	27819.905	561.2903226	15881.00997	30000	0	0	30000	30.75	2004
22.01.2020 09:58:19	1	1	1	1	108.5	50.75	0	28009.479	561.2903226	16082.40698	30000	0	0	30000	31.5	2004
22.01.2020 09:58:20	1	1	1	1	108.5	51.5	0	27867.299	572.0430108	15881.00997	30000	0	0	30000	31.4375	2004
22.01.2020 09:58:21	1	1	1	1	108.5	51.25	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	31.8125	2004
22.01.2020 09:58:22	1	1	1	1	108.5	51.75	0	28009.479	569.8924731	16312.34202	30000	0	0	30000	30.75	2004
22.01.2020 09:58:23	1	1	1	1	108.5	50.75	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	31.5625	2004
22.01.2020 09:58:24	1	1	1	1	108.5	51.5	0	27819.905	567.7419355	15854.10268	30000	0	0	30000	31.875	2004
22.01.2020 09:58:25	1	1	1	1	108.5	51.75	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	30.5	2004
22.01.2020 09:58:26	1	1	1	1	108.5	50.5	0	28009.479	574.1935484	16022.06942	30000	0	0	30000	31.9375	2004
22.01.2020 09:58:27	1	1	1	1	108.5	51.75	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	30.25	2004
22.01.2020 09:58:29	1	1	1	1	108.5	50.25	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	30.9375	2004
22.01.2020 09:58:30	1	1	1	1	108.5	50.75	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	31.4375	2004
22.01.2020 09:58:31	1	1	1	1	108.5	51.25	0	28009.479	565.5913978	16130.51396	30000	0	0	30000	31.9375	2004
22.01.2020 09:58:32	1	1	1	1	108.5	51.75	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	31.5	2004
22.01.2020 09:58:33	1	1	1	1	108.5	51.5	0	28009.479	563.4408602	15961.73185	30000	0	0	30000	30.375	2004
22.01.2020 09:58:34	1	1	1	1	108.5	50.25	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	31.1875	2004
22.01.2020 09:58:35	1	1	1	1	108.5	51	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	31.3125	2004
22.01.2020 09:58:36	1	1	1	1	108.5	51.25	0	27867.299	567.7419355	15794.58049	30000	0	0	30000	31.25	2004
22.01.2020 09:58:37	1	1	1	1	108.5	51.25	0	28199.052	572.0430108	16191.66689	30000	0	0	30000	29.625	2004
22.01.2020 09:58:38	1	1	1	1	108.5	49.5	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	31.875	2004
22.01.2020 09:58:39	1	1	1	1	108.5	51.75	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	31.8125	2004
22.01.2020 09:58:40	1	1	1	1	109.3	51.75	0	28009.479	572.0430108	15841.8721	30000	0	0	30000	31.5625	2004
22.01.2020 09:58:41	1	1	1	1	109.3	51.5	0	27962.085	569.8924731	15934.82456	30000	0	0	30000	32.0625	2004
22.01.2020 09:58:42	1	1	1	1	109.3	52	0	28009.479	572.0430108	16070.17639	30000	0	0	30000	31.625	2004
22.01.2020 09:58:43	1	1	1	1	109.3	51.5	0	28199.052	572.0430108	16191.66689	30000	0	0	30000	31.1875	2004
22.01.2020 09:58:49	1	1	1	1	109.3	50.25	0	28009.479	567.7419355	16070.17639	30000	0	0	30000	31.6875	2004
22.01.2020 09:58:49	1	1	1	1	109.3	50.25	0	28009.479	567.7419355	16070.17639	30000	0	0	30000	31.6875	2004
22.01.2020 09:58:49	1	1	1	1	109.3	50.25	0	28009.479	567.7419355	16070.17639	30000	0	0	30000	31.6875	2004
22.01.2020 09:58:49	1	1	1	1	109.3	50.25	0	28009.479	567.7419355	16070.17639	30000	0	0	30000	31.6875	2004
22.01.2020 09:58:49	1	1	1	1	109.3	50.25	0	28009.479	567.7419355	16070.17639	30000	0	0	30000	31.6875	2004
22.01.2020 09:58:49	1	1	1	1	109.3	51.5	0	28009.479	567.7419355	16009.83883	30000	0	0	30000	31.1875	2004
22.01.2020 09:58:50	1	1	1	1	109.3	51	0	28246.445	559.1397849	16150.89827	30000	0	0	30000	32.0625	2004
22.01.2020 09:58:51	1	1	1	1	109.3	52	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	31.5	2004
22.01.2020 09:58:52	1	1	1	1	109.3	49.75	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	31.125	2004
22.01.2020 09:58:53	1	1	1	1	109.3	51	0	28009.479	567.7419355	15841.8721	30000	0	0	30000	30.6875	2004
22.01.2020 09:58:54	1	1	1	1	109.3	50.5	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	31.375	2004
22.01.2020 09:58:55	1	1	1	1	109.3	51.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	32.1875	2004
22.01.2020 09:58:56	1	1	1	1	109.3	52	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	31.625	2004
22.01.2020 09:58:57	1	1	1	1	109.3	51.5	0	28199.052	567.7419355	16123.99098	30000	0	0	30000	31.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 09:58:58	1	1	1	1	109.3	51.25	0	28293.839	565.5913978	16002.50048	30000	0	0	30000	31.375	2004
22.01.2020 09:58:59	1	1	1	1	109.8	51.25	0	28199.052	556.9892473	15948.68589	30000	0	0	30000	31	2004
22.01.2020 09:59:00	1	1	1	1	109.8	51	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	30.4375	2004
22.01.2020 09:59:01	1	1	1	1	109.8	50.25	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	30.3125	2004
22.01.2020 09:59:02	1	1	1	1	109.8	50.25	0	28341.232	563.4408602	16150.89827	30000	0	0	30000	32	2004
22.01.2020 09:59:03	1	1	1	1	109.8	52	0	28293.839	567.7419355	16002.50048	30000	0	0	30000	31	2004
22.01.2020 09:59:04	1	1	1	1	109.8	51	0	28009.479	567.7419355	16009.83883	30000	0	0	30000	31.6875	2004
22.01.2020 09:59:05	1	1	1	1	109.8	51.5	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	31.75	2004
22.01.2020 09:59:06	1	1	1	1	109.8	51.75	0	28009.479	565.5913978	15961.73185	30000	0	0	30000	31.75	2004
22.01.2020 09:59:08	1	1	1	1	109.8	51.75	0	28293.839	567.7419355	16123.99098	30000	0	0	30000	31.25	2004
22.01.2020 09:59:09	1	1	1	1	109.8	51.25	0	28009.479	567.7419355	16070.17639	30000	0	0	30000	31.25	2004
22.01.2020 09:59:10	1	1	1	1	109.5	51.25	0	27867.299	565.5913978	15968.25483	30000	0	0	30000	30.75	2004
22.01.2020 09:59:11	1	1	1	1	109.5	50.75	0	28009.479	572.0430108	15841.8721	30000	0	0	30000	32.25	2004
22.01.2020 09:59:12	1	1	1	1	109.5	52.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	31.75	2004
22.01.2020 09:59:13	1	1	1	1	109.5	51.75	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	31.4375	2004
22.01.2020 09:59:14	1	1	1	1	109.5	51.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	30.875	2004
22.01.2020 09:59:15	1	1	1	1	109.5	50.75	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	31.875	2004
22.01.2020 09:59:16	1	1	1	1	109.5	51.75	0	28009.479	565.5913978	15961.73185	30000	0	0	30000	32.1875	2004
22.01.2020 09:59:17	1	1	1	1	109.5	52	0	28293.839	569.8924731	16070.17639	30000	0	0	30000	31.6875	2004
22.01.2020 09:59:18	1	1	1	1	109.5	51.5	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	31.9375	2004
22.01.2020 09:59:19	1	1	1	1	109.5	51.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	31.6875	2004
22.01.2020 09:59:20	1	1	1	1	110	51.5	0	28009.479	563.4408602	15902.20966	30000	0	0	30000	31.375	2004
22.01.2020 09:59:21	1	1	1	1	110	51.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	31.6875	2004
22.01.2020 09:59:22	1	1	1	1	110	51.5	0	28341.232	569.8924731	16123.99098	30000	0	0	30000	31.6875	2004
22.01.2020 09:59:23	1	1	1	1	110	51.5	0	28009.479	567.7419355	16070.17639	30000	0	0	30000	32.1875	2004
22.01.2020 09:59:24	1	1	1	1	110	52	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	31.875	2004
22.01.2020 09:59:25	1	1	1	1	110	51.75	0	28009.479	572.0430108	15721.19697	30000	0	0	30000	31	2004
22.01.2020 09:59:26	1	1	1	1	110	51	0	28009.479	572.0430108	16130.51396	30000	0	0	30000	31.5625	2004
22.01.2020 09:59:27	1	1	1	1	110	51.5	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	30.6875	2004
22.01.2020 09:59:28	1	1	1	1	110	50.5	0	28293.839	567.7419355	16070.17639	30000	0	0	30000	32.4375	2004
22.01.2020 09:59:29	1	1	1	1	110	52.25	0	28009.479	572.0430108	15814.9648	30000	0	0	30000	32.0625	2004
22.01.2020 09:59:30	1	1	1	1	110	52	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	32.1875	2004
22.01.2020 09:59:31	1	1	1	1	110	52	0	28009.479	572.0430108	16070.17639	30000	0	0	30000	32.375	2004
22.01.2020 09:59:32	1	1	1	1	110	51	0	28388.626	567.7419355	16117.468	30000	0	0	30000	31.875	2004
22.01.2020 09:59:33	1	1	1	1	110	51.75	0	28199.052	563.4408602	15948.68589	30000	0	0	30000	31.4375	2004
22.01.2020 09:59:34	1	1	1	1	110	51.25	0	28293.839	563.4408602	15968.25483	30000	0	0	30000	31.4375	2004
22.01.2020 09:59:35	1	1	1	1	110	51.25	0	28436.019	563.4408602	16083.22235	30000	0	0	30000	32.125	2004
22.01.2020 09:59:36	1	1	1	1	110	52	0	28293.839	565.5913978	16029.40777	30000	0	0	30000	31.4375	2004
22.01.2020 09:59:37	1	1	1	1	110	51.25	0	28341.232	563.4408602	15827.19539	30000	0	0	30000	31.75	2004
22.01.2020 09:59:38	1	1	1	1	110	51.75	0	28341.232	565.5913978	16083.22235	30000	0	0	30000	32.25	2004
22.01.2020 09:59:39	1	1	1	1	110.3	52.25	0	28199.052	563.4408602	15888.34833	30000	0	0	30000	32.25	2004
22.01.2020 09:59:40	1	1	1	1	110.3	52.25	0	28530.806	563.4408602	16101.97592	30000	0	0	30000	30.6875	2004
22.01.2020 09:59:41	1	1	1	1	110.3	50.5	0	28293.839	563.4408602	16063.65341	30000	0	0	30000	32.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 09:59:42	1	1	1	1	110.3	52	0	28341.232	563.4408602	16029.40777	30000	0	0	30000	30.6875	2004
22.01.2020 09:59:43	1	1	1	1	110.3	50.5	0	28341.232	563.4408602	15968.25483	30000	0	0	30000	30.375	2004
22.01.2020 09:59:44	1	1	1	1	110.3	50.25	0	28436.019	563.4408602	15899.76354	30000	0	0	30000	32.1875	2004
22.01.2020 09:59:50	1	1	1	1	110	51	0	28388.626	563.4408602	15995.16212	30000	0	0	30000	30.375	2004
22.01.2020 09:59:50	1	1	1	1	110	51	0	28388.626	563.4408602	15995.16212	30000	0	0	30000	30.375	2004
22.01.2020 09:59:51	1	1	1	1	110	51	0	28388.626	563.4408602	15995.16212	30000	0	0	30000	30.375	2004
22.01.2020 09:59:51	1	1	1	1	110	51	0	28388.626	563.4408602	15995.16212	30000	0	0	30000	30.375	2004
22.01.2020 09:59:51	1	1	1	1	110	51	0	28388.626	563.4408602	15995.16212	30000	0	0	30000	30.375	2004
22.01.2020 09:59:51	1	1	1	1	110	50.25	0	28341.232	563.4408602	15968.25483	30000	0	0	30000	30.6875	2004
22.01.2020 09:59:52	1	1	1	1	110	50.5	0	28388.626	565.5913978	16083.22235	30000	0	0	30000	30.9375	2004
22.01.2020 09:59:53	1	1	1	1	110	50.75	0	28436.019	565.5913978	16056.31506	30000	0	0	30000	31.375	2004
22.01.2020 09:59:54	1	1	1	1	110	51.25	0	28436.019	567.7419355	16083.22235	30000	0	0	30000	31.75	2004
22.01.2020 09:59:55	1	1	1	1	110	51.75	0	28341.232	565.5913978	16029.40777	30000	0	0	30000	30.3125	2004
22.01.2020 09:59:56	1	1	1	1	110	50.25	0	28436.019	565.5913978	16083.22235	30000	0	0	30000	32.375	2004
22.01.2020 09:59:57	1	1	1	1	110	52.25	0	28341.232	563.4408602	16029.40777	30000	0	0	30000	31.375	2004
22.01.2020 09:59:58	1	1	1	1	110	51.25	0	28341.232	565.5913978	16029.40777	30000	0	0	30000	32.1875	2004
22.01.2020 09:59:59	1	1	1	1	110	52	0	28341.232	565.5913978	16056.31506	30000	0	0	30000	31.5	2004
22.01.2020 10:00:00	1	1	1	1	110.5	51.5	0	28293.839	556.9892473	16029.40777	30000	0	0	30000	29.75	2004
22.01.2020 10:00:01	1	1	1	1	110.5	49.75	0	28293.839	565.5913978	16002.50048	30000	0	0	30000	30.875	2004
22.01.2020 10:00:02	1	1	1	1	110.5	50.75	0	28388.626	561.2903226	15934.00919	30000	0	0	30000	31.0625	2004
22.01.2020 10:00:03	1	1	1	1	110.5	51	0	28578.199	567.7419355	16075.06863	30000	0	0	30000	31.1875	2004
22.01.2020 10:00:04	1	1	1	1	110.5	51	0	28199.052	563.4408602	15948.68589	30000	0	0	30000	31.75	2004
22.01.2020 10:00:05	1	1	1	1	110.5	51.75	0	28199.052	561.2903226	16070.17639	30000	0	0	30000	30.625	2004
22.01.2020 10:00:06	1	1	1	1	110.5	50.5	0	28199.052	563.4408602	15948.68589	30000	0	0	30000	31.75	2004
22.01.2020 10:00:07	1	1	1	1	110.5	51.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	32.625	2004
22.01.2020 10:00:08	1	1	1	1	110.5	52.5	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	31.375	2004
22.01.2020 10:00:09	1	1	1	1	110.5	51.25	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	32.1875	2004
22.01.2020 10:00:10	1	1	1	1	110.8	52	0	28009.479	567.7419355	15694.28967	30000	0	0	30000	32.5	2004
22.01.2020 10:00:11	1	1	1	1	110.8	51	0	28199.052	572.0430108	16191.66689	30000	0	0	30000	31.9375	2004
22.01.2020 10:00:12	1	1	1	1	110.8	51.75	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	30.875	2004
22.01.2020 10:00:13	1	1	1	1	110.8	50.75	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	32.5	2004
22.01.2020 10:00:14	1	1	1	1	110.8	52.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	32.3125	2004
22.01.2020 10:00:15	1	1	1	1	110.8	52.25	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	30.5	2004
22.01.2020 10:00:16	1	1	1	1	110.8	50.5	0	27819.905	569.8924731	15854.10268	30000	0	0	30000	32.25	2004
22.01.2020 10:00:17	1	1	1	1	110.8	52.25	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	32.3125	2004
22.01.2020 10:00:18	1	1	1	1	110.8	52.25	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	31.8125	2004
22.01.2020 10:00:19	1	1	1	1	110.5	51.75	0	28009.479	572.0430108	16130.51396	30000	0	0	30000	31.875	2004
22.01.2020 10:00:20	1	1	1	1	110.5	51.75	0	28293.839	578.4946237	16130.51396	30000	0	0	30000	30.4375	2004
22.01.2020 10:00:21	1	1	1	1	110.5	50.25	0	28293.839	567.7419355	15948.68589	30000	0	0	30000	31.75	2004
22.01.2020 10:00:22	1	1	1	1	110.5	51.75	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	31.8125	2004
22.01.2020 10:00:23	1	1	1	1	110.5	51.75	0	28199.052	574.1935484	16191.66689	30000	0	0	30000	31.25	2004
22.01.2020 10:00:24	1	1	1	1	110.5	51.25	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	31.75	2004
22.01.2020 10:00:26	1	1	1	1	110.5	51.75	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	31	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 10:00:27	1	1	1	1	110.5	51	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	31.625	2004
22.01.2020 10:00:28	1	1	1	1	110.5	51.5	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	32.375	2004
22.01.2020 10:00:29	1	1	1	1	110.5	52.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	31.4375	2004
22.01.2020 10:00:30	1	1	1	1	109.8	51.25	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	31.0625	2004
22.01.2020 10:00:31	1	1	1	1	109.8	51	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	31.875	2004
22.01.2020 10:00:32	1	1	1	1	109.8	51.75	0	27914.692	572.0430108	15968.25483	30000	0	0	30000	32.0625	2004
22.01.2020 10:00:33	1	1	1	1	109.8	52	0	27819.905	569.8924731	15854.10268	30000	0	0	30000	31.875	2004
22.01.2020 10:00:35	1	1	1	1	109.8	51.25	0	28199.052	574.1935484	16082.40698	30000	0	0	30000	31.9375	2004
22.01.2020 10:00:35	1	1	1	1	109.8	51.25	0	28199.052	574.1935484	16082.40698	30000	0	0	30000	31.9375	2004
22.01.2020 10:00:36	1	1	1	1	109.8	51.75	0	27914.692	569.8924731	15968.25483	30000	0	0	30000	32.375	2004
22.01.2020 10:00:37	1	1	1	1	109.8	52.25	0	27914.692	567.7419355	15907.91727	30000	0	0	30000	31.875	2004
22.01.2020 10:00:38	1	1	1	1	109.8	51.75	0	28009.479	572.0430108	16070.17639	30000	0	0	30000	30.8125	2004
22.01.2020 10:00:39	1	1	1	1	109.8	50.75	0	28009.479	569.8924731	15841.8721	30000	0	0	30000	31.9375	2004
22.01.2020 10:00:40	1	1	1	1	110.5	51.75	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	31.6875	2004
22.01.2020 10:00:41	1	1	1	1	110.5	51.5	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	32.0625	2004
22.01.2020 10:00:42	1	1	1	1	110.5	52	0	28199.052	580.6451613	16191.66689	30000	0	0	30000	31.875	2004
22.01.2020 10:00:43	1	1	1	1	110.5	51.75	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	32.1875	2004
22.01.2020 10:00:44	1	1	1	1	110.5	52	0	28199.052	574.1935484	16191.66689	30000	0	0	30000	31.3125	2004
22.01.2020 10:00:45	1	1	1	1	110.5	51.25	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	31.875	2004
22.01.2020 10:00:46	1	1	1	1	110.5	51.75	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	32.5	2004
22.01.2020 10:00:52	1	1	1	1	111	52.25	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	32.0625	2004
22.01.2020 10:00:52	1	1	1	1	111	52.25	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	32.0625	2004
22.01.2020 10:00:52	1	1	1	1	111	52.25	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	32.0625	2004
22.01.2020 10:00:52	1	1	1	1	111	52.25	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	32.0625	2004
22.01.2020 10:00:52	1	1	1	1	111	52	0	27914.692	572.0430108	15968.25483	30000	0	0	30000	32.625	2004
22.01.2020 10:00:53	1	1	1	1	111	52.5	0	27867.299	567.7419355	15881.00997	30000	0	0	30000	32.125	2004
22.01.2020 10:00:54	1	1	1	1	111	52	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	31.9375	2004
22.01.2020 10:00:55	1	1	1	1	111	51.75	0	28009.479	576.344086	15961.73185	30000	0	0	30000	31.125	2004
22.01.2020 10:00:56	1	1	1	1	111	51	0	27962.085	569.8924731	15961.73185	30000	0	0	30000	32.4375	2004
22.01.2020 10:00:57	1	1	1	1	111	52.25	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	29.9375	2004
22.01.2020 10:00:58	1	1	1	1	111	49.75	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	32.3125	2004
22.01.2020 10:00:59	1	1	1	1	110.3	52.25	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	31	2004
22.01.2020 10:01:00	1	1	1	1	110.3	51	0	28199.052	580.6451613	15961.73185	30000	0	0	30000	31.5625	2004
22.01.2020 10:01:01	1	1	1	1	110.3	51.5	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	31.5625	2004
22.01.2020 10:01:02	1	1	1	1	110.3	51.5	0	28009.479	572.0430108	16191.66689	30000	0	0	30000	31.9375	2004
22.01.2020 10:01:03	1	1	1	1	110.3	51.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	31.4375	2004
22.01.2020 10:01:05	1	1	1	1	110.3	51.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	32.375	2004
22.01.2020 10:01:06	1	1	1	1	110.3	52.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	32.1875	2004
22.01.2020 10:01:07	1	1	1	1	110.3	52	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	32.4375	2004
22.01.2020 10:01:08	1	1	1	1	110.3	52.25	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	31.375	2004
22.01.2020 10:01:09	1	1	1	1	110.3	51.25	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	31.1875	2004
22.01.2020 10:01:10	1	1	1	1	109.3	51	0	27867.299	567.7419355	15881.00997	30000	0	0	30000	32.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 10:01:11	1	1	1	1	109.3	52.25	0	28199.052	572.0430108	16070.17639	30000	0	0	30000	32.25	2004
22.01.2020 10:01:12	1	1	1	1	109.3	52.25	0	27914.692	578.4946237	16000.86973	30000	0	0	30000	31.5625	2004
22.01.2020 10:01:13	1	1	1	1	109.3	51.5	0	27962.085	569.8924731	15995.16212	30000	0	0	30000	32.375	2004
22.01.2020 10:01:14	1	1	1	1	109.3	52.25	0	27867.299	569.8924731	15907.91727	30000	0	0	30000	32.125	2004
22.01.2020 10:01:15	1	1	1	1	109.3	52	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	32.4375	2004
22.01.2020 10:01:16	1	1	1	1	109.3	52.25	0	27819.905	567.7419355	15734.24293	30000	0	0	30000	32	2004
22.01.2020 10:01:17	1	1	1	1	109.3	52	0	27962.085	569.8924731	16022.06942	30000	0	0	30000	32.75	2004
22.01.2020 10:01:18	1	1	1	1	109.3	52.75	0	27962.085	580.6451613	16027.77702	30000	0	0	30000	31.875	2004
22.01.2020 10:01:19	1	1	1	1	109.3	51.75	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	32.4375	2004
22.01.2020 10:01:20	1	1	1	1	110	52.25	0	27819.905	574.1935484	15973.96244	30000	0	0	30000	31.75	2004
22.01.2020 10:01:21	1	1	1	1	110	51.75	0	27962.085	576.344086	16055.49969	30000	0	0	30000	32.0625	2004
22.01.2020 10:01:22	1	1	1	1	110	52	0	27867.299	572.0430108	16000.86973	30000	0	0	30000	31.6875	2004
22.01.2020 10:01:23	1	1	1	1	110	51.5	0	27914.692	574.1935484	16027.77702	30000	0	0	30000	31.8125	2004
22.01.2020 10:01:24	1	1	1	1	110	51.75	0	27819.905	574.1935484	15973.96244	30000	0	0	30000	31.9375	2004
22.01.2020 10:01:25	1	1	1	1	110	51.75	0	28293.839	576.344086	16306.63441	30000	0	0	30000	30.6875	2004
22.01.2020 10:01:26	1	1	1	1	110	50.5	0	28199.052	578.4946237	16252.00446	30000	0	0	30000	32.1875	2004
22.01.2020 10:01:27	1	1	1	1	110	51.75	0	27819.905	569.8924731	15854.10268	30000	0	0	30000	32.125	2004
22.01.2020 10:01:28	1	1	1	1	110	52	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	32.75	2004
22.01.2020 10:01:29	1	1	1	1	109.3	52.75	0	27914.692	569.8924731	15907.91727	30000	0	0	30000	32.25	2004
22.01.2020 10:01:30	1	1	1	1	109.3	52.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	32.25	2004
22.01.2020 10:01:31	1	1	1	1	109.3	52.25	0	27867.299	567.7419355	15821.48778	30000	0	0	30000	31.9375	2004
22.01.2020 10:01:32	1	1	1	1	109.3	51.75	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	31.9375	2004
22.01.2020 10:01:33	1	1	1	1	109.3	51.75	0	28009.479	567.7419355	15841.8721	30000	0	0	30000	32.1875	2004
22.01.2020 10:01:34	1	1	1	1	109.3	52	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	32.4375	2004
22.01.2020 10:01:35	1	1	1	1	109.3	52.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	32.125	2004
22.01.2020 10:01:36	1	1	1	1	109.3	52	0	28009.479	565.5913978	15961.73185	30000	0	0	30000	32.0625	2004
22.01.2020 10:01:37	1	1	1	1	109.3	52	0	28009.479	567.7419355	15721.19697	30000	0	0	30000	31.0625	2004
22.01.2020 10:01:38	1	1	1	1	109.3	51	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	32.125	2004
22.01.2020 10:01:39	1	1	1	1	109.5	52	0	28199.052	574.1935484	16070.17639	30000	0	0	30000	32.375	2004
22.01.2020 10:01:40	1	1	1	1	109.5	52.25	0	28009.479	576.344086	16082.40698	30000	0	0	30000	32.5625	2004
22.01.2020 10:01:41	1	1	1	1	109.5	52.5	0	27867.299	576.344086	16088.11459	30000	0	0	30000	31.4375	2004
22.01.2020 10:01:43	1	1	1	1	109.5	51.25	0	28009.479	567.7419355	16082.40698	30000	0	0	30000	31	2004
22.01.2020 10:01:44	1	1	1	1	109.5	51	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	30.8125	2004
22.01.2020 10:01:45	1	1	1	1	109.5	50.75	0	28009.479	578.4946237	16022.06942	30000	0	0	30000	31.875	2004
22.01.2020 10:01:46	1	1	1	1	109.5	51.75	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	32.25	2004
22.01.2020 10:01:47	1	1	1	1	109.5	52.25	0	28009.479	572.0430108	16252.00446	30000	0	0	30000	30.9375	2004
22.01.2020 10:01:48	1	1	1	1	109.5	50.75	0	28009.479	576.344086	15961.73185	30000	0	0	30000	30.9375	2004
22.01.2020 10:01:54	1	1	1	1	109.5	51.5	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	32.4375	2004
22.01.2020 10:01:54	1	1	1	1	109.5	51.5	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	32.4375	2004
22.01.2020 10:01:54	1	1	1	1	109.5	51.5	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	32.4375	2004
22.01.2020 10:01:54	1	1	1	1	109.5	51.5	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	32.4375	2004
22.01.2020 10:01:54	1	1	1	1	109.5	51.5	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	32.4375	2004
22.01.2020 10:01:54	1	1	1	1	109.5	52.25	0	28199.052	572.0430108	16130.51396	30000	0	0	30000	31.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 10:01:55	1	1	1	1	109.5	51.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	32.1875	2004
22.01.2020 10:01:56	1	1	1	1	109.5	52	0	28009.479	569.8924731	16043.2691	30000	0	0	30000	31.625	2004
22.01.2020 10:01:57	1	1	1	1	109.5	51.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	32.125	2004
22.01.2020 10:01:58	1	1	1	1	109.5	52	0	28246.445	563.4408602	15948.68589	30000	0	0	30000	32.75	2004
22.01.2020 10:01:59	1	1	1	1	109.5	52.75	0	28293.839	569.8924731	16009.83883	30000	0	0	30000	32.1875	2004
22.01.2020 10:02:00	1	1	1	1	109.5	52	0	28009.479	565.5913978	15721.19697	30000	0	0	30000	32.0625	2004
22.01.2020 10:02:01	1	1	1	1	109.5	52	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	32.6875	2004
22.01.2020 10:02:02	1	1	1	1	109.5	52.5	0	28199.052	567.7419355	15902.20966	30000	0	0	30000	31.875	2004
22.01.2020 10:02:03	1	1	1	1	109.5	51.75	0	28009.479	572.0430108	16070.17639	30000	0	0	30000	32.625	2004
22.01.2020 10:02:04	1	1	1	1	109.5	52.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	32.5	2004
22.01.2020 10:02:05	1	1	1	1	109.5	52.5	0	28009.479	567.7419355	15841.8721	30000	0	0	30000	32.8125	2004
22.01.2020 10:02:06	1	1	1	1	109.5	52	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	31.25	2004
22.01.2020 10:02:07	1	1	1	1	109.5	51.25	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	32.0625	2004
22.01.2020 10:02:08	1	1	1	1	109.5	52	0	28009.479	572.0430108	16130.51396	30000	0	0	30000	31.25	2004
22.01.2020 10:02:09	1	1	1	1	109.8	51.25	0	28199.052	572.0430108	16130.51396	30000	0	0	30000	32.125	2004
22.01.2020 10:02:10	1	1	1	1	109.8	52	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	31.5	2004
22.01.2020 10:02:11	1	1	1	1	109.8	51.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	32.5625	2004
22.01.2020 10:02:12	1	1	1	1	109.8	52.5	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	31.9375	2004
22.01.2020 10:02:13	1	1	1	1	109.8	51.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	33	2004
22.01.2020 10:02:14	1	1	1	1	109.8	53	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	31.6875	2004
22.01.2020 10:02:15	1	1	1	1	109.8	51.5	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	31.9375	2004
22.01.2020 10:02:16	1	1	1	1	109.8	51.75	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	31.6875	2004
22.01.2020 10:02:17	1	1	1	1	109.8	51.5	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	32.25	2004
22.01.2020 10:02:18	1	1	1	1	109.8	52.25	0	27962.085	569.8924731	15934.82456	30000	0	0	30000	31.125	2004
22.01.2020 10:02:19	1	1	1	1	109.3	51	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	32.1875	2004
22.01.2020 10:02:21	1	1	1	1	109.3	52	0	28199.052	572.0430108	16191.66689	30000	0	0	30000	31.625	2004
22.01.2020 10:02:22	1	1	1	1	109.3	51.5	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	32.5	2004
22.01.2020 10:02:23	1	1	1	1	109.3	52.5	0	28009.479	567.7419355	16070.17639	30000	0	0	30000	31.9375	2004
22.01.2020 10:02:24	1	1	1	1	109.3	51.75	0	28009.479	565.5913978	15841.8721	30000	0	0	30000	32.4375	2004
22.01.2020 10:02:25	1	1	1	1	109.3	52.25	0	28009.479	567.7419355	16070.17639	30000	0	0	30000	32.5625	2004
22.01.2020 10:02:26	1	1	1	1	109.3	52.5	0	28341.232	569.8924731	16238.9585	30000	0	0	30000	31.5	2004
22.01.2020 10:02:27	1	1	1	1	109.3	51.5	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	32	2004
22.01.2020 10:02:28	1	1	1	1	109.3	52	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	31.5625	2004
22.01.2020 10:02:29	1	1	1	1	109.3	51.5	0	28009.479	572.0430108	15841.8721	30000	0	0	30000	31.0625	2004
22.01.2020 10:02:30	1	1	1	1	109.3	51	0	28293.839	572.0430108	16245.48148	30000	0	0	30000	32.25	2004
22.01.2020 10:02:31	1	1	1	1	109.3	52.25	0	28199.052	572.0430108	16070.17639	30000	0	0	30000	31.3125	2004
22.01.2020 10:02:32	1	1	1	1	109.3	51.25	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	32.6875	2004
22.01.2020 10:02:33	1	1	1	1	109.3	52.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	32.5625	2004
22.01.2020 10:02:34	1	1	1	1	109.3	52.5	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	31.3125	2004
22.01.2020 10:02:35	1	1	1	1	109.3	51.25	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	32.8125	2004
22.01.2020 10:02:36	1	1	1	1	109.3	52.75	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	31.5625	2004
22.01.2020 10:02:37	1	1	1	1	109.3	51.5	0	28009.479	576.344086	15841.8721	30000	0	0	30000	32.5	2004
22.01.2020 10:02:38	1	1	1	1	109.3	52.5	0	28341.232	574.1935484	15827.19539	30000	0	0	30000	31.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 10:02:39	1	1	1	1	109.3	51.5	0	28009.479	567.7419355	16070.17639	30000	0	0	30000	30.5625	2004
22.01.2020 10:02:40	1	1	1	1	108.8	50.5	0	28009.479	565.5913978	16070.17639	30000	0	0	30000	32.625	2004
22.01.2020 10:02:41	1	1	1	1	108.8	52.5	0	28293.839	565.5913978	16063.65341	30000	0	0	30000	33.3125	2004
22.01.2020 10:02:42	1	1	1	1	108.8	53.25	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	32.5625	2004
22.01.2020 10:02:43	1	1	1	1	108.8	52.5	0	28009.479	567.7419355	15841.8721	30000	0	0	30000	31.5625	2004
22.01.2020 10:02:44	1	1	1	1	108.8	51.5	0	28199.052	572.0430108	16191.66689	30000	0	0	30000	31.875	2004
22.01.2020 10:02:45	1	1	1	1	108.8	52	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	32.4375	2004
22.01.2020 10:02:46	1	1	1	1	108.8	52.25	0	28009.479	572.0430108	16070.17639	30000	0	0	30000	31.625	2004
22.01.2020 10:02:47	1	1	1	1	108.8	51.5	0	28199.052	572.0430108	15961.73185	30000	0	0	30000	31.75	2004
22.01.2020 10:02:48	1	1	1	1	108.8	51.75	0	28009.479	569.8924731	15902.20966	30000	0	0	30000	32.5625	2004
22.01.2020 10:02:49	1	1	1	1	109.5	52.5	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	32.1875	2004
22.01.2020 10:02:55	1	1	1	1	109.5	52.5	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	32	2004
22.01.2020 10:02:55	1	1	1	1	109.5	52.5	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	32	2004
22.01.2020 10:02:55	1	1	1	1	109.5	52.5	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	32	2004
22.01.2020 10:02:55	1	1	1	1	109.5	52.5	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	32	2004
22.01.2020 10:02:55	1	1	1	1	109.5	52	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	32.875	2004
22.01.2020 10:02:56	1	1	1	1	109.5	52.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	31.625	2004
22.01.2020 10:02:58	1	1	1	1	109.5	51.5	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	31.5625	2004
22.01.2020 10:02:59	1	1	1	1	109.5	51.5	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	32.75	2004
22.01.2020 10:03:00	1	1	1	1	108.8	52.75	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	32.375	2004
22.01.2020 10:03:01	1	1	1	1	108.8	52.25	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	32.0625	2004
22.01.2020 10:03:02	1	1	1	1	108.8	52	0	28199.052	567.7419355	16130.51396	30000	0	0	30000	31.5625	2004
22.01.2020 10:03:03	1	1	1	1	108.8	51.5	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	32.75	2004
22.01.2020 10:03:04	1	1	1	1	108.8	52.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	32.4375	2004
22.01.2020 10:03:05	1	1	1	1	108.8	52.25	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	31.8125	2004
22.01.2020 10:03:06	1	1	1	1	108.8	51.75	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	32.9375	2004
22.01.2020 10:03:07	1	1	1	1	108.8	52.75	0	28199.052	574.1935484	16130.51396	30000	0	0	30000	31.6875	2004
22.01.2020 10:03:08	1	1	1	1	108.8	51.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	32.4375	2004
22.01.2020 10:03:09	1	1	1	1	108.8	52.25	0	27962.085	567.7419355	15902.20966	30000	0	0	30000	32.1875	2004
22.01.2020 10:03:10	1	1	1	1	109	52	0	28199.052	572.0430108	16070.17639	30000	0	0	30000	31.1875	2004
22.01.2020 10:03:11	1	1	1	1	109	51	0	27962.085	569.8924731	15934.82456	30000	0	0	30000	30.625	2004
22.01.2020 10:03:12	1	1	1	1	109	50.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	32.4375	2004
22.01.2020 10:03:13	1	1	1	1	109	52.25	0	28009.479	569.8924731	15934.82456	30000	0	0	30000	30.25	2004
22.01.2020 10:03:14	1	1	1	1	109	50.25	0	27914.692	569.8924731	15934.82456	30000	0	0	30000	31.6875	2004
22.01.2020 10:03:15	1	1	1	1	109	51.5	0	27914.692	569.8924731	15907.91727	30000	0	0	30000	31.25	2004
22.01.2020 10:03:16	1	1	1	1	109	51.25	0	28199.052	574.1935484	16191.66689	30000	0	0	30000	31.4375	2004
22.01.2020 10:03:17	1	1	1	1	109	51.25	0	28199.052	572.0430108	16191.66689	30000	0	0	30000	31.125	2004
22.01.2020 10:03:18	1	1	1	1	109	51	0	27962.085	567.7419355	15875.30237	30000	0	0	30000	31	2004
22.01.2020 10:03:19	1	1	1	1	109	51	0	27962.085	572.0430108	16082.40698	30000	0	0	30000	33	2004
22.01.2020 10:03:20	1	1	1	1	108.3	53	0	27962.085	569.8924731	15907.91727	30000	0	0	30000	32.8125	2004
22.01.2020 10:03:21	1	1	1	1	108.3	52.75	0	27914.692	569.8924731	15934.82456	30000	0	0	30000	32.125	2004
22.01.2020 10:03:22	1	1	1	1	108.3	52	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	32.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 10:03:23	1	1	1	1	108.3	52.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	32.875	2004
22.01.2020 10:03:24	1	1	1	1	108.3	52.25	0	28199.052	561.2903226	15948.68589	30000	0	0	30000	32.25	2004
22.01.2020 10:03:25	1	1	1	1	108.3	52.25	0	28009.479	565.5913978	15948.68589	30000	0	0	30000	32.625	2004
22.01.2020 10:03:26	1	1	1	1	108.3	52.5	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	32.5625	2004
22.01.2020 10:03:27	1	1	1	1	108.3	52.5	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	31.5	2004
22.01.2020 10:03:28	1	1	1	1	108.3	51.5	0	28388.626	563.4408602	15872.85625	30000	0	0	30000	32.75	2004
22.01.2020 10:03:29	1	1	1	1	108.8	52.75	0	28293.839	565.5913978	16002.50048	30000	0	0	30000	31.125	2004
22.01.2020 10:03:30	1	1	1	1	108.8	51	0	28341.232	567.7419355	16090.5607	30000	0	0	30000	32.8125	2004
22.01.2020 10:03:31	1	1	1	1	108.8	52.75	0	28293.839	567.7419355	15948.68589	30000	0	0	30000	32.1875	2004
22.01.2020 10:03:32	1	1	1	1	108.8	52	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	32.0625	2004
22.01.2020 10:03:33	1	1	1	1	108.8	52	0	28388.626	561.2903226	16083.22235	30000	0	0	30000	32.6875	2004
22.01.2020 10:03:34	1	1	1	1	108.8	52.5	0	28199.052	572.0430108	15948.68589	30000	0	0	30000	30.625	2004
22.01.2020 10:03:35	1	1	1	1	108.8	50.5	0	28388.626	563.4408602	16056.31506	30000	0	0	30000	32.3125	2004
22.01.2020 10:03:37	1	1	1	1	108.8	52.25	0	28293.839	563.4408602	15941.34754	30000	0	0	30000	33.25	2004
22.01.2020 10:03:38	1	1	1	1	108.8	53.25	0	28293.839	565.5913978	16150.89827	30000	0	0	30000	32.25	2004
22.01.2020 10:03:39	1	1	1	1	108.8	52.25	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	31.375	2004
22.01.2020 10:03:40	1	1	1	1	109.3	51.25	0	28293.839	565.5913978	15948.68589	30000	0	0	30000	32.125	2004
22.01.2020 10:03:41	1	1	1	1	109.3	52	0	28341.232	576.344086	16009.83883	30000	0	0	30000	32.6875	2004
22.01.2020 10:03:42	1	1	1	1	109.3	52.5	0	28199.052	563.4408602	15948.68589	30000	0	0	30000	32.4375	2004
22.01.2020 10:03:43	1	1	1	1	109.3	52.25	0	28388.626	563.4408602	16083.22235	30000	0	0	30000	31.1875	2004
22.01.2020 10:03:44	1	1	1	1	109.3	51	0	28436.019	565.5913978	16083.22235	30000	0	0	30000	32.375	2004
22.01.2020 10:03:45	1	1	1	1	109.3	52.25	0	28436.019	563.4408602	16083.22235	30000	0	0	30000	32.9375	2004
22.01.2020 10:03:46	1	1	1	1	109.3	52.75	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	32.9375	2004
22.01.2020 10:03:47	1	1	1	1	109.3	52.75	0	28009.479	565.5913978	15841.8721	30000	0	0	30000	33	2004
22.01.2020 10:03:48	1	1	1	1	109.3	53	0	28341.232	563.4408602	16056.31506	30000	0	0	30000	33.125	2004
22.01.2020 10:03:49	1	1	1	1	109.3	53	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	32.4375	2004
22.01.2020 10:03:50	1	1	1	1	109.8	52.25	0	28199.052	574.1935484	16130.51396	30000	0	0	30000	32.5625	2004
22.01.2020 10:03:51	1	1	1	1	109.8	52.5	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	32.0625	2004
22.01.2020 10:03:57	1	1	1	1	109.8	52.75	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	33.1875	2004
22.01.2020 10:03:57	1	1	1	1	109.8	52.75	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	33.1875	2004
22.01.2020 10:03:57	1	1	1	1	109.8	52.75	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	33.1875	2004
22.01.2020 10:03:57	1	1	1	1	109.8	52.75	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	33.1875	2004
22.01.2020 10:03:57	1	1	1	1	109.8	53	0	28293.839	565.5913978	15948.68589	30000	0	0	30000	32.75	2004
22.01.2020 10:03:58	1	1	1	1	109.8	52.75	0	28388.626	563.4408602	15995.16212	30000	0	0	30000	32.375	2004
22.01.2020 10:03:59	1	1	1	1	109.8	52.25	0	28436.019	567.7419355	15995.16212	30000	0	0	30000	32.875	2004
22.01.2020 10:04:00	1	1	1	1	109	52.75	0	28293.839	563.4408602	16029.40777	30000	0	0	30000	31.6875	2004
22.01.2020 10:04:01	1	1	1	1	109	51.5	0	28483.412	561.2903226	16109.31427	30000	0	0	30000	32.1875	2004
22.01.2020 10:04:02	1	1	1	1	109	52	0	28341.232	567.7419355	16029.40777	30000	0	0	30000	32.625	2004
22.01.2020 10:04:03	1	1	1	1	109	51.25	0	28388.626	567.7419355	16056.31506	30000	0	0	30000	30.3125	2004
22.01.2020 10:04:04	1	1	1	1	109	50.25	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	31.875	2004
22.01.2020 10:04:05	1	1	1	1	109	51.75	0	28341.232	563.4408602	15934.00919	30000	0	0	30000	31.875	2004
22.01.2020 10:04:06	1	1	1	1	109	51.75	0	28483.412	563.4408602	16109.31427	30000	0	0	30000	32.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 10:04:07	1	1	1	1	109	52.75	0	28436.019	563.4408602	16022.06942	30000	0	0	30000	32.5625	2004
22.01.2020 10:04:08	1	1	1	1	109	52.5	0	28483.412	565.5913978	16109.31427	30000	0	0	30000	31.3125	2004
22.01.2020 10:04:09	1	1	1	1	108.3	51.25	0	28388.626	563.4408602	16056.31506	30000	0	0	30000	31.4375	2004
22.01.2020 10:04:10	1	1	1	1	108.3	51.25	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	31.1875	2004
22.01.2020 10:04:11	1	1	1	1	108.3	51	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	32.25	2004
22.01.2020 10:04:12	1	1	1	1	108.3	52.25	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	32.4375	2004
22.01.2020 10:04:13	1	1	1	1	108.3	52.25	0	28009.479	567.7419355	15841.8721	30000	0	0	30000	32.0625	2004
22.01.2020 10:04:15	1	1	1	1	108.3	52	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	31.375	2004
22.01.2020 10:04:16	1	1	1	1	108.3	51.25	0	28341.232	569.8924731	16002.50048	30000	0	0	30000	31.625	2004
22.01.2020 10:04:17	1	1	1	1	108.3	51.5	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	33.1875	2004
22.01.2020 10:04:18	1	1	1	1	108.3	53	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	31.25	2004
22.01.2020 10:04:19	1	1	1	1	108.3	51.25	0	28341.232	567.7419355	16090.5607	30000	0	0	30000	31.5	2004
22.01.2020 10:04:20	1	1	1	1	107.8	51.5	0	28293.839	563.4408602	15888.34833	30000	0	0	30000	30.5	2004
22.01.2020 10:04:21	1	1	1	1	107.8	50.5	0	28436.019	563.4408602	15934.00919	30000	0	0	30000	32.5	2004
22.01.2020 10:04:22	1	1	1	1	107.8	52.5	0	28009.479	565.5913978	15902.20966	30000	0	0	30000	32.6875	2004
22.01.2020 10:04:23	1	1	1	1	107.8	52.5	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	31.1875	2004
22.01.2020 10:04:24	1	1	1	1	107.8	51	0	28388.626	567.7419355	16117.468	30000	0	0	30000	31	2004
22.01.2020 10:04:25	1	1	1	1	107.8	51	0	28436.019	565.5913978	16171.28258	30000	0	0	30000	31.875	2004
22.01.2020 10:04:26	1	1	1	1	107.8	51.75	0	28341.232	567.7419355	16002.50048	30000	0	0	30000	31.375	2004
22.01.2020 10:04:27	1	1	1	1	107.8	51.25	0	28009.479	567.7419355	15948.68589	30000	0	0	30000	30.4375	2004
22.01.2020 10:04:28	1	1	1	1	107.8	50.25	0	28341.232	565.5913978	16029.40777	30000	0	0	30000	31.875	2004
22.01.2020 10:04:29	1	1	1	1	107.8	51.75	0	28293.839	565.5913978	16002.50048	30000	0	0	30000	32.25	2004
22.01.2020 10:04:30	1	1	1	1	108.5	52.25	0	28199.052	563.4408602	15888.34833	30000	0	0	30000	31.4375	2004
22.01.2020 10:04:31	1	1	1	1	108.5	51.25	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	32.5	2004
22.01.2020 10:04:32	1	1	1	1	108.5	52.5	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	32.125	2004
22.01.2020 10:04:33	1	1	1	1	108.5	52	0	28293.839	565.5913978	16150.89827	30000	0	0	30000	30.875	2004
22.01.2020 10:04:34	1	1	1	1	108.5	50.75	0	28246.445	565.5913978	15948.68589	30000	0	0	30000	31.25	2004
22.01.2020 10:04:35	1	1	1	1	108.5	51.25	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	32.4375	2004
22.01.2020 10:04:36	1	1	1	1	108.5	52.25	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	31.5	2004
22.01.2020 10:04:37	1	1	1	1	108.5	51.5	0	28436.019	561.2903226	16022.06942	30000	0	0	30000	31.1875	2004
22.01.2020 10:04:38	1	1	1	1	108.5	51	0	28293.839	561.2903226	15827.19539	30000	0	0	30000	33.375	2004
22.01.2020 10:04:39	1	1	1	1	108.5	53.25	0	28436.019	569.8924731	15934.00919	30000	0	0	30000	31.1875	2004
22.01.2020 10:04:40	1	1	1	1	106.5	51	0	28483.412	554.8387097	16101.97592	30000	0	0	30000	30.75	2004
22.01.2020 10:04:41	1	1	1	1	106.5	53.5	0	28388.626	561.2903226	15934.00919	30000	0	0	30000	33	2004
22.01.2020 10:04:42	1	1	1	1	106.5	53	0	28436.019	563.4408602	16083.22235	30000	0	0	30000	32.1875	2004
22.01.2020 10:04:43	1	1	1	1	106.5	52	0	28293.839	565.5913978	16002.50048	30000	0	0	30000	31.125	2004
22.01.2020 10:04:44	1	1	1	1	106.5	51	0	28341.232	565.5913978	16056.31506	30000	0	0	30000	31.875	2004
22.01.2020 10:04:45	1	1	1	1	106.5	51.75	0	28199.052	563.4408602	15827.19539	30000	0	0	30000	32.125	2004
22.01.2020 10:04:46	1	1	1	1	106.5	52	0	28341.232	565.5913978	16123.99098	30000	0	0	30000	32.9375	2004
22.01.2020 10:04:47	1	1	1	1	106.5	52.75	0	28293.839	565.5913978	16002.50048	30000	0	0	30000	30.9375	2004
22.01.2020 10:04:48	1	1	1	1	106.5	50.75	0	28388.626	567.7419355	16056.31506	30000	0	0	30000	31.5	2004
22.01.2020 10:04:49	1	1	1	1	107.8	51.5	0	28436.019	563.4408602	15995.16212	30000	0	0	30000	31.4375	2004
22.01.2020 10:04:50	1	1	1	1	107.8	51.25	0	28009.479	567.7419355	16009.83883	30000	0	0	30000	32.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 10:04:51	1	1	1	1	107.8	52.25	0	28436.019	567.7419355	16083.22235	30000	0	0	30000	32.8125	2004
22.01.2020 10:04:52	1	1	1	1	107.8	52.75	0	28199.052	563.4408602	15948.68589	30000	0	0	30000	31.3125	2004
22.01.2020 10:04:59	1	1	1	1	107.8	52.5	0	28293.839	567.7419355	16123.99098	30000	0	0	30000	32.5	2004
22.01.2020 10:04:59	1	1	1	1	107.8	52.5	0	28293.839	567.7419355	16123.99098	30000	0	0	30000	32.5	2004
22.01.2020 10:04:59	1	1	1	1	107.8	52.5	0	28293.839	567.7419355	16123.99098	30000	0	0	30000	32.5	2004
22.01.2020 10:04:59	1	1	1	1	107.8	52.5	0	28293.839	567.7419355	16123.99098	30000	0	0	30000	32.5	2004
22.01.2020 10:04:59	1	1	1	1	107.8	52.5	0	28293.839	567.7419355	16123.99098	30000	0	0	30000	32.5	2004
22.01.2020 10:04:59	1	1	1	1	107.8	52.5	0	28009.479	567.7419355	15841.8721	30000	0	0	30000	32.3125	2004
22.01.2020 10:05:00	1	1	1	1	108.3	52.25	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	31.4375	2004
22.01.2020 10:05:01	1	1	1	1	108.3	51.25	0	28341.232	574.1935484	16150.89827	30000	0	0	30000	31.375	2004
22.01.2020 10:05:02	1	1	1	1	108.3	51.25	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	30.875	2004
22.01.2020 10:05:03	1	1	1	1	108.3	50.75	0	28293.839	565.5913978	15948.68589	30000	0	0	30000	30.875	2004
22.01.2020 10:05:04	1	1	1	1	108.3	50.75	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	30.5625	2004
22.01.2020 10:05:05	1	1	1	1	108.3	50.5	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	32.5	2004
22.01.2020 10:05:06	1	1	1	1	108.3	52.5	0	28199.052	572.0430108	16130.51396	30000	0	0	30000	30.9375	2004
22.01.2020 10:05:07	1	1	1	1	108.3	50.75	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	32.8125	2004
22.01.2020 10:05:08	1	1	1	1	108.3	52.75	0	27867.299	561.2903226	15934.82456	30000	0	0	30000	32.8125	2004
22.01.2020 10:05:09	1	1	1	1	108.3	52.75	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	33.25	2004
22.01.2020 10:05:10	1	1	1	1	108	53.25	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	33.125	2004
22.01.2020 10:05:11	1	1	1	1	108	53	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	30.75	2004
22.01.2020 10:05:12	1	1	1	1	108	50.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	31.8125	2004
22.01.2020 10:05:13	1	1	1	1	108	51.75	0	27914.692	569.8924731	16055.49969	30000	0	0	30000	31.75	2004
22.01.2020 10:05:14	1	1	1	1	108	51.75	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	31.8125	2004
22.01.2020 10:05:15	1	1	1	1	108	51.75	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	33.1875	2004
22.01.2020 10:05:16	1	1	1	1	108	53	0	28009.479	567.7419355	16252.00446	30000	0	0	30000	32.1875	2004
22.01.2020 10:05:17	1	1	1	1	108	52	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	32.6875	2004
22.01.2020 10:05:18	1	1	1	1	108	52.5	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	32.1875	2004
22.01.2020 10:05:19	1	1	1	1	108.5	52	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	32.625	2004
22.01.2020 10:05:20	1	1	1	1	108.5	52.5	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	32.8125	2004
22.01.2020 10:05:21	1	1	1	1	108.5	52.75	0	28009.479	572.0430108	16191.66689	30000	0	0	30000	32.875	2004
22.01.2020 10:05:22	1	1	1	1	108.5	52.75	0	28009.479	567.7419355	15841.8721	30000	0	0	30000	31.9375	2004
22.01.2020 10:05:23	1	1	1	1	108.5	51.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	32	2004
22.01.2020 10:05:24	1	1	1	1	108.5	52	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	31.125	2004
22.01.2020 10:05:25	1	1	1	1	108.5	51	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	32.875	2004
22.01.2020 10:05:26	1	1	1	1	108.5	52.75	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	31.9375	2004
22.01.2020 10:05:27	1	1	1	1	108.5	51.75	0	28199.052	572.0430108	16130.51396	30000	0	0	30000	33.125	2004
22.01.2020 10:05:28	1	1	1	1	108.5	53	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	30.5625	2004
22.01.2020 10:05:29	1	1	1	1	107.8	50.5	0	27962.085	567.7419355	15902.20966	30000	0	0	30000	32.5	2004
22.01.2020 10:05:30	1	1	1	1	107.8	52.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	32.625	2004
22.01.2020 10:05:32	1	1	1	1	107.8	52.5	0	28009.479	569.8924731	16191.66689	30000	0	0	30000	32	2004
22.01.2020 10:05:33	1	1	1	1	107.8	52	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	32.25	2004
22.01.2020 10:05:34	1	1	1	1	107.8	52.25	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	32.375	2004
22.01.2020 10:05:35	1	1	1	1	107.8	52.25	0	27962.085	567.7419355	15902.20966	30000	0	0	30000	31.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 10:05:36	1	1	1	1	107.8	51.5	0	28009.479	565.5913978	16070.17639	30000	0	0	30000	32.875	2004
22.01.2020 10:05:37	1	1	1	1	107.8	52.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	33.1875	2004
22.01.2020 10:05:38	1	1	1	1	107.8	53	0	27962.085	574.1935484	15788.05751	30000	0	0	30000	33.5	2004
22.01.2020 10:05:39	1	1	1	1	107.8	53.5	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	32.125	2004
22.01.2020 10:05:40	1	1	1	1	108	52	0	28009.479	567.7419355	16022.06942	30000	0	0	30000	32.625	2004
22.01.2020 10:05:41	1	1	1	1	108	52.5	0	28199.052	574.1935484	16191.66689	30000	0	0	30000	32.375	2004
22.01.2020 10:05:42	1	1	1	1	108	52.25	0	28199.052	572.0430108	16022.06942	30000	0	0	30000	30.9375	2004
22.01.2020 10:05:43	1	1	1	1	108	50.75	0	27914.692	569.8924731	15907.91727	30000	0	0	30000	32.3125	2004
22.01.2020 10:05:44	1	1	1	1	108	52.25	0	27819.905	567.7419355	15794.58049	30000	0	0	30000	32.625	2004
22.01.2020 10:05:45	1	1	1	1	108	52.5	0	27962.085	569.8924731	15961.73185	30000	0	0	30000	32.125	2004
22.01.2020 10:05:46	1	1	1	1	108	52	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	32.9375	2004
22.01.2020 10:05:47	1	1	1	1	108	52.75	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	33.5	2004
22.01.2020 10:05:48	1	1	1	1	108	53.5	0	28009.479	574.1935484	16191.66689	30000	0	0	30000	31.0625	2004
22.01.2020 10:05:49	1	1	1	1	108	51	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	31.6875	2004
22.01.2020 10:05:50	1	1	1	1	106.3	51.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	32.5625	2004
22.01.2020 10:05:51	1	1	1	1	106.3	52.5	0	28293.839	572.0430108	16123.99098	30000	0	0	30000	32.1875	2004
22.01.2020 10:05:52	1	1	1	1	106.3	52	0	28009.479	567.7419355	16070.17639	30000	0	0	30000	32.8125	2004
22.01.2020 10:05:53	1	1	1	1	106.3	52.75	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	31.9375	2004
22.01.2020 10:05:54	1	1	1	1	106.3	51.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	31.8125	2004
22.01.2020 10:06:00	1	1	1	1	107.8	53.25	0	28199.052	569.8924731	15888.34833	30000	0	0	30000	31.25	2004
22.01.2020 10:06:00	1	1	1	1	107.8	53.25	0	28199.052	569.8924731	15888.34833	30000	0	0	30000	31.25	2004
22.01.2020 10:06:00	1	1	1	1	107.8	53.25	0	28199.052	569.8924731	15888.34833	30000	0	0	30000	31.25	2004
22.01.2020 10:06:00	1	1	1	1	107.8	53.25	0	28199.052	569.8924731	15888.34833	30000	0	0	30000	31.25	2004
22.01.2020 10:06:00	1	1	1	1	107.8	51.25	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	32	2004
22.01.2020 10:06:01	1	1	1	1	107.8	52	0	28009.479	567.7419355	15894.87131	30000	0	0	30000	31.25	2004
22.01.2020 10:06:02	1	1	1	1	107.8	51.25	0	28199.052	567.7419355	15781.53453	30000	0	0	30000	31.5625	2004
22.01.2020 10:06:03	1	1	1	1	107.8	51.5	0	28009.479	567.7419355	16070.17639	30000	0	0	30000	31.5	2004
22.01.2020 10:06:04	1	1	1	1	107.8	51.5	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	32.0625	2004
22.01.2020 10:06:05	1	1	1	1	107.8	52	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	31.375	2004
22.01.2020 10:06:06	1	1	1	1	107.8	51.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	33.4375	2004
22.01.2020 10:06:07	1	1	1	1	107.8	53.25	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	32.1875	2004
22.01.2020 10:06:08	1	1	1	1	107.8	52	0	28009.479	569.8924731	16082.40698	30000	0	0	30000	32.0625	2004
22.01.2020 10:06:09	1	1	1	1	108.3	52	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	31.0625	2004
22.01.2020 10:06:11	1	1	1	1	108.3	51	0	28009.479	569.8924731	15902.20966	30000	0	0	30000	32.625	2004
22.01.2020 10:06:12	1	1	1	1	108.3	52.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	31.375	2004
22.01.2020 10:06:13	1	1	1	1	108.3	51.25	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	32.1875	2004
22.01.2020 10:06:14	1	1	1	1	108.3	52	0	27914.692	559.1397849	15961.73185	30000	0	0	30000	33	2004
22.01.2020 10:06:15	1	1	1	1	108.3	53	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	32.25	2004
22.01.2020 10:06:16	1	1	1	1	108.3	52.25	0	28009.479	572.0430108	16070.17639	30000	0	0	30000	31.5	2004
22.01.2020 10:06:17	1	1	1	1	108.3	51.5	0	28009.479	569.8924731	16043.2691	30000	0	0	30000	31.8125	2004
22.01.2020 10:06:18	1	1	1	1	108.3	51.75	0	28199.052	572.0430108	16070.17639	30000	0	0	30000	31.1875	2004
22.01.2020 10:06:19	1	1	1	1	108.3	51	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	31.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 10:06:20	1	1	1	1	108.3	51.5	0	27867.299	567.7419355	15907.91727	30000	0	0	30000	31.8125	2004
22.01.2020 10:06:21	1	1	1	1	108.3	51.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	33.4375	2004
22.01.2020 10:06:22	1	1	1	1	108.3	53.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	31.625	2004
22.01.2020 10:06:23	1	1	1	1	108.3	51.5	0	27962.085	572.0430108	15995.16212	30000	0	0	30000	31.1875	2004
22.01.2020 10:06:24	1	1	1	1	108.3	51	0	27867.299	569.8924731	15881.00997	30000	0	0	30000	32.625	2004
22.01.2020 10:06:25	1	1	1	1	108.3	52.5	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	33.5625	2004
22.01.2020 10:06:26	1	1	1	1	108.3	53.5	0	27962.085	569.8924731	16022.06942	30000	0	0	30000	33.3125	2004
22.01.2020 10:06:27	1	1	1	1	108.3	53.25	0	28009.479	567.7419355	16203.08211	30000	0	0	30000	32.9375	2004
22.01.2020 10:06:28	1	1	1	1	108.3	52.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	32.0625	2004
22.01.2020 10:06:29	1	1	1	1	108.3	52	0	27962.085	565.5913978	15875.30237	30000	0	0	30000	32.8125	2004
22.01.2020 10:06:30	1	1	1	1	108.3	52.75	0	28009.479	572.0430108	16070.17639	30000	0	0	30000	31.0625	2004
22.01.2020 10:06:31	1	1	1	1	108.3	51	0	28009.479	574.1935484	16191.66689	30000	0	0	30000	32.3125	2004
22.01.2020 10:06:32	1	1	1	1	108.3	52.25	0	28199.052	572.0430108	16191.66689	30000	0	0	30000	32.375	2004
22.01.2020 10:06:33	1	1	1	1	108.3	52.25	0	27914.692	567.7419355	15968.25483	30000	0	0	30000	33.625	2004
22.01.2020 10:06:34	1	1	1	1	108.3	53.5	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	33.25	2004
22.01.2020 10:06:35	1	1	1	1	108.3	53.25	0	28199.052	572.0430108	16082.40698	30000	0	0	30000	32.75	2004
22.01.2020 10:06:36	1	1	1	1	108.3	53.75	0	28009.479	569.8924731	15902.20966	30000	0	0	30000	32	2004
22.01.2020 10:06:37	1	1	1	1	108.3	52	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	31.6875	2004
22.01.2020 10:06:38	1	1	1	1	108.3	51.5	0	27962.085	569.8924731	15934.82456	30000	0	0	30000	33.375	2004
22.01.2020 10:06:39	1	1	1	1	109.8	53.25	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	31.6875	2004
22.01.2020 10:06:40	1	1	1	1	109.8	51.5	0	28199.052	572.0430108	16130.51396	30000	0	0	30000	32.125	2004
22.01.2020 10:06:41	1	1	1	1	109.8	52	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	32.75	2004
22.01.2020 10:06:42	1	1	1	1	109.8	52.75	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	32.75	2004
22.01.2020 10:06:43	1	1	1	1	109.8	52.75	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	31.75	2004
22.01.2020 10:06:44	1	1	1	1	109.8	51.75	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	33.5625	2004
22.01.2020 10:06:45	1	1	1	1	109.8	53.5	0	27867.299	569.8924731	15794.58049	30000	0	0	30000	30.9375	2004
22.01.2020 10:06:46	1	1	1	1	109.8	50.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	33.5625	2004
22.01.2020 10:06:48	1	1	1	1	109.8	53.5	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	32.125	2004
22.01.2020 10:06:49	1	1	1	1	109.8	52	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	32.5625	2004
22.01.2020 10:06:50	1	1	1	1	109.3	52.5	0	28009.479	576.344086	16082.40698	30000	0	0	30000	31.5625	2004
22.01.2020 10:06:51	1	1	1	1	109.3	51.5	0	28009.479	569.8924731	16203.08211	30000	0	0	30000	33.4375	2004
22.01.2020 10:06:52	1	1	1	1	109.3	53.25	0	28009.479	576.344086	16142.74454	30000	0	0	30000	31.8125	2004
22.01.2020 10:06:53	1	1	1	1	109.3	51.75	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	31.8125	2004
22.01.2020 10:06:54	1	1	1	1	109.3	51.75	0	28199.052	574.1935484	16191.66689	30000	0	0	30000	33.375	2004
22.01.2020 10:06:55	1	1	1	1	109.3	53.25	0	28199.052	572.0430108	16191.66689	30000	0	0	30000	32.9375	2004
22.01.2020 10:06:56	1	1	1	1	109.3	52.75	0	27962.085	567.7419355	15934.82456	30000	0	0	30000	32.9375	2004
22.01.2020 10:07:02	1	1	1	1	108.8	52.25	0	28009.479	574.1935484	16022.06942	30000	0	0	30000	32.1875	2004
22.01.2020 10:07:02	1	1	1	1	108.8	52.25	0	28009.479	574.1935484	16022.06942	30000	0	0	30000	32.1875	2004
22.01.2020 10:07:02	1	1	1	1	108.8	52.25	0	28009.479	574.1935484	16022.06942	30000	0	0	30000	32.1875	2004
22.01.2020 10:07:02	1	1	1	1	108.8	52.25	0	28009.479	574.1935484	16022.06942	30000	0	0	30000	32.1875	2004
22.01.2020 10:07:02	1	1	1	1	108.8	52	0	27962.085	569.8924731	15907.91727	30000	0	0	30000	31.25	2004
22.01.2020 10:07:03	1	1	1	1	108.8	51.25	0	27630.332	567.7419355	15794.58049	30000	0	0	30000	32.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 10:07:04	1	1	1	1	108.8	52.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	31.375	2004
22.01.2020 10:07:05	1	1	1	1	108.8	51.25	0	28009.479	574.1935484	16022.06942	30000	0	0	30000	33.6875	2004
22.01.2020 10:07:06	1	1	1	1	108.8	53.5	0	27867.299	569.8924731	15854.10268	30000	0	0	30000	31.875	2004
22.01.2020 10:07:07	1	1	1	1	108.8	51.75	0	27962.085	567.7419355	15934.82456	30000	0	0	30000	32.3125	2004
22.01.2020 10:07:08	1	1	1	1	108.8	52.25	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	32.6875	2004
22.01.2020 10:07:09	1	1	1	1	108.8	52.5	0	27914.692	567.7419355	15848.39508	30000	0	0	30000	33.5625	2004
22.01.2020 10:07:10	1	1	1	1	109.5	53.5	0	27914.692	567.7419355	15875.30237	30000	0	0	30000	31.625	2004
22.01.2020 10:07:11	1	1	1	1	109.5	51.5	0	27914.692	572.0430108	16175.35944	30000	0	0	30000	33.6875	2004
22.01.2020 10:07:12	1	1	1	1	109.5	53.5	0	28199.052	574.1935484	16312.34202	30000	0	0	30000	33.9375	2004
22.01.2020 10:07:13	1	1	1	1	109.5	53.75	0	27962.085	572.0430108	15995.16212	30000	0	0	30000	31.5	2004
22.01.2020 10:07:14	1	1	1	1	109.5	51.5	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	32.1875	2004
22.01.2020 10:07:15	1	1	1	1	109.5	52	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	31.25	2004
22.01.2020 10:07:16	1	1	1	1	109.5	53.5	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	31.5	2004
22.01.2020 10:07:17	1	1	1	1	109.5	51.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	31.25	2004
22.01.2020 10:07:18	1	1	1	1	109.5	51.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	33.6875	2004
22.01.2020 10:07:19	1	1	1	1	109.8	53.5	0	28199.052	572.0430108	16191.66689	30000	0	0	30000	33.8125	2004
22.01.2020 10:07:20	1	1	1	1	109.8	53.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	30.9375	2004
22.01.2020 10:07:21	1	1	1	1	109.8	50.75	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	32.6875	2004
22.01.2020 10:07:22	1	1	1	1	109.8	52.5	0	27962.085	569.8924731	15934.82456	30000	0	0	30000	31.25	2004
22.01.2020 10:07:23	1	1	1	1	109.8	51.25	0	28199.052	572.0430108	16130.51396	30000	0	0	30000	33.625	2004
22.01.2020 10:07:24	1	1	1	1	109.8	53.5	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	33.1875	2004
22.01.2020 10:07:25	1	1	1	1	109.8	53	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	31.3125	2004
22.01.2020 10:07:27	1	1	1	1	109.8	51.25	0	28199.052	574.1935484	15841.8721	30000	0	0	30000	31.875	2004
22.01.2020 10:07:28	1	1	1	1	109.8	51.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	33.3125	2004
22.01.2020 10:07:29	1	1	1	1	109.8	53.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	32.5625	2004
22.01.2020 10:07:30	1	1	1	1	109	52.5	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	31.4375	2004
22.01.2020 10:07:31	1	1	1	1	109	51.25	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	33.3125	2004
22.01.2020 10:07:32	1	1	1	1	109	53.25	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	32.375	2004
22.01.2020 10:07:33	1	1	1	1	109	52.25	0	28199.052	572.0430108	16130.51396	30000	0	0	30000	31.25	2004
22.01.2020 10:07:34	1	1	1	1	109	51.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	32.75	2004
22.01.2020 10:07:35	1	1	1	1	109	52.75	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	31.75	2004
22.01.2020 10:07:36	1	1	1	1	109	51.75	0	28199.052	569.8924731	16191.66689	30000	0	0	30000	34	2004
22.01.2020 10:07:37	1	1	1	1	109	54	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	33.5	2004
22.01.2020 10:07:38	1	1	1	1	109	53.5	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	33.375	2004
22.01.2020 10:07:39	1	1	1	1	109	53.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	33.5	2004
22.01.2020 10:07:40	1	1	1	1	110.3	53.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	33.5625	2004
22.01.2020 10:07:41	1	1	1	1	110.3	53.5	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	32.25	2004
22.01.2020 10:07:42	1	1	1	1	110.3	52.25	0	28199.052	572.0430108	16009.83883	30000	0	0	30000	33.0625	2004
22.01.2020 10:07:43	1	1	1	1	110.3	53	0	28009.479	567.7419355	16009.83883	30000	0	0	30000	31.25	2004
22.01.2020 10:07:44	1	1	1	1	110.3	51.25	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	32.4375	2004
22.01.2020 10:07:45	1	1	1	1	110.3	52.25	0	28199.052	569.8924731	15902.20966	30000	0	0	30000	32.0625	2004
22.01.2020 10:07:46	1	1	1	1	110.3	52	0	28009.479	567.7419355	16009.83883	30000	0	0	30000	32.5	2004
22.01.2020 10:07:47	1	1	1	1	110.3	52.5	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	33.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 10:07:48	1	1	1	1	110.3	53.5	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	33.125	2004
22.01.2020 10:07:49	1	1	1	1	110.3	53	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	33.875	2004
22.01.2020 10:07:50	1	1	1	1	109	53.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	32.3125	2004
22.01.2020 10:07:51	1	1	1	1	109	52.25	0	27914.692	567.7419355	15848.39508	30000	0	0	30000	33.9375	2004
22.01.2020 10:07:52	1	1	1	1	109	53.75	0	28009.479	572.0430108	16130.51396	30000	0	0	30000	33.5625	2004
22.01.2020 10:07:53	1	1	1	1	109	53.5	0	28009.479	576.344086	15902.20966	30000	0	0	30000	33.0625	2004
22.01.2020 10:07:54	1	1	1	1	109	53.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	32.4375	2004
22.01.2020 10:07:55	1	1	1	1	109	52.25	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	31.4375	2004
22.01.2020 10:07:56	1	1	1	1	109	51.25	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	32.375	2004
22.01.2020 10:07:57	1	1	1	1	109	52.25	0	28009.479	567.7419355	16082.40698	30000	0	0	30000	32.125	2004
22.01.2020 10:08:03	1	1	1	1	109.5	51.5	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	32.9375	2004
22.01.2020 10:08:03	1	1	1	1	109.5	51.5	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	32.9375	2004
22.01.2020 10:08:03	1	1	1	1	109.5	51.5	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	32.9375	2004
22.01.2020 10:08:03	1	1	1	1	109.5	51.5	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	32.9375	2004
22.01.2020 10:08:03	1	1	1	1	109.5	52.75	0	28009.479	569.8924731	16130.51396	30000	0	0	30000	32.375	2004
22.01.2020 10:08:04	1	1	1	1	109.5	52.25	0	28009.479	569.8924731	15841.8721	30000	0	0	30000	32.6875	2004
22.01.2020 10:08:06	1	1	1	1	109.5	52.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	34	2004
22.01.2020 10:08:07	1	1	1	1	109.5	54	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	33.5	2004
22.01.2020 10:08:08	1	1	1	1	109.5	53.5	0	28009.479	567.7419355	15841.8721	30000	0	0	30000	32.9375	2004
22.01.2020 10:08:09	1	1	1	1	109.5	52.75	0	28199.052	572.0430108	16191.66689	30000	0	0	30000	33.5	2004
22.01.2020 10:08:10	1	1	1	1	110.5	53.5	0	27962.085	569.8924731	15961.73185	30000	0	0	30000	33.125	2004
22.01.2020 10:08:11	1	1	1	1	110.5	53	0	27867.299	567.7419355	15854.10268	30000	0	0	30000	32.25	2004
22.01.2020 10:08:12	1	1	1	1	110.5	52.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	33.3125	2004
22.01.2020 10:08:13	1	1	1	1	110.5	53.25	0	27914.692	567.7419355	15907.91727	30000	0	0	30000	32.625	2004
22.01.2020 10:08:14	1	1	1	1	110.5	52.5	0	28009.479	572.0430108	16191.66689	30000	0	0	30000	33	2004
22.01.2020 10:08:15	1	1	1	1	110.5	53	0	28199.052	572.0430108	16130.51396	30000	0	0	30000	33.4375	2004
22.01.2020 10:08:16	1	1	1	1	110.5	53.25	0	27914.692	572.0430108	15907.91727	30000	0	0	30000	33.0625	2004
22.01.2020 10:08:17	1	1	1	1	110.5	53	0	27914.692	574.1935484	16027.77702	30000	0	0	30000	32.625	2004
22.01.2020 10:08:18	1	1	1	1	110.5	52.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	32.9375	2004
22.01.2020 10:08:19	1	1	1	1	110.5	52.75	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	31.875	2004
22.01.2020 10:08:20	1	1	1	1	109.8	51.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	32.4375	2004
22.01.2020 10:08:21	1	1	1	1	109.8	52.25	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	32.375	2004
22.01.2020 10:08:22	1	1	1	1	109.8	52.25	0	27914.692	567.7419355	15934.82456	30000	0	0	30000	32.4375	2004
22.01.2020 10:08:23	1	1	1	1	109.8	52.25	0	28199.052	576.344086	16191.66689	30000	0	0	30000	32.1875	2004
22.01.2020 10:08:24	1	1	1	1	109.8	52	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	33.875	2004
22.01.2020 10:08:25	1	1	1	1	109.8	53.75	0	27914.692	569.8924731	15907.91727	30000	0	0	30000	31.6875	2004
22.01.2020 10:08:26	1	1	1	1	109.8	51.5	0	27962.085	567.7419355	15961.73185	30000	0	0	30000	32.875	2004
22.01.2020 10:08:27	1	1	1	1	109.8	52.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	33.5625	2004
22.01.2020 10:08:28	1	1	1	1	109.8	53.5	0	28009.479	574.1935484	16043.2691	30000	0	0	30000	32.5	2004
22.01.2020 10:08:29	1	1	1	1	109.8	52.5	0	28199.052	563.4408602	15948.68589	30000	0	0	30000	32.4375	2004
22.01.2020 10:08:30	1	1	1	1	109.3	52.25	0	28009.479	567.7419355	16009.83883	30000	0	0	30000	33.8125	2004
22.01.2020 10:08:31	1	1	1	1	109.3	53.75	0	28293.839	565.5913978	16029.40777	30000	0	0	30000	32.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 10:08:32	1	1	1	1	109.3	52.75	0	28293.839	563.4408602	15968.25483	30000	0	0	30000	34	2004
22.01.2020 10:08:33	1	1	1	1	109.3	54	0	28293.839	565.5913978	16002.50048	30000	0	0	30000	32.6875	2004
22.01.2020 10:08:34	1	1	1	1	109.3	52.5	0	28009.479	567.7419355	16070.17639	30000	0	0	30000	33.75	2004
22.01.2020 10:08:35	1	1	1	1	109.3	51.75	0	28530.806	563.4408602	16101.97592	30000	0	0	30000	31.5	2004
22.01.2020 10:08:36	1	1	1	1	109.3	51.5	0	28578.199	550.5376344	15943.79366	30000	0	0	30000	32.4375	2004
22.01.2020 10:08:37	1	1	1	1	109.3	52.25	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	31.4375	2004
22.01.2020 10:08:38	1	1	1	1	109.3	51.25	0	28578.199	561.2903226	15978.85467	30000	0	0	30000	32.5	2004
22.01.2020 10:08:39	1	1	1	1	108.8	52.5	0	28530.806	559.1397849	16040.00761	30000	0	0	30000	32.0625	2004
22.01.2020 10:08:40	1	1	1	1	108.8	52	0	28341.232	561.2903226	15934.00919	30000	0	0	30000	33.1875	2004
22.01.2020 10:08:41	1	1	1	1	108.8	53	0	28293.839	563.4408602	15941.34754	30000	0	0	30000	33.25	2004
22.01.2020 10:08:42	1	1	1	1	108.8	53.25	0	28341.232	561.2903226	15968.25483	30000	0	0	30000	34	2004
22.01.2020 10:08:43	1	1	1	1	108.8	54	0	28293.839	565.5913978	16029.40777	30000	0	0	30000	33.5	2004
22.01.2020 10:08:45	1	1	1	1	108.8	53.5	0	28388.626	561.2903226	15934.00919	30000	0	0	30000	33.9375	2004
22.01.2020 10:08:46	1	1	1	1	108.8	53.75	0	28341.232	563.4408602	15907.10189	30000	0	0	30000	33.1875	2004
22.01.2020 10:08:47	1	1	1	1	108.8	53	0	28341.232	563.4408602	15907.10189	30000	0	0	30000	32.6875	2004
22.01.2020 10:08:48	1	1	1	1	108.8	52.5	0	28199.052	563.4408602	15948.68589	30000	0	0	30000	33.625	2004
22.01.2020 10:08:49	1	1	1	1	108.8	53.5	0	28341.232	563.4408602	15968.25483	30000	0	0	30000	33.6875	2004
22.01.2020 10:08:50	1	1	1	1	110.3	53.5	0	28293.839	567.7419355	16002.50048	30000	0	0	30000	33.1875	2004
22.01.2020 10:08:51	1	1	1	1	110.3	53	0	28341.232	567.7419355	16090.5607	30000	0	0	30000	33.9375	2004
22.01.2020 10:08:52	1	1	1	1	110.3	53.75	0	28293.839	563.4408602	15706.52026	30000	0	0	30000	33.8125	2004
22.01.2020 10:08:53	1	1	1	1	110.3	53.75	0	28483.412	565.5913978	16109.31427	30000	0	0	30000	31.6875	2004
22.01.2020 10:08:54	1	1	1	1	110.3	51.5	0	28293.839	567.7419355	16002.50048	30000	0	0	30000	31.875	2004
22.01.2020 10:08:55	1	1	1	1	110.3	51.75	0	28246.445	567.7419355	16009.83883	30000	0	0	30000	32.0625	2004
22.01.2020 10:08:56	1	1	1	1	110.3	52	0	28293.839	569.8924731	16123.99098	30000	0	0	30000	33.1875	2004
22.01.2020 10:08:57	1	1	1	1	110.3	53	0	28341.232	567.7419355	16117.468	30000	0	0	30000	33.4375	2004
22.01.2020 10:08:58	1	1	1	1	110.3	53.25	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	33.125	2004
22.01.2020 10:08:59	1	1	1	1	110.3	53	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	33.3125	2004
22.01.2020 10:09:05	1	1	1	1	109.8	53.25	0	28009.479	576.344086	16082.40698	30000	0	0	30000	32.8125	2004
22.01.2020 10:09:05	1	1	1	1	109.8	53.25	0	28009.479	576.344086	16082.40698	30000	0	0	30000	32.8125	2004
22.01.2020 10:09:05	1	1	1	1	109.8	53.25	0	28009.479	576.344086	16082.40698	30000	0	0	30000	32.8125	2004
22.01.2020 10:09:05	1	1	1	1	109.8	53.25	0	28009.479	576.344086	16082.40698	30000	0	0	30000	32.8125	2004
22.01.2020 10:09:05	1	1	1	1	109.8	52.75	0	27819.905	569.8924731	15854.10268	30000	0	0	30000	32.125	2004
22.01.2020 10:09:06	1	1	1	1	109.8	52	0	27914.692	572.0430108	15968.25483	30000	0	0	30000	31.4375	2004
22.01.2020 10:09:07	1	1	1	1	109.8	51.25	0	27914.692	572.0430108	16142.74454	30000	0	0	30000	34.1875	2004
22.01.2020 10:09:08	1	1	1	1	109.8	54	0	27962.085	567.7419355	16082.40698	30000	0	0	30000	34.1875	2004
22.01.2020 10:09:09	1	1	1	1	109.8	54	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	33.875	2004
22.01.2020 10:09:10	1	1	1	1	110.8	53.75	0	27914.692	572.0430108	16027.77702	30000	0	0	30000	34.25	2004
22.01.2020 10:09:11	1	1	1	1	110.8	54.25	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	33.625	2004
22.01.2020 10:09:12	1	1	1	1	110.8	53.5	0	27867.299	569.8924731	15881.00997	30000	0	0	30000	32.5	2004
22.01.2020 10:09:13	1	1	1	1	110.8	53.5	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	33.1875	2004
22.01.2020 10:09:14	1	1	1	1	110.8	53	0	27914.692	572.0430108	15907.91727	30000	0	0	30000	33.625	2004
22.01.2020 10:09:15	1	1	1	1	110.8	53.5	0	27962.085	572.0430108	15995.16212	30000	0	0	30000	34.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 10:09:16	1	1	1	1	110.8	54	0	27914.692	572.0430108	15968.25483	30000	0	0	30000	32.4375	2004
22.01.2020 10:09:17	1	1	1	1	110.8	52.25	0	27914.692	572.0430108	15968.25483	30000	0	0	30000	33.6875	2004
22.01.2020 10:09:18	1	1	1	1	110.8	53.5	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	32.6875	2004
22.01.2020 10:09:19	1	1	1	1	110.3	52.5	0	28009.479	572.0430108	16130.51396	30000	0	0	30000	32.6875	2004
22.01.2020 10:09:20	1	1	1	1	110.3	52.5	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	34.0625	2004
22.01.2020 10:09:21	1	1	1	1	110.3	54	0	28009.479	574.1935484	16142.74454	30000	0	0	30000	34.125	2004
22.01.2020 10:09:23	1	1	1	1	110.3	54	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	33.875	2004
22.01.2020 10:09:24	1	1	1	1	110.3	53.75	0	27630.332	572.0430108	15973.96244	30000	0	0	30000	32.375	2004
22.01.2020 10:09:25	1	1	1	1	110.3	52.25	0	28199.052	574.1935484	16191.66689	30000	0	0	30000	33.875	2004
22.01.2020 10:09:26	1	1	1	1	110.3	53.75	0	27867.299	569.8924731	15941.34754	30000	0	0	30000	33.5625	2004
22.01.2020 10:09:27	1	1	1	1	110.3	53.5	0	28009.479	576.344086	16142.74454	30000	0	0	30000	33.0625	2004
22.01.2020 10:09:28	1	1	1	1	110.3	53	0	27962.085	574.1935484	15995.16212	30000	0	0	30000	33.4375	2004
22.01.2020 10:09:29	1	1	1	1	110.3	53.25	0	27867.299	574.1935484	15794.58049	30000	0	0	30000	33.9375	2004
22.01.2020 10:09:30	1	1	1	1	110.5	53.75	0	27962.085	574.1935484	16022.06942	30000	0	0	30000	34.25	2004
22.01.2020 10:09:31	1	1	1	1	110.5	54.25	0	27867.299	567.7419355	15968.25483	30000	0	0	30000	33.5	2004
22.01.2020 10:09:32	1	1	1	1	110.5	53.5	0	27867.299	572.0430108	16000.86973	30000	0	0	30000	32.9375	2004
22.01.2020 10:09:33	1	1	1	1	110.5	52.75	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	33.1875	2004
22.01.2020 10:09:34	1	1	1	1	110.5	53	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	34.125	2004
22.01.2020 10:09:35	1	1	1	1	110.5	54	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	34.0625	2004
22.01.2020 10:09:36	1	1	1	1	110.5	54	0	28009.479	572.0430108	15841.8721	30000	0	0	30000	33.875	2004
22.01.2020 10:09:37	1	1	1	1	110.5	53.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	33.1875	2004
22.01.2020 10:09:38	1	1	1	1	110.5	53	0	28009.479	576.344086	16022.06942	30000	0	0	30000	33.875	2004
22.01.2020 10:09:39	1	1	1	1	110.5	53.75	0	28199.052	572.0430108	16130.51396	30000	0	0	30000	32.875	2004
22.01.2020 10:09:40	1	1	1	1	109.3	52.75	0	28009.479	576.344086	16022.06942	30000	0	0	30000	32.8125	2004
22.01.2020 10:09:41	1	1	1	1	109.3	52.75	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	34.125	2004
22.01.2020 10:09:42	1	1	1	1	109.3	54	0	27867.299	567.7419355	15674.72073	30000	0	0	30000	33.5	2004
22.01.2020 10:09:43	1	1	1	1	109.3	53.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	32.8125	2004
22.01.2020 10:09:44	1	1	1	1	109.3	52.75	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	33.5625	2004
22.01.2020 10:09:45	1	1	1	1	109.3	53.5	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	32.125	2004
22.01.2020 10:09:46	1	1	1	1	109.3	52	0	27914.692	572.0430108	15907.91727	30000	0	0	30000	34.1875	2004
22.01.2020 10:09:47	1	1	1	1	109.3	54	0	27914.692	565.5913978	15995.16212	30000	0	0	30000	34.375	2004
22.01.2020 10:09:48	1	1	1	1	109.3	54.25	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	34	2004
22.01.2020 10:09:49	1	1	1	1	109.3	54	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	33.375	2004
22.01.2020 10:09:50	1	1	1	1	110	53.25	0	27914.692	565.5913978	15961.73185	30000	0	0	30000	33.6875	2004
22.01.2020 10:09:51	1	1	1	1	110	53.25	0	27914.692	574.1935484	16055.49969	30000	0	0	30000	32.375	2004
22.01.2020 10:09:52	1	1	1	1	110	52.25	0	27630.332	576.344086	16033.48463	30000	0	0	30000	33.9375	2004
22.01.2020 10:09:53	1	1	1	1	110	53.75	0	28009.479	576.344086	16055.49969	30000	0	0	30000	33.5	2004
22.01.2020 10:09:54	1	1	1	1	110	53.5	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	32.75	2004
22.01.2020 10:09:55	1	1	1	1	110	52.75	0	27962.085	574.1935484	16142.74454	30000	0	0	30000	32.875	2004
22.01.2020 10:09:56	1	1	1	1	110	52.75	0	27867.299	576.344086	16033.48463	30000	0	0	30000	33.8125	2004
22.01.2020 10:09:57	1	1	1	1	110	53.75	0	27819.905	569.8924731	15881.00997	30000	0	0	30000	32.1875	2004
22.01.2020 10:09:58	1	1	1	1	110	52	0	27819.905	574.1935484	15973.96244	30000	0	0	30000	34.1875	2004
22.01.2020 10:09:59	1	1	1	1	110.5	54	0	27867.299	572.0430108	16027.77702	30000	0	0	30000	34.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 10:10:01	1	1	1	1	110.5	54	0	27962.085	574.1935484	16055.49969	30000	0	0	30000	32.6875	2004
22.01.2020 10:10:07	1	1	1	1	110.5	53.75	0	27819.905	576.344086	15973.96244	30000	0	0	30000	32.4375	2004
22.01.2020 10:10:07	1	1	1	1	110.5	53.75	0	27819.905	576.344086	15973.96244	30000	0	0	30000	32.4375	2004
22.01.2020 10:10:07	1	1	1	1	110.5	53.75	0	27819.905	576.344086	15973.96244	30000	0	0	30000	32.4375	2004
22.01.2020 10:10:07	1	1	1	1	110.5	53.75	0	27819.905	576.344086	15973.96244	30000	0	0	30000	32.4375	2004
22.01.2020 10:10:07	1	1	1	1	110.5	53.75	0	27819.905	576.344086	15973.96244	30000	0	0	30000	32.4375	2004
22.01.2020 10:10:07	1	1	1	1	110.5	53.75	0	27819.905	576.344086	15973.96244	30000	0	0	30000	32.4375	2004
22.01.2020 10:10:08	1	1	1	1	110.5	52.25	0	27630.332	567.7419355	15864.70252	30000	0	0	30000	32.75	2004
22.01.2020 10:10:09	1	1	1	1	110.5	52.75	0	27819.905	576.344086	16033.48463	30000	0	0	30000	33.625	2004
22.01.2020 10:10:10	1	1	1	1	110	53.5	0	27867.299	576.344086	16033.48463	30000	0	0	30000	32.9375	2004
22.01.2020 10:10:11	1	1	1	1	110	52.75	0	27630.332	569.8924731	16006.57734	30000	0	0	30000	34	2004
22.01.2020 10:10:12	1	1	1	1	110	54	0	27914.692	576.344086	16088.11459	30000	0	0	30000	33.3125	2004
22.01.2020 10:10:13	1	1	1	1	110	53.25	0	27819.905	576.344086	16093.00682	30000	0	0	30000	34	2004
22.01.2020 10:10:14	1	1	1	1	110	54	0	27867.299	576.344086	16088.11459	30000	0	0	30000	34.0625	2004
22.01.2020 10:10:15	1	1	1	1	110	54	0	27867.299	574.1935484	16027.77702	30000	0	0	30000	34.1875	2004
22.01.2020 10:10:16	1	1	1	1	110	54	0	27772.512	574.1935484	16033.48463	30000	0	0	30000	33.5	2004
22.01.2020 10:10:17	1	1	1	1	110	53.5	0	27630.332	576.344086	15864.70252	30000	0	0	30000	34.1875	2004
22.01.2020 10:10:18	1	1	1	1	110	54	0	27630.332	569.8924731	16093.00682	30000	0	0	30000	34.25	2004
22.01.2020 10:10:19	1	1	1	1	110	54.25	0	27630.332	576.344086	15864.70252	30000	0	0	30000	33.4375	2004
22.01.2020 10:10:20	1	1	1	1	110	53.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	34.125	2004
22.01.2020 10:10:21	1	1	1	1	110	54	0	27819.905	578.4946237	15686.95132	30000	0	0	30000	33.625	2004
22.01.2020 10:10:22	1	1	1	1	110	53.5	0	27725.118	576.344086	15978.85467	30000	0	0	30000	33.6875	2004
22.01.2020 10:10:23	1	1	1	1	110	53.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	34.0625	2004
22.01.2020 10:10:24	1	1	1	1	110	54	0	27819.905	576.344086	16033.48463	30000	0	0	30000	34.0625	2004
22.01.2020 10:10:25	1	1	1	1	110	54	0	27819.905	576.344086	16000.86973	30000	0	0	30000	34.1875	2004
22.01.2020 10:10:26	1	1	1	1	110	54	0	27725.118	572.0430108	15973.96244	30000	0	0	30000	34.625	2004
22.01.2020 10:10:27	1	1	1	1	110	54.5	0	27819.905	576.344086	15973.96244	30000	0	0	30000	34.25	2004
22.01.2020 10:10:28	1	1	1	1	110	54.25	0	27819.905	576.344086	15864.70252	30000	0	0	30000	33.9375	2004
22.01.2020 10:10:29	1	1	1	1	110.5	53.5	0	27962.085	576.344086	16088.11459	30000	0	0	30000	33.6875	2004
22.01.2020 10:10:30	1	1	1	1	110.5	53.5	0	27725.118	576.344086	16033.48463	30000	0	0	30000	33.3125	2004
22.01.2020 10:10:31	1	1	1	1	110.5	53.25	0	27867.299	576.344086	16120.72949	30000	0	0	30000	33.5	2004
22.01.2020 10:10:32	1	1	1	1	110.5	53.5	0	27867.299	576.344086	16061.20729	30000	0	0	30000	34.3125	2004
22.01.2020 10:10:33	1	1	1	1	110.5	54.25	0	27819.905	576.344086	16033.48463	30000	0	0	30000	33.3125	2004
22.01.2020 10:10:34	1	1	1	1	110.5	53.25	0	27630.332	572.0430108	15805.18033	30000	0	0	30000	33.25	2004
22.01.2020 10:10:35	1	1	1	1	110.5	53.25	0	28009.479	572.0430108	15814.9648	30000	0	0	30000	33.25	2004
22.01.2020 10:10:36	1	1	1	1	110.5	53.25	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	33.5625	2004
22.01.2020 10:10:37	1	1	1	1	110.5	53.5	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	33.375	2004
22.01.2020 10:10:38	1	1	1	1	110.5	53.25	0	27962.085	574.1935484	16203.08211	30000	0	0	30000	34.4375	2004
22.01.2020 10:10:40	1	1	1	1	110.5	54.25	0	28009.479	574.1935484	16022.06942	30000	0	0	30000	33.1875	2004
22.01.2020 10:10:41	1	1	1	1	110.5	53	0	27819.905	569.8924731	15854.10268	30000	0	0	30000	34	2004
22.01.2020 10:10:42	1	1	1	1	110.5	54	0	27867.299	578.4946237	15973.96244	30000	0	0	30000	33.375	2004
22.01.2020 10:10:43	1	1	1	1	110.5	53.25	0	27819.905	572.0430108	15854.10268	30000	0	0	30000	33.0625	2004
22.01.2020 10:10:44	1	1	1	1	110.5	53	0	27630.332	567.7419355	15854.10268	30000	0	0	30000	33.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 10:10:45	1	1	1	1	110.5	53	0	28199.052	574.1935484	16191.66689	30000	0	0	30000	33.375	2004
22.01.2020 10:10:46	1	1	1	1	110.5	53.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	33.375	2004
22.01.2020 10:10:47	1	1	1	1	110.5	53.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	33.5	2004
22.01.2020 10:10:48	1	1	1	1	110.5	53.5	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	33.8125	2004
22.01.2020 10:10:49	1	1	1	1	110.5	53.75	0	28009.479	576.344086	16082.40698	30000	0	0	30000	34.1875	2004
22.01.2020 10:10:50	1	1	1	1	110.8	54	0	27867.299	572.0430108	15941.34754	30000	0	0	30000	34.3125	2004
22.01.2020 10:10:51	1	1	1	1	110.8	54.25	0	27962.085	578.4946237	16027.77702	30000	0	0	30000	34.4375	2004
22.01.2020 10:10:52	1	1	1	1	110.8	54.25	0	28199.052	572.0430108	16082.40698	30000	0	0	30000	34.4375	2004
22.01.2020 10:10:53	1	1	1	1	110.8	54.25	0	28009.479	576.344086	16082.40698	30000	0	0	30000	32.625	2004
22.01.2020 10:10:54	1	1	1	1	110.8	52.5	0	28009.479	572.0430108	16130.51396	30000	0	0	30000	32.125	2004
22.01.2020 10:10:55	1	1	1	1	110.8	52	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	34	2004
22.01.2020 10:10:56	1	1	1	1	110.8	54	0	28009.479	567.7419355	16252.00446	30000	0	0	30000	34.3125	2004
22.01.2020 10:10:57	1	1	1	1	110.8	54.25	0	28199.052	576.344086	16191.66689	30000	0	0	30000	33.5	2004
22.01.2020 10:10:58	1	1	1	1	110.8	53.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	34.125	2004
22.01.2020 10:10:59	1	1	1	1	110.8	54	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	34.3125	2004
22.01.2020 10:11:00	1	1	1	1	110	54.25	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	33.125	2004
22.01.2020 10:11:01	1	1	1	1	110	53	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	34	2004
22.01.2020 10:11:02	1	1	1	1	110	54	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	33.25	2004
22.01.2020 10:11:09	1	1	1	1	110	53.25	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	33.9375	2004
22.01.2020 10:11:09	1	1	1	1	110	53.25	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	33.9375	2004
22.01.2020 10:11:09	1	1	1	1	110	53.25	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	33.9375	2004
22.01.2020 10:11:09	1	1	1	1	110	53.25	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	33.9375	2004
22.01.2020 10:11:09	1	1	1	1	110	53.25	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	33.9375	2004
22.01.2020 10:11:09	1	1	1	1	110.5	53.75	0	28009.479	563.4408602	15902.20966	30000	0	0	30000	34.4375	2004
22.01.2020 10:11:10	1	1	1	1	110.5	54.25	0	27962.085	561.2903226	15961.73185	30000	0	0	30000	34.4375	2004
22.01.2020 10:11:11	1	1	1	1	110.5	54.25	0	28009.479	576.344086	16022.06942	30000	0	0	30000	33.0625	2004
22.01.2020 10:11:12	1	1	1	1	110.5	53	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	34.1875	2004
22.01.2020 10:11:13	1	1	1	1	110.5	54	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	33.8125	2004
22.01.2020 10:11:14	1	1	1	1	110.5	53.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	34.125	2004
22.01.2020 10:11:15	1	1	1	1	110.5	54	0	27962.085	572.0430108	16082.40698	30000	0	0	30000	32.875	2004
22.01.2020 10:11:16	1	1	1	1	110.5	52.75	0	28009.479	576.344086	16082.40698	30000	0	0	30000	33.75	2004
22.01.2020 10:11:18	1	1	1	1	110.5	53.75	0	28009.479	576.344086	16082.40698	30000	0	0	30000	33.8125	2004
22.01.2020 10:11:19	1	1	1	1	110.5	53.75	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	34.25	2004
22.01.2020 10:11:20	1	1	1	1	110.8	54.25	0	27962.085	569.8924731	15848.39508	30000	0	0	30000	34.4375	2004
22.01.2020 10:11:21	1	1	1	1	110.8	54.25	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	34.25	2004
22.01.2020 10:11:22	1	1	1	1	110.8	54.25	0	28009.479	572.0430108	16191.66689	30000	0	0	30000	33.8125	2004
22.01.2020 10:11:23	1	1	1	1	110.8	53.75	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	34.5625	2004
22.01.2020 10:11:24	1	1	1	1	110.8	54.5	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	33.8125	2004
22.01.2020 10:11:25	1	1	1	1	110.8	53.75	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	32.9375	2004
22.01.2020 10:11:26	1	1	1	1	110.8	52.75	0	28009.479	567.7419355	16082.40698	30000	0	0	30000	34.375	2004
22.01.2020 10:11:27	1	1	1	1	110.8	54.25	0	27914.692	572.0430108	16027.77702	30000	0	0	30000	33.4375	2004
22.01.2020 10:11:28	1	1	1	1	110.8	53.25	0	28151.659	574.1935484	16082.40698	30000	0	0	30000	33.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 10:11:29	1	1	1	1	110.8	53.75	0	28009.479	572.0430108	16263.41967	30000	0	0	30000	34.0625	2004
22.01.2020 10:11:30	1	1	1	1	110.3	54	0	27867.299	574.1935484	16027.77702	30000	0	0	30000	32.75	2004
22.01.2020 10:11:31	1	1	1	1	110.3	52.75	0	28009.479	572.0430108	16191.66689	30000	0	0	30000	34.3125	2004
22.01.2020 10:11:32	1	1	1	1	110.3	54.25	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	33.8125	2004
22.01.2020 10:11:33	1	1	1	1	110.3	53.75	0	28199.052	572.0430108	16191.66689	30000	0	0	30000	34.375	2004
22.01.2020 10:11:34	1	1	1	1	110.3	54.25	0	27867.299	576.344086	15907.91727	30000	0	0	30000	34.1875	2004
22.01.2020 10:11:35	1	1	1	1	110.3	54	0	27819.905	574.1935484	16000.86973	30000	0	0	30000	33.375	2004
22.01.2020 10:11:36	1	1	1	1	110.3	53.25	0	27867.299	569.8924731	15881.00997	30000	0	0	30000	33.5	2004
22.01.2020 10:11:37	1	1	1	1	110.3	53.5	0	27914.692	572.0430108	15968.25483	30000	0	0	30000	34.125	2004
22.01.2020 10:11:38	1	1	1	1	110.3	54	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	33.5625	2004
22.01.2020 10:11:39	1	1	1	1	110.3	53.5	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	34.0625	2004
22.01.2020 10:11:40	1	1	1	1	110.5	54	0	28009.479	576.344086	16082.40698	30000	0	0	30000	34	2004
22.01.2020 10:11:41	1	1	1	1	110.5	54	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	33.75	2004
22.01.2020 10:11:42	1	1	1	1	110.5	53.75	0	27630.332	569.8924731	15745.65814	30000	0	0	30000	34.8125	2004
22.01.2020 10:11:43	1	1	1	1	110.5	54.75	0	27867.299	574.1935484	15973.96244	30000	0	0	30000	33.125	2004
22.01.2020 10:11:44	1	1	1	1	110.5	53	0	28009.479	574.1935484	16142.74454	30000	0	0	30000	34.4375	2004
22.01.2020 10:11:45	1	1	1	1	110.5	54.25	0	28009.479	576.344086	16082.40698	30000	0	0	30000	34.0625	2004
22.01.2020 10:11:46	1	1	1	1	110.5	54	0	27867.299	567.7419355	15788.05751	30000	0	0	30000	33.75	2004
22.01.2020 10:11:47	1	1	1	1	110.5	54.25	0	27914.692	572.0430108	15907.91727	30000	0	0	30000	34	2004
22.01.2020 10:11:48	1	1	1	1	110.5	54	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	33.4375	2004
22.01.2020 10:11:49	1	1	1	1	110.3	53.25	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	34.4375	2004
22.01.2020 10:11:50	1	1	1	1	110.3	54.25	0	28009.479	572.0430108	16130.51396	30000	0	0	30000	33.3125	2004
22.01.2020 10:11:51	1	1	1	1	110.3	53.25	0	27867.299	569.8924731	15881.00997	30000	0	0	30000	33.25	2004
22.01.2020 10:11:52	1	1	1	1	110.3	53.25	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	34.4375	2004
22.01.2020 10:11:53	1	1	1	1	110.3	54.25	0	27630.332	572.0430108	15627.42913	30000	0	0	30000	34	2004
22.01.2020 10:11:54	1	1	1	1	110.3	54	0	27962.085	572.0430108	15995.16212	30000	0	0	30000	34.0625	2004
22.01.2020 10:11:56	1	1	1	1	110.3	54	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	33.1875	2004
22.01.2020 10:11:57	1	1	1	1	110.3	53	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	33.5625	2004
22.01.2020 10:11:58	1	1	1	1	110.3	53.5	0	28199.052	569.8924731	16130.51396	30000	0	0	30000	34.125	2004
22.01.2020 10:11:59	1	1	1	1	110.3	54	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	33.4375	2004
22.01.2020 10:12:00	1	1	1	1	110.3	53.25	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	34.0625	2004
22.01.2020 10:12:01	1	1	1	1	110.3	54	0	27867.299	569.8924731	15881.00997	30000	0	0	30000	34.125	2004
22.01.2020 10:12:03	1	1	1	1	110.3	53.75	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	34.125	2004
22.01.2020 10:12:03	1	1	1	1	110.3	53.75	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	34.125	2004
22.01.2020 10:12:04	1	1	1	1	110.3	54	0	28009.479	572.0430108	15934.82456	30000	0	0	30000	33.1875	2004
22.01.2020 10:12:10	1	1	1	1	110.3	53.5	0	28199.052	572.0430108	16022.06942	30000	0	0	30000	34.375	2004
22.01.2020 10:12:10	1	1	1	1	110.3	53.5	0	28199.052	572.0430108	16022.06942	30000	0	0	30000	34.375	2004
22.01.2020 10:12:10	1	1	1	1	110.3	53.5	0	28199.052	572.0430108	16022.06942	30000	0	0	30000	34.375	2004
22.01.2020 10:12:10	1	1	1	1	110.3	53.5	0	28199.052	572.0430108	16022.06942	30000	0	0	30000	34.375	2004
22.01.2020 10:12:10	1	1	1	1	110.3	53.5	0	28199.052	572.0430108	16022.06942	30000	0	0	30000	34.375	2004
22.01.2020 10:12:10	1	1	1	1	110.3	53.5	0	28199.052	572.0430108	16022.06942	30000	0	0	30000	34.375	2004
22.01.2020 10:12:11	1	1	1	1	110.3	54.25	0	28009.479	576.344086	16142.74454	30000	0	0	30000	33.8125	2004
22.01.2020 10:12:12	1	1	1	1	110.3	53.75	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	34.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 10:12:13	1	1	1	1	110.3	54	0	27867.299	574.1935484	16061.20729	30000	0	0	30000	33.6875	2004
22.01.2020 10:12:14	1	1	1	1	110.3	53.5	0	27867.299	572.0430108	15941.34754	30000	0	0	30000	34.5625	2004
22.01.2020 10:12:15	1	1	1	1	110.3	54.5	0	27819.905	567.7419355	15854.10268	30000	0	0	30000	33.3125	2004
22.01.2020 10:12:16	1	1	1	1	110.3	53.25	0	27914.692	563.4408602	15961.73185	30000	0	0	30000	34.6875	2004
22.01.2020 10:12:17	1	1	1	1	110.3	54.5	0	28009.479	569.8924731	16082.40698	30000	0	0	30000	34.5	2004
22.01.2020 10:12:18	1	1	1	1	110.3	54.5	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	33.8125	2004
22.01.2020 10:12:19	1	1	1	1	110.3	53.75	0	28009.479	572.0430108	16130.51396	30000	0	0	30000	33.6875	2004
22.01.2020 10:12:20	1	1	1	1	109.5	53.5	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	33.6875	2004
22.01.2020 10:12:21	1	1	1	1	109.5	53.5	0	27962.085	569.8924731	15907.91727	30000	0	0	30000	33.75	2004
22.01.2020 10:12:22	1	1	1	1	109.5	53.75	0	28009.479	567.7419355	16082.40698	30000	0	0	30000	34.3125	2004
22.01.2020 10:12:23	1	1	1	1	109.5	54.25	0	28009.479	574.1935484	16312.34202	30000	0	0	30000	34.6875	2004
22.01.2020 10:12:24	1	1	1	1	109.5	54.5	0	28009.479	567.7419355	15814.9648	30000	0	0	30000	34.4375	2004
22.01.2020 10:12:25	1	1	1	1	109.5	54.25	0	27914.692	569.8924731	15701.62803	30000	0	0	30000	34	2004
22.01.2020 10:12:26	1	1	1	1	109.5	54.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	34.125	2004
22.01.2020 10:12:27	1	1	1	1	109.5	54	0	28293.839	569.8924731	16245.48148	30000	0	0	30000	33.375	2004
22.01.2020 10:12:28	1	1	1	1	109.5	53.25	0	28009.479	565.5913978	15961.73185	30000	0	0	30000	34.0625	2004
22.01.2020 10:12:29	1	1	1	1	110.3	54	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	33.1875	2004
22.01.2020 10:12:30	1	1	1	1	110.3	53	0	27962.085	572.0430108	15934.82456	30000	0	0	30000	33.4375	2004
22.01.2020 10:12:31	1	1	1	1	110.3	53.25	0	28199.052	576.344086	16070.17639	30000	0	0	30000	33.9375	2004
22.01.2020 10:12:32	1	1	1	1	110.3	53.75	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	34.125	2004
22.01.2020 10:12:34	1	1	1	1	110.3	54	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	34.4375	2004
22.01.2020 10:12:35	1	1	1	1	110.3	54.25	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	33.9375	2004
22.01.2020 10:12:36	1	1	1	1	110.3	53.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	33.375	2004
22.01.2020 10:12:37	1	1	1	1	110.3	53.25	0	28009.479	567.7419355	15841.8721	30000	0	0	30000	34.625	2004
22.01.2020 10:12:38	1	1	1	1	110.3	54.5	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	34.4375	2004
22.01.2020 10:12:39	1	1	1	1	110.3	54.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	33.875	2004
22.01.2020 10:12:40	1	1	1	1	110.3	53.75	0	28199.052	569.8924731	15781.53453	30000	0	0	30000	34.0625	2004
22.01.2020 10:12:41	1	1	1	1	110.3	54	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	34.0625	2004
22.01.2020 10:12:42	1	1	1	1	110.3	54	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	34.5625	2004
22.01.2020 10:12:43	1	1	1	1	110.3	54.5	0	28009.479	569.8924731	16142.74454	30000	0	0	30000	34.1875	2004
22.01.2020 10:12:44	1	1	1	1	110.3	54	0	28009.479	561.2903226	15961.73185	30000	0	0	30000	34.1875	2004
22.01.2020 10:12:45	1	1	1	1	110.3	54	0	28341.232	572.0430108	16029.40777	30000	0	0	30000	34.125	2004
22.01.2020 10:12:46	1	1	1	1	110.3	54	0	28199.052	563.4408602	16009.83883	30000	0	0	30000	32.8125	2004
22.01.2020 10:12:47	1	1	1	1	110.3	52.75	0	28009.479	567.7419355	15721.19697	30000	0	0	30000	33.9375	2004
22.01.2020 10:12:48	1	1	1	1	110.3	53.75	0	28009.479	572.0430108	15902.20966	30000	0	0	30000	33.6875	2004
22.01.2020 10:12:49	1	1	1	1	110.3	53.5	0	28009.479	572.0430108	16191.66689	30000	0	0	30000	34	2004
22.01.2020 10:12:50	1	1	1	1	110.3	54	0	28009.479	572.0430108	16070.17639	30000	0	0	30000	34.4375	2004
22.01.2020 10:12:51	1	1	1	1	110.3	54.25	0	28009.479	574.1935484	15961.73185	30000	0	0	30000	34.5625	2004
22.01.2020 10:12:52	1	1	1	1	110.3	54.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	34.25	2004
22.01.2020 10:12:53	1	1	1	1	110.3	54.25	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	34	2004
22.01.2020 10:12:54	1	1	1	1	110.3	54	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	34.4375	2004
22.01.2020 10:12:55	1	1	1	1	110.3	54.25	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	33.4375	2004
22.01.2020 10:12:56	1	1	1	1	110.3	53.25	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	32.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 10:12:57	1	1	1	1	110.3	52.5	0	28293.839	569.8924731	16009.83883	30000	0	0	30000	33.75	2004
22.01.2020 10:12:58	1	1	1	1	110.3	53.75	0	28009.479	572.0430108	16070.17639	30000	0	0	30000	34.125	2004
22.01.2020 10:12:59	1	1	1	1	110.3	54	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	34.1875	2004
22.01.2020 10:13:00	1	1	1	1	110.3	54	0	28009.479	569.8924731	15841.8721	30000	0	0	30000	34.75	2004
22.01.2020 10:13:01	1	1	1	1	110.3	54.75	0	28246.445	567.7419355	16070.17639	30000	0	0	30000	34.6875	2004
22.01.2020 10:13:02	1	1	1	1	110.3	54.5	0	28341.232	567.7419355	16090.5607	30000	0	0	30000	34.625	2004
22.01.2020 10:13:03	1	1	1	1	110.3	54.5	0	28293.839	567.7419355	16123.99098	30000	0	0	30000	34.125	2004
22.01.2020 10:13:04	1	1	1	1	110.3	54	0	28009.479	565.5913978	15961.73185	30000	0	0	30000	34.875	2004
22.01.2020 10:13:05	1	1	1	1	110.3	55	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	33.5625	2004
22.01.2020 10:13:12	1	1	1	1	110.5	54.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	34	2004
22.01.2020 10:13:12	1	1	1	1	110.5	54.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	34	2004
22.01.2020 10:13:12	1	1	1	1	110.5	54.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	34	2004
22.01.2020 10:13:12	1	1	1	1	110.5	54.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	34	2004
22.01.2020 10:13:12	1	1	1	1	110.5	54.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	34	2004
22.01.2020 10:13:12	1	1	1	1	110.5	54.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	34	2004
22.01.2020 10:13:13	1	1	1	1	110.5	54	0	28009.479	565.5913978	15961.73185	30000	0	0	30000	34.125	2004
22.01.2020 10:13:14	1	1	1	1	110.5	54	0	28009.479	576.344086	16022.06942	30000	0	0	30000	33.5625	2004
22.01.2020 10:13:15	1	1	1	1	110.5	53.5	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	34	2004
22.01.2020 10:13:16	1	1	1	1	110.5	54	0	27962.085	572.0430108	15934.82456	30000	0	0	30000	33.625	2004
22.01.2020 10:13:17	1	1	1	1	110.5	53.5	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	33	2004
22.01.2020 10:13:18	1	1	1	1	110.5	53	0	27962.085	569.8924731	16082.40698	30000	0	0	30000	33.25	2004
22.01.2020 10:13:19	1	1	1	1	110.5	53.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	34.875	2004
22.01.2020 10:13:20	1	1	1	1	109	54.75	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	34.1875	2004
22.01.2020 10:13:21	1	1	1	1	109	54	0	27819.905	572.0430108	15745.65814	30000	0	0	30000	34.375	2004
22.01.2020 10:13:22	1	1	1	1	109	54.25	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	34.5	2004
22.01.2020 10:13:23	1	1	1	1	109	54.5	0	28293.839	572.0430108	16130.51396	30000	0	0	30000	34.625	2004
22.01.2020 10:13:24	1	1	1	1	109	54.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	34.1875	2004
22.01.2020 10:13:25	1	1	1	1	109	54	0	27962.085	569.8924731	15934.82456	30000	0	0	30000	33.9375	2004
22.01.2020 10:13:26	1	1	1	1	109	53.75	0	27962.085	569.8924731	16022.06942	30000	0	0	30000	33.6875	2004
22.01.2020 10:13:27	1	1	1	1	109	53.5	0	28009.479	569.8924731	15841.8721	30000	0	0	30000	33.5	2004
22.01.2020 10:13:28	1	1	1	1	109	53.5	0	27867.299	569.8924731	15907.91727	30000	0	0	30000	33.375	2004
22.01.2020 10:13:29	1	1	1	1	109	53.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	34.8125	2004
22.01.2020 10:13:30	1	1	1	1	109	54.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	33.625	2004
22.01.2020 10:13:31	1	1	1	1	109	53.5	0	28341.232	569.8924731	16123.99098	30000	0	0	30000	34.875	2004
22.01.2020 10:13:32	1	1	1	1	109	54.75	0	28293.839	569.8924731	16070.17639	30000	0	0	30000	34.1875	2004
22.01.2020 10:13:33	1	1	1	1	109	54	0	28009.479	565.5913978	15841.8721	30000	0	0	30000	34.6875	2004
22.01.2020 10:13:34	1	1	1	1	109	54.5	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	34.1875	2004
22.01.2020 10:13:35	1	1	1	1	109	54	0	28199.052	561.2903226	16070.17639	30000	0	0	30000	34.875	2004
22.01.2020 10:13:36	1	1	1	1	109	54.75	0	28009.479	567.7419355	16070.17639	30000	0	0	30000	34.0625	2004
22.01.2020 10:13:37	1	1	1	1	109	54	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	34.5625	2004
22.01.2020 10:13:38	1	1	1	1	109	54.5	0	28246.445	572.0430108	16158.23662	30000	0	0	30000	34.875	2004
22.01.2020 10:13:39	1	1	1	1	109	54.75	0	27867.299	572.0430108	15968.25483	30000	0	0	30000	34.4375	2004
22.01.2020 10:13:40	1	1	1	1	110.3	54.25	0	28199.052	572.0430108	16130.51396	30000	0	0	30000	34.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 10:13:41	1	1	1	1	110.3	54.75	0	28199.052	572.0430108	15948.68589	30000	0	0	30000	35.0625	2004
22.01.2020 10:13:42	1	1	1	1	110.3	54.75	0	28009.479	569.8924731	15902.20966	30000	0	0	30000	34.875	2004
22.01.2020 10:13:43	1	1	1	1	110.3	54.75	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	33.6875	2004
22.01.2020 10:13:44	1	1	1	1	110.3	53.5	0	28009.479	574.1935484	16191.66689	30000	0	0	30000	34.1875	2004
22.01.2020 10:13:45	1	1	1	1	110.3	54	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	34.1875	2004
22.01.2020 10:13:46	1	1	1	1	110.3	54	0	28009.479	567.7419355	16142.74454	30000	0	0	30000	34.375	2004
22.01.2020 10:13:47	1	1	1	1	110.3	54.25	0	28009.479	569.8924731	16082.40698	30000	0	0	30000	34.25	2004
22.01.2020 10:13:48	1	1	1	1	110.3	54.25	0	28009.479	569.8924731	15721.19697	30000	0	0	30000	34.75	2004
22.01.2020 10:13:50	1	1	1	1	110.3	54.75	0	27819.905	569.8924731	15854.10268	30000	0	0	30000	34.375	2004
22.01.2020 10:13:51	1	1	1	1	110.3	54.25	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	34.5	2004
22.01.2020 10:13:52	1	1	1	1	110.3	54.5	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	34.375	2004
22.01.2020 10:13:53	1	1	1	1	110.3	54.25	0	27914.692	572.0430108	16027.77702	30000	0	0	30000	34.875	2004
22.01.2020 10:13:54	1	1	1	1	110.3	54.75	0	27962.085	572.0430108	15995.16212	30000	0	0	30000	34.8125	2004
22.01.2020 10:13:55	1	1	1	1	110.3	54.75	0	27867.299	576.344086	16033.48463	30000	0	0	30000	34.875	2004
22.01.2020 10:13:56	1	1	1	1	110.3	54.75	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	34	2004
22.01.2020 10:13:57	1	1	1	1	110.3	54	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	34.375	2004
22.01.2020 10:13:58	1	1	1	1	110.3	54.25	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	34.5625	2004
22.01.2020 10:13:59	1	1	1	1	110.3	54.5	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	34.3125	2004
22.01.2020 10:14:00	1	1	1	1	109.5	54.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	34.875	2004
22.01.2020 10:14:01	1	1	1	1	109.5	54.75	0	27819.905	572.0430108	15854.10268	30000	0	0	30000	34.8125	2004
22.01.2020 10:14:02	1	1	1	1	109.5	54.75	0	27914.692	567.7419355	15848.39508	30000	0	0	30000	34.8125	2004
22.01.2020 10:14:03	1	1	1	1	109.5	54.75	0	27867.299	572.0430108	15881.00997	30000	0	0	30000	34.9375	2004
22.01.2020 10:14:04	1	1	1	1	109.5	54.75	0	27914.692	569.8924731	15961.73185	30000	0	0	30000	34.875	2004
22.01.2020 10:14:05	1	1	1	1	109.5	54.75	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	34.1875	2004
22.01.2020 10:14:06	1	1	1	1	109.5	54	0	27914.692	572.0430108	15968.25483	30000	0	0	30000	34.6875	2004
22.01.2020 10:14:07	1	1	1	1	109.5	54.5	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	33.8125	2004
22.01.2020 10:14:14	1	1	1	1	110	54.5	0	28009.479	576.344086	16082.40698	30000	0	0	30000	34.125	2004
22.01.2020 10:14:14	1	1	1	1	110	54.5	0	28009.479	576.344086	16082.40698	30000	0	0	30000	34.125	2004
22.01.2020 10:14:14	1	1	1	1	110	54.5	0	28009.479	576.344086	16082.40698	30000	0	0	30000	34.125	2004
22.01.2020 10:14:14	1	1	1	1	110	54.5	0	28009.479	576.344086	16082.40698	30000	0	0	30000	34.125	2004
22.01.2020 10:14:14	1	1	1	1	110	54.5	0	28009.479	576.344086	16082.40698	30000	0	0	30000	34.125	2004
22.01.2020 10:14:14	1	1	1	1	110	54	0	27867.299	572.0430108	15881.00997	30000	0	0	30000	34.3125	2004
22.01.2020 10:14:15	1	1	1	1	110	54.25	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	34.125	2004
22.01.2020 10:14:16	1	1	1	1	110	54	0	27914.692	574.1935484	16027.77702	30000	0	0	30000	33.0625	2004
22.01.2020 10:14:17	1	1	1	1	110	53	0	27914.692	572.0430108	16027.77702	30000	0	0	30000	34.8125	2004
22.01.2020 10:14:18	1	1	1	1	110	54.75	0	28009.479	572.0430108	15875.30237	30000	0	0	30000	34.9375	2004
22.01.2020 10:14:19	1	1	1	1	110	54.75	0	27867.299	572.0430108	15941.34754	30000	0	0	30000	33.5	2004
22.01.2020 10:14:20	1	1	1	1	110.3	54	0	27819.905	572.0430108	15627.42913	30000	0	0	30000	34.25	2004
22.01.2020 10:14:21	1	1	1	1	110.3	54.25	0	27867.299	572.0430108	16000.86973	30000	0	0	30000	32.5625	2004
22.01.2020 10:14:22	1	1	1	1	110.3	52.5	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	34.875	2004
22.01.2020 10:14:23	1	1	1	1	110.3	54.75	0	28009.479	576.344086	16082.40698	30000	0	0	30000	34.9375	2004
22.01.2020 10:14:24	1	1	1	1	110.3	54.75	0	27630.332	572.0430108	15805.18033	30000	0	0	30000	34.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 10:14:25	1	1	1	1	110.3	54.5	0	27914.692	574.1935484	16027.77702	30000	0	0	30000	34.875	2004
22.01.2020 10:14:26	1	1	1	1	110.3	54.75	0	27867.299	576.344086	15973.96244	30000	0	0	30000	34.375	2004
22.01.2020 10:14:27	1	1	1	1	110.3	54.25	0	27962.085	574.1935484	16115.83725	30000	0	0	30000	34.25	2004
22.01.2020 10:14:29	1	1	1	1	110.3	54.25	0	27914.692	576.344086	16088.11459	30000	0	0	30000	33.125	2004
22.01.2020 10:14:30	1	1	1	1	110.8	53	0	27914.692	574.1935484	16088.11459	30000	0	0	30000	34.6875	2004
22.01.2020 10:14:31	1	1	1	1	110.8	54.5	0	27914.692	576.344086	16000.86973	30000	0	0	30000	33.8125	2004
22.01.2020 10:14:32	1	1	1	1	110.8	53.75	0	27867.299	576.344086	16093.00682	30000	0	0	30000	33.6875	2004
22.01.2020 10:14:33	1	1	1	1	110.8	53.5	0	27914.692	572.0430108	16175.35944	30000	0	0	30000	34.9375	2004
22.01.2020 10:14:34	1	1	1	1	110.8	54.75	0	28199.052	572.0430108	16252.00446	30000	0	0	30000	34.9375	2004
22.01.2020 10:14:35	1	1	1	1	110.8	54.75	0	28009.479	576.344086	16082.40698	30000	0	0	30000	34.6875	2004
22.01.2020 10:14:36	1	1	1	1	110.8	54.5	0	28199.052	574.1935484	16252.00446	30000	0	0	30000	34.875	2004
22.01.2020 10:14:37	1	1	1	1	110.8	54.75	0	28009.479	576.344086	16082.40698	30000	0	0	30000	34.0625	2004
22.01.2020 10:14:38	1	1	1	1	110.8	54	0	28009.479	569.8924731	16191.66689	30000	0	0	30000	34.25	2004
22.01.2020 10:14:39	1	1	1	1	110.8	54.25	0	28009.479	574.1935484	16252.00446	30000	0	0	30000	34.5	2004
22.01.2020 10:14:40	1	1	1	1	110.5	54.5	0	27819.905	572.0430108	15913.62487	30000	0	0	30000	34.375	2004
22.01.2020 10:14:41	1	1	1	1	110.5	54.25	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	33.5	2004
22.01.2020 10:14:42	1	1	1	1	110.5	53.5	0	28009.479	576.344086	16142.74454	30000	0	0	30000	34.875	2004
22.01.2020 10:14:43	1	1	1	1	110.5	54.75	0	27867.299	574.1935484	16088.11459	30000	0	0	30000	34.9375	2004
22.01.2020 10:14:44	1	1	1	1	110.5	54.75	0	27962.085	574.1935484	16027.77702	30000	0	0	30000	34.875	2004
22.01.2020 10:14:45	1	1	1	1	110.5	54.75	0	27962.085	572.0430108	16082.40698	30000	0	0	30000	34.75	2004
22.01.2020 10:14:46	1	1	1	1	110.5	54.75	0	27867.299	572.0430108	16000.86973	30000	0	0	30000	34.625	2004
22.01.2020 10:14:47	1	1	1	1	110.5	54.5	0	27914.692	572.0430108	15913.62487	30000	0	0	30000	33.6875	2004
22.01.2020 10:14:48	1	1	1	1	110.5	53.5	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	34.6875	2004
22.01.2020 10:14:49	1	1	1	1	110.5	54.5	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	34.9375	2004
22.01.2020 10:14:50	1	1	1	1	110.8	54.75	0	28009.479	576.344086	16203.08211	30000	0	0	30000	34.625	2004
22.01.2020 10:14:51	1	1	1	1	110.8	54.5	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	34.75	2004
22.01.2020 10:14:52	1	1	1	1	110.8	54.75	0	27867.299	582.7956989	15973.96244	30000	0	0	30000	34	2004
22.01.2020 10:14:53	1	1	1	1	110.8	54	0	27630.332	574.1935484	15924.22472	30000	0	0	30000	34.875	2004
22.01.2020 10:14:54	1	1	1	1	110.8	54.75	0	28009.479	578.4946237	15841.8721	30000	0	0	30000	34.25	2004
22.01.2020 10:14:55	1	1	1	1	110.8	54.25	0	27867.299	572.0430108	15907.91727	30000	0	0	30000	34.25	2004
22.01.2020 10:14:56	1	1	1	1	110.8	54.25	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	34.9375	2004
22.01.2020 10:14:57	1	1	1	1	110.8	54.75	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	34.875	2004
22.01.2020 10:14:58	1	1	1	1	110.8	54.75	0	28199.052	572.0430108	16130.51396	30000	0	0	30000	34.875	2004
22.01.2020 10:14:59	1	1	1	1	110.8	54.75	0	28009.479	569.8924731	16082.40698	30000	0	0	30000	35.125	2004
22.01.2020 10:15:00	1	1	1	1	110.8	53.25	0	27962.085	572.0430108	15961.73185	30000	0	0	30000	34.875	2004
22.01.2020 10:15:01	1	1	1	1	110.8	54.75	0	27867.299	572.0430108	16027.77702	30000	0	0	30000	34.875	2004
22.01.2020 10:15:02	1	1	1	1	110.8	54.75	0	27867.299	569.8924731	15794.58049	30000	0	0	30000	35.0625	2004
22.01.2020 10:15:03	1	1	1	1	110.8	55	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	34.125	2004
22.01.2020 10:15:04	1	1	1	1	110.8	54	0	28199.052	572.0430108	16130.51396	30000	0	0	30000	34.125	2004
22.01.2020 10:15:05	1	1	1	1	110.8	54	0	27819.905	569.8924731	15734.24293	30000	0	0	30000	34.875	2004
22.01.2020 10:15:06	1	1	1	1	110.8	54.75	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	34.4375	2004
22.01.2020 10:15:08	1	1	1	1	110.8	54.25	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	34.875	2004
22.01.2020 10:15:09	1	1	1	1	110.8	54.75	0	27962.085	572.0430108	16082.40698	30000	0	0	30000	34.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 10:15:15	1	1	1	1	111	54.25	0	27867.299	569.8924731	15968.25483	30000	0	0	30000	34.4375	2004
22.01.2020 10:15:15	1	1	1	1	111	54.25	0	27867.299	569.8924731	15968.25483	30000	0	0	30000	34.4375	2004
22.01.2020 10:15:15	1	1	1	1	111	54.25	0	27867.299	569.8924731	15968.25483	30000	0	0	30000	34.4375	2004
22.01.2020 10:15:15	1	1	1	1	111	54.25	0	27867.299	569.8924731	15968.25483	30000	0	0	30000	34.4375	2004
22.01.2020 10:15:15	1	1	1	1	111	54.25	0	27867.299	569.8924731	15968.25483	30000	0	0	30000	34.4375	2004
22.01.2020 10:15:15	1	1	1	1	111	54.25	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	34.375	2004
22.01.2020 10:15:16	1	1	1	1	111	54.25	0	27962.085	574.1935484	15995.16212	30000	0	0	30000	35.0625	2004
22.01.2020 10:15:17	1	1	1	1	111	55	0	27914.692	569.8924731	15934.82456	30000	0	0	30000	34.6875	2004
22.01.2020 10:15:18	1	1	1	1	111	54.5	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	32.9375	2004
22.01.2020 10:15:19	1	1	1	1	111	52.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	34.9375	2004
22.01.2020 10:15:20	1	1	1	1	111	54.75	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	33.125	2004
22.01.2020 10:15:21	1	1	1	1	111	53	0	27819.905	569.8924731	15854.10268	30000	0	0	30000	35	2004
22.01.2020 10:15:22	1	1	1	1	111	55	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	34.6875	2004
22.01.2020 10:15:23	1	1	1	1	111	54.5	0	28293.839	576.344086	16252.00446	30000	0	0	30000	34.375	2004
22.01.2020 10:15:24	1	1	1	1	111	54.25	0	28341.232	565.5913978	16117.468	30000	0	0	30000	34.6875	2004
22.01.2020 10:15:25	1	1	1	1	111	54.5	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	34.375	2004
22.01.2020 10:15:26	1	1	1	1	111	54.25	0	28246.445	567.7419355	16009.83883	30000	0	0	30000	34.4375	2004
22.01.2020 10:15:27	1	1	1	1	111	54.25	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	34.25	2004
22.01.2020 10:15:28	1	1	1	1	111	54.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	32.6875	2004
22.01.2020 10:15:29	1	1	1	1	111	52.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	34.625	2004
22.01.2020 10:15:30	1	1	1	1	110.8	54.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	34.75	2004
22.01.2020 10:15:31	1	1	1	1	110.8	54.75	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	34.0625	2004
22.01.2020 10:15:32	1	1	1	1	110.8	54	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	35	2004
22.01.2020 10:15:33	1	1	1	1	110.8	55	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	34.5	2004
22.01.2020 10:15:34	1	1	1	1	110.8	54.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	34.875	2004
22.01.2020 10:15:35	1	1	1	1	110.8	54.75	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	35.3125	2004
22.01.2020 10:15:36	1	1	1	1	110.8	55.25	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	35.25	2004
22.01.2020 10:15:37	1	1	1	1	110.8	55.25	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	34.875	2004
22.01.2020 10:15:38	1	1	1	1	110.8	55	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	35.0625	2004
22.01.2020 10:15:39	1	1	1	1	111.5	55	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	33.4375	2004
22.01.2020 10:15:40	1	1	1	1	111.5	53.25	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	34.75	2004
22.01.2020 10:15:41	1	1	1	1	111.5	54.75	0	27867.299	572.0430108	15941.34754	30000	0	0	30000	34.25	2004
22.01.2020 10:15:42	1	1	1	1	111.5	54.25	0	27772.512	563.4408602	15854.10268	30000	0	0	30000	35.125	2004
22.01.2020 10:15:43	1	1	1	1	111.5	55	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	34.375	2004
22.01.2020 10:15:44	1	1	1	1	111.5	54.25	0	27867.299	569.8924731	15881.00997	30000	0	0	30000	34.625	2004
22.01.2020 10:15:46	1	1	1	1	111.5	54.5	0	28199.052	574.1935484	16191.66689	30000	0	0	30000	34.8125	2004
22.01.2020 10:15:47	1	1	1	1	111.5	54.75	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	34.25	2004
22.01.2020 10:15:48	1	1	1	1	111.5	54.25	0	28009.479	572.0430108	15934.82456	30000	0	0	30000	35.25	2004
22.01.2020 10:15:49	1	1	1	1	111.5	55.25	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	35.0625	2004
22.01.2020 10:15:50	1	1	1	1	111.8	55	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	35	2004
22.01.2020 10:15:51	1	1	1	1	111.8	55	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	34.6875	2004
22.01.2020 10:15:52	1	1	1	1	111.8	54.5	0	28009.479	576.344086	16082.40698	30000	0	0	30000	35.0625	2004
22.01.2020 10:15:53	1	1	1	1	111.8	55	0	27867.299	572.0430108	15941.34754	30000	0	0	30000	34.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 10:15:54	1	1	1	1	111.8	54.5	0	27867.299	574.1935484	16148.45215	30000	0	0	30000	35	2004
22.01.2020 10:15:55	1	1	1	1	111.8	55	0	27914.692	576.344086	16088.11459	30000	0	0	30000	35.375	2004
22.01.2020 10:15:56	1	1	1	1	111.8	55.25	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	34.3125	2004
22.01.2020 10:15:57	1	1	1	1	111.8	54.25	0	27819.905	576.344086	15913.62487	30000	0	0	30000	34	2004
22.01.2020 10:15:58	1	1	1	1	111.8	54	0	28199.052	572.0430108	16191.66689	30000	0	0	30000	34.3125	2004
22.01.2020 10:15:59	1	1	1	1	111.8	54.25	0	27867.299	576.344086	15973.96244	30000	0	0	30000	35.125	2004
22.01.2020 10:16:00	1	1	1	1	110.5	55	0	27819.905	576.344086	15973.96244	30000	0	0	30000	34.6875	2004
22.01.2020 10:16:01	1	1	1	1	110.5	54.5	0	27914.692	576.344086	15907.91727	30000	0	0	30000	34.875	2004
22.01.2020 10:16:02	1	1	1	1	110.5	54.75	0	27819.905	572.0430108	15745.65814	30000	0	0	30000	35	2004
22.01.2020 10:16:03	1	1	1	1	110.5	55	0	27962.085	572.0430108	16055.49969	30000	0	0	30000	34.5625	2004
22.01.2020 10:16:04	1	1	1	1	110.5	54.5	0	27772.512	574.1935484	15864.70252	30000	0	0	30000	34.25	2004
22.01.2020 10:16:05	1	1	1	1	110.5	54.25	0	27914.692	572.0430108	16027.77702	30000	0	0	30000	35.1875	2004
22.01.2020 10:16:06	1	1	1	1	110.5	55	0	27819.905	565.5913978	15941.34754	30000	0	0	30000	34.6875	2004
22.01.2020 10:16:07	1	1	1	1	110.5	54.5	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	33.3125	2004
22.01.2020 10:16:08	1	1	1	1	110.5	53.25	0	27819.905	572.0430108	15973.96244	30000	0	0	30000	35	2004
22.01.2020 10:16:09	1	1	1	1	110.5	55	0	27819.905	572.0430108	15973.96244	30000	0	0	30000	34.625	2004
22.01.2020 10:16:10	1	1	1	1	109.5	54.5	0	27819.905	576.344086	16033.48463	30000	0	0	30000	34.25	2004
22.01.2020 10:16:16	1	1	1	1	109.5	53.75	0	27867.299	572.0430108	15881.00997	30000	0	0	30000	35.375	2004
22.01.2020 10:16:16	1	1	1	1	109.5	53.75	0	27867.299	572.0430108	15881.00997	30000	0	0	30000	35.375	2004
22.01.2020 10:16:16	1	1	1	1	109.5	53.75	0	27867.299	572.0430108	15881.00997	30000	0	0	30000	35.375	2004
22.01.2020 10:16:16	1	1	1	1	109.5	53.75	0	27867.299	572.0430108	15881.00997	30000	0	0	30000	35.375	2004
22.01.2020 10:16:16	1	1	1	1	109.5	53.75	0	27867.299	572.0430108	15881.00997	30000	0	0	30000	35.375	2004
22.01.2020 10:16:16	1	1	1	1	109.5	55.25	0	27819.905	576.344086	15946.23977	30000	0	0	30000	35	2004
22.01.2020 10:16:17	1	1	1	1	109.5	55	0	27819.905	576.344086	16033.48463	30000	0	0	30000	35.125	2004
22.01.2020 10:16:18	1	1	1	1	109.5	55	0	27630.332	576.344086	16093.00682	30000	0	0	30000	35.1875	2004
22.01.2020 10:16:19	1	1	1	1	107.8	53.75	0	27630.332	569.8924731	16033.48463	30000	0	0	30000	34.875	2004
22.01.2020 10:16:20	1	1	1	1	107.8	54.75	0	27962.085	576.344086	16115.83725	30000	0	0	30000	34.75	2004
22.01.2020 10:16:21	1	1	1	1	107.8	54.75	0	27772.512	578.4946237	16038.37687	30000	0	0	30000	33.8125	2004
22.01.2020 10:16:22	1	1	1	1	107.8	53.75	0	27725.118	574.1935484	15919.33248	30000	0	0	30000	34.3125	2004
22.01.2020 10:16:23	1	1	1	1	107.8	54.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	35.125	2004
22.01.2020 10:16:25	1	1	1	1	107.8	55	0	27582.938	576.344086	15897.31742	30000	0	0	30000	35.0625	2004
22.01.2020 10:16:26	1	1	1	1	107.8	55	0	27630.332	576.344086	15924.22472	30000	0	0	30000	34.1875	2004
22.01.2020 10:16:27	1	1	1	1	107.8	54	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	33.875	2004
22.01.2020 10:16:28	1	1	1	1	107.8	53.75	0	27725.118	578.4946237	15983.74691	30000	0	0	30000	34.375	2004
22.01.2020 10:16:29	1	1	1	1	107.8	54.25	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	33.3125	2004
22.01.2020 10:16:30	1	1	1	1	108.3	53.25	0	27819.905	572.0430108	16093.00682	30000	0	0	30000	35.125	2004
22.01.2020 10:16:31	1	1	1	1	108.3	55	0	27630.332	576.344086	15897.31742	30000	0	0	30000	34.8125	2004
22.01.2020 10:16:32	1	1	1	1	108.3	54.75	0	27630.332	567.7419355	15973.96244	30000	0	0	30000	35.1875	2004
22.01.2020 10:16:33	1	1	1	1	108.3	55	0	27630.332	578.4946237	16097.89906	30000	0	0	30000	35.25	2004
22.01.2020 10:16:34	1	1	1	1	108.3	55.25	0	27772.512	574.1935484	16033.48463	30000	0	0	30000	33.5	2004
22.01.2020 10:16:35	1	1	1	1	108.3	53.5	0	27819.905	576.344086	16093.00682	30000	0	0	30000	34.75	2004
22.01.2020 10:16:36	1	1	1	1	108.3	54.75	0	27962.085	572.0430108	15995.16212	30000	0	0	30000	34.6875	2004
22.01.2020 10:16:37	1	1	1	1	108.3	54.5	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	34.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 10:17:22	1	1	1	1	107.3	54.5	0	27819.905	572.0430108	16120.72949	30000	0	0	30000	34.625	2004
22.01.2020 10:17:23	1	1	1	1	107.3	54.5	0	28009.479	580.6451613	16082.40698	30000	0	0	30000	34.8125	2004
22.01.2020 10:17:24	1	1	1	1	107.3	54.75	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	35	2004
22.01.2020 10:17:25	1	1	1	1	107.3	55	0	27914.692	574.1935484	16055.49969	30000	0	0	30000	35.4375	2004
22.01.2020 10:17:26	1	1	1	1	107.3	55.25	0	27630.332	574.1935484	15864.70252	30000	0	0	30000	34.6875	2004
22.01.2020 10:17:27	1	1	1	1	107.3	54.5	0	27630.332	572.0430108	15745.65814	30000	0	0	30000	35.1875	2004
22.01.2020 10:17:28	1	1	1	1	107.3	55	0	27962.085	572.0430108	16203.08211	30000	0	0	30000	35.25	2004
22.01.2020 10:17:29	1	1	1	1	107.3	55.25	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	34.3125	2004
22.01.2020 10:17:30	1	1	1	1	108	54.25	0	27914.692	572.0430108	16055.49969	30000	0	0	30000	34.5625	2004
22.01.2020 10:17:31	1	1	1	1	108	54.5	0	28009.479	569.8924731	15902.20966	30000	0	0	30000	34.75	2004
22.01.2020 10:17:32	1	1	1	1	108	54.75	0	28199.052	572.0430108	16070.17639	30000	0	0	30000	35.4375	2004
22.01.2020 10:17:33	1	1	1	1	108	55.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	35.4375	2004
22.01.2020 10:17:34	1	1	1	1	108	55.25	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	35.375	2004
22.01.2020 10:17:35	1	1	1	1	108	55.25	0	28009.479	572.0430108	15902.20966	30000	0	0	30000	35.125	2004
22.01.2020 10:17:36	1	1	1	1	108	55	0	28009.479	565.5913978	16130.51396	30000	0	0	30000	35.3125	2004
22.01.2020 10:17:37	1	1	1	1	108	55.25	0	28009.479	572.0430108	16130.51396	30000	0	0	30000	35.375	2004
22.01.2020 10:17:38	1	1	1	1	108	55.25	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	35.3125	2004
22.01.2020 10:17:39	1	1	1	1	109	55.25	0	28009.479	574.1935484	15961.73185	30000	0	0	30000	35.4375	2004
22.01.2020 10:17:41	1	1	1	1	109	55.25	0	27819.905	569.8924731	15854.10268	30000	0	0	30000	34.0625	2004
22.01.2020 10:17:42	1	1	1	1	109	54	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	35.25	2004
22.01.2020 10:17:43	1	1	1	1	109	55.25	0	28009.479	574.1935484	15961.73185	30000	0	0	30000	35.3125	2004
22.01.2020 10:17:44	1	1	1	1	109	55.25	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	34.875	2004
22.01.2020 10:17:45	1	1	1	1	109	54.75	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	34.4375	2004
22.01.2020 10:17:46	1	1	1	1	109	54.25	0	28009.479	576.344086	16142.74454	30000	0	0	30000	34.875	2004
22.01.2020 10:17:47	1	1	1	1	109	54.75	0	27867.299	572.0430108	15968.25483	30000	0	0	30000	35.1875	2004
22.01.2020 10:17:48	1	1	1	1	109	55	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	35.125	2004
22.01.2020 10:17:49	1	1	1	1	109	55	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	35.4375	2004
22.01.2020 10:17:50	1	1	1	1	107.5	55.25	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	35	2004
22.01.2020 10:17:51	1	1	1	1	107.5	55	0	28199.052	578.4946237	16142.74454	30000	0	0	30000	33.875	2004
22.01.2020 10:17:52	1	1	1	1	107.5	53.75	0	28009.479	574.1935484	16191.66689	30000	0	0	30000	34.6875	2004
22.01.2020 10:17:53	1	1	1	1	107.5	54.5	0	28199.052	574.1935484	16130.51396	30000	0	0	30000	35.4375	2004
22.01.2020 10:17:54	1	1	1	1	107.5	55.25	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	34.625	2004
22.01.2020 10:17:55	1	1	1	1	107.5	54.5	0	27962.085	576.344086	16115.83725	30000	0	0	30000	35.3125	2004
22.01.2020 10:17:56	1	1	1	1	107.5	55.25	0	27867.299	569.8924731	15854.10268	30000	0	0	30000	34.875	2004
22.01.2020 10:17:57	1	1	1	1	107.5	54.75	0	27867.299	572.0430108	15794.58049	30000	0	0	30000	35.375	2004
22.01.2020 10:17:58	1	1	1	1	107.5	55.25	0	28009.479	576.344086	16082.40698	30000	0	0	30000	35.25	2004
22.01.2020 10:17:59	1	1	1	1	107.5	55.25	0	27962.085	572.0430108	16055.49969	30000	0	0	30000	35.25	2004
22.01.2020 10:18:00	1	1	1	1	108.3	55.25	0	27630.332	576.344086	15864.70252	30000	0	0	30000	35.5625	2004
22.01.2020 10:18:01	1	1	1	1	108.3	55.5	0	27914.692	572.0430108	16027.77702	30000	0	0	30000	33.875	2004
22.01.2020 10:18:02	1	1	1	1	108.3	53.75	0	28009.479	576.344086	16142.74454	30000	0	0	30000	34.875	2004
22.01.2020 10:18:03	1	1	1	1	108.3	54.75	0	27819.905	572.0430108	15973.96244	30000	0	0	30000	34.875	2004
22.01.2020 10:18:04	1	1	1	1	108.3	54.75	0	27819.905	569.8924731	16061.20729	30000	0	0	30000	35	2004
22.01.2020 10:18:05	1	1	1	1	108.3	55	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	35.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 10:18:06	1	1	1	1	108.3	55.25	0	27867.299	576.344086	16088.11459	30000	0	0	30000	34.875	2004
22.01.2020 10:18:07	1	1	1	1	108.3	54.75	0	27867.299	576.344086	16033.48463	30000	0	0	30000	35.5625	2004
22.01.2020 10:18:08	1	1	1	1	108.3	55.5	0	27867.299	572.0430108	15941.34754	30000	0	0	30000	34.125	2004
22.01.2020 10:18:09	1	1	1	1	108.3	54	0	27914.692	574.1935484	16027.77702	30000	0	0	30000	35.5625	2004
22.01.2020 10:18:10	1	1	1	1	108.8	55.5	0	27819.905	576.344086	16033.48463	30000	0	0	30000	34.875	2004
22.01.2020 10:18:11	1	1	1	1	108.8	54.75	0	27867.299	576.344086	16093.00682	30000	0	0	30000	34.5	2004
22.01.2020 10:18:12	1	1	1	1	108.8	54.5	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	35.5	2004
22.01.2020 10:18:13	1	1	1	1	108.8	55.5	0	27630.332	576.344086	15983.74691	30000	0	0	30000	35.25	2004
22.01.2020 10:18:19	1	1	1	1	108.8	55	0	27819.905	572.0430108	15913.62487	30000	0	0	30000	35.25	2004
22.01.2020 10:18:20	1	1	1	1	108.8	55	0	27819.905	572.0430108	15913.62487	30000	0	0	30000	35.25	2004
22.01.2020 10:18:20	1	1	1	1	108.8	55	0	27819.905	572.0430108	15913.62487	30000	0	0	30000	35.25	2004
22.01.2020 10:18:20	1	1	1	1	107.5	55.25	0	27819.905	574.1935484	16033.48463	30000	0	0	30000	34.5	2004
22.01.2020 10:18:20	1	1	1	1	107.5	55.25	0	27819.905	574.1935484	16033.48463	30000	0	0	30000	34.5	2004
22.01.2020 10:18:21	1	1	1	1	107.5	54.5	0	27630.332	576.344086	15864.70252	30000	0	0	30000	35.25	2004
22.01.2020 10:18:22	1	1	1	1	107.5	55.25	0	27867.299	576.344086	16120.72949	30000	0	0	30000	35.4375	2004
22.01.2020 10:18:23	1	1	1	1	107.5	55.25	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	34.4375	2004
22.01.2020 10:18:24	1	1	1	1	107.5	54.25	0	27962.085	572.0430108	15995.16212	30000	0	0	30000	34.9375	2004
22.01.2020 10:18:25	1	1	1	1	107.5	54.75	0	27630.332	574.1935484	15864.70252	30000	0	0	30000	34.75	2004
22.01.2020 10:18:26	1	1	1	1	107.5	54.75	0	27630.332	576.344086	15978.85467	30000	0	0	30000	34.75	2004
22.01.2020 10:18:27	1	1	1	1	107.5	54.75	0	27962.085	574.1935484	16027.77702	30000	0	0	30000	35.0625	2004
22.01.2020 10:18:28	1	1	1	1	107.5	55	0	27914.692	572.0430108	16027.77702	30000	0	0	30000	34.875	2004
22.01.2020 10:18:29	1	1	1	1	107.5	54.75	0	27867.299	563.4408602	16027.77702	30000	0	0	30000	34.75	2004
22.01.2020 10:18:30	1	1	1	1	105.8	54.75	0	27914.692	574.1935484	16027.77702	30000	0	0	30000	35.5	2004
22.01.2020 10:18:31	1	1	1	1	105.8	55.5	0	27819.905	572.0430108	15913.62487	30000	0	0	30000	35.5625	2004
22.01.2020 10:18:32	1	1	1	1	105.8	55.5	0	27772.512	569.8924731	15859.81029	30000	0	0	30000	34.375	2004
22.01.2020 10:18:33	1	1	1	1	105.8	54.25	0	27867.299	563.4408602	15881.00997	30000	0	0	30000	35.4375	2004
22.01.2020 10:18:34	1	1	1	1	105.8	55.25	0	27867.299	569.8924731	15821.48778	30000	0	0	30000	35.625	2004
22.01.2020 10:18:35	1	1	1	1	105.8	55.5	0	27867.299	569.8924731	15913.62487	30000	0	0	30000	34.1875	2004
22.01.2020 10:18:36	1	1	1	1	105.8	54	0	28009.479	576.344086	16022.06942	30000	0	0	30000	34.6875	2004
22.01.2020 10:18:37	1	1	1	1	105.8	54.5	0	28009.479	572.0430108	16373.49496	30000	0	0	30000	35.5625	2004
22.01.2020 10:18:38	1	1	1	1	105.8	55.5	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	35.3125	2004
22.01.2020 10:18:39	1	1	1	1	105.8	55.25	0	27914.692	572.0430108	16088.11459	30000	0	0	30000	34.875	2004
22.01.2020 10:18:40	1	1	1	1	105.8	54.75	0	28199.052	576.344086	16252.00446	30000	0	0	30000	34.9375	2004
22.01.2020 10:18:41	1	1	1	1	105.8	54.75	0	27962.085	572.0430108	16022.06942	30000	0	0	30000	35.25	2004
22.01.2020 10:18:42	1	1	1	1	105.8	55.25	0	28009.479	574.1935484	16142.74454	30000	0	0	30000	35.625	2004
22.01.2020 10:18:43	1	1	1	1	105.8	55.5	0	27630.332	567.7419355	15389.34036	30000	0	0	30000	34.9375	2004
22.01.2020 10:18:44	1	1	1	1	105.8	54.75	0	28009.479	572.0430108	16130.51396	30000	0	0	30000	35.5	2004
22.01.2020 10:18:45	1	1	1	1	105.8	55.5	0	28199.052	572.0430108	16191.66689	30000	0	0	30000	34.6875	2004
22.01.2020 10:18:46	1	1	1	1	105.8	54.5	0	27914.692	569.8924731	15907.91727	30000	0	0	30000	35	2004
22.01.2020 10:18:47	1	1	1	1	105.8	55	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	35.4375	2004
22.01.2020 10:18:48	1	1	1	1	105.8	55.25	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	33.625	2004
22.01.2020 10:18:49	1	1	1	1	105.8	53.5	0	28436.019	565.5913978	16022.06942	30000	0	0	30000	35.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 10:18:50	1	1	1	1	107	55.25	0	28199.052	563.4408602	15948.68589	30000	0	0	30000	35.6875	2004
22.01.2020 10:18:51	1	1	1	1	107	55.5	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	35.1875	2004
22.01.2020 10:18:52	1	1	1	1	107	55	0	28199.052	574.1935484	16191.66689	30000	0	0	30000	35.125	2004
22.01.2020 10:18:53	1	1	1	1	107	55.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	35	2004
22.01.2020 10:18:54	1	1	1	1	107	55	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	35.4375	2004
22.01.2020 10:18:55	1	1	1	1	107	55.25	0	28293.839	567.7419355	16150.89827	30000	0	0	30000	35.5	2004
22.01.2020 10:18:56	1	1	1	1	107	55.5	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	35.375	2004
22.01.2020 10:18:58	1	1	1	1	107	55.25	0	28009.479	565.5913978	15961.73185	30000	0	0	30000	35.4375	2004
22.01.2020 10:18:59	1	1	1	1	107	55.25	0	28293.839	569.8924731	16150.89827	30000	0	0	30000	34.3125	2004
22.01.2020 10:19:00	1	1	1	1	107.3	54.25	0	28341.232	567.7419355	16063.65341	30000	0	0	30000	35.5	2004
22.01.2020 10:19:01	1	1	1	1	107.3	55.5	0	28293.839	565.5913978	16002.50048	30000	0	0	30000	35.375	2004
22.01.2020 10:19:02	1	1	1	1	107.3	55.25	0	28009.479	567.7419355	15841.8721	30000	0	0	30000	34.875	2004
22.01.2020 10:19:03	1	1	1	1	107.3	54.75	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	34.875	2004
22.01.2020 10:19:04	1	1	1	1	107.3	54.75	0	28009.479	567.7419355	16070.17639	30000	0	0	30000	35.4375	2004
22.01.2020 10:19:05	1	1	1	1	107.3	55.25	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	35.6875	2004
22.01.2020 10:19:06	1	1	1	1	107.3	55.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	35.0625	2004
22.01.2020 10:19:07	1	1	1	1	107.3	55	0	28009.479	569.8924731	16130.51396	30000	0	0	30000	34.875	2004
22.01.2020 10:19:08	1	1	1	1	107.3	54.75	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	35.5625	2004
22.01.2020 10:19:09	1	1	1	1	107.3	55.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	35.5	2004
22.01.2020 10:19:10	1	1	1	1	107.5	55.5	0	28009.479	567.7419355	15841.8721	30000	0	0	30000	35.375	2004
22.01.2020 10:19:11	1	1	1	1	107.5	55.25	0	27819.905	572.0430108	15854.10268	30000	0	0	30000	35.5	2004
22.01.2020 10:19:12	1	1	1	1	107.5	55.5	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	35	2004
22.01.2020 10:19:13	1	1	1	1	107.5	55	0	28009.479	574.1935484	16191.66689	30000	0	0	30000	35.125	2004
22.01.2020 10:19:14	1	1	1	1	107.5	55	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	34.8125	2004
22.01.2020 10:19:15	1	1	1	1	107.5	54.75	0	27962.085	569.8924731	15907.91727	30000	0	0	30000	35.375	2004
22.01.2020 10:19:21	1	1	1	1	109.3	54.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	35.5625	2004
22.01.2020 10:19:21	1	1	1	1	109.3	54.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	35.5625	2004
22.01.2020 10:19:21	1	1	1	1	109.3	54.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	35.5625	2004
22.01.2020 10:19:21	1	1	1	1	109.3	54.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	35.5625	2004
22.01.2020 10:19:21	1	1	1	1	109.3	54.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	35.5625	2004
22.01.2020 10:19:21	1	1	1	1	109.3	55.5	0	28199.052	574.1935484	16191.66689	30000	0	0	30000	35.75	2004
22.01.2020 10:19:22	1	1	1	1	109.3	55.75	0	28009.479	563.4408602	16082.40698	30000	0	0	30000	34.9375	2004
22.01.2020 10:19:23	1	1	1	1	109.3	54.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	35.625	2004
22.01.2020 10:19:24	1	1	1	1	109.3	55.5	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	34.5625	2004
22.01.2020 10:19:25	1	1	1	1	109.3	54.5	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	35.375	2004
22.01.2020 10:19:26	1	1	1	1	109.3	55.25	0	28009.479	572.0430108	16130.51396	30000	0	0	30000	35.625	2004
22.01.2020 10:19:27	1	1	1	1	109.3	55.5	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	35.0625	2004
22.01.2020 10:19:28	1	1	1	1	109.3	55	0	28199.052	576.344086	16312.34202	30000	0	0	30000	35.5	2004
22.01.2020 10:19:29	1	1	1	1	109.3	55.5	0	27962.085	569.8924731	15934.82456	30000	0	0	30000	36.1875	2004
22.01.2020 10:19:30	1	1	1	1	110	56	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	35.25	2004
22.01.2020 10:19:31	1	1	1	1	110	55.25	0	28009.479	572.0430108	15841.8721	30000	0	0	30000	35.1875	2004
22.01.2020 10:19:32	1	1	1	1	110	54.75	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	35.375	2004
22.01.2020 10:19:33	1	1	1	1	110	55.25	0	28009.479	567.7419355	16130.51396	30000	0	0	30000	35.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 10:19:34	1	1	1	1	110	55.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	35.0625	2004
22.01.2020 10:19:35	1	1	1	1	110	55	0	28199.052	574.1935484	16191.66689	30000	0	0	30000	35.9375	2004
22.01.2020 10:19:37	1	1	1	1	110	55.75	0	28199.052	569.8924731	15841.8721	30000	0	0	30000	35.875	2004
22.01.2020 10:19:38	1	1	1	1	110	55.75	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	35.125	2004
22.01.2020 10:19:39	1	1	1	1	110	55	0	28009.479	572.0430108	15781.53453	30000	0	0	30000	35.4375	2004
22.01.2020 10:19:40	1	1	1	1	109.5	55.25	0	27867.299	565.5913978	15848.39508	30000	0	0	30000	35.875	2004
22.01.2020 10:19:41	1	1	1	1	109.5	55.75	0	28199.052	572.0430108	16130.51396	30000	0	0	30000	34.3125	2004
22.01.2020 10:19:42	1	1	1	1	109.5	54.25	0	28009.479	569.8924731	15902.20966	30000	0	0	30000	34.875	2004
22.01.2020 10:19:43	1	1	1	1	109.5	54.75	0	27914.692	569.8924731	15907.91727	30000	0	0	30000	35.5625	2004
22.01.2020 10:19:44	1	1	1	1	109.5	55.5	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	34.9375	2004
22.01.2020 10:19:45	1	1	1	1	109.5	54.75	0	28199.052	572.0430108	16191.66689	30000	0	0	30000	35.875	2004
22.01.2020 10:19:46	1	1	1	1	109.5	55.75	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	35.0625	2004
22.01.2020 10:19:47	1	1	1	1	109.5	55	0	28009.479	576.344086	16022.06942	30000	0	0	30000	35.5	2004
22.01.2020 10:19:48	1	1	1	1	109.5	55.5	0	27914.692	567.7419355	15814.9648	30000	0	0	30000	35.5625	2004
22.01.2020 10:19:49	1	1	1	1	109.5	55.5	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	35.0625	2004
22.01.2020 10:19:50	1	1	1	1	110.8	55	0	28009.479	569.8924731	15841.8721	30000	0	0	30000	35.6875	2004
22.01.2020 10:19:51	1	1	1	1	110.8	55.5	0	27962.085	569.8924731	15934.82456	30000	0	0	30000	35.625	2004
22.01.2020 10:19:52	1	1	1	1	110.8	55.5	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	35.375	2004
22.01.2020 10:19:53	1	1	1	1	110.8	55.25	0	28009.479	569.8924731	15841.8721	30000	0	0	30000	35.1875	2004
22.01.2020 10:19:54	1	1	1	1	110.8	55	0	28009.479	569.8924731	16009.83883	30000	0	0	30000	35.75	2004
22.01.2020 10:19:55	1	1	1	1	110.8	55.75	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	34.875	2004
22.01.2020 10:19:56	1	1	1	1	110.8	54.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	35.25	2004
22.01.2020 10:19:57	1	1	1	1	110.8	55.25	0	27867.299	565.5913978	15788.05751	30000	0	0	30000	35.125	2004
22.01.2020 10:19:58	1	1	1	1	110.8	55	0	28009.479	567.7419355	16009.83883	30000	0	0	30000	35.5	2004
22.01.2020 10:19:59	1	1	1	1	110.8	55.5	0	28009.479	569.8924731	15781.53453	30000	0	0	30000	35.5	2004
22.01.2020 10:20:00	1	1	1	1	110.5	55.5	0	28009.479	569.8924731	16142.74454	30000	0	0	30000	34.6875	2004
22.01.2020 10:20:01	1	1	1	1	110.5	54.5	0	28009.479	576.344086	16082.40698	30000	0	0	30000	35.625	2004
22.01.2020 10:20:02	1	1	1	1	110.5	55.5	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	35.875	2004
22.01.2020 10:20:03	1	1	1	1	110.5	55.75	0	27819.905	569.8924731	15854.10268	30000	0	0	30000	35.1875	2004
22.01.2020 10:20:04	1	1	1	1	110.5	55	0	27962.085	574.1935484	16055.49969	30000	0	0	30000	35.5625	2004
22.01.2020 10:20:05	1	1	1	1	110.5	55.5	0	27867.299	563.4408602	15821.48778	30000	0	0	30000	35.4375	2004
22.01.2020 10:20:06	1	1	1	1	110.5	55.25	0	28009.479	574.1935484	16142.74454	30000	0	0	30000	35.875	2004
22.01.2020 10:20:07	1	1	1	1	110.5	55.75	0	27867.299	572.0430108	15854.10268	30000	0	0	30000	35.375	2004
22.01.2020 10:20:08	1	1	1	1	110.5	55.25	0	27867.299	572.0430108	15941.34754	30000	0	0	30000	36.0625	2004
22.01.2020 10:20:09	1	1	1	1	110.5	56	0	27867.299	572.0430108	15907.91727	30000	0	0	30000	35.3125	2004
22.01.2020 10:20:10	1	1	1	1	111	55.25	0	27914.692	574.1935484	15968.25483	30000	0	0	30000	35.9375	2004
22.01.2020 10:20:11	1	1	1	1	111	55.25	0	27914.692	569.8924731	15934.82456	30000	0	0	30000	35.625	2004
22.01.2020 10:20:12	1	1	1	1	111	55.5	0	27819.905	574.1935484	15973.96244	30000	0	0	30000	35.25	2004
22.01.2020 10:20:13	1	1	1	1	111	55.25	0	27819.905	572.0430108	15941.34754	30000	0	0	30000	35.1875	2004
22.01.2020 10:20:15	1	1	1	1	111	55	0	27819.905	572.0430108	16000.86973	30000	0	0	30000	35.1875	2004
22.01.2020 10:20:16	1	1	1	1	111	55	0	27914.692	572.0430108	16027.77702	30000	0	0	30000	35.1875	2004
22.01.2020 10:20:17	1	1	1	1	111	55	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	35.375	2004
22.01.2020 10:20:23	1	1	1	1	111	55.75	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	35.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 10:20:23	1	1	1	1	111	55.75	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	35.5	2004
22.01.2020 10:20:23	1	1	1	1	111	55.75	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	35.5	2004
22.01.2020 10:20:23	1	1	1	1	111	55.75	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	35.5	2004
22.01.2020 10:20:23	1	1	1	1	111	55.75	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	35.5	2004
22.01.2020 10:20:23	1	1	1	1	111	55.75	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	35.5	2004
22.01.2020 10:20:24	1	1	1	1	111	55.5	0	28009.479	563.4408602	16070.17639	30000	0	0	30000	35.75	2004
22.01.2020 10:20:25	1	1	1	1	111	55.75	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	35.3125	2004
22.01.2020 10:20:26	1	1	1	1	111	55.25	0	28199.052	576.344086	16191.66689	30000	0	0	30000	35.75	2004
22.01.2020 10:20:27	1	1	1	1	111	55.75	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	35.625	2004
22.01.2020 10:20:28	1	1	1	1	111	55.5	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	35.3125	2004
22.01.2020 10:20:29	1	1	1	1	111	55.25	0	27819.905	569.8924731	15854.10268	30000	0	0	30000	35.25	2004
22.01.2020 10:20:30	1	1	1	1	110.8	55.25	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	36	2004
22.01.2020 10:20:31	1	1	1	1	110.8	56	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	34.875	2004
22.01.2020 10:20:32	1	1	1	1	110.8	54.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	35.6875	2004
22.01.2020 10:20:33	1	1	1	1	110.8	55.5	0	27914.692	567.7419355	15875.30237	30000	0	0	30000	34.6875	2004
22.01.2020 10:20:34	1	1	1	1	110.8	54.5	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	35.5	2004
22.01.2020 10:20:35	1	1	1	1	110.8	55.5	0	28199.052	574.1935484	16082.40698	30000	0	0	30000	35.0625	2004
22.01.2020 10:20:36	1	1	1	1	110.8	55	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	35.9375	2004
22.01.2020 10:20:37	1	1	1	1	110.8	55.75	0	28009.479	569.8924731	16130.51396	30000	0	0	30000	35.875	2004
22.01.2020 10:20:38	1	1	1	1	110.8	55.75	0	28009.479	565.5913978	15841.8721	30000	0	0	30000	35.8125	2004
22.01.2020 10:20:39	1	1	1	1	110.8	55.75	0	28199.052	572.0430108	16070.17639	30000	0	0	30000	35.1875	2004
22.01.2020 10:20:40	1	1	1	1	110.8	55	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	35.5625	2004
22.01.2020 10:20:41	1	1	1	1	110.8	55.5	0	28199.052	574.1935484	16191.66689	30000	0	0	30000	35.8125	2004
22.01.2020 10:20:42	1	1	1	1	110.8	55.75	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	35.625	2004
22.01.2020 10:20:43	1	1	1	1	110.8	55.5	0	28009.479	565.5913978	16070.17639	30000	0	0	30000	36	2004
22.01.2020 10:20:44	1	1	1	1	110.8	56	0	28009.479	565.5913978	15961.73185	30000	0	0	30000	35	2004
22.01.2020 10:20:45	1	1	1	1	110.8	55	0	27867.299	567.7419355	15821.48778	30000	0	0	30000	34.25	2004
22.01.2020 10:20:46	1	1	1	1	110.8	54.25	0	27962.085	578.4946237	15907.91727	30000	0	0	30000	35.8125	2004
22.01.2020 10:20:47	1	1	1	1	110.8	55.75	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	35.5625	2004
22.01.2020 10:20:48	1	1	1	1	110.8	55.5	0	28009.479	576.344086	16022.06942	30000	0	0	30000	36	2004
22.01.2020 10:20:49	1	1	1	1	112.3	56	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	35.25	2004
22.01.2020 10:20:50	1	1	1	1	112.3	55.25	0	27914.692	572.0430108	15907.91727	30000	0	0	30000	35.375	2004
22.01.2020 10:20:51	1	1	1	1	112.3	55.25	0	27867.299	572.0430108	15881.00997	30000	0	0	30000	36.125	2004
22.01.2020 10:20:53	1	1	1	1	112.3	56	0	28009.479	574.1935484	16142.74454	30000	0	0	30000	35.875	2004
22.01.2020 10:20:54	1	1	1	1	112.3	55.75	0	27867.299	572.0430108	16000.86973	30000	0	0	30000	35.9375	2004
22.01.2020 10:20:55	1	1	1	1	112.3	55.75	0	27962.085	574.1935484	16055.49969	30000	0	0	30000	35.9375	2004
22.01.2020 10:20:56	1	1	1	1	112.3	55.75	0	27867.299	574.1935484	16061.20729	30000	0	0	30000	35.1875	2004
22.01.2020 10:20:57	1	1	1	1	112.3	55	0	27914.692	572.0430108	16027.77702	30000	0	0	30000	35.6875	2004
22.01.2020 10:20:58	1	1	1	1	112.3	55.5	0	28009.479	574.1935484	16055.49969	30000	0	0	30000	35.875	2004
22.01.2020 10:20:59	1	1	1	1	112.3	55.75	0	27819.905	572.0430108	16000.86973	30000	0	0	30000	35.9375	2004
22.01.2020 10:21:00	1	1	1	1	112	55.75	0	27630.332	576.344086	15924.22472	30000	0	0	30000	35.8125	2004
22.01.2020 10:21:01	1	1	1	1	112	55.75	0	27819.905	572.0430108	15913.62487	30000	0	0	30000	35.625	2004
22.01.2020 10:21:02	1	1	1	1	112	55.5	0	27867.299	574.1935484	15973.96244	30000	0	0	30000	35.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 10:21:03	1	1	1	1	112	55	0	27867.299	576.344086	16061.20729	30000	0	0	30000	35.875	2004
22.01.2020 10:21:04	1	1	1	1	112	55.75	0	27867.299	578.4946237	16000.86973	30000	0	0	30000	35.3125	2004
22.01.2020 10:21:05	1	1	1	1	112	55.25	0	27914.692	572.0430108	15968.25483	30000	0	0	30000	35.0625	2004
22.01.2020 10:21:06	1	1	1	1	112	55	0	27962.085	574.1935484	16082.40698	30000	0	0	30000	34.9375	2004
22.01.2020 10:21:07	1	1	1	1	112	54.75	0	27867.299	576.344086	16000.86973	30000	0	0	30000	35.3125	2004
22.01.2020 10:21:08	1	1	1	1	112	55.25	0	27630.332	576.344086	15983.74691	30000	0	0	30000	35.9375	2004
22.01.2020 10:21:09	1	1	1	1	112	55.75	0	27867.299	572.0430108	16088.11459	30000	0	0	30000	35.3125	2004
22.01.2020 10:21:10	1	1	1	1	111.8	55.25	0	27725.118	576.344086	15864.70252	30000	0	0	30000	35.875	2004
22.01.2020 10:21:11	1	1	1	1	111.8	55.75	0	27867.299	576.344086	16000.86973	30000	0	0	30000	35.5625	2004
22.01.2020 10:21:12	1	1	1	1	111.8	55.5	0	27914.692	574.1935484	16000.86973	30000	0	0	30000	35.9375	2004
22.01.2020 10:21:13	1	1	1	1	111.8	55.75	0	27819.905	563.4408602	15794.58049	30000	0	0	30000	36.0625	2004
22.01.2020 10:21:14	1	1	1	1	111.8	56	0	27867.299	576.344086	16061.20729	30000	0	0	30000	36	2004
22.01.2020 10:21:15	1	1	1	1	111.8	56	0	27867.299	574.1935484	15913.62487	30000	0	0	30000	35.9375	2004
22.01.2020 10:21:16	1	1	1	1	111.8	55.75	0	27819.905	576.344086	16093.00682	30000	0	0	30000	35.9375	2004
22.01.2020 10:21:17	1	1	1	1	111.8	55.75	0	27867.299	576.344086	16061.20729	30000	0	0	30000	35.9375	2004
22.01.2020 10:21:18	1	1	1	1	111.8	55.75	0	27725.118	569.8924731	15864.70252	30000	0	0	30000	35.8125	2004
22.01.2020 10:21:24	1	1	1	1	111.8	56	0	27914.692	574.1935484	16088.11459	30000	0	0	30000	35.75	2004
22.01.2020 10:21:24	1	1	1	1	111.8	56	0	27914.692	574.1935484	16088.11459	30000	0	0	30000	35.75	2004
22.01.2020 10:21:24	1	1	1	1	111.8	56	0	27914.692	574.1935484	16088.11459	30000	0	0	30000	35.75	2004
22.01.2020 10:21:24	1	1	1	1	111.8	56	0	27914.692	574.1935484	16088.11459	30000	0	0	30000	35.75	2004
22.01.2020 10:21:24	1	1	1	1	111.8	55.75	0	27867.299	576.344086	16061.20729	30000	0	0	30000	35.875	2004
22.01.2020 10:21:25	1	1	1	1	111.8	55.75	0	27630.332	572.0430108	15973.96244	30000	0	0	30000	35.8125	2004
22.01.2020 10:21:26	1	1	1	1	111.8	55.75	0	27725.118	574.1935484	15864.70252	30000	0	0	30000	36.25	2004
22.01.2020 10:21:27	1	1	1	1	111.8	56.25	0	27725.118	574.1935484	15864.70252	30000	0	0	30000	35.9375	2004
22.01.2020 10:21:28	1	1	1	1	111.8	55.75	0	27725.118	574.1935484	16093.00682	30000	0	0	30000	36	2004
22.01.2020 10:21:29	1	1	1	1	112.3	55.75	0	28009.479	576.344086	16082.40698	30000	0	0	30000	35.875	2004
22.01.2020 10:21:30	1	1	1	1	112.3	55.75	0	27867.299	576.344086	16120.72949	30000	0	0	30000	35.6875	2004
22.01.2020 10:21:32	1	1	1	1	112.3	55.5	0	27819.905	572.0430108	15913.62487	30000	0	0	30000	35.625	2004
22.01.2020 10:21:33	1	1	1	1	112.3	55.5	0	27819.905	567.7419355	15973.96244	30000	0	0	30000	35.125	2004
22.01.2020 10:21:34	1	1	1	1	112.3	55	0	27725.118	574.1935484	15864.70252	30000	0	0	30000	36.125	2004
22.01.2020 10:21:35	1	1	1	1	112.3	56	0	27867.299	572.0430108	16061.20729	30000	0	0	30000	36.1875	2004
22.01.2020 10:21:36	1	1	1	1	112.3	56	0	27630.332	574.1935484	15973.96244	30000	0	0	30000	36.125	2004
22.01.2020 10:21:37	1	1	1	1	112.3	56	0	27867.299	572.0430108	16027.77702	30000	0	0	30000	35.875	2004
22.01.2020 10:21:38	1	1	1	1	112.3	55.75	0	27962.085	574.1935484	16055.49969	30000	0	0	30000	36.1875	2004
22.01.2020 10:21:39	1	1	1	1	112.3	56	0	27819.905	576.344086	15913.62487	30000	0	0	30000	36.1875	2004
22.01.2020 10:21:40	1	1	1	1	111.5	56	0	27819.905	576.344086	16093.00682	30000	0	0	30000	34.6875	2004
22.01.2020 10:21:41	1	1	1	1	111.5	54.5	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	36.0625	2004
22.01.2020 10:21:42	1	1	1	1	111.5	56	0	27819.905	574.1935484	16093.00682	30000	0	0	30000	35.5	2004
22.01.2020 10:21:43	1	1	1	1	111.5	55.5	0	27867.299	576.344086	16033.48463	30000	0	0	30000	36.1875	2004
22.01.2020 10:21:44	1	1	1	1	111.5	56	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	36.1875	2004
22.01.2020 10:21:45	1	1	1	1	111.5	56	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	35.75	2004
22.01.2020 10:21:46	1	1	1	1	111.5	55.75	0	27819.905	576.344086	15973.96244	30000	0	0	30000	35.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 10:21:47	1	1	1	1	111.5	55.75	0	27867.299	582.7956989	16033.48463	30000	0	0	30000	36.0625	2004
22.01.2020 10:21:48	1	1	1	1	111.5	56	0	27914.692	576.344086	16027.77702	30000	0	0	30000	35.5625	2004
22.01.2020 10:21:49	1	1	1	1	111.5	55.5	0	27630.332	574.1935484	15864.70252	30000	0	0	30000	36.125	2004
22.01.2020 10:21:50	1	1	1	1	111.8	56	0	27630.332	576.344086	15924.22472	30000	0	0	30000	36.0625	2004
22.01.2020 10:21:51	1	1	1	1	111.8	56	0	27914.692	569.8924731	16055.49969	30000	0	0	30000	35.875	2004
22.01.2020 10:21:52	1	1	1	1	111.8	55.75	0	27819.905	572.0430108	15913.62487	30000	0	0	30000	35.8125	2004
22.01.2020 10:21:53	1	1	1	1	111.8	55.75	0	27962.085	574.1935484	16027.77702	30000	0	0	30000	35.5625	2004
22.01.2020 10:21:54	1	1	1	1	111.8	55.5	0	28199.052	574.1935484	16082.40698	30000	0	0	30000	35.6875	2004
22.01.2020 10:21:55	1	1	1	1	111.8	55.5	0	27630.332	572.0430108	15805.18033	30000	0	0	30000	35.375	2004
22.01.2020 10:21:56	1	1	1	1	111.8	55.25	0	28009.479	576.344086	16055.49969	30000	0	0	30000	35.25	2004
22.01.2020 10:21:57	1	1	1	1	111.8	55.25	0	27962.085	578.4946237	16115.83725	30000	0	0	30000	35.875	2004
22.01.2020 10:21:58	1	1	1	1	111.8	55.75	0	27630.332	572.0430108	16093.00682	30000	0	0	30000	35.1875	2004
22.01.2020 10:21:59	1	1	1	1	111.8	55	0	27725.118	574.1935484	15864.70252	30000	0	0	30000	34.875	2004
22.01.2020 10:22:00	1	1	1	1	111.3	54.75	0	27725.118	574.1935484	15864.70252	30000	0	0	30000	35.0625	2004
22.01.2020 10:22:01	1	1	1	1	111.3	55	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	34.9375	2004
22.01.2020 10:22:02	1	1	1	1	111.3	54.75	0	27867.299	576.344086	16120.72949	30000	0	0	30000	36.1875	2004
22.01.2020 10:22:03	1	1	1	1	111.3	56	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	35.875	2004
22.01.2020 10:22:04	1	1	1	1	111.3	55.75	0	27630.332	576.344086	15924.22472	30000	0	0	30000	35.125	2004
22.01.2020 10:22:05	1	1	1	1	111.3	55	0	27630.332	574.1935484	15924.22472	30000	0	0	30000	35.75	2004
22.01.2020 10:22:06	1	1	1	1	111.3	55.75	0	27630.332	572.0430108	15745.65814	30000	0	0	30000	36.625	2004
22.01.2020 10:22:07	1	1	1	1	111.3	56.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	35.375	2004
22.01.2020 10:22:09	1	1	1	1	111.3	55.25	0	27867.299	578.4946237	16120.72949	30000	0	0	30000	35.875	2004
22.01.2020 10:22:10	1	1	1	1	112	55.75	0	27630.332	578.4946237	16093.00682	30000	0	0	30000	35.9375	2004
22.01.2020 10:22:11	1	1	1	1	112	55.75	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	35.75	2004
22.01.2020 10:22:12	1	1	1	1	112	55.75	0	27819.905	576.344086	16033.48463	30000	0	0	30000	36.4375	2004
22.01.2020 10:22:13	1	1	1	1	112	56.25	0	27630.332	576.344086	15924.22472	30000	0	0	30000	35.75	2004
22.01.2020 10:22:14	1	1	1	1	112	55.75	0	27819.905	578.4946237	16120.72949	30000	0	0	30000	36.3125	2004
22.01.2020 10:22:15	1	1	1	1	112	56.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	36.3125	2004
22.01.2020 10:22:16	1	1	1	1	112	56.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	35.625	2004
22.01.2020 10:22:17	1	1	1	1	112	55.5	0	27582.938	574.1935484	15983.74691	30000	0	0	30000	35.3125	2004
22.01.2020 10:22:18	1	1	1	1	112	55.25	0	27819.905	576.344086	15978.85467	30000	0	0	30000	35.5	2004
22.01.2020 10:22:19	1	1	1	1	112	55.5	0	27867.299	578.4946237	16120.72949	30000	0	0	30000	36	2004
22.01.2020 10:22:20	1	1	1	1	111.8	56	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	36.125	2004
22.01.2020 10:22:26	1	1	1	1	111.8	56.25	0	27867.299	567.7419355	16000.86973	30000	0	0	30000	35.8125	2004
22.01.2020 10:22:26	1	1	1	1	111.8	56.25	0	27867.299	567.7419355	16000.86973	30000	0	0	30000	35.8125	2004
22.01.2020 10:22:26	1	1	1	1	111.8	56.25	0	27867.299	567.7419355	16000.86973	30000	0	0	30000	35.8125	2004
22.01.2020 10:22:26	1	1	1	1	111.8	56.25	0	27867.299	567.7419355	16000.86973	30000	0	0	30000	35.8125	2004
22.01.2020 10:22:26	1	1	1	1	111.8	56.25	0	27867.299	567.7419355	16000.86973	30000	0	0	30000	35.8125	2004
22.01.2020 10:22:26	1	1	1	1	111.8	55.75	0	27867.299	572.0430108	16000.86973	30000	0	0	30000	36.125	2004
22.01.2020 10:22:27	1	1	1	1	111.8	56	0	27819.905	574.1935484	15973.96244	30000	0	0	30000	36.125	2004
22.01.2020 10:22:28	1	1	1	1	111.8	56	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	36.1875	2004
22.01.2020 10:22:29	1	1	1	1	111.8	56	0	27630.332	576.344086	15864.70252	30000	0	0	30000	36.375	2004
22.01.2020 10:22:30	1	1	1	1	111.8	56.25	0	27630.332	569.8924731	15973.96244	30000	0	0	30000	36.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 10:22:31	1	1	1	1	111.8	56	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	36.1875	2004
22.01.2020 10:22:32	1	1	1	1	111.8	56	0	27819.905	569.8924731	15913.62487	30000	0	0	30000	36.125	2004
22.01.2020 10:22:33	1	1	1	1	111.8	56	0	27962.085	574.1935484	15907.91727	30000	0	0	30000	36.375	2004
22.01.2020 10:22:34	1	1	1	1	111.8	56.25	0	27962.085	574.1935484	16055.49969	30000	0	0	30000	35.0625	2004
22.01.2020 10:22:35	1	1	1	1	111.8	55	0	27867.299	576.344086	16000.86973	30000	0	0	30000	36.375	2004
22.01.2020 10:22:36	1	1	1	1	111.8	56.25	0	27962.085	574.1935484	16055.49969	30000	0	0	30000	36.1875	2004
22.01.2020 10:22:37	1	1	1	1	111.8	56	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	36	2004
22.01.2020 10:22:38	1	1	1	1	111.8	56	0	27772.512	576.344086	15864.70252	30000	0	0	30000	36.3125	2004
22.01.2020 10:22:39	1	1	1	1	111.8	56.25	0	27867.299	569.8924731	15941.34754	30000	0	0	30000	35.25	2004
22.01.2020 10:22:40	1	1	1	1	111.8	55.25	0	27914.692	565.5913978	15641.29046	30000	0	0	30000	36.1875	2004
22.01.2020 10:22:41	1	1	1	1	111.8	56	0	28009.479	578.4946237	16142.74454	30000	0	0	30000	36.0625	2004
22.01.2020 10:22:42	1	1	1	1	111.8	56	0	27630.332	569.8924731	15805.18033	30000	0	0	30000	36.625	2004
22.01.2020 10:22:43	1	1	1	1	111.8	56.5	0	27867.299	572.0430108	15913.62487	30000	0	0	30000	36.1875	2004
22.01.2020 10:22:44	1	1	1	1	111.8	55	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	36.375	2004
22.01.2020 10:22:46	1	1	1	1	111.8	56.25	0	27962.085	572.0430108	15788.05751	30000	0	0	30000	35.875	2004
22.01.2020 10:22:47	1	1	1	1	111.8	55.75	0	27867.299	576.344086	16000.86973	30000	0	0	30000	35.75	2004
22.01.2020 10:22:48	1	1	1	1	111.8	55.75	0	27630.332	574.1935484	15864.70252	30000	0	0	30000	35.625	2004
22.01.2020 10:22:49	1	1	1	1	111.8	55.5	0	27867.299	572.0430108	15973.96244	30000	0	0	30000	35.75	2004
22.01.2020 10:22:50	1	1	1	1	111.5	55.75	0	27630.332	569.8924731	16033.48463	30000	0	0	30000	35.4375	2004
22.01.2020 10:22:51	1	1	1	1	111.5	55.25	0	27819.905	576.344086	16033.48463	30000	0	0	30000	35.9375	2004
22.01.2020 10:22:52	1	1	1	1	111.5	55.75	0	27630.332	578.4946237	16038.37687	30000	0	0	30000	35.8125	2004
22.01.2020 10:22:53	1	1	1	1	111.5	55.75	0	27914.692	580.6451613	16120.72949	30000	0	0	30000	36.25	2004
22.01.2020 10:22:54	1	1	1	1	111.5	56.25	0	27630.332	572.0430108	15924.22472	30000	0	0	30000	35.125	2004
22.01.2020 10:22:55	1	1	1	1	111.5	55	0	27630.332	576.344086	16093.00682	30000	0	0	30000	36.1875	2004
22.01.2020 10:22:56	1	1	1	1	111.5	56	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	35.5625	2004
22.01.2020 10:22:57	1	1	1	1	111.5	55.5	0	27630.332	569.8924731	15745.65814	30000	0	0	30000	36.25	2004
22.01.2020 10:22:58	1	1	1	1	111.5	56.25	0	27819.905	572.0430108	15627.42913	30000	0	0	30000	35.75	2004
22.01.2020 10:22:59	1	1	1	1	111.5	55.75	0	27914.692	569.8924731	15907.91727	30000	0	0	30000	35.375	2004
22.01.2020 10:23:00	1	1	1	1	111	55.25	0	28009.479	574.1935484	16142.74454	30000	0	0	30000	35.8125	2004
22.01.2020 10:23:01	1	1	1	1	111	55.75	0	27867.299	567.7419355	15881.00997	30000	0	0	30000	36.375	2004
22.01.2020 10:23:02	1	1	1	1	111	56.25	0	27914.692	572.0430108	15941.34754	30000	0	0	30000	36.5625	2004
22.01.2020 10:23:03	1	1	1	1	111	56.5	0	27630.332	569.8924731	15864.70252	30000	0	0	30000	35.25	2004
22.01.2020 10:23:04	1	1	1	1	111	55.25	0	27867.299	572.0430108	15881.00997	30000	0	0	30000	35.5	2004
22.01.2020 10:23:05	1	1	1	1	111	55.5	0	27819.905	572.0430108	15854.10268	30000	0	0	30000	35.375	2004
22.01.2020 10:23:06	1	1	1	1	111	55.25	0	27630.332	567.7419355	15924.22472	30000	0	0	30000	36.375	2004
22.01.2020 10:23:07	1	1	1	1	111	56.25	0	27630.332	576.344086	15864.70252	30000	0	0	30000	36.3125	2004
22.01.2020 10:23:08	1	1	1	1	111	56.25	0	27819.905	574.1935484	16033.48463	30000	0	0	30000	36.5	2004
22.01.2020 10:23:09	1	1	1	1	111	56.5	0	27819.905	576.344086	16033.48463	30000	0	0	30000	36.5	2004
22.01.2020 10:23:10	1	1	1	1	111.8	56.5	0	27819.905	576.344086	16093.00682	30000	0	0	30000	36.125	2004
22.01.2020 10:23:11	1	1	1	1	111.8	56	0	27914.692	576.344086	16175.35944	30000	0	0	30000	36	2004
22.01.2020 10:23:12	1	1	1	1	111.8	56	0	27630.332	572.0430108	15924.22472	30000	0	0	30000	36.5	2004
22.01.2020 10:23:13	1	1	1	1	111.8	56.5	0	27630.332	569.8924731	15924.22472	30000	0	0	30000	36.125	2004
22.01.2020 10:23:14	1	1	1	1	111.8	56	0	27819.905	574.1935484	15973.96244	30000	0	0	30000	35.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 10:23:15	1	1	1	1	111.8	55.75	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	36.25	2004
22.01.2020 10:23:16	1	1	1	1	111.8	56.25	0	27630.332	576.344086	15924.22472	30000	0	0	30000	36.1875	2004
22.01.2020 10:23:17	1	1	1	1	111.8	56	0	27630.332	576.344086	15924.22472	30000	0	0	30000	35.625	2004
22.01.2020 10:23:18	1	1	1	1	111.8	55.5	0	27867.299	572.0430108	16027.77702	30000	0	0	30000	36.3125	2004
22.01.2020 10:23:19	1	1	1	1	111.8	56.25	0	27867.299	572.0430108	15881.00997	30000	0	0	30000	36.125	2004
22.01.2020 10:23:20	1	1	1	1	112	56	0	27819.905	576.344086	16033.48463	30000	0	0	30000	36.4375	2004
22.01.2020 10:23:21	1	1	1	1	112	56.25	0	28009.479	574.1935484	16142.74454	30000	0	0	30000	36.75	2004
22.01.2020 10:23:28	1	1	1	1	112	56.25	0	27867.299	580.6451613	15913.62487	30000	0	0	30000	35.9375	2004
22.01.2020 10:23:28	1	1	1	1	112	56.25	0	27867.299	580.6451613	15913.62487	30000	0	0	30000	35.9375	2004
22.01.2020 10:23:28	1	1	1	1	112	56.25	0	27867.299	580.6451613	15913.62487	30000	0	0	30000	35.9375	2004
22.01.2020 10:23:28	1	1	1	1	112	56.25	0	27867.299	580.6451613	15913.62487	30000	0	0	30000	35.9375	2004
22.01.2020 10:23:28	1	1	1	1	112	55.75	0	27819.905	576.344086	15924.22472	30000	0	0	30000	36.375	2004
22.01.2020 10:23:31	1	1	1	1	112	56.25	0	27867.299	574.1935484	16061.20729	30000	0	0	30000	36.5625	2004
22.01.2020 10:23:31	1	1	1	1	112	56.25	0	27867.299	574.1935484	16061.20729	30000	0	0	30000	36.5625	2004
22.01.2020 10:23:31	1	1	1	1	112	56.25	0	27867.299	574.1935484	16061.20729	30000	0	0	30000	36.5625	2004
22.01.2020 10:23:32	1	1	1	1	112	56.5	0	27819.905	576.344086	16033.48463	30000	0	0	30000	36.5	2004
22.01.2020 10:23:33	1	1	1	1	112	56.5	0	28009.479	576.344086	16142.74454	30000	0	0	30000	35.4375	2004
22.01.2020 10:23:34	1	1	1	1	112	55.25	0	27914.692	576.344086	16000.86973	30000	0	0	30000	36	2004
22.01.2020 10:23:35	1	1	1	1	112	56	0	27962.085	574.1935484	16055.49969	30000	0	0	30000	35.8125	2004
22.01.2020 10:23:36	1	1	1	1	112	55.75	0	27914.692	574.1935484	16027.77702	30000	0	0	30000	35.375	2004
22.01.2020 10:23:37	1	1	1	1	112	55.25	0	28009.479	567.7419355	16082.40698	30000	0	0	30000	35.75	2004
22.01.2020 10:23:38	1	1	1	1	112	55.75	0	27867.299	574.1935484	15973.96244	30000	0	0	30000	36.125	2004
22.01.2020 10:23:39	1	1	1	1	112	56	0	27962.085	572.0430108	16082.40698	30000	0	0	30000	35.75	2004
22.01.2020 10:23:40	1	1	1	1	111.8	55.75	0	27914.692	574.1935484	16000.86973	30000	0	0	30000	35.25	2004
22.01.2020 10:23:41	1	1	1	1	111.8	55.25	0	27630.332	576.344086	15924.22472	30000	0	0	30000	36.5	2004
22.01.2020 10:23:42	1	1	1	1	111.8	56.5	0	27630.332	576.344086	15924.22472	30000	0	0	30000	36.4375	2004
22.01.2020 10:23:43	1	1	1	1	111.8	56.25	0	27962.085	574.1935484	16055.49969	30000	0	0	30000	36.125	2004
22.01.2020 10:23:44	1	1	1	1	111.8	56	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	36.625	2004
22.01.2020 10:23:45	1	1	1	1	111.8	56.5	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	36.25	2004
22.01.2020 10:23:46	1	1	1	1	111.8	56.25	0	27867.299	576.344086	16088.11459	30000	0	0	30000	36.125	2004
22.01.2020 10:23:47	1	1	1	1	111.8	56	0	27867.299	569.8924731	16120.72949	30000	0	0	30000	36.1875	2004
22.01.2020 10:23:48	1	1	1	1	111.8	56	0	27772.512	576.344086	15924.22472	30000	0	0	30000	35.8125	2004
22.01.2020 10:23:49	1	1	1	1	111.8	55.75	0	27867.299	572.0430108	16027.77702	30000	0	0	30000	36.4375	2004
22.01.2020 10:23:50	1	1	1	1	112	56.25	0	27630.332	567.7419355	15854.10268	30000	0	0	30000	36.5625	2004
22.01.2020 10:23:51	1	1	1	1	112	56.5	0	27819.905	576.344086	16033.48463	30000	0	0	30000	35.875	2004
22.01.2020 10:23:52	1	1	1	1	112	55.75	0	27630.332	576.344086	15983.74691	30000	0	0	30000	35.9375	2004
22.01.2020 10:23:53	1	1	1	1	112	55.75	0	27867.299	574.1935484	16027.77702	30000	0	0	30000	35.375	2004
22.01.2020 10:23:54	1	1	1	1	112	55.25	0	27867.299	572.0430108	15913.62487	30000	0	0	30000	36.1875	2004
22.01.2020 10:23:55	1	1	1	1	112	56	0	27867.299	576.344086	16120.72949	30000	0	0	30000	36.6875	2004
22.01.2020 10:23:56	1	1	1	1	112	56.5	0	27914.692	576.344086	16027.77702	30000	0	0	30000	36.5	2004
22.01.2020 10:23:57	1	1	1	1	112	56.5	0	27867.299	572.0430108	16000.86973	30000	0	0	30000	35.875	2004
22.01.2020 10:23:58	1	1	1	1	112	55.75	0	28009.479	576.344086	16323.75724	30000	0	0	30000	36.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 10:23:59	1	1	1	1	112	56.5	0	27962.085	574.1935484	16055.49969	30000	0	0	30000	36.625	2004
22.01.2020 10:24:00	1	1	1	1	112.5	56.5	0	27630.332	569.8924731	15864.70252	30000	0	0	30000	36.6875	2004
22.01.2020 10:24:01	1	1	1	1	112.5	56.5	0	27914.692	574.1935484	16055.49969	30000	0	0	30000	36.4375	2004
22.01.2020 10:24:02	1	1	1	1	112.5	56.25	0	27819.905	572.0430108	15913.62487	30000	0	0	30000	36.875	2004
22.01.2020 10:24:04	1	1	1	1	112.5	56	0	27867.299	578.4946237	15973.96244	30000	0	0	30000	36.1875	2004
22.01.2020 10:24:05	1	1	1	1	112.5	56	0	27725.118	574.1935484	15924.22472	30000	0	0	30000	35.75	2004
22.01.2020 10:24:06	1	1	1	1	112.5	55.75	0	27962.085	576.344086	16055.49969	30000	0	0	30000	35.5625	2004
22.01.2020 10:24:07	1	1	1	1	112.5	55.5	0	27867.299	569.8924731	15734.24293	30000	0	0	30000	36.5625	2004
22.01.2020 10:24:08	1	1	1	1	112.5	56.5	0	27867.299	576.344086	16061.20729	30000	0	0	30000	36.375	2004
22.01.2020 10:24:09	1	1	1	1	112.5	56.25	0	27867.299	574.1935484	16027.77702	30000	0	0	30000	36.1875	2004
22.01.2020 10:24:10	1	1	1	1	112.3	56	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	36.75	2004
22.01.2020 10:24:11	1	1	1	1	112.3	56.75	0	27867.299	576.344086	16027.77702	30000	0	0	30000	36.6875	2004
22.01.2020 10:24:12	1	1	1	1	112.3	56.5	0	27819.905	569.8924731	15913.62487	30000	0	0	30000	36.375	2004
22.01.2020 10:24:13	1	1	1	1	112.3	56.25	0	27630.332	574.1935484	16033.48463	30000	0	0	30000	36.5625	2004
22.01.2020 10:24:14	1	1	1	1	112.3	56.5	0	27630.332	572.0430108	15924.22472	30000	0	0	30000	36.5625	2004
22.01.2020 10:24:15	1	1	1	1	112.3	56.5	0	27725.118	576.344086	16153.34439	30000	0	0	30000	36.6875	2004
22.01.2020 10:24:16	1	1	1	1	112.3	56.5	0	27962.085	576.344086	16175.35944	30000	0	0	30000	36.6875	2004
22.01.2020 10:24:17	1	1	1	1	112.3	56.5	0	28009.479	574.1935484	16055.49969	30000	0	0	30000	36.0625	2004
22.01.2020 10:24:18	1	1	1	1	112.3	56	0	27962.085	572.0430108	15995.16212	30000	0	0	30000	35.8125	2004
22.01.2020 10:24:19	1	1	1	1	112.3	55.75	0	27819.905	574.1935484	15973.96244	30000	0	0	30000	36.75	2004
22.01.2020 10:24:20	1	1	1	1	112.3	56.75	0	27914.692	574.1935484	15881.00997	30000	0	0	30000	36.6875	2004
22.01.2020 10:24:21	1	1	1	1	112.3	56.5	0	27867.299	574.1935484	16088.11459	30000	0	0	30000	36.6875	2004
22.01.2020 10:24:22	1	1	1	1	112.3	56.5	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	35.9375	2004
22.01.2020 10:24:23	1	1	1	1	112.3	55.75	0	27962.085	569.8924731	16082.40698	30000	0	0	30000	36.4375	2004
22.01.2020 10:24:29	1	1	1	1	112.3	56.5	0	27819.905	569.8924731	15854.10268	30000	0	0	30000	35.75	2004
22.01.2020 10:24:29	1	1	1	1	112.3	56.5	0	27819.905	569.8924731	15854.10268	30000	0	0	30000	35.75	2004
22.01.2020 10:24:29	1	1	1	1	112.3	56.5	0	27819.905	569.8924731	15854.10268	30000	0	0	30000	35.75	2004
22.01.2020 10:24:29	1	1	1	1	112.3	56.5	0	27819.905	569.8924731	15854.10268	30000	0	0	30000	35.75	2004
22.01.2020 10:24:29	1	1	1	1	112.3	55.75	0	27867.299	576.344086	16000.86973	30000	0	0	30000	35.75	2004
22.01.2020 10:24:30	1	1	1	1	112.3	55.75	0	28009.479	576.344086	16142.74454	30000	0	0	30000	36.5	2004
22.01.2020 10:24:31	1	1	1	1	112.3	56.5	0	27630.332	574.1935484	16033.48463	30000	0	0	30000	36.4375	2004
22.01.2020 10:24:32	1	1	1	1	112.3	56.25	0	27630.332	576.344086	16038.37687	30000	0	0	30000	36.375	2004
22.01.2020 10:24:33	1	1	1	1	112.3	56.25	0	27819.905	572.0430108	15913.62487	30000	0	0	30000	36.6875	2004
22.01.2020 10:24:34	1	1	1	1	112.3	56.5	0	27819.905	576.344086	16033.48463	30000	0	0	30000	36.0625	2004
22.01.2020 10:24:35	1	1	1	1	112.3	56	0	27582.938	576.344086	15873.67162	30000	0	0	30000	36.0625	2004
22.01.2020 10:24:36	1	1	1	1	112.3	56	0	27772.512	576.344086	15924.22472	30000	0	0	30000	35.3125	2004
22.01.2020 10:24:37	1	1	1	1	112.3	55.25	0	28009.479	576.344086	16142.74454	30000	0	0	30000	36.5625	2004
22.01.2020 10:24:38	1	1	1	1	112.3	56.5	0	27819.905	576.344086	15973.96244	30000	0	0	30000	36.5	2004
22.01.2020 10:24:39	1	1	1	1	112.3	56.5	0	27867.299	572.0430108	16027.77702	30000	0	0	30000	37.125	2004
22.01.2020 10:24:40	1	1	1	1	112.3	57	0	27962.085	576.344086	16055.49969	30000	0	0	30000	36.6875	2004
22.01.2020 10:24:42	1	1	1	1	112.3	55.5	0	27630.332	574.1935484	15864.70252	30000	0	0	30000	36.1875	2004
22.01.2020 10:24:43	1	1	1	1	112.3	56	0	27867.299	576.344086	16027.77702	30000	0	0	30000	36.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 10:24:44	1	1	1	1	112.3	56	0	27867.299	574.1935484	16033.48463	30000	0	0	30000	35.8125	2004
22.01.2020 10:24:45	1	1	1	1	112.3	55.75	0	27725.118	576.344086	15924.22472	30000	0	0	30000	35.5	2004
22.01.2020 10:24:46	1	1	1	1	112.3	55.5	0	27867.299	574.1935484	16061.20729	30000	0	0	30000	36.375	2004
22.01.2020 10:24:47	1	1	1	1	112.3	56.25	0	27630.332	576.344086	16038.37687	30000	0	0	30000	36.6875	2004
22.01.2020 10:24:48	1	1	1	1	112.3	56.5	0	27819.905	576.344086	15973.96244	30000	0	0	30000	36.625	2004
22.01.2020 10:24:49	1	1	1	1	112.3	56.5	0	27962.085	572.0430108	15968.25483	30000	0	0	30000	36.75	2004
22.01.2020 10:24:50	1	1	1	1	111.3	56.75	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	34.625	2004
22.01.2020 10:24:51	1	1	1	1	111.3	54.5	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	36.0625	2004
22.01.2020 10:24:52	1	1	1	1	111.3	56	0	27630.332	572.0430108	15859.81029	30000	0	0	30000	36.875	2004
22.01.2020 10:24:53	1	1	1	1	111.3	56.75	0	27772.512	574.1935484	16033.48463	30000	0	0	30000	36.625	2004
22.01.2020 10:24:54	1	1	1	1	111.3	56.5	0	27962.085	578.4946237	16175.35944	30000	0	0	30000	36.625	2004
22.01.2020 10:24:55	1	1	1	1	111.3	56.5	0	28009.479	576.344086	16142.74454	30000	0	0	30000	36.25	2004
22.01.2020 10:24:56	1	1	1	1	111.3	56.25	0	27630.332	572.0430108	15805.18033	30000	0	0	30000	36.8125	2004
22.01.2020 10:24:57	1	1	1	1	111.3	56.75	0	27867.299	572.0430108	16000.86973	30000	0	0	30000	36.25	2004
22.01.2020 10:24:58	1	1	1	1	111.3	56.25	0	27914.692	567.7419355	15907.91727	30000	0	0	30000	35.6875	2004
22.01.2020 10:24:59	1	1	1	1	111.3	55.5	0	28199.052	572.0430108	15961.73185	30000	0	0	30000	36.9375	2004
22.01.2020 10:25:00	1	1	1	1	111.5	56.75	0	27772.512	569.8924731	15854.10268	30000	0	0	30000	36.3125	2004
22.01.2020 10:25:01	1	1	1	1	111.5	56.25	0	28009.479	567.7419355	15841.8721	30000	0	0	30000	36.25	2004
22.01.2020 10:25:02	1	1	1	1	111.5	56.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	36.6875	2004
22.01.2020 10:25:03	1	1	1	1	111.5	56.5	0	28009.479	574.1935484	16142.74454	30000	0	0	30000	36.5	2004
22.01.2020 10:25:04	1	1	1	1	111.5	56.5	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	36.625	2004
22.01.2020 10:25:05	1	1	1	1	111.5	56.5	0	27962.085	572.0430108	15995.16212	30000	0	0	30000	36.9375	2004
22.01.2020 10:25:06	1	1	1	1	111.5	56.75	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	36.5625	2004
22.01.2020 10:25:07	1	1	1	1	111.5	56.5	0	27914.692	572.0430108	15907.91727	30000	0	0	30000	36.375	2004
22.01.2020 10:25:08	1	1	1	1	111.5	56.25	0	28009.479	576.344086	16082.40698	30000	0	0	30000	36.8125	2004
22.01.2020 10:25:09	1	1	1	1	111.5	56.75	0	27630.332	574.1935484	15924.22472	30000	0	0	30000	36.3125	2004
22.01.2020 10:25:10	1	1	1	1	112	56.25	0	28009.479	576.344086	16142.74454	30000	0	0	30000	36.75	2004
22.01.2020 10:25:11	1	1	1	1	112	56.75	0	27962.085	574.1935484	16115.83725	30000	0	0	30000	36.8125	2004
22.01.2020 10:25:12	1	1	1	1	112	56.75	0	27819.905	572.0430108	15854.10268	30000	0	0	30000	36.875	2004
22.01.2020 10:25:13	1	1	1	1	112	56.75	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	36.5625	2004
22.01.2020 10:25:14	1	1	1	1	112	56.5	0	27819.905	572.0430108	15913.62487	30000	0	0	30000	36.5	2004
22.01.2020 10:25:15	1	1	1	1	112	56.5	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	36.8125	2004
22.01.2020 10:25:16	1	1	1	1	112	56.75	0	27867.299	576.344086	16061.20729	30000	0	0	30000	36.375	2004
22.01.2020 10:25:17	1	1	1	1	112	56.25	0	28009.479	576.344086	16082.40698	30000	0	0	30000	36.3125	2004
22.01.2020 10:25:18	1	1	1	1	112	56.25	0	27819.905	576.344086	15973.96244	30000	0	0	30000	36.75	2004
22.01.2020 10:25:19	1	1	1	1	112	56.75	0	27819.905	567.7419355	15973.96244	30000	0	0	30000	35.8125	2004
22.01.2020 10:25:21	1	1	1	1	111.5	56	0	27819.905	574.1935484	16033.48463	30000	0	0	30000	36.4375	2004
22.01.2020 10:25:22	1	1	1	1	111.5	56.25	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	36.375	2004
22.01.2020 10:25:23	1	1	1	1	111.5	56.25	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	36.4375	2004
22.01.2020 10:25:24	1	1	1	1	111.5	56.25	0	27867.299	574.1935484	15973.96244	30000	0	0	30000	36.9375	2004
22.01.2020 10:25:25	1	1	1	1	111.5	56.75	0	27630.332	578.4946237	16102.79129	30000	0	0	30000	36.3125	2004
22.01.2020 10:25:31	1	1	1	1	112	56.75	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	36.8125	2004
22.01.2020 10:25:31	1	1	1	1	112	56.75	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	36.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 10:25:31	1	1	1	1	112	56.75	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	36.8125	2004
22.01.2020 10:25:31	1	1	1	1	112	56.75	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	36.8125	2004
22.01.2020 10:25:31	1	1	1	1	112	56.75	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	36.8125	2004
22.01.2020 10:25:31	1	1	1	1	112	56.75	0	27867.299	572.0430108	15941.34754	30000	0	0	30000	36.375	2004
22.01.2020 10:25:32	1	1	1	1	112	56.25	0	27819.905	578.4946237	15919.33248	30000	0	0	30000	36.25	2004
22.01.2020 10:25:33	1	1	1	1	112	56.25	0	27867.299	576.344086	16000.86973	30000	0	0	30000	36.75	2004
22.01.2020 10:25:34	1	1	1	1	112	56.75	0	27725.118	576.344086	15864.70252	30000	0	0	30000	36.5	2004
22.01.2020 10:25:35	1	1	1	1	112	56.5	0	27867.299	572.0430108	16027.77702	30000	0	0	30000	36.5	2004
22.01.2020 10:25:36	1	1	1	1	112	56.5	0	27914.692	572.0430108	16082.40698	30000	0	0	30000	35.3125	2004
22.01.2020 10:25:37	1	1	1	1	112	55.25	0	27867.299	567.7419355	16027.77702	30000	0	0	30000	37	2004
22.01.2020 10:25:38	1	1	1	1	112	57	0	27914.692	574.1935484	16268.31191	30000	0	0	30000	36.8125	2004
22.01.2020 10:25:39	1	1	1	1	112	56.75	0	27962.085	574.1935484	15761.15022	30000	0	0	30000	36.4375	2004
22.01.2020 10:25:40	1	1	1	1	112	56.25	0	27867.299	572.0430108	15854.10268	30000	0	0	30000	36.25	2004
22.01.2020 10:25:41	1	1	1	1	112	56.25	0	27867.299	574.1935484	15973.96244	30000	0	0	30000	36.9375	2004
22.01.2020 10:25:42	1	1	1	1	112	56.75	0	27630.332	576.344086	16093.00682	30000	0	0	30000	36.625	2004
22.01.2020 10:25:43	1	1	1	1	112	56.5	0	27914.692	576.344086	16027.77702	30000	0	0	30000	36.6875	2004
22.01.2020 10:25:44	1	1	1	1	112	56.5	0	27867.299	574.1935484	16061.20729	30000	0	0	30000	36.8125	2004
22.01.2020 10:25:45	1	1	1	1	112	56.75	0	27819.905	569.8924731	15973.96244	30000	0	0	30000	36.5625	2004
22.01.2020 10:25:46	1	1	1	1	112	56.5	0	27914.692	576.344086	16323.75724	30000	0	0	30000	36.5625	2004
22.01.2020 10:25:47	1	1	1	1	112	56.5	0	27867.299	572.0430108	16000.86973	30000	0	0	30000	36.5625	2004
22.01.2020 10:25:48	1	1	1	1	112	56.5	0	27867.299	576.344086	16120.72949	30000	0	0	30000	35.5625	2004
22.01.2020 10:25:49	1	1	1	1	112	55.5	0	27630.332	574.1935484	16093.00682	30000	0	0	30000	36.75	2004
22.01.2020 10:25:50	1	1	1	1	112	56.75	0	27819.905	576.344086	16033.48463	30000	0	0	30000	36.1875	2004
22.01.2020 10:25:51	1	1	1	1	112	56	0	28009.479	576.344086	16082.40698	30000	0	0	30000	36.4375	2004
22.01.2020 10:25:52	1	1	1	1	112	56.25	0	27819.905	576.344086	16093.00682	30000	0	0	30000	36.8125	2004
22.01.2020 10:25:53	1	1	1	1	112	56.75	0	27819.905	576.344086	15973.96244	30000	0	0	30000	37.0625	2004
22.01.2020 10:25:54	1	1	1	1	112	57	0	27819.905	576.344086	16093.00682	30000	0	0	30000	36.0625	2004
22.01.2020 10:25:55	1	1	1	1	112	56	0	27962.085	574.1935484	16027.77702	30000	0	0	30000	36.8125	2004
22.01.2020 10:25:56	1	1	1	1	112	56.75	0	27914.692	574.1935484	16088.11459	30000	0	0	30000	37.125	2004
22.01.2020 10:25:57	1	1	1	1	112	57	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	36.1875	2004
22.01.2020 10:25:59	1	1	1	1	112	56.75	0	27819.905	567.7419355	15973.96244	30000	0	0	30000	36.9375	2004
22.01.2020 10:26:00	1	1	1	1	112.3	56.75	0	27914.692	574.1935484	16027.77702	30000	0	0	30000	36.875	2004
22.01.2020 10:26:01	1	1	1	1	112.3	56.75	0	27914.692	572.0430108	16055.49969	30000	0	0	30000	36.125	2004
22.01.2020 10:26:02	1	1	1	1	112.3	56	0	27819.905	576.344086	15973.96244	30000	0	0	30000	36.125	2004
22.01.2020 10:26:03	1	1	1	1	112.3	56	0	27914.692	576.344086	16175.35944	30000	0	0	30000	36.9375	2004
22.01.2020 10:26:04	1	1	1	1	112.3	56.75	0	27914.692	576.344086	16061.20729	30000	0	0	30000	36.9375	2004
22.01.2020 10:26:05	1	1	1	1	112.3	56.75	0	27867.299	569.8924731	15941.34754	30000	0	0	30000	36.375	2004
22.01.2020 10:26:06	1	1	1	1	112.3	56.25	0	27630.332	576.344086	15864.70252	30000	0	0	30000	36.3125	2004
22.01.2020 10:26:07	1	1	1	1	112.3	56.25	0	27630.332	576.344086	15924.22472	30000	0	0	30000	36.6875	2004
22.01.2020 10:26:08	1	1	1	1	112.3	56.5	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	36.8125	2004
22.01.2020 10:26:09	1	1	1	1	112.3	56.75	0	27819.905	576.344086	15973.96244	30000	0	0	30000	35.8125	2004
22.01.2020 10:26:10	1	1	1	1	112	55.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	36.3125	2004
22.01.2020 10:26:11	1	1	1	1	112	56.25	0	27867.299	578.4946237	15973.96244	30000	0	0	30000	36.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 10:26:12	1	1	1	1	112	56.75	0	27630.332	580.6451613	15924.22472	30000	0	0	30000	35.625	2004
22.01.2020 10:26:13	1	1	1	1	112	55.5	0	27630.332	569.8924731	15983.74691	30000	0	0	30000	36.8125	2004
22.01.2020 10:26:14	1	1	1	1	112	56.75	0	27819.905	576.344086	15864.70252	30000	0	0	30000	37.125	2004
22.01.2020 10:26:15	1	1	1	1	112	57	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	36.5625	2004
22.01.2020 10:26:16	1	1	1	1	112	56.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	37	2004
22.01.2020 10:26:17	1	1	1	1	112	57	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	36.1875	2004
22.01.2020 10:26:18	1	1	1	1	112	56	0	27867.299	574.1935484	15973.96244	30000	0	0	30000	36.9375	2004
22.01.2020 10:26:19	1	1	1	1	112	56.75	0	27914.692	572.0430108	16115.83725	30000	0	0	30000	36.875	2004
22.01.2020 10:26:20	1	1	1	1	112	56.75	0	27630.332	578.4946237	16153.34439	30000	0	0	30000	36.5	2004
22.01.2020 10:26:21	1	1	1	1	112	56.5	0	27867.299	578.4946237	15924.22472	30000	0	0	30000	37	2004
22.01.2020 10:26:22	1	1	1	1	112	57	0	27630.332	569.8924731	16033.48463	30000	0	0	30000	35.875	2004
22.01.2020 10:26:23	1	1	1	1	112	55.75	0	27867.299	574.1935484	16027.77702	30000	0	0	30000	37.1875	2004
22.01.2020 10:26:24	1	1	1	1	112	57	0	27914.692	576.344086	16088.11459	30000	0	0	30000	36.625	2004
22.01.2020 10:26:25	1	1	1	1	112	56.5	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	36.75	2004
22.01.2020 10:26:26	1	1	1	1	112	56.75	0	27867.299	574.1935484	16061.20729	30000	0	0	30000	36.1875	2004
22.01.2020 10:26:32	1	1	1	1	112	57	0	27819.905	576.344086	16033.48463	30000	0	0	30000	37.125	2004
22.01.2020 10:26:32	1	1	1	1	112	57	0	27819.905	576.344086	16033.48463	30000	0	0	30000	37.125	2004
22.01.2020 10:26:32	1	1	1	1	112	57	0	27819.905	576.344086	16033.48463	30000	0	0	30000	37.125	2004
22.01.2020 10:26:32	1	1	1	1	112	57	0	27819.905	576.344086	16033.48463	30000	0	0	30000	37.125	2004
22.01.2020 10:26:32	1	1	1	1	112	57	0	27819.905	576.344086	16033.48463	30000	0	0	30000	37.125	2004
22.01.2020 10:26:32	1	1	1	1	112	57	0	27819.905	576.344086	16033.48463	30000	0	0	30000	37.125	2004
22.01.2020 10:26:32	1	1	1	1	112	57	0	27819.905	576.344086	16033.48463	30000	0	0	30000	37.125	2004
22.01.2020 10:26:33	1	1	1	1	112	57	0	27914.692	576.344086	16027.77702	30000	0	0	30000	36.625	2004
22.01.2020 10:26:34	1	1	1	1	112	56.5	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	37.0625	2004
22.01.2020 10:26:36	1	1	1	1	112	57	0	27725.118	576.344086	15983.74691	30000	0	0	30000	37.0625	2004
22.01.2020 10:26:37	1	1	1	1	112	56.5	0	27867.299	576.344086	16120.72949	30000	0	0	30000	37.25	2004
22.01.2020 10:26:38	1	1	1	1	112	57.25	0	27630.332	576.344086	16093.00682	30000	0	0	30000	37.0625	2004
22.01.2020 10:26:39	1	1	1	1	112	57	0	27867.299	572.0430108	15941.34754	30000	0	0	30000	36.0625	2004
22.01.2020 10:26:40	1	1	1	1	112.3	56	0	27630.332	574.1935484	16033.48463	30000	0	0	30000	36.6875	2004
22.01.2020 10:26:41	1	1	1	1	112.3	56.5	0	27867.299	576.344086	16000.86973	30000	0	0	30000	36.9375	2004
22.01.2020 10:26:42	1	1	1	1	112.3	56.75	0	27914.692	574.1935484	16027.77702	30000	0	0	30000	37	2004
22.01.2020 10:26:43	1	1	1	1	112.3	57	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	37.1875	2004
22.01.2020 10:26:44	1	1	1	1	112.3	57	0	27962.085	576.344086	16088.11459	30000	0	0	30000	36.4375	2004
22.01.2020 10:26:45	1	1	1	1	112.3	56.25	0	27867.299	572.0430108	16027.77702	30000	0	0	30000	37.125	2004
22.01.2020 10:26:46	1	1	1	1	112.3	57	0	27582.938	576.344086	15924.22472	30000	0	0	30000	36.75	2004
22.01.2020 10:26:47	1	1	1	1	112.3	56.75	0	27867.299	574.1935484	15973.96244	30000	0	0	30000	37	2004
22.01.2020 10:26:48	1	1	1	1	112.3	57	0	27867.299	580.6451613	15973.96244	30000	0	0	30000	36.9375	2004
22.01.2020 10:26:49	1	1	1	1	112.3	56.75	0	27962.085	578.4946237	16088.11459	30000	0	0	30000	37.0625	2004
22.01.2020 10:26:50	1	1	1	1	112.3	57	0	27867.299	576.344086	16000.86973	30000	0	0	30000	36.375	2004
22.01.2020 10:26:51	1	1	1	1	112.3	56.25	0	28009.479	576.344086	16142.74454	30000	0	0	30000	36	2004
22.01.2020 10:26:52	1	1	1	1	112.3	56	0	27819.905	572.0430108	15827.19539	30000	0	0	30000	37.125	2004
22.01.2020 10:26:53	1	1	1	1	112.3	57	0	27914.692	569.8924731	16027.77702	30000	0	0	30000	37	2004
22.01.2020 10:26:54	1	1	1	1	112.3	57	0	28009.479	576.344086	16082.40698	30000	0	0	30000	37	2004
22.01.2020 10:26:55	1	1	1	1	112.3	57	0	28199.052	572.0430108	16022.06942	30000	0	0	30000	37	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 10:26:56	1	1	1	1	112.3	57	0	27962.085	569.8924731	15934.82456	30000	0	0	30000	37.25	2004
22.01.2020 10:26:57	1	1	1	1	112.3	57.25	0	28009.479	569.8924731	15781.53453	30000	0	0	30000	37.0625	2004
22.01.2020 10:26:58	1	1	1	1	112.3	57	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	37.0625	2004
22.01.2020 10:26:59	1	1	1	1	112.3	57	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	36.875	2004
22.01.2020 10:27:00	1	1	1	1	112.8	56.75	0	27914.692	567.7419355	15907.91727	30000	0	0	30000	37.25	2004
22.01.2020 10:27:01	1	1	1	1	112.8	57.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	37	2004
22.01.2020 10:27:02	1	1	1	1	112.8	57	0	28009.479	572.0430108	16130.51396	30000	0	0	30000	36.8125	2004
22.01.2020 10:27:03	1	1	1	1	112.8	56.75	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	36.4375	2004
22.01.2020 10:27:04	1	1	1	1	112.8	56.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	36.625	2004
22.01.2020 10:27:05	1	1	1	1	112.8	56.5	0	28009.479	572.0430108	16142.74454	30000	0	0	30000	36.6875	2004
22.01.2020 10:27:06	1	1	1	1	112.8	56.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	37.1875	2004
22.01.2020 10:27:07	1	1	1	1	112.8	57	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	37.1875	2004
22.01.2020 10:27:08	1	1	1	1	112.8	57	0	27630.332	569.8924731	15745.65814	30000	0	0	30000	36.625	2004
22.01.2020 10:27:09	1	1	1	1	112.8	56.5	0	27962.085	572.0430108	16022.06942	30000	0	0	30000	36.875	2004
22.01.2020 10:27:10	1	1	1	1	112	56.75	0	27867.299	569.8924731	15941.34754	30000	0	0	30000	36.9375	2004
22.01.2020 10:27:11	1	1	1	1	112	56.75	0	28199.052	576.344086	15961.73185	30000	0	0	30000	37.125	2004
22.01.2020 10:27:12	1	1	1	1	112	57	0	27914.692	572.0430108	16027.77702	30000	0	0	30000	37.0625	2004
22.01.2020 10:27:14	1	1	1	1	112	57	0	27819.905	569.8924731	15859.81029	30000	0	0	30000	37.3125	2004
22.01.2020 10:27:15	1	1	1	1	112	57.25	0	27819.905	572.0430108	15854.10268	30000	0	0	30000	36.875	2004
22.01.2020 10:27:16	1	1	1	1	112	56.25	0	27914.692	572.0430108	15881.00997	30000	0	0	30000	37.125	2004
22.01.2020 10:27:17	1	1	1	1	112	57	0	28009.479	580.6451613	16142.74454	30000	0	0	30000	36.8125	2004
22.01.2020 10:27:18	1	1	1	1	112	56.75	0	28009.479	576.344086	16082.40698	30000	0	0	30000	37.0625	2004
22.01.2020 10:27:19	1	1	1	1	112	57	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	36.4375	2004
22.01.2020 10:27:20	1	1	1	1	111.8	56.25	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	36.875	2004
22.01.2020 10:27:21	1	1	1	1	111.8	56.75	0	27867.299	572.0430108	15941.34754	30000	0	0	30000	36.8125	2004
22.01.2020 10:27:22	1	1	1	1	111.8	56.75	0	27819.905	572.0430108	15941.34754	30000	0	0	30000	37.25	2004
22.01.2020 10:27:23	1	1	1	1	111.8	57.25	0	28009.479	574.1935484	16252.00446	30000	0	0	30000	37.125	2004
22.01.2020 10:27:24	1	1	1	1	111.8	57	0	27914.692	574.1935484	16027.77702	30000	0	0	30000	37.3125	2004
22.01.2020 10:27:25	1	1	1	1	111.8	57.25	0	27962.085	572.0430108	16055.49969	30000	0	0	30000	36.75	2004
22.01.2020 10:27:26	1	1	1	1	111.8	56.75	0	27630.332	567.7419355	15745.65814	30000	0	0	30000	37.3125	2004
22.01.2020 10:27:27	1	1	1	1	111.8	57.25	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	37.125	2004
22.01.2020 10:27:28	1	1	1	1	111.8	57	0	27630.332	572.0430108	15745.65814	30000	0	0	30000	36.5625	2004
22.01.2020 10:27:34	1	1	1	1	112.3	56.75	0	27914.692	572.0430108	15968.25483	30000	0	0	30000	37.3125	2004
22.01.2020 10:27:34	1	1	1	1	112.3	56.75	0	27914.692	572.0430108	15968.25483	30000	0	0	30000	37.3125	2004
22.01.2020 10:27:34	1	1	1	1	112.3	56.75	0	27914.692	572.0430108	15968.25483	30000	0	0	30000	37.3125	2004
22.01.2020 10:27:34	1	1	1	1	112.3	56.75	0	27914.692	572.0430108	15968.25483	30000	0	0	30000	37.3125	2004
22.01.2020 10:27:34	1	1	1	1	112.3	57.25	0	27914.692	574.1935484	16027.77702	30000	0	0	30000	37.125	2004
22.01.2020 10:27:35	1	1	1	1	112.3	57	0	28009.479	576.344086	16142.74454	30000	0	0	30000	36.75	2004
22.01.2020 10:27:36	1	1	1	1	112.3	56.75	0	27819.905	574.1935484	15973.96244	30000	0	0	30000	37.25	2004
22.01.2020 10:27:37	1	1	1	1	112.3	57.25	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	37.25	2004
22.01.2020 10:27:38	1	1	1	1	112.3	57.25	0	27819.905	572.0430108	15913.62487	30000	0	0	30000	37	2004
22.01.2020 10:27:39	1	1	1	1	112.3	57	0	27867.299	572.0430108	15973.96244	30000	0	0	30000	37	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 10:27:40	1	1	1	1	112	57	0	28009.479	576.344086	16082.40698	30000	0	0	30000	37.25	2004
22.01.2020 10:27:41	1	1	1	1	112	57.25	0	28009.479	569.8924731	16082.40698	30000	0	0	30000	36.4375	2004
22.01.2020 10:27:42	1	1	1	1	112	56.25	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	37.25	2004
22.01.2020 10:27:43	1	1	1	1	112	57.25	0	28009.479	576.344086	15961.73185	30000	0	0	30000	37.3125	2004
22.01.2020 10:27:44	1	1	1	1	112	57.25	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	37.125	2004
22.01.2020 10:27:45	1	1	1	1	112	57	0	27914.692	569.8924731	15907.91727	30000	0	0	30000	37.125	2004
22.01.2020 10:27:46	1	1	1	1	112	57	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	37.4375	2004
22.01.2020 10:27:47	1	1	1	1	112	57.25	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	36.5625	2004
22.01.2020 10:27:48	1	1	1	1	112	56.5	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	37.3125	2004
22.01.2020 10:27:49	1	1	1	1	112	57.25	0	27962.085	569.8924731	15934.82456	30000	0	0	30000	37.1875	2004
22.01.2020 10:27:50	1	1	1	1	112.5	57	0	28199.052	569.8924731	16191.66689	30000	0	0	30000	37.5	2004
22.01.2020 10:27:52	1	1	1	1	112.5	57.5	0	27962.085	569.8924731	15907.91727	30000	0	0	30000	37.375	2004
22.01.2020 10:27:53	1	1	1	1	112.5	57.25	0	28199.052	572.0430108	16252.00446	30000	0	0	30000	36.6875	2004
22.01.2020 10:27:54	1	1	1	1	112.5	57.25	0	27962.085	567.7419355	15875.30237	30000	0	0	30000	35.75	2004
22.01.2020 10:27:55	1	1	1	1	112.5	55.75	0	27819.905	569.8924731	15854.10268	30000	0	0	30000	37.25	2004
22.01.2020 10:27:56	1	1	1	1	112.5	57.25	0	27819.905	569.8924731	15567.90694	30000	0	0	30000	37.4375	2004
22.01.2020 10:27:57	1	1	1	1	112.5	57.25	0	28009.479	578.4946237	16022.06942	30000	0	0	30000	37	2004
22.01.2020 10:27:58	1	1	1	1	112.5	57	0	27819.905	569.8924731	15827.19539	30000	0	0	30000	37.3125	2004
22.01.2020 10:27:59	1	1	1	1	112.5	57.25	0	27819.905	569.8924731	15854.10268	30000	0	0	30000	37.375	2004
22.01.2020 10:28:00	1	1	1	1	112.8	57.25	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	36.5625	2004
22.01.2020 10:28:01	1	1	1	1	112.8	56.5	0	27914.692	572.0430108	16055.49969	30000	0	0	30000	37.3125	2004
22.01.2020 10:28:02	1	1	1	1	112.8	57.25	0	28009.479	574.1935484	16022.06942	30000	0	0	30000	37.125	2004
22.01.2020 10:28:03	1	1	1	1	112.8	57	0	27819.905	572.0430108	15745.65814	30000	0	0	30000	37.4375	2004
22.01.2020 10:28:04	1	1	1	1	112.8	57.25	0	27962.085	580.6451613	15968.25483	30000	0	0	30000	37	2004
22.01.2020 10:28:05	1	1	1	1	112.8	57	0	27819.905	572.0430108	15854.10268	30000	0	0	30000	36.9375	2004
22.01.2020 10:28:06	1	1	1	1	112.8	56.75	0	27914.692	569.8924731	15907.91727	30000	0	0	30000	37.0625	2004
22.01.2020 10:28:07	1	1	1	1	112.8	57	0	27914.692	572.0430108	15881.00997	30000	0	0	30000	37.375	2004
22.01.2020 10:28:08	1	1	1	1	112.8	57.25	0	27867.299	572.0430108	15941.34754	30000	0	0	30000	36.1875	2004
22.01.2020 10:28:09	1	1	1	1	112.8	56	0	27962.085	572.0430108	16082.40698	30000	0	0	30000	37.375	2004
22.01.2020 10:28:10	1	1	1	1	112.8	57.25	0	28009.479	576.344086	16142.74454	30000	0	0	30000	37.25	2004
22.01.2020 10:28:11	1	1	1	1	112.8	57.25	0	27867.299	576.344086	16000.86973	30000	0	0	30000	36.8125	2004
22.01.2020 10:28:12	1	1	1	1	112.8	56.75	0	27630.332	576.344086	15973.96244	30000	0	0	30000	36.8125	2004
22.01.2020 10:28:13	1	1	1	1	112.8	56.75	0	27867.299	572.0430108	16148.45215	30000	0	0	30000	37.5	2004
22.01.2020 10:28:14	1	1	1	1	112.8	57.5	0	27819.905	574.1935484	16093.00682	30000	0	0	30000	36.4375	2004
22.01.2020 10:28:15	1	1	1	1	112.8	56.25	0	27867.299	574.1935484	16033.48463	30000	0	0	30000	36.875	2004
22.01.2020 10:28:16	1	1	1	1	112.8	56.75	0	27819.905	576.344086	16033.48463	30000	0	0	30000	36.625	2004
22.01.2020 10:28:17	1	1	1	1	112.8	56.5	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	37.1875	2004
22.01.2020 10:28:18	1	1	1	1	112.8	57	0	27914.692	576.344086	16027.77702	30000	0	0	30000	37.3125	2004
22.01.2020 10:28:19	1	1	1	1	112.8	57.25	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	36.8125	2004
22.01.2020 10:28:20	1	1	1	1	112.8	56.75	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	37.4375	2004
22.01.2020 10:28:21	1	1	1	1	112.8	57.25	0	28009.479	576.344086	15961.73185	30000	0	0	30000	36.875	2004
22.01.2020 10:28:22	1	1	1	1	112.8	56.75	0	27867.299	569.8924731	15881.00997	30000	0	0	30000	37.3125	2004
22.01.2020 10:28:23	1	1	1	1	112.8	57.25	0	27819.905	569.8924731	15745.65814	30000	0	0	30000	37	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 10:28:24	1	1	1	1	112.8	57	0	28199.052	576.344086	16252.00446	30000	0	0	30000	37.3125	2004
22.01.2020 10:28:25	1	1	1	1	112.8	57.25	0	27962.085	572.0430108	15907.91727	30000	0	0	30000	37.3125	2004
22.01.2020 10:28:26	1	1	1	1	112.8	57.25	0	28009.479	574.1935484	16142.74454	30000	0	0	30000	37.375	2004
22.01.2020 10:28:27	1	1	1	1	112.8	57.25	0	27819.905	574.1935484	15864.70252	30000	0	0	30000	37.5	2004
22.01.2020 10:28:28	1	1	1	1	112.8	57.5	0	28199.052	574.1935484	16082.40698	30000	0	0	30000	37	2004
22.01.2020 10:28:29	1	1	1	1	112.8	57	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	37.4375	2004
22.01.2020 10:28:36	1	1	1	1	113	57	0	27819.905	569.8924731	15854.10268	30000	0	0	30000	37.3125	2004
22.01.2020 10:28:36	1	1	1	1	113	57	0	27819.905	569.8924731	15854.10268	30000	0	0	30000	37.3125	2004
22.01.2020 10:28:36	1	1	1	1	113	57	0	27819.905	569.8924731	15854.10268	30000	0	0	30000	37.3125	2004
22.01.2020 10:28:36	1	1	1	1	113	57	0	27819.905	569.8924731	15854.10268	30000	0	0	30000	37.3125	2004
22.01.2020 10:28:36	1	1	1	1	113	57.25	0	27819.905	572.0430108	15924.22472	30000	0	0	30000	37.3125	2004
22.01.2020 10:28:37	1	1	1	1	113	57.25	0	27914.692	572.0430108	16027.77702	30000	0	0	30000	37.375	2004
22.01.2020 10:28:38	1	1	1	1	113	57.25	0	27630.332	569.8924731	15745.65814	30000	0	0	30000	37.125	2004
22.01.2020 10:28:39	1	1	1	1	113	57	0	27914.692	572.0430108	16000.86973	30000	0	0	30000	37.4375	2004
22.01.2020 10:28:40	1	1	1	1	113	57.25	0	27867.299	576.344086	16000.86973	30000	0	0	30000	37.0625	2004
22.01.2020 10:28:41	1	1	1	1	113	57	0	27867.299	574.1935484	16088.11459	30000	0	0	30000	37.4375	2004
22.01.2020 10:28:42	1	1	1	1	113	57.25	0	27867.299	574.1935484	15941.34754	30000	0	0	30000	36.375	2004
22.01.2020 10:28:43	1	1	1	1	113	56.25	0	27914.692	572.0430108	15968.25483	30000	0	0	30000	36.9375	2004
22.01.2020 10:28:44	1	1	1	1	113	56.75	0	27630.332	574.1935484	15924.22472	30000	0	0	30000	37	2004
22.01.2020 10:28:45	1	1	1	1	113	57	0	27630.332	576.344086	15924.22472	30000	0	0	30000	36.9375	2004
22.01.2020 10:28:46	1	1	1	1	113	56.75	0	27630.332	576.344086	15864.70252	30000	0	0	30000	36.875	2004
22.01.2020 10:28:47	1	1	1	1	113	56.75	0	27867.299	574.1935484	16061.20729	30000	0	0	30000	36.6875	2004
22.01.2020 10:28:48	1	1	1	1	113	56.5	0	27630.332	574.1935484	15805.18033	30000	0	0	30000	37.3125	2004
22.01.2020 10:28:49	1	1	1	1	113	57.25	0	28009.479	576.344086	16082.40698	30000	0	0	30000	37.375	2004
22.01.2020 10:28:50	1	1	1	1	112.8	57.25	0	27630.332	565.5913978	15854.10268	30000	0	0	30000	37.375	2004
22.01.2020 10:28:51	1	1	1	1	112.8	57.25	0	27867.299	572.0430108	16061.20729	30000	0	0	30000	36.5	2004
22.01.2020 10:28:52	1	1	1	1	112.8	56.5	0	28009.479	572.0430108	16142.74454	30000	0	0	30000	37.5	2004
22.01.2020 10:28:53	1	1	1	1	112.8	57.5	0	27914.692	567.7419355	15934.82456	30000	0	0	30000	37.3125	2004
22.01.2020 10:28:54	1	1	1	1	112.8	57.25	0	28009.479	576.344086	16142.74454	30000	0	0	30000	37	2004
22.01.2020 10:28:55	1	1	1	1	112.8	57	0	27819.905	572.0430108	15913.62487	30000	0	0	30000	36.9375	2004
22.01.2020 10:28:56	1	1	1	1	112.8	56.75	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	36.8125	2004
22.01.2020 10:28:57	1	1	1	1	112.8	56.75	0	27867.299	576.344086	16120.72949	30000	0	0	30000	37.4375	2004
22.01.2020 10:28:58	1	1	1	1	112.8	57.25	0	28009.479	574.1935484	16055.49969	30000	0	0	30000	36.125	2004
22.01.2020 10:28:59	1	1	1	1	112.8	56	0	27867.299	576.344086	16033.48463	30000	0	0	30000	37.4375	2004
22.01.2020 10:29:00	1	1	1	1	112.8	57.25	0	27914.692	576.344086	16088.11459	30000	0	0	30000	37.3125	2004
22.01.2020 10:29:01	1	1	1	1	112.8	57.25	0	27914.692	576.344086	16000.86973	30000	0	0	30000	37.3125	2004
22.01.2020 10:29:02	1	1	1	1	112.8	57.25	0	27630.332	574.1935484	16093.00682	30000	0	0	30000	37	2004
22.01.2020 10:29:03	1	1	1	1	112.8	57	0	28009.479	578.4946237	16203.08211	30000	0	0	30000	37.375	2004
22.01.2020 10:29:04	1	1	1	1	112.8	57.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	37.375	2004
22.01.2020 10:29:05	1	1	1	1	112.8	57.25	0	27630.332	574.1935484	16221.0203	30000	0	0	30000	37.4375	2004
22.01.2020 10:29:06	1	1	1	1	112.8	57.25	0	27630.332	576.344086	15983.74691	30000	0	0	30000	36.8125	2004
22.01.2020 10:29:07	1	1	1	1	112.8	56.75	0	27867.299	578.4946237	16181.06705	30000	0	0	30000	37.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 10:29:09	1	1	1	1	112.8	57.5	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	37.5625	2004
22.01.2020 10:29:10	1	1	1	1	112.8	57.5	0	27867.299	576.344086	16061.20729	30000	0	0	30000	37	2004
22.01.2020 10:29:11	1	1	1	1	112.8	57	0	27725.118	576.344086	15745.65814	30000	0	0	30000	37.75	2004
22.01.2020 10:29:12	1	1	1	1	112.8	56.25	0	27867.299	576.344086	16061.20729	30000	0	0	30000	36.4375	2004
22.01.2020 10:29:13	1	1	1	1	112.8	56.25	0	27867.299	574.1935484	16061.20729	30000	0	0	30000	37.3125	2004
22.01.2020 10:29:14	1	1	1	1	112.8	57.25	0	27867.299	574.1935484	15973.96244	30000	0	0	30000	37	2004
22.01.2020 10:29:15	1	1	1	1	112.8	57	0	27962.085	574.1935484	16055.49969	30000	0	0	30000	37.375	2004
22.01.2020 10:29:16	1	1	1	1	112.8	57.25	0	27914.692	574.1935484	16115.83725	30000	0	0	30000	37.625	2004
22.01.2020 10:29:17	1	1	1	1	112.8	57.5	0	27962.085	572.0430108	15995.16212	30000	0	0	30000	36.375	2004
22.01.2020 10:29:18	1	1	1	1	112.8	56.25	0	27867.299	572.0430108	16061.20729	30000	0	0	30000	36.9375	2004
22.01.2020 10:29:19	1	1	1	1	112.8	56.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	37.5625	2004
22.01.2020 10:29:20	1	1	1	1	112.8	57.5	0	27867.299	574.1935484	15973.96244	30000	0	0	30000	37.5625	2004
22.01.2020 10:29:21	1	1	1	1	112.8	57.5	0	27962.085	569.8924731	15934.82456	30000	0	0	30000	37.25	2004
22.01.2020 10:29:22	1	1	1	1	112.8	57.25	0	27962.085	572.0430108	16142.74454	30000	0	0	30000	37.75	2004
22.01.2020 10:29:23	1	1	1	1	112.8	57.75	0	27867.299	569.8924731	16148.45215	30000	0	0	30000	37.3125	2004
22.01.2020 10:29:24	1	1	1	1	112.8	57.25	0	27725.118	574.1935484	16033.48463	30000	0	0	30000	37.6875	2004
22.01.2020 10:29:25	1	1	1	1	112.8	57.5	0	27819.905	574.1935484	16033.48463	30000	0	0	30000	37.5	2004
22.01.2020 10:29:26	1	1	1	1	112.8	57.5	0	27819.905	569.8924731	15745.65814	30000	0	0	30000	36.75	2004
22.01.2020 10:29:27	1	1	1	1	112.8	56.75	0	27630.332	576.344086	15864.70252	30000	0	0	30000	37.3125	2004
22.01.2020 10:29:28	1	1	1	1	112.8	57.25	0	28009.479	574.1935484	16142.74454	30000	0	0	30000	37.1875	2004
22.01.2020 10:29:29	1	1	1	1	112.8	57	0	27819.905	576.344086	16033.48463	30000	0	0	30000	37.3125	2004
22.01.2020 10:29:30	1	1	1	1	113.3	57.25	0	27914.692	574.1935484	15941.34754	30000	0	0	30000	37.125	2004
22.01.2020 10:29:31	1	1	1	1	113.3	57	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	36.75	2004
22.01.2020 10:29:37	1	1	1	1	113.3	57.25	0	27867.299	569.8924731	16061.20729	30000	0	0	30000	36.4375	2004
22.01.2020 10:29:37	1	1	1	1	113.3	57.25	0	27867.299	569.8924731	16061.20729	30000	0	0	30000	36.4375	2004
22.01.2020 10:29:37	1	1	1	1	113.3	57.25	0	27867.299	569.8924731	16061.20729	30000	0	0	30000	36.4375	2004
22.01.2020 10:29:37	1	1	1	1	113.3	57.25	0	27867.299	569.8924731	16061.20729	30000	0	0	30000	36.4375	2004
22.01.2020 10:29:37	1	1	1	1	113.3	56.25	0	27867.299	569.8924731	15968.25483	30000	0	0	30000	37.125	2004
22.01.2020 10:29:38	1	1	1	1	113.3	57	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	37.5625	2004
22.01.2020 10:29:39	1	1	1	1	113.3	57.5	0	27867.299	567.7419355	15854.10268	30000	0	0	30000	36.875	2004
22.01.2020 10:29:40	1	1	1	1	112.8	56.75	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	37.25	2004
22.01.2020 10:29:41	1	1	1	1	112.8	57.25	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	37.5625	2004
22.01.2020 10:29:42	1	1	1	1	112.8	57.5	0	27630.332	569.8924731	15745.65814	30000	0	0	30000	37.625	2004
22.01.2020 10:29:43	1	1	1	1	112.8	57.5	0	28009.479	569.8924731	16082.40698	30000	0	0	30000	37.25	2004
22.01.2020 10:29:44	1	1	1	1	112.8	57.25	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	37.0625	2004
22.01.2020 10:29:45	1	1	1	1	112.8	57	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	37.5	2004
22.01.2020 10:29:46	1	1	1	1	112.8	57.5	0	28009.479	572.0430108	16191.66689	30000	0	0	30000	37.4375	2004
22.01.2020 10:29:48	1	1	1	1	112.8	57.25	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	37.0625	2004
22.01.2020 10:29:49	1	1	1	1	112.8	57	0	28009.479	569.8924731	16191.66689	30000	0	0	30000	37.75	2004
22.01.2020 10:29:50	1	1	1	1	112.8	57.75	0	28199.052	572.0430108	16070.17639	30000	0	0	30000	37.5625	2004
22.01.2020 10:29:51	1	1	1	1	112	57	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	37.125	2004
22.01.2020 10:29:52	1	1	1	1	112	57	0	27725.118	567.7419355	15854.10268	30000	0	0	30000	36.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 10:29:53	1	1	1	1	112	56.5	0	28009.479	563.4408602	15961.73185	30000	0	0	30000	37.625	2004
22.01.2020 10:29:54	1	1	1	1	112	57.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	37.25	2004
22.01.2020 10:29:55	1	1	1	1	112	57.25	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	36.5	2004
22.01.2020 10:29:56	1	1	1	1	112	56.5	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	37.3125	2004
22.01.2020 10:29:57	1	1	1	1	112	57.25	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	37.5625	2004
22.01.2020 10:29:58	1	1	1	1	112	57.5	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	37.625	2004
22.01.2020 10:29:59	1	1	1	1	112	57.5	0	28009.479	576.344086	15961.73185	30000	0	0	30000	37.75	2004
22.01.2020 10:30:00	1	1	1	1	112.5	57.75	0	28009.479	567.7419355	15841.8721	30000	0	0	30000	37.1875	2004
22.01.2020 10:30:01	1	1	1	1	112.5	57	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	37.8125	2004
22.01.2020 10:30:02	1	1	1	1	112.5	57.75	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	37.8125	2004
22.01.2020 10:30:03	1	1	1	1	112.5	57.75	0	28009.479	569.8924731	16082.40698	30000	0	0	30000	37.375	2004
22.01.2020 10:30:04	1	1	1	1	112.5	57.25	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	37.1875	2004
22.01.2020 10:30:05	1	1	1	1	112.5	57	0	28009.479	576.344086	16022.06942	30000	0	0	30000	37.625	2004
22.01.2020 10:30:06	1	1	1	1	112.5	57.5	0	27914.692	572.0430108	15907.91727	30000	0	0	30000	37.6875	2004
22.01.2020 10:30:07	1	1	1	1	112.5	57.5	0	28199.052	572.0430108	16191.66689	30000	0	0	30000	37.1875	2004
22.01.2020 10:30:08	1	1	1	1	112.5	57	0	27962.085	569.8924731	15934.82456	30000	0	0	30000	37.75	2004
22.01.2020 10:30:09	1	1	1	1	112.5	57.75	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	36.5625	2004
22.01.2020 10:30:10	1	1	1	1	113.5	56.5	0	27867.299	569.8924731	16027.77702	30000	0	0	30000	37.6875	2004
22.01.2020 10:30:11	1	1	1	1	113.5	57.5	0	27819.905	572.0430108	15854.10268	30000	0	0	30000	37.125	2004
22.01.2020 10:30:12	1	1	1	1	113.5	57	0	27962.085	574.1935484	16203.08211	30000	0	0	30000	37.75	2004
22.01.2020 10:30:13	1	1	1	1	113.5	57.75	0	27914.692	580.6451613	15941.34754	30000	0	0	30000	37.5625	2004
22.01.2020 10:30:14	1	1	1	1	113.5	57.5	0	27867.299	576.344086	16000.86973	30000	0	0	30000	36.9375	2004
22.01.2020 10:30:15	1	1	1	1	113.5	56.75	0	27819.905	572.0430108	15941.34754	30000	0	0	30000	37.4375	2004
22.01.2020 10:30:16	1	1	1	1	113.5	57.25	0	27914.692	574.1935484	16088.11459	30000	0	0	30000	37.5625	2004
22.01.2020 10:30:17	1	1	1	1	113.5	57.5	0	27914.692	576.344086	16000.86973	30000	0	0	30000	37.75	2004
22.01.2020 10:30:18	1	1	1	1	113.5	57.75	0	27867.299	569.8924731	15941.34754	30000	0	0	30000	36.6875	2004
22.01.2020 10:30:19	1	1	1	1	113.5	56.5	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	36.875	2004
22.01.2020 10:30:20	1	1	1	1	112.8	56.75	0	28009.479	574.1935484	16027.77702	30000	0	0	30000	37.75	2004
22.01.2020 10:30:21	1	1	1	1	112.8	57.75	0	27962.085	576.344086	16055.49969	30000	0	0	30000	37.625	2004
22.01.2020 10:30:22	1	1	1	1	112.8	57.5	0	27867.299	576.344086	16061.20729	30000	0	0	30000	36.6875	2004
22.01.2020 10:30:23	1	1	1	1	112.8	56.5	0	27819.905	569.8924731	16000.86973	30000	0	0	30000	37.75	2004
22.01.2020 10:30:24	1	1	1	1	112.8	57.75	0	27867.299	576.344086	15973.96244	30000	0	0	30000	37.5625	2004
22.01.2020 10:30:26	1	1	1	1	112.8	57.5	0	27867.299	572.0430108	16027.77702	30000	0	0	30000	37.3125	2004
22.01.2020 10:30:27	1	1	1	1	112.8	57.25	0	27867.299	572.0430108	15854.10268	30000	0	0	30000	37.5625	2004
22.01.2020 10:30:28	1	1	1	1	112.8	57.5	0	27819.905	578.4946237	15864.70252	30000	0	0	30000	37.8125	2004
22.01.2020 10:30:29	1	1	1	1	112.8	57.75	0	27962.085	572.0430108	15934.82456	30000	0	0	30000	37.8125	2004
22.01.2020 10:30:30	1	1	1	1	113.5	57.75	0	27962.085	576.344086	16055.49969	30000	0	0	30000	37.75	2004
22.01.2020 10:30:31	1	1	1	1	113.5	57.75	0	27914.692	574.1935484	16055.49969	30000	0	0	30000	37.375	2004
22.01.2020 10:30:32	1	1	1	1	113.5	57.25	0	28009.479	572.0430108	16142.74454	30000	0	0	30000	37.5625	2004
22.01.2020 10:30:33	1	1	1	1	113.5	57.5	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	37.25	2004
22.01.2020 10:30:39	1	1	1	1	113.5	57.5	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	37.75	2004
22.01.2020 10:30:39	1	1	1	1	113.5	57.5	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	37.75	2004
22.01.2020 10:30:39	1	1	1	1	113.5	57.5	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	37.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 10:30:39	1	1	1	1	113.5	57.5	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	37.75	2004
22.01.2020 10:30:39	1	1	1	1	113.5	57.5	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	37.75	2004
22.01.2020 10:30:39	1	1	1	1	113.5	57.5	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	37.75	2004
22.01.2020 10:30:40	1	1	1	1	113.3	57.75	0	27630.332	572.0430108	15864.70252	30000	0	0	30000	37.375	2004
22.01.2020 10:30:41	1	1	1	1	113.3	57.25	0	27914.692	572.0430108	16323.75724	30000	0	0	30000	37.875	2004
22.01.2020 10:30:42	1	1	1	1	113.3	57.75	0	27867.299	576.344086	16000.86973	30000	0	0	30000	37.0625	2004
22.01.2020 10:30:43	1	1	1	1	113.3	57	0	27914.692	569.8924731	15881.00997	30000	0	0	30000	37.5	2004
22.01.2020 10:30:44	1	1	1	1	113.3	57.5	0	27867.299	567.7419355	16088.11459	30000	0	0	30000	37.9375	2004
22.01.2020 10:30:45	1	1	1	1	113.3	57.75	0	27867.299	572.0430108	15854.10268	30000	0	0	30000	37.5625	2004
22.01.2020 10:30:46	1	1	1	1	113.3	57.5	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	37.9375	2004
22.01.2020 10:30:47	1	1	1	1	113.3	57.75	0	28009.479	572.0430108	15902.20966	30000	0	0	30000	37.375	2004
22.01.2020 10:30:48	1	1	1	1	113.3	57.25	0	27962.085	569.8924731	15934.82456	30000	0	0	30000	37.8125	2004
22.01.2020 10:30:49	1	1	1	1	113.3	57.75	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	37.8125	2004
22.01.2020 10:30:50	1	1	1	1	113.5	57.75	0	28009.479	572.0430108	16070.17639	30000	0	0	30000	37.625	2004
22.01.2020 10:30:51	1	1	1	1	113.5	57.5	0	28009.479	580.6451613	15961.73185	30000	0	0	30000	37.875	2004
22.01.2020 10:30:52	1	1	1	1	113.5	57.75	0	27867.299	572.0430108	15907.91727	30000	0	0	30000	37.875	2004
22.01.2020 10:30:53	1	1	1	1	113.5	57.75	0	27962.085	569.8924731	15934.82456	30000	0	0	30000	37.875	2004
22.01.2020 10:30:54	1	1	1	1	113.5	57.75	0	28199.052	572.0430108	16130.51396	30000	0	0	30000	36.75	2004
22.01.2020 10:30:55	1	1	1	1	113.5	56.75	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	37	2004
22.01.2020 10:30:56	1	1	1	1	113.5	57	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	37.8125	2004
22.01.2020 10:30:57	1	1	1	1	113.5	57.75	0	28199.052	572.0430108	16070.17639	30000	0	0	30000	37.3125	2004
22.01.2020 10:30:58	1	1	1	1	113.5	57.25	0	27914.692	569.8924731	15907.91727	30000	0	0	30000	37.625	2004
22.01.2020 10:30:59	1	1	1	1	113.5	57.5	0	28009.479	572.0430108	15841.8721	30000	0	0	30000	37.3125	2004
22.01.2020 10:31:00	1	1	1	1	112.8	57.25	0	28009.479	574.1935484	16022.06942	30000	0	0	30000	36.9375	2004
22.01.2020 10:31:01	1	1	1	1	112.8	56.75	0	27914.692	572.0430108	16027.77702	30000	0	0	30000	36.625	2004
22.01.2020 10:31:02	1	1	1	1	112.8	56.5	0	28009.479	576.344086	16055.49969	30000	0	0	30000	36.5625	2004
22.01.2020 10:31:04	1	1	1	1	112.8	56.5	0	27914.692	574.1935484	16027.77702	30000	0	0	30000	37.375	2004
22.01.2020 10:31:05	1	1	1	1	112.8	57.25	0	27867.299	572.0430108	15973.96244	30000	0	0	30000	37.75	2004
22.01.2020 10:31:06	1	1	1	1	112.8	57.75	0	28009.479	576.344086	16082.40698	30000	0	0	30000	38.0625	2004
22.01.2020 10:31:07	1	1	1	1	112.8	58	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	37.5625	2004
22.01.2020 10:31:08	1	1	1	1	112.8	57.5	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	37.75	2004
22.01.2020 10:31:09	1	1	1	1	112.8	57.75	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	37.4375	2004
22.01.2020 10:31:10	1	1	1	1	113.3	57.25	0	27962.085	574.1935484	16115.83725	30000	0	0	30000	38.0625	2004
22.01.2020 10:31:11	1	1	1	1	113.3	58	0	27867.299	569.8924731	16027.77702	30000	0	0	30000	37.875	2004
22.01.2020 10:31:12	1	1	1	1	113.3	57.75	0	27867.299	576.344086	16061.20729	30000	0	0	30000	37.5625	2004
22.01.2020 10:31:13	1	1	1	1	113.3	57.5	0	27772.512	576.344086	15983.74691	30000	0	0	30000	37.875	2004
22.01.2020 10:31:14	1	1	1	1	113.3	57.75	0	27867.299	574.1935484	16027.77702	30000	0	0	30000	37.6875	2004
22.01.2020 10:31:15	1	1	1	1	113.3	57.5	0	27725.118	580.6451613	15745.65814	30000	0	0	30000	37.9375	2004
22.01.2020 10:31:16	1	1	1	1	113.3	57.75	0	27630.332	576.344086	15864.70252	30000	0	0	30000	37.625	2004
22.01.2020 10:31:17	1	1	1	1	113.3	57.5	0	27867.299	584.9462366	16120.72949	30000	0	0	30000	37.25	2004
22.01.2020 10:31:18	1	1	1	1	113.3	57.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	38	2004
22.01.2020 10:31:19	1	1	1	1	113.3	58	0	27630.332	578.4946237	15924.22472	30000	0	0	30000	38	2004
22.01.2020 10:31:20	1	1	1	1	113	58	0	27630.332	578.4946237	16332.72633	30000	0	0	30000	37.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 10:31:21	1	1	1	1	113	57.25	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	37.1875	2004
22.01.2020 10:31:22	1	1	1	1	113	57	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	37.9375	2004
22.01.2020 10:31:23	1	1	1	1	113	57.75	0	27535.545	578.4946237	15956.02424	30000	0	0	30000	37.3125	2004
22.01.2020 10:31:24	1	1	1	1	113	57.25	0	27630.332	584.9462366	15983.74691	30000	0	0	30000	37.75	2004
22.01.2020 10:31:25	1	1	1	1	113	57.75	0	27582.938	578.4946237	16043.2691	30000	0	0	30000	37.5625	2004
22.01.2020 10:31:26	1	1	1	1	113	57.5	0	27630.332	582.7956989	16102.79129	30000	0	0	30000	37.4375	2004
22.01.2020 10:31:27	1	1	1	1	113	57.25	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	38	2004
22.01.2020 10:31:28	1	1	1	1	113	58	0	27582.938	580.6451613	15956.02424	30000	0	0	30000	37.5	2004
22.01.2020 10:31:29	1	1	1	1	113	57.5	0	27393.365	576.344086	15933.19381	30000	0	0	30000	37.9375	2004
22.01.2020 10:31:30	1	1	1	1	114	57.75	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	37.4375	2004
22.01.2020 10:31:31	1	1	1	1	114	57.25	0	27630.332	574.1935484	15983.74691	30000	0	0	30000	37.3125	2004
22.01.2020 10:31:32	1	1	1	1	114	57.25	0	27440.758	576.344086	15760.33485	30000	0	0	30000	37.3125	2004
22.01.2020 10:31:33	1	1	1	1	114	57.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	37.4375	2004
22.01.2020 10:31:34	1	1	1	1	114	57.25	0	27725.118	580.6451613	16038.37687	30000	0	0	30000	37.9375	2004
22.01.2020 10:31:41	1	1	1	1	113.5	58	0	27819.905	578.4946237	16033.48463	30000	0	0	30000	37.6875	2004
22.01.2020 10:31:41	1	1	1	1	113.5	58	0	27819.905	578.4946237	16033.48463	30000	0	0	30000	37.6875	2004
22.01.2020 10:31:41	1	1	1	1	113.5	58	0	27819.905	578.4946237	16033.48463	30000	0	0	30000	37.6875	2004
22.01.2020 10:31:41	1	1	1	1	113.5	58	0	27819.905	578.4946237	16033.48463	30000	0	0	30000	37.6875	2004
22.01.2020 10:31:41	1	1	1	1	113.5	58	0	27819.905	578.4946237	16033.48463	30000	0	0	30000	37.6875	2004
22.01.2020 10:31:41	1	1	1	1	113.5	58	0	27819.905	578.4946237	16033.48463	30000	0	0	30000	37.6875	2004
22.01.2020 10:31:42	1	1	1	1	113.5	57.5	0	27630.332	576.344086	15983.74691	30000	0	0	30000	37.9375	2004
22.01.2020 10:31:43	1	1	1	1	113.5	57.75	0	27867.299	576.344086	16033.48463	30000	0	0	30000	38.125	2004
22.01.2020 10:31:44	1	1	1	1	113.5	58	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	37.9375	2004
22.01.2020 10:31:45	1	1	1	1	113.5	57.75	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	36.6875	2004
22.01.2020 10:31:46	1	1	1	1	113.5	58.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	38.0625	2004
22.01.2020 10:31:47	1	1	1	1	113.5	58	0	27535.545	574.1935484	15873.67162	30000	0	0	30000	37.3125	2004
22.01.2020 10:31:48	1	1	1	1	113.5	57.25	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	38.125	2004
22.01.2020 10:31:49	1	1	1	1	113.5	58	0	27630.332	574.1935484	15924.22472	30000	0	0	30000	37.875	2004
22.01.2020 10:31:50	1	1	1	1	113.8	57.75	0	27440.758	576.344086	15873.67162	30000	0	0	30000	38.0625	2004
22.01.2020 10:31:51	1	1	1	1	113.8	58	0	27535.545	576.344086	15956.02424	30000	0	0	30000	37.3125	2004
22.01.2020 10:31:52	1	1	1	1	113.8	57.25	0	27630.332	576.344086	15983.74691	30000	0	0	30000	37.3125	2004
22.01.2020 10:31:53	1	1	1	1	113.8	57.25	0	27630.332	576.344086	15864.70252	30000	0	0	30000	37.625	2004
22.01.2020 10:31:54	1	1	1	1	113.8	57.5	0	27440.758	576.344086	15814.9648	30000	0	0	30000	37.75	2004
22.01.2020 10:31:55	1	1	1	1	113.8	57.75	0	27630.332	578.4946237	15745.65814	30000	0	0	30000	38.0625	2004
22.01.2020 10:31:56	1	1	1	1	113.8	58	0	27630.332	576.344086	15924.22472	30000	0	0	30000	37.5	2004
22.01.2020 10:31:57	1	1	1	1	113.8	57.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	37.5	2004
22.01.2020 10:31:58	1	1	1	1	113.8	57.5	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	38.125	2004
22.01.2020 10:31:59	1	1	1	1	113.8	58	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	37.9375	2004
22.01.2020 10:32:00	1	1	1	1	113.3	57.75	0	27630.332	578.4946237	15924.22472	30000	0	0	30000	38.0625	2004
22.01.2020 10:32:01	1	1	1	1	113.3	58	0	27582.938	578.4946237	15956.02424	30000	0	0	30000	37.0625	2004
22.01.2020 10:32:02	1	1	1	1	113.3	57	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	37.75	2004
22.01.2020 10:32:03	1	1	1	1	113.3	57.75	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	38.1875	2004
22.01.2020 10:32:04	1	1	1	1	113.3	58	0	27582.938	578.4946237	15814.9648	30000	0	0	30000	37.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 10:32:05	1	1	1	1	113.3	57.75	0	27440.758	576.344086	15814.9648	30000	0	0	30000	37.9375	2004
22.01.2020 10:32:06	1	1	1	1	113.3	57.75	0	27582.938	580.6451613	16043.2691	30000	0	0	30000	38.0625	2004
22.01.2020 10:32:07	1	1	1	1	113.3	58	0	27535.545	582.7956989	16047.34596	30000	0	0	30000	38.125	2004
22.01.2020 10:32:08	1	1	1	1	113.3	58	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	37.75	2004
22.01.2020 10:32:09	1	1	1	1	113.3	57.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	37.4375	2004
22.01.2020 10:32:10	1	1	1	1	113.3	57.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	37.9375	2004
22.01.2020 10:32:11	1	1	1	1	113.3	57.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	38	2004
22.01.2020 10:32:12	1	1	1	1	113.3	58	0	27630.332	578.4946237	16043.2691	30000	0	0	30000	38.125	2004
22.01.2020 10:32:13	1	1	1	1	113.3	58	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	37.4375	2004
22.01.2020 10:32:14	1	1	1	1	113.3	57.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	37.875	2004
22.01.2020 10:32:15	1	1	1	1	113.3	57.75	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	37.8125	2004
22.01.2020 10:32:16	1	1	1	1	113.3	57.75	0	27298.578	578.4946237	15733.42755	30000	0	0	30000	37.875	2004
22.01.2020 10:32:17	1	1	1	1	113.3	57.75	0	27440.758	580.6451613	15873.67162	30000	0	0	30000	37.8125	2004
22.01.2020 10:32:19	1	1	1	1	113.3	57.75	0	27630.332	576.344086	15983.74691	30000	0	0	30000	38.0625	2004
22.01.2020 10:32:20	1	1	1	1	113.3	58	0	27345.972	578.4946237	15819.04167	30000	0	0	30000	37.9375	2004
22.01.2020 10:32:21	1	1	1	1	113.3	57.75	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	37.3125	2004
22.01.2020 10:32:22	1	1	1	1	113.3	57.25	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	38.5	2004
22.01.2020 10:32:23	1	1	1	1	113.3	58.5	0	27630.332	580.6451613	15956.02424	30000	0	0	30000	38.125	2004
22.01.2020 10:32:24	1	1	1	1	113.3	58	0	27582.938	580.6451613	15873.67162	30000	0	0	30000	38.375	2004
22.01.2020 10:32:25	1	1	1	1	113.3	57.75	0	27345.972	578.4946237	15760.33485	30000	0	0	30000	36.4375	2004
22.01.2020 10:32:26	1	1	1	1	113.3	56.25	0	27630.332	576.344086	15983.74691	30000	0	0	30000	38.1875	2004
22.01.2020 10:32:27	1	1	1	1	113.3	58	0	27867.299	578.4946237	16093.00682	30000	0	0	30000	38.125	2004
22.01.2020 10:32:28	1	1	1	1	113.3	58	0	27345.972	574.1935484	15760.33485	30000	0	0	30000	36.9375	2004
22.01.2020 10:32:29	1	1	1	1	113.3	56.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	38	2004
22.01.2020 10:32:30	1	1	1	1	113.5	58	0	27630.332	578.4946237	16102.79129	30000	0	0	30000	38.125	2004
22.01.2020 10:32:31	1	1	1	1	113.5	58	0	27630.332	578.4946237	16093.00682	30000	0	0	30000	38.1875	2004
22.01.2020 10:32:32	1	1	1	1	113.5	58	0	27772.512	578.4946237	16093.00682	30000	0	0	30000	38	2004
22.01.2020 10:32:33	1	1	1	1	113.5	58	0	27819.905	576.344086	16093.00682	30000	0	0	30000	37.875	2004
22.01.2020 10:32:34	1	1	1	1	113.5	57.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	38.25	2004
22.01.2020 10:32:35	1	1	1	1	113.5	58.25	0	27914.692	578.4946237	16120.72949	30000	0	0	30000	37.75	2004
22.01.2020 10:32:36	1	1	1	1	113.5	57.75	0	27630.332	576.344086	15983.74691	30000	0	0	30000	38.25	2004
22.01.2020 10:32:42	1	1	1	1	114	58	0	27630.332	576.344086	15864.70252	30000	0	0	30000	38.1875	2004
22.01.2020 10:32:42	1	1	1	1	114	58	0	27630.332	576.344086	15864.70252	30000	0	0	30000	38.1875	2004
22.01.2020 10:32:42	1	1	1	1	114	58	0	27630.332	576.344086	15864.70252	30000	0	0	30000	38.1875	2004
22.01.2020 10:32:42	1	1	1	1	114	58	0	27630.332	576.344086	15864.70252	30000	0	0	30000	38.1875	2004
22.01.2020 10:32:42	1	1	1	1	114	58	0	27914.692	574.1935484	16027.77702	30000	0	0	30000	37.6875	2004
22.01.2020 10:32:43	1	1	1	1	114	57.5	0	27914.692	574.1935484	16115.83725	30000	0	0	30000	37.625	2004
22.01.2020 10:32:44	1	1	1	1	114	57.5	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	38.0625	2004
22.01.2020 10:32:45	1	1	1	1	114	58	0	27819.905	569.8924731	15854.10268	30000	0	0	30000	38	2004
22.01.2020 10:32:46	1	1	1	1	114	58	0	27630.332	569.8924731	15805.18033	30000	0	0	30000	37.3125	2004
22.01.2020 10:32:47	1	1	1	1	114	57.25	0	27914.692	572.0430108	15995.16212	30000	0	0	30000	37.8125	2004
22.01.2020 10:32:48	1	1	1	1	114	57.75	0	27725.118	576.344086	15983.74691	30000	0	0	30000	37.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 10:32:49	1	1	1	1	114	57.5	0	27819.905	576.344086	16033.48463	30000	0	0	30000	38.4375	2004
22.01.2020 10:32:50	1	1	1	1	113.5	58.25	0	27725.118	578.4946237	15919.33248	30000	0	0	30000	38.25	2004
22.01.2020 10:32:51	1	1	1	1	113.5	58.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	37.9375	2004
22.01.2020 10:32:52	1	1	1	1	113.5	57.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	37.9375	2004
22.01.2020 10:32:53	1	1	1	1	113.5	57.75	0	27867.299	576.344086	16088.11459	30000	0	0	30000	38.125	2004
22.01.2020 10:32:54	1	1	1	1	113.5	58	0	27535.545	578.4946237	16015.54644	30000	0	0	30000	38.25	2004
22.01.2020 10:32:55	1	1	1	1	113.5	58.25	0	27819.905	576.344086	15973.96244	30000	0	0	30000	38.375	2004
22.01.2020 10:32:56	1	1	1	1	113.5	58.25	0	27819.905	574.1935484	15973.96244	30000	0	0	30000	37.4375	2004
22.01.2020 10:32:58	1	1	1	1	113.5	57.25	0	27867.299	574.1935484	16033.48463	30000	0	0	30000	37.5625	2004
22.01.2020 10:32:59	1	1	1	1	113.5	57.5	0	27914.692	576.344086	16027.77702	30000	0	0	30000	38.125	2004
22.01.2020 10:33:00	1	1	1	1	113.5	58	0	27867.299	574.1935484	16088.11459	30000	0	0	30000	38.25	2004
22.01.2020 10:33:01	1	1	1	1	113.5	58.25	0	27440.758	576.344086	15814.9648	30000	0	0	30000	37.9375	2004
22.01.2020 10:33:02	1	1	1	1	113.5	57.75	0	27867.299	576.344086	15973.96244	30000	0	0	30000	38.3125	2004
22.01.2020 10:33:03	1	1	1	1	113.5	56.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	38.25	2004
22.01.2020 10:33:04	1	1	1	1	113.5	58.25	0	27819.905	576.344086	16033.48463	30000	0	0	30000	37	2004
22.01.2020 10:33:05	1	1	1	1	113.5	57	0	28009.479	584.9462366	16088.11459	30000	0	0	30000	38.1875	2004
22.01.2020 10:33:06	1	1	1	1	113.5	58	0	27772.512	578.4946237	16093.00682	30000	0	0	30000	37.5625	2004
22.01.2020 10:33:07	1	1	1	1	113.5	57.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	38.3125	2004
22.01.2020 10:33:08	1	1	1	1	113.5	58.25	0	27772.512	574.1935484	16093.00682	30000	0	0	30000	37.6875	2004
22.01.2020 10:33:09	1	1	1	1	113.5	57.5	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	37.1875	2004
22.01.2020 10:33:10	1	1	1	1	113.3	57	0	27630.332	576.344086	15924.22472	30000	0	0	30000	38	2004
22.01.2020 10:33:11	1	1	1	1	113.3	58	0	27630.332	576.344086	16033.48463	30000	0	0	30000	38.4375	2004
22.01.2020 10:33:12	1	1	1	1	113.3	58.25	0	27630.332	576.344086	15983.74691	30000	0	0	30000	37.875	2004
22.01.2020 10:33:13	1	1	1	1	113.3	57.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	38.375	2004
22.01.2020 10:33:14	1	1	1	1	113.3	58.25	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	38.0625	2004
22.01.2020 10:33:15	1	1	1	1	113.3	58	0	27725.118	578.4946237	16093.00682	30000	0	0	30000	38	2004
22.01.2020 10:33:16	1	1	1	1	113.3	58	0	27819.905	580.6451613	16093.00682	30000	0	0	30000	38.375	2004
22.01.2020 10:33:17	1	1	1	1	113.3	58.25	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	38	2004
22.01.2020 10:33:18	1	1	1	1	113.3	58	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	38.3125	2004
22.01.2020 10:33:19	1	1	1	1	113.3	58.25	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	38.1875	2004
22.01.2020 10:33:20	1	1	1	1	113	58	0	27630.332	578.4946237	16093.00682	30000	0	0	30000	38	2004
22.01.2020 10:33:21	1	1	1	1	113	58	0	27819.905	580.6451613	16153.34439	30000	0	0	30000	37.75	2004
22.01.2020 10:33:22	1	1	1	1	113	57.75	0	27630.332	576.344086	15924.22472	30000	0	0	30000	38.4375	2004
22.01.2020 10:33:23	1	1	1	1	113	58.25	0	27630.332	578.4946237	16212.86658	30000	0	0	30000	38.1875	2004
22.01.2020 10:33:24	1	1	1	1	113	58	0	27535.545	572.0430108	15983.74691	30000	0	0	30000	37.625	2004
22.01.2020 10:33:25	1	1	1	1	113	57.5	0	27819.905	576.344086	16033.48463	30000	0	0	30000	38.0625	2004
22.01.2020 10:33:26	1	1	1	1	113	58	0	27819.905	576.344086	16061.20729	30000	0	0	30000	38.3125	2004
22.01.2020 10:33:27	1	1	1	1	113	58.25	0	27725.118	574.1935484	15745.65814	30000	0	0	30000	37.4375	2004
22.01.2020 10:33:28	1	1	1	1	113	57.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	38.25	2004
22.01.2020 10:33:29	1	1	1	1	113	58.25	0	27630.332	576.344086	15805.18033	30000	0	0	30000	38.4375	2004
22.01.2020 10:33:30	1	1	1	1	113	58.25	0	27819.905	578.4946237	15983.74691	30000	0	0	30000	37.8125	2004
22.01.2020 10:33:31	1	1	1	1	113	57.75	0	27867.299	580.6451613	16093.00682	30000	0	0	30000	38.25	2004
22.01.2020 10:33:32	1	1	1	1	113	58.25	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	37.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 10:33:33	1	1	1	1	113	57.75	0	27772.512	574.1935484	16033.48463	30000	0	0	30000	38.0625	2004
22.01.2020 10:33:34	1	1	1	1	113	58	0	27819.905	580.6451613	15973.96244	30000	0	0	30000	38.1875	2004
22.01.2020 10:33:35	1	1	1	1	113	58	0	27725.118	576.344086	16038.37687	30000	0	0	30000	38.375	2004
22.01.2020 10:33:37	1	1	1	1	113	58.25	0	27772.512	576.344086	15924.22472	30000	0	0	30000	37.8125	2004
22.01.2020 10:33:38	1	1	1	1	113	57.75	0	27819.905	576.344086	15686.95132	30000	0	0	30000	37.625	2004
22.01.2020 10:33:44	1	1	1	1	113.3	58	0	27914.692	574.1935484	16027.77702	30000	0	0	30000	38.1875	2004
22.01.2020 10:33:44	1	1	1	1	113.3	58	0	27914.692	574.1935484	16027.77702	30000	0	0	30000	38.1875	2004
22.01.2020 10:33:44	1	1	1	1	113.3	58	0	27914.692	574.1935484	16027.77702	30000	0	0	30000	38.1875	2004
22.01.2020 10:33:44	1	1	1	1	113.3	58	0	27914.692	574.1935484	16027.77702	30000	0	0	30000	38.1875	2004
22.01.2020 10:33:44	1	1	1	1	113.3	58	0	27914.692	574.1935484	16027.77702	30000	0	0	30000	38.1875	2004
22.01.2020 10:33:45	1	1	1	1	113.3	58	0	27630.332	574.1935484	15864.70252	30000	0	0	30000	38.375	2004
22.01.2020 10:33:46	1	1	1	1	113.3	58.25	0	27819.905	576.344086	15919.33248	30000	0	0	30000	38.1875	2004
22.01.2020 10:33:47	1	1	1	1	113.3	58	0	27914.692	576.344086	16088.11459	30000	0	0	30000	37.5625	2004
22.01.2020 10:33:48	1	1	1	1	113.3	57.5	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	38.0625	2004
22.01.2020 10:33:49	1	1	1	1	113.3	58	0	27630.332	578.4946237	15924.22472	30000	0	0	30000	38.3125	2004
22.01.2020 10:33:50	1	1	1	1	113	58.25	0	27630.332	576.344086	15924.22472	30000	0	0	30000	38.1875	2004
22.01.2020 10:33:51	1	1	1	1	113	58	0	27630.332	578.4946237	16033.48463	30000	0	0	30000	38.375	2004
22.01.2020 10:33:52	1	1	1	1	113	58.25	0	27819.905	574.1935484	16033.48463	30000	0	0	30000	37.625	2004
22.01.2020 10:33:53	1	1	1	1	113	57.5	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	38.4375	2004
22.01.2020 10:33:54	1	1	1	1	113	58.25	0	27630.332	576.344086	15983.74691	30000	0	0	30000	38.3125	2004
22.01.2020 10:33:55	1	1	1	1	113	58.25	0	27630.332	569.8924731	16212.86658	30000	0	0	30000	38.375	2004
22.01.2020 10:33:56	1	1	1	1	113	58.25	0	27867.299	582.7956989	15973.96244	30000	0	0	30000	38.3125	2004
22.01.2020 10:33:57	1	1	1	1	113	58.25	0	27914.692	576.344086	16027.77702	30000	0	0	30000	38.125	2004
22.01.2020 10:33:58	1	1	1	1	113	58	0	27630.332	572.0430108	15913.62487	30000	0	0	30000	37.75	2004
22.01.2020 10:33:59	1	1	1	1	113	57.75	0	27630.332	576.344086	15924.22472	30000	0	0	30000	37.1875	2004
22.01.2020 10:34:00	1	1	1	1	113.5	57	0	27819.905	576.344086	16033.48463	30000	0	0	30000	38.1875	2004
22.01.2020 10:34:01	1	1	1	1	113.5	58	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	38.3125	2004
22.01.2020 10:34:02	1	1	1	1	113.5	58.25	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	37.6875	2004
22.01.2020 10:34:03	1	1	1	1	113.5	57.5	0	27630.332	584.9462366	16162.31348	30000	0	0	30000	38.625	2004
22.01.2020 10:34:04	1	1	1	1	113.5	58.5	0	27582.938	576.344086	15638.02897	30000	0	0	30000	38.125	2004
22.01.2020 10:34:05	1	1	1	1	113.5	58	0	27819.905	578.4946237	16153.34439	30000	0	0	30000	38.375	2004
22.01.2020 10:34:06	1	1	1	1	113.5	58.25	0	27819.905	580.6451613	16093.00682	30000	0	0	30000	37.625	2004
22.01.2020 10:34:07	1	1	1	1	113.5	57.5	0	27725.118	580.6451613	16153.34439	30000	0	0	30000	38.4375	2004
22.01.2020 10:34:08	1	1	1	1	113.5	58.25	0	27535.545	578.4946237	16075.06863	30000	0	0	30000	38.375	2004
22.01.2020 10:34:09	1	1	1	1	113.5	58.25	0	27630.332	587.0967742	16102.79129	30000	0	0	30000	38.375	2004
22.01.2020 10:34:10	1	1	1	1	113.3	58.25	0	27630.332	580.6451613	15864.70252	30000	0	0	30000	37.9375	2004
22.01.2020 10:34:11	1	1	1	1	113.3	57.75	0	27630.332	580.6451613	15924.22472	30000	0	0	30000	38.5	2004
22.01.2020 10:34:12	1	1	1	1	113.3	58.5	0	27630.332	576.344086	15745.65814	30000	0	0	30000	38.25	2004
22.01.2020 10:34:13	1	1	1	1	113.3	58.25	0	27630.332	569.8924731	15864.70252	30000	0	0	30000	38.3125	2004
22.01.2020 10:34:15	1	1	1	1	113.3	58.25	0	27630.332	578.4946237	16043.2691	30000	0	0	30000	38.4375	2004
22.01.2020 10:34:16	1	1	1	1	113.3	58.25	0	27440.758	572.0430108	15929.11695	30000	0	0	30000	38	2004
22.01.2020 10:34:17	1	1	1	1	113.3	58	0	27630.332	582.7956989	16043.2691	30000	0	0	30000	38.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 10:34:18	1	1	1	1	113.3	58.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	38.5	2004
22.01.2020 10:34:19	1	1	1	1	113.3	58.5	0	27725.118	580.6451613	16102.79129	30000	0	0	30000	38.5	2004
22.01.2020 10:34:20	1	1	1	1	113.5	58.25	0	27440.758	576.344086	15638.02897	30000	0	0	30000	38.1875	2004
22.01.2020 10:34:21	1	1	1	1	113.5	58	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	38.375	2004
22.01.2020 10:34:22	1	1	1	1	113.5	58.25	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	38.0625	2004
22.01.2020 10:34:23	1	1	1	1	113.5	58	0	27440.758	576.344086	15869.59476	30000	0	0	30000	38.375	2004
22.01.2020 10:34:24	1	1	1	1	113.5	58.25	0	27819.905	578.4946237	16153.34439	30000	0	0	30000	37.9375	2004
22.01.2020 10:34:25	1	1	1	1	113.5	57.75	0	27582.938	578.4946237	15873.67162	30000	0	0	30000	38.5	2004
22.01.2020 10:34:26	1	1	1	1	113.5	58.5	0	27440.758	576.344086	15873.67162	30000	0	0	30000	38.1875	2004
22.01.2020 10:34:27	1	1	1	1	113.5	58	0	27582.938	580.6451613	15956.02424	30000	0	0	30000	38.125	2004
22.01.2020 10:34:28	1	1	1	1	113.5	58	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	38.0625	2004
22.01.2020 10:34:29	1	1	1	1	113.5	58	0	27582.938	578.4946237	15929.11695	30000	0	0	30000	38.5625	2004
22.01.2020 10:34:30	1	1	1	1	113.3	58.5	0	27819.905	580.6451613	16153.34439	30000	0	0	30000	37.4375	2004
22.01.2020 10:34:31	1	1	1	1	113.3	57.25	0	27582.938	576.344086	15983.74691	30000	0	0	30000	38.5	2004
22.01.2020 10:34:32	1	1	1	1	113.3	58.5	0	27630.332	578.4946237	16038.37687	30000	0	0	30000	38.375	2004
22.01.2020 10:34:33	1	1	1	1	113.3	58.25	0	27725.118	576.344086	15983.74691	30000	0	0	30000	38.5	2004
22.01.2020 10:34:34	1	1	1	1	113.3	58.5	0	27630.332	576.344086	15924.22472	30000	0	0	30000	38.375	2004
22.01.2020 10:34:35	1	1	1	1	113.3	58.25	0	27630.332	572.0430108	15973.96244	30000	0	0	30000	38.3125	2004
22.01.2020 10:34:36	1	1	1	1	113.3	58.25	0	27914.692	576.344086	16088.11459	30000	0	0	30000	38.0625	2004
22.01.2020 10:34:37	1	1	1	1	113.3	58	0	27819.905	576.344086	16000.86973	30000	0	0	30000	38.4375	2004
22.01.2020 10:34:38	1	1	1	1	113.3	58.25	0	27819.905	572.0430108	15973.96244	30000	0	0	30000	37.875	2004
22.01.2020 10:34:39	1	1	1	1	113.3	57.75	0	27867.299	576.344086	15973.96244	30000	0	0	30000	38	2004
22.01.2020 10:34:45	1	1	1	1	113.5	58.5	0	27914.692	572.0430108	15761.15022	30000	0	0	30000	38.0625	2004
22.01.2020 10:34:45	1	1	1	1	113.5	58.5	0	27914.692	572.0430108	15761.15022	30000	0	0	30000	38.0625	2004
22.01.2020 10:34:45	1	1	1	1	113.5	58.5	0	27914.692	572.0430108	15761.15022	30000	0	0	30000	38.0625	2004
22.01.2020 10:34:45	1	1	1	1	113.5	58.5	0	27914.692	572.0430108	15761.15022	30000	0	0	30000	38.0625	2004
22.01.2020 10:34:45	1	1	1	1	113.5	58.5	0	27914.692	572.0430108	15761.15022	30000	0	0	30000	38.0625	2004
22.01.2020 10:34:46	1	1	1	1	113.5	58	0	27914.692	569.8924731	15907.91727	30000	0	0	30000	38.375	2004
22.01.2020 10:34:47	1	1	1	1	113.5	58.25	0	28009.479	576.344086	16082.40698	30000	0	0	30000	38.125	2004
22.01.2020 10:34:48	1	1	1	1	113.5	58	0	28009.479	578.4946237	16203.08211	30000	0	0	30000	38.5	2004
22.01.2020 10:34:49	1	1	1	1	113.5	58.5	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	38.625	2004
22.01.2020 10:34:50	1	1	1	1	114.3	58.5	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	38.4375	2004
22.01.2020 10:34:51	1	1	1	1	114.3	58.25	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	38.4375	2004
22.01.2020 10:34:52	1	1	1	1	114.3	58.25	0	28199.052	574.1935484	16191.66689	30000	0	0	30000	38	2004
22.01.2020 10:34:54	1	1	1	1	114.3	58	0	28199.052	572.0430108	16191.66689	30000	0	0	30000	38.5	2004
22.01.2020 10:34:55	1	1	1	1	114.3	58.5	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	38.4375	2004
22.01.2020 10:34:58	1	1	1	1	114.3	58.5	0	27867.299	572.0430108	15973.96244	30000	0	0	30000	38.125	2004
22.01.2020 10:34:58	1	1	1	1	114.3	58.5	0	27867.299	572.0430108	15973.96244	30000	0	0	30000	38.125	2004
22.01.2020 10:34:58	1	1	1	1	114.3	58.5	0	27867.299	572.0430108	15973.96244	30000	0	0	30000	38.125	2004
22.01.2020 10:34:59	1	1	1	1	114.3	58	0	27914.692	569.8924731	15881.00997	30000	0	0	30000	38.375	2004
22.01.2020 10:35:00	1	1	1	1	114.5	58.25	0	28009.479	576.344086	16142.74454	30000	0	0	30000	38.625	2004
22.01.2020 10:35:01	1	1	1	1	114.5	58.5	0	28009.479	576.344086	15961.73185	30000	0	0	30000	38.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 10:35:02	1	1	1	1	114.5	58.25	0	27962.085	572.0430108	15995.16212	30000	0	0	30000	38.5	2004
22.01.2020 10:35:03	1	1	1	1	114.5	58.5	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	38.625	2004
22.01.2020 10:35:04	1	1	1	1	114.5	58.5	0	27867.299	565.5913978	15907.91727	30000	0	0	30000	38.3125	2004
22.01.2020 10:35:05	1	1	1	1	114.5	58.25	0	28009.479	574.1935484	16142.74454	30000	0	0	30000	38.4375	2004
22.01.2020 10:35:06	1	1	1	1	114.5	58.25	0	27867.299	576.344086	15941.34754	30000	0	0	30000	37.9375	2004
22.01.2020 10:35:07	1	1	1	1	114.5	57.75	0	27867.299	572.0430108	16027.77702	30000	0	0	30000	38.5	2004
22.01.2020 10:35:08	1	1	1	1	114.5	58.5	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	38.5625	2004
22.01.2020 10:35:09	1	1	1	1	114.5	58.5	0	27962.085	576.344086	16142.74454	30000	0	0	30000	38.75	2004
22.01.2020 10:35:10	1	1	1	1	114	58.75	0	27819.905	574.1935484	16120.72949	30000	0	0	30000	38.75	2004
22.01.2020 10:35:11	1	1	1	1	114	58.75	0	27725.118	569.8924731	15973.96244	30000	0	0	30000	38.8125	2004
22.01.2020 10:35:12	1	1	1	1	114	58.75	0	27630.332	574.1935484	16033.48463	30000	0	0	30000	38.5625	2004
22.01.2020 10:35:13	1	1	1	1	114	58.5	0	27819.905	574.1935484	15973.96244	30000	0	0	30000	38.6875	2004
22.01.2020 10:35:14	1	1	1	1	114	58.5	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	38.1875	2004
22.01.2020 10:35:15	1	1	1	1	114	58	0	27867.299	569.8924731	16000.86973	30000	0	0	30000	37.3125	2004
22.01.2020 10:35:16	1	1	1	1	114	57.25	0	27630.332	574.1935484	15864.70252	30000	0	0	30000	38.1875	2004
22.01.2020 10:35:17	1	1	1	1	114	58	0	27725.118	576.344086	15978.85467	30000	0	0	30000	38.6875	2004
22.01.2020 10:35:18	1	1	1	1	114	58.5	0	27630.332	576.344086	15924.22472	30000	0	0	30000	37.9375	2004
22.01.2020 10:35:19	1	1	1	1	114	57.75	0	27630.332	574.1935484	15973.96244	30000	0	0	30000	38.1875	2004
22.01.2020 10:35:20	1	1	1	1	114	58	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	37.0625	2004
22.01.2020 10:35:21	1	1	1	1	114	57	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	37.9375	2004
22.01.2020 10:35:22	1	1	1	1	114	57.75	0	27630.332	576.344086	16093.00682	30000	0	0	30000	38.75	2004
22.01.2020 10:35:23	1	1	1	1	114	58.75	0	27630.332	574.1935484	15978.85467	30000	0	0	30000	37.875	2004
22.01.2020 10:35:24	1	1	1	1	114	57.75	0	27725.118	572.0430108	15805.18033	30000	0	0	30000	38.875	2004
22.01.2020 10:35:25	1	1	1	1	114	58.75	0	27867.299	574.1935484	16088.11459	30000	0	0	30000	38.5	2004
22.01.2020 10:35:26	1	1	1	1	114	58.5	0	27867.299	576.344086	16000.86973	30000	0	0	30000	37.9375	2004
22.01.2020 10:35:27	1	1	1	1	114	57.75	0	27819.905	576.344086	16093.00682	30000	0	0	30000	38.8125	2004
22.01.2020 10:35:28	1	1	1	1	114	58.75	0	27630.332	572.0430108	15864.70252	30000	0	0	30000	38.4375	2004
22.01.2020 10:35:29	1	1	1	1	114	58.25	0	27819.905	576.344086	16061.20729	30000	0	0	30000	37.4375	2004
22.01.2020 10:35:30	1	1	1	1	114.3	57.25	0	27630.332	576.344086	15864.70252	30000	0	0	30000	38.4375	2004
22.01.2020 10:35:32	1	1	1	1	114.3	58.25	0	27630.332	576.344086	15919.33248	30000	0	0	30000	38.1875	2004
22.01.2020 10:35:33	1	1	1	1	114.3	58	0	27867.299	572.0430108	16000.86973	30000	0	0	30000	38.5625	2004
22.01.2020 10:35:34	1	1	1	1	114.3	58.5	0	27819.905	567.7419355	15854.10268	30000	0	0	30000	38.625	2004
22.01.2020 10:35:35	1	1	1	1	114.3	58.5	0	27962.085	569.8924731	15701.62803	30000	0	0	30000	38.875	2004
22.01.2020 10:35:36	1	1	1	1	114.3	58.75	0	28009.479	576.344086	15934.82456	30000	0	0	30000	38.4375	2004
22.01.2020 10:35:37	1	1	1	1	114.3	58.75	0	27962.085	572.0430108	15934.82456	30000	0	0	30000	38.75	2004
22.01.2020 10:35:38	1	1	1	1	114.3	58.75	0	27867.299	572.0430108	15907.91727	30000	0	0	30000	38.6875	2004
22.01.2020 10:35:39	1	1	1	1	114.3	58.5	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	38.625	2004
22.01.2020 10:35:40	1	1	1	1	114	58.5	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	38.3125	2004
22.01.2020 10:35:41	1	1	1	1	114	58.25	0	27914.692	574.1935484	15941.34754	30000	0	0	30000	38.625	2004
22.01.2020 10:35:47	1	1	1	1	114	58.75	0	28009.479	572.0430108	15934.82456	30000	0	0	30000	38.125	2004
22.01.2020 10:35:47	1	1	1	1	114	58.75	0	28009.479	572.0430108	15934.82456	30000	0	0	30000	38.125	2004
22.01.2020 10:35:47	1	1	1	1	114	58.75	0	28009.479	572.0430108	15934.82456	30000	0	0	30000	38.125	2004
22.01.2020 10:35:47	1	1	1	1	114	58.75	0	28009.479	572.0430108	15934.82456	30000	0	0	30000	38.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 10:35:47	1	1	1	1	114	58.75	0	28009.479	572.0430108	15934.82456	30000	0	0	30000	38.125	2004
22.01.2020 10:35:47	1	1	1	1	114	58.75	0	28009.479	572.0430108	15934.82456	30000	0	0	30000	38.125	2004
22.01.2020 10:35:48	1	1	1	1	114	58	0	28009.479	569.8924731	15841.8721	30000	0	0	30000	38.8125	2004
22.01.2020 10:35:49	1	1	1	1	114	58.75	0	28009.479	567.7419355	16191.66689	30000	0	0	30000	38.625	2004
22.01.2020 10:35:50	1	1	1	1	113.5	58.5	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	38.375	2004
22.01.2020 10:35:51	1	1	1	1	113.5	58.25	0	27914.692	572.0430108	15907.91727	30000	0	0	30000	37.9375	2004
22.01.2020 10:35:52	1	1	1	1	113.5	57.75	0	27867.299	569.8924731	15881.00997	30000	0	0	30000	38.75	2004
22.01.2020 10:35:53	1	1	1	1	113.5	58.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	38.1875	2004
22.01.2020 10:35:54	1	1	1	1	113.5	58	0	27962.085	569.8924731	15934.82456	30000	0	0	30000	38.625	2004
22.01.2020 10:35:55	1	1	1	1	113.5	58.5	0	27867.299	572.0430108	15913.62487	30000	0	0	30000	38.625	2004
22.01.2020 10:35:56	1	1	1	1	113.5	58.5	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	38.25	2004
22.01.2020 10:35:57	1	1	1	1	113.5	58.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	38.5625	2004
22.01.2020 10:35:58	1	1	1	1	113.5	58.5	0	27962.085	576.344086	15995.16212	30000	0	0	30000	37.9375	2004
22.01.2020 10:35:59	1	1	1	1	113.5	57.75	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	38.6875	2004
22.01.2020 10:36:00	1	1	1	1	114	58.5	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	38.875	2004
22.01.2020 10:36:01	1	1	1	1	114	58.75	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	38.6875	2004
22.01.2020 10:36:02	1	1	1	1	114	58.5	0	27772.512	578.4946237	16038.37687	30000	0	0	30000	38.625	2004
22.01.2020 10:36:03	1	1	1	1	114	58.5	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	38.5625	2004
22.01.2020 10:36:04	1	1	1	1	114	58.5	0	27914.692	572.0430108	16027.77702	30000	0	0	30000	38.9375	2004
22.01.2020 10:36:05	1	1	1	1	114	58.75	0	27819.905	576.344086	16153.34439	30000	0	0	30000	38.8125	2004
22.01.2020 10:36:06	1	1	1	1	114	58.75	0	27962.085	574.1935484	16055.49969	30000	0	0	30000	38.875	2004
22.01.2020 10:36:07	1	1	1	1	114	58.75	0	27867.299	576.344086	16120.72949	30000	0	0	30000	38.5625	2004
22.01.2020 10:36:09	1	1	1	1	114	58.5	0	27819.905	572.0430108	16006.57734	30000	0	0	30000	38.625	2004
22.01.2020 10:36:10	1	1	1	1	114	58.5	0	27867.299	572.0430108	15941.34754	30000	0	0	30000	37.5	2004
22.01.2020 10:36:11	1	1	1	1	114	57.5	0	27867.299	576.344086	16033.48463	30000	0	0	30000	38.5	2004
22.01.2020 10:36:12	1	1	1	1	114	58.5	0	27867.299	576.344086	15973.96244	30000	0	0	30000	38.6875	2004
22.01.2020 10:36:13	1	1	1	1	114	58.5	0	27630.332	576.344086	15983.74691	30000	0	0	30000	39	2004
22.01.2020 10:36:14	1	1	1	1	114	59	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	38.375	2004
22.01.2020 10:36:15	1	1	1	1	114	58.25	0	27867.299	576.344086	16120.72949	30000	0	0	30000	38.875	2004
22.01.2020 10:36:16	1	1	1	1	114	59	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	38.625	2004
22.01.2020 10:36:17	1	1	1	1	114	58.5	0	27867.299	584.9462366	16033.48463	30000	0	0	30000	38.75	2004
22.01.2020 10:36:18	1	1	1	1	114	58.75	0	27867.299	574.1935484	16120.72949	30000	0	0	30000	38.8125	2004
22.01.2020 10:36:19	1	1	1	1	114	58.75	0	27867.299	576.344086	16061.20729	30000	0	0	30000	37.75	2004
22.01.2020 10:36:20	1	1	1	1	114.5	57.75	0	27630.332	576.344086	15983.74691	30000	0	0	30000	38.1875	2004
22.01.2020 10:36:21	1	1	1	1	114.5	58	0	27914.692	576.344086	16115.83725	30000	0	0	30000	38.875	2004
22.01.2020 10:36:22	1	1	1	1	114.5	58.75	0	27630.332	576.344086	15924.22472	30000	0	0	30000	38.25	2004
22.01.2020 10:36:23	1	1	1	1	114.5	58.25	0	27630.332	578.4946237	16033.48463	30000	0	0	30000	39	2004
22.01.2020 10:36:24	1	1	1	1	114.5	59	0	27582.938	580.6451613	15983.74691	30000	0	0	30000	38.6875	2004
22.01.2020 10:36:25	1	1	1	1	114.5	58.5	0	27440.758	576.344086	15873.67162	30000	0	0	30000	38.6875	2004
22.01.2020 10:36:26	1	1	1	1	114.5	58.5	0	27582.938	576.344086	15638.02897	30000	0	0	30000	38.375	2004
22.01.2020 10:36:27	1	1	1	1	114.5	58.25	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	38.9375	2004
22.01.2020 10:36:28	1	1	1	1	114.5	58.75	0	27630.332	576.344086	15983.74691	30000	0	0	30000	38.75	2004
22.01.2020 10:36:29	1	1	1	1	114.5	58.75	0	27772.512	576.344086	16033.48463	30000	0	0	30000	38.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 10:36:30	1	1	1	1	114	58.5	0	27630.332	576.344086	15983.74691	30000	0	0	30000	38.8125	2004
22.01.2020 10:36:31	1	1	1	1	114	58.75	0	27725.118	578.4946237	15983.74691	30000	0	0	30000	38.9375	2004
22.01.2020 10:36:32	1	1	1	1	114	58.75	0	27630.332	578.4946237	15924.22472	30000	0	0	30000	38.9375	2004
22.01.2020 10:36:33	1	1	1	1	114	58.75	0	27630.332	576.344086	15983.74691	30000	0	0	30000	38.875	2004
22.01.2020 10:36:34	1	1	1	1	114	58.75	0	27772.512	576.344086	15983.74691	30000	0	0	30000	38.875	2004
22.01.2020 10:36:35	1	1	1	1	114	58.75	0	27630.332	576.344086	15805.18033	30000	0	0	30000	38.75	2004
22.01.2020 10:36:36	1	1	1	1	114	58.75	0	27772.512	576.344086	16093.00682	30000	0	0	30000	38.875	2004
22.01.2020 10:36:37	1	1	1	1	114	58.75	0	27867.299	580.6451613	16033.48463	30000	0	0	30000	38.4375	2004
22.01.2020 10:36:38	1	1	1	1	114	58.25	0	27630.332	576.344086	15983.74691	30000	0	0	30000	38.9375	2004
22.01.2020 10:36:39	1	1	1	1	114	58.75	0	27582.938	578.4946237	15929.11695	30000	0	0	30000	38.3125	2004
22.01.2020 10:36:40	1	1	1	1	114	58.25	0	27630.332	578.4946237	16043.2691	30000	0	0	30000	38.5	2004
22.01.2020 10:36:41	1	1	1	1	114	58.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	38.5625	2004
22.01.2020 10:36:42	1	1	1	1	114	58.5	0	27725.118	580.6451613	16043.2691	30000	0	0	30000	38.625	2004
22.01.2020 10:36:49	1	1	1	1	114	58.75	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	38.4375	2004
22.01.2020 10:36:49	1	1	1	1	114	58.75	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	38.4375	2004
22.01.2020 10:36:49	1	1	1	1	114	58.75	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	38.4375	2004
22.01.2020 10:36:49	1	1	1	1	114	58.75	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	38.4375	2004
22.01.2020 10:36:49	1	1	1	1	114	58.25	0	27582.938	578.4946237	15929.11695	30000	0	0	30000	38.8125	2004
22.01.2020 10:36:50	1	1	1	1	114	58.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	38.5	2004
22.01.2020 10:36:51	1	1	1	1	113.3	58.5	0	27725.118	578.4946237	15983.74691	30000	0	0	30000	39.0625	2004
22.01.2020 10:36:52	1	1	1	1	113.3	59	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	38.6875	2004
22.01.2020 10:36:53	1	1	1	1	113.3	58.5	0	27630.332	576.344086	15924.22472	30000	0	0	30000	39.0625	2004
22.01.2020 10:36:54	1	1	1	1	113.3	59	0	27630.332	576.344086	16038.37687	30000	0	0	30000	38.875	2004
22.01.2020 10:36:55	1	1	1	1	113.3	58.25	0	27630.332	576.344086	15924.22472	30000	0	0	30000	38.6875	2004
22.01.2020 10:36:56	1	1	1	1	113.3	58.5	0	28009.479	574.1935484	16142.74454	30000	0	0	30000	39	2004
22.01.2020 10:36:57	1	1	1	1	113.3	59	0	27867.299	576.344086	16061.20729	30000	0	0	30000	38.9375	2004
22.01.2020 10:36:58	1	1	1	1	113.3	58.75	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	38.875	2004
22.01.2020 10:36:59	1	1	1	1	113.3	58.75	0	27630.332	569.8924731	16033.48463	30000	0	0	30000	38.875	2004
22.01.2020 10:37:00	1	1	1	1	113.5	58.75	0	27914.692	574.1935484	16027.77702	30000	0	0	30000	37.8125	2004
22.01.2020 10:37:01	1	1	1	1	113.5	57.75	0	27630.332	576.344086	15983.74691	30000	0	0	30000	38.9375	2004
22.01.2020 10:37:02	1	1	1	1	113.5	58.75	0	27725.118	578.4946237	15924.22472	30000	0	0	30000	39.0625	2004
22.01.2020 10:37:03	1	1	1	1	113.5	59	0	27630.332	576.344086	15924.22472	30000	0	0	30000	38.9375	2004
22.01.2020 10:37:04	1	1	1	1	113.5	58.75	0	27725.118	576.344086	16066.09953	30000	0	0	30000	38.875	2004
22.01.2020 10:37:05	1	1	1	1	113.5	58.75	0	27630.332	574.1935484	15973.96244	30000	0	0	30000	38.875	2004
22.01.2020 10:37:06	1	1	1	1	113.5	58.75	0	27630.332	576.344086	16212.86658	30000	0	0	30000	38.5	2004
22.01.2020 10:37:07	1	1	1	1	113.5	58.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	39	2004
22.01.2020 10:37:08	1	1	1	1	113.5	59	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	38.875	2004
22.01.2020 10:37:09	1	1	1	1	113.5	58.75	0	27630.332	580.6451613	15864.70252	30000	0	0	30000	38.375	2004
22.01.2020 10:37:10	1	1	1	1	113.8	58.25	0	27630.332	576.344086	15983.74691	30000	0	0	30000	39	2004
22.01.2020 10:37:11	1	1	1	1	113.8	59	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	39	2004
22.01.2020 10:37:12	1	1	1	1	113.8	59	0	27630.332	580.6451613	16153.34439	30000	0	0	30000	38.125	2004
22.01.2020 10:37:13	1	1	1	1	113.8	58	0	27630.332	576.344086	16043.2691	30000	0	0	30000	39.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 10:37:14	1	1	1	1	113.8	59	0	27630.332	578.4946237	15864.70252	30000	0	0	30000	38.4375	2004
22.01.2020 10:37:15	1	1	1	1	113.8	58.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	37.0625	2004
22.01.2020 10:37:16	1	1	1	1	113.8	57	0	27488.152	578.4946237	15873.67162	30000	0	0	30000	38.875	2004
22.01.2020 10:37:17	1	1	1	1	113.8	58.75	0	27772.512	576.344086	16093.00682	30000	0	0	30000	39	2004
22.01.2020 10:37:18	1	1	1	1	113.8	59	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	38.5	2004
22.01.2020 10:37:19	1	1	1	1	113.8	58.5	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	38.6875	2004
22.01.2020 10:37:20	1	1	1	1	114	58.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	37.6875	2004
22.01.2020 10:37:21	1	1	1	1	114	57.5	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	38.9375	2004
22.01.2020 10:37:22	1	1	1	1	114	58.75	0	27582.938	580.6451613	16043.2691	30000	0	0	30000	38.625	2004
22.01.2020 10:37:23	1	1	1	1	114	58.5	0	27630.332	582.7956989	16102.79129	30000	0	0	30000	38.6875	2004
22.01.2020 10:37:25	1	1	1	1	114	58.5	0	27819.905	580.6451613	16153.34439	30000	0	0	30000	38.8125	2004
22.01.2020 10:37:26	1	1	1	1	114	58.75	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	38.9375	2004
22.01.2020 10:37:27	1	1	1	1	114	58.75	0	27535.545	578.4946237	15956.02424	30000	0	0	30000	38.8125	2004
22.01.2020 10:37:28	1	1	1	1	114	58.75	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	38.6875	2004
22.01.2020 10:37:29	1	1	1	1	114	58.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	39	2004
22.01.2020 10:37:30	1	1	1	1	114	59	0	27725.118	578.4946237	16093.00682	30000	0	0	30000	38.8125	2004
22.01.2020 10:37:31	1	1	1	1	114.3	58.75	0	27630.332	578.4946237	16043.2691	30000	0	0	30000	39.1875	2004
22.01.2020 10:37:32	1	1	1	1	114.3	59	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	38.625	2004
22.01.2020 10:37:33	1	1	1	1	114.3	59	0	27630.332	578.4946237	16043.2691	30000	0	0	30000	39.125	2004
22.01.2020 10:37:34	1	1	1	1	114.3	59	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	38.9375	2004
22.01.2020 10:37:35	1	1	1	1	114.3	58.75	0	27440.758	580.6451613	15873.67162	30000	0	0	30000	38.6875	2004
22.01.2020 10:37:36	1	1	1	1	114.3	58.5	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	39	2004
22.01.2020 10:37:37	1	1	1	1	114.3	59	0	27819.905	580.6451613	16153.34439	30000	0	0	30000	38.875	2004
22.01.2020 10:37:38	1	1	1	1	114.3	58.75	0	27582.938	578.4946237	15929.11695	30000	0	0	30000	38.9375	2004
22.01.2020 10:37:39	1	1	1	1	114.3	58.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	38.9375	2004
22.01.2020 10:37:40	1	1	1	1	114	58.75	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	39.1875	2004
22.01.2020 10:37:41	1	1	1	1	114	59	0	27488.152	578.4946237	15873.67162	30000	0	0	30000	39	2004
22.01.2020 10:37:42	1	1	1	1	114	59	0	27772.512	580.6451613	16097.89906	30000	0	0	30000	38.9375	2004
22.01.2020 10:37:43	1	1	1	1	114	58.75	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	38.375	2004
22.01.2020 10:37:44	1	1	1	1	114	58.25	0	27535.545	580.6451613	16047.34596	30000	0	0	30000	38.375	2004
22.01.2020 10:37:50	1	1	1	1	113.3	58.75	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	39.1875	2004
22.01.2020 10:37:50	1	1	1	1	113.3	58.75	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	39.1875	2004
22.01.2020 10:37:50	1	1	1	1	113.3	58.75	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	39.1875	2004
22.01.2020 10:37:50	1	1	1	1	113.3	58.75	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	39.1875	2004
22.01.2020 10:37:50	1	1	1	1	113.3	58.75	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	39.1875	2004
22.01.2020 10:37:51	1	1	1	1	113.3	59	0	27582.938	580.6451613	15956.02424	30000	0	0	30000	38.75	2004
22.01.2020 10:37:52	1	1	1	1	113.3	58.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	37.9375	2004
22.01.2020 10:37:53	1	1	1	1	113.3	57.75	0	27819.905	580.6451613	16300.92681	30000	0	0	30000	39.0625	2004
22.01.2020 10:37:54	1	1	1	1	113.3	59	0	27440.758	576.344086	15814.9648	30000	0	0	30000	39.125	2004
22.01.2020 10:37:55	1	1	1	1	113.3	59	0	27440.758	580.6451613	15873.67162	30000	0	0	30000	38.875	2004
22.01.2020 10:37:56	1	1	1	1	113.3	58.75	0	27582.938	578.4946237	15987.82377	30000	0	0	30000	39.1875	2004
22.01.2020 10:37:57	1	1	1	1	113.3	59	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	39.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 10:37:58	1	1	1	1	113.3	59	0	27582.938	572.0430108	16221.0203	30000	0	0	30000	39.125	2004
22.01.2020 10:37:59	1	1	1	1	113.3	59	0	27440.758	576.344086	15987.82377	30000	0	0	30000	39.125	2004
22.01.2020 10:38:00	1	1	1	1	113.3	59	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	38.625	2004
22.01.2020 10:38:01	1	1	1	1	113.3	58.5	0	27582.938	578.4946237	15956.02424	30000	0	0	30000	38.6875	2004
22.01.2020 10:38:02	1	1	1	1	113.3	58.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	38.6875	2004
22.01.2020 10:38:04	1	1	1	1	113.3	58.5	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	38.625	2004
22.01.2020 10:38:05	1	1	1	1	113.3	58.5	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	38.4375	2004
22.01.2020 10:38:06	1	1	1	1	113.3	58.25	0	27535.545	576.344086	15696.73579	30000	0	0	30000	39.125	2004
22.01.2020 10:38:07	1	1	1	1	113.3	59	0	27440.758	578.4946237	15933.19381	30000	0	0	30000	39.1875	2004
22.01.2020 10:38:08	1	1	1	1	113.3	59	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	38.75	2004
22.01.2020 10:38:09	1	1	1	1	113.3	58.75	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	38.25	2004
22.01.2020 10:38:10	1	1	1	1	113.3	58.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	39.0625	2004
22.01.2020 10:38:11	1	1	1	1	113.5	59	0	27535.545	580.6451613	15873.67162	30000	0	0	30000	39.375	2004
22.01.2020 10:38:12	1	1	1	1	113.5	58.5	0	27582.938	578.4946237	15983.74691	30000	0	0	30000	38.6875	2004
22.01.2020 10:38:13	1	1	1	1	113.5	58.5	0	27630.332	584.9462366	16102.79129	30000	0	0	30000	39	2004
22.01.2020 10:38:14	1	1	1	1	113.5	59	0	27440.758	572.0430108	15956.02424	30000	0	0	30000	38.25	2004
22.01.2020 10:38:15	1	1	1	1	113.5	58.25	0	27630.332	582.7956989	16212.86658	30000	0	0	30000	38.375	2004
22.01.2020 10:38:16	1	1	1	1	113.5	58.25	0	27914.692	580.6451613	16148.45215	30000	0	0	30000	39.1875	2004
22.01.2020 10:38:17	1	1	1	1	113.5	59	0	27582.938	578.4946237	15983.74691	30000	0	0	30000	39.1875	2004
22.01.2020 10:38:18	1	1	1	1	113.5	59	0	27630.332	576.344086	15983.74691	30000	0	0	30000	38.875	2004
22.01.2020 10:38:19	1	1	1	1	113.5	58.75	0	27630.332	580.6451613	16097.89906	30000	0	0	30000	39.125	2004
22.01.2020 10:38:20	1	1	1	1	113.5	59	0	27630.332	578.4946237	15924.22472	30000	0	0	30000	39	2004
22.01.2020 10:38:21	1	1	1	1	113.5	59	0	27630.332	580.6451613	15924.22472	30000	0	0	30000	38.375	2004
22.01.2020 10:38:22	1	1	1	1	113.5	58.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	38.8125	2004
22.01.2020 10:38:23	1	1	1	1	113.5	58.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	38.75	2004
22.01.2020 10:38:24	1	1	1	1	113.5	58.75	0	27630.332	578.4946237	16093.00682	30000	0	0	30000	39.375	2004
22.01.2020 10:38:25	1	1	1	1	113.5	59.25	0	27772.512	576.344086	16093.00682	30000	0	0	30000	39.125	2004
22.01.2020 10:38:26	1	1	1	1	113.5	59	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	39	2004
22.01.2020 10:38:27	1	1	1	1	113.5	59	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	39.25	2004
22.01.2020 10:38:28	1	1	1	1	113.5	59.25	0	27819.905	576.344086	16033.48463	30000	0	0	30000	37.875	2004
22.01.2020 10:38:29	1	1	1	1	113.5	57.75	0	27725.118	578.4946237	16093.00682	30000	0	0	30000	39.1875	2004
22.01.2020 10:38:30	1	1	1	1	113.8	59	0	27819.905	578.4946237	16153.34439	30000	0	0	30000	39	2004
22.01.2020 10:38:31	1	1	1	1	113.8	59	0	27819.905	580.6451613	16153.34439	30000	0	0	30000	39.25	2004
22.01.2020 10:38:32	1	1	1	1	113.8	59.25	0	27630.332	580.6451613	15897.31742	30000	0	0	30000	38.5625	2004
22.01.2020 10:38:33	1	1	1	1	113.8	58.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	39	2004
22.01.2020 10:38:34	1	1	1	1	113.8	59	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	38.9375	2004
22.01.2020 10:38:35	1	1	1	1	113.8	58.75	0	27725.118	580.6451613	16043.2691	30000	0	0	30000	39	2004
22.01.2020 10:38:36	1	1	1	1	113.8	59	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	38.5	2004
22.01.2020 10:38:37	1	1	1	1	113.8	58.5	0	27914.692	576.344086	16000.86973	30000	0	0	30000	39	2004
22.01.2020 10:38:38	1	1	1	1	113.8	59	0	27725.118	574.1935484	15864.70252	30000	0	0	30000	38.8125	2004
22.01.2020 10:38:39	1	1	1	1	113.8	58.75	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	39.25	2004
22.01.2020 10:38:40	1	1	1	1	113.8	59.25	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	39.25	2004
22.01.2020 10:38:42	1	1	1	1	113.8	59.25	0	28009.479	569.8924731	15902.20966	30000	0	0	30000	38.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 10:39:27	1	1	1	1	113.5	58.75	0	27630.332	576.344086	15983.74691	30000	0	0	30000	39.5	2004
22.01.2020 10:39:28	1	1	1	1	113.5	59.5	0	27725.118	576.344086	16033.48463	30000	0	0	30000	39.25	2004
22.01.2020 10:39:29	1	1	1	1	113.5	59.5	0	27819.905	576.344086	15973.96244	30000	0	0	30000	38.6875	2004
22.01.2020 10:39:30	1	1	1	1	113.5	58.5	0	27630.332	578.4946237	15864.70252	30000	0	0	30000	38.4375	2004
22.01.2020 10:39:31	1	1	1	1	113.5	58.25	0	27819.905	576.344086	16033.48463	30000	0	0	30000	39.4375	2004
22.01.2020 10:39:32	1	1	1	1	113.5	59.25	0	28009.479	576.344086	16203.08211	30000	0	0	30000	39.5	2004
22.01.2020 10:39:33	1	1	1	1	113.5	59.5	0	27867.299	574.1935484	16061.20729	30000	0	0	30000	39.1875	2004
22.01.2020 10:39:34	1	1	1	1	113.5	59	0	27914.692	572.0430108	16055.49969	30000	0	0	30000	39	2004
22.01.2020 10:39:35	1	1	1	1	113.5	59	0	27867.299	572.0430108	15973.96244	30000	0	0	30000	39.125	2004
22.01.2020 10:39:36	1	1	1	1	113.5	59	0	27867.299	572.0430108	16027.77702	30000	0	0	30000	39.125	2004
22.01.2020 10:39:37	1	1	1	1	113.5	59	0	27914.692	572.0430108	15968.25483	30000	0	0	30000	38.9375	2004
22.01.2020 10:39:38	1	1	1	1	113.5	58.75	0	27819.905	565.5913978	16088.11459	30000	0	0	30000	39.25	2004
22.01.2020 10:39:39	1	1	1	1	113.5	59.25	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	39.3125	2004
22.01.2020 10:39:40	1	1	1	1	113	59.25	0	27630.332	576.344086	15924.22472	30000	0	0	30000	39.375	2004
22.01.2020 10:39:41	1	1	1	1	113	59.25	0	27630.332	576.344086	15924.22472	30000	0	0	30000	39.3125	2004
22.01.2020 10:39:42	1	1	1	1	113	59.25	0	27819.905	576.344086	15913.62487	30000	0	0	30000	37.9375	2004
22.01.2020 10:39:43	1	1	1	1	113	57.75	0	27867.299	578.4946237	16120.72949	30000	0	0	30000	39.125	2004
22.01.2020 10:39:44	1	1	1	1	113	59	0	27630.332	576.344086	15983.74691	30000	0	0	30000	38.6875	2004
22.01.2020 10:39:45	1	1	1	1	113	58.5	0	27535.545	578.4946237	15756.25798	30000	0	0	30000	38.625	2004
22.01.2020 10:39:46	1	1	1	1	113	58.5	0	27630.332	578.4946237	16038.37687	30000	0	0	30000	38.625	2004
22.01.2020 10:39:47	1	1	1	1	113	58.5	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	39.4375	2004
22.01.2020 10:39:54	1	1	1	1	113.3	59	0	27630.332	576.344086	15983.74691	30000	0	0	30000	39	2004
22.01.2020 10:39:54	1	1	1	1	113.3	59	0	27630.332	576.344086	15983.74691	30000	0	0	30000	39	2004
22.01.2020 10:39:54	1	1	1	1	113.3	59	0	27630.332	576.344086	15983.74691	30000	0	0	30000	39	2004
22.01.2020 10:39:54	1	1	1	1	113.3	59	0	27630.332	576.344086	15983.74691	30000	0	0	30000	39	2004
22.01.2020 10:39:54	1	1	1	1	113.3	59	0	27630.332	576.344086	15983.74691	30000	0	0	30000	39	2004
22.01.2020 10:39:54	1	1	1	1	113.3	59	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	39.0625	2004
22.01.2020 10:39:55	1	1	1	1	113.3	59	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	39.4375	2004
22.01.2020 10:39:56	1	1	1	1	113.3	59.25	0	27630.332	576.344086	15973.96244	30000	0	0	30000	39.4375	2004
22.01.2020 10:39:57	1	1	1	1	113.3	59.25	0	27630.332	576.344086	15864.70252	30000	0	0	30000	39.4375	2004
22.01.2020 10:39:59	1	1	1	1	113.3	59.25	0	27630.332	574.1935484	15924.22472	30000	0	0	30000	39	2004
22.01.2020 10:40:00	1	1	1	1	113.3	59	0	27819.905	567.7419355	16000.86973	30000	0	0	30000	39.5	2004
22.01.2020 10:40:01	1	1	1	1	113.8	59.5	0	27630.332	576.344086	15924.22472	30000	0	0	30000	39.3125	2004
22.01.2020 10:40:02	1	1	1	1	113.8	59.25	0	27630.332	576.344086	15983.74691	30000	0	0	30000	39.25	2004
22.01.2020 10:40:03	1	1	1	1	113.8	59.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	39.125	2004
22.01.2020 10:40:04	1	1	1	1	113.8	59	0	27630.332	576.344086	15924.22472	30000	0	0	30000	39.25	2004
22.01.2020 10:40:05	1	1	1	1	113.8	59.25	0	27630.332	576.344086	15983.74691	30000	0	0	30000	39.5	2004
22.01.2020 10:40:06	1	1	1	1	113.8	59.5	0	27772.512	582.7956989	15983.74691	30000	0	0	30000	38.9375	2004
22.01.2020 10:40:07	1	1	1	1	113.8	59	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	39	2004
22.01.2020 10:40:08	1	1	1	1	113.8	59	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	39.5625	2004
22.01.2020 10:40:09	1	1	1	1	113.8	59.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	39.375	2004
22.01.2020 10:40:10	1	1	1	1	113.8	59.25	0	27630.332	576.344086	15983.74691	30000	0	0	30000	38	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 10:40:11	1	1	1	1	113.8	58	0	27630.332	576.344086	15924.22472	30000	0	0	30000	38.1875	2004
22.01.2020 10:40:12	1	1	1	1	113.8	58	0	27630.332	576.344086	15983.74691	30000	0	0	30000	39.4375	2004
22.01.2020 10:40:13	1	1	1	1	113.8	59.25	0	27819.905	578.4946237	15983.74691	30000	0	0	30000	39	2004
22.01.2020 10:40:14	1	1	1	1	113.8	59	0	27440.758	576.344086	15814.9648	30000	0	0	30000	39.5	2004
22.01.2020 10:40:15	1	1	1	1	113.8	59.5	0	27630.332	578.4946237	16043.2691	30000	0	0	30000	39.125	2004
22.01.2020 10:40:16	1	1	1	1	113.8	59	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	39.5625	2004
22.01.2020 10:40:17	1	1	1	1	113.8	59.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	39.5	2004
22.01.2020 10:40:18	1	1	1	1	113.8	59.5	0	27630.332	576.344086	15983.74691	30000	0	0	30000	38.875	2004
22.01.2020 10:40:19	1	1	1	1	113.8	58.75	0	27819.905	578.4946237	15924.22472	30000	0	0	30000	39.125	2004
22.01.2020 10:40:20	1	1	1	1	113.8	59	0	27630.332	574.1935484	15864.70252	30000	0	0	30000	39.25	2004
22.01.2020 10:40:21	1	1	1	1	113.8	59.25	0	27630.332	576.344086	15983.74691	30000	0	0	30000	39.4375	2004
22.01.2020 10:40:22	1	1	1	1	113.8	59.25	0	27819.905	576.344086	15978.85467	30000	0	0	30000	39.5625	2004
22.01.2020 10:40:23	1	1	1	1	113.8	59.5	0	27630.332	576.344086	15983.74691	30000	0	0	30000	38.75	2004
22.01.2020 10:40:24	1	1	1	1	113.8	58.75	0	27630.332	576.344086	15983.74691	30000	0	0	30000	39.5625	2004
22.01.2020 10:40:25	1	1	1	1	113.8	59.5	0	27819.905	572.0430108	15973.96244	30000	0	0	30000	39.5625	2004
22.01.2020 10:40:26	1	1	1	1	113.8	59.5	0	27914.692	574.1935484	15854.10268	30000	0	0	30000	39.0625	2004
22.01.2020 10:40:27	1	1	1	1	113.8	59	0	27725.118	580.6451613	16043.2691	30000	0	0	30000	39.625	2004
22.01.2020 10:40:28	1	1	1	1	113.8	59.5	0	27582.938	580.6451613	16075.06863	30000	0	0	30000	39.4375	2004
22.01.2020 10:40:29	1	1	1	1	113.8	59.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	39.375	2004
22.01.2020 10:40:30	1	1	1	1	113.8	59.25	0	27535.545	578.4946237	15873.67162	30000	0	0	30000	39.1875	2004
22.01.2020 10:40:31	1	1	1	1	113.8	59	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	39.3125	2004
22.01.2020 10:40:32	1	1	1	1	113.8	59.25	0	27440.758	576.344086	15873.67162	30000	0	0	30000	39.4375	2004
22.01.2020 10:40:33	1	1	1	1	113.8	59.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	39.25	2004
22.01.2020 10:40:34	1	1	1	1	113.8	59.25	0	27535.545	580.6451613	15929.11695	30000	0	0	30000	39.5	2004
22.01.2020 10:40:35	1	1	1	1	113.8	59.5	0	27582.938	578.4946237	15956.02424	30000	0	0	30000	39	2004
22.01.2020 10:40:37	1	1	1	1	113.8	59	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	39.375	2004
22.01.2020 10:40:38	1	1	1	1	113.8	59.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	39.125	2004
22.01.2020 10:40:39	1	1	1	1	113.8	59	0	27630.332	580.6451613	16153.34439	30000	0	0	30000	38.375	2004
22.01.2020 10:40:40	1	1	1	1	113.8	58.25	0	27867.299	576.344086	16033.48463	30000	0	0	30000	39.5625	2004
22.01.2020 10:40:41	1	1	1	1	113.3	59.5	0	27725.118	578.4946237	15983.74691	30000	0	0	30000	39.5625	2004
22.01.2020 10:40:42	1	1	1	1	113.3	59.5	0	27772.512	576.344086	15983.74691	30000	0	0	30000	39.375	2004
22.01.2020 10:40:43	1	1	1	1	113.3	59.25	0	27819.905	576.344086	15973.96244	30000	0	0	30000	39.875	2004
22.01.2020 10:40:44	1	1	1	1	113.3	59.75	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	39.1875	2004
22.01.2020 10:40:45	1	1	1	1	113.3	59	0	27819.905	576.344086	16033.48463	30000	0	0	30000	39.4375	2004
22.01.2020 10:40:46	1	1	1	1	113.3	59.25	0	27725.118	578.4946237	16093.00682	30000	0	0	30000	39.5	2004
22.01.2020 10:40:47	1	1	1	1	113.3	59.5	0	27867.299	576.344086	15973.96244	30000	0	0	30000	39.5	2004
22.01.2020 10:40:48	1	1	1	1	113.3	59.5	0	27867.299	576.344086	16000.86973	30000	0	0	30000	39.1875	2004
22.01.2020 10:40:49	1	1	1	1	113.3	59	0	27867.299	576.344086	16033.48463	30000	0	0	30000	39.375	2004
22.01.2020 10:40:55	1	1	1	1	113.3	58.75	0	27914.692	576.344086	16115.83725	30000	0	0	30000	39.0625	2004
22.01.2020 10:40:55	1	1	1	1	113.3	58.75	0	27914.692	576.344086	16115.83725	30000	0	0	30000	39.0625	2004
22.01.2020 10:40:55	1	1	1	1	113.3	58.75	0	27914.692	576.344086	16115.83725	30000	0	0	30000	39.0625	2004
22.01.2020 10:40:55	1	1	1	1	113.3	58.75	0	27914.692	576.344086	16115.83725	30000	0	0	30000	39.0625	2004
22.01.2020 10:40:55	1	1	1	1	113.3	58.75	0	27914.692	576.344086	16115.83725	30000	0	0	30000	39.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 10:40:55	1	1	1	1	113.3	58.75	0	27914.692	576.344086	16115.83725	30000	0	0	30000	39.0625	2004
22.01.2020 10:40:56	1	1	1	1	113.3	59	0	27867.299	572.0430108	15973.96244	30000	0	0	30000	38.625	2004
22.01.2020 10:40:57	1	1	1	1	113.3	58.5	0	27630.332	576.344086	15924.22472	30000	0	0	30000	39.5625	2004
22.01.2020 10:40:58	1	1	1	1	113.3	59.5	0	27867.299	572.0430108	16027.77702	30000	0	0	30000	39.3125	2004
22.01.2020 10:40:59	1	1	1	1	113.3	59.25	0	27630.332	574.1935484	16033.48463	30000	0	0	30000	38.8125	2004
22.01.2020 10:41:00	1	1	1	1	113.5	58.75	0	27819.905	576.344086	16033.48463	30000	0	0	30000	39.5625	2004
22.01.2020 10:41:01	1	1	1	1	113.5	59.5	0	27819.905	574.1935484	15973.96244	30000	0	0	30000	39.375	2004
22.01.2020 10:41:02	1	1	1	1	113.5	59.25	0	27819.905	576.344086	15978.85467	30000	0	0	30000	39.5	2004
22.01.2020 10:41:03	1	1	1	1	113.5	59.5	0	27819.905	578.4946237	16153.34439	30000	0	0	30000	39.125	2004
22.01.2020 10:41:04	1	1	1	1	113.5	59	0	27630.332	576.344086	15924.22472	30000	0	0	30000	39.5	2004
22.01.2020 10:41:05	1	1	1	1	113.5	59.5	0	27630.332	576.344086	15983.74691	30000	0	0	30000	39.125	2004
22.01.2020 10:41:06	1	1	1	1	113.5	59	0	27772.512	576.344086	15924.22472	30000	0	0	30000	39.4375	2004
22.01.2020 10:41:07	1	1	1	1	113.5	59.25	0	27630.332	574.1935484	15978.85467	30000	0	0	30000	39.6875	2004
22.01.2020 10:41:08	1	1	1	1	113.5	59.5	0	27819.905	574.1935484	15924.22472	30000	0	0	30000	39.6875	2004
22.01.2020 10:41:09	1	1	1	1	113.5	59.5	0	27772.512	578.4946237	15924.22472	30000	0	0	30000	38.5625	2004
22.01.2020 10:41:10	1	1	1	1	113.5	58.5	0	27819.905	584.9462366	15983.74691	30000	0	0	30000	39.5	2004
22.01.2020 10:41:11	1	1	1	1	113.5	59.5	0	27630.332	576.344086	15924.22472	30000	0	0	30000	39.125	2004
22.01.2020 10:41:12	1	1	1	1	113.5	59	0	27772.512	578.4946237	15983.74691	30000	0	0	30000	39.125	2004
22.01.2020 10:41:13	1	1	1	1	113.5	59	0	27630.332	576.344086	15864.70252	30000	0	0	30000	38.5	2004
22.01.2020 10:41:15	1	1	1	1	113.5	58.5	0	27582.938	576.344086	15983.74691	30000	0	0	30000	38.3125	2004
22.01.2020 10:41:16	1	1	1	1	113.5	58.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	39.625	2004
22.01.2020 10:41:17	1	1	1	1	113.5	59.5	0	27867.299	578.4946237	16093.00682	30000	0	0	30000	39.5625	2004
22.01.2020 10:41:18	1	1	1	1	113.5	59.5	0	27630.332	576.344086	15983.74691	30000	0	0	30000	39.5625	2004
22.01.2020 10:41:19	1	1	1	1	113.5	59.5	0	27867.299	578.4946237	16093.00682	30000	0	0	30000	39.5625	2004
22.01.2020 10:41:20	1	1	1	1	113.5	59.5	0	27630.332	576.344086	15924.22472	30000	0	0	30000	39.3125	2004
22.01.2020 10:41:21	1	1	1	1	113.5	59.25	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	39.8125	2004
22.01.2020 10:41:22	1	1	1	1	113.5	59.75	0	27535.545	584.9462366	16075.06863	30000	0	0	30000	39.75	2004
22.01.2020 10:41:23	1	1	1	1	113.5	59.75	0	27630.332	576.344086	16102.79129	30000	0	0	30000	39.875	2004
22.01.2020 10:41:24	1	1	1	1	113.5	59.75	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	39.125	2004
22.01.2020 10:41:25	1	1	1	1	113.5	59	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	39.75	2004
22.01.2020 10:41:26	1	1	1	1	113.5	59.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	39.125	2004
22.01.2020 10:41:27	1	1	1	1	113.5	59	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	38.4375	2004
22.01.2020 10:41:28	1	1	1	1	113.5	58.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	39.75	2004
22.01.2020 10:41:29	1	1	1	1	113.5	59.75	0	27440.758	580.6451613	15929.11695	30000	0	0	30000	39.5625	2004
22.01.2020 10:41:30	1	1	1	1	113.8	59.5	0	27535.545	572.0430108	15756.25798	30000	0	0	30000	39.6875	2004
22.01.2020 10:41:31	1	1	1	1	113.8	59.5	0	27630.332	578.4946237	16097.89906	30000	0	0	30000	39.75	2004
22.01.2020 10:41:32	1	1	1	1	113.8	59.75	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	39.5625	2004
22.01.2020 10:41:33	1	1	1	1	113.8	59.5	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	37.25	2004
22.01.2020 10:41:34	1	1	1	1	113.8	57.25	0	27867.299	580.6451613	16268.31191	30000	0	0	30000	39.125	2004
22.01.2020 10:41:35	1	1	1	1	113.8	59	0	27867.299	578.4946237	16093.00682	30000	0	0	30000	39.625	2004
22.01.2020 10:41:36	1	1	1	1	113.8	59.5	0	27819.905	576.344086	16093.00682	30000	0	0	30000	39.625	2004
22.01.2020 10:41:37	1	1	1	1	113.8	59.5	0	27630.332	582.7956989	16162.31348	30000	0	0	30000	39.5625	2004
22.01.2020 10:41:38	1	1	1	1	113.8	59.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	38.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 10:41:39	1	1	1	1	113.8	58.75	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	39.625	2004
22.01.2020 10:41:40	1	1	1	1	114	59.5	0	27582.938	572.0430108	15778.27304	30000	0	0	30000	39.6875	2004
22.01.2020 10:41:41	1	1	1	1	114	59.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	39.25	2004
22.01.2020 10:41:42	1	1	1	1	114	59.25	0	27630.332	584.9462366	15983.74691	30000	0	0	30000	39.75	2004
22.01.2020 10:41:43	1	1	1	1	114	59.75	0	27867.299	576.344086	16093.00682	30000	0	0	30000	38.625	2004
22.01.2020 10:41:44	1	1	1	1	114	58.5	0	27630.332	576.344086	15983.74691	30000	0	0	30000	39.375	2004
22.01.2020 10:41:45	1	1	1	1	114	59.25	0	27819.905	576.344086	15745.65814	30000	0	0	30000	39.5	2004
22.01.2020 10:41:46	1	1	1	1	114	59.5	0	28009.479	574.1935484	15907.91727	30000	0	0	30000	39.75	2004
22.01.2020 10:41:47	1	1	1	1	114	59.75	0	27867.299	576.344086	16061.20729	30000	0	0	30000	39.6875	2004
22.01.2020 10:41:48	1	1	1	1	114	59.5	0	27867.299	576.344086	16088.11459	30000	0	0	30000	39.375	2004
22.01.2020 10:41:49	1	1	1	1	114	59.25	0	27819.905	567.7419355	16000.86973	30000	0	0	30000	39.6875	2004
22.01.2020 10:41:50	1	1	1	1	114.3	59.5	0	27914.692	576.344086	16055.49969	30000	0	0	30000	38.6875	2004
22.01.2020 10:41:57	1	1	1	1	114.3	59.25	0	27819.905	576.344086	16093.00682	30000	0	0	30000	39.5625	2004
22.01.2020 10:41:57	1	1	1	1	114.3	59.25	0	27819.905	576.344086	16093.00682	30000	0	0	30000	39.5625	2004
22.01.2020 10:41:57	1	1	1	1	114.3	59.25	0	27819.905	576.344086	16093.00682	30000	0	0	30000	39.5625	2004
22.01.2020 10:41:57	1	1	1	1	114.3	59.25	0	27819.905	576.344086	16093.00682	30000	0	0	30000	39.5625	2004
22.01.2020 10:41:57	1	1	1	1	114.3	59.25	0	27819.905	576.344086	16093.00682	30000	0	0	30000	39.5625	2004
22.01.2020 10:41:57	1	1	1	1	114.3	59.25	0	27819.905	576.344086	16093.00682	30000	0	0	30000	39.5625	2004
22.01.2020 10:41:58	1	1	1	1	114.3	59.5	0	27630.332	576.344086	15864.70252	30000	0	0	30000	39.4375	2004
22.01.2020 10:41:59	1	1	1	1	114.3	59.25	0	27630.332	572.0430108	15864.70252	30000	0	0	30000	39.5	2004
22.01.2020 10:42:00	1	1	1	1	114.3	59.5	0	27914.692	576.344086	16088.11459	30000	0	0	30000	39.75	2004
22.01.2020 10:42:01	1	1	1	1	114.3	59.75	0	27914.692	572.0430108	16055.49969	30000	0	0	30000	40	2004
22.01.2020 10:42:02	1	1	1	1	114.3	60	0	27867.299	572.0430108	15913.62487	30000	0	0	30000	39.3125	2004
22.01.2020 10:42:03	1	1	1	1	114.3	59.25	0	27962.085	574.1935484	16082.40698	30000	0	0	30000	39.8125	2004
22.01.2020 10:42:04	1	1	1	1	114.3	59.75	0	28009.479	574.1935484	16252.00446	30000	0	0	30000	39.3125	2004
22.01.2020 10:42:05	1	1	1	1	114.3	59.75	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	39.5625	2004
22.01.2020 10:42:06	1	1	1	1	114.3	59.5	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	39.75	2004
22.01.2020 10:42:07	1	1	1	1	114.3	59.75	0	28009.479	574.1935484	15961.73185	30000	0	0	30000	39.3125	2004
22.01.2020 10:42:08	1	1	1	1	114.3	59.25	0	27962.085	572.0430108	16022.06942	30000	0	0	30000	39.6875	2004
22.01.2020 10:42:09	1	1	1	1	114.3	59.5	0	27962.085	569.8924731	15968.25483	30000	0	0	30000	39.3125	2004
22.01.2020 10:42:10	1	1	1	1	114.3	59.25	0	27867.299	576.344086	16000.86973	30000	0	0	30000	39.6875	2004
22.01.2020 10:42:11	1	1	1	1	114.3	59.5	0	27914.692	572.0430108	16027.77702	30000	0	0	30000	39.4375	2004
22.01.2020 10:42:12	1	1	1	1	114.3	59.25	0	27914.692	576.344086	16088.11459	30000	0	0	30000	39.6875	2004
22.01.2020 10:42:13	1	1	1	1	114.3	59.5	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	39.5	2004
22.01.2020 10:42:14	1	1	1	1	114.3	59.5	0	27867.299	572.0430108	16000.86973	30000	0	0	30000	39.5	2004
22.01.2020 10:42:15	1	1	1	1	114.3	59.5	0	27772.512	576.344086	16033.48463	30000	0	0	30000	39.375	2004
22.01.2020 10:42:16	1	1	1	1	114.3	59.25	0	27725.118	574.1935484	15919.33248	30000	0	0	30000	39.1875	2004
22.01.2020 10:42:17	1	1	1	1	114.3	59	0	27819.905	574.1935484	15973.96244	30000	0	0	30000	39.25	2004
22.01.2020 10:42:18	1	1	1	1	114.3	59.25	0	27867.299	576.344086	15973.96244	30000	0	0	30000	38.625	2004
22.01.2020 10:42:19	1	1	1	1	114.3	58.5	0	27867.299	574.1935484	16061.20729	30000	0	0	30000	39.75	2004
22.01.2020 10:42:20	1	1	1	1	113.5	59.75	0	27819.905	576.344086	16033.48463	30000	0	0	30000	39.6875	2004
22.01.2020 10:42:21	1	1	1	1	113.5	59.5	0	27867.299	576.344086	16061.20729	30000	0	0	30000	39.875	2004
22.01.2020 10:42:22	1	1	1	1	113.5	59.75	0	27819.905	578.4946237	16360.449	30000	0	0	30000	39.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 10:42:23	1	1	1	1	113.5	59.25	0	27819.905	576.344086	15978.85467	30000	0	0	30000	39.625	2004
22.01.2020 10:42:24	1	1	1	1	113.5	59.5	0	27819.905	580.6451613	16093.00682	30000	0	0	30000	39.75	2004
22.01.2020 10:42:25	1	1	1	1	113.5	59.75	0	27867.299	576.344086	16181.06705	30000	0	0	30000	39.75	2004
22.01.2020 10:42:26	1	1	1	1	113.5	59.75	0	27867.299	580.6451613	16033.48463	30000	0	0	30000	39.6875	2004
22.01.2020 10:42:27	1	1	1	1	113.5	59.5	0	27867.299	576.344086	16033.48463	30000	0	0	30000	39.75	2004
22.01.2020 10:42:28	1	1	1	1	113.5	59.75	0	27630.332	576.344086	15864.70252	30000	0	0	30000	39.5625	2004
22.01.2020 10:42:29	1	1	1	1	113.5	59.5	0	27867.299	574.1935484	15941.34754	30000	0	0	30000	39.75	2004
22.01.2020 10:42:31	1	1	1	1	113.8	59.75	0	27630.332	576.344086	16093.00682	30000	0	0	30000	39.625	2004
22.01.2020 10:42:32	1	1	1	1	113.8	59.5	0	27630.332	569.8924731	15864.70252	30000	0	0	30000	39.6875	2004
22.01.2020 10:42:33	1	1	1	1	113.8	59.5	0	27819.905	576.344086	15924.22472	30000	0	0	30000	39.375	2004
22.01.2020 10:42:34	1	1	1	1	113.8	59.25	0	27819.905	574.1935484	15973.96244	30000	0	0	30000	39.6875	2004
22.01.2020 10:42:35	1	1	1	1	113.8	59.5	0	27819.905	576.344086	15973.96244	30000	0	0	30000	39.75	2004
22.01.2020 10:42:36	1	1	1	1	113.8	59.75	0	27962.085	574.1935484	16027.77702	30000	0	0	30000	39.0625	2004
22.01.2020 10:42:37	1	1	1	1	113.8	59	0	27867.299	576.344086	16088.11459	30000	0	0	30000	39.6875	2004
22.01.2020 10:42:38	1	1	1	1	113.8	59.5	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	39.75	2004
22.01.2020 10:42:39	1	1	1	1	113.8	59.75	0	27914.692	576.344086	16148.45215	30000	0	0	30000	39.75	2004
22.01.2020 10:42:40	1	1	1	1	113.8	59.75	0	27725.118	576.344086	15973.96244	30000	0	0	30000	39.9375	2004
22.01.2020 10:42:41	1	1	1	1	114	59.75	0	27914.692	574.1935484	16055.49969	30000	0	0	30000	39.75	2004
22.01.2020 10:42:42	1	1	1	1	114	59.75	0	27819.905	576.344086	16120.72949	30000	0	0	30000	39.625	2004
22.01.2020 10:42:43	1	1	1	1	114	59.5	0	27867.299	572.0430108	15854.10268	30000	0	0	30000	39.75	2004
22.01.2020 10:42:44	1	1	1	1	114	59.75	0	27867.299	574.1935484	16088.11459	30000	0	0	30000	39.75	2004
22.01.2020 10:42:45	1	1	1	1	114	59.75	0	27819.905	569.8924731	16000.86973	30000	0	0	30000	39.9375	2004
22.01.2020 10:42:46	1	1	1	1	114	59.75	0	27819.905	576.344086	16033.48463	30000	0	0	30000	39.625	2004
22.01.2020 10:42:47	1	1	1	1	114	59.5	0	27867.299	572.0430108	16027.77702	30000	0	0	30000	39.4375	2004
22.01.2020 10:42:48	1	1	1	1	114	59.25	0	27819.905	572.0430108	16093.00682	30000	0	0	30000	38.9375	2004
22.01.2020 10:42:49	1	1	1	1	114	58.75	0	27867.299	572.0430108	16000.86973	30000	0	0	30000	39.6875	2004
22.01.2020 10:42:50	1	1	1	1	113.8	59.5	0	27867.299	572.0430108	16027.77702	30000	0	0	30000	39.375	2004
22.01.2020 10:42:51	1	1	1	1	113.8	59.25	0	28009.479	576.344086	16142.74454	30000	0	0	30000	39.8125	2004
22.01.2020 10:42:52	1	1	1	1	113.8	59.75	0	27867.299	572.0430108	15973.96244	30000	0	0	30000	39.75	2004
22.01.2020 10:42:58	1	1	1	1	113.8	59.75	0	27914.692	574.1935484	16055.49969	30000	0	0	30000	39.8125	2004
22.01.2020 10:42:58	1	1	1	1	113.8	59.75	0	27914.692	574.1935484	16055.49969	30000	0	0	30000	39.8125	2004
22.01.2020 10:42:58	1	1	1	1	113.8	59.75	0	27914.692	574.1935484	16055.49969	30000	0	0	30000	39.8125	2004
22.01.2020 10:42:58	1	1	1	1	113.8	59.75	0	27914.692	574.1935484	16055.49969	30000	0	0	30000	39.8125	2004
22.01.2020 10:42:58	1	1	1	1	113.8	59.75	0	27914.692	574.1935484	16055.49969	30000	0	0	30000	39.8125	2004
22.01.2020 10:42:59	1	1	1	1	113.8	59.75	0	27630.332	574.1935484	15924.22472	30000	0	0	30000	39.5	2004
22.01.2020 10:43:00	1	1	1	1	113.5	59.5	0	27630.332	572.0430108	15864.70252	30000	0	0	30000	39.1875	2004
22.01.2020 10:43:01	1	1	1	1	113.5	59	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	39.75	2004
22.01.2020 10:43:02	1	1	1	1	113.5	59.75	0	27630.332	574.1935484	15973.96244	30000	0	0	30000	39.6875	2004
22.01.2020 10:43:03	1	1	1	1	113.5	59.5	0	27867.299	574.1935484	16027.77702	30000	0	0	30000	39.9375	2004
22.01.2020 10:43:04	1	1	1	1	113.5	59.75	0	27819.905	576.344086	15805.18033	30000	0	0	30000	39.6875	2004
22.01.2020 10:43:05	1	1	1	1	113.5	59.5	0	27535.545	576.344086	15956.02424	30000	0	0	30000	39.75	2004
22.01.2020 10:43:06	1	1	1	1	113.5	59.75	0	27819.905	576.344086	16033.48463	30000	0	0	30000	39.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 10:43:07	1	1	1	1	113.5	59.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	39.8125	2004
22.01.2020 10:43:08	1	1	1	1	113.5	59.75	0	27819.905	576.344086	16033.48463	30000	0	0	30000	39.625	2004
22.01.2020 10:43:10	1	1	1	1	113.5	59.5	0	27630.332	580.6451613	16212.86658	30000	0	0	30000	38.5625	2004
22.01.2020 10:43:11	1	1	1	1	113.8	58.5	0	27772.512	578.4946237	16093.00682	30000	0	0	30000	39.25	2004
22.01.2020 10:43:12	1	1	1	1	113.8	59.25	0	27582.938	578.4946237	15956.02424	30000	0	0	30000	39.5625	2004
22.01.2020 10:43:13	1	1	1	1	113.8	59.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	39.4375	2004
22.01.2020 10:43:14	1	1	1	1	113.8	59.25	0	27582.938	578.4946237	15929.11695	30000	0	0	30000	39.75	2004
22.01.2020 10:43:15	1	1	1	1	113.8	59.75	0	27630.332	576.344086	15983.74691	30000	0	0	30000	39.6875	2004
22.01.2020 10:43:16	1	1	1	1	113.8	59.5	0	27630.332	576.344086	15924.22472	30000	0	0	30000	39.625	2004
22.01.2020 10:43:17	1	1	1	1	113.8	59.5	0	27630.332	576.344086	15924.22472	30000	0	0	30000	39.875	2004
22.01.2020 10:43:18	1	1	1	1	113.8	59.75	0	27867.299	574.1935484	16061.20729	30000	0	0	30000	39.9375	2004
22.01.2020 10:43:19	1	1	1	1	113.8	59.75	0	27867.299	578.4946237	16093.00682	30000	0	0	30000	40.25	2004
22.01.2020 10:43:20	1	1	1	1	114	59.75	0	27819.905	576.344086	16033.48463	30000	0	0	30000	39.25	2004
22.01.2020 10:43:21	1	1	1	1	114	59.25	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	39.6875	2004
22.01.2020 10:43:22	1	1	1	1	114	59.5	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	39.9375	2004
22.01.2020 10:43:23	1	1	1	1	114	59.75	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	39.8125	2004
22.01.2020 10:43:24	1	1	1	1	114	59.75	0	27630.332	576.344086	16043.2691	30000	0	0	30000	39.9375	2004
22.01.2020 10:43:25	1	1	1	1	114	59.75	0	27630.332	576.344086	15983.74691	30000	0	0	30000	39.4375	2004
22.01.2020 10:43:26	1	1	1	1	114	59.25	0	27914.692	576.344086	16088.11459	30000	0	0	30000	40	2004
22.01.2020 10:43:27	1	1	1	1	114	60	0	27819.905	576.344086	16033.48463	30000	0	0	30000	39.8125	2004
22.01.2020 10:43:28	1	1	1	1	114	59.75	0	27630.332	578.4946237	15924.22472	30000	0	0	30000	39.8125	2004
22.01.2020 10:43:29	1	1	1	1	114	59.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	39.5625	2004
22.01.2020 10:43:30	1	1	1	1	114	59.5	0	27630.332	576.344086	15864.70252	30000	0	0	30000	39.5625	2004
22.01.2020 10:43:31	1	1	1	1	114	59.5	0	27630.332	576.344086	15924.22472	30000	0	0	30000	39.9375	2004
22.01.2020 10:43:32	1	1	1	1	114	59.75	0	27630.332	576.344086	15983.74691	30000	0	0	30000	39.75	2004
22.01.2020 10:43:33	1	1	1	1	114	59.75	0	27630.332	576.344086	15864.70252	30000	0	0	30000	39.6875	2004
22.01.2020 10:43:34	1	1	1	1	114	59.5	0	27630.332	574.1935484	15864.70252	30000	0	0	30000	39.625	2004
22.01.2020 10:43:35	1	1	1	1	114	59.5	0	27630.332	578.4946237	15864.70252	30000	0	0	30000	39.875	2004
22.01.2020 10:43:36	1	1	1	1	114	59.75	0	27630.332	576.344086	15924.22472	30000	0	0	30000	39.75	2004
22.01.2020 10:43:37	1	1	1	1	114	59.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	38.4375	2004
22.01.2020 10:43:38	1	1	1	1	114	58.25	0	27772.512	578.4946237	16043.2691	30000	0	0	30000	39.9375	2004
22.01.2020 10:43:39	1	1	1	1	114	59.75	0	27582.938	578.4946237	15956.02424	30000	0	0	30000	39.6875	2004
22.01.2020 10:43:40	1	1	1	1	114.3	59.5	0	27630.332	578.4946237	16043.2691	30000	0	0	30000	39.6875	2004
22.01.2020 10:43:41	1	1	1	1	114.3	59.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	39.75	2004
22.01.2020 10:43:42	1	1	1	1	114.3	59.75	0	27440.758	578.4946237	16162.31348	30000	0	0	30000	40.1875	2004
22.01.2020 10:43:43	1	1	1	1	114.3	60	0	27582.938	580.6451613	16015.54644	30000	0	0	30000	39.9375	2004
22.01.2020 10:43:44	1	1	1	1	114.3	59.75	0	27440.758	580.6451613	15987.82377	30000	0	0	30000	38.9375	2004
22.01.2020 10:43:45	1	1	1	1	114.3	58.75	0	27535.545	580.6451613	16047.34596	30000	0	0	30000	40	2004
22.01.2020 10:43:46	1	1	1	1	114.3	60	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	39.9375	2004
22.01.2020 10:43:48	1	1	1	1	114.3	59.75	0	27582.938	576.344086	15956.02424	30000	0	0	30000	39.875	2004
22.01.2020 10:43:49	1	1	1	1	114.3	59.75	0	27440.758	578.4946237	15987.82377	30000	0	0	30000	39.625	2004
22.01.2020 10:43:50	1	1	1	1	114.3	59.5	0	27440.758	580.6451613	15873.67162	30000	0	0	30000	39.8125	2004
22.01.2020 10:43:51	1	1	1	1	114	59.75	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	40	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 10:43:52	1	1	1	1	114	60	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	40.1875	2004
22.01.2020 10:43:53	1	1	1	1	114	60	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	38.625	2004
22.01.2020 10:43:54	1	1	1	1	114	58.5	0	27440.758	580.6451613	15936.4553	30000	0	0	30000	39.5625	2004
22.01.2020 10:44:00	1	1	1	1	113.3	59.75	0	27440.758	580.6451613	15873.67162	30000	0	0	30000	40.125	2004
22.01.2020 10:44:00	1	1	1	1	113.3	59.75	0	27440.758	580.6451613	15873.67162	30000	0	0	30000	40.125	2004
22.01.2020 10:44:00	1	1	1	1	113.3	59.75	0	27440.758	580.6451613	15873.67162	30000	0	0	30000	40.125	2004
22.01.2020 10:44:00	1	1	1	1	113.3	59.75	0	27440.758	580.6451613	15873.67162	30000	0	0	30000	40.125	2004
22.01.2020 10:44:00	1	1	1	1	113.3	59.75	0	27440.758	580.6451613	15873.67162	30000	0	0	30000	40.125	2004
22.01.2020 10:44:00	1	1	1	1	113.3	59.75	0	27440.758	580.6451613	15873.67162	30000	0	0	30000	40.125	2004
22.01.2020 10:44:01	1	1	1	1	113.3	60	0	27630.332	578.4946237	16066.09953	30000	0	0	30000	40.0625	2004
22.01.2020 10:44:02	1	1	1	1	113.3	60	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	39.6875	2004
22.01.2020 10:44:03	1	1	1	1	113.3	59.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	40.1875	2004
22.01.2020 10:44:04	1	1	1	1	113.3	60	0	27582.938	578.4946237	15983.74691	30000	0	0	30000	40	2004
22.01.2020 10:44:05	1	1	1	1	113.3	60	0	27630.332	578.4946237	15924.22472	30000	0	0	30000	39.3125	2004
22.01.2020 10:44:06	1	1	1	1	113.3	59.25	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	39.875	2004
22.01.2020 10:44:07	1	1	1	1	113.3	59.75	0	27582.938	578.4946237	15929.11695	30000	0	0	30000	39.75	2004
22.01.2020 10:44:08	1	1	1	1	113.3	59.75	0	27630.332	576.344086	16043.2691	30000	0	0	30000	39.9375	2004
22.01.2020 10:44:09	1	1	1	1	113.3	59.75	0	27630.332	580.6451613	15864.70252	30000	0	0	30000	40.125	2004
22.01.2020 10:44:10	1	1	1	1	114	60	0	27630.332	576.344086	15924.22472	30000	0	0	30000	39.3125	2004
22.01.2020 10:44:11	1	1	1	1	114	59.25	0	27582.938	580.6451613	16075.06863	30000	0	0	30000	40.0625	2004
22.01.2020 10:44:12	1	1	1	1	114	60	0	27582.938	578.4946237	16162.31348	30000	0	0	30000	39.75	2004
22.01.2020 10:44:13	1	1	1	1	114	59.75	0	27630.332	580.6451613	16015.54644	30000	0	0	30000	40	2004
22.01.2020 10:44:14	1	1	1	1	114	60	0	27630.332	580.6451613	16280.54249	30000	0	0	30000	40.125	2004
22.01.2020 10:44:15	1	1	1	1	114	60	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	39.9375	2004
22.01.2020 10:44:16	1	1	1	1	114	59.75	0	27582.938	580.6451613	16075.06863	30000	0	0	30000	39.8125	2004
22.01.2020 10:44:17	1	1	1	1	114	59.75	0	27630.332	584.9462366	16043.2691	30000	0	0	30000	39.75	2004
22.01.2020 10:44:18	1	1	1	1	114	59.75	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	40.0625	2004
22.01.2020 10:44:19	1	1	1	1	114	60	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	39.875	2004
22.01.2020 10:44:20	1	1	1	1	113.5	59.75	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	39.75	2004
22.01.2020 10:44:21	1	1	1	1	113.5	59.75	0	27725.118	580.6451613	16043.2691	30000	0	0	30000	39.0625	2004
22.01.2020 10:44:22	1	1	1	1	113.5	59	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	39.6875	2004
22.01.2020 10:44:23	1	1	1	1	113.5	59.5	0	27772.512	578.4946237	15983.74691	30000	0	0	30000	40.125	2004
22.01.2020 10:44:24	1	1	1	1	113.5	60	0	27630.332	584.9462366	15983.74691	30000	0	0	30000	40.125	2004
22.01.2020 10:44:25	1	1	1	1	113.5	60	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	39.5	2004
22.01.2020 10:44:27	1	1	1	1	113.5	59.5	0	27867.299	580.6451613	16240.58924	30000	0	0	30000	40	2004
22.01.2020 10:44:28	1	1	1	1	113.5	60	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	39.9375	2004
22.01.2020 10:44:29	1	1	1	1	113.5	59.75	0	27630.332	576.344086	16102.79129	30000	0	0	30000	40	2004
22.01.2020 10:44:30	1	1	1	1	113.5	60	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	39.875	2004
22.01.2020 10:44:31	1	1	1	1	113.8	59.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	39.6875	2004
22.01.2020 10:44:32	1	1	1	1	113.8	59.5	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	40	2004
22.01.2020 10:44:33	1	1	1	1	113.8	60	0	27582.938	576.344086	15691.84356	30000	0	0	30000	40.0625	2004
22.01.2020 10:44:34	1	1	1	1	113.8	60	0	27630.332	576.344086	15983.74691	30000	0	0	30000	39.9375	2004
22.01.2020 10:44:35	1	1	1	1	113.8	59.75	0	27819.905	582.7956989	16212.86658	30000	0	0	30000	39.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 10:44:36	1	1	1	1	113.8	59.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	40.125	2004
22.01.2020 10:44:37	1	1	1	1	113.8	60	0	27630.332	576.344086	15983.74691	30000	0	0	30000	40.375	2004
22.01.2020 10:44:38	1	1	1	1	113.8	60.25	0	27867.299	584.9462366	16066.09953	30000	0	0	30000	40	2004
22.01.2020 10:44:39	1	1	1	1	113.8	60	0	27819.905	576.344086	16033.48463	30000	0	0	30000	38.875	2004
22.01.2020 10:44:40	1	1	1	1	113.5	58.75	0	27867.299	572.0430108	16000.86973	30000	0	0	30000	39.75	2004
22.01.2020 10:44:41	1	1	1	1	113.5	59.75	0	27914.692	574.1935484	15941.34754	30000	0	0	30000	39.875	2004
22.01.2020 10:44:42	1	1	1	1	113.5	59.75	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	40.125	2004
22.01.2020 10:44:43	1	1	1	1	113.5	60	0	28009.479	576.344086	16082.40698	30000	0	0	30000	39.8125	2004
22.01.2020 10:44:44	1	1	1	1	113.5	59.75	0	27914.692	572.0430108	15968.25483	30000	0	0	30000	39.6875	2004
22.01.2020 10:44:45	1	1	1	1	113.5	59.5	0	28009.479	576.344086	16142.74454	30000	0	0	30000	40.125	2004
22.01.2020 10:44:46	1	1	1	1	113.5	60	0	27630.332	576.344086	15864.70252	30000	0	0	30000	40	2004
22.01.2020 10:44:47	1	1	1	1	113.5	60	0	27867.299	569.8924731	16000.86973	30000	0	0	30000	39.9375	2004
22.01.2020 10:44:48	1	1	1	1	113.5	59.75	0	27867.299	569.8924731	16000.86973	30000	0	0	30000	40.0625	2004
22.01.2020 10:44:49	1	1	1	1	113.5	60	0	27867.299	576.344086	16027.77702	30000	0	0	30000	39.875	2004
22.01.2020 10:44:50	1	1	1	1	113.8	59.75	0	27962.085	574.1935484	16055.49969	30000	0	0	30000	40	2004
22.01.2020 10:44:51	1	1	1	1	113.8	60	0	27867.299	574.1935484	16088.11459	30000	0	0	30000	39.875	2004
22.01.2020 10:44:52	1	1	1	1	113.8	59.75	0	27819.905	574.1935484	15973.96244	30000	0	0	30000	40.125	2004
22.01.2020 10:44:53	1	1	1	1	113.8	60	0	27867.299	576.344086	16061.20729	30000	0	0	30000	40.1875	2004
22.01.2020 10:44:54	1	1	1	1	113.8	60	0	27819.905	576.344086	15978.85467	30000	0	0	30000	39.875	2004
22.01.2020 10:44:55	1	1	1	1	113.8	59.75	0	27772.512	576.344086	16033.48463	30000	0	0	30000	39.6875	2004
22.01.2020 10:45:02	1	1	1	1	113.3	59.75	0	27819.905	576.344086	15973.96244	30000	0	0	30000	40.375	2004
22.01.2020 10:45:02	1	1	1	1	113.3	59.75	0	27819.905	576.344086	15973.96244	30000	0	0	30000	40.375	2004
22.01.2020 10:45:02	1	1	1	1	113.3	59.75	0	27819.905	576.344086	15973.96244	30000	0	0	30000	40.375	2004
22.01.2020 10:45:02	1	1	1	1	113.3	59.75	0	27819.905	576.344086	15973.96244	30000	0	0	30000	40.375	2004
22.01.2020 10:45:02	1	1	1	1	113.3	59.75	0	27819.905	576.344086	15973.96244	30000	0	0	30000	40.375	2004
22.01.2020 10:45:02	1	1	1	1	113.3	60.25	0	27819.905	574.1935484	16033.48463	30000	0	0	30000	39.9375	2004
22.01.2020 10:45:03	1	1	1	1	113.3	59.75	0	27867.299	576.344086	16033.48463	30000	0	0	30000	40.125	2004
22.01.2020 10:45:04	1	1	1	1	113.3	60	0	27630.332	576.344086	15983.74691	30000	0	0	30000	40.125	2004
22.01.2020 10:45:06	1	1	1	1	113.3	60	0	27819.905	578.4946237	16153.34439	30000	0	0	30000	40.1875	2004
22.01.2020 10:45:07	1	1	1	1	113.3	60	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	40.125	2004
22.01.2020 10:45:08	1	1	1	1	113.3	60	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	40.0625	2004
22.01.2020 10:45:09	1	1	1	1	113.3	60	0	27630.332	582.7956989	15983.74691	30000	0	0	30000	39.625	2004
22.01.2020 10:45:10	1	1	1	1	113.3	59.5	0	27630.332	580.6451613	15864.70252	30000	0	0	30000	40.25	2004
22.01.2020 10:45:11	1	1	1	1	113.5	60.25	0	27582.938	576.344086	15897.31742	30000	0	0	30000	39.9375	2004
22.01.2020 10:45:12	1	1	1	1	113.5	59.75	0	27630.332	578.4946237	16043.2691	30000	0	0	30000	40.25	2004
22.01.2020 10:45:13	1	1	1	1	113.5	60.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	40.5625	2004
22.01.2020 10:45:14	1	1	1	1	113.5	60.5	0	27535.545	576.344086	15873.67162	30000	0	0	30000	38.75	2004
22.01.2020 10:45:15	1	1	1	1	113.5	58.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	40.0625	2004
22.01.2020 10:45:16	1	1	1	1	113.5	60	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	40.125	2004
22.01.2020 10:45:17	1	1	1	1	113.5	60	0	27630.332	582.7956989	16102.79129	30000	0	0	30000	40.25	2004
22.01.2020 10:45:18	1	1	1	1	113.5	60.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	39.875	2004
22.01.2020 10:45:19	1	1	1	1	113.5	59.75	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	40	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 10:45:20	1	1	1	1	113.8	60	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	40.3125	2004
22.01.2020 10:45:21	1	1	1	1	113.8	60.25	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	40.125	2004
22.01.2020 10:45:22	1	1	1	1	113.8	60	0	27630.332	576.344086	16043.2691	30000	0	0	30000	39.9375	2004
22.01.2020 10:45:23	1	1	1	1	113.8	59.75	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	39.875	2004
22.01.2020 10:45:24	1	1	1	1	113.8	59.75	0	27582.938	578.4946237	15983.74691	30000	0	0	30000	39.4375	2004
22.01.2020 10:45:25	1	1	1	1	113.8	59.25	0	27630.332	578.4946237	15956.02424	30000	0	0	30000	40.1875	2004
22.01.2020 10:45:26	1	1	1	1	113.8	60	0	27630.332	578.4946237	16043.2691	30000	0	0	30000	40.125	2004
22.01.2020 10:45:27	1	1	1	1	113.8	60	0	27535.545	578.4946237	16015.54644	30000	0	0	30000	40.0625	2004
22.01.2020 10:45:28	1	1	1	1	113.8	60	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	40.3125	2004
22.01.2020 10:45:29	1	1	1	1	113.8	60.25	0	27535.545	580.6451613	16075.06863	30000	0	0	30000	39.625	2004
22.01.2020 10:45:30	1	1	1	1	112.8	59.5	0	27582.938	580.6451613	15956.02424	30000	0	0	30000	39.75	2004
22.01.2020 10:45:31	1	1	1	1	112.8	59.75	0	27582.938	580.6451613	16015.54644	30000	0	0	30000	40.25	2004
22.01.2020 10:45:32	1	1	1	1	112.8	60.25	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	40.0625	2004
22.01.2020 10:45:33	1	1	1	1	112.8	60	0	27535.545	578.4946237	16015.54644	30000	0	0	30000	39.4375	2004
22.01.2020 10:45:34	1	1	1	1	112.8	59.25	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	40.1875	2004
22.01.2020 10:45:35	1	1	1	1	112.8	60	0	27440.758	578.4946237	15991.90063	30000	0	0	30000	40.1875	2004
22.01.2020 10:45:36	1	1	1	1	112.8	60	0	27582.938	580.6451613	15873.67162	30000	0	0	30000	40.3125	2004
22.01.2020 10:45:37	1	1	1	1	112.8	60.25	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	40.1875	2004
22.01.2020 10:45:38	1	1	1	1	112.8	60	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	40.25	2004
22.01.2020 10:45:39	1	1	1	1	112.8	60.25	0	27582.938	578.4946237	15929.11695	30000	0	0	30000	40.3125	2004
22.01.2020 10:45:40	1	1	1	1	112.8	60.25	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	39.9375	2004
22.01.2020 10:45:41	1	1	1	1	112.8	59.75	0	27725.118	582.7956989	16212.86658	30000	0	0	30000	40.375	2004
22.01.2020 10:45:42	1	1	1	1	112.8	60.25	0	27535.545	580.6451613	15929.11695	30000	0	0	30000	40.375	2004
22.01.2020 10:45:44	1	1	1	1	112.8	60.25	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	40.0625	2004
22.01.2020 10:45:45	1	1	1	1	112.8	60	0	27440.758	578.4946237	15756.25798	30000	0	0	30000	40.25	2004
22.01.2020 10:45:46	1	1	1	1	112.8	60.25	0	27582.938	578.4946237	15873.67162	30000	0	0	30000	40.25	2004
22.01.2020 10:45:47	1	1	1	1	112.8	60.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	40.125	2004
22.01.2020 10:45:48	1	1	1	1	112.8	60	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	40	2004
22.01.2020 10:45:49	1	1	1	1	112.8	60	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	40.25	2004
22.01.2020 10:45:50	1	1	1	1	112.8	60.25	0	27440.758	578.4946237	15933.19381	30000	0	0	30000	40.25	2004
22.01.2020 10:45:51	1	1	1	1	113	60.25	0	27440.758	572.0430108	16015.54644	30000	0	0	30000	40.0625	2004
22.01.2020 10:45:52	1	1	1	1	113	60	0	27582.938	580.6451613	16075.06863	30000	0	0	30000	40.3125	2004
22.01.2020 10:45:53	1	1	1	1	113	60.25	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	40.3125	2004
22.01.2020 10:45:54	1	1	1	1	113	60.25	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	38.625	2004
22.01.2020 10:45:55	1	1	1	1	113	58.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	40.5625	2004
22.01.2020 10:45:56	1	1	1	1	113	60.5	0	27582.938	580.6451613	16015.54644	30000	0	0	30000	40.5625	2004
22.01.2020 10:45:57	1	1	1	1	113	60.25	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	40.0625	2004
22.01.2020 10:46:03	1	1	1	1	113.3	60.25	0	27867.299	584.9462366	16093.00682	30000	0	0	30000	40.125	2004
22.01.2020 10:46:03	1	1	1	1	113.3	60.25	0	27867.299	584.9462366	16093.00682	30000	0	0	30000	40.125	2004
22.01.2020 10:46:03	1	1	1	1	113.3	60.25	0	27867.299	584.9462366	16093.00682	30000	0	0	30000	40.125	2004
22.01.2020 10:46:03	1	1	1	1	113.3	60.25	0	27867.299	584.9462366	16093.00682	30000	0	0	30000	40.125	2004
22.01.2020 10:46:03	1	1	1	1	113.3	60.25	0	27867.299	584.9462366	16093.00682	30000	0	0	30000	40.125	2004
22.01.2020 10:46:03	1	1	1	1	113.3	60.25	0	27867.299	584.9462366	16093.00682	30000	0	0	30000	40.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 10:46:04	1	1	1	1	113.3	60	0	27630.332	576.344086	15805.18033	30000	0	0	30000	40.125	2004
22.01.2020 10:46:05	1	1	1	1	113.3	60	0	27582.938	580.6451613	16075.06863	30000	0	0	30000	40.3125	2004
22.01.2020 10:46:06	1	1	1	1	113.3	60.25	0	27725.118	580.6451613	15864.70252	30000	0	0	30000	39.875	2004
22.01.2020 10:46:07	1	1	1	1	113.3	59.75	0	27582.938	576.344086	15983.74691	30000	0	0	30000	40.5	2004
22.01.2020 10:46:08	1	1	1	1	113.3	60.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	39.6875	2004
22.01.2020 10:46:09	1	1	1	1	113.3	59.5	0	27630.332	576.344086	15924.22472	30000	0	0	30000	39.3125	2004
22.01.2020 10:46:10	1	1	1	1	112.8	59.25	0	27582.938	578.4946237	15956.02424	30000	0	0	30000	40	2004
22.01.2020 10:46:11	1	1	1	1	112.8	60	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	39.75	2004
22.01.2020 10:46:12	1	1	1	1	112.8	59.75	0	27440.758	574.1935484	15933.19381	30000	0	0	30000	40.375	2004
22.01.2020 10:46:13	1	1	1	1	112.8	60.25	0	27630.332	576.344086	16043.2691	30000	0	0	30000	40.375	2004
22.01.2020 10:46:14	1	1	1	1	112.8	60.25	0	27535.545	582.7956989	16047.34596	30000	0	0	30000	39.3125	2004
22.01.2020 10:46:15	1	1	1	1	112.8	59.25	0	27630.332	584.9462366	16043.2691	30000	0	0	30000	40.25	2004
22.01.2020 10:46:16	1	1	1	1	112.8	60.25	0	27630.332	578.4946237	16043.2691	30000	0	0	30000	40	2004
22.01.2020 10:46:17	1	1	1	1	112.8	60	0	27630.332	576.344086	15924.22472	30000	0	0	30000	39.875	2004
22.01.2020 10:46:18	1	1	1	1	112.8	59.75	0	27630.332	578.4946237	15864.70252	30000	0	0	30000	40.0625	2004
22.01.2020 10:46:19	1	1	1	1	112.8	60	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	40	2004
22.01.2020 10:46:20	1	1	1	1	113	60	0	27819.905	576.344086	16093.00682	30000	0	0	30000	40.375	2004
22.01.2020 10:46:21	1	1	1	1	113	60.25	0	27630.332	574.1935484	15864.70252	30000	0	0	30000	40.25	2004
22.01.2020 10:46:23	1	1	1	1	113	60.25	0	27772.512	578.4946237	15983.74691	30000	0	0	30000	40.1875	2004
22.01.2020 10:46:26	1	1	1	1	113	60	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	39.75	2004
22.01.2020 10:46:26	1	1	1	1	113	60	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	39.75	2004
22.01.2020 10:46:26	1	1	1	1	113	60	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	39.75	2004
22.01.2020 10:46:27	1	1	1	1	113	59.75	0	27630.332	580.6451613	15956.02424	30000	0	0	30000	40.1875	2004
22.01.2020 10:46:28	1	1	1	1	113	60	0	27630.332	582.7956989	16102.79129	30000	0	0	30000	40.0625	2004
22.01.2020 10:46:29	1	1	1	1	113	60	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	39.9375	2004
22.01.2020 10:46:30	1	1	1	1	113	59.75	0	27630.332	576.344086	15924.22472	30000	0	0	30000	40.25	2004
22.01.2020 10:46:31	1	1	1	1	112.8	60.25	0	27819.905	576.344086	16033.48463	30000	0	0	30000	39.5625	2004
22.01.2020 10:46:32	1	1	1	1	112.8	59.5	0	27867.299	576.344086	16033.48463	30000	0	0	30000	40.25	2004
22.01.2020 10:46:33	1	1	1	1	112.8	60.25	0	27867.299	576.344086	16061.20729	30000	0	0	30000	40.25	2004
22.01.2020 10:46:34	1	1	1	1	112.8	60.25	0	27867.299	569.8924731	16000.86973	30000	0	0	30000	40.4375	2004
22.01.2020 10:46:35	1	1	1	1	112.8	60.25	0	27914.692	578.4946237	16148.45215	30000	0	0	30000	40.25	2004
22.01.2020 10:46:36	1	1	1	1	112.8	60.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	40.0625	2004
22.01.2020 10:46:37	1	1	1	1	112.8	60.25	0	27819.905	572.0430108	15913.62487	30000	0	0	30000	40.1875	2004
22.01.2020 10:46:38	1	1	1	1	112.8	60	0	28009.479	574.1935484	16142.74454	30000	0	0	30000	40.125	2004
22.01.2020 10:46:39	1	1	1	1	112.8	60	0	27819.905	574.1935484	15973.96244	30000	0	0	30000	40.375	2004
22.01.2020 10:46:40	1	1	1	1	112.8	60.25	0	27962.085	574.1935484	15968.25483	30000	0	0	30000	40.375	2004
22.01.2020 10:46:41	1	1	1	1	112.8	60.25	0	27819.905	572.0430108	16000.86973	30000	0	0	30000	39.5625	2004
22.01.2020 10:46:42	1	1	1	1	112.8	59.5	0	27914.692	576.344086	16115.83725	30000	0	0	30000	40.1875	2004
22.01.2020 10:46:43	1	1	1	1	112.8	60	0	27819.905	574.1935484	15973.96244	30000	0	0	30000	39.875	2004
22.01.2020 10:46:44	1	1	1	1	112.8	59.75	0	27819.905	576.344086	16033.48463	30000	0	0	30000	39.875	2004
22.01.2020 10:46:45	1	1	1	1	112.8	59.75	0	27914.692	574.1935484	15881.00997	30000	0	0	30000	39.8125	2004
22.01.2020 10:46:46	1	1	1	1	112.8	59.75	0	28009.479	576.344086	16082.40698	30000	0	0	30000	40.1875	2004
22.01.2020 10:46:47	1	1	1	1	112.8	60	0	28199.052	574.1935484	16142.74454	30000	0	0	30000	40.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 10:46:48	1	1	1	1	112.8	60.5	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	40.1875	2004
22.01.2020 10:46:49	1	1	1	1	112.8	60	0	28009.479	574.1935484	16191.66689	30000	0	0	30000	40.125	2004
22.01.2020 10:46:50	1	1	1	1	112.5	60	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	40.3125	2004
22.01.2020 10:46:51	1	1	1	1	112.5	60.25	0	27914.692	569.8924731	15907.91727	30000	0	0	30000	40.375	2004
22.01.2020 10:46:52	1	1	1	1	112.5	60.25	0	28009.479	574.1935484	16252.00446	30000	0	0	30000	40.1875	2004
22.01.2020 10:46:53	1	1	1	1	112.5	60	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	40.375	2004
22.01.2020 10:46:54	1	1	1	1	112.5	60.25	0	27962.085	572.0430108	15995.16212	30000	0	0	30000	40.375	2004
22.01.2020 10:46:55	1	1	1	1	112.5	60.25	0	27819.905	567.7419355	16000.86973	30000	0	0	30000	40.5	2004
22.01.2020 10:46:56	1	1	1	1	112.5	60.5	0	27819.905	572.0430108	15854.10268	30000	0	0	30000	39.8125	2004
22.01.2020 10:46:57	1	1	1	1	112.5	59.75	0	28009.479	576.344086	16142.74454	30000	0	0	30000	40.5625	2004
22.01.2020 10:46:58	1	1	1	1	112.5	60.5	0	27867.299	572.0430108	16000.86973	30000	0	0	30000	40.5	2004
22.01.2020 10:47:05	1	1	1	1	113	60	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	40.4375	2004
22.01.2020 10:47:05	1	1	1	1	113	60	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	40.4375	2004
22.01.2020 10:47:05	1	1	1	1	113	60	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	40.4375	2004
22.01.2020 10:47:05	1	1	1	1	113	60	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	40.4375	2004
22.01.2020 10:47:05	1	1	1	1	113	60	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	40.4375	2004
22.01.2020 10:47:05	1	1	1	1	113	60	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	40.4375	2004
22.01.2020 10:47:05	1	1	1	1	113	60	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	40.4375	2004
22.01.2020 10:47:06	1	1	1	1	113	60.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	40.5	2004
22.01.2020 10:47:07	1	1	1	1	113	60.5	0	27630.332	578.4946237	16066.09953	30000	0	0	30000	40.3125	2004
22.01.2020 10:47:08	1	1	1	1	113	60.25	0	27630.332	576.344086	15983.74691	30000	0	0	30000	40.0625	2004
22.01.2020 10:47:09	1	1	1	1	113	60	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	39.6875	2004
22.01.2020 10:47:10	1	1	1	1	113	59.5	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	40.25	2004
22.01.2020 10:47:11	1	1	1	1	112.8	60.25	0	27630.332	578.4946237	16043.2691	30000	0	0	30000	40.625	2004
22.01.2020 10:47:12	1	1	1	1	112.8	60.5	0	27630.332	580.6451613	16097.89906	30000	0	0	30000	40.1875	2004
22.01.2020 10:47:13	1	1	1	1	112.8	60	0	27298.578	578.4946237	15792.13437	30000	0	0	30000	40.1875	2004
22.01.2020 10:47:14	1	1	1	1	112.8	60	0	27582.938	578.4946237	16043.2691	30000	0	0	30000	40.4375	2004
22.01.2020 10:47:15	1	1	1	1	112.8	60.25	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	40.4375	2004
22.01.2020 10:47:16	1	1	1	1	112.8	60.5	0	27867.299	578.4946237	16033.48463	30000	0	0	30000	40.5	2004
22.01.2020 10:47:17	1	1	1	1	112.8	60.5	0	27535.545	576.344086	15956.02424	30000	0	0	30000	40.25	2004
22.01.2020 10:47:18	1	1	1	1	112.8	60.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	40	2004
22.01.2020 10:47:19	1	1	1	1	112.8	60	0	27914.692	576.344086	16235.69701	30000	0	0	30000	40.5	2004
22.01.2020 10:47:20	1	1	1	1	112.5	60.5	0	27630.332	576.344086	15983.74691	30000	0	0	30000	40.3125	2004
22.01.2020 10:47:21	1	1	1	1	112.5	60.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	40.625	2004
22.01.2020 10:47:22	1	1	1	1	112.5	60.5	0	27725.118	578.4946237	15983.74691	30000	0	0	30000	40.5625	2004
22.01.2020 10:47:23	1	1	1	1	112.5	60.5	0	27819.905	576.344086	15973.96244	30000	0	0	30000	40.5625	2004
22.01.2020 10:47:24	1	1	1	1	112.5	60.5	0	27630.332	576.344086	15924.22472	30000	0	0	30000	40.5	2004
22.01.2020 10:47:25	1	1	1	1	112.5	60.5	0	27725.118	576.344086	16033.48463	30000	0	0	30000	40	2004
22.01.2020 10:47:26	1	1	1	1	112.5	60	0	27819.905	572.0430108	15627.42913	30000	0	0	30000	40.5	2004
22.01.2020 10:47:27	1	1	1	1	112.5	60.5	0	27630.332	582.7956989	16043.2691	30000	0	0	30000	40.625	2004
22.01.2020 10:47:28	1	1	1	1	112.5	60.5	0	27819.905	576.344086	16033.48463	30000	0	0	30000	40.3125	2004
22.01.2020 10:47:29	1	1	1	1	112.5	60.25	0	27819.905	580.6451613	16043.2691	30000	0	0	30000	39.0625	2004
22.01.2020 10:47:30	1	1	1	1	112.8	59	0	27440.758	576.344086	15756.25798	30000	0	0	30000	40.625	2004
22.01.2020 10:47:31	1	1	1	1	112.8	60.5	0	27819.905	580.6451613	16153.34439	30000	0	0	30000	40.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 10:47:32	1	1	1	1	112.8	60.5	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	40.1875	2004
22.01.2020 10:47:33	1	1	1	1	112.8	60	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	40.375	2004
22.01.2020 10:47:34	1	1	1	1	112.8	60.25	0	27630.332	576.344086	15983.74691	30000	0	0	30000	40.375	2004
22.01.2020 10:47:35	1	1	1	1	112.8	60.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	40.3125	2004
22.01.2020 10:47:36	1	1	1	1	112.8	60.25	0	27819.905	580.6451613	16153.34439	30000	0	0	30000	40.5	2004
22.01.2020 10:47:37	1	1	1	1	112.8	60.5	0	27582.938	576.344086	15983.74691	30000	0	0	30000	39.75	2004
22.01.2020 10:47:38	1	1	1	1	112.8	59.75	0	27630.332	576.344086	15924.22472	30000	0	0	30000	40.5625	2004
22.01.2020 10:47:40	1	1	1	1	112.8	60.5	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	40.375	2004
22.01.2020 10:47:41	1	1	1	1	112	60.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	40.125	2004
22.01.2020 10:47:42	1	1	1	1	112	60	0	27867.299	580.6451613	16093.00682	30000	0	0	30000	40.5625	2004
22.01.2020 10:47:43	1	1	1	1	112	60.5	0	27819.905	578.4946237	16038.37687	30000	0	0	30000	40.4375	2004
22.01.2020 10:47:44	1	1	1	1	112	60.25	0	27630.332	578.4946237	15897.31742	30000	0	0	30000	40.5625	2004
22.01.2020 10:47:45	1	1	1	1	112	60.5	0	27630.332	574.1935484	16093.00682	30000	0	0	30000	39.75	2004
22.01.2020 10:47:46	1	1	1	1	112	59.75	0	27867.299	576.344086	16000.86973	30000	0	0	30000	40.4375	2004
22.01.2020 10:47:47	1	1	1	1	112	60.25	0	27772.512	572.0430108	15864.70252	30000	0	0	30000	39.75	2004
22.01.2020 10:47:48	1	1	1	1	112	59.75	0	27819.905	574.1935484	15973.96244	30000	0	0	30000	40.3125	2004
22.01.2020 10:47:49	1	1	1	1	112	60.25	0	27819.905	576.344086	15973.96244	30000	0	0	30000	40.5625	2004
22.01.2020 10:47:50	1	1	1	1	112	60.5	0	27725.118	576.344086	15983.74691	30000	0	0	30000	40.5625	2004
22.01.2020 10:47:51	1	1	1	1	112.3	60.5	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	40.8125	2004
22.01.2020 10:47:52	1	1	1	1	112.3	60.75	0	27725.118	576.344086	15978.85467	30000	0	0	30000	40.25	2004
22.01.2020 10:47:53	1	1	1	1	112.3	60.25	0	27725.118	576.344086	16093.00682	30000	0	0	30000	40.75	2004
22.01.2020 10:47:54	1	1	1	1	112.3	60.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	40.4375	2004
22.01.2020 10:47:55	1	1	1	1	112.3	60.25	0	27819.905	576.344086	16033.48463	30000	0	0	30000	40.5	2004
22.01.2020 10:47:56	1	1	1	1	112.3	60.5	0	27867.299	576.344086	16061.20729	30000	0	0	30000	40.5625	2004
22.01.2020 10:47:57	1	1	1	1	112.3	60.5	0	27914.692	574.1935484	16055.49969	30000	0	0	30000	40.5625	2004
22.01.2020 10:47:58	1	1	1	1	112.3	60.5	0	28009.479	574.1935484	16142.74454	30000	0	0	30000	40.125	2004
22.01.2020 10:47:59	1	1	1	1	112.3	60	0	27867.299	574.1935484	16027.77702	30000	0	0	30000	40.25	2004
22.01.2020 10:48:00	1	1	1	1	113	60.25	0	28009.479	576.344086	16142.74454	30000	0	0	30000	40.6875	2004
22.01.2020 10:48:06	1	1	1	1	113	60.5	0	27630.332	576.344086	15924.22472	30000	0	0	30000	40.6875	2004
22.01.2020 10:48:06	1	1	1	1	113	60.5	0	27630.332	576.344086	15924.22472	30000	0	0	30000	40.6875	2004
22.01.2020 10:48:06	1	1	1	1	113	60.5	0	27630.332	576.344086	15924.22472	30000	0	0	30000	40.6875	2004
22.01.2020 10:48:06	1	1	1	1	113	60.5	0	27630.332	576.344086	15924.22472	30000	0	0	30000	40.6875	2004
22.01.2020 10:48:06	1	1	1	1	113	60.5	0	27630.332	576.344086	15924.22472	30000	0	0	30000	40.6875	2004
22.01.2020 10:48:06	1	1	1	1	113	60.5	0	27630.332	576.344086	15924.22472	30000	0	0	30000	40.6875	2004
22.01.2020 10:48:07	1	1	1	1	113	60.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	40.75	2004
22.01.2020 10:48:08	1	1	1	1	113	60.75	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	40.3125	2004
22.01.2020 10:48:09	1	1	1	1	113	60.25	0	27630.332	576.344086	15924.22472	30000	0	0	30000	40.25	2004
22.01.2020 10:48:10	1	1	1	1	112.8	60.25	0	27867.299	578.4946237	16388.17166	30000	0	0	30000	40.625	2004
22.01.2020 10:48:11	1	1	1	1	112.8	60.5	0	27630.332	580.6451613	16093.00682	30000	0	0	30000	40.6875	2004
22.01.2020 10:48:12	1	1	1	1	112.8	60.5	0	27725.118	572.0430108	15924.22472	30000	0	0	30000	40.25	2004
22.01.2020 10:48:13	1	1	1	1	112.8	60.25	0	27630.332	576.344086	15745.65814	30000	0	0	30000	40.3125	2004
22.01.2020 10:48:14	1	1	1	1	112.8	60.25	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	39.75	2004
22.01.2020 10:48:15	1	1	1	1	112.8	59.75	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	40.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 10:48:16	1	1	1	1	112.8	60.5	0	27630.332	569.8924731	16038.37687	30000	0	0	30000	40.625	2004
22.01.2020 10:48:17	1	1	1	1	112.8	60.5	0	27582.938	576.344086	15897.31742	30000	0	0	30000	40.6875	2004
22.01.2020 10:48:19	1	1	1	1	112.8	60.5	0	27725.118	576.344086	15983.74691	30000	0	0	30000	40.5625	2004
22.01.2020 10:48:20	1	1	1	1	112.8	60.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	40.5625	2004
22.01.2020 10:48:21	1	1	1	1	112.5	60.5	0	27630.332	576.344086	15864.70252	30000	0	0	30000	40.375	2004
22.01.2020 10:48:22	1	1	1	1	112.5	60.25	0	27914.692	574.1935484	16027.77702	30000	0	0	30000	40.3125	2004
22.01.2020 10:48:23	1	1	1	1	112.5	60.25	0	27819.905	576.344086	16033.48463	30000	0	0	30000	40.3125	2004
22.01.2020 10:48:24	1	1	1	1	112.5	60.25	0	27819.905	576.344086	16033.48463	30000	0	0	30000	40.6875	2004
22.01.2020 10:48:25	1	1	1	1	112.5	60.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	40.3125	2004
22.01.2020 10:48:26	1	1	1	1	112.5	60.25	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	40.625	2004
22.01.2020 10:48:27	1	1	1	1	112.5	60.5	0	27630.332	578.4946237	16043.2691	30000	0	0	30000	40.6875	2004
22.01.2020 10:48:28	1	1	1	1	112.5	60.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	40.625	2004
22.01.2020 10:48:29	1	1	1	1	112.5	60.5	0	27819.905	576.344086	16033.48463	30000	0	0	30000	40.6875	2004
22.01.2020 10:48:30	1	1	1	1	112.5	60.5	0	27630.332	576.344086	15924.22472	30000	0	0	30000	41	2004
22.01.2020 10:48:31	1	1	1	1	113	61	0	27630.332	576.344086	15924.22472	30000	0	0	30000	40.625	2004
22.01.2020 10:48:32	1	1	1	1	113	60.5	0	27819.905	576.344086	15745.65814	30000	0	0	30000	40.75	2004
22.01.2020 10:48:33	1	1	1	1	113	60.75	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	40.8125	2004
22.01.2020 10:48:34	1	1	1	1	113	60.75	0	27630.332	576.344086	15864.70252	30000	0	0	30000	40.4375	2004
22.01.2020 10:48:35	1	1	1	1	113	60.25	0	27819.905	576.344086	15973.96244	30000	0	0	30000	40.8125	2004
22.01.2020 10:48:36	1	1	1	1	113	60.75	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	40.75	2004
22.01.2020 10:48:37	1	1	1	1	113	60.75	0	27630.332	572.0430108	15864.70252	30000	0	0	30000	40.75	2004
22.01.2020 10:48:38	1	1	1	1	113	60.75	0	27914.692	578.4946237	16027.77702	30000	0	0	30000	40.625	2004
22.01.2020 10:48:39	1	1	1	1	113	60.5	0	27867.299	574.1935484	16061.20729	30000	0	0	30000	40.5625	2004
22.01.2020 10:48:40	1	1	1	1	112.8	60.5	0	27630.332	576.344086	15924.22472	30000	0	0	30000	40.125	2004
22.01.2020 10:48:41	1	1	1	1	112.8	60	0	27867.299	569.8924731	16027.77702	30000	0	0	30000	39.5	2004
22.01.2020 10:48:42	1	1	1	1	112.8	59.5	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	40.6875	2004
22.01.2020 10:48:43	1	1	1	1	112.8	60.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	40.625	2004
22.01.2020 10:48:44	1	1	1	1	112.8	60.5	0	27962.085	572.0430108	15995.16212	30000	0	0	30000	40.5625	2004
22.01.2020 10:48:45	1	1	1	1	112.8	60.5	0	27914.692	574.1935484	16027.77702	30000	0	0	30000	40.125	2004
22.01.2020 10:48:46	1	1	1	1	112.8	60	0	27867.299	576.344086	16000.86973	30000	0	0	30000	40.625	2004
22.01.2020 10:48:47	1	1	1	1	112.8	60.5	0	27630.332	574.1935484	16033.48463	30000	0	0	30000	40.375	2004
22.01.2020 10:48:48	1	1	1	1	112.8	60.25	0	27819.905	576.344086	16033.48463	30000	0	0	30000	40.4375	2004
22.01.2020 10:48:49	1	1	1	1	112.8	60.25	0	27630.332	576.344086	15924.22472	30000	0	0	30000	40.125	2004
22.01.2020 10:48:50	1	1	1	1	113	60	0	27819.905	576.344086	16093.00682	30000	0	0	30000	40.75	2004
22.01.2020 10:48:51	1	1	1	1	113	60.75	0	27819.905	576.344086	16006.57734	30000	0	0	30000	39.75	2004
22.01.2020 10:48:52	1	1	1	1	113	59.75	0	27867.299	574.1935484	16061.20729	30000	0	0	30000	40.75	2004
22.01.2020 10:48:53	1	1	1	1	113	60.75	0	27819.905	574.1935484	16061.20729	30000	0	0	30000	40.75	2004
22.01.2020 10:48:54	1	1	1	1	113	60.75	0	28009.479	582.7956989	16027.77702	30000	0	0	30000	40.8125	2004
22.01.2020 10:48:55	1	1	1	1	113	60.75	0	27819.905	576.344086	15973.96244	30000	0	0	30000	40.625	2004
22.01.2020 10:48:56	1	1	1	1	113	60.5	0	27867.299	580.6451613	15973.96244	30000	0	0	30000	40.25	2004
22.01.2020 10:48:58	1	1	1	1	113	60.25	0	27867.299	574.1935484	16061.20729	30000	0	0	30000	40	2004
22.01.2020 10:48:59	1	1	1	1	113	60	0	27867.299	572.0430108	15941.34754	30000	0	0	30000	40	2004
22.01.2020 10:49:00	1	1	1	1	113	60	0	27819.905	574.1935484	16033.48463	30000	0	0	30000	40.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 10:49:01	1	1	1	1	112.8	60.25	0	27962.085	576.344086	16055.49969	30000	0	0	30000	40.875	2004
22.01.2020 10:49:02	1	1	1	1	112.8	60.75	0	27819.905	578.4946237	15864.70252	30000	0	0	30000	40.8125	2004
22.01.2020 10:49:08	1	1	1	1	112.8	60.5	0	27630.332	565.5913978	15973.96244	30000	0	0	30000	40.4375	2004
22.01.2020 10:49:08	1	1	1	1	112.8	60.5	0	27630.332	565.5913978	15973.96244	30000	0	0	30000	40.4375	2004
22.01.2020 10:49:08	1	1	1	1	112.8	60.5	0	27630.332	565.5913978	15973.96244	30000	0	0	30000	40.4375	2004
22.01.2020 10:49:08	1	1	1	1	112.8	60.5	0	27630.332	565.5913978	15973.96244	30000	0	0	30000	40.4375	2004
22.01.2020 10:49:08	1	1	1	1	112.8	60.5	0	27630.332	565.5913978	15973.96244	30000	0	0	30000	40.4375	2004
22.01.2020 10:49:08	1	1	1	1	112.8	60.5	0	27630.332	565.5913978	15973.96244	30000	0	0	30000	40.4375	2004
22.01.2020 10:49:09	1	1	1	1	112.8	60.25	0	27819.905	576.344086	15973.96244	30000	0	0	30000	40.875	2004
22.01.2020 10:49:10	1	1	1	1	112.8	60.75	0	27962.085	574.1935484	15995.16212	30000	0	0	30000	40.4375	2004
22.01.2020 10:49:11	1	1	1	1	113	60.25	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	40.125	2004
22.01.2020 10:49:12	1	1	1	1	113	61	0	27867.299	576.344086	16000.86973	30000	0	0	30000	40.875	2004
22.01.2020 10:49:13	1	1	1	1	113	60.75	0	27867.299	567.7419355	16000.86973	30000	0	0	30000	39.625	2004
22.01.2020 10:49:14	1	1	1	1	113	59.5	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	40.9375	2004
22.01.2020 10:49:15	1	1	1	1	113	60.75	0	28009.479	578.4946237	16203.08211	30000	0	0	30000	41	2004
22.01.2020 10:49:16	1	1	1	1	113	61	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	40.3125	2004
22.01.2020 10:49:17	1	1	1	1	113	60.25	0	27962.085	574.1935484	16055.49969	30000	0	0	30000	40.6875	2004
22.01.2020 10:49:18	1	1	1	1	113	60.5	0	27867.299	572.0430108	15941.34754	30000	0	0	30000	40.1875	2004
22.01.2020 10:49:19	1	1	1	1	113	60	0	27867.299	572.0430108	15913.62487	30000	0	0	30000	40.5	2004
22.01.2020 10:49:20	1	1	1	1	113.3	60.5	0	27819.905	572.0430108	15913.62487	30000	0	0	30000	40.75	2004
22.01.2020 10:49:21	1	1	1	1	113.3	60.75	0	27819.905	576.344086	15973.96244	30000	0	0	30000	40.75	2004
22.01.2020 10:49:22	1	1	1	1	113.3	60.75	0	27819.905	576.344086	16033.48463	30000	0	0	30000	40.6875	2004
22.01.2020 10:49:23	1	1	1	1	113.3	60.5	0	27819.905	576.344086	16093.00682	30000	0	0	30000	40.8125	2004
22.01.2020 10:49:24	1	1	1	1	113.3	60.75	0	27867.299	578.4946237	16120.72949	30000	0	0	30000	39.5625	2004
22.01.2020 10:49:25	1	1	1	1	113.3	59.5	0	27819.905	576.344086	15924.22472	30000	0	0	30000	40.8125	2004
22.01.2020 10:49:26	1	1	1	1	113.3	60.75	0	27819.905	576.344086	16033.48463	30000	0	0	30000	40.0625	2004
22.01.2020 10:49:27	1	1	1	1	113.3	60	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	40.875	2004
22.01.2020 10:49:28	1	1	1	1	113.3	60.75	0	27630.332	576.344086	15924.22472	30000	0	0	30000	40.25	2004
22.01.2020 10:49:29	1	1	1	1	113.3	60.25	0	27630.332	576.344086	15924.22472	30000	0	0	30000	40.8125	2004
22.01.2020 10:49:30	1	1	1	1	113.3	60.75	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	40.8125	2004
22.01.2020 10:49:31	1	1	1	1	113.3	60.75	0	27630.332	576.344086	15983.74691	30000	0	0	30000	40.9375	2004
22.01.2020 10:49:32	1	1	1	1	113.3	60.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	40.25	2004
22.01.2020 10:49:33	1	1	1	1	113.3	60.25	0	27725.118	574.1935484	15973.96244	30000	0	0	30000	40.9375	2004
22.01.2020 10:49:34	1	1	1	1	113.3	60.75	0	27867.299	576.344086	15973.96244	30000	0	0	30000	40.625	2004
22.01.2020 10:49:36	1	1	1	1	113.3	60.5	0	27819.905	578.4946237	16033.48463	30000	0	0	30000	40.75	2004
22.01.2020 10:49:37	1	1	1	1	113.3	60.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	40.5625	2004
22.01.2020 10:49:38	1	1	1	1	113.3	60.5	0	27867.299	580.6451613	16153.34439	30000	0	0	30000	40.875	2004
22.01.2020 10:49:39	1	1	1	1	113.3	60.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	40.625	2004
22.01.2020 10:49:40	1	1	1	1	113.3	60.5	0	27819.905	578.4946237	16212.86658	30000	0	0	30000	40.5	2004
22.01.2020 10:49:41	1	1	1	1	113	60.5	0	27867.299	578.4946237	16120.72949	30000	0	0	30000	40.75	2004
22.01.2020 10:49:42	1	1	1	1	113	60.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	40.6875	2004
22.01.2020 10:49:43	1	1	1	1	113	60.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	40.25	2004
22.01.2020 10:49:44	1	1	1	1	113	60.25	0	27867.299	576.344086	15973.96244	30000	0	0	30000	40.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 10:49:45	1	1	1	1	113	60.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	40.375	2004
22.01.2020 10:49:46	1	1	1	1	113	60.25	0	27914.692	576.344086	16148.45215	30000	0	0	30000	40.5	2004
22.01.2020 10:49:47	1	1	1	1	113	60.5	0	27819.905	576.344086	16093.00682	30000	0	0	30000	41.1875	2004
22.01.2020 10:49:48	1	1	1	1	113	61	0	27962.085	574.1935484	16055.49969	30000	0	0	30000	40.3125	2004
22.01.2020 10:49:49	1	1	1	1	113	60.25	0	27772.512	576.344086	15924.22472	30000	0	0	30000	41	2004
22.01.2020 10:49:50	1	1	1	1	113.8	60.5	0	27630.332	576.344086	15983.74691	30000	0	0	30000	40.875	2004
22.01.2020 10:49:51	1	1	1	1	113.8	60.75	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	40.75	2004
22.01.2020 10:49:52	1	1	1	1	113.8	60.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	39.8125	2004
22.01.2020 10:49:53	1	1	1	1	113.8	59.75	0	27867.299	578.4946237	16093.00682	30000	0	0	30000	40.75	2004
22.01.2020 10:49:54	1	1	1	1	113.8	60.75	0	27630.332	576.344086	15924.22472	30000	0	0	30000	41	2004
22.01.2020 10:49:55	1	1	1	1	113.8	61	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	40.9375	2004
22.01.2020 10:49:56	1	1	1	1	113.8	60.75	0	27630.332	582.7956989	16102.79129	30000	0	0	30000	40.625	2004
22.01.2020 10:49:57	1	1	1	1	113.8	60.5	0	27725.118	578.4946237	16093.00682	30000	0	0	30000	40.5	2004
22.01.2020 10:49:58	1	1	1	1	113.8	60.5	0	27630.332	576.344086	15924.22472	30000	0	0	30000	40.6875	2004
22.01.2020 10:49:59	1	1	1	1	113.8	60.5	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	40.8125	2004
22.01.2020 10:50:00	1	1	1	1	113.8	60.75	0	27630.332	574.1935484	15983.74691	30000	0	0	30000	40.75	2004
22.01.2020 10:50:01	1	1	1	1	113.8	60.75	0	27630.332	576.344086	15983.74691	30000	0	0	30000	40.6875	2004
22.01.2020 10:50:02	1	1	1	1	113.8	60.5	0	27867.299	580.6451613	16093.00682	30000	0	0	30000	40.75	2004
22.01.2020 10:50:03	1	1	1	1	113.8	60.75	0	27630.332	584.9462366	15924.22472	30000	0	0	30000	40.4375	2004
22.01.2020 10:50:10	1	1	1	1	113.8	60.75	0	27630.332	578.4946237	15924.22472	30000	0	0	30000	40.8125	2004
22.01.2020 10:50:10	1	1	1	1	113.8	60.75	0	27630.332	578.4946237	15924.22472	30000	0	0	30000	40.8125	2004
22.01.2020 10:50:10	1	1	1	1	113.8	60.75	0	27630.332	578.4946237	15924.22472	30000	0	0	30000	40.8125	2004
22.01.2020 10:50:10	1	1	1	1	113.8	60.75	0	27630.332	578.4946237	15924.22472	30000	0	0	30000	40.8125	2004
22.01.2020 10:50:10	1	1	1	1	113.8	60.75	0	27630.332	578.4946237	15924.22472	30000	0	0	30000	40.8125	2004
22.01.2020 10:50:10	1	1	1	1	113.8	60.75	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	40.625	2004
22.01.2020 10:50:11	1	1	1	1	113.8	60.5	0	27819.905	576.344086	16093.00682	30000	0	0	30000	40.375	2004
22.01.2020 10:50:12	1	1	1	1	113.8	60.25	0	27819.905	580.6451613	16093.00682	30000	0	0	30000	40.9375	2004
22.01.2020 10:50:14	1	1	1	1	113.8	60.75	0	27630.332	578.4946237	16153.34439	30000	0	0	30000	40.6875	2004
22.01.2020 10:50:15	1	1	1	1	113.8	60.5	0	27582.938	578.4946237	15956.02424	30000	0	0	30000	40.375	2004
22.01.2020 10:50:16	1	1	1	1	113.8	60.25	0	27582.938	578.4946237	15956.02424	30000	0	0	30000	40.75	2004
22.01.2020 10:50:17	1	1	1	1	113.8	60.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	40.625	2004
22.01.2020 10:50:18	1	1	1	1	113.8	60.5	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	40.75	2004
22.01.2020 10:50:19	1	1	1	1	113.8	60.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	40.6875	2004
22.01.2020 10:50:20	1	1	1	1	113.8	60.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	39.9375	2004
22.01.2020 10:50:21	1	1	1	1	113.5	59.75	0	27630.332	576.344086	15983.74691	30000	0	0	30000	40.625	2004
22.01.2020 10:50:22	1	1	1	1	113.5	60.5	0	27630.332	576.344086	16043.2691	30000	0	0	30000	40.875	2004
22.01.2020 10:50:23	1	1	1	1	113.5	60.75	0	27630.332	580.6451613	15987.82377	30000	0	0	30000	40.25	2004
22.01.2020 10:50:24	1	1	1	1	113.5	60.25	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	41.125	2004
22.01.2020 10:50:25	1	1	1	1	113.5	61	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41	2004
22.01.2020 10:50:26	1	1	1	1	113.5	61	0	27582.938	578.4946237	16015.54644	30000	0	0	30000	40.25	2004
22.01.2020 10:50:27	1	1	1	1	113.5	60.25	0	27630.332	576.344086	16043.2691	30000	0	0	30000	41.0625	2004
22.01.2020 10:50:28	1	1	1	1	113.5	61	0	27630.332	582.7956989	16102.79129	30000	0	0	30000	40.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 10:50:29	1	1	1	1	113.5	60.75	0	27630.332	576.344086	15983.74691	30000	0	0	30000	40.6875	2004
22.01.2020 10:50:30	1	1	1	1	114	60.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	40.5	2004
22.01.2020 10:50:31	1	1	1	1	114	60.5	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	41	2004
22.01.2020 10:50:32	1	1	1	1	114	61	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	40.9375	2004
22.01.2020 10:50:33	1	1	1	1	114	60.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	40.875	2004
22.01.2020 10:50:34	1	1	1	1	114	60.75	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	40.9375	2004
22.01.2020 10:50:35	1	1	1	1	114	60.75	0	27630.332	576.344086	15864.70252	30000	0	0	30000	41.125	2004
22.01.2020 10:50:36	1	1	1	1	114	61	0	27819.905	584.9462366	15983.74691	30000	0	0	30000	40.9375	2004
22.01.2020 10:50:37	1	1	1	1	114	60.75	0	27630.332	578.4946237	16043.2691	30000	0	0	30000	40.875	2004
22.01.2020 10:50:38	1	1	1	1	114	60.75	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	41	2004
22.01.2020 10:50:39	1	1	1	1	114	61	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	41	2004
22.01.2020 10:50:40	1	1	1	1	113.5	61	0	27630.332	582.7956989	15983.74691	30000	0	0	30000	41.0625	2004
22.01.2020 10:50:41	1	1	1	1	113.5	61	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41	2004
22.01.2020 10:50:42	1	1	1	1	113.5	61	0	27535.545	578.4946237	15814.9648	30000	0	0	30000	40.9375	2004
22.01.2020 10:50:43	1	1	1	1	113.5	60.75	0	27345.972	576.344086	15701.62803	30000	0	0	30000	41.0625	2004
22.01.2020 10:50:44	1	1	1	1	113.5	61	0	27582.938	578.4946237	16015.54644	30000	0	0	30000	41.0625	2004
22.01.2020 10:50:45	1	1	1	1	113.5	61	0	27630.332	584.9462366	16162.31348	30000	0	0	30000	40.875	2004
22.01.2020 10:50:46	1	1	1	1	113.5	60.75	0	27582.938	580.6451613	16221.0203	30000	0	0	30000	40.9375	2004
22.01.2020 10:50:47	1	1	1	1	113.5	60.75	0	27630.332	582.7956989	15983.74691	30000	0	0	30000	39.8125	2004
22.01.2020 10:50:48	1	1	1	1	113.5	59.75	0	27819.905	582.7956989	16102.79129	30000	0	0	30000	41	2004
22.01.2020 10:50:49	1	1	1	1	113.5	61	0	27345.972	574.1935484	15701.62803	30000	0	0	30000	40.4375	2004
22.01.2020 10:50:50	1	1	1	1	113.8	60.25	0	27630.332	584.9462366	16102.79129	30000	0	0	30000	40.75	2004
22.01.2020 10:50:52	1	1	1	1	113.8	60.75	0	27535.545	580.6451613	15814.9648	30000	0	0	30000	40.375	2004
22.01.2020 10:50:53	1	1	1	1	113.8	60.25	0	27630.332	582.7956989	16102.79129	30000	0	0	30000	41.0625	2004
22.01.2020 10:50:54	1	1	1	1	113.8	61	0	27582.938	584.9462366	15873.67162	30000	0	0	30000	40.875	2004
22.01.2020 10:50:55	1	1	1	1	113.8	60.75	0	27582.938	584.9462366	15869.59476	30000	0	0	30000	40.75	2004
22.01.2020 10:50:56	1	1	1	1	113.8	60.75	0	27345.972	580.6451613	15991.90063	30000	0	0	30000	41.125	2004
22.01.2020 10:50:57	1	1	1	1	113.8	61	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	40.4375	2004
22.01.2020 10:50:58	1	1	1	1	113.8	60.25	0	27582.938	580.6451613	15933.19381	30000	0	0	30000	41.0625	2004
22.01.2020 10:50:59	1	1	1	1	113.8	61	0	27582.938	582.7956989	15956.02424	30000	0	0	30000	40.4375	2004
22.01.2020 10:51:00	1	1	1	1	113.8	60.25	0	27582.938	580.6451613	15956.02424	30000	0	0	30000	41.1875	2004
22.01.2020 10:51:01	1	1	1	1	113.8	61	0	27535.545	580.6451613	15873.67162	30000	0	0	30000	40.9375	2004
22.01.2020 10:51:02	1	1	1	1	113.8	60.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	40.9375	2004
22.01.2020 10:51:03	1	1	1	1	113.8	60.75	0	27772.512	578.4946237	16212.86658	30000	0	0	30000	39.875	2004
22.01.2020 10:51:04	1	1	1	1	113.8	59.75	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	40.875	2004
22.01.2020 10:51:05	1	1	1	1	113.8	60.75	0	27535.545	578.4946237	15956.02424	30000	0	0	30000	40.9375	2004
22.01.2020 10:51:11	1	1	1	1	114	60.5	0	27582.938	584.9462366	16075.06863	30000	0	0	30000	40.875	2004
22.01.2020 10:51:11	1	1	1	1	114	60.5	0	27582.938	584.9462366	16075.06863	30000	0	0	30000	40.875	2004
22.01.2020 10:51:11	1	1	1	1	114	60.5	0	27582.938	584.9462366	16075.06863	30000	0	0	30000	40.875	2004
22.01.2020 10:51:11	1	1	1	1	114	60.5	0	27582.938	584.9462366	16075.06863	30000	0	0	30000	40.875	2004
22.01.2020 10:51:11	1	1	1	1	114	60.5	0	27582.938	584.9462366	16075.06863	30000	0	0	30000	40.875	2004
22.01.2020 10:51:11	1	1	1	1	114	60.5	0	27582.938	584.9462366	16075.06863	30000	0	0	30000	40.875	2004
22.01.2020 10:51:12	1	1	1	1	114	60.75	0	27535.545	582.7956989	15991.90063	30000	0	0	30000	40.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 10:51:13	1	1	1	1	114	60.75	0	27630.332	578.4946237	16102.79129	30000	0	0	30000	40.6875	2004
22.01.2020 10:51:14	1	1	1	1	114	60.5	0	27630.332	582.7956989	16102.79129	30000	0	0	30000	41.1875	2004
22.01.2020 10:51:15	1	1	1	1	114	61	0	27582.938	582.7956989	15991.90063	30000	0	0	30000	40.25	2004
22.01.2020 10:51:16	1	1	1	1	114	60.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	40.8125	2004
22.01.2020 10:51:17	1	1	1	1	114	60.75	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	41.1875	2004
22.01.2020 10:51:18	1	1	1	1	114	61	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	40.875	2004
22.01.2020 10:51:19	1	1	1	1	114	60.75	0	27440.758	578.4946237	15933.19381	30000	0	0	30000	40.875	2004
22.01.2020 10:51:20	1	1	1	1	113.8	60.75	0	27582.938	580.6451613	16015.54644	30000	0	0	30000	40.875	2004
22.01.2020 10:51:21	1	1	1	1	113.8	60.75	0	27630.332	584.9462366	16162.31348	30000	0	0	30000	41	2004
22.01.2020 10:51:22	1	1	1	1	113.8	61	0	27582.938	580.6451613	16075.06863	30000	0	0	30000	41.0625	2004
22.01.2020 10:51:23	1	1	1	1	113.8	61	0	27440.758	574.1935484	15933.19381	30000	0	0	30000	41.125	2004
22.01.2020 10:51:24	1	1	1	1	113.8	61	0	27630.332	582.7956989	16102.79129	30000	0	0	30000	41.125	2004
22.01.2020 10:51:25	1	1	1	1	113.8	61	0	27725.118	578.4946237	16093.00682	30000	0	0	30000	41.0625	2004
22.01.2020 10:51:26	1	1	1	1	113.8	61	0	27630.332	576.344086	16162.31348	30000	0	0	30000	41	2004
22.01.2020 10:51:27	1	1	1	1	113.8	61	0	27819.905	578.4946237	16038.37687	30000	0	0	30000	40.6875	2004
22.01.2020 10:51:28	1	1	1	1	113.8	60.5	0	27630.332	578.4946237	15805.18033	30000	0	0	30000	40.9375	2004
22.01.2020 10:51:30	1	1	1	1	113.8	60.75	0	27630.332	574.1935484	16153.34439	30000	0	0	30000	41.25	2004
22.01.2020 10:51:31	1	1	1	1	113.8	61.25	0	27630.332	578.4946237	16273.20414	30000	0	0	30000	40.8125	2004
22.01.2020 10:51:32	1	1	1	1	113.8	60.75	0	27819.905	576.344086	16033.48463	30000	0	0	30000	40.5625	2004
22.01.2020 10:51:33	1	1	1	1	113.8	60.5	0	27819.905	576.344086	15973.96244	30000	0	0	30000	41.125	2004
22.01.2020 10:51:34	1	1	1	1	113.8	61	0	27630.332	576.344086	15924.22472	30000	0	0	30000	40.875	2004
22.01.2020 10:51:35	1	1	1	1	113.8	60.75	0	27867.299	576.344086	15973.96244	30000	0	0	30000	40.8125	2004
22.01.2020 10:51:36	1	1	1	1	113.8	60.75	0	27630.332	576.344086	15924.22472	30000	0	0	30000	41.125	2004
22.01.2020 10:51:37	1	1	1	1	113.8	61	0	27867.299	584.9462366	16153.34439	30000	0	0	30000	40.625	2004
22.01.2020 10:51:38	1	1	1	1	113.8	60.5	0	27630.332	578.4946237	16038.37687	30000	0	0	30000	40.9375	2004
22.01.2020 10:51:39	1	1	1	1	113.8	60.75	0	27630.332	576.344086	15924.22472	30000	0	0	30000	41.1875	2004
22.01.2020 10:51:40	1	1	1	1	113.8	61	0	27819.905	580.6451613	16043.2691	30000	0	0	30000	41.125	2004
22.01.2020 10:51:41	1	1	1	1	113.8	61	0	27582.938	578.4946237	15696.73579	30000	0	0	30000	41.125	2004
22.01.2020 10:51:42	1	1	1	1	113.8	61	0	27582.938	576.344086	15956.02424	30000	0	0	30000	40.6875	2004
22.01.2020 10:51:43	1	1	1	1	113.8	60.5	0	27819.905	580.6451613	16097.89906	30000	0	0	30000	41.125	2004
22.01.2020 10:51:44	1	1	1	1	113.8	61	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	41.3125	2004
22.01.2020 10:51:45	1	1	1	1	113.8	61.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	40.875	2004
22.01.2020 10:51:46	1	1	1	1	113.8	61.25	0	27819.905	576.344086	15864.70252	30000	0	0	30000	40.25	2004
22.01.2020 10:51:47	1	1	1	1	113.8	60.25	0	27819.905	578.4946237	16097.89906	30000	0	0	30000	40.375	2004
22.01.2020 10:51:48	1	1	1	1	113.8	60.25	0	27772.512	580.6451613	15983.74691	30000	0	0	30000	41.125	2004
22.01.2020 10:51:49	1	1	1	1	113.8	61	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.0625	2004
22.01.2020 10:51:50	1	1	1	1	113.3	61	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.25	2004
22.01.2020 10:51:51	1	1	1	1	113.3	61.25	0	27582.938	580.6451613	16015.54644	30000	0	0	30000	41.0625	2004
22.01.2020 10:51:52	1	1	1	1	113.3	61	0	27440.758	578.4946237	15814.9648	30000	0	0	30000	41.25	2004
22.01.2020 10:51:53	1	1	1	1	113.3	61.25	0	27630.332	576.344086	16102.79129	30000	0	0	30000	41.1875	2004
22.01.2020 10:51:54	1	1	1	1	113.3	61	0	27630.332	584.9462366	15983.74691	30000	0	0	30000	41.1875	2004
22.01.2020 10:51:55	1	1	1	1	113.3	61	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	41.125	2004
22.01.2020 10:51:56	1	1	1	1	113.3	61	0	27630.332	576.344086	16102.79129	30000	0	0	30000	40.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 10:51:57	1	1	1	1	113.3	60.75	0	27630.332	578.4946237	16043.2691	30000	0	0	30000	41.1875	2004
22.01.2020 10:51:58	1	1	1	1	113.3	61	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41	2004
22.01.2020 10:51:59	1	1	1	1	113.3	61	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.125	2004
22.01.2020 10:52:00	1	1	1	1	113.5	61	0	27772.512	578.4946237	15983.74691	30000	0	0	30000	40.1875	2004
22.01.2020 10:52:01	1	1	1	1	113.5	60	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	41.1875	2004
22.01.2020 10:52:02	1	1	1	1	113.5	61	0	27630.332	576.344086	16102.79129	30000	0	0	30000	41.1875	2004
22.01.2020 10:52:03	1	1	1	1	113.5	61	0	27867.299	578.4946237	16120.72949	30000	0	0	30000	41.125	2004
22.01.2020 10:52:04	1	1	1	1	113.5	61	0	27772.512	580.6451613	15983.74691	30000	0	0	30000	41.1875	2004
22.01.2020 10:52:05	1	1	1	1	113.5	61	0	27630.332	576.344086	15983.74691	30000	0	0	30000	41.1875	2004
22.01.2020 10:52:06	1	1	1	1	113.5	61	0	27630.332	576.344086	15983.74691	30000	0	0	30000	41	2004
22.01.2020 10:52:13	1	1	1	1	113.5	60.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.125	2004
22.01.2020 10:52:13	1	1	1	1	113.5	60.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.125	2004
22.01.2020 10:52:13	1	1	1	1	113.5	60.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.125	2004
22.01.2020 10:52:13	1	1	1	1	113.5	60.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.125	2004
22.01.2020 10:52:13	1	1	1	1	113.5	60.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.125	2004
22.01.2020 10:52:13	1	1	1	1	113.5	60.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.125	2004
22.01.2020 10:52:13	1	1	1	1	113.5	60.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.125	2004
22.01.2020 10:52:14	1	1	1	1	113.5	61	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.125	2004
22.01.2020 10:52:15	1	1	1	1	113.5	61	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	40.9375	2004
22.01.2020 10:52:16	1	1	1	1	113.5	60.75	0	27725.118	578.4946237	16038.37687	30000	0	0	30000	41.125	2004
22.01.2020 10:52:17	1	1	1	1	113.5	61	0	27630.332	580.6451613	16153.34439	30000	0	0	30000	41.25	2004
22.01.2020 10:52:18	1	1	1	1	113.5	61.25	0	27725.118	578.4946237	15983.74691	30000	0	0	30000	41.25	2004
22.01.2020 10:52:19	1	1	1	1	113.5	61.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.125	2004
22.01.2020 10:52:20	1	1	1	1	113.5	61	0	27867.299	580.6451613	15913.62487	30000	0	0	30000	41.4375	2004
22.01.2020 10:52:21	1	1	1	1	114	61.25	0	27819.905	578.4946237	16033.48463	30000	0	0	30000	41.3125	2004
22.01.2020 10:52:22	1	1	1	1	114	61.25	0	27630.332	576.344086	15924.22472	30000	0	0	30000	40.9375	2004
22.01.2020 10:52:23	1	1	1	1	114	60.75	0	27819.905	578.4946237	15983.74691	30000	0	0	30000	41.5	2004
22.01.2020 10:52:24	1	1	1	1	114	61	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	40.6875	2004
22.01.2020 10:52:25	1	1	1	1	114	60.5	0	27630.332	569.8924731	16033.48463	30000	0	0	30000	41.125	2004
22.01.2020 10:52:26	1	1	1	1	114	61	0	27819.905	576.344086	16033.48463	30000	0	0	30000	41.25	2004
22.01.2020 10:52:27	1	1	1	1	114	61.25	0	27819.905	576.344086	15983.74691	30000	0	0	30000	40.4375	2004
22.01.2020 10:52:28	1	1	1	1	114	60.25	0	27867.299	578.4946237	16120.72949	30000	0	0	30000	41.5	2004
22.01.2020 10:52:29	1	1	1	1	114	61.5	0	27819.905	574.1935484	15973.96244	30000	0	0	30000	41	2004
22.01.2020 10:52:30	1	1	1	1	113.8	61	0	27630.332	576.344086	15924.22472	30000	0	0	30000	41.1875	2004
22.01.2020 10:52:31	1	1	1	1	113.8	61	0	27630.332	576.344086	15864.70252	30000	0	0	30000	41.375	2004
22.01.2020 10:52:32	1	1	1	1	113.8	61.25	0	27630.332	576.344086	15864.70252	30000	0	0	30000	41	2004
22.01.2020 10:52:33	1	1	1	1	113.8	61	0	27819.905	576.344086	16033.48463	30000	0	0	30000	40.9375	2004
22.01.2020 10:52:34	1	1	1	1	113.8	60.75	0	27867.299	574.1935484	15973.96244	30000	0	0	30000	41.1875	2004
22.01.2020 10:52:35	1	1	1	1	113.8	61	0	27867.299	572.0430108	15941.34754	30000	0	0	30000	41.25	2004
22.01.2020 10:52:36	1	1	1	1	113.8	61.25	0	27630.332	572.0430108	15805.18033	30000	0	0	30000	40.9375	2004
22.01.2020 10:52:37	1	1	1	1	113.8	60.75	0	27819.905	569.8924731	16000.86973	30000	0	0	30000	41.1875	2004
22.01.2020 10:52:38	1	1	1	1	113.8	61	0	27630.332	576.344086	15805.18033	30000	0	0	30000	40.9375	2004
22.01.2020 10:52:39	1	1	1	1	113.8	60.75	0	27819.905	572.0430108	15913.62487	30000	0	0	30000	40.875	2004
22.01.2020 10:52:40	1	1	1	1	113.8	60.75	0	27914.692	576.344086	16088.11459	30000	0	0	30000	41.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 10:52:41	1	1	1	1	113.8	61.25	0	27962.085	576.344086	15968.25483	30000	0	0	30000	41.25	2004
22.01.2020 10:52:42	1	1	1	1	113.8	61.25	0	28009.479	576.344086	16082.40698	30000	0	0	30000	41.3125	2004
22.01.2020 10:52:43	1	1	1	1	113.8	61.25	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	40.8125	2004
22.01.2020 10:52:44	1	1	1	1	113.8	60.75	0	28009.479	572.0430108	15995.16212	30000	0	0	30000	40.4375	2004
22.01.2020 10:52:46	1	1	1	1	113.8	60.25	0	27819.905	572.0430108	15913.62487	30000	0	0	30000	41.125	2004
22.01.2020 10:52:47	1	1	1	1	113.8	61	0	27867.299	572.0430108	15941.34754	30000	0	0	30000	41.375	2004
22.01.2020 10:52:48	1	1	1	1	113.8	61.25	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	41.125	2004
22.01.2020 10:52:49	1	1	1	1	113.8	61	0	27630.332	576.344086	15924.22472	30000	0	0	30000	40.8125	2004
22.01.2020 10:52:50	1	1	1	1	113.8	60.75	0	27630.332	572.0430108	15805.18033	30000	0	0	30000	41.3125	2004
22.01.2020 10:52:51	1	1	1	1	113.8	61.25	0	27630.332	574.1935484	15864.70252	30000	0	0	30000	41.375	2004
22.01.2020 10:52:52	1	1	1	1	113.8	61.25	0	27962.085	576.344086	16027.77702	30000	0	0	30000	41.125	2004
22.01.2020 10:52:53	1	1	1	1	113.8	61	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	41.1875	2004
22.01.2020 10:52:54	1	1	1	1	113.8	61	0	27772.512	576.344086	15924.22472	30000	0	0	30000	40.875	2004
22.01.2020 10:52:55	1	1	1	1	113.8	60.75	0	27819.905	574.1935484	15854.10268	30000	0	0	30000	41.25	2004
22.01.2020 10:52:56	1	1	1	1	113.8	61.25	0	27867.299	574.1935484	16027.77702	30000	0	0	30000	40.9375	2004
22.01.2020 10:52:57	1	1	1	1	113.8	60.75	0	27962.085	576.344086	16115.83725	30000	0	0	30000	41.3125	2004
22.01.2020 10:52:58	1	1	1	1	113.8	61.25	0	27630.332	567.7419355	16033.48463	30000	0	0	30000	41.1875	2004
22.01.2020 10:52:59	1	1	1	1	113.8	61	0	27962.085	572.0430108	16055.49969	30000	0	0	30000	41.25	2004
22.01.2020 10:53:00	1	1	1	1	113.8	61.25	0	27867.299	578.4946237	15973.96244	30000	0	0	30000	40.6875	2004
22.01.2020 10:53:01	1	1	1	1	113.8	60.5	0	27867.299	574.1935484	16061.20729	30000	0	0	30000	41.5625	2004
22.01.2020 10:53:02	1	1	1	1	113.8	61	0	27630.332	574.1935484	15919.33248	30000	0	0	30000	41.3125	2004
22.01.2020 10:53:03	1	1	1	1	113.8	61.25	0	27867.299	574.1935484	16027.77702	30000	0	0	30000	41.375	2004
22.01.2020 10:53:04	1	1	1	1	113.8	61.25	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	40.625	2004
22.01.2020 10:53:05	1	1	1	1	113.8	60.5	0	27962.085	574.1935484	16082.40698	30000	0	0	30000	41.375	2004
22.01.2020 10:53:06	1	1	1	1	113.8	61.25	0	27914.692	572.0430108	16027.77702	30000	0	0	30000	41	2004
22.01.2020 10:53:07	1	1	1	1	113.8	61	0	27819.905	576.344086	16033.48463	30000	0	0	30000	41.1875	2004
22.01.2020 10:53:08	1	1	1	1	113.8	61	0	27819.905	580.6451613	16153.34439	30000	0	0	30000	40.3125	2004
22.01.2020 10:53:14	1	1	1	1	114	60.75	0	27914.692	578.4946237	16148.45215	30000	0	0	30000	40.875	2004
22.01.2020 10:53:14	1	1	1	1	114	60.75	0	27914.692	578.4946237	16148.45215	30000	0	0	30000	40.875	2004
22.01.2020 10:53:14	1	1	1	1	114	60.75	0	27914.692	578.4946237	16148.45215	30000	0	0	30000	40.875	2004
22.01.2020 10:53:14	1	1	1	1	114	60.75	0	27914.692	578.4946237	16148.45215	30000	0	0	30000	40.875	2004
22.01.2020 10:53:14	1	1	1	1	114	60.75	0	27914.692	578.4946237	16148.45215	30000	0	0	30000	40.875	2004
22.01.2020 10:53:14	1	1	1	1	114	60.75	0	27914.692	578.4946237	16148.45215	30000	0	0	30000	40.875	2004
22.01.2020 10:53:15	1	1	1	1	114	60.75	0	27867.299	576.344086	16000.86973	30000	0	0	30000	41.375	2004
22.01.2020 10:53:16	1	1	1	1	114	61.25	0	27867.299	572.0430108	16000.86973	30000	0	0	30000	41.25	2004
22.01.2020 10:53:17	1	1	1	1	114	61.25	0	28009.479	576.344086	16082.40698	30000	0	0	30000	41.4375	2004
22.01.2020 10:53:18	1	1	1	1	114	61.25	0	27867.299	576.344086	16000.86973	30000	0	0	30000	41.1875	2004
22.01.2020 10:53:19	1	1	1	1	114	61	0	27867.299	574.1935484	16033.48463	30000	0	0	30000	41.25	2004
22.01.2020 10:53:20	1	1	1	1	113.5	61.25	0	27819.905	574.1935484	15973.96244	30000	0	0	30000	40.8125	2004
22.01.2020 10:53:21	1	1	1	1	113.5	60.75	0	27962.085	576.344086	16055.49969	30000	0	0	30000	41.1875	2004
22.01.2020 10:53:22	1	1	1	1	113.5	61	0	27630.332	574.1935484	16066.09953	30000	0	0	30000	41.375	2004
22.01.2020 10:53:24	1	1	1	1	113.5	61.25	0	28009.479	574.1935484	15841.8721	30000	0	0	30000	41.125	2004
22.01.2020 10:53:25	1	1	1	1	113.5	61	0	27867.299	569.8924731	15968.25483	30000	0	0	30000	40.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 10:53:26	1	1	1	1	113.5	60.75	0	27914.692	572.0430108	15907.91727	30000	0	0	30000	41.0625	2004
22.01.2020 10:53:27	1	1	1	1	113.5	61	0	27867.299	572.0430108	16000.86973	30000	0	0	30000	41.1875	2004
22.01.2020 10:53:28	1	1	1	1	113.5	61	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	41.1875	2004
22.01.2020 10:53:29	1	1	1	1	113.5	61	0	28009.479	572.0430108	15995.16212	30000	0	0	30000	41.3125	2004
22.01.2020 10:53:30	1	1	1	1	113.5	61.25	0	27867.299	572.0430108	15941.34754	30000	0	0	30000	41.1875	2004
22.01.2020 10:53:31	1	1	1	1	114.3	61	0	28009.479	576.344086	16191.66689	30000	0	0	30000	40.75	2004
22.01.2020 10:53:32	1	1	1	1	114.3	60.75	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	41.25	2004
22.01.2020 10:53:33	1	1	1	1	114.3	61.25	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	41.5625	2004
22.01.2020 10:53:34	1	1	1	1	114.3	61.5	0	27962.085	576.344086	16055.49969	30000	0	0	30000	41.375	2004
22.01.2020 10:53:35	1	1	1	1	114.3	61.25	0	28009.479	576.344086	16082.40698	30000	0	0	30000	41.375	2004
22.01.2020 10:53:36	1	1	1	1	114.3	61.25	0	27914.692	574.1935484	16027.77702	30000	0	0	30000	41.3125	2004
22.01.2020 10:53:37	1	1	1	1	114.3	61.25	0	27914.692	572.0430108	15968.25483	30000	0	0	30000	41.5	2004
22.01.2020 10:53:38	1	1	1	1	114.3	61.5	0	28009.479	563.4408602	16082.40698	30000	0	0	30000	41.125	2004
22.01.2020 10:53:39	1	1	1	1	114.3	61	0	27962.085	574.1935484	16055.49969	30000	0	0	30000	41.5	2004
22.01.2020 10:53:40	1	1	1	1	114.3	61.5	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	41.625	2004
22.01.2020 10:53:41	1	1	1	1	113.8	61.25	0	27819.905	572.0430108	16120.72949	30000	0	0	30000	40.8125	2004
22.01.2020 10:53:42	1	1	1	1	113.8	60.75	0	27867.299	576.344086	16148.45215	30000	0	0	30000	41	2004
22.01.2020 10:53:43	1	1	1	1	113.8	61	0	27867.299	572.0430108	16027.77702	30000	0	0	30000	41.25	2004
22.01.2020 10:53:44	1	1	1	1	113.8	61.25	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	41.1875	2004
22.01.2020 10:53:45	1	1	1	1	113.8	61	0	27962.085	576.344086	16088.11459	30000	0	0	30000	41.3125	2004
22.01.2020 10:53:46	1	1	1	1	113.8	61.25	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	41	2004
22.01.2020 10:53:47	1	1	1	1	113.8	61	0	27867.299	569.8924731	15881.00997	30000	0	0	30000	41.5	2004
22.01.2020 10:53:48	1	1	1	1	113.8	61.5	0	27819.905	572.0430108	15854.10268	30000	0	0	30000	41.375	2004
22.01.2020 10:53:49	1	1	1	1	113.8	61.25	0	27819.905	569.8924731	15854.10268	30000	0	0	30000	40.5	2004
22.01.2020 10:53:50	1	1	1	1	113.8	60.5	0	27962.085	572.0430108	16055.49969	30000	0	0	30000	41.3125	2004
22.01.2020 10:53:51	1	1	1	1	113.8	61.25	0	27914.692	572.0430108	15968.25483	30000	0	0	30000	41.3125	2004
22.01.2020 10:53:52	1	1	1	1	113.8	61.25	0	27867.299	572.0430108	15941.34754	30000	0	0	30000	41.4375	2004
22.01.2020 10:53:53	1	1	1	1	113.8	61.25	0	27630.332	563.4408602	15854.10268	30000	0	0	30000	41.5	2004
22.01.2020 10:53:54	1	1	1	1	113.8	61.5	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	41.5625	2004
22.01.2020 10:53:55	1	1	1	1	113.8	61.5	0	27867.299	572.0430108	16027.77702	30000	0	0	30000	41.5	2004
22.01.2020 10:53:56	1	1	1	1	113.8	61.5	0	27819.905	576.344086	15686.95132	30000	0	0	30000	41.375	2004
22.01.2020 10:53:57	1	1	1	1	113.8	61.25	0	27867.299	576.344086	16033.48463	30000	0	0	30000	40.75	2004
22.01.2020 10:53:58	1	1	1	1	113.8	60.75	0	27630.332	574.1935484	15864.70252	30000	0	0	30000	41.125	2004
22.01.2020 10:53:59	1	1	1	1	113.8	61	0	27725.118	572.0430108	16093.00682	30000	0	0	30000	41.5	2004
22.01.2020 10:54:00	1	1	1	1	113.5	61.5	0	27440.758	572.0430108	16075.06863	30000	0	0	30000	41.0625	2004
22.01.2020 10:54:01	1	1	1	1	113.5	61	0	27582.938	576.344086	15924.22472	30000	0	0	30000	41.0625	2004
22.01.2020 10:54:03	1	1	1	1	113.5	61	0	27867.299	576.344086	16120.72949	30000	0	0	30000	41.4375	2004
22.01.2020 10:54:04	1	1	1	1	113.5	61.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41	2004
22.01.2020 10:54:05	1	1	1	1	113.5	61	0	27819.905	576.344086	16038.37687	30000	0	0	30000	40.75	2004
22.01.2020 10:54:06	1	1	1	1	113.5	60.75	0	27630.332	576.344086	15983.74691	30000	0	0	30000	41.5625	2004
22.01.2020 10:54:07	1	1	1	1	113.5	61.5	0	27819.905	580.6451613	16093.00682	30000	0	0	30000	41.3125	2004
22.01.2020 10:54:08	1	1	1	1	113.5	61.25	0	27630.332	572.0430108	16102.79129	30000	0	0	30000	41.1875	2004
22.01.2020 10:54:09	1	1	1	1	113.5	61	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	40.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 10:54:10	1	1	1	1	113.5	60.75	0	27630.332	582.7956989	16102.79129	30000	0	0	30000	41.5	2004
22.01.2020 10:54:16	1	1	1	1	114	61.25	0	27630.332	578.4946237	16043.2691	30000	0	0	30000	41.5	2004
22.01.2020 10:54:16	1	1	1	1	114	61.25	0	27630.332	578.4946237	16043.2691	30000	0	0	30000	41.5	2004
22.01.2020 10:54:16	1	1	1	1	114	61.25	0	27630.332	578.4946237	16043.2691	30000	0	0	30000	41.5	2004
22.01.2020 10:54:16	1	1	1	1	114	61.25	0	27630.332	578.4946237	16043.2691	30000	0	0	30000	41.5	2004
22.01.2020 10:54:16	1	1	1	1	114	61.25	0	27630.332	578.4946237	16043.2691	30000	0	0	30000	41.5	2004
22.01.2020 10:54:16	1	1	1	1	114	61.25	0	27630.332	578.4946237	16043.2691	30000	0	0	30000	41.5	2004
22.01.2020 10:54:17	1	1	1	1	114	61.5	0	27630.332	578.4946237	16102.79129	30000	0	0	30000	41	2004
22.01.2020 10:54:18	1	1	1	1	114	61	0	27819.905	580.6451613	16093.00682	30000	0	0	30000	40.75	2004
22.01.2020 10:54:19	1	1	1	1	114	60.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.4375	2004
22.01.2020 10:54:20	1	1	1	1	114	61.25	0	27867.299	574.1935484	15973.96244	30000	0	0	30000	41.1875	2004
22.01.2020 10:54:21	1	1	1	1	113.5	61	0	27819.905	576.344086	15924.22472	30000	0	0	30000	41.4375	2004
22.01.2020 10:54:22	1	1	1	1	113.5	61.25	0	27630.332	576.344086	15983.74691	30000	0	0	30000	41.0625	2004
22.01.2020 10:54:23	1	1	1	1	113.5	61	0	27630.332	576.344086	15924.22472	30000	0	0	30000	41.4375	2004
22.01.2020 10:54:24	1	1	1	1	113.5	61.25	0	27819.905	580.6451613	16093.00682	30000	0	0	30000	41.25	2004
22.01.2020 10:54:25	1	1	1	1	113.5	61.25	0	27867.299	580.6451613	15973.96244	30000	0	0	30000	41.1875	2004
22.01.2020 10:54:26	1	1	1	1	113.5	61	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	41.5	2004
22.01.2020 10:54:27	1	1	1	1	113.5	61.5	0	27819.905	578.4946237	16043.2691	30000	0	0	30000	40.875	2004
22.01.2020 10:54:28	1	1	1	1	113.5	60.75	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	41.5	2004
22.01.2020 10:54:29	1	1	1	1	113.5	61.5	0	27630.332	576.344086	15745.65814	30000	0	0	30000	41.25	2004
22.01.2020 10:54:30	1	1	1	1	113.5	61.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.4375	2004
22.01.2020 10:54:31	1	1	1	1	113.5	61.25	0	27630.332	576.344086	16153.34439	30000	0	0	30000	41.375	2004
22.01.2020 10:54:32	1	1	1	1	113.5	61.25	0	27630.332	576.344086	15924.22472	30000	0	0	30000	41.4375	2004
22.01.2020 10:54:33	1	1	1	1	113.5	61.25	0	27630.332	572.0430108	15864.70252	30000	0	0	30000	41.25	2004
22.01.2020 10:54:34	1	1	1	1	113.5	61.25	0	27819.905	576.344086	16093.00682	30000	0	0	30000	41.375	2004
22.01.2020 10:54:35	1	1	1	1	113.5	61.25	0	27725.118	576.344086	15978.85467	30000	0	0	30000	41.375	2004
22.01.2020 10:54:36	1	1	1	1	113.5	61.25	0	27630.332	576.344086	15983.74691	30000	0	0	30000	41.5	2004
22.01.2020 10:54:37	1	1	1	1	113.5	61.5	0	27867.299	576.344086	15973.96244	30000	0	0	30000	41.3125	2004
22.01.2020 10:54:38	1	1	1	1	113.5	61.25	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	40.125	2004
22.01.2020 10:54:39	1	1	1	1	113.5	60	0	27440.758	572.0430108	15983.74691	30000	0	0	30000	41.3125	2004
22.01.2020 10:54:40	1	1	1	1	113.8	61.25	0	27630.332	576.344086	15924.22472	30000	0	0	30000	41.3125	2004
22.01.2020 10:54:41	1	1	1	1	113.8	61.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.0625	2004
22.01.2020 10:54:43	1	1	1	1	113.8	61	0	27582.938	580.6451613	15956.02424	30000	0	0	30000	41.1875	2004
22.01.2020 10:54:44	1	1	1	1	113.8	61	0	27725.118	584.9462366	16038.37687	30000	0	0	30000	41.0625	2004
22.01.2020 10:54:45	1	1	1	1	113.8	61	0	27819.905	574.1935484	16033.48463	30000	0	0	30000	41.375	2004
22.01.2020 10:54:46	1	1	1	1	113.8	61.25	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	41.5625	2004
22.01.2020 10:54:47	1	1	1	1	113.8	61.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.5625	2004
22.01.2020 10:54:48	1	1	1	1	113.8	61.5	0	27772.512	578.4946237	16153.34439	30000	0	0	30000	41.0625	2004
22.01.2020 10:54:49	1	1	1	1	113.8	61	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.1875	2004
22.01.2020 10:54:50	1	1	1	1	113.8	61	0	27582.938	578.4946237	15897.31742	30000	0	0	30000	41.375	2004
22.01.2020 10:54:51	1	1	1	1	113.5	61.25	0	27630.332	576.344086	15983.74691	30000	0	0	30000	40.9375	2004
22.01.2020 10:54:52	1	1	1	1	113.5	60.75	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	41.375	2004
22.01.2020 10:54:53	1	1	1	1	113.5	61.25	0	27582.938	576.344086	15983.74691	30000	0	0	30000	40.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 10:54:54	1	1	1	1	113.5	60.5	0	27819.905	576.344086	16093.00682	30000	0	0	30000	41.5	2004
22.01.2020 10:54:55	1	1	1	1	113.5	61.5	0	27819.905	578.4946237	15983.74691	30000	0	0	30000	41.375	2004
22.01.2020 10:54:56	1	1	1	1	113.5	61.25	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	41.625	2004
22.01.2020 10:54:57	1	1	1	1	113.5	61.5	0	27630.332	576.344086	15924.22472	30000	0	0	30000	41.75	2004
22.01.2020 10:54:58	1	1	1	1	113.5	61.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.375	2004
22.01.2020 10:54:59	1	1	1	1	113.5	61.5	0	27819.905	576.344086	15924.22472	30000	0	0	30000	41.5	2004
22.01.2020 10:55:00	1	1	1	1	113.8	61.5	0	27819.905	576.344086	16120.72949	30000	0	0	30000	41.375	2004
22.01.2020 10:55:01	1	1	1	1	113.8	61.25	0	27867.299	576.344086	16120.72949	30000	0	0	30000	41.4375	2004
22.01.2020 10:55:02	1	1	1	1	113.8	61.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.5625	2004
22.01.2020 10:55:03	1	1	1	1	113.8	61.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.5625	2004
22.01.2020 10:55:04	1	1	1	1	113.8	61.5	0	27772.512	580.6451613	16153.34439	30000	0	0	30000	41.5625	2004
22.01.2020 10:55:05	1	1	1	1	113.8	61.5	0	27440.758	569.8924731	15814.9648	30000	0	0	30000	41.625	2004
22.01.2020 10:55:06	1	1	1	1	113.8	61.5	0	27630.332	580.6451613	16162.31348	30000	0	0	30000	41.5625	2004
22.01.2020 10:55:07	1	1	1	1	113.8	61.5	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	41.5625	2004
22.01.2020 10:55:08	1	1	1	1	113.8	61.5	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	41.5625	2004
22.01.2020 10:55:09	1	1	1	1	113.8	61.5	0	27725.118	584.9462366	16102.79129	30000	0	0	30000	41.625	2004
22.01.2020 10:55:10	1	1	1	1	113.8	61.5	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	41.75	2004
22.01.2020 10:55:11	1	1	1	1	113.8	61.75	0	27535.545	580.6451613	15991.90063	30000	0	0	30000	41.125	2004
22.01.2020 10:55:18	1	1	1	1	113.8	60.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.6875	2004
22.01.2020 10:55:18	1	1	1	1	113.8	60.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.6875	2004
22.01.2020 10:55:18	1	1	1	1	113.8	60.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.6875	2004
22.01.2020 10:55:18	1	1	1	1	113.8	60.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.6875	2004
22.01.2020 10:55:18	1	1	1	1	113.8	60.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.6875	2004
22.01.2020 10:55:18	1	1	1	1	113.8	60.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.6875	2004
22.01.2020 10:55:19	1	1	1	1	113.8	61.5	0	27630.332	572.0430108	15983.74691	30000	0	0	30000	41	2004
22.01.2020 10:55:20	1	1	1	1	113.8	61	0	27725.118	578.4946237	15983.74691	30000	0	0	30000	41.4375	2004
22.01.2020 10:55:21	1	1	1	1	113	61.25	0	27440.758	578.4946237	15929.11695	30000	0	0	30000	41.4375	2004
22.01.2020 10:55:22	1	1	1	1	113	61.25	0	27867.299	576.344086	16061.20729	30000	0	0	30000	41.625	2004
22.01.2020 10:55:23	1	1	1	1	113	61.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.5625	2004
22.01.2020 10:55:24	1	1	1	1	113	61.5	0	27725.118	576.344086	15924.22472	30000	0	0	30000	41.625	2004
22.01.2020 10:55:25	1	1	1	1	113	61.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.625	2004
22.01.2020 10:55:26	1	1	1	1	113	61.5	0	27630.332	576.344086	15924.22472	30000	0	0	30000	41.5625	2004
22.01.2020 10:55:27	1	1	1	1	113	61.5	0	27630.332	578.4946237	15864.70252	30000	0	0	30000	41.625	2004
22.01.2020 10:55:28	1	1	1	1	113	61.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.3125	2004
22.01.2020 10:55:29	1	1	1	1	113	61.25	0	27535.545	578.4946237	15956.02424	30000	0	0	30000	41.4375	2004
22.01.2020 10:55:30	1	1	1	1	113	61.25	0	27535.545	578.4946237	15956.02424	30000	0	0	30000	41.6875	2004
22.01.2020 10:55:31	1	1	1	1	113.8	61.5	0	27535.545	578.4946237	15929.11695	30000	0	0	30000	40.9375	2004
22.01.2020 10:55:32	1	1	1	1	113.8	60.75	0	27819.905	576.344086	16093.00682	30000	0	0	30000	41.125	2004
22.01.2020 10:55:33	1	1	1	1	113.8	61	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.8125	2004
22.01.2020 10:55:34	1	1	1	1	113.8	61.75	0	27867.299	582.7956989	15864.70252	30000	0	0	30000	41.6875	2004
22.01.2020 10:55:35	1	1	1	1	113.8	61.5	0	27630.332	578.4946237	16043.2691	30000	0	0	30000	41.625	2004
22.01.2020 10:55:36	1	1	1	1	113.8	61.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.625	2004
22.01.2020 10:55:37	1	1	1	1	113.8	61.5	0	27630.332	576.344086	15983.74691	30000	0	0	30000	41.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 10:55:38	1	1	1	1	113.8	61.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.5	2004
22.01.2020 10:55:39	1	1	1	1	113.8	61.5	0	27630.332	576.344086	15924.22472	30000	0	0	30000	41.75	2004
22.01.2020 10:55:40	1	1	1	1	113.8	61.75	0	27819.905	582.7956989	16212.86658	30000	0	0	30000	41.125	2004
22.01.2020 10:55:41	1	1	1	1	113.8	61	0	27582.938	576.344086	15983.74691	30000	0	0	30000	41.4375	2004
22.01.2020 10:55:42	1	1	1	1	113.8	61.25	0	27582.938	578.4946237	15929.11695	30000	0	0	30000	41.5	2004
22.01.2020 10:55:43	1	1	1	1	113.8	61.5	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	40.4375	2004
22.01.2020 10:55:44	1	1	1	1	113.8	60.25	0	27630.332	584.9462366	16043.2691	30000	0	0	30000	41.375	2004
22.01.2020 10:55:45	1	1	1	1	113.8	61.25	0	27772.512	578.4946237	16093.00682	30000	0	0	30000	41.8125	2004
22.01.2020 10:55:46	1	1	1	1	113.8	61.75	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	40.9375	2004
22.01.2020 10:55:47	1	1	1	1	113.8	60.75	0	27535.545	576.344086	15873.67162	30000	0	0	30000	41.125	2004
22.01.2020 10:55:48	1	1	1	1	113.8	61	0	27630.332	576.344086	15983.74691	30000	0	0	30000	41.625	2004
22.01.2020 10:55:49	1	1	1	1	113.8	61.5	0	27630.332	578.4946237	15837.79523	30000	0	0	30000	41.4375	2004
22.01.2020 10:55:50	1	1	1	1	113.8	61.25	0	27630.332	576.344086	15978.85467	30000	0	0	30000	41.125	2004
22.01.2020 10:55:51	1	1	1	1	113.8	61	0	27867.299	580.6451613	16120.72949	30000	0	0	30000	41.6875	2004
22.01.2020 10:55:52	1	1	1	1	113.8	61.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.75	2004
22.01.2020 10:55:53	1	1	1	1	113.8	61.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.6875	2004
22.01.2020 10:55:54	1	1	1	1	113.8	61.5	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	41.4375	2004
22.01.2020 10:55:55	1	1	1	1	113.8	61.25	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	41.5	2004
22.01.2020 10:55:56	1	1	1	1	113.8	61.5	0	27630.332	576.344086	15864.70252	30000	0	0	30000	41.75	2004
22.01.2020 10:55:58	1	1	1	1	113.8	61.75	0	27535.545	580.6451613	15991.90063	30000	0	0	30000	41.5	2004
22.01.2020 10:55:59	1	1	1	1	113.8	61.5	0	27630.332	580.6451613	15924.22472	30000	0	0	30000	41.6875	2004
22.01.2020 10:56:00	1	1	1	1	113.8	61.5	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	41.75	2004
22.01.2020 10:56:01	1	1	1	1	113.5	61.75	0	27630.332	578.4946237	15956.02424	30000	0	0	30000	41.5625	2004
22.01.2020 10:56:02	1	1	1	1	113.5	61.5	0	27630.332	582.7956989	16102.79129	30000	0	0	30000	41.625	2004
22.01.2020 10:56:03	1	1	1	1	113.5	61.5	0	27630.332	580.6451613	16212.86658	30000	0	0	30000	41.4375	2004
22.01.2020 10:56:04	1	1	1	1	113.5	61.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	40.875	2004
22.01.2020 10:56:05	1	1	1	1	113.5	60.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.625	2004
22.01.2020 10:56:06	1	1	1	1	113.5	61.5	0	27630.332	578.4946237	15837.79523	30000	0	0	30000	41.6875	2004
22.01.2020 10:56:07	1	1	1	1	113.5	61.5	0	27630.332	584.9462366	16043.2691	30000	0	0	30000	41.625	2004
22.01.2020 10:56:08	1	1	1	1	113.5	61.5	0	27582.938	576.344086	16075.06863	30000	0	0	30000	41.6875	2004
22.01.2020 10:56:09	1	1	1	1	113.5	61.5	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	41.375	2004
22.01.2020 10:56:10	1	1	1	1	113.5	61.25	0	27440.758	576.344086	16051.42282	30000	0	0	30000	41.5	2004
22.01.2020 10:56:11	1	1	1	1	113.8	61.5	0	27298.578	580.6451613	15968.25483	30000	0	0	30000	41.625	2004
22.01.2020 10:56:12	1	1	1	1	113.8	61.5	0	27440.758	584.9462366	15995.9775	30000	0	0	30000	41.6875	2004
22.01.2020 10:56:13	1	1	1	1	113.8	61.5	0	27298.578	580.6451613	15936.4553	30000	0	0	30000	41.375	2004
22.01.2020 10:56:19	1	1	1	1	113.8	61.5	0	27582.938	580.6451613	16015.54644	30000	0	0	30000	41.3125	2004
22.01.2020 10:56:19	1	1	1	1	113.8	61.5	0	27582.938	580.6451613	16015.54644	30000	0	0	30000	41.3125	2004
22.01.2020 10:56:19	1	1	1	1	113.8	61.5	0	27582.938	580.6451613	16015.54644	30000	0	0	30000	41.3125	2004
22.01.2020 10:56:19	1	1	1	1	113.8	61.5	0	27582.938	580.6451613	16015.54644	30000	0	0	30000	41.3125	2004
22.01.2020 10:56:19	1	1	1	1	113.8	61.5	0	27582.938	580.6451613	16015.54644	30000	0	0	30000	41.3125	2004
22.01.2020 10:56:19	1	1	1	1	113.8	61.5	0	27582.938	580.6451613	16015.54644	30000	0	0	30000	41.3125	2004
22.01.2020 10:56:20	1	1	1	1	113.5	61.25	0	27440.758	576.344086	15814.9648	30000	0	0	30000	40.75	2004
22.01.2020 10:56:21	1	1	1	1	113.5	60.75	0	27582.938	578.4946237	15929.11695	30000	0	0	30000	41.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 10:56:22	1	1	1	1	113.5	61.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.5	2004
22.01.2020 10:56:23	1	1	1	1	113.5	61.5	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	41.6875	2004
22.01.2020 10:56:24	1	1	1	1	113.5	61.5	0	27440.758	576.344086	15869.59476	30000	0	0	30000	41.875	2004
22.01.2020 10:56:25	1	1	1	1	113.5	61.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.6875	2004
22.01.2020 10:56:26	1	1	1	1	113.5	61.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.6875	2004
22.01.2020 10:56:27	1	1	1	1	113.5	61.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.75	2004
22.01.2020 10:56:28	1	1	1	1	113.5	61.75	0	27630.332	576.344086	15983.74691	30000	0	0	30000	41.625	2004
22.01.2020 10:56:29	1	1	1	1	113.5	61.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.125	2004
22.01.2020 10:56:30	1	1	1	1	113.5	61	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	41.25	2004
22.01.2020 10:56:31	1	1	1	1	113.5	61.25	0	27630.332	578.4946237	15924.22472	30000	0	0	30000	41.25	2004
22.01.2020 10:56:32	1	1	1	1	113.5	61.25	0	27630.332	572.0430108	15864.70252	30000	0	0	30000	41.5625	2004
22.01.2020 10:56:33	1	1	1	1	113.5	61.5	0	27914.692	576.344086	16088.11459	30000	0	0	30000	41.8125	2004
22.01.2020 10:56:35	1	1	1	1	113.5	61.75	0	27819.905	576.344086	16033.48463	30000	0	0	30000	41.9375	2004
22.01.2020 10:56:36	1	1	1	1	113.5	61.75	0	27725.118	576.344086	15924.22472	30000	0	0	30000	41.6875	2004
22.01.2020 10:56:37	1	1	1	1	113.5	61.5	0	27630.332	569.8924731	15745.65814	30000	0	0	30000	41.75	2004
22.01.2020 10:56:38	1	1	1	1	113.5	61.75	0	27725.118	578.4946237	16093.00682	30000	0	0	30000	41.75	2004
22.01.2020 10:56:39	1	1	1	1	113.5	61.75	0	27819.905	572.0430108	15973.96244	30000	0	0	30000	41.625	2004
22.01.2020 10:56:40	1	1	1	1	113.5	61.5	0	27867.299	574.1935484	16033.48463	30000	0	0	30000	41.0625	2004
22.01.2020 10:56:41	1	1	1	1	113.8	61	0	27867.299	574.1935484	15973.96244	30000	0	0	30000	41.5	2004
22.01.2020 10:56:42	1	1	1	1	113.8	61.5	0	27535.545	578.4946237	15814.9648	30000	0	0	30000	41.5	2004
22.01.2020 10:56:43	1	1	1	1	113.8	61.5	0	27867.299	576.344086	16006.57734	30000	0	0	30000	41.8125	2004
22.01.2020 10:56:44	1	1	1	1	113.8	61.75	0	27819.905	576.344086	15973.96244	30000	0	0	30000	40.9375	2004
22.01.2020 10:56:45	1	1	1	1	113.8	60.75	0	27630.332	574.1935484	15864.70252	30000	0	0	30000	41.625	2004
22.01.2020 10:56:46	1	1	1	1	113.8	61.5	0	27819.905	576.344086	16033.48463	30000	0	0	30000	41.125	2004
22.01.2020 10:56:47	1	1	1	1	113.8	61	0	27630.332	576.344086	15924.22472	30000	0	0	30000	41.8125	2004
22.01.2020 10:56:48	1	1	1	1	113.8	61.75	0	27867.299	576.344086	16033.48463	30000	0	0	30000	41.5625	2004
22.01.2020 10:56:49	1	1	1	1	113.8	61.5	0	27630.332	576.344086	16043.2691	30000	0	0	30000	41.0625	2004
22.01.2020 10:56:50	1	1	1	1	113.8	61	0	27867.299	576.344086	16093.00682	30000	0	0	30000	41.4375	2004
22.01.2020 10:56:51	1	1	1	1	114	61.25	0	27582.938	576.344086	15897.31742	30000	0	0	30000	42.125	2004
22.01.2020 10:56:52	1	1	1	1	114	62	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	41.1875	2004
22.01.2020 10:56:53	1	1	1	1	114	61	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.4375	2004
22.01.2020 10:56:54	1	1	1	1	114	61.75	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	41.25	2004
22.01.2020 10:56:55	1	1	1	1	114	61.25	0	27630.332	582.7956989	15983.74691	30000	0	0	30000	41.8125	2004
22.01.2020 10:56:56	1	1	1	1	114	61.75	0	27630.332	580.6451613	16093.00682	30000	0	0	30000	41.625	2004
22.01.2020 10:56:57	1	1	1	1	114	61.5	0	27535.545	578.4946237	15929.11695	30000	0	0	30000	41.8125	2004
22.01.2020 10:56:58	1	1	1	1	114	61.75	0	27819.905	578.4946237	16153.34439	30000	0	0	30000	41.5	2004
22.01.2020 10:56:59	1	1	1	1	114	61.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.4375	2004
22.01.2020 10:57:00	1	1	1	1	113.5	61.25	0	27582.938	576.344086	15956.02424	30000	0	0	30000	41.75	2004
22.01.2020 10:57:01	1	1	1	1	113.5	61.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.25	2004
22.01.2020 10:57:02	1	1	1	1	113.5	61.25	0	27630.332	576.344086	15924.22472	30000	0	0	30000	41.6875	2004
22.01.2020 10:57:03	1	1	1	1	113.5	61.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.625	2004
22.01.2020 10:57:04	1	1	1	1	113.5	61.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	40.8125	2004
22.01.2020 10:57:05	1	1	1	1	113.5	60.75	0	27630.332	578.4946237	16043.2691	30000	0	0	30000	41.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 10:57:06	1	1	1	1	113.5	61.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.625	2004
22.01.2020 10:57:07	1	1	1	1	113.5	61.5	0	27630.332	576.344086	15924.22472	30000	0	0	30000	41.8125	2004
22.01.2020 10:57:08	1	1	1	1	113.5	61.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.75	2004
22.01.2020 10:57:09	1	1	1	1	113.5	61.75	0	27582.938	576.344086	15924.22472	30000	0	0	30000	41.625	2004
22.01.2020 10:57:10	1	1	1	1	113.8	61.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.1875	2004
22.01.2020 10:57:11	1	1	1	1	113.8	61	0	27772.512	576.344086	15924.22472	30000	0	0	30000	41.5625	2004
22.01.2020 10:57:12	1	1	1	1	113.8	61.5	0	27867.299	576.344086	16033.48463	30000	0	0	30000	41.5625	2004
22.01.2020 10:57:14	1	1	1	1	113.8	61.5	0	27725.118	576.344086	16038.37687	30000	0	0	30000	41.375	2004
22.01.2020 10:57:15	1	1	1	1	113.8	61.25	0	27630.332	576.344086	15983.74691	30000	0	0	30000	41.875	2004
22.01.2020 10:57:21	1	1	1	1	114.3	61.25	0	27914.692	578.4946237	16120.72949	30000	0	0	30000	41.5625	2004
22.01.2020 10:57:21	1	1	1	1	114.3	61.25	0	27914.692	578.4946237	16120.72949	30000	0	0	30000	41.5625	2004
22.01.2020 10:57:21	1	1	1	1	114.3	61.25	0	27914.692	578.4946237	16120.72949	30000	0	0	30000	41.5625	2004
22.01.2020 10:57:21	1	1	1	1	114.3	61.25	0	27914.692	578.4946237	16120.72949	30000	0	0	30000	41.5625	2004
22.01.2020 10:57:21	1	1	1	1	114.3	61.25	0	27914.692	578.4946237	16120.72949	30000	0	0	30000	41.5625	2004
22.01.2020 10:57:21	1	1	1	1	114.3	61.25	0	27914.692	578.4946237	16120.72949	30000	0	0	30000	41.5625	2004
22.01.2020 10:57:22	1	1	1	1	114.3	61.5	0	27867.299	576.344086	15854.10268	30000	0	0	30000	41.6875	2004
22.01.2020 10:57:23	1	1	1	1	114.3	61.5	0	27867.299	574.1935484	16061.20729	30000	0	0	30000	41.25	2004
22.01.2020 10:57:24	1	1	1	1	114.3	61.25	0	27630.332	578.4946237	15924.22472	30000	0	0	30000	41.0625	2004
22.01.2020 10:57:25	1	1	1	1	114.3	61	0	27630.332	576.344086	15864.70252	30000	0	0	30000	41.625	2004
22.01.2020 10:57:26	1	1	1	1	114.3	61.5	0	27819.905	567.7419355	15973.96244	30000	0	0	30000	41.5625	2004
22.01.2020 10:57:27	1	1	1	1	114.3	61.5	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	41.6875	2004
22.01.2020 10:57:28	1	1	1	1	114.3	61.5	0	27867.299	576.344086	16061.20729	30000	0	0	30000	40.75	2004
22.01.2020 10:57:29	1	1	1	1	114.3	60.75	0	27867.299	574.1935484	16088.11459	30000	0	0	30000	41.5	2004
22.01.2020 10:57:30	1	1	1	1	114.3	61.5	0	27914.692	576.344086	16000.86973	30000	0	0	30000	41.5	2004
22.01.2020 10:57:31	1	1	1	1	114	61.5	0	27867.299	572.0430108	15913.62487	30000	0	0	30000	41.875	2004
22.01.2020 10:57:32	1	1	1	1	114	61.75	0	27914.692	572.0430108	16027.77702	30000	0	0	30000	41.375	2004
22.01.2020 10:57:33	1	1	1	1	114	61.25	0	27867.299	574.1935484	15913.62487	30000	0	0	30000	41.75	2004
22.01.2020 10:57:34	1	1	1	1	114	62	0	27962.085	574.1935484	16082.40698	30000	0	0	30000	41.5625	2004
22.01.2020 10:57:35	1	1	1	1	114	61.5	0	27962.085	574.1935484	15788.05751	30000	0	0	30000	41	2004
22.01.2020 10:57:36	1	1	1	1	114	61	0	27819.905	572.0430108	16000.86973	30000	0	0	30000	41.75	2004
22.01.2020 10:57:37	1	1	1	1	114	61.75	0	27962.085	572.0430108	16115.83725	30000	0	0	30000	41.8125	2004
22.01.2020 10:57:38	1	1	1	1	114	61.75	0	27914.692	576.344086	16000.86973	30000	0	0	30000	41.8125	2004
22.01.2020 10:57:39	1	1	1	1	114	61.75	0	27962.085	576.344086	16027.77702	30000	0	0	30000	41.875	2004
22.01.2020 10:57:40	1	1	1	1	114.3	61.75	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	41.875	2004
22.01.2020 10:57:41	1	1	1	1	114.3	61.75	0	27867.299	574.1935484	16027.77702	30000	0	0	30000	41.625	2004
22.01.2020 10:57:42	1	1	1	1	114.3	61.5	0	27867.299	576.344086	16033.48463	30000	0	0	30000	41.5625	2004
22.01.2020 10:57:43	1	1	1	1	114.3	61.5	0	27914.692	572.0430108	15995.16212	30000	0	0	30000	41.8125	2004
22.01.2020 10:57:44	1	1	1	1	114.3	61.75	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	41.9375	2004
22.01.2020 10:57:45	1	1	1	1	114.3	61.75	0	28009.479	576.344086	15961.73185	30000	0	0	30000	40.875	2004
22.01.2020 10:57:46	1	1	1	1	114.3	60.75	0	27962.085	576.344086	16142.74454	30000	0	0	30000	41.625	2004
22.01.2020 10:57:47	1	1	1	1	114.3	61.5	0	27819.905	574.1935484	16033.48463	30000	0	0	30000	41.6875	2004
22.01.2020 10:57:48	1	1	1	1	114.3	61.5	0	27867.299	576.344086	16033.48463	30000	0	0	30000	41.75	2004
22.01.2020 10:57:49	1	1	1	1	114.3	61.75	0	27630.332	578.4946237	15864.70252	30000	0	0	30000	41.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 10:57:50	1	1	1	1	113.8	61.5	0	27725.118	574.1935484	15924.22472	30000	0	0	30000	41.4375	2004
22.01.2020 10:57:53	1	1	1	1	113.8	61	0	27867.299	576.344086	16088.11459	30000	0	0	30000	41.875	2004
22.01.2020 10:57:53	1	1	1	1	113.8	61	0	27867.299	576.344086	16088.11459	30000	0	0	30000	41.875	2004
22.01.2020 10:57:54	1	1	1	1	113.8	61.75	0	27819.905	572.0430108	16000.86973	30000	0	0	30000	41.875	2004
22.01.2020 10:57:55	1	1	1	1	113.8	61.75	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	41.5625	2004
22.01.2020 10:57:56	1	1	1	1	113.8	61.5	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	41.75	2004
22.01.2020 10:57:57	1	1	1	1	113.8	61.75	0	28009.479	574.1935484	16142.74454	30000	0	0	30000	42.0625	2004
22.01.2020 10:57:58	1	1	1	1	113.8	62	0	27867.299	576.344086	16093.00682	30000	0	0	30000	41.4375	2004
22.01.2020 10:57:59	1	1	1	1	113.8	61.25	0	27630.332	576.344086	15924.22472	30000	0	0	30000	41.9375	2004
22.01.2020 10:58:00	1	1	1	1	113.8	61.75	0	28009.479	576.344086	16142.74454	30000	0	0	30000	41.75	2004
22.01.2020 10:58:01	1	1	1	1	114.5	61.75	0	27630.332	576.344086	15983.74691	30000	0	0	30000	41.75	2004
22.01.2020 10:58:02	1	1	1	1	114.5	61.75	0	27630.332	569.8924731	16093.00682	30000	0	0	30000	41.875	2004
22.01.2020 10:58:03	1	1	1	1	114.5	61.75	0	27867.299	576.344086	16120.72949	30000	0	0	30000	41.875	2004
22.01.2020 10:58:04	1	1	1	1	114.5	61.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.9375	2004
22.01.2020 10:58:05	1	1	1	1	114.5	61.75	0	27630.332	576.344086	15924.22472	30000	0	0	30000	41.875	2004
22.01.2020 10:58:06	1	1	1	1	114.5	61.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.9375	2004
22.01.2020 10:58:07	1	1	1	1	114.5	61.75	0	27867.299	578.4946237	16120.72949	30000	0	0	30000	41.75	2004
22.01.2020 10:58:08	1	1	1	1	114.5	61.75	0	27630.332	578.4946237	15924.22472	30000	0	0	30000	41.625	2004
22.01.2020 10:58:09	1	1	1	1	114.5	61.5	0	27630.332	576.344086	15983.74691	30000	0	0	30000	41.5625	2004
22.01.2020 10:58:10	1	1	1	1	114.5	61.5	0	27772.512	578.4946237	15983.74691	30000	0	0	30000	42.1875	2004
22.01.2020 10:58:11	1	1	1	1	114	61.25	0	27630.332	576.344086	15983.74691	30000	0	0	30000	41.5625	2004
22.01.2020 10:58:12	1	1	1	1	114	61.5	0	27582.938	576.344086	15956.02424	30000	0	0	30000	41	2004
22.01.2020 10:58:13	1	1	1	1	114	61	0	27725.118	574.1935484	15973.96244	30000	0	0	30000	40.9375	2004
22.01.2020 10:58:14	1	1	1	1	114	60.75	0	27630.332	576.344086	16033.48463	30000	0	0	30000	41.75	2004
22.01.2020 10:58:15	1	1	1	1	114	61.75	0	27819.905	576.344086	16033.48463	30000	0	0	30000	42	2004
22.01.2020 10:58:16	1	1	1	1	114	62	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.875	2004
22.01.2020 10:58:22	1	1	1	1	113.8	61.75	0	27630.332	580.6451613	16212.86658	30000	0	0	30000	41	2004
22.01.2020 10:58:22	1	1	1	1	113.8	61.75	0	27630.332	580.6451613	16212.86658	30000	0	0	30000	41	2004
22.01.2020 10:58:22	1	1	1	1	113.8	61.75	0	27630.332	580.6451613	16212.86658	30000	0	0	30000	41	2004
22.01.2020 10:58:22	1	1	1	1	113.8	61.75	0	27630.332	580.6451613	16212.86658	30000	0	0	30000	41	2004
22.01.2020 10:58:22	1	1	1	1	113.8	61.75	0	27630.332	580.6451613	16212.86658	30000	0	0	30000	41	2004
22.01.2020 10:58:22	1	1	1	1	113.8	61.75	0	27630.332	580.6451613	16212.86658	30000	0	0	30000	41	2004
22.01.2020 10:58:22	1	1	1	1	113.8	61.75	0	27630.332	580.6451613	16212.86658	30000	0	0	30000	41	2004
22.01.2020 10:58:23	1	1	1	1	113.8	61	0	27867.299	580.6451613	16153.34439	30000	0	0	30000	41.75	2004
22.01.2020 10:58:24	1	1	1	1	113.8	61.75	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	41.625	2004
22.01.2020 10:58:25	1	1	1	1	113.8	61.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.8125	2004
22.01.2020 10:58:26	1	1	1	1	113.8	61.75	0	27630.332	569.8924731	15983.74691	30000	0	0	30000	41.6875	2004
22.01.2020 10:58:27	1	1	1	1	113.8	61.5	0	27772.512	576.344086	16093.00682	30000	0	0	30000	41.75	2004
22.01.2020 10:58:28	1	1	1	1	113.8	61.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.875	2004
22.01.2020 10:58:30	1	1	1	1	113.8	61.75	0	27630.332	572.0430108	16043.2691	30000	0	0	30000	41.9375	2004
22.01.2020 10:58:31	1	1	1	1	114.3	61.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.875	2004
22.01.2020 10:58:32	1	1	1	1	114.3	61.75	0	27819.905	576.344086	16033.48463	30000	0	0	30000	41.5	2004
22.01.2020 10:58:33	1	1	1	1	114.3	61.5	0	27630.332	576.344086	15983.74691	30000	0	0	30000	42.0625	2004
22.01.2020 10:58:34	1	1	1	1	114.3	62	0	27630.332	576.344086	15983.74691	30000	0	0	30000	42	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 10:58:35	1	1	1	1	114.3	62	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	41.75	2004
22.01.2020 10:58:36	1	1	1	1	114.3	61.75	0	27819.905	582.7956989	16153.34439	30000	0	0	30000	41.6875	2004
22.01.2020 10:58:37	1	1	1	1	114.3	61.5	0	27630.332	576.344086	15924.22472	30000	0	0	30000	41.9375	2004
22.01.2020 10:58:38	1	1	1	1	114.3	61.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.875	2004
22.01.2020 10:58:39	1	1	1	1	114.3	61.75	0	27630.332	578.4946237	15924.22472	30000	0	0	30000	42.0625	2004
22.01.2020 10:58:40	1	1	1	1	114.3	62	0	27772.512	574.1935484	15805.18033	30000	0	0	30000	41.9375	2004
22.01.2020 10:58:41	1	1	1	1	113.8	61.75	0	27630.332	574.1935484	15983.74691	30000	0	0	30000	41.9375	2004
22.01.2020 10:58:42	1	1	1	1	113.8	61.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.4375	2004
22.01.2020 10:58:43	1	1	1	1	113.8	61.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.9375	2004
22.01.2020 10:58:44	1	1	1	1	113.8	61.75	0	27819.905	578.4946237	16066.09953	30000	0	0	30000	41.875	2004
22.01.2020 10:58:45	1	1	1	1	113.8	61.75	0	27535.545	578.4946237	15842.68747	30000	0	0	30000	41.375	2004
22.01.2020 10:58:46	1	1	1	1	113.8	61.25	0	27630.332	578.4946237	15956.02424	30000	0	0	30000	41.6875	2004
22.01.2020 10:58:47	1	1	1	1	113.8	61.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.9375	2004
22.01.2020 10:58:48	1	1	1	1	113.8	61.75	0	27819.905	578.4946237	16153.34439	30000	0	0	30000	42.1875	2004
22.01.2020 10:58:49	1	1	1	1	113.8	62	0	27440.758	576.344086	15814.9648	30000	0	0	30000	41.75	2004
22.01.2020 10:58:50	1	1	1	1	114.3	62	0	27630.332	578.4946237	16043.2691	30000	0	0	30000	41.8125	2004
22.01.2020 10:58:51	1	1	1	1	114.3	61.75	0	27582.938	578.4946237	15956.02424	30000	0	0	30000	42	2004
22.01.2020 10:58:52	1	1	1	1	114.3	62	0	27630.332	576.344086	15924.22472	30000	0	0	30000	42	2004
22.01.2020 10:58:53	1	1	1	1	114.3	62	0	27819.905	576.344086	16093.00682	30000	0	0	30000	41.75	2004
22.01.2020 10:58:54	1	1	1	1	114.3	61.75	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	42.125	2004
22.01.2020 10:58:55	1	1	1	1	114.3	62	0	27630.332	576.344086	15864.70252	30000	0	0	30000	42	2004
22.01.2020 10:58:56	1	1	1	1	114.3	62	0	27630.332	576.344086	15983.74691	30000	0	0	30000	41.9375	2004
22.01.2020 10:58:57	1	1	1	1	114.3	61.75	0	27630.332	576.344086	15924.22472	30000	0	0	30000	41.6875	2004
22.01.2020 10:58:58	1	1	1	1	114.3	61.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.5	2004
22.01.2020 10:58:59	1	1	1	1	114.3	61.5	0	27630.332	576.344086	15983.74691	30000	0	0	30000	41.8125	2004
22.01.2020 10:59:00	1	1	1	1	114.5	61.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.9375	2004
22.01.2020 10:59:01	1	1	1	1	114.5	61.75	0	27725.118	576.344086	15983.74691	30000	0	0	30000	41.875	2004
22.01.2020 10:59:02	1	1	1	1	114.5	61.75	0	27725.118	580.6451613	16043.2691	30000	0	0	30000	41.9375	2004
22.01.2020 10:59:03	1	1	1	1	114.5	61.75	0	27819.905	576.344086	16093.00682	30000	0	0	30000	41.6875	2004
22.01.2020 10:59:04	1	1	1	1	114.5	61.5	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	41.625	2004
22.01.2020 10:59:05	1	1	1	1	114.5	61.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.875	2004
22.01.2020 10:59:06	1	1	1	1	114.5	61.75	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	42	2004
22.01.2020 10:59:07	1	1	1	1	114.5	62	0	27298.578	576.344086	15674.72073	30000	0	0	30000	42	2004
22.01.2020 10:59:09	1	1	1	1	114.5	62	0	27582.938	582.7956989	15933.19381	30000	0	0	30000	41.9375	2004
22.01.2020 10:59:10	1	1	1	1	114.5	61.75	0	27582.938	578.4946237	15873.67162	30000	0	0	30000	41.9375	2004
22.01.2020 10:59:11	1	1	1	1	114	61.75	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	42	2004
22.01.2020 10:59:12	1	1	1	1	114	62	0	27630.332	582.7956989	16102.79129	30000	0	0	30000	41.75	2004
22.01.2020 10:59:13	1	1	1	1	114	61.75	0	27535.545	580.6451613	16015.54644	30000	0	0	30000	41.6875	2004
22.01.2020 10:59:14	1	1	1	1	114	61.5	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	41.625	2004
22.01.2020 10:59:15	1	1	1	1	114	61.5	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	41.9375	2004
22.01.2020 10:59:16	1	1	1	1	114	61.75	0	27582.938	580.6451613	16043.2691	30000	0	0	30000	41.5625	2004
22.01.2020 10:59:17	1	1	1	1	114	61.5	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	41.625	2004
22.01.2020 10:59:18	1	1	1	1	114	61.5	0	27582.938	578.4946237	16015.54644	30000	0	0	30000	41.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 10:59:24	1	1	1	1	113.8	61.75	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	41.4375	2004
22.01.2020 10:59:24	1	1	1	1	113.8	61.75	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	41.4375	2004
22.01.2020 10:59:24	1	1	1	1	113.8	61.75	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	41.4375	2004
22.01.2020 10:59:24	1	1	1	1	113.8	61.75	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	41.4375	2004
22.01.2020 10:59:24	1	1	1	1	113.8	61.75	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	41.4375	2004
22.01.2020 10:59:24	1	1	1	1	113.8	61.75	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	41.4375	2004
22.01.2020 10:59:25	1	1	1	1	113.8	61.25	0	27630.332	578.4946237	15924.22472	30000	0	0	30000	41.9375	2004
22.01.2020 10:59:26	1	1	1	1	113.8	61.75	0	27630.332	584.9462366	16102.79129	30000	0	0	30000	42.125	2004
22.01.2020 10:59:27	1	1	1	1	113.8	62	0	27582.938	580.6451613	15956.02424	30000	0	0	30000	42.1875	2004
22.01.2020 10:59:28	1	1	1	1	113.8	62	0	27440.758	576.344086	15933.19381	30000	0	0	30000	42	2004
22.01.2020 10:59:29	1	1	1	1	113.8	62	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	42.3125	2004
22.01.2020 10:59:30	1	1	1	1	114.3	62	0	27630.332	584.9462366	16102.79129	30000	0	0	30000	42.125	2004
22.01.2020 10:59:31	1	1	1	1	114.3	62	0	27582.938	580.6451613	16075.06863	30000	0	0	30000	41.5	2004
22.01.2020 10:59:32	1	1	1	1	114.3	61.5	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	42.1875	2004
22.01.2020 10:59:33	1	1	1	1	114.3	62	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.6875	2004
22.01.2020 10:59:34	1	1	1	1	114.3	61.5	0	27630.332	578.4946237	16102.79129	30000	0	0	30000	42.125	2004
22.01.2020 10:59:35	1	1	1	1	114.3	62	0	27582.938	580.6451613	16015.54644	30000	0	0	30000	41.9375	2004
22.01.2020 10:59:36	1	1	1	1	114.3	61.75	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	41.625	2004
22.01.2020 10:59:37	1	1	1	1	114.3	61.5	0	27582.938	580.6451613	15956.02424	30000	0	0	30000	41	2004
22.01.2020 10:59:38	1	1	1	1	114.3	61	0	27582.938	576.344086	15814.9648	30000	0	0	30000	41.9375	2004
22.01.2020 10:59:39	1	1	1	1	114.3	61.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.9375	2004
22.01.2020 10:59:40	1	1	1	1	113.8	61.75	0	27630.332	578.4946237	16093.00682	30000	0	0	30000	42.125	2004
22.01.2020 10:59:41	1	1	1	1	113.8	62	0	27440.758	576.344086	15873.67162	30000	0	0	30000	41.1875	2004
22.01.2020 10:59:42	1	1	1	1	113.8	61	0	27630.332	576.344086	15897.31742	30000	0	0	30000	41.875	2004
22.01.2020 10:59:43	1	1	1	1	113.8	61.75	0	27725.118	578.4946237	16153.34439	30000	0	0	30000	41.25	2004
22.01.2020 10:59:44	1	1	1	1	113.8	61.25	0	27819.905	578.4946237	16033.48463	30000	0	0	30000	41.9375	2004
22.01.2020 10:59:45	1	1	1	1	113.8	61.75	0	27962.085	578.4946237	16175.35944	30000	0	0	30000	41.9375	2004
22.01.2020 10:59:46	1	1	1	1	113.8	61.75	0	27630.332	572.0430108	15973.96244	30000	0	0	30000	41.8125	2004
22.01.2020 10:59:48	1	1	1	1	113.8	61.75	0	27914.692	572.0430108	16027.77702	30000	0	0	30000	42.125	2004
22.01.2020 10:59:49	1	1	1	1	113.8	62	0	27725.118	582.7956989	15983.74691	30000	0	0	30000	41.875	2004
22.01.2020 10:59:50	1	1	1	1	113.8	61.75	0	27772.512	576.344086	16033.48463	30000	0	0	30000	42.1875	2004
22.01.2020 10:59:51	1	1	1	1	114.3	62	0	27867.299	576.344086	16000.86973	30000	0	0	30000	42.125	2004
22.01.2020 10:59:52	1	1	1	1	114.3	62	0	27630.332	576.344086	15924.22472	30000	0	0	30000	41.6875	2004
22.01.2020 10:59:53	1	1	1	1	114.3	61.5	0	27867.299	574.1935484	16088.11459	30000	0	0	30000	42.1875	2004
22.01.2020 10:59:54	1	1	1	1	114.3	62	0	27630.332	576.344086	16153.34439	30000	0	0	30000	42.125	2004
22.01.2020 10:59:55	1	1	1	1	114.3	62	0	27819.905	574.1935484	16033.48463	30000	0	0	30000	42.0625	2004
22.01.2020 10:59:56	1	1	1	1	114.3	62	0	27867.299	572.0430108	15941.34754	30000	0	0	30000	42.1875	2004
22.01.2020 10:59:57	1	1	1	1	114.3	62	0	27914.692	569.8924731	15907.91727	30000	0	0	30000	41.875	2004
22.01.2020 10:59:58	1	1	1	1	114.3	61.75	0	27772.512	576.344086	15919.33248	30000	0	0	30000	41.3125	2004
22.01.2020 10:59:59	1	1	1	1	114.3	61.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.5	2004
22.01.2020 11:00:00	1	1	1	1	114.3	61.5	0	27819.905	578.4946237	16033.48463	30000	0	0	30000	41.9375	2004
22.01.2020 11:00:01	1	1	1	1	114.3	61.75	0	27630.332	576.344086	15983.74691	30000	0	0	30000	41.625	2004
22.01.2020 11:00:02	1	1	1	1	114.3	61.5	0	27630.332	574.1935484	16093.00682	30000	0	0	30000	42.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 11:00:03	1	1	1	1	114.3	62	0	27630.332	576.344086	15924.22472	30000	0	0	30000	41.875	2004
22.01.2020 11:00:04	1	1	1	1	114.3	61.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	42	2004
22.01.2020 11:00:05	1	1	1	1	114.3	62	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	42.25	2004
22.01.2020 11:00:06	1	1	1	1	114.3	62.25	0	27819.905	576.344086	16033.48463	30000	0	0	30000	42.1875	2004
22.01.2020 11:00:07	1	1	1	1	114.3	62	0	27582.938	578.4946237	16015.54644	30000	0	0	30000	42.375	2004
22.01.2020 11:00:08	1	1	1	1	114.3	62.25	0	27582.938	580.6451613	15873.67162	30000	0	0	30000	41.9375	2004
22.01.2020 11:00:09	1	1	1	1	114.3	61.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.875	2004
22.01.2020 11:00:10	1	1	1	1	114.5	61.75	0	27630.332	580.6451613	16153.34439	30000	0	0	30000	42.0625	2004
22.01.2020 11:00:11	1	1	1	1	114.5	62	0	27440.758	576.344086	15873.67162	30000	0	0	30000	42.1875	2004
22.01.2020 11:00:12	1	1	1	1	114.5	62	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	42.1875	2004
22.01.2020 11:00:13	1	1	1	1	114.5	62	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	42.3125	2004
22.01.2020 11:00:14	1	1	1	1	114.5	62.25	0	27630.332	576.344086	15924.22472	30000	0	0	30000	41.75	2004
22.01.2020 11:00:15	1	1	1	1	114.5	61.75	0	27630.332	580.6451613	16162.31348	30000	0	0	30000	42	2004
22.01.2020 11:00:16	1	1	1	1	114.5	62	0	27630.332	580.6451613	16015.54644	30000	0	0	30000	41.875	2004
22.01.2020 11:00:17	1	1	1	1	114.5	61.75	0	27582.938	580.6451613	15933.19381	30000	0	0	30000	42.1875	2004
22.01.2020 11:00:18	1	1	1	1	114.5	62	0	27440.758	582.7956989	16047.34596	30000	0	0	30000	41.9375	2004
22.01.2020 11:00:19	1	1	1	1	114.5	61.75	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	42.1875	2004
22.01.2020 11:00:26	1	1	1	1	114.5	62	0	27630.332	580.6451613	15929.11695	30000	0	0	30000	41.9375	2004
22.01.2020 11:00:26	1	1	1	1	114.5	62	0	27630.332	580.6451613	15929.11695	30000	0	0	30000	41.9375	2004
22.01.2020 11:00:26	1	1	1	1	114.5	62	0	27630.332	580.6451613	15929.11695	30000	0	0	30000	41.9375	2004
22.01.2020 11:00:26	1	1	1	1	114.5	62	0	27630.332	580.6451613	15929.11695	30000	0	0	30000	41.9375	2004
22.01.2020 11:00:26	1	1	1	1	114.5	62	0	27630.332	580.6451613	15929.11695	30000	0	0	30000	41.9375	2004
22.01.2020 11:00:26	1	1	1	1	114.5	62	0	27630.332	580.6451613	15929.11695	30000	0	0	30000	41.9375	2004
22.01.2020 11:00:27	1	1	1	1	114.5	61.75	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	42.125	2004
22.01.2020 11:00:28	1	1	1	1	114.5	62	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	42.1875	2004
22.01.2020 11:00:29	1	1	1	1	114.5	62	0	27630.332	582.7956989	16102.79129	30000	0	0	30000	42.3125	2004
22.01.2020 11:00:30	1	1	1	1	114.5	62.25	0	27867.299	576.344086	16061.20729	30000	0	0	30000	41.875	2004
22.01.2020 11:00:31	1	1	1	1	114.3	61.75	0	27440.758	576.344086	15814.9648	30000	0	0	30000	42.125	2004
22.01.2020 11:00:32	1	1	1	1	114.3	62	0	27630.332	576.344086	15978.85467	30000	0	0	30000	42.125	2004
22.01.2020 11:00:33	1	1	1	1	114.3	62	0	27819.905	576.344086	16093.00682	30000	0	0	30000	42.1875	2004
22.01.2020 11:00:34	1	1	1	1	114.3	62	0	27819.905	576.344086	16033.48463	30000	0	0	30000	41.875	2004
22.01.2020 11:00:35	1	1	1	1	114.3	61.75	0	27819.905	576.344086	16033.48463	30000	0	0	30000	42.1875	2004
22.01.2020 11:00:36	1	1	1	1	114.3	62	0	27630.332	576.344086	15924.22472	30000	0	0	30000	42.1875	2004
22.01.2020 11:00:37	1	1	1	1	114.3	62	0	27819.905	576.344086	16033.48463	30000	0	0	30000	42.375	2004
22.01.2020 11:00:38	1	1	1	1	114.3	62.25	0	27630.332	576.344086	15924.22472	30000	0	0	30000	41.875	2004
22.01.2020 11:00:39	1	1	1	1	114.3	61.75	0	27819.905	576.344086	16006.57734	30000	0	0	30000	42.125	2004
22.01.2020 11:00:40	1	1	1	1	114.3	62	0	27867.299	576.344086	16088.11459	30000	0	0	30000	42.1875	2004
22.01.2020 11:00:41	1	1	1	1	114.5	62	0	27962.085	576.344086	16027.77702	30000	0	0	30000	42.0625	2004
22.01.2020 11:00:42	1	1	1	1	114.5	62	0	28009.479	567.7419355	16191.66689	30000	0	0	30000	42.125	2004
22.01.2020 11:00:43	1	1	1	1	114.5	62	0	27630.332	572.0430108	15745.65814	30000	0	0	30000	42.1875	2004
22.01.2020 11:00:44	1	1	1	1	114.5	62	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	42.375	2004
22.01.2020 11:00:45	1	1	1	1	114.5	62.25	0	27914.692	572.0430108	16027.77702	30000	0	0	30000	42.25	2004
22.01.2020 11:00:46	1	1	1	1	114.5	62.25	0	27867.299	576.344086	15686.95132	30000	0	0	30000	42.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 11:00:47	1	1	1	1	114.5	62.25	0	27867.299	576.344086	16088.11459	30000	0	0	30000	41.9375	2004
22.01.2020 11:00:48	1	1	1	1	114.5	62	0	27867.299	574.1935484	16061.20729	30000	0	0	30000	41.8125	2004
22.01.2020 11:00:49	1	1	1	1	114.5	61.75	0	27867.299	576.344086	16061.20729	30000	0	0	30000	42.1875	2004
22.01.2020 11:00:50	1	1	1	1	114.5	62	0	27867.299	574.1935484	16061.20729	30000	0	0	30000	42.1875	2004
22.01.2020 11:00:51	1	1	1	1	114.5	62	0	27867.299	578.4946237	16061.20729	30000	0	0	30000	42.1875	2004
22.01.2020 11:00:52	1	1	1	1	114.5	62	0	27914.692	576.344086	16027.77702	30000	0	0	30000	42.25	2004
22.01.2020 11:00:53	1	1	1	1	114.5	62.25	0	27630.332	576.344086	15983.74691	30000	0	0	30000	42.1875	2004
22.01.2020 11:00:54	1	1	1	1	114.5	62	0	27819.905	578.4946237	16033.48463	30000	0	0	30000	42.1875	2004
22.01.2020 11:00:55	1	1	1	1	114.5	62	0	27725.118	576.344086	15924.22472	30000	0	0	30000	42.25	2004
22.01.2020 11:00:56	1	1	1	1	114.5	62.25	0	27819.905	576.344086	16033.48463	30000	0	0	30000	42.125	2004
22.01.2020 11:00:57	1	1	1	1	114.5	62	0	27630.332	576.344086	16043.2691	30000	0	0	30000	42.0625	2004
22.01.2020 11:00:58	1	1	1	1	114.5	62	0	27914.692	576.344086	16115.83725	30000	0	0	30000	42	2004
22.01.2020 11:00:59	1	1	1	1	114.5	62	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	42	2004
22.01.2020 11:01:00	1	1	1	1	113.5	62	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.6875	2004
22.01.2020 11:01:01	1	1	1	1	113.5	61.5	0	27630.332	578.4946237	16038.37687	30000	0	0	30000	41.9375	2004
22.01.2020 11:01:02	1	1	1	1	113.5	61.75	0	27440.758	569.8924731	15814.9648	30000	0	0	30000	41.375	2004
22.01.2020 11:01:03	1	1	1	1	113.5	61.25	0	27630.332	578.4946237	16102.79129	30000	0	0	30000	41.9375	2004
22.01.2020 11:01:04	1	1	1	1	113.5	61.75	0	27630.332	576.344086	15983.74691	30000	0	0	30000	42.125	2004
22.01.2020 11:01:06	1	1	1	1	113.5	62	0	27582.938	578.4946237	15956.02424	30000	0	0	30000	42.3125	2004
22.01.2020 11:01:07	1	1	1	1	113.5	62.25	0	27725.118	580.6451613	16043.2691	30000	0	0	30000	42.1875	2004
22.01.2020 11:01:08	1	1	1	1	113.5	62	0	27582.938	576.344086	16221.0203	30000	0	0	30000	42.125	2004
22.01.2020 11:01:09	1	1	1	1	113.5	62	0	27440.758	578.4946237	15956.02424	30000	0	0	30000	42.3125	2004
22.01.2020 11:01:10	1	1	1	1	113.5	62.25	0	27630.332	576.344086	15983.74691	30000	0	0	30000	42.25	2004
22.01.2020 11:01:11	1	1	1	1	113	62.25	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	42.25	2004
22.01.2020 11:01:12	1	1	1	1	113	62.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	42.1875	2004
22.01.2020 11:01:13	1	1	1	1	113	62	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	42.4375	2004
22.01.2020 11:01:14	1	1	1	1	113	62.25	0	27630.332	574.1935484	16033.48463	30000	0	0	30000	42.3125	2004
22.01.2020 11:01:15	1	1	1	1	113	62.25	0	27962.085	576.344086	16115.83725	30000	0	0	30000	42.1875	2004
22.01.2020 11:01:16	1	1	1	1	113	62	0	27867.299	578.4946237	16120.72949	30000	0	0	30000	42.25	2004
22.01.2020 11:01:17	1	1	1	1	113	62.25	0	27867.299	578.4946237	16093.00682	30000	0	0	30000	42.1875	2004
22.01.2020 11:01:18	1	1	1	1	113	62	0	27819.905	574.1935484	15973.96244	30000	0	0	30000	42.25	2004
22.01.2020 11:01:19	1	1	1	1	113	62.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.75	2004
22.01.2020 11:01:20	1	1	1	1	113	61.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	42.25	2004
22.01.2020 11:01:21	1	1	1	1	113.3	62.25	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	42.1875	2004
22.01.2020 11:01:27	1	1	1	1	113.3	62.25	0	27630.332	580.6451613	15924.22472	30000	0	0	30000	41.5625	2004
22.01.2020 11:01:27	1	1	1	1	113.3	62.25	0	27630.332	580.6451613	15924.22472	30000	0	0	30000	41.5625	2004
22.01.2020 11:01:27	1	1	1	1	113.3	62.25	0	27630.332	580.6451613	15924.22472	30000	0	0	30000	41.5625	2004
22.01.2020 11:01:27	1	1	1	1	113.3	62.25	0	27630.332	580.6451613	15924.22472	30000	0	0	30000	41.5625	2004
22.01.2020 11:01:27	1	1	1	1	113.3	62.25	0	27630.332	580.6451613	15924.22472	30000	0	0	30000	41.5625	2004
22.01.2020 11:01:27	1	1	1	1	113.3	62.25	0	27630.332	580.6451613	15924.22472	30000	0	0	30000	41.5625	2004
22.01.2020 11:01:28	1	1	1	1	113.3	61.5	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	42.375	2004
22.01.2020 11:01:29	1	1	1	1	113.3	62.25	0	27535.545	580.6451613	15933.19381	30000	0	0	30000	42.3125	2004
22.01.2020 11:01:30	1	1	1	1	111	62.25	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	42.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 11:01:31	1	1	1	1	111	62.25	0	27582.938	582.7956989	16075.06863	30000	0	0	30000	42.4375	2004
22.01.2020 11:01:32	1	1	1	1	111	62.25	0	27819.905	580.6451613	16212.86658	30000	0	0	30000	42.375	2004
22.01.2020 11:01:33	1	1	1	1	111	62.25	0	27867.299	580.6451613	16153.34439	30000	0	0	30000	42.375	2004
22.01.2020 11:01:34	1	1	1	1	111	62.25	0	27630.332	584.9462366	16075.06863	30000	0	0	30000	41.625	2004
22.01.2020 11:01:35	1	1	1	1	111	61.5	0	27582.938	578.4946237	16043.2691	30000	0	0	30000	42.1875	2004
22.01.2020 11:01:36	1	1	1	1	111	62	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	42.25	2004
22.01.2020 11:01:37	1	1	1	1	111	62.25	0	27535.545	580.6451613	15933.19381	30000	0	0	30000	41.8125	2004
22.01.2020 11:01:38	1	1	1	1	111	61.75	0	27440.758	576.344086	15873.67162	30000	0	0	30000	41.6875	2004
22.01.2020 11:01:39	1	1	1	1	111	61.5	0	27582.938	580.6451613	15956.02424	30000	0	0	30000	42.3125	2004
22.01.2020 11:01:40	1	1	1	1	109	62.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	42.25	2004
22.01.2020 11:01:41	1	1	1	1	109	62.25	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	42.375	2004
22.01.2020 11:01:43	1	1	1	1	109	62.25	0	27630.332	578.4946237	16043.2691	30000	0	0	30000	42.25	2004
22.01.2020 11:01:44	1	1	1	1	109	62.25	0	27345.972	580.6451613	15936.4553	30000	0	0	30000	42	2004
22.01.2020 11:01:45	1	1	1	1	109	62	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	41.5	2004
22.01.2020 11:01:46	1	1	1	1	109	61.5	0	27582.938	587.0967742	16193.29764	30000	0	0	30000	41.75	2004
22.01.2020 11:01:47	1	1	1	1	109	61.75	0	27345.972	584.9462366	16110.12964	30000	0	0	30000	42.1875	2004
22.01.2020 11:01:48	1	1	1	1	109	62	0	27345.972	584.9462366	15819.04167	30000	0	0	30000	41.9375	2004
22.01.2020 11:01:49	1	1	1	1	109	61.75	0	27109.005	582.7956989	15885.08684	30000	0	0	30000	42.3125	2004
22.01.2020 11:01:50	1	1	1	1	109	62.25	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	42.1875	2004
22.01.2020 11:01:51	1	1	1	1	109.3	62	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	42.375	2004
22.01.2020 11:01:52	1	1	1	1	109.3	62.25	0	27298.578	580.6451613	15909.54801	30000	0	0	30000	42.4375	2004
22.01.2020 11:01:53	1	1	1	1	109.3	62.25	0	27440.758	587.0967742	15877.74848	30000	0	0	30000	42.25	2004
22.01.2020 11:01:54	1	1	1	1	109.3	62.25	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	42.5	2004
22.01.2020 11:01:55	1	1	1	1	109.3	62.5	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	42.25	2004
22.01.2020 11:01:56	1	1	1	1	109.3	62.25	0	27298.578	582.7956989	15995.9775	30000	0	0	30000	42.1875	2004
22.01.2020 11:01:57	1	1	1	1	109.3	62	0	27345.972	584.9462366	16051.42282	30000	0	0	30000	41.5625	2004
22.01.2020 11:01:58	1	1	1	1	109.3	61.5	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	41.9375	2004
22.01.2020 11:01:59	1	1	1	1	109.3	61.75	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	42.1875	2004
22.01.2020 11:02:00	1	1	1	1	109.3	62	0	27156.398	584.9462366	15682.05909	30000	0	0	30000	42.1875	2004
22.01.2020 11:02:01	1	1	1	1	111.3	62	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	42.75	2004
22.01.2020 11:02:02	1	1	1	1	111.3	62.75	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	42.1875	2004
22.01.2020 11:02:03	1	1	1	1	111.3	62	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	42.625	2004
22.01.2020 11:02:04	1	1	1	1	111.3	62.5	0	27298.578	582.7956989	15968.25483	30000	0	0	30000	42.6875	2004
22.01.2020 11:02:05	1	1	1	1	111.3	62	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	42	2004
22.01.2020 11:02:06	1	1	1	1	111.3	62	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	42.375	2004
22.01.2020 11:02:07	1	1	1	1	111.3	62.25	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	42.1875	2004
22.01.2020 11:02:08	1	1	1	1	111.3	62	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	41.75	2004
22.01.2020 11:02:09	1	1	1	1	111.3	61.75	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	42.4375	2004
22.01.2020 11:02:10	1	1	1	1	112	62.25	0	27156.398	582.7956989	15826.38002	30000	0	0	30000	42.375	2004
22.01.2020 11:02:11	1	1	1	1	112	62.25	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	42.0625	2004
22.01.2020 11:02:12	1	1	1	1	112	62	0	27203.791	584.9462366	15968.25483	30000	0	0	30000	42.5	2004
22.01.2020 11:02:13	1	1	1	1	112	62.5	0	27345.972	584.9462366	16054.68431	30000	0	0	30000	42.5	2004
22.01.2020 11:02:14	1	1	1	1	112	62.5	0	27345.972	587.0967742	16110.12964	30000	0	0	30000	42.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 11:02:15	1	1	1	1	112	62.25	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	42.4375	2004
22.01.2020 11:02:16	1	1	1	1	112	62.25	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	41.5625	2004
22.01.2020 11:02:17	1	1	1	1	112	61.5	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	42.4375	2004
22.01.2020 11:02:18	1	1	1	1	112	62.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	42.4375	2004
22.01.2020 11:02:19	1	1	1	1	112	62.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	42.25	2004
22.01.2020 11:02:20	1	1	1	1	112.5	62.25	0	27203.791	584.9462366	16026.96165	30000	0	0	30000	42.5	2004
22.01.2020 11:02:22	1	1	1	1	112.5	62.5	0	27061.611	582.7956989	15654.33642	30000	0	0	30000	42.25	2004
22.01.2020 11:02:23	1	1	1	1	112.5	62.25	0	27440.758	589.2473118	16168.83646	30000	0	0	30000	42.3125	2004
22.01.2020 11:02:29	1	1	1	1	112.5	62.25	0	27345.972	584.9462366	16054.68431	30000	0	0	30000	42.4375	2004
22.01.2020 11:02:29	1	1	1	1	112.5	62.25	0	27345.972	584.9462366	16054.68431	30000	0	0	30000	42.4375	2004
22.01.2020 11:02:29	1	1	1	1	112.5	62.25	0	27345.972	584.9462366	16054.68431	30000	0	0	30000	42.4375	2004
22.01.2020 11:02:29	1	1	1	1	112.5	62.25	0	27345.972	584.9462366	16054.68431	30000	0	0	30000	42.4375	2004
22.01.2020 11:02:29	1	1	1	1	112.5	62.25	0	27345.972	584.9462366	16054.68431	30000	0	0	30000	42.4375	2004
22.01.2020 11:02:29	1	1	1	1	112.5	62.25	0	27345.972	584.9462366	16054.68431	30000	0	0	30000	42.4375	2004
22.01.2020 11:02:30	1	1	1	1	112.5	62.25	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	42.1875	2004
22.01.2020 11:02:31	1	1	1	1	112.8	62	0	27298.578	589.2473118	15968.25483	30000	0	0	30000	41.875	2004
22.01.2020 11:02:32	1	1	1	1	112.8	61.75	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	42.3125	2004
22.01.2020 11:02:33	1	1	1	1	112.8	62.25	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	42.1875	2004
22.01.2020 11:02:34	1	1	1	1	112.8	62	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	41.5625	2004
22.01.2020 11:02:35	1	1	1	1	112.8	61.5	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	42.5	2004
22.01.2020 11:02:36	1	1	1	1	112.8	62.5	0	27109.005	589.2473118	15973.96244	30000	0	0	30000	41.1875	2004
22.01.2020 11:02:37	1	1	1	1	112.8	61	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	41.5	2004
22.01.2020 11:02:38	1	1	1	1	112.8	61.5	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	42.375	2004
22.01.2020 11:02:39	1	1	1	1	112.8	62.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	42.1875	2004
22.01.2020 11:02:40	1	1	1	1	112.8	62	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.5625	2004
22.01.2020 11:02:41	1	1	1	1	112.5	61.5	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	42.75	2004
22.01.2020 11:02:42	1	1	1	1	112.5	62.75	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	42.1875	2004
22.01.2020 11:02:43	1	1	1	1	112.5	62	0	27440.758	589.2473118	16405.29449	30000	0	0	30000	42.5	2004
22.01.2020 11:02:44	1	1	1	1	112.5	61.75	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	42.125	2004
22.01.2020 11:02:45	1	1	1	1	112.5	62	0	27298.578	582.7956989	15968.25483	30000	0	0	30000	42.5	2004
22.01.2020 11:02:46	1	1	1	1	112.5	62.5	0	27345.972	584.9462366	15936.4553	30000	0	0	30000	42.375	2004
22.01.2020 11:02:47	1	1	1	1	112.5	62.25	0	27345.972	576.344086	15936.4553	30000	0	0	30000	42.1875	2004
22.01.2020 11:02:48	1	1	1	1	112.5	62	0	27582.938	584.9462366	16221.0203	30000	0	0	30000	42.5	2004
22.01.2020 11:02:49	1	1	1	1	112.5	62.5	0	27440.758	584.9462366	15995.9775	30000	0	0	30000	42.5	2004
22.01.2020 11:02:50	1	1	1	1	112.8	62.5	0	27345.972	584.9462366	15936.4553	30000	0	0	30000	42.125	2004
22.01.2020 11:02:51	1	1	1	1	112.8	62	0	27345.972	584.9462366	16168.83646	30000	0	0	30000	42.5	2004
22.01.2020 11:02:52	1	1	1	1	112.8	62.5	0	27109.005	584.9462366	15770.93469	30000	0	0	30000	42.3125	2004
22.01.2020 11:02:53	1	1	1	1	112.8	62.25	0	27298.578	580.6451613	15850.84119	30000	0	0	30000	42	2004
22.01.2020 11:02:54	1	1	1	1	112.8	62	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	42.3125	2004
22.01.2020 11:02:55	1	1	1	1	112.8	62.25	0	27440.758	589.2473118	16141.1138	30000	0	0	30000	42.4375	2004
22.01.2020 11:02:56	1	1	1	1	112.8	62.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.8125	2004
22.01.2020 11:02:57	1	1	1	1	112.8	61.75	0	27109.005	587.0967742	15915.25562	30000	0	0	30000	41.875	2004
22.01.2020 11:02:58	1	1	1	1	112.8	61.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	42.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 11:03:00	1	1	1	1	112.8	62.25	0	27109.005	587.0967742	15915.25562	30000	0	0	30000	42.375	2004
22.01.2020 11:03:01	1	1	1	1	112.8	62.25	0	27393.365	589.2473118	16168.83646	30000	0	0	30000	42.1875	2004
22.01.2020 11:03:02	1	1	1	1	112.8	62	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	42.3125	2004
22.01.2020 11:03:03	1	1	1	1	112.8	62.25	0	27061.611	587.0967742	15887.53295	30000	0	0	30000	42.375	2004
22.01.2020 11:03:04	1	1	1	1	112.8	62.25	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	42.5	2004
22.01.2020 11:03:05	1	1	1	1	112.8	62.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.8125	2004
22.01.2020 11:03:06	1	1	1	1	112.8	61.75	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	41.625	2004
22.01.2020 11:03:07	1	1	1	1	112.8	61.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	42.125	2004
22.01.2020 11:03:08	1	1	1	1	112.8	62	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	42.4375	2004
22.01.2020 11:03:09	1	1	1	1	112.8	62.25	0	27156.398	589.2473118	15915.25562	30000	0	0	30000	42.0625	2004
22.01.2020 11:03:10	1	1	1	1	112.8	62	0	27156.398	587.0967742	15915.25562	30000	0	0	30000	42.1875	2004
22.01.2020 11:03:11	1	1	1	1	113	62	0	27156.398	584.9462366	15968.25483	30000	0	0	30000	42.4375	2004
22.01.2020 11:03:12	1	1	1	1	113	62.25	0	27109.005	589.2473118	16031.85389	30000	0	0	30000	42.4375	2004
22.01.2020 11:03:13	1	1	1	1	113	62.25	0	27109.005	587.0967742	15857.36417	30000	0	0	30000	42.4375	2004
22.01.2020 11:03:14	1	1	1	1	113	62.25	0	26919.431	589.2473118	15920.14785	30000	0	0	30000	42.625	2004
22.01.2020 11:03:15	1	1	1	1	113	62.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	42.1875	2004
22.01.2020 11:03:16	1	1	1	1	113	62	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	42.3125	2004
22.01.2020 11:03:17	1	1	1	1	113	62.25	0	27298.578	582.7956989	15968.25483	30000	0	0	30000	41.5	2004
22.01.2020 11:03:18	1	1	1	1	113	61.5	0	27440.758	589.2473118	16228.35866	30000	0	0	30000	42.4375	2004
22.01.2020 11:03:19	1	1	1	1	113	62.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	42	2004
22.01.2020 11:03:20	1	1	1	1	113	62	0	27345.972	584.9462366	15936.4553	30000	0	0	30000	42.625	2004
22.01.2020 11:03:21	1	1	1	1	112.5	62.5	0	27298.578	580.6451613	16026.96165	30000	0	0	30000	42.375	2004
22.01.2020 11:03:22	1	1	1	1	112.5	62.25	0	27156.398	584.9462366	15885.08684	30000	0	0	30000	42.3125	2004
22.01.2020 11:03:23	1	1	1	1	112.5	62.25	0	27345.972	587.0967742	15995.9775	30000	0	0	30000	42.5	2004
22.01.2020 11:03:24	1	1	1	1	112.5	62.5	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	42.1875	2004
22.01.2020 11:03:30	1	1	1	1	111.8	62.25	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	42.3125	2004
22.01.2020 11:03:30	1	1	1	1	111.8	62.25	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	42.3125	2004
22.01.2020 11:03:30	1	1	1	1	111.8	62.25	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	42.3125	2004
22.01.2020 11:03:30	1	1	1	1	111.8	62.25	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	42.3125	2004
22.01.2020 11:03:30	1	1	1	1	111.8	62.25	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	42.3125	2004
22.01.2020 11:03:30	1	1	1	1	111.8	62.25	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	42.3125	2004
22.01.2020 11:03:31	1	1	1	1	111.8	62.25	0	26966.825	589.2473118	15945.4244	30000	0	0	30000	42.3125	2004
22.01.2020 11:03:32	1	1	1	1	111.8	62.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.75	2004
22.01.2020 11:03:33	1	1	1	1	111.8	61.75	0	27156.398	587.0967742	15942.97828	30000	0	0	30000	42.1875	2004
22.01.2020 11:03:34	1	1	1	1	111.8	62	0	27156.398	589.2473118	16059.57655	30000	0	0	30000	42.5625	2004
22.01.2020 11:03:35	1	1	1	1	111.8	62.5	0	27298.578	589.2473118	16113.39113	30000	0	0	30000	42.125	2004
22.01.2020 11:03:36	1	1	1	1	111.8	62	0	27298.578	587.0967742	15968.25483	30000	0	0	30000	42.5625	2004
22.01.2020 11:03:37	1	1	1	1	111.8	62.5	0	27156.398	587.0967742	15915.25562	30000	0	0	30000	42.125	2004
22.01.2020 11:03:38	1	1	1	1	111.8	62	0	27345.972	587.0967742	16113.39113	30000	0	0	30000	42.25	2004
22.01.2020 11:03:40	1	1	1	1	111.8	62.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	42.4375	2004
22.01.2020 11:03:41	1	1	1	1	111.8	62.25	0	27345.972	587.0967742	16113.39113	30000	0	0	30000	42.3125	2004
22.01.2020 11:03:42	1	1	1	1	111.8	62.25	0	27156.398	589.2473118	15942.97828	30000	0	0	30000	42.375	2004
22.01.2020 11:03:43	1	1	1	1	111.8	62.25	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	42.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 11:03:44	1	1	1	1	111.8	62.5	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	42.1875	2004
22.01.2020 11:03:45	1	1	1	1	111.8	62	0	27440.758	589.2473118	16110.12964	30000	0	0	30000	42.375	2004
22.01.2020 11:03:46	1	1	1	1	111.8	62.25	0	27298.578	587.0967742	16054.68431	30000	0	0	30000	42.6875	2004
22.01.2020 11:03:47	1	1	1	1	111.8	62.5	0	27014.218	591.3978495	16062.02267	30000	0	0	30000	42.3125	2004
22.01.2020 11:03:48	1	1	1	1	111.8	62.25	0	27345.972	584.9462366	15936.4553	30000	0	0	30000	42.4375	2004
22.01.2020 11:03:49	1	1	1	1	111.8	62.25	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	42.375	2004
22.01.2020 11:03:50	1	1	1	1	111.8	62.25	0	27298.578	584.9462366	16054.68431	30000	0	0	30000	42.625	2004
22.01.2020 11:03:51	1	1	1	1	112	62.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	42.4375	2004
22.01.2020 11:03:52	1	1	1	1	112	62.25	0	27109.005	584.9462366	15942.97828	30000	0	0	30000	42.625	2004
22.01.2020 11:03:53	1	1	1	1	112	62.5	0	27014.218	591.3978495	15947.87052	30000	0	0	30000	42.4375	2004
22.01.2020 11:03:54	1	1	1	1	112	62.25	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	42.125	2004
22.01.2020 11:03:55	1	1	1	1	112	62	0	27298.578	587.0967742	16085.66847	30000	0	0	30000	42.4375	2004
22.01.2020 11:03:56	1	1	1	1	112	62.25	0	27109.005	580.6451613	16203.08211	30000	0	0	30000	42.4375	2004
22.01.2020 11:03:57	1	1	1	1	112	62.25	0	27061.611	584.9462366	15887.53295	30000	0	0	30000	42.5	2004
22.01.2020 11:03:58	1	1	1	1	112	62.5	0	27061.611	589.2473118	16004.13122	30000	0	0	30000	42	2004
22.01.2020 11:03:59	1	1	1	1	112	62	0	27156.398	584.9462366	15885.08684	30000	0	0	30000	42.4375	2004
22.01.2020 11:04:00	1	1	1	1	112	62.25	0	27156.398	584.9462366	16026.96165	30000	0	0	30000	42.5	2004
22.01.2020 11:04:01	1	1	1	1	111.8	62.5	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	42.6875	2004
22.01.2020 11:04:02	1	1	1	1	111.8	62.5	0	27298.578	589.2473118	16144.37529	30000	0	0	30000	42.4375	2004
22.01.2020 11:04:03	1	1	1	1	111.8	62.25	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	42.625	2004
22.01.2020 11:04:04	1	1	1	1	111.8	62.25	0	27298.578	587.0967742	16113.39113	30000	0	0	30000	42.4375	2004
22.01.2020 11:04:05	1	1	1	1	111.8	62.25	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	42.4375	2004
22.01.2020 11:04:06	1	1	1	1	111.8	62.25	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	42.1875	2004
22.01.2020 11:04:07	1	1	1	1	111.8	62	0	27109.005	587.0967742	16026.96165	30000	0	0	30000	42.4375	2004
22.01.2020 11:04:08	1	1	1	1	111.8	62.25	0	27061.611	589.2473118	15887.53295	30000	0	0	30000	41.875	2004
22.01.2020 11:04:09	1	1	1	1	111.8	61.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	42.625	2004
22.01.2020 11:04:10	1	1	1	1	111.5	62.5	0	27345.972	587.0967742	16110.12964	30000	0	0	30000	42.5	2004
22.01.2020 11:04:11	1	1	1	1	111.5	62.5	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	42.5625	2004
22.01.2020 11:04:12	1	1	1	1	111.5	62.5	0	27109.005	587.0967742	15915.25562	30000	0	0	30000	42.5625	2004
22.01.2020 11:04:13	1	1	1	1	111.5	62.5	0	27156.398	584.9462366	16026.96165	30000	0	0	30000	42.5	2004
22.01.2020 11:04:14	1	1	1	1	111.5	62.5	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	42.5625	2004
22.01.2020 11:04:15	1	1	1	1	111.5	62.5	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	42.5	2004
22.01.2020 11:04:16	1	1	1	1	111.5	62.5	0	27440.758	587.0967742	16051.42282	30000	0	0	30000	42.6875	2004
22.01.2020 11:04:17	1	1	1	1	111.5	62.5	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	42.4375	2004
22.01.2020 11:04:19	1	1	1	1	111.5	62.25	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	42.625	2004
22.01.2020 11:04:20	1	1	1	1	111.5	62.5	0	27298.578	584.9462366	15624.16764	30000	0	0	30000	42.375	2004
22.01.2020 11:04:21	1	1	1	1	111.5	62.25	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	42.4375	2004
22.01.2020 11:04:22	1	1	1	1	111.5	62.25	0	27345.972	584.9462366	15991.90063	30000	0	0	30000	42.125	2004
22.01.2020 11:04:23	1	1	1	1	111.5	62	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	42.375	2004
22.01.2020 11:04:24	1	1	1	1	111.5	62.25	0	27582.938	584.9462366	16193.29764	30000	0	0	30000	42.5	2004
22.01.2020 11:04:25	1	1	1	1	111.5	62.5	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	42.3125	2004
22.01.2020 11:04:26	1	1	1	1	111.5	62.25	0	27345.972	589.2473118	16110.12964	30000	0	0	30000	42.5625	2004
22.01.2020 11:04:32	1	1	1	1	111.5	62.5	0	27156.398	584.9462366	15885.08684	30000	0	0	30000	42.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 11:04:32	1	1	1	1	111.5	62.5	0	27156.398	584.9462366	15885.08684	30000	0	0	30000	42.5	2004
22.01.2020 11:04:32	1	1	1	1	111.5	62.5	0	27156.398	584.9462366	15885.08684	30000	0	0	30000	42.5	2004
22.01.2020 11:04:32	1	1	1	1	111.5	62.5	0	27156.398	584.9462366	15885.08684	30000	0	0	30000	42.5	2004
22.01.2020 11:04:32	1	1	1	1	111.5	62.5	0	27156.398	584.9462366	15885.08684	30000	0	0	30000	42.5	2004
22.01.2020 11:04:32	1	1	1	1	111.5	62.5	0	27156.398	584.9462366	15885.08684	30000	0	0	30000	42.5	2004
22.01.2020 11:04:33	1	1	1	1	111.5	62.5	0	27298.578	587.0967742	16172.09795	30000	0	0	30000	41.875	2004
22.01.2020 11:04:34	1	1	1	1	111.5	61.75	0	27440.758	589.2473118	16110.12964	30000	0	0	30000	42.5625	2004
22.01.2020 11:04:35	1	1	1	1	111.5	62.5	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	42.4375	2004
22.01.2020 11:04:36	1	1	1	1	111.5	62.25	0	27298.578	578.4946237	16026.96165	30000	0	0	30000	42.625	2004
22.01.2020 11:04:37	1	1	1	1	111.5	62.5	0	27109.005	589.2473118	15770.93469	30000	0	0	30000	42.75	2004
22.01.2020 11:04:38	1	1	1	1	111.5	62.75	0	27109.005	584.9462366	15915.25562	30000	0	0	30000	42.5625	2004
22.01.2020 11:04:39	1	1	1	1	111.5	62.5	0	27156.398	587.0967742	15942.97828	30000	0	0	30000	43.0625	2004
22.01.2020 11:04:40	1	1	1	1	111.5	63	0	27156.398	584.9462366	15885.08684	30000	0	0	30000	42.5	2004
22.01.2020 11:04:41	1	1	1	1	111.3	62.75	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	42.375	2004
22.01.2020 11:04:42	1	1	1	1	111.3	62.25	0	27109.005	587.0967742	15973.96244	30000	0	0	30000	42.4375	2004
22.01.2020 11:04:43	1	1	1	1	111.3	62.25	0	27440.758	589.2473118	16228.35866	30000	0	0	30000	42.5	2004
22.01.2020 11:04:44	1	1	1	1	111.3	62.5	0	27298.578	593.5483871	16026.96165	30000	0	0	30000	42.375	2004
22.01.2020 11:04:45	1	1	1	1	111.3	62.25	0	27345.972	589.2473118	16113.39113	30000	0	0	30000	42.375	2004
22.01.2020 11:04:46	1	1	1	1	111.3	62.25	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	41.8125	2004
22.01.2020 11:04:47	1	1	1	1	111.3	61.75	0	27298.578	580.6451613	16026.96165	30000	0	0	30000	42.625	2004
22.01.2020 11:04:48	1	1	1	1	111.3	62.5	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	42.6875	2004
22.01.2020 11:04:49	1	1	1	1	111.3	62.5	0	27440.758	587.0967742	16228.35866	30000	0	0	30000	42.625	2004
22.01.2020 11:04:50	1	1	1	1	111	62.5	0	27109.005	584.9462366	15885.08684	30000	0	0	30000	42.8125	2004
22.01.2020 11:04:51	1	1	1	1	111	62.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	42.3125	2004
22.01.2020 11:04:52	1	1	1	1	111	62.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	42.6875	2004
22.01.2020 11:04:53	1	1	1	1	111	62.5	0	27345.972	584.9462366	16054.68431	30000	0	0	30000	42.6875	2004
22.01.2020 11:04:54	1	1	1	1	111	62.5	0	27156.398	587.0967742	16026.96165	30000	0	0	30000	42.625	2004
22.01.2020 11:04:55	1	1	1	1	111	62.5	0	27345.972	584.9462366	16054.68431	30000	0	0	30000	42.4375	2004
22.01.2020 11:04:57	1	1	1	1	111	62.25	0	27345.972	587.0967742	16172.09795	30000	0	0	30000	42.375	2004
22.01.2020 11:04:58	1	1	1	1	111	62.25	0	27298.578	584.9462366	15798.65735	30000	0	0	30000	42.4375	2004
22.01.2020 11:04:59	1	1	1	1	111	62.25	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	42.375	2004
22.01.2020 11:05:00	1	1	1	1	111	62.25	0	27440.758	591.3978495	16228.35866	30000	0	0	30000	42.625	2004
22.01.2020 11:05:01	1	1	1	1	111	62.5	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	41.3125	2004
22.01.2020 11:05:02	1	1	1	1	111	61.25	0	27109.005	580.6451613	15885.08684	30000	0	0	30000	42.8125	2004
22.01.2020 11:05:03	1	1	1	1	111	62.75	0	27393.365	584.9462366	16110.12964	30000	0	0	30000	42.625	2004
22.01.2020 11:05:04	1	1	1	1	111	62.5	0	27345.972	587.0967742	15968.25483	30000	0	0	30000	42.3125	2004
22.01.2020 11:05:05	1	1	1	1	111	62.25	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	42.8125	2004
22.01.2020 11:05:06	1	1	1	1	111	62.75	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	42.75	2004
22.01.2020 11:05:07	1	1	1	1	111	62.75	0	27298.578	584.9462366	15995.9775	30000	0	0	30000	42.75	2004
22.01.2020 11:05:08	1	1	1	1	111	62.75	0	27440.758	587.0967742	15991.90063	30000	0	0	30000	42.75	2004
22.01.2020 11:05:09	1	1	1	1	111	62.75	0	27440.758	584.9462366	16134.59082	30000	0	0	30000	42.5625	2004
22.01.2020 11:05:10	1	1	1	1	111	62.5	0	27345.972	584.9462366	15968.25483	30000	0	0	30000	42.875	2004
22.01.2020 11:05:11	1	1	1	1	110.8	62.75	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	42.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 11:05:12	1	1	1	1	110.8	62.5	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	42.6875	2004
22.01.2020 11:05:13	1	1	1	1	110.8	62.5	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	42.5	2004
22.01.2020 11:05:14	1	1	1	1	110.8	62.5	0	27393.365	582.7956989	15819.04167	30000	0	0	30000	42.3125	2004
22.01.2020 11:05:15	1	1	1	1	110.8	62.25	0	27535.545	584.9462366	16106.86815	30000	0	0	30000	42.6875	2004
22.01.2020 11:05:16	1	1	1	1	110.8	62.5	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	42.625	2004
22.01.2020 11:05:17	1	1	1	1	110.8	62.5	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	42.1875	2004
22.01.2020 11:05:18	1	1	1	1	110.8	62	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	42.3125	2004
22.01.2020 11:05:19	1	1	1	1	110.8	62.25	0	27440.758	572.0430108	15933.19381	30000	0	0	30000	42.5625	2004
22.01.2020 11:05:20	1	1	1	1	110.8	62.5	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	42.25	2004
22.01.2020 11:05:21	1	1	1	1	110.5	62.5	0	27440.758	582.7956989	15933.19381	30000	0	0	30000	41.75	2004
22.01.2020 11:05:22	1	1	1	1	110.5	61.75	0	27298.578	580.6451613	15909.54801	30000	0	0	30000	42.8125	2004
22.01.2020 11:05:23	1	1	1	1	110.5	62.75	0	27345.972	582.7956989	15936.4553	30000	0	0	30000	42.5	2004
22.01.2020 11:05:24	1	1	1	1	110.5	62.5	0	27298.578	580.6451613	15850.84119	30000	0	0	30000	41.9375	2004
22.01.2020 11:05:25	1	1	1	1	110.5	61.75	0	27393.365	584.9462366	15936.4553	30000	0	0	30000	42.625	2004
22.01.2020 11:05:26	1	1	1	1	110.5	62.5	0	27440.758	587.0967742	16051.42282	30000	0	0	30000	42.625	2004
22.01.2020 11:05:27	1	1	1	1	110.5	62.5	0	27630.332	584.9462366	16110.12964	30000	0	0	30000	42.5625	2004
22.01.2020 11:05:34	1	1	1	1	110.3	62.5	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	42.875	2004
22.01.2020 11:05:34	1	1	1	1	110.3	62.5	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	42.875	2004
22.01.2020 11:05:34	1	1	1	1	110.3	62.5	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	42.875	2004
22.01.2020 11:05:34	1	1	1	1	110.3	62.5	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	42.875	2004
22.01.2020 11:05:34	1	1	1	1	110.3	62.5	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	42.875	2004
22.01.2020 11:05:34	1	1	1	1	110.3	62.75	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	42.625	2004
22.01.2020 11:05:35	1	1	1	1	110.3	62.5	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	42.6875	2004
22.01.2020 11:05:37	1	1	1	1	110.3	62.5	0	26966.825	584.9462366	15774.19618	30000	0	0	30000	42.875	2004
22.01.2020 11:05:38	1	1	1	1	110.3	62.75	0	27345.972	584.9462366	16054.68431	30000	0	0	30000	42.9375	2004
22.01.2020 11:05:39	1	1	1	1	110.3	62.75	0	27345.972	584.9462366	16051.42282	30000	0	0	30000	42.75	2004
22.01.2020 11:05:40	1	1	1	1	110.3	62.75	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	42.5625	2004
22.01.2020 11:05:41	1	1	1	1	109.8	62.5	0	27156.398	584.9462366	15826.38002	30000	0	0	30000	42.75	2004
22.01.2020 11:05:42	1	1	1	1	109.8	62.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	42.5	2004
22.01.2020 11:05:43	1	1	1	1	109.8	62.5	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	42.875	2004
22.01.2020 11:05:44	1	1	1	1	109.8	62.75	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	42.5	2004
22.01.2020 11:05:45	1	1	1	1	109.8	62.5	0	27298.578	584.9462366	16172.09795	30000	0	0	30000	42.625	2004
22.01.2020 11:05:46	1	1	1	1	109.8	62.5	0	27109.005	584.9462366	15857.36417	30000	0	0	30000	42.625	2004
22.01.2020 11:05:47	1	1	1	1	109.8	62.5	0	27156.398	582.7956989	15909.54801	30000	0	0	30000	42.1875	2004
22.01.2020 11:05:48	1	1	1	1	109.8	62	0	27440.758	589.2473118	16110.12964	30000	0	0	30000	42.3125	2004
22.01.2020 11:05:49	1	1	1	1	109.8	62.25	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	42.375	2004
22.01.2020 11:05:50	1	1	1	1	109.8	62.25	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	42.3125	2004
22.01.2020 11:05:51	1	1	1	1	109.5	62.25	0	27298.578	589.2473118	16113.39113	30000	0	0	30000	42.875	2004
22.01.2020 11:05:52	1	1	1	1	109.5	62.75	0	26966.825	584.9462366	15887.53295	30000	0	0	30000	42.75	2004
22.01.2020 11:05:53	1	1	1	1	109.5	62.75	0	27156.398	589.2473118	16001.6851	30000	0	0	30000	42.8125	2004
22.01.2020 11:05:54	1	1	1	1	109.5	62.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	42.625	2004
22.01.2020 11:05:55	1	1	1	1	109.5	62.5	0	27109.005	584.9462366	16026.96165	30000	0	0	30000	42.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 11:05:56	1	1	1	1	109.5	62.5	0	27109.005	589.2473118	16026.96165	30000	0	0	30000	42.6875	2004
22.01.2020 11:05:57	1	1	1	1	109.5	62.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	42.875	2004
22.01.2020 11:05:58	1	1	1	1	109.5	62.75	0	27061.611	584.9462366	15829.64151	30000	0	0	30000	43.0625	2004
22.01.2020 11:05:59	1	1	1	1	109.5	63	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	43.1875	2004
22.01.2020 11:06:00	1	1	1	1	109.5	63	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	42.1875	2004
22.01.2020 11:06:01	1	1	1	1	109	62.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	42.6875	2004
22.01.2020 11:06:02	1	1	1	1	109	62.5	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	42.6875	2004
22.01.2020 11:06:03	1	1	1	1	109	62.5	0	27345.972	584.9462366	15991.90063	30000	0	0	30000	42.6875	2004
22.01.2020 11:06:04	1	1	1	1	109	62.5	0	27582.938	587.0967742	16221.0203	30000	0	0	30000	42.75	2004
22.01.2020 11:06:05	1	1	1	1	109	62.75	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	42.6875	2004
22.01.2020 11:06:06	1	1	1	1	109	62.5	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	42.625	2004
22.01.2020 11:06:07	1	1	1	1	109	62.5	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	42.9375	2004
22.01.2020 11:06:08	1	1	1	1	109	62.75	0	27061.611	580.6451613	15770.93469	30000	0	0	30000	42.9375	2004
22.01.2020 11:06:09	1	1	1	1	109	62.75	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	42.5625	2004
22.01.2020 11:06:10	1	1	1	1	108.8	62.5	0	27345.972	591.3978495	16113.39113	30000	0	0	30000	42.875	2004
22.01.2020 11:06:11	1	1	1	1	108.8	62.75	0	27298.578	587.0967742	15968.25483	30000	0	0	30000	42.25	2004
22.01.2020 11:06:12	1	1	1	1	108.8	62.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	42.75	2004
22.01.2020 11:06:13	1	1	1	1	108.8	62.75	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	42.875	2004
22.01.2020 11:06:15	1	1	1	1	108.8	62.75	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	42.75	2004
22.01.2020 11:06:16	1	1	1	1	108.8	62.75	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	42.8125	2004
22.01.2020 11:06:17	1	1	1	1	108.8	62.75	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	42.6875	2004
22.01.2020 11:06:18	1	1	1	1	108.8	62.5	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	42.8125	2004
22.01.2020 11:06:19	1	1	1	1	108.8	62.75	0	27345.972	584.9462366	16054.68431	30000	0	0	30000	42.9375	2004
22.01.2020 11:06:20	1	1	1	1	108.8	62.75	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	42.875	2004
22.01.2020 11:06:21	1	1	1	1	108.5	62.75	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	42.8125	2004
22.01.2020 11:06:22	1	1	1	1	108.5	62.75	0	27440.758	589.2473118	15933.19381	30000	0	0	30000	42.8125	2004
22.01.2020 11:06:23	1	1	1	1	108.5	62.75	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	42.875	2004
22.01.2020 11:06:24	1	1	1	1	108.5	62.75	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	42.5625	2004
22.01.2020 11:06:25	1	1	1	1	108.5	62.5	0	27298.578	587.0967742	15968.25483	30000	0	0	30000	42.75	2004
22.01.2020 11:06:26	1	1	1	1	108.5	62.75	0	27298.578	584.9462366	15850.84119	30000	0	0	30000	42.5625	2004
22.01.2020 11:06:27	1	1	1	1	108.5	62.5	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	42.8125	2004
22.01.2020 11:06:28	1	1	1	1	108.5	62.75	0	27298.578	580.6451613	15909.54801	30000	0	0	30000	42.8125	2004
22.01.2020 11:06:29	1	1	1	1	108.5	62.75	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	42.8125	2004
22.01.2020 11:06:35	1	1	1	1	108	62.5	0	27440.758	578.4946237	16051.42282	30000	0	0	30000	42.875	2004
22.01.2020 11:06:35	1	1	1	1	108	62.5	0	27440.758	578.4946237	16051.42282	30000	0	0	30000	42.875	2004
22.01.2020 11:06:35	1	1	1	1	108	62.5	0	27440.758	578.4946237	16051.42282	30000	0	0	30000	42.875	2004
22.01.2020 11:06:35	1	1	1	1	108	62.5	0	27440.758	578.4946237	16051.42282	30000	0	0	30000	42.875	2004
22.01.2020 11:06:35	1	1	1	1	108	62.5	0	27440.758	578.4946237	16051.42282	30000	0	0	30000	42.875	2004
22.01.2020 11:06:35	1	1	1	1	108	62.5	0	27440.758	578.4946237	16051.42282	30000	0	0	30000	42.875	2004
22.01.2020 11:06:36	1	1	1	1	108	62.75	0	27345.972	582.7956989	16051.42282	30000	0	0	30000	43	2004
22.01.2020 11:06:37	1	1	1	1	108	63	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	42.25	2004
22.01.2020 11:06:38	1	1	1	1	108	62.25	0	27440.758	587.0967742	15877.74848	30000	0	0	30000	42.8125	2004
22.01.2020 11:06:39	1	1	1	1	108	62.75	0	27582.938	584.9462366	15987.82377	30000	0	0	30000	42.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 11:06:40	1	1	1	1	108	62.5	0	27630.332	584.9462366	16162.31348	30000	0	0	30000	41.9375	2004
22.01.2020 11:06:41	1	1	1	1	108	61.75	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	42.625	2004
22.01.2020 11:06:42	1	1	1	1	108	62.5	0	27582.938	580.6451613	15873.67162	30000	0	0	30000	42.5625	2004
22.01.2020 11:06:43	1	1	1	1	108	62.5	0	27630.332	582.7956989	16162.31348	30000	0	0	30000	42.625	2004
22.01.2020 11:06:44	1	1	1	1	108	62.5	0	27867.299	578.4946237	15886.71758	30000	0	0	30000	42.75	2004
22.01.2020 11:06:45	1	1	1	1	108	62.75	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	42.5625	2004
22.01.2020 11:06:46	1	1	1	1	108	62.5	0	27535.545	582.7956989	15991.90063	30000	0	0	30000	42.5	2004
22.01.2020 11:06:47	1	1	1	1	108	62.5	0	27535.545	578.4946237	15873.67162	30000	0	0	30000	41.875	2004
22.01.2020 11:06:48	1	1	1	1	108	61.75	0	27630.332	578.4946237	16043.2691	30000	0	0	30000	42.75	2004
22.01.2020 11:06:49	1	1	1	1	108	62.75	0	27819.905	580.6451613	16093.00682	30000	0	0	30000	42.8125	2004
22.01.2020 11:06:50	1	1	1	1	107.3	62.75	0	27630.332	580.6451613	16273.20414	30000	0	0	30000	42.6875	2004
22.01.2020 11:06:51	1	1	1	1	107.3	62.5	0	27819.905	576.344086	16033.48463	30000	0	0	30000	42.9375	2004
22.01.2020 11:06:53	1	1	1	1	107.3	62.75	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	42.25	2004
22.01.2020 11:06:54	1	1	1	1	107.3	62.25	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	42.8125	2004
22.01.2020 11:06:55	1	1	1	1	107.3	62.75	0	27630.332	580.6451613	15924.22472	30000	0	0	30000	42.8125	2004
22.01.2020 11:06:56	1	1	1	1	107.3	62.75	0	27535.545	580.6451613	16047.34596	30000	0	0	30000	42.9375	2004
22.01.2020 11:06:57	1	1	1	1	107.3	62.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	42.625	2004
22.01.2020 11:06:58	1	1	1	1	107.3	62.5	0	27630.332	576.344086	15983.74691	30000	0	0	30000	42.75	2004
22.01.2020 11:06:59	1	1	1	1	107.3	62.75	0	27867.299	584.9462366	16181.06705	30000	0	0	30000	42.4375	2004
22.01.2020 11:07:00	1	1	1	1	107.3	62.25	0	27630.332	576.344086	15983.74691	30000	0	0	30000	41.5625	2004
22.01.2020 11:07:01	1	1	1	1	106.5	61.5	0	27867.299	576.344086	16240.58924	30000	0	0	30000	42.375	2004
22.01.2020 11:07:02	1	1	1	1	106.5	62.25	0	27867.299	576.344086	16061.20729	30000	0	0	30000	43	2004
22.01.2020 11:07:03	1	1	1	1	106.5	63	0	27630.332	569.8924731	16006.57734	30000	0	0	30000	42.8125	2004
22.01.2020 11:07:04	1	1	1	1	106.5	62.75	0	27819.905	576.344086	15973.96244	30000	0	0	30000	42.5625	2004
22.01.2020 11:07:05	1	1	1	1	106.5	62.5	0	27630.332	576.344086	16102.79129	30000	0	0	30000	42.875	2004
22.01.2020 11:07:06	1	1	1	1	106.5	62.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	42.5	2004
22.01.2020 11:07:07	1	1	1	1	106.5	62.5	0	27914.692	576.344086	16000.86973	30000	0	0	30000	42.5625	2004
22.01.2020 11:07:08	1	1	1	1	106.5	62.5	0	27819.905	576.344086	16093.00682	30000	0	0	30000	42.625	2004
22.01.2020 11:07:09	1	1	1	1	106.5	62.5	0	27962.085	576.344086	16115.83725	30000	0	0	30000	42.5625	2004
22.01.2020 11:07:10	1	1	1	1	106.5	62.5	0	27819.905	576.344086	16033.48463	30000	0	0	30000	42.8125	2004
22.01.2020 11:07:11	1	1	1	1	106.3	62.75	0	27630.332	576.344086	16033.48463	30000	0	0	30000	42.4375	2004
22.01.2020 11:07:12	1	1	1	1	106.3	62.25	0	27867.299	576.344086	16120.72949	30000	0	0	30000	42.25	2004
22.01.2020 11:07:13	1	1	1	1	106.3	62.25	0	27630.332	576.344086	15924.22472	30000	0	0	30000	42.8125	2004
22.01.2020 11:07:14	1	1	1	1	106.3	62.75	0	27819.905	572.0430108	15973.96244	30000	0	0	30000	43.3125	2004
22.01.2020 11:07:15	1	1	1	1	106.3	63.25	0	27819.905	576.344086	16033.48463	30000	0	0	30000	42.75	2004
22.01.2020 11:07:16	1	1	1	1	106.3	62.75	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	42.5	2004
22.01.2020 11:07:17	1	1	1	1	106.3	62.5	0	28199.052	572.0430108	16070.17639	30000	0	0	30000	42.6875	2004
22.01.2020 11:07:18	1	1	1	1	106.3	62.75	0	28341.232	565.5913978	16090.5607	30000	0	0	30000	42.8125	2004
22.01.2020 11:07:19	1	1	1	1	106.3	62.75	0	28815.166	559.1397849	16111.76039	30000	0	0	30000	42.8125	2004
22.01.2020 11:07:20	1	1	1	1	106.3	62.75	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	42.875	2004
22.01.2020 11:07:21	1	1	1	1	106.3	62.75	0	28625.592	554.8387097	15794.58049	30000	0	0	30000	42.875	2004
22.01.2020 11:07:22	1	1	1	1	106.3	62.75	0	28483.412	554.8387097	15803.54959	30000	0	0	30000	42.8125	2004
22.01.2020 11:07:23	1	1	1	1	106.3	62.75	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	42.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 11:07:24	1	1	1	1	106.3	62	0	28672.986	556.9892473	15943.79366	30000	0	0	30000	42.375	2004
22.01.2020 11:07:25	1	1	1	1	106.3	62.25	0	28625.592	559.1397849	16235.69701	30000	0	0	30000	42.875	2004
22.01.2020 11:07:26	1	1	1	1	106.3	62.75	0	28436.019	556.9892473	15925.85546	30000	0	0	30000	42.625	2004
22.01.2020 11:07:27	1	1	1	1	106.3	62.5	0	28625.592	561.2903226	15978.85467	30000	0	0	30000	42.625	2004
22.01.2020 11:07:28	1	1	1	1	106.3	62.5	0	28815.166	556.9892473	15882.64072	30000	0	0	30000	43	2004
22.01.2020 11:07:29	1	1	1	1	106.3	63	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	42.875	2004
22.01.2020 11:07:31	1	1	1	1	105.8	62.75	0	28815.166	559.1397849	15987.82377	30000	0	0	30000	42.9375	2004
22.01.2020 11:07:37	1	1	1	1	105.8	62.75	0	28578.199	559.1397849	16040.00761	30000	0	0	30000	42.5	2004
22.01.2020 11:07:37	1	1	1	1	105.8	62.75	0	28578.199	559.1397849	16040.00761	30000	0	0	30000	42.5	2004
22.01.2020 11:07:37	1	1	1	1	105.8	62.75	0	28578.199	559.1397849	16040.00761	30000	0	0	30000	42.5	2004
22.01.2020 11:07:37	1	1	1	1	105.8	62.75	0	28578.199	559.1397849	16040.00761	30000	0	0	30000	42.5	2004
22.01.2020 11:07:37	1	1	1	1	105.8	62.75	0	28578.199	559.1397849	16040.00761	30000	0	0	30000	42.5	2004
22.01.2020 11:07:38	1	1	1	1	105.8	62.5	0	28388.626	563.4408602	15934.00919	30000	0	0	30000	42.9375	2004
22.01.2020 11:07:39	1	1	1	1	105.8	62.75	0	28199.052	561.2903226	15948.68589	30000	0	0	30000	42.8125	2004
22.01.2020 11:07:40	1	1	1	1	105.8	62.75	0	28199.052	563.4408602	16029.40777	30000	0	0	30000	42.9375	2004
22.01.2020 11:07:41	1	1	1	1	106	62.75	0	28341.232	569.8924731	16130.51396	30000	0	0	30000	42.9375	2004
22.01.2020 11:07:42	1	1	1	1	106	62.75	0	28293.839	565.5913978	16002.50048	30000	0	0	30000	42.75	2004
22.01.2020 11:07:43	1	1	1	1	106	62.75	0	28199.052	565.5913978	15888.34833	30000	0	0	30000	42.5625	2004
22.01.2020 11:07:44	1	1	1	1	106	62.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	42.6875	2004
22.01.2020 11:07:45	1	1	1	1	106	62.5	0	28009.479	561.2903226	15841.8721	30000	0	0	30000	42.5625	2004
22.01.2020 11:07:46	1	1	1	1	106	62.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	42.75	2004
22.01.2020 11:07:47	1	1	1	1	106	62.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	42.5	2004
22.01.2020 11:07:48	1	1	1	1	106	62.5	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	42.5	2004
22.01.2020 11:07:49	1	1	1	1	106	62.5	0	27962.085	567.7419355	15875.30237	30000	0	0	30000	42.875	2004
22.01.2020 11:07:50	1	1	1	1	106	62.75	0	27914.692	567.7419355	15907.91727	30000	0	0	30000	42.875	2004
22.01.2020 11:07:51	1	1	1	1	105.3	62.75	0	27867.299	569.8924731	15848.39508	30000	0	0	30000	42.9375	2004
22.01.2020 11:07:52	1	1	1	1	105.3	62.75	0	28009.479	572.0430108	15841.8721	30000	0	0	30000	42.75	2004
22.01.2020 11:07:53	1	1	1	1	105.3	62.75	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	43.0625	2004
22.01.2020 11:07:54	1	1	1	1	105.3	63	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	42.9375	2004
22.01.2020 11:07:55	1	1	1	1	105.3	62.75	0	28341.232	578.4946237	16070.17639	30000	0	0	30000	42.8125	2004
22.01.2020 11:07:56	1	1	1	1	105.3	62.75	0	28009.479	569.8924731	15934.82456	30000	0	0	30000	42.75	2004
22.01.2020 11:07:57	1	1	1	1	105.3	62.75	0	27962.085	569.8924731	15814.9648	30000	0	0	30000	43.1875	2004
22.01.2020 11:07:58	1	1	1	1	105.3	62.75	0	28009.479	569.8924731	16082.40698	30000	0	0	30000	42.8125	2004
22.01.2020 11:07:59	1	1	1	1	105.3	62.75	0	27914.692	569.8924731	15907.91727	30000	0	0	30000	42.875	2004
22.01.2020 11:08:00	1	1	1	1	104.5	62.75	0	27914.692	574.1935484	16027.77702	30000	0	0	30000	42.5625	2004
22.01.2020 11:08:01	1	1	1	1	104.5	62.5	0	27819.905	569.8924731	15854.10268	30000	0	0	30000	42.5625	2004
22.01.2020 11:08:02	1	1	1	1	104.5	62.5	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	42.875	2004
22.01.2020 11:08:03	1	1	1	1	104.5	62.75	0	27962.085	572.0430108	16055.49969	30000	0	0	30000	42.875	2004
22.01.2020 11:08:04	1	1	1	1	104.5	62.75	0	27867.299	569.8924731	15881.00997	30000	0	0	30000	43	2004
22.01.2020 11:08:05	1	1	1	1	104.5	63	0	27914.692	572.0430108	15941.34754	30000	0	0	30000	42.875	2004
22.01.2020 11:08:06	1	1	1	1	104.5	62.75	0	28009.479	569.8924731	16142.74454	30000	0	0	30000	42.3125	2004
22.01.2020 11:08:07	1	1	1	1	104.5	62.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	43.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 11:08:08	1	1	1	1	104.5	63	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	42.625	2004
22.01.2020 11:08:10	1	1	1	1	104.5	62.5	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	43	2004
22.01.2020 11:08:11	1	1	1	1	104	63	0	28293.839	565.5913978	16002.50048	30000	0	0	30000	42.6875	2004
22.01.2020 11:08:12	1	1	1	1	104	62.5	0	28388.626	563.4408602	15995.16212	30000	0	0	30000	42.5	2004
22.01.2020 11:08:13	1	1	1	1	104	62.5	0	28293.839	565.5913978	16090.5607	30000	0	0	30000	42.6875	2004
22.01.2020 11:08:14	1	1	1	1	104	62.5	0	28530.806	561.2903226	15987.0084	30000	0	0	30000	42.875	2004
22.01.2020 11:08:15	1	1	1	1	104	62.75	0	28578.199	556.9892473	15978.85467	30000	0	0	30000	42.5625	2004
22.01.2020 11:08:16	1	1	1	1	104	62.5	0	29052.133	554.8387097	16145.19066	30000	0	0	30000	43.0625	2004
22.01.2020 11:08:17	1	1	1	1	104	63	0	29431.28	550.5376344	16024.51553	30000	0	0	30000	42.625	2004
22.01.2020 11:08:18	1	1	1	1	104	62.5	0	29715.64	535.483871	15911.99413	30000	0	0	30000	42.625	2004
22.01.2020 11:08:19	1	1	1	1	104	62.5	0	30000	488.172043	14451.662	30000	0	0	30000	42.8125	2004
22.01.2020 11:08:20	1	1	1	1	104	62.75	0	30000	460.2150538	13741.47256	30000	0	0	30000	42.9375	2004
22.01.2020 11:08:21	1	1	1	1	103.8	62.75	0	30000	440.8602151	13225.34178	30000	0	0	30000	42.8125	2004
22.01.2020 11:08:22	1	1	1	1	103.8	62.75	0	30000	434.4086022	12988.06838	30000	0	0	30000	42.9375	2004
22.01.2020 11:08:23	1	1	1	1	103.8	62.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.5	2004
22.01.2020 11:08:24	1	1	1	1	103.8	62.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.75	2004
22.01.2020 11:08:25	1	1	1	1	103.8	62.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	42.875	2004
22.01.2020 11:08:26	1	1	1	1	103.8	62.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	42.9375	2004
22.01.2020 11:08:27	1	1	1	1	103.8	62.75	0	30000	419.3548387	12451.55328	30000	0	0	30000	42.8125	2004
22.01.2020 11:08:28	1	1	1	1	103.8	62.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	42.125	2004
22.01.2020 11:08:29	1	1	1	1	103.8	62	0	30000	423.655914	12773.62542	30000	0	0	30000	42.4375	2004
22.01.2020 11:08:30	1	1	1	1	103.8	62.25	0	30000	425.8064516	12838.03984	30000	0	0	30000	42.625	2004
22.01.2020 11:08:31	1	1	1	1	104.3	62.5	0	30000	438.7096774	13160.92735	30000	0	0	30000	42.9375	2004
22.01.2020 11:08:32	1	1	1	1	104.3	62.75	0	29952.607	438.7096774	13160.92735	30000	0	0	30000	43.375	2004
22.01.2020 11:08:38	1	1	1	1	104.3	62.25	0	29952.607	443.0107527	13354.17063	30000	0	0	30000	43.125	2004
22.01.2020 11:08:38	1	1	1	1	104.3	62.25	0	29952.607	443.0107527	13354.17063	30000	0	0	30000	43.125	2004
22.01.2020 11:08:38	1	1	1	1	104.3	62.25	0	29952.607	443.0107527	13354.17063	30000	0	0	30000	43.125	2004
22.01.2020 11:08:38	1	1	1	1	104.3	62.25	0	29952.607	443.0107527	13354.17063	30000	0	0	30000	43.125	2004
22.01.2020 11:08:38	1	1	1	1	104.3	62.25	0	29952.607	443.0107527	13354.17063	30000	0	0	30000	43.125	2004
22.01.2020 11:08:38	1	1	1	1	104.3	62.25	0	29952.607	443.0107527	13354.17063	30000	0	0	30000	43.125	2004
22.01.2020 11:08:39	1	1	1	1	104.3	63	0	30000	443.0107527	13289.7562	30000	0	0	30000	42.6875	2004
22.01.2020 11:08:40	1	1	1	1	103.5	62.5	0	30000	438.7096774	13160.92735	30000	0	0	30000	42.375	2004
22.01.2020 11:08:41	1	1	1	1	103.5	62.25	0	30000	425.8064516	12773.62542	30000	0	0	30000	42.625	2004
22.01.2020 11:08:42	1	1	1	1	103.5	62.5	0	30000	427.9569892	12967.68407	30000	0	0	30000	42.9375	2004
22.01.2020 11:08:43	1	1	1	1	103.5	62.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	43	2004
22.01.2020 11:08:44	1	1	1	1	103.5	63	0	30000	440.8602151	13225.34178	30000	0	0	30000	42.4375	2004
22.01.2020 11:08:45	1	1	1	1	103.5	62.25	0	30000	445.1612903	13333.78632	30000	0	0	30000	42.4375	2004
22.01.2020 11:08:46	1	1	1	1	103.5	62.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.5625	2004
22.01.2020 11:08:48	1	1	1	1	103.5	62.5	0	29952.607	445.1612903	13354.17063	30000	0	0	30000	42.5625	2004
22.01.2020 11:08:49	1	1	1	1	103.5	62.5	0	30000	438.7096774	13096.51292	30000	0	0	30000	42.3125	2004
22.01.2020 11:08:50	1	1	1	1	103.5	62.25	0	30000	440.8602151	13269.37189	30000	0	0	30000	42.8125	2004
22.01.2020 11:08:51	1	1	1	1	102.8	62.75	0	30000	432.2580645	12967.68407	30000	0	0	30000	42.9375	2004
22.01.2020 11:08:52	1	1	1	1	102.8	62.75	0	30047.393	445.1612903	13354.17063	30000	0	0	30000	43.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 11:08:53	1	1	1	1	102.8	63	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.6875	2004
22.01.2020 11:08:54	1	1	1	1	102.8	62.5	0	30000	464.516129	13935.53122	30000	0	0	30000	43	2004
22.01.2020 11:08:55	1	1	1	1	102.8	63	0	30000	468.8172043	14451.662	30000	0	0	30000	43	2004
22.01.2020 11:08:56	1	1	1	1	102.8	63	0	30047.393	490.3225806	14644.90528	30000	0	0	30000	42.9375	2004
22.01.2020 11:08:57	1	1	1	1	102.8	62.75	0	30000	496.7741935	14815.31813	30000	0	0	30000	42.625	2004
22.01.2020 11:08:58	1	1	1	1	102.8	62.5	0	29952.607	511.827957	15483.92357	30000	0	0	30000	42.4375	2004
22.01.2020 11:08:59	1	1	1	1	102.8	62.25	0	30047.393	507.5268817	15096.62164	30000	0	0	30000	43	2004
22.01.2020 11:09:00	1	1	1	1	102.8	63	0	29952.607	503.2258065	15008.56141	30000	0	0	30000	42.875	2004
22.01.2020 11:09:01	1	1	1	1	102.8	62.75	0	30000	526.8817204	15805.99571	30000	0	0	30000	43	2004
22.01.2020 11:09:02	1	1	1	1	102.8	63	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	42.625	2004
22.01.2020 11:09:03	1	1	1	1	102.8	62.5	0	30047.393	526.8817204	15805.99571	30000	0	0	30000	42.6875	2004
22.01.2020 11:09:04	1	1	1	1	102.8	62.5	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	43.1875	2004
22.01.2020 11:09:05	1	1	1	1	102.8	63	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	42.625	2004
22.01.2020 11:09:06	1	1	1	1	102.8	62.5	0	29715.64	533.3333333	15975.59318	30000	0	0	30000	42.8125	2004
22.01.2020 11:09:07	1	1	1	1	102.8	62.75	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	43.0625	2004
22.01.2020 11:09:08	1	1	1	1	102.8	63	0	29526.066	537.6344086	15963.3626	30000	0	0	30000	42.9375	2004
22.01.2020 11:09:09	1	1	1	1	102.8	62.75	0	29668.246	541.9354839	16078.33012	30000	0	0	30000	42.8125	2004
22.01.2020 11:09:10	1	1	1	1	102.8	62.75	0	29620.853	541.9354839	15988.63914	30000	0	0	30000	42.5625	2004
22.01.2020 11:09:11	1	1	1	1	102.5	62.5	0	29526.066	537.6344086	15963.3626	30000	0	0	30000	42.375	2004
22.01.2020 11:09:12	1	1	1	1	102.5	62.25	0	29526.066	541.9354839	16026.96165	30000	0	0	30000	42.8125	2004
22.01.2020 11:09:13	1	1	1	1	102.5	62.75	0	29668.246	533.3333333	16040.00761	30000	0	0	30000	43.125	2004
22.01.2020 11:09:14	1	1	1	1	102.5	62.75	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	43.0625	2004
22.01.2020 11:09:15	1	1	1	1	102.5	63	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	43.125	2004
22.01.2020 11:09:16	1	1	1	1	102.5	63	0	30000	533.3333333	16000.05436	30000	0	0	30000	42.4375	2004
22.01.2020 11:09:17	1	1	1	1	102.5	62.25	0	30000	509.6774194	15289.86492	30000	0	0	30000	43.125	2004
22.01.2020 11:09:21	1	1	1	1	102	63	0	30000	481.7204301	14451.662	30000	0	0	30000	43.0625	2004
22.01.2020 11:09:21	1	1	1	1	102	63	0	30000	481.7204301	14451.662	30000	0	0	30000	43.0625	2004
22.01.2020 11:09:21	1	1	1	1	102	63	0	30000	481.7204301	14451.662	30000	0	0	30000	43.0625	2004
22.01.2020 11:09:21	1	1	1	1	102	63	0	30000	470.9677419	14451.662	30000	0	0	30000	43.1875	2004
22.01.2020 11:09:22	1	1	1	1	102	63	0	30000	453.7634409	13612.64371	30000	0	0	30000	42.875	2004
22.01.2020 11:09:23	1	1	1	1	102	62.75	0	30000	427.9569892	12967.68407	30000	0	0	30000	43	2004
22.01.2020 11:09:24	1	1	1	1	102	63	0	29905.213	412.9032258	12580.38214	30000	0	0	30000	42.5625	2004
22.01.2020 11:09:26	1	1	1	1	102	62.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	43	2004
22.01.2020 11:09:27	1	1	1	1	102	63	0	30000	412.9032258	12193.08021	30000	0	0	30000	42.875	2004
22.01.2020 11:09:28	1	1	1	1	102	62.75	0	30000	389.2473118	11548.12057	30000	0	0	30000	43.125	2004
22.01.2020 11:09:29	1	1	1	1	102	63	0	30000	387.0967742	11676.94942	30000	0	0	30000	42.8125	2004
22.01.2020 11:09:30	1	1	1	1	102	62.75	0	30000	389.2473118	11676.94942	30000	0	0	30000	42.25	2004
22.01.2020 11:09:31	1	1	1	1	102	62.25	0	29952.607	400	11916.66893	30000	0	0	30000	43	2004
22.01.2020 11:09:32	1	1	1	1	102	63	0	30000	412.9032258	12451.55328	30000	0	0	30000	43	2004
22.01.2020 11:09:33	1	1	1	1	102	63	0	30000	425.8064516	12838.03984	30000	0	0	30000	42.5	2004
22.01.2020 11:09:34	1	1	1	1	102	62.5	0	30000	432.2580645	12838.03984	30000	0	0	30000	43.3125	2004
22.01.2020 11:09:40	1	1	1	1	102	62.75	0	30000	468.8172043	13977.93058	30000	0	0	30000	43.0625	2004
22.01.2020 11:09:40	1	1	1	1	102	62.75	0	30000	468.8172043	13977.93058	30000	0	0	30000	43.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 11:09:40	1	1	1	1	102	62.75	0	30000	468.8172043	13977.93058	30000	0	0	30000	43.0625	2004
22.01.2020 11:09:40	1	1	1	1	102	62.75	0	30000	468.8172043	13977.93058	30000	0	0	30000	43.0625	2004
22.01.2020 11:09:40	1	1	1	1	102	62.75	0	30000	468.8172043	13977.93058	30000	0	0	30000	43.0625	2004
22.01.2020 11:09:40	1	1	1	1	102	62.75	0	30000	468.8172043	13977.93058	30000	0	0	30000	43.0625	2004
22.01.2020 11:09:41	1	1	1	1	101.3	63	0	30000	483.8709677	14516.07643	30000	0	0	30000	43.0625	2004
22.01.2020 11:09:42	1	1	1	1	101.3	63	0	30000	518.2795699	15548.338	30000	0	0	30000	43	2004
22.01.2020 11:09:43	1	1	1	1	101.3	63	0	30000	535.483871	15934.82456	30000	0	0	30000	42.3125	2004
22.01.2020 11:09:44	1	1	1	1	101.3	62.25	0	29952.607	529.0322581	15974.77781	30000	0	0	30000	42.6875	2004
22.01.2020 11:09:45	1	1	1	1	101.3	62.5	0	29952.607	533.3333333	16000.05436	30000	0	0	30000	42.5625	2004
22.01.2020 11:09:46	1	1	1	1	101.3	62.5	0	29905.213	535.483871	16013.10032	30000	0	0	30000	43.125	2004
22.01.2020 11:09:47	1	1	1	1	101.3	63	0	29810.427	533.3333333	15962.54722	30000	0	0	30000	43.0625	2004
22.01.2020 11:09:48	1	1	1	1	101.3	63	0	29715.64	541.9354839	16090.5607	30000	0	0	30000	42.75	2004
22.01.2020 11:09:49	1	1	1	1	101.3	62.75	0	29810.427	537.6344086	16040.00761	30000	0	0	30000	43.1875	2004
22.01.2020 11:09:50	1	1	1	1	101.3	63	0	29668.246	544.0860215	16013.91569	30000	0	0	30000	43.3125	2004
22.01.2020 11:09:51	1	1	1	1	101	63.25	0	29383.886	537.6344086	15885.90221	30000	0	0	30000	43.4375	2004
22.01.2020 11:09:52	1	1	1	1	101	63	0	29431.28	539.7849462	15885.90221	30000	0	0	30000	42.625	2004
22.01.2020 11:09:53	1	1	1	1	101	62.5	0	29526.066	539.7849462	16000.86973	30000	0	0	30000	43	2004
22.01.2020 11:09:54	1	1	1	1	101	63	0	29526.066	544.0860215	15911.99413	30000	0	0	30000	43.1875	2004
22.01.2020 11:09:55	1	1	1	1	101	63	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	41.5625	2004
22.01.2020 11:09:56	1	1	1	1	101	61.5	0	29383.886	541.9354839	15885.90221	30000	0	0	30000	42.75	2004
22.01.2020 11:09:57	1	1	1	1	101	62.75	0	29478.673	541.9354839	16000.86973	30000	0	0	30000	42.9375	2004
22.01.2020 11:09:58	1	1	1	1	101	62.75	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	42.9375	2004
22.01.2020 11:09:59	1	1	1	1	101	62.75	0	29431.28	539.7849462	15949.50126	30000	0	0	30000	43.0625	2004
22.01.2020 11:10:00	1	1	1	1	100.5	63	0	29431.28	541.9354839	16013.10032	30000	0	0	30000	42.8125	2004
22.01.2020 11:10:01	1	1	1	1	100.5	62.75	0	29526.066	537.6344086	16000.86973	30000	0	0	30000	43.125	2004
22.01.2020 11:10:02	1	1	1	1	100.5	63	0	29526.066	541.9354839	16064.46878	30000	0	0	30000	43.125	2004
22.01.2020 11:10:04	1	1	1	1	100.5	63	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	42.9375	2004
22.01.2020 11:10:05	1	1	1	1	100.5	62.75	0	29146.919	541.9354839	15732.61218	30000	0	0	30000	42.4375	2004
22.01.2020 11:10:06	1	1	1	1	100.5	62.25	0	29383.886	544.0860215	16075.884	30000	0	0	30000	43.25	2004
22.01.2020 11:10:07	1	1	1	1	100.5	63.25	0	29478.673	550.5376344	16013.10032	30000	0	0	30000	42.875	2004
22.01.2020 11:10:08	1	1	1	1	100.5	62.75	0	29478.673	544.0860215	16038.37687	30000	0	0	30000	43.0625	2004
22.01.2020 11:10:09	1	1	1	1	100.5	63	0	29431.28	541.9354839	16013.10032	30000	0	0	30000	42.6875	2004
22.01.2020 11:10:10	1	1	1	1	100.5	62.5	0	29336.493	546.2365591	16087.29921	30000	0	0	30000	42.1875	2004
22.01.2020 11:10:11	1	1	1	1	100	62	0	29052.133	546.2365591	16082.40698	30000	0	0	30000	43.125	2004
22.01.2020 11:10:12	1	1	1	1	100	63	0	29336.493	548.3870968	16087.29921	30000	0	0	30000	42.9375	2004
22.01.2020 11:10:13	1	1	1	1	100	62.75	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	43.1875	2004
22.01.2020 11:10:14	1	1	1	1	100	63	0	29146.919	546.2365591	16108.4989	30000	0	0	30000	42.5625	2004
22.01.2020 11:10:15	1	1	1	1	100	62.5	0	29241.706	546.2365591	15920.96323	30000	0	0	30000	42.9375	2004
22.01.2020 11:10:16	1	1	1	1	100	62.75	0	29620.853	539.7849462	16052.2382	30000	0	0	30000	43	2004
22.01.2020 11:10:17	1	1	1	1	100	63	0	29905.213	533.3333333	15924.22472	30000	0	0	30000	42.9375	2004
22.01.2020 11:10:18	1	1	1	1	100	62.75	0	30000	522.5806452	15805.99571	30000	0	0	30000	42.625	2004
22.01.2020 11:10:19	1	1	1	1	100	62.5	0	30000	522.5806452	15677.16685	30000	0	0	30000	43.0625	2004
22.01.2020 11:10:20	1	1	1	1	100	63	0	30000	535.483871	15934.82456	30000	0	0	30000	42.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 11:10:21	1	1	1	1	100	62.5	0	30000	524.7311828	15677.16685	30000	0	0	30000	43.125	2004
22.01.2020 11:10:22	1	1	1	1	100	63	0	30000	516.1290323	15483.92357	30000	0	0	30000	43	2004
22.01.2020 11:10:23	1	1	1	1	100	63	0	30000	516.1290323	15548.338	30000	0	0	30000	43.125	2004
22.01.2020 11:10:24	1	1	1	1	100	63	0	30000	496.7741935	15184.68187	30000	0	0	30000	43.125	2004
22.01.2020 11:10:25	1	1	1	1	100	63	0	30000	496.7741935	14902.56299	30000	0	0	30000	43.0625	2004
22.01.2020 11:10:26	1	1	1	1	100	63	0	30000	505.3763441	15096.62164	30000	0	0	30000	42.75	2004
22.01.2020 11:10:27	1	1	1	1	100	62.75	0	29952.607	503.2258065	15032.20721	30000	0	0	30000	42.625	2004
22.01.2020 11:10:28	1	1	1	1	100	62.5	0	29952.607	498.9247312	14791.67233	30000	0	0	30000	42.875	2004
22.01.2020 11:10:29	1	1	1	1	100	62.75	0	29952.607	496.7741935	15096.62164	30000	0	0	30000	43.3125	2004
22.01.2020 11:10:30	1	1	1	1	100	63.25	0	29952.607	509.6774194	15289.86492	30000	0	0	30000	42.875	2004
22.01.2020 11:10:31	1	1	1	1	100	63.25	0	29905.213	522.5806452	15677.16685	30000	0	0	30000	43.125	2004
22.01.2020 11:10:32	1	1	1	1	100	63	0	30000	533.3333333	16000.05436	30000	0	0	30000	42.75	2004
22.01.2020 11:10:33	1	1	1	1	100	62.75	0	30000	524.7311828	15677.16685	30000	0	0	30000	43	2004
22.01.2020 11:10:34	1	1	1	1	100	63	0	30000	503.2258065	14879.73256	30000	0	0	30000	43	2004
22.01.2020 11:10:35	1	1	1	1	100	63	0	29905.213	481.7204301	14406.00114	30000	0	0	30000	42.75	2004
22.01.2020 11:10:42	1	1	1	1	99.5	63	0	30000	453.7634409	13612.64371	30000	0	0	30000	43.125	2004
22.01.2020 11:10:42	1	1	1	1	99.5	63	0	30000	453.7634409	13612.64371	30000	0	0	30000	43.125	2004
22.01.2020 11:10:42	1	1	1	1	99.5	63	0	30000	453.7634409	13612.64371	30000	0	0	30000	43.125	2004
22.01.2020 11:10:42	1	1	1	1	99.5	63	0	30000	453.7634409	13612.64371	30000	0	0	30000	43.125	2004
22.01.2020 11:10:42	1	1	1	1	99.5	63	0	30000	453.7634409	13612.64371	30000	0	0	30000	43.125	2004
22.01.2020 11:10:42	1	1	1	1	99.5	63	0	30000	453.7634409	13612.64371	30000	0	0	30000	43.125	2004
22.01.2020 11:10:43	1	1	1	1	99.5	63	0	29905.213	445.1612903	13612.64371	30000	0	0	30000	43.0625	2004
22.01.2020 11:10:44	1	1	1	1	99.5	63	0	29952.607	445.1612903	13333.78632	30000	0	0	30000	43.125	2004
22.01.2020 11:10:45	1	1	1	1	99.5	63	0	30000	438.7096774	13160.92735	30000	0	0	30000	43.125	2004
22.01.2020 11:10:46	1	1	1	1	99.5	63	0	29905.213	434.4086022	12967.68407	30000	0	0	30000	42.8125	2004
22.01.2020 11:10:47	1	1	1	1	99.5	62.75	0	30000	438.7096774	13160.92735	30000	0	0	30000	42.75	2004
22.01.2020 11:10:48	1	1	1	1	99.5	62.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.1875	2004
22.01.2020 11:10:49	1	1	1	1	99.5	62	0	30000	427.9569892	12838.03984	30000	0	0	30000	43.125	2004
22.01.2020 11:10:50	1	1	1	1	99.5	63	0	30000	419.3548387	12709.21099	30000	0	0	30000	43	2004
22.01.2020 11:10:51	1	1	1	1	99.25	63	0	30000	423.655914	12580.38214	30000	0	0	30000	43.1875	2004
22.01.2020 11:10:52	1	1	1	1	99.25	63	0	30000	419.3548387	12580.38214	30000	0	0	30000	43.125	2004
22.01.2020 11:10:53	1	1	1	1	99.25	63	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	43.125	2004
22.01.2020 11:10:54	1	1	1	1	99.25	63	0	30000	419.3548387	12580.38214	30000	0	0	30000	43.0625	2004
22.01.2020 11:10:55	1	1	1	1	99.25	63	0	30000	425.8064516	12709.21099	30000	0	0	30000	42.75	2004
22.01.2020 11:10:56	1	1	1	1	99.25	62.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	43.1875	2004
22.01.2020 11:10:57	1	1	1	1	99.25	63	0	29952.607	419.3548387	12709.21099	30000	0	0	30000	43.1875	2004
22.01.2020 11:10:58	1	1	1	1	99.25	63	0	30000	419.3548387	12580.38214	30000	0	0	30000	42.75	2004
22.01.2020 11:10:59	1	1	1	1	99.25	62.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	42.875	2004
22.01.2020 11:11:00	1	1	1	1	99.25	62.75	0	30000	438.7096774	13225.34178	30000	0	0	30000	43.25	2004
22.01.2020 11:11:01	1	1	1	1	99	63.25	0	30000	453.7634409	13612.64371	30000	0	0	30000	42.875	2004
22.01.2020 11:11:02	1	1	1	1	99	62.75	0	30000	468.8172043	14064.36007	30000	0	0	30000	43	2004
22.01.2020 11:11:03	1	1	1	1	99	63	0	30000	466.6666667	13999.94564	30000	0	0	30000	43.0625	2004
22.01.2020 11:11:04	1	1	1	1	99	63	0	30000	481.7204301	14451.662	30000	0	0	30000	43.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 11:11:49	1	1	1	1	98	63	0	29905.213	535.483871	16013.10032	30000	0	0	30000	43	2004
22.01.2020 11:11:50	1	1	1	1	97.75	63	0	29857.82	533.3333333	16013.10032	30000	0	0	30000	43	2004
22.01.2020 11:11:51	1	1	1	1	97.75	63	0	29810.427	537.6344086	16026.96165	30000	0	0	30000	42.5	2004
22.01.2020 11:11:52	1	1	1	1	97.75	62.5	0	29810.427	537.6344086	16026.96165	30000	0	0	30000	42.875	2004
22.01.2020 11:11:53	1	1	1	1	97.75	62.75	0	29715.64	535.483871	15911.99413	30000	0	0	30000	43.125	2004
22.01.2020 11:11:54	1	1	1	1	97.75	63	0	29668.246	544.0860215	16167.20572	30000	0	0	30000	43.0625	2004
22.01.2020 11:11:55	1	1	1	1	97.75	63	0	29573.46	541.9354839	15937.27068	30000	0	0	30000	43.375	2004
22.01.2020 11:11:56	1	1	1	1	97.75	63.25	0	29573.46	544.0860215	16115.83725	30000	0	0	30000	42.9375	2004
22.01.2020 11:11:57	1	1	1	1	97.75	62.75	0	29478.673	541.9354839	16064.46878	30000	0	0	30000	43.1875	2004
22.01.2020 11:11:59	1	1	1	1	97.75	63	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	43.375	2004
22.01.2020 11:12:00	1	1	1	1	97.75	63.25	0	29336.493	546.2365591	16061.20729	30000	0	0	30000	43.125	2004
22.01.2020 11:12:01	1	1	1	1	97.75	63	0	29336.493	550.5376344	16150.89827	30000	0	0	30000	43.0625	2004
22.01.2020 11:12:02	1	1	1	1	97.75	63	0	28957.346	559.1397849	15951.94738	30000	0	0	30000	43.0625	2004
22.01.2020 11:12:03	1	1	1	1	97.75	63	0	29241.706	550.5376344	16224.28179	30000	0	0	30000	43.375	2004
22.01.2020 11:12:04	1	1	1	1	97.75	63.25	0	28862.559	550.5376344	16004.13122	30000	0	0	30000	43.125	2004
22.01.2020 11:12:05	1	1	1	1	97.75	63	0	28862.559	552.688172	15889.97907	30000	0	0	30000	43.25	2004
22.01.2020 11:12:06	1	1	1	1	97.75	63.25	0	28957.346	559.1397849	15942.16291	30000	0	0	30000	43.1875	2004
22.01.2020 11:12:07	1	1	1	1	97.75	63	0	28815.166	556.9892473	15863.88715	30000	0	0	30000	42.75	2004
22.01.2020 11:12:08	1	1	1	1	97.75	62.75	0	28957.346	552.688172	16066.09953	30000	0	0	30000	43.0625	2004
22.01.2020 11:12:09	1	1	1	1	97.75	63	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	42.625	2004
22.01.2020 11:12:10	1	1	1	1	97.75	62.5	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	43.25	2004
22.01.2020 11:12:11	1	1	1	1	97.25	63.25	0	29052.133	550.5376344	16082.40698	30000	0	0	30000	43.125	2004
22.01.2020 11:12:12	1	1	1	1	97.25	63	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	43	2004
22.01.2020 11:12:13	1	1	1	1	97.25	63	0	29289.1	548.3870968	16150.89827	30000	0	0	30000	43.375	2004
22.01.2020 11:12:14	1	1	1	1	97.25	63.25	0	29526.066	541.9354839	15759.51947	30000	0	0	30000	42.375	2004
22.01.2020 11:12:15	1	1	1	1	97.25	62.25	0	30000	529.0322581	16064.46878	30000	0	0	30000	43	2004
22.01.2020 11:12:16	1	1	1	1	97.25	63	0	30000	483.8709677	14580.49085	30000	0	0	30000	43.1875	2004
22.01.2020 11:12:17	1	1	1	1	97.25	63	0	29952.607	445.1612903	13354.17063	30000	0	0	30000	43.3125	2004
22.01.2020 11:12:18	1	1	1	1	97.25	63.25	0	30000	425.8064516	12773.62542	30000	0	0	30000	43.125	2004
22.01.2020 11:12:19	1	1	1	1	97.25	63	0	30000	438.7096774	13096.51292	30000	0	0	30000	43.1875	2004
22.01.2020 11:12:20	1	1	1	1	97.25	63	0	30000	445.1612903	13354.17063	30000	0	0	30000	42.6875	2004
22.01.2020 11:12:21	1	1	1	1	96.75	62.5	0	30000	449.4623656	13483.81486	30000	0	0	30000	42.6875	2004
22.01.2020 11:12:22	1	1	1	1	96.75	62.5	0	30000	438.7096774	13160.92735	30000	0	0	30000	42.9375	2004
22.01.2020 11:12:23	1	1	1	1	96.75	62.75	0	30000	445.1612903	13204.95746	30000	0	0	30000	42.9375	2004
22.01.2020 11:12:24	1	1	1	1	96.75	62.75	0	30000	436.5591398	13096.51292	30000	0	0	30000	43.5625	2004
22.01.2020 11:12:25	1	1	1	1	96.75	63.5	0	29952.607	425.8064516	12798.08659	30000	0	0	30000	43.1875	2004
22.01.2020 11:12:26	1	1	1	1	96.75	63	0	30000	419.3548387	12580.38214	30000	0	0	30000	43.8125	2004
22.01.2020 11:12:27	1	1	1	1	96.75	63.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	43.5	2004
22.01.2020 11:12:28	1	1	1	1	96.75	63.5	0	30000	425.8064516	12773.62542	30000	0	0	30000	43.3125	2004
22.01.2020 11:12:29	1	1	1	1	96.75	63.25	0	30000	419.3548387	12560.8132	30000	0	0	30000	43.375	2004
22.01.2020 11:12:30	1	1	1	1	97.25	63.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	43	2004
22.01.2020 11:12:31	1	1	1	1	97.25	63	0	30000	402.1505376	12064.25135	30000	0	0	30000	43.3125	2004
22.01.2020 11:12:32	1	1	1	1	97.25	63.25	0	30000	384.9462366	11548.12057	30000	0	0	30000	43.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 11:12:33	1	1	1	1	97.25	63.5	0	30000	382.7956989	11419.29171	30000	0	0	30000	43.4375	2004
22.01.2020 11:12:34	1	1	1	1	97.25	63.25	0	30000	378.4946237	11419.29171	30000	0	0	30000	42.6875	2004
22.01.2020 11:12:36	1	1	1	1	97.25	62.5	0	30000	384.9462366	11483.70614	30000	0	0	30000	42.75	2004
22.01.2020 11:12:37	1	1	1	1	97.25	62.75	0	29905.213	378.4946237	11160.81863	30000	0	0	30000	43.125	2004
22.01.2020 11:12:38	1	1	1	1	97.25	63	0	30000	369.8924731	11096.40421	30000	0	0	30000	43	2004
22.01.2020 11:12:39	1	1	1	1	97.25	63	0	30000	378.4946237	11354.87729	30000	0	0	30000	42.625	2004
22.01.2020 11:12:45	1	1	1	1	96.75	63.25	0	30000	404.3010753	12426.27674	30000	0	0	30000	43.375	2004
22.01.2020 11:12:45	1	1	1	1	96.75	63.25	0	30000	404.3010753	12426.27674	30000	0	0	30000	43.375	2004
22.01.2020 11:12:45	1	1	1	1	96.75	63.25	0	30000	404.3010753	12426.27674	30000	0	0	30000	43.375	2004
22.01.2020 11:12:45	1	1	1	1	96.75	63.25	0	30000	404.3010753	12426.27674	30000	0	0	30000	43.375	2004
22.01.2020 11:12:45	1	1	1	1	96.75	63.25	0	30000	404.3010753	12426.27674	30000	0	0	30000	43.375	2004
22.01.2020 11:12:46	1	1	1	1	96.75	63.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	43.4375	2004
22.01.2020 11:12:47	1	1	1	1	96.75	63.25	0	29952.607	421.5053763	12709.21099	30000	0	0	30000	43.25	2004
22.01.2020 11:12:48	1	1	1	1	96.75	63.25	0	30000	440.8602151	13375.37032	30000	0	0	30000	42.9375	2004
22.01.2020 11:12:49	1	1	1	1	96.75	62.75	0	30000	492.4731183	14469.6002	30000	0	0	30000	43.0625	2004
22.01.2020 11:12:50	1	1	1	1	96.75	63	0	30000	494.6236559	14902.56299	30000	0	0	30000	43.0625	2004
22.01.2020 11:12:51	1	1	1	1	96.5	63	0	30000	516.1290323	15418.69377	30000	0	0	30000	43	2004
22.01.2020 11:12:52	1	1	1	1	96.5	63	0	30000	509.6774194	15289.86492	30000	0	0	30000	43.3125	2004
22.01.2020 11:12:53	1	1	1	1	96.5	63.25	0	30000	520.4301075	15677.16685	30000	0	0	30000	43.25	2004
22.01.2020 11:12:54	1	1	1	1	96.5	63.25	0	30000	529.0322581	15781.53453	30000	0	0	30000	43.4375	2004
22.01.2020 11:12:55	1	1	1	1	96.5	63.25	0	29952.607	533.3333333	16000.05436	30000	0	0	30000	43.125	2004
22.01.2020 11:12:56	1	1	1	1	96.5	63	0	29905.213	533.3333333	15974.77781	30000	0	0	30000	43	2004
22.01.2020 11:12:57	1	1	1	1	96.5	63	0	29905.213	537.6344086	16077.51474	30000	0	0	30000	43.125	2004
22.01.2020 11:12:58	1	1	1	1	96.5	63	0	29952.607	535.483871	16168.02109	30000	0	0	30000	43.3125	2004
22.01.2020 11:12:59	1	1	1	1	96.5	63.25	0	30000	535.483871	16064.46878	30000	0	0	30000	43.25	2004
22.01.2020 11:13:00	1	1	1	1	96.5	63.25	0	29857.82	535.483871	15987.82377	30000	0	0	30000	43.0625	2004
22.01.2020 11:13:01	1	1	1	1	96.5	63	0	29526.066	537.6344086	15836.16449	30000	0	0	30000	43.25	2004
22.01.2020 11:13:02	1	1	1	1	96.5	63.25	0	29810.427	537.6344086	16026.96165	30000	0	0	30000	43.5625	2004
22.01.2020 11:13:03	1	1	1	1	96.5	63.5	0	29905.213	537.6344086	16052.2382	30000	0	0	30000	43.375	2004
22.01.2020 11:13:04	1	1	1	1	96.5	63.25	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	43.625	2004
22.01.2020 11:13:05	1	1	1	1	96.5	63.5	0	29810.427	539.7849462	15925.04009	30000	0	0	30000	43.5	2004
22.01.2020 11:13:06	1	1	1	1	96.5	63.5	0	29810.427	537.6344086	16026.96165	30000	0	0	30000	43.125	2004
22.01.2020 11:13:07	1	1	1	1	96.5	63	0	29526.066	539.7849462	15873.67162	30000	0	0	30000	43.25	2004
22.01.2020 11:13:08	1	1	1	1	96.5	63.25	0	29526.066	537.6344086	15810.07257	30000	0	0	30000	43.0625	2004
22.01.2020 11:13:09	1	1	1	1	96.5	63	0	29715.64	537.6344086	15911.99413	30000	0	0	30000	43.375	2004
22.01.2020 11:13:10	1	1	1	1	96	63.25	0	29857.82	535.483871	15987.82377	30000	0	0	30000	43.1875	2004
22.01.2020 11:13:11	1	1	1	1	96	63	0	30000	535.483871	16000.05436	30000	0	0	30000	43.5	2004
22.01.2020 11:13:12	1	1	1	1	96	63.5	0	29810.427	537.6344086	15962.54722	30000	0	0	30000	43.375	2004
22.01.2020 11:13:13	1	1	1	1	96	63.25	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	43.625	2004
22.01.2020 11:13:15	1	1	1	1	96	63.5	0	30047.393	533.3333333	15960.10111	30000	0	0	30000	43.25	2004
22.01.2020 11:13:16	1	1	1	1	96	63.25	0	30000	503.2258065	15096.62164	30000	0	0	30000	43.4375	2004
22.01.2020 11:13:17	1	1	1	1	96	63.25	0	30000	529.0322581	15934.82456	30000	0	0	30000	43.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 11:13:18	1	1	1	1	96	63.25	0	29952.607	531.1827957	15627.42913	30000	0	0	30000	43.3125	2004
22.01.2020 11:13:19	1	1	1	1	96	63.25	0	30000	518.2795699	15548.338	30000	0	0	30000	43.375	2004
22.01.2020 11:13:20	1	1	1	1	96	63.25	0	30000	524.7311828	15805.99571	30000	0	0	30000	43.0625	2004
22.01.2020 11:13:21	1	1	1	1	95.75	63	0	29952.607	516.1290323	15548.338	30000	0	0	30000	43.3125	2004
22.01.2020 11:13:22	1	1	1	1	95.75	63.25	0	30000	524.7311828	15805.99571	30000	0	0	30000	42.75	2004
22.01.2020 11:13:23	1	1	1	1	95.75	62.75	0	30000	503.2258065	14967.79279	30000	0	0	30000	42.875	2004
22.01.2020 11:13:24	1	1	1	1	95.75	62.75	0	30000	520.4301075	15677.16685	30000	0	0	30000	42.5	2004
22.01.2020 11:13:25	1	1	1	1	95.75	62.5	0	30000	524.7311828	15741.58128	30000	0	0	30000	43.1875	2004
22.01.2020 11:13:26	1	1	1	1	95.75	63	0	30000	516.1290323	15483.92357	30000	0	0	30000	43.4375	2004
22.01.2020 11:13:27	1	1	1	1	95.75	63.25	0	29810.427	537.6344086	16026.96165	30000	0	0	30000	43	2004
22.01.2020 11:13:28	1	1	1	1	95.75	63	0	29952.607	524.7311828	15934.82456	30000	0	0	30000	43.4375	2004
22.01.2020 11:13:29	1	1	1	1	95.75	63.25	0	29905.213	537.6344086	16013.10032	30000	0	0	30000	42.9375	2004
22.01.2020 11:13:30	1	1	1	1	95.75	62.75	0	29668.246	537.6344086	15950.31664	30000	0	0	30000	43.125	2004
22.01.2020 11:13:31	1	1	1	1	95.5	63	0	30000	516.1290323	15548.338	30000	0	0	30000	42.9375	2004
22.01.2020 11:13:32	1	1	1	1	95.5	62.75	0	30000	509.6774194	15289.86492	30000	0	0	30000	43	2004
22.01.2020 11:13:33	1	1	1	1	95.5	63	0	30000	535.483871	15910.36338	30000	0	0	30000	42.6875	2004
22.01.2020 11:13:34	1	1	1	1	95.5	62.5	0	30000	533.3333333	16000.05436	30000	0	0	30000	42.8125	2004
22.01.2020 11:13:35	1	1	1	1	95.5	62.75	0	30000	529.0322581	15805.99571	30000	0	0	30000	42.8125	2004
22.01.2020 11:13:36	1	1	1	1	95.5	62.75	0	29810.427	535.483871	15962.54722	30000	0	0	30000	43.375	2004
22.01.2020 11:13:37	1	1	1	1	95.5	63.25	0	30000	529.0322581	15870.41013	30000	0	0	30000	43.4375	2004
22.01.2020 11:13:38	1	1	1	1	95.5	63.25	0	30000	488.172043	14644.90528	30000	0	0	30000	43.25	2004
22.01.2020 11:13:39	1	1	1	1	95.5	63.25	0	30000	460.2150538	13935.53122	30000	0	0	30000	43.3125	2004
22.01.2020 11:13:40	1	1	1	1	95.5	63.25	0	30000	481.7204301	14451.662	30000	0	0	30000	43.5	2004
22.01.2020 11:13:47	1	1	1	1	95.5	63	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	43.1875	2004
22.01.2020 11:13:47	1	1	1	1	95.5	63	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	43.1875	2004
22.01.2020 11:13:47	1	1	1	1	95.5	63	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	43.1875	2004
22.01.2020 11:13:47	1	1	1	1	95.5	63	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	43.1875	2004
22.01.2020 11:13:47	1	1	1	1	95.5	63	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	43.1875	2004
22.01.2020 11:13:47	1	1	1	1	95.5	63	0	29952.607	533.3333333	16064.46878	30000	0	0	30000	43.125	2004
22.01.2020 11:13:48	1	1	1	1	95.5	63	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	43.5	2004
22.01.2020 11:13:49	1	1	1	1	95.5	63.5	0	29336.493	541.9354839	15898.1328	30000	0	0	30000	43.1875	2004
22.01.2020 11:13:50	1	1	1	1	95.5	63	0	29526.066	554.8387097	16064.46878	30000	0	0	30000	43.375	2004
22.01.2020 11:13:51	1	1	1	1	95.5	63.25	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	43.5	2004
22.01.2020 11:13:52	1	1	1	1	95.5	63.5	0	29241.706	546.2365591	16035.11538	30000	0	0	30000	43.375	2004
22.01.2020 11:13:54	1	1	1	1	95.5	63.25	0	29336.493	550.5376344	16087.29921	30000	0	0	30000	43.4375	2004
22.01.2020 11:13:55	1	1	1	1	95.5	63.25	0	29241.706	550.5376344	16213.68195	30000	0	0	30000	43.25	2004
22.01.2020 11:13:56	1	1	1	1	95.5	63.25	0	29526.066	539.7849462	15937.27068	30000	0	0	30000	43.75	2004
22.01.2020 11:13:57	1	1	1	1	95.5	63.75	0	29383.886	544.0860215	15898.1328	30000	0	0	30000	43.4375	2004
22.01.2020 11:13:58	1	1	1	1	95.5	63.25	0	29478.673	544.0860215	16101.97592	30000	0	0	30000	43.3125	2004
22.01.2020 11:13:59	1	1	1	1	95.5	63.25	0	29383.886	544.0860215	15987.0084	30000	0	0	30000	43.375	2004
22.01.2020 11:14:00	1	1	1	1	95.5	63.25	0	29146.919	552.688172	15983.74691	30000	0	0	30000	43.5	2004
22.01.2020 11:14:01	1	1	1	1	95.5	63.5	0	29289.1	550.5376344	16098.71443	30000	0	0	30000	43.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 11:14:02	1	1	1	1	95.5	63	0	29052.133	546.2365591	15931.56307	30000	0	0	30000	43.0625	2004
22.01.2020 11:14:03	1	1	1	1	95.5	63	0	29241.706	544.0860215	16087.29921	30000	0	0	30000	43.375	2004
22.01.2020 11:14:04	1	1	1	1	95.5	63.25	0	29146.919	546.2365591	15858.17955	30000	0	0	30000	43.625	2004
22.01.2020 11:14:05	1	1	1	1	95.5	63.5	0	29431.28	546.2365591	16075.884	30000	0	0	30000	43.1875	2004
22.01.2020 11:14:06	1	1	1	1	95.5	63	0	29289.1	546.2365591	16087.29921	30000	0	0	30000	42.875	2004
22.01.2020 11:14:07	1	1	1	1	95.5	62.75	0	29146.919	552.688172	15983.74691	30000	0	0	30000	43.125	2004
22.01.2020 11:14:08	1	1	1	1	95.5	63	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	43.0625	2004
22.01.2020 11:14:09	1	1	1	1	95.5	63	0	29241.706	550.5376344	16035.11538	30000	0	0	30000	43.125	2004
22.01.2020 11:14:10	1	1	1	1	95.5	63	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	43	2004
22.01.2020 11:14:11	1	1	1	1	95.25	63	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	43.375	2004
22.01.2020 11:14:12	1	1	1	1	95.25	63.25	0	29431.28	539.7849462	16318.04963	30000	0	0	30000	43.375	2004
22.01.2020 11:14:13	1	1	1	1	95.25	63.25	0	29336.493	550.5376344	16124.80635	30000	0	0	30000	43.1875	2004
22.01.2020 11:14:14	1	1	1	1	95.25	63	0	29336.493	546.2365591	16087.29921	30000	0	0	30000	42.875	2004
22.01.2020 11:14:15	1	1	1	1	95.25	62.75	0	29478.673	539.7849462	15759.51947	30000	0	0	30000	43.3125	2004
22.01.2020 11:14:16	1	1	1	1	95.25	63.25	0	29526.066	535.483871	16052.2382	30000	0	0	30000	43.3125	2004
22.01.2020 11:14:17	1	1	1	1	95.25	63.25	0	29857.82	535.483871	15898.94817	30000	0	0	30000	43.375	2004
22.01.2020 11:14:18	1	1	1	1	95.25	63.25	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	43.4375	2004
22.01.2020 11:14:19	1	1	1	1	95.25	63.25	0	29905.213	533.3333333	15924.22472	30000	0	0	30000	43.1875	2004
22.01.2020 11:14:20	1	1	1	1	95.25	63	0	29952.607	524.7311828	15805.99571	30000	0	0	30000	43.875	2004
22.01.2020 11:14:21	1	1	1	1	95.5	63.75	0	29810.427	533.3333333	15987.82377	30000	0	0	30000	42.625	2004
22.01.2020 11:14:22	1	1	1	1	95.5	62.5	0	29905.213	535.483871	16013.10032	30000	0	0	30000	43.3125	2004
22.01.2020 11:14:23	1	1	1	1	95.5	63.25	0	30000	503.2258065	15032.20721	30000	0	0	30000	42.875	2004
22.01.2020 11:14:24	1	1	1	1	95.5	62.75	0	29715.64	460.2150538	13675.42739	30000	0	0	30000	43.3125	2004
22.01.2020 11:14:25	1	1	1	1	95.5	63.25	0	30000	533.3333333	15870.41013	30000	0	0	30000	43.5625	2004
22.01.2020 11:14:26	1	1	1	1	95.5	63.5	0	30000	535.483871	15974.77781	30000	0	0	30000	43.4375	2004
22.01.2020 11:14:27	1	1	1	1	95.5	63.25	0	29952.607	533.3333333	16064.46878	30000	0	0	30000	43.4375	2004
22.01.2020 11:14:28	1	1	1	1	95.5	63.25	0	29857.82	535.483871	16013.10032	30000	0	0	30000	43.4375	2004
22.01.2020 11:14:29	1	1	1	1	95.5	63.25	0	29810.427	535.483871	15911.99413	30000	0	0	30000	43.1875	2004
22.01.2020 11:14:30	1	1	1	1	95.25	63	0	29952.607	531.1827957	16000.05436	30000	0	0	30000	43.5625	2004
22.01.2020 11:14:31	1	1	1	1	95.25	63.5	0	30000	533.3333333	16000.05436	30000	0	0	30000	43.5625	2004
22.01.2020 11:14:32	1	1	1	1	95.25	63.5	0	29905.213	535.483871	16064.46878	30000	0	0	30000	43.4375	2004
22.01.2020 11:14:34	1	1	1	1	95.25	63.25	0	29526.066	539.7849462	15963.3626	30000	0	0	30000	43.4375	2004
22.01.2020 11:14:35	1	1	1	1	95.25	63.25	0	29526.066	539.7849462	15937.27068	30000	0	0	30000	43.25	2004
22.01.2020 11:14:36	1	1	1	1	95.25	63.25	0	29526.066	537.6344086	15722.01234	30000	0	0	30000	43.375	2004
22.01.2020 11:14:37	1	1	1	1	95.25	63.25	0	29810.427	535.483871	15898.94817	30000	0	0	30000	43.1875	2004
22.01.2020 11:14:38	1	1	1	1	95.25	63	0	28578.199	481.7204301	13880.90126	30000	0	0	30000	43.25	2004
22.01.2020 11:14:39	1	1	1	1	95.25	63.25	0	29952.607	533.3333333	16064.46878	30000	0	0	30000	43.25	2004
22.01.2020 11:14:40	1	1	1	1	95.25	63.25	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	42.75	2004
22.01.2020 11:14:41	1	1	1	1	95.25	62.75	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	43.125	2004
22.01.2020 11:14:42	1	1	1	1	95.25	63	0	29573.46	541.9354839	16090.5607	30000	0	0	30000	43.4375	2004
22.01.2020 11:14:48	1	1	1	1	95.25	63.5	0	29431.28	539.7849462	15975.59318	30000	0	0	30000	43.5	2004
22.01.2020 11:14:48	1	1	1	1	95.25	63.5	0	29431.28	539.7849462	15975.59318	30000	0	0	30000	43.5	2004
22.01.2020 11:14:48	1	1	1	1	95.25	63.5	0	29431.28	539.7849462	15975.59318	30000	0	0	30000	43.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 11:14:48	1	1	1	1	95.25	63.5	0	29431.28	539.7849462	15975.59318	30000	0	0	30000	43.5	2004
22.01.2020 11:14:48	1	1	1	1	95.25	63.5	0	29431.28	539.7849462	15975.59318	30000	0	0	30000	43.5	2004
22.01.2020 11:14:48	1	1	1	1	95.25	63.5	0	29431.28	539.7849462	15975.59318	30000	0	0	30000	43.5	2004
22.01.2020 11:14:49	1	1	1	1	95.25	63.5	0	29478.673	550.5376344	16013.10032	30000	0	0	30000	43.5625	2004
22.01.2020 11:14:50	1	1	1	1	95.25	63.5	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	43.375	2004
22.01.2020 11:14:51	1	1	1	1	95.25	63.25	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	42.875	2004
22.01.2020 11:14:52	1	1	1	1	95.25	62.75	0	29478.673	541.9354839	16000.86973	30000	0	0	30000	43.25	2004
22.01.2020 11:14:53	1	1	1	1	95.25	63.25	0	29526.066	546.2365591	16101.97592	30000	0	0	30000	43.1875	2004
22.01.2020 11:14:54	1	1	1	1	95.25	63	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	43.5625	2004
22.01.2020 11:14:55	1	1	1	1	95.25	63.5	0	29289.1	537.6344086	15898.1328	30000	0	0	30000	43.5	2004
22.01.2020 11:14:56	1	1	1	1	95.25	63.5	0	29478.673	544.0860215	15975.59318	30000	0	0	30000	42.75	2004
22.01.2020 11:14:57	1	1	1	1	95.25	62.75	0	29383.886	544.0860215	15960.91648	30000	0	0	30000	43.5625	2004
22.01.2020 11:14:58	1	1	1	1	95.25	63.5	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	44	2004
22.01.2020 11:14:59	1	1	1	1	95.25	64	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	43.4375	2004
22.01.2020 11:15:00	1	1	1	1	95.25	63.25	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	42.9375	2004
22.01.2020 11:15:01	1	1	1	1	95	63.75	0	29336.493	550.5376344	16061.20729	30000	0	0	30000	43.5	2004
22.01.2020 11:15:02	1	1	1	1	95	63.5	0	29620.853	546.2365591	16205.52823	30000	0	0	30000	43.1875	2004
22.01.2020 11:15:03	1	1	1	1	95	63	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	43.25	2004
22.01.2020 11:15:04	1	1	1	1	95	63.25	0	29336.493	546.2365591	15960.91648	30000	0	0	30000	43.375	2004
22.01.2020 11:15:05	1	1	1	1	95	63.25	0	29431.28	541.9354839	16013.10032	30000	0	0	30000	43.125	2004
22.01.2020 11:15:06	1	1	1	1	95	63	0	29241.706	544.0860215	15858.17955	30000	0	0	30000	43.1875	2004
22.01.2020 11:15:07	1	1	1	1	95	63	0	29431.28	546.2365591	16139.48305	30000	0	0	30000	43.3125	2004
22.01.2020 11:15:08	1	1	1	1	95	63.25	0	29146.919	539.7849462	15607.04482	30000	0	0	30000	43.4375	2004
22.01.2020 11:15:10	1	1	1	1	95	63.25	0	29336.493	541.9354839	15898.1328	30000	0	0	30000	43.3125	2004
22.01.2020 11:15:11	1	1	1	1	95.25	63.25	0	29478.673	541.9354839	16038.37687	30000	0	0	30000	43.375	2004
22.01.2020 11:15:12	1	1	1	1	95.25	63.25	0	29289.1	546.2365591	15909.54801	30000	0	0	30000	43.5625	2004
22.01.2020 11:15:13	1	1	1	1	95.25	63.5	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	43.125	2004
22.01.2020 11:15:14	1	1	1	1	95.25	63	0	29146.919	550.5376344	16098.71443	30000	0	0	30000	43.5	2004
22.01.2020 11:15:15	1	1	1	1	95.25	63.5	0	29431.28	552.688172	16024.51553	30000	0	0	30000	43.5625	2004
22.01.2020 11:15:16	1	1	1	1	95.25	63.5	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	43.375	2004
22.01.2020 11:15:17	1	1	1	1	95.25	63.25	0	29478.673	539.7849462	15949.50126	30000	0	0	30000	43	2004
22.01.2020 11:15:18	1	1	1	1	95.25	63	0	29526.066	541.9354839	15937.27068	30000	0	0	30000	43.5	2004
22.01.2020 11:15:19	1	1	1	1	95.25	63.5	0	29146.919	544.0860215	15920.96323	30000	0	0	30000	43.3125	2004
22.01.2020 11:15:20	1	1	1	1	95.25	63.25	0	29431.28	546.2365591	16075.884	30000	0	0	30000	43.5	2004
22.01.2020 11:15:21	1	1	1	1	95	63.5	0	29526.066	541.9354839	16026.96165	30000	0	0	30000	43.5	2004
22.01.2020 11:15:22	1	1	1	1	95	63.5	0	29289.1	548.3870968	15909.54801	30000	0	0	30000	43.25	2004
22.01.2020 11:15:23	1	1	1	1	95	63.25	0	29431.28	546.2365591	16013.10032	30000	0	0	30000	43.5	2004
22.01.2020 11:15:24	1	1	1	1	95	63.5	0	29478.673	544.0860215	16064.46878	30000	0	0	30000	43.375	2004
22.01.2020 11:15:25	1	1	1	1	95	63.25	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	43.5	2004
22.01.2020 11:15:26	1	1	1	1	95	63.5	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	43.5625	2004
22.01.2020 11:15:27	1	1	1	1	95	63.5	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	43.3125	2004
22.01.2020 11:15:28	1	1	1	1	95	63.25	0	29573.46	541.9354839	16052.2382	30000	0	0	30000	43.5	2004
22.01.2020 11:15:29	1	1	1	1	95	63.5	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	43.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 11:15:30	1	1	1	1	95	63.5	0	29526.066	541.9354839	15937.27068	30000	0	0	30000	43.5625	2004
22.01.2020 11:15:31	1	1	1	1	95	63.5	0	29715.64	539.7849462	15911.99413	30000	0	0	30000	43.5	2004
22.01.2020 11:15:32	1	1	1	1	95	63.5	0	29620.853	539.7849462	16052.2382	30000	0	0	30000	43.4375	2004
22.01.2020 11:15:33	1	1	1	1	95	63.25	0	29810.427	539.7849462	16065.28416	30000	0	0	30000	43.625	2004
22.01.2020 11:15:34	1	1	1	1	95	63.5	0	29810.427	533.3333333	15848.39508	30000	0	0	30000	42.875	2004
22.01.2020 11:15:35	1	1	1	1	95	62.75	0	29715.64	537.6344086	15911.99413	30000	0	0	30000	43.5625	2004
22.01.2020 11:15:36	1	1	1	1	95	63.5	0	29526.066	537.6344086	15873.67162	30000	0	0	30000	43.9375	2004
22.01.2020 11:15:37	1	1	1	1	95	63.75	0	29668.246	541.9354839	15988.63914	30000	0	0	30000	43.5625	2004
22.01.2020 11:15:38	1	1	1	1	95	63.5	0	29715.64	535.483871	16090.5607	30000	0	0	30000	43.4375	2004
22.01.2020 11:15:39	1	1	1	1	95	63.25	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	43.875	2004
22.01.2020 11:15:40	1	1	1	1	94.75	63.5	0	29905.213	544.0860215	15924.22472	30000	0	0	30000	43.625	2004
22.01.2020 11:15:41	1	1	1	1	94.75	63.5	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	42.4375	2004
22.01.2020 11:15:42	1	1	1	1	94.75	62.25	0	30000	516.1290323	15459.4624	30000	0	0	30000	43.4375	2004
22.01.2020 11:15:43	1	1	1	1	94.75	63.25	0	29715.64	535.483871	15669.8285	30000	0	0	30000	43	2004
22.01.2020 11:15:50	1	1	1	1	94.75	63.5	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	43.8125	2004
22.01.2020 11:15:50	1	1	1	1	94.75	63.5	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	43.8125	2004
22.01.2020 11:15:50	1	1	1	1	94.75	63.5	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	43.8125	2004
22.01.2020 11:15:50	1	1	1	1	94.75	63.5	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	43.8125	2004
22.01.2020 11:15:50	1	1	1	1	94.75	63.5	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	43.8125	2004
22.01.2020 11:15:50	1	1	1	1	94.75	63.5	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	43.8125	2004
22.01.2020 11:15:51	1	1	1	1	94.25	63.75	0	29857.82	533.3333333	15949.50126	30000	0	0	30000	43.25	2004
22.01.2020 11:15:52	1	1	1	1	94.25	63.25	0	28009.479	509.6774194	14371.7555	30000	0	0	30000	42.875	2004
22.01.2020 11:15:53	1	1	1	1	94.25	62.75	0	29715.64	535.483871	16040.00761	30000	0	0	30000	43.1875	2004
22.01.2020 11:15:54	1	1	1	1	94.25	63	0	29763.033	535.483871	15911.99413	30000	0	0	30000	43.6875	2004
22.01.2020 11:15:55	1	1	1	1	94.25	63.5	0	29526.066	529.0322581	15861.44103	30000	0	0	30000	42.8125	2004
22.01.2020 11:15:56	1	1	1	1	94.25	62.75	0	29905.213	496.7741935	14902.56299	30000	0	0	30000	42.75	2004
22.01.2020 11:15:57	1	1	1	1	94.25	62.75	0	29573.46	541.9354839	16052.2382	30000	0	0	30000	43.75	2004
22.01.2020 11:15:58	1	1	1	1	94.25	63.75	0	29668.246	537.6344086	15988.63914	30000	0	0	30000	43.625	2004
22.01.2020 11:15:59	1	1	1	1	94.25	63.5	0	29668.246	539.7849462	15988.63914	30000	0	0	30000	43.3125	2004
22.01.2020 11:16:00	1	1	1	1	94.25	63.25	0	29715.64	535.483871	15911.99413	30000	0	0	30000	43.8125	2004
22.01.2020 11:16:01	1	1	1	1	94.5	63.75	0	29715.64	535.483871	15911.99413	30000	0	0	30000	43.3125	2004
22.01.2020 11:16:02	1	1	1	1	94.5	63.25	0	29620.853	541.9354839	15988.63914	30000	0	0	30000	43.6875	2004
22.01.2020 11:16:03	1	1	1	1	94.5	63.5	0	29383.886	537.6344086	15823.11853	30000	0	0	30000	43.375	2004
22.01.2020 11:16:04	1	1	1	1	94.5	63.25	0	29573.46	541.9354839	16115.83725	30000	0	0	30000	43	2004
22.01.2020 11:16:05	1	1	1	1	94.5	63	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	42.8125	2004
22.01.2020 11:16:06	1	1	1	1	94.5	62.75	0	29810.427	537.6344086	16026.96165	30000	0	0	30000	43.5	2004
22.01.2020 11:16:07	1	1	1	1	94.5	63.5	0	29715.64	533.3333333	16040.00761	30000	0	0	30000	43.5625	2004
22.01.2020 11:16:08	1	1	1	1	94.5	63.5	0	29620.853	537.6344086	15861.44103	30000	0	0	30000	43.625	2004
22.01.2020 11:16:09	1	1	1	1	94.5	63.5	0	29810.427	537.6344086	16116.65262	30000	0	0	30000	43.1875	2004
22.01.2020 11:16:10	1	1	1	1	94.5	63	0	29620.853	539.7849462	15925.04009	30000	0	0	30000	43.6875	2004
22.01.2020 11:16:11	1	1	1	1	94.5	63.5	0	29478.673	537.6344086	15937.27068	30000	0	0	30000	43.375	2004
22.01.2020 11:16:12	1	1	1	1	94.5	63.25	0	29620.853	544.0860215	16115.83725	30000	0	0	30000	43.6875	2004
22.01.2020 11:16:13	1	1	1	1	94.5	63.5	0	29810.427	539.7849462	15975.59318	30000	0	0	30000	43.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 11:16:14	1	1	1	1	94.5	63.5	0	29668.246	537.6344086	15950.31664	30000	0	0	30000	43.5	2004
22.01.2020 11:16:15	1	1	1	1	94.5	63.5	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	43.6875	2004
22.01.2020 11:16:16	1	1	1	1	94.5	63.5	0	29905.213	535.483871	16013.10032	30000	0	0	30000	43.5	2004
22.01.2020 11:16:17	1	1	1	1	94.5	63.5	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	43.375	2004
22.01.2020 11:16:18	1	1	1	1	94.5	63.5	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	43.125	2004
22.01.2020 11:16:19	1	1	1	1	94.5	63	0	29952.607	524.7311828	15805.99571	30000	0	0	30000	43.3125	2004
22.01.2020 11:16:20	1	1	1	1	94	63.25	0	29952.607	524.7311828	15781.53453	30000	0	0	30000	43.625	2004
22.01.2020 11:16:21	1	1	1	1	94	63.5	0	30000	533.3333333	16000.05436	30000	0	0	30000	43.0625	2004
22.01.2020 11:16:22	1	1	1	1	94	63	0	29715.64	541.9354839	16167.20572	30000	0	0	30000	43.75	2004
22.01.2020 11:16:23	1	1	1	1	94	63.75	0	29668.246	535.483871	15911.99413	30000	0	0	30000	43.6875	2004
22.01.2020 11:16:24	1	1	1	1	94	63.5	0	29715.64	544.0860215	16115.83725	30000	0	0	30000	43.625	2004
22.01.2020 11:16:26	1	1	1	1	94	63.5	0	29952.607	535.483871	16039.19224	30000	0	0	30000	43.3125	2004
22.01.2020 11:16:27	1	1	1	1	94	63.25	0	30000	529.0322581	15870.41013	30000	0	0	30000	43.625	2004
22.01.2020 11:16:28	1	1	1	1	94	63.5	0	28483.412	481.7204301	13721.08825	30000	0	0	30000	43.3125	2004
22.01.2020 11:16:29	1	1	1	1	94	63.25	0	30000	520.4301075	15548.338	30000	0	0	30000	43.0625	2004
22.01.2020 11:16:30	1	1	1	1	94	63	0	29810.427	488.172043	14551.95282	30000	0	0	30000	43.1875	2004
22.01.2020 11:16:31	1	1	1	1	93.75	63	0	28862.559	507.5268817	14710.13508	30000	0	0	30000	43.1875	2004
22.01.2020 11:16:32	1	1	1	1	93.75	63	0	30000	524.7311828	15805.99571	30000	0	0	30000	43.75	2004
22.01.2020 11:16:33	1	1	1	1	93.75	63.75	0	30000	533.3333333	16000.05436	30000	0	0	30000	43.375	2004
22.01.2020 11:16:34	1	1	1	1	93.75	63.25	0	29810.427	492.4731183	14680.78167	30000	0	0	30000	43.6875	2004
22.01.2020 11:16:35	1	1	1	1	93.75	63.5	0	27535.545	466.6666667	12923.65396	30000	0	0	30000	42.875	2004
22.01.2020 11:16:36	1	1	1	1	93.75	62.75	0	29763.033	535.483871	15911.99413	30000	0	0	30000	43.25	2004
22.01.2020 11:16:37	1	1	1	1	93.75	63.25	0	29905.213	535.483871	16013.10032	30000	0	0	30000	43.8125	2004
22.01.2020 11:16:38	1	1	1	1	93.75	63.75	0	29478.673	537.6344086	15759.51947	30000	0	0	30000	43.625	2004
22.01.2020 11:16:39	1	1	1	1	93.75	63.5	0	29668.246	529.0322581	15911.99413	30000	0	0	30000	43.5625	2004
22.01.2020 11:16:40	1	1	1	1	93.75	63.5	0	29905.213	535.483871	16013.10032	30000	0	0	30000	43.5	2004
22.01.2020 11:16:41	1	1	1	1	93.75	63.5	0	30000	516.1290323	15483.92357	30000	0	0	30000	43.375	2004
22.01.2020 11:16:42	1	1	1	1	93.75	63.25	0	30000	533.3333333	16064.46878	30000	0	0	30000	43.375	2004
22.01.2020 11:16:43	1	1	1	1	93.75	63.25	0	29905.213	492.4731183	14727.2579	30000	0	0	30000	43.625	2004
22.01.2020 11:16:44	1	1	1	1	93.75	63.5	0	29952.607	533.3333333	15949.50126	30000	0	0	30000	43.5	2004
22.01.2020 11:16:45	1	1	1	1	93.75	63.5	0	30000	524.7311828	15741.58128	30000	0	0	30000	43.4375	2004
22.01.2020 11:16:51	1	1	1	1	93.75	63.25	0	29952.607	535.483871	16064.46878	30000	0	0	30000	43.5	2004
22.01.2020 11:16:51	1	1	1	1	93.75	63.25	0	29952.607	535.483871	16064.46878	30000	0	0	30000	43.5	2004
22.01.2020 11:16:51	1	1	1	1	93.75	63.25	0	29952.607	535.483871	16064.46878	30000	0	0	30000	43.5	2004
22.01.2020 11:16:51	1	1	1	1	93.75	63.25	0	29952.607	535.483871	16064.46878	30000	0	0	30000	43.5	2004
22.01.2020 11:16:51	1	1	1	1	93.75	63.25	0	29952.607	535.483871	16064.46878	30000	0	0	30000	43.5	2004
22.01.2020 11:16:51	1	1	1	1	93.75	63.25	0	29952.607	535.483871	16064.46878	30000	0	0	30000	43.5	2004
22.01.2020 11:16:51	1	1	1	1	93.75	63.25	0	29952.607	535.483871	16064.46878	30000	0	0	30000	43.5	2004
22.01.2020 11:16:52	1	1	1	1	93.75	63.5	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	43.6875	2004
22.01.2020 11:16:53	1	1	1	1	93.75	63.5	0	29715.64	537.6344086	15733.42755	30000	0	0	30000	43.5625	2004
22.01.2020 11:16:54	1	1	1	1	93.75	63.5	0	29905.213	535.483871	16013.10032	30000	0	0	30000	43.3125	2004
22.01.2020 11:16:55	1	1	1	1	93.75	63.25	0	29810.427	535.483871	16026.96165	30000	0	0	30000	43.4375	2004
22.01.2020 11:16:56	1	1	1	1	93.75	63.75	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	43.5625	2004
22.01.2020 11:16:57	1	1	1	1	93.75	63.5	0	29431.28	539.7849462	15823.11853	30000	0	0	30000	43.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 11:16:58	1	1	1	1	93.75	63.75	0	29810.427	537.6344086	16090.5607	30000	0	0	30000	43.4375	2004
22.01.2020 11:16:59	1	1	1	1	93.75	63.25	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	43.5	2004
22.01.2020 11:17:00	1	1	1	1	94	63.5	0	29573.46	537.6344086	15899.76354	30000	0	0	30000	43.5	2004
22.01.2020 11:17:01	1	1	1	1	94	63.5	0	29431.28	539.7849462	15885.90221	30000	0	0	30000	43.3125	2004
22.01.2020 11:17:02	1	1	1	1	94	63.25	0	29431.28	535.483871	15759.51947	30000	0	0	30000	43.625	2004
22.01.2020 11:17:04	1	1	1	1	94	63.5	0	29478.673	533.3333333	16000.86973	30000	0	0	30000	43.25	2004
22.01.2020 11:17:05	1	1	1	1	94	63.25	0	29526.066	541.9354839	16026.96165	30000	0	0	30000	43.375	2004
22.01.2020 11:17:06	1	1	1	1	94	63.25	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	43.3125	2004
22.01.2020 11:17:07	1	1	1	1	94	63.25	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	42.9375	2004
22.01.2020 11:17:08	1	1	1	1	94	62.75	0	29383.886	546.2365591	15960.91648	30000	0	0	30000	43.625	2004
22.01.2020 11:17:09	1	1	1	1	94	63.5	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	43.625	2004
22.01.2020 11:17:10	1	1	1	1	94	63.5	0	29336.493	546.2365591	15987.0084	30000	0	0	30000	43.75	2004
22.01.2020 11:17:11	1	1	1	1	93.75	63.75	0	29383.886	544.0860215	16024.51553	30000	0	0	30000	43.8125	2004
22.01.2020 11:17:12	1	1	1	1	93.75	63.75	0	29431.28	546.2365591	16013.10032	30000	0	0	30000	43.75	2004
22.01.2020 11:17:13	1	1	1	1	93.75	63.75	0	29336.493	552.688172	15960.91648	30000	0	0	30000	43.375	2004
22.01.2020 11:17:14	1	1	1	1	93.75	63.25	0	29289.1	541.9354839	15909.54801	30000	0	0	30000	43.25	2004
22.01.2020 11:17:15	1	1	1	1	93.75	63.25	0	29336.493	541.9354839	15835.34912	30000	0	0	30000	43.8125	2004
22.01.2020 11:17:16	1	1	1	1	93.75	63.75	0	29573.46	541.9354839	16026.96165	30000	0	0	30000	43.5	2004
22.01.2020 11:17:17	1	1	1	1	93.75	63.5	0	29478.673	537.6344086	15911.99413	30000	0	0	30000	43.0625	2004
22.01.2020 11:17:18	1	1	1	1	93.75	63	0	29336.493	541.9354839	15835.34912	30000	0	0	30000	43.5625	2004
22.01.2020 11:17:19	1	1	1	1	93.75	63.5	0	29620.853	539.7849462	16013.91569	30000	0	0	30000	43.5	2004
22.01.2020 11:17:20	1	1	1	1	93.75	63.5	0	29620.853	544.0860215	16115.83725	30000	0	0	30000	43.5625	2004
22.01.2020 11:17:21	1	1	1	1	93.75	63.5	0	29526.066	537.6344086	15873.67162	30000	0	0	30000	43.8125	2004
22.01.2020 11:17:22	1	1	1	1	93.75	63.75	0	29810.427	541.9354839	16154.97513	30000	0	0	30000	43.25	2004
22.01.2020 11:17:23	1	1	1	1	93.75	63.25	0	29905.213	537.6344086	16077.51474	30000	0	0	30000	43.25	2004
22.01.2020 11:17:24	1	1	1	1	93.75	63.25	0	29810.427	537.6344086	16090.5607	30000	0	0	30000	43.125	2004
22.01.2020 11:17:25	1	1	1	1	93.75	63	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	43.4375	2004
22.01.2020 11:17:26	1	1	1	1	93.75	63.25	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	43.75	2004
22.01.2020 11:17:27	1	1	1	1	93.75	63.75	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	43.75	2004
22.01.2020 11:17:28	1	1	1	1	93.75	63.75	0	30000	522.5806452	15677.16685	30000	0	0	30000	43.3125	2004
22.01.2020 11:17:29	1	1	1	1	93.75	63.25	0	30000	503.2258065	14984.10024	30000	0	0	30000	43.625	2004
22.01.2020 11:17:30	1	1	1	1	93.75	63.5	0	29857.82	537.6344086	16013.10032	30000	0	0	30000	43.6875	2004
22.01.2020 11:17:31	1	1	1	1	93.75	63.5	0	30000	518.2795699	15741.58128	30000	0	0	30000	43.5625	2004
22.01.2020 11:17:32	1	1	1	1	93.75	63.5	0	27440.758	486.0215054	13218.8188	30000	0	0	30000	43.6875	2004
22.01.2020 11:17:33	1	1	1	1	93.75	63.5	0	29668.246	537.6344086	15861.44103	30000	0	0	30000	43.5	2004
22.01.2020 11:17:34	1	1	1	1	93.75	63.5	0	29620.853	501.0752688	14842.22542	30000	0	0	30000	43.25	2004
22.01.2020 11:17:35	1	1	1	1	93.75	63.5	0	29620.853	541.9354839	16115.83725	30000	0	0	30000	43.9375	2004
22.01.2020 11:17:36	1	1	1	1	93.75	63.75	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	43.8125	2004
22.01.2020 11:17:37	1	1	1	1	93.75	63.75	0	29431.28	546.2365591	16139.48305	30000	0	0	30000	43.8125	2004
22.01.2020 11:17:38	1	1	1	1	93.75	63.75	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	43.875	2004
22.01.2020 11:17:39	1	1	1	1	93.75	63.75	0	29526.066	546.2365591	16128.06784	30000	0	0	30000	43.25	2004
22.01.2020 11:17:40	1	1	1	1	93.25	63.25	0	29146.919	537.6344086	15935.63993	30000	0	0	30000	42.6875	2004
22.01.2020 11:17:41	1	1	1	1	93.25	62.5	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	43.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 11:17:43	1	1	1	1	93.25	63.5	0	29431.28	546.2365591	16113.39113	30000	0	0	30000	43.6875	2004
22.01.2020 11:17:44	1	1	1	1	93.25	63.5	0	29241.706	546.2365591	15972.33169	30000	0	0	30000	43.625	2004
22.01.2020 11:17:45	1	1	1	1	93.25	63.5	0	29146.919	541.9354839	15998.42361	30000	0	0	30000	43.4375	2004
22.01.2020 11:17:46	1	1	1	1	93.25	63.25	0	29336.493	541.9354839	15898.1328	30000	0	0	30000	43.0625	2004
22.01.2020 11:17:47	1	1	1	1	93.25	63	0	29573.46	544.0860215	16090.5607	30000	0	0	30000	43.375	2004
22.01.2020 11:17:53	1	1	1	1	93.75	63.5	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	43.25	2004
22.01.2020 11:17:53	1	1	1	1	93.75	63.5	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	43.25	2004
22.01.2020 11:17:53	1	1	1	1	93.75	63.5	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	43.25	2004
22.01.2020 11:17:53	1	1	1	1	93.75	63.5	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	43.25	2004
22.01.2020 11:17:53	1	1	1	1	93.75	63.5	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	43.25	2004
22.01.2020 11:17:54	1	1	1	1	93.75	63.25	0	29526.066	539.7849462	15963.3626	30000	0	0	30000	44	2004
22.01.2020 11:17:55	1	1	1	1	93.75	64	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	43.875	2004
22.01.2020 11:17:56	1	1	1	1	93.75	63.75	0	29478.673	541.9354839	15759.51947	30000	0	0	30000	43.875	2004
22.01.2020 11:17:57	1	1	1	1	93.75	63.75	0	29810.427	537.6344086	15911.99413	30000	0	0	30000	43.375	2004
22.01.2020 11:17:58	1	1	1	1	93.75	63.25	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	43.75	2004
22.01.2020 11:17:59	1	1	1	1	93.75	63.75	0	29715.64	544.0860215	16167.20572	30000	0	0	30000	43.8125	2004
22.01.2020 11:18:00	1	1	1	1	93.75	63.75	0	29526.066	537.6344086	15937.27068	30000	0	0	30000	43.4375	2004
22.01.2020 11:18:01	1	1	1	1	93.25	63.25	0	29620.853	544.0860215	16115.83725	30000	0	0	30000	43.6875	2004
22.01.2020 11:18:02	1	1	1	1	93.25	63.5	0	29952.607	526.8817204	15756.25798	30000	0	0	30000	43.5	2004
22.01.2020 11:18:03	1	1	1	1	93.25	63.5	0	29383.886	544.0860215	15960.91648	30000	0	0	30000	43.1875	2004
22.01.2020 11:18:04	1	1	1	1	93.25	63	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	43.3125	2004
22.01.2020 11:18:05	1	1	1	1	93.25	63.25	0	29146.919	541.9354839	15909.54801	30000	0	0	30000	43.5	2004
22.01.2020 11:18:06	1	1	1	1	93.25	63.5	0	29289.1	546.2365591	15909.54801	30000	0	0	30000	43.0625	2004
22.01.2020 11:18:07	1	1	1	1	93.25	63	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	43.875	2004
22.01.2020 11:18:08	1	1	1	1	93.25	63.75	0	29146.919	550.5376344	16035.11538	30000	0	0	30000	43.875	2004
22.01.2020 11:18:09	1	1	1	1	93.25	63.75	0	29383.886	544.0860215	15987.0084	30000	0	0	30000	43.625	2004
22.01.2020 11:18:10	1	1	1	1	93.25	63.5	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	43.75	2004
22.01.2020 11:18:11	1	1	1	1	93	63.75	0	29383.886	546.2365591	16013.10032	30000	0	0	30000	44.125	2004
22.01.2020 11:18:12	1	1	1	1	93	64	0	29383.886	541.9354839	15924.22472	30000	0	0	30000	43.8125	2004
22.01.2020 11:18:13	1	1	1	1	93	63.75	0	29431.28	537.6344086	15975.59318	30000	0	0	30000	43.5	2004
22.01.2020 11:18:14	1	1	1	1	93	63.5	0	29478.673	546.2365591	16165.57497	30000	0	0	30000	43.3125	2004
22.01.2020 11:18:15	1	1	1	1	93	63.25	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	43.5625	2004
22.01.2020 11:18:16	1	1	1	1	93	63.5	0	29620.853	539.7849462	16078.33012	30000	0	0	30000	43.3125	2004
22.01.2020 11:18:17	1	1	1	1	93	63.25	0	30000	526.8817204	15805.99571	30000	0	0	30000	43.5	2004
22.01.2020 11:18:18	1	1	1	1	93	63.5	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	43.625	2004
22.01.2020 11:18:19	1	1	1	1	93	63.5	0	29857.82	537.6344086	16116.65262	30000	0	0	30000	43.4375	2004
22.01.2020 11:18:21	1	1	1	1	93	63.25	0	29810.427	535.483871	15962.54722	30000	0	0	30000	43.3125	2004
22.01.2020 11:18:22	1	1	1	1	93	63.25	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	43.75	2004
22.01.2020 11:18:23	1	1	1	1	93	63.75	0	30000	503.2258065	15096.62164	30000	0	0	30000	43.5	2004
22.01.2020 11:18:24	1	1	1	1	93	63.5	0	29810.427	533.3333333	15962.54722	30000	0	0	30000	43.75	2004
22.01.2020 11:18:25	1	1	1	1	93	63.75	0	29810.427	537.6344086	16026.96165	30000	0	0	30000	43.8125	2004
22.01.2020 11:18:26	1	1	1	1	93	63.75	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	43.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 11:18:27	1	1	1	1	93	63.75	0	29620.853	535.483871	15861.44103	30000	0	0	30000	43.75	2004
22.01.2020 11:18:28	1	1	1	1	93	63.75	0	30000	520.4301075	15548.338	30000	0	0	30000	43.875	2004
22.01.2020 11:18:29	1	1	1	1	93	63.75	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	43.75	2004
22.01.2020 11:18:30	1	1	1	1	93	63.75	0	29810.427	537.6344086	16154.97513	30000	0	0	30000	43.4375	2004
22.01.2020 11:18:31	1	1	1	1	93	63.25	0	29620.853	488.172043	14246.18813	30000	0	0	30000	43.875	2004
22.01.2020 11:18:32	1	1	1	1	93	63.75	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	43.375	2004
22.01.2020 11:18:33	1	1	1	1	93	63.25	0	29810.427	535.483871	15911.99413	30000	0	0	30000	43.5	2004
22.01.2020 11:18:34	1	1	1	1	93	63.5	0	29810.427	537.6344086	15962.54722	30000	0	0	30000	43.5	2004
22.01.2020 11:18:35	1	1	1	1	93	63.5	0	29857.82	537.6344086	15987.82377	30000	0	0	30000	43	2004
22.01.2020 11:18:36	1	1	1	1	93	63	0	28009.479	507.5268817	14215.20398	30000	0	0	30000	43.875	2004
22.01.2020 11:18:37	1	1	1	1	93	63.75	0	29952.607	507.5268817	15354.27935	30000	0	0	30000	43.3125	2004
22.01.2020 11:18:38	1	1	1	1	93	63.25	0	29810.427	535.483871	16090.5607	30000	0	0	30000	43.375	2004
22.01.2020 11:18:39	1	1	1	1	93	63.25	0	29810.427	539.7849462	16154.97513	30000	0	0	30000	43.8125	2004
22.01.2020 11:18:40	1	1	1	1	93	63.75	0	30000	533.3333333	16000.05436	30000	0	0	30000	43.9375	2004
22.01.2020 11:18:41	1	1	1	1	92.75	63.75	0	29620.853	488.172043	14523.41478	30000	0	0	30000	43.125	2004
22.01.2020 11:18:42	1	1	1	1	92.75	63	0	30000	533.3333333	16000.05436	30000	0	0	30000	43.875	2004
22.01.2020 11:18:43	1	1	1	1	92.75	63.75	0	29905.213	533.3333333	15924.22472	30000	0	0	30000	43.6875	2004
22.01.2020 11:18:44	1	1	1	1	92.75	63.5	0	29620.853	531.1827957	15950.31664	30000	0	0	30000	43.3125	2004
22.01.2020 11:18:45	1	1	1	1	92.75	63.25	0	27630.332	481.7204301	13368.84734	30000	0	0	30000	43.6875	2004
22.01.2020 11:18:46	1	1	1	1	92.75	63.5	0	29810.427	483.8709677	14423.93934	30000	0	0	30000	43.5	2004
22.01.2020 11:18:47	1	1	1	1	92.75	63.5	0	29905.213	535.483871	16013.10032	30000	0	0	30000	43.5625	2004
22.01.2020 11:18:48	1	1	1	1	92.75	63.5	0	29810.427	539.7849462	16090.5607	30000	0	0	30000	43.0625	2004
22.01.2020 11:18:55	1	1	1	1	92.75	63.75	0	29431.28	539.7849462	15975.59318	30000	0	0	30000	44.0625	2004
22.01.2020 11:18:55	1	1	1	1	92.75	63.75	0	29431.28	539.7849462	15975.59318	30000	0	0	30000	44.0625	2004
22.01.2020 11:18:55	1	1	1	1	92.75	63.75	0	29431.28	539.7849462	15975.59318	30000	0	0	30000	44.0625	2004
22.01.2020 11:18:55	1	1	1	1	92.75	63.75	0	29431.28	539.7849462	15975.59318	30000	0	0	30000	44.0625	2004
22.01.2020 11:18:55	1	1	1	1	92.75	63.75	0	29431.28	539.7849462	15975.59318	30000	0	0	30000	44.0625	2004
22.01.2020 11:18:55	1	1	1	1	92.75	64	0	29810.427	533.3333333	15987.82377	30000	0	0	30000	43.9375	2004
22.01.2020 11:18:56	1	1	1	1	92.75	63.75	0	29478.673	541.9354839	15949.50126	30000	0	0	30000	43.875	2004
22.01.2020 11:18:57	1	1	1	1	92.75	63.75	0	29478.673	544.0860215	16038.37687	30000	0	0	30000	43.4375	2004
22.01.2020 11:18:58	1	1	1	1	92.75	63.25	0	29715.64	537.6344086	15950.31664	30000	0	0	30000	43.375	2004
22.01.2020 11:19:00	1	1	1	1	92.75	63.25	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	43.75	2004
22.01.2020 11:19:01	1	1	1	1	93	63.75	0	29620.853	546.2365591	16115.83725	30000	0	0	30000	43.25	2004
22.01.2020 11:19:02	1	1	1	1	93	63.25	0	29431.28	541.9354839	16013.10032	30000	0	0	30000	43.875	2004
22.01.2020 11:19:03	1	1	1	1	93	63.75	0	29620.853	544.0860215	16052.2382	30000	0	0	30000	44.125	2004
22.01.2020 11:19:04	1	1	1	1	93	64	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	43.875	2004
22.01.2020 11:19:05	1	1	1	1	93	63.75	0	29526.066	550.5376344	16255.26595	30000	0	0	30000	43.6875	2004
22.01.2020 11:19:06	1	1	1	1	93	63.5	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	43.9375	2004
22.01.2020 11:19:07	1	1	1	1	93	63.75	0	29431.28	546.2365591	16075.884	30000	0	0	30000	43.8125	2004
22.01.2020 11:19:08	1	1	1	1	93	63.75	0	29478.673	544.0860215	16038.37687	30000	0	0	30000	43.6875	2004
22.01.2020 11:19:09	1	1	1	1	93	63.5	0	29383.886	544.0860215	15898.1328	30000	0	0	30000	43.9375	2004
22.01.2020 11:19:10	1	1	1	1	93	63.75	0	29478.673	544.0860215	16038.37687	30000	0	0	30000	43.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 11:19:11	1	1	1	1	92.25	63.75	0	29336.493	548.3870968	16150.89827	30000	0	0	30000	43.8125	2004
22.01.2020 11:19:12	1	1	1	1	92.25	63.75	0	29241.706	546.2365591	15972.33169	30000	0	0	30000	43.9375	2004
22.01.2020 11:19:13	1	1	1	1	92.25	63.75	0	29383.886	546.2365591	16013.10032	30000	0	0	30000	43.0625	2004
22.01.2020 11:19:14	1	1	1	1	92.25	63	0	29289.1	546.2365591	16061.20729	30000	0	0	30000	43.375	2004
22.01.2020 11:19:15	1	1	1	1	92.25	63.25	0	29241.706	550.5376344	16124.80635	30000	0	0	30000	43.875	2004
22.01.2020 11:19:16	1	1	1	1	92.25	63.75	0	29289.1	544.0860215	16024.51553	30000	0	0	30000	43.9375	2004
22.01.2020 11:19:17	1	1	1	1	92.25	63.75	0	29146.919	550.5376344	15920.96323	30000	0	0	30000	43.8125	2004
22.01.2020 11:19:18	1	1	1	1	92.25	63.75	0	28436.019	496.7741935	14248.63425	30000	0	0	30000	43.8125	2004
22.01.2020 11:19:19	1	1	1	1	92.25	63.75	0	29526.066	544.0860215	16038.37687	30000	0	0	30000	44	2004
22.01.2020 11:19:20	1	1	1	1	92.25	64	0	29478.673	544.0860215	16064.46878	30000	0	0	30000	43.6875	2004
22.01.2020 11:19:21	1	1	1	1	92.75	63.5	0	29478.673	546.2365591	16101.97592	30000	0	0	30000	43.8125	2004
22.01.2020 11:19:22	1	1	1	1	92.75	63.75	0	29383.886	541.9354839	15924.22472	30000	0	0	30000	43.5	2004
22.01.2020 11:19:23	1	1	1	1	92.75	63.5	0	29526.066	537.6344086	15836.16449	30000	0	0	30000	43.9375	2004
22.01.2020 11:19:24	1	1	1	1	92.75	63.75	0	29905.213	529.0322581	15885.08684	30000	0	0	30000	43.125	2004
22.01.2020 11:19:25	1	1	1	1	92.75	63	0	29905.213	509.6774194	15153.69771	30000	0	0	30000	43.75	2004
22.01.2020 11:19:26	1	1	1	1	92.75	63.75	0	30000	531.1827957	15805.99571	30000	0	0	30000	43.6875	2004
22.01.2020 11:19:27	1	1	1	1	92.75	63.5	0	28293.839	464.516129	12977.46854	30000	0	0	30000	44.0625	2004
22.01.2020 11:19:28	1	1	1	1	92.75	64	0	30000	520.4301075	15612.75243	30000	0	0	30000	44.25	2004
22.01.2020 11:19:29	1	1	1	1	92.75	64.25	0	29905.213	509.6774194	15241.75794	30000	0	0	30000	42.8125	2004
22.01.2020 11:19:30	1	1	1	1	92.75	62.75	0	29620.853	535.483871	15861.44103	30000	0	0	30000	43.1875	2004
22.01.2020 11:19:31	1	1	1	1	93	64	0	29905.213	539.7849462	16013.10032	30000	0	0	30000	43.9375	2004
22.01.2020 11:19:32	1	1	1	1	93	63.75	0	29905.213	522.5806452	15677.16685	30000	0	0	30000	43.875	2004
22.01.2020 11:19:33	1	1	1	1	93	63.75	0	30000	531.1827957	16000.05436	30000	0	0	30000	43.4375	2004
22.01.2020 11:19:34	1	1	1	1	93	63.25	0	29952.607	516.1290323	15483.92357	30000	0	0	30000	43.5	2004
22.01.2020 11:19:35	1	1	1	1	93	63.5	0	30000	529.0322581	15870.41013	30000	0	0	30000	44.0625	2004
22.01.2020 11:19:36	1	1	1	1	93	64	0	30000	526.8817204	15870.41013	30000	0	0	30000	43.75	2004
22.01.2020 11:19:38	1	1	1	1	93	63.75	0	30000	533.3333333	15974.77781	30000	0	0	30000	43.375	2004
22.01.2020 11:19:39	1	1	1	1	93	63.25	0	29952.607	533.3333333	15974.77781	30000	0	0	30000	44	2004
22.01.2020 11:19:40	1	1	1	1	93	64	0	29952.607	516.1290323	15459.4624	30000	0	0	30000	43	2004
22.01.2020 11:19:41	1	1	1	1	93	63	0	29526.066	483.8709677	14436.9853	30000	0	0	30000	43.75	2004
22.01.2020 11:19:42	1	1	1	1	93	63.75	0	29905.213	537.6344086	15987.82377	30000	0	0	30000	43.75	2004
22.01.2020 11:19:43	1	1	1	1	93	63.75	0	29620.853	490.3225806	14587.01383	30000	0	0	30000	41.8125	2004
22.01.2020 11:19:44	1	1	1	1	93	61.75	0	29763.033	535.483871	15911.99413	30000	0	0	30000	44	2004
22.01.2020 11:19:45	1	1	1	1	93	64	0	27725.118	481.7204301	13310.14052	30000	0	0	30000	43.9375	2004
22.01.2020 11:19:46	1	1	1	1	93	63.75	0	29146.919	483.8709677	14102.68258	30000	0	0	30000	44	2004
22.01.2020 11:19:47	1	1	1	1	93	64	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	44	2004
22.01.2020 11:19:48	1	1	1	1	93	64	0	30000	529.0322581	15870.41013	30000	0	0	30000	43.5625	2004
22.01.2020 11:19:49	1	1	1	1	93	63.5	0	29952.607	516.1290323	15483.92357	30000	0	0	30000	43.3125	2004
22.01.2020 11:19:50	1	1	1	1	93	63.25	0	29146.919	509.6774194	14966.16204	30000	0	0	30000	43.6875	2004
22.01.2020 11:19:56	1	1	1	1	92.5	63.5	0	29810.427	537.6344086	16090.5607	30000	0	0	30000	43.75	2004
22.01.2020 11:19:56	1	1	1	1	92.5	63.5	0	29810.427	537.6344086	16090.5607	30000	0	0	30000	43.75	2004
22.01.2020 11:19:56	1	1	1	1	92.5	63.5	0	29810.427	537.6344086	16090.5607	30000	0	0	30000	43.75	2004
22.01.2020 11:19:56	1	1	1	1	92.5	63.5	0	29810.427	537.6344086	16090.5607	30000	0	0	30000	43.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 11:19:56	1	1	1	1	92.5	63.5	0	29810.427	537.6344086	16090.5607	30000	0	0	30000	43.75	2004
22.01.2020 11:19:56	1	1	1	1	92.5	63.5	0	29810.427	537.6344086	16090.5607	30000	0	0	30000	43.75	2004
22.01.2020 11:19:57	1	1	1	1	92.5	63.75	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	43.625	2004
22.01.2020 11:19:58	1	1	1	1	92.5	63.5	0	29810.427	537.6344086	16282.98861	30000	0	0	30000	43.9375	2004
22.01.2020 11:19:59	1	1	1	1	92.5	63.75	0	29763.033	537.6344086	15975.59318	30000	0	0	30000	44	2004
22.01.2020 11:20:00	1	1	1	1	92.5	64	0	29715.64	541.9354839	15797.84198	30000	0	0	30000	43.9375	2004
22.01.2020 11:20:01	1	1	1	1	92.5	63.75	0	29620.853	535.483871	15861.44103	30000	0	0	30000	43.9375	2004
22.01.2020 11:20:02	1	1	1	1	92.5	63.75	0	29810.427	537.6344086	15962.54722	30000	0	0	30000	43.6875	2004
22.01.2020 11:20:03	1	1	1	1	92.5	63.5	0	29810.427	539.7849462	15911.99413	30000	0	0	30000	43.9375	2004
22.01.2020 11:20:04	1	1	1	1	92.5	63.75	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	43.875	2004
22.01.2020 11:20:05	1	1	1	1	92.5	63.75	0	29715.64	501.0752688	14865.87123	30000	0	0	30000	43.625	2004
22.01.2020 11:20:06	1	1	1	1	92.5	63.5	0	30000	541.9354839	16128.88321	30000	0	0	30000	44.125	2004
22.01.2020 11:20:07	1	1	1	1	92.5	64	0	29715.64	535.483871	15911.99413	30000	0	0	30000	43.8125	2004
22.01.2020 11:20:08	1	1	1	1	92.5	63.75	0	29905.213	537.6344086	16141.92917	30000	0	0	30000	43.4375	2004
22.01.2020 11:20:09	1	1	1	1	92.5	63.25	0	29810.427	539.7849462	15962.54722	30000	0	0	30000	43.8125	2004
22.01.2020 11:20:10	1	1	1	1	92.5	63.75	0	29715.64	535.483871	15911.99413	30000	0	0	30000	43.6875	2004
22.01.2020 11:20:11	1	1	1	1	92.5	63.5	0	29857.82	537.6344086	15898.94817	30000	0	0	30000	43.6875	2004
22.01.2020 11:20:12	1	1	1	1	92.5	63.5	0	29715.64	507.5268817	15144.72862	30000	0	0	30000	43.6875	2004
22.01.2020 11:20:13	1	1	1	1	92.5	63.5	0	29383.886	505.3763441	14849.56378	30000	0	0	30000	43.75	2004
22.01.2020 11:20:14	1	1	1	1	92.5	63.75	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	43.9375	2004
22.01.2020 11:20:16	1	1	1	1	92.5	63.75	0	28815.166	481.7204301	13880.90126	30000	0	0	30000	44.0625	2004
22.01.2020 11:20:17	1	1	1	1	92.5	64	0	30000	529.0322581	15934.82456	30000	0	0	30000	42.75	2004
22.01.2020 11:20:18	1	1	1	1	92.5	62.75	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	43.875	2004
22.01.2020 11:20:19	1	1	1	1	92.5	63.75	0	30000	501.0752688	15096.62164	30000	0	0	30000	43.6875	2004
22.01.2020 11:20:20	1	1	1	1	92.5	63.5	0	30000	503.2258065	15032.20721	30000	0	0	30000	44	2004
22.01.2020 11:20:21	1	1	1	1	92.5	64	0	30000	492.4731183	14773.73413	30000	0	0	30000	43.75	2004
22.01.2020 11:20:22	1	1	1	1	92.5	63.75	0	30000	481.7204301	14451.662	30000	0	0	30000	43.75	2004
22.01.2020 11:20:23	1	1	1	1	92.5	63.75	0	30000	505.3763441	15184.68187	30000	0	0	30000	44.0625	2004
22.01.2020 11:20:24	1	1	1	1	92.5	64	0	30000	503.2258065	15096.62164	30000	0	0	30000	43.5	2004
22.01.2020 11:20:25	1	1	1	1	92.5	63.5	0	30000	503.2258065	15289.86492	30000	0	0	30000	43.75	2004
22.01.2020 11:20:26	1	1	1	1	92.5	63.75	0	29952.607	494.6236559	14750.9037	30000	0	0	30000	43.9375	2004
22.01.2020 11:20:27	1	1	1	1	92.5	63.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	43.9375	2004
22.01.2020 11:20:28	1	1	1	1	92.5	63.75	0	30000	492.4731183	14622.07485	30000	0	0	30000	43.1875	2004
22.01.2020 11:20:29	1	1	1	1	92.5	63	0	29952.607	501.0752688	15008.56141	30000	0	0	30000	44.0625	2004
22.01.2020 11:20:30	1	1	1	1	92.5	64	0	29952.607	529.0322581	15870.41013	30000	0	0	30000	43.8125	2004
22.01.2020 11:20:31	1	1	1	1	92	63.75	0	29905.213	494.6236559	14791.67233	30000	0	0	30000	43.375	2004
22.01.2020 11:20:32	1	1	1	1	92	63.25	0	30000	511.827957	15418.69377	30000	0	0	30000	43.75	2004
22.01.2020 11:20:33	1	1	1	1	92	63.75	0	30000	518.2795699	15548.338	30000	0	0	30000	43.625	2004
22.01.2020 11:20:34	1	1	1	1	92	63.5	0	30000	505.3763441	15137.39026	30000	0	0	30000	43.875	2004
22.01.2020 11:20:35	1	1	1	1	92	63.75	0	26208.531	460.2150538	12017.77512	30000	0	0	30000	43.8125	2004
22.01.2020 11:20:36	1	1	1	1	92	63.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	43.4375	2004
22.01.2020 11:20:37	1	1	1	1	92	63.25	0	30000	505.3763441	15161.03607	30000	0	0	30000	44.0625	2004
22.01.2020 11:20:38	1	1	1	1	92	64	0	30000	516.1290323	15483.92357	30000	0	0	30000	43.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 11:20:39	1	1	1	1	92	63.75	0	29905.213	490.3225806	14662.84348	30000	0	0	30000	43.5625	2004
22.01.2020 11:20:40	1	1	1	1	92	63.5	0	29905.213	503.2258065	15112.92909	30000	0	0	30000	43.625	2004
22.01.2020 11:20:41	1	1	1	1	92.25	63.5	0	29715.64	501.0752688	14889.51703	30000	0	0	30000	43.625	2004
22.01.2020 11:20:42	1	1	1	1	92.25	63.5	0	30000	488.172043	14709.31971	30000	0	0	30000	44.125	2004
22.01.2020 11:20:43	1	1	1	1	92.25	64	0	30000	509.6774194	15289.86492	30000	0	0	30000	43.9375	2004
22.01.2020 11:20:44	1	1	1	1	92.25	63.75	0	28009.479	483.8709677	13552.30615	30000	0	0	30000	44.1875	2004
22.01.2020 11:20:45	1	1	1	1	92.25	64	0	30047.393	503.2258065	14750.9037	30000	0	0	30000	43.9375	2004
22.01.2020 11:20:49	1	1	1	1	92.25	63.75	0	29952.607	520.4301075	15677.16685	30000	0	0	30000	43.9375	2004
22.01.2020 11:20:49	1	1	1	1	92.25	63.75	0	29952.607	520.4301075	15677.16685	30000	0	0	30000	43.9375	2004
22.01.2020 11:20:49	1	1	1	1	92.25	63.75	0	29952.607	520.4301075	15677.16685	30000	0	0	30000	43.9375	2004
22.01.2020 11:20:49	1	1	1	1	92.25	63.75	0	26113.744	464.516129	12130.29652	30000	0	0	30000	43.125	2004
22.01.2020 11:20:50	1	1	1	1	92.5	63	0	29857.82	535.483871	16013.10032	30000	0	0	30000	43.625	2004
22.01.2020 11:20:51	1	1	1	1	92.5	63.5	0	29715.64	529.0322581	15834.53374	30000	0	0	30000	43.3125	2004
22.01.2020 11:20:58	1	1	1	1	92.5	63.25	0	29810.427	537.6344086	15962.54722	30000	0	0	30000	43.75	2004
22.01.2020 11:20:58	1	1	1	1	92.5	63.25	0	29810.427	537.6344086	15962.54722	30000	0	0	30000	43.75	2004
22.01.2020 11:20:58	1	1	1	1	92.5	63.25	0	29810.427	537.6344086	15962.54722	30000	0	0	30000	43.75	2004
22.01.2020 11:20:58	1	1	1	1	92.5	63.25	0	29810.427	537.6344086	15962.54722	30000	0	0	30000	43.75	2004
22.01.2020 11:20:58	1	1	1	1	92.5	63.25	0	29810.427	537.6344086	15962.54722	30000	0	0	30000	43.75	2004
22.01.2020 11:20:58	1	1	1	1	92.5	63.25	0	29810.427	537.6344086	15962.54722	30000	0	0	30000	43.75	2004
22.01.2020 11:20:59	1	1	1	1	92.5	63.75	0	29905.213	539.7849462	16141.92917	30000	0	0	30000	43.25	2004
22.01.2020 11:21:00	1	1	1	1	92.5	63.25	0	29336.493	490.3225806	14383.98608	30000	0	0	30000	44	2004
22.01.2020 11:21:01	1	1	1	1	92.25	64	0	29810.427	539.7849462	15848.39508	30000	0	0	30000	43.4375	2004
22.01.2020 11:21:02	1	1	1	1	92.25	63.25	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	44.1875	2004
22.01.2020 11:21:03	1	1	1	1	92.25	64	0	29810.427	537.6344086	15911.99413	30000	0	0	30000	43.3125	2004
22.01.2020 11:21:04	1	1	1	1	92.25	63.25	0	29526.066	539.7849462	15937.27068	30000	0	0	30000	43.8125	2004
22.01.2020 11:21:05	1	1	1	1	92.25	63.75	0	29573.46	537.6344086	15836.16449	30000	0	0	30000	43.9375	2004
22.01.2020 11:21:06	1	1	1	1	92.25	63.75	0	29620.853	535.483871	15861.44103	30000	0	0	30000	44.0625	2004
22.01.2020 11:21:07	1	1	1	1	92.25	64	0	29526.066	537.6344086	15937.27068	30000	0	0	30000	42.8125	2004
22.01.2020 11:21:08	1	1	1	1	92.25	62.75	0	29668.246	537.6344086	15911.99413	30000	0	0	30000	44	2004
22.01.2020 11:21:09	1	1	1	1	92.25	64	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	44.0625	2004
22.01.2020 11:21:10	1	1	1	1	92.25	64	0	29573.46	537.6344086	15988.63914	30000	0	0	30000	44.0625	2004
22.01.2020 11:21:11	1	1	1	1	92.25	64	0	29905.213	509.6774194	15241.75794	30000	0	0	30000	43.4375	2004
22.01.2020 11:21:12	1	1	1	1	92.25	63.25	0	29857.82	507.5268817	15370.5868	30000	0	0	30000	43.9375	2004
22.01.2020 11:21:13	1	1	1	1	92.25	63.75	0	29715.64	537.6344086	16103.60666	30000	0	0	30000	43.75	2004
22.01.2020 11:21:14	1	1	1	1	92.25	63.75	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	43.8125	2004
22.01.2020 11:21:15	1	1	1	1	92.25	63.75	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	43.25	2004
22.01.2020 11:21:16	1	1	1	1	92.25	63.25	0	29810.427	541.9354839	16154.97513	30000	0	0	30000	43.8125	2004
22.01.2020 11:21:17	1	1	1	1	92.25	63.75	0	29952.607	522.5806452	15498.60028	30000	0	0	30000	44.25	2004
22.01.2020 11:21:18	1	1	1	1	92.25	64.25	0	29668.246	539.7849462	16013.91569	30000	0	0	30000	43.9375	2004
22.01.2020 11:21:19	1	1	1	1	92.25	63.75	0	29573.46	535.483871	15963.3626	30000	0	0	30000	42.75	2004
22.01.2020 11:21:20	1	1	1	1	92.25	62.75	0	29715.64	539.7849462	16103.60666	30000	0	0	30000	43.375	2004
22.01.2020 11:21:21	1	1	1	1	92	63.25	0	29573.46	537.6344086	15861.44103	30000	0	0	30000	43.9375	2004
22.01.2020 11:21:22	1	1	1	1	92	63.75	0	26587.678	490.3225806	13254.69519	30000	0	0	30000	43.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 11:21:23	1	1	1	1	92	63.75	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	43.0625	2004
22.01.2020 11:21:24	1	1	1	1	92	63	0	29526.066	539.7849462	15937.27068	30000	0	0	30000	43.125	2004
22.01.2020 11:21:25	1	1	1	1	92	63	0	29573.46	535.483871	15772.56543	30000	0	0	30000	44.4375	2004
22.01.2020 11:21:26	1	1	1	1	92	64.25	0	29431.28	539.7849462	16229.17403	30000	0	0	30000	43.875	2004
22.01.2020 11:21:27	1	1	1	1	92	64	0	29668.246	541.9354839	16103.60666	30000	0	0	30000	43.875	2004
22.01.2020 11:21:28	1	1	1	1	92	63.75	0	29526.066	541.9354839	16090.5607	30000	0	0	30000	43.9375	2004
22.01.2020 11:21:29	1	1	1	1	92	63.75	0	29478.673	541.9354839	15949.50126	30000	0	0	30000	42.5625	2004
22.01.2020 11:21:30	1	1	1	1	92	62.5	0	29857.82	539.7849462	16026.96165	30000	0	0	30000	43.1875	2004
22.01.2020 11:21:32	1	1	1	1	92	63	0	29146.919	492.4731183	14102.68258	30000	0	0	30000	44.0625	2004
22.01.2020 11:21:33	1	1	1	1	92	64	0	29952.607	533.3333333	15885.08684	30000	0	0	30000	43.375	2004
22.01.2020 11:21:34	1	1	1	1	92	63.25	0	29620.853	537.6344086	16231.62015	30000	0	0	30000	43.8125	2004
22.01.2020 11:21:35	1	1	1	1	92	63.75	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	43.5625	2004
22.01.2020 11:21:36	1	1	1	1	92	63.5	0	29526.066	539.7849462	15836.16449	30000	0	0	30000	43.3125	2004
22.01.2020 11:21:37	1	1	1	1	92	63.25	0	29715.64	539.7849462	16103.60666	30000	0	0	30000	43.375	2004
22.01.2020 11:21:38	1	1	1	1	92	63.25	0	29573.46	537.6344086	16052.2382	30000	0	0	30000	44.0625	2004
22.01.2020 11:21:39	1	1	1	1	92	64	0	29905.213	544.0860215	16141.92917	30000	0	0	30000	44	2004
22.01.2020 11:21:40	1	1	1	1	92	64	0	29715.64	539.7849462	15911.99413	30000	0	0	30000	44.0625	2004
22.01.2020 11:21:41	1	1	1	1	92.25	64	0	29952.607	544.0860215	16141.92917	30000	0	0	30000	43.9375	2004
22.01.2020 11:21:42	1	1	1	1	92.25	63.75	0	29810.427	535.483871	15962.54722	30000	0	0	30000	43.75	2004
22.01.2020 11:21:43	1	1	1	1	92.25	63.75	0	29715.64	498.9247312	14761.50355	30000	0	0	30000	43.375	2004
22.01.2020 11:21:44	1	1	1	1	92.25	63.25	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	43.9375	2004
22.01.2020 11:21:45	1	1	1	1	92.25	63.75	0	29526.066	539.7849462	15784.79602	30000	0	0	30000	43.625	2004
22.01.2020 11:21:46	1	1	1	1	92.25	63.5	0	29810.427	537.6344086	16052.2382	30000	0	0	30000	43.75	2004
22.01.2020 11:21:47	1	1	1	1	92.25	63.75	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	43.9375	2004
22.01.2020 11:21:48	1	1	1	1	92.25	63.75	0	29905.213	522.5806452	15627.42913	30000	0	0	30000	43.875	2004
22.01.2020 11:21:49	1	1	1	1	92.25	63.75	0	29620.853	539.7849462	15797.84198	30000	0	0	30000	44.125	2004
22.01.2020 11:21:50	1	1	1	1	92.25	64	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	43.875	2004
22.01.2020 11:21:51	1	1	1	1	92.75	63.75	0	29905.213	537.6344086	16013.10032	30000	0	0	30000	43	2004
22.01.2020 11:21:52	1	1	1	1	92.75	63	0	29857.82	516.1290323	15386.07887	30000	0	0	30000	44.125	2004
22.01.2020 11:21:53	1	1	1	1	92.75	64	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	43.9375	2004
22.01.2020 11:22:00	1	1	1	1	92.75	63.5	0	29810.427	488.172043	14506.29196	30000	0	0	30000	43.625	2004
22.01.2020 11:22:00	1	1	1	1	92.75	63.5	0	29810.427	488.172043	14506.29196	30000	0	0	30000	43.625	2004
22.01.2020 11:22:00	1	1	1	1	92.75	63.5	0	29810.427	488.172043	14506.29196	30000	0	0	30000	43.625	2004
22.01.2020 11:22:00	1	1	1	1	92.75	63.5	0	29810.427	488.172043	14506.29196	30000	0	0	30000	43.625	2004
22.01.2020 11:22:00	1	1	1	1	92.75	63.5	0	29810.427	488.172043	14506.29196	30000	0	0	30000	43.625	2004
22.01.2020 11:22:00	1	1	1	1	92.75	63.5	0	29905.213	537.6344086	16013.10032	30000	0	0	30000	43.625	2004
22.01.2020 11:22:01	1	1	1	1	92.75	63.5	0	29146.919	492.4731183	14353.8173	30000	0	0	30000	43.625	2004
22.01.2020 11:22:02	1	1	1	1	92.75	63.5	0	29526.066	541.9354839	16064.46878	30000	0	0	30000	44.25	2004
22.01.2020 11:22:03	1	1	1	1	92.75	64.25	0	29715.64	546.2365591	16040.00761	30000	0	0	30000	44.3125	2004
22.01.2020 11:22:04	1	1	1	1	92.75	64.25	0	29668.246	537.6344086	16013.91569	30000	0	0	30000	43.9375	2004
22.01.2020 11:22:05	1	1	1	1	92.75	63.75	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	43.5	2004
22.01.2020 11:22:06	1	1	1	1	92.75	64.25	0	29526.066	539.7849462	15937.27068	30000	0	0	30000	43.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 11:22:07	1	1	1	1	92.75	63.75	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	44	2004
22.01.2020 11:22:08	1	1	1	1	92.75	64	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	43.3125	2004
22.01.2020 11:22:09	1	1	1	1	92.75	63.25	0	29620.853	548.3870968	16307.44979	30000	0	0	30000	44.125	2004
22.01.2020 11:22:11	1	1	1	1	92.75	64	0	29526.066	541.9354839	15784.79602	30000	0	0	30000	43.875	2004
22.01.2020 11:22:12	1	1	1	1	92.75	63.75	0	29573.46	537.6344086	15963.3626	30000	0	0	30000	44.1875	2004
22.01.2020 11:22:13	1	1	1	1	92.75	64	0	29526.066	541.9354839	15911.99413	30000	0	0	30000	44.0625	2004
22.01.2020 11:22:14	1	1	1	1	92.75	64	0	29478.673	541.9354839	16064.46878	30000	0	0	30000	44.125	2004
22.01.2020 11:22:15	1	1	1	1	92.75	64	0	29431.28	503.2258065	14873.20958	30000	0	0	30000	43.5	2004
22.01.2020 11:22:16	1	1	1	1	92.75	63.5	0	29620.853	539.7849462	15861.44103	30000	0	0	30000	43.8125	2004
22.01.2020 11:22:17	1	1	1	1	92.75	63.75	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	44.0625	2004
22.01.2020 11:22:18	1	1	1	1	92.75	64	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	43.75	2004
22.01.2020 11:22:19	1	1	1	1	92.75	63.75	0	29620.853	529.0322581	15911.99413	30000	0	0	30000	44.1875	2004
22.01.2020 11:22:20	1	1	1	1	92.75	64	0	29952.607	518.2795699	15612.75243	30000	0	0	30000	44.1875	2004
22.01.2020 11:22:21	1	1	1	1	93.25	64	0	29810.427	537.6344086	15962.54722	30000	0	0	30000	43.9375	2004
22.01.2020 11:22:22	1	1	1	1	93.25	63.75	0	29763.033	535.483871	15975.59318	30000	0	0	30000	44.0625	2004
22.01.2020 11:22:23	1	1	1	1	93.25	64	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	43.8125	2004
22.01.2020 11:22:24	1	1	1	1	93.25	63.75	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	44.125	2004
22.01.2020 11:22:25	1	1	1	1	93.25	64	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	44.125	2004
22.01.2020 11:22:26	1	1	1	1	93.25	64	0	29526.066	541.9354839	16026.96165	30000	0	0	30000	43.625	2004
22.01.2020 11:22:27	1	1	1	1	93.25	63.5	0	29620.853	537.6344086	15925.04009	30000	0	0	30000	43.5625	2004
22.01.2020 11:22:28	1	1	1	1	93.25	63.5	0	29620.853	539.7849462	16052.2382	30000	0	0	30000	43	2004
22.01.2020 11:22:29	1	1	1	1	93.25	63	0	29715.64	537.6344086	15911.99413	30000	0	0	30000	44	2004
22.01.2020 11:22:30	1	1	1	1	93.25	64	0	29620.853	537.6344086	15925.04009	30000	0	0	30000	44.125	2004
22.01.2020 11:22:31	1	1	1	1	93	64	0	29668.246	541.9354839	16078.33012	30000	0	0	30000	44.3125	2004
22.01.2020 11:22:32	1	1	1	1	93	64.25	0	29526.066	535.483871	15836.16449	30000	0	0	30000	43.5625	2004
22.01.2020 11:22:33	1	1	1	1	93	63.5	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	43.75	2004
22.01.2020 11:22:34	1	1	1	1	93	63.75	0	29857.82	522.5806452	15602.96796	30000	0	0	30000	44.0625	2004
22.01.2020 11:22:35	1	1	1	1	93	64	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	44.0625	2004
22.01.2020 11:22:36	1	1	1	1	93	64	0	29526.066	533.3333333	15899.76354	30000	0	0	30000	44.0625	2004
22.01.2020 11:22:37	1	1	1	1	93	64	0	29668.246	537.6344086	16040.00761	30000	0	0	30000	43.875	2004
22.01.2020 11:22:38	1	1	1	1	93	63.75	0	29810.427	541.9354839	15911.99413	30000	0	0	30000	43.875	2004
22.01.2020 11:22:39	1	1	1	1	93	63.75	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	43.4375	2004
22.01.2020 11:22:40	1	1	1	1	93	63.25	0	29668.246	539.7849462	16103.60666	30000	0	0	30000	43.9375	2004
22.01.2020 11:22:41	1	1	1	1	93.25	63.75	0	29526.066	537.6344086	15937.27068	30000	0	0	30000	44.125	2004
22.01.2020 11:22:42	1	1	1	1	93.25	64	0	28957.346	516.1290323	14945.77773	30000	0	0	30000	43.6875	2004
22.01.2020 11:22:43	1	1	1	1	93.25	63.5	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	44.25	2004
22.01.2020 11:22:44	1	1	1	1	93.25	64.25	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	44.0625	2004
22.01.2020 11:22:45	1	1	1	1	93.25	64	0	29857.82	535.483871	15987.82377	30000	0	0	30000	44.1875	2004
22.01.2020 11:22:46	1	1	1	1	93.25	64	0	29810.427	539.7849462	16040.00761	30000	0	0	30000	43.875	2004
22.01.2020 11:22:47	1	1	1	1	93.25	63.75	0	29905.213	520.4301075	15691.84356	30000	0	0	30000	44.125	2004
22.01.2020 11:22:48	1	1	1	1	93.25	64	0	29526.066	507.5268817	14984.91561	30000	0	0	30000	43.6875	2004
22.01.2020 11:22:50	1	1	1	1	93.25	63.5	0	29336.493	539.7849462	15960.91648	30000	0	0	30000	43.5	2004
22.01.2020 11:22:51	1	1	1	1	93.25	63.5	0	29336.493	541.9354839	15771.75006	30000	0	0	30000	44.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 11:22:52	1	1	1	1	93.25	64	0	29526.066	481.7204301	14223.3577	30000	0	0	30000	44.125	2004
22.01.2020 11:22:53	1	1	1	1	93.25	64	0	29383.886	539.7849462	15949.50126	30000	0	0	30000	44.0625	2004
22.01.2020 11:22:54	1	1	1	1	93.25	64	0	28009.479	501.0752688	14034.19129	30000	0	0	30000	43.9375	2004
22.01.2020 11:22:55	1	1	1	1	93.25	63.75	0	29715.64	496.7741935	14889.51703	30000	0	0	30000	43.875	2004
22.01.2020 11:23:01	1	1	1	1	93	64	0	29620.853	539.7849462	16167.20572	30000	0	0	30000	44.0625	2004
22.01.2020 11:23:01	1	1	1	1	93	64	0	29620.853	539.7849462	16167.20572	30000	0	0	30000	44.0625	2004
22.01.2020 11:23:01	1	1	1	1	93	64	0	29620.853	539.7849462	16167.20572	30000	0	0	30000	44.0625	2004
22.01.2020 11:23:01	1	1	1	1	93	64	0	29620.853	539.7849462	16167.20572	30000	0	0	30000	44.0625	2004
22.01.2020 11:23:01	1	1	1	1	93	64	0	29620.853	539.7849462	16167.20572	30000	0	0	30000	44.0625	2004
22.01.2020 11:23:01	1	1	1	1	93	64	0	29620.853	539.7849462	16167.20572	30000	0	0	30000	44.0625	2004
22.01.2020 11:23:01	1	1	1	1	93	64	0	29620.853	539.7849462	16167.20572	30000	0	0	30000	44.0625	2004
22.01.2020 11:23:02	1	1	1	1	93	64	0	29620.853	541.9354839	15988.63914	30000	0	0	30000	43.1875	2004
22.01.2020 11:23:03	1	1	1	1	93	63	0	29952.607	522.5806452	15627.42913	30000	0	0	30000	44	2004
22.01.2020 11:23:04	1	1	1	1	93	64	0	30000	533.3333333	16000.05436	30000	0	0	30000	43.5	2004
22.01.2020 11:23:05	1	1	1	1	93	63.5	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	43.9375	2004
22.01.2020 11:23:06	1	1	1	1	93	63.75	0	29810.427	488.172043	14680.78167	30000	0	0	30000	44.0625	2004
22.01.2020 11:23:07	1	1	1	1	93	64	0	30000	520.4301075	15459.4624	30000	0	0	30000	43.625	2004
22.01.2020 11:23:08	1	1	1	1	93	63.5	0	29905.213	537.6344086	16077.51474	30000	0	0	30000	44.25	2004
22.01.2020 11:23:09	1	1	1	1	93	64.25	0	28957.346	481.7204301	13949.39255	30000	0	0	30000	44.1875	2004
22.01.2020 11:23:10	1	1	1	1	93	64	0	27914.692	481.7204301	13447.12309	30000	0	0	30000	44.25	2004
22.01.2020 11:23:11	1	1	1	1	93.5	64.25	0	29478.673	481.7204301	14223.3577	30000	0	0	30000	44.0625	2004
22.01.2020 11:23:12	1	1	1	1	93.5	64	0	27440.758	483.8709677	13218.8188	30000	0	0	30000	43.8125	2004
22.01.2020 11:23:13	1	1	1	1	93.5	63.75	0	29810.427	481.7204301	14360.34028	30000	0	0	30000	43.875	2004
22.01.2020 11:23:14	1	1	1	1	93.5	63.75	0	28815.166	496.7741935	14314.67942	30000	0	0	30000	43.6875	2004
22.01.2020 11:23:15	1	1	1	1	93.5	63.5	0	29668.246	533.3333333	15797.84198	30000	0	0	30000	44.25	2004
22.01.2020 11:23:16	1	1	1	1	93.5	64.25	0	29905.213	535.483871	16013.10032	30000	0	0	30000	44.25	2004
22.01.2020 11:23:17	1	1	1	1	93.5	64.25	0	29857.82	481.7204301	14360.34028	30000	0	0	30000	43.75	2004
22.01.2020 11:23:18	1	1	1	1	93.5	63.75	0	29952.607	516.1290323	15483.92357	30000	0	0	30000	44.125	2004
22.01.2020 11:23:19	1	1	1	1	93.5	64	0	29905.213	511.827957	15112.92909	30000	0	0	30000	44.0625	2004
22.01.2020 11:23:20	1	1	1	1	93.5	64	0	29905.213	501.0752688	14984.10024	30000	0	0	30000	44.125	2004
22.01.2020 11:23:21	1	1	1	1	93.5	64	0	30000	533.3333333	15934.82456	30000	0	0	30000	44.4375	2004
22.01.2020 11:23:22	1	1	1	1	93.5	64.25	0	29763.033	516.1290323	15386.07887	30000	0	0	30000	44.4375	2004
22.01.2020 11:23:23	1	1	1	1	93.5	64.25	0	30000	533.3333333	15934.82456	30000	0	0	30000	44.125	2004
22.01.2020 11:23:24	1	1	1	1	93.5	64.5	0	29526.066	481.7204301	14223.3577	30000	0	0	30000	43.6875	2004
22.01.2020 11:23:25	1	1	1	1	93.5	63.5	0	29857.82	492.4731183	14727.2579	30000	0	0	30000	43.5	2004
22.01.2020 11:23:26	1	1	1	1	93.5	63.5	0	29905.213	535.483871	16013.10032	30000	0	0	30000	44.0625	2004
22.01.2020 11:23:27	1	1	1	1	93.5	64	0	29573.46	492.4731183	14564.1834	30000	0	0	30000	44.125	2004
22.01.2020 11:23:29	1	1	1	1	93.5	64	0	29526.066	537.6344086	15683.68983	30000	0	0	30000	44.1875	2004
22.01.2020 11:23:30	1	1	1	1	93.5	64	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	44.0625	2004
22.01.2020 11:23:31	1	1	1	1	93.25	64	0	26113.744	488.172043	12747.5335	30000	0	0	30000	44	2004
22.01.2020 11:23:32	1	1	1	1	93.25	64	0	29573.46	481.7204301	14269.01856	30000	0	0	30000	44.125	2004
22.01.2020 11:23:33	1	1	1	1	93.25	64	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	43.8125	2004
22.01.2020 11:23:34	1	1	1	1	93.25	63.75	0	29857.82	522.5806452	15602.96796	30000	0	0	30000	44	2004
22.01.2020 11:23:35	1	1	1	1	93.25	64	0	28436.019	481.7204301	13759.41076	30000	0	0	30000	43.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 11:23:36	1	1	1	1	93.25	63.75	0	29763.033	535.483871	15962.54722	30000	0	0	30000	44.25	2004
22.01.2020 11:23:37	1	1	1	1	93.25	64.25	0	29905.213	533.3333333	15974.77781	30000	0	0	30000	43.6875	2004
22.01.2020 11:23:38	1	1	1	1	93.25	63.5	0	29905.213	520.4301075	15627.42913	30000	0	0	30000	43.75	2004
22.01.2020 11:23:39	1	1	1	1	93.25	63.75	0	29810.427	537.6344086	16090.5607	30000	0	0	30000	44.125	2004
22.01.2020 11:23:40	1	1	1	1	93.25	64	0	29810.427	537.6344086	16090.5607	30000	0	0	30000	44.0625	2004
22.01.2020 11:23:41	1	1	1	1	93	64	0	29620.853	544.0860215	16052.2382	30000	0	0	30000	44.0625	2004
22.01.2020 11:23:42	1	1	1	1	93	64	0	26208.531	490.3225806	12896.74666	30000	0	0	30000	43.1875	2004
22.01.2020 11:23:43	1	1	1	1	93	63	0	29620.853	494.6236559	14714.21194	30000	0	0	30000	44.125	2004
22.01.2020 11:23:44	1	1	1	1	93	64	0	29905.213	522.5806452	15756.25798	30000	0	0	30000	43.8125	2004
22.01.2020 11:23:45	1	1	1	1	93	63.75	0	29668.246	537.6344086	15975.59318	30000	0	0	30000	44.125	2004
22.01.2020 11:23:46	1	1	1	1	93	64	0	29857.82	522.5806452	15602.96796	30000	0	0	30000	44.125	2004
22.01.2020 11:23:47	1	1	1	1	93	64	0	29526.066	505.3763441	15009.37678	30000	0	0	30000	43.5625	2004
22.01.2020 11:23:48	1	1	1	1	93	63.5	0	29905.213	533.3333333	15974.77781	30000	0	0	30000	43.3125	2004
22.01.2020 11:23:49	1	1	1	1	93	63.25	0	27867.299	516.1290323	14383.17071	30000	0	0	30000	43.875	2004
22.01.2020 11:23:50	1	1	1	1	93	63.75	0	29431.28	539.7849462	15885.90221	30000	0	0	30000	43.3125	2004
22.01.2020 11:23:51	1	1	1	1	92.75	63.25	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	44	2004
22.01.2020 11:23:52	1	1	1	1	92.75	64	0	29668.246	541.9354839	16078.33012	30000	0	0	30000	44.0625	2004
22.01.2020 11:23:53	1	1	1	1	92.75	64	0	29478.673	546.2365591	16191.66689	30000	0	0	30000	43.9375	2004
22.01.2020 11:23:54	1	1	1	1	92.75	63.75	0	29715.64	544.0860215	16167.20572	30000	0	0	30000	44	2004
22.01.2020 11:23:55	1	1	1	1	92.75	64	0	29336.493	524.7311828	15330.63354	30000	0	0	30000	43.8125	2004
22.01.2020 11:23:56	1	1	1	1	92.75	63.75	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	44.1875	2004
22.01.2020 11:24:03	1	1	1	1	93.5	64.25	0	29810.427	516.1290323	15257.25002	30000	0	0	30000	44.125	2004
22.01.2020 11:24:03	1	1	1	1	93.5	64.25	0	29810.427	516.1290323	15257.25002	30000	0	0	30000	44.125	2004
22.01.2020 11:24:03	1	1	1	1	93.5	64.25	0	29810.427	516.1290323	15257.25002	30000	0	0	30000	44.125	2004
22.01.2020 11:24:03	1	1	1	1	93.5	64.25	0	29810.427	516.1290323	15257.25002	30000	0	0	30000	44.125	2004
22.01.2020 11:24:03	1	1	1	1	93.5	64.25	0	29810.427	516.1290323	15257.25002	30000	0	0	30000	44.125	2004
22.01.2020 11:24:03	1	1	1	1	93.5	63.75	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	44.1875	2004
22.01.2020 11:24:04	1	1	1	1	93.5	64	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	43.625	2004
22.01.2020 11:24:05	1	1	1	1	93.5	63.5	0	28483.412	488.172043	13904.54706	30000	0	0	30000	44.1875	2004
22.01.2020 11:24:07	1	1	1	1	93.5	64	0	28009.479	486.0215054	13552.30615	30000	0	0	30000	44.3125	2004
22.01.2020 11:24:08	1	1	1	1	93.5	64.25	0	29052.133	494.6236559	14322.83315	30000	0	0	30000	44.125	2004
22.01.2020 11:24:09	1	1	1	1	93.5	64	0	29336.493	539.7849462	15898.1328	30000	0	0	30000	44.125	2004
22.01.2020 11:24:10	1	1	1	1	93.5	64	0	29241.706	546.2365591	15909.54801	30000	0	0	30000	44.125	2004
22.01.2020 11:24:11	1	1	1	1	92.75	64	0	29146.919	546.2365591	15858.17955	30000	0	0	30000	43.1875	2004
22.01.2020 11:24:12	1	1	1	1	92.75	63	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	43.75	2004
22.01.2020 11:24:13	1	1	1	1	92.75	63.75	0	29478.673	544.0860215	16064.46878	30000	0	0	30000	44.125	2004
22.01.2020 11:24:14	1	1	1	1	92.75	64	0	29526.066	539.7849462	15937.27068	30000	0	0	30000	44.375	2004
22.01.2020 11:24:15	1	1	1	1	92.75	64.25	0	29526.066	539.7849462	16064.46878	30000	0	0	30000	44.125	2004
22.01.2020 11:24:16	1	1	1	1	92.75	64	0	29715.64	544.0860215	16167.20572	30000	0	0	30000	44.25	2004
22.01.2020 11:24:17	1	1	1	1	92.75	64.25	0	29526.066	537.6344086	15963.3626	30000	0	0	30000	43.8125	2004
22.01.2020 11:24:18	1	1	1	1	92.75	63.75	0	29526.066	537.6344086	15899.76354	30000	0	0	30000	44.1875	2004
22.01.2020 11:24:19	1	1	1	1	92.75	64	0	29383.886	544.0860215	16113.39113	30000	0	0	30000	44.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 11:24:20	1	1	1	1	92.75	64	0	29526.066	541.9354839	15911.99413	30000	0	0	30000	43.0625	2004
22.01.2020 11:24:21	1	1	1	1	94	63	0	28815.166	481.7204301	13880.90126	30000	0	0	30000	44.1875	2004
22.01.2020 11:24:22	1	1	1	1	94	64	0	30000	518.2795699	15548.338	30000	0	0	30000	44.1875	2004
22.01.2020 11:24:23	1	1	1	1	94	64	0	28957.346	481.7204301	13903.73169	30000	0	0	30000	43.625	2004
22.01.2020 11:24:24	1	1	1	1	94	63.5	0	29857.82	468.8172043	14061.91395	30000	0	0	30000	43.625	2004
22.01.2020 11:24:25	1	1	1	1	94	63.5	0	27535.545	481.7204301	13287.31009	30000	0	0	30000	44.125	2004
22.01.2020 11:24:26	1	1	1	1	94	64	0	28199.052	481.7204301	13584.10567	30000	0	0	30000	43.9375	2004
22.01.2020 11:24:27	1	1	1	1	94	63.75	0	29905.213	481.7204301	14469.6002	30000	0	0	30000	44.25	2004
22.01.2020 11:24:28	1	1	1	1	94	64.25	0	30000	494.6236559	14750.9037	30000	0	0	30000	43.5	2004
22.01.2020 11:24:29	1	1	1	1	94	63.5	0	29952.607	483.8709677	14516.07643	30000	0	0	30000	44.3125	2004
22.01.2020 11:24:30	1	1	1	1	94	64.25	0	29952.607	486.0215054	14644.90528	30000	0	0	30000	44.25	2004
22.01.2020 11:24:31	1	1	1	1	92.25	64.25	0	29146.919	481.7204301	14040.71427	30000	0	0	30000	43.5	2004
22.01.2020 11:24:32	1	1	1	1	92.25	63.5	0	29620.853	481.7204301	14269.01856	30000	0	0	30000	43.875	2004
22.01.2020 11:24:33	1	1	1	1	92.25	63.75	0	28578.199	460.2150538	13089.98994	30000	0	0	30000	43.75	2004
22.01.2020 11:24:34	1	1	1	1	92.25	63.75	0	29905.213	509.6774194	15354.27935	30000	0	0	30000	43.625	2004
22.01.2020 11:24:35	1	1	1	1	92.25	63.5	0	27440.758	464.516129	12702.68801	30000	0	0	30000	44.4375	2004
22.01.2020 11:24:36	1	1	1	1	92.25	64.25	0	29952.607	503.2258065	15201.80469	30000	0	0	30000	44.25	2004
22.01.2020 11:24:37	1	1	1	1	92.25	64.25	0	29810.427	481.7204301	14551.95282	30000	0	0	30000	44.125	2004
22.01.2020 11:24:38	1	1	1	1	92.25	64	0	29336.493	455.9139785	13311.77126	30000	0	0	30000	44.3125	2004
22.01.2020 11:24:39	1	1	1	1	92.25	64.25	0	28815.166	464.516129	13385.15478	30000	0	0	30000	44.375	2004
22.01.2020 11:24:40	1	1	1	1	92.25	64.25	0	29620.853	481.7204301	14269.01856	30000	0	0	30000	44.125	2004
22.01.2020 11:24:41	1	1	1	1	93	64	0	30047.393	533.3333333	16244.6661	30000	0	0	30000	43.9375	2004
22.01.2020 11:24:42	1	1	1	1	93	64.5	0	30000	516.1290323	15483.92357	30000	0	0	30000	43.9375	2004
22.01.2020 11:24:43	1	1	1	1	93	63.75	0	29952.607	518.2795699	15523.87682	30000	0	0	30000	44.3125	2004
22.01.2020 11:24:45	1	1	1	1	93	64.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	44.25	2004
22.01.2020 11:24:46	1	1	1	1	93	64.25	0	29810.427	537.6344086	16026.96165	30000	0	0	30000	43.8125	2004
22.01.2020 11:24:47	1	1	1	1	93	63.75	0	28009.479	481.7204301	13469.95352	30000	0	0	30000	43.75	2004
22.01.2020 11:24:48	1	1	1	1	93	63.75	0	30000	533.3333333	16000.05436	30000	0	0	30000	44.375	2004
22.01.2020 11:24:49	1	1	1	1	93	64.25	0	29146.919	496.7741935	14479.38467	30000	0	0	30000	44.4375	2004
22.01.2020 11:24:50	1	1	1	1	93	64.25	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	43.8125	2004
22.01.2020 11:24:51	1	1	1	1	93.75	63.75	0	28625.592	483.8709677	13942.86957	30000	0	0	30000	44.4375	2004
22.01.2020 11:24:52	1	1	1	1	93.75	64.25	0	29668.246	537.6344086	15886.71758	30000	0	0	30000	43.875	2004
22.01.2020 11:24:53	1	1	1	1	93.75	63.75	0	29763.033	537.6344086	16090.5607	30000	0	0	30000	44.1875	2004
22.01.2020 11:24:54	1	1	1	1	93.75	64	0	29905.213	535.483871	16013.10032	30000	0	0	30000	44.3125	2004
22.01.2020 11:24:55	1	1	1	1	93.75	64.25	0	29146.919	488.172043	14228.24994	30000	0	0	30000	44.25	2004
22.01.2020 11:24:56	1	1	1	1	93.75	64.25	0	29478.673	535.483871	16000.86973	30000	0	0	30000	44.25	2004
22.01.2020 11:24:57	1	1	1	1	93.75	64.25	0	29715.64	535.483871	15911.99413	30000	0	0	30000	44.1875	2004
22.01.2020 11:24:58	1	1	1	1	93.75	64	0	29810.427	488.172043	14551.95282	30000	0	0	30000	44.0625	2004
22.01.2020 11:25:04	1	1	1	1	93.5	64.25	0	29526.066	539.7849462	15937.27068	30000	0	0	30000	44	2004
22.01.2020 11:25:04	1	1	1	1	93.5	64.25	0	29526.066	539.7849462	15937.27068	30000	0	0	30000	44	2004
22.01.2020 11:25:04	1	1	1	1	93.5	64.25	0	29526.066	539.7849462	15937.27068	30000	0	0	30000	44	2004
22.01.2020 11:25:04	1	1	1	1	93.5	64.25	0	29526.066	539.7849462	15937.27068	30000	0	0	30000	44	2004
22.01.2020 11:25:04	1	1	1	1	93.5	64.25	0	29526.066	539.7849462	15937.27068	30000	0	0	30000	44	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 11:25:04	1	1	1	1	93.5	64.25	0	29526.066	539.7849462	15937.27068	30000	0	0	30000	44	2004
22.01.2020 11:25:05	1	1	1	1	93.5	64	0	25450.237	468.8172043	11931.34564	30000	0	0	30000	43.6875	2004
22.01.2020 11:25:06	1	1	1	1	93.5	63.5	0	29620.853	537.6344086	15925.04009	30000	0	0	30000	44.3125	2004
22.01.2020 11:25:07	1	1	1	1	93.5	64.25	0	29478.673	541.9354839	15975.59318	30000	0	0	30000	43.125	2004
22.01.2020 11:25:08	1	1	1	1	93.5	63	0	24786.73	481.7204301	11940.31473	30000	0	0	30000	44	2004
22.01.2020 11:25:09	1	1	1	1	93.5	64	0	29715.64	537.6344086	16167.20572	30000	0	0	30000	44.1875	2004
22.01.2020 11:25:10	1	1	1	1	93.5	64	0	29478.673	544.0860215	16255.26595	30000	0	0	30000	44.25	2004
22.01.2020 11:25:11	1	1	1	1	93	64.25	0	29668.246	535.483871	16040.00761	30000	0	0	30000	44.0625	2004
22.01.2020 11:25:12	1	1	1	1	93	64	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	44.1875	2004
22.01.2020 11:25:13	1	1	1	1	93	64	0	29715.64	537.6344086	15848.39508	30000	0	0	30000	44.1875	2004
22.01.2020 11:25:14	1	1	1	1	93	64	0	29810.427	522.5806452	15602.96796	30000	0	0	30000	44.1875	2004
22.01.2020 11:25:15	1	1	1	1	93	64	0	27109.005	494.6236559	13502.56842	30000	0	0	30000	44.3125	2004
22.01.2020 11:25:16	1	1	1	1	93	64.25	0	29620.853	537.6344086	15925.04009	30000	0	0	30000	43.6875	2004
22.01.2020 11:25:17	1	1	1	1	93	63.5	0	29668.246	539.7849462	15988.63914	30000	0	0	30000	44.625	2004
22.01.2020 11:25:18	1	1	1	1	93	64.5	0	26303.318	481.7204301	12783.40989	30000	0	0	30000	44.125	2004
22.01.2020 11:25:19	1	1	1	1	93	64	0	29810.427	541.9354839	16154.97513	30000	0	0	30000	44.25	2004
22.01.2020 11:25:20	1	1	1	1	93.5	64.25	0	30000	526.8817204	15781.53453	30000	0	0	30000	44.25	2004
22.01.2020 11:25:21	1	1	1	1	93.5	64.25	0	29905.213	498.9247312	14856.08676	30000	0	0	30000	44.375	2004
22.01.2020 11:25:23	1	1	1	1	93.5	64.25	0	29952.607	507.5268817	15330.63354	30000	0	0	30000	44.25	2004
22.01.2020 11:25:24	1	1	1	1	93.5	64.25	0	29146.919	466.6666667	13539.26019	30000	0	0	30000	44.25	2004
22.01.2020 11:25:25	1	1	1	1	93.5	64.25	0	29810.427	533.3333333	15834.53374	30000	0	0	30000	43.625	2004
22.01.2020 11:25:26	1	1	1	1	93.5	63.5	0	29146.919	486.0215054	14079.85215	30000	0	0	30000	44.375	2004
22.01.2020 11:25:27	1	1	1	1	93.5	64.25	0	29715.64	503.2258065	14825.91797	30000	0	0	30000	44.25	2004
22.01.2020 11:25:28	1	1	1	1	93.5	64.25	0	29620.853	539.7849462	16052.2382	30000	0	0	30000	43.875	2004
22.01.2020 11:25:29	1	1	1	1	93.5	63.75	0	29905.213	490.3225806	14703.6121	30000	0	0	30000	44.375	2004
22.01.2020 11:25:30	1	1	1	1	93.5	64.25	0	30000	522.5806452	15677.16685	30000	0	0	30000	44.25	2004
22.01.2020 11:25:31	1	1	1	1	93	64.25	0	29810.427	537.6344086	16052.2382	30000	0	0	30000	44.3125	2004
22.01.2020 11:25:32	1	1	1	1	93	64.25	0	29905.213	511.827957	15435.00122	30000	0	0	30000	44.25	2004
22.01.2020 11:25:33	1	1	1	1	93	64.25	0	29952.607	516.1290323	15483.92357	30000	0	0	30000	44.3125	2004
22.01.2020 11:25:34	1	1	1	1	93	64.25	0	29905.213	496.7741935	14856.08676	30000	0	0	30000	44.375	2004
22.01.2020 11:25:35	1	1	1	1	93	64.25	0	29905.213	494.6236559	14856.08676	30000	0	0	30000	44.1875	2004
22.01.2020 11:25:36	1	1	1	1	93	64	0	29810.427	481.7204301	14360.34028	30000	0	0	30000	43.9375	2004
22.01.2020 11:25:37	1	1	1	1	93	63.75	0	28293.839	481.7204301	13712.93453	30000	0	0	30000	44.0625	2004
22.01.2020 11:25:38	1	1	1	1	93	64	0	29431.28	481.7204301	14200.52727	30000	0	0	30000	44.25	2004
22.01.2020 11:25:39	1	1	1	1	93	64.25	0	30000	516.1290323	15354.27935	30000	0	0	30000	43.125	2004
22.01.2020 11:25:40	1	1	1	1	93	63	0	28815.166	466.6666667	13447.12309	30000	0	0	30000	44.25	2004
22.01.2020 11:25:41	1	1	1	1	93.5	64.25	0	30000	522.5806452	15677.16685	30000	0	0	30000	44.1875	2004
22.01.2020 11:25:42	1	1	1	1	93.5	64	0	29383.886	481.7204301	13712.11915	30000	0	0	30000	44.4375	2004
22.01.2020 11:25:43	1	1	1	1	93.5	64.25	0	30000	509.6774194	15289.86492	30000	0	0	30000	43.75	2004
22.01.2020 11:25:44	1	1	1	1	93.5	63.75	0	30000	511.827957	15289.86492	30000	0	0	30000	44.125	2004
22.01.2020 11:25:45	1	1	1	1	93.5	64	0	28815.166	466.6666667	13447.12309	30000	0	0	30000	44.25	2004
22.01.2020 11:25:46	1	1	1	1	93.5	64.25	0	30000	529.0322581	15870.41013	30000	0	0	30000	44.0625	2004
22.01.2020 11:25:47	1	1	1	1	93.5	64	0	30000	516.1290323	15483.92357	30000	0	0	30000	43.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 11:25:48	1	1	1	1	93.5	63.75	0	30000	518.2795699	15548.338	30000	0	0	30000	43.875	2004
22.01.2020 11:25:49	1	1	1	1	93.5	63.75	0	29336.493	466.6666667	13690.1041	30000	0	0	30000	43.5625	2004
22.01.2020 11:25:50	1	1	1	1	93.5	63.5	0	29905.213	503.2258065	14856.08676	30000	0	0	30000	43.625	2004
22.01.2020 11:25:51	1	1	1	1	92.25	63.5	0	29905.213	503.2258065	14984.10024	30000	0	0	30000	44.1875	2004
22.01.2020 11:25:52	1	1	1	1	92.25	64	0	28625.592	449.4623656	13075.31324	30000	0	0	30000	44.25	2004
22.01.2020 11:25:53	1	1	1	1	92.25	64.25	0	29857.82	496.7741935	14832.44095	30000	0	0	30000	44.3125	2004
22.01.2020 11:25:54	1	1	1	1	92.25	64.25	0	28199.052	494.6236559	13886.60887	30000	0	0	30000	44.125	2004
22.01.2020 11:25:55	1	1	1	1	92.25	64	0	30000	522.5806452	15612.75243	30000	0	0	30000	43.875	2004
22.01.2020 11:25:56	1	1	1	1	92.25	63.75	0	29905.213	533.3333333	15974.77781	30000	0	0	30000	44.25	2004
22.01.2020 11:25:57	1	1	1	1	92.25	64.25	0	29905.213	501.0752688	15177.34352	30000	0	0	30000	44.3125	2004
22.01.2020 11:25:58	1	1	1	1	92.25	64.25	0	29810.427	533.3333333	15898.94817	30000	0	0	30000	43.75	2004
22.01.2020 11:25:59	1	1	1	1	92.25	64.25	0	29526.066	541.9354839	15937.27068	30000	0	0	30000	44.0625	2004
22.01.2020 11:26:06	1	1	1	1	93.5	64	0	29478.673	541.9354839	16064.46878	30000	0	0	30000	44.125	2004
22.01.2020 11:26:06	1	1	1	1	93.5	64	0	29478.673	541.9354839	16064.46878	30000	0	0	30000	44.125	2004
22.01.2020 11:26:06	1	1	1	1	93.5	64	0	29478.673	541.9354839	16064.46878	30000	0	0	30000	44.125	2004
22.01.2020 11:26:06	1	1	1	1	93.5	64	0	29478.673	541.9354839	16064.46878	30000	0	0	30000	44.125	2004
22.01.2020 11:26:06	1	1	1	1	93.5	64	0	29478.673	541.9354839	16064.46878	30000	0	0	30000	44.125	2004
22.01.2020 11:26:06	1	1	1	1	93.5	64	0	29478.673	541.9354839	16064.46878	30000	0	0	30000	44.125	2004
22.01.2020 11:26:07	1	1	1	1	93.5	64	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	44.375	2004
22.01.2020 11:26:08	1	1	1	1	93.5	64.25	0	28862.559	501.0752688	14462.26184	30000	0	0	30000	44.0625	2004
22.01.2020 11:26:09	1	1	1	1	93.5	64	0	29431.28	546.2365591	16075.884	30000	0	0	30000	44.1875	2004
22.01.2020 11:26:10	1	1	1	1	93.5	64	0	29336.493	554.8387097	15998.42361	30000	0	0	30000	44.125	2004
22.01.2020 11:26:11	1	1	1	1	93.75	64	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	44.0625	2004
22.01.2020 11:26:12	1	1	1	1	93.75	64	0	29431.28	546.2365591	16075.884	30000	0	0	30000	44.3125	2004
22.01.2020 11:26:13	1	1	1	1	93.75	64.25	0	29052.133	496.7741935	14432.09306	30000	0	0	30000	44	2004
22.01.2020 11:26:14	1	1	1	1	93.75	64	0	29573.46	541.9354839	16090.5607	30000	0	0	30000	43.6875	2004
22.01.2020 11:26:15	1	1	1	1	93.75	63.5	0	29431.28	541.9354839	15885.90221	30000	0	0	30000	44.1875	2004
22.01.2020 11:26:16	1	1	1	1	93.75	64	0	26113.744	492.4731183	12635.01209	30000	0	0	30000	44.25	2004
22.01.2020 11:26:17	1	1	1	1	93.75	64.25	0	26540.284	488.172043	12956.26886	30000	0	0	30000	44	2004
22.01.2020 11:26:18	1	1	1	1	93.75	64	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	44.0625	2004
22.01.2020 11:26:19	1	1	1	1	93.75	64	0	29336.493	544.0860215	16024.51553	30000	0	0	30000	43.3125	2004
22.01.2020 11:26:20	1	1	1	1	93.75	63.25	0	29526.066	541.9354839	15810.07257	30000	0	0	30000	43.5625	2004
22.01.2020 11:26:21	1	1	1	1	94	63.5	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	43.75	2004
22.01.2020 11:26:22	1	1	1	1	94	63.75	0	29431.28	541.9354839	16000.86973	30000	0	0	30000	44.3125	2004
22.01.2020 11:26:23	1	1	1	1	94	64.25	0	27819.905	483.8709677	13460.98443	30000	0	0	30000	43.9375	2004
22.01.2020 11:26:24	1	1	1	1	94	63.75	0	29573.46	486.0215054	14373.38624	30000	0	0	30000	44.25	2004
22.01.2020 11:26:25	1	1	1	1	94	64.25	0	28436.019	481.7204301	13721.08825	30000	0	0	30000	44.0625	2004
22.01.2020 11:26:26	1	1	1	1	94	64	0	29620.853	494.6236559	14650.61289	30000	0	0	30000	44.3125	2004
22.01.2020 11:26:27	1	1	1	1	94	64.25	0	29573.46	537.6344086	15963.3626	30000	0	0	30000	43.5	2004
22.01.2020 11:26:28	1	1	1	1	94	63.5	0	28909.953	468.8172043	13637.92026	30000	0	0	30000	43.625	2004
22.01.2020 11:26:29	1	1	1	1	94	63.5	0	29905.213	511.827957	15241.75794	30000	0	0	30000	44.4375	2004
22.01.2020 11:26:30	1	1	1	1	94	64.25	0	27630.332	509.6774194	14082.29826	30000	0	0	30000	43.5625	2004
22.01.2020 11:26:31	1	1	1	1	93.25	63.5	0	29857.82	509.6774194	15241.75794	30000	0	0	30000	44.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 11:26:32	1	1	1	1	93.25	64.25	0	28483.412	481.7204301	13721.08825	30000	0	0	30000	44.375	2004
22.01.2020 11:26:33	1	1	1	1	93.25	64.25	0	29336.493	481.7204301	13646.07398	30000	0	0	30000	44.1875	2004
22.01.2020 11:26:34	1	1	1	1	93.25	64	0	29905.213	520.4301075	15588.29125	30000	0	0	30000	44.1875	2004
22.01.2020 11:26:35	1	1	1	1	93.25	64	0	24976.303	445.1612903	11118.41926	30000	0	0	30000	44.4375	2004
22.01.2020 11:26:36	1	1	1	1	93.25	64.25	0	29952.607	520.4301075	15588.29125	30000	0	0	30000	44	2004
22.01.2020 11:26:37	1	1	1	1	93.25	63.25	0	29952.607	511.827957	15306.17237	30000	0	0	30000	43.625	2004
22.01.2020 11:26:38	1	1	1	1	93.25	63.5	0	29905.213	507.5268817	15177.34352	30000	0	0	30000	44.25	2004
22.01.2020 11:26:40	1	1	1	1	93.25	64.25	0	30000	520.4301075	15612.75243	30000	0	0	30000	44.4375	2004
22.01.2020 11:26:41	1	1	1	1	94	64.25	0	29857.82	490.3225806	14727.2579	30000	0	0	30000	44.25	2004
22.01.2020 11:26:42	1	1	1	1	94	64.25	0	30000	531.1827957	15805.99571	30000	0	0	30000	43.5625	2004
22.01.2020 11:26:43	1	1	1	1	94	63.5	0	30000	518.2795699	15548.338	30000	0	0	30000	43.875	2004
22.01.2020 11:26:44	1	1	1	1	94	63.75	0	29857.82	507.5268817	15089.28329	30000	0	0	30000	43.6875	2004
22.01.2020 11:26:45	1	1	1	1	94	63.5	0	28815.166	481.7204301	13880.90126	30000	0	0	30000	44.125	2004
22.01.2020 11:26:46	1	1	1	1	94	64	0	28815.166	468.8172043	13297.09456	30000	0	0	30000	44.125	2004
22.01.2020 11:26:47	1	1	1	1	94	64	0	28815.166	481.7204301	13880.90126	30000	0	0	30000	43.75	2004
22.01.2020 11:26:48	1	1	1	1	94	63.75	0	29715.64	524.7311828	15592.36811	30000	0	0	30000	44.3125	2004
22.01.2020 11:26:49	1	1	1	1	94	64.25	0	29905.213	533.3333333	15820.67241	30000	0	0	30000	44.375	2004
22.01.2020 11:26:50	1	1	1	1	94	64.25	0	29905.213	505.3763441	15112.92909	30000	0	0	30000	43.8125	2004
22.01.2020 11:26:51	1	1	1	1	93.5	63.75	0	29810.427	516.1290323	15257.25002	30000	0	0	30000	44.25	2004
22.01.2020 11:26:52	1	1	1	1	93.5	64.25	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	44.1875	2004
22.01.2020 11:26:53	1	1	1	1	93.5	64	0	29715.64	529.0322581	15898.94817	30000	0	0	30000	43.4375	2004
22.01.2020 11:26:54	1	1	1	1	93.5	63.25	0	29478.673	544.0860215	16038.37687	30000	0	0	30000	44.125	2004
22.01.2020 11:26:55	1	1	1	1	93.5	64	0	29431.28	535.483871	15759.51947	30000	0	0	30000	44.5	2004
22.01.2020 11:26:56	1	1	1	1	93.5	64.5	0	0	0	0	30000	0	8	30000	44.625	2004
22.01.2020 11:26:57	1	1	1	1	93.5	64.5	0	10616.114	0	0	30000	0	0	30000	44.5625	2004
22.01.2020 11:26:58	1	1	1	1	93.5	64.5	0	10616.114	0	0	30000	0	0	30000	44.4375	2004
22.01.2020 11:26:59	1	1	1	1	93.5	64.25	0	12085.308	0	0	30000	0	0	30000	44.4375	2004
22.01.2020 11:27:00	1	1	1	1	93.5	64.25	0	12843.602	4.301075269	54.62995679	30000	0	0	30000	44.5625	2004
22.01.2020 11:27:01	1	1	1	1	94	64.5	0	12227.488	2.150537634	52.18383932	30000	0	0	30000	44.5625	2004
22.01.2020 11:27:08	1	1	1	1	94	64.25	0	18151.659	58.06451613	1051.015139	30000	0	0	30000	43.875	2004
22.01.2020 11:27:08	1	1	1	1	94	64.25	0	18151.659	58.06451613	1051.015139	30000	0	0	30000	43.875	2004
22.01.2020 11:27:08	1	1	1	1	94	64.25	0	18151.659	58.06451613	1051.015139	30000	0	0	30000	43.875	2004
22.01.2020 11:27:08	1	1	1	1	94	64.25	0	18151.659	58.06451613	1051.015139	30000	0	0	30000	43.875	2004
22.01.2020 11:27:08	1	1	1	1	94	64.25	0	18151.659	58.06451613	1051.015139	30000	0	0	30000	43.875	2004
22.01.2020 11:27:08	1	1	1	1	94	63.75	0	18056.872	64.51612903	1206.751284	30000	0	0	30000	44.4375	2004
22.01.2020 11:27:09	1	1	1	1	94	64.25	0	19004.739	66.66666667	1266.273476	30000	0	0	30000	44.5	2004
22.01.2020 11:27:10	1	1	1	1	94	64.5	0	19668.246	79.56989247	1564.699807	30000	0	0	30000	44.4375	2004
22.01.2020 11:27:11	1	1	1	1	93.5	64.25	0	21232.227	105.3763441	2333.596064	30000	0	0	30000	44.5	2004
22.01.2020 11:27:12	1	1	1	1	93.5	64.5	0	21279.621	103.2258065	2196.613486	30000	0	0	30000	44.5625	2004
22.01.2020 11:27:13	1	1	1	1	93.5	64.5	0	19004.739	96.77419355	1838.664963	30000	0	0	30000	44.6875	2004
22.01.2020 11:27:14	1	1	1	1	93.5	64.5	0	21943.128	129.0322581	3020.1397	30000	0	0	30000	44.5625	2004
22.01.2020 11:27:15	1	1	1	1	93.5	64.5	0	22748.815	148.3870968	3375.642106	30000	0	0	30000	44.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 11:27:16	1	1	1	1	93.5	64.25	0	24218.009	167.7419355	4062.185742	30000	0	0	30000	44.5	2004
22.01.2020 11:27:18	1	1	1	1	93.5	64.5	0	23507.109	159.1397849	3690.375887	30000	0	0	30000	44.5	2004
22.01.2020 11:27:19	1	1	1	1	93.5	64.5	0	24597.156	178.4946237	4389.965483	30000	0	0	30000	43.8125	2004
22.01.2020 11:27:20	1	1	1	1	93.5	63.75	0	24218.009	180.6451613	4322.289566	30000	0	0	30000	44.4375	2004
22.01.2020 11:27:21	1	1	1	1	93	64.25	0	24123.223	174.1935484	4201.614438	30000	0	0	30000	43.3125	2004
22.01.2020 11:27:22	1	1	1	1	93	63.25	0	24739.336	189.2473118	4672.899736	30000	0	0	30000	44.4375	2004
22.01.2020 11:27:23	1	1	1	1	93	64.25	0	26208.531	206.4516129	5391.242899	30000	0	0	30000	44.5	2004
22.01.2020 11:27:24	1	1	1	1	93	64.5	0	24691.943	189.2473118	4672.899736	30000	0	0	30000	44.375	2004
22.01.2020 11:27:25	1	1	1	1	93	64.25	0	25924.171	219.3548387	5686.407741	30000	0	0	30000	44.375	2004
22.01.2020 11:27:26	1	1	1	1	93	64.25	0	25260.664	206.4516129	5215.122442	30000	0	0	30000	44.5	2004
22.01.2020 11:27:27	1	1	1	1	93	64.5	0	25592.417	206.4516129	5293.398201	30000	0	0	30000	44.4375	2004
22.01.2020 11:27:28	1	1	1	1	93	64.25	0	0	0	0	30000	0	8	30000	44.625	2004
22.01.2020 11:27:29	1	1	1	1	93	64.5	0	10426.54	0	0	30000	0	0	30000	44.5	2004
22.01.2020 11:27:30	1	1	1	1	93	64.5	0	11327.014	0	0	30000	0	0	30000	44.4375	2004
22.01.2020 11:27:31	1	1	1	1	92.75	64.25	0	12180.095	0	0	30000	0	0	30000	44.3125	2004
22.01.2020 11:27:32	1	1	1	1	92.75	64.25	0	12843.602	2.150537634	27.72266464	30000	0	0	30000	44.5625	2004
22.01.2020 11:27:33	1	1	1	1	92.75	64.5	0	13601.896	8.602150538	87.24485636	30000	0	0	30000	44.3125	2004
22.01.2020 11:27:34	1	1	1	1	92.75	64.25	0	13317.536	6.451612903	85.61411138	30000	0	0	30000	44.5625	2004
22.01.2020 11:27:35	1	1	1	1	92.75	64.5	0	15165.877	19.35483871	293.5340962	30000	0	0	30000	44.3125	2004
22.01.2020 11:27:36	1	1	1	1	92.75	64.25	0	15876.777	25.80645161	409.3169896	30000	0	0	30000	44.4375	2004
22.01.2020 11:27:37	1	1	1	1	92.75	64.25	0	15876.777	30.10752688	477.8082787	30000	0	0	30000	44.375	2004
22.01.2020 11:27:38	1	1	1	1	92.75	64.25	0	17488.152	43.01075269	789.2805697	30000	0	0	30000	44.4375	2004
22.01.2020 11:27:39	1	1	1	1	92.75	64.25	0	18151.659	51.61290323	980.8931047	30000	0	0	30000	44.5625	2004
22.01.2020 11:27:40	1	1	1	1	92.75	64.5	0	18909.953	62.3655914	1138.259995	30000	0	0	30000	44.3125	2004
22.01.2020 11:27:41	1	1	1	1	92.25	64.25	0	18436.019	64.51612903	1192.074579	30000	0	0	30000	44.375	2004
22.01.2020 11:27:42	1	1	1	1	92.25	64.25	0	20616.114	81.72043011	1680.482701	30000	0	0	30000	44.0625	2004
22.01.2020 11:27:43	1	1	1	1	92.25	64	0	21232.227	96.77419355	2054.738673	30000	0	0	30000	44.25	2004
22.01.2020 11:27:44	1	1	1	1	92.25	64.25	0	21848.341	103.2258065	2260.21254	30000	0	0	30000	44.375	2004
22.01.2020 11:27:45	1	1	1	1	92.25	64.25	0	22748.815	126.8817204	2886.418612	30000	0	0	30000	44.4375	2004
22.01.2020 11:27:46	1	1	1	1	92.25	64.25	0	19478.673	105.3763441	2052.292556	30000	0	0	30000	44.25	2004
22.01.2020 11:27:47	1	1	1	1	92.25	64.25	0	22132.701	120.4301075	2760.035876	30000	0	0	30000	44.4375	2004
22.01.2020 11:27:48	1	1	1	1	92.25	64.25	0	24218.009	159.1397849	3801.266545	30000	0	0	30000	44.5	2004
22.01.2020 11:27:49	1	1	1	1	92.25	64.5	0	23080.569	144.0860215	3338.950344	30000	0	0	30000	44.4375	2004
22.01.2020 11:27:50	1	1	1	1	92.25	64.25	0	24928.91	152.688172	3806.15878	30000	0	0	30000	44.5625	2004
22.01.2020 11:27:51	1	1	1	1	92.5	64.5	0	23933.649	163.4408602	3859.973364	30000	0	0	30000	43.625	2004
22.01.2020 11:27:52	1	1	1	1	92.5	63.5	0	24597.156	169.8924731	4178.784008	30000	0	0	30000	44.75	2004
22.01.2020 11:27:53	1	1	1	1	92.5	64.75	0	24834.123	169.8924731	4387.519365	30000	0	0	30000	44.4375	2004
22.01.2020 11:27:54	1	1	1	1	92.5	64.25	0	26398.104	189.2473118	5061.017041	30000	0	0	30000	44.5625	2004
22.01.2020 11:27:55	1	1	1	1	92.5	64.5	0	26018.957	208.6021505	5427.119289	30000	0	0	30000	44.75	2004
22.01.2020 11:27:57	1	1	1	1	92.5	64.25	0	25071.09	219.3548387	5445.057484	30000	0	0	30000	44.5	2004
22.01.2020 11:27:58	1	1	1	1	92.5	64.5	0	27061.611	255.9139785	6937.189139	30000	0	0	30000	44.625	2004
22.01.2020 11:27:59	1	1	1	1	92.5	64.5	0	0	0	0	30000	0	8	30000	44.625	2004
22.01.2020 11:28:00	1	1	1	1	92.5	64.5	0	0	0	0	30000	0	8	30000	44.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 11:28:01	1	1	1	1	91.75	64.5	0	10758.294	0	0	30000	0	0	30000	44.4375	2004
22.01.2020 11:28:02	1	1	1	1	91.75	64.25	0	11516.588	0	0	30000	0	0	30000	44.5625	2004
22.01.2020 11:28:03	1	1	1	1	91.75	64.5	0	12322.275	0	0	30000	0	0	30000	44.5	2004
22.01.2020 11:28:09	1	1	1	1	91.75	64.5	0	16966.825	34.40860215	582.1759574	30000	0	0	30000	44.5625	2004
22.01.2020 11:28:09	1	1	1	1	91.75	64.5	0	16966.825	34.40860215	582.1759574	30000	0	0	30000	44.5625	2004
22.01.2020 11:28:09	1	1	1	1	91.75	64.5	0	16966.825	34.40860215	582.1759574	30000	0	0	30000	44.5625	2004
22.01.2020 11:28:09	1	1	1	1	91.75	64.5	0	16966.825	34.40860215	582.1759574	30000	0	0	30000	44.5625	2004
22.01.2020 11:28:09	1	1	1	1	91.75	64.5	0	16966.825	34.40860215	582.1759574	30000	0	0	30000	44.5625	2004
22.01.2020 11:28:09	1	1	1	1	91.75	64.5	0	16966.825	34.40860215	582.1759574	30000	0	0	30000	44.5625	2004
22.01.2020 11:28:10	1	1	1	1	91.75	64.5	0	17677.725	43.01075269	718.3431631	30000	0	0	30000	44.5	2004
22.01.2020 11:28:11	1	1	1	1	91	64.5	0	17867.299	40.86021505	770.5270024	30000	0	0	30000	44.3125	2004
22.01.2020 11:28:12	1	1	1	1	91	64.25	0	19241.706	58.06451613	1117.06031	30000	0	0	30000	44.5	2004
22.01.2020 11:28:13	1	1	1	1	91	64.5	0	19620.853	64.51612903	1268.719593	30000	0	0	30000	44.625	2004
22.01.2020 11:28:14	1	1	1	1	91	64.5	0	20758.294	81.72043011	1695.974778	30000	0	0	30000	44.5	2004
22.01.2020 11:28:15	1	1	1	1	91	64.5	0	21563.981	96.77419355	2133.014432	30000	0	0	30000	44.5625	2004
22.01.2020 11:28:16	1	1	1	1	91	64.5	0	22322.275	105.3763441	2351.534259	30000	0	0	30000	44.625	2004
22.01.2020 11:28:17	1	1	1	1	91	64.5	0	22132.701	113.9784946	2521.94711	30000	0	0	30000	44.5	2004
22.01.2020 11:28:18	1	1	1	1	91	64.5	0	23317.536	120.4301075	2857.880575	30000	0	0	30000	44.5	2004
22.01.2020 11:28:19	1	1	1	1	91	64.5	0	21753.555	129.0322581	2806.512108	30000	0	0	30000	44.5625	2004
22.01.2020 11:28:20	1	1	1	1	91	64.5	0	24502.37	156.9892473	3853.450385	30000	0	0	30000	44.4375	2004
22.01.2020 11:28:21	1	1	1	1	90.75	64.25	0	25734.597	178.4946237	4372.027288	30000	0	0	30000	44.4375	2004
22.01.2020 11:28:22	1	1	1	1	90.75	64.25	0	25734.597	189.2473118	4870.219879	30000	0	0	30000	44.625	2004
22.01.2020 11:28:23	1	1	1	1	90.75	64.5	0	26966.825	212.9032258	5741.037697	30000	0	0	30000	44.5	2004
22.01.2020 11:28:24	1	1	1	1	90.75	64.5	0	27298.578	212.9032258	5811.975104	30000	0	0	30000	44.5	2004
22.01.2020 11:28:25	1	1	1	1	90.75	64.5	0	26113.744	232.2580645	6064.740576	30000	0	0	30000	44.5	2004
22.01.2020 11:28:26	1	1	1	1	90.75	64.5	0	25545.024	240.8602151	6152.800805	30000	0	0	30000	44.375	2004
22.01.2020 11:28:27	1	1	1	1	90.75	64.25	0	28436.019	262.3655914	7460.658277	30000	0	0	30000	43.875	2004
22.01.2020 11:28:28	1	1	1	1	90.75	63.75	0	26208.531	243.0107527	6368.874514	30000	0	0	30000	44.5	2004
22.01.2020 11:28:29	1	1	1	1	90.75	64.5	0	21563.981	206.4516129	4451.933792	30000	0	0	30000	44.5	2004
22.01.2020 11:28:30	1	1	1	1	90.75	64.5	0	26113.744	255.9139785	6682.792923	30000	0	0	30000	44.625	2004
22.01.2020 11:28:31	1	1	1	1	90.25	64.5	0	27867.299	253.7634409	6713.777077	30000	0	0	30000	44.0625	2004
22.01.2020 11:28:32	1	1	1	1	90.25	64	0	28909.953	307.5268817	8904.682956	30000	0	0	30000	44.5	2004
22.01.2020 11:28:34	1	1	1	1	90.25	64.75	0	26540.284	281.7204301	7476.965727	30000	0	0	30000	44.25	2004
22.01.2020 11:28:35	1	1	1	1	90.25	64.25	0	28009.479	316.1290323	8854.129862	30000	0	0	30000	44.5	2004
22.01.2020 11:28:36	1	1	1	1	90.25	64.5	0	27298.578	316.1290323	8629.902427	30000	0	0	30000	44.5	2004
22.01.2020 11:28:37	1	1	1	1	90.25	64.5	0	28246.445	298.9247312	8518.196396	30000	0	0	30000	43.625	2004
22.01.2020 11:28:38	1	1	1	1	90.25	63.5	0	29478.673	341.9354839	10063.32726	30000	0	0	30000	44.3125	2004
22.01.2020 11:28:39	1	1	1	1	90.25	64.25	0	28625.592	367.7419355	10596.58087	30000	0	0	30000	44.5	2004
22.01.2020 11:28:40	1	1	1	1	90.25	64.5	0	29052.133	378.4946237	10996.11339	30000	0	0	30000	44.375	2004
22.01.2020 11:28:41	1	1	1	1	90	64.25	0	29336.493	384.9462366	11292.90898	30000	0	0	30000	44.4375	2004
22.01.2020 11:28:42	1	1	1	1	90	64.25	0	28815.166	365.5913978	10534.61256	30000	0	0	30000	44.5	2004
22.01.2020 11:28:43	1	1	1	1	90	64.5	0	28436.019	350.5376344	10228.84788	30000	0	0	30000	44.3125	2004
22.01.2020 11:28:44	1	1	1	1	90	64.25	0	27772.512	367.7419355	10230.47862	30000	0	0	30000	44.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 11:28:45	1	1	1	1	90	64.5	0	28388.626	389.2473118	11068.68154	30000	0	0	30000	44.375	2004
22.01.2020 11:28:46	1	1	1	1	90	64.25	0	29715.64	387.0967742	11502.45971	30000	0	0	30000	44.375	2004
22.01.2020 11:28:47	1	1	1	1	90	64.25	0	29241.706	367.7419355	10753.13239	30000	0	0	30000	44.25	2004
22.01.2020 11:28:48	1	1	1	1	90	64.25	0	28199.052	404.3010753	11643.51915	30000	0	0	30000	44.125	2004
22.01.2020 11:28:49	1	1	1	1	90	64	0	28815.166	404.3010753	11650.04213	30000	0	0	30000	44.25	2004
22.01.2020 11:28:50	1	1	1	1	90	64.25	0	27962.085	359.1397849	10059.2504	30000	0	0	30000	44.1875	2004
22.01.2020 11:28:51	1	1	1	1	89.75	64	0	28293.839	412.9032258	11460.87571	30000	0	0	30000	44.375	2004
22.01.2020 11:28:52	1	1	1	1	89.75	64.25	0	28862.559	402.1505376	11668.79569	30000	0	0	30000	44.25	2004
22.01.2020 11:28:53	1	1	1	1	89.75	64.25	0	28815.166	402.1505376	11526.10551	30000	0	0	30000	44.4375	2004
22.01.2020 11:28:54	1	1	1	1	89.75	64.25	0	28293.839	395.6989247	11195.87965	30000	0	0	30000	44.5625	2004
22.01.2020 11:28:55	1	1	1	1	89.75	64.5	0	24834.123	359.1397849	8688.609246	30000	0	0	30000	44.375	2004
22.01.2020 11:28:56	1	1	1	1	89.75	64.25	0	29146.919	415.0537634	12096.86625	30000	0	0	30000	44.5625	2004
22.01.2020 11:28:57	1	1	1	1	89.75	64.5	0	28815.166	397.8494624	11464.1372	30000	0	0	30000	43.6875	2004
22.01.2020 11:28:58	1	1	1	1	89.75	63.5	0	29810.427	427.9569892	12757.31797	30000	0	0	30000	44.375	2004
22.01.2020 11:28:59	1	1	1	1	89.75	64.25	0	29526.066	395.6989247	11683.4724	30000	0	0	30000	44.25	2004
22.01.2020 11:29:00	1	1	1	1	89.75	64.25	0	28341.232	427.9569892	12149.05009	30000	0	0	30000	44.375	2004
22.01.2020 11:29:01	1	1	1	1	91.5	64.25	0	28483.412	427.9569892	12537.1674	30000	0	0	30000	44.4375	2004
22.01.2020 11:29:02	1	1	1	1	91.5	64.25	0	29289.1	427.9569892	12513.52159	30000	0	0	30000	44.4375	2004
22.01.2020 11:29:03	1	1	1	1	91.5	64.25	0	29431.28	460.2150538	13607.75147	30000	0	0	30000	44.375	2004
22.01.2020 11:29:04	1	1	1	1	91.5	64.25	0	29620.853	445.1612903	13185.38852	30000	0	0	30000	44.125	2004
22.01.2020 11:29:11	1	1	1	1	91.5	64.5	0	29715.64	449.4623656	13227.78789	30000	0	0	30000	44.625	2004
22.01.2020 11:29:11	1	1	1	1	91.5	64.5	0	29715.64	449.4623656	13227.78789	30000	0	0	30000	44.625	2004
22.01.2020 11:29:11	1	1	1	1	91.5	64.5	0	29715.64	449.4623656	13227.78789	30000	0	0	30000	44.625	2004
22.01.2020 11:29:11	1	1	1	1	91.5	64.5	0	29715.64	449.4623656	13227.78789	30000	0	0	30000	44.625	2004
22.01.2020 11:29:11	1	1	1	1	91.5	64.5	0	29715.64	449.4623656	13227.78789	30000	0	0	30000	44.625	2004
22.01.2020 11:29:11	1	1	1	1	89	64.5	0	28483.412	458.0645161	13025.57552	30000	0	0	30000	44.25	2004
22.01.2020 11:29:12	1	1	1	1	89	64.25	0	29336.493	486.0215054	14321.2024	30000	0	0	30000	43.9375	2004
22.01.2020 11:29:14	1	1	1	1	89	64.5	0	29620.853	503.2258065	15144.72862	30000	0	0	30000	44.4375	2004
22.01.2020 11:29:15	1	1	1	1	89	64.25	0	29715.64	516.1290323	15337.15652	30000	0	0	30000	44.375	2004
22.01.2020 11:29:16	1	1	1	1	89	64.25	0	29099.526	488.172043	14205.41951	30000	0	0	30000	43.625	2004
22.01.2020 11:29:17	1	1	1	1	89	63.5	0	29431.28	503.2258065	14746.82684	30000	0	0	30000	44.1875	2004
22.01.2020 11:29:18	1	1	1	1	89	64	0	29905.213	494.6236559	14727.2579	30000	0	0	30000	44.3125	2004
22.01.2020 11:29:19	1	1	1	1	89	64.25	0	29905.213	488.172043	14838.14856	30000	0	0	30000	44.3125	2004
22.01.2020 11:29:20	1	1	1	1	89	64.25	0	29952.607	488.172043	14622.07485	30000	0	0	30000	43.5625	2004
22.01.2020 11:29:21	1	1	1	1	88.25	63.5	0	28957.346	453.7634409	13201.69597	30000	0	0	30000	44.4375	2004
22.01.2020 11:29:22	1	1	1	1	88.25	64.25	0	29905.213	481.7204301	14622.07485	30000	0	0	30000	43.9375	2004
22.01.2020 11:29:23	1	1	1	1	88.25	63.75	0	29810.427	483.8709677	14423.93934	30000	0	0	30000	44.5	2004
22.01.2020 11:29:24	1	1	1	1	88.25	64.5	0	29715.64	481.7204301	14360.34028	30000	0	0	30000	44.375	2004
22.01.2020 11:29:25	1	1	1	1	88.25	64.25	0	30000	507.5268817	15225.45049	30000	0	0	30000	44.25	2004
22.01.2020 11:29:26	1	1	1	1	88.25	64.25	0	29952.607	494.6236559	14902.56299	30000	0	0	30000	44.3125	2004
22.01.2020 11:29:27	1	1	1	1	88.25	64.25	0	29952.607	492.4731183	14750.9037	30000	0	0	30000	44.3125	2004
22.01.2020 11:29:28	1	1	1	1	88.25	64.25	0	28815.166	453.7634409	13075.31324	30000	0	0	30000	44.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 11:29:29	1	1	1	1	88.25	64	0	29905.213	511.827957	15241.75794	30000	0	0	30000	44.25	2004
22.01.2020 11:29:30	1	1	1	1	88.25	64.25	0	26919.431	445.1612903	11983.52948	30000	0	0	30000	44.1875	2004
22.01.2020 11:29:31	1	1	1	1	89	64	0	30000	507.5268817	15225.45049	30000	0	0	30000	44.1875	2004
22.01.2020 11:29:32	1	1	1	1	89	64	0	29905.213	494.6236559	14727.2579	30000	0	0	30000	44.375	2004
22.01.2020 11:29:33	1	1	1	1	89	64.25	0	29905.213	496.7741935	14856.08676	30000	0	0	30000	44.25	2004
22.01.2020 11:29:34	1	1	1	1	89	64.25	0	29668.246	481.7204301	14269.01856	30000	0	0	30000	44.3125	2004
22.01.2020 11:29:35	1	1	1	1	89	64.25	0	29952.607	518.2795699	15548.338	30000	0	0	30000	43.875	2004
22.01.2020 11:29:36	1	1	1	1	89	63.75	0	29620.853	539.7849462	15861.44103	30000	0	0	30000	44.125	2004
22.01.2020 11:29:37	1	1	1	1	89	64	0	29905.213	533.3333333	15820.67241	30000	0	0	30000	44	2004
22.01.2020 11:29:38	1	1	1	1	89	64	0	29905.213	507.5268817	15177.34352	30000	0	0	30000	44.1875	2004
22.01.2020 11:29:39	1	1	1	1	89	64	0	29952.607	520.4301075	15588.29125	30000	0	0	30000	44.25	2004
22.01.2020 11:29:40	1	1	1	1	89	64.25	0	29383.886	507.5268817	14888.70166	30000	0	0	30000	44.375	2004
22.01.2020 11:29:41	1	1	1	1	89.5	64.25	0	29431.28	466.6666667	13734.13421	30000	0	0	30000	44.3125	2004
22.01.2020 11:29:42	1	1	1	1	89.5	64.25	0	29857.82	509.6774194	15064.82211	30000	0	0	30000	44.625	2004
22.01.2020 11:29:43	1	1	1	1	89.5	64.5	0	30000	533.3333333	16000.05436	30000	0	0	30000	44.5625	2004
22.01.2020 11:29:44	1	1	1	1	89.5	64.5	0	29715.64	507.5268817	15081.12956	30000	0	0	30000	44.25	2004
22.01.2020 11:29:45	1	1	1	1	89.5	64.25	0	27345.972	516.1290323	14054.5756	30000	0	0	30000	44.125	2004
22.01.2020 11:29:46	1	1	1	1	89.5	64	0	28957.346	529.0322581	15319.21833	30000	0	0	30000	44.625	2004
22.01.2020 11:29:47	1	1	1	1	89.5	64.5	0	26113.744	494.6236559	12747.5335	30000	0	0	30000	44.4375	2004
22.01.2020 11:29:48	1	1	1	1	89.5	64.25	0	29241.706	503.2258065	14604.13666	30000	0	0	30000	43.625	2004
22.01.2020 11:29:49	1	1	1	1	89.5	63.5	0	29431.28	537.6344086	15885.90221	30000	0	0	30000	43.875	2004
22.01.2020 11:29:51	1	1	1	1	89.25	63.75	0	29526.066	544.0860215	16090.5607	30000	0	0	30000	44.3125	2004
22.01.2020 11:29:52	1	1	1	1	89.25	64.25	0	28009.479	498.9247312	13914.33153	30000	0	0	30000	44.0625	2004
22.01.2020 11:29:53	1	1	1	1	89.25	64	0	29620.853	541.9354839	16115.83725	30000	0	0	30000	44.375	2004
22.01.2020 11:29:54	1	1	1	1	89.25	64.25	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	44.375	2004
22.01.2020 11:29:55	1	1	1	1	89.25	64.25	0	29336.493	546.2365591	15746.47351	30000	0	0	30000	44.3125	2004
22.01.2020 11:29:56	1	1	1	1	89.25	64.25	0	29526.066	544.0860215	16154.15976	30000	0	0	30000	44.1875	2004
22.01.2020 11:29:57	1	1	1	1	89.25	64	0	29289.1	550.5376344	16061.20729	30000	0	0	30000	43.9375	2004
22.01.2020 11:29:58	1	1	1	1	89.25	63.75	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	44.375	2004
22.01.2020 11:29:59	1	1	1	1	89.25	64.25	0	29241.706	539.7849462	15783.98065	30000	0	0	30000	44.375	2004
22.01.2020 11:30:00	1	1	1	1	89.25	64.25	0	29383.886	537.6344086	15860.62566	30000	0	0	30000	44.375	2004
22.01.2020 11:30:01	1	1	1	1	89.75	64.25	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	44.4375	2004
22.01.2020 11:30:02	1	1	1	1	89.75	64.25	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	44	2004
22.01.2020 11:30:03	1	1	1	1	89.75	64	0	29336.493	544.0860215	16061.20729	30000	0	0	30000	43.625	2004
22.01.2020 11:30:04	1	1	1	1	89.75	63.5	0	28909.953	529.0322581	15231.97347	30000	0	0	30000	44.375	2004
22.01.2020 11:30:05	1	1	1	1	89.75	64.25	0	28578.199	498.9247312	14319.57166	30000	0	0	30000	43.6875	2004
22.01.2020 11:30:06	1	1	1	1	89.75	63.5	0	29336.493	539.7849462	15898.1328	30000	0	0	30000	44.4375	2004
22.01.2020 11:30:12	1	1	1	1	89.5	64.25	0	29241.706	539.7849462	16024.51553	30000	0	0	30000	44.5	2004
22.01.2020 11:30:12	1	1	1	1	89.5	64.25	0	29241.706	539.7849462	16024.51553	30000	0	0	30000	44.5	2004
22.01.2020 11:30:12	1	1	1	1	89.5	64.25	0	29241.706	539.7849462	16024.51553	30000	0	0	30000	44.5	2004
22.01.2020 11:30:12	1	1	1	1	89.5	64.25	0	29241.706	539.7849462	16024.51553	30000	0	0	30000	44.5	2004
22.01.2020 11:30:12	1	1	1	1	89.5	64.25	0	29241.706	539.7849462	16024.51553	30000	0	0	30000	44.5	2004
22.01.2020 11:30:12	1	1	1	1	89.5	64.25	0	29241.706	539.7849462	16024.51553	30000	0	0	30000	44.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 11:30:13	1	1	1	1	89.5	64.5	0	29905.213	539.7849462	16013.10032	30000	0	0	30000	43.625	2004
22.01.2020 11:30:14	1	1	1	1	89.5	63.5	0	29336.493	546.2365591	16087.29921	30000	0	0	30000	43.625	2004
22.01.2020 11:30:15	1	1	1	1	89.5	63.5	0	29336.493	546.2365591	15935.63993	30000	0	0	30000	44.25	2004
22.01.2020 11:30:16	1	1	1	1	89.5	64.25	0	29715.64	533.3333333	15911.99413	30000	0	0	30000	44.25	2004
22.01.2020 11:30:17	1	1	1	1	89.5	64.25	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	43.75	2004
22.01.2020 11:30:18	1	1	1	1	89.5	63.75	0	29526.066	539.7849462	16000.86973	30000	0	0	30000	44.375	2004
22.01.2020 11:30:19	1	1	1	1	89.5	64.25	0	28009.479	509.6774194	14275.54154	30000	0	0	30000	44.3125	2004
22.01.2020 11:30:20	1	1	1	1	89.5	64.25	0	26777.251	460.2150538	12438.50732	30000	0	0	30000	44.3125	2004
22.01.2020 11:30:21	1	1	1	1	89.5	64.25	0	29336.493	468.8172043	13816.48683	30000	0	0	30000	43.5	2004
22.01.2020 11:30:22	1	1	1	1	89.5	63.5	0	27061.611	481.7204301	13059.00579	30000	0	0	30000	43.5625	2004
22.01.2020 11:30:23	1	1	1	1	89.5	63.5	0	29905.213	494.6236559	14791.67233	30000	0	0	30000	44.3125	2004
22.01.2020 11:30:24	1	1	1	1	89.5	64.25	0	29905.213	498.9247312	15201.80469	30000	0	0	30000	44.5	2004
22.01.2020 11:30:25	1	1	1	1	89.5	64.5	0	29952.607	522.5806452	15677.16685	30000	0	0	30000	44.25	2004
22.01.2020 11:30:26	1	1	1	1	89.5	64.25	0	29810.427	520.4301075	15514.09235	30000	0	0	30000	43.9375	2004
22.01.2020 11:30:27	1	1	1	1	89.5	63.75	0	29620.853	481.7204301	14246.18813	30000	0	0	30000	44.25	2004
22.01.2020 11:30:29	1	1	1	1	89.5	64.25	0	29905.213	481.7204301	14406.00114	30000	0	0	30000	44.75	2004
22.01.2020 11:30:30	1	1	1	1	89.5	64.5	0	30000	503.2258065	15008.56141	30000	0	0	30000	44.375	2004
22.01.2020 11:30:31	1	1	1	1	89.25	64.25	0	29905.213	492.4731183	14727.2579	30000	0	0	30000	44.0625	2004
22.01.2020 11:30:32	1	1	1	1	89.25	64	0	29620.853	468.8172043	13886.60887	30000	0	0	30000	43.9375	2004
22.01.2020 11:30:33	1	1	1	1	89.25	63.75	0	29952.607	492.4731183	14902.56299	30000	0	0	30000	44	2004
22.01.2020 11:30:34	1	1	1	1	89.25	64	0	29052.133	464.516129	13369.66271	30000	0	0	30000	44.0625	2004
22.01.2020 11:30:35	1	1	1	1	89.25	64	0	29952.607	507.5268817	15137.39026	30000	0	0	30000	43.625	2004
22.01.2020 11:30:36	1	1	1	1	89.25	63.5	0	30000	505.3763441	15161.03607	30000	0	0	30000	44.1875	2004
22.01.2020 11:30:37	1	1	1	1	89.25	64	0	29905.213	488.172043	14598.42905	30000	0	0	30000	44	2004
22.01.2020 11:30:38	1	1	1	1	89.25	64	0	29573.46	464.516129	13737.3957	30000	0	0	30000	43.9375	2004
22.01.2020 11:30:39	1	1	1	1	89.25	63.75	0	29289.1	464.516129	13627.32041	30000	0	0	30000	43.75	2004
22.01.2020 11:30:40	1	1	1	1	89.25	63.75	0	26919.431	481.7204301	12967.68407	30000	0	0	30000	44.125	2004
22.01.2020 11:30:41	1	1	1	1	89.75	64	0	29905.213	505.3763441	15225.45049	30000	0	0	30000	43.9375	2004
22.01.2020 11:30:42	1	1	1	1	89.75	63.75	0	29952.607	518.2795699	15548.338	30000	0	0	30000	44.25	2004
22.01.2020 11:30:43	1	1	1	1	89.75	64.25	0	29431.28	481.7204301	14177.69684	30000	0	0	30000	44.3125	2004
22.01.2020 11:30:44	1	1	1	1	89.75	64.25	0	29952.607	516.1290323	15498.60028	30000	0	0	30000	44.375	2004
22.01.2020 11:30:45	1	1	1	1	89.75	64.25	0	28815.166	481.7204301	13880.90126	30000	0	0	30000	43.9375	2004
22.01.2020 11:30:46	1	1	1	1	89.75	63.75	0	29620.853	501.0752688	14842.22542	30000	0	0	30000	43.9375	2004
22.01.2020 11:30:47	1	1	1	1	89.75	63.75	0	29526.066	483.8709677	14286.14139	30000	0	0	30000	44.3125	2004
22.01.2020 11:30:48	1	1	1	1	89.75	64.25	0	29715.64	488.172043	14808.79515	30000	0	0	30000	44.375	2004
22.01.2020 11:30:49	1	1	1	1	89.75	64.25	0	29857.82	537.6344086	16077.51474	30000	0	0	30000	44.125	2004
22.01.2020 11:30:50	1	1	1	1	89.75	64	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	44.25	2004
22.01.2020 11:30:51	1	1	1	1	89.5	64.25	0	26872.038	451.6129032	12077.29731	30000	0	0	30000	44.25	2004
22.01.2020 11:30:52	1	1	1	1	89.5	64.25	0	29620.853	488.172043	14459.81573	30000	0	0	30000	44.375	2004
22.01.2020 11:30:53	1	1	1	1	89.5	64.25	0	24597.156	464.516129	11425.81469	30000	0	0	30000	44.3125	2004
22.01.2020 11:30:54	1	1	1	1	89.5	64.25	0	29620.853	535.483871	15925.04009	30000	0	0	30000	44.1875	2004
22.01.2020 11:30:55	1	1	1	1	89.5	64	0	29905.213	529.0322581	15820.67241	30000	0	0	30000	44.3125	2004
22.01.2020 11:30:56	1	1	1	1	89.5	64.25	0	29763.033	537.6344086	16040.00761	30000	0	0	30000	42.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 11:30:57	1	1	1	1	89.5	62.5	0	29905.213	539.7849462	16206.3436	30000	0	0	30000	44.125	2004
22.01.2020 11:30:58	1	1	1	1	89.5	64	0	29383.886	483.8709677	14194.81967	30000	0	0	30000	44.375	2004
22.01.2020 11:30:59	1	1	1	1	89.5	64.25	0	29715.64	541.9354839	16141.92917	30000	0	0	30000	44.1875	2004
22.01.2020 11:31:00	1	1	1	1	89.5	64	0	29715.64	535.483871	15962.54722	30000	0	0	30000	44.125	2004
22.01.2020 11:31:01	1	1	1	1	89.5	64	0	29573.46	488.172043	14436.9853	30000	0	0	30000	44	2004
22.01.2020 11:31:02	1	1	1	1	89.5	64	0	29905.213	507.5268817	15418.69377	30000	0	0	30000	44.375	2004
22.01.2020 11:31:03	1	1	1	1	89.5	64.25	0	29905.213	522.5806452	15627.42913	30000	0	0	30000	44.4375	2004
22.01.2020 11:31:04	1	1	1	1	89.5	64.25	0	29857.82	494.6236559	14856.08676	30000	0	0	30000	44.125	2004
22.01.2020 11:31:05	1	1	1	1	89.5	64	0	29526.066	483.8709677	14286.14139	30000	0	0	30000	44.75	2004
22.01.2020 11:31:06	1	1	1	1	89.5	64.75	0	29810.427	533.3333333	15898.94817	30000	0	0	30000	43.75	2004
22.01.2020 11:31:08	1	1	1	1	89.5	63.75	0	29952.607	518.2795699	15241.75794	30000	0	0	30000	44.1875	2004
22.01.2020 11:31:14	1	1	1	1	90	64	0	29905.213	503.2258065	15096.62164	30000	0	0	30000	44.1875	2004
22.01.2020 11:31:14	1	1	1	1	90	64	0	29905.213	503.2258065	15096.62164	30000	0	0	30000	44.1875	2004
22.01.2020 11:31:14	1	1	1	1	90	64	0	29905.213	503.2258065	15096.62164	30000	0	0	30000	44.1875	2004
22.01.2020 11:31:14	1	1	1	1	90	64	0	29905.213	503.2258065	15096.62164	30000	0	0	30000	44.1875	2004
22.01.2020 11:31:14	1	1	1	1	90	64	0	29905.213	503.2258065	15096.62164	30000	0	0	30000	44.1875	2004
22.01.2020 11:31:14	1	1	1	1	90	64	0	29905.213	503.2258065	15096.62164	30000	0	0	30000	44.1875	2004
22.01.2020 11:31:14	1	1	1	1	90	64	0	29905.213	503.2258065	15096.62164	30000	0	0	30000	44.1875	2004
22.01.2020 11:31:15	1	1	1	1	90	64	0	29952.607	507.5268817	15418.69377	30000	0	0	30000	44.0625	2004
22.01.2020 11:31:16	1	1	1	1	90	64	0	28862.559	464.516129	13326.44797	30000	0	0	30000	44.125	2004
22.01.2020 11:31:17	1	1	1	1	90	64	0	29810.427	481.7204301	14406.00114	30000	0	0	30000	44.3125	2004
22.01.2020 11:31:18	1	1	1	1	90	64.25	0	26303.318	481.7204301	12648.05805	30000	0	0	30000	44	2004
22.01.2020 11:31:19	1	1	1	1	90	64	0	30000	520.4301075	15677.16685	30000	0	0	30000	43.4375	2004
22.01.2020 11:31:20	1	1	1	1	90	63.25	0	29857.82	496.7741935	14856.08676	30000	0	0	30000	44.0625	2004
22.01.2020 11:31:21	1	1	1	1	89.5	64	0	29905.213	507.5268817	15048.51466	30000	0	0	30000	43.5625	2004
22.01.2020 11:31:22	1	1	1	1	89.5	63.5	0	29336.493	481.7204301	14132.03599	30000	0	0	30000	44.375	2004
22.01.2020 11:31:23	1	1	1	1	89.5	64.25	0	29810.427	494.6236559	14633.49007	30000	0	0	30000	43.0625	2004
22.01.2020 11:31:24	1	1	1	1	89.5	63	0	30000	529.0322581	15934.82456	30000	0	0	30000	44.125	2004
22.01.2020 11:31:25	1	1	1	1	89.5	64	0	29810.427	496.7741935	14761.50355	30000	0	0	30000	44.3125	2004
22.01.2020 11:31:26	1	1	1	1	89.5	64.25	0	29810.427	535.483871	15937.27068	30000	0	0	30000	44.375	2004
22.01.2020 11:31:27	1	1	1	1	89.5	64.25	0	29620.853	537.6344086	15925.04009	30000	0	0	30000	44.25	2004
22.01.2020 11:31:28	1	1	1	1	89.5	64.25	0	29905.213	516.1290323	15498.60028	30000	0	0	30000	44.5	2004
22.01.2020 11:31:29	1	1	1	1	89.5	64.5	0	26398.104	455.9139785	12091.97402	30000	0	0	30000	43.3125	2004
22.01.2020 11:31:30	1	1	1	1	89.5	63.25	0	26018.957	481.7204301	12589.35124	30000	0	0	30000	44.25	2004
22.01.2020 11:31:31	1	1	1	1	90.25	64.25	0	27345.972	481.7204301	13173.15794	30000	0	0	30000	44.3125	2004
22.01.2020 11:31:32	1	1	1	1	90.25	64.25	0	29668.246	498.9247312	14889.51703	30000	0	0	30000	44.3125	2004
22.01.2020 11:31:33	1	1	1	1	90.25	64.25	0	29526.066	541.9354839	15963.3626	30000	0	0	30000	44.25	2004
22.01.2020 11:31:34	1	1	1	1	90.25	64.25	0	29668.246	537.6344086	15975.59318	30000	0	0	30000	43.875	2004
22.01.2020 11:31:35	1	1	1	1	90.25	63.75	0	28909.953	524.7311828	15132.49803	30000	0	0	30000	43.875	2004
22.01.2020 11:31:36	1	1	1	1	90.25	63.75	0	29668.246	481.7204301	14314.67942	30000	0	0	30000	44.25	2004
22.01.2020 11:31:37	1	1	1	1	90.25	64.25	0	29857.82	539.7849462	16141.92917	30000	0	0	30000	44.125	2004
22.01.2020 11:31:38	1	1	1	1	90.25	64	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	44.25	2004
22.01.2020 11:31:39	1	1	1	1	90.25	64.25	0	27156.398	464.516129	12592.61273	30000	0	0	30000	44.1875	2004
22.01.2020 11:31:40	1	1	1	1	90.25	64	0	26872.038	481.7204301	12944.85364	30000	0	0	30000	44.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 11:31:41	1	1	1	1	90.5	64	0	29857.82	537.6344086	16052.2382	30000	0	0	30000	43.9375	2004
22.01.2020 11:31:42	1	1	1	1	90.5	63.75	0	29905.213	539.7849462	16206.3436	30000	0	0	30000	43.875	2004
22.01.2020 11:31:43	1	1	1	1	90.5	63.75	0	29526.066	537.6344086	15899.76354	30000	0	0	30000	44	2004
22.01.2020 11:31:44	1	1	1	1	90.5	64	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	44.4375	2004
22.01.2020 11:31:45	1	1	1	1	90.5	64.25	0	29857.82	522.5806452	15602.96796	30000	0	0	30000	44.1875	2004
22.01.2020 11:31:47	1	1	1	1	90.5	64	0	29478.673	518.2795699	15253.17316	30000	0	0	30000	43.6875	2004
22.01.2020 11:31:48	1	1	1	1	90.5	64.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	44.5	2004
22.01.2020 11:31:49	1	1	1	1	90.5	64.5	0	29336.493	544.0860215	16024.51553	30000	0	0	30000	44.1875	2004
22.01.2020 11:31:50	1	1	1	1	90.5	64	0	28862.559	481.7204301	13949.39255	30000	0	0	30000	44.1875	2004
22.01.2020 11:31:51	1	1	1	1	90	64	0	29431.28	541.9354839	16038.37687	30000	0	0	30000	43.9375	2004
22.01.2020 11:31:52	1	1	1	1	90	63.75	0	27109.005	503.2258065	13641.99712	30000	0	0	30000	44.125	2004
22.01.2020 11:31:53	1	1	1	1	90	64	0	29526.066	541.9354839	16026.96165	30000	0	0	30000	44.4375	2004
22.01.2020 11:31:54	1	1	1	1	90	64.25	0	27914.692	492.4731183	13723.53437	30000	0	0	30000	44.625	2004
22.01.2020 11:31:55	1	1	1	1	90	64.5	0	29336.493	539.7849462	15835.34912	30000	0	0	30000	44.5	2004
22.01.2020 11:31:56	1	1	1	1	90	64.5	0	29810.427	537.6344086	16090.5607	30000	0	0	30000	44.375	2004
22.01.2020 11:31:57	1	1	1	1	90	64.25	0	29478.673	541.9354839	15949.50126	30000	0	0	30000	44.5625	2004
22.01.2020 11:31:58	1	1	1	1	90	64.5	0	29810.427	533.3333333	16090.5607	30000	0	0	30000	44.5	2004
22.01.2020 11:31:59	1	1	1	1	90	64.5	0	29383.886	544.0860215	16013.10032	30000	0	0	30000	44.3125	2004
22.01.2020 11:32:00	1	1	1	1	90	64.25	0	29383.886	544.0860215	15987.0084	30000	0	0	30000	44.4375	2004
22.01.2020 11:32:01	1	1	1	1	89.75	64.25	0	29526.066	541.9354839	15937.27068	30000	0	0	30000	44.25	2004
22.01.2020 11:32:02	1	1	1	1	89.75	64.25	0	29620.853	539.7849462	16052.2382	30000	0	0	30000	44.5	2004
22.01.2020 11:32:03	1	1	1	1	89.75	64.5	0	28815.166	492.4731183	14190.7428	30000	0	0	30000	44.5625	2004
22.01.2020 11:32:04	1	1	1	1	89.75	64.5	0	28009.479	488.172043	13733.31884	30000	0	0	30000	44.1875	2004
22.01.2020 11:32:05	1	1	1	1	89.75	64	0	29810.427	537.6344086	16090.5607	30000	0	0	30000	44.0625	2004
22.01.2020 11:32:06	1	1	1	1	89.75	64	0	27440.758	496.7741935	13631.39728	30000	0	0	30000	44.3125	2004
22.01.2020 11:32:07	1	1	1	1	89.75	64.25	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	44.375	2004
22.01.2020 11:32:08	1	1	1	1	89.75	64.25	0	29241.706	550.5376344	15858.17955	30000	0	0	30000	43.875	2004
22.01.2020 11:32:09	1	1	1	1	89.75	63.75	0	29336.493	544.0860215	16113.39113	30000	0	0	30000	44.5625	2004
22.01.2020 11:32:16	1	1	1	1	90.75	63.5	0	29478.673	544.0860215	16038.37687	30000	0	0	30000	44.0625	2004
22.01.2020 11:32:16	1	1	1	1	90.75	63.5	0	29478.673	544.0860215	16038.37687	30000	0	0	30000	44.0625	2004
22.01.2020 11:32:16	1	1	1	1	90.75	63.5	0	29478.673	544.0860215	16038.37687	30000	0	0	30000	44.0625	2004
22.01.2020 11:32:16	1	1	1	1	90.75	63.5	0	29478.673	544.0860215	16038.37687	30000	0	0	30000	44.0625	2004
22.01.2020 11:32:16	1	1	1	1	90.75	63.5	0	29478.673	544.0860215	16038.37687	30000	0	0	30000	44.0625	2004
22.01.2020 11:32:18	1	1	1	1	90.75	64.25	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	44.375	2004
22.01.2020 11:32:18	1	1	1	1	90.75	64.25	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	44.375	2004
22.01.2020 11:32:18	1	1	1	1	90.75	64.25	0	28341.232	518.2795699	14712.5812	30000	0	0	30000	44.125	2004
22.01.2020 11:32:19	1	1	1	1	90.75	64	0	29620.853	516.1290323	15351.83323	30000	0	0	30000	44.5	2004
22.01.2020 11:32:20	1	1	1	1	90.75	64.5	0	29431.28	546.2365591	16075.884	30000	0	0	30000	44.5	2004
22.01.2020 11:32:21	1	1	1	1	91.25	64.5	0	29526.066	524.7311828	15492.89267	30000	0	0	30000	44.375	2004
22.01.2020 11:32:22	1	1	1	1	91.25	64.25	0	29383.886	533.3333333	15823.11853	30000	0	0	30000	44.25	2004
22.01.2020 11:32:23	1	1	1	1	91.25	64.25	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	44.375	2004
22.01.2020 11:32:25	1	1	1	1	91.25	64.25	0	29810.427	535.483871	15962.54722	30000	0	0	30000	44.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 11:32:26	1	1	1	1	91.25	64.5	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	44.5625	2004
22.01.2020 11:32:27	1	1	1	1	91.25	64.5	0	29241.706	550.5376344	15935.63993	30000	0	0	30000	44.4375	2004
22.01.2020 11:32:28	1	1	1	1	91.25	64.25	0	29146.919	496.7741935	14479.38467	30000	0	0	30000	44.4375	2004
22.01.2020 11:32:29	1	1	1	1	91.25	64.25	0	29146.919	520.4301075	15105.59074	30000	0	0	30000	44.4375	2004
22.01.2020 11:32:30	1	1	1	1	91.25	64.25	0	28815.166	464.516129	13407.16984	30000	0	0	30000	44.25	2004
22.01.2020 11:32:31	1	1	1	1	91.25	64.25	0	29620.853	460.2150538	14314.67942	30000	0	0	30000	44.5625	2004
22.01.2020 11:32:32	1	1	1	1	91.25	64.5	0	30000	503.2258065	15008.56141	30000	0	0	30000	44.5	2004
22.01.2020 11:32:33	1	1	1	1	91.25	64.5	0	29668.246	481.7204301	14269.01856	30000	0	0	30000	44.25	2004
22.01.2020 11:32:34	1	1	1	1	91.25	64.25	0	29905.213	483.8709677	14469.6002	30000	0	0	30000	44	2004
22.01.2020 11:32:35	1	1	1	1	91.25	64	0	29857.82	486.0215054	14598.42905	30000	0	0	30000	44.5	2004
22.01.2020 11:32:36	1	1	1	1	91.25	64.5	0	29715.64	464.516129	13803.44087	30000	0	0	30000	44.0625	2004
22.01.2020 11:32:37	1	1	1	1	91.25	64	0	29573.46	481.7204301	14246.18813	30000	0	0	30000	44.25	2004
22.01.2020 11:32:38	1	1	1	1	91.25	64.25	0	29952.607	481.7204301	14451.662	30000	0	0	30000	44.125	2004
22.01.2020 11:32:39	1	1	1	1	91.25	64	0	28436.019	389.2473118	11270.89392	30000	0	0	30000	44.0625	2004
22.01.2020 11:32:40	1	1	1	1	91.25	64	0	30000	445.1612903	13354.17063	30000	0	0	30000	44.4375	2004
22.01.2020 11:32:41	1	1	1	1	91	64.25	0	30000	406.4516129	12193.08021	30000	0	0	30000	43.75	2004
22.01.2020 11:32:42	1	1	1	1	91	63.75	0	30000	404.3010753	12387.13886	30000	0	0	30000	43.875	2004
22.01.2020 11:32:43	1	1	1	1	91	63.75	0	0	0	0	30000	0	8	30000	44.1875	2004
22.01.2020 11:32:44	1	1	1	1	91	64	0	10000	0	0	30000	0	0	30000	44.75	2004
22.01.2020 11:32:45	1	1	1	1	91	64.75	0	10758.294	0	0	30000	0	0	30000	44.4375	2004
22.01.2020 11:32:46	1	1	1	1	91	64.25	0	11611.374	0	0	30000	0	0	30000	44.5625	2004
22.01.2020 11:32:47	1	1	1	1	91	64.5	0	12369.668	0	0	30000	0	0	30000	44.4375	2004
22.01.2020 11:32:48	1	1	1	1	91	64.25	0	13127.962	2.150537634	27.72266464	30000	0	0	30000	44.375	2004
22.01.2020 11:32:49	1	1	1	1	91	64.25	0	13886.256	6.451612903	88.87560134	30000	0	0	30000	44.375	2004
22.01.2020 11:32:50	1	1	1	1	91	64.25	0	14549.763	10.75268817	187.5356725	30000	0	0	30000	44.625	2004
22.01.2020 11:32:51	1	1	1	1	91.75	64.5	0	15450.237	23.65591398	365.2868752	30000	0	0	30000	44.375	2004
22.01.2020 11:32:52	1	1	1	1	91.75	64.25	0	16161.137	30.10752688	485.9620036	30000	0	0	30000	44.4375	2004
22.01.2020 11:32:53	1	1	1	1	91.75	64.25	0	16824.645	38.70967742	650.6672465	30000	0	0	30000	44.4375	2004
22.01.2020 11:32:54	1	1	1	1	91.75	64.25	0	17772.512	51.61290323	917.2940505	30000	0	0	30000	44.5	2004
22.01.2020 11:32:55	1	1	1	1	91.75	64.5	0	16682.464	51.61290323	826.7877042	30000	0	0	30000	44.5625	2004
22.01.2020 11:32:56	1	1	1	1	91.75	64.5	0	18056.872	60.21505376	1126.029408	30000	0	0	30000	44.625	2004
22.01.2020 11:32:57	1	1	1	1	91.75	64.5	0	20142.18	81.72043011	1602.206942	30000	0	0	30000	44.5	2004
22.01.2020 11:32:58	1	1	1	1	91.75	64.5	0	18056.872	79.56989247	1436.686326	30000	0	0	30000	44.5	2004
22.01.2020 11:32:59	1	1	1	1	91.75	64.5	0	21563.981	111.827957	2364.580219	30000	0	0	30000	44.3125	2004
22.01.2020 11:33:00	1	1	1	1	91.75	64.25	0	21563.981	109.6774194	2478.732368	30000	0	0	30000	44.375	2004
22.01.2020 11:33:01	1	1	1	1	91.5	64.25	0	19573.46	105.3763441	2141.168157	30000	0	0	30000	44.625	2004
22.01.2020 11:33:02	1	1	1	1	91.5	64.5	0	22748.815	137.6344086	3131.030359	30000	0	0	30000	44.4375	2004
22.01.2020 11:33:04	1	1	1	1	91.5	64.25	0	22132.701	139.7849462	3093.523225	30000	0	0	30000	44.625	2004
22.01.2020 11:33:05	1	1	1	1	91.5	64.5	0	22796.209	163.4408602	3839.589052	30000	0	0	30000	44.625	2004
22.01.2020 11:33:06	1	1	1	1	91.5	64.5	0	25165.877	189.2473118	5195.553502	30000	0	0	30000	44.875	2004
22.01.2020 11:33:07	1	1	1	1	91.5	64.75	0	22748.815	176.344086	4060.554997	30000	0	0	30000	44.4375	2004
22.01.2020 11:33:08	1	1	1	1	91.5	64.25	0	26113.744	225.8064516	5895.95847	30000	0	0	30000	44.625	2004
22.01.2020 11:33:09	1	1	1	1	91.5	64.5	0	23222.749	225.8064516	5254.260321	30000	0	0	30000	44.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 11:33:10	1	1	1	1	91.5	64.5	0	27582.938	253.7634409	6845.052048	30000	0	0	30000	44.4375	2004
22.01.2020 11:33:11	1	1	1	1	91	64.25	0	26113.744	221.5053763	5784.252439	30000	0	0	30000	44.5625	2004
22.01.2020 11:33:17	1	1	1	1	91	64.5	0	27440.758	273.1182796	7553.610741	30000	0	0	30000	44.4375	2004
22.01.2020 11:33:17	1	1	1	1	91	64.5	0	27440.758	273.1182796	7553.610741	30000	0	0	30000	44.4375	2004
22.01.2020 11:33:17	1	1	1	1	91	64.5	0	27440.758	273.1182796	7553.610741	30000	0	0	30000	44.4375	2004
22.01.2020 11:33:17	1	1	1	1	91	64.5	0	27440.758	273.1182796	7553.610741	30000	0	0	30000	44.4375	2004
22.01.2020 11:33:17	1	1	1	1	91	64.5	0	27440.758	273.1182796	7553.610741	30000	0	0	30000	44.4375	2004
22.01.2020 11:33:17	1	1	1	1	91	64.5	0	27440.758	273.1182796	7553.610741	30000	0	0	30000	44.4375	2004
22.01.2020 11:33:18	1	1	1	1	91	64.25	0	26587.678	253.7634409	6803.468051	30000	0	0	30000	44.5	2004
22.01.2020 11:33:19	1	1	1	1	91	64.5	0	23317.536	236.5591398	5465.441796	30000	0	0	30000	43.75	2004
22.01.2020 11:33:20	1	1	1	1	91	63.75	0	27298.578	277.4193548	7573.179681	30000	0	0	30000	43.6875	2004
22.01.2020 11:33:21	1	1	1	1	91.25	63.5	0	25639.81	258.0645161	6616.747751	30000	0	0	30000	44.3125	2004
22.01.2020 11:33:22	1	1	1	1	91.25	64.25	0	28436.019	294.6236559	8514.119534	30000	0	0	30000	44.5	2004
22.01.2020 11:33:23	1	1	1	1	91.25	64.5	0	25402.844	292.4731183	7443.535455	30000	0	0	30000	44.4375	2004
22.01.2020 11:33:24	1	1	1	1	91.25	64.25	0	25734.597	279.5698925	7194.031473	30000	0	0	30000	44	2004
22.01.2020 11:33:25	1	1	1	1	91.25	64	0	24881.517	270.9677419	6741.499742	30000	0	0	30000	44.4375	2004
22.01.2020 11:33:26	1	1	1	1	91.25	64.25	0	23459.716	245.1612903	5526.594733	30000	0	0	30000	44.5625	2004
22.01.2020 11:33:27	1	1	1	1	91.25	64.5	0	22890.995	262.3655914	6005.218384	30000	0	0	30000	44.4375	2004
22.01.2020 11:33:28	1	1	1	1	91.25	64.25	0	28815.166	313.9784946	9047.373142	30000	0	0	30000	44.625	2004
22.01.2020 11:33:29	1	1	1	1	91.25	64.5	0	26587.678	320.4301075	8519.011769	30000	0	0	30000	44.375	2004
22.01.2020 11:33:30	1	1	1	1	91.25	64.25	0	27345.972	341.9354839	9468.105346	30000	0	0	30000	44.625	2004
22.01.2020 11:33:31	1	1	1	1	92	64.5	0	27867.299	356.9892473	9964.667192	30000	0	0	30000	43.625	2004
22.01.2020 11:33:32	1	1	1	1	92	63.5	0	28957.346	369.8924731	10648.76471	30000	0	0	30000	44.5625	2004
22.01.2020 11:33:33	1	1	1	1	92	64.5	0	27582.938	367.7419355	10261.46278	30000	0	0	30000	44.4375	2004
22.01.2020 11:33:34	1	1	1	1	92	64.25	0	26303.318	333.3333333	8751.392928	30000	0	0	30000	44.375	2004
22.01.2020 11:33:35	1	1	1	1	92	64.25	0	29241.706	406.4516129	12074.03582	30000	0	0	30000	44.125	2004
22.01.2020 11:33:36	1	1	1	1	92	64	0	28815.166	425.8064516	12227.32585	30000	0	0	30000	44.4375	2004
22.01.2020 11:33:37	1	1	1	1	92	64.25	0	28246.445	423.655914	12007.17528	30000	0	0	30000	44.3125	2004
22.01.2020 11:33:38	1	1	1	1	92	64.25	0	28009.479	434.4086022	11986.79097	30000	0	0	30000	44.625	2004
22.01.2020 11:33:39	1	1	1	1	92	64.5	0	29573.46	421.5053763	12529.01367	30000	0	0	30000	44.3125	2004
22.01.2020 11:33:40	1	1	1	1	92	64.25	0	29620.853	443.0107527	13185.38852	30000	0	0	30000	44.5	2004
22.01.2020 11:33:42	1	1	1	1	90	64.5	0	28009.479	438.7096774	12348.00098	30000	0	0	30000	44.25	2004
22.01.2020 11:33:43	1	1	1	1	90	64.25	0	28199.052	421.5053763	11946.02234	30000	0	0	30000	43.6875	2004
22.01.2020 11:33:44	1	1	1	1	90	63.5	0	29478.673	468.8172043	13883.34738	30000	0	0	30000	44.625	2004
22.01.2020 11:33:45	1	1	1	1	90	64.25	0	28483.412	468.8172043	13292.20232	30000	0	0	30000	44	2004
22.01.2020 11:33:46	1	1	1	1	90	64	0	29952.607	488.172043	14644.90528	30000	0	0	30000	44.375	2004
22.01.2020 11:33:47	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
22.01.2020 11:33:48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
22.01.2020 11:33:49	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
22.01.2020 11:33:50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
22.01.2020 11:33:51	1	1	1	1	88.25	64.5	0	0	0	0	30000	0	0	30000	44.6875	2004
22.01.2020 11:33:52	1	1	1	1	88.25	64.5	0	0	0	0	30000	0	0	30000	44.625	2004
22.01.2020 11:33:53	1	1	1	1	88.25	64.5	0	0	0	0	30000	0	0	30000	44.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 11:33:54	1	1	1	1	88.25	64.5	0	0	0	0	30000	0	0	30000	44.6875	2004
22.01.2020 11:33:55	1	1	1	1	88.25	64.5	0	0	0	0	30000	0	0	30000	44.8125	2004
22.01.2020 11:33:56	1	1	1	1	88.25	64.75	0	0	0	0	30000	0	0	30000	44.625	2004
22.01.2020 11:33:57	1	1	1	1	88.25	64.5	0	0	0	0	30000	0	0	30000	42	2004
22.01.2020 11:33:58	1	1	1	1	88.25	62	0	0	0	0	30000	0	0	30000	44.8125	2004
22.01.2020 11:33:59	1	1	1	1	90.25	64.75	0	0	0	0	30000	0	0	30000	44.8125	2004
22.01.2020 11:34:00	1	1	1	1	90.25	64.75	0	10663.507	0	0	30000	0	0	30000	44.5625	2004
22.01.2020 11:34:01	1	1	1	1	90.25	64.5	0	11421.801	0	0	30000	0	0	30000	44.5	2004
22.01.2020 11:34:02	1	1	1	1	90.25	64.5	0	12085.308	2.150537634	26.09191966	30000	0	0	30000	44.375	2004
22.01.2020 11:34:03	1	1	1	1	90.25	64.25	0	12938.389	6.451612903	83.16799391	30000	0	0	30000	44.5625	2004
22.01.2020 11:34:04	1	1	1	1	90.25	64.5	0	13601.896	10.75268817	145.9516756	30000	0	0	30000	44.5	2004
22.01.2020 11:34:05	1	1	1	1	90.25	64.5	0	13175.355	10.75268817	141.0594407	30000	0	0	30000	44.625	2004
22.01.2020 11:34:06	1	1	1	1	90.25	64.5	0	15308.057	30.10752688	424.8090669	30000	0	0	30000	44.5	2004
22.01.2020 11:34:07	1	1	1	1	90.25	64.5	0	15308.057	27.95698925	424.8090669	30000	0	0	30000	44.625	2004
22.01.2020 11:34:08	1	1	1	1	90.25	64.5	0	16682.464	40.86021505	645.7750116	30000	0	0	30000	44.375	2004
22.01.2020 11:34:09	1	1	1	1	89.75	64.25	0	17535.545	55.91397849	980.0777322	30000	0	0	30000	44.5	2004
22.01.2020 11:34:10	1	1	1	1	89.75	64.5	0	15876.777	51.61290323	819.4493518	30000	0	0	30000	44.625	2004
22.01.2020 11:34:11	1	1	1	1	89.75	64.5	0	18483.412	73.11827957	1351.072215	30000	0	0	30000	44.5	2004
22.01.2020 11:34:12	1	1	1	1	89.75	64.5	0	19668.246	83.87096774	1656.836898	30000	0	0	30000	44.5	2004
22.01.2020 11:34:19	1	1	1	1	89.75	64.5	0	24407.583	191.3978495	4671.268991	30000	0	0	30000	44.4375	2004
22.01.2020 11:34:19	1	1	1	1	89.75	64.5	0	24407.583	191.3978495	4671.268991	30000	0	0	30000	44.4375	2004
22.01.2020 11:34:19	1	1	1	1	89.75	64.5	0	24407.583	191.3978495	4671.268991	30000	0	0	30000	44.4375	2004
22.01.2020 11:34:19	1	1	1	1	89.75	64.5	0	24407.583	191.3978495	4671.268991	30000	0	0	30000	44.4375	2004
22.01.2020 11:34:19	1	1	1	1	89.75	64.5	0	24407.583	191.3978495	4671.268991	30000	0	0	30000	44.4375	2004
22.01.2020 11:34:19	1	1	1	1	89.75	64.5	0	24407.583	191.3978495	4671.268991	30000	0	0	30000	44.4375	2004
22.01.2020 11:34:19	1	1	1	1	89.75	64.25	0	25260.664	219.3548387	5540.456065	30000	0	0	30000	44.625	2004
22.01.2020 11:34:21	1	1	1	1	89.75	64.5	0	26018.957	232.2580645	5986.464817	30000	0	0	30000	44.5	2004
22.01.2020 11:34:22	1	1	1	1	89.75	64.5	0	26682.464	266.6666667	7114.940342	30000	0	0	30000	44.5	2004
22.01.2020 11:34:23	1	1	1	1	89.75	64.5	0	27535.545	316.1290323	8704.101324	30000	0	0	30000	44.5	2004
22.01.2020 11:34:24	1	1	1	1	89.75	64.5	0	28293.839	367.7419355	10422.09116	30000	0	0	30000	44.4375	2004
22.01.2020 11:34:25	1	1	1	1	89.75	64.25	0	29052.133	404.3010753	11995.76006	30000	0	0	30000	44.3125	2004
22.01.2020 11:34:26	1	1	1	1	89.75	64.25	0	29810.427	496.7741935	14808.79515	30000	0	0	30000	44.25	2004
22.01.2020 11:34:27	1	1	1	1	89.75	64.25	0	28862.559	466.6666667	13469.13815	30000	0	0	30000	44.25	2004
22.01.2020 11:34:28	1	1	1	1	89.75	64.25	0	30000	541.9354839	16257.71206	30000	0	0	30000	44.625	2004
22.01.2020 11:34:29	1	1	1	1	89.75	64.5	0	29620.853	481.7204301	14269.01856	30000	0	0	30000	44.6875	2004
22.01.2020 11:34:30	1	1	1	1	89	63.75	0	30000	529.0322581	15870.41013	30000	0	0	30000	43.9375	2004
22.01.2020 11:34:31	1	1	1	1	89	63.75	0	28862.559	464.516129	13407.16984	30000	0	0	30000	44.5625	2004
22.01.2020 11:34:32	1	1	1	1	89	64.5	0	29715.64	507.5268817	15081.12956	30000	0	0	30000	44.375	2004
22.01.2020 11:34:33	1	1	1	1	89	64.25	0	28436.019	498.9247312	14224.17308	30000	0	0	30000	43.8125	2004
22.01.2020 11:34:34	1	1	1	1	89	63.75	0	10000	0	0	30000	0	0	30000	44.75	2004
22.01.2020 11:34:35	1	1	1	1	89	64.75	0	11374.408	0	0	30000	0	0	30000	44.6875	2004
22.01.2020 11:34:36	1	1	1	1	89	64.5	0	11753.555	0	0	30000	0	0	30000	44.625	2004
22.01.2020 11:34:37	1	1	1	1	89	64.5	0	12938.389	4.301075269	55.44532927	30000	0	0	30000	44.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 11:34:38	1	1	1	1	89	64.5	0	13175.355	6.451612903	198.9508874	30000	0	0	30000	44.5625	2004
22.01.2020 11:34:39	1	1	1	1	89.75	64.5	0	13127.962	10.75268817	141.0594407	30000	0	0	30000	44.4375	2004
22.01.2020 11:34:40	1	1	1	1	89.75	64.25	0	15308.057	25.80645161	427.2551844	30000	0	0	30000	44.625	2004
22.01.2020 11:34:41	1	1	1	1	89.75	64.5	0	16066.351	32.25806452	552.8225478	30000	0	0	30000	44.5625	2004
22.01.2020 11:34:42	1	1	1	1	89.75	64.5	0	16445.498	30.10752688	609.898622	30000	0	0	30000	44.5625	2004
22.01.2020 11:34:43	1	1	1	1	89.75	64.5	0	17582.938	49.46236559	869.1870736	30000	0	0	30000	44.625	2004
22.01.2020 11:34:44	1	1	1	1	89.75	64.5	0	18341.232	58.06451613	1104.014351	30000	0	0	30000	44.5	2004
22.01.2020 11:34:45	1	1	1	1	89.75	64.5	0	17014.218	60.21505376	987.4160846	30000	0	0	30000	44.5625	2004
22.01.2020 11:34:46	1	1	1	1	89.75	64.5	0	17962.085	64.51612903	1117.06031	30000	0	0	30000	44.625	2004
22.01.2020 11:34:47	1	1	1	1	89.75	64.5	0	19857.82	94.62365591	1836.218846	30000	0	0	30000	44.625	2004
22.01.2020 11:34:48	1	1	1	1	89.75	64.5	0	21469.194	113.9784946	2498.301307	30000	0	0	30000	44.4375	2004
22.01.2020 11:34:49	1	1	1	1	89.25	64.25	0	22227.488	137.6344086	3059.27758	30000	0	0	30000	44.5	2004
22.01.2020 11:34:50	1	1	1	1	89.25	64.5	0	21943.128	152.688172	3350.365559	30000	0	0	30000	43.8125	2004
22.01.2020 11:34:51	1	1	1	1	89.25	63.75	0	20284.36	152.688172	3104.123067	30000	0	0	30000	44.4375	2004
22.01.2020 11:34:52	1	1	1	1	89.25	64.25	0	24454.976	206.4516129	5039.001984	30000	0	0	30000	44.4375	2004
22.01.2020 11:34:53	1	1	1	1	89.25	64.25	0	20710.9	180.6451613	3740.928981	30000	0	0	30000	44.5625	2004
22.01.2020 11:34:54	1	1	1	1	89.25	64.5	0	26113.744	243.0107527	6345.228712	30000	0	0	30000	44.5	2004
22.01.2020 11:34:55	1	1	1	1	89.25	64.5	0	25687.204	270.9677419	6960.019569	30000	0	0	30000	44.5625	2004
22.01.2020 11:34:56	1	1	1	1	89.25	64.5	0	27582.938	318.2795699	8837.822412	30000	0	0	30000	44.375	2004
22.01.2020 11:34:58	1	1	1	1	89.25	64.25	0	28388.626	419.3548387	11924.82266	30000	0	0	30000	44.4375	2004
22.01.2020 11:34:59	1	1	1	1	89.25	64.25	0	29146.919	481.7204301	14040.71427	30000	0	0	30000	44.5	2004
22.01.2020 11:35:00	1	1	1	1	89	64.5	0	10094.787	0	0	30000	0	0	30000	44.5625	2004
22.01.2020 11:35:01	1	1	1	1	89	64.5	0	10947.867	0	0	30000	0	0	30000	44.6875	2004
22.01.2020 11:35:02	1	1	1	1	89	64.5	0	11658.768	0	0	30000	0	0	30000	44.5	2004
22.01.2020 11:35:03	1	1	1	1	89	64.5	0	12417.062	2.150537634	26.09191966	30000	0	0	30000	44.625	2004
22.01.2020 11:35:04	1	1	1	1	89	64.5	0	13127.962	6.451612903	83.9833664	30000	0	0	30000	44.625	2004
22.01.2020 11:35:05	1	1	1	1	89	64.5	0	13981.043	12.90322581	210.3661022	30000	0	0	30000	44.625	2004
22.01.2020 11:35:06	1	1	1	1	89	64.5	0	14786.73	21.50537634	317.9952708	30000	0	0	30000	44.6875	2004
22.01.2020 11:35:07	1	1	1	1	89	64.5	0	15497.63	30.10752688	502.2694534	30000	0	0	30000	44.9375	2004
22.01.2020 11:35:08	1	1	1	1	89	64.75	0	16255.924	38.70967742	628.6521893	30000	0	0	30000	44.4375	2004
22.01.2020 11:35:09	1	1	1	1	89	64.5	0	15450.237	36.55913978	564.2377626	30000	0	0	30000	44.375	2004
22.01.2020 11:35:10	1	1	1	1	89	64.25	0	17867.299	58.06451613	1037.153806	30000	0	0	30000	44.5	2004
22.01.2020 11:35:11	1	1	1	1	89	64.5	0	18625.592	66.66666667	1235.289321	30000	0	0	30000	44.5	2004
22.01.2020 11:35:12	1	1	1	1	89	64.5	0	19194.313	70.96774194	1361.672057	30000	0	0	30000	44.5	2004
22.01.2020 11:35:13	1	1	1	1	89	64.5	0	20189.573	92.47311828	1866.387628	30000	0	0	30000	44.5625	2004
22.01.2020 11:35:14	1	1	1	1	89	64.5	0	20900.474	103.2258065	2157.475607	30000	0	0	30000	44.3125	2004
22.01.2020 11:35:21	1	1	1	1	89	64.5	0	25497.63	206.4516129	5328.459218	30000	0	0	30000	42.5625	2004
22.01.2020 11:35:21	1	1	1	1	89	64.5	0	25497.63	206.4516129	5328.459218	30000	0	0	30000	42.5625	2004
22.01.2020 11:35:21	1	1	1	1	89	64.5	0	25497.63	206.4516129	5328.459218	30000	0	0	30000	42.5625	2004
22.01.2020 11:35:21	1	1	1	1	89	64.5	0	25497.63	206.4516129	5328.459218	30000	0	0	30000	42.5625	2004
22.01.2020 11:35:21	1	1	1	1	89	64.5	0	25497.63	206.4516129	5328.459218	30000	0	0	30000	42.5625	2004
22.01.2020 11:35:21	1	1	1	1	89	64.5	0	25497.63	206.4516129	5328.459218	30000	0	0	30000	42.5625	2004
22.01.2020 11:35:21	1	1	1	1	89	64.5	0	25497.63	206.4516129	5328.459218	30000	0	0	30000	42.5625	2004
22.01.2020 11:35:21	1	1	1	1	89	62.5	0	25165.877	219.3548387	5465.441796	30000	0	0	30000	44.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 11:35:22	1	1	1	1	89	64.5	0	26824.645	247.311828	6633.870573	30000	0	0	30000	44.5625	2004
22.01.2020 11:35:23	1	1	1	1	89	64.5	0	24170.616	296.7741935	7172.831789	30000	0	0	30000	44.5	2004
22.01.2020 11:35:24	1	1	1	1	89	64.5	0	27440.758	346.2365591	9500.720246	30000	0	0	30000	44.4375	2004
22.01.2020 11:35:25	1	1	1	1	89	64.25	0	27440.758	335.483871	9264.262224	30000	0	0	30000	44.5625	2004
22.01.2020 11:35:26	1	1	1	1	89	64.5	0	28341.232	339.7849462	9629.549099	30000	0	0	30000	44.375	2004
22.01.2020 11:35:27	1	1	1	1	89	64.25	0	28909.953	404.3010753	11956.62218	30000	0	0	30000	44.3125	2004
22.01.2020 11:35:28	1	1	1	1	89	64.25	0	29241.706	453.7634409	13225.34178	30000	0	0	30000	44.4375	2004
22.01.2020 11:35:29	1	1	1	1	87.5	64.25	0	24881.517	400	9898.62202	30000	0	0	30000	44.4375	2004
22.01.2020 11:35:30	1	1	1	1	87.5	64.25	0	29620.853	492.4731183	14459.81573	30000	0	0	30000	44.3125	2004
22.01.2020 11:35:31	1	1	1	1	87.5	64.25	0	29668.246	481.7204301	14269.01856	30000	0	0	30000	43.625	2004
22.01.2020 11:35:32	1	1	1	1	87.5	63.5	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	44.625	2004
22.01.2020 11:35:33	1	1	1	1	87.5	64.5	0	28293.839	481.7204301	13629.76653	30000	0	0	30000	44.3125	2004
22.01.2020 11:35:34	1	1	1	1	87.5	64.25	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	44.3125	2004
22.01.2020 11:35:36	1	1	1	1	87.5	64.25	0	30000	522.5806452	15677.16685	30000	0	0	30000	44	2004
22.01.2020 11:35:37	1	1	1	1	87.5	64	0	29715.64	541.9354839	16078.33012	30000	0	0	30000	44.1875	2004
22.01.2020 11:35:38	1	1	1	1	87.5	64	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	44.375	2004
22.01.2020 11:35:39	1	1	1	1	87.5	64.25	0	29952.607	501.0752688	15032.20721	30000	0	0	30000	44.4375	2004
22.01.2020 11:35:40	1	1	1	1	88.25	64.25	0	29952.607	526.8817204	15781.53453	30000	0	0	30000	44.25	2004
22.01.2020 11:35:41	1	1	1	1	88.25	64.25	0	29668.246	537.6344086	16040.00761	30000	0	0	30000	44.25	2004
22.01.2020 11:35:42	1	1	1	1	88.25	64.25	0	30000	533.3333333	16000.05436	30000	0	0	30000	43.9375	2004
22.01.2020 11:35:43	1	1	1	1	88.25	63.75	0	30000	526.8817204	15781.53453	30000	0	0	30000	44.4375	2004
22.01.2020 11:35:44	1	1	1	1	88.25	64.25	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	44.0625	2004
22.01.2020 11:35:45	1	1	1	1	88.25	64	0	29573.46	550.5376344	16026.96165	30000	0	0	30000	44.3125	2004
22.01.2020 11:35:46	1	1	1	1	88.25	64.25	0	29620.853	535.483871	15925.04009	30000	0	0	30000	44.25	2004
22.01.2020 11:35:47	1	1	1	1	88.25	64.25	0	29526.066	539.7849462	16000.86973	30000	0	0	30000	44.6875	2004
22.01.2020 11:35:48	1	1	1	1	88.25	64.5	0	29526.066	539.7849462	16026.96165	30000	0	0	30000	44.125	2004
22.01.2020 11:35:49	1	1	1	1	89	64.5	0	29383.886	541.9354839	15949.50126	30000	0	0	30000	44.1875	2004
22.01.2020 11:35:50	1	1	1	1	89	64	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	44.3125	2004
22.01.2020 11:35:51	1	1	1	1	89	64.25	0	29573.46	541.9354839	16052.2382	30000	0	0	30000	44.1875	2004
22.01.2020 11:35:52	1	1	1	1	89	64	0	27630.332	516.1290323	14358.70954	30000	0	0	30000	44.3125	2004
22.01.2020 11:35:53	1	1	1	1	89	64.25	0	29526.066	546.2365591	16064.46878	30000	0	0	30000	43.8125	2004
22.01.2020 11:35:54	1	1	1	1	89	63.75	0	29620.853	544.0860215	16179.43631	30000	0	0	30000	44.3125	2004
22.01.2020 11:35:55	1	1	1	1	89	64.25	0	29526.066	516.1290323	15175.71277	30000	0	0	30000	43.625	2004
22.01.2020 11:35:56	1	1	1	1	89	63.5	0	29478.673	541.9354839	16000.86973	30000	0	0	30000	44.0625	2004
22.01.2020 11:35:57	1	1	1	1	89	64	0	29620.853	541.9354839	16115.83725	30000	0	0	30000	44.4375	2004
22.01.2020 11:35:58	1	1	1	1	89	64.25	0	29620.853	541.9354839	16026.96165	30000	0	0	30000	44	2004
22.01.2020 11:35:59	1	1	1	1	89.25	64	0	29715.64	520.4301075	15528.76906	30000	0	0	30000	44.375	2004
22.01.2020 11:36:00	1	1	1	1	89.25	64.25	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	43.9375	2004
22.01.2020 11:36:01	1	1	1	1	89.25	63.75	0	29146.919	541.9354839	15858.17955	30000	0	0	30000	44.4375	2004
22.01.2020 11:36:02	1	1	1	1	89.25	64.25	0	29620.853	541.9354839	16078.33012	30000	0	0	30000	44.125	2004
22.01.2020 11:36:03	1	1	1	1	89.25	64	0	27630.332	509.6774194	14082.29826	30000	0	0	30000	44.1875	2004
22.01.2020 11:36:04	1	1	1	1	89.25	64	0	29573.46	541.9354839	16307.44979	30000	0	0	30000	44.0625	2004
22.01.2020 11:36:05	1	1	1	1	89.25	64	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	44.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 11:36:06	1	1	1	1	89.25	64	0	29383.886	541.9354839	15960.91648	30000	0	0	30000	44.3125	2004
22.01.2020 11:36:07	1	1	1	1	89.25	64.25	0	29241.706	546.2365591	16061.20729	30000	0	0	30000	44.625	2004
22.01.2020 11:36:08	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
22.01.2020 11:36:09	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
22.01.2020 11:36:10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
22.01.2020 11:36:11	1	0	1	1	87.75	20	0	0	0	0	30000	0	0	30000	0	2004
22.01.2020 11:36:12	1	1	1	1	87.75	62	0	0	0	0	30000	0	0	30000	44.625	2004
22.01.2020 11:36:14	1	1	1	1	87.75	64.5	0	0	0	0	30000	0	0	30000	44.8125	2004
22.01.2020 11:36:15	1	1	1	1	87.75	64.75	0	0	0	0	30000	0	0	30000	41.6875	2004
22.01.2020 11:36:16	1	1	1	1	87.75	61.5	0	0	0	0	30000	0	0	30000	44.75	2004
22.01.2020 11:36:22	1	1	1	1	89.75	64.5	0	10331.754	0	0	30000	0	0	30000	41.8125	2004
22.01.2020 11:36:22	1	1	1	1	89.75	64.5	0	10331.754	0	0	30000	0	0	30000	41.8125	2004
22.01.2020 11:36:22	1	1	1	1	89.75	64.5	0	10331.754	0	0	30000	0	0	30000	41.8125	2004
22.01.2020 11:36:22	1	1	1	1	89.75	64.5	0	10331.754	0	0	30000	0	0	30000	41.8125	2004
22.01.2020 11:36:22	1	1	1	1	89.75	64.5	0	10331.754	0	0	30000	0	0	30000	41.8125	2004
22.01.2020 11:36:22	1	1	1	1	89.75	64.5	0	10331.754	0	0	30000	0	0	30000	41.8125	2004
22.01.2020 11:36:23	1	1	1	1	89.75	61.75	0	11090.047	0	0	30000	0	0	30000	44.5	2004
22.01.2020 11:36:24	1	1	1	1	89.75	64.5	0	11800.948	0	0	30000	0	0	30000	44.4375	2004
22.01.2020 11:36:25	1	1	1	1	89.75	64.25	0	12559.242	2.150537634	26.90729215	30000	0	0	30000	44.375	2004
22.01.2020 11:36:26	1	1	1	1	89.75	64.25	0	13412.322	6.451612903	86.42948387	30000	0	0	30000	44.4375	2004
22.01.2020 11:36:27	1	1	1	1	89.75	64.25	0	14170.616	12.90322581	212.8122197	30000	0	0	30000	44.75	2004
22.01.2020 11:36:28	1	1	1	1	89.75	64.75	0	14928.91	21.50537634	320.4413883	30000	0	0	30000	44.8125	2004
22.01.2020 11:36:29	1	1	1	1	89.75	64.25	0	15734.597	27.95698925	439.4857718	30000	0	0	30000	44.4375	2004
22.01.2020 11:36:30	1	1	1	1	89.75	64.25	0	16492.891	34.40860215	567.4992526	30000	0	0	30000	44.4375	2004
22.01.2020 11:36:31	1	1	1	1	89	64.25	0	17156.398	40.86021505	663.7132063	30000	0	0	30000	44.3125	2004
22.01.2020 11:36:32	1	1	1	1	89	64.25	0	18056.872	53.76344086	970.2932623	30000	0	0	30000	44.4375	2004
22.01.2020 11:36:33	1	1	1	1	89	64.25	0	18815.166	64.51612903	1254.042889	30000	0	0	30000	44.5	2004
22.01.2020 11:36:34	1	1	1	1	89	64.5	0	19004.739	66.66666667	1266.273476	30000	0	0	30000	44.5	2004
22.01.2020 11:36:35	1	1	1	1	89	64.5	0	17014.218	70.96774194	1206.751284	30000	0	0	30000	44.4375	2004
22.01.2020 11:36:36	1	1	1	1	89	64.25	0	21090.047	107.5268817	2267.550893	30000	0	0	30000	44.5	2004
22.01.2020 11:36:37	1	1	1	1	89	64.5	0	21895.735	120.4301075	2636.914631	30000	0	0	30000	44.5	2004
22.01.2020 11:36:38	1	1	1	1	89	64.5	0	22559.242	144.0860215	3250.074742	30000	0	0	30000	44.625	2004
22.01.2020 11:36:39	1	1	1	1	89	64.5	0	23412.322	167.7419355	3868.942462	30000	0	0	30000	44.375	2004
22.01.2020 11:36:40	1	1	1	1	89	64.25	0	23886.256	189.2473118	4571.793548	30000	0	0	30000	44.625	2004
22.01.2020 11:36:41	1	1	1	1	88.75	64.5	0	24786.73	206.4516129	5107.493273	30000	0	0	30000	44.4375	2004
22.01.2020 11:36:42	1	1	1	1	88.75	64.25	0	25734.597	240.8602151	6076.155791	30000	0	0	30000	44.4375	2004
22.01.2020 11:36:43	1	1	1	1	88.75	64.25	0	25402.844	266.6666667	6774.114641	30000	0	0	30000	43.6875	2004
22.01.2020 11:36:44	1	1	1	1	88.75	63.5	0	27298.578	322.5806452	8806.022885	30000	0	0	30000	44.375	2004
22.01.2020 11:36:45	1	1	1	1	88.75	64.25	0	28009.479	397.8494624	11142.88044	30000	0	0	30000	44.25	2004
22.01.2020 11:36:46	1	1	1	1	88.75	64.25	0	28815.166	464.516129	13385.15478	30000	0	0	30000	44.0625	2004
22.01.2020 11:36:47	1	1	1	1	88.75	64	0	29668.246	526.8817204	15606.22945	30000	0	0	30000	44.375	2004
22.01.2020 11:36:48	1	1	1	1	88.75	64.25	0	29810.427	612.9032258	18212.15992	30000	0	0	30000	43.875	2004
22.01.2020 11:36:49	1	1	1	1	88.75	63.75	0	29431.28	494.6236559	14534.01462	30000	0	0	30000	44.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 11:36:50	1	1	1	1	88.75	64.25	0	30000	559.1397849	16335.17245	30000	0	0	30000	44.4375	2004
22.01.2020 11:36:52	1	1	1	1	87.5	64.25	0	26824.645	516.1290323	13893.94722	30000	0	0	30000	43.75	2004
22.01.2020 11:36:53	1	1	1	1	87.5	63.75	0	30000	572.0430108	16967.08613	30000	0	0	30000	44.4375	2004
22.01.2020 11:36:54	1	1	1	1	87.5	64.25	0	29763.033	518.2795699	15449.67793	30000	0	0	30000	44.1875	2004
22.01.2020 11:36:55	1	1	1	1	87.5	64	0	0	0	0	30000	0	8	30000	44.1875	2004
22.01.2020 11:36:56	1	1	1	1	87.5	64	0	10663.507	0	0	30000	0	0	30000	44.5	2004
22.01.2020 11:36:57	1	1	1	1	87.5	64.5	0	10663.507	0	0	30000	0	0	30000	44.3125	2004
22.01.2020 11:36:58	1	1	1	1	87.5	64.25	0	12322.275	2.150537634	26.09191966	30000	0	0	30000	44.375	2004
22.01.2020 11:36:59	1	1	1	1	87.5	64.25	0	13033.175	6.451612903	83.9833664	30000	0	0	30000	44.4375	2004
22.01.2020 11:37:00	1	1	1	1	87.5	64.25	0	13791.469	12.90322581	177.7512027	30000	0	0	30000	43.6875	2004
22.01.2020 11:37:01	1	1	1	1	87.5	63.5	0	14597.156	21.50537634	345.7179355	30000	0	0	30000	44.5625	2004
22.01.2020 11:37:02	1	1	1	1	88.5	64.5	0	15402.844	30.10752688	460.6854565	30000	0	0	30000	44.375	2004
22.01.2020 11:37:03	1	1	1	1	88.5	64.25	0	16066.351	40.86021505	659.6363439	30000	0	0	30000	44.625	2004
22.01.2020 11:37:04	1	1	1	1	88.5	64.5	0	16919.431	51.61290323	875.7100535	30000	0	0	30000	44.5625	2004
22.01.2020 11:37:05	1	1	1	1	88.5	64.5	0	17677.725	62.3655914	1102.383606	30000	0	0	30000	44.625	2004
22.01.2020 11:37:06	1	1	1	1	88.5	64.5	0	17819.905	60.21505376	1073.030196	30000	0	0	30000	44.6875	2004
22.01.2020 11:37:07	1	1	1	1	88.5	64.75	0	18815.166	70.96774194	1415.486641	30000	0	0	30000	44.375	2004
22.01.2020 11:37:08	1	1	1	1	88.5	64.25	0	20000	96.77419355	1930.802055	30000	0	0	30000	44.4375	2004
22.01.2020 11:37:09	1	1	1	1	88.5	64.25	0	20758.294	109.6774194	2326.257712	30000	0	0	30000	44.4375	2004
22.01.2020 11:37:10	1	1	1	1	88.5	64.25	0	21516.588	129.0322581	2776.343326	30000	0	0	30000	44.3125	2004
22.01.2020 11:37:11	1	1	1	1	89.25	64.25	0	0	0	0	30000	0	0	30000	44.5	2004
22.01.2020 11:37:12	1	1	1	1	89.25	64.5	0	0	0	0	30000	0	0	30000	44.5	2004
22.01.2020 11:37:13	1	1	1	1	89.25	64.5	0	0	0	0	30000	0	0	30000	44.625	2004
22.01.2020 11:37:14	1	1	1	1	89.25	64.5	0	0	0	0	30000	0	0	30000	44.4375	2004
22.01.2020 11:37:15	1	1	1	1	89.25	64.25	0	0	0	0	30000	0	0	30000	44.5625	2004
22.01.2020 11:37:16	1	1	1	1	89.25	64.5	0	0	0	0	30000	0	0	30000	44.625	2004
22.01.2020 11:37:17	1	1	1	1	89.25	64.5	0	0	0	0	30000	0	0	30000	44.625	2004
22.01.2020 11:37:24	1	1	1	1	88.75	64.5	0	0	0	0	30000	0	0	30000	44.625	2004
22.01.2020 11:37:24	1	1	1	1	88.75	64.5	0	0	0	0	30000	0	0	30000	44.625	2004
22.01.2020 11:37:24	1	1	1	1	88.75	64.5	0	0	0	0	30000	0	0	30000	44.625	2004
22.01.2020 11:37:24	1	1	1	1	88.75	64.5	0	0	0	0	30000	0	0	30000	44.625	2004
22.01.2020 11:37:24	1	1	1	1	88.75	64.5	0	0	0	0	30000	0	0	30000	44.625	2004
22.01.2020 11:37:24	1	1	1	1	88.75	64.5	0	0	0	0	30000	0	0	30000	44.625	2004
22.01.2020 11:37:24	1	1	1	1	88.75	64.5	0	0	0	0	30000	0	0	30000	44.625	2004
22.01.2020 11:37:25	1	1	1	1	88.75	64.5	0	0	0	0	30000	0	0	30000	44.625	2004
22.01.2020 11:37:26	1	1	1	1	88.75	64.5	0	0	0	0	30000	0	0	30000	44.6875	2004
22.01.2020 11:37:27	1	1	1	1	88.75	64.5	0	0	0	0	30000	0	0	30000	44.625	2004
22.01.2020 11:37:28	1	1	1	1	88.75	64.5	0	0	0	0	30000	0	0	30000	44.75	2004
22.01.2020 11:37:29	1	1	1	1	88.75	64.75	0	0	0	0	30000	0	0	30000	44.625	2004
22.01.2020 11:37:31	1	1	1	1	88.75	64.5	0	0	0	0	30000	0	0	30000	44.625	2004
22.01.2020 11:37:32	1	1	1	1	88.5	64.5	0	0	0	0	30000	0	0	30000	44.5625	2004
22.01.2020 11:37:33	1	1	1	1	88.5	64.5	0	0	0	0	30000	0	0	30000	44.625	2004
22.01.2020 11:37:34	1	1	1	1	88.5	64.5	0	0	0	0	30000	0	0	30000	44.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 11:37:35	1	1	1	1	88.5	64.75	0	0	0	0	30000	0	0	30000	44.6875	2004
22.01.2020 11:37:36	1	1	1	1	88.5	64.5	0	0	0	0	30000	0	0	30000	44.6875	2004
22.01.2020 11:37:37	1	1	1	1	88.5	64.5	0	0	0	0	30000	0	0	30000	44.4375	2004
22.01.2020 11:37:38	1	1	1	1	88.5	64.25	0	0	0	0	30000	0	0	30000	44.75	2004
22.01.2020 11:37:39	1	1	1	1	88.5	64.75	0	0	0	0	30000	0	0	30000	44.625	2004
22.01.2020 11:37:40	1	1	1	1	88.5	64.5	0	0	0	0	30000	0	0	30000	44.625	2004
22.01.2020 11:37:41	1	1	1	1	88.5	64.5	0	0	0	0	30000	0	0	30000	44.625	2004
22.01.2020 11:37:42	1	1	1	1	88	64.5	0	0	0	0	30000	0	0	30000	44.5	2004
22.01.2020 11:37:43	1	1	1	1	88	64.5	0	0	0	0	30000	0	0	30000	45	2004
22.01.2020 11:37:44	1	1	1	1	88	65	0	0	0	0	30000	0	0	30000	44.875	2004
22.01.2020 11:37:45	1	1	1	1	88	64.75	0	0	0	0	30000	0	0	30000	44.625	2004
22.01.2020 11:37:46	1	1	1	1	88	64.75	0	0	0	0	30000	0	0	30000	44.5625	2004
22.01.2020 11:37:47	1	1	1	1	88	64.5	0	0	0	0	30000	0	0	30000	41.9375	2004
22.01.2020 11:37:48	1	1	1	1	88	61.75	0	0	0	0	30000	0	0	30000	44.625	2004
22.01.2020 11:37:49	1	1	1	1	88	64.5	0	0	0	0	30000	0	0	30000	44.625	2004
22.01.2020 11:37:50	1	1	1	1	88	64.5	0	0	0	0	30000	0	0	30000	44.625	2004
22.01.2020 11:37:51	1	1	1	1	88	64.5	0	0	0	0	30000	0	0	30000	44.625	2004
22.01.2020 11:37:52	1	1	1	1	88	64.5	0	0	0	0	30000	0	0	30000	44.625	2004
22.01.2020 11:37:53	1	1	1	1	88	64.5	0	0	0	0	30000	0	0	30000	44.625	2004
22.01.2020 11:37:54	1	1	1	1	88	64.5	0	0	0	0	30000	0	0	30000	44.625	2004
22.01.2020 11:37:55	1	1	1	1	88	64.5	0	0	0	0	30000	0	0	30000	44.5	2004
22.01.2020 11:37:56	1	1	1	1	88	64.5	0	0	0	0	30000	0	0	30000	44.5	2004
22.01.2020 11:37:57	1	1	1	1	88	64.5	0	0	0	0	30000	0	0	30000	44.5625	2004
22.01.2020 11:37:58	1	1	1	1	88	64.5	0	0	0	0	30000	0	0	30000	44.5625	2004
22.01.2020 11:37:59	1	1	1	1	88	64.5	0	0	0	0	30000	0	0	30000	44.625	2004
22.01.2020 11:38:00	1	1	1	1	88	64.5	0	0	0	0	30000	0	0	30000	44.625	2004
22.01.2020 11:38:01	1	1	1	1	88.25	64.5	0	0	0	0	30000	0	0	30000	44.625	2004
22.01.2020 11:38:02	1	1	1	1	88.25	64.5	0	0	0	0	30000	0	0	30000	44.625	2004
22.01.2020 11:38:03	1	1	1	1	88.25	64.5	0	0	0	0	30000	0	0	30000	44.625	2004
22.01.2020 11:38:04	1	1	1	1	88.25	64.5	0	0	0	0	30000	0	0	30000	44.625	2004
22.01.2020 11:38:05	1	1	1	1	88.25	64.5	0	0	0	0	30000	0	0	30000	41.6875	2004
22.01.2020 11:38:06	1	1	1	1	88.25	61.5	0	0	0	0	30000	0	0	30000	44.625	2004
22.01.2020 11:38:07	1	1	1	1	88.25	64.5	0	0	0	0	30000	0	0	30000	44.625	2004
22.01.2020 11:38:09	1	1	1	1	88.25	64.5	0	0	0	0	30000	0	0	30000	44.625	2004
22.01.2020 11:38:10	1	1	1	1	88.25	64.5	0	0	0	0	30000	0	0	30000	44.625	2004
22.01.2020 11:38:11	1	1	1	1	88.25	64.5	0	0	0	0	30000	0	0	30000	44.5625	2004
22.01.2020 11:38:12	1	1	1	1	87.75	64.5	0	0	0	0	30000	1	0	30000	44.625	2004
22.01.2020 11:38:13	1	1	1	1	87.75	64.5	0	10426.54	0	0	30000	1	0	30000	44.5	2004
22.01.2020 11:38:14	1	1	1	1	87.75	64.5	0	11279.621	0	0	30000	1	0	30000	44.3125	2004
22.01.2020 11:38:15	1	1	1	1	87.75	64.25	0	12085.308	2.150537634	25.27654717	30000	1	0	30000	44.375	2004
22.01.2020 11:38:16	1	1	1	1	87.75	64.25	0	12843.602	4.301075269	54.62995679	30000	1	0	30000	44.4375	2004
22.01.2020 11:38:17	1	1	1	1	87.75	64.25	0	13696.682	10.75268817	146.7670481	30000	1	0	30000	44.25	2004
22.01.2020 11:38:18	1	1	1	1	87.75	64.25	0	14407.583	15.05376344	216.8890822	30000	1	0	30000	44.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers	
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]		
22.01.2020 11:38:19	1	1	1	1	87.75	64.25	0	15165.877	25.80645161	391.3787949	30000		1	0	30000	44.3125	2004
22.01.2020 11:38:25	1	1	1	1	87.25	64.5	0	19810.427	88.17204301	1746.527872	30000		1	0	30000	44.375	2004
22.01.2020 11:38:25	1	1	1	1	87.25	64.5	0	19810.427	88.17204301	1746.527872	30000		1	0	30000	44.375	2004
22.01.2020 11:38:25	1	1	1	1	87.25	64.5	0	19810.427	88.17204301	1746.527872	30000		1	0	30000	44.375	2004
22.01.2020 11:38:25	1	1	1	1	87.25	64.5	0	19810.427	88.17204301	1746.527872	30000		1	0	30000	44.375	2004
22.01.2020 11:38:25	1	1	1	1	87.25	64.5	0	19810.427	88.17204301	1746.527872	30000		1	0	30000	44.375	2004
22.01.2020 11:38:25	1	1	1	1	87.25	64.5	0	19810.427	88.17204301	1746.527872	30000		1	0	30000	44.375	2004
22.01.2020 11:38:26	1	1	1	1	87.25	64.25	0	20568.72	103.2258065	2123.229962	30000		1	0	30000	44.3125	2004
22.01.2020 11:38:27	1	1	1	1	87.25	64.25	0	21279.621	120.4301075	2562.715734	30000		1	0	30000	44.4375	2004
22.01.2020 11:38:28	1	1	1	1	87.25	64.25	0	21516.588	129.0322581	2769.820346	30000		1	0	30000	44.3125	2004
22.01.2020 11:38:29	1	1	1	1	87.25	64.25	0	21943.128	144.0860215	3161.199141	30000		1	0	30000	44.5	2004
22.01.2020 11:38:30	1	1	1	1	87.25	64.5	0	22796.209	159.1397849	3676.514554	30000		1	0	30000	44.3125	2004
22.01.2020 11:38:31	1	1	1	1	86.75	64.25	0	23270.142	178.4946237	4153.507461	30000		1	0	30000	44.4375	2004
22.01.2020 11:38:32	1	1	1	1	86.75	64.25	0	23981.043	191.3978495	4589.731742	30000		1	0	30000	44.3125	2004
22.01.2020 11:38:33	1	1	1	1	86.75	64.25	0	24218.009	191.3978495	4723.452831	30000		1	0	30000	44.1875	2004
22.01.2020 11:38:34	1	1	1	1	86.75	64	0	24407.583	206.4516129	4776.452043	30000		1	0	30000	44.375	2004
22.01.2020 11:38:35	1	1	1	1	86.75	64.25	0	25734.597	221.5053763	5720.653385	30000		1	0	30000	44.25	2004
22.01.2020 11:38:36	1	1	1	1	86.75	64.25	0	25165.877	221.5053763	5509.47191	30000		1	0	30000	44.1875	2004
22.01.2020 11:38:37	1	1	1	1	86.75	64	0	25260.664	234.4086022	5790.775419	30000		1	0	30000	44.1875	2004
22.01.2020 11:38:38	1	1	1	1	86.75	64	0	25592.417	249.4623656	6451.227136	30000		1	0	30000	44.3125	2004
22.01.2020 11:38:39	1	1	1	1	86.75	64.25	0	25734.597	253.7634409	6474.872938	30000		1	0	30000	44.125	2004
22.01.2020 11:38:40	1	1	1	1	86.75	64	0	25545.024	266.6666667	6866.251733	30000		1	0	30000	44.5	2004
22.01.2020 11:38:41	1	1	1	1	87.25	64.5	0	25734.597	281.7204301	7276.384095	30000		1	0	30000	42.6875	2004
22.01.2020 11:38:42	1	1	1	1	87.25	62.5	0	25450.237	279.5698925	7196.477591	30000		1	0	30000	44.1875	2004
22.01.2020 11:38:43	1	1	1	1	87.25	64	0	28009.479	320.4301075	8974.80499	30000		1	0	30000	44.375	2004
22.01.2020 11:38:44	1	1	1	1	87.25	64.25	0	26208.531	313.9784946	8228.739162	30000		1	0	30000	44.1875	2004
22.01.2020 11:38:45	1	1	1	1	87.25	64	0	25213.27	316.1290323	7955.589378	30000		1	0	30000	44.25	2004
22.01.2020 11:38:46	1	1	1	1	87.25	64.25	0	26398.104	322.5806452	8500.258201	30000		1	0	30000	44.125	2004
22.01.2020 11:38:48	1	1	1	1	87.25	64	0	26255.924	322.5806452	8582.610823	30000		1	0	30000	44.3125	2004
22.01.2020 11:38:49	1	1	1	1	87.25	64.25	0	26682.464	322.5806452	8607.071997	30000		1	0	30000	44.3125	2004
22.01.2020 11:38:50	1	1	1	1	87.25	64.25	0	27345.972	344.0860215	9349.876335	30000		1	0	30000	44.375	2004
22.01.2020 11:38:51	1	1	1	1	87.25	64.25	0	27061.611	356.9892473	9660.533254	30000		1	0	30000	44.1875	2004
22.01.2020 11:38:52	1	1	1	1	86.25	64	0	27156.398	369.8924731	9735.547523	30000		1	0	30000	44.125	2004
22.01.2020 11:38:53	1	1	1	1	86.25	64	0	27298.578	369.8924731	10097.57291	30000		1	0	30000	44.3125	2004
22.01.2020 11:38:54	1	1	1	1	86.25	64.25	0	28862.559	363.4408602	10675.672	30000		1	0	30000	44.1875	2004
22.01.2020 11:38:55	1	1	1	1	86.25	64	0	27535.545	369.8924731	10091.04993	30000		1	0	30000	44.1875	2004
22.01.2020 11:38:56	1	1	1	1	86.25	64	0	29289.1	397.8494624	11759.30204	30000		1	0	30000	44.3125	2004
22.01.2020 11:38:57	1	1	1	1	86.25	64.25	0	27630.332	397.8494624	10992.03653	30000		1	0	30000	44.1875	2004
22.01.2020 11:38:58	1	1	1	1	86.25	64	0	27962.085	400	11263.55557	30000		1	0	30000	44.0625	2004
22.01.2020 11:38:59	1	1	1	1	86.25	64	0	28815.166	427.9569892	12331.69353	30000		1	0	30000	44.3125	2004
22.01.2020 11:39:00	1	1	1	1	86.25	64.25	0	28009.479	415.0537634	11545.67445	30000		1	0	30000	44.25	2004
22.01.2020 11:39:01	1	1	1	1	86.25	64.25	0	28009.479	427.9569892	12189.00334	30000		1	0	30000	44.25	2004
22.01.2020 11:39:02	1	1	1	1	85.75	64.25	0	25924.171	384.9462366	9979.343897	30000		1	0	30000	44.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers	
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]		
22.01.2020 11:39:03	1	1	1	1	85.75	64.25	0	28009.479	453.7634409	12950.56125	30000		1	0	30000	44.5	2004
22.01.2020 11:39:04	1	1	1	1	85.75	64.5	0	28625.592	464.516129	13297.09456	30000		1	0	30000	44.1875	2004
22.01.2020 11:39:05	1	1	1	1	85.75	64	0	29146.919	496.7741935	14479.38467	30000		1	0	30000	44.3125	2004
22.01.2020 11:39:06	1	1	1	1	85.75	64.25	0	29146.919	501.0752688	14666.92034	30000		1	0	30000	44.25	2004
22.01.2020 11:39:07	1	1	1	1	85.75	64.25	0	28815.166	509.6774194	14958.82369	30000		1	0	30000	44.125	2004
22.01.2020 11:39:08	1	1	1	1	85.75	64	0	29715.64	503.2258065	14761.50355	30000		1	0	30000	44.0625	2004
22.01.2020 11:39:09	1	1	1	1	85.75	64	0	29810.427	537.6344086	16090.5607	30000		1	0	30000	43.5	2004
22.01.2020 11:39:10	1	1	1	1	85.75	63.5	0	29526.066	544.0860215	16064.46878	30000		1	0	30000	43.75	2004
22.01.2020 11:39:11	1	1	1	1	86	63.75	0	29478.673	541.9354839	16000.86973	30000		1	0	30000	44.1875	2004
22.01.2020 11:39:12	1	1	1	1	86	64	0	29431.28	537.6344086	15911.99413	30000		1	0	30000	43.3125	2004
22.01.2020 11:39:13	1	1	1	1	86	63.25	0	29383.886	544.0860215	16113.39113	30000		1	0	30000	44.125	2004
22.01.2020 11:39:14	1	1	1	1	86	64	0	29857.82	537.6344086	16052.2382	30000		1	0	30000	44.25	2004
22.01.2020 11:39:15	1	1	1	1	86	64.25	0	29715.64	541.9354839	16103.60666	30000		1	0	30000	43.75	2004
22.01.2020 11:39:16	1	1	1	1	86	63.75	0	29715.64	537.6344086	16040.00761	30000		1	0	30000	43.8125	2004
22.01.2020 11:39:17	1	1	1	1	86	63.75	0	29620.853	541.9354839	16052.2382	30000		1	0	30000	44.1875	2004
22.01.2020 11:39:18	1	1	1	1	86	64	0	29526.066	541.9354839	16000.86973	30000		1	0	30000	44.25	2004
22.01.2020 11:39:19	1	1	1	1	86	64.25	0	29763.033	539.7849462	16040.00761	30000		1	0	30000	44.0625	2004
22.01.2020 11:39:20	1	1	1	1	86	64	0	29431.28	544.0860215	16013.10032	30000		1	0	30000	44.3125	2004
22.01.2020 11:39:27	1	1	1	1	86	64	0	29810.427	535.483871	15962.54722	30000		1	0	30000	43.8125	2004
22.01.2020 11:39:27	1	1	1	1	86	64	0	29810.427	535.483871	15962.54722	30000		1	0	30000	43.8125	2004
22.01.2020 11:39:27	1	1	1	1	86	64	0	29810.427	535.483871	15962.54722	30000		1	0	30000	43.8125	2004
22.01.2020 11:39:27	1	1	1	1	86	64	0	29810.427	535.483871	15962.54722	30000		1	0	30000	43.8125	2004
22.01.2020 11:39:27	1	1	1	1	86	64	0	29810.427	535.483871	15962.54722	30000		1	0	30000	43.8125	2004
22.01.2020 11:39:27	1	1	1	1	86	64	0	29810.427	535.483871	15962.54722	30000		1	0	30000	43.8125	2004
22.01.2020 11:39:28	1	1	1	1	86	63.75	0	29620.853	539.7849462	15988.63914	30000		1	0	30000	43.375	2004
22.01.2020 11:39:29	1	1	1	1	86	63.25	0	29763.033	537.6344086	15962.54722	30000		1	0	30000	44.0625	2004
22.01.2020 11:39:30	1	1	1	1	86	64	0	29620.853	537.6344086	16040.00761	30000		1	0	30000	43.6875	2004
22.01.2020 11:39:31	1	1	1	1	86	63.5	0	28199.052	509.6774194	14371.7555	30000		1	0	30000	44.0625	2004
22.01.2020 11:39:32	1	1	1	1	86.75	64	0	29810.427	535.483871	15987.82377	30000		1	0	30000	44	2004
22.01.2020 11:39:33	1	1	1	1	86.75	64	0	29857.82	535.483871	16077.51474	30000		1	0	30000	44	2004
22.01.2020 11:39:34	1	1	1	1	86.75	64	0	29905.213	537.6344086	15987.82377	30000		1	0	30000	43.8125	2004
22.01.2020 11:39:35	1	1	1	1	86.75	63.75	0	29620.853	535.483871	15925.04009	30000		1	0	30000	43.625	2004
22.01.2020 11:39:36	1	1	1	1	86.75	63.5	0	29905.213	533.3333333	16077.51474	30000		1	0	30000	44.0625	2004
22.01.2020 11:39:37	1	1	1	1	86.75	64	0	29905.213	488.172043	14534.01462	30000		1	0	30000	44.0625	2004
22.01.2020 11:39:38	1	1	1	1	86.75	64	0	29952.607	526.8817204	16000.05436	30000		1	0	30000	44.1875	2004
22.01.2020 11:39:39	1	1	1	1	86.75	64	0	30000	522.5806452	15677.16685	30000		1	0	30000	44.1875	2004
22.01.2020 11:39:40	1	1	1	1	86.75	64	0	26208.531	488.172043	12896.74666	30000		1	0	30000	44	2004
22.01.2020 11:39:41	1	1	1	1	86.75	64	0	29620.853	481.7204301	14269.01856	30000		1	0	30000	44.5625	2004
22.01.2020 11:39:42	1	1	1	1	87	63.75	0	29526.066	466.6666667	13800.99475	30000		1	0	30000	44.0625	2004
22.01.2020 11:39:43	1	1	1	1	87	64	0	29905.213	535.483871	16013.10032	30000		1	0	30000	44.0625	2004
22.01.2020 11:39:44	1	1	1	1	87	64	0	29952.607	483.8709677	14406.00114	30000		1	0	30000	44.125	2004
22.01.2020 11:39:45	1	1	1	1	87	64	0	29952.607	492.4731183	14622.07485	30000		1	0	30000	43.875	2004
22.01.2020 11:39:46	1	1	1	1	87	63.75	0	29905.213	509.6774194	15483.92357	30000		1	0	30000	43.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers	
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]		
22.01.2020 11:39:47	1	1	1	1	87	63.75	0	29905.213	516.1290323	15483.92357	30000		1	0	30000	43.875	2004
22.01.2020 11:39:48	1	1	1	1	87	63.75	0	30000	522.5806452	15677.16685	30000		1	0	30000	44.0625	2004
22.01.2020 11:39:49	1	1	1	1	87	64	0	30000	518.2795699	15483.92357	30000		1	0	30000	44	2004
22.01.2020 11:39:50	1	1	1	1	87	64	0	30000	509.6774194	15225.45049	30000		1	0	30000	44.1875	2004
22.01.2020 11:39:51	1	1	1	1	87.5	64	0	29526.066	539.7849462	15963.3626	30000		1	0	30000	43.75	2004
22.01.2020 11:39:52	1	1	1	1	87.5	63.75	0	27630.332	483.8709677	13368.84734	30000		1	0	30000	43.75	2004
22.01.2020 11:39:53	1	1	1	1	87.5	63.75	0	29952.607	533.3333333	16000.05436	30000		1	0	30000	43.9375	2004
22.01.2020 11:39:54	1	1	1	1	87.5	63.75	0	30000	524.7311828	15741.58128	30000		1	0	30000	44.125	2004
22.01.2020 11:39:55	1	1	1	1	87.5	64	0	26018.957	481.7204301	12612.18166	30000		1	0	30000	43.625	2004
22.01.2020 11:39:56	1	1	1	1	87.5	63.5	0	29905.213	533.3333333	15949.50126	30000		1	0	30000	44	2004
22.01.2020 11:39:57	1	1	1	1	87.5	64	0	29905.213	537.6344086	16013.10032	30000		1	0	30000	44.0625	2004
22.01.2020 11:39:58	1	1	1	1	87.5	64	0	30000	533.3333333	15845.94896	30000		1	0	30000	44.1875	2004
22.01.2020 11:39:59	1	1	1	1	87.5	64	0	29905.213	537.6344086	16013.10032	30000		1	0	30000	44.1875	2004
22.01.2020 11:40:00	1	1	1	1	87.5	64	0	29620.853	535.483871	15925.04009	30000		1	0	30000	43.8125	2004
22.01.2020 11:40:01	1	1	1	1	87.5	63.75	0	29905.213	537.6344086	16077.51474	30000		1	0	30000	43.9375	2004
22.01.2020 11:40:02	1	1	1	1	87.5	63.75	0	29526.066	541.9354839	16026.96165	30000		1	0	30000	44.125	2004
22.01.2020 11:40:04	1	1	1	1	87.5	64	0	29715.64	537.6344086	16040.00761	30000		1	0	30000	43.9375	2004
22.01.2020 11:40:05	1	1	1	1	87.5	63.75	0	29573.46	544.0860215	16090.5607	30000		1	0	30000	44.125	2004
22.01.2020 11:40:06	1	1	1	1	87.5	64	0	29905.213	537.6344086	15987.82377	30000		1	0	30000	43.9375	2004
22.01.2020 11:40:07	1	1	1	1	87.5	63.75	0	29573.46	537.6344086	15988.63914	30000		1	0	30000	44.125	2004
22.01.2020 11:40:08	1	1	1	1	87.5	64	0	29905.213	537.6344086	16077.51474	30000		1	0	30000	44.25	2004
22.01.2020 11:40:09	1	1	1	1	87.5	64.25	0	29810.427	539.7849462	16090.5607	30000		1	0	30000	44.3125	2004
22.01.2020 11:40:10	1	1	1	1	87.5	64.25	0	29478.673	544.0860215	16013.10032	30000		1	0	30000	44.0625	2004
22.01.2020 11:40:11	1	1	1	1	87.5	64	0	29383.886	541.9354839	15898.1328	30000		1	0	30000	44.0625	2004
22.01.2020 11:40:12	1	1	1	1	87.5	64	0	29336.493	541.9354839	15987.0084	30000		1	0	30000	44.25	2004
22.01.2020 11:40:13	1	1	1	1	87.5	64.25	0	29526.066	541.9354839	16000.86973	30000		1	0	30000	44	2004
22.01.2020 11:40:14	1	1	1	1	87.5	64	0	29715.64	535.483871	15911.99413	30000		1	0	30000	44.0625	2004
22.01.2020 11:40:15	1	1	1	1	87.5	64	0	29668.246	539.7849462	16103.60666	30000		1	0	30000	43.75	2004
22.01.2020 11:40:16	1	1	1	1	87.5	63.75	0	29810.427	537.6344086	16026.96165	30000		1	0	30000	44	2004
22.01.2020 11:40:17	1	1	1	1	87.5	64	0	29715.64	541.9354839	16040.00761	30000		1	0	30000	44.3125	2004
22.01.2020 11:40:18	1	1	1	1	87.5	64.25	0	30000	494.6236559	14773.73413	30000		1	0	30000	44.4375	2004
22.01.2020 11:40:19	1	1	1	1	87.5	64.25	0	30000	466.6666667	13999.94564	30000		1	0	30000	44.3125	2004
22.01.2020 11:40:20	1	1	1	1	87.5	63.75	0	30000	453.7634409	13741.47256	30000		1	0	30000	44.25	2004
22.01.2020 11:40:21	1	1	1	1	87.25	64.25	0	30000	453.7634409	13612.64371	30000		1	0	30000	44.25	2004
22.01.2020 11:40:22	1	1	1	1	87.25	64.25	0	30000	481.7204301	14451.662	30000		1	0	30000	43.9375	2004
22.01.2020 11:40:28	1	1	1	1	87.25	63.5	0	30000	464.516129	13999.94564	30000		1	0	30000	43.875	2004
22.01.2020 11:40:28	1	1	1	1	87.25	63.5	0	30000	464.516129	13999.94564	30000		1	0	30000	43.875	2004
22.01.2020 11:40:28	1	1	1	1	87.25	63.5	0	30000	464.516129	13999.94564	30000		1	0	30000	43.875	2004
22.01.2020 11:40:28	1	1	1	1	87.25	63.5	0	30000	464.516129	13999.94564	30000		1	0	30000	43.875	2004
22.01.2020 11:40:28	1	1	1	1	87.25	63.5	0	30000	464.516129	13999.94564	30000		1	0	30000	43.875	2004
22.01.2020 11:40:28	1	1	1	1	87.25	63.5	0	30000	464.516129	13999.94564	30000		1	0	30000	43.875	2004
22.01.2020 11:40:29	1	1	1	1	87.25	63.75	0	30000	445.1612903	13354.17063	30000		1	0	30000	44.0625	2004
22.01.2020 11:40:30	1	1	1	1	87.25	64	0	30000	458.0645161	13805.88699	30000		1	0	30000	43.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers	
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]		
22.01.2020 11:40:31	1	1	1	1	87.5	63.75	0	29905.213	464.516129	13935.53122	30000		1	0	30000	44.0625	2004
22.01.2020 11:40:32	1	1	1	1	87.5	64	0	30000	481.7204301	14451.662	30000		1	0	30000	44.1875	2004
22.01.2020 11:40:33	1	1	1	1	87.5	64	0	29952.607	481.7204301	14428.83157	30000		1	0	30000	44	2004
22.01.2020 11:40:34	1	1	1	1	87.5	64	0	30000	481.7204301	14451.662	30000		1	0	30000	43.5	2004
22.01.2020 11:40:35	1	1	1	1	87.5	63.5	0	29952.607	464.516129	13891.5011	30000		1	0	30000	44.125	2004
22.01.2020 11:40:36	1	1	1	1	87.5	64	0	30000	488.172043	14644.90528	30000		1	0	30000	44.1875	2004
22.01.2020 11:40:37	1	1	1	1	87.5	64	0	30000	503.2258065	15032.20721	30000		1	0	30000	44.125	2004
22.01.2020 11:40:38	1	1	1	1	87.5	64	0	30000	505.3763441	15161.03607	30000		1	0	30000	43.8125	2004
22.01.2020 11:40:39	1	1	1	1	87.5	63.75	0	30000	516.1290323	15418.69377	30000		1	0	30000	43.625	2004
22.01.2020 11:40:41	1	1	1	1	87.5	63.5	0	28815.166	449.4623656	12827.44	30000		1	0	30000	43.4375	2004
22.01.2020 11:40:42	1	1	1	1	87.75	63.25	0	27819.905	481.7204301	13401.46223	30000		1	0	30000	43.625	2004
22.01.2020 11:40:43	1	1	1	1	87.75	63.5	0	29905.213	481.7204301	14406.00114	30000		1	0	30000	44.125	2004
22.01.2020 11:40:44	1	1	1	1	87.75	64	0	30000	496.7741935	14967.79279	30000		1	0	30000	43.875	2004
22.01.2020 11:40:45	1	1	1	1	87.75	63.75	0	30000	518.2795699	15483.92357	30000		1	0	30000	43.9375	2004
22.01.2020 11:40:46	1	1	1	1	87.75	63.75	0	30000	518.2795699	15612.75243	30000		1	0	30000	44.3125	2004
22.01.2020 11:40:47	1	1	1	1	87.75	64.25	0	29952.607	488.172043	14622.07485	30000		1	0	30000	42.6875	2004
22.01.2020 11:40:48	1	1	1	1	87.75	62.5	0	30000	509.6774194	15289.86492	30000		1	0	30000	43.75	2004
22.01.2020 11:40:49	1	1	1	1	87.75	63.75	0	30000	505.3763441	15161.03607	30000		1	0	30000	43.5	2004
22.01.2020 11:40:50	1	1	1	1	87.75	63.5	0	30000	511.827957	15289.86492	30000		1	0	30000	44.25	2004
22.01.2020 11:40:51	1	1	1	1	87.75	64.25	0	30000	505.3763441	15225.45049	30000		1	0	30000	44.1875	2004
22.01.2020 11:40:52	1	1	1	1	87.75	64	0	29952.607	516.1290323	15483.92357	30000		1	0	30000	44.125	2004
22.01.2020 11:40:53	1	1	1	1	87.75	64	0	30000	503.2258065	15161.03607	30000		1	0	30000	43.75	2004
22.01.2020 11:40:54	1	1	1	1	87.75	63.75	0	30000	492.4731183	14838.14856	30000		1	0	30000	44.125	2004
22.01.2020 11:40:55	1	1	1	1	87.75	64	0	30000	516.1290323	15483.92357	30000		1	0	30000	44.0625	2004
22.01.2020 11:40:56	1	1	1	1	87.75	64	0	30000	505.3763441	15161.03607	30000		1	0	30000	44.125	2004
22.01.2020 11:40:57	1	1	1	1	87.75	64	0	30000	492.4731183	14773.73413	30000		1	0	30000	44.3125	2004
22.01.2020 11:40:58	1	1	1	1	87.75	63.5	0	29526.066	466.6666667	13778.16432	30000		1	0	30000	44	2004
22.01.2020 11:40:59	1	1	1	1	87.75	64	0	30000	507.5268817	15289.86492	30000		1	0	30000	43.125	2004
22.01.2020 11:41:00	1	1	1	1	87.75	63	0	30000	507.5268817	15225.45049	30000		1	0	30000	44.0625	2004
22.01.2020 11:41:01	1	1	1	1	88	64	0	29431.28	464.516129	13607.75147	30000		1	0	30000	44.125	2004
22.01.2020 11:41:02	1	1	1	1	88	64	0	30000	501.0752688	14902.56299	30000		1	0	30000	44.125	2004
22.01.2020 11:41:03	1	1	1	1	88	64	0	29857.82	481.7204301	14061.91395	30000		1	0	30000	43.4375	2004
22.01.2020 11:41:04	1	1	1	1	88	63.25	0	29952.607	494.6236559	14902.56299	30000		1	0	30000	44.125	2004
22.01.2020 11:41:05	1	1	1	1	88	64	0	30000	501.0752688	15008.56141	30000		1	0	30000	44.0625	2004
22.01.2020 11:41:06	1	1	1	1	88	64	0	30000	505.3763441	15532.84592	30000		1	0	30000	44.0625	2004
22.01.2020 11:41:07	1	1	1	1	88	64	0	29905.213	516.1290323	15459.4624	30000		1	0	30000	44.125	2004
22.01.2020 11:41:08	1	1	1	1	88	64	0	30000	503.2258065	15032.20721	30000		1	0	30000	43.1875	2004
22.01.2020 11:41:09	1	1	1	1	88	63	0	30000	516.1290323	15483.92357	30000		1	0	30000	44.1875	2004
22.01.2020 11:41:10	1	1	1	1	88	64	0	29905.213	481.7204301	14622.07485	30000		1	0	30000	44.0625	2004
22.01.2020 11:41:11	1	1	1	1	88.25	64	0	30000	509.6774194	15354.27935	30000		1	0	30000	43.4375	2004
22.01.2020 11:41:12	1	1	1	1	88.25	63.25	0	30000	520.4301075	15548.338	30000		1	0	30000	43.9375	2004
22.01.2020 11:41:13	1	1	1	1	88.25	63.75	0	28009.479	486.0215054	13644.44324	30000		1	0	30000	44.125	2004
22.01.2020 11:41:14	1	1	1	1	88.25	64	0	30000	509.6774194	15289.86492	30000		1	0	30000	44.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers	
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]		
22.01.2020 11:41:15	1	1	1	1	88.25	64	0	29905.213	503.2258065	15289.86492	30000		1	0	30000	44	2004
22.01.2020 11:41:16	1	1	1	1	88.25	64	0	30000	468.8172043	13999.94564	30000		1	0	30000	44.1875	2004
22.01.2020 11:41:17	1	1	1	1	88.25	64	0	27535.545	318.2795699	8837.822412	30000		1	0	30000	43.6875	2004
22.01.2020 11:41:19	1	1	1	1	88.25	63.5	0	30000	365.5913978	10903.16093	30000		1	0	30000	43.8125	2004
22.01.2020 11:41:20	1	1	1	1	88.25	63.75	0	29952.607	367.7419355	11031.98978	30000		1	0	30000	44.3125	2004
22.01.2020 11:41:21	1	1	1	1	88.25	64.25	0	28862.559	346.2365591	9993.205229	30000		1	0	30000	43.875	2004
22.01.2020 11:41:22	1	1	1	1	88.75	63.75	0	30000	348.3870968	10387.03014	30000		1	0	30000	44.1875	2004
22.01.2020 11:41:23	1	1	1	1	88.75	64	0	30000	354.8387097	10644.68785	30000		1	0	30000	44.1875	2004
22.01.2020 11:41:24	1	1	1	1	88.75	64	0	27345.972	309.6774194	8408.936482	30000		1	0	30000	44.3125	2004
22.01.2020 11:41:30	1	1	1	1	88.75	64.25	0	30000	348.3870968	10515.85899	30000		1	0	30000	44.125	2004
22.01.2020 11:41:30	1	1	1	1	88.75	64.25	0	30000	348.3870968	10515.85899	30000		1	0	30000	44.125	2004
22.01.2020 11:41:30	1	1	1	1	88.75	64.25	0	30000	348.3870968	10515.85899	30000		1	0	30000	44.125	2004
22.01.2020 11:41:30	1	1	1	1	88.75	64.25	0	30000	348.3870968	10515.85899	30000		1	0	30000	44.125	2004
22.01.2020 11:41:30	1	1	1	1	88.75	64.25	0	30000	348.3870968	10515.85899	30000		1	0	30000	44.125	2004
22.01.2020 11:41:31	1	1	1	1	88.75	64	0	29715.64	356.9892473	10671.59514	30000		1	0	30000	44.1875	2004
22.01.2020 11:41:32	1	1	1	1	90	64	0	29289.1	350.5376344	10266.35501	30000		1	0	30000	44.3125	2004
22.01.2020 11:41:33	1	1	1	1	90	64.25	0	30000	395.6989247	11659.01122	30000		1	0	30000	44.1875	2004
22.01.2020 11:41:34	1	1	1	1	90	64	0	30000	425.8064516	12838.03984	30000		1	0	30000	44.125	2004
22.01.2020 11:41:35	1	1	1	1	90	64	0	30000	436.5591398	12818.4709	30000		1	0	30000	44.3125	2004
22.01.2020 11:41:36	1	1	1	1	90	64.25	0	29952.607	453.7634409	13612.64371	30000		1	0	30000	44.25	2004
22.01.2020 11:41:37	1	1	1	1	90	64	0	30000	453.7634409	13612.64371	30000		1	0	30000	43.9375	2004
22.01.2020 11:41:38	1	1	1	1	90	63.75	0	30000	460.2150538	13805.88699	30000		1	0	30000	43.9375	2004
22.01.2020 11:41:39	1	1	1	1	90	63.75	0	30000	460.2150538	13805.88699	30000		1	0	30000	44.3125	2004
22.01.2020 11:41:40	1	1	1	1	90	64.25	0	30000	468.8172043	13999.94564	30000		1	0	30000	44.0625	2004
22.01.2020 11:41:41	1	1	1	1	89.75	64	0	30000	481.7204301	14451.662	30000		1	0	30000	44.0625	2004
22.01.2020 11:41:42	1	1	1	1	89.75	64	0	30000	453.7634409	13633.84339	30000		1	0	30000	43.875	2004
22.01.2020 11:41:43	1	1	1	1	89.75	63.75	0	30000	481.7204301	14106.75944	30000		1	0	30000	44.25	2004
22.01.2020 11:41:44	1	1	1	1	89.75	64.25	0	29952.607	464.516129	13870.30142	30000		1	0	30000	44.125	2004
22.01.2020 11:41:45	1	1	1	1	89.75	64	0	30000	466.6666667	13999.94564	30000		1	0	30000	44.0625	2004
22.01.2020 11:41:46	1	1	1	1	89.75	64	0	30000	460.2150538	13805.88699	30000		1	0	30000	43.875	2004
22.01.2020 11:41:47	1	1	1	1	89.75	63.75	0	30000	425.8064516	12709.21099	30000		1	0	30000	44.125	2004
22.01.2020 11:41:48	1	1	1	1	89.75	64	0	30000	445.1612903	13483.81486	30000		1	0	30000	44.375	2004
22.01.2020 11:41:49	1	1	1	1	89.75	64.25	0	30000	458.0645161	13805.88699	30000		1	0	30000	43.9375	2004
22.01.2020 11:41:50	1	1	1	1	89.75	63.75	0	30000	419.3548387	12451.55328	30000		1	0	30000	43.875	2004
22.01.2020 11:41:51	1	1	1	1	90	63.75	0	29905.213	423.655914	12540.42889	30000		1	0	30000	44.25	2004
22.01.2020 11:41:52	1	1	1	1	90	64.25	0	29952.607	438.7096774	13160.92735	30000		1	0	30000	44.1875	2004
22.01.2020 11:41:53	1	1	1	1	90	64	0	25734.597	337.6344086	8688.609246	30000		1	0	30000	43.6875	2004
22.01.2020 11:41:54	1	1	1	1	90	63.5	0	30000	415.0537634	12451.55328	30000		1	0	30000	44.375	2004
22.01.2020 11:41:55	1	1	1	1	90	64.25	0	30000	412.9032258	12367.56992	30000		1	0	30000	44.1875	2004
22.01.2020 11:41:56	1	1	1	1	90	64	0	30000	419.3548387	12580.38214	30000		1	0	30000	43.75	2004
22.01.2020 11:41:58	1	1	1	1	90	63.75	0	29952.607	380.6451613	11419.29171	30000		1	0	30000	44.3125	2004
22.01.2020 11:41:59	1	1	1	1	90	64.25	0	30000	412.9032258	12387.13886	30000		1	0	30000	44.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers	
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]		
22.01.2020 11:42:00	1	1	1	1	90	64	0	30047.393	395.6989247	11871.00807	30000		1	0	30000	44.4375	2004
22.01.2020 11:42:01	1	1	1	1	90	64.25	0	30000	412.9032258	12387.13886	30000		1	0	30000	44.25	2004
22.01.2020 11:42:02	1	1	1	1	90.5	64.25	0	30000	412.9032258	12387.13886	30000		1	0	30000	44	2004
22.01.2020 11:42:03	1	1	1	1	90.5	64	0	24549.763	344.0860215	8568.74949	30000		1	0	30000	43.75	2004
22.01.2020 11:42:04	1	1	1	1	90.5	63.75	0	29952.607	391.3978495	11741.36385	30000		1	0	30000	43.3125	2004
22.01.2020 11:42:05	1	1	1	1	90.5	63.25	0	29573.46	365.5913978	10892.56108	30000		1	0	30000	43.75	2004
22.01.2020 11:42:06	1	1	1	1	90.5	63.75	0	30000	425.8064516	12794.00973	30000		1	0	30000	43.25	2004
22.01.2020 11:42:07	1	1	1	1	90.5	63.25	0	30000	432.2580645	12967.68407	30000		1	0	30000	43	2004
22.01.2020 11:42:08	1	1	1	1	90.5	63	0	30000	443.0107527	13289.7562	30000		1	0	30000	42.5	2004
22.01.2020 11:42:09	1	1	1	1	90.5	62.5	0	29715.64	372.0430108	11054.82021	30000		1	0	30000	43.875	2004
22.01.2020 11:42:10	1	1	1	1	90.5	63.75	0	29905.213	427.9569892	12838.03984	30000		1	0	30000	44.0625	2004
22.01.2020 11:42:11	1	1	1	1	90.5	64	0	30000	421.5053763	12580.38214	30000		1	0	30000	44.125	2004
22.01.2020 11:42:12	1	1	1	1	90.25	64	0	30000	443.0107527	13289.7562	30000		1	0	30000	44.25	2004
22.01.2020 11:42:13	1	1	1	1	90.25	64.25	0	28436.019	367.7419355	10457.15218	30000		1	0	30000	44.4375	2004
22.01.2020 11:42:14	1	1	1	1	90.25	64.25	0	29952.607	412.9032258	12367.56992	30000		1	0	30000	44.4375	2004
22.01.2020 11:42:15	1	1	1	1	90.25	64.25	0	30000	419.3548387	12580.38214	30000		1	0	30000	44.4375	2004
22.01.2020 11:42:16	1	1	1	1	90.25	64	0	29952.607	415.0537634	12451.55328	30000		1	0	30000	44.3125	2004
22.01.2020 11:42:17	1	1	1	1	90.25	64.25	0	29146.919	378.4946237	11067.86617	30000		1	0	30000	43.4375	2004
22.01.2020 11:42:18	1	1	1	1	90.25	63.25	0	25355.45	324.7311828	8094.202702	30000		1	0	30000	43.875	2004
22.01.2020 11:42:19	1	1	1	1	90.25	63.75	0	30000	412.9032258	12387.13886	30000		1	0	30000	43.625	2004
22.01.2020 11:42:20	1	1	1	1	90.25	63.5	0	30000	391.3978495	11871.00807	30000		1	0	30000	44.375	2004
22.01.2020 11:42:21	1	1	1	1	90.25	64.25	0	29952.607	384.9462366	11548.12057	30000		1	0	30000	44.25	2004
22.01.2020 11:42:22	1	1	1	1	90.25	64.25	0	29952.607	395.6989247	11833.50094	30000		1	0	30000	44.25	2004
22.01.2020 11:42:23	1	1	1	1	90.25	64.25	0	29905.213	395.6989247	11833.50094	30000		1	0	30000	43.75	2004
22.01.2020 11:42:24	1	1	1	1	90.25	63.75	0	28483.412	341.9354839	9738.809013	30000		1	0	30000	44.1875	2004
22.01.2020 11:42:25	1	1	1	1	90.25	64	0	30000	440.8602151	13225.34178	30000		1	0	30000	44.0625	2004
22.01.2020 11:42:32	1	1	1	1	90.25	64.25	0	30000	481.7204301	14451.662	30000		1	0	30000	44.125	2004
22.01.2020 11:42:32	1	1	1	1	90.25	64.25	0	30000	481.7204301	14451.662	30000		1	0	30000	44.125	2004
22.01.2020 11:42:32	1	1	1	1	90.25	64.25	0	30000	481.7204301	14451.662	30000		1	0	30000	44.125	2004
22.01.2020 11:42:32	1	1	1	1	90.25	64.25	0	30000	481.7204301	14451.662	30000		1	0	30000	44.125	2004
22.01.2020 11:42:32	1	1	1	1	90.25	64.25	0	30000	481.7204301	14451.662	30000		1	0	30000	44.125	2004
22.01.2020 11:42:32	1	1	1	1	90.25	64	0	30000	464.516129	13741.47256	30000		1	0	30000	44	2004
22.01.2020 11:42:33	1	1	1	1	90.25	64	0	30000	443.0107527	13289.7562	30000		1	0	30000	44.3125	2004
22.01.2020 11:42:34	1	1	1	1	90.25	64.25	0	28483.412	354.8387097	10106.54201	30000		1	0	30000	44.25	2004
22.01.2020 11:42:35	1	1	1	1	90.25	64.25	0	30000	427.9569892	12689.64205	30000		1	0	30000	44.25	2004
22.01.2020 11:42:37	1	1	1	1	90.25	64.25	0	27298.578	356.9892473	9745.331992	30000		1	0	30000	43.875	2004
22.01.2020 11:42:38	1	1	1	1	90.25	63.75	0	30000	419.3548387	12411.60003	30000		1	0	30000	44.4375	2004
22.01.2020 11:42:39	1	1	1	1	90.25	64.25	0	29952.607	427.9569892	13096.51292	30000		1	0	30000	44.1875	2004
22.01.2020 11:42:40	1	1	1	1	90.25	64	0	30000	423.655914	12689.64205	30000		1	0	30000	43.9375	2004
22.01.2020 11:42:41	1	1	1	1	90.25	63.75	0	30000	427.9569892	12838.03984	30000		1	0	30000	44	2004
22.01.2020 11:42:42	1	1	1	1	90	64	0	30000	438.7096774	13225.34178	30000		1	0	30000	44.3125	2004
22.01.2020 11:42:43	1	1	1	1	90	64.25	0	30000	404.3010753	11897.09999	30000		1	0	30000	44.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers	
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]		
22.01.2020 11:42:44	1	1	1	1	90	64	0	29952.607	438.7096774	13160.92735	30000		1	0	30000	43.5625	2004
22.01.2020 11:42:45	1	1	1	1	90	63.5	0	26066.351	387.0967742	10145.67988	30000		1	0	30000	44.1875	2004
22.01.2020 11:42:46	1	1	1	1	90	64	0	30000	455.9139785	13354.17063	30000		1	0	30000	43.75	2004
22.01.2020 11:42:47	1	1	1	1	90	63.75	0	29952.607	464.516129	13999.94564	30000		1	0	30000	44.0625	2004
22.01.2020 11:42:48	1	1	1	1	90	64	0	30000	481.7204301	14451.662	30000		1	0	30000	44.1875	2004
22.01.2020 11:42:49	1	1	1	1	90	64	0	30000	464.516129	13935.53122	30000		1	0	30000	44.25	2004
22.01.2020 11:42:50	1	1	1	1	90	64.25	0	30000	460.2150538	13805.88699	30000		1	0	30000	43.4375	2004
22.01.2020 11:42:51	1	1	1	1	90	63.25	0	30000	458.0645161	13741.47256	30000		1	0	30000	44	2004
22.01.2020 11:42:52	1	1	1	1	90.25	64	0	30000	449.4623656	13354.17063	30000		1	0	30000	44.4375	2004
22.01.2020 11:42:53	1	1	1	1	90.25	64.25	0	29905.213	464.516129	13935.53122	30000		1	0	30000	44.3125	2004
22.01.2020 11:42:54	1	1	1	1	90.25	64.25	0	30000	466.6666667	14451.662	30000		1	0	30000	44.125	2004
22.01.2020 11:42:55	1	1	1	1	90.25	64	0	30000	460.2150538	13935.53122	30000		1	0	30000	44.3125	2004
22.01.2020 11:42:56	1	1	1	1	90.25	63.25	0	30000	481.7204301	14451.662	30000		1	0	30000	44.1875	2004
22.01.2020 11:42:57	1	1	1	1	90.25	64	0	30000	481.7204301	14451.662	30000		1	0	30000	44.125	2004
22.01.2020 11:42:58	1	1	1	1	90.25	64	0	30000	483.8709677	14516.07643	30000		1	0	30000	43.5625	2004
22.01.2020 11:42:59	1	1	1	1	90.25	63.5	0	30000	481.7204301	14451.662	30000		1	0	30000	43.3125	2004
22.01.2020 11:43:00	1	1	1	1	90.25	63.25	0	30000	481.7204301	14451.662	30000		1	0	30000	44.0625	2004
22.01.2020 11:43:01	1	1	1	1	90.25	64	0	29952.607	486.0215054	14644.90528	30000		1	0	30000	44	2004
22.01.2020 11:43:02	1	1	1	1	90.25	64	0	30000	481.7204301	14451.662	30000		1	0	30000	44.25	2004
22.01.2020 11:43:03	1	1	1	1	90.25	64.25	0	29952.607	466.6666667	14451.662	30000		1	0	30000	44.1875	2004
22.01.2020 11:43:04	1	1	1	1	90.25	64	0	30000	464.516129	13935.53122	30000		1	0	30000	44.125	2004
22.01.2020 11:43:05	1	1	1	1	90.25	64	0	30000	464.516129	13935.53122	30000		1	0	30000	44.25	2004
22.01.2020 11:43:06	1	1	1	1	90.25	64.25	0	30000	445.1612903	13354.17063	30000		1	0	30000	43.5625	2004
22.01.2020 11:43:07	1	1	1	1	90.25	63.5	0	30000	443.0107527	13354.17063	30000		1	0	30000	43.9375	2004
22.01.2020 11:43:08	1	1	1	1	90.25	63.75	0	30000	460.2150538	13805.88699	30000		1	0	30000	44.3125	2004
22.01.2020 11:43:09	1	1	1	1	90.25	64.25	0	30000	445.1612903	13354.17063	30000		1	0	30000	44.3125	2004
22.01.2020 11:43:10	1	1	1	1	90.25	64.25	0	24407.583	354.8387097	8765.25426	30000		1	0	30000	43.9375	2004
22.01.2020 11:43:11	1	1	1	1	90	63.75	0	30000	460.2150538	13569.42897	30000		1	0	30000	43.3125	2004
22.01.2020 11:43:12	1	1	1	1	90	63.25	0	30000	451.6129032	13483.81486	30000		1	0	30000	43.4375	2004
22.01.2020 11:43:13	1	1	1	1	90	63.25	0	30000	449.4623656	13612.64371	30000		1	0	30000	44.25	2004
22.01.2020 11:43:15	1	1	1	1	90	64.25	0	30000	460.2150538	13741.47256	30000		1	0	30000	44.1875	2004
22.01.2020 11:43:16	1	1	1	1	90	64	0	28815.166	378.4946237	10906.42242	30000		1	0	30000	43.875	2004
22.01.2020 11:43:17	1	1	1	1	90	63.75	0	30000	464.516129	13935.53122	30000		1	0	30000	44.125	2004
22.01.2020 11:43:18	1	1	1	1	90	64	0	30000	464.516129	13870.30142	30000		1	0	30000	43.3125	2004
22.01.2020 11:43:19	1	1	1	1	90	63.25	0	29952.607	412.9032258	12367.56992	30000		1	0	30000	44.375	2004
22.01.2020 11:43:20	1	1	1	1	90	64.25	0	29905.213	404.3010753	12128.66578	30000		1	0	30000	44.25	2004
22.01.2020 11:43:21	1	1	1	1	90	64.25	0	29620.853	369.8924731	11229.30992	30000		1	0	30000	44.125	2004
22.01.2020 11:43:22	1	1	1	1	90.5	64	0	30000	419.3548387	12580.38214	30000		1	0	30000	44.375	2004
22.01.2020 11:43:23	1	1	1	1	90.5	64.25	0	29952.607	404.3010753	12128.66578	30000		1	0	30000	43.4375	2004
22.01.2020 11:43:24	1	1	1	1	90.5	63.25	0	29905.213	412.9032258	12348.00098	30000		1	0	30000	44.125	2004
22.01.2020 11:43:25	1	1	1	1	90.5	64	0	30000	419.3548387	12367.56992	30000		1	0	30000	44.25	2004
22.01.2020 11:43:26	1	1	1	1	90.5	64.25	0	29241.706	412.9032258	12074.03582	30000		1	0	30000	44.25	2004
22.01.2020 11:43:27	1	1	1	1	90.5	64.25	0	30000	395.6989247	11871.00807	30000		1	0	30000	44.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers	
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]		
22.01.2020 11:43:34	1	1	1	1	90.5	64.25	0	29952.607	404.3010753	12109.91221	30000		1	0	30000	44.1875	2004
22.01.2020 11:43:34	1	1	1	1	90.5	64.25	0	29952.607	404.3010753	12109.91221	30000		1	0	30000	44.1875	2004
22.01.2020 11:43:34	1	1	1	1	90.5	64.25	0	29952.607	404.3010753	12109.91221	30000		1	0	30000	44.1875	2004
22.01.2020 11:43:34	1	1	1	1	90.5	64.25	0	29952.607	404.3010753	12109.91221	30000		1	0	30000	44.1875	2004
22.01.2020 11:43:34	1	1	1	1	90.5	64.25	0	29952.607	404.3010753	12109.91221	30000		1	0	30000	44.1875	2004
22.01.2020 11:43:34	1	1	1	1	90.5	64.25	0	29952.607	404.3010753	12109.91221	30000		1	0	30000	44.1875	2004
22.01.2020 11:43:34	1	1	1	1	90.5	64.25	0	28009.479	307.5268817	8673.932542	30000		1	0	30000	44.5	2004
22.01.2020 11:43:35	1	1	1	1	90.5	64.5	0	28009.479	305.3763441	8673.932542	30000		1	0	30000	44.1875	2004
22.01.2020 11:43:36	1	1	1	1	90.5	64	0	29383.886	378.4946237	11139.61895	30000		1	0	30000	44.4375	2004
22.01.2020 11:43:37	1	1	1	1	90.5	64.25	0	29952.607	363.4408602	11096.40421	30000		1	0	30000	43.6875	2004
22.01.2020 11:43:38	1	1	1	1	90.5	63.5	0	30000	335.483871	9999.728209	30000		1	0	30000	43.875	2004
22.01.2020 11:43:39	1	1	1	1	90.5	63.75	0	29478.673	339.7849462	10016.03566	30000		1	0	30000	44.125	2004
22.01.2020 11:43:40	1	1	1	1	90.5	64	0	30000	339.7849462	10257.38592	30000		1	0	30000	44.5	2004
22.01.2020 11:43:41	1	1	1	1	90.25	64.5	0	30000	337.6344086	10257.38592	30000		1	0	30000	44.375	2004
22.01.2020 11:43:42	1	1	1	1	90.25	64.25	0	30000	333.3333333	9999.728209	30000		1	0	30000	43.8125	2004
22.01.2020 11:43:46	1	1	1	1	90.25	64.25	0	29905.213	326.8817204	9870.899356	30000		1	0	30000	44.1875	2004
22.01.2020 11:43:46	1	1	1	1	90.25	64.25	0	29905.213	326.8817204	9870.899356	30000		1	0	30000	44.1875	2004
22.01.2020 11:43:46	1	1	1	1	90.25	64.25	0	29905.213	326.8817204	9870.899356	30000		1	0	30000	44.1875	2004
22.01.2020 11:43:46	1	1	1	1	90.25	64	0	28483.412	275.2688172	7827.575898	30000		1	0	30000	44.375	2004
22.01.2020 11:43:47	1	1	1	1	90.25	64.25	0	30000	311.827957	9419.182997	30000		1	0	30000	44.375	2004
22.01.2020 11:43:48	1	1	1	1	90.25	64.25	0	29857.82	288.172043	8603.810507	30000		1	0	30000	44.1875	2004
22.01.2020 11:43:49	1	1	1	1	90.25	64	0	28672.986	277.4193548	7993.911885	30000		1	0	30000	44.375	2004
22.01.2020 11:43:50	1	1	1	1	90.25	64.25	0	30000	316.1290323	9483.597423	30000		1	0	30000	44.25	2004
22.01.2020 11:43:51	1	1	1	1	90.25	64.25	0	30000	320.4301075	9612.426277	30000		1	0	30000	44.3125	2004
22.01.2020 11:43:53	1	1	1	1	90.25	64.25	0	30000	298.9247312	8967.466638	30000		1	0	30000	44.3125	2004
22.01.2020 11:43:54	1	1	1	1	90.25	64.25	0	30000	296.7741935	8967.466638	30000		1	0	30000	44.4375	2004
22.01.2020 11:43:55	1	1	1	1	90.25	64.25	0	29952.607	298.9247312	8953.605305	30000		1	0	30000	44.0625	2004
22.01.2020 11:43:56	1	1	1	1	90.25	64	0	29952.607	288.172043	8617.67184	30000		1	0	30000	44.3125	2004
22.01.2020 11:43:57	1	1	1	1	90.25	64.25	0	30000	305.3763441	9096.295491	30000		1	0	30000	44.1875	2004
22.01.2020 11:43:58	1	1	1	1	90.25	64	0	30000	305.3763441	9160.709918	30000		1	0	30000	44.25	2004
22.01.2020 11:43:59	1	1	1	1	90.25	64.25	0	30000	307.5268817	9096.295491	30000		1	0	30000	44.3125	2004
22.01.2020 11:44:00	1	1	1	1	90.25	64.25	0	29905.213	322.5806452	9711.086348	30000		1	0	30000	43.875	2004
22.01.2020 11:44:01	1	1	1	1	90.25	63.75	0	30000	309.6774194	9225.124344	30000		1	0	30000	44	2004
22.01.2020 11:44:02	1	1	1	1	90	64	0	30000	303.2258065	9096.295491	30000		1	0	30000	43.9375	2004
22.01.2020 11:44:03	1	1	1	1	90	63.75	0	30000	301.0752688	9031.881064	30000		1	0	30000	43.9375	2004
22.01.2020 11:44:04	1	1	1	1	90	63.75	0	30000	309.6774194	9290.354143	30000		1	0	30000	44.375	2004
22.01.2020 11:44:05	1	1	1	1	90	64.25	0	30000	324.7311828	9741.25513	30000		1	0	30000	44.3125	2004
22.01.2020 11:44:06	1	1	1	1	90	64.25	0	29905.213	331.1827957	9903.514255	30000		1	0	30000	44.4375	2004
22.01.2020 11:44:07	1	1	1	1	90	64.25	0	28862.559	311.827957	8923.436523	30000		1	0	30000	42.75	2004
22.01.2020 11:44:08	1	1	1	1	90	62.75	0	29715.64	322.5806452	9490.935776	30000		1	0	30000	44.625	2004
22.01.2020 11:44:09	1	1	1	1	90	64.5	0	28388.626	341.9354839	9707.009485	30000		1	0	30000	44.4375	2004
22.01.2020 11:44:10	1	1	1	1	90	64.25	0	30000	359.1397849	10773.5167	30000		1	0	30000	44.3125	2004
22.01.2020 11:44:11	1	1	1	1	90.5	64.5	0	28862.559	363.4408602	10489.76708	30000		1	0	30000	44.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers	
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]		
22.01.2020 11:44:12	1	1	1	1	90.5	64.5	0	29668.246	372.0430108	11054.82021	30000		1	0	30000	44.0625	2004
22.01.2020 11:44:13	1	1	1	1	90.5	64	0	30000	412.9032258	12387.13886	30000		1	0	30000	44.4375	2004
22.01.2020 11:44:14	1	1	1	1	90.5	64.25	0	30000	412.9032258	12451.55328	30000		1	0	30000	44.125	2004
22.01.2020 11:44:15	1	1	1	1	90.5	64	0	29905.213	389.2473118	11852.2545	30000		1	0	30000	44.0625	2004
22.01.2020 11:44:16	1	1	1	1	90.5	64	0	27962.085	341.9354839	9561.05781	30000		1	0	30000	44.375	2004
22.01.2020 11:44:17	1	1	1	1	90.5	64.25	0	29952.607	417.2043011	12451.55328	30000		1	0	30000	44.0625	2004
22.01.2020 11:44:18	1	1	1	1	90.5	64	0	29857.82	427.9569892	12798.08659	30000		1	0	30000	44.3125	2004
22.01.2020 11:44:19	1	1	1	1	90.5	64.25	0	29905.213	391.3978495	11429.07618	30000		1	0	30000	44.375	2004
22.01.2020 11:44:20	1	1	1	1	90.5	64.25	0	28009.479	359.1397849	10059.2504	30000		1	0	30000	44.375	2004
22.01.2020 11:44:21	1	1	1	1	90.5	64.25	0	30000	438.7096774	13160.92735	30000		1	0	30000	44.3125	2004
22.01.2020 11:44:22	1	1	1	1	90.5	64.25	0	30000	468.8172043	14451.662	30000		1	0	30000	43.75	2004
22.01.2020 11:44:23	1	1	1	1	90.5	63.75	0	30000	464.516129	13935.53122	30000		1	0	30000	44.125	2004
22.01.2020 11:44:24	1	1	1	1	90.5	64	0	30000	453.7634409	13612.64371	30000		1	0	30000	43.875	2004
22.01.2020 11:44:25	1	1	1	1	90.5	63.75	0	30000	481.7204301	14451.662	30000		1	0	30000	44	2004
22.01.2020 11:44:26	1	1	1	1	90.5	64	0	30000	468.8172043	14106.75944	30000		1	0	30000	43.5	2004
22.01.2020 11:44:27	1	1	1	1	90.5	63.5	0	30000	481.7204301	14128.7745	30000		1	0	30000	44.1875	2004
22.01.2020 11:44:28	1	1	1	1	90.5	64	0	30000	440.8602151	13289.7562	30000		1	0	30000	44.1875	2004
22.01.2020 11:44:35	1	1	1	1	89.25	64.5	0	30000	460.2150538	13935.53122	30000		1	0	30000	44.125	2004
22.01.2020 11:44:35	1	1	1	1	89.25	64.5	0	30000	460.2150538	13935.53122	30000		1	0	30000	44.125	2004
22.01.2020 11:44:35	1	1	1	1	89.25	64.5	0	30000	460.2150538	13935.53122	30000		1	0	30000	44.125	2004
22.01.2020 11:44:35	1	1	1	1	89.25	64.5	0	30000	460.2150538	13935.53122	30000		1	0	30000	44.125	2004
22.01.2020 11:44:35	1	1	1	1	89.25	64.5	0	30000	460.2150538	13935.53122	30000		1	0	30000	44.125	2004
22.01.2020 11:44:35	1	1	1	1	89.25	64.5	0	30000	460.2150538	13935.53122	30000		1	0	30000	44.125	2004
22.01.2020 11:44:36	1	1	1	1	89.25	64	0	30000	464.516129	13935.53122	30000		1	0	30000	44.3125	2004
22.01.2020 11:44:37	1	1	1	1	89.25	64.25	0	30047.393	481.7204301	14497.32286	30000		1	0	30000	44.125	2004
22.01.2020 11:44:38	1	1	1	1	89.25	64	0	30000	481.7204301	14451.662	30000		1	0	30000	44.0625	2004
22.01.2020 11:44:39	1	1	1	1	89.25	64	0	29952.607	481.7204301	14451.662	30000		1	0	30000	43.75	2004
22.01.2020 11:44:40	1	1	1	1	89.25	63.75	0	30000	464.516129	13935.53122	30000		1	0	30000	44.0625	2004
22.01.2020 11:44:41	1	1	1	1	89.25	64	0	30000	449.4623656	13483.81486	30000		1	0	30000	42.9375	2004
22.01.2020 11:44:42	1	1	1	1	88.75	62.75	0	30000	464.516129	13935.53122	30000		1	0	30000	44.4375	2004
22.01.2020 11:44:43	1	1	1	1	88.75	64.25	0	29905.213	415.0537634	12431.98434	30000		1	0	30000	43.6875	2004
22.01.2020 11:44:44	1	1	1	1	88.75	63.5	0	30000	445.1612903	13483.81486	30000		1	0	30000	44.25	2004
22.01.2020 11:44:45	1	1	1	1	88.75	64.25	0	29905.213	481.7204301	14516.07643	30000		1	0	30000	44	2004
22.01.2020 11:44:46	1	1	1	1	88.75	64	0	28530.806	453.7634409	13151.95825	30000		1	0	30000	44.125	2004
22.01.2020 11:44:47	1	1	1	1	88.75	64	0	29952.607	464.516129	13935.53122	30000		1	0	30000	43.875	2004
22.01.2020 11:44:48	1	1	1	1	88.75	63.75	0	30000	481.7204301	14451.662	30000		1	0	30000	44.25	2004
22.01.2020 11:44:49	1	1	1	1	88.75	64.25	0	27867.299	466.6666667	13004.37583	30000		1	0	30000	44.1875	2004
22.01.2020 11:44:50	1	1	1	1	88.75	64	0	29431.28	481.7204301	14177.69684	30000		1	0	30000	44.625	2004
22.01.2020 11:44:51	1	1	1	1	89.25	64	0	30000	481.7204301	14451.662	30000		1	0	30000	43.875	2004
22.01.2020 11:44:52	1	1	1	1	89.25	63.75	0	30000	481.7204301	14451.662	30000		1	0	30000	43.625	2004
22.01.2020 11:44:53	1	1	1	1	89.25	63.5	0	29952.607	481.7204301	14451.662	30000		1	0	30000	44.3125	2004
22.01.2020 11:44:54	1	1	1	1	89.25	64.25	0	30000	481.7204301	14451.662	30000		1	0	30000	43.875	2004
22.01.2020 11:44:55	1	1	1	1	89.25	63.75	0	30000	481.7204301	14451.662	30000		1	0	30000	43.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers	
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]		
22.01.2020 11:44:56	1	1	1	1	89.25	63.75	0	30000	488.172043	14644.90528	30000		1	0	30000	44.125	2004
22.01.2020 11:44:57	1	1	1	1	89.25	64	0	30000	488.172043	14709.31971	30000		1	0	30000	44.0625	2004
22.01.2020 11:44:58	1	1	1	1	89.25	64	0	29952.607	481.7204301	14406.00114	30000		1	0	30000	44.125	2004
22.01.2020 11:44:59	1	1	1	1	89.25	64	0	30000	483.8709677	14516.07643	30000		1	0	30000	44.1875	2004
22.01.2020 11:45:00	1	1	1	1	89.25	64	0	29146.919	481.7204301	14040.71427	30000		1	0	30000	43.5625	2004
22.01.2020 11:45:01	1	1	1	1	89	63.5	0	30000	494.6236559	14773.73413	30000		1	0	30000	44.125	2004
22.01.2020 11:45:02	1	1	1	1	89	64	0	29952.607	496.7741935	14902.56299	30000		1	0	30000	43.375	2004
22.01.2020 11:45:03	1	1	1	1	89	63.25	0	29905.213	481.7204301	14406.00114	30000		1	0	30000	44.1875	2004
22.01.2020 11:45:04	1	1	1	1	89	64	0	29905.213	468.8172043	13955.10015	30000		1	0	30000	43.9375	2004
22.01.2020 11:45:05	1	1	1	1	89	63.75	0	29952.607	481.7204301	14428.83157	30000		1	0	30000	43.3125	2004
22.01.2020 11:45:06	1	1	1	1	89	63.25	0	30000	494.6236559	14902.56299	30000		1	0	30000	43.6875	2004
22.01.2020 11:45:07	1	1	1	1	89	63.5	0	30000	488.172043	14644.90528	30000		1	0	30000	44.25	2004
22.01.2020 11:45:08	1	1	1	1	89	64.25	0	30000	486.0215054	14493.246	30000		1	0	30000	43.25	2004
22.01.2020 11:45:10	1	1	1	1	89	63.25	0	29905.213	483.8709677	14773.73413	30000		1	0	30000	43.5	2004
22.01.2020 11:45:11	1	1	1	1	89	63.5	0	30000	481.7204301	14106.75944	30000		1	0	30000	44.0625	2004
22.01.2020 11:45:12	1	1	1	1	88.75	64	0	29905.213	481.7204301	14406.00114	30000		1	0	30000	44.1875	2004
22.01.2020 11:45:13	1	1	1	1	88.75	64	0	30000	488.172043	14644.90528	30000		1	0	30000	44.0625	2004
22.01.2020 11:45:14	1	1	1	1	88.75	64	0	30000	507.5268817	15225.45049	30000		1	0	30000	44.1875	2004
22.01.2020 11:45:15	1	1	1	1	88.75	64	0	30000	468.8172043	13999.94564	30000		1	0	30000	44.1875	2004
22.01.2020 11:45:16	1	1	1	1	88.75	64	0	30000	481.7204301	14451.662	30000		1	0	30000	43.5625	2004
22.01.2020 11:45:17	1	1	1	1	88.75	63.5	0	30000	419.3548387	12580.38214	30000		1	0	30000	43.9375	2004
22.01.2020 11:45:18	1	1	1	1	88.75	63.75	0	30047.393	460.2150538	13612.64371	30000		1	0	30000	44.0625	2004
22.01.2020 11:45:19	1	1	1	1	88.75	64	0	30000	453.7634409	13612.64371	30000		1	0	30000	44.3125	2004
22.01.2020 11:45:20	1	1	1	1	88.75	64.25	0	30000	436.5591398	13032.0985	30000		1	0	30000	44.3125	2004
22.01.2020 11:45:21	1	1	1	1	88.75	64.25	0	30000	464.516129	13870.30142	30000		1	0	30000	44.25	2004
22.01.2020 11:45:22	1	1	1	1	89	64.25	0	30000	481.7204301	14451.662	30000		1	0	30000	44.375	2004
22.01.2020 11:45:23	1	1	1	1	89	64.25	0	30000	458.0645161	13741.47256	30000		1	0	30000	44.1875	2004
22.01.2020 11:45:24	1	1	1	1	89	64	0	30000	498.9247312	14902.56299	30000		1	0	30000	44.25	2004
22.01.2020 11:45:25	1	1	1	1	89	64.25	0	30000	481.7204301	14451.662	30000		1	0	30000	42.5	2004
22.01.2020 11:45:26	1	1	1	1	89	62.5	0	29952.607	481.7204301	14451.662	30000		1	0	30000	43.9375	2004
22.01.2020 11:45:27	1	1	1	1	89	63.75	0	30000	468.8172043	13999.94564	30000		1	0	30000	43.6875	2004
22.01.2020 11:45:28	1	1	1	1	89	63.5	0	30000	481.7204301	14474.49243	30000		1	0	30000	44.5	2004
22.01.2020 11:45:29	1	1	1	1	89	64.5	0	30047.393	451.6129032	13633.84339	30000		1	0	30000	44.25	2004
22.01.2020 11:45:30	1	1	1	1	89	64.25	0	29905.213	453.7634409	13935.53122	30000		1	0	30000	44	2004
22.01.2020 11:45:37	1	1	1	1	89.5	64	0	30000	483.8709677	14516.07643	30000		1	0	30000	44.1875	2004
22.01.2020 11:45:37	1	1	1	1	89.5	64	0	30000	483.8709677	14516.07643	30000		1	0	30000	44.1875	2004
22.01.2020 11:45:37	1	1	1	1	89.5	64	0	30000	483.8709677	14516.07643	30000		1	0	30000	44.1875	2004
22.01.2020 11:45:37	1	1	1	1	89.5	64	0	30000	483.8709677	14516.07643	30000		1	0	30000	44.1875	2004
22.01.2020 11:45:37	1	1	1	1	89.5	64	0	30000	483.8709677	14516.07643	30000		1	0	30000	44.1875	2004
22.01.2020 11:45:37	1	1	1	1	89.5	64	0	29526.066	481.7204301	14309.78719	30000		1	0	30000	43.3125	2004
22.01.2020 11:45:38	1	1	1	1	89.5	63.25	0	30000	492.4731183	14838.14856	30000		1	0	30000	44.125	2004
22.01.2020 11:45:39	1	1	1	1	89.5	64	0	30000	481.7204301	14428.83157	30000		1	0	30000	44.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers	
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]		
22.01.2020 11:45:40	1	1	1	1	89.5	64	0	30000	468.8172043	14451.662	30000		1	0	30000	44.0625	2004
22.01.2020 11:45:41	1	1	1	1	89.75	64	0	27819.905	453.7634409	12623.59688	30000		1	0	30000	43.9375	2004
22.01.2020 11:45:42	1	1	1	1	89.75	63.75	0	30000	494.6236559	14838.14856	30000		1	0	30000	44.375	2004
22.01.2020 11:45:43	1	1	1	1	89.75	64.25	0	30000	486.0215054	14644.90528	30000		1	0	30000	43.5	2004
22.01.2020 11:45:44	1	1	1	1	89.75	63.5	0	30000	516.1290323	15459.4624	30000		1	0	30000	44.25	2004
22.01.2020 11:45:45	1	1	1	1	89.75	64.25	0	29905.213	494.6236559	14815.31813	30000		1	0	30000	44.0625	2004
22.01.2020 11:45:46	1	1	1	1	89.75	64	0	30000	494.6236559	14838.14856	30000		1	0	30000	44.0625	2004
22.01.2020 11:45:48	1	1	1	1	89.75	64	0	30000	496.7741935	14902.56299	30000		1	0	30000	43.8125	2004
22.01.2020 11:45:49	1	1	1	1	89.75	63.75	0	30000	498.9247312	15184.68187	30000		1	0	30000	43.6875	2004
22.01.2020 11:45:50	1	1	1	1	89.75	63.5	0	29952.607	483.8709677	14838.14856	30000		1	0	30000	43.5625	2004
22.01.2020 11:45:51	1	1	1	1	89.75	63.5	0	30000	507.5268817	15161.03607	30000		1	0	30000	44.375	2004
22.01.2020 11:45:52	1	1	1	1	90	64.25	0	29715.64	481.7204301	13995.05341	30000		1	0	30000	44.25	2004
22.01.2020 11:45:53	1	1	1	1	90	64.25	0	29857.82	488.172043	14551.95282	30000		1	0	30000	44.1875	2004
22.01.2020 11:45:54	1	1	1	1	90	64	0	26303.318	466.6666667	12296.63251	30000		1	0	30000	44.4375	2004
22.01.2020 11:45:55	1	1	1	1	90	64.25	0	30000	516.1290323	15289.86492	30000		1	0	30000	44.125	2004
22.01.2020 11:45:56	1	1	1	1	90	64	0	29952.607	509.6774194	15354.27935	30000		1	0	30000	44.4375	2004
22.01.2020 11:45:57	1	1	1	1	90	64.25	0	30000	503.2258065	15161.03607	30000		1	0	30000	43.75	2004
22.01.2020 11:45:58	1	1	1	1	90	63.75	0	26966.825	460.2150538	12388.7696	30000		1	0	30000	43.9375	2004
22.01.2020 11:45:59	1	1	1	1	90	63.75	0	27156.398	464.516129	12739.37977	30000		1	0	30000	44.125	2004
22.01.2020 11:46:00	1	1	1	1	90	64	0	29905.213	481.7204301	14493.246	30000		1	0	30000	44	2004
22.01.2020 11:46:01	1	1	1	1	90	64	0	29620.853	464.516129	13737.3957	30000		1	0	30000	43.9375	2004
22.01.2020 11:46:02	1	1	1	1	90	63.75	0	30000	501.0752688	15161.03607	30000		1	0	30000	43.1875	2004
22.01.2020 11:46:03	1	1	1	1	90	63	0	30000	509.6774194	15289.86492	30000		1	0	30000	44.3125	2004
22.01.2020 11:46:04	1	1	1	1	90	64.25	0	29952.607	494.6236559	14838.14856	30000		1	0	30000	44.125	2004
22.01.2020 11:46:05	1	1	1	1	90	64	0	29526.066	445.1612903	13143.80453	30000		1	0	30000	44.0625	2004
22.01.2020 11:46:06	1	1	1	1	90	64	0	30000	488.172043	14644.90528	30000		1	0	30000	44.5	2004
22.01.2020 11:46:07	1	1	1	1	90	64.5	0	30000	511.827957	15289.86492	30000		1	0	30000	44	2004
22.01.2020 11:46:08	1	1	1	1	90	64	0	29715.64	481.7204301	14314.67942	30000		1	0	30000	44.375	2004
22.01.2020 11:46:09	1	1	1	1	90	64.5	0	29336.493	481.7204301	14132.03599	30000		1	0	30000	44.25	2004
22.01.2020 11:46:10	1	1	1	1	90	64.25	0	30000	505.3763441	15161.03607	30000		1	0	30000	44.125	2004
22.01.2020 11:46:11	1	1	1	1	90.5	64	0	30000	494.6236559	14902.56299	30000		1	0	30000	44	2004
22.01.2020 11:46:12	1	1	1	1	90.5	64	0	29905.213	483.8709677	14773.73413	30000		1	0	30000	44	2004
22.01.2020 11:46:13	1	1	1	1	90.5	64	0	29620.853	481.7204301	13950.20792	30000		1	0	30000	44.375	2004
22.01.2020 11:46:14	1	1	1	1	90.5	64.25	0	30000	503.2258065	15032.20721	30000		1	0	30000	44.1875	2004
22.01.2020 11:46:15	1	1	1	1	90.5	64	0	29857.82	488.172043	14575.59862	30000		1	0	30000	44	2004
22.01.2020 11:46:16	1	1	1	1	90.5	64	0	29810.427	481.7204301	14360.34028	30000		1	0	30000	44.25	2004
22.01.2020 11:46:17	1	1	1	1	90.5	64.25	0	30000	503.2258065	15161.03607	30000		1	0	30000	44.1875	2004
22.01.2020 11:46:18	1	1	1	1	90.5	64	0	30000	481.7204301	14451.662	30000		1	0	30000	43.6875	2004
22.01.2020 11:46:19	1	1	1	1	90.5	63.5	0	30000	453.7634409	13612.64371	30000		1	0	30000	44.1875	2004
22.01.2020 11:46:20	1	1	1	1	90.5	64	0	29952.607	464.516129	13999.94564	30000		1	0	30000	44.4375	2004
22.01.2020 11:46:21	1	1	1	1	90.5	64.25	0	30047.393	466.6666667	13999.94564	30000		1	0	30000	44.1875	2004
22.01.2020 11:46:22	1	1	1	1	90.5	64	0	30000	481.7204301	14451.662	30000		1	0	30000	44.0625	2004
22.01.2020 11:46:23	1	1	1	1	90.5	64	0	30000	466.6666667	13999.94564	30000		1	0	30000	44.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers	
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]		
22.01.2020 11:46:24	1	1	1	1	90.5	64	0	30000	481.7204301	14128.7745	30000		1	0	30000	44.0625	2004
22.01.2020 11:46:25	1	1	1	1	90.5	64	0	28009.479	412.9032258	11565.24339	30000		1	0	30000	44.25	2004
22.01.2020 11:46:27	1	1	1	1	90.5	64.25	0	29952.607	458.0645161	13935.53122	30000		1	0	30000	44.1875	2004
22.01.2020 11:46:28	1	1	1	1	90.5	64	0	29526.066	378.4946237	11175.49534	30000		1	0	30000	44.25	2004
22.01.2020 11:46:29	1	1	1	1	90.5	64.25	0	30000	481.7204301	14451.662	30000		1	0	30000	43.6875	2004
22.01.2020 11:46:30	1	1	1	1	90.5	63.5	0	30000	481.7204301	14451.662	30000		1	0	30000	44	2004
22.01.2020 11:46:31	1	1	1	1	90.5	64	0	30000	481.7204301	14451.662	30000		1	0	30000	43.9375	2004
22.01.2020 11:46:32	1	1	1	1	90.25	63.75	0	29905.213	481.7204301	14451.662	30000		1	0	30000	43.9375	2004
22.01.2020 11:46:38	1	1	1	1	90.25	63.75	0	30000	492.4731183	14838.14856	30000		1	0	30000	43.6875	2004
22.01.2020 11:46:38	1	1	1	1	90.25	63.75	0	30000	492.4731183	14838.14856	30000		1	0	30000	43.6875	2004
22.01.2020 11:46:38	1	1	1	1	90.25	63.75	0	30000	492.4731183	14838.14856	30000		1	0	30000	43.6875	2004
22.01.2020 11:46:38	1	1	1	1	90.25	63.75	0	30000	492.4731183	14838.14856	30000		1	0	30000	43.6875	2004
22.01.2020 11:46:38	1	1	1	1	90.25	63.75	0	30000	492.4731183	14838.14856	30000		1	0	30000	43.6875	2004
22.01.2020 11:46:38	1	1	1	1	90.25	63.75	0	30000	492.4731183	14838.14856	30000		1	0	30000	43.6875	2004
22.01.2020 11:46:39	1	1	1	1	90.25	63.5	0	30000	488.172043	14644.90528	30000		1	0	30000	44.125	2004
22.01.2020 11:46:40	1	1	1	1	90.25	64	0	30000	490.3225806	14709.31971	30000		1	0	30000	44.0625	2004
22.01.2020 11:46:41	1	1	1	1	90.25	64	0	29952.607	486.0215054	14838.14856	30000		1	0	30000	44.3125	2004
22.01.2020 11:46:42	1	1	1	1	90	64.25	0	29952.607	496.7741935	14902.56299	30000		1	0	30000	44.3125	2004
22.01.2020 11:46:43	1	1	1	1	90	64.25	0	30000	503.2258065	15096.62164	30000		1	0	30000	44.3125	2004
22.01.2020 11:46:44	1	1	1	1	90	64.25	0	29620.853	468.8172043	13823.00981	30000		1	0	30000	43.75	2004
22.01.2020 11:46:45	1	1	1	1	90	63.75	0	30000	516.1290323	15161.03607	30000		1	0	30000	44.4375	2004
22.01.2020 11:46:46	1	1	1	1	90	64.25	0	30000	494.6236559	14773.73413	30000		1	0	30000	44.4375	2004
22.01.2020 11:46:47	1	1	1	1	90	64.25	0	29810.427	481.7204301	14446.76977	30000		1	0	30000	44.4375	2004
22.01.2020 11:46:48	1	1	1	1	90	64.25	0	29715.64	481.7204301	14314.67942	30000		1	0	30000	44.8125	2004
22.01.2020 11:46:49	1	1	1	1	90	64	0	29905.213	488.172043	14575.59862	30000		1	0	30000	44.25	2004
22.01.2020 11:46:50	1	1	1	1	90	64.25	0	29905.213	483.8709677	14622.07485	30000		1	0	30000	44.3125	2004
22.01.2020 11:46:51	1	1	1	1	90.5	64.25	0	29905.213	501.0752688	15032.20721	30000		1	0	30000	44.4375	2004
22.01.2020 11:46:52	1	1	1	1	90.5	64.25	0	28862.559	481.7204301	13903.73169	30000		1	0	30000	44.375	2004
22.01.2020 11:46:53	1	1	1	1	90.5	64.25	0	29952.607	511.827957	15266.21912	30000		1	0	30000	43.5625	2004
22.01.2020 11:46:54	1	1	1	1	90.5	63.5	0	28578.199	451.6129032	12967.68407	30000		1	0	30000	43.9375	2004
22.01.2020 11:46:55	1	1	1	1	90.5	63.75	0	29952.607	501.0752688	15032.20721	30000		1	0	30000	44.0625	2004
22.01.2020 11:46:56	1	1	1	1	90.5	64	0	30000	481.7204301	14516.07643	30000		1	0	30000	43.9375	2004
22.01.2020 11:46:57	1	1	1	1	90.5	63.75	0	29952.607	496.7741935	14902.56299	30000		1	0	30000	43.6875	2004
22.01.2020 11:46:58	1	1	1	1	90.5	63.5	0	29952.607	492.4731183	14750.9037	30000		1	0	30000	44.3125	2004
22.01.2020 11:46:59	1	1	1	1	90.5	64.25	0	29715.64	458.0645161	13675.42739	30000		1	0	30000	44.125	2004
22.01.2020 11:47:00	1	1	1	1	90.5	64	0	29952.607	427.9569892	12669.25774	30000		1	0	30000	44.125	2004
22.01.2020 11:47:01	1	1	1	1	90	64	0	30000	466.6666667	13999.94564	30000		1	0	30000	44	2004
22.01.2020 11:47:02	1	1	1	1	90	64	0	29810.427	481.7204301	14360.34028	30000		1	0	30000	43	2004
22.01.2020 11:47:03	1	1	1	1	90	63	0	30000	481.7204301	14451.662	30000		1	0	30000	44	2004
22.01.2020 11:47:04	1	1	1	1	90	64	0	29905.213	481.7204301	14406.00114	30000		1	0	30000	44.1875	2004
22.01.2020 11:47:06	1	1	1	1	90	64	0	30000	483.8709677	14516.07643	30000		1	0	30000	43.875	2004
22.01.2020 11:47:07	1	1	1	1	90	63.75	0	30000	494.6236559	14838.14856	30000		1	0	30000	44.25	2004
22.01.2020 11:47:08	1	1	1	1	90	64.25	0	30000	501.0752688	15032.20721	30000		1	0	30000	43.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers	
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]		
22.01.2020 11:47:09	1	1	1	1	90	63.75	0	30000	486.0215054	14644.90528	30000		1	0	30000	43.8125	2004
22.01.2020 11:47:10	1	1	1	1	90	63.75	0	30000	488.172043	14644.90528	30000		1	0	30000	43.8125	2004
22.01.2020 11:47:11	1	1	1	1	90	63.75	0	30000	490.3225806	14644.90528	30000		1	0	30000	43.625	2004
22.01.2020 11:47:12	1	1	1	1	89.75	63.5	0	27867.299	481.7204301	13424.29266	30000		1	0	30000	44.375	2004
22.01.2020 11:47:13	1	1	1	1	89.75	64.25	0	30000	496.7741935	14902.56299	30000		1	0	30000	44.3125	2004
22.01.2020 11:47:14	1	1	1	1	89.75	64.25	0	29431.28	481.7204301	14177.69684	30000		1	0	30000	43.1875	2004
22.01.2020 11:47:15	1	1	1	1	89.75	63	0	29952.607	509.6774194	15289.86492	30000		1	0	30000	44.25	2004
22.01.2020 11:47:16	1	1	1	1	89.75	64.25	0	29905.213	492.4731183	14727.2579	30000		1	0	30000	43.8125	2004
22.01.2020 11:47:17	1	1	1	1	89.75	63.75	0	29905.213	481.7204301	14406.00114	30000		1	0	30000	44.0625	2004
22.01.2020 11:47:18	1	1	1	1	89.75	64	0	30000	509.6774194	15225.45049	30000		1	0	30000	43.8125	2004
22.01.2020 11:47:19	1	1	1	1	89.75	63.75	0	30000	507.5268817	15225.45049	30000		1	0	30000	44.25	2004
22.01.2020 11:47:20	1	1	1	1	89.75	64.25	0	30000	507.5268817	15225.45049	30000		1	0	30000	43.8125	2004
22.01.2020 11:47:21	1	1	1	1	89.75	63.75	0	28009.479	468.8172043	13492.78395	30000		1	0	30000	44.1875	2004
22.01.2020 11:47:22	1	1	1	1	90	64	0	30000	526.8817204	15741.58128	30000		1	0	30000	44.3125	2004
22.01.2020 11:47:23	1	1	1	1	90	64.25	0	30000	520.4301075	15459.4624	30000		1	0	30000	44.4375	2004
22.01.2020 11:47:24	1	1	1	1	90	64.25	0	26966.825	468.8172043	12584.459	30000		1	0	30000	44	2004
22.01.2020 11:47:25	1	1	1	1	90	64	0	29241.706	455.9139785	13456.90756	30000		1	0	30000	44.625	2004
22.01.2020 11:47:26	1	1	1	1	90	64.5	0	30000	503.2258065	15096.62164	30000		1	0	30000	44.375	2004
22.01.2020 11:47:27	1	1	1	1	90	64.25	0	30000	481.7204301	14451.662	30000		1	0	30000	44.0625	2004
22.01.2020 11:47:28	1	1	1	1	90	64.5	0	30047.393	481.7204301	14474.49243	30000		1	0	30000	43.375	2004
22.01.2020 11:47:29	1	1	1	1	90	63.25	0	29952.607	483.8709677	14516.07643	30000		1	0	30000	44.3125	2004
22.01.2020 11:47:30	1	1	1	1	90	64.25	0	30000	488.172043	14644.90528	30000		1	0	30000	44.25	2004
22.01.2020 11:47:31	1	1	1	1	90.25	64.25	0	29952.607	496.7741935	15032.20721	30000		1	0	30000	44.4375	2004
22.01.2020 11:47:32	1	1	1	1	90.25	64.25	0	30000	483.8709677	14538.90686	30000		1	0	30000	43.75	2004
22.01.2020 11:47:33	1	1	1	1	90.25	63.75	0	30000	498.9247312	14902.56299	30000		1	0	30000	44.3125	2004
22.01.2020 11:47:40	1	1	1	1	90.25	64.5	0	30047.393	481.7204301	14451.662	30000		1	0	30000	44.4375	2004
22.01.2020 11:47:40	1	1	1	1	90.25	64.5	0	30047.393	481.7204301	14451.662	30000		1	0	30000	44.4375	2004
22.01.2020 11:47:40	1	1	1	1	90.25	64.5	0	30047.393	481.7204301	14451.662	30000		1	0	30000	44.4375	2004
22.01.2020 11:47:40	1	1	1	1	90.25	64.5	0	30047.393	481.7204301	14451.662	30000		1	0	30000	44.4375	2004
22.01.2020 11:47:40	1	1	1	1	90.25	64.5	0	30047.393	481.7204301	14451.662	30000		1	0	30000	44.4375	2004
22.01.2020 11:47:40	1	1	1	1	90.25	64.25	0	29952.607	460.2150538	13720.27288	30000		1	0	30000	44.375	2004
22.01.2020 11:47:41	1	1	1	1	90.25	64.25	0	30000	468.8172043	14064.36007	30000		1	0	30000	43.625	2004
22.01.2020 11:47:42	1	1	1	1	90.25	63.5	0	29620.853	404.3010753	11975.37575	30000		1	0	30000	44.375	2004
22.01.2020 11:47:43	1	1	1	1	90.25	64.25	0	26587.678	356.9892473	9490.935776	30000		1	0	30000	44	2004
22.01.2020 11:47:44	1	1	1	1	90.25	64	0	29146.919	387.0967742	11345.09282	30000		1	0	30000	44.375	2004
22.01.2020 11:47:46	1	1	1	1	90.25	64.25	0	30000	427.9569892	12754.05648	30000		1	0	30000	44.25	2004
22.01.2020 11:47:47	1	1	1	1	90.25	64.25	0	28341.232	346.2365591	9950.80586	30000		1	0	30000	44.3125	2004
22.01.2020 11:47:48	1	1	1	1	90.25	64.25	0	29526.066	391.3978495	11511.4288	30000		1	0	30000	44.4375	2004
22.01.2020 11:47:49	1	1	1	1	90.25	64.25	0	29668.246	365.5913978	10927.6221	30000		1	0	30000	44.1875	2004
22.01.2020 11:47:50	1	1	1	1	90.25	64	0	29905.213	412.9032258	12367.56992	30000		1	0	30000	44.4375	2004
22.01.2020 11:47:51	1	1	1	1	90.25	64.25	0	29810.427	378.4946237	11283.12451	30000		1	0	30000	44.3125	2004
22.01.2020 11:47:52	1	1	1	1	90	64.25	0	29099.526	425.8064516	12473.56834	30000		1	0	30000	43.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers	
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]		
22.01.2020 11:47:53	1	1	1	1	90	63.5	0	29146.919	421.5053763	12222.43362	30000		1	0	30000	43.5	2004
22.01.2020 11:47:54	1	1	1	1	90	63.5	0	30000	438.7096774	13160.92735	30000		1	0	30000	44.125	2004
22.01.2020 11:47:55	1	1	1	1	90	64	0	29952.607	445.1612903	13354.17063	30000		1	0	30000	44.4375	2004
22.01.2020 11:47:56	1	1	1	1	90	64.25	0	30000	481.7204301	14451.662	30000		1	0	30000	44.3125	2004
22.01.2020 11:47:57	1	1	1	1	90	64.25	0	30000	481.7204301	14451.662	30000		1	0	30000	44.25	2004
22.01.2020 11:47:58	1	1	1	1	90	64.25	0	29431.28	445.1612903	13101.40516	30000		1	0	30000	44.25	2004
22.01.2020 11:47:59	1	1	1	1	90	64.25	0	25497.63	395.6989247	10089.41918	30000		1	0	30000	43.8125	2004
22.01.2020 11:48:00	1	1	1	1	90	63.75	0	27867.299	423.655914	11885.68478	30000		1	0	30000	44.25	2004
22.01.2020 11:48:01	1	1	1	1	90	64.25	0	30000	458.0645161	13741.47256	30000		1	0	30000	44.5	2004
22.01.2020 11:48:02	1	1	1	1	90.25	64.5	0	30000	466.6666667	13999.94564	30000		1	0	30000	43.9375	2004
22.01.2020 11:48:03	1	1	1	1	90.25	63.75	0	30000	464.516129	13935.53122	30000		1	0	30000	43.875	2004
22.01.2020 11:48:04	1	1	1	1	90.25	63.75	0	28199.052	378.4946237	10490.58245	30000		1	0	30000	44.75	2004
22.01.2020 11:48:05	1	1	1	1	90.25	64.75	0	30000	481.7204301	14451.662	30000		1	0	30000	44.5625	2004
22.01.2020 11:48:06	1	1	1	1	90.25	64.5	0	30000	440.8602151	13160.92735	30000		1	0	30000	44.1875	2004
22.01.2020 11:48:07	1	1	1	1	90.25	64	0	29526.066	384.9462366	11238.27902	30000		1	0	30000	44.1875	2004
22.01.2020 11:48:08	1	1	1	1	90.25	64	0	30000	460.2150538	13805.88699	30000		1	0	30000	44.1875	2004
22.01.2020 11:48:09	1	1	1	1	90.25	64	0	30000	481.7204301	14451.662	30000		1	0	30000	44.1875	2004
22.01.2020 11:48:10	1	1	1	1	90.25	64	0	29478.673	382.7956989	11365.47713	30000		1	0	30000	44.375	2004
22.01.2020 11:48:11	1	1	1	1	90.25	64.25	0	29905.213	423.655914	12669.25774	30000		1	0	30000	43.9375	2004
22.01.2020 11:48:12	1	1	1	1	90.25	63.75	0	29952.607	464.516129	13935.53122	30000		1	0	30000	43.25	2004
22.01.2020 11:48:13	1	1	1	1	90.25	63.25	0	29146.919	384.9462366	11282.30913	30000		1	0	30000	43.6875	2004
22.01.2020 11:48:14	1	1	1	1	90.25	63.5	0	30000	466.6666667	13999.94564	30000		1	0	30000	44.3125	2004
22.01.2020 11:48:15	1	1	1	1	90.25	64.25	0	30000	481.7204301	14451.662	30000		1	0	30000	43.6875	2004
22.01.2020 11:48:16	1	1	1	1	90.25	63.5	0	30000	481.7204301	14451.662	30000		1	0	30000	44.0625	2004
22.01.2020 11:48:17	1	1	1	1	90.25	64	0	30094.787	488.172043	14451.662	30000		1	0	30000	43.75	2004
22.01.2020 11:48:18	1	1	1	1	90.25	63.75	0	28957.346	369.8924731	10996.11339	30000		1	0	30000	44.3125	2004
22.01.2020 11:48:19	1	1	1	1	90.25	64.25	0	0	0	0	30000		1	8	30000	43.9375	2004
22.01.2020 11:48:20	1	1	1	1	90.25	63.75	0	0	0	0	30000		1	8	30000	44.6875	2004
22.01.2020 11:48:21	1	1	1	1	89.75	64.5	0	10284.36	0	0	30000		1	0	30000	44.5625	2004
22.01.2020 11:48:22	1	1	1	1	89.75	64.5	0	11469.194	0	0	30000		1	0	30000	44.625	2004
22.01.2020 11:48:23	1	1	1	1	89.75	64.5	0	12369.668	0	0	30000		1	0	30000	44.4375	2004
22.01.2020 11:48:25	1	1	1	1	89.75	64.25	0	13033.175	2.150537634	27.72266464	30000		1	0	30000	44.625	2004
22.01.2020 11:48:26	1	1	1	1	89.75	64.5	0	13791.469	6.451612903	88.06022885	30000		1	0	30000	44.375	2004
22.01.2020 11:48:27	1	1	1	1	89.75	64.25	0	14170.616	6.451612903	91.32171881	30000		1	0	30000	44.375	2004
22.01.2020 11:48:28	1	1	1	1	89.75	64.25	0	15308.057	17.20430108	295.9802136	30000		1	0	30000	44.25	2004
22.01.2020 11:48:29	1	1	1	1	89.75	64.25	0	16161.137	25.80645161	414.2092246	30000		1	0	30000	44.4375	2004
22.01.2020 11:48:30	1	1	1	1	89.75	64.25	0	16919.431	32.25806452	542.2227054	30000		1	0	30000	44.5	2004
22.01.2020 11:48:31	1	1	1	1	89.75	64.5	0	17677.725	40.86021505	721.6046531	30000		1	0	30000	44.4375	2004
22.01.2020 11:48:32	1	1	1	1	90	64.25	0	17203.791	40.86021505	702.8510858	30000		1	0	30000	44.375	2004
22.01.2020 11:48:33	1	1	1	1	90	64.25	0	18151.659	47.31182796	819.4493518	30000		1	0	30000	44.4375	2004
22.01.2020 11:48:34	1	1	1	1	90	64.25	0	19194.313	58.06451613	1113.79882	30000		1	0	30000	44.375	2004
22.01.2020 11:48:35	1	1	1	1	90	64.25	0	20758.294	77.41935484	1607.099176	30000		1	0	30000	44.5	2004
22.01.2020 11:48:41	1	1	1	1	90	64.25	0	19620.853	109.6774194	2151.767999	30000		1	0	30000	44.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers	
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]		
22.01.2020 11:48:41	1	1	1	1	90	64.25	0	19620.853	109.6774194	2151.767999	30000		1	0	30000	44.5	2004
22.01.2020 11:48:41	1	1	1	1	90	64.25	0	19620.853	109.6774194	2151.767999	30000		1	0	30000	44.5	2004
22.01.2020 11:48:41	1	1	1	1	90	64.25	0	19620.853	109.6774194	2151.767999	30000		1	0	30000	44.5	2004
22.01.2020 11:48:41	1	1	1	1	90	64.25	0	19620.853	109.6774194	2151.767999	30000		1	0	30000	44.5	2004
22.01.2020 11:48:41	1	1	1	1	90	64.25	0	19620.853	109.6774194	2151.767999	30000		1	0	30000	44.5	2004
22.01.2020 11:48:42	1	1	1	1	89.25	64.5	0	23744.076	139.7849462	3318.566032	30000		1	0	30000	44.625	2004
22.01.2020 11:48:43	1	1	1	1	89.25	64.5	0	23317.536	137.6344086	3209.306118	30000		1	0	30000	44.375	2004
22.01.2020 11:48:44	1	1	1	1	89.25	64.25	0	24454.976	161.2903226	3936.618378	30000		1	0	30000	43.8125	2004
22.01.2020 11:48:45	1	1	1	1	89.25	63.75	0	25734.597	167.7419355	4205.6913	30000		1	0	30000	44.4375	2004
22.01.2020 11:48:46	1	1	1	1	89.25	64.25	0	24597.156	159.1397849	4019.786372	30000		1	0	30000	44.5	2004
22.01.2020 11:48:47	1	1	1	1	89.25	63.25	0	23838.863	169.8924731	4049.955155	30000		1	0	30000	44.375	2004
22.01.2020 11:48:48	1	1	1	1	89.25	64.25	0	25639.81	184.9462366	4741.391025	30000		1	0	30000	44.4375	2004
22.01.2020 11:48:49	1	1	1	1	89.25	64.25	0	27867.299	219.3548387	6161.769902	30000		1	0	30000	44.5	2004
22.01.2020 11:48:50	1	1	1	1	89.25	64.5	0	24691.943	206.4516129	5097.708803	30000		1	0	30000	44.5	2004
22.01.2020 11:48:51	1	1	1	1	89.25	64.5	0	26113.744	206.4516129	5391.242899	30000		1	0	30000	44.375	2004
22.01.2020 11:48:52	1	1	1	1	89.25	64.25	0	23412.322	191.3978495	4430.734107	30000		1	0	30000	44.4375	2004
22.01.2020 11:48:53	1	1	1	1	89.25	64.25	0	26018.957	193.5483871	4961.541598	30000		1	0	30000	44.375	2004
22.01.2020 11:48:54	1	1	1	1	89.25	64.25	0	26682.464	208.6021505	5508.656538	30000		1	0	30000	44.5	2004
22.01.2020 11:48:55	1	1	1	1	89.25	64.5	0	26966.825	240.8602151	6436.550431	30000		1	0	30000	44.5625	2004
22.01.2020 11:48:56	1	1	1	1	89.25	64.5	0	22748.815	210.7526882	4843.312587	30000		1	0	30000	44.375	2004
22.01.2020 11:48:57	1	1	1	1	89.25	64.25	0	27772.512	258.0645161	7251.107548	30000		1	0	30000	44.375	2004
22.01.2020 11:48:58	1	1	1	1	89.25	64.25	0	26872.038	264.516129	7223.384883	30000		1	0	30000	44.1875	2004
22.01.2020 11:48:59	1	1	1	1	89.25	64	0	28009.479	266.6666667	7468.812002	30000		1	0	30000	44.375	2004
22.01.2020 11:49:00	1	1	1	1	89.25	64.25	0	26540.284	240.8602151	6392.520316	30000		1	0	30000	44.5	2004
22.01.2020 11:49:01	1	1	1	1	87.5	64.5	0	26587.678	253.7634409	6803.468051	30000		1	0	30000	44.4375	2004
22.01.2020 11:49:03	1	1	1	1	87.5	64.25	0	26540.284	270.9677419	7191.585356	30000		1	0	30000	43.3125	2004
22.01.2020 11:49:04	1	1	1	1	87.5	63.25	0	28483.412	286.0215054	8146.386541	30000		1	0	30000	44.3125	2004
22.01.2020 11:49:05	1	1	1	1	87.5	64.25	0	28815.166	281.7204301	8241.785122	30000		1	0	30000	44.375	2004
22.01.2020 11:49:06	1	1	1	1	87.5	64.25	0	25924.171	255.9139785	6745.576604	30000		1	0	30000	44.4375	2004
22.01.2020 11:49:07	1	1	1	1	87.5	64.25	0	25876.777	296.7741935	7693.039437	30000		1	0	30000	44.4375	2004
22.01.2020 11:49:08	1	1	1	1	87.5	64.25	0	28815.166	294.6236559	8489.658359	30000		1	0	30000	44.3125	2004
22.01.2020 11:49:09	1	1	1	1	87.5	64.25	0	25924.171	281.7204301	7303.291387	30000		1	0	30000	44.25	2004
22.01.2020 11:49:10	1	1	1	1	87.5	64.25	0	0	0	0	30000		1	8	30000	44.4375	2004
22.01.2020 11:49:11	1	1	1	1	87.5	64.25	0	0	0	0	30000		1	8	30000	44.625	2004
22.01.2020 11:49:12	1	1	1	1	88.75	64.5	0	10616.114	0	0	30000		1	0	30000	44.4375	2004
22.01.2020 11:49:13	1	1	1	1	88.75	64.25	0	11469.194	0	0	30000		1	0	30000	44.3125	2004
22.01.2020 11:49:14	1	1	1	1	88.75	64.25	0	11611.374	0	0	30000		1	0	30000	44.4375	2004
22.01.2020 11:49:15	1	1	1	1	88.75	64.25	0	12890.995	2.150537634	55.44532927	30000		1	0	30000	44.4375	2004
22.01.2020 11:49:16	1	1	1	1	88.75	64.25	0	13744.076	6.451612903	88.06022885	30000		1	0	30000	44.375	2004
22.01.2020 11:49:17	1	1	1	1	88.75	64.25	0	14123.223	10.75268817	121.4905009	30000		1	0	30000	44.375	2004
22.01.2020 11:49:18	1	1	1	1	88.75	64.25	0	15308.057	19.35483871	295.9802136	30000		1	0	30000	44.375	2004
22.01.2020 11:49:19	1	1	1	1	88.75	64.25	0	14691.943	19.35483871	283.7496263	30000		1	0	30000	44.5625	2004
22.01.2020 11:49:20	1	1	1	1	88.75	64.5	0	16777.251	36.55913978	613.160112	30000		1	0	30000	44.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers	
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]		
22.01.2020 11:49:21	1	1	1	1	88.75	64.5	0	17630.332	45.16129032	755.8502976	30000		1	0	30000	44.3125	2004
22.01.2020 11:49:22	1	1	1	1	88.75	64.25	0	18341.232	53.76344086	985.7853396	30000		1	0	30000	44.8125	2004
22.01.2020 11:49:23	1	1	1	1	88.75	64.75	0	18530.806	55.91397849	1035.523061	30000		1	0	30000	44.625	2004
22.01.2020 11:49:24	1	1	1	1	88.75	64.5	0	19952.607	70.96774194	1329.87253	30000		1	0	30000	44.4375	2004
22.01.2020 11:49:25	1	1	1	1	88.75	64.25	0	17962.085	64.51612903	1119.506428	30000		1	0	30000	44.4375	2004
22.01.2020 11:49:26	1	1	1	1	88.75	64.25	0	21469.194	88.17204301	1938.95578	30000		1	0	30000	44.3125	2004
22.01.2020 11:49:27	1	1	1	1	88.75	64.25	0	22132.701	103.2258065	2141.168157	30000		1	0	30000	44.4375	2004
22.01.2020 11:49:28	1	1	1	1	88.75	64.25	0	22274.882	103.2258065	2304.242655	30000		1	0	30000	44.375	2004
22.01.2020 11:49:29	1	1	1	1	88.75	64.25	0	21374.408	120.4301075	2574.130949	30000		1	0	30000	44.5625	2004
22.01.2020 11:49:30	1	1	1	1	88.75	64.5	0	23554.502	122.5806452	2887.233985	30000		1	0	30000	44.625	2004
22.01.2020 11:49:31	1	1	1	1	88.5	64.5	0	24075.829	150.5376344	3624.330715	30000		1	0	30000	44.4375	2004
22.01.2020 11:49:32	1	1	1	1	88.5	64.25	0	21800.948	137.6344086	2994.047781	30000		1	0	30000	44.5	2004
22.01.2020 11:49:33	1	1	1	1	88.5	64.5	0	24407.583	159.1397849	3801.266545	30000		1	0	30000	44.5625	2004
22.01.2020 11:49:34	1	1	1	1	88.5	64.5	0	26018.957	169.8924731	4420.134265	30000		1	0	30000	44.4375	2004
22.01.2020 11:49:35	1	1	1	1	88.5	64.25	0	23838.863	163.4408602	3895.849754	30000		1	0	30000	44.5	2004
22.01.2020 11:49:36	1	1	1	1	88.5	64.5	0	24218.009	159.1397849	3801.266545	30000		1	0	30000	44.5625	2004
22.01.2020 11:49:43	1	1	1	1	88.5	64.25	0	26729.858	219.3548387	5931.019487	30000		1	0	30000	44.5	2004
22.01.2020 11:49:43	1	1	1	1	88.5	64.25	0	26729.858	219.3548387	5931.019487	30000		1	0	30000	44.5	2004
22.01.2020 11:49:43	1	1	1	1	88.5	64.25	0	26729.858	219.3548387	5931.019487	30000		1	0	30000	44.5	2004
22.01.2020 11:49:43	1	1	1	1	88.5	64.25	0	26729.858	219.3548387	5931.019487	30000		1	0	30000	44.5	2004
22.01.2020 11:49:43	1	1	1	1	88.5	64.25	0	26729.858	219.3548387	5931.019487	30000		1	0	30000	44.5	2004
22.01.2020 11:49:43	1	1	1	1	88.5	64.25	0	26729.858	219.3548387	5931.019487	30000		1	0	30000	44.5	2004
22.01.2020 11:49:44	1	1	1	1	88.5	64.5	0	26350.711	219.3548387	6028.048814	30000		1	0	30000	44.4375	2004
22.01.2020 11:49:45	1	1	1	1	88.5	64.25	0	28436.019	258.0645161	7350.582991	30000		1	0	30000	44.5	2004
22.01.2020 11:49:46	1	1	1	1	88.5	64.5	0	24739.336	210.7526882	5150.708015	30000		1	0	30000	44.375	2004
22.01.2020 11:49:47	1	1	1	1	88.5	64.25	0	26113.744	236.5591398	6289.783383	30000		1	0	30000	43.75	2004
22.01.2020 11:49:48	1	1	1	1	88.5	63.75	0	25118.483	247.311828	6223.738211	30000		1	0	30000	44.4375	2004
22.01.2020 11:49:49	1	1	1	1	88.5	64.25	0	28199.052	247.311828	6973.880901	30000		1	0	30000	44.4375	2004
22.01.2020 11:49:50	1	1	1	1	88.5	64.25	0	25687.204	260.2150538	6751.284212	30000		1	0	30000	44.25	2004
22.01.2020 11:49:51	1	1	1	1	88.5	64.25	0	26350.711	240.8602151	6346.859457	30000		1	0	30000	44.4375	2004
22.01.2020 11:49:52	1	1	1	1	87.5	64.25	0	28815.166	270.9677419	8055.880195	30000		1	0	30000	43.6875	2004
22.01.2020 11:49:53	1	1	1	1	87.5	63.5	0	26682.464	298.9247312	8090.125839	30000		1	0	30000	44.5625	2004
22.01.2020 11:49:54	1	1	1	1	87.5	64.5	0	27061.611	262.3655914	7041.556818	30000		1	0	30000	44.4375	2004
22.01.2020 11:49:55	1	1	1	1	87.5	64.25	0	25924.171	258.0645161	6363.982279	30000		1	0	30000	44.375	2004
22.01.2020 11:49:56	1	1	1	1	87.5	64.25	0	25260.664	260.2150538	6572.717637	30000		1	0	30000	44.3125	2004
22.01.2020 11:49:57	1	1	1	1	87.5	64.25	0	27393.365	311.827957	8527.165493	30000		1	0	30000	44.125	2004
22.01.2020 11:49:58	1	1	1	1	87.5	64	0	28293.839	341.9354839	9641.779686	30000		1	0	30000	44.25	2004
22.01.2020 11:49:59	1	1	1	1	87.5	64.25	0	27582.938	326.8817204	9016.388987	30000		1	0	30000	44.3125	2004
22.01.2020 11:50:00	1	1	1	1	87.5	64.25	0	27630.332	322.5806452	8972.358873	30000		1	0	30000	44.375	2004
22.01.2020 11:50:01	1	1	1	1	87.5	64.25	0	28957.346	324.7311828	9402.875547	30000		1	0	30000	44.5625	2004
22.01.2020 11:50:02	1	1	1	1	86.5	64.5	0	28483.412	341.9354839	9738.809013	30000		1	0	30000	43.9375	2004
22.01.2020 11:50:03	1	1	1	1	86.5	63.75	0	29146.919	341.9354839	9966.297937	30000		1	0	30000	44.25	2004
22.01.2020 11:50:04	1	1	1	1	86.5	64.25	0	28815.166	331.1827957	9543.119615	30000		1	0	30000	44	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers	
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]		
22.01.2020 11:50:05	1	1	1	1	86.5	64.5	0	29905.213	395.6989247	11833.50094	30000		1	0	30000	44	2004
22.01.2020 11:50:06	1	1	1	1	86.5	64	0	29620.853	369.8924731	10621.04205	30000		1	0	30000	44.1875	2004
22.01.2020 11:50:07	1	1	1	1	86.5	64	0	29336.493	404.3010753	11860.40823	30000		1	0	30000	44.4375	2004
22.01.2020 11:50:08	1	1	1	1	86.5	64.25	0	28815.166	395.6989247	11402.16889	30000		1	0	30000	44.3125	2004
22.01.2020 11:50:09	1	1	1	1	86.5	64.25	0	29715.64	382.7956989	11438.86065	30000		1	0	30000	43.625	2004
22.01.2020 11:50:10	1	1	1	1	86.5	63.5	0	28957.346	391.3978495	11333.6776	30000		1	0	30000	44.375	2004
22.01.2020 11:50:11	1	1	1	1	86.5	64.25	0	26113.744	348.3870968	8929.144131	30000		1	0	30000	44.3125	2004
22.01.2020 11:50:12	1	1	1	1	86.5	64.25	0	25734.597	378.4946237	9795.069714	30000		1	0	30000	43.5	2004
22.01.2020 11:50:13	1	1	1	1	86.5	63.5	0	29857.82	412.9032258	12540.42889	30000		1	0	30000	43.625	2004
22.01.2020 11:50:14	1	1	1	1	86.5	63.5	0	29146.919	369.8924731	10780.85505	30000		1	0	30000	43.6875	2004
22.01.2020 11:50:15	1	1	1	1	86.5	63.5	0	29526.066	378.4946237	11193.43353	30000		1	0	30000	44.3125	2004
22.01.2020 11:50:16	1	1	1	1	86.5	64.25	0	29952.607	415.0537634	12560.8132	30000		1	0	30000	44.25	2004
22.01.2020 11:50:17	1	1	1	1	86.5	64.25	0	28815.166	367.7419355	10534.61256	30000		1	0	30000	44	2004
22.01.2020 11:50:18	1	1	1	1	86.5	64	0	30047.393	397.8494624	11769.08651	30000		1	0	30000	44.375	2004
22.01.2020 11:50:19	1	1	1	1	86.5	64.25	0	29715.64	404.3010753	12077.29731	30000		1	0	30000	44.25	2004
22.01.2020 11:50:21	1	1	1	1	86.5	64.25	0	29952.607	412.9032258	12387.13886	30000		1	0	30000	44	2004
22.01.2020 11:50:22	1	1	1	1	86.25	64	0	29905.213	359.1397849	10722.96361	30000		1	0	30000	44.125	2004
22.01.2020 11:50:23	1	1	1	1	86.25	64	0	25734.597	369.8924731	9644.225804	30000		1	0	30000	44.0625	2004
22.01.2020 11:50:24	1	1	1	1	86.25	64	0	29146.919	341.9354839	9966.297937	30000		1	0	30000	44.375	2004
22.01.2020 11:50:25	1	1	1	1	86.25	64.25	0	30000	419.3548387	12580.38214	30000		1	0	30000	44.375	2004
22.01.2020 11:50:26	1	1	1	1	86.25	64.25	0	28815.166	378.4946237	10906.42242	30000		1	0	30000	44.3125	2004
22.01.2020 11:50:27	1	1	1	1	86.25	64.25	0	29952.607	412.9032258	12387.13886	30000		1	0	30000	44.125	2004
22.01.2020 11:50:28	1	1	1	1	86.25	64	0	29099.526	378.4946237	11076.0199	30000		1	0	30000	44.4375	2004
22.01.2020 11:50:29	1	1	1	1	86.25	64.25	0	30000	419.3548387	12599.95108	30000		1	0	30000	44.4375	2004
22.01.2020 11:50:30	1	1	1	1	86.25	64.25	0	29289.1	391.3978495	11444.56826	30000		1	0	30000	44.25	2004
22.01.2020 11:50:31	1	1	1	1	86.25	64.25	0	25071.09	378.4946237	9525.18142	30000		1	0	30000	44.25	2004
22.01.2020 11:50:32	1	1	1	1	86.75	64.25	0	27914.692	372.0430108	10247.60145	30000		1	0	30000	44.1875	2004
22.01.2020 11:50:33	1	1	1	1	86.75	64	0	29952.607	419.3548387	12540.42889	30000		1	0	30000	44.3125	2004
22.01.2020 11:50:34	1	1	1	1	86.75	64.25	0	29905.213	415.0537634	12411.60003	30000		1	0	30000	44.5	2004
22.01.2020 11:50:35	1	1	1	1	86.75	64.5	0	29336.493	427.9569892	12554.29022	30000		1	0	30000	43.625	2004
22.01.2020 11:50:36	1	1	1	1	86.75	63.5	0	29857.82	397.8494624	11878.34642	30000		1	0	30000	44.1875	2004
22.01.2020 11:50:37	1	1	1	1	86.75	64	0	29715.64	412.9032258	12013.69826	30000		1	0	30000	44.1875	2004
22.01.2020 11:50:38	1	1	1	1	86.75	64	0	30000	412.9032258	12387.13886	30000		1	0	30000	44.0625	2004
22.01.2020 11:50:45	1	1	1	1	88	64.25	0	29952.607	369.8924731	11061.34319	30000		1	0	30000	44.5625	2004
22.01.2020 11:50:45	1	1	1	1	88	64.25	0	29952.607	369.8924731	11061.34319	30000		1	0	30000	44.5625	2004
22.01.2020 11:50:45	1	1	1	1	88	64.25	0	29952.607	369.8924731	11061.34319	30000		1	0	30000	44.5625	2004
22.01.2020 11:50:45	1	1	1	1	88	64.25	0	29952.607	369.8924731	11061.34319	30000		1	0	30000	44.5625	2004
22.01.2020 11:50:45	1	1	1	1	88	64.25	0	29952.607	369.8924731	11061.34319	30000		1	0	30000	44.5625	2004
22.01.2020 11:50:45	1	1	1	1	88	64.25	0	29952.607	369.8924731	11061.34319	30000		1	0	30000	44.5625	2004
22.01.2020 11:50:45	1	1	1	1	88	64.25	0	30000	395.6989247	11741.36385	30000		1	0	30000	44.3125	2004
22.01.2020 11:50:46	1	1	1	1	88	64.25	0	24597.156	311.827957	7669.393635	30000		1	0	30000	44.1875	2004
22.01.2020 11:50:47	1	1	1	1	88	64	0	29715.64	380.6451613	11310.84717	30000		1	0	30000	44.4375	2004
22.01.2020 11:50:48	1	1	1	1	88	64.25	0	27630.332	329.0322581	8956.866795	30000		1	0	30000	44.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers	
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]		
22.01.2020 11:50:49	1	1	1	1	88	64	0	30000	395.6989247	11871.00807	30000		1	0	30000	44.25	2004
22.01.2020 11:50:50	1	1	1	1	88	64.25	0	29905.213	395.6989247	11511.4288	30000		1	0	30000	44.4375	2004
22.01.2020 11:50:51	1	1	1	1	87	64.25	0	29905.213	389.2473118	11640.25766	30000		1	0	30000	44.25	2004
22.01.2020 11:50:52	1	1	1	1	87	64.25	0	29952.607	352.688172	10515.85899	30000		1	0	30000	44.5	2004
22.01.2020 11:50:53	1	1	1	1	87	64.5	0	26398.104	301.0752688	7947.435654	30000		1	0	30000	43.6875	2004
22.01.2020 11:50:54	1	1	1	1	87	63.5	0	29952.607	384.9462366	11548.12057	30000		1	0	30000	44.5625	2004
22.01.2020 11:50:55	1	1	1	1	87	64.5	0	29241.706	335.483871	9746.962737	30000		1	0	30000	44.1875	2004
22.01.2020 11:50:56	1	1	1	1	87	64	0	29857.82	378.4946237	11125.75762	30000		1	0	30000	44.4375	2004
22.01.2020 11:50:58	1	1	1	1	87	64.25	0	29952.607	372.0430108	11160.81863	30000		1	0	30000	44.375	2004
22.01.2020 11:50:59	1	1	1	1	87	64.25	0	29952.607	363.4408602	10886.03811	30000		1	0	30000	44.5	2004
22.01.2020 11:51:00	1	1	1	1	87	64.5	0	29905.213	339.7849462	10113.06499	30000		1	0	30000	44.375	2004
22.01.2020 11:51:01	1	1	1	1	87	64.25	0	29715.64	346.2365591	10351.96912	30000		1	0	30000	44.4375	2004
22.01.2020 11:51:02	1	1	1	1	88	64.25	0	29526.066	346.2365591	10239.44772	30000		1	0	30000	44.5625	2004
22.01.2020 11:51:03	1	1	1	1	88	64.5	0	29052.133	292.4731183	8558.965021	30000		1	0	30000	44.25	2004
22.01.2020 11:51:04	1	1	1	1	88	64.25	0	28862.559	348.3870968	9868.453238	30000		1	0	30000	44.4375	2004
22.01.2020 11:51:05	1	1	1	1	88	64.25	0	29952.607	352.688172	10644.68785	30000		1	0	30000	44.375	2004
22.01.2020 11:51:06	1	1	1	1	88	64.25	0	29905.213	326.8817204	9775.500775	30000		1	0	30000	44.3125	2004
22.01.2020 11:51:07	1	1	1	1	88	64.25	0	29099.526	333.3333333	9777.946892	30000		1	0	30000	44.4375	2004
22.01.2020 11:51:08	1	1	1	1	88	64.25	0	28957.346	286.0215054	8254.831082	30000		1	0	30000	44.4375	2004
22.01.2020 11:51:09	1	1	1	1	88	64.25	0	29905.213	322.5806452	9646.671921	30000		1	0	30000	44.3125	2004
22.01.2020 11:51:10	1	1	1	1	88	64.25	0	29905.213	326.8817204	9839.099829	30000		1	0	30000	44.0625	2004
22.01.2020 11:51:11	1	1	1	1	88	64	0	29857.82	316.1290323	9711.086348	30000		1	0	30000	44.3125	2004
22.01.2020 11:51:12	1	1	1	1	87	64.25	0	29952.607	341.9354839	10177.47941	30000		1	0	30000	44.4375	2004
22.01.2020 11:51:13	1	1	1	1	87	64.25	0	30000	322.5806452	9741.25513	30000		1	0	30000	44.375	2004
22.01.2020 11:51:14	1	1	1	1	87	64.25	0	29146.919	292.4731183	8524.719376	30000		1	0	30000	44.375	2004
22.01.2020 11:51:15	1	1	1	1	87	64.25	0	30000	326.8817204	9597.749572	30000		1	0	30000	43.6875	2004
22.01.2020 11:51:16	1	1	1	1	87	63.5	0	29715.64	296.7741935	8882.667899	30000		1	0	30000	44.4375	2004
22.01.2020 11:51:17	1	1	1	1	87	64.25	0	30000	329.0322581	9870.899356	30000		1	0	30000	44.4375	2004
22.01.2020 11:51:18	1	1	1	1	87	64.25	0	28815.166	311.827957	8985.404832	30000		1	0	30000	44.1875	2004
22.01.2020 11:51:19	1	1	1	1	87	64	0	28815.166	288.172043	8241.785122	30000		1	0	30000	44.5	2004
22.01.2020 11:51:20	1	1	1	1	87	64.5	0	24691.943	275.2688172	6796.945071	30000		1	0	30000	44.5	2004
22.01.2020 11:51:21	1	1	1	1	87	64.5	0	29952.607	372.0430108	11354.87729	30000		1	0	30000	44.6875	2004
22.01.2020 11:51:22	1	1	1	1	86	64.5	0	30000	372.0430108	11096.40421	30000		1	0	30000	44.25	2004
22.01.2020 11:51:23	1	1	1	1	86	64	0	30000	350.5376344	10644.68785	30000		1	0	30000	44.1875	2004
22.01.2020 11:51:24	1	1	1	1	86	64	0	29715.64	380.6451613	11310.84717	30000		1	0	30000	44.375	2004
22.01.2020 11:51:25	1	1	1	1	86	64.25	0	29715.64	350.5376344	10416.38355	30000		1	0	30000	44.3125	2004
22.01.2020 11:51:26	1	1	1	1	86	64.25	0	27061.611	352.688172	9543.934988	30000		1	0	30000	44.3125	2004
22.01.2020 11:51:27	1	1	1	1	86	64.25	0	28957.346	395.6989247	11458.42959	30000		1	0	30000	44.375	2004
22.01.2020 11:51:28	1	1	1	1	86	64.25	0	28862.559	397.8494624	11563.61264	30000		1	0	30000	44.4375	2004
22.01.2020 11:51:29	1	1	1	1	86	64.25	0	30047.393	427.9569892	12838.03984	30000		1	0	30000	44.375	2004
22.01.2020 11:51:30	1	1	1	1	86	64.25	0	24691.943	346.2365591	8761.177398	30000		1	0	30000	43.8125	2004
22.01.2020 11:51:31	1	1	1	1	86.75	63.75	0	29810.427	412.9032258	12308.8631	30000		1	0	30000	44.375	2004
22.01.2020 11:51:32	1	1	1	1	86.75	64.25	0	29526.066	412.9032258	12191.44946	30000		1	0	30000	44.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers	
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]		
22.01.2020 11:51:33	1	1	1	1	86.75	64.5	0	29004.739	363.4408602	10337.29242	30000		1	0	30000	44.5625	2004
22.01.2020 11:51:34	1	1	1	1	86.75	64.5	0	29952.607	412.9032258	12109.91221	30000		1	0	30000	44.3125	2004
22.01.2020 11:51:35	1	1	1	1	86.75	64.25	0	26208.531	395.6989247	10333.21556	30000		1	0	30000	44.375	2004
22.01.2020 11:51:37	1	1	1	1	86.75	64.25	0	30000	400	12064.25135	30000		1	0	30000	43.9375	2004
22.01.2020 11:51:38	1	1	1	1	86.75	63.75	0	30000	412.9032258	12387.13886	30000		1	0	30000	44.4375	2004
22.01.2020 11:51:39	1	1	1	1	86.75	64.25	0	29810.427	384.9462366	11474.73704	30000		1	0	30000	44.1875	2004
22.01.2020 11:51:40	1	1	1	1	86.75	64	0	27440.758	395.6989247	10858.31544	30000		1	0	30000	44.5625	2004
22.01.2020 11:51:46	1	1	1	1	86.5	64	0	29857.82	419.3548387	12372.46215	30000		1	0	30000	44.1875	2004
22.01.2020 11:51:46	1	1	1	1	86.5	64	0	29857.82	419.3548387	12372.46215	30000		1	0	30000	44.1875	2004
22.01.2020 11:51:46	1	1	1	1	86.5	64	0	29857.82	419.3548387	12372.46215	30000		1	0	30000	44.1875	2004
22.01.2020 11:51:46	1	1	1	1	86.5	64	0	29857.82	419.3548387	12372.46215	30000		1	0	30000	44.1875	2004
22.01.2020 11:51:46	1	1	1	1	86.5	64	0	29857.82	419.3548387	12372.46215	30000		1	0	30000	44.1875	2004
22.01.2020 11:51:47	1	1	1	1	86.5	64	0	24549.763	391.3978495	9733.101405	30000		1	0	30000	44.4375	2004
22.01.2020 11:51:48	1	1	1	1	86.5	64.25	0	30000	434.4086022	13032.0985	30000		1	0	30000	44	2004
22.01.2020 11:51:49	1	1	1	1	86.5	64	0	28862.559	395.6989247	11482.89077	30000		1	0	30000	43.75	2004
22.01.2020 11:51:50	1	1	1	1	86.5	63.75	0	29810.427	438.7096774	13077.75936	30000		1	0	30000	44.1875	2004
22.01.2020 11:51:51	1	1	1	1	86.5	64	0	30000	436.5591398	13096.51292	30000		1	0	30000	44.3125	2004
22.01.2020 11:51:52	1	1	1	1	86.75	64.25	0	29810.427	460.2150538	13718.64213	30000		1	0	30000	44.3125	2004
22.01.2020 11:51:53	1	1	1	1	86.75	64.25	0	29715.64	415.0537634	12313.75533	30000		1	0	30000	44.25	2004
22.01.2020 11:51:54	1	1	1	1	86.75	64.25	0	30000	445.1612903	13699.07319	30000		1	0	30000	44.375	2004
22.01.2020 11:51:55	1	1	1	1	86.75	64.25	0	30000	466.6666667	14128.7745	30000		1	0	30000	44.5	2004
22.01.2020 11:51:56	1	1	1	1	86.75	64.5	0	29952.607	460.2150538	13805.88699	30000		1	0	30000	44.375	2004
22.01.2020 11:51:57	1	1	1	1	86.75	64.25	0	28815.166	415.0537634	11959.88367	30000		1	0	30000	44.375	2004
22.01.2020 11:51:58	1	1	1	1	86.75	64.25	0	30000	481.7204301	14451.662	30000		1	0	30000	44.25	2004
22.01.2020 11:51:59	1	1	1	1	86.75	64.25	0	29715.64	449.4623656	13227.78789	30000		1	0	30000	44.5	2004
22.01.2020 11:52:00	1	1	1	1	86.75	64.5	0	29905.213	481.7204301	14406.00114	30000		1	0	30000	44.375	2004
22.01.2020 11:52:01	1	1	1	1	86.75	64.25	0	30000	481.7204301	14451.662	30000		1	0	30000	44.0625	2004
22.01.2020 11:52:02	1	1	1	1	87	63.75	0	30000	494.6236559	14773.73413	30000		1	0	30000	44.5625	2004
22.01.2020 11:52:03	1	1	1	1	87	64.5	0	29952.607	496.7741935	14902.56299	30000		1	0	30000	44.25	2004
22.01.2020 11:52:04	1	1	1	1	87	64.25	0	29952.607	494.6236559	14902.56299	30000		1	0	30000	44.25	2004
22.01.2020 11:52:05	1	1	1	1	87	64.25	0	30000	498.9247312	14902.56299	30000		1	0	30000	44.25	2004
22.01.2020 11:52:06	1	1	1	1	87	64.25	0	30000	481.7204301	14451.662	30000		1	0	30000	44.3125	2004
22.01.2020 11:52:07	1	1	1	1	87	64.25	0	29905.213	427.9569892	12520.85995	30000		1	0	30000	44.3125	2004
22.01.2020 11:52:08	1	1	1	1	87	64.25	0	29620.853	464.516129	13759.41076	30000		1	0	30000	44.4375	2004
22.01.2020 11:52:09	1	1	1	1	87	64.25	0	30000	496.7741935	14902.56299	30000		1	0	30000	44.4375	2004
22.01.2020 11:52:10	1	1	1	1	87	64.25	0	29952.607	468.8172043	14451.662	30000		1	0	30000	43.25	2004
22.01.2020 11:52:11	1	1	1	1	86.5	63.25	0	29952.607	488.172043	14773.73413	30000		1	0	30000	44.1875	2004
22.01.2020 11:52:12	1	1	1	1	86.5	64	0	30000	492.4731183	14773.73413	30000		1	0	30000	43.9375	2004
22.01.2020 11:52:13	1	1	1	1	86.5	63.75	0	30000	481.7204301	14451.662	30000		1	0	30000	43.875	2004
22.01.2020 11:52:15	1	1	1	1	86.5	63.75	0	29952.607	417.2043011	12560.8132	30000		1	0	30000	44.125	2004
22.01.2020 11:52:16	1	1	1	1	86.5	64	0	28862.559	369.8924731	10551.73538	30000		1	0	30000	44.125	2004
22.01.2020 11:52:17	1	1	1	1	86.5	64	0	29952.607	419.3548387	12580.38214	30000		1	0	30000	44.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers	
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]		
22.01.2020 11:52:18	1	1	1	1	86.5	64.25	0	26018.957	354.8387097	9248.770146	30000		1	0	30000	44.375	2004
22.01.2020 11:52:19	1	1	1	1	86.5	64.25	0	30000	419.3548387	12580.38214	30000		1	0	30000	44.1875	2004
22.01.2020 11:52:20	1	1	1	1	86.5	64	0	29952.607	425.8064516	12754.05648	30000		1	0	30000	44.4375	2004
22.01.2020 11:52:21	1	1	1	1	86.5	64.25	0	29526.066	404.3010753	11937.05324	30000		1	0	30000	44.625	2004
22.01.2020 11:52:22	1	1	1	1	86.75	64.5	0	29952.607	460.2150538	13935.53122	30000		1	0	30000	44.4375	2004
22.01.2020 11:52:23	1	1	1	1	86.75	64.25	0	29857.82	412.9032258	12348.00098	30000		1	0	30000	44.25	2004
22.01.2020 11:52:24	1	1	1	1	86.75	64.25	0	29857.82	412.9032258	12328.43204	30000		1	0	30000	44.3125	2004
22.01.2020 11:52:25	1	1	1	1	86.75	64.25	0	29952.607	453.7634409	13741.47256	30000		1	0	30000	44	2004
22.01.2020 11:52:26	1	1	1	1	86.75	64	0	30000	481.7204301	14516.07643	30000		1	0	30000	44.375	2004
22.01.2020 11:52:27	1	1	1	1	86.75	64.25	0	30000	481.7204301	14451.662	30000		1	0	30000	44.375	2004
22.01.2020 11:52:28	1	1	1	1	86.75	64.25	0	28578.199	427.9569892	12229.77197	30000		1	0	30000	44.0625	2004
22.01.2020 11:52:29	1	1	1	1	86.75	64	0	29431.28	350.5376344	10379.69179	30000		1	0	30000	44.5	2004
22.01.2020 11:52:30	1	1	1	1	86.75	64.5	0	29952.607	412.9032258	12451.55328	30000		1	0	30000	44.3125	2004
22.01.2020 11:52:31	1	1	1	1	86.75	64.25	0	30000	391.3978495	11741.36385	30000		1	0	30000	44.5625	2004
22.01.2020 11:52:32	1	1	1	1	88	64.5	0	25924.171	348.3870968	8975.620363	30000		1	0	30000	44.5	2004
22.01.2020 11:52:33	1	1	1	1	88	64.5	0	29952.607	382.7956989	11548.12057	30000		1	0	30000	44.4375	2004
22.01.2020 11:52:34	1	1	1	1	88	64.25	0	29715.64	378.4946237	11247.24812	30000		1	0	30000	44	2004
22.01.2020 11:52:35	1	1	1	1	88	64	0	29905.213	404.3010753	12109.91221	30000		1	0	30000	44.5	2004
22.01.2020 11:52:36	1	1	1	1	88	64.5	0	29146.919	350.5376344	10216.61729	30000		1	0	30000	43.125	2004
22.01.2020 11:52:37	1	1	1	1	88	63	0	29620.853	412.9032258	12250.15628	30000		1	0	30000	44.4375	2004
22.01.2020 11:52:38	1	1	1	1	88	64.25	0	30000	412.9032258	12387.13886	30000		1	0	30000	44.3125	2004
22.01.2020 11:52:39	1	1	1	1	88	64.25	0	30000	404.3010753	12128.66578	30000		1	0	30000	44.5625	2004
22.01.2020 11:52:40	1	1	1	1	88	63.75	0	30000	412.9032258	12387.13886	30000		1	0	30000	44.25	2004
22.01.2020 11:52:41	1	1	1	1	86.5	64.25	0	29146.919	380.6451613	11156.74177	30000		1	0	30000	44.4375	2004
22.01.2020 11:52:48	1	1	1	1	86.5	64.5	0	29668.246	363.4408602	10782.4858	30000		1	0	30000	44.5625	2004
22.01.2020 11:52:48	1	1	1	1	86.5	64.5	0	29668.246	363.4408602	10782.4858	30000		1	0	30000	44.5625	2004
22.01.2020 11:52:48	1	1	1	1	86.5	64.5	0	29668.246	363.4408602	10782.4858	30000		1	0	30000	44.5625	2004
22.01.2020 11:52:48	1	1	1	1	86.5	64.5	0	29668.246	363.4408602	10782.4858	30000		1	0	30000	44.5625	2004
22.01.2020 11:52:48	1	1	1	1	86.5	64.5	0	29668.246	363.4408602	10782.4858	30000		1	0	30000	44.5625	2004
22.01.2020 11:52:48	1	1	1	1	86.5	64.5	0	29668.246	363.4408602	10782.4858	30000		1	0	30000	44.5625	2004
22.01.2020 11:52:48	1	1	1	1	86.5	64.5	0	30000	404.3010753	12128.66578	30000		1	0	30000	44.3125	2004
22.01.2020 11:52:49	1	1	1	1	86.5	64.25	0	29857.82	378.4946237	11319.0009	30000		1	0	30000	44.375	2004
22.01.2020 11:52:50	1	1	1	1	86.5	64.25	0	24170.616	348.3870968	8488.842986	30000		1	0	30000	43.8125	2004
22.01.2020 11:52:51	1	1	1	1	86.75	63.75	0	30000	423.655914	12709.21099	30000		1	0	30000	44.4375	2004
22.01.2020 11:52:52	1	1	1	1	86.75	64.25	0	29952.607	397.8494624	11916.66893	30000		1	0	30000	44.5	2004
22.01.2020 11:52:53	1	1	1	1	86.75	64.5	0	30000	412.9032258	12387.13886	30000		1	0	30000	44.1875	2004
22.01.2020 11:52:55	1	1	1	1	86.75	64	0	29905.213	380.6451613	11364.66176	30000		1	0	30000	44.4375	2004
22.01.2020 11:52:56	1	1	1	1	86.75	64.25	0	30000	419.3548387	12580.38214	30000		1	0	30000	44.375	2004
22.01.2020 11:52:57	1	1	1	1	86.75	64.25	0	29715.64	404.3010753	11975.37575	30000		1	0	30000	44.375	2004
22.01.2020 11:52:58	1	1	1	1	86.75	64.25	0	25165.877	372.0430108	9525.18142	30000		1	0	30000	44.3125	2004
22.01.2020 11:52:59	1	1	1	1	86.75	64.25	0	29952.607	397.8494624	11897.09999	30000		1	0	30000	44.375	2004
22.01.2020 11:53:00	1	1	1	1	86.75	64.25	0	30000	443.0107527	13289.7562	30000		1	0	30000	43.8125	2004
22.01.2020 11:53:01	1	1	1	1	86.75	63.75	0	28009.479	354.8387097	9921.45245	30000		1	0	30000	43.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers	
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]		
22.01.2020 11:53:02	1	1	1	1	86.5	63.75	0	30000	412.9032258	12387.13886	30000		1	0	30000	44.5	2004
22.01.2020 11:53:03	1	1	1	1	86.5	64.5	0	30000	460.2150538	13612.64371	30000		1	0	30000	44.3125	2004
22.01.2020 11:53:04	1	1	1	1	86.5	64.25	0	27630.332	400	11111.08091	30000		1	0	30000	44.25	2004
22.01.2020 11:53:05	1	1	1	1	86.5	64.25	0	30000	443.0107527	13354.17063	30000		1	0	30000	44.25	2004
22.01.2020 11:53:06	1	1	1	1	86.5	64.25	0	30000	466.6666667	14128.7745	30000		1	0	30000	44.375	2004
22.01.2020 11:53:07	1	1	1	1	86.5	64.25	0	30000	460.2150538	13805.88699	30000		1	0	30000	44	2004
22.01.2020 11:53:08	1	1	1	1	86.5	64	0	29952.607	481.7204301	14428.83157	30000		1	0	30000	44.3125	2004
22.01.2020 11:53:09	1	1	1	1	86.5	64.25	0	29857.82	443.0107527	13291.38695	30000		1	0	30000	44.25	2004
22.01.2020 11:53:10	1	1	1	1	86.5	64.25	0	30000	481.7204301	14451.662	30000		1	0	30000	44	2004
22.01.2020 11:53:11	1	1	1	1	86.5	64	0	30000	481.7204301	14451.662	30000		1	0	30000	43.9375	2004
22.01.2020 11:53:12	1	1	1	1	87	63.75	0	30000	486.0215054	14516.07643	30000		1	0	30000	43.625	2004
22.01.2020 11:53:13	1	1	1	1	87	63.5	0	30000	481.7204301	14451.662	30000		1	0	30000	44.25	2004
22.01.2020 11:53:14	1	1	1	1	87	64.25	0	30000	494.6236559	14644.90528	30000		1	0	30000	44.3125	2004
22.01.2020 11:53:15	1	1	1	1	87	64.25	0	29952.607	488.172043	14686.48928	30000		1	0	30000	44.5625	2004
22.01.2020 11:53:16	1	1	1	1	87	64.5	0	30000	481.7204301	14451.662	30000		1	0	30000	44.25	2004
22.01.2020 11:53:17	1	1	1	1	87	64.25	0	30000	486.0215054	14580.49085	30000		1	0	30000	44.1875	2004
22.01.2020 11:53:18	1	1	1	1	87	64	0	30000	486.0215054	14644.90528	30000		1	0	30000	44.625	2004
22.01.2020 11:53:19	1	1	1	1	87	64.5	0	30000	481.7204301	14451.662	30000		1	0	30000	44.3125	2004
22.01.2020 11:53:20	1	1	1	1	87	64.25	0	28815.166	400	11464.1372	30000		1	0	30000	44.3125	2004
22.01.2020 11:53:21	1	1	1	1	87	64.5	0	29905.213	483.8709677	14773.73413	30000		1	0	30000	44.1875	2004
22.01.2020 11:53:22	1	1	1	1	87	64	0	29620.853	460.2150538	13610.19759	30000		1	0	30000	44.1875	2004
22.01.2020 11:53:23	1	1	1	1	87	64	0	29573.46	464.516129	13737.3957	30000		1	0	30000	44.125	2004
22.01.2020 11:53:24	1	1	1	1	87	64	0	29952.607	481.7204301	14428.83157	30000		1	0	30000	43.8125	2004
22.01.2020 11:53:25	1	1	1	1	87	63.75	0	30000	507.5268817	15161.03607	30000		1	0	30000	44.25	2004
22.01.2020 11:53:26	1	1	1	1	87	64.25	0	30000	501.0752688	15032.20721	30000		1	0	30000	44.1875	2004
22.01.2020 11:53:27	1	1	1	1	87	64	0	29431.28	453.7634409	13332.97095	30000		1	0	30000	44.4375	2004
22.01.2020 11:53:28	1	1	1	1	87	64.25	0	30000	486.0215054	14580.49085	30000		1	0	30000	43.6875	2004
22.01.2020 11:53:29	1	1	1	1	87	63.5	0	30000	501.0752688	14902.56299	30000		1	0	30000	44.125	2004
22.01.2020 11:53:30	1	1	1	1	87	64	0	30000	498.9247312	14902.56299	30000		1	0	30000	43.9375	2004
22.01.2020 11:53:31	1	1	1	1	86.75	63.75	0	29952.607	486.0215054	14644.90528	30000		1	0	30000	44.0625	2004
22.01.2020 11:53:32	1	1	1	1	86.75	64	0	29336.493	481.7204301	14132.03599	30000		1	0	30000	44.4375	2004
22.01.2020 11:53:34	1	1	1	1	86.75	64.25	0	30000	483.8709677	14580.49085	30000		1	0	30000	44	2004
22.01.2020 11:53:35	1	1	1	1	86.75	64	0	29905.213	481.7204301	14406.00114	30000		1	0	30000	44.25	2004
22.01.2020 11:53:36	1	1	1	1	86.75	64.25	0	30000	453.7634409	13612.64371	30000		1	0	30000	44.375	2004
22.01.2020 11:53:37	1	1	1	1	86.75	64.25	0	29620.853	481.7204301	14291.84899	30000		1	0	30000	44.25	2004
22.01.2020 11:53:38	1	1	1	1	86.75	64.25	0	29905.213	481.7204301	14383.17071	30000		1	0	30000	44.3125	2004
22.01.2020 11:53:39	1	1	1	1	86.75	64.25	0	29952.607	464.516129	13955.10015	30000		1	0	30000	44.1875	2004
22.01.2020 11:53:40	1	1	1	1	86.75	64	0	27819.905	458.0645161	12742.64126	30000		1	0	30000	43.6875	2004
22.01.2020 11:53:41	1	1	1	1	86.75	63.5	0	28957.346	445.1612903	12890.22368	30000		1	0	30000	44.4375	2004
22.01.2020 11:53:42	1	1	1	1	87.25	64.25	0	29952.607	488.172043	14750.9037	30000		1	0	30000	44.375	2004
22.01.2020 11:53:43	1	1	1	1	87.25	64.25	0	27867.299	481.7204301	13447.12309	30000		1	0	30000	44.1875	2004
22.01.2020 11:53:49	1	1	1	1	87.25	64	0	29952.607	498.9247312	15032.20721	30000		1	0	30000	44.1875	2004
22.01.2020 11:53:49	1	1	1	1	87.25	64	0	29952.607	498.9247312	15032.20721	30000		1	0	30000	44.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers	
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]		
22.01.2020 11:53:49	1	1	1	1	87.25	64	0	29952.607	498.9247312	15032.20721	30000		1	0	30000	44.1875	2004
22.01.2020 11:53:49	1	1	1	1	87.25	64	0	29952.607	498.9247312	15032.20721	30000		1	0	30000	44.1875	2004
22.01.2020 11:53:49	1	1	1	1	87.25	64	0	29952.607	498.9247312	15032.20721	30000		1	0	30000	44.1875	2004
22.01.2020 11:53:49	1	1	1	1	87.25	64	0	29952.607	498.9247312	15032.20721	30000		1	0	30000	44.1875	2004
22.01.2020 11:53:50	1	1	1	1	87.25	64	0	30000	507.5268817	15161.03607	30000		1	0	30000	43.75	2004
22.01.2020 11:53:51	1	1	1	1	87.25	63.75	0	29905.213	486.0215054	14534.01462	30000		1	0	30000	44.25	2004
22.01.2020 11:53:52	1	1	1	1	87	64.25	0	29526.066	494.6236559	14691.38151	30000		1	0	30000	44.1875	2004
22.01.2020 11:53:53	1	1	1	1	87	64	0	29336.493	466.6666667	13668.08904	30000		1	0	30000	44.3125	2004
22.01.2020 11:53:54	1	1	1	1	87	64.25	0	28436.019	494.6236559	14149.15881	30000		1	0	30000	44.375	2004
22.01.2020 11:53:55	1	1	1	1	87	64.25	0	30000	533.3333333	15781.53453	30000		1	0	30000	44.375	2004
22.01.2020 11:53:56	1	1	1	1	87	64.25	0	30000	509.6774194	15483.92357	30000		1	0	30000	44.5	2004
22.01.2020 11:53:57	1	1	1	1	87	64.5	0	29146.919	481.7204301	14102.68258	30000		1	0	30000	44.625	2004
22.01.2020 11:53:58	1	1	1	1	87	64.5	0	28957.346	468.8172043	13575.13657	30000		1	0	30000	44.6875	2004
22.01.2020 11:53:59	1	1	1	1	87	64.5	0	29620.853	541.9354839	16179.43631	30000		1	0	30000	44.75	2004
22.01.2020 11:54:00	1	1	1	1	87	64.25	0	29715.64	539.7849462	16040.00761	30000		1	0	30000	44.3125	2004
22.01.2020 11:54:01	1	1	1	1	87.75	64.25	0	29431.28	541.9354839	15885.90221	30000		1	0	30000	44.5	2004
22.01.2020 11:54:02	1	1	1	1	87.75	64.5	0	29952.607	516.1290323	15459.4624	30000		1	0	30000	44.5	2004
22.01.2020 11:54:03	1	1	1	1	87.75	64.5	0	26966.825	494.6236559	13337.86318	30000		1	0	30000	44.3125	2004
22.01.2020 11:54:04	1	1	1	1	87.75	64.25	0	29905.213	520.4301075	15805.99571	30000		1	0	30000	44.3125	2004
22.01.2020 11:54:05	1	1	1	1	87.75	64.25	0	29715.64	541.9354839	15988.63914	30000		1	0	30000	44.375	2004
22.01.2020 11:54:06	1	1	1	1	87.75	64.25	0	29289.1	505.3763441	14729.70402	30000		1	0	30000	44.3125	2004
22.01.2020 11:54:07	1	1	1	1	87.75	64.25	0	29857.82	537.6344086	16090.5607	30000		1	0	30000	44.4375	2004
22.01.2020 11:54:08	1	1	1	1	87.75	64.25	0	29857.82	518.2795699	15474.1391	30000		1	0	30000	44.4375	2004
22.01.2020 11:54:09	1	1	1	1	87.75	64.25	0	29526.066	537.6344086	15937.27068	30000		1	0	30000	44.625	2004
22.01.2020 11:54:10	1	1	1	1	87.75	64.5	0	29763.033	541.9354839	16103.60666	30000		1	0	30000	44.5	2004
22.01.2020 11:54:11	1	1	1	1	88	64.5	0	28578.199	483.8709677	13827.90205	30000		1	0	30000	44.25	2004
22.01.2020 11:54:12	1	1	1	1	88	64.25	0	29241.706	488.172043	14274.72617	30000		1	0	30000	44.375	2004
22.01.2020 11:54:14	1	1	1	1	88	64.25	0	29905.213	520.4301075	15652.70568	30000		1	0	30000	43.8125	2004
22.01.2020 11:54:15	1	1	1	1	88	63.75	0	26208.531	486.0215054	12816.84016	30000		1	0	30000	43.8125	2004
22.01.2020 11:54:16	1	1	1	1	88	63.75	0	27109.005	501.0752688	13606.9361	30000		1	0	30000	44.1875	2004
22.01.2020 11:54:17	1	1	1	1	88	64	0	28578.199	516.1290323	14774.54951	30000		1	0	30000	43.4375	2004
22.01.2020 11:54:18	1	1	1	1	88	63.25	0	29715.64	537.6344086	15975.59318	30000		1	0	30000	43.6875	2004
22.01.2020 11:54:19	1	1	1	1	88	63.5	0	29952.607	518.2795699	15548.338	30000		1	0	30000	44.25	2004
22.01.2020 11:54:20	1	1	1	1	88	64.25	0	29905.213	488.172043	14598.42905	30000		1	0	30000	44.3125	2004
22.01.2020 11:54:21	1	1	1	1	88	64.25	0	29905.213	494.6236559	14791.67233	30000		1	0	30000	44.3125	2004
22.01.2020 11:54:22	1	1	1	1	88.5	64.25	0	30000	524.7311828	15677.16685	30000		1	0	30000	44.5	2004
22.01.2020 11:54:23	1	1	1	1	88.5	64.5	0	29857.82	488.172043	14598.42905	30000		1	0	30000	44.125	2004
22.01.2020 11:54:24	1	1	1	1	88.5	64	0	29905.213	503.2258065	15161.03607	30000		1	0	30000	44	2004
22.01.2020 11:54:25	1	1	1	1	88.5	64	0	28388.626	455.9139785	12942.40752	30000		1	0	30000	43.875	2004
22.01.2020 11:54:26	1	1	1	1	88.5	63.75	0	26018.957	468.8172043	12276.2482	30000		1	0	30000	43.9375	2004
22.01.2020 11:54:27	1	1	1	1	88.5	63.75	0	29952.607	503.2258065	14984.10024	30000		1	0	30000	44.25	2004
22.01.2020 11:54:28	1	1	1	1	88.5	64.25	0	30000	505.3763441	15225.45049	30000		1	0	30000	44.5	2004
22.01.2020 11:54:29	1	1	1	1	88.5	64.5	0	26066.351	464.516129	12108.28147	30000		1	0	30000	43.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers	
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]		
22.01.2020 11:54:30	1	1	1	1	88.5	63.25	0	26066.351	464.516129	12108.28147	30000		1	0	30000	44.25	2004
22.01.2020 11:54:31	1	1	1	1	88.5	64.25	0	29905.213	501.0752688	15161.03607	30000		1	0	30000	43.4375	2004
22.01.2020 11:54:32	1	1	1	1	88.75	63.25	0	29857.82	481.7204301	14406.00114	30000		1	0	30000	44.5625	2004
22.01.2020 11:54:33	1	1	1	1	88.75	64.5	0	30000	509.6774194	15289.86492	30000		1	0	30000	44.25	2004
22.01.2020 11:54:34	1	1	1	1	88.75	64.25	0	30000	496.7741935	15032.20721	30000		1	0	30000	44.75	2004
22.01.2020 11:54:35	1	1	1	1	88.75	64.75	0	27298.578	445.1612903	12152.31158	30000		1	0	30000	44	2004
22.01.2020 11:54:36	1	1	1	1	88.75	64	0	29146.919	481.7204301	14040.71427	30000		1	0	30000	44.1875	2004
22.01.2020 11:54:37	1	1	1	1	88.75	64.25	0	29905.213	481.7204301	14406.00114	30000		1	0	30000	44.375	2004
22.01.2020 11:54:38	1	1	1	1	88.75	64.25	0	28815.166	458.0645161	13199.24986	30000		1	0	30000	44.5625	2004
22.01.2020 11:54:39	1	1	1	1	88.75	64.5	0	28578.199	458.0645161	13089.98994	30000		1	0	30000	44.4375	2004
22.01.2020 11:54:40	1	1	1	1	88.75	64.25	0	29668.246	481.7204301	14314.67942	30000		1	0	30000	44.4375	2004
22.01.2020 11:54:41	1	1	1	1	88.75	64.25	0	30000	522.5806452	15677.16685	30000		1	0	30000	44.25	2004
22.01.2020 11:54:42	1	1	1	1	88.75	64.25	0	29336.493	481.7204301	14132.03599	30000		1	0	30000	44.3125	2004
22.01.2020 11:54:43	1	1	1	1	88.75	64.25	0	28578.199	483.8709677	13827.90205	30000		1	0	30000	44	2004
22.01.2020 11:54:44	1	1	1	1	88.75	64	0	28483.412	438.7096774	12495.5834	30000		1	0	30000	44.125	2004
22.01.2020 11:54:51	1	1	1	1	88.75	63.75	0	30000	505.3763441	15225.45049	30000		1	0	30000	43.5625	2004
22.01.2020 11:54:51	1	1	1	1	88.75	63.75	0	30000	505.3763441	15225.45049	30000		1	0	30000	43.5625	2004
22.01.2020 11:54:51	1	1	1	1	88.75	63.75	0	30000	505.3763441	15225.45049	30000		1	0	30000	43.5625	2004
22.01.2020 11:54:51	1	1	1	1	88.75	63.75	0	30000	505.3763441	15225.45049	30000		1	0	30000	43.5625	2004
22.01.2020 11:54:51	1	1	1	1	88.75	63.75	0	30000	505.3763441	15225.45049	30000		1	0	30000	43.5625	2004
22.01.2020 11:54:51	1	1	1	1	88.75	63.75	0	30000	505.3763441	15225.45049	30000		1	0	30000	43.5625	2004
22.01.2020 11:54:52	1	1	1	1	88.75	63.5	0	29715.64	468.8172043	13930.63898	30000		1	0	30000	44.5	2004
22.01.2020 11:54:53	1	1	1	1	88.75	64.5	0	28815.166	451.6129032	13075.31324	30000		1	0	30000	44.375	2004
22.01.2020 11:54:54	1	1	1	1	88.75	64.25	0	29241.706	453.7634409	13437.33862	30000		1	0	30000	43.625	2004
22.01.2020 11:54:55	1	1	1	1	88.75	63.5	0	29952.607	494.6236559	14838.14856	30000		1	0	30000	44.3125	2004
22.01.2020 11:54:56	1	1	1	1	88.75	64.25	0	29905.213	466.6666667	13891.5011	30000		1	0	30000	44.1875	2004
22.01.2020 11:54:57	1	1	1	1	88.75	64	0	30000	494.6236559	14838.14856	30000		1	0	30000	43.8125	2004
22.01.2020 11:54:58	1	1	1	1	88.75	63.75	0	28815.166	445.1612903	12827.44	30000		1	0	30000	44.25	2004
22.01.2020 11:54:59	1	1	1	1	88.75	64.25	0	30000	505.3763441	15161.03607	30000		1	0	30000	44.375	2004
22.01.2020 11:55:00	1	1	1	1	88.75	64.25	0	29810.427	488.172043	14703.6121	30000		1	0	30000	44.5	2004
22.01.2020 11:55:01	1	1	1	1	88.75	64.5	0	30000	488.172043	14622.07485	30000		1	0	30000	43.75	2004
22.01.2020 11:55:02	1	1	1	1	88.25	63.75	0	29905.213	490.3225806	14686.48928	30000		1	0	30000	44.25	2004
22.01.2020 11:55:03	1	1	1	1	88.25	64.25	0	29952.607	488.172043	14644.90528	30000		1	0	30000	44.3125	2004
22.01.2020 11:55:04	1	1	1	1	88.25	64.25	0	29857.82	481.7204301	14383.17071	30000		1	0	30000	44.5	2004
22.01.2020 11:55:05	1	1	1	1	88.25	64.5	0	30000	492.4731183	14773.73413	30000		1	0	30000	44.25	2004
22.01.2020 11:55:06	1	1	1	1	88.25	64.25	0	30047.393	501.0752688	15032.20721	30000		1	0	30000	44.5625	2004
22.01.2020 11:55:07	1	1	1	1	88.25	64.5	0	29810.427	481.7204301	14469.6002	30000		1	0	30000	44.0625	2004
22.01.2020 11:55:08	1	1	1	1	88.25	64	0	30000	492.4731183	14773.73413	30000		1	0	30000	44.375	2004
22.01.2020 11:55:09	1	1	1	1	88.25	64.25	0	29905.213	481.7204301	14083.92901	30000		1	0	30000	44.125	2004
22.01.2020 11:55:10	1	1	1	1	88.25	64	0	30000	505.3763441	15225.45049	30000		1	0	30000	44.3125	2004
22.01.2020 11:55:14	1	1	1	1	89	64.5	0	30000	501.0752688	15032.20721	30000		1	0	30000	44.625	2004
22.01.2020 11:55:14	1	1	1	1	89	64.5	0	30000	501.0752688	15032.20721	30000		1	0	30000	44.625	2004
22.01.2020 11:55:14	1	1	1	1	89	64.5	0	30000	501.0752688	15032.20721	30000		1	0	30000	44.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers	
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]		
22.01.2020 11:55:14	1	1	1	1	89	64.5	0	29857.82	481.7204301	14360.34028	30000		1	0	30000	44.625	2004
22.01.2020 11:55:15	1	1	1	1	89	64.5	0	29952.607	483.8709677	14493.246	30000		1	0	30000	44.625	2004
22.01.2020 11:55:16	1	1	1	1	89	64.5	0	30000	481.7204301	14451.662	30000		1	0	30000	43.75	2004
22.01.2020 11:55:17	1	1	1	1	89	63.75	0	29715.64	468.8172043	13867.03993	30000		1	0	30000	43.875	2004
22.01.2020 11:55:18	1	1	1	1	89	63.75	0	30000	481.7204301	14451.662	30000		1	0	30000	44.3125	2004
22.01.2020 11:55:19	1	1	1	1	89	64.25	0	29905.213	481.7204301	14406.00114	30000		1	0	30000	44	2004
22.01.2020 11:55:20	1	1	1	1	89	64	0	29146.919	468.8172043	13708.85766	30000		1	0	30000	44.375	2004
22.01.2020 11:55:21	1	1	1	1	89.25	64.25	0	30000	496.7741935	14902.56299	30000		1	0	30000	44.0625	2004
22.01.2020 11:55:22	1	1	1	1	89.25	64	0	29952.607	498.9247312	15032.20721	30000		1	0	30000	44.4375	2004
22.01.2020 11:55:23	1	1	1	1	89.25	64.25	0	29952.607	496.7741935	14727.2579	30000		1	0	30000	44.4375	2004
22.01.2020 11:55:24	1	1	1	1	89.25	64.25	0	29905.213	481.7204301	13955.10015	30000		1	0	30000	44.5	2004
22.01.2020 11:55:25	1	1	1	1	89.25	64.5	0	29952.607	483.8709677	14644.90528	30000		1	0	30000	44.125	2004
22.01.2020 11:55:26	1	1	1	1	89.25	64	0	29905.213	481.7204301	14451.662	30000		1	0	30000	44.5	2004
22.01.2020 11:55:28	1	1	1	1	89.25	64.5	0	30000	492.4731183	14838.14856	30000		1	0	30000	44.1875	2004
22.01.2020 11:55:29	1	1	1	1	89.25	64	0	30000	481.7204301	14406.00114	30000		1	0	30000	44.125	2004
22.01.2020 11:55:30	1	1	1	1	89.25	64	0	30000	481.7204301	14538.90686	30000		1	0	30000	44.3125	2004
22.01.2020 11:55:31	1	1	1	1	89.25	64.25	0	30000	483.8709677	14644.90528	30000		1	0	30000	44.4375	2004
22.01.2020 11:55:32	1	1	1	1	89.25	64.25	0	29620.853	481.7204301	14269.01856	30000		1	0	30000	44.5	2004
22.01.2020 11:55:33	1	1	1	1	89.25	64.5	0	28009.479	481.7204301	13492.78395	30000		1	0	30000	43.875	2004
22.01.2020 11:55:34	1	1	1	1	89.25	63.75	0	29715.64	466.6666667	13803.44087	30000		1	0	30000	44.375	2004
22.01.2020 11:55:35	1	1	1	1	89.25	64.25	0	29857.82	464.516129	13805.07162	30000		1	0	30000	44.0625	2004
22.01.2020 11:55:36	1	1	1	1	89.25	64	0	30000	488.172043	14644.90528	30000		1	0	30000	44.1875	2004
22.01.2020 11:55:37	1	1	1	1	89.25	64	0	28530.806	453.7634409	12967.68407	30000		1	0	30000	43.25	2004
22.01.2020 11:55:38	1	1	1	1	89.25	63.25	0	30000	481.7204301	14128.7745	30000		1	0	30000	44.3125	2004
22.01.2020 11:55:39	1	1	1	1	89.25	64.25	0	29952.607	481.7204301	14451.662	30000		1	0	30000	44.5	2004
22.01.2020 11:55:40	1	1	1	1	89.25	64.5	0	29146.919	458.0645161	13350.90914	30000		1	0	30000	44.0625	2004
22.01.2020 11:55:41	1	1	1	1	89.25	64	0	30000	466.6666667	13999.94564	30000		1	0	30000	44.5625	2004
22.01.2020 11:55:42	1	1	1	1	89.25	64.5	0	29952.607	468.8172043	14451.662	30000		1	0	30000	44.5625	2004
22.01.2020 11:55:43	1	1	1	1	89.25	64.5	0	29905.213	468.8172043	14019.51458	30000		1	0	30000	44.25	2004
22.01.2020 11:55:44	1	1	1	1	89.25	64.25	0	29857.82	464.516129	13869.48604	30000		1	0	30000	44	2004
22.01.2020 11:55:45	1	1	1	1	89.25	64	0	30000	496.7741935	14902.56299	30000		1	0	30000	43.5	2004
22.01.2020 11:55:46	1	1	1	1	89.25	63.5	0	30000	481.7204301	14451.662	30000		1	0	30000	43.5625	2004
22.01.2020 11:55:53	1	1	1	1	89.5	64.5	0	29952.607	453.7634409	13612.64371	30000		1	0	30000	44.0625	2004
22.01.2020 11:55:53	1	1	1	1	89.5	64.5	0	29952.607	453.7634409	13612.64371	30000		1	0	30000	44.0625	2004
22.01.2020 11:55:53	1	1	1	1	89.5	64.5	0	29952.607	453.7634409	13612.64371	30000		1	0	30000	44.0625	2004
22.01.2020 11:55:53	1	1	1	1	89.5	64.5	0	29952.607	453.7634409	13612.64371	30000		1	0	30000	44.0625	2004
22.01.2020 11:55:53	1	1	1	1	89.5	64	0	29620.853	453.7634409	13461.7998	30000		1	0	30000	44.625	2004
22.01.2020 11:55:54	1	1	1	1	89.5	63.75	0	30000	481.7204301	14451.662	30000		0	0	30000	44.4375	2004
22.01.2020 11:55:55	1	1	1	1	89.5	64.25	0	10426.54	0	0	30000		0	0	30000	44.5625	2004
22.01.2020 11:55:56	1	1	1	1	89.5	64.5	0	11327.014	0	0	30000		0	0	30000	44.5625	2004
22.01.2020 11:55:57	1	1	1	1	89.5	64.5	0	12085.308	0	0	30000		0	0	30000	44.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 11:55:58	1	1	1	1	89.5	64.5	0	12843.602	2.150537634	26.90729215	30000	0	0	30000	44.625	2004
22.01.2020 11:55:59	1	1	1	1	89.5	64.5	0	12227.488	0	0	30000	0	0	30000	44.4375	2004
22.01.2020 11:56:00	1	1	1	1	89.5	64.25	0	14407.583	12.90322581	185.9049276	30000	0	0	30000	44.5	2004
22.01.2020 11:56:01	1	1	1	1	90.25	64.5	0	15165.877	19.35483871	293.5340962	30000	0	0	30000	44.5	2004
22.01.2020 11:56:02	1	1	1	1	90.25	64.5	0	15639.81	25.80645161	437.0396543	30000	0	0	30000	44.375	2004
22.01.2020 11:56:03	1	1	1	1	90.25	64.25	0	16729.858	34.40860215	611.529367	30000	0	0	30000	44.4375	2004
22.01.2020 11:56:04	1	1	1	1	90.25	64.25	0	17488.152	45.16129032	789.2805697	30000	0	0	30000	44.625	2004
22.01.2020 11:56:06	1	1	1	1	90.25	64.5	0	18293.839	55.91397849	1022.477102	30000	0	0	30000	44.5	2004
22.01.2020 11:56:07	1	1	1	1	90.25	64.5	0	16398.104	51.61290323	848.8027614	30000	0	0	30000	44.5625	2004
22.01.2020 11:56:08	1	1	1	1	90.25	64.5	0	17867.299	66.66666667	1190.443834	30000	0	0	30000	44.5	2004
22.01.2020 11:56:09	1	1	1	1	90.25	64.5	0	20521.327	94.62365591	1941.401897	30000	0	0	30000	44.625	2004
22.01.2020 11:56:10	1	1	1	1	90.25	64.5	0	21279.621	105.3763441	2242.274346	30000	0	0	30000	44.375	2004
22.01.2020 11:56:11	1	1	1	1	90.25	64.25	0	22132.701	129.0322581	3046.23162	30000	0	0	30000	44.5625	2004
22.01.2020 11:56:12	1	1	1	1	90.25	64.5	0	22843.602	137.6344086	3199.521648	30000	0	0	30000	44.625	2004
22.01.2020 11:56:13	1	1	1	1	90.25	64.5	0	23601.896	169.8924731	4001.032805	30000	0	0	30000	44.6875	2004
22.01.2020 11:56:14	1	1	1	1	90.25	64.5	0	24218.009	184.9462366	4504.933004	30000	0	0	30000	44.375	2004
22.01.2020 11:56:15	1	1	1	1	90.25	64.25	0	25213.27	206.4516129	5195.553502	30000	0	0	30000	44.6875	2004
22.01.2020 11:56:16	1	1	1	1	90.25	64.5	0	25639.81	210.7526882	5468.703286	30000	0	0	30000	44.625	2004
22.01.2020 11:56:17	1	1	1	1	90.25	64.5	0	26587.678	240.8602151	6346.044084	30000	0	0	30000	44.375	2004
22.01.2020 11:56:18	1	1	1	1	90.25	64.25	0	27582.938	294.6236559	8304.568804	30000	0	0	30000	44.375	2004
22.01.2020 11:56:19	1	1	1	1	90.25	64.25	0	27630.332	356.9892473	9990.759112	30000	0	0	30000	44.5625	2004
22.01.2020 11:56:20	1	1	1	1	90.25	64.5	0	27156.398	346.2365591	9402.060174	30000	0	0	30000	44.5	2004
22.01.2020 11:56:21	1	1	1	1	90.25	64.5	0	28483.412	395.6989247	11270.89392	30000	0	0	30000	44.4375	2004
22.01.2020 11:56:22	1	1	1	1	89.5	64.25	0	28578.199	443.0107527	12681.48833	30000	0	0	30000	44.5	2004
22.01.2020 11:56:23	1	1	1	1	89.5	64.5	0	27914.692	427.9569892	11946.02234	30000	0	0	30000	44.4375	2004
22.01.2020 11:56:24	1	1	1	1	89.5	64.25	0	28862.559	434.4086022	12476.01446	30000	0	0	30000	44.4375	2004
22.01.2020 11:56:25	1	1	1	1	89.5	64.25	0	29241.706	453.7634409	13268.55652	30000	0	0	30000	44.3125	2004
22.01.2020 11:56:26	1	1	1	1	89.5	64.25	0	29146.919	438.7096774	12912.23874	30000	0	0	30000	44.5	2004
22.01.2020 11:56:27	1	1	1	1	89.5	64.5	0	29383.886	445.1612903	13059.00579	30000	0	0	30000	44.5	2004
22.01.2020 11:56:28	1	1	1	1	89.5	64.5	0	29383.886	445.1612903	13101.40516	30000	0	0	30000	44.5	2004
22.01.2020 11:56:29	1	1	1	1	89.5	64.5	0	29620.853	494.6236559	14650.61289	30000	0	0	30000	43.875	2004
22.01.2020 11:56:30	1	1	1	1	89.5	63.75	0	29336.493	464.516129	13627.32041	30000	0	0	30000	44.6875	2004
22.01.2020 11:56:31	1	1	1	1	89.5	64.5	0	29715.64	501.0752688	14913.16283	30000	0	0	30000	44.4375	2004
22.01.2020 11:56:32	1	1	1	1	89.25	64.25	0	28009.479	470.9677419	13280.78711	30000	0	0	30000	44.1875	2004
22.01.2020 11:56:33	1	1	1	1	89.25	64	0	27109.005	488.172043	13350.09377	30000	0	0	30000	44.5625	2004
22.01.2020 11:56:34	1	1	1	1	89.25	64.25	0	30000	507.5268817	15161.03607	30000	0	0	30000	44.375	2004
22.01.2020 11:56:35	1	1	1	1	89.25	64.25	0	29668.246	481.7204301	14314.67942	30000	0	0	30000	43.8125	2004
22.01.2020 11:56:36	1	1	1	1	89.25	63.75	0	28862.559	481.7204301	13903.73169	30000	0	0	30000	44.5	2004
22.01.2020 11:56:37	1	1	1	1	89.25	64.5	0	30047.393	498.9247312	14773.73413	30000	0	0	30000	44.3125	2004
22.01.2020 11:56:38	1	1	1	1	89.25	64.25	0	29952.607	492.4731183	14902.56299	30000	0	0	30000	44.5625	2004
22.01.2020 11:56:39	1	1	1	1	89.25	64.5	0	30000	507.5268817	15289.86492	30000	0	0	30000	44.375	2004
22.01.2020 11:56:40	1	1	1	1	89.25	64.25	0	29952.607	488.172043	14644.90528	30000	0	0	30000	44.375	2004
22.01.2020 11:56:41	1	1	1	1	89	64.25	0	29857.82	481.7204301	14360.34028	30000	0	0	30000	43.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 11:56:42	1	1	1	1	89	63.5	0	30000	533.3333333	15756.25798	30000	0	0	30000	44.5625	2004
22.01.2020 11:56:44	1	1	1	1	89	64.5	0	29810.427	483.8709677	14378.27848	30000	0	0	30000	44.3125	2004
22.01.2020 11:56:45	1	1	1	1	89	64.25	0	30000	509.6774194	15354.27935	30000	0	0	30000	44.5625	2004
22.01.2020 11:56:46	1	1	1	1	89	64.5	0	30000	516.1290323	15459.4624	30000	0	0	30000	44.1875	2004
22.01.2020 11:56:47	1	1	1	1	89	64	0	29952.607	496.7741935	14902.56299	30000	0	0	30000	44.0625	2004
22.01.2020 11:56:48	1	1	1	1	89	64	0	30000	516.1290323	15266.21912	30000	0	0	30000	44	2004
22.01.2020 11:56:54	1	1	1	1	89.5	64	0	28815.166	455.9139785	13385.15478	30000	0	0	30000	43.75	2004
22.01.2020 11:56:54	1	1	1	1	89.5	64	0	28815.166	455.9139785	13385.15478	30000	0	0	30000	43.75	2004
22.01.2020 11:56:54	1	1	1	1	89.5	64	0	28815.166	455.9139785	13385.15478	30000	0	0	30000	43.75	2004
22.01.2020 11:56:54	1	1	1	1	89.5	64	0	28815.166	455.9139785	13385.15478	30000	0	0	30000	43.75	2004
22.01.2020 11:56:54	1	1	1	1	89.5	64	0	28815.166	455.9139785	13385.15478	30000	0	0	30000	43.75	2004
22.01.2020 11:56:55	1	1	1	1	89.5	63.75	0	29952.607	501.0752688	14984.10024	30000	0	0	30000	44.5625	2004
22.01.2020 11:56:56	1	1	1	1	89.5	64.5	0	29715.64	535.483871	15720.38159	30000	0	0	30000	44.4375	2004
22.01.2020 11:56:57	1	1	1	1	89.5	64.25	0	29952.607	496.7741935	15008.56141	30000	0	0	30000	43.9375	2004
22.01.2020 11:56:58	1	1	1	1	89.5	63.75	0	29905.213	501.0752688	14856.08676	30000	0	0	30000	44.4375	2004
22.01.2020 11:56:59	1	1	1	1	89.5	64.25	0	29715.64	516.1290323	15312.69535	30000	0	0	30000	44.3125	2004
22.01.2020 11:57:00	1	1	1	1	89.5	64.25	0	28293.839	481.7204301	13629.76653	30000	0	0	30000	44.125	2004
22.01.2020 11:57:01	1	1	1	1	89.5	64	0	30000	529.0322581	16000.05436	30000	0	0	30000	43.5625	2004
22.01.2020 11:57:02	1	1	1	1	89.75	63.5	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	44.5625	2004
22.01.2020 11:57:03	1	1	1	1	89.75	64.5	0	29810.427	539.7849462	16154.97513	30000	0	0	30000	44.625	2004
22.01.2020 11:57:04	1	1	1	1	89.75	64.5	0	30000	529.0322581	15934.82456	30000	0	0	30000	44.4375	2004
22.01.2020 11:57:05	1	1	1	1	89.75	64.25	0	29526.066	496.7741935	14691.38151	30000	0	0	30000	44.0625	2004
22.01.2020 11:57:06	1	1	1	1	89.75	64	0	29905.213	529.0322581	15795.39586	30000	0	0	30000	44.5625	2004
22.01.2020 11:57:07	1	1	1	1	89.75	64.5	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	44.3125	2004
22.01.2020 11:57:08	1	1	1	1	89.75	64.25	0	29431.28	544.0860215	16038.37687	30000	0	0	30000	44.4375	2004
22.01.2020 11:57:09	1	1	1	1	89.75	64.25	0	29478.673	501.0752688	14794.11845	30000	0	0	30000	44.1875	2004
22.01.2020 11:57:10	1	1	1	1	89.75	64	0	29715.64	544.0860215	16167.20572	30000	0	0	30000	44.4375	2004
22.01.2020 11:57:11	1	1	1	1	89.75	64.25	0	27393.365	496.7741935	13525.39885	30000	0	0	30000	44.5	2004
22.01.2020 11:57:12	1	1	1	1	90.25	64.5	0	29431.28	539.7849462	16000.86973	30000	0	0	30000	44.25	2004
22.01.2020 11:57:13	1	1	1	1	90.25	64.75	0	29715.64	546.2365591	16052.2382	30000	0	0	30000	44.1875	2004
22.01.2020 11:57:14	1	1	1	1	90.25	64	0	29336.493	544.0860215	15898.1328	30000	0	0	30000	44.5625	2004
22.01.2020 11:57:15	1	1	1	1	90.25	64.5	0	29668.246	537.6344086	16040.00761	30000	0	0	30000	44.3125	2004
22.01.2020 11:57:16	1	1	1	1	90.25	64.25	0	29810.427	535.483871	15962.54722	30000	0	0	30000	44.3125	2004
22.01.2020 11:57:17	1	1	1	1	90.25	64.25	0	29905.213	518.2795699	15474.1391	30000	0	0	30000	44	2004
22.01.2020 11:57:18	1	1	1	1	90.25	64	0	29573.46	496.7741935	14691.38151	30000	0	0	30000	44.25	2004
22.01.2020 11:57:19	1	1	1	1	90.25	64.25	0	29810.427	537.6344086	16052.2382	30000	0	0	30000	44.3125	2004
22.01.2020 11:57:20	1	1	1	1	90.25	64.25	0	29857.82	488.172043	14616.36724	30000	0	0	30000	44.625	2004
22.01.2020 11:57:21	1	1	1	1	90.75	64.5	0	29857.82	535.483871	15987.82377	30000	0	0	30000	44.4375	2004
22.01.2020 11:57:23	1	1	1	1	90.75	64.25	0	29857.82	516.1290323	15435.00122	30000	0	0	30000	44.4375	2004
22.01.2020 11:57:24	1	1	1	1	90.75	64.25	0	29857.82	509.6774194	15193.65097	30000	0	0	30000	44.375	2004
22.01.2020 11:57:25	1	1	1	1	90.75	64.25	0	29620.853	539.7849462	15963.3626	30000	0	0	30000	43.875	2004
22.01.2020 11:57:26	1	1	1	1	90.75	63.75	0	29715.64	524.7311828	15655.96717	30000	0	0	30000	44.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 11:57:27	1	1	1	1	90.75	64	0	28957.346	481.7204301	13637.92026	30000	0	0	30000	44.375	2004
22.01.2020 11:57:28	1	1	1	1	90.75	64.25	0	29336.493	541.9354839	15960.91648	30000	0	0	30000	44.5	2004
22.01.2020 11:57:29	1	1	1	1	90.75	64.5	0	29526.066	541.9354839	15963.3626	30000	0	0	30000	44.625	2004
22.01.2020 11:57:30	1	1	1	1	90.75	64.5	0	28815.166	511.827957	14958.82369	30000	0	0	30000	44.4375	2004
22.01.2020 11:57:31	1	1	1	1	90.75	64.25	0	29715.64	526.8817204	15655.96717	30000	0	0	30000	44	2004
22.01.2020 11:57:32	1	1	1	1	91	64	0	29478.673	537.6344086	15873.67162	30000	0	0	30000	44.4375	2004
22.01.2020 11:57:33	1	1	1	1	91	64.25	0	29715.64	535.483871	15911.99413	30000	0	0	30000	44	2004
22.01.2020 11:57:34	1	1	1	1	91	64	0	29810.427	533.3333333	15962.54722	30000	0	0	30000	44.25	2004
22.01.2020 11:57:35	1	1	1	1	91	64.25	0	29715.64	537.6344086	15911.99413	30000	0	0	30000	44	2004
22.01.2020 11:57:36	1	1	1	1	91	64	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	44.25	2004
22.01.2020 11:57:37	1	1	1	1	91	64.25	0	29715.64	535.483871	16103.60666	30000	0	0	30000	44.1875	2004
22.01.2020 11:57:38	1	1	1	1	91	64	0	29526.066	537.6344086	15899.76354	30000	0	0	30000	44.1875	2004
22.01.2020 11:57:39	1	1	1	1	91	64	0	29573.46	537.6344086	15925.04009	30000	0	0	30000	44.3125	2004
22.01.2020 11:57:40	1	1	1	1	91	64.25	0	29526.066	529.0322581	15836.16449	30000	0	0	30000	44.0625	2004
22.01.2020 11:57:41	1	1	1	1	91	64	0	29810.427	518.2795699	15449.67793	30000	0	0	30000	44.5625	2004
22.01.2020 11:57:42	1	1	1	1	91.25	64.5	0	29620.853	537.6344086	15925.04009	30000	0	0	30000	44.5625	2004
22.01.2020 11:57:43	1	1	1	1	91.25	64.5	0	29952.607	524.7311828	15805.99571	30000	0	0	30000	43.8125	2004
22.01.2020 11:57:44	1	1	1	1	91.25	63.75	0	29952.607	516.1290323	15483.92357	30000	0	0	30000	44.5	2004
22.01.2020 11:57:45	1	1	1	1	91.25	64.5	0	28815.166	486.0215054	13942.86957	30000	0	0	30000	44.5	2004
22.01.2020 11:57:46	1	1	1	1	91.25	64.5	0	29905.213	505.3763441	15177.34352	30000	0	0	30000	44.6875	2004
22.01.2020 11:57:47	1	1	1	1	91.25	64.5	0	26540.284	488.172043	12956.26886	30000	0	0	30000	44.5625	2004
22.01.2020 11:57:48	1	1	1	1	91.25	64.5	0	29763.033	537.6344086	15975.59318	30000	0	0	30000	44.4375	2004
22.01.2020 11:57:49	1	1	1	1	91.25	64.25	0	27914.692	483.8709677	13483.81486	30000	0	0	30000	44	2004
22.01.2020 11:57:56	1	1	1	1	92	63.75	0	29952.607	537.6344086	16141.92917	30000	0	0	30000	44.25	2004
22.01.2020 11:57:56	1	1	1	1	92	63.75	0	29952.607	537.6344086	16141.92917	30000	0	0	30000	44.25	2004
22.01.2020 11:57:56	1	1	1	1	92	63.75	0	29952.607	537.6344086	16141.92917	30000	0	0	30000	44.25	2004
22.01.2020 11:57:56	1	1	1	1	92	63.75	0	29952.607	537.6344086	16141.92917	30000	0	0	30000	44.25	2004
22.01.2020 11:57:56	1	1	1	1	92	63.75	0	29952.607	537.6344086	16141.92917	30000	0	0	30000	44.25	2004
22.01.2020 11:57:56	1	1	1	1	92	64.25	0	29857.82	494.6236559	14856.08676	30000	0	0	30000	44.5625	2004
22.01.2020 11:57:57	1	1	1	1	92	64.5	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	44.4375	2004
22.01.2020 11:57:58	1	1	1	1	92	64.25	0	29715.64	494.6236559	14808.79515	30000	0	0	30000	44.4375	2004
22.01.2020 11:57:59	1	1	1	1	92	64.25	0	29905.213	539.7849462	16141.92917	30000	0	0	30000	44.5625	2004
22.01.2020 11:58:00	1	1	1	1	92	64.5	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	44.5625	2004
22.01.2020 11:58:02	1	1	1	1	91.75	64.5	0	29763.033	531.1827957	15962.54722	30000	0	0	30000	43.9375	2004
22.01.2020 11:58:03	1	1	1	1	91.75	63.75	0	29715.64	544.0860215	16103.60666	30000	0	0	30000	43.5625	2004
22.01.2020 11:58:04	1	1	1	1	91.75	63.5	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	44.5625	2004
22.01.2020 11:58:05	1	1	1	1	91.75	64.5	0	29526.066	541.9354839	15937.27068	30000	0	0	30000	44.625	2004
22.01.2020 11:58:06	1	1	1	1	91.75	64.5	0	29905.213	529.0322581	15602.96796	30000	0	0	30000	44.1875	2004
22.01.2020 11:58:07	1	1	1	1	91.75	64	0	28625.592	488.172043	14066.80619	30000	0	0	30000	44.5625	2004
22.01.2020 11:58:08	1	1	1	1	91.75	64.5	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	44.625	2004
22.01.2020 11:58:09	1	1	1	1	91.75	64.5	0	29146.919	546.2365591	15732.61218	30000	0	0	30000	44.0625	2004
22.01.2020 11:58:10	1	1	1	1	91.75	64	0	29478.673	541.9354839	16038.37687	30000	0	0	30000	43.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 11:58:11	1	1	1	1	91.75	63.75	0	29573.46	541.9354839	16026.96165	30000	0	0	30000	44.5	2004
22.01.2020 11:58:12	1	1	1	1	92.75	64.5	0	29620.853	541.9354839	16141.92917	30000	0	0	30000	44.375	2004
22.01.2020 11:58:13	1	1	1	1	92.75	64.25	0	29431.28	546.2365591	15987.0084	30000	0	0	30000	44.5625	2004
22.01.2020 11:58:14	1	1	1	1	92.75	64.5	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	44.5625	2004
22.01.2020 11:58:15	1	1	1	1	92.75	64.5	0	29857.82	526.8817204	15730.98144	30000	0	0	30000	44.125	2004
22.01.2020 11:58:16	1	1	1	1	92.75	64	0	29478.673	507.5268817	14897.67075	30000	0	0	30000	44.375	2004
22.01.2020 11:58:17	1	1	1	1	92.75	64.25	0	29810.427	518.2795699	15449.67793	30000	0	0	30000	43.9375	2004
22.01.2020 11:58:18	1	1	1	1	92.75	63.75	0	29573.46	541.9354839	16052.2382	30000	0	0	30000	44.25	2004
22.01.2020 11:58:19	1	1	1	1	92.75	64.25	0	29573.46	541.9354839	16026.96165	30000	0	0	30000	44.375	2004
22.01.2020 11:58:20	1	1	1	1	92.75	64.25	0	29573.46	544.0860215	16115.83725	30000	0	0	30000	44.375	2004
22.01.2020 11:58:21	1	1	1	1	92.75	64.25	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	44.5625	2004
22.01.2020 11:58:22	1	1	1	1	92.5	64.5	0	29336.493	544.0860215	15898.1328	30000	0	0	30000	43.6875	2004
22.01.2020 11:58:23	1	1	1	1	92.5	63.5	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	44.4375	2004
22.01.2020 11:58:24	1	1	1	1	92.5	64.25	0	29620.853	544.0860215	15988.63914	30000	0	0	30000	43.9375	2004
22.01.2020 11:58:25	1	1	1	1	92.5	63.75	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	44.3125	2004
22.01.2020 11:58:26	1	1	1	1	92.5	64.25	0	29526.066	541.9354839	16090.5607	30000	0	0	30000	44.8125	2004
22.01.2020 11:58:27	1	1	1	1	92.5	64.75	0	29857.82	524.7311828	15691.84356	30000	0	0	30000	44.625	2004
22.01.2020 11:58:28	1	1	1	1	92.5	64.5	0	26540.284	488.172043	12842.11671	30000	0	0	30000	44.625	2004
22.01.2020 11:58:29	1	1	1	1	92.5	64.75	0	29526.066	537.6344086	15937.27068	30000	0	0	30000	44.25	2004
22.01.2020 11:58:30	1	1	1	1	92.5	64.25	0	29952.607	526.8817204	15756.25798	30000	0	0	30000	44.3125	2004
22.01.2020 11:58:31	1	1	1	1	92.75	64.25	0	29905.213	535.483871	16077.51474	30000	0	0	30000	44.3125	2004
22.01.2020 11:58:32	1	1	1	1	92.75	64.25	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	44.25	2004
22.01.2020 11:58:33	1	1	1	1	92.75	64.25	0	29952.607	522.5806452	15756.25798	30000	0	0	30000	44.125	2004
22.01.2020 11:58:34	1	1	1	1	92.75	64	0	28483.412	412.9032258	11741.36385	30000	0	0	30000	44.4375	2004
22.01.2020 11:58:35	1	1	1	1	92.75	64.25	0	28578.199	481.7204301	13766.74911	30000	0	0	30000	44.25	2004
22.01.2020 11:58:36	1	1	1	1	92.75	64.25	0	29952.607	481.7204301	14516.07643	30000	0	0	30000	44.4375	2004
22.01.2020 11:58:37	1	1	1	1	92.75	64.25	0	30000	496.7741935	14902.56299	30000	0	0	30000	44.125	2004
22.01.2020 11:58:38	1	1	1	1	92.75	64	0	30000	507.5268817	15225.45049	30000	0	0	30000	44.5625	2004
22.01.2020 11:58:40	1	1	1	1	92.75	64.5	0	30000	507.5268817	15225.45049	30000	0	0	30000	44	2004
22.01.2020 11:58:41	1	1	1	1	92.75	64	0	29952.607	490.3225806	14773.73413	30000	0	0	30000	44.5	2004
22.01.2020 11:58:42	1	1	1	1	92.5	64.5	0	29526.066	481.7204301	14246.18813	30000	0	0	30000	44.5	2004
22.01.2020 11:58:43	1	1	1	1	92.5	64.5	0	29905.213	490.3225806	14598.42905	30000	0	0	30000	43.75	2004
22.01.2020 11:58:44	1	1	1	1	92.5	63.75	0	28009.479	481.7204301	13492.78395	30000	0	0	30000	43.6875	2004
22.01.2020 11:58:45	1	1	1	1	92.5	63.5	0	29810.427	466.6666667	14360.34028	30000	0	0	30000	44	2004
22.01.2020 11:58:46	1	1	1	1	92.5	64	0	29905.213	481.7204301	13933.0851	30000	0	0	30000	44.5	2004
22.01.2020 11:58:47	1	1	1	1	92.5	64.5	0	30000	507.5268817	15225.45049	30000	0	0	30000	44.1875	2004
22.01.2020 11:58:48	1	1	1	1	92.5	64	0	29336.493	481.7204301	14132.03599	30000	0	0	30000	44.3125	2004
22.01.2020 11:58:49	1	1	1	1	92.5	64.25	0	29715.64	481.7204301	14314.67942	30000	0	0	30000	44.625	2004
22.01.2020 11:58:50	1	1	1	1	92.5	64.5	0	30000	507.5268817	15225.45049	30000	0	0	30000	44.5	2004
22.01.2020 11:58:51	1	1	1	1	92.5	64.5	0	29952.607	496.7741935	14902.56299	30000	0	0	30000	44.25	2004
22.01.2020 11:58:57	1	1	1	1	92.75	64.5	0	30000	531.1827957	15934.82456	30000	0	0	30000	44.5	2004
22.01.2020 11:58:57	1	1	1	1	92.75	64.5	0	30000	531.1827957	15934.82456	30000	0	0	30000	44.5	2004
22.01.2020 11:58:57	1	1	1	1	92.75	64.5	0	30000	531.1827957	15934.82456	30000	0	0	30000	44.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 11:58:57	1	1	1	1	92.75	64.5	0	30000	531.1827957	15934.82456	30000	0	0	30000	44.5	2004
22.01.2020 11:58:57	1	1	1	1	92.75	64.5	0	30000	531.1827957	15934.82456	30000	0	0	30000	44.5	2004
22.01.2020 11:58:57	1	1	1	1	92.75	64.5	0	30000	531.1827957	15934.82456	30000	0	0	30000	44.5	2004
22.01.2020 11:58:58	1	1	1	1	92.75	64.5	0	29857.82	494.6236559	14832.44095	30000	0	0	30000	43.875	2004
22.01.2020 11:58:59	1	1	1	1	92.75	63.75	0	29289.1	483.8709677	14171.98924	30000	0	0	30000	44.625	2004
22.01.2020 11:59:00	1	1	1	1	92.75	64.5	0	29952.607	533.3333333	15974.77781	30000	0	0	30000	44.0625	2004
22.01.2020 11:59:01	1	1	1	1	92.75	64	0	26018.957	486.0215054	12668.44237	30000	0	0	30000	44.625	2004
22.01.2020 11:59:02	1	1	1	1	92.5	64.5	0	29905.213	503.2258065	15112.92909	30000	0	0	30000	44.5625	2004
22.01.2020 11:59:03	1	1	1	1	92.5	64.5	0	29905.213	516.1290323	15306.17237	30000	0	0	30000	44.4375	2004
22.01.2020 11:59:04	1	1	1	1	92.5	64.25	0	28862.559	481.7204301	13903.73169	30000	0	0	30000	44.375	2004
22.01.2020 11:59:05	1	1	1	1	92.5	64.25	0	29905.213	518.2795699	15498.60028	30000	0	0	30000	43.5	2004
22.01.2020 11:59:06	1	1	1	1	92.5	63.5	0	29952.607	522.5806452	15652.70568	30000	0	0	30000	44.5625	2004
22.01.2020 11:59:07	1	1	1	1	92.5	64.5	0	29857.82	498.9247312	14896.85538	30000	0	0	30000	44.4375	2004
22.01.2020 11:59:08	1	1	1	1	92.5	64.25	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	44.625	2004
22.01.2020 11:59:09	1	1	1	1	92.5	63.5	0	29857.82	535.483871	16270.75802	30000	0	0	30000	44.3125	2004
22.01.2020 11:59:10	1	1	1	1	92.5	64.25	0	29857.82	520.4301075	15498.60028	30000	0	0	30000	44.3125	2004
22.01.2020 11:59:11	1	1	1	1	93	64.25	0	29241.706	539.7849462	15935.63993	30000	0	0	30000	44.3125	2004
22.01.2020 11:59:12	1	1	1	1	93	64.25	0	29526.066	507.5268817	14691.38151	30000	0	0	30000	44.125	2004
22.01.2020 11:59:13	1	1	1	1	93	64	0	29004.739	498.9247312	14447.58514	30000	0	0	30000	44.625	2004
22.01.2020 11:59:14	1	1	1	1	93	64.5	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	44.625	2004
22.01.2020 11:59:15	1	1	1	1	93	64.5	0	29905.213	537.6344086	16077.51474	30000	0	0	30000	44.5625	2004
22.01.2020 11:59:16	1	1	1	1	93	64.5	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	44.5	2004
22.01.2020 11:59:17	1	1	1	1	93	64.5	0	29289.1	544.0860215	15960.91648	30000	0	0	30000	44.125	2004
22.01.2020 11:59:19	1	1	1	1	93	64	0	29431.28	544.0860215	15949.50126	30000	0	0	30000	44.5625	2004
22.01.2020 11:59:20	1	1	1	1	93	64.5	0	29336.493	544.0860215	16150.89827	30000	0	0	30000	44.1875	2004
22.01.2020 11:59:21	1	1	1	1	93	64	0	29810.427	539.7849462	16090.5607	30000	0	0	30000	44.5625	2004
22.01.2020 11:59:22	1	1	1	1	93.25	64.5	0	29905.213	535.483871	15949.50126	30000	0	0	30000	43.625	2004
22.01.2020 11:59:23	1	1	1	1	93.25	63.5	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	44.5625	2004
22.01.2020 11:59:24	1	1	1	1	93.25	64.5	0	29478.673	546.2365591	16101.97592	30000	0	0	30000	44.5	2004
22.01.2020 11:59:25	1	1	1	1	93.25	64.5	0	27014.218	488.172043	13164.18884	30000	0	0	30000	44.4375	2004
22.01.2020 11:59:26	1	1	1	1	93.25	64.25	0	26066.351	501.0752688	12925.2847	30000	0	0	30000	43.875	2004
22.01.2020 11:59:27	1	1	1	1	93.25	63.75	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	44.5	2004
22.01.2020 11:59:28	1	1	1	1	93.25	64.5	0	29289.1	541.9354839	15607.04482	30000	0	0	30000	44.625	2004
22.01.2020 11:59:29	1	1	1	1	93.25	64.5	0	29526.066	544.0860215	16090.5607	30000	0	0	30000	44.375	2004
22.01.2020 11:59:30	1	1	1	1	93.25	64.25	0	29526.066	541.9354839	16064.46878	30000	0	0	30000	44.75	2004
22.01.2020 11:59:31	1	1	1	1	93.25	64.75	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	44.6875	2004
22.01.2020 11:59:32	1	1	1	1	92.5	64.5	0	26540.284	490.3225806	13013.34493	30000	0	0	30000	43.6875	2004
22.01.2020 11:59:33	1	1	1	1	92.5	63.5	0	29857.82	524.7311828	15667.38238	30000	0	0	30000	43.9375	2004
22.01.2020 11:59:34	1	1	1	1	92.5	63.75	0	29526.066	546.2365591	15975.59318	30000	0	0	30000	44.125	2004
22.01.2020 11:59:35	1	1	1	1	92.5	64	0	29383.886	546.2365591	15835.34912	30000	0	0	30000	44.75	2004
22.01.2020 11:59:36	1	1	1	1	92.5	64.75	0	29810.427	529.0322581	15962.54722	30000	0	0	30000	44.4375	2004
22.01.2020 11:59:37	1	1	1	1	92.5	64.25	0	26113.744	494.6236559	12860.0549	30000	0	0	30000	44.75	2004
22.01.2020 11:59:38	1	1	1	1	92.5	64.75	0	29715.64	518.2795699	15464.35463	30000	0	0	30000	44.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 11:59:39	1	1	1	1	92.5	64.5	0	27582.938	496.7741935	13619.16669	30000	0	0	30000	44.6875	2004
22.01.2020 11:59:40	1	1	1	1	92.5	64.5	0	29241.706	541.9354839	15846.76433	30000	0	0	30000	44.625	2004
22.01.2020 11:59:41	1	1	1	1	92.5	64.5	0	28009.479	464.516129	13070.421	30000	0	0	30000	44.5	2004
22.01.2020 11:59:42	1	1	1	1	93.75	64.5	0	29146.919	541.9354839	15795.39586	30000	0	0	30000	44.375	2004
22.01.2020 11:59:43	1	1	1	1	93.75	64.25	0	28957.346	533.3333333	15443.97032	30000	0	0	30000	44.75	2004
22.01.2020 11:59:44	1	1	1	1	93.75	64.75	0	29478.673	546.2365591	16128.06784	30000	0	0	30000	44.5625	2004
22.01.2020 11:59:45	1	1	1	1	93.75	64.5	0	29478.673	544.0860215	16013.10032	30000	0	0	30000	43.9375	2004
22.01.2020 11:59:46	1	1	1	1	93.75	65	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	44.625	2004
22.01.2020 11:59:47	1	1	1	1	93.75	64.5	0	29573.46	546.2365591	16154.15976	30000	0	0	30000	44.625	2004
22.01.2020 11:59:48	1	1	1	1	93.75	64.5	0	29715.64	518.2795699	15400.75558	30000	0	0	30000	44.4375	2004
22.01.2020 11:59:49	1	1	1	1	93.75	64.25	0	29620.853	516.1290323	15263.773	30000	0	0	30000	44.5625	2004
22.01.2020 11:59:50	1	1	1	1	93.75	64.5	0	29810.427	533.3333333	15592.36811	30000	0	0	30000	43.4375	2004
22.01.2020 11:59:51	1	1	1	1	92.75	63.25	0	29526.066	541.9354839	16064.46878	30000	0	0	30000	44	2004
22.01.2020 11:59:52	1	1	1	1	92.75	64	0	29241.706	544.0860215	15909.54801	30000	0	0	30000	44.5625	2004
22.01.2020 11:59:59	1	1	1	1	92.75	64.5	0	29526.066	516.1290323	15302.09551	30000	0	0	30000	44.1875	2004
22.01.2020 11:59:59	1	1	1	1	92.75	64.5	0	29526.066	516.1290323	15302.09551	30000	0	0	30000	44.1875	2004
22.01.2020 11:59:59	1	1	1	1	92.75	64.5	0	29526.066	516.1290323	15302.09551	30000	0	0	30000	44.1875	2004
22.01.2020 11:59:59	1	1	1	1	92.75	64.5	0	29526.066	516.1290323	15302.09551	30000	0	0	30000	44.1875	2004
22.01.2020 11:59:59	1	1	1	1	92.75	64.5	0	29526.066	516.1290323	15302.09551	30000	0	0	30000	44.1875	2004
22.01.2020 11:59:59	1	1	1	1	92.75	64.5	0	29526.066	516.1290323	15302.09551	30000	0	0	30000	44.1875	2004
22.01.2020 12:00:00	1	1	1	1	92.75	64	0	29146.919	537.6344086	15858.17955	30000	0	0	30000	44.375	2004
22.01.2020 12:00:01	1	1	1	1	92.75	64.25	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	44.5625	2004
22.01.2020 12:00:02	1	1	1	1	93.5	64.5	0	27298.578	496.7741935	13561.27524	30000	0	0	30000	44.875	2004
22.01.2020 12:00:03	1	1	1	1	93.5	64.75	0	28388.626	481.7204301	13675.42739	30000	0	0	30000	44.625	2004
22.01.2020 12:00:04	1	1	1	1	93.5	64.5	0	26540.284	488.172043	13093.25143	30000	0	0	30000	44.25	2004
22.01.2020 12:00:05	1	1	1	1	93.5	64.25	0	29336.493	546.2365591	16087.29921	30000	0	0	30000	44.4375	2004
22.01.2020 12:00:06	1	1	1	1	93.5	64.25	0	29241.706	546.2365591	16035.11538	30000	0	0	30000	44.1875	2004
22.01.2020 12:00:07	1	1	1	1	93.5	64	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	44.5	2004
22.01.2020 12:00:08	1	1	1	1	93.5	64.5	0	29478.673	544.0860215	16064.46878	30000	0	0	30000	44.5625	2004
22.01.2020 12:00:09	1	1	1	1	93.5	64.5	0	29241.706	546.2365591	16035.11538	30000	0	0	30000	44.5625	2004
22.01.2020 12:00:10	1	1	1	1	93.5	64.5	0	29431.28	544.0860215	16318.04963	30000	0	0	30000	44.5	2004
22.01.2020 12:00:11	1	1	1	1	93.5	64.5	0	29857.82	537.6344086	16116.65262	30000	0	0	30000	44.5625	2004
22.01.2020 12:00:12	1	1	1	1	93.5	64.5	0	29241.706	544.0860215	15909.54801	30000	0	0	30000	44.5625	2004
22.01.2020 12:00:13	1	1	1	1	93.5	64.5	0	28815.166	501.0752688	14438.61604	30000	0	0	30000	44.5625	2004
22.01.2020 12:00:14	1	1	1	1	93.5	64.5	0	29146.919	550.5376344	16108.4989	30000	0	0	30000	44.5	2004
22.01.2020 12:00:15	1	1	1	1	93.5	64.5	0	29336.493	544.0860215	15909.54801	30000	0	0	30000	44.5	2004
22.01.2020 12:00:16	1	1	1	1	93.5	64.5	0	29241.706	546.2365591	16150.89827	30000	0	0	30000	44.8125	2004
22.01.2020 12:00:17	1	1	1	1	93.5	64.75	0	29146.919	546.2365591	15732.61218	30000	0	0	30000	44.5	2004
22.01.2020 12:00:18	1	1	1	1	93.5	64.5	0	29336.493	546.2365591	15960.91648	30000	0	0	30000	44	2004
22.01.2020 12:00:19	1	1	1	1	93.5	64	0	29146.919	546.2365591	15858.17955	30000	0	0	30000	44.1875	2004
22.01.2020 12:00:20	1	1	1	1	93.5	64	0	29336.493	541.9354839	15898.1328	30000	0	0	30000	44.5625	2004
22.01.2020 12:00:21	1	1	1	1	93.5	64.5	0	29336.493	541.9354839	15960.91648	30000	0	0	30000	44.8125	2004
22.01.2020 12:00:22	1	1	1	1	93.5	64.75	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	44.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 12:00:23	1	1	1	1	93.5	64.5	0	29810.427	518.2795699	15514.09235	30000	0	0	30000	44.75	2004
22.01.2020 12:00:24	1	1	1	1	93.5	64.75	0	29952.607	531.1827957	15870.41013	30000	0	0	30000	44.3125	2004
22.01.2020 12:00:25	1	1	1	1	93.5	64	0	28293.839	464.516129	13159.29661	30000	0	0	30000	44.75	2004
22.01.2020 12:00:26	1	1	1	1	93.5	64.75	0	29857.82	501.0752688	14832.44095	30000	0	0	30000	44.625	2004
22.01.2020 12:00:27	1	1	1	1	93.5	64.5	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	44.6875	2004
22.01.2020 12:00:28	1	1	1	1	93.5	64.5	0	29526.066	537.6344086	15963.3626	30000	0	0	30000	44.625	2004
22.01.2020 12:00:29	1	1	1	1	93.5	64.5	0	29478.673	541.9354839	16013.10032	30000	0	0	30000	44.625	2004
22.01.2020 12:00:30	1	1	1	1	93.5	64.5	0	29620.853	509.6774194	15096.62164	30000	0	0	30000	44.1875	2004
22.01.2020 12:00:31	1	1	1	1	93.25	64	0	29810.427	537.6344086	16219.38956	30000	0	0	30000	44.75	2004
22.01.2020 12:00:32	1	1	1	1	93.25	64.75	0	29146.919	496.7741935	14479.38467	30000	0	0	30000	44.1875	2004
22.01.2020 12:00:34	1	1	1	1	93.25	64	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	44.6875	2004
22.01.2020 12:00:35	1	1	1	1	93.25	64.5	0	29289.1	546.2365591	16024.51553	30000	0	0	30000	44.5	2004
22.01.2020 12:00:36	1	1	1	1	93.25	64.5	0	29336.493	552.688172	15846.76433	30000	0	0	30000	44.4375	2004
22.01.2020 12:00:37	1	1	1	1	93.25	64.25	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	44.6875	2004
22.01.2020 12:00:38	1	1	1	1	93.25	64.5	0	29336.493	550.5376344	16087.29921	30000	0	0	30000	44.625	2004
22.01.2020 12:00:39	1	1	1	1	93.25	64.5	0	29099.526	546.2365591	15894.87131	30000	0	0	30000	44.625	2004
22.01.2020 12:00:40	1	1	1	1	93.25	64.5	0	29336.493	550.5376344	16124.80635	30000	0	0	30000	43.875	2004
22.01.2020 12:00:41	1	1	1	1	93.25	63.75	0	29146.919	554.8387097	16046.53059	30000	0	0	30000	44.6875	2004
22.01.2020 12:00:42	1	1	1	1	93.75	64.5	0	29715.64	516.1290323	15337.15652	30000	0	0	30000	44.375	2004
22.01.2020 12:00:43	1	1	1	1	93.75	64.25	0	0	0	0	30000	0	8	30000	44.8125	2004
22.01.2020 12:00:44	1	1	1	1	93.75	64.75	0	10616.114	0	0	30000	0	0	30000	44.8125	2004
22.01.2020 12:00:45	1	1	1	1	93.75	64.75	0	10616.114	0	0	30000	0	0	30000	44.8125	2004
22.01.2020 12:00:46	1	1	1	1	93.75	64.75	0	12085.308	2.150537634	26.09191966	30000	0	0	30000	44.625	2004
22.01.2020 12:00:47	1	1	1	1	93.75	64.5	0	12843.602	6.451612903	82.35262142	30000	0	0	30000	44.6875	2004
22.01.2020 12:00:48	1	1	1	1	93.75	64.5	0	13601.896	12.90322581	175.3050852	30000	0	0	30000	44.625	2004
22.01.2020 12:00:49	1	1	1	1	93.75	64.5	0	14407.583	19.35483871	278.8573914	30000	0	0	30000	44.6875	2004
22.01.2020 12:00:50	1	1	1	1	93.75	64.5	0	15165.877	25.80645161	423.9936945	30000	0	0	30000	44.75	2004
22.01.2020 12:00:51	1	1	1	1	93.75	64.75	0	15876.777	36.55913978	579.7298399	30000	0	0	30000	44.8125	2004
22.01.2020 12:00:52	1	1	1	1	94.25	64.75	0	14312.796	30.10752688	433.7781643	30000	0	0	30000	44.6875	2004
22.01.2020 12:00:53	1	1	1	1	94.25	64.5	0	17535.545	58.06451613	980.0777322	30000	0	0	30000	44.8125	2004
22.01.2020 12:00:54	1	1	1	1	94.25	64.75	0	16966.825	55.91397849	948.2782051	30000	0	0	30000	44.625	2004
22.01.2020 12:01:01	1	1	1	1	94.25	64.75	0	18909.953	122.5806452	2311.581007	30000	0	0	30000	44.75	2004
22.01.2020 12:01:01	1	1	1	1	94.25	64.75	0	18909.953	122.5806452	2311.581007	30000	0	0	30000	44.75	2004
22.01.2020 12:01:01	1	1	1	1	94.25	64.75	0	18909.953	122.5806452	2311.581007	30000	0	0	30000	44.75	2004
22.01.2020 12:01:01	1	1	1	1	94.25	64.75	0	18909.953	122.5806452	2311.581007	30000	0	0	30000	44.75	2004
22.01.2020 12:01:01	1	1	1	1	94.25	64.75	0	18909.953	122.5806452	2311.581007	30000	0	0	30000	44.75	2004
22.01.2020 12:01:01	1	1	1	1	94.25	64.75	0	18909.953	122.5806452	2311.581007	30000	0	0	30000	44.75	2004
22.01.2020 12:01:01	1	1	1	1	94.25	64.75	0	22417.062	137.6344086	3085.3695	30000	0	0	30000	45.125	2004
22.01.2020 12:01:02	1	1	1	1	93.5	65	0	21943.128	139.7849462	3066.615932	30000	0	0	30000	44.75	2004
22.01.2020 12:01:03	1	1	1	1	93.5	64.75	0	21943.128	141.9354839	3066.615932	30000	0	0	30000	44.8125	2004
22.01.2020 12:01:04	1	1	1	1	93.5	64.75	0	22748.815	167.7419355	3864.865599	30000	0	0	30000	44.75	2004
22.01.2020 12:01:05	1	1	1	1	93.5	64.75	0	22417.062	165.5913978	3704.237219	30000	0	0	30000	44.625	2004
22.01.2020 12:01:06	1	1	1	1	93.5	64.5	0	23744.076	159.1397849	3625.146088	30000	0	0	30000	44.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 12:01:07	1	1	1	1	93.5	64.5	0	20710.9	148.3870968	3124.507379	30000	0	0	30000	44.625	2004
22.01.2020 12:01:08	1	1	1	1	93.5	64.5	0	21042.654	152.688172	3212.567608	30000	0	0	30000	44.875	2004
22.01.2020 12:01:09	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
22.01.2020 12:01:10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
22.01.2020 12:01:12	1	0	1	1	93.75	20	0	0	0	0	30000	0	0	30000	0	2004
22.01.2020 12:01:13	1	1	1	1	93.75	65.25	0	0	0	0	30000	0	0	30000	44.8125	2004
22.01.2020 12:01:14	1	1	1	1	93.75	64.75	0	0	0	0	30000	0	0	30000	44.875	2004
22.01.2020 12:01:15	1	1	1	1	93.75	64.75	0	0	0	0	30000	0	0	30000	44.875	2004
22.01.2020 12:01:16	1	1	1	1	93.75	64.75	0	0	0	0	30000	0	0	30000	44.875	2004
22.01.2020 12:01:17	1	1	1	1	93.75	64.75	0	0	0	0	30000	0	0	30000	44.875	2004
22.01.2020 12:01:18	1	1	1	1	93.75	64.75	0	0	0	0	30000	0	0	30000	44.875	2004
22.01.2020 12:01:19	1	1	1	1	93.75	64.75	0	0	0	0	30000	0	0	30000	44.9375	2004
22.01.2020 12:01:20	1	1	1	1	93.75	64.75	0	0	0	0	30000	0	0	30000	44.875	2004
22.01.2020 12:01:21	1	1	1	1	93.75	64.75	0	0	0	0	30000	0	0	30000	44.9375	2004
22.01.2020 12:01:22	1	1	1	1	93	64.75	0	0	0	0	30000	0	0	30000	44.9375	2004
22.01.2020 12:01:23	1	1	1	1	93	64.75	0	10758.294	0	0	30000	0	0	30000	44.625	2004
22.01.2020 12:01:24	1	1	1	1	93	64.5	0	11611.374	0	0	30000	0	0	30000	44.75	2004
22.01.2020 12:01:25	1	1	1	1	93	64.75	0	11516.588	0	0	30000	0	0	30000	44.75	2004
22.01.2020 12:01:26	1	1	1	1	93	64.75	0	13127.962	6.451612903	83.9833664	30000	0	0	30000	44.6875	2004
22.01.2020 12:01:27	1	1	1	1	93	64.5	0	12417.062	6.451612903	52.99921181	30000	0	0	30000	44.625	2004
22.01.2020 12:01:28	1	1	1	1	93	64.5	0	14644.55	19.35483871	282.9342538	30000	0	0	30000	44.625	2004
22.01.2020 12:01:29	1	1	1	1	93	64.5	0	15308.057	27.95698925	427.2551844	30000	0	0	30000	44.6875	2004
22.01.2020 12:01:30	1	1	1	1	93	64.5	0	16208.531	34.40860215	557.7147827	30000	0	0	30000	44.6875	2004
22.01.2020 12:01:31	1	1	1	1	93	64.5	0	16445.498	32.25806452	567.4992526	30000	0	0	30000	44.8125	2004
22.01.2020 12:01:32	1	1	1	1	92.5	64.75	0	17677.725	51.61290323	912.4018156	30000	0	0	30000	44.625	2004
22.01.2020 12:01:33	1	1	1	1	92.5	64.5	0	17630.332	53.76344086	949.9089501	30000	0	0	30000	44.6875	2004
22.01.2020 12:01:34	1	1	1	1	92.5	64.5	0	16303.318	51.61290323	841.464409	30000	0	0	30000	44.6875	2004
22.01.2020 12:01:35	1	1	1	1	92.5	64.5	0	18862.559	70.96774194	1257.304379	30000	0	0	30000	44.6875	2004
22.01.2020 12:01:36	1	1	1	1	92.5	64.5	0	20758.294	103.2258065	2053.107928	30000	0	0	30000	44.6875	2004
22.01.2020 12:01:37	1	1	1	1	92.5	64.5	0	21516.588	107.5268817	2359.687984	30000	0	0	30000	44.5625	2004
22.01.2020 12:01:38	1	1	1	1	92.5	64.5	0	22274.882	124.7311828	2777.974071	30000	0	0	30000	44.625	2004
22.01.2020 12:01:39	1	1	1	1	92.5	64.5	0	22748.815	137.6344086	3131.030359	30000	0	0	30000	44.625	2004
22.01.2020 12:01:40	1	1	1	1	92.5	64.5	0	23838.863	165.5913978	3998.586688	30000	0	0	30000	44.625	2004
22.01.2020 12:01:41	1	1	1	1	92.5	64.5	0	24549.763	191.3978495	4645.992444	30000	0	0	30000	44.5625	2004
22.01.2020 12:01:42	1	1	1	1	91.5	64.5	0	25308.057	206.4516129	5224.906912	30000	0	0	30000	44.75	2004
22.01.2020 12:01:43	1	1	1	1	91.5	64.75	0	26113.744	251.6129032	6593.917321	30000	0	0	30000	45.0625	2004
22.01.2020 12:01:44	1	1	1	1	91.5	65	0	26919.431	264.516129	7120.647949	30000	0	0	30000	44.625	2004
22.01.2020 12:01:45	1	1	1	1	91.5	64.5	0	27630.332	335.483871	9328.67665	30000	0	0	30000	44.6875	2004
22.01.2020 12:01:46	1	1	1	1	91.5	64.5	0	27298.578	307.5268817	8453.781969	30000	0	0	30000	44.625	2004
22.01.2020 12:01:47	1	1	1	1	91.5	64.5	0	28483.412	378.4946237	10780.85505	30000	0	0	30000	44	2004
22.01.2020 12:01:48	1	1	1	1	91.5	64	0	25924.171	434.4086022	11246.43275	30000	0	0	30000	44.625	2004
22.01.2020 12:01:50	1	1	1	1	91.5	64.5	0	29810.427	488.172043	14488.35376	30000	0	0	30000	44.3125	2004
22.01.2020 12:01:51	1	1	1	1	91.5	64.25	0	29620.853	466.6666667	14314.67942	30000	0	0	30000	44.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 12:01:52	1	1	1	1	90.5	64.75	0	29526.066	468.8172043	14269.01856	30000	0	0	30000	43.375	2004
22.01.2020 12:01:53	1	1	1	1	90.5	63.25	0	27630.332	486.0215054	13368.84734	30000	0	0	30000	44.375	2004
22.01.2020 12:01:54	1	1	1	1	90.5	64.25	0	28009.479	445.1612903	12468.67611	30000	0	0	30000	44.75	2004
22.01.2020 12:01:55	1	1	1	1	90.5	64.75	0	28009.479	481.7204301	13492.78395	30000	0	0	30000	44.6875	2004
22.01.2020 12:01:56	1	1	1	1	90.5	64.5	0	28530.806	453.7634409	12924.46933	30000	0	0	30000	44.3125	2004
22.01.2020 12:02:02	1	1	1	1	91.75	64.5	0	27582.938	481.7204301	13287.31009	30000	0	0	30000	44.625	2004
22.01.2020 12:02:02	1	1	1	1	91.75	64.5	0	27582.938	481.7204301	13287.31009	30000	0	0	30000	44.625	2004
22.01.2020 12:02:02	1	1	1	1	91.75	64.5	0	27582.938	481.7204301	13287.31009	30000	0	0	30000	44.625	2004
22.01.2020 12:02:02	1	1	1	1	91.75	64.5	0	27582.938	481.7204301	13287.31009	30000	0	0	30000	44.625	2004
22.01.2020 12:02:02	1	1	1	1	91.75	64.5	0	27582.938	481.7204301	13287.31009	30000	0	0	30000	44.625	2004
22.01.2020 12:02:02	1	1	1	1	91.75	64.5	0	27582.938	481.7204301	13287.31009	30000	0	0	30000	44.625	2004
22.01.2020 12:02:03	1	1	1	1	91.75	64.5	0	29099.526	481.7204301	14079.85215	30000	0	0	30000	44.6875	2004
22.01.2020 12:02:04	1	1	1	1	91.75	64.5	0	29146.919	518.2795699	15168.37442	30000	0	0	30000	44.6875	2004
22.01.2020 12:02:05	1	1	1	1	91.75	64.5	0	29857.82	496.7741935	14808.79515	30000	0	0	30000	44.5	2004
22.01.2020 12:02:06	1	1	1	1	91.75	64.5	0	29099.526	460.2150538	13539.26019	30000	0	0	30000	44.1875	2004
22.01.2020 12:02:07	1	1	1	1	91.75	64	0	28341.232	511.827957	14627.78246	30000	0	0	30000	44.6875	2004
22.01.2020 12:02:08	1	1	1	1	91.75	64.5	0	28815.166	481.7204301	13880.90126	30000	0	0	30000	44.0625	2004
22.01.2020 12:02:09	1	1	1	1	91.75	64	0	10616.114	0	45.6608594	30000	0	0	30000	44.625	2004
22.01.2020 12:02:10	1	1	1	1	91.75	64.5	0	10616.114	0	0	30000	0	0	30000	44.625	2004
22.01.2020 12:02:11	1	1	1	1	91.75	64.5	0	12227.488	0	26.09191966	30000	0	0	30000	44.8125	2004
22.01.2020 12:02:12	1	1	1	1	92	64.75	0	12985.782	6.451612903	83.16799391	30000	0	0	30000	44.625	2004
22.01.2020 12:02:13	1	1	1	1	92	64.5	0	12369.668	4.301075269	52.99921181	30000	0	0	30000	44.5625	2004
22.01.2020 12:02:14	1	1	1	1	92	64.5	0	14265.403	15.05376344	214.4429647	30000	0	0	30000	44.6875	2004
22.01.2020 12:02:15	1	1	1	1	92	64.5	0	15308.057	25.80645161	394.6402848	30000	0	0	30000	44.625	2004
22.01.2020 12:02:16	1	1	1	1	92	64.5	0	15876.777	32.25806452	512.0539233	30000	0	0	30000	44.6875	2004
22.01.2020 12:02:17	1	1	1	1	92	64.5	0	16824.645	43.01075269	687.3590085	30000	0	0	30000	44.9375	2004
22.01.2020 12:02:18	1	1	1	1	92	64.75	0	17440.758	47.31182796	826.7877042	30000	0	0	30000	44.625	2004
22.01.2020 12:02:19	1	1	1	1	92	64.5	0	18341.232	60.21505376	1143.15223	30000	0	0	30000	44.6875	2004
22.01.2020 12:02:20	1	1	1	1	92	64.5	0	17725.118	62.3655914	1104.829723	30000	0	0	30000	44.625	2004
22.01.2020 12:02:21	1	1	1	1	92	64.5	0	19763.033	81.72043011	1572.038159	30000	0	0	30000	45.0625	2004
22.01.2020 12:02:22	1	1	1	1	91	65	0	10236.967	0	0	30000	0	0	30000	44.625	2004
22.01.2020 12:02:23	1	1	1	1	91	64.5	0	11042.654	0	0	30000	0	0	30000	44.875	2004
22.01.2020 12:02:24	1	1	1	1	91	65	0	11848.341	0	0	30000	0	0	30000	44.625	2004
22.01.2020 12:02:25	1	1	1	1	91	64.5	0	12369.668	2.150537634	26.09191966	30000	0	0	30000	44.625	2004
22.01.2020 12:02:26	1	1	1	1	91	64.5	0	13364.929	6.451612903	85.61411138	30000	0	0	30000	44.6875	2004
22.01.2020 12:02:27	1	1	1	1	91	64.5	0	14075.829	12.90322581	181.0126926	30000	0	0	30000	44.6875	2004
22.01.2020 12:02:29	1	1	1	1	91	64.5	0	14786.73	19.35483871	286.1957438	30000	0	0	30000	44.625	2004
22.01.2020 12:02:30	1	1	1	1	91	64.5	0	15687.204	30.10752688	472.1006713	30000	0	0	30000	44.625	2004
22.01.2020 12:02:31	1	1	1	1	91	64.5	0	16398.104	36.55913978	599.2987797	30000	0	0	30000	44.6875	2004
22.01.2020 12:02:32	1	1	1	1	90.75	64.5	0	17156.398	45.16129032	735.4659854	30000	0	0	30000	44.6875	2004
22.01.2020 12:02:33	1	1	1	1	90.75	64.5	0	18009.479	47.31182796	890.3867584	30000	0	0	30000	44.625	2004
22.01.2020 12:02:34	1	1	1	1	90.75	64.5	0	18104.265	45.16129032	819.4493518	30000	0	0	30000	44.625	2004
22.01.2020 12:02:35	1	1	1	1	90.75	64.5	0	19478.673	55.91397849	1088.522273	30000	0	0	30000	44.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 12:02:36	1	1	1	1	90.75	64.5	0	20000	55.91397849	1161.090425	30000	0	0	30000	44.625	2004
22.01.2020 12:02:37	1	1	1	1	90.75	64.5	0	21042.654	70.96774194	1492.947028	30000	0	0	30000	44.625	2004
22.01.2020 12:02:38	1	1	1	1	90.75	64.5	0	21753.555	81.72043011	1777.512027	30000	0	0	30000	44.6875	2004
22.01.2020 12:02:39	1	1	1	1	90.75	64.5	0	21943.128	92.47311828	2028.646753	30000	0	0	30000	44.5625	2004
22.01.2020 12:02:40	1	1	1	1	90.75	64.5	0	22274.882	103.2258065	2203.136466	30000	0	0	30000	44.5625	2004
22.01.2020 12:02:41	1	1	1	1	90.75	64.5	0	22511.848	103.2258065	2323.811595	30000	0	0	30000	44.625	2004
22.01.2020 12:02:42	1	1	1	1	90	64.5	0	22748.815	103.2258065	2348.272769	30000	0	0	30000	44.5625	2004
22.01.2020 12:02:43	1	1	1	1	90	64.5	0	22796.209	105.3763441	2402.087354	30000	0	0	30000	44.625	2004
22.01.2020 12:02:44	1	1	1	1	90	64.5	0	22274.882	88.17204301	1967.493817	30000	0	0	30000	44.8125	2004
22.01.2020 12:02:45	1	1	1	1	90	64.75	0	23270.142	103.2258065	2402.087354	30000	0	0	30000	44.625	2004
22.01.2020 12:02:46	1	1	1	1	90	64.5	0	23507.109	103.2258065	2481.993858	30000	0	0	30000	44.6875	2004
22.01.2020 12:02:47	1	1	1	1	90	64.5	0	23886.256	120.4301075	2870.926535	30000	0	0	30000	44.625	2004
22.01.2020 12:02:48	1	1	1	1	90	64.5	0	24075.829	129.0322581	3100.046204	30000	0	0	30000	44.625	2004
22.01.2020 12:02:49	1	1	1	1	90	64.5	0	24218.009	139.7849462	3333.242736	30000	0	0	30000	44.5625	2004
22.01.2020 12:02:50	1	1	1	1	90	64.5	0	24454.976	144.0860215	3516.701546	30000	0	0	30000	44.6875	2004
22.01.2020 12:02:51	1	1	1	1	90	64.5	0	24644.55	144.0860215	3557.470171	30000	0	0	30000	44.5625	2004
22.01.2020 12:02:52	1	1	1	1	89.75	64.5	0	24881.517	150.5376344	3692.006632	30000	0	0	30000	44.625	2004
22.01.2020 12:02:53	1	1	1	1	89.75	64.5	0	24976.303	163.4408602	4097.246759	30000	0	0	30000	44.625	2004
22.01.2020 12:02:54	1	1	1	1	89.75	64.5	0	25165.877	163.4408602	4112.738836	30000	0	0	30000	44.6875	2004
22.01.2020 12:02:55	1	1	1	1	89.75	64.5	0	25450.237	178.4946237	4542.440138	30000	0	0	30000	44.75	2004
22.01.2020 12:02:56	1	1	1	1	89.75	64.75	0	25592.417	180.6451613	4559.56296	30000	0	0	30000	44.5	2004
22.01.2020 12:02:57	1	1	1	1	89.75	64.5	0	25829.384	208.6021505	5367.597097	30000	0	0	30000	44.75	2004
22.01.2020 12:03:04	1	1	1	1	89.75	64.5	0	27867.299	309.6774194	8554.888158	30000	0	0	30000	44.625	2004
22.01.2020 12:03:04	1	1	1	1	89.75	64.5	0	27867.299	309.6774194	8554.888158	30000	0	0	30000	44.625	2004
22.01.2020 12:03:04	1	1	1	1	89.75	64.5	0	27867.299	309.6774194	8554.888158	30000	0	0	30000	44.625	2004
22.01.2020 12:03:04	1	1	1	1	89.75	64.5	0	27867.299	309.6774194	8554.888158	30000	0	0	30000	44.625	2004
22.01.2020 12:03:04	1	1	1	1	89.75	64.5	0	27867.299	309.6774194	8554.888158	30000	0	0	30000	44.625	2004
22.01.2020 12:03:04	1	1	1	1	89.75	64.5	0	27867.299	309.6774194	8554.888158	30000	0	0	30000	44.625	2004
22.01.2020 12:03:04	1	1	1	1	89.75	64.5	0	28009.479	326.8817204	9217.785992	30000	0	0	30000	44.75	2004
22.01.2020 12:03:05	1	1	1	1	89.75	64.75	0	27440.758	318.2795699	8733.454733	30000	0	0	30000	44.6875	2004
22.01.2020 12:03:07	1	1	1	1	89.75	64.5	0	28862.559	350.5376344	10100.8344	30000	0	0	30000	43.6875	2004
22.01.2020 12:03:08	1	1	1	1	89.75	63.5	0	29146.919	397.8494624	11595.41217	30000	0	0	30000	44.625	2004
22.01.2020 12:03:09	1	1	1	1	89.75	64.5	0	29526.066	423.655914	12488.24505	30000	0	0	30000	44.5	2004
22.01.2020 12:03:10	1	1	1	1	89.75	64.5	0	29810.427	460.2150538	13869.48604	30000	0	0	30000	44.4375	2004
22.01.2020 12:03:11	1	1	1	1	89.75	64.25	0	29146.919	481.7204301	13704.7808	30000	0	0	30000	44.1875	2004
22.01.2020 12:03:12	1	1	1	1	88.75	64	0	29715.64	488.172043	14506.29196	30000	0	0	30000	44.0625	2004
22.01.2020 12:03:13	1	1	1	1	88.75	64	0	30000	481.7204301	14451.662	30000	0	0	30000	43.625	2004
22.01.2020 12:03:14	1	1	1	1	88.75	63.5	0	29952.607	481.7204301	14406.00114	30000	0	0	30000	44.3125	2004
22.01.2020 12:03:15	1	1	1	1	88.75	64.25	0	29620.853	464.516129	13759.41076	30000	0	0	30000	43.9375	2004
22.01.2020 12:03:16	1	1	1	1	88.75	63.75	0	29905.213	481.7204301	14516.07643	30000	0	0	30000	43.625	2004
22.01.2020 12:03:17	1	1	1	1	88.75	63.5	0	29431.28	460.2150538	13459.35368	30000	0	0	30000	44.625	2004
22.01.2020 12:03:18	1	1	1	1	88.75	64.5	0	29715.64	423.655914	12629.30449	30000	0	0	30000	43.875	2004
22.01.2020 12:03:19	1	1	1	1	88.75	63.75	0	29715.64	460.2150538	13611.01296	30000	0	0	30000	44.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 12:03:20	1	1	1	1	88.75	64.25	0	30000	481.7204301	14428.83157	30000	0	0	30000	44.0625	2004
22.01.2020 12:03:21	1	1	1	1	88.75	64	0	29952.607	468.8172043	14106.75944	30000	0	0	30000	43.875	2004
22.01.2020 12:03:22	1	1	1	1	88	63.75	0	29857.82	481.7204301	14406.00114	30000	0	0	30000	44.5625	2004
22.01.2020 12:03:23	1	1	1	1	88	64.5	0	30000	481.7204301	14451.662	30000	0	0	30000	44.625	2004
22.01.2020 12:03:24	1	1	1	1	88	64.5	0	29905.213	481.7204301	14406.00114	30000	0	0	30000	42.6875	2004
22.01.2020 12:03:25	1	1	1	1	88	62.5	0	30000	455.9139785	13612.64371	30000	0	0	30000	44.1875	2004
22.01.2020 12:03:26	1	1	1	1	88	64	0	30000	481.7204301	14128.7745	30000	0	0	30000	44.5	2004
22.01.2020 12:03:27	1	1	1	1	88	64.5	0	29336.493	427.9569892	12471.12222	30000	0	0	30000	44.625	2004
22.01.2020 12:03:28	1	1	1	1	88	64.5	0	29905.213	455.9139785	13569.42897	30000	0	0	30000	44	2004
22.01.2020 12:03:29	1	1	1	1	88	64	0	30000	481.7204301	14128.7745	30000	0	0	30000	44.5	2004
22.01.2020 12:03:30	1	1	1	1	88	64.5	0	30000	481.7204301	14451.662	30000	0	0	30000	44.0625	2004
22.01.2020 12:03:31	1	1	1	1	88	64	0	0	0	0	30000	0	8	30000	44.375	2004
22.01.2020 12:03:32	1	1	1	1	88	64.25	0	10284.36	0	0	30000	0	0	30000	42.125	2004
22.01.2020 12:03:33	1	1	1	1	88	62	0	11137.441	0	0	30000	0	0	30000	44.6875	2004
22.01.2020 12:03:34	1	1	1	1	88	64.5	0	11848.341	0	0	30000	0	0	30000	44.625	2004
22.01.2020 12:03:35	1	1	1	1	88	64.5	0	12606.635	0	0	30000	0	0	30000	44.625	2004
22.01.2020 12:03:36	1	1	1	1	88	64.5	0	13222.749	4.301075269	56.26070176	30000	0	0	30000	44.5625	2004
22.01.2020 12:03:37	1	1	1	1	88	64.5	0	14170.616	10.75268817	90.50634632	30000	0	0	30000	45.125	2004
22.01.2020 12:03:38	1	1	1	1	88	65	0	14928.91	15.05376344	224.2274346	30000	0	0	30000	44.8125	2004
22.01.2020 12:03:39	1	1	1	1	88	64.75	0	15687.204	25.80645161	404.4247547	30000	0	0	30000	44.8125	2004
22.01.2020 12:03:40	1	1	1	1	88	64.75	0	16208.531	30.10752688	452.5317316	30000	0	0	30000	45	2004
22.01.2020 12:03:41	1	1	1	1	88.75	64.5	0	17251.185	40.86021505	704.4818308	30000	0	0	30000	44.625	2004
22.01.2020 12:03:42	1	1	1	1	88.75	64.5	0	18009.479	55.91397849	967.8471448	30000	0	0	30000	44.625	2004
22.01.2020 12:03:43	1	1	1	1	88.75	64.5	0	18767.773	62.3655914	1126.84478	30000	0	0	30000	44.6875	2004
22.01.2020 12:03:44	1	1	1	1	88.75	64.5	0	18530.806	66.66666667	1235.289321	30000	0	0	30000	44.625	2004
22.01.2020 12:03:46	1	1	1	1	88.75	64.5	0	20000	75.2688172	1505.177615	30000	0	0	30000	43.8125	2004
22.01.2020 12:03:47	1	1	1	1	88.75	63.75	0	21137.441	103.2258065	2181.936781	30000	0	0	30000	44.625	2004
22.01.2020 12:03:48	1	1	1	1	88.75	64.5	0	21800.948	109.6774194	2390.672139	30000	0	0	30000	44.6875	2004
22.01.2020 12:03:49	1	1	1	1	88.75	64.5	0	22559.242	139.7849462	3179.952708	30000	0	0	30000	44.5625	2004
22.01.2020 12:03:50	1	1	1	1	88.75	64.5	0	22796.209	148.3870968	3382.165086	30000	0	0	30000	44.5625	2004
22.01.2020 12:03:51	1	1	1	1	88.75	64.5	0	21943.128	139.7849462	3255.78235	30000	0	0	30000	44.6875	2004
22.01.2020 12:03:52	1	1	1	1	88	64.5	0	24075.829	169.8924731	4098.062131	30000	0	0	30000	44.6875	2004
22.01.2020 12:03:53	1	1	1	1	88	64.5	0	24502.37	189.2473118	4637.023347	30000	0	0	30000	44.6875	2004
22.01.2020 12:03:54	1	1	1	1	88	64.5	0	25402.844	206.4516129	5244.475851	30000	0	0	30000	44.625	2004
22.01.2020 12:03:55	1	1	1	1	88	64.5	0	25260.664	217.2043011	5486.641481	30000	0	0	30000	44.625	2004
22.01.2020 12:03:56	1	1	1	1	88	64.5	0	27014.218	247.311828	6668.93159	30000	0	0	30000	44	2004
22.01.2020 12:03:57	1	1	1	1	88	64	0	26208.531	258.0645161	6626.532221	30000	0	0	30000	44.625	2004
22.01.2020 12:03:58	1	1	1	1	88	64.5	0	27440.758	260.2150538	7140.216889	30000	0	0	30000	44.6875	2004
22.01.2020 12:03:59	1	1	1	1	88	64.5	0	26492.891	245.1612903	6506.672465	30000	0	0	30000	44.625	2004
22.01.2020 12:04:06	1	1	1	1	88	64.5	0	27345.972	329.0322581	8997.63542	30000	0	0	30000	44.625	2004
22.01.2020 12:04:06	1	1	1	1	88	64.5	0	27345.972	329.0322581	8997.63542	30000	0	0	30000	44.625	2004
22.01.2020 12:04:06	1	1	1	1	88	64.5	0	27345.972	329.0322581	8997.63542	30000	0	0	30000	44.625	2004
22.01.2020 12:04:06	1	1	1	1	88	64.5	0	27345.972	329.0322581	8997.63542	30000	0	0	30000	44.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 12:04:06	1	1	1	1	88	64.5	0	27345.972	329.0322581	8997.63542	30000	0	0	30000	44.625	2004
22.01.2020 12:04:06	1	1	1	1	88	64.5	0	27345.972	329.0322581	8997.63542	30000	0	0	30000	44.625	2004
22.01.2020 12:04:06	1	1	1	1	88	64.5	0	26208.531	286.0215054	7243.769195	30000	0	0	30000	44.0625	2004
22.01.2020 12:04:07	1	1	1	1	88	64	0	25308.057	298.9247312	7633.517245	30000	0	0	30000	44.5	2004
22.01.2020 12:04:08	1	1	1	1	88	64.5	0	26113.744	320.4301075	8367.352486	30000	0	0	30000	44.625	2004
22.01.2020 12:04:09	1	1	1	1	88	64.5	0	26113.744	329.0322581	8647.840622	30000	0	0	30000	44.375	2004
22.01.2020 12:04:10	1	1	1	1	88	64.25	0	27962.085	350.5376344	9801.592694	30000	0	0	30000	44.625	2004
22.01.2020 12:04:11	1	1	1	1	88	64.5	0	27630.332	378.4946237	10219.87878	30000	0	0	30000	44.0625	2004
22.01.2020 12:04:12	1	1	1	1	87.75	64	0	28862.559	369.8924731	10489.76708	30000	0	0	30000	44.6875	2004
22.01.2020 12:04:13	1	1	1	1	87.75	64.5	0	27582.938	378.4946237	10635.71875	30000	0	0	30000	44.4375	2004
22.01.2020 12:04:14	1	1	1	1	87.75	64.25	0	27440.758	380.6451613	10444.92159	30000	0	0	30000	44.6875	2004
22.01.2020 12:04:15	1	1	1	1	87.75	64.5	0	27630.332	395.6989247	10933.32971	30000	0	0	30000	44.75	2004
22.01.2020 12:04:16	1	1	1	1	87.75	64.75	0	28009.479	397.8494624	11142.88044	30000	0	0	30000	44.5	2004
22.01.2020 12:04:17	1	1	1	1	87.75	64.5	0	28436.019	427.9569892	12169.4344	30000	0	0	30000	44.3125	2004
22.01.2020 12:04:18	1	1	1	1	87.75	64.25	0	28815.166	380.6451613	10906.42242	30000	0	0	30000	44.5	2004
22.01.2020 12:04:19	1	1	1	1	87.75	64.5	0	28815.166	443.0107527	12827.44	30000	0	0	30000	44.6875	2004
22.01.2020 12:04:20	1	1	1	1	87.75	64.25	0	29099.526	460.2150538	13539.26019	30000	0	0	30000	44.0625	2004
22.01.2020 12:04:21	1	1	1	1	87.25	64	0	28815.166	404.3010753	11464.1372	30000	0	0	30000	44.625	2004
22.01.2020 12:04:22	1	1	1	1	87.25	64.5	0	29146.919	464.516129	13539.26019	30000	0	0	30000	44.4375	2004
22.01.2020 12:04:24	1	1	1	1	87.25	64.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	44	2004
22.01.2020 12:04:25	1	1	1	1	87.25	64	0	29952.607	458.0645161	13741.47256	30000	0	0	30000	44.3125	2004
22.01.2020 12:04:26	1	1	1	1	87.25	64.25	0	30000	449.4623656	13483.81486	30000	0	0	30000	44.4375	2004
22.01.2020 12:04:27	1	1	1	1	87.25	64.25	0	29905.213	449.4623656	13312.58663	30000	0	0	30000	43.5625	2004
22.01.2020 12:04:28	1	1	1	1	87.25	63.5	0	30000	481.7204301	14451.662	30000	0	0	30000	44.4375	2004
22.01.2020 12:04:29	1	1	1	1	87.25	64.25	0	27962.085	453.7634409	12807.87106	30000	0	0	30000	44.375	2004
22.01.2020 12:04:30	1	1	1	1	87.25	64.25	0	30000	481.7204301	14451.662	30000	0	0	30000	44.125	2004
22.01.2020 12:04:31	1	1	1	1	87.25	64	0	29905.213	481.7204301	14406.00114	30000	0	0	30000	44.375	2004
22.01.2020 12:04:32	1	1	1	1	86.75	64.25	0	28341.232	481.7204301	13675.42739	30000	0	0	30000	44.4375	2004
22.01.2020 12:04:33	1	1	1	1	86.75	64.25	0	29763.033	464.516129	13847.47099	30000	0	0	30000	44.375	2004
22.01.2020 12:04:34	1	1	1	1	86.75	64.25	0	30000	481.7204301	14451.662	30000	0	0	30000	43.75	2004
22.01.2020 12:04:35	1	1	1	1	86.75	63.75	0	27962.085	481.7204301	13169.08108	30000	0	0	30000	44.1875	2004
22.01.2020 12:04:36	1	1	1	1	86.75	64	0	30000	492.4731183	14773.73413	30000	0	0	30000	44.1875	2004
22.01.2020 12:04:37	1	1	1	1	86.75	64	0	30000	496.7741935	15143.91324	30000	0	0	30000	44.375	2004
22.01.2020 12:04:38	1	1	1	1	86.75	64.25	0	29952.607	481.7204301	14516.07643	30000	0	0	30000	44.5625	2004
22.01.2020 12:04:39	1	1	1	1	86.75	64.5	0	29905.213	481.7204301	14598.42905	30000	0	0	30000	44.3125	2004
22.01.2020 12:04:40	1	1	1	1	86.75	64.25	0	29952.607	490.3225806	14750.9037	30000	0	0	30000	43.75	2004
22.01.2020 12:04:41	1	1	1	1	86.75	63.75	0	30000	481.7204301	14644.90528	30000	0	0	30000	44.25	2004
22.01.2020 12:04:42	1	1	1	1	87.5	64.25	0	28009.479	481.7204301	13492.78395	30000	0	0	30000	44.5625	2004
22.01.2020 12:04:43	1	1	1	1	87.5	64.5	0	30000	501.0752688	15032.20721	30000	0	0	30000	44	2004
22.01.2020 12:04:44	1	1	1	1	87.5	64	0	29905.213	481.7204301	14516.07643	30000	0	0	30000	44.5625	2004
22.01.2020 12:04:45	1	1	1	1	87.5	64.5	0	30000	481.7204301	14451.662	30000	0	0	30000	44.0625	2004
22.01.2020 12:04:46	1	1	1	1	87.5	64	0	30000	496.7741935	14902.56299	30000	0	0	30000	44.25	2004
22.01.2020 12:04:47	1	1	1	1	87.5	64.25	0	29905.213	464.516129	13891.5011	30000	0	0	30000	44.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 12:04:48	1	1	1	1	87.5	64.5	0	30000	481.7204301	14428.83157	30000	0	0	30000	44.125	2004
22.01.2020 12:04:49	1	1	1	1	87.5	64	0	29905.213	481.7204301	14406.00114	30000	0	0	30000	44.625	2004
22.01.2020 12:04:50	1	1	1	1	87.5	64.5	0	30000	494.6236559	14773.73413	30000	0	0	30000	44.3125	2004
22.01.2020 12:04:51	1	1	1	1	87.5	64.25	0	29905.213	481.7204301	14451.662	30000	0	0	30000	44.5	2004
22.01.2020 12:04:52	1	1	1	1	87	64.5	0	30000	486.0215054	14644.90528	30000	0	0	30000	44.25	2004
22.01.2020 12:04:53	1	1	1	1	87	64.25	0	29620.853	464.516129	13823.00981	30000	0	0	30000	44.6875	2004
22.01.2020 12:04:54	1	1	1	1	87	64.5	0	29857.82	481.7204301	14039.08352	30000	0	0	30000	44.625	2004
22.01.2020 12:04:55	1	1	1	1	87	64.5	0	29952.607	481.7204301	14428.83157	30000	0	0	30000	44.625	2004
22.01.2020 12:04:56	1	1	1	1	87	64.5	0	29952.607	481.7204301	14451.662	30000	0	0	30000	44.1875	2004
22.01.2020 12:04:57	1	1	1	1	87	64	0	30000	481.7204301	14451.662	30000	0	0	30000	44.625	2004
22.01.2020 12:04:58	1	1	1	1	87	64.5	0	29952.607	464.516129	13999.94564	30000	0	0	30000	43.9375	2004
22.01.2020 12:04:59	1	1	1	1	87	64	0	29478.673	412.9032258	12171.88052	30000	0	0	30000	44	2004
22.01.2020 12:05:00	1	1	1	1	87	64	0	29952.607	481.7204301	14451.662	30000	0	0	30000	44.1875	2004
22.01.2020 12:05:07	1	1	1	1	87	64.25	0	28625.592	412.9032258	11897.91536	30000	0	0	30000	44.5625	2004
22.01.2020 12:05:07	1	1	1	1	87	64.25	0	28625.592	412.9032258	11897.91536	30000	0	0	30000	44.5625	2004
22.01.2020 12:05:07	1	1	1	1	87	64.25	0	28625.592	412.9032258	11897.91536	30000	0	0	30000	44.5625	2004
22.01.2020 12:05:07	1	1	1	1	87	64.25	0	28625.592	412.9032258	11897.91536	30000	0	0	30000	44.5625	2004
22.01.2020 12:05:07	1	1	1	1	87	64.25	0	28625.592	412.9032258	11897.91536	30000	0	0	30000	44.5625	2004
22.01.2020 12:05:07	1	1	1	1	87	64.25	0	28625.592	412.9032258	11897.91536	30000	0	0	30000	44.5625	2004
22.01.2020 12:05:07	1	1	1	1	87	64.25	0	28625.592	412.9032258	11897.91536	30000	0	0	30000	44.5625	2004
22.01.2020 12:05:08	1	1	1	1	87	64.5	0	30000	460.2150538	13720.27288	30000	0	0	30000	44.3125	2004
22.01.2020 12:05:09	1	1	1	1	87	64.25	0	30000	419.3548387	12560.8132	30000	0	0	30000	43.9375	2004
22.01.2020 12:05:10	1	1	1	1	87	63.75	0	29478.673	432.2580645	12741.82589	30000	0	0	30000	44.0625	2004
22.01.2020 12:05:11	1	1	1	1	87	64	0	29905.213	412.9032258	12348.00098	30000	0	0	30000	44.5625	2004
22.01.2020 12:05:12	1	1	1	1	87.75	64.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	44.625	2004
22.01.2020 12:05:13	1	1	1	1	87.75	64.5	0	28862.559	419.3548387	12103.38923	30000	0	0	30000	44.5	2004
22.01.2020 12:05:14	1	1	1	1	87.75	64.5	0	29620.853	391.3978495	11592.96605	30000	0	0	30000	44.4375	2004
22.01.2020 12:05:15	1	1	1	1	87.75	64.25	0	28483.412	397.8494624	11332.04686	30000	0	0	30000	44.3125	2004
22.01.2020 12:05:16	1	1	1	1	87.75	64.25	0	30000	481.7204301	14451.662	30000	0	0	30000	43.5625	2004
22.01.2020 12:05:17	1	1	1	1	87.75	63.5	0	29857.82	481.7204301	14406.00114	30000	0	0	30000	44.5	2004
22.01.2020 12:05:18	1	1	1	1	87.75	64.5	0	29905.213	496.7741935	14879.73256	30000	0	0	30000	44.5625	2004
22.01.2020 12:05:19	1	1	1	1	87.75	64.5	0	29952.607	507.5268817	15266.21912	30000	0	0	30000	44.625	2004
22.01.2020 12:05:20	1	1	1	1	87.75	64.5	0	29952.607	496.7741935	15032.20721	30000	0	0	30000	44.5625	2004
22.01.2020 12:05:21	1	1	1	1	87.75	64.5	0	28483.412	464.516129	13147.88139	30000	0	0	30000	44.1875	2004
22.01.2020 12:05:22	1	1	1	1	87.25	64	0	29905.213	488.172043	14598.42905	30000	0	0	30000	44.625	2004
22.01.2020 12:05:23	1	1	1	1	87.25	64.5	0	25924.171	464.516129	12042.23629	30000	0	0	30000	44.5	2004
22.01.2020 12:05:24	1	1	1	1	87.25	64.5	0	29810.427	481.7204301	14360.34028	30000	0	0	30000	44.1875	2004
22.01.2020 12:05:25	1	1	1	1	87.25	64	0	29431.28	481.7204301	14177.69684	30000	0	0	30000	44.25	2004
22.01.2020 12:05:26	1	1	1	1	87.25	64.25	0	29715.64	481.7204301	14314.67942	30000	0	0	30000	43.6875	2004
22.01.2020 12:05:27	1	1	1	1	87.25	63.5	0	29952.607	501.0752688	15008.56141	30000	0	0	30000	44.5	2004
22.01.2020 12:05:28	1	1	1	1	87.25	64.5	0	29905.213	488.172043	14598.42905	30000	0	0	30000	44.5625	2004
22.01.2020 12:05:29	1	1	1	1	87.25	64.5	0	30000	503.2258065	15096.62164	30000	0	0	30000	44.5	2004
22.01.2020 12:05:30	1	1	1	1	87.25	64.5	0	26540.284	460.2150538	12157.20382	30000	0	0	30000	44.375	2004
22.01.2020 12:05:31	1	1	1	1	87.25	64.25	0	28815.166	455.9139785	13075.31324	30000	0	0	30000	43.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 12:05:32	1	1	1	1	87	63.75	0	30000	494.6236559	14815.31813	30000	0	0	30000	44.5	2004
22.01.2020 12:05:33	1	1	1	1	87	64.5	0	30000	496.7741935	14902.56299	30000	0	0	30000	44.0625	2004
22.01.2020 12:05:34	1	1	1	1	87	64	0	29905.213	490.3225806	14727.2579	30000	0	0	30000	44.375	2004
22.01.2020 12:05:35	1	1	1	1	87	64.25	0	30000	501.0752688	15032.20721	30000	0	0	30000	44.75	2004
22.01.2020 12:05:36	1	1	1	1	87	64.75	0	29905.213	490.3225806	14598.42905	30000	0	0	30000	43.6875	2004
22.01.2020 12:05:37	1	1	1	1	87	64.5	0	30000	505.3763441	15161.03607	30000	0	0	30000	44.625	2004
22.01.2020 12:05:38	1	1	1	1	87	64.5	0	29905.213	492.4731183	14727.2579	30000	0	0	30000	44.625	2004
22.01.2020 12:05:40	1	1	1	1	87	64.5	0	30000	524.7311828	15741.58128	30000	0	0	30000	44.625	2004
22.01.2020 12:05:41	1	1	1	1	87	64.5	0	29905.213	522.5806452	15627.42913	30000	0	0	30000	44.5625	2004
22.01.2020 12:05:42	1	1	1	1	87.5	64.5	0	27819.905	481.7204301	12982.36078	30000	0	0	30000	44.5625	2004
22.01.2020 12:05:43	1	1	1	1	87.5	64.5	0	26587.678	481.7204301	12807.87106	30000	0	0	30000	43.375	2004
22.01.2020 12:05:44	1	1	1	1	87.5	63.25	0	30000	522.5806452	15677.16685	30000	0	0	30000	43.9375	2004
22.01.2020 12:05:45	1	1	1	1	87.5	63.75	0	29573.46	539.7849462	15963.3626	30000	0	0	30000	44.5625	2004
22.01.2020 12:05:46	1	1	1	1	87.5	64.5	0	29146.919	481.7204301	14040.71427	30000	0	0	30000	43.9375	2004
22.01.2020 12:05:47	1	1	1	1	87.5	63.75	0	29383.886	544.0860215	15987.0084	30000	0	0	30000	44.125	2004
22.01.2020 12:05:48	1	1	1	1	87.5	64	0	26350.711	494.6236559	13113.63575	30000	0	0	30000	44.5	2004
22.01.2020 12:05:49	1	1	1	1	87.5	64.5	0	29146.919	492.4731183	14353.8173	30000	0	0	30000	44.625	2004
22.01.2020 12:05:50	1	1	1	1	87.5	64.5	0	29526.066	544.0860215	16128.06784	30000	0	0	30000	44.625	2004
22.01.2020 12:05:51	1	1	1	1	87.5	64.5	0	29383.886	544.0860215	16013.10032	30000	0	0	30000	44.625	2004
22.01.2020 12:05:52	1	1	1	1	86.75	64.5	0	29715.64	524.7311828	15592.36811	30000	0	0	30000	44.0625	2004
22.01.2020 12:05:53	1	1	1	1	86.75	64	0	28341.232	526.8817204	14957.19294	30000	0	0	30000	44.5	2004
22.01.2020 12:05:54	1	1	1	1	86.75	64.5	0	29336.493	541.9354839	15960.91648	30000	0	0	30000	44.4375	2004
22.01.2020 12:05:55	1	1	1	1	86.75	64.25	0	29573.46	544.0860215	16026.96165	30000	0	0	30000	43.6875	2004
22.01.2020 12:05:56	1	1	1	1	86.75	63.5	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	44.5	2004
22.01.2020 12:05:57	1	1	1	1	86.75	64.5	0	29573.46	522.5806452	15454.57016	30000	0	0	30000	44.625	2004
22.01.2020 12:05:58	1	1	1	1	86.75	64.5	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	44.5	2004
22.01.2020 12:05:59	1	1	1	1	86.75	64.5	0	24123.223	455.9139785	11049.92798	30000	0	0	30000	44.625	2004
22.01.2020 12:06:00	1	1	1	1	86.75	64.5	0	29052.133	546.2365591	15817.41092	30000	0	0	30000	44	2004
22.01.2020 12:06:01	1	1	1	1	86.75	64	0	29857.82	535.483871	15987.82377	30000	0	0	30000	44.375	2004
22.01.2020 12:06:02	1	1	1	1	87.25	64.25	0	29431.28	546.2365591	16075.884	30000	0	0	30000	44.625	2004
22.01.2020 12:06:09	1	1	1	1	87.25	64.25	0	29857.82	533.3333333	15885.08684	30000	0	0	30000	44.5	2004
22.01.2020 12:06:09	1	1	1	1	87.25	64.25	0	29857.82	533.3333333	15885.08684	30000	0	0	30000	44.5	2004
22.01.2020 12:06:09	1	1	1	1	87.25	64.25	0	29857.82	533.3333333	15885.08684	30000	0	0	30000	44.5	2004
22.01.2020 12:06:09	1	1	1	1	87.25	64.25	0	29857.82	533.3333333	15885.08684	30000	0	0	30000	44.5	2004
22.01.2020 12:06:09	1	1	1	1	87.25	64.25	0	29857.82	533.3333333	15885.08684	30000	0	0	30000	44.5	2004
22.01.2020 12:06:09	1	1	1	1	87.25	64.25	0	29857.82	533.3333333	15885.08684	30000	0	0	30000	44.5	2004
22.01.2020 12:06:09	1	1	1	1	87.25	64.5	0	29715.64	529.0322581	15528.76906	30000	0	0	30000	44.625	2004
22.01.2020 12:06:10	1	1	1	1	87.25	64.5	0	29289.1	552.688172	16035.11538	30000	0	0	30000	44.625	2004
22.01.2020 12:06:11	1	1	1	1	87.25	64.5	0	29431.28	535.483871	16064.46878	30000	0	0	30000	44.1875	2004
22.01.2020 12:06:12	1	1	1	1	87.5	64	0	29905.213	518.2795699	15498.60028	30000	0	0	30000	44.0625	2004
22.01.2020 12:06:13	1	1	1	1	87.5	64	0	29715.64	546.2365591	16103.60666	30000	0	0	30000	44.875	2004
22.01.2020 12:06:14	1	1	1	1	87.5	64.75	0	29146.919	541.9354839	15858.17955	30000	0	0	30000	44	2004
22.01.2020 12:06:15	1	1	1	1	87.5	64	0	28625.592	492.4731183	14096.97497	30000	0	0	30000	44.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 12:06:16	1	1	1	1	87.5	64.75	0	29573.46	505.3763441	15009.37678	30000	0	0	30000	44.6875	2004
22.01.2020 12:06:18	1	1	1	1	87.5	64.5	0	29573.46	507.5268817	15096.62164	30000	0	0	30000	44.75	2004
22.01.2020 12:06:19	1	1	1	1	87.5	64.75	0	29431.28	541.9354839	16038.37687	30000	0	0	30000	44.625	2004
22.01.2020 12:06:20	1	1	1	1	87.5	64.5	0	29810.427	494.6236559	14744.38072	30000	0	0	30000	44.4375	2004
22.01.2020 12:06:21	1	1	1	1	87.5	64.25	0	29857.82	516.1290323	15410.54005	30000	0	0	30000	44.375	2004
22.01.2020 12:06:22	1	1	1	1	87.5	64.25	0	29857.82	516.1290323	15563.0147	30000	0	0	30000	44.625	2004
22.01.2020 12:06:23	1	1	1	1	87.5	64.5	0	29478.673	539.7849462	15975.59318	30000	0	0	30000	44.3125	2004
22.01.2020 12:06:24	1	1	1	1	87.5	64.25	0	30000	520.4301075	15677.16685	30000	0	0	30000	43.9375	2004
22.01.2020 12:06:25	1	1	1	1	87.5	63.75	0	29857.82	535.483871	15834.53374	30000	0	0	30000	44.3125	2004
22.01.2020 12:06:26	1	1	1	1	87.5	64.25	0	29952.607	537.6344086	16013.10032	30000	0	0	30000	44.625	2004
22.01.2020 12:06:27	1	1	1	1	87.5	64.5	0	29715.64	539.7849462	16154.97513	30000	0	0	30000	44.25	2004
22.01.2020 12:06:28	1	1	1	1	87.5	64.25	0	29526.066	481.7204301	13841.76338	30000	0	0	30000	44.4375	2004
22.01.2020 12:06:29	1	1	1	1	87.5	64.25	0	29952.607	496.7741935	14879.73256	30000	0	0	30000	44.1875	2004
22.01.2020 12:06:30	1	1	1	1	87.5	64	0	29573.46	488.172043	14436.9853	30000	0	0	30000	44.375	2004
22.01.2020 12:06:31	1	1	1	1	87.5	64.25	0	29478.673	496.7741935	14984.91561	30000	0	0	30000	44.5	2004
22.01.2020 12:06:32	1	1	1	1	87.5	64.5	0	28009.479	445.1612903	12468.67611	30000	0	0	30000	44.25	2004
22.01.2020 12:06:33	1	1	1	1	87.5	64.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	44.25	2004
22.01.2020 12:06:34	1	1	1	1	87.5	64.25	0	26018.957	481.7204301	12533.90591	30000	0	0	30000	43.875	2004
22.01.2020 12:06:35	1	1	1	1	87.5	63.75	0	30000	501.0752688	15032.20721	30000	0	0	30000	44.625	2004
22.01.2020 12:06:36	1	1	1	1	87.5	64.5	0	29905.213	522.5806452	15870.41013	30000	0	0	30000	44.3125	2004
22.01.2020 12:06:37	1	1	1	1	87.5	64.25	0	29810.427	494.6236559	14680.78167	30000	0	0	30000	44.125	2004
22.01.2020 12:06:38	1	1	1	1	87.5	64	0	30000	522.5806452	15805.99571	30000	0	0	30000	44.625	2004
22.01.2020 12:06:42	1	1	1	1	87.5	64.5	0	29952.607	509.6774194	15459.4624	30000	0	0	30000	44.125	2004
22.01.2020 12:06:42	1	1	1	1	87.5	64.5	0	29952.607	509.6774194	15459.4624	30000	0	0	30000	44.125	2004
22.01.2020 12:06:42	1	1	1	1	87.5	64.5	0	29952.607	509.6774194	15459.4624	30000	0	0	30000	44.125	2004
22.01.2020 12:06:42	1	1	1	1	87.25	64	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	43.8125	2004
22.01.2020 12:06:43	1	1	1	1	87.25	63.75	0	29526.066	537.6344086	15658.41329	30000	0	0	30000	44.75	2004
22.01.2020 12:06:44	1	1	1	1	87.25	64.75	0	29810.427	488.172043	14575.59862	30000	0	0	30000	44.5625	2004
22.01.2020 12:06:45	1	1	1	1	87.25	64.5	0	30000	533.3333333	16064.46878	30000	0	0	30000	44.125	2004
22.01.2020 12:06:46	1	1	1	1	87.25	64	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	44.5625	2004
22.01.2020 12:06:47	1	1	1	1	87.25	64.5	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	44.4375	2004
22.01.2020 12:06:48	1	1	1	1	87.25	64.25	0	29763.033	537.6344086	16040.00761	30000	0	0	30000	44.4375	2004
22.01.2020 12:06:49	1	1	1	1	87.25	64.25	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	44.5	2004
22.01.2020 12:06:50	1	1	1	1	87.25	64.5	0	29810.427	488.172043	14551.95282	30000	0	0	30000	44.5625	2004
22.01.2020 12:06:51	1	1	1	1	87.25	64.5	0	29241.706	494.6236559	14353.8173	30000	0	0	30000	44.3125	2004
22.01.2020 12:06:52	1	1	1	1	88.25	64.25	0	29573.46	544.0860215	16090.5607	30000	0	0	30000	44.5	2004
22.01.2020 12:06:53	1	1	1	1	88.25	64.5	0	0	0	0	30000	0	8	30000	41.9375	2004
22.01.2020 12:06:54	1	1	1	1	88.25	61.75	0	10616.114	0	0	30000	0	0	30000	44.625	2004
22.01.2020 12:06:56	1	1	1	1	88.25	64.5	0	11232.227	0	0	30000	0	0	30000	44.625	2004
22.01.2020 12:06:57	1	1	1	1	88.25	64.5	0	11990.521	0	0	30000	0	0	30000	44.75	2004
22.01.2020 12:06:58	1	1	1	1	88.25	64.75	0	12085.308	2.150537634	25.27654717	30000	0	0	30000	44.6875	2004
22.01.2020 12:06:59	1	1	1	1	88.25	64.5	0	13554.502	8.602150538	145.9516756	30000	0	0	30000	44.6875	2004
22.01.2020 12:07:00	1	1	1	1	88.25	64.5	0	13364.929	12.90322581	142.6901856	30000	0	0	30000	44.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 12:07:01	1	1	1	1	88.25	64.5	0	14976.303	21.50537634	326.1489957	30000	0	0	30000	44.5	2004
22.01.2020 12:07:02	1	1	1	1	87.75	64.5	0	15829.384	32.25806452	544.6688229	30000	0	0	30000	44.5625	2004
22.01.2020 12:07:03	1	1	1	1	87.75	64.5	0	16492.891	36.55913978	645.7750116	30000	0	0	30000	44.0625	2004
22.01.2020 12:07:04	1	1	1	1	87.75	64	0	17393.365	51.61290323	897.7251108	30000	0	0	30000	44.5	2004
22.01.2020 12:07:10	1	1	1	1	87.75	64.5	0	20000	113.9784946	2278.966108	30000	0	0	30000	44.625	2004
22.01.2020 12:07:10	1	1	1	1	87.75	64.5	0	20000	113.9784946	2278.966108	30000	0	0	30000	44.625	2004
22.01.2020 12:07:10	1	1	1	1	87.75	64.5	0	20000	113.9784946	2278.966108	30000	0	0	30000	44.625	2004
22.01.2020 12:07:10	1	1	1	1	87.75	64.5	0	20000	113.9784946	2278.966108	30000	0	0	30000	44.625	2004
22.01.2020 12:07:10	1	1	1	1	87.75	64.5	0	20000	113.9784946	2278.966108	30000	0	0	30000	44.625	2004
22.01.2020 12:07:10	1	1	1	1	87.75	64.5	0	20000	113.9784946	2278.966108	30000	0	0	30000	44.625	2004
22.01.2020 12:07:10	1	1	1	1	87.75	64.5	0	20000	113.9784946	2278.966108	30000	0	0	30000	44.625	2004
22.01.2020 12:07:11	1	1	1	1	87.75	64.5	0	21374.408	129.0322581	2711.9289	30000	0	0	30000	44.5625	2004
22.01.2020 12:07:12	1	1	1	1	87.5	64.5	0	22559.242	137.6344086	3131.030359	30000	0	0	30000	44.625	2004
22.01.2020 12:07:13	1	1	1	1	87.5	64.5	0	21800.948	141.9354839	3047.046993	30000	0	0	30000	44.5625	2004
22.01.2020 12:07:14	1	1	1	1	87.5	64.5	0	24597.156	167.7419355	4178.784008	30000	0	0	30000	44.625	2004
22.01.2020 12:07:15	1	1	1	1	87.5	64.5	0	19810.427	144.0860215	2861.142065	30000	0	0	30000	44.625	2004
22.01.2020 12:07:16	1	1	1	1	87.5	64.5	0	24218.009	189.2473118	4583.208763	30000	0	0	30000	44.5625	2004
22.01.2020 12:07:17	1	1	1	1	87.5	64.5	0	25355.45	182.7956989	4643.546327	30000	0	0	30000	44.75	2004
22.01.2020 12:07:18	1	1	1	1	87.5	64.75	0	24075.829	191.3978495	4607.669937	30000	0	0	30000	44.625	2004
22.01.2020 12:07:19	1	1	1	1	87.5	64.5	0	0	0	0	30000	0	8	30000	44.6875	2004
22.01.2020 12:07:20	1	1	1	1	87.5	64.5	0	10331.754	0	0	30000	0	0	30000	44.75	2004
22.01.2020 12:07:21	1	1	1	1	87.5	64.75	0	11090.047	0	0	30000	0	0	30000	44.625	2004
22.01.2020 12:07:22	1	1	1	1	87.75	64.5	0	11943.128	0	0	30000	0	0	30000	44.5625	2004
22.01.2020 12:07:23	1	1	1	1	87.75	64.5	0	12654.028	6.451612903	53.8145843	30000	0	0	30000	44.625	2004
22.01.2020 12:07:24	1	1	1	1	87.75	64.5	0	12369.668	4.301075269	52.99921181	30000	0	0	30000	44.5625	2004
22.01.2020 12:07:25	1	1	1	1	87.75	64.5	0	14218.009	12.90322581	183.4588101	30000	0	0	30000	44.625	2004
22.01.2020 12:07:26	1	1	1	1	87.75	64.5	0	14976.303	19.35483871	289.4572337	30000	0	0	30000	44.625	2004
22.01.2020 12:07:27	1	1	1	1	87.75	64.5	0	15734.597	27.95698925	437.8550268	30000	0	0	30000	44.625	2004
22.01.2020 12:07:28	1	1	1	1	87.75	64.5	0	16492.891	38.70967742	600.9295246	30000	0	0	30000	44.8125	2004
22.01.2020 12:07:29	1	1	1	1	87.75	64.75	0	17393.365	49.46236559	820.2647243	30000	0	0	30000	44.9375	2004
22.01.2020 12:07:30	1	1	1	1	87.75	64.75	0	18056.872	53.76344086	970.2932623	30000	0	0	30000	45	2004
22.01.2020 12:07:31	1	1	1	1	87.75	65	0	16682.464	47.31182796	789.2805697	30000	0	0	30000	44.3125	2004
22.01.2020 12:07:32	1	1	1	1	87	64.5	0	19668.246	66.66666667	1265.458103	30000	0	0	30000	44.75	2004
22.01.2020 12:07:33	1	1	1	1	87	64.75	0	20379.147	75.2688172	1533.715652	30000	0	0	30000	44.5625	2004
22.01.2020 12:07:35	1	1	1	1	87	64.5	0	21137.441	92.47311828	1954.447857	30000	0	0	30000	44.625	2004
22.01.2020 12:07:36	1	1	1	1	87	64.5	0	21895.735	103.2258065	2260.21254	30000	0	0	30000	44.6875	2004
22.01.2020 12:07:37	1	1	1	1	87	64.5	0	22559.242	122.5806452	2764.928111	30000	0	0	30000	44.75	2004
22.01.2020 12:07:38	1	1	1	1	87	64.75	0	19668.246	103.2258065	2071.861495	30000	0	0	30000	44.625	2004
22.01.2020 12:07:39	1	1	1	1	87	64.5	0	22748.815	129.0322581	2935.340962	30000	0	0	30000	44.625	2004
22.01.2020 12:07:40	1	1	1	1	87	64.5	0	22417.062	137.6344086	3085.3695	30000	0	0	30000	43.125	2004
22.01.2020 12:07:41	1	1	1	1	87	63	0	0	0	0	30000	0	8	30000	44.8125	2004
22.01.2020 12:07:42	1	1	1	1	87.25	64.75	0	10142.18	0	0	30000	0	0	30000	44.875	2004
22.01.2020 12:07:43	1	1	1	1	87.25	64.75	0	10853.081	0	0	30000	0	0	30000	44.625	2004
22.01.2020 12:07:44	1	1	1	1	87.25	64.5	0	11611.374	0	0	30000	0	0	30000	44.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 12:07:45	1	1	1	1	87.25	64.5	0	11895.735	0	0	30000	0	0	30000	44.625	2004
22.01.2020 12:07:46	1	1	1	1	87.25	64.5	0	13270.142	2.150537634	27.72266464	30000	0	0	30000	44.5	2004
22.01.2020 12:07:47	1	1	1	1	87.25	64.5	0	13886.256	8.602150538	88.87560134	30000	0	0	30000	44.5625	2004
22.01.2020 12:07:48	1	1	1	1	87.25	64.5	0	14786.73	15.05376344	222.5966896	30000	0	0	30000	44.6875	2004
22.01.2020 12:07:49	1	1	1	1	87.25	64.5	0	15639.81	23.65591398	368.5483652	30000	0	0	30000	44.6875	2004
22.01.2020 12:07:50	1	1	1	1	87.25	64.5	0	16255.924	32.25806452	524.2845106	30000	0	0	30000	44.4375	2004
22.01.2020 12:07:51	1	1	1	1	87.25	64.25	0	17014.218	40.86021505	731.3891229	30000	0	0	30000	44.6875	2004
22.01.2020 12:07:52	1	1	1	1	86.75	64.5	0	17819.905	53.76344086	919.740168	30000	0	0	30000	44.625	2004
22.01.2020 12:07:53	1	1	1	1	86.75	64.5	0	18436.019	55.91397849	1069.768706	30000	0	0	30000	44.625	2004
22.01.2020 12:07:54	1	1	1	1	86.75	64.5	0	19336.493	70.96774194	1413.855897	30000	0	0	30000	44.6875	2004
22.01.2020 12:07:55	1	1	1	1	86.75	64.5	0	20047.393	81.72043011	1688.636425	30000	0	0	30000	44.625	2004
22.01.2020 12:07:56	1	1	1	1	86.75	64.5	0	20710.9	98.92473118	1950.370994	30000	0	0	30000	44.5625	2004
22.01.2020 12:07:57	1	1	1	1	86.75	64.5	0	21658.768	109.6774194	2364.580219	30000	0	0	30000	44.625	2004
22.01.2020 12:07:58	1	1	1	1	86.75	64.5	0	21753.555	129.0322581	2806.512108	30000	0	0	30000	44.625	2004
22.01.2020 12:07:59	1	1	1	1	86.75	64.5	0	23033.175	137.6344086	3163.645259	30000	0	0	30000	44.5625	2004
22.01.2020 12:08:00	1	1	1	1	86.75	64.5	0	21895.735	137.6344086	3013.616721	30000	0	0	30000	44.625	2004
22.01.2020 12:08:01	1	1	1	1	86.75	64.5	0	20900.474	139.7849462	2966.325116	30000	0	0	30000	44.5	2004
22.01.2020 12:08:02	1	1	1	1	86.75	64.5	0	23364.929	159.1397849	3667.545457	30000	0	0	30000	44.5625	2004
22.01.2020 12:08:03	1	1	1	1	86.75	64.5	0	20710.9	137.6344086	2901.095317	30000	0	0	30000	44.6875	2004
22.01.2020 12:08:04	1	1	1	1	86.75	64.5	0	24218.009	169.8924731	4270.105727	30000	0	0	30000	44.625	2004
22.01.2020 12:08:05	1	1	1	1	86.75	64.5	0	25165.877	178.4946237	4654.146169	30000	0	0	30000	44.5625	2004
22.01.2020 12:08:12	1	1	1	1	86.75	64.5	0	25545.024	227.9569892	5822.574946	30000	0	0	30000	44.8125	2004
22.01.2020 12:08:12	1	1	1	1	86.75	64.5	0	25545.024	227.9569892	5822.574946	30000	0	0	30000	44.8125	2004
22.01.2020 12:08:12	1	1	1	1	86.75	64.5	0	25545.024	227.9569892	5822.574946	30000	0	0	30000	44.8125	2004
22.01.2020 12:08:12	1	1	1	1	86.75	64.5	0	25545.024	227.9569892	5822.574946	30000	0	0	30000	44.8125	2004
22.01.2020 12:08:12	1	1	1	1	86.75	64.5	0	25545.024	227.9569892	5822.574946	30000	0	0	30000	44.8125	2004
22.01.2020 12:08:12	1	1	1	1	86.75	64.75	0	21563.981	219.3548387	4776.452043	30000	0	0	30000	44.625	2004
22.01.2020 12:08:14	1	1	1	1	86.75	64.5	0	26919.431	270.9677419	7294.32229	30000	0	0	30000	44.625	2004
22.01.2020 12:08:15	1	1	1	1	86.75	64.5	0	26682.464	286.0215054	7631.071128	30000	0	0	30000	44.625	2004
22.01.2020 12:08:16	1	1	1	1	86.75	64.5	0	26066.351	275.2688172	7300.029897	30000	0	0	30000	44.625	2004
22.01.2020 12:08:17	1	1	1	1	86.75	64.5	0	27345.972	292.4731183	7938.466556	30000	0	0	30000	44.5625	2004
22.01.2020 12:08:18	1	1	1	1	86.75	64.5	0	27914.692	309.6774194	8644.579132	30000	0	0	30000	44.5	2004
22.01.2020 12:08:19	1	1	1	1	86.75	64.5	0	26066.351	275.2688172	7243.769195	30000	0	0	30000	44.625	2004
22.01.2020 12:08:20	1	1	1	1	86.75	64.5	0	26350.711	309.6774194	8160.247873	30000	0	0	30000	44.5	2004
22.01.2020 12:08:21	1	1	1	1	86.75	64.5	0	26919.431	316.1290323	8378.7677	30000	0	0	30000	44.625	2004
22.01.2020 12:08:22	1	1	1	1	86.25	64.5	0	27630.332	326.8817204	9031.881064	30000	0	0	30000	44.3125	2004
22.01.2020 12:08:23	1	1	1	1	86.25	64.25	0	28199.052	344.0860215	9641.779686	30000	0	0	30000	44.75	2004
22.01.2020 12:08:24	1	1	1	1	86.25	64.75	0	27962.085	350.5376344	9817.900144	30000	0	0	30000	44.625	2004
22.01.2020 12:08:25	1	1	1	1	86.25	64.5	0	25071.09	339.7849462	8518.196396	30000	0	0	30000	44.5	2004
22.01.2020 12:08:26	1	1	1	1	86.25	64.5	0	28483.412	365.5913978	10395.99924	30000	0	0	30000	44.6875	2004
22.01.2020 12:08:27	1	1	1	1	86.25	64.5	0	27962.085	359.1397849	10179.11016	30000	0	0	30000	44.625	2004
22.01.2020 12:08:28	1	1	1	1	86.25	64.5	0	28341.232	372.0430108	10483.2441	30000	0	0	30000	44.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 12:08:29	1	1	1	1	86.25	64.5	0	28009.479	341.9354839	9577.36526	30000	0	0	30000	44.4375	2004
22.01.2020 12:08:30	1	1	1	1	86.25	64.25	0	29146.919	365.5913978	10655.28769	30000	0	0	30000	44.625	2004
22.01.2020 12:08:31	1	1	1	1	86.25	64.5	0	0	0	0	30000	0	8	30000	44.5625	2004
22.01.2020 12:08:32	1	1	1	1	86.25	64.5	0	0	0	0	30000	0	8	30000	44.75	2004
22.01.2020 12:08:33	1	1	1	1	86.25	64.75	0	10663.507	0	0	30000	0	0	30000	44.625	2004
22.01.2020 12:08:34	1	1	1	1	86.25	64.5	0	11232.227	0	0	30000	0	0	30000	44.625	2004
22.01.2020 12:08:35	1	1	1	1	86.25	64.5	0	12180.095	0	0	30000	0	0	30000	44.5625	2004
22.01.2020 12:08:36	1	1	1	1	86.25	64.5	0	12985.782	2.150537634	0	30000	0	0	30000	44.625	2004
22.01.2020 12:08:37	1	1	1	1	86.25	64.5	0	13744.076	4.301075269	88.06022885	30000	0	0	30000	44.625	2004
22.01.2020 12:08:38	1	1	1	1	86.25	64.5	0	14454.976	10.75268817	154.920773	30000	0	0	30000	44.8125	2004
22.01.2020 12:08:39	1	1	1	1	86.25	64.75	0	15308.057	15.05376344	229.935042	30000	0	0	30000	44.625	2004
22.01.2020 12:08:40	1	1	1	1	86.25	64.5	0	13981.043	12.90322581	210.3661022	30000	0	0	30000	44.4375	2004
22.01.2020 12:08:41	1	1	1	1	86.25	64.25	0	16729.858	32.25806452	540.5919604	30000	0	0	30000	44.5	2004
22.01.2020 12:08:42	1	1	1	1	86.25	64.5	0	17488.152	43.01075269	714.2663007	30000	0	0	30000	44.5625	2004
22.01.2020 12:08:43	1	1	1	1	86.25	64.5	0	18341.232	64.51612903	985.7853396	30000	0	0	30000	44.5	2004
22.01.2020 12:08:44	1	1	1	1	86.25	64.5	0	19099.526	64.51612903	1237.735439	30000	0	0	30000	44.5625	2004
22.01.2020 12:08:45	1	1	1	1	86.25	64.5	0	17677.725	62.3655914	1095.860626	30000	0	0	30000	44.625	2004
22.01.2020 12:08:46	1	1	1	1	86.25	64.5	0	20616.114	83.87096774	1728.589677	30000	0	0	30000	44.5625	2004
22.01.2020 12:08:47	1	1	1	1	86.25	64.5	0	21279.621	103.2258065	2104.476395	30000	0	0	30000	44.625	2004
22.01.2020 12:08:48	1	1	1	1	86.25	64.5	0	21753.555	113.9784946	2478.732368	30000	0	0	30000	45	2004
22.01.2020 12:08:49	1	1	1	1	86.25	65	0	21943.128	129.0322581	2830.973283	30000	0	0	30000	44.6875	2004
22.01.2020 12:08:50	1	1	1	1	86.25	64.5	0	23317.536	137.6344086	3215.829098	30000	0	0	30000	44.5625	2004
22.01.2020 12:08:51	1	1	1	1	86.25	64.5	0	23507.109	163.4408602	3892.588264	30000	0	0	30000	44.625	2004
22.01.2020 12:08:52	1	1	1	1	86.5	64.25	0	23459.716	163.4408602	3833.881445	30000	0	0	30000	44.5	2004
22.01.2020 12:08:54	1	1	1	1	86.5	64.5	0	23791.469	169.8924731	4041.80143	30000	0	0	30000	44.5	2004
22.01.2020 12:08:55	1	1	1	1	86.5	64.5	0	21469.194	152.688172	3285.13576	30000	0	0	30000	44.1875	2004
22.01.2020 12:08:56	1	1	1	1	86.5	64	0	23554.502	169.8924731	3950.479711	30000	0	0	30000	44.5625	2004
22.01.2020 12:08:57	1	1	1	1	86.5	64.5	0	23554.502	169.8924731	4001.032805	30000	0	0	30000	44.5625	2004
22.01.2020 12:08:58	1	1	1	1	86.5	64.5	0	23601.896	169.8924731	4001.032805	30000	0	0	30000	44.375	2004
22.01.2020 12:08:59	1	1	1	1	86.5	64.25	0	23649.289	169.8924731	4017.340255	30000	0	0	30000	44.625	2004
22.01.2020 12:09:00	1	1	1	1	86.5	64.5	0	23601.896	169.8924731	4009.18653	30000	0	0	30000	44.625	2004
22.01.2020 12:09:01	1	1	1	1	86.5	64.5	0	22369.668	156.9892473	3519.147664	30000	0	0	30000	44.375	2004
22.01.2020 12:09:02	1	1	1	1	85.5	64.25	0	25308.057	176.344086	4407.903677	30000	0	0	30000	44.625	2004
22.01.2020 12:09:03	1	1	1	1	85.5	64.5	0	23507.109	169.8924731	4001.032805	30000	0	0	30000	44.5	2004
22.01.2020 12:09:04	1	1	1	1	85.5	64.5	0	25213.27	178.4946237	4508.194494	30000	0	0	30000	44.5	2004
22.01.2020 12:09:05	1	1	1	1	85.5	64.5	0	24218.009	176.344086	4356.535211	30000	0	0	30000	44.625	2004
22.01.2020 12:09:06	1	1	1	1	85.5	64.5	0	22132.701	163.4408602	3474.302177	30000	0	0	30000	44.625	2004
22.01.2020 12:09:07	1	1	1	1	85.5	64.5	0	23554.502	169.8924731	4001.032805	30000	0	0	30000	44.625	2004
22.01.2020 12:09:13	1	1	1	1	85.75	64.5	0	23459.716	169.8924731	3985.540728	30000	0	0	30000	44.6875	2004
22.01.2020 12:09:13	1	1	1	1	85.75	64.5	0	23459.716	169.8924731	3985.540728	30000	0	0	30000	44.6875	2004
22.01.2020 12:09:13	1	1	1	1	85.75	64.5	0	23459.716	169.8924731	3985.540728	30000	0	0	30000	44.6875	2004
22.01.2020 12:09:13	1	1	1	1	85.75	64.5	0	23459.716	169.8924731	3985.540728	30000	0	0	30000	44.6875	2004
22.01.2020 12:09:13	1	1	1	1	85.75	64.5	0	23459.716	169.8924731	3985.540728	30000	0	0	30000	44.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 12:09:13	1	1	1	1	85.75	64.5	0	23459.716	169.8924731	3985.540728	30000	0	0	30000	44.6875	2004
22.01.2020 12:09:14	1	1	1	1	85.75	64.5	0	23459.716	169.8924731	3985.540728	30000	0	0	30000	44.625	2004
22.01.2020 12:09:15	1	1	1	1	85.75	64.5	0	23317.536	169.8924731	3969.233278	30000	0	0	30000	44.5	2004
22.01.2020 12:09:16	1	1	1	1	85.75	64.5	0	23507.109	169.8924731	3993.694453	30000	0	0	30000	44.375	2004
22.01.2020 12:09:17	1	1	1	1	85.75	64.25	0	23554.502	169.8924731	3993.694453	30000	0	0	30000	44.5625	2004
22.01.2020 12:09:18	1	1	1	1	85.75	64.5	0	23554.502	169.8924731	4001.032805	30000	0	0	30000	44.625	2004
22.01.2020 12:09:19	1	1	1	1	85.75	64.5	0	23554.502	169.8924731	4001.032805	30000	0	0	30000	44.5625	2004
22.01.2020 12:09:20	1	1	1	1	85.75	64.5	0	22890.995	163.4408602	3839.589052	30000	0	0	30000	44.5625	2004
22.01.2020 12:09:21	1	1	1	1	85.75	64.5	0	23744.076	169.8924731	4017.340255	30000	0	0	30000	44.5	2004
22.01.2020 12:09:22	1	1	1	1	85.75	64.5	0	23507.109	169.8924731	4001.032805	30000	0	0	30000	44.5	2004
22.01.2020 12:09:23	1	1	1	1	85.75	64.5	0	21753.555	152.688172	3328.350501	30000	0	0	30000	44.5	2004
22.01.2020 12:09:24	1	1	1	1	85.75	64.5	0	23838.863	169.8924731	4049.955155	30000	0	0	30000	44.625	2004
22.01.2020 12:09:25	1	1	1	1	85.75	64.5	0	23744.076	169.8924731	4033.647705	30000	0	0	30000	44.4375	2004
22.01.2020 12:09:26	1	1	1	1	85.75	64.25	0	25260.664	178.4946237	4508.194494	30000	0	0	30000	44.8125	2004
22.01.2020 12:09:27	1	1	1	1	85.75	64.75	0	21516.588	152.688172	3292.474112	30000	0	0	30000	44.5625	2004
22.01.2020 12:09:28	1	1	1	1	85.75	64.5	0	23886.256	167.7419355	3998.586688	30000	0	0	30000	44.8125	2004
22.01.2020 12:09:29	1	1	1	1	85.75	64.75	0	23744.076	167.7419355	3982.279238	30000	0	0	30000	44.6875	2004
22.01.2020 12:09:30	1	1	1	1	85.75	64.5	0	23744.076	167.7419355	3982.279238	30000	0	0	30000	44.625	2004
22.01.2020 12:09:32	1	1	1	1	85.75	64.75	0	24218.009	191.3978495	4634.577229	30000	0	0	30000	44.5	2004
22.01.2020 12:09:33	1	1	1	1	85.75	64.5	0	25071.09	206.4516129	5175.984562	30000	0	0	30000	44.5625	2004
22.01.2020 12:09:34	1	1	1	1	85.75	64.5	0	24691.943	195.6989247	5097.708803	30000	0	0	30000	44.625	2004
22.01.2020 12:09:35	1	1	1	1	85.75	64.5	0	24502.37	206.4516129	5058.570924	30000	0	0	30000	44.4375	2004
22.01.2020 12:09:36	1	1	1	1	85.75	64.25	0	24597.156	206.4516129	4866.143016	30000	0	0	30000	44.375	2004
22.01.2020 12:09:37	1	1	1	1	85.75	64.25	0	24218.009	191.3978495	4583.208763	30000	0	0	30000	44.4375	2004
22.01.2020 12:09:38	1	1	1	1	85.75	64.25	0	24881.517	206.4516129	5136.846683	30000	0	0	30000	44.5	2004
22.01.2020 12:09:39	1	1	1	1	85.75	64.5	0	24597.156	206.4516129	5078.139864	30000	0	0	30000	44.375	2004
22.01.2020 12:09:40	1	1	1	1	85.75	64.25	0	24502.37	206.4516129	5058.570924	30000	0	0	30000	44.125	2004
22.01.2020 12:09:41	1	1	1	1	85.75	64	0	24502.37	206.4516129	5078.139864	30000	0	0	30000	44.5625	2004
22.01.2020 12:09:42	1	1	1	1	85.75	64.5	0	24407.583	206.4516129	5039.001984	30000	0	0	30000	44.5	2004
22.01.2020 12:09:43	1	1	1	1	85.75	64.5	0	24881.517	206.4516129	5136.846683	30000	0	0	30000	44.5625	2004
22.01.2020 12:09:44	1	1	1	1	85.75	64.5	0	24407.583	195.6989247	4634.577229	30000	0	0	30000	44.4375	2004
22.01.2020 12:09:45	1	1	1	1	85.75	64.25	0	24407.583	195.6989247	4776.452043	30000	0	0	30000	44.5	2004
22.01.2020 12:09:46	1	1	1	1	85.75	64.5	0	24218.009	206.4516129	4999.864105	30000	0	0	30000	44.625	2004
22.01.2020 12:09:47	1	1	1	1	85.75	64.5	0	24502.37	206.4516129	5058.570924	30000	0	0	30000	44.5	2004
22.01.2020 12:09:48	1	1	1	1	85.75	64.5	0	24739.336	206.4516129	5117.277743	30000	0	0	30000	44.5	2004
22.01.2020 12:09:49	1	1	1	1	85.75	64.5	0	24549.763	206.4516129	5068.355394	30000	0	0	30000	44.4375	2004
22.01.2020 12:09:50	1	1	1	1	85.75	64.25	0	24123.223	191.3978495	4616.639035	30000	0	0	30000	44.5	2004
22.01.2020 12:09:51	1	1	1	1	85.75	64.5	0	24644.55	206.4516129	5078.139864	30000	0	0	30000	44.625	2004
22.01.2020 12:09:52	1	1	1	1	85.5	64.5	0	24454.976	206.4516129	4794.390237	30000	0	0	30000	44.5625	2004
22.01.2020 12:09:53	1	1	1	1	85.5	64.5	0	24502.37	206.4516129	5058.570924	30000	0	0	30000	44.5625	2004
22.01.2020 12:09:54	1	1	1	1	85.5	64.5	0	24691.943	193.5483871	5107.493273	30000	0	0	30000	44.5	2004
22.01.2020 12:09:55	1	1	1	1	85.5	64.5	0	24407.583	206.4516129	5029.217514	30000	0	0	30000	44.625	2004
22.01.2020 12:09:56	1	1	1	1	85.5	64.5	0	24502.37	206.4516129	5048.786454	30000	0	0	30000	44.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 12:09:57	1	1	1	1	85.5	64.25	0	24502.37	191.3978495	5068.355394	30000	0	0	30000	44.5	2004
22.01.2020 12:09:58	1	1	1	1	85.5	64.5	0	24597.156	206.4516129	4813.143805	30000	0	0	30000	44.4375	2004
22.01.2020 12:09:59	1	1	1	1	85.5	64.25	0	24786.73	206.4516129	5107.493273	30000	0	0	30000	44.5625	2004
22.01.2020 12:10:00	1	1	1	1	85.5	64.5	0	24834.123	206.4516129	4850.650939	30000	0	0	30000	44.625	2004
22.01.2020 12:10:01	1	1	1	1	85.5	64.5	0	24786.73	206.4516129	5117.277743	30000	0	0	30000	44.625	2004
22.01.2020 12:10:02	1	1	1	1	86.75	64.5	0	24881.517	206.4516129	4868.589134	30000	0	0	30000	43.6875	2004
22.01.2020 12:10:03	1	1	1	1	86.75	63.5	0	24597.156	193.5483871	4813.143805	30000	0	0	30000	44.4375	2004
22.01.2020 12:10:04	1	1	1	1	86.75	64.25	0	24786.73	206.4516129	5107.493273	30000	0	0	30000	44.375	2004
22.01.2020 12:10:05	1	1	1	1	86.75	64.25	0	25071.09	206.4516129	5175.984562	30000	0	0	30000	43.125	2004
22.01.2020 12:10:06	1	1	1	1	86.75	63	0	24834.123	193.5483871	4868.589134	30000	0	0	30000	44.8125	2004
22.01.2020 12:10:07	1	1	1	1	86.75	64.75	0	24786.73	206.4516129	4850.650939	30000	0	0	30000	44.5	2004
22.01.2020 12:10:08	1	1	1	1	86.75	64.5	0	25355.45	206.4516129	5234.691382	30000	0	0	30000	44.625	2004
22.01.2020 12:10:15	1	1	1	1	86	64.25	0	24881.517	206.4516129	5146.631153	30000	0	0	30000	44.4375	2004
22.01.2020 12:10:15	1	1	1	1	86	64.25	0	24881.517	206.4516129	5146.631153	30000	0	0	30000	44.4375	2004
22.01.2020 12:10:15	1	1	1	1	86	64.25	0	24881.517	206.4516129	5146.631153	30000	0	0	30000	44.4375	2004
22.01.2020 12:10:15	1	1	1	1	86	64.25	0	24881.517	206.4516129	5146.631153	30000	0	0	30000	44.4375	2004
22.01.2020 12:10:15	1	1	1	1	86	64.25	0	24881.517	206.4516129	5146.631153	30000	0	0	30000	44.4375	2004
22.01.2020 12:10:15	1	1	1	1	86	64.25	0	24881.517	206.4516129	5146.631153	30000	0	0	30000	44.4375	2004
22.01.2020 12:10:16	1	1	1	1	86	64.25	0	24218.009	195.6989247	4738.944908	30000	0	0	30000	44.375	2004
22.01.2020 12:10:17	1	1	1	1	86	64.25	0	24786.73	206.4516129	5107.493273	30000	0	0	30000	44.375	2004
22.01.2020 12:10:18	1	1	1	1	86	64.25	0	24218.009	206.4516129	4999.864105	30000	0	0	30000	44.5625	2004
22.01.2020 12:10:19	1	1	1	1	86	64.5	0	24218.009	206.4516129	4999.864105	30000	0	0	30000	44.5625	2004
22.01.2020 12:10:20	1	1	1	1	86	64.5	0	24218.009	206.4516129	5029.217514	30000	0	0	30000	44.0625	2004
22.01.2020 12:10:21	1	1	1	1	86	64	0	24786.73	206.4516129	5117.277743	30000	0	0	30000	44.5	2004
22.01.2020 12:10:22	1	1	1	1	85.75	64.5	0	25355.45	206.4516129	5234.691382	30000	0	0	30000	44.625	2004
22.01.2020 12:10:23	1	1	1	1	85.75	64.5	0	25308.057	206.4516129	4834.343489	30000	0	0	30000	43.625	2004
22.01.2020 12:10:24	1	1	1	1	85.75	63.5	0	24786.73	193.5483871	4796.836355	30000	0	0	30000	44.3125	2004
22.01.2020 12:10:25	1	1	1	1	85.75	64.25	0	24786.73	191.3978495	4743.837143	30000	0	0	30000	43.6875	2004
22.01.2020 12:10:26	1	1	1	1	85.75	63.5	0	24549.763	206.4516129	5078.139864	30000	0	0	30000	44.5	2004
22.01.2020 12:10:27	1	1	1	1	85.75	64.5	0	24928.91	206.4516129	5146.631153	30000	0	0	30000	44.5625	2004
22.01.2020 12:10:28	1	1	1	1	85.75	64.5	0	24786.73	193.5483871	4796.836355	30000	0	0	30000	44.5	2004
22.01.2020 12:10:29	1	1	1	1	85.75	64.5	0	25450.237	206.4516129	5254.260321	30000	0	0	30000	44.4375	2004
22.01.2020 12:10:30	1	1	1	1	85.75	64.25	0	24597.156	206.4516129	5078.139864	30000	0	0	30000	44.625	2004
22.01.2020 12:10:31	1	1	1	1	85.75	64.5	0	24691.943	206.4516129	5097.708803	30000	0	0	30000	44.625	2004
22.01.2020 12:10:32	1	1	1	1	85.5	64.5	0	26208.531	232.2580645	5952.219172	30000	0	0	30000	44.625	2004
22.01.2020 12:10:33	1	1	1	1	85.5	64.5	0	25924.171	206.4516129	5352.10502	30000	0	0	30000	44.5	2004
22.01.2020 12:10:34	1	1	1	1	85.5	64.5	0	25165.877	221.5053763	5509.47191	30000	0	0	30000	44.4375	2004
22.01.2020 12:10:35	1	1	1	1	85.5	64.25	0	25924.171	232.2580645	5965.265132	30000	0	0	30000	44.4375	2004
22.01.2020 12:10:36	1	1	1	1	85.5	64.25	0	25924.171	232.2580645	6132.416492	30000	0	0	30000	44.625	2004
22.01.2020 12:10:37	1	1	1	1	85.5	64.5	0	25734.597	232.2580645	5976.680347	30000	0	0	30000	44.375	2004
22.01.2020 12:10:38	1	1	1	1	85.5	64.25	0	25734.597	230.1075269	5976.680347	30000	0	0	30000	44.5	2004
22.01.2020 12:10:39	1	1	1	1	85.5	64.5	0	25924.171	232.2580645	6020.710461	30000	0	0	30000	44.5625	2004
22.01.2020 12:10:40	1	1	1	1	85.5	64.5	0	25308.057	234.4086022	5997.880032	30000	0	0	30000	44.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 12:10:41	1	1	1	1	85.5	64.5	0	25450.237	236.5591398	5965.265132	30000	0	0	30000	44.625	2004
22.01.2020 12:10:42	1	1	1	1	85.5	64.5	0	25734.597	234.4086022	6032.125676	30000	0	0	30000	44.5	2004
22.01.2020 12:10:43	1	1	1	1	85.5	64.5	0	25734.597	234.4086022	6054.140733	30000	0	0	30000	44.3125	2004
22.01.2020 12:10:44	1	1	1	1	85.5	64.25	0	25734.597	232.2580645	5976.680347	30000	0	0	30000	44.5625	2004
22.01.2020 12:10:45	1	1	1	1	85.5	64.5	0	25876.777	227.9569892	5965.265132	30000	0	0	30000	44.625	2004
22.01.2020 12:10:46	1	1	1	1	85.5	64.5	0	25924.171	230.1075269	5965.265132	30000	0	0	30000	44.8125	2004
22.01.2020 12:10:48	1	1	1	1	85.5	64.75	0	26113.744	227.9569892	5952.219172	30000	0	0	30000	44.5	2004
22.01.2020 12:10:49	1	1	1	1	85.5	64.5	0	26255.924	227.9569892	5928.57337	30000	0	0	30000	44.4375	2004
22.01.2020 12:10:50	1	1	1	1	85.5	64.25	0	25924.171	232.2580645	5853.559101	30000	0	0	30000	44.5625	2004
22.01.2020 12:10:51	1	1	1	1	85.5	64.5	0	26208.531	234.4086022	6008.479874	30000	0	0	30000	44.4375	2004
22.01.2020 12:10:52	1	1	1	1	85	64.25	0	26398.104	225.8064516	6073.709673	30000	0	0	30000	44.4375	2004
22.01.2020 12:10:53	1	1	1	1	85	64.25	0	26113.744	227.9569892	5895.95847	30000	0	0	30000	44.5	2004
22.01.2020 12:10:54	1	1	1	1	85	64.5	0	26113.744	227.9569892	6064.740576	30000	0	0	30000	44.25	2004
22.01.2020 12:10:55	1	1	1	1	85	64.25	0	24170.616	212.9032258	5145.81578	30000	0	0	30000	44.625	2004
22.01.2020 12:10:56	1	1	1	1	85	64.5	0	25639.81	234.4086022	6010.110619	30000	0	0	30000	44.5	2004
22.01.2020 12:10:57	1	1	1	1	85	64.5	0	25592.417	234.4086022	6164.216019	30000	0	0	30000	44.4375	2004
22.01.2020 12:10:58	1	1	1	1	85	64.25	0	25687.204	230.1075269	5966.080504	30000	0	0	30000	44.4375	2004
22.01.2020 12:10:59	1	1	1	1	85	64.25	0	25734.597	234.4086022	6032.125676	30000	0	0	30000	44.5	2004
22.01.2020 12:11:00	1	1	1	1	85	64.5	0	25639.81	232.2580645	5954.66529	30000	0	0	30000	44.625	2004
22.01.2020 12:11:01	1	1	1	1	85	64.5	0	25924.171	230.1075269	6020.710461	30000	0	0	30000	44.625	2004
22.01.2020 12:11:02	1	1	1	1	85.5	64.5	0	25734.597	234.4086022	6032.125676	30000	0	0	30000	44.4375	2004
22.01.2020 12:11:03	1	1	1	1	85.5	64.25	0	25308.057	236.5591398	5878.020276	30000	0	0	30000	44.625	2004
22.01.2020 12:11:04	1	1	1	1	85.5	64.5	0	25592.417	234.4086022	5998.695404	30000	0	0	30000	44.4375	2004
22.01.2020 12:11:05	1	1	1	1	85.5	64.25	0	25734.597	234.4086022	6032.125676	30000	0	0	30000	44.3125	2004
22.01.2020 12:11:06	1	1	1	1	85.5	64.25	0	25545.024	232.2580645	5976.680347	30000	0	0	30000	44.5	2004
22.01.2020 12:11:07	1	1	1	1	85.5	64.5	0	25165.877	236.5591398	5953.034545	30000	0	0	30000	44.4375	2004
22.01.2020 12:11:08	1	1	1	1	85.5	64.25	0	25308.057	236.5591398	5997.880032	30000	0	0	30000	44.5	2004
22.01.2020 12:11:09	1	1	1	1	85.5	64.5	0	25165.877	234.4086022	5898.404588	30000	0	0	30000	44.4375	2004
22.01.2020 12:11:10	1	1	1	1	85.5	64.25	0	25687.204	232.2580645	5910.635175	30000	0	0	30000	44.5	2004
22.01.2020 12:11:17	1	1	1	1	84.5	64.25	0	25639.81	232.2580645	6010.110619	30000	0	0	30000	44.4375	2004
22.01.2020 12:11:17	1	1	1	1	84.5	64.25	0	25639.81	232.2580645	6010.110619	30000	0	0	30000	44.4375	2004
22.01.2020 12:11:17	1	1	1	1	84.5	64.25	0	25639.81	232.2580645	6010.110619	30000	0	0	30000	44.4375	2004
22.01.2020 12:11:17	1	1	1	1	84.5	64.25	0	25639.81	232.2580645	6010.110619	30000	0	0	30000	44.4375	2004
22.01.2020 12:11:17	1	1	1	1	84.5	64.25	0	25639.81	232.2580645	6010.110619	30000	0	0	30000	44.4375	2004
22.01.2020 12:11:17	1	1	1	1	84.5	64.25	0	25165.877	223.655914	5682.330878	30000	0	0	30000	44.5	2004
22.01.2020 12:11:18	1	1	1	1	84.5	64.5	0	25734.597	232.2580645	6032.125676	30000	0	0	30000	43.875	2004
22.01.2020 12:11:19	1	1	1	1	84.5	63.75	0	25687.204	232.2580645	6032.125676	30000	0	0	30000	44.5625	2004
22.01.2020 12:11:20	1	1	1	1	84.5	64.5	0	24881.517	230.1075269	5832.359416	30000	0	0	30000	44.625	2004
22.01.2020 12:11:21	1	1	1	1	84.5	64.5	0	26587.678	236.5591398	6288.96801	30000	0	0	30000	44.3125	2004
22.01.2020 12:11:22	1	1	1	1	84.75	64.25	0	25497.63	240.8602151	5976.680347	30000	0	0	30000	44.5	2004
22.01.2020 12:11:24	1	1	1	1	84.75	64.5	0	25450.237	240.8602151	6074.525046	30000	0	0	30000	44.8125	2004
22.01.2020 12:11:25	1	1	1	1	84.75	64.5	0	25355.45	236.5591398	6107.139945	30000	0	0	30000	44.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 12:11:26	1	1	1	1	84.75	64.25	0	26066.351	230.1075269	5874.758786	30000	0	0	30000	44.25	2004
22.01.2020 12:11:27	1	1	1	1	84.75	64.25	0	26113.744	227.9569892	6008.479874	30000	0	0	30000	44.4375	2004
22.01.2020 12:11:28	1	1	1	1	84.75	64.25	0	25924.171	234.4086022	6076.155791	30000	0	0	30000	44.5625	2004
22.01.2020 12:11:29	1	1	1	1	84.75	64.5	0	26208.531	227.9569892	6030.494931	30000	0	0	30000	44.375	2004
22.01.2020 12:11:30	1	1	1	1	84.75	64.25	0	25829.384	232.2580645	6020.710461	30000	0	0	30000	44.4375	2004
22.01.2020 12:11:31	1	1	1	1	84.75	64.25	0	25876.777	232.2580645	6010.110619	30000	0	0	30000	44.5	2004
22.01.2020 12:11:32	1	1	1	1	85	64.5	0	25687.204	247.311828	6352.567064	30000	0	0	30000	44.5	2004
22.01.2020 12:11:33	1	1	1	1	85	64.5	0	26113.744	266.6666667	6963.281059	30000	0	0	30000	44.25	2004
22.01.2020 12:11:34	1	1	1	1	85	64.25	0	26350.711	264.516129	6969.804039	30000	0	0	30000	44.375	2004
22.01.2020 12:11:35	1	1	1	1	85	64.25	0	26018.957	266.6666667	7006.495801	30000	0	0	30000	44.375	2004
22.01.2020 12:11:36	1	1	1	1	85	64.25	0	23838.863	240.8602151	5730.437855	30000	0	0	30000	44.4375	2004
22.01.2020 12:11:37	1	1	1	1	85	64.25	0	26445.498	260.2150538	6963.281059	30000	0	0	30000	44.1875	2004
22.01.2020 12:11:38	1	1	1	1	85	64	0	26113.744	266.6666667	6963.281059	30000	0	0	30000	44.25	2004
22.01.2020 12:11:39	1	1	1	1	85	64.25	0	25876.777	268.8172043	7066.833365	30000	0	0	30000	44.375	2004
22.01.2020 12:11:40	1	1	1	1	85	64.25	0	25924.171	268.8172043	6968.173294	30000	0	0	30000	44.25	2004
22.01.2020 12:11:41	1	1	1	1	85	64.25	0	26066.351	268.8172043	7006.495801	30000	0	0	30000	44.125	2004
22.01.2020 12:11:42	1	1	1	1	84.75	64	0	26018.957	268.8172043	6938.004512	30000	0	0	30000	43.9375	2004
22.01.2020 12:11:43	1	1	1	1	84.75	63.75	0	26350.711	266.6666667	7096.186775	30000	0	0	30000	44	2004
22.01.2020 12:11:44	1	1	1	1	84.75	64	0	25402.844	258.0645161	6543.364227	30000	0	0	30000	44.5	2004
22.01.2020 12:11:45	1	1	1	1	84.75	64.5	0	26303.318	270.9677419	7070.094855	30000	0	0	30000	44.125	2004
22.01.2020 12:11:46	1	1	1	1	84.75	64	0	25687.204	273.1182796	7015.464898	30000	0	0	30000	44.375	2004
22.01.2020 12:11:47	1	1	1	1	84.75	64.25	0	26113.744	268.8172043	6951.050472	30000	0	0	30000	44.5	2004
22.01.2020 12:11:48	1	1	1	1	84.75	64.5	0	26113.744	268.8172043	7019.541761	30000	0	0	30000	44.1875	2004
22.01.2020 12:11:49	1	1	1	1	84.75	64	0	25971.564	268.8172043	7049.710543	30000	0	0	30000	44.25	2004
22.01.2020 12:11:50	1	1	1	1	84.75	64.25	0	26066.351	266.6666667	6951.050472	30000	0	0	30000	44.375	2004
22.01.2020 12:11:51	1	1	1	1	84.75	64.25	0	26350.711	258.0645161	6982.034626	30000	0	0	30000	44.4375	2004
22.01.2020 12:11:52	1	1	1	1	85.25	64.25	0	26540.284	266.6666667	7020.357133	30000	0	0	30000	44.5625	2004
22.01.2020 12:11:53	1	1	1	1	85.25	64.5	0	26824.645	268.8172043	7223.384883	30000	0	0	30000	44.5	2004
22.01.2020 12:11:54	1	1	1	1	85.25	64.5	0	26113.744	270.9677419	7044.818308	30000	0	0	30000	44.375	2004
22.01.2020 12:11:55	1	1	1	1	85.25	64.25	0	26066.351	268.8172043	6994.265213	30000	0	0	30000	44.375	2004
22.01.2020 12:11:56	1	1	1	1	85.25	64.25	0	26208.531	266.6666667	6963.281059	30000	0	0	30000	44.375	2004
22.01.2020 12:11:57	1	1	1	1	85.25	64.25	0	26113.744	266.6666667	6963.281059	30000	0	0	30000	44.3125	2004
22.01.2020 12:11:58	1	1	1	1	85.25	64.25	0	26398.104	258.0645161	6800.206561	30000	0	0	30000	44.3125	2004
22.01.2020 12:11:59	1	1	1	1	85.25	64.25	0	26350.711	273.1182796	7140.216889	30000	0	0	30000	44.375	2004
22.01.2020 12:12:00	1	1	1	1	85.25	64.25	0	26066.351	266.6666667	7006.495801	30000	0	0	30000	44.5	2004
22.01.2020 12:12:01	1	1	1	1	85.25	64.5	0	25924.171	268.8172043	6968.173294	30000	0	0	30000	44.625	2004
22.01.2020 12:12:03	1	1	1	1	85	64.5	0	25971.564	268.8172043	6912.727965	30000	0	0	30000	44.75	2004
22.01.2020 12:12:04	1	1	1	1	85	64.75	0	26208.531	266.6666667	6963.281059	30000	0	0	30000	44.375	2004
22.01.2020 12:12:05	1	1	1	1	85	64.75	0	26066.351	266.6666667	6963.281059	30000	0	0	30000	44.25	2004
22.01.2020 12:12:06	1	1	1	1	85	64.25	0	26113.744	266.6666667	6963.281059	30000	0	0	30000	44.4375	2004
22.01.2020 12:12:07	1	1	1	1	85	64.25	0	25734.597	262.3655914	6806.729541	30000	0	0	30000	44.3125	2004
22.01.2020 12:12:08	1	1	1	1	85	64.25	0	26540.284	262.3655914	7020.357133	30000	0	0	30000	44.5	2004
22.01.2020 12:12:09	1	1	1	1	85	64.5	0	26587.678	264.516129	7020.357133	30000	0	0	30000	44.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 12:12:10	1	1	1	1	85	64.25	0	26398.104	266.6666667	7026.880113	30000	0	0	30000	44.4375	2004
22.01.2020 12:12:11	1	1	1	1	85	64.25	0	26018.957	266.6666667	6938.004512	30000	0	0	30000	44.375	2004
22.01.2020 12:12:12	1	1	1	1	85	64.25	0	26113.744	268.8172043	7019.541761	30000	0	0	30000	44.3125	2004
22.01.2020 12:12:19	1	1	1	1	85	64.25	0	26113.744	266.6666667	7019.541761	30000	0	0	30000	44.375	2004
22.01.2020 12:12:19	1	1	1	1	85	64.25	0	26113.744	266.6666667	7019.541761	30000	0	0	30000	44.375	2004
22.01.2020 12:12:19	1	1	1	1	85	64.25	0	26113.744	266.6666667	7019.541761	30000	0	0	30000	44.375	2004
22.01.2020 12:12:19	1	1	1	1	85	64.25	0	26113.744	266.6666667	7019.541761	30000	0	0	30000	44.375	2004
22.01.2020 12:12:19	1	1	1	1	85	64.25	0	26113.744	266.6666667	7019.541761	30000	0	0	30000	44.375	2004
22.01.2020 12:12:19	1	1	1	1	85	64.25	0	26113.744	266.6666667	7019.541761	30000	0	0	30000	44.375	2004
22.01.2020 12:12:20	1	1	1	1	85	64.25	0	26540.284	264.516129	7020.357133	30000	0	0	30000	44.375	2004
22.01.2020 12:12:21	1	1	1	1	85	63.25	0	26350.711	268.8172043	7140.216889	30000	0	0	30000	44.4375	2004
22.01.2020 12:12:22	1	1	1	1	85.5	64.25	0	26018.957	268.8172043	6994.265213	30000	0	0	30000	44.25	2004
22.01.2020 12:12:23	1	1	1	1	85.5	64.25	0	25924.171	268.8172043	6968.173294	30000	0	0	30000	44.3125	2004
22.01.2020 12:12:24	1	1	1	1	85.5	64.25	0	26113.744	266.6666667	7075.802462	30000	0	0	30000	44.4375	2004
22.01.2020 12:12:25	1	1	1	1	85.5	64.25	0	25876.777	270.9677419	7024.433996	30000	0	0	30000	44.5	2004
22.01.2020 12:12:26	1	1	1	1	85.5	64.5	0	26113.744	266.6666667	6963.281059	30000	0	0	30000	44.5	2004
22.01.2020 12:12:27	1	1	1	1	85.5	64.5	0	26113.744	264.516129	6907.020357	30000	0	0	30000	44.375	2004
22.01.2020 12:12:28	1	1	1	1	85.5	64.25	0	26113.744	268.8172043	6894.78977	30000	0	0	30000	44.375	2004
22.01.2020 12:12:29	1	1	1	1	85.5	64.25	0	26113.744	268.8172043	6963.281059	30000	0	0	30000	44.4375	2004
22.01.2020 12:12:30	1	1	1	1	85.5	64.25	0	26303.318	264.516129	7013.834153	30000	0	0	30000	44.375	2004
22.01.2020 12:12:31	1	1	1	1	85.5	64.25	0	26445.498	266.6666667	7007.311173	30000	0	0	30000	44.1875	2004
22.01.2020 12:12:32	1	1	1	1	85.25	64	0	23744.076	236.5591398	5696.19221	30000	0	0	30000	44.375	2004
22.01.2020 12:12:33	1	1	1	1	85.25	64.25	0	26208.531	286.0215054	7439.458593	30000	0	0	30000	44.375	2004
22.01.2020 12:12:34	1	1	1	1	85.25	64.25	0	26113.744	294.6236559	7693.039437	30000	0	0	30000	44.5	2004
22.01.2020 12:12:35	1	1	1	1	85.25	64.5	0	26350.711	292.4731183	7706.900769	30000	0	0	30000	44.1875	2004
22.01.2020 12:12:36	1	1	1	1	85.25	64	0	26777.251	296.7741935	8003.696355	30000	0	0	30000	43.5	2004
22.01.2020 12:12:37	1	1	1	1	85.25	63.5	0	23649.289	270.9677419	6433.288941	30000	0	0	30000	44.4375	2004
22.01.2020 12:12:38	1	1	1	1	85.25	64.25	0	26445.498	303.2258065	8104.802544	30000	0	0	30000	44.375	2004
22.01.2020 12:12:39	1	1	1	1	85.25	64.25	0	26540.284	298.9247312	7933.574321	30000	0	0	30000	44.6875	2004
22.01.2020 12:12:40	1	1	1	1	85.25	64.5	0	26445.498	301.0752688	8047.72647	30000	0	0	30000	44.625	2004
22.01.2020 12:12:42	1	1	1	1	85.25	64.5	0	26824.645	298.9247312	8018.37306	30000	0	0	30000	44.625	2004
22.01.2020 12:12:43	1	1	1	1	85.25	64.5	0	26777.251	296.7741935	7918.082244	30000	0	0	30000	44.6875	2004
22.01.2020 12:12:44	1	1	1	1	85.25	63.5	0	26777.251	298.9247312	8061.587802	30000	0	0	30000	44.25	2004
22.01.2020 12:12:45	1	1	1	1	85.25	64.25	0	26492.891	303.2258065	8018.37306	30000	0	0	30000	44.4375	2004
22.01.2020 12:12:46	1	1	1	1	85.25	64.25	0	26777.251	298.9247312	8003.696355	30000	0	0	30000	44.0625	2004
22.01.2020 12:12:47	1	1	1	1	85.25	64	0	26445.498	301.0752688	7962.112358	30000	0	0	30000	44.375	2004
22.01.2020 12:12:48	1	1	1	1	85.25	64.25	0	26777.251	303.2258065	8061.587802	30000	0	0	30000	44.5	2004
22.01.2020 12:12:49	1	1	1	1	85.25	64.5	0	26587.678	301.0752688	8004.511728	30000	0	0	30000	44.5	2004
22.01.2020 12:12:50	1	1	1	1	85.25	64.5	0	26492.891	303.2258065	8018.37306	30000	0	0	30000	44.0625	2004
22.01.2020 12:12:51	1	1	1	1	85.25	64	0	26682.464	301.0752688	8033.049765	30000	0	0	30000	44.375	2004
22.01.2020 12:12:52	1	1	1	1	84.75	64.25	0	27440.758	303.2258065	8320.060881	30000	0	0	30000	44.3125	2004
22.01.2020 12:12:53	1	1	1	1	84.75	64.25	0	27109.005	294.6236559	8103.171799	30000	0	0	30000	44.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 12:12:54	1	1	1	1	84.75	64	0	26540.284	301.0752688	7918.897616	30000	0	0	30000	44.1875	2004
22.01.2020 12:12:55	1	1	1	1	84.75	64	0	26777.251	301.0752688	8003.696355	30000	0	0	30000	44.375	2004
22.01.2020 12:12:56	1	1	1	1	84.75	64.25	0	26966.825	298.9247312	8060.77243	30000	0	0	30000	44.375	2004
22.01.2020 12:12:57	1	1	1	1	84.75	64.25	0	27061.611	296.7741935	8089.310467	30000	0	0	30000	44.375	2004
22.01.2020 12:12:58	1	1	1	1	84.75	64.25	0	26398.104	303.2258065	8004.511728	30000	0	0	30000	44.4375	2004
22.01.2020 12:12:59	1	1	1	1	84.75	64.25	0	26777.251	301.0752688	8076.264507	30000	0	0	30000	44.5625	2004
22.01.2020 12:13:00	1	1	1	1	84.75	64.5	0	27061.611	296.7741935	8030.603647	30000	0	0	30000	44.5	2004
22.01.2020 12:13:01	1	1	1	1	84.75	64.5	0	26966.825	296.7741935	8030.603647	30000	0	0	30000	44.3125	2004
22.01.2020 12:13:02	1	1	1	1	85.75	64.25	0	27298.578	303.2258065	8277.661512	30000	0	0	30000	44.375	2004
22.01.2020 12:13:03	1	1	1	1	85.75	64.25	0	26398.104	301.0752688	7947.435654	30000	0	0	30000	44.3125	2004
22.01.2020 12:13:04	1	1	1	1	85.75	64.25	0	26540.284	301.0752688	7990.650395	30000	0	0	30000	44.0625	2004
22.01.2020 12:13:05	1	1	1	1	85.75	64	0	26682.464	301.0752688	8033.049765	30000	0	0	30000	44.4375	2004
22.01.2020 12:13:06	1	1	1	1	85.75	64.25	0	26350.711	305.3763441	7975.158318	30000	0	0	30000	44.375	2004
22.01.2020 12:13:07	1	1	1	1	85.75	64.25	0	26018.957	305.3763441	8001.250238	30000	0	0	30000	44.4375	2004
22.01.2020 12:13:08	1	1	1	1	85.75	64.25	0	26066.351	309.6774194	8015.926943	30000	0	0	30000	44.3125	2004
22.01.2020 12:13:09	1	1	1	1	85.75	64.25	0	26113.744	301.0752688	7946.620281	30000	0	0	30000	43.9375	2004
22.01.2020 12:13:10	1	1	1	1	85.75	63.75	0	26682.464	298.9247312	8033.049765	30000	0	0	30000	44.5	2004
22.01.2020 12:13:11	1	1	1	1	85.75	64.5	0	26445.498	301.0752688	7962.112358	30000	0	0	30000	44.4375	2004
22.01.2020 12:13:12	1	1	1	1	86.25	64.25	0	26018.957	305.3763441	8015.926943	30000	0	0	30000	44.125	2004
22.01.2020 12:13:13	1	1	1	1	86.25	64	0	25876.777	309.6774194	7971.896828	30000	0	0	30000	44.125	2004
22.01.2020 12:13:20	1	1	1	1	86.25	64.25	0	26113.744	305.3763441	8030.603647	30000	0	0	30000	44.625	2004
22.01.2020 12:13:20	1	1	1	1	86.25	64.25	0	26113.744	305.3763441	8030.603647	30000	0	0	30000	44.625	2004
22.01.2020 12:13:20	1	1	1	1	86.25	64.25	0	26113.744	305.3763441	8030.603647	30000	0	0	30000	44.625	2004
22.01.2020 12:13:20	1	1	1	1	86.25	64.25	0	26113.744	305.3763441	8030.603647	30000	0	0	30000	44.625	2004
22.01.2020 12:13:20	1	1	1	1	86.25	64.25	0	26113.744	305.3763441	8030.603647	30000	0	0	30000	44.625	2004
22.01.2020 12:13:20	1	1	1	1	86.25	64.25	0	26113.744	305.3763441	8030.603647	30000	0	0	30000	44.625	2004
22.01.2020 12:13:20	1	1	1	1	86.25	64.25	0	26113.744	305.3763441	8030.603647	30000	0	0	30000	44.625	2004
22.01.2020 12:13:21	1	1	1	1	86.25	64.5	0	26113.744	307.5268817	8030.603647	30000	0	0	30000	44.5625	2004
22.01.2020 12:13:22	1	1	1	1	86.25	64.5	0	26255.924	303.2258065	8088.495094	30000	0	0	30000	44.6875	2004
22.01.2020 12:13:23	1	1	1	1	86.25	64.5	0	26208.531	301.0752688	7975.158318	30000	0	0	30000	44.3125	2004
22.01.2020 12:13:24	1	1	1	1	86.25	64.5	0	26303.318	303.2258065	7975.158318	30000	0	0	30000	44.25	2004
22.01.2020 12:13:25	1	1	1	1	86.25	64.25	0	26350.711	296.7741935	8004.511728	30000	0	0	30000	44.3125	2004
22.01.2020 12:13:26	1	1	1	1	86.25	64.25	0	26255.924	305.3763441	8032.234392	30000	0	0	30000	44.25	2004
22.01.2020 12:13:27	1	1	1	1	86.25	64.25	0	26350.711	303.2258065	7989.835023	30000	0	0	30000	44.625	2004
22.01.2020 12:13:28	1	1	1	1	86.25	64.5	0	26208.531	305.3763441	8032.234392	30000	0	0	30000	44.3125	2004
22.01.2020 12:13:29	1	1	1	1	86.25	64.25	0	26208.531	305.3763441	7961.296986	30000	0	0	30000	44.1875	2004
22.01.2020 12:13:30	1	1	1	1	86.25	64	0	26255.924	303.2258065	7975.158318	30000	0	0	30000	44.4375	2004
22.01.2020 12:13:31	1	1	1	1	86.25	64.25	0	26208.531	305.3763441	8002.880983	30000	0	0	30000	44.5	2004
22.01.2020 12:13:32	1	1	1	1	86.25	64.5	0	26682.464	337.6344086	8951.159188	30000	0	0	30000	44.375	2004
22.01.2020 12:13:33	1	1	1	1	86.25	64.25	0	26824.645	335.483871	9056.342239	30000	0	0	30000	44.375	2004
22.01.2020 12:13:34	1	1	1	1	86.25	64.25	0	26540.284	339.7849462	9018.019732	30000	0	0	30000	44.4375	2004
22.01.2020 12:13:35	1	1	1	1	86.25	64.25	0	26492.891	339.7849462	9001.712282	30000	0	0	30000	43.9375	2004
22.01.2020 12:13:36	1	1	1	1	86.25	63.75	0	26540.284	341.9354839	9058.788356	30000	0	0	30000	44.4375	2004
22.01.2020 12:13:37	1	1	1	1	86.25	64.25	0	26398.104	339.7849462	8969.097383	30000	0	0	30000	43.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 12:13:38	1	1	1	1	86.25	63	0	26445.498	339.7849462	8969.097383	30000	0	0	30000	44.3125	2004
22.01.2020 12:13:39	1	1	1	1	86.25	64.25	0	26540.284	339.7849462	9018.019732	30000	0	0	30000	44.375	2004
22.01.2020 12:13:40	1	1	1	1	86.25	64.25	0	26587.678	339.7849462	9123.202783	30000	0	0	30000	44.3125	2004
22.01.2020 12:13:41	1	1	1	1	86.25	64.25	0	26587.678	341.9354839	9033.511809	30000	0	0	30000	44.4375	2004
22.01.2020 12:13:42	1	1	1	1	85.75	64.25	0	26635.071	335.483871	8919.359661	30000	0	0	30000	44.5	2004
22.01.2020 12:13:43	1	1	1	1	85.75	64.5	0	26587.678	337.6344086	8976.435735	30000	0	0	30000	44.25	2004
22.01.2020 12:13:44	1	1	1	1	85.75	64.25	0	26540.284	339.7849462	8960.943658	30000	0	0	30000	44.25	2004
22.01.2020 12:13:45	1	1	1	1	85.75	64.25	0	26682.464	333.3333333	8894.083114	30000	0	0	30000	44.0625	2004
22.01.2020 12:13:46	1	1	1	1	85.75	64	0	26777.251	335.483871	8982.958715	30000	0	0	30000	44.3125	2004
22.01.2020 12:13:47	1	1	1	1	85.75	64.25	0	26398.104	339.7849462	8969.097383	30000	0	0	30000	44.3125	2004
22.01.2020 12:13:48	1	1	1	1	85.75	64.25	0	26445.498	335.483871	9001.712282	30000	0	0	30000	44.375	2004
22.01.2020 12:13:49	1	1	1	1	85.75	64.25	0	26350.711	335.483871	8823.96108	30000	0	0	30000	44.1875	2004
22.01.2020 12:13:50	1	1	1	1	85.75	64	0	26682.464	335.483871	8951.159188	30000	0	0	30000	44.125	2004
22.01.2020 12:13:51	1	1	1	1	85.75	64	0	26872.038	331.1827957	8956.866795	30000	0	0	30000	44.375	2004
22.01.2020 12:13:52	1	1	1	1	85.75	64.25	0	26919.431	335.483871	8956.866795	30000	0	0	30000	44.0625	2004
22.01.2020 12:13:53	1	1	1	1	85.75	64	0	26872.038	337.6344086	9072.649689	30000	0	0	30000	44.3125	2004
22.01.2020 12:13:54	1	1	1	1	85.75	64.25	0	26682.464	339.7849462	9123.202783	30000	0	0	30000	44.125	2004
22.01.2020 12:13:55	1	1	1	1	85.75	64	0	27298.578	331.1827957	9040.850162	30000	0	0	30000	44.25	2004
22.01.2020 12:13:56	1	1	1	1	85.75	64.25	0	27203.791	331.1827957	9040.850162	30000	0	0	30000	44.375	2004
22.01.2020 12:13:57	1	1	1	1	85.75	64.25	0	26587.678	335.483871	8919.359661	30000	0	0	30000	44.3125	2004
22.01.2020 12:13:59	1	1	1	1	85.75	64.25	0	26919.431	333.3333333	8973.174245	30000	0	0	30000	44.25	2004
22.01.2020 12:14:00	1	1	1	1	85.75	64.25	0	27109.005	335.483871	9020.465849	30000	0	0	30000	44.5625	2004
22.01.2020 12:14:01	1	1	1	1	85.75	64.25	0	26682.464	331.1827957	8909.575191	30000	0	0	30000	44.3125	2004
22.01.2020 12:14:02	1	1	1	1	86.25	64.25	0	26682.464	337.6344086	9066.126709	30000	0	0	30000	44.375	2004
22.01.2020 12:14:03	1	1	1	1	86.25	64.25	0	26824.645	339.7849462	9056.342239	30000	0	0	30000	44.25	2004
22.01.2020 12:14:04	1	1	1	1	86.25	64.25	0	27061.611	333.3333333	9136.248743	30000	0	0	30000	43.9375	2004
22.01.2020 12:14:05	1	1	1	1	86.25	63.75	0	26540.284	335.483871	8976.435735	30000	0	0	30000	44.375	2004
22.01.2020 12:14:06	1	1	1	1	86.25	64.25	0	26777.251	337.6344086	9040.850162	30000	0	0	30000	44.1875	2004
22.01.2020 12:14:07	1	1	1	1	86.25	64	0	26682.464	339.7849462	9066.126709	30000	0	0	30000	44.4375	2004
22.01.2020 12:14:08	1	1	1	1	86.25	64.25	0	26682.464	331.1827957	9008.235262	30000	0	0	30000	44.1875	2004
22.01.2020 12:14:09	1	1	1	1	86.25	64	0	26587.678	337.6344086	8951.159188	30000	0	0	30000	44.25	2004
22.01.2020 12:14:10	1	1	1	1	86.25	64.25	0	26682.464	337.6344086	9008.235262	30000	0	0	30000	43.875	2004
22.01.2020 12:14:11	1	1	1	1	86.25	63.75	0	26682.464	335.483871	8951.159188	30000	0	0	30000	44.4375	2004
22.01.2020 12:14:12	1	1	1	1	86	64.25	0	26587.678	335.483871	8919.359661	30000	0	0	30000	44.25	2004
22.01.2020 12:14:13	1	1	1	1	86	64.25	0	26777.251	335.483871	8982.958715	30000	0	0	30000	44.4375	2004
22.01.2020 12:14:14	1	1	1	1	86	64.25	0	26682.464	335.483871	9008.235262	30000	0	0	30000	44.3125	2004
22.01.2020 12:14:15	1	1	1	1	86	64.25	0	26682.464	331.1827957	8951.159188	30000	0	0	30000	44.1875	2004
22.01.2020 12:14:22	1	1	1	1	86	64	0	27156.398	331.1827957	8993.558557	30000	0	0	30000	44.125	2004
22.01.2020 12:14:22	1	1	1	1	86	64	0	27156.398	331.1827957	8993.558557	30000	0	0	30000	44.125	2004
22.01.2020 12:14:22	1	1	1	1	86	64	0	27156.398	331.1827957	8993.558557	30000	0	0	30000	44.125	2004
22.01.2020 12:14:22	1	1	1	1	86	64	0	27156.398	331.1827957	8993.558557	30000	0	0	30000	44.125	2004
22.01.2020 12:14:22	1	1	1	1	86	64	0	27156.398	331.1827957	8993.558557	30000	0	0	30000	44.125	2004
22.01.2020 12:14:22	1	1	1	1	86	64	0	27156.398	331.1827957	8993.558557	30000	0	0	30000	44.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 12:14:22	1	1	1	1	85.5	64	0	26777.251	337.6344086	9097.926236	30000	0	0	30000	44.3125	2004
22.01.2020 12:14:23	1	1	1	1	85.5	64.25	0	26682.464	335.483871	8982.958715	30000	0	0	30000	44.25	2004
22.01.2020 12:14:24	1	1	1	1	85.5	64.25	0	27156.398	331.1827957	8978.06648	30000	0	0	30000	44.25	2004
22.01.2020 12:14:25	1	1	1	1	85.5	64.25	0	26872.038	333.3333333	9014.758242	30000	0	0	30000	44.1875	2004
22.01.2020 12:14:26	1	1	1	1	85.5	64	0	27298.578	335.483871	9099.556981	30000	0	0	30000	44.3125	2004
22.01.2020 12:14:27	1	1	1	1	85.5	64.25	0	27061.611	331.1827957	9020.465849	30000	0	0	30000	44.375	2004
22.01.2020 12:14:28	1	1	1	1	85.5	64.25	0	27109.005	331.1827957	8978.06648	30000	0	0	30000	43.9375	2004
22.01.2020 12:14:29	1	1	1	1	85.5	63.75	0	27109.005	329.0322581	8978.06648	30000	0	0	30000	44.4375	2004
22.01.2020 12:14:30	1	1	1	1	85.5	64.25	0	27298.578	331.1827957	9040.850162	30000	0	0	30000	44.375	2004
22.01.2020 12:14:31	1	1	1	1	85.5	64.25	0	27345.972	331.1827957	8997.63542	30000	0	0	30000	44.1875	2004
22.01.2020 12:14:32	1	1	1	1	85.5	64	0	27298.578	350.5376344	9627.918354	30000	0	0	30000	44.375	2004
22.01.2020 12:14:33	1	1	1	1	85.5	64.25	0	27440.758	359.1397849	9854.591906	30000	0	0	30000	44.125	2004
22.01.2020 12:14:34	1	1	1	1	85.5	64	0	27630.332	359.1397849	10041.31221	30000	0	0	30000	44.25	2004
22.01.2020 12:14:35	1	1	1	1	85.5	64.25	0	27630.332	359.1397849	9923.083195	30000	0	0	30000	44.25	2004
22.01.2020 12:14:37	1	1	1	1	85.5	64.25	0	27914.692	359.1397849	9964.667192	30000	0	0	30000	44.625	2004
22.01.2020 12:14:38	1	1	1	1	85.5	64.5	0	28009.479	354.8387097	10059.2504	30000	0	0	30000	44.4375	2004
22.01.2020 12:14:39	1	1	1	1	85.5	64.25	0	27298.578	348.3870968	9451.797896	30000	0	0	30000	44.375	2004
22.01.2020 12:14:40	1	1	1	1	85.5	64	0	27819.905	350.5376344	9931.23692	30000	0	0	30000	44.25	2004
22.01.2020 12:14:41	1	1	1	1	85.5	64.25	0	28815.166	346.2365591	9976.897779	30000	0	0	30000	44.3125	2004
22.01.2020 12:14:42	1	1	1	1	85.75	64.25	0	28009.479	356.9892473	9938.575272	30000	0	0	30000	44.4375	2004
22.01.2020 12:14:43	1	1	1	1	85.75	64.25	0	27867.299	359.1397849	9990.759112	30000	0	0	30000	44.375	2004
22.01.2020 12:14:44	1	1	1	1	85.75	64.25	0	27962.085	356.9892473	10059.2504	30000	0	0	30000	44.375	2004
22.01.2020 12:14:45	1	1	1	1	85.75	64.25	0	27867.299	359.1397849	9990.759112	30000	0	0	30000	44.3125	2004
22.01.2020 12:14:46	1	1	1	1	85.75	64.25	0	27819.905	354.8387097	9931.23692	30000	0	0	30000	44.4375	2004
22.01.2020 12:14:47	1	1	1	1	85.75	64.25	0	28009.479	354.8387097	9938.575272	30000	0	0	30000	44.3125	2004
22.01.2020 12:14:48	1	1	1	1	85.75	64.25	0	28815.166	361.2903226	10348.70763	30000	0	0	30000	43.9375	2004
22.01.2020 12:14:49	1	1	1	1	85.75	63.75	0	27867.299	359.1397849	10007.88193	30000	0	0	30000	44.3125	2004
22.01.2020 12:14:50	1	1	1	1	85.75	64.25	0	28293.839	354.8387097	9978.528524	30000	0	0	30000	44.25	2004
22.01.2020 12:14:51	1	1	1	1	85.75	64.25	0	28009.479	354.8387097	9817.900144	30000	0	0	30000	44.0625	2004
22.01.2020 12:14:52	1	1	1	1	85.75	64	0	28009.479	356.9892473	9981.790014	30000	0	0	30000	44.375	2004
22.01.2020 12:14:53	1	1	1	1	85.75	64.25	0	28009.479	354.8387097	9938.575272	30000	0	0	30000	44.25	2004
22.01.2020 12:14:54	1	1	1	1	85.75	64.25	0	27914.692	359.1397849	10007.88193	30000	0	0	30000	44.375	2004
22.01.2020 12:14:55	1	1	1	1	85.75	64.25	0	27914.692	356.9892473	9905.145	30000	0	0	30000	43.875	2004
22.01.2020 12:14:56	1	1	1	1	85.75	63.75	0	27630.332	356.9892473	9863.561003	30000	0	0	30000	44.25	2004
22.01.2020 12:14:57	1	1	1	1	85.75	64.25	0	28009.479	356.9892473	9998.912837	30000	0	0	30000	44.25	2004
22.01.2020 12:14:58	1	1	1	1	85.75	64.25	0	28199.052	359.1397849	10126.92632	30000	0	0	30000	44.3125	2004
22.01.2020 12:14:59	1	1	1	1	85.75	64.25	0	28199.052	352.688172	10005.43582	30000	0	0	30000	44.5	2004
22.01.2020 12:15:00	1	1	1	1	85.75	64.5	0	27582.938	359.1397849	9736.362895	30000	0	0	30000	44.25	2004
22.01.2020 12:15:01	1	1	1	1	85.75	64.25	0	27914.692	356.9892473	9964.667192	30000	0	0	30000	44.375	2004
22.01.2020 12:15:02	1	1	1	1	86	64.25	0	28009.479	354.8387097	10005.43582	30000	0	0	30000	44.5	2004
22.01.2020 12:15:03	1	1	1	1	86	64.5	0	28009.479	352.688172	9938.575272	30000	0	0	30000	44.375	2004
22.01.2020 12:15:04	1	1	1	1	86	64.25	0	27867.299	354.8387097	9888.022178	30000	0	0	30000	44.375	2004
22.01.2020 12:15:05	1	1	1	1	86	64.25	0	28009.479	359.1397849	10059.2504	30000	0	0	30000	44.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 12:15:06	1	1	1	1	86	64.25	0	27962.085	359.1397849	10042.12758	30000	0	0	30000	44.3125	2004
22.01.2020 12:15:07	1	1	1	1	86	64.25	0	27962.085	354.8387097	9905.145	30000	0	0	30000	44.4375	2004
22.01.2020 12:15:08	1	1	1	1	86	64.25	0	27630.332	356.9892473	9923.083195	30000	0	0	30000	44.375	2004
22.01.2020 12:15:09	1	1	1	1	86	64.25	0	28009.479	359.1397849	10059.2504	30000	0	0	30000	44.4375	2004
22.01.2020 12:15:10	1	1	1	1	86	64.25	0	27867.299	352.688172	9964.667192	30000	0	0	30000	44.3125	2004
22.01.2020 12:15:11	1	1	1	1	86	64.25	0	27819.905	354.8387097	10007.88193	30000	0	0	30000	44.375	2004
22.01.2020 12:15:12	1	1	1	1	85.75	64.25	0	28009.479	363.4408602	10248.41682	30000	0	0	30000	43.8125	2004
22.01.2020 12:15:13	1	1	1	1	85.75	63.75	0	28009.479	356.9892473	9998.912837	30000	0	0	30000	44.3125	2004
22.01.2020 12:15:15	1	1	1	1	85.75	64.25	0	27867.299	356.9892473	9828.499986	30000	0	0	30000	44.6875	2004
22.01.2020 12:15:16	1	1	1	1	85.75	64.5	0	28199.052	352.688172	10005.43582	30000	0	0	30000	44.0625	2004
22.01.2020 12:15:17	1	1	1	1	85.75	64	0	28293.839	354.8387097	10039.68146	30000	0	0	30000	44.1875	2004
22.01.2020 12:15:23	1	1	1	1	86.5	64.25	0	28341.232	352.688172	9934.49841	30000	0	0	30000	44.375	2004
22.01.2020 12:15:23	1	1	1	1	86.5	64.25	0	28341.232	352.688172	9934.49841	30000	0	0	30000	44.375	2004
22.01.2020 12:15:23	1	1	1	1	86.5	64.25	0	28341.232	352.688172	9934.49841	30000	0	0	30000	44.375	2004
22.01.2020 12:15:23	1	1	1	1	86.5	64.25	0	28341.232	352.688172	9934.49841	30000	0	0	30000	44.375	2004
22.01.2020 12:15:23	1	1	1	1	86.5	64.25	0	28341.232	352.688172	9934.49841	30000	0	0	30000	44.375	2004
22.01.2020 12:15:23	1	1	1	1	86.5	64.25	0	28341.232	352.688172	9934.49841	30000	0	0	30000	44.375	2004
22.01.2020 12:15:23	1	1	1	1	86.5	64.25	0	28341.232	352.688172	9934.49841	30000	0	0	30000	44.375	2004
22.01.2020 12:15:24	1	1	1	1	86.5	64.25	0	28388.626	350.5376344	9950.80586	30000	0	0	30000	44.4375	2004
22.01.2020 12:15:25	1	1	1	1	86.5	64.25	0	28578.199	350.5376344	10201.94059	30000	0	0	30000	44.375	2004
22.01.2020 12:15:26	1	1	1	1	86.5	64.25	0	28483.412	354.8387097	10045.38907	30000	0	0	30000	44.3125	2004
22.01.2020 12:15:27	1	1	1	1	86.5	64.25	0	28199.052	354.8387097	10005.43582	30000	0	0	30000	44.25	2004
22.01.2020 12:15:28	1	1	1	1	86.5	64.25	0	28341.232	356.9892473	9884.760688	30000	0	0	30000	44.4375	2004
22.01.2020 12:15:29	1	1	1	1	86.5	64.25	0	28009.479	354.8387097	10005.43582	30000	0	0	30000	44.5	2004
22.01.2020 12:15:30	1	1	1	1	86.5	64.5	0	28199.052	356.9892473	10005.43582	30000	0	0	30000	44.5625	2004
22.01.2020 12:15:31	1	1	1	1	86.5	64.5	0	28009.479	359.1397849	9998.912837	30000	0	0	30000	44.3125	2004
22.01.2020 12:15:32	1	1	1	1	86.25	64.25	0	28625.592	384.9462366	11018.94382	30000	0	0	30000	43.6875	2004
22.01.2020 12:15:33	1	1	1	1	86.25	63.5	0	28578.199	387.0967742	11123.3115	30000	0	0	30000	44.1875	2004
22.01.2020 12:15:34	1	1	1	1	86.25	64	0	28578.199	384.9462366	11001.00563	30000	0	0	30000	44.375	2004
22.01.2020 12:15:35	1	1	1	1	86.25	64.25	0	28815.166	389.2473118	11092.32734	30000	0	0	30000	44.5	2004
22.01.2020 12:15:36	1	1	1	1	86.25	64.5	0	29241.706	380.6451613	11148.58805	30000	0	0	30000	44.375	2004
22.01.2020 12:15:37	1	1	1	1	86.25	64.25	0	28578.199	391.3978495	11001.00563	30000	0	0	30000	44.4375	2004
22.01.2020 12:15:38	1	1	1	1	86.25	64.25	0	28388.626	384.9462366	11049.92798	30000	0	0	30000	44.4375	2004
22.01.2020 12:15:39	1	1	1	1	86.25	64.25	0	28293.839	395.6989247	11036.88202	30000	0	0	30000	44.375	2004
22.01.2020 12:15:40	1	1	1	1	86.25	64.25	0	28483.412	391.3978495	11308.40105	30000	0	0	30000	44.0625	2004
22.01.2020 12:15:41	1	1	1	1	86.25	64	0	28199.052	395.6989247	11195.87965	30000	0	0	30000	44.5	2004
22.01.2020 12:15:42	1	1	1	1	86.5	64.5	0	27962.085	389.2473118	10883.59199	30000	0	0	30000	44.375	2004
22.01.2020 12:15:43	1	1	1	1	86.5	64.25	0	28009.479	391.3978495	11083.35825	30000	0	0	30000	44.5625	2004
22.01.2020 12:15:44	1	1	1	1	86.5	64.5	0	27630.332	395.6989247	10933.32971	30000	0	0	30000	44.4375	2004
22.01.2020 12:15:45	1	1	1	1	86.5	64.25	0	28199.052	395.6989247	11036.88202	30000	0	0	30000	44.4375	2004
22.01.2020 12:15:46	1	1	1	1	86.5	64.25	0	28009.479	391.3978495	10943.92955	30000	0	0	30000	44.3125	2004
22.01.2020 12:15:47	1	1	1	1	86.5	64.25	0	27630.332	389.2473118	10754.76313	30000	0	0	30000	44.25	2004
22.01.2020 12:15:48	1	1	1	1	86.5	64.25	0	27535.545	391.3978495	10858.31544	30000	0	0	30000	44.4375	2004
22.01.2020 12:15:49	1	1	1	1	86.5	64.25	0	28009.479	389.2473118	10975.72908	30000	0	0	30000	44.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 12:15:50	1	1	1	1	86.5	64.25	0	27867.299	395.6989247	11027.09755	30000	0	0	30000	44.375	2004
22.01.2020 12:15:52	1	1	1	1	86.5	64.25	0	27914.692	395.6989247	11045.85111	30000	0	0	30000	44.375	2004
22.01.2020 12:15:53	1	1	1	1	86.5	64.25	0	28009.479	395.6989247	11142.88044	30000	0	0	30000	44.25	2004
22.01.2020 12:15:54	1	1	1	1	86.5	64.25	0	27630.332	397.8494624	10992.03653	30000	0	0	30000	44.5625	2004
22.01.2020 12:15:55	1	1	1	1	86.5	64.5	0	27630.332	387.0967742	10635.71875	30000	0	0	30000	44.4375	2004
22.01.2020 12:15:56	1	1	1	1	86.5	64.25	0	27772.512	395.6989247	10933.32971	30000	0	0	30000	44.625	2004
22.01.2020 12:15:57	1	1	1	1	86.5	64.5	0	27819.905	395.6989247	10992.03653	30000	0	0	30000	44.25	2004
22.01.2020 12:15:58	1	1	1	1	86.5	64.25	0	27630.332	395.6989247	10992.03653	30000	0	0	30000	44.4375	2004
22.01.2020 12:15:59	1	1	1	1	86.5	64.25	0	27630.332	397.8494624	10992.03653	30000	0	0	30000	44.4375	2004
22.01.2020 12:16:00	1	1	1	1	86.5	64.25	0	27630.332	395.6989247	10933.32971	30000	0	0	30000	44.5	2004
22.01.2020 12:16:01	1	1	1	1	86.5	64.5	0	27630.332	397.8494624	10992.03653	30000	0	0	30000	44.1875	2004
22.01.2020 12:16:02	1	1	1	1	86	64	0	27630.332	397.8494624	10992.03653	30000	0	0	30000	44.3125	2004
22.01.2020 12:16:03	1	1	1	1	86	64.25	0	27630.332	397.8494624	10992.03653	30000	0	0	30000	44.375	2004
22.01.2020 12:16:04	1	1	1	1	86	64.25	0	27630.332	400	10992.03653	30000	0	0	30000	44.3125	2004
22.01.2020 12:16:05	1	1	1	1	86	64.25	0	27440.758	397.8494624	10917.02226	30000	0	0	30000	43.4375	2004
22.01.2020 12:16:06	1	1	1	1	86	63.25	0	27440.758	397.8494624	10917.02226	30000	0	0	30000	44.375	2004
22.01.2020 12:16:07	1	1	1	1	86	64.25	0	27345.972	397.8494624	10879.51513	30000	0	0	30000	44.3125	2004
22.01.2020 12:16:08	1	1	1	1	86	64.25	0	27630.332	402.1505376	11111.08091	30000	0	0	30000	44.375	2004
22.01.2020 12:16:09	1	1	1	1	86	64.25	0	27725.118	404.3010753	11149.40342	30000	0	0	30000	44.25	2004
22.01.2020 12:16:10	1	1	1	1	86	64.25	0	27630.332	397.8494624	11051.55872	30000	0	0	30000	44.375	2004
22.01.2020 12:16:11	1	1	1	1	86	64.25	0	27630.332	404.3010753	11170.6031	30000	0	0	30000	44.3125	2004
22.01.2020 12:16:12	1	1	1	1	86.5	64.25	0	27582.938	400	11092.32734	30000	0	0	30000	44.375	2004
22.01.2020 12:16:13	1	1	1	1	86.5	64.25	0	27440.758	397.8494624	10917.02226	30000	0	0	30000	43.5	2004
22.01.2020 12:16:14	1	1	1	1	86.5	63.5	0	27582.938	400	11170.6031	30000	0	0	30000	44.4375	2004
22.01.2020 12:16:15	1	1	1	1	86.5	64.25	0	27630.332	404.3010753	11051.55872	30000	0	0	30000	44.3125	2004
22.01.2020 12:16:16	1	1	1	1	86.5	64.25	0	27440.758	395.6989247	10917.02226	30000	0	0	30000	44.0625	2004
22.01.2020 12:16:17	1	1	1	1	86.5	64	0	27630.332	404.3010753	10992.03653	30000	0	0	30000	44.125	2004
22.01.2020 12:16:18	1	1	1	1	86.5	64	0	27630.332	400	10992.03653	30000	0	0	30000	44.5	2004
22.01.2020 12:16:25	1	1	1	1	86.25	63.75	0	28388.626	384.9462366	11111.08091	30000	0	0	30000	44.25	2004
22.01.2020 12:16:25	1	1	1	1	86.25	63.75	0	28388.626	384.9462366	11111.08091	30000	0	0	30000	44.25	2004
22.01.2020 12:16:25	1	1	1	1	86.25	63.75	0	28388.626	384.9462366	11111.08091	30000	0	0	30000	44.25	2004
22.01.2020 12:16:25	1	1	1	1	86.25	63.75	0	28388.626	384.9462366	11111.08091	30000	0	0	30000	44.25	2004
22.01.2020 12:16:25	1	1	1	1	86.25	63.75	0	28388.626	384.9462366	11111.08091	30000	0	0	30000	44.25	2004
22.01.2020 12:16:25	1	1	1	1	86.25	64.25	0	28388.626	387.0967742	11031.17441	30000	0	0	30000	44.5	2004
22.01.2020 12:16:26	1	1	1	1	86.25	64.5	0	28388.626	387.0967742	10988.77504	30000	0	0	30000	44.1875	2004
22.01.2020 12:16:27	1	1	1	1	86.25	64	0	28672.986	384.9462366	11092.32734	30000	0	0	30000	44.3125	2004
22.01.2020 12:16:28	1	1	1	1	86.25	64.25	0	28625.592	387.0967742	11001.00563	30000	0	0	30000	44.375	2004
22.01.2020 12:16:29	1	1	1	1	86.25	64.25	0	29810.427	369.8924731	11026.28217	30000	0	0	30000	44.375	2004
22.01.2020 12:16:31	1	1	1	1	86.25	64.25	0	29146.919	378.4946237	11031.98978	30000	0	0	30000	44.375	2004
22.01.2020 12:16:32	1	1	1	1	86.25	64.25	0	29241.706	378.4946237	11067.86617	30000	0	0	30000	44.4375	2004
22.01.2020 12:16:33	1	1	1	1	86.25	64.25	0	28862.559	339.7849462	9806.484929	30000	0	0	30000	44.3125	2004
22.01.2020 12:16:34	1	1	1	1	86.25	64.25	0	29905.213	404.3010753	12071.5897	30000	0	0	30000	44.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 12:16:35	1	1	1	1	86.25	64.5	0	29715.64	404.3010753	12013.69826	30000	0	0	30000	44.5625	2004
22.01.2020 12:16:36	1	1	1	1	86.25	64	0	29715.64	415.0537634	11975.37575	30000	0	0	30000	44.125	2004
22.01.2020 12:16:37	1	1	1	1	86.25	64	0	27962.085	380.6451613	10660.9953	30000	0	0	30000	44.1875	2004
22.01.2020 12:16:38	1	1	1	1	86.25	64	0	29715.64	404.3010753	12013.69826	30000	0	0	30000	44.5	2004
22.01.2020 12:16:39	1	1	1	1	86.25	64.5	0	29763.033	400	11885.68478	30000	0	0	30000	44.375	2004
22.01.2020 12:16:40	1	1	1	1	86.25	64.25	0	29810.427	397.8494624	11795.9938	30000	0	0	30000	44.25	2004
22.01.2020 12:16:41	1	1	1	1	86.25	64.25	0	29715.64	404.3010753	12269.72522	30000	0	0	30000	44.3125	2004
22.01.2020 12:16:42	1	1	1	1	86.25	64.25	0	29383.886	402.1505376	11816.37812	30000	0	0	30000	44.375	2004
22.01.2020 12:16:43	1	1	1	1	86.25	64.25	0	29526.066	404.3010753	11956.62218	30000	0	0	30000	44.4375	2004
22.01.2020 12:16:44	1	1	1	1	86.25	64.25	0	29668.246	412.9032258	12230.58734	30000	0	0	30000	44.4375	2004
22.01.2020 12:16:45	1	1	1	1	86.25	64.25	0	28009.479	384.9462366	10855.05395	30000	0	0	30000	44.125	2004
22.01.2020 12:16:46	1	1	1	1	86.25	64	0	26113.744	356.9892473	9322.153671	30000	0	0	30000	44.375	2004
22.01.2020 12:16:47	1	1	1	1	86.25	64.25	0	29810.427	367.7419355	11044.22037	30000	0	0	30000	44.375	2004
22.01.2020 12:16:48	1	1	1	1	86.25	64.25	0	29715.64	404.3010753	12013.69826	30000	0	0	30000	44.1875	2004
22.01.2020 12:16:49	1	1	1	1	86.25	64	0	29526.066	404.3010753	11835.13168	30000	0	0	30000	44.3125	2004
22.01.2020 12:16:50	1	1	1	1	86.25	64.25	0	29952.607	384.9462366	11548.12057	30000	0	0	30000	44.375	2004
22.01.2020 12:16:51	1	1	1	1	86.25	64.25	0	29905.213	400	12025.92885	30000	0	0	30000	44.25	2004
22.01.2020 12:16:52	1	1	1	1	86.5	64.25	0	29905.213	369.8924731	11061.34319	30000	0	0	30000	43.625	2004
22.01.2020 12:16:53	1	1	1	1	86.5	63.5	0	30000	350.5376344	10515.85899	30000	0	0	30000	43.125	2004
22.01.2020 12:16:54	1	1	1	1	86.5	63	0	28625.592	335.483871	9667.056234	30000	0	0	30000	44.25	2004
22.01.2020 12:16:55	1	1	1	1	86.5	64.25	0	29952.607	335.483871	10064.14264	30000	0	0	30000	43.8125	2004
22.01.2020 12:16:56	1	1	1	1	86.5	63.75	0	30000	352.688172	10515.85899	30000	0	0	30000	43.875	2004
22.01.2020 12:16:57	1	1	1	1	86.5	63.75	0	29715.64	335.483871	9968.744055	30000	0	0	30000	44.4375	2004
22.01.2020 12:16:58	1	1	1	1	86.5	64.25	0	0	0	0	30000	0	8	30000	44.5	2004
22.01.2020 12:16:59	1	1	1	1	86.5	64.5	0	9810.4265	0	0	30000	0	0	30000	44.625	2004
22.01.2020 12:17:00	1	1	1	1	86.5	64.5	0	10805.687	0	0	30000	0	0	30000	44.3125	2004
22.01.2020 12:17:01	1	1	1	1	86.5	64.25	0	11563.981	0	0	30000	0	0	30000	44.3125	2004
22.01.2020 12:17:02	1	1	1	1	86.5	64.25	0	12369.668	0	0	30000	0	0	30000	44.3125	2004
22.01.2020 12:17:03	1	1	1	1	86.5	64.25	0	13127.962	0	0	30000	0	0	30000	44.375	2004
22.01.2020 12:17:04	1	1	1	1	86.5	64.25	0	13886.256	2.150537634	59.52219172	30000	0	0	30000	44.3125	2004
22.01.2020 12:17:05	1	1	1	1	86.5	64.25	0	14691.943	6.451612903	221.7813171	30000	0	0	30000	44.5	2004
22.01.2020 12:17:06	1	1	1	1	86.5	64.5	0	15450.237	10.75268817	198.9508874	30000	0	0	30000	44.4375	2004
22.01.2020 12:17:07	1	1	1	1	86.5	64.25	0	16208.531	15.05376344	243.7963743	30000	0	0	30000	44.5	2004
22.01.2020 12:17:08	1	1	1	1	86.5	64.5	0	16966.825	25.80645161	437.8550268	30000	0	0	30000	44.3125	2004
22.01.2020 12:17:10	1	1	1	1	86.5	64.25	0	17677.725	32.25806452	569.94537	30000	0	0	30000	44.3125	2004
22.01.2020 12:17:11	1	1	1	1	86.5	64.25	0	18530.806	40.86021505	756.6656701	30000	0	0	30000	44.375	2004
22.01.2020 12:17:12	1	1	1	1	86.5	64.25	0	19241.706	51.61290323	995.5698095	30000	0	0	30000	44.5	2004
22.01.2020 12:17:13	1	1	1	1	87	64.5	0	20000	60.21505376	1204.305167	30000	0	0	30000	44.375	2004
22.01.2020 12:17:14	1	1	1	1	87	64.25	0	20710.9	66.66666667	1383.687114	30000	0	0	30000	44.8125	2004
22.01.2020 12:17:15	1	1	1	1	87	64.25	0	21563.981	81.72043011	1762.019949	30000	0	0	30000	44.4375	2004
22.01.2020 12:17:16	1	1	1	1	87	64.25	0	22369.668	96.77419355	2164.813959	30000	0	0	30000	44.5	2004
22.01.2020 12:17:17	1	1	1	1	87	64.5	0	23080.569	109.6774194	2580.653929	30000	0	0	30000	43.9375	2004
22.01.2020 12:17:18	1	1	1	1	87	63.75	0	23838.863	120.4301075	2870.926535	30000	0	0	30000	44.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 12:17:19	1	1	1	1	87	64.25	0	24691.943	152.688172	3769.467018	30000	0	0	30000	44.375	2004
22.01.2020 12:17:20	1	1	1	1	87	64.25	0	24881.517	156.9892473	3966.787161	30000	0	0	30000	44.3125	2004
22.01.2020 12:17:27	1	1	1	1	87	64.25	0	27014.218	219.3548387	5914.712038	30000	0	0	30000	44.375	2004
22.01.2020 12:17:27	1	1	1	1	87	64.25	0	27014.218	219.3548387	5914.712038	30000	0	0	30000	44.375	2004
22.01.2020 12:17:27	1	1	1	1	87	64.25	0	27014.218	219.3548387	5914.712038	30000	0	0	30000	44.375	2004
22.01.2020 12:17:27	1	1	1	1	87	64.25	0	27014.218	219.3548387	5914.712038	30000	0	0	30000	44.375	2004
22.01.2020 12:17:27	1	1	1	1	87	64.25	0	27014.218	219.3548387	5914.712038	30000	0	0	30000	44.375	2004
22.01.2020 12:17:27	1	1	1	1	87	64.25	0	27014.218	219.3548387	5914.712038	30000	0	0	30000	44.375	2004
22.01.2020 12:17:27	1	1	1	1	87	64.25	0	26872.038	232.2580645	6240.861033	30000	0	0	30000	44.3125	2004
22.01.2020 12:17:28	1	1	1	1	87	64.25	0	26682.464	251.6129032	6644.470416	30000	0	0	30000	44.4375	2004
22.01.2020 12:17:29	1	1	1	1	87	64.25	0	28625.592	279.5698925	8002.880983	30000	0	0	30000	44.4375	2004
22.01.2020 12:17:30	1	1	1	1	87	64.25	0	23080.569	232.2580645	5360.258745	30000	0	0	30000	44	2004
22.01.2020 12:17:31	1	1	1	1	87	64	0	26635.071	283.8709677	7490.011687	30000	0	0	30000	44	2004
22.01.2020 12:17:32	1	1	1	1	86.5	64	0	26872.038	294.6236559	7989.01965	30000	0	0	30000	44.3125	2004
22.01.2020 12:17:33	1	1	1	1	86.5	64.25	0	27867.299	313.9784946	8674.747914	30000	0	0	30000	44.375	2004
22.01.2020 12:17:34	1	1	1	1	86.5	64.25	0	27819.905	324.7311828	9033.511809	30000	0	0	30000	44.4375	2004
22.01.2020 12:17:35	1	1	1	1	86.5	64.25	0	27109.005	335.483871	9285.461909	30000	0	0	30000	44.1875	2004
22.01.2020 12:17:36	1	1	1	1	86.5	64	0	27630.332	359.1397849	9804.038812	30000	0	0	30000	44.3125	2004
22.01.2020 12:17:37	1	1	1	1	86.5	64.25	0	28530.806	369.8924731	10535.42793	30000	0	0	30000	44.25	2004
22.01.2020 12:17:38	1	1	1	1	86.5	64.25	0	26113.744	333.3333333	8560.595765	30000	0	0	30000	44.25	2004
22.01.2020 12:17:39	1	1	1	1	86.5	64.25	0	0	0	0	30000	0	8	30000	44.375	2004
22.01.2020 12:17:40	1	1	1	1	86.5	64.25	0	10000	0	0	30000	0	0	30000	44.625	2004
22.01.2020 12:17:41	1	1	1	1	86.5	64.5	0	10805.687	0	0	30000	0	0	30000	44.5	2004
22.01.2020 12:17:42	1	1	1	1	87.25	64.5	0	11563.981	0	0	30000	0	0	30000	44.375	2004
22.01.2020 12:17:43	1	1	1	1	87.25	64.25	0	12322.275	0	26.09191966	30000	0	0	30000	44.3125	2004
22.01.2020 12:17:44	1	1	1	1	87.25	64.25	0	13127.962	6.451612903	56.26070176	30000	0	0	30000	44.5	2004
22.01.2020 12:17:45	1	1	1	1	87.25	64.5	0	13886.256	8.602150538	149.2131655	30000	0	0	30000	44.4375	2004
22.01.2020 12:17:46	1	1	1	1	87.25	64.25	0	14644.55	15.05376344	188.351045	30000	0	0	30000	44.375	2004
22.01.2020 12:17:48	1	1	1	1	87.25	64.25	0	15308.057	19.35483871	331.0412307	30000	0	0	30000	44.375	2004
22.01.2020 12:17:49	1	1	1	1	87.25	64.25	0	16161.137	30.10752688	485.9620036	30000	0	0	30000	44.4375	2004
22.01.2020 12:17:50	1	1	1	1	87.25	64.25	0	16966.825	40.86021505	693.0666159	30000	0	0	30000	44.4375	2004
22.01.2020 12:17:51	1	1	1	1	87.25	64.25	0	17677.725	51.61290323	949.9089501	30000	0	0	30000	44.75	2004
22.01.2020 12:17:52	1	1	1	1	87.25	64.75	0	18436.019	62.3655914	1149.67521	30000	0	0	30000	44.5625	2004
22.01.2020 12:17:53	1	1	1	1	87.25	64.25	0	19289.1	73.11827957	1409.779034	30000	0	0	30000	44.625	2004
22.01.2020 12:17:54	1	1	1	1	87.25	64.5	0	19952.607	83.87096774	1677.221211	30000	0	0	30000	44.25	2004
22.01.2020 12:17:55	1	1	1	1	87.25	64.25	0	20758.294	96.77419355	2008.262441	30000	0	0	30000	44.3125	2004
22.01.2020 12:17:56	1	1	1	1	87.25	64.25	0	21563.981	113.9784946	2457.532683	30000	0	0	30000	44.3125	2004
22.01.2020 12:17:57	1	1	1	1	87.25	64.25	0	22369.668	124.7311828	2838.311635	30000	0	0	30000	44.5	2004
22.01.2020 12:17:58	1	1	1	1	87.25	64.5	0	22417.062	129.0322581	2892.12622	30000	0	0	30000	44.375	2004
22.01.2020 12:17:59	1	1	1	1	87.25	64.25	0	22322.275	137.6344086	3078.84652	30000	0	0	30000	44.5	2004
22.01.2020 12:18:00	1	1	1	1	87.25	64.5	0	22274.882	150.5376344	3304.704699	30000	0	0	30000	44.5	2004
22.01.2020 12:18:01	1	1	1	1	87.25	64.5	0	24170.616	178.4946237	4314.135841	30000	0	0	30000	44.5	2004
22.01.2020 12:18:02	1	1	1	1	87	64.5	0	23838.863	189.2473118	4460.087517	30000	0	0	30000	44.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 12:18:03	1	1	1	1	87	64.25	0	24834.123	206.4516129	5117.277743	30000	0	0	30000	44.5	2004
22.01.2020 12:18:04	1	1	1	1	87	64.5	0	25071.09	219.3548387	5498.872068	30000	0	0	30000	44.3125	2004
22.01.2020 12:18:05	1	1	1	1	87	64.25	0	27345.972	253.7634409	6938.819884	30000	0	0	30000	44.3125	2004
22.01.2020 12:18:06	1	1	1	1	87	64.25	0	26018.957	247.311828	6570.271519	30000	0	0	30000	44.4375	2004
22.01.2020 12:18:10	1	1	1	1	87	64.25	0	26445.498	264.516129	6868.69785	30000	0	0	30000	44.3125	2004
22.01.2020 12:18:10	1	1	1	1	87	64.25	0	26445.498	264.516129	6868.69785	30000	0	0	30000	44.3125	2004
22.01.2020 12:18:10	1	1	1	1	87	64.25	0	26445.498	264.516129	6868.69785	30000	0	0	30000	44.3125	2004
22.01.2020 12:18:10	1	1	1	1	87	64.25	0	26777.251	309.6774194	8234.44677	30000	0	0	30000	44.25	2004
22.01.2020 12:18:11	1	1	1	1	87	64.25	0	29052.133	322.5806452	9433.859702	30000	0	0	30000	43.75	2004
22.01.2020 12:18:12	1	1	1	1	86.75	63.75	0	22132.701	273.1182796	6044.356263	30000	0	0	30000	44.25	2004
22.01.2020 12:18:13	1	1	1	1	86.75	64.25	0	26492.891	324.7311828	8618.487212	30000	0	0	30000	44.1875	2004
22.01.2020 12:18:14	1	1	1	1	86.75	64	0	26919.431	339.7849462	9146.848585	30000	0	0	30000	44.375	2004
22.01.2020 12:18:15	1	1	1	1	86.75	64.25	0	27440.758	354.8387097	9736.362895	30000	0	0	30000	43.875	2004
22.01.2020 12:18:16	1	1	1	1	86.75	63.75	0	28815.166	354.8387097	10241.07847	30000	0	0	30000	44.4375	2004
22.01.2020 12:18:17	1	1	1	1	86.75	64.25	0	26824.645	363.4408602	9748.593482	30000	0	0	30000	44.4375	2004
22.01.2020 12:18:18	1	1	1	1	86.75	64.25	0	27109.005	384.9462366	10435.13712	30000	0	0	30000	44.25	2004
22.01.2020 12:18:19	1	1	1	1	86.75	64.25	0	28199.052	384.9462366	10975.72908	30000	0	0	30000	44.125	2004
22.01.2020 12:18:20	1	1	1	1	86.75	64	0	28388.626	415.0537634	11782.13247	30000	0	0	30000	44.3125	2004
22.01.2020 12:18:21	1	1	1	1	86.75	64.25	0	28293.839	400	11317.37015	30000	0	0	30000	44.1875	2004
22.01.2020 12:18:28	1	1	1	1	86.75	64.25	0	29336.493	395.6989247	11608.45813	30000	0	0	30000	44.4375	2004
22.01.2020 12:18:28	1	1	1	1	86.75	64.25	0	29336.493	395.6989247	11608.45813	30000	0	0	30000	44.4375	2004
22.01.2020 12:18:28	1	1	1	1	86.75	64.25	0	29336.493	395.6989247	11608.45813	30000	0	0	30000	44.4375	2004
22.01.2020 12:18:28	1	1	1	1	86.75	64.25	0	29336.493	395.6989247	11608.45813	30000	0	0	30000	44.4375	2004
22.01.2020 12:18:28	1	1	1	1	86.75	64.25	0	29336.493	395.6989247	11608.45813	30000	0	0	30000	44.4375	2004
22.01.2020 12:18:28	1	1	1	1	86.75	64.25	0	29336.493	395.6989247	11608.45813	30000	0	0	30000	44.4375	2004
22.01.2020 12:18:29	1	1	1	1	86.75	64.25	0	28957.346	415.0537634	11979.45261	30000	0	0	30000	44.375	2004
22.01.2020 12:18:30	1	1	1	1	86.75	64.25	0	28815.166	421.5053763	11880.79254	30000	0	0	30000	44.6875	2004
22.01.2020 12:18:31	1	1	1	1	86.75	64.5	0	28815.166	419.3548387	12083.82029	30000	0	0	30000	44.3125	2004
22.01.2020 12:18:32	1	1	1	1	86	64.25	0	29099.526	417.2043011	12096.86625	30000	0	0	30000	44.0625	2004
22.01.2020 12:18:33	1	1	1	1	86	64	0	28862.559	419.3548387	11979.45261	30000	0	0	30000	44.25	2004
22.01.2020 12:18:34	1	1	1	1	86	64.25	0	29099.526	412.9032258	12034.89794	30000	0	0	30000	44.375	2004
22.01.2020 12:18:35	1	1	1	1	86	64.25	0	29383.886	372.0430108	10931.69896	30000	0	0	30000	44.1875	2004
22.01.2020 12:18:36	1	1	1	1	86	64	0	29004.739	412.9032258	11956.62218	30000	0	0	30000	43.5625	2004
22.01.2020 12:18:37	1	1	1	1	86	63.5	0	29241.706	415.0537634	12034.89794	30000	0	0	30000	44.3125	2004
22.01.2020 12:18:38	1	1	1	1	86	64.25	0	29146.919	412.9032258	12034.89794	30000	0	0	30000	43.9375	2004
22.01.2020 12:18:39	1	1	1	1	86	63.75	0	29715.64	412.9032258	12269.72522	30000	0	0	30000	44.4375	2004
22.01.2020 12:18:40	1	1	1	1	86	64.25	0	29146.919	412.9032258	12034.89794	30000	0	0	30000	44.25	2004
22.01.2020 12:18:41	1	1	1	1	86	64.25	0	29383.886	404.3010753	11671.24181	30000	0	0	30000	44.125	2004
22.01.2020 12:18:42	1	1	1	1	86.5	64	0	29905.213	395.6989247	11704.67208	30000	0	0	30000	44.125	2004
22.01.2020 12:18:43	1	1	1	1	86.5	64	0	29146.919	412.9032258	12034.89794	30000	0	0	30000	44.0625	2004
22.01.2020 12:18:44	1	1	1	1	86.5	64	0	29336.493	406.4516129	12113.1737	30000	0	0	30000	44.125	2004
22.01.2020 12:18:45	1	1	1	1	86.5	64	0	29052.133	412.9032258	11995.76006	30000	0	0	30000	44.3125	2004
22.01.2020 12:18:46	1	1	1	1	86.5	64.25	0	29241.706	412.9032258	12074.03582	30000	0	0	30000	44.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 12:18:47	1	1	1	1	86.5	64.25	0	29099.526	412.9032258	12015.329	30000	0	0	30000	44.125	2004
22.01.2020 12:18:48	1	1	1	1	86.5	64	0	29004.739	412.9032258	11995.76006	30000	0	0	30000	44	2004
22.01.2020 12:18:49	1	1	1	1	86.5	64	0	29099.526	412.9032258	12034.89794	30000	0	0	30000	44.25	2004
22.01.2020 12:18:50	1	1	1	1	86.5	64.25	0	28862.559	412.9032258	11937.05324	30000	0	0	30000	44.375	2004
22.01.2020 12:18:51	1	1	1	1	86.5	64.25	0	28578.199	417.2043011	11822.08572	30000	0	0	30000	44.125	2004
22.01.2020 12:18:52	1	1	1	1	86	64	0	28815.166	412.9032258	11897.91536	30000	0	0	30000	44.0625	2004
22.01.2020 12:18:53	1	1	1	1	86	64	0	29052.133	415.0537634	12057.72837	30000	0	0	30000	44.25	2004
22.01.2020 12:18:54	1	1	1	1	86	64.25	0	29004.739	412.9032258	11956.62218	30000	0	0	30000	44.3125	2004
22.01.2020 12:18:55	1	1	1	1	86	64.25	0	29052.133	412.9032258	12015.329	30000	0	0	30000	43.5	2004
22.01.2020 12:18:56	1	1	1	1	86	63.5	0	28957.346	412.9032258	12018.59049	30000	0	0	30000	43.8125	2004
22.01.2020 12:18:57	1	1	1	1	86	63.75	0	28862.559	412.9032258	12018.59049	30000	0	0	30000	44.125	2004
22.01.2020 12:18:58	1	1	1	1	86	64	0	28815.166	417.2043011	12103.38923	30000	0	0	30000	44	2004
22.01.2020 12:18:59	1	1	1	1	86	64	0	28815.166	412.9032258	11959.88367	30000	0	0	30000	43.8125	2004
22.01.2020 12:19:00	1	1	1	1	86	63.75	0	26682.464	382.7956989	10271.24725	30000	0	0	30000	43.875	2004
22.01.2020 12:19:01	1	1	1	1	86	63.75	0	28815.166	419.3548387	11959.88367	30000	0	0	30000	44.1875	2004
22.01.2020 12:19:02	1	1	1	1	86.25	64	0	28625.592	419.3548387	12083.82029	30000	0	0	30000	43.8125	2004
22.01.2020 12:19:03	1	1	1	1	86.25	63.75	0	29099.526	412.9032258	12015.329	30000	0	0	30000	44.375	2004
22.01.2020 12:19:05	1	1	1	1	86.25	64.25	0	28957.346	415.0537634	12018.59049	30000	0	0	30000	44.125	2004
22.01.2020 12:19:06	1	1	1	1	86.25	64	0	29052.133	415.0537634	12057.72837	30000	0	0	30000	44	2004
22.01.2020 12:19:07	1	1	1	1	86.25	64	0	28957.346	412.9032258	11956.62218	30000	0	0	30000	44.125	2004
22.01.2020 12:19:08	1	1	1	1	86.25	64	0	28815.166	415.0537634	12103.38923	30000	0	0	30000	44.375	2004
22.01.2020 12:19:09	1	1	1	1	86.25	64.25	0	29099.526	412.9032258	12034.89794	30000	0	0	30000	44	2004
22.01.2020 12:19:10	1	1	1	1	86.25	64.25	0	29052.133	412.9032258	12015.329	30000	0	0	30000	44.125	2004
22.01.2020 12:19:11	1	1	1	1	86.25	64	0	29146.919	415.0537634	12096.86625	30000	0	0	30000	44.3125	2004
22.01.2020 12:19:12	1	1	1	1	86.25	64.25	0	28862.559	419.3548387	11917.4843	30000	0	0	30000	44.375	2004
22.01.2020 12:19:13	1	1	1	1	86.25	64.25	0	28957.346	415.0537634	11956.62218	30000	0	0	30000	44.25	2004
22.01.2020 12:19:14	1	1	1	1	86.25	64.25	0	29715.64	395.6989247	11566.05876	30000	0	0	30000	44.3125	2004
22.01.2020 12:19:15	1	1	1	1	86.25	64.25	0	28957.346	415.0537634	12018.59049	30000	0	0	30000	44.25	2004
22.01.2020 12:19:16	1	1	1	1	86.25	64.25	0	28957.346	419.3548387	12103.38923	30000	0	0	30000	44.125	2004
22.01.2020 12:19:17	1	1	1	1	86.25	64	0	28815.166	412.9032258	11917.4843	30000	0	0	30000	44.25	2004
22.01.2020 12:19:18	1	1	1	1	86.25	64.25	0	29146.919	412.9032258	12034.89794	30000	0	0	30000	44.3125	2004
22.01.2020 12:19:19	1	1	1	1	86.25	64.25	0	29336.493	412.9032258	12113.1737	30000	0	0	30000	44	2004
22.01.2020 12:19:20	1	1	1	1	86.25	64	0	28957.346	404.3010753	11745.44071	30000	0	0	30000	44.25	2004
22.01.2020 12:19:21	1	1	1	1	86.25	64.25	0	29431.28	412.9032258	12113.1737	30000	0	0	30000	44.25	2004
22.01.2020 12:19:22	1	1	1	1	86.5	64.25	0	29715.64	412.9032258	12269.72522	30000	0	0	30000	43.875	2004
22.01.2020 12:19:23	1	1	1	1	86.5	63.75	0	29715.64	412.9032258	12269.72522	30000	0	0	30000	44.0625	2004
22.01.2020 12:19:30	1	1	1	1	86.5	64	0	28957.346	404.3010753	11707.1182	30000	0	0	30000	44.375	2004
22.01.2020 12:19:30	1	1	1	1	86.5	64	0	28957.346	404.3010753	11707.1182	30000	0	0	30000	44.375	2004
22.01.2020 12:19:30	1	1	1	1	86.5	64	0	28957.346	404.3010753	11707.1182	30000	0	0	30000	44.375	2004
22.01.2020 12:19:30	1	1	1	1	86.5	64	0	28957.346	404.3010753	11707.1182	30000	0	0	30000	44.375	2004
22.01.2020 12:19:30	1	1	1	1	86.5	64	0	28957.346	404.3010753	11707.1182	30000	0	0	30000	44.375	2004
22.01.2020 12:19:30	1	1	1	1	86.5	64	0	28957.346	404.3010753	11707.1182	30000	0	0	30000	44.375	2004
22.01.2020 12:19:30	1	1	1	1	86.5	64.25	0	29052.133	415.0537634	12222.43362	30000	0	0	30000	44.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 12:19:31	1	1	1	1	86.5	64	0	29810.427	412.9032258	12077.29731	30000	0	0	30000	44.375	2004
22.01.2020 12:19:32	1	1	1	1	86.5	64.25	0	28909.953	415.0537634	12041.42092	30000	0	0	30000	44.3125	2004
22.01.2020 12:19:33	1	1	1	1	86.5	64.25	0	29099.526	412.9032258	11995.76006	30000	0	0	30000	44.3125	2004
22.01.2020 12:19:34	1	1	1	1	86.5	64.25	0	29336.493	412.9032258	12113.1737	30000	0	0	30000	44.125	2004
22.01.2020 12:19:35	1	1	1	1	86.5	64	0	29146.919	443.0107527	12975.02242	30000	0	0	30000	44.375	2004
22.01.2020 12:19:36	1	1	1	1	86.5	64.25	0	29905.213	427.9569892	12798.08659	30000	0	0	30000	44.4375	2004
22.01.2020 12:19:37	1	1	1	1	86.5	64.25	0	29241.706	445.1612903	13164.18884	30000	0	0	30000	44.4375	2004
22.01.2020 12:19:38	1	1	1	1	86.5	64.25	0	29336.493	443.0107527	13059.00579	30000	0	0	30000	44.375	2004
22.01.2020 12:19:39	1	1	1	1	86.5	64.25	0	29668.246	438.7096774	13015.79105	30000	0	0	30000	44.25	2004
22.01.2020 12:19:40	1	1	1	1	86.5	64.25	0	29620.853	438.7096774	13058.19042	30000	0	0	30000	44.125	2004
22.01.2020 12:19:42	1	1	1	1	86.5	64	0	29336.493	445.1612903	12953.82274	30000	0	0	30000	44.375	2004
22.01.2020 12:19:43	1	1	1	1	86.75	64.25	0	29336.493	449.4623656	13059.00579	30000	0	0	30000	44.25	2004
22.01.2020 12:19:44	1	1	1	1	86.75	64.25	0	29146.919	445.1612903	12975.02242	30000	0	0	30000	43.875	2004
22.01.2020 12:19:45	1	1	1	1	86.75	63.75	0	29336.493	443.0107527	12932.62305	30000	0	0	30000	44.1875	2004
22.01.2020 12:19:46	1	1	1	1	86.75	64	0	29146.919	445.1612903	13225.34178	30000	0	0	30000	44.5	2004
22.01.2020 12:19:47	1	1	1	1	86.75	64.5	0	29146.919	445.1612903	12975.02242	30000	0	0	30000	44.4375	2004
22.01.2020 12:19:48	1	1	1	1	86.75	64.25	0	28436.019	427.9569892	12189.00334	30000	0	0	30000	44.5625	2004
22.01.2020 12:19:49	1	1	1	1	86.75	64.5	0	29146.919	440.8602151	13016.60642	30000	0	0	30000	44.5	2004
22.01.2020 12:19:50	1	1	1	1	86.75	64.5	0	28957.346	445.1612903	12890.22368	30000	0	0	30000	44.3125	2004
22.01.2020 12:19:51	1	1	1	1	86.75	64.25	0	29052.133	445.1612903	12953.82274	30000	0	0	30000	43.875	2004
22.01.2020 12:19:52	1	1	1	1	86.5	63.75	0	29336.493	445.1612903	12975.02242	30000	0	0	30000	44.1875	2004
22.01.2020 12:19:53	1	1	1	1	86.5	64	0	29146.919	451.6129032	12975.02242	30000	0	0	30000	44.25	2004
22.01.2020 12:19:54	1	1	1	1	86.5	64.25	0	28815.166	445.1612903	12827.44	30000	0	0	30000	44.3125	2004
22.01.2020 12:19:55	1	1	1	1	86.5	64.25	0	29146.919	445.1612903	12975.02242	30000	0	0	30000	44.25	2004
22.01.2020 12:19:56	1	1	1	1	86.5	64.25	0	29241.706	453.7634409	13268.55652	30000	0	0	30000	44.375	2004
22.01.2020 12:19:57	1	1	1	1	86.5	64.25	0	29099.526	453.7634409	13182.12704	30000	0	0	30000	44.1875	2004
22.01.2020 12:19:58	1	1	1	1	86.5	64	0	28815.166	445.1612903	12827.44	30000	0	0	30000	44.375	2004
22.01.2020 12:19:59	1	1	1	1	86.5	64.25	0	28862.559	453.7634409	13096.51292	30000	0	0	30000	44.375	2004
22.01.2020 12:20:00	1	1	1	1	86.5	64.25	0	28815.166	449.4623656	12972.57631	30000	0	0	30000	44.375	2004
22.01.2020 12:20:01	1	1	1	1	86.5	64.25	0	28957.346	445.1612903	12890.22368	30000	0	0	30000	44.3125	2004
22.01.2020 12:20:02	1	1	1	1	86.5	64.25	0	28957.346	453.7634409	13139.72767	30000	0	0	30000	44.375	2004
22.01.2020 12:20:03	1	1	1	1	86.5	64.25	0	29099.526	455.9139785	13266.92577	30000	0	0	30000	44.4375	2004
22.01.2020 12:20:04	1	1	1	1	86.5	64.25	0	28815.166	453.7634409	13075.31324	30000	0	0	30000	44.1875	2004
22.01.2020 12:20:05	1	1	1	1	86.5	64	0	28815.166	453.7634409	13075.31324	30000	0	0	30000	43.8125	2004
22.01.2020 12:20:06	1	1	1	1	86.5	63.75	0	28578.199	445.1612903	12721.44158	30000	0	0	30000	44.375	2004
22.01.2020 12:20:07	1	1	1	1	86.5	64.25	0	29099.526	455.9139785	13266.92577	30000	0	0	30000	44.5	2004
22.01.2020 12:20:08	1	1	1	1	86.5	64.5	0	29052.133	453.7634409	13307.6944	30000	0	0	30000	44.5	2004
22.01.2020 12:20:09	1	1	1	1	86.5	64.5	0	29146.919	453.7634409	13413.69282	30000	0	0	30000	44.4375	2004
22.01.2020 12:20:10	1	1	1	1	86.5	64.25	0	28957.346	453.7634409	13139.72767	30000	0	0	30000	43.5625	2004
22.01.2020 12:20:11	1	1	1	1	86.5	63.5	0	28436.019	445.1612903	12924.46933	30000	0	0	30000	44.3125	2004
22.01.2020 12:20:12	1	1	1	1	87	64.25	0	28957.346	449.4623656	12890.22368	30000	0	0	30000	44.3125	2004
22.01.2020 12:20:13	1	1	1	1	87	64.25	0	28578.199	445.1612903	12721.44158	30000	0	0	30000	44.4375	2004
22.01.2020 12:20:14	1	1	1	1	87	64.25	0	28815.166	445.1612903	12827.44	30000	0	0	30000	44.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 12:20:15	1	1	1	1	87	64.5	0	28815.166	445.1612903	12827.44	30000	0	0	30000	44.4375	2004
22.01.2020 12:20:16	1	1	1	1	87	64.25	0	28957.346	451.6129032	13139.72767	30000	0	0	30000	44.25	2004
22.01.2020 12:20:17	1	1	1	1	87	64.25	0	28862.559	453.7634409	13096.51292	30000	0	0	30000	44.0625	2004
22.01.2020 12:20:18	1	1	1	1	87	64	0	29289.1	445.1612903	13016.60642	30000	0	0	30000	43.9375	2004
22.01.2020 12:20:20	1	1	1	1	87	63.75	0	29478.673	443.0107527	12911.42337	30000	0	0	30000	44.375	2004
22.01.2020 12:20:21	1	1	1	1	87	64.25	0	29241.706	443.0107527	12953.82274	30000	0	0	30000	44.3125	2004
22.01.2020 12:20:22	1	1	1	1	87	64.25	0	28625.592	440.8602151	12827.44	30000	0	0	30000	44.125	2004
22.01.2020 12:20:23	1	1	1	1	87	64	0	29336.493	443.0107527	13059.00579	30000	0	0	30000	44.4375	2004
22.01.2020 12:20:24	1	1	1	1	87	64.25	0	28957.346	449.4623656	12890.22368	30000	0	0	30000	44.625	2004
22.01.2020 12:20:25	1	1	1	1	87	64.5	0	28578.199	445.1612903	12721.44158	30000	0	0	30000	43.9375	2004
22.01.2020 12:20:31	1	1	1	1	87	64.25	0	28957.346	453.7634409	13182.12704	30000	0	0	30000	44.1875	2004
22.01.2020 12:20:31	1	1	1	1	87	64.25	0	28957.346	453.7634409	13182.12704	30000	0	0	30000	44.1875	2004
22.01.2020 12:20:31	1	1	1	1	87	64.25	0	28957.346	453.7634409	13182.12704	30000	0	0	30000	44.1875	2004
22.01.2020 12:20:31	1	1	1	1	87	64.25	0	28957.346	453.7634409	13182.12704	30000	0	0	30000	44.1875	2004
22.01.2020 12:20:31	1	1	1	1	87	64.25	0	28957.346	453.7634409	13182.12704	30000	0	0	30000	44.1875	2004
22.01.2020 12:20:31	1	1	1	1	87	64.25	0	28957.346	453.7634409	13182.12704	30000	0	0	30000	44.1875	2004
22.01.2020 12:20:31	1	1	1	1	87	64.25	0	28957.346	453.7634409	13182.12704	30000	0	0	30000	44.1875	2004
22.01.2020 12:20:32	1	1	1	1	87	64	0	29052.133	445.1612903	12953.82274	30000	0	0	30000	44.25	2004
22.01.2020 12:20:33	1	1	1	1	87	64.25	0	29241.706	453.7634409	12975.02242	30000	0	0	30000	44.1875	2004
22.01.2020 12:20:34	1	1	1	1	87	64	0	29099.526	481.7204301	14017.88384	30000	0	0	30000	44.4375	2004
22.01.2020 12:20:35	1	1	1	1	87	64.25	0	29620.853	481.7204301	14269.01856	30000	0	0	30000	44.0625	2004
22.01.2020 12:20:36	1	1	1	1	87	64	0	28957.346	464.516129	13451.19996	30000	0	0	30000	44.25	2004
22.01.2020 12:20:37	1	1	1	1	87	64.25	0	29431.28	481.7204301	14177.69684	30000	0	0	30000	44.25	2004
22.01.2020 12:20:38	1	1	1	1	87	64.25	0	29526.066	466.6666667	14269.01856	30000	0	0	30000	43.875	2004
22.01.2020 12:20:39	1	1	1	1	87	63.75	0	29573.46	481.7204301	14246.18813	30000	0	0	30000	44.25	2004
22.01.2020 12:20:40	1	1	1	1	87	64.25	0	29289.1	466.6666667	14132.03599	30000	0	0	30000	44.3125	2004
22.01.2020 12:20:41	1	1	1	1	87	64.25	0	29146.919	466.6666667	13601.22849	30000	0	0	30000	44.375	2004
22.01.2020 12:20:42	1	1	1	1	86.25	64.25	0	29715.64	470.9677419	13995.05341	30000	0	0	30000	44.1875	2004
22.01.2020 12:20:43	1	1	1	1	86.25	64	0	29146.919	468.8172043	14086.37513	30000	0	0	30000	44.4375	2004
22.01.2020 12:20:44	1	1	1	1	86.25	64.25	0	28957.346	481.7204301	13949.39255	30000	0	0	30000	44.25	2004
22.01.2020 12:20:45	1	1	1	1	86.25	64.25	0	29052.133	481.7204301	13995.05341	30000	0	0	30000	44.125	2004
22.01.2020 12:20:46	1	1	1	1	86.25	64	0	29146.919	481.7204301	14017.88384	30000	0	0	30000	44.4375	2004
22.01.2020 12:20:47	1	1	1	1	86.25	64.25	0	29241.706	468.8172043	14086.37513	30000	0	0	30000	44.5	2004
22.01.2020 12:20:48	1	1	1	1	86.25	64.5	0	28957.346	481.7204301	13949.39255	30000	0	0	30000	44.25	2004
22.01.2020 12:20:49	1	1	1	1	86.25	64.25	0	29383.886	481.7204301	14132.03599	30000	0	0	30000	44.3125	2004
22.01.2020 12:20:50	1	1	1	1	86.25	64.25	0	29052.133	481.7204301	13995.05341	30000	0	0	30000	43.3125	2004
22.01.2020 12:20:51	1	1	1	1	86.25	63.25	0	29099.526	481.7204301	13681.95037	30000	0	0	30000	44.125	2004
22.01.2020 12:20:52	1	1	1	1	86.5	64	0	28483.412	412.9032258	11760.93279	30000	0	0	30000	44.5	2004
22.01.2020 12:20:53	1	1	1	1	86.5	64.5	0	29099.526	481.7204301	14017.88384	30000	0	0	30000	43.8125	2004
22.01.2020 12:20:54	1	1	1	1	86.5	63.75	0	29146.919	481.7204301	14040.71427	30000	0	0	30000	44.25	2004
22.01.2020 12:20:55	1	1	1	1	86.5	64.25	0	29241.706	481.7204301	14086.37513	30000	0	0	30000	44.5	2004
22.01.2020 12:20:56	1	1	1	1	86.5	64.5	0	29052.133	481.7204301	13995.05341	30000	0	0	30000	44.125	2004
22.01.2020 12:20:58	1	1	1	1	86.5	64	0	29431.28	481.7204301	14154.86641	30000	0	0	30000	44.25	2004
22.01.2020 12:20:59	1	1	1	1	86.5	64.25	0	28957.346	481.7204301	13949.39255	30000	0	0	30000	44.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 12:21:00	1	1	1	1	86.5	64.25	0	29146.919	481.7204301	14040.71427	30000	0	0	30000	44.25	2004
22.01.2020 12:21:01	1	1	1	1	86.5	64.25	0	29004.739	481.7204301	14205.41951	30000	0	0	30000	44.4375	2004
22.01.2020 12:21:02	1	1	1	1	86.5	64.25	0	29099.526	481.7204301	13995.05341	30000	0	0	30000	44.625	2004
22.01.2020 12:21:03	1	1	1	1	86.75	64.5	0	29099.526	481.7204301	13995.05341	30000	0	0	30000	44.3125	2004
22.01.2020 12:21:04	1	1	1	1	86.75	64.25	0	29099.526	468.8172043	14040.71427	30000	0	0	30000	44.5	2004
22.01.2020 12:21:05	1	1	1	1	86.75	64.5	0	29336.493	481.7204301	14132.03599	30000	0	0	30000	44.4375	2004
22.01.2020 12:21:06	1	1	1	1	86.75	64	0	29336.493	468.8172043	13816.48683	30000	0	0	30000	44.375	2004
22.01.2020 12:21:07	1	1	1	1	86.75	64.25	0	29573.46	481.7204301	14246.18813	30000	0	0	30000	44.1875	2004
22.01.2020 12:21:08	1	1	1	1	86.75	64	0	0	0	0	30000	0	8	30000	41.6875	2004
22.01.2020 12:21:09	1	1	1	1	86.75	61.5	0	10426.54	0	0	30000	0	0	30000	44.375	2004
22.01.2020 12:21:10	1	1	1	1	86.75	64.25	0	11232.227	0	0	30000	0	0	30000	44.4375	2004
22.01.2020 12:21:11	1	1	1	1	86.75	64.25	0	11990.521	0	0	30000	0	0	30000	44.4375	2004
22.01.2020 12:21:12	1	1	1	1	87.25	64.25	0	12748.815	2.150537634	54.62995679	30000	0	0	30000	44.4375	2004
22.01.2020 12:21:13	1	1	1	1	87.25	64.25	0	13601.896	8.602150538	116.598266	30000	0	0	30000	44.625	2004
22.01.2020 12:21:14	1	1	1	1	87.25	64.5	0	14312.796	12.90322581	184.2741826	30000	0	0	30000	44.375	2004
22.01.2020 12:21:15	1	1	1	1	87.25	64.25	0	14976.303	17.20430108	225.0428071	30000	0	0	30000	44.5	2004
22.01.2020 12:21:16	1	1	1	1	87.25	64.5	0	15829.384	23.65591398	374.2559726	30000	0	0	30000	44.4375	2004
22.01.2020 12:21:17	1	1	1	1	87.25	64.25	0	16492.891	34.40860215	609.898622	30000	0	0	30000	44.3125	2004
22.01.2020 12:21:18	1	1	1	1	87.25	64.25	0	17393.365	49.46236559	822.7108417	30000	0	0	30000	44.5	2004
22.01.2020 12:21:19	1	1	1	1	87.25	64.5	0	18151.659	55.91397849	1053.461256	30000	0	0	30000	44.4375	2004
22.01.2020 12:21:20	1	1	1	1	87.25	64.25	0	18909.953	66.66666667	1260.565869	30000	0	0	30000	44.4375	2004
22.01.2020 12:21:21	1	1	1	1	87.25	64.25	0	19668.246	79.56989247	1564.699807	30000	0	0	30000	44.4375	2004
22.01.2020 12:21:22	1	1	1	1	87.25	64.25	0	20473.934	90.32258065	1893.29492	30000	0	0	30000	44.5	2004
22.01.2020 12:21:23	1	1	1	1	87.25	64.5	0	21184.834	103.2258065	2191.721251	30000	0	0	30000	44.5625	2004
22.01.2020 12:21:24	1	1	1	1	87.25	64.5	0	21943.128	120.4301075	2642.622238	30000	0	0	30000	44.5	2004
22.01.2020 12:21:25	1	1	1	1	87.25	64.5	0	22274.882	129.0322581	3059.27758	30000	0	0	30000	44.375	2004
22.01.2020 12:21:26	1	1	1	1	87.25	64.25	0	22511.848	122.5806452	2711.113527	30000	0	0	30000	44.4375	2004
22.01.2020 12:21:33	1	1	1	1	87.5	64.25	0	13601.896	6.451612903	117.4136385	30000	0	0	30000	44.3125	2004
22.01.2020 12:21:33	1	1	1	1	87.5	64.25	0	13601.896	6.451612903	117.4136385	30000	0	0	30000	44.3125	2004
22.01.2020 12:21:33	1	1	1	1	87.5	64.25	0	13601.896	6.451612903	117.4136385	30000	0	0	30000	44.3125	2004
22.01.2020 12:21:33	1	1	1	1	87.5	64.25	0	13601.896	6.451612903	117.4136385	30000	0	0	30000	44.3125	2004
22.01.2020 12:21:33	1	1	1	1	87.5	64.25	0	13601.896	6.451612903	117.4136385	30000	0	0	30000	44.3125	2004
22.01.2020 12:21:33	1	1	1	1	87.5	64.25	0	13601.896	6.451612903	117.4136385	30000	0	0	30000	44.3125	2004
22.01.2020 12:21:33	1	1	1	1	87.5	64.25	0	14407.583	12.90322581	123.9366184	30000	0	0	30000	44.5	2004
22.01.2020 12:21:34	1	1	1	1	87.5	64.5	0	15165.877	19.35483871	228.304297	30000	0	0	30000	44.5	2004
22.01.2020 12:21:35	1	1	1	1	87.5	64.5	0	15876.777	23.65591398	409.3169896	30000	0	0	30000	44.5	2004
22.01.2020 12:21:37	1	1	1	1	87.5	64.5	0	16729.858	32.25806452	503.0848259	30000	0	0	30000	44.5	2004
22.01.2020 12:21:38	1	1	1	1	87.5	64.5	0	17488.152	38.70967742	676.7591661	30000	0	0	30000	44.4375	2004
22.01.2020 12:21:39	1	1	1	1	87.5	64.25	0	18293.839	49.46236559	862.6640937	30000	0	0	30000	44.5	2004
22.01.2020 12:21:40	1	1	1	1	87.5	64.5	0	18909.953	55.91397849	1015.954122	30000	0	0	30000	44.25	2004
22.01.2020 12:21:41	1	1	1	1	87.5	64.25	0	19810.427	62.3655914	1235.289321	30000	0	0	30000	44.25	2004
22.01.2020 12:21:42	1	1	1	1	87.5	64.25	0	20568.72	66.66666667	1370.641155	30000	0	0	30000	44.625	2004
22.01.2020 12:21:43	1	1	1	1	87.5	64.5	0	21279.621	75.2688172	1601.391569	30000	0	0	30000	44.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 12:21:44	1	1	1	1	87.5	64.25	0	21943.128	92.47311828	2028.646753	30000	0	0	30000	44.625	2004
22.01.2020 12:21:45	1	1	1	1	87.5	64.5	0	22796.209	94.62365591	2214.551681	30000	0	0	30000	44.25	2004
22.01.2020 12:21:46	1	1	1	1	87.5	64.25	0	23554.502	105.3763441	2583.100046	30000	0	0	30000	44.3125	2004
22.01.2020 12:21:47	1	1	1	1	87.5	64.25	0	23886.256	129.0322581	2979.371076	30000	0	0	30000	44.4375	2004
22.01.2020 12:21:48	1	1	1	1	87.5	64.25	0	25071.09	144.0860215	3719.729296	30000	0	0	30000	44.4375	2004
22.01.2020 12:21:49	1	1	1	1	87.5	64.25	0	25592.417	156.9892473	4190.199223	30000	0	0	30000	44.5	2004
22.01.2020 12:21:50	1	1	1	1	87.5	64.5	0	25734.597	178.4946237	4592.993232	30000	0	0	30000	44.375	2004
22.01.2020 12:21:51	1	1	1	1	87.5	64.25	0	26303.318	189.2473118	5034.109749	30000	0	0	30000	44.375	2004
22.01.2020 12:21:52	1	1	1	1	87.25	64.25	0	26540.284	206.4516129	5479.303128	30000	0	0	30000	44.3125	2004
22.01.2020 12:21:53	1	1	1	1	87.25	64.25	0	26919.431	227.9569892	6136.493355	30000	0	0	30000	44.5	2004
22.01.2020 12:21:54	1	1	1	1	87.25	64.5	0	26066.351	212.9032258	5559.209632	30000	0	0	30000	44.375	2004
22.01.2020 12:21:55	1	1	1	1	87.25	64.25	0	28009.479	260.2150538	7408.474438	30000	0	0	30000	44.5	2004
22.01.2020 12:21:56	1	1	1	1	87.25	64.5	0	28957.346	260.2150538	7534.857174	30000	0	0	30000	44.5	2004
22.01.2020 12:21:57	1	1	1	1	87.25	64.5	0	24976.303	234.4086022	5962.003642	30000	0	0	30000	44.1875	2004
22.01.2020 12:21:58	1	1	1	1	87.25	64	0	26682.464	266.6666667	7114.940342	30000	0	0	30000	44.375	2004
22.01.2020 12:21:59	1	1	1	1	87.25	64.25	0	27156.398	275.2688172	7514.472862	30000	0	0	30000	44.125	2004
22.01.2020 12:22:00	1	1	1	1	87.25	64	0	27630.332	294.6236559	8139.863561	30000	0	0	30000	44.4375	2004
22.01.2020 12:22:01	1	1	1	1	87.25	64.25	0	28009.479	309.6774194	8733.454733	30000	0	0	30000	44.5625	2004
22.01.2020 12:22:02	1	1	1	1	86.75	64.5	0	28009.479	309.6774194	8673.932542	30000	0	0	30000	44.5	2004
22.01.2020 12:22:03	1	1	1	1	86.75	64.5	0	29857.82	331.1827957	9823.607751	30000	0	0	30000	44.3125	2004
22.01.2020 12:22:04	1	1	1	1	86.75	64.25	0	28199.052	339.7849462	9641.779686	30000	0	0	30000	44.375	2004
22.01.2020 12:22:05	1	1	1	1	86.75	64.25	0	27962.085	348.3870968	9680.917566	30000	0	0	30000	44.375	2004
22.01.2020 12:22:06	1	1	1	1	86.75	64.25	0	28815.166	354.8387097	10162.80271	30000	0	0	30000	44.625	2004
22.01.2020 12:22:07	1	1	1	1	86.75	64.5	0	29146.919	359.1397849	10467.75202	30000	0	0	30000	44.375	2004
22.01.2020 12:22:08	1	1	1	1	86.75	64.25	0	29810.427	359.1397849	10705.84078	30000	0	0	30000	44.625	2004
22.01.2020 12:22:09	1	1	1	1	86.75	64.5	0	29668.246	354.8387097	10543.58166	30000	0	0	30000	44.125	2004
22.01.2020 12:22:10	1	1	1	1	86.75	64	0	29810.427	400	11905.25372	30000	0	0	30000	44.25	2004
22.01.2020 12:22:11	1	1	1	1	86.75	64.25	0	29952.607	391.3978495	11704.67208	30000	0	0	30000	44.0625	2004
22.01.2020 12:22:12	1	1	1	1	86.5	64	0	29478.673	400	11708.74895	30000	0	0	30000	44.5	2004
22.01.2020 12:22:13	1	1	1	1	86.5	64.5	0	29052.133	391.3978495	11146.9573	30000	0	0	30000	44.375	2004
22.01.2020 12:22:15	1	1	1	1	86.5	64.25	0	29810.427	378.4946237	11283.12451	30000	0	0	30000	44.3125	2004
22.01.2020 12:22:16	1	1	1	1	86.5	64.25	0	28815.166	400	11464.1372	30000	0	0	30000	44.25	2004
22.01.2020 12:22:17	1	1	1	1	86.5	64.25	0	29905.213	417.2043011	12580.38214	30000	0	0	30000	43.75	2004
22.01.2020 12:22:18	1	1	1	1	86.5	63.75	0	29336.493	425.8064516	12554.29022	30000	0	0	30000	44.0625	2004
22.01.2020 12:22:19	1	1	1	1	86.5	64	0	29620.853	440.8602151	13058.19042	30000	0	0	30000	44.125	2004
22.01.2020 12:22:20	1	1	1	1	86.5	64	0	29857.82	445.1612903	13291.38695	30000	0	0	30000	44.375	2004
22.01.2020 12:22:21	1	1	1	1	86.5	64.25	0	30000	449.4623656	13354.17063	30000	0	0	30000	43.9375	2004
22.01.2020 12:22:22	1	1	1	1	86.5	63.75	0	30000	464.516129	13805.88699	30000	0	0	30000	43.9375	2004
22.01.2020 12:22:23	1	1	1	1	86.25	64.5	0	29810.427	481.7204301	14039.08352	30000	0	0	30000	44.1875	2004
22.01.2020 12:22:24	1	1	1	1	86.25	64	0	29715.64	481.7204301	13995.05341	30000	0	0	30000	44.25	2004
22.01.2020 12:22:25	1	1	1	1	86.25	64.25	0	29383.886	481.7204301	14132.03599	30000	0	0	30000	44.125	2004
22.01.2020 12:22:26	1	1	1	1	86.25	64	0	29810.427	466.6666667	13911.07004	30000	0	0	30000	44.125	2004
22.01.2020 12:22:27	1	1	1	1	86.25	64	0	29431.28	468.8172043	13734.13421	30000	0	0	30000	44	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 12:22:28	1	1	1	1	86.25	64	0	29526.066	481.7204301	14223.3577	30000	0	0	30000	44.25	2004
22.01.2020 12:22:35	1	1	1	1	86.25	63.75	0	29478.673	481.7204301	13905.36243	30000	0	0	30000	43.6875	2004
22.01.2020 12:22:35	1	1	1	1	86.25	63.75	0	29478.673	481.7204301	13905.36243	30000	0	0	30000	43.6875	2004
22.01.2020 12:22:35	1	1	1	1	86.25	63.75	0	29478.673	481.7204301	13905.36243	30000	0	0	30000	43.6875	2004
22.01.2020 12:22:35	1	1	1	1	86.25	63.75	0	29478.673	481.7204301	13905.36243	30000	0	0	30000	43.6875	2004
22.01.2020 12:22:35	1	1	1	1	86.25	63.75	0	29478.673	481.7204301	13905.36243	30000	0	0	30000	43.6875	2004
22.01.2020 12:22:35	1	1	1	1	86.25	63.5	0	29099.526	481.7204301	13726.79586	30000	0	0	30000	44.3125	2004
22.01.2020 12:22:36	1	1	1	1	86.25	64.25	0	29620.853	468.8172043	13823.00981	30000	0	0	30000	44	2004
22.01.2020 12:22:37	1	1	1	1	86.25	64	0	29905.213	468.8172043	14019.51458	30000	0	0	30000	44.5	2004
22.01.2020 12:22:38	1	1	1	1	86.25	64.5	0	29905.213	466.6666667	14428.83157	30000	0	0	30000	43.75	2004
22.01.2020 12:22:39	1	1	1	1	86.25	63.75	0	28957.346	466.6666667	13451.19996	30000	0	0	30000	43.9375	2004
22.01.2020 12:22:40	1	1	1	1	86.25	63.75	0	29241.706	466.6666667	13646.07398	30000	0	0	30000	44.25	2004
22.01.2020 12:22:41	1	1	1	1	86.25	64.25	0	29668.246	419.3548387	12421.3845	30000	0	0	30000	44.3125	2004
22.01.2020 12:22:42	1	1	1	1	87.25	64.25	0	29857.82	425.8064516	12733.67217	30000	0	0	30000	44.3125	2004
22.01.2020 12:22:43	1	1	1	1	87.25	64.25	0	28957.346	481.7204301	13949.39255	30000	0	0	30000	44.125	2004
22.01.2020 12:22:44	1	1	1	1	87.25	64	0	28957.346	481.7204301	13949.39255	30000	0	0	30000	44.4375	2004
22.01.2020 12:22:45	1	1	1	1	87.25	64.25	0	29146.919	468.8172043	13726.79586	30000	0	0	30000	44.3125	2004
22.01.2020 12:22:46	1	1	1	1	87.25	64.25	0	29099.526	481.7204301	13995.05341	30000	0	0	30000	44.375	2004
22.01.2020 12:22:47	1	1	1	1	87.25	64.25	0	29099.526	481.7204301	14017.88384	30000	0	0	30000	44.3125	2004
22.01.2020 12:22:48	1	1	1	1	87.25	64.25	0	29099.526	481.7204301	14040.71427	30000	0	0	30000	44.3125	2004
22.01.2020 12:22:49	1	1	1	1	87.25	64.25	0	29336.493	481.7204301	14132.03599	30000	0	0	30000	44.375	2004
22.01.2020 12:22:50	1	1	1	1	87.25	64.25	0	29146.919	481.7204301	14040.71427	30000	0	0	30000	44.1875	2004
22.01.2020 12:22:51	1	1	1	1	87.25	64	0	0	0	0	30000	0	8	30000	44	2004
22.01.2020 12:22:52	1	1	1	1	87.25	64	0	10331.754	0	0	30000	0	0	30000	44.5625	2004
22.01.2020 12:22:54	1	1	1	1	87.25	64.5	0	11184.834	0	0	30000	0	0	30000	44.4375	2004
22.01.2020 12:22:55	1	1	1	1	87.25	64.25	0	11943.128	0	0	30000	0	0	30000	44.4375	2004
22.01.2020 12:22:56	1	1	1	1	87.25	64.25	0	12606.635	2.150537634	26.90729215	30000	0	0	30000	44.5	2004
22.01.2020 12:22:57	1	1	1	1	87.25	64.5	0	13412.322	6.451612903	86.42948387	30000	0	0	30000	44.4375	2004
22.01.2020 12:22:58	1	1	1	1	87.25	64.25	0	14265.403	15.05376344	153.290028	30000	0	0	30000	44.375	2004
22.01.2020 12:22:59	1	1	1	1	87.25	64.25	0	14976.303	19.35483871	289.4572337	30000	0	0	30000	44.5	2004
22.01.2020 12:23:00	1	1	1	1	87.25	64.5	0	15734.597	25.80645161	406.0554997	30000	0	0	30000	44.75	2004
22.01.2020 12:23:01	1	1	1	1	87.25	64.5	0	16492.891	38.70967742	638.4366591	30000	0	0	30000	44.5	2004
22.01.2020 12:23:02	1	1	1	1	87.5	64.5	0	17345.972	51.61290323	895.2789933	30000	0	0	30000	44.4375	2004
22.01.2020 12:23:03	1	1	1	1	87.5	64.25	0	17772.512	53.76344086	954.801185	30000	0	0	30000	44.25	2004
22.01.2020 12:23:04	1	1	1	1	87.5	64.25	0	18815.166	70.96774194	1334.764765	30000	0	0	30000	44.3125	2004
22.01.2020 12:23:05	1	1	1	1	87.5	64.25	0	19668.246	83.87096774	1649.498546	30000	0	0	30000	44.4375	2004
22.01.2020 12:23:06	1	1	1	1	87.5	64.25	0	20379.147	94.62365591	1928.355937	30000	0	0	30000	44.4375	2004
22.01.2020 12:23:07	1	1	1	1	87.5	64.25	0	21137.441	107.5268817	2318.103987	30000	0	0	30000	44.3125	2004
22.01.2020 12:23:08	1	1	1	1	87.5	64.25	0	21374.408	113.9784946	2333.596064	30000	0	0	30000	44.5	2004
22.01.2020 12:23:09	1	1	1	1	87.5	64.5	0	22227.488	126.8817204	2867.665045	30000	0	0	30000	44.25	2004
22.01.2020 12:23:10	1	1	1	1	87.5	64.25	0	22559.242	144.0860215	3243.551763	30000	0	0	30000	44.375	2004
22.01.2020 12:23:11	1	1	1	1	87.5	64.25	0	23080.569	156.9892473	3722.175414	30000	0	0	30000	44.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 12:23:12	1	1	1	1	87.5	64.5	0	23080.569	161.2903226	3722.175414	30000	0	0	30000	44.625	2004
22.01.2020 12:23:13	1	1	1	1	87.5	64.5	0	22890.995	167.7419355	3789.85133	30000	0	0	30000	44.4375	2004
22.01.2020 12:23:14	1	1	1	1	87.5	64.25	0	23838.863	174.1935484	4203.245183	30000	0	0	30000	44.3125	2004
22.01.2020 12:23:15	1	1	1	1	87.5	64.25	0	23981.043	176.344086	4228.52173	30000	0	0	30000	44.375	2004
22.01.2020 12:23:16	1	1	1	1	87.5	64.25	0	24407.583	189.2473118	4628.054249	30000	0	0	30000	44.25	2004
22.01.2020 12:23:17	1	1	1	1	87.5	64.25	0	24123.223	189.2473118	4565.270568	30000	0	0	30000	44.4375	2004
22.01.2020 12:23:18	1	1	1	1	87.5	64.25	0	24739.336	206.4516129	5107.493273	30000	0	0	30000	44.4375	2004
22.01.2020 12:23:19	1	1	1	1	87.5	64.25	0	24691.943	221.5053763	5468.703286	30000	0	0	30000	44.5	2004
22.01.2020 12:23:20	1	1	1	1	87.5	64.5	0	24976.303	212.9032258	5370.858587	30000	0	0	30000	44.4375	2004
22.01.2020 12:23:21	1	1	1	1	87.5	64.25	0	25592.417	234.4086022	5998.695404	30000	0	0	30000	44.5	2004
22.01.2020 12:23:22	1	1	1	1	87	64.5	0	27109.005	236.5591398	6401.489414	30000	0	0	30000	44.3125	2004
22.01.2020 12:23:23	1	1	1	1	87	64.25	0	25734.597	264.516129	6806.729541	30000	0	0	30000	44.375	2004
22.01.2020 12:23:24	1	1	1	1	87	64.25	0	27298.578	307.5268817	8453.781969	30000	0	0	30000	44.3125	2004
22.01.2020 12:23:25	1	1	1	1	87	64.25	0	26777.251	294.6236559	7888.728834	30000	0	0	30000	44.5	2004
22.01.2020 12:23:26	1	1	1	1	87	64.5	0	26492.891	301.0752688	7790.884136	30000	0	0	30000	43.375	2004
22.01.2020 12:23:27	1	1	1	1	87	63.25	0	27109.005	309.6774194	8380.398445	30000	0	0	30000	44.5	2004
22.01.2020 12:23:28	1	1	1	1	87	64.5	0	27440.758	326.8817204	8910.390563	30000	0	0	30000	43.875	2004
22.01.2020 12:23:29	1	1	1	1	87	63.75	0	24786.73	309.6774194	7622.10203	30000	0	0	30000	44.25	2004
22.01.2020 12:23:36	1	1	1	1	87.25	64.25	0	29952.607	404.3010753	12025.92885	30000	0	0	30000	44.0625	2004
22.01.2020 12:23:36	1	1	1	1	87.25	64.25	0	29952.607	404.3010753	12025.92885	30000	0	0	30000	44.0625	2004
22.01.2020 12:23:36	1	1	1	1	87.25	64.25	0	29952.607	404.3010753	12025.92885	30000	0	0	30000	44.0625	2004
22.01.2020 12:23:36	1	1	1	1	87.25	64.25	0	29952.607	404.3010753	12025.92885	30000	0	0	30000	44.0625	2004
22.01.2020 12:23:36	1	1	1	1	87.25	64.25	0	29952.607	404.3010753	12025.92885	30000	0	0	30000	44.0625	2004
22.01.2020 12:23:36	1	1	1	1	87.25	64.25	0	29952.607	404.3010753	12025.92885	30000	0	0	30000	44.0625	2004
22.01.2020 12:23:37	1	1	1	1	87.25	64	0	29478.673	359.1397849	10586.7964	30000	0	0	30000	44.4375	2004
22.01.2020 12:23:38	1	1	1	1	87.25	64.25	0	29952.607	395.6989247	11916.66893	30000	0	0	30000	44.625	2004
22.01.2020 12:23:39	1	1	1	1	87.25	64.5	0	24218.009	359.1397849	8697.578344	30000	0	0	30000	43.6875	2004
22.01.2020 12:23:40	1	1	1	1	87.25	64.25	0	29952.607	425.8064516	12689.64205	30000	0	0	30000	43.8125	2004
22.01.2020 12:23:41	1	1	1	1	87.25	63.75	0	30000	440.8602151	13225.34178	30000	0	0	30000	44.125	2004
22.01.2020 12:23:42	1	1	1	1	86.25	64	0	27630.332	412.9032258	11408.69187	30000	0	0	30000	43.9375	2004
22.01.2020 12:23:43	1	1	1	1	86.25	63.75	0	30000	427.9569892	12773.62542	30000	0	0	30000	43.875	2004
22.01.2020 12:23:44	1	1	1	1	86.25	63.75	0	29905.213	397.8494624	11814.74737	30000	0	0	30000	43.75	2004
22.01.2020 12:23:45	1	1	1	1	86.25	63.75	0	29715.64	378.4946237	11438.86065	30000	0	0	30000	44	2004
22.01.2020 12:23:46	1	1	1	1	86.25	64	0	29905.213	423.655914	12411.60003	30000	0	0	30000	44.4375	2004
22.01.2020 12:23:47	1	1	1	1	86.25	64.25	0	29715.64	382.7956989	11374.44623	30000	0	0	30000	44.1875	2004
22.01.2020 12:23:48	1	1	1	1	86.25	64	0	29905.213	404.3010753	12090.34327	30000	0	0	30000	44.25	2004
22.01.2020 12:23:49	1	1	1	1	86.25	64.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	44.0625	2004
22.01.2020 12:23:50	1	1	1	1	86.25	64	0	27630.332	384.9462366	10457.96755	30000	0	0	30000	43.6875	2004
22.01.2020 12:23:51	1	1	1	1	86.25	63.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	43.375	2004
22.01.2020 12:23:52	1	1	1	1	86.5	63.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	44.1875	2004
22.01.2020 12:23:53	1	1	1	1	86.5	64	0	29905.213	427.9569892	12798.08659	30000	0	0	30000	44.25	2004
22.01.2020 12:23:54	1	1	1	1	86.5	64.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	43.875	2004
22.01.2020 12:23:55	1	1	1	1	86.5	63.75	0	30000	453.7634409	13591.44402	30000	0	0	30000	44.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 12:23:56	1	1	1	1	86.5	64	0	29383.886	395.6989247	11563.61264	30000	0	0	30000	44.1875	2004
22.01.2020 12:23:57	1	1	1	1	86.5	64	0	29099.526	415.0537634	12077.29731	30000	0	0	30000	43.8125	2004
22.01.2020 12:23:58	1	1	1	1	86.5	63.75	0	30000	464.516129	13935.53122	30000	0	0	30000	44.25	2004
22.01.2020 12:23:59	1	1	1	1	86.5	64.25	0	30000	464.516129	13999.94564	30000	0	0	30000	44.375	2004
22.01.2020 12:24:00	1	1	1	1	86.5	64.25	0	29952.607	466.6666667	13955.10015	30000	0	0	30000	44.1875	2004
22.01.2020 12:24:01	1	1	1	1	86.5	64	0	29905.213	481.7204301	14061.91395	30000	0	0	30000	43.875	2004
22.01.2020 12:24:02	1	1	1	1	86.75	63.75	0	29620.853	468.8172043	13886.60887	30000	0	0	30000	43.6875	2004
22.01.2020 12:24:03	1	1	1	1	86.75	63.5	0	29715.64	468.8172043	13995.05341	30000	0	0	30000	44.0625	2004
22.01.2020 12:24:04	1	1	1	1	86.75	64	0	29099.526	464.516129	13517.24513	30000	0	0	30000	44.3125	2004
22.01.2020 12:24:05	1	1	1	1	86.75	64.25	0	29573.46	468.8172043	14269.01856	30000	0	0	30000	44.3125	2004
22.01.2020 12:24:06	1	1	1	1	86.75	64.25	0	29810.427	481.7204301	14061.91395	30000	0	0	30000	44.375	2004
22.01.2020 12:24:07	1	1	1	1	86.75	64.25	0	29905.213	466.6666667	14019.51458	30000	0	0	30000	44.25	2004
22.01.2020 12:24:08	1	1	1	1	86.75	64.25	0	29905.213	466.6666667	13933.0851	30000	0	0	30000	44.1875	2004
22.01.2020 12:24:09	1	1	1	1	86.75	64	0	29715.64	464.516129	13995.05341	30000	0	0	30000	44.375	2004
22.01.2020 12:24:11	1	1	1	1	86.75	64.25	0	29573.46	466.6666667	14269.01856	30000	0	0	30000	44.125	2004
22.01.2020 12:24:12	1	1	1	1	86.75	64	0	29857.82	481.7204301	14061.91395	30000	0	0	30000	44.375	2004
22.01.2020 12:24:13	1	1	1	1	86.5	64.25	0	29241.706	466.6666667	13519.69125	30000	0	0	30000	44.1875	2004
22.01.2020 12:24:14	1	1	1	1	86.5	64	0	29336.493	481.7204301	14132.03599	30000	0	0	30000	44.3125	2004
22.01.2020 12:24:15	1	1	1	1	86.5	64.25	0	29478.673	481.7204301	13860.51695	30000	0	0	30000	44.375	2004
22.01.2020 12:24:16	1	1	1	1	86.5	64.25	0	29289.1	468.8172043	13646.07398	30000	0	0	30000	44.4375	2004
22.01.2020 12:24:17	1	1	1	1	86.5	64.25	0	29289.1	481.7204301	13583.2903	30000	0	0	30000	44.25	2004
22.01.2020 12:24:18	1	1	1	1	86.5	64.25	0	29146.919	481.7204301	13726.79586	30000	0	0	30000	44.25	2004
22.01.2020 12:24:19	1	1	1	1	86.5	64.5	0	29383.886	481.7204301	13816.48683	30000	0	0	30000	43.5625	2004
22.01.2020 12:24:20	1	1	1	1	86.5	63.5	0	29146.919	481.7204301	13601.22849	30000	0	0	30000	44.3125	2004
22.01.2020 12:24:21	1	1	1	1	86.5	64.25	0	29241.706	464.516129	14132.03599	30000	0	0	30000	44.1875	2004
22.01.2020 12:24:22	1	1	1	1	86.75	64	0	29478.673	466.6666667	13756.14927	30000	0	0	30000	44	2004
22.01.2020 12:24:23	1	1	1	1	86.75	64	0	29146.919	481.7204301	14040.71427	30000	0	0	30000	44.1875	2004
22.01.2020 12:24:24	1	1	1	1	86.75	64	0	29526.066	481.7204301	14223.3577	30000	0	0	30000	43.875	2004
22.01.2020 12:24:25	1	1	1	1	86.75	63.75	0	29383.886	481.7204301	14154.86641	30000	0	0	30000	44.1875	2004
22.01.2020 12:24:26	1	1	1	1	86.75	64	0	24218.009	402.1505376	9738.809013	30000	0	0	30000	44	2004
22.01.2020 12:24:27	1	1	1	1	86.75	64	0	29052.133	481.7204301	13949.39255	30000	0	0	30000	44.375	2004
22.01.2020 12:24:28	1	1	1	1	86.75	64.25	0	28862.559	481.7204301	13903.73169	30000	0	0	30000	44.125	2004
22.01.2020 12:24:29	1	1	1	1	86.75	64	0	29099.526	481.7204301	14017.88384	30000	0	0	30000	44.3125	2004
22.01.2020 12:24:30	1	1	1	1	86.75	64.25	0	29099.526	468.8172043	14040.71427	30000	0	0	30000	44.1875	2004
22.01.2020 12:24:31	1	1	1	1	86.75	64	0	29052.133	481.7204301	13949.39255	30000	0	0	30000	44.1875	2004
22.01.2020 12:24:38	1	1	1	1	87.25	64.25	0	29478.673	507.5268817	15024.05349	30000	0	0	30000	44.1875	2004
22.01.2020 12:24:38	1	1	1	1	87.25	64.25	0	29478.673	507.5268817	15024.05349	30000	0	0	30000	44.1875	2004
22.01.2020 12:24:38	1	1	1	1	87.25	64.25	0	29478.673	507.5268817	15024.05349	30000	0	0	30000	44.1875	2004
22.01.2020 12:24:38	1	1	1	1	87.25	64.25	0	29478.673	507.5268817	15024.05349	30000	0	0	30000	44.1875	2004
22.01.2020 12:24:38	1	1	1	1	87.25	64.25	0	29478.673	507.5268817	15024.05349	30000	0	0	30000	44.1875	2004
22.01.2020 12:24:38	1	1	1	1	87.25	64	0	29573.46	505.3763441	14945.77773	30000	0	0	30000	44.3125	2004
22.01.2020 12:24:39	1	1	1	1	87.25	64.25	0	29431.28	507.5268817	14936.80863	30000	0	0	30000	43.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 12:24:40	1	1	1	1	87.25	63.5	0	29715.64	505.3763441	15017.53051	30000	0	0	30000	43.6875	2004
22.01.2020 12:24:41	1	1	1	1	87.25	63.5	0	29715.64	505.3763441	15017.53051	30000	0	0	30000	43.75	2004
22.01.2020 12:24:42	1	1	1	1	87	63.75	0	29431.28	507.5268817	15024.05349	30000	0	0	30000	44.1875	2004
22.01.2020 12:24:43	1	1	1	1	87	64	0	29383.886	507.5268817	14936.80863	30000	0	0	30000	44.25	2004
22.01.2020 12:24:44	1	1	1	1	87	64.25	0	29810.427	509.6774194	15081.12956	30000	0	0	30000	44.25	2004
22.01.2020 12:24:45	1	1	1	1	87	64.25	0	29620.853	505.3763441	15033.02259	30000	0	0	30000	44.125	2004
22.01.2020 12:24:46	1	1	1	1	87	64	0	29620.853	507.5268817	15033.02259	30000	0	0	30000	44.5	2004
22.01.2020 12:24:48	1	1	1	1	87	64.5	0	29668.246	509.6774194	15033.02259	30000	0	0	30000	44.25	2004
22.01.2020 12:24:49	1	1	1	1	87	64.25	0	29668.246	505.3763441	14993.06933	30000	0	0	30000	44.5	2004
22.01.2020 12:24:50	1	1	1	1	87	64.5	0	29715.64	507.5268817	15081.12956	30000	0	0	30000	44.4375	2004
22.01.2020 12:24:51	1	1	1	1	87	64.25	0	29431.28	505.3763441	14897.67075	30000	0	0	30000	44.1875	2004
22.01.2020 12:24:52	1	1	1	1	87	64	0	29620.853	503.2258065	14993.06933	30000	0	0	30000	44.1875	2004
22.01.2020 12:24:53	1	1	1	1	87	64	0	29573.46	507.5268817	15009.37678	30000	0	0	30000	44.0625	2004
22.01.2020 12:24:54	1	1	1	1	87	64	0	29241.706	509.6774194	14903.37836	30000	0	0	30000	44.0625	2004
22.01.2020 12:24:55	1	1	1	1	87	64	0	29146.919	507.5268817	14918.05506	30000	0	0	30000	44.1875	2004
22.01.2020 12:24:56	1	1	1	1	87	64	0	29431.28	516.1290323	14888.70166	30000	0	0	30000	44.375	2004
22.01.2020 12:24:57	1	1	1	1	87	64.25	0	29383.886	511.827957	15000.40769	30000	0	0	30000	44.3125	2004
22.01.2020 12:24:58	1	1	1	1	87	64	0	29383.886	501.0752688	15000.40769	30000	0	0	30000	44.125	2004
22.01.2020 12:24:59	1	1	1	1	87	64	0	29526.066	507.5268817	14984.91561	30000	0	0	30000	44.125	2004
22.01.2020 12:25:00	1	1	1	1	87	64	0	29620.853	507.5268817	15033.02259	30000	0	0	30000	44.375	2004
22.01.2020 12:25:01	1	1	1	1	87	64.25	0	29336.493	505.3763441	14913.16283	30000	0	0	30000	44.4375	2004
22.01.2020 12:25:02	1	1	1	1	87	64.25	0	29336.493	507.5268817	14913.16283	30000	0	0	30000	43.8125	2004
22.01.2020 12:25:03	1	1	1	1	87	63.75	0	29526.066	509.6774194	15048.51466	30000	0	0	30000	44.25	2004
22.01.2020 12:25:04	1	1	1	1	87	64.25	0	29383.886	503.2258065	14936.80863	30000	0	0	30000	44.25	2004
22.01.2020 12:25:05	1	1	1	1	87	64.25	0	29146.919	511.827957	14918.05506	30000	0	0	30000	44.375	2004
22.01.2020 12:25:06	1	1	1	1	87	64.25	0	29336.493	509.6774194	14951.48534	30000	0	0	30000	44.5	2004
22.01.2020 12:25:07	1	1	1	1	87	64.5	0	29526.066	509.6774194	15136.57489	30000	0	0	30000	44.0625	2004
22.01.2020 12:25:08	1	1	1	1	87	64	0	29336.493	507.5268817	14951.48534	30000	0	0	30000	44.375	2004
22.01.2020 12:25:09	1	1	1	1	87	64.25	0	29431.28	509.6774194	15000.40769	30000	0	0	30000	44.25	2004
22.01.2020 12:25:10	1	1	1	1	87	64.25	0	29478.673	509.6774194	15024.05349	30000	0	0	30000	44.3125	2004
22.01.2020 12:25:11	1	1	1	1	87	64.25	0	29810.427	503.2258065	15112.92909	30000	0	0	30000	44.3125	2004
22.01.2020 12:25:12	1	1	1	1	87.5	64.25	0	29715.64	507.5268817	15144.72862	30000	0	0	30000	44.125	2004
22.01.2020 12:25:13	1	1	1	1	87.5	64	0	29478.673	507.5268817	14897.67075	30000	0	0	30000	44.375	2004
22.01.2020 12:25:14	1	1	1	1	87.5	64.25	0	29620.853	505.3763441	14842.22542	30000	0	0	30000	44.3125	2004
22.01.2020 12:25:15	1	1	1	1	87.5	64.25	0	29715.64	505.3763441	15017.53051	30000	0	0	30000	44	2004
22.01.2020 12:25:16	1	1	1	1	87.5	64	0	29573.46	511.827957	15288.23417	30000	0	0	30000	44.4375	2004
22.01.2020 12:25:17	1	1	1	1	87.5	64.25	0	29810.427	507.5268817	15017.53051	30000	0	0	30000	44.3125	2004
22.01.2020 12:25:18	1	1	1	1	87.5	64.25	0	29857.82	503.2258065	15024.86886	30000	0	0	30000	44.3125	2004
22.01.2020 12:25:19	1	1	1	1	87.5	64.25	0	29810.427	501.0752688	14953.11608	30000	0	0	30000	43.75	2004
22.01.2020 12:25:20	1	1	1	1	87.5	63.75	0	30000	503.2258065	14902.56299	30000	0	0	30000	43.375	2004
22.01.2020 12:25:21	1	1	1	1	87.5	63.25	0	29857.82	501.0752688	14984.10024	30000	0	0	30000	44.25	2004
22.01.2020 12:25:22	1	1	1	1	87.25	64.25	0	30000	492.4731183	14773.73413	30000	0	0	30000	44.3125	2004
22.01.2020 12:25:23	1	1	1	1	87.25	64.25	0	30000	492.4731183	14773.73413	30000	0	0	30000	43.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 12:25:25	1	1	1	1	87.25	63.75	0	29905.213	483.8709677	14469.6002	30000	0	0	30000	44.1875	2004
22.01.2020 12:25:26	1	1	1	1	87.25	64	0	30000	481.7204301	14451.662	30000	0	0	30000	44.375	2004
22.01.2020 12:25:27	1	1	1	1	87.25	64.25	0	30000	460.2150538	13805.88699	30000	0	0	30000	44.25	2004
22.01.2020 12:25:28	1	1	1	1	87.25	64.25	0	29289.1	412.9032258	12074.03582	30000	0	0	30000	44.1875	2004
22.01.2020 12:25:29	1	1	1	1	87.25	64	0	30000	481.7204301	14451.662	30000	0	0	30000	44.3125	2004
22.01.2020 12:25:30	1	1	1	1	87.25	64.25	0	30000	481.7204301	14128.7745	30000	0	0	30000	43.9375	2004
22.01.2020 12:25:31	1	1	1	1	87.25	63.75	0	30000	464.516129	13935.53122	30000	0	0	30000	44	2004
22.01.2020 12:25:32	1	1	1	1	87.25	64	0	29952.607	445.1612903	13333.78632	30000	0	0	30000	44.25	2004
22.01.2020 12:25:33	1	1	1	1	87.75	64.25	0	28957.346	440.8602151	12765.47169	30000	0	0	30000	44.25	2004
22.01.2020 12:25:39	1	1	1	1	87.75	63.75	0	30000	481.7204301	14451.662	30000	0	0	30000	43.625	2004
22.01.2020 12:25:39	1	1	1	1	87.75	63.75	0	30000	481.7204301	14451.662	30000	0	0	30000	43.625	2004
22.01.2020 12:25:39	1	1	1	1	87.75	63.75	0	30000	481.7204301	14451.662	30000	0	0	30000	43.625	2004
22.01.2020 12:25:39	1	1	1	1	87.75	63.75	0	30000	481.7204301	14451.662	30000	0	0	30000	43.625	2004
22.01.2020 12:25:39	1	1	1	1	87.75	63.75	0	30000	481.7204301	14451.662	30000	0	0	30000	43.625	2004
22.01.2020 12:25:39	1	1	1	1	87.75	63.75	0	30000	481.7204301	14451.662	30000	0	0	30000	43.625	2004
22.01.2020 12:25:40	1	1	1	1	87.75	63.5	0	30000	481.7204301	14451.662	30000	0	0	30000	43.8125	2004
22.01.2020 12:25:41	1	1	1	1	87.75	63.75	0	30000	464.516129	13741.47256	30000	0	0	30000	44.375	2004
22.01.2020 12:25:42	1	1	1	1	88	64.25	0	30000	488.172043	14644.90528	30000	0	0	30000	43.9375	2004
22.01.2020 12:25:43	1	1	1	1	88	63.75	0	30000	464.516129	13935.53122	30000	0	0	30000	44.3125	2004
22.01.2020 12:25:44	1	1	1	1	88	64.25	0	30000	486.0215054	14644.90528	30000	0	0	30000	44.0625	2004
22.01.2020 12:25:45	1	1	1	1	88	64	0	30000	481.7204301	14451.662	30000	0	0	30000	43.75	2004
22.01.2020 12:25:46	1	1	1	1	88	63.75	0	29431.28	464.516129	13734.13421	30000	0	0	30000	43.875	2004
22.01.2020 12:25:47	1	1	1	1	88	63.75	0	29715.64	460.2150538	13611.01296	30000	0	0	30000	43.6875	2004
22.01.2020 12:25:48	1	1	1	1	88	63.5	0	30000	481.7204301	14451.662	30000	0	0	30000	44.0625	2004
22.01.2020 12:25:49	1	1	1	1	88	64	0	30000	481.7204301	14451.662	30000	0	0	30000	44.375	2004
22.01.2020 12:25:50	1	1	1	1	88	64.25	0	29905.213	488.172043	14622.07485	30000	0	0	30000	44.1875	2004
22.01.2020 12:25:51	1	1	1	1	88	64	0	30000	468.8172043	13999.94564	30000	0	0	30000	44.25	2004
22.01.2020 12:25:52	1	1	1	1	87.25	64.25	0	29857.82	481.7204301	14360.34028	30000	0	0	30000	43.9375	2004
22.01.2020 12:25:53	1	1	1	1	87.25	63.75	0	30000	488.172043	14644.90528	30000	0	0	30000	44.0625	2004
22.01.2020 12:25:54	1	1	1	1	87.25	64	0	29952.607	503.2258065	15096.62164	30000	0	0	30000	44	2004
22.01.2020 12:25:55	1	1	1	1	87.25	64	0	29810.427	481.7204301	14488.35376	30000	0	0	30000	44.4375	2004
22.01.2020 12:25:56	1	1	1	1	87.25	64.25	0	29905.213	481.7204301	14644.90528	30000	0	0	30000	44.25	2004
22.01.2020 12:25:57	1	1	1	1	87.25	64.25	0	30000	501.0752688	14902.56299	30000	0	0	30000	44.3125	2004
22.01.2020 12:25:58	1	1	1	1	87.25	64.25	0	30000	481.7204301	14019.51458	30000	0	0	30000	44.0625	2004
22.01.2020 12:25:59	1	1	1	1	87.25	64	0	29383.886	481.7204301	13838.50189	30000	0	0	30000	44.4375	2004
22.01.2020 12:26:00	1	1	1	1	87.25	64.25	0	30000	481.7204301	14451.662	30000	0	0	30000	44.0625	2004
22.01.2020 12:26:01	1	1	1	1	87.25	64	0	29952.607	481.7204301	14451.662	30000	0	0	30000	44.4375	2004
22.01.2020 12:26:02	1	1	1	1	87.25	64.25	0	30000	494.6236559	14838.14856	30000	0	0	30000	43.9375	2004
22.01.2020 12:26:04	1	1	1	1	87.25	63.75	0	30000	481.7204301	14451.662	30000	0	0	30000	44.25	2004
22.01.2020 12:26:05	1	1	1	1	87.25	64.25	0	30000	481.7204301	14451.662	30000	0	0	30000	44	2004
22.01.2020 12:26:06	1	1	1	1	87.25	64	0	29715.64	460.2150538	13847.47099	30000	0	0	30000	44.25	2004
22.01.2020 12:26:07	1	1	1	1	87.25	64.25	0	30000	464.516129	13935.53122	30000	0	0	30000	43.8125	2004
22.01.2020 12:26:08	1	1	1	1	87.25	63.75	0	30000	468.8172043	13999.94564	30000	0	0	30000	43.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 12:26:09	1	1	1	1	87.25	63.5	0	29715.64	443.0107527	13036.17536	30000	0	0	30000	44	2004
22.01.2020 12:26:10	1	1	1	1	87.25	64	0	30000	451.6129032	13354.17063	30000	0	0	30000	43.9375	2004
22.01.2020 12:26:11	1	1	1	1	87.25	63.75	0	29952.607	419.3548387	12709.21099	30000	0	0	30000	44.25	2004
22.01.2020 12:26:12	1	1	1	1	87.25	64.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	44.5	2004
22.01.2020 12:26:13	1	1	1	1	87.25	64.5	0	28815.166	369.8924731	10658.54918	30000	0	0	30000	44.3125	2004
22.01.2020 12:26:14	1	1	1	1	87.25	64.5	0	28483.412	384.9462366	11001.00563	30000	0	0	30000	43.625	2004
22.01.2020 12:26:15	1	1	1	1	87.25	63.5	0	29952.607	415.0537634	12387.13886	30000	0	0	30000	44.1875	2004
22.01.2020 12:26:16	1	1	1	1	87.25	64	0	27582.938	363.4408602	10024.18938	30000	0	0	30000	44.4375	2004
22.01.2020 12:26:17	1	1	1	1	87.25	64.25	0	29383.886	348.3870968	10283.47784	30000	0	0	30000	44.0625	2004
22.01.2020 12:26:18	1	1	1	1	87.25	64	0	29810.427	404.3010753	12052.02076	30000	0	0	30000	43.75	2004
22.01.2020 12:26:19	1	1	1	1	87.25	63.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	44.0625	2004
22.01.2020 12:26:20	1	1	1	1	87.25	64	0	29905.213	415.0537634	12348.00098	30000	0	0	30000	44	2004
22.01.2020 12:26:21	1	1	1	1	87.25	64	0	29952.607	378.4946237	11143.69581	30000	0	0	30000	44.3125	2004
22.01.2020 12:26:22	1	1	1	1	87.25	64.25	0	30000	400	12064.25135	30000	0	0	30000	43.9375	2004
22.01.2020 12:26:23	1	1	1	1	87.25	63.75	0	30000	404.3010753	12064.25135	30000	0	0	30000	44.0625	2004
22.01.2020 12:26:24	1	1	1	1	87.25	64	0	29857.82	354.8387097	10594.13475	30000	0	0	30000	44.0625	2004
22.01.2020 12:26:25	1	1	1	1	87.25	64	0	27630.332	363.4408602	10219.87878	30000	0	0	30000	44.375	2004
22.01.2020 12:26:26	1	1	1	1	87.25	64.25	0	29905.213	395.6989247	11704.67208	30000	0	0	30000	44.25	2004
22.01.2020 12:26:27	1	1	1	1	87.25	64.25	0	29905.213	425.8064516	12773.62542	30000	0	0	30000	43.4375	2004
22.01.2020 12:26:28	1	1	1	1	87.25	63.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	44.1875	2004
22.01.2020 12:26:29	1	1	1	1	87.25	64	0	29857.82	389.2473118	11603.5659	30000	0	0	30000	44.25	2004
22.01.2020 12:26:30	1	1	1	1	87.25	64.25	0	29952.607	412.9032258	12367.56992	30000	0	0	30000	44.0625	2004
22.01.2020 12:26:31	1	1	1	1	87.25	64	0	30000	412.9032258	12387.13886	30000	0	0	30000	44.3125	2004
22.01.2020 12:26:32	1	1	1	1	87.5	64.25	0	29952.607	404.3010753	12128.66578	30000	0	0	30000	44.0625	2004
22.01.2020 12:26:33	1	1	1	1	87.5	64	0	28957.346	384.9462366	11022.20531	30000	0	0	30000	44.25	2004
22.01.2020 12:26:34	1	1	1	1	87.5	64.25	0	25402.844	346.2365591	8795.423042	30000	0	0	30000	44	2004
22.01.2020 12:26:41	1	1	1	1	87.5	63.5	0	30000	419.3548387	12709.21099	30000	0	0	30000	43.875	2004
22.01.2020 12:26:41	1	1	1	1	87.5	63.5	0	30000	419.3548387	12709.21099	30000	0	0	30000	43.875	2004
22.01.2020 12:26:41	1	1	1	1	87.5	63.5	0	30000	419.3548387	12709.21099	30000	0	0	30000	43.875	2004
22.01.2020 12:26:41	1	1	1	1	87.5	63.5	0	30000	419.3548387	12709.21099	30000	0	0	30000	43.875	2004
22.01.2020 12:26:41	1	1	1	1	87.5	63.5	0	30000	419.3548387	12709.21099	30000	0	0	30000	43.875	2004
22.01.2020 12:26:41	1	1	1	1	87.5	63.5	0	30000	419.3548387	12709.21099	30000	0	0	30000	43.875	2004
22.01.2020 12:26:41	1	1	1	1	87.5	63.75	0	30000	412.9032258	12193.08021	30000	0	0	30000	44.3125	2004
22.01.2020 12:26:43	1	1	1	1	87.75	64.25	0	29952.607	445.1612903	13354.17063	30000	0	0	30000	44.0625	2004
22.01.2020 12:26:44	1	1	1	1	87.75	64	0	30000	443.0107527	13289.7562	30000	0	0	30000	43.875	2004
22.01.2020 12:26:45	1	1	1	1	87.75	63.75	0	27061.611	348.3870968	9427.336722	30000	0	0	30000	44.0625	2004
22.01.2020 12:26:46	1	1	1	1	87.75	64	0	29620.853	395.6989247	11720.97953	30000	0	0	30000	44.25	2004
22.01.2020 12:26:47	1	1	1	1	87.75	64.25	0	28957.346	423.655914	12267.2791	30000	0	0	30000	44.1875	2004
22.01.2020 12:26:48	1	1	1	1	87.75	64	0	29905.213	395.6989247	12025.92885	30000	0	0	30000	44.25	2004
22.01.2020 12:26:49	1	1	1	1	87.75	64.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	44.25	2004
22.01.2020 12:26:50	1	1	1	1	87.75	64.25	0	29668.246	412.9032258	12250.15628	30000	0	0	30000	44.25	2004
22.01.2020 12:26:51	1	1	1	1	87.75	64.25	0	30000	438.7096774	12838.03984	30000	0	0	30000	44	2004
22.01.2020 12:26:52	1	1	1	1	87.75	64	0	29620.853	378.4946237	11211.37173	30000	0	0	30000	44.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 12:26:53	1	1	1	1	87.5	64.25	0	30000	432.2580645	12967.68407	30000	0	0	30000	43.375	2004
22.01.2020 12:26:54	1	1	1	1	87.5	63.25	0	30000	453.7634409	13612.64371	30000	0	0	30000	44.1875	2004
22.01.2020 12:26:55	1	1	1	1	87.5	64	0	30000	468.8172043	13999.94564	30000	0	0	30000	44.25	2004
22.01.2020 12:26:56	1	1	1	1	87.5	64.25	0	30000	488.172043	14644.90528	30000	0	0	30000	43.8125	2004
22.01.2020 12:26:57	1	1	1	1	87.5	63.75	0	30000	501.0752688	15032.20721	30000	0	0	30000	44.375	2004
22.01.2020 12:26:58	1	1	1	1	87.5	64.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	44.25	2004
22.01.2020 12:26:59	1	1	1	1	87.5	64.25	0	30000	481.7204301	14451.662	30000	0	0	30000	44.3125	2004
22.01.2020 12:27:00	1	1	1	1	87.5	64.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	43.6875	2004
22.01.2020 12:27:01	1	1	1	1	87.5	63.5	0	30047.393	481.7204301	14451.662	30000	0	0	30000	43.875	2004
22.01.2020 12:27:02	1	1	1	1	87.75	63.75	0	29905.213	466.6666667	14451.662	30000	0	0	30000	44.375	2004
22.01.2020 12:27:03	1	1	1	1	87.75	64.25	0	29952.607	466.6666667	13999.94564	30000	0	0	30000	43.375	2004
22.01.2020 12:27:04	1	1	1	1	87.75	63.25	0	29905.213	481.7204301	14083.92901	30000	0	0	30000	43.9375	2004
22.01.2020 12:27:05	1	1	1	1	87.75	63.75	0	30000	481.7204301	14451.662	30000	0	0	30000	44.375	2004
22.01.2020 12:27:06	1	1	1	1	87.75	64.25	0	24976.303	391.3978495	9756.747207	30000	0	0	30000	44.375	2004
22.01.2020 12:27:07	1	1	1	1	87.75	64.25	0	29952.607	464.516129	13849.10173	30000	0	0	30000	43.9375	2004
22.01.2020 12:27:08	1	1	1	1	87.75	63.75	0	30000	492.4731183	14773.73413	30000	0	0	30000	44.25	2004
22.01.2020 12:27:09	1	1	1	1	87.75	64.25	0	30000	486.0215054	14644.90528	30000	0	0	30000	43.875	2004
22.01.2020 12:27:10	1	1	1	1	87.75	63.75	0	29952.607	494.6236559	14622.07485	30000	0	0	30000	43.375	2004
22.01.2020 12:27:11	1	1	1	1	87.75	63.25	0	29952.607	501.0752688	15096.62164	30000	0	0	30000	44.0625	2004
22.01.2020 12:27:12	1	1	1	1	87.75	64	0	30000	501.0752688	15032.20721	30000	0	0	30000	44.0625	2004
22.01.2020 12:27:13	1	1	1	1	87.75	64	0	29715.64	464.516129	13847.47099	30000	0	0	30000	44.25	2004
22.01.2020 12:27:14	1	1	1	1	87.75	64.25	0	30000	494.6236559	14838.14856	30000	0	0	30000	43.875	2004
22.01.2020 12:27:15	1	1	1	1	87.75	63.75	0	30000	481.7204301	14451.662	30000	0	0	30000	44.3125	2004
22.01.2020 12:27:16	1	1	1	1	87.75	64.25	0	30000	481.7204301	14451.662	30000	0	0	30000	44.0625	2004
22.01.2020 12:27:17	1	1	1	1	87.75	64	0	30000	468.8172043	13999.94564	30000	0	0	30000	44.0625	2004
22.01.2020 12:27:18	1	1	1	1	87.75	64	0	30000	449.4623656	13483.81486	30000	0	0	30000	44.1875	2004
22.01.2020 12:27:19	1	1	1	1	87.75	64	0	30000	419.3548387	12709.21099	30000	0	0	30000	44.125	2004
22.01.2020 12:27:21	1	1	1	1	87.75	64	0	30000	415.0537634	12451.55328	30000	0	0	30000	44.25	2004
22.01.2020 12:27:22	1	1	1	1	87.75	64.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	44.25	2004
22.01.2020 12:27:23	1	1	1	1	87.5	64.25	0	30000	397.8494624	11852.2545	30000	0	0	30000	44.0625	2004
22.01.2020 12:27:24	1	1	1	1	87.5	64	0	26350.711	350.5376344	9252.847009	30000	0	0	30000	44.3125	2004
22.01.2020 12:27:25	1	1	1	1	87.5	64.25	0	29620.853	352.688172	10493.84394	30000	0	0	30000	44.1875	2004
22.01.2020 12:27:26	1	1	1	1	87.5	64	0	30000	432.2580645	12838.03984	30000	0	0	30000	44.4375	2004
22.01.2020 12:27:27	1	1	1	1	87.5	64.25	0	30000	460.2150538	13805.88699	30000	0	0	30000	44.0625	2004
22.01.2020 12:27:28	1	1	1	1	87.5	64	0	30000	481.7204301	14451.662	30000	0	0	30000	44.25	2004
22.01.2020 12:27:29	1	1	1	1	87.5	64.25	0	30000	466.6666667	13999.94564	30000	0	0	30000	44.5	2004
22.01.2020 12:27:30	1	1	1	1	87.5	64.5	0	30000	468.8172043	14064.36007	30000	0	0	30000	44.3125	2004
22.01.2020 12:27:31	1	1	1	1	87.5	63.5	0	30000	464.516129	14128.7745	30000	0	0	30000	44.3125	2004
22.01.2020 12:27:32	1	1	1	1	87.75	64.25	0	29715.64	412.9032258	12269.72522	30000	0	0	30000	43.9375	2004
22.01.2020 12:27:33	1	1	1	1	87.75	63.75	0	30000	481.7204301	14451.662	30000	0	0	30000	44.25	2004
22.01.2020 12:27:34	1	1	1	1	87.75	64.25	0	30000	481.7204301	14451.662	30000	0	0	30000	44.125	2004
22.01.2020 12:27:35	1	1	1	1	87.75	64	0	29952.607	468.8172043	14128.7745	30000	0	0	30000	44.375	2004
22.01.2020 12:27:36	1	1	1	1	87.75	64.25	0	30000	481.7204301	14428.83157	30000	0	0	30000	43.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 12:27:43	1	1	1	1	87.75	64	0	30000	486.0215054	14516.07643	30000	0	0	30000	44	2004
22.01.2020 12:27:43	1	1	1	1	87.75	64	0	30000	486.0215054	14516.07643	30000	0	0	30000	44	2004
22.01.2020 12:27:43	1	1	1	1	87.75	64	0	30000	486.0215054	14516.07643	30000	0	0	30000	44	2004
22.01.2020 12:27:43	1	1	1	1	87.75	64	0	30000	486.0215054	14516.07643	30000	0	0	30000	44	2004
22.01.2020 12:27:43	1	1	1	1	87.75	64	0	30000	486.0215054	14516.07643	30000	0	0	30000	44	2004
22.01.2020 12:27:43	1	1	1	1	87.75	64	0	30000	486.0215054	14516.07643	30000	0	0	30000	44	2004
22.01.2020 12:27:43	1	1	1	1	87.75	64	0	30000	492.4731183	14709.31971	30000	0	0	30000	44.0625	2004
22.01.2020 12:27:44	1	1	1	1	87.75	64	0	30000	481.7204301	14451.662	30000	0	0	30000	44.1875	2004
22.01.2020 12:27:45	1	1	1	1	87.75	64	0	30000	481.7204301	14451.662	30000	0	0	30000	43.5625	2004
22.01.2020 12:27:46	1	1	1	1	87.75	63.5	0	30000	481.7204301	14451.662	30000	0	0	30000	43.5625	2004
22.01.2020 12:27:47	1	1	1	1	87.75	63.5	0	29952.607	494.6236559	14838.14856	30000	0	0	30000	44.25	2004
22.01.2020 12:27:48	1	1	1	1	87.75	64.25	0	28815.166	483.8709677	13942.86957	30000	0	0	30000	43.875	2004
22.01.2020 12:27:49	1	1	1	1	87.75	63.75	0	29620.853	468.8172043	13759.41076	30000	0	0	30000	43.8125	2004
22.01.2020 12:27:50	1	1	1	1	87.75	63.75	0	29668.246	458.0645161	13803.44087	30000	0	0	30000	44.125	2004
22.01.2020 12:27:51	1	1	1	1	87.75	64	0	30000	498.9247312	15032.20721	30000	0	0	30000	43.9375	2004
22.01.2020 12:27:52	1	1	1	1	87.5	63.75	0	30000	492.4731183	14773.73413	30000	0	0	30000	44.0625	2004
22.01.2020 12:27:53	1	1	1	1	87.5	64	0	30000	488.172043	14644.90528	30000	0	0	30000	44.125	2004
22.01.2020 12:27:54	1	1	1	1	87.5	64	0	29952.607	481.7204301	14451.662	30000	0	0	30000	44.0625	2004
22.01.2020 12:27:55	1	1	1	1	87.5	64	0	30000	488.172043	14773.73413	30000	0	0	30000	43.8125	2004
22.01.2020 12:27:56	1	1	1	1	87.5	63.75	0	29905.213	481.7204301	14428.83157	30000	0	0	30000	44.125	2004
22.01.2020 12:27:57	1	1	1	1	87.5	64	0	30000	468.8172043	14128.7745	30000	0	0	30000	43.6875	2004
22.01.2020 12:27:58	1	1	1	1	87.5	63.5	0	29905.213	466.6666667	13955.10015	30000	0	0	30000	43.5	2004
22.01.2020 12:27:59	1	1	1	1	87.5	63.5	0	30000	443.0107527	13289.7562	30000	0	0	30000	44.25	2004
22.01.2020 12:28:01	1	1	1	1	87.5	64.25	0	30000	481.7204301	14451.662	30000	0	0	30000	43.75	2004
22.01.2020 12:28:02	1	1	1	1	87.5	63.75	0	29526.066	458.0645161	13588.18253	30000	0	0	30000	44.1875	2004
22.01.2020 12:28:03	1	1	1	1	87.25	64	0	30000	468.8172043	14128.7745	30000	0	0	30000	43.9375	2004
22.01.2020 12:28:04	1	1	1	1	87.25	63.75	0	30000	483.8709677	14516.07643	30000	0	0	30000	44.4375	2004
22.01.2020 12:28:05	1	1	1	1	87.25	64.25	0	30000	468.8172043	13999.94564	30000	0	0	30000	43.6875	2004
22.01.2020 12:28:06	1	1	1	1	87.25	63.5	0	30000	494.6236559	14838.14856	30000	0	0	30000	44.0625	2004
22.01.2020 12:28:07	1	1	1	1	87.25	64	0	30000	481.7204301	14451.662	30000	0	0	30000	43.9375	2004
22.01.2020 12:28:08	1	1	1	1	87.25	63.75	0	30000	481.7204301	14451.662	30000	0	0	30000	44.1875	2004
22.01.2020 12:28:09	1	1	1	1	87.25	64	0	30000	488.172043	14644.90528	30000	0	0	30000	44.5	2004
22.01.2020 12:28:10	1	1	1	1	87.25	64.5	0	29952.607	481.7204301	14516.07643	30000	0	0	30000	44.3125	2004
22.01.2020 12:28:11	1	1	1	1	87.25	63.5	0	30000	501.0752688	15096.62164	30000	0	0	30000	44.0625	2004
22.01.2020 12:28:12	1	1	1	1	87.75	64	0	30000	483.8709677	14516.07643	30000	0	0	30000	44	2004
22.01.2020 12:28:13	1	1	1	1	87.75	64	0	30000	496.7741935	14902.56299	30000	0	0	30000	43.875	2004
22.01.2020 12:28:14	1	1	1	1	87.75	63.75	0	30047.393	481.7204301	14451.662	30000	0	0	30000	43.875	2004
22.01.2020 12:28:15	1	1	1	1	87.75	63.75	0	29952.607	453.7634409	13805.88699	30000	0	0	30000	44.125	2004
22.01.2020 12:28:16	1	1	1	1	87.75	64	0	30000	488.172043	14622.07485	30000	0	0	30000	44.375	2004
22.01.2020 12:28:17	1	1	1	1	87.75	64.25	0	29478.673	455.9139785	13397.38537	30000	0	0	30000	44.1875	2004
22.01.2020 12:28:18	1	1	1	1	87.75	64	0	30000	453.7634409	13677.05814	30000	0	0	30000	44.3125	2004
22.01.2020 12:28:19	1	1	1	1	87.75	64.25	0	30000	438.7096774	13160.92735	30000	0	0	30000	44.125	2004
22.01.2020 12:28:20	1	1	1	1	87.75	64	0	29905.213	427.9569892	12798.08659	30000	0	0	30000	44.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 12:28:21	1	1	1	1	87.75	64.25	0	28009.479	363.4408602	10179.11016	30000	0	0	30000	43.6875	2004
22.01.2020 12:28:22	1	1	1	1	87.25	63.5	0	29905.213	443.0107527	13289.7562	30000	0	0	30000	44.1875	2004
22.01.2020 12:28:23	1	1	1	1	87.25	64	0	29952.607	404.3010753	12174.32664	30000	0	0	30000	44.5625	2004
22.01.2020 12:28:24	1	1	1	1	87.25	64.5	0	30000	464.516129	13935.53122	30000	0	0	30000	44.3125	2004
22.01.2020 12:28:25	1	1	1	1	87.25	64.25	0	29526.066	384.9462366	11365.47713	30000	0	0	30000	44.25	2004
22.01.2020 12:28:26	1	1	1	1	87.25	64.25	0	29857.82	395.6989247	11833.50094	30000	0	0	30000	44.1875	2004
22.01.2020 12:28:27	1	1	1	1	87.25	64	0	30000	425.8064516	12838.03984	30000	0	0	30000	44	2004
22.01.2020 12:28:28	1	1	1	1	87.25	64	0	30000	443.0107527	13225.34178	30000	0	0	30000	43.9375	2004
22.01.2020 12:28:29	1	1	1	1	87.25	63.75	0	30000	451.6129032	13612.64371	30000	0	0	30000	44	2004
22.01.2020 12:28:30	1	1	1	1	87.25	64	0	30000	466.6666667	13999.94564	30000	0	0	30000	44.1875	2004
22.01.2020 12:28:31	1	1	1	1	87.25	64	0	29620.853	404.3010753	11784.57859	30000	0	0	30000	43.75	2004
22.01.2020 12:28:32	1	1	1	1	87.75	63.75	0	30000	481.7204301	14451.662	30000	0	0	30000	43.6875	2004
22.01.2020 12:28:33	1	1	1	1	87.75	63.5	0	29952.607	445.1612903	13312.58663	30000	0	0	30000	44.3125	2004
22.01.2020 12:28:34	1	1	1	1	87.75	64.25	0	30000	460.2150538	13741.47256	30000	0	0	30000	44.3125	2004
22.01.2020 12:28:35	1	1	1	1	87.75	64.25	0	30000	488.172043	14644.90528	30000	0	0	30000	43.8125	2004
22.01.2020 12:28:36	1	1	1	1	87.75	63.75	0	29905.213	438.7096774	13140.54304	30000	0	0	30000	43.75	2004
22.01.2020 12:28:37	1	1	1	1	87.75	63.75	0	29383.886	466.6666667	13712.11915	30000	0	0	30000	44.125	2004
22.01.2020 12:28:44	1	1	1	1	87.5	63.75	0	30000	481.7204301	14516.07643	30000	0	0	30000	44	2004
22.01.2020 12:28:44	1	1	1	1	87.5	63.75	0	30000	481.7204301	14516.07643	30000	0	0	30000	44	2004
22.01.2020 12:28:44	1	1	1	1	87.5	63.75	0	30000	481.7204301	14516.07643	30000	0	0	30000	44	2004
22.01.2020 12:28:44	1	1	1	1	87.5	63.75	0	30000	481.7204301	14516.07643	30000	0	0	30000	44	2004
22.01.2020 12:28:44	1	1	1	1	87.5	63.75	0	30000	481.7204301	14516.07643	30000	0	0	30000	44	2004
22.01.2020 12:28:45	1	1	1	1	87.5	64	0	30000	481.7204301	14451.662	30000	0	0	30000	43.0625	2004
22.01.2020 12:28:46	1	1	1	1	87.5	63	0	29952.607	483.8709677	14469.6002	30000	0	0	30000	44	2004
22.01.2020 12:28:47	1	1	1	1	87.5	64	0	30000	481.7204301	14128.7745	30000	0	0	30000	44	2004
22.01.2020 12:28:48	1	1	1	1	87.5	64	0	30000	488.172043	14644.90528	30000	0	0	30000	44.3125	2004
22.01.2020 12:28:49	1	1	1	1	87.5	64.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	44.8125	2004
22.01.2020 12:28:50	1	1	1	1	87.5	64.25	0	30000	501.0752688	15032.20721	30000	0	0	30000	44.3125	2004
22.01.2020 12:28:51	1	1	1	1	87.5	64.25	0	30000	481.7204301	14451.662	30000	0	0	30000	44.3125	2004
22.01.2020 12:28:52	1	1	1	1	87.75	64.25	0	30000	488.172043	14493.246	30000	0	0	30000	43.9375	2004
22.01.2020 12:28:53	1	1	1	1	87.75	63.75	0	28815.166	460.2150538	13261.21817	30000	0	0	30000	44.125	2004
22.01.2020 12:28:54	1	1	1	1	87.75	64	0	30000	496.7741935	14902.56299	30000	0	0	30000	44.25	2004
22.01.2020 12:28:55	1	1	1	1	87.75	64.25	0	30000	496.7741935	14902.56299	30000	0	0	30000	44.375	2004
22.01.2020 12:28:56	1	1	1	1	87.75	64.25	0	29336.493	466.6666667	13627.32041	30000	0	0	30000	44.4375	2004
22.01.2020 12:28:57	1	1	1	1	87.75	64.25	0	30000	503.2258065	15161.03607	30000	0	0	30000	44.0625	2004
22.01.2020 12:28:58	1	1	1	1	87.75	64	0	30000	494.6236559	14815.31813	30000	0	0	30000	44.375	2004
22.01.2020 12:28:59	1	1	1	1	87.75	64.25	0	29383.886	481.7204301	14154.86641	30000	0	0	30000	44.25	2004
22.01.2020 12:29:00	1	1	1	1	87.75	64.25	0	29952.607	494.6236559	14902.56299	30000	0	0	30000	44.4375	2004
22.01.2020 12:29:01	1	1	1	1	87.75	64.25	0	29810.427	481.7204301	14446.76977	30000	0	0	30000	44.1875	2004
22.01.2020 12:29:02	1	1	1	1	87.75	64	0	30000	516.1290323	15612.75243	30000	0	0	30000	43.6875	2004
22.01.2020 12:29:03	1	1	1	1	87.75	63.5	0	30000	522.5806452	15677.16685	30000	0	0	30000	43.6875	2004
22.01.2020 12:29:04	1	1	1	1	87.75	63.5	0	30000	501.0752688	14902.56299	30000	0	0	30000	44.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 12:29:05	1	1	1	1	87.75	64	0	29857.82	483.8709677	14575.59862	30000	0	0	30000	44	2004
22.01.2020 12:29:06	1	1	1	1	87.75	64	0	29620.853	481.7204301	14269.01856	30000	0	0	30000	44.4375	2004
22.01.2020 12:29:07	1	1	1	1	87.75	64.25	0	29241.706	464.516129	13605.30536	30000	0	0	30000	44.0625	2004
22.01.2020 12:29:08	1	1	1	1	87.75	64	0	30000	533.3333333	15781.53453	30000	0	0	30000	44.4375	2004
22.01.2020 12:29:09	1	1	1	1	87.75	64.25	0	26777.251	464.516129	12460.52238	30000	0	0	30000	44.25	2004
22.01.2020 12:29:10	1	1	1	1	87.75	64.25	0	29952.607	507.5268817	15225.45049	30000	0	0	30000	43.375	2004
22.01.2020 12:29:11	1	1	1	1	87.75	63.25	0	29336.493	466.6666667	13690.1041	30000	0	0	30000	44.5625	2004
22.01.2020 12:29:12	1	1	1	1	87.5	64.5	0	30000	516.1290323	15483.92357	30000	0	0	30000	43.625	2004
22.01.2020 12:29:13	1	1	1	1	87.5	63.5	0	29526.066	455.9139785	13397.38537	30000	0	0	30000	44.125	2004
22.01.2020 12:29:14	1	1	1	1	87.5	64	0	29715.64	466.6666667	14314.67942	30000	0	0	30000	44.1875	2004
22.01.2020 12:29:15	1	1	1	1	87.5	64	0	29905.213	481.7204301	14451.662	30000	0	0	30000	44.4375	2004
22.01.2020 12:29:16	1	1	1	1	87.5	64.25	0	30000	507.5268817	15161.03607	30000	0	0	30000	43.625	2004
22.01.2020 12:29:18	1	1	1	1	87.5	63.5	0	30000	496.7741935	14902.56299	30000	0	0	30000	43.25	2004
22.01.2020 12:29:19	1	1	1	1	87.5	63.25	0	30000	492.4731183	14773.73413	30000	0	0	30000	44.125	2004
22.01.2020 12:29:20	1	1	1	1	87.5	64	0	30000	488.172043	14644.90528	30000	0	0	30000	44.25	2004
22.01.2020 12:29:21	1	1	1	1	87.5	64.25	0	29952.607	481.7204301	14406.00114	30000	0	0	30000	44.375	2004
22.01.2020 12:29:22	1	1	1	1	87.5	64.25	0	27867.299	464.516129	12944.85364	30000	0	0	30000	44.3125	2004
22.01.2020 12:29:23	1	1	1	1	87.5	64.25	0	29952.607	481.7204301	14451.662	30000	0	0	30000	44.375	2004
22.01.2020 12:29:24	1	1	1	1	87.5	64.25	0	30000	481.7204301	14451.662	30000	0	0	30000	44.4375	2004
22.01.2020 12:29:25	1	1	1	1	87.5	64.25	0	30000	507.5268817	15289.86492	30000	0	0	30000	44.25	2004
22.01.2020 12:29:26	1	1	1	1	87.5	64.25	0	27867.299	468.8172043	13124.23559	30000	0	0	30000	44.3125	2004
22.01.2020 12:29:27	1	1	1	1	87.5	64.25	0	30000	509.6774194	15354.27935	30000	0	0	30000	44.5625	2004
22.01.2020 12:29:28	1	1	1	1	87.5	64.5	0	30000	498.9247312	15055.85302	30000	0	0	30000	44.4375	2004
22.01.2020 12:29:29	1	1	1	1	87.5	64.25	0	29099.526	481.7204301	14040.71427	30000	0	0	30000	44.5625	2004
22.01.2020 12:29:30	1	1	1	1	87.5	63.75	0	30000	503.2258065	15096.62164	30000	0	0	30000	43.75	2004
22.01.2020 12:29:31	1	1	1	1	87.5	63.75	0	29668.246	481.7204301	14314.67942	30000	0	0	30000	44.3125	2004
22.01.2020 12:29:32	1	1	1	1	87	64.25	0	30000	492.4731183	14773.73413	30000	0	0	30000	43.25	2004
22.01.2020 12:29:33	1	1	1	1	87	63.25	0	29905.213	496.7741935	14879.73256	30000	0	0	30000	44.3125	2004
22.01.2020 12:29:34	1	1	1	1	87	64.25	0	30000	503.2258065	15032.20721	30000	0	0	30000	44.25	2004
22.01.2020 12:29:35	1	1	1	1	87	64.25	0	30000	496.7741935	14967.79279	30000	0	0	30000	44	2004
22.01.2020 12:29:38	1	1	1	1	87	64.5	0	28815.166	458.0645161	13199.24986	30000	0	0	30000	44.3125	2004
22.01.2020 12:29:38	1	1	1	1	87	64.5	0	28815.166	458.0645161	13199.24986	30000	0	0	30000	44.3125	2004
22.01.2020 12:29:38	1	1	1	1	87	64.25	0	29905.213	526.8817204	15756.25798	30000	0	0	30000	44.125	2004
22.01.2020 12:29:39	1	1	1	1	87	64	0	29763.033	481.7204301	14314.67942	30000	0	0	30000	44.375	2004
22.01.2020 12:29:46	1	1	1	1	87	64.25	0	29810.427	492.4731183	14680.78167	30000	0	0	30000	44.375	2004
22.01.2020 12:29:46	1	1	1	1	87	64.25	0	29810.427	492.4731183	14680.78167	30000	0	0	30000	44.375	2004
22.01.2020 12:29:46	1	1	1	1	87	64.25	0	29810.427	492.4731183	14680.78167	30000	0	0	30000	44.375	2004
22.01.2020 12:29:46	1	1	1	1	87	64.25	0	29810.427	492.4731183	14680.78167	30000	0	0	30000	44.375	2004
22.01.2020 12:29:46	1	1	1	1	87	64.25	0	29810.427	492.4731183	14680.78167	30000	0	0	30000	44.375	2004
22.01.2020 12:29:46	1	1	1	1	87	64.25	0	27819.905	481.7204301	13401.46223	30000	0	0	30000	43.875	2004
22.01.2020 12:29:47	1	1	1	1	87	63.75	0	29241.706	466.6666667	13646.07398	30000	0	0	30000	44.0625	2004
22.01.2020 12:29:48	1	1	1	1	87	64	0	25924.171	458.0645161	11874.26956	30000	0	0	30000	44.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 12:29:49	1	1	1	1	87	64	0	30000	518.2795699	15548.338	30000	0	0	30000	43.8125	2004
22.01.2020 12:29:50	1	1	1	1	87	63.75	0	26350.711	483.8709677	12772.81005	30000	0	0	30000	44.375	2004
22.01.2020 12:29:51	1	1	1	1	87	64.25	0	24597.156	481.7204301	11848.99301	30000	0	0	30000	44	2004
22.01.2020 12:29:52	1	1	1	1	87	64	0	29857.82	501.0752688	14761.50355	30000	0	0	30000	44.5	2004
22.01.2020 12:29:53	1	1	1	1	87	64.5	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	44.3125	2004
22.01.2020 12:29:54	1	1	1	1	87	64.25	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	44.25	2004
22.01.2020 12:29:55	1	1	1	1	87	64.25	0	29857.82	501.0752688	14936.80863	30000	0	0	30000	43.8125	2004
22.01.2020 12:29:57	1	1	1	1	87	63.75	0	29668.246	481.7204301	14506.29196	30000	0	0	30000	44.3125	2004
22.01.2020 12:29:58	1	1	1	1	87	64.25	0	29715.64	550.5376344	16013.91569	30000	0	0	30000	43.6875	2004
22.01.2020 12:29:59	1	1	1	1	87	63.5	0	29573.46	531.1827957	15988.63914	30000	0	0	30000	44.4375	2004
22.01.2020 12:30:00	1	1	1	1	87	64.25	0	29810.427	539.7849462	16090.5607	30000	0	0	30000	44.375	2004
22.01.2020 12:30:01	1	1	1	1	87	64.25	0	28862.559	481.7204301	13593.07477	30000	0	0	30000	43.8125	2004
22.01.2020 12:30:02	1	1	1	1	87	63.75	0	29905.213	535.483871	16039.19224	30000	0	0	30000	44.375	2004
22.01.2020 12:30:03	1	1	1	1	87.75	64.25	0	28815.166	466.6666667	13447.12309	30000	0	0	30000	43.625	2004
22.01.2020 12:30:04	1	1	1	1	87.75	63.5	0	29668.246	537.6344086	15950.31664	30000	0	0	30000	44	2004
22.01.2020 12:30:05	1	1	1	1	87.75	64	0	29573.46	537.6344086	15899.76354	30000	0	0	30000	44.4375	2004
22.01.2020 12:30:06	1	1	1	1	87.75	64.25	0	29857.82	526.8817204	15730.98144	30000	0	0	30000	44.1875	2004
22.01.2020 12:30:07	1	1	1	1	87.75	64	0	29431.28	546.2365591	16013.10032	30000	0	0	30000	43.9375	2004
22.01.2020 12:30:08	1	1	1	1	87.75	63.75	0	29620.853	537.6344086	15925.04009	30000	0	0	30000	44.625	2004
22.01.2020 12:30:09	1	1	1	1	87.75	64.5	0	29905.213	533.3333333	15859.81029	30000	0	0	30000	43.75	2004
22.01.2020 12:30:10	1	1	1	1	87.75	63.5	0	29905.213	526.8817204	15781.53453	30000	0	0	30000	44.3125	2004
22.01.2020 12:30:11	1	1	1	1	87.75	64.25	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	43.4375	2004
22.01.2020 12:30:12	1	1	1	1	87.25	63.25	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	44.3125	2004
22.01.2020 12:30:13	1	1	1	1	87.25	64.25	0	29573.46	541.9354839	16052.2382	30000	0	0	30000	44	2004
22.01.2020 12:30:14	1	1	1	1	87.25	64	0	29810.427	533.3333333	16116.65262	30000	0	0	30000	44.1875	2004
22.01.2020 12:30:15	1	1	1	1	87.25	64	0	28862.559	481.7204301	13965.7	30000	0	0	30000	44	2004
22.01.2020 12:30:16	1	1	1	1	87.25	64	0	29905.213	537.6344086	16013.10032	30000	0	0	30000	44.4375	2004
22.01.2020 12:30:17	1	1	1	1	87.25	64.25	0	30000	509.6774194	15354.27935	30000	0	0	30000	44.1875	2004
22.01.2020 12:30:18	1	1	1	1	87.25	64	0	30000	516.1290323	15483.92357	30000	0	0	30000	44.25	2004
22.01.2020 12:30:19	1	1	1	1	87.25	64.25	0	29952.607	505.3763441	15096.62164	30000	0	0	30000	43.6875	2004
22.01.2020 12:30:20	1	1	1	1	87.25	63.5	0	30000	507.5268817	15161.03607	30000	0	0	30000	44.125	2004
22.01.2020 12:30:21	1	1	1	1	87.25	64	0	29620.853	460.2150538	13631.39728	30000	0	0	30000	44.1875	2004
22.01.2020 12:30:22	1	1	1	1	87	64	0	29905.213	427.9569892	12777.70228	30000	0	0	30000	43.75	2004
22.01.2020 12:30:23	1	1	1	1	87	63.75	0	29857.82	468.8172043	14061.91395	30000	0	0	30000	44.0625	2004
22.01.2020 12:30:24	1	1	1	1	87	64	0	29952.607	481.7204301	14451.662	30000	0	0	30000	44.375	2004
22.01.2020 12:30:25	1	1	1	1	87	64.25	0	30000	481.7204301	14451.662	30000	0	0	30000	44.0625	2004
22.01.2020 12:30:26	1	1	1	1	87	64	0	30000	481.7204301	14451.662	30000	0	0	30000	43.5625	2004
22.01.2020 12:30:27	1	1	1	1	87	63.5	0	30000	481.7204301	14451.662	30000	0	0	30000	44.1875	2004
22.01.2020 12:30:28	1	1	1	1	87	64	0	30000	488.172043	14622.07485	30000	0	0	30000	44.25	2004
22.01.2020 12:30:29	1	1	1	1	87	64.25	0	30000	481.7204301	14451.662	30000	0	0	30000	44.5	2004
22.01.2020 12:30:30	1	1	1	1	87	64.5	0	30000	481.7204301	14451.662	30000	0	0	30000	44.125	2004
22.01.2020 12:30:31	1	1	1	1	87	64	0	30000	481.7204301	14451.662	30000	0	0	30000	44.375	2004
22.01.2020 12:30:32	1	1	1	1	87	64.25	0	29952.607	481.7204301	14451.662	30000	0	0	30000	43.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 12:30:34	1	1	1	1	87	63.5	0	30000	481.7204301	14451.662	30000	0	0	30000	44	2004
22.01.2020 12:30:35	1	1	1	1	87	64	0	30047.393	488.172043	14667.73571	30000	0	0	30000	44.4375	2004
22.01.2020 12:30:36	1	1	1	1	87	64.25	0	30000	436.5591398	13160.92735	30000	0	0	30000	44.3125	2004
22.01.2020 12:30:37	1	1	1	1	87	64.25	0	30000	453.7634409	13612.64371	30000	0	0	30000	44.5	2004
22.01.2020 12:30:38	1	1	1	1	87	64.5	0	26587.678	359.1397849	9548.01185	30000	0	0	30000	44.4375	2004
22.01.2020 12:30:39	1	1	1	1	87	64.25	0	29289.1	367.7419355	10753.13239	30000	0	0	30000	44.375	2004
22.01.2020 12:30:40	1	1	1	1	87	64.25	0	30000	460.2150538	13741.47256	30000	0	0	30000	44.3125	2004
22.01.2020 12:30:41	1	1	1	1	87	64.25	0	29905.213	466.6666667	14451.662	30000	0	0	30000	44.625	2004
22.01.2020 12:30:47	1	1	1	1	87.25	63.75	0	29383.886	481.7204301	14177.69684	30000	0	0	30000	44.3125	2004
22.01.2020 12:30:47	1	1	1	1	87.25	63.75	0	29383.886	481.7204301	14177.69684	30000	0	0	30000	44.3125	2004
22.01.2020 12:30:47	1	1	1	1	87.25	63.75	0	29383.886	481.7204301	14177.69684	30000	0	0	30000	44.3125	2004
22.01.2020 12:30:47	1	1	1	1	87.25	63.75	0	29383.886	481.7204301	14177.69684	30000	0	0	30000	44.3125	2004
22.01.2020 12:30:47	1	1	1	1	87.25	63.75	0	29383.886	481.7204301	14177.69684	30000	0	0	30000	44.3125	2004
22.01.2020 12:30:47	1	1	1	1	87.25	63.75	0	29383.886	481.7204301	14177.69684	30000	0	0	30000	44.3125	2004
22.01.2020 12:30:48	1	1	1	1	87.25	64.25	0	28862.559	481.7204301	13949.39255	30000	0	0	30000	44	2004
22.01.2020 12:30:49	1	1	1	1	87.25	64	0	30000	507.5268817	15225.45049	30000	0	0	30000	43.875	2004
22.01.2020 12:30:50	1	1	1	1	87.25	63.75	0	30000	486.0215054	14516.07643	30000	0	0	30000	43.8125	2004
22.01.2020 12:30:51	1	1	1	1	87.25	63.75	0	29952.607	483.8709677	14516.07643	30000	0	0	30000	44.375	2004
22.01.2020 12:30:52	1	1	1	1	86.75	64.25	0	29810.427	481.7204301	14575.59862	30000	0	0	30000	44.375	2004
22.01.2020 12:30:53	1	1	1	1	86.75	64.25	0	29526.066	481.7204301	14223.3577	30000	0	0	30000	44.3125	2004
22.01.2020 12:30:54	1	1	1	1	86.75	64.25	0	28009.479	466.6666667	13070.421	30000	0	0	30000	44.125	2004
22.01.2020 12:30:55	1	1	1	1	86.75	64	0	30047.393	503.2258065	14902.56299	30000	0	0	30000	44.625	2004
22.01.2020 12:30:56	1	1	1	1	86.75	64.5	0	30000	501.0752688	15032.20721	30000	0	0	30000	44.3125	2004
22.01.2020 12:30:57	1	1	1	1	86.75	64.25	0	30000	483.8709677	14451.662	30000	0	0	30000	44.375	2004
22.01.2020 12:30:58	1	1	1	1	86.75	64.25	0	30000	483.8709677	14580.49085	30000	0	0	30000	44.25	2004
22.01.2020 12:30:59	1	1	1	1	86.75	64.25	0	29526.066	466.6666667	13756.14927	30000	0	0	30000	44.4375	2004
22.01.2020 12:31:00	1	1	1	1	86.75	64.25	0	29146.919	466.6666667	13601.22849	30000	0	0	30000	44	2004
22.01.2020 12:31:01	1	1	1	1	86.75	64	0	29905.213	492.4731183	14727.2579	30000	0	0	30000	44.4375	2004
22.01.2020 12:31:02	1	1	1	1	87	64.25	0	30000	483.8709677	14538.90686	30000	0	0	30000	43.9375	2004
22.01.2020 12:31:03	1	1	1	1	87	63.75	0	30000	468.8172043	13999.94564	30000	0	0	30000	44.1875	2004
22.01.2020 12:31:04	1	1	1	1	87	64	0	30000	503.2258065	15096.62164	30000	0	0	30000	44.3125	2004
22.01.2020 12:31:05	1	1	1	1	87	64.25	0	29952.607	481.7204301	14106.75944	30000	0	0	30000	44.4375	2004
22.01.2020 12:31:06	1	1	1	1	87	64.25	0	29905.213	481.7204301	14451.662	30000	0	0	30000	44.125	2004
22.01.2020 12:31:07	1	1	1	1	87	64	0	30000	464.516129	13935.53122	30000	0	0	30000	44.125	2004
22.01.2020 12:31:08	1	1	1	1	87	64	0	30000	481.7204301	14451.662	30000	0	0	30000	44.375	2004
22.01.2020 12:31:09	1	1	1	1	87	64.25	0	30000	490.3225806	14773.73413	30000	0	0	30000	44.4375	2004
22.01.2020 12:31:10	1	1	1	1	87	64.25	0	29289.1	466.6666667	13690.1041	30000	0	0	30000	44.25	2004
22.01.2020 12:31:11	1	1	1	1	87	64.25	0	29289.1	460.2150538	13500.93768	30000	0	0	30000	44.5	2004
22.01.2020 12:31:13	1	1	1	1	87	64.5	0	29715.64	481.7204301	14314.67942	30000	0	0	30000	44.3125	2004
22.01.2020 12:31:14	1	1	1	1	87	64.25	0	27819.905	481.7204301	13401.46223	30000	0	0	30000	44.5	2004
22.01.2020 12:31:15	1	1	1	1	87	64.5	0	30000	501.0752688	15032.20721	30000	0	0	30000	44.5625	2004
22.01.2020 12:31:16	1	1	1	1	87	64.5	0	29431.28	481.7204301	14177.69684	30000	0	0	30000	44.4375	2004
22.01.2020 12:31:17	1	1	1	1	87	64.25	0	30000	496.7741935	14902.56299	30000	0	0	30000	44.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 12:31:18	1	1	1	1	87	64.25	0	28436.019	449.4623656	12637.45821	30000	0	0	30000	44.4375	2004
22.01.2020 12:31:19	1	1	1	1	87	64.25	0	30000	496.7741935	14902.56299	30000	0	0	30000	43.9375	2004
22.01.2020 12:31:20	1	1	1	1	87	63.75	0	30000	492.4731183	14773.73413	30000	0	0	30000	44.375	2004
22.01.2020 12:31:21	1	1	1	1	87	64.25	0	30000	481.7204301	14451.662	30000	0	0	30000	44.4375	2004
22.01.2020 12:31:22	1	1	1	1	87	64.25	0	27298.578	434.4086022	11917.4843	30000	0	0	30000	43.5	2004
22.01.2020 12:31:23	1	1	1	1	87.25	63.5	0	29952.607	481.7204301	14538.90686	30000	0	0	30000	44.875	2004
22.01.2020 12:31:24	1	1	1	1	87.25	64.75	0	28909.953	466.6666667	13513.16827	30000	0	0	30000	44.4375	2004
22.01.2020 12:31:25	1	1	1	1	87.25	64.25	0	30000	481.7204301	14451.662	30000	0	0	30000	44.3125	2004
22.01.2020 12:31:26	1	1	1	1	87.25	64.5	0	30000	481.7204301	14451.662	30000	0	0	30000	44.5	2004
22.01.2020 12:31:27	1	1	1	1	87.25	64.5	0	30000	481.7204301	14451.662	30000	0	0	30000	44.125	2004
22.01.2020 12:31:28	1	1	1	1	87.25	64	0	29715.64	481.7204301	14314.67942	30000	0	0	30000	44.4375	2004
22.01.2020 12:31:29	1	1	1	1	87.25	64.25	0	29715.64	460.2150538	13611.01296	30000	0	0	30000	44.1875	2004
22.01.2020 12:31:30	1	1	1	1	87.25	64	0	30000	494.6236559	14902.56299	30000	0	0	30000	44.25	2004
22.01.2020 12:31:31	1	1	1	1	87.25	64.25	0	29146.919	464.516129	13539.26019	30000	0	0	30000	44.5	2004
22.01.2020 12:31:32	1	1	1	1	87.5	64.5	0	0	0	0	30000	0	8	30000	44.625	2004
22.01.2020 12:31:33	1	1	1	1	87.5	64.5	0	10094.787	0	0	30000	0	0	30000	44.625	2004
22.01.2020 12:31:34	1	1	1	1	87.5	64.5	0	10805.687	0	0	30000	0	0	30000	44.625	2004
22.01.2020 12:31:35	1	1	1	1	87.5	64.5	0	11611.374	0	0	30000	0	0	30000	44.4375	2004
22.01.2020 12:31:36	1	1	1	1	87.5	64.25	0	12369.668	0	0	30000	0	0	30000	44.6875	2004
22.01.2020 12:31:37	1	1	1	1	87.5	64.5	0	13127.962	4.301075269	56.26070176	30000	0	0	30000	44.625	2004
22.01.2020 12:31:38	1	1	1	1	87.5	64.5	0	13933.649	6.451612903	119.8597559	30000	0	0	30000	44.625	2004
22.01.2020 12:31:39	1	1	1	1	87.5	64.5	0	14691.943	12.90322581	189.1664175	30000	0	0	30000	44.5	2004
22.01.2020 12:31:40	1	1	1	1	87.5	64.5	0	15450.237	21.50537634	298.4263311	30000	0	0	30000	44.5625	2004
22.01.2020 12:31:41	1	1	1	1	87.5	64.5	0	14644.55	17.20430108	251.9500992	30000	0	0	30000	44.625	2004
22.01.2020 12:31:42	1	1	1	1	88	64.5	0	16966.825	36.55913978	621.3138369	30000	0	0	30000	44.625	2004
22.01.2020 12:31:49	1	1	1	1	88	64.25	0	21658.768	109.6774194	2364.580219	30000	0	0	30000	44.6875	2004
22.01.2020 12:31:49	1	1	1	1	88	64.25	0	21658.768	109.6774194	2364.580219	30000	0	0	30000	44.6875	2004
22.01.2020 12:31:49	1	1	1	1	88	64.25	0	21658.768	109.6774194	2364.580219	30000	0	0	30000	44.6875	2004
22.01.2020 12:31:49	1	1	1	1	88	64.25	0	21658.768	109.6774194	2364.580219	30000	0	0	30000	44.6875	2004
22.01.2020 12:31:49	1	1	1	1	88	64.25	0	21658.768	109.6774194	2364.580219	30000	0	0	30000	44.6875	2004
22.01.2020 12:31:49	1	1	1	1	88	64.5	0	22417.062	124.7311828	2844.019243	30000	0	0	30000	44.6875	2004
22.01.2020 12:31:50	1	1	1	1	88	64.5	0	22985.782	139.7849462	3199.521648	30000	0	0	30000	44.5625	2004
22.01.2020 12:31:52	1	1	1	1	88	64.5	0	23412.322	144.0860215	3365.857636	30000	0	0	30000	44.625	2004
22.01.2020 12:31:53	1	1	1	1	88	64.5	0	24028.436	178.4946237	4297.013019	30000	0	0	30000	44.625	2004
22.01.2020 12:31:54	1	1	1	1	88	64.5	0	24881.517	191.3978495	4761.775338	30000	0	0	30000	44.5	2004
22.01.2020 12:31:55	1	1	1	1	88	64.5	0	25592.417	191.3978495	4906.911641	30000	0	0	30000	44	2004
22.01.2020 12:31:56	1	1	1	1	88	64	0	24786.73	206.4516129	5117.277743	30000	0	0	30000	44.625	2004
22.01.2020 12:31:57	1	1	1	1	88	64.5	0	24881.517	191.3978495	4761.775338	30000	0	0	30000	44.5	2004
22.01.2020 12:31:58	1	1	1	1	88	64.5	0	24786.73	221.5053763	5479.303128	30000	0	0	30000	44.0625	2004
22.01.2020 12:31:59	1	1	1	1	88	64	0	24597.156	219.3548387	5395.319762	30000	0	0	30000	44.5	2004
22.01.2020 12:32:00	1	1	1	1	88	64.5	0	26113.744	230.1075269	6054.140733	30000	0	0	30000	44.5	2004
22.01.2020 12:32:01	1	1	1	1	88	64.5	0	27298.578	270.9677419	7455.766042	30000	0	0	30000	44.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 12:32:02	1	1	1	1	88	64.5	0	25260.664	243.0107527	6138.1241	30000	0	0	30000	44.5625	2004
22.01.2020 12:32:03	1	1	1	1	87.5	64.5	0	25687.204	260.2150538	6751.284212	30000	0	0	30000	44.625	2004
22.01.2020 12:32:04	1	1	1	1	87.5	64.5	0	25545.024	275.2688172	7031.772348	30000	0	0	30000	44.5625	2004
22.01.2020 12:32:05	1	1	1	1	87.5	63.75	0	0	0	0	30000	0	8	30000	44.8125	2004
22.01.2020 12:32:06	1	1	1	1	87.5	64.75	0	10331.754	0	0	30000	0	0	30000	44.5625	2004
22.01.2020 12:32:07	1	1	1	1	87.5	64.5	0	11090.047	0	0	30000	0	0	30000	44.5625	2004
22.01.2020 12:32:08	1	1	1	1	87.5	64.5	0	11848.341	0	0	30000	0	0	30000	44.5	2004
22.01.2020 12:32:09	1	1	1	1	87.5	64.5	0	12654.028	4.301075269	53.8145843	30000	0	0	30000	44.375	2004
22.01.2020 12:32:10	1	1	1	1	87.5	64.25	0	12037.915	2.150537634	25.27654717	30000	0	0	30000	44.8125	2004
22.01.2020 12:32:11	1	1	1	1	87.5	64.75	0	14123.223	15.05376344	211.9968472	30000	0	0	30000	44.5	2004
22.01.2020 12:32:12	1	1	1	1	88	64.5	0	14928.91	23.65591398	384.855815	30000	0	0	30000	44.625	2004
22.01.2020 12:32:13	1	1	1	1	88	64.5	0	15687.204	30.10752688	505.5309434	30000	0	0	30000	44.5625	2004
22.01.2020 12:32:14	1	1	1	1	88	64.5	0	16445.498	40.86021505	671.8669312	30000	0	0	30000	44.625	2004
22.01.2020 12:32:15	1	1	1	1	88	64.5	0	17251.185	53.76344086	929.5246378	30000	0	0	30000	44.625	2004
22.01.2020 12:32:16	1	1	1	1	88	64.5	0	16303.318	51.61290323	843.9105265	30000	0	0	30000	44.5	2004
22.01.2020 12:32:17	1	1	1	1	88	64.5	0	18767.773	70.96774194	1331.503275	30000	0	0	30000	44.5625	2004
22.01.2020 12:32:18	1	1	1	1	88	64.5	0	19004.739	70.96774194	1266.273476	30000	0	0	30000	44.625	2004
22.01.2020 12:32:19	1	1	1	1	88	64.5	0	20284.36	94.62365591	1967.493817	30000	0	0	30000	44.5	2004
22.01.2020 12:32:20	1	1	1	1	88	64.5	0	21090.047	107.5268817	2312.39638	30000	0	0	30000	43.875	2004
22.01.2020 12:32:21	1	1	1	1	88	63.75	0	21895.735	113.9784946	2536.623814	30000	0	0	30000	43.9375	2004
22.01.2020 12:32:22	1	1	1	1	87.5	63.75	0	22322.275	129.0322581	2777.974071	30000	0	0	30000	44.625	2004
22.01.2020 12:32:23	1	1	1	1	87.5	64.5	0	19289.1	103.2258065	1996.031854	30000	0	0	30000	44.5	2004
22.01.2020 12:32:24	1	1	1	1	87.5	64.5	0	23649.289	150.5376344	3559.916288	30000	0	0	30000	44.625	2004
22.01.2020 12:32:25	1	1	1	1	87.5	64.5	0	23649.289	152.688172	3610.469383	30000	0	0	30000	44.625	2004
22.01.2020 12:32:26	1	1	1	1	87.5	64.5	0	22748.815	152.688172	3473.486805	30000	0	0	30000	44.6875	2004
22.01.2020 12:32:27	1	1	1	1	87.5	64.5	0	24218.009	169.8924731	4114.369581	30000	0	0	30000	44.5625	2004
22.01.2020 12:32:28	1	1	1	1	87.5	64.5	0	24028.436	184.9462366	4434.810969	30000	0	0	30000	44.5	2004
22.01.2020 12:32:29	1	1	1	1	87.5	64.5	0	25118.483	191.3978495	4816.405294	30000	0	0	30000	44.625	2004
22.01.2020 12:32:31	1	1	1	1	87.5	64.5	0	24123.223	182.7956989	4460.902889	30000	0	0	30000	44.625	2004
22.01.2020 12:32:32	1	1	1	1	87.5	64.5	0	25308.057	206.4516129	5224.906912	30000	0	0	30000	44.5625	2004
22.01.2020 12:32:33	1	1	1	1	87.25	64.5	0	25260.664	206.4516129	5215.122442	30000	0	0	30000	44.625	2004
22.01.2020 12:32:34	1	1	1	1	87.25	64.5	0	22417.062	184.9462366	4145.353736	30000	0	0	30000	44.6875	2004
22.01.2020 12:32:35	1	1	1	1	87.25	64.5	0	26540.284	217.2043011	5707.607425	30000	0	0	30000	44.5	2004
22.01.2020 12:32:36	1	1	1	1	87.25	64.5	0	26113.744	234.4086022	6121.001277	30000	0	0	30000	44.5	2004
22.01.2020 12:32:37	1	1	1	1	87.25	64.5	0	28009.479	253.7634409	7107.60199	30000	0	0	30000	44.5	2004
22.01.2020 12:32:38	1	1	1	1	87.25	64.5	0	26303.318	260.2150538	6844.236675	30000	0	0	30000	44.625	2004
22.01.2020 12:32:39	1	1	1	1	87.25	64.5	0	26113.744	296.7741935	7805.56084	30000	0	0	30000	44.5625	2004
22.01.2020 12:32:40	1	1	1	1	87.25	64.5	0	25876.777	277.4193548	7138.586144	30000	0	0	30000	44.5	2004
22.01.2020 12:32:41	1	1	1	1	87.25	64.5	0	24976.303	266.6666667	6606.147909	30000	0	0	30000	44.75	2004
22.01.2020 12:32:42	1	1	1	1	87.25	64.75	0	26018.957	281.7204301	7329.383307	30000	0	0	30000	44.5625	2004
22.01.2020 12:32:43	1	1	1	1	86.75	64.5	0	21943.128	258.0645161	5662.761938	30000	0	0	30000	44.875	2004
22.01.2020 12:32:44	1	1	1	1	86.75	64.75	0	27440.758	309.6774194	8497.812084	30000	0	0	30000	43.9375	2004
22.01.2020 12:32:51	1	1	1	1	86.75	64.5	0	27582.938	354.8387097	9863.561003	30000	0	0	30000	44.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 12:32:51	1	1	1	1	86.75	64.5	0	27582.938	354.8387097	9863.561003	30000	0	0	30000	44.5625	2004
22.01.2020 12:32:51	1	1	1	1	86.75	64.5	0	27582.938	354.8387097	9863.561003	30000	0	0	30000	44.5625	2004
22.01.2020 12:32:51	1	1	1	1	86.75	64.5	0	27582.938	354.8387097	9863.561003	30000	0	0	30000	44.5625	2004
22.01.2020 12:32:51	1	1	1	1	86.75	64.5	0	27582.938	354.8387097	9863.561003	30000	0	0	30000	44.5625	2004
22.01.2020 12:32:51	1	1	1	1	86.75	64.5	0	27582.938	354.8387097	9863.561003	30000	0	0	30000	44.5625	2004
22.01.2020 12:32:51	1	1	1	1	86.75	64.5	0	27630.332	367.7419355	10160.35659	30000	0	0	30000	44.5	2004
22.01.2020 12:32:52	1	1	1	1	87	64.5	0	25924.171	359.1397849	9309.923083	30000	0	0	30000	44.4375	2004
22.01.2020 12:32:53	1	1	1	1	87	64.25	0	27298.578	359.1397849	9804.038812	30000	0	0	30000	44.5	2004
22.01.2020 12:32:54	1	1	1	1	87	64.5	0	29383.886	389.2473118	11166.52624	30000	0	0	30000	44.4375	2004
22.01.2020 12:32:55	1	1	1	1	87	64.25	0	27298.578	380.6451613	10391.107	30000	0	0	30000	44.625	2004
22.01.2020 12:32:56	1	1	1	1	87	64.5	0	28815.166	412.9032258	11917.4843	30000	0	0	30000	44.4375	2004
22.01.2020 12:32:57	1	1	1	1	87	64.25	0	28341.232	415.0537634	11702.22597	30000	0	0	30000	44.625	2004
22.01.2020 12:32:58	1	1	1	1	87	64.5	0	27962.085	415.0537634	11526.10551	30000	0	0	30000	44.625	2004
22.01.2020 12:32:59	1	1	1	1	87	64.5	0	28815.166	380.6451613	10968.39073	30000	0	0	30000	44.5625	2004
22.01.2020 12:33:00	1	1	1	1	87	64.5	0	29099.526	434.4086022	12557.55171	30000	0	0	30000	44.1875	2004
22.01.2020 12:33:01	1	1	1	1	87	64	0	29620.853	412.9032258	12230.58734	30000	0	0	30000	44.3125	2004
22.01.2020 12:33:02	1	1	1	1	87	64.25	0	28625.592	427.9569892	12331.69353	30000	0	0	30000	44.5625	2004
22.01.2020 12:33:03	1	1	1	1	87	64.5	0	29241.706	412.9032258	12093.60476	30000	0	0	30000	44.1875	2004
22.01.2020 12:33:04	1	1	1	1	87	64	0	29715.64	419.3548387	12461.33775	30000	0	0	30000	44.4375	2004
22.01.2020 12:33:05	1	1	1	1	87	64.25	0	29620.853	425.8064516	12612.18166	30000	0	0	30000	44.5625	2004
22.01.2020 12:33:06	1	1	1	1	87	64.5	0	28862.559	464.516129	13199.24986	30000	0	0	30000	44.5	2004
22.01.2020 12:33:07	1	1	1	1	87	64.5	0	24218.009	395.6989247	9583.072867	30000	0	0	30000	44.375	2004
22.01.2020 12:33:08	1	1	1	1	87	64.25	0	29810.427	481.7204301	14360.34028	30000	0	0	30000	44.625	2004
22.01.2020 12:33:10	1	1	1	1	87	64.5	0	26113.744	438.7096774	11553.82817	30000	0	0	30000	44.4375	2004
22.01.2020 12:33:11	1	1	1	1	87	64.25	0	29431.28	481.7204301	14154.86641	30000	0	0	30000	44.0625	2004
22.01.2020 12:33:12	1	1	1	1	87	64	0	29526.066	511.827957	15048.51466	30000	0	0	30000	43.75	2004
22.01.2020 12:33:13	1	1	1	1	86.75	63.75	0	29383.886	481.7204301	14132.03599	30000	0	0	30000	44	2004
22.01.2020 12:33:14	1	1	1	1	86.75	64	0	28578.199	501.0752688	14343.21746	30000	0	0	30000	44.5	2004
22.01.2020 12:33:15	1	1	1	1	86.75	64.5	0	28815.166	464.516129	13385.15478	30000	0	0	30000	44.5	2004
22.01.2020 12:33:16	1	1	1	1	86.75	64.5	0	29668.246	466.6666667	13823.00981	30000	0	0	30000	44	2004
22.01.2020 12:33:17	1	1	1	1	86.75	64	0	29810.427	483.8709677	14423.93934	30000	0	0	30000	44.4375	2004
22.01.2020 12:33:18	1	1	1	1	86.75	64.25	0	30000	507.5268817	15201.80469	30000	0	0	30000	44	2004
22.01.2020 12:33:19	1	1	1	1	86.75	64	0	28009.479	466.6666667	13070.421	30000	0	0	30000	44.5	2004
22.01.2020 12:33:20	1	1	1	1	86.75	64.5	0	30000	503.2258065	15161.03607	30000	0	0	30000	44.6875	2004
22.01.2020 12:33:21	1	1	1	1	86.75	64.5	0	30000	486.0215054	14644.90528	30000	0	0	30000	44.625	2004
22.01.2020 12:33:22	1	1	1	1	86.75	64.5	0	29336.493	481.7204301	14132.03599	30000	0	0	30000	44.4375	2004
22.01.2020 12:33:23	1	1	1	1	86.75	64.25	0	30000	488.172043	14644.90528	30000	0	0	30000	44.75	2004
22.01.2020 12:33:24	1	1	1	1	86.75	64.25	0	29526.066	468.8172043	13841.76338	30000	0	0	30000	43.8125	2004
22.01.2020 12:33:25	1	1	1	1	86.75	63.75	0	30000	488.172043	14644.90528	30000	0	0	30000	44.4375	2004
22.01.2020 12:33:26	1	1	1	1	86.75	64.25	0	30000	488.172043	14644.90528	30000	0	0	30000	43.9375	2004
22.01.2020 12:33:27	1	1	1	1	86.75	63.75	0	30000	503.2258065	15096.62164	30000	0	0	30000	44.4375	2004
22.01.2020 12:33:28	1	1	1	1	86.75	64.25	0	30000	494.6236559	14838.14856	30000	0	0	30000	44	2004
22.01.2020 12:33:29	1	1	1	1	86.75	64	0	29668.246	481.7204301	14314.67942	30000	0	0	30000	44.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 12:33:30	1	1	1	1	86.75	64.25	0	28815.166	481.7204301	13880.90126	30000	0	0	30000	44.5	2004
22.01.2020 12:33:31	1	1	1	1	86.75	64.5	0	30000	490.3225806	14644.90528	30000	0	0	30000	44.625	2004
22.01.2020 12:33:32	1	1	1	1	85.75	64.5	0	30000	481.7204301	14516.07643	30000	0	0	30000	44.375	2004
22.01.2020 12:33:33	1	1	1	1	85.75	64.25	0	29952.607	488.172043	14644.90528	30000	0	0	30000	44.4375	2004
22.01.2020 12:33:34	1	1	1	1	85.75	64.25	0	28009.479	460.2150538	12890.22368	30000	0	0	30000	44.1875	2004
22.01.2020 12:33:35	1	1	1	1	85.75	64	0	29952.607	481.7204301	14083.92901	30000	0	0	30000	44.25	2004
22.01.2020 12:33:36	1	1	1	1	85.75	64.25	0	29573.46	466.6666667	13823.00981	30000	0	0	30000	44.375	2004
22.01.2020 12:33:37	1	1	1	1	85.75	64.25	0	29620.853	464.516129	13759.41076	30000	0	0	30000	44.4375	2004
22.01.2020 12:33:38	1	1	1	1	85.75	64.25	0	30047.393	483.8709677	14516.07643	30000	0	0	30000	44.1875	2004
22.01.2020 12:33:39	1	1	1	1	85.75	64	0	29952.607	503.2258065	15072.97584	30000	0	0	30000	44.4375	2004
22.01.2020 12:33:40	1	1	1	1	85.75	64.25	0	30000	511.827957	15201.80469	30000	0	0	30000	44.25	2004
22.01.2020 12:33:41	1	1	1	1	85.75	64.25	0	29383.886	496.7741935	14620.44411	30000	0	0	30000	44.25	2004
22.01.2020 12:33:42	1	1	1	1	86.25	64.25	0	29857.82	481.7204301	14406.00114	30000	0	0	30000	44.375	2004
22.01.2020 12:33:43	1	1	1	1	86.25	64.25	0	29146.919	464.516129	13413.69282	30000	0	0	30000	44.125	2004
22.01.2020 12:33:44	1	1	1	1	86.25	64	0	29952.607	507.5268817	15289.86492	30000	0	0	30000	44.375	2004
22.01.2020 12:33:45	1	1	1	1	86.25	64.25	0	28815.166	464.516129	13385.15478	30000	0	0	30000	44.25	2004
22.01.2020 12:33:52	1	1	1	1	86.25	63.5	0	28815.166	464.516129	13447.12309	30000	0	0	30000	44.375	2004
22.01.2020 12:33:52	1	1	1	1	86.25	63.5	0	28815.166	464.516129	13447.12309	30000	0	0	30000	44.375	2004
22.01.2020 12:33:52	1	1	1	1	86.25	63.5	0	28815.166	464.516129	13447.12309	30000	0	0	30000	44.375	2004
22.01.2020 12:33:52	1	1	1	1	86.25	63.5	0	28815.166	464.516129	13447.12309	30000	0	0	30000	44.375	2004
22.01.2020 12:33:52	1	1	1	1	86.25	63.5	0	28815.166	464.516129	13447.12309	30000	0	0	30000	44.375	2004
22.01.2020 12:33:53	1	1	1	1	86.25	64.25	0	30000	509.6774194	15201.80469	30000	0	0	30000	44.3125	2004
22.01.2020 12:33:54	1	1	1	1	86.25	64.25	0	30000	520.4301075	15677.16685	30000	0	0	30000	44.3125	2004
22.01.2020 12:33:55	1	1	1	1	86.25	64.25	0	29810.427	486.0215054	14551.95282	30000	0	0	30000	44.0625	2004
22.01.2020 12:33:56	1	1	1	1	86.25	64	0	29952.607	505.3763441	15137.39026	30000	0	0	30000	43.25	2004
22.01.2020 12:33:57	1	1	1	1	86.25	63.25	0	30000	518.2795699	15548.338	30000	0	0	30000	44.1875	2004
22.01.2020 12:33:58	1	1	1	1	86.25	64	0	28341.232	481.7204301	13324.81722	30000	0	0	30000	43.875	2004
22.01.2020 12:33:59	1	1	1	1	86.25	63.75	0	30000	518.2795699	15548.338	30000	0	0	30000	44.5	2004
22.01.2020 12:34:00	1	1	1	1	86.25	64.5	0	29810.427	492.4731183	14680.78167	30000	0	0	30000	44.4375	2004
22.01.2020 12:34:01	1	1	1	1	86.25	64.25	0	29905.213	503.2258065	14984.10024	30000	0	0	30000	44.4375	2004
22.01.2020 12:34:02	1	1	1	1	86.5	64.25	0	30000	526.8817204	15805.99571	30000	0	0	30000	44.0625	2004
22.01.2020 12:34:03	1	1	1	1	86.5	64	0	29620.853	492.4731183	14547.06058	30000	0	0	30000	43.75	2004
22.01.2020 12:34:04	1	1	1	1	86.5	63.75	0	30000	526.8817204	15870.41013	30000	0	0	30000	44.375	2004
22.01.2020 12:34:05	1	1	1	1	86.5	64.25	0	30000	533.3333333	16000.05436	30000	0	0	30000	44.3125	2004
22.01.2020 12:34:06	1	1	1	1	86.5	64.25	0	29431.28	483.8709677	14263.31096	30000	0	0	30000	44.375	2004
22.01.2020 12:34:07	1	1	1	1	86.5	64.25	0	27440.758	466.6666667	12805.42494	30000	0	0	30000	44.3125	2004
22.01.2020 12:34:08	1	1	1	1	86.5	64.25	0	29668.246	488.172043	14459.81573	30000	0	0	30000	44.375	2004
22.01.2020 12:34:09	1	1	1	1	86.5	64.25	0	29905.213	516.1290323	15241.75794	30000	0	0	30000	44	2004
22.01.2020 12:34:10	1	1	1	1	86.5	64	0	29905.213	516.1290323	15435.00122	30000	0	0	30000	44.0625	2004
22.01.2020 12:34:11	1	1	1	1	86.5	64	0	28957.346	516.1290323	14945.77773	30000	0	0	30000	44.25	2004
22.01.2020 12:34:12	1	1	1	1	85.75	64.25	0	29905.213	516.1290323	15498.60028	30000	0	0	30000	43.625	2004
22.01.2020 12:34:13	1	1	1	1	85.75	63.5	0	29952.607	522.5806452	15717.1201	30000	0	0	30000	44.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 12:34:14	1	1	1	1	85.75	64.5	0	29905.213	516.1290323	15306.17237	30000	0	0	30000	44.4375	2004
22.01.2020 12:34:15	1	1	1	1	85.75	64.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	44.4375	2004
22.01.2020 12:34:16	1	1	1	1	85.75	64.25	0	28483.412	481.7204301	13721.08825	30000	0	0	30000	44.4375	2004
22.01.2020 12:34:17	1	1	1	1	85.75	64.25	0	30000	533.3333333	15974.77781	30000	0	0	30000	44.5625	2004
22.01.2020 12:34:18	1	1	1	1	85.75	64.5	0	28388.626	496.7741935	14126.32838	30000	0	0	30000	44.0625	2004
22.01.2020 12:34:19	1	1	1	1	85.75	64	0	29857.82	488.172043	14575.59862	30000	0	0	30000	44.0625	2004
22.01.2020 12:34:20	1	1	1	1	85.75	64	0	30000	516.1290323	15548.338	30000	0	0	30000	44.3125	2004
22.01.2020 12:34:21	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
22.01.2020 12:34:22	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
22.01.2020 12:34:23	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
22.01.2020 12:34:24	1	0	1	1	84.75	20	0	0	0	0	30000	0	0	30000	0	2004
22.01.2020 12:34:25	1	1	1	1	84.75	62	0	0	0	0	30000	0	0	30000	44.8125	2004
22.01.2020 12:34:26	1	1	1	1	84.75	64.75	0	0	0	0	30000	0	0	30000	44.6875	2004
22.01.2020 12:34:28	1	1	1	1	84.75	64.5	0	0	0	0	30000	0	0	30000	44.625	2004
22.01.2020 12:34:29	1	1	1	1	84.75	64.5	0	0	0	0	30000	0	0	30000	44.625	2004
22.01.2020 12:34:30	1	1	1	1	84.75	64.5	0	0	0	0	30000	0	0	30000	41.8125	2004
22.01.2020 12:34:31	1	1	1	1	84.75	61.75	0	0	0	0	30000	0	0	30000	44.625	2004
22.01.2020 12:34:32	1	1	1	1	84.75	64.5	0	0	0	0	30000	0	0	30000	44.75	2004
22.01.2020 12:34:33	1	1	1	1	84.75	64.75	0	0	0	0	30000	0	0	30000	44.625	2004
22.01.2020 12:34:34	1	1	1	1	84.75	64.5	0	0	0	0	30000	0	0	30000	44.625	2004
22.01.2020 12:34:35	1	1	1	1	87.5	64.5	0	9668.2464	0	0	30000	0	0	30000	44.8125	2004
22.01.2020 12:34:36	1	1	1	1	87.5	64.75	0	11184.834	0	0	30000	0	0	30000	44.625	2004
22.01.2020 12:34:37	1	1	1	1	87.5	64.5	0	11516.588	0	0	30000	0	0	30000	44.625	2004
22.01.2020 12:34:38	1	1	1	1	87.5	64.5	0	12464.455	2.150537634	26.09191966	30000	0	0	30000	44.4375	2004
22.01.2020 12:34:39	1	1	1	1	87.5	64.75	0	13222.749	4.301075269	56.26070176	30000	0	0	30000	44.5	2004
22.01.2020 12:34:40	1	1	1	1	87.5	64.5	0	14265.403	10.75268817	183.4588101	30000	0	0	30000	44.5	2004
22.01.2020 12:34:41	1	1	1	1	87.5	64.5	0	14976.303	15.05376344	224.2274346	30000	0	0	30000	44.625	2004
22.01.2020 12:34:42	1	1	1	1	87.5	64.5	0	15734.597	23.65591398	371.8098551	30000	0	0	30000	44.625	2004
22.01.2020 12:34:43	1	1	1	1	87.5	64.5	0	16492.891	30.10752688	496.561846	30000	0	0	30000	44.625	2004
22.01.2020 12:34:44	1	1	1	1	86.75	64.5	0	17251.185	40.86021505	704.4818308	30000	0	0	30000	44.5625	2004
22.01.2020 12:34:45	1	1	1	1	86.75	64.5	0	18056.872	53.76344086	970.2932623	30000	0	0	30000	44.5625	2004
22.01.2020 12:34:46	1	1	1	1	86.75	64.5	0	17582.938	51.61290323	907.5095806	30000	0	0	30000	43.8125	2004
22.01.2020 12:34:47	1	1	1	1	86.75	63.75	0	19383.886	66.66666667	1249.966026	30000	0	0	30000	44.5	2004
22.01.2020 12:34:54	1	1	1	1	86.75	64.5	0	23175.355	148.3870968	3438.425788	30000	0	0	30000	44.5625	2004
22.01.2020 12:34:54	1	1	1	1	86.75	64.5	0	23175.355	148.3870968	3438.425788	30000	0	0	30000	44.5625	2004
22.01.2020 12:34:54	1	1	1	1	86.75	64.5	0	23175.355	148.3870968	3438.425788	30000	0	0	30000	44.5625	2004
22.01.2020 12:34:54	1	1	1	1	86.75	64.5	0	23175.355	148.3870968	3438.425788	30000	0	0	30000	44.5625	2004
22.01.2020 12:34:54	1	1	1	1	86.75	64.5	0	23175.355	148.3870968	3438.425788	30000	0	0	30000	44.5625	2004
22.01.2020 12:34:54	1	1	1	1	86.75	64.5	0	23175.355	148.3870968	3438.425788	30000	0	0	30000	44.5625	2004
22.01.2020 12:34:54	1	1	1	1	86.25	64.5	0	25071.09	195.6989247	4906.096268	30000	0	0	30000	44.4375	2004
22.01.2020 12:34:55	1	1	1	1	86.25	64.25	0	25734.597	206.4516129	5443.426739	30000	0	0	30000	44.4375	2004
22.01.2020 12:34:56	1	1	1	1	86.25	64.25	0	24218.009	206.4516129	4999.864105	30000	0	0	30000	44.5625	2004
22.01.2020 12:34:57	1	1	1	1	86.25	64.5	0	27298.578	270.9677419	7397.059223	30000	0	0	30000	44.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 12:34:58	1	1	1	1	86.25	64.25	0	28009.479	322.5806452	9156.633055	30000	0	0	30000	44.5	2004
22.01.2020 12:34:59	1	1	1	1	86.25	64.5	0	28862.559	395.6989247	11278.23227	30000	0	0	30000	43.9375	2004
22.01.2020 12:35:00	1	1	1	1	86.25	63.75	0	29620.853	464.516129	13759.41076	30000	0	0	30000	44.25	2004
22.01.2020 12:35:01	1	1	1	1	86.25	64.25	0	30000	494.6236559	14773.73413	30000	0	0	30000	44.0625	2004
22.01.2020 12:35:02	1	1	1	1	86.25	64	0	30000	496.7741935	14902.56299	30000	0	0	30000	44.25	2004
22.01.2020 12:35:03	1	1	1	1	86.25	64.25	0	29905.213	481.7204301	14083.92901	30000	0	0	30000	44.375	2004
22.01.2020 12:35:05	1	1	1	1	85.5	64.25	0	28815.166	481.7204301	13880.90126	30000	0	0	30000	44.3125	2004
22.01.2020 12:35:06	1	1	1	1	85.5	64.25	0	27867.299	449.4623656	12665.99625	30000	0	0	30000	44.625	2004
22.01.2020 12:35:07	1	1	1	1	85.5	64.5	0	30000	486.0215054	14797.37994	30000	0	0	30000	44.375	2004
22.01.2020 12:35:08	1	1	1	1	85.5	64.25	0	29763.033	466.6666667	13867.03993	30000	0	0	30000	44.4375	2004
22.01.2020 12:35:09	1	1	1	1	85.5	64.25	0	26540.284	438.7096774	11586.44307	30000	0	0	30000	44.25	2004
22.01.2020 12:35:10	1	1	1	1	85.5	64.25	0	30000	507.5268817	15225.45049	30000	0	0	30000	44.375	2004
22.01.2020 12:35:11	1	1	1	1	85.5	64.25	0	29857.82	483.8709677	14446.76977	30000	0	0	30000	44.5	2004
22.01.2020 12:35:12	1	1	1	1	85.5	64.5	0	29952.607	490.3225806	14773.73413	30000	0	0	30000	44.4375	2004
22.01.2020 12:35:13	1	1	1	1	85.5	64.25	0	29857.82	481.7204301	14469.6002	30000	0	0	30000	44.125	2004
22.01.2020 12:35:14	1	1	1	1	85.5	64	0	30000	503.2258065	15032.20721	30000	0	0	30000	44.5625	2004
22.01.2020 12:35:15	1	1	1	1	85.75	64.5	0	30000	481.7204301	14451.662	30000	0	0	30000	43.875	2004
22.01.2020 12:35:16	1	1	1	1	85.75	63.75	0	29952.607	481.7204301	14451.662	30000	0	0	30000	44.625	2004
22.01.2020 12:35:17	1	1	1	1	85.75	64.5	0	30000	481.7204301	14451.662	30000	0	0	30000	44.5625	2004
22.01.2020 12:35:18	1	1	1	1	85.75	64.25	0	29810.427	412.9032258	12328.43204	30000	0	0	30000	44.3125	2004
22.01.2020 12:35:19	1	1	1	1	85.75	64.25	0	29715.64	438.7096774	13164.18884	30000	0	0	30000	44.5	2004
22.01.2020 12:35:20	1	1	1	1	85.75	64.5	0	28436.019	369.8924731	10561.51985	30000	0	0	30000	44.375	2004
22.01.2020 12:35:21	1	1	1	1	85.75	64.25	0	29952.607	417.2043011	12431.98434	30000	0	0	30000	44.5625	2004
22.01.2020 12:35:22	1	1	1	1	85.75	64.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	44.4375	2004
22.01.2020 12:35:23	1	1	1	1	85.75	64.25	0	29905.213	391.3978495	11704.67208	30000	0	0	30000	44.625	2004
22.01.2020 12:35:24	1	1	1	1	85.75	64.5	0	29431.28	363.4408602	10696.05632	30000	0	0	30000	44.5625	2004
22.01.2020 12:35:25	1	1	1	1	85.75	64.5	0	29952.607	369.8924731	11125.75762	30000	0	0	30000	44.625	2004
22.01.2020 12:35:26	1	1	1	1	85.75	64.5	0	29620.853	337.6344086	10000.54358	30000	0	0	30000	44.4375	2004
22.01.2020 12:35:27	1	1	1	1	85.75	64.25	0	27440.758	322.5806452	8910.390563	30000	0	0	30000	43.75	2004
22.01.2020 12:35:28	1	1	1	1	85.75	63.75	0	27298.578	378.4946237	10332.40018	30000	0	0	30000	43.8125	2004
22.01.2020 12:35:29	1	1	1	1	85.75	63.75	0	29952.607	412.9032258	12367.56992	30000	0	0	30000	44.5625	2004
22.01.2020 12:35:30	1	1	1	1	85.75	64.5	0	29526.066	378.4946237	11175.49534	30000	0	0	30000	44.3125	2004
22.01.2020 12:35:31	1	1	1	1	85.75	64.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	44.375	2004
22.01.2020 12:35:32	1	1	1	1	85.75	64.25	0	29573.46	427.9569892	12592.61273	30000	0	0	30000	44.5625	2004
22.01.2020 12:35:33	1	1	1	1	85.75	64.5	0	29810.427	397.8494624	11878.34642	30000	0	0	30000	44.1875	2004
22.01.2020 12:35:34	1	1	1	1	85.75	64	0	29526.066	421.5053763	12381.43125	30000	0	0	30000	44.375	2004
22.01.2020 12:35:35	1	1	1	1	85.75	64.25	0	10663.507	0	0	30000	0	0	30000	44.5625	2004
22.01.2020 12:35:36	1	1	1	1	85.75	64.5	0	11327.014	0	0	30000	0	0	30000	44.4375	2004
22.01.2020 12:35:37	1	1	1	1	85.75	64.25	0	12180.095	0	0	30000	0	0	30000	44.4375	2004
22.01.2020 12:35:38	1	1	1	1	85.75	64.25	0	12938.389	0	27.72266464	30000	0	0	30000	44.4375	2004
22.01.2020 12:35:39	1	1	1	1	85.75	64.25	0	13791.469	6.451612903	88.06022885	30000	0	0	30000	44.5	2004
22.01.2020 12:35:40	1	1	1	1	85.75	64.5	0	14454.976	10.75268817	123.9366184	30000	0	0	30000	44.5625	2004
22.01.2020 12:35:41	1	1	1	1	85.75	64.5	0	15165.877	15.05376344	228.304297	30000	0	0	30000	44.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 12:35:42	1	1	1	1	85.75	64.5	0	15734.597	21.50537634	338.3795831	30000	0	0	30000	44.625	2004
22.01.2020 12:35:44	1	1	1	1	85.75	64.5	0	16777.251	32.25806452	538.9612154	30000	0	0	30000	44.4375	2004
22.01.2020 12:35:45	1	1	1	1	86	64.25	0	17630.332	40.86021505	759.9271601	30000	0	0	30000	44.4375	2004
22.01.2020 12:35:46	1	1	1	1	86	64.25	0	18388.626	51.61290323	990.6775745	30000	0	0	30000	44.5625	2004
22.01.2020 12:35:47	1	1	1	1	86	64.5	0	19146.919	64.51612903	1232.027831	30000	0	0	30000	44.0625	2004
22.01.2020 12:35:48	1	1	1	1	86	64	0	19857.82	70.96774194	1405.702172	30000	0	0	30000	44.4375	2004
22.01.2020 12:35:49	1	1	1	1	86	64.25	0	20710.9	83.87096774	1736.743402	30000	0	0	30000	44.4375	2004
22.01.2020 12:35:56	1	1	1	1	86	64.75	0	25071.09	189.2473118	4690.022559	30000	0	0	30000	44.5625	2004
22.01.2020 12:35:56	1	1	1	1	86	64.75	0	25071.09	189.2473118	4690.022559	30000	0	0	30000	44.5625	2004
22.01.2020 12:35:56	1	1	1	1	86	64.75	0	25071.09	189.2473118	4690.022559	30000	0	0	30000	44.5625	2004
22.01.2020 12:35:56	1	1	1	1	86	64.75	0	25071.09	189.2473118	4690.022559	30000	0	0	30000	44.5625	2004
22.01.2020 12:35:56	1	1	1	1	86	64.75	0	25071.09	189.2473118	4690.022559	30000	0	0	30000	44.5625	2004
22.01.2020 12:35:56	1	1	1	1	86	64.5	0	25165.877	206.4516129	5195.553502	30000	0	0	30000	44.625	2004
22.01.2020 12:35:57	1	1	1	1	86	64.75	0	26777.251	227.9569892	6160.954529	30000	0	0	30000	44.4375	2004
22.01.2020 12:35:58	1	1	1	1	86	64.25	0	23554.502	234.4086022	5520.887125	30000	0	0	30000	44.0625	2004
22.01.2020 12:35:59	1	1	1	1	86	64	0	28293.839	329.0322581	9278.123556	30000	0	0	30000	44.5625	2004
22.01.2020 12:36:00	1	1	1	1	86	64.5	0	28293.839	337.6344086	9552.904085	30000	0	0	30000	44.5	2004
22.01.2020 12:36:01	1	1	1	1	86	64.5	0	28815.166	350.5376344	10100.8344	30000	0	0	30000	44.3125	2004
22.01.2020 12:36:02	1	1	1	1	86	64.25	0	29146.919	408.6021505	11846.5469	30000	0	0	30000	44.5	2004
22.01.2020 12:36:03	1	1	1	1	86	64.5	0	28341.232	395.6989247	11092.32734	30000	0	0	30000	44.5625	2004
22.01.2020 12:36:04	1	1	1	1	86	64.5	0	29668.246	445.1612903	13227.78789	30000	0	0	30000	44.4375	2004
22.01.2020 12:36:05	1	1	1	1	86	64.25	0	30000	488.172043	14709.31971	30000	0	0	30000	44.5625	2004
22.01.2020 12:36:06	1	1	1	1	86	64.5	0	30000	481.7204301	14451.662	30000	0	0	30000	43.75	2004
22.01.2020 12:36:07	1	1	1	1	86	63.75	0	30000	481.7204301	14516.07643	30000	0	0	30000	44.4375	2004
22.01.2020 12:36:08	1	1	1	1	86	64.25	0	29952.607	496.7741935	14879.73256	30000	0	0	30000	44.125	2004
22.01.2020 12:36:09	1	1	1	1	86	64	0	29857.82	481.7204301	14360.34028	30000	0	0	30000	44.375	2004
22.01.2020 12:36:10	1	1	1	1	86	64.25	0	29857.82	494.6236559	14791.67233	30000	0	0	30000	44.6875	2004
22.01.2020 12:36:11	1	1	1	1	86	64.5	0	29905.213	486.0215054	14493.246	30000	0	0	30000	44.3125	2004
22.01.2020 12:36:12	1	1	1	1	86	64.25	0	30000	481.7204301	14451.662	30000	0	0	30000	44.4375	2004
22.01.2020 12:36:13	1	1	1	1	86	64.25	0	30000	486.0215054	14644.90528	30000	0	0	30000	44.25	2004
22.01.2020 12:36:14	1	1	1	1	85	64.25	0	28341.232	464.516129	12960.34572	30000	0	0	30000	43.9375	2004
22.01.2020 12:36:15	1	1	1	1	85	63.75	0	29810.427	464.516129	13933.0851	30000	0	0	30000	43.75	2004
22.01.2020 12:36:16	1	1	1	1	85	63.75	0	29668.246	412.9032258	12038.9748	30000	0	0	30000	44.1875	2004
22.01.2020 12:36:17	1	1	1	1	85	64	0	27440.758	369.8924731	10091.04993	30000	0	0	30000	44.5625	2004
22.01.2020 12:36:18	1	1	1	1	85	64.5	0	30000	481.7204301	14451.662	30000	0	0	30000	44.25	2004
22.01.2020 12:36:19	1	1	1	1	85	64.25	0	28436.019	359.1397849	10090.23456	30000	0	0	30000	44.5	2004
22.01.2020 12:36:20	1	1	1	1	85	64.5	0	29952.607	397.8494624	11916.66893	30000	0	0	30000	44.3125	2004
22.01.2020 12:36:22	1	1	1	1	85	64.25	0	29478.673	346.2365591	10222.3249	30000	0	0	30000	44.5625	2004
22.01.2020 12:36:23	1	1	1	1	85	64.5	0	29857.82	348.3870968	10546.84315	30000	0	0	30000	44.375	2004
22.01.2020 12:36:24	1	1	1	1	85	64.25	0	29952.607	380.6451613	11419.29171	30000	0	0	30000	44.625	2004
22.01.2020 12:36:25	1	1	1	1	85	64.5	0	29952.607	387.0967742	11659.01122	30000	0	0	30000	44.4375	2004
22.01.2020 12:36:26	1	1	1	1	85	64.25	0	28625.592	313.9784946	9034.327182	30000	0	0	30000	44.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 12:36:27	1	1	1	1	85	64.5	0	29905.213	389.2473118	11640.25766	30000	0	0	30000	44.5625	2004
22.01.2020 12:36:28	1	1	1	1	85	64.5	0	29952.607	395.6989247	11871.00807	30000	0	0	30000	44.4375	2004
22.01.2020 12:36:29	1	1	1	1	85	64.25	0	29715.64	382.7956989	11438.86065	30000	0	0	30000	44.5625	2004
22.01.2020 12:36:30	1	1	1	1	85	64.5	0	28862.559	395.6989247	11458.42959	30000	0	0	30000	44.5	2004
22.01.2020 12:36:31	1	1	1	1	85	64.5	0	29810.427	365.5913978	10850.97709	30000	0	0	30000	44.3125	2004
22.01.2020 12:36:32	1	1	1	1	85	64.25	0	0	0	0	30000	0	8	30000	43.9375	2004
22.01.2020 12:36:33	1	1	1	1	85	63.75	0	10426.54	0	0	30000	0	0	30000	44.9375	2004
22.01.2020 12:36:34	1	1	1	1	85	64.75	0	11137.441	0	0	30000	0	0	30000	44.9375	2004
22.01.2020 12:36:35	1	1	1	1	86.5	64.5	0	12085.308	0	0	30000	0	0	30000	44.625	2004
22.01.2020 12:36:36	1	1	1	1	86.5	64.5	0	12796.209	0	0	30000	0	0	30000	44.5625	2004
22.01.2020 12:36:37	1	1	1	1	86.5	64.5	0	13601.896	4.301075269	58.70681923	30000	0	0	30000	44.5625	2004
22.01.2020 12:36:38	1	1	1	1	86.5	64.5	0	14407.583	8.602150538	92.95246378	30000	0	0	30000	44.75	2004
22.01.2020 12:36:39	1	1	1	1	86.5	64.75	0	14549.763	10.75268817	187.5356725	30000	0	0	30000	44.625	2004
22.01.2020 12:36:40	1	1	1	1	86.5	64.5	0	15876.777	23.65591398	344.902563	30000	0	0	30000	44.625	2004
22.01.2020 12:36:41	1	1	1	1	86.5	64.5	0	14786.73	19.35483871	286.1957438	30000	0	0	30000	44.625	2004
22.01.2020 12:36:42	1	1	1	1	86.5	64.5	0	17488.152	40.86021505	714.2663007	30000	0	0	30000	44.5625	2004
22.01.2020 12:36:43	1	1	1	1	86.5	64.5	0	18151.659	51.61290323	858.5872313	30000	0	0	30000	44.5	2004
22.01.2020 12:36:44	1	1	1	1	85.75	64.5	0	18909.953	62.3655914	1138.259995	30000	0	0	30000	44.5	2004
22.01.2020 12:36:45	1	1	1	1	85.75	64.5	0	18815.166	60.21505376	1132.552388	30000	0	0	30000	44.5625	2004
22.01.2020 12:36:46	1	1	1	1	85.75	64.5	0	20331.754	75.2688172	1529.63879	30000	0	0	30000	44.625	2004
22.01.2020 12:36:47	1	1	1	1	85.75	64.5	0	21374.408	103.2258065	2114.260865	30000	0	0	30000	44.5625	2004
22.01.2020 12:36:48	1	1	1	1	85.75	64.5	0	21943.128	116.1290323	2642.622238	30000	0	0	30000	44.625	2004
22.01.2020 12:36:49	1	1	1	1	85.75	64.5	0	22322.275	109.6774194	2442.855978	30000	0	0	30000	44.5	2004
22.01.2020 12:36:50	1	1	1	1	85.75	64.5	0	22559.242	129.0322581	2904.356807	30000	0	0	30000	44.625	2004
22.01.2020 12:36:57	1	1	1	1	85.75	64.5	0	23649.289	156.9892473	3712.390944	30000	0	0	30000	44.5	2004
22.01.2020 12:36:57	1	1	1	1	85.75	64.5	0	23649.289	156.9892473	3712.390944	30000	0	0	30000	44.5	2004
22.01.2020 12:36:57	1	1	1	1	85.75	64.5	0	23649.289	156.9892473	3712.390944	30000	0	0	30000	44.5	2004
22.01.2020 12:36:57	1	1	1	1	85.75	64.5	0	23649.289	156.9892473	3712.390944	30000	0	0	30000	44.5	2004
22.01.2020 12:36:57	1	1	1	1	85.75	64.5	0	23649.289	156.9892473	3712.390944	30000	0	0	30000	44.5	2004
22.01.2020 12:36:57	1	1	1	1	85.75	64.5	0	23649.289	156.9892473	3712.390944	30000	0	0	30000	44.5	2004
22.01.2020 12:36:57	1	1	1	1	85.75	64.5	0	23791.469	156.9892473	3785.774468	30000	0	0	30000	44.625	2004
22.01.2020 12:36:58	1	1	1	1	85.75	64.5	0	24881.517	178.4946237	4440.518577	30000	0	0	30000	44.5625	2004
22.01.2020 12:37:00	1	1	1	1	85.75	64.5	0	24075.829	178.4946237	4409.534422	30000	0	0	30000	44.5625	2004
22.01.2020 12:37:01	1	1	1	1	85.75	64.5	0	24218.009	193.5483871	4625.608132	30000	0	0	30000	44.625	2004
22.01.2020 12:37:02	1	1	1	1	85.75	64.5	0	25545.024	206.4516129	5273.829261	30000	0	0	30000	44.5625	2004
22.01.2020 12:37:03	1	1	1	1	85.75	64.5	0	25734.597	221.5053763	5700.269073	30000	0	0	30000	44.5625	2004
22.01.2020 12:37:04	1	1	1	1	85.75	64.5	0	25592.417	232.2580645	5944.065447	30000	0	0	30000	44.625	2004
22.01.2020 12:37:05	1	1	1	1	85.75	64.5	0	25876.777	230.1075269	6010.110619	30000	0	0	30000	44.5	2004
22.01.2020 12:37:06	1	1	1	1	85.75	64.5	0	25734.597	234.4086022	6032.125676	30000	0	0	30000	44.625	2004
22.01.2020 12:37:07	1	1	1	1	85.75	64.5	0	25592.417	227.9569892	5899.21996	30000	0	0	30000	44.5625	2004
22.01.2020 12:37:08	1	1	1	1	85.75	64.5	0	26540.284	251.6129032	6746.391977	30000	0	0	30000	44.5625	2004
22.01.2020 12:37:09	1	1	1	1	85.75	64.5	0	27109.005	245.1612903	6598.809556	30000	0	0	30000	44.5625	2004
22.01.2020 12:37:10	1	1	1	1	85.75	64.5	0	26066.351	249.4623656	6502.595602	30000	0	0	30000	44.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 12:37:11	1	1	1	1	85.75	64.5	0	26113.744	260.2150538	6794.498954	30000	0	0	30000	44.625	2004
22.01.2020 12:37:12	1	1	1	1	85.75	64.5	0	25592.417	266.6666667	6769.222406	30000	0	0	30000	44.875	2004
22.01.2020 12:37:13	1	1	1	1	85.75	64.75	0	26540.284	283.8709677	7591.117876	30000	0	0	30000	44.5625	2004
22.01.2020 12:37:14	1	1	1	1	85.25	64.5	0	27440.758	316.1290323	8823.145707	30000	0	0	30000	44.625	2004
22.01.2020 12:37:15	1	1	1	1	85.25	64.5	0	26919.431	311.827957	8394.259778	30000	0	0	30000	44.4375	2004
22.01.2020 12:37:16	1	1	1	1	85.25	64.25	0	27867.299	326.8817204	9109.341451	30000	0	0	30000	44.375	2004
22.01.2020 12:37:17	1	1	1	1	85.25	64.25	0	27630.332	339.7849462	9388.198842	30000	0	0	30000	44.125	2004
22.01.2020 12:37:18	1	1	1	1	85.25	64	0	27630.332	352.688172	9804.038812	30000	0	0	30000	44.625	2004
22.01.2020 12:37:19	1	1	1	1	85.25	64.5	0	28815.166	350.5376344	10038.86609	30000	0	0	30000	44.5	2004
22.01.2020 12:37:20	1	1	1	1	85.25	64.5	0	25924.171	337.6344086	8896.529231	30000	0	0	30000	44.4375	2004
22.01.2020 12:37:21	1	1	1	1	85.25	64.25	0	28009.479	369.8924731	10430.24488	30000	0	0	30000	44.625	2004
22.01.2020 12:37:22	1	1	1	1	85.25	64.5	0	28009.479	395.6989247	11083.35825	30000	0	0	30000	44.5	2004
22.01.2020 12:37:23	1	1	1	1	85.25	64.5	0	29383.886	378.4946237	11012.42084	30000	0	0	30000	44.5	2004
22.01.2020 12:37:24	1	1	1	1	85.75	64.5	0	28199.052	352.688172	9763.270187	30000	0	0	30000	44.5	2004
22.01.2020 12:37:25	1	1	1	1	85.75	64.5	0	28815.166	412.9032258	11959.88367	30000	0	0	30000	44.5	2004
22.01.2020 12:37:26	1	1	1	1	85.75	64.5	0	29905.213	432.2580645	12818.4709	30000	0	0	30000	44.25	2004
22.01.2020 12:37:27	1	1	1	1	85.75	64.25	0	28862.559	425.8064516	12227.32585	30000	0	0	30000	44.5625	2004
22.01.2020 12:37:28	1	1	1	1	85.75	64.5	0	29715.64	427.9569892	12716.54934	30000	0	0	30000	44.5625	2004
22.01.2020 12:37:29	1	1	1	1	85.75	64.5	0	29952.607	434.4086022	13096.51292	30000	0	0	30000	44.125	2004
22.01.2020 12:37:30	1	1	1	1	85.75	64	0	29952.607	438.7096774	13076.12861	30000	0	0	30000	44.5625	2004
22.01.2020 12:37:31	1	1	1	1	85.75	64.5	0	29715.64	425.8064516	12716.54934	30000	0	0	30000	44	2004
22.01.2020 12:37:32	1	1	1	1	85.75	64	0	29052.133	395.6989247	11557.90504	30000	0	0	30000	44.5625	2004
22.01.2020 12:37:33	1	1	1	1	85.75	64.5	0	28199.052	369.8924731	10673.22589	30000	0	0	30000	44.25	2004
22.01.2020 12:37:34	1	1	1	1	85.25	64.25	0	29146.919	445.1612903	13016.60642	30000	0	0	30000	44.4375	2004
22.01.2020 12:37:35	1	1	1	1	85.25	64.25	0	29952.607	443.0107527	13333.78632	30000	0	0	30000	44.4375	2004
22.01.2020 12:37:36	1	1	1	1	85.25	64.25	0	29478.673	458.0645161	13524.58348	30000	0	0	30000	44.5	2004
22.01.2020 12:37:38	1	1	1	1	85.25	64.5	0	29715.64	466.6666667	13867.03993	30000	0	0	30000	44.5	2004
22.01.2020 12:37:39	1	1	1	1	85.25	64.5	0	25592.417	412.9032258	10586.7964	30000	0	0	30000	43.75	2004
22.01.2020 12:37:40	1	1	1	1	85.25	63.75	0	29715.64	481.7204301	14314.67942	30000	0	0	30000	44.25	2004
22.01.2020 12:37:41	1	1	1	1	85.25	64.25	0	30000	460.2150538	13741.47256	30000	0	0	30000	44.3125	2004
22.01.2020 12:37:42	1	1	1	1	85.25	64.25	0	29905.213	460.2150538	13827.08667	30000	0	0	30000	44.0625	2004
22.01.2020 12:37:43	1	1	1	1	85.25	64	0	30000	481.7204301	14451.662	30000	0	0	30000	44.375	2004
22.01.2020 12:37:44	1	1	1	1	85.25	64.25	0	29952.607	481.7204301	14451.662	30000	0	0	30000	44.375	2004
22.01.2020 12:37:45	1	1	1	1	86	64.25	0	29431.28	466.6666667	13756.14927	30000	0	0	30000	44.625	2004
22.01.2020 12:37:46	1	1	1	1	86	64.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	43.9375	2004
22.01.2020 12:37:47	1	1	1	1	86	63.75	0	30000	464.516129	13999.94564	30000	0	0	30000	44.25	2004
22.01.2020 12:37:48	1	1	1	1	86	64.25	0	30000	481.7204301	14451.662	30000	0	0	30000	44.6875	2004
22.01.2020 12:37:49	1	1	1	1	86	64.5	0	30000	481.7204301	14451.662	30000	0	0	30000	44.625	2004
22.01.2020 12:37:50	1	1	1	1	86	64.5	0	30000	481.7204301	14451.662	30000	0	0	30000	44.0625	2004
22.01.2020 12:37:51	1	1	1	1	86	64.5	0	30000	481.7204301	14451.662	30000	0	0	30000	43.8125	2004
22.01.2020 12:37:52	1	1	1	1	86	63.75	0	30000	481.7204301	14538.90686	30000	0	0	30000	44.3125	2004
22.01.2020 12:37:59	1	1	1	1	85.75	63.5	0	28957.346	445.1612903	12890.22368	30000	0	0	30000	44.3125	2004
22.01.2020 12:37:59	1	1	1	1	85.75	63.5	0	28957.346	445.1612903	12890.22368	30000	0	0	30000	44.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 12:37:59	1	1	1	1	85.75	63.5	0	28957.346	445.1612903	12890.22368	30000	0	0	30000	44.3125	2004
22.01.2020 12:37:59	1	1	1	1	85.75	63.5	0	28957.346	445.1612903	12890.22368	30000	0	0	30000	44.3125	2004
22.01.2020 12:37:59	1	1	1	1	85.75	63.5	0	28957.346	445.1612903	12890.22368	30000	0	0	30000	44.3125	2004
22.01.2020 12:37:59	1	1	1	1	85.75	63.5	0	28957.346	445.1612903	12890.22368	30000	0	0	30000	44.3125	2004
22.01.2020 12:37:59	1	1	1	1	85.75	64.25	0	29952.607	481.7204301	14451.662	30000	0	0	30000	44.25	2004
22.01.2020 12:38:00	1	1	1	1	85.75	64.25	0	28436.019	455.9139785	12881.25459	30000	0	0	30000	44.3125	2004
22.01.2020 12:38:01	1	1	1	1	85.75	64.25	0	30000	468.8172043	14064.36007	30000	0	0	30000	43.9375	2004
22.01.2020 12:38:02	1	1	1	1	85.75	63.75	0	30000	481.7204301	14451.662	30000	0	0	30000	44.25	2004
22.01.2020 12:38:03	1	1	1	1	85.75	64.25	0	29099.526	395.6989247	11595.41217	30000	0	0	30000	44.5	2004
22.01.2020 12:38:04	1	1	1	1	85.5	64.5	0	30000	460.2150538	13805.88699	30000	0	0	30000	43.875	2004
22.01.2020 12:38:05	1	1	1	1	85.5	63.75	0	30000	460.2150538	13870.30142	30000	0	0	30000	43.4375	2004
22.01.2020 12:38:06	1	1	1	1	85.5	63.25	0	0	0	0	30000	0	8	30000	44.4375	2004
22.01.2020 12:38:07	1	1	1	1	85.5	64.25	0	10189.573	0	0	30000	0	0	30000	44.75	2004
22.01.2020 12:38:08	1	1	1	1	85.5	64.75	0	10947.867	0	0	30000	0	0	30000	44.625	2004
22.01.2020 12:38:09	1	1	1	1	85.5	64.5	0	11706.161	0	0	30000	0	0	30000	44.625	2004
22.01.2020 12:38:10	1	1	1	1	85.5	64.5	0	12464.455	0	26.09191966	30000	0	0	30000	42.9375	2004
22.01.2020 12:38:11	1	1	1	1	85.5	62.75	0	13270.142	4.301075269	57.07607425	30000	0	0	30000	44.5625	2004
22.01.2020 12:38:12	1	1	1	1	85.5	64.5	0	14075.829	8.602150538	119.8597559	30000	0	0	30000	44.375	2004
22.01.2020 12:38:13	1	1	1	1	85.5	64.25	0	14786.73	15.05376344	222.5966896	30000	0	0	30000	44.5	2004
22.01.2020 12:38:14	1	1	1	1	86.25	64.5	0	15497.63	21.50537634	332.6719756	30000	0	0	30000	44.625	2004
22.01.2020 12:38:15	1	1	1	1	86.25	64.5	0	14218.009	15.05376344	244.6117468	30000	0	0	30000	44.5625	2004
22.01.2020 12:38:17	1	1	1	1	86.25	64.5	0	17014.218	34.40860215	548.7456853	30000	0	0	30000	44.625	2004
22.01.2020 12:38:18	1	1	1	1	86.25	64.5	0	17867.299	43.01075269	768.080885	30000	0	0	30000	44.4375	2004
22.01.2020 12:38:19	1	1	1	1	86.25	64.25	0	18578.199	51.61290323	956.43193	30000	0	0	30000	44.625	2004
22.01.2020 12:38:20	1	1	1	1	86.25	64.5	0	18862.559	53.76344086	1013.508004	30000	0	0	30000	44.625	2004
22.01.2020 12:38:21	1	1	1	1	86.25	64.5	0	20189.573	77.41935484	1609.545294	30000	0	0	30000	44.4375	2004
22.01.2020 12:38:22	1	1	1	1	86.25	64.25	0	20900.474	90.32258065	1932.4328	30000	0	0	30000	44.5625	2004
22.01.2020 12:38:23	1	1	1	1	86.25	64.5	0	21753.555	105.3763441	2292.012068	30000	0	0	30000	44.5	2004
22.01.2020 12:38:24	1	1	1	1	86.25	64.5	0	21279.621	103.2258065	2206.397956	30000	0	0	30000	44.5	2004
22.01.2020 12:38:25	1	1	1	1	86	64.5	0	23080.569	111.827957	2580.653929	30000	0	0	30000	44.625	2004
22.01.2020 12:38:26	1	1	1	1	86	64.5	0	23933.649	122.5806452	2933.710217	30000	0	0	30000	44.6875	2004
22.01.2020 12:38:27	1	1	1	1	86	64.5	0	24739.336	139.7849462	3464.517707	30000	0	0	30000	44.5625	2004
22.01.2020 12:38:28	1	1	1	1	86	64.5	0	24928.91	159.1397849	3912.972576	30000	0	0	30000	44.875	2004
22.01.2020 12:38:29	1	1	1	1	86	64.75	0	22748.815	152.688172	3473.486805	30000	0	0	30000	44.875	2004
22.01.2020 12:38:30	1	1	1	1	86	64.25	0	26113.744	182.7956989	4773.190553	30000	0	0	30000	44.5625	2004
22.01.2020 12:38:31	1	1	1	1	86	64.5	0	25545.024	206.4516129	5273.829261	30000	0	0	30000	44.4375	2004
22.01.2020 12:38:32	1	1	1	1	86	64.25	0	26113.744	221.5053763	5784.252439	30000	0	0	30000	44.5	2004
22.01.2020 12:38:33	1	1	1	1	86	64.5	0	26208.531	234.4086022	6154.431549	30000	0	0	30000	44.4375	2004
22.01.2020 12:38:34	1	1	1	1	86.25	64.25	0	26919.431	247.311828	6715.407822	30000	0	0	30000	44.625	2004
22.01.2020 12:38:35	1	1	1	1	86.25	64.5	0	26113.744	249.4623656	6457.750116	30000	0	0	30000	44.625	2004
22.01.2020 12:38:36	1	1	1	1	86.25	64.5	0	26303.318	245.1612903	6505.04172	30000	0	0	30000	44.625	2004
22.01.2020 12:38:37	1	1	1	1	86.25	64.5	0	26587.678	275.2688172	7260.892018	30000	0	0	30000	44.375	2004
22.01.2020 12:38:38	1	1	1	1	86.25	64.25	0	26208.531	279.5698925	7326.937189	30000	0	0	30000	44.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 12:38:39	1	1	1	1	86.25	64.5	0	26919.431	281.7204301	7583.779523	30000	0	0	30000	44.0625	2004
22.01.2020 12:38:40	1	1	1	1	86.25	64	0	27014.218	281.7204301	7623.732775	30000	0	0	30000	44.375	2004
22.01.2020 12:38:41	1	1	1	1	86.25	64.25	0	26777.251	281.7204301	7459.027532	30000	0	0	30000	44.5	2004
22.01.2020 12:38:42	1	1	1	1	86.25	64.5	0	26919.431	273.1182796	7467.99663	30000	0	0	30000	44.5625	2004
22.01.2020 12:38:43	1	1	1	1	86.25	64.5	0	29146.919	311.827957	9088.141766	30000	0	0	30000	44.375	2004
22.01.2020 12:38:44	1	1	1	1	85.75	64.25	0	27440.758	311.827957	8556.518903	30000	0	0	30000	44.5	2004
22.01.2020 12:38:45	1	1	1	1	85.75	64.5	0	28293.839	326.8817204	9264.262224	30000	0	0	30000	44.25	2004
22.01.2020 12:38:46	1	1	1	1	85.75	64.25	0	27582.938	326.8817204	9016.388987	30000	0	0	30000	44.5	2004
22.01.2020 12:38:47	1	1	1	1	85.75	64.5	0	27867.299	339.7849462	9468.920719	30000	0	0	30000	44.5	2004
22.01.2020 12:38:48	1	1	1	1	85.75	64.5	0	27819.905	382.7956989	10589.24252	30000	0	0	30000	44.4375	2004
22.01.2020 12:38:49	1	1	1	1	85.75	64.25	0	27298.578	372.0430108	10156.27973	30000	0	0	30000	44.4375	2004
22.01.2020 12:38:50	1	1	1	1	85.75	64.25	0	27867.299	384.9462366	10727.04047	30000	0	0	30000	44.5625	2004
22.01.2020 12:38:51	1	1	1	1	85.75	64.5	0	27867.299	384.9462366	10727.04047	30000	0	0	30000	44.3125	2004
22.01.2020 12:38:52	1	1	1	1	85.75	64.25	0	27345.972	354.8387097	9745.331992	30000	0	0	30000	44.3125	2004
22.01.2020 12:38:53	1	1	1	1	85.75	64.25	0	28578.199	417.2043011	11822.08572	30000	0	0	30000	44.5	2004
22.01.2020 12:39:00	1	1	1	1	85.75	64.5	0	28009.479	391.3978495	10902.34555	30000	0	0	30000	44.0625	2004
22.01.2020 12:39:00	1	1	1	1	85.75	64.5	0	28009.479	391.3978495	10902.34555	30000	0	0	30000	44.0625	2004
22.01.2020 12:39:00	1	1	1	1	85.75	64.5	0	28009.479	391.3978495	10902.34555	30000	0	0	30000	44.0625	2004
22.01.2020 12:39:00	1	1	1	1	85.75	64.5	0	28009.479	391.3978495	10902.34555	30000	0	0	30000	44.0625	2004
22.01.2020 12:39:00	1	1	1	1	85.75	64.5	0	28009.479	391.3978495	10902.34555	30000	0	0	30000	44.0625	2004
22.01.2020 12:39:00	1	1	1	1	85.75	64.5	0	28009.479	391.3978495	10902.34555	30000	0	0	30000	44.0625	2004
22.01.2020 12:39:01	1	1	1	1	85.75	64	0	28625.592	443.0107527	12681.48833	30000	0	0	30000	43.4375	2004
22.01.2020 12:39:02	1	1	1	1	85.75	63.25	0	28862.559	458.0645161	13137.28155	30000	0	0	30000	44.5625	2004
22.01.2020 12:39:03	1	1	1	1	85.75	64.5	0	28862.559	466.6666667	13469.13815	30000	0	0	30000	44.125	2004
22.01.2020 12:39:04	1	1	1	1	85.75	64	0	29052.133	481.7204301	13681.95037	30000	0	0	30000	44.75	2004
22.01.2020 12:39:05	1	1	1	1	86.25	64.75	0	29668.246	496.7741935	14761.50355	30000	0	0	30000	44.5	2004
22.01.2020 12:39:06	1	1	1	1	86.25	64.5	0	30000	494.6236559	14838.14856	30000	0	0	30000	44.375	2004
22.01.2020 12:39:07	1	1	1	1	86.25	64.25	0	28815.166	460.2150538	13199.24986	30000	0	0	30000	43.6875	2004
22.01.2020 12:39:08	1	1	1	1	86.25	63.5	0	29952.607	505.3763441	15112.92909	30000	0	0	30000	44.4375	2004
22.01.2020 12:39:09	1	1	1	1	86.25	64.75	0	30000	518.2795699	15483.92357	30000	0	0	30000	44.375	2004
22.01.2020 12:39:10	1	1	1	1	86.25	64.25	0	30000	516.1290323	15548.338	30000	0	0	30000	44.4375	2004
22.01.2020 12:39:11	1	1	1	1	86.25	64.25	0	29905.213	503.2258065	15137.39026	30000	0	0	30000	44.4375	2004
22.01.2020 12:39:12	1	1	1	1	86.25	64.25	0	26113.744	483.8709677	12635.01209	30000	0	0	30000	44.5	2004
22.01.2020 12:39:13	1	1	1	1	86.25	64.5	0	29952.607	516.1290323	15483.92357	30000	0	0	30000	44.125	2004
22.01.2020 12:39:14	1	1	1	1	85.25	64	0	29905.213	520.4301075	15805.99571	30000	0	0	30000	44.125	2004
22.01.2020 12:39:15	1	1	1	1	85.25	64	0	29715.64	481.7204301	14314.67942	30000	0	0	30000	44.4375	2004
22.01.2020 12:39:16	1	1	1	1	85.25	64.25	0	30000	529.0322581	15805.99571	30000	0	0	30000	44.5	2004
22.01.2020 12:39:17	1	1	1	1	85.25	64.5	0	28578.199	468.8172043	13231.04938	30000	0	0	30000	44.5625	2004
22.01.2020 12:39:18	1	1	1	1	85.25	64.5	0	29952.607	529.0322581	15805.99571	30000	0	0	30000	44.5	2004
22.01.2020 12:39:19	1	1	1	1	85.25	64.5	0	25924.171	481.7204301	12488.24505	30000	0	0	30000	43.875	2004
22.01.2020 12:39:20	1	1	1	1	85.25	63.75	0	29336.493	507.5268817	14888.70166	30000	0	0	30000	44.5625	2004
22.01.2020 12:39:21	1	1	1	1	85.25	64.5	0	29526.066	481.7204301	14286.14139	30000	0	0	30000	44.4375	2004
22.01.2020 12:39:22	1	1	1	1	85.25	64.25	0	30000	531.1827957	15934.82456	30000	0	0	30000	44.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 12:39:23	1	1	1	1	85.25	64	0	28483.412	468.8172043	13414.50819	30000	0	0	30000	44.0625	2004
22.01.2020 12:39:24	1	1	1	1	85.75	64	0	29715.64	486.0215054	14378.27848	30000	0	0	30000	43.9375	2004
22.01.2020 12:39:25	1	1	1	1	85.75	63.75	0	28009.479	492.4731183	13793.6564	30000	0	0	30000	44.4375	2004
22.01.2020 12:39:26	1	1	1	1	85.75	64.25	0	30000	518.2795699	15612.75243	30000	0	0	30000	43.9375	2004
22.01.2020 12:39:27	1	1	1	1	85.75	63.75	0	29952.607	505.3763441	14984.10024	30000	0	0	30000	44.3125	2004
22.01.2020 12:39:28	1	1	1	1	85.75	64.25	0	30000	520.4301075	15677.16685	30000	0	0	30000	44.375	2004
22.01.2020 12:39:29	1	1	1	1	85.75	64.25	0	29905.213	494.6236559	14727.2579	30000	0	0	30000	44.25	2004
22.01.2020 12:39:30	1	1	1	1	85.75	64.25	0	29952.607	509.6774194	15354.27935	30000	0	0	30000	44.4375	2004
22.01.2020 12:39:31	1	1	1	1	85.75	64.25	0	28815.166	481.7204301	13880.90126	30000	0	0	30000	44	2004
22.01.2020 12:39:33	1	1	1	1	85.75	64	0	29526.066	464.516129	13715.38064	30000	0	0	30000	44.25	2004
22.01.2020 12:39:34	1	1	1	1	85.75	64.25	0	30000	488.172043	14644.90528	30000	0	0	30000	44.5625	2004
22.01.2020 12:39:35	1	1	1	1	85.75	64.5	0	29905.213	483.8709677	14493.246	30000	0	0	30000	44.375	2004
22.01.2020 12:39:36	1	1	1	1	85.75	64.25	0	30000	501.0752688	15032.20721	30000	0	0	30000	44.3125	2004
22.01.2020 12:39:37	1	1	1	1	85.75	64.25	0	30000	486.0215054	14644.90528	30000	0	0	30000	43.8125	2004
22.01.2020 12:39:38	1	1	1	1	85.75	63.75	0	30000	481.7204301	14451.662	30000	0	0	30000	44.3125	2004
22.01.2020 12:39:39	1	1	1	1	85.75	64.25	0	29952.607	481.7204301	14406.00114	30000	0	0	30000	44.25	2004
22.01.2020 12:39:40	1	1	1	1	85.75	64.25	0	29905.213	481.7204301	14493.246	30000	0	0	30000	44.4375	2004
22.01.2020 12:39:41	1	1	1	1	85.75	64.25	0	30000	483.8709677	14451.662	30000	0	0	30000	44.3125	2004
22.01.2020 12:39:42	1	1	1	1	85.75	64.25	0	29952.607	496.7741935	14902.56299	30000	0	0	30000	44.375	2004
22.01.2020 12:39:43	1	1	1	1	85.75	64.25	0	29857.82	488.172043	14575.59862	30000	0	0	30000	44.3125	2004
22.01.2020 12:39:44	1	1	1	1	85.75	64.25	0	30000	464.516129	13935.53122	30000	0	0	30000	44.5	2004
22.01.2020 12:39:45	1	1	1	1	86.5	64.5	0	30000	486.0215054	14516.07643	30000	0	0	30000	44.3125	2004
22.01.2020 12:39:46	1	1	1	1	86.5	64.25	0	29952.607	488.172043	14644.90528	30000	0	0	30000	44.6875	2004
22.01.2020 12:39:47	1	1	1	1	86.5	64.5	0	29905.213	486.0215054	14773.73413	30000	0	0	30000	44.3125	2004
22.01.2020 12:39:48	1	1	1	1	86.5	64.5	0	30000	492.4731183	14773.73413	30000	0	0	30000	44.375	2004
22.01.2020 12:39:49	1	1	1	1	86.5	64.25	0	30000	496.7741935	14902.56299	30000	0	0	30000	44.5625	2004
22.01.2020 12:39:50	1	1	1	1	86.5	64.5	0	29905.213	496.7741935	14902.56299	30000	0	0	30000	44.5	2004
22.01.2020 12:39:51	1	1	1	1	86.5	64.5	0	30000	501.0752688	15032.20721	30000	0	0	30000	44.125	2004
22.01.2020 12:39:52	1	1	1	1	86.5	64	0	29952.607	494.6236559	14727.2579	30000	0	0	30000	43.875	2004
22.01.2020 12:39:53	1	1	1	1	86.5	63.75	0	30000	498.9247312	15032.20721	30000	0	0	30000	43.125	2004
22.01.2020 12:39:54	1	1	1	1	86.25	63	0	28625.592	481.7204301	13880.90126	30000	0	0	30000	44.125	2004
22.01.2020 12:39:55	1	1	1	1	86.25	64	0	29905.213	486.0215054	14598.42905	30000	0	0	30000	44.25	2004
22.01.2020 12:40:02	1	1	1	1	86.25	63.75	0	29952.607	492.4731183	14773.73413	30000	0	0	30000	44.5	2004
22.01.2020 12:40:02	1	1	1	1	86.25	63.75	0	29952.607	492.4731183	14773.73413	30000	0	0	30000	44.5	2004
22.01.2020 12:40:02	1	1	1	1	86.25	63.75	0	29952.607	492.4731183	14773.73413	30000	0	0	30000	44.5	2004
22.01.2020 12:40:02	1	1	1	1	86.25	63.75	0	29952.607	492.4731183	14773.73413	30000	0	0	30000	44.5	2004
22.01.2020 12:40:02	1	1	1	1	86.25	63.75	0	29952.607	492.4731183	14773.73413	30000	0	0	30000	44.5	2004
22.01.2020 12:40:02	1	1	1	1	86.25	63.75	0	29952.607	492.4731183	14773.73413	30000	0	0	30000	44.5	2004
22.01.2020 12:40:02	1	1	1	1	86.25	64.5	0	29526.066	481.7204301	14246.18813	30000	0	0	30000	44.5	2004
22.01.2020 12:40:03	1	1	1	1	86.25	64.5	0	30000	509.6774194	15266.21912	30000	0	0	30000	44.375	2004
22.01.2020 12:40:04	1	1	1	1	86.5	64.25	0	26113.744	481.7204301	12625.22762	30000	0	0	30000	44.5625	2004
22.01.2020 12:40:05	1	1	1	1	86.5	64.5	0	28341.232	468.8172043	13286.49471	30000	0	0	30000	43.875	2004
22.01.2020 12:40:06	1	1	1	1	86.5	63.75	0	27819.905	468.8172043	13041.88297	30000	0	0	30000	44.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 12:40:07	1	1	1	1	86.5	64	0	29952.607	488.172043	14709.31971	30000	0	0	30000	43.5625	2004
22.01.2020 12:40:08	1	1	1	1	86.5	63.5	0	28957.346	481.7204301	13949.39255	30000	0	0	30000	44.5625	2004
22.01.2020 12:40:09	1	1	1	1	86.5	64.5	0	29952.607	486.0215054	14493.246	30000	0	0	30000	44.3125	2004
22.01.2020 12:40:11	1	1	1	1	86.5	64.25	0	29952.607	488.172043	14622.07485	30000	0	0	30000	44.4375	2004
22.01.2020 12:40:12	1	1	1	1	86.5	64.25	0	29099.526	483.8709677	13995.05341	30000	0	0	30000	43.6875	2004
22.01.2020 12:40:13	1	1	1	1	86.5	63.5	0	29052.133	483.8709677	14057.02172	30000	0	0	30000	44.25	2004
22.01.2020 12:40:14	1	1	1	1	86.5	64.25	0	29905.213	481.7204301	14428.83157	30000	0	0	30000	44.375	2004
22.01.2020 12:40:15	1	1	1	1	86.5	64.25	0	28009.479	468.8172043	13070.421	30000	0	0	30000	44.4375	2004
22.01.2020 12:40:16	1	1	1	1	86.5	64.25	0	29810.427	490.3225806	14680.78167	30000	0	0	30000	43.875	2004
22.01.2020 12:40:17	1	1	1	1	86.5	63.75	0	29952.607	486.0215054	14516.07643	30000	0	0	30000	44.125	2004
22.01.2020 12:40:18	1	1	1	1	86.5	64	0	30000	481.7204301	14451.662	30000	0	0	30000	44.5625	2004
22.01.2020 12:40:19	1	1	1	1	86.5	64.5	0	30000	481.7204301	14451.662	30000	0	0	30000	44.4375	2004
22.01.2020 12:40:20	1	1	1	1	86.5	64.25	0	29952.607	481.7204301	14516.07643	30000	0	0	30000	44.25	2004
22.01.2020 12:40:21	1	1	1	1	86.5	64.25	0	29383.886	466.6666667	13690.1041	30000	0	0	30000	44.3125	2004
22.01.2020 12:40:22	1	1	1	1	86.5	64.25	0	30000	483.8709677	14428.83157	30000	0	0	30000	44.3125	2004
22.01.2020 12:40:23	1	1	1	1	86.5	64.25	0	29952.607	488.172043	14644.90528	30000	0	0	30000	44.4375	2004
22.01.2020 12:40:24	1	1	1	1	86.5	64.25	0	30000	488.172043	14644.90528	30000	0	0	30000	44.9375	2004
22.01.2020 12:40:25	1	1	1	1	86.25	64.75	0	29857.82	481.7204301	13997.49952	30000	0	0	30000	42.9375	2004
22.01.2020 12:40:26	1	1	1	1	86.25	64	0	29952.607	481.7204301	14451.662	30000	0	0	30000	44.375	2004
22.01.2020 12:40:27	1	1	1	1	86.25	64.25	0	30000	481.7204301	14451.662	30000	0	0	30000	44.25	2004
22.01.2020 12:40:28	1	1	1	1	86.25	64.25	0	30000	481.7204301	14451.662	30000	0	0	30000	44.1875	2004
22.01.2020 12:40:29	1	1	1	1	86.25	64	0	30000	481.7204301	14451.662	30000	0	0	30000	43.8125	2004
22.01.2020 12:40:30	1	1	1	1	86.25	63.75	0	29952.607	483.8709677	14838.14856	30000	0	0	30000	44.25	2004
22.01.2020 12:40:31	1	1	1	1	86.25	64.25	0	30000	490.3225806	14709.31971	30000	0	0	30000	43.9375	2004
22.01.2020 12:40:32	1	1	1	1	86.25	63.75	0	30000	501.0752688	15032.20721	30000	0	0	30000	44.4375	2004
22.01.2020 12:40:33	1	1	1	1	86.25	64.25	0	29573.46	481.7204301	14223.3577	30000	0	0	30000	44.375	2004
22.01.2020 12:40:34	1	1	1	1	86.25	64.25	0	29952.607	481.7204301	14428.83157	30000	0	0	30000	43.875	2004
22.01.2020 12:40:35	1	1	1	1	86.25	63.75	0	29952.607	481.7204301	14451.662	30000	0	0	30000	44	2004
22.01.2020 12:40:36	1	1	1	1	86.25	64	0	24881.517	412.9032258	10312.83125	30000	0	0	30000	43.4375	2004
22.01.2020 12:40:37	1	1	1	1	86.25	63.25	0	30000	464.516129	13999.94564	30000	0	0	30000	44	2004
22.01.2020 12:40:38	1	1	1	1	86.25	64	0	29952.607	481.7204301	14451.662	30000	0	0	30000	44.5	2004
22.01.2020 12:40:39	1	1	1	1	86.25	64.5	0	29905.213	481.7204301	13955.10015	30000	0	0	30000	43.25	2004
22.01.2020 12:40:40	1	1	1	1	86.25	63.25	0	29810.427	460.2150538	13718.64213	30000	0	0	30000	43.75	2004
22.01.2020 12:40:41	1	1	1	1	86.25	63.75	0	30000	490.3225806	14644.90528	30000	0	0	30000	44.0625	2004
22.01.2020 12:40:42	1	1	1	1	86.25	64	0	30000	490.3225806	14750.9037	30000	0	0	30000	44.375	2004
22.01.2020 12:40:43	1	1	1	1	86.25	64.25	0	29857.82	466.6666667	14019.51458	30000	0	0	30000	44	2004
22.01.2020 12:40:44	1	1	1	1	86.25	64	0	29952.607	481.7204301	14516.07643	30000	0	0	30000	44.1875	2004
22.01.2020 12:40:45	1	1	1	1	86.25	64	0	30000	488.172043	14644.90528	30000	0	0	30000	44.625	2004
22.01.2020 12:40:46	1	1	1	1	86.25	64.5	0	29905.213	486.0215054	14469.6002	30000	0	0	30000	44.375	2004
22.01.2020 12:40:47	1	1	1	1	86.25	64.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	44.3125	2004
22.01.2020 12:40:49	1	1	1	1	86.25	64.25	0	30000	496.7741935	14902.56299	30000	0	0	30000	44.25	2004
22.01.2020 12:40:50	1	1	1	1	86.25	64.25	0	30000	496.7741935	14902.56299	30000	0	0	30000	44	2004
22.01.2020 12:40:51	1	1	1	1	86.25	64	0	28199.052	464.516129	12795.64048	30000	0	0	30000	43.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 12:40:52	1	1	1	1	86.25	63.5	0	29810.427	483.8709677	14423.93934	30000	0	0	30000	44.125	2004
22.01.2020 12:40:53	1	1	1	1	86.25	64	0	29905.213	492.4731183	14773.73413	30000	0	0	30000	44.1875	2004
22.01.2020 12:40:54	1	1	1	1	86.25	64	0	29383.886	481.7204301	14132.03599	30000	0	0	30000	43.8125	2004
22.01.2020 12:40:55	1	1	1	1	86.25	63.75	0	28009.479	464.516129	13070.421	30000	0	0	30000	44.25	2004
22.01.2020 12:40:56	1	1	1	1	86.25	64.25	0	29573.46	488.172043	14459.81573	30000	0	0	30000	44.625	2004
22.01.2020 12:40:57	1	1	1	1	86.25	64.5	0	29810.427	481.7204301	14314.67942	30000	0	0	30000	44.625	2004
22.01.2020 12:41:03	1	1	1	1	86.25	64	0	29526.066	464.516129	13693.36559	30000	0	0	30000	44.5625	2004
22.01.2020 12:41:03	1	1	1	1	86.25	64	0	29526.066	464.516129	13693.36559	30000	0	0	30000	44.5625	2004
22.01.2020 12:41:03	1	1	1	1	86.25	64	0	29526.066	464.516129	13693.36559	30000	0	0	30000	44.5625	2004
22.01.2020 12:41:03	1	1	1	1	86.25	64	0	29526.066	464.516129	13693.36559	30000	0	0	30000	44.5625	2004
22.01.2020 12:41:03	1	1	1	1	86.25	64	0	29526.066	464.516129	13693.36559	30000	0	0	30000	44.5625	2004
22.01.2020 12:41:04	1	1	1	1	86.25	64.5	0	29715.64	488.172043	14633.49007	30000	0	0	30000	44.8125	2004
22.01.2020 12:41:07	1	1	1	1	86.75	64.25	0	29857.82	494.6236559	14703.6121	30000	0	0	30000	43.9375	2004
22.01.2020 12:41:07	1	1	1	1	86.75	64.25	0	29857.82	494.6236559	14703.6121	30000	0	0	30000	43.9375	2004
22.01.2020 12:41:07	1	1	1	1	86.75	63.75	0	28909.953	455.9139785	13242.4646	30000	0	0	30000	44.375	2004
22.01.2020 12:41:08	1	1	1	1	86.75	64.25	0	29905.213	481.7204301	14406.00114	30000	0	0	30000	43.6875	2004
22.01.2020 12:41:09	1	1	1	1	86.75	63.5	0	27867.299	481.7204301	13424.29266	30000	0	0	30000	44.25	2004
22.01.2020 12:41:10	1	1	1	1	86.75	64.25	0	29952.607	492.4731183	14750.9037	30000	0	0	30000	44.375	2004
22.01.2020 12:41:11	1	1	1	1	86.75	64.25	0	28009.479	453.7634409	12709.21099	30000	0	0	30000	44.4375	2004
22.01.2020 12:41:12	1	1	1	1	86.75	64.25	0	29905.213	486.0215054	14644.90528	30000	0	0	30000	44.4375	2004
22.01.2020 12:41:13	1	1	1	1	86.75	64.25	0	29431.28	481.7204301	14177.69684	30000	0	0	30000	44.5	2004
22.01.2020 12:41:14	1	1	1	1	86.5	64.5	0	29952.607	496.7741935	14902.56299	30000	0	0	30000	44.375	2004
22.01.2020 12:41:15	1	1	1	1	86.5	64.25	0	30000	490.3225806	14709.31971	30000	0	0	30000	43.375	2004
22.01.2020 12:41:16	1	1	1	1	86.5	63.25	0	29478.673	464.516129	13671.35053	30000	0	0	30000	43.625	2004
22.01.2020 12:41:17	1	1	1	1	86.5	63.5	0	30000	503.2258065	15032.20721	30000	0	0	30000	44.5625	2004
22.01.2020 12:41:18	1	1	1	1	86.5	64.5	0	29241.706	464.516129	13583.2903	30000	0	0	30000	44.1875	2004
22.01.2020 12:41:19	1	1	1	1	86.5	64	0	30000	503.2258065	14902.56299	30000	0	0	30000	44.375	2004
22.01.2020 12:41:20	1	1	1	1	86.5	64.25	0	29905.213	481.7204301	14406.00114	30000	0	0	30000	44.5	2004
22.01.2020 12:41:21	1	1	1	1	86.5	64.5	0	30047.393	505.3763441	14902.56299	30000	0	0	30000	44.4375	2004
22.01.2020 12:41:22	1	1	1	1	86.5	64.25	0	29952.607	483.8709677	14644.90528	30000	0	0	30000	43.5625	2004
22.01.2020 12:41:23	1	1	1	1	86.5	63.5	0	30000	481.7204301	14451.662	30000	0	0	30000	44.4375	2004
22.01.2020 12:41:24	1	1	1	1	85.75	64.25	0	30000	481.7204301	14451.662	30000	0	0	30000	44.25	2004
22.01.2020 12:41:25	1	1	1	1	85.75	64.25	0	30000	481.7204301	14451.662	30000	0	0	30000	44.4375	2004
22.01.2020 12:41:26	1	1	1	1	85.75	64.25	0	30000	425.8064516	12773.62542	30000	0	0	30000	44.5	2004
22.01.2020 12:41:27	1	1	1	1	85.75	64.5	0	30000	419.3548387	12709.21099	30000	0	0	30000	44.0625	2004
22.01.2020 12:41:29	1	1	1	1	85.75	64	0	27298.578	397.8494624	10860.76156	30000	0	0	30000	43.75	2004
22.01.2020 12:41:30	1	1	1	1	85.75	63.75	0	29952.607	427.9569892	13054.92893	30000	0	0	30000	44.4375	2004
22.01.2020 12:41:31	1	1	1	1	85.75	64.25	0	29952.607	419.3548387	12560.8132	30000	0	0	30000	44.5625	2004
22.01.2020 12:41:32	1	1	1	1	85.75	64.5	0	30000	432.2580645	12967.68407	30000	0	0	30000	44.625	2004
22.01.2020 12:41:33	1	1	1	1	85.75	64.5	0	28957.346	432.2580645	12516.78308	30000	0	0	30000	44.4375	2004
22.01.2020 12:41:34	1	1	1	1	85.75	64.25	0	29905.213	412.9032258	12348.00098	30000	0	0	30000	44.5	2004
22.01.2020 12:41:35	1	1	1	1	85.75	64.5	0	29715.64	389.2473118	11758.48667	30000	0	0	30000	44.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 12:41:36	1	1	1	1	85.75	64.5	0	24123.223	359.1397849	8663.332699	30000	0	0	30000	43.9375	2004
22.01.2020 12:41:37	1	1	1	1	85.75	63.75	0	29857.82	415.0537634	12411.60003	30000	0	0	30000	44.1875	2004
22.01.2020 12:41:38	1	1	1	1	85.75	64	0	29905.213	427.9569892	12777.70228	30000	0	0	30000	44.125	2004
22.01.2020 12:41:39	1	1	1	1	85.75	64	0	30000	436.5591398	13032.0985	30000	0	0	30000	43.8125	2004
22.01.2020 12:41:40	1	1	1	1	85.75	63.75	0	26350.711	395.6989247	10408.22983	30000	0	0	30000	44.4375	2004
22.01.2020 12:41:41	1	1	1	1	85.75	64.25	0	29431.28	380.6451613	11121.68075	30000	0	0	30000	44.1875	2004
22.01.2020 12:41:42	1	1	1	1	85.75	64	0	30000	425.8064516	12773.62542	30000	0	0	30000	44.125	2004
22.01.2020 12:41:43	1	1	1	1	85.75	64	0	25734.597	382.7956989	10072.29636	30000	0	0	30000	44.625	2004
22.01.2020 12:41:44	1	1	1	1	86.75	64	0	29620.853	443.0107527	13058.19042	30000	0	0	30000	43.625	2004
22.01.2020 12:41:45	1	1	1	1	86.75	63.5	0	29857.82	412.9032258	12328.43204	30000	0	0	30000	44	2004
22.01.2020 12:41:46	1	1	1	1	86.75	64	0	29857.82	464.516129	13891.5011	30000	0	0	30000	44.0625	2004
22.01.2020 12:41:47	1	1	1	1	86.75	64	0	30000	483.8709677	14516.07643	30000	0	0	30000	44.4375	2004
22.01.2020 12:41:48	1	1	1	1	86.75	64.25	0	30000	481.7204301	14019.51458	30000	0	0	30000	44.4375	2004
22.01.2020 12:41:49	1	1	1	1	86.75	64.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	44.25	2004
22.01.2020 12:41:50	1	1	1	1	86.75	64.25	0	29952.607	464.516129	13999.94564	30000	0	0	30000	44.25	2004
22.01.2020 12:41:51	1	1	1	1	86.75	64.25	0	29857.82	483.8709677	14446.76977	30000	0	0	30000	43.9375	2004
22.01.2020 12:41:52	1	1	1	1	86.75	63.75	0	28009.479	458.0645161	12709.21099	30000	0	0	30000	44.375	2004
22.01.2020 12:41:53	1	1	1	1	86.75	64.25	0	29857.82	481.7204301	14039.08352	30000	0	0	30000	44.0625	2004
22.01.2020 12:41:54	1	1	1	1	86.75	64	0	30000	490.3225806	14727.2579	30000	0	0	30000	44.5	2004
22.01.2020 12:41:55	1	1	1	1	86.75	64.5	0	29952.607	466.6666667	14083.92901	30000	0	0	30000	44.375	2004
22.01.2020 12:41:56	1	1	1	1	86.75	64.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	44.0625	2004
22.01.2020 12:41:57	1	1	1	1	86.75	64	0	29905.213	445.1612903	13291.38695	30000	0	0	30000	44.4375	2004
22.01.2020 12:41:58	1	1	1	1	86.75	64.25	0	30000	496.7741935	14838.14856	30000	0	0	30000	43.9375	2004
22.01.2020 12:42:05	1	1	1	1	86.75	64.25	0	29905.213	498.9247312	14856.08676	30000	0	0	30000	44.4375	2004
22.01.2020 12:42:05	1	1	1	1	86.75	64.25	0	29905.213	498.9247312	14856.08676	30000	0	0	30000	44.4375	2004
22.01.2020 12:42:05	1	1	1	1	86.75	64.25	0	29905.213	498.9247312	14856.08676	30000	0	0	30000	44.4375	2004
22.01.2020 12:42:05	1	1	1	1	86.75	64.25	0	29905.213	498.9247312	14856.08676	30000	0	0	30000	44.4375	2004
22.01.2020 12:42:05	1	1	1	1	86.75	64.25	0	29905.213	498.9247312	14856.08676	30000	0	0	30000	44.4375	2004
22.01.2020 12:42:05	1	1	1	1	86.75	64.25	0	29478.673	458.0645161	13524.58348	30000	0	0	30000	44.625	2004
22.01.2020 12:42:06	1	1	1	1	86.75	64.5	0	29952.607	501.0752688	15008.56141	30000	0	0	30000	44.4375	2004
22.01.2020 12:42:08	1	1	1	1	86.75	64.25	0	26872.038	453.7634409	12056.09763	30000	0	0	30000	44.4375	2004
22.01.2020 12:42:09	1	1	1	1	86.75	64.25	0	29620.853	468.8172043	13886.60887	30000	0	0	30000	44.1875	2004
22.01.2020 12:42:10	1	1	1	1	86.75	64	0	29715.64	488.172043	14441.87753	30000	0	0	30000	44.3125	2004
22.01.2020 12:42:11	1	1	1	1	86.75	64.25	0	30000	501.0752688	15032.20721	30000	0	0	30000	44.5	2004
22.01.2020 12:42:12	1	1	1	1	86.75	64.5	0	29952.607	501.0752688	14856.08676	30000	0	0	30000	44.4375	2004
22.01.2020 12:42:13	1	1	1	1	86.75	64.25	0	30000	505.3763441	15161.03607	30000	0	0	30000	43.8125	2004
22.01.2020 12:42:14	1	1	1	1	86.75	63.75	0	29952.607	486.0215054	14534.01462	30000	0	0	30000	44.5	2004
22.01.2020 12:42:15	1	1	1	1	86.75	64.5	0	30000	488.172043	14644.90528	30000	0	0	30000	44.0625	2004
22.01.2020 12:42:16	1	1	1	1	86.75	64	0	30000	505.3763441	15403.2017	30000	0	0	30000	44.5625	2004
22.01.2020 12:42:17	1	1	1	1	86.75	64.5	0	28815.166	481.7204301	13571.05971	30000	0	0	30000	44.3125	2004
22.01.2020 12:42:18	1	1	1	1	86.75	64.25	0	30000	481.7204301	14451.662	30000	0	0	30000	44.4375	2004
22.01.2020 12:42:19	1	1	1	1	86.75	64.25	0	30000	481.7204301	14451.662	30000	0	0	30000	44.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 12:42:20	1	1	1	1	86.75	64.5	0	29336.493	427.9569892	12554.29022	30000	0	0	30000	44.6875	2004
22.01.2020 12:42:21	1	1	1	1	86.75	64.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	44.625	2004
22.01.2020 12:42:22	1	1	1	1	86.75	64.5	0	29905.213	427.9569892	12777.70228	30000	0	0	30000	44.4375	2004
22.01.2020 12:42:23	1	1	1	1	86.75	64.25	0	29810.427	397.8494624	11859.59286	30000	0	0	30000	44.4375	2004
22.01.2020 12:42:24	1	1	1	1	87	63.75	0	29715.64	419.3548387	12588.53586	30000	0	0	30000	44.375	2004
22.01.2020 12:42:25	1	1	1	1	87	64.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	44.3125	2004
22.01.2020 12:42:26	1	1	1	1	87	64.25	0	29620.853	427.9569892	12716.54934	30000	0	0	30000	44.4375	2004
22.01.2020 12:42:27	1	1	1	1	87	64.25	0	29952.607	453.7634409	13612.64371	30000	0	0	30000	44.5625	2004
22.01.2020 12:42:28	1	1	1	1	87	64.5	0	29763.033	419.3548387	12500.47563	30000	0	0	30000	44.4375	2004
22.01.2020 12:42:29	1	1	1	1	87	64.25	0	0	0	0	30000	0	8	30000	44.625	2004
22.01.2020 12:42:30	1	1	1	1	87	64.5	0	9810.4265	0	0	30000	0	0	30000	42	2004
22.01.2020 12:42:31	1	1	1	1	87	62	0	10805.687	0	0	30000	0	0	30000	44.5625	2004
22.01.2020 12:42:32	1	1	1	1	87	64.5	0	11611.374	0	0	30000	0	0	30000	44.5625	2004
22.01.2020 12:42:33	1	1	1	1	87	64.5	0	12369.668	0	0	30000	0	0	30000	44.6875	2004
22.01.2020 12:42:34	1	1	1	1	87.75	64.5	0	13080.569	2.150537634	56.26070176	30000	0	0	30000	44.625	2004
22.01.2020 12:42:35	1	1	1	1	87.75	64.5	0	13933.649	8.602150538	88.87560134	30000	0	0	30000	44.625	2004
22.01.2020 12:42:36	1	1	1	1	87.75	64.5	0	14407.583	10.75268817	154.920773	30000	0	0	30000	44.625	2004
22.01.2020 12:42:37	1	1	1	1	87.75	64.5	0	15450.237	17.20430108	298.4263311	30000	0	0	30000	44.625	2004
22.01.2020 12:42:38	1	1	1	1	87.75	64.5	0	16208.531	23.65591398	381.594325	30000	0	0	30000	44.625	2004
22.01.2020 12:42:39	1	1	1	1	87.75	64.5	0	16682.464	25.80645161	466.3930639	30000	0	0	30000	44.5625	2004
22.01.2020 12:42:40	1	1	1	1	87.75	64.5	0	17772.512	45.16129032	802.3265295	30000	0	0	30000	44.5625	2004
22.01.2020 12:42:41	1	1	1	1	87.75	64.5	0	16919.431	43.01075269	727.3122605	30000	0	0	30000	44.625	2004
22.01.2020 12:42:42	1	1	1	1	87.75	64.5	0	16682.464	45.16129032	753.4041801	30000	0	0	30000	44.8125	2004
22.01.2020 12:42:43	1	1	1	1	87.75	64.75	0	20047.393	68.8172043	1336.39551	30000	0	0	30000	44.75	2004
22.01.2020 12:42:44	1	1	1	1	87.25	64.75	0	20853.081	75.2688172	1614.437529	30000	0	0	30000	44.6875	2004
22.01.2020 12:42:45	1	1	1	1	87.25	64.5	0	21563.981	90.32258065	1993.585736	30000	0	0	30000	44.5	2004
22.01.2020 12:42:47	1	1	1	1	87.25	64.5	0	22369.668	94.62365591	2116.706982	30000	0	0	30000	44.375	2004
22.01.2020 12:42:48	1	1	1	1	87.25	64.25	0	21943.128	105.3763441	2311.581007	30000	0	0	30000	44.5	2004
22.01.2020 12:42:49	1	1	1	1	87.25	64.5	0	23838.863	120.4301075	2870.926535	30000	0	0	30000	44.6875	2004
22.01.2020 12:42:50	1	1	1	1	87.25	64.5	0	20616.114	107.5268817	2172.152312	30000	0	0	30000	44.625	2004
22.01.2020 12:42:51	1	1	1	1	87.25	64.5	0	24739.336	137.6344086	3411.518495	30000	0	0	30000	44.625	2004
22.01.2020 12:42:52	1	1	1	1	87.25	64.5	0	24502.37	150.5376344	3687.929769	30000	0	0	30000	44.625	2004
22.01.2020 12:42:53	1	1	1	1	87.25	64.5	0	24834.123	159.1397849	3959.448808	30000	0	0	30000	44.625	2004
22.01.2020 12:42:54	1	1	1	1	87.25	64.5	0	21943.128	139.7849462	3066.615932	30000	0	0	30000	44.6875	2004
22.01.2020 12:42:55	1	1	1	1	87.25	64.5	0	24834.123	174.1935484	4440.518577	30000	0	0	30000	44.625	2004
22.01.2020 12:42:56	1	1	1	1	87.25	64.5	0	25260.664	191.3978495	4816.405294	30000	0	0	30000	44.625	2004
22.01.2020 12:42:57	1	1	1	1	87.25	64.5	0	25165.877	191.3978495	4816.405294	30000	0	0	30000	44.625	2004
22.01.2020 12:42:58	1	1	1	1	87.25	64.5	0	26255.924	219.3548387	5825.836436	30000	0	0	30000	44.4375	2004
22.01.2020 12:42:59	1	1	1	1	87.25	64.25	0	25734.597	212.9032258	5620.362569	30000	0	0	30000	44.625	2004
22.01.2020 12:43:00	1	1	1	1	87.25	64.5	0	27440.758	230.1075269	6314.244557	30000	0	0	30000	44.75	2004
22.01.2020 12:43:07	1	1	1	1	87.25	64.5	0	27962.085	309.6774194	8659.255837	30000	0	0	30000	44.5625	2004
22.01.2020 12:43:07	1	1	1	1	87.25	64.5	0	27962.085	309.6774194	8659.255837	30000	0	0	30000	44.5625	2004
22.01.2020 12:43:07	1	1	1	1	87.25	64.5	0	27962.085	309.6774194	8659.255837	30000	0	0	30000	44.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 12:43:07	1	1	1	1	87.25	64.5	0	27962.085	309.6774194	8659.255837	30000	0	0	30000	44.5625	2004
22.01.2020 12:43:07	1	1	1	1	87.25	64.5	0	27962.085	309.6774194	8659.255837	30000	0	0	30000	44.5625	2004
22.01.2020 12:43:07	1	1	1	1	87.25	64.5	0	27962.085	309.6774194	8659.255837	30000	0	0	30000	44.5625	2004
22.01.2020 12:43:07	1	1	1	1	87.25	64.5	0	27867.299	324.7311828	9033.511809	30000	0	0	30000	44.5	2004
22.01.2020 12:43:08	1	1	1	1	87.25	64.5	0	26587.678	333.3333333	8789.715435	30000	0	0	30000	44.625	2004
22.01.2020 12:43:09	1	1	1	1	87.25	64.5	0	27962.085	335.483871	9244.693284	30000	0	0	30000	44.625	2004
22.01.2020 12:43:10	1	1	1	1	87.25	64.5	0	28199.052	335.483871	9613.241649	30000	0	0	30000	44.5625	2004
22.01.2020 12:43:11	1	1	1	1	87.25	64.5	0	28530.806	335.483871	9494.197266	30000	0	0	30000	44.5	2004
22.01.2020 12:43:12	1	1	1	1	87.25	64.5	0	28293.839	365.5913978	10282.66246	30000	0	0	30000	44.75	2004
22.01.2020 12:43:13	1	1	1	1	87.25	64.75	0	27867.299	365.5913978	10325.06183	30000	0	0	30000	44.6875	2004
22.01.2020 12:43:14	1	1	1	1	87.25	64.5	0	29573.46	367.7419355	10875.43826	30000	0	0	30000	44.5625	2004
22.01.2020 12:43:15	1	1	1	1	87.25	64.5	0	28009.479	380.6451613	10660.9953	30000	0	0	30000	44.3125	2004
22.01.2020 12:43:16	1	1	1	1	87.25	64.25	0	28341.232	369.8924731	10483.2441	30000	0	0	30000	44.5625	2004
22.01.2020 12:43:17	1	1	1	1	87.25	64.5	0	28625.592	387.0967742	11018.94382	30000	0	0	30000	44.625	2004
22.01.2020 12:43:18	1	1	1	1	87.25	64.5	0	28341.232	395.6989247	11354.87729	30000	0	0	30000	44.625	2004
22.01.2020 12:43:19	1	1	1	1	87.25	64.5	0	28957.346	404.3010753	11668.79569	30000	0	0	30000	44.5	2004
22.01.2020 12:43:20	1	1	1	1	87.25	64.5	0	28815.166	412.9032258	11897.91536	30000	0	0	30000	44.5	2004
22.01.2020 12:43:21	1	1	1	1	87.25	64.5	0	29668.246	415.0537634	12461.33775	30000	0	0	30000	44.3125	2004
22.01.2020 12:43:22	1	1	1	1	87.25	64.25	0	29715.64	397.8494624	11758.48667	30000	0	0	30000	44.25	2004
22.01.2020 12:43:23	1	1	1	1	87.25	64.25	0	29526.066	425.8064516	12635.82747	30000	0	0	30000	44.625	2004
22.01.2020 12:43:25	1	1	1	1	87	64.5	0	30000	438.7096774	13160.92735	30000	0	0	30000	44.625	2004
22.01.2020 12:43:26	1	1	1	1	87	64.5	0	28815.166	378.4946237	10906.42242	30000	0	0	30000	44.4375	2004
22.01.2020 12:43:27	1	1	1	1	87	64.25	0	29715.64	400	11950.0992	30000	0	0	30000	44.625	2004
22.01.2020 12:43:28	1	1	1	1	87	64.5	0	27867.299	369.8924731	10307.93901	30000	0	0	30000	44.375	2004
22.01.2020 12:43:29	1	1	1	1	87	64.25	0	29952.607	432.2580645	12967.68407	30000	0	0	30000	44.25	2004
22.01.2020 12:43:30	1	1	1	1	87	64.25	0	30000	466.6666667	13935.53122	30000	0	0	30000	44.5625	2004
22.01.2020 12:43:31	1	1	1	1	87	64.5	0	30000	453.7634409	13333.78632	30000	0	0	30000	44.5625	2004
22.01.2020 12:43:32	1	1	1	1	87	64.5	0	28957.346	423.655914	12330.06278	30000	0	0	30000	44.5	2004
22.01.2020 12:43:33	1	1	1	1	87	64.5	0	0	0	0	30000	0	8	30000	43.625	2004
22.01.2020 12:43:34	1	1	1	1	87	63.5	0	10000	0	0	30000	0	0	30000	44.75	2004
22.01.2020 12:43:35	1	1	1	1	86	64.75	0	10758.294	0	0	30000	0	0	30000	44.6875	2004
22.01.2020 12:43:36	1	1	1	1	86	64.5	0	11516.588	0	0	30000	0	0	30000	44.625	2004
22.01.2020 12:43:37	1	1	1	1	86	64.5	0	12274.882	0	0	30000	0	0	30000	44.625	2004
22.01.2020 12:43:38	1	1	1	1	86	64.5	0	13127.962	2.150537634	27.72266464	30000	0	0	30000	45.0625	2004
22.01.2020 12:43:39	1	1	1	1	86	65	0	12464.455	0	26.09191966	30000	0	0	30000	44.6875	2004
22.01.2020 12:43:40	1	1	1	1	86	64.5	0	14644.55	8.602150538	156.551518	30000	0	0	30000	44.875	2004
22.01.2020 12:43:41	1	1	1	1	86	64.75	0	15402.844	17.20430108	263.3653141	30000	0	0	30000	44.6875	2004
22.01.2020 12:43:42	1	1	1	1	86	64.5	0	16208.531	21.50537634	383.22507	30000	0	0	30000	44.5625	2004
22.01.2020 12:43:43	1	1	1	1	86	64.5	0	15497.63	23.65591398	332.6719756	30000	0	0	30000	44.625	2004
22.01.2020 12:43:44	1	1	1	1	87.25	64.5	0	17677.725	40.86021505	721.6046531	30000	0	0	30000	44.3125	2004
22.01.2020 12:43:45	1	1	1	1	87.25	64.25	0	16161.137	34.40860215	521.0230207	30000	0	0	30000	44.6875	2004
22.01.2020 12:43:46	1	1	1	1	87.25	64.5	0	16966.825	43.01075269	693.0666159	30000	0	0	30000	44.5	2004
22.01.2020 12:43:47	1	1	1	1	87.25	64.5	0	19952.607	64.51612903	1286.657788	30000	0	0	30000	44.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 12:43:48	1	1	1	1	87.25	64.5	0	20758.294	75.2688172	1562.25369	30000	0	0	30000	44.4375	2004
22.01.2020 12:43:49	1	1	1	1	87.25	64.25	0	21563.981	88.17204301	1900.633273	30000	0	0	30000	44.5	2004
22.01.2020 12:43:50	1	1	1	1	87.25	64.5	0	21516.588	90.32258065	2035.985106	30000	0	0	30000	44.5625	2004
22.01.2020 12:43:51	1	1	1	1	87.25	64.5	0	22890.995	109.6774194	2510.531895	30000	0	0	30000	44.625	2004
22.01.2020 12:43:52	1	1	1	1	87.25	64.5	0	23459.716	120.4301075	2825.265676	30000	0	0	30000	44.625	2004
22.01.2020 12:43:53	1	1	1	1	87.25	64.5	0	24028.436	129.0322581	3036.44715	30000	0	0	30000	44.5625	2004
22.01.2020 12:43:54	1	1	1	1	87.5	64.5	0	25355.45	159.1397849	3979.83312	30000	0	0	30000	44.4375	2004
22.01.2020 12:43:55	1	1	1	1	87.5	64.25	0	25402.844	169.8924731	4315.766586	30000	0	0	30000	44.5	2004
22.01.2020 12:43:56	1	1	1	1	87.5	64.5	0	23412.322	169.8924731	3969.233278	30000	0	0	30000	44.5625	2004
22.01.2020 12:43:57	1	1	1	1	87.5	64.5	0	24123.223	189.2473118	4565.270568	30000	0	0	30000	44.625	2004
22.01.2020 12:43:58	1	1	1	1	87.5	64.5	0	25639.81	189.2473118	4852.281684	30000	0	0	30000	44.6875	2004
22.01.2020 12:43:59	1	1	1	1	87.5	64.5	0	27393.365	217.2043011	5949.773055	30000	0	0	30000	44.625	2004
22.01.2020 12:44:00	1	1	1	1	87.5	64.5	0	27109.005	230.1075269	6354.197809	30000	0	0	30000	44.5	2004
22.01.2020 12:44:01	1	1	1	1	87.5	64.5	0	27345.972	212.9032258	5753.268285	30000	0	0	30000	44.5625	2004
22.01.2020 12:44:08	1	1	1	1	86.25	64.5	0	28578.199	290.3225806	8358.383388	30000	0	0	30000	44.625	2004
22.01.2020 12:44:08	1	1	1	1	86.25	64.5	0	28578.199	290.3225806	8358.383388	30000	0	0	30000	44.625	2004
22.01.2020 12:44:08	1	1	1	1	86.25	64.5	0	28578.199	290.3225806	8358.383388	30000	0	0	30000	44.625	2004
22.01.2020 12:44:08	1	1	1	1	86.25	64.5	0	28578.199	290.3225806	8358.383388	30000	0	0	30000	44.625	2004
22.01.2020 12:44:08	1	1	1	1	86.25	64.5	0	28578.199	290.3225806	8358.383388	30000	0	0	30000	44.625	2004
22.01.2020 12:44:08	1	1	1	1	86.25	64.5	0	28578.199	290.3225806	8358.383388	30000	0	0	30000	44.625	2004
22.01.2020 12:44:09	1	1	1	1	86.25	64.5	0	29431.28	313.9784946	9177.017367	30000	0	0	30000	44.5625	2004
22.01.2020 12:44:10	1	1	1	1	86.25	64.5	0	27393.365	301.0752688	8261.354062	30000	0	0	30000	44.5	2004
22.01.2020 12:44:11	1	1	1	1	86.25	64.5	0	29715.64	339.7849462	10032.34311	30000	0	0	30000	44.625	2004
22.01.2020 12:44:12	1	1	1	1	86.25	64.5	0	29146.919	341.9354839	9966.297937	30000	0	0	30000	44.5	2004
22.01.2020 12:44:13	1	1	1	1	86.25	64.5	0	29431.28	356.9892473	10506.07453	30000	0	0	30000	44.625	2004
22.01.2020 12:44:14	1	1	1	1	86.25	64.5	0	28293.839	303.2258065	8579.349333	30000	0	0	30000	44.5	2004
22.01.2020 12:44:15	1	1	1	1	87.25	64.5	0	29668.246	326.8817204	9698.040388	30000	0	0	30000	44.5625	2004
22.01.2020 12:44:16	1	1	1	1	87.25	64.5	0	29905.213	318.2795699	9517.843068	30000	0	0	30000	44.75	2004
22.01.2020 12:44:17	1	1	1	1	87.25	64.75	0	29952.607	318.2795699	9533.335145	30000	0	0	30000	44.5	2004
22.01.2020 12:44:18	1	1	1	1	87.25	64.5	0	29715.64	303.2258065	9202.293915	30000	0	0	30000	44.375	2004
22.01.2020 12:44:19	1	1	1	1	87.25	64.25	0	29620.853	292.4731183	8726.931753	30000	0	0	30000	44.875	2004
22.01.2020 12:44:20	1	1	1	1	87.25	64.25	0	29573.46	294.6236559	8713.070421	30000	0	0	30000	44.625	2004
22.01.2020 12:44:21	1	1	1	1	87.25	64.5	0	30000	318.2795699	9548.01185	30000	0	0	30000	44.5625	2004
22.01.2020 12:44:22	1	1	1	1	87.25	64.5	0	29620.853	335.483871	10000.54358	30000	0	0	30000	44.4375	2004
22.01.2020 12:44:23	1	1	1	1	87.25	64.25	0	29715.64	322.5806452	9649.118039	30000	0	0	30000	44.5	2004
22.01.2020 12:44:24	1	1	1	1	87.25	64.5	0	30000	365.5913978	10903.16093	30000	0	0	30000	43.9375	2004
22.01.2020 12:44:25	1	1	1	1	87.25	63.75	0	26872.038	309.6774194	8378.7677	30000	0	0	30000	44.3125	2004
22.01.2020 12:44:26	1	1	1	1	87.25	64.25	0	29952.607	359.1397849	10757.20925	30000	0	0	30000	44.5625	2004
22.01.2020 12:44:27	1	1	1	1	87.25	64.5	0	29715.64	346.2365591	10288.37007	30000	0	0	30000	44.0625	2004
22.01.2020 12:44:28	1	1	1	1	87.25	64	0	29620.853	369.8924731	10892.56108	30000	0	0	30000	44.5625	2004
22.01.2020 12:44:29	1	1	1	1	87.25	64.5	0	26066.351	329.0322581	8560.595765	30000	0	0	30000	43.9375	2004
22.01.2020 12:44:30	1	1	1	1	87.25	63.75	0	28436.019	305.3763441	8669.040307	30000	0	0	30000	44.5	2004
22.01.2020 12:44:31	1	1	1	1	87.25	64.5	0	29241.706	292.4731183	8524.719376	30000	0	0	30000	44.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 12:44:32	1	1	1	1	87.25	64.5	0	29715.64	359.1397849	10671.59514	30000	0	0	30000	44.4375	2004
22.01.2020 12:44:33	1	1	1	1	87.25	64.25	0	27630.332	350.5376344	9565.950045	30000	0	0	30000	44.0625	2004
22.01.2020 12:44:34	1	1	1	1	88.5	64	0	29905.213	378.4946237	11354.87729	30000	0	0	30000	44.0625	2004
22.01.2020 12:44:35	1	1	1	1	88.5	64	0	29715.64	406.4516129	12077.29731	30000	0	0	30000	44.5625	2004
22.01.2020 12:44:36	1	1	1	1	88.5	64.5	0	29810.427	397.8494624	11859.59286	30000	0	0	30000	44.5625	2004
22.01.2020 12:44:37	1	1	1	1	88.5	64.5	0	29146.919	359.1397849	10467.75202	30000	0	0	30000	44.625	2004
22.01.2020 12:44:38	1	1	1	1	88.5	64.5	0	29620.853	415.0537634	12294.18639	30000	0	0	30000	44.375	2004
22.01.2020 12:44:39	1	1	1	1	88.5	64.25	0	29905.213	412.9032258	12348.00098	30000	0	0	30000	44.1875	2004
22.01.2020 12:44:41	1	1	1	1	88.5	64	0	27298.578	359.1397849	9804.038812	30000	0	0	30000	44.5	2004
22.01.2020 12:44:42	1	1	1	1	88.5	64.5	0	29857.82	427.9569892	12905.71576	30000	0	0	30000	44.125	2004
22.01.2020 12:44:43	1	1	1	1	88.5	64	0	29857.82	412.9032258	12348.00098	30000	0	0	30000	44.3125	2004
22.01.2020 12:44:44	1	1	1	1	88.5	64.25	0	26113.744	359.1397849	9361.29155	30000	0	0	30000	44.5625	2004
22.01.2020 12:44:45	1	1	1	1	86.25	64.5	0	26777.251	369.8924731	9869.268611	30000	0	0	30000	44.625	2004
22.01.2020 12:44:46	1	1	1	1	86.25	64.5	0	29952.607	440.8602151	13204.95746	30000	0	0	30000	44.5	2004
22.01.2020 12:44:47	1	1	1	1	86.25	64.5	0	28862.559	374.1935484	10924.36061	30000	0	0	30000	44.375	2004
22.01.2020 12:44:48	1	1	1	1	86.25	64.25	0	30000	432.2580645	12967.68407	30000	0	0	30000	44.3125	2004
22.01.2020 12:44:49	1	1	1	1	86.25	64.25	0	25545.024	378.4946237	9668.686979	30000	0	0	30000	44.375	2004
22.01.2020 12:44:50	1	1	1	1	86.25	64.25	0	29146.919	427.9569892	12473.56834	30000	0	0	30000	44.125	2004
22.01.2020 12:44:51	1	1	1	1	86.25	64	0	29478.673	427.9569892	12615.44315	30000	0	0	30000	44.125	2004
22.01.2020 12:44:52	1	1	1	1	86.25	64	0	29952.607	423.655914	12773.62542	30000	0	0	30000	44.125	2004
22.01.2020 12:44:53	1	1	1	1	86.25	64	0	30047.393	481.7204301	14128.7745	30000	0	0	30000	44.1875	2004
22.01.2020 12:44:54	1	1	1	1	86.25	64	0	29905.213	464.516129	13869.48604	30000	0	0	30000	44.5	2004
22.01.2020 12:44:55	1	1	1	1	86.25	64.5	0	29952.607	481.7204301	14406.00114	30000	0	0	30000	44.5	2004
22.01.2020 12:44:56	1	1	1	1	86.25	64.5	0	29952.607	453.7634409	13870.30142	30000	0	0	30000	44.875	2004
22.01.2020 12:44:57	1	1	1	1	86.25	64.75	0	30000	481.7204301	14128.7745	30000	0	0	30000	44.75	2004
22.01.2020 12:44:58	1	1	1	1	86.25	64.25	0	29905.213	481.7204301	14709.31971	30000	0	0	30000	44.125	2004
22.01.2020 12:44:59	1	1	1	1	86.25	64	0	30000	481.7204301	14451.662	30000	0	0	30000	43.6875	2004
22.01.2020 12:45:00	1	1	1	1	86.25	63.5	0	27914.692	445.1612903	12468.67611	30000	0	0	30000	44.5	2004
22.01.2020 12:45:01	1	1	1	1	86.25	64.5	0	28862.559	481.7204301	13926.56212	30000	0	0	30000	44.625	2004
22.01.2020 12:45:02	1	1	1	1	86.25	64.5	0	30000	486.0215054	14493.246	30000	0	0	30000	44.375	2004
22.01.2020 12:45:03	1	1	1	1	86.25	64.25	0	30000	496.7741935	14902.56299	30000	0	0	30000	44.375	2004
22.01.2020 12:45:10	1	1	1	1	86.75	64.25	0	29952.607	492.4731183	14727.2579	30000	0	0	30000	44.3125	2004
22.01.2020 12:45:10	1	1	1	1	86.75	64.25	0	29952.607	492.4731183	14727.2579	30000	0	0	30000	44.3125	2004
22.01.2020 12:45:10	1	1	1	1	86.75	64.25	0	29952.607	492.4731183	14727.2579	30000	0	0	30000	44.3125	2004
22.01.2020 12:45:10	1	1	1	1	86.75	64.25	0	29952.607	492.4731183	14727.2579	30000	0	0	30000	44.3125	2004
22.01.2020 12:45:10	1	1	1	1	86.75	64.25	0	30000	507.5268817	15225.45049	30000	0	0	30000	44.0625	2004
22.01.2020 12:45:11	1	1	1	1	86.75	64	0	29905.213	483.8709677	14469.6002	30000	0	0	30000	44	2004
22.01.2020 12:45:12	1	1	1	1	86.75	64	0	29905.213	498.9247312	14856.08676	30000	0	0	30000	44.25	2004
22.01.2020 12:45:13	1	1	1	1	86.75	64.25	0	29952.607	518.2795699	15498.60028	30000	0	0	30000	44.5	2004
22.01.2020 12:45:14	1	1	1	1	86.25	64.5	0	26682.464	466.6666667	12451.55328	30000	0	0	30000	44.25	2004
22.01.2020 12:45:15	1	1	1	1	86.25	64.25	0	30000	516.1290323	15137.39026	30000	0	0	30000	43.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 12:45:16	1	1	1	1	86.25	63.5	0	29526.066	466.6666667	13778.16432	30000	0	0	30000	43.875	2004
22.01.2020 12:45:17	1	1	1	1	86.25	63.75	0	29620.853	481.7204301	14269.01856	30000	0	0	30000	44.4375	2004
22.01.2020 12:45:19	1	1	1	1	86.25	64.25	0	27962.085	483.8709677	13552.30615	30000	0	0	30000	44.375	2004
22.01.2020 12:45:20	1	1	1	1	86.25	64.25	0	29952.607	496.7741935	14902.56299	30000	0	0	30000	43.875	2004
22.01.2020 12:45:21	1	1	1	1	86.25	63.75	0	29952.607	486.0215054	14622.07485	30000	0	0	30000	44.375	2004
22.01.2020 12:45:22	1	1	1	1	86.25	64.25	0	30000	496.7741935	14902.56299	30000	0	0	30000	44.4375	2004
22.01.2020 12:45:23	1	1	1	1	86.25	64.25	0	28862.559	490.3225806	14089.63662	30000	0	0	30000	44.375	2004
22.01.2020 12:45:24	1	1	1	1	86.25	64.25	0	30047.393	503.2258065	15032.20721	30000	0	0	30000	44.1875	2004
22.01.2020 12:45:25	1	1	1	1	86.25	64	0	29952.607	494.6236559	14727.2579	30000	0	0	30000	44.375	2004
22.01.2020 12:45:26	1	1	1	1	86.25	64.25	0	26018.957	466.6666667	12086.26641	30000	0	0	30000	43.8125	2004
22.01.2020 12:45:27	1	1	1	1	86.25	63.75	0	29526.066	464.516129	14223.3577	30000	0	0	30000	44.4375	2004
22.01.2020 12:45:28	1	1	1	1	86.25	64.25	0	30000	503.2258065	15096.62164	30000	0	0	30000	44.4375	2004
22.01.2020 12:45:29	1	1	1	1	86.25	64.25	0	30000	496.7741935	14902.56299	30000	0	0	30000	44.4375	2004
22.01.2020 12:45:30	1	1	1	1	86.25	64.25	0	29810.427	466.6666667	13911.07004	30000	0	0	30000	44.4375	2004
22.01.2020 12:45:31	1	1	1	1	86.25	64.25	0	30000	492.4731183	14750.9037	30000	0	0	30000	44.4375	2004
22.01.2020 12:45:32	1	1	1	1	86.25	64.25	0	29857.82	481.7204301	14406.00114	30000	0	0	30000	44.375	2004
22.01.2020 12:45:33	1	1	1	1	86.25	64.25	0	30000	511.827957	15289.86492	30000	0	0	30000	44.3125	2004
22.01.2020 12:45:34	1	1	1	1	86.25	64.25	0	29952.607	488.172043	14622.07485	30000	0	0	30000	44.5625	2004
22.01.2020 12:45:35	1	1	1	1	86.75	64.5	0	29478.673	460.2150538	13737.3957	30000	0	0	30000	44.75	2004
22.01.2020 12:45:36	1	1	1	1	86.75	64.25	0	29905.213	481.7204301	14406.00114	30000	0	0	30000	44.3125	2004
22.01.2020 12:45:37	1	1	1	1	86.75	64.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	44.4375	2004
22.01.2020 12:45:38	1	1	1	1	86.75	64.25	0	27819.905	464.516129	12922.83858	30000	0	0	30000	43.5625	2004
22.01.2020 12:45:39	1	1	1	1	86.75	63.5	0	30000	488.172043	14644.90528	30000	0	0	30000	44.1875	2004
22.01.2020 12:45:40	1	1	1	1	86.75	64	0	30000	481.7204301	14516.07643	30000	0	0	30000	44.25	2004
22.01.2020 12:45:41	1	1	1	1	86.75	64.25	0	29478.673	481.7204301	14223.3577	30000	0	0	30000	44.5625	2004
22.01.2020 12:45:42	1	1	1	1	86.75	64.5	0	30000	494.6236559	14902.56299	30000	0	0	30000	44.4375	2004
22.01.2020 12:45:43	1	1	1	1	86.75	64.25	0	30000	496.7741935	14773.73413	30000	0	0	30000	44.1875	2004
22.01.2020 12:45:44	1	1	1	1	86.25	64	0	29905.213	494.6236559	15032.20721	30000	0	0	30000	44.4375	2004
22.01.2020 12:45:45	1	1	1	1	86.25	64.25	0	29715.64	488.172043	14506.29196	30000	0	0	30000	44.0625	2004
22.01.2020 12:45:46	1	1	1	1	86.25	64	0	29905.213	481.7204301	14406.00114	30000	0	0	30000	44.375	2004
22.01.2020 12:45:47	1	1	1	1	86.25	64.25	0	29905.213	481.7204301	14406.00114	30000	0	0	30000	44.125	2004
22.01.2020 12:45:48	1	1	1	1	86.25	64	0	30000	481.7204301	14451.662	30000	0	0	30000	43.875	2004
22.01.2020 12:45:49	1	1	1	1	86.25	63.75	0	30000	488.172043	14644.90528	30000	0	0	30000	44.375	2004
22.01.2020 12:45:50	1	1	1	1	86.25	64.25	0	28957.346	464.516129	13995.05341	30000	0	0	30000	43.75	2004
22.01.2020 12:45:51	1	1	1	1	86.25	63.75	0	29715.64	468.8172043	13995.05341	30000	0	0	30000	44.375	2004
22.01.2020 12:45:52	1	1	1	1	86.25	64.25	0	29431.28	464.516129	13734.13421	30000	0	0	30000	44.375	2004
22.01.2020 12:45:53	1	1	1	1	86.25	64.25	0	29526.066	483.8709677	14309.78719	30000	0	0	30000	44.25	2004
22.01.2020 12:45:54	1	1	1	1	87.25	64.25	0	30000	488.172043	14622.07485	30000	0	0	30000	44.3125	2004
22.01.2020 12:45:55	1	1	1	1	87.25	64.25	0	29715.64	453.7634409	13483.81486	30000	0	0	30000	44.1875	2004
22.01.2020 12:45:57	1	1	1	1	87.25	64	0	29905.213	468.8172043	14083.92901	30000	0	0	30000	44.3125	2004
22.01.2020 12:45:58	1	1	1	1	87.25	64.25	0	29952.607	481.7204301	14451.662	30000	0	0	30000	44	2004
22.01.2020 12:45:59	1	1	1	1	87.25	64	0	30000	490.3225806	14516.07643	30000	0	0	30000	44.3125	2004
22.01.2020 12:46:00	1	1	1	1	87.25	64.25	0	30000	488.172043	14644.90528	30000	0	0	30000	43.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 12:46:01	1	1	1	1	87.25	63	0	29668.246	464.516129	13803.44087	30000	0	0	30000	44.375	2004
22.01.2020 12:46:02	1	1	1	1	87.25	64.25	0	28815.166	427.9569892	12331.69353	30000	0	0	30000	44.375	2004
22.01.2020 12:46:03	1	1	1	1	87.25	64.25	0	30000	481.7204301	14451.662	30000	0	0	30000	44.3125	2004
22.01.2020 12:46:04	1	1	1	1	87.25	64.25	0	30000	488.172043	14428.83157	30000	0	0	30000	44	2004
22.01.2020 12:46:05	1	1	1	1	87	64	0	30000	483.8709677	14406.00114	30000	0	0	30000	44.25	2004
22.01.2020 12:46:12	1	1	1	1	87	64.25	0	30000	483.8709677	14580.49085	30000	0	0	30000	44.0625	2004
22.01.2020 12:46:12	1	1	1	1	87	64.25	0	30000	483.8709677	14580.49085	30000	0	0	30000	44.0625	2004
22.01.2020 12:46:12	1	1	1	1	87	64.25	0	30000	483.8709677	14580.49085	30000	0	0	30000	44.0625	2004
22.01.2020 12:46:12	1	1	1	1	87	64.25	0	30000	483.8709677	14580.49085	30000	0	0	30000	44.0625	2004
22.01.2020 12:46:12	1	1	1	1	87	64.25	0	30000	483.8709677	14580.49085	30000	0	0	30000	44.0625	2004
22.01.2020 12:46:12	1	1	1	1	87	64	0	29857.82	481.7204301	14360.34028	30000	0	0	30000	44.625	2004
22.01.2020 12:46:13	1	1	1	1	87	64.5	0	30000	492.4731183	14773.73413	30000	0	0	30000	44.1875	2004
22.01.2020 12:46:14	1	1	1	1	87	64	0	30000	501.0752688	15032.20721	30000	0	0	30000	44.625	2004
22.01.2020 12:46:15	1	1	1	1	87.25	64.5	0	29952.607	481.7204301	14428.83157	30000	0	0	30000	44.8125	2004
22.01.2020 12:46:16	1	1	1	1	87.25	63.5	0	29857.82	464.516129	13869.48604	30000	0	0	30000	44.5625	2004
22.01.2020 12:46:17	1	1	1	1	87.25	64.5	0	30000	481.7204301	14451.662	30000	0	0	30000	44.3125	2004
22.01.2020 12:46:18	1	1	1	1	87.25	64.25	0	29526.066	481.7204301	14223.3577	30000	0	0	30000	44.3125	2004
22.01.2020 12:46:19	1	1	1	1	87.25	64.25	0	30000	481.7204301	14451.662	30000	0	0	30000	44.3125	2004
22.01.2020 12:46:20	1	1	1	1	87.25	64.25	0	30000	481.7204301	14451.662	30000	0	0	30000	44.5	2004
22.01.2020 12:46:21	1	1	1	1	87.25	64.5	0	30000	481.7204301	14451.662	30000	0	0	30000	44.1875	2004
22.01.2020 12:46:22	1	1	1	1	87.25	64	0	27962.085	423.655914	11725.87177	30000	0	0	30000	44.0625	2004
22.01.2020 12:46:23	1	1	1	1	87.25	64	0	30000	481.7204301	14451.662	30000	0	0	30000	44.5	2004
22.01.2020 12:46:24	1	1	1	1	87.25	64.5	0	29952.607	466.6666667	13999.94564	30000	0	0	30000	44.0625	2004
22.01.2020 12:46:25	1	1	1	1	87.25	64	0	30000	481.7204301	14451.662	30000	0	0	30000	43.8125	2004
22.01.2020 12:46:26	1	1	1	1	87.25	63.75	0	30000	481.7204301	14451.662	30000	0	0	30000	42.75	2004
22.01.2020 12:46:27	1	1	1	1	87.25	62.75	0	27819.905	458.0645161	12742.64126	30000	0	0	30000	44.4375	2004
22.01.2020 12:46:28	1	1	1	1	87.25	64.25	0	30000	481.7204301	14451.662	30000	0	0	30000	44.4375	2004
22.01.2020 12:46:29	1	1	1	1	87.25	64.25	0	30000	494.6236559	14902.56299	30000	0	0	30000	44.0625	2004
22.01.2020 12:46:30	1	1	1	1	87.25	64	0	30000	464.516129	13935.53122	30000	0	0	30000	44.4375	2004
22.01.2020 12:46:31	1	1	1	1	87.25	64.25	0	28957.346	378.4946237	10737.64031	30000	0	0	30000	44.625	2004
22.01.2020 12:46:32	1	1	1	1	87.25	64.5	0	28862.559	378.4946237	10924.36061	30000	0	0	30000	44.0625	2004
22.01.2020 12:46:33	1	1	1	1	87.25	64	0	29952.607	425.8064516	12709.21099	30000	0	0	30000	44.125	2004
22.01.2020 12:46:35	1	1	1	1	87	64	0	29810.427	395.6989247	11814.74737	30000	0	0	30000	44.3125	2004
22.01.2020 12:46:36	1	1	1	1	87	64.25	0	30000	468.8172043	13999.94564	30000	0	0	30000	44.3125	2004
22.01.2020 12:46:37	1	1	1	1	87	64.25	0	30000	464.516129	13935.53122	30000	0	0	30000	44.3125	2004
22.01.2020 12:46:38	1	1	1	1	87	64.25	0	30000	466.6666667	13999.94564	30000	0	0	30000	44.3125	2004
22.01.2020 12:46:39	1	1	1	1	87	64.25	0	30000	481.7204301	14428.83157	30000	0	0	30000	44.5625	2004
22.01.2020 12:46:40	1	1	1	1	87	64.5	0	30000	486.0215054	14428.83157	30000	0	0	30000	44.125	2004
22.01.2020 12:46:41	1	1	1	1	87	64	0	29620.853	466.6666667	13759.41076	30000	0	0	30000	44.25	2004
22.01.2020 12:46:42	1	1	1	1	87	64.25	0	30000	486.0215054	14580.49085	30000	0	0	30000	43.625	2004
22.01.2020 12:46:43	1	1	1	1	87	63.5	0	26587.678	438.7096774	11705.48746	30000	0	0	30000	43.5625	2004
22.01.2020 12:46:44	1	1	1	1	87	63.5	0	29383.886	464.516129	13649.33547	30000	0	0	30000	44.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 12:46:45	1	1	1	1	87.5	64.25	0	28815.166	458.0645161	13261.21817	30000	0	0	30000	44.25	2004
22.01.2020 12:46:46	1	1	1	1	87.5	64.25	0	30000	492.4731183	14557.66042	30000	0	0	30000	44.5	2004
22.01.2020 12:46:47	1	1	1	1	87.5	64.5	0	30000	496.7741935	14902.56299	30000	0	0	30000	44.25	2004
22.01.2020 12:46:48	1	1	1	1	87.5	64.25	0	28009.479	466.6666667	13130.75857	30000	0	0	30000	44.4375	2004
22.01.2020 12:46:49	1	1	1	1	87.5	64.25	0	28815.166	481.7204301	13593.07477	30000	0	0	30000	44	2004
22.01.2020 12:46:50	1	1	1	1	87.5	64	0	30000	505.3763441	15225.45049	30000	0	0	30000	44.25	2004
22.01.2020 12:46:51	1	1	1	1	87.5	64.25	0	29952.607	503.2258065	15225.45049	30000	0	0	30000	44.4375	2004
22.01.2020 12:46:52	1	1	1	1	87.5	64.25	0	29905.213	486.0215054	14534.01462	30000	0	0	30000	44.75	2004
22.01.2020 12:46:53	1	1	1	1	87.5	64.75	0	29905.213	503.2258065	15161.03607	30000	0	0	30000	44.4375	2004
22.01.2020 12:46:54	1	1	1	1	87.25	64	0	30000	498.9247312	15032.20721	30000	0	0	30000	44.375	2004
22.01.2020 12:46:55	1	1	1	1	87.25	64.25	0	29952.607	498.9247312	15161.03607	30000	0	0	30000	44.25	2004
22.01.2020 12:46:56	1	1	1	1	87.25	64.25	0	30000	501.0752688	15032.20721	30000	0	0	30000	44.25	2004
22.01.2020 12:46:57	1	1	1	1	87.25	64.25	0	29810.427	483.8709677	14511.18419	30000	0	0	30000	44.3125	2004
22.01.2020 12:46:58	1	1	1	1	87.25	64.25	0	29952.607	516.1290323	15459.4624	30000	0	0	30000	44.4375	2004
22.01.2020 12:46:59	1	1	1	1	87.25	64.25	0	28625.592	481.7204301	13880.90126	30000	0	0	30000	44.5	2004
22.01.2020 12:47:00	1	1	1	1	87.25	64.5	0	29905.213	492.4731183	14727.2579	30000	0	0	30000	43.875	2004
22.01.2020 12:47:01	1	1	1	1	87.25	63.75	0	29905.213	488.172043	14598.42905	30000	0	0	30000	43.3125	2004
22.01.2020 12:47:02	1	1	1	1	87.25	63.25	0	29905.213	488.172043	14598.42905	30000	0	0	30000	44.125	2004
22.01.2020 12:47:03	1	1	1	1	87.25	64	0	29857.82	490.3225806	14703.6121	30000	0	0	30000	44.5	2004
22.01.2020 12:47:04	1	1	1	1	87.5	64.5	0	29810.427	486.0215054	14488.35376	30000	0	0	30000	44	2004
22.01.2020 12:47:05	1	1	1	1	87.5	64	0	28483.412	458.0645161	13107.92814	30000	0	0	30000	44.1875	2004
22.01.2020 12:47:06	1	1	1	1	87.5	64	0	29857.82	488.172043	14575.59862	30000	0	0	30000	44.375	2004
22.01.2020 12:47:13	1	1	1	1	87.5	64.25	0	28815.166	481.7204301	13593.07477	30000	0	0	30000	44.3125	2004
22.01.2020 12:47:13	1	1	1	1	87.5	64.25	0	28815.166	481.7204301	13593.07477	30000	0	0	30000	44.3125	2004
22.01.2020 12:47:13	1	1	1	1	87.5	64.25	0	28815.166	481.7204301	13593.07477	30000	0	0	30000	44.3125	2004
22.01.2020 12:47:13	1	1	1	1	87.5	64.25	0	28815.166	481.7204301	13593.07477	30000	0	0	30000	44.3125	2004
22.01.2020 12:47:13	1	1	1	1	87.5	64.25	0	28815.166	481.7204301	13593.07477	30000	0	0	30000	44.3125	2004
22.01.2020 12:47:13	1	1	1	1	87.5	64.25	0	28815.166	481.7204301	13593.07477	30000	0	0	30000	44.3125	2004
22.01.2020 12:47:14	1	1	1	1	87.5	64.25	0	29857.82	488.172043	14575.59862	30000	0	0	30000	44.5	2004
22.01.2020 12:47:15	1	1	1	1	88	64.5	0	30000	509.6774194	15289.86492	30000	0	0	30000	44.1875	2004
22.01.2020 12:47:16	1	1	1	1	88	64	0	30000	516.1290323	15483.92357	30000	0	0	30000	44.5	2004
22.01.2020 12:47:17	1	1	1	1	88	64.5	0	29146.919	481.7204301	13579.21344	30000	0	0	30000	44.375	2004
22.01.2020 12:47:18	1	1	1	1	88	64.25	0	26018.957	481.7204301	12533.90591	30000	0	0	30000	44.4375	2004
22.01.2020 12:47:19	1	1	1	1	88	64.25	0	29905.213	496.7741935	14856.08676	30000	0	0	30000	44.5	2004
22.01.2020 12:47:20	1	1	1	1	88	64.5	0	28009.479	453.7634409	12709.21099	30000	0	0	30000	43.8125	2004
22.01.2020 12:47:21	1	1	1	1	88	63.75	0	29715.64	481.7204301	14314.67942	30000	0	0	30000	44.375	2004
22.01.2020 12:47:22	1	1	1	1	88	64.25	0	30000	492.4731183	14773.73413	30000	0	0	30000	43.875	2004
22.01.2020 12:47:23	1	1	1	1	88	63.75	0	30000	511.827957	15289.86492	30000	0	0	30000	44	2004
22.01.2020 12:47:24	1	1	1	1	88	64	0	29857.82	492.4731183	14791.67233	30000	0	0	30000	44.4375	2004
22.01.2020 12:47:25	1	1	1	1	87.25	64.25	0	29810.427	466.6666667	13911.07004	30000	0	0	30000	44.1875	2004
22.01.2020 12:47:26	1	1	1	1	87.25	64	0	28815.166	458.0645161	13220.44954	30000	0	0	30000	44.0625	2004
22.01.2020 12:47:27	1	1	1	1	87.25	64	0	29952.607	488.172043	14686.48928	30000	0	0	30000	44.3125	2004
22.01.2020 12:47:28	1	1	1	1	87.25	64.25	0	30000	516.1290323	15112.92909	30000	0	0	30000	43.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 12:47:29	1	1	1	1	87.25	63.75	0	29952.607	494.6236559	14879.73256	30000	0	0	30000	44.0625	2004
22.01.2020 12:47:30	1	1	1	1	87.25	64	0	29099.526	492.4731183	14330.1715	30000	0	0	30000	44.5625	2004
22.01.2020 12:47:31	1	1	1	1	87.25	64.5	0	30000	496.7741935	14902.56299	30000	0	0	30000	44.5	2004
22.01.2020 12:47:32	1	1	1	1	87.25	64.5	0	27440.758	460.2150538	12628.48911	30000	0	0	30000	43.625	2004
22.01.2020 12:47:33	1	1	1	1	87.25	64.75	0	28862.559	458.0645161	13344.38616	30000	0	0	30000	44.3125	2004
22.01.2020 12:47:34	1	1	1	1	90.25	64.25	0	29905.213	492.4731183	14727.2579	30000	0	0	30000	44.0625	2004
22.01.2020 12:47:35	1	1	1	1	90.25	64	0	29620.853	481.7204301	14506.29196	30000	0	0	30000	44.5	2004
22.01.2020 12:47:36	1	1	1	1	90.25	64.5	0	29952.607	516.1290323	15483.92357	30000	0	0	30000	44.4375	2004
22.01.2020 12:47:37	1	1	1	1	90.25	64.25	0	29905.213	501.0752688	14727.2579	30000	0	0	30000	44.25	2004
22.01.2020 12:47:38	1	1	1	1	90.25	64.25	0	29810.427	466.6666667	13911.07004	30000	0	0	30000	44.25	2004
22.01.2020 12:47:39	1	1	1	1	90.25	64.25	0	30000	503.2258065	15161.03607	30000	0	0	30000	44.3125	2004
22.01.2020 12:47:40	1	1	1	1	90.25	64.25	0	29668.246	483.8709677	14355.44805	30000	0	0	30000	44	2004
22.01.2020 12:47:41	1	1	1	1	90.25	64	0	29905.213	483.8709677	14598.42905	30000	0	0	30000	44.4375	2004
22.01.2020 12:47:42	1	1	1	1	90.25	64.25	0	30000	507.5268817	15225.45049	30000	0	0	30000	44.625	2004
22.01.2020 12:47:43	1	1	1	1	90.25	64.5	0	29905.213	496.7741935	14902.56299	30000	0	0	30000	43.8125	2004
22.01.2020 12:47:44	1	1	1	1	88	63.75	0	29905.213	494.6236559	14838.14856	30000	0	0	30000	43.5625	2004
22.01.2020 12:47:45	1	1	1	1	88	63.5	0	29952.607	503.2258065	15225.45049	30000	0	0	30000	44.625	2004
22.01.2020 12:47:46	1	1	1	1	88	64.5	0	29857.82	483.8709677	14446.76977	30000	0	0	30000	44.375	2004
22.01.2020 12:47:47	1	1	1	1	88	64.25	0	29099.526	481.7204301	14040.71427	30000	0	0	30000	44.25	2004
22.01.2020 12:47:48	1	1	1	1	88	64.25	0	29905.213	490.3225806	14662.84348	30000	0	0	30000	44.25	2004
22.01.2020 12:47:49	1	1	1	1	88	64.25	0	29715.64	481.7204301	14378.27848	30000	0	0	30000	44.375	2004
22.01.2020 12:47:50	1	1	1	1	88	64.25	0	29952.607	503.2258065	15137.39026	30000	0	0	30000	43.875	2004
22.01.2020 12:47:52	1	1	1	1	88	63.75	0	29810.427	494.6236559	14703.6121	30000	0	0	30000	44.0625	2004
22.01.2020 12:47:53	1	1	1	1	88	64	0	29715.64	507.5268817	15017.53051	30000	0	0	30000	44.5625	2004
22.01.2020 12:47:54	1	1	1	1	88	64.5	0	30000	507.5268817	15225.45049	30000	0	0	30000	44.4375	2004
22.01.2020 12:47:55	1	1	1	1	87.5	64.25	0	29952.607	522.5806452	15652.70568	30000	0	0	30000	43.25	2004
22.01.2020 12:47:56	1	1	1	1	87.5	63.25	0	29715.64	526.8817204	15706.52026	30000	0	0	30000	44.25	2004
22.01.2020 12:47:57	1	1	1	1	87.5	64.25	0	28009.479	464.516129	13070.421	30000	0	0	30000	44.6875	2004
22.01.2020 12:47:58	1	1	1	1	87.5	64.5	0	29668.246	516.1290323	15337.15652	30000	0	0	30000	44.375	2004
22.01.2020 12:47:59	1	1	1	1	87.5	64.25	0	29857.82	516.1290323	15105.59074	30000	0	0	30000	43.9375	2004
22.01.2020 12:48:00	1	1	1	1	87.5	63.75	0	29952.607	516.1290323	15435.00122	30000	0	0	30000	44.3125	2004
22.01.2020 12:48:01	1	1	1	1	87.5	64.25	0	30000	531.1827957	15870.41013	30000	0	0	30000	44.4375	2004
22.01.2020 12:48:02	1	1	1	1	87.5	64.25	0	27440.758	468.8172043	12702.68801	30000	0	0	30000	44.125	2004
22.01.2020 12:48:03	1	1	1	1	87.5	64	0	29952.607	516.1290323	15483.92357	30000	0	0	30000	44	2004
22.01.2020 12:48:04	1	1	1	1	87.5	64	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	44.5625	2004
22.01.2020 12:48:05	1	1	1	1	87	64.5	0	29905.213	537.6344086	16013.10032	30000	0	0	30000	43.3125	2004
22.01.2020 12:48:06	1	1	1	1	87	63.25	0	29478.673	490.3225806	14540.5376	30000	0	0	30000	44.5625	2004
22.01.2020 12:48:07	1	1	1	1	87	64.5	0	30000	518.2795699	15548.338	30000	0	0	30000	44.125	2004
22.01.2020 12:48:08	1	1	1	1	87	64	0	29905.213	516.1290323	15435.00122	30000	0	0	30000	44.5	2004
22.01.2020 12:48:15	1	1	1	1	87	64.25	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	44.5	2004
22.01.2020 12:48:15	1	1	1	1	87	64.25	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	44.5	2004
22.01.2020 12:48:15	1	1	1	1	87	64.25	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	44.5	2004
22.01.2020 12:48:15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 12:48:15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
22.01.2020 12:48:15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
22.01.2020 12:48:15	1	0	1	1	86.5	20	0	0	0	0	30000	0	0	30000	0	2004
22.01.2020 12:48:16	1	1	1	1	86.5	62	0	0	0	0	30000	0	0	30000	44.875	2004
22.01.2020 12:48:17	1	1	1	1	86.5	64.75	0	0	0	0	30000	0	0	30000	41.9375	2004
22.01.2020 12:48:18	1	1	1	1	86.5	61.75	0	0	0	0	30000	0	0	30000	44.75	2004
22.01.2020 12:48:19	1	1	1	1	86.5	64.75	0	0	0	0	30000	0	0	30000	44.75	2004
22.01.2020 12:48:20	1	1	1	1	86.5	64.75	0	0	0	0	30000	0	0	30000	44.5625	2004
22.01.2020 12:48:21	1	1	1	1	86.5	64.5	0	0	0	0	30000	0	0	30000	44.8125	2004
22.01.2020 12:48:22	1	1	1	1	86.5	64.75	0	0	0	0	30000	0	0	30000	44.8125	2004
22.01.2020 12:48:23	1	1	1	1	86.5	64.75	0	0	0	0	30000	0	0	30000	44.625	2004
22.01.2020 12:48:24	1	1	1	1	86.5	64.5	0	0	0	0	30000	0	0	30000	45.0625	2004
22.01.2020 12:48:25	1	1	1	1	89.5	65	0	10379.147	0	0	30000	0	0	30000	44.8125	2004
22.01.2020 12:48:26	1	1	1	1	89.5	64.75	0	11184.834	0	0	30000	0	0	30000	45	2004
22.01.2020 12:48:27	1	1	1	1	89.5	64.75	0	11943.128	0	0	30000	0	0	30000	44.625	2004
22.01.2020 12:48:28	1	1	1	1	89.5	64.5	0	12748.815	2.150537634	26.90729215	30000	0	0	30000	44.5	2004
22.01.2020 12:48:29	1	1	1	1	89.5	64.5	0	13412.322	4.301075269	57.07607425	30000	0	0	30000	44.625	2004
22.01.2020 12:48:31	1	1	1	1	89.5	64.5	0	14265.403	10.75268817	153.290028	30000	0	0	30000	44.5	2004
22.01.2020 12:48:32	1	1	1	1	89.5	64.5	0	14976.303	17.20430108	225.0428071	30000	0	0	30000	44.5	2004
22.01.2020 12:48:33	1	1	1	1	89.5	64.5	0	15829.384	23.65591398	374.2559726	30000	0	0	30000	44.5625	2004
22.01.2020 12:48:34	1	1	1	1	89.5	64.5	0	16492.891	32.25806452	538.145843	30000	0	0	30000	44.625	2004
22.01.2020 12:48:35	1	1	1	1	89	64.5	0	17393.365	45.16129032	750.1426902	30000	0	0	30000	44.4375	2004
22.01.2020 12:48:36	1	1	1	1	89	64.25	0	16161.137	40.86021505	659.6363439	30000	0	0	30000	44.6875	2004
22.01.2020 12:48:37	1	1	1	1	89	64.5	0	18104.265	55.91397849	1053.461256	30000	0	0	30000	44.625	2004
22.01.2020 12:48:38	1	1	1	1	89	64.5	0	19620.853	70.96774194	1391.840839	30000	0	0	30000	44.5625	2004
22.01.2020 12:48:39	1	1	1	1	89	64.5	0	20426.54	81.72043011	1717.174463	30000	0	0	30000	44.625	2004
22.01.2020 12:48:40	1	1	1	1	89	64.5	0	21232.227	96.77419355	2009.077814	30000	0	0	30000	44.5625	2004
22.01.2020 12:48:41	1	1	1	1	89	64.5	0	21943.128	109.6774194	2406.164216	30000	0	0	30000	44.625	2004
22.01.2020 12:48:42	1	1	1	1	89	64.5	0	22748.815	126.8817204	2935.340962	30000	0	0	30000	44.5	2004
22.01.2020 12:48:43	1	1	1	1	89	64.5	0	23554.502	144.0860215	3393.580301	30000	0	0	30000	44.3125	2004
22.01.2020 12:48:44	1	1	1	1	89	64.25	0	23554.502	152.688172	3595.792678	30000	0	0	30000	44.3125	2004
22.01.2020 12:48:45	1	1	1	1	88.5	64.25	0	24976.303	182.7956989	4565.270568	30000	0	0	30000	44.5625	2004
22.01.2020 12:48:46	1	1	1	1	88.5	64.5	0	25734.597	206.4516129	5387.98141	30000	0	0	30000	44.6875	2004
22.01.2020 12:48:47	1	1	1	1	88.5	64.5	0	26540.284	253.7634409	6734.976762	30000	0	0	30000	44.625	2004
22.01.2020 12:48:48	1	1	1	1	88.5	64.5	0	27440.758	279.5698925	7847.96021	30000	0	0	30000	44.4375	2004
22.01.2020 12:48:49	1	1	1	1	88.5	64.25	0	28009.479	346.2365591	9697.225016	30000	0	0	30000	44.5	2004
22.01.2020 12:48:50	1	1	1	1	88.5	64.5	0	28815.166	378.4946237	10720.51749	30000	0	0	30000	44.4375	2004
22.01.2020 12:48:51	1	1	1	1	88.5	64.25	0	29526.066	412.9032258	12254.23314	30000	0	0	30000	44.4375	2004
22.01.2020 12:48:52	1	1	1	1	88.5	64.25	0	29905.213	481.7204301	14406.00114	30000	0	0	30000	44.25	2004
22.01.2020 12:48:53	1	1	1	1	88.5	64.25	0	30000	494.6236559	14773.73413	30000	0	0	30000	43.5625	2004
22.01.2020 12:48:54	1	1	1	1	88.5	63.5	0	30000	496.7741935	14902.56299	30000	0	0	30000	44.5	2004
22.01.2020 12:48:55	1	1	1	1	88.25	64.5	0	30000	501.0752688	15032.20721	30000	0	0	30000	44.5625	2004
22.01.2020 12:48:56	1	1	1	1	88.25	64.5	0	29905.213	481.7204301	13933.0851	30000	0	0	30000	44.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 12:48:57	1	1	1	1	88.25	64.25	0	29905.213	483.8709677	14516.07643	30000	0	0	30000	44.25	2004
22.01.2020 12:48:58	1	1	1	1	88.25	64.25	0	30000	496.7741935	14815.31813	30000	0	0	30000	43.875	2004
22.01.2020 12:48:59	1	1	1	1	88.25	63.75	0	29905.213	481.7204301	14451.662	30000	0	0	30000	44.375	2004
22.01.2020 12:49:00	1	1	1	1	88.25	64.25	0	29857.82	481.7204301	14360.34028	30000	0	0	30000	44	2004
22.01.2020 12:49:01	1	1	1	1	88.25	64	0	29336.493	481.7204301	13816.48683	30000	0	0	30000	44.4375	2004
22.01.2020 12:49:02	1	1	1	1	88.25	64.25	0	29952.607	488.172043	14622.07485	30000	0	0	30000	44.5625	2004
22.01.2020 12:49:03	1	1	1	1	88.25	64.5	0	29431.28	481.7204301	14200.52727	30000	0	0	30000	44.375	2004
22.01.2020 12:49:04	1	1	1	1	88.25	64.25	0	30000	494.6236559	14838.14856	30000	0	0	30000	44.5625	2004
22.01.2020 12:49:05	1	1	1	1	88.5	64.5	0	30000	481.7204301	14451.662	30000	0	0	30000	44.625	2004
22.01.2020 12:49:06	1	1	1	1	88.5	64.5	0	29478.673	490.3225806	14540.5376	30000	0	0	30000	44.8125	2004
22.01.2020 12:49:07	1	1	1	1	88.5	64	0	30000	496.7741935	14902.56299	30000	0	0	30000	44.0625	2004
22.01.2020 12:49:09	1	1	1	1	88.5	64	0	30000	481.7204301	14451.662	30000	0	0	30000	43.8125	2004
22.01.2020 12:49:10	1	1	1	1	88.5	63.75	0	30000	481.7204301	14451.662	30000	0	0	30000	44.3125	2004
22.01.2020 12:49:16	1	1	1	1	88.25	64	0	30000	481.7204301	14451.662	30000	0	0	30000	44	2004
22.01.2020 12:49:16	1	1	1	1	88.25	64	0	30000	481.7204301	14451.662	30000	0	0	30000	44	2004
22.01.2020 12:49:16	1	1	1	1	88.25	64	0	30000	481.7204301	14451.662	30000	0	0	30000	44	2004
22.01.2020 12:49:16	1	1	1	1	88.25	64	0	30000	481.7204301	14451.662	30000	0	0	30000	44	2004
22.01.2020 12:49:16	1	1	1	1	88.25	64	0	30000	481.7204301	14451.662	30000	0	0	30000	44	2004
22.01.2020 12:49:16	1	1	1	1	88.25	64	0	30000	481.7204301	14451.662	30000	0	0	30000	44	2004
22.01.2020 12:49:16	1	1	1	1	88.25	64	0	30000	481.7204301	14451.662	30000	0	0	30000	44	2004
22.01.2020 12:49:16	1	1	1	1	88.25	64	0	30000	481.7204301	14451.662	30000	0	0	30000	44	2004
22.01.2020 12:49:17	1	1	1	1	88.25	64	0	29952.607	466.6666667	14451.662	30000	0	0	30000	44	2004
22.01.2020 12:49:18	1	1	1	1	88.25	64	0	29905.213	440.8602151	13248.17221	30000	0	0	30000	43.875	2004
22.01.2020 12:49:19	1	1	1	1	88.25	63.75	0	30000	468.8172043	13999.94564	30000	0	0	30000	43.875	2004
22.01.2020 12:49:20	1	1	1	1	88.25	63.75	0	29952.607	453.7634409	13805.88699	30000	0	0	30000	44	2004
22.01.2020 12:49:21	1	1	1	1	88.25	64	0	29857.82	421.5053763	12500.47563	30000	0	0	30000	44.5625	2004
22.01.2020 12:49:22	1	1	1	1	88.25	64.5	0	30000	453.7634409	13677.05814	30000	0	0	30000	44.125	2004
22.01.2020 12:49:23	1	1	1	1	88.25	64	0	30000	453.7634409	13612.64371	30000	0	0	30000	44.3125	2004
22.01.2020 12:49:24	1	1	1	1	88.25	64.25	0	29952.607	455.9139785	13720.27288	30000	0	0	30000	44.5	2004
22.01.2020 12:49:25	1	1	1	1	88.25	64.5	0	30000	488.172043	14644.90528	30000	0	0	30000	44.375	2004
22.01.2020 12:49:26	1	1	1	1	88.25	64.25	0	10663.507	0	0	30000	0	0	30000	44.5625	2004
22.01.2020 12:49:27	1	1	1	1	88.25	64.5	0	11469.194	0	0	30000	0	0	30000	44.5625	2004
22.01.2020 12:49:28	1	1	1	1	88.25	64.5	0	12227.488	0	0	30000	0	0	30000	44.625	2004
22.01.2020 12:49:29	1	1	1	1	88.25	64.5	0	12938.389	2.150537634	27.72266464	30000	0	0	30000	44.625	2004
22.01.2020 12:49:30	1	1	1	1	88.25	64.5	0	13601.896	4.301075269	87.24485636	30000	0	0	30000	44.625	2004
22.01.2020 12:49:31	1	1	1	1	88.25	64.5	0	13317.536	6.451612903	57.07607425	30000	0	0	30000	44.625	2004
22.01.2020 12:49:32	1	1	1	1	88.25	64.5	0	15308.057	19.35483871	295.9802136	30000	0	0	30000	44.5625	2004
22.01.2020 12:49:33	1	1	1	1	88.25	64.5	0	15876.777	21.50537634	375.0713451	30000	0	0	30000	44.6875	2004
22.01.2020 12:49:34	1	1	1	1	88.25	64.5	0	16872.038	36.55913978	650.6672465	30000	0	0	30000	44.5625	2004
22.01.2020 12:49:35	1	1	1	1	88.75	64.5	0	17630.332	47.31182796	834.1260566	30000	0	0	30000	44.5	2004
22.01.2020 12:49:36	1	1	1	1	88.75	64.5	0	16682.464	47.31182796	789.2805697	30000	0	0	30000	44.5	2004
22.01.2020 12:49:37	1	1	1	1	88.75	64.5	0	19099.526	64.51612903	1232.027831	30000	0	0	30000	44.5625	2004
22.01.2020 12:49:38	1	1	1	1	88.75	64.5	0	19952.607	83.87096774	1673.144348	30000	0	0	30000	44.5	2004
22.01.2020 12:49:39	1	1	1	1	88.75	64.5	0	20710.9	94.62365591	1959.340092	30000	0	0	30000	44.625	2004
22.01.2020 12:49:40	1	1	1	1	88.75	64.5	0	21469.194	107.5268817	2359.687984	30000	0	0	30000	44.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 12:49:41	1	1	1	1	88.75	64.5	0	22274.882	124.7311828	2729.867094	30000	0	0	30000	44.9375	2004
22.01.2020 12:49:42	1	1	1	1	88.75	64.75	0	23033.175	150.5376344	3466.963825	30000	0	0	30000	44.5	2004
22.01.2020 12:49:43	1	1	1	1	88.75	64.5	0	23791.469	165.5913978	3939.064496	30000	0	0	30000	44.9375	2004
22.01.2020 12:49:44	1	1	1	1	88.75	64.75	0	24502.37	180.6451613	4372.84266	30000	0	0	30000	44.5	2004
22.01.2020 12:49:45	1	1	1	1	88.75	64.5	0	24407.583	180.6451613	4356.535211	30000	0	0	30000	44.6875	2004
22.01.2020 12:49:47	1	1	1	1	88.75	64.5	0	26066.351	243.0107527	6345.228712	30000	0	0	30000	44.5625	2004
22.01.2020 12:49:48	1	1	1	1	88.75	64.5	0	26824.645	277.4193548	7441.089338	30000	0	0	30000	44.5625	2004
22.01.2020 12:49:49	1	1	1	1	88.75	64.5	0	27630.332	301.0752688	8258.907944	30000	0	0	30000	44.625	2004
22.01.2020 12:49:50	1	1	1	1	88.75	64.5	0	27109.005	335.483871	9094.664746	30000	0	0	30000	44.5625	2004
22.01.2020 12:49:51	1	1	1	1	88.75	64.5	0	24502.37	354.8387097	8694.316854	30000	0	0	30000	44.5	2004
22.01.2020 12:49:52	1	1	1	1	88.75	64.5	0	23080.569	341.9354839	7923.789851	30000	0	0	30000	44.625	2004
22.01.2020 12:49:53	1	1	1	1	88.75	64.5	0	28625.592	412.9032258	11800.07067	30000	0	0	30000	44.375	2004
22.01.2020 12:49:54	1	1	1	1	88.75	64.25	0	27582.938	470.9677419	13310.14052	30000	0	0	30000	44.1875	2004
22.01.2020 12:49:55	1	1	1	1	88.25	64	0	28293.839	511.827957	14505.47659	30000	0	0	30000	44.25	2004
22.01.2020 12:49:56	1	1	1	1	88.25	64.25	0	29905.213	518.2795699	15241.75794	30000	0	0	30000	44.1875	2004
22.01.2020 12:49:57	1	1	1	1	88.25	64	0	29905.213	518.2795699	15523.87682	30000	0	0	30000	44.1875	2004
22.01.2020 12:49:58	1	1	1	1	88.25	64	0	30000	522.5806452	15677.16685	30000	0	0	30000	43.875	2004
22.01.2020 12:49:59	1	1	1	1	88.25	63.75	0	29905.213	516.1290323	15435.00122	30000	0	0	30000	44.4375	2004
22.01.2020 12:50:00	1	1	1	1	88.25	64.25	0	29905.213	516.1290323	15281.71112	30000	0	0	30000	44.1875	2004
22.01.2020 12:50:01	1	1	1	1	88.25	64	0	30000	533.3333333	15934.82456	30000	0	0	30000	44.5	2004
22.01.2020 12:50:02	1	1	1	1	88.25	64.5	0	30000	518.2795699	15548.338	30000	0	0	30000	44.625	2004
22.01.2020 12:50:03	1	1	1	1	88.25	64.5	0	29952.607	533.3333333	15974.77781	30000	0	0	30000	44.75	2004
22.01.2020 12:50:04	1	1	1	1	88.25	64.75	0	29905.213	511.827957	15112.92909	30000	0	0	30000	44.4375	2004
22.01.2020 12:50:05	1	1	1	1	87.75	64.25	0	29857.82	537.6344086	15987.82377	30000	0	0	30000	44.4375	2004
22.01.2020 12:50:06	1	1	1	1	87.75	64.25	0	30000	520.4301075	15241.75794	30000	0	0	30000	44.375	2004
22.01.2020 12:50:07	1	1	1	1	87.75	64.25	0	30000	533.3333333	16128.88321	30000	0	0	30000	44.5625	2004
22.01.2020 12:50:08	1	1	1	1	87.75	64.5	0	29905.213	529.0322581	15870.41013	30000	0	0	30000	43.8125	2004
22.01.2020 12:50:09	1	1	1	1	87.75	63.75	0	29810.427	533.3333333	15898.94817	30000	0	0	30000	44.5625	2004
22.01.2020 12:50:10	1	1	1	1	87.75	64.5	0	30000	529.0322581	15870.41013	30000	0	0	30000	43.8125	2004
22.01.2020 12:50:11	1	1	1	1	87.75	63.75	0	30000	520.4301075	15612.75243	30000	0	0	30000	43.75	2004
22.01.2020 12:50:18	1	1	1	1	86.75	63.75	0	30000	516.1290323	15548.338	30000	0	0	30000	43.875	2004
22.01.2020 12:50:18	1	1	1	1	86.75	63.75	0	30000	516.1290323	15548.338	30000	0	0	30000	43.875	2004
22.01.2020 12:50:18	1	1	1	1	86.75	63.75	0	30000	516.1290323	15548.338	30000	0	0	30000	43.875	2004
22.01.2020 12:50:18	1	1	1	1	86.75	63.75	0	30000	516.1290323	15548.338	30000	0	0	30000	43.875	2004
22.01.2020 12:50:18	1	1	1	1	86.75	63.75	0	30000	516.1290323	15548.338	30000	0	0	30000	43.875	2004
22.01.2020 12:50:18	1	1	1	1	86.75	63.75	0	29905.213	516.1290323	15498.60028	30000	0	0	30000	44.5625	2004
22.01.2020 12:50:19	1	1	1	1	86.75	64.5	0	29857.82	501.0752688	14960.45443	30000	0	0	30000	44.6875	2004
22.01.2020 12:50:20	1	1	1	1	86.75	64.5	0	29905.213	496.7741935	14984.10024	30000	0	0	30000	44.5	2004
22.01.2020 12:50:21	1	1	1	1	86.75	64.5	0	29952.607	501.0752688	15008.56141	30000	0	0	30000	44.375	2004
22.01.2020 12:50:22	1	1	1	1	86.75	64.5	0	29952.607	516.1290323	15459.4624	30000	0	0	30000	44.625	2004
22.01.2020 12:50:24	1	1	1	1	86.75	64.5	0	29952.607	507.5268817	15225.45049	30000	0	0	30000	44.25	2004
22.01.2020 12:50:25	1	1	1	1	87.75	64.25	0	29905.213	516.1290323	15612.75243	30000	0	0	30000	44.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 12:50:26	1	1	1	1	87.75	64.5	0	29905.213	516.1290323	15241.75794	30000	0	0	30000	44.375	2004
22.01.2020 12:50:27	1	1	1	1	87.75	64.25	0	29952.607	520.4301075	15677.16685	30000	0	0	30000	43.875	2004
22.01.2020 12:50:28	1	1	1	1	87.75	63.75	0	29952.607	501.0752688	15096.62164	30000	0	0	30000	44.3125	2004
22.01.2020 12:50:29	1	1	1	1	87.75	64.25	0	28578.199	464.516129	13151.95825	30000	0	0	30000	44.0625	2004
22.01.2020 12:50:30	1	1	1	1	87.75	64	0	30000	507.5268817	15225.45049	30000	0	0	30000	44.0625	2004
22.01.2020 12:50:31	1	1	1	1	87.75	64	0	30000	503.2258065	15096.62164	30000	0	0	30000	44.5625	2004
22.01.2020 12:50:32	1	1	1	1	87.75	64.5	0	29573.46	481.7204301	13928.19286	30000	0	0	30000	44.5625	2004
22.01.2020 12:50:33	1	1	1	1	87.75	64.5	0	30000	498.9247312	15008.56141	30000	0	0	30000	44.3125	2004
22.01.2020 12:50:34	1	1	1	1	87.75	64.25	0	30000	496.7741935	14879.73256	30000	0	0	30000	44.1875	2004
22.01.2020 12:50:35	1	1	1	1	87.5	64	0	30000	501.0752688	15032.20721	30000	0	0	30000	44.375	2004
22.01.2020 12:50:36	1	1	1	1	87.5	64.25	0	29715.64	466.6666667	13867.03993	30000	0	0	30000	44.4375	2004
22.01.2020 12:50:37	1	1	1	1	87.5	64.25	0	30000	507.5268817	15161.03607	30000	0	0	30000	44.5625	2004
22.01.2020 12:50:38	1	1	1	1	87.5	64.5	0	30000	507.5268817	15201.80469	30000	0	0	30000	44.625	2004
22.01.2020 12:50:39	1	1	1	1	87.5	64.5	0	29905.213	494.6236559	14838.14856	30000	0	0	30000	43.875	2004
22.01.2020 12:50:40	1	1	1	1	87.5	63.75	0	27109.005	466.6666667	12650.50417	30000	0	0	30000	44.4375	2004
22.01.2020 12:50:41	1	1	1	1	87.5	64.25	0	28009.479	496.7741935	13914.33153	30000	0	0	30000	44.3125	2004
22.01.2020 12:50:42	1	1	1	1	87.5	64.25	0	29952.607	501.0752688	15032.20721	30000	0	0	30000	44.625	2004
22.01.2020 12:50:43	1	1	1	1	87.5	64.5	0	29952.607	522.5806452	15677.16685	30000	0	0	30000	44.3125	2004
22.01.2020 12:50:44	1	1	1	1	87.5	64.25	0	29905.213	496.7741935	14856.08676	30000	0	0	30000	44.1875	2004
22.01.2020 12:50:45	1	1	1	1	87	64	0	26966.825	481.7204301	12990.5145	30000	0	0	30000	44.5	2004
22.01.2020 12:50:46	1	1	1	1	87	64.5	0	30000	516.1290323	15483.92357	30000	0	0	30000	43.8125	2004
22.01.2020 12:50:47	1	1	1	1	87	63.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	44.0625	2004
22.01.2020 12:50:48	1	1	1	1	87	64	0	30000	533.3333333	16000.05436	30000	0	0	30000	43.4375	2004
22.01.2020 12:50:49	1	1	1	1	87	63.25	0	29336.493	481.7204301	14132.03599	30000	0	0	30000	43.875	2004
22.01.2020 12:50:50	1	1	1	1	87	63.75	0	29146.919	481.7204301	14040.71427	30000	0	0	30000	44.25	2004
22.01.2020 12:50:51	1	1	1	1	87	64.25	0	29620.853	488.172043	14506.29196	30000	0	0	30000	44.1875	2004
22.01.2020 12:50:52	1	1	1	1	87	64	0	26113.744	466.6666667	12163.7268	30000	0	0	30000	44.4375	2004
22.01.2020 12:50:53	1	1	1	1	87	64.25	0	28578.199	483.8709677	13951.02329	30000	0	0	30000	44.625	2004
22.01.2020 12:50:54	1	1	1	1	87	64.5	0	25876.777	481.7204301	12766.28707	30000	0	0	30000	44.375	2004
22.01.2020 12:50:55	1	1	1	1	87	64.25	0	29478.673	488.172043	14494.06137	30000	0	0	30000	44.5625	2004
22.01.2020 12:50:56	1	1	1	1	87	64.5	0	29715.64	494.6236559	14697.90449	30000	0	0	30000	44.5	2004
22.01.2020 12:50:57	1	1	1	1	87	64.5	0	26540.284	466.6666667	12442.58419	30000	0	0	30000	44.3125	2004
22.01.2020 12:50:58	1	1	1	1	87	64.25	0	29431.28	464.516129	13734.13421	30000	0	0	30000	44.6875	2004
22.01.2020 12:50:59	1	1	1	1	87	64.5	0	29810.427	490.3225806	14314.67942	30000	0	0	30000	44.125	2004
22.01.2020 12:51:00	1	1	1	1	87	64	0	29620.853	481.7204301	14246.18813	30000	0	0	30000	44.25	2004
22.01.2020 12:51:02	1	1	1	1	87	63.5	0	29952.607	516.1290323	15330.63354	30000	0	0	30000	44.375	2004
22.01.2020 12:51:03	1	1	1	1	87	64.25	0	29526.066	481.7204301	14223.3577	30000	0	0	30000	44.1875	2004
22.01.2020 12:51:04	1	1	1	1	87	64	0	30000	516.1290323	15483.92357	30000	0	0	30000	44.4375	2004
22.01.2020 12:51:05	1	1	1	1	90	64.25	0	25924.171	464.516129	12042.23629	30000	0	0	30000	44.5625	2004
22.01.2020 12:51:06	1	1	1	1	90	64.5	0	29620.853	503.2258065	14905.82448	30000	0	0	30000	44.1875	2004
22.01.2020 12:51:07	1	1	1	1	90	64	0	29620.853	481.7204301	14269.01856	30000	0	0	30000	43.9375	2004
22.01.2020 12:51:08	1	1	1	1	90	63.75	0	29526.066	481.7204301	14223.3577	30000	0	0	30000	44	2004
22.01.2020 12:51:09	1	1	1	1	90	64	0	29146.919	483.8709677	14102.68258	30000	0	0	30000	43.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 12:51:10	1	1	1	1	90	63.5	0	29810.427	498.9247312	14936.80863	30000	0	0	30000	44.625	2004
22.01.2020 12:51:11	1	1	1	1	90	64.5	0	30000	522.5806452	15677.16685	30000	0	0	30000	44.5	2004
22.01.2020 12:51:12	1	1	1	1	90	64.5	0	29905.213	501.0752688	14984.10024	30000	0	0	30000	44.3125	2004
22.01.2020 12:51:13	1	1	1	1	90	64.25	0	28862.559	516.1290323	14772.10339	30000	0	0	30000	44.625	2004
22.01.2020 12:51:20	1	1	1	1	87.25	63.5	0	30000	496.7741935	14902.56299	30000	0	0	30000	44.4375	2004
22.01.2020 12:51:20	1	1	1	1	87.25	63.5	0	30000	496.7741935	14902.56299	30000	0	0	30000	44.4375	2004
22.01.2020 12:51:20	1	1	1	1	87.25	63.5	0	30000	496.7741935	14902.56299	30000	0	0	30000	44.4375	2004
22.01.2020 12:51:20	1	1	1	1	87.25	63.5	0	30000	496.7741935	14902.56299	30000	0	0	30000	44.4375	2004
22.01.2020 12:51:20	1	1	1	1	87.25	63.5	0	30000	496.7741935	14902.56299	30000	0	0	30000	44.4375	2004
22.01.2020 12:51:20	1	1	1	1	87.25	64.25	0	28815.166	464.516129	13075.31324	30000	0	0	30000	44	2004
22.01.2020 12:51:21	1	1	1	1	87.25	64	0	30000	492.4731183	14644.90528	30000	0	0	30000	44.125	2004
22.01.2020 12:51:22	1	1	1	1	87.25	64	0	30000	494.6236559	14902.56299	30000	0	0	30000	44.625	2004
22.01.2020 12:51:23	1	1	1	1	87.25	64.5	0	29952.607	481.7204301	14428.83157	30000	0	0	30000	44.5625	2004
22.01.2020 12:51:24	1	1	1	1	87.25	64.5	0	30000	494.6236559	14838.14856	30000	0	0	30000	44.3125	2004
22.01.2020 12:51:25	1	1	1	1	87.5	64.25	0	30000	492.4731183	14644.90528	30000	0	0	30000	44.125	2004
22.01.2020 12:51:26	1	1	1	1	87.5	64	0	29905.213	481.7204301	14406.00114	30000	0	0	30000	44.4375	2004
22.01.2020 12:51:27	1	1	1	1	87.5	64.25	0	29620.853	455.9139785	13567.79822	30000	0	0	30000	43.8125	2004
22.01.2020 12:51:28	1	1	1	1	87.5	63.75	0	30000	507.5268817	15225.45049	30000	0	0	30000	44.5	2004
22.01.2020 12:51:29	1	1	1	1	87.5	64.5	0	29952.607	488.172043	14686.48928	30000	0	0	30000	44.5625	2004
22.01.2020 12:51:30	1	1	1	1	87.5	64.5	0	30000	507.5268817	15225.45049	30000	0	0	30000	44.25	2004
22.01.2020 12:51:31	1	1	1	1	87.5	64.25	0	30000	494.6236559	14773.73413	30000	0	0	30000	44.0625	2004
22.01.2020 12:51:32	1	1	1	1	87.5	64	0	29952.607	496.7741935	15032.20721	30000	0	0	30000	44.625	2004
22.01.2020 12:51:33	1	1	1	1	87.5	64.5	0	30000	503.2258065	15096.62164	30000	0	0	30000	44.5625	2004
22.01.2020 12:51:34	1	1	1	1	87.5	64.5	0	30000	494.6236559	14838.14856	30000	0	0	30000	44.25	2004
22.01.2020 12:51:35	1	1	1	1	88	64.25	0	29905.213	481.7204301	14428.83157	30000	0	0	30000	43.8125	2004
22.01.2020 12:51:36	1	1	1	1	88	63.75	0	29905.213	494.6236559	15008.56141	30000	0	0	30000	44.25	2004
22.01.2020 12:51:37	1	1	1	1	88	64.25	0	29952.607	486.0215054	14598.42905	30000	0	0	30000	44.75	2004
22.01.2020 12:51:38	1	1	1	1	88	64.75	0	29952.607	492.4731183	14902.56299	30000	0	0	30000	44.5	2004
22.01.2020 12:51:39	1	1	1	1	88	64.5	0	30000	486.0215054	14516.07643	30000	0	0	30000	44.75	2004
22.01.2020 12:51:40	1	1	1	1	88	64.5	0	30000	486.0215054	14580.49085	30000	0	0	30000	43.4375	2004
22.01.2020 12:51:42	1	1	1	1	88	63.25	0	30000	481.7204301	14451.662	30000	0	0	30000	44.4375	2004
22.01.2020 12:51:43	1	1	1	1	88	64.25	0	29810.427	468.8172043	14360.34028	30000	0	0	30000	44.4375	2004
22.01.2020 12:51:44	1	1	1	1	88	64.25	0	30000	481.7204301	14406.00114	30000	0	0	30000	44.5625	2004
22.01.2020 12:51:45	1	1	1	1	88	64.5	0	29526.066	464.516129	13715.38064	30000	0	0	30000	44.3125	2004
22.01.2020 12:51:46	1	1	1	1	88	64.25	0	30000	481.7204301	14451.662	30000	0	0	30000	44.4375	2004
22.01.2020 12:51:47	1	1	1	1	88	64.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	44	2004
22.01.2020 12:51:48	1	1	1	1	88	64	0	29952.607	481.7204301	14451.662	30000	0	0	30000	44.5625	2004
22.01.2020 12:51:49	1	1	1	1	88	64.5	0	28815.166	397.8494624	11464.1372	30000	0	0	30000	43.6875	2004
22.01.2020 12:51:50	1	1	1	1	88	63.5	0	30000	481.7204301	14451.662	30000	0	0	30000	44.5	2004
22.01.2020 12:51:51	1	1	1	1	88	64.5	0	29952.607	468.8172043	14106.75944	30000	0	0	30000	44.5625	2004
22.01.2020 12:51:52	1	1	1	1	88	64.5	0	30000	488.172043	14516.07643	30000	0	0	30000	44.5	2004
22.01.2020 12:51:53	1	1	1	1	88	64.5	0	30000	481.7204301	14451.662	30000	0	0	30000	44.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 12:51:54	1	1	1	1	88	64.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	44.125	2004
22.01.2020 12:51:55	1	1	1	1	88	64	0	30000	481.7204301	14451.662	30000	0	0	30000	44.625	2004
22.01.2020 12:51:56	1	1	1	1	88	64.5	0	29905.213	445.1612903	13312.58663	30000	0	0	30000	44.375	2004
22.01.2020 12:51:57	1	1	1	1	88	64.25	0	28957.346	400	11520.3979	30000	0	0	30000	43.5	2004
22.01.2020 12:51:58	1	1	1	1	88	63.5	0	30000	481.7204301	14428.83157	30000	0	0	30000	43.9375	2004
22.01.2020 12:51:59	1	1	1	1	88	63.75	0	30000	481.7204301	14451.662	30000	0	0	30000	44.5	2004
22.01.2020 12:52:00	1	1	1	1	88	64.5	0	28009.479	455.9139785	12829.88612	30000	0	0	30000	44.5	2004
22.01.2020 12:52:01	1	1	1	1	88	64.5	0	29857.82	464.516129	13869.48604	30000	0	0	30000	44.4375	2004
22.01.2020 12:52:02	1	1	1	1	88	64.25	0	29810.427	432.2580645	12885.33145	30000	0	0	30000	44	2004
22.01.2020 12:52:03	1	1	1	1	88	64	0	29905.213	427.9569892	12798.08659	30000	0	0	30000	44.3125	2004
22.01.2020 12:52:04	1	1	1	1	88	64.25	0	30047.393	481.7204301	14497.32286	30000	0	0	30000	44.625	2004
22.01.2020 12:52:05	1	1	1	1	88.25	64.5	0	0	0	0	30000	0	8	30000	44.1875	2004
22.01.2020 12:52:06	1	1	1	1	88.25	64	0	0	0	0	30000	0	8	30000	44.8125	2004
22.01.2020 12:52:07	1	1	1	1	88.25	64.75	0	10710.9	0	0	30000	0	0	30000	44.5625	2004
22.01.2020 12:52:08	1	1	1	1	88.25	64.5	0	11421.801	0	0	30000	0	0	30000	44.5	2004
22.01.2020 12:52:09	1	1	1	1	88.25	64.5	0	12369.668	0	0	30000	0	0	30000	44.4375	2004
22.01.2020 12:52:10	1	1	1	1	88.25	64.25	0	13033.175	2.150537634	27.72266464	30000	0	0	30000	44.625	2004
22.01.2020 12:52:11	1	1	1	1	88.25	64.5	0	13744.076	6.451612903	88.87560134	30000	0	0	30000	44.625	2004
22.01.2020 12:52:12	1	1	1	1	88.25	64.5	0	13033.175	6.451612903	83.9833664	30000	0	0	30000	44.5625	2004
22.01.2020 12:52:13	1	1	1	1	88.25	64.5	0	15402.844	19.35483871	295.9802136	30000	0	0	30000	44.6875	2004
22.01.2020 12:52:14	1	1	1	1	88.25	64.5	0	16066.351	25.80645161	451.7163591	30000	0	0	30000	44.5	2004
22.01.2020 12:52:21	1	1	1	1	88.75	64.5	0	20616.114	83.87096774	1728.589677	30000	0	0	30000	44.625	2004
22.01.2020 12:52:21	1	1	1	1	88.75	64.5	0	20616.114	83.87096774	1728.589677	30000	0	0	30000	44.625	2004
22.01.2020 12:52:21	1	1	1	1	88.75	64.5	0	20616.114	83.87096774	1728.589677	30000	0	0	30000	44.625	2004
22.01.2020 12:52:21	1	1	1	1	88.75	64.5	0	20616.114	83.87096774	1728.589677	30000	0	0	30000	44.625	2004
22.01.2020 12:52:21	1	1	1	1	88.75	64.5	0	20616.114	83.87096774	1728.589677	30000	0	0	30000	44.625	2004
22.01.2020 12:52:21	1	1	1	1	88.75	64.5	0	20616.114	83.87096774	1728.589677	30000	0	0	30000	44.625	2004
22.01.2020 12:52:22	1	1	1	1	88.75	64.5	0	21516.588	103.2258065	2221.074661	30000	0	0	30000	44.625	2004
22.01.2020 12:52:23	1	1	1	1	88.75	64.5	0	22132.701	109.6774194	2427.363901	30000	0	0	30000	44.625	2004
22.01.2020 12:52:24	1	1	1	1	88.75	64.5	0	22985.782	137.6344086	3163.645259	30000	0	0	30000	44.625	2004
22.01.2020 12:52:25	1	1	1	1	88.75	64.5	0	0	0	0	30000	0	8	30000	44.5625	2004
22.01.2020 12:52:26	1	1	1	1	88.75	64.5	0	9431.2796	0	0	30000	0	0	30000	44.625	2004
22.01.2020 12:52:27	1	1	1	1	88.75	64.5	0	11090.047	0	0	30000	0	0	30000	44.6875	2004
22.01.2020 12:52:28	1	1	1	1	88.75	64.5	0	11042.654	0	0	30000	0	0	30000	44.625	2004
22.01.2020 12:52:29	1	1	1	1	88.75	64.5	0	12654.028	2.150537634	0	30000	0	0	30000	44.625	2004
22.01.2020 12:52:30	1	1	1	1	88.75	64.5	0	13222.749	4.301075269	27.72266464	30000	0	0	30000	44.4375	2004
22.01.2020 12:52:31	1	1	1	1	88.75	64.25	0	14218.009	10.75268817	153.290028	30000	0	0	30000	44.4375	2004
22.01.2020 12:52:32	1	1	1	1	88.75	64.25	0	14976.303	19.35483871	289.4572337	30000	0	0	30000	44.625	2004
22.01.2020 12:52:35	1	1	1	1	88.75	64.5	0	16492.891	36.55913978	602.5602696	30000	0	0	30000	44.5	2004
22.01.2020 12:52:35	1	1	1	1	88.75	64.5	0	16492.891	36.55913978	602.5602696	30000	0	0	30000	44.5	2004
22.01.2020 12:52:35	1	1	1	1	88.75	64.5	0	17345.972	43.01075269	782.7575898	30000	0	0	30000	44.5	2004
22.01.2020 12:52:36	1	1	1	1	88.75	64.5	0	17582.938	49.46236559	869.1870736	30000	0	0	30000	44.4375	2004
22.01.2020 12:52:37	1	1	1	1	88.75	64.25	0	18720.379	64.51612903	1164.351915	30000	0	0	30000	44.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 12:52:38	1	1	1	1	88.75	64.5	0	19099.526	75.2688172	1437.501699	30000	0	0	30000	43.9375	2004
22.01.2020 12:52:39	1	1	1	1	88.75	63.75	0	20331.754	92.47311828	1836.218846	30000	0	0	30000	44.4375	2004
22.01.2020 12:52:40	1	1	1	1	88.75	64.25	0	21137.441	105.3763441	2272.443128	30000	0	0	30000	44.5625	2004
22.01.2020 12:52:41	1	1	1	1	88.75	64.5	0	21090.047	120.4301075	2539.885304	30000	0	0	30000	44.625	2004
22.01.2020 12:52:42	1	1	1	1	88.75	64.5	0	21563.981	129.0322581	2753.512896	30000	0	0	30000	44.5	2004
22.01.2020 12:52:43	1	1	1	1	88.75	64.5	0	23033.175	137.6344086	3219.090588	30000	0	0	30000	44.5	2004
22.01.2020 12:52:44	1	1	1	1	88.75	64.5	0	23175.355	139.7849462	3338.950344	30000	0	0	30000	44.5	2004
22.01.2020 12:52:45	1	1	1	1	88.75	64.5	0	23175.355	137.6344086	3189.737178	30000	0	0	30000	44.8125	2004
22.01.2020 12:52:46	1	1	1	1	88.75	64.75	0	23080.569	156.9892473	3622.69997	30000	0	0	30000	44.625	2004
22.01.2020 12:52:47	1	1	1	1	88.75	64.5	0	22985.782	167.7419355	3692.006632	30000	0	0	30000	44.625	2004
22.01.2020 12:52:48	1	1	1	1	88.75	64.5	0	24786.73	184.9462366	4584.024135	30000	0	0	30000	44.625	2004
22.01.2020 12:52:49	1	1	1	1	88.75	64.5	0	25071.09	180.6451613	4744.652515	30000	0	0	30000	44.5625	2004
22.01.2020 12:52:50	1	1	1	1	88.75	64.5	0	24502.37	208.6021505	5110.754763	30000	0	0	30000	44.625	2004
22.01.2020 12:52:51	1	1	1	1	88.75	64.5	0	24407.583	206.4516129	5029.217514	30000	0	0	30000	44.625	2004
22.01.2020 12:52:52	1	1	1	1	88.75	64.5	0	21800.948	174.1935484	3648.79189	30000	0	0	30000	44.625	2004
22.01.2020 12:52:53	1	1	1	1	88.75	64.5	0	23886.256	206.4516129	4941.157285	30000	0	0	30000	44.625	2004
22.01.2020 12:52:54	1	1	1	1	88.75	64.5	0	23886.256	206.4516129	4931.372815	30000	0	0	30000	44.6875	2004
22.01.2020 12:52:55	1	1	1	1	88.75	64.5	0	24123.223	212.9032258	5021.879162	30000	0	0	30000	44.875	2004
22.01.2020 12:52:56	1	1	1	1	88.75	64.75	0	24075.829	215.0537634	5218.383932	30000	0	0	30000	44.625	2004
22.01.2020 12:52:58	1	1	1	1	88.75	64.5	0	26303.318	245.1612903	6447.965646	30000	0	0	30000	44.125	2004
22.01.2020 12:52:59	1	1	1	1	88.75	64.75	0	24407.583	243.0107527	5931.019487	30000	0	0	30000	44.4375	2004
22.01.2020 12:53:00	1	1	1	1	88.75	64.25	0	25308.057	251.6129032	6367.243769	30000	0	0	30000	44.625	2004
22.01.2020 12:53:01	1	1	1	1	88.75	64.5	0	24549.763	249.4623656	6059.032968	30000	0	0	30000	44.6875	2004
22.01.2020 12:53:02	1	1	1	1	88.75	64.5	0	22132.701	234.4086022	5187.399777	30000	0	0	30000	44.625	2004
22.01.2020 12:53:03	1	1	1	1	88.75	64.5	0	25734.597	260.2150538	6695.838882	30000	0	0	30000	44.5625	2004
22.01.2020 12:53:04	1	1	1	1	88.75	64.5	0	23838.863	243.0107527	5792.406164	30000	0	0	30000	44.5625	2004
22.01.2020 12:53:05	1	1	1	1	88	64.5	0	24691.943	264.516129	6531.13364	30000	0	0	30000	44.5	2004
22.01.2020 12:53:06	1	1	1	1	88	64.5	0	26919.431	292.4731183	7873.236757	30000	0	0	30000	44.625	2004
22.01.2020 12:53:07	1	1	1	1	88	64.5	0	25260.664	262.3655914	6572.717637	30000	0	0	30000	44.625	2004
22.01.2020 12:53:08	1	1	1	1	88	64.5	0	27345.972	279.5698925	7409.289811	30000	0	0	30000	44.625	2004
22.01.2020 12:53:09	1	1	1	1	88	64.5	0	27298.578	316.1290323	8571.195608	30000	0	0	30000	44.625	2004
22.01.2020 12:53:10	1	1	1	1	88	64.5	0	25450.237	326.8817204	8045.280352	30000	0	0	30000	44.625	2004
22.01.2020 12:53:11	1	1	1	1	88	64.5	0	26966.825	339.7849462	9104.449216	30000	0	0	30000	44.5625	2004
22.01.2020 12:53:12	1	1	1	1	88	64.5	0	22369.668	264.516129	5917.158155	30000	0	0	30000	44.6875	2004
22.01.2020 12:53:13	1	1	1	1	88	64.5	0	25355.45	311.827957	7797.407115	30000	0	0	30000	44.5625	2004
22.01.2020 12:53:14	1	1	1	1	88	64.5	0	27725.118	344.0860215	9507.243226	30000	0	0	30000	44.5625	2004
22.01.2020 12:53:15	1	1	1	1	88	64.5	0	26540.284	309.6774194	8290.707472	30000	0	0	30000	44.625	2004
22.01.2020 12:53:16	1	1	1	1	88	64.5	0	27109.005	335.483871	9094.664746	30000	0	0	30000	44.625	2004
22.01.2020 12:53:23	1	1	1	1	88	64.5	0	27630.332	384.9462366	10635.71875	30000	0	0	30000	44.625	2004
22.01.2020 12:53:23	1	1	1	1	88	64.5	0	27630.332	384.9462366	10635.71875	30000	0	0	30000	44.625	2004
22.01.2020 12:53:23	1	1	1	1	88	64.5	0	27630.332	384.9462366	10635.71875	30000	0	0	30000	44.625	2004
22.01.2020 12:53:23	1	1	1	1	88	64.5	0	27630.332	384.9462366	10635.71875	30000	0	0	30000	44.625	2004
22.01.2020 12:53:23	1	1	1	1	88	64.5	0	27630.332	384.9462366	10635.71875	30000	0	0	30000	44.625	2004
22.01.2020 12:53:23	1	1	1	1	88	64.5	0	27630.332	384.9462366	10635.71875	30000	0	0	30000	44.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 12:53:23	1	1	1	1	88	64.5	0	27630.332	384.9462366	10635.71875	30000	0	0	30000	44.625	2004
22.01.2020 12:53:23	1	1	1	1	88	64.5	0	28957.346	387.0967742	11270.89392	30000	0	0	30000	44.5625	2004
22.01.2020 12:53:24	1	1	1	1	88	64.5	0	27867.299	369.8924731	10290.00082	30000	0	0	30000	44.625	2004
22.01.2020 12:53:25	1	1	1	1	88.5	64.5	0	28009.479	404.3010753	11323.89313	30000	0	0	30000	44.4375	2004
22.01.2020 12:53:26	1	1	1	1	88.5	64.25	0	27962.085	395.6989247	11064.60468	30000	0	0	30000	44.4375	2004
22.01.2020 12:53:27	1	1	1	1	88.5	64.25	0	29431.28	417.2043011	12234.6642	30000	0	0	30000	44.0625	2004
22.01.2020 12:53:28	1	1	1	1	88.5	64	0	28199.052	404.3010753	11400.53815	30000	0	0	30000	44.5	2004
22.01.2020 12:53:29	1	1	1	1	88.5	64.5	0	27630.332	397.8494624	10914.57614	30000	0	0	30000	44.625	2004
22.01.2020 12:53:30	1	1	1	1	88.5	64.5	0	28009.479	369.8924731	10601.47311	30000	0	0	30000	44.5625	2004
22.01.2020 12:53:31	1	1	1	1	88.5	64.5	0	28578.199	427.9569892	12229.77197	30000	0	0	30000	44.5625	2004
22.01.2020 12:53:32	1	1	1	1	88.5	64.5	0	28815.166	445.1612903	12827.44	30000	0	0	30000	44.5	2004
22.01.2020 12:53:33	1	1	1	1	88.5	64.5	0	29526.066	443.0107527	13101.40516	30000	0	0	30000	44.5625	2004
22.01.2020 12:53:34	1	1	1	1	88.5	64.5	0	29952.607	466.6666667	14451.662	30000	0	0	30000	44.4375	2004
22.01.2020 12:53:35	1	1	1	1	87.75	64.25	0	29810.427	490.3225806	14657.13587	30000	0	0	30000	44.875	2004
22.01.2020 12:53:37	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
22.01.2020 12:53:38	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
22.01.2020 12:53:39	1	0	1	1	85.75	20	0	0	0	0	30000	0	0	0	0	2004
22.01.2020 12:53:40	1	1	1	1	85.75	62	0	0	0	0	30000	0	0	30000	44.875	2004
22.01.2020 12:53:41	1	1	1	1	85.75	64.75	0	0	0	0	30000	0	0	30000	44.6875	2004
22.01.2020 12:53:42	1	1	1	1	85.75	64.5	0	0	0	0	30000	0	0	30000	44.6875	2004
22.01.2020 12:53:43	1	1	1	1	85.75	64.5	0	0	0	0	30000	0	0	30000	44.75	2004
22.01.2020 12:53:44	1	1	1	1	85.75	64.75	0	0	0	0	30000	0	0	30000	44.8125	2004
22.01.2020 12:53:45	1	1	1	1	85.75	64.75	0	0	0	0	30000	0	0	30000	44.875	2004
22.01.2020 12:53:46	1	1	1	1	85.75	64.75	0	0	0	0	30000	0	0	30000	44.625	2004
22.01.2020 12:53:47	1	1	1	1	85.75	64.5	0	0	0	0	30000	0	0	30000	44.8125	2004
22.01.2020 12:53:48	1	1	1	1	85.75	64.75	0	0	0	0	30000	0	0	30000	44.8125	2004
22.01.2020 12:53:49	1	1	1	1	88.25	64.75	0	0	0	0	30000	0	0	30000	44.8125	2004
22.01.2020 12:53:50	1	1	1	1	88.25	64.75	0	10710.9	0	0	30000	0	0	30000	44.625	2004
22.01.2020 12:53:51	1	1	1	1	88.25	64.5	0	11469.194	0	0	30000	0	0	30000	44.5625	2004
22.01.2020 12:53:52	1	1	1	1	88.25	64.5	0	12227.488	2.150537634	0	30000	0	0	30000	44.625	2004
22.01.2020 12:53:53	1	1	1	1	88.25	64.5	0	12464.455	2.150537634	26.09191966	30000	0	0	30000	44.6875	2004
22.01.2020 12:53:54	1	1	1	1	88.25	64.5	0	13791.469	6.451612903	118.229011	30000	0	0	30000	44.625	2004
22.01.2020 12:53:55	1	1	1	1	88.25	64.5	0	14549.763	15.05376344	218.5198271	30000	0	0	30000	44.625	2004
22.01.2020 12:53:56	1	1	1	1	88.25	64.5	0	15308.057	21.50537634	295.9802136	30000	0	0	30000	44.625	2004
22.01.2020 12:53:57	1	1	1	1	88.25	64.5	0	15687.204	21.50537634	336.7488381	30000	0	0	30000	44.6875	2004
22.01.2020 12:53:58	1	1	1	1	88.25	64.5	0	16919.431	34.40860215	578.9144674	30000	0	0	30000	44.625	2004
22.01.2020 12:53:59	1	1	1	1	87.75	64.5	0	17630.332	49.46236559	912.4018156	30000	0	0	30000	44.75	2004
22.01.2020 12:54:00	1	1	1	1	87.75	64.75	0	18436.019	60.21505376	1149.67521	30000	0	0	30000	44.5625	2004
22.01.2020 12:54:01	1	1	1	1	87.75	64.5	0	16777.251	53.76344086	863.4794662	30000	0	0	30000	44.5625	2004
22.01.2020 12:54:02	1	1	1	1	87.75	64.5	0	19952.607	81.72043011	1673.144348	30000	0	0	30000	44.6875	2004
22.01.2020 12:54:03	1	1	1	1	87.75	64.5	0	20710.9	94.62365591	1914.494605	30000	0	0	30000	44.625	2004
22.01.2020 12:54:04	1	1	1	1	87.75	64.5	0	21469.194	103.2258065	2221.074661	30000	0	0	30000	44.375	2004
22.01.2020 12:54:05	1	1	1	1	87.75	64.25	0	22274.882	116.1290323	2586.361536	30000	0	0	30000	44.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 12:54:06	1	1	1	1	87.75	64.5	0	23033.175	139.7849462	3219.090588	30000	0	0	30000	44.625	2004
22.01.2020 12:54:07	1	1	1	1	87.75	64.5	0	20047.393	122.5806452	2456.71731	30000	0	0	30000	44.3125	2004
22.01.2020 12:54:08	1	1	1	1	87.75	64.25	0	24502.37	167.7419355	4109.477346	30000	0	0	30000	44.625	2004
22.01.2020 12:54:09	1	1	1	1	87.75	64.5	0	25260.664	193.5483871	4888.973446	30000	0	0	30000	44.625	2004
22.01.2020 12:54:10	1	1	1	1	87.75	64.5	0	25734.597	221.5053763	5700.269073	30000	0	0	30000	44.625	2004
22.01.2020 12:54:11	1	1	1	1	87.75	64.5	0	26682.464	232.2580645	6196.830919	30000	0	0	30000	44.6875	2004
22.01.2020 12:54:12	1	1	1	1	87.75	64.5	0	27772.512	270.9677419	7597.640856	30000	0	0	30000	44.1875	2004
22.01.2020 12:54:14	1	1	1	1	87.75	64	0	26113.744	303.2258065	7918.082244	30000	0	0	30000	44.6875	2004
22.01.2020 12:54:15	1	1	1	1	87.75	64.5	0	29146.919	380.6451613	11093.95809	30000	0	0	30000	44.375	2004
22.01.2020 12:54:16	1	1	1	1	87.75	64.5	0	29952.607	419.3548387	12709.21099	30000	0	0	30000	44.5	2004
22.01.2020 12:54:17	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
22.01.2020 12:54:18	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
22.01.2020 12:54:25	1	1	1	1	85.75	64.75	0	0	0	0	30000	0	0	30000	44.75	2004
22.01.2020 12:54:25	1	1	1	1	85.75	64.75	0	0	0	0	30000	0	0	30000	44.75	2004
22.01.2020 12:54:25	1	1	1	1	85.75	64.75	0	0	0	0	30000	0	0	30000	44.75	2004
22.01.2020 12:54:25	1	1	1	1	85.75	64.75	0	0	0	0	30000	0	0	30000	44.75	2004
22.01.2020 12:54:25	1	1	1	1	85.75	64.75	0	0	0	0	30000	0	0	30000	44.75	2004
22.01.2020 12:54:25	1	1	1	1	85.75	64.75	0	0	0	0	30000	0	0	30000	44.75	2004
22.01.2020 12:54:25	1	1	1	1	85.75	64.75	0	0	0	0	30000	0	0	30000	44.625	2004
22.01.2020 12:54:26	1	1	1	1	85.75	64.5	0	0	0	0	30000	0	0	30000	44.6875	2004
22.01.2020 12:54:27	1	1	1	1	85.75	64.5	0	0	0	0	30000	0	0	30000	44.8125	2004
22.01.2020 12:54:28	1	1	1	1	85.75	64.75	0	0	0	0	30000	0	0	30000	44.75	2004
22.01.2020 12:54:29	1	1	1	1	88.5	64.75	0	10758.294	10.75268817	0	30000	0	0	30000	44.625	2004
22.01.2020 12:54:30	1	1	1	1	88.5	64.5	0	10758.294	0	0	30000	0	0	30000	44.5625	2004
22.01.2020 12:54:31	1	1	1	1	88.5	64.5	0	11563.981	0	0	30000	0	0	30000	44.5	2004
22.01.2020 12:54:32	1	1	1	1	88.5	64.5	0	12417.062	0	0	30000	0	0	30000	42.5625	2004
22.01.2020 12:54:33	1	1	1	1	88.5	62.5	0	13080.569	4.301075269	56.26070176	30000	0	0	30000	44.625	2004
22.01.2020 12:54:34	1	1	1	1	88.5	64.5	0	13933.649	6.451612903	89.69097383	30000	0	0	30000	44.5625	2004
22.01.2020 12:54:35	1	1	1	1	88.5	64.5	0	14786.73	21.50537634	157.3668904	30000	0	0	30000	44.5	2004
22.01.2020 12:54:36	1	1	1	1	88.5	64.5	0	15450.237	15.05376344	232.3811595	30000	0	0	30000	44.5	2004
22.01.2020 12:54:37	1	1	1	1	88.5	64.5	0	16208.531	23.65591398	348.1640529	30000	0	0	30000	44.5625	2004
22.01.2020 12:54:38	1	1	1	1	88.5	64.5	0	16966.825	27.95698925	475.3621613	30000	0	0	30000	44.5625	2004
22.01.2020 12:54:39	1	1	1	1	87.75	64.5	0	17772.512	40.86021505	725.6815155	30000	0	0	30000	44.5	2004
22.01.2020 12:54:40	1	1	1	1	87.75	64.5	0	18530.806	49.46236559	956.43193	30000	0	0	30000	44.6875	2004
22.01.2020 12:54:41	1	1	1	1	87.75	64.5	0	19289.1	58.06451613	1036.338434	30000	0	0	30000	44.5625	2004
22.01.2020 12:54:42	1	1	1	1	87.75	64.5	0	20000	66.66666667	1333.13402	30000	0	0	30000	44.625	2004
22.01.2020 12:54:43	1	1	1	1	87.75	64.5	0	20853.081	79.56989247	1659.283016	30000	0	0	30000	44.5	2004
22.01.2020 12:54:44	1	1	1	1	87.75	64.5	0	21706.161	94.62365591	2040.061968	30000	0	0	30000	44.5	2004
22.01.2020 12:54:45	1	1	1	1	87.75	64.5	0	22369.668	103.2258065	2309.13489	30000	0	0	30000	44.625	2004
22.01.2020 12:54:46	1	1	1	1	87.75	64.5	0	23080.569	126.8817204	2878.264887	30000	0	0	30000	44.4375	2004
22.01.2020 12:54:47	1	1	1	1	87.75	64.25	0	23933.649	137.6344086	3294.104857	30000	0	0	30000	44.6875	2004
22.01.2020 12:54:48	1	1	1	1	87.75	64.5	0	24691.943	165.5913978	4072.785584	30000	0	0	30000	44.5625	2004
22.01.2020 12:54:49	1	1	1	1	87.5	64.5	0	25118.483	163.4408602	4274.997962	30000	0	0	30000	44.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 12:54:50	1	1	1	1	87.5	64.5	0	26303.318	206.4516129	5430.380779	30000	0	0	30000	44.4375	2004
22.01.2020 12:54:52	1	1	1	1	87.5	64.25	0	26966.825	221.5053763	5972.603484	30000	0	0	30000	44.5625	2004
22.01.2020 12:54:53	1	1	1	1	87.5	64.5	0	27819.905	251.6129032	6999.157448	30000	0	0	30000	44.4375	2004
22.01.2020 12:54:54	1	1	1	1	87.5	64.25	0	28199.052	275.2688172	7944.174164	30000	0	0	30000	44.5	2004
22.01.2020 12:54:55	1	1	1	1	87.5	64.5	0	29336.493	346.2365591	10157.0951	30000	0	0	30000	44.5	2004
22.01.2020 12:54:56	1	1	1	1	87.5	64.5	0	30000	397.8494624	11935.4225	30000	0	0	30000	44.375	2004
22.01.2020 12:54:57	1	1	1	1	87.5	64.25	0	29905.213	382.7956989	11447.01438	30000	0	0	30000	44.375	2004
22.01.2020 12:54:58	1	1	1	1	87.5	64.25	0	29715.64	350.5376344	10527.27421	30000	0	0	30000	43.5	2004
22.01.2020 12:54:59	1	1	1	1	87.25	63.5	0	30000	397.8494624	11935.4225	30000	0	0	30000	44.5625	2004
22.01.2020 12:55:00	1	1	1	1	87.25	64.5	0	29905.213	404.3010753	12090.34327	30000	0	0	30000	44.5	2004
22.01.2020 12:55:01	1	1	1	1	87.25	64.5	0	25924.171	378.4946237	9644.225804	30000	0	0	30000	44.625	2004
22.01.2020 12:55:02	1	1	1	1	87.25	64.5	0	27345.972	380.6451613	10409.0452	30000	0	0	30000	44.25	2004
22.01.2020 12:55:03	1	1	1	1	87.25	64.25	0	29573.46	367.7419355	10875.43826	30000	0	0	30000	43.6875	2004
22.01.2020 12:55:04	1	1	1	1	87.25	63.5	0	29146.919	359.1397849	10467.75202	30000	0	0	30000	44.5625	2004
22.01.2020 12:55:05	1	1	1	1	87.25	64.5	0	24739.336	354.8387097	8671.486424	30000	0	0	30000	43.875	2004
22.01.2020 12:55:06	1	1	1	1	87.25	63.75	0	29336.493	395.6989247	11608.45813	30000	0	0	30000	44.5	2004
22.01.2020 12:55:07	1	1	1	1	87.25	64.5	0	29810.427	378.4946237	11283.12451	30000	0	0	30000	43.9375	2004
22.01.2020 12:55:08	1	1	1	1	87.25	63.75	0	28957.346	412.9032258	11956.62218	30000	0	0	30000	44.375	2004
22.01.2020 12:55:09	1	1	1	1	86.5	64.25	0	27630.332	335.483871	9328.67665	30000	0	0	30000	44.375	2004
22.01.2020 12:55:10	1	1	1	1	86.5	64.25	0	29715.64	395.6989247	11758.48667	30000	0	0	30000	44.625	2004
22.01.2020 12:55:11	1	1	1	1	86.5	64.5	0	29857.82	412.9032258	12308.8631	30000	0	0	30000	44.1875	2004
22.01.2020 12:55:12	1	1	1	1	86.5	64	0	26587.678	359.1397849	9582.257495	30000	0	0	30000	44.5625	2004
22.01.2020 12:55:13	1	1	1	1	86.5	64.5	0	30000	378.4946237	11465.76794	30000	0	0	30000	44.5	2004
22.01.2020 12:55:14	1	1	1	1	86.5	64.5	0	29905.213	341.9354839	10241.89384	30000	0	0	30000	44.3125	2004
22.01.2020 12:55:15	1	1	1	1	86.5	64.25	0	29478.673	316.1290323	9303.400103	30000	0	0	30000	44.3125	2004
22.01.2020 12:55:16	1	1	1	1	86.5	64.25	0	29857.82	339.7849462	10209.27894	30000	0	0	30000	44.625	2004
22.01.2020 12:55:17	1	1	1	1	86.5	64.5	0	29905.213	372.0430108	11125.75762	30000	0	0	30000	44.3125	2004
22.01.2020 12:55:18	1	1	1	1	86.5	64.25	0	29905.213	354.8387097	10611.25758	30000	0	0	30000	44.625	2004
22.01.2020 12:55:19	1	1	1	1	86.25	64.5	0	29857.82	365.5913978	10833.85427	30000	0	0	30000	44.4375	2004
22.01.2020 12:55:26	1	1	1	1	86.25	64.25	0	25497.63	320.4301075	8154.540266	30000	0	0	30000	43.8125	2004
22.01.2020 12:55:26	1	1	1	1	86.25	64.25	0	25497.63	320.4301075	8154.540266	30000	0	0	30000	43.8125	2004
22.01.2020 12:55:26	1	1	1	1	86.25	64.25	0	25497.63	320.4301075	8154.540266	30000	0	0	30000	43.8125	2004
22.01.2020 12:55:26	1	1	1	1	86.25	64.25	0	25497.63	320.4301075	8154.540266	30000	0	0	30000	43.8125	2004
22.01.2020 12:55:26	1	1	1	1	86.25	64.25	0	25497.63	320.4301075	8154.540266	30000	0	0	30000	43.8125	2004
22.01.2020 12:55:26	1	1	1	1	86.25	63.75	0	29905.213	384.9462366	11511.4288	30000	0	0	30000	44.375	2004
22.01.2020 12:55:27	1	1	1	1	86.25	64.25	0	29905.213	397.8494624	11897.09999	30000	0	0	30000	44.625	2004
22.01.2020 12:55:28	1	1	1	1	86.25	64.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	44.6875	2004
22.01.2020 12:55:30	1	1	1	1	85.75	64.25	0	10331.754	0	0	30000	0	0	30000	44.5	2004
22.01.2020 12:55:31	1	1	1	1	85.75	64.5	0	11042.654	0	0	30000	0	0	30000	44.4375	2004
22.01.2020 12:55:32	1	1	1	1	85.75	64.25	0	11848.341	0	0	30000	0	0	30000	44.3125	2004
22.01.2020 12:55:33	1	1	1	1	85.75	64.25	0	12606.635	0	0	30000	0	0	30000	44.5	2004
22.01.2020 12:55:34	1	1	1	1	85.75	64.5	0	13412.322	4.301075269	86.42948387	30000	0	0	30000	44.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 12:55:35	1	1	1	1	85.75	64.25	0	14170.616	10.75268817	121.4905009	30000	0	0	30000	44.5625	2004
22.01.2020 12:55:36	1	1	1	1	85.75	64.5	0	14928.91	15.05376344	192.4279075	30000	0	0	30000	44.5	2004
22.01.2020 12:55:37	1	1	1	1	85.75	64.5	0	15687.204	19.35483871	303.318566	30000	0	0	30000	44.625	2004
22.01.2020 12:55:38	1	1	1	1	85.75	64.5	0	16445.498	25.80645161	425.6244394	30000	0	0	30000	44.625	2004
22.01.2020 12:55:39	1	1	1	1	85.75	64.5	0	17251.185	32.25806452	556.0840377	30000	0	0	30000	44.5625	2004
22.01.2020 12:55:40	1	1	1	1	85.75	64.5	0	18009.479	40.86021505	735.4659854	30000	0	0	30000	44.5	2004
22.01.2020 12:55:41	1	1	1	1	85.75	64.5	0	18815.166	51.61290323	971.1086348	30000	0	0	30000	44.5	2004
22.01.2020 12:55:42	1	1	1	1	85.75	64.5	0	19573.46	62.3655914	1178.213247	30000	0	0	30000	44.5625	2004
22.01.2020 12:55:43	1	1	1	1	85.75	64.5	0	20331.754	70.96774194	1442.393934	30000	0	0	30000	44.375	2004
22.01.2020 12:55:44	1	1	1	1	85.75	64.25	0	21137.441	83.87096774	1768.542929	30000	0	0	30000	44.5	2004
22.01.2020 12:55:45	1	1	1	1	85.75	64.5	0	21895.735	92.47311828	2024.569891	30000	0	0	30000	44.5	2004
22.01.2020 12:55:46	1	1	1	1	85.75	64.5	0	22559.242	105.3763441	2397.195119	30000	0	0	30000	44.4375	2004
22.01.2020 12:55:47	1	1	1	1	85.75	64.25	0	23412.322	137.6344086	3215.829098	30000	0	0	30000	44.4375	2004
22.01.2020 12:55:48	1	1	1	1	85.75	64.25	0	24218.009	152.688172	3697.714239	30000	0	0	30000	44.5	2004
22.01.2020 12:55:49	1	1	1	1	86.25	64.5	0	24976.303	169.8924731	4243.198434	30000	0	0	30000	44.3125	2004
22.01.2020 12:55:50	1	1	1	1	86.25	64.25	0	25734.597	193.5483871	4980.295165	30000	0	0	30000	44.5	2004
22.01.2020 12:55:51	1	1	1	1	86.25	64.5	0	26445.498	210.7526882	5639.931509	30000	0	0	30000	44.625	2004
22.01.2020 12:55:52	1	1	1	1	86.25	64.5	0	27298.578	253.7634409	6832.821461	30000	0	0	30000	44.5	2004
22.01.2020 12:55:53	1	1	1	1	86.25	64.5	0	28009.479	286.0215054	7890.359579	30000	0	0	30000	44.625	2004
22.01.2020 12:55:54	1	1	1	1	86.25	64.5	0	28009.479	290.3225806	8131.709836	30000	0	0	30000	44.4375	2004
22.01.2020 12:55:55	1	1	1	1	86.25	64.25	0	28199.052	307.5268817	8671.486424	30000	0	0	30000	44.3125	2004
22.01.2020 12:55:56	1	1	1	1	86.25	64.25	0	28625.592	339.7849462	9790.992852	30000	0	0	30000	44.4375	2004
22.01.2020 12:55:57	1	1	1	1	86.25	64.25	0	28909.953	350.5376344	10117.14185	30000	0	0	30000	44.375	2004
22.01.2020 12:55:58	1	1	1	1	86.25	64.25	0	29336.493	438.7096774	12807.05569	30000	0	0	30000	44.5625	2004
22.01.2020 12:55:59	1	1	1	1	86.25	64.5	0	29668.246	449.4623656	13185.38852	30000	0	0	30000	44.625	2004
22.01.2020 12:56:00	1	1	1	1	86.25	64.5	0	29526.066	455.9139785	13524.58348	30000	0	0	30000	44.125	2004
22.01.2020 12:56:01	1	1	1	1	86.25	64	0	29952.607	464.516129	13913.51616	30000	0	0	30000	44.25	2004
22.01.2020 12:56:02	1	1	1	1	86.25	64.25	0	29905.213	481.7204301	14106.75944	30000	0	0	30000	44.4375	2004
22.01.2020 12:56:03	1	1	1	1	86.25	64.25	0	30000	496.7741935	14902.56299	30000	0	0	30000	44.375	2004
22.01.2020 12:56:04	1	1	1	1	86.25	64.25	0	30000	501.0752688	15161.03607	30000	0	0	30000	44.1875	2004
22.01.2020 12:56:05	1	1	1	1	86.25	64	0	30000	494.6236559	14773.73413	30000	0	0	30000	44.75	2004
22.01.2020 12:56:06	1	1	1	1	86.25	64.75	0	30000	498.9247312	14902.56299	30000	0	0	30000	44	2004
22.01.2020 12:56:08	1	1	1	1	86.25	64.25	0	29905.213	481.7204301	14406.00114	30000	0	0	30000	44.3125	2004
22.01.2020 12:56:09	1	1	1	1	85.75	64.25	0	29810.427	481.7204301	14360.34028	30000	0	0	30000	44.5625	2004
22.01.2020 12:56:10	1	1	1	1	85.75	64.5	0	30000	509.6774194	15289.86492	30000	0	0	30000	44.125	2004
22.01.2020 12:56:11	1	1	1	1	85.75	64	0	30000	516.1290323	15483.92357	30000	0	0	30000	44.4375	2004
22.01.2020 12:56:12	1	1	1	1	85.75	64.25	0	30000	505.3763441	15225.45049	30000	0	0	30000	44.4375	2004
22.01.2020 12:56:13	1	1	1	1	85.75	64.25	0	29810.427	486.0215054	14423.93934	30000	0	0	30000	43.8125	2004
22.01.2020 12:56:14	1	1	1	1	85.75	63.75	0	29905.213	488.172043	14598.42905	30000	0	0	30000	44.25	2004
22.01.2020 12:56:15	1	1	1	1	85.75	64.25	0	29905.213	481.7204301	14428.83157	30000	0	0	30000	43.8125	2004
22.01.2020 12:56:16	1	1	1	1	85.75	63.75	0	28009.479	464.516129	13010.89881	30000	0	0	30000	44.5	2004
22.01.2020 12:56:17	1	1	1	1	85.75	64.5	0	30000	503.2258065	15161.03607	30000	0	0	30000	44.25	2004
22.01.2020 12:56:18	1	1	1	1	85.75	64.25	0	29952.607	486.0215054	14406.00114	30000	0	0	30000	44.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 12:56:19	1	1	1	1	85.5	64.5	0	30000	483.8709677	14406.00114	30000	0	0	30000	44.3125	2004
22.01.2020 12:56:20	1	1	1	1	85.5	64.25	0	30047.393	481.7204301	14451.662	30000	0	0	30000	43.875	2004
22.01.2020 12:56:21	1	1	1	1	85.5	63.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	44.375	2004
22.01.2020 12:56:28	1	1	1	1	85.5	64.25	0	29952.607	460.2150538	13870.30142	30000	0	0	30000	44.375	2004
22.01.2020 12:56:28	1	1	1	1	85.5	64.25	0	29952.607	460.2150538	13870.30142	30000	0	0	30000	44.375	2004
22.01.2020 12:56:28	1	1	1	1	85.5	64.25	0	29952.607	460.2150538	13870.30142	30000	0	0	30000	44.375	2004
22.01.2020 12:56:28	1	1	1	1	85.5	64.25	0	29952.607	460.2150538	13870.30142	30000	0	0	30000	44.375	2004
22.01.2020 12:56:28	1	1	1	1	85.5	64.25	0	29952.607	460.2150538	13870.30142	30000	0	0	30000	44.375	2004
22.01.2020 12:56:28	1	1	1	1	85.5	64.25	0	29952.607	460.2150538	13870.30142	30000	0	0	30000	44.375	2004
22.01.2020 12:56:28	1	1	1	1	85.5	64.25	0	30000	481.7204301	14451.662	30000	0	0	30000	44.3125	2004
22.01.2020 12:56:29	1	1	1	1	85.25	64.25	0	30000	464.516129	13805.88699	30000	0	0	30000	44.25	2004
22.01.2020 12:56:30	1	1	1	1	85.25	64.25	0	29952.607	453.7634409	13612.64371	30000	0	0	30000	44.3125	2004
22.01.2020 12:56:31	1	1	1	1	85.25	64.25	0	29952.607	481.7204301	14451.662	30000	0	0	30000	44.5	2004
22.01.2020 12:56:32	1	1	1	1	85.25	64.5	0	29526.066	464.516129	13778.16432	30000	0	0	30000	44.375	2004
22.01.2020 12:56:33	1	1	1	1	85.25	64.25	0	29952.607	481.7204301	14428.83157	30000	0	0	30000	44.5	2004
22.01.2020 12:56:34	1	1	1	1	85.25	64.5	0	30000	481.7204301	14451.662	30000	0	0	30000	44.3125	2004
22.01.2020 12:56:35	1	1	1	1	85.25	64.25	0	29857.82	453.7634409	13548.22928	30000	0	0	30000	44.25	2004
22.01.2020 12:56:36	1	1	1	1	85.25	64.25	0	29905.213	481.7204301	14083.92901	30000	0	0	30000	43.625	2004
22.01.2020 12:56:37	1	1	1	1	85.25	63.5	0	29952.607	488.172043	14773.73413	30000	0	0	30000	44.3125	2004
22.01.2020 12:56:38	1	1	1	1	85.25	64.25	0	30000	481.7204301	14451.662	30000	0	0	30000	43.75	2004
22.01.2020 12:56:39	1	1	1	1	85.5	63.75	0	29857.82	466.6666667	13933.0851	30000	0	0	30000	44.0625	2004
22.01.2020 12:56:40	1	1	1	1	85.5	64	0	30000	468.8172043	14064.36007	30000	0	0	30000	43.8125	2004
22.01.2020 12:56:41	1	1	1	1	85.5	63.75	0	30000	481.7204301	14451.662	30000	0	0	30000	44.625	2004
22.01.2020 12:56:42	1	1	1	1	85.5	64.5	0	29952.607	464.516129	13977.93058	30000	0	0	30000	43.9375	2004
22.01.2020 12:56:43	1	1	1	1	85.5	63.75	0	28009.479	460.2150538	12890.22368	30000	0	0	30000	44.375	2004
22.01.2020 12:56:44	1	1	1	1	85.5	64.25	0	29431.28	464.516129	13671.35053	30000	0	0	30000	44.625	2004
22.01.2020 12:56:46	1	1	1	1	85.5	64.25	0	30000	496.7741935	14902.56299	30000	0	0	30000	43.5	2004
22.01.2020 12:56:47	1	1	1	1	85.5	63.5	0	29952.607	481.7204301	14451.662	30000	0	0	30000	44.3125	2004
22.01.2020 12:56:48	1	1	1	1	85.5	64.25	0	30000	494.6236559	14838.14856	30000	0	0	30000	43.9375	2004
22.01.2020 12:56:49	1	1	1	1	85.5	63.75	0	29952.607	496.7741935	15032.20721	30000	0	0	30000	43.4375	2004
22.01.2020 12:56:50	1	1	1	1	85.5	63.25	0	29857.82	483.8709677	14469.6002	30000	0	0	30000	44.4375	2004
22.01.2020 12:56:51	1	1	1	1	85.5	64.25	0	29620.853	483.8709677	14373.38624	30000	0	0	30000	44.3125	2004
22.01.2020 12:56:52	1	1	1	1	85.5	64.25	0	30000	507.5268817	15161.03607	30000	0	0	30000	44.0625	2004
22.01.2020 12:56:53	1	1	1	1	85.5	64	0	29905.213	503.2258065	15048.51466	30000	0	0	30000	44.0625	2004
22.01.2020 12:56:54	1	1	1	1	85.5	64	0	30000	509.6774194	15289.86492	30000	0	0	30000	44.1875	2004
22.01.2020 12:56:55	1	1	1	1	85.5	64	0	30000	496.7741935	14902.56299	30000	0	0	30000	44.3125	2004
22.01.2020 12:56:56	1	1	1	1	85.5	64.25	0	29715.64	492.4731183	14633.49007	30000	0	0	30000	43.5625	2004
22.01.2020 12:56:57	1	1	1	1	85.5	63.5	0	29952.607	507.5268817	15225.45049	30000	0	0	30000	44.4375	2004
22.01.2020 12:56:58	1	1	1	1	85.5	64.25	0	28815.166	460.2150538	13261.21817	30000	0	0	30000	44.375	2004
22.01.2020 12:56:59	1	1	1	1	85.25	64.25	0	25924.171	481.7204301	12488.24505	30000	0	0	30000	43.5625	2004
22.01.2020 12:57:00	1	1	1	1	85.25	63.5	0	29905.213	507.5268817	15137.39026	30000	0	0	30000	44.1875	2004
22.01.2020 12:57:01	1	1	1	1	85.25	64	0	29905.213	505.3763441	15137.39026	30000	0	0	30000	44.1875	2004
22.01.2020 12:57:02	1	1	1	1	85.25	64	0	30000	529.0322581	15805.99571	30000	0	0	30000	44	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 12:57:03	1	1	1	1	85.25	64	0	30000	533.3333333	15934.82456	30000	0	0	30000	44.4375	2004
22.01.2020 12:57:04	1	1	1	1	85.25	64.25	0	29952.607	507.5268817	15225.45049	30000	0	0	30000	44.0625	2004
22.01.2020 12:57:05	1	1	1	1	85.25	64	0	29952.607	516.1290323	15459.4624	30000	0	0	30000	43.9375	2004
22.01.2020 12:57:06	1	1	1	1	85.25	63.75	0	26350.711	490.3225806	12840.48596	30000	0	0	30000	44	2004
22.01.2020 12:57:07	1	1	1	1	85.25	64	0	29905.213	507.5268817	15266.21912	30000	0	0	30000	44.0625	2004
22.01.2020 12:57:08	1	1	1	1	85.25	64	0	30000	526.8817204	15677.16685	30000	0	0	30000	44.125	2004
22.01.2020 12:57:09	1	1	1	1	85.75	64	0	30000	496.7741935	14902.56299	30000	0	0	30000	44.375	2004
22.01.2020 12:57:10	1	1	1	1	85.75	64.25	0	29383.886	501.0752688	14746.82684	30000	0	0	30000	44.4375	2004
22.01.2020 12:57:11	1	1	1	1	85.75	64.25	0	28341.232	458.0645161	12960.34572	30000	0	0	30000	44.375	2004
22.01.2020 12:57:12	1	1	1	1	85.75	64.25	0	29905.213	511.827957	15548.338	30000	0	0	30000	44.1875	2004
22.01.2020 12:57:13	1	1	1	1	85.75	64	0	29905.213	494.6236559	14727.2579	30000	0	0	30000	43.625	2004
22.01.2020 12:57:14	1	1	1	1	85.75	63.5	0	30000	503.2258065	15096.62164	30000	0	0	30000	44.5	2004
22.01.2020 12:57:15	1	1	1	1	85.75	64.5	0	29810.427	481.7204301	14383.17071	30000	0	0	30000	44.25	2004
22.01.2020 12:57:16	1	1	1	1	85.75	64.25	0	30000	488.172043	14773.73413	30000	0	0	30000	43.75	2004
22.01.2020 12:57:17	1	1	1	1	85.75	63.75	0	30000	486.0215054	14580.49085	30000	0	0	30000	43.8125	2004
22.01.2020 12:57:18	1	1	1	1	85.75	63.75	0	29905.213	481.7204301	14451.662	30000	0	0	30000	43.8125	2004
22.01.2020 12:57:19	1	1	1	1	85.25	63.75	0	30000	483.8709677	14516.07643	30000	0	0	30000	43.75	2004
22.01.2020 12:57:20	1	1	1	1	85.25	63.75	0	30000	481.7204301	14106.75944	30000	0	0	30000	44.3125	2004
22.01.2020 12:57:21	1	1	1	1	85.25	64.25	0	30000	468.8172043	14064.36007	30000	0	0	30000	44.3125	2004
22.01.2020 12:57:22	1	1	1	1	85.25	64.25	0	29952.607	481.7204301	14451.662	30000	0	0	30000	44.3125	2004
22.01.2020 12:57:29	1	1	1	1	85.75	63.25	0	30000	425.8064516	12709.21099	30000	0	0	30000	44.0625	2004
22.01.2020 12:57:29	1	1	1	1	85.75	63.25	0	30000	425.8064516	12709.21099	30000	0	0	30000	44.0625	2004
22.01.2020 12:57:29	1	1	1	1	85.75	63.25	0	30000	425.8064516	12709.21099	30000	0	0	30000	44.0625	2004
22.01.2020 12:57:29	1	1	1	1	85.75	63.25	0	30000	425.8064516	12709.21099	30000	0	0	30000	44.0625	2004
22.01.2020 12:57:29	1	1	1	1	85.75	63.25	0	30000	425.8064516	12709.21099	30000	0	0	30000	44.0625	2004
22.01.2020 12:57:29	1	1	1	1	85.75	63.25	0	30000	425.8064516	12709.21099	30000	0	0	30000	44.0625	2004
22.01.2020 12:57:29	1	1	1	1	85.75	63.25	0	30000	425.8064516	12709.21099	30000	0	0	30000	44.0625	2004
22.01.2020 12:57:30	1	1	1	1	85.75	64	0	29952.607	400	12064.25135	30000	0	0	30000	44.25	2004
22.01.2020 12:57:31	1	1	1	1	85.75	64.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	44.125	2004
22.01.2020 12:57:32	1	1	1	1	85.75	64	0	29857.82	380.6451613	11301.0627	30000	0	0	30000	44.375	2004
22.01.2020 12:57:33	1	1	1	1	85.75	64.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	44	2004
22.01.2020 12:57:34	1	1	1	1	85.75	64	0	30000	397.8494624	11954.17607	30000	0	0	30000	44.3125	2004
22.01.2020 12:57:35	1	1	1	1	85.75	64.25	0	27440.758	369.8924731	10149.75675	30000	0	0	30000	44.375	2004
22.01.2020 12:57:36	1	1	1	1	85.75	64.25	0	29289.1	359.1397849	10518.30511	30000	0	0	30000	44.3125	2004
22.01.2020 12:57:37	1	1	1	1	85.75	64.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	44.1875	2004
22.01.2020 12:57:38	1	1	1	1	85.75	64	0	29952.607	384.9462366	11548.12057	30000	0	0	30000	44.3125	2004
22.01.2020 12:57:39	1	1	1	1	86.25	64.25	0	29905.213	378.4946237	11511.4288	30000	0	0	30000	44.25	2004
22.01.2020 12:57:40	1	1	1	1	86.25	64.25	0	28483.412	356.9892473	10184.81776	30000	0	0	30000	44.3125	2004
22.01.2020 12:57:41	1	1	1	1	86.25	64.25	0	28436.019	341.9354839	9738.809013	30000	0	0	30000	44.375	2004
22.01.2020 12:57:42	1	1	1	1	86.25	64.25	0	28957.346	298.9247312	8655.994347	30000	0	0	30000	44.5625	2004
22.01.2020 12:57:43	1	1	1	1	86.25	64.5	0	28672.986	301.0752688	8737.531596	30000	0	0	30000	44.4375	2004
22.01.2020 12:57:44	1	1	1	1	86.25	64.25	0	29241.706	301.0752688	8775.03873	30000	0	0	30000	44.25	2004
22.01.2020 12:57:45	1	1	1	1	86.25	64.25	0	29715.64	331.1827957	9777.13152	30000	0	0	30000	44.4375	2004
22.01.2020 12:57:46	1	1	1	1	86.25	64.25	0	29905.213	333.3333333	10032.34311	30000	0	0	30000	43.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 12:57:47	1	1	1	1	86.25	63.75	0	29952.607	335.483871	10048.65056	30000	0	0	30000	44.5	2004
22.01.2020 12:57:48	1	1	1	1	86.25	64.5	0	30000	320.4301075	9612.426277	30000	0	0	30000	44.25	2004
22.01.2020 12:57:49	1	1	1	1	86.5	64.25	0	30000	337.6344086	10113.06499	30000	0	0	30000	43.8125	2004
22.01.2020 12:57:50	1	1	1	1	86.5	63.75	0	29715.64	305.3763441	9074.280434	30000	0	0	30000	43.6875	2004
22.01.2020 12:57:51	1	1	1	1	86.5	63.5	0	29952.607	335.483871	10064.14264	30000	0	0	30000	44.1875	2004
22.01.2020 12:57:52	1	1	1	1	86.5	64	0	29952.607	316.1290323	9597.749572	30000	0	0	30000	44.375	2004
22.01.2020 12:57:53	1	1	1	1	86.5	64.25	0	29620.853	322.5806452	9698.040388	30000	0	0	30000	44.5	2004
22.01.2020 12:57:54	1	1	1	1	86.5	64.5	0	29952.607	316.1290323	9548.01185	30000	0	0	30000	44.375	2004
22.01.2020 12:57:55	1	1	1	1	86.5	64.25	0	29715.64	324.7311828	9649.118039	30000	0	0	30000	44	2004
22.01.2020 12:57:56	1	1	1	1	86.5	64	0	30000	326.8817204	9806.484929	30000	0	0	30000	44.25	2004
22.01.2020 12:57:57	1	1	1	1	86.5	64.25	0	28957.346	309.6774194	8967.466638	30000	0	0	30000	44.375	2004
22.01.2020 12:57:58	1	1	1	1	86.5	64.25	0	29952.607	322.5806452	9646.671921	30000	0	0	30000	44.5625	2004
22.01.2020 12:57:59	1	1	1	1	85.25	64.5	0	29810.427	313.9784946	9438.751937	30000	0	0	30000	44.4375	2004
22.01.2020 12:58:00	1	1	1	1	85.25	64.25	0	29905.213	318.2795699	9517.843068	30000	0	0	30000	44.5	2004
22.01.2020 12:58:01	1	1	1	1	85.25	64.5	0	29952.607	365.5913978	11031.98978	30000	0	0	30000	44.5	2004
22.01.2020 12:58:02	1	1	1	1	85.25	64.5	0	30000	359.1397849	10709.10227	30000	0	0	30000	44.375	2004
22.01.2020 12:58:03	1	1	1	1	85.25	64.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	43.625	2004
22.01.2020 12:58:04	1	1	1	1	85.25	63.5	0	30000	387.0967742	11889.76164	30000	0	0	30000	44.6875	2004
22.01.2020 12:58:06	1	1	1	1	85.25	64.5	0	30000	382.7956989	11354.87729	30000	0	0	30000	44.1875	2004
22.01.2020 12:58:07	1	1	1	1	85.25	64.25	0	29810.427	387.0967742	11438.86065	30000	0	0	30000	44	2004
22.01.2020 12:58:08	1	1	1	1	85.25	64	0	29715.64	356.9892473	10382.95328	30000	0	0	30000	44	2004
22.01.2020 12:58:09	1	1	1	1	86.25	64	0	29952.607	395.6989247	11935.4225	30000	0	0	30000	44.3125	2004
22.01.2020 12:58:10	1	1	1	1	86.25	64.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	44.25	2004
22.01.2020 12:58:11	1	1	1	1	86.25	64.25	0	27345.972	365.5913978	10055.98891	30000	0	0	30000	44.5625	2004
22.01.2020 12:58:12	1	1	1	1	86.25	64.5	0	29715.64	425.8064516	12716.54934	30000	0	0	30000	43.8125	2004
22.01.2020 12:58:13	1	1	1	1	86.25	63.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	44.4375	2004
22.01.2020 12:58:14	1	1	1	1	86.25	64.25	0	29952.607	415.0537634	12580.38214	30000	0	0	30000	44.125	2004
22.01.2020 12:58:15	1	1	1	1	86.25	64	0	30000	412.9032258	12387.13886	30000	0	0	30000	44.5	2004
22.01.2020 12:58:16	1	1	1	1	86.25	64.5	0	29905.213	438.7096774	13225.34178	30000	0	0	30000	43.6875	2004
22.01.2020 12:58:17	1	1	1	1	86.25	63.5	0	30000	443.0107527	13354.17063	30000	0	0	30000	43.6875	2004
22.01.2020 12:58:18	1	1	1	1	86.25	63.5	0	29905.213	419.3548387	12773.62542	30000	0	0	30000	44.25	2004
22.01.2020 12:58:19	1	1	1	1	86.5	64.25	0	29905.213	423.655914	12689.64205	30000	0	0	30000	44.0625	2004
22.01.2020 12:58:20	1	1	1	1	86.5	64	0	29431.28	434.4086022	13080.20547	30000	0	0	30000	44.3125	2004
22.01.2020 12:58:21	1	1	1	1	86.5	64.25	0	29857.82	427.9569892	12777.70228	30000	0	0	30000	43.875	2004
22.01.2020 12:58:22	1	1	1	1	86.5	63.75	0	30000	466.6666667	13999.94564	30000	0	0	30000	44.25	2004
22.01.2020 12:58:23	1	1	1	1	86.5	64.25	0	29383.886	464.516129	13627.32041	30000	0	0	30000	43.4375	2004
22.01.2020 12:58:24	1	1	1	1	86.5	63.25	0	30000	505.3763441	15161.03607	30000	0	0	30000	44.0625	2004
22.01.2020 12:58:31	1	1	1	1	86	64.25	0	30000	481.7204301	14451.662	30000	0	0	30000	44.125	2004
22.01.2020 12:58:31	1	1	1	1	86	64.25	0	30000	481.7204301	14451.662	30000	0	0	30000	44.125	2004
22.01.2020 12:58:31	1	1	1	1	86	64.25	0	30000	481.7204301	14451.662	30000	0	0	30000	44.125	2004
22.01.2020 12:58:31	1	1	1	1	86	64.25	0	30000	481.7204301	14451.662	30000	0	0	30000	44.125	2004
22.01.2020 12:58:31	1	1	1	1	86	64.25	0	30000	481.7204301	14451.662	30000	0	0	30000	44.125	2004
22.01.2020 12:58:31	1	1	1	1	86	64.25	0	30000	481.7204301	14451.662	30000	0	0	30000	44.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 12:58:31	1	1	1	1	86	64	0	29857.82	412.9032258	12116.43519	30000	0	0	30000	44.0625	2004
22.01.2020 12:58:32	1	1	1	1	86	64	0	28815.166	389.2473118	11402.16889	30000	0	0	30000	44.4375	2004
22.01.2020 12:58:33	1	1	1	1	86	64.25	0	29952.607	449.4623656	13483.81486	30000	0	0	30000	44.375	2004
22.01.2020 12:58:34	1	1	1	1	86	64.25	0	30000	481.7204301	14516.07643	30000	0	0	30000	44.4375	2004
22.01.2020 12:58:35	1	1	1	1	86	64.25	0	30000	481.7204301	14406.00114	30000	0	0	30000	44.25	2004
22.01.2020 12:58:36	1	1	1	1	86	64.25	0	29952.607	481.7204301	14516.07643	30000	0	0	30000	44	2004
22.01.2020 12:58:37	1	1	1	1	86	64	0	30000	481.7204301	14451.662	30000	0	0	30000	43.6875	2004
22.01.2020 12:58:38	1	1	1	1	86	63.5	0	30000	481.7204301	14128.7745	30000	0	0	30000	44.25	2004
22.01.2020 12:58:39	1	1	1	1	86.25	64.25	0	29526.066	427.9569892	12635.82747	30000	0	0	30000	44.375	2004
22.01.2020 12:58:40	1	1	1	1	86.25	64.25	0	29905.213	466.6666667	14451.662	30000	0	0	30000	44.3125	2004
22.01.2020 12:58:41	1	1	1	1	86.25	64.25	0	24123.223	400	9649.118039	30000	0	0	30000	44.5	2004
22.01.2020 12:58:42	1	1	1	1	86.25	64.5	0	30000	481.7204301	14451.662	30000	0	0	30000	44.625	2004
22.01.2020 12:58:43	1	1	1	1	86.25	64.5	0	30000	481.7204301	14451.662	30000	0	0	30000	44.25	2004
22.01.2020 12:58:45	1	1	1	1	86.25	64.25	0	29952.607	464.516129	13935.53122	30000	0	0	30000	44.4375	2004
22.01.2020 12:58:46	1	1	1	1	86.25	64	0	30000	488.172043	14644.90528	30000	0	0	30000	44.4375	2004
22.01.2020 12:58:47	1	1	1	1	86.25	64.25	0	30000	490.3225806	14644.90528	30000	0	0	30000	44.0625	2004
22.01.2020 12:58:48	1	1	1	1	86.25	64	0	29905.213	481.7204301	14406.00114	30000	0	0	30000	44.4375	2004
22.01.2020 12:58:49	1	1	1	1	86.75	64.25	0	30000	507.5268817	15289.86492	30000	0	0	30000	44.375	2004
22.01.2020 12:58:50	1	1	1	1	86.75	64.25	0	29620.853	464.516129	13950.20792	30000	0	0	30000	44.1875	2004
22.01.2020 12:58:51	1	1	1	1	86.75	64	0	30000	503.2258065	15161.03607	30000	0	0	30000	43.5625	2004
22.01.2020 12:58:52	1	1	1	1	86.75	63.5	0	28815.166	464.516129	13385.15478	30000	0	0	30000	44.4375	2004
22.01.2020 12:58:53	1	1	1	1	86.75	64.25	0	29952.607	498.9247312	15008.56141	30000	0	0	30000	44.4375	2004
22.01.2020 12:58:54	1	1	1	1	86.75	64.25	0	30000	496.7741935	14902.56299	30000	0	0	30000	44.4375	2004
22.01.2020 12:58:55	1	1	1	1	86.75	64.25	0	29146.919	455.9139785	13288.12546	30000	0	0	30000	43.5625	2004
22.01.2020 12:58:56	1	1	1	1	86.75	63.5	0	30000	518.2795699	15548.338	30000	0	0	30000	44.625	2004
22.01.2020 12:58:57	1	1	1	1	86.75	64.5	0	29952.607	520.4301075	15588.29125	30000	0	0	30000	43.6875	2004
22.01.2020 12:58:58	1	1	1	1	86.75	63.5	0	29905.213	488.172043	14727.2579	30000	0	0	30000	44.0625	2004
22.01.2020 12:58:59	1	1	1	1	86.25	64	0	29857.82	537.6344086	15987.82377	30000	0	0	30000	44.25	2004
22.01.2020 12:59:00	1	1	1	1	86.25	64.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	43.6875	2004
22.01.2020 12:59:01	1	1	1	1	86.25	63.5	0	30000	516.1290323	15266.21912	30000	0	0	30000	44.5625	2004
22.01.2020 12:59:02	1	1	1	1	86.25	64.5	0	29857.82	535.483871	15987.82377	30000	0	0	30000	44.25	2004
22.01.2020 12:59:03	1	1	1	1	86.25	64.25	0	29952.607	509.6774194	15241.75794	30000	0	0	30000	44.375	2004
22.01.2020 12:59:04	1	1	1	1	86.25	64.25	0	26966.825	460.2150538	12352.07784	30000	0	0	30000	44.5	2004
22.01.2020 12:59:05	1	1	1	1	86.25	64.5	0	30000	509.6774194	15354.27935	30000	0	0	30000	44.125	2004
22.01.2020 12:59:06	1	1	1	1	86.25	64	0	29857.82	507.5268817	15217.29677	30000	0	0	30000	44.3125	2004
22.01.2020 12:59:07	1	1	1	1	86.25	64.25	0	30000	529.0322581	15845.94896	30000	0	0	30000	44.375	2004
22.01.2020 12:59:08	1	1	1	1	86.25	64.25	0	29905.213	505.3763441	15112.92909	30000	0	0	30000	44.3125	2004
22.01.2020 12:59:09	1	1	1	1	86.75	64.25	0	29952.607	516.1290323	15459.4624	30000	0	0	30000	44.3125	2004
22.01.2020 12:59:10	1	1	1	1	86.75	64.25	0	26824.645	481.7204301	12922.02321	30000	0	0	30000	44.4375	2004
22.01.2020 12:59:11	1	1	1	1	86.75	64.25	0	29810.427	537.6344086	15975.59318	30000	0	0	30000	44.25	2004
22.01.2020 12:59:12	1	1	1	1	86.75	64.25	0	30000	524.7311828	15741.58128	30000	0	0	30000	44.3125	2004
22.01.2020 12:59:13	1	1	1	1	86.75	64.25	0	30000	524.7311828	15677.16685	30000	0	0	30000	44.1875	2004
22.01.2020 12:59:14	1	1	1	1	86.75	64	0	29857.82	537.6344086	16052.2382	30000	0	0	30000	43.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 12:59:15	1	1	1	1	86.75	63.75	0	30000	524.7311828	15741.58128	30000	0	0	30000	44.125	2004
22.01.2020 12:59:16	1	1	1	1	86.75	64	0	29810.427	490.3225806	14856.08676	30000	0	0	30000	44.125	2004
22.01.2020 12:59:17	1	1	1	1	86.75	64	0	30000	516.1290323	15483.92357	30000	0	0	30000	44.25	2004
22.01.2020 12:59:18	1	1	1	1	86.75	64.25	0	28199.052	494.6236559	14079.03677	30000	0	0	30000	44.125	2004
22.01.2020 12:59:19	1	1	1	1	87.25	64	0	29431.28	464.516129	13671.35053	30000	0	0	30000	44.3125	2004
22.01.2020 12:59:20	1	1	1	1	87.25	64.25	0	29952.607	496.7741935	14598.42905	30000	0	0	30000	43.875	2004
22.01.2020 12:59:21	1	1	1	1	87.25	63.75	0	29905.213	481.7204301	14406.00114	30000	0	0	30000	44.625	2004
22.01.2020 12:59:23	1	1	1	1	87.25	64.5	0	30000	496.7741935	14902.56299	30000	0	0	30000	44.1875	2004
22.01.2020 12:59:24	1	1	1	1	87.25	64	0	29905.213	483.8709677	14516.07643	30000	0	0	30000	44.625	2004
22.01.2020 12:59:25	1	1	1	1	87.25	64	0	30000	464.516129	13935.53122	30000	0	0	30000	43.6875	2004
22.01.2020 12:59:26	1	1	1	1	87.25	63.5	0	30000	501.0752688	14944.14698	30000	0	0	30000	43.9375	2004
22.01.2020 12:59:32	1	1	1	1	86.75	64	0	30000	511.827957	15572.79917	30000	0	0	30000	44.5	2004
22.01.2020 12:59:32	1	1	1	1	86.75	64	0	30000	511.827957	15572.79917	30000	0	0	30000	44.5	2004
22.01.2020 12:59:32	1	1	1	1	86.75	64	0	30000	511.827957	15572.79917	30000	0	0	30000	44.5	2004
22.01.2020 12:59:32	1	1	1	1	86.75	64	0	30000	511.827957	15572.79917	30000	0	0	30000	44.5	2004
22.01.2020 12:59:32	1	1	1	1	86.75	64	0	30000	511.827957	15572.79917	30000	0	0	30000	44.5	2004
22.01.2020 12:59:32	1	1	1	1	86.75	64	0	30000	511.827957	15572.79917	30000	0	0	30000	44.5	2004
22.01.2020 12:59:32	1	1	1	1	86.75	64	0	30000	511.827957	15572.79917	30000	0	0	30000	44.5	2004
22.01.2020 12:59:33	1	1	1	1	86.75	64.5	0	29810.427	481.7204301	14360.34028	30000	0	0	30000	44.5	2004
22.01.2020 12:59:34	1	1	1	1	86.75	64.5	0	29905.213	481.7204301	14406.00114	30000	0	0	30000	44.5625	2004
22.01.2020 12:59:35	1	1	1	1	86.75	64.5	0	30000	494.6236559	14838.14856	30000	0	0	30000	44	2004
22.01.2020 12:59:36	1	1	1	1	86.75	64	0	29952.607	490.3225806	14644.90528	30000	0	0	30000	44.25	2004
22.01.2020 12:59:37	1	1	1	1	86.75	64.25	0	29431.28	481.7204301	14177.69684	30000	0	0	30000	43.875	2004
22.01.2020 12:59:38	1	1	1	1	86.75	63.75	0	30000	505.3763441	15008.56141	30000	0	0	30000	43.75	2004
22.01.2020 12:59:39	1	1	1	1	86.75	63.75	0	29857.82	481.7204301	14383.17071	30000	0	0	30000	44	2004
22.01.2020 12:59:40	1	1	1	1	86.75	64	0	30000	492.4731183	14534.01462	30000	0	0	30000	44	2004
22.01.2020 12:59:41	1	1	1	1	86.75	64	0	28815.166	458.0645161	13199.24986	30000	0	0	30000	43.9375	2004
22.01.2020 12:59:42	1	1	1	1	86.75	63.75	0	28815.166	481.7204301	13965.7	30000	0	0	30000	44.25	2004
22.01.2020 12:59:43	1	1	1	1	86.75	64.25	0	29952.607	516.1290323	15483.92357	30000	0	0	30000	44.375	2004
22.01.2020 12:59:44	1	1	1	1	86.75	64.25	0	30000	507.5268817	15289.86492	30000	0	0	30000	44.375	2004
22.01.2020 12:59:45	1	1	1	1	86.75	64.25	0	28578.199	458.0645161	13151.95825	30000	0	0	30000	44.375	2004
22.01.2020 12:59:46	1	1	1	1	86.75	64.25	0	29905.213	490.3225806	14511.18419	30000	0	0	30000	44.5625	2004
22.01.2020 12:59:47	1	1	1	1	86.75	64.5	0	30000	501.0752688	15032.20721	30000	0	0	30000	44.25	2004
22.01.2020 12:59:48	1	1	1	1	86.75	64.25	0	29952.607	492.4731183	14727.2579	30000	0	0	30000	44.625	2004
22.01.2020 12:59:49	1	1	1	1	87	64.5	0	30000	516.1290323	15354.27935	30000	0	0	30000	44.4375	2004
22.01.2020 12:59:50	1	1	1	1	87	64.25	0	29905.213	496.7741935	14879.73256	30000	0	0	30000	44	2004
22.01.2020 12:59:51	1	1	1	1	87	64	0	28199.052	488.172043	13765.93374	30000	0	0	30000	44.125	2004
22.01.2020 12:59:52	1	1	1	1	87	64	0	30000	496.7741935	14902.56299	30000	0	0	30000	44.5625	2004
22.01.2020 12:59:53	1	1	1	1	87	64.5	0	29952.607	490.3225806	14686.48928	30000	0	0	30000	44.625	2004
22.01.2020 12:59:54	1	1	1	1	87	64.5	0	28815.166	460.2150538	13261.21817	30000	0	0	30000	43.875	2004
22.01.2020 12:59:55	1	1	1	1	87	63.75	0	29857.82	483.8709677	14469.6002	30000	0	0	30000	44.25	2004
22.01.2020 12:59:56	1	1	1	1	87	64.25	0	29763.033	481.7204301	14314.67942	30000	0	0	30000	44.25	2004
22.01.2020 12:59:57	1	1	1	1	87	64.25	0	29952.607	496.7741935	14879.73256	30000	0	0	30000	43.9375	2004
22.01.2020 12:59:58	1	1	1	1	87	63.75	0	30000	503.2258065	15032.20721	30000	0	0	30000	44.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 12:59:59	1	1	1	1	88.25	64.25	0	30000	505.3763441	15032.20721	30000	0	0	30000	44.5	2004
22.01.2020 13:00:00	1	1	1	1	88.25	64.5	0	29952.607	507.5268817	15225.45049	30000	0	0	30000	44.25	2004
22.01.2020 13:00:01	1	1	1	1	88.25	64.25	0	29905.213	496.7741935	14879.73256	30000	0	0	30000	43.4375	2004
22.01.2020 13:00:02	1	1	1	1	88.25	63.25	0	29952.607	503.2258065	15032.20721	30000	0	0	30000	44.625	2004
22.01.2020 13:00:04	1	1	1	1	88.25	64.5	0	29620.853	481.7204301	14269.01856	30000	0	0	30000	44.75	2004
22.01.2020 13:00:05	1	1	1	1	88.25	64.75	0	29857.82	481.7204301	14360.34028	30000	0	0	30000	44.3125	2004
22.01.2020 13:00:06	1	1	1	1	88.25	64	0	29668.246	481.7204301	14314.67942	30000	0	0	30000	43.8125	2004
22.01.2020 13:00:07	1	1	1	1	88.25	63.75	0	29952.607	503.2258065	15032.20721	30000	0	0	30000	43.1875	2004
22.01.2020 13:00:08	1	1	1	1	88.25	63	0	29526.066	466.6666667	13905.36243	30000	0	0	30000	43.8125	2004
22.01.2020 13:00:09	1	1	1	1	87.25	63.75	0	28009.479	464.516129	13098.95904	30000	0	0	30000	44.3125	2004
22.01.2020 13:00:10	1	1	1	1	87.25	64.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	44.0625	2004
22.01.2020 13:00:11	1	1	1	1	87.25	64	0	29857.82	516.1290323	15435.00122	30000	0	0	30000	44.4375	2004
22.01.2020 13:00:12	1	1	1	1	87.25	64.25	0	29810.427	488.172043	14551.95282	30000	0	0	30000	44.1875	2004
22.01.2020 13:00:13	1	1	1	1	87.25	64	0	29810.427	481.7204301	14314.67942	30000	0	0	30000	43.4375	2004
22.01.2020 13:00:14	1	1	1	1	87.25	63.25	0	29715.64	483.8709677	14378.27848	30000	0	0	30000	44.1875	2004
22.01.2020 13:00:15	1	1	1	1	87.25	64	0	29857.82	481.7204301	14360.34028	30000	0	0	30000	44.3125	2004
22.01.2020 13:00:16	1	1	1	1	87.25	64.25	0	29573.46	481.7204301	14332.61762	30000	0	0	30000	43.4375	2004
22.01.2020 13:00:17	1	1	1	1	87.25	63.25	0	28436.019	460.2150538	13086.72845	30000	0	0	30000	44.3125	2004
22.01.2020 13:00:18	1	1	1	1	87.25	64.25	0	29905.213	481.7204301	14428.83157	30000	0	0	30000	44.375	2004
22.01.2020 13:00:19	1	1	1	1	87.5	64.25	0	29668.246	464.516129	13781.42581	30000	0	0	30000	44.1875	2004
22.01.2020 13:00:20	1	1	1	1	87.5	64	0	30000	507.5268817	15161.03607	30000	0	0	30000	44.1875	2004
22.01.2020 13:00:21	1	1	1	1	87.5	64	0	26208.531	453.7634409	11961.51442	30000	0	0	30000	44.1875	2004
22.01.2020 13:00:22	1	1	1	1	87.5	64	0	29715.64	481.7204301	13995.05341	30000	0	0	30000	44.4375	2004
22.01.2020 13:00:23	1	1	1	1	87.5	64.25	0	29383.886	464.516129	13649.33547	30000	0	0	30000	44.375	2004
22.01.2020 13:00:24	1	1	1	1	87.5	64.25	0	30000	481.7204301	14451.662	30000	0	0	30000	44.375	2004
22.01.2020 13:00:25	1	1	1	1	87.5	64.25	0	29952.607	481.7204301	14516.07643	30000	0	0	30000	43.4375	2004
22.01.2020 13:00:26	1	1	1	1	87.5	63.25	0	30000	458.0645161	13741.47256	30000	0	0	30000	44.375	2004
22.01.2020 13:00:27	1	1	1	1	87.5	64.25	0	24218.009	352.688172	8593.210665	30000	0	0	30000	44.0625	2004
22.01.2020 13:00:34	1	1	1	1	87.5	64.25	0	29952.607	453.7634409	13935.53122	30000	0	0	30000	43.9375	2004
22.01.2020 13:00:34	1	1	1	1	87.5	64.25	0	29952.607	453.7634409	13935.53122	30000	0	0	30000	43.9375	2004
22.01.2020 13:00:34	1	1	1	1	87.5	64.25	0	29952.607	453.7634409	13935.53122	30000	0	0	30000	43.9375	2004
22.01.2020 13:00:34	1	1	1	1	87.5	64.25	0	29952.607	453.7634409	13935.53122	30000	0	0	30000	43.9375	2004
22.01.2020 13:00:34	1	1	1	1	87.5	64.25	0	29952.607	453.7634409	13935.53122	30000	0	0	30000	43.9375	2004
22.01.2020 13:00:34	1	1	1	1	87.5	64.25	0	29952.607	453.7634409	13935.53122	30000	0	0	30000	43.9375	2004
22.01.2020 13:00:34	1	1	1	1	87.5	63.75	0	30000	458.0645161	13741.47256	30000	0	0	30000	44.3125	2004
22.01.2020 13:00:35	1	1	1	1	87.5	64.25	0	29905.213	419.3548387	12411.60003	30000	0	0	30000	44.375	2004
22.01.2020 13:00:36	1	1	1	1	87.5	64.25	0	29146.919	380.6451613	11093.95809	30000	0	0	30000	44.1875	2004
22.01.2020 13:00:37	1	1	1	1	87.5	64	0	30000	449.4623656	13354.17063	30000	0	0	30000	44	2004
22.01.2020 13:00:38	1	1	1	1	87.5	64	0	30000	445.1612903	13612.64371	30000	0	0	30000	44.5	2004
22.01.2020 13:00:39	1	1	1	1	87.25	64.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	44.0625	2004
22.01.2020 13:00:40	1	1	1	1	87.25	64	0	30000	453.7634409	13612.64371	30000	0	0	30000	44.4375	2004
22.01.2020 13:00:41	1	1	1	1	87.25	64.25	0	30000	466.6666667	14064.36007	30000	0	0	30000	44.375	2004
22.01.2020 13:00:43	1	1	1	1	87.25	64.25	0	29668.246	412.9032258	12230.58734	30000	0	0	30000	44.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 13:00:44	1	1	1	1	87.25	64	0	30000	481.7204301	14128.7745	30000	0	0	30000	44.6875	2004
22.01.2020 13:00:45	1	1	1	1	87.25	64.5	0	29952.607	468.8172043	14128.7745	30000	0	0	30000	44.0625	2004
22.01.2020 13:00:46	1	1	1	1	87.25	64	0	29952.607	483.8709677	14469.6002	30000	0	0	30000	43.875	2004
22.01.2020 13:00:47	1	1	1	1	87.25	63.75	0	29905.213	481.7204301	14383.17071	30000	0	0	30000	44.3125	2004
22.01.2020 13:00:48	1	1	1	1	87.25	64.25	0	30000	488.172043	14644.90528	30000	0	0	30000	44.4375	2004
22.01.2020 13:00:49	1	1	1	1	87.25	64.25	0	30000	481.7204301	14451.662	30000	0	0	30000	44.375	2004
22.01.2020 13:00:50	1	1	1	1	87.25	64.25	0	30000	503.2258065	15096.62164	30000	0	0	30000	43.9375	2004
22.01.2020 13:00:51	1	1	1	1	87.25	63.75	0	30047.393	483.8709677	14516.07643	30000	0	0	30000	44.375	2004
22.01.2020 13:00:52	1	1	1	1	87.25	64.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	44.4375	2004
22.01.2020 13:00:53	1	1	1	1	87.25	64.25	0	29905.213	481.7204301	14406.00114	30000	0	0	30000	44.5	2004
22.01.2020 13:00:54	1	1	1	1	87.25	64.5	0	29952.607	483.8709677	14644.90528	30000	0	0	30000	42.8125	2004
22.01.2020 13:00:55	1	1	1	1	87.25	62.75	0	29431.28	481.7204301	13712.11915	30000	0	0	30000	44.4375	2004
22.01.2020 13:00:56	1	1	1	1	87.25	64.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	44.125	2004
22.01.2020 13:00:57	1	1	1	1	87.25	64	0	29431.28	468.8172043	14177.69684	30000	0	0	30000	44.375	2004
22.01.2020 13:00:58	1	1	1	1	87.25	64.25	0	30000	501.0752688	15032.20721	30000	0	0	30000	43.375	2004
22.01.2020 13:00:59	1	1	1	1	87.25	63.25	0	29952.607	496.7741935	14838.14856	30000	0	0	30000	44.25	2004
22.01.2020 13:01:00	1	1	1	1	87.25	64.25	0	30000	498.9247312	14902.56299	30000	0	0	30000	44.5625	2004
22.01.2020 13:01:01	1	1	1	1	87.25	64.5	0	30000	494.6236559	14902.56299	30000	0	0	30000	44.3125	2004
22.01.2020 13:01:02	1	1	1	1	87.25	64.25	0	30000	507.5268817	15225.45049	30000	0	0	30000	43.6875	2004
22.01.2020 13:01:03	1	1	1	1	87.25	63.5	0	29478.673	481.7204301	14223.3577	30000	0	0	30000	44.625	2004
22.01.2020 13:01:04	1	1	1	1	87.25	64.5	0	29952.607	488.172043	14838.14856	30000	0	0	30000	44.375	2004
22.01.2020 13:01:05	1	1	1	1	87.25	64.25	0	29715.64	481.7204301	14314.67942	30000	0	0	30000	44.125	2004
22.01.2020 13:01:06	1	1	1	1	87.25	64	0	30000	501.0752688	14750.9037	30000	0	0	30000	44.375	2004
22.01.2020 13:01:07	1	1	1	1	87.25	64.25	0	29952.607	492.4731183	14838.14856	30000	0	0	30000	44.0625	2004
22.01.2020 13:01:08	1	1	1	1	87.25	64	0	30000	486.0215054	14428.83157	30000	0	0	30000	44	2004
22.01.2020 13:01:09	1	1	1	1	87.5	64	0	30000	488.172043	14493.246	30000	0	0	30000	43.9375	2004
22.01.2020 13:01:10	1	1	1	1	87.5	63.75	0	30000	490.3225806	14773.73413	30000	0	0	30000	44.375	2004
22.01.2020 13:01:11	1	1	1	1	87.5	64.25	0	30000	509.6774194	15289.86492	30000	0	0	30000	44	2004
22.01.2020 13:01:12	1	1	1	1	87.5	64	0	29952.607	481.7204301	14406.00114	30000	0	0	30000	44.3125	2004
22.01.2020 13:01:13	1	1	1	1	87.5	64.25	0	29952.607	501.0752688	15225.45049	30000	0	0	30000	43.75	2004
22.01.2020 13:01:14	1	1	1	1	87.5	63.75	0	30000	488.172043	14622.07485	30000	0	0	30000	43.9375	2004
22.01.2020 13:01:15	1	1	1	1	87.5	63.75	0	30000	488.172043	14773.73413	30000	0	0	30000	44	2004
22.01.2020 13:01:16	1	1	1	1	87.5	64	0	29952.607	488.172043	14622.07485	30000	0	0	30000	44.5	2004
22.01.2020 13:01:17	1	1	1	1	87.5	64.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	44.1875	2004
22.01.2020 13:01:18	1	1	1	1	87.5	64	0	30000	481.7204301	14451.662	30000	0	0	30000	44.375	2004
22.01.2020 13:01:20	1	1	1	1	87.25	64.25	0	30000	464.516129	13891.5011	30000	0	0	30000	44.1875	2004
22.01.2020 13:01:21	1	1	1	1	87.25	64	0	30000	481.7204301	14128.7745	30000	0	0	30000	44.5625	2004
22.01.2020 13:01:22	1	1	1	1	87.25	64.5	0	29905.213	453.7634409	13569.42897	30000	0	0	30000	44.75	2004
22.01.2020 13:01:23	1	1	1	1	87.25	64.5	0	30000	481.7204301	14451.662	30000	0	0	30000	44.625	2004
22.01.2020 13:01:24	1	1	1	1	87.25	64.5	0	30000	481.7204301	14451.662	30000	0	0	30000	44.1875	2004
22.01.2020 13:01:25	1	1	1	1	87.25	64	0	29810.427	427.9569892	12757.31797	30000	0	0	30000	43.875	2004
22.01.2020 13:01:26	1	1	1	1	87.25	63.75	0	30000	481.7204301	14451.662	30000	0	0	30000	44.125	2004
22.01.2020 13:01:27	1	1	1	1	87.25	64	0	30000	464.516129	13935.53122	30000	0	0	30000	44.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 13:01:28	1	1	1	1	87.25	64.25	0	30000	481.7204301	14128.7745	30000	0	0	30000	44	2004
22.01.2020 13:01:29	1	1	1	1	87.25	64	0	30000	466.6666667	13999.94564	30000	0	0	30000	44.0625	2004
22.01.2020 13:01:36	1	1	1	1	87.25	64.25	0	30000	492.4731183	14773.73413	30000	0	0	30000	43.9375	2004
22.01.2020 13:01:36	1	1	1	1	87.25	64.25	0	30000	492.4731183	14773.73413	30000	0	0	30000	43.9375	2004
22.01.2020 13:01:36	1	1	1	1	87.25	64.25	0	30000	492.4731183	14773.73413	30000	0	0	30000	43.9375	2004
22.01.2020 13:01:36	1	1	1	1	87.25	64.25	0	30000	492.4731183	14773.73413	30000	0	0	30000	43.9375	2004
22.01.2020 13:01:36	1	1	1	1	87.25	64.25	0	30000	492.4731183	14773.73413	30000	0	0	30000	43.9375	2004
22.01.2020 13:01:36	1	1	1	1	87.25	64.25	0	30000	492.4731183	14773.73413	30000	0	0	30000	43.9375	2004
22.01.2020 13:01:36	1	1	1	1	87.25	63.75	0	30000	488.172043	14644.90528	30000	0	0	30000	44.5625	2004
22.01.2020 13:01:37	1	1	1	1	87.25	64.5	0	29905.213	481.7204301	14451.662	30000	0	0	30000	44.4375	2004
22.01.2020 13:01:38	1	1	1	1	87.25	64.25	0	30000	488.172043	14644.90528	30000	0	0	30000	44.1875	2004
22.01.2020 13:01:39	1	1	1	1	87.25	64	0	29952.607	481.7204301	14451.662	30000	0	0	30000	43.75	2004
22.01.2020 13:01:40	1	1	1	1	87.25	63.75	0	30000	483.8709677	14516.07643	30000	0	0	30000	43.875	2004
22.01.2020 13:01:41	1	1	1	1	87.25	63.75	0	30000	481.7204301	14451.662	30000	0	0	30000	44.25	2004
22.01.2020 13:01:42	1	1	1	1	87.25	64.25	0	29952.607	481.7204301	14516.07643	30000	0	0	30000	44.5	2004
22.01.2020 13:01:43	1	1	1	1	87.25	64.5	0	30000	481.7204301	14451.662	30000	0	0	30000	44.375	2004
22.01.2020 13:01:44	1	1	1	1	87.25	64.25	0	30000	483.8709677	14580.49085	30000	0	0	30000	44.1875	2004
22.01.2020 13:01:45	1	1	1	1	87.25	64	0	28009.479	460.2150538	12890.22368	30000	0	0	30000	44.3125	2004
22.01.2020 13:01:46	1	1	1	1	87.25	64.25	0	29526.066	458.0645161	13588.18253	30000	0	0	30000	44.4375	2004
22.01.2020 13:01:47	1	1	1	1	87.25	64.25	0	30000	501.0752688	14902.56299	30000	0	0	30000	44.3125	2004
22.01.2020 13:01:48	1	1	1	1	87.25	64.25	0	30000	494.6236559	14773.73413	30000	0	0	30000	44.4375	2004
22.01.2020 13:01:49	1	1	1	1	87	64.25	0	29810.427	481.7204301	14360.34028	30000	0	0	30000	43.8125	2004
22.01.2020 13:01:50	1	1	1	1	87	63.75	0	30000	488.172043	14644.90528	30000	0	0	30000	44.25	2004
22.01.2020 13:01:51	1	1	1	1	87	64.25	0	30000	501.0752688	15032.20721	30000	0	0	30000	44.375	2004
22.01.2020 13:01:52	1	1	1	1	87	64.25	0	30000	494.6236559	14838.14856	30000	0	0	30000	44.125	2004
22.01.2020 13:01:53	1	1	1	1	87	64	0	30000	496.7741935	14902.56299	30000	0	0	30000	43.9375	2004
22.01.2020 13:01:54	1	1	1	1	87	63.75	0	30000	496.7741935	14902.56299	30000	0	0	30000	43.8125	2004
22.01.2020 13:01:55	1	1	1	1	87	63.75	0	29478.673	464.516129	13905.36243	30000	0	0	30000	43.8125	2004
22.01.2020 13:01:56	1	1	1	1	87	63.75	0	24976.303	419.3548387	10473.45963	30000	0	0	30000	44.3125	2004
22.01.2020 13:01:57	1	1	1	1	87	64.25	0	29905.213	505.3763441	15289.86492	30000	0	0	30000	43.75	2004
22.01.2020 13:01:59	1	1	1	1	87	63.75	0	30000	503.2258065	15032.20721	30000	0	0	30000	44.9375	2004
22.01.2020 13:02:00	1	1	1	1	87.5	64.75	0	29905.213	481.7204301	14406.00114	30000	0	0	30000	44.4375	2004
22.01.2020 13:02:01	1	1	1	1	87.5	64.25	0	29857.82	488.172043	14575.59862	30000	0	0	30000	44.75	2004
22.01.2020 13:02:02	1	1	1	1	87.5	64.75	0	29810.427	481.7204301	14383.17071	30000	0	0	30000	44.75	2004
22.01.2020 13:02:03	1	1	1	1	87.5	64	0	29952.607	488.172043	14622.07485	30000	0	0	30000	44.25	2004
22.01.2020 13:02:04	1	1	1	1	87.5	64.25	0	29905.213	488.172043	14773.73413	30000	0	0	30000	44.25	2004
22.01.2020 13:02:05	1	1	1	1	87.5	64.25	0	28009.479	481.7204301	13492.78395	30000	0	0	30000	44.625	2004
22.01.2020 13:02:06	1	1	1	1	87.5	64.5	0	30000	488.172043	14516.07643	30000	0	0	30000	43.8125	2004
22.01.2020 13:02:07	1	1	1	1	87.5	63.75	0	29952.607	507.5268817	15289.86492	30000	0	0	30000	44	2004
22.01.2020 13:02:08	1	1	1	1	87.5	64	0	29857.82	483.8709677	14423.93934	30000	0	0	30000	44.1875	2004
22.01.2020 13:02:09	1	1	1	1	87.5	64	0	29383.886	481.7204301	14154.86641	30000	0	0	30000	44.3125	2004
22.01.2020 13:02:10	1	1	1	1	87.5	64.25	0	29668.246	466.6666667	14314.67942	30000	0	0	30000	44.125	2004
22.01.2020 13:02:11	1	1	1	1	87.5	64	0	29905.213	486.0215054	14493.246	30000	0	0	30000	44.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 13:02:12	1	1	1	1	87.5	64.25	0	30000	492.4731183	14773.73413	30000	0	0	30000	44.3125	2004
22.01.2020 13:02:13	1	1	1	1	87.5	64.25	0	30000	501.0752688	14902.56299	30000	0	0	30000	44.5	2004
22.01.2020 13:02:14	1	1	1	1	87.5	64.5	0	29857.82	481.7204301	14383.17071	30000	0	0	30000	43.875	2004
22.01.2020 13:02:15	1	1	1	1	87.5	63.75	0	30000	505.3763441	15161.03607	30000	0	0	30000	43.875	2004
22.01.2020 13:02:16	1	1	1	1	87.5	63.75	0	30000	496.7741935	14902.56299	30000	0	0	30000	44.3125	2004
22.01.2020 13:02:17	1	1	1	1	87.5	64.25	0	29857.82	488.172043	14511.18419	30000	0	0	30000	43.1875	2004
22.01.2020 13:02:18	1	1	1	1	87.5	63	0	29810.427	483.8709677	14423.93934	30000	0	0	30000	44	2004
22.01.2020 13:02:19	1	1	1	1	88	64	0	27298.578	481.7204301	13150.32751	30000	0	0	30000	43.5	2004
22.01.2020 13:02:20	1	1	1	1	88	63.5	0	30000	509.6774194	15289.86492	30000	0	0	30000	44.125	2004
22.01.2020 13:02:21	1	1	1	1	88	64	0	29905.213	488.172043	14598.42905	30000	0	0	30000	44.375	2004
22.01.2020 13:02:22	1	1	1	1	88	64.25	0	29952.607	496.7741935	14902.56299	30000	0	0	30000	44.25	2004
22.01.2020 13:02:23	1	1	1	1	88	64.25	0	29905.213	486.0215054	14598.42905	30000	0	0	30000	43.5	2004
22.01.2020 13:02:24	1	1	1	1	88	63.5	0	30000	496.7741935	14902.56299	30000	0	0	30000	44.3125	2004
22.01.2020 13:02:25	1	1	1	1	88	64.25	0	30000	503.2258065	15096.62164	30000	0	0	30000	44.5	2004
22.01.2020 13:02:26	1	1	1	1	88	64.5	0	29952.607	488.172043	14709.31971	30000	0	0	30000	44.5625	2004
22.01.2020 13:02:27	1	1	1	1	88	64.5	0	29336.493	481.7204301	14132.03599	30000	0	0	30000	44.375	2004
22.01.2020 13:02:28	1	1	1	1	88	64.25	0	28815.166	481.7204301	13880.90126	30000	0	0	30000	44.375	2004
22.01.2020 13:02:29	1	1	1	1	88	64.25	0	30000	496.7741935	14856.08676	30000	0	0	30000	44.4375	2004
22.01.2020 13:02:30	1	1	1	1	88	64.25	0	30000	503.2258065	15032.20721	30000	0	0	30000	44.125	2004
22.01.2020 13:02:37	1	1	1	1	88	64.25	0	29431.28	466.6666667	13797.73326	30000	0	0	30000	43.9375	2004
22.01.2020 13:02:37	1	1	1	1	88	64.25	0	29431.28	466.6666667	13797.73326	30000	0	0	30000	43.9375	2004
22.01.2020 13:02:37	1	1	1	1	88	64.25	0	29431.28	466.6666667	13797.73326	30000	0	0	30000	43.9375	2004
22.01.2020 13:02:37	1	1	1	1	88	64.25	0	29431.28	466.6666667	13797.73326	30000	0	0	30000	43.9375	2004
22.01.2020 13:02:37	1	1	1	1	88	64.25	0	29431.28	466.6666667	13797.73326	30000	0	0	30000	43.9375	2004
22.01.2020 13:02:37	1	1	1	1	88	64.25	0	29431.28	466.6666667	13797.73326	30000	0	0	30000	43.9375	2004
22.01.2020 13:02:38	1	1	1	1	88	63.75	0	29905.213	494.6236559	14791.67233	30000	0	0	30000	44.3125	2004
22.01.2020 13:02:39	1	1	1	1	88	64.25	0	29905.213	481.7204301	14406.00114	30000	0	0	30000	44.625	2004
22.01.2020 13:02:40	1	1	1	1	88	64.5	0	29952.607	488.172043	14686.48928	30000	0	0	30000	44	2004
22.01.2020 13:02:41	1	1	1	1	88	64.5	0	30000	488.172043	14644.90528	30000	0	0	30000	44.375	2004
22.01.2020 13:02:42	1	1	1	1	88	64.25	0	29905.213	481.7204301	14451.662	30000	0	0	30000	44.625	2004
22.01.2020 13:02:43	1	1	1	1	88	64.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	44.1875	2004
22.01.2020 13:02:44	1	1	1	1	88	64	0	29526.066	460.2150538	13673.79665	30000	0	0	30000	44.625	2004
22.01.2020 13:02:45	1	1	1	1	88	64.5	0	29952.607	451.6129032	13612.64371	30000	0	0	30000	44.3125	2004
22.01.2020 13:02:46	1	1	1	1	88	64.25	0	30047.393	483.8709677	14516.07643	30000	0	0	30000	44.125	2004
22.01.2020 13:02:47	1	1	1	1	88	64	0	30000	481.7204301	14451.662	30000	0	0	30000	44.0625	2004
22.01.2020 13:02:48	1	1	1	1	88	64	0	29715.64	464.516129	13867.03993	30000	0	0	30000	44.1875	2004
22.01.2020 13:02:49	1	1	1	1	87.75	64	0	29952.607	490.3225806	14622.07485	30000	0	0	30000	44.375	2004
22.01.2020 13:02:50	1	1	1	1	87.75	64.25	0	29810.427	464.516129	13847.47099	30000	0	0	30000	44.1875	2004
22.01.2020 13:02:51	1	1	1	1	87.75	64	0	27867.299	464.516129	12944.85364	30000	0	0	30000	43.6875	2004
22.01.2020 13:02:52	1	1	1	1	87.75	63.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	44.5625	2004
22.01.2020 13:02:53	1	1	1	1	87.75	64.5	0	29289.1	481.7204301	14132.03599	30000	0	0	30000	44.4375	2004
22.01.2020 13:02:54	1	1	1	1	87.75	64.25	0	29715.64	481.7204301	13995.05341	30000	0	0	30000	44.3125	2004
22.01.2020 13:02:55	1	1	1	1	87.75	64.25	0	29952.607	481.7204301	14516.07643	30000	0	0	30000	43.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 13:02:56	1	1	1	1	87.75	63.75	0	30000	481.7204301	14451.662	30000	0	0	30000	44.1875	2004
22.01.2020 13:02:57	1	1	1	1	87.75	64	0	29573.46	419.3548387	12421.3845	30000	0	0	30000	43.6875	2004
22.01.2020 13:02:58	1	1	1	1	87.75	63.5	0	29857.82	486.0215054	14446.76977	30000	0	0	30000	44.375	2004
22.01.2020 13:02:59	1	1	1	1	87.5	64.25	0	29620.853	468.8172043	13759.41076	30000	0	0	30000	44.5625	2004
22.01.2020 13:03:00	1	1	1	1	87.5	64.5	0	30000	490.3225806	14773.73413	30000	0	0	30000	44	2004
22.01.2020 13:03:01	1	1	1	1	87.5	64	0	30000	481.7204301	14451.662	30000	0	0	30000	44.3125	2004
22.01.2020 13:03:02	1	1	1	1	87.5	64.25	0	28578.199	466.6666667	13336.23244	30000	0	0	30000	43.8125	2004
22.01.2020 13:03:03	1	1	1	1	87.5	63.75	0	30000	488.172043	14516.07643	30000	0	0	30000	44.625	2004
22.01.2020 13:03:04	1	1	1	1	87.5	64.5	0	29952.607	481.7204301	14451.662	30000	0	0	30000	44.375	2004
22.01.2020 13:03:05	1	1	1	1	87.5	64.25	0	27819.905	460.2150538	12802.97883	30000	0	0	30000	44.0625	2004
22.01.2020 13:03:06	1	1	1	1	87.5	64	0	28009.479	481.7204301	13492.78395	30000	0	0	30000	44.4375	2004
22.01.2020 13:03:07	1	1	1	1	87.5	64.25	0	28909.953	406.4516129	11707.1182	30000	0	0	30000	43.8125	2004
22.01.2020 13:03:08	1	1	1	1	87.5	63.75	0	29905.213	481.7204301	14516.07643	30000	0	0	30000	44.0625	2004
22.01.2020 13:03:09	1	1	1	1	87.5	64	0	28341.232	481.7204301	13652.59696	30000	0	0	30000	44.5	2004
22.01.2020 13:03:10	1	1	1	1	87.5	64.5	0	28815.166	466.6666667	13903.73169	30000	0	0	30000	44.25	2004
22.01.2020 13:03:11	1	1	1	1	87.5	64.25	0	29952.607	494.6236559	14815.31813	30000	0	0	30000	44.3125	2004
22.01.2020 13:03:12	1	1	1	1	87.5	64.25	0	30000	501.0752688	14727.2579	30000	0	0	30000	44.3125	2004
22.01.2020 13:03:13	1	1	1	1	87.5	64.25	0	30000	496.7741935	14902.56299	30000	0	0	30000	44.5	2004
22.01.2020 13:03:15	1	1	1	1	87.5	64.5	0	30000	481.7204301	14406.00114	30000	0	0	30000	44.1875	2004
22.01.2020 13:03:16	1	1	1	1	87.5	64	0	29952.607	481.7204301	14428.83157	30000	0	0	30000	44.25	2004
22.01.2020 13:03:17	1	1	1	1	87.5	64.25	0	30000	481.7204301	14451.662	30000	0	0	30000	44.8125	2004
22.01.2020 13:03:18	1	1	1	1	87.5	64.75	0	29763.033	412.9032258	12308.8631	30000	0	0	30000	44.4375	2004
22.01.2020 13:03:19	1	1	1	1	87.5	64.25	0	30000	466.6666667	13913.51616	30000	0	0	30000	44.125	2004
22.01.2020 13:03:20	1	1	1	1	88	64.25	0	30000	468.8172043	13999.94564	30000	0	0	30000	44.375	2004
22.01.2020 13:03:21	1	1	1	1	88	64.25	0	30000	466.6666667	13999.94564	30000	0	0	30000	44.125	2004
22.01.2020 13:03:22	1	1	1	1	88	64	0	30000	468.8172043	13999.94564	30000	0	0	30000	44.4375	2004
22.01.2020 13:03:23	1	1	1	1	88	64.25	0	28862.559	389.2473118	11110.26554	30000	0	0	30000	44.4375	2004
22.01.2020 13:03:24	1	1	1	1	88	64.25	0	24644.55	382.7956989	9468.105346	30000	0	0	30000	44.1875	2004
22.01.2020 13:03:25	1	1	1	1	88	64	0	30000	483.8709677	14516.07643	30000	0	0	30000	43.5625	2004
22.01.2020 13:03:26	1	1	1	1	88	63.5	0	30000	486.0215054	14580.49085	30000	0	0	30000	44.5625	2004
22.01.2020 13:03:27	1	1	1	1	88	64.5	0	29526.066	419.3548387	12401.81556	30000	0	0	30000	44.3125	2004
22.01.2020 13:03:28	1	1	1	1	88	64.25	0	30000	481.7204301	14451.662	30000	0	0	30000	44.0625	2004
22.01.2020 13:03:29	1	1	1	1	87.5	64	0	29952.607	481.7204301	14451.662	30000	0	0	30000	44.3125	2004
22.01.2020 13:03:30	1	1	1	1	87.5	64.25	0	30000	445.1612903	13333.78632	30000	0	0	30000	44.6875	2004
22.01.2020 13:03:31	1	1	1	1	87.5	64.5	0	30000	481.7204301	14451.662	30000	0	0	30000	44.625	2004
22.01.2020 13:03:32	1	1	1	1	87.5	64.5	0	29905.213	481.7204301	14406.00114	30000	0	0	30000	43.625	2004
22.01.2020 13:03:39	1	1	1	1	87.5	64.25	0	30000	464.516129	13935.53122	30000	0	0	30000	43.375	2004
22.01.2020 13:03:39	1	1	1	1	87.5	64.25	0	30000	464.516129	13935.53122	30000	0	0	30000	43.375	2004
22.01.2020 13:03:39	1	1	1	1	87.5	64.25	0	30000	464.516129	13935.53122	30000	0	0	30000	43.375	2004
22.01.2020 13:03:39	1	1	1	1	87.5	64.25	0	30000	464.516129	13935.53122	30000	0	0	30000	43.375	2004
22.01.2020 13:03:39	1	1	1	1	87.5	64.25	0	30000	464.516129	13935.53122	30000	0	0	30000	43.375	2004
22.01.2020 13:03:39	1	1	1	1	87.5	64.25	0	30000	464.516129	13935.53122	30000	0	0	30000	43.375	2004
22.01.2020 13:03:39	1	1	1	1	88	63.25	0	30000	481.7204301	14451.662	30000	0	0	30000	44.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 13:03:40	1	1	1	1	88	64.25	0	29383.886	455.9139785	13417.76968	30000	0	0	30000	44.375	2004
22.01.2020 13:03:41	1	1	1	1	88	64.25	0	30000	466.6666667	14064.36007	30000	0	0	30000	44.375	2004
22.01.2020 13:03:42	1	1	1	1	88	64.25	0	30000	483.8709677	14451.662	30000	0	0	30000	43.6875	2004
22.01.2020 13:03:43	1	1	1	1	88	63.5	0	29810.427	466.6666667	13911.07004	30000	0	0	30000	44.375	2004
22.01.2020 13:03:44	1	1	1	1	88	64.25	0	30000	481.7204301	14451.662	30000	0	0	30000	44.5625	2004
22.01.2020 13:03:45	1	1	1	1	88	64.5	0	30000	481.7204301	14667.73571	30000	0	0	30000	44.375	2004
22.01.2020 13:03:46	1	1	1	1	88	64.25	0	29383.886	453.7634409	13311.77126	30000	0	0	30000	44	2004
22.01.2020 13:03:47	1	1	1	1	88	64	0	30000	468.8172043	14451.662	30000	0	0	30000	44.5	2004
22.01.2020 13:03:48	1	1	1	1	88	64.5	0	30000	481.7204301	14428.83157	30000	0	0	30000	43.375	2004
22.01.2020 13:03:49	1	1	1	1	87.75	63.25	0	29952.607	468.8172043	14451.662	30000	0	0	30000	44.625	2004
22.01.2020 13:03:50	1	1	1	1	87.75	64.5	0	30000	481.7204301	14428.83157	30000	0	0	30000	44.375	2004
22.01.2020 13:03:51	1	1	1	1	87.75	64.25	0	29952.607	481.7204301	14128.7745	30000	0	0	30000	44.4375	2004
22.01.2020 13:03:52	1	1	1	1	87.75	64.25	0	28815.166	391.3978495	11278.23227	30000	0	0	30000	43.5	2004
22.01.2020 13:03:53	1	1	1	1	87.75	63.5	0	29952.607	468.8172043	13999.94564	30000	0	0	30000	44.4375	2004
22.01.2020 13:03:55	1	1	1	1	87.75	64.25	0	30000	466.6666667	13999.94564	30000	0	0	30000	44.4375	2004
22.01.2020 13:03:56	1	1	1	1	87.75	64.25	0	29952.607	445.1612903	13354.17063	30000	0	0	30000	44.625	2004
22.01.2020 13:03:57	1	1	1	1	87.75	64.5	0	30000	481.7204301	14451.662	30000	0	0	30000	44.125	2004
22.01.2020 13:03:58	1	1	1	1	87.75	64.25	0	30000	481.7204301	14451.662	30000	0	0	30000	44.5	2004
22.01.2020 13:03:59	1	1	1	1	88	64.5	0	29952.607	481.7204301	14428.83157	30000	0	0	30000	44.5625	2004
22.01.2020 13:04:00	1	1	1	1	88	64.5	0	30000	464.516129	13999.94564	30000	0	0	30000	44.5	2004
22.01.2020 13:04:03	1	1	1	1	88	64	0	30000	483.8709677	14406.00114	30000	0	0	30000	44.25	2004
22.01.2020 13:04:03	1	1	1	1	88	64	0	30000	483.8709677	14406.00114	30000	0	0	30000	44.25	2004
22.01.2020 13:04:03	1	1	1	1	88	64.25	0	29905.213	486.0215054	14644.90528	30000	0	0	30000	44.625	2004
22.01.2020 13:04:04	1	1	1	1	88	64.5	0	29478.673	466.6666667	13756.14927	30000	0	0	30000	44.5625	2004
22.01.2020 13:04:05	1	1	1	1	88	64.5	0	29905.213	481.7204301	14406.00114	30000	0	0	30000	44.1875	2004
22.01.2020 13:04:06	1	1	1	1	88	64	0	30000	490.3225806	14622.07485	30000	0	0	30000	44.625	2004
22.01.2020 13:04:07	1	1	1	1	88	64.5	0	26113.744	445.1612903	11624.76558	30000	0	0	30000	44.5	2004
22.01.2020 13:04:08	1	1	1	1	88	64.5	0	29810.427	481.7204301	14360.34028	30000	0	0	30000	44.5625	2004
22.01.2020 13:04:09	1	1	1	1	88	64.5	0	29905.213	483.8709677	14622.07485	30000	0	0	30000	44.5	2004
22.01.2020 13:04:10	1	1	1	1	88	64.5	0	29905.213	481.7204301	14406.00114	30000	0	0	30000	44	2004
22.01.2020 13:04:11	1	1	1	1	88	64	0	30000	488.172043	14644.90528	30000	0	0	30000	44.5	2004
22.01.2020 13:04:12	1	1	1	1	88	64.5	0	29620.853	481.7204301	13928.19286	30000	0	0	30000	44.5	2004
22.01.2020 13:04:13	1	1	1	1	88	64.5	0	27867.299	481.7204301	13004.37583	30000	0	0	30000	44.5625	2004
22.01.2020 13:04:14	1	1	1	1	88	64.5	0	30000	492.4731183	14773.73413	30000	0	0	30000	43.6875	2004
22.01.2020 13:04:15	1	1	1	1	88	63.5	0	29620.853	466.6666667	13737.3957	30000	0	0	30000	44.625	2004
22.01.2020 13:04:16	1	1	1	1	88	64.5	0	30000	483.8709677	14580.49085	30000	0	0	30000	44.25	2004
22.01.2020 13:04:17	1	1	1	1	88	64.25	0	30000	481.7204301	14451.662	30000	0	0	30000	44.625	2004
22.01.2020 13:04:18	1	1	1	1	88	64.5	0	30000	466.6666667	13999.94564	30000	0	0	30000	44.5625	2004
22.01.2020 13:04:19	1	1	1	1	88	64.5	0	28815.166	387.0967742	11092.32734	30000	0	0	30000	44.625	2004
22.01.2020 13:04:20	1	1	1	1	88	64.5	0	28388.626	404.3010753	11477.18316	30000	0	0	30000	44.625	2004
22.01.2020 13:04:21	1	1	1	1	88	64.5	0	28957.346	365.5913978	10648.76471	30000	0	0	30000	44.5	2004
22.01.2020 13:04:22	1	1	1	1	88	64.5	0	29526.066	384.9462366	11384.2307	30000	0	0	30000	44.25	2004
22.01.2020 13:04:23	1	1	1	1	88	64.25	0	29810.427	382.7956989	11474.73704	30000	0	0	30000	44.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 13:04:24	1	1	1	1	88	64.25	0	29052.133	391.3978495	11333.6776	30000	0	0	30000	44.3125	2004
22.01.2020 13:04:25	1	1	1	1	88	64.25	0	29857.82	350.5376344	10466.12127	30000	0	0	30000	44.4375	2004
22.01.2020 13:04:26	1	1	1	1	88	64.25	0	28957.346	359.1397849	10399.26073	30000	0	0	30000	44.5	2004
22.01.2020 13:04:27	1	1	1	1	88	64.5	0	25545.024	326.8817204	8569.564863	30000	0	0	30000	44.5625	2004
22.01.2020 13:04:28	1	1	1	1	88	64.5	0	28293.839	337.6344086	9552.904085	30000	0	0	30000	44.625	2004
22.01.2020 13:04:29	1	1	1	1	88.5	64.5	0	29905.213	402.1505376	11833.50094	30000	0	0	30000	44.5625	2004
22.01.2020 13:04:30	1	1	1	1	88.5	64.5	0	29857.82	384.9462366	11474.73704	30000	0	0	30000	44.5625	2004
22.01.2020 13:04:32	1	1	1	1	88.5	64.5	0	29952.607	412.9032258	12451.55328	30000	0	0	30000	44.25	2004
22.01.2020 13:04:33	1	1	1	1	88.5	64.25	0	29905.213	384.9462366	11511.4288	30000	0	0	30000	44.6875	2004
22.01.2020 13:04:34	1	1	1	1	88.5	64.5	0	30000	404.3010753	12387.13886	30000	0	0	30000	44.875	2004
22.01.2020 13:04:41	1	1	1	1	88.25	64.25	0	30000	395.6989247	11833.50094	30000	0	0	30000	44.0625	2004
22.01.2020 13:04:41	1	1	1	1	88.25	64.25	0	30000	395.6989247	11833.50094	30000	0	0	30000	44.0625	2004
22.01.2020 13:04:41	1	1	1	1	88.25	64.25	0	30000	395.6989247	11833.50094	30000	0	0	30000	44.0625	2004
22.01.2020 13:04:41	1	1	1	1	88.25	64.25	0	30000	395.6989247	11833.50094	30000	0	0	30000	44.0625	2004
22.01.2020 13:04:41	1	1	1	1	88.25	64.25	0	30000	395.6989247	11833.50094	30000	0	0	30000	44.0625	2004
22.01.2020 13:04:41	1	1	1	1	88.25	64	0	29668.246	356.9892473	10543.58166	30000	0	0	30000	44.0625	2004
22.01.2020 13:04:42	1	1	1	1	88.25	64	0	29573.46	356.9892473	10637.3495	30000	0	0	30000	44.5	2004
22.01.2020 13:04:43	1	1	1	1	88.25	64.5	0	29857.82	369.8924731	11061.34319	30000	0	0	30000	44.8125	2004
22.01.2020 13:04:44	1	1	1	1	88.25	64.75	0	29905.213	400	12387.13886	30000	0	0	30000	44.5625	2004
22.01.2020 13:04:45	1	1	1	1	88.25	64.5	0	29952.607	412.9032258	12348.00098	30000	0	0	30000	44.6875	2004
22.01.2020 13:04:46	1	1	1	1	88.25	64.5	0	29905.213	397.8494624	11916.66893	30000	0	0	30000	44.4375	2004
22.01.2020 13:04:47	1	1	1	1	88.25	64.25	0	28815.166	350.5376344	10224.77102	30000	0	0	30000	44.625	2004
22.01.2020 13:04:48	1	1	1	1	88.25	64.5	0	29715.64	367.7419355	10927.6221	30000	0	0	30000	44.4375	2004
22.01.2020 13:04:49	1	1	1	1	87.5	64.25	0	30000	425.8064516	12560.8132	30000	0	0	30000	44.5625	2004
22.01.2020 13:04:50	1	1	1	1	87.5	64.5	0	28815.166	412.9032258	11897.91536	30000	0	0	30000	44.625	2004
22.01.2020 13:04:51	1	1	1	1	87.5	64.5	0	29241.706	384.9462366	11381.78458	30000	0	0	30000	44.5625	2004
22.01.2020 13:04:52	1	1	1	1	87.5	64.5	0	29146.919	440.8602151	12849.45506	30000	0	0	30000	44.5	2004
22.01.2020 13:04:53	1	1	1	1	87.5	64.5	0	29336.493	380.6451613	11166.52624	30000	0	0	30000	43.4375	2004
22.01.2020 13:04:54	1	1	1	1	87.5	63.25	0	26540.284	384.9462366	10216.61729	30000	0	0	30000	43.75	2004
22.01.2020 13:04:55	1	1	1	1	87.5	63.75	0	30000	466.6666667	14128.7745	30000	0	0	30000	44.5625	2004
22.01.2020 13:04:56	1	1	1	1	87.5	64.5	0	29952.607	481.7204301	14106.75944	30000	0	0	30000	44.4375	2004
22.01.2020 13:04:57	1	1	1	1	87.5	64.25	0	28957.346	460.2150538	13263.66428	30000	0	0	30000	44.625	2004
22.01.2020 13:04:58	1	1	1	1	87.5	64.5	0	29810.427	453.7634409	13483.81486	30000	0	0	30000	44.0625	2004
22.01.2020 13:04:59	1	1	1	1	87.75	64	0	30000	483.8709677	14493.246	30000	0	0	30000	44.3125	2004
22.01.2020 13:05:00	1	1	1	1	87.75	64.25	0	30000	481.7204301	14451.662	30000	0	0	30000	44.5	2004
22.01.2020 13:05:01	1	1	1	1	87.75	64.5	0	30000	488.172043	14580.49085	30000	0	0	30000	44.0625	2004
22.01.2020 13:05:02	1	1	1	1	87.75	64	0	29431.28	466.6666667	13883.34738	30000	0	0	30000	44.3125	2004
22.01.2020 13:05:03	1	1	1	1	87.75	64.25	0	29383.886	481.7204301	14177.69684	30000	0	0	30000	44.1875	2004
22.01.2020 13:05:04	1	1	1	1	87.75	64	0	30000	501.0752688	14967.79279	30000	0	0	30000	44.5625	2004
22.01.2020 13:05:05	1	1	1	1	87.75	64.5	0	29905.213	481.7204301	14406.00114	30000	0	0	30000	43.9375	2004
22.01.2020 13:05:06	1	1	1	1	87.75	63.75	0	29620.853	468.8172043	13823.00981	30000	0	0	30000	44.5	2004
22.01.2020 13:05:07	1	1	1	1	87.75	64.5	0	28578.199	481.7204301	13766.74911	30000	0	0	30000	44.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 13:05:08	1	1	1	1	87.75	64	0	30000	494.6236559	14838.14856	30000	0	0	30000	44.1875	2004
22.01.2020 13:05:10	1	1	1	1	88	64	0	29952.607	490.3225806	14902.56299	30000	0	0	30000	43.8125	2004
22.01.2020 13:05:11	1	1	1	1	88	63.75	0	29905.213	492.4731183	14598.42905	30000	0	0	30000	44.6875	2004
22.01.2020 13:05:12	1	1	1	1	88	64.5	0	30000	507.5268817	15225.45049	30000	0	0	30000	44.375	2004
22.01.2020 13:05:13	1	1	1	1	88	64.25	0	29952.607	496.7741935	14902.56299	30000	0	0	30000	44.4375	2004
22.01.2020 13:05:14	1	1	1	1	88	64.25	0	30000	505.3763441	15225.45049	30000	0	0	30000	43.875	2004
22.01.2020 13:05:15	1	1	1	1	88	64	0	29952.607	501.0752688	15032.20721	30000	0	0	30000	44.3125	2004
22.01.2020 13:05:16	1	1	1	1	88	64.25	0	28862.559	445.1612903	12890.22368	30000	0	0	30000	44.625	2004
22.01.2020 13:05:17	1	1	1	1	88	64.5	0	30000	496.7741935	14838.14856	30000	0	0	30000	43.875	2004
22.01.2020 13:05:18	1	1	1	1	88	63.75	0	30000	496.7741935	14902.56299	30000	0	0	30000	44.375	2004
22.01.2020 13:05:19	1	1	1	1	88	64.25	0	29715.64	468.8172043	13867.03993	30000	0	0	30000	44.25	2004
22.01.2020 13:05:20	1	1	1	1	88	64.25	0	29336.493	458.0645161	13416.13894	30000	0	0	30000	43.8125	2004
22.01.2020 13:05:21	1	1	1	1	88	63.75	0	30000	503.2258065	15137.39026	30000	0	0	30000	44.375	2004
22.01.2020 13:05:22	1	1	1	1	88	64.25	0	30000	488.172043	14644.90528	30000	0	0	30000	44.1875	2004
22.01.2020 13:05:23	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
22.01.2020 13:05:24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
22.01.2020 13:05:25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
22.01.2020 13:05:26	1	0	1	1	90.25	20	0	0	0	0	30000	0	0	30000	0	2004
22.01.2020 13:05:27	1	1	1	1	90.25	65	0	0	0	0	30000	0	0	30000	44.8125	2004
22.01.2020 13:05:28	1	1	1	1	90.25	64.75	0	0	0	0	30000	0	0	30000	44.625	2004
22.01.2020 13:05:29	1	1	1	1	90.25	64.5	0	0	0	0	30000	0	0	30000	44.625	2004
22.01.2020 13:05:30	1	1	1	1	90.25	64.5	0	0	0	0	30000	0	0	30000	44.8125	2004
22.01.2020 13:05:31	1	1	1	1	90.25	64.75	0	0	0	0	30000	0	0	30000	44.6875	2004
22.01.2020 13:05:32	1	1	1	1	90.25	64.5	0	0	0	0	30000	0	0	30000	44.9375	2004
22.01.2020 13:05:33	1	1	1	1	90.25	64.75	0	0	0	0	30000	0	0	30000	41.9375	2004
22.01.2020 13:05:34	1	1	1	1	90.25	61.75	0	0	0	0	30000	0	0	30000	44.8125	2004
22.01.2020 13:05:35	1	1	1	1	90.25	64.75	0	0	0	0	30000	0	0	30000	44.6875	2004
22.01.2020 13:05:42	1	1	1	1	89.25	64.5	0	14075.829	8.602150538	150.8439105	30000	0	0	30000	44.5	2004
22.01.2020 13:05:42	1	1	1	1	89.25	64.5	0	14075.829	8.602150538	150.8439105	30000	0	0	30000	44.5	2004
22.01.2020 13:05:42	1	1	1	1	89.25	64.5	0	14075.829	8.602150538	150.8439105	30000	0	0	30000	44.5	2004
22.01.2020 13:05:42	1	1	1	1	89.25	64.5	0	14075.829	8.602150538	150.8439105	30000	0	0	30000	44.5	2004
22.01.2020 13:05:42	1	1	1	1	89.25	64.5	0	14075.829	8.602150538	150.8439105	30000	0	0	30000	44.5	2004
22.01.2020 13:05:42	1	1	1	1	89.25	64.5	0	14075.829	8.602150538	150.8439105	30000	0	0	30000	44.5	2004
22.01.2020 13:05:42	1	1	1	1	89.25	64.5	0	14928.91	17.20430108	224.2274346	30000	0	0	30000	44.6875	2004
22.01.2020 13:05:43	1	1	1	1	89.25	64.5	0	15639.81	25.80645161	401.9786372	30000	0	0	30000	44.5625	2004
22.01.2020 13:05:44	1	1	1	1	89.25	64.5	0	15734.597	36.55913978	573.20686	30000	0	0	30000	44.8125	2004
22.01.2020 13:05:45	1	1	1	1	89.25	64.75	0	17203.791	47.31182796	776.2346098	30000	0	0	30000	44.5	2004
22.01.2020 13:05:46	1	1	1	1	89.25	64.5	0	18009.479	60.21505376	1086.891528	30000	0	0	30000	44.625	2004
22.01.2020 13:05:48	1	1	1	1	89.25	64.5	0	18720.379	66.66666667	1247.519909	30000	0	0	30000	44.4375	2004
22.01.2020 13:05:49	1	1	1	1	89.25	64.25	0	19526.066	79.56989247	1549.20773	30000	0	0	30000	44.4375	2004
22.01.2020 13:05:50	1	1	1	1	89.25	64.25	0	20331.754	94.62365591	1967.493817	30000	0	0	30000	44.4375	2004
22.01.2020 13:05:51	1	1	1	1	89.25	64.25	0	21090.047	107.5268817	2267.550893	30000	0	0	30000	44.5625	2004
22.01.2020 13:05:52	1	1	1	1	89.25	64.5	0	21753.555	120.4301075	2671.975648	30000	0	0	30000	44.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 13:05:53	1	1	1	1	89.25	64.5	0	22559.242	137.6344086	3098.415459	30000	0	0	30000	44.625	2004
22.01.2020 13:05:54	1	1	1	1	89.25	64.5	0	23222.749	152.688172	3552.577936	30000	0	0	30000	44.75	2004
22.01.2020 13:05:55	1	1	1	1	89.25	64.75	0	23222.749	184.9462366	4235.860082	30000	0	0	30000	44.625	2004
22.01.2020 13:05:56	1	1	1	1	88.75	64.5	0	24786.73	206.4516129	4734.868046	30000	0	0	30000	44.25	2004
22.01.2020 13:05:57	1	1	1	1	88.75	64.25	0	24218.009	208.6021505	5051.232571	30000	0	0	30000	44.5	2004
22.01.2020 13:05:58	1	1	1	1	88.75	64.5	0	26303.318	247.311828	6481.395918	30000	0	0	30000	44.5625	2004
22.01.2020 13:05:59	1	1	1	1	88.75	64.5	0	27109.005	305.3763441	8278.476884	30000	0	0	30000	44.375	2004
22.01.2020 13:06:00	1	1	1	1	88.75	64.25	0	26919.431	335.483871	8973.174245	30000	0	0	30000	43.875	2004
22.01.2020 13:06:01	1	1	1	1	88.75	63.75	0	28578.199	434.4086022	12414.04615	30000	0	0	30000	44.5	2004
22.01.2020 13:06:02	1	1	1	1	88.75	64.5	0	27345.972	481.7204301	13173.15794	30000	0	0	30000	44.5	2004
22.01.2020 13:06:03	1	1	1	1	88.75	64.5	0	29905.213	526.8817204	15820.67241	30000	0	0	30000	44.4375	2004
22.01.2020 13:06:04	1	1	1	1	88.75	64.25	0	29857.82	498.9247312	14832.44095	30000	0	0	30000	43.75	2004
22.01.2020 13:06:05	1	1	1	1	88.75	63.75	0	27440.758	453.7634409	12451.55328	30000	0	0	30000	43.875	2004
22.01.2020 13:06:06	1	1	1	1	88	63.75	0	29905.213	529.0322581	15934.82456	30000	0	0	30000	44.375	2004
22.01.2020 13:06:07	1	1	1	1	88	64.25	0	29857.82	509.6774194	15241.75794	30000	0	0	30000	44.4375	2004
22.01.2020 13:06:08	1	1	1	1	88	64.25	0	29620.853	481.7204301	14396.21667	30000	0	0	30000	44.5	2004
22.01.2020 13:06:09	1	1	1	1	88	64.5	0	30000	533.3333333	15910.36338	30000	0	0	30000	44.25	2004
22.01.2020 13:06:10	1	1	1	1	88	64.25	0	29857.82	501.0752688	14936.80863	30000	0	0	30000	44.5625	2004
22.01.2020 13:06:11	1	1	1	1	88	64.5	0	29715.64	464.516129	13675.42739	30000	0	0	30000	44.625	2004
22.01.2020 13:06:12	1	1	1	1	88	64.5	0	29905.213	524.7311828	15756.25798	30000	0	0	30000	44.25	2004
22.01.2020 13:06:13	1	1	1	1	88	64.25	0	29905.213	529.0322581	15781.53453	30000	0	0	30000	44.4375	2004
22.01.2020 13:06:14	1	1	1	1	88	64.25	0	29952.607	535.483871	16128.88321	30000	0	0	30000	44.625	2004
22.01.2020 13:06:15	1	1	1	1	88	64.5	0	28625.592	501.0752688	14438.61604	30000	0	0	30000	44.625	2004
22.01.2020 13:06:16	1	1	1	1	88.75	64.5	0	30000	522.5806452	15677.16685	30000	0	0	30000	44.4375	2004
22.01.2020 13:06:17	1	1	1	1	88.75	64.25	0	27914.692	464.516129	12966.8687	30000	0	0	30000	44.4375	2004
22.01.2020 13:06:18	1	1	1	1	88.75	64.25	0	29952.607	494.6236559	14791.67233	30000	0	0	30000	44.5625	2004
22.01.2020 13:06:19	1	1	1	1	88.75	64.5	0	26445.498	481.7204301	12716.54934	30000	0	0	30000	44.625	2004
22.01.2020 13:06:20	1	1	1	1	88.75	64.5	0	29905.213	516.1290323	15563.0147	30000	0	0	30000	44.375	2004
22.01.2020 13:06:21	1	1	1	1	88.75	64.25	0	29146.919	464.516129	13539.26019	30000	0	0	30000	44.1875	2004
22.01.2020 13:06:22	1	1	1	1	88.75	64	0	29952.607	511.827957	15112.92909	30000	0	0	30000	44	2004
22.01.2020 13:06:23	1	1	1	1	88.75	64	0	29952.607	483.8709677	14493.246	30000	0	0	30000	44.75	2004
22.01.2020 13:06:24	1	1	1	1	88.75	64	0	28862.559	481.7204301	13903.73169	30000	0	0	30000	44.5625	2004
22.01.2020 13:06:26	1	1	1	1	87.75	64.5	0	29620.853	464.516129	13759.41076	30000	0	0	30000	44.625	2004
22.01.2020 13:06:27	1	1	1	1	87.75	64.5	0	28815.166	481.7204301	13880.90126	30000	0	0	30000	44.1875	2004
22.01.2020 13:06:28	1	1	1	1	87.75	64	0	29383.886	481.7204301	14177.69684	30000	0	0	30000	44.5	2004
22.01.2020 13:06:29	1	1	1	1	87.75	64.5	0	29336.493	481.7204301	14132.03599	30000	0	0	30000	44.625	2004
22.01.2020 13:06:30	1	1	1	1	87.75	64.5	0	29431.28	460.2150538	13544.15242	30000	0	0	30000	44.3125	2004
22.01.2020 13:06:31	1	1	1	1	87.75	64.25	0	29905.213	483.8709677	14750.9037	30000	0	0	30000	44.25	2004
22.01.2020 13:06:32	1	1	1	1	87.75	64.25	0	29905.213	490.3225806	14598.42905	30000	0	0	30000	43.4375	2004
22.01.2020 13:06:33	1	1	1	1	87.75	63.25	0	29478.673	488.172043	14476.93855	30000	0	0	30000	44.4375	2004
22.01.2020 13:06:34	1	1	1	1	87.75	64.25	0	29526.066	468.8172043	13905.36243	30000	0	0	30000	44.3125	2004
22.01.2020 13:06:35	1	1	1	1	87.75	64.25	0	30000	501.0752688	15032.20721	30000	0	0	30000	44.5	2004
22.01.2020 13:06:36	1	1	1	1	87.25	64.5	0	29383.886	460.2150538	13311.77126	30000	0	0	30000	44.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 13:06:37	1	1	1	1	87.25	64.5	0	10616.114	0	0	30000	0	0	30000	44.625	2004
22.01.2020 13:06:44	1	1	1	1	87.25	64.5	0	15165.877	17.20430108	293.5340962	30000	0	0	30000	44.625	2004
22.01.2020 13:06:44	1	1	1	1	87.25	64.5	0	15165.877	17.20430108	293.5340962	30000	0	0	30000	44.625	2004
22.01.2020 13:06:44	1	1	1	1	87.25	64.5	0	15165.877	17.20430108	293.5340962	30000	0	0	30000	44.625	2004
22.01.2020 13:06:44	1	1	1	1	87.25	64.5	0	15165.877	17.20430108	293.5340962	30000	0	0	30000	44.625	2004
22.01.2020 13:06:44	1	1	1	1	87.25	64.5	0	15165.877	17.20430108	293.5340962	30000	0	0	30000	44.625	2004
22.01.2020 13:06:44	1	1	1	1	87.25	64.5	0	15165.877	17.20430108	293.5340962	30000	0	0	30000	44.625	2004
22.01.2020 13:06:44	1	1	1	1	87.25	64.5	0	15876.777	30.10752688	477.8082787	30000	0	0	30000	44.625	2004
22.01.2020 13:06:45	1	1	1	1	87.25	64.5	0	16729.858	38.70967742	647.4057565	30000	0	0	30000	44.625	2004
22.01.2020 13:06:46	1	1	1	1	88.5	64.5	0	17488.152	51.61290323	902.6173457	30000	0	0	30000	44.1875	2004
22.01.2020 13:06:47	1	1	1	1	88.5	64	0	15876.777	49.46236559	750.9580627	30000	0	0	30000	44.625	2004
22.01.2020 13:06:48	1	1	1	1	88.5	64.5	0	18293.839	58.06451613	1101.568233	30000	0	0	30000	44.625	2004
22.01.2020 13:06:49	1	1	1	1	88.5	64.5	0	19810.427	83.87096774	1660.913761	30000	0	0	30000	44.6875	2004
22.01.2020 13:06:50	1	1	1	1	88.5	64.5	0	20568.72	98.92473118	1994.401109	30000	0	0	30000	44.625	2004
22.01.2020 13:06:51	1	1	1	1	88.5	64.5	0	21232.227	107.5268817	2333.596064	30000	0	0	30000	44.4375	2004
22.01.2020 13:06:52	1	1	1	1	88.5	64.25	0	22132.701	124.7311828	2712.744272	30000	0	0	30000	44.4375	2004
22.01.2020 13:06:53	1	1	1	1	88.5	64.25	0	22890.995	137.6344086	3150.599299	30000	0	0	30000	44.375	2004
22.01.2020 13:06:54	1	1	1	1	88.5	64.25	0	23601.896	152.688172	3595.792678	30000	0	0	30000	44.625	2004
22.01.2020 13:06:55	1	1	1	1	88.5	64.5	0	24218.009	182.7956989	4513.902101	30000	0	0	30000	44.5625	2004
22.01.2020 13:06:56	1	1	1	1	88	64.5	0	24928.91	206.4516129	5136.846683	30000	0	0	30000	44.5	2004
22.01.2020 13:06:57	1	1	1	1	88	64.5	0	25639.81	232.2580645	5954.66529	30000	0	0	30000	44.625	2004
22.01.2020 13:06:58	1	1	1	1	88	64.5	0	23317.536	225.8064516	5275.460006	30000	0	0	30000	44.625	2004
22.01.2020 13:06:59	1	1	1	1	88	64.5	0	25734.597	240.8602151	6253.091621	30000	0	0	30000	44.625	2004
22.01.2020 13:07:00	1	1	1	1	88	64.5	0	28009.479	350.5376344	9817.900144	30000	0	0	30000	44.6875	2004
22.01.2020 13:07:01	1	1	1	1	88	64.5	0	28009.479	359.1397849	10059.2504	30000	0	0	30000	44.625	2004
22.01.2020 13:07:02	1	1	1	1	88	64.5	0	28625.592	404.3010753	11511.4288	30000	0	0	30000	44.6875	2004
22.01.2020 13:07:03	1	1	1	1	88	64.25	0	28436.019	378.4946237	10780.85505	30000	0	0	30000	44.625	2004
22.01.2020 13:07:05	1	1	1	1	88	64.5	0	29336.493	481.7204301	13816.48683	30000	0	0	30000	44.375	2004
22.01.2020 13:07:06	1	1	1	1	88	64.25	0	29620.853	466.6666667	13823.00981	30000	0	0	30000	44.375	2004
22.01.2020 13:07:07	1	1	1	1	88	64.25	0	29905.213	503.2258065	14984.10024	30000	0	0	30000	44.25	2004
22.01.2020 13:07:08	1	1	1	1	88	64.25	0	29573.46	483.8709677	14246.18813	30000	0	0	30000	44	2004
22.01.2020 13:07:09	1	1	1	1	88	64	0	29857.82	481.7204301	14406.00114	30000	0	0	30000	44.375	2004
22.01.2020 13:07:10	1	1	1	1	88	64.25	0	29810.427	488.172043	14703.6121	30000	0	0	30000	44.25	2004
22.01.2020 13:07:11	1	1	1	1	88	64.25	0	29905.213	488.172043	14598.42905	30000	0	0	30000	44.0625	2004
22.01.2020 13:07:12	1	1	1	1	88	64	0	29905.213	488.172043	14598.42905	30000	0	0	30000	44.5625	2004
22.01.2020 13:07:13	1	1	1	1	88	64.5	0	28388.626	455.9139785	13003.56046	30000	0	0	30000	44.4375	2004
22.01.2020 13:07:14	1	1	1	1	88	64.25	0	29099.526	460.2150538	13369.66271	30000	0	0	30000	43.6875	2004
22.01.2020 13:07:15	1	1	1	1	88	63.5	0	29857.82	483.8709677	14446.76977	30000	0	0	30000	44.125	2004
22.01.2020 13:07:16	1	1	1	1	87.25	64	0	29526.066	481.7204301	14223.3577	30000	0	0	30000	44.5	2004
22.01.2020 13:07:17	1	1	1	1	87.25	64.5	0	29810.427	466.6666667	13911.07004	30000	0	0	30000	44.5	2004
22.01.2020 13:07:18	1	1	1	1	87.25	64.5	0	29289.1	481.7204301	14086.37513	30000	0	0	30000	44.4375	2004
22.01.2020 13:07:19	1	1	1	1	87.25	64.25	0	30000	481.7204301	14451.662	30000	0	0	30000	43.875	2004
22.01.2020 13:07:20	1	1	1	1	87.25	63.75	0	29952.607	481.7204301	14451.662	30000	0	0	30000	44.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 13:07:21	1	1	1	1	87.25	64.5	0	29952.607	481.7204301	14428.83157	30000	0	0	30000	44.0625	2004
22.01.2020 13:07:22	1	1	1	1	87.25	64	0	29620.853	460.2150538	13823.00981	30000	0	0	30000	44	2004
22.01.2020 13:07:23	1	1	1	1	87.25	64	0	29905.213	468.8172043	14083.92901	30000	0	0	30000	44.3125	2004
22.01.2020 13:07:24	1	1	1	1	87.25	64.25	0	28815.166	434.4086022	12579.56677	30000	0	0	30000	44.625	2004
22.01.2020 13:07:25	1	1	1	1	87.25	64.5	0	29952.607	481.7204301	14516.07643	30000	0	0	30000	43.875	2004
22.01.2020 13:07:26	1	1	1	1	87.75	63.75	0	30000	486.0215054	14644.90528	30000	0	0	30000	44.5625	2004
22.01.2020 13:07:27	1	1	1	1	87.75	64.5	0	27867.299	464.516129	12862.50102	30000	0	0	30000	44.625	2004
22.01.2020 13:07:28	1	1	1	1	87.75	64.5	0	29952.607	486.0215054	14557.66042	30000	0	0	30000	44.625	2004
22.01.2020 13:07:29	1	1	1	1	87.75	64.5	0	29620.853	460.2150538	13567.79822	30000	0	0	30000	44.625	2004
22.01.2020 13:07:30	1	1	1	1	87.75	64.5	0	30000	481.7204301	14451.662	30000	0	0	30000	44.5	2004
22.01.2020 13:07:31	1	1	1	1	87.75	64.5	0	29952.607	481.7204301	14406.00114	30000	0	0	30000	44.5	2004
22.01.2020 13:07:32	1	1	1	1	87.75	64.5	0	29952.607	481.7204301	14451.662	30000	0	0	30000	44.125	2004
22.01.2020 13:07:33	1	1	1	1	87.75	64	0	29905.213	464.516129	13891.5011	30000	0	0	30000	44.3125	2004
22.01.2020 13:07:34	1	1	1	1	87.75	64.25	0	29952.607	492.4731183	14838.14856	30000	0	0	30000	44.5	2004
22.01.2020 13:07:35	1	1	1	1	87.75	64.5	0	29431.28	464.516129	13607.75147	30000	0	0	30000	44.375	2004
22.01.2020 13:07:36	1	1	1	1	87.75	64.25	0	30000	481.7204301	14451.662	30000	0	0	30000	44.375	2004
22.01.2020 13:07:37	1	1	1	1	87.75	64.25	0	29952.607	481.7204301	14451.662	30000	0	0	30000	43.1875	2004
22.01.2020 13:07:38	1	1	1	1	87.75	63	0	30000	481.7204301	14128.7745	30000	0	0	30000	44.625	2004
22.01.2020 13:07:45	1	1	1	1	87.75	64.25	0	28815.166	466.6666667	13447.12309	30000	0	0	30000	43.75	2004
22.01.2020 13:07:45	1	1	1	1	87.75	64.25	0	28815.166	466.6666667	13447.12309	30000	0	0	30000	43.75	2004
22.01.2020 13:07:45	1	1	1	1	87.75	64.25	0	28815.166	466.6666667	13447.12309	30000	0	0	30000	43.75	2004
22.01.2020 13:07:45	1	1	1	1	87.75	64.25	0	28815.166	466.6666667	13447.12309	30000	0	0	30000	43.75	2004
22.01.2020 13:07:45	1	1	1	1	87.75	64.25	0	28815.166	466.6666667	13447.12309	30000	0	0	30000	43.75	2004
22.01.2020 13:07:46	1	1	1	1	87.75	63.75	0	30000	481.7204301	14451.662	30000	0	0	30000	44.375	2004
22.01.2020 13:07:47	1	1	1	1	87.75	64.25	0	30000	481.7204301	14451.662	30000	0	0	30000	44.4375	2004
22.01.2020 13:07:48	1	1	1	1	87.75	64.25	0	28625.592	466.6666667	13336.23244	30000	0	0	30000	44.375	2004
22.01.2020 13:07:49	1	1	1	1	87.75	64.25	0	30000	486.0215054	14516.07643	30000	0	0	30000	44.375	2004
22.01.2020 13:07:50	1	1	1	1	87.75	64.25	0	30000	481.7204301	14428.83157	30000	0	0	30000	44.4375	2004
22.01.2020 13:07:51	1	1	1	1	87.75	64.25	0	30000	481.7204301	14451.662	30000	0	0	30000	44.5625	2004
22.01.2020 13:07:52	1	1	1	1	87.75	64.5	0	30000	481.7204301	13999.94564	30000	0	0	30000	44.4375	2004
22.01.2020 13:07:53	1	1	1	1	87.75	64.25	0	29573.46	466.6666667	13800.99475	30000	0	0	30000	44.5625	2004
22.01.2020 13:07:54	1	1	1	1	87.75	64.5	0	29905.213	481.7204301	14406.00114	30000	0	0	30000	44.4375	2004
22.01.2020 13:07:55	1	1	1	1	87.75	64.25	0	30000	481.7204301	14128.7745	30000	0	0	30000	44.0625	2004
22.01.2020 13:07:56	1	1	1	1	87.5	64	0	30000	481.7204301	14451.662	30000	0	0	30000	44.4375	2004
22.01.2020 13:07:57	1	1	1	1	87.5	64.25	0	30000	481.7204301	14451.662	30000	0	0	30000	44.5	2004
22.01.2020 13:07:58	1	1	1	1	87.5	64.5	0	30000	481.7204301	14451.662	30000	0	0	30000	44.375	2004
22.01.2020 13:07:59	1	1	1	1	87.5	64.25	0	30000	464.516129	13935.53122	30000	0	0	30000	44.0625	2004
22.01.2020 13:08:00	1	1	1	1	87.5	64	0	29715.64	425.8064516	12461.33775	30000	0	0	30000	44	2004
22.01.2020 13:08:01	1	1	1	1	87.5	64	0	29857.82	395.6989247	11795.9938	30000	0	0	30000	44.25	2004
22.01.2020 13:08:02	1	1	1	1	87.5	64.25	0	29052.133	427.9569892	12330.06278	30000	0	0	30000	44.5	2004
22.01.2020 13:08:03	1	1	1	1	87.5	64.5	0	30000	425.8064516	12838.03984	30000	0	0	30000	44.5	2004
22.01.2020 13:08:04	1	1	1	1	87.5	64.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	44.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 13:08:05	1	1	1	1	87.5	64.5	0	29857.82	400	11987.60634	30000	0	0	30000	43.25	2004
22.01.2020 13:08:06	1	1	1	1	87.25	63.25	0	30000	436.5591398	13096.51292	30000	0	0	30000	44.4375	2004
22.01.2020 13:08:07	1	1	1	1	87.25	64.25	0	24597.156	341.9354839	8394.259778	30000	0	0	30000	44.375	2004
22.01.2020 13:08:08	1	1	1	1	87.25	64.25	0	0	0	0	30000	0	8	30000	44	2004
22.01.2020 13:08:09	1	1	1	1	87.25	64	0	10616.114	0	0	30000	0	0	30000	44.4375	2004
22.01.2020 13:08:10	1	1	1	1	87.25	64.25	0	11374.408	0	0	30000	0	0	30000	44.5	2004
22.01.2020 13:08:11	1	1	1	1	87.25	64.5	0	12180.095	0	0	30000	0	0	30000	44.5625	2004
22.01.2020 13:08:12	1	1	1	1	87.25	64.5	0	12890.995	2.150537634	27.72266464	30000	0	0	30000	44.5	2004
22.01.2020 13:08:13	1	1	1	1	87.25	64.5	0	13696.682	6.451612903	88.06022885	30000	0	0	30000	44.5625	2004
22.01.2020 13:08:14	1	1	1	1	87.25	64.5	0	14454.976	10.75268817	154.920773	30000	0	0	30000	44.4375	2004
22.01.2020 13:08:15	1	1	1	1	87.25	64.25	0	15213.27	17.20430108	228.304297	30000	0	0	30000	44.1875	2004
22.01.2020 13:08:16	1	1	1	1	87.5	64	0	15876.777	25.80645161	379.96358	30000	0	0	30000	44.5	2004
22.01.2020 13:08:17	1	1	1	1	87.5	64.5	0	16682.464	25.80645161	394.6402848	30000	0	0	30000	44.5625	2004
22.01.2020 13:08:18	1	1	1	1	87.5	64.5	0	17488.152	38.70967742	715.8970456	30000	0	0	30000	44.375	2004
22.01.2020 13:08:19	1	1	1	1	87.5	64.25	0	18151.659	43.01075269	780.3114723	30000	0	0	30000	44.8125	2004
22.01.2020 13:08:20	1	1	1	1	87.5	64.75	0	19004.739	55.91397849	1105.645096	30000	0	0	30000	44.9375	2004
22.01.2020 13:08:21	1	1	1	1	87.5	64.75	0	17867.299	55.91397849	998.8312994	30000	0	0	30000	44.4375	2004
22.01.2020 13:08:23	1	1	1	1	87.5	64.5	0	20616.114	75.2688172	1639.714076	30000	0	0	30000	44.4375	2004
22.01.2020 13:08:24	1	1	1	1	87.5	64.25	0	21374.408	83.87096774	1976.462914	30000	0	0	30000	44.5	2004
22.01.2020 13:08:25	1	1	1	1	87.5	64.5	0	21943.128	103.2258065	2265.104775	30000	0	0	30000	44.625	2004
22.01.2020 13:08:26	1	1	1	1	87.5	64.5	0	22843.602	113.9784946	2658.114315	30000	0	0	30000	44.5	2004
22.01.2020 13:08:27	1	1	1	1	87.5	64.5	0	23649.289	144.0860215	3413.964613	30000	0	0	30000	44.4375	2004
22.01.2020 13:08:28	1	1	1	1	87.5	64.25	0	23080.569	150.5376344	3474.302177	30000	0	0	30000	44.4375	2004
22.01.2020 13:08:29	1	1	1	1	87.5	64.25	0	21848.341	152.688172	3335.688854	30000	0	0	30000	44.5625	2004
22.01.2020 13:08:30	1	1	1	1	87.5	64.5	0	25734.597	189.2473118	4870.219879	30000	0	0	30000	44.5625	2004
22.01.2020 13:08:31	1	1	1	1	87.5	64.5	0	25308.057	206.4516129	5224.906912	30000	0	0	30000	44.625	2004
22.01.2020 13:08:32	1	1	1	1	87.5	64.5	0	27109.005	217.2043011	5887.804745	30000	0	0	30000	44.5	2004
22.01.2020 13:08:33	1	1	1	1	87.5	64.5	0	26066.351	217.2043011	5661.131193	30000	0	0	30000	44.375	2004
22.01.2020 13:08:34	1	1	1	1	87.5	64.25	0	25545.024	212.9032258	5493.164461	30000	0	0	30000	44.5	2004
22.01.2020 13:08:35	1	1	1	1	87.5	64.5	0	26303.318	251.6129032	6481.395918	30000	0	0	30000	44.5	2004
22.01.2020 13:08:36	1	1	1	1	87	64.5	0	26966.825	247.311828	6739.053624	30000	0	0	30000	44.625	2004
22.01.2020 13:08:37	1	1	1	1	87	64.5	0	25592.417	240.8602151	6218.845976	30000	0	0	30000	44	2004
22.01.2020 13:08:38	1	1	1	1	87	64	0	26682.464	247.311828	6540.918109	30000	0	0	30000	44.0625	2004
22.01.2020 13:08:39	1	1	1	1	87	64	0	23838.863	219.3548387	5177.615307	30000	0	0	30000	44.5	2004
22.01.2020 13:08:40	1	1	1	1	87	64.5	0	27582.938	266.6666667	7355.475226	30000	0	0	30000	44.4375	2004
22.01.2020 13:08:47	1	1	1	1	88.75	64.5	0	27630.332	296.7741935	8258.907944	30000	0	0	30000	44.4375	2004
22.01.2020 13:08:47	1	1	1	1	88.75	64.5	0	27630.332	296.7741935	8258.907944	30000	0	0	30000	44.4375	2004
22.01.2020 13:08:47	1	1	1	1	88.75	64.5	0	27630.332	296.7741935	8258.907944	30000	0	0	30000	44.4375	2004
22.01.2020 13:08:47	1	1	1	1	88.75	64.5	0	27630.332	296.7741935	8258.907944	30000	0	0	30000	44.4375	2004
22.01.2020 13:08:47	1	1	1	1	88.75	64.5	0	27630.332	296.7741935	8258.907944	30000	0	0	30000	44.4375	2004
22.01.2020 13:08:47	1	1	1	1	88.75	64.25	0	28199.052	307.5268817	8671.486424	30000	0	0	30000	44.5	2004
22.01.2020 13:08:48	1	1	1	1	88.75	64.5	0	28009.479	329.0322581	9278.123556	30000	0	0	30000	44.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 13:08:49	1	1	1	1	88.75	64.25	0	28246.445	341.9354839	9641.779686	30000	0	0	30000	44.4375	2004
22.01.2020 13:08:50	1	1	1	1	88.75	64.25	0	28436.019	363.4408602	10212.54043	30000	0	0	30000	44.375	2004
22.01.2020 13:08:51	1	1	1	1	88.75	64.25	0	0	0	0	30000	0	8	30000	44.4375	2004
22.01.2020 13:08:52	1	1	1	1	88.75	64.25	0	10189.573	0	0	30000	0	0	30000	44.5	2004
22.01.2020 13:08:53	1	1	1	1	88.75	64.5	0	11042.654	0	0	30000	0	0	30000	44.4375	2004
22.01.2020 13:08:54	1	1	1	1	88.75	64.25	0	11753.555	0	0	30000	0	0	30000	44.375	2004
22.01.2020 13:08:55	1	1	1	1	88.75	64.25	0	12511.848	0	0	30000	0	0	30000	44.5625	2004
22.01.2020 13:08:56	1	1	1	1	87.5	64.5	0	13127.962	2.150537634	27.72266464	30000	0	0	30000	44.5625	2004
22.01.2020 13:08:57	1	1	1	1	87.5	64.5	0	14123.223	6.451612903	90.50634632	30000	0	0	30000	44.8125	2004
22.01.2020 13:08:58	1	1	1	1	87.5	64.75	0	14834.123	12.90322581	158.9976354	30000	0	0	30000	44.4375	2004
22.01.2020 13:08:59	1	1	1	1	87.5	64.25	0	15639.81	17.20430108	301.6878211	30000	0	0	30000	44.875	2004
22.01.2020 13:09:00	1	1	1	1	87.5	64.75	0	16303.318	23.65591398	385.6711875	30000	0	0	30000	44.5	2004
22.01.2020 13:09:02	1	1	1	1	87.5	64.5	0	14928.91	17.20430108	288.6418612	30000	0	0	30000	44.5625	2004
22.01.2020 13:09:03	1	1	1	1	87.5	64.5	0	17914.692	49.46236559	885.4945234	30000	0	0	30000	44.4375	2004
22.01.2020 13:09:04	1	1	1	1	87.5	64.25	0	18672.986	53.76344086	1003.723534	30000	0	0	30000	44.625	2004
22.01.2020 13:09:05	1	1	1	1	87.5	64.5	0	18720.379	55.91397849	1043.676786	30000	0	0	30000	44.5625	2004
22.01.2020 13:09:06	1	1	1	1	87.25	64.5	0	20236.967	79.56989247	1609.545294	30000	0	0	30000	44.625	2004
22.01.2020 13:09:07	1	1	1	1	87.25	64.5	0	20995.261	88.17204301	1850.895551	30000	0	0	30000	44.5	2004
22.01.2020 13:09:08	1	1	1	1	87.25	64.5	0	21800.948	103.2258065	2250.428071	30000	0	0	30000	44.4375	2004
22.01.2020 13:09:09	1	1	1	1	87.25	64.25	0	22559.242	113.9784946	2565.161851	30000	0	0	30000	44.5	2004
22.01.2020 13:09:10	1	1	1	1	87.25	64.5	0	22890.995	120.4301075	2756.774386	30000	0	0	30000	44.3125	2004
22.01.2020 13:09:11	1	1	1	1	87.25	64.25	0	22796.209	129.0322581	2941.048569	30000	0	0	30000	44.4375	2004
22.01.2020 13:09:12	1	1	1	1	87.25	64.25	0	22748.815	124.7311828	2837.496263	30000	0	0	30000	44.5625	2004
22.01.2020 13:09:13	1	1	1	1	87.25	64.5	0	25118.483	150.5376344	3834.696817	30000	0	0	30000	44.5	2004
22.01.2020 13:09:14	1	1	1	1	87.25	64.5	0	20521.327	137.6344086	2824.450303	30000	0	0	30000	44.5625	2004
22.01.2020 13:09:15	1	1	1	1	87.25	64.5	0	23554.502	152.688172	3603.13103	30000	0	0	30000	44.3125	2004
22.01.2020 13:09:16	1	1	1	1	86.75	64.25	0	24739.336	176.344086	4415.24203	30000	0	0	30000	44.375	2004
22.01.2020 13:09:17	1	1	1	1	86.75	64.25	0	24739.336	189.2473118	4690.837931	30000	0	0	30000	44.5625	2004
22.01.2020 13:09:18	1	1	1	1	86.75	64.5	0	25165.877	206.4516129	5195.553502	30000	0	0	30000	44.5625	2004
22.01.2020 13:09:19	1	1	1	1	86.75	64.5	0	26350.711	219.3548387	5847.036121	30000	0	0	30000	44.375	2004
22.01.2020 13:09:20	1	1	1	1	86.75	64.25	0	23649.289	208.6021505	4952.5725	30000	0	0	30000	44.4375	2004
22.01.2020 13:09:21	1	1	1	1	86.75	64.25	0	25450.237	221.5053763	5636.670019	30000	0	0	30000	44.3125	2004
22.01.2020 13:09:22	1	1	1	1	86.75	64.25	0	28009.479	273.1182796	7710.162259	30000	0	0	30000	44.5	2004
22.01.2020 13:09:23	1	1	1	1	86.75	64.5	0	26919.431	268.8172043	7120.647949	30000	0	0	30000	44.375	2004
22.01.2020 13:09:24	1	1	1	1	86.75	64.25	0	27630.332	288.172043	7902.590167	30000	0	0	30000	44.4375	2004
22.01.2020 13:09:25	1	1	1	1	86.75	64.25	0	26587.678	266.6666667	7089.663795	30000	0	0	30000	44.5625	2004
22.01.2020 13:09:26	1	1	1	1	86.5	64.5	0	26445.498	279.5698925	7279.645585	30000	0	0	30000	44.125	2004
22.01.2020 13:09:27	1	1	1	1	86.5	64	0	28009.479	305.3763441	8432.582285	30000	0	0	30000	44.375	2004
22.01.2020 13:09:28	1	1	1	1	86.5	64.25	0	27440.758	281.7204301	7730.546571	30000	0	0	30000	44.3125	2004
22.01.2020 13:09:29	1	1	1	1	86.5	64.25	0	28009.479	292.4731183	8192.0474	30000	0	0	30000	44.375	2004
22.01.2020 13:09:30	1	1	1	1	86.5	64.25	0	28009.479	322.5806452	9095.480119	30000	0	0	30000	44.5	2004
22.01.2020 13:09:31	1	1	1	1	86.5	64.5	0	27867.299	329.0322581	9168.863643	30000	0	0	30000	44.3125	2004
22.01.2020 13:09:32	1	1	1	1	86.5	64.25	0	28625.592	339.7849462	9852.961161	30000	0	0	30000	44.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 13:09:33	1	1	1	1	86.5	64.25	0	29810.427	356.9892473	10641.42636	30000	0	0	30000	44.1875	2004
22.01.2020 13:09:34	1	1	1	1	86.5	64	0	29383.886	322.5806452	9399.614057	30000	0	0	30000	44.3125	2004
22.01.2020 13:09:35	1	1	1	1	86.5	64.25	0	28909.953	318.2795699	9185.986465	30000	0	0	30000	43.75	2004
22.01.2020 13:09:36	1	1	1	1	85.25	63.75	0	29526.066	369.8924731	11002.63637	30000	0	0	30000	44.375	2004
22.01.2020 13:09:37	1	1	1	1	85.25	64.25	0	29715.64	356.9892473	10671.59514	30000	0	0	30000	44.3125	2004
22.01.2020 13:09:38	1	1	1	1	85.25	64.25	0	29905.213	356.9892473	10740.08643	30000	0	0	30000	44.625	2004
22.01.2020 13:09:40	1	1	1	1	85.25	64.5	0	29857.82	363.4408602	10833.85427	30000	0	0	30000	44.625	2004
22.01.2020 13:09:41	1	1	1	1	85.25	64.5	0	29952.607	378.4946237	11336.93909	30000	0	0	30000	44.125	2004
22.01.2020 13:09:42	1	1	1	1	85.25	64	0	29526.066	350.5376344	10349.52301	30000	0	0	30000	44.375	2004
22.01.2020 13:09:49	1	1	1	1	85.75	64.5	0	13270.142	4.301075269	28.53803713	30000	0	0	30000	44.375	2004
22.01.2020 13:09:49	1	1	1	1	85.75	64.5	0	13270.142	4.301075269	28.53803713	30000	0	0	30000	44.375	2004
22.01.2020 13:09:49	1	1	1	1	85.75	64.5	0	13270.142	4.301075269	28.53803713	30000	0	0	30000	44.375	2004
22.01.2020 13:09:49	1	1	1	1	85.75	64.5	0	13270.142	4.301075269	28.53803713	30000	0	0	30000	44.375	2004
22.01.2020 13:09:49	1	1	1	1	85.75	64.5	0	13270.142	4.301075269	28.53803713	30000	0	0	30000	44.375	2004
22.01.2020 13:09:49	1	1	1	1	85.75	64.25	0	14123.223	8.602150538	90.50634632	30000	0	0	30000	44.375	2004
22.01.2020 13:09:50	1	1	1	1	85.75	64.25	0	14170.616	10.75268817	121.4905009	30000	0	0	30000	44.5	2004
22.01.2020 13:09:51	1	1	1	1	85.75	64.5	0	15497.63	17.20430108	301.6878211	30000	0	0	30000	44.3125	2004
22.01.2020 13:09:52	1	1	1	1	85.75	64.25	0	16066.351	23.65591398	379.96358	30000	0	0	30000	44.5	2004
22.01.2020 13:09:53	1	1	1	1	85.75	64.5	0	17156.398	30.10752688	552.8225478	30000	0	0	30000	44.4375	2004
22.01.2020 13:09:54	1	1	1	1	85.75	64.25	0	17867.299	45.16129032	808.8495094	30000	0	0	30000	44.4375	2004
22.01.2020 13:09:55	1	1	1	1	85.75	64.25	0	18056.872	45.16129032	815.3724893	30000	0	0	30000	44.5625	2004
22.01.2020 13:09:56	1	1	1	1	86	64.5	0	19431.28	62.3655914	1211.643519	30000	0	0	30000	44.5	2004
22.01.2020 13:09:57	1	1	1	1	86	64.5	0	20236.967	70.96774194	1435.870954	30000	0	0	30000	44.3125	2004
22.01.2020 13:09:58	1	1	1	1	86	64.25	0	20947.867	81.72043011	1760.389204	30000	0	0	30000	44.375	2004
22.01.2020 13:09:59	1	1	1	1	86	64.25	0	21753.555	94.62365591	2058.000163	30000	0	0	30000	44.0625	2004
22.01.2020 13:10:00	1	1	1	1	86	64	0	22511.848	107.5268817	2371.918571	30000	0	0	30000	44.5	2004
22.01.2020 13:10:01	1	1	1	1	86	64.5	0	23317.536	120.4301075	2802.435246	30000	0	0	30000	44.25	2004
22.01.2020 13:10:02	1	1	1	1	86	64.25	0	20616.114	120.4301075	2482.80923	30000	0	0	30000	44.4375	2004
22.01.2020 13:10:03	1	1	1	1	86	64.25	0	24597.156	152.688172	3755.605686	30000	0	0	30000	44.4375	2004
22.01.2020 13:10:04	1	1	1	1	86	64.25	0	24834.123	169.8924731	4387.519365	30000	0	0	30000	44.3125	2004
22.01.2020 13:10:05	1	1	1	1	86	64.25	0	25213.27	189.2473118	4762.59071	30000	0	0	30000	43.9375	2004
22.01.2020 13:10:06	1	1	1	1	85.25	63.75	0	24976.303	178.4946237	4457.641399	30000	0	0	30000	44.4375	2004
22.01.2020 13:10:07	1	1	1	1	85.25	64.25	0	24739.336	189.2473118	4672.899736	30000	0	0	30000	44.3125	2004
22.01.2020 13:10:08	1	1	1	1	85.25	64.25	0	25165.877	206.4516129	5195.553502	30000	0	0	30000	44.5	2004
22.01.2020 13:10:09	1	1	1	1	85.25	64.5	0	24976.303	208.6021505	5209.414834	30000	0	0	30000	44.375	2004
22.01.2020 13:10:10	1	1	1	1	85.25	64.25	0	0	0	0	30000	0	8	30000	44.5	2004
22.01.2020 13:10:11	1	1	1	1	85.25	64.5	0	0	0	0	30000	0	8	30000	44.625	2004
22.01.2020 13:10:12	1	1	1	1	85.25	64.5	0	10616.114	0	0	30000	0	0	30000	44.5625	2004
22.01.2020 13:10:13	1	1	1	1	85.25	64.5	0	10616.114	0	0	30000	0	0	30000	44.375	2004
22.01.2020 13:10:14	1	1	1	1	85.25	64.25	0	12180.095	0	0	30000	0	0	30000	44.4375	2004
22.01.2020 13:10:15	1	1	1	1	85.25	64.25	0	12843.602	0	0	30000	0	0	30000	44.375	2004
22.01.2020 13:10:16	1	1	1	1	86	64.25	0	13317.536	2.150537634	28.53803713	30000	0	0	30000	44.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 13:10:17	1	1	1	1	86	64.5	0	14454.976	6.451612903	92.95246378	30000	0	0	30000	44.3125	2004
22.01.2020 13:10:19	1	1	1	1	86	64.25	0	15165.877	12.90322581	294.3494686	30000	0	0	30000	44.75	2004
22.01.2020 13:10:20	1	1	1	1	86	64.75	0	16066.351	21.50537634	310.6569184	30000	0	0	30000	44.4375	2004
22.01.2020 13:10:21	1	1	1	1	86	64.25	0	16777.251	25.80645161	433.7781643	30000	0	0	30000	44.3125	2004
22.01.2020 13:10:22	1	1	1	1	86	64.25	0	17535.545	34.40860215	605.0063871	30000	0	0	30000	44.1875	2004
22.01.2020 13:10:23	1	1	1	1	86	64	0	18293.839	49.46236559	904.2480907	30000	0	0	30000	44.4375	2004
22.01.2020 13:10:24	1	1	1	1	86	64.25	0	19099.526	58.06451613	1108.906585	30000	0	0	30000	44.25	2004
22.01.2020 13:10:25	1	1	1	1	86	64.25	0	19857.82	66.66666667	1323.34955	30000	0	0	30000	44.4375	2004
22.01.2020 13:10:26	1	1	1	1	85.25	64.25	0	20379.147	70.96774194	1445.655424	30000	0	0	30000	44.375	2004
22.01.2020 13:10:27	1	1	1	1	85.25	64.25	0	21374.408	94.62365591	2022.123774	30000	0	0	30000	44.3125	2004
22.01.2020 13:10:28	1	1	1	1	85.25	64.25	0	22227.488	109.6774194	2284.673715	30000	0	0	30000	44.3125	2004
22.01.2020 13:10:29	1	1	1	1	85.25	64.25	0	22559.242	124.7311828	2935.340962	30000	0	0	30000	44.5625	2004
22.01.2020 13:10:30	1	1	1	1	85.25	64.5	0	23601.896	144.0860215	3407.441633	30000	0	0	30000	44.5	2004
22.01.2020 13:10:31	1	1	1	1	85.25	64.5	0	24218.009	144.0860215	3384.611203	30000	0	0	30000	44.5	2004
22.01.2020 13:10:32	1	1	1	1	85.25	64.5	0	23744.076	144.0860215	3407.441633	30000	0	0	30000	44.4375	2004
22.01.2020 13:10:33	1	1	1	1	85.25	64.25	0	24881.517	163.4408602	4005.109668	30000	0	0	30000	44.375	2004
22.01.2020 13:10:34	1	1	1	1	85.25	64.25	0	23981.043	167.7419355	3970.864023	30000	0	0	30000	44.0625	2004
22.01.2020 13:10:35	1	1	1	1	85.25	64	0	24028.436	167.7419355	4030.386215	30000	0	0	30000	44.5	2004
22.01.2020 13:10:36	1	1	1	1	85	64.5	0	23933.649	167.7419355	4022.23249	30000	0	0	30000	44.5	2004
22.01.2020 13:10:37	1	1	1	1	85	64.5	0	25450.237	169.8924731	4433.180224	30000	0	0	30000	44.5625	2004
22.01.2020 13:10:38	1	1	1	1	85	64.5	0	24407.583	178.4946237	4356.535211	30000	0	0	30000	44.375	2004
22.01.2020 13:10:39	1	1	1	1	85	64.25	0	23554.502	169.8924731	4001.032805	30000	0	0	30000	44.375	2004
22.01.2020 13:10:40	1	1	1	1	85	64.25	0	23507.109	169.8924731	3993.694453	30000	0	0	30000	43.875	2004
22.01.2020 13:10:41	1	1	1	1	85	63.75	0	23554.502	169.8924731	4001.032805	30000	0	0	30000	44.5	2004
22.01.2020 13:10:42	1	1	1	1	85	64.5	0	23459.716	169.8924731	3993.694453	30000	0	0	30000	44.5	2004
22.01.2020 13:10:43	1	1	1	1	85	64.5	0	23554.502	169.8924731	4001.032805	30000	0	0	30000	44.375	2004
22.01.2020 13:10:50	1	1	1	1	84.75	64.25	0	23507.109	169.8924731	4204.060555	30000	0	0	30000	44.5	2004
22.01.2020 13:10:50	1	1	1	1	84.75	64.25	0	23507.109	169.8924731	4204.060555	30000	0	0	30000	44.5	2004
22.01.2020 13:10:50	1	1	1	1	84.75	64.25	0	23507.109	169.8924731	4204.060555	30000	0	0	30000	44.5	2004
22.01.2020 13:10:50	1	1	1	1	84.75	64.25	0	23507.109	169.8924731	4204.060555	30000	0	0	30000	44.5	2004
22.01.2020 13:10:50	1	1	1	1	84.75	64.25	0	23507.109	169.8924731	4204.060555	30000	0	0	30000	44.5	2004
22.01.2020 13:10:50	1	1	1	1	84.75	64.5	0	23601.896	169.8924731	4009.18653	30000	0	0	30000	44.3125	2004
22.01.2020 13:10:51	1	1	1	1	84.75	64.25	0	23649.289	167.7419355	4017.340255	30000	0	0	30000	44.5625	2004
22.01.2020 13:10:52	1	1	1	1	84.75	64.5	0	23791.469	169.8924731	4041.80143	30000	0	0	30000	44.4375	2004
22.01.2020 13:10:53	1	1	1	1	84.75	64.25	0	23649.289	167.7419355	3966.787161	30000	0	0	30000	44.375	2004
22.01.2020 13:10:54	1	1	1	1	84.75	64.25	0	23838.863	163.4408602	3895.849754	30000	0	0	30000	44.1875	2004
22.01.2020 13:10:55	1	1	1	1	84.75	64	0	23744.076	167.7419355	4033.647705	30000	0	0	30000	44.75	2004
22.01.2020 13:10:56	1	1	1	1	84.75	64.75	0	23981.043	167.7419355	4030.386215	30000	0	0	30000	44.625	2004
22.01.2020 13:10:58	1	1	1	1	84.75	64.5	0	23886.256	165.5913978	4014.078765	30000	0	0	30000	44.375	2004
22.01.2020 13:10:59	1	1	1	1	84.75	64.5	0	23886.256	169.8924731	4058.108879	30000	0	0	30000	44.25	2004
22.01.2020 13:11:00	1	1	1	1	84.75	64.25	0	23933.649	169.8924731	4236.675455	30000	0	0	30000	44.3125	2004
22.01.2020 13:11:01	1	1	1	1	84.75	64.25	0	24170.616	167.7419355	4114.369581	30000	0	0	30000	44.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 13:11:02	1	1	1	1	84.75	64.25	0	23886.256	167.7419355	4006.740413	30000	0	0	30000	44.4375	2004
22.01.2020 13:11:03	1	1	1	1	84.75	64.25	0	22511.848	161.2903226	3581.931346	30000	0	0	30000	44.375	2004
22.01.2020 13:11:04	1	1	1	1	84.75	64.25	0	23838.863	169.8924731	4049.955155	30000	0	0	30000	44.25	2004
22.01.2020 13:11:05	1	1	1	1	84.75	64.25	0	23649.289	169.8924731	4017.340255	30000	0	0	30000	44.3125	2004
22.01.2020 13:11:06	1	1	1	1	84.75	64.25	0	23838.863	169.8924731	4049.955155	30000	0	0	30000	44.25	2004
22.01.2020 13:11:07	1	1	1	1	84.75	64.25	0	23554.502	169.8924731	4001.032805	30000	0	0	30000	44.375	2004
22.01.2020 13:11:08	1	1	1	1	84.75	64.25	0	20995.261	152.688172	3205.229256	30000	0	0	30000	44.3125	2004
22.01.2020 13:11:09	1	1	1	1	84.75	64.25	0	23412.322	169.8924731	3977.387003	30000	0	0	30000	44.25	2004
22.01.2020 13:11:10	1	1	1	1	84.75	64.25	0	23554.502	169.8924731	4001.032805	30000	0	0	30000	44.25	2004
22.01.2020 13:11:11	1	1	1	1	84.75	64.25	0	24028.436	189.2473118	4547.332373	30000	0	0	30000	43.875	2004
22.01.2020 13:11:12	1	1	1	1	84.75	63.75	0	23981.043	189.2473118	4547.332373	30000	0	0	30000	43.75	2004
22.01.2020 13:11:13	1	1	1	1	84.75	63.75	0	24597.156	206.4516129	5078.139864	30000	0	0	30000	44.3125	2004
22.01.2020 13:11:14	1	1	1	1	84.75	64.25	0	24928.91	193.5483871	4779.713532	30000	0	0	30000	44.375	2004
22.01.2020 13:11:15	1	1	1	1	84.75	64.25	0	26208.531	191.3978495	5016.171554	30000	0	0	30000	44.25	2004
22.01.2020 13:11:16	1	1	1	1	84.5	64.25	0	26682.464	189.2473118	5049.601826	30000	0	0	30000	44.1875	2004
22.01.2020 13:11:17	1	1	1	1	84.5	64	0	26682.464	189.2473118	5049.601826	30000	0	0	30000	44.125	2004
22.01.2020 13:11:18	1	1	1	1	84.5	64	0	26398.104	189.2473118	4995.787242	30000	0	0	30000	44.375	2004
22.01.2020 13:11:19	1	1	1	1	84.5	64.25	0	26966.825	191.3978495	5161.307857	30000	0	0	30000	44.25	2004
22.01.2020 13:11:20	1	1	1	1	84.5	64.25	0	26540.284	189.2473118	5022.694534	30000	0	0	30000	44.1875	2004
22.01.2020 13:11:21	1	1	1	1	84.5	64	0	26540.284	189.2473118	5022.694534	30000	0	0	30000	44.1875	2004
22.01.2020 13:11:22	1	1	1	1	84.5	64	0	26398.104	189.2473118	4995.787242	30000	0	0	30000	44.25	2004
22.01.2020 13:11:23	1	1	1	1	84.5	64.25	0	26492.891	189.2473118	5013.725437	30000	0	0	30000	44.3125	2004
22.01.2020 13:11:24	1	1	1	1	84.5	64.25	0	26398.104	189.2473118	4995.787242	30000	0	0	30000	44.3125	2004
22.01.2020 13:11:25	1	1	1	1	84.5	64.25	0	26445.498	189.2473118	5013.725437	30000	0	0	30000	44.3125	2004
22.01.2020 13:11:26	1	1	1	1	83.75	64.25	0	26350.711	193.5483871	5043.078847	30000	0	0	30000	43.625	2004
22.01.2020 13:11:27	1	1	1	1	83.75	63.5	0	26113.744	189.2473118	5016.171554	30000	0	0	30000	43.8125	2004
22.01.2020 13:11:28	1	1	1	1	83.75	63.75	0	26350.711	189.2473118	4986.818145	30000	0	0	30000	44	2004
22.01.2020 13:11:29	1	1	1	1	83.75	64	0	26113.744	189.2473118	4941.972658	30000	0	0	30000	44.3125	2004
22.01.2020 13:11:30	1	1	1	1	83.75	64.25	0	26208.531	189.2473118	5016.171554	30000	0	0	30000	44.3125	2004
22.01.2020 13:11:31	1	1	1	1	83.75	64.25	0	25592.417	189.2473118	4843.312587	30000	0	0	30000	44.1875	2004
22.01.2020 13:11:32	1	1	1	1	83.75	64	0	26066.351	189.2473118	4941.972658	30000	0	0	30000	44.3125	2004
22.01.2020 13:11:33	1	1	1	1	83.75	64.25	0	25734.597	189.2473118	4870.219879	30000	0	0	30000	43.875	2004
22.01.2020 13:11:34	1	1	1	1	83.75	63.75	0	26398.104	193.5483871	5165.38472	30000	0	0	30000	44.125	2004
22.01.2020 13:11:36	1	1	1	1	83.75	64	0	26018.957	193.5483871	4961.541598	30000	0	0	30000	44.4375	2004
22.01.2020 13:11:37	1	1	1	1	83.75	64.25	0	25639.81	191.3978495	4906.911641	30000	0	0	30000	44.3125	2004
22.01.2020 13:11:38	1	1	1	1	83.75	64.25	0	25545.024	193.5483871	4888.973446	30000	0	0	30000	44.3125	2004
22.01.2020 13:11:39	1	1	1	1	83.75	64.25	0	25355.45	191.3978495	4852.281684	30000	0	0	30000	44.375	2004
22.01.2020 13:11:40	1	1	1	1	83.75	64.25	0	25260.664	191.3978495	4906.911641	30000	0	0	30000	44.375	2004
22.01.2020 13:11:41	1	1	1	1	83.75	64.25	0	25402.844	206.4516129	4971.326067	30000	0	0	30000	43.75	2004
22.01.2020 13:11:42	1	1	1	1	83.75	63.75	0	25071.09	193.5483871	4906.096268	30000	0	0	30000	44.3125	2004
22.01.2020 13:11:43	1	1	1	1	83.75	64.25	0	24976.303	193.5483871	4779.713532	30000	0	0	30000	44.125	2004
22.01.2020 13:11:44	1	1	1	1	83.75	64	0	24881.517	191.3978495	5156.415623	30000	0	0	30000	44.25	2004
22.01.2020 13:11:45	1	1	1	1	83.75	64.25	0	24834.123	191.3978495	4868.589134	30000	0	0	30000	44.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 13:11:52	1	1	1	1	83.5	64.25	0	24407.583	206.4516129	4686.761069	30000	0	0	30000	44.1875	2004
22.01.2020 13:11:52	1	1	1	1	83.5	64.25	0	24407.583	206.4516129	4686.761069	30000	0	0	30000	44.1875	2004
22.01.2020 13:11:52	1	1	1	1	83.5	64.25	0	24407.583	206.4516129	4686.761069	30000	0	0	30000	44.1875	2004
22.01.2020 13:11:52	1	1	1	1	83.5	64.25	0	24407.583	206.4516129	4686.761069	30000	0	0	30000	44.1875	2004
22.01.2020 13:11:52	1	1	1	1	83.5	64.25	0	24407.583	206.4516129	4686.761069	30000	0	0	30000	44.1875	2004
22.01.2020 13:11:52	1	1	1	1	83.5	64	0	24218.009	206.4516129	4999.864105	30000	0	0	30000	44.375	2004
22.01.2020 13:11:53	1	1	1	1	83.5	64.25	0	24123.223	206.4516129	4990.079635	30000	0	0	30000	44.25	2004
22.01.2020 13:11:54	1	1	1	1	83.5	64.25	0	24407.583	206.4516129	5039.001984	30000	0	0	30000	44.4375	2004
22.01.2020 13:11:55	1	1	1	1	83.5	64.25	0	24360.19	206.4516129	5029.217514	30000	0	0	30000	44.25	2004
22.01.2020 13:11:56	1	1	1	1	83.25	64.25	0	24407.583	206.4516129	4776.452043	30000	0	0	30000	44.3125	2004
22.01.2020 13:11:57	1	1	1	1	83.25	64.25	0	24502.37	206.4516129	5058.570924	30000	0	0	30000	44.125	2004
22.01.2020 13:11:58	1	1	1	1	83.25	64	0	24218.009	206.4516129	4999.864105	30000	0	0	30000	44.25	2004
22.01.2020 13:11:59	1	1	1	1	83.25	64.25	0	24123.223	206.4516129	4720.191341	30000	0	0	30000	44.25	2004
22.01.2020 13:12:00	1	1	1	1	83.25	64.25	0	24597.156	206.4516129	5078.139864	30000	0	0	30000	44.25	2004
22.01.2020 13:12:01	1	1	1	1	83.25	64.25	0	24691.943	206.4516129	4840.866469	30000	0	0	30000	44.25	2004
22.01.2020 13:12:02	1	1	1	1	83.25	64.25	0	24549.763	191.3978495	4689.207186	30000	0	0	30000	44.4375	2004
22.01.2020 13:12:03	1	1	1	1	83.25	64.25	0	24881.517	191.3978495	4761.775338	30000	0	0	30000	44.375	2004
22.01.2020 13:12:04	1	1	1	1	83.25	64.25	0	25213.27	206.4516129	5195.553502	30000	0	0	30000	44.125	2004
22.01.2020 13:12:05	1	1	1	1	83.25	64	0	25071.09	193.5483871	4852.281684	30000	0	0	30000	44.25	2004
22.01.2020 13:12:06	1	1	1	1	83.25	64.25	0	24976.303	195.6989247	4833.528117	30000	0	0	30000	44.3125	2004
22.01.2020 13:12:07	1	1	1	1	83.25	64.25	0	25118.483	206.4516129	5195.553502	30000	0	0	30000	44.1875	2004
22.01.2020 13:12:08	1	1	1	1	83.25	64	0	25165.877	206.4516129	5195.553502	30000	0	0	30000	44.25	2004
22.01.2020 13:12:09	1	1	1	1	83.25	64.25	0	25165.877	206.4516129	5195.553502	30000	0	0	30000	44	2004
22.01.2020 13:12:10	1	1	1	1	83.25	64	0	26018.957	206.4516129	5371.67396	30000	0	0	30000	44.25	2004
22.01.2020 13:12:11	1	1	1	1	83.25	64.25	0	24976.303	219.3548387	5445.057484	30000	0	0	30000	44.4375	2004
22.01.2020 13:12:12	1	1	1	1	83.25	64.25	0	25639.81	236.5591398	6064.740576	30000	0	0	30000	44.125	2004
22.01.2020 13:12:14	1	1	1	1	83.25	64	0	0	0	0	30000	0	8	30000	44.5625	2004
22.01.2020 13:12:15	1	1	1	1	83.25	64.5	0	10284.36	0	0	30000	0	0	30000	44.375	2004
22.01.2020 13:12:16	1	1	1	1	83.25	64.25	0	11042.654	0	0	30000	0	0	30000	44.3125	2004
22.01.2020 13:12:17	1	1	1	1	82.75	64.25	0	10758.294	0	0	30000	0	0	30000	44.3125	2004
22.01.2020 13:12:18	1	1	1	1	82.75	64.25	0	12559.242	0	0	30000	0	0	30000	44.125	2004
22.01.2020 13:12:19	1	1	1	1	82.75	64	0	13364.929	4.301075269	28.53803713	30000	0	0	30000	44.3125	2004
22.01.2020 13:12:20	1	1	1	1	82.75	64.25	0	14075.829	6.451612903	90.50634632	30000	0	0	30000	44.25	2004
22.01.2020 13:12:21	1	1	1	1	82.75	64.25	0	14928.91	10.75268817	192.4279075	30000	0	0	30000	44	2004
22.01.2020 13:12:22	1	1	1	1	82.75	64	0	15639.81	15.05376344	234.0119044	30000	0	0	30000	44.1875	2004
22.01.2020 13:12:23	1	1	1	1	82.75	64	0	16445.498	21.50537634	353.0562879	30000	0	0	30000	44.125	2004
22.01.2020 13:12:24	1	1	1	1	82.75	64	0	16492.891	23.65591398	430.5166744	30000	0	0	30000	44.1875	2004
22.01.2020 13:12:25	1	1	1	1	82.75	64	0	18009.479	36.55913978	658.0055989	30000	0	0	30000	44.125	2004
22.01.2020 13:12:26	1	1	1	1	82.5	64	0	16445.498	34.40860215	565.8685076	30000	0	0	30000	44.25	2004
22.01.2020 13:12:27	1	1	1	1	82.5	64.25	0	19573.46	53.76344086	1094.229881	30000	0	0	30000	44.125	2004
22.01.2020 13:12:28	1	1	1	1	82.5	64	0	20331.754	64.51612903	1311.118963	30000	0	0	30000	44.25	2004
22.01.2020 13:12:29	1	1	1	1	82.5	64.25	0	21090.047	73.11827957	1586.714864	30000	0	0	30000	44.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 13:12:30	1	1	1	1	82.5	64	0	21800.948	83.87096774	1828.065121	30000	0	0	30000	44.3125	2004
22.01.2020 13:12:31	1	1	1	1	82.5	64.25	0	22559.242	94.62365591	2182.752154	30000	0	0	30000	44	2004
22.01.2020 13:12:32	1	1	1	1	82.5	64	0	23412.322	111.827957	2567.607969	30000	0	0	30000	44.1875	2004
22.01.2020 13:12:33	1	1	1	1	82.5	64	0	22890.995	109.6774194	2559.454244	30000	0	0	30000	44.375	2004
22.01.2020 13:12:34	1	1	1	1	82.5	64.25	0	23459.716	129.0322581	3235.398038	30000	0	0	30000	44.3125	2004
22.01.2020 13:12:35	1	1	1	1	82.5	64.25	0	24218.009	144.0860215	3488.978882	30000	0	0	30000	44.25	2004
22.01.2020 13:12:36	1	1	1	1	82	64.25	0	24834.123	163.4408602	4066.262604	30000	0	0	30000	44.25	2004
22.01.2020 13:12:37	1	1	1	1	82	64.25	0	24691.943	176.344086	4354.089093	30000	0	0	30000	44.125	2004
22.01.2020 13:12:38	1	1	1	1	82	64	0	25071.09	189.2473118	4744.652515	30000	0	0	30000	44.25	2004
22.01.2020 13:12:39	1	1	1	1	82	64.25	0	25355.45	206.4516129	5234.691382	30000	0	0	30000	44.25	2004
22.01.2020 13:12:40	1	1	1	1	82	64.25	0	25829.384	221.5053763	5665.208056	30000	0	0	30000	44.1875	2004
22.01.2020 13:12:41	1	1	1	1	82	64	0	26113.744	230.1075269	6008.479874	30000	0	0	30000	44.25	2004
22.01.2020 13:12:42	1	1	1	1	82	64.25	0	26398.104	232.2580645	6187.861822	30000	0	0	30000	44.3125	2004
22.01.2020 13:12:43	1	1	1	1	82	64.25	0	25924.171	230.1075269	5965.265132	30000	0	0	30000	43.4375	2004
22.01.2020 13:12:44	1	1	1	1	82	63.25	0	26066.351	230.1075269	6008.479874	30000	0	0	30000	44.3125	2004
22.01.2020 13:12:45	1	1	1	1	82	64.25	0	26113.744	230.1075269	6008.479874	30000	0	0	30000	43.875	2004
22.01.2020 13:12:46	1	1	1	1	81.5	63.75	0	26398.104	227.9569892	6017.448971	30000	0	0	30000	44	2004
22.01.2020 13:12:53	1	1	1	1	81.5	64.25	0	11184.834	0	0	30000	0	0	30000	44.375	2004
22.01.2020 13:12:53	1	1	1	1	81.5	64.25	0	11184.834	0	0	30000	0	0	30000	44.375	2004
22.01.2020 13:12:53	1	1	1	1	81.5	64.25	0	11184.834	0	0	30000	0	0	30000	44.375	2004
22.01.2020 13:12:53	1	1	1	1	81.5	64.25	0	11184.834	0	0	30000	0	0	30000	44.375	2004
22.01.2020 13:12:53	1	1	1	1	81.5	64.25	0	11184.834	0	0	30000	0	0	30000	44.375	2004
22.01.2020 13:12:53	1	1	1	1	81.5	64.25	0	11184.834	0	0	30000	0	0	30000	44.375	2004
22.01.2020 13:12:54	1	1	1	1	81.5	64.25	0	11943.128	0	0	30000	0	0	30000	44.625	2004
22.01.2020 13:12:55	1	1	1	1	81.5	64.5	0	12654.028	0	0	30000	0	0	30000	44.1875	2004
22.01.2020 13:12:56	1	1	1	1	81.75	64.5	0	13507.109	2.150537634	28.53803713	30000	0	0	30000	44.3125	2004
22.01.2020 13:12:57	1	1	1	1	81.75	64.25	0	14218.009	6.451612903	91.32171881	30000	0	0	30000	44.25	2004
22.01.2020 13:12:58	1	1	1	1	81.75	64.25	0	14976.303	12.90322581	193.24328	30000	0	0	30000	44	2004
22.01.2020 13:12:59	1	1	1	1	81.75	64	0	15734.597	17.20430108	270.7036665	30000	0	0	30000	44.125	2004
22.01.2020 13:13:00	1	1	1	1	81.75	64	0	16492.891	23.65591398	430.5166744	30000	0	0	30000	44.4375	2004
22.01.2020 13:13:01	1	1	1	1	81.75	64.25	0	17345.972	34.40860215	559.3455277	30000	0	0	30000	44.375	2004
22.01.2020 13:13:02	1	1	1	1	81.75	64.25	0	18056.872	38.70967742	698.7742234	30000	0	0	30000	44.0625	2004
22.01.2020 13:13:03	1	1	1	1	81.75	64	0	18909.953	53.76344086	1015.954122	30000	0	0	30000	44.25	2004
22.01.2020 13:13:04	1	1	1	1	81.75	64.25	0	19289.1	58.06451613	1077.922431	30000	0	0	30000	44	2004
22.01.2020 13:13:05	1	1	1	1	81.75	64	0	20379.147	75.2688172	1533.715652	30000	0	0	30000	44.125	2004
22.01.2020 13:13:06	1	1	1	1	81.25	64	0	20616.114	81.72043011	1736.743402	30000	0	0	30000	44.0625	2004
22.01.2020 13:13:07	1	1	1	1	81.25	64	0	20710.9	88.17204301	1736.743402	30000	0	0	30000	44.0625	2004
22.01.2020 13:13:08	1	1	1	1	81.25	64	0	20710.9	88.17204301	1870.464491	30000	0	0	30000	44.1875	2004
22.01.2020 13:13:09	1	1	1	1	81.25	64	0	20758.294	92.47311828	1914.494605	30000	0	0	30000	44.0625	2004
22.01.2020 13:13:10	1	1	1	1	81.25	64	0	20710.9	92.47311828	1950.370994	30000	0	0	30000	43.9375	2004
22.01.2020 13:13:11	1	1	1	1	81.25	63.75	0	20710.9	92.47311828	2053.107928	30000	0	0	30000	44.125	2004
22.01.2020 13:13:12	1	1	1	1	81.25	64	0	20758.294	96.77419355	2004.185579	30000	0	0	30000	44.125	2004
22.01.2020 13:13:13	1	1	1	1	81.25	64	0	20710.9	94.62365591	1959.340092	30000	0	0	30000	44.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 13:13:14	1	1	1	1	81.25	64	0	20710.9	88.17204301	1736.743402	30000	0	0	30000	44.125	2004
22.01.2020 13:13:15	1	1	1	1	81.25	64	0	20758.294	81.72043011	1740.820265	30000	0	0	30000	44.25	2004
22.01.2020 13:13:16	1	1	1	1	81	64.25	0	20853.081	79.56989247	1704.128503	30000	0	0	30000	44.3125	2004
22.01.2020 13:13:17	1	1	1	1	81	64.25	0	20900.474	81.72043011	1662.544506	30000	0	0	30000	43.8125	2004
22.01.2020 13:13:18	1	1	1	1	81	63.75	0	20900.474	75.2688172	1572.853532	30000	0	0	30000	44.125	2004
22.01.2020 13:13:19	1	1	1	1	81	64	0	20995.261	70.96774194	1489.685538	30000	0	0	30000	44.0625	2004
22.01.2020 13:13:20	1	1	1	1	81	64	0	21090.047	66.66666667	1405.702172	30000	0	0	30000	44.0625	2004
22.01.2020 13:13:21	1	1	1	1	81	64	0	21090.047	66.66666667	1405.702172	30000	0	0	30000	44.0625	2004
22.01.2020 13:13:22	1	1	1	1	81	64	0	21137.441	66.66666667	1408.963662	30000	0	0	30000	44	2004
22.01.2020 13:13:23	1	1	1	1	81	64	0	21137.441	66.66666667	1408.963662	30000	0	0	30000	44	2004
22.01.2020 13:13:24	1	1	1	1	81	64	0	21137.441	66.66666667	1408.963662	30000	0	0	30000	44.125	2004
22.01.2020 13:13:25	1	1	1	1	81	64	0	21137.441	64.51612903	1363.302802	30000	0	0	30000	44.125	2004
22.01.2020 13:13:26	1	1	1	1	80.75	64	0	21563.981	70.96774194	1529.63879	30000	0	0	30000	44.25	2004
22.01.2020 13:13:27	1	1	1	1	80.75	64.25	0	22369.668	75.2688172	1683.74419	30000	0	0	30000	44.125	2004
22.01.2020 13:13:28	1	1	1	1	80.75	64	0	23080.569	83.87096774	1935.69429	30000	0	0	30000	44.125	2004
22.01.2020 13:13:29	1	1	1	1	80.75	64	0	23933.649	105.3763441	2521.94711	30000	0	0	30000	44.1875	2004
22.01.2020 13:13:31	1	1	1	1	80.75	64	0	24218.009	113.9784946	2754.328269	30000	0	0	30000	44.4375	2004
22.01.2020 13:13:32	1	1	1	1	80.75	64.25	0	24597.156	129.0322581	3114.722909	30000	0	0	30000	44.0625	2004
22.01.2020 13:13:33	1	1	1	1	80.75	64	0	24597.156	141.9354839	3437.610415	30000	0	0	30000	44.1875	2004
22.01.2020 13:13:34	1	1	1	1	80.75	64.5	0	0	0	0	30000	0	8	30000	44.25	2004
22.01.2020 13:13:35	1	1	1	1	80.75	64.25	0	10284.36	0	0	30000	0	0	30000	44.1875	2004
22.01.2020 13:13:36	1	1	1	1	80.5	64	0	11042.654	0	0	30000	0	0	30000	44.125	2004
22.01.2020 13:13:37	1	1	1	1	80.5	64	0	11800.948	0	0	30000	0	0	30000	44.125	2004
22.01.2020 13:13:38	1	1	1	1	80.5	64	0	12606.635	2.150537634	26.90729215	30000	0	0	30000	44.25	2004
22.01.2020 13:13:39	1	1	1	1	80.5	64.25	0	13364.929	6.451612903	57.07607425	30000	0	0	30000	44.125	2004
22.01.2020 13:13:40	1	1	1	1	80.5	64	0	14075.829	8.602150538	150.8439105	30000	0	0	30000	44.125	2004
22.01.2020 13:13:41	1	1	1	1	80.5	64	0	14928.91	15.05376344	224.2274346	30000	0	0	30000	44.1875	2004
22.01.2020 13:13:42	1	1	1	1	80.5	64	0	15687.204	21.50537634	336.7488381	30000	0	0	30000	43.9375	2004
22.01.2020 13:13:43	1	1	1	1	80.5	63.75	0	16445.498	30.10752688	459.0547115	30000	0	0	30000	44.125	2004
22.01.2020 13:13:44	1	1	1	1	80.5	64	0	17251.185	36.55913978	628.6521893	30000	0	0	30000	44.1875	2004
22.01.2020 13:13:45	1	1	1	1	80.5	64	0	18009.479	47.31182796	890.3867584	30000	0	0	30000	44	2004
22.01.2020 13:13:46	1	1	1	1	80.25	64	0	18767.773	60.21505376	1086.891528	30000	0	0	30000	44.25	2004
22.01.2020 13:13:47	1	1	1	1	80.25	64.25	0	19478.673	66.66666667	1298.073003	30000	0	0	30000	44.125	2004
22.01.2020 13:13:48	1	1	1	1	80.25	64	0	19857.82	66.66666667	1323.34955	30000	0	0	30000	44.1875	2004
22.01.2020 13:13:55	1	1	1	1	80.25	64	0	20047.393	77.41935484	1602.206942	30000	0	0	30000	44.125	2004
22.01.2020 13:13:55	1	1	1	1	80.25	64	0	20047.393	77.41935484	1602.206942	30000	0	0	30000	44.125	2004
22.01.2020 13:13:55	1	1	1	1	80.25	64	0	20047.393	77.41935484	1602.206942	30000	0	0	30000	44.125	2004
22.01.2020 13:13:55	1	1	1	1	80.25	64	0	20047.393	77.41935484	1602.206942	30000	0	0	30000	44.125	2004
22.01.2020 13:13:55	1	1	1	1	80.25	64	0	20047.393	77.41935484	1602.206942	30000	0	0	30000	44.125	2004
22.01.2020 13:13:55	1	1	1	1	80.25	64	0	20142.18	81.72043011	1645.421683	30000	0	0	30000	44.0625	2004
22.01.2020 13:13:56	1	1	1	1	80	64	0	20047.393	81.72043011	1638.083331	30000	0	0	30000	43.8125	2004
22.01.2020 13:13:57	1	1	1	1	80	63.75	0	20047.393	79.56989247	1688.636425	30000	0	0	30000	44.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 13:13:58	1	1	1	1	80	64	0	20142.18	83.87096774	1681.298073	30000	0	0	30000	44.25	2004
22.01.2020 13:13:59	1	1	1	1	80	64.25	0	20142.18	83.87096774	1688.636425	30000	0	0	30000	44	2004
22.01.2020 13:14:00	1	1	1	1	80	64	0	20047.393	83.87096774	1688.636425	30000	0	0	30000	44.0625	2004
22.01.2020 13:14:01	1	1	1	1	80	64	0	20047.393	88.17204301	1766.912184	30000	0	0	30000	44.125	2004
22.01.2020 13:14:02	1	1	1	1	80	64	0	20047.393	88.17204301	1853.341668	30000	0	0	30000	44.125	2004
22.01.2020 13:14:03	1	1	1	1	80	64	0	20142.18	94.62365591	1862.310766	30000	0	0	30000	43.875	2004
22.01.2020 13:14:04	1	1	1	1	80	63.75	0	20047.393	92.47311828	1905.525508	30000	0	0	30000	44	2004
22.01.2020 13:14:05	1	1	1	1	80	64	0	20142.18	94.62365591	1905.525508	30000	0	0	30000	44.125	2004
22.01.2020 13:14:06	1	1	1	1	79.5	64	0	20142.18	94.62365591	1905.525508	30000	0	0	30000	44.25	2004
22.01.2020 13:14:07	1	1	1	1	79.5	64.25	0	20142.18	94.62365591	1905.525508	30000	0	0	30000	44.0625	2004
22.01.2020 13:14:08	1	1	1	1	79.5	64	0	20616.114	103.2258065	2128.122197	30000	0	0	30000	44.25	2004
22.01.2020 13:14:10	1	1	1	1	79.5	64.25	0	21137.441	113.9784946	2420.025548	30000	0	0	30000	44.375	2004
22.01.2020 13:14:11	1	1	1	1	79.5	64.25	0	21895.735	129.0322581	3007.093741	30000	0	0	30000	43.875	2004
22.01.2020 13:14:12	1	1	1	1	79.5	63.75	0	22417.062	139.7849462	3229.69043	30000	0	0	30000	43.9375	2004
22.01.2020 13:14:13	1	1	1	1	79.5	64.25	0	23601.896	169.8924731	3950.479711	30000	0	0	30000	43.875	2004
22.01.2020 13:14:14	1	1	1	1	79.5	63.75	0	23175.355	193.5483871	4435.626342	30000	0	0	30000	43.3125	2004
22.01.2020 13:14:15	1	1	1	1	79.5	63.25	0	24028.436	206.4516129	4960.726225	30000	0	0	30000	44.125	2004
22.01.2020 13:14:16	1	1	1	1	79.5	64	0	24218.009	206.4516129	4999.864105	30000	0	0	30000	44.0625	2004
22.01.2020 13:14:17	1	1	1	1	79.5	64	0	24218.009	210.7526882	5103.416411	30000	0	0	30000	44.125	2004
22.01.2020 13:14:18	1	1	1	1	79.5	64	0	24218.009	180.6451613	4426.657245	30000	0	0	30000	44	2004
22.01.2020 13:14:19	1	1	1	1	79.5	64	0	24360.19	152.688172	3831.435327	30000	0	0	30000	44.0625	2004
22.01.2020 13:14:20	1	1	1	1	79.5	64	0	24407.583	150.5376344	3674.068437	30000	0	0	30000	44	2004
22.01.2020 13:14:21	1	1	1	1	79.5	64	0	24407.583	152.688172	3726.252276	30000	0	0	30000	44.0625	2004
22.01.2020 13:14:22	1	1	1	1	79.5	64	0	24502.37	159.1397849	3883.619167	30000	0	0	30000	43.875	2004
22.01.2020 13:14:23	1	1	1	1	79.5	63.75	0	24502.37	156.9892473	3906.449596	30000	0	0	30000	43.5625	2004
22.01.2020 13:14:24	1	1	1	1	79.5	63.5	0	24549.763	156.9892473	3748.267333	30000	0	0	30000	43.875	2004
22.01.2020 13:14:25	1	1	1	1	79.5	63.75	0	24549.763	152.688172	3748.267333	30000	0	0	30000	43.5	2004
22.01.2020 13:14:26	1	1	1	1	79.25	63.5	0	24597.156	156.9892473	3755.605686	30000	0	0	30000	44	2004
22.01.2020 13:14:27	1	1	1	1	79.25	64	0	24691.943	163.4408602	4019.786372	30000	0	0	30000	44	2004
22.01.2020 13:14:28	1	1	1	1	79.25	64	0	24597.156	167.7419355	4141.276873	30000	0	0	30000	44.1875	2004
22.01.2020 13:14:29	1	1	1	1	79.25	64	0	24691.943	182.7956989	4513.086728	30000	0	0	30000	44.0625	2004
22.01.2020 13:14:30	1	1	1	1	79.25	64	0	24739.336	184.9462366	4575.055038	30000	0	0	30000	43.8125	2004
22.01.2020 13:14:31	1	1	1	1	79.25	63.75	0	24786.73	193.5483871	4796.836355	30000	0	0	30000	44	2004
22.01.2020 13:14:32	1	1	1	1	79.25	64	0	24786.73	178.4946237	4424.211127	30000	0	0	30000	43.75	2004
22.01.2020 13:14:33	1	1	1	1	79.25	63.75	0	24834.123	178.4946237	4424.211127	30000	0	0	30000	44.125	2004
22.01.2020 13:14:34	1	1	1	1	79.25	64	0	24881.517	189.2473118	4601.146957	30000	0	0	30000	44	2004
22.01.2020 13:14:35	1	1	1	1	79.25	64	0	24928.91	189.2473118	4610.116055	30000	0	0	30000	43.75	2004
22.01.2020 13:14:36	1	1	1	1	78.75	63.75	0	24976.303	184.9462366	4726.714321	30000	0	0	30000	44.0625	2004
22.01.2020 13:14:37	1	1	1	1	78.75	64	0	24976.303	178.4946237	4619.085152	30000	0	0	30000	43.875	2004
22.01.2020 13:14:38	1	1	1	1	78.75	63.75	0	24976.303	180.6451613	4403.826815	30000	0	0	30000	44.125	2004
22.01.2020 13:14:39	1	1	1	1	78.75	64	0	25071.09	169.8924731	4258.690512	30000	0	0	30000	44	2004
22.01.2020 13:14:40	1	1	1	1	78.75	64	0	25118.483	169.8924731	4274.997962	30000	0	0	30000	43.75	2004
22.01.2020 13:14:41	1	1	1	1	78.75	63.75	0	24881.517	163.4408602	4066.262604	30000	0	0	30000	43.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 13:14:42	1	1	1	1	78.75	63.75	0	25165.877	165.5913978	4166.55342	30000	0	0	30000	43.875	2004
22.01.2020 13:14:43	1	1	1	1	78.75	63.75	0	25165.877	163.4408602	4112.738836	30000	0	0	30000	43.8125	2004
22.01.2020 13:14:44	1	1	1	1	78.75	63.75	0	25165.877	159.1397849	4066.262604	30000	0	0	30000	44.0625	2004
22.01.2020 13:14:45	1	1	1	1	78.75	64	0	25260.664	163.4408602	4128.230913	30000	0	0	30000	43.9375	2004
22.01.2020 13:14:46	1	1	1	1	78.5	63.75	0	25260.664	169.8924731	4299.459136	30000	0	0	30000	43.875	2004
22.01.2020 13:14:48	1	1	1	1	78.5	63.75	0	25355.45	178.4946237	4525.317316	30000	0	0	30000	44.4375	2004
22.01.2020 13:14:49	1	1	1	1	78.5	64.25	0	24502.37	165.5913978	4109.477346	30000	0	0	30000	44.5	2004
22.01.2020 13:14:50	1	1	1	1	78.5	64.5	0	25165.877	169.8924731	4274.997962	30000	0	0	30000	43.6875	2004
22.01.2020 13:14:57	1	1	1	1	78.5	63.75	0	25592.417	167.7419355	4237.490827	30000	0	0	30000	43.875	2004
22.01.2020 13:14:57	1	1	1	1	78.5	63.75	0	25592.417	167.7419355	4237.490827	30000	0	0	30000	43.875	2004
22.01.2020 13:14:57	1	1	1	1	78.5	63.75	0	25592.417	167.7419355	4237.490827	30000	0	0	30000	43.875	2004
22.01.2020 13:14:57	1	1	1	1	78.5	63.75	0	25592.417	167.7419355	4237.490827	30000	0	0	30000	43.875	2004
22.01.2020 13:14:57	1	1	1	1	78.5	63.75	0	25592.417	167.7419355	4237.490827	30000	0	0	30000	43.875	2004
22.01.2020 13:14:57	1	1	1	1	78.5	63.75	0	25592.417	167.7419355	4292.936156	30000	0	0	30000	43.8125	2004
22.01.2020 13:14:58	1	1	1	1	78.5	63.75	0	25734.597	165.5913978	4252.982904	30000	0	0	30000	43.8125	2004
22.01.2020 13:14:59	1	1	1	1	78.5	63.75	0	25687.204	189.2473118	4861.250781	30000	0	0	30000	43.875	2004
22.01.2020 13:15:00	1	1	1	1	78.5	63.75	0	25734.597	184.9462366	4759.32922	30000	0	0	30000	43.625	2004
22.01.2020 13:15:01	1	1	1	1	78.5	63.5	0	25829.384	189.2473118	4888.158074	30000	0	0	30000	43.9375	2004
22.01.2020 13:15:02	1	1	1	1	78.5	63.75	0	25876.777	184.9462366	4776.452043	30000	0	0	30000	44	2004
22.01.2020 13:15:03	1	1	1	1	78.5	64	0	25734.597	178.4946237	4665.561384	30000	0	0	30000	43.9375	2004
22.01.2020 13:15:04	1	1	1	1	78.5	63.75	0	25734.597	191.3978495	4870.219879	30000	0	0	30000	43.4375	2004
22.01.2020 13:15:05	1	1	1	1	78.5	63.25	0	25924.171	206.4516129	5352.10502	30000	0	0	30000	43.375	2004
22.01.2020 13:15:06	1	1	1	1	78.25	63.25	0	25924.171	169.8924731	4643.546327	30000	0	0	30000	44	2004
22.01.2020 13:15:07	1	1	1	1	78.25	64	0	25924.171	206.4516129	5352.10502	30000	0	0	30000	44	2004
22.01.2020 13:15:08	1	1	1	1	78.25	64	0	26018.957	210.7526882	5784.252439	30000	0	0	30000	43.875	2004
22.01.2020 13:15:09	1	1	1	1	78.25	63.75	0	25924.171	219.3548387	5686.407741	30000	0	0	30000	43.9375	2004
22.01.2020 13:15:10	1	1	1	1	78.25	63.75	0	25687.204	217.2043011	5700.269073	30000	0	0	30000	43.8125	2004
22.01.2020 13:15:11	1	1	1	1	78.25	63.75	0	25924.171	232.2580645	5909.00443	30000	0	0	30000	43.875	2004
22.01.2020 13:15:12	1	1	1	1	78.25	63.75	0	26018.957	230.1075269	6054.140733	30000	0	0	30000	43.8125	2004
22.01.2020 13:15:13	1	1	1	1	78.25	63.75	0	26066.351	230.1075269	5986.464817	30000	0	0	30000	44.125	2004
22.01.2020 13:15:14	1	1	1	1	78.25	64	0	26208.531	247.311828	6561.302422	30000	0	0	30000	43.9375	2004
22.01.2020 13:15:15	1	1	1	1	78.25	63.75	0	23744.076	225.8064516	5361.074117	30000	0	0	30000	43.75	2004
22.01.2020 13:15:16	1	1	1	1	78	63.75	0	25924.171	247.311828	6411.273884	30000	0	0	30000	43.8125	2004
22.01.2020 13:15:17	1	1	1	1	78	63.75	0	26350.711	255.9139785	6868.69785	30000	0	0	30000	43.875	2004
22.01.2020 13:15:18	1	1	1	1	78	63.75	0	26492.891	240.8602151	6255.537738	30000	0	0	30000	43.8125	2004
22.01.2020 13:15:19	1	1	1	1	78	63.75	0	26445.498	210.7526882	5639.931509	30000	0	0	30000	43.6875	2004
22.01.2020 13:15:20	1	1	1	1	78	63.5	0	26492.891	221.5053763	5868.235806	30000	0	0	30000	43.9375	2004
22.01.2020 13:15:21	1	1	1	1	78	63.75	0	26492.891	221.5053763	5992.987797	30000	0	0	30000	43.875	2004
22.01.2020 13:15:22	1	1	1	1	78	63.75	0	26587.678	206.4516129	5489.087598	30000	0	0	30000	44.125	2004
22.01.2020 13:15:23	1	1	1	1	78	64	0	26682.464	221.5053763	5831.544044	30000	0	0	30000	43.875	2004
22.01.2020 13:15:24	1	1	1	1	78	63.75	0	26635.071	221.5053763	5888.620118	30000	0	0	30000	43.9375	2004
22.01.2020 13:15:25	1	1	1	1	78	63.75	0	26682.464	221.5053763	5909.819803	30000	0	0	30000	43.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 13:15:27	1	1	1	1	77.75	63.75	0	26777.251	268.8172043	7013.018781	30000	0	0	30000	43.8125	2004
22.01.2020 13:15:28	1	1	1	1	77.75	63.75	0	26777.251	253.7634409	6806.729541	30000	0	0	30000	44	2004
22.01.2020 13:15:30	1	1	1	1	77.75	64	0	26824.645	253.7634409	6679.531433	30000	0	0	30000	44.125	2004
22.01.2020 13:15:30	1	1	1	1	77.75	64	0	26824.645	253.7634409	6679.531433	30000	0	0	30000	44.125	2004
22.01.2020 13:15:31	1	1	1	1	77.75	64.25	0	0	0	0	30000	0	8	30000	44.1875	2004
22.01.2020 13:15:32	1	1	1	1	77.75	64	0	10379.147	0	0	30000	0	0	30000	44	2004
22.01.2020 13:15:33	1	1	1	1	77.75	64	0	11184.834	0	0	30000	0	0	30000	43.875	2004
22.01.2020 13:15:34	1	1	1	1	77.75	63.75	0	11943.128	0	0	30000	0	0	30000	43.875	2004
22.01.2020 13:15:35	1	1	1	1	77.75	63.75	0	12748.815	2.150537634	26.90729215	30000	0	0	30000	43.4375	2004
22.01.2020 13:15:36	1	1	1	1	77.75	63.25	0	13507.109	6.451612903	86.42948387	30000	0	0	30000	43.875	2004
22.01.2020 13:15:37	1	1	1	1	77.75	63.75	0	14265.403	10.75268817	152.4746555	30000	0	0	30000	43.8125	2004
22.01.2020 13:15:38	1	1	1	1	77.75	63.75	0	14976.303	12.90322581	225.0428071	30000	0	0	30000	43.375	2004
22.01.2020 13:15:39	1	1	1	1	77.75	63.25	0	15829.384	23.65591398	340.0103281	30000	0	0	30000	43.9375	2004
22.01.2020 13:15:40	1	1	1	1	77.75	63.75	0	16255.924	25.80645161	384.0404425	30000	0	0	30000	43.9375	2004
22.01.2020 13:15:41	1	1	1	1	77.75	63.75	0	17345.972	36.55913978	633.5444242	30000	0	0	30000	43.9375	2004
22.01.2020 13:15:42	1	1	1	1	77.75	63.75	0	18056.872	43.01075269	815.3724893	30000	0	0	30000	44	2004
22.01.2020 13:15:43	1	1	1	1	77.75	64	0	18862.559	53.76344086	971.1086348	30000	0	0	30000	43.9375	2004
22.01.2020 13:15:44	1	1	1	1	77.75	63.75	0	19668.246	66.66666667	1268.719593	30000	0	0	30000	44.125	2004
22.01.2020 13:15:45	1	1	1	1	77.75	64	0	20379.147	73.11827957	1533.715652	30000	0	0	30000	43.9375	2004
22.01.2020 13:15:46	1	1	1	1	77.5	63.75	0	21232.227	83.87096774	1780.773517	30000	0	0	30000	43.8125	2004
22.01.2020 13:15:47	1	1	1	1	77.5	63.75	0	21800.948	96.77419355	2109.36863	30000	0	0	30000	43.8125	2004
22.01.2020 13:15:48	1	1	1	1	77.5	63.75	0	21895.735	103.2258065	2260.21254	30000	0	0	30000	43.8125	2004
22.01.2020 13:15:49	1	1	1	1	77.5	63.75	0	21848.341	96.77419355	2260.21254	30000	0	0	30000	43.875	2004
22.01.2020 13:15:50	1	1	1	1	77.5	63.75	0	21895.735	103.2258065	2114.260865	30000	0	0	30000	43.875	2004
22.01.2020 13:15:51	1	1	1	1	77.5	63.75	0	21895.735	103.2258065	2260.21254	30000	0	0	30000	43.6875	2004
22.01.2020 13:15:58	1	1	1	1	77.25	63.75	0	21848.341	103.2258065	2260.21254	30000	0	0	30000	43.8125	2004
22.01.2020 13:15:58	1	1	1	1	77.25	63.75	0	21848.341	103.2258065	2260.21254	30000	0	0	30000	43.8125	2004
22.01.2020 13:15:58	1	1	1	1	77.25	63.75	0	21848.341	103.2258065	2260.21254	30000	0	0	30000	43.8125	2004
22.01.2020 13:15:58	1	1	1	1	77.25	63.75	0	21848.341	103.2258065	2260.21254	30000	0	0	30000	43.8125	2004
22.01.2020 13:15:58	1	1	1	1	77.25	63.75	0	21848.341	103.2258065	2260.21254	30000	0	0	30000	43.8125	2004
22.01.2020 13:15:58	1	1	1	1	77.25	63.75	0	21848.341	103.2258065	2260.21254	30000	0	0	30000	43.8125	2004
22.01.2020 13:15:58	1	1	1	1	77.25	63.75	0	21895.735	103.2258065	2260.21254	30000	0	0	30000	43.875	2004
22.01.2020 13:15:59	1	1	1	1	77.25	63.75	0	21895.735	103.2258065	2260.21254	30000	0	0	30000	43.875	2004
22.01.2020 13:16:00	1	1	1	1	77.25	63.75	0	21895.735	103.2258065	2260.21254	30000	0	0	30000	43.8125	2004
22.01.2020 13:16:01	1	1	1	1	77.25	63.75	0	21895.735	103.2258065	2260.21254	30000	0	0	30000	43.6875	2004
22.01.2020 13:16:02	1	1	1	1	77.25	63.5	0	21943.128	103.2258065	2265.104775	30000	0	0	30000	43.8125	2004
22.01.2020 13:16:03	1	1	1	1	77.25	63.75	0	21943.128	103.2258065	2284.673715	30000	0	0	30000	44.1875	2004
22.01.2020 13:16:05	1	1	1	1	77.25	64	0	21943.128	103.2258065	2265.104775	30000	0	0	30000	43.875	2004
22.01.2020 13:16:06	1	1	1	1	77.25	63.75	0	21943.128	103.2258065	2265.104775	30000	0	0	30000	44.125	2004
22.01.2020 13:16:07	1	1	1	1	77.25	64	0	21943.128	103.2258065	2284.673715	30000	0	0	30000	44	2004
22.01.2020 13:16:08	1	1	1	1	77.25	64	0	22369.668	103.2258065	2309.13489	30000	0	0	30000	44.3125	2004
22.01.2020 13:16:09	1	1	1	1	77.25	64.25	0	22890.995	113.9784946	2608.376593	30000	0	0	30000	43.8125	2004
22.01.2020 13:16:10	1	1	1	1	77.25	63.5	0	23933.649	139.7849462	3287.581877	30000	0	0	30000	43.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 13:16:11	1	1	1	1	77.25	63.75	0	23554.502	152.688172	3603.13103	30000	0	0	30000	44	2004
22.01.2020 13:16:12	1	1	1	1	77.25	64	0	24218.009	161.2903226	3898.295871	30000	0	0	30000	43.9375	2004
22.01.2020 13:16:13	1	1	1	1	77.25	63.75	0	24123.223	169.8924731	4106.215856	30000	0	0	30000	43.9375	2004
22.01.2020 13:16:14	1	1	1	1	77.25	63.75	0	24502.37	189.2473118	4794.390237	30000	0	0	30000	43.875	2004
22.01.2020 13:16:15	1	1	1	1	77.25	63.75	0	24597.156	206.4516129	5078.139864	30000	0	0	30000	43.875	2004
22.01.2020 13:16:16	1	1	1	1	77	63.75	0	24739.336	232.2580645	5756.529775	30000	0	0	30000	43.875	2004
22.01.2020 13:16:17	1	1	1	1	77	63.75	0	25639.81	234.4086022	6010.110619	30000	0	0	30000	44	2004
22.01.2020 13:16:18	1	1	1	1	77	64	0	26113.744	234.4086022	6121.001277	30000	0	0	30000	43.875	2004
22.01.2020 13:16:19	1	1	1	1	77	63.75	0	26777.251	245.1612903	6564.563912	30000	0	0	30000	43.9375	2004
22.01.2020 13:16:20	1	1	1	1	77	63.75	0	27298.578	258.0645161	6986.111489	30000	0	0	30000	43.8125	2004
22.01.2020 13:16:21	1	1	1	1	77	63.75	0	27298.578	255.9139785	7044.818308	30000	0	0	30000	43.25	2004
22.01.2020 13:16:22	1	1	1	1	77	63.25	0	27014.218	255.9139785	6983.665371	30000	0	0	30000	43.8125	2004
22.01.2020 13:16:23	1	1	1	1	77	63.75	0	27014.218	260.2150538	6959.204196	30000	0	0	30000	43.8125	2004
22.01.2020 13:16:24	1	1	1	1	77	63.75	0	27109.005	260.2150538	7053.787405	30000	0	0	30000	44	2004
22.01.2020 13:16:25	1	1	1	1	77	64	0	27109.005	258.0645161	6983.665371	30000	0	0	30000	43.9375	2004
22.01.2020 13:16:26	1	1	1	1	76.25	63.75	0	27298.578	258.0645161	7057.048895	30000	0	0	30000	43.75	2004
22.01.2020 13:16:27	1	1	1	1	76.25	63.75	0	27535.545	251.6129032	7058.67964	30000	0	0	30000	43.75	2004
22.01.2020 13:16:28	1	1	1	1	76.25	63.75	0	0	0	0	30000	0	8	30000	43.75	2004
22.01.2020 13:16:29	1	1	1	1	76.25	63.75	0	0	0	0	30000	0	8	30000	43.9375	2004
22.01.2020 13:16:30	1	1	1	1	76.25	63.75	0	10663.507	0	0	30000	0	0	30000	43.8125	2004
22.01.2020 13:16:31	1	1	1	1	76.25	63.75	0	11421.801	0	0	30000	0	0	30000	44	2004
22.01.2020 13:16:32	1	1	1	1	76.25	64	0	12180.095	0	0	30000	0	0	30000	43.75	2004
22.01.2020 13:16:33	1	1	1	1	76.25	63.75	0	12985.782	0	0	30000	0	0	30000	43.9375	2004
22.01.2020 13:16:34	1	1	1	1	76.25	63.75	0	13744.076	4.301075269	29.35340962	30000	0	0	30000	43.625	2004
22.01.2020 13:16:35	1	1	1	1	76.25	63.5	0	14454.976	8.602150538	92.95246378	30000	0	0	30000	43.8125	2004
22.01.2020 13:16:36	1	1	1	1	75.75	63.75	0	15213.27	10.75268817	195.6893974	30000	0	0	30000	43.625	2004
22.01.2020 13:16:37	1	1	1	1	75.75	63.5	0	16066.351	17.20430108	276.4112739	30000	0	0	30000	43.875	2004
22.01.2020 13:16:38	1	1	1	1	75.75	63.75	0	16729.858	21.50537634	359.5792678	30000	0	0	30000	43.8125	2004
22.01.2020 13:16:39	1	1	1	1	75.75	63.75	0	17488.152	27.95698925	490.0388661	30000	0	0	30000	43.8125	2004
22.01.2020 13:16:40	1	1	1	1	75.75	63.75	0	18436.019	34.40860215	634.3597967	30000	0	0	30000	43.8125	2004
22.01.2020 13:16:41	1	1	1	1	75.75	63.75	0	19194.313	45.16129032	861.8487212	30000	0	0	30000	43.6875	2004
22.01.2020 13:16:42	1	1	1	1	75.75	63.5	0	19857.82	51.61290323	1067.322589	30000	0	0	30000	43.875	2004
22.01.2020 13:16:44	1	1	1	1	75.75	63.75	0	20616.114	62.3655914	1240.996929	30000	0	0	30000	43.9375	2004
22.01.2020 13:16:45	1	1	1	1	75.75	63.75	0	21469.194	75.2688172	1615.252901	30000	0	0	30000	44.375	2004
22.01.2020 13:16:46	1	1	1	1	75.75	64.25	0	22227.488	83.87096774	1863.941511	30000	0	0	30000	44	2004
22.01.2020 13:16:47	1	1	1	1	75.75	64	0	22417.062	90.32258065	2024.569891	30000	0	0	30000	44.25	2004
22.01.2020 13:16:48	1	1	1	1	75.75	64.25	0	22417.062	92.47311828	2072.676868	30000	0	0	30000	44.5	2004
22.01.2020 13:16:49	1	1	1	1	75.75	63.75	0	22417.062	92.47311828	2072.676868	30000	0	0	30000	43.8125	2004
22.01.2020 13:16:50	1	1	1	1	75.75	63.75	0	22417.062	90.32258065	2024.569891	30000	0	0	30000	43.875	2004
22.01.2020 13:16:51	1	1	1	1	75.75	63.75	0	22417.062	92.47311828	2072.676868	30000	0	0	30000	43.875	2004
22.01.2020 13:16:52	1	1	1	1	75.75	63.75	0	22417.062	92.47311828	2072.676868	30000	0	0	30000	43.8125	2004
22.01.2020 13:16:53	1	1	1	1	75.75	63.75	0	22417.062	92.47311828	2072.676868	30000	0	0	30000	43.8125	2004
22.01.2020 13:17:00	1	1	1	1	75.25	63.75	0	22417.062	96.77419355	2168.890822	30000	0	0	30000	43.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 13:17:00	1	1	1	1	75.25	63.75	0	22417.062	96.77419355	2168.890822	30000	0	0	30000	43.75	2004
22.01.2020 13:17:00	1	1	1	1	75.25	63.75	0	22417.062	96.77419355	2168.890822	30000	0	0	30000	43.75	2004
22.01.2020 13:17:00	1	1	1	1	75.25	63.75	0	22417.062	96.77419355	2168.890822	30000	0	0	30000	43.75	2004
22.01.2020 13:17:00	1	1	1	1	75.25	63.75	0	22417.062	96.77419355	2168.890822	30000	0	0	30000	43.75	2004
22.01.2020 13:17:00	1	1	1	1	75.25	63.75	0	22417.062	96.77419355	2168.890822	30000	0	0	30000	43.75	2004
22.01.2020 13:17:00	1	1	1	1	75.25	63.75	0	22417.062	96.77419355	2168.890822	30000	0	0	30000	43.6875	2004
22.01.2020 13:17:01	1	1	1	1	75.25	63.5	0	22369.668	94.62365591	2164.813959	30000	0	0	30000	43.75	2004
22.01.2020 13:17:02	1	1	1	1	75.25	63.75	0	22417.062	96.77419355	2168.890822	30000	0	0	30000	43.8125	2004
22.01.2020 13:17:03	1	1	1	1	75.25	63.75	0	22417.062	98.92473118	2168.890822	30000	0	0	30000	43.9375	2004
22.01.2020 13:17:04	1	1	1	1	75.25	63.75	0	22417.062	96.77419355	2168.890822	30000	0	0	30000	44	2004
22.01.2020 13:17:05	1	1	1	1	75.25	64	0	22369.668	96.77419355	2116.706982	30000	0	0	30000	43.8125	2004
22.01.2020 13:17:06	1	1	1	1	75.25	63.75	0	22559.242	103.2258065	2323.811595	30000	0	0	30000	43.8125	2004
22.01.2020 13:17:07	1	1	1	1	75.25	63.75	0	23317.536	113.9784946	2707.852037	30000	0	0	30000	43.875	2004
22.01.2020 13:17:08	1	1	1	1	75.25	63.75	0	23933.649	144.0860215	3441.687277	30000	0	0	30000	43.875	2004
22.01.2020 13:17:09	1	1	1	1	75.25	63.75	0	23933.649	139.7849462	3345.473324	30000	0	0	30000	43.875	2004
22.01.2020 13:17:10	1	1	1	1	75.25	63.75	0	24075.829	156.9892473	3831.435327	30000	0	0	30000	43.9375	2004
22.01.2020 13:17:11	1	1	1	1	75.25	63.75	0	25165.877	193.5483871	4870.219879	30000	0	0	30000	43.9375	2004
22.01.2020 13:17:12	1	1	1	1	75.25	63.75	0	24691.943	189.2473118	4672.899736	30000	0	0	30000	43.8125	2004
22.01.2020 13:17:13	1	1	1	1	75.25	63.75	0	22511.848	178.4946237	3815.94325	30000	0	0	30000	43.875	2004
22.01.2020 13:17:14	1	1	1	1	75.25	63.75	0	25497.63	206.4516129	5254.260321	30000	0	0	30000	43.75	2004
22.01.2020 13:17:15	1	1	1	1	75.25	63.75	0	25497.63	206.4516129	5273.829261	30000	0	0	30000	43.8125	2004
22.01.2020 13:17:16	1	1	1	1	75	63.75	0	25402.844	206.4516129	5244.475851	30000	0	0	30000	43.625	2004
22.01.2020 13:17:17	1	1	1	1	75	63.5	0	25734.597	219.3548387	5589.378414	30000	0	0	30000	43.6875	2004
22.01.2020 13:17:18	1	1	1	1	75	63.5	0	26208.531	236.5591398	6199.277036	30000	0	0	30000	43.8125	2004
22.01.2020 13:17:19	1	1	1	1	75	63.75	0	26777.251	249.4623656	6679.531433	30000	0	0	30000	43.75	2004
22.01.2020 13:17:20	1	1	1	1	75	63.75	0	27156.398	258.0645161	7044.818308	30000	0	0	30000	43.6875	2004
22.01.2020 13:17:21	1	1	1	1	75	63.5	0	27061.611	255.9139785	7158.155084	30000	0	0	30000	43.8125	2004
22.01.2020 13:17:23	1	1	1	1	75	63.75	0	27061.611	255.9139785	6995.895958	30000	0	0	30000	43.625	2004
22.01.2020 13:17:24	1	1	1	1	75	63.5	0	27109.005	258.0645161	6995.895958	30000	0	0	30000	43.8125	2004
22.01.2020 13:17:25	1	1	1	1	75	63.75	0	27440.758	251.6129032	7058.67964	30000	0	0	30000	43.75	2004
22.01.2020 13:17:26	1	1	1	1	75	63.75	0	0	0	0	30000	0	8	30000	44	2004
22.01.2020 13:17:27	1	1	1	1	74.75	64	0	10094.787	0	0	30000	0	0	30000	44.375	2004
22.01.2020 13:17:28	1	1	1	1	74.75	64.25	0	10853.081	0	0	30000	0	0	30000	43.75	2004
22.01.2020 13:17:29	1	1	1	1	74.75	63.75	0	11706.161	0	0	30000	0	0	30000	43.75	2004
22.01.2020 13:17:30	1	1	1	1	74.75	63.75	0	12464.455	0	0	30000	0	0	30000	43.75	2004
22.01.2020 13:17:31	1	1	1	1	74.75	63.75	0	13222.749	0	0	30000	0	0	30000	43.75	2004
22.01.2020 13:17:32	1	1	1	1	74.75	63.75	0	13981.043	4.301075269	59.52219172	30000	0	0	30000	43.8125	2004
22.01.2020 13:17:33	1	1	1	1	74.75	63.75	0	14786.73	6.451612903	95.39858125	30000	0	0	30000	43.75	2004
22.01.2020 13:17:34	1	1	1	1	74.75	63.75	0	15592.417	10.75268817	200.5816324	30000	0	0	30000	43.8125	2004
22.01.2020 13:17:35	1	1	1	1	74.75	63.75	0	16303.318	15.05376344	245.4271193	30000	0	0	30000	43.9375	2004
22.01.2020 13:17:36	1	1	1	1	74.75	63.75	0	17109.005	21.50537634	367.7329927	30000	0	0	30000	43.6875	2004
22.01.2020 13:17:37	1	1	1	1	74.75	63.5	0	17867.299	25.80645161	499.0079635	30000	0	0	30000	43.8125	2004
22.01.2020 13:17:38	1	1	1	1	74.75	63.75	0	18530.806	32.25806452	597.6680347	30000	0	0	30000	44.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 13:17:39	1	1	1	1	74.75	64	0	19431.28	43.01075269	791.7266871	30000	0	0	30000	43.8125	2004
22.01.2020 13:17:40	1	1	1	1	74.75	63.75	0	20189.573	51.61290323	1042.046041	30000	0	0	30000	43.6875	2004
22.01.2020 13:17:41	1	1	1	1	74.75	63.5	0	20900.474	58.06451613	1168.428777	30000	0	0	30000	43.625	2004
22.01.2020 13:17:42	1	1	1	1	74.75	63.5	0	21563.981	62.3655914	1443.209306	30000	0	0	30000	43.75	2004
22.01.2020 13:17:43	1	1	1	1	74.75	63.75	0	22511.848	75.2688172	1694.344033	30000	0	0	30000	43.6875	2004
22.01.2020 13:17:44	1	1	1	1	74.75	63.5	0	22796.209	81.72043011	1813.388416	30000	0	0	30000	43.875	2004
22.01.2020 13:17:45	1	1	1	1	74.75	63.75	0	22796.209	79.56989247	1764.466067	30000	0	0	30000	41.4375	2004
22.01.2020 13:17:46	1	1	1	1	74.5	61.25	0	22796.209	77.41935484	1813.388416	30000	0	0	30000	43.875	2004
22.01.2020 13:17:47	1	1	1	1	74.5	63.75	0	22843.602	79.56989247	1813.388416	30000	0	0	30000	43.8125	2004
22.01.2020 13:17:48	1	1	1	1	74.5	63.75	0	22796.209	79.56989247	1764.466067	30000	0	0	30000	43.875	2004
22.01.2020 13:17:49	1	1	1	1	74.5	63.75	0	22796.209	75.2688172	1764.466067	30000	0	0	30000	43.6875	2004
22.01.2020 13:17:50	1	1	1	1	74.5	63.5	0	22796.209	79.56989247	1813.388416	30000	0	0	30000	43.75	2004
22.01.2020 13:17:51	1	1	1	1	74.5	63.75	0	22796.209	79.56989247	1813.388416	30000	0	0	30000	43.75	2004
22.01.2020 13:17:52	1	1	1	1	74.5	63.75	0	22796.209	79.56989247	2018.046911	30000	0	0	30000	43.6875	2004
22.01.2020 13:17:53	1	1	1	1	74.5	63.5	0	22796.209	79.56989247	1813.388416	30000	0	0	30000	43.6875	2004
22.01.2020 13:17:54	1	1	1	1	74.5	63.5	0	22796.209	79.56989247	1764.466067	30000	0	0	30000	43.8125	2004
22.01.2020 13:18:01	1	1	1	1	73.75	63.5	0	22796.209	77.41935484	1813.388416	30000	0	0	30000	43.625	2004
22.01.2020 13:18:01	1	1	1	1	73.75	63.5	0	22796.209	77.41935484	1813.388416	30000	0	0	30000	43.625	2004
22.01.2020 13:18:01	1	1	1	1	73.75	63.5	0	22796.209	77.41935484	1813.388416	30000	0	0	30000	43.625	2004
22.01.2020 13:18:01	1	1	1	1	73.75	63.5	0	22796.209	77.41935484	1813.388416	30000	0	0	30000	43.625	2004
22.01.2020 13:18:01	1	1	1	1	73.75	63.5	0	22796.209	77.41935484	1813.388416	30000	0	0	30000	43.625	2004
22.01.2020 13:18:01	1	1	1	1	73.75	63.5	0	22796.209	77.41935484	1813.388416	30000	0	0	30000	43.625	2004
22.01.2020 13:18:02	1	1	1	1	73.75	63.5	0	22796.209	79.56989247	1813.388416	30000	0	0	30000	43.6875	2004
22.01.2020 13:18:03	1	1	1	1	73.75	63.5	0	22796.209	79.56989247	1813.388416	30000	0	0	30000	44.1875	2004
22.01.2020 13:18:04	1	1	1	1	73.75	64	0	22890.995	79.56989247	1820.726769	30000	0	0	30000	43.625	2004
22.01.2020 13:18:05	1	1	1	1	73.75	63.5	0	23554.502	88.17204301	2131.383687	30000	0	0	30000	44.1875	2004
22.01.2020 13:18:06	1	1	1	1	73.75	63.75	0	24502.37	103.2258065	2529.285462	30000	0	0	30000	43.6875	2004
22.01.2020 13:18:07	1	1	1	1	73.75	63.5	0	25213.27	124.7311828	3138.368711	30000	0	0	30000	43.75	2004
22.01.2020 13:18:08	1	1	1	1	73.75	63.75	0	25734.597	148.3870968	3873.834697	30000	0	0	30000	43.8125	2004
22.01.2020 13:18:09	1	1	1	1	73.75	63.75	0	25924.171	156.9892473	4124.969424	30000	0	0	30000	43.75	2004
22.01.2020 13:18:10	1	1	1	1	73.75	63.75	0	26113.744	161.2903226	4283.151686	30000	0	0	30000	43.5	2004
22.01.2020 13:18:11	1	1	1	1	73.75	63.5	0	25876.777	159.1397849	4181.230125	30000	0	0	30000	43.625	2004
22.01.2020 13:18:12	1	1	1	1	73.75	63.5	0	26540.284	174.1935484	4737.314163	30000	0	0	30000	43.75	2004
22.01.2020 13:18:13	1	1	1	1	73.75	63.75	0	27014.218	189.2473118	5112.385508	30000	0	0	30000	43.8125	2004
22.01.2020 13:18:14	1	1	1	1	73.75	63.75	0	27298.578	206.4516129	5283.613731	30000	0	0	30000	43.6875	2004
22.01.2020 13:18:15	1	1	1	1	73.75	63.5	0	27298.578	208.6021505	5694.561465	30000	0	0	30000	43.75	2004
22.01.2020 13:18:16	1	1	1	1	73.5	63.75	0	27298.578	206.4516129	5635.854646	30000	0	0	30000	43.5625	2004
22.01.2020 13:18:17	1	1	1	1	73.5	63.5	0	27345.972	206.4516129	5645.639116	30000	0	0	30000	43.75	2004
22.01.2020 13:18:18	1	1	1	1	73.5	63.75	0	27345.972	206.4516129	5645.639116	30000	0	0	30000	43.6875	2004
22.01.2020 13:18:19	1	1	1	1	73.5	63.5	0	27345.972	206.4516129	5645.639116	30000	0	0	30000	43.6875	2004
22.01.2020 13:18:20	1	1	1	1	73.5	63.5	0	27393.365	206.4516129	5645.639116	30000	0	0	30000	43.5	2004
22.01.2020 13:18:21	1	1	1	1	73.5	63.5	0	27345.972	208.6021505	5704.345935	30000	0	0	30000	43.6875	2004
22.01.2020 13:18:22	1	1	1	1	73.5	63.5	0	27345.972	206.4516129	5645.639116	30000	0	0	30000	43.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 13:18:23	1	1	1	1	73.5	63.25	0	27345.972	206.4516129	5655.423586	30000	0	0	30000	43.625	2004
22.01.2020 13:18:24	1	1	1	1	73.5	63.5	0	27440.758	193.5483871	5242.845106	30000	0	0	30000	43.625	2004
22.01.2020 13:18:25	1	1	1	1	73.5	63.5	0	27440.758	169.8924731	4645.177072	30000	0	0	30000	43.625	2004
22.01.2020 13:18:26	1	1	1	1	73.25	63.5	0	27345.972	165.5913978	4661.484522	30000	0	0	30000	43.6875	2004
22.01.2020 13:18:27	1	1	1	1	73.25	63.5	0	27440.758	169.8924731	4645.177072	30000	0	0	30000	43.8125	2004
22.01.2020 13:18:28	1	1	1	1	73.25	63.75	0	27440.758	178.4946237	4897.942543	30000	0	0	30000	43.6875	2004
22.01.2020 13:18:29	1	1	1	1	73.25	63.5	0	27440.758	169.8924731	4661.484522	30000	0	0	30000	43.5625	2004
22.01.2020 13:18:30	1	1	1	1	73.25	63.5	0	27440.758	167.7419355	4602.777702	30000	0	0	30000	43.5	2004
22.01.2020 13:18:31	1	1	1	1	73.25	63.5	0	27440.758	152.688172	4189.38385	30000	0	0	30000	43.5	2004
22.01.2020 13:18:32	1	1	1	1	73.25	63.5	0	27535.545	156.9892473	4307.612861	30000	0	0	30000	43.6875	2004
22.01.2020 13:18:33	1	1	1	1	73.25	63.5	0	27440.758	152.688172	4189.38385	30000	0	0	30000	43.6875	2004
22.01.2020 13:18:34	1	1	1	1	73.25	63.5	0	27440.758	152.688172	4500.040769	30000	0	0	30000	43.625	2004
22.01.2020 13:18:35	1	1	1	1	73.25	63.5	0	27440.758	163.4408602	4484.548691	30000	0	0	30000	43.25	2004
22.01.2020 13:18:36	1	1	1	1	73.25	63.25	0	27440.758	163.4408602	4484.548691	30000	0	0	30000	43.4375	2004
22.01.2020 13:18:37	1	1	1	1	73.25	63.25	0	27440.758	169.8924731	4661.484522	30000	0	0	30000	43.5625	2004
22.01.2020 13:18:38	1	1	1	1	73.25	63.5	0	27440.758	182.7956989	5074.878374	30000	0	0	30000	43.75	2004
22.01.2020 13:18:40	1	1	1	1	73.25	63.75	0	27582.938	193.5483871	5338.243688	30000	0	0	30000	43.5625	2004
22.01.2020 13:18:41	1	1	1	1	73.25	63.5	0	27535.545	206.4516129	5694.561465	30000	0	0	30000	43.625	2004
22.01.2020 13:18:42	1	1	1	1	73.25	63.5	0	27345.972	217.2043011	5997.880032	30000	0	0	30000	44	2004
22.01.2020 13:18:43	1	1	1	1	73.25	64	0	27298.578	234.4086022	6399.043296	30000	0	0	30000	43.625	2004
22.01.2020 13:18:44	1	1	1	1	73.25	63.5	0	27345.972	247.311828	6821.406246	30000	0	0	30000	43.5625	2004
22.01.2020 13:18:45	1	1	1	1	73.25	63	0	27440.758	255.9139785	6997.526703	30000	0	0	30000	43.625	2004
22.01.2020 13:18:46	1	1	1	1	73.25	63.5	0	27440.758	253.7634409	6963.281059	30000	0	0	30000	43.75	2004
22.01.2020 13:18:47	1	1	1	1	73.25	63.75	0	27440.758	253.7634409	6963.281059	30000	0	0	30000	43.375	2004
22.01.2020 13:18:48	1	1	1	1	73.25	63.25	0	27345.972	255.9139785	6997.526703	30000	0	0	30000	43.5625	2004
22.01.2020 13:18:49	1	1	1	1	73.25	63.5	0	27109.005	258.0645161	6937.189139	30000	0	0	30000	43.625	2004
22.01.2020 13:18:50	1	1	1	1	73.25	63.5	0	27440.758	258.0645161	7081.51007	30000	0	0	30000	43.5625	2004
22.01.2020 13:18:51	1	1	1	1	73.25	63.5	0	27298.578	251.6129032	6986.111489	30000	0	0	30000	43.5625	2004
22.01.2020 13:18:52	1	1	1	1	73.25	63.5	0	26966.825	255.9139785	6983.665371	30000	0	0	30000	43.5625	2004
22.01.2020 13:18:53	1	1	1	1	73.25	63.5	0	0	0	0	30000	0	8	30000	43.8125	2004
22.01.2020 13:18:54	1	1	1	1	73.25	63.75	0	10426.54	0	0	30000	0	0	30000	43.6875	2004
22.01.2020 13:18:55	1	1	1	1	73.25	63.5	0	11232.227	0	0	30000	0	0	30000	43.625	2004
22.01.2020 13:18:56	1	1	1	1	73.25	63.5	0	12085.308	0	0	30000	0	0	30000	43.6875	2004
22.01.2020 13:19:03	1	1	1	1	73.25	63.5	0	16492.891	25.80645161	430.5166744	30000	0	0	30000	43.5	2004
22.01.2020 13:19:03	1	1	1	1	73.25	63.5	0	16492.891	25.80645161	430.5166744	30000	0	0	30000	43.5	2004
22.01.2020 13:19:03	1	1	1	1	73.25	63.5	0	16492.891	25.80645161	430.5166744	30000	0	0	30000	43.5	2004
22.01.2020 13:19:03	1	1	1	1	73.25	63.5	0	16492.891	25.80645161	430.5166744	30000	0	0	30000	43.5	2004
22.01.2020 13:19:03	1	1	1	1	73.25	63.5	0	16492.891	25.80645161	430.5166744	30000	0	0	30000	43.5	2004
22.01.2020 13:19:03	1	1	1	1	73.25	63.5	0	16492.891	25.80645161	430.5166744	30000	0	0	30000	43.5	2004
22.01.2020 13:19:03	1	1	1	1	73.25	63.5	0	17393.365	32.25806452	560.9762727	30000	0	0	30000	43.625	2004
22.01.2020 13:19:04	1	1	1	1	73.25	63.5	0	18293.839	38.70967742	746.8812002	30000	0	0	30000	43.6875	2004
22.01.2020 13:19:05	1	1	1	1	73.25	63.5	0	18909.953	51.61290323	935.2322453	30000	0	0	30000	43.5625	2004
22.01.2020 13:19:06	1	1	1	1	73.5	63.5	0	19668.246	60.21505376	1141.521485	30000	0	0	30000	43.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 13:19:07	1	1	1	1	73.5	63.5	0	20473.934	66.66666667	1364.933547	30000	0	0	30000	43.5	2004
22.01.2020 13:19:08	1	1	1	1	73.5	63.5	0	21279.621	75.2688172	1601.391569	30000	0	0	30000	43.625	2004
22.01.2020 13:19:09	1	1	1	1	73.5	63.5	0	21800.948	81.72043011	1781.588889	30000	0	0	30000	43.5	2004
22.01.2020 13:19:10	1	1	1	1	73.5	63.5	0	21848.341	81.72043011	1836.218846	30000	0	0	30000	43.5625	2004
22.01.2020 13:19:11	1	1	1	1	73.5	63.5	0	21895.735	81.72043011	1741.635637	30000	0	0	30000	43.5625	2004
22.01.2020 13:19:12	1	1	1	1	73.5	63.5	0	21895.735	79.56989247	1788.927242	30000	0	0	30000	43.5	2004
22.01.2020 13:19:13	1	1	1	1	73.5	63.5	0	21895.735	79.56989247	1741.635637	30000	0	0	30000	43.6875	2004
22.01.2020 13:19:14	1	1	1	1	73.5	63.5	0	21943.128	83.87096774	1695.159405	30000	0	0	30000	43.4375	2004
22.01.2020 13:19:15	1	1	1	1	73.5	63.25	0	21895.735	75.2688172	1647.867801	30000	0	0	30000	43.5625	2004
22.01.2020 13:19:16	1	1	1	1	73	63.5	0	21895.735	75.2688172	1647.867801	30000	0	0	30000	43.5625	2004
22.01.2020 13:19:17	1	1	1	1	73	63.5	0	21895.735	75.2688172	1600.576197	30000	0	0	30000	43.5	2004
22.01.2020 13:19:19	1	1	1	1	73	63.5	0	21895.735	73.11827957	1647.867801	30000	0	0	30000	43.5625	2004
22.01.2020 13:19:20	1	1	1	1	73	63.5	0	21895.735	73.11827957	1647.867801	30000	0	0	30000	43.8125	2004
22.01.2020 13:19:21	1	1	1	1	73	63.75	0	21895.735	75.2688172	1600.576197	30000	0	0	30000	42.875	2004
22.01.2020 13:19:22	1	1	1	1	73	62.75	0	21895.735	73.11827957	1553.284592	30000	0	0	30000	44.0625	2004
22.01.2020 13:19:23	1	1	1	1	73	64	0	21895.735	70.96774194	1647.867801	30000	0	0	30000	43.9375	2004
22.01.2020 13:19:24	1	1	1	1	73	63.25	0	21895.735	66.66666667	1456.255266	30000	0	0	30000	43.375	2004
22.01.2020 13:19:25	1	1	1	1	73	63.25	0	21895.735	66.66666667	1459.516756	30000	0	0	30000	42.6875	2004
22.01.2020 13:19:26	1	1	1	1	73	62.5	0	21895.735	64.51612903	1459.516756	30000	0	0	30000	43.5	2004
22.01.2020 13:19:27	1	1	1	1	73	63.5	0	21895.735	66.66666667	1459.516756	30000	0	0	30000	43.5	2004
22.01.2020 13:19:28	1	1	1	1	73	63.5	0	21895.735	64.51612903	1459.516756	30000	0	0	30000	42.8125	2004
22.01.2020 13:19:29	1	1	1	1	73	62.75	0	21895.735	66.66666667	1459.516756	30000	0	0	30000	43.5	2004
22.01.2020 13:19:30	1	1	1	1	73	63.5	0	22417.062	70.96774194	1493.7624	30000	0	0	30000	43.5	2004
22.01.2020 13:19:31	1	1	1	1	73	63.5	0	23175.355	79.56989247	1843.557198	30000	0	0	30000	43.5625	2004
22.01.2020 13:19:32	1	1	1	1	73	63.5	0	23981.043	83.87096774	2010.708559	30000	0	0	30000	43.375	2004
22.01.2020 13:19:33	1	1	1	1	73	63.25	0	24739.336	105.3763441	2718.451879	30000	0	0	30000	43.5	2004
22.01.2020 13:19:34	1	1	1	1	73	63.5	0	24976.303	116.1290323	2900.279945	30000	0	0	30000	43.5	2004
22.01.2020 13:19:35	1	1	1	1	73	63.5	0	25118.483	120.4301075	3030.739543	30000	0	0	30000	43.4375	2004
22.01.2020 13:19:36	1	1	1	1	72.75	63.25	0	25355.45	122.5806452	3047.862365	30000	0	0	30000	43.6875	2004
22.01.2020 13:19:37	1	1	1	1	72.75	63.5	0	25450.237	120.4301075	3064.985187	30000	0	0	30000	43.625	2004
22.01.2020 13:19:38	1	1	1	1	72.75	63.5	0	25639.81	126.8817204	3142.445574	30000	0	0	30000	43.5	2004
22.01.2020 13:19:39	1	1	1	1	72.75	63.5	0	25829.384	129.0322581	3276.982035	30000	0	0	30000	43.5625	2004
22.01.2020 13:19:40	1	1	1	1	72.75	63.5	0	25876.777	129.0322581	3320.196777	30000	0	0	30000	43.5	2004
22.01.2020 13:19:41	1	1	1	1	72.75	63.5	0	25876.777	137.6344086	3568.070013	30000	0	0	30000	43.3125	2004
22.01.2020 13:19:42	1	1	1	1	72.75	63.25	0	25924.171	137.6344086	3568.070013	30000	0	0	30000	43.4375	2004
22.01.2020 13:19:43	1	1	1	1	72.75	63.25	0	25924.171	137.6344086	3568.070013	30000	0	0	30000	43.375	2004
22.01.2020 13:19:44	1	1	1	1	72.75	63.25	0	25924.171	137.6344086	3561.547033	30000	0	0	30000	43.5	2004
22.01.2020 13:19:45	1	1	1	1	72.75	63.5	0	25924.171	137.6344086	3568.070013	30000	0	0	30000	43.5	2004
22.01.2020 13:19:46	1	1	1	1	72.75	63.5	0	25924.171	137.6344086	3568.070013	30000	0	0	30000	43.5	2004
22.01.2020 13:19:47	1	1	1	1	72.75	63.5	0	25924.171	137.6344086	3568.070013	30000	0	0	30000	43.5	2004
22.01.2020 13:19:48	1	1	1	1	72.75	63.5	0	25876.777	137.6344086	3568.070013	30000	0	0	30000	43.25	2004
22.01.2020 13:19:49	1	1	1	1	72.75	63.25	0	25924.171	137.6344086	3568.070013	30000	0	0	30000	43.4375	2004
22.01.2020 13:19:50	1	1	1	1	72.75	63.25	0	26018.957	137.6344086	3568.070013	30000	0	0	30000	43.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 13:19:51	1	1	1	1	72.75	63.25	0	26018.957	137.6344086	3581.115973	30000	0	0	30000	43.5	2004
22.01.2020 13:19:52	1	1	1	1	72.75	63.5	0	26066.351	137.6344086	3581.115973	30000	0	0	30000	43.5625	2004
22.01.2020 13:19:53	1	1	1	1	72.75	63.5	0	25924.171	137.6344086	3568.070013	30000	0	0	30000	43.5625	2004
22.01.2020 13:19:54	1	1	1	1	72.75	63.5	0	26018.957	137.6344086	3568.070013	30000	0	0	30000	43.625	2004
22.01.2020 13:19:55	1	1	1	1	72.75	63.5	0	26018.957	137.6344086	3568.070013	30000	0	0	30000	43.4375	2004
22.01.2020 13:19:57	1	1	1	1	72.75	63.25	0	25924.171	137.6344086	3568.070013	30000	0	0	30000	43.5625	2004
22.01.2020 13:19:58	1	1	1	1	72.75	63.5	0	25924.171	137.6344086	3568.070013	30000	0	0	30000	43.6875	2004
22.01.2020 13:20:05	1	1	1	1	72.75	63.25	0	25734.597	152.688172	4039.355312	30000	0	0	30000	43.625	2004
22.01.2020 13:20:05	1	1	1	1	72.75	63.25	0	25734.597	152.688172	4039.355312	30000	0	0	30000	43.625	2004
22.01.2020 13:20:05	1	1	1	1	72.75	63.25	0	25734.597	152.688172	4039.355312	30000	0	0	30000	43.625	2004
22.01.2020 13:20:05	1	1	1	1	72.75	63.25	0	25734.597	152.688172	4039.355312	30000	0	0	30000	43.625	2004
22.01.2020 13:20:05	1	1	1	1	72.75	63.5	0	25734.597	156.9892473	4150.245971	30000	0	0	30000	43.4375	2004
22.01.2020 13:20:06	1	1	1	1	73	63.25	0	25592.417	156.9892473	3914.603321	30000	0	0	30000	43.4375	2004
22.01.2020 13:20:07	1	1	1	1	73	63.25	0	25687.204	156.9892473	4142.907618	30000	0	0	30000	43.5	2004
22.01.2020 13:20:08	1	1	1	1	73	63.5	0	25545.024	159.1397849	4010.001903	30000	0	0	30000	43.5	2004
22.01.2020 13:20:09	1	1	1	1	73	63.5	0	25450.237	156.9892473	4057.293507	30000	0	0	30000	43.625	2004
22.01.2020 13:20:10	1	1	1	1	73	63.5	0	25308.057	159.1397849	3972.494768	30000	0	0	30000	43.4375	2004
22.01.2020 13:20:11	1	1	1	1	73	63.25	0	25308.057	156.9892473	3965.156416	30000	0	0	30000	43.6875	2004
22.01.2020 13:20:12	1	1	1	1	73	63.5	0	25165.877	159.1397849	3950.479711	30000	0	0	30000	43.5	2004
22.01.2020 13:20:13	1	1	1	1	73	63.5	0	25213.27	156.9892473	3950.479711	30000	0	0	30000	43.375	2004
22.01.2020 13:20:14	1	1	1	1	73	63.25	0	25639.81	156.9892473	4142.907618	30000	0	0	30000	43.5625	2004
22.01.2020 13:20:15	1	1	1	1	73	63.5	0	25734.597	156.9892473	4039.355312	30000	0	0	30000	43.4375	2004
22.01.2020 13:20:16	1	1	1	1	73	63.25	0	25876.777	152.688172	3950.479711	30000	0	0	30000	43.625	2004
22.01.2020 13:20:17	1	1	1	1	73	63.5	0	26113.744	152.688172	3987.171473	30000	0	0	30000	43.5	2004
22.01.2020 13:20:18	1	1	1	1	73	63.5	0	26255.924	152.688172	4008.371158	30000	0	0	30000	43.5625	2004
22.01.2020 13:20:19	1	1	1	1	73	63.5	0	26113.744	148.3870968	4001.032805	30000	0	0	30000	43.625	2004
22.01.2020 13:20:20	1	1	1	1	73	63.5	0	26018.957	152.688172	3972.494768	30000	0	0	30000	43.375	2004
22.01.2020 13:20:21	1	1	1	1	73	63.25	0	26113.744	152.688172	3987.171473	30000	0	0	30000	43.625	2004
22.01.2020 13:20:22	1	1	1	1	73	63.5	0	26208.531	152.688172	4001.032805	30000	0	0	30000	43.375	2004
22.01.2020 13:20:23	1	1	1	1	73	63.25	0	26018.957	152.688172	3972.494768	30000	0	0	30000	42.9375	2004
22.01.2020 13:20:24	1	1	1	1	73	62.75	0	26113.744	152.688172	3987.171473	30000	0	0	30000	43.625	2004
22.01.2020 13:20:25	1	1	1	1	73	63.5	0	25924.171	156.9892473	4069.524094	30000	0	0	30000	43.5625	2004
22.01.2020 13:20:26	1	1	1	1	73	63.5	0	25734.597	152.688172	4094.800641	30000	0	0	30000	43.3125	2004
22.01.2020 13:20:27	1	1	1	1	73	63.25	0	25734.597	156.9892473	4039.355312	30000	0	0	30000	43.4375	2004
22.01.2020 13:20:28	1	1	1	1	73	63.25	0	25924.171	152.688172	3957.818063	30000	0	0	30000	43.5	2004
22.01.2020 13:20:29	1	1	1	1	73	63.5	0	25971.564	152.688172	3957.818063	30000	0	0	30000	43.4375	2004
22.01.2020 13:20:30	1	1	1	1	73	63.25	0	26113.744	152.688172	3979.83312	30000	0	0	30000	43.5	2004
22.01.2020 13:20:31	1	1	1	1	73	63.5	0	26208.531	152.688172	4001.032805	30000	0	0	30000	43.625	2004
22.01.2020 13:20:32	1	1	1	1	73	63.5	0	26208.531	152.688172	3987.171473	30000	0	0	30000	43.5	2004
22.01.2020 13:20:33	1	1	1	1	73	63.5	0	26350.711	152.688172	4023.047862	30000	0	0	30000	43.3125	2004
22.01.2020 13:20:35	1	1	1	1	73	63.25	0	26303.318	152.688172	4015.70951	30000	0	0	30000	43.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 13:21:20	1	1	1	1	72.5	63.25	0	26777.251	184.9462366	5076.509119	30000	0	0	30000	43.25	2004
22.01.2020 13:21:21	1	1	1	1	72.5	63.25	0	26919.431	184.9462366	5103.416411	30000	0	0	30000	43.3125	2004
22.01.2020 13:21:22	1	1	1	1	72.5	63.25	0	26966.825	184.9462366	5121.354605	30000	0	0	30000	43.4375	2004
22.01.2020 13:21:23	1	1	1	1	72.5	63.25	0	26919.431	189.2473118	5036.555867	30000	0	0	30000	43.25	2004
22.01.2020 13:21:24	1	1	1	1	72.5	63.25	0	26682.464	184.9462366	4934.634305	30000	0	0	30000	43.3125	2004
22.01.2020 13:21:25	1	1	1	1	72.5	63.25	0	26587.678	184.9462366	4934.634305	30000	0	0	30000	43.3125	2004
22.01.2020 13:21:26	1	1	1	1	72.75	63.25	0	26919.431	184.9462366	4978.66442	30000	0	0	30000	43.3125	2004
22.01.2020 13:21:27	1	1	1	1	72.75	63.25	0	27156.398	184.9462366	4963.987715	30000	0	0	30000	43.375	2004
22.01.2020 13:21:28	1	1	1	1	72.75	63.25	0	27109.005	184.9462366	5013.725437	30000	0	0	30000	43.375	2004
22.01.2020 13:21:29	1	1	1	1	72.75	63.25	0	27109.005	184.9462366	5071.616884	30000	0	0	30000	43.4375	2004
22.01.2020 13:21:30	1	1	1	1	72.75	63.25	0	26919.431	184.9462366	4920.772973	30000	0	0	30000	43.3125	2004
22.01.2020 13:21:31	1	1	1	1	72.75	63.25	0	27109.005	184.9462366	5004.75634	30000	0	0	30000	43.5625	2004
22.01.2020 13:21:32	1	1	1	1	72.75	63.5	0	27014.218	184.9462366	4995.787242	30000	0	0	30000	43.4375	2004
22.01.2020 13:21:33	1	1	1	1	72.75	63.25	0	27014.218	184.9462366	4986.818145	30000	0	0	30000	43.1875	2004
22.01.2020 13:21:34	1	1	1	1	72.75	63	0	26919.431	182.7956989	4978.66442	30000	0	0	30000	43.5625	2004
22.01.2020 13:21:35	1	1	1	1	72.75	63.5	0	26540.284	184.9462366	4916.696111	30000	0	0	30000	43.3125	2004
22.01.2020 13:21:36	1	1	1	1	72.75	63.25	0	26682.464	189.2473118	5049.601826	30000	0	0	30000	43.3125	2004
22.01.2020 13:21:37	1	1	1	1	72.75	63.25	0	26587.678	184.9462366	4916.696111	30000	0	0	30000	43.4375	2004
22.01.2020 13:21:38	1	1	1	1	72.75	63.25	0	26587.678	184.9462366	5049.601826	30000	0	0	30000	43.4375	2004
22.01.2020 13:21:39	1	1	1	1	72.75	63.25	0	26587.678	189.2473118	5031.663632	30000	0	0	30000	43.3125	2004
22.01.2020 13:21:40	1	1	1	1	72.75	63.25	0	26682.464	189.2473118	4934.634305	30000	0	0	30000	43.4375	2004
22.01.2020 13:21:41	1	1	1	1	72.75	63.25	0	26919.431	189.2473118	5094.447313	30000	0	0	30000	43.4375	2004
22.01.2020 13:21:42	1	1	1	1	72.75	63.25	0	26824.645	184.9462366	4951.757128	30000	0	0	30000	43.1875	2004
22.01.2020 13:21:43	1	1	1	1	72.75	63	0	26872.038	184.9462366	4969.695322	30000	0	0	30000	43.375	2004
22.01.2020 13:21:44	1	1	1	1	72.75	63.25	0	26824.645	184.9462366	4836.789607	30000	0	0	30000	43.375	2004
22.01.2020 13:21:45	1	1	1	1	72.75	63.25	0	26919.431	184.9462366	5036.555867	30000	0	0	30000	43.25	2004
22.01.2020 13:21:46	1	1	1	1	73	63.25	0	26872.038	180.6451613	5152.33876	30000	0	0	30000	43.125	2004
22.01.2020 13:21:47	1	1	1	1	73	63	0	26777.251	180.6451613	5027.586769	30000	0	0	30000	43.3125	2004
22.01.2020 13:21:49	1	1	1	1	73	63.25	0	26872.038	189.2473118	5076.509119	30000	0	0	30000	43.1875	2004
22.01.2020 13:21:50	1	1	1	1	73	63	0	26872.038	180.6451613	5036.555867	30000	0	0	30000	42.9375	2004
22.01.2020 13:21:51	1	1	1	1	73	62.75	0	26824.645	184.9462366	4960.726225	30000	0	0	30000	43.25	2004
22.01.2020 13:21:52	1	1	1	1	73	63.25	0	26919.431	184.9462366	4978.66442	30000	0	0	30000	43.4375	2004
22.01.2020 13:21:53	1	1	1	1	73	63.25	0	27109.005	184.9462366	5004.75634	30000	0	0	30000	43.1875	2004
22.01.2020 13:21:54	1	1	1	1	73	63	0	27535.545	217.2043011	5900.850705	30000	0	0	30000	43.875	2004
22.01.2020 13:21:55	1	1	1	1	73	63.75	0	27630.332	215.0537634	6001.141521	30000	0	0	30000	43.5	2004
22.01.2020 13:21:56	1	1	1	1	73	63.5	0	27914.692	217.2043011	6052.509988	30000	0	0	30000	43.1875	2004
22.01.2020 13:21:57	1	1	1	1	72.75	63	0	27867.299	215.0537634	5932.650232	30000	0	0	30000	43.75	2004
22.01.2020 13:21:58	1	1	1	1	72.75	63.5	0	27962.085	217.2043011	6063.109831	30000	0	0	30000	43.3125	2004
22.01.2020 13:21:59	1	1	1	1	72.75	63.25	0	27867.299	219.3548387	5932.650232	30000	0	0	30000	43.4375	2004
22.01.2020 13:22:00	1	1	1	1	72.75	63.25	0	27914.692	212.9032258	6002.772266	30000	0	0	30000	42.625	2004
22.01.2020 13:22:01	1	1	1	1	72.75	62.5	0	28009.479	215.0537634	6063.925203	30000	0	0	30000	43.4375	2004
22.01.2020 13:22:08	1	1	1	1	72.75	63.25	0	28199.052	212.9032258	6023.156579	30000	0	0	30000	43.4375	2004
22.01.2020 13:22:08	1	1	1	1	72.75	63.25	0	28199.052	212.9032258	6023.156579	30000	0	0	30000	43.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 13:22:08	1	1	1	1	72.75	63.25	0	28199.052	212.9032258	6023.156579	30000	0	0	30000	43.4375	2004
22.01.2020 13:22:08	1	1	1	1	72.75	63.25	0	28199.052	212.9032258	6023.156579	30000	0	0	30000	43.4375	2004
22.01.2020 13:22:08	1	1	1	1	72.75	63.25	0	28199.052	212.9032258	6023.156579	30000	0	0	30000	43.4375	2004
22.01.2020 13:22:08	1	1	1	1	72.75	63.25	0	28199.052	212.9032258	6023.156579	30000	0	0	30000	43.4375	2004
22.01.2020 13:22:08	1	1	1	1	72.75	63.25	0	28009.479	212.9032258	6003.587639	30000	0	0	30000	43.1875	2004
22.01.2020 13:22:09	1	1	1	1	72.75	63	0	28009.479	215.0537634	5962.819014	30000	0	0	30000	43.1875	2004
22.01.2020 13:22:10	1	1	1	1	72.75	63	0	27630.332	215.0537634	5941.61933	30000	0	0	30000	43.375	2004
22.01.2020 13:22:11	1	1	1	1	72.75	63.25	0	27630.332	212.9032258	6001.141521	30000	0	0	30000	43.4375	2004
22.01.2020 13:22:12	1	1	1	1	72.75	63.25	0	27630.332	217.2043011	6001.141521	30000	0	0	30000	43.3125	2004
22.01.2020 13:22:13	1	1	1	1	72.75	63.25	0	27582.938	217.2043011	5980.757209	30000	0	0	30000	43.3125	2004
22.01.2020 13:22:14	1	1	1	1	72.75	63.25	0	27725.118	217.2043011	6102.24771	30000	0	0	30000	43.4375	2004
22.01.2020 13:22:15	1	1	1	1	72.75	63.25	0	27630.332	219.3548387	6060.663713	30000	0	0	30000	43.375	2004
22.01.2020 13:22:16	1	1	1	1	72.5	63.25	0	27630.332	217.2043011	6001.141521	30000	0	0	30000	43.125	2004
22.01.2020 13:22:17	1	1	1	1	72.5	63	0	27819.905	215.0537634	5922.865763	30000	0	0	30000	43.4375	2004
22.01.2020 13:22:18	1	1	1	1	72.5	63.25	0	27630.332	215.0537634	6041.910146	30000	0	0	30000	43.3125	2004
22.01.2020 13:22:19	1	1	1	1	72.5	63.25	0	27630.332	215.0537634	6041.910146	30000	0	0	30000	43.0625	2004
22.01.2020 13:22:20	1	1	1	1	72.5	63	0	28009.479	215.0537634	6023.156579	30000	0	0	30000	43.4375	2004
22.01.2020 13:22:21	1	1	1	1	72.5	63.25	0	27819.905	215.0537634	5982.387954	30000	0	0	30000	43.3125	2004
22.01.2020 13:22:22	1	1	1	1	72.5	63.25	0	27630.332	217.2043011	6001.141521	30000	0	0	30000	43.25	2004
22.01.2020 13:22:23	1	1	1	1	72.5	63.25	0	27772.512	217.2043011	5882.097138	30000	0	0	30000	43.3125	2004
22.01.2020 13:22:24	1	1	1	1	72.5	63.25	0	27630.332	215.0537634	6001.141521	30000	0	0	30000	43.1875	2004
22.01.2020 13:22:25	1	1	1	1	72.5	63	0	27582.938	217.2043011	5990.541679	30000	0	0	30000	43.375	2004
22.01.2020 13:22:27	1	1	1	1	72.5	63.25	0	27440.758	219.3548387	6019.079716	30000	0	0	30000	43.375	2004
22.01.2020 13:22:28	1	1	1	1	72.5	63.25	0	27440.758	219.3548387	5939.173212	30000	0	0	30000	43.3125	2004
22.01.2020 13:22:29	1	1	1	1	72.5	63.25	0	27345.972	212.9032258	6019.079716	30000	0	0	30000	43.25	2004
22.01.2020 13:22:30	1	1	1	1	72.5	63.25	0	27440.758	219.3548387	5997.880032	30000	0	0	30000	43.25	2004
22.01.2020 13:22:31	1	1	1	1	72.5	63.25	0	27582.938	217.2043011	6120.185905	30000	0	0	30000	43.4375	2004
22.01.2020 13:22:32	1	1	1	1	72.5	63.25	0	27630.332	219.3548387	5990.541679	30000	0	0	30000	43.6875	2004
22.01.2020 13:22:33	1	1	1	1	72.5	63.5	0	27535.545	215.0537634	5959.557525	30000	0	0	30000	43.3125	2004
22.01.2020 13:22:34	1	1	1	1	72.5	63.25	0	27914.692	221.5053763	6112.847553	30000	0	0	30000	43.125	2004
22.01.2020 13:22:35	1	1	1	1	72.5	63	0	27819.905	217.2043011	6041.910146	30000	0	0	30000	43.4375	2004
22.01.2020 13:22:36	1	1	1	1	72.75	63.25	0	27867.299	212.9032258	5932.650232	30000	0	0	30000	43.25	2004
22.01.2020 13:22:37	1	1	1	1	72.75	63.25	0	27440.758	217.2043011	5842.143886	30000	0	0	30000	43.5	2004
22.01.2020 13:22:38	1	1	1	1	72.75	63.5	0	27630.332	217.2043011	6001.141521	30000	0	0	30000	43.375	2004
22.01.2020 13:22:39	1	1	1	1	72.75	63.25	0	27630.332	219.3548387	6060.663713	30000	0	0	30000	43.4375	2004
22.01.2020 13:22:40	1	1	1	1	72.75	63.25	0	27867.299	212.9032258	6063.109831	30000	0	0	30000	43.3125	2004
22.01.2020 13:22:41	1	1	1	1	72.75	63.25	0	27867.299	217.2043011	6052.509988	30000	0	0	30000	43.4375	2004
22.01.2020 13:22:42	1	1	1	1	72.75	63.25	0	28009.479	219.3548387	6083.494143	30000	0	0	30000	43.375	2004
22.01.2020 13:22:43	1	1	1	1	72.75	63.25	0	28578.199	210.7526882	5951.4038	30000	0	0	30000	43.3125	2004
22.01.2020 13:22:44	1	1	1	1	72.75	63.25	0	28199.052	210.7526882	6003.587639	30000	0	0	30000	43.3125	2004
22.01.2020 13:22:45	1	1	1	1	72.75	63.25	0	28009.479	215.0537634	5842.143886	30000	0	0	30000	43.1875	2004
22.01.2020 13:22:46	1	1	1	1	72.5	63	0	27819.905	215.0537634	5982.387954	30000	0	0	30000	43	2004
22.01.2020 13:22:47	1	1	1	1	72.5	63	0	27772.512	215.0537634	6041.910146	30000	0	0	30000	43.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 13:22:48	1	1	1	1	72.5	63.25	0	27630.332	219.3548387	5990.541679	30000	0	0	30000	43.3125	2004
22.01.2020 13:22:49	1	1	1	1	72.5	63.25	0	27440.758	217.2043011	6019.079716	30000	0	0	30000	43.3125	2004
22.01.2020 13:22:50	1	1	1	1	72.5	63.25	0	27440.758	219.3548387	5997.880032	30000	0	0	30000	42.8125	2004
22.01.2020 13:22:51	1	1	1	1	72.5	62.75	0	27582.938	219.3548387	6120.185905	30000	0	0	30000	43.3125	2004
22.01.2020 13:22:52	1	1	1	1	72.5	63.25	0	27345.972	219.3548387	5997.880032	30000	0	0	30000	43.375	2004
22.01.2020 13:22:53	1	1	1	1	72.5	63.25	0	27582.938	234.4086022	6465.088468	30000	0	0	30000	43.375	2004
22.01.2020 13:22:54	1	1	1	1	72.5	63.25	0	28009.479	249.4623656	7047.264425	30000	0	0	30000	43.3125	2004
22.01.2020 13:22:55	1	1	1	1	72.5	63.25	0	27630.332	253.7634409	7011.388036	30000	0	0	30000	43.1875	2004
22.01.2020 13:22:56	1	1	1	1	73	63	0	28009.479	249.4623656	6866.251733	30000	0	0	30000	43.25	2004
22.01.2020 13:22:57	1	1	1	1	73	63.25	0	27630.332	251.6129032	7011.388036	30000	0	0	30000	43	2004
22.01.2020 13:22:58	1	1	1	1	73	63	0	27630.332	255.9139785	7070.910227	30000	0	0	30000	43.3125	2004
22.01.2020 13:22:59	1	1	1	1	73	63.25	0	27440.758	253.7634409	6963.281059	30000	0	0	30000	43.25	2004
22.01.2020 13:23:00	1	1	1	1	73	63.25	0	27440.758	253.7634409	7081.51007	30000	0	0	30000	43.1875	2004
22.01.2020 13:23:01	1	1	1	1	73	63	0	27298.578	258.0645161	6986.111489	30000	0	0	30000	43.25	2004
22.01.2020 13:23:02	1	1	1	1	73	63.25	0	27109.005	253.7634409	7008.126546	30000	0	0	30000	43.125	2004
22.01.2020 13:23:09	1	1	1	1	73.25	63.25	0	27109.005	258.0645161	7066.017993	30000	0	0	30000	43.25	2004
22.01.2020 13:23:09	1	1	1	1	73.25	63.25	0	27109.005	258.0645161	7066.017993	30000	0	0	30000	43.25	2004
22.01.2020 13:23:09	1	1	1	1	73.25	63.25	0	27109.005	258.0645161	7066.017993	30000	0	0	30000	43.25	2004
22.01.2020 13:23:09	1	1	1	1	73.25	63.25	0	27109.005	258.0645161	7066.017993	30000	0	0	30000	43.25	2004
22.01.2020 13:23:09	1	1	1	1	73.25	63.25	0	27109.005	258.0645161	7066.017993	30000	0	0	30000	43.25	2004
22.01.2020 13:23:09	1	1	1	1	73.25	63.25	0	27109.005	258.0645161	7066.017993	30000	0	0	30000	43.25	2004
22.01.2020 13:23:10	1	1	1	1	73.25	63.25	0	26966.825	258.0645161	7041.556818	30000	0	0	30000	43.125	2004
22.01.2020 13:23:11	1	1	1	1	73.25	63	0	26966.825	258.0645161	6959.204196	30000	0	0	30000	43.3125	2004
22.01.2020 13:23:12	1	1	1	1	73.25	63.25	0	27014.218	258.0645161	6959.204196	30000	0	0	30000	43.125	2004
22.01.2020 13:23:13	1	1	1	1	73.25	63	0	27061.611	262.3655914	7041.556818	30000	0	0	30000	43.6875	2004
22.01.2020 13:23:14	1	1	1	1	73.25	63.5	0	26824.645	260.2150538	6979.588509	30000	0	0	30000	43.6875	2004
22.01.2020 13:23:15	1	1	1	1	73.25	63.5	0	27109.005	258.0645161	7044.818308	30000	0	0	30000	43.375	2004
22.01.2020 13:23:16	1	1	1	1	73	63	0	27630.332	258.0645161	7070.910227	30000	0	0	30000	43.1875	2004
22.01.2020 13:23:17	1	1	1	1	73	63	0	28009.479	251.6129032	7047.264425	30000	0	0	30000	43.3125	2004
22.01.2020 13:23:18	1	1	1	1	73	63.25	0	27867.299	251.6129032	7023.618623	30000	0	0	30000	43.4375	2004
22.01.2020 13:23:19	1	1	1	1	73	63.25	0	28009.479	251.6129032	7047.264425	30000	0	0	30000	43.125	2004
22.01.2020 13:23:20	1	1	1	1	73	63	0	27962.085	247.311828	6975.511646	30000	0	0	30000	43.0625	2004
22.01.2020 13:23:21	1	1	1	1	73	63	0	27962.085	251.6129032	7035.033838	30000	0	0	30000	43.3125	2004
22.01.2020 13:23:22	1	1	1	1	73	63.25	0	28578.199	245.1612903	7067.648738	30000	0	0	30000	43.1875	2004
22.01.2020 13:23:23	1	1	1	1	73	63	0	28862.559	240.8602151	7013.834153	30000	0	0	30000	43.3125	2004
22.01.2020 13:23:24	1	1	1	1	73	63.25	0	28815.166	240.8602151	6940.450629	30000	0	0	30000	42.875	2004
22.01.2020 13:23:25	1	1	1	1	73	62.75	0	28578.199	245.1612903	7067.648738	30000	0	0	30000	43.25	2004
22.01.2020 13:23:26	1	1	1	1	72.75	63.25	0	28483.412	245.1612903	6921.697062	30000	0	0	30000	43.375	2004
22.01.2020 13:23:27	1	1	1	1	72.75	63.25	0	28483.412	245.1612903	6982.849999	30000	0	0	30000	43.375	2004
22.01.2020 13:23:28	1	1	1	1	72.75	63.25	0	28388.626	245.1612903	7020.357133	30000	0	0	30000	43.25	2004
22.01.2020 13:23:29	1	1	1	1	72.75	63.25	0	28388.626	245.1612903	7008.941918	30000	0	0	30000	43.4375	2004
22.01.2020 13:23:30	1	1	1	1	72.75	63.25	0	28199.052	247.311828	7034.218465	30000	0	0	30000	43.25	2004
22.01.2020 13:23:31	1	1	1	1	72.75	63.25	0	28199.052	249.4623656	6973.880901	30000	0	0	30000	43.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 13:23:32	1	1	1	1	72.75	63.25	0	28199.052	243.0107527	6912.727965	30000	0	0	30000	43.25	2004
22.01.2020 13:23:33	1	1	1	1	72.75	63.25	0	28862.559	243.0107527	7036.664583	30000	0	0	30000	43.25	2004
22.01.2020 13:23:34	1	1	1	1	72.75	63.25	0	28957.346	240.8602151	6974.696274	30000	0	0	30000	43.25	2004
22.01.2020 13:23:35	1	1	1	1	72.75	63.25	0	28957.346	240.8602151	6911.912592	30000	0	0	30000	43.375	2004
22.01.2020 13:23:36	1	1	1	1	72.75	63.25	0	29052.133	240.8602151	7008.941918	30000	0	0	30000	43.125	2004
22.01.2020 13:23:37	1	1	1	1	72.75	63	0	28957.346	240.8602151	6974.696274	30000	0	0	30000	43.125	2004
22.01.2020 13:23:38	1	1	1	1	72.75	63	0	29004.739	240.8602151	6997.526703	30000	0	0	30000	43.125	2004
22.01.2020 13:23:39	1	1	1	1	72.75	63	0	29052.133	240.8602151	6997.526703	30000	0	0	30000	43.125	2004
22.01.2020 13:23:40	1	1	1	1	72.75	63	0	29052.133	240.8602151	7008.941918	30000	0	0	30000	43.25	2004
22.01.2020 13:23:41	1	1	1	1	72.75	63.25	0	29099.526	240.8602151	7070.910227	30000	0	0	30000	43.1875	2004
22.01.2020 13:23:42	1	1	1	1	72.75	63	0	28862.559	240.8602151	6951.865844	30000	0	0	30000	43.25	2004
22.01.2020 13:23:43	1	1	1	1	72.75	63.25	0	28815.166	243.0107527	6940.450629	30000	0	0	30000	43.125	2004
22.01.2020 13:23:44	1	1	1	1	72.75	63	0	28815.166	243.0107527	7002.418938	30000	0	0	30000	43.3125	2004
22.01.2020 13:23:46	1	1	1	1	72.75	63.25	0	28672.986	245.1612903	7002.418938	30000	0	0	30000	43.375	2004
22.01.2020 13:23:47	1	1	1	1	72.25	63.25	0	28578.199	240.8602151	6944.527492	30000	0	0	30000	43.125	2004
22.01.2020 13:23:48	1	1	1	1	72.25	63	0	28388.626	243.0107527	7154.893594	30000	0	0	30000	43.375	2004
22.01.2020 13:23:49	1	1	1	1	72.25	63.25	0	28436.019	245.1612903	6898.05126	30000	0	0	30000	43.25	2004
22.01.2020 13:23:50	1	1	1	1	72.25	63.25	0	28436.019	245.1612903	6837.713696	30000	0	0	30000	43.1875	2004
22.01.2020 13:23:51	1	1	1	1	72.25	63	0	28341.232	243.0107527	6959.204196	30000	0	0	30000	43.125	2004
22.01.2020 13:23:52	1	1	1	1	72.25	63	0	28483.412	245.1612903	6982.849999	30000	0	0	30000	43.6875	2004
22.01.2020 13:23:53	1	1	1	1	72.25	63.5	0	28625.592	245.1612903	7017.911016	30000	0	0	30000	43.25	2004
22.01.2020 13:23:54	1	1	1	1	72.25	63	0	28957.346	275.2688172	8033.049765	30000	0	0	30000	43.375	2004
22.01.2020 13:23:55	1	1	1	1	72.25	63.25	0	28862.559	275.2688172	8020.003805	30000	0	0	30000	43.125	2004
22.01.2020 13:23:56	1	1	1	1	72.25	63	0	29146.919	275.2688172	8023.265295	30000	0	0	30000	43.25	2004
22.01.2020 13:23:57	1	1	1	1	72.25	63.25	0	28957.346	275.2688172	7971.081456	30000	0	0	30000	43.1875	2004
22.01.2020 13:23:58	1	1	1	1	72.25	63	0	29146.919	275.2688172	7960.481613	30000	0	0	30000	43.125	2004
22.01.2020 13:23:59	1	1	1	1	72.25	63	0	29146.919	275.2688172	7960.481613	30000	0	0	30000	43.1875	2004
22.01.2020 13:24:00	1	1	1	1	72.25	63	0	29241.706	275.2688172	7985.758161	30000	0	0	30000	43.1875	2004
22.01.2020 13:24:01	1	1	1	1	72.25	63	0	29526.066	277.4193548	8064.033919	30000	0	0	30000	43.1875	2004
22.01.2020 13:24:02	1	1	1	1	72.25	63	0	0	0	0	30000	0	8	30000	43.375	2004
22.01.2020 13:24:03	1	1	1	1	72.25	63.25	0	10947.867	4.301075269	46.47623189	30000	0	0	30000	43.375	2004
22.01.2020 13:24:04	1	1	1	1	72.25	63.25	0	10853.081	0	0	30000	0	0	30000	43.3125	2004
22.01.2020 13:24:11	1	1	1	1	72.75	63.25	0	15450.237	10.75268817	165.5206153	30000	0	0	30000	43.25	2004
22.01.2020 13:24:11	1	1	1	1	72.75	63.25	0	15450.237	10.75268817	165.5206153	30000	0	0	30000	43.25	2004
22.01.2020 13:24:11	1	1	1	1	72.75	63.25	0	15450.237	10.75268817	165.5206153	30000	0	0	30000	43.25	2004
22.01.2020 13:24:11	1	1	1	1	72.75	63.25	0	15450.237	10.75268817	165.5206153	30000	0	0	30000	43.25	2004
22.01.2020 13:24:11	1	1	1	1	72.75	63.25	0	15450.237	10.75268817	165.5206153	30000	0	0	30000	43.25	2004
22.01.2020 13:24:11	1	1	1	1	72.75	63.25	0	15450.237	10.75268817	165.5206153	30000	0	0	30000	43.25	2004
22.01.2020 13:24:11	1	1	1	1	72.75	63.25	0	16161.137	15.05376344	243.7963743	30000	0	0	30000	43.1875	2004
22.01.2020 13:24:12	1	1	1	1	72.75	63	0	16966.825	21.50537634	401.1632648	30000	0	0	30000	43.375	2004
22.01.2020 13:24:13	1	1	1	1	72.75	63.25	0	17772.512	27.95698925	534.884353	30000	0	0	30000	43.1875	2004
22.01.2020 13:24:14	1	1	1	1	72.75	63	0	18530.806	38.70967742	756.6656701	30000	0	0	30000	43.25	2004
22.01.2020 13:24:15	1	1	1	1	72.75	63.25	0	19289.1	51.61290323	995.5698095	30000	0	0	30000	43.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 13:24:16	1	1	1	1	73	63	0	20000	55.91397849	1117.875683	30000	0	0	30000	43.125	2004
22.01.2020 13:24:17	1	1	1	1	73	63	0	20758.294	62.3655914	1249.966026	30000	0	0	30000	43.1875	2004
22.01.2020 13:24:18	1	1	1	1	73	63	0	21706.161	70.96774194	1437.501699	30000	0	0	30000	43.1875	2004
22.01.2020 13:24:19	1	1	1	1	73	63	0	22369.668	75.2688172	1735.112657	30000	0	0	30000	43.25	2004
22.01.2020 13:24:20	1	1	1	1	73	63.25	0	23080.569	83.87096774	1935.69429	30000	0	0	30000	43.1875	2004
22.01.2020 13:24:21	1	1	1	1	73	63	0	23791.469	92.47311828	2203.951839	30000	0	0	30000	43.1875	2004
22.01.2020 13:24:22	1	1	1	1	73	63	0	24502.37	105.3763441	2519.500992	30000	0	0	30000	43.1875	2004
22.01.2020 13:24:23	1	1	1	1	73	63	0	24597.156	109.6774194	2591.253771	30000	0	0	30000	43.1875	2004
22.01.2020 13:24:25	1	1	1	1	73	63	0	24597.156	111.827957	2697.252195	30000	0	0	30000	43.125	2004
22.01.2020 13:24:26	1	1	1	1	73	63	0	24597.156	116.1290323	2856.24983	30000	0	0	30000	43.25	2004
22.01.2020 13:24:27	1	1	1	1	73	63.25	0	24597.156	120.4301075	2962.248254	30000	0	0	30000	43.1875	2004
22.01.2020 13:24:28	1	1	1	1	73	63	0	24597.156	122.5806452	3014.432093	30000	0	0	30000	43.0625	2004
22.01.2020 13:24:29	1	1	1	1	73	63	0	24597.156	120.4301075	3014.432093	30000	0	0	30000	43.1875	2004
22.01.2020 13:24:30	1	1	1	1	73	63	0	24597.156	120.4301075	3014.432093	30000	0	0	30000	41.875	2004
22.01.2020 13:24:31	1	1	1	1	73	61.75	0	24597.156	124.7311828	3120.430517	30000	0	0	30000	43.375	2004
22.01.2020 13:24:32	1	1	1	1	73	63.25	0	24644.55	126.8817204	3120.430517	30000	0	0	30000	43.5625	2004
22.01.2020 13:24:33	1	1	1	1	73	63.25	0	24597.156	126.8817204	3173.429728	30000	0	0	30000	43.125	2004
22.01.2020 13:24:34	1	1	1	1	73	63	0	24597.156	124.7311828	3067.431305	30000	0	0	30000	43.25	2004
22.01.2020 13:24:35	1	1	1	1	73	63.25	0	24597.156	122.5806452	3067.431305	30000	0	0	30000	43.1875	2004
22.01.2020 13:24:36	1	1	1	1	73	63	0	24597.156	137.6344086	3385.426576	30000	0	0	30000	43.0625	2004
22.01.2020 13:24:37	1	1	1	1	73	63	0	24597.156	124.7311828	3120.430517	30000	0	0	30000	43.125	2004
22.01.2020 13:24:38	1	1	1	1	73	63	0	24597.156	120.4301075	2962.248254	30000	0	0	30000	42.5	2004
22.01.2020 13:24:39	1	1	1	1	73	62.5	0	24597.156	120.4301075	2962.248254	30000	0	0	30000	43.125	2004
22.01.2020 13:24:40	1	1	1	1	73	63	0	24597.156	120.4301075	2962.248254	30000	0	0	30000	43.25	2004
22.01.2020 13:24:41	1	1	1	1	73	63.25	0	24597.156	120.4301075	2856.24983	30000	0	0	30000	43.0625	2004
22.01.2020 13:24:42	1	1	1	1	73	63	0	24597.156	116.1290323	2856.24983	30000	0	0	30000	43.0625	2004
22.01.2020 13:24:43	1	1	1	1	73	63	0	24976.303	122.5806452	3180.768081	30000	0	0	30000	43.125	2004
22.01.2020 13:24:44	1	1	1	1	73	63	0	25734.597	139.7849462	3610.469383	30000	0	0	30000	43.125	2004
22.01.2020 13:24:45	1	1	1	1	73	63	0	26492.891	152.688172	4052.401272	30000	0	0	30000	43.25	2004
22.01.2020 13:24:46	1	1	1	1	72.75	63.25	0	27440.758	169.8924731	4645.177072	30000	0	0	30000	43.1875	2004
22.01.2020 13:24:47	1	1	1	1	72.75	63	0	27772.512	184.9462366	5050.417199	30000	0	0	30000	43.0625	2004
22.01.2020 13:24:48	1	1	1	1	72.75	63	0	27819.905	189.2473118	5264.860164	30000	0	0	30000	43.1875	2004
22.01.2020 13:24:49	1	1	1	1	72.75	63	0	27535.545	206.4516129	5684.776996	30000	0	0	30000	43.1875	2004
22.01.2020 13:24:50	1	1	1	1	72.75	63	0	27345.972	206.4516129	5645.639116	30000	0	0	30000	43.3125	2004
22.01.2020 13:24:51	1	1	1	1	72.75	63.25	0	27914.692	221.5053763	6112.847553	30000	0	0	30000	43.1875	2004
22.01.2020 13:24:52	1	1	1	1	72.75	63	0	27630.332	234.4086022	6476.503683	30000	0	0	30000	43.125	2004
22.01.2020 13:24:53	1	1	1	1	72.75	63	0	27962.085	249.4623656	6975.511646	30000	0	0	30000	43	2004
22.01.2020 13:24:54	1	1	1	1	72.75	63	0	28199.052	264.516129	7459.027532	30000	0	0	30000	42.625	2004
22.01.2020 13:24:55	1	1	1	1	72.75	62.5	0	28293.839	279.5698925	7922.974479	30000	0	0	30000	43.25	2004
22.01.2020 13:24:56	1	1	1	1	72.75	63.25	0	0	0	0	30000	0	8	30000	43.3125	2004
22.01.2020 13:24:57	1	1	1	1	72.75	63.25	0	10094.787	0	0	30000	0	0	30000	43.5	2004
22.01.2020 13:24:58	1	1	1	1	72.75	63.5	0	10853.081	0	0	30000	0	0	30000	43.1875	2004
22.01.2020 13:24:59	1	1	1	1	72.75	63	0	11611.374	0	0	30000	0	0	30000	43.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 13:25:00	1	1	1	1	72.75	63	0	12417.062	0	0	30000	0	0	30000	43.1875	2004
22.01.2020 13:25:01	1	1	1	1	72.75	63	0	13222.749	0	0	30000	0	0	30000	43.0625	2004
22.01.2020 13:25:03	1	1	1	1	72.75	63	0	13933.649	4.301075269	59.52219172	30000	0	0	30000	43.125	2004
22.01.2020 13:25:04	1	1	1	1	72.75	63	0	14691.943	8.602150538	94.58320876	30000	0	0	30000	43.3125	2004
22.01.2020 13:25:05	1	1	1	1	72.75	63.25	0	15497.63	12.90322581	199.7662599	30000	0	0	30000	43	2004
22.01.2020 13:25:06	1	1	1	1	72.75	63	0	16255.924	15.05376344	244.6117468	30000	0	0	30000	43.0625	2004
22.01.2020 13:25:13	1	1	1	1	71.5	63	0	20853.081	62.3655914	1300.51912	30000	0	0	30000	43.25	2004
22.01.2020 13:25:13	1	1	1	1	71.5	63	0	20853.081	62.3655914	1300.51912	30000	0	0	30000	43.25	2004
22.01.2020 13:25:13	1	1	1	1	71.5	63	0	20853.081	62.3655914	1300.51912	30000	0	0	30000	43.25	2004
22.01.2020 13:25:13	1	1	1	1	71.5	63	0	20853.081	62.3655914	1300.51912	30000	0	0	30000	43.25	2004
22.01.2020 13:25:13	1	1	1	1	71.5	63.25	0	21563.981	70.96774194	1637.267959	30000	0	0	30000	43.125	2004
22.01.2020 13:25:14	1	1	1	1	71.5	63.5	0	22417.062	81.72043011	1783.219634	30000	0	0	30000	43.125	2004
22.01.2020 13:25:15	1	1	1	1	71.5	63	0	23175.355	90.32258065	2043.323458	30000	0	0	30000	43.0625	2004
22.01.2020 13:25:16	1	1	1	1	70.5	63	0	23554.502	96.77419355	2278.966108	30000	0	0	30000	43.0625	2004
22.01.2020 13:25:17	1	1	1	1	70.5	63	0	23601.896	98.92473118	2431.440763	30000	0	0	30000	43.1875	2004
22.01.2020 13:25:18	1	1	1	1	70.5	63	0	23554.502	103.2258065	2431.440763	30000	0	0	30000	42.9375	2004
22.01.2020 13:25:19	1	1	1	1	70.5	62.75	0	23554.502	103.2258065	2278.966108	30000	0	0	30000	43.1875	2004
22.01.2020 13:25:20	1	1	1	1	70.5	63	0	23507.109	92.47311828	2228.413013	30000	0	0	30000	43.125	2004
22.01.2020 13:25:21	1	1	1	1	70.5	63	0	23554.502	94.62365591	2177.859919	30000	0	0	30000	43.1875	2004
22.01.2020 13:25:22	1	1	1	1	70.5	63	0	23554.502	94.62365591	2177.859919	30000	0	0	30000	43.25	2004
22.01.2020 13:25:23	1	1	1	1	70.5	63.25	0	23554.502	94.62365591	2228.413013	30000	0	0	30000	43.3125	2004
22.01.2020 13:25:24	1	1	1	1	70.5	63.25	0	23554.502	92.47311828	2177.859919	30000	0	0	30000	43.125	2004
22.01.2020 13:25:25	1	1	1	1	70.5	63	0	23554.502	88.17204301	2076.75373	30000	0	0	30000	43.125	2004
22.01.2020 13:25:26	1	1	1	1	71.25	63	0	23554.502	83.87096774	2076.75373	30000	0	0	30000	43.125	2004
22.01.2020 13:25:27	1	1	1	1	71.25	63	0	23554.502	83.87096774	1974.832169	30000	0	0	30000	43.3125	2004
22.01.2020 13:25:28	1	1	1	1	71.25	63.25	0	23554.502	83.87096774	1974.832169	30000	0	0	30000	43.125	2004
22.01.2020 13:25:29	1	1	1	1	71.25	63	0	23554.502	83.87096774	1974.832169	30000	0	0	30000	43.25	2004
22.01.2020 13:25:30	1	1	1	1	71.25	63.25	0	23507.109	88.17204301	2076.75373	30000	0	0	30000	43.0625	2004
22.01.2020 13:25:31	1	1	1	1	71.25	63	0	23554.502	90.32258065	2123.229962	30000	0	0	30000	43	2004
22.01.2020 13:25:32	1	1	1	1	71.25	63	0	23554.502	94.62365591	2173.783057	30000	0	0	30000	43.0625	2004
22.01.2020 13:25:33	1	1	1	1	71.25	63	0	23554.502	92.47311828	2228.413013	30000	0	0	30000	43.0625	2004
22.01.2020 13:25:34	1	1	1	1	71.25	63	0	23554.502	94.62365591	2228.413013	30000	0	0	30000	43.125	2004
22.01.2020 13:25:35	1	1	1	1	71.25	63	0	23507.109	94.62365591	2431.440763	30000	0	0	30000	43.0625	2004
22.01.2020 13:25:36	1	1	1	1	71.75	63	0	24407.583	105.3763441	2551.300519	30000	0	0	30000	42.9375	2004
22.01.2020 13:25:37	1	1	1	1	71.75	62.75	0	25118.483	129.0322581	3241.105645	30000	0	0	30000	43.125	2004
22.01.2020 13:25:38	1	1	1	1	71.75	63	0	25639.81	144.0860215	3700.975729	30000	0	0	30000	43.125	2004
22.01.2020 13:25:39	1	1	1	1	71.75	63	0	26350.711	159.1397849	4249.721414	30000	0	0	30000	42.9375	2004
22.01.2020 13:25:40	1	1	1	1	71.75	62.75	0	26919.431	174.1935484	4573.424293	30000	0	0	30000	43.25	2004
22.01.2020 13:25:42	1	1	1	1	71.75	63.25	0	27156.398	180.6451613	4897.127171	30000	0	0	30000	43.1875	2004
22.01.2020 13:25:43	1	1	1	1	71.75	63	0	27298.578	184.9462366	4990.079635	30000	0	0	30000	43	2004
22.01.2020 13:25:44	1	1	1	1	71.75	63	0	27440.758	189.2473118	5193.107385	30000	0	0	30000	43.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 13:25:45	1	1	1	1	71.75	63	0	27440.758	189.2473118	5193.107385	30000	0	0	30000	43.125	2004
22.01.2020 13:25:46	1	1	1	1	71.75	63	0	27440.758	191.3978495	5251.814204	30000	0	0	30000	42.9375	2004
22.01.2020 13:25:47	1	1	1	1	72.25	62.75	0	27440.758	191.3978495	5251.814204	30000	0	0	30000	42.6875	2004
22.01.2020 13:25:48	1	1	1	1	72.25	62.5	0	27440.758	191.3978495	5251.814204	30000	0	0	30000	43	2004
22.01.2020 13:25:49	1	1	1	1	72.25	63	0	27535.545	195.6989247	5329.27459	30000	0	0	30000	43.5625	2004
22.01.2020 13:25:50	1	1	1	1	72.25	63.5	0	27535.545	195.6989247	5370.043215	30000	0	0	30000	43.25	2004
22.01.2020 13:25:51	1	1	1	1	72.25	63.25	0	27298.578	206.4516129	5635.854646	30000	0	0	30000	43.0625	2004
22.01.2020 13:25:52	1	1	1	1	72.25	63	0	27582.938	206.4516129	5665.208056	30000	0	0	30000	43.375	2004
22.01.2020 13:25:53	1	1	1	1	72.25	62.75	0	27440.758	206.4516129	5665.208056	30000	0	0	30000	43	2004
22.01.2020 13:25:54	1	1	1	1	72.25	63	0	27440.758	206.4516129	5665.208056	30000	0	0	30000	43.0625	2004
22.01.2020 13:25:55	1	1	1	1	72.25	63	0	27440.758	206.4516129	5694.561465	30000	0	0	30000	43.0625	2004
22.01.2020 13:25:56	1	1	1	1	72.5	63	0	27440.758	206.4516129	5665.208056	30000	0	0	30000	43.125	2004
22.01.2020 13:25:57	1	1	1	1	72.5	63	0	27535.545	210.7526882	5842.143886	30000	0	0	30000	43.0625	2004
22.01.2020 13:25:58	1	1	1	1	72.5	63	0	27535.545	212.9032258	5842.143886	30000	0	0	30000	43.1875	2004
22.01.2020 13:25:59	1	1	1	1	72.5	63	0	27440.758	215.0537634	6019.079716	30000	0	0	30000	43.125	2004
22.01.2020 13:26:00	1	1	1	1	72.5	63	0	27535.545	219.3548387	6019.079716	30000	0	0	30000	43.1875	2004
22.01.2020 13:26:01	1	1	1	1	72.5	63	0	27440.758	219.3548387	6077.786535	30000	0	0	30000	43.125	2004
22.01.2020 13:26:02	1	1	1	1	72.5	63	0	27535.545	221.5053763	6077.786535	30000	0	0	30000	43.1875	2004
22.01.2020 13:26:03	1	1	1	1	72.5	63	0	27535.545	225.8064516	6196.015546	30000	0	0	30000	43.125	2004
22.01.2020 13:26:04	1	1	1	1	72.5	63	0	27535.545	227.9569892	6196.015546	30000	0	0	30000	43.0625	2004
22.01.2020 13:26:05	1	1	1	1	72.5	63	0	27440.758	225.8064516	6196.015546	30000	0	0	30000	43.25	2004
22.01.2020 13:26:06	1	1	1	1	72.5	63.25	0	27582.938	230.1075269	6077.786535	30000	0	0	30000	43.0625	2004
22.01.2020 13:26:07	1	1	1	1	72.5	63	0	27582.938	230.1075269	6346.859457	30000	0	0	30000	43.1875	2004
22.01.2020 13:26:14	1	1	1	1	72.5	63	0	27535.545	221.5053763	6227.815074	30000	0	0	30000	43.125	2004
22.01.2020 13:26:14	1	1	1	1	72.5	63	0	27535.545	221.5053763	6227.815074	30000	0	0	30000	43.125	2004
22.01.2020 13:26:14	1	1	1	1	72.5	63	0	27535.545	221.5053763	6227.815074	30000	0	0	30000	43.125	2004
22.01.2020 13:26:14	1	1	1	1	72.5	63	0	27535.545	221.5053763	6227.815074	30000	0	0	30000	43.125	2004
22.01.2020 13:26:14	1	1	1	1	72.5	63	0	27535.545	221.5053763	6227.815074	30000	0	0	30000	43.125	2004
22.01.2020 13:26:14	1	1	1	1	72.5	63	0	27535.545	221.5053763	6227.815074	30000	0	0	30000	43.125	2004
22.01.2020 13:26:14	1	1	1	1	72.5	63	0	27582.938	217.2043011	5861.712826	30000	0	0	30000	43.0625	2004
22.01.2020 13:26:15	1	1	1	1	72.5	63	0	27535.545	206.4516129	5665.208056	30000	0	0	30000	43.25	2004
22.01.2020 13:26:16	1	1	1	1	72.75	63.25	0	27535.545	206.4516129	5743.483815	30000	0	0	30000	43.125	2004
22.01.2020 13:26:17	1	1	1	1	72.75	63	0	27440.758	210.7526882	5723.914875	30000	0	0	30000	43.0625	2004
22.01.2020 13:26:18	1	1	1	1	72.75	63	0	27440.758	212.9032258	5842.143886	30000	0	0	30000	43.1875	2004
22.01.2020 13:26:19	1	1	1	1	72.75	63	0	27535.545	212.9032258	5861.712826	30000	0	0	30000	43.3125	2004
22.01.2020 13:26:21	1	1	1	1	72.75	63.25	0	27582.938	212.9032258	5723.914875	30000	0	0	30000	42.75	2004
22.01.2020 13:26:22	1	1	1	1	72.75	62.75	0	27535.545	212.9032258	5842.143886	30000	0	0	30000	43.125	2004
22.01.2020 13:26:23	1	1	1	1	72.75	63	0	27440.758	210.7526882	5921.235018	30000	0	0	30000	41.875	2004
22.01.2020 13:26:24	1	1	1	1	72.75	61.75	0	27440.758	208.6021505	5723.914875	30000	0	0	30000	42.6875	2004
22.01.2020 13:26:25	1	1	1	1	72.75	62.5	0	27582.938	206.4516129	5694.561465	30000	0	0	30000	42.75	2004
22.01.2020 13:26:26	1	1	1	1	72.75	62.75	0	27535.545	206.4516129	5684.776996	30000	0	0	30000	43.125	2004
22.01.2020 13:26:27	1	1	1	1	72.5	63	0	27440.758	206.4516129	5684.776996	30000	0	0	30000	43.375	2004
22.01.2020 13:26:28	1	1	1	1	72.5	63.25	0	27440.758	206.4516129	5665.208056	30000	0	0	30000	43.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 13:26:29	1	1	1	1	72.5	63	0	27440.758	206.4516129	5665.208056	30000	0	0	30000	43.375	2004
22.01.2020 13:26:30	1	1	1	1	72.5	63.25	0	27440.758	189.2473118	5193.107385	30000	0	0	30000	43.0625	2004
22.01.2020 13:26:31	1	1	1	1	72.5	63	0	27582.938	184.9462366	5092.001196	30000	0	0	30000	43.0625	2004
22.01.2020 13:26:32	1	1	1	1	72.5	63	0	27535.545	184.9462366	5100.970293	30000	0	0	30000	43.0625	2004
22.01.2020 13:26:33	1	1	1	1	72.5	63	0	27535.545	189.2473118	5193.107385	30000	0	0	30000	43.0625	2004
22.01.2020 13:26:34	1	1	1	1	72.5	63	0	27535.545	191.3978495	5193.107385	30000	0	0	30000	43.0625	2004
22.01.2020 13:26:35	1	1	1	1	72.5	63	0	27535.545	206.4516129	5694.561465	30000	0	0	30000	43.0625	2004
22.01.2020 13:26:36	1	1	1	1	72.75	63	0	27535.545	206.4516129	5694.561465	30000	0	0	30000	42.8125	2004
22.01.2020 13:26:37	1	1	1	1	72.75	62.75	0	27440.758	206.4516129	5665.208056	30000	0	0	30000	42.4375	2004
22.01.2020 13:26:38	1	1	1	1	72.75	62.25	0	27440.758	206.4516129	5684.776996	30000	0	0	30000	43.1875	2004
22.01.2020 13:26:39	1	1	1	1	72.75	63	0	27582.938	208.6021505	5684.776996	30000	0	0	30000	43.3125	2004
22.01.2020 13:26:40	1	1	1	1	72.75	63.25	0	27582.938	208.6021505	5753.268285	30000	0	0	30000	42.9375	2004
22.01.2020 13:26:41	1	1	1	1	72.75	62.75	0	27582.938	217.2043011	5743.483815	30000	0	0	30000	43.0625	2004
22.01.2020 13:26:42	1	1	1	1	72.75	63	0	27582.938	210.7526882	5812.790476	30000	0	0	30000	43.1875	2004
22.01.2020 13:26:43	1	1	1	1	72.75	63	0	27582.938	212.9032258	5872.312668	30000	0	0	30000	42.9375	2004
22.01.2020 13:26:44	1	1	1	1	72.75	62.75	0	27582.938	212.9032258	5842.143886	30000	0	0	30000	43.0625	2004
22.01.2020 13:26:45	1	1	1	1	72.75	63	0	27440.758	212.9032258	5872.312668	30000	0	0	30000	42.9375	2004
22.01.2020 13:26:46	1	1	1	1	72.75	62.75	0	27582.938	217.2043011	5990.541679	30000	0	0	30000	43.0625	2004
22.01.2020 13:26:47	1	1	1	1	72.75	63	0	27535.545	215.0537634	5959.557525	30000	0	0	30000	42.9375	2004
22.01.2020 13:26:48	1	1	1	1	72.75	62.75	0	27582.938	215.0537634	5931.83486	30000	0	0	30000	43.125	2004
22.01.2020 13:26:49	1	1	1	1	72.75	63	0	27535.545	217.2043011	5990.541679	30000	0	0	30000	43.125	2004
22.01.2020 13:26:50	1	1	1	1	72.75	63	0	27535.545	219.3548387	5990.541679	30000	0	0	30000	43.0625	2004
22.01.2020 13:26:51	1	1	1	1	72.75	63	0	27488.152	219.3548387	6039.464028	30000	0	0	30000	43.0625	2004
22.01.2020 13:26:52	1	1	1	1	72.75	63	0	27535.545	219.3548387	6109.586063	30000	0	0	30000	43.125	2004
22.01.2020 13:26:53	1	1	1	1	72.75	63	0	27582.938	221.5053763	6050.063871	30000	0	0	30000	43.0625	2004
22.01.2020 13:26:54	1	1	1	1	72.75	63	0	27440.758	217.2043011	6098.98622	30000	0	0	30000	43	2004
22.01.2020 13:26:55	1	1	1	1	72.75	63	0	27582.938	221.5053763	6098.98622	30000	0	0	30000	43.125	2004
22.01.2020 13:26:56	1	1	1	1	73	63	0	27582.938	221.5053763	6098.98622	30000	0	0	30000	43.0625	2004
22.01.2020 13:26:59	1	1	1	1	73	63	0	27440.758	221.5053763	6196.015546	30000	0	0	30000	43	2004
22.01.2020 13:26:59	1	1	1	1	73	63	0	27440.758	221.5053763	6196.015546	30000	0	0	30000	43	2004
22.01.2020 13:27:00	1	1	1	1	73	63	0	27535.545	221.5053763	6227.815074	30000	0	0	30000	42.8125	2004
22.01.2020 13:27:01	1	1	1	1	73	62.75	0	27440.758	223.655914	6287.337265	30000	0	0	30000	43	2004
22.01.2020 13:27:02	1	1	1	1	73	63	0	27440.758	221.5053763	6227.815074	30000	0	0	30000	43.0625	2004
22.01.2020 13:27:03	1	1	1	1	73	63	0	27535.545	223.655914	6077.786535	30000	0	0	30000	43.0625	2004
22.01.2020 13:27:04	1	1	1	1	73	63	0	27582.938	221.5053763	6098.98622	30000	0	0	30000	43	2004
22.01.2020 13:27:05	1	1	1	1	73	63	0	27582.938	221.5053763	6109.586063	30000	0	0	30000	43.125	2004
22.01.2020 13:27:06	1	1	1	1	73	63	0	27582.938	219.3548387	6109.586063	30000	0	0	30000	42.75	2004
22.01.2020 13:27:07	1	1	1	1	72	62.75	0	27535.545	221.5053763	6109.586063	30000	0	0	30000	43.375	2004
22.01.2020 13:27:08	1	1	1	1	72	63.25	0	27582.938	221.5053763	6109.586063	30000	0	0	30000	42.875	2004
22.01.2020 13:27:09	1	1	1	1	72	62.75	0	27535.545	219.3548387	6019.079716	30000	0	0	30000	43.375	2004
22.01.2020 13:27:16	1	1	1	1	72	63	0	27582.938	215.0537634	5872.312668	30000	0	0	30000	42.9375	2004
22.01.2020 13:27:16	1	1	1	1	72	63	0	27582.938	215.0537634	5872.312668	30000	0	0	30000	42.9375	2004
22.01.2020 13:27:16	1	1	1	1	72	63	0	27582.938	215.0537634	5872.312668	30000	0	0	30000	42.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 13:27:16	1	1	1	1	72	63	0	27582.938	215.0537634	5872.312668	30000	0	0	30000	42.9375	2004
22.01.2020 13:27:16	1	1	1	1	72	63	0	27582.938	215.0537634	5872.312668	30000	0	0	30000	42.9375	2004
22.01.2020 13:27:16	1	1	1	1	72	63	0	27582.938	215.0537634	5872.312668	30000	0	0	30000	42.9375	2004
22.01.2020 13:27:16	1	1	1	1	72	62.75	0	27582.938	212.9032258	5872.312668	30000	0	0	30000	42.875	2004
22.01.2020 13:27:17	1	1	1	1	72	62.75	0	27535.545	206.4516129	5665.208056	30000	0	0	30000	42.9375	2004
22.01.2020 13:27:18	1	1	1	1	72	62.75	0	27582.938	189.2473118	5193.107385	30000	0	0	30000	42.9375	2004
22.01.2020 13:27:19	1	1	1	1	72	62.75	0	27535.545	189.2473118	5074.878374	30000	0	0	30000	43.0625	2004
22.01.2020 13:27:20	1	1	1	1	72	63	0	27440.758	189.2473118	5193.107385	30000	0	0	30000	42.875	2004
22.01.2020 13:27:21	1	1	1	1	72	62.75	0	27582.938	193.5483871	5251.814204	30000	0	0	30000	42.9375	2004
22.01.2020 13:27:22	1	1	1	1	72	62.75	0	27582.938	191.3978495	5278.721496	30000	0	0	30000	43.0625	2004
22.01.2020 13:27:23	1	1	1	1	72	63	0	27582.938	191.3978495	5211.045579	30000	0	0	30000	42.875	2004
22.01.2020 13:27:24	1	1	1	1	72	62.75	0	27440.758	189.2473118	5220.014677	30000	0	0	30000	42.875	2004
22.01.2020 13:27:25	1	1	1	1	72	62.75	0	27582.938	189.2473118	5211.045579	30000	0	0	30000	42.8125	2004
22.01.2020 13:27:26	1	1	1	1	72.5	62.75	0	27535.545	189.2473118	5193.107385	30000	0	0	30000	43.125	2004
22.01.2020 13:27:27	1	1	1	1	72.5	63	0	27582.938	191.3978495	5211.045579	30000	0	0	30000	42.875	2004
22.01.2020 13:27:28	1	1	1	1	72.5	62.75	0	27582.938	189.2473118	5220.014677	30000	0	0	30000	42.9375	2004
22.01.2020 13:27:29	1	1	1	1	72.5	62.75	0	27535.545	189.2473118	5278.721496	30000	0	0	30000	42.9375	2004
22.01.2020 13:27:30	1	1	1	1	72.5	62.75	0	27535.545	191.3978495	5251.814204	30000	0	0	30000	42.25	2004
22.01.2020 13:27:31	1	1	1	1	72.5	62.25	0	27535.545	193.5483871	5278.721496	30000	0	0	30000	43	2004
22.01.2020 13:27:32	1	1	1	1	72.5	63	0	27535.545	195.6989247	5387.98141	30000	0	0	30000	43.0625	2004
22.01.2020 13:27:33	1	1	1	1	72.5	63	0	27440.758	206.4516129	5665.208056	30000	0	0	30000	43	2004
22.01.2020 13:27:34	1	1	1	1	72.5	63	0	27535.545	206.4516129	5694.561465	30000	0	0	30000	43	2004
22.01.2020 13:27:35	1	1	1	1	72.5	63	0	27582.938	206.4516129	5704.345935	30000	0	0	30000	42.9375	2004
22.01.2020 13:27:36	1	1	1	1	72.75	62.75	0	27582.938	206.4516129	5694.561465	30000	0	0	30000	42.9375	2004
22.01.2020 13:27:38	1	1	1	1	72.75	62.75	0	27582.938	208.6021505	5665.208056	30000	0	0	30000	43	2004
22.01.2020 13:27:39	1	1	1	1	72.75	63	0	27582.938	206.4516129	5694.561465	30000	0	0	30000	42.75	2004
22.01.2020 13:27:40	1	1	1	1	72.75	62.75	0	27582.938	206.4516129	5684.776996	30000	0	0	30000	42.9375	2004
22.01.2020 13:27:41	1	1	1	1	72.75	62.75	0	27582.938	210.7526882	5812.790476	30000	0	0	30000	42.375	2004
22.01.2020 13:27:42	1	1	1	1	72.75	62.25	0	27582.938	210.7526882	5812.790476	30000	0	0	30000	42.8125	2004
22.01.2020 13:27:43	1	1	1	1	72.75	62.75	0	27582.938	212.9032258	5872.312668	30000	0	0	30000	43	2004
22.01.2020 13:27:44	1	1	1	1	72.75	63	0	27582.938	212.9032258	5872.312668	30000	0	0	30000	43.0625	2004
22.01.2020 13:27:45	1	1	1	1	72.75	63	0	27535.545	215.0537634	5872.312668	30000	0	0	30000	43	2004
22.01.2020 13:27:46	1	1	1	1	72.75	63	0	27582.938	212.9032258	5872.312668	30000	0	0	30000	42.875	2004
22.01.2020 13:27:47	1	1	1	1	72.75	62.75	0	27535.545	212.9032258	5872.312668	30000	0	0	30000	43.3125	2004
22.01.2020 13:27:48	1	1	1	1	72.75	63.25	0	27582.938	212.9032258	5872.312668	30000	0	0	30000	43	2004
22.01.2020 13:27:49	1	1	1	1	72.75	63	0	27582.938	212.9032258	5990.541679	30000	0	0	30000	42.8125	2004
22.01.2020 13:27:50	1	1	1	1	72.75	62.75	0	27582.938	212.9032258	5872.312668	30000	0	0	30000	43	2004
22.01.2020 13:27:51	1	1	1	1	72.75	63	0	27582.938	210.7526882	5872.312668	30000	0	0	30000	43.0625	2004
22.01.2020 13:27:52	1	1	1	1	72.75	63	0	27582.938	210.7526882	5743.483815	30000	0	0	30000	43	2004
22.01.2020 13:27:53	1	1	1	1	72.75	63	0	27582.938	210.7526882	6001.141521	30000	0	0	30000	42.6875	2004
22.01.2020 13:27:54	1	1	1	1	72.75	62.5	0	27582.938	225.8064516	6227.815074	30000	0	0	30000	43.0625	2004
22.01.2020 13:27:55	1	1	1	1	72.75	63	0	27582.938	227.9569892	6287.337265	30000	0	0	30000	42.9375	2004
22.01.2020 13:27:56	1	1	1	1	73	62.75	0	27582.938	230.1075269	6346.859457	30000	0	0	30000	43	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 13:27:57	1	1	1	1	73	63	0	27630.332	230.1075269	6357.459299	30000	0	0	30000	43	2004
22.01.2020 13:27:58	1	1	1	1	73	63	0	27582.938	227.9569892	6476.503683	30000	0	0	30000	43.125	2004
22.01.2020 13:27:59	1	1	1	1	73	63	0	27630.332	230.1075269	6346.859457	30000	0	0	30000	42.625	2004
22.01.2020 13:28:00	1	1	1	1	73	62.5	0	27582.938	230.1075269	6335.444242	30000	0	0	30000	42.875	2004
22.01.2020 13:28:01	1	1	1	1	73	62.75	0	27582.938	227.9569892	6287.337265	30000	0	0	30000	42.125	2004
22.01.2020 13:28:02	1	1	1	1	73	62	0	27535.545	227.9569892	6346.859457	30000	0	0	30000	43.1875	2004
22.01.2020 13:28:03	1	1	1	1	73	63	0	27582.938	232.2580645	6406.381649	30000	0	0	30000	42.625	2004
22.01.2020 13:28:04	1	1	1	1	73	62.5	0	27582.938	234.4086022	6465.088468	30000	0	0	30000	42	2004
22.01.2020 13:28:05	1	1	1	1	73	62	0	27440.758	230.1075269	6491.180388	30000	0	0	30000	42.875	2004
22.01.2020 13:28:06	1	1	1	1	73	62.75	0	27630.332	240.8602151	6655.070258	30000	0	0	30000	43	2004
22.01.2020 13:28:07	1	1	1	1	73	63	0	27535.545	240.8602151	6632.239828	30000	0	0	30000	42.9375	2004
22.01.2020 13:28:08	1	1	1	1	73	62.75	0	27582.938	243.0107527	6702.361862	30000	0	0	30000	42.8125	2004
22.01.2020 13:28:09	1	1	1	1	73	62.75	0	27582.938	247.311828	6821.406246	30000	0	0	30000	42.0625	2004
22.01.2020 13:28:10	1	1	1	1	73	62	0	27582.938	247.311828	6821.406246	30000	0	0	30000	42.6875	2004
22.01.2020 13:28:17	1	1	1	1	73.25	63	0	27582.938	247.311828	6821.406246	30000	0	0	30000	42.9375	2004
22.01.2020 13:28:17	1	1	1	1	73.25	63	0	27582.938	247.311828	6821.406246	30000	0	0	30000	42.9375	2004
22.01.2020 13:28:17	1	1	1	1	73.25	63	0	27582.938	247.311828	6821.406246	30000	0	0	30000	42.9375	2004
22.01.2020 13:28:17	1	1	1	1	73.25	63	0	27582.938	247.311828	6821.406246	30000	0	0	30000	42.9375	2004
22.01.2020 13:28:17	1	1	1	1	73.25	63	0	27582.938	247.311828	6821.406246	30000	0	0	30000	42.9375	2004
22.01.2020 13:28:18	1	1	1	1	73.25	63	0	27582.938	247.311828	6821.406246	30000	0	0	30000	42.9375	2004
22.01.2020 13:28:18	1	1	1	1	73.25	62.75	0	27582.938	247.311828	6821.406246	30000	0	0	30000	42.9375	2004
22.01.2020 13:28:19	1	1	1	1	73.25	62.75	0	27535.545	230.1075269	6476.503683	30000	0	0	30000	42.8125	2004
22.01.2020 13:28:20	1	1	1	1	73.25	62.75	0	27630.332	225.8064516	6227.815074	30000	0	0	30000	43.0625	2004
22.01.2020 13:28:21	1	1	1	1	73.25	63	0	27582.938	223.655914	6098.98622	30000	0	0	30000	42.6875	2004
22.01.2020 13:28:22	1	1	1	1	73.25	62.5	0	27582.938	227.9569892	6287.337265	30000	0	0	30000	43	2004
22.01.2020 13:28:23	1	1	1	1	73.25	63	0	27582.938	234.4086022	6465.088468	30000	0	0	30000	42.6875	2004
22.01.2020 13:28:24	1	1	1	1	73.25	62.5	0	27630.332	245.1612903	6643.655043	30000	0	0	30000	42.9375	2004
22.01.2020 13:28:25	1	1	1	1	73.25	62.75	0	27535.545	240.8602151	6643.655043	30000	0	0	30000	43.375	2004
22.01.2020 13:28:26	1	1	1	1	73.25	63.25	0	27535.545	240.8602151	6431.658196	30000	0	0	30000	43.375	2004
22.01.2020 13:28:27	1	1	1	1	73.5	62.75	0	27582.938	240.8602151	6491.180388	30000	0	0	30000	42.9375	2004
22.01.2020 13:28:28	1	1	1	1	73.5	62.75	0	27582.938	240.8602151	6713.777077	30000	0	0	30000	42.4375	2004
22.01.2020 13:28:29	1	1	1	1	73.5	62.25	0	27582.938	245.1612903	6761.884054	30000	0	0	30000	42.875	2004
22.01.2020 13:28:30	1	1	1	1	73.5	62.75	0	27535.545	247.311828	6951.865844	30000	0	0	30000	43	2004
22.01.2020 13:28:31	1	1	1	1	73.5	63	0	27582.938	251.6129032	6821.406246	30000	0	0	30000	42.9375	2004
22.01.2020 13:28:32	1	1	1	1	73.5	62.75	0	27630.332	247.311828	6832.821461	30000	0	0	30000	42.3125	2004
22.01.2020 13:28:33	1	1	1	1	73.5	62.25	0	27630.332	251.6129032	6951.865844	30000	0	0	30000	42.875	2004
22.01.2020 13:28:34	1	1	1	1	73.5	62.75	0	27582.938	249.4623656	6821.406246	30000	0	0	30000	42.9375	2004
22.01.2020 13:28:35	1	1	1	1	73.5	62.75	0	27582.938	251.6129032	6928.220042	30000	0	0	30000	42.875	2004
22.01.2020 13:28:36	1	1	1	1	73.5	62.75	0	27582.938	249.4623656	6939.635257	30000	0	0	30000	42.375	2004
22.01.2020 13:28:37	1	1	1	1	73.5	62.25	0	27582.938	251.6129032	6939.635257	30000	0	0	30000	42.5625	2004
22.01.2020 13:28:38	1	1	1	1	73.5	62.5	0	27582.938	251.6129032	6939.635257	30000	0	0	30000	43	2004
22.01.2020 13:28:39	1	1	1	1	73.5	63	0	27630.332	251.6129032	6951.865844	30000	0	0	30000	43	2004
22.01.2020 13:28:40	1	1	1	1	73.5	63	0	27582.938	251.6129032	6939.635257	30000	0	0	30000	42.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 13:28:41	1	1	1	1	73.5	62.75	0	27582.938	251.6129032	6939.635257	30000	0	0	30000	42.1875	2004
22.01.2020 13:28:42	1	1	1	1	73.5	62	0	27582.938	251.6129032	7011.388036	30000	0	0	30000	42.875	2004
22.01.2020 13:28:43	1	1	1	1	73.5	62.75	0	27630.332	253.7634409	6939.635257	30000	0	0	30000	42.875	2004
22.01.2020 13:28:44	1	1	1	1	73.5	62.75	0	27582.938	249.4623656	6821.406246	30000	0	0	30000	42.6875	2004
22.01.2020 13:28:45	1	1	1	1	73.5	62.5	0	27582.938	247.311828	6821.406246	30000	0	0	30000	43.0625	2004
22.01.2020 13:28:46	1	1	1	1	73.5	63	0	27582.938	251.6129032	6845.052048	30000	0	0	30000	42.875	2004
22.01.2020 13:28:47	1	1	1	1	73.5	62.75	0	27630.332	253.7634409	6951.865844	30000	0	0	30000	42.875	2004
22.01.2020 13:28:48	1	1	1	1	73.5	62.75	0	27630.332	251.6129032	6832.821461	30000	0	0	30000	42.625	2004
22.01.2020 13:28:49	1	1	1	1	73.5	62.5	0	27630.332	247.311828	6832.821461	30000	0	0	30000	42.6875	2004
22.01.2020 13:28:50	1	1	1	1	73.5	62.5	0	27630.332	249.4623656	6951.865844	30000	0	0	30000	42.625	2004
22.01.2020 13:28:51	1	1	1	1	73.5	62.5	0	27630.332	249.4623656	6892.343652	30000	0	0	30000	41.875	2004
22.01.2020 13:28:52	1	1	1	1	73.5	61.75	0	27630.332	245.1612903	6832.821461	30000	0	0	30000	42.625	2004
22.01.2020 13:28:53	1	1	1	1	73.5	62.5	0	27630.332	245.1612903	6773.299269	30000	0	0	30000	42.75	2004
22.01.2020 13:28:55	1	1	1	1	73.5	62.75	0	27582.938	243.0107527	6713.777077	30000	0	0	30000	42.4375	2004
22.01.2020 13:28:56	1	1	1	1	73.5	62.25	0	27630.332	243.0107527	6892.343652	30000	0	0	30000	42.625	2004
22.01.2020 13:28:57	1	1	1	1	73.5	62.5	0	27630.332	240.8602151	6643.655043	30000	0	0	30000	42.75	2004
22.01.2020 13:28:58	1	1	1	1	73.5	62.75	0	27630.332	240.8602151	6713.777077	30000	0	0	30000	42.6875	2004
22.01.2020 13:28:59	1	1	1	1	73.5	62.5	0	27630.332	245.1612903	6773.299269	30000	0	0	30000	42.8125	2004
22.01.2020 13:29:00	1	1	1	1	73.5	62.75	0	27630.332	247.311828	6832.821461	30000	0	0	30000	42.75	2004
22.01.2020 13:29:01	1	1	1	1	73.5	62.75	0	27582.938	247.311828	6832.821461	30000	0	0	30000	42.5625	2004
22.01.2020 13:29:02	1	1	1	1	73.5	62.5	0	27630.332	251.6129032	6832.821461	30000	0	0	30000	42.6875	2004
22.01.2020 13:29:03	1	1	1	1	73.5	62.5	0	27630.332	251.6129032	6832.821461	30000	0	0	30000	42.9375	2004
22.01.2020 13:29:04	1	1	1	1	73.5	62.75	0	27630.332	249.4623656	6951.865844	30000	0	0	30000	43.25	2004
22.01.2020 13:29:05	1	1	1	1	73.5	63.25	0	27630.332	251.6129032	6951.865844	30000	0	0	30000	42.75	2004
22.01.2020 13:29:06	1	1	1	1	73.75	62.25	0	27630.332	251.6129032	6892.343652	30000	0	0	30000	42.8125	2004
22.01.2020 13:29:07	1	1	1	1	73.75	62.75	0	27582.938	249.4623656	6951.865844	30000	0	0	30000	42.5625	2004
22.01.2020 13:29:08	1	1	1	1	73.75	62.5	0	27630.332	251.6129032	6951.865844	30000	0	0	30000	42.8125	2004
22.01.2020 13:29:09	1	1	1	1	73.75	62.75	0	27630.332	245.1612903	6832.821461	30000	0	0	30000	42.6875	2004
22.01.2020 13:29:10	1	1	1	1	73.75	62.5	0	27630.332	245.1612903	6713.777077	30000	0	0	30000	42.75	2004
22.01.2020 13:29:11	1	1	1	1	73.75	62.75	0	27630.332	240.8602151	6713.777077	30000	0	0	30000	42.1875	2004
22.01.2020 13:29:12	1	1	1	1	73.75	62	0	27630.332	240.8602151	6655.070258	30000	0	0	30000	42.9375	2004
22.01.2020 13:29:19	1	1	1	1	73.75	62.75	0	27630.332	221.5053763	5882.097138	30000	0	0	30000	42.9375	2004
22.01.2020 13:29:19	1	1	1	1	73.75	62.75	0	27630.332	221.5053763	5882.097138	30000	0	0	30000	42.9375	2004
22.01.2020 13:29:19	1	1	1	1	73.75	62.75	0	27630.332	221.5053763	5882.097138	30000	0	0	30000	42.9375	2004
22.01.2020 13:29:19	1	1	1	1	73.75	62.75	0	27630.332	221.5053763	5882.097138	30000	0	0	30000	42.9375	2004
22.01.2020 13:29:19	1	1	1	1	73.75	62.75	0	27630.332	221.5053763	5882.097138	30000	0	0	30000	42.9375	2004
22.01.2020 13:29:19	1	1	1	1	73.75	62.75	0	27630.332	221.5053763	5882.097138	30000	0	0	30000	42.9375	2004
22.01.2020 13:29:19	1	1	1	1	73.75	62.75	0	27630.332	221.5053763	6001.141521	30000	0	0	30000	42.9375	2004
22.01.2020 13:29:20	1	1	1	1	73.75	62.75	0	27630.332	221.5053763	6120.185905	30000	0	0	30000	42.75	2004
22.01.2020 13:29:21	1	1	1	1	73.75	62.75	0	27630.332	223.655914	6120.185905	30000	0	0	30000	42.9375	2004
22.01.2020 13:29:22	1	1	1	1	73.75	62.75	0	27630.332	225.8064516	6297.937108	30000	0	0	30000	42.8125	2004
22.01.2020 13:29:23	1	1	1	1	73.75	62.75	0	27630.332	230.1075269	6357.459299	30000	0	0	30000	42.1875	2004
22.01.2020 13:29:24	1	1	1	1	73.75	62	0	27630.332	230.1075269	6416.981491	30000	0	0	30000	42.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 13:29:25	1	1	1	1	73.75	62.5	0	27630.332	232.2580645	6416.981491	30000	0	0	30000	42.875	2004
22.01.2020 13:29:26	1	1	1	1	74	62.75	0	27630.332	230.1075269	6357.459299	30000	0	0	30000	42.6875	2004
22.01.2020 13:29:27	1	1	1	1	74	62.5	0	27630.332	221.5053763	6120.185905	30000	0	0	30000	42.6875	2004
22.01.2020 13:29:28	1	1	1	1	74	62.5	0	27630.332	217.2043011	6001.141521	30000	0	0	30000	42.875	2004
22.01.2020 13:29:29	1	1	1	1	74	62.75	0	27630.332	212.9032258	5882.097138	30000	0	0	30000	42.625	2004
22.01.2020 13:29:30	1	1	1	1	74	62.5	0	27630.332	210.7526882	5822.574946	30000	0	0	30000	42.875	2004
22.01.2020 13:29:31	1	1	1	1	74	62.75	0	27630.332	208.6021505	5763.052755	30000	0	0	30000	42.75	2004
22.01.2020 13:29:33	1	1	1	1	74	62.75	0	27630.332	208.6021505	5763.052755	30000	0	0	30000	42.75	2004
22.01.2020 13:29:34	1	1	1	1	74	62.75	0	27630.332	208.6021505	5763.052755	30000	0	0	30000	42.6875	2004
22.01.2020 13:29:35	1	1	1	1	74	62.5	0	27630.332	212.9032258	5763.052755	30000	0	0	30000	42.9375	2004
22.01.2020 13:29:36	1	1	1	1	74	62.75	0	27630.332	210.7526882	5763.052755	30000	0	0	30000	42.8125	2004
22.01.2020 13:29:37	1	1	1	1	74	62.75	0	27630.332	208.6021505	5763.052755	30000	0	0	30000	42.875	2004
22.01.2020 13:29:38	1	1	1	1	74	62.75	0	27630.332	210.7526882	5941.61933	30000	0	0	30000	42.8125	2004
22.01.2020 13:29:39	1	1	1	1	74	62.75	0	27630.332	215.0537634	5882.097138	30000	0	0	30000	42.5625	2004
22.01.2020 13:29:40	1	1	1	1	74	62.5	0	27630.332	219.3548387	6060.663713	30000	0	0	30000	42.625	2004
22.01.2020 13:29:41	1	1	1	1	74	62.5	0	27630.332	219.3548387	6120.185905	30000	0	0	30000	42.8125	2004
22.01.2020 13:29:42	1	1	1	1	74	62.75	0	27630.332	223.655914	6120.185905	30000	0	0	30000	43.25	2004
22.01.2020 13:29:43	1	1	1	1	74	63.25	0	27630.332	223.655914	6238.414916	30000	0	0	30000	42.8125	2004
22.01.2020 13:29:44	1	1	1	1	74	63	0	27630.332	221.5053763	6297.937108	30000	0	0	30000	42.9375	2004
22.01.2020 13:29:45	1	1	1	1	74	62.75	0	27630.332	232.2580645	6357.459299	30000	0	0	30000	42.75	2004
22.01.2020 13:29:46	1	1	1	1	74	62.75	0	27630.332	236.5591398	6713.777077	30000	0	0	30000	42.5625	2004
22.01.2020 13:29:47	1	1	1	1	74	62.5	0	27630.332	236.5591398	6536.025874	30000	0	0	30000	42.8125	2004
22.01.2020 13:29:48	1	1	1	1	74	62.75	0	27630.332	240.8602151	6655.070258	30000	0	0	30000	42.4375	2004
22.01.2020 13:29:49	1	1	1	1	74	62.25	0	27630.332	240.8602151	6655.070258	30000	0	0	30000	42.8125	2004
22.01.2020 13:29:50	1	1	1	1	74	62.75	0	27630.332	240.8602151	6713.777077	30000	0	0	30000	42.8125	2004
22.01.2020 13:29:51	1	1	1	1	74	62.75	0	27630.332	245.1612903	6773.299269	30000	0	0	30000	42.875	2004
22.01.2020 13:29:52	1	1	1	1	74	62.75	0	27630.332	247.311828	6773.299269	30000	0	0	30000	42.75	2004
22.01.2020 13:29:53	1	1	1	1	74	62.75	0	27630.332	247.311828	6951.865844	30000	0	0	30000	42.8125	2004
22.01.2020 13:29:54	1	1	1	1	74	62.75	0	27630.332	247.311828	6832.821461	30000	0	0	30000	42.75	2004
22.01.2020 13:29:55	1	1	1	1	74	62.75	0	27630.332	247.311828	6773.299269	30000	0	0	30000	42.75	2004
22.01.2020 13:29:56	1	1	1	1	74	62.75	0	27630.332	240.8602151	6655.070258	30000	0	0	30000	42.5625	2004
22.01.2020 13:29:57	1	1	1	1	74	62.5	0	27630.332	240.8602151	6536.025874	30000	0	0	30000	42.5625	2004
22.01.2020 13:29:58	1	1	1	1	74	62.5	0	27630.332	232.2580645	6476.503683	30000	0	0	30000	42.8125	2004
22.01.2020 13:29:59	1	1	1	1	74	62.75	0	27630.332	232.2580645	6520.533797	30000	0	0	30000	42.6875	2004
22.01.2020 13:30:00	1	1	1	1	74	62.5	0	27819.905	232.2580645	6357.459299	30000	0	0	30000	42.8125	2004
22.01.2020 13:30:01	1	1	1	1	74	62.75	0	27630.332	227.9569892	6357.459299	30000	0	0	30000	42.875	2004
22.01.2020 13:30:02	1	1	1	1	74	62.75	0	27630.332	221.5053763	6120.185905	30000	0	0	30000	42.75	2004
22.01.2020 13:30:03	1	1	1	1	74	62.75	0	27630.332	221.5053763	6341.15185	30000	0	0	30000	42.9375	2004
22.01.2020 13:30:04	1	1	1	1	74	62.75	0	27630.332	225.8064516	6238.414916	30000	0	0	30000	42.75	2004
22.01.2020 13:30:05	1	1	1	1	74	62.75	0	27725.118	221.5053763	6281.629658	30000	0	0	30000	42.9375	2004
22.01.2020 13:30:06	1	1	1	1	74.25	62.75	0	27630.332	219.3548387	6120.185905	30000	0	0	30000	42.8125	2004
22.01.2020 13:30:07	1	1	1	1	74.25	62.75	0	27819.905	221.5053763	6120.185905	30000	0	0	30000	42.8125	2004
22.01.2020 13:30:08	1	1	1	1	74.25	62.75	0	27630.332	219.3548387	6120.185905	30000	0	0	30000	42.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 13:30:09	1	1	1	1	74.25	62.5	0	27630.332	219.3548387	6001.141521	30000	0	0	30000	42.8125	2004
22.01.2020 13:30:11	1	1	1	1	74.25	62.75	0	27630.332	217.2043011	6001.141521	30000	0	0	30000	42.6875	2004
22.01.2020 13:30:12	1	1	1	1	74.25	62.5	0	27630.332	217.2043011	6060.663713	30000	0	0	30000	42.9375	2004
22.01.2020 13:30:13	1	1	1	1	74.25	62.75	0	27772.512	217.2043011	6032.125676	30000	0	0	30000	42.75	2004
22.01.2020 13:30:14	1	1	1	1	74.25	62.75	0	27772.512	221.5053763	6120.185905	30000	0	0	30000	42.75	2004
22.01.2020 13:30:21	1	1	1	1	74	62.75	0	27819.905	206.4516129	5704.345935	30000	0	0	30000	43.3125	2004
22.01.2020 13:30:21	1	1	1	1	74	62.75	0	27819.905	206.4516129	5704.345935	30000	0	0	30000	43.3125	2004
22.01.2020 13:30:21	1	1	1	1	74	62.75	0	27819.905	206.4516129	5704.345935	30000	0	0	30000	43.3125	2004
22.01.2020 13:30:21	1	1	1	1	74	62.75	0	27819.905	206.4516129	5704.345935	30000	0	0	30000	43.3125	2004
22.01.2020 13:30:21	1	1	1	1	74	62.75	0	27819.905	206.4516129	5704.345935	30000	0	0	30000	43.3125	2004
22.01.2020 13:30:21	1	1	1	1	74	63.25	0	27819.905	206.4516129	5723.914875	30000	0	0	30000	42.8125	2004
22.01.2020 13:30:22	1	1	1	1	74	62.75	0	27772.512	206.4516129	5704.345935	30000	0	0	30000	42.9375	2004
22.01.2020 13:30:23	1	1	1	1	74	62.75	0	27630.332	206.4516129	5704.345935	30000	0	0	30000	42.875	2004
22.01.2020 13:30:24	1	1	1	1	74	62.75	0	27630.332	206.4516129	5723.914875	30000	0	0	30000	42.875	2004
22.01.2020 13:30:25	1	1	1	1	74	62.75	0	27630.332	206.4516129	5704.345935	30000	0	0	30000	42.8125	2004
22.01.2020 13:30:26	1	1	1	1	73.75	62.75	0	27630.332	206.4516129	5743.483815	30000	0	0	30000	42.75	2004
22.01.2020 13:30:27	1	1	1	1	73.75	62.75	0	27630.332	206.4516129	5704.345935	30000	0	0	30000	42.8125	2004
22.01.2020 13:30:28	1	1	1	1	73.75	62.75	0	27630.332	206.4516129	5704.345935	30000	0	0	30000	42.5	2004
22.01.2020 13:30:29	1	1	1	1	73.75	62.5	0	27630.332	206.4516129	5704.345935	30000	0	0	30000	42.8125	2004
22.01.2020 13:30:30	1	1	1	1	73.75	62.75	0	27630.332	210.7526882	5822.574946	30000	0	0	30000	42.6875	2004
22.01.2020 13:30:31	1	1	1	1	73.75	62.5	0	27630.332	212.9032258	5882.097138	30000	0	0	30000	42.9375	2004
22.01.2020 13:30:32	1	1	1	1	73.75	62.75	0	27630.332	212.9032258	5763.052755	30000	0	0	30000	42.75	2004
22.01.2020 13:30:33	1	1	1	1	73.75	62.75	0	27772.512	212.9032258	5922.865763	30000	0	0	30000	42.875	2004
22.01.2020 13:30:34	1	1	1	1	73.75	62.75	0	27630.332	212.9032258	5763.052755	30000	0	0	30000	42.8125	2004
22.01.2020 13:30:35	1	1	1	1	73.75	62.75	0	27630.332	212.9032258	5941.61933	30000	0	0	30000	42.8125	2004
22.01.2020 13:30:36	1	1	1	1	74.25	62.75	0	27630.332	219.3548387	6001.141521	30000	0	0	30000	42.6875	2004
22.01.2020 13:30:37	1	1	1	1	74.25	62.5	0	27630.332	219.3548387	6102.24771	30000	0	0	30000	42.8125	2004
22.01.2020 13:30:38	1	1	1	1	74.25	62.75	0	27630.332	219.3548387	6001.141521	30000	0	0	30000	42.8125	2004
22.01.2020 13:30:39	1	1	1	1	74.25	62.75	0	27630.332	227.9569892	6238.414916	30000	0	0	30000	42.75	2004
22.01.2020 13:30:40	1	1	1	1	74.25	62.75	0	27630.332	227.9569892	6357.459299	30000	0	0	30000	42.875	2004
22.01.2020 13:30:41	1	1	1	1	74.25	62.75	0	27725.118	230.1075269	6401.489414	30000	0	0	30000	42.8125	2004
22.01.2020 13:30:42	1	1	1	1	74.25	62.75	0	27630.332	230.1075269	6416.981491	30000	0	0	30000	42.75	2004
22.01.2020 13:30:43	1	1	1	1	74.25	62.75	0	27819.905	232.2580645	6401.489414	30000	0	0	30000	42.75	2004
22.01.2020 13:30:44	1	1	1	1	74.25	62.75	0	27725.118	232.2580645	6461.011605	30000	0	0	30000	42.6875	2004
22.01.2020 13:30:45	1	1	1	1	74.25	62.5	0	27630.332	234.4086022	6536.025874	30000	0	0	30000	42.8125	2004
22.01.2020 13:30:46	1	1	1	1	74.5	62.75	0	27630.332	240.8602151	6655.070258	30000	0	0	30000	42.6875	2004
22.01.2020 13:30:48	1	1	1	1	74.5	62.5	0	27630.332	243.0107527	6713.777077	30000	0	0	30000	42.8125	2004
22.01.2020 13:30:49	1	1	1	1	74.5	62.75	0	27630.332	240.8602151	6713.777077	30000	0	0	30000	42.3125	2004
22.01.2020 13:30:50	1	1	1	1	74.5	62.25	0	27630.332	243.0107527	6760.253309	30000	0	0	30000	42.75	2004
22.01.2020 13:30:51	1	1	1	1	74.5	62.75	0	27772.512	243.0107527	6713.777077	30000	0	0	30000	42.9375	2004
22.01.2020 13:30:52	1	1	1	1	74.5	62.75	0	27630.332	243.0107527	6713.777077	30000	0	0	30000	42.8125	2004
22.01.2020 13:30:53	1	1	1	1	74.5	62.75	0	27725.118	240.8602151	6536.025874	30000	0	0	30000	42.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 13:30:54	1	1	1	1	74.5	62.75	0	27630.332	243.0107527	6939.635257	30000	0	0	30000	42.625	2004
22.01.2020 13:30:55	1	1	1	1	74.5	62.5	0	27630.332	251.6129032	6999.157448	30000	0	0	30000	42.75	2004
22.01.2020 13:30:56	1	1	1	1	74.5	62.75	0	27298.578	262.3655914	7220.938766	30000	0	0	30000	42.8125	2004
22.01.2020 13:30:57	1	1	1	1	74.5	62.75	0	27440.758	279.5698925	7612.31756	30000	0	0	30000	42.6875	2004
22.01.2020 13:30:58	1	1	1	1	74.5	62.5	0	27819.905	292.4731183	8196.124263	30000	0	0	30000	42.875	2004
22.01.2020 13:30:59	1	1	1	1	74.5	62.75	0	27819.905	303.2258065	8435.028402	30000	0	0	30000	42.375	2004
22.01.2020 13:31:00	1	1	1	1	74.5	62.25	0	27819.905	307.5268817	8554.888158	30000	0	0	30000	42.9375	2004
22.01.2020 13:31:01	1	1	1	1	74.5	62.75	0	27867.299	281.7204301	7837.360367	30000	0	0	30000	42.4375	2004
22.01.2020 13:31:02	1	1	1	1	74.5	62.25	0	27867.299	309.6774194	8615.225722	30000	0	0	30000	43.0625	2004
22.01.2020 13:31:03	1	1	1	1	74.5	62.5	0	27819.905	286.0215054	7956.404751	30000	0	0	30000	42.625	2004
22.01.2020 13:31:04	1	1	1	1	74.5	62.5	0	27867.299	279.5698925	7850.406327	30000	0	0	30000	42.75	2004
22.01.2020 13:31:05	1	1	1	1	74.5	62.75	0	27867.299	286.0215054	7956.404751	30000	0	0	30000	42.5	2004
22.01.2020 13:31:06	1	1	1	1	74.5	62.5	0	27819.905	286.0215054	7956.404751	30000	0	0	30000	42.75	2004
22.01.2020 13:31:07	1	1	1	1	74.5	62.75	0	27819.905	298.9247312	8196.124263	30000	0	0	30000	42.625	2004
22.01.2020 13:31:08	1	1	1	1	74.5	62.5	0	27867.299	318.2795699	8794.60767	30000	0	0	30000	42.625	2004
22.01.2020 13:31:09	1	1	1	1	74.5	62.5	0	27819.905	283.8709677	7956.404751	30000	0	0	30000	42.8125	2004
22.01.2020 13:31:10	1	1	1	1	74.5	62.75	0	27819.905	240.8602151	6640.393553	30000	0	0	30000	42.375	2004
22.01.2020 13:31:11	1	1	1	1	74.5	62.25	0	27772.512	221.5053763	6222.107466	30000	0	0	30000	42.75	2004
22.01.2020 13:31:12	1	1	1	1	74.5	62.75	0	27819.905	212.9032258	5912.26592	30000	0	0	30000	42.8125	2004
22.01.2020 13:31:13	1	1	1	1	74.5	62.75	0	27867.299	206.4516129	5743.483815	30000	0	0	30000	42.5625	2004
22.01.2020 13:31:14	1	1	1	1	74.5	62.5	0	27867.299	206.4516129	5743.483815	30000	0	0	30000	42.6875	2004
22.01.2020 13:31:15	1	1	1	1	74.5	62.5	0	27819.905	206.4516129	5743.483815	30000	0	0	30000	42.6875	2004
22.01.2020 13:31:22	1	1	1	1	74.5	62.75	0	27819.905	234.4086022	6580.871361	30000	0	0	30000	42.625	2004
22.01.2020 13:31:22	1	1	1	1	74.5	62.75	0	27819.905	234.4086022	6580.871361	30000	0	0	30000	42.625	2004
22.01.2020 13:31:22	1	1	1	1	74.5	62.75	0	27819.905	234.4086022	6580.871361	30000	0	0	30000	42.625	2004
22.01.2020 13:31:22	1	1	1	1	74.5	62.75	0	27819.905	234.4086022	6580.871361	30000	0	0	30000	42.625	2004
22.01.2020 13:31:22	1	1	1	1	74.5	62.75	0	27819.905	234.4086022	6580.871361	30000	0	0	30000	42.625	2004
22.01.2020 13:31:22	1	1	1	1	74.5	62.5	0	27819.905	240.8602151	6655.070258	30000	0	0	30000	42.6875	2004
22.01.2020 13:31:23	1	1	1	1	74.5	62.5	0	27819.905	240.8602151	6700.731117	30000	0	0	30000	42.625	2004
22.01.2020 13:31:24	1	1	1	1	74.5	62.5	0	27819.905	236.5591398	6580.871361	30000	0	0	30000	42.625	2004
22.01.2020 13:31:25	1	1	1	1	74.5	62.5	0	27867.299	236.5591398	6461.011605	30000	0	0	30000	41.25	2004
22.01.2020 13:31:27	1	1	1	1	74.25	61.25	0	27725.118	221.5053763	6341.15185	30000	0	0	30000	42.25	2004
22.01.2020 13:31:28	1	1	1	1	74.25	62.25	0	27772.512	221.5053763	6281.629658	30000	0	0	30000	42.625	2004
22.01.2020 13:31:29	1	1	1	1	74.25	62.5	0	27819.905	215.0537634	5882.097138	30000	0	0	30000	42.6875	2004
22.01.2020 13:31:30	1	1	1	1	74.25	62.5	0	27867.299	212.9032258	5922.865763	30000	0	0	30000	42.6875	2004
22.01.2020 13:31:31	1	1	1	1	74.25	62.5	0	27819.905	212.9032258	5922.865763	30000	0	0	30000	42.5625	2004
22.01.2020 13:31:32	1	1	1	1	74.25	62.5	0	27819.905	210.7526882	5862.528198	30000	0	0	30000	42.375	2004
22.01.2020 13:31:33	1	1	1	1	74.25	62.25	0	27819.905	212.9032258	5922.865763	30000	0	0	30000	42.6875	2004
22.01.2020 13:31:34	1	1	1	1	74.25	62.5	0	27819.905	217.2043011	6041.910146	30000	0	0	30000	42.75	2004
22.01.2020 13:31:35	1	1	1	1	74.25	62.75	0	27772.512	221.5053763	6161.769902	30000	0	0	30000	42.6875	2004
22.01.2020 13:31:36	1	1	1	1	74.25	62.5	0	27819.905	225.8064516	6281.629658	30000	0	0	30000	42.5	2004
22.01.2020 13:31:37	1	1	1	1	74.5	62.5	0	27819.905	232.2580645	6341.15185	30000	0	0	30000	43	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 13:31:38	1	1	1	1	74.5	63	0	27819.905	232.2580645	6461.011605	30000	0	0	30000	42.875	2004
22.01.2020 13:31:39	1	1	1	1	74.5	62.75	0	27630.332	234.4086022	6520.533797	30000	0	0	30000	42.625	2004
22.01.2020 13:31:40	1	1	1	1	74.5	62.75	0	27819.905	236.5591398	6580.871361	30000	0	0	30000	42.625	2004
22.01.2020 13:31:41	1	1	1	1	74.5	62.5	0	27819.905	236.5591398	6580.871361	30000	0	0	30000	42.6875	2004
22.01.2020 13:31:42	1	1	1	1	74.5	62.5	0	27725.118	232.2580645	6580.871361	30000	0	0	30000	42.6875	2004
22.01.2020 13:31:43	1	1	1	1	74.5	62.5	0	27630.332	227.9569892	6520.533797	30000	0	0	30000	42.625	2004
22.01.2020 13:31:44	1	1	1	1	74.5	62.5	0	27630.332	236.5591398	6580.871361	30000	0	0	30000	42.625	2004
22.01.2020 13:31:45	1	1	1	1	74.5	62.5	0	27819.905	240.8602151	6580.871361	30000	0	0	30000	42.6875	2004
22.01.2020 13:31:46	1	1	1	1	74.75	62.5	0	27819.905	240.8602151	6700.731117	30000	0	0	30000	42.5625	2004
22.01.2020 13:31:47	1	1	1	1	74.75	62.5	0	27867.299	243.0107527	6760.253309	30000	0	0	30000	42.8125	2004
22.01.2020 13:31:48	1	1	1	1	74.75	62.75	0	27819.905	240.8602151	6819.775501	30000	0	0	30000	42.625	2004
22.01.2020 13:31:49	1	1	1	1	74.75	62.5	0	27867.299	247.311828	6819.775501	30000	0	0	30000	42.6875	2004
22.01.2020 13:31:50	1	1	1	1	74.75	62.5	0	27867.299	247.311828	6951.865844	30000	0	0	30000	42.5625	2004
22.01.2020 13:31:51	1	1	1	1	74.75	62.5	0	27819.905	249.4623656	6999.157448	30000	0	0	30000	42.6875	2004
22.01.2020 13:31:52	1	1	1	1	74.75	62.5	0	27867.299	253.7634409	6939.635257	30000	0	0	30000	42.875	2004
22.01.2020 13:31:53	1	1	1	1	74.75	62.75	0	27819.905	253.7634409	7059.495013	30000	0	0	30000	42.3125	2004
22.01.2020 13:31:54	1	1	1	1	74.75	62.25	0	27819.905	255.9139785	6892.343652	30000	0	0	30000	42.625	2004
22.01.2020 13:31:55	1	1	1	1	74.75	62.5	0	27867.299	253.7634409	7059.495013	30000	0	0	30000	42.625	2004
22.01.2020 13:31:56	1	1	1	1	74.75	62.5	0	27819.905	251.6129032	6999.157448	30000	0	0	30000	42.6875	2004
22.01.2020 13:31:57	1	1	1	1	74.75	62.5	0	27819.905	247.311828	6880.113065	30000	0	0	30000	42.6875	2004
22.01.2020 13:31:58	1	1	1	1	74.75	62.5	0	27819.905	247.311828	6880.113065	30000	0	0	30000	42.3125	2004
22.01.2020 13:31:59	1	1	1	1	74.75	62.25	0	27867.299	236.5591398	6592.286576	30000	0	0	30000	42.625	2004
22.01.2020 13:32:00	1	1	1	1	74.75	62.5	0	27819.905	230.1075269	6461.011605	30000	0	0	30000	42.5625	2004
22.01.2020 13:32:01	1	1	1	1	74.75	62.5	0	27819.905	227.9569892	6341.15185	30000	0	0	30000	41.9375	2004
22.01.2020 13:32:02	1	1	1	1	74.75	61.75	0	27819.905	225.8064516	6281.629658	30000	0	0	30000	42.6875	2004
22.01.2020 13:32:03	1	1	1	1	74.75	62.5	0	27867.299	223.655914	6292.2295	30000	0	0	30000	42.625	2004
22.01.2020 13:32:05	1	1	1	1	74.75	62.5	0	27819.905	225.8064516	6281.629658	30000	0	0	30000	42.5625	2004
22.01.2020 13:32:06	1	1	1	1	74.75	62.5	0	27867.299	232.2580645	6412.089256	30000	0	0	30000	42.5625	2004
22.01.2020 13:32:07	1	1	1	1	74.25	62.5	0	27867.299	234.4086022	6531.949012	30000	0	0	30000	42.625	2004
22.01.2020 13:32:08	1	1	1	1	74.25	62.5	0	27867.299	240.8602151	6700.731117	30000	0	0	30000	42.75	2004
22.01.2020 13:32:09	1	1	1	1	74.25	62.75	0	27867.299	270.9677419	7551.164624	30000	0	0	30000	42.75	2004
22.01.2020 13:32:10	1	1	1	1	74.25	62.75	0	27867.299	288.172043	7970.266083	30000	0	0	30000	42.5625	2004
22.01.2020 13:32:11	1	1	1	1	74.25	62.5	0	27867.299	305.3763441	8510.042671	30000	0	0	30000	42.6875	2004
22.01.2020 13:32:12	1	1	1	1	74.25	62.5	0	27867.299	305.3763441	8315.984019	30000	0	0	30000	42.625	2004
22.01.2020 13:32:13	1	1	1	1	74.25	62.5	0	27867.299	298.9247312	8390.182915	30000	0	0	30000	42.625	2004
22.01.2020 13:32:14	1	1	1	1	74.25	62.5	0	27867.299	268.8172043	7490.827059	30000	0	0	30000	42.5	2004
22.01.2020 13:32:15	1	1	1	1	74.25	62.5	0	27867.299	266.6666667	7431.304868	30000	0	0	30000	42.6875	2004
22.01.2020 13:32:16	1	1	1	1	74.25	62.5	0	27867.299	240.8602151	6580.871361	30000	0	0	30000	42.25	2004
22.01.2020 13:32:17	1	1	1	1	74.25	62.25	0	27867.299	240.8602151	6712.146332	30000	0	0	30000	42.5625	2004
22.01.2020 13:32:24	1	1	1	1	74.25	62.5	0	27867.299	206.4516129	5753.268285	30000	0	0	30000	42.6875	2004
22.01.2020 13:32:24	1	1	1	1	74.25	62.5	0	27867.299	206.4516129	5753.268285	30000	0	0	30000	42.6875	2004
22.01.2020 13:32:24	1	1	1	1	74.25	62.5	0	27867.299	206.4516129	5753.268285	30000	0	0	30000	42.6875	2004
22.01.2020 13:32:24	1	1	1	1	74.25	62.5	0	27867.299	206.4516129	5753.268285	30000	0	0	30000	42.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 13:32:24	1	1	1	1	74.25	62.5	0	27867.299	206.4516129	5753.268285	30000	0	0	30000	42.6875	2004
22.01.2020 13:32:24	1	1	1	1	74.25	62.5	0	27867.299	206.4516129	5753.268285	30000	0	0	30000	42.6875	2004
22.01.2020 13:32:24	1	1	1	1	74.25	62.5	0	27867.299	208.6021505	5743.483815	30000	0	0	30000	42.6875	2004
22.01.2020 13:32:25	1	1	1	1	74.25	62.5	0	27867.299	212.9032258	5932.650232	30000	0	0	30000	42.5625	2004
22.01.2020 13:32:26	1	1	1	1	74.5	62.5	0	27867.299	219.3548387	6172.369744	30000	0	0	30000	42.5	2004
22.01.2020 13:32:27	1	1	1	1	74.5	62.5	0	27867.299	221.5053763	6172.369744	30000	0	0	30000	42.75	2004
22.01.2020 13:32:28	1	1	1	1	74.5	62.75	0	27867.299	232.2580645	6412.089256	30000	0	0	30000	42	2004
22.01.2020 13:32:29	1	1	1	1	74.5	62	0	27867.299	240.8602151	6712.146332	30000	0	0	30000	42.625	2004
22.01.2020 13:32:30	1	1	1	1	74.5	62.5	0	27867.299	245.1612903	6771.668524	30000	0	0	30000	42.4375	2004
22.01.2020 13:32:31	1	1	1	1	74.5	62.25	0	27867.299	251.6129032	7011.388036	30000	0	0	30000	42.5	2004
22.01.2020 13:32:32	1	1	1	1	74.5	62.5	0	27867.299	253.7634409	6999.157448	30000	0	0	30000	42.625	2004
22.01.2020 13:32:33	1	1	1	1	74.5	62.5	0	27867.299	258.0645161	7191.585356	30000	0	0	30000	42.625	2004
22.01.2020 13:32:34	1	1	1	1	74.5	62.5	0	27867.299	262.3655914	7251.107548	30000	0	0	30000	42.5625	2004
22.01.2020 13:32:35	1	1	1	1	74.5	62.5	0	27867.299	260.2150538	7251.107548	30000	0	0	30000	42.5	2004
22.01.2020 13:32:36	1	1	1	1	74.5	62.5	0	27867.299	262.3655914	7370.967304	30000	0	0	30000	42.375	2004
22.01.2020 13:32:37	1	1	1	1	74.5	62.25	0	27867.299	262.3655914	7370.967304	30000	0	0	30000	42.5	2004
22.01.2020 13:32:38	1	1	1	1	74.5	62.5	0	27867.299	260.2150538	7311.445112	30000	0	0	30000	42.5	2004
22.01.2020 13:32:39	1	1	1	1	74.5	62.5	0	27867.299	266.6666667	7311.445112	30000	0	0	30000	42.75	2004
22.01.2020 13:32:40	1	1	1	1	74.5	62.75	0	27867.299	264.516129	7431.304868	30000	0	0	30000	42.5625	2004
22.01.2020 13:32:41	1	1	1	1	74.5	62.5	0	27867.299	264.516129	7370.967304	30000	0	0	30000	42.5625	2004
22.01.2020 13:32:43	1	1	1	1	74.5	62.5	0	27867.299	266.6666667	7418.258908	30000	0	0	30000	42.75	2004
22.01.2020 13:32:44	1	1	1	1	74.5	62.75	0	27867.299	264.516129	7431.304868	30000	0	0	30000	42.625	2004
22.01.2020 13:32:45	1	1	1	1	74.5	62.5	0	27867.299	268.8172043	7477.7811	30000	0	0	30000	42.5	2004
22.01.2020 13:32:46	1	1	1	1	74.5	62.5	0	27867.299	292.4731183	8209.985595	30000	0	0	30000	42.5	2004
22.01.2020 13:32:47	1	1	1	1	74.75	62.5	0	27867.299	266.6666667	7431.304868	30000	0	0	30000	42.6875	2004
22.01.2020 13:32:48	1	1	1	1	74.75	62.5	0	27867.299	268.8172043	7358.736716	30000	0	0	30000	42	2004
22.01.2020 13:32:49	1	1	1	1	74.75	62	0	27819.905	270.9677419	7538.118664	30000	0	0	30000	42.8125	2004
22.01.2020 13:32:50	1	1	1	1	74.75	62.75	0	27867.299	266.6666667	7490.827059	30000	0	0	30000	42.625	2004
22.01.2020 13:32:51	1	1	1	1	74.75	62.5	0	27819.905	264.516129	7490.827059	30000	0	0	30000	42.6875	2004
22.01.2020 13:32:52	1	1	1	1	74.75	62.5	0	27867.299	268.8172043	7490.827059	30000	0	0	30000	42.4375	2004
22.01.2020 13:32:53	1	1	1	1	74.75	62.25	0	27867.299	266.6666667	7443.535455	30000	0	0	30000	42.0625	2004
22.01.2020 13:32:54	1	1	1	1	74.75	62	0	27867.299	288.172043	8090.125839	30000	0	0	30000	42.5625	2004
22.01.2020 13:32:55	1	1	1	1	74.75	62.5	0	27867.299	279.5698925	7717.500612	30000	0	0	30000	43	2004
22.01.2020 13:32:56	1	1	1	1	74.75	63	0	27867.299	290.3225806	8209.985595	30000	0	0	30000	43.0625	2004
22.01.2020 13:32:57	1	1	1	1	74.5	62	0	27867.299	292.4731183	8136.602071	30000	0	0	30000	42.75	2004
22.01.2020 13:32:58	1	1	1	1	74.5	62.75	0	27867.299	286.0215054	8030.603647	30000	0	0	30000	42.5625	2004
22.01.2020 13:32:59	1	1	1	1	74.5	62.5	0	27867.299	286.0215054	7970.266083	30000	0	0	30000	42.6875	2004
22.01.2020 13:33:00	1	1	1	1	74.5	62.5	0	27819.905	279.5698925	7730.546571	30000	0	0	30000	42.5625	2004
22.01.2020 13:33:01	1	1	1	1	74.5	62.5	0	27867.299	253.7634409	7203.815943	30000	0	0	30000	42.625	2004
22.01.2020 13:33:02	1	1	1	1	74.5	62.5	0	27867.299	251.6129032	7011.388036	30000	0	0	30000	42.5625	2004
22.01.2020 13:33:03	1	1	1	1	74.5	62.5	0	27867.299	253.7634409	7011.388036	30000	0	0	30000	42.1875	2004
22.01.2020 13:33:04	1	1	1	1	74.5	62	0	27867.299	258.0645161	7059.495013	30000	0	0	30000	42.5	2004
22.01.2020 13:33:05	1	1	1	1	74.5	62.5	0	27867.299	255.9139785	7191.585356	30000	0	0	30000	41.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 13:33:06	1	1	1	1	74.75	61.75	0	27867.299	258.0645161	7251.107548	30000	0	0	30000	42.625	2004
22.01.2020 13:33:07	1	1	1	1	74.75	62.5	0	27867.299	258.0645161	7203.815943	30000	0	0	30000	42.625	2004
22.01.2020 13:33:08	1	1	1	1	74.75	62.5	0	27867.299	262.3655914	7251.107548	30000	0	0	30000	42.625	2004
22.01.2020 13:33:09	1	1	1	1	74.75	62.5	0	27867.299	275.2688172	7671.02438	30000	0	0	30000	42.5625	2004
22.01.2020 13:33:10	1	1	1	1	74.75	62.5	0	27867.299	286.0215054	7970.266083	30000	0	0	30000	42.5	2004
22.01.2020 13:33:11	1	1	1	1	74.75	62.5	0	27867.299	301.0752688	8449.705107	30000	0	0	30000	42.4375	2004
22.01.2020 13:33:12	1	1	1	1	74.75	62.25	0	27867.299	307.5268817	8510.042671	30000	0	0	30000	42.1875	2004
22.01.2020 13:33:13	1	1	1	1	74.75	62	0	27914.692	290.3225806	8103.987171	30000	0	0	30000	42.1875	2004
22.01.2020 13:33:14	1	1	1	1	74.75	62	0	27914.692	264.516129	7383.197891	30000	0	0	30000	42.1875	2004
22.01.2020 13:33:15	1	1	1	1	74.75	62	0	27914.692	262.3655914	7143.478379	30000	0	0	30000	42.375	2004
22.01.2020 13:33:16	1	1	1	1	74.75	62.25	0	27914.692	249.4623656	7083.140815	30000	0	0	30000	42.1875	2004
22.01.2020 13:33:17	1	1	1	1	74.75	62	0	27914.692	243.0107527	6783.083739	30000	0	0	30000	42.5625	2004
22.01.2020 13:33:18	1	1	1	1	74.75	62.5	0	27914.692	234.4086022	6543.364227	30000	0	0	30000	42.5	2004
22.01.2020 13:33:26	1	1	1	1	74.75	62	0	27914.692	191.3978495	5402.658114	30000	0	0	30000	42	2004
22.01.2020 13:33:26	1	1	1	1	74.75	62	0	27914.692	191.3978495	5402.658114	30000	0	0	30000	42	2004
22.01.2020 13:33:26	1	1	1	1	74.75	62	0	27914.692	191.3978495	5402.658114	30000	0	0	30000	42	2004
22.01.2020 13:33:26	1	1	1	1	74.75	62	0	27914.692	191.3978495	5402.658114	30000	0	0	30000	42	2004
22.01.2020 13:33:26	1	1	1	1	74.75	62	0	27914.692	191.3978495	5402.658114	30000	0	0	30000	42	2004
22.01.2020 13:33:26	1	1	1	1	74.75	62	0	27914.692	191.3978495	5402.658114	30000	0	0	30000	42	2004
22.01.2020 13:33:26	1	1	1	1	74.75	62	0	27914.692	191.3978495	5402.658114	30000	0	0	30000	42	2004
22.01.2020 13:33:26	1	1	1	1	74.75	62	0	27914.692	191.3978495	5342.32055	30000	0	0	30000	42.5625	2004
22.01.2020 13:33:27	1	1	1	1	75	62.5	0	27914.692	189.2473118	5282.798358	30000	0	0	30000	42.6875	2004
22.01.2020 13:33:28	1	1	1	1	75	62.5	0	27914.692	189.2473118	5282.798358	30000	0	0	30000	42.5	2004
22.01.2020 13:33:29	1	1	1	1	75	62.5	0	27914.692	189.2473118	5093.631941	30000	0	0	30000	42.6875	2004
22.01.2020 13:33:30	1	1	1	1	75	62.5	0	27914.692	189.2473118	5351.289647	30000	0	0	30000	42.5	2004
22.01.2020 13:33:31	1	1	1	1	75	62.5	0	27962.085	189.2473118	5282.798358	30000	0	0	30000	42.625	2004
22.01.2020 13:33:32	1	1	1	1	75	62.5	0	27914.692	189.2473118	5282.798358	30000	0	0	30000	42.6875	2004
22.01.2020 13:33:33	1	1	1	1	75	62.5	0	27914.692	189.2473118	5282.798358	30000	0	0	30000	42.4375	2004
22.01.2020 13:33:34	1	1	1	1	75	62.25	0	27914.692	187.0967742	5162.12323	30000	0	0	30000	42.6875	2004
22.01.2020 13:33:35	1	1	1	1	75	62.5	0	27914.692	184.9462366	5162.12323	30000	0	0	30000	43	2004
22.01.2020 13:33:36	1	1	1	1	75	63	0	27867.299	184.9462366	5162.12323	30000	0	0	30000	42.6875	2004
22.01.2020 13:33:37	1	1	1	1	75	62.5	0	27914.692	182.7956989	4981.92591	30000	0	0	30000	42.875	2004
22.01.2020 13:33:38	1	1	1	1	75	63	0	27914.692	178.4946237	5042.263474	30000	0	0	30000	42.6875	2004
22.01.2020 13:33:39	1	1	1	1	75	62.5	0	27914.692	182.7956989	5102.601038	30000	0	0	30000	42.625	2004
22.01.2020 13:33:40	1	1	1	1	75	62.5	0	27962.085	180.6451613	5042.263474	30000	0	0	30000	42.5	2004
22.01.2020 13:33:41	1	1	1	1	75	62.5	0	27914.692	184.9462366	5162.12323	30000	0	0	30000	42.6875	2004
22.01.2020 13:33:42	1	1	1	1	75	62.5	0	27914.692	189.2473118	5282.798358	30000	0	0	30000	42.4375	2004
22.01.2020 13:33:43	1	1	1	1	75	62.25	0	27914.692	191.3978495	5342.32055	30000	0	0	30000	41.8125	2004
22.01.2020 13:33:44	1	1	1	1	75	61.75	0	27867.299	189.2473118	5282.798358	30000	0	0	30000	42.375	2004
22.01.2020 13:33:45	1	1	1	1	75	62.25	0	27867.299	182.7956989	5153.969505	30000	0	0	30000	42.25	2004
22.01.2020 13:33:46	1	1	1	1	74.5	62.25	0	27914.692	180.6451613	4981.92591	30000	0	0	30000	42.625	2004
22.01.2020 13:33:47	1	1	1	1	74.5	62.5	0	27867.299	178.4946237	4981.92591	30000	0	0	30000	42.6875	2004
22.01.2020 13:33:48	1	1	1	1	74.5	62.5	0	27914.692	180.6451613	5102.601038	30000	0	0	30000	42.5625	2004
22.01.2020 13:33:49	1	1	1	1	74.5	62.5	0	27867.299	184.9462366	5162.12323	30000	0	0	30000	42.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 13:33:50	1	1	1	1	74.5	62.5	0	27914.692	189.2473118	5282.798358	30000	0	0	30000	42.1875	2004
22.01.2020 13:33:51	1	1	1	1	74.5	62	0	27867.299	189.2473118	5342.32055	30000	0	0	30000	42.5625	2004
22.01.2020 13:33:52	1	1	1	1	74.5	62.5	0	27914.692	206.4516129	5763.052755	30000	0	0	30000	42.5	2004
22.01.2020 13:33:53	1	1	1	1	74.5	62.5	0	27867.299	206.4516129	5763.052755	30000	0	0	30000	42.75	2004
22.01.2020 13:33:54	1	1	1	1	74.5	62.75	0	27914.692	212.9032258	5942.434702	30000	0	0	30000	42.5	2004
22.01.2020 13:33:55	1	1	1	1	74.5	62.5	0	27914.692	212.9032258	6002.772266	30000	0	0	30000	42.625	2004
22.01.2020 13:33:56	1	1	1	1	73.75	62.5	0	27914.692	217.2043011	6063.109831	30000	0	0	30000	42.25	2004
22.01.2020 13:33:57	1	1	1	1	73.75	62.25	0	27914.692	215.0537634	5942.434702	30000	0	0	30000	42.4375	2004
22.01.2020 13:33:58	1	1	1	1	73.75	62.25	0	27867.299	212.9032258	5942.434702	30000	0	0	30000	42.4375	2004
22.01.2020 13:33:59	1	1	1	1	73.75	62.25	0	27914.692	208.6021505	5822.574946	30000	0	0	30000	42.1875	2004
22.01.2020 13:34:00	1	1	1	1	73.75	62	0	27914.692	208.6021505	5832.359416	30000	0	0	30000	42.5625	2004
22.01.2020 13:34:01	1	1	1	1	73.75	62.5	0	27914.692	212.9032258	5942.434702	30000	0	0	30000	42.75	2004
22.01.2020 13:34:03	1	1	1	1	73.75	62.75	0	27914.692	217.2043011	5932.650232	30000	0	0	30000	42.5625	2004
22.01.2020 13:34:04	1	1	1	1	73.75	62.5	0	27914.692	219.3548387	6122.632022	30000	0	0	30000	42.5625	2004
22.01.2020 13:34:05	1	1	1	1	73.75	62.5	0	27914.692	219.3548387	6122.632022	30000	0	0	30000	42.6875	2004
22.01.2020 13:34:06	1	1	1	1	73.75	62.5	0	27914.692	219.3548387	6182.969587	30000	0	0	30000	42.625	2004
22.01.2020 13:34:07	1	1	1	1	73.25	62.5	0	27914.692	221.5053763	6052.509988	30000	0	0	30000	42.5625	2004
22.01.2020 13:34:08	1	1	1	1	73.25	62.5	0	27867.299	221.5053763	6182.969587	30000	0	0	30000	42.625	2004
22.01.2020 13:34:09	1	1	1	1	73.25	62.5	0	27914.692	221.5053763	6122.632022	30000	0	0	30000	42.625	2004
22.01.2020 13:34:10	1	1	1	1	73.25	62.5	0	27914.692	225.8064516	6434.104313	30000	0	0	30000	42.5	2004
22.01.2020 13:34:11	1	1	1	1	73.25	62.5	0	27914.692	221.5053763	6182.969587	30000	0	0	30000	42.375	2004
22.01.2020 13:34:12	1	1	1	1	73.25	62.25	0	27962.085	223.655914	6313.429185	30000	0	0	30000	42.625	2004
22.01.2020 13:34:13	1	1	1	1	73.25	62.5	0	27867.299	221.5053763	6302.829343	30000	0	0	30000	42.8125	2004
22.01.2020 13:34:14	1	1	1	1	73.25	62.75	0	27914.692	217.2043011	6052.509988	30000	0	0	30000	42.875	2004
22.01.2020 13:34:15	1	1	1	1	73.25	62.75	0	27914.692	212.9032258	5942.434702	30000	0	0	30000	43.0625	2004
22.01.2020 13:34:16	1	1	1	1	73.25	63	0	27914.692	215.0537634	5942.434702	30000	0	0	30000	42.6875	2004
22.01.2020 13:34:17	1	1	1	1	72.25	62.5	0	27867.299	217.2043011	6052.509988	30000	0	0	30000	42.75	2004
22.01.2020 13:34:18	1	1	1	1	72.25	62.75	0	27914.692	219.3548387	6122.632022	30000	0	0	30000	42.3125	2004
22.01.2020 13:34:19	1	1	1	1	72.25	62.25	0	27867.299	219.3548387	6182.969587	30000	0	0	30000	42.1875	2004
22.01.2020 13:34:20	1	1	1	1	72.25	62	0	27962.085	221.5053763	6122.632022	30000	0	0	30000	42.3125	2004
22.01.2020 13:34:27	1	1	1	1	72.5	62.5	0	27962.085	206.4516129	5772.837224	30000	0	0	30000	42.4375	2004
22.01.2020 13:34:27	1	1	1	1	72.5	62.5	0	27962.085	206.4516129	5772.837224	30000	0	0	30000	42.4375	2004
22.01.2020 13:34:27	1	1	1	1	72.5	62.5	0	27962.085	206.4516129	5772.837224	30000	0	0	30000	42.4375	2004
22.01.2020 13:34:27	1	1	1	1	72.5	62.5	0	27962.085	206.4516129	5772.837224	30000	0	0	30000	42.4375	2004
22.01.2020 13:34:27	1	1	1	1	72.5	62.5	0	27962.085	206.4516129	5772.837224	30000	0	0	30000	42.4375	2004
22.01.2020 13:34:27	1	1	1	1	72.5	62.25	0	27962.085	208.6021505	5832.359416	30000	0	0	30000	42.5	2004
22.01.2020 13:34:28	1	1	1	1	72.5	62.5	0	27962.085	206.4516129	5772.837224	30000	0	0	30000	42.625	2004
22.01.2020 13:34:29	1	1	1	1	72.5	62.5	0	27962.085	206.4516129	5772.837224	30000	0	0	30000	42.4375	2004
22.01.2020 13:34:30	1	1	1	1	72.5	62.25	0	27914.692	206.4516129	5753.268285	30000	0	0	30000	42.5625	2004
22.01.2020 13:34:31	1	1	1	1	72.5	62.5	0	28009.479	206.4516129	5772.837224	30000	0	0	30000	42.5625	2004
22.01.2020 13:34:32	1	1	1	1	72.5	62.5	0	27962.085	206.4516129	5892.69698	30000	0	0	30000	41.9375	2004
22.01.2020 13:34:33	1	1	1	1	72.5	61.75	0	27962.085	208.6021505	5832.359416	30000	0	0	30000	42	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 13:34:34	1	1	1	1	72.5	62	0	27962.085	210.7526882	5892.69698	30000	0	0	30000	42.5	2004
22.01.2020 13:34:35	1	1	1	1	72.5	62.5	0	27962.085	212.9032258	6204.169271	30000	0	0	30000	42.4375	2004
22.01.2020 13:34:36	1	1	1	1	72.25	62.25	0	27914.692	217.2043011	6133.231865	30000	0	0	30000	42.5625	2004
22.01.2020 13:34:37	1	1	1	1	72.25	62.5	0	27962.085	219.3548387	6133.231865	30000	0	0	30000	42.6875	2004
22.01.2020 13:34:38	1	1	1	1	72.25	62.5	0	27914.692	217.2043011	6122.632022	30000	0	0	30000	42.75	2004
22.01.2020 13:34:39	1	1	1	1	72.25	62.75	0	27914.692	221.5053763	6204.169271	30000	0	0	30000	42.625	2004
22.01.2020 13:34:40	1	1	1	1	72.25	62.5	0	27962.085	221.5053763	6193.569429	30000	0	0	30000	42.5625	2004
22.01.2020 13:34:42	1	1	1	1	72.25	62.5	0	27962.085	225.8064516	6373.766749	30000	0	0	30000	42.125	2004
22.01.2020 13:34:43	1	1	1	1	72.25	62	0	27962.085	230.1075269	6565.379284	30000	0	0	30000	42.5	2004
22.01.2020 13:34:44	1	1	1	1	72.25	62.5	0	27962.085	230.1075269	6434.104313	30000	0	0	30000	42.625	2004
22.01.2020 13:34:45	1	1	1	1	72.25	62.5	0	27914.692	232.2580645	6494.441878	30000	0	0	30000	42.4375	2004
22.01.2020 13:34:46	1	1	1	1	72.25	62.25	0	27962.085	232.2580645	6434.104313	30000	0	0	30000	42.25	2004
22.01.2020 13:34:47	1	1	1	1	72.75	62.25	0	27914.692	230.1075269	6434.104313	30000	0	0	30000	42.4375	2004
22.01.2020 13:34:48	1	1	1	1	72.75	62.25	0	27962.085	230.1075269	6434.104313	30000	0	0	30000	42.4375	2004
22.01.2020 13:34:49	1	1	1	1	72.75	62.25	0	27962.085	230.1075269	6434.104313	30000	0	0	30000	42.625	2004
22.01.2020 13:34:50	1	1	1	1	72.75	62.5	0	27962.085	227.9569892	6434.104313	30000	0	0	30000	42.4375	2004
22.01.2020 13:34:51	1	1	1	1	72.75	62.25	0	28009.479	232.2580645	6505.04172	30000	0	0	30000	42.1875	2004
22.01.2020 13:34:52	1	1	1	1	72.75	62	0	27962.085	230.1075269	6422.689098	30000	0	0	30000	42.5625	2004
22.01.2020 13:34:53	1	1	1	1	72.75	62.5	0	27962.085	227.9569892	6434.104313	30000	0	0	30000	42.5	2004
22.01.2020 13:34:54	1	1	1	1	72.75	62.5	0	27962.085	227.9569892	6313.429185	30000	0	0	30000	42.6875	2004
22.01.2020 13:34:55	1	1	1	1	72.75	62.5	0	27962.085	227.9569892	6324.029027	30000	0	0	30000	43.0625	2004
22.01.2020 13:34:56	1	1	1	1	72.75	63	0	27914.692	223.655914	6182.969587	30000	0	0	30000	42.5625	2004
22.01.2020 13:34:57	1	1	1	1	73.5	62.5	0	27962.085	221.5053763	6193.569429	30000	0	0	30000	42.5	2004
22.01.2020 13:34:58	1	1	1	1	73.5	62.5	0	27962.085	221.5053763	6063.109831	30000	0	0	30000	42.625	2004
22.01.2020 13:34:59	1	1	1	1	73.5	62.5	0	27962.085	219.3548387	6133.231865	30000	0	0	30000	42.625	2004
22.01.2020 13:35:00	1	1	1	1	73.5	62.5	0	27962.085	219.3548387	6133.231865	30000	0	0	30000	42.0625	2004
22.01.2020 13:35:01	1	1	1	1	73.5	62	0	27962.085	219.3548387	6133.231865	30000	0	0	30000	42.375	2004
22.01.2020 13:35:02	1	1	1	1	73.5	62.25	0	27962.085	219.3548387	6133.231865	30000	0	0	30000	42.5	2004
22.01.2020 13:35:03	1	1	1	1	73.5	62.5	0	27962.085	219.3548387	6193.569429	30000	0	0	30000	42.5	2004
22.01.2020 13:35:04	1	1	1	1	73.5	62.5	0	28009.479	221.5053763	6193.569429	30000	0	0	30000	42.5	2004
22.01.2020 13:35:05	1	1	1	1	73.5	62.5	0	28009.479	221.5053763	6193.569429	30000	0	0	30000	42.625	2004
22.01.2020 13:35:06	1	1	1	1	73.75	62.5	0	28009.479	227.9569892	6193.569429	30000	0	0	30000	42.375	2004
22.01.2020 13:35:07	1	1	1	1	73.75	62.25	0	28009.479	221.5053763	6193.569429	30000	0	0	30000	42.6875	2004
22.01.2020 13:35:08	1	1	1	1	73.75	62.5	0	27962.085	221.5053763	6122.632022	30000	0	0	30000	42.5	2004
22.01.2020 13:35:09	1	1	1	1	73.75	62.5	0	27962.085	221.5053763	6193.569429	30000	0	0	30000	42.3125	2004
22.01.2020 13:35:10	1	1	1	1	73.75	62.25	0	27962.085	219.3548387	6063.109831	30000	0	0	30000	42.1875	2004
22.01.2020 13:35:11	1	1	1	1	73.75	62	0	27962.085	217.2043011	6002.772266	30000	0	0	30000	42.5625	2004
22.01.2020 13:35:12	1	1	1	1	73.75	62.5	0	27962.085	212.9032258	6083.494143	30000	0	0	30000	42.6875	2004
22.01.2020 13:35:13	1	1	1	1	73.75	62.5	0	27962.085	212.9032258	5882.912511	30000	0	0	30000	42.5	2004
22.01.2020 13:35:14	1	1	1	1	73.75	62.5	0	27962.085	215.0537634	6013.372109	30000	0	0	30000	42.4375	2004
22.01.2020 13:35:15	1	1	1	1	73.75	62.25	0	27962.085	212.9032258	5942.434702	30000	0	0	30000	42.625	2004
22.01.2020 13:35:16	1	1	1	1	74	62.5	0	27962.085	212.9032258	5942.434702	30000	0	0	30000	42.5625	2004
22.01.2020 13:35:17	1	1	1	1	74	62.5	0	27962.085	206.4516129	5772.837224	30000	0	0	30000	42.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 13:35:18	1	1	1	1	74	62.5	0	27962.085	206.4516129	5471.964776	30000	0	0	30000	42.5625	2004
22.01.2020 13:35:20	1	1	1	1	74	62.5	0	27962.085	206.4516129	5772.837224	30000	0	0	30000	42.3125	2004
22.01.2020 13:35:21	1	1	1	1	74	62.25	0	27962.085	206.4516129	5763.052755	30000	0	0	30000	42.25	2004
22.01.2020 13:35:22	1	1	1	1	74	62.25	0	27962.085	206.4516129	5763.052755	30000	0	0	30000	42.5625	2004
22.01.2020 13:35:29	1	1	1	1	74	62	0	27914.692	217.2043011	6072.894301	30000	0	0	30000	42.4375	2004
22.01.2020 13:35:29	1	1	1	1	74	62	0	27914.692	217.2043011	6072.894301	30000	0	0	30000	42.4375	2004
22.01.2020 13:35:29	1	1	1	1	74	62	0	27914.692	217.2043011	6072.894301	30000	0	0	30000	42.4375	2004
22.01.2020 13:35:29	1	1	1	1	74	62	0	27914.692	217.2043011	6072.894301	30000	0	0	30000	42.4375	2004
22.01.2020 13:35:29	1	1	1	1	74	62	0	27914.692	217.2043011	6072.894301	30000	0	0	30000	42.4375	2004
22.01.2020 13:35:29	1	1	1	1	74	62.25	0	27962.085	219.3548387	6133.231865	30000	0	0	30000	42.5	2004
22.01.2020 13:35:30	1	1	1	1	74	62.5	0	28009.479	223.655914	6204.169271	30000	0	0	30000	41.8125	2004
22.01.2020 13:35:31	1	1	1	1	74	61.75	0	28009.479	225.8064516	6324.029027	30000	0	0	30000	42.5	2004
22.01.2020 13:35:32	1	1	1	1	74	62.5	0	28009.479	225.8064516	6324.029027	30000	0	0	30000	42.9375	2004
22.01.2020 13:35:33	1	1	1	1	74	62.75	0	28009.479	225.8064516	6384.366591	30000	0	0	30000	42.6875	2004
22.01.2020 13:35:34	1	1	1	1	74	62.5	0	28009.479	225.8064516	6324.029027	30000	0	0	30000	42.9375	2004
22.01.2020 13:35:35	1	1	1	1	74	62.75	0	28009.479	225.8064516	6324.029027	30000	0	0	30000	43	2004
22.01.2020 13:35:36	1	1	1	1	74	62.25	0	28009.479	221.5053763	6324.029027	30000	0	0	30000	42.5	2004
22.01.2020 13:35:37	1	1	1	1	74	62.5	0	28009.479	221.5053763	6204.169271	30000	0	0	30000	42.5625	2004
22.01.2020 13:35:38	1	1	1	1	74	62.5	0	28009.479	221.5053763	6204.169271	30000	0	0	30000	42.5625	2004
22.01.2020 13:35:39	1	1	1	1	74	62.5	0	28009.479	219.3548387	6204.169271	30000	0	0	30000	42.5	2004
22.01.2020 13:35:40	1	1	1	1	74	62.5	0	28009.479	227.9569892	6204.169271	30000	0	0	30000	42.4375	2004
22.01.2020 13:35:41	1	1	1	1	74	62.25	0	28009.479	221.5053763	6204.169271	30000	0	0	30000	42.5	2004
22.01.2020 13:35:42	1	1	1	1	74	62.5	0	28009.479	219.3548387	6204.169271	30000	0	0	30000	42.5	2004
22.01.2020 13:35:43	1	1	1	1	74	62.5	0	28009.479	219.3548387	6083.494143	30000	0	0	30000	42.4375	2004
22.01.2020 13:35:44	1	1	1	1	74	62.25	0	28009.479	217.2043011	6023.156579	30000	0	0	30000	42.125	2004
22.01.2020 13:35:45	1	1	1	1	74	62	0	28009.479	219.3548387	6143.831707	30000	0	0	30000	42.5625	2004
22.01.2020 13:35:46	1	1	1	1	74.25	62.5	0	27962.085	221.5053763	6204.169271	30000	0	0	30000	42.4375	2004
22.01.2020 13:35:47	1	1	1	1	74.25	62.25	0	28009.479	225.8064516	6444.704156	30000	0	0	30000	42.5	2004
22.01.2020 13:35:48	1	1	1	1	74.25	62.5	0	28009.479	225.8064516	6324.029027	30000	0	0	30000	42.5625	2004
22.01.2020 13:35:49	1	1	1	1	74.25	62.5	0	28009.479	225.8064516	6384.366591	30000	0	0	30000	42.375	2004
22.01.2020 13:35:50	1	1	1	1	74.25	62.25	0	28009.479	227.9569892	6324.029027	30000	0	0	30000	42.4375	2004
22.01.2020 13:35:51	1	1	1	1	74.25	62.25	0	28009.479	227.9569892	6444.704156	30000	0	0	30000	42.4375	2004
22.01.2020 13:35:52	1	1	1	1	74.25	62.25	0	28009.479	236.5591398	6625.716848	30000	0	0	30000	42.375	2004
22.01.2020 13:35:53	1	1	1	1	74.25	62.25	0	28009.479	258.0645161	7047.264425	30000	0	0	30000	42.3125	2004
22.01.2020 13:35:54	1	1	1	1	74.25	62.25	0	28009.479	260.2150538	7287.79931	30000	0	0	30000	42.5	2004
22.01.2020 13:35:55	1	1	1	1	74.25	62.5	0	28009.479	262.3655914	7287.79931	30000	0	0	30000	42.375	2004
22.01.2020 13:35:56	1	1	1	1	74	62.25	0	28009.479	279.5698925	7830.022015	30000	0	0	30000	42.4375	2004
22.01.2020 13:35:58	1	1	1	1	74	62.25	0	28009.479	301.0752688	8372.24472	30000	0	0	30000	42.3125	2004
22.01.2020 13:35:59	1	1	1	1	74	62.25	0	28009.479	298.9247312	8372.24472	30000	0	0	30000	41.1875	2004
22.01.2020 13:36:00	1	1	1	1	74	61	0	28009.479	288.172043	8071.372272	30000	0	0	30000	42.4375	2004
22.01.2020 13:36:01	1	1	1	1	74	62.25	0	28009.479	262.3655914	7408.474438	30000	0	0	30000	42.4375	2004
22.01.2020 13:36:02	1	1	1	1	74	62.25	0	28009.479	264.516129	7348.136874	30000	0	0	30000	42.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 13:36:47	1	1	1	1	74.25	62.5	0	28009.479	240.8602151	6746.391977	30000	0	0	30000	42.375	2004
22.01.2020 13:36:48	1	1	1	1	74.25	62.25	0	28009.479	240.8602151	6805.914168	30000	0	0	30000	42.5	2004
22.01.2020 13:36:49	1	1	1	1	74.25	62.5	0	28009.479	240.8602151	6792.052836	30000	0	0	30000	42.375	2004
22.01.2020 13:36:50	1	1	1	1	74.25	62.25	0	28009.479	240.8602151	6746.391977	30000	0	0	30000	42.625	2004
22.01.2020 13:36:51	1	1	1	1	74.25	62.5	0	28009.479	234.4086022	6565.379284	30000	0	0	30000	42.5625	2004
22.01.2020 13:36:52	1	1	1	1	74.25	62.5	0	28009.479	232.2580645	6549.071834	30000	0	0	30000	42.8125	2004
22.01.2020 13:36:53	1	1	1	1	74.25	62.25	0	28009.479	232.2580645	6505.04172	30000	0	0	30000	42.5	2004
22.01.2020 13:36:54	1	1	1	1	74.25	62.5	0	28009.479	225.8064516	6444.704156	30000	0	0	30000	42.5	2004
22.01.2020 13:36:55	1	1	1	1	74.25	62.5	0	28009.479	227.9569892	6549.071834	30000	0	0	30000	42.375	2004
22.01.2020 13:36:56	1	1	1	1	74.25	62.25	0	28009.479	225.8064516	6384.366591	30000	0	0	30000	42.25	2004
22.01.2020 13:36:57	1	1	1	1	74.25	62.25	0	28009.479	236.5591398	6625.716848	30000	0	0	30000	42.375	2004
22.01.2020 13:36:58	1	1	1	1	74.25	62.25	0	28009.479	249.4623656	6926.589297	30000	0	0	30000	42.4375	2004
22.01.2020 13:36:59	1	1	1	1	74.25	62.25	0	28009.479	251.6129032	7107.60199	30000	0	0	30000	42.3125	2004
22.01.2020 13:37:00	1	1	1	1	74.25	62.25	0	0	0	0	30000	0	8	30000	42.4375	2004
22.01.2020 13:37:01	1	1	1	1	74.25	62.25	0	0	0	0	30000	0	8	30000	42.75	2004
22.01.2020 13:37:02	1	1	1	1	74.25	62.75	0	10710.9	0	0	30000	0	0	30000	42.5625	2004
22.01.2020 13:37:03	1	1	1	1	74.25	62.5	0	11469.194	0	0	30000	0	0	30000	42.625	2004
22.01.2020 13:37:04	1	1	1	1	74.25	62.5	0	12227.488	0	0	30000	0	0	30000	42.4375	2004
22.01.2020 13:37:05	1	1	1	1	74.25	62.25	0	12985.782	2.150537634	0	30000	0	0	30000	42.625	2004
22.01.2020 13:37:06	1	1	1	1	74.5	62.5	0	13791.469	6.451612903	88.87560134	30000	0	0	30000	42.25	2004
22.01.2020 13:37:07	1	1	1	1	74.5	62.25	0	14549.763	6.451612903	155.7361455	30000	0	0	30000	42.5625	2004
22.01.2020 13:37:08	1	1	1	1	74.5	62.5	0	15308.057	15.05376344	229.935042	30000	0	0	30000	42.5	2004
22.01.2020 13:37:09	1	1	1	1	74.5	62.5	0	16161.137	21.50537634	344.902563	30000	0	0	30000	42.5625	2004
22.01.2020 13:37:10	1	1	1	1	74.5	62.5	0	16919.431	27.95698925	469.6545539	30000	0	0	30000	42.5	2004
22.01.2020 13:37:11	1	1	1	1	74.5	62.5	0	17630.332	32.25806452	566.6838801	30000	0	0	30000	42.5	2004
22.01.2020 13:37:12	1	1	1	1	74.5	62.5	0	18436.019	45.16129032	830.0491941	30000	0	0	30000	42.4375	2004
22.01.2020 13:37:13	1	1	1	1	74.5	62.25	0	19194.313	60.21505376	1073.030196	30000	0	0	30000	42.375	2004
22.01.2020 13:37:15	1	1	1	1	74.5	62.25	0	19952.607	62.3655914	1422.009621	30000	0	0	30000	42.5625	2004
22.01.2020 13:37:16	1	1	1	1	74.5	62.5	0	20616.114	66.66666667	1469.301226	30000	0	0	30000	42.5625	2004
22.01.2020 13:37:17	1	1	1	1	74	62.5	0	21516.588	79.56989247	1711.466855	30000	0	0	30000	42.5	2004
22.01.2020 13:37:18	1	1	1	1	74	62.5	0	22274.882	83.87096774	1868.018373	30000	0	0	30000	42.375	2004
22.01.2020 13:37:19	1	1	1	1	74	62.25	0	23033.175	90.32258065	2080.01522	30000	0	0	30000	42.3125	2004
22.01.2020 13:37:20	1	1	1	1	74	62.25	0	23033.175	92.47311828	2183.567526	30000	0	0	30000	42.4375	2004
22.01.2020 13:37:21	1	1	1	1	74	62.25	0	23175.355	96.77419355	2242.274346	30000	0	0	30000	42.4375	2004
22.01.2020 13:37:22	1	1	1	1	74	62.25	0	23175.355	94.62365591	2242.274346	30000	0	0	30000	42.5625	2004
22.01.2020 13:37:23	1	1	1	1	74	62.5	0	23175.355	94.62365591	2192.536624	30000	0	0	30000	42.4375	2004
22.01.2020 13:37:24	1	1	1	1	74	62.25	0	23175.355	94.62365591	2192.536624	30000	0	0	30000	42.4375	2004
22.01.2020 13:37:25	1	1	1	1	74	62.25	0	23175.355	94.62365591	2192.536624	30000	0	0	30000	42.5	2004
22.01.2020 13:37:32	1	1	1	1	74	62.75	0	23175.355	92.47311828	2192.536624	30000	0	0	30000	42.4375	2004
22.01.2020 13:37:32	1	1	1	1	74	62.75	0	23175.355	92.47311828	2192.536624	30000	0	0	30000	42.4375	2004
22.01.2020 13:37:32	1	1	1	1	74	62.75	0	23175.355	92.47311828	2192.536624	30000	0	0	30000	42.4375	2004
22.01.2020 13:37:32	1	1	1	1	74	62.75	0	23175.355	92.47311828	2192.536624	30000	0	0	30000	42.4375	2004
22.01.2020 13:37:32	1	1	1	1	74	62.75	0	23175.355	92.47311828	2192.536624	30000	0	0	30000	42.4375	2004
22.01.2020 13:37:32	1	1	1	1	74	62.75	0	23175.355	92.47311828	2192.536624	30000	0	0	30000	42.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 13:37:32	1	1	1	1	74	62.75	0	23175.355	92.47311828	2192.536624	30000	0	0	30000	42.4375	2004
22.01.2020 13:37:32	1	1	1	1	74	62.5	0	23175.355	92.47311828	2142.798902	30000	0	0	30000	42.5625	2004
22.01.2020 13:37:33	1	1	1	1	74	62.5	0	23080.569	90.32258065	2142.798902	30000	0	0	30000	42.375	2004
22.01.2020 13:37:34	1	1	1	1	74	62.25	0	23175.355	92.47311828	2142.798902	30000	0	0	30000	42.5	2004
22.01.2020 13:37:35	1	1	1	1	74	62.5	0	23175.355	94.62365591	2084.092083	30000	0	0	30000	42.4375	2004
22.01.2020 13:37:36	1	1	1	1	74	62.25	0	23080.569	94.62365591	2142.798902	30000	0	0	30000	42.1875	2004
22.01.2020 13:37:37	1	1	1	1	74	62	0	23175.355	92.47311828	2093.06118	30000	0	0	30000	42.5	2004
22.01.2020 13:37:38	1	1	1	1	74	62.5	0	23175.355	88.17204301	2084.092083	30000	0	0	30000	42.4375	2004
22.01.2020 13:37:39	1	1	1	1	74	62.25	0	23412.322	94.62365591	2215.367054	30000	0	0	30000	42.375	2004
22.01.2020 13:37:40	1	1	1	1	74	62.25	0	24218.009	105.3763441	2551.300519	30000	0	0	30000	42.4375	2004
22.01.2020 13:37:41	1	1	1	1	74	62.25	0	24549.763	129.0322581	3114.722909	30000	0	0	30000	42.375	2004
22.01.2020 13:37:42	1	1	1	1	74	62.25	0	24407.583	126.8817204	3148.968554	30000	0	0	30000	42.375	2004
22.01.2020 13:37:43	1	1	1	1	74	62.25	0	25165.877	144.0860215	3625.96146	30000	0	0	30000	42.5625	2004
22.01.2020 13:37:44	1	1	1	1	74	62.5	0	25734.597	152.688172	4150.245971	30000	0	0	30000	42.6875	2004
22.01.2020 13:37:45	1	1	1	1	74	62.5	0	26445.498	174.1935484	4500.856141	30000	0	0	30000	42.375	2004
22.01.2020 13:37:46	1	1	1	1	74.25	62.25	0	27014.218	189.2473118	5112.385508	30000	0	0	30000	42.4375	2004
22.01.2020 13:37:47	1	1	1	1	74.25	62.25	0	27298.578	206.4516129	5635.854646	30000	0	0	30000	42.5	2004
22.01.2020 13:37:48	1	1	1	1	74.25	62.5	0	27535.545	221.5053763	6077.786535	30000	0	0	30000	42.5	2004
22.01.2020 13:37:49	1	1	1	1	74.25	62.5	0	27867.299	234.4086022	6520.533797	30000	0	0	30000	42.4375	2004
22.01.2020 13:37:50	1	1	1	1	74.25	62.25	0	28009.479	249.4623656	6986.926861	30000	0	0	30000	42.1875	2004
22.01.2020 13:37:51	1	1	1	1	74.25	62	0	28009.479	247.311828	6986.926861	30000	0	0	30000	42.4375	2004
22.01.2020 13:37:52	1	1	1	1	74.25	62.25	0	28009.479	247.311828	6866.251733	30000	0	0	30000	42.4375	2004
22.01.2020 13:37:54	1	1	1	1	74.25	62.25	0	28009.479	262.3655914	7348.136874	30000	0	0	30000	42.375	2004
22.01.2020 13:37:55	1	1	1	1	74.25	62.25	0	28009.479	260.2150538	7287.79931	30000	0	0	30000	42.375	2004
22.01.2020 13:37:56	1	1	1	1	74.25	62.25	0	28009.479	245.1612903	6866.251733	30000	0	0	30000	42.4375	2004
22.01.2020 13:37:57	1	1	1	1	73.75	62.25	0	28009.479	240.8602151	6792.052836	30000	0	0	30000	42.4375	2004
22.01.2020 13:37:58	1	1	1	1	73.75	62.25	0	28009.479	245.1612903	6805.914168	30000	0	0	30000	42.25	2004
22.01.2020 13:37:59	1	1	1	1	73.75	62.25	0	28009.479	251.6129032	7047.264425	30000	0	0	30000	42.375	2004
22.01.2020 13:38:00	1	1	1	1	73.75	62.25	0	28009.479	243.0107527	6805.914168	30000	0	0	30000	42.375	2004
22.01.2020 13:38:01	1	1	1	1	73.75	62.25	0	28009.479	258.0645161	7287.79931	30000	0	0	30000	42.3125	2004
22.01.2020 13:38:02	1	1	1	1	73.75	62.25	0	28199.052	260.2150538	7337.537032	30000	0	0	30000	42.3125	2004
22.01.2020 13:38:03	1	1	1	1	73.75	62.25	0	28009.479	240.8602151	6746.391977	30000	0	0	30000	42.375	2004
22.01.2020 13:38:04	1	1	1	1	73.75	62.25	0	28009.479	212.9032258	5962.819014	30000	0	0	30000	42.1875	2004
22.01.2020 13:38:05	1	1	1	1	73.75	62	0	28009.479	251.6129032	7107.60199	30000	0	0	30000	42.4375	2004
22.01.2020 13:38:06	1	1	1	1	73.75	62.25	0	28009.479	277.4193548	7769.684451	30000	0	0	30000	42.625	2004
22.01.2020 13:38:07	1	1	1	1	73.75	62.5	0	27962.085	279.5698925	7830.022015	30000	0	0	30000	42.5	2004
22.01.2020 13:38:08	1	1	1	1	73.75	62.5	0	27914.692	294.6236559	8237.70826	30000	0	0	30000	42.3125	2004
22.01.2020 13:38:09	1	1	1	1	73.75	62.25	0	28009.479	298.9247312	8372.24472	30000	0	0	30000	41.9375	2004
22.01.2020 13:38:10	1	1	1	1	73.75	62.25	0	27962.085	309.6774194	8659.255837	30000	0	0	30000	42.4375	2004
22.01.2020 13:38:11	1	1	1	1	73.75	62.25	0	0	0	0	30000	0	8	30000	42.75	2004
22.01.2020 13:38:12	1	1	1	1	73.75	62.75	0	10331.754	0	0	30000	0	0	30000	42.4375	2004
22.01.2020 13:38:13	1	1	1	1	73.75	62.25	0	11137.441	0	0	30000	0	0	30000	42.375	2004
22.01.2020 13:38:14	1	1	1	1	73.75	62.25	0	11848.341	0	0	30000	0	0	30000	42.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 13:38:15	1	1	1	1	73.75	62.5	0	12606.635	0	0	30000	0	0	30000	42.4375	2004
22.01.2020 13:38:16	1	1	1	1	74	62.25	0	13412.322	4.301075269	57.07607425	30000	0	0	30000	42.375	2004
22.01.2020 13:38:17	1	1	1	1	74	62.25	0	14170.616	6.451612903	91.32171881	30000	0	0	30000	42.4375	2004
22.01.2020 13:38:18	1	1	1	1	74	62.25	0	14976.303	10.75268817	160.6283804	30000	0	0	30000	42.25	2004
22.01.2020 13:38:19	1	1	1	1	74	62.25	0	15734.597	15.05376344	236.4580219	30000	0	0	30000	42.5	2004
22.01.2020 13:38:20	1	1	1	1	74	62.5	0	16445.498	19.35483871	317.9952708	30000	0	0	30000	42.4375	2004
22.01.2020 13:38:21	1	1	1	1	74	62.25	0	17251.185	23.65591398	407.6862447	30000	0	0	30000	42.375	2004
22.01.2020 13:38:22	1	1	1	1	74	62.25	0	18009.479	23.65591398	426.4398119	30000	0	0	30000	42.3125	2004
22.01.2020 13:38:23	1	1	1	1	74	62.25	0	18767.773	32.25806452	687.3590085	30000	0	0	30000	42.4375	2004
22.01.2020 13:38:24	1	1	1	1	74	62.25	0	19573.46	45.16129032	883.8637784	30000	0	0	30000	42.375	2004
22.01.2020 13:38:25	1	1	1	1	74	62.25	0	20379.147	51.61290323	1095.045253	30000	0	0	30000	42.4375	2004
22.01.2020 13:38:28	1	1	1	1	73.75	62.25	0	21895.735	62.3655914	1362.48743	30000	0	0	30000	42.4375	2004
22.01.2020 13:38:35	1	1	1	1	73.75	62.25	0	23080.569	88.17204301	2084.092083	30000	0	0	30000	42.4375	2004
22.01.2020 13:38:35	1	1	1	1	73.75	62.25	0	23080.569	88.17204301	2084.092083	30000	0	0	30000	42.4375	2004
22.01.2020 13:38:35	1	1	1	1	73.75	62.25	0	23080.569	88.17204301	2084.092083	30000	0	0	30000	42.4375	2004
22.01.2020 13:38:35	1	1	1	1	73.75	62.25	0	23080.569	88.17204301	2084.092083	30000	0	0	30000	42.4375	2004
22.01.2020 13:38:35	1	1	1	1	73.75	62.25	0	23080.569	88.17204301	2084.092083	30000	0	0	30000	42.4375	2004
22.01.2020 13:38:35	1	1	1	1	73.75	62.25	0	23080.569	88.17204301	2084.092083	30000	0	0	30000	42.4375	2004
22.01.2020 13:38:35	1	1	1	1	73.75	62.25	0	23080.569	88.17204301	2084.092083	30000	0	0	30000	42.4375	2004
22.01.2020 13:38:35	1	1	1	1	73.75	62.25	0	23080.569	88.17204301	2084.092083	30000	0	0	30000	42.4375	2004
22.01.2020 13:38:35	1	1	1	1	73.75	62.25	0	23080.569	88.17204301	2084.092083	30000	0	0	30000	42.4375	2004
22.01.2020 13:38:35	1	1	1	1	73.75	62.25	0	23080.569	88.17204301	2084.092083	30000	0	0	30000	42.4375	2004
22.01.2020 13:38:36	1	1	1	1	73.75	62.25	0	23080.569	92.47311828	2034.354361	30000	0	0	30000	42.3125	2004
22.01.2020 13:38:37	1	1	1	1	73.75	62.25	0	23080.569	92.47311828	2133.829805	30000	0	0	30000	42.25	2004
22.01.2020 13:38:38	1	1	1	1	73.75	62.25	0	23080.569	92.47311828	2183.567526	30000	0	0	30000	40.8125	2004
22.01.2020 13:38:39	1	1	1	1	73.75	60.75	0	23080.569	94.62365591	2133.829805	30000	0	0	30000	42.375	2004
22.01.2020 13:38:40	1	1	1	1	73.75	62.25	0	23080.569	92.47311828	2133.829805	30000	0	0	30000	40.5	2004
22.01.2020 13:38:41	1	1	1	1	73.75	60.5	0	23080.569	92.47311828	2183.567526	30000	0	0	30000	42.25	2004
22.01.2020 13:38:42	1	1	1	1	73.75	62.25	0	23175.355	94.62365591	2183.567526	30000	0	0	30000	42.5625	2004
22.01.2020 13:38:43	1	1	1	1	73.75	62.5	0	23175.355	94.62365591	2192.536624	30000	0	0	30000	42.3125	2004
22.01.2020 13:38:44	1	1	1	1	73.75	62.25	0	23080.569	94.62365591	2192.536624	30000	0	0	30000	42.4375	2004
22.01.2020 13:38:45	1	1	1	1	73.75	62.25	0	23080.569	92.47311828	2192.536624	30000	0	0	30000	41.8125	2004
22.01.2020 13:38:46	1	1	1	1	73.75	61.75	0	23175.355	94.62365591	2192.536624	30000	0	0	30000	42.875	2004
22.01.2020 13:38:47	1	1	1	1	73.75	62.75	0	23175.355	94.62365591	2192.536624	30000	0	0	30000	42.375	2004
22.01.2020 13:38:48	1	1	1	1	73.75	62.25	0	23175.355	94.62365591	2192.536624	30000	0	0	30000	42.875	2004
22.01.2020 13:38:49	1	1	1	1	73.75	62.75	0	23222.749	94.62365591	2192.536624	30000	0	0	30000	42.5	2004
22.01.2020 13:38:50	1	1	1	1	73.75	62.25	0	23838.863	103.2258065	2460.794173	30000	0	0	30000	42.375	2004
22.01.2020 13:38:51	1	1	1	1	73.75	62.25	0	24597.156	124.7311828	3008.724486	30000	0	0	30000	42.4375	2004
22.01.2020 13:38:52	1	1	1	1	73.75	62.25	0	25355.45	139.7849462	3543.608839	30000	0	0	30000	42	2004
22.01.2020 13:38:53	1	1	1	1	73.75	62	0	26113.744	159.1397849	3987.171473	30000	0	0	30000	42.375	2004
22.01.2020 13:38:54	1	1	1	1	73.75	62.25	0	26303.318	156.9892473	4015.70951	30000	0	0	30000	42.125	2004
22.01.2020 13:38:55	1	1	1	1	73.75	62	0	26445.498	161.2903226	4322.289566	30000	0	0	30000	42.25	2004
22.01.2020 13:38:56	1	1	1	1	73.75	62.25	0	26682.464	163.4408602	4353.273721	30000	0	0	30000	42.0625	2004
22.01.2020 13:38:57	1	1	1	1	73.75	62	0	26777.251	167.7419355	4417.688147	30000	0	0	30000	42.4375	2004
22.01.2020 13:38:58	1	1	1	1	73.75	62.25	0	26966.825	169.8924731	4580.762645	30000	0	0	30000	42.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 13:38:59	1	1	1	1	73.75	62.25	0	27061.611	169.8924731	4597.070095	30000	0	0	30000	42.375	2004
22.01.2020 13:39:00	1	1	1	1	73.75	62.25	0	27061.611	169.8924731	4597.070095	30000	0	0	30000	42.25	2004
22.01.2020 13:39:01	1	1	1	1	73.75	62.25	0	27061.611	169.8924731	4597.070095	30000	0	0	30000	41.9375	2004
22.01.2020 13:39:02	1	1	1	1	73.75	61.75	0	27061.611	176.344086	4771.559808	30000	0	0	30000	41.3125	2004
22.01.2020 13:39:03	1	1	1	1	73.75	61.25	0	27109.005	178.4946237	4780.528905	30000	0	0	30000	42.375	2004
22.01.2020 13:39:04	1	1	1	1	73.75	62.25	0	27109.005	178.4946237	4838.420352	30000	0	0	30000	42.3125	2004
22.01.2020 13:39:05	1	1	1	1	73.75	62.25	0	27109.005	178.4946237	4838.420352	30000	0	0	30000	42.25	2004
22.01.2020 13:39:06	1	1	1	1	73.5	62.25	0	27109.005	178.4946237	4897.127171	30000	0	0	30000	42.4375	2004
22.01.2020 13:39:07	1	1	1	1	73.5	62.25	0	27109.005	184.9462366	5013.725437	30000	0	0	30000	42.1875	2004
22.01.2020 13:39:08	1	1	1	1	73.5	62	0	27109.005	189.2473118	5121.354605	30000	0	0	30000	42.3125	2004
22.01.2020 13:39:10	1	1	1	1	73.5	62.25	0	27109.005	189.2473118	5130.323703	30000	0	0	30000	42.3125	2004
22.01.2020 13:39:11	1	1	1	1	73.5	62.25	0	27109.005	189.2473118	5130.323703	30000	0	0	30000	42.4375	2004
22.01.2020 13:39:12	1	1	1	1	73.5	62.25	0	27109.005	191.3978495	5130.323703	30000	0	0	30000	42.375	2004
22.01.2020 13:39:13	1	1	1	1	73.5	62.25	0	27109.005	195.6989247	5304.813416	30000	0	0	30000	42.1875	2004
22.01.2020 13:39:14	1	1	1	1	73.5	62	0	27298.578	206.4516129	5606.501237	30000	0	0	30000	42.1875	2004
22.01.2020 13:39:15	1	1	1	1	73.5	62	0	27109.005	208.6021505	5664.392683	30000	0	0	30000	42.25	2004
22.01.2020 13:39:16	1	1	1	1	73.5	62.25	0	27156.398	208.6021505	5694.561465	30000	0	0	30000	42.1875	2004
22.01.2020 13:39:17	1	1	1	1	73.5	62	0	27156.398	208.6021505	5664.392683	30000	0	0	30000	42.375	2004
22.01.2020 13:39:18	1	1	1	1	73.5	62.25	0	27109.005	206.4516129	5635.854646	30000	0	0	30000	42.5	2004
22.01.2020 13:39:19	1	1	1	1	73.5	62.5	0	27298.578	193.5483871	5139.2928	30000	0	0	30000	42.4375	2004
22.01.2020 13:39:20	1	1	1	1	73.5	62.25	0	27109.005	184.9462366	4897.127171	30000	0	0	30000	42.3125	2004
22.01.2020 13:39:21	1	1	1	1	73.5	62.25	0	27156.398	189.2473118	5021.879162	30000	0	0	30000	42.5	2004
22.01.2020 13:39:22	1	1	1	1	73.5	62.5	0	27156.398	180.6451613	4905.280896	30000	0	0	30000	42.5625	2004
22.01.2020 13:39:23	1	1	1	1	73.5	62.5	0	27109.005	178.4946237	4846.574077	30000	0	0	30000	42.375	2004
22.01.2020 13:39:24	1	1	1	1	73.5	62.25	0	27109.005	169.8924731	4838.420352	30000	0	0	30000	42.6875	2004
22.01.2020 13:39:25	1	1	1	1	73.5	62.5	0	27109.005	169.8924731	4872.665996	30000	0	0	30000	42.3125	2004
22.01.2020 13:39:26	1	1	1	1	73.5	62.25	0	27156.398	182.7956989	4963.987715	30000	0	0	30000	42.4375	2004
22.01.2020 13:39:27	1	1	1	1	73.5	62.25	0	27156.398	182.7956989	5021.879162	30000	0	0	30000	42.25	2004
22.01.2020 13:39:28	1	1	1	1	73.5	62.25	0	27298.578	189.2473118	5021.879162	30000	0	0	30000	42.3125	2004
22.01.2020 13:39:35	1	1	1	1	73.5	62.25	0	27156.398	156.9892473	4138.830756	30000	0	0	30000	42.25	2004
22.01.2020 13:39:35	1	1	1	1	73.5	62.25	0	27156.398	156.9892473	4138.830756	30000	0	0	30000	42.25	2004
22.01.2020 13:39:35	1	1	1	1	73.5	62.25	0	27156.398	156.9892473	4138.830756	30000	0	0	30000	42.25	2004
22.01.2020 13:39:35	1	1	1	1	73.5	62.25	0	27156.398	156.9892473	4138.830756	30000	0	0	30000	42.25	2004
22.01.2020 13:39:35	1	1	1	1	73.5	62.25	0	27109.005	152.688172	4168.184165	30000	0	0	30000	42.375	2004
22.01.2020 13:39:36	1	1	1	1	73.25	62.25	0	27298.578	150.5376344	4050.770527	30000	0	0	30000	42.4375	2004
22.01.2020 13:39:37	1	1	1	1	73.25	62.25	0	27298.578	144.0860215	3912.157204	30000	0	0	30000	42.3125	2004
22.01.2020 13:39:38	1	1	1	1	73.25	62.25	0	27109.005	139.7849462	3933.356889	30000	0	0	30000	42.5	2004
22.01.2020 13:39:39	1	1	1	1	73.25	62.5	0	27298.578	144.0860215	3912.157204	30000	0	0	30000	42.375	2004
22.01.2020 13:39:40	1	1	1	1	73.25	62.25	0	27109.005	144.0860215	4109.477346	30000	0	0	30000	42.3125	2004
22.01.2020 13:39:41	1	1	1	1	73.25	62.25	0	27298.578	152.688172	4146.169108	30000	0	0	30000	42.4375	2004
22.01.2020 13:39:42	1	1	1	1	73.25	62.25	0	27156.398	159.1397849	4262.767374	30000	0	0	30000	42.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 13:39:43	1	1	1	1	73.25	62.25	0	27156.398	163.4408602	4438.072459	30000	0	0	30000	42.0625	2004
22.01.2020 13:39:44	1	1	1	1	73.25	62	0	27298.578	167.7419355	4554.670725	30000	0	0	30000	42.5	2004
22.01.2020 13:39:45	1	1	1	1	73.25	62.5	0	27298.578	169.8924731	4637.838719	30000	0	0	30000	42.3125	2004
22.01.2020 13:39:46	1	1	1	1	73.25	62.25	0	27156.398	176.344086	4621.53127	30000	0	0	30000	42.3125	2004
22.01.2020 13:39:47	1	1	1	1	73.25	62.25	0	27156.398	178.4946237	4931.372815	30000	0	0	30000	42.375	2004
22.01.2020 13:39:49	1	1	1	1	73.25	62.25	0	27298.578	184.9462366	5048.786454	30000	0	0	30000	42.1875	2004
22.01.2020 13:39:50	1	1	1	1	73.25	62	0	27298.578	189.2473118	5166.200092	30000	0	0	30000	42.3125	2004
22.01.2020 13:39:51	1	1	1	1	73.25	62.25	0	27156.398	189.2473118	5166.200092	30000	0	0	30000	42.375	2004
22.01.2020 13:39:52	1	1	1	1	73.25	62.25	0	27298.578	191.3978495	5197.184247	30000	0	0	30000	42.1875	2004
22.01.2020 13:39:53	1	1	1	1	73.25	62	0	27298.578	189.2473118	5166.200092	30000	0	0	30000	42.375	2004
22.01.2020 13:39:54	1	1	1	1	73.25	62.25	0	27298.578	189.2473118	5166.200092	30000	0	0	30000	42.4375	2004
22.01.2020 13:39:55	1	1	1	1	73.25	62.25	0	27298.578	191.3978495	5224.906912	30000	0	0	30000	42.1875	2004
22.01.2020 13:39:56	1	1	1	1	73.25	62	0	27156.398	206.4516129	5635.854646	30000	0	0	30000	42.3125	2004
22.01.2020 13:39:57	1	1	1	1	73.25	62.25	0	27298.578	206.4516129	5635.854646	30000	0	0	30000	42.25	2004
22.01.2020 13:39:58	1	1	1	1	73.25	62.25	0	27298.578	206.4516129	5635.854646	30000	0	0	30000	42.375	2004
22.01.2020 13:39:59	1	1	1	1	73.25	62.25	0	27298.578	208.6021505	5694.561465	30000	0	0	30000	42.1875	2004
22.01.2020 13:40:00	1	1	1	1	73.25	62	0	27298.578	206.4516129	5606.501237	30000	0	0	30000	42.3125	2004
22.01.2020 13:40:01	1	1	1	1	73.25	62.25	0	26966.825	219.3548387	5935.911722	30000	0	0	30000	42.25	2004
22.01.2020 13:40:02	1	1	1	1	73.25	62.25	0	27298.578	232.2580645	6340.336477	30000	0	0	30000	42.25	2004
22.01.2020 13:40:03	1	1	1	1	73.25	62.25	0	27298.578	217.2043011	5929.388742	30000	0	0	30000	42.1875	2004
22.01.2020 13:40:04	1	1	1	1	73.25	62	0	27298.578	215.0537634	5929.388742	30000	0	0	30000	42.4375	2004
22.01.2020 13:40:05	1	1	1	1	73.25	62.25	0	27298.578	219.3548387	5988.095562	30000	0	0	30000	42.5	2004
22.01.2020 13:40:06	1	1	1	1	73.25	62.5	0	27156.398	219.3548387	5988.095562	30000	0	0	30000	41.6875	2004
22.01.2020 13:40:07	1	1	1	1	73	62.25	0	27298.578	219.3548387	5988.095562	30000	0	0	30000	42.1875	2004
22.01.2020 13:40:08	1	1	1	1	73	62	0	27298.578	219.3548387	5988.095562	30000	0	0	30000	42.25	2004
22.01.2020 13:40:09	1	1	1	1	73	62.25	0	27298.578	221.5053763	6046.802381	30000	0	0	30000	42.25	2004
22.01.2020 13:40:10	1	1	1	1	73	62.25	0	27298.578	217.2043011	5929.388742	30000	0	0	30000	42.1875	2004
22.01.2020 13:40:11	1	1	1	1	73	62	0	27298.578	212.9032258	5811.975104	30000	0	0	30000	42.1875	2004
22.01.2020 13:40:12	1	1	1	1	73	62	0	27298.578	212.9032258	5811.975104	30000	0	0	30000	42.25	2004
22.01.2020 13:40:13	1	1	1	1	73	62.25	0	27298.578	206.4516129	5635.854646	30000	0	0	30000	42.25	2004
22.01.2020 13:40:14	1	1	1	1	73	62.25	0	27298.578	206.4516129	5635.854646	30000	0	0	30000	42.1875	2004
22.01.2020 13:40:15	1	1	1	1	73	62	0	27298.578	206.4516129	5635.854646	30000	0	0	30000	42.1875	2004
22.01.2020 13:40:16	1	1	1	1	73	62	0	27298.578	206.4516129	5635.854646	30000	0	0	30000	42.1875	2004
22.01.2020 13:40:17	1	1	1	1	73	62	0	27345.972	206.4516129	5645.639116	30000	0	0	30000	42.25	2004
22.01.2020 13:40:18	1	1	1	1	73	62.25	0	27345.972	206.4516129	5645.639116	30000	0	0	30000	42.3125	2004
22.01.2020 13:40:19	1	1	1	1	73	62.25	0	27345.972	191.3978495	5233.876009	30000	0	0	30000	42.25	2004
22.01.2020 13:40:20	1	1	1	1	73	62.25	0	27345.972	189.2473118	5175.16919	30000	0	0	30000	42.375	2004
22.01.2020 13:40:21	1	1	1	1	73	62.25	0	27345.972	184.9462366	5175.16919	30000	0	0	30000	42.1875	2004
22.01.2020 13:40:22	1	1	1	1	73	62	0	27393.365	189.2473118	5115.646998	30000	0	0	30000	42.1875	2004
22.01.2020 13:40:23	1	1	1	1	73	62	0	27345.972	184.9462366	4998.23336	30000	0	0	30000	41.25	2004
22.01.2020 13:40:24	1	1	1	1	73	61.25	0	27345.972	178.4946237	4880.819721	30000	0	0	30000	42.25	2004
22.01.2020 13:40:25	1	1	1	1	73	62.25	0	27345.972	178.4946237	4880.819721	30000	0	0	30000	42	2004
22.01.2020 13:40:27	1	1	1	1	73	62	0	27298.578	178.4946237	4872.665996	30000	0	0	30000	42.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 13:40:28	1	1	1	1	73	62	0	27345.972	169.8924731	4763.406083	30000	0	0	30000	42.1875	2004
22.01.2020 13:40:29	1	1	1	1	73	62	0	27345.972	169.8924731	4645.177072	30000	0	0	30000	42.1875	2004
22.01.2020 13:40:30	1	1	1	1	73	62	0	27345.972	174.1935484	4645.177072	30000	0	0	30000	42.1875	2004
22.01.2020 13:40:37	1	1	1	1	73	62.25	0	27345.972	178.4946237	4880.819721	30000	0	0	30000	42.25	2004
22.01.2020 13:40:37	1	1	1	1	73	62.25	0	27345.972	178.4946237	4880.819721	30000	0	0	30000	42.25	2004
22.01.2020 13:40:37	1	1	1	1	73	62.25	0	27345.972	178.4946237	4880.819721	30000	0	0	30000	42.25	2004
22.01.2020 13:40:37	1	1	1	1	73	62.25	0	27345.972	178.4946237	4880.819721	30000	0	0	30000	42.25	2004
22.01.2020 13:40:37	1	1	1	1	73	62.25	0	27345.972	178.4946237	4880.819721	30000	0	0	30000	42.25	2004
22.01.2020 13:40:37	1	1	1	1	73	62.25	0	27345.972	178.4946237	4880.819721	30000	0	0	30000	42.25	2004
22.01.2020 13:40:37	1	1	1	1	73	62.25	0	27345.972	169.8924731	4645.177072	30000	0	0	30000	42.1875	2004
22.01.2020 13:40:38	1	1	1	1	73	62	0	27345.972	169.8924731	4645.177072	30000	0	0	30000	42.1875	2004
22.01.2020 13:40:39	1	1	1	1	73	62	0	27345.972	167.7419355	4586.470252	30000	0	0	30000	42.3125	2004
22.01.2020 13:40:40	1	1	1	1	73	62.25	0	27345.972	165.5913978	4645.177072	30000	0	0	30000	42.1875	2004
22.01.2020 13:40:41	1	1	1	1	73	62	0	27345.972	165.5913978	4586.470252	30000	0	0	30000	42.3125	2004
22.01.2020 13:40:42	1	1	1	1	73	62.25	0	27345.972	165.5913978	4527.763433	30000	0	0	30000	42.4375	2004
22.01.2020 13:40:43	1	1	1	1	73	62.25	0	27345.972	165.5913978	4586.470252	30000	0	0	30000	42.5	2004
22.01.2020 13:40:44	1	1	1	1	73	62.5	0	27440.758	169.8924731	4645.177072	30000	0	0	30000	42.5625	2004
22.01.2020 13:40:45	1	1	1	1	73	61.5	0	27440.758	169.8924731	4645.177072	30000	0	0	30000	42.375	2004
22.01.2020 13:40:46	1	1	1	1	73.25	62.25	0	27440.758	169.8924731	4661.484522	30000	0	0	30000	41.875	2004
22.01.2020 13:40:47	1	1	1	1	73.25	61.75	0	27440.758	169.8924731	4661.484522	30000	0	0	30000	42.3125	2004
22.01.2020 13:40:48	1	1	1	1	73.25	62.25	0	27440.758	169.8924731	4661.484522	30000	0	0	30000	42.3125	2004
22.01.2020 13:40:49	1	1	1	1	73.25	62.25	0	27393.365	169.8924731	4645.177072	30000	0	0	30000	42.3125	2004
22.01.2020 13:40:50	1	1	1	1	73.25	62.25	0	27345.972	169.8924731	4661.484522	30000	0	0	30000	41.875	2004
22.01.2020 13:40:51	1	1	1	1	73.25	61.75	0	27345.972	169.8924731	4645.177072	30000	0	0	30000	42.1875	2004
22.01.2020 13:40:52	1	1	1	1	73.25	62	0	27440.758	178.4946237	4897.942543	30000	0	0	30000	42.125	2004
22.01.2020 13:40:53	1	1	1	1	73.25	62	0	27440.758	176.344086	4897.942543	30000	0	0	30000	42.375	2004
22.01.2020 13:40:54	1	1	1	1	73.25	62.25	0	27345.972	169.8924731	4880.819721	30000	0	0	30000	42.3125	2004
22.01.2020 13:40:55	1	1	1	1	73.25	62.25	0	27345.972	182.7956989	4880.819721	30000	0	0	30000	42.3125	2004
22.01.2020 13:40:56	1	1	1	1	73.5	62.25	0	27440.758	180.6451613	4998.23336	30000	0	0	30000	42.3125	2004
22.01.2020 13:40:57	1	1	1	1	73.5	62.25	0	27440.758	184.9462366	4998.23336	30000	0	0	30000	42.3125	2004
22.01.2020 13:40:58	1	1	1	1	73.5	62.25	0	27440.758	184.9462366	5056.940179	30000	0	0	30000	42.375	2004
22.01.2020 13:40:59	1	1	1	1	73.5	62.25	0	27393.365	189.2473118	5056.940179	30000	0	0	30000	42.375	2004
22.01.2020 13:41:00	1	1	1	1	73.5	62.25	0	27345.972	182.7956989	5175.16919	30000	0	0	30000	42.125	2004
22.01.2020 13:41:01	1	1	1	1	73.5	62	0	27345.972	189.2473118	5175.16919	30000	0	0	30000	42.3125	2004
22.01.2020 13:41:02	1	1	1	1	73.5	62.25	0	27345.972	189.2473118	5175.16919	30000	0	0	30000	42.375	2004
22.01.2020 13:41:04	1	1	1	1	73.5	62.25	0	27345.972	182.7956989	5115.646998	30000	0	0	30000	42.25	2004
22.01.2020 13:41:05	1	1	1	1	73.5	62.25	0	27393.365	189.2473118	5175.16919	30000	0	0	30000	42.25	2004
22.01.2020 13:41:06	1	1	1	1	73.5	62.25	0	27440.758	189.2473118	5175.16919	30000	0	0	30000	42.3125	2004
22.01.2020 13:41:07	1	1	1	1	73	62.25	0	27345.972	189.2473118	5175.16919	30000	0	0	30000	42.25	2004
22.01.2020 13:41:08	1	1	1	1	73	62.25	0	27440.758	189.2473118	5193.107385	30000	0	0	30000	42.1875	2004
22.01.2020 13:41:09	1	1	1	1	73	62	0	27440.758	189.2473118	5193.107385	30000	0	0	30000	42.1875	2004
22.01.2020 13:41:10	1	1	1	1	73	62	0	27440.758	184.9462366	5074.878374	30000	0	0	30000	42	2004
22.01.2020 13:41:11	1	1	1	1	73	62	0	27440.758	184.9462366	5074.878374	30000	0	0	30000	42	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 13:41:12	1	1	1	1	73	62	0	27440.758	182.7956989	4897.942543	30000	0	0	30000	42.1875	2004
22.01.2020 13:41:13	1	1	1	1	73	62	0	27440.758	184.9462366	5074.878374	30000	0	0	30000	42.3125	2004
22.01.2020 13:41:14	1	1	1	1	73	62.25	0	27440.758	178.4946237	4956.649363	30000	0	0	30000	42.1875	2004
22.01.2020 13:41:15	1	1	1	1	73	62	0	27440.758	176.344086	4661.484522	30000	0	0	30000	42	2004
22.01.2020 13:41:16	1	1	1	1	73	62	0	27440.758	167.7419355	4661.484522	30000	0	0	30000	42.375	2004
22.01.2020 13:41:17	1	1	1	1	72.75	62.25	0	27440.758	169.8924731	4661.484522	30000	0	0	30000	42.125	2004
22.01.2020 13:41:18	1	1	1	1	72.75	62	0	27440.758	163.4408602	4484.548691	30000	0	0	30000	41.375	2004
22.01.2020 13:41:19	1	1	1	1	72.75	61.25	0	27440.758	152.688172	4189.38385	30000	0	0	30000	42.0625	2004
22.01.2020 13:41:20	1	1	1	1	72.75	62	0	27440.758	159.1397849	4307.612861	30000	0	0	30000	42.25	2004
22.01.2020 13:41:21	1	1	1	1	72.75	62.25	0	27440.758	163.4408602	4484.548691	30000	0	0	30000	42.1875	2004
22.01.2020 13:41:22	1	1	1	1	72.75	62	0	27440.758	167.7419355	4602.777702	30000	0	0	30000	42.5625	2004
22.01.2020 13:41:23	1	1	1	1	72.75	62.5	0	27440.758	167.7419355	4484.548691	30000	0	0	30000	41.4375	2004
22.01.2020 13:41:24	1	1	1	1	72.75	61.25	0	27440.758	167.7419355	4543.255511	30000	0	0	30000	42.1875	2004
22.01.2020 13:41:25	1	1	1	1	72.75	62	0	27440.758	167.7419355	4661.484522	30000	0	0	30000	42.25	2004
22.01.2020 13:41:26	1	1	1	1	73	62.25	0	27440.758	169.8924731	4661.484522	30000	0	0	30000	42.375	2004
22.01.2020 13:41:27	1	1	1	1	73	62.25	0	27440.758	169.8924731	4779.713532	30000	0	0	30000	42.25	2004
22.01.2020 13:41:28	1	1	1	1	73	62.25	0	27440.758	178.4946237	4897.942543	30000	0	0	30000	42.3125	2004
22.01.2020 13:41:29	1	1	1	1	73	62.25	0	27440.758	178.4946237	4897.942543	30000	0	0	30000	42.3125	2004
22.01.2020 13:41:30	1	1	1	1	73	62.25	0	27440.758	178.4946237	4897.942543	30000	0	0	30000	42.25	2004
22.01.2020 13:41:31	1	1	1	1	73	62.25	0	27440.758	182.7956989	5015.356182	30000	0	0	30000	41.4375	2004
22.01.2020 13:41:38	1	1	1	1	73.25	62	0	27440.758	191.3978495	5251.814204	30000	0	0	30000	42.25	2004
22.01.2020 13:41:38	1	1	1	1	73.25	62	0	27440.758	191.3978495	5251.814204	30000	0	0	30000	42.25	2004
22.01.2020 13:41:38	1	1	1	1	73.25	62	0	27440.758	191.3978495	5251.814204	30000	0	0	30000	42.25	2004
22.01.2020 13:41:38	1	1	1	1	73.25	62	0	27440.758	191.3978495	5251.814204	30000	0	0	30000	42.25	2004
22.01.2020 13:41:38	1	1	1	1	73.25	62	0	27440.758	191.3978495	5251.814204	30000	0	0	30000	42.25	2004
22.01.2020 13:41:38	1	1	1	1	73.25	62.25	0	27535.545	195.6989247	5370.043215	30000	0	0	30000	42.1875	2004
22.01.2020 13:41:39	1	1	1	1	73.25	62	0	27535.545	206.4516129	5387.98141	30000	0	0	30000	42.3125	2004
22.01.2020 13:41:40	1	1	1	1	73.25	62.25	0	27440.758	193.5483871	5684.776996	30000	0	0	30000	42.25	2004
22.01.2020 13:41:41	1	1	1	1	73.25	62.25	0	27535.545	206.4516129	5665.208056	30000	0	0	30000	42.1875	2004
22.01.2020 13:41:43	1	1	1	1	73.25	62	0	27440.758	206.4516129	5665.208056	30000	0	0	30000	42.1875	2004
22.01.2020 13:41:44	1	1	1	1	73.25	62	0	27535.545	206.4516129	5694.561465	30000	0	0	30000	42.3125	2004
22.01.2020 13:41:45	1	1	1	1	73.25	62.25	0	27582.938	206.4516129	5694.561465	30000	0	0	30000	42.0625	2004
22.01.2020 13:41:46	1	1	1	1	73.25	62	0	27440.758	206.4516129	5694.561465	30000	0	0	30000	42.375	2004
22.01.2020 13:41:47	1	1	1	1	73.25	62.25	0	27440.758	206.4516129	5753.268285	30000	0	0	30000	42.25	2004
22.01.2020 13:41:48	1	1	1	1	73.25	62.25	0	27440.758	206.4516129	5665.208056	30000	0	0	30000	42.3125	2004
22.01.2020 13:41:49	1	1	1	1	73.25	62.25	0	27535.545	206.4516129	5694.561465	30000	0	0	30000	42.3125	2004
22.01.2020 13:41:50	1	1	1	1	73.25	62.25	0	27535.545	206.4516129	5684.776996	30000	0	0	30000	42.25	2004
22.01.2020 13:41:51	1	1	1	1	73.25	62.25	0	27440.758	206.4516129	5684.776996	30000	0	0	30000	42.0625	2004
22.01.2020 13:41:52	1	1	1	1	73.25	62	0	27535.545	206.4516129	5665.208056	30000	0	0	30000	42.25	2004
22.01.2020 13:41:53	1	1	1	1	73.25	62.25	0	27535.545	206.4516129	5694.561465	30000	0	0	30000	42.1875	2004
22.01.2020 13:41:54	1	1	1	1	73.25	62	0	27440.758	206.4516129	5665.208056	30000	0	0	30000	42.25	2004
22.01.2020 13:41:55	1	1	1	1	73.25	62.25	0	27582.938	206.4516129	5684.776996	30000	0	0	30000	42.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 13:41:56	1	1	1	1	73.25	62.25	0	27440.758	206.4516129	5665.208056	30000	0	0	30000	42.125	2004
22.01.2020 13:41:57	1	1	1	1	73.5	62	0	27582.938	206.4516129	5694.561465	30000	0	0	30000	42.1875	2004
22.01.2020 13:41:58	1	1	1	1	73.5	62	0	27535.545	206.4516129	5665.208056	30000	0	0	30000	42.625	2004
22.01.2020 13:41:59	1	1	1	1	73.5	62.5	0	27535.545	206.4516129	5665.208056	30000	0	0	30000	42.25	2004
22.01.2020 13:42:00	1	1	1	1	73.5	62.25	0	27582.938	206.4516129	5684.776996	30000	0	0	30000	42.4375	2004
22.01.2020 13:42:01	1	1	1	1	73.5	62.25	0	27535.545	206.4516129	5694.561465	30000	0	0	30000	42.5625	2004
22.01.2020 13:42:02	1	1	1	1	73.5	61.75	0	27582.938	206.4516129	5684.776996	30000	0	0	30000	42.1875	2004
22.01.2020 13:42:03	1	1	1	1	73.5	62	0	27582.938	206.4516129	5684.776996	30000	0	0	30000	42.1875	2004
22.01.2020 13:42:04	1	1	1	1	73.5	62	0	27535.545	206.4516129	5665.208056	30000	0	0	30000	42.1875	2004
22.01.2020 13:42:05	1	1	1	1	73.5	62	0	27535.545	206.4516129	5370.043215	30000	0	0	30000	42.25	2004
22.01.2020 13:42:06	1	1	1	1	73.5	62.25	0	27535.545	206.4516129	5694.561465	30000	0	0	30000	42.25	2004
22.01.2020 13:42:07	1	1	1	1	73.5	62.25	0	27582.938	206.4516129	5694.561465	30000	0	0	30000	42.25	2004
22.01.2020 13:42:08	1	1	1	1	73.5	62.25	0	27535.545	206.4516129	5684.776996	30000	0	0	30000	42.1875	2004
22.01.2020 13:42:09	1	1	1	1	73.5	62	0	27535.545	208.6021505	5861.712826	30000	0	0	30000	42.1875	2004
22.01.2020 13:42:10	1	1	1	1	73.5	62	0	27582.938	212.9032258	5872.312668	30000	0	0	30000	42.1875	2004
22.01.2020 13:42:11	1	1	1	1	73.5	62	0	27582.938	212.9032258	5782.621694	30000	0	0	30000	42.25	2004
22.01.2020 13:42:12	1	1	1	1	73.5	62.25	0	27440.758	219.3548387	5959.557525	30000	0	0	30000	42.1875	2004
22.01.2020 13:42:13	1	1	1	1	73.5	62	0	27535.545	212.9032258	5723.914875	30000	0	0	30000	42.25	2004
22.01.2020 13:42:14	1	1	1	1	73.5	62.25	0	27535.545	212.9032258	5861.712826	30000	0	0	30000	42.1875	2004
22.01.2020 13:42:15	1	1	1	1	73.5	62	0	27582.938	208.6021505	5753.268285	30000	0	0	30000	41.6875	2004
22.01.2020 13:42:16	1	1	1	1	73.5	61.5	0	27582.938	206.4516129	5665.208056	30000	0	0	30000	42.1875	2004
22.01.2020 13:42:17	1	1	1	1	73.5	62	0	27582.938	206.4516129	5694.561465	30000	0	0	30000	42.1875	2004
22.01.2020 13:42:18	1	1	1	1	73.5	62	0	27582.938	193.5483871	5338.243688	30000	0	0	30000	42.1875	2004
22.01.2020 13:42:19	1	1	1	1	73.5	62	0	27535.545	193.5483871	5329.27459	30000	0	0	30000	42.1875	2004
22.01.2020 13:42:21	1	1	1	1	73.5	62	0	27582.938	191.3978495	5278.721496	30000	0	0	30000	42.1875	2004
22.01.2020 13:42:22	1	1	1	1	73.5	62	0	27535.545	189.2473118	5193.107385	30000	0	0	30000	41.625	2004
22.01.2020 13:42:23	1	1	1	1	73.5	61.5	0	27582.938	178.4946237	4897.942543	30000	0	0	30000	42.25	2004
22.01.2020 13:42:24	1	1	1	1	73.5	62.25	0	27582.938	169.8924731	4677.791971	30000	0	0	30000	42.1875	2004
22.01.2020 13:42:25	1	1	1	1	73.5	62	0	27582.938	169.8924731	4685.945696	30000	0	0	30000	42.25	2004
22.01.2020 13:42:26	1	1	1	1	73.5	62.25	0	27535.545	169.8924731	4685.945696	30000	0	0	30000	42.3125	2004
22.01.2020 13:42:27	1	1	1	1	73.5	62.25	0	27582.938	169.8924731	4685.945696	30000	0	0	30000	42.25	2004
22.01.2020 13:42:28	1	1	1	1	73.5	62.25	0	27582.938	169.8924731	4685.945696	30000	0	0	30000	42.1875	2004
22.01.2020 13:42:29	1	1	1	1	73.5	62	0	27440.758	165.5913978	4685.945696	30000	0	0	30000	42.1875	2004
22.01.2020 13:42:30	1	1	1	1	73.5	62	0	27582.938	169.8924731	4685.945696	30000	0	0	30000	42.1875	2004
22.01.2020 13:42:31	1	1	1	1	73.5	62	0	27582.938	163.4408602	4508.194494	30000	0	0	30000	42.0625	2004
22.01.2020 13:42:32	1	1	1	1	73.5	62	0	27582.938	152.688172	4211.398907	30000	0	0	30000	42.1875	2004
22.01.2020 13:42:33	1	1	1	1	73.5	62	0	27582.938	150.5376344	4151.876716	30000	0	0	30000	42.1875	2004
22.01.2020 13:42:40	1	1	1	1	73.5	62.25	0	27582.938	137.6344086	3796.37431	30000	0	0	30000	42.4375	2004
22.01.2020 13:42:40	1	1	1	1	73.5	62.25	0	27582.938	137.6344086	3796.37431	30000	0	0	30000	42.4375	2004
22.01.2020 13:42:40	1	1	1	1	73.5	62.25	0	27582.938	137.6344086	3796.37431	30000	0	0	30000	42.4375	2004
22.01.2020 13:42:40	1	1	1	1	73.5	62.25	0	27582.938	137.6344086	3796.37431	30000	0	0	30000	42.4375	2004
22.01.2020 13:42:40	1	1	1	1	73.5	62.25	0	27582.938	137.6344086	3796.37431	30000	0	0	30000	42.4375	2004
22.01.2020 13:42:40	1	1	1	1	73.5	62.25	0	27582.938	137.6344086	3796.37431	30000	0	0	30000	42.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 13:42:40	1	1	1	1	73.5	62.25	0	27582.938	137.6344086	3796.37431	30000	0	0	30000	42.4375	2004
22.01.2020 13:42:41	1	1	1	1	73.5	62.25	0	27582.938	137.6344086	3802.89729	30000	0	0	30000	41.3125	2004
22.01.2020 13:42:42	1	1	1	1	73.5	61.25	0	27582.938	137.6344086	3796.37431	30000	0	0	30000	42.1875	2004
22.01.2020 13:42:43	1	1	1	1	73.5	62.25	0	27582.938	137.6344086	3802.89729	30000	0	0	30000	42.3125	2004
22.01.2020 13:42:44	1	1	1	1	73.5	62.25	0	27582.938	137.6344086	3796.37431	30000	0	0	30000	42.1875	2004
22.01.2020 13:42:45	1	1	1	1	73.5	62	0	27582.938	137.6344086	3796.37431	30000	0	0	30000	42.125	2004
22.01.2020 13:42:46	1	1	1	1	73.75	62	0	27582.938	137.6344086	3796.37431	30000	0	0	30000	42.1875	2004
22.01.2020 13:42:47	1	1	1	1	73.75	62	0	27582.938	137.6344086	3796.37431	30000	0	0	30000	42.25	2004
22.01.2020 13:42:48	1	1	1	1	73.75	62.25	0	27582.938	137.6344086	3796.37431	30000	0	0	30000	42.1875	2004
22.01.2020 13:42:49	1	1	1	1	73.75	62	0	27582.938	137.6344086	3796.37431	30000	0	0	30000	42.1875	2004
22.01.2020 13:42:50	1	1	1	1	73.75	62	0	27582.938	137.6344086	3796.37431	30000	0	0	30000	42.1875	2004
22.01.2020 13:42:51	1	1	1	1	73.75	62	0	27630.332	137.6344086	3802.89729	30000	0	0	30000	40.875	2004
22.01.2020 13:42:52	1	1	1	1	73.75	60.75	0	27630.332	139.7849462	3861.604109	30000	0	0	30000	42.125	2004
22.01.2020 13:42:53	1	1	1	1	73.75	62	0	27630.332	137.6344086	3802.89729	30000	0	0	30000	42.1875	2004
22.01.2020 13:42:54	1	1	1	1	73.75	62	0	27630.332	137.6344086	3802.89729	30000	0	0	30000	42.1875	2004
22.01.2020 13:42:55	1	1	1	1	73.75	62	0	27630.332	137.6344086	3802.89729	30000	0	0	30000	42.1875	2004
22.01.2020 13:42:56	1	1	1	1	73.25	62	0	27630.332	137.6344086	3802.89729	30000	0	0	30000	42.1875	2004
22.01.2020 13:42:57	1	1	1	1	73.25	62	0	27630.332	139.7849462	3802.89729	30000	0	0	30000	42.1875	2004
22.01.2020 13:42:58	1	1	1	1	73.25	62	0	27630.332	137.6344086	3802.89729	30000	0	0	30000	42.375	2004
22.01.2020 13:42:59	1	1	1	1	73.25	62.25	0	27630.332	137.6344086	3861.604109	30000	0	0	30000	42.1875	2004
22.01.2020 13:43:01	1	1	1	1	73.25	62	0	27630.332	139.7849462	3980.648493	30000	0	0	30000	42.3125	2004
22.01.2020 13:43:02	1	1	1	1	73.25	62.25	0	27630.332	144.0860215	3980.648493	30000	0	0	30000	42.1875	2004
22.01.2020 13:43:03	1	1	1	1	73.25	62	0	27630.332	148.3870968	3980.648493	30000	0	0	30000	42.1875	2004
22.01.2020 13:43:04	1	1	1	1	73.25	62	0	27630.332	144.0860215	3980.648493	30000	0	0	30000	42.1875	2004
22.01.2020 13:43:05	1	1	1	1	73.25	62	0	27630.332	146.2365591	4099.692876	30000	0	0	30000	42.1875	2004
22.01.2020 13:43:06	1	1	1	1	73.25	62	0	27630.332	152.688172	4218.73726	30000	0	0	30000	42	2004
22.01.2020 13:43:07	1	1	1	1	73.5	62	0	27582.938	152.688172	4336.966271	30000	0	0	30000	41.9375	2004
22.01.2020 13:43:08	1	1	1	1	73.5	61.75	0	27630.332	163.4408602	4456.010654	30000	0	0	30000	42.0625	2004
22.01.2020 13:43:09	1	1	1	1	73.5	62	0	27630.332	163.4408602	4634.577229	30000	0	0	30000	41.6875	2004
22.01.2020 13:43:10	1	1	1	1	73.5	61.5	0	27630.332	169.8924731	4694.099421	30000	0	0	30000	42	2004
22.01.2020 13:43:11	1	1	1	1	73.5	62	0	27630.332	169.8924731	4694.099421	30000	0	0	30000	42	2004
22.01.2020 13:43:12	1	1	1	1	73.5	62	0	27630.332	176.344086	4931.372815	30000	0	0	30000	42.0625	2004
22.01.2020 13:43:13	1	1	1	1	73.5	62	0	27630.332	178.4946237	4694.099421	30000	0	0	30000	42.0625	2004
22.01.2020 13:43:14	1	1	1	1	73.5	62	0	27630.332	174.1935484	4694.099421	30000	0	0	30000	42	2004
22.01.2020 13:43:15	1	1	1	1	73.5	62	0	27630.332	169.8924731	4694.099421	30000	0	0	30000	41.375	2004
22.01.2020 13:43:16	1	1	1	1	73.5	61.25	0	27630.332	169.8924731	4694.099421	30000	0	0	30000	41.5625	2004
22.01.2020 13:43:17	1	1	1	1	73.5	61.5	0	27630.332	165.5913978	4634.577229	30000	0	0	30000	41.5	2004
22.01.2020 13:43:18	1	1	1	1	73.5	61.5	0	27630.332	156.9892473	4336.966271	30000	0	0	30000	42.375	2004
22.01.2020 13:43:19	1	1	1	1	73.5	62.25	0	27725.118	148.3870968	4099.692876	30000	0	0	30000	42.0625	2004
22.01.2020 13:43:20	1	1	1	1	73.5	62	0	27630.332	144.0860215	3980.648493	30000	0	0	30000	42.375	2004
22.01.2020 13:43:21	1	1	1	1	73.5	62.25	0	27630.332	146.2365591	4099.692876	30000	0	0	30000	42.125	2004
22.01.2020 13:43:22	1	1	1	1	73.5	62.25	0	27630.332	150.5376344	4159.215068	30000	0	0	30000	41.4375	2004
22.01.2020 13:43:23	1	1	1	1	73.5	61.25	0	27630.332	152.688172	4218.73726	30000	0	0	30000	42.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 13:43:24	1	1	1	1	73.5	62	0	27630.332	152.688172	4218.73726	30000	0	0	30000	42.25	2004
22.01.2020 13:43:25	1	1	1	1	73.5	62.25	0	27630.332	150.5376344	3980.648493	30000	0	0	30000	42	2004
22.01.2020 13:43:26	1	1	1	1	73.5	62	0	27630.332	144.0860215	3980.648493	30000	0	0	30000	42.1875	2004
22.01.2020 13:43:27	1	1	1	1	73.5	62	0	27630.332	141.9354839	3980.648493	30000	0	0	30000	42.1875	2004
22.01.2020 13:43:28	1	1	1	1	73.5	62	0	27819.905	141.9354839	3888.511402	30000	0	0	30000	42.1875	2004
22.01.2020 13:43:29	1	1	1	1	73.5	62	0	27725.118	139.7849462	3861.604109	30000	0	0	30000	42.1875	2004
22.01.2020 13:43:30	1	1	1	1	73.5	62	0	27630.332	139.7849462	3994.509825	30000	0	0	30000	42.25	2004
22.01.2020 13:43:31	1	1	1	1	73.5	62.25	0	27630.332	141.9354839	3980.648493	30000	0	0	30000	42.1875	2004
22.01.2020 13:43:32	1	1	1	1	73.5	62	0	27725.118	144.0860215	3994.509825	30000	0	0	30000	42.1875	2004
22.01.2020 13:43:33	1	1	1	1	73.5	62	0	27630.332	144.0860215	3980.648493	30000	0	0	30000	42.3125	2004
22.01.2020 13:43:34	1	1	1	1	73.5	62.25	0	27630.332	144.0860215	3980.648493	30000	0	0	30000	42.1875	2004
22.01.2020 13:43:41	1	1	1	1	73.5	62	0	27630.332	139.7849462	3888.511402	30000	0	0	30000	42.1875	2004
22.01.2020 13:43:41	1	1	1	1	73.5	62	0	27630.332	139.7849462	3888.511402	30000	0	0	30000	42.1875	2004
22.01.2020 13:43:41	1	1	1	1	73.5	62	0	27630.332	139.7849462	3888.511402	30000	0	0	30000	42.1875	2004
22.01.2020 13:43:41	1	1	1	1	73.5	62	0	27630.332	139.7849462	3888.511402	30000	0	0	30000	42.1875	2004
22.01.2020 13:43:41	1	1	1	1	73.5	62	0	27630.332	139.7849462	3888.511402	30000	0	0	30000	42.1875	2004
22.01.2020 13:43:41	1	1	1	1	73.5	62	0	27630.332	139.7849462	3888.511402	30000	0	0	30000	42.1875	2004
22.01.2020 13:43:41	1	1	1	1	73.5	62	0	27630.332	139.7849462	3888.511402	30000	0	0	30000	42.1875	2004
22.01.2020 13:43:41	1	1	1	1	73.5	62	0	27630.332	139.7849462	3888.511402	30000	0	0	30000	42.1875	2004
22.01.2020 13:43:42	1	1	1	1	73.5	62	0	27962.085	141.9354839	3815.94325	30000	0	0	30000	42.25	2004
22.01.2020 13:43:43	1	1	1	1	73.5	62.25	0	27630.332	139.7849462	3861.604109	30000	0	0	30000	42.1875	2004
22.01.2020 13:43:44	1	1	1	1	73.5	62	0	27772.512	139.7849462	3861.604109	30000	0	0	30000	42.125	2004
22.01.2020 13:43:45	1	1	1	1	73.5	62	0	27630.332	139.7849462	4008.371158	30000	0	0	30000	42.25	2004
22.01.2020 13:43:46	1	1	1	1	73.5	62.25	0	27630.332	141.9354839	3861.604109	30000	0	0	30000	42.3125	2004
22.01.2020 13:43:47	1	1	1	1	73.5	62.25	0	27725.118	144.0860215	3980.648493	30000	0	0	30000	42.1875	2004
22.01.2020 13:43:48	1	1	1	1	73.5	62	0	27772.512	144.0860215	4008.371158	30000	0	0	30000	42.25	2004
22.01.2020 13:43:49	1	1	1	1	73.5	62.25	0	27725.118	144.0860215	3980.648493	30000	0	0	30000	42.0625	2004
22.01.2020 13:43:50	1	1	1	1	73.5	62	0	27630.332	150.5376344	4247.275297	30000	0	0	30000	42.25	2004
22.01.2020 13:43:51	1	1	1	1	73.5	62.25	0	27819.905	152.688172	4159.215068	30000	0	0	30000	42.1875	2004
22.01.2020 13:43:52	1	1	1	1	73.5	62	0	27630.332	152.688172	4218.73726	30000	0	0	30000	42.1875	2004
22.01.2020 13:43:53	1	1	1	1	73.5	62	0	27630.332	152.688172	4218.73726	30000	0	0	30000	42.1875	2004
22.01.2020 13:43:54	1	1	1	1	73.5	62	0	27630.332	156.9892473	4218.73726	30000	0	0	30000	42.1875	2004
22.01.2020 13:43:55	1	1	1	1	73.5	62	0	27630.332	156.9892473	4396.488462	30000	0	0	30000	42.1875	2004
22.01.2020 13:43:56	1	1	1	1	73.5	62	0	27819.905	163.4408602	4486.994809	30000	0	0	30000	42.1875	2004
22.01.2020 13:43:57	1	1	1	1	73.75	62	0	27630.332	156.9892473	4546.517001	30000	0	0	30000	42.25	2004
22.01.2020 13:43:58	1	1	1	1	73.75	62.25	0	27630.332	163.4408602	4218.73726	30000	0	0	30000	42.0625	2004
22.01.2020 13:43:59	1	1	1	1	73.75	62	0	27819.905	163.4408602	4546.517001	30000	0	0	30000	42.5	2004
22.01.2020 13:44:00	1	1	1	1	73.75	62.5	0	27772.512	163.4408602	4606.039192	30000	0	0	30000	42	2004
22.01.2020 13:44:01	1	1	1	1	73.75	62	0	27630.332	163.4408602	4546.517001	30000	0	0	30000	42.5	2004
22.01.2020 13:44:02	1	1	1	1	73.75	62.5	0	27725.118	163.4408602	4575.055038	30000	0	0	30000	42.4375	2004
22.01.2020 13:44:03	1	1	1	1	73.75	62	0	27630.332	167.7419355	4725.898948	30000	0	0	30000	42.0625	2004
22.01.2020 13:44:04	1	1	1	1	73.75	62	0	27630.332	167.7419355	4634.577229	30000	0	0	30000	42.1875	2004
22.01.2020 13:44:05	1	1	1	1	73.75	62	0	27630.332	169.8924731	4694.099421	30000	0	0	30000	42.125	2004
22.01.2020 13:44:06	1	1	1	1	73.75	62	0	27630.332	169.8924731	4725.898948	30000	0	0	30000	42.1875	2004
22.01.2020 13:44:07	1	1	1	1	73.75	62	0	27772.512	169.8924731	4725.898948	30000	0	0	30000	42.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 13:44:08	1	1	1	1	73.75	62.25	0	27819.905	169.8924731	4694.099421	30000	0	0	30000	42.25	2004
22.01.2020 13:44:09	1	1	1	1	73.75	62.25	0	27819.905	169.8924731	4725.898948	30000	0	0	30000	42.1875	2004
22.01.2020 13:44:10	1	1	1	1	73.75	62	0	27630.332	169.8924731	4845.758704	30000	0	0	30000	42.25	2004
22.01.2020 13:44:11	1	1	1	1	73.75	62.25	0	27819.905	178.4946237	4965.61846	30000	0	0	30000	42.125	2004
22.01.2020 13:44:12	1	1	1	1	73.75	62	0	27819.905	178.4946237	4965.61846	30000	0	0	30000	42.125	2004
22.01.2020 13:44:13	1	1	1	1	73.75	62	0	27819.905	178.4946237	4965.61846	30000	0	0	30000	42.1875	2004
22.01.2020 13:44:14	1	1	1	1	73.75	62	0	27819.905	178.4946237	4965.61846	30000	0	0	30000	42.1875	2004
22.01.2020 13:44:15	1	1	1	1	73.75	62	0	27630.332	174.1935484	4694.099421	30000	0	0	30000	42.1875	2004
22.01.2020 13:44:16	1	1	1	1	73.75	62	0	27630.332	178.4946237	4965.61846	30000	0	0	30000	42.1875	2004
22.01.2020 13:44:17	1	1	1	1	73.75	62	0	27630.332	169.8924731	4871.850624	30000	0	0	30000	42.1875	2004
22.01.2020 13:44:18	1	1	1	1	73.75	62	0	27772.512	169.8924731	4694.099421	30000	0	0	30000	42.125	2004
22.01.2020 13:44:20	1	1	1	1	73.75	62	0	27819.905	169.8924731	4725.898948	30000	0	0	30000	42.1875	2004
22.01.2020 13:44:21	1	1	1	1	73.75	62	0	27725.118	167.7419355	4666.376756	30000	0	0	30000	41.9375	2004
22.01.2020 13:44:22	1	1	1	1	73.75	61.75	0	27630.332	163.4408602	4515.532846	30000	0	0	30000	42.1875	2004
22.01.2020 13:44:23	1	1	1	1	73.75	62	0	27819.905	159.1397849	4486.994809	30000	0	0	30000	42.25	2004
22.01.2020 13:44:24	1	1	1	1	73.75	62.25	0	27819.905	152.688172	4247.275297	30000	0	0	30000	42.3125	2004
22.01.2020 13:44:25	1	1	1	1	73.75	62.25	0	27630.332	139.7849462	3888.511402	30000	0	0	30000	42.1875	2004
22.01.2020 13:44:26	1	1	1	1	73.75	62	0	27725.118	137.6344086	3815.94325	30000	0	0	30000	42.1875	2004
22.01.2020 13:44:27	1	1	1	1	73.75	62	0	27819.905	137.6344086	3828.98921	30000	0	0	30000	42.25	2004
22.01.2020 13:44:28	1	1	1	1	73.75	62.25	0	27819.905	137.6344086	3828.98921	30000	0	0	30000	42.1875	2004
22.01.2020 13:44:29	1	1	1	1	73.75	62	0	27630.332	137.6344086	3802.89729	30000	0	0	30000	42.1875	2004
22.01.2020 13:44:30	1	1	1	1	73.75	62	0	27725.118	139.7849462	3802.89729	30000	0	0	30000	42.3125	2004
22.01.2020 13:44:31	1	1	1	1	73.75	62.25	0	27725.118	137.6344086	3828.98921	30000	0	0	30000	42.1875	2004
22.01.2020 13:44:32	1	1	1	1	73.75	62	0	27819.905	137.6344086	3828.98921	30000	0	0	30000	42.1875	2004
22.01.2020 13:44:33	1	1	1	1	73.75	62	0	27819.905	137.6344086	3828.98921	30000	0	0	30000	42.25	2004
22.01.2020 13:44:34	1	1	1	1	73.75	62.25	0	27819.905	139.7849462	3888.511402	30000	0	0	30000	41.375	2004
22.01.2020 13:44:35	1	1	1	1	73.75	61.25	0	27819.905	139.7849462	3888.511402	30000	0	0	30000	42.0625	2004
22.01.2020 13:44:36	1	1	1	1	73.75	62	0	27819.905	139.7849462	3888.511402	30000	0	0	30000	42.1875	2004
22.01.2020 13:44:43	1	1	1	1	74	62.5	0	27819.905	141.9354839	3888.511402	30000	0	0	30000	42.1875	2004
22.01.2020 13:44:43	1	1	1	1	74	62.5	0	27819.905	141.9354839	3888.511402	30000	0	0	30000	42.1875	2004
22.01.2020 13:44:43	1	1	1	1	74	62.5	0	27819.905	141.9354839	3888.511402	30000	0	0	30000	42.1875	2004
22.01.2020 13:44:43	1	1	1	1	74	62.5	0	27819.905	141.9354839	3888.511402	30000	0	0	30000	42.1875	2004
22.01.2020 13:44:43	1	1	1	1	74	62.5	0	27819.905	141.9354839	3888.511402	30000	0	0	30000	42.1875	2004
22.01.2020 13:44:43	1	1	1	1	74	62.5	0	27819.905	141.9354839	3888.511402	30000	0	0	30000	42.1875	2004
22.01.2020 13:44:43	1	1	1	1	74	62	0	27630.332	141.9354839	3861.604109	30000	0	0	30000	42.125	2004
22.01.2020 13:44:44	1	1	1	1	74	62	0	27819.905	144.0860215	4008.371158	30000	0	0	30000	42.25	2004
22.01.2020 13:44:45	1	1	1	1	74	62.25	0	27819.905	144.0860215	4008.371158	30000	0	0	30000	42.0625	2004
22.01.2020 13:44:46	1	1	1	1	74.25	62	0	27819.905	141.9354839	4008.371158	30000	0	0	30000	42.1875	2004
22.01.2020 13:44:47	1	1	1	1	74.25	62	0	27867.299	144.0860215	3888.511402	30000	0	0	30000	41.8125	2004
22.01.2020 13:44:48	1	1	1	1	74.25	61.75	0	27630.332	141.9354839	3861.604109	30000	0	0	30000	42.3125	2004
22.01.2020 13:44:49	1	1	1	1	74.25	62.25	0	27867.299	141.9354839	4008.371158	30000	0	0	30000	41.8125	2004
22.01.2020 13:44:50	1	1	1	1	74.25	61.75	0	27819.905	139.7849462	3888.511402	30000	0	0	30000	42.1875	2004
22.01.2020 13:44:51	1	1	1	1	74.25	62	0	27867.299	139.7849462	3888.511402	30000	0	0	30000	41.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 13:44:52	1	1	1	1	74.25	61.5	0	27819.905	139.7849462	3888.511402	30000	0	0	30000	42.1875	2004
22.01.2020 13:44:53	1	1	1	1	74.25	62	0	27819.905	137.6344086	3828.98921	30000	0	0	30000	41.4375	2004
22.01.2020 13:44:54	1	1	1	1	74.25	61.25	0	27819.905	137.6344086	3828.98921	30000	0	0	30000	42.1875	2004
22.01.2020 13:44:55	1	1	1	1	74.25	62	0	27819.905	137.6344086	3802.89729	30000	0	0	30000	42.1875	2004
22.01.2020 13:44:56	1	1	1	1	74	62	0	27819.905	137.6344086	3828.98921	30000	0	0	30000	42.1875	2004
22.01.2020 13:44:57	1	1	1	1	74	62	0	27819.905	137.6344086	3828.98921	30000	0	0	30000	42.25	2004
22.01.2020 13:44:59	1	1	1	1	74	62.25	0	27867.299	137.6344086	3895.034382	30000	0	0	30000	42.1875	2004
22.01.2020 13:45:00	1	1	1	1	74	62	0	27867.299	139.7849462	3895.034382	30000	0	0	30000	41.375	2004
22.01.2020 13:45:01	1	1	1	1	74	61.25	0	27867.299	139.7849462	3888.511402	30000	0	0	30000	42.125	2004
22.01.2020 13:45:02	1	1	1	1	74	62	0	27867.299	139.7849462	3895.034382	30000	0	0	30000	42.1875	2004
22.01.2020 13:45:03	1	1	1	1	74	62	0	27867.299	141.9354839	3895.034382	30000	0	0	30000	42.0625	2004
22.01.2020 13:45:04	1	1	1	1	74	62	0	27867.299	139.7849462	3895.034382	30000	0	0	30000	42.1875	2004
22.01.2020 13:45:05	1	1	1	1	74	62	0	27867.299	139.7849462	3955.371946	30000	0	0	30000	41.875	2004
22.01.2020 13:45:06	1	1	1	1	74	61.75	0	27867.299	141.9354839	3895.034382	30000	0	0	30000	41.5625	2004
22.01.2020 13:45:07	1	1	1	1	74	61.5	0	27867.299	141.9354839	3895.034382	30000	0	0	30000	42.125	2004
22.01.2020 13:45:08	1	1	1	1	74	62	0	27867.299	144.0860215	4014.894137	30000	0	0	30000	42.1875	2004
22.01.2020 13:45:09	1	1	1	1	74	62	0	27867.299	144.0860215	4014.894137	30000	0	0	30000	42.1875	2004
22.01.2020 13:45:10	1	1	1	1	74	62	0	27867.299	144.0860215	4014.894137	30000	0	0	30000	41.5625	2004
22.01.2020 13:45:11	1	1	1	1	74	61.5	0	27867.299	144.0860215	4014.894137	30000	0	0	30000	42.1875	2004
22.01.2020 13:45:12	1	1	1	1	74	62	0	27867.299	144.0860215	4008.371158	30000	0	0	30000	42.125	2004
22.01.2020 13:45:13	1	1	1	1	74	62	0	27867.299	144.0860215	4014.894137	30000	0	0	30000	42.125	2004
22.01.2020 13:45:14	1	1	1	1	74	62	0	27867.299	144.0860215	4201.614438	30000	0	0	30000	42.0625	2004
22.01.2020 13:45:15	1	1	1	1	74	62	0	27867.299	144.0860215	4014.894137	30000	0	0	30000	42.1875	2004
22.01.2020 13:45:16	1	1	1	1	74	62	0	27867.299	152.688172	4261.952002	30000	0	0	30000	41.9375	2004
22.01.2020 13:45:17	1	1	1	1	74	61.75	0	27867.299	161.2903226	4254.613649	30000	0	0	30000	42.375	2004
22.01.2020 13:45:18	1	1	1	1	74	62.25	0	27867.299	163.4408602	4554.670725	30000	0	0	30000	42.0625	2004
22.01.2020 13:45:19	1	1	1	1	74	62	0	27867.299	159.1397849	4486.994809	30000	0	0	30000	42.375	2004
22.01.2020 13:45:20	1	1	1	1	74	62.5	0	27867.299	152.688172	4254.613649	30000	0	0	30000	42.1875	2004
22.01.2020 13:45:21	1	1	1	1	74	62	0	27867.299	152.688172	4254.613649	30000	0	0	30000	42.125	2004
22.01.2020 13:45:22	1	1	1	1	74	62	0	27867.299	152.688172	4261.952002	30000	0	0	30000	42.125	2004
22.01.2020 13:45:23	1	1	1	1	74	62	0	27867.299	152.688172	4247.275297	30000	0	0	30000	42.125	2004
22.01.2020 13:45:24	1	1	1	1	74	62	0	27914.692	152.688172	4261.952002	30000	0	0	30000	42	2004
22.01.2020 13:45:25	1	1	1	1	74	62	0	27867.299	148.3870968	4261.952002	30000	0	0	30000	42.0625	2004
22.01.2020 13:45:26	1	1	1	1	73.75	62	0	27914.692	152.688172	4261.952002	30000	0	0	30000	42	2004
22.01.2020 13:45:27	1	1	1	1	73.75	62	0	27914.692	152.688172	4449.487674	30000	0	0	30000	42.125	2004
22.01.2020 13:45:28	1	1	1	1	73.75	62	0	27914.692	152.688172	4261.952002	30000	0	0	30000	42.125	2004
22.01.2020 13:45:29	1	1	1	1	73.75	62	0	27914.692	163.4408602	4247.275297	30000	0	0	30000	42.1875	2004
22.01.2020 13:45:30	1	1	1	1	73.75	62	0	27914.692	163.4408602	4562.009078	30000	0	0	30000	42.125	2004
22.01.2020 13:45:31	1	1	1	1	73.75	62	0	27914.692	163.4408602	4501.671514	30000	0	0	30000	41.1875	2004
22.01.2020 13:45:32	1	1	1	1	73.75	61	0	27914.692	163.4408602	4622.346642	30000	0	0	30000	42	2004
22.01.2020 13:45:33	1	1	1	1	73.75	62	0	27914.692	163.4408602	4554.670725	30000	0	0	30000	41.4375	2004
22.01.2020 13:45:34	1	1	1	1	73.75	61.25	0	27867.299	163.4408602	4554.670725	30000	0	0	30000	42	2004
22.01.2020 13:45:35	1	1	1	1	73.75	62	0	27914.692	163.4408602	4494.333161	30000	0	0	30000	42	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 13:45:37	1	1	1	1	74	62	0	27914.692	167.7419355	4629.684994	30000	0	0	30000	42.125	2004
22.01.2020 13:45:38	1	1	1	1	74	62	0	27867.299	163.4408602	4622.346642	30000	0	0	30000	42.25	2004
22.01.2020 13:45:45	1	1	1	1	74	62	0	27867.299	169.8924731	4742.206398	30000	0	0	30000	41.9375	2004
22.01.2020 13:45:45	1	1	1	1	74	62	0	27867.299	169.8924731	4742.206398	30000	0	0	30000	41.9375	2004
22.01.2020 13:45:45	1	1	1	1	74	62	0	27867.299	169.8924731	4742.206398	30000	0	0	30000	41.9375	2004
22.01.2020 13:45:45	1	1	1	1	74	62	0	27867.299	169.8924731	4742.206398	30000	0	0	30000	41.9375	2004
22.01.2020 13:45:45	1	1	1	1	74	62	0	27867.299	169.8924731	4742.206398	30000	0	0	30000	41.9375	2004
22.01.2020 13:45:45	1	1	1	1	74	62	0	27867.299	169.8924731	4742.206398	30000	0	0	30000	41.9375	2004
22.01.2020 13:45:45	1	1	1	1	74	62	0	27867.299	169.8924731	4742.206398	30000	0	0	30000	41.9375	2004
22.01.2020 13:45:46	1	1	1	1	74	61.75	0	27867.299	169.8924731	4742.206398	30000	0	0	30000	42.0625	2004
22.01.2020 13:45:47	1	1	1	1	73.75	62	0	27962.085	174.1935484	4742.206398	30000	0	0	30000	42.125	2004
22.01.2020 13:45:48	1	1	1	1	73.75	62	0	27914.692	169.8924731	4742.206398	30000	0	0	30000	41.9375	2004
22.01.2020 13:45:49	1	1	1	1	73.75	61.75	0	27914.692	176.344086	4742.206398	30000	0	0	30000	42.1875	2004
22.01.2020 13:45:50	1	1	1	1	73.75	62	0	28009.479	191.3978495	5351.289647	30000	0	0	30000	41.875	2004
22.01.2020 13:45:51	1	1	1	1	73.75	61.75	0	27962.085	206.4516129	5772.837224	30000	0	0	30000	42.125	2004
22.01.2020 13:45:52	1	1	1	1	73.75	62	0	27962.085	193.5483871	5471.964776	30000	0	0	30000	42.125	2004
22.01.2020 13:45:53	1	1	1	1	73.75	62	0	27914.692	193.5483871	5763.052755	30000	0	0	30000	42.125	2004
22.01.2020 13:45:54	1	1	1	1	73.75	62	0	27962.085	176.344086	4870.219879	30000	0	0	30000	42.1875	2004
22.01.2020 13:45:55	1	1	1	1	73.75	62	0	27962.085	178.4946237	4990.895007	30000	0	0	30000	42.25	2004
22.01.2020 13:45:56	1	1	1	1	73.75	62.25	0	27962.085	178.4946237	5051.232571	30000	0	0	30000	42.1875	2004
22.01.2020 13:45:57	1	1	1	1	73.75	62	0	27962.085	178.4946237	4990.895007	30000	0	0	30000	42.25	2004
22.01.2020 13:45:58	1	1	1	1	73.75	62.25	0	27914.692	176.344086	4990.895007	30000	0	0	30000	42.5	2004
22.01.2020 13:45:59	1	1	1	1	73.75	62	0	27962.085	169.8924731	4930.557443	30000	0	0	30000	42.0625	2004
22.01.2020 13:46:00	1	1	1	1	73.75	62	0	27962.085	169.8924731	4742.206398	30000	0	0	30000	42	2004
22.01.2020 13:46:01	1	1	1	1	73.75	62	0	27914.692	169.8924731	4742.206398	30000	0	0	30000	41.875	2004
22.01.2020 13:46:02	1	1	1	1	73.75	61.75	0	27962.085	169.8924731	4742.206398	30000	0	0	30000	42	2004
22.01.2020 13:46:03	1	1	1	1	73.75	62	0	27962.085	169.8924731	4750.360123	30000	0	0	30000	41.25	2004
22.01.2020 13:46:04	1	1	1	1	73.75	61.25	0	27962.085	169.8924731	4758.513848	30000	0	0	30000	42	2004
22.01.2020 13:46:05	1	1	1	1	73.75	62	0	27962.085	169.8924731	4750.360123	30000	0	0	30000	41.875	2004
22.01.2020 13:46:06	1	1	1	1	73.5	61.75	0	27962.085	167.7419355	4758.513848	30000	0	0	30000	42	2004
22.01.2020 13:46:07	1	1	1	1	73.5	62	0	27962.085	167.7419355	4570.162803	30000	0	0	30000	42.1875	2004
22.01.2020 13:46:08	1	1	1	1	73.5	62	0	27914.692	167.7419355	4750.360123	30000	0	0	30000	42.1875	2004
22.01.2020 13:46:09	1	1	1	1	73.5	62	0	27962.085	169.8924731	4750.360123	30000	0	0	30000	41.9375	2004
22.01.2020 13:46:10	1	1	1	1	73.5	61.75	0	27962.085	169.8924731	4750.360123	30000	0	0	30000	41.9375	2004
22.01.2020 13:46:11	1	1	1	1	73.5	61.75	0	27962.085	191.3978495	5351.289647	30000	0	0	30000	42.0625	2004
22.01.2020 13:46:12	1	1	1	1	73.5	62	0	27962.085	189.2473118	5291.767456	30000	0	0	30000	42.0625	2004
22.01.2020 13:46:13	1	1	1	1	73.5	62	0	27962.085	167.7419355	4690.022559	30000	0	0	30000	42.0625	2004
22.01.2020 13:46:15	1	1	1	1	73.5	62	0	27914.692	167.7419355	4750.360123	30000	0	0	30000	41.25	2004
22.01.2020 13:46:16	1	1	1	1	73.5	61.25	0	28009.479	169.8924731	4758.513848	30000	0	0	30000	41.75	2004
22.01.2020 13:46:17	1	1	1	1	73.25	61.75	0	28009.479	169.8924731	4758.513848	30000	0	0	30000	41.6875	2004
22.01.2020 13:46:18	1	1	1	1	73.25	61.5	0	28009.479	167.7419355	4698.176284	30000	0	0	30000	42.0625	2004
22.01.2020 13:46:19	1	1	1	1	73.25	62	0	28009.479	165.5913978	4637.838719	30000	0	0	30000	42.125	2004
22.01.2020 13:46:20	1	1	1	1	73.25	62	0	28009.479	152.688172	4396.488462	30000	0	0	30000	42.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 13:46:21	1	1	1	1	73.25	62	0	28009.479	152.688172	4396.488462	30000	0	0	30000	41.4375	2004
22.01.2020 13:46:22	1	1	1	1	73.25	61.25	0	28009.479	152.688172	4276.628707	30000	0	0	30000	42	2004
22.01.2020 13:46:23	1	1	1	1	73.25	62	0	28009.479	150.5376344	4216.291142	30000	0	0	30000	42.0625	2004
22.01.2020 13:46:24	1	1	1	1	73.25	62	0	28009.479	148.3870968	4155.953578	30000	0	0	30000	42.125	2004
22.01.2020 13:46:25	1	1	1	1	73.25	62	0	28009.479	144.0860215	4216.291142	30000	0	0	30000	40.6875	2004
22.01.2020 13:46:26	1	1	1	1	73.25	60.5	0	28009.479	152.688172	4276.628707	30000	0	0	30000	42.1875	2004
22.01.2020 13:46:27	1	1	1	1	73.75	62	0	28009.479	152.688172	4276.628707	30000	0	0	30000	42.0625	2004
22.01.2020 13:46:28	1	1	1	1	73.75	62	0	28009.479	152.688172	4396.488462	30000	0	0	30000	42.125	2004
22.01.2020 13:46:29	1	1	1	1	73.75	62	0	28009.479	161.2903226	4577.501155	30000	0	0	30000	42.125	2004
22.01.2020 13:46:30	1	1	1	1	73.75	62	0	28009.479	165.5913978	4637.838719	30000	0	0	30000	42	2004
22.01.2020 13:46:31	1	1	1	1	73.75	62	0	28009.479	167.7419355	4698.176284	30000	0	0	30000	41.875	2004
22.01.2020 13:46:32	1	1	1	1	73.75	61.75	0	28009.479	169.8924731	4698.176284	30000	0	0	30000	41.9375	2004
22.01.2020 13:46:33	1	1	1	1	73.75	61.75	0	28009.479	174.1935484	4758.513848	30000	0	0	30000	41.8125	2004
22.01.2020 13:46:34	1	1	1	1	73.75	61.75	0	28009.479	206.4516129	5782.621694	30000	0	0	30000	42.0625	2004
22.01.2020 13:46:35	1	1	1	1	73.75	62	0	27962.085	206.4516129	5782.621694	30000	0	0	30000	42.1875	2004
22.01.2020 13:46:36	1	1	1	1	73.75	62	0	28009.479	206.4516129	5782.621694	30000	0	0	30000	42.4375	2004
22.01.2020 13:46:37	1	1	1	1	73.75	62	0	28009.479	206.4516129	5782.621694	30000	0	0	30000	42.125	2004
22.01.2020 13:46:38	1	1	1	1	73.75	62	0	28009.479	206.4516129	5420.596309	30000	0	0	30000	42.125	2004
22.01.2020 13:46:39	1	1	1	1	73.75	62	0	28009.479	191.3978495	5360.258745	30000	0	0	30000	42.1875	2004
22.01.2020 13:46:46	1	1	1	1	74	62	0	28009.479	208.6021505	5842.143886	30000	0	0	30000	42.0625	2004
22.01.2020 13:46:46	1	1	1	1	74	62	0	28009.479	208.6021505	5842.143886	30000	0	0	30000	42.0625	2004
22.01.2020 13:46:46	1	1	1	1	74	62	0	28009.479	208.6021505	5842.143886	30000	0	0	30000	42.0625	2004
22.01.2020 13:46:46	1	1	1	1	74	62	0	28009.479	208.6021505	5842.143886	30000	0	0	30000	42.0625	2004
22.01.2020 13:46:46	1	1	1	1	74	62	0	28009.479	208.6021505	5842.143886	30000	0	0	30000	42.0625	2004
22.01.2020 13:46:46	1	1	1	1	74	62	0	28009.479	208.6021505	5842.143886	30000	0	0	30000	42.0625	2004
22.01.2020 13:46:46	1	1	1	1	74	62	0	28009.479	208.6021505	5842.143886	30000	0	0	30000	42.0625	2004
22.01.2020 13:46:47	1	1	1	1	74	62	0	28009.479	206.4516129	5842.143886	30000	0	0	30000	42.1875	2004
22.01.2020 13:46:48	1	1	1	1	74	62	0	28009.479	210.7526882	5962.819014	30000	0	0	30000	42.1875	2004
22.01.2020 13:46:49	1	1	1	1	74	62	0	28009.479	215.0537634	5962.819014	30000	0	0	30000	42.1875	2004
22.01.2020 13:46:50	1	1	1	1	74	62	0	28009.479	215.0537634	6023.156579	30000	0	0	30000	42.125	2004
22.01.2020 13:46:51	1	1	1	1	74	62	0	28009.479	219.3548387	6185.415704	30000	0	0	30000	41.875	2004
22.01.2020 13:46:53	1	1	1	1	74	61.75	0	28009.479	221.5053763	6204.169271	30000	0	0	30000	42.0625	2004
22.01.2020 13:46:54	1	1	1	1	74	62	0	28009.479	221.5053763	6204.169271	30000	0	0	30000	42.0625	2004
22.01.2020 13:46:55	1	1	1	1	74	62	0	28009.479	221.5053763	6264.506836	30000	0	0	30000	42.0625	2004
22.01.2020 13:46:56	1	1	1	1	74	62	0	28009.479	225.8064516	6324.029027	30000	0	0	30000	42.125	2004
22.01.2020 13:46:57	1	1	1	1	73.75	62	0	28009.479	225.8064516	6367.243769	30000	0	0	30000	41.75	2004
22.01.2020 13:46:58	1	1	1	1	73.75	61.75	0	28009.479	227.9569892	6427.581333	30000	0	0	30000	42.0625	2004
22.01.2020 13:46:59	1	1	1	1	73.75	62	0	28009.479	232.2580645	6444.704156	30000	0	0	30000	42.0625	2004
22.01.2020 13:47:00	1	1	1	1	73.75	62	0	28009.479	232.2580645	6505.04172	30000	0	0	30000	42.125	2004
22.01.2020 13:47:01	1	1	1	1	73.75	62	0	28009.479	232.2580645	6505.04172	30000	0	0	30000	42.125	2004
22.01.2020 13:47:02	1	1	1	1	73.75	62	0	28009.479	234.4086022	6565.379284	30000	0	0	30000	42.0625	2004
22.01.2020 13:47:03	1	1	1	1	73.75	62	0	28009.479	234.4086022	6565.379284	30000	0	0	30000	42	2004
22.01.2020 13:47:04	1	1	1	1	73.75	62	0	28009.479	232.2580645	6625.716848	30000	0	0	30000	42.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 13:47:05	1	1	1	1	73.75	62	0	28009.479	234.4086022	6565.379284	30000	0	0	30000	42	2004
22.01.2020 13:47:06	1	1	1	1	73.75	62	0	28009.479	240.8602151	6686.054413	30000	0	0	30000	42.125	2004
22.01.2020 13:47:07	1	1	1	1	74	62	0	28009.479	240.8602151	6746.391977	30000	0	0	30000	41.9375	2004
22.01.2020 13:47:08	1	1	1	1	74	61.75	0	28009.479	240.8602151	6792.052836	30000	0	0	30000	42.1875	2004
22.01.2020 13:47:09	1	1	1	1	74	62	0	28009.479	245.1612903	6792.052836	30000	0	0	30000	42.125	2004
22.01.2020 13:47:10	1	1	1	1	74	62	0	28009.479	240.8602151	6792.052836	30000	0	0	30000	42.1875	2004
22.01.2020 13:47:11	1	1	1	1	74	62	0	28009.479	243.0107527	6852.3904	30000	0	0	30000	42.125	2004
22.01.2020 13:47:12	1	1	1	1	74	62	0	28009.479	243.0107527	6805.914168	30000	0	0	30000	42.4375	2004
22.01.2020 13:47:13	1	1	1	1	74	62.25	0	28009.479	240.8602151	6852.3904	30000	0	0	30000	42.125	2004
22.01.2020 13:47:14	1	1	1	1	74	62	0	28009.479	236.5591398	6565.379284	30000	0	0	30000	42.375	2004
22.01.2020 13:47:15	1	1	1	1	74	62	0	28009.479	227.9569892	6488.73427	30000	0	0	30000	42.1875	2004
22.01.2020 13:47:16	1	1	1	1	74	62	0	28009.479	225.8064516	6204.169271	30000	0	0	30000	41.125	2004
22.01.2020 13:47:17	1	1	1	1	74	61	0	28009.479	221.5053763	6143.831707	30000	0	0	30000	42.0625	2004
22.01.2020 13:47:18	1	1	1	1	74	62	0	28009.479	219.3548387	6185.415704	30000	0	0	30000	42.1875	2004
22.01.2020 13:47:19	1	1	1	1	74	62	0	28009.479	212.9032258	6083.494143	30000	0	0	30000	41.6875	2004
22.01.2020 13:47:20	1	1	1	1	74	61.5	0	28199.052	219.3548387	6124.262767	30000	0	0	30000	41.625	2004
22.01.2020 13:47:21	1	1	1	1	74	61.5	0	28199.052	219.3548387	6143.831707	30000	0	0	30000	42.1875	2004
22.01.2020 13:47:22	1	1	1	1	74	62	0	28009.479	212.9032258	5962.819014	30000	0	0	30000	42.1875	2004
22.01.2020 13:47:23	1	1	1	1	74	62	0	28009.479	212.9032258	6003.587639	30000	0	0	30000	42.125	2004
22.01.2020 13:47:24	1	1	1	1	74	62	0	28009.479	210.7526882	5902.48145	30000	0	0	30000	42	2004
22.01.2020 13:47:25	1	1	1	1	74	62	0	28199.052	206.4516129	5821.759574	30000	0	0	30000	42.125	2004
22.01.2020 13:47:26	1	1	1	1	73.75	62	0	28009.479	206.4516129	5782.621694	30000	0	0	30000	41.9375	2004
22.01.2020 13:47:27	1	1	1	1	73.75	61.75	0	28009.479	206.4516129	5518.441008	30000	0	0	30000	41.875	2004
22.01.2020 13:47:28	1	1	1	1	73.75	61.75	0	28199.052	193.5483871	5518.441008	30000	0	0	30000	42.0625	2004
22.01.2020 13:47:30	1	1	1	1	73.75	62	0	28009.479	206.4516129	5821.759574	30000	0	0	30000	42	2004
22.01.2020 13:47:31	1	1	1	1	73.75	62	0	28009.479	206.4516129	5821.759574	30000	0	0	30000	42.125	2004
22.01.2020 13:47:32	1	1	1	1	73.75	62	0	28199.052	206.4516129	5821.759574	30000	0	0	30000	42	2004
22.01.2020 13:47:33	1	1	1	1	73.75	62	0	28009.479	193.5483871	5396.950507	30000	0	0	30000	42.1875	2004
22.01.2020 13:47:34	1	1	1	1	73.75	62	0	28199.052	191.3978495	5336.612943	30000	0	0	30000	42.125	2004
22.01.2020 13:47:35	1	1	1	1	73.75	62	0	28199.052	191.3978495	5396.950507	30000	0	0	30000	42.0625	2004
22.01.2020 13:47:36	1	1	1	1	73.75	62	0	28009.479	191.3978495	5396.950507	30000	0	0	30000	42.125	2004
22.01.2020 13:47:37	1	1	1	1	74	62	0	28009.479	191.3978495	5396.950507	30000	0	0	30000	42.0625	2004
22.01.2020 13:47:38	1	1	1	1	74	62	0	28199.052	191.3978495	5457.288071	30000	0	0	30000	42.0625	2004
22.01.2020 13:47:39	1	1	1	1	74	62	0	28199.052	193.5483871	5396.950507	30000	0	0	30000	42.0625	2004
22.01.2020 13:47:40	1	1	1	1	74	62	0	28199.052	189.2473118	5336.612943	30000	0	0	30000	42	2004
22.01.2020 13:47:41	1	1	1	1	74	62	0	28199.052	189.2473118	5396.950507	30000	0	0	30000	42.3125	2004
22.01.2020 13:47:48	1	1	1	1	74.25	62	0	28199.052	184.9462366	5215.122442	30000	0	0	30000	42.125	2004
22.01.2020 13:47:48	1	1	1	1	74.25	62	0	28199.052	184.9462366	5215.122442	30000	0	0	30000	42.125	2004
22.01.2020 13:47:48	1	1	1	1	74.25	62	0	28199.052	184.9462366	5215.122442	30000	0	0	30000	42.125	2004
22.01.2020 13:47:48	1	1	1	1	74.25	62	0	28199.052	184.9462366	5215.122442	30000	0	0	30000	42.125	2004
22.01.2020 13:47:48	1	1	1	1	74.25	62	0	28199.052	184.9462366	5215.122442	30000	0	0	30000	42.125	2004
22.01.2020 13:47:48	1	1	1	1	74.25	62	0	28199.052	184.9462366	5215.122442	30000	0	0	30000	42.125	2004
22.01.2020 13:47:48	1	1	1	1	74.25	62	0	28009.479	184.9462366	5153.969505	30000	0	0	30000	41.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 13:47:49	1	1	1	1	74.25	61.75	0	28199.052	184.9462366	5153.969505	30000	0	0	30000	42.1875	2004
22.01.2020 13:47:50	1	1	1	1	74.25	62	0	28009.479	184.9462366	5336.612943	30000	0	0	30000	42.1875	2004
22.01.2020 13:47:51	1	1	1	1	74.25	62	0	28009.479	189.2473118	5336.612943	30000	0	0	30000	42.1875	2004
22.01.2020 13:47:52	1	1	1	1	74.25	62	0	28009.479	191.3978495	5396.950507	30000	0	0	30000	42.25	2004
22.01.2020 13:47:53	1	1	1	1	74.25	62.25	0	28009.479	191.3978495	5300.736553	30000	0	0	30000	42.375	2004
22.01.2020 13:47:54	1	1	1	1	74.25	62	0	28009.479	191.3978495	5396.950507	30000	0	0	30000	41.6875	2004
22.01.2020 13:47:55	1	1	1	1	74.25	61.5	0	28009.479	191.3978495	5396.950507	30000	0	0	30000	42.125	2004
22.01.2020 13:47:56	1	1	1	1	74	62	0	28199.052	193.5483871	5396.950507	30000	0	0	30000	42.0625	2004
22.01.2020 13:47:57	1	1	1	1	74	62	0	28009.479	191.3978495	5360.258745	30000	0	0	30000	42.0625	2004
22.01.2020 13:47:58	1	1	1	1	74	62	0	28009.479	189.2473118	5821.759574	30000	0	0	30000	41.9375	2004
22.01.2020 13:47:59	1	1	1	1	74	61.75	0	28199.052	193.5483871	5457.288071	30000	0	0	30000	42.1875	2004
22.01.2020 13:48:00	1	1	1	1	74	62	0	28199.052	191.3978495	5396.950507	30000	0	0	30000	42.0625	2004
22.01.2020 13:48:01	1	1	1	1	74	62	0	28199.052	193.5483871	5518.441008	30000	0	0	30000	42.1875	2004
22.01.2020 13:48:02	1	1	1	1	74	62	0	28199.052	191.3978495	5396.950507	30000	0	0	30000	42.125	2004
22.01.2020 13:48:03	1	1	1	1	74	62	0	28199.052	191.3978495	5396.950507	30000	0	0	30000	41.875	2004
22.01.2020 13:48:04	1	1	1	1	74	61.75	0	28199.052	191.3978495	5518.441008	30000	0	0	30000	41.0625	2004
22.01.2020 13:48:05	1	1	1	1	74	61	0	28199.052	206.4516129	5821.759574	30000	0	0	30000	42	2004
22.01.2020 13:48:06	1	1	1	1	73.75	62	0	28199.052	206.4516129	5821.759574	30000	0	0	30000	42.0625	2004
22.01.2020 13:48:08	1	1	1	1	73.75	62	0	28199.052	195.6989247	5821.759574	30000	0	0	30000	42.0625	2004
22.01.2020 13:48:09	1	1	1	1	73.75	62	0	28199.052	193.5483871	5396.950507	30000	0	0	30000	41.4375	2004
22.01.2020 13:48:10	1	1	1	1	73.75	61.25	0	28199.052	189.2473118	5396.950507	30000	0	0	30000	41.9375	2004
22.01.2020 13:48:11	1	1	1	1	73.75	61.75	0	28199.052	189.2473118	5180.061425	30000	0	0	30000	42.125	2004
22.01.2020 13:48:12	1	1	1	1	73.75	62	0	28199.052	189.2473118	5396.950507	30000	0	0	30000	42	2004
22.01.2020 13:48:13	1	1	1	1	73.75	62	0	28293.839	189.2473118	5275.460006	30000	0	0	30000	41.6875	2004
22.01.2020 13:48:14	1	1	1	1	73.75	61.5	0	28199.052	178.4946237	5033.294377	30000	0	0	30000	42	2004
22.01.2020 13:48:15	1	1	1	1	73.75	62	0	28199.052	178.4946237	4790.313375	30000	0	0	30000	42	2004
22.01.2020 13:48:16	1	1	1	1	73.75	62	0	28199.052	182.7956989	5153.969505	30000	0	0	30000	42	2004
22.01.2020 13:48:17	1	1	1	1	74	62	0	28199.052	182.7956989	5153.969505	30000	0	0	30000	41.6875	2004
22.01.2020 13:48:18	1	1	1	1	74	61.5	0	28199.052	178.4946237	5033.294377	30000	0	0	30000	41.875	2004
22.01.2020 13:48:19	1	1	1	1	74	61.75	0	28199.052	169.8924731	4790.313375	30000	0	0	30000	42	2004
22.01.2020 13:48:20	1	1	1	1	74	62	0	28199.052	167.7419355	4729.975811	30000	0	0	30000	41.9375	2004
22.01.2020 13:48:21	1	1	1	1	74	61.75	0	28009.479	167.7419355	4790.313375	30000	0	0	30000	41.375	2004
22.01.2020 13:48:22	1	1	1	1	74	61.25	0	28199.052	169.8924731	4790.313375	30000	0	0	30000	41.75	2004
22.01.2020 13:48:23	1	1	1	1	74	61.75	0	28199.052	169.8924731	4790.313375	30000	0	0	30000	41.625	2004
22.01.2020 13:48:24	1	1	1	1	74	61.5	0	28293.839	178.4946237	5049.601826	30000	0	0	30000	42.125	2004
22.01.2020 13:48:25	1	1	1	1	74	62	0	28293.839	178.4946237	5033.294377	30000	0	0	30000	42.0625	2004
22.01.2020 13:48:26	1	1	1	1	74	62	0	28293.839	178.4946237	5033.294377	30000	0	0	30000	42	2004
22.01.2020 13:48:27	1	1	1	1	74	62	0	28293.839	178.4946237	5049.601826	30000	0	0	30000	42.1875	2004
22.01.2020 13:48:28	1	1	1	1	74	62	0	28293.839	178.4946237	5033.294377	30000	0	0	30000	42	2004
22.01.2020 13:48:29	1	1	1	1	74	62	0	28293.839	169.8924731	4806.620825	30000	0	0	30000	41.875	2004
22.01.2020 13:48:30	1	1	1	1	74	61.75	0	28293.839	169.8924731	4790.313375	30000	0	0	30000	42.375	2004
22.01.2020 13:48:31	1	1	1	1	74	62.25	0	28293.839	169.8924731	4790.313375	30000	0	0	30000	42.0625	2004
22.01.2020 13:48:32	1	1	1	1	74	62	0	28293.839	169.8924731	4814.77455	30000	0	0	30000	41.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 13:48:33	1	1	1	1	74	62.25	0	28293.839	169.8924731	4806.620825	30000	0	0	30000	42	2004
22.01.2020 13:48:34	1	1	1	1	74	62	0	28199.052	169.8924731	4790.313375	30000	0	0	30000	42.0625	2004
22.01.2020 13:48:35	1	1	1	1	74	62	0	28293.839	163.4408602	4623.977387	30000	0	0	30000	42.1875	2004
22.01.2020 13:48:36	1	1	1	1	74.25	62	0	28293.839	161.2903226	4623.977387	30000	0	0	30000	42	2004
22.01.2020 13:48:37	1	1	1	1	74.25	62	0	28199.052	161.2903226	4548.147745	30000	0	0	30000	42.0625	2004
22.01.2020 13:48:38	1	1	1	1	74.25	62	0	28293.839	152.688172	4319.843448	30000	0	0	30000	42.1875	2004
22.01.2020 13:48:39	1	1	1	1	74.25	62	0	28199.052	152.688172	4426.657245	30000	0	0	30000	42.0625	2004
22.01.2020 13:48:40	1	1	1	1	74.25	62	0	28293.839	152.688172	4319.843448	30000	0	0	30000	42	2004
22.01.2020 13:48:41	1	1	1	1	74.25	62	0	28199.052	152.688172	4441.333949	30000	0	0	30000	42	2004
22.01.2020 13:48:42	1	1	1	1	74.25	62	0	28199.052	152.688172	4305.166744	30000	0	0	30000	41.5	2004
22.01.2020 13:48:50	1	1	1	1	74.25	61.75	0	28341.232	152.688172	4319.843448	30000	0	0	30000	41.5625	2004
22.01.2020 13:48:50	1	1	1	1	74.25	61.75	0	28341.232	152.688172	4319.843448	30000	0	0	30000	41.5625	2004
22.01.2020 13:48:50	1	1	1	1	74.25	61.75	0	28341.232	152.688172	4319.843448	30000	0	0	30000	41.5625	2004
22.01.2020 13:48:50	1	1	1	1	74.25	61.75	0	28341.232	152.688172	4319.843448	30000	0	0	30000	41.5625	2004
22.01.2020 13:48:50	1	1	1	1	74.25	61.75	0	28341.232	152.688172	4319.843448	30000	0	0	30000	41.5625	2004
22.01.2020 13:48:50	1	1	1	1	74.25	61.75	0	28341.232	152.688172	4319.843448	30000	0	0	30000	41.5625	2004
22.01.2020 13:48:50	1	1	1	1	74.25	61.75	0	28341.232	152.688172	4319.843448	30000	0	0	30000	41.5625	2004
22.01.2020 13:48:51	1	1	1	1	74.25	61.5	0	28293.839	152.688172	4319.843448	30000	0	0	30000	42.0625	2004
22.01.2020 13:48:52	1	1	1	1	74.25	62	0	28199.052	152.688172	4319.843448	30000	0	0	30000	42.0625	2004
22.01.2020 13:48:53	1	1	1	1	74.25	62	0	28341.232	152.688172	4448.672302	30000	0	0	30000	42	2004
22.01.2020 13:48:54	1	1	1	1	74.25	62	0	28341.232	152.688172	4319.843448	30000	0	0	30000	42.125	2004
22.01.2020 13:48:55	1	1	1	1	74.25	62	0	28293.839	152.688172	4327.181801	30000	0	0	30000	42.0625	2004
22.01.2020 13:48:56	1	1	1	1	74.25	62	0	28293.839	156.9892473	4486.994809	30000	0	0	30000	41.8125	2004
22.01.2020 13:48:57	1	1	1	1	74.5	61.75	0	28341.232	159.1397849	4448.672302	30000	0	0	30000	42.1875	2004
22.01.2020 13:48:58	1	1	1	1	74.5	62	0	28293.839	152.688172	4319.843448	30000	0	0	30000	41.9375	2004
22.01.2020 13:48:59	1	1	1	1	74.5	61.75	0	28293.839	156.9892473	4448.672302	30000	0	0	30000	42.0625	2004
22.01.2020 13:49:00	1	1	1	1	74.5	62	0	28293.839	156.9892473	4327.181801	30000	0	0	30000	42	2004
22.01.2020 13:49:01	1	1	1	1	74.5	62	0	28293.839	163.4408602	4623.977387	30000	0	0	30000	42.125	2004
22.01.2020 13:49:02	1	1	1	1	74.5	62	0	28341.232	163.4408602	4623.977387	30000	0	0	30000	41.0625	2004
22.01.2020 13:49:03	1	1	1	1	74.5	61	0	28293.839	163.4408602	4548.147745	30000	0	0	30000	42.1875	2004
22.01.2020 13:49:04	1	1	1	1	74.5	62	0	28293.839	163.4408602	4623.977387	30000	0	0	30000	41.875	2004
22.01.2020 13:49:05	1	1	1	1	74.5	61.75	0	28293.839	165.5913978	4623.977387	30000	0	0	30000	41.9375	2004
22.01.2020 13:49:06	1	1	1	1	74.5	61.75	0	28293.839	165.5913978	4745.467888	30000	0	0	30000	41.9375	2004
22.01.2020 13:49:07	1	1	1	1	74.25	61.75	0	28293.839	167.7419355	4753.621613	30000	0	0	30000	41.875	2004
22.01.2020 13:49:08	1	1	1	1	74.25	61.75	0	28293.839	167.7419355	4745.467888	30000	0	0	30000	42	2004
22.01.2020 13:49:09	1	1	1	1	74.25	62	0	28293.839	167.7419355	4745.467888	30000	0	0	30000	42.125	2004
22.01.2020 13:49:10	1	1	1	1	74.25	62	0	28293.839	167.7419355	4814.77455	30000	0	0	30000	42.375	2004
22.01.2020 13:49:11	1	1	1	1	74.25	62.25	0	28293.839	169.8924731	4729.975811	30000	0	0	30000	41.9375	2004
22.01.2020 13:49:12	1	1	1	1	74.25	60.75	0	28293.839	169.8924731	4790.313375	30000	0	0	30000	41.9375	2004
22.01.2020 13:49:13	1	1	1	1	74.25	61.75	0	28341.232	169.8924731	4814.77455	30000	0	0	30000	42.0625	2004
22.01.2020 13:49:14	1	1	1	1	74.25	62	0	28199.052	169.8924731	5049.601826	30000	0	0	30000	42.0625	2004
22.01.2020 13:49:15	1	1	1	1	74.25	62	0	28341.232	178.4946237	5058.570924	30000	0	0	30000	41.875	2004
22.01.2020 13:49:16	1	1	1	1	74.25	61.75	0	28341.232	178.4946237	4806.620825	30000	0	0	30000	42.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 13:49:17	1	1	1	1	74.25	62	0	28341.232	169.8924731	4814.77455	30000	0	0	30000	41.9375	2004
22.01.2020 13:49:18	1	1	1	1	74.25	61.75	0	28388.626	169.8924731	4814.77455	30000	0	0	30000	41.9375	2004
22.01.2020 13:49:19	1	1	1	1	74.25	61.75	0	28293.839	169.8924731	4814.77455	30000	0	0	30000	42.125	2004
22.01.2020 13:49:20	1	1	1	1	74.25	62	0	28341.232	169.8924731	4822.928274	30000	0	0	30000	41.8125	2004
22.01.2020 13:49:21	1	1	1	1	74.25	61.75	0	28341.232	169.8924731	4814.77455	30000	0	0	30000	42	2004
22.01.2020 13:49:22	1	1	1	1	74.25	62	0	28293.839	169.8924731	4814.77455	30000	0	0	30000	42	2004
22.01.2020 13:49:23	1	1	1	1	74.25	62	0	28293.839	169.8924731	4814.77455	30000	0	0	30000	41.9375	2004
22.01.2020 13:49:24	1	1	1	1	74.25	61.75	0	28341.232	176.344086	5058.570924	30000	0	0	30000	41.875	2004
22.01.2020 13:49:26	1	1	1	1	74.25	61.75	0	28388.626	182.7956989	4822.928274	30000	0	0	30000	41.9375	2004
22.01.2020 13:49:27	1	1	1	1	74.25	61.75	0	28293.839	169.8924731	4936.26505	30000	0	0	30000	41.5	2004
22.01.2020 13:49:28	1	1	1	1	74.25	61.5	0	28341.232	178.4946237	5058.570924	30000	0	0	30000	42.125	2004
22.01.2020 13:49:29	1	1	1	1	74.25	62	0	28341.232	184.9462366	5241.214361	30000	0	0	30000	41.9375	2004
22.01.2020 13:49:30	1	1	1	1	74.25	61.75	0	28341.232	189.2473118	5363.520235	30000	0	0	30000	42.0625	2004
22.01.2020 13:49:31	1	1	1	1	74.25	62	0	28341.232	189.2473118	5363.520235	30000	0	0	30000	42	2004
22.01.2020 13:49:32	1	1	1	1	74.25	62	0	28341.232	191.3978495	5432.826896	30000	0	0	30000	42.125	2004
22.01.2020 13:49:33	1	1	1	1	74.25	62	0	28341.232	193.5483871	5414.888702	30000	0	0	30000	42	2004
22.01.2020 13:49:34	1	1	1	1	74.25	62	0	28341.232	206.4516129	5851.112983	30000	0	0	30000	41.875	2004
22.01.2020 13:49:35	1	1	1	1	74.25	61.75	0	28341.232	206.4516129	5851.112983	30000	0	0	30000	41.9375	2004
22.01.2020 13:49:36	1	1	1	1	74.25	61.75	0	28293.839	206.4516129	5851.112983	30000	0	0	30000	41.4375	2004
22.01.2020 13:49:37	1	1	1	1	74.25	61.25	0	28341.232	206.4516129	5851.112983	30000	0	0	30000	41.8125	2004
22.01.2020 13:49:38	1	1	1	1	74.25	61.75	0	28341.232	206.4516129	5851.112983	30000	0	0	30000	41.9375	2004
22.01.2020 13:49:39	1	1	1	1	74.25	61.75	0	28341.232	206.4516129	5860.897453	30000	0	0	30000	41.9375	2004
22.01.2020 13:49:40	1	1	1	1	74.25	61.75	0	28293.839	206.4516129	5821.759574	30000	0	0	30000	41.875	2004
22.01.2020 13:49:41	1	1	1	1	74.25	61.75	0	28388.626	206.4516129	5870.681923	30000	0	0	30000	42.0625	2004
22.01.2020 13:49:42	1	1	1	1	74.25	62	0	28388.626	206.4516129	5860.897453	30000	0	0	30000	41.625	2004
22.01.2020 13:49:43	1	1	1	1	74.25	61.5	0	28388.626	206.4516129	5921.235018	30000	0	0	30000	41.875	2004
22.01.2020 13:49:44	1	1	1	1	74.25	61.75	0	28388.626	208.6021505	5921.235018	30000	0	0	30000	41.875	2004
22.01.2020 13:49:51	1	1	1	1	74.25	61.5	0	28388.626	234.4086022	6654.254885	30000	0	0	30000	41.75	2004
22.01.2020 13:49:51	1	1	1	1	74.25	61.5	0	28388.626	234.4086022	6654.254885	30000	0	0	30000	41.75	2004
22.01.2020 13:49:51	1	1	1	1	74.25	61.5	0	28388.626	234.4086022	6654.254885	30000	0	0	30000	41.75	2004
22.01.2020 13:49:51	1	1	1	1	74.25	61.5	0	28388.626	234.4086022	6654.254885	30000	0	0	30000	41.75	2004
22.01.2020 13:49:51	1	1	1	1	74.25	61.5	0	28388.626	234.4086022	6654.254885	30000	0	0	30000	41.75	2004
22.01.2020 13:49:51	1	1	1	1	74.25	61.5	0	28388.626	234.4086022	6654.254885	30000	0	0	30000	41.75	2004
22.01.2020 13:49:51	1	1	1	1	74.25	61.75	0	28388.626	232.2580645	6642.839671	30000	0	0	30000	41.8125	2004
22.01.2020 13:49:52	1	1	1	1	74.25	61.75	0	28436.019	227.9569892	6470.796075	30000	0	0	30000	41.8125	2004
22.01.2020 13:49:53	1	1	1	1	74.25	61.75	0	28388.626	219.3548387	6226.999701	30000	0	0	30000	41.9375	2004
22.01.2020 13:49:54	1	1	1	1	74.25	61.75	0	28388.626	212.9032258	5911.450548	30000	0	0	30000	41.375	2004
22.01.2020 13:49:57	1	1	1	1	74.25	61.75	0	28341.232	210.7526882	6043.540891	30000	0	0	30000	42	2004
22.01.2020 13:49:57	1	1	1	1	74.25	61.75	0	28341.232	210.7526882	6043.540891	30000	0	0	30000	42	2004
22.01.2020 13:49:57	1	1	1	1	74.25	62	0	28436.019	208.6021505	5982.387954	30000	0	0	30000	41.875	2004
22.01.2020 13:49:58	1	1	1	1	74.25	61.75	0	28388.626	208.6021505	5860.897453	30000	0	0	30000	41.8125	2004
22.01.2020 13:49:59	1	1	1	1	74.25	61.75	0	28388.626	206.4516129	5921.235018	30000	0	0	30000	42	2004
22.01.2020 13:50:00	1	1	1	1	74.25	62	0	28436.019	212.9032258	5921.235018	30000	0	0	30000	41.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 13:50:01	1	1	1	1	74.25	61.75	0	28388.626	212.9032258	6043.540891	30000	0	0	30000	41.9375	2004
22.01.2020 13:50:02	1	1	1	1	74.25	61.75	0	28436.019	212.9032258	6043.540891	30000	0	0	30000	41.6875	2004
22.01.2020 13:50:03	1	1	1	1	74.25	61.5	0	28388.626	215.0537634	6104.693828	30000	0	0	30000	42	2004
22.01.2020 13:50:05	1	1	1	1	74.25	62	0	28388.626	221.5053763	6288.152638	30000	0	0	30000	41.8125	2004
22.01.2020 13:50:06	1	1	1	1	74.25	61.75	0	28436.019	223.655914	6288.152638	30000	0	0	30000	41.8125	2004
22.01.2020 13:50:07	1	1	1	1	74.25	61.75	0	28436.019	225.8064516	6482.21129	30000	0	0	30000	40.875	2004
22.01.2020 13:50:08	1	1	1	1	74.25	60.75	0	28436.019	230.1075269	6543.364227	30000	0	0	30000	41.6875	2004
22.01.2020 13:50:09	1	1	1	1	74.25	61.5	0	28436.019	230.1075269	6543.364227	30000	0	0	30000	41.9375	2004
22.01.2020 13:50:10	1	1	1	1	74.25	61.75	0	28436.019	232.2580645	6604.517164	30000	0	0	30000	41.875	2004
22.01.2020 13:50:11	1	1	1	1	74.25	61.75	0	28436.019	234.4086022	6726.823037	30000	0	0	30000	41.8125	2004
22.01.2020 13:50:12	1	1	1	1	74.25	61.75	0	28436.019	240.8602151	6787.975974	30000	0	0	30000	41.9375	2004
22.01.2020 13:50:13	1	1	1	1	74.25	61.75	0	28436.019	240.8602151	6910.281847	30000	0	0	30000	42.0625	2004
22.01.2020 13:50:14	1	1	1	1	74.25	62	0	28436.019	240.8602151	6849.12891	30000	0	0	30000	41.6875	2004
22.01.2020 13:50:15	1	1	1	1	74.25	61.5	0	28436.019	247.311828	7032.58772	30000	0	0	30000	41.875	2004
22.01.2020 13:50:16	1	1	1	1	74.25	61.75	0	28436.019	245.1612903	7032.58772	30000	0	0	30000	42	2004
22.01.2020 13:50:17	1	1	1	1	74.25	62	0	28436.019	245.1612903	6971.434784	30000	0	0	30000	41.75	2004
22.01.2020 13:50:18	1	1	1	1	74.25	61.75	0	28436.019	240.8602151	6849.12891	30000	0	0	30000	41.9375	2004
22.01.2020 13:50:19	1	1	1	1	74.25	61.75	0	28436.019	230.1075269	6543.364227	30000	0	0	30000	42	2004
22.01.2020 13:50:20	1	1	1	1	74.25	62	0	28388.626	221.5053763	6298.75248	30000	0	0	30000	41.75	2004
22.01.2020 13:50:21	1	1	1	1	74.25	61.75	0	28436.019	225.8064516	6421.058353	30000	0	0	30000	41.5	2004
22.01.2020 13:50:22	1	1	1	1	74.25	61.5	0	28388.626	221.5053763	6308.53695	30000	0	0	30000	41.9375	2004
22.01.2020 13:50:23	1	1	1	1	74.25	61.75	0	28388.626	212.9032258	6054.140733	30000	0	0	30000	41.9375	2004
22.01.2020 13:50:24	1	1	1	1	74.25	61.75	0	28436.019	210.7526882	6063.925203	30000	0	0	30000	41.875	2004
22.01.2020 13:50:25	1	1	1	1	74.25	61.75	0	28436.019	212.9032258	6054.140733	30000	0	0	30000	41.875	2004
22.01.2020 13:50:26	1	1	1	1	74.25	61.75	0	28436.019	221.5053763	6298.75248	30000	0	0	30000	42.25	2004
22.01.2020 13:50:27	1	1	1	1	74.5	62.25	0	28436.019	225.8064516	6288.152638	30000	0	0	30000	41.9375	2004
22.01.2020 13:50:28	1	1	1	1	74.5	62	0	28436.019	227.9569892	6482.21129	30000	0	0	30000	41.9375	2004
22.01.2020 13:50:29	1	1	1	1	74.5	61.75	0	28436.019	232.2580645	6604.517164	30000	0	0	30000	40.875	2004
22.01.2020 13:50:30	1	1	1	1	74.5	60.75	0	28436.019	230.1075269	6604.517164	30000	0	0	30000	41.5625	2004
22.01.2020 13:50:31	1	1	1	1	74.5	61.5	0	28483.412	234.4086022	6737.422879	30000	0	0	30000	41.8125	2004
22.01.2020 13:50:32	1	1	1	1	74.5	61.75	0	28483.412	234.4086022	6676.269943	30000	0	0	30000	42.0625	2004
22.01.2020 13:50:33	1	1	1	1	74.5	62	0	28483.412	236.5591398	6676.269943	30000	0	0	30000	42	2004
22.01.2020 13:50:34	1	1	1	1	74.5	62	0	28483.412	234.4086022	6676.269943	30000	0	0	30000	41.875	2004
22.01.2020 13:50:35	1	1	1	1	74.5	61.75	0	28483.412	236.5591398	6798.575816	30000	0	0	30000	41.875	2004
22.01.2020 13:50:36	1	1	1	1	74.75	61.75	0	28483.412	240.8602151	6860.544125	30000	0	0	30000	41.9375	2004
22.01.2020 13:50:37	1	1	1	1	74.75	61.75	0	28483.412	243.0107527	6860.544125	30000	0	0	30000	42	2004
22.01.2020 13:50:38	1	1	1	1	74.75	62	0	28483.412	247.311828	7044.002935	30000	0	0	30000	41.8125	2004
22.01.2020 13:50:39	1	1	1	1	74.75	61.75	0	28483.412	251.6129032	7166.308809	30000	0	0	30000	40.875	2004
22.01.2020 13:50:40	1	1	1	1	74.75	60.75	0	28388.626	243.0107527	7288.614682	30000	0	0	30000	41.8125	2004
22.01.2020 13:50:42	1	1	1	1	74.75	61.75	0	28483.412	255.9139785	7227.461745	30000	0	0	30000	41.6875	2004
22.01.2020 13:50:43	1	1	1	1	74.75	61.5	0	28483.412	258.0645161	7288.614682	30000	0	0	30000	41.5625	2004
22.01.2020 13:50:44	1	1	1	1	74.75	61.5	0	28483.412	258.0645161	7350.582991	30000	0	0	30000	41.9375	2004
22.01.2020 13:50:45	1	1	1	1	74.75	61.75	0	28483.412	258.0645161	7288.614682	30000	0	0	30000	41.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 13:50:46	1	1	1	1	74.75	61.5	0	28483.412	255.9139785	7288.614682	30000	0	0	30000	42	2004
22.01.2020 13:50:53	1	1	1	1	74.75	62	0	28483.412	266.6666667	7595.194738	30000	0	0	30000	41.8125	2004
22.01.2020 13:50:53	1	1	1	1	74.75	62	0	28483.412	266.6666667	7595.194738	30000	0	0	30000	41.8125	2004
22.01.2020 13:50:53	1	1	1	1	74.75	62	0	28483.412	266.6666667	7595.194738	30000	0	0	30000	41.8125	2004
22.01.2020 13:50:53	1	1	1	1	74.75	62	0	28483.412	266.6666667	7595.194738	30000	0	0	30000	41.8125	2004
22.01.2020 13:50:53	1	1	1	1	74.75	62	0	28483.412	266.6666667	7595.194738	30000	0	0	30000	41.8125	2004
22.01.2020 13:50:53	1	1	1	1	74.75	61.75	0	28483.412	266.6666667	7595.194738	30000	0	0	30000	41.9375	2004
22.01.2020 13:50:54	1	1	1	1	74.75	61.75	0	28483.412	268.8172043	7656.347675	30000	0	0	30000	41.875	2004
22.01.2020 13:50:55	1	1	1	1	74.75	61.75	0	28483.412	266.6666667	7595.194738	30000	0	0	30000	41.9375	2004
22.01.2020 13:50:56	1	1	1	1	74.75	61.75	0	28483.412	268.8172043	7656.347675	30000	0	0	30000	42	2004
22.01.2020 13:50:57	1	1	1	1	75	62	0	28530.806	273.1182796	7778.653548	30000	0	0	30000	41.9375	2004
22.01.2020 13:50:58	1	1	1	1	75	61.75	0	28530.806	270.9677419	7656.347675	30000	0	0	30000	41.0625	2004
22.01.2020 13:50:59	1	1	1	1	75	61	0	28483.412	270.9677419	7778.653548	30000	0	0	30000	42	2004
22.01.2020 13:51:00	1	1	1	1	75	62	0	28483.412	273.1182796	7778.653548	30000	0	0	30000	42.0625	2004
22.01.2020 13:51:01	1	1	1	1	75	62	0	28530.806	275.2688172	7804.745468	30000	0	0	30000	41.75	2004
22.01.2020 13:51:02	1	1	1	1	75	61.75	0	28483.412	275.2688172	7840.621857	30000	0	0	30000	41.9375	2004
22.01.2020 13:51:03	1	1	1	1	75	61.75	0	28578.199	279.5698925	7901.774794	30000	0	0	30000	42	2004
22.01.2020 13:51:04	1	1	1	1	75	62	0	28578.199	275.2688172	7866.713777	30000	0	0	30000	41.8125	2004
22.01.2020 13:51:05	1	1	1	1	75	61.75	0	28530.806	277.4193548	7989.01965	30000	0	0	30000	42.1875	2004
22.01.2020 13:51:06	1	1	1	1	75	61.75	0	28578.199	279.5698925	7989.01965	30000	0	0	30000	42	2004
22.01.2020 13:51:07	1	1	1	1	75	62	0	28483.412	279.5698925	8050.98796	30000	0	0	30000	41.875	2004
22.01.2020 13:51:08	1	1	1	1	75	61.75	0	28483.412	279.5698925	7989.01965	30000	0	0	30000	42.0625	2004
22.01.2020 13:51:09	1	1	1	1	75	62	0	28483.412	279.5698925	8037.126627	30000	0	0	30000	41.875	2004
22.01.2020 13:51:10	1	1	1	1	75	61.75	0	28578.199	301.0752688	8542.657571	30000	0	0	30000	42.0625	2004
22.01.2020 13:51:11	1	1	1	1	75	62	0	28530.806	301.0752688	8603.810507	30000	0	0	30000	41.6875	2004
22.01.2020 13:51:12	1	1	1	1	75	61.5	0	28530.806	301.0752688	8664.963444	30000	0	0	30000	41.9375	2004
22.01.2020 13:51:13	1	1	1	1	75	61.75	0	28578.199	301.0752688	8603.810507	30000	0	0	30000	42.1875	2004
22.01.2020 13:51:14	1	1	1	1	75	62	0	28530.806	301.0752688	8603.810507	30000	0	0	30000	42	2004
22.01.2020 13:51:15	1	1	1	1	75	62	0	28483.412	294.6236559	8514.119534	30000	0	0	30000	42.0625	2004
22.01.2020 13:51:16	1	1	1	1	75.25	62	0	28483.412	290.3225806	8268.692414	30000	0	0	30000	41.9375	2004
22.01.2020 13:51:17	1	1	1	1	75.25	61.75	0	28578.199	281.7204301	8112.140896	30000	0	0	30000	42	2004
22.01.2020 13:51:18	1	1	1	1	75.25	62	0	28483.412	279.5698925	7901.774794	30000	0	0	30000	41.875	2004
22.01.2020 13:51:20	1	1	1	1	75.25	61.75	0	28578.199	277.4193548	7804.745468	30000	0	0	30000	41.875	2004
22.01.2020 13:51:21	1	1	1	1	75.25	61.75	0	28483.412	270.9677419	7927.866714	30000	0	0	30000	42.0625	2004
22.01.2020 13:51:22	1	1	1	1	75.25	62	0	28530.806	270.9677419	7743.592531	30000	0	0	30000	42.0625	2004
22.01.2020 13:51:23	1	1	1	1	75.25	62	0	28578.199	266.6666667	7694.670182	30000	0	0	30000	41.125	2004
22.01.2020 13:51:24	1	1	1	1	75.25	61	0	28578.199	264.516129	7559.318349	30000	0	0	30000	41.375	2004
22.01.2020 13:51:25	1	1	1	1	75.25	61.25	0	28578.199	253.7634409	7251.92292	30000	0	0	30000	41.8125	2004
22.01.2020 13:51:26	1	1	1	1	75.25	61.75	0	28578.199	243.0107527	6944.527492	30000	0	0	30000	41.3125	2004
22.01.2020 13:51:27	1	1	1	1	75	61.25	0	28578.199	247.311828	7067.648738	30000	0	0	30000	41.8125	2004
22.01.2020 13:51:28	1	1	1	1	75	61.75	0	28578.199	247.311828	7067.648738	30000	0	0	30000	41.625	2004
22.01.2020 13:51:29	1	1	1	1	75	61.5	0	28578.199	247.311828	7067.648738	30000	0	0	30000	41.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 13:51:30	1	1	1	1	75	61.75	0	28530.806	243.0107527	7312.260484	30000	0	0	30000	41.875	2004
22.01.2020 13:51:31	1	1	1	1	75	61.75	0	28578.199	249.4623656	7117.386459	30000	0	0	30000	41.1875	2004
22.01.2020 13:51:32	1	1	1	1	75	61	0	28578.199	262.3655914	7497.350039	30000	0	0	30000	42.0625	2004
22.01.2020 13:51:33	1	1	1	1	75	62	0	28578.199	264.516129	7559.318349	30000	0	0	30000	41.5625	2004
22.01.2020 13:51:34	1	1	1	1	75	61.5	0	28578.199	262.3655914	7436.197103	30000	0	0	30000	41.625	2004
22.01.2020 13:51:35	1	1	1	1	75	61.5	0	28578.199	260.2150538	7436.197103	30000	0	0	30000	42	2004
22.01.2020 13:51:36	1	1	1	1	75	62	0	28483.412	262.3655914	7497.350039	30000	0	0	30000	42	2004
22.01.2020 13:51:37	1	1	1	1	74.75	62	0	28578.199	253.7634409	7436.197103	30000	0	0	30000	41.75	2004
22.01.2020 13:51:38	1	1	1	1	74.75	61.75	0	28625.592	262.3655914	7571.548936	30000	0	0	30000	41.8125	2004
22.01.2020 13:51:39	1	1	1	1	74.75	61.75	0	28578.199	262.3655914	7497.350039	30000	0	0	30000	41.8125	2004
22.01.2020 13:51:40	1	1	1	1	74.75	61.75	0	28578.199	264.516129	7497.350039	30000	0	0	30000	40.8125	2004
22.01.2020 13:51:41	1	1	1	1	74.75	60.75	0	28530.806	260.2150538	7497.350039	30000	0	0	30000	42.0625	2004
22.01.2020 13:51:42	1	1	1	1	74.75	62	0	28530.806	281.7204301	8050.98796	30000	0	0	30000	42.0625	2004
22.01.2020 13:51:43	1	1	1	1	74.75	62	0	28578.199	279.5698925	7989.01965	30000	0	0	30000	42.25	2004
22.01.2020 13:51:44	1	1	1	1	74.75	62.25	0	28578.199	279.5698925	8173.293833	30000	0	0	30000	41.9375	2004
22.01.2020 13:51:45	1	1	1	1	74.75	62.25	0	28578.199	279.5698925	7927.866714	30000	0	0	30000	41.6875	2004
22.01.2020 13:51:46	1	1	1	1	74.75	61.5	0	28578.199	277.4193548	7927.866714	30000	0	0	30000	41.9375	2004
22.01.2020 13:51:47	1	1	1	1	74.75	61.75	0	28483.412	275.2688172	7853.667817	30000	0	0	30000	41.75	2004
22.01.2020 13:51:54	1	1	1	1	74.75	61.5	0	28625.592	268.8172043	7694.670182	30000	0	0	30000	41.875	2004
22.01.2020 13:51:54	1	1	1	1	74.75	61.5	0	28625.592	268.8172043	7694.670182	30000	0	0	30000	41.875	2004
22.01.2020 13:51:54	1	1	1	1	74.75	61.5	0	28625.592	268.8172043	7694.670182	30000	0	0	30000	41.875	2004
22.01.2020 13:51:54	1	1	1	1	74.75	61.75	0	28625.592	266.6666667	7633.517245	30000	0	0	30000	41.8125	2004
22.01.2020 13:51:54	1	1	1	1	74.75	61.75	0	28625.592	266.6666667	7633.517245	30000	0	0	30000	41.8125	2004
22.01.2020 13:51:54	1	1	1	1	74.75	61.75	0	28625.592	266.6666667	7633.517245	30000	0	0	30000	41.8125	2004
22.01.2020 13:51:54	1	1	1	1	74.75	61.75	0	28625.592	266.6666667	7633.517245	30000	0	0	30000	41.8125	2004
22.01.2020 13:51:55	1	1	1	1	74.75	61.75	0	28578.199	288.172043	8310.276411	30000	0	0	30000	42.0625	2004
22.01.2020 13:51:56	1	1	1	1	74.75	62	0	28625.592	258.0645161	7436.197103	30000	0	0	30000	42	2004
22.01.2020 13:51:58	1	1	1	1	74.75	62	0	28625.592	260.2150538	7448.42769	30000	0	0	30000	42	2004
22.01.2020 13:51:59	1	1	1	1	74.75	62	0	28625.592	258.0645161	7387.274753	30000	0	0	30000	42	2004
22.01.2020 13:52:00	1	1	1	1	74.75	62	0	28625.592	258.0645161	7448.42769	30000	0	0	30000	41.8125	2004
22.01.2020 13:52:01	1	1	1	1	74.75	61.75	0	28625.592	260.2150538	7448.42769	30000	0	0	30000	41.9375	2004
22.01.2020 13:52:02	1	1	1	1	74.75	61.75	0	28625.592	277.4193548	8064.033919	30000	0	0	30000	41.875	2004
22.01.2020 13:52:03	1	1	1	1	74.75	61.75	0	28625.592	296.7741935	8495.365966	30000	0	0	30000	42.0625	2004
22.01.2020 13:52:04	1	1	1	1	74.75	62	0	28625.592	260.2150538	7436.197103	30000	0	0	30000	41.875	2004
22.01.2020 13:52:05	1	1	1	1	74.75	61.75	0	28625.592	266.6666667	7694.670182	30000	0	0	30000	42	2004
22.01.2020 13:52:06	1	1	1	1	74.75	62	0	28625.592	283.8709677	8310.276411	30000	0	0	30000	41.9375	2004
22.01.2020 13:52:07	1	1	1	1	75	61.75	0	28625.592	296.7741935	8556.518903	30000	0	0	30000	41.8125	2004
22.01.2020 13:52:08	1	1	1	1	75	61.75	0	28578.199	298.9247312	8480.689262	30000	0	0	30000	41.8125	2004
22.01.2020 13:52:09	1	1	1	1	75	61.75	0	28625.592	301.0752688	8618.487212	30000	0	0	30000	41.8125	2004
22.01.2020 13:52:10	1	1	1	1	75	61.75	0	28625.592	294.6236559	8433.397657	30000	0	0	30000	41.375	2004
22.01.2020 13:52:11	1	1	1	1	75	61.25	0	28625.592	298.9247312	8556.518903	30000	0	0	30000	41.9375	2004
22.01.2020 13:52:12	1	1	1	1	75	61.75	0	28625.592	305.3763441	8788.08469	30000	0	0	30000	42.0625	2004
22.01.2020 13:52:13	1	1	1	1	75	62	0	28625.592	268.8172043	7694.670182	30000	0	0	30000	41.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 13:52:14	1	1	1	1	75	61.5	0	28625.592	262.3655914	7448.42769	30000	0	0	30000	42	2004
22.01.2020 13:52:15	1	1	1	1	75	62	0	28625.592	249.4623656	7005.680428	30000	0	0	30000	41.875	2004
22.01.2020 13:52:16	1	1	1	1	75	61.75	0	28625.592	240.8602151	6894.78977	30000	0	0	30000	41.4375	2004
22.01.2020 13:52:17	1	1	1	1	75	61.25	0	28625.592	243.0107527	6955.942706	30000	0	0	30000	42	2004
22.01.2020 13:52:18	1	1	1	1	75	62	0	28625.592	247.311828	7126.355557	30000	0	0	30000	41.875	2004
22.01.2020 13:52:19	1	1	1	1	75	61.75	0	28625.592	247.311828	7126.355557	30000	0	0	30000	42	2004
22.01.2020 13:52:20	1	1	1	1	75	62	0	28625.592	247.311828	6955.942706	30000	0	0	30000	41.6875	2004
22.01.2020 13:52:21	1	1	1	1	75	61.5	0	28815.166	240.8602151	6816.514011	30000	0	0	30000	41.75	2004
22.01.2020 13:52:22	1	1	1	1	75	61.75	0	28625.592	225.8064516	6568.640774	30000	0	0	30000	41.4375	2004
22.01.2020 13:52:23	1	1	1	1	75	61.25	0	28625.592	223.655914	6340.336477	30000	0	0	30000	42	2004
22.01.2020 13:52:24	1	1	1	1	75	61.75	0	28625.592	230.1075269	6463.457723	30000	0	0	30000	42	2004
22.01.2020 13:52:25	1	1	1	1	75	62	0	28625.592	221.5053763	6340.336477	30000	0	0	30000	41.9375	2004
22.01.2020 13:52:26	1	1	1	1	75.25	61.75	0	28625.592	217.2043011	6206.615389	30000	0	0	30000	41.875	2004
22.01.2020 13:52:27	1	1	1	1	75.25	61.75	0	28625.592	212.9032258	6084.309515	30000	0	0	30000	42	2004
22.01.2020 13:52:28	1	1	1	1	75.25	62	0	28625.592	212.9032258	5961.18827	30000	0	0	30000	41.875	2004
22.01.2020 13:52:29	1	1	1	1	75.25	61.75	0	28625.592	206.4516129	5970.972739	30000	0	0	30000	42.125	2004
22.01.2020 13:52:30	1	1	1	1	75.25	62	0	28625.592	206.4516129	5948.957682	30000	0	0	30000	41.9375	2004
22.01.2020 13:52:31	1	1	1	1	75.25	61.75	0	28625.592	206.4516129	5900.035333	30000	0	0	30000	42	2004
22.01.2020 13:52:32	1	1	1	1	75.25	62	0	28578.199	206.4516129	5530.671595	30000	0	0	30000	41.9375	2004
22.01.2020 13:52:33	1	1	1	1	75.25	61.75	0	28625.592	206.4516129	5948.957682	30000	0	0	30000	42	2004
22.01.2020 13:52:34	1	1	1	1	75.25	62	0	28625.592	206.4516129	5948.957682	30000	0	0	30000	42.125	2004
22.01.2020 13:52:36	1	1	1	1	75.25	62	0	28625.592	206.4516129	5909.819803	30000	0	0	30000	42	2004
22.01.2020 13:52:37	1	1	1	1	75.5	62	0	28625.592	206.4516129	5909.819803	30000	0	0	30000	42	2004
22.01.2020 13:52:38	1	1	1	1	75.5	62	0	28578.199	193.5483871	5909.819803	30000	0	0	30000	42.0625	2004
22.01.2020 13:52:39	1	1	1	1	75.5	62	0	28625.592	206.4516129	5909.819803	30000	0	0	30000	41.6875	2004
22.01.2020 13:52:40	1	1	1	1	75.5	61.5	0	28625.592	206.4516129	5900.035333	30000	0	0	30000	41.875	2004
22.01.2020 13:52:41	1	1	1	1	75.5	61.75	0	28625.592	206.4516129	5948.957682	30000	0	0	30000	41.9375	2004
22.01.2020 13:52:42	1	1	1	1	75.5	61.75	0	28625.592	210.7526882	5970.972739	30000	0	0	30000	42	2004
22.01.2020 13:52:43	1	1	1	1	75.5	62	0	28625.592	212.9032258	6217.215231	30000	0	0	30000	42	2004
22.01.2020 13:52:44	1	1	1	1	75.5	62	0	28815.166	221.5053763	6382.735846	30000	0	0	30000	42.125	2004
22.01.2020 13:52:45	1	1	1	1	75.5	62	0	28625.592	225.8064516	6630.609083	30000	0	0	30000	40.75	2004
22.01.2020 13:52:46	1	1	1	1	75.5	60.75	0	28625.592	236.5591398	6709.700215	30000	0	0	30000	41.875	2004
22.01.2020 13:52:47	1	1	1	1	75.25	61.75	0	28625.592	251.6129032	7141.032262	30000	0	0	30000	41.4375	2004
22.01.2020 13:52:48	1	1	1	1	75.25	61.25	0	28625.592	260.2150538	7560.133721	30000	0	0	30000	42	2004
22.01.2020 13:52:49	1	1	1	1	75.25	62	0	28815.166	262.3655914	7560.133721	30000	0	0	30000	41.3125	2004
22.01.2020 13:52:56	1	1	1	1	75.25	61.75	0	28625.592	277.4193548	7940.912674	30000	0	0	30000	41.9375	2004
22.01.2020 13:52:56	1	1	1	1	75.25	61.75	0	28625.592	277.4193548	7940.912674	30000	0	0	30000	41.9375	2004
22.01.2020 13:52:56	1	1	1	1	75.25	61.75	0	28625.592	277.4193548	7940.912674	30000	0	0	30000	41.9375	2004
22.01.2020 13:52:56	1	1	1	1	75.25	61.75	0	28625.592	277.4193548	7940.912674	30000	0	0	30000	41.9375	2004
22.01.2020 13:52:56	1	1	1	1	75.25	61.75	0	28625.592	277.4193548	7940.912674	30000	0	0	30000	41.9375	2004
22.01.2020 13:52:56	1	1	1	1	75.25	61.75	0	28625.592	277.4193548	7940.912674	30000	0	0	30000	41.9375	2004
22.01.2020 13:52:56	1	1	1	1	75.25	61.75	0	28625.592	277.4193548	7940.912674	30000	0	0	30000	41.9375	2004
22.01.2020 13:52:57	1	1	1	1	74.75	61.75	0	28625.592	286.0215054	8187.155165	30000	0	0	30000	42	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 13:52:58	1	1	1	1	74.75	62	0	28815.166	283.8709677	8179.816813	30000	0	0	30000	42.0625	2004
22.01.2020 13:52:59	1	1	1	1	74.75	62	0	28625.592	258.0645161	7387.274753	30000	0	0	30000	42	2004
22.01.2020 13:53:00	1	1	1	1	74.75	62	0	28625.592	266.6666667	7448.42769	30000	0	0	30000	41.5625	2004
22.01.2020 13:53:01	1	1	1	1	74.75	61.5	0	28625.592	311.827957	8987.85095	30000	0	0	30000	41.8125	2004
22.01.2020 13:53:02	1	1	1	1	74.75	61.75	0	28625.592	294.6236559	8495.365966	30000	0	0	30000	41.4375	2004
22.01.2020 13:53:03	1	1	1	1	74.75	61.25	0	28625.592	309.6774194	8664.963444	30000	0	0	30000	42.1875	2004
22.01.2020 13:53:04	1	1	1	1	74.75	62	0	28625.592	309.6774194	8923.436523	30000	0	0	30000	41.5625	2004
22.01.2020 13:53:05	1	1	1	1	74.75	62.25	0	28815.166	313.9784946	8864.729704	30000	0	0	30000	41.875	2004
22.01.2020 13:53:06	1	1	1	1	75.25	61.75	0	28815.166	313.9784946	8940.559346	30000	0	0	30000	42	2004
22.01.2020 13:53:07	1	1	1	1	75.25	62	0	28815.166	322.5806452	9357.214688	30000	0	0	30000	41.875	2004
22.01.2020 13:53:08	1	1	1	1	75.25	61.75	0	28815.166	313.9784946	8985.404832	30000	0	0	30000	42.0625	2004
22.01.2020 13:53:09	1	1	1	1	75.25	62	0	28625.592	298.9247312	8556.518903	30000	0	0	30000	42	2004
22.01.2020 13:53:10	1	1	1	1	75.25	62	0	28625.592	298.9247312	8675.563286	30000	0	0	30000	41.9375	2004
22.01.2020 13:53:11	1	1	1	1	75.25	61.75	0	28625.592	305.3763441	8799.499905	30000	0	0	30000	41.875	2004
22.01.2020 13:53:12	1	1	1	1	75.25	61.75	0	28815.166	298.9247312	8613.594977	30000	0	0	30000	41.9375	2004
22.01.2020 13:53:13	1	1	1	1	75.25	61.75	0	28625.592	298.9247312	8613.594977	30000	0	0	30000	42	2004
22.01.2020 13:53:14	1	1	1	1	75.25	62	0	28578.199	288.172043	8433.397657	30000	0	0	30000	42.0625	2004
22.01.2020 13:53:15	1	1	1	1	75.25	62	0	28625.592	260.2150538	7498.165412	30000	0	0	30000	41.5	2004
22.01.2020 13:53:17	1	1	1	1	75.5	61.5	0	28815.166	245.1612903	7064.387248	30000	0	0	30000	41.75	2004
22.01.2020 13:53:18	1	1	1	1	75.5	61.75	0	28625.592	232.2580645	6586.578969	30000	0	0	30000	41.875	2004
22.01.2020 13:53:19	1	1	1	1	75.5	61.75	0	28625.592	221.5053763	6382.735846	30000	0	0	30000	41.8125	2004
22.01.2020 13:53:20	1	1	1	1	75.5	61.75	0	28815.166	217.2043011	6320.767537	30000	0	0	30000	41.875	2004
22.01.2020 13:53:21	1	1	1	1	75.5	61.75	0	28625.592	217.2043011	6217.215231	30000	0	0	30000	41.9375	2004
22.01.2020 13:53:22	1	1	1	1	75.5	61.75	0	28672.986	215.0537634	6094.093985	30000	0	0	30000	42.0625	2004
22.01.2020 13:53:23	1	1	1	1	75.5	62	0	28625.592	215.0537634	6258.799228	30000	0	0	30000	41.8125	2004
22.01.2020 13:53:24	1	1	1	1	75.5	61.75	0	28815.166	221.5053763	6382.735846	30000	0	0	30000	41.875	2004
22.01.2020 13:53:25	1	1	1	1	75.5	61.75	0	28625.592	227.9569892	6630.609083	30000	0	0	30000	41.6875	2004
22.01.2020 13:53:26	1	1	1	1	75.5	61.5	0	28625.592	236.5591398	6816.514011	30000	0	0	30000	41.8125	2004
22.01.2020 13:53:27	1	1	1	1	75.25	61.75	0	28625.592	240.8602151	7002.418938	30000	0	0	30000	41.75	2004
22.01.2020 13:53:28	1	1	1	1	75.25	61.75	0	28625.592	240.8602151	6940.450629	30000	0	0	30000	41.75	2004
22.01.2020 13:53:29	1	1	1	1	75.25	61.75	0	28625.592	234.4086022	6754.545702	30000	0	0	30000	41.9375	2004
22.01.2020 13:53:30	1	1	1	1	75.25	61.75	0	28815.166	232.2580645	6692.577392	30000	0	0	30000	42	2004
22.01.2020 13:53:31	1	1	1	1	75.25	62	0	28815.166	232.2580645	6754.545702	30000	0	0	30000	41.75	2004
22.01.2020 13:53:32	1	1	1	1	75.25	61.75	0	28815.166	232.2580645	6630.609083	30000	0	0	30000	41.8125	2004
22.01.2020 13:53:33	1	1	1	1	75.25	61.75	0	28815.166	225.8064516	6568.640774	30000	0	0	30000	41.9375	2004
22.01.2020 13:53:34	1	1	1	1	75.25	61.75	0	28815.166	225.8064516	6506.672465	30000	0	0	30000	41.75	2004
22.01.2020 13:53:35	1	1	1	1	75.25	61.75	0	28815.166	225.8064516	6506.672465	30000	0	0	30000	41.8125	2004
22.01.2020 13:53:36	1	1	1	1	75.25	61.75	0	28815.166	223.655914	6382.735846	30000	0	0	30000	41.6875	2004
22.01.2020 13:53:37	1	1	1	1	75.5	61.5	0	28815.166	225.8064516	6506.672465	30000	0	0	30000	41.8125	2004
22.01.2020 13:53:38	1	1	1	1	75.5	61.75	0	28815.166	225.8064516	6506.672465	30000	0	0	30000	41.75	2004
22.01.2020 13:53:39	1	1	1	1	75.5	61.75	0	28815.166	225.8064516	6506.672465	30000	0	0	30000	41.8125	2004
22.01.2020 13:53:40	1	1	1	1	75.5	61.75	0	28815.166	225.8064516	6382.735846	30000	0	0	30000	42.3125	2004
22.01.2020 13:53:41	1	1	1	1	75.5	62.25	0	28815.166	221.5053763	6382.735846	30000	0	0	30000	42	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 13:53:42	1	1	1	1	75.5	62	0	28815.166	221.5053763	6382.735846	30000	0	0	30000	42.25	2004
22.01.2020 13:53:43	1	1	1	1	75.5	62.25	0	28815.166	217.2043011	6320.767537	30000	0	0	30000	42.1875	2004
22.01.2020 13:53:44	1	1	1	1	75.5	60.5	0	28815.166	219.3548387	6258.799228	30000	0	0	30000	41.875	2004
22.01.2020 13:53:45	1	1	1	1	75.5	61.75	0	28815.166	217.2043011	6258.799228	30000	0	0	30000	41.8125	2004
22.01.2020 13:53:46	1	1	1	1	74.75	61.75	0	28815.166	215.0537634	6320.767537	30000	0	0	30000	41.75	2004
22.01.2020 13:53:47	1	1	1	1	74.75	61.75	0	28815.166	215.0537634	6134.86261	30000	0	0	30000	41.0625	2004
22.01.2020 13:53:48	1	1	1	1	74.75	61	0	28815.166	212.9032258	6010.925991	30000	0	0	30000	41.625	2004
22.01.2020 13:53:49	1	1	1	1	74.75	61.5	0	28815.166	212.9032258	6134.86261	30000	0	0	30000	41.8125	2004
22.01.2020 13:53:50	1	1	1	1	74.75	61.75	0	28815.166	212.9032258	6010.925991	30000	0	0	30000	41.625	2004
22.01.2020 13:53:58	1	1	1	1	74.25	61	0	28862.559	212.9032258	6144.64708	30000	0	0	30000	41.875	2004
22.01.2020 13:53:58	1	1	1	1	74.25	61	0	28862.559	212.9032258	6144.64708	30000	0	0	30000	41.875	2004
22.01.2020 13:53:58	1	1	1	1	74.25	61	0	28862.559	212.9032258	6144.64708	30000	0	0	30000	41.875	2004
22.01.2020 13:53:58	1	1	1	1	74.25	61	0	28862.559	212.9032258	6144.64708	30000	0	0	30000	41.875	2004
22.01.2020 13:53:58	1	1	1	1	74.25	61	0	28862.559	212.9032258	6144.64708	30000	0	0	30000	41.875	2004
22.01.2020 13:53:58	1	1	1	1	74.25	61	0	28862.559	212.9032258	6144.64708	30000	0	0	30000	41.875	2004
22.01.2020 13:53:58	1	1	1	1	74.25	61	0	28862.559	212.9032258	6144.64708	30000	0	0	30000	41.875	2004
22.01.2020 13:53:59	1	1	1	1	74.25	61.75	0	28862.559	212.9032258	6144.64708	30000	0	0	30000	41.3125	2004
22.01.2020 13:54:00	1	1	1	1	74.25	61.25	0	28815.166	212.9032258	6144.64708	30000	0	0	30000	42.0625	2004
22.01.2020 13:54:01	1	1	1	1	74.25	62	0	28957.346	221.5053763	6144.64708	30000	0	0	30000	41.875	2004
22.01.2020 13:54:02	1	1	1	1	74.25	61.75	0	28862.559	217.2043011	6268.583698	30000	0	0	30000	41.75	2004
22.01.2020 13:54:03	1	1	1	1	74.25	61.75	0	28815.166	219.3548387	6330.552007	30000	0	0	30000	41.875	2004
22.01.2020 13:54:04	1	1	1	1	74.25	61.75	0	28862.559	221.5053763	6392.520316	30000	0	0	30000	41.75	2004
22.01.2020 13:54:05	1	1	1	1	74.25	61.75	0	28862.559	247.311828	7137.770772	30000	0	0	30000	41.8125	2004
22.01.2020 13:54:06	1	1	1	1	74.25	61.75	0	28862.559	245.1612903	7137.770772	30000	0	0	30000	42	2004
22.01.2020 13:54:07	1	1	1	1	75	62	0	28862.559	266.6666667	7622.10203	30000	0	0	30000	41.8125	2004
22.01.2020 13:54:08	1	1	1	1	75	61.75	0	28862.559	294.6236559	8241.785122	30000	0	0	30000	42	2004
22.01.2020 13:54:09	1	1	1	1	75	62	0	28862.559	266.6666667	7510.395999	30000	0	0	30000	41.9375	2004
22.01.2020 13:54:10	1	1	1	1	75	61.75	0	28909.953	268.8172043	7846.329465	30000	0	0	30000	41.8125	2004
22.01.2020 13:54:11	1	1	1	1	75	61.75	0	28862.559	266.6666667	7696.300927	30000	0	0	30000	42	2004
22.01.2020 13:54:12	1	1	1	1	75	62	0	28862.559	292.4731183	8503.519691	30000	0	0	30000	41.75	2004
22.01.2020 13:54:13	1	1	1	1	75	61.75	0	28862.559	294.6236559	8489.658359	30000	0	0	30000	42	2004
22.01.2020 13:54:14	1	1	1	1	75	62	0	28815.166	307.5268817	8861.468214	30000	0	0	30000	41.875	2004
22.01.2020 13:54:15	1	1	1	1	75	61.75	0	28862.559	251.6129032	7323.675699	30000	0	0	30000	41.875	2004
22.01.2020 13:54:16	1	1	1	1	75	61.75	0	28957.346	296.7741935	8593.210665	30000	0	0	30000	42	2004
22.01.2020 13:54:17	1	1	1	1	75	62	0	28909.953	273.1182796	7882.205854	30000	0	0	30000	41.3125	2004
22.01.2020 13:54:18	1	1	1	1	75	61.25	0	28909.953	234.4086022	6714.59245	30000	0	0	30000	41.4375	2004
22.01.2020 13:54:19	1	1	1	1	75	61.25	0	28957.346	225.8064516	6413.720001	30000	0	0	30000	42.25	2004
22.01.2020 13:54:20	1	1	1	1	75	62.25	0	28862.559	212.9032258	6288.96801	30000	0	0	30000	41.9375	2004
22.01.2020 13:54:21	1	1	1	1	75	61.75	0	28957.346	212.9032258	6165.031392	30000	0	0	30000	41.6875	2004
22.01.2020 13:54:22	1	1	1	1	75	62	0	28957.346	212.9032258	6144.64708	30000	0	0	30000	41.9375	2004
22.01.2020 13:54:23	1	1	1	1	75	61.75	0	28862.559	212.9032258	6268.583698	30000	0	0	30000	41.6875	2004
22.01.2020 13:54:24	1	1	1	1	75	61.5	0	28957.346	212.9032258	6165.031392	30000	0	0	30000	41.9375	2004
22.01.2020 13:54:25	1	1	1	1	75	61.75	0	28957.346	212.9032258	6102.24771	30000	0	0	30000	42.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 13:54:26	1	1	1	1	75.25	62	0	28862.559	212.9032258	6144.64708	30000	0	0	30000	41.875	2004
22.01.2020 13:54:27	1	1	1	1	75.25	61.75	0	28862.559	210.7526882	6082.67877	30000	0	0	30000	41.75	2004
22.01.2020 13:54:28	1	1	1	1	75.25	61.75	0	28909.953	212.9032258	6165.031392	30000	0	0	30000	41.875	2004
22.01.2020 13:54:29	1	1	1	1	75.25	61.75	0	28957.346	212.9032258	6165.031392	30000	0	0	30000	41.8125	2004
22.01.2020 13:54:30	1	1	1	1	75.25	61.75	0	28862.559	212.9032258	6154.431549	30000	0	0	30000	41.9375	2004
22.01.2020 13:54:31	1	1	1	1	75.25	61.75	0	28909.953	212.9032258	6144.64708	30000	0	0	30000	41.8125	2004
22.01.2020 13:54:33	1	1	1	1	75.25	61.75	0	28862.559	208.6021505	6030.494931	30000	0	0	30000	41.8125	2004
22.01.2020 13:54:34	1	1	1	1	75.25	61.75	0	28909.953	208.6021505	5958.742152	30000	0	0	30000	41.9375	2004
22.01.2020 13:54:35	1	1	1	1	75.25	61.75	0	28957.346	206.4516129	5968.526622	30000	0	0	30000	41.875	2004
22.01.2020 13:54:36	1	1	1	1	75.25	61.75	0	28909.953	206.4516129	5978.311092	30000	0	0	30000	42	2004
22.01.2020 13:54:37	1	1	1	1	74.75	62	0	28862.559	206.4516129	5958.742152	30000	0	0	30000	41.75	2004
22.01.2020 13:54:38	1	1	1	1	74.75	61.75	0	28957.346	206.4516129	5978.311092	30000	0	0	30000	41.9375	2004
22.01.2020 13:54:39	1	1	1	1	74.75	61.75	0	28957.346	206.4516129	5978.311092	30000	0	0	30000	41.75	2004
22.01.2020 13:54:40	1	1	1	1	74.75	61.75	0	28957.346	206.4516129	5978.311092	30000	0	0	30000	41.8125	2004
22.01.2020 13:54:41	1	1	1	1	74.75	61.75	0	28957.346	206.4516129	5978.311092	30000	0	0	30000	41.8125	2004
22.01.2020 13:54:42	1	1	1	1	74.75	61.75	0	28957.346	206.4516129	5978.311092	30000	0	0	30000	41.6875	2004
22.01.2020 13:54:43	1	1	1	1	74.75	61.5	0	28862.559	223.655914	6517.272307	30000	0	0	30000	41.6875	2004
22.01.2020 13:54:44	1	1	1	1	74.75	61.5	0	28862.559	236.5591398	6849.944283	30000	0	0	30000	42	2004
22.01.2020 13:54:45	1	1	1	1	74.75	62	0	28957.346	230.1075269	6663.223983	30000	0	0	30000	41	2004
22.01.2020 13:54:46	1	1	1	1	74.75	61	0	28957.346	247.311828	7036.664583	30000	0	0	30000	41.75	2004
22.01.2020 13:54:47	1	1	1	1	74.5	61.75	0	28957.346	236.5591398	6849.944283	30000	0	0	30000	41.75	2004
22.01.2020 13:54:48	1	1	1	1	74.5	61.75	0	0	0	0	30000	0	8	30000	41.8125	2004
22.01.2020 13:54:49	1	1	1	1	74.5	61.75	0	10379.147	0	0	30000	0	0	30000	42.125	2004
22.01.2020 13:54:50	1	1	1	1	74.5	62	0	11184.834	0	0	30000	0	0	30000	41.875	2004
22.01.2020 13:54:51	1	1	1	1	74.5	61.75	0	11990.521	4.301075269	0	30000	0	0	30000	41.75	2004
22.01.2020 13:54:52	1	1	1	1	74.5	61.75	0	12654.028	0	0	30000	0	0	30000	41.8125	2004
22.01.2020 13:54:59	1	1	1	1	74.75	62.25	0	17345.972	21.50537634	372.6252276	30000	0	0	30000	41.8125	2004
22.01.2020 13:54:59	1	1	1	1	74.75	62.25	0	17345.972	21.50537634	372.6252276	30000	0	0	30000	41.8125	2004
22.01.2020 13:54:59	1	1	1	1	74.75	62.25	0	17345.972	21.50537634	372.6252276	30000	0	0	30000	41.8125	2004
22.01.2020 13:54:59	1	1	1	1	74.75	62.25	0	17345.972	21.50537634	372.6252276	30000	0	0	30000	41.8125	2004
22.01.2020 13:54:59	1	1	1	1	74.75	62.25	0	17345.972	21.50537634	372.6252276	30000	0	0	30000	41.8125	2004
22.01.2020 13:54:59	1	1	1	1	74.75	62.25	0	17345.972	21.50537634	372.6252276	30000	0	0	30000	41.8125	2004
22.01.2020 13:54:59	1	1	1	1	74.75	61.75	0	18009.479	30.10752688	503.0848259	30000	0	0	30000	41.8125	2004
22.01.2020 13:55:00	1	1	1	1	74.75	61.75	0	18909.953	34.40860215	690.6204985	30000	0	0	30000	41.8125	2004
22.01.2020 13:55:01	1	1	1	1	74.75	61.75	0	19668.246	47.31182796	930.3400103	30000	0	0	30000	41.875	2004
22.01.2020 13:55:02	1	1	1	1	74.75	61.75	0	20379.147	53.76344086	1095.045253	30000	0	0	30000	41.9375	2004
22.01.2020 13:55:03	1	1	1	1	74.75	61.75	0	21232.227	62.3655914	1324.164923	30000	0	0	30000	41.8125	2004
22.01.2020 13:55:04	1	1	1	1	74.75	61.75	0	21943.128	70.96774194	1556.546082	30000	0	0	30000	41.8125	2004
22.01.2020 13:55:05	1	1	1	1	74.75	61.75	0	22748.815	75.2688172	1697.605523	30000	0	0	30000	41.8125	2004
22.01.2020 13:55:06	1	1	1	1	74.5	61.75	0	23459.716	88.17204301	1967.493817	30000	0	0	30000	41.5625	2004
22.01.2020 13:55:07	1	1	1	1	74.5	61.5	0	24075.829	94.62365591	2329.519202	30000	0	0	30000	41.75	2004
22.01.2020 13:55:08	1	1	1	1	74.5	61.75	0	24075.829	96.77419355	2324.626967	30000	0	0	30000	42	2004
22.01.2020 13:55:09	1	1	1	1	74.5	62	0	24075.829	98.92473118	2273.2585	30000	0	0	30000	41.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 13:55:11	1	1	1	1	74.5	61.75	0	24075.829	96.77419355	2480.363113	30000	0	0	30000	41.9375	2004
22.01.2020 13:55:12	1	1	1	1	74.5	61.75	0	24123.223	103.2258065	2485.255347	30000	0	0	30000	41.875	2004
22.01.2020 13:55:13	1	1	1	1	74.5	61.75	0	24075.829	103.2258065	2485.255347	30000	0	0	30000	41.75	2004
22.01.2020 13:55:14	1	1	1	1	74.5	61.75	0	24075.829	103.2258065	2485.255347	30000	0	0	30000	41.875	2004
22.01.2020 13:55:15	1	1	1	1	74.5	61.75	0	24075.829	103.2258065	2490.147582	30000	0	0	30000	41.9375	2004
22.01.2020 13:55:16	1	1	1	1	74.5	61.75	0	24075.829	96.77419355	2329.519202	30000	0	0	30000	41.875	2004
22.01.2020 13:55:17	1	1	1	1	74.5	61.75	0	24028.436	92.47311828	2169.706194	30000	0	0	30000	41.875	2004
22.01.2020 13:55:18	1	1	1	1	74.5	61.75	0	24028.436	88.17204301	2118.337727	30000	0	0	30000	41.8125	2004
22.01.2020 13:55:19	1	1	1	1	74.5	61.75	0	24075.829	81.72043011	2022.939146	30000	0	0	30000	41.875	2004
22.01.2020 13:55:20	1	1	1	1	74.5	61.75	0	24028.436	79.56989247	1911.233115	30000	0	0	30000	41.8125	2004
22.01.2020 13:55:21	1	1	1	1	74.5	61.75	0	24075.829	79.56989247	1919.38684	30000	0	0	30000	41.8125	2004
22.01.2020 13:55:22	1	1	1	1	74.5	61.75	0	24075.829	81.72043011	1963.416954	30000	0	0	30000	41.875	2004
22.01.2020 13:55:23	1	1	1	1	74.5	61.75	0	24075.829	83.87096774	2018.862284	30000	0	0	30000	41.75	2004
22.01.2020 13:55:24	1	1	1	1	74.5	61.75	0	24075.829	83.87096774	2018.862284	30000	0	0	30000	41.8125	2004
22.01.2020 13:55:25	1	1	1	1	74.5	61.75	0	24075.829	83.87096774	2018.862284	30000	0	0	30000	41.6875	2004
22.01.2020 13:55:26	1	1	1	1	74.5	61.5	0	24123.223	88.17204301	2122.41459	30000	0	0	30000	41.8125	2004
22.01.2020 13:55:27	1	1	1	1	74.25	61.75	0	24028.436	88.17204301	2169.706194	30000	0	0	30000	41.6875	2004
22.01.2020 13:55:28	1	1	1	1	74.25	61.5	0	24691.943	107.5268817	2601.853613	30000	0	0	30000	41.6875	2004
22.01.2020 13:55:29	1	1	1	1	74.25	61.5	0	25402.844	120.4301075	3059.27758	30000	0	0	30000	41.8125	2004
22.01.2020 13:55:30	1	1	1	1	74.25	61.75	0	26208.531	137.6344086	3594.161933	30000	0	0	30000	41.8125	2004
22.01.2020 13:55:31	1	1	1	1	74.25	61.75	0	26777.251	144.0860215	3979.83312	30000	0	0	30000	41.8125	2004
22.01.2020 13:55:32	1	1	1	1	74.25	61.75	0	27298.578	152.688172	4168.184165	30000	0	0	30000	41.75	2004
22.01.2020 13:55:33	1	1	1	1	74.25	61.75	0	27440.758	152.688172	4189.38385	30000	0	0	30000	41.8125	2004
22.01.2020 13:55:34	1	1	1	1	74.25	61.75	0	27582.938	161.2903226	4448.672302	30000	0	0	30000	41.25	2004
22.01.2020 13:55:35	1	1	1	1	74.25	61.25	0	27345.972	161.2903226	4174.707145	30000	0	0	30000	42.1875	2004
22.01.2020 13:55:36	1	1	1	1	74.25	62	0	27962.085	169.8924731	4750.360123	30000	0	0	30000	40.5	2004
22.01.2020 13:55:37	1	1	1	1	74.25	60.5	0	27962.085	178.4946237	4990.895007	30000	0	0	30000	41.75	2004
22.01.2020 13:55:38	1	1	1	1	74.25	62	0	28009.479	180.6451613	4990.895007	30000	0	0	30000	41.625	2004
22.01.2020 13:55:39	1	1	1	1	74.25	61.5	0	28009.479	184.9462366	5180.061425	30000	0	0	30000	41.875	2004
22.01.2020 13:55:40	1	1	1	1	74.25	61.75	0	28009.479	189.2473118	5300.736553	30000	0	0	30000	41.75	2004
22.01.2020 13:55:41	1	1	1	1	74.25	61.75	0	28009.479	191.3978495	5360.258745	30000	0	0	30000	41.125	2004
22.01.2020 13:55:42	1	1	1	1	74.25	61	0	28009.479	195.6989247	5480.933873	30000	0	0	30000	41.6875	2004
22.01.2020 13:55:43	1	1	1	1	74.25	61.5	0	28009.479	193.5483871	5480.933873	30000	0	0	30000	41.6875	2004
22.01.2020 13:55:44	1	1	1	1	74.25	61.5	0	28009.479	206.4516129	5360.258745	30000	0	0	30000	41.0625	2004
22.01.2020 13:55:45	1	1	1	1	74.25	61	0	28009.479	206.4516129	5782.621694	30000	0	0	30000	41.1875	2004
22.01.2020 13:55:46	1	1	1	1	74.25	61	0	28009.479	206.4516129	5782.621694	30000	0	0	30000	42	2004
22.01.2020 13:55:47	1	1	1	1	74.25	62	0	28009.479	206.4516129	5782.621694	30000	0	0	30000	41.875	2004
22.01.2020 13:55:48	1	1	1	1	74.25	61.75	0	28009.479	208.6021505	5842.143886	30000	0	0	30000	41.8125	2004
22.01.2020 13:55:50	1	1	1	1	74.25	61.75	0	28009.479	212.9032258	6003.587639	30000	0	0	30000	41.9375	2004
22.01.2020 13:55:51	1	1	1	1	74.25	61.75	0	28009.479	217.2043011	6124.262767	30000	0	0	30000	42.0625	2004
22.01.2020 13:55:52	1	1	1	1	74.25	62	0	28009.479	219.3548387	6143.831707	30000	0	0	30000	42	2004
22.01.2020 13:55:53	1	1	1	1	74.25	62	0	28009.479	219.3548387	6204.169271	30000	0	0	30000	41.9375	2004
22.01.2020 13:55:54	1	1	1	1	74.25	61.75	0	28009.479	221.5053763	6204.169271	30000	0	0	30000	41.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 13:56:01	1	1	1	1	74.25	61.75	0	28009.479	221.5053763	6204.169271	30000	0	0	30000	41.8125	2004
22.01.2020 13:56:01	1	1	1	1	74.25	61.75	0	28009.479	221.5053763	6204.169271	30000	0	0	30000	41.8125	2004
22.01.2020 13:56:01	1	1	1	1	74.25	61.75	0	28009.479	221.5053763	6204.169271	30000	0	0	30000	41.8125	2004
22.01.2020 13:56:01	1	1	1	1	74.25	61.75	0	28009.479	221.5053763	6204.169271	30000	0	0	30000	41.8125	2004
22.01.2020 13:56:01	1	1	1	1	74.25	61.75	0	28009.479	221.5053763	6204.169271	30000	0	0	30000	41.8125	2004
22.01.2020 13:56:01	1	1	1	1	74.25	61.75	0	28009.479	221.5053763	6204.169271	30000	0	0	30000	41.8125	2004
22.01.2020 13:56:01	1	1	1	1	74.25	61.75	0	28009.479	221.5053763	6245.753268	30000	0	0	30000	41.9375	2004
22.01.2020 13:56:02	1	1	1	1	74.25	61.75	0	28009.479	215.0537634	6143.831707	30000	0	0	30000	41.875	2004
22.01.2020 13:56:03	1	1	1	1	74.25	61.75	0	28009.479	217.2043011	6023.156579	30000	0	0	30000	41.375	2004
22.01.2020 13:56:04	1	1	1	1	74.25	61.25	0	28009.479	217.2043011	6143.831707	30000	0	0	30000	41.875	2004
22.01.2020 13:56:05	1	1	1	1	74.25	61.75	0	28009.479	212.9032258	6124.262767	30000	0	0	30000	41.875	2004
22.01.2020 13:56:06	1	1	1	1	74.25	61.75	0	28009.479	212.9032258	5962.819014	30000	0	0	30000	41.75	2004
22.01.2020 13:56:07	1	1	1	1	74	61.75	0	28009.479	217.2043011	6143.831707	30000	0	0	30000	41.75	2004
22.01.2020 13:56:08	1	1	1	1	74	61.75	0	28009.479	219.3548387	5962.819014	30000	0	0	30000	41.9375	2004
22.01.2020 13:56:09	1	1	1	1	74	61.75	0	28009.479	221.5053763	6204.169271	30000	0	0	30000	41.875	2004
22.01.2020 13:56:10	1	1	1	1	74	61.75	0	28009.479	221.5053763	6204.169271	30000	0	0	30000	41.6875	2004
22.01.2020 13:56:11	1	1	1	1	74	61.5	0	28009.479	221.5053763	6204.169271	30000	0	0	30000	42	2004
22.01.2020 13:56:12	1	1	1	1	74	62	0	28009.479	225.8064516	6324.029027	30000	0	0	30000	41.8125	2004
22.01.2020 13:56:13	1	1	1	1	74	61.75	0	28199.052	221.5053763	6204.169271	30000	0	0	30000	41.6875	2004
22.01.2020 13:56:14	1	1	1	1	74	61.5	0	28009.479	221.5053763	6204.169271	30000	0	0	30000	42	2004
22.01.2020 13:56:15	1	1	1	1	74	62	0	28009.479	221.5053763	6324.029027	30000	0	0	30000	42.1875	2004
22.01.2020 13:56:16	1	1	1	1	74	62	0	28009.479	225.8064516	6324.029027	30000	0	0	30000	41.25	2004
22.01.2020 13:56:17	1	1	1	1	74	61.25	0	28009.479	221.5053763	6245.753268	30000	0	0	30000	41.875	2004
22.01.2020 13:56:18	1	1	1	1	74	61.5	0	28009.479	217.2043011	6124.262767	30000	0	0	30000	41.8125	2004
22.01.2020 13:56:19	1	1	1	1	74	61.75	0	28009.479	208.6021505	5882.097138	30000	0	0	30000	41.5625	2004
22.01.2020 13:56:20	1	1	1	1	74	61.5	0	28009.479	206.4516129	5821.759574	30000	0	0	30000	41.75	2004
22.01.2020 13:56:21	1	1	1	1	74	61.75	0	28009.479	206.4516129	5782.621694	30000	0	0	30000	41.75	2004
22.01.2020 13:56:22	1	1	1	1	74	61.75	0	28009.479	206.4516129	5821.759574	30000	0	0	30000	41.5625	2004
22.01.2020 13:56:23	1	1	1	1	74	61.5	0	28199.052	210.7526882	5782.621694	30000	0	0	30000	41.875	2004
22.01.2020 13:56:24	1	1	1	1	74	61.75	0	28199.052	210.7526882	6003.587639	30000	0	0	30000	41.8125	2004
22.01.2020 13:56:25	1	1	1	1	74	61.75	0	28009.479	212.9032258	6003.587639	30000	0	0	30000	41.3125	2004
22.01.2020 13:56:26	1	1	1	1	74	61.25	0	28009.479	210.7526882	5902.48145	30000	0	0	30000	41.8125	2004
22.01.2020 13:56:28	1	1	1	1	74	61.75	0	28009.479	212.9032258	5962.819014	30000	0	0	30000	41.8125	2004
22.01.2020 13:56:29	1	1	1	1	74	61.75	0	28199.052	210.7526882	5942.434702	30000	0	0	30000	41.875	2004
22.01.2020 13:56:30	1	1	1	1	74	61.75	0	28009.479	208.6021505	5842.143886	30000	0	0	30000	42	2004
22.01.2020 13:56:31	1	1	1	1	74	62	0	28009.479	206.4516129	5782.621694	30000	0	0	30000	42.0625	2004
22.01.2020 13:56:32	1	1	1	1	74	62	0	28009.479	206.4516129	5821.759574	30000	0	0	30000	41.75	2004
22.01.2020 13:56:33	1	1	1	1	74	61.75	0	28009.479	206.4516129	5782.621694	30000	0	0	30000	41.8125	2004
22.01.2020 13:56:34	1	1	1	1	74	61.75	0	28009.479	206.4516129	5782.621694	30000	0	0	30000	41.875	2004
22.01.2020 13:56:35	1	1	1	1	74	61.75	0	28009.479	208.6021505	5882.097138	30000	0	0	30000	41.75	2004
22.01.2020 13:56:36	1	1	1	1	74	61.75	0	28009.479	208.6021505	5882.097138	30000	0	0	30000	41.875	2004
22.01.2020 13:56:37	1	1	1	1	74	61.75	0	28009.479	210.7526882	5842.143886	30000	0	0	30000	41.75	2004
22.01.2020 13:56:38	1	1	1	1	74	61.75	0	28009.479	206.4516129	5842.143886	30000	0	0	30000	41.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 13:57:23	1	1	1	1	74	61.75	0	28199.052	159.1397849	4548.147745	30000	0	0	30000	41.875	2004
22.01.2020 13:57:24	1	1	1	1	74	61.75	0	28199.052	165.5913978	4668.822874	30000	0	0	30000	41.5625	2004
22.01.2020 13:57:25	1	1	1	1	74	61.5	0	28009.479	165.5913978	4608.48531	30000	0	0	30000	41.75	2004
22.01.2020 13:57:26	1	1	1	1	74	61.75	0	28199.052	165.5913978	4668.822874	30000	0	0	30000	41.6875	2004
22.01.2020 13:57:27	1	1	1	1	74.25	61.5	0	28009.479	165.5913978	4668.822874	30000	0	0	30000	41.8125	2004
22.01.2020 13:57:28	1	1	1	1	74.25	61.75	0	28199.052	169.8924731	4790.313375	30000	0	0	30000	41.6875	2004
22.01.2020 13:57:29	1	1	1	1	74.25	61.5	0	28009.479	169.8924731	4790.313375	30000	0	0	30000	41.6875	2004
22.01.2020 13:57:30	1	1	1	1	74.25	61.5	0	28293.839	169.8924731	5049.601826	30000	0	0	30000	41.6875	2004
22.01.2020 13:57:31	1	1	1	1	74.25	61.5	0	28199.052	178.4946237	5033.294377	30000	0	0	30000	41.75	2004
22.01.2020 13:57:32	1	1	1	1	74.25	61.75	0	28293.839	176.344086	5049.601826	30000	0	0	30000	41.875	2004
22.01.2020 13:57:33	1	1	1	1	74.25	61.75	0	28199.052	178.4946237	5033.294377	30000	0	0	30000	42.125	2004
22.01.2020 13:57:34	1	1	1	1	74.25	62	0	28199.052	176.344086	5110.754763	30000	0	0	30000	41.6875	2004
22.01.2020 13:57:35	1	1	1	1	74.25	61.5	0	28293.839	178.4946237	5033.294377	30000	0	0	30000	42.125	2004
22.01.2020 13:57:36	1	1	1	1	74	61.75	0	28293.839	178.4946237	5049.601826	30000	0	0	30000	41.8125	2004
22.01.2020 13:57:37	1	1	1	1	74	61.75	0	28293.839	180.6451613	5049.601826	30000	0	0	30000	40.5625	2004
22.01.2020 13:57:38	1	1	1	1	74	60.5	0	28199.052	184.9462366	5033.294377	30000	0	0	30000	41.5625	2004
22.01.2020 13:57:39	1	1	1	1	74	61.5	0	28293.839	178.4946237	4790.313375	30000	0	0	30000	41.75	2004
22.01.2020 13:57:40	1	1	1	1	74	61.75	0	28293.839	178.4946237	5049.601826	30000	0	0	30000	41.875	2004
22.01.2020 13:57:41	1	1	1	1	74	61.75	0	28199.052	169.8924731	5033.294377	30000	0	0	30000	41.3125	2004
22.01.2020 13:57:42	1	1	1	1	74	61.25	0	28199.052	178.4946237	5049.601826	30000	0	0	30000	41.75	2004
22.01.2020 13:57:44	1	1	1	1	74	61.75	0	28293.839	178.4946237	5049.601826	30000	0	0	30000	41.9375	2004
22.01.2020 13:57:45	1	1	1	1	74	61.75	0	28199.052	182.7956989	5153.969505	30000	0	0	30000	41.75	2004
22.01.2020 13:57:46	1	1	1	1	74	61.75	0	28293.839	184.9462366	5153.969505	30000	0	0	30000	41.6875	2004
22.01.2020 13:57:47	1	1	1	1	74	61.5	0	28293.839	184.9462366	5336.612943	30000	0	0	30000	41.6875	2004
22.01.2020 13:57:48	1	1	1	1	74	61.5	0	28293.839	189.2473118	5336.612943	30000	0	0	30000	41.625	2004
22.01.2020 13:57:49	1	1	1	1	74	61.5	0	28293.839	189.2473118	5336.612943	30000	0	0	30000	41.75	2004
22.01.2020 13:57:50	1	1	1	1	74	61.75	0	28293.839	191.3978495	5336.612943	30000	0	0	30000	41.8125	2004
22.01.2020 13:57:51	1	1	1	1	74	61.75	0	28293.839	191.3978495	5354.551137	30000	0	0	30000	41.9375	2004
22.01.2020 13:57:52	1	1	1	1	74	61.75	0	28293.839	189.2473118	5336.612943	30000	0	0	30000	41.8125	2004
22.01.2020 13:57:53	1	1	1	1	74	61.75	0	28293.839	189.2473118	5354.551137	30000	0	0	30000	41.75	2004
22.01.2020 13:57:54	1	1	1	1	74	61.75	0	28199.052	184.9462366	5215.122442	30000	0	0	30000	41.8125	2004
22.01.2020 13:57:55	1	1	1	1	74	61.75	0	28293.839	182.7956989	5171.9077	30000	0	0	30000	41.75	2004
22.01.2020 13:57:56	1	1	1	1	74	61.75	0	28293.839	178.4946237	5049.601826	30000	0	0	30000	41.6875	2004
22.01.2020 13:57:57	1	1	1	1	74	61.5	0	28199.052	169.8924731	4806.620825	30000	0	0	30000	41.625	2004
22.01.2020 13:58:04	1	1	1	1	74	61.5	0	28293.839	152.688172	4319.843448	30000	0	0	30000	41.6875	2004
22.01.2020 13:58:04	1	1	1	1	74	61.5	0	28293.839	152.688172	4319.843448	30000	0	0	30000	41.6875	2004
22.01.2020 13:58:04	1	1	1	1	74	61.5	0	28293.839	152.688172	4319.843448	30000	0	0	30000	41.6875	2004
22.01.2020 13:58:04	1	1	1	1	74	61.5	0	28293.839	152.688172	4319.843448	30000	0	0	30000	41.6875	2004
22.01.2020 13:58:04	1	1	1	1	74	61.5	0	28293.839	152.688172	4319.843448	30000	0	0	30000	41.6875	2004
22.01.2020 13:58:04	1	1	1	1	74	61.5	0	28293.839	152.688172	4319.843448	30000	0	0	30000	41.6875	2004
22.01.2020 13:58:04	1	1	1	1	74	61.5	0	28293.839	152.688172	4319.843448	30000	0	0	30000	41.6875	2004
22.01.2020 13:58:05	1	1	1	1	74	61.5	0	28293.839	152.688172	4456.010654	30000	0	0	30000	41.4375	2004
22.01.2020 13:58:06	1	1	1	1	74	61.25	0	28293.839	152.688172	4319.843448	30000	0	0	30000	41.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 13:58:07	1	1	1	1	74	61.75	0	28293.839	152.688172	4319.843448	30000	0	0	30000	41.625	2004
22.01.2020 13:58:08	1	1	1	1	74	61.5	0	28293.839	152.688172	4319.843448	30000	0	0	30000	41.75	2004
22.01.2020 13:58:09	1	1	1	1	74	61.75	0	28293.839	152.688172	4319.843448	30000	0	0	30000	41.8125	2004
22.01.2020 13:58:10	1	1	1	1	74	61.75	0	28341.232	152.688172	4570.978175	30000	0	0	30000	41.75	2004
22.01.2020 13:58:11	1	1	1	1	74	61.75	0	28293.839	152.688172	4319.843448	30000	0	0	30000	42.125	2004
22.01.2020 13:58:12	1	1	1	1	74	62	0	28293.839	152.688172	4327.181801	30000	0	0	30000	41.8125	2004
22.01.2020 13:58:13	1	1	1	1	74	61.75	0	28293.839	152.688172	4319.843448	30000	0	0	30000	42.0625	2004
22.01.2020 13:58:14	1	1	1	1	74	62	0	28293.839	152.688172	4327.181801	30000	0	0	30000	41.5625	2004
22.01.2020 13:58:15	1	1	1	1	74	61.5	0	28293.839	152.688172	4327.181801	30000	0	0	30000	41.6875	2004
22.01.2020 13:58:16	1	1	1	1	74	61.5	0	28341.232	159.1397849	4305.166744	30000	0	0	30000	41.5	2004
22.01.2020 13:58:17	1	1	1	1	74	61.5	0	28293.839	152.688172	4327.181801	30000	0	0	30000	41.75	2004
22.01.2020 13:58:18	1	1	1	1	74	61.75	0	28341.232	152.688172	4319.843448	30000	0	0	30000	41.625	2004
22.01.2020 13:58:19	1	1	1	1	74	61.5	0	28199.052	152.688172	4305.166744	30000	0	0	30000	41.6875	2004
22.01.2020 13:58:20	1	1	1	1	74	61.5	0	28293.839	152.688172	4319.843448	30000	0	0	30000	41.625	2004
22.01.2020 13:58:22	1	1	1	1	74	61.5	0	28293.839	152.688172	4327.181801	30000	0	0	30000	41.8125	2004
22.01.2020 13:58:23	1	1	1	1	74	61.75	0	28341.232	152.688172	4327.181801	30000	0	0	30000	41.8125	2004
22.01.2020 13:58:24	1	1	1	1	74	61.75	0	28341.232	152.688172	4327.181801	30000	0	0	30000	41.75	2004
22.01.2020 13:58:25	1	1	1	1	74	61.75	0	28341.232	152.688172	4327.181801	30000	0	0	30000	40.875	2004
22.01.2020 13:58:26	1	1	1	1	74	60.75	0	28341.232	159.1397849	4570.978175	30000	0	0	30000	41.625	2004
22.01.2020 13:58:27	1	1	1	1	74	61.5	0	28341.232	163.4408602	4632.131112	30000	0	0	30000	41.6875	2004
22.01.2020 13:58:28	1	1	1	1	74	61.5	0	28341.232	167.7419355	4761.775338	30000	0	0	30000	41.6875	2004
22.01.2020 13:58:29	1	1	1	1	74	61.5	0	28341.232	169.8924731	4814.77455	30000	0	0	30000	40.375	2004
22.01.2020 13:58:30	1	1	1	1	74	60.25	0	28341.232	174.1935484	4814.77455	30000	0	0	30000	41.8125	2004
22.01.2020 13:58:31	1	1	1	1	74	61.75	0	28341.232	169.8924731	4814.77455	30000	0	0	30000	41.375	2004
22.01.2020 13:58:32	1	1	1	1	74	61.25	0	28341.232	178.4946237	5049.601826	30000	0	0	30000	41.375	2004
22.01.2020 13:58:33	1	1	1	1	74	61.25	0	28341.232	180.6451613	5058.570924	30000	0	0	30000	41.75	2004
22.01.2020 13:58:34	1	1	1	1	74	61.75	0	28341.232	182.7956989	5180.061425	30000	0	0	30000	41.6875	2004
22.01.2020 13:58:35	1	1	1	1	74	61.5	0	28293.839	178.4946237	5033.294377	30000	0	0	30000	41.5625	2004
22.01.2020 13:58:36	1	1	1	1	74	61.5	0	28341.232	178.4946237	5189.030522	30000	0	0	30000	41.5625	2004
22.01.2020 13:58:37	1	1	1	1	74.25	61.5	0	28341.232	178.4946237	5058.570924	30000	0	0	30000	41.6875	2004
22.01.2020 13:58:38	1	1	1	1	74.25	61.5	0	28293.839	178.4946237	5058.570924	30000	0	0	30000	41.75	2004
22.01.2020 13:58:39	1	1	1	1	74.25	61.75	0	28341.232	178.4946237	5058.570924	30000	0	0	30000	41.4375	2004
22.01.2020 13:58:40	1	1	1	1	74.25	61.25	0	28341.232	176.344086	4936.26505	30000	0	0	30000	41.5625	2004
22.01.2020 13:58:41	1	1	1	1	74.25	61.5	0	28341.232	176.344086	4806.620825	30000	0	0	30000	41.375	2004
22.01.2020 13:58:42	1	1	1	1	74.25	61.25	0	28341.232	178.4946237	4936.26505	30000	0	0	30000	41.5625	2004
22.01.2020 13:58:43	1	1	1	1	74.25	61.5	0	28341.232	178.4946237	5119.723861	30000	0	0	30000	41.75	2004
22.01.2020 13:58:44	1	1	1	1	74.25	61.75	0	28341.232	182.7956989	5180.061425	30000	0	0	30000	41.25	2004
22.01.2020 13:58:45	1	1	1	1	74.25	61.25	0	28341.232	182.7956989	5119.723861	30000	0	0	30000	41.8125	2004
22.01.2020 13:58:46	1	1	1	1	74.25	61.75	0	28341.232	189.2473118	5302.367298	30000	0	0	30000	41.625	2004
22.01.2020 13:58:47	1	1	1	1	74	61.5	0	28388.626	184.9462366	5250.183459	30000	0	0	30000	41.25	2004
22.01.2020 13:58:48	1	1	1	1	74	61.25	0	28388.626	189.2473118	5250.183459	30000	0	0	30000	41.9375	2004
22.01.2020 13:58:49	1	1	1	1	74	61.75	0	28388.626	189.2473118	5363.520235	30000	0	0	30000	42	2004
22.01.2020 13:58:50	1	1	1	1	74	62	0	28388.626	182.7956989	5250.183459	30000	0	0	30000	41.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 13:58:51	1	1	1	1	74	61.75	0	28341.232	180.6451613	5189.030522	30000	0	0	30000	41.8125	2004
22.01.2020 13:58:52	1	1	1	1	74	62	0	28388.626	178.4946237	5066.724649	30000	0	0	30000	41.75	2004
22.01.2020 13:58:53	1	1	1	1	74	61.75	0	28436.019	184.9462366	5066.724649	30000	0	0	30000	41.8125	2004
22.01.2020 13:58:54	1	1	1	1	74	61.75	0	28388.626	176.344086	4944.418775	30000	0	0	30000	41.625	2004
22.01.2020 13:58:55	1	1	1	1	74	61.5	0	28388.626	176.344086	5066.724649	30000	0	0	30000	41.4375	2004
22.01.2020 13:58:56	1	1	1	1	74	61.25	0	28388.626	169.8924731	4822.928274	30000	0	0	30000	41.625	2004
22.01.2020 13:58:57	1	1	1	1	74	61.5	0	28341.232	167.7419355	4814.77455	30000	0	0	30000	41.6875	2004
22.01.2020 13:58:58	1	1	1	1	74	61.5	0	28388.626	167.7419355	4761.775338	30000	0	0	30000	41.4375	2004
22.01.2020 13:59:06	1	1	1	1	74	61.5	0	28388.626	167.7419355	4700.622401	30000	0	0	30000	41.75	2004
22.01.2020 13:59:06	1	1	1	1	74	61.5	0	28388.626	167.7419355	4700.622401	30000	0	0	30000	41.75	2004
22.01.2020 13:59:06	1	1	1	1	74	61.5	0	28388.626	167.7419355	4700.622401	30000	0	0	30000	41.5	2004
22.01.2020 13:59:06	1	1	1	1	74	61.75	0	28341.232	163.4408602	4639.469464	30000	0	0	30000	41.5	2004
22.01.2020 13:59:06	1	1	1	1	74	61.75	0	28341.232	163.4408602	4639.469464	30000	0	0	30000	41.5	2004
22.01.2020 13:59:06	1	1	1	1	74	61.75	0	28341.232	163.4408602	4639.469464	30000	0	0	30000	41.5	2004
22.01.2020 13:59:06	1	1	1	1	74	61.75	0	28341.232	163.4408602	4639.469464	30000	0	0	30000	41.5	2004
22.01.2020 13:59:07	1	1	1	1	73.75	61.5	0	28388.626	165.5913978	4700.622401	30000	0	0	30000	41.6875	2004
22.01.2020 13:59:08	1	1	1	1	73.75	61.5	0	28388.626	169.8924731	4822.928274	30000	0	0	30000	41.8125	2004
22.01.2020 13:59:09	1	1	1	1	73.75	61.75	0	28388.626	169.8924731	4822.928274	30000	0	0	30000	40.5625	2004
22.01.2020 13:59:10	1	1	1	1	73.75	60.5	0	28388.626	169.8924731	4814.77455	30000	0	0	30000	41.25	2004
22.01.2020 13:59:11	1	1	1	1	73.75	61.25	0	28388.626	169.8924731	4822.928274	30000	0	0	30000	41.6875	2004
22.01.2020 13:59:12	1	1	1	1	73.75	61.5	0	28388.626	167.7419355	4822.928274	30000	0	0	30000	41.75	2004
22.01.2020 13:59:13	1	1	1	1	73.75	61.75	0	28436.019	169.8924731	4831.081999	30000	0	0	30000	41.8125	2004
22.01.2020 13:59:14	1	1	1	1	73.75	61.75	0	28436.019	169.8924731	4831.081999	30000	0	0	30000	41.6875	2004
22.01.2020 13:59:15	1	1	1	1	73.75	61.5	0	28436.019	169.8924731	4831.081999	30000	0	0	30000	41.6875	2004
22.01.2020 13:59:16	1	1	1	1	73.75	61.5	0	28436.019	169.8924731	4831.081999	30000	0	0	30000	41.75	2004
22.01.2020 13:59:17	1	1	1	1	74	61.75	0	28436.019	174.1935484	5014.540809	30000	0	0	30000	41.5625	2004
22.01.2020 13:59:18	1	1	1	1	74	61.5	0	28388.626	178.4946237	5075.693746	30000	0	0	30000	41.75	2004
22.01.2020 13:59:19	1	1	1	1	74	61.75	0	28388.626	178.4946237	5075.693746	30000	0	0	30000	41.6875	2004
22.01.2020 13:59:20	1	1	1	1	74	61.5	0	28436.019	184.9462366	5381.45843	30000	0	0	30000	41.625	2004
22.01.2020 13:59:21	1	1	1	1	74	61.5	0	28436.019	189.2473118	5381.45843	30000	0	0	30000	41.4375	2004
22.01.2020 13:59:22	1	1	1	1	74	61.25	0	28436.019	189.2473118	5381.45843	30000	0	0	30000	41.3125	2004
22.01.2020 13:59:23	1	1	1	1	74	61.25	0	28436.019	193.5483871	5503.764303	30000	0	0	30000	41.6875	2004
22.01.2020 13:59:24	1	1	1	1	74	61.5	0	28388.626	206.4516129	5860.897453	30000	0	0	30000	41.5	2004
22.01.2020 13:59:25	1	1	1	1	74	61.5	0	28578.199	206.4516129	5870.681923	30000	0	0	30000	41.8125	2004
22.01.2020 13:59:26	1	1	1	1	74	61.75	0	28436.019	206.4516129	5870.681923	30000	0	0	30000	41.625	2004
22.01.2020 13:59:27	1	1	1	1	73.75	61.5	0	28436.019	195.6989247	5870.681923	30000	0	0	30000	41.375	2004
22.01.2020 13:59:28	1	1	1	1	73.75	61.25	0	28388.626	189.2473118	5442.611366	30000	0	0	30000	41.8125	2004
22.01.2020 13:59:29	1	1	1	1	73.75	61.75	0	28388.626	189.2473118	5381.45843	30000	0	0	30000	41.875	2004
22.01.2020 13:59:30	1	1	1	1	73.75	61.5	0	28436.019	182.7956989	5259.152556	30000	0	0	30000	41.625	2004
22.01.2020 13:59:31	1	1	1	1	73.75	61.5	0	28436.019	189.2473118	5381.45843	30000	0	0	30000	41.75	2004
22.01.2020 13:59:32	1	1	1	1	73.75	61.75	0	28436.019	189.2473118	5381.45843	30000	0	0	30000	41.5625	2004
22.01.2020 13:59:33	1	1	1	1	73.75	61.5	0	28436.019	189.2473118	5381.45843	30000	0	0	30000	41.75	2004
22.01.2020 13:59:34	1	1	1	1	73.75	61.75	0	28436.019	189.2473118	5381.45843	30000	0	0	30000	41.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 13:59:35	1	1	1	1	73.75	61.5	0	28436.019	191.3978495	5442.611366	30000	0	0	30000	41.75	2004
22.01.2020 13:59:36	1	1	1	1	74	61.75	0	28436.019	195.6989247	5564.91724	30000	0	0	30000	41.6875	2004
22.01.2020 13:59:37	1	1	1	1	74	61.5	0	28436.019	193.5483871	5432.826896	30000	0	0	30000	41.75	2004
22.01.2020 13:59:38	1	1	1	1	74	61.75	0	28578.199	212.9032258	5941.61933	30000	0	0	30000	41.625	2004
22.01.2020 13:59:40	1	1	1	1	74	61.5	0	28483.412	212.9032258	6063.925203	30000	0	0	30000	41.6875	2004
22.01.2020 13:59:41	1	1	1	1	74	61.5	0	28483.412	212.9032258	6125.07814	30000	0	0	30000	41.5	2004
22.01.2020 13:59:42	1	1	1	1	74	61.5	0	28483.412	212.9032258	6063.925203	30000	0	0	30000	41.75	2004
22.01.2020 13:59:43	1	1	1	1	74	61.75	0	28483.412	210.7526882	5941.61933	30000	0	0	30000	41.5625	2004
22.01.2020 13:59:44	1	1	1	1	74	61.5	0	28483.412	208.6021505	5941.61933	30000	0	0	30000	41.6875	2004
22.01.2020 13:59:45	1	1	1	1	74	61.5	0	28625.592	215.0537634	5880.466393	30000	0	0	30000	41.625	2004
22.01.2020 13:59:46	1	1	1	1	74	61.5	0	28483.412	206.4516129	5880.466393	30000	0	0	30000	39.875	2004
22.01.2020 13:59:47	1	1	1	1	74	59.75	0	28436.019	206.4516129	5870.681923	30000	0	0	30000	41.625	2004
22.01.2020 13:59:48	1	1	1	1	74	61.5	0	28483.412	206.4516129	5870.681923	30000	0	0	30000	41	2004
22.01.2020 13:59:49	1	1	1	1	74	61	0	28483.412	206.4516129	5880.466393	30000	0	0	30000	41.625	2004
22.01.2020 13:59:50	1	1	1	1	74	61.5	0	28483.412	206.4516129	5880.466393	30000	0	0	30000	41.625	2004
22.01.2020 13:59:51	1	1	1	1	74	61.5	0	28483.412	206.4516129	5880.466393	30000	0	0	30000	41.75	2004
22.01.2020 13:59:52	1	1	1	1	74	61.75	0	28483.412	206.4516129	5880.466393	30000	0	0	30000	41.125	2004
22.01.2020 13:59:53	1	1	1	1	74	61	0	28483.412	206.4516129	5880.466393	30000	0	0	30000	41.625	2004
22.01.2020 13:59:54	1	1	1	1	74	61.5	0	28436.019	206.4516129	5870.681923	30000	0	0	30000	40.9375	2004
22.01.2020 13:59:55	1	1	1	1	74	60.75	0	28483.412	206.4516129	5880.466393	30000	0	0	30000	41.625	2004
22.01.2020 13:59:56	1	1	1	1	74	61.5	0	28436.019	206.4516129	5880.466393	30000	0	0	30000	41.25	2004
22.01.2020 13:59:57	1	1	1	1	73.75	61.25	0	28483.412	206.4516129	5870.681923	30000	0	0	30000	41.6875	2004
22.01.2020 13:59:58	1	1	1	1	73.75	61.5	0	28483.412	206.4516129	5900.035333	30000	0	0	30000	41.5625	2004
22.01.2020 13:59:59	1	1	1	1	73.75	61.5	0	28483.412	206.4516129	5880.466393	30000	0	0	30000	40.75	2004
22.01.2020 14:00:00	1	1	1	1	73.75	60.75	0	28483.412	206.4516129	5880.466393	30000	0	0	30000	41.625	2004
22.01.2020 14:00:07	1	1	1	1	73.75	61.5	0	28578.199	212.9032258	6084.309515	30000	0	0	30000	41.8125	2004
22.01.2020 14:00:07	1	1	1	1	73.75	61.5	0	28578.199	212.9032258	6084.309515	30000	0	0	30000	41.8125	2004
22.01.2020 14:00:07	1	1	1	1	73.75	61.5	0	28578.199	212.9032258	6084.309515	30000	0	0	30000	41.8125	2004
22.01.2020 14:00:07	1	1	1	1	73.75	61.5	0	28578.199	212.9032258	6084.309515	30000	0	0	30000	41.8125	2004
22.01.2020 14:00:07	1	1	1	1	73.75	61.5	0	28578.199	212.9032258	6084.309515	30000	0	0	30000	41.8125	2004
22.01.2020 14:00:07	1	1	1	1	73.75	61.75	0	28530.806	219.3548387	6186.231077	30000	0	0	30000	41.875	2004
22.01.2020 14:00:08	1	1	1	1	73.75	61.75	0	28530.806	219.3548387	6247.384013	30000	0	0	30000	42.1875	2004
22.01.2020 14:00:09	1	1	1	1	73.75	61.5	0	28530.806	221.5053763	6247.384013	30000	0	0	30000	41.6875	2004
22.01.2020 14:00:10	1	1	1	1	73.75	61.5	0	28483.412	221.5053763	6308.53695	30000	0	0	30000	41.5625	2004
22.01.2020 14:00:11	1	1	1	1	73.75	61.5	0	28578.199	227.9569892	6329.736635	30000	0	0	30000	41.6875	2004
22.01.2020 14:00:12	1	1	1	1	73.75	61.5	0	28530.806	247.311828	7044.002935	30000	0	0	30000	41.625	2004
22.01.2020 14:00:13	1	1	1	1	73.75	61.5	0	28483.412	245.1612903	6994.265213	30000	0	0	30000	41.625	2004
22.01.2020 14:00:14	1	1	1	1	73.75	61.5	0	28483.412	217.2043011	6145.462452	30000	0	0	30000	41.625	2004
22.01.2020 14:00:15	1	1	1	1	73.75	61.5	0	28483.412	212.9032258	6206.615389	30000	0	0	30000	41.875	2004
22.01.2020 14:00:16	1	1	1	1	73.5	61.75	0	28483.412	208.6021505	6002.772266	30000	0	0	30000	41.4375	2004
22.01.2020 14:00:18	1	1	1	1	73.5	61.25	0	28530.806	206.4516129	5880.466393	30000	0	0	30000	41.6875	2004
22.01.2020 14:00:19	1	1	1	1	73.5	61.5	0	28530.806	206.4516129	5900.035333	30000	0	0	30000	41.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 14:00:20	1	1	1	1	73.5	61.5	0	28530.806	206.4516129	5900.035333	30000	0	0	30000	41.8125	2004
22.01.2020 14:00:21	1	1	1	1	73.5	61.75	0	28578.199	206.4516129	5900.035333	30000	0	0	30000	41.75	2004
22.01.2020 14:00:22	1	1	1	1	73.5	61.75	0	28578.199	206.4516129	5900.035333	30000	0	0	30000	41.8125	2004
22.01.2020 14:00:23	1	1	1	1	73.5	61.75	0	28530.806	206.4516129	5880.466393	30000	0	0	30000	41.75	2004
22.01.2020 14:00:24	1	1	1	1	73.5	61.75	0	28483.412	206.4516129	5573.886337	30000	0	0	30000	41.625	2004
22.01.2020 14:00:25	1	1	1	1	73.5	61.5	0	28483.412	191.3978495	5469.518658	30000	0	0	30000	41.6875	2004
22.01.2020 14:00:26	1	1	1	1	73.5	61.5	0	28483.412	206.4516129	5900.035333	30000	0	0	30000	41.5625	2004
22.01.2020 14:00:27	1	1	1	1	73	61.5	0	28530.806	206.4516129	5880.466393	30000	0	0	30000	41.75	2004
22.01.2020 14:00:28	1	1	1	1	73	61.75	0	28530.806	206.4516129	5890.250863	30000	0	0	30000	41.6875	2004
22.01.2020 14:00:29	1	1	1	1	73	61.5	0	28578.199	206.4516129	5900.035333	30000	0	0	30000	41.75	2004
22.01.2020 14:00:30	1	1	1	1	73	61.75	0	28578.199	206.4516129	5900.035333	30000	0	0	30000	41.875	2004
22.01.2020 14:00:31	1	1	1	1	73	61.75	0	28578.199	208.6021505	6258.799228	30000	0	0	30000	41.5625	2004
22.01.2020 14:00:32	1	1	1	1	73	61.5	0	28578.199	206.4516129	5900.035333	30000	0	0	30000	41.5625	2004
22.01.2020 14:00:33	1	1	1	1	73	61.5	0	28578.199	206.4516129	5900.035333	30000	0	0	30000	41.3125	2004
22.01.2020 14:00:34	1	1	1	1	73	61.25	0	28578.199	208.6021505	5961.18827	30000	0	0	30000	40.875	2004
22.01.2020 14:00:35	1	1	1	1	73	60.75	0	28578.199	208.6021505	5961.18827	30000	0	0	30000	41.625	2004
22.01.2020 14:00:36	1	1	1	1	73	61.5	0	28578.199	208.6021505	5961.18827	30000	0	0	30000	41.625	2004
22.01.2020 14:00:37	1	1	1	1	72.5	61.5	0	28578.199	206.4516129	5961.18827	30000	0	0	30000	41.5625	2004
22.01.2020 14:00:38	1	1	1	1	72.5	61.5	0	28530.806	208.6021505	6022.341206	30000	0	0	30000	41.5	2004
22.01.2020 14:00:39	1	1	1	1	72.5	61.5	0	28578.199	212.9032258	6084.309515	30000	0	0	30000	41.6875	2004
22.01.2020 14:00:40	1	1	1	1	72.5	61.5	0	28578.199	212.9032258	6084.309515	30000	0	0	30000	41.375	2004
22.01.2020 14:00:41	1	1	1	1	72.5	61.25	0	28530.806	208.6021505	6084.309515	30000	0	0	30000	41.6875	2004
22.01.2020 14:00:42	1	1	1	1	72.5	61.5	0	28578.199	212.9032258	6084.309515	30000	0	0	30000	41.4375	2004
22.01.2020 14:00:43	1	1	1	1	72.5	61.25	0	28578.199	217.2043011	6084.309515	30000	0	0	30000	41.6875	2004
22.01.2020 14:00:44	1	1	1	1	72.5	61.5	0	28578.199	217.2043011	6206.615389	30000	0	0	30000	41.875	2004
22.01.2020 14:00:45	1	1	1	1	72.5	61.75	0	28578.199	217.2043011	6206.615389	30000	0	0	30000	41.5625	2004
22.01.2020 14:00:46	1	1	1	1	72.5	61.5	0	28578.199	219.3548387	6268.583698	30000	0	0	30000	42.0625	2004
22.01.2020 14:00:47	1	1	1	1	71.75	62	0	28483.412	212.9032258	6206.615389	30000	0	0	30000	41.4375	2004
22.01.2020 14:00:48	1	1	1	1	71.75	61.75	0	28578.199	215.0537634	6206.615389	30000	0	0	30000	41.375	2004
22.01.2020 14:00:49	1	1	1	1	71.75	61.25	0	28483.412	219.3548387	6257.983856	30000	0	0	30000	41.5	2004
22.01.2020 14:00:50	1	1	1	1	71.75	61.5	0	28530.806	217.2043011	6206.615389	30000	0	0	30000	41.625	2004
22.01.2020 14:00:51	1	1	1	1	71.75	61.5	0	28578.199	217.2043011	6196.830919	30000	0	0	30000	41.625	2004
22.01.2020 14:00:52	1	1	1	1	71.75	61.5	0	28578.199	219.3548387	6206.615389	30000	0	0	30000	41.5625	2004
22.01.2020 14:00:53	1	1	1	1	71.75	61.5	0	28578.199	215.0537634	6206.615389	30000	0	0	30000	41.5625	2004
22.01.2020 14:00:54	1	1	1	1	71.75	61.5	0	28578.199	217.2043011	6206.615389	30000	0	0	30000	41.625	2004
22.01.2020 14:00:56	1	1	1	1	71.75	61.5	0	28625.592	219.3548387	6268.583698	30000	0	0	30000	41.5	2004
22.01.2020 14:00:57	1	1	1	1	71.5	61.5	0	28625.592	260.2150538	7560.133721	30000	0	0	30000	41.5625	2004
22.01.2020 14:00:58	1	1	1	1	71.5	61.5	0	28625.592	266.6666667	7436.197103	30000	0	0	30000	41.6875	2004
22.01.2020 14:00:59	1	1	1	1	71.5	61.5	0	28578.199	268.8172043	7694.670182	30000	0	0	30000	41.3125	2004
22.01.2020 14:01:00	1	1	1	1	71.5	61.25	0	28625.592	260.2150538	7510.395999	30000	0	0	30000	41.5625	2004
22.01.2020 14:01:01	1	1	1	1	71.5	61.5	0	28625.592	277.4193548	7804.745468	30000	0	0	30000	41.5625	2004
22.01.2020 14:01:02	1	1	1	1	71.5	61.5	0	28625.592	275.2688172	7879.759737	30000	0	0	30000	41.625	2004
22.01.2020 14:01:09	1	1	1	1	71.5	61.5	0	28625.592	307.5268817	8788.08469	30000	0	0	30000	41.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 14:01:09	1	1	1	1	71.5	61.5	0	28625.592	307.5268817	8788.08469	30000	0	0	30000	41.5	2004
22.01.2020 14:01:09	1	1	1	1	71.5	61.5	0	28625.592	307.5268817	8788.08469	30000	0	0	30000	41.5	2004
22.01.2020 14:01:09	1	1	1	1	71.5	61.5	0	28625.592	307.5268817	8788.08469	30000	0	0	30000	41.5	2004
22.01.2020 14:01:09	1	1	1	1	71.5	61.5	0	28625.592	307.5268817	8788.08469	30000	0	0	30000	41.5	2004
22.01.2020 14:01:09	1	1	1	1	71.5	61.5	0	28625.592	307.5268817	8788.08469	30000	0	0	30000	41.5	2004
22.01.2020 14:01:09	1	1	1	1	71.5	61.5	0	28625.592	307.5268817	8788.08469	30000	0	0	30000	41.5	2004
22.01.2020 14:01:10	1	1	1	1	71.5	61.5	0	28625.592	296.7741935	8419.536325	30000	0	0	30000	41.4375	2004
22.01.2020 14:01:11	1	1	1	1	71.5	61.25	0	28483.412	326.8817204	9310.738456	30000	0	0	30000	41.625	2004
22.01.2020 14:01:12	1	1	1	1	71.5	61.5	0	28625.592	286.0215054	8173.293833	30000	0	0	30000	41.375	2004
22.01.2020 14:01:13	1	1	1	1	71.5	61.25	0	28625.592	296.7741935	8310.276411	30000	0	0	30000	41.6875	2004
22.01.2020 14:01:14	1	1	1	1	71.5	61.5	0	28625.592	247.311828	7202.185198	30000	0	0	30000	41.625	2004
22.01.2020 14:01:15	1	1	1	1	71.5	61.5	0	28625.592	240.8602151	6883.374555	30000	0	0	30000	41.5625	2004
22.01.2020 14:01:16	1	1	1	1	71.5	61.5	0	28625.592	232.2580645	6648.547278	30000	0	0	30000	41.5625	2004
22.01.2020 14:01:17	1	1	1	1	71.25	61.5	0	28625.592	232.2580645	6648.547278	30000	0	0	30000	41.6875	2004
22.01.2020 14:01:18	1	1	1	1	71.25	61.5	0	28578.199	227.9569892	6329.736635	30000	0	0	30000	41.6875	2004
22.01.2020 14:01:19	1	1	1	1	71.25	61.5	0	28625.592	221.5053763	6506.672465	30000	0	0	30000	41.5	2004
22.01.2020 14:01:20	1	1	1	1	71.25	61.5	0	28578.199	215.0537634	6279.18354	30000	0	0	30000	41.375	2004
22.01.2020 14:01:21	1	1	1	1	71.25	61.25	0	28625.592	217.2043011	6084.309515	30000	0	0	30000	41.625	2004
22.01.2020 14:01:22	1	1	1	1	71.25	61.5	0	28578.199	219.3548387	6329.736635	30000	0	0	30000	41.5	2004
22.01.2020 14:01:25	1	1	1	1	71.25	61.75	0	28625.592	225.8064516	6568.640774	30000	0	0	30000	41.3125	2004
22.01.2020 14:01:25	1	1	1	1	71.25	61.75	0	28625.592	225.8064516	6568.640774	30000	0	0	30000	41.3125	2004
22.01.2020 14:01:25	1	1	1	1	71.25	61.25	0	28625.592	227.9569892	6452.857881	30000	0	0	30000	41.8125	2004
22.01.2020 14:01:26	1	1	1	1	71.25	61.75	0	28625.592	255.9139785	7387.274753	30000	0	0	30000	41.75	2004
22.01.2020 14:01:27	1	1	1	1	71.5	61.75	0	28672.986	251.6129032	7202.185198	30000	0	0	30000	41.625	2004
22.01.2020 14:01:28	1	1	1	1	71.5	61.25	0	28625.592	253.7634409	7264.153507	30000	0	0	30000	41.5625	2004
22.01.2020 14:01:29	1	1	1	1	71.5	61.5	0	28625.592	273.1182796	7931.943576	30000	0	0	30000	41.75	2004
22.01.2020 14:01:30	1	1	1	1	71.5	61.75	0	28625.592	262.3655914	7510.395999	30000	0	0	30000	41.5625	2004
22.01.2020 14:01:31	1	1	1	1	71.5	61.5	0	28625.592	266.6666667	7620.471285	30000	0	0	30000	41.5	2004
22.01.2020 14:01:32	1	1	1	1	71.5	61.5	0	28625.592	258.0645161	7387.274753	30000	0	0	30000	41.6875	2004
22.01.2020 14:01:34	1	1	1	1	71.5	61.5	0	28625.592	240.8602151	6894.78977	30000	0	0	30000	40.3125	2004
22.01.2020 14:01:35	1	1	1	1	71.5	60.25	0	28625.592	245.1612903	6955.942706	30000	0	0	30000	41.625	2004
22.01.2020 14:01:36	1	1	1	1	71.5	61.5	0	28625.592	266.6666667	7559.318349	30000	0	0	30000	41.5625	2004
22.01.2020 14:01:37	1	1	1	1	71.25	61.5	0	28625.592	260.2150538	7436.197103	30000	0	0	30000	41.6875	2004
22.01.2020 14:01:38	1	1	1	1	71.25	61.5	0	28625.592	264.516129	7571.548936	30000	0	0	30000	41.25	2004
22.01.2020 14:01:39	1	1	1	1	71.25	61.25	0	28625.592	253.7634409	7387.274753	30000	0	0	30000	41.5625	2004
22.01.2020 14:01:40	1	1	1	1	71.25	61.5	0	28625.592	311.827957	8925.882641	30000	0	0	30000	41.5625	2004
22.01.2020 14:01:41	1	1	1	1	71.25	61.5	0	28625.592	255.9139785	7325.306444	30000	0	0	30000	41.5	2004
22.01.2020 14:01:42	1	1	1	1	71.25	61.5	0	28625.592	253.7634409	7264.153507	30000	0	0	30000	41.5625	2004
22.01.2020 14:01:43	1	1	1	1	71.25	61.5	0	28625.592	270.9677419	7808.006958	30000	0	0	30000	41.75	2004
22.01.2020 14:01:44	1	1	1	1	71.25	61.75	0	28625.592	266.6666667	7633.517245	30000	0	0	30000	41.625	2004
22.01.2020 14:01:45	1	1	1	1	71.25	61.5	0	28625.592	266.6666667	7746.038649	30000	0	0	30000	41.625	2004
22.01.2020 14:01:46	1	1	1	1	71.25	61.5	0	28625.592	268.8172043	7681.624222	30000	0	0	30000	41.5625	2004
22.01.2020 14:01:47	1	1	1	1	71	61.5	0	28625.592	294.6236559	8310.276411	30000	0	0	30000	41.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 14:01:48	1	1	1	1	71	61.25	0	28625.592	298.9247312	8618.487212	30000	0	0	30000	41.5	2004
22.01.2020 14:01:49	1	1	1	1	71	61.5	0	28815.166	262.3655914	7560.133721	30000	0	0	30000	41.8125	2004
22.01.2020 14:01:50	1	1	1	1	71	61.75	0	28625.592	266.6666667	7684.070339	30000	0	0	30000	41.5625	2004
22.01.2020 14:01:51	1	1	1	1	71	61.5	0	28625.592	262.3655914	7571.548936	30000	0	0	30000	41.6875	2004
22.01.2020 14:01:52	1	1	1	1	71	61.5	0	28625.592	270.9677419	7756.638491	30000	0	0	30000	41.625	2004
22.01.2020 14:01:53	1	1	1	1	71	61.5	0	28625.592	301.0752688	8556.518903	30000	0	0	30000	41	2004
22.01.2020 14:01:54	1	1	1	1	71	61	0	28625.592	290.3225806	8427.69005	30000	0	0	30000	41.6875	2004
22.01.2020 14:01:55	1	1	1	1	71	61.5	0	28625.592	298.9247312	8556.518903	30000	0	0	30000	41.5	2004
22.01.2020 14:01:56	1	1	1	1	71	61.5	0	0	0	0	30000	0	8	30000	41.6875	2004
22.01.2020 14:01:57	1	1	1	1	71.25	61.5	0	10426.54	0	0	30000	0	0	30000	41.75	2004
22.01.2020 14:01:58	1	1	1	1	71.25	61.75	0	11184.834	0	0	30000	0	0	30000	41.6875	2004
22.01.2020 14:01:59	1	1	1	1	71.25	61.5	0	11943.128	0	0	30000	0	0	30000	41.6875	2004
22.01.2020 14:02:00	1	1	1	1	71.25	61.5	0	12654.028	2.150537634	0	30000	0	0	30000	41.625	2004
22.01.2020 14:02:01	1	1	1	1	71.25	61.5	0	13507.109	2.150537634	57.89144674	30000	0	0	30000	41.6875	2004
22.01.2020 14:02:02	1	1	1	1	71.25	61.5	0	14265.403	6.451612903	91.32171881	30000	0	0	30000	42	2004
22.01.2020 14:02:03	1	1	1	1	71.25	62	0	14976.303	10.75268817	160.6283804	30000	0	0	30000	41.875	2004
22.01.2020 14:02:10	1	1	1	1	71.5	61.5	0	19573.46	51.61290323	1007.800397	30000	0	0	30000	41.6875	2004
22.01.2020 14:02:10	1	1	1	1	71.5	61.5	0	19573.46	51.61290323	1007.800397	30000	0	0	30000	41.6875	2004
22.01.2020 14:02:10	1	1	1	1	71.5	61.5	0	19573.46	51.61290323	1007.800397	30000	0	0	30000	41.6875	2004
22.01.2020 14:02:10	1	1	1	1	71.5	61.5	0	19573.46	51.61290323	1007.800397	30000	0	0	30000	41.6875	2004
22.01.2020 14:02:10	1	1	1	1	71.5	61.5	0	19573.46	51.61290323	1007.800397	30000	0	0	30000	41.6875	2004
22.01.2020 14:02:10	1	1	1	1	71.5	61.5	0	19573.46	51.61290323	1007.800397	30000	0	0	30000	41.6875	2004
22.01.2020 14:02:10	1	1	1	1	71.5	61.5	0	20379.147	60.21505376	1227.135596	30000	0	0	30000	41.5625	2004
22.01.2020 14:02:11	1	1	1	1	71.5	61.5	0	21137.441	73.11827957	1545.130867	30000	0	0	30000	41.5625	2004
22.01.2020 14:02:13	1	1	1	1	71.5	61.5	0	21895.735	83.87096774	1784.850379	30000	0	0	30000	41.5	2004
22.01.2020 14:02:14	1	1	1	1	71.5	61.5	0	22559.242	92.47311828	2152.583372	30000	0	0	30000	41.5625	2004
22.01.2020 14:02:15	1	1	1	1	71.5	61.5	0	23459.716	103.2258065	2421.656293	30000	0	0	30000	41.6875	2004
22.01.2020 14:02:16	1	1	1	1	71.5	61.5	0	23838.863	120.4301075	2870.926535	30000	0	0	30000	41.5	2004
22.01.2020 14:02:17	1	1	1	1	71.5	61.5	0	23838.863	111.827957	2665.452668	30000	0	0	30000	41.5625	2004
22.01.2020 14:02:18	1	1	1	1	71.5	61.5	0	23791.469	105.3763441	2511.347267	30000	0	0	30000	41.6875	2004
22.01.2020 14:02:19	1	1	1	1	71.5	61.5	0	23838.863	103.2258065	2460.794173	30000	0	0	30000	41.5625	2004
22.01.2020 14:02:20	1	1	1	1	71.5	61.5	0	23838.863	103.2258065	2460.794173	30000	0	0	30000	41.4375	2004
22.01.2020 14:02:21	1	1	1	1	71.5	61.25	0	23791.469	103.2258065	2460.794173	30000	0	0	30000	41.5	2004
22.01.2020 14:02:22	1	1	1	1	71.5	61.5	0	23838.863	103.2258065	2460.794173	30000	0	0	30000	41.5	2004
22.01.2020 14:02:23	1	1	1	1	71.5	61.5	0	23838.863	103.2258065	2460.794173	30000	0	0	30000	41.5	2004
22.01.2020 14:02:24	1	1	1	1	71.5	61.5	0	23838.863	103.2258065	2460.794173	30000	0	0	30000	41.5625	2004
22.01.2020 14:02:25	1	1	1	1	71.5	61.5	0	23838.863	103.2258065	2460.794173	30000	0	0	30000	41.375	2004
22.01.2020 14:02:26	1	1	1	1	71.5	61.25	0	23791.469	94.62365591	2306.688772	30000	0	0	30000	41.375	2004
22.01.2020 14:02:27	1	1	1	1	71.75	61.25	0	23838.863	103.2258065	2358.057239	30000	0	0	30000	41.5625	2004
22.01.2020 14:02:28	1	1	1	1	71.75	61.5	0	23838.863	103.2258065	2306.688772	30000	0	0	30000	41.375	2004
22.01.2020 14:02:29	1	1	1	1	71.75	61.25	0	23838.863	103.2258065	2511.347267	30000	0	0	30000	41.5625	2004
22.01.2020 14:02:30	1	1	1	1	71.75	61.5	0	23838.863	105.3763441	2614.084201	30000	0	0	30000	41.5	2004
22.01.2020 14:02:31	1	1	1	1	71.75	61.5	0	23838.863	107.5268817	2614.084201	30000	0	0	30000	41.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 14:02:32	1	1	1	1	71.75	61.5	0	23838.863	113.9784946	2660.560433	30000	0	0	30000	41.3125	2004
22.01.2020 14:02:33	1	1	1	1	71.75	61.25	0	23838.863	120.4301075	2716.821134	30000	0	0	30000	41.4375	2004
22.01.2020 14:02:34	1	1	1	1	71.75	61.25	0	23838.863	120.4301075	2870.926535	30000	0	0	30000	41.5	2004
22.01.2020 14:02:35	1	1	1	1	71.75	61.5	0	23838.863	120.4301075	2921.479629	30000	0	0	30000	41.5	2004
22.01.2020 14:02:36	1	1	1	1	71.75	61.5	0	24028.436	126.8817204	2996.493898	30000	0	0	30000	41.1875	2004
22.01.2020 14:02:37	1	1	1	1	71.75	61	0	24928.91	144.0860215	3591.715816	30000	0	0	30000	41.5625	2004
22.01.2020 14:02:38	1	1	1	1	71.75	61.5	0	25592.417	159.1397849	4127.415541	30000	0	0	30000	41.5625	2004
22.01.2020 14:02:39	1	1	1	1	71.75	61.5	0	26445.498	176.344086	4492.702416	30000	0	0	30000	41.25	2004
22.01.2020 14:02:40	1	1	1	1	71.75	61.25	0	27109.005	189.2473118	5130.323703	30000	0	0	30000	41.5	2004
22.01.2020 14:02:41	1	1	1	1	71.75	61.5	0	27345.972	206.4516129	5645.639116	30000	0	0	30000	41.6875	2004
22.01.2020 14:02:42	1	1	1	1	71.75	61.5	0	27440.758	206.4516129	5665.208056	30000	0	0	30000	41.1875	2004
22.01.2020 14:02:43	1	1	1	1	71.75	61	0	27630.332	206.4516129	5704.345935	30000	0	0	30000	41.625	2004
22.01.2020 14:02:44	1	1	1	1	71.75	61.5	0	27630.332	206.4516129	5704.345935	30000	0	0	30000	40.6875	2004
22.01.2020 14:02:45	1	1	1	1	71.75	61	0	27630.332	206.4516129	5704.345935	30000	0	0	30000	41.6875	2004
22.01.2020 14:02:46	1	1	1	1	71.75	61.5	0	27630.332	206.4516129	5704.345935	30000	0	0	30000	41.375	2004
22.01.2020 14:02:47	1	1	1	1	71.75	61.25	0	27630.332	210.7526882	5763.052755	30000	0	0	30000	41.4375	2004
22.01.2020 14:02:48	1	1	1	1	71.75	61.25	0	27772.512	212.9032258	5882.097138	30000	0	0	30000	41.625	2004
22.01.2020 14:02:49	1	1	1	1	71.75	61.5	0	27630.332	212.9032258	5882.097138	30000	0	0	30000	41.5	2004
22.01.2020 14:02:50	1	1	1	1	71.75	61.5	0	27630.332	210.7526882	5763.052755	30000	0	0	30000	41.5	2004
22.01.2020 14:02:52	1	1	1	1	71.75	61.5	0	27630.332	212.9032258	5882.097138	30000	0	0	30000	41.5625	2004
22.01.2020 14:02:53	1	1	1	1	71.75	61.5	0	27630.332	212.9032258	5922.865763	30000	0	0	30000	41.4375	2004
22.01.2020 14:02:54	1	1	1	1	71.75	61.25	0	27630.332	215.0537634	5982.387954	30000	0	0	30000	41.5	2004
22.01.2020 14:02:55	1	1	1	1	71.75	61.5	0	27630.332	212.9032258	5941.61933	30000	0	0	30000	41.5625	2004
22.01.2020 14:02:56	1	1	1	1	71.75	61.5	0	27630.332	219.3548387	6102.24771	30000	0	0	30000	41.5625	2004
22.01.2020 14:02:57	1	1	1	1	72	61.5	0	27630.332	221.5053763	6120.185905	30000	0	0	30000	41.5625	2004
22.01.2020 14:02:58	1	1	1	1	72	61.5	0	27630.332	223.655914	6357.459299	30000	0	0	30000	41.625	2004
22.01.2020 14:02:59	1	1	1	1	72	61.5	0	27725.118	221.5053763	6281.629658	30000	0	0	30000	41.5625	2004
22.01.2020 14:03:00	1	1	1	1	72	61.5	0	27819.905	225.8064516	6401.489414	30000	0	0	30000	41.625	2004
22.01.2020 14:03:01	1	1	1	1	72	61.5	0	27630.332	225.8064516	6238.414916	30000	0	0	30000	41.5	2004
22.01.2020 14:03:02	1	1	1	1	72	61.5	0	27725.118	225.8064516	6341.15185	30000	0	0	30000	41.5625	2004
22.01.2020 14:03:03	1	1	1	1	72	61.5	0	27630.332	230.1075269	6357.459299	30000	0	0	30000	41.625	2004
22.01.2020 14:03:04	1	1	1	1	72	61.5	0	27725.118	232.2580645	6357.459299	30000	0	0	30000	41.5	2004
22.01.2020 14:03:05	1	1	1	1	72	61.5	0	27772.512	227.9569892	6401.489414	30000	0	0	30000	41.5	2004
22.01.2020 14:03:12	1	1	1	1	72.25	61.5	0	27725.118	223.655914	6238.414916	30000	0	0	30000	41.375	2004
22.01.2020 14:03:12	1	1	1	1	72.25	61.5	0	27725.118	223.655914	6238.414916	30000	0	0	30000	41.375	2004
22.01.2020 14:03:12	1	1	1	1	72.25	61.25	0	27772.512	225.8064516	6260.429973	30000	0	0	30000	41.5625	2004
22.01.2020 14:03:12	1	1	1	1	72.25	61.25	0	27772.512	225.8064516	6260.429973	30000	0	0	30000	41.5625	2004
22.01.2020 14:03:12	1	1	1	1	72.25	61.25	0	27772.512	225.8064516	6260.429973	30000	0	0	30000	41.5625	2004
22.01.2020 14:03:12	1	1	1	1	72.25	61.25	0	27772.512	225.8064516	6260.429973	30000	0	0	30000	41.5625	2004
22.01.2020 14:03:12	1	1	1	1	72.25	61.25	0	27772.512	225.8064516	6260.429973	30000	0	0	30000	41.5625	2004
22.01.2020 14:03:12	1	1	1	1	72.25	61.25	0	27772.512	225.8064516	6260.429973	30000	0	0	30000	41.5625	2004
22.01.2020 14:03:12	1	1	1	1	72.25	61.25	0	27772.512	225.8064516	6260.429973	30000	0	0	30000	41.5625	2004
22.01.2020 14:03:13	1	1	1	1	72.25	61.5	0	27725.118	212.9032258	5882.097138	30000	0	0	30000	41.4375	2004
22.01.2020 14:03:14	1	1	1	1	72.25	61.25	0	27630.332	206.4516129	5743.483815	30000	0	0	30000	41.375	2004
22.01.2020 14:03:15	1	1	1	1	72.25	61.25	0	27819.905	206.4516129	5743.483815	30000	0	0	30000	41.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 14:03:16	1	1	1	1	72.25	61.5	0	27772.512	178.4946237	5025.140652	30000	0	0	30000	41.5	2004
22.01.2020 14:03:17	1	1	1	1	72	61.5	0	27819.905	169.8924731	4725.898948	30000	0	0	30000	41.4375	2004
22.01.2020 14:03:18	1	1	1	1	72	61.25	0	27630.332	167.7419355	4515.532846	30000	0	0	30000	41.5	2004
22.01.2020 14:03:19	1	1	1	1	72	61.5	0	27630.332	169.8924731	4694.099421	30000	0	0	30000	41.4375	2004
22.01.2020 14:03:20	1	1	1	1	72	61.25	0	27725.118	169.8924731	4694.099421	30000	0	0	30000	41.375	2004
22.01.2020 14:03:21	1	1	1	1	72	61.25	0	27630.332	169.8924731	4965.61846	30000	0	0	30000	41.1875	2004
22.01.2020 14:03:22	1	1	1	1	72	61	0	27772.512	184.9462366	5067.540021	30000	0	0	30000	41.5625	2004
22.01.2020 14:03:23	1	1	1	1	72	61.5	0	27819.905	189.2473118	5145.000408	30000	0	0	30000	41.8125	2004
22.01.2020 14:03:24	1	1	1	1	72	61.75	0	27630.332	189.2473118	5228.983774	30000	0	0	30000	41.875	2004
22.01.2020 14:03:25	1	1	1	1	72	61.25	0	27630.332	191.3978495	5287.690593	30000	0	0	30000	41.5625	2004
22.01.2020 14:03:26	1	1	1	1	72.25	61.5	0	27630.332	191.3978495	5324.382355	30000	0	0	30000	41.4375	2004
22.01.2020 14:03:27	1	1	1	1	72.25	61.25	0	27725.118	189.2473118	5444.242111	30000	0	0	30000	41.375	2004
22.01.2020 14:03:28	1	1	1	1	72.25	61.25	0	27725.118	189.2473118	5255.891066	30000	0	0	30000	41.5625	2004
22.01.2020 14:03:29	1	1	1	1	72.25	61.5	0	27630.332	184.9462366	5050.417199	30000	0	0	30000	41.6875	2004
22.01.2020 14:03:31	1	1	1	1	72.25	61.5	0	27772.512	184.9462366	4990.895007	30000	0	0	30000	41.4375	2004
22.01.2020 14:03:32	1	1	1	1	72.25	61.25	0	27819.905	184.9462366	5127.062213	30000	0	0	30000	38.875	2004
22.01.2020 14:03:33	1	1	1	1	72.25	58.75	0	27630.332	184.9462366	5264.860164	30000	0	0	30000	41.4375	2004
22.01.2020 14:03:34	1	1	1	1	72.25	61.25	0	27630.332	189.2473118	5228.983774	30000	0	0	30000	41.4375	2004
22.01.2020 14:03:35	1	1	1	1	72.25	61.25	0	27819.905	193.5483871	5444.242111	30000	0	0	30000	41.4375	2004
22.01.2020 14:03:36	1	1	1	1	72.25	61.25	0	27630.332	206.4516129	5723.914875	30000	0	0	30000	41.1875	2004
22.01.2020 14:03:37	1	1	1	1	72.25	61	0	27725.118	206.4516129	5743.483815	30000	0	0	30000	41.25	2004
22.01.2020 14:03:38	1	1	1	1	72.25	61.25	0	27725.118	206.4516129	5743.483815	30000	0	0	30000	41.5	2004
22.01.2020 14:03:39	1	1	1	1	72.25	61.5	0	27630.332	206.4516129	5704.345935	30000	0	0	30000	41.5625	2004
22.01.2020 14:03:40	1	1	1	1	72.25	61.5	0	27630.332	195.6989247	5704.345935	30000	0	0	30000	41.5625	2004
22.01.2020 14:03:41	1	1	1	1	72.25	61.5	0	27630.332	206.4516129	5743.483815	30000	0	0	30000	41.4375	2004
22.01.2020 14:03:42	1	1	1	1	72.25	61.25	0	27819.905	206.4516129	5743.483815	30000	0	0	30000	41.5625	2004
22.01.2020 14:03:43	1	1	1	1	72.25	61.5	0	27630.332	206.4516129	5704.345935	30000	0	0	30000	41.25	2004
22.01.2020 14:03:44	1	1	1	1	72.25	61.25	0	27630.332	208.6021505	5803.006007	30000	0	0	30000	41.4375	2004
22.01.2020 14:03:45	1	1	1	1	72.25	61.25	0	27819.905	208.6021505	5803.006007	30000	0	0	30000	41.5	2004
22.01.2020 14:03:46	1	1	1	1	72.25	61.5	0	27772.512	208.6021505	5922.865763	30000	0	0	30000	41.375	2004
22.01.2020 14:03:47	1	1	1	1	72.25	61.25	0	27819.905	206.4516129	5803.006007	30000	0	0	30000	41.375	2004
22.01.2020 14:03:48	1	1	1	1	72.25	61.25	0	27819.905	210.7526882	5922.865763	30000	0	0	30000	41.5625	2004
22.01.2020 14:03:49	1	1	1	1	72.25	61.5	0	27819.905	212.9032258	5922.865763	30000	0	0	30000	41.625	2004
22.01.2020 14:03:50	1	1	1	1	72.25	61.5	0	27630.332	215.0537634	5922.865763	30000	0	0	30000	41.25	2004
22.01.2020 14:03:51	1	1	1	1	72.25	61.25	0	27819.905	212.9032258	5922.865763	30000	0	0	30000	41.5625	2004
22.01.2020 14:03:52	1	1	1	1	72.25	61.5	0	27819.905	217.2043011	6041.910146	30000	0	0	30000	41.4375	2004
22.01.2020 14:03:53	1	1	1	1	72.25	61.25	0	27630.332	219.3548387	6102.24771	30000	0	0	30000	41.3125	2004
22.01.2020 14:03:54	1	1	1	1	72.25	61.25	0	27819.905	221.5053763	6140.570217	30000	0	0	30000	41.25	2004
22.01.2020 14:03:55	1	1	1	1	72.25	61.25	0	27772.512	219.3548387	6060.663713	30000	0	0	30000	41.5	2004
22.01.2020 14:03:56	1	1	1	1	72.25	61.5	0	27725.118	219.3548387	6120.185905	30000	0	0	30000	41.3125	2004
22.01.2020 14:03:57	1	1	1	1	72.25	61.25	0	27819.905	221.5053763	6102.24771	30000	0	0	30000	41.25	2004
22.01.2020 14:03:58	1	1	1	1	72.25	61.25	0	27630.332	225.8064516	6281.629658	30000	0	0	30000	41.375	2004
22.01.2020 14:03:59	1	1	1	1	72.25	61.25	0	27772.512	221.5053763	6161.769902	30000	0	0	30000	41.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 14:04:00	1	1	1	1	72.25	61.5	0	27819.905	221.5053763	6161.769902	30000	0	0	30000	41.5	2004
22.01.2020 14:04:01	1	1	1	1	72.25	61.5	0	27819.905	221.5053763	6222.107466	30000	0	0	30000	41.5625	2004
22.01.2020 14:04:02	1	1	1	1	72.25	61.25	0	27819.905	221.5053763	6161.769902	30000	0	0	30000	40.5	2004
22.01.2020 14:04:03	1	1	1	1	72.25	60.5	0	27867.299	227.9569892	6281.629658	30000	0	0	30000	41.375	2004
22.01.2020 14:04:04	1	1	1	1	72.25	61.25	0	27819.905	221.5053763	6161.769902	30000	0	0	30000	40.9375	2004
22.01.2020 14:04:05	1	1	1	1	72.25	60.75	0	27867.299	230.1075269	6401.489414	30000	0	0	30000	41.375	2004
22.01.2020 14:04:06	1	1	1	1	72.25	61.25	0	27819.905	221.5053763	6161.769902	30000	0	0	30000	41.375	2004
22.01.2020 14:04:14	1	1	1	1	72.25	60.75	0	27819.905	217.2043011	6102.24771	30000	0	0	30000	41.4375	2004
22.01.2020 14:04:14	1	1	1	1	72.25	60.75	0	27819.905	217.2043011	6102.24771	30000	0	0	30000	41.4375	2004
22.01.2020 14:04:14	1	1	1	1	72.25	60.75	0	27819.905	217.2043011	6102.24771	30000	0	0	30000	41.4375	2004
22.01.2020 14:04:14	1	1	1	1	72.25	60.75	0	27819.905	217.2043011	6102.24771	30000	0	0	30000	41.4375	2004
22.01.2020 14:04:14	1	1	1	1	72.25	60.75	0	27819.905	217.2043011	6102.24771	30000	0	0	30000	41.4375	2004
22.01.2020 14:04:14	1	1	1	1	72.25	61.25	0	27819.905	212.9032258	5803.006007	30000	0	0	30000	40.6875	2004
22.01.2020 14:04:15	1	1	1	1	72.25	60.5	0	27819.905	206.4516129	5812.790476	30000	0	0	30000	41.375	2004
22.01.2020 14:04:16	1	1	1	1	72.25	61.25	0	27819.905	206.4516129	5743.483815	30000	0	0	30000	41.125	2004
22.01.2020 14:04:17	1	1	1	1	72.25	61	0	27819.905	189.2473118	5264.860164	30000	0	0	30000	41.0625	2004
22.01.2020 14:04:18	1	1	1	1	72.25	61	0	27819.905	184.9462366	5145.000408	30000	0	0	30000	41.4375	2004
22.01.2020 14:04:19	1	1	1	1	72.25	61.25	0	27867.299	182.7956989	5084.662843	30000	0	0	30000	41.0625	2004
22.01.2020 14:04:20	1	1	1	1	72.25	61	0	27819.905	169.8924731	4725.898948	30000	0	0	30000	41.4375	2004
22.01.2020 14:04:21	1	1	1	1	72.25	61.25	0	27867.299	165.5913978	4606.039192	30000	0	0	30000	41.25	2004
22.01.2020 14:04:22	1	1	1	1	72.25	61.25	0	27867.299	163.4408602	4554.670725	30000	0	0	30000	41.25	2004
22.01.2020 14:04:23	1	1	1	1	72.25	61.25	0	27819.905	163.4408602	4486.994809	30000	0	0	30000	41.4375	2004
22.01.2020 14:04:24	1	1	1	1	72.25	61.25	0	27819.905	152.688172	4367.135053	30000	0	0	30000	41.3125	2004
22.01.2020 14:04:25	1	1	1	1	72.25	61.25	0	27819.905	159.1397849	4367.135053	30000	0	0	30000	41.1875	2004
22.01.2020 14:04:26	1	1	1	1	72.25	61	0	27867.299	163.4408602	4494.333161	30000	0	0	30000	41.25	2004
22.01.2020 14:04:27	1	1	1	1	72.25	61.25	0	27867.299	163.4408602	4426.657245	30000	0	0	30000	40.8125	2004
22.01.2020 14:04:28	1	1	1	1	72.25	60.75	0	27819.905	163.4408602	4666.376756	30000	0	0	30000	41.375	2004
22.01.2020 14:04:29	1	1	1	1	72.25	61.25	0	27867.299	169.8924731	4734.052673	30000	0	0	30000	41.25	2004
22.01.2020 14:04:30	1	1	1	1	72.25	61.25	0	27867.299	180.6451613	4973.772185	30000	0	0	30000	41.25	2004
22.01.2020 14:04:31	1	1	1	1	72.25	61.25	0	27819.905	178.4946237	4973.772185	30000	0	0	30000	41.375	2004
22.01.2020 14:04:32	1	1	1	1	72.25	61.25	0	27867.299	178.4946237	4734.052673	30000	0	0	30000	41.3125	2004
22.01.2020 14:04:33	1	1	1	1	72.25	61.25	0	27867.299	178.4946237	4965.61846	30000	0	0	30000	41.25	2004
22.01.2020 14:04:34	1	1	1	1	72.25	61.25	0	27867.299	169.8924731	4734.052673	30000	0	0	30000	41.375	2004
22.01.2020 14:04:35	1	1	1	1	72.25	61.25	0	27867.299	169.8924731	4734.052673	30000	0	0	30000	41.3125	2004
22.01.2020 14:04:36	1	1	1	1	72.25	61.25	0	27867.299	167.7419355	4674.530481	30000	0	0	30000	41.25	2004
22.01.2020 14:04:37	1	1	1	1	72.5	61.25	0	27867.299	165.5913978	4622.346642	30000	0	0	30000	41	2004
22.01.2020 14:04:38	1	1	1	1	72.5	61	0	27867.299	163.4408602	4614.192917	30000	0	0	30000	41.0625	2004
22.01.2020 14:04:39	1	1	1	1	72.5	61	0	27867.299	165.5913978	4606.039192	30000	0	0	30000	41.5625	2004
22.01.2020 14:04:40	1	1	1	1	72.5	61.5	0	27867.299	165.5913978	4674.530481	30000	0	0	30000	41.1875	2004
22.01.2020 14:04:41	1	1	1	1	72.5	61	0	27867.299	167.7419355	4614.192917	30000	0	0	30000	41.375	2004
22.01.2020 14:04:42	1	1	1	1	72.5	61.25	0	27867.299	167.7419355	4614.192917	30000	0	0	30000	41.25	2004
22.01.2020 14:04:43	1	1	1	1	72.5	61.25	0	27867.299	169.8924731	4734.052673	30000	0	0	30000	41.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 14:04:44	1	1	1	1	72.5	61	0	27867.299	169.8924731	4725.898948	30000	0	0	30000	40.75	2004
22.01.2020 14:04:45	1	1	1	1	72.5	60.75	0	27867.299	176.344086	4725.898948	30000	0	0	30000	41.375	2004
22.01.2020 14:04:46	1	1	1	1	72.25	61.25	0	27867.299	178.4946237	4973.772185	30000	0	0	30000	41.375	2004
22.01.2020 14:04:48	1	1	1	1	72.25	61.25	0	27867.299	178.4946237	4734.052673	30000	0	0	30000	41.4375	2004
22.01.2020 14:04:49	1	1	1	1	72.25	61.25	0	27867.299	178.4946237	4973.772185	30000	0	0	30000	40.6875	2004
22.01.2020 14:04:50	1	1	1	1	72.25	60.5	0	27867.299	178.4946237	4973.772185	30000	0	0	30000	41.4375	2004
22.01.2020 14:04:51	1	1	1	1	72.25	61.25	0	27867.299	184.9462366	5093.631941	30000	0	0	30000	40.875	2004
22.01.2020 14:04:52	1	1	1	1	72.25	60.75	0	27914.692	180.6451613	5042.263474	30000	0	0	30000	41.0625	2004
22.01.2020 14:04:53	1	1	1	1	72.25	61	0	27914.692	176.344086	4981.92591	30000	0	0	30000	41.25	2004
22.01.2020 14:04:54	1	1	1	1	72.25	61.25	0	27867.299	169.8924731	4742.206398	30000	0	0	30000	41.125	2004
22.01.2020 14:04:55	1	1	1	1	72.25	61	0	27962.085	169.8924731	4742.206398	30000	0	0	30000	41.375	2004
22.01.2020 14:04:56	1	1	1	1	72.25	61.25	0	27867.299	167.7419355	4681.868834	30000	0	0	30000	40.75	2004
22.01.2020 14:04:57	1	1	1	1	72.25	60.75	0	27914.692	167.7419355	4622.346642	30000	0	0	30000	41.1875	2004
22.01.2020 14:04:58	1	1	1	1	72.25	61	0	27914.692	163.4408602	4562.009078	30000	0	0	30000	40.5625	2004
22.01.2020 14:04:59	1	1	1	1	72.25	60.5	0	27914.692	163.4408602	4562.009078	30000	0	0	30000	41.3125	2004
22.01.2020 14:05:00	1	1	1	1	72.25	61.25	0	27914.692	163.4408602	4622.346642	30000	0	0	30000	41.375	2004
22.01.2020 14:05:01	1	1	1	1	72.25	61.25	0	27867.299	161.2903226	4254.613649	30000	0	0	30000	41.3125	2004
22.01.2020 14:05:02	1	1	1	1	72.25	61.25	0	27914.692	159.1397849	4501.671514	30000	0	0	30000	39.9375	2004
22.01.2020 14:05:03	1	1	1	1	72.25	59.75	0	27962.085	156.9892473	4442.149322	30000	0	0	30000	41.4375	2004
22.01.2020 14:05:04	1	1	1	1	72.25	61.25	0	27914.692	159.1397849	4434.810969	30000	0	0	30000	41.1875	2004
22.01.2020 14:05:05	1	1	1	1	72.25	61	0	27914.692	152.688172	4254.613649	30000	0	0	30000	41.0625	2004
22.01.2020 14:05:06	1	1	1	1	72.25	61	0	27914.692	152.688172	4261.952002	30000	0	0	30000	41.1875	2004
22.01.2020 14:05:07	1	1	1	1	72.25	61	0	27914.692	152.688172	4261.952002	30000	0	0	30000	41.25	2004
22.01.2020 14:05:08	1	1	1	1	72.25	61.25	0	27914.692	152.688172	4261.952002	30000	0	0	30000	41.3125	2004
22.01.2020 14:05:15	1	1	1	1	72.25	61	0	27914.692	161.2903226	4501.671514	30000	0	0	30000	40.9375	2004
22.01.2020 14:05:15	1	1	1	1	72.25	61	0	27914.692	161.2903226	4501.671514	30000	0	0	30000	40.9375	2004
22.01.2020 14:05:15	1	1	1	1	72.25	61	0	27914.692	161.2903226	4501.671514	30000	0	0	30000	40.9375	2004
22.01.2020 14:05:15	1	1	1	1	72.25	61	0	27914.692	161.2903226	4501.671514	30000	0	0	30000	40.9375	2004
22.01.2020 14:05:15	1	1	1	1	72.25	61	0	27914.692	161.2903226	4501.671514	30000	0	0	30000	40.9375	2004
22.01.2020 14:05:15	1	1	1	1	72.25	61	0	27914.692	161.2903226	4501.671514	30000	0	0	30000	40.9375	2004
22.01.2020 14:05:15	1	1	1	1	72.25	61	0	27914.692	161.2903226	4501.671514	30000	0	0	30000	40.9375	2004
22.01.2020 14:05:15	1	1	1	1	72.25	61	0	27914.692	161.2903226	4501.671514	30000	0	0	30000	40.9375	2004
22.01.2020 14:05:16	1	1	1	1	72.25	60.75	0	27914.692	163.4408602	4501.671514	30000	0	0	30000	41.375	2004
22.01.2020 14:05:17	1	1	1	1	72.25	61.25	0	27962.085	163.4408602	4577.501155	30000	0	0	30000	41.5	2004
22.01.2020 14:05:18	1	1	1	1	72.25	61.5	0	27962.085	161.2903226	4509.825238	30000	0	0	30000	41.6875	2004
22.01.2020 14:05:19	1	1	1	1	72.25	61.5	0	27962.085	152.688172	4269.290354	30000	0	0	30000	41.25	2004
22.01.2020 14:05:20	1	1	1	1	72.25	61	0	27962.085	152.688172	4269.290354	30000	0	0	30000	41.3125	2004
22.01.2020 14:05:21	1	1	1	1	72.25	61.25	0	28009.479	152.688172	4276.628707	30000	0	0	30000	41.25	2004
22.01.2020 14:05:22	1	1	1	1	72.25	61.25	0	27962.085	152.688172	4261.952002	30000	0	0	30000	41.375	2004
22.01.2020 14:05:23	1	1	1	1	72.25	61.25	0	27962.085	156.9892473	4201.614438	30000	0	0	30000	41.3125	2004
22.01.2020 14:05:25	1	1	1	1	72.25	61.25	0	27914.692	152.688172	4276.628707	30000	0	0	30000	40.9375	2004
22.01.2020 14:05:26	1	1	1	1	72.25	60.75	0	27962.085	152.688172	4269.290354	30000	0	0	30000	41.3125	2004
22.01.2020 14:05:27	1	1	1	1	72.25	61.25	0	27962.085	152.688172	4269.290354	30000	0	0	30000	41.25	2004
22.01.2020 14:05:28	1	1	1	1	72.25	61.25	0	27962.085	165.5913978	4629.684994	30000	0	0	30000	40.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 14:05:29	1	1	1	1	72.25	60.5	0	27962.085	163.4408602	4570.162803	30000	0	0	30000	41.1875	2004
22.01.2020 14:05:30	1	1	1	1	72.25	61	0	27914.692	161.2903226	4509.825238	30000	0	0	30000	41.375	2004
22.01.2020 14:05:31	1	1	1	1	72.25	61.25	0	27962.085	159.1397849	4509.825238	30000	0	0	30000	41.3125	2004
22.01.2020 14:05:32	1	1	1	1	72.25	61.25	0	27962.085	163.4408602	4570.162803	30000	0	0	30000	41.3125	2004
22.01.2020 14:05:33	1	1	1	1	72.25	61.25	0	27962.085	163.4408602	4570.162803	30000	0	0	30000	41.25	2004
22.01.2020 14:05:34	1	1	1	1	72.25	61.25	0	27962.085	163.4408602	4509.825238	30000	0	0	30000	41.25	2004
22.01.2020 14:05:35	1	1	1	1	72.25	61.25	0	27962.085	152.688172	4269.290354	30000	0	0	30000	41.25	2004
22.01.2020 14:05:36	1	1	1	1	72.25	61.25	0	27962.085	152.688172	4261.952002	30000	0	0	30000	41.1875	2004
22.01.2020 14:05:37	1	1	1	1	72	61	0	27914.692	156.9892473	4261.952002	30000	0	0	30000	41.3125	2004
22.01.2020 14:05:38	1	1	1	1	72	61.25	0	27962.085	152.688172	4276.628707	30000	0	0	30000	41.1875	2004
22.01.2020 14:05:39	1	1	1	1	72	61	0	28009.479	156.9892473	4269.290354	30000	0	0	30000	41.375	2004
22.01.2020 14:05:40	1	1	1	1	72	61.25	0	27962.085	161.2903226	4570.162803	30000	0	0	30000	41.0625	2004
22.01.2020 14:05:41	1	1	1	1	72	61	0	27914.692	165.5913978	4629.684994	30000	0	0	30000	41.25	2004
22.01.2020 14:05:42	1	1	1	1	72	61.25	0	28009.479	169.8924731	4758.513848	30000	0	0	30000	41	2004
22.01.2020 14:05:43	1	1	1	1	72	61	0	28009.479	178.4946237	4999.048732	30000	0	0	30000	41.1875	2004
22.01.2020 14:05:44	1	1	1	1	72	61	0	28009.479	176.344086	5059.386296	30000	0	0	30000	41.125	2004
22.01.2020 14:05:45	1	1	1	1	72	61	0	28009.479	178.4946237	4999.048732	30000	0	0	30000	41.3125	2004
22.01.2020 14:05:46	1	1	1	1	72	61.25	0	28009.479	182.7956989	5119.723861	30000	0	0	30000	40.9375	2004
22.01.2020 14:05:47	1	1	1	1	72	60.75	0	28009.479	180.6451613	5119.723861	30000	0	0	30000	41.25	2004
22.01.2020 14:05:48	1	1	1	1	72	61.25	0	28009.479	180.6451613	4999.048732	30000	0	0	30000	41.25	2004
22.01.2020 14:05:49	1	1	1	1	72	61.25	0	28009.479	182.7956989	4999.048732	30000	0	0	30000	41.0625	2004
22.01.2020 14:05:50	1	1	1	1	72	61	0	28009.479	178.4946237	4999.048732	30000	0	0	30000	40.5	2004
22.01.2020 14:05:51	1	1	1	1	72	60.5	0	27962.085	178.4946237	4990.895007	30000	0	0	30000	41.3125	2004
22.01.2020 14:05:52	1	1	1	1	72	61.25	0	28009.479	178.4946237	4999.048732	30000	0	0	30000	41.3125	2004
22.01.2020 14:05:53	1	1	1	1	72	61.25	0	28009.479	184.9462366	4999.048732	30000	0	0	30000	41.3125	2004
22.01.2020 14:05:54	1	1	1	1	72	61.25	0	28009.479	184.9462366	5119.723861	30000	0	0	30000	41.25	2004
22.01.2020 14:05:55	1	1	1	1	72	61.25	0	28009.479	182.7956989	5119.723861	30000	0	0	30000	41.3125	2004
22.01.2020 14:05:56	1	1	1	1	72	61.25	0	28009.479	189.2473118	5300.736553	30000	0	0	30000	41	2004
22.01.2020 14:05:57	1	1	1	1	72	61	0	28009.479	191.3978495	5351.289647	30000	0	0	30000	41.5625	2004
22.01.2020 14:05:58	1	1	1	1	72	61.5	0	28009.479	206.4516129	5360.258745	30000	0	0	30000	41.125	2004
22.01.2020 14:05:59	1	1	1	1	72	61.25	0	28009.479	206.4516129	5782.621694	30000	0	0	30000	41.3125	2004
22.01.2020 14:06:00	1	1	1	1	72	61.25	0	28009.479	206.4516129	5782.621694	30000	0	0	30000	41	2004
22.01.2020 14:06:01	1	1	1	1	72	61	0	28009.479	206.4516129	5782.621694	30000	0	0	30000	41.125	2004
22.01.2020 14:06:02	1	1	1	1	72	61	0	28009.479	206.4516129	5782.621694	30000	0	0	30000	41.0625	2004
22.01.2020 14:06:04	1	1	1	1	72	61	0	28009.479	206.4516129	5782.621694	30000	0	0	30000	40.875	2004
22.01.2020 14:06:05	1	1	1	1	72	60.75	0	28009.479	208.6021505	5842.143886	30000	0	0	30000	40.6875	2004
22.01.2020 14:06:06	1	1	1	1	72	60.5	0	28009.479	206.4516129	5782.621694	30000	0	0	30000	41	2004
22.01.2020 14:06:07	1	1	1	1	71.75	61	0	28009.479	206.4516129	5782.621694	30000	0	0	30000	41.125	2004
22.01.2020 14:06:08	1	1	1	1	71.75	61	0	28009.479	206.4516129	5782.621694	30000	0	0	30000	41	2004
22.01.2020 14:06:09	1	1	1	1	71.75	61	0	28009.479	206.4516129	5782.621694	30000	0	0	30000	41.125	2004
22.01.2020 14:06:10	1	1	1	1	71.75	61	0	28199.052	206.4516129	5480.933873	30000	0	0	30000	40.8125	2004
22.01.2020 14:06:17	1	1	1	1	71.75	61	0	28009.479	206.4516129	5782.621694	30000	0	0	30000	41.125	2004
22.01.2020 14:06:17	1	1	1	1	71.75	61	0	28009.479	206.4516129	5782.621694	30000	0	0	30000	41.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 14:06:17	1	1	1	1	71.75	61	0	28009.479	206.4516129	5782.621694	30000	0	0	30000	41.125	2004
22.01.2020 14:06:17	1	1	1	1	71.75	61	0	28009.479	206.4516129	5782.621694	30000	0	0	30000	41.125	2004
22.01.2020 14:06:17	1	1	1	1	71.75	61	0	28009.479	206.4516129	5782.621694	30000	0	0	30000	41.125	2004
22.01.2020 14:06:17	1	1	1	1	71.75	61	0	28009.479	206.4516129	5782.621694	30000	0	0	30000	41.125	2004
22.01.2020 14:06:17	1	1	1	1	71.75	61	0	28009.479	206.4516129	5782.621694	30000	0	0	30000	41.125	2004
22.01.2020 14:06:18	1	1	1	1	71.75	61	0	28009.479	243.0107527	6805.914168	30000	0	0	30000	41.1875	2004
22.01.2020 14:06:19	1	1	1	1	71.75	61	0	28009.479	206.4516129	5782.621694	30000	0	0	30000	41.1875	2004
22.01.2020 14:06:20	1	1	1	1	71.75	61	0	28009.479	193.5483871	5360.258745	30000	0	0	30000	41.25	2004
22.01.2020 14:06:21	1	1	1	1	71.75	61.25	0	28009.479	184.9462366	5300.736553	30000	0	0	30000	41.1875	2004
22.01.2020 14:06:22	1	1	1	1	71.75	61	0	28009.479	180.6451613	5033.294377	30000	0	0	30000	41.25	2004
22.01.2020 14:06:23	1	1	1	1	71.75	61.25	0	28009.479	169.8924731	4758.513848	30000	0	0	30000	41.25	2004
22.01.2020 14:06:24	1	1	1	1	71.75	61.25	0	28009.479	169.8924731	4758.513848	30000	0	0	30000	40.875	2004
22.01.2020 14:06:25	1	1	1	1	71.75	60.75	0	28009.479	169.8924731	4758.513848	30000	0	0	30000	41	2004
22.01.2020 14:06:26	1	1	1	1	71.75	61	0	28009.479	169.8924731	4758.513848	30000	0	0	30000	41.375	2004
22.01.2020 14:06:27	1	1	1	1	71.75	61.25	0	28009.479	169.8924731	4758.513848	30000	0	0	30000	41.25	2004
22.01.2020 14:06:28	1	1	1	1	71.75	61.25	0	28009.479	176.344086	4878.373604	30000	0	0	30000	41.125	2004
22.01.2020 14:06:29	1	1	1	1	71.75	61	0	28009.479	169.8924731	4758.513848	30000	0	0	30000	41.125	2004
22.01.2020 14:06:30	1	1	1	1	71.75	61	0	28199.052	169.8924731	4577.501155	30000	0	0	30000	41.375	2004
22.01.2020 14:06:31	1	1	1	1	71.75	61.25	0	28009.479	165.5913978	4608.48531	30000	0	0	30000	41.3125	2004
22.01.2020 14:06:32	1	1	1	1	71.75	61.25	0	28009.479	165.5913978	4668.822874	30000	0	0	30000	41.3125	2004
22.01.2020 14:06:33	1	1	1	1	71.75	61.25	0	28009.479	169.8924731	4758.513848	30000	0	0	30000	41.25	2004
22.01.2020 14:06:34	1	1	1	1	71.75	61.25	0	28009.479	178.4946237	5033.294377	30000	0	0	30000	41.1875	2004
22.01.2020 14:06:35	1	1	1	1	71.75	61	0	28009.479	182.7956989	5119.723861	30000	0	0	30000	41.5	2004
22.01.2020 14:06:36	1	1	1	1	71.75	61.5	0	28009.479	184.9462366	5215.122442	30000	0	0	30000	41.0625	2004
22.01.2020 14:06:37	1	1	1	1	72	61	0	28009.479	184.9462366	5215.122442	30000	0	0	30000	41.5625	2004
22.01.2020 14:06:38	1	1	1	1	72	61.5	0	28009.479	180.6451613	5033.294377	30000	0	0	30000	41.375	2004
22.01.2020 14:06:39	1	1	1	1	72	61.25	0	28009.479	178.4946237	4999.048732	30000	0	0	30000	41.3125	2004
22.01.2020 14:06:40	1	1	1	1	72	61.25	0	28199.052	180.6451613	5033.294377	30000	0	0	30000	41.5	2004
22.01.2020 14:06:42	1	1	1	1	72	61.5	0	28009.479	182.7956989	5119.723861	30000	0	0	30000	41.1875	2004
22.01.2020 14:06:43	1	1	1	1	72	61	0	28009.479	182.7956989	5119.723861	30000	0	0	30000	41.3125	2004
22.01.2020 14:06:44	1	1	1	1	72	61.25	0	28009.479	178.4946237	5119.723861	30000	0	0	30000	41.25	2004
22.01.2020 14:06:45	1	1	1	1	72	61.25	0	28009.479	178.4946237	4758.513848	30000	0	0	30000	41.25	2004
22.01.2020 14:06:46	1	1	1	1	72	61.25	0	28009.479	174.1935484	5033.294377	30000	0	0	30000	41.125	2004
22.01.2020 14:06:47	1	1	1	1	72	61	0	28009.479	178.4946237	4938.711168	30000	0	0	30000	41.25	2004
22.01.2020 14:06:48	1	1	1	1	72	61.25	0	28009.479	178.4946237	5033.294377	30000	0	0	30000	40.75	2004
22.01.2020 14:06:49	1	1	1	1	72	60.75	0	28009.479	180.6451613	4999.048732	30000	0	0	30000	41.3125	2004
22.01.2020 14:06:50	1	1	1	1	72	61.25	0	28199.052	182.7956989	5215.122442	30000	0	0	30000	41.375	2004
22.01.2020 14:06:51	1	1	1	1	72	61.25	0	28009.479	184.9462366	5275.460006	30000	0	0	30000	41.4375	2004
22.01.2020 14:06:52	1	1	1	1	72	61.25	0	28009.479	189.2473118	5119.723861	30000	0	0	30000	41.25	2004
22.01.2020 14:06:53	1	1	1	1	72	61.25	0	28009.479	187.0967742	5275.460006	30000	0	0	30000	39.8125	2004
22.01.2020 14:06:54	1	1	1	1	72	59.75	0	28009.479	189.2473118	5300.736553	30000	0	0	30000	41.25	2004
22.01.2020 14:06:55	1	1	1	1	72	61.25	0	28009.479	182.7956989	5180.061425	30000	0	0	30000	41.0625	2004
22.01.2020 14:06:56	1	1	1	1	72	61	0	28009.479	182.7956989	5153.969505	30000	0	0	30000	41.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 14:06:57	1	1	1	1	72.25	61.25	0	28009.479	182.7956989	5119.723861	30000	0	0	30000	41.3125	2004
22.01.2020 14:06:58	1	1	1	1	72.25	61.25	0	28009.479	184.9462366	5153.969505	30000	0	0	30000	41.1875	2004
22.01.2020 14:06:59	1	1	1	1	72.25	61	0	28009.479	184.9462366	5119.723861	30000	0	0	30000	41.3125	2004
22.01.2020 14:07:00	1	1	1	1	72.25	61.25	0	28199.052	184.9462366	5215.122442	30000	0	0	30000	41.1875	2004
22.01.2020 14:07:01	1	1	1	1	72.25	61	0	28009.479	189.2473118	5336.612943	30000	0	0	30000	41.3125	2004
22.01.2020 14:07:02	1	1	1	1	72.25	61.25	0	28009.479	189.2473118	5336.612943	30000	0	0	30000	41.25	2004
22.01.2020 14:07:03	1	1	1	1	72.25	61.25	0	28009.479	191.3978495	5336.612943	30000	0	0	30000	41.1875	2004
22.01.2020 14:07:04	1	1	1	1	72.25	61	0	28009.479	189.2473118	5119.723861	30000	0	0	30000	41.25	2004
22.01.2020 14:07:05	1	1	1	1	72.25	61.25	0	28199.052	184.9462366	5336.612943	30000	0	0	30000	41.1875	2004
22.01.2020 14:07:06	1	1	1	1	72.25	61	0	28199.052	191.3978495	5360.258745	30000	0	0	30000	41.25	2004
22.01.2020 14:07:07	1	1	1	1	72.25	61.25	0	28009.479	195.6989247	5518.441008	30000	0	0	30000	41.25	2004
22.01.2020 14:07:08	1	1	1	1	72.25	61.25	0	28199.052	206.4516129	5821.759574	30000	0	0	30000	41.3125	2004
22.01.2020 14:07:09	1	1	1	1	72.25	61.25	0	28199.052	206.4516129	5882.097138	30000	0	0	30000	41	2004
22.01.2020 14:07:10	1	1	1	1	72.25	61	0	28009.479	212.9032258	5962.819014	30000	0	0	30000	41.125	2004
22.01.2020 14:07:11	1	1	1	1	72.25	61	0	28009.479	217.2043011	6023.156579	30000	0	0	30000	41.1875	2004
22.01.2020 14:07:19	1	1	1	1	72.25	61.25	0	28009.479	189.2473118	5336.612943	30000	0	0	30000	41.1875	2004
22.01.2020 14:07:19	1	1	1	1	72.25	61.25	0	28009.479	189.2473118	5336.612943	30000	0	0	30000	41.1875	2004
22.01.2020 14:07:19	1	1	1	1	72.25	61.25	0	28009.479	189.2473118	5336.612943	30000	0	0	30000	41.1875	2004
22.01.2020 14:07:19	1	1	1	1	72.25	61.25	0	28009.479	189.2473118	5336.612943	30000	0	0	30000	41.1875	2004
22.01.2020 14:07:19	1	1	1	1	72.25	61.25	0	28009.479	189.2473118	5336.612943	30000	0	0	30000	41.1875	2004
22.01.2020 14:07:19	1	1	1	1	72.25	61.25	0	28009.479	189.2473118	5336.612943	30000	0	0	30000	41.1875	2004
22.01.2020 14:07:19	1	1	1	1	72.25	61.25	0	28009.479	189.2473118	5336.612943	30000	0	0	30000	41.1875	2004
22.01.2020 14:07:20	1	1	1	1	72.25	61	0	28199.052	189.2473118	5275.460006	30000	0	0	30000	41.125	2004
22.01.2020 14:07:21	1	1	1	1	72.25	61	0	28199.052	182.7956989	5153.969505	30000	0	0	30000	41.125	2004
22.01.2020 14:07:22	1	1	1	1	72.25	61	0	28009.479	169.8924731	5033.294377	30000	0	0	30000	41.3125	2004
22.01.2020 14:07:23	1	1	1	1	72.25	61.25	0	28009.479	174.1935484	4758.513848	30000	0	0	30000	41.25	2004
22.01.2020 14:07:24	1	1	1	1	72.25	61.25	0	28009.479	167.7419355	4790.313375	30000	0	0	30000	41.0625	2004
22.01.2020 14:07:25	1	1	1	1	72.25	61	0	28199.052	165.5913978	4668.822874	30000	0	0	30000	41.125	2004
22.01.2020 14:07:26	1	1	1	1	72.25	61	0	28199.052	163.4408602	4608.48531	30000	0	0	30000	41.125	2004
22.01.2020 14:07:27	1	1	1	1	72	61	0	28199.052	163.4408602	4608.48531	30000	0	0	30000	41.1875	2004
22.01.2020 14:07:28	1	1	1	1	72	61	0	28199.052	163.4408602	4608.48531	30000	0	0	30000	41	2004
22.01.2020 14:07:29	1	1	1	1	72	61	0	28199.052	163.4408602	4608.48531	30000	0	0	30000	40.6875	2004
22.01.2020 14:07:30	1	1	1	1	72	60.5	0	28199.052	167.7419355	4729.975811	30000	0	0	30000	41.1875	2004
22.01.2020 14:07:31	1	1	1	1	72	61	0	28199.052	169.8924731	4790.313375	30000	0	0	30000	41.25	2004
22.01.2020 14:07:32	1	1	1	1	72	61.25	0	28009.479	169.8924731	4790.313375	30000	0	0	30000	41.0625	2004
22.01.2020 14:07:33	1	1	1	1	72	61	0	28199.052	167.7419355	4729.975811	30000	0	0	30000	40.25	2004
22.01.2020 14:07:34	1	1	1	1	72	60.25	0	28199.052	163.4408602	4790.313375	30000	0	0	30000	41.25	2004
22.01.2020 14:07:35	1	1	1	1	72	61.25	0	28199.052	167.7419355	4608.48531	30000	0	0	30000	41.125	2004
22.01.2020 14:07:36	1	1	1	1	72	61	0	28199.052	169.8924731	4790.313375	30000	0	0	30000	40.5625	2004
22.01.2020 14:07:37	1	1	1	1	72	60.5	0	28009.479	176.344086	5033.294377	30000	0	0	30000	41.125	2004
22.01.2020 14:07:38	1	1	1	1	72	61	0	28199.052	178.4946237	5215.122442	30000	0	0	30000	41.1875	2004
22.01.2020 14:07:39	1	1	1	1	72	61	0	28009.479	182.7956989	5336.612943	30000	0	0	30000	41.25	2004
22.01.2020 14:07:40	1	1	1	1	72	61.25	0	28199.052	189.2473118	5336.612943	30000	0	0	30000	41.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 14:07:41	1	1	1	1	72	61	0	28199.052	191.3978495	5396.950507	30000	0	0	30000	41.0625	2004
22.01.2020 14:07:42	1	1	1	1	72	61	0	28199.052	195.6989247	5821.759574	30000	0	0	30000	41.0625	2004
22.01.2020 14:07:43	1	1	1	1	72	61	0	28199.052	206.4516129	5821.759574	30000	0	0	30000	41.25	2004
22.01.2020 14:07:44	1	1	1	1	72	61.25	0	28199.052	206.4516129	5821.759574	30000	0	0	30000	40.6875	2004
22.01.2020 14:07:45	1	1	1	1	72	60.5	0	28199.052	206.4516129	5821.759574	30000	0	0	30000	41.125	2004
22.01.2020 14:07:46	1	1	1	1	72	61	0	28199.052	206.4516129	5821.759574	30000	0	0	30000	40.625	2004
22.01.2020 14:07:47	1	1	1	1	71.75	60.5	0	28009.479	195.6989247	5821.759574	30000	0	0	30000	41.125	2004
22.01.2020 14:07:48	1	1	1	1	71.75	61	0	28199.052	206.4516129	5457.288071	30000	0	0	30000	41.1875	2004
22.01.2020 14:07:49	1	1	1	1	71.75	61	0	28199.052	206.4516129	5821.759574	30000	0	0	30000	41.0625	2004
22.01.2020 14:07:50	1	1	1	1	71.75	61	0	28199.052	193.5483871	5518.441008	30000	0	0	30000	40.625	2004
22.01.2020 14:07:51	1	1	1	1	71.75	60.5	0	28341.232	206.4516129	5841.328514	30000	0	0	30000	41.375	2004
22.01.2020 14:07:52	1	1	1	1	71.75	61.25	0	28246.445	206.4516129	5536.379203	30000	0	0	30000	41.625	2004
22.01.2020 14:07:53	1	1	1	1	71.75	61.5	0	28199.052	206.4516129	5821.759574	30000	0	0	30000	41.1875	2004
22.01.2020 14:07:54	1	1	1	1	71.75	61	0	28293.839	206.4516129	5536.379203	30000	0	0	30000	41.1875	2004
22.01.2020 14:07:55	1	1	1	1	71.75	61	0	28199.052	193.5483871	5518.441008	30000	0	0	30000	40.6875	2004
22.01.2020 14:07:57	1	1	1	1	71.75	60.5	0	28199.052	206.4516129	5527.410105	30000	0	0	30000	41.125	2004
22.01.2020 14:07:58	1	1	1	1	71.75	61	0	28199.052	206.4516129	5821.759574	30000	0	0	30000	41.375	2004
22.01.2020 14:07:59	1	1	1	1	71.75	61.25	0	28199.052	191.3978495	5821.759574	30000	0	0	30000	40.5	2004
22.01.2020 14:08:00	1	1	1	1	71.75	60.5	0	28293.839	189.2473118	5414.888702	30000	0	0	30000	41.25	2004
22.01.2020 14:08:01	1	1	1	1	71.75	61.25	0	28199.052	184.9462366	5275.460006	30000	0	0	30000	41.1875	2004
22.01.2020 14:08:02	1	1	1	1	71.75	61	0	28199.052	184.9462366	5215.122442	30000	0	0	30000	41.1875	2004
22.01.2020 14:08:03	1	1	1	1	71.75	61	0	28246.445	189.2473118	5336.612943	30000	0	0	30000	41.1875	2004
22.01.2020 14:08:04	1	1	1	1	71.75	61	0	28293.839	191.3978495	5396.950507	30000	0	0	30000	41.125	2004
22.01.2020 14:08:05	1	1	1	1	71.75	61	0	28199.052	206.4516129	5457.288071	30000	0	0	30000	41.25	2004
22.01.2020 14:08:06	1	1	1	1	71.75	61.25	0	28293.839	206.4516129	5821.759574	30000	0	0	30000	41.3125	2004
22.01.2020 14:08:07	1	1	1	1	72	61.25	0	28199.052	206.4516129	5821.759574	30000	0	0	30000	41.1875	2004
22.01.2020 14:08:08	1	1	1	1	72	61	0	28199.052	206.4516129	5821.759574	30000	0	0	30000	41.1875	2004
22.01.2020 14:08:09	1	1	1	1	72	61	0	28199.052	206.4516129	5821.759574	30000	0	0	30000	41.1875	2004
22.01.2020 14:08:10	1	1	1	1	72	61	0	28199.052	206.4516129	5518.441008	30000	0	0	30000	41.25	2004
22.01.2020 14:08:11	1	1	1	1	72	61.25	0	28293.839	189.2473118	5354.551137	30000	0	0	30000	40.875	2004
22.01.2020 14:08:12	1	1	1	1	72	60.75	0	28199.052	178.4946237	5049.601826	30000	0	0	30000	41.25	2004
22.01.2020 14:08:13	1	1	1	1	72	61.25	0	28341.232	178.4946237	5049.601826	30000	0	0	30000	41.1875	2004
22.01.2020 14:08:20	1	1	1	1	72	61	0	28293.839	169.8924731	4806.620825	30000	0	0	30000	41	2004
22.01.2020 14:08:20	1	1	1	1	72	61	0	28293.839	169.8924731	4806.620825	30000	0	0	30000	41	2004
22.01.2020 14:08:20	1	1	1	1	72	61	0	28293.839	169.8924731	4806.620825	30000	0	0	30000	41	2004
22.01.2020 14:08:20	1	1	1	1	72	61	0	28293.839	169.8924731	4806.620825	30000	0	0	30000	41	2004
22.01.2020 14:08:20	1	1	1	1	72	61	0	28293.839	169.8924731	4806.620825	30000	0	0	30000	41	2004
22.01.2020 14:08:20	1	1	1	1	72	61	0	28293.839	169.8924731	4806.620825	30000	0	0	30000	41	2004
22.01.2020 14:08:20	1	1	1	1	72	61	0	28293.839	169.8924731	4729.975811	30000	0	0	30000	41.1875	2004
22.01.2020 14:08:21	1	1	1	1	72	61	0	28293.839	167.7419355	4745.467888	30000	0	0	30000	41.1875	2004
22.01.2020 14:08:22	1	1	1	1	72	61	0	28293.839	167.7419355	4685.130324	30000	0	0	30000	41.125	2004
22.01.2020 14:08:23	1	1	1	1	72	61	0	28293.839	165.5913978	4745.467888	30000	0	0	30000	40.9375	2004
22.01.2020 14:08:24	1	1	1	1	72	60.75	0	28341.232	163.4408602	4632.131112	30000	0	0	30000	41.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 14:08:25	1	1	1	1	72	61.25	0	28293.839	167.7419355	4685.130324	30000	0	0	30000	41.0625	2004
22.01.2020 14:08:26	1	1	1	1	72	61	0	28199.052	169.8924731	4790.313375	30000	0	0	30000	41.3125	2004
22.01.2020 14:08:27	1	1	1	1	72	61.25	0	28293.839	178.4946237	5049.601826	30000	0	0	30000	41.1875	2004
22.01.2020 14:08:28	1	1	1	1	72	61	0	28341.232	182.7956989	5180.061425	30000	0	0	30000	41	2004
22.01.2020 14:08:29	1	1	1	1	72	61	0	28199.052	184.9462366	5336.612943	30000	0	0	30000	41.5	2004
22.01.2020 14:08:30	1	1	1	1	72	61.5	0	28293.839	195.6989247	5476.041638	30000	0	0	30000	41.5	2004
22.01.2020 14:08:31	1	1	1	1	72	61.5	0	28341.232	193.5483871	5546.163672	30000	0	0	30000	40.5	2004
22.01.2020 14:08:32	1	1	1	1	72	60.5	0	28341.232	189.2473118	5354.551137	30000	0	0	30000	41.25	2004
22.01.2020 14:08:33	1	1	1	1	72	61.5	0	28293.839	184.9462366	5153.969505	30000	0	0	30000	41.3125	2004
22.01.2020 14:08:34	1	1	1	1	72	61.25	0	28293.839	184.9462366	5432.826896	30000	0	0	30000	41.125	2004
22.01.2020 14:08:36	1	1	1	1	72	61	0	28199.052	182.7956989	5354.551137	30000	0	0	30000	41.125	2004
22.01.2020 14:08:37	1	1	1	1	72	61	0	28199.052	189.2473118	5354.551137	30000	0	0	30000	41.1875	2004
22.01.2020 14:08:38	1	1	1	1	72	61	0	28199.052	195.6989247	5536.379203	30000	0	0	30000	41.1875	2004
22.01.2020 14:08:39	1	1	1	1	72	61	0	28293.839	206.4516129	5841.328514	30000	0	0	30000	40.8125	2004
22.01.2020 14:08:40	1	1	1	1	72	60.75	0	28341.232	206.4516129	5841.328514	30000	0	0	30000	41.125	2004
22.01.2020 14:08:41	1	1	1	1	72	61	0	28293.839	208.6021505	5962.819014	30000	0	0	30000	41.125	2004
22.01.2020 14:08:42	1	1	1	1	72	61	0	28341.232	217.2043011	6155.246922	30000	0	0	30000	41.25	2004
22.01.2020 14:08:43	1	1	1	1	72	61.25	0	28341.232	217.2043011	6155.246922	30000	0	0	30000	41.125	2004
22.01.2020 14:08:44	1	1	1	1	72	61	0	28341.232	215.0537634	6165.846764	30000	0	0	30000	41.1875	2004
22.01.2020 14:08:45	1	1	1	1	72	61	0	28341.232	215.0537634	6094.909358	30000	0	0	30000	41.1875	2004
22.01.2020 14:08:46	1	1	1	1	72	61	0	28341.232	215.0537634	6033.756421	30000	0	0	30000	41.125	2004
22.01.2020 14:08:47	1	1	1	1	72.25	61	0	28341.232	217.2043011	6155.246922	30000	0	0	30000	41.125	2004
22.01.2020 14:08:48	1	1	1	1	72.25	61	0	28341.232	219.3548387	6155.246922	30000	0	0	30000	40.9375	2004
22.01.2020 14:08:49	1	1	1	1	72.25	60.75	0	28388.626	219.3548387	6216.399859	30000	0	0	30000	40.875	2004
22.01.2020 14:08:50	1	1	1	1	72.25	60.75	0	28341.232	221.5053763	6277.552795	30000	0	0	30000	41.0625	2004
22.01.2020 14:08:51	1	1	1	1	72.25	61	0	28293.839	240.8602151	6826.298481	30000	0	0	30000	41.0625	2004
22.01.2020 14:08:52	1	1	1	1	72.25	61	0	28341.232	243.0107527	6886.636045	30000	0	0	30000	41	2004
22.01.2020 14:08:53	1	1	1	1	72.25	61	0	28341.232	247.311828	7008.941918	30000	0	0	30000	40.625	2004
22.01.2020 14:08:54	1	1	1	1	72.25	60.5	0	28341.232	247.311828	6996.711331	30000	0	0	30000	41.0625	2004
22.01.2020 14:08:55	1	1	1	1	72.25	61	0	28341.232	251.6129032	7130.432419	30000	0	0	30000	40.4375	2004
22.01.2020 14:08:56	1	1	1	1	72.25	60.25	0	28341.232	251.6129032	7203.815943	30000	0	0	30000	41	2004
22.01.2020 14:08:57	1	1	1	1	72	61	0	28341.232	251.6129032	7313.891229	30000	0	0	30000	41.125	2004
22.01.2020 14:08:58	1	1	1	1	72	61	0	28341.232	251.6129032	7130.432419	30000	0	0	30000	41.125	2004
22.01.2020 14:08:59	1	1	1	1	72	61	0	28293.839	251.6129032	7119.017204	30000	0	0	30000	41.125	2004
22.01.2020 14:09:00	1	1	1	1	72	61	0	28341.232	258.0645161	7252.738293	30000	0	0	30000	40.9375	2004
22.01.2020 14:09:01	1	1	1	1	72	60.75	0	28341.232	255.9139785	7252.738293	30000	0	0	30000	41.125	2004
22.01.2020 14:09:02	1	1	1	1	72	61	0	28341.232	253.7634409	7252.738293	30000	0	0	30000	41	2004
22.01.2020 14:09:03	1	1	1	1	72	61	0	28341.232	258.0645161	7313.891229	30000	0	0	30000	41.0625	2004
22.01.2020 14:09:04	1	1	1	1	72	61	0	28341.232	258.0645161	7313.891229	30000	0	0	30000	41.125	2004
22.01.2020 14:09:05	1	1	1	1	72	61	0	28341.232	255.9139785	7313.891229	30000	0	0	30000	41.1875	2004
22.01.2020 14:09:06	1	1	1	1	72	61	0	28341.232	258.0645161	7313.891229	30000	0	0	30000	41.125	2004
22.01.2020 14:09:07	1	1	1	1	72.25	61	0	28388.626	255.9139785	7326.121817	30000	0	0	30000	41.125	2004
22.01.2020 14:09:08	1	1	1	1	72.25	61	0	28388.626	258.0645161	7326.121817	30000	0	0	30000	41	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 14:09:09	1	1	1	1	72.25	61	0	28341.232	253.7634409	7203.815943	30000	0	0	30000	40.9375	2004
22.01.2020 14:09:10	1	1	1	1	72.25	60.75	0	28388.626	253.7634409	7203.815943	30000	0	0	30000	41.5	2004
22.01.2020 14:09:11	1	1	1	1	72.25	61.5	0	28388.626	253.7634409	7203.815943	30000	0	0	30000	40.875	2004
22.01.2020 14:09:12	1	1	1	1	72.25	61	0	28388.626	255.9139785	7326.121817	30000	0	0	30000	41.0625	2004
22.01.2020 14:09:13	1	1	1	1	72.25	61	0	28341.232	255.9139785	7264.96888	30000	0	0	30000	40.125	2004
22.01.2020 14:09:15	1	1	1	1	72.25	60	0	28388.626	258.0645161	7326.121817	30000	0	0	30000	41.0625	2004
22.01.2020 14:09:22	1	1	1	1	72.25	60.5	0	28388.626	206.4516129	5851.112983	30000	0	0	30000	41.0625	2004
22.01.2020 14:09:22	1	1	1	1	72.25	60.5	0	28388.626	206.4516129	5851.112983	30000	0	0	30000	41.0625	2004
22.01.2020 14:09:22	1	1	1	1	72.25	60.5	0	28388.626	206.4516129	5851.112983	30000	0	0	30000	41.0625	2004
22.01.2020 14:09:22	1	1	1	1	72.25	60.5	0	28388.626	206.4516129	5851.112983	30000	0	0	30000	41.0625	2004
22.01.2020 14:09:22	1	1	1	1	72.25	60.5	0	28388.626	206.4516129	5851.112983	30000	0	0	30000	41.0625	2004
22.01.2020 14:09:22	1	1	1	1	72.25	60.5	0	28388.626	206.4516129	5851.112983	30000	0	0	30000	41.0625	2004
22.01.2020 14:09:22	1	1	1	1	72.25	60.5	0	28388.626	206.4516129	5851.112983	30000	0	0	30000	41.0625	2004
22.01.2020 14:09:23	1	1	1	1	72.25	61	0	28388.626	206.4516129	5860.897453	30000	0	0	30000	40.9375	2004
22.01.2020 14:09:24	1	1	1	1	72.25	60.75	0	28388.626	206.4516129	5851.112983	30000	0	0	30000	40.8125	2004
22.01.2020 14:09:25	1	1	1	1	72.25	60.75	0	28341.232	206.4516129	5851.112983	30000	0	0	30000	41	2004
22.01.2020 14:09:26	1	1	1	1	72.25	61	0	28341.232	208.6021505	5921.235018	30000	0	0	30000	41	2004
22.01.2020 14:09:27	1	1	1	1	72.25	61	0	28388.626	212.9032258	6043.540891	30000	0	0	30000	40.875	2004
22.01.2020 14:09:28	1	1	1	1	72.25	60.75	0	28388.626	212.9032258	6043.540891	30000	0	0	30000	40.5625	2004
22.01.2020 14:09:29	1	1	1	1	72.25	60.5	0	28388.626	212.9032258	6043.540891	30000	0	0	30000	40.5	2004
22.01.2020 14:09:30	1	1	1	1	72.25	60.5	0	28436.019	208.6021505	6043.540891	30000	0	0	30000	40.9375	2004
22.01.2020 14:09:31	1	1	1	1	72.25	60.75	0	28341.232	217.2043011	6277.552795	30000	0	0	30000	40.75	2004
22.01.2020 14:09:32	1	1	1	1	72.25	60.75	0	28388.626	230.1075269	6543.364227	30000	0	0	30000	39.75	2004
22.01.2020 14:09:33	1	1	1	1	72.25	59.75	0	28388.626	234.4086022	6665.6701	30000	0	0	30000	41.125	2004
22.01.2020 14:09:34	1	1	1	1	72.25	61	0	28436.019	234.4086022	6665.6701	30000	0	0	30000	41.0625	2004
22.01.2020 14:09:35	1	1	1	1	72.25	61	0	28436.019	225.8064516	6421.058353	30000	0	0	30000	41	2004
22.01.2020 14:09:36	1	1	1	1	72.25	61	0	28436.019	221.5053763	6298.75248	30000	0	0	30000	41.125	2004
22.01.2020 14:09:37	1	1	1	1	72.5	61	0	28436.019	215.0537634	6054.140733	30000	0	0	30000	40.875	2004
22.01.2020 14:09:38	1	1	1	1	72.5	60.75	0	28436.019	219.3548387	6176.446607	30000	0	0	30000	40.375	2004
22.01.2020 14:09:39	1	1	1	1	72.5	60.25	0	28436.019	217.2043011	6237.599543	30000	0	0	30000	40.875	2004
22.01.2020 14:09:40	1	1	1	1	72.5	60.75	0	28436.019	221.5053763	6298.75248	30000	0	0	30000	40.8125	2004
22.01.2020 14:09:41	1	1	1	1	72.5	60.75	0	28436.019	219.3548387	6237.599543	30000	0	0	30000	39.3125	2004
22.01.2020 14:09:42	1	1	1	1	72.5	59.25	0	28436.019	221.5053763	6298.75248	30000	0	0	30000	41.0625	2004
22.01.2020 14:09:43	1	1	1	1	72.5	61	0	28483.412	219.3548387	6237.599543	30000	0	0	30000	40.9375	2004
22.01.2020 14:09:44	1	1	1	1	72.5	60.75	0	28436.019	221.5053763	6298.75248	30000	0	0	30000	40.6875	2004
22.01.2020 14:09:45	1	1	1	1	72.5	60.5	0	28436.019	221.5053763	6298.75248	30000	0	0	30000	40.9375	2004
22.01.2020 14:09:46	1	1	1	1	72.5	60.75	0	28436.019	221.5053763	6298.75248	30000	0	0	30000	41	2004
22.01.2020 14:09:47	1	1	1	1	72.5	61	0	28436.019	221.5053763	6298.75248	30000	0	0	30000	41.4375	2004
22.01.2020 14:09:48	1	1	1	1	72.5	61.25	0	28436.019	219.3548387	6237.599543	30000	0	0	30000	41.3125	2004
22.01.2020 14:09:49	1	1	1	1	72.5	61.25	0	28388.626	212.9032258	6237.599543	30000	0	0	30000	41.0625	2004
22.01.2020 14:09:50	1	1	1	1	72.5	61	0	28436.019	215.0537634	6043.540891	30000	0	0	30000	41.3125	2004
22.01.2020 14:09:51	1	1	1	1	72.5	60.75	0	28436.019	217.2043011	6176.446607	30000	0	0	30000	40.4375	2004
22.01.2020 14:09:53	1	1	1	1	72.5	60.25	0	28388.626	219.3548387	6043.540891	30000	0	0	30000	41.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 14:09:54	1	1	1	1	72.5	61	0	28436.019	219.3548387	6298.75248	30000	0	0	30000	41	2004
22.01.2020 14:09:55	1	1	1	1	72.5	61	0	28436.019	225.8064516	6421.058353	30000	0	0	30000	41.0625	2004
22.01.2020 14:09:56	1	1	1	1	72.5	61	0	28436.019	227.9569892	6421.058353	30000	0	0	30000	40.8125	2004
22.01.2020 14:09:57	1	1	1	1	72.5	60.75	0	28388.626	225.8064516	6543.364227	30000	0	0	30000	41.0625	2004
22.01.2020 14:09:58	1	1	1	1	72.5	61	0	28436.019	232.2580645	6604.517164	30000	0	0	30000	41	2004
22.01.2020 14:09:59	1	1	1	1	72.5	61	0	28483.412	234.4086022	6676.269943	30000	0	0	30000	40.8125	2004
22.01.2020 14:10:00	1	1	1	1	72.5	60.75	0	28483.412	232.2580645	6615.117006	30000	0	0	30000	40.875	2004
22.01.2020 14:10:01	1	1	1	1	72.5	60.75	0	28483.412	232.2580645	6615.117006	30000	0	0	30000	40.75	2004
22.01.2020 14:10:02	1	1	1	1	72.5	60.75	0	28436.019	225.8064516	6492.811133	30000	0	0	30000	40.625	2004
22.01.2020 14:10:03	1	1	1	1	72.5	60.5	0	28483.412	227.9569892	6553.964069	30000	0	0	30000	40.9375	2004
22.01.2020 14:10:04	1	1	1	1	72.5	60.75	0	28483.412	221.5053763	6308.53695	30000	0	0	30000	40.375	2004
22.01.2020 14:10:05	1	1	1	1	72.5	60.25	0	28483.412	221.5053763	6247.384013	30000	0	0	30000	41	2004
22.01.2020 14:10:06	1	1	1	1	72.5	61	0	28483.412	217.2043011	6186.231077	30000	0	0	30000	41.0625	2004
22.01.2020 14:10:07	1	1	1	1	72.5	61	0	28436.019	208.6021505	6063.925203	30000	0	0	30000	40.875	2004
22.01.2020 14:10:08	1	1	1	1	72.5	60.75	0	28436.019	217.2043011	6176.446607	30000	0	0	30000	40.9375	2004
22.01.2020 14:10:09	1	1	1	1	72.5	60.75	0	28436.019	217.2043011	6186.231077	30000	0	0	30000	40.5625	2004
22.01.2020 14:10:10	1	1	1	1	72.5	60.5	0	28483.412	217.2043011	6186.231077	30000	0	0	30000	41.0625	2004
22.01.2020 14:10:11	1	1	1	1	72.5	61	0	28530.806	221.5053763	6054.140733	30000	0	0	30000	41.0625	2004
22.01.2020 14:10:12	1	1	1	1	72.5	61	0	28483.412	212.9032258	6125.07814	30000	0	0	30000	41.1875	2004
22.01.2020 14:10:13	1	1	1	1	72.5	61	0	28483.412	217.2043011	6186.231077	30000	0	0	30000	41.0625	2004
22.01.2020 14:10:14	1	1	1	1	72.5	61	0	28483.412	221.5053763	6247.384013	30000	0	0	30000	40.6875	2004
22.01.2020 14:10:15	1	1	1	1	72.5	60.5	0	28483.412	221.5053763	6308.53695	30000	0	0	30000	41.125	2004
22.01.2020 14:10:16	1	1	1	1	72.5	61	0	28483.412	225.8064516	6431.658196	30000	0	0	30000	40.9375	2004
22.01.2020 14:10:23	1	1	1	1	73	60.5	0	28483.412	221.5053763	6431.658196	30000	0	0	30000	40.9375	2004
22.01.2020 14:10:23	1	1	1	1	73	60.5	0	28483.412	232.2580645	6308.53695	30000	0	0	30000	40.875	2004
22.01.2020 14:10:23	1	1	1	1	73	60.75	0	28483.412	232.2580645	6308.53695	30000	0	0	30000	40.875	2004
22.01.2020 14:10:23	1	1	1	1	73	60.75	0	28483.412	232.2580645	6308.53695	30000	0	0	30000	40.875	2004
22.01.2020 14:10:23	1	1	1	1	73	60.75	0	28483.412	232.2580645	6308.53695	30000	0	0	30000	40.875	2004
22.01.2020 14:10:23	1	1	1	1	73	60.75	0	28483.412	232.2580645	6308.53695	30000	0	0	30000	40.875	2004
22.01.2020 14:10:24	1	1	1	1	73	60.75	0	28578.199	227.9569892	6514.010817	30000	0	0	30000	41	2004
22.01.2020 14:10:25	1	1	1	1	73	61	0	28530.806	232.2580645	6553.964069	30000	0	0	30000	41.4375	2004
22.01.2020 14:10:26	1	1	1	1	73	61.25	0	28530.806	234.4086022	6676.269943	30000	0	0	30000	41.1875	2004
22.01.2020 14:10:27	1	1	1	1	73	61	0	28483.412	236.5591398	6737.422879	30000	0	0	30000	41.25	2004
22.01.2020 14:10:28	1	1	1	1	73	61.25	0	28483.412	230.1075269	6553.964069	30000	0	0	30000	40.8125	2004
22.01.2020 14:10:29	1	1	1	1	73	61	0	28483.412	227.9569892	6503.410975	30000	0	0	30000	41.0625	2004
22.01.2020 14:10:31	1	1	1	1	73	61	0	28578.199	230.1075269	6553.964069	30000	0	0	30000	40.9375	2004
22.01.2020 14:10:32	1	1	1	1	73	60.75	0	28578.199	232.2580645	6553.964069	30000	0	0	30000	40.9375	2004
22.01.2020 14:10:33	1	1	1	1	73	60.75	0	28483.412	232.2580645	6748.838094	30000	0	0	30000	41	2004
22.01.2020 14:10:34	1	1	1	1	73	61	0	28530.806	236.5591398	6737.422879	30000	0	0	30000	41	2004
22.01.2020 14:10:35	1	1	1	1	73	61	0	28483.412	234.4086022	6871.95934	30000	0	0	30000	41.125	2004
22.01.2020 14:10:36	1	1	1	1	73	61	0	28483.412	240.8602151	6860.544125	30000	0	0	30000	40.9375	2004
22.01.2020 14:10:37	1	1	1	1	73.25	60.75	0	28578.199	240.8602151	6860.544125	30000	0	0	30000	41.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 14:10:38	1	1	1	1	73.25	61	0	28483.412	262.3655914	7411.735928	30000	0	0	30000	40.75	2004
22.01.2020 14:10:39	1	1	1	1	73.25	60.75	0	28578.199	243.0107527	6944.527492	30000	0	0	30000	41	2004
22.01.2020 14:10:40	1	1	1	1	73.25	61	0	28483.412	245.1612903	6944.527492	30000	0	0	30000	41.0625	2004
22.01.2020 14:10:41	1	1	1	1	73.25	61	0	28530.806	243.0107527	6860.544125	30000	0	0	30000	41.0625	2004
22.01.2020 14:10:42	1	1	1	1	73.25	61	0	28530.806	243.0107527	6921.697062	30000	0	0	30000	41.125	2004
22.01.2020 14:10:43	1	1	1	1	73.25	61	0	28483.412	236.5591398	6737.422879	30000	0	0	30000	40.9375	2004
22.01.2020 14:10:44	1	1	1	1	73.25	60.75	0	28530.806	236.5591398	6687.685158	30000	0	0	30000	41.125	2004
22.01.2020 14:10:45	1	1	1	1	73.25	61	0	28530.806	234.4086022	6698.285	30000	0	0	30000	41.0625	2004
22.01.2020 14:10:46	1	1	1	1	73.25	61	0	28483.412	232.2580645	6553.964069	30000	0	0	30000	41	2004
22.01.2020 14:10:47	1	1	1	1	73.25	61	0	28483.412	234.4086022	6687.685158	30000	0	0	30000	40.9375	2004
22.01.2020 14:10:48	1	1	1	1	73.25	60.75	0	28483.412	236.5591398	6737.422879	30000	0	0	30000	40.9375	2004
22.01.2020 14:10:49	1	1	1	1	73.25	60.75	0	28483.412	236.5591398	6687.685158	30000	0	0	30000	41.125	2004
22.01.2020 14:10:50	1	1	1	1	73.25	61	0	28578.199	240.8602151	6883.374555	30000	0	0	30000	40.875	2004
22.01.2020 14:10:51	1	1	1	1	73.25	60.75	0	28578.199	240.8602151	6687.685158	30000	0	0	30000	40.5	2004
22.01.2020 14:10:52	1	1	1	1	73.25	60.5	0	28578.199	240.8602151	6883.374555	30000	0	0	30000	41.0625	2004
22.01.2020 14:10:53	1	1	1	1	73.25	61	0	28530.806	243.0107527	7067.648738	30000	0	0	30000	40.8125	2004
22.01.2020 14:10:54	1	1	1	1	73.25	60.75	0	28578.199	247.311828	7005.680428	30000	0	0	30000	41	2004
22.01.2020 14:10:55	1	1	1	1	73.25	61	0	28578.199	247.311828	7067.648738	30000	0	0	30000	41	2004
22.01.2020 14:10:56	1	1	1	1	73.25	61	0	28578.199	249.4623656	7189.954611	30000	0	0	30000	40.875	2004
22.01.2020 14:10:57	1	1	1	1	73	60.75	0	28625.592	258.0645161	7189.954611	30000	0	0	30000	40.5625	2004
22.01.2020 14:10:58	1	1	1	1	73	60.5	0	28578.199	251.6129032	7251.92292	30000	0	0	30000	40.875	2004
22.01.2020 14:10:59	1	1	1	1	73	60.75	0	28578.199	251.6129032	7189.954611	30000	0	0	30000	40.8125	2004
22.01.2020 14:11:00	1	1	1	1	73	60.75	0	28578.199	253.7634409	7313.075857	30000	0	0	30000	40.875	2004
22.01.2020 14:11:01	1	1	1	1	73	60.75	0	28578.199	255.9139785	7313.075857	30000	0	0	30000	40.8125	2004
22.01.2020 14:11:02	1	1	1	1	73	60.75	0	28578.199	258.0645161	7313.075857	30000	0	0	30000	41.0625	2004
22.01.2020 14:11:03	1	1	1	1	73	61	0	28578.199	258.0645161	7375.044166	30000	0	0	30000	40.875	2004
22.01.2020 14:11:04	1	1	1	1	73	60.75	0	28578.199	260.2150538	7436.197103	30000	0	0	30000	41	2004
22.01.2020 14:11:05	1	1	1	1	73	61	0	28530.806	262.3655914	7559.318349	30000	0	0	30000	41.25	2004
22.01.2020 14:11:06	1	1	1	1	73	61.25	0	28578.199	266.6666667	7534.041801	30000	0	0	30000	41.0625	2004
22.01.2020 14:11:07	1	1	1	1	72.75	61	0	28578.199	262.3655914	7497.350039	30000	0	0	30000	41.125	2004
22.01.2020 14:11:09	1	1	1	1	72.75	61.5	0	28578.199	262.3655914	7559.318349	30000	0	0	30000	40.8125	2004
22.01.2020 14:11:10	1	1	1	1	72.75	60.75	0	28578.199	270.9677419	7743.592531	30000	0	0	30000	40.9375	2004
22.01.2020 14:11:11	1	1	1	1	72.75	60.75	0	28578.199	264.516129	7559.318349	30000	0	0	30000	41.0625	2004
22.01.2020 14:11:12	1	1	1	1	72.75	61	0	28578.199	262.3655914	7559.318349	30000	0	0	30000	40	2004
22.01.2020 14:11:13	1	1	1	1	72.75	60	0	28578.199	270.9677419	7669.393635	30000	0	0	30000	40.875	2004
22.01.2020 14:11:14	1	1	1	1	72.75	60.75	0	28578.199	264.516129	7546.272389	30000	0	0	30000	41.0625	2004
22.01.2020 14:11:15	1	1	1	1	72.75	61	0	28625.592	266.6666667	7620.471285	30000	0	0	30000	41	2004
22.01.2020 14:11:16	1	1	1	1	72.75	61	0	28625.592	266.6666667	7633.517245	30000	0	0	30000	40.9375	2004
22.01.2020 14:11:17	1	1	1	1	72.75	60.75	0	28578.199	260.2150538	7497.350039	30000	0	0	30000	41.0625	2004
22.01.2020 14:11:18	1	1	1	1	72.75	61	0	28625.592	260.2150538	7436.197103	30000	0	0	30000	40.9375	2004
22.01.2020 14:11:25	1	1	1	1	72.75	60.5	0	28625.592	240.8602151	6944.527492	30000	0	0	30000	40.9375	2004
22.01.2020 14:11:25	1	1	1	1	72.75	60.5	0	28625.592	240.8602151	6944.527492	30000	0	0	30000	40.9375	2004
22.01.2020 14:11:25	1	1	1	1	72.75	60.5	0	28625.592	240.8602151	6944.527492	30000	0	0	30000	40.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 14:11:25	1	1	1	1	72.75	60.5	0	28625.592	240.8602151	6944.527492	30000	0	0	30000	40.9375	2004
22.01.2020 14:11:25	1	1	1	1	72.75	60.5	0	28625.592	240.8602151	6944.527492	30000	0	0	30000	40.9375	2004
22.01.2020 14:11:25	1	1	1	1	72.75	60.5	0	28625.592	240.8602151	6944.527492	30000	0	0	30000	40.9375	2004
22.01.2020 14:11:25	1	1	1	1	72.75	60.5	0	28625.592	240.8602151	6944.527492	30000	0	0	30000	40.9375	2004
22.01.2020 14:11:26	1	1	1	1	72.75	60.75	0	28578.199	245.1612903	7017.911016	30000	0	0	30000	41.125	2004
22.01.2020 14:11:27	1	1	1	1	73	61	0	28625.592	243.0107527	6955.942706	30000	0	0	30000	41.0625	2004
22.01.2020 14:11:28	1	1	1	1	73	61	0	28625.592	236.5591398	6894.78977	30000	0	0	30000	41.0625	2004
22.01.2020 14:11:29	1	1	1	1	73	61	0	28578.199	240.8602151	6698.285	30000	0	0	30000	40.5	2004
22.01.2020 14:11:30	1	1	1	1	73	60.5	0	28625.592	236.5591398	6940.450629	30000	0	0	30000	40.8125	2004
22.01.2020 14:11:31	1	1	1	1	73	60.75	0	28625.592	240.8602151	6894.78977	30000	0	0	30000	41.125	2004
22.01.2020 14:11:32	1	1	1	1	73	61	0	28625.592	240.8602151	6894.78977	30000	0	0	30000	40.875	2004
22.01.2020 14:11:33	1	1	1	1	73	60.75	0	28578.199	243.0107527	6944.527492	30000	0	0	30000	41.0625	2004
22.01.2020 14:11:34	1	1	1	1	73	61	0	28625.592	243.0107527	6955.942706	30000	0	0	30000	41	2004
22.01.2020 14:11:35	1	1	1	1	73	61	0	28625.592	243.0107527	6944.527492	30000	0	0	30000	41	2004
22.01.2020 14:11:36	1	1	1	1	73	61	0	28578.199	245.1612903	6944.527492	30000	0	0	30000	40.875	2004
22.01.2020 14:11:37	1	1	1	1	73.5	60.75	0	28625.592	247.311828	7079.063952	30000	0	0	30000	41	2004
22.01.2020 14:11:38	1	1	1	1	73.5	61	0	28625.592	253.7634409	7251.92292	30000	0	0	30000	40.9375	2004
22.01.2020 14:11:39	1	1	1	1	73.5	60.75	0	28625.592	258.0645161	7387.274753	30000	0	0	30000	41	2004
22.01.2020 14:11:40	1	1	1	1	73.5	61	0	28625.592	260.2150538	7387.274753	30000	0	0	30000	41	2004
22.01.2020 14:11:41	1	1	1	1	73.5	61	0	28625.592	260.2150538	7498.165412	30000	0	0	30000	40.9375	2004
22.01.2020 14:11:42	1	1	1	1	73.5	60.75	0	28625.592	260.2150538	7510.395999	30000	0	0	30000	41	2004
22.01.2020 14:11:43	1	1	1	1	73.5	61	0	28625.592	266.6666667	7684.070339	30000	0	0	30000	41.3125	2004
22.01.2020 14:11:44	1	1	1	1	73.5	61.25	0	28625.592	266.6666667	7571.548936	30000	0	0	30000	41.3125	2004
22.01.2020 14:11:45	1	1	1	1	73.5	61.25	0	28625.592	264.516129	7571.548936	30000	0	0	30000	41.0625	2004
22.01.2020 14:11:47	1	1	1	1	73.75	61	0	28815.166	268.8172043	7684.070339	30000	0	0	30000	41.125	2004
22.01.2020 14:11:48	1	1	1	1	73.75	61	0	28625.592	268.8172043	7746.038649	30000	0	0	30000	40.875	2004
22.01.2020 14:11:49	1	1	1	1	73.75	60.75	0	28625.592	266.6666667	7694.670182	30000	0	0	30000	41	2004
22.01.2020 14:11:50	1	1	1	1	73.75	61	0	28625.592	266.6666667	7633.517245	30000	0	0	30000	40.9375	2004
22.01.2020 14:11:51	1	1	1	1	73.75	60.75	0	28625.592	268.8172043	7694.670182	30000	0	0	30000	40.875	2004
22.01.2020 14:11:52	1	1	1	1	73.75	60.75	0	28625.592	268.8172043	7620.471285	30000	0	0	30000	41	2004
22.01.2020 14:11:53	1	1	1	1	73.75	61	0	28625.592	268.8172043	7694.670182	30000	0	0	30000	40.625	2004
22.01.2020 14:11:54	1	1	1	1	73.75	60.5	0	28625.592	268.8172043	7746.038649	30000	0	0	30000	40.9375	2004
22.01.2020 14:11:55	1	1	1	1	73.75	60.75	0	28625.592	268.8172043	7746.038649	30000	0	0	30000	40.875	2004
22.01.2020 14:11:56	1	1	1	1	73.75	60.75	0	28625.592	270.9677419	7756.638491	30000	0	0	30000	40.9375	2004
22.01.2020 14:11:57	1	1	1	1	73.5	60.75	0	28625.592	268.8172043	7633.517245	30000	0	0	30000	40.6875	2004
22.01.2020 14:11:58	1	1	1	1	73.5	60.5	0	28625.592	268.8172043	7808.006958	30000	0	0	30000	40.9375	2004
22.01.2020 14:11:59	1	1	1	1	73.5	60.75	0	28672.986	268.8172043	7694.670182	30000	0	0	30000	40.75	2004
22.01.2020 14:12:00	1	1	1	1	73.5	60.75	0	28625.592	268.8172043	7694.670182	30000	0	0	30000	40.875	2004
22.01.2020 14:12:01	1	1	1	1	73.5	60.75	0	28625.592	270.9677419	7694.670182	30000	0	0	30000	40.6875	2004
22.01.2020 14:12:02	1	1	1	1	73.5	60.5	0	28625.592	268.8172043	7694.670182	30000	0	0	30000	41.1875	2004
22.01.2020 14:12:03	1	1	1	1	73.5	61	0	28625.592	268.8172043	7756.638491	30000	0	0	30000	41	2004
22.01.2020 14:12:04	1	1	1	1	73.5	61	0	28625.592	270.9677419	7559.318349	30000	0	0	30000	41.0625	2004
22.01.2020 14:12:05	1	1	1	1	73.5	61	0	28625.592	266.6666667	7684.070339	30000	0	0	30000	40.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 14:12:06	1	1	1	1	73.5	60.75	0	28625.592	270.9677419	7743.592531	30000	0	0	30000	40.9375	2004
22.01.2020 14:12:07	1	1	1	1	73.5	60.75	0	28815.166	288.172043	8201.016498	30000	0	0	30000	41	2004
22.01.2020 14:12:08	1	1	1	1	73.5	61	0	28672.986	266.6666667	7645.747832	30000	0	0	30000	40.9375	2004
22.01.2020 14:12:09	1	1	1	1	73.5	60.75	0	28625.592	268.8172043	7694.670182	30000	0	0	30000	41.125	2004
22.01.2020 14:12:10	1	1	1	1	73.5	61	0	28625.592	266.6666667	7633.517245	30000	0	0	30000	40.9375	2004
22.01.2020 14:12:11	1	1	1	1	73.5	60.75	0	28815.166	270.9677419	7746.038649	30000	0	0	30000	40.9375	2004
22.01.2020 14:12:12	1	1	1	1	73.5	60.75	0	28815.166	286.0215054	8187.155165	30000	0	0	30000	41	2004
22.01.2020 14:12:13	1	1	1	1	73.5	61	0	28625.592	283.8709677	8201.016498	30000	0	0	30000	41	2004
22.01.2020 14:12:14	1	1	1	1	73.5	61	0	28815.166	264.516129	7622.10203	30000	0	0	30000	40.875	2004
22.01.2020 14:12:15	1	1	1	1	73.5	60.75	0	28625.592	262.3655914	7571.548936	30000	0	0	30000	40.6875	2004
22.01.2020 14:12:16	1	1	1	1	73.5	60.5	0	28625.592	255.9139785	7325.306444	30000	0	0	30000	40.9375	2004
22.01.2020 14:12:17	1	1	1	1	73.5	60.75	0	28815.166	243.0107527	7064.387248	30000	0	0	30000	40.875	2004
22.01.2020 14:12:18	1	1	1	1	73.5	60.75	0	28625.592	240.8602151	6940.450629	30000	0	0	30000	40.875	2004
22.01.2020 14:12:19	1	1	1	1	73.5	60.75	0	28672.986	240.8602151	6940.450629	30000	0	0	30000	41	2004
22.01.2020 14:12:27	1	1	1	1	73.5	60.75	0	28625.592	230.1075269	6586.578969	30000	0	0	30000	40.4375	2004
22.01.2020 14:12:27	1	1	1	1	73.5	60.75	0	28625.592	230.1075269	6586.578969	30000	0	0	30000	40.4375	2004
22.01.2020 14:12:27	1	1	1	1	73.5	60.75	0	28625.592	230.1075269	6586.578969	30000	0	0	30000	40.4375	2004
22.01.2020 14:12:27	1	1	1	1	73.5	60.75	0	28625.592	230.1075269	6586.578969	30000	0	0	30000	40.4375	2004
22.01.2020 14:12:27	1	1	1	1	73.5	60.75	0	28625.592	230.1075269	6586.578969	30000	0	0	30000	40.4375	2004
22.01.2020 14:12:27	1	1	1	1	73.5	60.75	0	28625.592	230.1075269	6586.578969	30000	0	0	30000	40.4375	2004
22.01.2020 14:12:27	1	1	1	1	73.5	60.75	0	28625.592	230.1075269	6586.578969	30000	0	0	30000	40.4375	2004
22.01.2020 14:12:27	1	1	1	1	73.75	60.25	0	28625.592	232.2580645	6692.577392	30000	0	0	30000	41	2004
22.01.2020 14:12:28	1	1	1	1	73.75	61	0	28815.166	225.8064516	6506.672465	30000	0	0	30000	40.9375	2004
22.01.2020 14:12:29	1	1	1	1	73.75	60.75	0	28625.592	227.9569892	6630.609083	30000	0	0	30000	41.0625	2004
22.01.2020 14:12:30	1	1	1	1	73.75	61	0	28625.592	232.2580645	6709.700215	30000	0	0	30000	41.0625	2004
22.01.2020 14:12:31	1	1	1	1	73.75	61	0	28625.592	236.5591398	6771.668524	30000	0	0	30000	40.75	2004
22.01.2020 14:12:32	1	1	1	1	73.75	60.75	0	28625.592	236.5591398	6940.450629	30000	0	0	30000	41	2004
22.01.2020 14:12:33	1	1	1	1	73.75	61	0	28625.592	240.8602151	7064.387248	30000	0	0	30000	40.8125	2004
22.01.2020 14:12:34	1	1	1	1	73.75	60.75	0	28815.166	249.4623656	7064.387248	30000	0	0	30000	41.0625	2004
22.01.2020 14:12:35	1	1	1	1	73.75	61	0	28625.592	247.311828	7079.063952	30000	0	0	30000	40.5625	2004
22.01.2020 14:12:36	1	1	1	1	73.75	60.5	0	28625.592	249.4623656	7188.323866	30000	0	0	30000	41	2004
22.01.2020 14:12:37	1	1	1	1	73.75	61	0	28815.166	255.9139785	7374.228794	30000	0	0	30000	41.0625	2004
22.01.2020 14:12:38	1	1	1	1	73.75	61	0	28815.166	258.0645161	7312.260484	30000	0	0	30000	41	2004
22.01.2020 14:12:39	1	1	1	1	73.75	61	0	28815.166	255.9139785	7374.228794	30000	0	0	30000	40.9375	2004
22.01.2020 14:12:40	1	1	1	1	73.75	60.75	0	28815.166	260.2150538	7498.165412	30000	0	0	30000	41.125	2004
22.01.2020 14:12:41	1	1	1	1	73.75	61	0	28815.166	260.2150538	7498.165412	30000	0	0	30000	40.9375	2004
22.01.2020 14:12:42	1	1	1	1	73.75	60.75	0	28815.166	262.3655914	7560.133721	30000	0	0	30000	40.5	2004
22.01.2020 14:12:43	1	1	1	1	73.75	60.5	0	28672.986	266.6666667	7746.038649	30000	0	0	30000	41	2004
22.01.2020 14:12:44	1	1	1	1	73.75	61	0	28815.166	266.6666667	7684.070339	30000	0	0	30000	41.0625	2004
22.01.2020 14:12:45	1	1	1	1	73.75	61	0	28815.166	270.9677419	7808.006958	30000	0	0	30000	40.9375	2004
22.01.2020 14:12:46	1	1	1	1	73.75	60.75	0	28625.592	270.9677419	7768.869078	30000	0	0	30000	40.9375	2004
22.01.2020 14:12:47	1	1	1	1	73.75	60.75	0	28625.592	268.8172043	7694.670182	30000	0	0	30000	41.0625	2004
22.01.2020 14:12:48	1	1	1	1	73.75	61	0	28815.166	268.8172043	7746.038649	30000	0	0	30000	41	2004
22.01.2020 14:12:49	1	1	1	1	73.75	61	0	28625.592	270.9677419	7808.006958	30000	0	0	30000	40.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 14:12:50	1	1	1	1	73.75	60.75	0	28815.166	270.9677419	7756.638491	30000	0	0	30000	41.0625	2004
22.01.2020 14:12:51	1	1	1	1	73.75	61	0	28815.166	268.8172043	7931.943576	30000	0	0	30000	41.0625	2004
22.01.2020 14:12:52	1	1	1	1	73.75	61	0	28625.592	270.9677419	7869.975267	30000	0	0	30000	41	2004
22.01.2020 14:12:53	1	1	1	1	73.75	61	0	28815.166	275.2688172	7694.670182	30000	0	0	30000	41	2004
22.01.2020 14:12:54	1	1	1	1	73.75	61	0	28625.592	268.8172043	7808.006958	30000	0	0	30000	41	2004
22.01.2020 14:12:55	1	1	1	1	73.75	61	0	28815.166	270.9677419	7756.638491	30000	0	0	30000	40.625	2004
22.01.2020 14:12:56	1	1	1	1	73.75	60.5	0	28672.986	268.8172043	7694.670182	30000	0	0	30000	40.9375	2004
22.01.2020 14:12:59	1	1	1	1	74	60.75	0	28815.166	273.1182796	7869.975267	30000	0	0	30000	40.1875	2004
22.01.2020 14:12:59	1	1	1	1	74	60.75	0	28815.166	273.1182796	7869.975267	30000	0	0	30000	40.1875	2004
22.01.2020 14:12:59	1	1	1	1	74	60	0	28815.166	275.2688172	7931.943576	30000	0	0	30000	41.375	2004
22.01.2020 14:13:00	1	1	1	1	74	61.25	0	28815.166	270.9677419	7869.975267	30000	0	0	30000	40.9375	2004
22.01.2020 14:13:01	1	1	1	1	74	60.75	0	28815.166	275.2688172	7869.975267	30000	0	0	30000	41.25	2004
22.01.2020 14:13:03	1	1	1	1	74	61.25	0	28815.166	273.1182796	7869.975267	30000	0	0	30000	41.25	2004
22.01.2020 14:13:04	1	1	1	1	74	60.75	0	28815.166	281.7204301	8117.848504	30000	0	0	30000	40.5	2004
22.01.2020 14:13:05	1	1	1	1	74	60.5	0	28815.166	275.2688172	7931.943576	30000	0	0	30000	40.75	2004
22.01.2020 14:13:06	1	1	1	1	74	60.75	0	28815.166	275.2688172	7931.943576	30000	0	0	30000	40.875	2004
22.01.2020 14:13:07	1	1	1	1	74	60.75	0	28815.166	277.4193548	7993.911885	30000	0	0	30000	41	2004
22.01.2020 14:13:08	1	1	1	1	74	61	0	28815.166	294.6236559	8489.658359	30000	0	0	30000	40.9375	2004
22.01.2020 14:13:09	1	1	1	1	74	60.75	0	28815.166	281.7204301	8117.848504	30000	0	0	30000	40.9375	2004
22.01.2020 14:13:10	1	1	1	1	74	60.75	0	28815.166	275.2688172	7993.911885	30000	0	0	30000	40.4375	2004
22.01.2020 14:13:11	1	1	1	1	74	60.25	0	28815.166	281.7204301	8117.848504	30000	0	0	30000	40.875	2004
22.01.2020 14:13:12	1	1	1	1	74	60.75	0	28815.166	292.4731183	8365.721741	30000	0	0	30000	40.375	2004
22.01.2020 14:13:13	1	1	1	1	74	60.25	0	28815.166	296.7741935	8551.626668	30000	0	0	30000	40.9375	2004
22.01.2020 14:13:14	1	1	1	1	74	60.75	0	28815.166	275.2688172	7931.943576	30000	0	0	30000	40.9375	2004
22.01.2020 14:13:15	1	1	1	1	74	60.75	0	28815.166	270.9677419	7746.038649	30000	0	0	30000	40.8125	2004
22.01.2020 14:13:16	1	1	1	1	74	60.75	0	28815.166	268.8172043	7746.038649	30000	0	0	30000	40.875	2004
22.01.2020 14:13:17	1	1	1	1	73.75	60.75	0	28815.166	270.9677419	7869.975267	30000	0	0	30000	40.75	2004
22.01.2020 14:13:18	1	1	1	1	73.75	60.75	0	28815.166	264.516129	7622.10203	30000	0	0	30000	40.8125	2004
22.01.2020 14:13:19	1	1	1	1	73.75	60.75	0	28815.166	264.516129	7622.10203	30000	0	0	30000	40.75	2004
22.01.2020 14:13:20	1	1	1	1	73.75	60.75	0	28815.166	258.0645161	7436.197103	30000	0	0	30000	40.6875	2004
22.01.2020 14:13:21	1	1	1	1	73.75	60.5	0	28672.986	258.0645161	7436.197103	30000	0	0	30000	40.875	2004
22.01.2020 14:13:28	1	1	1	1	73.75	60.25	0	28862.559	249.4623656	7261.70739	30000	0	0	30000	41.0625	2004
22.01.2020 14:13:28	1	1	1	1	73.75	60.25	0	28862.559	249.4623656	7261.70739	30000	0	0	30000	41.0625	2004
22.01.2020 14:13:28	1	1	1	1	73.75	60.25	0	28862.559	249.4623656	7261.70739	30000	0	0	30000	41.0625	2004
22.01.2020 14:13:28	1	1	1	1	73.75	60.25	0	28862.559	249.4623656	7261.70739	30000	0	0	30000	41.0625	2004
22.01.2020 14:13:28	1	1	1	1	73.75	60.25	0	28862.559	249.4623656	7261.70739	30000	0	0	30000	41.0625	2004
22.01.2020 14:13:28	1	1	1	1	73.75	60.25	0	28862.559	249.4623656	7261.70739	30000	0	0	30000	41.0625	2004
22.01.2020 14:13:28	1	1	1	1	73.75	60.25	0	28862.559	249.4623656	7261.70739	30000	0	0	30000	41.0625	2004
22.01.2020 14:13:29	1	1	1	1	73.75	61	0	28862.559	247.311828	7137.770772	30000	0	0	30000	41.125	2004
22.01.2020 14:13:30	1	1	1	1	73.75	61	0	28862.559	243.0107527	7013.834153	30000	0	0	30000	40.5	2004
22.01.2020 14:13:31	1	1	1	1	73.75	60.5	0	28815.166	232.2580645	6827.113853	30000	0	0	30000	40.875	2004
22.01.2020 14:13:32	1	1	1	1	73.75	60.75	0	28862.559	232.2580645	6641.208926	30000	0	0	30000	40.8125	2004
22.01.2020 14:13:33	1	1	1	1	73.75	60.75	0	28862.559	227.9569892	6579.240616	30000	0	0	30000	40.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 14:13:34	1	1	1	1	73.75	60.75	0	28815.166	227.9569892	6579.240616	30000	0	0	30000	40.875	2004
22.01.2020 14:13:35	1	1	1	1	73.75	60.75	0	28815.166	230.1075269	6641.208926	30000	0	0	30000	40.8125	2004
22.01.2020 14:13:36	1	1	1	1	73.75	60.75	0	28862.559	232.2580645	6641.208926	30000	0	0	30000	40.8125	2004
22.01.2020 14:13:37	1	1	1	1	74	60.75	0	28862.559	236.5591398	6827.113853	30000	0	0	30000	40.875	2004
22.01.2020 14:13:38	1	1	1	1	74	60.75	0	28862.559	236.5591398	6827.113853	30000	0	0	30000	40.875	2004
22.01.2020 14:13:39	1	1	1	1	74	60.75	0	28862.559	240.8602151	6951.865844	30000	0	0	30000	41.3125	2004
22.01.2020 14:13:41	1	1	1	1	74	61.25	0	28815.166	243.0107527	7002.418938	30000	0	0	30000	40.8125	2004
22.01.2020 14:13:42	1	1	1	1	74	60.75	0	28862.559	247.311828	7137.770772	30000	0	0	30000	40.3125	2004
22.01.2020 14:13:43	1	1	1	1	74	61.25	0	28862.559	249.4623656	7261.70739	30000	0	0	30000	40.9375	2004
22.01.2020 14:13:44	1	1	1	1	74	60.75	0	28862.559	251.6129032	7323.675699	30000	0	0	30000	40.8125	2004
22.01.2020 14:13:45	1	1	1	1	74	60.75	0	28862.559	258.0645161	7385.644008	30000	0	0	30000	40.625	2004
22.01.2020 14:13:46	1	1	1	1	74	60.5	0	28862.559	258.0645161	7448.42769	30000	0	0	30000	41	2004
22.01.2020 14:13:47	1	1	1	1	74.25	61	0	28862.559	258.0645161	7448.42769	30000	0	0	30000	41	2004
22.01.2020 14:13:48	1	1	1	1	74.25	61	0	28862.559	262.3655914	7510.395999	30000	0	0	30000	41.0625	2004
22.01.2020 14:13:49	1	1	1	1	74.25	61	0	28909.953	262.3655914	7572.364308	30000	0	0	30000	40.875	2004
22.01.2020 14:13:50	1	1	1	1	74.25	60.75	0	28862.559	264.516129	7696.300927	30000	0	0	30000	41.0625	2004
22.01.2020 14:13:51	1	1	1	1	74.25	61	0	28909.953	266.6666667	7721.577474	30000	0	0	30000	41	2004
22.01.2020 14:13:52	1	1	1	1	74.25	61	0	28909.953	266.6666667	7721.577474	30000	0	0	30000	41	2004
22.01.2020 14:13:53	1	1	1	1	74.25	61	0	28957.346	268.8172043	7758.269236	30000	0	0	30000	40.8125	2004
22.01.2020 14:13:54	1	1	1	1	74.25	60.75	0	28909.953	270.9677419	7820.237545	30000	0	0	30000	41	2004
22.01.2020 14:13:55	1	1	1	1	74.25	61	0	28862.559	270.9677419	7820.237545	30000	0	0	30000	41	2004
22.01.2020 14:13:56	1	1	1	1	74.25	61	0	28909.953	275.2688172	7882.205854	30000	0	0	30000	40.875	2004
22.01.2020 14:13:57	1	1	1	1	74.25	60.75	0	28909.953	275.2688172	8033.049765	30000	0	0	30000	41	2004
22.01.2020 14:13:58	1	1	1	1	74.25	61	0	28862.559	277.4193548	8006.957845	30000	0	0	30000	41	2004
22.01.2020 14:13:59	1	1	1	1	74.25	61	0	28909.953	277.4193548	8006.957845	30000	0	0	30000	40.9375	2004
22.01.2020 14:14:00	1	1	1	1	74.25	60.75	0	28957.346	279.5698925	8033.049765	30000	0	0	30000	40.9375	2004
22.01.2020 14:14:01	1	1	1	1	74.25	60.75	0	28957.346	281.7204301	8020.003805	30000	0	0	30000	41.125	2004
22.01.2020 14:14:02	1	1	1	1	74.25	61	0	28957.346	275.2688172	7944.989536	30000	0	0	30000	41.125	2004
22.01.2020 14:14:03	1	1	1	1	74.25	61	0	28862.559	275.2688172	7882.205854	30000	0	0	30000	40.1875	2004
22.01.2020 14:14:04	1	1	1	1	74.25	60	0	28862.559	275.2688172	8033.049765	30000	0	0	30000	40.8125	2004
22.01.2020 14:14:05	1	1	1	1	74.25	60.75	0	28957.346	279.5698925	8033.049765	30000	0	0	30000	40.9375	2004
22.01.2020 14:14:06	1	1	1	1	74.25	60.75	0	28909.953	277.4193548	7944.989536	30000	0	0	30000	40.875	2004
22.01.2020 14:14:07	1	1	1	1	74.25	60.75	0	28862.559	273.1182796	7882.205854	30000	0	0	30000	40.9375	2004
22.01.2020 14:14:08	1	1	1	1	74.25	60.75	0	28909.953	279.5698925	8033.049765	30000	0	0	30000	40.875	2004
22.01.2020 14:14:09	1	1	1	1	74.25	60.75	0	28957.346	281.7204301	8157.801756	30000	0	0	30000	41	2004
22.01.2020 14:14:10	1	1	1	1	74.25	61	0	28862.559	281.7204301	8157.801756	30000	0	0	30000	40.875	2004
22.01.2020 14:14:11	1	1	1	1	74.25	60.75	0	28862.559	279.5698925	8254.831082	30000	0	0	30000	40.8125	2004
22.01.2020 14:14:12	1	1	1	1	74.25	60.75	0	28862.559	279.5698925	8130.894464	30000	0	0	30000	41	2004
22.01.2020 14:14:13	1	1	1	1	74.25	61	0	28909.953	277.4193548	8033.049765	30000	0	0	30000	40.875	2004
22.01.2020 14:14:14	1	1	1	1	74.25	60.75	0	28957.346	277.4193548	8033.049765	30000	0	0	30000	41	2004
22.01.2020 14:14:15	1	1	1	1	74.25	61	0	28957.346	273.1182796	7908.297774	30000	0	0	30000	40.8125	2004
22.01.2020 14:14:16	1	1	1	1	74.25	60.75	0	28862.559	266.6666667	7721.577474	30000	0	0	30000	40.375	2004
22.01.2020 14:14:17	1	1	1	1	74.5	60.25	0	28957.346	253.7634409	7348.136874	30000	0	0	30000	41.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 14:14:18	1	1	1	1	74.5	61.25	0	28957.346	243.0107527	7036.664583	30000	0	0	30000	40.3125	2004
22.01.2020 14:14:20	1	1	1	1	74.5	60.25	0	28957.346	240.8602151	7036.664583	30000	0	0	30000	41.25	2004
22.01.2020 14:14:21	1	1	1	1	74.5	61.25	0	28957.346	240.8602151	6974.696274	30000	0	0	30000	41.25	2004
22.01.2020 14:14:22	1	1	1	1	74.5	60.5	0	28957.346	247.311828	7161.416574	30000	0	0	30000	40.875	2004
22.01.2020 14:14:23	1	1	1	1	74.5	60.75	0	28957.346	247.311828	7223.384883	30000	0	0	30000	40.6875	2004
22.01.2020 14:14:30	1	1	1	1	74.25	60.75	0	28957.346	240.8602151	6974.696274	30000	0	0	30000	40.4375	2004
22.01.2020 14:14:30	1	1	1	1	74.25	60.75	0	28957.346	240.8602151	6974.696274	30000	0	0	30000	40.4375	2004
22.01.2020 14:14:30	1	1	1	1	74.25	60.75	0	28957.346	240.8602151	6974.696274	30000	0	0	30000	40.4375	2004
22.01.2020 14:14:30	1	1	1	1	74.25	60.75	0	28957.346	240.8602151	6974.696274	30000	0	0	30000	40.4375	2004
22.01.2020 14:14:30	1	1	1	1	74.25	60.75	0	28957.346	240.8602151	6974.696274	30000	0	0	30000	40.4375	2004
22.01.2020 14:14:30	1	1	1	1	74.25	60.75	0	28957.346	240.8602151	6974.696274	30000	0	0	30000	40.4375	2004
22.01.2020 14:14:31	1	1	1	1	74.25	60.25	0	28957.346	230.1075269	6663.223983	30000	0	0	30000	40.5625	2004
22.01.2020 14:14:32	1	1	1	1	74.25	60.5	0	28957.346	223.655914	6413.720001	30000	0	0	30000	40.6875	2004
22.01.2020 14:14:33	1	1	1	1	74.25	60.5	0	28957.346	225.8064516	6600.440301	30000	0	0	30000	40.8125	2004
22.01.2020 14:14:34	1	1	1	1	74.25	60.75	0	28957.346	230.1075269	6392.520316	30000	0	0	30000	40.75	2004
22.01.2020 14:14:35	1	1	1	1	74.25	60.75	0	28957.346	230.1075269	6725.192292	30000	0	0	30000	40.6875	2004
22.01.2020 14:14:36	1	1	1	1	74.25	60.5	0	28957.346	234.4086022	6787.160601	30000	0	0	30000	40.875	2004
22.01.2020 14:14:37	1	1	1	1	74.25	60.75	0	28862.559	230.1075269	6663.223983	30000	0	0	30000	40.75	2004
22.01.2020 14:14:38	1	1	1	1	74.25	60.75	0	28957.346	227.9569892	6538.471992	30000	0	0	30000	40.625	2004
22.01.2020 14:14:39	1	1	1	1	74.25	60.5	0	28957.346	225.8064516	6413.720001	30000	0	0	30000	41	2004
22.01.2020 14:14:40	1	1	1	1	74.25	61	0	29052.133	221.5053763	6351.751692	30000	0	0	30000	40.6875	2004
22.01.2020 14:14:41	1	1	1	1	74.25	60.5	0	28957.346	221.5053763	6413.720001	30000	0	0	30000	41	2004
22.01.2020 14:14:42	1	1	1	1	74.25	61	0	29052.133	221.5053763	6434.919686	30000	0	0	30000	40.625	2004
22.01.2020 14:14:43	1	1	1	1	74.25	60.5	0	29052.133	225.8064516	6559.671677	30000	0	0	30000	40.5	2004
22.01.2020 14:14:44	1	1	1	1	74.25	60.5	0	28957.346	230.1075269	6663.223983	30000	0	0	30000	40.875	2004
22.01.2020 14:14:45	1	1	1	1	74.25	60.75	0	29052.133	234.4086022	6809.991031	30000	0	0	30000	40.9375	2004
22.01.2020 14:14:46	1	1	1	1	74.25	60.75	0	28957.346	236.5591398	6849.944283	30000	0	0	30000	40.9375	2004
22.01.2020 14:14:47	1	1	1	1	74.5	60.75	0	28957.346	240.8602151	6974.696274	30000	0	0	30000	40.75	2004
22.01.2020 14:14:48	1	1	1	1	74.5	60.75	0	29004.739	240.8602151	6974.696274	30000	0	0	30000	41	2004
22.01.2020 14:14:49	1	1	1	1	74.5	61	0	29052.133	243.0107527	7059.495013	30000	0	0	30000	41	2004
22.01.2020 14:14:50	1	1	1	1	74.5	61	0	29052.133	243.0107527	7036.664583	30000	0	0	30000	41.0625	2004
22.01.2020 14:14:51	1	1	1	1	74.5	61	0	28957.346	243.0107527	7036.664583	30000	0	0	30000	40.875	2004
22.01.2020 14:14:52	1	1	1	1	74.5	60.75	0	29052.133	243.0107527	7059.495013	30000	0	0	30000	40.75	2004
22.01.2020 14:14:53	1	1	1	1	74.5	60.75	0	29052.133	240.8602151	7059.495013	30000	0	0	30000	41.0625	2004
22.01.2020 14:14:54	1	1	1	1	74.5	61	0	29052.133	240.8602151	6974.696274	30000	0	0	30000	40.9375	2004
22.01.2020 14:14:55	1	1	1	1	74.5	60.75	0	28957.346	236.5591398	6997.526703	30000	0	0	30000	41.0625	2004
22.01.2020 14:14:56	1	1	1	1	74.5	61	0	29052.133	236.5591398	6974.696274	30000	0	0	30000	40.875	2004
22.01.2020 14:14:57	1	1	1	1	74.75	60.75	0	28957.346	240.8602151	6974.696274	30000	0	0	30000	41.1875	2004
22.01.2020 14:14:59	1	1	1	1	74.75	61	0	28957.346	236.5591398	6997.526703	30000	0	0	30000	40.875	2004
22.01.2020 14:15:00	1	1	1	1	74.75	60.75	0	29052.133	240.8602151	6934.743022	30000	0	0	30000	41	2004
22.01.2020 14:15:01	1	1	1	1	74.75	61.25	0	29052.133	236.5591398	6997.526703	30000	0	0	30000	40.9375	2004
22.01.2020 14:15:02	1	1	1	1	74.75	60.75	0	29052.133	240.8602151	6974.696274	30000	0	0	30000	40.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 14:15:03	1	1	1	1	74.75	60.75	0	28957.346	232.2580645	6849.944283	30000	0	0	30000	40.375	2004
22.01.2020 14:15:04	1	1	1	1	74.75	60.25	0	29052.133	240.8602151	6997.526703	30000	0	0	30000	40.625	2004
22.01.2020 14:15:05	1	1	1	1	74.75	60.5	0	28957.346	236.5591398	6974.696274	30000	0	0	30000	40.9375	2004
22.01.2020 14:15:06	1	1	1	1	74.75	60.75	0	29052.133	240.8602151	7008.941918	30000	0	0	30000	40.625	2004
22.01.2020 14:15:07	1	1	1	1	74.5	60.5	0	29052.133	240.8602151	6997.526703	30000	0	0	30000	40.8125	2004
22.01.2020 14:15:08	1	1	1	1	74.5	60.75	0	29052.133	240.8602151	6997.526703	30000	0	0	30000	40.75	2004
22.01.2020 14:15:09	1	1	1	1	74.5	60.75	0	29052.133	236.5591398	6997.526703	30000	0	0	30000	40.75	2004
22.01.2020 14:15:10	1	1	1	1	74.5	60.75	0	29099.526	240.8602151	6946.158237	30000	0	0	30000	40.9375	2004
22.01.2020 14:15:11	1	1	1	1	74.5	60.75	0	29052.133	240.8602151	6997.526703	30000	0	0	30000	40.8125	2004
22.01.2020 14:15:12	1	1	1	1	74.5	60.75	0	29099.526	240.8602151	6997.526703	30000	0	0	30000	40.375	2004
22.01.2020 14:15:13	1	1	1	1	74.5	60.25	0	29052.133	234.4086022	6758.622564	30000	0	0	30000	40.75	2004
22.01.2020 14:15:14	1	1	1	1	74.5	60.75	0	29052.133	227.9569892	6747.207349	30000	0	0	30000	40.9375	2004
22.01.2020 14:15:15	1	1	1	1	74.5	60.75	0	29052.133	240.8602151	6849.944283	30000	0	0	30000	40.625	2004
22.01.2020 14:15:16	1	1	1	1	74.5	60.5	0	29052.133	243.0107527	7059.495013	30000	0	0	30000	41	2004
22.01.2020 14:15:17	1	1	1	1	74.25	61	0	29099.526	253.7634409	7184.247004	30000	0	0	30000	39.9375	2004
22.01.2020 14:15:18	1	1	1	1	74.25	59.75	0	29052.133	253.7634409	7371.782676	30000	0	0	30000	40.8125	2004
22.01.2020 14:15:19	1	1	1	1	74.25	60.75	0	28957.346	258.0645161	7472.888865	30000	0	0	30000	40.875	2004
22.01.2020 14:15:20	1	1	1	1	74.25	60.75	0	29099.526	258.0645161	7509.580627	30000	0	0	30000	40.875	2004
22.01.2020 14:15:21	1	1	1	1	74.25	60.75	0	29052.133	247.311828	7184.247004	30000	0	0	30000	40.8125	2004
22.01.2020 14:15:22	1	1	1	1	74.25	60.75	0	29099.526	230.1075269	6758.622564	30000	0	0	30000	40.6875	2004
22.01.2020 14:15:23	1	1	1	1	74.25	60.5	0	29052.133	210.7526882	6122.632022	30000	0	0	30000	40.25	2004
22.01.2020 14:15:24	1	1	1	1	74.25	60.25	0	29052.133	206.4516129	5978.311092	30000	0	0	30000	40.6875	2004
22.01.2020 14:15:31	1	1	1	1	74.5	60.75	0	29052.133	225.8064516	6508.30321	30000	0	0	30000	40.75	2004
22.01.2020 14:15:31	1	1	1	1	74.5	60.75	0	29052.133	225.8064516	6508.30321	30000	0	0	30000	40.75	2004
22.01.2020 14:15:31	1	1	1	1	74.5	60.75	0	29052.133	225.8064516	6508.30321	30000	0	0	30000	40.75	2004
22.01.2020 14:15:31	1	1	1	1	74.5	60.75	0	29052.133	225.8064516	6508.30321	30000	0	0	30000	40.75	2004
22.01.2020 14:15:31	1	1	1	1	74.5	60.75	0	29052.133	225.8064516	6508.30321	30000	0	0	30000	40.75	2004
22.01.2020 14:15:31	1	1	1	1	74.5	60.75	0	29052.133	225.8064516	6508.30321	30000	0	0	30000	40.75	2004
22.01.2020 14:15:31	1	1	1	1	74.5	60.75	0	29052.133	225.8064516	6508.30321	30000	0	0	30000	40.75	2004
22.01.2020 14:15:31	1	1	1	1	74.5	60.75	0	29052.133	225.8064516	6508.30321	30000	0	0	30000	40.75	2004
22.01.2020 14:15:32	1	1	1	1	74.5	60.75	0	29052.133	225.8064516	6570.271519	30000	0	0	30000	40.25	2004
22.01.2020 14:15:33	1	1	1	1	74.5	60.25	0	29052.133	232.2580645	6758.622564	30000	0	0	30000	40.8125	2004
22.01.2020 14:15:34	1	1	1	1	74.5	60.75	0	29099.526	236.5591398	6883.374555	30000	0	0	30000	40.875	2004
22.01.2020 14:15:35	1	1	1	1	74.5	60.75	0	29099.526	240.8602151	6997.526703	30000	0	0	30000	41.375	2004
22.01.2020 14:15:37	1	1	1	1	74.5	61.25	0	29099.526	240.8602151	6997.526703	30000	0	0	30000	40.875	2004
22.01.2020 14:15:38	1	1	1	1	74	60.75	0	29146.919	243.0107527	7082.325442	30000	0	0	30000	41.0625	2004
22.01.2020 14:15:39	1	1	1	1	74	60.75	0	29099.526	243.0107527	7070.910227	30000	0	0	30000	40.8125	2004
22.01.2020 14:15:40	1	1	1	1	74	60.75	0	29099.526	245.1612903	7082.325442	30000	0	0	30000	40.9375	2004
22.01.2020 14:15:41	1	1	1	1	74	60.75	0	29052.133	245.1612903	7184.247004	30000	0	0	30000	40.75	2004
22.01.2020 14:15:42	1	1	1	1	74	60.75	0	29099.526	247.311828	7133.693909	30000	0	0	30000	40.875	2004
22.01.2020 14:15:43	1	1	1	1	74	60.75	0	29099.526	243.0107527	7070.910227	30000	0	0	30000	40.875	2004
22.01.2020 14:15:44	1	1	1	1	74	60.75	0	29099.526	247.311828	7196.477591	30000	0	0	30000	40.8125	2004
22.01.2020 14:15:45	1	1	1	1	74	60.75	0	29099.526	245.1612903	7122.278694	30000	0	0	30000	40.8125	2004
22.01.2020 14:15:46	1	1	1	1	74	60.75	0	29099.526	247.311828	7196.477591	30000	0	0	30000	40.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 14:15:47	1	1	1	1	73	60.75	0	29099.526	245.1612903	7196.477591	30000	0	0	30000	40.4375	2004
22.01.2020 14:15:48	1	1	1	1	73	60.25	0	29146.919	249.4623656	7270.676487	30000	0	0	30000	40.8125	2004
22.01.2020 14:15:49	1	1	1	1	73	60.75	0	29099.526	251.6129032	7309.814367	30000	0	0	30000	40.8125	2004
22.01.2020 14:15:50	1	1	1	1	73	60.75	0	29099.526	247.311828	7207.892806	30000	0	0	30000	40.875	2004
22.01.2020 14:15:51	1	1	1	1	73	60.75	0	29099.526	247.311828	7196.477591	30000	0	0	30000	40.875	2004
22.01.2020 14:15:52	1	1	1	1	73	60.75	0	29052.133	240.8602151	7133.693909	30000	0	0	30000	40.8125	2004
22.01.2020 14:15:53	1	1	1	1	73	60.75	0	29052.133	240.8602151	7059.495013	30000	0	0	30000	40.6875	2004
22.01.2020 14:15:54	1	1	1	1	73	60.5	0	29146.919	243.0107527	7070.910227	30000	0	0	30000	40.75	2004
22.01.2020 14:15:55	1	1	1	1	73	60.75	0	29099.526	243.0107527	7070.910227	30000	0	0	30000	40.75	2004
22.01.2020 14:15:56	1	1	1	1	73	60.75	0	29052.133	240.8602151	7133.693909	30000	0	0	30000	40.5625	2004
22.01.2020 14:15:57	1	1	1	1	72.75	60.5	0	29146.919	243.0107527	7082.325442	30000	0	0	30000	40.625	2004
22.01.2020 14:15:58	1	1	1	1	72.75	60.5	0	29146.919	243.0107527	7082.325442	30000	0	0	30000	40.75	2004
22.01.2020 14:15:59	1	1	1	1	72.75	60.75	0	29146.919	243.0107527	7082.325442	30000	0	0	30000	40.5625	2004
22.01.2020 14:16:00	1	1	1	1	72.75	60.5	0	29146.919	243.0107527	7082.325442	30000	0	0	30000	40.625	2004
22.01.2020 14:16:01	1	1	1	1	72.75	60.5	0	29146.919	243.0107527	7082.325442	30000	0	0	30000	40.875	2004
22.01.2020 14:16:02	1	1	1	1	72.75	60.75	0	29146.919	245.1612903	7145.109124	30000	0	0	30000	40.875	2004
22.01.2020 14:16:03	1	1	1	1	72.75	60.75	0	29146.919	247.311828	7207.892806	30000	0	0	30000	40.5625	2004
22.01.2020 14:16:04	1	1	1	1	72.75	60.5	0	29099.526	247.311828	7207.892806	30000	0	0	30000	40.6875	2004
22.01.2020 14:16:05	1	1	1	1	72.75	60.5	0	29146.919	249.4623656	7070.910227	30000	0	0	30000	40.75	2004
22.01.2020 14:16:06	1	1	1	1	72.75	60.75	0	29146.919	251.6129032	7333.460169	30000	0	0	30000	40.6875	2004
22.01.2020 14:16:07	1	1	1	1	72.5	60.5	0	29146.919	251.6129032	7333.460169	30000	0	0	30000	40.8125	2004
22.01.2020 14:16:08	1	1	1	1	72.5	60.75	0	29146.919	258.0645161	7521.811214	30000	0	0	30000	40.625	2004
22.01.2020 14:16:09	1	1	1	1	72.5	60.5	0	29146.919	266.6666667	7709.346887	30000	0	0	30000	40.8125	2004
22.01.2020 14:16:10	1	1	1	1	72.5	60.75	0	29146.919	268.8172043	7834.91425	30000	0	0	30000	40.625	2004
22.01.2020 14:16:11	1	1	1	1	72.5	60.5	0	29146.919	270.9677419	7897.697932	30000	0	0	30000	40.625	2004
22.01.2020 14:16:12	1	1	1	1	72.5	60.5	0	29146.919	266.6666667	7634.332618	30000	0	0	30000	40.6875	2004
22.01.2020 14:16:13	1	1	1	1	72.5	60.5	0	29146.919	255.9139785	7521.811214	30000	0	0	30000	41.1875	2004
22.01.2020 14:16:15	1	1	1	1	72.5	61	0	29146.919	251.6129032	7333.460169	30000	0	0	30000	40.6875	2004
22.01.2020 14:16:16	1	1	1	1	72.5	60.5	0	29146.919	251.6129032	7333.460169	30000	0	0	30000	40.875	2004
22.01.2020 14:16:17	1	1	1	1	72.5	60.75	0	29099.526	251.6129032	7333.460169	30000	0	0	30000	40.875	2004
22.01.2020 14:16:18	1	1	1	1	72.5	60.75	0	29146.919	253.7634409	7396.243851	30000	0	0	30000	40.625	2004
22.01.2020 14:16:19	1	1	1	1	72.5	60.5	0	29099.526	249.4623656	7333.460169	30000	0	0	30000	40.5625	2004
22.01.2020 14:16:20	1	1	1	1	72.5	60.5	0	29146.919	249.4623656	7207.892806	30000	0	0	30000	40.5	2004
22.01.2020 14:16:21	1	1	1	1	72.5	60.5	0	29146.919	245.1612903	7207.892806	30000	0	0	30000	40.8125	2004
22.01.2020 14:16:22	1	1	1	1	72.5	60.75	0	29146.919	245.1612903	7145.109124	30000	0	0	30000	40.9375	2004
22.01.2020 14:16:23	1	1	1	1	72.5	60.75	0	29241.706	245.1612903	7082.325442	30000	0	0	30000	40.1875	2004
22.01.2020 14:16:24	1	1	1	1	72.5	60	0	29146.919	243.0107527	7270.676487	30000	0	0	30000	40.875	2004
22.01.2020 14:16:25	1	1	1	1	72.5	60.75	0	29241.706	249.4623656	7231.538608	30000	0	0	30000	40.875	2004
22.01.2020 14:16:26	1	1	1	1	72.5	60.75	0	29241.706	247.311828	7294.32229	30000	0	0	30000	40.6875	2004
22.01.2020 14:16:33	1	1	1	1	72.25	60.25	0	29146.919	273.1182796	7985.758161	30000	0	0	30000	40.875	2004
22.01.2020 14:16:33	1	1	1	1	72.25	60.25	0	29146.919	273.1182796	7985.758161	30000	0	0	30000	40.875	2004
22.01.2020 14:16:33	1	1	1	1	72.25	60.25	0	29146.919	273.1182796	7985.758161	30000	0	0	30000	40.875	2004
22.01.2020 14:16:33	1	1	1	1	72.25	60.25	0	29146.919	273.1182796	7985.758161	30000	0	0	30000	40.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 14:16:33	1	1	1	1	72.25	60.25	0	29146.919	273.1182796	7985.758161	30000	0	0	30000	40.875	2004
22.01.2020 14:16:33	1	1	1	1	72.25	60.25	0	29146.919	273.1182796	7985.758161	30000	0	0	30000	40.875	2004
22.01.2020 14:16:33	1	1	1	1	72.25	60.25	0	29146.919	273.1182796	7985.758161	30000	0	0	30000	40.875	2004
22.01.2020 14:16:34	1	1	1	1	72.25	60.75	0	29241.706	275.2688172	8023.265295	30000	0	0	30000	40.1875	2004
22.01.2020 14:16:35	1	1	1	1	72.25	60	0	29241.706	275.2688172	8049.357215	30000	0	0	30000	40.875	2004
22.01.2020 14:16:36	1	1	1	1	72.25	60.75	0	29241.706	279.5698925	8148.017286	30000	0	0	30000	40.75	2004
22.01.2020 14:16:37	1	1	1	1	72.25	60.75	0	29146.919	281.7204301	8174.924578	30000	0	0	30000	40.875	2004
22.01.2020 14:16:38	1	1	1	1	72.25	60.75	0	29146.919	283.8709677	8273.584649	30000	0	0	30000	40.75	2004
22.01.2020 14:16:39	1	1	1	1	72.25	60.75	0	29241.706	281.7204301	8210.800968	30000	0	0	30000	40.5625	2004
22.01.2020 14:16:40	1	1	1	1	72.25	60.5	0	29146.919	281.7204301	8210.800968	30000	0	0	30000	40.75	2004
22.01.2020 14:16:41	1	1	1	1	72.25	60.75	0	29241.706	288.172043	8363.275623	30000	0	0	30000	40.75	2004
22.01.2020 14:16:42	1	1	1	1	72.25	60.75	0	29146.919	283.8709677	8363.275623	30000	0	0	30000	40.4375	2004
22.01.2020 14:16:43	1	1	1	1	72.25	60.25	0	29146.919	288.172043	8336.368331	30000	0	0	30000	40.875	2004
22.01.2020 14:16:44	1	1	1	1	72.25	60.75	0	29146.919	286.0215054	8426.059305	30000	0	0	30000	40.6875	2004
22.01.2020 14:16:45	1	1	1	1	72.25	60.5	0	29146.919	290.3225806	8461.935694	30000	0	0	30000	40.625	2004
22.01.2020 14:16:46	1	1	1	1	72.25	60.5	0	29146.919	290.3225806	8488.842986	30000	0	0	30000	40.8125	2004
22.01.2020 14:16:47	1	1	1	1	72.25	60.75	0	29241.706	296.7741935	8552.442041	30000	0	0	30000	40.75	2004
22.01.2020 14:16:48	1	1	1	1	72.25	60.75	0	29241.706	292.4731183	8566.303373	30000	0	0	30000	40.6875	2004
22.01.2020 14:16:49	1	1	1	1	72.25	60.5	0	29241.706	294.6236559	8586.687685	30000	0	0	30000	40.1875	2004
22.01.2020 14:16:50	1	1	1	1	72.25	60	0	29241.706	292.4731183	8586.687685	30000	0	0	30000	40.0625	2004
22.01.2020 14:16:52	1	1	1	1	72.25	60	0	29289.1	290.3225806	8488.842986	30000	0	0	30000	41.0625	2004
22.01.2020 14:16:53	1	1	1	1	72.25	61	0	29241.706	294.6236559	8488.842986	30000	0	0	30000	40.9375	2004
22.01.2020 14:16:54	1	1	1	1	72.25	60.75	0	29241.706	294.6236559	8629.087055	30000	0	0	30000	40.3125	2004
22.01.2020 14:16:55	1	1	1	1	72.25	61.25	0	29241.706	292.4731183	8488.842986	30000	0	0	30000	40.75	2004
22.01.2020 14:16:56	1	1	1	1	72.25	60.75	0	29241.706	290.3225806	8488.842986	30000	0	0	30000	40.4375	2004
22.01.2020 14:16:57	1	1	1	1	72.25	60.25	0	29241.706	290.3225806	8488.842986	30000	0	0	30000	40.1875	2004
22.01.2020 14:16:58	1	1	1	1	72.25	60	0	29146.919	290.3225806	8399.152013	30000	0	0	30000	40.5	2004
22.01.2020 14:16:59	1	1	1	1	72.25	60.5	0	29289.1	290.3225806	8461.935694	30000	0	0	30000	40.5	2004
22.01.2020 14:17:00	1	1	1	1	72.25	60.5	0	29241.706	288.172043	8488.842986	30000	0	0	30000	40.875	2004
22.01.2020 14:17:01	1	1	1	1	72.25	60.75	0	29241.706	286.0215054	8363.275623	30000	0	0	30000	40.4375	2004
22.01.2020 14:17:02	1	1	1	1	72.25	60.25	0	29241.706	286.0215054	8363.275623	30000	0	0	30000	40.75	2004
22.01.2020 14:17:03	1	1	1	1	72.25	60.75	0	29241.706	283.8709677	8363.275623	30000	0	0	30000	40.75	2004
22.01.2020 14:17:04	1	1	1	1	72.25	60.75	0	29289.1	281.7204301	8237.70826	30000	0	0	30000	40.4375	2004
22.01.2020 14:17:05	1	1	1	1	72.25	60.25	0	29241.706	281.7204301	8085.233604	30000	0	0	30000	41	2004
22.01.2020 14:17:06	1	1	1	1	72.25	61	0	29289.1	281.7204301	8237.70826	30000	0	0	30000	40.625	2004
22.01.2020 14:17:07	1	1	1	1	72.75	60.5	0	29241.706	286.0215054	8363.275623	30000	0	0	30000	40.8125	2004
22.01.2020 14:17:08	1	1	1	1	72.75	60.75	0	29241.706	286.0215054	8377.136955	30000	0	0	30000	40.6875	2004
22.01.2020 14:17:09	1	1	1	1	72.75	60.5	0	29289.1	288.172043	8453.781969	30000	0	0	30000	40.625	2004
22.01.2020 14:17:10	1	1	1	1	72.75	60.5	0	29146.919	281.7204301	8426.059305	30000	0	0	30000	40.75	2004
22.01.2020 14:17:11	1	1	1	1	72.75	60.75	0	29146.919	290.3225806	8488.842986	30000	0	0	30000	40.6875	2004
22.01.2020 14:17:12	1	1	1	1	72.75	60.5	0	29146.919	281.7204301	8363.275623	30000	0	0	30000	40.625	2004
22.01.2020 14:17:13	1	1	1	1	72.75	60.5	0	29241.706	283.8709677	8300.491941	30000	0	0	30000	40.875	2004
22.01.2020 14:17:14	1	1	1	1	72.75	60.75	0	29289.1	275.2688172	8125.186856	30000	0	0	30000	40.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 14:17:15	1	1	1	1	72.75	60.5	0	29336.493	266.6666667	7822.683663	30000	0	0	30000	40.8125	2004
22.01.2020 14:17:16	1	1	1	1	72.75	60.75	0	29289.1	253.7634409	7507.134509	30000	0	0	30000	40.4375	2004
22.01.2020 14:17:17	1	1	1	1	73	60.25	0	29241.706	245.1612903	7105.971245	30000	0	0	30000	40.25	2004
22.01.2020 14:17:18	1	1	1	1	73	60.25	0	29241.706	247.311828	7231.538608	30000	0	0	30000	40.75	2004
22.01.2020 14:17:19	1	1	1	1	73	60.75	0	29289.1	247.311828	7242.953823	30000	0	0	30000	40.8125	2004
22.01.2020 14:17:20	1	1	1	1	73	60.75	0	29289.1	251.6129032	7369.336559	30000	0	0	30000	40.75	2004
22.01.2020 14:17:21	1	1	1	1	73	60.75	0	29289.1	258.0645161	7570.733563	30000	0	0	30000	40.75	2004
22.01.2020 14:17:22	1	1	1	1	73	60.75	0	29241.706	260.2150538	7609.05607	30000	0	0	30000	40.8125	2004
22.01.2020 14:17:23	1	1	1	1	73	60.75	0	29289.1	253.7634409	7444.350828	30000	0	0	30000	40.6875	2004
22.01.2020 14:17:24	1	1	1	1	73	60.5	0	29241.706	251.6129032	7380.751773	30000	0	0	30000	40.625	2004
22.01.2020 14:17:25	1	1	1	1	73	60.5	0	29146.919	243.0107527	7168.754926	30000	0	0	30000	40.6875	2004
22.01.2020 14:17:26	1	1	1	1	73	60.5	0	29383.886	245.1612903	7128.801674	30000	0	0	30000	40.5625	2004
22.01.2020 14:17:27	1	1	1	1	73.5	60.5	0	29241.706	245.1612903	7255.18441	30000	0	0	30000	40.6875	2004
22.01.2020 14:17:35	1	1	1	1	73.5	60.75	0	29241.706	270.9677419	7922.974479	30000	0	0	30000	40.5625	2004
22.01.2020 14:17:35	1	1	1	1	73.5	60.75	0	29241.706	270.9677419	7922.974479	30000	0	0	30000	40.5625	2004
22.01.2020 14:17:35	1	1	1	1	73.5	60.75	0	29241.706	270.9677419	7922.974479	30000	0	0	30000	40.5625	2004
22.01.2020 14:17:35	1	1	1	1	73.5	60.75	0	29241.706	270.9677419	7922.974479	30000	0	0	30000	40.5625	2004
22.01.2020 14:17:35	1	1	1	1	73.5	60.75	0	29241.706	270.9677419	7922.974479	30000	0	0	30000	40.5625	2004
22.01.2020 14:17:35	1	1	1	1	73.5	60.75	0	29241.706	270.9677419	7922.974479	30000	0	0	30000	40.5625	2004
22.01.2020 14:17:35	1	1	1	1	73.5	60.75	0	29241.706	270.9677419	7922.974479	30000	0	0	30000	40.5625	2004
22.01.2020 14:17:35	1	1	1	1	73.5	60.75	0	29241.706	270.9677419	7922.974479	30000	0	0	30000	40.5625	2004
22.01.2020 14:17:36	1	1	1	1	73.5	60.5	0	29289.1	268.8172043	7922.974479	30000	0	0	30000	40.6875	2004
22.01.2020 14:17:37	1	1	1	1	74	60.5	0	29146.919	270.9677419	7922.974479	30000	0	0	30000	40.75	2004
22.01.2020 14:17:38	1	1	1	1	74	60.75	0	29241.706	273.1182796	7985.758161	30000	0	0	30000	40.625	2004
22.01.2020 14:17:39	1	1	1	1	74	60.5	0	29241.706	277.4193548	8125.186856	30000	0	0	30000	40.75	2004
22.01.2020 14:17:40	1	1	1	1	74	60.75	0	29336.493	279.5698925	8201.016498	30000	0	0	30000	40.625	2004
22.01.2020 14:17:41	1	1	1	1	74	60.5	0	29336.493	279.5698925	8201.016498	30000	0	0	30000	40.6875	2004
22.01.2020 14:17:42	1	1	1	1	74	60.5	0	29336.493	281.7204301	8264.615552	30000	0	0	30000	40.5	2004
22.01.2020 14:17:43	1	1	1	1	74	60.5	0	29336.493	281.7204301	8264.615552	30000	0	0	30000	40.6875	2004
22.01.2020 14:17:44	1	1	1	1	74	60.5	0	29383.886	305.3763441	8958.49754	30000	0	0	30000	40.3125	2004
22.01.2020 14:17:45	1	1	1	1	74	60.25	0	29336.493	305.3763441	8958.49754	30000	0	0	30000	40.25	2004
22.01.2020 14:17:46	1	1	1	1	74	60.25	0	29336.493	307.5268817	9021.281222	30000	0	0	30000	40.6875	2004
22.01.2020 14:17:47	1	1	1	1	74	60.5	0	29289.1	307.5268817	9021.281222	30000	0	0	30000	40.625	2004
22.01.2020 14:17:48	1	1	1	1	74	60.5	0	29336.493	318.2795699	9147.663958	30000	0	0	30000	40.75	2004
22.01.2020 14:17:49	1	1	1	1	74	60.75	0	29336.493	316.1290323	9336.830375	30000	0	0	30000	40.5	2004
22.01.2020 14:17:50	1	1	1	1	74	60.5	0	29336.493	316.1290323	9274.046694	30000	0	0	30000	40.5	2004
22.01.2020 14:17:51	1	1	1	1	74	60.5	0	29289.1	316.1290323	9336.830375	30000	0	0	30000	40.6875	2004
22.01.2020 14:17:52	1	1	1	1	74	60.5	0	29336.493	320.4301075	9399.614057	30000	0	0	30000	40.5625	2004
22.01.2020 14:17:53	1	1	1	1	74	60.5	0	29336.493	320.4301075	9399.614057	30000	0	0	30000	40.75	2004
22.01.2020 14:17:54	1	1	1	1	74	60.75	0	29289.1	322.5806452	9463.213111	30000	0	0	30000	40.625	2004
22.01.2020 14:17:55	1	1	1	1	74	60.5	0	29336.493	318.2795699	9336.830375	30000	0	0	30000	40.4375	2004
22.01.2020 14:17:56	1	1	1	1	74	60.25	0	29383.886	318.2795699	9336.830375	30000	0	0	30000	40.875	2004
22.01.2020 14:17:57	1	1	1	1	74	60.75	0	29336.493	316.1290323	9336.830375	30000	0	0	30000	40.5625	2004
22.01.2020 14:17:58	1	1	1	1	74	60.5	0	29289.1	313.9784946	9274.046694	30000	0	0	30000	40.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 14:17:59	1	1	1	1	74	60.25	0	29336.493	313.9784946	9210.447639	30000	0	0	30000	40.625	2004
22.01.2020 14:18:00	1	1	1	1	74	60.5	0	29336.493	311.827957	9147.663958	30000	0	0	30000	40.5	2004
22.01.2020 14:18:01	1	1	1	1	74	60.5	0	29336.493	309.6774194	9084.880276	30000	0	0	30000	40.25	2004
22.01.2020 14:18:02	1	1	1	1	74	60.25	0	29336.493	307.5268817	8894.898486	30000	0	0	30000	40.625	2004
22.01.2020 14:18:03	1	1	1	1	74	60.5	0	29336.493	307.5268817	9021.281222	30000	0	0	30000	40.5	2004
22.01.2020 14:18:04	1	1	1	1	74	60.5	0	29336.493	311.827957	9147.663958	30000	0	0	30000	39.75	2004
22.01.2020 14:18:05	1	1	1	1	74	59.75	0	29383.886	309.6774194	9162.340663	30000	0	0	30000	40.625	2004
22.01.2020 14:18:06	1	1	1	1	74	60.5	0	29431.28	311.827957	9147.663958	30000	0	0	30000	40.75	2004
22.01.2020 14:18:07	1	1	1	1	74.25	60.75	0	29383.886	331.1827957	9794.254342	30000	0	0	30000	40.625	2004
22.01.2020 14:18:09	1	1	1	1	74.25	60.5	0	29431.28	316.1290323	9303.400103	30000	0	0	30000	40.5625	2004
22.01.2020 14:18:10	1	1	1	1	74.25	60.5	0	29383.886	320.4301075	9430.598212	30000	0	0	30000	40.875	2004
22.01.2020 14:18:11	1	1	1	1	74.25	60.75	0	29431.28	335.483871	9873.345473	30000	0	0	30000	40.8125	2004
22.01.2020 14:18:12	1	1	1	1	74.25	60.75	0	0	0	0	30000	0	8	30000	40.8125	2004
22.01.2020 14:18:13	1	1	1	1	74.25	61	0	10379.147	0	0	30000	0	0	30000	40.6875	2004
22.01.2020 14:18:14	1	1	1	1	74.25	60.5	0	11184.834	0	0	30000	0	0	30000	40.6875	2004
22.01.2020 14:18:15	1	1	1	1	74.25	60.5	0	11943.128	0	0	30000	0	0	30000	40.75	2004
22.01.2020 14:18:16	1	1	1	1	74.25	60.75	0	12654.028	0	26.90729215	30000	0	0	30000	40.625	2004
22.01.2020 14:18:17	1	1	1	1	74.75	60.5	0	13459.716	4.301075269	57.89144674	30000	0	0	30000	40.625	2004
22.01.2020 14:18:18	1	1	1	1	74.75	60.5	0	14265.403	6.451612903	122.3058734	30000	0	0	30000	40.625	2004
22.01.2020 14:18:19	1	1	1	1	74.75	60.5	0	14976.303	10.75268817	128.8288533	30000	0	0	30000	40.75	2004
22.01.2020 14:18:20	1	1	1	1	74.75	60.75	0	15829.384	10.75268817	169.5974778	30000	0	0	30000	40.6875	2004
22.01.2020 14:18:21	1	1	1	1	74.75	60.5	0	16492.891	12.90322581	215.2583372	30000	0	0	30000	40.5625	2004
22.01.2020 14:18:22	1	1	1	1	74.75	60.5	0	17345.972	19.35483871	298.4263311	30000	0	0	30000	40.6875	2004
22.01.2020 14:18:23	1	1	1	1	74.75	60.5	0	18056.872	23.65591398	388.1173049	30000	0	0	30000	40.75	2004
22.01.2020 14:18:24	1	1	1	1	74.75	60.75	0	18862.559	27.95698925	569.1299976	30000	0	0	30000	40.625	2004
22.01.2020 14:18:25	1	1	1	1	74.75	60.5	0	19668.246	40.86021505	803.141902	30000	0	0	30000	40.0625	2004
22.01.2020 14:18:26	1	1	1	1	74.75	60	0	20379.147	47.31182796	1007.800397	30000	0	0	30000	40.75	2004
22.01.2020 14:18:27	1	1	1	1	74.5	60.75	0	21137.441	55.91397849	1135.813878	30000	0	0	30000	40.6875	2004
22.01.2020 14:18:28	1	1	1	1	74.5	60.5	0	21943.128	64.51612903	1462.778246	30000	0	0	30000	40.625	2004
22.01.2020 14:18:29	1	1	1	1	74.5	60.5	0	22559.242	70.96774194	1663.359878	30000	0	0	30000	40.6875	2004
22.01.2020 14:18:37	1	1	1	1	74.5	60.5	0	24691.943	120.4301075	2973.663469	30000	0	0	30000	40.75	2004
22.01.2020 14:18:37	1	1	1	1	74.5	60.5	0	24691.943	120.4301075	2973.663469	30000	0	0	30000	40.75	2004
22.01.2020 14:18:37	1	1	1	1	74.5	60.5	0	24691.943	120.4301075	2973.663469	30000	0	0	30000	40.75	2004
22.01.2020 14:18:37	1	1	1	1	74.5	60.5	0	24691.943	120.4301075	2973.663469	30000	0	0	30000	40.75	2004
22.01.2020 14:18:37	1	1	1	1	74.5	60.5	0	24691.943	120.4301075	2973.663469	30000	0	0	30000	40.75	2004
22.01.2020 14:18:37	1	1	1	1	74.5	60.5	0	24691.943	120.4301075	2973.663469	30000	0	0	30000	40.75	2004
22.01.2020 14:18:37	1	1	1	1	74.5	60.5	0	24691.943	120.4301075	2973.663469	30000	0	0	30000	40.75	2004
22.01.2020 14:18:37	1	1	1	1	74.5	60.75	0	24691.943	120.4301075	2973.663469	30000	0	0	30000	40.8125	2004
22.01.2020 14:18:38	1	1	1	1	74.5	60.75	0	24691.943	120.4301075	3026.66268	30000	0	0	30000	40.5625	2004
22.01.2020 14:18:39	1	1	1	1	74.5	60.5	0	24691.943	122.5806452	3026.66268	30000	0	0	30000	40.6875	2004
22.01.2020 14:18:40	1	1	1	1	74.5	60.5	0	24691.943	122.5806452	2973.663469	30000	0	0	30000	40.625	2004
22.01.2020 14:18:41	1	1	1	1	74.5	60.5	0	24691.943	120.4301075	3026.66268	30000	0	0	30000	40.625	2004
22.01.2020 14:18:42	1	1	1	1	74.5	60.5	0	24691.943	120.4301075	2973.663469	30000	0	0	30000	40.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 14:18:43	1	1	1	1	74.5	60.5	0	24691.943	120.4301075	2973.663469	30000	0	0	30000	40.625	2004
22.01.2020 14:18:44	1	1	1	1	74.5	60.5	0	24691.943	120.4301075	2973.663469	30000	0	0	30000	40.6875	2004
22.01.2020 14:18:45	1	1	1	1	74.5	60.5	0	24597.156	116.1290323	2973.663469	30000	0	0	30000	40.8125	2004
22.01.2020 14:18:46	1	1	1	1	74.5	60.75	0	24691.943	120.4301075	2973.663469	30000	0	0	30000	40.75	2004
22.01.2020 14:18:48	1	1	1	1	74.5	60.75	0	24691.943	120.4301075	2973.663469	30000	0	0	30000	40.125	2004
22.01.2020 14:18:49	1	1	1	1	74.5	60	0	24739.336	122.5806452	3026.66268	30000	0	0	30000	41.125	2004
22.01.2020 14:18:50	1	1	1	1	74.5	61	0	24691.943	120.4301075	2973.663469	30000	0	0	30000	40.75	2004
22.01.2020 14:18:51	1	1	1	1	74.5	60.75	0	24691.943	122.5806452	2973.663469	30000	0	0	30000	40.5	2004
22.01.2020 14:18:52	1	1	1	1	74.5	60.5	0	24597.156	120.4301075	2973.663469	30000	0	0	30000	41.125	2004
22.01.2020 14:18:53	1	1	1	1	74.5	60.75	0	25402.844	137.6344086	3496.317234	30000	0	0	30000	40.8125	2004
22.01.2020 14:18:54	1	1	1	1	74.5	60.75	0	26208.531	150.5376344	3944.772103	30000	0	0	30000	40.75	2004
22.01.2020 14:18:55	1	1	1	1	74.5	60.75	0	26872.038	163.4408602	4457.641399	30000	0	0	30000	40.75	2004
22.01.2020 14:18:56	1	1	1	1	74.5	60.75	0	27345.972	169.8924731	4645.177072	30000	0	0	30000	40.625	2004
22.01.2020 14:18:57	1	1	1	1	74.5	60.5	0	27582.938	191.3978495	5278.721496	30000	0	0	30000	40.6875	2004
22.01.2020 14:18:58	1	1	1	1	74.5	60.5	0	27819.905	206.4516129	5743.483815	30000	0	0	30000	40.625	2004
22.01.2020 14:18:59	1	1	1	1	74.5	60.5	0	27867.299	206.4516129	5763.052755	30000	0	0	30000	40.5	2004
22.01.2020 14:19:00	1	1	1	1	74.5	60.5	0	28199.052	206.4516129	5882.097138	30000	0	0	30000	40.5625	2004
22.01.2020 14:19:01	1	1	1	1	74.5	60.5	0	28293.839	210.7526882	5882.097138	30000	0	0	30000	40.4375	2004
22.01.2020 14:19:02	1	1	1	1	74.5	60.25	0	28341.232	212.9032258	6033.756421	30000	0	0	30000	40.5625	2004
22.01.2020 14:19:03	1	1	1	1	74.5	60.5	0	28341.232	210.7526882	5972.603484	30000	0	0	30000	40.6875	2004
22.01.2020 14:19:04	1	1	1	1	74.5	60.5	0	28341.232	212.9032258	6023.156579	30000	0	0	30000	40.75	2004
22.01.2020 14:19:05	1	1	1	1	74.5	60.75	0	28388.626	212.9032258	5921.235018	30000	0	0	30000	40.6875	2004
22.01.2020 14:19:06	1	1	1	1	74.5	60.5	0	28388.626	210.7526882	6043.540891	30000	0	0	30000	40.625	2004
22.01.2020 14:19:07	1	1	1	1	74.25	60.5	0	28388.626	212.9032258	6043.540891	30000	0	0	30000	40.4375	2004
22.01.2020 14:19:08	1	1	1	1	74.25	60.25	0	28341.232	227.9569892	6470.796075	30000	0	0	30000	40.4375	2004
22.01.2020 14:19:09	1	1	1	1	74.25	60.25	0	28388.626	230.1075269	6531.949012	30000	0	0	30000	40.4375	2004
22.01.2020 14:19:10	1	1	1	1	74.25	60.25	0	28436.019	217.2043011	6165.846764	30000	0	0	30000	40.5625	2004
22.01.2020 14:19:11	1	1	1	1	74.25	60.5	0	28388.626	212.9032258	6043.540891	30000	0	0	30000	40.6875	2004
22.01.2020 14:19:12	1	1	1	1	74.25	60.5	0	28388.626	232.2580645	6593.101949	30000	0	0	30000	40.625	2004
22.01.2020 14:19:13	1	1	1	1	74.25	60.5	0	28388.626	230.1075269	6531.949012	30000	0	0	30000	40.6875	2004
22.01.2020 14:19:14	1	1	1	1	74.25	60.5	0	28341.232	232.2580645	6654.254885	30000	0	0	30000	40.625	2004
22.01.2020 14:19:15	1	1	1	1	74.25	60.5	0	28436.019	240.8602151	6715.407822	30000	0	0	30000	40.75	2004
22.01.2020 14:19:16	1	1	1	1	74.25	60.75	0	28388.626	264.516129	7508.765254	30000	0	0	30000	40.75	2004
22.01.2020 14:19:17	1	1	1	1	74.25	60.75	0	28436.019	262.3655914	7399.505341	30000	0	0	30000	40.5625	2004
22.01.2020 14:19:18	1	1	1	1	74.25	60.5	0	28388.626	258.0645161	7338.352404	30000	0	0	30000	40.625	2004
22.01.2020 14:19:19	1	1	1	1	74.25	60.5	0	28436.019	240.8602151	6860.544125	30000	0	0	30000	40.625	2004
22.01.2020 14:19:20	1	1	1	1	74.25	60.5	0	28436.019	236.5591398	6726.823037	30000	0	0	30000	40.8125	2004
22.01.2020 14:19:21	1	1	1	1	74.25	60.75	0	28436.019	230.1075269	6604.517164	30000	0	0	30000	40.6875	2004
22.01.2020 14:19:22	1	1	1	1	74.25	60.5	0	28436.019	230.1075269	6543.364227	30000	0	0	30000	40.25	2004
22.01.2020 14:19:23	1	1	1	1	74.25	60.25	0	28436.019	225.8064516	6482.21129	30000	0	0	30000	40.5625	2004
22.01.2020 14:19:24	1	1	1	1	74.25	60.5	0	28436.019	232.2580645	6604.517164	30000	0	0	30000	40.5	2004
22.01.2020 14:19:25	1	1	1	1	74.25	60.5	0	28436.019	230.1075269	6421.058353	30000	0	0	30000	40.625	2004
22.01.2020 14:19:27	1	1	1	1	74.25	60.5	0	28436.019	227.9569892	6543.364227	30000	0	0	30000	40.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 14:19:28	1	1	1	1	74.25	60	0	28436.019	223.655914	6421.058353	30000	0	0	30000	40.625	2004
22.01.2020 14:19:29	1	1	1	1	74.25	60.5	0	28436.019	221.5053763	6298.75248	30000	0	0	30000	40.9375	2004
22.01.2020 14:19:30	1	1	1	1	74.25	60.75	0	28436.019	221.5053763	6298.75248	30000	0	0	30000	40.75	2004
22.01.2020 14:19:31	1	1	1	1	74.25	60.75	0	28483.412	230.1075269	6421.058353	30000	0	0	30000	40.375	2004
22.01.2020 14:19:38	1	1	1	1	74	60.5	0	28483.412	253.7634409	7227.461745	30000	0	0	30000	40.5	2004
22.01.2020 14:19:38	1	1	1	1	74	60.5	0	28483.412	253.7634409	7227.461745	30000	0	0	30000	40.5	2004
22.01.2020 14:19:38	1	1	1	1	74	60.5	0	28483.412	253.7634409	7227.461745	30000	0	0	30000	40.5	2004
22.01.2020 14:19:38	1	1	1	1	74	60.5	0	28483.412	253.7634409	7227.461745	30000	0	0	30000	40.5	2004
22.01.2020 14:19:38	1	1	1	1	74	60.5	0	28483.412	253.7634409	7227.461745	30000	0	0	30000	40.5	2004
22.01.2020 14:19:38	1	1	1	1	74	60.5	0	28483.412	253.7634409	7227.461745	30000	0	0	30000	40.5	2004
22.01.2020 14:19:38	1	1	1	1	74	60.5	0	28483.412	253.7634409	7227.461745	30000	0	0	30000	40.5	2004
22.01.2020 14:19:38	1	1	1	1	74	60.5	0	28483.412	253.7634409	7227.461745	30000	0	0	30000	40.5	2004
22.01.2020 14:19:39	1	1	1	1	74	60.5	0	28483.412	258.0645161	7288.614682	30000	0	0	30000	40.375	2004
22.01.2020 14:19:40	1	1	1	1	74	60.25	0	28483.412	290.3225806	8268.692414	30000	0	0	30000	40.6875	2004
22.01.2020 14:19:41	1	1	1	1	74	60.5	0	28483.412	258.0645161	7411.735928	30000	0	0	30000	40.5625	2004
22.01.2020 14:19:42	1	1	1	1	74	60.5	0	28483.412	253.7634409	7166.308809	30000	0	0	30000	40.75	2004
22.01.2020 14:19:43	1	1	1	1	74	60.75	0	28483.412	270.9677419	7717.500612	30000	0	0	30000	40.5625	2004
22.01.2020 14:19:44	1	1	1	1	74	60.5	0	28483.412	266.6666667	7534.041801	30000	0	0	30000	40.5625	2004
22.01.2020 14:19:45	1	1	1	1	74	60.5	0	28530.806	260.2150538	7559.318349	30000	0	0	30000	40.625	2004
22.01.2020 14:19:46	1	1	1	1	74	60.5	0	28483.412	245.1612903	7067.648738	30000	0	0	30000	40.5625	2004
22.01.2020 14:19:47	1	1	1	1	73.75	60.5	0	28530.806	230.1075269	6564.563912	30000	0	0	30000	40.6875	2004
22.01.2020 14:19:48	1	1	1	1	73.75	60.5	0	28578.199	225.8064516	6452.857881	30000	0	0	30000	39.8125	2004
22.01.2020 14:19:49	1	1	1	1	73.75	59.75	0	28530.806	221.5053763	6329.736635	30000	0	0	30000	40.6875	2004
22.01.2020 14:19:50	1	1	1	1	73.75	60.5	0	28483.412	221.5053763	6247.384013	30000	0	0	30000	40.625	2004
22.01.2020 14:19:51	1	1	1	1	73.75	60.5	0	28578.199	217.2043011	6206.615389	30000	0	0	30000	40.625	2004
22.01.2020 14:19:52	1	1	1	1	73.75	60.5	0	28530.806	215.0537634	6125.07814	30000	0	0	30000	40.8125	2004
22.01.2020 14:19:53	1	1	1	1	73.75	60.75	0	28578.199	217.2043011	6145.462452	30000	0	0	30000	40.5	2004
22.01.2020 14:19:54	1	1	1	1	73.75	60.5	0	28483.412	225.8064516	6492.811133	30000	0	0	30000	40.5625	2004
22.01.2020 14:19:55	1	1	1	1	73.75	60.5	0	28530.806	225.8064516	6452.857881	30000	0	0	30000	40.75	2004
22.01.2020 14:19:56	1	1	1	1	73.75	60.75	0	28530.806	219.3548387	6247.384013	30000	0	0	30000	40.75	2004
22.01.2020 14:19:57	1	1	1	1	74	60.75	0	28530.806	219.3548387	6329.736635	30000	0	0	30000	40.6875	2004
22.01.2020 14:19:58	1	1	1	1	74	60.5	0	28483.412	217.2043011	6319.136792	30000	0	0	30000	40.5625	2004
22.01.2020 14:19:59	1	1	1	1	74	60.5	0	28483.412	217.2043011	6308.53695	30000	0	0	30000	40.75	2004
22.01.2020 14:20:00	1	1	1	1	74	60.75	0	28483.412	219.3548387	6247.384013	30000	0	0	30000	40.5625	2004
22.01.2020 14:20:01	1	1	1	1	74	60.5	0	28483.412	217.2043011	6329.736635	30000	0	0	30000	40.5	2004
22.01.2020 14:20:02	1	1	1	1	74	60.5	0	28530.806	217.2043011	6186.231077	30000	0	0	30000	40.6875	2004
22.01.2020 14:20:03	1	1	1	1	74	60.5	0	28483.412	212.9032258	6063.925203	30000	0	0	30000	40.625	2004
22.01.2020 14:20:04	1	1	1	1	74	60.5	0	28530.806	210.7526882	6012.556736	30000	0	0	30000	40.5	2004
22.01.2020 14:20:05	1	1	1	1	74	60.5	0	28483.412	210.7526882	5941.61933	30000	0	0	30000	40.375	2004
22.01.2020 14:20:07	1	1	1	1	74	60.25	0	28483.412	208.6021505	5941.61933	30000	0	0	30000	40.5625	2004
22.01.2020 14:20:08	1	1	1	1	74	60.5	0	28530.806	212.9032258	6084.309515	30000	0	0	30000	40.9375	2004
22.01.2020 14:20:09	1	1	1	1	74	60.75	0	28578.199	212.9032258	6063.925203	30000	0	0	30000	40.8125	2004
22.01.2020 14:20:10	1	1	1	1	74	60.75	0	28483.412	230.1075269	6626.532221	30000	0	0	30000	40.6875	2004
22.01.2020 14:20:11	1	1	1	1	74	60.25	0	28578.199	227.9569892	6637.132063	30000	0	0	30000	40.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 14:20:12	1	1	1	1	74	60.25	0	28530.806	243.0107527	6944.527492	30000	0	0	30000	40.625	2004
22.01.2020 14:20:13	1	1	1	1	74	60.5	0	28578.199	243.0107527	6944.527492	30000	0	0	30000	40.5625	2004
22.01.2020 14:20:14	1	1	1	1	74	60.5	0	28578.199	249.4623656	7128.801674	30000	0	0	30000	40.5	2004
22.01.2020 14:20:15	1	1	1	1	74	60.5	0	28578.199	251.6129032	7189.954611	30000	0	0	30000	40.125	2004
22.01.2020 14:20:16	1	1	1	1	74	60	0	28578.199	253.7634409	7251.92292	30000	0	0	30000	40.5625	2004
22.01.2020 14:20:17	1	1	1	1	73.75	60.5	0	28578.199	262.3655914	7436.197103	30000	0	0	30000	40.4375	2004
22.01.2020 14:20:18	1	1	1	1	73.75	60.25	0	28578.199	262.3655914	7559.318349	30000	0	0	30000	40.0625	2004
22.01.2020 14:20:19	1	1	1	1	73.75	60	0	28578.199	240.8602151	6883.374555	30000	0	0	30000	40.5625	2004
22.01.2020 14:20:20	1	1	1	1	73.75	60.5	0	28483.412	234.4086022	6615.117006	30000	0	0	30000	39.9375	2004
22.01.2020 14:20:21	1	1	1	1	73.75	59.75	0	28578.199	240.8602151	6883.374555	30000	0	0	30000	40.0625	2004
22.01.2020 14:20:22	1	1	1	1	73.75	60	0	28483.412	236.5591398	6760.253309	30000	0	0	30000	40.5	2004
22.01.2020 14:20:23	1	1	1	1	73.75	60.5	0	28578.199	243.0107527	6944.527492	30000	0	0	30000	40.5	2004
22.01.2020 14:20:24	1	1	1	1	73.75	60.5	0	28578.199	247.311828	7067.648738	30000	0	0	30000	40.5625	2004
22.01.2020 14:20:25	1	1	1	1	73.75	60.5	0	28578.199	245.1612903	7067.648738	30000	0	0	30000	40.5	2004
22.01.2020 14:20:26	1	1	1	1	73.75	60.5	0	28578.199	243.0107527	6944.527492	30000	0	0	30000	39.75	2004
22.01.2020 14:20:27	1	1	1	1	73.5	59.75	0	28578.199	240.8602151	6883.374555	30000	0	0	30000	40.5	2004
22.01.2020 14:20:28	1	1	1	1	73.5	60.5	0	28530.806	232.2580645	6883.374555	30000	0	0	30000	40.3125	2004
22.01.2020 14:20:29	1	1	1	1	73.5	60.25	0	28578.199	240.8602151	6883.374555	30000	0	0	30000	40.1875	2004
22.01.2020 14:20:30	1	1	1	1	73.5	60	0	28578.199	240.8602151	6883.374555	30000	0	0	30000	40.375	2004
22.01.2020 14:20:31	1	1	1	1	73.5	60.25	0	28578.199	234.4086022	6698.285	30000	0	0	30000	40.6875	2004
22.01.2020 14:20:32	1	1	1	1	73.5	60.5	0	28578.199	232.2580645	6637.132063	30000	0	0	30000	40.5625	2004
22.01.2020 14:20:40	1	1	1	1	73.5	60.5	0	28625.592	234.4086022	6709.700215	30000	0	0	30000	40.5625	2004
22.01.2020 14:20:40	1	1	1	1	73.5	60.5	0	28625.592	234.4086022	6709.700215	30000	0	0	30000	40.5625	2004
22.01.2020 14:20:40	1	1	1	1	73.5	60.5	0	28625.592	234.4086022	6709.700215	30000	0	0	30000	40.5625	2004
22.01.2020 14:20:40	1	1	1	1	73.5	60.5	0	28625.592	234.4086022	6709.700215	30000	0	0	30000	40.5625	2004
22.01.2020 14:20:40	1	1	1	1	73.5	60.5	0	28625.592	234.4086022	6709.700215	30000	0	0	30000	40.5625	2004
22.01.2020 14:20:40	1	1	1	1	73.5	60.5	0	28625.592	234.4086022	6709.700215	30000	0	0	30000	40.5625	2004
22.01.2020 14:20:40	1	1	1	1	73.5	60.5	0	28625.592	236.5591398	6832.821461	30000	0	0	30000	40.5	2004
22.01.2020 14:20:41	1	1	1	1	73.5	60.5	0	28625.592	236.5591398	6760.253309	30000	0	0	30000	40.5625	2004
22.01.2020 14:20:42	1	1	1	1	73.5	60.5	0	28625.592	236.5591398	6771.668524	30000	0	0	30000	40.4375	2004
22.01.2020 14:20:44	1	1	1	1	73.5	60.25	0	28578.199	227.9569892	6637.132063	30000	0	0	30000	40.5	2004
22.01.2020 14:20:45	1	1	1	1	73.5	60.5	0	28625.592	232.2580645	6637.132063	30000	0	0	30000	40.5	2004
22.01.2020 14:20:46	1	1	1	1	73.5	60.5	0	28625.592	230.1075269	6575.979126	30000	0	0	30000	41	2004
22.01.2020 14:20:47	1	1	1	1	73.5	61	0	28625.592	227.9569892	6630.609083	30000	0	0	30000	40.5	2004
22.01.2020 14:20:48	1	1	1	1	73.75	60.5	0	28578.199	230.1075269	6525.426032	30000	0	0	30000	40.3125	2004
22.01.2020 14:20:49	1	1	1	1	73.75	60.5	0	28625.592	227.9569892	6586.578969	30000	0	0	30000	40.625	2004
22.01.2020 14:20:50	1	1	1	1	73.75	60.5	0	28625.592	227.9569892	6525.426032	30000	0	0	30000	40.625	2004
22.01.2020 14:20:51	1	1	1	1	73.75	60.5	0	28578.199	225.8064516	6514.010817	30000	0	0	30000	40.5625	2004
22.01.2020 14:20:52	1	1	1	1	73.75	60.5	0	28625.592	227.9569892	6586.578969	30000	0	0	30000	40.5625	2004
22.01.2020 14:20:53	1	1	1	1	73.75	60.5	0	28625.592	227.9569892	6514.010817	30000	0	0	30000	40.5	2004
22.01.2020 14:20:54	1	1	1	1	73.75	60.5	0	28625.592	227.9569892	6586.578969	30000	0	0	30000	40.625	2004
22.01.2020 14:20:55	1	1	1	1	73.75	60.5	0	28625.592	225.8064516	6463.457723	30000	0	0	30000	40.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 14:20:56	1	1	1	1	73.75	60.5	0	28578.199	225.8064516	6514.010817	30000	0	0	30000	40.375	2004
22.01.2020 14:20:57	1	1	1	1	74	60.25	0	28578.199	225.8064516	6463.457723	30000	0	0	30000	40.6875	2004
22.01.2020 14:20:58	1	1	1	1	74	60.5	0	28625.592	225.8064516	6463.457723	30000	0	0	30000	40.5625	2004
22.01.2020 14:20:59	1	1	1	1	74	60.5	0	28625.592	227.9569892	6586.578969	30000	0	0	30000	40.625	2004
22.01.2020 14:21:00	1	1	1	1	74	60.5	0	28625.592	230.1075269	6452.857881	30000	0	0	30000	40.5	2004
22.01.2020 14:21:01	1	1	1	1	74	60.5	0	28625.592	232.2580645	6692.577392	30000	0	0	30000	40.625	2004
22.01.2020 14:21:02	1	1	1	1	74	60.5	0	28815.166	232.2580645	6754.545702	30000	0	0	30000	40.5625	2004
22.01.2020 14:21:03	1	1	1	1	74	60.5	0	28625.592	236.5591398	6709.700215	30000	0	0	30000	40.5625	2004
22.01.2020 14:21:04	1	1	1	1	74	60.5	0	28625.592	234.4086022	6698.285	30000	0	0	30000	40.4375	2004
22.01.2020 14:21:05	1	1	1	1	74	60.25	0	28625.592	240.8602151	6894.78977	30000	0	0	30000	40.4375	2004
22.01.2020 14:21:06	1	1	1	1	74	60.25	0	28625.592	243.0107527	6955.942706	30000	0	0	30000	40.625	2004
22.01.2020 14:21:07	1	1	1	1	73.75	60.5	0	28625.592	243.0107527	7126.355557	30000	0	0	30000	40.5625	2004
22.01.2020 14:21:08	1	1	1	1	73.75	60.5	0	28625.592	251.6129032	7325.306444	30000	0	0	30000	40.625	2004
22.01.2020 14:21:09	1	1	1	1	73.75	60.5	0	28625.592	258.0645161	7498.165412	30000	0	0	30000	40.6875	2004
22.01.2020 14:21:10	1	1	1	1	73.75	60.5	0	28578.199	258.0645161	7313.075857	30000	0	0	30000	40.625	2004
22.01.2020 14:21:11	1	1	1	1	73.75	60.5	0	28625.592	266.6666667	7633.517245	30000	0	0	30000	40.6875	2004
22.01.2020 14:21:12	1	1	1	1	73.75	60.5	0	28625.592	270.9677419	7694.670182	30000	0	0	30000	40.625	2004
22.01.2020 14:21:13	1	1	1	1	73.75	60.5	0	28625.592	268.8172043	7620.471285	30000	0	0	30000	40.625	2004
22.01.2020 14:21:14	1	1	1	1	73.75	60.5	0	28625.592	264.516129	7808.006958	30000	0	0	30000	40.5625	2004
22.01.2020 14:21:15	1	1	1	1	73.75	60.5	0	28672.986	266.6666667	7684.070339	30000	0	0	30000	40.625	2004
22.01.2020 14:21:16	1	1	1	1	73.75	60.5	0	28625.592	258.0645161	7387.274753	30000	0	0	30000	40.5	2004
22.01.2020 14:21:17	1	1	1	1	73.75	60.5	0	28625.592	247.311828	7126.355557	30000	0	0	30000	40.75	2004
22.01.2020 14:21:18	1	1	1	1	73.75	60.75	0	28625.592	240.8602151	6940.450629	30000	0	0	30000	40.6875	2004
22.01.2020 14:21:19	1	1	1	1	73.75	60.5	0	28625.592	240.8602151	6894.78977	30000	0	0	30000	40.6875	2004
22.01.2020 14:21:20	1	1	1	1	73.75	60.5	0	28625.592	240.8602151	6760.253309	30000	0	0	30000	40.5625	2004
22.01.2020 14:21:21	1	1	1	1	73.75	60.5	0	28625.592	240.8602151	6894.78977	30000	0	0	30000	40.5625	2004
22.01.2020 14:21:23	1	1	1	1	73.75	60.5	0	28815.166	240.8602151	6894.78977	30000	0	0	30000	40.75	2004
22.01.2020 14:21:24	1	1	1	1	73.75	60.75	0	28625.592	234.4086022	6894.78977	30000	0	0	30000	40.5	2004
22.01.2020 14:21:25	1	1	1	1	73.75	60.5	0	28625.592	232.2580645	6586.578969	30000	0	0	30000	40.6875	2004
22.01.2020 14:21:26	1	1	1	1	73.75	60.5	0	28625.592	230.1075269	6452.857881	30000	0	0	30000	40.6875	2004
22.01.2020 14:21:27	1	1	1	1	73.75	60.5	0	28815.166	225.8064516	6474.057565	30000	0	0	30000	40.9375	2004
22.01.2020 14:21:28	1	1	1	1	73.75	60.5	0	28625.592	225.8064516	6568.640774	30000	0	0	30000	40.6875	2004
22.01.2020 14:21:29	1	1	1	1	73.75	60.5	0	28625.592	236.5591398	6648.547278	30000	0	0	30000	40.5	2004
22.01.2020 14:21:30	1	1	1	1	73.75	60.5	0	28625.592	232.2580645	6692.577392	30000	0	0	30000	40.6875	2004
22.01.2020 14:21:31	1	1	1	1	73.75	60.5	0	28625.592	232.2580645	6586.578969	30000	0	0	30000	40.625	2004
22.01.2020 14:21:32	1	1	1	1	73.75	60.5	0	28625.592	221.5053763	6630.609083	30000	0	0	30000	40.625	2004
22.01.2020 14:21:33	1	1	1	1	73.75	60.5	0	28625.592	217.2043011	6288.96801	30000	0	0	30000	40.625	2004
22.01.2020 14:21:34	1	1	1	1	73.75	60.5	0	28815.166	212.9032258	6134.86261	30000	0	0	30000	40.6875	2004
22.01.2020 14:21:41	1	1	1	1	73.75	60.5	0	28625.592	206.4516129	5601.609002	30000	0	0	30000	40.6875	2004
22.01.2020 14:21:41	1	1	1	1	73.75	60.5	0	28625.592	206.4516129	5601.609002	30000	0	0	30000	40.6875	2004
22.01.2020 14:21:41	1	1	1	1	73.75	60.5	0	28625.592	206.4516129	5601.609002	30000	0	0	30000	40.6875	2004
22.01.2020 14:21:41	1	1	1	1	73.75	60.5	0	28625.592	206.4516129	5601.609002	30000	0	0	30000	40.6875	2004
22.01.2020 14:21:41	1	1	1	1	73.75	60.5	0	28625.592	206.4516129	5601.609002	30000	0	0	30000	40.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 14:21:41	1	1	1	1	73.75	60.5	0	28625.592	206.4516129	5601.609002	30000	0	0	30000	40.6875	2004
22.01.2020 14:21:41	1	1	1	1	73.75	60.5	0	28625.592	206.4516129	5601.609002	30000	0	0	30000	40.6875	2004
22.01.2020 14:21:42	1	1	1	1	73.75	60.5	0	28578.199	191.3978495	5478.487756	30000	0	0	30000	40.5625	2004
22.01.2020 14:21:43	1	1	1	1	73.75	60.5	0	28625.592	191.3978495	5515.179518	30000	0	0	30000	40.625	2004
22.01.2020 14:21:44	1	1	1	1	73.75	60.5	0	28625.592	191.3978495	5478.487756	30000	0	0	30000	40.625	2004
22.01.2020 14:21:45	1	1	1	1	73.75	60.5	0	28625.592	189.2473118	5426.303917	30000	0	0	30000	40.5625	2004
22.01.2020 14:21:46	1	1	1	1	73.75	60.5	0	28625.592	184.9462366	5329.27459	30000	0	0	30000	40.8125	2004
22.01.2020 14:21:47	1	1	1	1	73.75	60.75	0	28625.592	184.9462366	5294.213573	30000	0	0	30000	40.5625	2004
22.01.2020 14:21:48	1	1	1	1	73.75	60.5	0	28625.592	182.7956989	5267.306281	30000	0	0	30000	40.625	2004
22.01.2020 14:21:49	1	1	1	1	73.75	60.5	0	28815.166	180.6451613	5109.124018	30000	0	0	30000	40.5	2004
22.01.2020 14:21:50	1	1	1	1	73.75	60.5	0	28625.592	178.4946237	4854.727801	30000	0	0	30000	40.5625	2004
22.01.2020 14:21:51	1	1	1	1	73.75	60.5	0	28625.592	176.344086	5109.124018	30000	0	0	30000	40.625	2004
22.01.2020 14:21:52	1	1	1	1	73.75	60.5	0	28625.592	178.4946237	5109.124018	30000	0	0	30000	40.625	2004
22.01.2020 14:21:53	1	1	1	1	73.75	60.5	0	28815.166	178.4946237	5143.369663	30000	0	0	30000	40.5	2004
22.01.2020 14:21:54	1	1	1	1	73.75	60.5	0	28815.166	178.4946237	5143.369663	30000	0	0	30000	40.625	2004
22.01.2020 14:21:55	1	1	1	1	73.75	60.5	0	28672.986	178.4946237	5109.124018	30000	0	0	30000	40.5625	2004
22.01.2020 14:21:56	1	1	1	1	73.75	60.5	0	28815.166	180.6451613	5143.369663	30000	0	0	30000	40.625	2004
22.01.2020 14:21:57	1	1	1	1	73.75	60.5	0	28625.592	178.4946237	5267.306281	30000	0	0	30000	40.6875	2004
22.01.2020 14:21:58	1	1	1	1	73.75	60.5	0	28625.592	176.344086	5453.211209	30000	0	0	30000	40.6875	2004
22.01.2020 14:21:59	1	1	1	1	73.75	60.5	0	28625.592	178.4946237	5143.369663	30000	0	0	30000	40.5625	2004
22.01.2020 14:22:01	1	1	1	1	73.75	60.5	0	28815.166	178.4946237	5143.369663	30000	0	0	30000	40.5625	2004
22.01.2020 14:22:02	1	1	1	1	73.75	60.5	0	28815.166	178.4946237	5143.369663	30000	0	0	30000	40.625	2004
22.01.2020 14:22:03	1	1	1	1	73.75	60.5	0	28815.166	182.7956989	5329.27459	30000	0	0	30000	40.625	2004
22.01.2020 14:22:04	1	1	1	1	73.75	60.5	0	28815.166	189.2473118	5453.211209	30000	0	0	30000	40.625	2004
22.01.2020 14:22:05	1	1	1	1	73.75	60.5	0	28625.592	189.2473118	5453.211209	30000	0	0	30000	40.375	2004
22.01.2020 14:22:06	1	1	1	1	73.75	60.25	0	28815.166	189.2473118	5453.211209	30000	0	0	30000	41	2004
22.01.2020 14:22:07	1	1	1	1	73.75	61	0	28625.592	191.3978495	5478.487756	30000	0	0	30000	40.5625	2004
22.01.2020 14:22:08	1	1	1	1	73.5	60.5	0	28625.592	195.6989247	5948.957682	30000	0	0	30000	40.5	2004
22.01.2020 14:22:09	1	1	1	1	73.5	60.5	0	28625.592	206.4516129	5601.609002	30000	0	0	30000	40.5625	2004
22.01.2020 14:22:10	1	1	1	1	73.5	60.5	0	28815.166	206.4516129	5948.957682	30000	0	0	30000	40.3125	2004
22.01.2020 14:22:11	1	1	1	1	73.5	60.25	0	28625.592	206.4516129	5919.604273	30000	0	0	30000	40.5625	2004
22.01.2020 14:22:12	1	1	1	1	73.5	60.5	0	28672.986	206.4516129	5948.957682	30000	0	0	30000	40.5625	2004
22.01.2020 14:22:13	1	1	1	1	73.5	60.5	0	28625.592	212.9032258	6134.86261	30000	0	0	30000	40.625	2004
22.01.2020 14:22:14	1	1	1	1	73.5	60.5	0	28815.166	247.311828	7126.355557	30000	0	0	30000	40.5625	2004
22.01.2020 14:22:15	1	1	1	1	73.5	60.5	0	28578.199	221.5053763	6350.936319	30000	0	0	30000	40.5625	2004
22.01.2020 14:22:16	1	1	1	1	73.5	60.5	0	28815.166	221.5053763	6382.735846	30000	0	0	30000	40.25	2004
22.01.2020 14:22:17	1	1	1	1	73.5	60.25	0	28625.592	223.655914	6340.336477	30000	0	0	30000	40.625	2004
22.01.2020 14:22:18	1	1	1	1	73.5	60.5	0	28815.166	227.9569892	6444.704156	30000	0	0	30000	40.625	2004
22.01.2020 14:22:19	1	1	1	1	73.5	60.5	0	28815.166	221.5053763	6382.735846	30000	0	0	30000	40.5625	2004
22.01.2020 14:22:20	1	1	1	1	73.5	60.5	0	28815.166	217.2043011	6258.799228	30000	0	0	30000	40.3125	2004
22.01.2020 14:22:21	1	1	1	1	73.5	60.25	0	28815.166	212.9032258	6134.86261	30000	0	0	30000	40.5	2004
22.01.2020 14:22:22	1	1	1	1	73.5	60.5	0	28815.166	212.9032258	6134.86261	30000	0	0	30000	40.5	2004
22.01.2020 14:22:23	1	1	1	1	73.5	60.5	0	28815.166	210.7526882	6134.86261	30000	0	0	30000	40.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 14:22:24	1	1	1	1	73.5	60.25	0	28815.166	212.9032258	6134.86261	30000	0	0	30000	40.4375	2004
22.01.2020 14:22:25	1	1	1	1	73.5	60.25	0	28815.166	208.6021505	6072.894301	30000	0	0	30000	40.625	2004
22.01.2020 14:22:26	1	1	1	1	73.5	60.5	0	28815.166	215.0537634	6134.86261	30000	0	0	30000	39.875	2004
22.01.2020 14:22:27	1	1	1	1	73.25	59.75	0	28815.166	217.2043011	6258.799228	30000	0	0	30000	40.125	2004
22.01.2020 14:22:28	1	1	1	1	73.25	60	0	28815.166	217.2043011	6258.799228	30000	0	0	30000	40.6875	2004
22.01.2020 14:22:29	1	1	1	1	73.25	60.5	0	28815.166	221.5053763	6382.735846	30000	0	0	30000	40.3125	2004
22.01.2020 14:22:30	1	1	1	1	73.25	60.25	0	28815.166	227.9569892	6568.640774	30000	0	0	30000	40.625	2004
22.01.2020 14:22:31	1	1	1	1	73.25	60.5	0	28815.166	232.2580645	6816.514011	30000	0	0	30000	40.4375	2004
22.01.2020 14:22:32	1	1	1	1	73.25	60.25	0	28815.166	236.5591398	6816.514011	30000	0	0	30000	40.5	2004
22.01.2020 14:22:33	1	1	1	1	73.25	60.5	0	28815.166	234.4086022	6754.545702	30000	0	0	30000	40.6875	2004
22.01.2020 14:22:34	1	1	1	1	73.25	60.5	0	28815.166	240.8602151	6816.514011	30000	0	0	30000	40.5625	2004
22.01.2020 14:22:35	1	1	1	1	73.25	60.5	0	28815.166	240.8602151	6940.450629	30000	0	0	30000	40.4375	2004
22.01.2020 14:22:43	1	1	1	1	73.5	60.5	0	28815.166	260.2150538	7498.165412	30000	0	0	30000	40.5625	2004
22.01.2020 14:22:43	1	1	1	1	73.5	60.5	0	28815.166	260.2150538	7498.165412	30000	0	0	30000	40.5625	2004
22.01.2020 14:22:43	1	1	1	1	73.5	60.5	0	28815.166	260.2150538	7498.165412	30000	0	0	30000	40.5625	2004
22.01.2020 14:22:43	1	1	1	1	73.5	60.5	0	28815.166	260.2150538	7498.165412	30000	0	0	30000	40.5625	2004
22.01.2020 14:22:43	1	1	1	1	73.5	60.5	0	28815.166	260.2150538	7498.165412	30000	0	0	30000	40.5625	2004
22.01.2020 14:22:43	1	1	1	1	73.5	60.5	0	28815.166	260.2150538	7498.165412	30000	0	0	30000	40.5625	2004
22.01.2020 14:22:43	1	1	1	1	73.5	60.5	0	28815.166	260.2150538	7498.165412	30000	0	0	30000	40.5625	2004
22.01.2020 14:22:43	1	1	1	1	73.5	60.5	0	28815.166	260.2150538	7498.165412	30000	0	0	30000	40.5625	2004
22.01.2020 14:22:44	1	1	1	1	73.5	60.5	0	28862.559	258.0645161	7448.42769	30000	0	0	30000	40.75	2004
22.01.2020 14:22:45	1	1	1	1	73.5	60.75	0	28862.559	260.2150538	7510.395999	30000	0	0	30000	40.875	2004
22.01.2020 14:22:46	1	1	1	1	73.5	60.75	0	28862.559	260.2150538	7510.395999	30000	0	0	30000	40.8125	2004
22.01.2020 14:22:47	1	1	1	1	73.5	60.75	0	28862.559	262.3655914	7510.395999	30000	0	0	30000	40.6875	2004
22.01.2020 14:22:48	1	1	1	1	73.5	60.75	0	28815.166	262.3655914	7510.395999	30000	0	0	30000	40.5	2004
22.01.2020 14:22:49	1	1	1	1	73.5	60.5	0	28862.559	266.6666667	7696.300927	30000	0	0	30000	40.5625	2004
22.01.2020 14:22:50	1	1	1	1	73.5	60.5	0	28815.166	262.3655914	7634.332618	30000	0	0	30000	40.5	2004
22.01.2020 14:22:51	1	1	1	1	73.5	60.5	0	28862.559	266.6666667	7634.332618	30000	0	0	30000	40.4375	2004
22.01.2020 14:22:52	1	1	1	1	73.5	60.25	0	28862.559	264.516129	7634.332618	30000	0	0	30000	40.6875	2004
22.01.2020 14:22:53	1	1	1	1	73.5	60.5	0	28862.559	264.516129	7696.300927	30000	0	0	30000	40.3125	2004
22.01.2020 14:22:54	1	1	1	1	73.5	60.25	0	28862.559	268.8172043	7758.269236	30000	0	0	30000	40.6875	2004
22.01.2020 14:22:55	1	1	1	1	73.5	60.5	0	28862.559	268.8172043	7758.269236	30000	0	0	30000	40.625	2004
22.01.2020 14:22:56	1	1	1	1	73.5	60.5	0	28862.559	268.8172043	7758.269236	30000	0	0	30000	40.375	2004
22.01.2020 14:22:57	1	1	1	1	73.5	60.25	0	28862.559	268.8172043	7758.269236	30000	0	0	30000	40.3125	2004
22.01.2020 14:22:58	1	1	1	1	73.5	60.25	0	28862.559	288.172043	8316.799391	30000	0	0	30000	40.4375	2004
22.01.2020 14:22:59	1	1	1	1	73.5	60.25	0	28862.559	266.6666667	7696.300927	30000	0	0	30000	40.5625	2004
22.01.2020 14:23:00	1	1	1	1	73.5	60.5	0	28862.559	266.6666667	7696.300927	30000	0	0	30000	40.5625	2004
22.01.2020 14:23:01	1	1	1	1	73.5	60.5	0	28862.559	273.1182796	7882.205854	30000	0	0	30000	40.5	2004
22.01.2020 14:23:02	1	1	1	1	73.5	60.5	0	28862.559	290.3225806	8378.7677	30000	0	0	30000	40.375	2004
22.01.2020 14:23:03	1	1	1	1	73.5	60.25	0	28862.559	273.1182796	7944.989536	30000	0	0	30000	40.6875	2004
22.01.2020 14:23:04	1	1	1	1	73.5	60.5	0	28815.166	275.2688172	8006.957845	30000	0	0	30000	40.5	2004
22.01.2020 14:23:05	1	1	1	1	73.5	60.5	0	28815.166	268.8172043	7820.237545	30000	0	0	30000	40.5625	2004
22.01.2020 14:23:06	1	1	1	1	73.5	60.5	0	28862.559	279.5698925	8006.957845	30000	0	0	30000	40.125	2004
22.01.2020 14:23:07	1	1	1	1	73.25	60	0	28862.559	275.2688172	8006.957845	30000	0	0	30000	40.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 14:23:08	1	1	1	1	73.25	60.25	0	28862.559	283.8709677	8192.862773	30000	0	0	30000	40.5	2004
22.01.2020 14:23:09	1	1	1	1	73.25	60.5	0	28957.346	307.5268817	9029.434947	30000	0	0	30000	40	2004
22.01.2020 14:23:10	1	1	1	1	73.25	60	0	28909.953	313.9784946	9154.186938	30000	0	0	30000	40.625	2004
22.01.2020 14:23:11	1	1	1	1	73.25	60.5	0	28957.346	316.1290323	9154.186938	30000	0	0	30000	40.625	2004
22.01.2020 14:23:12	1	1	1	1	73.25	60.5	0	28957.346	309.6774194	8967.466638	30000	0	0	30000	40.625	2004
22.01.2020 14:23:13	1	1	1	1	73.25	60.5	0	28957.346	307.5268817	8828.037942	30000	0	0	30000	40.5625	2004
22.01.2020 14:23:14	1	1	1	1	73.25	60.5	0	28957.346	296.7741935	8593.210665	30000	0	0	30000	40.5625	2004
22.01.2020 14:23:15	1	1	1	1	73.25	60.5	0	28862.559	275.2688172	7944.989536	30000	0	0	30000	40.625	2004
22.01.2020 14:23:16	1	1	1	1	73.25	60.5	0	28909.953	273.1182796	7895.251814	30000	0	0	30000	40.4375	2004
22.01.2020 14:23:17	1	1	1	1	73.25	60.25	0	28957.346	275.2688172	7908.297774	30000	0	0	30000	40.5625	2004
22.01.2020 14:23:18	1	1	1	1	73.25	60.5	0	28909.953	270.9677419	7771.315196	30000	0	0	30000	40.8125	2004
22.01.2020 14:23:20	1	1	1	1	73.25	60.75	0	28909.953	268.8172043	7634.332618	30000	0	0	30000	40.5	2004
22.01.2020 14:23:21	1	1	1	1	73.25	60.5	0	28862.559	270.9677419	7820.237545	30000	0	0	30000	40.5625	2004
22.01.2020 14:23:22	1	1	1	1	73.25	60.5	0	28909.953	268.8172043	7833.283505	30000	0	0	30000	40.5	2004
22.01.2020 14:23:23	1	1	1	1	73.25	60.5	0	28957.346	266.6666667	7634.332618	30000	0	0	30000	40.6875	2004
22.01.2020 14:23:24	1	1	1	1	73.25	60.5	0	28862.559	251.6129032	7261.70739	30000	0	0	30000	40.75	2004
22.01.2020 14:23:25	1	1	1	1	73.25	60.75	0	28909.953	243.0107527	6951.865844	30000	0	0	30000	40.3125	2004
22.01.2020 14:23:26	1	1	1	1	73.25	60.25	0	28862.559	234.4086022	6951.865844	30000	0	0	30000	40.875	2004
22.01.2020 14:23:27	1	1	1	1	73.25	60.5	0	28909.953	245.1612903	7075.802462	30000	0	0	30000	40.0625	2004
22.01.2020 14:23:28	1	1	1	1	73.25	60	0	28862.559	247.311828	7285.353192	30000	0	0	30000	40.5	2004
22.01.2020 14:23:29	1	1	1	1	73.25	60.5	0	28957.346	243.0107527	7036.664583	30000	0	0	30000	40.4375	2004
22.01.2020 14:23:30	1	1	1	1	73.25	60.25	0	28862.559	240.8602151	6963.281059	30000	0	0	30000	40.3125	2004
22.01.2020 14:23:31	1	1	1	1	73.25	60.25	0	28957.346	227.9569892	6413.720001	30000	0	0	30000	39.625	2004
22.01.2020 14:23:32	1	1	1	1	73.25	59.5	0	28862.559	210.7526882	6165.031392	30000	0	0	30000	40.5625	2004
22.01.2020 14:23:33	1	1	1	1	73.25	60.5	0	28909.953	206.4516129	5958.742152	30000	0	0	30000	40.5	2004
22.01.2020 14:23:34	1	1	1	1	73.25	60.5	0	28862.559	206.4516129	5958.742152	30000	0	0	30000	40.5	2004
22.01.2020 14:23:35	1	1	1	1	73.25	60.5	0	28909.953	206.4516129	5958.742152	30000	0	0	30000	40.5625	2004
22.01.2020 14:23:36	1	1	1	1	73.25	60.5	0	28957.346	208.6021505	5978.311092	30000	0	0	30000	40.5625	2004
22.01.2020 14:23:37	1	1	1	1	73.5	60.5	0	28909.953	206.4516129	5978.311092	30000	0	0	30000	40.5625	2004
22.01.2020 14:23:44	1	1	1	1	73.5	60.5	0	28957.346	206.4516129	5978.311092	30000	0	0	30000	40.375	2004
22.01.2020 14:23:44	1	1	1	1	73.5	60.5	0	28957.346	206.4516129	5978.311092	30000	0	0	30000	40.375	2004
22.01.2020 14:23:44	1	1	1	1	73.5	60.5	0	28957.346	206.4516129	5978.311092	30000	0	0	30000	40.375	2004
22.01.2020 14:23:44	1	1	1	1	73.5	60.5	0	28957.346	206.4516129	5978.311092	30000	0	0	30000	40.375	2004
22.01.2020 14:23:44	1	1	1	1	73.5	60.5	0	28957.346	206.4516129	5978.311092	30000	0	0	30000	40.375	2004
22.01.2020 14:23:44	1	1	1	1	73.5	60.5	0	28957.346	206.4516129	5978.311092	30000	0	0	30000	40.375	2004
22.01.2020 14:23:45	1	1	1	1	73.5	60.25	0	28957.346	206.4516129	5978.311092	30000	0	0	30000	40.5	2004
22.01.2020 14:23:46	1	1	1	1	73.5	60.5	0	28957.346	206.4516129	5978.311092	30000	0	0	30000	40.4375	2004
22.01.2020 14:23:47	1	1	1	1	73.5	60.25	0	28957.346	206.4516129	5978.311092	30000	0	0	30000	40.5	2004
22.01.2020 14:23:48	1	1	1	1	73.5	60.5	0	28957.346	206.4516129	5978.311092	30000	0	0	30000	40.75	2004
22.01.2020 14:23:49	1	1	1	1	73.5	60.75	0	28957.346	206.4516129	5978.311092	30000	0	0	30000	40.5625	2004
22.01.2020 14:23:50	1	1	1	1	73.5	60.5	0	28957.346	206.4516129	5978.311092	30000	0	0	30000	40	2004
22.01.2020 14:23:51	1	1	1	1	73.5	60	0	28957.346	206.4516129	5978.311092	30000	0	0	30000	40.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 14:23:52	1	1	1	1	73.5	60.25	0	28957.346	206.4516129	5978.311092	30000	0	0	30000	40.5	2004
22.01.2020 14:23:53	1	1	1	1	73.5	60.5	0	28957.346	206.4516129	5958.742152	30000	0	0	30000	40.4375	2004
22.01.2020 14:23:54	1	1	1	1	73.5	60.25	0	28909.953	206.4516129	5978.311092	30000	0	0	30000	40.5	2004
22.01.2020 14:23:55	1	1	1	1	73.5	60.5	0	28957.346	206.4516129	5978.311092	30000	0	0	30000	40.5625	2004
22.01.2020 14:23:56	1	1	1	1	73.5	60.5	0	28957.346	206.4516129	5978.311092	30000	0	0	30000	40.5625	2004
22.01.2020 14:23:57	1	1	1	1	73.5	60.5	0	28957.346	217.2043011	6165.031392	30000	0	0	30000	40.4375	2004
22.01.2020 14:23:59	1	1	1	1	73.5	60.25	0	28957.346	217.2043011	6226.999701	30000	0	0	30000	40	2004
22.01.2020 14:24:00	1	1	1	1	73.5	60	0	28957.346	225.8064516	6538.471992	30000	0	0	30000	40.5625	2004
22.01.2020 14:24:01	1	1	1	1	73.5	60.5	0	29052.133	236.5591398	6849.944283	30000	0	0	30000	39.875	2004
22.01.2020 14:24:02	1	1	1	1	73.5	59.75	0	29052.133	240.8602151	6997.526703	30000	0	0	30000	40.625	2004
22.01.2020 14:24:03	1	1	1	1	73.5	60.5	0	28957.346	240.8602151	7059.495013	30000	0	0	30000	41.0625	2004
22.01.2020 14:24:04	1	1	1	1	73.5	61	0	29052.133	247.311828	7161.416574	30000	0	0	30000	40.4375	2004
22.01.2020 14:24:05	1	1	1	1	73.5	60.25	0	28957.346	249.4623656	7161.416574	30000	0	0	30000	40.625	2004
22.01.2020 14:24:06	1	1	1	1	73.5	60.5	0	29052.133	251.6129032	7309.814367	30000	0	0	30000	40.4375	2004
22.01.2020 14:24:07	1	1	1	1	73.5	60.25	0	28957.346	251.6129032	7285.353192	30000	0	0	30000	40.5625	2004
22.01.2020 14:24:08	1	1	1	1	73.5	60.5	0	28957.346	251.6129032	7285.353192	30000	0	0	30000	40.625	2004
22.01.2020 14:24:09	1	1	1	1	73.5	60.5	0	29052.133	253.7634409	7348.136874	30000	0	0	30000	40.5	2004
22.01.2020 14:24:10	1	1	1	1	73.5	60.5	0	29052.133	251.6129032	7285.353192	30000	0	0	30000	40.125	2004
22.01.2020 14:24:11	1	1	1	1	73.5	60	0	28957.346	251.6129032	7285.353192	30000	0	0	30000	40.625	2004
22.01.2020 14:24:12	1	1	1	1	73.5	60.5	0	28957.346	249.4623656	7285.353192	30000	0	0	30000	40.5625	2004
22.01.2020 14:24:13	1	1	1	1	73.5	60.5	0	29052.133	249.4623656	7098.632892	30000	0	0	30000	40.4375	2004
22.01.2020 14:24:14	1	1	1	1	73.5	60.25	0	29052.133	249.4623656	7247.030685	30000	0	0	30000	40.4375	2004
22.01.2020 14:24:15	1	1	1	1	73.5	60.25	0	29052.133	251.6129032	7223.384883	30000	0	0	30000	40.5625	2004
22.01.2020 14:24:16	1	1	1	1	73.5	60.5	0	29052.133	240.8602151	6997.526703	30000	0	0	30000	40.5	2004
22.01.2020 14:24:17	1	1	1	1	73.5	60.5	0	28957.346	221.5053763	6476.503683	30000	0	0	30000	40.5	2004
22.01.2020 14:24:18	1	1	1	1	73.5	60.5	0	29052.133	212.9032258	6165.031392	30000	0	0	30000	40.5625	2004
22.01.2020 14:24:19	1	1	1	1	73.5	60.5	0	28957.346	212.9032258	6165.031392	30000	0	0	30000	40.5	2004
22.01.2020 14:24:20	1	1	1	1	73.5	60.5	0	29052.133	210.7526882	6102.24771	30000	0	0	30000	40.125	2004
22.01.2020 14:24:21	1	1	1	1	73.5	60	0	29052.133	212.9032258	6184.600332	30000	0	0	30000	40.75	2004
22.01.2020 14:24:22	1	1	1	1	73.5	60.75	0	28957.346	212.9032258	6165.031392	30000	0	0	30000	40.5625	2004
22.01.2020 14:24:23	1	1	1	1	73.5	60.5	0	29052.133	221.5053763	6434.919686	30000	0	0	30000	40.5	2004
22.01.2020 14:24:24	1	1	1	1	73.5	60.5	0	29052.133	223.655914	6413.720001	30000	0	0	30000	40.4375	2004
22.01.2020 14:24:25	1	1	1	1	73.5	60.25	0	29052.133	230.1075269	6747.207349	30000	0	0	30000	40.375	2004
22.01.2020 14:24:28	1	1	1	1	73.75	60.25	0	29052.133	221.5053763	6445.519528	30000	0	0	30000	40.375	2004
22.01.2020 14:24:28	1	1	1	1	73.75	60.25	0	29052.133	221.5053763	6445.519528	30000	0	0	30000	40.375	2004
22.01.2020 14:24:28	1	1	1	1	73.75	60.25	0	29052.133	225.8064516	6559.671677	30000	0	0	30000	40.625	2004
22.01.2020 14:24:29	1	1	1	1	73.75	60.5	0	29099.526	225.8064516	6445.519528	30000	0	0	30000	40.4375	2004
22.01.2020 14:24:30	1	1	1	1	73.75	60.25	0	29052.133	221.5053763	6434.919686	30000	0	0	30000	40.4375	2004
22.01.2020 14:24:31	1	1	1	1	73.75	60.25	0	29052.133	221.5053763	6434.919686	30000	0	0	30000	40.4375	2004
22.01.2020 14:24:32	1	1	1	1	73.75	60.25	0	29052.133	221.5053763	6434.919686	30000	0	0	30000	40.5625	2004
22.01.2020 14:24:33	1	1	1	1	73.75	60.5	0	29099.526	221.5053763	6434.919686	30000	0	0	30000	40.4375	2004
22.01.2020 14:24:34	1	1	1	1	73.75	60.25	0	29052.133	221.5053763	6559.671677	30000	0	0	30000	40.4375	2004
22.01.2020 14:24:35	1	1	1	1	73.75	60.25	0	29099.526	221.5053763	6434.919686	30000	0	0	30000	40.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 14:24:36	1	1	1	1	73.75	60	0	29052.133	217.2043011	6310.167695	30000	0	0	30000	40.5625	2004
22.01.2020 14:24:38	1	1	1	1	73.75	60.5	0	28957.346	212.9032258	6184.600332	30000	0	0	30000	40.4375	2004
22.01.2020 14:24:39	1	1	1	1	73.75	60.25	0	29052.133	208.6021505	6195.200174	30000	0	0	30000	40.4375	2004
22.01.2020 14:24:46	1	1	1	1	73.75	60.5	0	29052.133	206.4516129	5997.880032	30000	0	0	30000	40.4375	2004
22.01.2020 14:24:46	1	1	1	1	73.75	60.5	0	29052.133	206.4516129	5997.880032	30000	0	0	30000	40.4375	2004
22.01.2020 14:24:46	1	1	1	1	73.75	60.5	0	29052.133	206.4516129	5997.880032	30000	0	0	30000	40.4375	2004
22.01.2020 14:24:46	1	1	1	1	73.75	60.5	0	29052.133	206.4516129	5997.880032	30000	0	0	30000	40.4375	2004
22.01.2020 14:24:46	1	1	1	1	73.75	60.5	0	29052.133	206.4516129	5997.880032	30000	0	0	30000	40.4375	2004
22.01.2020 14:24:46	1	1	1	1	73.75	60.5	0	29052.133	206.4516129	5997.880032	30000	0	0	30000	40.4375	2004
22.01.2020 14:24:46	1	1	1	1	73.75	60.5	0	29052.133	206.4516129	5997.880032	30000	0	0	30000	40.4375	2004
22.01.2020 14:24:47	1	1	1	1	73.75	60.25	0	29052.133	206.4516129	6007.664501	30000	0	0	30000	40.25	2004
22.01.2020 14:24:48	1	1	1	1	73.75	60.25	0	29052.133	206.4516129	5997.880032	30000	0	0	30000	40.5625	2004
22.01.2020 14:24:49	1	1	1	1	73.75	60.5	0	28957.346	206.4516129	5978.311092	30000	0	0	30000	40.5	2004
22.01.2020 14:24:50	1	1	1	1	73.75	60.5	0	29052.133	206.4516129	5997.880032	30000	0	0	30000	40.1875	2004
22.01.2020 14:24:51	1	1	1	1	73.75	60	0	29052.133	206.4516129	5997.880032	30000	0	0	30000	40.5625	2004
22.01.2020 14:24:52	1	1	1	1	73.75	60.5	0	29146.919	206.4516129	6017.448971	30000	0	0	30000	40.4375	2004
22.01.2020 14:24:53	1	1	1	1	73.75	60.25	0	29052.133	206.4516129	5997.880032	30000	0	0	30000	40.4375	2004
22.01.2020 14:24:54	1	1	1	1	73.75	60.25	0	29099.526	206.4516129	6007.664501	30000	0	0	30000	39.4375	2004
22.01.2020 14:24:55	1	1	1	1	73.75	59.25	0	29099.526	206.4516129	6007.664501	30000	0	0	30000	40.625	2004
22.01.2020 14:24:56	1	1	1	1	73.75	60.5	0	29099.526	206.4516129	6007.664501	30000	0	0	30000	40.1875	2004
22.01.2020 14:24:57	1	1	1	1	73.75	60	0	29052.133	208.6021505	6069.632811	30000	0	0	30000	40.3125	2004
22.01.2020 14:24:58	1	1	1	1	73.75	60.25	0	29099.526	210.7526882	6069.632811	30000	0	0	30000	40.4375	2004
22.01.2020 14:24:59	1	1	1	1	73.75	60.25	0	29099.526	212.9032258	6195.200174	30000	0	0	30000	40.1875	2004
22.01.2020 14:25:00	1	1	1	1	73.75	60	0	29099.526	210.7526882	6195.200174	30000	0	0	30000	40.125	2004
22.01.2020 14:25:01	1	1	1	1	73.75	60	0	29052.133	215.0537634	6184.600332	30000	0	0	30000	40.5625	2004
22.01.2020 14:25:02	1	1	1	1	73.75	60.5	0	29099.526	217.2043011	6184.600332	30000	0	0	30000	40.4375	2004
22.01.2020 14:25:03	1	1	1	1	73.75	60.25	0	29099.526	217.2043011	6319.952165	30000	0	0	30000	40.125	2004
22.01.2020 14:25:04	1	1	1	1	73.75	60	0	29099.526	219.3548387	6382.735846	30000	0	0	30000	40.5625	2004
22.01.2020 14:25:05	1	1	1	1	73.75	60.5	0	29146.919	221.5053763	6319.952165	30000	0	0	30000	40.5	2004
22.01.2020 14:25:06	1	1	1	1	73.75	60.5	0	29099.526	221.5053763	6445.519528	30000	0	0	30000	40.625	2004
22.01.2020 14:25:07	1	1	1	1	73.5	60.5	0	29099.526	221.5053763	6445.519528	30000	0	0	30000	40.5	2004
22.01.2020 14:25:08	1	1	1	1	73.5	60.5	0	29099.526	221.5053763	6434.919686	30000	0	0	30000	40.625	2004
22.01.2020 14:25:09	1	1	1	1	73.5	60.5	0	29099.526	221.5053763	6445.519528	30000	0	0	30000	40.4375	2004
22.01.2020 14:25:10	1	1	1	1	73.5	60.25	0	29052.133	221.5053763	6445.519528	30000	0	0	30000	40.625	2004
22.01.2020 14:25:11	1	1	1	1	73.5	60.5	0	29099.526	221.5053763	6456.119371	30000	0	0	30000	40.5625	2004
22.01.2020 14:25:12	1	1	1	1	73.5	60.5	0	29052.133	225.8064516	6508.30321	30000	0	0	30000	40.0625	2004
22.01.2020 14:25:13	1	1	1	1	73.5	60	0	29052.133	221.5053763	6413.720001	30000	0	0	30000	40.375	2004
22.01.2020 14:25:14	1	1	1	1	73.5	60.25	0	29052.133	240.8602151	6997.526703	30000	0	0	30000	40.125	2004
22.01.2020 14:25:16	1	1	1	1	73.5	60	0	29052.133	255.9139785	7509.580627	30000	0	0	30000	40.5625	2004
22.01.2020 14:25:17	1	1	1	1	73.5	60.5	0	29146.919	251.6129032	7196.477591	30000	0	0	30000	40.125	2004
22.01.2020 14:25:18	1	1	1	1	73.75	60	0	29146.919	268.8172043	7772.130568	30000	0	0	30000	40.0625	2004
22.01.2020 14:25:19	1	1	1	1	73.75	60	0	29146.919	230.1075269	6769.222406	30000	0	0	30000	40.5625	2004
22.01.2020 14:25:20	1	1	1	1	73.75	60.5	0	29146.919	232.2580645	6706.438725	30000	0	0	30000	40.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 14:25:21	1	1	1	1	73.75	60.5	0	29146.919	232.2580645	6706.438725	30000	0	0	30000	40.125	2004
22.01.2020 14:25:22	1	1	1	1	73.75	60	0	29099.526	251.6129032	7333.460169	30000	0	0	30000	40.5	2004
22.01.2020 14:25:23	1	1	1	1	73.75	60	0	29146.919	232.2580645	6769.222406	30000	0	0	30000	40.375	2004
22.01.2020 14:25:24	1	1	1	1	73.75	60.25	0	29146.919	227.9569892	6706.438725	30000	0	0	30000	39.9375	2004
22.01.2020 14:25:25	1	1	1	1	73.75	59.75	0	29146.919	227.9569892	6580.871361	30000	0	0	30000	39.875	2004
22.01.2020 14:25:26	1	1	1	1	73.75	59.75	0	29146.919	221.5053763	6456.119371	30000	0	0	30000	40.4375	2004
22.01.2020 14:25:27	1	1	1	1	73.5	60.25	0	29146.919	217.2043011	6330.552007	30000	0	0	30000	39.8125	2004
22.01.2020 14:25:28	1	1	1	1	73.5	59.75	0	29146.919	212.9032258	6142.200962	30000	0	0	30000	40.1875	2004
22.01.2020 14:25:29	1	1	1	1	73.5	60	0	29146.919	208.6021505	6079.41728	30000	0	0	30000	40.375	2004
22.01.2020 14:25:30	1	1	1	1	73.5	60.25	0	29146.919	206.4516129	6017.448971	30000	0	0	30000	38.9375	2004
22.01.2020 14:25:31	1	1	1	1	73.5	58.75	0	29146.919	206.4516129	6017.448971	30000	0	0	30000	40.375	2004
22.01.2020 14:25:32	1	1	1	1	73.5	60.25	0	29146.919	208.6021505	6069.632811	30000	0	0	30000	40.4375	2004
22.01.2020 14:25:33	1	1	1	1	73.5	60.25	0	29099.526	208.6021505	6079.41728	30000	0	0	30000	40.375	2004
22.01.2020 14:25:34	1	1	1	1	73.5	60.25	0	29146.919	210.7526882	6204.984644	30000	0	0	30000	40.375	2004
22.01.2020 14:25:35	1	1	1	1	73.5	60.25	0	29146.919	212.9032258	6204.984644	30000	0	0	30000	40.25	2004
22.01.2020 14:25:36	1	1	1	1	73.5	60.25	0	29146.919	221.5053763	6330.552007	30000	0	0	30000	40.5	2004
22.01.2020 14:25:37	1	1	1	1	73.5	60.5	0	29146.919	215.0537634	6330.552007	30000	0	0	30000	40.3125	2004
22.01.2020 14:25:38	1	1	1	1	73.5	60.25	0	29146.919	219.3548387	6393.335689	30000	0	0	30000	40.5	2004
22.01.2020 14:25:39	1	1	1	1	73.5	60.5	0	29099.526	219.3548387	6393.335689	30000	0	0	30000	40.4375	2004
22.01.2020 14:25:40	1	1	1	1	73.5	60.25	0	29146.919	221.5053763	6456.119371	30000	0	0	30000	40.5	2004
22.01.2020 14:25:47	1	1	1	1	73.75	59	0	29146.919	232.2580645	6791.237464	30000	0	0	30000	40.375	2004
22.01.2020 14:25:47	1	1	1	1	73.75	59	0	29146.919	232.2580645	6791.237464	30000	0	0	30000	40.375	2004
22.01.2020 14:25:47	1	1	1	1	73.75	59	0	29146.919	232.2580645	6791.237464	30000	0	0	30000	40.375	2004
22.01.2020 14:25:47	1	1	1	1	73.75	59	0	29146.919	232.2580645	6791.237464	30000	0	0	30000	40.375	2004
22.01.2020 14:25:47	1	1	1	1	73.75	59	0	29146.919	232.2580645	6791.237464	30000	0	0	30000	40.375	2004
22.01.2020 14:25:47	1	1	1	1	73.75	59	0	29146.919	232.2580645	6791.237464	30000	0	0	30000	40.375	2004
22.01.2020 14:25:47	1	1	1	1	73.75	59	0	29146.919	232.2580645	6791.237464	30000	0	0	30000	40.375	2004
22.01.2020 14:25:48	1	1	1	1	73.75	60.25	0	29146.919	230.1075269	6791.237464	30000	0	0	30000	40.5625	2004
22.01.2020 14:25:49	1	1	1	1	73.75	60.5	0	29241.706	232.2580645	6728.453782	30000	0	0	30000	40.375	2004
22.01.2020 14:25:50	1	1	1	1	73.75	60.25	0	29241.706	232.2580645	6916.804827	30000	0	0	30000	40.3125	2004
22.01.2020 14:25:51	1	1	1	1	73.75	60.25	0	29146.919	232.2580645	6706.438725	30000	0	0	30000	40.5	2004
22.01.2020 14:25:52	1	1	1	1	73.75	60.5	0	29146.919	232.2580645	6769.222406	30000	0	0	30000	40.375	2004
22.01.2020 14:25:53	1	1	1	1	73.75	60.25	0	29146.919	232.2580645	6769.222406	30000	0	0	30000	40.3125	2004
22.01.2020 14:25:55	1	1	1	1	73.75	60.25	0	29146.919	234.4086022	6769.222406	30000	0	0	30000	40.4375	2004
22.01.2020 14:25:56	1	1	1	1	73.75	60.25	0	29241.706	234.4086022	6791.237464	30000	0	0	30000	40.5625	2004
22.01.2020 14:25:57	1	1	1	1	73.75	60.5	0	29146.919	234.4086022	6894.78977	30000	0	0	30000	40.5625	2004
22.01.2020 14:25:58	1	1	1	1	73.75	60.5	0	29146.919	262.3655914	7583.779523	30000	0	0	30000	40.4375	2004
22.01.2020 14:25:59	1	1	1	1	73.75	60.25	0	29241.706	258.0645161	7546.272389	30000	0	0	30000	40.8125	2004
22.01.2020 14:26:00	1	1	1	1	73.75	60.75	0	29146.919	258.0645161	7521.811214	30000	0	0	30000	40.8125	2004
22.01.2020 14:26:01	1	1	1	1	73.75	60.75	0	29146.919	240.8602151	7043.187563	30000	0	0	30000	39.875	2004
22.01.2020 14:26:02	1	1	1	1	73.75	60.5	0	29146.919	234.4086022	6832.006088	30000	0	0	30000	40.4375	2004
22.01.2020 14:26:03	1	1	1	1	73.75	60.25	0	29241.706	232.2580645	6854.021145	30000	0	0	30000	40.375	2004
22.01.2020 14:26:04	1	1	1	1	73.75	60.25	0	29241.706	232.2580645	6769.222406	30000	0	0	30000	40.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 14:26:05	1	1	1	1	73.75	60.5	0	29146.919	230.1075269	6706.438725	30000	0	0	30000	40.4375	2004
22.01.2020 14:26:06	1	1	1	1	73.75	60.25	0	29241.706	230.1075269	6728.453782	30000	0	0	30000	40.4375	2004
22.01.2020 14:26:07	1	1	1	1	73.75	60.25	0	29146.919	225.8064516	6602.886419	30000	0	0	30000	40.5	2004
22.01.2020 14:26:08	1	1	1	1	73.75	60.5	0	29146.919	225.8064516	6728.453782	30000	0	0	30000	40.5625	2004
22.01.2020 14:26:09	1	1	1	1	73.75	60.5	0	29241.706	253.7634409	7357.105971	30000	0	0	30000	40.25	2004
22.01.2020 14:26:10	1	1	1	1	73.75	60.25	0	29289.1	249.4623656	7020.357133	30000	0	0	30000	40.125	2004
22.01.2020 14:26:11	1	1	1	1	73.75	60	0	29289.1	225.8064516	6602.886419	30000	0	0	30000	40.375	2004
22.01.2020 14:26:12	1	1	1	1	73.75	60.25	0	29146.919	221.5053763	6476.503683	30000	0	0	30000	40.375	2004
22.01.2020 14:26:13	1	1	1	1	73.75	60.25	0	29241.706	219.3548387	6413.720001	30000	0	0	30000	40.4375	2004
22.01.2020 14:26:14	1	1	1	1	73.75	60.25	0	29241.706	219.3548387	6413.720001	30000	0	0	30000	39.9375	2004
22.01.2020 14:26:15	1	1	1	1	73.75	59.75	0	29241.706	217.2043011	6350.936319	30000	0	0	30000	40.5	2004
22.01.2020 14:26:16	1	1	1	1	73.75	60.5	0	29146.919	212.9032258	6350.936319	30000	0	0	30000	40.4375	2004
22.01.2020 14:26:17	1	1	1	1	73.75	60.25	0	29241.706	219.3548387	6424.319843	30000	0	0	30000	40.375	2004
22.01.2020 14:26:18	1	1	1	1	73.75	60.25	0	29289.1	225.8064516	6487.103525	30000	0	0	30000	40.3125	2004
22.01.2020 14:26:19	1	1	1	1	73.75	60.25	0	29146.919	221.5053763	6476.503683	30000	0	0	30000	40.4375	2004
22.01.2020 14:26:20	1	1	1	1	73.75	60.25	0	29241.706	221.5053763	6497.703367	30000	0	0	30000	40.4375	2004
22.01.2020 14:26:21	1	1	1	1	73.75	60.25	0	29289.1	221.5053763	6476.503683	30000	0	0	30000	40.5	2004
22.01.2020 14:26:22	1	1	1	1	73.75	60.5	0	29146.919	221.5053763	6456.119371	30000	0	0	30000	40.5	2004
22.01.2020 14:26:23	1	1	1	1	73.75	60.5	0	29146.919	212.9032258	6350.936319	30000	0	0	30000	40.625	2004
22.01.2020 14:26:24	1	1	1	1	73.75	60.5	0	29241.706	212.9032258	6225.368956	30000	0	0	30000	40.4375	2004
22.01.2020 14:26:25	1	1	1	1	73.75	60.25	0	29289.1	210.7526882	6099.801593	30000	0	0	30000	40.375	2004
22.01.2020 14:26:26	1	1	1	1	73.75	60.25	0	29241.706	206.4516129	6037.017911	30000	0	0	30000	40.375	2004
22.01.2020 14:26:27	1	1	1	1	74	60.25	0	29241.706	206.4516129	6037.017911	30000	0	0	30000	40.375	2004
22.01.2020 14:26:28	1	1	1	1	74	60.25	0	29241.706	208.6021505	6079.41728	30000	0	0	30000	40.4375	2004
22.01.2020 14:26:29	1	1	1	1	74	60.25	0	29241.706	208.6021505	6099.801593	30000	0	0	30000	40.4375	2004
22.01.2020 14:26:30	1	1	1	1	74	60.25	0	29289.1	206.4516129	6037.017911	30000	0	0	30000	40.3125	2004
22.01.2020 14:26:31	1	1	1	1	74	60.25	0	29289.1	206.4516129	6037.017911	30000	0	0	30000	40.375	2004
22.01.2020 14:26:33	1	1	1	1	74	60.25	0	29241.706	206.4516129	6037.017911	30000	0	0	30000	40.4375	2004
22.01.2020 14:26:34	1	1	1	1	74	60.25	0	29241.706	206.4516129	6037.017911	30000	0	0	30000	40.5625	2004
22.01.2020 14:26:35	1	1	1	1	74	60.5	0	29289.1	206.4516129	6017.448971	30000	0	0	30000	40	2004
22.01.2020 14:26:36	1	1	1	1	74	60	0	29241.706	206.4516129	6046.802381	30000	0	0	30000	40.25	2004
22.01.2020 14:26:37	1	1	1	1	74	60.25	0	29336.493	206.4516129	6056.586851	30000	0	0	30000	40.75	2004
22.01.2020 14:26:38	1	1	1	1	74	60.75	0	29289.1	206.4516129	6037.017911	30000	0	0	30000	40.5	2004
22.01.2020 14:26:39	1	1	1	1	74	60.5	0	29289.1	206.4516129	6046.802381	30000	0	0	30000	40.6875	2004
22.01.2020 14:26:40	1	1	1	1	74	60.5	0	29241.706	206.4516129	6046.802381	30000	0	0	30000	40.5	2004
22.01.2020 14:26:41	1	1	1	1	74	60.5	0	29336.493	206.4516129	6056.586851	30000	0	0	30000	39.875	2004
22.01.2020 14:26:42	1	1	1	1	74	60.5	0	29289.1	206.4516129	6046.802381	30000	0	0	30000	40.5625	2004
22.01.2020 14:26:49	1	1	1	1	74.25	60.25	0	29289.1	195.6989247	5577.9632	30000	0	0	30000	40.5625	2004
22.01.2020 14:26:49	1	1	1	1	74.25	60.25	0	29289.1	195.6989247	5577.9632	30000	0	0	30000	40.5625	2004
22.01.2020 14:26:49	1	1	1	1	74.25	60.25	0	29289.1	195.6989247	5577.9632	30000	0	0	30000	40.5625	2004
22.01.2020 14:26:49	1	1	1	1	74.25	60.25	0	29289.1	195.6989247	5577.9632	30000	0	0	30000	40.5625	2004
22.01.2020 14:26:49	1	1	1	1	74.25	60.25	0	29289.1	195.6989247	5577.9632	30000	0	0	30000	40.5625	2004
22.01.2020 14:26:49	1	1	1	1	74.25	60.25	0	29289.1	195.6989247	5577.9632	30000	0	0	30000	40.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 14:26:49	1	1	1	1	74.25	60.25	0	29289.1	195.6989247	5577.9632	30000	0	0	30000	40.5625	2004
22.01.2020 14:26:50	1	1	1	1	74.25	60.5	0	29241.706	206.4516129	5741.037697	30000	0	0	30000	40.3125	2004
22.01.2020 14:26:51	1	1	1	1	74.25	60.25	0	29241.706	206.4516129	6037.017911	30000	0	0	30000	40.4375	2004
22.01.2020 14:26:52	1	1	1	1	74.25	60.25	0	29289.1	206.4516129	6046.802381	30000	0	0	30000	40.375	2004
22.01.2020 14:26:53	1	1	1	1	74.25	60.25	0	29289.1	206.4516129	5722.28413	30000	0	0	30000	40.5625	2004
22.01.2020 14:26:54	1	1	1	1	74.25	60.5	0	29241.706	206.4516129	6046.802381	30000	0	0	30000	40	2004
22.01.2020 14:26:55	1	1	1	1	74.25	60	0	29336.493	206.4516129	6119.370532	30000	0	0	30000	40.4375	2004
22.01.2020 14:26:56	1	1	1	1	74.25	60.25	0	29289.1	212.9032258	6245.753268	30000	0	0	30000	40.3125	2004
22.01.2020 14:26:57	1	1	1	1	74	60.25	0	29336.493	212.9032258	6245.753268	30000	0	0	30000	40.4375	2004
22.01.2020 14:26:58	1	1	1	1	74	60.25	0	29336.493	212.9032258	6225.368956	30000	0	0	30000	40.375	2004
22.01.2020 14:26:59	1	1	1	1	74	60.25	0	29289.1	215.0537634	6361.536162	30000	0	0	30000	40.5625	2004
22.01.2020 14:27:00	1	1	1	1	74	60.5	0	29241.706	212.9032258	6371.320632	30000	0	0	30000	40.5	2004
22.01.2020 14:27:01	1	1	1	1	74	60.5	0	29336.493	219.3548387	6497.703367	30000	0	0	30000	40.375	2004
22.01.2020 14:27:02	1	1	1	1	74	60.25	0	29336.493	221.5053763	6434.919686	30000	0	0	30000	40.3125	2004
22.01.2020 14:27:03	1	1	1	1	74	60.25	0	29336.493	221.5053763	6497.703367	30000	0	0	30000	40.3125	2004
22.01.2020 14:27:04	1	1	1	1	74	60.25	0	29336.493	227.9569892	6624.086103	30000	0	0	30000	40.3125	2004
22.01.2020 14:27:05	1	1	1	1	74	60.25	0	29336.493	227.9569892	6686.869785	30000	0	0	30000	40	2004
22.01.2020 14:27:06	1	1	1	1	74	60	0	29336.493	232.2580645	6813.252521	30000	0	0	30000	40.5	2004
22.01.2020 14:27:07	1	1	1	1	73.75	60.5	0	29336.493	240.8602151	7255.18441	30000	0	0	30000	40.375	2004
22.01.2020 14:27:08	1	1	1	1	73.75	60.25	0	29289.1	268.8172043	7885.467344	30000	0	0	30000	40.1875	2004
22.01.2020 14:27:10	1	1	1	1	73.75	60	0	29336.493	294.6236559	8642.948387	30000	0	0	30000	40.375	2004
22.01.2020 14:27:11	1	1	1	1	73.75	60.25	0	29383.886	268.8172043	7885.467344	30000	0	0	30000	40.25	2004
22.01.2020 14:27:12	1	1	1	1	73.75	60.25	0	29336.493	277.4193548	8138.232816	30000	0	0	30000	40.375	2004
22.01.2020 14:27:13	1	1	1	1	73.75	60.25	0	29336.493	266.6666667	7885.467344	30000	0	0	30000	39.8125	2004
22.01.2020 14:27:14	1	1	1	1	73.75	59.75	0	29336.493	247.311828	7255.18441	30000	0	0	30000	40.25	2004
22.01.2020 14:27:15	1	1	1	1	73.75	60.25	0	29336.493	245.1612903	7128.801674	30000	0	0	30000	40.5	2004
22.01.2020 14:27:16	1	1	1	1	73.75	60.5	0	29336.493	243.0107527	7066.017993	30000	0	0	30000	40.125	2004
22.01.2020 14:27:17	1	1	1	1	73.75	60	0	29289.1	234.4086022	6876.036203	30000	0	0	30000	40.625	2004
22.01.2020 14:27:18	1	1	1	1	73.75	60.5	0	29336.493	223.655914	6497.703367	30000	0	0	30000	40.8125	2004
22.01.2020 14:27:19	1	1	1	1	73.75	60.75	0	29336.493	219.3548387	6371.320632	30000	0	0	30000	40.5625	2004
22.01.2020 14:27:20	1	1	1	1	73.75	60.75	0	29336.493	219.3548387	6434.919686	30000	0	0	30000	40	2004
22.01.2020 14:27:21	1	1	1	1	73.75	60	0	29383.886	217.2043011	6371.320632	30000	0	0	30000	40.4375	2004
22.01.2020 14:27:22	1	1	1	1	73.75	60.25	0	29289.1	219.3548387	6434.919686	30000	0	0	30000	40.4375	2004
22.01.2020 14:27:23	1	1	1	1	73.75	60.25	0	29336.493	225.8064516	6497.703367	30000	0	0	30000	40.375	2004
22.01.2020 14:27:24	1	1	1	1	73.75	60.25	0	29336.493	225.8064516	6561.302422	30000	0	0	30000	40.25	2004
22.01.2020 14:27:25	1	1	1	1	73.75	60.25	0	29289.1	225.8064516	6876.036203	30000	0	0	30000	39.75	2004
22.01.2020 14:27:26	1	1	1	1	73.75	59.75	0	29383.886	236.5591398	6898.866632	30000	0	0	30000	40.25	2004
22.01.2020 14:27:27	1	1	1	1	74	60.25	0	29383.886	240.8602151	7088.848422	30000	0	0	30000	40.25	2004
22.01.2020 14:27:28	1	1	1	1	74	60.25	0	29336.493	243.0107527	7128.801674	30000	0	0	30000	40.3125	2004
22.01.2020 14:27:29	1	1	1	1	74	60.25	0	29431.28	268.8172043	7911.559264	30000	0	0	30000	40.5625	2004
22.01.2020 14:27:30	1	1	1	1	74	60.5	0	29336.493	260.2150538	7633.517245	30000	0	0	30000	40.3125	2004
22.01.2020 14:27:31	1	1	1	1	74	60.25	0	29383.886	249.4623656	7266.599625	30000	0	0	30000	40.25	2004
22.01.2020 14:27:32	1	1	1	1	74	60.25	0	29383.886	253.7634409	7456.581415	30000	0	0	30000	40.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 14:27:33	1	1	1	1	74	60.25	0	29383.886	260.2150538	7645.747832	30000	0	0	30000	40.5	2004
22.01.2020 14:27:34	1	1	1	1	74	60.5	0	29383.886	260.2150538	7633.517245	30000	0	0	30000	40.4375	2004
22.01.2020 14:27:35	1	1	1	1	74	60.25	0	29336.493	258.0645161	7633.517245	30000	0	0	30000	40.375	2004
22.01.2020 14:27:36	1	1	1	1	74	60.25	0	29383.886	264.516129	7772.130568	30000	0	0	30000	40.3125	2004
22.01.2020 14:27:37	1	1	1	1	73.5	60.25	0	29383.886	262.3655914	7784.361156	30000	0	0	30000	40.3125	2004
22.01.2020 14:27:38	1	1	1	1	73.5	60.25	0	29431.28	266.6666667	7835.729622	30000	0	0	30000	40.375	2004
22.01.2020 14:27:39	1	1	1	1	73.5	60.25	0	29383.886	268.8172043	7898.513304	30000	0	0	30000	40.3125	2004
22.01.2020 14:27:40	1	1	1	1	73.5	60.25	0	29383.886	268.8172043	8037.942	30000	0	0	30000	40.375	2004
22.01.2020 14:27:41	1	1	1	1	73.5	60.25	0	29383.886	275.2688172	8024.89604	30000	0	0	30000	40.5	2004
22.01.2020 14:27:42	1	1	1	1	73.5	60.5	0	29383.886	275.2688172	8024.89604	30000	0	0	30000	40.4375	2004
22.01.2020 14:27:43	1	1	1	1	73.5	60.25	0	29383.886	279.5698925	8151.278776	30000	0	0	30000	40.0625	2004
22.01.2020 14:27:51	1	1	1	1	73.25	60.5	0	29431.28	303.2258065	8924.251896	30000	0	0	30000	40.5	2004
22.01.2020 14:27:51	1	1	1	1	73.25	60.5	0	29431.28	303.2258065	8924.251896	30000	0	0	30000	40.5	2004
22.01.2020 14:27:51	1	1	1	1	73.25	60.5	0	29431.28	303.2258065	8924.251896	30000	0	0	30000	40.5	2004
22.01.2020 14:27:51	1	1	1	1	73.25	60.5	0	29431.28	303.2258065	8924.251896	30000	0	0	30000	40.5	2004
22.01.2020 14:27:51	1	1	1	1	73.25	60.5	0	29431.28	303.2258065	8924.251896	30000	0	0	30000	40.5	2004
22.01.2020 14:27:51	1	1	1	1	73.25	60.5	0	29431.28	303.2258065	8924.251896	30000	0	0	30000	40.5	2004
22.01.2020 14:27:51	1	1	1	1	73.25	60.5	0	29431.28	303.2258065	8924.251896	30000	0	0	30000	40.5	2004
22.01.2020 14:27:52	1	1	1	1	73.25	60.5	0	29431.28	303.2258065	8924.251896	30000	0	0	30000	40.4375	2004
22.01.2020 14:27:53	1	1	1	1	73.25	60.25	0	29431.28	329.0322581	9683.363683	30000	0	0	30000	40.3125	2004
22.01.2020 14:27:54	1	1	1	1	73.25	60.25	0	29431.28	326.8817204	9620.580002	30000	0	0	30000	40.4375	2004
22.01.2020 14:27:55	1	1	1	1	73.25	60.25	0	29431.28	307.5268817	9050.634632	30000	0	0	30000	40.4375	2004
22.01.2020 14:27:56	1	1	1	1	73.25	60.25	0	29431.28	305.3763441	9050.634632	30000	0	0	30000	40.1875	2004
22.01.2020 14:27:57	1	1	1	1	73.25	60	0	29431.28	337.6344086	9936.944527	30000	0	0	30000	40.5625	2004
22.01.2020 14:27:58	1	1	1	1	72.5	60.5	0	29431.28	320.4301075	9493.381893	30000	0	0	30000	40.125	2004
22.01.2020 14:27:59	1	1	1	1	72.5	60	0	29431.28	329.0322581	9683.363683	30000	0	0	30000	40.125	2004
22.01.2020 14:28:00	1	1	1	1	72.5	60	0	29431.28	326.8817204	9415.106134	30000	0	0	30000	40.375	2004
22.01.2020 14:28:01	1	1	1	1	72.5	60.25	0	29383.886	320.4301075	9620.580002	30000	0	0	30000	40.3125	2004
22.01.2020 14:28:02	1	1	1	1	72.5	60.25	0	29431.28	322.5806452	9274.046694	30000	0	0	30000	39.75	2004
22.01.2020 14:28:03	1	1	1	1	72.5	59.75	0	29383.886	320.4301075	9430.598212	30000	0	0	30000	40.1875	2004
22.01.2020 14:28:04	1	1	1	1	72.5	60	0	29431.28	326.8817204	9620.580002	30000	0	0	30000	40.25	2004
22.01.2020 14:28:05	1	1	1	1	72.5	60.25	0	29383.886	341.9354839	10047.01981	30000	0	0	30000	40.4375	2004
22.01.2020 14:28:06	1	1	1	1	72.5	60.25	0	29241.706	335.483871	9951.621232	30000	0	0	30000	40.25	2004
22.01.2020 14:28:07	1	1	1	1	72.5	60.25	0	29431.28	335.483871	9873.345473	30000	0	0	30000	40.125	2004
22.01.2020 14:28:08	1	1	1	1	72.5	60	0	29052.133	341.9354839	9933.683038	30000	0	0	30000	40.0625	2004
22.01.2020 14:28:09	1	1	1	1	72.5	60	0	29526.066	335.483871	9620.580002	30000	0	0	30000	40.0625	2004
22.01.2020 14:28:10	1	1	1	1	72.5	60	0	29431.28	318.2795699	9303.400103	30000	0	0	30000	39.9375	2004
22.01.2020 14:28:11	1	1	1	1	72.5	59.75	0	29431.28	329.0322581	9683.363683	30000	0	0	30000	40.5625	2004
22.01.2020 14:28:12	1	1	1	1	72.5	60.5	0	29431.28	326.8817204	9620.580002	30000	0	0	30000	40.1875	2004
22.01.2020 14:28:13	1	1	1	1	72.5	60	0	29383.886	329.0322581	9873.345473	30000	0	0	30000	40.125	2004
22.01.2020 14:28:14	1	1	1	1	72.5	60	0	29431.28	329.0322581	9620.580002	30000	0	0	30000	39.625	2004
22.01.2020 14:28:15	1	1	1	1	72.5	59.5	0	29431.28	316.1290323	9303.400103	30000	0	0	30000	40.25	2004
22.01.2020 14:28:16	1	1	1	1	72.5	60.25	0	29478.673	311.827957	9191.694072	30000	0	0	30000	39.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 14:29:01	1	1	1	1	73.5	60.25	0	29526.066	326.8817204	9651.564156	30000	0	0	30000	40.0625	2004
22.01.2020 14:29:02	1	1	1	1	73.5	60	0	29478.673	329.0322581	9556.980947	30000	0	0	30000	40.4375	2004
22.01.2020 14:29:03	1	1	1	1	73.5	60.25	0	29526.066	324.7311828	9587.965102	30000	0	0	30000	40.3125	2004
22.01.2020 14:29:04	1	1	1	1	73.5	60.25	0	29526.066	322.5806452	9587.965102	30000	0	0	30000	39.75	2004
22.01.2020 14:29:06	1	1	1	1	73.5	59.75	0	29526.066	326.8817204	9651.564156	30000	0	0	30000	40.1875	2004
22.01.2020 14:29:07	1	1	1	1	73.5	60	0	29526.066	320.4301075	9524.366048	30000	0	0	30000	40	2004
22.01.2020 14:29:08	1	1	1	1	73.25	60	0	29526.066	326.8817204	9667.056234	30000	0	0	30000	40.375	2004
22.01.2020 14:29:09	1	1	1	1	73.25	60.25	0	0	0	0	30000	0	8	30000	40	2004
22.01.2020 14:29:10	1	1	1	1	73.25	60	0	10379.147	0	0	30000	0	0	30000	40.5625	2004
22.01.2020 14:29:11	1	1	1	1	73.25	60.5	0	11184.834	0	0	30000	0	0	30000	40.4375	2004
22.01.2020 14:29:12	1	1	1	1	73.25	60.25	0	11943.128	0	0	30000	0	0	30000	40.1875	2004
22.01.2020 14:29:13	1	1	1	1	73.25	60	0	12748.815	0	26.90729215	30000	0	0	30000	40.9375	2004
22.01.2020 14:29:14	1	1	1	1	73.25	60.75	0	13507.109	4.301075269	57.89144674	30000	0	0	30000	40.5	2004
22.01.2020 14:29:15	1	1	1	1	73.25	60.5	0	14265.403	6.451612903	91.32171881	30000	0	0	30000	40.5625	2004
22.01.2020 14:29:16	1	1	1	1	73.25	60.75	0	14976.303	10.75268817	195.6893974	30000	0	0	30000	40.375	2004
22.01.2020 14:29:17	1	1	1	1	73.75	60.25	0	15829.384	17.20430108	272.3344114	30000	0	0	30000	40.4375	2004
22.01.2020 14:29:18	1	1	1	1	73.75	60.25	0	16492.891	19.35483871	358.7638953	30000	0	0	30000	40.5	2004
22.01.2020 14:29:19	1	1	1	1	73.75	60.5	0	17345.972	27.95698925	484.3312587	30000	0	0	30000	40.4375	2004
22.01.2020 14:29:20	1	1	1	1	73.75	60.25	0	18104.265	32.25806452	624.5753268	30000	0	0	30000	40.3125	2004
22.01.2020 14:29:21	1	1	1	1	73.75	60.25	0	18909.953	43.01075269	772.1577474	30000	0	0	30000	40.375	2004
22.01.2020 14:29:22	1	1	1	1	73.75	60.25	0	19668.246	53.76344086	1056.722746	30000	0	0	30000	40.25	2004
22.01.2020 14:29:23	1	1	1	1	73.75	60.25	0	20379.147	60.21505376	1314.380453	30000	0	0	30000	40.4375	2004
22.01.2020 14:29:24	1	1	1	1	73.75	60.25	0	21232.227	70.96774194	1506.80836	30000	0	0	30000	40.4375	2004
22.01.2020 14:29:25	1	1	1	1	73.75	60.25	0	21943.128	83.87096774	1840.295708	30000	0	0	30000	40.375	2004
22.01.2020 14:29:26	1	1	1	1	73.75	60.25	0	22748.815	90.32258065	2103.661022	30000	0	0	30000	40.5	2004
22.01.2020 14:29:27	1	1	1	1	74	60.5	0	23459.716	98.92473118	2421.656293	30000	0	0	30000	40.375	2004
22.01.2020 14:29:28	1	1	1	1	74	60.25	0	24075.829	116.1290323	2749.436034	30000	0	0	30000	40.3125	2004
22.01.2020 14:29:29	1	1	1	1	74	60.25	0	24834.123	129.0322581	3144.891691	30000	0	0	30000	40.3125	2004
22.01.2020 14:29:30	1	1	1	1	74	60.25	0	24834.123	137.6344086	3418.041475	30000	0	0	30000	40.0625	2004
22.01.2020 14:29:31	1	1	1	1	74	60	0	24786.73	126.8817204	3424.564455	30000	0	0	30000	40.25	2004
22.01.2020 14:29:32	1	1	1	1	74	60.25	0	24834.123	137.6344086	3418.041475	30000	0	0	30000	40.375	2004
22.01.2020 14:29:33	1	1	1	1	74	60.25	0	24834.123	137.6344086	3144.891691	30000	0	0	30000	40.4375	2004
22.01.2020 14:29:34	1	1	1	1	74	60.25	0	24834.123	137.6344086	3424.564455	30000	0	0	30000	40.375	2004
22.01.2020 14:29:35	1	1	1	1	74	60.25	0	24834.123	137.6344086	3411.518495	30000	0	0	30000	40.3125	2004
22.01.2020 14:29:36	1	1	1	1	74	60.25	0	24834.123	137.6344086	3424.564455	30000	0	0	30000	39.875	2004
22.01.2020 14:29:37	1	1	1	1	73.75	59.75	0	24834.123	139.7849462	3471.040687	30000	0	0	30000	40.375	2004
22.01.2020 14:29:38	1	1	1	1	73.75	60.25	0	24834.123	139.7849462	3471.040687	30000	0	0	30000	40.5625	2004
22.01.2020 14:29:39	1	1	1	1	73.75	60.5	0	24834.123	144.0860215	3571.331503	30000	0	0	30000	40.3125	2004
22.01.2020 14:29:40	1	1	1	1	73.75	60.25	0	24834.123	144.0860215	3571.331503	30000	0	0	30000	40.3125	2004
22.01.2020 14:29:41	1	1	1	1	73.75	60.25	0	24881.517	144.0860215	3577.854483	30000	0	0	30000	40.5	2004
22.01.2020 14:29:42	1	1	1	1	73.75	60.5	0	24834.123	144.0860215	3571.331503	30000	0	0	30000	40.4375	2004
22.01.2020 14:29:43	1	1	1	1	73.75	60.25	0	24834.123	144.0860215	3584.377463	30000	0	0	30000	40.375	2004
22.01.2020 14:29:45	1	1	1	1	73.75	60.25	0	24881.517	144.0860215	3577.854483	30000	0	0	30000	40.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 14:29:46	1	1	1	1	73.75	60.25	0	24834.123	144.0860215	3464.517707	30000	0	0	30000	40.375	2004
22.01.2020 14:29:47	1	1	1	1	73.75	60.25	0	24834.123	139.7849462	3584.377463	30000	0	0	30000	40.625	2004
22.01.2020 14:29:54	1	1	1	1	73.75	60	0	27867.299	215.0537634	5932.650232	30000	0	0	30000	40.375	2004
22.01.2020 14:29:54	1	1	1	1	73.75	60	0	27867.299	215.0537634	5932.650232	30000	0	0	30000	40.375	2004
22.01.2020 14:29:54	1	1	1	1	73.75	60	0	27867.299	215.0537634	5932.650232	30000	0	0	30000	40.375	2004
22.01.2020 14:29:54	1	1	1	1	73.75	60	0	27867.299	215.0537634	5932.650232	30000	0	0	30000	40.375	2004
22.01.2020 14:29:54	1	1	1	1	73.75	60	0	27867.299	215.0537634	5932.650232	30000	0	0	30000	40.375	2004
22.01.2020 14:29:54	1	1	1	1	73.75	60	0	27867.299	215.0537634	5932.650232	30000	0	0	30000	40.375	2004
22.01.2020 14:29:54	1	1	1	1	73.75	60	0	27867.299	215.0537634	5932.650232	30000	0	0	30000	40.375	2004
22.01.2020 14:29:55	1	1	1	1	73.75	60.25	0	27630.332	243.0107527	6655.070258	30000	0	0	30000	40.375	2004
22.01.2020 14:29:56	1	1	1	1	73.75	60.25	0	27109.005	243.0107527	6751.284212	30000	0	0	30000	40.3125	2004
22.01.2020 14:29:57	1	1	1	1	73.5	60.25	0	27772.512	260.2150538	7298.399152	30000	0	0	30000	40.3125	2004
22.01.2020 14:29:58	1	1	1	1	73.5	60.25	0	27867.299	283.8709677	7837.360367	30000	0	0	30000	40.375	2004
22.01.2020 14:29:59	1	1	1	1	73.5	60.25	0	27440.758	294.6236559	8171.663088	30000	0	0	30000	40.375	2004
22.01.2020 14:30:00	1	1	1	1	73.5	60.25	0	28957.346	307.5268817	8967.466638	30000	0	0	30000	40.3125	2004
22.01.2020 14:30:01	1	1	1	1	73.5	60.25	0	28815.166	322.5806452	9295.246378	30000	0	0	30000	40.3125	2004
22.01.2020 14:30:02	1	1	1	1	73.5	60.25	0	28909.953	339.7849462	9806.484929	30000	0	0	30000	40.1875	2004
22.01.2020 14:30:03	1	1	1	1	73.5	60	0	29336.493	352.688172	10124.4802	30000	0	0	30000	40.25	2004
22.01.2020 14:30:04	1	1	1	1	73.5	60.25	0	29099.526	365.5913978	10592.50401	30000	0	0	30000	40.4375	2004
22.01.2020 14:30:05	1	1	1	1	73.5	60.25	0	0	0	0	30000	0	8	30000	40	2004
22.01.2020 14:30:06	1	1	1	1	73.5	60	0	10142.18	0	0	30000	0	0	30000	40.6875	2004
22.01.2020 14:30:07	1	1	1	1	73.5	60.5	0	10805.687	0	0	30000	0	0	30000	40.5	2004
22.01.2020 14:30:08	1	1	1	1	73.5	60.5	0	11563.981	0	0	30000	0	0	30000	40.375	2004
22.01.2020 14:30:09	1	1	1	1	73.5	60.25	0	12369.668	0	0	30000	0	0	30000	40.4375	2004
22.01.2020 14:30:10	1	1	1	1	73.5	60.25	0	13127.962	4.301075269	27.72266464	30000	0	0	30000	40.375	2004
22.01.2020 14:30:11	1	1	1	1	73.5	60.25	0	13886.256	6.451612903	88.87560134	30000	0	0	30000	40.375	2004
22.01.2020 14:30:12	1	1	1	1	73.5	60.25	0	14691.943	10.75268817	125.5673634	30000	0	0	30000	40.5625	2004
22.01.2020 14:30:13	1	1	1	1	73.5	60.5	0	15450.237	15.05376344	265.8114315	30000	0	0	30000	40.3125	2004
22.01.2020 14:30:14	1	1	1	1	73.5	60.25	0	16208.531	23.65591398	348.1640529	30000	0	0	30000	40.4375	2004
22.01.2020 14:30:15	1	1	1	1	73.5	60.25	0	16966.825	30.10752688	547.1149403	30000	0	0	30000	40.4375	2004
22.01.2020 14:30:16	1	1	1	1	73.5	60.25	0	17725.118	36.55913978	645.7750116	30000	0	0	30000	40.3125	2004
22.01.2020 14:30:17	1	1	1	1	73.5	60.25	0	18530.806	45.16129032	796.6189221	30000	0	0	30000	40.375	2004
22.01.2020 14:30:18	1	1	1	1	73.5	60.25	0	19289.1	49.46236559	1036.338434	30000	0	0	30000	40.5	2004
22.01.2020 14:30:19	1	1	1	1	73.5	60.5	0	20000	62.3655914	1204.305167	30000	0	0	30000	40.4375	2004
22.01.2020 14:30:20	1	1	1	1	73.5	60.25	0	20853.081	66.66666667	1390.210094	30000	0	0	30000	40.3125	2004
22.01.2020 14:30:22	1	1	1	1	73.5	60.25	0	21563.981	79.56989247	1622.591254	30000	0	0	30000	40.375	2004
22.01.2020 14:30:23	1	1	1	1	73.5	60.25	0	22369.668	83.87096774	1876.172098	30000	0	0	30000	40.3125	2004
22.01.2020 14:30:24	1	1	1	1	73.5	60.25	0	23080.569	90.32258065	2133.829805	30000	0	0	30000	40.5625	2004
22.01.2020 14:30:25	1	1	1	1	73.5	60.5	0	23601.896	94.62365591	2233.305248	30000	0	0	30000	40.4375	2004
22.01.2020 14:30:26	1	1	1	1	73.5	60.25	0	24407.583	113.9784946	2792.650776	30000	0	0	30000	40.5	2004
22.01.2020 14:30:27	1	1	1	1	73.5	60.5	0	24834.123	116.1290323	2996.493898	30000	0	0	30000	40.5	2004
22.01.2020 14:30:28	1	1	1	1	73.25	60.5	0	24834.123	113.9784946	2830.15791	30000	0	0	30000	40.3125	2004
22.01.2020 14:30:29	1	1	1	1	73.25	60.25	0	24786.73	116.1290323	2888.86473	30000	0	0	30000	40.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 14:30:30	1	1	1	1	73.25	60.25	0	24834.123	120.4301075	2990.786291	30000	0	0	30000	40.6875	2004
22.01.2020 14:30:31	1	1	1	1	73.25	60.5	0	24834.123	120.4301075	2996.493898	30000	0	0	30000	40.375	2004
22.01.2020 14:30:32	1	1	1	1	73.25	60.25	0	24834.123	120.4301075	2985.078683	30000	0	0	30000	40.375	2004
22.01.2020 14:30:33	1	1	1	1	73.25	60.5	0	24834.123	120.4301075	2985.078683	30000	0	0	30000	40.25	2004
22.01.2020 14:30:34	1	1	1	1	73.25	60.25	0	24834.123	120.4301075	2990.786291	30000	0	0	30000	40.625	2004
22.01.2020 14:30:35	1	1	1	1	73.25	60.5	0	24834.123	120.4301075	2996.493898	30000	0	0	30000	39.8125	2004
22.01.2020 14:30:36	1	1	1	1	73.25	59.75	0	24834.123	120.4301075	2996.493898	30000	0	0	30000	40.5	2004
22.01.2020 14:30:37	1	1	1	1	73.5	60.5	0	24834.123	120.4301075	2985.078683	30000	0	0	30000	40.375	2004
22.01.2020 14:30:38	1	1	1	1	73.5	60.25	0	24786.73	116.1290323	2878.264887	30000	0	0	30000	40.4375	2004
22.01.2020 14:30:39	1	1	1	1	73.5	60.25	0	24834.123	116.1290323	2888.86473	30000	0	0	30000	40.375	2004
22.01.2020 14:30:40	1	1	1	1	73.5	60.25	0	24881.517	116.1290323	2835.865518	30000	0	0	30000	40.375	2004
22.01.2020 14:30:41	1	1	1	1	73.5	60.25	0	24881.517	116.1290323	2888.86473	30000	0	0	30000	40.4375	2004
22.01.2020 14:30:42	1	1	1	1	73.5	60.25	0	24834.123	120.4301075	2990.786291	30000	0	0	30000	40.375	2004
22.01.2020 14:30:43	1	1	1	1	73.5	60.25	0	24834.123	120.4301075	2990.786291	30000	0	0	30000	40.3125	2004
22.01.2020 14:30:44	1	1	1	1	73.5	60.25	0	24834.123	122.5806452	3043.785503	30000	0	0	30000	40.3125	2004
22.01.2020 14:30:45	1	1	1	1	73.5	60.25	0	24834.123	129.0322581	3150.599299	30000	0	0	30000	40.4375	2004
22.01.2020 14:30:46	1	1	1	1	73.5	60.25	0	24976.303	137.6344086	3437.610415	30000	0	0	30000	40.3125	2004
22.01.2020 14:30:47	1	1	1	1	73	60.25	0	25876.777	161.2903226	3929.280026	30000	0	0	30000	40.4375	2004
22.01.2020 14:30:48	1	1	1	1	73	60.25	0	26682.464	174.1935484	4532.655668	30000	0	0	30000	40.25	2004
22.01.2020 14:30:56	1	1	1	1	73	60.25	0	28815.166	262.3655914	7622.10203	30000	0	0	30000	40.0625	2004
22.01.2020 14:30:56	1	1	1	1	73	60.25	0	28815.166	262.3655914	7622.10203	30000	0	0	30000	40.0625	2004
22.01.2020 14:30:56	1	1	1	1	73	60.25	0	28815.166	262.3655914	7622.10203	30000	0	0	30000	40.0625	2004
22.01.2020 14:30:56	1	1	1	1	73	60.25	0	28815.166	262.3655914	7622.10203	30000	0	0	30000	40.0625	2004
22.01.2020 14:30:56	1	1	1	1	73	60.25	0	28815.166	262.3655914	7622.10203	30000	0	0	30000	40.0625	2004
22.01.2020 14:30:56	1	1	1	1	73	60	0	29146.919	281.7204301	8148.017286	30000	0	0	30000	40.1875	2004
22.01.2020 14:30:57	1	1	1	1	72.75	60	0	29526.066	294.6236559	8698.393716	30000	0	0	30000	40.3125	2004
22.01.2020 14:30:58	1	1	1	1	72.75	60.25	0	29478.673	309.6774194	9128.910391	30000	0	0	30000	40.375	2004
22.01.2020 14:30:59	1	1	1	1	72.75	60.25	0	29810.427	326.8817204	9695.594271	30000	0	0	30000	40.25	2004
22.01.2020 14:31:01	1	1	1	1	72.75	60.25	0	29573.46	339.7849462	10048.65056	30000	0	0	30000	40.4375	2004
22.01.2020 14:31:02	1	1	1	1	72.75	60.25	0	29620.853	339.7849462	10064.14264	30000	0	0	30000	40.375	2004
22.01.2020 14:31:03	1	1	1	1	72.75	60.25	0	29952.607	352.688172	10644.68785	30000	0	0	30000	40.125	2004
22.01.2020 14:31:04	1	1	1	1	72.75	60	0	30000	359.1397849	10903.16093	30000	0	0	30000	40.3125	2004
22.01.2020 14:31:05	1	1	1	1	72.75	60.25	0	30000	350.5376344	10644.68785	30000	0	0	30000	40.25	2004
22.01.2020 14:31:06	1	1	1	1	72.75	60.25	0	30000	356.9892473	10773.5167	30000	0	0	30000	40.3125	2004
22.01.2020 14:31:07	1	1	1	1	72.75	60.25	0	29952.607	356.9892473	10709.10227	30000	0	0	30000	40.25	2004
22.01.2020 14:31:08	1	1	1	1	73	60.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	40.25	2004
22.01.2020 14:31:09	1	1	1	1	73	60.25	0	30000	359.1397849	10757.20925	30000	0	0	30000	40.4375	2004
22.01.2020 14:31:10	1	1	1	1	73	60.25	0	29905.213	359.1397849	10740.08643	30000	0	0	30000	40.25	2004
22.01.2020 14:31:11	1	1	1	1	73	60.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	40.75	2004
22.01.2020 14:31:12	1	1	1	1	73	60.75	0	29905.213	369.8924731	10996.92876	30000	0	0	30000	40.625	2004
22.01.2020 14:31:13	1	1	1	1	73	60	0	29952.607	363.4408602	10903.16093	30000	0	0	30000	40.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 14:31:14	1	1	1	1	73	60.25	0	30000	363.4408602	10903.16093	30000	0	0	30000	40.3125	2004
22.01.2020 14:31:15	1	1	1	1	73	60.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	40.5	2004
22.01.2020 14:31:16	1	1	1	1	73	60.5	0	30000	354.8387097	10644.68785	30000	0	0	30000	40.3125	2004
22.01.2020 14:31:17	1	1	1	1	73	60.25	0	30000	346.2365591	10387.03014	30000	0	0	30000	40.25	2004
22.01.2020 14:31:18	1	1	1	1	73	60.25	0	30000	337.6344086	10192.97149	30000	0	0	30000	40.375	2004
22.01.2020 14:31:19	1	1	1	1	73	60.25	0	30000	335.483871	10064.14264	30000	0	0	30000	39.875	2004
22.01.2020 14:31:20	1	1	1	1	73	59.75	0	30000	335.483871	10064.14264	30000	0	0	30000	40.25	2004
22.01.2020 14:31:21	1	1	1	1	73	60.25	0	30000	335.483871	9999.728209	30000	0	0	30000	40.1875	2004
22.01.2020 14:31:22	1	1	1	1	73	60	0	30000	335.483871	10048.65056	30000	0	0	30000	40.3125	2004
22.01.2020 14:31:23	1	1	1	1	73	60.25	0	30000	329.0322581	9870.899356	30000	0	0	30000	39.9375	2004
22.01.2020 14:31:24	1	1	1	1	73	59.75	0	30000	322.5806452	9741.25513	30000	0	0	30000	40.125	2004
22.01.2020 14:31:25	1	1	1	1	73	60	0	29952.607	311.827957	9354.76857	30000	0	0	30000	40.1875	2004
22.01.2020 14:31:26	1	1	1	1	73	60	0	30000	298.9247312	9031.881064	30000	0	0	30000	39.75	2004
22.01.2020 14:31:27	1	1	1	1	73	59.75	0	30000	286.0215054	8580.164705	30000	0	0	30000	40.1875	2004
22.01.2020 14:31:28	1	1	1	1	73	60	0	30000	275.2688172	8322.506999	30000	0	0	30000	40.375	2004
22.01.2020 14:31:29	1	1	1	1	73	60.25	0	30000	273.1182796	8180.632185	30000	0	0	30000	40.1875	2004
22.01.2020 14:31:30	1	1	1	1	73	60	0	30000	266.6666667	8064.033919	30000	0	0	30000	40.375	2004
22.01.2020 14:31:31	1	1	1	1	73	60.25	0	30000	266.6666667	7999.619493	30000	0	0	30000	40.3125	2004
22.01.2020 14:31:32	1	1	1	1	73	60.25	0	30000	264.516129	7999.619493	30000	0	0	30000	40.3125	2004
22.01.2020 14:31:33	1	1	1	1	73	60.25	0	30000	266.6666667	8128.448346	30000	0	0	30000	40.125	2004
22.01.2020 14:31:34	1	1	1	1	73	60	0	30000	264.516129	7935.205066	30000	0	0	30000	39.625	2004
22.01.2020 14:31:35	1	1	1	1	73	59.5	0	30000	266.6666667	8064.033919	30000	0	0	30000	39.625	2004
22.01.2020 14:31:36	1	1	1	1	73	59.5	0	30000	268.8172043	8064.033919	30000	0	0	30000	40.375	2004
22.01.2020 14:31:37	1	1	1	1	73	60.25	0	29952.607	275.2688172	8192.862773	30000	0	0	30000	40.125	2004
22.01.2020 14:31:38	1	1	1	1	73	60	0	29952.607	275.2688172	8322.506999	30000	0	0	30000	39.6875	2004
22.01.2020 14:31:40	1	1	1	1	73	59.5	0	30000	279.5698925	8322.506999	30000	0	0	30000	40.3125	2004
22.01.2020 14:31:41	1	1	1	1	73	60.25	0	30000	279.5698925	8386.921425	30000	0	0	30000	40.4375	2004
22.01.2020 14:31:42	1	1	1	1	73	60.25	0	30000	281.7204301	8245.046612	30000	0	0	30000	40.375	2004
22.01.2020 14:31:43	1	1	1	1	73	60.25	0	30000	279.5698925	8451.335852	30000	0	0	30000	40.1875	2004
22.01.2020 14:31:44	1	1	1	1	73	60	0	30000	281.7204301	8386.921425	30000	0	0	30000	40.3125	2004
22.01.2020 14:31:45	1	1	1	1	73	60.25	0	30047.393	281.7204301	8451.335852	30000	0	0	30000	40.25	2004
22.01.2020 14:31:46	1	1	1	1	73	60.25	0	30000	309.6774194	9225.124344	30000	0	0	30000	40.1875	2004
22.01.2020 14:31:47	1	1	1	1	73	60	0	0	0	0	30000	0	8	30000	39.625	2004
22.01.2020 14:31:48	1	1	1	1	72	59.5	0	10426.54	0	0	30000	0	0	30000	40.5625	2004
22.01.2020 14:31:49	1	1	1	1	72	60.5	0	11327.014	0	0	30000	0	0	30000	40.75	2004
22.01.2020 14:31:50	1	1	1	1	72	60.75	0	12085.308	0	0	30000	0	0	30000	40.5625	2004
22.01.2020 14:31:57	1	1	1	1	72.25	60.25	0	17440.758	23.65591398	450.9009866	30000	0	0	30000	40.4375	2004
22.01.2020 14:31:57	1	1	1	1	72.25	60.25	0	17440.758	23.65591398	450.9009866	30000	0	0	30000	40.4375	2004
22.01.2020 14:31:57	1	1	1	1	72.25	60.25	0	17440.758	23.65591398	450.9009866	30000	0	0	30000	40.4375	2004
22.01.2020 14:31:57	1	1	1	1	72.25	60.25	0	17440.758	23.65591398	450.9009866	30000	0	0	30000	40.4375	2004
22.01.2020 14:31:57	1	1	1	1	72.25	60.25	0	17440.758	23.65591398	450.9009866	30000	0	0	30000	40.4375	2004
22.01.2020 14:31:57	1	1	1	1	72.25	60.25	0	17440.758	23.65591398	450.9009866	30000	0	0	30000	40.4375	2004
22.01.2020 14:31:57	1	1	1	1	72.25	60.25	0	17440.758	23.65591398	450.9009866	30000	0	0	30000	40.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 14:31:58	1	1	1	1	72.25	60.25	0	18246.445	32.25806452	587.8835648	30000	0	0	30000	40.3125	2004
22.01.2020 14:31:59	1	1	1	1	72.25	60.25	0	19052.133	38.70967742	737.0967304	30000	0	0	30000	40.375	2004
22.01.2020 14:32:00	1	1	1	1	72.25	60.25	0	19668.246	45.16129032	936.8629902	30000	0	0	30000	40.4375	2004
22.01.2020 14:32:01	1	1	1	1	72.25	60.25	0	20521.327	55.91397849	1147.229092	30000	0	0	30000	40.1875	2004
22.01.2020 14:32:02	1	1	1	1	72.25	60	0	21279.621	62.3655914	1417.932759	30000	0	0	30000	40.375	2004
22.01.2020 14:32:03	1	1	1	1	72.25	60.25	0	22132.701	70.96774194	1665.805996	30000	0	0	30000	40.125	2004
22.01.2020 14:32:04	1	1	1	1	72.25	60	0	22890.995	83.87096774	1919.38684	30000	0	0	30000	40.4375	2004
22.01.2020 14:32:05	1	1	1	1	72.25	60.25	0	23554.502	88.17204301	2177.859919	30000	0	0	30000	40.125	2004
22.01.2020 14:32:06	1	1	1	1	72.25	60	0	24360.19	109.6774194	2655.668198	30000	0	0	30000	40.3125	2004
22.01.2020 14:32:07	1	1	1	1	72.5	60.25	0	24976.303	124.7311828	3126.953497	30000	0	0	30000	40.3125	2004
22.01.2020 14:32:08	1	1	1	1	72.5	60.25	0	25071.09	137.6344086	3457.179355	30000	0	0	30000	40.3125	2004
22.01.2020 14:32:09	1	1	1	1	72.5	60.25	0	25071.09	137.6344086	3463.702335	30000	0	0	30000	40.375	2004
22.01.2020 14:32:10	1	1	1	1	72.5	60.25	0	25118.483	137.6344086	3457.179355	30000	0	0	30000	40.25	2004
22.01.2020 14:32:11	1	1	1	1	72.5	60.25	0	25165.877	137.6344086	3457.179355	30000	0	0	30000	40.3125	2004
22.01.2020 14:32:12	1	1	1	1	72.5	60.25	0	25118.483	137.6344086	3463.702335	30000	0	0	30000	40.375	2004
22.01.2020 14:32:13	1	1	1	1	72.5	60.25	0	25118.483	137.6344086	3457.179355	30000	0	0	30000	40.375	2004
22.01.2020 14:32:14	1	1	1	1	72.5	60.25	0	25118.483	124.7311828	3019.324328	30000	0	0	30000	40.4375	2004
22.01.2020 14:32:15	1	1	1	1	72.5	60.25	0	25071.09	111.827957	3030.739543	30000	0	0	30000	39.75	2004
22.01.2020 14:32:16	1	1	1	1	72.5	59.75	0	25165.877	111.827957	2760.035876	30000	0	0	30000	40.375	2004
22.01.2020 14:32:18	1	1	1	1	72.75	60.25	0	25071.09	107.5268817	2641.806865	30000	0	0	30000	40.3125	2004
22.01.2020 14:32:19	1	1	1	1	72.75	60.25	0	25118.483	103.2258065	2592.884516	30000	0	0	30000	40.4375	2004
22.01.2020 14:32:20	1	1	1	1	72.75	60.25	0	25165.877	103.2258065	2597.776751	30000	0	0	30000	40.375	2004
22.01.2020 14:32:21	1	1	1	1	72.75	60.25	0	25071.09	103.2258065	2597.776751	30000	0	0	30000	40.25	2004
22.01.2020 14:32:22	1	1	1	1	72.75	60.25	0	25165.877	103.2258065	2587.992281	30000	0	0	30000	40.25	2004
22.01.2020 14:32:23	1	1	1	1	72.75	60.25	0	25071.09	103.2258065	2592.884516	30000	0	0	30000	40.3125	2004
22.01.2020 14:32:24	1	1	1	1	72.75	60.25	0	25165.877	103.2258065	2587.992281	30000	0	0	30000	40.3125	2004
22.01.2020 14:32:25	1	1	1	1	72.75	60.25	0	25165.877	103.2258065	2592.884516	30000	0	0	30000	40.3125	2004
22.01.2020 14:32:26	1	1	1	1	72.75	60.25	0	25118.483	103.2258065	2651.591335	30000	0	0	30000	40.0625	2004
22.01.2020 14:32:27	1	1	1	1	72.75	60	0	25165.877	103.2258065	2592.884516	30000	0	0	30000	40.8125	2004
22.01.2020 14:32:28	1	1	1	1	73	60.75	0	25592.417	109.6774194	2801.619873	30000	0	0	30000	40.1875	2004
22.01.2020 14:32:29	1	1	1	1	73	60	0	26303.318	120.4301075	3167.722121	30000	0	0	30000	40.75	2004
22.01.2020 14:32:30	1	1	1	1	73	60.75	0	27061.611	137.6344086	3724.621531	30000	0	0	30000	40.8125	2004
22.01.2020 14:32:31	1	1	1	1	73	60.25	0	27914.692	152.688172	4269.290354	30000	0	0	30000	40.25	2004
22.01.2020 14:32:32	1	1	1	1	73	60.25	0	28199.052	178.4946237	5049.601826	30000	0	0	30000	39.75	2004
22.01.2020 14:32:33	1	1	1	1	73	59.75	0	28625.592	189.2473118	5453.211209	30000	0	0	30000	40.25	2004
22.01.2020 14:32:34	1	1	1	1	73	60.25	0	28957.346	191.3978495	5978.311092	30000	0	0	30000	40.375	2004
22.01.2020 14:32:35	1	1	1	1	73	60.25	0	29146.919	206.4516129	6017.448971	30000	0	0	30000	40.4375	2004
22.01.2020 14:32:36	1	1	1	1	73	60.25	0	29099.526	193.5483871	5694.561465	30000	0	0	30000	40.125	2004
22.01.2020 14:32:37	1	1	1	1	72.75	60	0	29099.526	191.3978495	5568.994102	30000	0	0	30000	40.4375	2004
22.01.2020 14:32:38	1	1	1	1	72.75	60.25	0	29052.133	189.2473118	5568.994102	30000	0	0	30000	40.25	2004
22.01.2020 14:32:39	1	1	1	1	72.75	60.25	0	29099.526	191.3978495	5507.025793	30000	0	0	30000	40.25	2004
22.01.2020 14:32:40	1	1	1	1	72.75	60.25	0	29099.526	189.2473118	5631.777784	30000	0	0	30000	40.25	2004
22.01.2020 14:32:41	1	1	1	1	72.75	60.25	0	29052.133	195.6989247	5694.561465	30000	0	0	30000	40.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 14:32:42	1	1	1	1	72.75	60.25	0	29099.526	195.6989247	5694.561465	30000	0	0	30000	40.25	2004
22.01.2020 14:32:43	1	1	1	1	72.75	60.25	0	29146.919	206.4516129	6017.448971	30000	0	0	30000	40	2004
22.01.2020 14:32:44	1	1	1	1	72.75	60	0	29146.919	206.4516129	6017.448971	30000	0	0	30000	39.9375	2004
22.01.2020 14:32:45	1	1	1	1	72.75	59.75	0	29146.919	206.4516129	6017.448971	30000	0	0	30000	40.375	2004
22.01.2020 14:32:46	1	1	1	1	72.75	60.25	0	29146.919	206.4516129	6017.448971	30000	0	0	30000	40.3125	2004
22.01.2020 14:32:47	1	1	1	1	72.5	60.25	0	29146.919	206.4516129	6017.448971	30000	0	0	30000	40.0625	2004
22.01.2020 14:32:48	1	1	1	1	72.5	60	0	29146.919	206.4516129	6017.448971	30000	0	0	30000	40.25	2004
22.01.2020 14:32:49	1	1	1	1	72.5	60.25	0	29146.919	206.4516129	6017.448971	30000	0	0	30000	39.875	2004
22.01.2020 14:32:50	1	1	1	1	72.5	59.75	0	29241.706	206.4516129	6017.448971	30000	0	0	30000	40.3125	2004
22.01.2020 14:32:51	1	1	1	1	72.5	60.25	0	29146.919	206.4516129	6017.448971	30000	0	0	30000	40	2004
22.01.2020 14:32:59	1	1	1	1	72.5	59	0	29146.919	206.4516129	6017.448971	30000	0	0	30000	40.1875	2004
22.01.2020 14:32:59	1	1	1	1	72.5	59	0	29146.919	206.4516129	6017.448971	30000	0	0	30000	40.1875	2004
22.01.2020 14:32:59	1	1	1	1	72.5	59	0	29146.919	206.4516129	6017.448971	30000	0	0	30000	40.1875	2004
22.01.2020 14:32:59	1	1	1	1	72.5	59	0	29146.919	206.4516129	6017.448971	30000	0	0	30000	40.1875	2004
22.01.2020 14:32:59	1	1	1	1	72.5	59	0	29146.919	206.4516129	6017.448971	30000	0	0	30000	40.1875	2004
22.01.2020 14:32:59	1	1	1	1	72.5	59	0	29146.919	206.4516129	6017.448971	30000	0	0	30000	40.1875	2004
22.01.2020 14:32:59	1	1	1	1	72.5	59	0	29146.919	206.4516129	6017.448971	30000	0	0	30000	40.1875	2004
22.01.2020 14:32:59	1	1	1	1	72.5	59	0	29146.919	206.4516129	6017.448971	30000	0	0	30000	40.1875	2004
22.01.2020 14:33:00	1	1	1	1	72.5	60	0	29146.919	206.4516129	6017.448971	30000	0	0	30000	40.5	2004
22.01.2020 14:33:01	1	1	1	1	72.5	60.5	0	29146.919	206.4516129	6017.448971	30000	0	0	30000	40.0625	2004
22.01.2020 14:33:02	1	1	1	1	72.5	60	0	29146.919	208.6021505	6079.41728	30000	0	0	30000	40.25	2004
22.01.2020 14:33:03	1	1	1	1	72.5	60.25	0	29146.919	212.9032258	6204.984644	30000	0	0	30000	40.3125	2004
22.01.2020 14:33:04	1	1	1	1	72.5	60.25	0	29241.706	219.3548387	6413.720001	30000	0	0	30000	40.3125	2004
22.01.2020 14:33:05	1	1	1	1	72.5	60.25	0	29241.706	221.5053763	6476.503683	30000	0	0	30000	40.3125	2004
22.01.2020 14:33:06	1	1	1	1	72.5	60.25	0	29241.706	227.9569892	6456.119371	30000	0	0	30000	40.3125	2004
22.01.2020 14:33:07	1	1	1	1	72.5	60.25	0	29146.919	232.2580645	6832.006088	30000	0	0	30000	40.625	2004
22.01.2020 14:33:08	1	1	1	1	72.5	60.5	0	29146.919	240.8602151	7105.971245	30000	0	0	30000	40.25	2004
22.01.2020 14:33:09	1	1	1	1	72.5	60	0	29146.919	240.8602151	7020.357133	30000	0	0	30000	40.375	2004
22.01.2020 14:33:10	1	1	1	1	72.5	60.25	0	29241.706	260.2150538	7671.839752	30000	0	0	30000	40.1875	2004
22.01.2020 14:33:11	1	1	1	1	72.5	60	0	28957.346	281.7204301	8157.801756	30000	0	0	30000	40	2004
22.01.2020 14:33:12	1	1	1	1	72.5	60	0	29336.493	283.8709677	8277.661512	30000	0	0	30000	40.1875	2004
22.01.2020 14:33:13	1	1	1	1	72.5	60	0	29383.886	294.6236559	8516.565651	30000	0	0	30000	40.25	2004
22.01.2020 14:33:14	1	1	1	1	72.5	60.25	0	29431.28	275.2688172	8037.942	30000	0	0	30000	40.3125	2004
22.01.2020 14:33:15	1	1	1	1	72.5	60.25	0	29431.28	264.516129	7784.361156	30000	0	0	30000	40.1875	2004
22.01.2020 14:33:16	1	1	1	1	72.5	60	0	29431.28	253.7634409	7595.194738	30000	0	0	30000	40.1875	2004
22.01.2020 14:33:17	1	1	1	1	72.25	60	0	29431.28	255.9139785	7531.595684	30000	0	0	30000	39.9375	2004
22.01.2020 14:33:18	1	1	1	1	72.25	59.75	0	29526.066	260.2150538	7405.212948	30000	0	0	30000	40.375	2004
22.01.2020 14:33:19	1	1	1	1	72.25	60.25	0	29431.28	249.4623656	7405.212948	30000	0	0	30000	40.3125	2004
22.01.2020 14:33:20	1	1	1	1	72.25	60.25	0	29431.28	245.1612903	7151.632104	30000	0	0	30000	40.3125	2004
22.01.2020 14:33:21	1	1	1	1	72.25	60.25	0	29431.28	240.8602151	7088.848422	30000	0	0	30000	40.1875	2004
22.01.2020 14:33:22	1	1	1	1	72.25	60	0	29431.28	236.5591398	6961.650314	30000	0	0	30000	40.25	2004
22.01.2020 14:33:23	1	1	1	1	72.25	60.25	0	29431.28	240.8602151	7088.848422	30000	0	0	30000	40.3125	2004
22.01.2020 14:33:24	1	1	1	1	72.25	60.25	0	29431.28	243.0107527	7151.632104	30000	0	0	30000	40.1875	2004
22.01.2020 14:33:25	1	1	1	1	72.25	60	0	29431.28	243.0107527	7215.231158	30000	0	0	30000	40.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 14:33:26	1	1	1	1	72.25	60.25	0	29431.28	247.311828	7290.245427	30000	0	0	30000	40.1875	2004
22.01.2020 14:33:27	1	1	1	1	71.75	60	0	29431.28	245.1612903	7215.231158	30000	0	0	30000	39.8125	2004
22.01.2020 14:33:28	1	1	1	1	71.75	59.75	0	29431.28	249.4623656	7405.212948	30000	0	0	30000	40.375	2004
22.01.2020 14:33:29	1	1	1	1	71.75	60.25	0	29431.28	249.4623656	7405.212948	30000	0	0	30000	40.1875	2004
22.01.2020 14:33:30	1	1	1	1	71.75	60	0	29431.28	251.6129032	7467.99663	30000	0	0	30000	38.9375	2004
22.01.2020 14:33:31	1	1	1	1	71.75	58.75	0	29431.28	258.0645161	7531.595684	30000	0	0	30000	40.0625	2004
22.01.2020 14:33:32	1	1	1	1	71.75	60	0	29383.886	262.3655914	7721.577474	30000	0	0	30000	40.125	2004
22.01.2020 14:33:34	1	1	1	1	71.75	60	0	29336.493	260.2150538	7709.346887	30000	0	0	30000	39.9375	2004
22.01.2020 14:33:35	1	1	1	1	71.75	59.75	0	29383.886	262.3655914	7847.96021	30000	0	0	30000	40.375	2004
22.01.2020 14:33:36	1	1	1	1	71.75	60.25	0	29431.28	266.6666667	7847.96021	30000	0	0	30000	40.125	2004
22.01.2020 14:33:37	1	1	1	1	71.75	60	0	29431.28	262.3655914	7721.577474	30000	0	0	30000	40.125	2004
22.01.2020 14:33:38	1	1	1	1	72	60	0	29431.28	262.3655914	7721.577474	30000	0	0	30000	40.125	2004
22.01.2020 14:33:39	1	1	1	1	72	60	0	29431.28	277.4193548	8164.324736	30000	0	0	30000	40.125	2004
22.01.2020 14:33:40	1	1	1	1	72	60	0	29478.673	275.2688172	8114.587014	30000	0	0	30000	39.75	2004
22.01.2020 14:33:41	1	1	1	1	72	59.75	0	29526.066	273.1182796	7911.559264	30000	0	0	30000	40.25	2004
22.01.2020 14:33:42	1	1	1	1	72	60.25	0	29526.066	268.8172043	7923.789851	30000	0	0	30000	39.625	2004
22.01.2020 14:33:43	1	1	1	1	72	59.5	0	29431.28	268.8172043	7923.789851	30000	0	0	30000	39.75	2004
22.01.2020 14:33:44	1	1	1	1	72	59.75	0	29478.673	270.9677419	7974.342946	30000	0	0	30000	40.375	2004
22.01.2020 14:33:45	1	1	1	1	72	60.25	0	29478.673	270.9677419	7911.559264	30000	0	0	30000	40.625	2004
22.01.2020 14:33:46	1	1	1	1	72	60.5	0	29431.28	270.9677419	7911.559264	30000	0	0	30000	40.3125	2004
22.01.2020 14:33:47	1	1	1	1	71.75	59.5	0	29478.673	275.2688172	8050.98796	30000	0	0	30000	40.1875	2004
22.01.2020 14:33:48	1	1	1	1	71.75	60	0	29478.673	273.1182796	8050.98796	30000	0	0	30000	40.0625	2004
22.01.2020 14:33:49	1	1	1	1	71.75	60	0	29478.673	275.2688172	8177.370696	30000	0	0	30000	40.25	2004
22.01.2020 14:33:50	1	1	1	1	71.75	60.25	0	29478.673	277.4193548	8177.370696	30000	0	0	30000	40.3125	2004
22.01.2020 14:33:51	1	1	1	1	71.75	60.25	0	29478.673	277.4193548	8190.416655	30000	0	0	30000	40.1875	2004
22.01.2020 14:33:52	1	1	1	1	71.75	60	0	29478.673	290.3225806	8544.288316	30000	0	0	30000	40.375	2004
22.01.2020 14:33:53	1	1	1	1	71.75	60.25	0	29478.673	288.172043	8430.95154	30000	0	0	30000	40.25	2004
22.01.2020 14:34:00	1	1	1	1	72	60.25	0	29478.673	279.5698925	8254.01571	30000	0	0	30000	40.1875	2004
22.01.2020 14:34:00	1	1	1	1	72	60.25	0	29478.673	279.5698925	8254.01571	30000	0	0	30000	40.1875	2004
22.01.2020 14:34:00	1	1	1	1	72	60.25	0	29478.673	279.5698925	8254.01571	30000	0	0	30000	40.1875	2004
22.01.2020 14:34:00	1	1	1	1	72	60.25	0	29478.673	279.5698925	8254.01571	30000	0	0	30000	40.1875	2004
22.01.2020 14:34:00	1	1	1	1	72	60.25	0	29478.673	279.5698925	8254.01571	30000	0	0	30000	40.1875	2004
22.01.2020 14:34:00	1	1	1	1	72	60.25	0	29478.673	279.5698925	8254.01571	30000	0	0	30000	40.1875	2004
22.01.2020 14:34:00	1	1	1	1	72	60.25	0	29478.673	279.5698925	8254.01571	30000	0	0	30000	40.1875	2004
22.01.2020 14:34:01	1	1	1	1	72	60	0	29478.673	279.5698925	8304.568804	30000	0	0	30000	40.375	2004
22.01.2020 14:34:02	1	1	1	1	72	60.25	0	29526.066	281.7204301	8317.614764	30000	0	0	30000	39.3125	2004
22.01.2020 14:34:03	1	1	1	1	72	59.25	0	29526.066	318.2795699	9318.892181	30000	0	0	30000	40.4375	2004
22.01.2020 14:34:04	1	1	1	1	72	60.25	0	29431.28	290.3225806	8558.149648	30000	0	0	30000	40.1875	2004
22.01.2020 14:34:05	1	1	1	1	72	60	0	29526.066	288.172043	8572.01098	30000	0	0	30000	39.6875	2004
22.01.2020 14:34:06	1	1	1	1	72	59.5	0	29526.066	281.7204301	8317.614764	30000	0	0	30000	40.25	2004
22.01.2020 14:34:07	1	1	1	1	72.5	60.25	0	29478.673	277.4193548	8190.416655	30000	0	0	30000	40.25	2004
22.01.2020 14:34:08	1	1	1	1	72.5	60.25	0	29526.066	294.6236559	8698.393716	30000	0	0	30000	40.125	2004
22.01.2020 14:34:09	1	1	1	1	72.5	60	0	29526.066	294.6236559	8572.01098	30000	0	0	30000	40.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 14:34:10	1	1	1	1	72.5	60.25	0	29526.066	309.6774194	9079.988041	30000	0	0	30000	40.1875	2004
22.01.2020 14:34:11	1	1	1	1	72.5	60	0	29478.673	288.172043	8508.411926	30000	0	0	30000	40.3125	2004
22.01.2020 14:34:13	1	1	1	1	72.5	60.25	0	29526.066	292.4731183	8585.872313	30000	0	0	30000	40.375	2004
22.01.2020 14:34:14	1	1	1	1	72.5	60.25	0	29478.673	286.0215054	8444.812872	30000	0	0	30000	40.125	2004
22.01.2020 14:34:15	1	1	1	1	72.5	60	0	29526.066	275.2688172	8064.033919	30000	0	0	30000	40.5	2004
22.01.2020 14:34:16	1	1	1	1	72.5	60.5	0	29526.066	264.516129	7809.637703	30000	0	0	30000	40.125	2004
22.01.2020 14:34:17	1	1	1	1	72.5	60	0	29526.066	258.0645161	7619.655913	30000	0	0	30000	39.375	2004
22.01.2020 14:34:18	1	1	1	1	72.5	59.25	0	29526.066	264.516129	7809.637703	30000	0	0	30000	39.4375	2004
22.01.2020 14:34:19	1	1	1	1	72.5	59.25	0	29526.066	264.516129	7670.209007	30000	0	0	30000	40.3125	2004
22.01.2020 14:34:20	1	1	1	1	72.5	60.25	0	29478.673	268.8172043	7936.835811	30000	0	0	30000	40.3125	2004
22.01.2020 14:34:21	1	1	1	1	72.5	60.25	0	29526.066	268.8172043	7886.282717	30000	0	0	30000	40.1875	2004
22.01.2020 14:34:22	1	1	1	1	72.5	60	0	29526.066	262.3655914	7746.038649	30000	0	0	30000	40.1875	2004
22.01.2020 14:34:23	1	1	1	1	72.5	60	0	29478.673	258.0645161	7682.439594	30000	0	0	30000	40.6875	2004
22.01.2020 14:34:24	1	1	1	1	72.5	60.5	0	29526.066	260.2150538	7682.439594	30000	0	0	30000	40.375	2004
22.01.2020 14:34:25	1	1	1	1	72.5	60.25	0	29526.066	262.3655914	7809.637703	30000	0	0	30000	40.125	2004
22.01.2020 14:34:26	1	1	1	1	72.5	60.75	0	29526.066	253.7634409	7441.089338	30000	0	0	30000	40.125	2004
22.01.2020 14:34:27	1	1	1	1	72.75	60	0	29526.066	245.1612903	7301.660642	30000	0	0	30000	40	2004
22.01.2020 14:34:28	1	1	1	1	72.75	60	0	29526.066	247.311828	7301.660642	30000	0	0	30000	40.3125	2004
22.01.2020 14:34:29	1	1	1	1	72.75	60.25	0	29526.066	251.6129032	7365.259696	30000	0	0	30000	40.3125	2004
22.01.2020 14:34:30	1	1	1	1	72.75	60.25	0	29526.066	249.4623656	7428.85875	30000	0	0	30000	40	2004
22.01.2020 14:34:31	1	1	1	1	72.75	60	0	29620.853	251.6129032	7452.504552	30000	0	0	30000	40.0625	2004
22.01.2020 14:34:32	1	1	1	1	72.75	60	0	29573.46	251.6129032	7441.089338	30000	0	0	30000	40.25	2004
22.01.2020 14:34:33	1	1	1	1	72.75	60.25	0	29526.066	255.9139785	7568.287446	30000	0	0	30000	40.3125	2004
22.01.2020 14:34:34	1	1	1	1	72.75	60.25	0	29573.46	262.3655914	7822.683663	30000	0	0	30000	40.0625	2004
22.01.2020 14:34:35	1	1	1	1	72.75	60	0	29526.066	268.8172043	7949.881771	30000	0	0	30000	40.125	2004
22.01.2020 14:34:36	1	1	1	1	72.75	60	0	29573.46	275.2688172	8089.310467	30000	0	0	30000	40.1875	2004
22.01.2020 14:34:37	1	1	1	1	72.75	60	0	29620.853	279.5698925	8217.323947	30000	0	0	30000	39.875	2004
22.01.2020 14:34:38	1	1	1	1	72.75	59.75	0	29573.46	277.4193548	8204.277988	30000	0	0	30000	40.3125	2004
22.01.2020 14:34:39	1	1	1	1	72.75	60.25	0	29573.46	277.4193548	8204.277988	30000	0	0	30000	40.25	2004
22.01.2020 14:34:40	1	1	1	1	72.75	60.25	0	29573.46	277.4193548	8267.877042	30000	0	0	30000	39.625	2004
22.01.2020 14:34:41	1	1	1	1	72.75	59.5	0	29573.46	279.5698925	8267.877042	30000	0	0	30000	40.3125	2004
22.01.2020 14:34:42	1	1	1	1	72.75	60.25	0	29573.46	277.4193548	8190.416655	30000	0	0	30000	40.3125	2004
22.01.2020 14:34:43	1	1	1	1	72.75	60.25	0	29526.066	275.2688172	8204.277988	30000	0	0	30000	40.25	2004
22.01.2020 14:34:44	1	1	1	1	72.75	60.25	0	29526.066	279.5698925	8254.01571	30000	0	0	30000	40.375	2004
22.01.2020 14:34:45	1	1	1	1	72.75	60.25	0	29573.46	283.8709677	8458.674204	30000	0	0	30000	40.125	2004
22.01.2020 14:34:46	1	1	1	1	72.75	60	0	29573.46	279.5698925	8267.877042	30000	0	0	30000	40	2004
22.01.2020 14:34:47	1	1	1	1	73	60	0	29526.066	283.8709677	8317.614764	30000	0	0	30000	40.125	2004
22.01.2020 14:34:48	1	1	1	1	73	60	0	29526.066	281.7204301	8331.476096	30000	0	0	30000	40.1875	2004
22.01.2020 14:34:49	1	1	1	1	73	60	0	29573.46	283.8709677	8381.213818	30000	0	0	30000	40.375	2004
22.01.2020 14:34:50	1	1	1	1	73	60.25	0	29573.46	283.8709677	8458.674204	30000	0	0	30000	40.375	2004
22.01.2020 14:34:52	1	1	1	1	73	60.25	0	29526.066	283.8709677	8395.07515	30000	0	0	30000	39.8125	2004
22.01.2020 14:34:53	1	1	1	1	73	59.75	0	29526.066	281.7204301	8331.476096	30000	0	0	30000	39.8125	2004
22.01.2020 14:34:54	1	1	1	1	73	59.75	0	29620.853	286.0215054	8331.476096	30000	0	0	30000	40.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 14:34:55	1	1	1	1	73	60.25	0	29573.46	286.0215054	8458.674204	30000	0	0	30000	40.3125	2004
22.01.2020 14:35:02	1	1	1	1	72.5	60	0	29620.853	283.8709677	8331.476096	30000	0	0	30000	40.25	2004
22.01.2020 14:35:02	1	1	1	1	72.5	60	0	29620.853	283.8709677	8331.476096	30000	0	0	30000	40.25	2004
22.01.2020 14:35:02	1	1	1	1	72.5	60	0	29620.853	283.8709677	8331.476096	30000	0	0	30000	40.25	2004
22.01.2020 14:35:02	1	1	1	1	72.5	60	0	29620.853	283.8709677	8331.476096	30000	0	0	30000	40.25	2004
22.01.2020 14:35:02	1	1	1	1	72.5	60	0	29620.853	283.8709677	8331.476096	30000	0	0	30000	40.25	2004
22.01.2020 14:35:02	1	1	1	1	72.5	60	0	29620.853	283.8709677	8331.476096	30000	0	0	30000	40.25	2004
22.01.2020 14:35:02	1	1	1	1	72.5	60	0	29620.853	283.8709677	8331.476096	30000	0	0	30000	40.25	2004
22.01.2020 14:35:03	1	1	1	1	72.5	60.25	0	29620.853	286.0215054	8471.720164	30000	0	0	30000	40.5	2004
22.01.2020 14:35:04	1	1	1	1	72.5	60.5	0	29620.853	283.8709677	8408.12111	30000	0	0	30000	40.3125	2004
22.01.2020 14:35:05	1	1	1	1	72.5	60.25	0	29620.853	283.8709677	8471.720164	30000	0	0	30000	40.5	2004
22.01.2020 14:35:06	1	1	1	1	72.5	60.5	0	29620.853	281.7204301	8471.720164	30000	0	0	30000	40	2004
22.01.2020 14:35:07	1	1	1	1	72.75	60.25	0	29620.853	309.6774194	9236.539559	30000	0	0	30000	39.9375	2004
22.01.2020 14:35:08	1	1	1	1	72.75	59.75	0	0	0	0	30000	0	8	30000	40.5	2004
22.01.2020 14:35:09	1	1	1	1	72.75	60.5	0	10379.147	0	0	30000	0	0	30000	40.3125	2004
22.01.2020 14:35:10	1	1	1	1	72.75	60.25	0	11184.834	0	0	30000	0	0	30000	40.375	2004
22.01.2020 14:35:11	1	1	1	1	72.75	60.25	0	11990.521	0	0	30000	0	0	30000	40.3125	2004
22.01.2020 14:35:12	1	1	1	1	72.75	60.25	0	12748.815	0	0	30000	0	0	30000	40.3125	2004
22.01.2020 14:35:13	1	1	1	1	72.75	60.25	0	13507.109	2.150537634	28.53803713	30000	0	0	30000	40.4375	2004
22.01.2020 14:35:14	1	1	1	1	72.75	60.25	0	14218.009	6.451612903	91.32171881	30000	0	0	30000	40.25	2004
22.01.2020 14:35:15	1	1	1	1	72.75	60.25	0	14976.303	10.75268817	160.6283804	30000	0	0	30000	40.3125	2004
22.01.2020 14:35:16	1	1	1	1	72.75	60.25	0	15829.384	15.05376344	238.0887669	30000	0	0	30000	40.25	2004
22.01.2020 14:35:17	1	1	1	1	73.75	60.25	0	16492.891	17.20430108	322.8875058	30000	0	0	30000	40.1875	2004
22.01.2020 14:35:18	1	1	1	1	73.75	60	0	17393.365	23.65591398	410.9477346	30000	0	0	30000	40.25	2004
22.01.2020 14:35:19	1	1	1	1	73.75	60.25	0	18151.659	34.40860215	585.4374473	30000	0	0	30000	40.1875	2004
22.01.2020 14:35:20	1	1	1	1	73.75	60	0	18909.953	36.55913978	650.6672465	30000	0	0	30000	40.375	2004
22.01.2020 14:35:21	1	1	1	1	73.75	60.25	0	19668.246	43.01075269	845.5412714	30000	0	0	30000	40.25	2004
22.01.2020 14:35:22	1	1	1	1	73.75	60.25	0	20473.934	49.46236559	1056.722746	30000	0	0	30000	40.3125	2004
22.01.2020 14:35:23	1	1	1	1	73.75	60.25	0	21232.227	58.06451613	1187.182344	30000	0	0	30000	40.25	2004
22.01.2020 14:35:24	1	1	1	1	73.75	60.25	0	21943.128	62.3655914	1368.195037	30000	0	0	30000	40.375	2004
22.01.2020 14:35:25	1	1	1	1	73.75	60.25	0	22748.815	66.66666667	1516.59283	30000	0	0	30000	39.75	2004
22.01.2020 14:35:26	1	1	1	1	73.75	59.75	0	23554.502	70.96774194	1772.619792	30000	0	0	30000	40.25	2004
22.01.2020 14:35:27	1	1	1	1	73	60.25	0	24218.009	83.87096774	2031.092871	30000	0	0	30000	40.25	2004
22.01.2020 14:35:28	1	1	1	1	73	60.25	0	24691.943	96.77419355	2389.041394	30000	0	0	30000	40.1875	2004
22.01.2020 14:35:29	1	1	1	1	73	60	0	24881.517	103.2258065	2568.423341	30000	0	0	30000	40.5	2004
22.01.2020 14:35:30	1	1	1	1	73	60.5	0	24881.517	103.2258065	2568.423341	30000	0	0	30000	39.625	2004
22.01.2020 14:35:32	1	1	1	1	73	59.5	0	24881.517	105.3763441	2621.422553	30000	0	0	30000	40.125	2004
22.01.2020 14:35:33	1	1	1	1	73	60	0	24881.517	105.3763441	2621.422553	30000	0	0	30000	40.4375	2004
22.01.2020 14:35:34	1	1	1	1	73	60.25	0	24881.517	107.5268817	2728.236349	30000	0	0	30000	40.4375	2004
22.01.2020 14:35:35	1	1	1	1	73	60.25	0	24881.517	109.6774194	2670.344903	30000	0	0	30000	40.25	2004
22.01.2020 14:35:36	1	1	1	1	73	60.25	0	24881.517	109.6774194	2782.050934	30000	0	0	30000	40.25	2004
22.01.2020 14:35:37	1	1	1	1	73	60.25	0	24881.517	113.9784946	2835.865518	30000	0	0	30000	40.25	2004
22.01.2020 14:35:38	1	1	1	1	73	60.25	0	24881.517	116.1290323	2888.86473	30000	0	0	30000	40.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 14:36:23	1	1	1	1	73	60.5	0	23554.502	70.96774194	1671.513603	30000	0	0	30000	40.375	2004
22.01.2020 14:36:24	1	1	1	1	73	60.25	0	23507.109	66.66666667	1671.513603	30000	0	0	30000	39.5625	2004
22.01.2020 14:36:25	1	1	1	1	73	60.75	0	23554.502	70.96774194	1671.513603	30000	0	0	30000	40.1875	2004
22.01.2020 14:36:26	1	1	1	1	73	60	0	23554.502	73.11827957	1722.066697	30000	0	0	30000	40.3125	2004
22.01.2020 14:36:27	1	1	1	1	72.5	60.25	0	23554.502	75.2688172	1772.619792	30000	0	0	30000	40	2004
22.01.2020 14:36:28	1	1	1	1	72.5	60	0	23554.502	79.56989247	1873.72598	30000	0	0	30000	40.3125	2004
22.01.2020 14:36:29	1	1	1	1	72.5	60.25	0	23554.502	81.72043011	1924.279075	30000	0	0	30000	40.3125	2004
22.01.2020 14:36:30	1	1	1	1	72.5	60.25	0	23507.109	81.72043011	1974.832169	30000	0	0	30000	40.3125	2004
22.01.2020 14:36:31	1	1	1	1	72.5	60.25	0	23554.502	83.87096774	1974.832169	30000	0	0	30000	40.5625	2004
22.01.2020 14:36:32	1	1	1	1	72.5	60.5	0	23554.502	83.87096774	1974.832169	30000	0	0	30000	40.125	2004
22.01.2020 14:36:33	1	1	1	1	72.5	60	0	23554.502	83.87096774	1974.832169	30000	0	0	30000	40.3125	2004
22.01.2020 14:36:34	1	1	1	1	72.5	60.25	0	23507.109	83.87096774	1971.570679	30000	0	0	30000	40.25	2004
22.01.2020 14:36:35	1	1	1	1	72.5	60.25	0	23507.109	83.87096774	1971.570679	30000	0	0	30000	40.375	2004
22.01.2020 14:36:36	1	1	1	1	72.5	60.25	0	23554.502	88.17204301	2076.75373	30000	0	0	30000	40.25	2004
22.01.2020 14:36:37	1	1	1	1	72.5	60.25	0	24218.009	94.62365591	2343.380534	30000	0	0	30000	40.3125	2004
22.01.2020 14:36:38	1	1	1	1	72.5	60.25	0	24881.517	113.9784946	2835.865518	30000	0	0	30000	40.5	2004
22.01.2020 14:36:39	1	1	1	1	72.5	60.5	0	25450.237	126.8817204	3290.027994	30000	0	0	30000	40.375	2004
22.01.2020 14:36:40	1	1	1	1	72.5	60.25	0	26445.498	148.3870968	3802.89729	30000	0	0	30000	40.4375	2004
22.01.2020 14:36:41	1	1	1	1	72.5	60.25	0	26445.498	144.0860215	3995.325198	30000	0	0	30000	40.375	2004
22.01.2020 14:36:42	1	1	1	1	72.5	60.25	0	26919.431	152.688172	4110.292719	30000	0	0	30000	40.3125	2004
22.01.2020 14:36:43	1	1	1	1	72.5	60.25	0	26682.464	150.5376344	4016.524882	30000	0	0	30000	40.375	2004
22.01.2020 14:36:44	1	1	1	1	72.5	60.25	0	26682.464	150.5376344	4073.600957	30000	0	0	30000	40.5625	2004
22.01.2020 14:36:45	1	1	1	1	72.5	60.5	0	26635.071	150.5376344	4016.524882	30000	0	0	30000	40.25	2004
22.01.2020 14:36:46	1	1	1	1	72.5	60.25	0	26587.678	150.5376344	4001.848178	30000	0	0	30000	40.25	2004
22.01.2020 14:36:48	1	1	1	1	72.75	60.25	0	26682.464	144.0860215	3958.633436	30000	0	0	30000	40.5	2004
22.01.2020 14:36:49	1	1	1	1	72.75	60.5	0	26777.251	150.5376344	3958.633436	30000	0	0	30000	40.125	2004
22.01.2020 14:36:50	1	1	1	1	72.75	60	0	26682.464	148.3870968	3958.633436	30000	0	0	30000	40.1875	2004
22.01.2020 14:36:51	1	1	1	1	72.75	60	0	26777.251	148.3870968	4030.386215	30000	0	0	30000	40.3125	2004
22.01.2020 14:36:52	1	1	1	1	72.75	60.25	0	26587.678	150.5376344	4058.924252	30000	0	0	30000	40.375	2004
22.01.2020 14:36:53	1	1	1	1	72.75	60.25	0	26682.464	148.3870968	4016.524882	30000	0	0	30000	40.375	2004
22.01.2020 14:36:54	1	1	1	1	72.75	60.25	0	26587.678	148.3870968	3944.772103	30000	0	0	30000	40.3125	2004
22.01.2020 14:36:55	1	1	1	1	72.75	60.25	0	26682.464	150.5376344	3958.633436	30000	0	0	30000	40.375	2004
22.01.2020 14:36:56	1	1	1	1	72.75	60.25	0	26824.645	152.688172	3857.527247	30000	0	0	30000	40.1875	2004
22.01.2020 14:36:57	1	1	1	1	72.75	60	0	26777.251	150.5376344	4030.386215	30000	0	0	30000	40.375	2004
22.01.2020 14:36:58	1	1	1	1	72.5	60.25	0	26587.678	148.3870968	4001.848178	30000	0	0	30000	40.25	2004
22.01.2020 14:37:05	1	1	1	1	72.5	60	0	26682.464	150.5376344	3958.633436	30000	0	0	30000	40.375	2004
22.01.2020 14:37:05	1	1	1	1	72.5	60	0	26682.464	150.5376344	3958.633436	30000	0	0	30000	40.375	2004
22.01.2020 14:37:05	1	1	1	1	72.5	60	0	26682.464	150.5376344	3958.633436	30000	0	0	30000	40.375	2004
22.01.2020 14:37:05	1	1	1	1	72.5	60	0	26682.464	150.5376344	3958.633436	30000	0	0	30000	40.375	2004
22.01.2020 14:37:05	1	1	1	1	72.5	60	0	26682.464	150.5376344	3958.633436	30000	0	0	30000	40.375	2004
22.01.2020 14:37:05	1	1	1	1	72.5	60	0	26682.464	150.5376344	3958.633436	30000	0	0	30000	40.375	2004
22.01.2020 14:37:06	1	1	1	1	72.5	60.25	0	26682.464	150.5376344	3958.633436	30000	0	0	30000	40.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 14:37:07	1	1	1	1	71.25	60.25	0	26777.251	150.5376344	4030.386215	30000	0	0	30000	40.25	2004
22.01.2020 14:37:08	1	1	1	1	71.25	60.25	0	26587.678	150.5376344	3944.772103	30000	0	0	30000	40.1875	2004
22.01.2020 14:37:09	1	1	1	1	71.25	60	0	26540.284	150.5376344	4001.848178	30000	0	0	30000	40.3125	2004
22.01.2020 14:37:10	1	1	1	1	71.25	60.25	0	26350.711	144.0860215	3973.310141	30000	0	0	30000	40.25	2004
22.01.2020 14:37:11	1	1	1	1	71.25	60.25	0	26350.711	150.5376344	4030.386215	30000	0	0	30000	40.25	2004
22.01.2020 14:37:12	1	1	1	1	71.25	60.25	0	26303.318	152.688172	4015.70951	30000	0	0	30000	40.3125	2004
22.01.2020 14:37:13	1	1	1	1	71.25	60.25	0	26540.284	152.688172	3995.325198	30000	0	0	30000	40.375	2004
22.01.2020 14:37:14	1	1	1	1	71.25	60.25	0	26635.071	150.5376344	4001.848178	30000	0	0	30000	40.3125	2004
22.01.2020 14:37:15	1	1	1	1	71.25	60.25	0	26682.464	150.5376344	4016.524882	30000	0	0	30000	39.75	2004
22.01.2020 14:37:16	1	1	1	1	71.25	59.75	0	26872.038	150.5376344	4037.724567	30000	0	0	30000	40.4375	2004
22.01.2020 14:37:17	1	1	1	1	70	60.25	0	26966.825	150.5376344	4001.032805	30000	0	0	30000	40.5	2004
22.01.2020 14:37:18	1	1	1	1	70	60.5	0	26872.038	148.3870968	4052.401272	30000	0	0	30000	40.25	2004
22.01.2020 14:37:19	1	1	1	1	70	60.25	0	26872.038	150.5376344	4052.401272	30000	0	0	30000	40.3125	2004
22.01.2020 14:37:20	1	1	1	1	70	60.25	0	26966.825	150.5376344	4052.401272	30000	0	0	30000	40.3125	2004
22.01.2020 14:37:21	1	1	1	1	70	60.25	0	26777.251	150.5376344	4030.386215	30000	0	0	30000	40.375	2004
22.01.2020 14:37:22	1	1	1	1	70	60.25	0	26540.284	144.0860215	3995.325198	30000	0	0	30000	40.3125	2004
22.01.2020 14:37:23	1	1	1	1	70	60.25	0	26492.891	150.5376344	3930.910771	30000	0	0	30000	40.3125	2004
22.01.2020 14:37:24	1	1	1	1	70	60.25	0	26445.498	150.5376344	3980.648493	30000	0	0	30000	40.1875	2004
22.01.2020 14:37:26	1	1	1	1	70	60	0	26492.891	150.5376344	3930.910771	30000	0	0	30000	40.375	2004
22.01.2020 14:37:27	1	1	1	1	70	60.25	0	26492.891	150.5376344	3987.986845	30000	0	0	30000	40.4375	2004
22.01.2020 14:37:28	1	1	1	1	69.75	60.25	0	26255.924	152.688172	4008.371158	30000	0	0	30000	40.1875	2004
22.01.2020 14:37:29	1	1	1	1	69.75	60	0	26113.744	152.688172	3987.171473	30000	0	0	30000	40.3125	2004
22.01.2020 14:37:30	1	1	1	1	69.75	60.25	0	26018.957	152.688172	3972.494768	30000	0	0	30000	40.25	2004
22.01.2020 14:37:31	1	1	1	1	69.75	60.25	0	25924.171	156.9892473	3957.818063	30000	0	0	30000	40.125	2004
22.01.2020 14:37:32	1	1	1	1	69.75	60	0	25734.597	156.9892473	4205.6913	30000	0	0	30000	40.3125	2004
22.01.2020 14:37:33	1	1	1	1	69.75	60.25	0	25734.597	156.9892473	4039.355312	30000	0	0	30000	40.25	2004
22.01.2020 14:37:34	1	1	1	1	69.75	60.25	0	25734.597	156.9892473	4039.355312	30000	0	0	30000	40.375	2004
22.01.2020 14:37:35	1	1	1	1	69.75	60.25	0	25734.597	152.688172	4039.355312	30000	0	0	30000	40.4375	2004
22.01.2020 14:37:36	1	1	1	1	69.75	60.25	0	25545.024	152.688172	3899.926616	30000	0	0	30000	40.25	2004
22.01.2020 14:37:37	1	1	1	1	69.75	60.25	0	25734.597	159.1397849	4039.355312	30000	0	0	30000	40.5	2004
22.01.2020 14:37:38	1	1	1	1	70	60.5	0	25734.597	159.1397849	4094.800641	30000	0	0	30000	40.375	2004
22.01.2020 14:37:39	1	1	1	1	70	60.25	0	25639.81	156.9892473	4190.199223	30000	0	0	30000	40.3125	2004
22.01.2020 14:37:40	1	1	1	1	70	60.25	0	25592.417	156.9892473	4017.340255	30000	0	0	30000	40.6875	2004
22.01.2020 14:37:41	1	1	1	1	70	60.5	0	25734.597	159.1397849	3929.280026	30000	0	0	30000	40.5625	2004
22.01.2020 14:37:42	1	1	1	1	70	60.25	0	25592.417	152.688172	4010.001903	30000	0	0	30000	40.4375	2004
22.01.2020 14:37:43	1	1	1	1	70	60.25	0	25545.024	167.7419355	3885.249912	30000	0	0	30000	40.3125	2004
22.01.2020 14:37:44	1	1	1	1	70	60.25	0	25450.237	152.688172	3885.249912	30000	0	0	30000	40.375	2004
22.01.2020 14:37:45	1	1	1	1	70	60.25	0	25545.024	156.9892473	3899.926616	30000	0	0	30000	40.4375	2004
22.01.2020 14:37:46	1	1	1	1	70	60.25	0	25450.237	161.2903226	3885.249912	30000	0	0	30000	40.5	2004
22.01.2020 14:37:47	1	1	1	1	70	60.5	0	25402.844	152.688172	3878.726932	30000	0	0	30000	40.3125	2004
22.01.2020 14:37:48	1	1	1	1	70	60.25	0	25355.45	152.688172	3979.83312	30000	0	0	30000	40.3125	2004
22.01.2020 14:37:49	1	1	1	1	70	60.25	0	25355.45	156.9892473	3871.388579	30000	0	0	30000	40.375	2004
22.01.2020 14:37:50	1	1	1	1	70	60.25	0	25260.664	156.9892473	4019.786372	30000	0	0	30000	40.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 14:37:51	1	1	1	1	70	60.25	0	25545.024	161.2903226	4002.66355	30000	0	0	30000	40.3125	2004
22.01.2020 14:37:52	1	1	1	1	70	60.25	0	25402.844	159.1397849	4042.616802	30000	0	0	30000	40.3125	2004
22.01.2020 14:37:53	1	1	1	1	70	60.25	0	25260.664	161.2903226	3957.818063	30000	0	0	30000	40.375	2004
22.01.2020 14:37:54	1	1	1	1	70	60.25	0	25355.45	161.2903226	4034.463077	30000	0	0	30000	40.3125	2004
22.01.2020 14:37:55	1	1	1	1	70	60.25	0	25355.45	159.1397849	4089.093034	30000	0	0	30000	39.875	2004
22.01.2020 14:37:56	1	1	1	1	70	59.75	0	25355.45	161.2903226	3972.494768	30000	0	0	30000	40.375	2004
22.01.2020 14:37:57	1	1	1	1	70.75	60.25	0	25355.45	156.9892473	3871.388579	30000	0	0	30000	40.375	2004
22.01.2020 14:37:58	1	1	1	1	70.75	60.25	0	25592.417	174.1935484	4457.641399	30000	0	0	30000	40.375	2004
22.01.2020 14:37:59	1	1	1	1	70.75	60.25	0	26113.744	189.2473118	4876.742859	30000	0	0	30000	40.125	2004
22.01.2020 14:38:07	1	1	1	1	70.75	60.25	0	26113.744	191.3978495	4941.972658	30000	0	0	30000	40.4375	2004
22.01.2020 14:38:07	1	1	1	1	70.75	60.25	0	26113.744	191.3978495	4941.972658	30000	0	0	30000	40.4375	2004
22.01.2020 14:38:07	1	1	1	1	70.75	60.25	0	26113.744	191.3978495	4941.972658	30000	0	0	30000	40.4375	2004
22.01.2020 14:38:07	1	1	1	1	70.75	60.25	0	26113.744	191.3978495	4941.972658	30000	0	0	30000	40.4375	2004
22.01.2020 14:38:07	1	1	1	1	70.75	60.25	0	26113.744	191.3978495	4941.972658	30000	0	0	30000	40.4375	2004
22.01.2020 14:38:07	1	1	1	1	70.75	60.25	0	26113.744	191.3978495	4941.972658	30000	0	0	30000	40.4375	2004
22.01.2020 14:38:07	1	1	1	1	70.75	60.25	0	26113.744	191.3978495	4941.972658	30000	0	0	30000	40.4375	2004
22.01.2020 14:38:08	1	1	1	1	71.25	60.25	0	26113.744	191.3978495	5016.171554	30000	0	0	30000	40.25	2004
22.01.2020 14:38:09	1	1	1	1	71.25	60.25	0	26350.711	191.3978495	5043.078847	30000	0	0	30000	40.4375	2004
22.01.2020 14:38:10	1	1	1	1	71.25	60.25	0	26398.104	191.3978495	5052.047944	30000	0	0	30000	40.3125	2004
22.01.2020 14:38:11	1	1	1	1	71.25	60.25	0	25734.597	191.3978495	4924.849836	30000	0	0	30000	40	2004
22.01.2020 14:38:12	1	1	1	1	71.25	60	0	26113.744	191.3978495	4997.417987	30000	0	0	30000	40.25	2004
22.01.2020 14:38:13	1	1	1	1	71.25	60.25	0	26208.531	189.2473118	4959.910853	30000	0	0	30000	40.3125	2004
22.01.2020 14:38:14	1	1	1	1	71.25	60.25	0	26398.104	189.2473118	4995.787242	30000	0	0	30000	40.3125	2004
22.01.2020 14:38:15	1	1	1	1	71.25	60.25	0	26492.891	191.3978495	4956.649363	30000	0	0	30000	40.25	2004
22.01.2020 14:38:16	1	1	1	1	71.25	60.25	0	26682.464	189.2473118	5049.601826	30000	0	0	30000	40.6875	2004
22.01.2020 14:38:17	1	1	1	1	71.25	60.5	0	26777.251	189.2473118	5085.478216	30000	0	0	30000	40.3125	2004
22.01.2020 14:38:18	1	1	1	1	71.25	60.25	0	26682.464	189.2473118	5049.601826	30000	0	0	30000	40.375	2004
22.01.2020 14:38:19	1	1	1	1	71.25	60.25	0	26445.498	189.2473118	5004.75634	30000	0	0	30000	40.4375	2004
22.01.2020 14:38:20	1	1	1	1	71.25	60.25	0	26303.318	182.7956989	4986.818145	30000	0	0	30000	40.375	2004
22.01.2020 14:38:21	1	1	1	1	71.25	60.25	0	26492.891	189.2473118	5013.725437	30000	0	0	30000	40.25	2004
22.01.2020 14:38:22	1	1	1	1	71.25	60.25	0	26540.284	189.2473118	5022.694534	30000	0	0	30000	40.375	2004
22.01.2020 14:38:23	1	1	1	1	71.25	60.25	0	26492.891	189.2473118	5022.694534	30000	0	0	30000	40.25	2004
22.01.2020 14:38:24	1	1	1	1	71.25	60.25	0	26492.891	189.2473118	5013.725437	30000	0	0	30000	40.1875	2004
22.01.2020 14:38:25	1	1	1	1	71.25	60	0	26350.711	184.9462366	4995.787242	30000	0	0	30000	40.3125	2004
22.01.2020 14:38:26	1	1	1	1	71.25	60.25	0	26540.284	182.7956989	5022.694534	30000	0	0	30000	40.25	2004
22.01.2020 14:38:27	1	1	1	1	71.25	60.25	0	26398.104	189.2473118	5052.047944	30000	0	0	30000	39.875	2004
22.01.2020 14:38:28	1	1	1	1	71.25	59.75	0	26350.711	189.2473118	4995.787242	30000	0	0	30000	40.1875	2004
22.01.2020 14:38:29	1	1	1	1	71.25	60	0	26682.464	189.2473118	5049.601826	30000	0	0	30000	40.125	2004
22.01.2020 14:38:30	1	1	1	1	71.25	60	0	26682.464	189.2473118	4991.71038	30000	0	0	30000	40.3125	2004
22.01.2020 14:38:31	1	1	1	1	71.25	60.25	0	26682.464	189.2473118	4991.71038	30000	0	0	30000	40.375	2004
22.01.2020 14:38:32	1	1	1	1	71.25	60.25	0	26587.678	189.2473118	5031.663632	30000	0	0	30000	39.875	2004
22.01.2020 14:38:33	1	1	1	1	71.25	59.75	0	26540.284	189.2473118	5022.694534	30000	0	0	30000	40.1875	2004
22.01.2020 14:38:34	1	1	1	1	71.25	60	0	26540.284	189.2473118	5022.694534	30000	0	0	30000	40.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 14:38:35	1	1	1	1	71.25	60	0	26350.711	191.3978495	5043.078847	30000	0	0	30000	40.25	2004
22.01.2020 14:38:36	1	1	1	1	71.25	60.25	0	26113.744	189.2473118	5391.242899	30000	0	0	30000	40.3125	2004
22.01.2020 14:38:37	1	1	1	1	71.25	60.25	0	26208.531	189.2473118	5410.811839	30000	0	0	30000	40.25	2004
22.01.2020 14:38:38	1	1	1	1	71.25	60.25	0	26113.744	191.3978495	4997.417987	30000	0	0	30000	39.5	2004
22.01.2020 14:38:39	1	1	1	1	71.25	59.5	0	26113.744	191.3978495	4997.417987	30000	0	0	30000	40.0625	2004
22.01.2020 14:38:40	1	1	1	1	71.25	60	0	26303.318	189.2473118	4977.849047	30000	0	0	30000	40	2004
22.01.2020 14:38:42	1	1	1	1	71.25	60	0	26492.891	189.2473118	5013.725437	30000	0	0	30000	40.3125	2004
22.01.2020 14:38:43	1	1	1	1	71.25	60.25	0	26350.711	189.2473118	4995.787242	30000	0	0	30000	40.3125	2004
22.01.2020 14:38:44	1	1	1	1	71.25	60.25	0	26682.464	189.2473118	5049.601826	30000	0	0	30000	40.25	2004
22.01.2020 14:38:45	1	1	1	1	71.25	60.25	0	26445.498	189.2473118	5004.75634	30000	0	0	30000	40.25	2004
22.01.2020 14:38:46	1	1	1	1	71.25	60.25	0	26350.711	189.2473118	4995.787242	30000	0	0	30000	40.25	2004
22.01.2020 14:38:47	1	1	1	1	71.25	60.25	0	26208.531	189.2473118	4977.849047	30000	0	0	30000	40.3125	2004
22.01.2020 14:38:48	1	1	1	1	71.25	60.25	0	26255.924	191.3978495	5025.140652	30000	0	0	30000	40.3125	2004
22.01.2020 14:38:49	1	1	1	1	71.25	60.25	0	26208.531	189.2473118	4959.910853	30000	0	0	30000	40.375	2004
22.01.2020 14:38:50	1	1	1	1	71.25	60.25	0	26113.744	189.2473118	5016.171554	30000	0	0	30000	40.1875	2004
22.01.2020 14:38:51	1	1	1	1	71.25	60	0	26350.711	191.3978495	5034.109749	30000	0	0	30000	40.3125	2004
22.01.2020 14:38:52	1	1	1	1	71.25	60.25	0	26255.924	191.3978495	5016.171554	30000	0	0	30000	40.125	2004
22.01.2020 14:38:53	1	1	1	1	71.25	60	0	26113.744	191.3978495	4997.417987	30000	0	0	30000	40.25	2004
22.01.2020 14:38:54	1	1	1	1	71.25	60.25	0	26018.957	189.2473118	4988.44889	30000	0	0	30000	40.3125	2004
22.01.2020 14:38:55	1	1	1	1	71.25	60.25	0	26018.957	191.3978495	4979.479792	30000	0	0	30000	40.375	2004
22.01.2020 14:38:56	1	1	1	1	71.25	60.25	0	26113.744	189.2473118	4997.417987	30000	0	0	30000	40.5	2004
22.01.2020 14:38:57	1	1	1	1	71.25	60.5	0	26208.531	191.3978495	5016.171554	30000	0	0	30000	40.5625	2004
22.01.2020 14:38:58	1	1	1	1	71.5	60.25	0	28578.199	212.9032258	6094.093985	30000	0	0	30000	40.3125	2004
22.01.2020 14:38:59	1	1	1	1	71.5	60.25	0	27440.758	215.0537634	5900.850705	30000	0	0	30000	40.1875	2004
22.01.2020 14:39:00	1	1	1	1	71.5	60	0	26919.431	221.5053763	5952.219172	30000	0	0	30000	39.75	2004
22.01.2020 14:39:01	1	1	1	1	71.5	59.75	0	26966.825	221.5053763	5972.603484	30000	0	0	30000	40.125	2004
22.01.2020 14:39:08	1	1	1	1	71.5	60.25	0	27298.578	219.3548387	5988.095562	30000	0	0	30000	40.375	2004
22.01.2020 14:39:08	1	1	1	1	71.5	60.25	0	27298.578	219.3548387	5988.095562	30000	0	0	30000	40.375	2004
22.01.2020 14:39:08	1	1	1	1	71.5	60.25	0	27298.578	219.3548387	5988.095562	30000	0	0	30000	40.375	2004
22.01.2020 14:39:08	1	1	1	1	71.5	60.25	0	27298.578	219.3548387	5988.095562	30000	0	0	30000	40.375	2004
22.01.2020 14:39:08	1	1	1	1	71.5	60.25	0	27298.578	219.3548387	5988.095562	30000	0	0	30000	40.375	2004
22.01.2020 14:39:08	1	1	1	1	71.5	60.25	0	27298.578	219.3548387	5988.095562	30000	0	0	30000	40.375	2004
22.01.2020 14:39:09	1	1	1	1	71.5	60.25	0	27440.758	219.3548387	6077.786535	30000	0	0	30000	40.25	2004
22.01.2020 14:39:10	1	1	1	1	71.5	60.25	0	27298.578	219.3548387	5988.095562	30000	0	0	30000	40.1875	2004
22.01.2020 14:39:11	1	1	1	1	71.5	60	0	27440.758	215.0537634	6019.079716	30000	0	0	30000	40.0625	2004
22.01.2020 14:39:12	1	1	1	1	71.5	60	0	27582.938	219.3548387	6050.063871	30000	0	0	30000	40.25	2004
22.01.2020 14:39:13	1	1	1	1	71.5	60.25	0	27819.905	215.0537634	5982.387954	30000	0	0	30000	40.25	2004
22.01.2020 14:39:14	1	1	1	1	71.5	60.25	0	28009.479	217.2043011	6083.494143	30000	0	0	30000	40.3125	2004
22.01.2020 14:39:15	1	1	1	1	71.5	60.25	0	28293.839	210.7526882	5972.603484	30000	0	0	30000	40.1875	2004
22.01.2020 14:39:16	1	1	1	1	71.5	60	0	28815.166	208.6021505	6010.925991	30000	0	0	30000	40.1875	2004
22.01.2020 14:39:17	1	1	1	1	71.75	60	0	28815.166	206.4516129	5948.957682	30000	0	0	30000	40.25	2004
22.01.2020 14:39:18	1	1	1	1	71.75	60.25	0	28909.953	208.6021505	6040.279401	30000	0	0	30000	40.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 14:39:20	1	1	1	1	71.75	60.25	0	28815.166	206.4516129	6010.925991	30000	0	0	30000	40.1875	2004
22.01.2020 14:39:21	1	1	1	1	71.75	60	0	28815.166	208.6021505	6010.925991	30000	0	0	30000	39.9375	2004
22.01.2020 14:39:22	1	1	1	1	71.75	59.75	0	28625.592	208.6021505	5970.972739	30000	0	0	30000	40.375	2004
22.01.2020 14:39:23	1	1	1	1	71.75	60.25	0	28625.592	210.7526882	6094.093985	30000	0	0	30000	40.125	2004
22.01.2020 14:39:24	1	1	1	1	71.75	60	0	28625.592	212.9032258	5900.035333	30000	0	0	30000	40	2004
22.01.2020 14:39:25	1	1	1	1	71.75	60	0	28815.166	208.6021505	6010.925991	30000	0	0	30000	40.25	2004
22.01.2020 14:39:26	1	1	1	1	71.75	60.25	0	28815.166	206.4516129	5958.742152	30000	0	0	30000	39.75	2004
22.01.2020 14:39:27	1	1	1	1	71.75	59.75	0	28862.559	206.4516129	6020.710461	30000	0	0	30000	40.25	2004
22.01.2020 14:39:28	1	1	1	1	71.25	60.25	0	28815.166	210.7526882	5948.957682	30000	0	0	30000	40.25	2004
22.01.2020 14:39:29	1	1	1	1	71.25	60.25	0	28815.166	208.6021505	6010.925991	30000	0	0	30000	40.125	2004
22.01.2020 14:39:30	1	1	1	1	71.25	60	0	28815.166	206.4516129	6010.925991	30000	0	0	30000	40.375	2004
22.01.2020 14:39:31	1	1	1	1	71.25	60.25	0	28862.559	206.4516129	5958.742152	30000	0	0	30000	40.3125	2004
22.01.2020 14:39:32	1	1	1	1	71.25	60.25	0	28862.559	206.4516129	6040.279401	30000	0	0	30000	40.1875	2004
22.01.2020 14:39:33	1	1	1	1	71.25	60	0	28578.199	206.4516129	5970.972739	30000	0	0	30000	40.1875	2004
22.01.2020 14:39:34	1	1	1	1	71.25	60	0	28672.986	208.6021505	6010.925991	30000	0	0	30000	40.625	2004
22.01.2020 14:39:35	1	1	1	1	71.25	60.5	0	28625.592	208.6021505	5970.972739	30000	0	0	30000	40.5	2004
22.01.2020 14:39:36	1	1	1	1	71.25	60.5	0	28625.592	206.4516129	6010.925991	30000	0	0	30000	40.375	2004
22.01.2020 14:39:37	1	1	1	1	72.25	60.75	0	28625.592	208.6021505	5970.972739	30000	0	0	30000	39.75	2004
22.01.2020 14:39:38	1	1	1	1	72.25	59.75	0	28625.592	208.6021505	5961.18827	30000	0	0	30000	39.9375	2004
22.01.2020 14:39:39	1	1	1	1	72.25	59.75	0	28388.626	208.6021505	6054.140733	30000	0	0	30000	40.1875	2004
22.01.2020 14:39:40	1	1	1	1	72.25	60	0	28578.199	210.7526882	6022.341206	30000	0	0	30000	40.3125	2004
22.01.2020 14:39:41	1	1	1	1	72.25	60.25	0	28578.199	210.7526882	5900.035333	30000	0	0	30000	39.9375	2004
22.01.2020 14:39:42	1	1	1	1	72.25	59.75	0	28436.019	208.6021505	5870.681923	30000	0	0	30000	40.25	2004
22.01.2020 14:39:43	1	1	1	1	72.25	60.25	0	28341.232	208.6021505	5911.450548	30000	0	0	30000	40.25	2004
22.01.2020 14:39:44	1	1	1	1	72.25	60.25	0	28436.019	210.7526882	6043.540891	30000	0	0	30000	40	2004
22.01.2020 14:39:45	1	1	1	1	72.25	60	0	28293.839	212.9032258	6033.756421	30000	0	0	30000	40.1875	2004
22.01.2020 14:39:46	1	1	1	1	72.25	60	0	28009.479	208.6021505	5962.819014	30000	0	0	30000	40.25	2004
22.01.2020 14:39:47	1	1	1	1	71.75	60.25	0	28009.479	212.9032258	6083.494143	30000	0	0	30000	40.25	2004
22.01.2020 14:39:48	1	1	1	1	71.75	60.25	0	28009.479	215.0537634	6023.156579	30000	0	0	30000	40.125	2004
22.01.2020 14:39:49	1	1	1	1	71.75	60	0	28009.479	212.9032258	5832.359416	30000	0	0	30000	40.1875	2004
22.01.2020 14:39:50	1	1	1	1	71.75	60	0	28009.479	212.9032258	6083.494143	30000	0	0	30000	40.1875	2004
22.01.2020 14:39:51	1	1	1	1	71.75	60	0	28009.479	215.0537634	5962.819014	30000	0	0	30000	40.125	2004
22.01.2020 14:39:52	1	1	1	1	71.75	60	0	28009.479	212.9032258	5962.819014	30000	0	0	30000	40.25	2004
22.01.2020 14:39:53	1	1	1	1	71.75	60.25	0	28009.479	212.9032258	5962.819014	30000	0	0	30000	40.25	2004
22.01.2020 14:39:54	1	1	1	1	71.75	60.25	0	28009.479	212.9032258	5962.819014	30000	0	0	30000	40.3125	2004
22.01.2020 14:39:55	1	1	1	1	71.75	60.25	0	28009.479	215.0537634	5962.819014	30000	0	0	30000	40.25	2004
22.01.2020 14:39:56	1	1	1	1	71.75	60.25	0	28341.232	212.9032258	6033.756421	30000	0	0	30000	40.3125	2004
22.01.2020 14:39:57	1	1	1	1	71.75	60.25	0	28341.232	212.9032258	6033.756421	30000	0	0	30000	40.1875	2004
22.01.2020 14:39:59	1	1	1	1	71.75	60	0	28672.986	234.4086022	6709.700215	30000	0	0	30000	40.1875	2004
22.01.2020 14:40:00	1	1	1	1	71.75	60	0	29052.133	240.8602151	7008.941918	30000	0	0	30000	40.1875	2004
22.01.2020 14:40:01	1	1	1	1	71.75	60	0	29099.526	240.8602151	6809.991031	30000	0	0	30000	40.125	2004
22.01.2020 14:40:02	1	1	1	1	71.75	60	0	29241.706	240.8602151	7043.187563	30000	0	0	30000	40.3125	2004
22.01.2020 14:40:03	1	1	1	1	71.75	60.25	0	29146.919	234.4086022	7020.357133	30000	0	0	30000	40.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 14:40:10	1	1	1	1	71	60	0	28815.166	243.0107527	7002.418938	30000	0	0	30000	40.1875	2004
22.01.2020 14:40:10	1	1	1	1	71	60	0	28815.166	243.0107527	7002.418938	30000	0	0	30000	40.1875	2004
22.01.2020 14:40:10	1	1	1	1	71	60	0	28815.166	243.0107527	7002.418938	30000	0	0	30000	40.1875	2004
22.01.2020 14:40:10	1	1	1	1	71	60	0	28815.166	243.0107527	7002.418938	30000	0	0	30000	40.1875	2004
22.01.2020 14:40:10	1	1	1	1	71	60	0	28815.166	243.0107527	7002.418938	30000	0	0	30000	40.1875	2004
22.01.2020 14:40:10	1	1	1	1	71	60	0	28815.166	243.0107527	7002.418938	30000	0	0	30000	40.1875	2004
22.01.2020 14:40:10	1	1	1	1	71	60	0	28483.412	245.1612903	6944.527492	30000	0	0	30000	40.25	2004
22.01.2020 14:40:11	1	1	1	1	71	60.25	0	28578.199	245.1612903	7064.387248	30000	0	0	30000	40.25	2004
22.01.2020 14:40:12	1	1	1	1	71	60.25	0	28341.232	245.1612903	6959.204196	30000	0	0	30000	40.5625	2004
22.01.2020 14:40:13	1	1	1	1	71	60.5	0	28530.806	245.1612903	7067.648738	30000	0	0	30000	40.375	2004
22.01.2020 14:40:14	1	1	1	1	71	60.25	0	28483.412	245.1612903	6921.697062	30000	0	0	30000	40.4375	2004
22.01.2020 14:40:15	1	1	1	1	71	60.25	0	28625.592	243.0107527	6883.374555	30000	0	0	30000	40.6875	2004
22.01.2020 14:40:16	1	1	1	1	71	60	0	28815.166	243.0107527	7002.418938	30000	0	0	30000	40.1875	2004
22.01.2020 14:40:17	1	1	1	1	70.75	60	0	29099.526	240.8602151	7008.941918	30000	0	0	30000	40.25	2004
22.01.2020 14:40:18	1	1	1	1	70.75	60.25	0	29241.706	240.8602151	7020.357133	30000	0	0	30000	40.3125	2004
22.01.2020 14:40:19	1	1	1	1	70.75	60.25	0	29336.493	240.8602151	7066.017993	30000	0	0	30000	40.1875	2004
22.01.2020 14:40:20	1	1	1	1	70.75	60	0	29573.46	236.5591398	6995.895958	30000	0	0	30000	40.4375	2004
22.01.2020 14:40:21	1	1	1	1	70.75	60.25	0	29668.246	234.4086022	7006.495801	30000	0	0	30000	40.1875	2004
22.01.2020 14:40:22	1	1	1	1	70.75	60	0	29715.64	234.4086022	6964.911804	30000	0	0	30000	40.1875	2004
22.01.2020 14:40:23	1	1	1	1	70.75	60	0	29431.28	236.5591398	6973.065529	30000	0	0	30000	39.75	2004
22.01.2020 14:40:24	1	1	1	1	70.75	59.75	0	29620.853	234.4086022	6942.896747	30000	0	0	30000	40.125	2004
22.01.2020 14:40:25	1	1	1	1	70.75	60	0	29905.213	234.4086022	7009.757291	30000	0	0	30000	39.75	2004
22.01.2020 14:40:26	1	1	1	1	70.75	59.75	0	30000	230.1075269	7031.772348	30000	0	0	30000	40.25	2004
22.01.2020 14:40:27	1	1	1	1	71.25	60.25	0	29905.213	232.2580645	6945.342864	30000	0	0	30000	40.4375	2004
22.01.2020 14:40:28	1	1	1	1	71.25	60.25	0	29810.427	232.2580645	6998.342076	30000	0	0	30000	40.1875	2004
22.01.2020 14:40:29	1	1	1	1	71.25	60	0	30000	234.4086022	7031.772348	30000	0	0	30000	40.1875	2004
22.01.2020 14:40:30	1	1	1	1	71.25	60	0	29715.64	234.4086022	6964.911804	30000	0	0	30000	40.375	2004
22.01.2020 14:40:31	1	1	1	1	71.25	60.25	0	29668.246	243.0107527	7134.509282	30000	0	0	30000	40.375	2004
22.01.2020 14:40:32	1	1	1	1	71.25	60.25	0	29810.427	240.8602151	7062.756503	30000	0	0	30000	40.3125	2004
22.01.2020 14:40:33	1	1	1	1	71.25	60.25	0	29573.46	236.5591398	7134.509282	30000	0	0	30000	40.25	2004
22.01.2020 14:40:34	1	1	1	1	71.25	60.25	0	29431.28	240.8602151	7226.646373	30000	0	0	30000	40.125	2004
22.01.2020 14:40:35	1	1	1	1	71.25	60	0	29099.526	240.8602151	7020.357133	30000	0	0	30000	40.125	2004
22.01.2020 14:40:37	1	1	1	1	71.25	60	0	29052.133	240.8602151	6974.696274	30000	0	0	30000	40.25	2004
22.01.2020 14:40:38	1	1	1	1	71.75	60.25	0	29052.133	240.8602151	7059.495013	30000	0	0	30000	40.125	2004
22.01.2020 14:40:39	1	1	1	1	71.75	60	0	28862.559	240.8602151	7013.834153	30000	0	0	30000	40.375	2004
22.01.2020 14:40:40	1	1	1	1	71.75	60.25	0	28862.559	240.8602151	6951.865844	30000	0	0	30000	40.25	2004
22.01.2020 14:40:41	1	1	1	1	71.75	60.25	0	28957.346	240.8602151	7036.664583	30000	0	0	30000	40.25	2004
22.01.2020 14:40:42	1	1	1	1	71.75	60.25	0	28815.166	240.8602151	6940.450629	30000	0	0	30000	40.125	2004
22.01.2020 14:40:43	1	1	1	1	71.75	60	0	28909.953	243.0107527	7013.834153	30000	0	0	30000	40.0625	2004
22.01.2020 14:40:44	1	1	1	1	71.75	60	0	29052.133	240.8602151	6974.696274	30000	0	0	30000	40.25	2004
22.01.2020 14:40:45	1	1	1	1	71.75	60.25	0	28862.559	240.8602151	6951.865844	30000	0	0	30000	40.1875	2004
22.01.2020 14:40:46	1	1	1	1	71.75	60	0	28957.346	240.8602151	6974.696274	30000	0	0	30000	40.3125	2004
22.01.2020 14:40:47	1	1	1	1	71.75	60.25	0	29052.133	240.8602151	6997.526703	30000	0	0	30000	40.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 14:40:48	1	1	1	1	72	60.25	0	29052.133	240.8602151	6997.526703	30000	0	0	30000	40.25	2004
22.01.2020 14:40:49	1	1	1	1	72	60.25	0	28909.953	240.8602151	6827.113853	30000	0	0	30000	40.3125	2004
22.01.2020 14:40:50	1	1	1	1	72	60.25	0	28862.559	240.8602151	6951.865844	30000	0	0	30000	40.5625	2004
22.01.2020 14:40:51	1	1	1	1	72	60.5	0	28957.346	236.5591398	6974.696274	30000	0	0	30000	40.3125	2004
22.01.2020 14:40:52	1	1	1	1	72	60.25	0	28957.346	240.8602151	6974.696274	30000	0	0	30000	40.4375	2004
22.01.2020 14:40:53	1	1	1	1	72	60.25	0	28957.346	240.8602151	6997.526703	30000	0	0	30000	40.375	2004
22.01.2020 14:40:54	1	1	1	1	72	60.25	0	29099.526	243.0107527	7070.910227	30000	0	0	30000	40.25	2004
22.01.2020 14:40:55	1	1	1	1	72	60.5	0	29052.133	240.8602151	7008.941918	30000	0	0	30000	40.1875	2004
22.01.2020 14:40:56	1	1	1	1	72	60	0	29146.919	236.5591398	7020.357133	30000	0	0	30000	40.3125	2004
22.01.2020 14:40:57	1	1	1	1	72.25	60.25	0	29146.919	232.2580645	6916.804827	30000	0	0	30000	40.0625	2004
22.01.2020 14:40:58	1	1	1	1	72.25	60	0	30000	247.311828	7419.07428	30000	0	0	30000	40.4375	2004
22.01.2020 14:40:59	1	1	1	1	72.25	60.25	0	29905.213	264.516129	7909.928519	30000	0	0	30000	40.375	2004
22.01.2020 14:41:00	1	1	1	1	72.25	60.25	0	30000	264.516129	7935.205066	30000	0	0	30000	40.1875	2004
22.01.2020 14:41:01	1	1	1	1	72.25	60	0	30000	260.2150538	7806.376213	30000	0	0	30000	39.625	2004
22.01.2020 14:41:02	1	1	1	1	72.25	59.5	0	30000	258.0645161	7741.961786	30000	0	0	30000	39.9375	2004
22.01.2020 14:41:03	1	1	1	1	72.25	59.75	0	30000	258.0645161	7741.961786	30000	0	0	30000	40.0625	2004
22.01.2020 14:41:04	1	1	1	1	72.25	60	0	30000	253.7634409	7547.903134	30000	0	0	30000	40.25	2004
22.01.2020 14:41:12	1	1	1	1	72.25	60.25	0	29526.066	270.9677419	8000.434865	30000	0	0	30000	40.3125	2004
22.01.2020 14:41:12	1	1	1	1	72.25	60.25	0	29526.066	270.9677419	8000.434865	30000	0	0	30000	40.3125	2004
22.01.2020 14:41:12	1	1	1	1	72.25	60.25	0	29526.066	270.9677419	8000.434865	30000	0	0	30000	40.3125	2004
22.01.2020 14:41:12	1	1	1	1	72.25	60.25	0	29526.066	270.9677419	8000.434865	30000	0	0	30000	40.3125	2004
22.01.2020 14:41:12	1	1	1	1	72.25	60.25	0	29526.066	270.9677419	8000.434865	30000	0	0	30000	40.3125	2004
22.01.2020 14:41:12	1	1	1	1	72.25	60.25	0	29526.066	270.9677419	8000.434865	30000	0	0	30000	40.3125	2004
22.01.2020 14:41:12	1	1	1	1	72.25	60.25	0	29336.493	273.1182796	8138.232816	30000	0	0	30000	40.1875	2004
22.01.2020 14:41:13	1	1	1	1	72.25	60	0	29336.493	273.1182796	7998.80412	30000	0	0	30000	40.125	2004
22.01.2020 14:41:14	1	1	1	1	72.25	60	0	29336.493	275.2688172	8075.449134	30000	0	0	30000	40.1875	2004
22.01.2020 14:41:16	1	1	1	1	72.25	60	0	29289.1	275.2688172	7922.974479	30000	0	0	30000	39.875	2004
22.01.2020 14:41:17	1	1	1	1	72.25	59.75	0	29336.493	270.9677419	7949.066398	30000	0	0	30000	40.1875	2004
22.01.2020 14:41:18	1	1	1	1	72.5	60	0	29383.886	273.1182796	8011.85008	30000	0	0	30000	40.25	2004
22.01.2020 14:41:19	1	1	1	1	72.5	60.25	0	29383.886	273.1182796	8037.942	30000	0	0	30000	40.125	2004
22.01.2020 14:41:20	1	1	1	1	72.5	60	0	29526.066	273.1182796	8000.434865	30000	0	0	30000	40.1875	2004
22.01.2020 14:41:21	1	1	1	1	72.5	60	0	29526.066	270.9677419	8000.434865	30000	0	0	30000	40.25	2004
22.01.2020 14:41:22	1	1	1	1	72.5	60.25	0	29620.853	268.8172043	7962.112358	30000	0	0	30000	40.4375	2004
22.01.2020 14:41:23	1	1	1	1	72.5	60.25	0	29857.82	266.6666667	8025.711412	30000	0	0	30000	40.25	2004
22.01.2020 14:41:24	1	1	1	1	72.5	60.25	0	30000	258.0645161	7676.731987	30000	0	0	30000	40.25	2004
22.01.2020 14:41:25	1	1	1	1	72.5	60.25	0	30000	240.8602151	7225.831	30000	0	0	30000	40.375	2004
22.01.2020 14:41:26	1	1	1	1	72.5	60.25	0	30000	230.1075269	6967.357921	30000	0	0	30000	40.0625	2004
22.01.2020 14:41:27	1	1	1	1	72.5	60	0	30000	232.2580645	6967.357921	30000	0	0	30000	40.125	2004
22.01.2020 14:41:28	1	1	1	1	72.5	60	0	30000	232.2580645	7031.772348	30000	0	0	30000	40	2004
22.01.2020 14:41:29	1	1	1	1	72.5	60	0	30000	234.4086022	7031.772348	30000	0	0	30000	40.1875	2004
22.01.2020 14:41:30	1	1	1	1	72.5	60	0	30000	232.2580645	7031.772348	30000	0	0	30000	40.75	2004
22.01.2020 14:41:31	1	1	1	1	72.5	60.75	0	30000	232.2580645	7096.186775	30000	0	0	30000	40.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 14:41:32	1	1	1	1	72.5	60.25	0	30000	243.0107527	7290.245427	30000	0	0	30000	40.375	2004
22.01.2020 14:41:33	1	1	1	1	72.5	60.5	0	30000	253.7634409	7612.31756	30000	0	0	30000	40.25	2004
22.01.2020 14:41:34	1	1	1	1	72.5	60.25	0	30000	260.2150538	7806.376213	30000	0	0	30000	40.125	2004
22.01.2020 14:41:35	1	1	1	1	72.5	60	0	29952.607	260.2150538	7922.974479	30000	0	0	30000	39.875	2004
22.01.2020 14:41:36	1	1	1	1	72.5	59.75	0	29905.213	258.0645161	7794.145626	30000	0	0	30000	40.125	2004
22.01.2020 14:41:37	1	1	1	1	72.5	60	0	30000	253.7634409	7547.903134	30000	0	0	30000	39.8125	2004
22.01.2020 14:41:38	1	1	1	1	72.5	59.75	0	30000	247.311828	7225.831	30000	0	0	30000	40.25	2004
22.01.2020 14:41:39	1	1	1	1	72.5	60.25	0	29952.607	243.0107527	7290.245427	30000	0	0	30000	40.3125	2004
22.01.2020 14:41:40	1	1	1	1	72.5	60.25	0	30000	240.8602151	7225.831	30000	0	0	30000	40.3125	2004
22.01.2020 14:41:41	1	1	1	1	72.5	60.25	0	30000	247.311828	7290.245427	30000	0	0	30000	40.0625	2004
22.01.2020 14:41:42	1	1	1	1	72.5	60	0	30000	247.311828	7278.830212	30000	0	0	30000	39.375	2004
22.01.2020 14:41:43	1	1	1	1	72.5	59.25	0	30000	251.6129032	7547.903134	30000	0	0	30000	39.9375	2004
22.01.2020 14:41:44	1	1	1	1	72.5	59.75	0	29952.607	258.0645161	7741.961786	30000	0	0	30000	40.3125	2004
22.01.2020 14:41:45	1	1	1	1	72.5	60.25	0	30000	258.0645161	7935.205066	30000	0	0	30000	39.125	2004
22.01.2020 14:41:46	1	1	1	1	72.5	59	0	30000	270.9677419	7935.205066	30000	0	0	30000	40.375	2004
22.01.2020 14:41:47	1	1	1	1	72.25	60.25	0	29715.64	268.8172043	7923.789851	30000	0	0	30000	40.3125	2004
22.01.2020 14:41:48	1	1	1	1	72.25	60.25	0	29526.066	270.9677419	8077.079879	30000	0	0	30000	40.375	2004
22.01.2020 14:41:49	1	1	1	1	72.25	60.25	0	29715.64	270.9677419	8179.816813	30000	0	0	30000	40.3125	2004
22.01.2020 14:41:50	1	1	1	1	72.25	60.25	0	29715.64	270.9677419	7962.112358	30000	0	0	30000	40.1875	2004
22.01.2020 14:41:51	1	1	1	1	72.25	60	0	29620.853	270.9677419	7898.513304	30000	0	0	30000	40.375	2004
22.01.2020 14:41:53	1	1	1	1	72.25	60.25	0	29526.066	268.8172043	7936.835811	30000	0	0	30000	40.4375	2004
22.01.2020 14:41:54	1	1	1	1	72.25	60.25	0	29526.066	270.9677419	8000.434865	30000	0	0	30000	40.3125	2004
22.01.2020 14:41:55	1	1	1	1	72.25	60.25	0	29478.673	270.9677419	8000.434865	30000	0	0	30000	39.75	2004
22.01.2020 14:41:56	1	1	1	1	72.25	59.75	0	29526.066	270.9677419	8000.434865	30000	0	0	30000	40.375	2004
22.01.2020 14:41:57	1	1	1	1	72.25	60.25	0	29478.673	270.9677419	8000.434865	30000	0	0	30000	40.375	2004
22.01.2020 14:41:58	1	1	1	1	72.5	60.25	0	29526.066	270.9677419	8064.033919	30000	0	0	30000	40.25	2004
22.01.2020 14:41:59	1	1	1	1	72.5	60.25	0	30000	294.6236559	8838.637784	30000	0	0	30000	40.1875	2004
22.01.2020 14:42:00	1	1	1	1	72.5	60	0	29715.64	301.0752688	8946.266953	30000	0	0	30000	40.375	2004
22.01.2020 14:42:01	1	1	1	1	72.5	60.25	0	29952.607	286.0215054	8708.993559	30000	0	0	30000	40.1875	2004
22.01.2020 14:42:02	1	1	1	1	72.5	60	0	30000	290.3225806	8708.993559	30000	0	0	30000	40.1875	2004
22.01.2020 14:42:03	1	1	1	1	72.5	60	0	30000	281.7204301	8451.335852	30000	0	0	30000	40.0625	2004
22.01.2020 14:42:04	1	1	1	1	72.5	60	0	30000	270.9677419	8192.862773	30000	0	0	30000	40.3125	2004
22.01.2020 14:42:05	1	1	1	1	72.5	60.25	0	30000	268.8172043	8064.033919	30000	0	0	30000	40.25	2004
22.01.2020 14:42:06	1	1	1	1	72.5	60.25	0	30000	266.6666667	7999.619493	30000	0	0	30000	39.75	2004
22.01.2020 14:42:13	1	1	1	1	72.75	60.25	0	30000	275.2688172	8322.506999	30000	0	0	30000	39.9375	2004
22.01.2020 14:42:13	1	1	1	1	72.75	60.25	0	30000	275.2688172	8322.506999	30000	0	0	30000	39.9375	2004
22.01.2020 14:42:13	1	1	1	1	72.75	60.25	0	30000	275.2688172	8322.506999	30000	0	0	30000	39.9375	2004
22.01.2020 14:42:13	1	1	1	1	72.75	60.25	0	30000	275.2688172	8322.506999	30000	0	0	30000	39.9375	2004
22.01.2020 14:42:13	1	1	1	1	72.75	60.25	0	30000	275.2688172	8322.506999	30000	0	0	30000	39.9375	2004
22.01.2020 14:42:13	1	1	1	1	72.75	60.25	0	30000	275.2688172	8322.506999	30000	0	0	30000	39.9375	2004
22.01.2020 14:42:14	1	1	1	1	72.75	59.75	0	30000	294.6236559	8838.637784	30000	0	0	30000	40.1875	2004
22.01.2020 14:42:15	1	1	1	1	72.75	60	0	30000	270.9677419	8128.448346	30000	0	0	30000	40.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 14:42:16	1	1	1	1	72.75	60	0	30000	275.2688172	8128.448346	30000	0	0	30000	40.25	2004
22.01.2020 14:42:17	1	1	1	1	73	60.25	0	30000	273.1182796	8128.448346	30000	0	0	30000	39.75	2004
22.01.2020 14:42:18	1	1	1	1	73	59.75	0	30000	262.3655914	7870.79064	30000	0	0	30000	39.25	2004
22.01.2020 14:42:19	1	1	1	1	73	59.25	0	30000	255.9139785	7676.731987	30000	0	0	30000	40.25	2004
22.01.2020 14:42:20	1	1	1	1	73	60.25	0	30000	258.0645161	7676.731987	30000	0	0	30000	40.3125	2004
22.01.2020 14:42:21	1	1	1	1	73	60.25	0	30000	260.2150538	7806.376213	30000	0	0	30000	40.25	2004
22.01.2020 14:42:22	1	1	1	1	73	60.25	0	30000	253.7634409	7676.731987	30000	0	0	30000	40.125	2004
22.01.2020 14:42:23	1	1	1	1	73	60	0	30000	251.6129032	7547.903134	30000	0	0	30000	40.0625	2004
22.01.2020 14:42:24	1	1	1	1	73	60	0	30000	247.311828	7419.07428	30000	0	0	30000	40.1875	2004
22.01.2020 14:42:25	1	1	1	1	73	60	0	29952.607	240.8602151	7225.831	30000	0	0	30000	40.0625	2004
22.01.2020 14:42:26	1	1	1	1	73	60	0	30000	234.4086022	7031.772348	30000	0	0	30000	40.125	2004
22.01.2020 14:42:27	1	1	1	1	73.5	60	0	30000	230.1075269	6892.343652	30000	0	0	30000	40.1875	2004
22.01.2020 14:42:28	1	1	1	1	73.5	60	0	30000	227.9569892	6902.943495	30000	0	0	30000	40.1875	2004
22.01.2020 14:42:29	1	1	1	1	73.5	60	0	30000	232.2580645	7031.772348	30000	0	0	30000	40.3125	2004
22.01.2020 14:42:30	1	1	1	1	73.5	60.25	0	30000	232.2580645	6967.357921	30000	0	0	30000	40.4375	2004
22.01.2020 14:42:31	1	1	1	1	73.5	60.25	0	29952.607	234.4086022	7096.186775	30000	0	0	30000	39.75	2004
22.01.2020 14:42:33	1	1	1	1	73.5	59.75	0	30047.393	240.8602151	6956.758079	30000	0	0	30000	39.9375	2004
22.01.2020 14:42:34	1	1	1	1	73.5	59.75	0	30000	240.8602151	7225.831	30000	0	0	30000	40.125	2004
22.01.2020 14:42:35	1	1	1	1	73.5	60	0	30000	240.8602151	7225.831	30000	0	0	30000	40.1875	2004
22.01.2020 14:42:36	1	1	1	1	73.5	60	0	30000	240.8602151	7160.601201	30000	0	0	30000	40.125	2004
22.01.2020 14:42:37	1	1	1	1	73.5	60	0	30000	236.5591398	7096.186775	30000	0	0	30000	40.3125	2004
22.01.2020 14:42:38	1	1	1	1	73.5	60.25	0	30000	240.8602151	7225.831	30000	0	0	30000	40.1875	2004
22.01.2020 14:42:39	1	1	1	1	73.5	60	0	30000	236.5591398	7225.831	30000	0	0	30000	39.75	2004
22.01.2020 14:42:40	1	1	1	1	73.5	59.75	0	30000	240.8602151	7096.186775	30000	0	0	30000	39.6875	2004
22.01.2020 14:42:41	1	1	1	1	73.5	59.5	0	30000	234.4086022	7031.772348	30000	0	0	30000	39.8125	2004
22.01.2020 14:42:42	1	1	1	1	73.5	59.75	0	30000	234.4086022	7031.772348	30000	0	0	30000	40.125	2004
22.01.2020 14:42:43	1	1	1	1	73.5	60	0	30000	236.5591398	7096.186775	30000	0	0	30000	40.25	2004
22.01.2020 14:42:44	1	1	1	1	73.5	60.25	0	30000	234.4086022	7031.772348	30000	0	0	30000	40.25	2004
22.01.2020 14:42:45	1	1	1	1	73.5	60.25	0	30000	234.4086022	7031.772348	30000	0	0	30000	40.1875	2004
22.01.2020 14:42:46	1	1	1	1	73.5	60	0	30000	232.2580645	6902.943495	30000	0	0	30000	40.25	2004
22.01.2020 14:42:47	1	1	1	1	73.5	60.25	0	30000	232.2580645	6967.357921	30000	0	0	30000	40.375	2004
22.01.2020 14:42:48	1	1	1	1	73.5	60.25	0	30000	234.4086022	6967.357921	30000	0	0	30000	39.9375	2004
22.01.2020 14:42:49	1	1	1	1	73.5	59.75	0	30000	234.4086022	7031.772348	30000	0	0	30000	40.1875	2004
22.01.2020 14:42:50	1	1	1	1	73.5	60	0	30000	236.5591398	7096.186775	30000	0	0	30000	40.5	2004
22.01.2020 14:42:51	1	1	1	1	73.5	60.5	0	30000	240.8602151	7160.601201	30000	0	0	30000	40.125	2004
22.01.2020 14:42:52	1	1	1	1	73.5	60.25	0	30000	243.0107527	7290.245427	30000	0	0	30000	39.3125	2004
22.01.2020 14:42:53	1	1	1	1	73.5	59.25	0	30000	247.311828	7407.659066	30000	0	0	30000	40.1875	2004
22.01.2020 14:42:54	1	1	1	1	73.5	60	0	30000	253.7634409	7612.31756	30000	0	0	30000	40.125	2004
22.01.2020 14:42:55	1	1	1	1	73.5	60	0	30000	260.2150538	7806.376213	30000	0	0	30000	40.1875	2004
22.01.2020 14:42:56	1	1	1	1	73.5	60	0	30000	258.0645161	7870.79064	30000	0	0	30000	40.1875	2004
22.01.2020 14:42:57	1	1	1	1	73.25	60	0	30000	264.516129	7999.619493	30000	0	0	30000	40.375	2004
22.01.2020 14:42:58	1	1	1	1	73.25	60.25	0	30000	266.6666667	8064.033919	30000	0	0	30000	40.1875	2004
22.01.2020 14:42:59	1	1	1	1	73.25	60	0	30000	266.6666667	8064.033919	30000	0	0	30000	40.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 14:43:00	1	1	1	1	73.25	60.25	0	30000	268.8172043	8064.033919	30000	0	0	30000	40	2004
22.01.2020 14:43:01	1	1	1	1	73.25	60	0	29952.607	266.6666667	8064.033919	30000	0	0	30000	40.375	2004
22.01.2020 14:43:02	1	1	1	1	73.25	60.25	0	30000	268.8172043	7935.205066	30000	0	0	30000	40.3125	2004
22.01.2020 14:43:03	1	1	1	1	73.25	60.25	0	30000	266.6666667	7999.619493	30000	0	0	30000	40.1875	2004
22.01.2020 14:43:04	1	1	1	1	73.25	60	0	30000	266.6666667	7999.619493	30000	0	0	30000	40.125	2004
22.01.2020 14:43:05	1	1	1	1	73.25	60	0	30000	268.8172043	8128.448346	30000	0	0	30000	39.9375	2004
22.01.2020 14:43:06	1	1	1	1	73.25	59.75	0	30000	303.2258065	8953.605305	30000	0	0	30000	40.25	2004
22.01.2020 14:43:07	1	1	1	1	73.25	60.25	0	30000	283.8709677	8580.164705	30000	0	0	30000	40.1875	2004
22.01.2020 14:43:15	1	1	1	1	73.25	60.25	0	30000	270.9677419	8064.033919	30000	0	0	30000	39.9375	2004
22.01.2020 14:43:15	1	1	1	1	73.25	60.25	0	30000	270.9677419	8064.033919	30000	0	0	30000	39.9375	2004
22.01.2020 14:43:15	1	1	1	1	73.25	60.25	0	30000	270.9677419	8064.033919	30000	0	0	30000	39.9375	2004
22.01.2020 14:43:15	1	1	1	1	73.25	60.25	0	30000	270.9677419	8064.033919	30000	0	0	30000	39.9375	2004
22.01.2020 14:43:15	1	1	1	1	73.25	60.25	0	30000	270.9677419	8064.033919	30000	0	0	30000	39.9375	2004
22.01.2020 14:43:15	1	1	1	1	73.25	60.25	0	30000	270.9677419	8064.033919	30000	0	0	30000	39.9375	2004
22.01.2020 14:43:15	1	1	1	1	73.25	60.25	0	30000	270.9677419	8064.033919	30000	0	0	30000	39.9375	2004
22.01.2020 14:43:16	1	1	1	1	73.25	59.75	0	29952.607	262.3655914	7870.79064	30000	0	0	30000	40.375	2004
22.01.2020 14:43:17	1	1	1	1	73.25	60.25	0	30000	255.9139785	7676.731987	30000	0	0	30000	40.5	2004
22.01.2020 14:43:18	1	1	1	1	73.5	60.5	0	30000	258.0645161	7676.731987	30000	0	0	30000	40	2004
22.01.2020 14:43:19	1	1	1	1	73.5	60	0	30000	247.311828	7419.07428	30000	0	0	30000	39.625	2004
22.01.2020 14:43:20	1	1	1	1	73.5	59.5	0	30000	240.8602151	7225.831	30000	0	0	30000	40.25	2004
22.01.2020 14:43:21	1	1	1	1	73.5	60.25	0	30000	240.8602151	7225.831	30000	0	0	30000	40.375	2004
22.01.2020 14:43:22	1	1	1	1	73.5	60.25	0	30000	240.8602151	7031.772348	30000	0	0	30000	39.9375	2004
22.01.2020 14:43:23	1	1	1	1	73.5	59.75	0	29952.607	240.8602151	7225.831	30000	0	0	30000	40.1875	2004
22.01.2020 14:43:24	1	1	1	1	73.5	60	0	30000	240.8602151	7225.831	30000	0	0	30000	39.5	2004
22.01.2020 14:43:25	1	1	1	1	73.5	59.5	0	29905.213	243.0107527	7407.659066	30000	0	0	30000	40.3125	2004
22.01.2020 14:43:26	1	1	1	1	73.5	60.25	0	30000	253.7634409	7612.31756	30000	0	0	30000	40.5	2004
22.01.2020 14:43:27	1	1	1	1	73.5	60.5	0	30000	264.516129	7858.560052	30000	0	0	30000	40.3125	2004
22.01.2020 14:43:28	1	1	1	1	73.75	60.25	0	30000	268.8172043	7999.619493	30000	0	0	30000	40.8125	2004
22.01.2020 14:43:29	1	1	1	1	73.75	60.75	0	30000	270.9677419	8128.448346	30000	0	0	30000	40.4375	2004
22.01.2020 14:43:30	1	1	1	1	73.75	60	0	30000	273.1182796	8192.862773	30000	0	0	30000	40.0625	2004
22.01.2020 14:43:31	1	1	1	1	73.75	60	0	30000	292.4731183	8838.637784	30000	0	0	30000	40.25	2004
22.01.2020 14:43:32	1	1	1	1	73.75	60.25	0	30000	294.6236559	8838.637784	30000	0	0	30000	40.25	2004
22.01.2020 14:43:33	1	1	1	1	73.75	60.25	0	30000	294.6236559	8967.466638	30000	0	0	30000	40.25	2004
22.01.2020 14:43:34	1	1	1	1	73.75	60.25	0	29905.213	290.3225806	8838.637784	30000	0	0	30000	40.3125	2004
22.01.2020 14:43:35	1	1	1	1	73.75	60.25	0	30000	298.9247312	9031.881064	30000	0	0	30000	40.25	2004
22.01.2020 14:43:36	1	1	1	1	73.75	60.25	0	30000	301.0752688	9031.881064	30000	0	0	30000	39.9375	2004
22.01.2020 14:43:37	1	1	1	1	73.5	59.75	0	30000	301.0752688	9031.881064	30000	0	0	30000	40.4375	2004
22.01.2020 14:43:38	1	1	1	1	73.5	60.25	0	30000	301.0752688	9031.881064	30000	0	0	30000	40.25	2004
22.01.2020 14:43:39	1	1	1	1	73.5	60.25	0	30000	294.6236559	8967.466638	30000	0	0	30000	40.3125	2004
22.01.2020 14:43:40	1	1	1	1	73.5	60.25	0	30000	290.3225806	8708.993559	30000	0	0	30000	40.25	2004
22.01.2020 14:43:41	1	1	1	1	73.5	60.25	0	30000	286.0215054	8644.579132	30000	0	0	30000	40.25	2004
22.01.2020 14:43:42	1	1	1	1	73.5	60.25	0	30000	290.3225806	8567.118745	30000	0	0	30000	40.25	2004
22.01.2020 14:43:43	1	1	1	1	73.5	60.25	0	29952.607	288.172043	8567.118745	30000	0	0	30000	40.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 14:43:44	1	1	1	1	73.5	60.25	0	30000	286.0215054	8644.579132	30000	0	0	30000	40.4375	2004
22.01.2020 14:43:45	1	1	1	1	73.5	60.25	0	30000	290.3225806	8708.993559	30000	0	0	30000	40.3125	2004
22.01.2020 14:43:46	1	1	1	1	73.5	60.25	0	30000	292.4731183	8774.223358	30000	0	0	30000	40	2004
22.01.2020 14:43:47	1	1	1	1	74	60	0	30000	307.5268817	9225.124344	30000	0	0	30000	39.9375	2004
22.01.2020 14:43:48	1	1	1	1	74	59.75	0	30000	309.6774194	9196.586307	30000	0	0	30000	40.3125	2004
22.01.2020 14:43:50	1	1	1	1	74	60.25	0	29905.213	303.2258065	9146.848585	30000	0	0	30000	40.3125	2004
22.01.2020 14:43:51	1	1	1	1	74	60.25	0	30000	305.3763441	9225.124344	30000	0	0	30000	40.25	2004
22.01.2020 14:43:52	1	1	1	1	74	60.25	0	30000	303.2258065	9096.295491	30000	0	0	30000	40.1875	2004
22.01.2020 14:43:53	1	1	1	1	74	60	0	30000	309.6774194	9067.757454	30000	0	0	30000	40.0625	2004
22.01.2020 14:43:54	1	1	1	1	74	60	0	29952.607	322.5806452	9806.484929	30000	0	0	30000	39.5	2004
22.01.2020 14:43:55	1	1	1	1	74	59.5	0	30000	301.0752688	8903.052211	30000	0	0	30000	40.125	2004
22.01.2020 14:43:56	1	1	1	1	74	60	0	30000	305.3763441	9239.801049	30000	0	0	30000	40.25	2004
22.01.2020 14:43:57	1	1	1	1	74	60.25	0	30000	331.1827957	9855.407279	30000	0	0	30000	39.9375	2004
22.01.2020 14:43:58	1	1	1	1	73.5	59.75	0	30000	320.4301075	9612.426277	30000	0	0	30000	40.0625	2004
22.01.2020 14:43:59	1	1	1	1	73.5	60	0	30000	309.6774194	9225.124344	30000	0	0	30000	40.3125	2004
22.01.2020 14:44:00	1	1	1	1	73.5	60.25	0	30000	307.5268817	9160.709918	30000	0	0	30000	40.125	2004
22.01.2020 14:44:01	1	1	1	1	73.5	60	0	30000	307.5268817	9160.709918	30000	0	0	30000	40	2004
22.01.2020 14:44:02	1	1	1	1	73.5	60	0	30000	333.3333333	10064.14264	30000	0	0	30000	40.4375	2004
22.01.2020 14:44:03	1	1	1	1	73.5	60.25	0	0	0	0	30000	0	8	30000	40.4375	2004
22.01.2020 14:44:04	1	1	1	1	73.5	60.25	0	10331.754	0	0	30000	0	0	30000	40.5625	2004
22.01.2020 14:44:05	1	1	1	1	73.5	60.5	0	11184.834	0	0	30000	0	0	30000	40.375	2004
22.01.2020 14:44:06	1	1	1	1	73.5	60.25	0	11943.128	0	0	30000	0	0	30000	40.8125	2004
22.01.2020 14:44:07	1	1	1	1	73.5	60.75	0	12606.635	0	0	30000	0	0	30000	40.5625	2004
22.01.2020 14:44:08	1	1	1	1	73.75	60.5	0	13412.322	4.301075269	28.53803713	30000	0	0	30000	40.4375	2004
22.01.2020 14:44:09	1	1	1	1	73.75	60.5	0	14265.403	8.602150538	91.32171881	30000	0	0	30000	40.3125	2004
22.01.2020 14:44:16	1	1	1	1	73.75	60.5	0	19573.46	53.76344086	1051.830511	30000	0	0	30000	40.3125	2004
22.01.2020 14:44:16	1	1	1	1	73.75	60.5	0	19573.46	53.76344086	1051.830511	30000	0	0	30000	40.3125	2004
22.01.2020 14:44:16	1	1	1	1	73.75	60.5	0	19573.46	53.76344086	1051.830511	30000	0	0	30000	40.3125	2004
22.01.2020 14:44:16	1	1	1	1	73.75	60.5	0	19573.46	53.76344086	1051.830511	30000	0	0	30000	40.3125	2004
22.01.2020 14:44:16	1	1	1	1	73.75	60.5	0	19573.46	53.76344086	1051.830511	30000	0	0	30000	40.3125	2004
22.01.2020 14:44:16	1	1	1	1	73.75	60.5	0	19573.46	53.76344086	1051.830511	30000	0	0	30000	40.3125	2004
22.01.2020 14:44:17	1	1	1	1	74	60.25	0	20379.147	58.06451613	1270.350338	30000	0	0	30000	40.375	2004
22.01.2020 14:44:18	1	1	1	1	74	60.25	0	21137.441	66.66666667	1408.963662	30000	0	0	30000	40.375	2004
22.01.2020 14:44:19	1	1	1	1	74	60.25	0	21895.735	73.11827957	1600.576197	30000	0	0	30000	40.375	2004
22.01.2020 14:44:20	1	1	1	1	74	60.25	0	22559.242	79.56989247	1859.049276	30000	0	0	30000	40.375	2004
22.01.2020 14:44:21	1	1	1	1	74	60.25	0	23412.322	90.32258065	2114.260865	30000	0	0	30000	40.375	2004
22.01.2020 14:44:22	1	1	1	1	74	60.25	0	24218.009	103.2258065	2499.932052	30000	0	0	30000	40.375	2004
22.01.2020 14:44:23	1	1	1	1	74	60.25	0	24976.303	122.5806452	3060.908325	30000	0	0	30000	40.3125	2004
22.01.2020 14:44:24	1	1	1	1	74	60.25	0	24976.303	124.7311828	3234.582665	30000	0	0	30000	40.4375	2004
22.01.2020 14:44:25	1	1	1	1	74	60.25	0	24976.303	120.4301075	3126.953497	30000	0	0	30000	40.25	2004
22.01.2020 14:44:26	1	1	1	1	74	60.25	0	24976.303	122.5806452	3073.138912	30000	0	0	30000	40.4375	2004
22.01.2020 14:44:27	1	1	1	1	74.25	60.25	0	24976.303	113.9784946	2910.879787	30000	0	0	30000	40.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 14:44:29	1	1	1	1	74.25	60.25	0	24976.303	111.827957	2798.358383	30000	0	0	30000	40.375	2004
22.01.2020 14:44:30	1	1	1	1	74.25	60.25	0	24976.303	109.6774194	2738.836192	30000	0	0	30000	40.375	2004
22.01.2020 14:44:31	1	1	1	1	74.25	60.25	0	24976.303	111.827957	2744.543799	30000	0	0	30000	40.3125	2004
22.01.2020 14:44:32	1	1	1	1	74.25	60.25	0	24976.303	113.9784946	2792.650776	30000	0	0	30000	40	2004
22.01.2020 14:44:33	1	1	1	1	74.25	60	0	24976.303	109.6774194	2846.46536	30000	0	0	30000	40.375	2004
22.01.2020 14:44:34	1	1	1	1	74.25	60.25	0	24976.303	111.827957	2744.543799	30000	0	0	30000	40.375	2004
22.01.2020 14:44:35	1	1	1	1	74.25	60.25	0	24976.303	109.6774194	2738.836192	30000	0	0	30000	40.375	2004
22.01.2020 14:44:36	1	1	1	1	74.25	60.25	0	24976.303	109.6774194	2744.543799	30000	0	0	30000	40.4375	2004
22.01.2020 14:44:37	1	1	1	1	74.25	60.25	0	25071.09	109.6774194	2749.436034	30000	0	0	30000	40.375	2004
22.01.2020 14:44:38	1	1	1	1	73.75	60.25	0	24976.303	109.6774194	2744.543799	30000	0	0	30000	40.375	2004
22.01.2020 14:44:39	1	1	1	1	73.75	60.25	0	24976.303	105.3763441	2695.62145	30000	0	0	30000	40.375	2004
22.01.2020 14:44:40	1	1	1	1	73.75	60.25	0	24976.303	107.5268817	2695.62145	30000	0	0	30000	40.5625	2004
22.01.2020 14:44:41	1	1	1	1	73.75	60.5	0	24976.303	107.5268817	2738.836192	30000	0	0	30000	40.3125	2004
22.01.2020 14:44:42	1	1	1	1	73.75	60.25	0	24976.303	107.5268817	2631.207023	30000	0	0	30000	40.3125	2004
22.01.2020 14:44:43	1	1	1	1	73.75	60.25	0	24976.303	107.5268817	2749.436034	30000	0	0	30000	40.4375	2004
22.01.2020 14:44:44	1	1	1	1	73.75	60.25	0	25450.237	120.4301075	3009.539858	30000	0	0	30000	40.875	2004
22.01.2020 14:44:45	1	1	1	1	73.75	60.75	0	26113.744	126.8817204	3594.161933	30000	0	0	30000	39.9375	2004
22.01.2020 14:44:46	1	1	1	1	73.75	59.75	0	26919.431	144.0860215	3878.726932	30000	0	0	30000	40.8125	2004
22.01.2020 14:44:47	1	1	1	1	73.75	60.75	0	27630.332	159.1397849	4396.488462	30000	0	0	30000	40.6875	2004
22.01.2020 14:44:48	1	1	1	1	73.75	60.5	0	28009.479	169.8924731	4758.513848	30000	0	0	30000	40.5625	2004
22.01.2020 14:44:49	1	1	1	1	73.75	60.75	0	28293.839	169.8924731	4790.313375	30000	0	0	30000	40.375	2004
22.01.2020 14:44:50	1	1	1	1	73.75	60.25	0	28388.626	169.8924731	5075.693746	30000	0	0	30000	40.25	2004
22.01.2020 14:44:51	1	1	1	1	73.75	60.25	0	28578.199	178.4946237	5223.276167	30000	0	0	30000	39.75	2004
22.01.2020 14:44:52	1	1	1	1	73.75	59.75	0	28483.412	206.4516129	5900.035333	30000	0	0	30000	40.375	2004
22.01.2020 14:44:53	1	1	1	1	73.75	60.25	0	28957.346	206.4516129	5978.311092	30000	0	0	30000	40.1875	2004
22.01.2020 14:44:54	1	1	1	1	73.75	60	0	28957.346	206.4516129	5978.311092	30000	0	0	30000	40.3125	2004
22.01.2020 14:44:55	1	1	1	1	73.75	60.25	0	28957.346	206.4516129	5978.311092	30000	0	0	30000	40.3125	2004
22.01.2020 14:44:56	1	1	1	1	73.75	60.25	0	29052.133	206.4516129	5997.880032	30000	0	0	30000	40.4375	2004
22.01.2020 14:44:57	1	1	1	1	73.25	60.25	0	29004.739	206.4516129	5978.311092	30000	0	0	30000	40.375	2004
22.01.2020 14:44:58	1	1	1	1	73.25	60.25	0	29052.133	206.4516129	5978.311092	30000	0	0	30000	40.4375	2004
22.01.2020 14:44:59	1	1	1	1	73.25	60.25	0	28957.346	206.4516129	5978.311092	30000	0	0	30000	40.3125	2004
22.01.2020 14:45:00	1	1	1	1	73.25	60.25	0	29052.133	206.4516129	5997.880032	30000	0	0	30000	40.3125	2004
22.01.2020 14:45:01	1	1	1	1	73.25	60.25	0	29052.133	206.4516129	5978.311092	30000	0	0	30000	39.9375	2004
22.01.2020 14:45:02	1	1	1	1	73.25	59.75	0	29099.526	206.4516129	5997.880032	30000	0	0	30000	40.25	2004
22.01.2020 14:45:03	1	1	1	1	73.25	60.25	0	29052.133	206.4516129	5978.311092	30000	0	0	30000	40.3125	2004
22.01.2020 14:45:04	1	1	1	1	73.25	60.25	0	28957.346	208.6021505	6040.279401	30000	0	0	30000	40	2004
22.01.2020 14:45:05	1	1	1	1	73.25	60	0	29052.133	210.7526882	5978.311092	30000	0	0	30000	40.25	2004
22.01.2020 14:45:06	1	1	1	1	73.25	60.25	0	28957.346	217.2043011	6288.96801	30000	0	0	30000	40.4375	2004
22.01.2020 14:45:08	1	1	1	1	73.75	60.25	0	29052.133	217.2043011	6288.96801	30000	0	0	30000	40.5	2004
22.01.2020 14:45:09	1	1	1	1	73.75	60.5	0	29052.133	219.3548387	6165.031392	30000	0	0	30000	40.3125	2004
22.01.2020 14:45:10	1	1	1	1	73.75	60.25	0	29052.133	217.2043011	6351.751692	30000	0	0	30000	40.4375	2004
22.01.2020 14:45:11	1	1	1	1	73.75	60.25	0	29052.133	221.5053763	6434.919686	30000	0	0	30000	40.375	2004
22.01.2020 14:45:18	1	1	1	1	73.75	60.25	0	29052.133	206.4516129	5997.880032	30000	0	0	30000	40.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 14:45:18	1	1	1	1	73.75	60.25	0	29052.133	206.4516129	5997.880032	30000	0	0	30000	40.25	2004
22.01.2020 14:45:18	1	1	1	1	73.75	60.25	0	29052.133	206.4516129	5997.880032	30000	0	0	30000	40.25	2004
22.01.2020 14:45:18	1	1	1	1	73.75	60.25	0	29052.133	206.4516129	5997.880032	30000	0	0	30000	40.25	2004
22.01.2020 14:45:18	1	1	1	1	73.75	60.25	0	29052.133	206.4516129	5997.880032	30000	0	0	30000	40.25	2004
22.01.2020 14:45:18	1	1	1	1	73.75	60.25	0	29052.133	206.4516129	5997.880032	30000	0	0	30000	40.25	2004
22.01.2020 14:45:18	1	1	1	1	73.75	60.25	0	29052.133	206.4516129	5997.880032	30000	0	0	30000	40.25	2004
22.01.2020 14:45:19	1	1	1	1	73.75	60.25	0	29052.133	206.4516129	5997.880032	30000	0	0	30000	40.25	2004
22.01.2020 14:45:20	1	1	1	1	73.75	60.25	0	29052.133	206.4516129	5997.880032	30000	0	0	30000	40.3125	2004
22.01.2020 14:45:21	1	1	1	1	73.75	60.25	0	29099.526	206.4516129	6059.848341	30000	0	0	30000	40.25	2004
22.01.2020 14:45:22	1	1	1	1	73.75	60.25	0	29052.133	212.9032258	6069.632811	30000	0	0	30000	40.375	2004
22.01.2020 14:45:23	1	1	1	1	73.75	60.25	0	29099.526	208.6021505	6059.848341	30000	0	0	30000	40.3125	2004
22.01.2020 14:45:24	1	1	1	1	73.75	60.25	0	29052.133	210.7526882	6059.848341	30000	0	0	30000	40.5	2004
22.01.2020 14:45:25	1	1	1	1	73.75	60.5	0	29052.133	212.9032258	6319.952165	30000	0	0	30000	40.375	2004
22.01.2020 14:45:26	1	1	1	1	73.75	60.25	0	29052.133	212.9032258	6184.600332	30000	0	0	30000	40.4375	2004
22.01.2020 14:45:27	1	1	1	1	73.75	60.75	0	29052.133	210.7526882	6184.600332	30000	0	0	30000	40.25	2004
22.01.2020 14:45:28	1	1	1	1	73.75	60.25	0	29052.133	217.2043011	6226.999701	30000	0	0	30000	40.25	2004
22.01.2020 14:45:29	1	1	1	1	73.75	60.25	0	29052.133	221.5053763	6372.136004	30000	0	0	30000	40.5	2004
22.01.2020 14:45:30	1	1	1	1	73.75	60.5	0	29052.133	221.5053763	6445.519528	30000	0	0	30000	40	2004
22.01.2020 14:45:31	1	1	1	1	73.75	60	0	29052.133	225.8064516	6559.671677	30000	0	0	30000	40.375	2004
22.01.2020 14:45:32	1	1	1	1	73.75	60.25	0	28957.346	227.9569892	6622.455358	30000	0	0	30000	40.1875	2004
22.01.2020 14:45:33	1	1	1	1	73.75	60	0	29052.133	225.8064516	6747.207349	30000	0	0	30000	39.875	2004
22.01.2020 14:45:34	1	1	1	1	73.75	59.75	0	29052.133	232.2580645	6747.207349	30000	0	0	30000	40.375	2004
22.01.2020 14:45:35	1	1	1	1	73.75	60.25	0	29052.133	232.2580645	6809.991031	30000	0	0	30000	40.375	2004
22.01.2020 14:45:36	1	1	1	1	73.75	60.25	0	29052.133	236.5591398	7020.357133	30000	0	0	30000	39.5625	2004
22.01.2020 14:45:37	1	1	1	1	73.5	59.5	0	29052.133	232.2580645	6883.374555	30000	0	0	30000	40.25	2004
22.01.2020 14:45:38	1	1	1	1	73.5	60.25	0	29004.739	232.2580645	6747.207349	30000	0	0	30000	40.375	2004
22.01.2020 14:45:39	1	1	1	1	73.5	60.25	0	29099.526	232.2580645	6684.423668	30000	0	0	30000	40.4375	2004
22.01.2020 14:45:40	1	1	1	1	73.5	60.25	0	29052.133	230.1075269	6747.207349	30000	0	0	30000	40.3125	2004
22.01.2020 14:45:41	1	1	1	1	73.5	60.25	0	29099.526	230.1075269	6559.671677	30000	0	0	30000	40.3125	2004
22.01.2020 14:45:42	1	1	1	1	73.5	60.25	0	29099.526	230.1075269	6758.622564	30000	0	0	30000	39.875	2004
22.01.2020 14:45:43	1	1	1	1	73.5	59.75	0	29099.526	234.4086022	6758.622564	30000	0	0	30000	39.3125	2004
22.01.2020 14:45:44	1	1	1	1	73.5	59.25	0	29099.526	234.4086022	6832.006088	30000	0	0	30000	40.3125	2004
22.01.2020 14:45:46	1	1	1	1	73.5	60.25	0	29099.526	234.4086022	6820.590873	30000	0	0	30000	40.4375	2004
22.01.2020 14:45:47	1	1	1	1	73.5	60.25	0	29099.526	253.7634409	7371.782676	30000	0	0	30000	40.25	2004
22.01.2020 14:45:48	1	1	1	1	73.5	60.25	0	29099.526	240.8602151	7008.941918	30000	0	0	30000	39.75	2004
22.01.2020 14:45:49	1	1	1	1	73.5	59.75	0	29099.526	240.8602151	7008.941918	30000	0	0	30000	40.4375	2004
22.01.2020 14:45:50	1	1	1	1	73.5	60.25	0	29099.526	243.0107527	7008.941918	30000	0	0	30000	40.3125	2004
22.01.2020 14:45:51	1	1	1	1	73.5	60.25	0	29099.526	262.3655914	7834.91425	30000	0	0	30000	40.4375	2004
22.01.2020 14:45:52	1	1	1	1	73.5	60.25	0	29099.526	266.6666667	7697.116299	30000	0	0	30000	40.4375	2004
22.01.2020 14:45:53	1	1	1	1	73.5	60.25	0	29099.526	247.311828	7196.477591	30000	0	0	30000	40.25	2004
22.01.2020 14:45:54	1	1	1	1	73.5	60.25	0	29146.919	249.4623656	7196.477591	30000	0	0	30000	40.375	2004
22.01.2020 14:45:55	1	1	1	1	73.5	60.25	0	29146.919	247.311828	7207.892806	30000	0	0	30000	39.9375	2004
22.01.2020 14:45:56	1	1	1	1	73.5	59.75	0	29099.526	247.311828	7321.229582	30000	0	0	30000	40.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 14:45:57	1	1	1	1	73.5	60.25	0	29099.526	243.0107527	6997.526703	30000	0	0	30000	40.3125	2004
22.01.2020 14:45:58	1	1	1	1	73.5	60.25	0	29052.133	262.3655914	7697.116299	30000	0	0	30000	40.25	2004
22.01.2020 14:45:59	1	1	1	1	73.5	60.25	0	29052.133	243.0107527	7070.910227	30000	0	0	30000	40.3125	2004
22.01.2020 14:46:00	1	1	1	1	73.5	60.25	0	29099.526	243.0107527	7070.910227	30000	0	0	30000	40.375	2004
22.01.2020 14:46:01	1	1	1	1	73.5	60.25	0	29099.526	243.0107527	7070.910227	30000	0	0	30000	40.3125	2004
22.01.2020 14:46:02	1	1	1	1	73.5	60.25	0	29099.526	245.1612903	7184.247004	30000	0	0	30000	39.6875	2004
22.01.2020 14:46:03	1	1	1	1	73.5	59.5	0	29099.526	243.0107527	7008.941918	30000	0	0	30000	40.3125	2004
22.01.2020 14:46:04	1	1	1	1	73.5	60.25	0	29146.919	243.0107527	7082.325442	30000	0	0	30000	40.375	2004
22.01.2020 14:46:05	1	1	1	1	73.5	60.25	0	29099.526	240.8602151	7145.109124	30000	0	0	30000	40.5625	2004
22.01.2020 14:46:06	1	1	1	1	73.5	60.5	0	29099.526	253.7634409	7321.229582	30000	0	0	30000	40.4375	2004
22.01.2020 14:46:07	1	1	1	1	73.75	60.5	0	29146.919	262.3655914	7583.779523	30000	0	0	30000	40.1875	2004
22.01.2020 14:46:08	1	1	1	1	73.75	60	0	29146.919	240.8602151	7020.357133	30000	0	0	30000	40.4375	2004
22.01.2020 14:46:09	1	1	1	1	73.75	60.25	0	29146.919	240.8602151	7020.357133	30000	0	0	30000	40.375	2004
22.01.2020 14:46:10	1	1	1	1	73.75	60.25	0	29099.526	266.6666667	7772.130568	30000	0	0	30000	39.625	2004
22.01.2020 14:46:11	1	1	1	1	73.75	59.5	0	29146.919	260.2150538	7583.779523	30000	0	0	30000	40.3125	2004
22.01.2020 14:46:12	1	1	1	1	73.75	60.25	0	0	0	0	30000	0	8	30000	40.0625	2004
22.01.2020 14:46:20	1	1	1	1	73.25	60.25	0	14454.976	2.150537634	30.98415459	30000	0	0	30000	40.375	2004
22.01.2020 14:46:20	1	1	1	1	73.25	60.25	0	14454.976	2.150537634	30.98415459	30000	0	0	30000	40.375	2004
22.01.2020 14:46:20	1	1	1	1	73.25	60.25	0	14454.976	2.150537634	30.98415459	30000	0	0	30000	40.375	2004
22.01.2020 14:46:20	1	1	1	1	73.25	60.25	0	14454.976	2.150537634	30.98415459	30000	0	0	30000	40.375	2004
22.01.2020 14:46:20	1	1	1	1	73.25	60.25	0	14454.976	2.150537634	30.98415459	30000	0	0	30000	40.375	2004
22.01.2020 14:46:20	1	1	1	1	73.25	60.25	0	14454.976	2.150537634	30.98415459	30000	0	0	30000	40.375	2004
22.01.2020 14:46:20	1	1	1	1	73.25	60.25	0	14454.976	2.150537634	30.98415459	30000	0	0	30000	40.375	2004
22.01.2020 14:46:20	1	1	1	1	73.25	60.25	0	15213.27	6.451612903	130.4595983	30000	0	0	30000	40.3125	2004
22.01.2020 14:46:21	1	1	1	1	73.25	60.25	0	15876.777	8.602150538	136.1672057	30000	0	0	30000	40.5	2004
22.01.2020 14:46:22	1	1	1	1	73.25	60.5	0	16729.858	12.90322581	215.2583372	30000	0	0	30000	40.1875	2004
22.01.2020 14:46:23	1	1	1	1	73.25	60	0	17535.545	19.35483871	339.1949556	30000	0	0	30000	40.4375	2004
22.01.2020 14:46:25	1	1	1	1	73.25	60.25	0	18246.445	25.80645161	472.1006713	30000	0	0	30000	40.375	2004
22.01.2020 14:46:26	1	1	1	1	73.25	60.25	0	19099.526	27.95698925	574.837605	30000	0	0	30000	40.3125	2004
22.01.2020 14:46:27	1	1	1	1	73.25	60.25	0	19857.82	36.55913978	725.6815155	30000	0	0	30000	40.5625	2004
22.01.2020 14:46:28	1	1	1	1	73.5	60.5	0	20616.114	45.16129032	930.3400103	30000	0	0	30000	40.3125	2004
22.01.2020 14:46:29	1	1	1	1	73.5	60.25	0	21374.408	55.91397849	1148.859837	30000	0	0	30000	40.375	2004
22.01.2020 14:46:30	1	1	1	1	73.5	60.25	0	22227.488	62.3655914	1386.133232	30000	0	0	30000	40.375	2004
22.01.2020 14:46:31	1	1	1	1	73.5	60.25	0	22985.782	70.96774194	1624.221999	30000	0	0	30000	40.3125	2004
22.01.2020 14:46:32	1	1	1	1	73.5	60.25	0	23649.289	79.56989247	1889.218058	30000	0	0	30000	40.3125	2004
22.01.2020 14:46:33	1	1	1	1	73.5	60.25	0	24123.223	83.87096774	2027.016008	30000	0	0	30000	39.6875	2004
22.01.2020 14:46:34	1	1	1	1	73.5	59.5	0	24218.009	96.77419355	2343.380534	30000	0	0	30000	40.375	2004
22.01.2020 14:46:35	1	1	1	1	73.5	60.25	0	24218.009	94.62365591	2291.196695	30000	0	0	30000	39.375	2004
22.01.2020 14:46:36	1	1	1	1	73.5	59.25	0	24218.009	96.77419355	2343.380534	30000	0	0	30000	40.1875	2004
22.01.2020 14:46:37	1	1	1	1	73.5	60	0	24218.009	103.2258065	2395.564374	30000	0	0	30000	40.5	2004
22.01.2020 14:46:38	1	1	1	1	73.25	60.5	0	24218.009	103.2258065	2499.932052	30000	0	0	30000	40.25	2004
22.01.2020 14:46:39	1	1	1	1	73.25	60.25	0	24218.009	103.2258065	2499.932052	30000	0	0	30000	40.4375	2004
22.01.2020 14:46:40	1	1	1	1	73.25	60.25	0	24218.009	105.3763441	2499.932052	30000	0	0	30000	40.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 14:46:41	1	1	1	1	73.25	60.25	0	24218.009	105.3763441	2655.668198	30000	0	0	30000	40.3125	2004
22.01.2020 14:46:42	1	1	1	1	73.25	60.25	0	24218.009	111.827957	2655.668198	30000	0	0	30000	40.8125	2004
22.01.2020 14:46:43	1	1	1	1	73.25	60.75	0	24218.009	111.827957	2760.035876	30000	0	0	30000	40.875	2004
22.01.2020 14:46:44	1	1	1	1	73.25	60.75	0	24218.009	116.1290323	2916.587394	30000	0	0	30000	40.3125	2004
22.01.2020 14:46:45	1	1	1	1	73.25	60.5	0	24218.009	120.4301075	2916.587394	30000	0	0	30000	40.5	2004
22.01.2020 14:46:46	1	1	1	1	73.25	60.5	0	24218.009	120.4301075	2916.587394	30000	0	0	30000	40.4375	2004
22.01.2020 14:46:47	1	1	1	1	73.5	60.25	0	24218.009	120.4301075	2916.587394	30000	0	0	30000	40.3125	2004
22.01.2020 14:46:48	1	1	1	1	73.5	60.25	0	24218.009	120.4301075	2916.587394	30000	0	0	30000	40.4375	2004
22.01.2020 14:46:49	1	1	1	1	73.5	60.25	0	24218.009	122.5806452	2916.587394	30000	0	0	30000	40.375	2004
22.01.2020 14:46:50	1	1	1	1	73.5	60.25	0	24218.009	120.4301075	2916.587394	30000	0	0	30000	40.3125	2004
22.01.2020 14:46:51	1	1	1	1	73.5	60.25	0	24218.009	120.4301075	2967.955861	30000	0	0	30000	40.5	2004
22.01.2020 14:46:52	1	1	1	1	73.5	60.5	0	24218.009	120.4301075	2916.587394	30000	0	0	30000	40.25	2004
22.01.2020 14:46:53	1	1	1	1	73.5	60.25	0	24834.123	137.6344086	3204.413883	30000	0	0	30000	40.3125	2004
22.01.2020 14:46:54	1	1	1	1	73.5	60.25	0	25639.81	148.3870968	3693.637377	30000	0	0	30000	40	2004
22.01.2020 14:46:55	1	1	1	1	73.5	60	0	26398.104	163.4408602	4371.211915	30000	0	0	30000	40.375	2004
22.01.2020 14:46:56	1	1	1	1	73.5	60.25	0	27109.005	180.6451613	4955.018618	30000	0	0	30000	39.75	2004
22.01.2020 14:46:57	1	1	1	1	73.25	59.75	0	27298.578	184.9462366	5048.786454	30000	0	0	30000	40.4375	2004
22.01.2020 14:46:58	1	1	1	1	73.25	60.25	0	27440.758	189.2473118	5310.521023	30000	0	0	30000	40.3125	2004
22.01.2020 14:46:59	1	1	1	1	73.25	60.25	0	27630.332	206.4516129	5704.345935	30000	0	0	30000	40.3125	2004
22.01.2020 14:47:00	1	1	1	1	73.25	60.25	0	27867.299	206.4516129	5743.483815	30000	0	0	30000	40.3125	2004
22.01.2020 14:47:01	1	1	1	1	73.25	60.25	0	27962.085	206.4516129	5962.819014	30000	0	0	30000	40.0625	2004
22.01.2020 14:47:03	1	1	1	1	73.25	60	0	28199.052	217.2043011	6124.262767	30000	0	0	30000	40.3125	2004
22.01.2020 14:47:04	1	1	1	1	73.25	60.25	0	28199.052	217.2043011	6185.415704	30000	0	0	30000	40.1875	2004
22.01.2020 14:47:05	1	1	1	1	73.25	60	0	28199.052	217.2043011	6003.587639	30000	0	0	30000	40.3125	2004
22.01.2020 14:47:06	1	1	1	1	73.25	60.25	0	28009.479	234.4086022	6565.379284	30000	0	0	30000	38.0625	2004
22.01.2020 14:47:07	1	1	1	1	73.25	58	0	28246.445	240.8602151	6792.052836	30000	0	0	30000	40.5625	2004
22.01.2020 14:47:08	1	1	1	1	73.25	60.5	0	28293.839	245.1612903	6936.373767	30000	0	0	30000	40.25	2004
22.01.2020 14:47:09	1	1	1	1	73.25	60.25	0	28293.839	251.6129032	7119.017204	30000	0	0	30000	40.5	2004
22.01.2020 14:47:10	1	1	1	1	73.25	60.5	0	28199.052	251.6129032	7179.354769	30000	0	0	30000	40.1875	2004
22.01.2020 14:47:11	1	1	1	1	73.25	60	0	28199.052	255.9139785	7240.507705	30000	0	0	30000	40.25	2004
22.01.2020 14:47:12	1	1	1	1	73.25	60.25	0	28246.445	258.0645161	7277.199467	30000	0	0	30000	40.4375	2004
22.01.2020 14:47:13	1	1	1	1	73.25	60.25	0	28293.839	258.0645161	7277.199467	30000	0	0	30000	40.4375	2004
22.01.2020 14:47:14	1	1	1	1	73.25	60.25	0	28293.839	249.4623656	6996.711331	30000	0	0	30000	40.25	2004
22.01.2020 14:47:21	1	1	1	1	73	60.25	0	28293.839	208.6021505	5882.097138	30000	0	0	30000	40.4375	2004
22.01.2020 14:47:21	1	1	1	1	73	60.25	0	28293.839	208.6021505	5882.097138	30000	0	0	30000	40.4375	2004
22.01.2020 14:47:21	1	1	1	1	73	60.25	0	28293.839	208.6021505	5882.097138	30000	0	0	30000	40.4375	2004
22.01.2020 14:47:21	1	1	1	1	73	60.25	0	28293.839	208.6021505	5882.097138	30000	0	0	30000	40.4375	2004
22.01.2020 14:47:21	1	1	1	1	73	60.25	0	28293.839	208.6021505	5882.097138	30000	0	0	30000	40.4375	2004
22.01.2020 14:47:21	1	1	1	1	73	60.25	0	28293.839	208.6021505	5882.097138	30000	0	0	30000	40.4375	2004
22.01.2020 14:47:21	1	1	1	1	73	60.25	0	28293.839	208.6021505	5882.097138	30000	0	0	30000	40.4375	2004
22.01.2020 14:47:21	1	1	1	1	73	60.25	0	28293.839	208.6021505	5882.097138	30000	0	0	30000	40.4375	2004
22.01.2020 14:47:22	1	1	1	1	73	60.25	0	28293.839	208.6021505	5821.759574	30000	0	0	30000	40.4375	2004
22.01.2020 14:47:25	1	1	1	1	73	60.5	0	28199.052	208.6021505	5882.097138	30000	0	0	30000	40.3125	2004
22.01.2020 14:47:25	1	1	1	1	73	60.5	0	28199.052	208.6021505	5882.097138	30000	0	0	30000	40.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 14:47:25	1	1	1	1	73	60.25	0	28293.839	210.7526882	5962.819014	30000	0	0	30000	39.5	2004
22.01.2020 14:47:26	1	1	1	1	73	59.5	0	28341.232	208.6021505	5851.112983	30000	0	0	30000	40.1875	2004
22.01.2020 14:47:27	1	1	1	1	73	60	0	28199.052	206.4516129	5821.759574	30000	0	0	30000	40.3125	2004
22.01.2020 14:47:28	1	1	1	1	73	60.25	0	28293.839	212.9032258	6023.156579	30000	0	0	30000	40.25	2004
22.01.2020 14:47:29	1	1	1	1	73	60.25	0	28199.052	212.9032258	6063.925203	30000	0	0	30000	40.25	2004
22.01.2020 14:47:30	1	1	1	1	73	60.25	0	28293.839	221.5053763	6460.196233	30000	0	0	30000	40.375	2004
22.01.2020 14:47:31	1	1	1	1	73	60.25	0	28293.839	225.8064516	6266.952953	30000	0	0	30000	40.3125	2004
22.01.2020 14:47:32	1	1	1	1	73	60.25	0	28293.839	225.8064516	6449.596391	30000	0	0	30000	40.1875	2004
22.01.2020 14:47:33	1	1	1	1	73	60	0	28293.839	225.8064516	6388.443454	30000	0	0	30000	40.1875	2004
22.01.2020 14:47:34	1	1	1	1	73	60	0	28293.839	221.5053763	6185.415704	30000	0	0	30000	40.25	2004
22.01.2020 14:47:35	1	1	1	1	73	60.25	0	28293.839	212.9032258	6023.156579	30000	0	0	30000	40.3125	2004
22.01.2020 14:47:36	1	1	1	1	73	60.25	0	28293.839	212.9032258	6003.587639	30000	0	0	30000	40.25	2004
22.01.2020 14:47:37	1	1	1	1	73	60.25	0	28293.839	212.9032258	6033.756421	30000	0	0	30000	40.3125	2004
22.01.2020 14:47:38	1	1	1	1	73	60.25	0	28293.839	215.0537634	6145.462452	30000	0	0	30000	40.3125	2004
22.01.2020 14:47:39	1	1	1	1	73	60.25	0	28341.232	217.2043011	6145.462452	30000	0	0	30000	39.875	2004
22.01.2020 14:47:41	1	1	1	1	73	59.75	0	28341.232	219.3548387	6205.800016	30000	0	0	30000	40.3125	2004
22.01.2020 14:47:42	1	1	1	1	73	60.25	0	28293.839	219.3548387	6266.952953	30000	0	0	30000	39.5625	2004
22.01.2020 14:47:43	1	1	1	1	73	59.5	0	28293.839	217.2043011	6145.462452	30000	0	0	30000	40.125	2004
22.01.2020 14:47:44	1	1	1	1	73	60	0	28293.839	212.9032258	6094.909358	30000	0	0	30000	40.1875	2004
22.01.2020 14:47:45	1	1	1	1	73	60	0	28341.232	215.0537634	6033.756421	30000	0	0	30000	40.4375	2004
22.01.2020 14:47:46	1	1	1	1	73	60.25	0	28293.839	217.2043011	6145.462452	30000	0	0	30000	40.3125	2004
22.01.2020 14:47:47	1	1	1	1	73	60.25	0	28341.232	221.5053763	6205.800016	30000	0	0	30000	40.3125	2004
22.01.2020 14:47:48	1	1	1	1	73.25	60.25	0	28293.839	225.8064516	6388.443454	30000	0	0	30000	40.0625	2004
22.01.2020 14:47:49	1	1	1	1	73.25	60	0	28199.052	232.2580645	6549.071834	30000	0	0	30000	40.125	2004
22.01.2020 14:47:50	1	1	1	1	73.25	60	0	28293.839	236.5591398	6692.577392	30000	0	0	30000	40.1875	2004
22.01.2020 14:47:51	1	1	1	1	73.25	60	0	28341.232	243.0107527	6947.788982	30000	0	0	30000	40.1875	2004
22.01.2020 14:47:52	1	1	1	1	73.25	60	0	28341.232	245.1612903	6959.204196	30000	0	0	30000	40.3125	2004
22.01.2020 14:47:53	1	1	1	1	73.25	60.25	0	28388.626	249.4623656	7142.663007	30000	0	0	30000	39.8125	2004
22.01.2020 14:47:54	1	1	1	1	73.25	59.75	0	28341.232	251.6129032	6996.711331	30000	0	0	30000	40.3125	2004
22.01.2020 14:47:55	1	1	1	1	73.25	60.25	0	28341.232	247.311828	7130.432419	30000	0	0	30000	39.9375	2004
22.01.2020 14:47:56	1	1	1	1	73.25	59.75	0	28341.232	249.4623656	7070.094855	30000	0	0	30000	40.375	2004
22.01.2020 14:47:57	1	1	1	1	73.25	60.25	0	28293.839	251.6129032	7130.432419	30000	0	0	30000	40.4375	2004
22.01.2020 14:47:58	1	1	1	1	73	60.25	0	28199.052	249.4623656	7313.891229	30000	0	0	30000	40.1875	2004
22.01.2020 14:47:59	1	1	1	1	73	60	0	28341.232	251.6129032	7191.585356	30000	0	0	30000	40.75	2004
22.01.2020 14:48:00	1	1	1	1	73	60.75	0	28388.626	258.0645161	7313.891229	30000	0	0	30000	39.75	2004
22.01.2020 14:48:01	1	1	1	1	73	59.75	0	28341.232	258.0645161	7179.354769	30000	0	0	30000	40.8125	2004
22.01.2020 14:48:02	1	1	1	1	73	60.75	0	28341.232	260.2150538	7301.660642	30000	0	0	30000	40.25	2004
22.01.2020 14:48:03	1	1	1	1	73	60.25	0	28341.232	266.6666667	7557.687604	30000	0	0	30000	40.25	2004
22.01.2020 14:48:04	1	1	1	1	73	60.25	0	28341.232	266.6666667	7483.488707	30000	0	0	30000	40.25	2004
22.01.2020 14:48:05	1	1	1	1	73	60.25	0	28293.839	264.516129	7496.534667	30000	0	0	30000	40.125	2004
22.01.2020 14:48:06	1	1	1	1	73	60	0	28199.052	258.0645161	7496.534667	30000	0	0	30000	40.3125	2004
22.01.2020 14:48:07	1	1	1	1	73.25	60.25	0	28341.232	262.3655914	7435.38173	30000	0	0	30000	40.375	2004
22.01.2020 14:48:08	1	1	1	1	73.25	60.25	0	28341.232	262.3655914	7374.228794	30000	0	0	30000	40.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 14:48:09	1	1	1	1	73.25	60.25	0	28388.626	260.2150538	7374.228794	30000	0	0	30000	40.25	2004
22.01.2020 14:48:10	1	1	1	1	73.25	60.25	0	28341.232	258.0645161	7326.121817	30000	0	0	30000	40.1875	2004
22.01.2020 14:48:11	1	1	1	1	73.25	60	0	28341.232	258.0645161	7386.459381	30000	0	0	30000	40.25	2004
22.01.2020 14:48:12	1	1	1	1	73.25	60.25	0	28341.232	258.0645161	7301.660642	30000	0	0	30000	40.25	2004
22.01.2020 14:48:13	1	1	1	1	73.25	60.25	0	28341.232	251.6129032	7119.017204	30000	0	0	30000	40.25	2004
22.01.2020 14:48:14	1	1	1	1	73.25	60.25	0	28293.839	245.1612903	7008.941918	30000	0	0	30000	40.25	2004
22.01.2020 14:48:15	1	1	1	1	73.25	60.25	0	28341.232	251.6129032	7130.432419	30000	0	0	30000	40.4375	2004
22.01.2020 14:48:23	1	1	1	1	73	60	0	28388.626	212.9032258	6043.540891	30000	0	0	30000	40	2004
22.01.2020 14:48:23	1	1	1	1	73	60	0	28388.626	212.9032258	6043.540891	30000	0	0	30000	40	2004
22.01.2020 14:48:23	1	1	1	1	73	60	0	28388.626	212.9032258	6043.540891	30000	0	0	30000	40	2004
22.01.2020 14:48:23	1	1	1	1	73	60	0	28388.626	212.9032258	6043.540891	30000	0	0	30000	40	2004
22.01.2020 14:48:23	1	1	1	1	73	60	0	28388.626	212.9032258	6043.540891	30000	0	0	30000	40	2004
22.01.2020 14:48:23	1	1	1	1	73	60	0	28388.626	212.9032258	6043.540891	30000	0	0	30000	40	2004
22.01.2020 14:48:23	1	1	1	1	73	60	0	28388.626	212.9032258	6043.540891	30000	0	0	30000	40	2004
22.01.2020 14:48:24	1	1	1	1	73	60	0	28388.626	219.3548387	6033.756421	30000	0	0	30000	40.1875	2004
22.01.2020 14:48:25	1	1	1	1	73	60	0	28388.626	215.0537634	6104.693828	30000	0	0	30000	39.9375	2004
22.01.2020 14:48:26	1	1	1	1	73	59.75	0	28388.626	217.2043011	6155.246922	30000	0	0	30000	40.1875	2004
22.01.2020 14:48:27	1	1	1	1	73	60	0	28388.626	221.5053763	6288.152638	30000	0	0	30000	40.3125	2004
22.01.2020 14:48:28	1	1	1	1	73	60.25	0	28388.626	225.8064516	6482.21129	30000	0	0	30000	39.875	2004
22.01.2020 14:48:29	1	1	1	1	73	59.75	0	28388.626	234.4086022	6654.254885	30000	0	0	30000	39.8125	2004
22.01.2020 14:48:30	1	1	1	1	73	59.75	0	28388.626	240.8602151	6837.713696	30000	0	0	30000	40.25	2004
22.01.2020 14:48:31	1	1	1	1	73	60.25	0	28341.232	240.8602151	6898.05126	30000	0	0	30000	39.9375	2004
22.01.2020 14:48:32	1	1	1	1	73	59.75	0	28388.626	243.0107527	6898.05126	30000	0	0	30000	40.125	2004
22.01.2020 14:48:33	1	1	1	1	73	60	0	28388.626	240.8602151	6837.713696	30000	0	0	30000	40.1875	2004
22.01.2020 14:48:34	1	1	1	1	73	60	0	28388.626	245.1612903	6886.636045	30000	0	0	30000	39.9375	2004
22.01.2020 14:48:35	1	1	1	1	73	59.75	0	28388.626	240.8602151	6837.713696	30000	0	0	30000	40.375	2004
22.01.2020 14:48:36	1	1	1	1	73	60.25	0	28388.626	240.8602151	6837.713696	30000	0	0	30000	40.3125	2004
22.01.2020 14:48:37	1	1	1	1	73	60.25	0	28388.626	240.8602151	6837.713696	30000	0	0	30000	40.25	2004
22.01.2020 14:48:38	1	1	1	1	73	60.25	0	28341.232	236.5591398	6837.713696	30000	0	0	30000	40.3125	2004
22.01.2020 14:48:39	1	1	1	1	73	60.25	0	28388.626	240.8602151	6837.713696	30000	0	0	30000	40.75	2004
22.01.2020 14:48:40	1	1	1	1	73	60.75	0	28341.232	240.8602151	6898.05126	30000	0	0	30000	40.4375	2004
22.01.2020 14:48:41	1	1	1	1	73	59.75	0	28436.019	245.1612903	6898.05126	30000	0	0	30000	40.1875	2004
22.01.2020 14:48:42	1	1	1	1	73	60	0	28436.019	251.6129032	7032.58772	30000	0	0	30000	40.1875	2004
22.01.2020 14:48:43	1	1	1	1	73	60	0	28436.019	245.1612903	6959.204196	30000	0	0	30000	40.375	2004
22.01.2020 14:48:44	1	1	1	1	73	60.25	0	28436.019	240.8602151	6910.281847	30000	0	0	30000	40.375	2004
22.01.2020 14:48:45	1	1	1	1	73	60.25	0	28388.626	245.1612903	7032.58772	30000	0	0	30000	40.3125	2004
22.01.2020 14:48:46	1	1	1	1	73	60.25	0	28436.019	245.1612903	6971.434784	30000	0	0	30000	40.125	2004
22.01.2020 14:48:47	1	1	1	1	73.5	60	0	28436.019	247.311828	7032.58772	30000	0	0	30000	40.375	2004
22.01.2020 14:48:48	1	1	1	1	73.5	60.25	0	28436.019	253.7634409	7277.199467	30000	0	0	30000	40.375	2004
22.01.2020 14:48:49	1	1	1	1	73.5	60.25	0	28436.019	258.0645161	7142.663007	30000	0	0	30000	40.375	2004
22.01.2020 14:48:50	1	1	1	1	73.5	60.25	0	28436.019	258.0645161	7203.815943	30000	0	0	30000	40	2004
22.01.2020 14:48:51	1	1	1	1	73.5	60	0	28436.019	262.3655914	7656.347675	30000	0	0	30000	40.3125	2004
22.01.2020 14:48:52	1	1	1	1	73.5	60.25	0	28388.626	260.2150538	7521.811214	30000	0	0	30000	40.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 14:48:53	1	1	1	1	73.5	60	0	28436.019	262.3655914	7460.658277	30000	0	0	30000	40.5	2004
22.01.2020 14:48:54	1	1	1	1	73.5	60.5	0	28436.019	264.516129	7644.117087	30000	0	0	30000	39.375	2004
22.01.2020 14:48:55	1	1	1	1	73.5	59.25	0	28436.019	260.2150538	7460.658277	30000	0	0	30000	40.1875	2004
22.01.2020 14:48:56	1	1	1	1	73.5	60	0	28388.626	264.516129	7521.811214	30000	0	0	30000	40.3125	2004
22.01.2020 14:48:58	1	1	1	1	73.5	60.25	0	28388.626	264.516129	7386.459381	30000	0	0	30000	40.375	2004
22.01.2020 14:48:59	1	1	1	1	73.5	60.25	0	28436.019	264.516129	7521.811214	30000	0	0	30000	39.625	2004
22.01.2020 14:49:00	1	1	1	1	73.5	59.5	0	28436.019	266.6666667	7582.964151	30000	0	0	30000	40.25	2004
22.01.2020 14:49:01	1	1	1	1	73.5	60.25	0	28436.019	264.516129	7582.964151	30000	0	0	30000	40.3125	2004
22.01.2020 14:49:02	1	1	1	1	73.5	60.25	0	28341.232	253.7634409	7386.459381	30000	0	0	30000	40.1875	2004
22.01.2020 14:49:03	1	1	1	1	73.5	60	0	28436.019	258.0645161	7338.352404	30000	0	0	30000	40	2004
22.01.2020 14:49:04	1	1	1	1	73.5	60	0	28388.626	258.0645161	7399.505341	30000	0	0	30000	40.4375	2004
22.01.2020 14:49:05	1	1	1	1	73.5	60.25	0	28436.019	258.0645161	7277.199467	30000	0	0	30000	40.0625	2004
22.01.2020 14:49:06	1	1	1	1	73.5	60	0	28436.019	253.7634409	7216.046531	30000	0	0	30000	39.875	2004
22.01.2020 14:49:07	1	1	1	1	73.5	59.75	0	28436.019	253.7634409	7338.352404	30000	0	0	30000	39.875	2004
22.01.2020 14:49:08	1	1	1	1	73.5	59.75	0	28483.412	260.2150538	7350.582991	30000	0	0	30000	40.375	2004
22.01.2020 14:49:09	1	1	1	1	73.5	60.25	0	28483.412	255.9139785	7288.614682	30000	0	0	30000	40.25	2004
22.01.2020 14:49:10	1	1	1	1	73.5	60.25	0	28436.019	255.9139785	7350.582991	30000	0	0	30000	40.1875	2004
22.01.2020 14:49:11	1	1	1	1	73.5	60	0	28483.412	258.0645161	7350.582991	30000	0	0	30000	40.5	2004
22.01.2020 14:49:12	1	1	1	1	73.5	60.5	0	28483.412	260.2150538	7411.735928	30000	0	0	30000	40.125	2004
22.01.2020 14:49:13	1	1	1	1	73.5	60	0	28483.412	255.9139785	7288.614682	30000	0	0	30000	39.4375	2004
22.01.2020 14:49:14	1	1	1	1	73.5	59.25	0	28483.412	251.6129032	7166.308809	30000	0	0	30000	39.6875	2004
22.01.2020 14:49:15	1	1	1	1	73.5	59.5	0	28483.412	251.6129032	7166.308809	30000	0	0	30000	40.375	2004
22.01.2020 14:49:16	1	1	1	1	73.5	60.25	0	28436.019	247.311828	6898.05126	30000	0	0	30000	40.125	2004
22.01.2020 14:49:17	1	1	1	1	73.5	60	0	28436.019	247.311828	6910.281847	30000	0	0	30000	40.4375	2004
22.01.2020 14:49:24	1	1	1	1	73.5	60	0	28483.412	251.6129032	7350.582991	30000	0	0	30000	39.9375	2004
22.01.2020 14:49:24	1	1	1	1	73.5	60	0	28483.412	251.6129032	7350.582991	30000	0	0	30000	39.9375	2004
22.01.2020 14:49:24	1	1	1	1	73.5	60	0	28483.412	251.6129032	7350.582991	30000	0	0	30000	39.9375	2004
22.01.2020 14:49:24	1	1	1	1	73.5	60	0	28483.412	251.6129032	7350.582991	30000	0	0	30000	39.9375	2004
22.01.2020 14:49:24	1	1	1	1	73.5	60	0	28483.412	251.6129032	7350.582991	30000	0	0	30000	39.9375	2004
22.01.2020 14:49:24	1	1	1	1	73.5	60	0	28483.412	251.6129032	7350.582991	30000	0	0	30000	39.9375	2004
22.01.2020 14:49:24	1	1	1	1	73.5	60	0	28483.412	251.6129032	7350.582991	30000	0	0	30000	39.9375	2004
22.01.2020 14:49:24	1	1	1	1	73.5	60	0	28483.412	251.6129032	7350.582991	30000	0	0	30000	39.9375	2004
22.01.2020 14:49:25	1	1	1	1	73.5	59.75	0	28483.412	260.2150538	7350.582991	30000	0	0	30000	39.9375	2004
22.01.2020 14:49:26	1	1	1	1	73.5	59.75	0	28483.412	258.0645161	7350.582991	30000	0	0	30000	40.3125	2004
22.01.2020 14:49:27	1	1	1	1	73.25	60.25	0	28483.412	253.7634409	7105.155872	30000	0	0	30000	40.25	2004
22.01.2020 14:49:28	1	1	1	1	73.25	60.25	0	28483.412	245.1612903	6982.849999	30000	0	0	30000	40.125	2004
22.01.2020 14:49:29	1	1	1	1	73.25	60	0	28483.412	240.8602151	6860.544125	30000	0	0	30000	40.3125	2004
22.01.2020 14:49:30	1	1	1	1	73.25	60.25	0	28483.412	236.5591398	6860.544125	30000	0	0	30000	40.1875	2004
22.01.2020 14:49:31	1	1	1	1	73.25	60	0	28483.412	240.8602151	6676.269943	30000	0	0	30000	40.3125	2004
22.01.2020 14:49:32	1	1	1	1	73.25	60.25	0	28483.412	230.1075269	6615.117006	30000	0	0	30000	40.3125	2004
22.01.2020 14:49:33	1	1	1	1	73.25	60.25	0	28483.412	230.1075269	6553.964069	30000	0	0	30000	40.5625	2004
22.01.2020 14:49:34	1	1	1	1	73.25	60.5	0	28483.412	230.1075269	6760.253309	30000	0	0	30000	40.5	2004
22.01.2020 14:49:36	1	1	1	1	73.25	60.5	0	28578.199	240.8602151	6737.422879	30000	0	0	30000	40.375	2004
22.01.2020 14:49:37	1	1	1	1	73.25	60.25	0	28578.199	240.8602151	6883.374555	30000	0	0	30000	39.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 14:49:38	1	1	1	1	73.25	59.75	0	28483.412	240.8602151	6921.697062	30000	0	0	30000	40.4375	2004
22.01.2020 14:49:39	1	1	1	1	73.25	60.25	0	28530.806	243.0107527	6933.112277	30000	0	0	30000	40.0625	2004
22.01.2020 14:49:40	1	1	1	1	73.25	60	0	28483.412	247.311828	7117.386459	30000	0	0	30000	40.3125	2004
22.01.2020 14:49:41	1	1	1	1	73.25	60.25	0	28483.412	249.4623656	7055.41815	30000	0	0	30000	40.375	2004
22.01.2020 14:49:42	1	1	1	1	73.25	60.25	0	28530.806	251.6129032	7178.539396	30000	0	0	30000	40.1875	2004
22.01.2020 14:49:43	1	1	1	1	73.25	60	0	28483.412	253.7634409	7288.614682	30000	0	0	30000	40.3125	2004
22.01.2020 14:49:44	1	1	1	1	73.25	60.25	0	28530.806	255.9139785	7300.845269	30000	0	0	30000	40.25	2004
22.01.2020 14:49:45	1	1	1	1	73.25	60.25	0	28578.199	279.5698925	7989.01965	30000	0	0	30000	39.75	2004
22.01.2020 14:49:46	1	1	1	1	73.25	59.75	0	28530.806	260.2150538	7497.350039	30000	0	0	30000	40.3125	2004
22.01.2020 14:49:47	1	1	1	1	73.25	60.25	0	28483.412	270.9677419	7656.347675	30000	0	0	30000	40.125	2004
22.01.2020 14:49:48	1	1	1	1	73.5	60	0	28530.806	286.0215054	8173.293833	30000	0	0	30000	40	2004
22.01.2020 14:49:49	1	1	1	1	73.5	60	0	28530.806	288.172043	8235.262142	30000	0	0	30000	40.3125	2004
22.01.2020 14:49:50	1	1	1	1	73.5	60.25	0	28483.412	275.2688172	7778.653548	30000	0	0	30000	40.3125	2004
22.01.2020 14:49:51	1	1	1	1	73.5	60.25	0	28483.412	275.2688172	7914.820754	30000	0	0	30000	40.375	2004
22.01.2020 14:49:52	1	1	1	1	73.5	60.25	0	28483.412	294.6236559	8330.660724	30000	0	0	30000	40.3125	2004
22.01.2020 14:49:53	1	1	1	1	73.5	60.25	0	28483.412	273.1182796	7804.745468	30000	0	0	30000	39.5	2004
22.01.2020 14:49:54	1	1	1	1	73.5	59.5	0	28483.412	270.9677419	7840.621857	30000	0	0	30000	40.25	2004
22.01.2020 14:49:55	1	1	1	1	73.5	60.25	0	28578.199	273.1182796	7866.713777	30000	0	0	30000	40.3125	2004
22.01.2020 14:49:56	1	1	1	1	73.5	60.25	0	28483.412	270.9677419	7778.653548	30000	0	0	30000	40.25	2004
22.01.2020 14:49:57	1	1	1	1	73.5	60.25	0	28530.806	273.1182796	7804.745468	30000	0	0	30000	40.75	2004
22.01.2020 14:49:58	1	1	1	1	73.5	60.75	0	28483.412	277.4193548	7927.866714	30000	0	0	30000	40.125	2004
22.01.2020 14:49:59	1	1	1	1	73.5	60.25	0	28578.199	307.5268817	8664.963444	30000	0	0	30000	40.25	2004
22.01.2020 14:50:00	1	1	1	1	73.5	60.25	0	28578.199	316.1290323	8972.358873	30000	0	0	30000	40.375	2004
22.01.2020 14:50:01	1	1	1	1	73.5	60.25	0	28483.412	275.2688172	7989.01965	30000	0	0	30000	39.875	2004
22.01.2020 14:50:02	1	1	1	1	73.5	59.75	0	28625.592	279.5698925	7989.01965	30000	0	0	30000	40.3125	2004
22.01.2020 14:50:03	1	1	1	1	73.5	60.25	0	28578.199	279.5698925	8050.98796	30000	0	0	30000	40.25	2004
22.01.2020 14:50:04	1	1	1	1	73.5	60.25	0	28578.199	281.7204301	8050.98796	30000	0	0	30000	40.1875	2004
22.01.2020 14:50:05	1	1	1	1	73.5	60	0	28578.199	296.7741935	8419.536325	30000	0	0	30000	40.25	2004
22.01.2020 14:50:06	1	1	1	1	73.5	60.25	0	28530.806	281.7204301	8173.293833	30000	0	0	30000	40.1875	2004
22.01.2020 14:50:07	1	1	1	1	73.75	60	0	28578.199	277.4193548	7927.866714	30000	0	0	30000	40.125	2004
22.01.2020 14:50:08	1	1	1	1	73.75	60	0	28578.199	286.0215054	8235.262142	30000	0	0	30000	39.6875	2004
22.01.2020 14:50:09	1	1	1	1	73.75	59.5	0	28530.806	281.7204301	8050.98796	30000	0	0	30000	39.75	2004
22.01.2020 14:50:10	1	1	1	1	73.75	59.75	0	28578.199	279.5698925	8050.98796	30000	0	0	30000	40.25	2004
22.01.2020 14:50:11	1	1	1	1	73.75	60.25	0	28578.199	307.5268817	8788.08469	30000	0	0	30000	40.125	2004
22.01.2020 14:50:12	1	1	1	1	73.75	60	0	28578.199	305.3763441	8726.931753	30000	0	0	30000	40.3125	2004
22.01.2020 14:50:13	1	1	1	1	73.75	60.25	0	28578.199	316.1290323	9034.327182	30000	0	0	30000	40.25	2004
22.01.2020 14:50:14	1	1	1	1	73.75	60.25	0	28530.806	322.5806452	9218.601364	30000	0	0	30000	39.9375	2004
22.01.2020 14:50:16	1	1	1	1	73.75	59.75	0	28578.199	288.172043	8173.293833	30000	0	0	30000	40	2004
22.01.2020 14:50:17	1	1	1	1	73.75	60	0	28578.199	275.2688172	7866.713777	30000	0	0	30000	40.1875	2004
22.01.2020 14:50:18	1	1	1	1	73.25	60	0	28578.199	260.2150538	7436.197103	30000	0	0	30000	40.3125	2004
22.01.2020 14:50:19	1	1	1	1	73.25	60.25	0	28578.199	253.7634409	7313.075857	30000	0	0	30000	40.3125	2004
22.01.2020 14:50:26	1	1	1	1	73.25	59.5	0	28578.199	236.5591398	6883.374555	30000	0	0	30000	40.0625	2004
22.01.2020 14:50:26	1	1	1	1	73.25	59.5	0	28578.199	236.5591398	6883.374555	30000	0	0	30000	40.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 14:50:26	1	1	1	1	73.25	59.5	0	28578.199	236.5591398	6883.374555	30000	0	0	30000	40.0625	2004
22.01.2020 14:50:26	1	1	1	1	73.25	59.5	0	28578.199	236.5591398	6883.374555	30000	0	0	30000	40.0625	2004
22.01.2020 14:50:26	1	1	1	1	73.25	59.5	0	28578.199	236.5591398	6883.374555	30000	0	0	30000	40.0625	2004
22.01.2020 14:50:26	1	1	1	1	73.25	59.5	0	28578.199	236.5591398	6883.374555	30000	0	0	30000	40.0625	2004
22.01.2020 14:50:26	1	1	1	1	73.25	59.5	0	28578.199	236.5591398	6883.374555	30000	0	0	30000	40.0625	2004
22.01.2020 14:50:27	1	1	1	1	73.25	60	0	28625.592	240.8602151	6894.78977	30000	0	0	30000	40.375	2004
22.01.2020 14:50:28	1	1	1	1	73.25	60.25	0	28672.986	243.0107527	6894.78977	30000	0	0	30000	40.125	2004
22.01.2020 14:50:29	1	1	1	1	73.25	60	0	28578.199	236.5591398	6955.942706	30000	0	0	30000	40.3125	2004
22.01.2020 14:50:30	1	1	1	1	73.25	60.25	0	28815.166	243.0107527	6894.78977	30000	0	0	30000	40.375	2004
22.01.2020 14:50:31	1	1	1	1	73.25	60.25	0	28625.592	240.8602151	6760.253309	30000	0	0	30000	40.125	2004
22.01.2020 14:50:32	1	1	1	1	73.25	60	0	28578.199	240.8602151	6883.374555	30000	0	0	30000	40.4375	2004
22.01.2020 14:50:33	1	1	1	1	73.25	60.25	0	28625.592	243.0107527	6967.357921	30000	0	0	30000	40.3125	2004
22.01.2020 14:50:34	1	1	1	1	73.25	60.25	0	28625.592	240.8602151	6883.374555	30000	0	0	30000	40.25	2004
22.01.2020 14:50:35	1	1	1	1	73.25	60.25	0	28625.592	243.0107527	6955.942706	30000	0	0	30000	40.1875	2004
22.01.2020 14:50:36	1	1	1	1	73.25	60	0	28625.592	243.0107527	6955.942706	30000	0	0	30000	40	2004
22.01.2020 14:50:37	1	1	1	1	73.5	59.5	0	28578.199	245.1612903	7017.911016	30000	0	0	30000	40.3125	2004
22.01.2020 14:50:38	1	1	1	1	73.5	60.25	0	28672.986	253.7634409	7128.801674	30000	0	0	30000	40.375	2004
22.01.2020 14:50:39	1	1	1	1	73.5	60.25	0	28625.592	251.6129032	7189.954611	30000	0	0	30000	40.3125	2004
22.01.2020 14:50:40	1	1	1	1	73.5	60.25	0	28625.592	253.7634409	7325.306444	30000	0	0	30000	40.1875	2004
22.01.2020 14:50:41	1	1	1	1	73.5	60	0	28578.199	258.0645161	7387.274753	30000	0	0	30000	40.3125	2004
22.01.2020 14:50:42	1	1	1	1	73.5	60.25	0	28625.592	251.6129032	7264.153507	30000	0	0	30000	40.0625	2004
22.01.2020 14:50:43	1	1	1	1	73.5	60	0	28625.592	251.6129032	7067.648738	30000	0	0	30000	40.375	2004
22.01.2020 14:50:44	1	1	1	1	73.5	60.25	0	28625.592	243.0107527	6955.942706	30000	0	0	30000	40.3125	2004
22.01.2020 14:50:45	1	1	1	1	73.5	60.25	0	28625.592	245.1612903	6944.527492	30000	0	0	30000	40.125	2004
22.01.2020 14:50:46	1	1	1	1	73.5	60	0	28625.592	249.4623656	7141.032262	30000	0	0	30000	39.8125	2004
22.01.2020 14:50:47	1	1	1	1	73.75	59.75	0	28625.592	251.6129032	7202.185198	30000	0	0	30000	40.1875	2004
22.01.2020 14:50:48	1	1	1	1	73.75	60	0	28578.199	253.7634409	7202.185198	30000	0	0	30000	40.0625	2004
22.01.2020 14:50:49	1	1	1	1	73.75	60	0	28625.592	258.0645161	7375.044166	30000	0	0	30000	40.4375	2004
22.01.2020 14:50:50	1	1	1	1	73.75	60.25	0	28625.592	260.2150538	7375.044166	30000	0	0	30000	39.75	2004
22.01.2020 14:50:51	1	1	1	1	73.75	59.75	0	28625.592	260.2150538	7436.197103	30000	0	0	30000	40	2004
22.01.2020 14:50:53	1	1	1	1	73.75	60	0	28625.592	275.2688172	7931.943576	30000	0	0	30000	40.25	2004
22.01.2020 14:50:54	1	1	1	1	73.75	60.25	0	28625.592	266.6666667	7633.517245	30000	0	0	30000	40.25	2004
22.01.2020 14:50:55	1	1	1	1	73.75	60.25	0	28625.592	264.516129	7622.10203	30000	0	0	30000	40.4375	2004
22.01.2020 14:50:56	1	1	1	1	73.75	60.25	0	28625.592	260.2150538	7622.10203	30000	0	0	30000	40.375	2004
22.01.2020 14:50:57	1	1	1	1	73.75	60.25	0	28625.592	281.7204301	8064.033919	30000	0	0	30000	39.75	2004
22.01.2020 14:50:58	1	1	1	1	73.75	59.75	0	28625.592	268.8172043	7633.517245	30000	0	0	30000	40.3125	2004
22.01.2020 14:50:59	1	1	1	1	73.75	60.25	0	28625.592	268.8172043	7694.670182	30000	0	0	30000	40.375	2004
22.01.2020 14:51:00	1	1	1	1	73.75	60.25	0	28625.592	286.0215054	8187.155165	30000	0	0	30000	40.3125	2004
22.01.2020 14:51:01	1	1	1	1	73.75	60.25	0	28625.592	303.2258065	8679.640149	30000	0	0	30000	40.25	2004
22.01.2020 14:51:02	1	1	1	1	73.75	60.25	0	28625.592	313.9784946	8925.882641	30000	0	0	30000	40.375	2004
22.01.2020 14:51:03	1	1	1	1	73.75	60.25	0	28625.592	268.8172043	7746.038649	30000	0	0	30000	40.3125	2004
22.01.2020 14:51:04	1	1	1	1	73.75	60.25	0	28625.592	270.9677419	7694.670182	30000	0	0	30000	39.875	2004
22.01.2020 14:51:05	1	1	1	1	73.75	59.75	0	28625.592	296.7741935	8542.657571	30000	0	0	30000	40.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 14:51:06	1	1	1	1	73.75	60.25	0	28625.592	326.8817204	9419.182997	30000	0	0	30000	40.375	2004
22.01.2020 14:51:07	1	1	1	1	73.75	60.25	0	28625.592	296.7741935	8433.397657	30000	0	0	30000	40.375	2004
22.01.2020 14:51:08	1	1	1	1	73	60.25	0	28625.592	301.0752688	8618.487212	30000	0	0	30000	40.375	2004
22.01.2020 14:51:09	1	1	1	1	73	60.25	0	28625.592	275.2688172	7879.759737	30000	0	0	30000	40.375	2004
22.01.2020 14:51:10	1	1	1	1	73	60.25	0	28625.592	277.4193548	7993.911885	30000	0	0	30000	40.25	2004
22.01.2020 14:51:11	1	1	1	1	73	60.25	0	28625.592	281.7204301	8117.848504	30000	0	0	30000	40.3125	2004
22.01.2020 14:51:12	1	1	1	1	73	60.25	0	28483.412	329.0322581	9371.891392	30000	0	0	30000	40	2004
22.01.2020 14:51:13	1	1	1	1	73	60	0	0	0	0	30000	0	8	30000	40.5625	2004
22.01.2020 14:51:14	1	1	1	1	73	60.5	0	10142.18	0	0	30000	0	0	30000	40.75	2004
22.01.2020 14:51:15	1	1	1	1	73	60.75	0	10853.081	0	0	30000	0	0	30000	40.5	2004
22.01.2020 14:51:16	1	1	1	1	73	60.75	0	11706.161	0	0	30000	0	0	30000	40.4375	2004
22.01.2020 14:51:17	1	1	1	1	72.5	60.25	0	12464.455	0	0	30000	0	0	30000	40.4375	2004
22.01.2020 14:51:18	1	1	1	1	72.5	60.25	0	13222.749	2.150537634	0	30000	0	0	30000	40.375	2004
22.01.2020 14:51:19	1	1	1	1	72.5	60.25	0	13933.649	4.301075269	59.52219172	30000	0	0	30000	40.375	2004
22.01.2020 14:51:20	1	1	1	1	72.5	60.25	0	14786.73	8.602150538	95.39858125	30000	0	0	30000	40.4375	2004
22.01.2020 14:51:28	1	1	1	1	73	60.25	0	20142.18	55.91397849	1120.3218	30000	0	0	30000	40.25	2004
22.01.2020 14:51:28	1	1	1	1	73	60.25	0	20142.18	55.91397849	1120.3218	30000	0	0	30000	40.25	2004
22.01.2020 14:51:28	1	1	1	1	73	60.25	0	20142.18	55.91397849	1120.3218	30000	0	0	30000	40.25	2004
22.01.2020 14:51:28	1	1	1	1	73	60.25	0	20142.18	55.91397849	1120.3218	30000	0	0	30000	40.25	2004
22.01.2020 14:51:28	1	1	1	1	73	60.25	0	20142.18	55.91397849	1120.3218	30000	0	0	30000	40.25	2004
22.01.2020 14:51:28	1	1	1	1	73	60.25	0	20142.18	55.91397849	1120.3218	30000	0	0	30000	40.25	2004
22.01.2020 14:51:28	1	1	1	1	73	60.25	0	20900.474	62.3655914	1347.810725	30000	0	0	30000	40.3125	2004
22.01.2020 14:51:29	1	1	1	1	73	60.25	0	21563.981	70.96774194	1536.977142	30000	0	0	30000	40.25	2004
22.01.2020 14:51:31	1	1	1	1	73	60.25	0	22417.062	77.41935484	1731.851167	30000	0	0	30000	40.4375	2004
22.01.2020 14:51:32	1	1	1	1	73	60.25	0	23270.142	83.87096774	2051.477183	30000	0	0	30000	40.25	2004
22.01.2020 14:51:33	1	1	1	1	73	60.25	0	23744.076	94.62365591	2237.382111	30000	0	0	30000	40.3125	2004
22.01.2020 14:51:34	1	1	1	1	73	60.25	0	23696.682	94.62365591	2186.829016	30000	0	0	30000	40.375	2004
22.01.2020 14:51:35	1	1	1	1	73	60.25	0	23744.076	94.62365591	2237.382111	30000	0	0	30000	40.25	2004
22.01.2020 14:51:36	1	1	1	1	73	60.25	0	23744.076	98.92473118	2237.382111	30000	0	0	30000	40.3125	2004
22.01.2020 14:51:37	1	1	1	1	73	60.25	0	23696.682	103.2258065	2441.225233	30000	0	0	30000	40.3125	2004
22.01.2020 14:51:38	1	1	1	1	73	60.25	0	23696.682	103.2258065	2441.225233	30000	0	0	30000	40.4375	2004
22.01.2020 14:51:39	1	1	1	1	73	60.25	0	23744.076	103.2258065	2451.009703	30000	0	0	30000	40.375	2004
22.01.2020 14:51:40	1	1	1	1	73	60.25	0	23744.076	103.2258065	2451.009703	30000	0	0	30000	40.25	2004
22.01.2020 14:51:41	1	1	1	1	73	60.25	0	23744.076	105.3763441	2491.778327	30000	0	0	30000	40.4375	2004
22.01.2020 14:51:42	1	1	1	1	73	60.25	0	23649.289	103.2258065	2441.225233	30000	0	0	30000	40.5	2004
22.01.2020 14:51:43	1	1	1	1	73	60.5	0	23649.289	103.2258065	2441.225233	30000	0	0	30000	40.3125	2004
22.01.2020 14:51:44	1	1	1	1	73	60.25	0	23696.682	96.77419355	2297.719675	30000	0	0	30000	40.3125	2004
22.01.2020 14:51:45	1	1	1	1	73	60.25	0	23649.289	92.47311828	2242.274346	30000	0	0	30000	40.3125	2004
22.01.2020 14:51:46	1	1	1	1	73	60.25	0	23649.289	94.62365591	2237.382111	30000	0	0	30000	40.25	2004
22.01.2020 14:51:47	1	1	1	1	73	60.25	0	23791.469	94.62365591	2246.351208	30000	0	0	30000	40.3125	2004
22.01.2020 14:51:48	1	1	1	1	73.5	60.25	0	23744.076	94.62365591	2246.351208	30000	0	0	30000	40.4375	2004
22.01.2020 14:51:49	1	1	1	1	73.5	60.25	0	23744.076	94.62365591	2237.382111	30000	0	0	30000	40.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 14:52:34	1	1	1	1	73	60.25	0	23933.649	109.6774194	2624.684043	30000	0	0	30000	40.375	2004
22.01.2020 14:52:35	1	1	1	1	73	60.25	0	23933.649	113.9784946	2727.420977	30000	0	0	30000	40.375	2004
22.01.2020 14:52:36	1	1	1	1	73	60.25	0	23933.649	116.1290323	2778.789444	30000	0	0	30000	40.375	2004
22.01.2020 14:52:37	1	1	1	1	72.75	60.25	0	23933.649	120.4301075	2778.789444	30000	0	0	30000	40.3125	2004
22.01.2020 14:52:38	1	1	1	1	72.75	60.25	0	23933.649	120.4301075	2882.34175	30000	0	0	30000	40.3125	2004
22.01.2020 14:52:39	1	1	1	1	72.75	60.25	0	23981.043	120.4301075	2888.049357	30000	0	0	30000	40.25	2004
22.01.2020 14:52:40	1	1	1	1	72.75	60.25	0	23933.649	120.4301075	2882.34175	30000	0	0	30000	40.4375	2004
22.01.2020 14:52:41	1	1	1	1	72.75	60.25	0	23981.043	120.4301075	2888.049357	30000	0	0	30000	40.125	2004
22.01.2020 14:52:42	1	1	1	1	72.75	60	0	23933.649	120.4301075	2888.049357	30000	0	0	30000	40.5	2004
22.01.2020 14:52:43	1	1	1	1	72.75	60.5	0	23981.043	120.4301075	2888.049357	30000	0	0	30000	40.3125	2004
22.01.2020 14:52:44	1	1	1	1	72.75	60.25	0	23981.043	122.5806452	2939.417824	30000	0	0	30000	40.4375	2004
22.01.2020 14:52:45	1	1	1	1	72.75	60.25	0	24075.829	124.7311828	2882.34175	30000	0	0	30000	40.375	2004
22.01.2020 14:52:47	1	1	1	1	72.75	60.25	0	23981.043	122.5806452	2939.417824	30000	0	0	30000	40.3125	2004
22.01.2020 14:52:48	1	1	1	1	73	60.25	0	24597.156	144.0860215	3649.607262	30000	0	0	30000	40.5	2004
22.01.2020 14:52:49	1	1	1	1	73	60.5	0	25165.877	159.1397849	3950.479711	30000	0	0	30000	40.125	2004
22.01.2020 14:52:50	1	1	1	1	73	60	0	25639.81	169.8924731	4529.394178	30000	0	0	30000	40.3125	2004
22.01.2020 14:52:51	1	1	1	1	73	60.25	0	26303.318	189.2473118	4968.87995	30000	0	0	30000	40.0625	2004
22.01.2020 14:52:52	1	1	1	1	73	60	0	26682.464	206.4516129	5508.656538	30000	0	0	30000	40.375	2004
22.01.2020 14:52:53	1	1	1	1	73	60.25	0	27440.758	219.3548387	6019.079716	30000	0	0	30000	39.875	2004
22.01.2020 14:52:54	1	1	1	1	73	59.75	0	27630.332	232.2580645	6416.981491	30000	0	0	30000	39.9375	2004
22.01.2020 14:52:55	1	1	1	1	73	59.75	0	28293.839	249.4623656	6973.880901	30000	0	0	30000	40.5	2004
22.01.2020 14:52:56	1	1	1	1	73	60.5	0	28293.839	232.2580645	6488.73427	30000	0	0	30000	40.25	2004
22.01.2020 14:52:57	1	1	1	1	73	60.25	0	28246.445	215.0537634	6124.262767	30000	0	0	30000	40.4375	2004
22.01.2020 14:52:58	1	1	1	1	72.25	60.25	0	28199.052	217.2043011	6003.587639	30000	0	0	30000	40.375	2004
22.01.2020 14:52:59	1	1	1	1	72.25	60.25	0	28009.479	251.6129032	7047.264425	30000	0	0	30000	40.4375	2004
22.01.2020 14:53:00	1	1	1	1	72.25	60.25	0	28009.479	260.2150538	7408.474438	30000	0	0	30000	40.3125	2004
22.01.2020 14:53:01	1	1	1	1	72.25	60.25	0	28293.839	249.4623656	6996.711331	30000	0	0	30000	40.375	2004
22.01.2020 14:53:02	1	1	1	1	72.25	60.25	0	28199.052	217.2043011	6003.587639	30000	0	0	30000	40.25	2004
22.01.2020 14:53:03	1	1	1	1	72.25	60.25	0	28199.052	236.5591398	6670.562335	30000	0	0	30000	40.3125	2004
22.01.2020 14:53:04	1	1	1	1	72.25	60.25	0	28341.232	240.8602151	6814.883266	30000	0	0	30000	40.25	2004
22.01.2020 14:53:05	1	1	1	1	72.25	60.25	0	28293.839	240.8602151	6792.052836	30000	0	0	30000	40.3125	2004
22.01.2020 14:53:06	1	1	1	1	72.25	60.25	0	28293.839	251.6129032	7094.55603	30000	0	0	30000	40.375	2004
22.01.2020 14:53:07	1	1	1	1	72.25	60.25	0	28199.052	247.311828	7155.708966	30000	0	0	30000	40.375	2004
22.01.2020 14:53:08	1	1	1	1	72	60.25	0	28293.839	258.0645161	7301.660642	30000	0	0	30000	40.5625	2004
22.01.2020 14:53:09	1	1	1	1	72	60.5	0	28199.052	266.6666667	7579.702661	30000	0	0	30000	40.625	2004
22.01.2020 14:53:10	1	1	1	1	72	60.5	0	27914.692	275.2688172	7816.976055	30000	0	0	30000	40.625	2004
22.01.2020 14:53:11	1	1	1	1	72	60.5	0	28009.479	298.9247312	8311.907156	30000	0	0	30000	39.5	2004
22.01.2020 14:53:12	1	1	1	1	72	59.75	0	28293.839	311.827957	8792.976925	30000	0	0	30000	40.25	2004
22.01.2020 14:53:13	1	1	1	1	72	60.25	0	28293.839	286.0215054	8105.617916	30000	0	0	30000	40.3125	2004
22.01.2020 14:53:14	1	1	1	1	72	60.25	0	28293.839	234.4086022	6509.933955	30000	0	0	30000	40.3125	2004
22.01.2020 14:53:15	1	1	1	1	72	60.25	0	28341.232	212.9032258	6023.156579	30000	0	0	30000	40.1875	2004
22.01.2020 14:53:16	1	1	1	1	72	60	0	28293.839	240.8602151	6826.298481	30000	0	0	30000	40.3125	2004
22.01.2020 14:53:17	1	1	1	1	72.25	60.25	0	28341.232	212.9032258	6003.587639	30000	0	0	30000	40.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 14:53:18	1	1	1	1	72.25	60.25	0	28341.232	206.4516129	5536.379203	30000	0	0	30000	40.25	2004
22.01.2020 14:53:19	1	1	1	1	72.25	60.25	0	28293.839	184.9462366	5372.489332	30000	0	0	30000	40.0625	2004
22.01.2020 14:53:20	1	1	1	1	72.25	60	0	28341.232	189.2473118	5302.367298	30000	0	0	30000	40.3125	2004
22.01.2020 14:53:21	1	1	1	1	72.25	60.25	0	28341.232	180.6451613	5189.030522	30000	0	0	30000	40.0625	2004
22.01.2020 14:53:22	1	1	1	1	72.25	60	0	28341.232	189.2473118	5232.245264	30000	0	0	30000	40.25	2004
22.01.2020 14:53:23	1	1	1	1	72.25	60.25	0	28341.232	184.9462366	5241.214361	30000	0	0	30000	40.375	2004
22.01.2020 14:53:31	1	1	1	1	72	60.25	0	28341.232	193.5483871	5555.13277	30000	0	0	30000	40.0625	2004
22.01.2020 14:53:31	1	1	1	1	72	60.25	0	28341.232	193.5483871	5555.13277	30000	0	0	30000	40.0625	2004
22.01.2020 14:53:31	1	1	1	1	72	60.25	0	28341.232	193.5483871	5555.13277	30000	0	0	30000	40.0625	2004
22.01.2020 14:53:31	1	1	1	1	72	60.25	0	28341.232	193.5483871	5555.13277	30000	0	0	30000	40.0625	2004
22.01.2020 14:53:31	1	1	1	1	72	60.25	0	28341.232	193.5483871	5555.13277	30000	0	0	30000	40.0625	2004
22.01.2020 14:53:31	1	1	1	1	72	60.25	0	28341.232	193.5483871	5555.13277	30000	0	0	30000	40.0625	2004
22.01.2020 14:53:32	1	1	1	1	72	60	0	28341.232	206.4516129	5851.112983	30000	0	0	30000	40.3125	2004
22.01.2020 14:53:33	1	1	1	1	72	60.25	0	28293.839	206.4516129	5841.328514	30000	0	0	30000	40.3125	2004
22.01.2020 14:53:34	1	1	1	1	72	60.25	0	28341.232	206.4516129	5860.897453	30000	0	0	30000	40.25	2004
22.01.2020 14:53:35	1	1	1	1	72	60.25	0	28293.839	208.6021505	5901.666078	30000	0	0	30000	40.25	2004
22.01.2020 14:53:36	1	1	1	1	72	60.25	0	28341.232	234.4086022	6642.839671	30000	0	0	30000	39.6875	2004
22.01.2020 14:53:37	1	1	1	1	72	59.5	0	28341.232	232.2580645	6642.839671	30000	0	0	30000	40.0625	2004
22.01.2020 14:53:38	1	1	1	1	71.75	60	0	28341.232	212.9032258	6043.540891	30000	0	0	30000	40.25	2004
22.01.2020 14:53:39	1	1	1	1	71.75	60.25	0	28341.232	212.9032258	5942.434702	30000	0	0	30000	40.25	2004
22.01.2020 14:53:40	1	1	1	1	71.75	60.25	0	28341.232	234.4086022	6642.839671	30000	0	0	30000	40	2004
22.01.2020 14:53:41	1	1	1	1	71.75	60	0	28341.232	240.8602151	6715.407822	30000	0	0	30000	40.1875	2004
22.01.2020 14:53:42	1	1	1	1	71.75	60	0	28341.232	240.8602151	6826.298481	30000	0	0	30000	40.3125	2004
22.01.2020 14:53:43	1	1	1	1	71.75	60.25	0	28388.626	243.0107527	6837.713696	30000	0	0	30000	40.1875	2004
22.01.2020 14:53:44	1	1	1	1	71.75	60	0	28341.232	232.2580645	6642.839671	30000	0	0	30000	40.0625	2004
22.01.2020 14:53:45	1	1	1	1	71.75	60	0	28388.626	227.9569892	6409.643139	30000	0	0	30000	40.125	2004
22.01.2020 14:53:46	1	1	1	1	71.75	60	0	28388.626	225.8064516	6277.552795	30000	0	0	30000	40.125	2004
22.01.2020 14:53:47	1	1	1	1	71.75	60	0	28388.626	225.8064516	6409.643139	30000	0	0	30000	39.9375	2004
22.01.2020 14:53:48	1	1	1	1	71.75	59.75	0	28388.626	221.5053763	6288.152638	30000	0	0	30000	40.3125	2004
22.01.2020 14:53:49	1	1	1	1	71.75	60.25	0	28388.626	215.0537634	5982.387954	30000	0	0	30000	40.25	2004
22.01.2020 14:53:50	1	1	1	1	71.75	60.25	0	28388.626	221.5053763	6288.152638	30000	0	0	30000	40.3125	2004
22.01.2020 14:53:51	1	1	1	1	71.75	60.25	0	28341.232	232.2580645	6715.407822	30000	0	0	30000	39.75	2004
22.01.2020 14:53:52	1	1	1	1	71.75	59.75	0	28388.626	232.2580645	6593.101949	30000	0	0	30000	39.6875	2004
22.01.2020 14:53:53	1	1	1	1	71.75	59.5	0	28388.626	221.5053763	6226.999701	30000	0	0	30000	40.25	2004
22.01.2020 14:53:54	1	1	1	1	71.75	60.25	0	28341.232	212.9032258	6094.909358	30000	0	0	30000	40.25	2004
22.01.2020 14:53:55	1	1	1	1	71.75	60.25	0	28388.626	215.0537634	6104.693828	30000	0	0	30000	39.8125	2004
22.01.2020 14:53:56	1	1	1	1	71.75	59.75	0	28388.626	225.8064516	6409.643139	30000	0	0	30000	40.3125	2004
22.01.2020 14:53:57	1	1	1	1	71.5	60.25	0	28388.626	240.8602151	6837.713696	30000	0	0	30000	40.3125	2004
22.01.2020 14:53:58	1	1	1	1	71.5	60.25	0	28388.626	240.8602151	6837.713696	30000	0	0	30000	40.3125	2004
22.01.2020 14:53:59	1	1	1	1	71.5	60.25	0	28388.626	240.8602151	6837.713696	30000	0	0	30000	40.125	2004
22.01.2020 14:54:00	1	1	1	1	71.5	60	0	28388.626	234.4086022	6715.407822	30000	0	0	30000	40.0625	2004
22.01.2020 14:54:01	1	1	1	1	71.5	60	0	28388.626	236.5591398	6654.254885	30000	0	0	30000	40.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 14:54:02	1	1	1	1	71.5	60.25	0	28388.626	225.8064516	6470.796075	30000	0	0	30000	40.1875	2004
22.01.2020 14:54:04	1	1	1	1	71.5	60	0	28388.626	240.8602151	6837.713696	30000	0	0	30000	40.25	2004
22.01.2020 14:54:05	1	1	1	1	71.5	60.25	0	28388.626	234.4086022	6654.254885	30000	0	0	30000	39.1875	2004
22.01.2020 14:54:06	1	1	1	1	71.5	59	0	28388.626	243.0107527	6898.05126	30000	0	0	30000	40.25	2004
22.01.2020 14:54:07	1	1	1	1	71.5	60.25	0	28388.626	279.5698925	7936.020439	30000	0	0	30000	40.125	2004
22.01.2020 14:54:08	1	1	1	1	71.5	60	0	28388.626	288.172043	8241.785122	30000	0	0	30000	40.0625	2004
22.01.2020 14:54:09	1	1	1	1	71.5	60	0	28388.626	290.3225806	8241.785122	30000	0	0	30000	40	2004
22.01.2020 14:54:10	1	1	1	1	71.5	60	0	28388.626	292.4731183	8227.92379	30000	0	0	30000	40.1875	2004
22.01.2020 14:54:11	1	1	1	1	71.5	60	0	28436.019	313.9784946	9050.634632	30000	0	0	30000	40.1875	2004
22.01.2020 14:54:12	1	1	1	1	71.5	60	0	28436.019	301.0752688	8622.564075	30000	0	0	30000	39.875	2004
22.01.2020 14:54:13	1	1	1	1	71.5	59.75	0	28436.019	298.9247312	8500.258201	30000	0	0	30000	40.375	2004
22.01.2020 14:54:14	1	1	1	1	71.5	60.25	0	0	0	0	30000	0	8	30000	40.4375	2004
22.01.2020 14:54:15	1	1	1	1	71.5	60.25	0	10616.114	0	0	30000	0	0	30000	40.5	2004
22.01.2020 14:54:16	1	1	1	1	71.5	60.5	0	11232.227	0	0	30000	0	0	30000	40.25	2004
22.01.2020 14:54:17	1	1	1	1	71.5	60.25	0	11990.521	0	0	30000	0	0	30000	40.3125	2004
22.01.2020 14:54:18	1	1	1	1	72	60.25	0	12748.815	0	0	30000	0	0	30000	40.375	2004
22.01.2020 14:54:19	1	1	1	1	72	60.25	0	13554.502	0	87.24485636	30000	0	0	30000	40.3125	2004
22.01.2020 14:54:20	1	1	1	1	72	60.25	0	14312.796	2.150537634	30.16878211	30000	0	0	30000	40.375	2004
22.01.2020 14:54:21	1	1	1	1	72	60.25	0	15165.877	4.301075269	64.41442666	30000	0	0	30000	40.1875	2004
22.01.2020 14:54:22	1	1	1	1	72	60	0	15829.384	10.75268817	136.1672057	30000	0	0	30000	40.25	2004
22.01.2020 14:54:23	1	1	1	1	72	60.25	0	16492.891	12.90322581	215.2583372	30000	0	0	30000	40.5625	2004
22.01.2020 14:54:24	1	1	1	1	72	60.5	0	17393.365	21.50537634	373.4406001	30000	0	0	30000	40.5	2004
22.01.2020 14:54:25	1	1	1	1	72	60.5	0	18151.659	30.10752688	585.4374473	30000	0	0	30000	40.1875	2004
22.01.2020 14:54:33	1	1	1	1	72.5	60.25	0	23459.716	83.87096774	1762.019949	30000	0	0	30000	40.25	2004
22.01.2020 14:54:33	1	1	1	1	72.5	60.25	0	23459.716	83.87096774	1762.019949	30000	0	0	30000	40.25	2004
22.01.2020 14:54:33	1	1	1	1	72.5	60.25	0	23459.716	83.87096774	1762.019949	30000	0	0	30000	40.25	2004
22.01.2020 14:54:33	1	1	1	1	72.5	60.25	0	23459.716	83.87096774	1762.019949	30000	0	0	30000	40.25	2004
22.01.2020 14:54:33	1	1	1	1	72.5	60.25	0	23459.716	83.87096774	1762.019949	30000	0	0	30000	40.25	2004
22.01.2020 14:54:33	1	1	1	1	72.5	60.25	0	23459.716	83.87096774	1762.019949	30000	0	0	30000	40.25	2004
22.01.2020 14:54:33	1	1	1	1	72.5	60.25	0	23412.322	77.41935484	1812.573044	30000	0	0	30000	40.3125	2004
22.01.2020 14:54:34	1	1	1	1	72.5	60.25	0	23364.929	75.2688172	1762.019949	30000	0	0	30000	40.25	2004
22.01.2020 14:54:35	1	1	1	1	72.5	60.25	0	23412.322	75.2688172	1762.019949	30000	0	0	30000	40.25	2004
22.01.2020 14:54:36	1	1	1	1	72.5	60.25	0	23364.929	75.2688172	1762.019949	30000	0	0	30000	40.3125	2004
22.01.2020 14:54:37	1	1	1	1	72.25	60.25	0	23364.929	66.66666667	1711.466855	30000	0	0	30000	40.25	2004
22.01.2020 14:54:38	1	1	1	1	72.25	60.25	0	23412.322	70.96774194	1660.913761	30000	0	0	30000	40.25	2004
22.01.2020 14:54:39	1	1	1	1	72.25	60.25	0	23412.322	70.96774194	1660.913761	30000	0	0	30000	40.25	2004
22.01.2020 14:54:40	1	1	1	1	72.25	60.25	0	23412.322	70.96774194	1664.175251	30000	0	0	30000	40.25	2004
22.01.2020 14:54:41	1	1	1	1	72.25	60.25	0	23412.322	70.96774194	1660.913761	30000	0	0	30000	40.25	2004
22.01.2020 14:54:42	1	1	1	1	72.25	60.25	0	23412.322	70.96774194	1660.913761	30000	0	0	30000	40.25	2004
22.01.2020 14:54:44	1	1	1	1	72.25	60.25	0	23412.322	70.96774194	1660.913761	30000	0	0	30000	40.1875	2004
22.01.2020 14:54:45	1	1	1	1	72.25	60	0	23364.929	70.96774194	1660.913761	30000	0	0	30000	40.3125	2004
22.01.2020 14:54:46	1	1	1	1	72.25	60.25	0	23412.322	70.96774194	1560.622945	30000	0	0	30000	40.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 14:54:47	1	1	1	1	72.25	60.25	0	23412.322	66.66666667	1560.622945	30000	0	0	30000	40.375	2004
22.01.2020 14:54:48	1	1	1	1	72.25	60.25	0	23412.322	70.96774194	1557.361455	30000	0	0	30000	40.25	2004
22.01.2020 14:54:49	1	1	1	1	72.25	60.25	0	23459.716	70.96774194	1664.175251	30000	0	0	30000	39.625	2004
22.01.2020 14:54:50	1	1	1	1	72.25	59.5	0	23412.322	70.96774194	1660.913761	30000	0	0	30000	40.3125	2004
22.01.2020 14:54:51	1	1	1	1	72.25	60.25	0	23459.716	70.96774194	1560.622945	30000	0	0	30000	39.625	2004
22.01.2020 14:54:52	1	1	1	1	72.25	59.5	0	23459.716	70.96774194	1664.175251	30000	0	0	30000	40.3125	2004
22.01.2020 14:54:53	1	1	1	1	72.25	60.25	0	23933.649	75.2688172	1852.526296	30000	0	0	30000	40.25	2004
22.01.2020 14:54:54	1	1	1	1	72.25	60.25	0	24739.336	83.87096774	2074.307613	30000	0	0	30000	40.25	2004
22.01.2020 14:54:55	1	1	1	1	72.25	60.25	0	25497.63	103.2258065	2632.022396	30000	0	0	30000	40.25	2004
22.01.2020 14:54:56	1	1	1	1	72.25	60.25	0	26255.924	120.4301075	3048.677738	30000	0	0	30000	39.875	2004
22.01.2020 14:54:57	1	1	1	1	72.25	59.75	0	26540.284	122.5806452	3253.336232	30000	0	0	30000	40.125	2004
22.01.2020 14:54:58	1	1	1	1	71.75	60	0	26729.858	129.0322581	3385.426576	30000	0	0	30000	39.9375	2004
22.01.2020 14:54:59	1	1	1	1	71.75	59.75	0	26872.038	129.0322581	3466.963825	30000	0	0	30000	40.3125	2004
22.01.2020 14:55:00	1	1	1	1	71.75	60.25	0	27109.005	137.6344086	3724.621531	30000	0	0	30000	40.25	2004
22.01.2020 14:55:01	1	1	1	1	71.75	60.25	0	27156.398	137.6344086	3757.236431	30000	0	0	30000	39.875	2004
22.01.2020 14:55:02	1	1	1	1	71.75	59.75	0	27345.972	137.6344086	3763.759411	30000	0	0	30000	40.3125	2004
22.01.2020 14:55:03	1	1	1	1	71.75	60.25	0	27345.972	139.7849462	3822.46623	30000	0	0	30000	40	2004
22.01.2020 14:55:04	1	1	1	1	71.75	60	0	27345.972	144.0860215	3939.879868	30000	0	0	30000	40.125	2004
22.01.2020 14:55:05	1	1	1	1	71.75	60	0	27345.972	144.0860215	3953.741201	30000	0	0	30000	40.375	2004
22.01.2020 14:55:06	1	1	1	1	71.75	60.25	0	27345.972	150.5376344	4057.293507	30000	0	0	30000	40.3125	2004
22.01.2020 14:55:07	1	1	1	1	71.75	60.25	0	27440.758	150.5376344	4189.38385	30000	0	0	30000	40.375	2004
22.01.2020 14:55:08	1	1	1	1	71.75	60.25	0	27440.758	152.688172	4189.38385	30000	0	0	30000	40.375	2004
22.01.2020 14:55:09	1	1	1	1	71.75	60.25	0	27440.758	156.9892473	4307.612861	30000	0	0	30000	40.625	2004
22.01.2020 14:55:10	1	1	1	1	71.75	60.25	0	27440.758	161.2903226	4484.548691	30000	0	0	30000	40.375	2004
22.01.2020 14:55:11	1	1	1	1	71.75	60.25	0	27440.758	167.7419355	4425.841872	30000	0	0	30000	39.375	2004
22.01.2020 14:55:12	1	1	1	1	71.75	59.25	0	27440.758	161.2903226	4366.31968	30000	0	0	30000	39.6875	2004
22.01.2020 14:55:13	1	1	1	1	71.75	59.5	0	27440.758	152.688172	4189.38385	30000	0	0	30000	39.8125	2004
22.01.2020 14:55:14	1	1	1	1	71.75	59.75	0	27535.545	148.3870968	4071.154839	30000	0	0	30000	40.25	2004
22.01.2020 14:55:15	1	1	1	1	71.75	60.25	0	27440.758	144.0860215	4204.060555	30000	0	0	30000	40.125	2004
22.01.2020 14:55:16	1	1	1	1	71.75	60	0	27440.758	139.7849462	3835.51219	30000	0	0	30000	40.25	2004
22.01.2020 14:55:17	1	1	1	1	71.25	60.25	0	27440.758	139.7849462	3835.51219	30000	0	0	30000	40	2004
22.01.2020 14:55:18	1	1	1	1	71.25	60	0	27440.758	146.2365591	4071.154839	30000	0	0	30000	40.1875	2004
22.01.2020 14:55:19	1	1	1	1	71.25	60	0	27440.758	152.688172	4189.38385	30000	0	0	30000	39.9375	2004
22.01.2020 14:55:20	1	1	1	1	71.25	59.75	0	27345.972	161.2903226	4484.548691	30000	0	0	30000	40.125	2004
22.01.2020 14:55:22	1	1	1	1	71.25	60	0	27440.758	169.8924731	4661.484522	30000	0	0	30000	39.875	2004
22.01.2020 14:55:23	1	1	1	1	71.25	59.75	0	27440.758	169.8924731	4661.484522	30000	0	0	30000	40	2004
22.01.2020 14:55:24	1	1	1	1	71.25	60	0	27440.758	169.8924731	4661.484522	30000	0	0	30000	40	2004
22.01.2020 14:55:25	1	1	1	1	71.25	60	0	27440.758	163.4408602	4484.548691	30000	0	0	30000	39.5625	2004
22.01.2020 14:55:26	1	1	1	1	71.25	59.5	0	27440.758	163.4408602	4484.548691	30000	0	0	30000	40.125	2004
22.01.2020 14:55:27	1	1	1	1	71.25	60	0	27440.758	167.7419355	4543.255511	30000	0	0	30000	40.3125	2004
22.01.2020 14:55:34	1	1	1	1	71.75	60.25	0	27535.545	169.8924731	4685.945696	30000	0	0	30000	40.25	2004
22.01.2020 14:55:34	1	1	1	1	71.75	60.25	0	27535.545	169.8924731	4685.945696	30000	0	0	30000	40.25	2004
22.01.2020 14:55:34	1	1	1	1	71.75	60.25	0	27535.545	169.8924731	4685.945696	30000	0	0	30000	40.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 14:55:34	1	1	1	1	71.75	60.25	0	27535.545	169.8924731	4685.945696	30000	0	0	30000	40.25	2004
22.01.2020 14:55:34	1	1	1	1	71.75	60.25	0	27535.545	169.8924731	4685.945696	30000	0	0	30000	40.25	2004
22.01.2020 14:55:34	1	1	1	1	71.75	60.25	0	27535.545	169.8924731	4685.945696	30000	0	0	30000	40.25	2004
22.01.2020 14:55:34	1	1	1	1	71.75	60.25	0	27535.545	169.8924731	4685.945696	30000	0	0	30000	40.25	2004
22.01.2020 14:55:35	1	1	1	1	71.75	60.25	0	27440.758	169.8924731	4661.484522	30000	0	0	30000	40.0625	2004
22.01.2020 14:55:36	1	1	1	1	71.75	60	0	27440.758	169.8924731	4661.484522	30000	0	0	30000	40.375	2004
22.01.2020 14:55:37	1	1	1	1	71.75	60.25	0	27535.545	178.4946237	4897.942543	30000	0	0	30000	40.375	2004
22.01.2020 14:55:38	1	1	1	1	72	60.25	0	27440.758	178.4946237	4897.942543	30000	0	0	30000	40.125	2004
22.01.2020 14:55:39	1	1	1	1	72	60	0	27535.545	178.4946237	4923.219091	30000	0	0	30000	40.25	2004
22.01.2020 14:55:40	1	1	1	1	72	60.25	0	27440.758	184.9462366	4897.942543	30000	0	0	30000	39.875	2004
22.01.2020 14:55:41	1	1	1	1	72	59.75	0	27582.938	184.9462366	5074.878374	30000	0	0	30000	39.75	2004
22.01.2020 14:55:42	1	1	1	1	72	59.75	0	27535.545	184.9462366	5092.001196	30000	0	0	30000	40.375	2004
22.01.2020 14:55:43	1	1	1	1	72	60.25	0	27440.758	189.2473118	5193.107385	30000	0	0	30000	40.4375	2004
22.01.2020 14:55:44	1	1	1	1	72	60.25	0	27440.758	189.2473118	5193.107385	30000	0	0	30000	40.375	2004
22.01.2020 14:55:45	1	1	1	1	72	60.25	0	27440.758	193.5483871	5370.043215	30000	0	0	30000	40.5	2004
22.01.2020 14:55:46	1	1	1	1	72	60.5	0	27440.758	206.4516129	5370.043215	30000	0	0	30000	40.25	2004
22.01.2020 14:55:47	1	1	1	1	72	60.25	0	27440.758	206.4516129	5665.208056	30000	0	0	30000	40.5625	2004
22.01.2020 14:55:48	1	1	1	1	71.75	60.25	0	27535.545	206.4516129	5665.208056	30000	0	0	30000	40.25	2004
22.01.2020 14:55:49	1	1	1	1	71.75	60.25	0	27440.758	206.4516129	5665.208056	30000	0	0	30000	39.6875	2004
22.01.2020 14:55:50	1	1	1	1	71.75	59.5	0	27440.758	206.4516129	5665.208056	30000	0	0	30000	40.0625	2004
22.01.2020 14:55:51	1	1	1	1	71.75	60	0	27535.545	206.4516129	5665.208056	30000	0	0	30000	40.375	2004
22.01.2020 14:55:52	1	1	1	1	71.75	60.25	0	27535.545	206.4516129	5684.776996	30000	0	0	30000	40.125	2004
22.01.2020 14:55:53	1	1	1	1	71.75	60	0	27440.758	206.4516129	5665.208056	30000	0	0	30000	40	2004
22.01.2020 14:55:54	1	1	1	1	71.75	60	0	27440.758	206.4516129	5665.208056	30000	0	0	30000	40.3125	2004
22.01.2020 14:55:55	1	1	1	1	71.75	60.25	0	27535.545	208.6021505	5723.914875	30000	0	0	30000	40.375	2004
22.01.2020 14:55:56	1	1	1	1	71.75	60.25	0	27535.545	206.4516129	5753.268285	30000	0	0	30000	40.1875	2004
22.01.2020 14:55:57	1	1	1	1	71.75	60	0	27582.938	208.6021505	5753.268285	30000	0	0	30000	39.8125	2004
22.01.2020 14:55:58	1	1	1	1	71.75	59.75	0	27535.545	208.6021505	5723.914875	30000	0	0	30000	40.1875	2004
22.01.2020 14:55:59	1	1	1	1	71.75	60	0	27535.545	206.4516129	5665.208056	30000	0	0	30000	40.375	2004
22.01.2020 14:56:01	1	1	1	1	71.75	60.25	0	27535.545	208.6021505	5723.914875	30000	0	0	30000	40.1875	2004
22.01.2020 14:56:02	1	1	1	1	71.75	60	0	27440.758	208.6021505	5743.483815	30000	0	0	30000	40.25	2004
22.01.2020 14:56:03	1	1	1	1	71.75	60.25	0	27582.938	212.9032258	5872.312668	30000	0	0	30000	40.1875	2004
22.01.2020 14:56:04	1	1	1	1	71.75	60	0	27582.938	210.7526882	5743.483815	30000	0	0	30000	40	2004
22.01.2020 14:56:05	1	1	1	1	71.75	60	0	27535.545	208.6021505	5723.914875	30000	0	0	30000	40.3125	2004
22.01.2020 14:56:06	1	1	1	1	71.75	60.25	0	27582.938	210.7526882	5803.006007	30000	0	0	30000	40.25	2004
22.01.2020 14:56:07	1	1	1	1	71.75	60.25	0	27535.545	208.6021505	5753.268285	30000	0	0	30000	40.25	2004
22.01.2020 14:56:08	1	1	1	1	72.25	60.25	0	27582.938	210.7526882	5753.268285	30000	0	0	30000	40.25	2004
22.01.2020 14:56:09	1	1	1	1	72.25	60.25	0	27582.938	208.6021505	5753.268285	30000	0	0	30000	40.1875	2004
22.01.2020 14:56:10	1	1	1	1	72.25	60	0	27535.545	208.6021505	5723.914875	30000	0	0	30000	40.125	2004
22.01.2020 14:56:11	1	1	1	1	72.25	60	0	27582.938	206.4516129	5665.208056	30000	0	0	30000	40.0625	2004
22.01.2020 14:56:12	1	1	1	1	72.25	60	0	27440.758	208.6021505	5684.776996	30000	0	0	30000	40.3125	2004
22.01.2020 14:56:13	1	1	1	1	72.25	60.25	0	27582.938	206.4516129	5684.776996	30000	0	0	30000	40.1875	2004
22.01.2020 14:56:14	1	1	1	1	72.25	60	0	27535.545	206.4516129	5665.208056	30000	0	0	30000	40.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 14:56:15	1	1	1	1	72.25	60	0	27582.938	206.4516129	5694.561465	30000	0	0	30000	40.1875	2004
22.01.2020 14:56:16	1	1	1	1	72.25	60	0	27440.758	193.5483871	5684.776996	30000	0	0	30000	40.3125	2004
22.01.2020 14:56:17	1	1	1	1	72.25	60.25	0	27582.938	193.5483871	5269.752399	30000	0	0	30000	40.1875	2004
22.01.2020 14:56:18	1	1	1	1	72.25	60	0	27582.938	191.3978495	5278.721496	30000	0	0	30000	40.25	2004
22.01.2020 14:56:19	1	1	1	1	72.25	60.25	0	27582.938	191.3978495	5278.721496	30000	0	0	30000	40.125	2004
22.01.2020 14:56:20	1	1	1	1	72.25	60	0	27535.545	193.5483871	5278.721496	30000	0	0	30000	40.25	2004
22.01.2020 14:56:21	1	1	1	1	72.25	60.25	0	27440.758	195.6989247	5684.776996	30000	0	0	30000	39.9375	2004
22.01.2020 14:56:22	1	1	1	1	72.25	59.75	0	27582.938	206.4516129	5694.561465	30000	0	0	30000	40.1875	2004
22.01.2020 14:56:23	1	1	1	1	72.25	60	0	27582.938	206.4516129	5694.561465	30000	0	0	30000	40.5	2004
22.01.2020 14:56:24	1	1	1	1	72.25	60.5	0	27582.938	206.4516129	5694.561465	30000	0	0	30000	40.0625	2004
22.01.2020 14:56:25	1	1	1	1	72.25	60	0	27535.545	210.7526882	5665.208056	30000	0	0	30000	40.8125	2004
22.01.2020 14:56:26	1	1	1	1	72.25	60.75	0	27582.938	208.6021505	5753.268285	30000	0	0	30000	40.25	2004
22.01.2020 14:56:27	1	1	1	1	72.25	60.25	0	27582.938	206.4516129	5694.561465	30000	0	0	30000	39.625	2004
22.01.2020 14:56:28	1	1	1	1	72.25	59.5	0	27630.332	206.4516129	5704.345935	30000	0	0	30000	40	2004
22.01.2020 14:56:36	1	1	1	1	72.25	59.75	0	27582.938	208.6021505	5753.268285	30000	0	0	30000	40.25	2004
22.01.2020 14:56:36	1	1	1	1	72.25	59.75	0	27582.938	208.6021505	5753.268285	30000	0	0	30000	40.25	2004
22.01.2020 14:56:36	1	1	1	1	72.25	59.75	0	27582.938	208.6021505	5753.268285	30000	0	0	30000	40.25	2004
22.01.2020 14:56:36	1	1	1	1	72.25	59.75	0	27582.938	208.6021505	5753.268285	30000	0	0	30000	40.25	2004
22.01.2020 14:56:36	1	1	1	1	72.25	59.75	0	27582.938	208.6021505	5753.268285	30000	0	0	30000	40.25	2004
22.01.2020 14:56:36	1	1	1	1	72.25	59.75	0	27582.938	208.6021505	5753.268285	30000	0	0	30000	40.25	2004
22.01.2020 14:56:36	1	1	1	1	72.25	60.25	0	27582.938	208.6021505	5753.268285	30000	0	0	30000	40.25	2004
22.01.2020 14:56:37	1	1	1	1	72	60	0	27535.545	208.6021505	5753.268285	30000	0	0	30000	40.1875	2004
22.01.2020 14:56:39	1	1	1	1	72	60.25	0	27582.938	212.9032258	5872.312668	30000	0	0	30000	40.25	2004
22.01.2020 14:56:40	1	1	1	1	72	60	0	27582.938	215.0537634	5872.312668	30000	0	0	30000	40.125	2004
22.01.2020 14:56:41	1	1	1	1	72	60	0	27440.758	219.3548387	6019.079716	30000	0	0	30000	40	2004
22.01.2020 14:56:42	1	1	1	1	72	60.25	0	27582.938	219.3548387	6109.586063	30000	0	0	30000	40.3125	2004
22.01.2020 14:56:43	1	1	1	1	72	60	0	27582.938	219.3548387	6050.063871	30000	0	0	30000	40	2004
22.01.2020 14:56:44	1	1	1	1	72	60.25	0	27582.938	219.3548387	6120.185905	30000	0	0	30000	40.25	2004
22.01.2020 14:56:45	1	1	1	1	72	60.25	0	27582.938	221.5053763	6227.815074	30000	0	0	30000	40.375	2004
22.01.2020 14:56:46	1	1	1	1	72	60.25	0	27582.938	221.5053763	5959.557525	30000	0	0	30000	40.25	2004
22.01.2020 14:56:47	1	1	1	1	72	59.75	0	27582.938	221.5053763	6227.815074	30000	0	0	30000	39.75	2004
22.01.2020 14:56:48	1	1	1	1	71.75	60.25	0	27630.332	225.8064516	6238.414916	30000	0	0	30000	40.25	2004
22.01.2020 14:56:49	1	1	1	1	71.75	60	0	27630.332	225.8064516	6297.937108	30000	0	0	30000	40	2004
22.01.2020 14:56:50	1	1	1	1	71.75	60.25	0	27630.332	227.9569892	6120.185905	30000	0	0	30000	40.25	2004
22.01.2020 14:56:51	1	1	1	1	71.75	59.75	0	27630.332	225.8064516	6238.414916	30000	0	0	30000	39.75	2004
22.01.2020 14:56:52	1	1	1	1	71.75	60	0	27630.332	227.9569892	6297.937108	30000	0	0	30000	40.125	2004
22.01.2020 14:56:53	1	1	1	1	71.75	60	0	27630.332	225.8064516	6238.414916	30000	0	0	30000	40.0625	2004
22.01.2020 14:56:54	1	1	1	1	71.75	60.25	0	27630.332	230.1075269	6357.459299	30000	0	0	30000	40.3125	2004
22.01.2020 14:56:55	1	1	1	1	71.75	60.25	0	27630.332	230.1075269	6476.503683	30000	0	0	30000	40.25	2004
22.01.2020 14:56:56	1	1	1	1	71.75	60	0	27630.332	225.8064516	6238.414916	30000	0	0	30000	40.1875	2004
22.01.2020 14:56:57	1	1	1	1	71.75	59.75	0	27630.332	230.1075269	6476.503683	30000	0	0	30000	39.75	2004
22.01.2020 14:56:58	1	1	1	1	72	59.75	0	27630.332	234.4086022	6476.503683	30000	0	0	30000	39.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 14:56:59	1	1	1	1	72	59.25	0	27582.938	227.9569892	6406.381649	30000	0	0	30000	40.125	2004
22.01.2020 14:57:00	1	1	1	1	72	60	0	27630.332	227.9569892	6357.459299	30000	0	0	30000	39.8125	2004
22.01.2020 14:57:01	1	1	1	1	72	59.75	0	27630.332	225.8064516	6120.185905	30000	0	0	30000	40.0625	2004
22.01.2020 14:57:02	1	1	1	1	72	60	0	27630.332	227.9569892	6297.937108	30000	0	0	30000	39.875	2004
22.01.2020 14:57:03	1	1	1	1	72	59.75	0	27630.332	227.9569892	6297.937108	30000	0	0	30000	40.5	2004
22.01.2020 14:57:04	1	1	1	1	72	60.5	0	27630.332	227.9569892	6238.414916	30000	0	0	30000	39.8125	2004
22.01.2020 14:57:05	1	1	1	1	72	59.75	0	27630.332	225.8064516	6120.185905	30000	0	0	30000	40.375	2004
22.01.2020 14:57:06	1	1	1	1	72	60.5	0	27630.332	223.655914	6179.708097	30000	0	0	30000	40.375	2004
22.01.2020 14:57:07	1	1	1	1	72.25	60.25	0	27630.332	225.8064516	6238.414916	30000	0	0	30000	40.0625	2004
22.01.2020 14:57:08	1	1	1	1	72.25	60	0	27630.332	223.655914	6120.185905	30000	0	0	30000	40.0625	2004
22.01.2020 14:57:09	1	1	1	1	72.25	60	0	27630.332	221.5053763	6120.185905	30000	0	0	30000	40.25	2004
22.01.2020 14:57:10	1	1	1	1	72.25	60.25	0	27630.332	225.8064516	6238.414916	30000	0	0	30000	39.4375	2004
22.01.2020 14:57:11	1	1	1	1	72.25	59.25	0	27630.332	221.5053763	6120.185905	30000	0	0	30000	40.3125	2004
22.01.2020 14:57:12	1	1	1	1	72.25	60.25	0	27630.332	221.5053763	6238.414916	30000	0	0	30000	39.75	2004
22.01.2020 14:57:13	1	1	1	1	72.25	59.75	0	27630.332	223.655914	6238.414916	30000	0	0	30000	40.25	2004
22.01.2020 14:57:14	1	1	1	1	72.25	60.25	0	27630.332	221.5053763	6120.185905	30000	0	0	30000	40.3125	2004
22.01.2020 14:57:16	1	1	1	1	72.25	60.25	0	27630.332	219.3548387	6120.185905	30000	0	0	30000	40.1875	2004
22.01.2020 14:57:17	1	1	1	1	72.25	60	0	27630.332	219.3548387	6001.141521	30000	0	0	30000	40.25	2004
22.01.2020 14:57:18	1	1	1	1	72.5	60.25	0	27630.332	215.0537634	5941.61933	30000	0	0	30000	40.25	2004
22.01.2020 14:57:19	1	1	1	1	72.5	60.25	0	27772.512	212.9032258	5882.097138	30000	0	0	30000	40.1875	2004
22.01.2020 14:57:20	1	1	1	1	72.5	60	0	27630.332	206.4516129	5763.052755	30000	0	0	30000	40.3125	2004
22.01.2020 14:57:21	1	1	1	1	72.5	60.25	0	27630.332	208.6021505	5763.052755	30000	0	0	30000	40.4375	2004
22.01.2020 14:57:22	1	1	1	1	72.5	60.25	0	27772.512	206.4516129	5704.345935	30000	0	0	30000	40.1875	2004
22.01.2020 14:57:23	1	1	1	1	72.5	60	0	27630.332	206.4516129	5704.345935	30000	0	0	30000	40.1875	2004
22.01.2020 14:57:24	1	1	1	1	72.5	60	0	27630.332	206.4516129	5287.690593	30000	0	0	30000	40.1875	2004
22.01.2020 14:57:25	1	1	1	1	72.5	60	0	27630.332	206.4516129	5434.457641	30000	0	0	30000	40.125	2004
22.01.2020 14:57:26	1	1	1	1	72.5	60	0	27630.332	206.4516129	5704.345935	30000	0	0	30000	39.75	2004
22.01.2020 14:57:27	1	1	1	1	72.5	59.75	0	27725.118	206.4516129	5704.345935	30000	0	0	30000	40.125	2004
22.01.2020 14:57:28	1	1	1	1	72.5	60	0	27630.332	206.4516129	5743.483815	30000	0	0	30000	40.25	2004
22.01.2020 14:57:29	1	1	1	1	72.5	60.25	0	27772.512	206.4516129	5704.345935	30000	0	0	30000	40.1875	2004
22.01.2020 14:57:30	1	1	1	1	72.5	60	0	27630.332	206.4516129	5704.345935	30000	0	0	30000	40.25	2004
22.01.2020 14:57:37	1	1	1	1	72.5	60.25	0	27630.332	208.6021505	5763.052755	30000	0	0	30000	40.3125	2004
22.01.2020 14:57:37	1	1	1	1	72.5	60.25	0	27630.332	208.6021505	5763.052755	30000	0	0	30000	40.3125	2004
22.01.2020 14:57:37	1	1	1	1	72.5	60.25	0	27630.332	208.6021505	5763.052755	30000	0	0	30000	40.3125	2004
22.01.2020 14:57:37	1	1	1	1	72.5	60.25	0	27630.332	208.6021505	5763.052755	30000	0	0	30000	40.3125	2004
22.01.2020 14:57:37	1	1	1	1	72.5	60.25	0	27630.332	208.6021505	5763.052755	30000	0	0	30000	40.3125	2004
22.01.2020 14:57:37	1	1	1	1	72.5	60.25	0	27630.332	208.6021505	5763.052755	30000	0	0	30000	40.3125	2004
22.01.2020 14:57:37	1	1	1	1	72.5	60.25	0	27630.332	208.6021505	5763.052755	30000	0	0	30000	40.3125	2004
22.01.2020 14:57:37	1	1	1	1	72.5	60.25	0	27630.332	208.6021505	5763.052755	30000	0	0	30000	40.3125	2004
22.01.2020 14:57:38	1	1	1	1	72.25	60.25	0	27630.332	208.6021505	5862.528198	30000	0	0	30000	40.3125	2004
22.01.2020 14:57:39	1	1	1	1	72.25	60.25	0	27630.332	212.9032258	5882.097138	30000	0	0	30000	40.1875	2004
22.01.2020 14:57:40	1	1	1	1	72.25	60	0	27772.512	215.0537634	5922.865763	30000	0	0	30000	39.8125	2004
22.01.2020 14:57:41	1	1	1	1	72.25	59.75	0	27772.512	232.2580645	6416.981491	30000	0	0	30000	40.375	2004
22.01.2020 14:57:42	1	1	1	1	72.25	60.25	0	27819.905	232.2580645	6461.011605	30000	0	0	30000	40.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 14:57:43	1	1	1	1	72.25	60.75	0	27725.118	227.9569892	6357.459299	30000	0	0	30000	40.375	2004
22.01.2020 14:57:44	1	1	1	1	72.25	60.25	0	27630.332	227.9569892	6416.981491	30000	0	0	30000	40.3125	2004
22.01.2020 14:57:45	1	1	1	1	72.25	60.5	0	27630.332	232.2580645	6520.533797	30000	0	0	30000	40.125	2004
22.01.2020 14:57:46	1	1	1	1	72.25	60	0	27630.332	234.4086022	6476.503683	30000	0	0	30000	40.0625	2004
22.01.2020 14:57:47	1	1	1	1	72.75	60	0	27819.905	232.2580645	6401.489414	30000	0	0	30000	40.0625	2004
22.01.2020 14:57:48	1	1	1	1	72.75	60	0	27819.905	232.2580645	6461.011605	30000	0	0	30000	40.3125	2004
22.01.2020 14:57:49	1	1	1	1	72.75	60.25	0	27630.332	232.2580645	6238.414916	30000	0	0	30000	40.3125	2004
22.01.2020 14:57:50	1	1	1	1	72.75	60.25	0	27725.118	232.2580645	6416.981491	30000	0	0	30000	40.3125	2004
22.01.2020 14:57:51	1	1	1	1	72.75	60.25	0	27630.332	232.2580645	6416.981491	30000	0	0	30000	40.375	2004
22.01.2020 14:57:52	1	1	1	1	72.75	60.25	0	27819.905	232.2580645	6461.011605	30000	0	0	30000	40.4375	2004
22.01.2020 14:57:53	1	1	1	1	72.75	60.25	0	27630.332	230.1075269	6520.533797	30000	0	0	30000	40.4375	2004
22.01.2020 14:57:54	1	1	1	1	72.75	60.25	0	27819.905	230.1075269	6401.489414	30000	0	0	30000	39.8125	2004
22.01.2020 14:57:56	1	1	1	1	72.75	59.75	0	27819.905	227.9569892	6281.629658	30000	0	0	30000	40.3125	2004
22.01.2020 14:57:57	1	1	1	1	72.75	60.25	0	27630.332	225.8064516	6260.429973	30000	0	0	30000	40.25	2004
22.01.2020 14:57:58	1	1	1	1	72.75	60.25	0	27630.332	227.9569892	6238.414916	30000	0	0	30000	40.3125	2004
22.01.2020 14:57:59	1	1	1	1	72.75	60.25	0	27819.905	225.8064516	6281.629658	30000	0	0	30000	40.3125	2004
22.01.2020 14:58:00	1	1	1	1	72.75	60.25	0	27630.332	223.655914	6120.185905	30000	0	0	30000	40	2004
22.01.2020 14:58:01	1	1	1	1	72.75	60	0	27630.332	223.655914	6281.629658	30000	0	0	30000	40.375	2004
22.01.2020 14:58:02	1	1	1	1	72.75	60.25	0	27630.332	223.655914	6120.185905	30000	0	0	30000	40.25	2004
22.01.2020 14:58:03	1	1	1	1	72.75	60.25	0	27819.905	223.655914	6161.769902	30000	0	0	30000	40.125	2004
22.01.2020 14:58:04	1	1	1	1	72.75	60	0	27867.299	221.5053763	6151.17006	30000	0	0	30000	40.375	2004
22.01.2020 14:58:05	1	1	1	1	72.75	60.25	0	27725.118	221.5053763	6120.185905	30000	0	0	30000	40.3125	2004
22.01.2020 14:58:06	1	1	1	1	72.75	60.25	0	27819.905	230.1075269	6401.489414	30000	0	0	30000	39.8125	2004
22.01.2020 14:58:07	1	1	1	1	72.75	59.75	0	27819.905	232.2580645	6401.489414	30000	0	0	30000	40.5	2004
22.01.2020 14:58:08	1	1	1	1	72.5	60.5	0	27819.905	232.2580645	6476.503683	30000	0	0	30000	40.3125	2004
22.01.2020 14:58:09	1	1	1	1	72.5	60.25	0	27772.512	234.4086022	6520.533797	30000	0	0	30000	40.1875	2004
22.01.2020 14:58:10	1	1	1	1	72.5	60	0	27819.905	236.5591398	6580.871361	30000	0	0	30000	40.3125	2004
22.01.2020 14:58:11	1	1	1	1	72.5	60.25	0	27819.905	236.5591398	6476.503683	30000	0	0	30000	40.25	2004
22.01.2020 14:58:12	1	1	1	1	72.5	60.25	0	27725.118	236.5591398	6558.040932	30000	0	0	30000	40.25	2004
22.01.2020 14:58:13	1	1	1	1	72.5	60.25	0	27819.905	212.9032258	5922.865763	30000	0	0	30000	40.3125	2004
22.01.2020 14:58:14	1	1	1	1	72.5	60.25	0	27630.332	189.2473118	5324.382355	30000	0	0	30000	39.8125	2004
22.01.2020 14:58:15	1	1	1	1	72.5	59.75	0	27819.905	184.9462366	5145.000408	30000	0	0	30000	40.1875	2004
22.01.2020 14:58:16	1	1	1	1	72.5	60	0	27630.332	184.9462366	5109.939391	30000	0	0	30000	40.375	2004
22.01.2020 14:58:17	1	1	1	1	72.5	60.25	0	27819.905	182.7956989	5145.000408	30000	0	0	30000	40.375	2004
22.01.2020 14:58:18	1	1	1	1	73	60.25	0	27772.512	180.6451613	5025.140652	30000	0	0	30000	40.375	2004
22.01.2020 14:58:19	1	1	1	1	73	60.25	0	27630.332	169.8924731	4694.099421	30000	0	0	30000	40.25	2004
22.01.2020 14:58:20	1	1	1	1	73	60.25	0	27819.905	169.8924731	4725.898948	30000	0	0	30000	40.5625	2004
22.01.2020 14:58:21	1	1	1	1	73	60.5	0	27819.905	169.8924731	4725.898948	30000	0	0	30000	40.4375	2004
22.01.2020 14:58:22	1	1	1	1	73	60.25	0	27819.905	169.8924731	4725.898948	30000	0	0	30000	40.6875	2004
22.01.2020 14:58:23	1	1	1	1	73	60.5	0	27772.512	178.4946237	4871.850624	30000	0	0	30000	40.5625	2004
22.01.2020 14:58:24	1	1	1	1	73	60.5	0	27630.332	184.9462366	5136.03131	30000	0	0	30000	40.3125	2004
22.01.2020 14:58:25	1	1	1	1	73	60.25	0	27725.118	189.2473118	5264.860164	30000	0	0	30000	40.25	2004
22.01.2020 14:58:26	1	1	1	1	73	60.25	0	27630.332	189.2473118	5324.382355	30000	0	0	30000	40	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 14:58:27	1	1	1	1	73	60	0	27630.332	191.3978495	5287.690593	30000	0	0	30000	40.375	2004
22.01.2020 14:58:28	1	1	1	1	73	60.25	0	27819.905	191.3978495	5324.382355	30000	0	0	30000	40.375	2004
22.01.2020 14:58:29	1	1	1	1	73	60.25	0	27819.905	195.6989247	5743.483815	30000	0	0	30000	40.3125	2004
22.01.2020 14:58:30	1	1	1	1	73	60.25	0	27867.299	206.4516129	5743.483815	30000	0	0	30000	40.25	2004
22.01.2020 14:58:31	1	1	1	1	73	60.25	0	27819.905	206.4516129	5743.483815	30000	0	0	30000	40.1875	2004
22.01.2020 14:58:39	1	1	1	1	72.75	59.75	0	27819.905	215.0537634	6041.910146	30000	0	0	30000	40.1875	2004
22.01.2020 14:58:39	1	1	1	1	72.75	59.75	0	27819.905	215.0537634	6041.910146	30000	0	0	30000	40.1875	2004
22.01.2020 14:58:39	1	1	1	1	72.75	59.75	0	27819.905	215.0537634	6041.910146	30000	0	0	30000	40.1875	2004
22.01.2020 14:58:39	1	1	1	1	72.75	59.75	0	27819.905	215.0537634	6041.910146	30000	0	0	30000	40.1875	2004
22.01.2020 14:58:39	1	1	1	1	72.75	59.75	0	27819.905	215.0537634	6041.910146	30000	0	0	30000	40.1875	2004
22.01.2020 14:58:39	1	1	1	1	72.75	59.75	0	27819.905	215.0537634	6041.910146	30000	0	0	30000	40.1875	2004
22.01.2020 14:58:39	1	1	1	1	72.75	59.75	0	27819.905	215.0537634	6041.910146	30000	0	0	30000	40.1875	2004
22.01.2020 14:58:40	1	1	1	1	72.75	60	0	27819.905	219.3548387	6102.24771	30000	0	0	30000	39.9375	2004
22.01.2020 14:58:41	1	1	1	1	72.75	59.75	0	27819.905	221.5053763	6281.629658	30000	0	0	30000	39.875	2004
22.01.2020 14:58:42	1	1	1	1	72.75	59.75	0	27867.299	230.1075269	6531.949012	30000	0	0	30000	40.3125	2004
22.01.2020 14:58:43	1	1	1	1	72.75	60.25	0	27819.905	232.2580645	6461.011605	30000	0	0	30000	40.125	2004
22.01.2020 14:58:44	1	1	1	1	72.75	60	0	27819.905	236.5591398	6712.146332	30000	0	0	30000	40.125	2004
22.01.2020 14:58:45	1	1	1	1	72.75	60	0	27819.905	240.8602151	6700.731117	30000	0	0	30000	40.3125	2004
22.01.2020 14:58:46	1	1	1	1	72.75	60.25	0	27819.905	240.8602151	6700.731117	30000	0	0	30000	40.3125	2004
22.01.2020 14:58:47	1	1	1	1	72.75	60.25	0	27819.905	240.8602151	6655.070258	30000	0	0	30000	40.125	2004
22.01.2020 14:58:48	1	1	1	1	72.75	60	0	27819.905	243.0107527	6760.253309	30000	0	0	30000	40.375	2004
22.01.2020 14:58:49	1	1	1	1	72.75	60.25	0	27819.905	240.8602151	6700.731117	30000	0	0	30000	40.1875	2004
22.01.2020 14:58:50	1	1	1	1	72.75	60	0	27819.905	240.8602151	6760.253309	30000	0	0	30000	40.125	2004
22.01.2020 14:58:51	1	1	1	1	72.75	60	0	27772.512	245.1612903	6880.113065	30000	0	0	30000	40.375	2004
22.01.2020 14:58:54	1	1	1	1	72.75	60.25	0	27867.299	253.7634409	6999.157448	30000	0	0	30000	40.3125	2004
22.01.2020 14:58:54	1	1	1	1	72.75	60.25	0	27867.299	253.7634409	6999.157448	30000	0	0	30000	40.3125	2004
22.01.2020 14:58:54	1	1	1	1	72.75	60.25	0	27867.299	251.6129032	7011.388036	30000	0	0	30000	39.1875	2004
22.01.2020 14:58:55	1	1	1	1	72.75	59	0	27819.905	247.311828	7011.388036	30000	0	0	30000	38.5625	2004
22.01.2020 14:58:56	1	1	1	1	72.75	58.5	0	27867.299	255.9139785	7119.017204	30000	0	0	30000	39.75	2004
22.01.2020 14:58:57	1	1	1	1	72.75	59.75	0	27867.299	245.1612903	6891.52828	30000	0	0	30000	39.9375	2004
22.01.2020 14:58:58	1	1	1	1	72.25	59.75	0	27867.299	264.516129	7358.736716	30000	0	0	30000	40.3125	2004
22.01.2020 14:58:59	1	1	1	1	72.25	60.25	0	27867.299	279.5698925	7730.546571	30000	0	0	30000	40.3125	2004
22.01.2020 14:59:00	1	1	1	1	72.25	60.25	0	27867.299	253.7634409	7131.247792	30000	0	0	30000	40.125	2004
22.01.2020 14:59:01	1	1	1	1	72.25	60	0	27867.299	264.516129	7370.967304	30000	0	0	30000	40.3125	2004
22.01.2020 14:59:02	1	1	1	1	72.25	60.25	0	27630.332	281.7204301	7664.5014	30000	0	0	30000	40.5625	2004
22.01.2020 14:59:03	1	1	1	1	72.25	60.5	0	27867.299	286.0215054	7970.266083	30000	0	0	30000	40.125	2004
22.01.2020 14:59:04	1	1	1	1	72.25	60	0	27867.299	303.2258065	8435.028402	30000	0	0	30000	40.25	2004
22.01.2020 14:59:05	1	1	1	1	72.25	60.25	0	27867.299	307.5268817	8629.902427	30000	0	0	30000	40.25	2004
22.01.2020 14:59:06	1	1	1	1	72.25	60.25	0	27819.905	320.4301075	9049.003887	30000	0	0	30000	40.4375	2004
22.01.2020 14:59:07	1	1	1	1	72	60.25	0	27630.332	339.7849462	9328.67665	30000	0	0	30000	40.3125	2004
22.01.2020 14:59:08	1	1	1	1	72	60.25	0	27867.299	303.2258065	8510.042671	30000	0	0	30000	39.5625	2004
22.01.2020 14:59:09	1	1	1	1	72	59.5	0	27867.299	283.8709677	8030.603647	30000	0	0	30000	40.25	2004
22.01.2020 14:59:10	1	1	1	1	72	60.25	0	27867.299	346.2365591	9648.302666	30000	0	0	30000	40.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 14:59:11	1	1	1	1	72	60.25	0	0	0	0	30000	0	8	30000	37.625	2004
22.01.2020 14:59:13	1	1	1	1	72	57.5	0	10426.54	0	0	30000	0	0	30000	40.5	2004
22.01.2020 14:59:14	1	1	1	1	72	60.5	0	11184.834	0	0	30000	0	0	30000	40.375	2004
22.01.2020 14:59:15	1	1	1	1	72	60.25	0	11943.128	0	0	30000	0	0	30000	40.3125	2004
22.01.2020 14:59:16	1	1	1	1	72	60.25	0	12748.815	2.150537634	0	30000	0	0	30000	40.3125	2004
22.01.2020 14:59:17	1	1	1	1	72	60.25	0	13507.109	4.301075269	57.89144674	30000	0	0	30000	40.1875	2004
22.01.2020 14:59:18	1	1	1	1	71.75	60	0	14265.403	6.451612903	91.32171881	30000	0	0	30000	40.1875	2004
22.01.2020 14:59:19	1	1	1	1	71.75	60	0	14976.303	10.75268817	193.24328	30000	0	0	30000	40.25	2004
22.01.2020 14:59:20	1	1	1	1	71.75	60.25	0	15829.384	15.05376344	238.0887669	30000	0	0	30000	40.1875	2004
22.01.2020 14:59:21	1	1	1	1	71.75	60	0	16492.891	19.35483871	322.8875058	30000	0	0	30000	39.8125	2004
22.01.2020 14:59:22	1	1	1	1	71.75	59.75	0	17393.365	25.80645161	447.6394966	30000	0	0	30000	40.3125	2004
22.01.2020 14:59:23	1	1	1	1	71.75	60.25	0	18151.659	32.25806452	585.4374473	30000	0	0	30000	37.8125	2004
22.01.2020 14:59:24	1	1	1	1	71.75	57.75	0	18909.953	36.55913978	690.6204985	30000	0	0	30000	40.125	2004
22.01.2020 14:59:25	1	1	1	1	71.75	60	0	19668.246	43.01075269	803.141902	30000	0	0	30000	40.375	2004
22.01.2020 14:59:26	1	1	1	1	71.75	60.25	0	20473.934	53.76344086	1056.722746	30000	0	0	30000	40.375	2004
22.01.2020 14:59:27	1	1	1	1	71.75	60.25	0	21232.227	62.3655914	1324.164923	30000	0	0	30000	40.1875	2004
22.01.2020 14:59:28	1	1	1	1	72	60	0	21943.128	66.66666667	1462.778246	30000	0	0	30000	40.25	2004
22.01.2020 14:59:29	1	1	1	1	72	60.25	0	22559.242	70.96774194	1712.282228	30000	0	0	30000	40.3125	2004
22.01.2020 14:59:30	1	1	1	1	72	60.25	0	22985.782	79.56989247	1779.142772	30000	0	0	30000	39.125	2004
22.01.2020 14:59:31	1	1	1	1	72	59	0	22890.995	79.56989247	1877.802843	30000	0	0	30000	40.25	2004
22.01.2020 14:59:32	1	1	1	1	72	60.25	0	22890.995	81.72043011	1820.726769	30000	0	0	30000	40.375	2004
22.01.2020 14:59:33	1	1	1	1	72	60.25	0	22938.389	83.87096774	1877.802843	30000	0	0	30000	40.3125	2004
22.01.2020 14:59:40	1	1	1	1	72.5	60.25	0	22985.782	94.62365591	2165.629332	30000	0	0	30000	40.4375	2004
22.01.2020 14:59:40	1	1	1	1	72.5	60.25	0	22985.782	94.62365591	2165.629332	30000	0	0	30000	40.4375	2004
22.01.2020 14:59:40	1	1	1	1	72.5	60.25	0	22985.782	94.62365591	2165.629332	30000	0	0	30000	40.4375	2004
22.01.2020 14:59:40	1	1	1	1	72.5	60.25	0	22985.782	94.62365591	2165.629332	30000	0	0	30000	40.4375	2004
22.01.2020 14:59:40	1	1	1	1	72.5	60.25	0	22985.782	94.62365591	2165.629332	30000	0	0	30000	40.4375	2004
22.01.2020 14:59:40	1	1	1	1	72.5	60.25	0	22985.782	94.62365591	2165.629332	30000	0	0	30000	40.4375	2004
22.01.2020 14:59:41	1	1	1	1	72.5	60.25	0	22938.389	94.62365591	2165.629332	30000	0	0	30000	40.75	2004
22.01.2020 14:59:42	1	1	1	1	72.5	60.75	0	22985.782	94.62365591	2224.336151	30000	0	0	30000	40.3125	2004
22.01.2020 14:59:43	1	1	1	1	72.5	60.25	0	22890.995	94.62365591	2214.551681	30000	0	0	30000	40.375	2004
22.01.2020 14:59:44	1	1	1	1	72.5	60.25	0	22985.782	98.92473118	2372.733944	30000	0	0	30000	40.4375	2004
22.01.2020 14:59:45	1	1	1	1	72.5	60.25	0	22890.995	98.92473118	2264.289403	30000	0	0	30000	40.3125	2004
22.01.2020 14:59:46	1	1	1	1	72.5	60.25	0	22985.782	103.2258065	2362.949474	30000	0	0	30000	40.125	2004
22.01.2020 14:59:47	1	1	1	1	72.5	60	0	22890.995	103.2258065	2362.949474	30000	0	0	30000	40.5	2004
22.01.2020 14:59:48	1	1	1	1	72.5	60.5	0	22890.995	103.2258065	2362.949474	30000	0	0	30000	40.3125	2004
22.01.2020 14:59:49	1	1	1	1	72.5	60.25	0	23175.355	103.2258065	2397.195119	30000	0	0	30000	40.375	2004
22.01.2020 14:59:50	1	1	1	1	72.5	60.25	0	23933.649	116.1290323	2778.789444	30000	0	0	30000	40.5625	2004
22.01.2020 14:59:52	1	1	1	1	72.5	60.5	0	24691.943	139.7849462	3451.471747	30000	0	0	30000	39.625	2004
22.01.2020 14:59:53	1	1	1	1	72.5	59.5	0	25355.45	156.9892473	4089.093034	30000	0	0	30000	40.4375	2004
22.01.2020 14:59:54	1	1	1	1	72.5	60.25	0	25876.777	178.4946237	4395.67309	30000	0	0	30000	40.375	2004
22.01.2020 14:59:55	1	1	1	1	72.5	60.25	0	26445.498	189.2473118	5013.725437	30000	0	0	30000	40.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 14:59:56	1	1	1	1	72.5	60.25	0	26587.678	191.3978495	5088.739706	30000	0	0	30000	40.3125	2004
22.01.2020 14:59:57	1	1	1	1	72.5	60.25	0	26729.858	206.4516129	5508.656538	30000	0	0	30000	40.3125	2004
22.01.2020 14:59:58	1	1	1	1	72.5	60.25	0	26872.038	206.4516129	5547.794417	30000	0	0	30000	40.375	2004
22.01.2020 14:59:59	1	1	1	1	72.5	60.25	0	26919.431	206.4516129	5557.578887	30000	0	0	30000	40.375	2004
22.01.2020 15:00:00	1	1	1	1	72.5	60.25	0	26919.431	206.4516129	5557.578887	30000	0	0	30000	40.375	2004
22.01.2020 15:00:01	1	1	1	1	72.5	60.25	0	26966.825	193.5483871	5219.199304	30000	0	0	30000	40.3125	2004
22.01.2020 15:00:02	1	1	1	1	72.5	60.25	0	26966.825	193.5483871	5219.199304	30000	0	0	30000	40.0625	2004
22.01.2020 15:00:03	1	1	1	1	72.5	60	0	26919.431	193.5483871	5567.363357	30000	0	0	30000	40.3125	2004
22.01.2020 15:00:04	1	1	1	1	72.5	60.25	0	26966.825	195.6989247	5567.363357	30000	0	0	30000	40.1875	2004
22.01.2020 15:00:05	1	1	1	1	72.5	60	0	26966.825	193.5483871	5219.199304	30000	0	0	30000	40.25	2004
22.01.2020 15:00:06	1	1	1	1	72.5	60.25	0	26966.825	191.3978495	5161.307857	30000	0	0	30000	40.25	2004
22.01.2020 15:00:07	1	1	1	1	72.5	60.25	0	26966.825	189.2473118	5103.416411	30000	0	0	30000	40.375	2004
22.01.2020 15:00:08	1	1	1	1	72.5	60.25	0	26966.825	189.2473118	5103.416411	30000	0	0	30000	40.3125	2004
22.01.2020 15:00:09	1	1	1	1	72.5	60.25	0	26966.825	184.9462366	5094.447313	30000	0	0	30000	40.1875	2004
22.01.2020 15:00:10	1	1	1	1	72.5	60	0	26966.825	189.2473118	4986.818145	30000	0	0	30000	39.75	2004
22.01.2020 15:00:11	1	1	1	1	72.5	59.75	0	26966.825	184.9462366	4986.818145	30000	0	0	30000	40.375	2004
22.01.2020 15:00:12	1	1	1	1	72.5	60.25	0	26919.431	178.4946237	4928.926698	30000	0	0	30000	40	2004
22.01.2020 15:00:13	1	1	1	1	72.5	60	0	26966.825	174.1935484	4580.762645	30000	0	0	30000	40.125	2004
22.01.2020 15:00:14	1	1	1	1	72.5	60	0	26966.825	169.8924731	4573.424293	30000	0	0	30000	40	2004
22.01.2020 15:00:15	1	1	1	1	72.5	60	0	26966.825	169.8924731	4580.762645	30000	0	0	30000	40.125	2004
22.01.2020 15:00:16	1	1	1	1	72.5	60	0	26966.825	169.8924731	4580.762645	30000	0	0	30000	39.75	2004
22.01.2020 15:00:17	1	1	1	1	72.5	59.75	0	26966.825	169.8924731	4573.424293	30000	0	0	30000	40.25	2004
22.01.2020 15:00:18	1	1	1	1	72.25	60.25	0	26966.825	169.8924731	4580.762645	30000	0	0	30000	40.375	2004
22.01.2020 15:00:19	1	1	1	1	72.25	60.25	0	26966.825	169.8924731	4580.762645	30000	0	0	30000	40.5	2004
22.01.2020 15:00:20	1	1	1	1	72.25	60.25	0	26966.825	169.8924731	4580.762645	30000	0	0	30000	39.75	2004
22.01.2020 15:00:21	1	1	1	1	72.25	59.75	0	26919.431	176.344086	4697.360911	30000	0	0	30000	39.3125	2004
22.01.2020 15:00:22	1	1	1	1	72.25	59.25	0	26966.825	176.344086	4755.252358	30000	0	0	30000	40.1875	2004
22.01.2020 15:00:23	1	1	1	1	72.25	60	0	26919.431	174.1935484	4580.762645	30000	0	0	30000	40.125	2004
22.01.2020 15:00:24	1	1	1	1	72.25	60	0	26966.825	169.8924731	4457.641399	30000	0	0	30000	40.25	2004
22.01.2020 15:00:25	1	1	1	1	72.25	60.25	0	26966.825	156.9892473	4233.413965	30000	0	0	30000	40.1875	2004
22.01.2020 15:00:26	1	1	1	1	72.25	60	0	26966.825	152.688172	4116.815699	30000	0	0	30000	40.1875	2004
22.01.2020 15:00:27	1	1	1	1	72.25	60	0	26966.825	156.9892473	4298.643764	30000	0	0	30000	40.125	2004
22.01.2020 15:00:28	1	1	1	1	72.25	60	0	27061.611	163.4408602	4422.580382	30000	0	0	30000	39.8125	2004
22.01.2020 15:00:29	1	1	1	1	72.25	59.75	0	26966.825	163.4408602	4422.580382	30000	0	0	30000	40.25	2004
22.01.2020 15:00:31	1	1	1	1	72.25	60.25	0	27014.218	163.4408602	4407.088305	30000	0	0	30000	40.1875	2004
22.01.2020 15:00:32	1	1	1	1	72.25	60	0	27014.218	165.5913978	4473.133476	30000	0	0	30000	40.3125	2004
22.01.2020 15:00:33	1	1	1	1	72.25	60.25	0	26966.825	163.4408602	4407.088305	30000	0	0	30000	40.3125	2004
22.01.2020 15:00:34	1	1	1	1	72.25	60.25	0	27061.611	161.2903226	4116.815699	30000	0	0	30000	40.25	2004
22.01.2020 15:00:35	1	1	1	1	72.25	60.25	0	27014.218	163.4408602	4407.088305	30000	0	0	30000	40.3125	2004
22.01.2020 15:00:42	1	1	1	1	72.75	60	0	26966.825	156.9892473	4349.196858	30000	0	0	30000	40.125	2004
22.01.2020 15:00:42	1	1	1	1	72.75	60	0	26966.825	156.9892473	4349.196858	30000	0	0	30000	40.125	2004
22.01.2020 15:00:42	1	1	1	1	72.75	60	0	26966.825	156.9892473	4349.196858	30000	0	0	30000	40.125	2004
22.01.2020 15:00:42	1	1	1	1	72.75	60	0	26966.825	156.9892473	4349.196858	30000	0	0	30000	40.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 15:00:42	1	1	1	1	72.75	60	0	26966.825	156.9892473	4349.196858	30000	0	0	30000	40.125	2004
22.01.2020 15:00:42	1	1	1	1	72.75	60	0	26966.825	156.9892473	4349.196858	30000	0	0	30000	40.125	2004
22.01.2020 15:00:42	1	1	1	1	72.75	60	0	26966.825	156.9892473	4349.196858	30000	0	0	30000	40.125	2004
22.01.2020 15:00:43	1	1	1	1	72.75	60	0	26966.825	163.4408602	4422.580382	30000	0	0	30000	40.25	2004
22.01.2020 15:00:44	1	1	1	1	72.75	60.25	0	27061.611	163.4408602	4422.580382	30000	0	0	30000	40.375	2004
22.01.2020 15:00:45	1	1	1	1	72.75	60.25	0	26966.825	163.4408602	4422.580382	30000	0	0	30000	40.25	2004
22.01.2020 15:00:46	1	1	1	1	72.75	60.25	0	26966.825	163.4408602	4407.088305	30000	0	0	30000	40.1875	2004
22.01.2020 15:00:47	1	1	1	1	72.75	60	0	27061.611	163.4408602	4415.24203	30000	0	0	30000	40.25	2004
22.01.2020 15:00:48	1	1	1	1	72.75	60.25	0	26966.825	163.4408602	4473.133476	30000	0	0	30000	40.375	2004
22.01.2020 15:00:49	1	1	1	1	72.75	60.25	0	26966.825	165.5913978	4464.979752	30000	0	0	30000	40.3125	2004
22.01.2020 15:00:50	1	1	1	1	72.75	60.25	0	26966.825	165.5913978	4539.178648	30000	0	0	30000	40.25	2004
22.01.2020 15:00:51	1	1	1	1	72.75	60.25	0	26966.825	167.7419355	4531.024923	30000	0	0	30000	40.1875	2004
22.01.2020 15:00:52	1	1	1	1	72.75	60	0	27061.611	165.5913978	4480.471829	30000	0	0	30000	40.3125	2004
22.01.2020 15:00:53	1	1	1	1	72.75	60.25	0	27061.611	165.5913978	4480.471829	30000	0	0	30000	40.3125	2004
22.01.2020 15:00:54	1	1	1	1	72.75	60.25	0	27061.611	167.7419355	4539.178648	30000	0	0	30000	40.1875	2004
22.01.2020 15:00:55	1	1	1	1	72.75	60	0	27109.005	169.8924731	4597.070095	30000	0	0	30000	40.1875	2004
22.01.2020 15:00:56	1	1	1	1	72.75	60	0	27061.611	169.8924731	4597.070095	30000	0	0	30000	40.125	2004
22.01.2020 15:00:57	1	1	1	1	72.75	60	0	27061.611	169.8924731	4597.070095	30000	0	0	30000	40.375	2004
22.01.2020 15:00:58	1	1	1	1	72.5	60.25	0	27061.611	169.8924731	4597.070095	30000	0	0	30000	40.1875	2004
22.01.2020 15:00:59	1	1	1	1	72.5	60	0	27109.005	169.8924731	4597.070095	30000	0	0	30000	40.25	2004
22.01.2020 15:01:00	1	1	1	1	72.5	60.25	0	27014.218	169.8924731	4580.762645	30000	0	0	30000	40.25	2004
22.01.2020 15:01:01	1	1	1	1	72.5	60.25	0	27061.611	169.8924731	4597.070095	30000	0	0	30000	39	2004
22.01.2020 15:01:02	1	1	1	1	72.5	59	0	27061.611	169.8924731	4597.070095	30000	0	0	30000	40.0625	2004
22.01.2020 15:01:03	1	1	1	1	72.5	60	0	27061.611	169.8924731	4597.070095	30000	0	0	30000	40.1875	2004
22.01.2020 15:01:04	1	1	1	1	72.5	60	0	27061.611	178.4946237	4830.266627	30000	0	0	30000	40.1875	2004
22.01.2020 15:01:05	1	1	1	1	72.5	60	0	27061.611	178.4946237	4830.266627	30000	0	0	30000	40.25	2004
22.01.2020 15:01:06	1	1	1	1	72.5	60.25	0	27061.611	182.7956989	4946.04952	30000	0	0	30000	39.6875	2004
22.01.2020 15:01:07	1	1	1	1	72.5	59.5	0	27061.611	184.9462366	5004.75634	30000	0	0	30000	40.25	2004
22.01.2020 15:01:09	1	1	1	1	72.5	60.25	0	27014.218	184.9462366	5121.354605	30000	0	0	30000	39.875	2004
22.01.2020 15:01:10	1	1	1	1	72.5	59.75	0	27061.611	189.2473118	5121.354605	30000	0	0	30000	39.9375	2004
22.01.2020 15:01:11	1	1	1	1	72.5	59.75	0	27061.611	184.9462366	5121.354605	30000	0	0	30000	39.4375	2004
22.01.2020 15:01:12	1	1	1	1	72.5	59.25	0	27061.611	189.2473118	5121.354605	30000	0	0	30000	40.25	2004
22.01.2020 15:01:13	1	1	1	1	72.5	60.25	0	27061.611	189.2473118	5121.354605	30000	0	0	30000	40.25	2004
22.01.2020 15:01:14	1	1	1	1	72.5	60.25	0	27061.611	182.7956989	4946.04952	30000	0	0	30000	40.25	2004
22.01.2020 15:01:15	1	1	1	1	72.5	60.25	0	27061.611	180.6451613	4830.266627	30000	0	0	30000	39.875	2004
22.01.2020 15:01:16	1	1	1	1	72.5	59.75	0	27061.611	184.9462366	5004.75634	30000	0	0	30000	40	2004
22.01.2020 15:01:17	1	1	1	1	72.5	60	0	26966.825	184.9462366	5004.75634	30000	0	0	30000	40.125	2004
22.01.2020 15:01:18	1	1	1	1	72.5	60	0	27109.005	184.9462366	5130.323703	30000	0	0	30000	40.125	2004
22.01.2020 15:01:19	1	1	1	1	72.5	60	0	27109.005	182.7956989	4955.018618	30000	0	0	30000	39.25	2004
22.01.2020 15:01:20	1	1	1	1	72.5	59.25	0	27109.005	178.4946237	4838.420352	30000	0	0	30000	40.1875	2004
22.01.2020 15:01:21	1	1	1	1	72.5	60	0	27109.005	169.8924731	4605.22382	30000	0	0	30000	40.0625	2004
22.01.2020 15:01:22	1	1	1	1	72.5	60	0	27109.005	167.7419355	4605.22382	30000	0	0	30000	40.0625	2004
22.01.2020 15:01:23	1	1	1	1	72.5	60	0	27109.005	167.7419355	4597.070095	30000	0	0	30000	40.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 15:01:24	1	1	1	1	72.5	60.25	0	27109.005	169.8924731	4605.22382	30000	0	0	30000	40.25	2004
22.01.2020 15:01:25	1	1	1	1	72.5	60.25	0	27109.005	167.7419355	4605.22382	30000	0	0	30000	40.25	2004
22.01.2020 15:01:26	1	1	1	1	72.5	60.25	0	27109.005	163.4408602	4430.734107	30000	0	0	30000	40.25	2004
22.01.2020 15:01:27	1	1	1	1	72.5	60.25	0	27109.005	159.1397849	4255.429022	30000	0	0	30000	40.3125	2004
22.01.2020 15:01:28	1	1	1	1	72.5	60.25	0	27109.005	152.688172	4138.830756	30000	0	0	30000	40.25	2004
22.01.2020 15:01:29	1	1	1	1	72.5	60.25	0	27109.005	152.688172	4138.830756	30000	0	0	30000	39.875	2004
22.01.2020 15:01:30	1	1	1	1	72.5	59.75	0	27109.005	152.688172	4138.830756	30000	0	0	30000	38.4375	2004
22.01.2020 15:01:31	1	1	1	1	72.5	58.25	0	27109.005	156.9892473	4314.135841	30000	0	0	30000	40.1875	2004
22.01.2020 15:01:32	1	1	1	1	72.5	60	0	27109.005	159.1397849	4372.027288	30000	0	0	30000	40.1875	2004
22.01.2020 15:01:33	1	1	1	1	72.5	60	0	27061.611	159.1397849	4364.688935	30000	0	0	30000	39.6875	2004
22.01.2020 15:01:34	1	1	1	1	72.5	59.5	0	27109.005	163.4408602	4430.734107	30000	0	0	30000	40.375	2004
22.01.2020 15:01:35	1	1	1	1	72.5	60.25	0	27109.005	163.4408602	4372.027288	30000	0	0	30000	40.625	2004
22.01.2020 15:01:36	1	1	1	1	72.5	60.5	0	27109.005	163.4408602	4637.838719	30000	0	0	30000	40.5625	2004
22.01.2020 15:01:44	1	1	1	1	72.75	59.5	0	27109.005	163.4408602	4461.718262	30000	0	0	30000	40.3125	2004
22.01.2020 15:01:44	1	1	1	1	72.75	59.5	0	27109.005	163.4408602	4461.718262	30000	0	0	30000	40.3125	2004
22.01.2020 15:01:44	1	1	1	1	72.75	59.5	0	27109.005	163.4408602	4461.718262	30000	0	0	30000	40.3125	2004
22.01.2020 15:01:44	1	1	1	1	72.75	59.5	0	27109.005	163.4408602	4461.718262	30000	0	0	30000	40.3125	2004
22.01.2020 15:01:44	1	1	1	1	72.75	59.5	0	27109.005	163.4408602	4461.718262	30000	0	0	30000	40.3125	2004
22.01.2020 15:01:44	1	1	1	1	72.75	59.5	0	27109.005	163.4408602	4461.718262	30000	0	0	30000	40.3125	2004
22.01.2020 15:01:44	1	1	1	1	72.75	59.5	0	27109.005	163.4408602	4461.718262	30000	0	0	30000	40.3125	2004
22.01.2020 15:01:44	1	1	1	1	72.75	60.25	0	27156.398	163.4408602	4438.072459	30000	0	0	30000	40.1875	2004
22.01.2020 15:01:45	1	1	1	1	72.75	60	0	27109.005	163.4408602	4438.072459	30000	0	0	30000	40.25	2004
22.01.2020 15:01:47	1	1	1	1	72.75	60.25	0	27156.398	163.4408602	4438.072459	30000	0	0	30000	39.75	2004
22.01.2020 15:01:48	1	1	1	1	72.5	59.75	0	27109.005	152.688172	4520.425081	30000	0	0	30000	40.1875	2004
22.01.2020 15:01:49	1	1	1	1	72.5	60	0	27109.005	163.4408602	4438.072459	30000	0	0	30000	40.3125	2004
22.01.2020 15:01:50	1	1	1	1	72.5	60.25	0	27156.398	165.5913978	4438.072459	30000	0	0	30000	40	2004
22.01.2020 15:01:51	1	1	1	1	72.5	60	0	27156.398	169.8924731	4613.377545	30000	0	0	30000	40.375	2004
22.01.2020 15:01:52	1	1	1	1	72.5	60.25	0	27109.005	169.8924731	4788.68263	30000	0	0	30000	39.875	2004
22.01.2020 15:01:53	1	1	1	1	72.5	59.75	0	27109.005	178.4946237	4846.574077	30000	0	0	30000	40.1875	2004
22.01.2020 15:01:54	1	1	1	1	72.5	60	0	27109.005	178.4946237	4838.420352	30000	0	0	30000	40.375	2004
22.01.2020 15:01:55	1	1	1	1	72.5	60.25	0	27156.398	182.7956989	4838.420352	30000	0	0	30000	40.25	2004
22.01.2020 15:01:56	1	1	1	1	72.5	60.25	0	27109.005	182.7956989	4838.420352	30000	0	0	30000	40.3125	2004
22.01.2020 15:01:57	1	1	1	1	72.5	60.25	0	27156.398	189.2473118	5080.585981	30000	0	0	30000	40.25	2004
22.01.2020 15:01:58	1	1	1	1	73	60.25	0	27109.005	189.2473118	5130.323703	30000	0	0	30000	40.25	2004
22.01.2020 15:01:59	1	1	1	1	73	60.25	0	27156.398	189.2473118	5139.2928	30000	0	0	30000	40.3125	2004
22.01.2020 15:02:00	1	1	1	1	73	60.25	0	27156.398	189.2473118	5130.323703	30000	0	0	30000	40.25	2004
22.01.2020 15:02:01	1	1	1	1	73	60.25	0	27298.578	189.2473118	5139.2928	30000	0	0	30000	39.5	2004
22.01.2020 15:02:02	1	1	1	1	73	59.5	0	27156.398	189.2473118	5139.2928	30000	0	0	30000	40.1875	2004
22.01.2020 15:02:03	1	1	1	1	73	60	0	27109.005	182.7956989	5021.879162	30000	0	0	30000	40.3125	2004
22.01.2020 15:02:04	1	1	1	1	73	60.25	0	27109.005	184.9462366	4955.018618	30000	0	0	30000	40.1875	2004
22.01.2020 15:02:05	1	1	1	1	73	60	0	27156.398	189.2473118	5139.2928	30000	0	0	30000	40.3125	2004
22.01.2020 15:02:06	1	1	1	1	73	60.25	0	27156.398	191.3978495	5255.891066	30000	0	0	30000	40.25	2004
22.01.2020 15:02:07	1	1	1	1	73	60.25	0	27109.005	206.4516129	5304.813416	30000	0	0	30000	40.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 15:02:08	1	1	1	1	73	60	0	27109.005	206.4516129	5596.716767	30000	0	0	30000	40.3125	2004
22.01.2020 15:02:09	1	1	1	1	73	60.25	0	27109.005	206.4516129	5596.716767	30000	0	0	30000	40.3125	2004
22.01.2020 15:02:10	1	1	1	1	73	60.25	0	27109.005	206.4516129	5635.854646	30000	0	0	30000	40.25	2004
22.01.2020 15:02:11	1	1	1	1	73	60.25	0	27109.005	206.4516129	5596.716767	30000	0	0	30000	40.1875	2004
22.01.2020 15:02:12	1	1	1	1	73	60	0	27298.578	206.4516129	5606.501237	30000	0	0	30000	40.1875	2004
22.01.2020 15:02:13	1	1	1	1	73	60	0	27109.005	206.4516129	5596.716767	30000	0	0	30000	40.625	2004
22.01.2020 15:02:14	1	1	1	1	73	60.5	0	27109.005	206.4516129	5596.716767	30000	0	0	30000	40.5	2004
22.01.2020 15:02:15	1	1	1	1	73	60.5	0	27156.398	206.4516129	5606.501237	30000	0	0	30000	40.125	2004
22.01.2020 15:02:16	1	1	1	1	73	60	0	27109.005	206.4516129	5606.501237	30000	0	0	30000	40.625	2004
22.01.2020 15:02:17	1	1	1	1	73.25	60.25	0	27109.005	206.4516129	5606.501237	30000	0	0	30000	40.3125	2004
22.01.2020 15:02:18	1	1	1	1	73.25	60.25	0	27109.005	206.4516129	5606.501237	30000	0	0	30000	40.3125	2004
22.01.2020 15:02:19	1	1	1	1	73.25	60.25	0	27109.005	193.5483871	5635.854646	30000	0	0	30000	39.8125	2004
22.01.2020 15:02:20	1	1	1	1	73.25	59.75	0	27156.398	195.6989247	5313.782513	30000	0	0	30000	40.25	2004
22.01.2020 15:02:21	1	1	1	1	73.25	60.25	0	27156.398	193.5483871	5255.891066	30000	0	0	30000	40.125	2004
22.01.2020 15:02:22	1	1	1	1	73.25	60	0	27109.005	195.6989247	5401.027369	30000	0	0	30000	40.3125	2004
22.01.2020 15:02:23	1	1	1	1	73.25	60.25	0	27109.005	206.4516129	5606.501237	30000	0	0	30000	40.25	2004
22.01.2020 15:02:25	1	1	1	1	73.25	60.25	0	27156.398	191.3978495	5224.906912	30000	0	0	30000	40.25	2004
22.01.2020 15:02:26	1	1	1	1	73.25	60.25	0	27109.005	189.2473118	5130.323703	30000	0	0	30000	40.1875	2004
22.01.2020 15:02:27	1	1	1	1	73.25	60	0	27109.005	184.9462366	4838.420352	30000	0	0	30000	40.25	2004
22.01.2020 15:02:28	1	1	1	1	73.25	60.25	0	27156.398	180.6451613	4905.280896	30000	0	0	30000	40.25	2004
22.01.2020 15:02:29	1	1	1	1	73.25	60.25	0	27109.005	178.4946237	4846.574077	30000	0	0	30000	40.0625	2004
22.01.2020 15:02:30	1	1	1	1	73.25	60	0	27109.005	169.8924731	5048.786454	30000	0	0	30000	40.25	2004
22.01.2020 15:02:31	1	1	1	1	73.25	60.25	0	27298.578	178.4946237	4872.665996	30000	0	0	30000	40.3125	2004
22.01.2020 15:02:32	1	1	1	1	73.25	60.25	0	27156.398	180.6451613	4846.574077	30000	0	0	30000	40.3125	2004
22.01.2020 15:02:33	1	1	1	1	73.25	60.25	0	27156.398	182.7956989	4963.987715	30000	0	0	30000	40.25	2004
22.01.2020 15:02:34	1	1	1	1	73.25	60.25	0	27109.005	189.2473118	5130.323703	30000	0	0	30000	39.125	2004
22.01.2020 15:02:35	1	1	1	1	73.25	59	0	27298.578	189.2473118	5166.200092	30000	0	0	30000	40.3125	2004
22.01.2020 15:02:36	1	1	1	1	73.25	60.25	0	27298.578	193.5483871	5224.906912	30000	0	0	30000	40.3125	2004
22.01.2020 15:02:37	1	1	1	1	73.25	60.25	0	27298.578	195.6989247	5342.32055	30000	0	0	30000	40.3125	2004
22.01.2020 15:02:38	1	1	1	1	72.75	60.25	0	27156.398	206.4516129	5635.854646	30000	0	0	30000	40.25	2004
22.01.2020 15:02:45	1	1	1	1	72.75	60.25	0	27298.578	206.4516129	5596.716767	30000	0	0	30000	40.3125	2004
22.01.2020 15:02:45	1	1	1	1	72.75	60.25	0	27298.578	206.4516129	5596.716767	30000	0	0	30000	40.3125	2004
22.01.2020 15:02:45	1	1	1	1	72.75	60.25	0	27298.578	206.4516129	5596.716767	30000	0	0	30000	40.3125	2004
22.01.2020 15:02:45	1	1	1	1	72.75	60.25	0	27298.578	206.4516129	5596.716767	30000	0	0	30000	40.3125	2004
22.01.2020 15:02:45	1	1	1	1	72.75	60.25	0	27298.578	206.4516129	5596.716767	30000	0	0	30000	40.3125	2004
22.01.2020 15:02:45	1	1	1	1	72.75	60.25	0	27298.578	206.4516129	5596.716767	30000	0	0	30000	40.3125	2004
22.01.2020 15:02:46	1	1	1	1	72.75	60.25	0	27156.398	206.4516129	5635.854646	30000	0	0	30000	40.25	2004
22.01.2020 15:02:47	1	1	1	1	72.75	60.25	0	27156.398	206.4516129	5753.268285	30000	0	0	30000	40.375	2004
22.01.2020 15:02:48	1	1	1	1	72.75	60.25	0	27156.398	206.4516129	5596.716767	30000	0	0	30000	40.25	2004
22.01.2020 15:02:49	1	1	1	1	72.75	60.25	0	27156.398	206.4516129	5635.854646	30000	0	0	30000	40.4375	2004
22.01.2020 15:02:50	1	1	1	1	72.75	60.25	0	27156.398	206.4516129	5635.854646	30000	0	0	30000	40.375	2004
22.01.2020 15:02:51	1	1	1	1	72.75	60.25	0	27298.578	206.4516129	5606.501237	30000	0	0	30000	40.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 15:02:52	1	1	1	1	72.75	60.25	0	27156.398	206.4516129	5694.561465	30000	0	0	30000	39.9375	2004
22.01.2020 15:02:53	1	1	1	1	72.75	59.75	0	27156.398	206.4516129	5635.854646	30000	0	0	30000	40.5	2004
22.01.2020 15:02:54	1	1	1	1	72.75	60.5	0	27109.005	206.4516129	5635.854646	30000	0	0	30000	40.25	2004
22.01.2020 15:02:55	1	1	1	1	72.75	60.25	0	27298.578	206.4516129	5635.854646	30000	0	0	30000	40.6875	2004
22.01.2020 15:02:56	1	1	1	1	72.75	60.5	0	27298.578	206.4516129	5635.854646	30000	0	0	30000	39.5625	2004
22.01.2020 15:02:57	1	1	1	1	72.75	59.5	0	27156.398	206.4516129	5635.854646	30000	0	0	30000	40.3125	2004
22.01.2020 15:02:58	1	1	1	1	72.75	60.5	0	27298.578	206.4516129	5635.854646	30000	0	0	30000	40.3125	2004
22.01.2020 15:02:59	1	1	1	1	72.75	60.25	0	27156.398	206.4516129	5635.854646	30000	0	0	30000	40.1875	2004
22.01.2020 15:03:00	1	1	1	1	72.75	60	0	27298.578	208.6021505	5694.561465	30000	0	0	30000	40.0625	2004
22.01.2020 15:03:01	1	1	1	1	72.75	60	0	27298.578	210.7526882	5753.268285	30000	0	0	30000	40.3125	2004
22.01.2020 15:03:02	1	1	1	1	72.75	60.25	0	27298.578	206.4516129	5635.854646	30000	0	0	30000	40.4375	2004
22.01.2020 15:03:03	1	1	1	1	72.75	60.25	0	27298.578	206.4516129	5635.854646	30000	0	0	30000	40.0625	2004
22.01.2020 15:03:05	1	1	1	1	72.75	60	0	27298.578	208.6021505	5635.854646	30000	0	0	30000	39.6875	2004
22.01.2020 15:03:06	1	1	1	1	72.75	59.5	0	27298.578	206.4516129	5635.854646	30000	0	0	30000	39.75	2004
22.01.2020 15:03:07	1	1	1	1	72.75	59.75	0	27298.578	206.4516129	5635.854646	30000	0	0	30000	39.75	2004
22.01.2020 15:03:08	1	1	1	1	72.25	59.75	0	27298.578	206.4516129	5635.854646	30000	0	0	30000	40.1875	2004
22.01.2020 15:03:09	1	1	1	1	72.25	60	0	27298.578	206.4516129	5635.854646	30000	0	0	30000	40.0625	2004
22.01.2020 15:03:10	1	1	1	1	72.25	60	0	27298.578	215.0537634	5929.388742	30000	0	0	30000	40.3125	2004
22.01.2020 15:03:11	1	1	1	1	72.25	60.25	0	27298.578	212.9032258	5811.975104	30000	0	0	30000	40.0625	2004
22.01.2020 15:03:12	1	1	1	1	72.25	60	0	27298.578	212.9032258	5811.975104	30000	0	0	30000	40.3125	2004
22.01.2020 15:03:13	1	1	1	1	72.25	60.25	0	27298.578	210.7526882	5753.268285	30000	0	0	30000	40.3125	2004
22.01.2020 15:03:14	1	1	1	1	72.25	60.25	0	27298.578	195.6989247	5342.32055	30000	0	0	30000	40.1875	2004
22.01.2020 15:03:15	1	1	1	1	72.25	60	0	27298.578	189.2473118	5166.200092	30000	0	0	30000	40.25	2004
22.01.2020 15:03:16	1	1	1	1	72.25	60.25	0	27298.578	189.2473118	5048.786454	30000	0	0	30000	40.25	2004
22.01.2020 15:03:17	1	1	1	1	72.25	60.25	0	27298.578	184.9462366	5048.786454	30000	0	0	30000	40.25	2004
22.01.2020 15:03:18	1	1	1	1	72.5	60.25	0	27298.578	180.6451613	4931.372815	30000	0	0	30000	40.1875	2004
22.01.2020 15:03:19	1	1	1	1	72.5	60	0	27298.578	169.8924731	4637.838719	30000	0	0	30000	39.5625	2004
22.01.2020 15:03:20	1	1	1	1	72.5	59.5	0	27298.578	167.7419355	4637.838719	30000	0	0	30000	39.0625	2004
22.01.2020 15:03:21	1	1	1	1	72.5	59	0	27298.578	169.8924731	4637.838719	30000	0	0	30000	39.9375	2004
22.01.2020 15:03:22	1	1	1	1	72.5	59.75	0	27298.578	178.4946237	4872.665996	30000	0	0	30000	40.25	2004
22.01.2020 15:03:23	1	1	1	1	72.5	60.25	0	27298.578	178.4946237	4931.372815	30000	0	0	30000	40.1875	2004
22.01.2020 15:03:24	1	1	1	1	72.5	60	0	27298.578	178.4946237	4872.665996	30000	0	0	30000	40.1875	2004
22.01.2020 15:03:25	1	1	1	1	72.5	60	0	27345.972	178.4946237	4880.819721	30000	0	0	30000	39.9375	2004
22.01.2020 15:03:26	1	1	1	1	72.5	59.75	0	27345.972	178.4946237	4880.819721	30000	0	0	30000	39.75	2004
22.01.2020 15:03:27	1	1	1	1	72.5	59.75	0	27345.972	169.8924731	4645.177072	30000	0	0	30000	40.1875	2004
22.01.2020 15:03:28	1	1	1	1	72.25	60	0	27345.972	169.8924731	4645.177072	30000	0	0	30000	40.125	2004
22.01.2020 15:03:29	1	1	1	1	72.25	60	0	27345.972	176.344086	4763.406083	30000	0	0	30000	40.25	2004
22.01.2020 15:03:30	1	1	1	1	72.25	60.25	0	27345.972	184.9462366	5056.940179	30000	0	0	30000	40.3125	2004
22.01.2020 15:03:31	1	1	1	1	72.25	60.25	0	27440.758	191.3978495	5175.16919	30000	0	0	30000	40.125	2004
22.01.2020 15:03:32	1	1	1	1	72.25	60	0	27298.578	191.3978495	5233.876009	30000	0	0	30000	40.375	2004
22.01.2020 15:03:33	1	1	1	1	72.25	60.25	0	27345.972	195.6989247	5351.289647	30000	0	0	30000	40.5	2004
22.01.2020 15:03:34	1	1	1	1	72.25	60.5	0	27298.578	206.4516129	5645.639116	30000	0	0	30000	40.25	2004
22.01.2020 15:03:35	1	1	1	1	72.25	60.25	0	27345.972	206.4516129	5645.639116	30000	0	0	30000	40.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 15:03:36	1	1	1	1	72.25	60.25	0	27345.972	206.4516129	5645.639116	30000	0	0	30000	40.25	2004
22.01.2020 15:03:37	1	1	1	1	72.5	60.25	0	27345.972	206.4516129	5645.639116	30000	0	0	30000	40.25	2004
22.01.2020 15:03:38	1	1	1	1	72.5	60.25	0	27345.972	206.4516129	5645.639116	30000	0	0	30000	40.0625	2004
22.01.2020 15:03:39	1	1	1	1	72.5	60	0	27345.972	206.4516129	5645.639116	30000	0	0	30000	40.125	2004
22.01.2020 15:03:47	1	1	1	1	72.5	59.5	0	27345.972	206.4516129	5645.639116	30000	0	0	30000	40.25	2004
22.01.2020 15:03:47	1	1	1	1	72.5	59.5	0	27345.972	206.4516129	5645.639116	30000	0	0	30000	40.25	2004
22.01.2020 15:03:47	1	1	1	1	72.5	59.5	0	27345.972	206.4516129	5645.639116	30000	0	0	30000	40.25	2004
22.01.2020 15:03:47	1	1	1	1	72.5	59.5	0	27345.972	206.4516129	5645.639116	30000	0	0	30000	40.25	2004
22.01.2020 15:03:47	1	1	1	1	72.5	59.5	0	27345.972	206.4516129	5645.639116	30000	0	0	30000	40.25	2004
22.01.2020 15:03:47	1	1	1	1	72.5	59.5	0	27345.972	206.4516129	5645.639116	30000	0	0	30000	40.25	2004
22.01.2020 15:03:47	1	1	1	1	72.5	59.5	0	27345.972	206.4516129	5645.639116	30000	0	0	30000	40.25	2004
22.01.2020 15:03:48	1	1	1	1	72.75	60.25	0	27345.972	206.4516129	5645.639116	30000	0	0	30000	40.25	2004
22.01.2020 15:03:49	1	1	1	1	72.75	60.25	0	27345.972	206.4516129	5645.639116	30000	0	0	30000	39.8125	2004
22.01.2020 15:03:50	1	1	1	1	72.75	59.75	0	27440.758	206.4516129	5645.639116	30000	0	0	30000	40	2004
22.01.2020 15:03:51	1	1	1	1	72.75	60	0	27345.972	206.4516129	5665.208056	30000	0	0	30000	39.125	2004
22.01.2020 15:03:52	1	1	1	1	72.75	59	0	27440.758	206.4516129	5665.208056	30000	0	0	30000	40.375	2004
22.01.2020 15:03:53	1	1	1	1	72.75	60.25	0	27345.972	206.4516129	5645.639116	30000	0	0	30000	39.75	2004
22.01.2020 15:03:54	1	1	1	1	72.75	59.75	0	27345.972	195.6989247	5645.639116	30000	0	0	30000	40.3125	2004
22.01.2020 15:03:55	1	1	1	1	72.75	60.25	0	27345.972	206.4516129	5645.639116	30000	0	0	30000	40.25	2004
22.01.2020 15:03:56	1	1	1	1	72.75	60.25	0	27440.758	206.4516129	5665.208056	30000	0	0	30000	40.3125	2004
22.01.2020 15:03:57	1	1	1	1	72.75	60.25	0	27345.972	206.4516129	5645.639116	30000	0	0	30000	40.3125	2004
22.01.2020 15:03:58	1	1	1	1	72.75	60.25	0	27393.365	206.4516129	5655.423586	30000	0	0	30000	40	2004
22.01.2020 15:03:59	1	1	1	1	72.75	60	0	27440.758	206.4516129	5665.208056	30000	0	0	30000	40.125	2004
22.01.2020 15:04:00	1	1	1	1	72.75	60	0	27393.365	208.6021505	5723.914875	30000	0	0	30000	40.1875	2004
22.01.2020 15:04:01	1	1	1	1	72.75	60	0	27440.758	208.6021505	5704.345935	30000	0	0	30000	40.1875	2004
22.01.2020 15:04:02	1	1	1	1	72.75	60	0	27345.972	212.9032258	5831.544044	30000	0	0	30000	40.3125	2004
22.01.2020 15:04:03	1	1	1	1	72.75	60.25	0	27345.972	212.9032258	5939.173212	30000	0	0	30000	40.375	2004
22.01.2020 15:04:04	1	1	1	1	72.75	60.25	0	27440.758	219.3548387	6077.786535	30000	0	0	30000	40.25	2004
22.01.2020 15:04:05	1	1	1	1	72.75	60.25	0	27345.972	221.5053763	6056.586851	30000	0	0	30000	40.25	2004
22.01.2020 15:04:06	1	1	1	1	72.75	60.25	0	27345.972	230.1075269	6292.2295	30000	0	0	30000	40.125	2004
22.01.2020 15:04:07	1	1	1	1	72.75	60	0	27440.758	232.2580645	6314.244557	30000	0	0	30000	40.3125	2004
22.01.2020 15:04:08	1	1	1	1	72.75	60.25	0	27345.972	230.1075269	6292.2295	30000	0	0	30000	40.25	2004
22.01.2020 15:04:09	1	1	1	1	72.75	60.25	0	27440.758	234.4086022	6431.658196	30000	0	0	30000	40.1875	2004
22.01.2020 15:04:10	1	1	1	1	72.75	60	0	27393.365	234.4086022	6409.643139	30000	0	0	30000	40.25	2004
22.01.2020 15:04:11	1	1	1	1	72.75	60.25	0	27345.972	232.2580645	6350.936319	30000	0	0	30000	40.5	2004
22.01.2020 15:04:12	1	1	1	1	72.75	60.5	0	27345.972	232.2580645	6431.658196	30000	0	0	30000	40.125	2004
22.01.2020 15:04:13	1	1	1	1	72.75	60	0	27345.972	232.2580645	6350.936319	30000	0	0	30000	40.5	2004
22.01.2020 15:04:14	1	1	1	1	72.75	60.5	0	27440.758	227.9569892	6174.815862	30000	0	0	30000	39.875	2004
22.01.2020 15:04:15	1	1	1	1	72.75	59.75	0	27345.972	221.5053763	6056.586851	30000	0	0	30000	40.3125	2004
22.01.2020 15:04:16	1	1	1	1	72.75	60.25	0	27440.758	217.2043011	5959.557525	30000	0	0	30000	40.375	2004
22.01.2020 15:04:17	1	1	1	1	73	60.25	0	27440.758	219.3548387	5959.557525	30000	0	0	30000	40.125	2004
22.01.2020 15:04:18	1	1	1	1	73	60	0	27440.758	212.9032258	5821.759574	30000	0	0	30000	39.875	2004
22.01.2020 15:04:19	1	1	1	1	73	59.75	0	27440.758	212.9032258	5842.143886	30000	0	0	30000	40.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 15:04:20	1	1	1	1	73	60.25	0	27440.758	208.6021505	5723.914875	30000	0	0	30000	40.25	2004
22.01.2020 15:04:22	1	1	1	1	73	60.25	0	27440.758	206.4516129	5665.208056	30000	0	0	30000	40.125	2004
22.01.2020 15:04:23	1	1	1	1	73	60	0	27440.758	206.4516129	5665.208056	30000	0	0	30000	40.1875	2004
22.01.2020 15:04:24	1	1	1	1	73	60	0	27440.758	206.4516129	5665.208056	30000	0	0	30000	40.3125	2004
22.01.2020 15:04:25	1	1	1	1	73	60.25	0	27440.758	206.4516129	5665.208056	30000	0	0	30000	40.1875	2004
22.01.2020 15:04:26	1	1	1	1	73	60	0	27440.758	206.4516129	5665.208056	30000	0	0	30000	40.125	2004
22.01.2020 15:04:27	1	1	1	1	73	60	0	27440.758	191.3978495	5310.521023	30000	0	0	30000	39.5625	2004
22.01.2020 15:04:28	1	1	1	1	72.75	59.5	0	27440.758	184.9462366	5074.878374	30000	0	0	30000	40	2004
22.01.2020 15:04:29	1	1	1	1	72.75	60	0	27440.758	169.8924731	4897.942543	30000	0	0	30000	40.125	2004
22.01.2020 15:04:30	1	1	1	1	72.75	60	0	27440.758	169.8924731	4661.484522	30000	0	0	30000	40.1875	2004
22.01.2020 15:04:31	1	1	1	1	72.75	60	0	27440.758	169.8924731	4661.484522	30000	0	0	30000	40	2004
22.01.2020 15:04:32	1	1	1	1	72.75	60	0	27440.758	169.8924731	4661.484522	30000	0	0	30000	40.125	2004
22.01.2020 15:04:33	1	1	1	1	72.75	60	0	27440.758	163.4408602	4602.777702	30000	0	0	30000	40.25	2004
22.01.2020 15:04:34	1	1	1	1	72.75	60.25	0	27440.758	163.4408602	4484.548691	30000	0	0	30000	40.0625	2004
22.01.2020 15:04:35	1	1	1	1	72.75	60	0	27440.758	163.4408602	4425.841872	30000	0	0	30000	40.25	2004
22.01.2020 15:04:36	1	1	1	1	72.75	60.25	0	27440.758	156.9892473	4366.31968	30000	0	0	30000	40.1875	2004
22.01.2020 15:04:37	1	1	1	1	72.75	60	0	27440.758	159.1397849	4484.548691	30000	0	0	30000	40.1875	2004
22.01.2020 15:04:38	1	1	1	1	72.75	60	0	27440.758	152.688172	4189.38385	30000	0	0	30000	40	2004
22.01.2020 15:04:39	1	1	1	1	72.75	60	0	27440.758	152.688172	4189.38385	30000	0	0	30000	40.25	2004
22.01.2020 15:04:40	1	1	1	1	72.75	60.25	0	27440.758	152.688172	4189.38385	30000	0	0	30000	40.0625	2004
22.01.2020 15:04:41	1	1	1	1	72.75	60	0	27440.758	152.688172	4189.38385	30000	0	0	30000	40.125	2004
22.01.2020 15:04:49	1	1	1	1	73	59.75	0	27535.545	150.5376344	4204.060555	30000	0	0	30000	40.25	2004
22.01.2020 15:04:49	1	1	1	1	73	59.75	0	27535.545	150.5376344	4204.060555	30000	0	0	30000	40.25	2004
22.01.2020 15:04:49	1	1	1	1	73	59.75	0	27535.545	150.5376344	4204.060555	30000	0	0	30000	40.25	2004
22.01.2020 15:04:49	1	1	1	1	73	59.75	0	27535.545	150.5376344	4204.060555	30000	0	0	30000	40.25	2004
22.01.2020 15:04:49	1	1	1	1	73	59.75	0	27535.545	150.5376344	4204.060555	30000	0	0	30000	40.25	2004
22.01.2020 15:04:49	1	1	1	1	73	59.75	0	27535.545	150.5376344	4204.060555	30000	0	0	30000	40.25	2004
22.01.2020 15:04:49	1	1	1	1	73	60.25	0	27535.545	152.688172	4189.38385	30000	0	0	30000	40.5	2004
22.01.2020 15:04:50	1	1	1	1	73	60.5	0	27440.758	152.688172	4189.38385	30000	0	0	30000	40.1875	2004
22.01.2020 15:04:51	1	1	1	1	73	60	0	27535.545	152.688172	4204.060555	30000	0	0	30000	40.4375	2004
22.01.2020 15:04:52	1	1	1	1	73	60.25	0	27535.545	161.2903226	4566.901313	30000	0	0	30000	40.625	2004
22.01.2020 15:04:53	1	1	1	1	73	60.25	0	27582.938	163.4408602	4500.040769	30000	0	0	30000	40.25	2004
22.01.2020 15:04:54	1	1	1	1	73	60.25	0	27535.545	169.8924731	4685.945696	30000	0	0	30000	40.25	2004
22.01.2020 15:04:55	1	1	1	1	73	60.25	0	27535.545	169.8924731	4484.548691	30000	0	0	30000	40.375	2004
22.01.2020 15:04:56	1	1	1	1	73	60.25	0	27440.758	169.8924731	4661.484522	30000	0	0	30000	40.3125	2004
22.01.2020 15:04:57	1	1	1	1	73.25	60.25	0	27440.758	178.4946237	4897.942543	30000	0	0	30000	40.3125	2004
22.01.2020 15:04:58	1	1	1	1	73.25	60.25	0	27440.758	184.9462366	5074.878374	30000	0	0	30000	39.625	2004
22.01.2020 15:05:00	1	1	1	1	73.25	59.5	0	27535.545	189.2473118	5269.752399	30000	0	0	30000	40.375	2004
22.01.2020 15:05:01	1	1	1	1	73.25	60.25	0	27535.545	191.3978495	5278.721496	30000	0	0	30000	40	2004
22.01.2020 15:05:02	1	1	1	1	73.25	60	0	27535.545	195.6989247	5370.043215	30000	0	0	30000	40.25	2004
22.01.2020 15:05:03	1	1	1	1	73.25	60.25	0	27535.545	206.4516129	5694.561465	30000	0	0	30000	40.25	2004
22.01.2020 15:05:04	1	1	1	1	73.25	60.25	0	27488.152	206.4516129	5665.208056	30000	0	0	30000	40.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 15:05:05	1	1	1	1	73.25	60	0	27535.545	206.4516129	5665.208056	30000	0	0	30000	40.25	2004
22.01.2020 15:05:06	1	1	1	1	73.25	60.25	0	27582.938	195.6989247	5251.814204	30000	0	0	30000	40.125	2004
22.01.2020 15:05:07	1	1	1	1	73.25	60	0	27440.758	193.5483871	5397.765879	30000	0	0	30000	40.25	2004
22.01.2020 15:05:08	1	1	1	1	73	60.25	0	27535.545	195.6989247	5370.043215	30000	0	0	30000	40.0625	2004
22.01.2020 15:05:09	1	1	1	1	73	60	0	27582.938	206.4516129	5251.814204	30000	0	0	30000	40.375	2004
22.01.2020 15:05:10	1	1	1	1	73	60.25	0	27440.758	206.4516129	5251.814204	30000	0	0	30000	40.3125	2004
22.01.2020 15:05:11	1	1	1	1	73	60.25	0	27582.938	206.4516129	5665.208056	30000	0	0	30000	40.3125	2004
22.01.2020 15:05:12	1	1	1	1	73	60.25	0	27582.938	206.4516129	5694.561465	30000	0	0	30000	40.25	2004
22.01.2020 15:05:13	1	1	1	1	73	60.25	0	27582.938	206.4516129	5665.208056	30000	0	0	30000	40.1875	2004
22.01.2020 15:05:14	1	1	1	1	73	60	0	27582.938	206.4516129	5694.561465	30000	0	0	30000	40.125	2004
22.01.2020 15:05:15	1	1	1	1	73	60	0	27440.758	206.4516129	5665.208056	30000	0	0	30000	40.125	2004
22.01.2020 15:05:16	1	1	1	1	73	60	0	27535.545	206.4516129	5684.776996	30000	0	0	30000	39.6875	2004
22.01.2020 15:05:17	1	1	1	1	73	59.5	0	27582.938	206.4516129	5694.561465	30000	0	0	30000	40.25	2004
22.01.2020 15:05:18	1	1	1	1	73	60.25	0	27440.758	206.4516129	5665.208056	30000	0	0	30000	40.25	2004
22.01.2020 15:05:19	1	1	1	1	73	60.25	0	27582.938	206.4516129	5694.561465	30000	0	0	30000	40.3125	2004
22.01.2020 15:05:20	1	1	1	1	73	60.25	0	27535.545	206.4516129	5684.776996	30000	0	0	30000	40.1875	2004
22.01.2020 15:05:21	1	1	1	1	73	60	0	27440.758	206.4516129	5694.561465	30000	0	0	30000	40.4375	2004
22.01.2020 15:05:22	1	1	1	1	73	60.25	0	27582.938	206.4516129	5694.561465	30000	0	0	30000	40.3125	2004
22.01.2020 15:05:23	1	1	1	1	73	60.25	0	27535.545	206.4516129	5694.561465	30000	0	0	30000	40.4375	2004
22.01.2020 15:05:24	1	1	1	1	73	60.25	0	27535.545	206.4516129	5665.208056	30000	0	0	30000	40.3125	2004
22.01.2020 15:05:25	1	1	1	1	73	60.25	0	27582.938	206.4516129	5694.561465	30000	0	0	30000	40.1875	2004
22.01.2020 15:05:26	1	1	1	1	73	60	0	27582.938	206.4516129	5694.561465	30000	0	0	30000	39	2004
22.01.2020 15:05:27	1	1	1	1	73	59	0	27535.545	206.4516129	5665.208056	30000	0	0	30000	40.375	2004
22.01.2020 15:05:28	1	1	1	1	73.25	60.25	0	27440.758	206.4516129	5694.561465	30000	0	0	30000	40.3125	2004
22.01.2020 15:05:29	1	1	1	1	73.25	60.25	0	27582.938	206.4516129	5694.561465	30000	0	0	30000	40.4375	2004
22.01.2020 15:05:30	1	1	1	1	73.25	60.25	0	27535.545	206.4516129	5684.776996	30000	0	0	30000	40.5	2004
22.01.2020 15:05:31	1	1	1	1	73.25	60	0	27535.545	206.4516129	5684.776996	30000	0	0	30000	40.3125	2004
22.01.2020 15:05:32	1	1	1	1	73.25	60.25	0	27582.938	206.4516129	5694.561465	30000	0	0	30000	40.1875	2004
22.01.2020 15:05:33	1	1	1	1	73.25	60	0	27582.938	206.4516129	5694.561465	30000	0	0	30000	40.3125	2004
22.01.2020 15:05:34	1	1	1	1	73.25	60.25	0	27582.938	206.4516129	5694.561465	30000	0	0	30000	39.9375	2004
22.01.2020 15:05:35	1	1	1	1	73.25	59.75	0	27582.938	206.4516129	5704.345935	30000	0	0	30000	40.25	2004
22.01.2020 15:05:36	1	1	1	1	73.25	60.25	0	27630.332	206.4516129	5694.561465	30000	0	0	30000	39.6875	2004
22.01.2020 15:05:38	1	1	1	1	72.75	59.5	0	27582.938	206.4516129	5387.98141	30000	0	0	30000	40.125	2004
22.01.2020 15:05:39	1	1	1	1	72.75	60	0	27582.938	206.4516129	5704.345935	30000	0	0	30000	39.9375	2004
22.01.2020 15:05:40	1	1	1	1	72.75	59.75	0	27582.938	206.4516129	5684.776996	30000	0	0	30000	40.125	2004
22.01.2020 15:05:41	1	1	1	1	72.75	60	0	27535.545	206.4516129	5694.561465	30000	0	0	30000	40.0625	2004
22.01.2020 15:05:42	1	1	1	1	72.75	60	0	27630.332	206.4516129	5694.561465	30000	0	0	30000	40.25	2004
22.01.2020 15:05:43	1	1	1	1	72.75	60.25	0	27582.938	206.4516129	5694.561465	30000	0	0	30000	39.5625	2004
22.01.2020 15:05:50	1	1	1	1	72.75	60.25	0	27582.938	206.4516129	5694.561465	30000	0	0	30000	39.8125	2004
22.01.2020 15:05:50	1	1	1	1	72.75	60.25	0	27582.938	206.4516129	5694.561465	30000	0	0	30000	39.8125	2004
22.01.2020 15:05:50	1	1	1	1	72.75	60.25	0	27582.938	206.4516129	5694.561465	30000	0	0	30000	39.8125	2004
22.01.2020 15:05:50	1	1	1	1	72.75	60.25	0	27582.938	206.4516129	5694.561465	30000	0	0	30000	39.8125	2004
22.01.2020 15:05:50	1	1	1	1	72.75	60.25	0	27582.938	206.4516129	5694.561465	30000	0	0	30000	39.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 15:05:50	1	1	1	1	72.75	60.25	0	27582.938	206.4516129	5694.561465	30000	0	0	30000	39.8125	2004
22.01.2020 15:05:50	1	1	1	1	72.75	60.25	0	27582.938	206.4516129	5694.561465	30000	0	0	30000	39.8125	2004
22.01.2020 15:05:51	1	1	1	1	72.75	59.75	0	27535.545	193.5483871	5704.345935	30000	0	0	30000	40	2004
22.01.2020 15:05:52	1	1	1	1	72.75	60	0	27582.938	206.4516129	5694.561465	30000	0	0	30000	40.4375	2004
22.01.2020 15:05:53	1	1	1	1	72.75	60.25	0	27582.938	206.4516129	5694.561465	30000	0	0	30000	40.1875	2004
22.01.2020 15:05:54	1	1	1	1	72.75	60	0	27582.938	206.4516129	5694.561465	30000	0	0	30000	40.1875	2004
22.01.2020 15:05:55	1	1	1	1	72.75	60	0	27582.938	206.4516129	5694.561465	30000	0	0	30000	40.0625	2004
22.01.2020 15:05:56	1	1	1	1	72.75	60	0	27582.938	206.4516129	5694.561465	30000	0	0	30000	40.25	2004
22.01.2020 15:05:57	1	1	1	1	72.75	60.25	0	27582.938	206.4516129	5694.561465	30000	0	0	30000	40.3125	2004
22.01.2020 15:05:58	1	1	1	1	72.25	60.25	0	27535.545	206.4516129	5704.345935	30000	0	0	30000	40.125	2004
22.01.2020 15:05:59	1	1	1	1	72.25	60	0	27630.332	206.4516129	5704.345935	30000	0	0	30000	40.0625	2004
22.01.2020 15:06:00	1	1	1	1	72.25	60	0	27630.332	206.4516129	5704.345935	30000	0	0	30000	40.1875	2004
22.01.2020 15:06:01	1	1	1	1	72.25	60	0	27630.332	208.6021505	5822.574946	30000	0	0	30000	40.1875	2004
22.01.2020 15:06:02	1	1	1	1	72.25	60	0	27630.332	212.9032258	5882.097138	30000	0	0	30000	39.6875	2004
22.01.2020 15:06:03	1	1	1	1	72.25	59.5	0	27630.332	212.9032258	5882.097138	30000	0	0	30000	40.0625	2004
22.01.2020 15:06:04	1	1	1	1	72.25	60	0	27630.332	212.9032258	5882.097138	30000	0	0	30000	40.125	2004
22.01.2020 15:06:05	1	1	1	1	72.25	60	0	27630.332	212.9032258	5882.097138	30000	0	0	30000	40.25	2004
22.01.2020 15:06:06	1	1	1	1	72.25	60.25	0	27630.332	212.9032258	5882.097138	30000	0	0	30000	39.5625	2004
22.01.2020 15:06:07	1	1	1	1	72.25	59.5	0	27630.332	215.0537634	6001.141521	30000	0	0	30000	40.1875	2004
22.01.2020 15:06:08	1	1	1	1	72.25	60	0	27630.332	215.0537634	5882.097138	30000	0	0	30000	40.6875	2004
22.01.2020 15:06:09	1	1	1	1	72.25	60.5	0	27630.332	212.9032258	5882.097138	30000	0	0	30000	39.75	2004
22.01.2020 15:06:10	1	1	1	1	72.25	60.25	0	27630.332	212.9032258	5882.097138	30000	0	0	30000	39.9375	2004
22.01.2020 15:06:11	1	1	1	1	72.25	59.75	0	27630.332	210.7526882	6001.141521	30000	0	0	30000	40.125	2004
22.01.2020 15:06:12	1	1	1	1	72.25	60	0	27630.332	212.9032258	5882.097138	30000	0	0	30000	40.25	2004
22.01.2020 15:06:13	1	1	1	1	72.25	60.25	0	27630.332	206.4516129	5704.345935	30000	0	0	30000	40.25	2004
22.01.2020 15:06:14	1	1	1	1	72.25	60.25	0	27630.332	206.4516129	5704.345935	30000	0	0	30000	40.125	2004
22.01.2020 15:06:15	1	1	1	1	72.25	60	0	27630.332	206.4516129	5704.345935	30000	0	0	30000	39.75	2004
22.01.2020 15:06:17	1	1	1	1	72.25	59.75	0	27630.332	206.4516129	5704.345935	30000	0	0	30000	40.3125	2004
22.01.2020 15:06:18	1	1	1	1	72.75	60.25	0	27630.332	206.4516129	5704.345935	30000	0	0	30000	39.5625	2004
22.01.2020 15:06:19	1	1	1	1	72.75	59.5	0	27630.332	195.6989247	5406.734977	30000	0	0	30000	40.25	2004
22.01.2020 15:06:20	1	1	1	1	72.75	60.25	0	27630.332	189.2473118	5228.983774	30000	0	0	30000	40	2004
22.01.2020 15:06:21	1	1	1	1	72.75	60	0	27630.332	180.6451613	4931.372815	30000	0	0	30000	39.625	2004
22.01.2020 15:06:22	1	1	1	1	72.75	59.5	0	27630.332	178.4946237	4931.372815	30000	0	0	30000	39.75	2004
22.01.2020 15:06:23	1	1	1	1	72.75	59.75	0	27630.332	174.1935484	4871.850624	30000	0	0	30000	40.1875	2004
22.01.2020 15:06:24	1	1	1	1	72.75	60	0	27630.332	178.4946237	4863.696899	30000	0	0	30000	40.125	2004
22.01.2020 15:06:25	1	1	1	1	72.75	60	0	27772.512	178.4946237	4931.372815	30000	0	0	30000	40.125	2004
22.01.2020 15:06:26	1	1	1	1	72.75	60	0	27630.332	178.4946237	4931.372815	30000	0	0	30000	40.1875	2004
22.01.2020 15:06:27	1	1	1	1	72.75	60	0	27819.905	178.4946237	4965.61846	30000	0	0	30000	40.1875	2004
22.01.2020 15:06:28	1	1	1	1	73	60	0	27772.512	169.8924731	4725.898948	30000	0	0	30000	40.1875	2004
22.01.2020 15:06:29	1	1	1	1	73	60	0	27819.905	169.8924731	4725.898948	30000	0	0	30000	40.1875	2004
22.01.2020 15:06:30	1	1	1	1	73	60	0	27725.118	169.8924731	4694.099421	30000	0	0	30000	40.125	2004
22.01.2020 15:06:31	1	1	1	1	73	60	0	27725.118	169.8924731	4694.099421	30000	0	0	30000	40.3125	2004
22.01.2020 15:06:32	1	1	1	1	73	60.25	0	27772.512	169.8924731	4694.099421	30000	0	0	30000	40	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 15:06:33	1	1	1	1	73	60	0	27630.332	169.8924731	4694.099421	30000	0	0	30000	39.375	2004
22.01.2020 15:06:34	1	1	1	1	73	59.25	0	27630.332	169.8924731	4634.577229	30000	0	0	30000	40.3125	2004
22.01.2020 15:06:35	1	1	1	1	73	60.25	0	27630.332	169.8924731	4725.898948	30000	0	0	30000	40.3125	2004
22.01.2020 15:06:36	1	1	1	1	73	60.25	0	27772.512	169.8924731	4694.099421	30000	0	0	30000	40.3125	2004
22.01.2020 15:06:37	1	1	1	1	73	60.25	0	27725.118	169.8924731	4973.772185	30000	0	0	30000	40.0625	2004
22.01.2020 15:06:38	1	1	1	1	73	60	0	27630.332	174.1935484	4694.099421	30000	0	0	30000	39.75	2004
22.01.2020 15:06:39	1	1	1	1	73	59.75	0	27819.905	178.4946237	4931.372815	30000	0	0	30000	40.125	2004
22.01.2020 15:06:40	1	1	1	1	73	60	0	27725.118	182.7956989	4931.372815	30000	0	0	30000	40.25	2004
22.01.2020 15:06:41	1	1	1	1	73	60.25	0	27725.118	180.6451613	5084.662843	30000	0	0	30000	40.3125	2004
22.01.2020 15:06:42	1	1	1	1	73	60.25	0	27725.118	189.2473118	5127.062213	30000	0	0	30000	39.9375	2004
22.01.2020 15:06:43	1	1	1	1	73	59.75	0	27630.332	180.6451613	5109.939391	30000	0	0	30000	40.25	2004
22.01.2020 15:06:44	1	1	1	1	73	60.25	0	27772.512	189.2473118	5264.860164	30000	0	0	30000	40.125	2004
22.01.2020 15:06:52	1	1	1	1	73.25	59.75	0	27630.332	189.2473118	5228.983774	30000	0	0	30000	40.25	2004
22.01.2020 15:06:52	1	1	1	1	73.25	59.75	0	27630.332	189.2473118	5228.983774	30000	0	0	30000	40.25	2004
22.01.2020 15:06:52	1	1	1	1	73.25	59.75	0	27630.332	189.2473118	5228.983774	30000	0	0	30000	40.25	2004
22.01.2020 15:06:52	1	1	1	1	73.25	59.75	0	27630.332	189.2473118	5228.983774	30000	0	0	30000	40.25	2004
22.01.2020 15:06:52	1	1	1	1	73.25	59.75	0	27630.332	189.2473118	5228.983774	30000	0	0	30000	40.25	2004
22.01.2020 15:06:52	1	1	1	1	73.25	59.75	0	27630.332	189.2473118	5228.983774	30000	0	0	30000	40.25	2004
22.01.2020 15:06:52	1	1	1	1	73.25	59.75	0	27630.332	189.2473118	5228.983774	30000	0	0	30000	40.25	2004
22.01.2020 15:06:52	1	1	1	1	73.25	60.25	0	27725.118	206.4516129	5444.242111	30000	0	0	30000	40.25	2004
22.01.2020 15:06:53	1	1	1	1	73.25	60.25	0	27867.299	195.6989247	5347.212785	30000	0	0	30000	40.375	2004
22.01.2020 15:06:55	1	1	1	1	73.25	60.25	0	27819.905	195.6989247	5406.734977	30000	0	0	30000	40.375	2004
22.01.2020 15:06:56	1	1	1	1	73.25	60.25	0	27725.118	210.7526882	5803.006007	30000	0	0	30000	40.3125	2004
22.01.2020 15:06:57	1	1	1	1	73.25	60.25	0	27819.905	189.2473118	5324.382355	30000	0	0	30000	40.1875	2004
22.01.2020 15:06:58	1	1	1	1	73.25	60	0	27772.512	191.3978495	5306.444161	30000	0	0	30000	40	2004
22.01.2020 15:06:59	1	1	1	1	73.25	60	0	27630.332	189.2473118	5287.690593	30000	0	0	30000	40.3125	2004
22.01.2020 15:07:00	1	1	1	1	73.25	60.25	0	27819.905	193.5483871	5287.690593	30000	0	0	30000	40.3125	2004
22.01.2020 15:07:01	1	1	1	1	73.25	60.25	0	27630.332	212.9032258	5882.097138	30000	0	0	30000	40.375	2004
22.01.2020 15:07:02	1	1	1	1	73.25	60.25	0	27772.512	195.6989247	5444.242111	30000	0	0	30000	40.1875	2004
22.01.2020 15:07:03	1	1	1	1	73.25	60	0	27630.332	191.3978495	5425.488544	30000	0	0	30000	40	2004
22.01.2020 15:07:04	1	1	1	1	73.25	60	0	27630.332	206.4516129	5704.345935	30000	0	0	30000	40.4375	2004
22.01.2020 15:07:05	1	1	1	1	73.25	60.25	0	27819.905	206.4516129	5425.488544	30000	0	0	30000	40.4375	2004
22.01.2020 15:07:06	1	1	1	1	73.25	60.25	0	27772.512	191.3978495	5383.904547	30000	0	0	30000	39.75	2004
22.01.2020 15:07:07	1	1	1	1	73.25	59.75	0	27630.332	215.0537634	5822.574946	30000	0	0	30000	40.3125	2004
22.01.2020 15:07:08	1	1	1	1	73.25	60.25	0	27630.332	206.4516129	5743.483815	30000	0	0	30000	40.3125	2004
22.01.2020 15:07:09	1	1	1	1	73.25	60.25	0	27819.905	212.9032258	5922.865763	30000	0	0	30000	40.25	2004
22.01.2020 15:07:10	1	1	1	1	73.25	60.25	0	27819.905	212.9032258	5862.528198	30000	0	0	30000	40.25	2004
22.01.2020 15:07:11	1	1	1	1	73.25	60.25	0	27630.332	225.8064516	6238.414916	30000	0	0	30000	40.375	2004
22.01.2020 15:07:12	1	1	1	1	73.25	60.25	0	27630.332	219.3548387	6120.185905	30000	0	0	30000	40.25	2004
22.01.2020 15:07:13	1	1	1	1	73.25	60.25	0	27819.905	225.8064516	6281.629658	30000	0	0	30000	40.1875	2004
22.01.2020 15:07:14	1	1	1	1	73.25	60	0	27819.905	206.4516129	5704.345935	30000	0	0	30000	40.375	2004
22.01.2020 15:07:15	1	1	1	1	73.25	60.25	0	27819.905	206.4516129	5704.345935	30000	0	0	30000	40.3125	2004
22.01.2020 15:07:16	1	1	1	1	73.25	60.25	0	27630.332	206.4516129	5406.734977	30000	0	0	30000	40.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 15:07:17	1	1	1	1	73.25	60.25	0	27725.118	191.3978495	5324.382355	30000	0	0	30000	40.25	2004
22.01.2020 15:07:18	1	1	1	1	73	60.25	0	27819.905	189.2473118	5228.983774	30000	0	0	30000	40.3125	2004
22.01.2020 15:07:19	1	1	1	1	73	60.25	0	27819.905	184.9462366	4990.895007	30000	0	0	30000	40.25	2004
22.01.2020 15:07:20	1	1	1	1	73	60.25	0	27819.905	178.4946237	4965.61846	30000	0	0	30000	40.4375	2004
22.01.2020 15:07:21	1	1	1	1	73	60.25	0	27819.905	178.4946237	4965.61846	30000	0	0	30000	40.3125	2004
22.01.2020 15:07:22	1	1	1	1	73	60.25	0	27630.332	178.4946237	5025.140652	30000	0	0	30000	40.3125	2004
22.01.2020 15:07:23	1	1	1	1	73	60.25	0	27630.332	178.4946237	4965.61846	30000	0	0	30000	40.25	2004
22.01.2020 15:07:24	1	1	1	1	73	60.25	0	27819.905	178.4946237	4965.61846	30000	0	0	30000	40.25	2004
22.01.2020 15:07:25	1	1	1	1	73	60.25	0	27819.905	178.4946237	4931.372815	30000	0	0	30000	39.9375	2004
22.01.2020 15:07:26	1	1	1	1	73	59.75	0	27819.905	178.4946237	4965.61846	30000	0	0	30000	40.5625	2004
22.01.2020 15:07:27	1	1	1	1	73	60.5	0	27819.905	169.8924731	4725.898948	30000	0	0	30000	40.3125	2004
22.01.2020 15:07:28	1	1	1	1	73.25	60.25	0	27630.332	178.4946237	4905.280896	30000	0	0	30000	40.25	2004
22.01.2020 15:07:29	1	1	1	1	73.25	60.25	0	27819.905	178.4946237	4965.61846	30000	0	0	30000	40	2004
22.01.2020 15:07:30	1	1	1	1	73.25	60	0	27819.905	176.344086	4965.61846	30000	0	0	30000	40.25	2004
22.01.2020 15:07:32	1	1	1	1	73.25	60.25	0	27772.512	178.4946237	4956.649363	30000	0	0	30000	40.1875	2004
22.01.2020 15:07:33	1	1	1	1	73.25	60	0	27630.332	169.8924731	4931.372815	30000	0	0	30000	40.25	2004
22.01.2020 15:07:34	1	1	1	1	73.25	60.25	0	27819.905	178.4946237	4965.61846	30000	0	0	30000	40.3125	2004
22.01.2020 15:07:35	1	1	1	1	73.25	60.25	0	27725.118	178.4946237	4965.61846	30000	0	0	30000	39.9375	2004
22.01.2020 15:07:36	1	1	1	1	73.25	59.75	0	27725.118	182.7956989	5145.000408	30000	0	0	30000	39.875	2004
22.01.2020 15:07:37	1	1	1	1	73.25	59.75	0	27819.905	184.9462366	5145.000408	30000	0	0	30000	40.125	2004
22.01.2020 15:07:38	1	1	1	1	73	60	0	27630.332	182.7956989	5145.000408	30000	0	0	30000	40.25	2004
22.01.2020 15:07:39	1	1	1	1	73	60.25	0	27819.905	178.4946237	4965.61846	30000	0	0	30000	40.25	2004
22.01.2020 15:07:40	1	1	1	1	73	60.25	0	27819.905	176.344086	4725.898948	30000	0	0	30000	40.3125	2004
22.01.2020 15:07:41	1	1	1	1	73	60.25	0	27819.905	169.8924731	4725.898948	30000	0	0	30000	40.1875	2004
22.01.2020 15:07:42	1	1	1	1	73	60	0	27630.332	169.8924731	4725.898948	30000	0	0	30000	39.75	2004
22.01.2020 15:07:43	1	1	1	1	73	59.75	0	27819.905	178.4946237	4725.898948	30000	0	0	30000	40.1875	2004
22.01.2020 15:07:44	1	1	1	1	73	60	0	27867.299	169.8924731	4734.052673	30000	0	0	30000	39.875	2004
22.01.2020 15:07:45	1	1	1	1	73	59.75	0	27867.299	169.8924731	4725.898948	30000	0	0	30000	40.1875	2004
22.01.2020 15:07:46	1	1	1	1	73	60	0	27867.299	169.8924731	4725.898948	30000	0	0	30000	40.1875	2004
22.01.2020 15:07:53	1	1	1	1	73	60.25	0	27819.905	163.4408602	4546.517001	30000	0	0	30000	40.0625	2004
22.01.2020 15:07:53	1	1	1	1	73	60.25	0	27819.905	163.4408602	4546.517001	30000	0	0	30000	40.0625	2004
22.01.2020 15:07:53	1	1	1	1	73	60.25	0	27819.905	163.4408602	4546.517001	30000	0	0	30000	40.0625	2004
22.01.2020 15:07:53	1	1	1	1	73	60.25	0	27819.905	163.4408602	4546.517001	30000	0	0	30000	40.0625	2004
22.01.2020 15:07:53	1	1	1	1	73	60.25	0	27819.905	163.4408602	4546.517001	30000	0	0	30000	40.0625	2004
22.01.2020 15:07:53	1	1	1	1	73	60.25	0	27819.905	163.4408602	4546.517001	30000	0	0	30000	40.0625	2004
22.01.2020 15:07:53	1	1	1	1	73	60.25	0	27819.905	163.4408602	4546.517001	30000	0	0	30000	40.0625	2004
22.01.2020 15:07:54	1	1	1	1	73	60	0	27819.905	163.4408602	4486.994809	30000	0	0	30000	39.75	2004
22.01.2020 15:07:55	1	1	1	1	73	59.75	0	27819.905	159.1397849	4367.135053	30000	0	0	30000	40.3125	2004
22.01.2020 15:07:56	1	1	1	1	73	60.25	0	27819.905	161.2903226	4456.010654	30000	0	0	30000	40.1875	2004
22.01.2020 15:07:57	1	1	1	1	73	60	0	27819.905	163.4408602	4546.517001	30000	0	0	30000	40.25	2004
22.01.2020 15:07:58	1	1	1	1	73	60.25	0	27819.905	161.2903226	4546.517001	30000	0	0	30000	39.4375	2004
22.01.2020 15:07:59	1	1	1	1	73	59.25	0	27819.905	163.4408602	4486.994809	30000	0	0	30000	40.25	2004
22.01.2020 15:08:00	1	1	1	1	73	60.25	0	27819.905	161.2903226	4486.994809	30000	0	0	30000	39.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 15:08:01	1	1	1	1	73	59.75	0	27819.905	161.2903226	4486.994809	30000	0	0	30000	40.1875	2004
22.01.2020 15:08:02	1	1	1	1	73	60	0	27819.905	163.4408602	4546.517001	30000	0	0	30000	39.75	2004
22.01.2020 15:08:03	1	1	1	1	73	59.75	0	27819.905	163.4408602	4546.517001	30000	0	0	30000	40.25	2004
22.01.2020 15:08:04	1	1	1	1	73	60.25	0	27819.905	163.4408602	4546.517001	30000	0	0	30000	40.6875	2004
22.01.2020 15:08:05	1	1	1	1	73	60.5	0	27819.905	167.7419355	4725.898948	30000	0	0	30000	40.0625	2004
22.01.2020 15:08:06	1	1	1	1	73	60.25	0	27819.905	169.8924731	4725.898948	30000	0	0	30000	39.3125	2004
22.01.2020 15:08:07	1	1	1	1	73.25	59.25	0	27867.299	169.8924731	4734.052673	30000	0	0	30000	40.25	2004
22.01.2020 15:08:08	1	1	1	1	73.25	60.25	0	27867.299	178.4946237	4725.898948	30000	0	0	30000	39.9375	2004
22.01.2020 15:08:09	1	1	1	1	73.25	59.75	0	27867.299	174.1935484	4734.052673	30000	0	0	30000	39.875	2004
22.01.2020 15:08:11	1	1	1	1	73.25	59.75	0	27867.299	178.4946237	4973.772185	30000	0	0	30000	40.125	2004
22.01.2020 15:08:12	1	1	1	1	73.25	60	0	27867.299	178.4946237	4973.772185	30000	0	0	30000	39.875	2004
22.01.2020 15:08:13	1	1	1	1	73.25	59.75	0	27867.299	182.7956989	5093.631941	30000	0	0	30000	40.25	2004
22.01.2020 15:08:14	1	1	1	1	73.25	60.25	0	27867.299	180.6451613	5034.109749	30000	0	0	30000	40.3125	2004
22.01.2020 15:08:15	1	1	1	1	73.25	60.25	0	27867.299	178.4946237	4973.772185	30000	0	0	30000	40.3125	2004
22.01.2020 15:08:16	1	1	1	1	73.25	60.25	0	27867.299	174.1935484	4914.249993	30000	0	0	30000	40	2004
22.01.2020 15:08:17	1	1	1	1	73.25	60	0	27867.299	169.8924731	4734.052673	30000	0	0	30000	40.125	2004
22.01.2020 15:08:18	1	1	1	1	73.25	60	0	27867.299	178.4946237	4973.772185	30000	0	0	30000	40.25	2004
22.01.2020 15:08:19	1	1	1	1	73.25	60.25	0	27867.299	178.4946237	4973.772185	30000	0	0	30000	40.125	2004
22.01.2020 15:08:20	1	1	1	1	73.25	60	0	27867.299	184.9462366	4965.61846	30000	0	0	30000	40.125	2004
22.01.2020 15:08:21	1	1	1	1	73.25	60	0	27867.299	189.2473118	5282.798358	30000	0	0	30000	39.4375	2004
22.01.2020 15:08:22	1	1	1	1	73.25	59.25	0	27867.299	189.2473118	5273.829261	30000	0	0	30000	39.875	2004
22.01.2020 15:08:23	1	1	1	1	73.25	59.75	0	27867.299	191.3978495	5333.351453	30000	0	0	30000	40	2004
22.01.2020 15:08:24	1	1	1	1	73.25	60	0	27867.299	191.3978495	5333.351453	30000	0	0	30000	40.1875	2004
22.01.2020 15:08:25	1	1	1	1	73.25	60	0	27867.299	182.7956989	5153.969505	30000	0	0	30000	40.25	2004
22.01.2020 15:08:26	1	1	1	1	73.25	60.25	0	27867.299	178.4946237	4973.772185	30000	0	0	30000	40.125	2004
22.01.2020 15:08:27	1	1	1	1	73.25	60	0	27867.299	176.344086	4734.052673	30000	0	0	30000	40	2004
22.01.2020 15:08:28	1	1	1	1	73.25	60	0	27867.299	178.4946237	5034.109749	30000	0	0	30000	40.25	2004
22.01.2020 15:08:29	1	1	1	1	73.25	60.25	0	27819.905	180.6451613	5084.662843	30000	0	0	30000	40.25	2004
22.01.2020 15:08:30	1	1	1	1	73.25	60.25	0	27867.299	184.9462366	5153.969505	30000	0	0	30000	40.0625	2004
22.01.2020 15:08:31	1	1	1	1	73.25	60	0	27867.299	182.7956989	5093.631941	30000	0	0	30000	40.1875	2004
22.01.2020 15:08:32	1	1	1	1	73.25	60	0	27867.299	182.7956989	5093.631941	30000	0	0	30000	40.1875	2004
22.01.2020 15:08:33	1	1	1	1	73.25	60	0	27914.692	180.6451613	5110.754763	30000	0	0	30000	40.375	2004
22.01.2020 15:08:34	1	1	1	1	73.25	60.25	0	27914.692	182.7956989	5102.601038	30000	0	0	30000	40.0625	2004
22.01.2020 15:08:35	1	1	1	1	73.25	60	0	27914.692	189.2473118	5093.631941	30000	0	0	30000	40.1875	2004
22.01.2020 15:08:36	1	1	1	1	73.25	60	0	27867.299	189.2473118	5282.798358	30000	0	0	30000	40.25	2004
22.01.2020 15:08:37	1	1	1	1	73.25	60.25	0	27867.299	189.2473118	5342.32055	30000	0	0	30000	40.25	2004
22.01.2020 15:08:38	1	1	1	1	73.25	60.25	0	27867.299	191.3978495	5342.32055	30000	0	0	30000	39.8125	2004
22.01.2020 15:08:39	1	1	1	1	73.25	59.75	0	27914.692	191.3978495	5342.32055	30000	0	0	30000	40	2004
22.01.2020 15:08:40	1	1	1	1	73.25	60	0	27867.299	193.5483871	5333.351453	30000	0	0	30000	40.4375	2004
22.01.2020 15:08:41	1	1	1	1	73.25	60.25	0	27914.692	193.5483871	5342.32055	30000	0	0	30000	40.3125	2004
22.01.2020 15:08:42	1	1	1	1	73.25	60.25	0	27914.692	191.3978495	5402.658114	30000	0	0	30000	40.5625	2004
22.01.2020 15:08:43	1	1	1	1	73.25	60.5	0	27914.692	193.5483871	5402.658114	30000	0	0	30000	40	2004
22.01.2020 15:08:44	1	1	1	1	73.25	60	0	27914.692	206.4516129	5462.180306	30000	0	0	30000	38.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 15:08:45	1	1	1	1	73.25	58.5	0	27914.692	206.4516129	5763.052755	30000	0	0	30000	39.5	2004
22.01.2020 15:08:46	1	1	1	1	73.25	59.5	0	27914.692	206.4516129	5763.052755	30000	0	0	30000	40.3125	2004
22.01.2020 15:08:47	1	1	1	1	73	60.25	0	27962.085	206.4516129	5772.837224	30000	0	0	30000	40.25	2004
22.01.2020 15:08:55	1	1	1	1	73	60.25	0	27914.692	243.0107527	6783.083739	30000	0	0	30000	40.1875	2004
22.01.2020 15:08:55	1	1	1	1	73	60.25	0	27914.692	243.0107527	6783.083739	30000	0	0	30000	40.1875	2004
22.01.2020 15:08:55	1	1	1	1	73	60.25	0	27914.692	243.0107527	6783.083739	30000	0	0	30000	40.1875	2004
22.01.2020 15:08:55	1	1	1	1	73	60.25	0	27914.692	243.0107527	6783.083739	30000	0	0	30000	40.1875	2004
22.01.2020 15:08:55	1	1	1	1	73	60.25	0	27914.692	243.0107527	6783.083739	30000	0	0	30000	40.1875	2004
22.01.2020 15:08:55	1	1	1	1	73	60.25	0	27914.692	243.0107527	6783.083739	30000	0	0	30000	40.1875	2004
22.01.2020 15:08:55	1	1	1	1	73	60.25	0	27914.692	243.0107527	6783.083739	30000	0	0	30000	40.1875	2004
22.01.2020 15:08:56	1	1	1	1	73	60	0	27962.085	243.0107527	6723.561547	30000	0	0	30000	40.125	2004
22.01.2020 15:08:57	1	1	1	1	73	60	0	27867.299	247.311828	6963.281059	30000	0	0	30000	40.125	2004
22.01.2020 15:08:58	1	1	1	1	73	60	0	27914.692	266.6666667	7503.873019	30000	0	0	30000	39.9375	2004
22.01.2020 15:08:59	1	1	1	1	73	59.75	0	27962.085	275.2688172	7636.778735	30000	0	0	30000	40.3125	2004
22.01.2020 15:09:00	1	1	1	1	73	60.25	0	27914.692	260.2150538	7275.568722	30000	0	0	30000	39.75	2004
22.01.2020 15:09:01	1	1	1	1	73	59.75	0	27962.085	258.0645161	7275.568722	30000	0	0	30000	40.1875	2004
22.01.2020 15:09:02	1	1	1	1	73	60	0	27962.085	270.9677419	7576.441171	30000	0	0	30000	40.0625	2004
22.01.2020 15:09:03	1	1	1	1	73	60	0	27962.085	266.6666667	7456.581415	30000	0	0	30000	40.25	2004
22.01.2020 15:09:04	1	1	1	1	73	60.25	0	28009.479	275.2688172	7697.116299	30000	0	0	30000	40.1875	2004
22.01.2020 15:09:05	1	1	1	1	73	60	0	27962.085	281.7204301	7877.313619	30000	0	0	30000	38.875	2004
22.01.2020 15:09:06	1	1	1	1	73	58.75	0	27962.085	264.516129	7408.474438	30000	0	0	30000	40.3125	2004
22.01.2020 15:09:07	1	1	1	1	73	60.25	0	28009.479	264.516129	7396.243851	30000	0	0	30000	39.6875	2004
22.01.2020 15:09:08	1	1	1	1	72.75	59.5	0	27962.085	281.7204301	7863.452287	30000	0	0	30000	40.25	2004
22.01.2020 15:09:09	1	1	1	1	72.75	60.25	0	27914.692	294.6236559	8223.846927	30000	0	0	30000	40.375	2004
22.01.2020 15:09:10	1	1	1	1	72.75	60.25	0	27630.332	309.6774194	8794.60767	30000	0	0	30000	40.0625	2004
22.01.2020 15:09:11	1	1	1	1	72.75	60	0	27962.085	296.7741935	8372.24472	30000	0	0	30000	39.9375	2004
22.01.2020 15:09:12	1	1	1	1	72.75	59.75	0	27914.692	260.2150538	7383.197891	30000	0	0	30000	40.3125	2004
22.01.2020 15:09:13	1	1	1	1	72.75	60.25	0	27962.085	268.8172043	7589.487131	30000	0	0	30000	39.75	2004
22.01.2020 15:09:14	1	1	1	1	72.75	59.75	0	27962.085	262.3655914	7275.568722	30000	0	0	30000	40.1875	2004
22.01.2020 15:09:15	1	1	1	1	72.75	60	0	27962.085	281.7204301	7877.313619	30000	0	0	30000	39.9375	2004
22.01.2020 15:09:16	1	1	1	1	72.75	59.75	0	27962.085	288.172043	8057.51094	30000	0	0	30000	40.25	2004
22.01.2020 15:09:17	1	1	1	1	72.75	60.25	0	27962.085	247.311828	6902.943495	30000	0	0	30000	40.375	2004
22.01.2020 15:09:18	1	1	1	1	72.5	60.25	0	27914.692	240.8602151	6866.251733	30000	0	0	30000	40.375	2004
22.01.2020 15:09:19	1	1	1	1	72.5	60.25	0	27962.085	245.1612903	6794.498954	30000	0	0	30000	40.0625	2004
22.01.2020 15:09:20	1	1	1	1	72.5	60	0	27914.692	247.311828	6975.511646	30000	0	0	30000	40.625	2004
22.01.2020 15:09:21	1	1	1	1	72.5	60.5	0	27914.692	245.1612903	7035.033838	30000	0	0	30000	40	2004
22.01.2020 15:09:22	1	1	1	1	72.5	60	0	27962.085	245.1612903	6794.498954	30000	0	0	30000	40	2004
22.01.2020 15:09:23	1	1	1	1	72.5	60.75	0	27962.085	240.8602151	6794.498954	30000	0	0	30000	40.25	2004
22.01.2020 15:09:24	1	1	1	1	72.5	60.25	0	28009.479	245.1612903	6926.589297	30000	0	0	30000	39.25	2004
22.01.2020 15:09:25	1	1	1	1	72.5	59.25	0	28009.479	243.0107527	6926.589297	30000	0	0	30000	40.25	2004
22.01.2020 15:09:27	1	1	1	1	72.5	60.25	0	28009.479	258.0645161	7228.277118	30000	0	0	30000	40.125	2004
22.01.2020 15:09:28	1	1	1	1	72.5	60	0	28009.479	249.4623656	7047.264425	30000	0	0	30000	39.25	2004
22.01.2020 15:09:29	1	1	1	1	72.5	59.25	0	28009.479	243.0107527	6746.391977	30000	0	0	30000	40.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 15:09:30	1	1	1	1	72.5	60	0	28009.479	232.2580645	6505.04172	30000	0	0	30000	40.3125	2004
22.01.2020 15:09:31	1	1	1	1	72.5	60.25	0	28009.479	225.8064516	6505.04172	30000	0	0	30000	40.1875	2004
22.01.2020 15:09:32	1	1	1	1	72.5	60	0	28009.479	221.5053763	6204.169271	30000	0	0	30000	40.0625	2004
22.01.2020 15:09:33	1	1	1	1	72.5	60	0	28009.479	219.3548387	6204.169271	30000	0	0	30000	39.875	2004
22.01.2020 15:09:34	1	1	1	1	72.5	59.75	0	28009.479	212.9032258	5962.819014	30000	0	0	30000	40.25	2004
22.01.2020 15:09:35	1	1	1	1	72.5	60.25	0	27962.085	212.9032258	5953.034545	30000	0	0	30000	40	2004
22.01.2020 15:09:36	1	1	1	1	72.5	60	0	28009.479	212.9032258	5962.819014	30000	0	0	30000	39.5625	2004
22.01.2020 15:09:37	1	1	1	1	72.5	59.5	0	28009.479	210.7526882	5842.143886	30000	0	0	30000	39.9375	2004
22.01.2020 15:09:38	1	1	1	1	72.75	59.75	0	28009.479	208.6021505	5902.48145	30000	0	0	30000	39.625	2004
22.01.2020 15:09:39	1	1	1	1	72.75	59.5	0	28009.479	208.6021505	5782.621694	30000	0	0	30000	40.1875	2004
22.01.2020 15:09:40	1	1	1	1	72.75	60	0	28009.479	208.6021505	5782.621694	30000	0	0	30000	39.8125	2004
22.01.2020 15:09:41	1	1	1	1	72.75	59.75	0	28009.479	208.6021505	5842.143886	30000	0	0	30000	40.25	2004
22.01.2020 15:09:42	1	1	1	1	72.75	60.25	0	28009.479	206.4516129	5782.621694	30000	0	0	30000	39.75	2004
22.01.2020 15:09:43	1	1	1	1	72.75	59.75	0	28009.479	210.7526882	5842.143886	30000	0	0	30000	40.3125	2004
22.01.2020 15:09:44	1	1	1	1	72.75	60.25	0	28009.479	210.7526882	5962.819014	30000	0	0	30000	40.25	2004
22.01.2020 15:09:45	1	1	1	1	72.75	60.25	0	28009.479	206.4516129	5842.143886	30000	0	0	30000	40.125	2004
22.01.2020 15:09:46	1	1	1	1	72.75	60	0	28009.479	208.6021505	5842.143886	30000	0	0	30000	40.3125	2004
22.01.2020 15:09:47	1	1	1	1	72.75	60.25	0	28009.479	206.4516129	5782.621694	30000	0	0	30000	40.0625	2004
22.01.2020 15:09:48	1	1	1	1	72.75	60	0	28009.479	206.4516129	5842.143886	30000	0	0	30000	39.8125	2004
22.01.2020 15:09:49	1	1	1	1	72.75	59.75	0	28009.479	208.6021505	5842.143886	30000	0	0	30000	39.9375	2004
22.01.2020 15:09:57	1	1	1	1	72.75	60	0	28009.479	208.6021505	5842.143886	30000	0	0	30000	40.3125	2004
22.01.2020 15:09:57	1	1	1	1	72.75	60	0	28009.479	208.6021505	5842.143886	30000	0	0	30000	40.3125	2004
22.01.2020 15:09:57	1	1	1	1	72.75	60	0	28009.479	208.6021505	5842.143886	30000	0	0	30000	40.3125	2004
22.01.2020 15:09:57	1	1	1	1	72.75	60	0	28009.479	208.6021505	5842.143886	30000	0	0	30000	40.3125	2004
22.01.2020 15:09:57	1	1	1	1	72.75	60	0	28009.479	208.6021505	5842.143886	30000	0	0	30000	40.3125	2004
22.01.2020 15:09:57	1	1	1	1	72.75	60.25	0	28009.479	223.655914	6324.029027	30000	0	0	30000	40.25	2004
22.01.2020 15:09:58	1	1	1	1	73	60.25	0	28009.479	236.5591398	6625.716848	30000	0	0	30000	40.5625	2004
22.01.2020 15:09:59	1	1	1	1	73	60.5	0	28009.479	227.9569892	6324.029027	30000	0	0	30000	40.6875	2004
22.01.2020 15:10:00	1	1	1	1	73	60.5	0	28009.479	249.4623656	6926.589297	30000	0	0	30000	40.125	2004
22.01.2020 15:10:01	1	1	1	1	73	60.5	0	28009.479	258.0645161	7228.277118	30000	0	0	30000	40.1875	2004
22.01.2020 15:10:02	1	1	1	1	73	60	0	28009.479	262.3655914	7287.79931	30000	0	0	30000	40.25	2004
22.01.2020 15:10:03	1	1	1	1	73	60.25	0	28009.479	258.0645161	7337.537032	30000	0	0	30000	40.1875	2004
22.01.2020 15:10:04	1	1	1	1	73	60	0	28009.479	273.1182796	7649.824695	30000	0	0	30000	40.3125	2004
22.01.2020 15:10:06	1	1	1	1	73	60.25	0	28009.479	277.4193548	7822.683663	30000	0	0	30000	40.125	2004
22.01.2020 15:10:07	1	1	1	1	73	60	0	28009.479	262.3655914	7287.79931	30000	0	0	30000	40.3125	2004
22.01.2020 15:10:08	1	1	1	1	72.75	60.25	0	28009.479	249.4623656	6986.926861	30000	0	0	30000	40.1875	2004
22.01.2020 15:10:09	1	1	1	1	72.75	60	0	28009.479	249.4623656	7047.264425	30000	0	0	30000	39.8125	2004
22.01.2020 15:10:10	1	1	1	1	72.75	59.75	0	28009.479	268.8172043	7579.702661	30000	0	0	30000	40.25	2004
22.01.2020 15:10:11	1	1	1	1	72.75	60.25	0	28009.479	255.9139785	7167.939554	30000	0	0	30000	40.3125	2004
22.01.2020 15:10:12	1	1	1	1	72.75	60.25	0	28009.479	264.516129	7287.79931	30000	0	0	30000	40.25	2004
22.01.2020 15:10:13	1	1	1	1	72.75	60.25	0	28009.479	240.8602151	6746.391977	30000	0	0	30000	40.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 15:10:14	1	1	1	1	72.75	60	0	28009.479	240.8602151	6973.880901	30000	0	0	30000	40.3125	2004
22.01.2020 15:10:15	1	1	1	1	72.75	60.25	0	28009.479	273.1182796	7762.346098	30000	0	0	30000	40.1875	2004
22.01.2020 15:10:16	1	1	1	1	72.75	60	0	28009.479	236.5591398	6444.704156	30000	0	0	30000	40.1875	2004
22.01.2020 15:10:17	1	1	1	1	72.75	60	0	28199.052	243.0107527	6852.3904	30000	0	0	30000	40.1875	2004
22.01.2020 15:10:18	1	1	1	1	73.25	60	0	28009.479	243.0107527	6805.914168	30000	0	0	30000	39.875	2004
22.01.2020 15:10:19	1	1	1	1	73.25	59.75	0	28009.479	249.4623656	6926.589297	30000	0	0	30000	40.3125	2004
22.01.2020 15:10:20	1	1	1	1	73.25	60.25	0	28199.052	247.311828	6973.880901	30000	0	0	30000	40.3125	2004
22.01.2020 15:10:21	1	1	1	1	73.25	60.25	0	28009.479	245.1612903	6805.914168	30000	0	0	30000	40.375	2004
22.01.2020 15:10:22	1	1	1	1	73.25	60.25	0	28009.479	232.2580645	6444.704156	30000	0	0	30000	40.375	2004
22.01.2020 15:10:23	1	1	1	1	73.25	60.25	0	28009.479	219.3548387	6143.831707	30000	0	0	30000	40.25	2004
22.01.2020 15:10:24	1	1	1	1	73.25	60.25	0	28009.479	219.3548387	6143.831707	30000	0	0	30000	40.3125	2004
22.01.2020 15:10:25	1	1	1	1	73.25	60.25	0	28199.052	208.6021505	5882.097138	30000	0	0	30000	40.375	2004
22.01.2020 15:10:26	1	1	1	1	73.25	60.25	0	28009.479	195.6989247	5782.621694	30000	0	0	30000	39.8125	2004
22.01.2020 15:10:27	1	1	1	1	73.25	59.75	0	28009.479	206.4516129	5782.621694	30000	0	0	30000	40.25	2004
22.01.2020 15:10:30	1	1	1	1	73.25	60.25	0	28009.479	191.3978495	5518.441008	30000	0	0	30000	40.375	2004
22.01.2020 15:10:30	1	1	1	1	73.25	60.25	0	28009.479	191.3978495	5518.441008	30000	0	0	30000	40.375	2004
22.01.2020 15:10:30	1	1	1	1	73.25	60.25	0	28009.479	191.3978495	5360.258745	30000	0	0	30000	40.3125	2004
22.01.2020 15:10:31	1	1	1	1	73.25	60.25	0	28199.052	189.2473118	5300.736553	30000	0	0	30000	40.3125	2004
22.01.2020 15:10:32	1	1	1	1	73.25	60.25	0	28009.479	184.9462366	5119.723861	30000	0	0	30000	40.125	2004
22.01.2020 15:10:33	1	1	1	1	73.25	60	0	28009.479	180.6451613	5059.386296	30000	0	0	30000	40.3125	2004
22.01.2020 15:10:34	1	1	1	1	73.25	60.25	0	28009.479	178.4946237	4999.048732	30000	0	0	30000	40.25	2004
22.01.2020 15:10:35	1	1	1	1	73.25	60.25	0	28009.479	178.4946237	5033.294377	30000	0	0	30000	40.25	2004
22.01.2020 15:10:36	1	1	1	1	73.25	60.25	0	28009.479	178.4946237	5033.294377	30000	0	0	30000	40.375	2004
22.01.2020 15:10:37	1	1	1	1	73.25	60.25	0	28009.479	178.4946237	5033.294377	30000	0	0	30000	40.5625	2004
22.01.2020 15:10:38	1	1	1	1	73	60.5	0	28009.479	169.8924731	4999.048732	30000	0	0	30000	40.25	2004
22.01.2020 15:10:39	1	1	1	1	73	60.25	0	28009.479	176.344086	5033.294377	30000	0	0	30000	40.375	2004
22.01.2020 15:10:40	1	1	1	1	73	60.25	0	28009.479	176.344086	4878.373604	30000	0	0	30000	40.1875	2004
22.01.2020 15:10:41	1	1	1	1	73	60.5	0	28199.052	169.8924731	4790.313375	30000	0	0	30000	40.3125	2004
22.01.2020 15:10:42	1	1	1	1	73	60.25	0	28199.052	178.4946237	4911.803876	30000	0	0	30000	40.25	2004
22.01.2020 15:10:43	1	1	1	1	73	60.25	0	28009.479	178.4946237	5059.386296	30000	0	0	30000	40.3125	2004
22.01.2020 15:10:45	1	1	1	1	73	60.25	0	28009.479	189.2473118	5119.723861	30000	0	0	30000	40.0625	2004
22.01.2020 15:10:46	1	1	1	1	73	60	0	28199.052	217.2043011	6124.262767	30000	0	0	30000	40.3125	2004
22.01.2020 15:10:47	1	1	1	1	73	60.25	0	28009.479	230.1075269	6488.73427	30000	0	0	30000	40.1875	2004
22.01.2020 15:10:48	1	1	1	1	73	60	0	28009.479	230.1075269	6488.73427	30000	0	0	30000	40.125	2004
22.01.2020 15:10:49	1	1	1	1	73	60	0	28009.479	270.9677419	7640.855598	30000	0	0	30000	40.25	2004
22.01.2020 15:10:50	1	1	1	1	73	60.25	0	28009.479	273.1182796	7649.824695	30000	0	0	30000	40.25	2004
22.01.2020 15:10:51	1	1	1	1	73	60.25	0	28009.479	275.2688172	7944.174164	30000	0	0	30000	40.3125	2004
22.01.2020 15:10:58	1	1	1	1	73.25	60.25	0	28199.052	275.2688172	7822.683663	30000	0	0	30000	40.3125	2004
22.01.2020 15:10:58	1	1	1	1	73.25	60.25	0	28199.052	275.2688172	7822.683663	30000	0	0	30000	40.3125	2004
22.01.2020 15:10:58	1	1	1	1	73.25	60.25	0	28199.052	275.2688172	7822.683663	30000	0	0	30000	40.3125	2004
22.01.2020 15:10:58	1	1	1	1	73.25	60.25	0	28199.052	275.2688172	7822.683663	30000	0	0	30000	40.3125	2004
22.01.2020 15:10:58	1	1	1	1	73.25	60.25	0	28199.052	275.2688172	7822.683663	30000	0	0	30000	40.3125	2004
22.01.2020 15:10:58	1	1	1	1	73.25	60.25	0	28199.052	275.2688172	7822.683663	30000	0	0	30000	40.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 15:10:58	1	1	1	1	73.25	60.25	0	28199.052	275.2688172	7822.683663	30000	0	0	30000	40.3125	2004
22.01.2020 15:10:59	1	1	1	1	73.25	60.25	0	28009.479	251.6129032	7094.55603	30000	0	0	30000	40.25	2004
22.01.2020 15:11:00	1	1	1	1	73.25	60.25	0	28009.479	253.7634409	7216.046531	30000	0	0	30000	40.125	2004
22.01.2020 15:11:01	1	1	1	1	73.25	60	0	28199.052	260.2150538	7167.939554	30000	0	0	30000	40.25	2004
22.01.2020 15:11:02	1	1	1	1	73.25	60.25	0	28009.479	243.0107527	6852.3904	30000	0	0	30000	40.125	2004
22.01.2020 15:11:03	1	1	1	1	73.25	60	0	28009.479	243.0107527	6912.727965	30000	0	0	30000	40.1875	2004
22.01.2020 15:11:04	1	1	1	1	73.25	60	0	28009.479	240.8602151	6792.052836	30000	0	0	30000	40.1875	2004
22.01.2020 15:11:05	1	1	1	1	73.25	60	0	28009.479	247.311828	6973.880901	30000	0	0	30000	40.0625	2004
22.01.2020 15:11:06	1	1	1	1	73.25	60	0	28199.052	275.2688172	7822.683663	30000	0	0	30000	39.9375	2004
22.01.2020 15:11:07	1	1	1	1	73.25	59.75	0	28199.052	277.4193548	7822.683663	30000	0	0	30000	40.3125	2004
22.01.2020 15:11:08	1	1	1	1	73	60.25	0	28199.052	232.2580645	6549.071834	30000	0	0	30000	40.3125	2004
22.01.2020 15:11:09	1	1	1	1	73	60.25	0	28199.052	240.8602151	6792.052836	30000	0	0	30000	40.0625	2004
22.01.2020 15:11:10	1	1	1	1	73	60	0	28199.052	260.2150538	7519.365097	30000	0	0	30000	40.1875	2004
22.01.2020 15:11:11	1	1	1	1	73	60	0	28199.052	270.9677419	7701.193162	30000	0	0	30000	40.25	2004
22.01.2020 15:11:12	1	1	1	1	73	60.25	0	28199.052	277.4193548	7822.683663	30000	0	0	30000	39.5625	2004
22.01.2020 15:11:13	1	1	1	1	73	59.5	0	28199.052	234.4086022	6609.409399	30000	0	0	30000	40.25	2004
22.01.2020 15:11:14	1	1	1	1	73	60.25	0	28199.052	206.4516129	5821.759574	30000	0	0	30000	39.6875	2004
22.01.2020 15:11:15	1	1	1	1	73	59.5	0	28199.052	184.9462366	5396.950507	30000	0	0	30000	40.0625	2004
22.01.2020 15:11:16	1	1	1	1	73	60	0	28199.052	169.8924731	4790.313375	30000	0	0	30000	40.5625	2004
22.01.2020 15:11:17	1	1	1	1	73	60.5	0	28199.052	167.7419355	4668.822874	30000	0	0	30000	39.75	2004
22.01.2020 15:11:18	1	1	1	1	72.75	59.75	0	28199.052	163.4408602	4608.48531	30000	0	0	30000	40.3125	2004
22.01.2020 15:11:19	1	1	1	1	72.75	60.25	0	28199.052	165.5913978	4608.48531	30000	0	0	30000	40.125	2004
22.01.2020 15:11:20	1	1	1	1	72.75	60	0	28199.052	167.7419355	4729.975811	30000	0	0	30000	40.1875	2004
22.01.2020 15:11:22	1	1	1	1	72.75	60	0	28199.052	169.8924731	4790.313375	30000	0	0	30000	39.9375	2004
22.01.2020 15:11:23	1	1	1	1	72.75	59.75	0	28199.052	176.344086	4790.313375	30000	0	0	30000	40.3125	2004
22.01.2020 15:11:24	1	1	1	1	72.75	60.25	0	28199.052	182.7956989	5153.969505	30000	0	0	30000	40.1875	2004
22.01.2020 15:11:25	1	1	1	1	72.75	60	0	28199.052	189.2473118	5153.969505	30000	0	0	30000	40.25	2004
22.01.2020 15:11:26	1	1	1	1	72.75	60.25	0	28199.052	184.9462366	5215.122442	30000	0	0	30000	40.3125	2004
22.01.2020 15:11:27	1	1	1	1	72.75	60.25	0	28199.052	189.2473118	5396.950507	30000	0	0	30000	40.1875	2004
22.01.2020 15:11:28	1	1	1	1	72.75	60	0	28199.052	189.2473118	5336.612943	30000	0	0	30000	40.3125	2004
22.01.2020 15:11:29	1	1	1	1	72.75	60.25	0	28199.052	189.2473118	5336.612943	30000	0	0	30000	40.25	2004
22.01.2020 15:11:30	1	1	1	1	72.75	60.25	0	28009.479	189.2473118	5336.612943	30000	0	0	30000	40	2004
22.01.2020 15:11:31	1	1	1	1	72.75	60	0	28199.052	189.2473118	5336.612943	30000	0	0	30000	39.8125	2004
22.01.2020 15:11:32	1	1	1	1	72.75	59.75	0	28246.445	189.2473118	5354.551137	30000	0	0	30000	39.75	2004
22.01.2020 15:11:33	1	1	1	1	72.75	59.75	0	28293.839	189.2473118	5354.551137	30000	0	0	30000	40.375	2004
22.01.2020 15:11:34	1	1	1	1	72.75	60.25	0	28293.839	189.2473118	5336.612943	30000	0	0	30000	40.125	2004
22.01.2020 15:11:35	1	1	1	1	72.75	60	0	28199.052	193.5483871	5396.950507	30000	0	0	30000	40.3125	2004
22.01.2020 15:11:36	1	1	1	1	72.75	60.25	0	28246.445	195.6989247	5536.379203	30000	0	0	30000	40.1875	2004
22.01.2020 15:11:37	1	1	1	1	72.75	60	0	28293.839	206.4516129	5841.328514	30000	0	0	30000	40.4375	2004
22.01.2020 15:11:38	1	1	1	1	72.5	60.25	0	28199.052	206.4516129	5457.288071	30000	0	0	30000	40.25	2004
22.01.2020 15:11:39	1	1	1	1	72.5	60.25	0	28199.052	206.4516129	5841.328514	30000	0	0	30000	40.3125	2004
22.01.2020 15:11:40	1	1	1	1	72.5	60.25	0	28293.839	206.4516129	5821.759574	30000	0	0	30000	40.1875	2004
22.01.2020 15:11:41	1	1	1	1	72.5	60	0	28199.052	206.4516129	5821.759574	30000	0	0	30000	40.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 15:11:42	1	1	1	1	72.5	60	0	28199.052	206.4516129	5901.666078	30000	0	0	30000	40.1875	2004
22.01.2020 15:11:43	1	1	1	1	72.5	60	0	28199.052	206.4516129	5882.097138	30000	0	0	30000	40	2004
22.01.2020 15:11:44	1	1	1	1	72.5	60	0	28293.839	219.3548387	6003.587639	30000	0	0	30000	40.0625	2004
22.01.2020 15:11:45	1	1	1	1	72.5	60	0	28199.052	210.7526882	6124.262767	30000	0	0	30000	40.25	2004
22.01.2020 15:11:46	1	1	1	1	72.5	60.25	0	28293.839	232.2580645	6571.086892	30000	0	0	30000	40.1875	2004
22.01.2020 15:11:47	1	1	1	1	72.5	60	0	28199.052	232.2580645	6549.071834	30000	0	0	30000	40.3125	2004
22.01.2020 15:11:48	1	1	1	1	72.75	60.25	0	28341.232	219.3548387	6145.462452	30000	0	0	30000	40.25	2004
22.01.2020 15:11:49	1	1	1	1	72.75	60.25	0	28293.839	217.2043011	6063.925203	30000	0	0	30000	40.0625	2004
22.01.2020 15:11:50	1	1	1	1	72.75	60	0	28341.232	221.5053763	6277.552795	30000	0	0	30000	40.3125	2004
22.01.2020 15:11:51	1	1	1	1	72.75	60.25	0	28293.839	234.4086022	6549.071834	30000	0	0	30000	40.25	2004
22.01.2020 15:11:52	1	1	1	1	72.75	60.25	0	28293.839	219.3548387	6185.415704	30000	0	0	30000	40.125	2004
22.01.2020 15:12:00	1	1	1	1	72.75	60.25	0	28341.232	219.3548387	6216.399859	30000	0	0	30000	40.1875	2004
22.01.2020 15:12:00	1	1	1	1	72.75	60.25	0	28341.232	219.3548387	6216.399859	30000	0	0	30000	40.1875	2004
22.01.2020 15:12:00	1	1	1	1	72.75	60.25	0	28341.232	219.3548387	6216.399859	30000	0	0	30000	40.1875	2004
22.01.2020 15:12:00	1	1	1	1	72.75	60.25	0	28341.232	219.3548387	6216.399859	30000	0	0	30000	40.1875	2004
22.01.2020 15:12:00	1	1	1	1	72.75	60.25	0	28341.232	219.3548387	6216.399859	30000	0	0	30000	40.1875	2004
22.01.2020 15:12:00	1	1	1	1	72.75	60.25	0	28341.232	219.3548387	6216.399859	30000	0	0	30000	40.1875	2004
22.01.2020 15:12:00	1	1	1	1	72.75	60.25	0	28341.232	219.3548387	6216.399859	30000	0	0	30000	40.1875	2004
22.01.2020 15:12:01	1	1	1	1	72.75	60	0	28293.839	219.3548387	6470.796075	30000	0	0	30000	39.9375	2004
22.01.2020 15:12:02	1	1	1	1	72.75	59.75	0	28293.839	217.2043011	6084.309515	30000	0	0	30000	40.125	2004
22.01.2020 15:12:03	1	1	1	1	72.75	60	0	28293.839	225.8064516	6399.043296	30000	0	0	30000	40.125	2004
22.01.2020 15:12:04	1	1	1	1	72.75	60	0	28293.839	232.2580645	6488.73427	30000	0	0	30000	39.75	2004
22.01.2020 15:12:05	1	1	1	1	72.75	59.75	0	28293.839	208.6021505	5882.097138	30000	0	0	30000	39.75	2004
22.01.2020 15:12:06	1	1	1	1	72.75	59.75	0	28341.232	208.6021505	5911.450548	30000	0	0	30000	40.25	2004
22.01.2020 15:12:07	1	1	1	1	72.75	60.25	0	28341.232	208.6021505	5901.666078	30000	0	0	30000	40.1875	2004
22.01.2020 15:12:08	1	1	1	1	72.75	60	0	28293.839	208.6021505	5841.328514	30000	0	0	30000	40.375	2004
22.01.2020 15:12:09	1	1	1	1	72.75	60.25	0	28293.839	225.8064516	6245.753268	30000	0	0	30000	40.3125	2004
22.01.2020 15:12:10	1	1	1	1	72.75	60.25	0	28293.839	236.5591398	6632.239828	30000	0	0	30000	40.375	2004
22.01.2020 15:12:11	1	1	1	1	72.75	60.25	0	28293.839	275.2688172	7822.683663	30000	0	0	30000	40.0625	2004
22.01.2020 15:12:12	1	1	1	1	72.75	60	0	28293.839	249.4623656	6852.3904	30000	0	0	30000	40.375	2004
22.01.2020 15:12:13	1	1	1	1	72.75	60.25	0	28341.232	243.0107527	6703.992607	30000	0	0	30000	40.25	2004
22.01.2020 15:12:14	1	1	1	1	72.75	60.25	0	28199.052	212.9032258	6023.156579	30000	0	0	30000	40.3125	2004
22.01.2020 15:12:15	1	1	1	1	72.75	60.25	0	28293.839	208.6021505	5901.666078	30000	0	0	30000	40.4375	2004
22.01.2020 15:12:16	1	1	1	1	72.75	60.25	0	28293.839	206.4516129	5841.328514	30000	0	0	30000	40.25	2004
22.01.2020 15:12:17	1	1	1	1	72.75	60.25	0	28341.232	206.4516129	5841.328514	30000	0	0	30000	39.8125	2004
22.01.2020 15:12:18	1	1	1	1	72.75	59.75	0	28199.052	191.3978495	5396.950507	30000	0	0	30000	40.4375	2004
22.01.2020 15:12:19	1	1	1	1	72.75	60.25	0	28293.839	189.2473118	5354.551137	30000	0	0	30000	40.3125	2004
22.01.2020 15:12:20	1	1	1	1	72.75	60.25	0	28341.232	184.9462366	5171.9077	30000	0	0	30000	40.375	2004
22.01.2020 15:12:21	1	1	1	1	72.75	60.25	0	28293.839	180.6451613	5110.754763	30000	0	0	30000	40.1875	2004
22.01.2020 15:12:22	1	1	1	1	72.75	60	0	28293.839	178.4946237	5049.601826	30000	0	0	30000	40.25	2004
22.01.2020 15:12:23	1	1	1	1	72.75	60.25	0	28293.839	178.4946237	5058.570924	30000	0	0	30000	40.0625	2004
22.01.2020 15:12:24	1	1	1	1	72.75	60	0	28341.232	184.9462366	5241.214361	30000	0	0	30000	40.3125	2004
22.01.2020 15:12:25	1	1	1	1	72.75	60.25	0	28341.232	184.9462366	5241.214361	30000	0	0	30000	40.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 15:12:26	1	1	1	1	72.75	60	0	28341.232	184.9462366	5363.520235	30000	0	0	30000	40.375	2004
22.01.2020 15:12:27	1	1	1	1	72.75	60.25	0	28341.232	189.2473118	5363.520235	30000	0	0	30000	40.3125	2004
22.01.2020 15:12:28	1	1	1	1	72	60.25	0	28341.232	184.9462366	5363.520235	30000	0	0	30000	40.3125	2004
22.01.2020 15:12:29	1	1	1	1	72	60.25	0	28341.232	184.9462366	5241.214361	30000	0	0	30000	40.3125	2004
22.01.2020 15:12:30	1	1	1	1	72	60.25	0	28341.232	178.4946237	5127.877585	30000	0	0	30000	40.125	2004
22.01.2020 15:12:31	1	1	1	1	72	60	0	28341.232	178.4946237	5058.570924	30000	0	0	30000	40.25	2004
22.01.2020 15:12:32	1	1	1	1	72	60.25	0	28341.232	178.4946237	5058.570924	30000	0	0	30000	40.375	2004
22.01.2020 15:12:33	1	1	1	1	72	60.25	0	28341.232	184.9462366	5241.214361	30000	0	0	30000	40.375	2004
22.01.2020 15:12:34	1	1	1	1	72	60.25	0	28341.232	206.4516129	5546.163672	30000	0	0	30000	40.5625	2004
22.01.2020 15:12:35	1	1	1	1	72	60.5	0	28341.232	193.5483871	5860.897453	30000	0	0	30000	40.375	2004
22.01.2020 15:12:36	1	1	1	1	72	60.25	0	28341.232	206.4516129	5851.112983	30000	0	0	30000	40.1875	2004
22.01.2020 15:12:38	1	1	1	1	72.25	60	0	28341.232	206.4516129	5841.328514	30000	0	0	30000	39.9375	2004
22.01.2020 15:12:39	1	1	1	1	72.25	59.75	0	28341.232	206.4516129	5860.897453	30000	0	0	30000	40.0625	2004
22.01.2020 15:12:40	1	1	1	1	72.25	60	0	28341.232	206.4516129	5860.897453	30000	0	0	30000	40.125	2004
22.01.2020 15:12:41	1	1	1	1	72.25	60	0	28341.232	208.6021505	5851.112983	30000	0	0	30000	40.25	2004
22.01.2020 15:12:42	1	1	1	1	72.25	60.25	0	28341.232	208.6021505	5851.112983	30000	0	0	30000	40.3125	2004
22.01.2020 15:12:43	1	1	1	1	72.25	60.25	0	28341.232	206.4516129	5911.450548	30000	0	0	30000	39.75	2004
22.01.2020 15:12:44	1	1	1	1	72.25	59.75	0	28341.232	206.4516129	5851.112983	30000	0	0	30000	40.25	2004
22.01.2020 15:12:45	1	1	1	1	72.25	60.25	0	28341.232	206.4516129	5851.112983	30000	0	0	30000	40.3125	2004
22.01.2020 15:12:46	1	1	1	1	72.25	60.25	0	28293.839	210.7526882	5911.450548	30000	0	0	30000	40.3125	2004
22.01.2020 15:12:47	1	1	1	1	72.25	60.25	0	28341.232	212.9032258	6023.156579	30000	0	0	30000	40.25	2004
22.01.2020 15:12:48	1	1	1	1	72.25	60.25	0	28341.232	221.5053763	6277.552795	30000	0	0	30000	40.25	2004
22.01.2020 15:12:49	1	1	1	1	72.25	60.25	0	28341.232	221.5053763	6226.999701	30000	0	0	30000	39.9375	2004
22.01.2020 15:12:50	1	1	1	1	72.25	59.75	0	28388.626	219.3548387	6288.152638	30000	0	0	30000	40.3125	2004
22.01.2020 15:12:51	1	1	1	1	72.25	60.25	0	28341.232	217.2043011	6226.999701	30000	0	0	30000	40.1875	2004
22.01.2020 15:12:52	1	1	1	1	72.25	60	0	28388.626	212.9032258	6165.846764	30000	0	0	30000	40.25	2004
22.01.2020 15:12:53	1	1	1	1	72.25	60.25	0	28341.232	212.9032258	6165.846764	30000	0	0	30000	39.875	2004
22.01.2020 15:12:54	1	1	1	1	72.25	59.75	0	28388.626	217.2043011	6104.693828	30000	0	0	30000	39.8125	2004
22.01.2020 15:13:02	1	1	1	1	72.25	59.75	0	28388.626	217.2043011	6165.846764	30000	0	0	30000	40.25	2004
22.01.2020 15:13:02	1	1	1	1	72.25	59.75	0	28388.626	217.2043011	6165.846764	30000	0	0	30000	40.25	2004
22.01.2020 15:13:02	1	1	1	1	72.25	59.75	0	28388.626	217.2043011	6165.846764	30000	0	0	30000	40.25	2004
22.01.2020 15:13:02	1	1	1	1	72.25	59.75	0	28388.626	217.2043011	6165.846764	30000	0	0	30000	40.25	2004
22.01.2020 15:13:02	1	1	1	1	72.25	59.75	0	28388.626	217.2043011	6165.846764	30000	0	0	30000	40.25	2004
22.01.2020 15:13:02	1	1	1	1	72.25	60.25	0	28388.626	217.2043011	6165.846764	30000	0	0	30000	40.0625	2004
22.01.2020 15:13:03	1	1	1	1	72.25	60	0	28388.626	219.3548387	6288.152638	30000	0	0	30000	39.875	2004
22.01.2020 15:13:04	1	1	1	1	72.25	59.75	0	28388.626	219.3548387	6165.846764	30000	0	0	30000	40.0625	2004
22.01.2020 15:13:05	1	1	1	1	72.25	60	0	28436.019	208.6021505	5921.235018	30000	0	0	30000	40.1875	2004
22.01.2020 15:13:06	1	1	1	1	72.25	60	0	28388.626	206.4516129	5860.897453	30000	0	0	30000	40.3125	2004
22.01.2020 15:13:07	1	1	1	1	72.25	60.25	0	28388.626	206.4516129	5860.897453	30000	0	0	30000	40.1875	2004
22.01.2020 15:13:08	1	1	1	1	72.25	60	0	28341.232	206.4516129	5860.897453	30000	0	0	30000	39.75	2004
22.01.2020 15:13:09	1	1	1	1	72.25	59.75	0	28388.626	206.4516129	5860.897453	30000	0	0	30000	40.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 15:13:10	1	1	1	1	72.25	60	0	28388.626	206.4516129	5921.235018	30000	0	0	30000	40.3125	2004
22.01.2020 15:13:11	1	1	1	1	72.25	60.25	0	28388.626	206.4516129	5860.897453	30000	0	0	30000	40.6875	2004
22.01.2020 15:13:12	1	1	1	1	72.25	60.5	0	28388.626	206.4516129	5860.897453	30000	0	0	30000	40.4375	2004
22.01.2020 15:13:13	1	1	1	1	72.25	59.75	0	28388.626	206.4516129	5860.897453	30000	0	0	30000	39.75	2004
22.01.2020 15:13:15	1	1	1	1	72.25	59.75	0	28436.019	206.4516129	5870.681923	30000	0	0	30000	40.25	2004
22.01.2020 15:13:16	1	1	1	1	72.25	60.25	0	28436.019	206.4516129	5870.681923	30000	0	0	30000	40.25	2004
22.01.2020 15:13:17	1	1	1	1	72.25	60.25	0	28436.019	193.5483871	5564.91724	30000	0	0	30000	39.75	2004
22.01.2020 15:13:18	1	1	1	1	72.25	59.75	0	28436.019	184.9462366	5259.152556	30000	0	0	30000	40.1875	2004
22.01.2020 15:13:19	1	1	1	1	72.25	60	0	28436.019	184.9462366	5197.999619	30000	0	0	30000	40.25	2004
22.01.2020 15:13:20	1	1	1	1	72.25	60.25	0	28388.626	178.4946237	5136.846683	30000	0	0	30000	40.1875	2004
22.01.2020 15:13:21	1	1	1	1	72.25	60	0	28436.019	176.344086	4953.387873	30000	0	0	30000	40	2004
22.01.2020 15:13:22	1	1	1	1	72.25	60	0	28436.019	169.8924731	4831.081999	30000	0	0	30000	39.8125	2004
22.01.2020 15:13:23	1	1	1	1	72.25	59.75	0	28436.019	176.344086	5075.693746	30000	0	0	30000	40.0625	2004
22.01.2020 15:13:24	1	1	1	1	72.25	60	0	28436.019	169.8924731	4822.928274	30000	0	0	30000	40.3125	2004
22.01.2020 15:13:25	1	1	1	1	72.25	60.25	0	28388.626	161.2903226	4578.316528	30000	0	0	30000	40.25	2004
22.01.2020 15:13:26	1	1	1	1	72.25	60.25	0	28436.019	163.4408602	4647.623189	30000	0	0	30000	40.1875	2004
22.01.2020 15:13:27	1	1	1	1	72.25	60	0	28388.626	159.1397849	4586.470252	30000	0	0	30000	40.3125	2004
22.01.2020 15:13:28	1	1	1	1	72.25	60.25	0	28436.019	161.2903226	4586.470252	30000	0	0	30000	39.6875	2004
22.01.2020 15:13:29	1	1	1	1	72.25	59.5	0	28436.019	159.1397849	4464.164379	30000	0	0	30000	40.4375	2004
22.01.2020 15:13:30	1	1	1	1	72.25	60.25	0	28436.019	159.1397849	4586.470252	30000	0	0	30000	40.375	2004
22.01.2020 15:13:31	1	1	1	1	72.25	60.25	0	28436.019	163.4408602	4647.623189	30000	0	0	30000	39.8125	2004
22.01.2020 15:13:32	1	1	1	1	72.25	59.75	0	28388.626	167.7419355	4769.929063	30000	0	0	30000	40.4375	2004
22.01.2020 15:13:33	1	1	1	1	72.25	60.25	0	28436.019	169.8924731	4831.081999	30000	0	0	30000	40.375	2004
22.01.2020 15:13:34	1	1	1	1	72.25	60.25	0	28436.019	178.4946237	5075.693746	30000	0	0	30000	40.1875	2004
22.01.2020 15:13:35	1	1	1	1	72.25	60	0	28436.019	189.2473118	5381.45843	30000	0	0	30000	39.9375	2004
22.01.2020 15:13:36	1	1	1	1	72.25	59.75	0	28436.019	206.4516129	5870.681923	30000	0	0	30000	40.375	2004
22.01.2020 15:13:37	1	1	1	1	72.25	60.25	0	28436.019	208.6021505	5992.987797	30000	0	0	30000	40.3125	2004
22.01.2020 15:13:38	1	1	1	1	72.5	60.25	0	28436.019	227.9569892	6421.058353	30000	0	0	30000	40.25	2004
22.01.2020 15:13:39	1	1	1	1	72.5	60.25	0	28388.626	227.9569892	6482.21129	30000	0	0	30000	40.125	2004
22.01.2020 15:13:40	1	1	1	1	72.5	60	0	28483.412	240.8602151	6676.269943	30000	0	0	30000	40.25	2004
22.01.2020 15:13:41	1	1	1	1	72.5	60.25	0	28483.412	253.7634409	7166.308809	30000	0	0	30000	40.1875	2004
22.01.2020 15:13:42	1	1	1	1	72.5	60	0	28483.412	236.5591398	6676.269943	30000	0	0	30000	40	2004
22.01.2020 15:13:43	1	1	1	1	72.5	60	0	28483.412	230.1075269	6553.964069	30000	0	0	30000	40.3125	2004
22.01.2020 15:13:44	1	1	1	1	72.5	60.25	0	28483.412	223.655914	6308.53695	30000	0	0	30000	40.3125	2004
22.01.2020 15:13:45	1	1	1	1	72.5	60.25	0	28483.412	268.8172043	7656.347675	30000	0	0	30000	39.5	2004
22.01.2020 15:13:46	1	1	1	1	72.5	59.5	0	28483.412	230.1075269	6553.964069	30000	0	0	30000	39.6875	2004
22.01.2020 15:13:47	1	1	1	1	72.5	59.5	0	28436.019	208.6021505	5941.61933	30000	0	0	30000	40.3125	2004
22.01.2020 15:13:48	1	1	1	1	72	60.25	0	28483.412	225.8064516	6431.658196	30000	0	0	30000	39.6875	2004
22.01.2020 15:13:49	1	1	1	1	72	59.5	0	28483.412	232.2580645	6615.117006	30000	0	0	30000	40.4375	2004
22.01.2020 15:13:50	1	1	1	1	72	60.25	0	28483.412	206.4516129	5880.466393	30000	0	0	30000	40.6875	2004
22.01.2020 15:13:51	1	1	1	1	72	60.5	0	28483.412	206.4516129	5880.466393	30000	0	0	30000	40.375	2004
22.01.2020 15:13:52	1	1	1	1	72	60.5	0	28483.412	193.5483871	5442.611366	30000	0	0	30000	40.375	2004
22.01.2020 15:13:54	1	1	1	1	72	60.25	0	28483.412	191.3978495	5451.580464	30000	0	0	30000	40.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 15:13:55	1	1	1	1	72	60.25	0	28483.412	189.2473118	5390.427527	30000	0	0	30000	40.25	2004
22.01.2020 15:13:56	1	1	1	1	72	60.25	0	28483.412	184.9462366	5390.427527	30000	0	0	30000	39.8125	2004
22.01.2020 15:14:03	1	1	1	1	72	59.5	0	28483.412	206.4516129	5880.466393	30000	0	0	30000	40.25	2004
22.01.2020 15:14:03	1	1	1	1	72	59.5	0	28483.412	206.4516129	5880.466393	30000	0	0	30000	40.25	2004
22.01.2020 15:14:03	1	1	1	1	72	59.5	0	28483.412	206.4516129	5880.466393	30000	0	0	30000	40.25	2004
22.01.2020 15:14:03	1	1	1	1	72	59.5	0	28483.412	206.4516129	5880.466393	30000	0	0	30000	40.25	2004
22.01.2020 15:14:03	1	1	1	1	72	59.5	0	28483.412	206.4516129	5880.466393	30000	0	0	30000	40.25	2004
22.01.2020 15:14:03	1	1	1	1	72	59.5	0	28483.412	206.4516129	5880.466393	30000	0	0	30000	40.25	2004
22.01.2020 15:14:03	1	1	1	1	72	59.5	0	28483.412	206.4516129	5880.466393	30000	0	0	30000	40.25	2004
22.01.2020 15:14:03	1	1	1	1	72	59.5	0	28483.412	206.4516129	5880.466393	30000	0	0	30000	40.25	2004
22.01.2020 15:14:04	1	1	1	1	72	60.25	0	28483.412	221.5053763	6308.53695	30000	0	0	30000	40.25	2004
22.01.2020 15:14:05	1	1	1	1	72	60.25	0	28483.412	258.0645161	7350.582991	30000	0	0	30000	39.5	2004
22.01.2020 15:14:06	1	1	1	1	72	59.5	0	28483.412	243.0107527	6982.849999	30000	0	0	30000	40.3125	2004
22.01.2020 15:14:07	1	1	1	1	72	60.25	0	28578.199	251.6129032	7178.539396	30000	0	0	30000	40.4375	2004
22.01.2020 15:14:08	1	1	1	1	71.75	60.25	0	28483.412	217.2043011	6186.231077	30000	0	0	30000	40.1875	2004
22.01.2020 15:14:09	1	1	1	1	71.75	60	0	28530.806	221.5053763	6329.736635	30000	0	0	30000	40.375	2004
22.01.2020 15:14:10	1	1	1	1	71.75	60.25	0	28578.199	230.1075269	6698.285	30000	0	0	30000	40.4375	2004
22.01.2020 15:14:11	1	1	1	1	71.75	60.25	0	28483.412	266.6666667	7595.194738	30000	0	0	30000	40.375	2004
22.01.2020 15:14:12	1	1	1	1	71.75	60.25	0	28483.412	268.8172043	7681.624222	30000	0	0	30000	40.3125	2004
22.01.2020 15:14:13	1	1	1	1	71.75	60.25	0	0	0	0	30000	0	8	30000	40.6875	2004
22.01.2020 15:14:14	1	1	1	1	71.75	60.5	0	10616.114	0	0	30000	0	0	30000	40.4375	2004
22.01.2020 15:14:15	1	1	1	1	71.75	60.25	0	11327.014	0	0	30000	0	0	30000	40.4375	2004
22.01.2020 15:14:16	1	1	1	1	71.75	60.25	0	12085.308	0	0	30000	0	0	30000	40.375	2004
22.01.2020 15:14:17	1	1	1	1	71.75	60.25	0	12843.602	0	0	30000	0	0	30000	40.375	2004
22.01.2020 15:14:18	1	1	1	1	72.25	60.25	0	13601.896	0	0	30000	0	0	30000	40.1875	2004
22.01.2020 15:14:19	1	1	1	1	72.25	60	0	14407.583	2.150537634	30.98415459	30000	0	0	30000	40.375	2004
22.01.2020 15:14:20	1	1	1	1	72.25	60.25	0	15165.877	6.451612903	97.84469872	30000	0	0	30000	40.4375	2004
22.01.2020 15:14:21	1	1	1	1	72.25	60.25	0	15876.777	10.75268817	170.4128503	30000	0	0	30000	40.5	2004
22.01.2020 15:14:22	1	1	1	1	72.25	60.5	0	16729.858	15.05376344	251.1347267	30000	0	0	30000	40.375	2004
22.01.2020 15:14:23	1	1	1	1	72.25	60.25	0	17488.152	21.50537634	375.8867176	30000	0	0	30000	40.25	2004
22.01.2020 15:14:24	1	1	1	1	72.25	60.25	0	18293.839	27.95698925	511.2385508	30000	0	0	30000	40.375	2004
22.01.2020 15:14:25	1	1	1	1	72.25	60.25	0	19052.133	32.25806452	613.9754845	30000	0	0	30000	40.375	2004
22.01.2020 15:14:26	1	1	1	1	72.25	60.25	0	19763.033	38.70967742	807.2187644	30000	0	0	30000	40.4375	2004
22.01.2020 15:14:27	1	1	1	1	72.25	60.25	0	20616.114	47.31182796	975.1854972	30000	0	0	30000	40.75	2004
22.01.2020 15:14:28	1	1	1	1	71.75	60.75	0	21374.408	53.76344086	1148.859837	30000	0	0	30000	40.8125	2004
22.01.2020 15:14:29	1	1	1	1	71.75	60.75	0	22132.701	64.51612903	1475.008833	30000	0	0	30000	40.375	2004
22.01.2020 15:14:30	1	1	1	1	71.75	60.25	0	22890.995	75.2688172	1525.561928	30000	0	0	30000	40.6875	2004
22.01.2020 15:14:32	1	1	1	1	71.75	60.25	0	23744.076	81.72043011	1939.771152	30000	0	0	30000	40.3125	2004
22.01.2020 15:14:33	1	1	1	1	71.75	60.25	0	23649.289	75.2688172	1889.218058	30000	0	0	30000	40.3125	2004
22.01.2020 15:14:34	1	1	1	1	71.75	60.25	0	23696.682	75.2688172	1779.958144	30000	0	0	30000	40.0625	2004
22.01.2020 15:14:35	1	1	1	1	71.75	60	0	23649.289	75.2688172	1779.958144	30000	0	0	30000	40.25	2004
22.01.2020 15:14:36	1	1	1	1	71.75	60.25	0	23744.076	75.2688172	1783.219634	30000	0	0	30000	40.25	2004
22.01.2020 15:14:37	1	1	1	1	71.75	60.25	0	23649.289	75.2688172	1783.219634	30000	0	0	30000	40.375	2004
22.01.2020 15:14:38	1	1	1	1	71.75	60.25	0	23696.682	79.56989247	1889.218058	30000	0	0	30000	40.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 15:14:39	1	1	1	1	71.75	60.25	0	23649.289	81.72043011	1881.064333	30000	0	0	30000	40.375	2004
22.01.2020 15:14:40	1	1	1	1	71.75	60.25	0	23744.076	83.87096774	1982.985894	30000	0	0	30000	40.3125	2004
22.01.2020 15:14:41	1	1	1	1	71.75	60.25	0	23696.682	83.87096774	1982.985894	30000	0	0	30000	40.3125	2004
22.01.2020 15:14:42	1	1	1	1	71.75	60.25	0	23649.289	83.87096774	1982.985894	30000	0	0	30000	40.4375	2004
22.01.2020 15:14:43	1	1	1	1	71.75	60.25	0	23696.682	83.87096774	1987.062757	30000	0	0	30000	40.3125	2004
22.01.2020 15:14:44	1	1	1	1	71.75	60.25	0	23696.682	88.17204301	2088.984318	30000	0	0	30000	40.125	2004
22.01.2020 15:14:45	1	1	1	1	71.75	60	0	23744.076	88.17204301	2093.06118	30000	0	0	30000	40.25	2004
22.01.2020 15:14:46	1	1	1	1	71.75	60.25	0	23744.076	88.17204301	2093.06118	30000	0	0	30000	40.3125	2004
22.01.2020 15:14:47	1	1	1	1	71.75	60.25	0	23649.289	88.17204301	2084.907455	30000	0	0	30000	40.25	2004
22.01.2020 15:14:48	1	1	1	1	72	60.25	0	23649.289	88.17204301	2084.907455	30000	0	0	30000	40.125	2004
22.01.2020 15:14:49	1	1	1	1	72	60	0	23744.076	88.17204301	2084.907455	30000	0	0	30000	40.25	2004
22.01.2020 15:14:50	1	1	1	1	72	60.25	0	23696.682	83.87096774	2144.429647	30000	0	0	30000	40.3125	2004
22.01.2020 15:14:51	1	1	1	1	72	60.25	0	23744.076	83.87096774	1991.139619	30000	0	0	30000	40.25	2004
22.01.2020 15:14:52	1	1	1	1	72	60.25	0	24075.829	88.17204301	2174.598429	30000	0	0	30000	40.25	2004
22.01.2020 15:14:53	1	1	1	1	72	60.25	0	24834.123	103.2258065	2558.638872	30000	0	0	30000	40.25	2004
22.01.2020 15:14:54	1	1	1	1	72	60.25	0	25592.417	126.8817204	3246.813253	30000	0	0	30000	40.3125	2004
22.01.2020 15:14:55	1	1	1	1	72	60.25	0	26398.104	139.7849462	3633.299812	30000	0	0	30000	40.3125	2004
22.01.2020 15:14:56	1	1	1	1	72	60.25	0	26777.251	148.3870968	3958.633436	30000	0	0	30000	40.375	2004
22.01.2020 15:14:57	1	1	1	1	72	60.25	0	26919.431	148.3870968	3994.509825	30000	0	0	30000	40.3125	2004
22.01.2020 15:15:05	1	1	1	1	72.25	60	0	27630.332	169.8924731	4694.099421	30000	0	0	30000	40.1875	2004
22.01.2020 15:15:05	1	1	1	1	72.25	60	0	27630.332	169.8924731	4694.099421	30000	0	0	30000	40.1875	2004
22.01.2020 15:15:05	1	1	1	1	72.25	60	0	27630.332	169.8924731	4694.099421	30000	0	0	30000	40.1875	2004
22.01.2020 15:15:05	1	1	1	1	72.25	60	0	27630.332	169.8924731	4694.099421	30000	0	0	30000	40.1875	2004
22.01.2020 15:15:05	1	1	1	1	72.25	60	0	27630.332	169.8924731	4694.099421	30000	0	0	30000	40.1875	2004
22.01.2020 15:15:05	1	1	1	1	72.25	60	0	27630.332	169.8924731	4694.099421	30000	0	0	30000	40.1875	2004
22.01.2020 15:15:05	1	1	1	1	72.25	60	0	27630.332	169.8924731	4694.099421	30000	0	0	30000	40.1875	2004
22.01.2020 15:15:05	1	1	1	1	72.25	60	0	27630.332	169.8924731	4694.099421	30000	0	0	30000	40.1875	2004
22.01.2020 15:15:06	1	1	1	1	72.25	60.25	0	27630.332	167.7419355	4634.577229	30000	0	0	30000	40.125	2004
22.01.2020 15:15:07	1	1	1	1	72.25	60	0	27630.332	165.5913978	4634.577229	30000	0	0	30000	40.375	2004
22.01.2020 15:15:08	1	1	1	1	71.75	60.25	0	27630.332	163.4408602	4575.055038	30000	0	0	30000	40.5625	2004
22.01.2020 15:15:09	1	1	1	1	71.75	60.5	0	27630.332	165.5913978	4515.532846	30000	0	0	30000	40.1875	2004
22.01.2020 15:15:11	1	1	1	1	71.75	59.75	0	27630.332	165.5913978	4634.577229	30000	0	0	30000	40.0625	2004
22.01.2020 15:15:12	1	1	1	1	71.75	60	0	27630.332	167.7419355	4575.055038	30000	0	0	30000	39.625	2004
22.01.2020 15:15:13	1	1	1	1	71.75	59.5	0	27630.332	169.8924731	4725.898948	30000	0	0	30000	39.875	2004
22.01.2020 15:15:14	1	1	1	1	71.75	59.75	0	27630.332	169.8924731	4694.099421	30000	0	0	30000	40.3125	2004
22.01.2020 15:15:15	1	1	1	1	71.75	60.25	0	27630.332	178.4946237	4871.850624	30000	0	0	30000	40.4375	2004
22.01.2020 15:15:16	1	1	1	1	71.75	60.25	0	27772.512	176.344086	4965.61846	30000	0	0	30000	40.375	2004
22.01.2020 15:15:17	1	1	1	1	71.75	60.25	0	27819.905	180.6451613	4965.61846	30000	0	0	30000	40.375	2004
22.01.2020 15:15:18	1	1	1	1	70.25	60.25	0	27725.118	184.9462366	4931.372815	30000	0	0	30000	40.4375	2004
22.01.2020 15:15:19	1	1	1	1	70.25	60.25	0	27630.332	184.9462366	5228.983774	30000	0	0	30000	39.9375	2004
22.01.2020 15:15:20	1	1	1	1	70.25	59.75	0	27630.332	184.9462366	5145.000408	30000	0	0	30000	40.1875	2004
22.01.2020 15:15:21	1	1	1	1	70.25	60	0	27725.118	184.9462366	5109.939391	30000	0	0	30000	40.25	2004
22.01.2020 15:15:22	1	1	1	1	70.25	60.25	0	27772.512	182.7956989	5084.662843	30000	0	0	30000	40.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 15:15:23	1	1	1	1	70.25	60.25	0	27725.118	178.4946237	4956.649363	30000	0	0	30000	40	2004
22.01.2020 15:15:24	1	1	1	1	70.25	60	0	27630.332	176.344086	4931.372815	30000	0	0	30000	40.1875	2004
22.01.2020 15:15:25	1	1	1	1	70.25	60	0	27819.905	176.344086	4694.099421	30000	0	0	30000	40.375	2004
22.01.2020 15:15:26	1	1	1	1	70.25	60.25	0	27630.332	169.8924731	4694.099421	30000	0	0	30000	40.3125	2004
22.01.2020 15:15:27	1	1	1	1	70.25	60.25	0	27630.332	169.8924731	4694.099421	30000	0	0	30000	40.1875	2004
22.01.2020 15:15:28	1	1	1	1	70.75	60	0	27772.512	174.1935484	4725.898948	30000	0	0	30000	40.1875	2004
22.01.2020 15:15:29	1	1	1	1	70.75	60	0	27630.332	176.344086	4965.61846	30000	0	0	30000	40.3125	2004
22.01.2020 15:15:30	1	1	1	1	70.75	60.25	0	27725.118	169.8924731	4694.099421	30000	0	0	30000	40.25	2004
22.01.2020 15:15:31	1	1	1	1	70.75	60.25	0	27630.332	169.8924731	4694.099421	30000	0	0	30000	40.25	2004
22.01.2020 15:15:32	1	1	1	1	70.75	60.25	0	27630.332	169.8924731	4694.099421	30000	0	0	30000	40.125	2004
22.01.2020 15:15:33	1	1	1	1	70.75	60	0	27630.332	169.8924731	4694.099421	30000	0	0	30000	40.3125	2004
22.01.2020 15:15:34	1	1	1	1	70.75	60.25	0	27772.512	169.8924731	4709.591498	30000	0	0	30000	40.3125	2004
22.01.2020 15:15:35	1	1	1	1	70.75	60.25	0	27819.905	169.8924731	4709.591498	30000	0	0	30000	40.3125	2004
22.01.2020 15:15:36	1	1	1	1	70.75	60.25	0	27819.905	169.8924731	4725.898948	30000	0	0	30000	40.3125	2004
22.01.2020 15:15:37	1	1	1	1	70.75	60.25	0	27819.905	169.8924731	4725.898948	30000	0	0	30000	40.1875	2004
22.01.2020 15:15:38	1	1	1	1	71.25	60	0	27630.332	169.8924731	4725.898948	30000	0	0	30000	40.375	2004
22.01.2020 15:15:39	1	1	1	1	71.25	60.25	0	27630.332	176.344086	4965.61846	30000	0	0	30000	40.3125	2004
22.01.2020 15:15:40	1	1	1	1	71.25	60.25	0	27819.905	178.4946237	4965.61846	30000	0	0	30000	40.4375	2004
22.01.2020 15:15:41	1	1	1	1	71.25	60.25	0	27725.118	178.4946237	4931.372815	30000	0	0	30000	40.3125	2004
22.01.2020 15:15:42	1	1	1	1	71.25	60.25	0	27725.118	182.7956989	5084.662843	30000	0	0	30000	40.375	2004
22.01.2020 15:15:43	1	1	1	1	71.25	60.25	0	27725.118	182.7956989	5050.417199	30000	0	0	30000	40.25	2004
22.01.2020 15:15:44	1	1	1	1	71.25	60.25	0	27819.905	182.7956989	5084.662843	30000	0	0	30000	40.3125	2004
22.01.2020 15:15:45	1	1	1	1	71.25	60.25	0	27630.332	180.6451613	4931.372815	30000	0	0	30000	40.1875	2004
22.01.2020 15:15:46	1	1	1	1	71.25	60	0	27630.332	182.7956989	5145.000408	30000	0	0	30000	40.5	2004
22.01.2020 15:15:47	1	1	1	1	71.25	60.5	0	27630.332	184.9462366	5169.461582	30000	0	0	30000	40.6875	2004
22.01.2020 15:15:48	1	1	1	1	71.75	60.5	0	27630.332	184.9462366	5228.983774	30000	0	0	30000	40.6875	2004
22.01.2020 15:15:50	1	1	1	1	71.75	60.5	0	27630.332	189.2473118	5264.860164	30000	0	0	30000	40.1875	2004
22.01.2020 15:15:51	1	1	1	1	71.75	60.5	0	27819.905	189.2473118	5228.983774	30000	0	0	30000	40.3125	2004
22.01.2020 15:15:52	1	1	1	1	71.75	60.25	0	27630.332	189.2473118	5264.860164	30000	0	0	30000	40.1875	2004
22.01.2020 15:15:53	1	1	1	1	71.75	60	0	27630.332	189.2473118	5109.939391	30000	0	0	30000	40.0625	2004
22.01.2020 15:15:54	1	1	1	1	71.75	60	0	27772.512	193.5483871	5383.904547	30000	0	0	30000	40.1875	2004
22.01.2020 15:15:55	1	1	1	1	71.75	60	0	27725.118	193.5483871	5704.345935	30000	0	0	30000	40.1875	2004
22.01.2020 15:15:56	1	1	1	1	71.75	60	0	27819.905	206.4516129	5444.242111	30000	0	0	30000	40.25	2004
22.01.2020 15:15:57	1	1	1	1	71.75	60.25	0	27819.905	191.3978495	5324.382355	30000	0	0	30000	40.3125	2004
22.01.2020 15:15:58	1	1	1	1	71.75	60.25	0	27819.905	191.3978495	5324.382355	30000	0	0	30000	40.0625	2004
22.01.2020 15:15:59	1	1	1	1	71.75	60	0	27630.332	191.3978495	5324.382355	30000	0	0	30000	40.3125	2004
22.01.2020 15:16:06	1	1	1	1	71.75	60.25	0	27819.905	208.6021505	5803.006007	30000	0	0	30000	39.625	2004
22.01.2020 15:16:06	1	1	1	1	71.75	60.25	0	27819.905	208.6021505	5803.006007	30000	0	0	30000	39.625	2004
22.01.2020 15:16:06	1	1	1	1	71.75	60.25	0	27819.905	208.6021505	5803.006007	30000	0	0	30000	39.625	2004
22.01.2020 15:16:06	1	1	1	1	71.75	60.25	0	27819.905	208.6021505	5803.006007	30000	0	0	30000	39.625	2004
22.01.2020 15:16:06	1	1	1	1	71.75	60.25	0	27819.905	208.6021505	5803.006007	30000	0	0	30000	39.625	2004
22.01.2020 15:16:06	1	1	1	1	71.75	60.25	0	27819.905	208.6021505	5803.006007	30000	0	0	30000	39.625	2004
22.01.2020 15:16:06	1	1	1	1	71.75	60.25	0	27819.905	208.6021505	5803.006007	30000	0	0	30000	39.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 15:16:07	1	1	1	1	71.75	59.5	0	27819.905	206.4516129	5743.483815	30000	0	0	30000	40.3125	2004
22.01.2020 15:16:08	1	1	1	1	71.75	60.25	0	27630.332	206.4516129	5704.345935	30000	0	0	30000	40.25	2004
22.01.2020 15:16:09	1	1	1	1	71.75	60.25	0	27630.332	206.4516129	5803.006007	30000	0	0	30000	40.1875	2004
22.01.2020 15:16:10	1	1	1	1	71.75	60	0	27819.905	212.9032258	5882.097138	30000	0	0	30000	40.25	2004
22.01.2020 15:16:11	1	1	1	1	71.75	60.25	0	27819.905	219.3548387	5882.097138	30000	0	0	30000	40.3125	2004
22.01.2020 15:16:12	1	1	1	1	71.75	60.25	0	27819.905	212.9032258	5922.865763	30000	0	0	30000	40.3125	2004
22.01.2020 15:16:13	1	1	1	1	71.75	60.25	0	27630.332	212.9032258	5922.865763	30000	0	0	30000	40.375	2004
22.01.2020 15:16:14	1	1	1	1	71.75	60.25	0	27819.905	208.6021505	5793.221537	30000	0	0	30000	40.3125	2004
22.01.2020 15:16:15	1	1	1	1	71.75	60.25	0	27772.512	208.6021505	5803.006007	30000	0	0	30000	40.3125	2004
22.01.2020 15:16:16	1	1	1	1	71.75	60.25	0	27630.332	208.6021505	5763.052755	30000	0	0	30000	40.25	2004
22.01.2020 15:16:17	1	1	1	1	71.75	60.25	0	27630.332	206.4516129	5444.242111	30000	0	0	30000	40.1875	2004
22.01.2020 15:16:18	1	1	1	1	72.25	60	0	27772.512	184.9462366	5145.000408	30000	0	0	30000	40.1875	2004
22.01.2020 15:16:19	1	1	1	1	72.25	60	0	27819.905	174.1935484	4725.898948	30000	0	0	30000	40.25	2004
22.01.2020 15:16:20	1	1	1	1	72.25	60.25	0	27725.118	169.8924731	4725.898948	30000	0	0	30000	40.25	2004
22.01.2020 15:16:21	1	1	1	1	72.25	60.25	0	27819.905	167.7419355	4666.376756	30000	0	0	30000	40.3125	2004
22.01.2020 15:16:22	1	1	1	1	72.25	60.25	0	27819.905	165.5913978	4546.517001	30000	0	0	30000	40.375	2004
22.01.2020 15:16:23	1	1	1	1	72.25	60.25	0	27630.332	167.7419355	4634.577229	30000	0	0	30000	40.3125	2004
22.01.2020 15:16:24	1	1	1	1	72.25	60.25	0	27630.332	167.7419355	4606.039192	30000	0	0	30000	40.125	2004
22.01.2020 15:16:25	1	1	1	1	72.25	60	0	27725.118	163.4408602	4515.532846	30000	0	0	30000	40.6875	2004
22.01.2020 15:16:26	1	1	1	1	72.25	60.5	0	27819.905	165.5913978	4606.039192	30000	0	0	30000	40.625	2004
22.01.2020 15:16:28	1	1	1	1	72.25	60.25	0	27819.905	169.8924731	4725.898948	30000	0	0	30000	40.25	2004
22.01.2020 15:16:29	1	1	1	1	72.25	60.25	0	27819.905	169.8924731	4725.898948	30000	0	0	30000	40.1875	2004
22.01.2020 15:16:30	1	1	1	1	72.25	60	0	27819.905	174.1935484	4725.898948	30000	0	0	30000	40.3125	2004
22.01.2020 15:16:31	1	1	1	1	72.25	60.25	0	27819.905	174.1935484	4725.898948	30000	0	0	30000	40.125	2004
22.01.2020 15:16:32	1	1	1	1	72.25	60	0	27819.905	174.1935484	4725.898948	30000	0	0	30000	39.9375	2004
22.01.2020 15:16:33	1	1	1	1	72.25	59.75	0	27819.905	169.8924731	4725.898948	30000	0	0	30000	40.1875	2004
22.01.2020 15:16:34	1	1	1	1	72.25	60	0	27819.905	169.8924731	4845.758704	30000	0	0	30000	40	2004
22.01.2020 15:16:35	1	1	1	1	72.25	60	0	27819.905	178.4946237	4965.61846	30000	0	0	30000	39.75	2004
22.01.2020 15:16:36	1	1	1	1	72.25	59.75	0	27819.905	180.6451613	5025.140652	30000	0	0	30000	40.1875	2004
22.01.2020 15:16:37	1	1	1	1	72.25	60	0	27819.905	182.7956989	5084.662843	30000	0	0	30000	40.1875	2004
22.01.2020 15:16:38	1	1	1	1	71.75	60	0	27819.905	182.7956989	5084.662843	30000	0	0	30000	40.3125	2004
22.01.2020 15:16:39	1	1	1	1	71.75	60.25	0	27867.299	184.9462366	5145.000408	30000	0	0	30000	40.1875	2004
22.01.2020 15:16:40	1	1	1	1	71.75	60	0	27819.905	189.2473118	5145.000408	30000	0	0	30000	40.3125	2004
22.01.2020 15:16:41	1	1	1	1	71.75	60.25	0	27819.905	184.9462366	5145.000408	30000	0	0	30000	39.6875	2004
22.01.2020 15:16:42	1	1	1	1	71.75	59.5	0	27819.905	187.0967742	5204.522599	30000	0	0	30000	40.25	2004
22.01.2020 15:16:43	1	1	1	1	71.75	60.25	0	27819.905	184.9462366	5145.000408	30000	0	0	30000	40.125	2004
22.01.2020 15:16:44	1	1	1	1	71.75	60	0	27867.299	184.9462366	5153.969505	30000	0	0	30000	40	2004
22.01.2020 15:16:45	1	1	1	1	71.75	60	0	27819.905	184.9462366	5145.000408	30000	0	0	30000	40.25	2004
22.01.2020 15:16:46	1	1	1	1	71.75	60.25	0	27819.905	184.9462366	5204.522599	30000	0	0	30000	40.25	2004
22.01.2020 15:16:47	1	1	1	1	71.75	60.25	0	27867.299	189.2473118	5273.829261	30000	0	0	30000	40.0625	2004
22.01.2020 15:16:48	1	1	1	1	71.25	60	0	27819.905	191.3978495	5324.382355	30000	0	0	30000	40	2004
22.01.2020 15:16:49	1	1	1	1	71.25	60	0	27867.299	191.3978495	5324.382355	30000	0	0	30000	40.0625	2004
22.01.2020 15:16:50	1	1	1	1	71.25	60	0	27819.905	206.4516129	5444.242111	30000	0	0	30000	40.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 15:16:51	1	1	1	1	71.25	60	0	27819.905	206.4516129	5743.483815	30000	0	0	30000	40.125	2004
22.01.2020 15:16:52	1	1	1	1	71.25	60	0	27819.905	195.6989247	5743.483815	30000	0	0	30000	39.75	2004
22.01.2020 15:16:53	1	1	1	1	71.25	59.75	0	27867.299	206.4516129	5753.268285	30000	0	0	30000	40.1875	2004
22.01.2020 15:16:54	1	1	1	1	71.25	60	0	27867.299	206.4516129	5753.268285	30000	0	0	30000	39.75	2004
22.01.2020 15:16:55	1	1	1	1	71.25	59.75	0	27819.905	206.4516129	5743.483815	30000	0	0	30000	40.0625	2004
22.01.2020 15:16:56	1	1	1	1	71.25	60	0	27867.299	206.4516129	5812.790476	30000	0	0	30000	39.5625	2004
22.01.2020 15:16:57	1	1	1	1	71.25	59.5	0	27867.299	208.6021505	5743.483815	30000	0	0	30000	39.9375	2004
22.01.2020 15:16:58	1	1	1	1	71.25	59.75	0	27867.299	208.6021505	5812.790476	30000	0	0	30000	40.0625	2004
22.01.2020 15:16:59	1	1	1	1	71.25	60	0	27867.299	208.6021505	5753.268285	30000	0	0	30000	40	2004
22.01.2020 15:17:00	1	1	1	1	71.25	60	0	27867.299	206.4516129	5753.268285	30000	0	0	30000	39.8125	2004
22.01.2020 15:17:08	1	1	1	1	71.75	60.25	0	27867.299	212.9032258	6052.509988	30000	0	0	30000	40.1875	2004
22.01.2020 15:17:08	1	1	1	1	71.75	60.25	0	27867.299	212.9032258	6052.509988	30000	0	0	30000	40.1875	2004
22.01.2020 15:17:08	1	1	1	1	71.75	60.25	0	27867.299	212.9032258	6052.509988	30000	0	0	30000	40.1875	2004
22.01.2020 15:17:08	1	1	1	1	71.75	60.25	0	27867.299	212.9032258	6052.509988	30000	0	0	30000	40.1875	2004
22.01.2020 15:17:08	1	1	1	1	71.75	60.25	0	27867.299	212.9032258	6052.509988	30000	0	0	30000	40.1875	2004
22.01.2020 15:17:08	1	1	1	1	71.75	60.25	0	27867.299	212.9032258	6052.509988	30000	0	0	30000	40.1875	2004
22.01.2020 15:17:08	1	1	1	1	71.75	60.25	0	27867.299	212.9032258	6052.509988	30000	0	0	30000	40.1875	2004
22.01.2020 15:17:08	1	1	1	1	71.75	60.25	0	27867.299	212.9032258	6052.509988	30000	0	0	30000	40.1875	2004
22.01.2020 15:17:09	1	1	1	1	71.75	60	0	27914.692	212.9032258	5942.434702	30000	0	0	30000	39.75	2004
22.01.2020 15:17:10	1	1	1	1	71.75	59.75	0	27867.299	212.9032258	5932.650232	30000	0	0	30000	40.125	2004
22.01.2020 15:17:11	1	1	1	1	71.75	60	0	27867.299	217.2043011	6052.509988	30000	0	0	30000	40.25	2004
22.01.2020 15:17:12	1	1	1	1	71.75	60.25	0	27867.299	217.2043011	6182.969587	30000	0	0	30000	40.125	2004
22.01.2020 15:17:13	1	1	1	1	71.75	60	0	27819.905	210.7526882	5932.650232	30000	0	0	30000	40.25	2004
22.01.2020 15:17:14	1	1	1	1	71.75	60.25	0	27867.299	212.9032258	5932.650232	30000	0	0	30000	39.8125	2004
22.01.2020 15:17:15	1	1	1	1	71.75	59.75	0	27867.299	210.7526882	5932.650232	30000	0	0	30000	40.0625	2004
22.01.2020 15:17:16	1	1	1	1	71.75	60	0	27867.299	206.4516129	5753.268285	30000	0	0	30000	40.3125	2004
22.01.2020 15:17:17	1	1	1	1	71.75	60.25	0	27867.299	210.7526882	5932.650232	30000	0	0	30000	40.1875	2004
22.01.2020 15:17:18	1	1	1	1	72	60	0	27867.299	206.4516129	5753.268285	30000	0	0	30000	40.25	2004
22.01.2020 15:17:19	1	1	1	1	72	60.25	0	27914.692	206.4516129	5763.052755	30000	0	0	30000	40.125	2004
22.01.2020 15:17:20	1	1	1	1	72	60	0	27914.692	206.4516129	5763.052755	30000	0	0	30000	40.1875	2004
22.01.2020 15:17:21	1	1	1	1	72	60	0	27914.692	206.4516129	5763.052755	30000	0	0	30000	40.1875	2004
22.01.2020 15:17:22	1	1	1	1	72	60	0	27914.692	206.4516129	5462.180306	30000	0	0	30000	40.125	2004
22.01.2020 15:17:23	1	1	1	1	72	60	0	27914.692	193.5483871	5342.32055	30000	0	0	30000	40.0625	2004
22.01.2020 15:17:24	1	1	1	1	72	60	0	27867.299	206.4516129	5763.052755	30000	0	0	30000	40.1875	2004
22.01.2020 15:17:25	1	1	1	1	72	60	0	27867.299	189.2473118	5282.798358	30000	0	0	30000	40.125	2004
22.01.2020 15:17:26	1	1	1	1	72	60	0	27867.299	189.2473118	5342.32055	30000	0	0	30000	40.25	2004
22.01.2020 15:17:27	1	1	1	1	72	60.25	0	27914.692	206.4516129	5763.052755	30000	0	0	30000	40.0625	2004
22.01.2020 15:17:28	1	1	1	1	72.25	60	0	27914.692	206.4516129	5763.052755	30000	0	0	30000	40.1875	2004
22.01.2020 15:17:29	1	1	1	1	72.25	60	0	27914.692	208.6021505	5753.268285	30000	0	0	30000	40.125	2004
22.01.2020 15:17:30	1	1	1	1	72.25	60	0	27914.692	208.6021505	5822.574946	30000	0	0	30000	39.875	2004
22.01.2020 15:17:31	1	1	1	1	72.25	59.75	0	27914.692	208.6021505	5812.790476	30000	0	0	30000	39.5	2004
22.01.2020 15:17:32	1	1	1	1	72.25	59.5	0	27867.299	206.4516129	5832.359416	30000	0	0	30000	40.1875	2004
22.01.2020 15:17:33	1	1	1	1	72.25	60	0	27867.299	206.4516129	5953.034545	30000	0	0	30000	40.0625	2004
22.01.2020 15:17:34	1	1	1	1	72.25	60	0	27914.692	208.6021505	5822.574946	30000	0	0	30000	40.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 15:17:35	1	1	1	1	72.25	60	0	27914.692	208.6021505	5822.574946	30000	0	0	30000	40.125	2004
22.01.2020 15:17:36	1	1	1	1	72.25	60	0	27914.692	208.6021505	5822.574946	30000	0	0	30000	40.0625	2004
22.01.2020 15:17:37	1	1	1	1	72.25	60	0	27914.692	212.9032258	5942.434702	30000	0	0	30000	40.3125	2004
22.01.2020 15:17:38	1	1	1	1	72	60.25	0	27914.692	212.9032258	5932.650232	30000	0	0	30000	40.1875	2004
22.01.2020 15:17:39	1	1	1	1	72	60	0	27914.692	212.9032258	5882.912511	30000	0	0	30000	40.125	2004
22.01.2020 15:17:40	1	1	1	1	72	60	0	27867.299	212.9032258	5942.434702	30000	0	0	30000	40.1875	2004
22.01.2020 15:17:41	1	1	1	1	72	60	0	27962.085	212.9032258	5953.034545	30000	0	0	30000	40.25	2004
22.01.2020 15:17:42	1	1	1	1	72	60.25	0	27914.692	212.9032258	6063.109831	30000	0	0	30000	40.1875	2004
22.01.2020 15:17:43	1	1	1	1	72	60	0	27914.692	215.0537634	5942.434702	30000	0	0	30000	40.6875	2004
22.01.2020 15:17:45	1	1	1	1	72	60.5	0	27962.085	217.2043011	6133.231865	30000	0	0	30000	39.875	2004
22.01.2020 15:17:46	1	1	1	1	72	59.75	0	27962.085	221.5053763	6193.569429	30000	0	0	30000	40.1875	2004
22.01.2020 15:17:47	1	1	1	1	72	59.75	0	27962.085	225.8064516	6313.429185	30000	0	0	30000	40.125	2004
22.01.2020 15:17:48	1	1	1	1	72	60	0	27962.085	225.8064516	6444.704156	30000	0	0	30000	40.25	2004
22.01.2020 15:17:49	1	1	1	1	72	60.25	0	27962.085	227.9569892	6363.166907	30000	0	0	30000	40.25	2004
22.01.2020 15:17:50	1	1	1	1	72	60.25	0	27962.085	227.9569892	6313.429185	30000	0	0	30000	40.125	2004
22.01.2020 15:17:51	1	1	1	1	72	60	0	27962.085	225.8064516	6313.429185	30000	0	0	30000	40.25	2004
22.01.2020 15:17:52	1	1	1	1	72	60.25	0	28009.479	225.8064516	6324.029027	30000	0	0	30000	40.0625	2004
22.01.2020 15:17:53	1	1	1	1	72	60	0	27962.085	227.9569892	6373.766749	30000	0	0	30000	40.25	2004
22.01.2020 15:17:54	1	1	1	1	72	60.25	0	27962.085	245.1612903	6854.836518	30000	0	0	30000	39.5625	2004
22.01.2020 15:17:55	1	1	1	1	72	59.5	0	27962.085	247.311828	6915.174082	30000	0	0	30000	40.375	2004
22.01.2020 15:17:56	1	1	1	1	72	60.25	0	27962.085	245.1612903	6854.836518	30000	0	0	30000	39.875	2004
22.01.2020 15:17:57	1	1	1	1	72	59.75	0	27962.085	245.1612903	6794.498954	30000	0	0	30000	40	2004
22.01.2020 15:17:58	1	1	1	1	71.75	60	0	27914.692	243.0107527	6843.421303	30000	0	0	30000	40.3125	2004
22.01.2020 15:17:59	1	1	1	1	71.75	60.25	0	27962.085	245.1612903	6854.836518	30000	0	0	30000	40.1875	2004
22.01.2020 15:18:00	1	1	1	1	71.75	60	0	27962.085	243.0107527	6794.498954	30000	0	0	30000	40.0625	2004
22.01.2020 15:18:01	1	1	1	1	71.75	60	0	27962.085	240.8602151	6723.561547	30000	0	0	30000	40.125	2004
22.01.2020 15:18:02	1	1	1	1	71.75	60	0	27962.085	240.8602151	6734.976762	30000	0	0	30000	40.1875	2004
22.01.2020 15:18:10	1	1	1	1	71.25	59.5	0	27962.085	232.2580645	6494.441878	30000	0	0	30000	40.125	2004
22.01.2020 15:18:10	1	1	1	1	71.25	59.5	0	27962.085	232.2580645	6494.441878	30000	0	0	30000	40.125	2004
22.01.2020 15:18:10	1	1	1	1	71.25	59.5	0	27962.085	232.2580645	6494.441878	30000	0	0	30000	40.125	2004
22.01.2020 15:18:10	1	1	1	1	71.25	59.5	0	27962.085	232.2580645	6494.441878	30000	0	0	30000	40.125	2004
22.01.2020 15:18:10	1	1	1	1	71.25	59.5	0	27962.085	232.2580645	6494.441878	30000	0	0	30000	40.125	2004
22.01.2020 15:18:10	1	1	1	1	71.25	59.5	0	27962.085	232.2580645	6494.441878	30000	0	0	30000	40.125	2004
22.01.2020 15:18:10	1	1	1	1	71.25	59.5	0	27962.085	232.2580645	6494.441878	30000	0	0	30000	40.125	2004
22.01.2020 15:18:10	1	1	1	1	71.25	59.5	0	27962.085	232.2580645	6494.441878	30000	0	0	30000	40.125	2004
22.01.2020 15:18:10	1	1	1	1	71.25	60	0	28009.479	230.1075269	6505.04172	30000	0	0	30000	40.25	2004
22.01.2020 15:18:11	1	1	1	1	71.25	60.25	0	28009.479	232.2580645	6565.379284	30000	0	0	30000	40.1875	2004
22.01.2020 15:18:12	1	1	1	1	71.25	60	0	28009.479	225.8064516	6373.766749	30000	0	0	30000	39.75	2004
22.01.2020 15:18:13	1	1	1	1	71.25	59.75	0	28009.479	227.9569892	6444.704156	30000	0	0	30000	40.1875	2004
22.01.2020 15:18:14	1	1	1	1	71.25	60	0	28009.479	234.4086022	6505.04172	30000	0	0	30000	40.0625	2004
22.01.2020 15:18:15	1	1	1	1	71.25	60	0	28009.479	219.3548387	6204.169271	30000	0	0	30000	39.625	2004
22.01.2020 15:18:16	1	1	1	1	71.25	59.5	0	28009.479	215.0537634	6083.494143	30000	0	0	30000	39.8125	2004
22.01.2020 15:18:17	1	1	1	1	71.25	59.75	0	28009.479	215.0537634	5962.819014	30000	0	0	30000	40.1875	2004
22.01.2020 15:18:18	1	1	1	1	72	60	0	28009.479	225.8064516	6204.169271	30000	0	0	30000	40.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 15:18:19	1	1	1	1	72	60	0	28009.479	225.8064516	6324.029027	30000	0	0	30000	39.75	2004
22.01.2020 15:18:20	1	1	1	1	72	59.75	0	28009.479	221.5053763	6444.704156	30000	0	0	30000	39.75	2004
22.01.2020 15:18:21	1	1	1	1	72	59.75	0	28009.479	227.9569892	6324.029027	30000	0	0	30000	40.4375	2004
22.01.2020 15:18:23	1	1	1	1	72	60.25	0	28009.479	223.655914	6204.169271	30000	0	0	30000	40.3125	2004
22.01.2020 15:18:24	1	1	1	1	72	60.25	0	28009.479	217.2043011	6143.831707	30000	0	0	30000	40.25	2004
22.01.2020 15:18:25	1	1	1	1	72	60.25	0	28009.479	215.0537634	6023.156579	30000	0	0	30000	40.3125	2004
22.01.2020 15:18:26	1	1	1	1	72	60	0	28009.479	215.0537634	5962.819014	30000	0	0	30000	40.25	2004
22.01.2020 15:18:27	1	1	1	1	72	60.25	0	28009.479	208.6021505	5962.819014	30000	0	0	30000	40.375	2004
22.01.2020 15:18:28	1	1	1	1	72.5	60.25	0	28009.479	208.6021505	5842.143886	30000	0	0	30000	40.3125	2004
22.01.2020 15:18:29	1	1	1	1	72.5	60.25	0	28009.479	206.4516129	5782.621694	30000	0	0	30000	39.75	2004
22.01.2020 15:18:30	1	1	1	1	72.5	59.75	0	28009.479	206.4516129	5782.621694	30000	0	0	30000	39.1875	2004
22.01.2020 15:18:31	1	1	1	1	72.5	59	0	28009.479	206.4516129	5842.143886	30000	0	0	30000	40.25	2004
22.01.2020 15:18:32	1	1	1	1	72.5	60.25	0	28009.479	206.4516129	5782.621694	30000	0	0	30000	40.3125	2004
22.01.2020 15:18:33	1	1	1	1	72.5	60.25	0	28009.479	206.4516129	5782.621694	30000	0	0	30000	40.25	2004
22.01.2020 15:18:34	1	1	1	1	72.5	60.25	0	28009.479	206.4516129	5842.143886	30000	0	0	30000	40.125	2004
22.01.2020 15:18:35	1	1	1	1	72.5	60	0	28009.479	210.7526882	5842.143886	30000	0	0	30000	40.1875	2004
22.01.2020 15:18:36	1	1	1	1	72.5	60	0	28009.479	217.2043011	6023.156579	30000	0	0	30000	40	2004
22.01.2020 15:18:37	1	1	1	1	72.5	60	0	28009.479	217.2043011	6083.494143	30000	0	0	30000	40.125	2004
22.01.2020 15:18:38	1	1	1	1	72.5	60	0	28009.479	219.3548387	6143.831707	30000	0	0	30000	40.125	2004
22.01.2020 15:18:39	1	1	1	1	72.5	60	0	28009.479	219.3548387	6143.831707	30000	0	0	30000	40.125	2004
22.01.2020 15:18:40	1	1	1	1	72.5	60	0	28009.479	221.5053763	6245.753268	30000	0	0	30000	40.0625	2004
22.01.2020 15:18:41	1	1	1	1	72.5	60	0	28009.479	221.5053763	6204.169271	30000	0	0	30000	40.375	2004
22.01.2020 15:18:42	1	1	1	1	72.5	60.25	0	28009.479	221.5053763	6204.169271	30000	0	0	30000	40.3125	2004
22.01.2020 15:18:43	1	1	1	1	72.5	60.25	0	28009.479	225.8064516	6324.029027	30000	0	0	30000	40.3125	2004
22.01.2020 15:18:44	1	1	1	1	72.5	60.25	0	28009.479	230.1075269	6488.73427	30000	0	0	30000	40.25	2004
22.01.2020 15:18:45	1	1	1	1	72.5	60.25	0	28009.479	230.1075269	6384.366591	30000	0	0	30000	39.8125	2004
22.01.2020 15:18:46	1	1	1	1	72.5	59.75	0	28009.479	236.5591398	6609.409399	30000	0	0	30000	40.25	2004
22.01.2020 15:18:47	1	1	1	1	72.5	60.25	0	28009.479	234.4086022	6609.409399	30000	0	0	30000	40.25	2004
22.01.2020 15:18:48	1	1	1	1	73	60.25	0	28009.479	234.4086022	6565.379284	30000	0	0	30000	40	2004
22.01.2020 15:18:49	1	1	1	1	73	60	0	28009.479	232.2580645	6565.379284	30000	0	0	30000	40.1875	2004
22.01.2020 15:18:50	1	1	1	1	73	60	0	28009.479	240.8602151	6746.391977	30000	0	0	30000	40.375	2004
22.01.2020 15:18:51	1	1	1	1	73	60.25	0	28009.479	240.8602151	6746.391977	30000	0	0	30000	40.1875	2004
22.01.2020 15:18:52	1	1	1	1	73	60	0	28009.479	240.8602151	6746.391977	30000	0	0	30000	40.125	2004
22.01.2020 15:18:53	1	1	1	1	73	60	0	28009.479	243.0107527	6805.914168	30000	0	0	30000	40.375	2004
22.01.2020 15:18:54	1	1	1	1	73	60.25	0	28009.479	243.0107527	6866.251733	30000	0	0	30000	40.3125	2004
22.01.2020 15:18:55	1	1	1	1	73	60.25	0	28009.479	247.311828	6926.589297	30000	0	0	30000	40.125	2004
22.01.2020 15:18:56	1	1	1	1	73	60	0	28009.479	240.8602151	6746.391977	30000	0	0	30000	40.25	2004
22.01.2020 15:18:57	1	1	1	1	73	60.25	0	28009.479	249.4623656	6926.589297	30000	0	0	30000	40.125	2004
22.01.2020 15:18:58	1	1	1	1	72.75	60	0	28009.479	249.4623656	7094.55603	30000	0	0	30000	40.1875	2004
22.01.2020 15:18:59	1	1	1	1	72.75	60	0	28009.479	247.311828	6926.589297	30000	0	0	30000	40.4375	2004
22.01.2020 15:19:00	1	1	1	1	72.75	60.25	0	28009.479	247.311828	6973.880901	30000	0	0	30000	40.375	2004
22.01.2020 15:19:02	1	1	1	1	72.75	60.25	0	28009.479	247.311828	6926.589297	30000	0	0	30000	40.0625	2004
22.01.2020 15:19:03	1	1	1	1	72.75	60	0	28009.479	245.1612903	6926.589297	30000	0	0	30000	40.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 15:19:04	1	1	1	1	72.75	60	0	28009.479	247.311828	6926.589297	30000	0	0	30000	40.25	2004
22.01.2020 15:19:11	1	1	1	1	73	60.25	0	28199.052	243.0107527	6852.3904	30000	0	0	30000	40.25	2004
22.01.2020 15:19:11	1	1	1	1	73	60.25	0	28199.052	243.0107527	6852.3904	30000	0	0	30000	40.25	2004
22.01.2020 15:19:11	1	1	1	1	73	60.25	0	28199.052	243.0107527	6852.3904	30000	0	0	30000	40.25	2004
22.01.2020 15:19:11	1	1	1	1	73	60.25	0	28199.052	243.0107527	6852.3904	30000	0	0	30000	40.25	2004
22.01.2020 15:19:11	1	1	1	1	73	60.25	0	28199.052	243.0107527	6852.3904	30000	0	0	30000	40.25	2004
22.01.2020 15:19:11	1	1	1	1	73	60.25	0	28199.052	243.0107527	6852.3904	30000	0	0	30000	40.25	2004
22.01.2020 15:19:11	1	1	1	1	73	60.25	0	28199.052	243.0107527	6852.3904	30000	0	0	30000	40.25	2004
22.01.2020 15:19:12	1	1	1	1	73	60.25	0	28009.479	240.8602151	6792.052836	30000	0	0	30000	40.375	2004
22.01.2020 15:19:13	1	1	1	1	73	60.25	0	28009.479	243.0107527	6852.3904	30000	0	0	30000	40.375	2004
22.01.2020 15:19:14	1	1	1	1	73	60.25	0	28009.479	245.1612903	6852.3904	30000	0	0	30000	40.375	2004
22.01.2020 15:19:15	1	1	1	1	73	60.25	0	28009.479	247.311828	6973.880901	30000	0	0	30000	40.3125	2004
22.01.2020 15:19:16	1	1	1	1	73	60.25	0	28009.479	243.0107527	6852.3904	30000	0	0	30000	40.4375	2004
22.01.2020 15:19:17	1	1	1	1	73	60.25	0	28009.479	240.8602151	6746.391977	30000	0	0	30000	40.25	2004
22.01.2020 15:19:18	1	1	1	1	73	60.25	0	28009.479	232.2580645	6505.04172	30000	0	0	30000	40.25	2004
22.01.2020 15:19:19	1	1	1	1	73	60.25	0	28009.479	227.9569892	6324.029027	30000	0	0	30000	40.4375	2004
22.01.2020 15:19:20	1	1	1	1	73	60.25	0	28009.479	221.5053763	6245.753268	30000	0	0	30000	40.5	2004
22.01.2020 15:19:21	1	1	1	1	73	60.5	0	28009.479	212.9032258	6063.925203	30000	0	0	30000	40.375	2004
22.01.2020 15:19:22	1	1	1	1	73	60.25	0	28009.479	210.7526882	5842.143886	30000	0	0	30000	39.75	2004
22.01.2020 15:19:23	1	1	1	1	73	59.75	0	28009.479	206.4516129	5821.759574	30000	0	0	30000	40.25	2004
22.01.2020 15:19:24	1	1	1	1	73	60.25	0	28199.052	206.4516129	5821.759574	30000	0	0	30000	40.1875	2004
22.01.2020 15:19:25	1	1	1	1	73	60	0	28009.479	206.4516129	5782.621694	30000	0	0	30000	40.25	2004
22.01.2020 15:19:26	1	1	1	1	73	60.25	0	28009.479	206.4516129	5782.621694	30000	0	0	30000	40.25	2004
22.01.2020 15:19:27	1	1	1	1	73	60.25	0	28009.479	206.4516129	5821.759574	30000	0	0	30000	40.4375	2004
22.01.2020 15:19:28	1	1	1	1	73.25	60.25	0	28009.479	206.4516129	5821.759574	30000	0	0	30000	40.3125	2004
22.01.2020 15:19:29	1	1	1	1	73.25	60.25	0	28199.052	206.4516129	5821.759574	30000	0	0	30000	40.375	2004
22.01.2020 15:19:30	1	1	1	1	73.25	60.25	0	28199.052	206.4516129	5821.759574	30000	0	0	30000	39.75	2004
22.01.2020 15:19:31	1	1	1	1	73.25	59.75	0	28199.052	206.4516129	5821.759574	30000	0	0	30000	40.375	2004
22.01.2020 15:19:32	1	1	1	1	73.25	60.25	0	28009.479	208.6021505	5882.097138	30000	0	0	30000	40.1875	2004
22.01.2020 15:19:33	1	1	1	1	73.25	60	0	28009.479	212.9032258	5902.48145	30000	0	0	30000	40.0625	2004
22.01.2020 15:19:34	1	1	1	1	73.25	60	0	28151.659	215.0537634	6083.494143	30000	0	0	30000	40.1875	2004
22.01.2020 15:19:35	1	1	1	1	73.25	60	0	28009.479	212.9032258	5962.819014	30000	0	0	30000	40.375	2004
22.01.2020 15:19:36	1	1	1	1	73.25	60.25	0	28009.479	221.5053763	6245.753268	30000	0	0	30000	40.25	2004
22.01.2020 15:19:37	1	1	1	1	73.25	60.25	0	28246.445	221.5053763	6204.169271	30000	0	0	30000	39.9375	2004
22.01.2020 15:19:38	1	1	1	1	73.25	59.75	0	28009.479	221.5053763	6204.169271	30000	0	0	30000	40.25	2004
22.01.2020 15:19:39	1	1	1	1	73.25	60.25	0	28199.052	223.655914	6245.753268	30000	0	0	30000	40.5	2004
22.01.2020 15:19:41	1	1	1	1	73.25	60.5	0	28009.479	225.8064516	6367.243769	30000	0	0	30000	40.3125	2004
22.01.2020 15:19:42	1	1	1	1	73.25	60.25	0	28199.052	223.655914	6245.753268	30000	0	0	30000	40.625	2004
22.01.2020 15:19:43	1	1	1	1	73.25	60.5	0	28199.052	225.8064516	6367.243769	30000	0	0	30000	40.1875	2004
22.01.2020 15:19:44	1	1	1	1	73.25	60	0	28199.052	227.9569892	6367.243769	30000	0	0	30000	40.375	2004
22.01.2020 15:19:45	1	1	1	1	73.25	60	0	28009.479	227.9569892	6427.581333	30000	0	0	30000	40.0625	2004
22.01.2020 15:19:46	1	1	1	1	73.25	60	0	28009.479	230.1075269	6488.73427	30000	0	0	30000	40.1875	2004
22.01.2020 15:19:47	1	1	1	1	73.25	60	0	28199.052	230.1075269	6488.73427	30000	0	0	30000	40.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 15:19:48	1	1	1	1	73.25	60.25	0	28009.479	227.9569892	6427.581333	30000	0	0	30000	40.25	2004
22.01.2020 15:19:49	1	1	1	1	73.25	60.25	0	28199.052	225.8064516	6367.243769	30000	0	0	30000	40.25	2004
22.01.2020 15:19:50	1	1	1	1	73.25	60.25	0	28199.052	227.9569892	6427.581333	30000	0	0	30000	40.4375	2004
22.01.2020 15:19:51	1	1	1	1	73.25	60.25	0	28009.479	221.5053763	6245.753268	30000	0	0	30000	40.3125	2004
22.01.2020 15:19:52	1	1	1	1	73.25	60.25	0	28009.479	221.5053763	6427.581333	30000	0	0	30000	40.3125	2004
22.01.2020 15:19:53	1	1	1	1	73.25	60.25	0	28199.052	221.5053763	6367.243769	30000	0	0	30000	40.0625	2004
22.01.2020 15:19:54	1	1	1	1	73.25	60	0	28199.052	221.5053763	6245.753268	30000	0	0	30000	39.875	2004
22.01.2020 15:19:55	1	1	1	1	73.25	59.75	0	28199.052	221.5053763	6427.581333	30000	0	0	30000	40.1875	2004
22.01.2020 15:19:56	1	1	1	1	73.25	60	0	28199.052	219.3548387	6388.443454	30000	0	0	30000	39.875	2004
22.01.2020 15:19:57	1	1	1	1	73.25	59.75	0	28199.052	219.3548387	6185.415704	30000	0	0	30000	40.3125	2004
22.01.2020 15:19:58	1	1	1	1	73	60.25	0	28199.052	219.3548387	6124.262767	30000	0	0	30000	40.0625	2004
22.01.2020 15:19:59	1	1	1	1	73	60	0	28199.052	221.5053763	6185.415704	30000	0	0	30000	40.0625	2004
22.01.2020 15:20:00	1	1	1	1	73	60	0	28009.479	217.2043011	6245.753268	30000	0	0	30000	39.8125	2004
22.01.2020 15:20:01	1	1	1	1	73	59.75	0	28199.052	217.2043011	6124.262767	30000	0	0	30000	39.5625	2004
22.01.2020 15:20:02	1	1	1	1	73	59.5	0	28199.052	217.2043011	6185.415704	30000	0	0	30000	40.3125	2004
22.01.2020 15:20:03	1	1	1	1	73	60.25	0	28009.479	219.3548387	6245.753268	30000	0	0	30000	39.6875	2004
22.01.2020 15:20:04	1	1	1	1	73	59.5	0	28199.052	219.3548387	6185.415704	30000	0	0	30000	40.125	2004
22.01.2020 15:20:05	1	1	1	1	73	60	0	28199.052	221.5053763	6245.753268	30000	0	0	30000	40.125	2004
22.01.2020 15:20:13	1	1	1	1	73.25	60.25	0	28199.052	230.1075269	6488.73427	30000	0	0	30000	40.25	2004
22.01.2020 15:20:13	1	1	1	1	73.25	60.25	0	28199.052	230.1075269	6488.73427	30000	0	0	30000	40.25	2004
22.01.2020 15:20:13	1	1	1	1	73.25	60.25	0	28199.052	230.1075269	6488.73427	30000	0	0	30000	40.25	2004
22.01.2020 15:20:13	1	1	1	1	73.25	60.25	0	28199.052	230.1075269	6488.73427	30000	0	0	30000	40.25	2004
22.01.2020 15:20:13	1	1	1	1	73.25	60.25	0	28199.052	230.1075269	6488.73427	30000	0	0	30000	40.25	2004
22.01.2020 15:20:13	1	1	1	1	73.25	60.25	0	28199.052	230.1075269	6488.73427	30000	0	0	30000	40.25	2004
22.01.2020 15:20:13	1	1	1	1	73.25	60.25	0	28199.052	232.2580645	6549.071834	30000	0	0	30000	40.1875	2004
22.01.2020 15:20:14	1	1	1	1	73.25	60	0	28199.052	221.5053763	6367.243769	30000	0	0	30000	40.1875	2004
22.01.2020 15:20:15	1	1	1	1	73.25	60	0	28199.052	221.5053763	6245.753268	30000	0	0	30000	40.0625	2004
22.01.2020 15:20:16	1	1	1	1	73.25	60	0	28009.479	221.5053763	6204.169271	30000	0	0	30000	40.0625	2004
22.01.2020 15:20:17	1	1	1	1	73.25	60	0	28199.052	223.655914	6367.243769	30000	0	0	30000	39.75	2004
22.01.2020 15:20:18	1	1	1	1	73.5	59.75	0	28293.839	225.8064516	6367.243769	30000	0	0	30000	40.0625	2004
22.01.2020 15:20:20	1	1	1	1	73.5	60	0	28293.839	230.1075269	6549.071834	30000	0	0	30000	40.1875	2004
22.01.2020 15:20:21	1	1	1	1	73.5	60	0	28199.052	236.5591398	6670.562335	30000	0	0	30000	40.375	2004
22.01.2020 15:20:22	1	1	1	1	73.5	60.25	0	28293.839	232.2580645	6632.239828	30000	0	0	30000	40.625	2004
22.01.2020 15:20:23	1	1	1	1	73.5	60.25	0	28293.839	230.1075269	6488.73427	30000	0	0	30000	40.3125	2004
22.01.2020 15:20:24	1	1	1	1	73.5	60.25	0	28293.839	225.8064516	6388.443454	30000	0	0	30000	40.375	2004
22.01.2020 15:20:25	1	1	1	1	73.5	60.25	0	28293.839	208.6021505	5882.097138	30000	0	0	30000	40.1875	2004
22.01.2020 15:20:26	1	1	1	1	73.5	60	0	28293.839	206.4516129	5841.328514	30000	0	0	30000	40.3125	2004
22.01.2020 15:20:27	1	1	1	1	73.5	60.25	0	28293.839	189.2473118	5354.551137	30000	0	0	30000	40.0625	2004
22.01.2020 15:20:28	1	1	1	1	73.5	60	0	28199.052	189.2473118	5336.612943	30000	0	0	30000	40.125	2004
22.01.2020 15:20:29	1	1	1	1	73.5	60	0	28199.052	189.2473118	5275.460006	30000	0	0	30000	40.125	2004
22.01.2020 15:20:30	1	1	1	1	73.5	60	0	28293.839	189.2473118	5336.612943	30000	0	0	30000	40.125	2004
22.01.2020 15:20:31	1	1	1	1	73.5	60	0	28293.839	191.3978495	5476.041638	30000	0	0	30000	40.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 15:20:32	1	1	1	1	73.5	60.25	0	28293.839	191.3978495	5336.612943	30000	0	0	30000	40.1875	2004
22.01.2020 15:20:33	1	1	1	1	73.5	60	0	28293.839	206.4516129	5841.328514	30000	0	0	30000	40.25	2004
22.01.2020 15:20:34	1	1	1	1	73.5	60.25	0	28246.445	208.6021505	5841.328514	30000	0	0	30000	40.125	2004
22.01.2020 15:20:35	1	1	1	1	73.5	60	0	28246.445	210.7526882	6023.156579	30000	0	0	30000	40.25	2004
22.01.2020 15:20:36	1	1	1	1	73.5	60.25	0	28293.839	217.2043011	6145.462452	30000	0	0	30000	40.3125	2004
22.01.2020 15:20:37	1	1	1	1	73.5	60.25	0	28199.052	221.5053763	6245.753268	30000	0	0	30000	40.25	2004
22.01.2020 15:20:38	1	1	1	1	73.5	60.25	0	28293.839	225.8064516	6388.443454	30000	0	0	30000	40.1875	2004
22.01.2020 15:20:39	1	1	1	1	73.5	60	0	28293.839	232.2580645	6427.581333	30000	0	0	30000	40.25	2004
22.01.2020 15:20:40	1	1	1	1	73.5	60.25	0	28293.839	230.1075269	6654.254885	30000	0	0	30000	40.125	2004
22.01.2020 15:20:41	1	1	1	1	73.5	60	0	28293.839	232.2580645	6549.071834	30000	0	0	30000	40.375	2004
22.01.2020 15:20:42	1	1	1	1	73.5	60.25	0	28293.839	234.4086022	6642.839671	30000	0	0	30000	40.25	2004
22.01.2020 15:20:43	1	1	1	1	73.5	60.25	0	28293.839	234.4086022	6632.239828	30000	0	0	30000	40.25	2004
22.01.2020 15:20:44	1	1	1	1	73.5	60.25	0	28293.839	240.8602151	6792.052836	30000	0	0	30000	40.1875	2004
22.01.2020 15:20:45	1	1	1	1	73.5	60	0	28199.052	240.8602151	6792.052836	30000	0	0	30000	40.1875	2004
22.01.2020 15:20:46	1	1	1	1	73.5	60	0	28293.839	243.0107527	6886.636045	30000	0	0	30000	40.25	2004
22.01.2020 15:20:47	1	1	1	1	73.5	60.25	0	28293.839	245.1612903	6912.727965	30000	0	0	30000	40.25	2004
22.01.2020 15:20:48	1	1	1	1	73.75	60.25	0	28341.232	247.311828	6996.711331	30000	0	0	30000	40.3125	2004
22.01.2020 15:20:49	1	1	1	1	73.75	60.25	0	28293.839	249.4623656	6996.711331	30000	0	0	30000	40.0625	2004
22.01.2020 15:20:50	1	1	1	1	73.75	60	0	28293.839	247.311828	6996.711331	30000	0	0	30000	40.0625	2004
22.01.2020 15:20:51	1	1	1	1	73.75	60	0	28341.232	251.6129032	7119.017204	30000	0	0	30000	40.3125	2004
22.01.2020 15:20:52	1	1	1	1	73.75	60.25	0	28341.232	258.0645161	7301.660642	30000	0	0	30000	40.25	2004
22.01.2020 15:20:53	1	1	1	1	73.75	60.25	0	28341.232	253.7634409	7119.017204	30000	0	0	30000	40.125	2004
22.01.2020 15:20:54	1	1	1	1	73.75	60	0	28341.232	253.7634409	7155.708966	30000	0	0	30000	40.1875	2004
22.01.2020 15:20:55	1	1	1	1	73.75	60	0	28341.232	260.2150538	7301.660642	30000	0	0	30000	40.1875	2004
22.01.2020 15:20:56	1	1	1	1	73.75	60	0	28293.839	258.0645161	7240.507705	30000	0	0	30000	40.3125	2004
22.01.2020 15:20:58	1	1	1	1	73.75	60.25	0	28293.839	258.0645161	7252.738293	30000	0	0	30000	40.1875	2004
22.01.2020 15:20:59	1	1	1	1	73.75	60	0	28293.839	253.7634409	7240.507705	30000	0	0	30000	40.375	2004
22.01.2020 15:21:00	1	1	1	1	73.75	60.25	0	28293.839	255.9139785	7094.55603	30000	0	0	30000	40.625	2004
22.01.2020 15:21:01	1	1	1	1	73.75	60.25	0	28293.839	255.9139785	7252.738293	30000	0	0	30000	40.1875	2004
22.01.2020 15:21:02	1	1	1	1	73.75	60	0	28341.232	253.7634409	7094.55603	30000	0	0	30000	40.375	2004
22.01.2020 15:21:03	1	1	1	1	73.75	60.25	0	28293.839	253.7634409	7240.507705	30000	0	0	30000	40.1875	2004
22.01.2020 15:21:04	1	1	1	1	73.75	60	0	28341.232	262.3655914	7361.998206	30000	0	0	30000	39.75	2004
22.01.2020 15:21:05	1	1	1	1	73.75	59.75	0	28293.839	260.2150538	7216.046531	30000	0	0	30000	39.8125	2004
22.01.2020 15:21:06	1	1	1	1	73.75	59.75	0	28293.839	264.516129	7483.488707	30000	0	0	30000	40.1875	2004
22.01.2020 15:21:07	1	1	1	1	73.75	60	0	28293.839	260.2150538	7361.998206	30000	0	0	30000	40.3125	2004
22.01.2020 15:21:14	1	1	1	1	73.75	60	0	28341.232	245.1612903	7020.357133	30000	0	0	30000	40.125	2004
22.01.2020 15:21:14	1	1	1	1	73.75	60	0	28341.232	245.1612903	7020.357133	30000	0	0	30000	40.125	2004
22.01.2020 15:21:14	1	1	1	1	73.75	60	0	28341.232	245.1612903	7020.357133	30000	0	0	30000	40.125	2004
22.01.2020 15:21:14	1	1	1	1	73.75	60	0	28341.232	245.1612903	7020.357133	30000	0	0	30000	40.125	2004
22.01.2020 15:21:14	1	1	1	1	73.75	60	0	28341.232	245.1612903	7020.357133	30000	0	0	30000	40.125	2004
22.01.2020 15:21:14	1	1	1	1	73.75	60	0	28341.232	245.1612903	7020.357133	30000	0	0	30000	40.125	2004
22.01.2020 15:21:15	1	1	1	1	73.75	60	0	28341.232	240.8602151	6826.298481	30000	0	0	30000	40.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 15:21:16	1	1	1	1	73.75	60.25	0	28388.626	227.9569892	6399.043296	30000	0	0	30000	39.6875	2004
22.01.2020 15:21:17	1	1	1	1	73.75	59.5	0	28341.232	206.4516129	5851.112983	30000	0	0	30000	40.3125	2004
22.01.2020 15:21:18	1	1	1	1	73.75	60.25	0	28293.839	206.4516129	5851.112983	30000	0	0	30000	40.4375	2004
22.01.2020 15:21:19	1	1	1	1	73.75	60.25	0	28341.232	193.5483871	5485.010736	30000	0	0	30000	39.9375	2004
22.01.2020 15:21:20	1	1	1	1	73.75	59.75	0	28341.232	189.2473118	5363.520235	30000	0	0	30000	40.375	2004
22.01.2020 15:21:21	1	1	1	1	73.75	60.25	0	28341.232	189.2473118	5372.489332	30000	0	0	30000	40.3125	2004
22.01.2020 15:21:22	1	1	1	1	73.75	60.25	0	28293.839	191.3978495	5546.163672	30000	0	0	30000	40.0625	2004
22.01.2020 15:21:23	1	1	1	1	73.75	60	0	28341.232	206.4516129	5851.112983	30000	0	0	30000	39.75	2004
22.01.2020 15:21:24	1	1	1	1	73.75	59.75	0	28341.232	206.4516129	5860.897453	30000	0	0	30000	40.25	2004
22.01.2020 15:21:25	1	1	1	1	73.75	60.25	0	28341.232	206.4516129	5851.112983	30000	0	0	30000	40.125	2004
22.01.2020 15:21:26	1	1	1	1	73.75	60	0	28388.626	206.4516129	5851.112983	30000	0	0	30000	40.1875	2004
22.01.2020 15:21:27	1	1	1	1	73.75	60	0	28341.232	206.4516129	5851.112983	30000	0	0	30000	40.0625	2004
22.01.2020 15:21:28	1	1	1	1	73.75	60	0	28341.232	206.4516129	5851.112983	30000	0	0	30000	40.1875	2004
22.01.2020 15:21:29	1	1	1	1	73.75	60	0	28341.232	193.5483871	5432.826896	30000	0	0	30000	40.25	2004
22.01.2020 15:21:30	1	1	1	1	73.75	60.25	0	28341.232	184.9462366	5372.489332	30000	0	0	30000	40.25	2004
22.01.2020 15:21:31	1	1	1	1	73.75	60.25	0	28341.232	182.7956989	5180.061425	30000	0	0	30000	40.3125	2004
22.01.2020 15:21:32	1	1	1	1	73.75	60.25	0	28341.232	178.4946237	5058.570924	30000	0	0	30000	39.375	2004
22.01.2020 15:21:33	1	1	1	1	73.75	59.25	0	28341.232	178.4946237	5058.570924	30000	0	0	30000	39.9375	2004
22.01.2020 15:21:34	1	1	1	1	73.75	59.75	0	28388.626	180.6451613	5066.724649	30000	0	0	30000	40.1875	2004
22.01.2020 15:21:36	1	1	1	1	73.75	60	0	28388.626	182.7956989	5250.183459	30000	0	0	30000	39.9375	2004
22.01.2020 15:21:37	1	1	1	1	73.75	59.75	0	28388.626	189.2473118	5302.367298	30000	0	0	30000	40.375	2004
22.01.2020 15:21:38	1	1	1	1	73.75	60.25	0	28436.019	189.2473118	5311.336396	30000	0	0	30000	40.625	2004
22.01.2020 15:21:39	1	1	1	1	74	59.5	0	28341.232	189.2473118	5372.489332	30000	0	0	30000	39.75	2004
22.01.2020 15:21:40	1	1	1	1	74	59.75	0	28388.626	189.2473118	5311.336396	30000	0	0	30000	40.0625	2004
22.01.2020 15:21:41	1	1	1	1	74	60	0	28388.626	189.2473118	5372.489332	30000	0	0	30000	39.6875	2004
22.01.2020 15:21:42	1	1	1	1	74	59.5	0	28388.626	206.4516129	5860.897453	30000	0	0	30000	40.1875	2004
22.01.2020 15:21:43	1	1	1	1	74	60	0	28341.232	206.4516129	5860.897453	30000	0	0	30000	40.125	2004
22.01.2020 15:21:44	1	1	1	1	74	60	0	28388.626	206.4516129	5860.897453	30000	0	0	30000	40.125	2004
22.01.2020 15:21:45	1	1	1	1	74	60	0	28436.019	206.4516129	5860.897453	30000	0	0	30000	40.125	2004
22.01.2020 15:21:46	1	1	1	1	74	60	0	28388.626	208.6021505	5851.112983	30000	0	0	30000	40.1875	2004
22.01.2020 15:21:47	1	1	1	1	74	60	0	28388.626	206.4516129	5851.112983	30000	0	0	30000	40.125	2004
22.01.2020 15:21:48	1	1	1	1	74	60	0	28341.232	206.4516129	5860.897453	30000	0	0	30000	40.0625	2004
22.01.2020 15:21:49	1	1	1	1	74	60	0	28388.626	210.7526882	5921.235018	30000	0	0	30000	39.6875	2004
22.01.2020 15:21:50	1	1	1	1	74	59.5	0	28436.019	210.7526882	5982.387954	30000	0	0	30000	40	2004
22.01.2020 15:21:51	1	1	1	1	74	60	0	28388.626	215.0537634	6165.846764	30000	0	0	30000	40.4375	2004
22.01.2020 15:21:52	1	1	1	1	74	60.25	0	28388.626	219.3548387	6288.152638	30000	0	0	30000	40.125	2004
22.01.2020 15:21:53	1	1	1	1	74	60	0	28388.626	221.5053763	6288.152638	30000	0	0	30000	40.25	2004
22.01.2020 15:21:54	1	1	1	1	74	60.25	0	28388.626	221.5053763	6409.643139	30000	0	0	30000	40.125	2004
22.01.2020 15:21:55	1	1	1	1	74	60	0	28436.019	227.9569892	6604.517164	30000	0	0	30000	39.625	2004
22.01.2020 15:21:58	1	1	1	1	74	60	0	28388.626	234.4086022	6642.839671	30000	0	0	30000	39.75	2004
22.01.2020 15:21:58	1	1	1	1	74	60	0	28388.626	234.4086022	6642.839671	30000	0	0	30000	39.75	2004
22.01.2020 15:21:58	1	1	1	1	74.25	59.75	0	28388.626	236.5591398	6715.407822	30000	0	0	30000	40.0625	2004
22.01.2020 15:21:59	1	1	1	1	74.25	60	0	28341.232	240.8602151	6837.713696	30000	0	0	30000	39.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 15:22:00	1	1	1	1	74.25	59.75	0	28436.019	243.0107527	6971.434784	30000	0	0	30000	40.3125	2004
22.01.2020 15:22:01	1	1	1	1	74.25	60.25	0	28388.626	243.0107527	6910.281847	30000	0	0	30000	40.1875	2004
22.01.2020 15:22:02	1	1	1	1	74.25	60	0	28436.019	245.1612903	6837.713696	30000	0	0	30000	40.4375	2004
22.01.2020 15:22:03	1	1	1	1	74.25	60.25	0	28436.019	243.0107527	6910.281847	30000	0	0	30000	40.3125	2004
22.01.2020 15:22:04	1	1	1	1	74.25	60.25	0	28436.019	245.1612903	6971.434784	30000	0	0	30000	38.75	2004
22.01.2020 15:22:05	1	1	1	1	74.25	58.75	0	28436.019	240.8602151	6910.281847	30000	0	0	30000	40.375	2004
22.01.2020 15:22:06	1	1	1	1	74.25	60.25	0	28436.019	240.8602151	6849.12891	30000	0	0	30000	40.3125	2004
22.01.2020 15:22:07	1	1	1	1	74.25	60.25	0	28483.412	247.311828	6910.281847	30000	0	0	30000	40.375	2004
22.01.2020 15:22:08	1	1	1	1	74.25	60.25	0	28436.019	240.8602151	6910.281847	30000	0	0	30000	40.1875	2004
22.01.2020 15:22:16	1	1	1	1	74.25	60	0	28388.626	251.6129032	7154.893594	30000	0	0	30000	40.4375	2004
22.01.2020 15:22:16	1	1	1	1	74.25	60	0	28388.626	251.6129032	7154.893594	30000	0	0	30000	40.4375	2004
22.01.2020 15:22:16	1	1	1	1	74.25	60	0	28388.626	251.6129032	7154.893594	30000	0	0	30000	40.4375	2004
22.01.2020 15:22:16	1	1	1	1	74.25	60	0	28388.626	251.6129032	7154.893594	30000	0	0	30000	40.4375	2004
22.01.2020 15:22:16	1	1	1	1	74.25	60	0	28388.626	251.6129032	7154.893594	30000	0	0	30000	40.4375	2004
22.01.2020 15:22:16	1	1	1	1	74.25	60	0	28388.626	251.6129032	7154.893594	30000	0	0	30000	40.4375	2004
22.01.2020 15:22:16	1	1	1	1	74.25	60	0	28388.626	251.6129032	7154.893594	30000	0	0	30000	40.4375	2004
22.01.2020 15:22:17	1	1	1	1	74.25	60.25	0	28436.019	247.311828	7093.740657	30000	0	0	30000	39.625	2004
22.01.2020 15:22:18	1	1	1	1	74.5	59.75	0	28436.019	251.6129032	7093.740657	30000	0	0	30000	40.3125	2004
22.01.2020 15:22:19	1	1	1	1	74.5	60.25	0	28436.019	243.0107527	6910.281847	30000	0	0	30000	40.1875	2004
22.01.2020 15:22:20	1	1	1	1	74.5	60	0	28388.626	240.8602151	6849.12891	30000	0	0	30000	40.3125	2004
22.01.2020 15:22:21	1	1	1	1	74.5	60.25	0	28436.019	240.8602151	6849.12891	30000	0	0	30000	39.9375	2004
22.01.2020 15:22:22	1	1	1	1	74.5	59.75	0	28483.412	243.0107527	6921.697062	30000	0	0	30000	40.25	2004
22.01.2020 15:22:23	1	1	1	1	74.5	60.25	0	28436.019	243.0107527	6910.281847	30000	0	0	30000	40.1875	2004
22.01.2020 15:22:24	1	1	1	1	74.5	60	0	28436.019	240.8602151	6849.12891	30000	0	0	30000	40.1875	2004
22.01.2020 15:22:25	1	1	1	1	74.5	60	0	28436.019	236.5591398	6726.823037	30000	0	0	30000	40.1875	2004
22.01.2020 15:22:26	1	1	1	1	74.5	60	0	28483.412	240.8602151	6737.422879	30000	0	0	30000	39.875	2004
22.01.2020 15:22:27	1	1	1	1	74.5	59.75	0	28483.412	232.2580645	6615.117006	30000	0	0	30000	40.0625	2004
22.01.2020 15:22:28	1	1	1	1	74.75	60	0	28483.412	230.1075269	6615.117006	30000	0	0	30000	39.8125	2004
22.01.2020 15:22:29	1	1	1	1	74.75	59.75	0	28483.412	234.4086022	6676.269943	30000	0	0	30000	40.125	2004
22.01.2020 15:22:30	1	1	1	1	74.75	60	0	28483.412	240.8602151	6921.697062	30000	0	0	30000	39.8125	2004
22.01.2020 15:22:31	1	1	1	1	74.75	59.75	0	28483.412	240.8602151	6921.697062	30000	0	0	30000	40.25	2004
22.01.2020 15:22:32	1	1	1	1	74.75	60.25	0	28483.412	240.8602151	6860.544125	30000	0	0	30000	40.25	2004
22.01.2020 15:22:33	1	1	1	1	74.75	60.25	0	28483.412	240.8602151	6860.544125	30000	0	0	30000	39.8125	2004
22.01.2020 15:22:34	1	1	1	1	74.75	59.75	0	28483.412	243.0107527	6921.697062	30000	0	0	30000	40.0625	2004
22.01.2020 15:22:35	1	1	1	1	74.75	60	0	28483.412	245.1612903	6982.849999	30000	0	0	30000	39.8125	2004
22.01.2020 15:22:36	1	1	1	1	74.75	59.75	0	28483.412	247.311828	7044.002935	30000	0	0	30000	40.125	2004
22.01.2020 15:22:37	1	1	1	1	74.75	60	0	28483.412	251.6129032	7044.002935	30000	0	0	30000	40	2004
22.01.2020 15:22:38	1	1	1	1	74.5	60	0	28483.412	249.4623656	7166.308809	30000	0	0	30000	40.125	2004
22.01.2020 15:22:39	1	1	1	1	74.5	60	0	28483.412	251.6129032	7166.308809	30000	0	0	30000	40.1875	2004
22.01.2020 15:22:40	1	1	1	1	74.5	60	0	28483.412	253.7634409	7227.461745	30000	0	0	30000	40	2004
22.01.2020 15:22:41	1	1	1	1	74.5	60	0	28483.412	255.9139785	7350.582991	30000	0	0	30000	40.1875	2004
22.01.2020 15:22:42	1	1	1	1	74.5	60	0	28483.412	258.0645161	7350.582991	30000	0	0	30000	40.1875	2004
22.01.2020 15:22:43	1	1	1	1	74.5	60	0	28436.019	258.0645161	7399.505341	30000	0	0	30000	40.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 15:22:44	1	1	1	1	74.5	60.25	0	28483.412	258.0645161	7350.582991	30000	0	0	30000	40.25	2004
22.01.2020 15:22:45	1	1	1	1	74.5	60.25	0	28483.412	264.516129	7472.888865	30000	0	0	30000	39.9375	2004
22.01.2020 15:22:46	1	1	1	1	74.5	59.75	0	28483.412	262.3655914	7399.505341	30000	0	0	30000	39.4375	2004
22.01.2020 15:22:47	1	1	1	1	74.5	59.25	0	28483.412	260.2150538	7411.735928	30000	0	0	30000	39.75	2004
22.01.2020 15:22:48	1	1	1	1	74.75	59.75	0	28483.412	262.3655914	7472.888865	30000	0	0	30000	40.0625	2004
22.01.2020 15:22:49	1	1	1	1	74.75	60	0	28483.412	264.516129	7595.194738	30000	0	0	30000	40.125	2004
22.01.2020 15:22:51	1	1	1	1	74.75	60	0	28483.412	264.516129	7534.041801	30000	0	0	30000	40.25	2004
22.01.2020 15:22:52	1	1	1	1	74.75	60.25	0	28530.806	264.516129	7546.272389	30000	0	0	30000	40.5625	2004
22.01.2020 15:22:53	1	1	1	1	74.75	60.5	0	28483.412	262.3655914	7620.471285	30000	0	0	30000	40.1875	2004
22.01.2020 15:22:54	1	1	1	1	74.75	60	0	28578.199	264.516129	7485.119452	30000	0	0	30000	40.375	2004
22.01.2020 15:22:55	1	1	1	1	74.75	60.25	0	28578.199	266.6666667	7620.471285	30000	0	0	30000	40.5625	2004
22.01.2020 15:22:56	1	1	1	1	74.75	60.25	0	28578.199	266.6666667	7608.240698	30000	0	0	30000	40.1875	2004
22.01.2020 15:22:57	1	1	1	1	74.75	60	0	28530.806	268.8172043	7681.624222	30000	0	0	30000	40.0625	2004
22.01.2020 15:22:58	1	1	1	1	75	60	0	28578.199	268.8172043	7620.471285	30000	0	0	30000	39.8125	2004
22.01.2020 15:22:59	1	1	1	1	75	59.75	0	28483.412	266.6666667	7620.471285	30000	0	0	30000	40.25	2004
22.01.2020 15:23:00	1	1	1	1	75	60.25	0	28578.199	266.6666667	7608.240698	30000	0	0	30000	40.375	2004
22.01.2020 15:23:01	1	1	1	1	75	60.25	0	28578.199	266.6666667	7620.471285	30000	0	0	30000	40.3125	2004
22.01.2020 15:23:02	1	1	1	1	75	60.25	0	28483.412	266.6666667	7595.194738	30000	0	0	30000	40.0625	2004
22.01.2020 15:23:03	1	1	1	1	75	60	0	28530.806	264.516129	7559.318349	30000	0	0	30000	40.3125	2004
22.01.2020 15:23:04	1	1	1	1	75	60.25	0	28483.412	262.3655914	7472.888865	30000	0	0	30000	39.25	2004
22.01.2020 15:23:05	1	1	1	1	75	59.25	0	28483.412	262.3655914	7497.350039	30000	0	0	30000	40	2004
22.01.2020 15:23:06	1	1	1	1	75	60	0	28483.412	260.2150538	7411.735928	30000	0	0	30000	40.3125	2004
22.01.2020 15:23:07	1	1	1	1	75	60.25	0	28483.412	262.3655914	7472.888865	30000	0	0	30000	39.75	2004
22.01.2020 15:23:08	1	1	1	1	75	59.75	0	28483.412	262.3655914	7534.041801	30000	0	0	30000	40.25	2004
22.01.2020 15:23:09	1	1	1	1	75	60.25	0	28530.806	264.516129	7534.041801	30000	0	0	30000	40.1875	2004
22.01.2020 15:23:10	1	1	1	1	75	60	0	28483.412	264.516129	7497.350039	30000	0	0	30000	40.1875	2004
22.01.2020 15:23:18	1	1	1	1	75	60	0	28578.199	251.6129032	7044.002935	30000	0	0	30000	40.25	2004
22.01.2020 15:23:18	1	1	1	1	75	60	0	28578.199	251.6129032	7044.002935	30000	0	0	30000	40.25	2004
22.01.2020 15:23:18	1	1	1	1	75	60	0	28578.199	251.6129032	7044.002935	30000	0	0	30000	40.25	2004
22.01.2020 15:23:18	1	1	1	1	75	60	0	28578.199	251.6129032	7044.002935	30000	0	0	30000	40.25	2004
22.01.2020 15:23:18	1	1	1	1	75	60	0	28578.199	251.6129032	7044.002935	30000	0	0	30000	40.25	2004
22.01.2020 15:23:18	1	1	1	1	75.25	60.25	0	28578.199	253.7634409	7189.954611	30000	0	0	30000	40.125	2004
22.01.2020 15:23:19	1	1	1	1	75.25	60	0	28578.199	258.0645161	7251.92292	30000	0	0	30000	40.125	2004
22.01.2020 15:23:20	1	1	1	1	75.25	60	0	28625.592	258.0645161	7375.044166	30000	0	0	30000	39.8125	2004
22.01.2020 15:23:21	1	1	1	1	75.25	59.75	0	28578.199	255.9139785	7313.075857	30000	0	0	30000	40.375	2004
22.01.2020 15:23:22	1	1	1	1	75.25	60.25	0	28578.199	253.7634409	7313.075857	30000	0	0	30000	39.8125	2004
22.01.2020 15:23:23	1	1	1	1	75.25	59.75	0	28625.592	251.6129032	7189.954611	30000	0	0	30000	40.125	2004
22.01.2020 15:23:24	1	1	1	1	75.25	60	0	28578.199	240.8602151	6883.374555	30000	0	0	30000	40	2004
22.01.2020 15:23:25	1	1	1	1	75.25	60	0	28578.199	240.8602151	6883.374555	30000	0	0	30000	40.25	2004
22.01.2020 15:23:26	1	1	1	1	75.25	60.25	0	28578.199	230.1075269	6575.979126	30000	0	0	30000	40.1875	2004
22.01.2020 15:23:27	1	1	1	1	75.25	60	0	28578.199	227.9569892	6575.979126	30000	0	0	30000	40.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 15:23:29	1	1	1	1	75	60.25	0	28578.199	232.2580645	6637.132063	30000	0	0	30000	40.375	2004
22.01.2020 15:23:30	1	1	1	1	75	60.25	0	28578.199	225.8064516	6575.979126	30000	0	0	30000	40.3125	2004
22.01.2020 15:23:31	1	1	1	1	75	60.25	0	28578.199	227.9569892	6452.857881	30000	0	0	30000	40.375	2004
22.01.2020 15:23:32	1	1	1	1	75	60.25	0	28578.199	221.5053763	6452.857881	30000	0	0	30000	40.75	2004
22.01.2020 15:23:33	1	1	1	1	75	60.75	0	28530.806	221.5053763	6329.736635	30000	0	0	30000	40.125	2004
22.01.2020 15:23:34	1	1	1	1	75	60	0	28530.806	221.5053763	6247.384013	30000	0	0	30000	39.5625	2004
22.01.2020 15:23:35	1	1	1	1	75	59.75	0	28578.199	221.5053763	6329.736635	30000	0	0	30000	40.4375	2004
22.01.2020 15:23:36	1	1	1	1	75	60.25	0	28530.806	221.5053763	6329.736635	30000	0	0	30000	40.3125	2004
22.01.2020 15:23:37	1	1	1	1	75	60.25	0	28578.199	219.3548387	6268.583698	30000	0	0	30000	40.25	2004
22.01.2020 15:23:38	1	1	1	1	75.25	60.25	0	28578.199	219.3548387	6268.583698	30000	0	0	30000	39.8125	2004
22.01.2020 15:23:39	1	1	1	1	75.25	59.75	0	28530.806	215.0537634	6084.309515	30000	0	0	30000	39.9375	2004
22.01.2020 15:23:40	1	1	1	1	75.25	59.75	0	28578.199	208.6021505	5961.18827	30000	0	0	30000	40.3125	2004
22.01.2020 15:23:41	1	1	1	1	75.25	60.25	0	28578.199	206.4516129	5900.035333	30000	0	0	30000	40.375	2004
22.01.2020 15:23:42	1	1	1	1	75.25	60.25	0	28625.592	206.4516129	5900.035333	30000	0	0	30000	40.25	2004
22.01.2020 15:23:43	1	1	1	1	75.25	60.25	0	28625.592	206.4516129	5909.819803	30000	0	0	30000	39.75	2004
22.01.2020 15:23:44	1	1	1	1	75.25	59.75	0	28625.592	210.7526882	6094.093985	30000	0	0	30000	40.3125	2004
22.01.2020 15:23:45	1	1	1	1	75.25	60.25	0	28625.592	210.7526882	5961.18827	30000	0	0	30000	39.75	2004
22.01.2020 15:23:46	1	1	1	1	75.25	59.75	0	28578.199	206.4516129	5900.035333	30000	0	0	30000	40.3125	2004
22.01.2020 15:23:47	1	1	1	1	75.25	60.25	0	28625.592	206.4516129	5948.957682	30000	0	0	30000	40.1875	2004
22.01.2020 15:23:48	1	1	1	1	75	60	0	28625.592	206.4516129	5909.819803	30000	0	0	30000	40.1875	2004
22.01.2020 15:23:49	1	1	1	1	75	60	0	28625.592	212.9032258	6134.86261	30000	0	0	30000	40.1875	2004
22.01.2020 15:23:50	1	1	1	1	75	60	0	28672.986	208.6021505	5909.819803	30000	0	0	30000	40.125	2004
22.01.2020 15:23:51	1	1	1	1	75	60	0	28578.199	206.4516129	5900.035333	30000	0	0	30000	40.3125	2004
22.01.2020 15:23:52	1	1	1	1	75	60.25	0	28578.199	206.4516129	5900.035333	30000	0	0	30000	40.1875	2004
22.01.2020 15:23:53	1	1	1	1	75	60	0	28625.592	206.4516129	5900.035333	30000	0	0	30000	40.25	2004
22.01.2020 15:23:54	1	1	1	1	75	60.25	0	28625.592	206.4516129	5909.819803	30000	0	0	30000	40.375	2004
22.01.2020 15:23:55	1	1	1	1	75	60.25	0	28625.592	206.4516129	5909.819803	30000	0	0	30000	40.25	2004
22.01.2020 15:23:56	1	1	1	1	75	60.25	0	28578.199	206.4516129	5948.957682	30000	0	0	30000	40.1875	2004
22.01.2020 15:23:57	1	1	1	1	75	60	0	28625.592	206.4516129	5909.819803	30000	0	0	30000	40.1875	2004
22.01.2020 15:23:58	1	1	1	1	75.5	60	0	28625.592	212.9032258	5970.972739	30000	0	0	30000	40.25	2004
22.01.2020 15:23:59	1	1	1	1	75.5	60.25	0	28625.592	217.2043011	6217.215231	30000	0	0	30000	40	2004
22.01.2020 15:24:00	1	1	1	1	75.5	60	0	28625.592	221.5053763	6340.336477	30000	0	0	30000	40	2004
22.01.2020 15:24:01	1	1	1	1	75.5	60	0	28625.592	221.5053763	6463.457723	30000	0	0	30000	40.25	2004
22.01.2020 15:24:02	1	1	1	1	75.5	60.25	0	28578.199	230.1075269	6648.547278	30000	0	0	30000	40.1875	2004
22.01.2020 15:24:03	1	1	1	1	75.5	60	0	28578.199	232.2580645	6575.979126	30000	0	0	30000	40.125	2004
22.01.2020 15:24:04	1	1	1	1	75.5	60	0	28578.199	232.2580645	6637.132063	30000	0	0	30000	39.75	2004
22.01.2020 15:24:05	1	1	1	1	75.5	59.75	0	28578.199	236.5591398	6760.253309	30000	0	0	30000	39.5625	2004
22.01.2020 15:24:06	1	1	1	1	75.5	59.5	0	28625.592	234.4086022	6709.700215	30000	0	0	30000	40	2004
22.01.2020 15:24:08	1	1	1	1	75.5	60	0	28625.592	236.5591398	6760.253309	30000	0	0	30000	40.25	2004
22.01.2020 15:24:09	1	1	1	1	75.5	60.25	0	28625.592	240.8602151	6709.700215	30000	0	0	30000	40.125	2004
22.01.2020 15:24:10	1	1	1	1	75.5	60	0	28625.592	236.5591398	6771.668524	30000	0	0	30000	40.5625	2004
22.01.2020 15:24:11	1	1	1	1	75.5	60.5	0	28625.592	234.4086022	6648.547278	30000	0	0	30000	40.125	2004
22.01.2020 15:24:12	1	1	1	1	75.5	60	0	28578.199	234.4086022	6709.700215	30000	0	0	30000	40.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 15:24:19	1	1	1	1	75.25	60	0	28625.592	193.5483871	5639.116136	30000	0	0	30000	40.3125	2004
22.01.2020 15:24:19	1	1	1	1	75.25	60	0	28625.592	193.5483871	5639.116136	30000	0	0	30000	40.3125	2004
22.01.2020 15:24:19	1	1	1	1	75.25	60	0	28625.592	193.5483871	5639.116136	30000	0	0	30000	40.3125	2004
22.01.2020 15:24:19	1	1	1	1	75.25	60	0	28625.592	193.5483871	5639.116136	30000	0	0	30000	40.3125	2004
22.01.2020 15:24:19	1	1	1	1	75.25	60	0	28625.592	193.5483871	5639.116136	30000	0	0	30000	40.3125	2004
22.01.2020 15:24:19	1	1	1	1	75.25	60	0	28625.592	193.5483871	5639.116136	30000	0	0	30000	40.3125	2004
22.01.2020 15:24:19	1	1	1	1	75.25	60	0	28625.592	193.5483871	5639.116136	30000	0	0	30000	40.3125	2004
22.01.2020 15:24:20	1	1	1	1	75.25	60.25	0	28625.592	191.3978495	5478.487756	30000	0	0	30000	40.25	2004
22.01.2020 15:24:21	1	1	1	1	75.25	60.25	0	28625.592	191.3978495	5478.487756	30000	0	0	30000	40.125	2004
22.01.2020 15:24:22	1	1	1	1	75.25	60	0	28625.592	191.3978495	5577.147827	30000	0	0	30000	40.25	2004
22.01.2020 15:24:23	1	1	1	1	75.25	60.25	0	28625.592	206.4516129	5948.957682	30000	0	0	30000	40.0625	2004
22.01.2020 15:24:24	1	1	1	1	75.25	60	0	28578.199	206.4516129	5909.819803	30000	0	0	30000	40.125	2004
22.01.2020 15:24:25	1	1	1	1	75.25	60	0	28625.592	212.9032258	6094.093985	30000	0	0	30000	39.875	2004
22.01.2020 15:24:26	1	1	1	1	75.25	59.75	0	28672.986	221.5053763	6094.093985	30000	0	0	30000	39.875	2004
22.01.2020 15:24:27	1	1	1	1	75.25	59.75	0	28578.199	225.8064516	6452.857881	30000	0	0	30000	40.25	2004
22.01.2020 15:24:28	1	1	1	1	75.75	60.25	0	28625.592	247.311828	6944.527492	30000	0	0	30000	40.125	2004
22.01.2020 15:24:29	1	1	1	1	75.75	60	0	28625.592	234.4086022	6709.700215	30000	0	0	30000	40.3125	2004
22.01.2020 15:24:30	1	1	1	1	75.75	60.25	0	28625.592	253.7634409	7202.185198	30000	0	0	30000	40.1875	2004
22.01.2020 15:24:31	1	1	1	1	75.75	60	0	28625.592	245.1612903	6955.942706	30000	0	0	30000	40	2004
22.01.2020 15:24:32	1	1	1	1	75.75	60	0	28815.166	247.311828	7079.063952	30000	0	0	30000	40.125	2004
22.01.2020 15:24:33	1	1	1	1	75.75	60	0	28625.592	247.311828	7079.063952	30000	0	0	30000	40.1875	2004
22.01.2020 15:24:34	1	1	1	1	75.75	60	0	28625.592	251.6129032	7202.185198	30000	0	0	30000	40.25	2004
22.01.2020 15:24:35	1	1	1	1	75.75	60.25	0	28625.592	245.1612903	7064.387248	30000	0	0	30000	39.8125	2004
22.01.2020 15:24:36	1	1	1	1	75.75	59.75	0	28625.592	258.0645161	7313.075857	30000	0	0	30000	40.1875	2004
22.01.2020 15:24:37	1	1	1	1	75.75	60	0	28815.166	260.2150538	7498.165412	30000	0	0	30000	40.1875	2004
22.01.2020 15:24:38	1	1	1	1	75.25	60	0	28578.199	249.4623656	7079.063952	30000	0	0	30000	40.1875	2004
22.01.2020 15:24:39	1	1	1	1	75.25	60	0	28625.592	258.0645161	7436.197103	30000	0	0	30000	40.125	2004
22.01.2020 15:24:40	1	1	1	1	75.25	60	0	28625.592	251.6129032	7202.185198	30000	0	0	30000	40.125	2004
22.01.2020 15:24:41	1	1	1	1	75.25	60	0	28672.986	253.7634409	7264.153507	30000	0	0	30000	40.25	2004
22.01.2020 15:24:42	1	1	1	1	75.25	60.25	0	28672.986	275.2688172	7869.975267	30000	0	0	30000	40.25	2004
22.01.2020 15:24:43	1	1	1	1	75.25	60.25	0	28625.592	247.311828	7079.063952	30000	0	0	30000	40.375	2004
22.01.2020 15:24:44	1	1	1	1	75.25	60.25	0	28625.592	251.6129032	7264.153507	30000	0	0	30000	40.25	2004
22.01.2020 15:24:45	1	1	1	1	75.25	60.25	0	28625.592	245.1612903	7017.911016	30000	0	0	30000	40.3125	2004
22.01.2020 15:24:46	1	1	1	1	75.25	60.25	0	28625.592	243.0107527	6955.942706	30000	0	0	30000	40.25	2004
22.01.2020 15:24:48	1	1	1	1	75.25	60.25	0	28625.592	240.8602151	7002.418938	30000	0	0	30000	40.125	2004
22.01.2020 15:24:49	1	1	1	1	75.25	60	0	28815.166	240.8602151	6771.668524	30000	0	0	30000	40.25	2004
22.01.2020 15:24:50	1	1	1	1	75.25	60.25	0	28578.199	240.8602151	7064.387248	30000	0	0	30000	40.0625	2004
22.01.2020 15:24:51	1	1	1	1	75.25	60	0	28625.592	253.7634409	7202.185198	30000	0	0	30000	40.4375	2004
22.01.2020 15:24:52	1	1	1	1	75.25	60.25	0	28625.592	240.8602151	6760.253309	30000	0	0	30000	40	2004
22.01.2020 15:24:53	1	1	1	1	75.25	60	0	28672.986	266.6666667	7571.548936	30000	0	0	30000	40.25	2004
22.01.2020 15:24:54	1	1	1	1	75.25	60.5	0	28578.199	240.8602151	7079.063952	30000	0	0	30000	40.25	2004
22.01.2020 15:24:55	1	1	1	1	75.25	60.25	0	28625.592	275.2688172	7931.943576	30000	0	0	30000	40	2004
22.01.2020 15:24:56	1	1	1	1	75.25	60	0	28625.592	243.0107527	6955.942706	30000	0	0	30000	40.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 15:24:57	1	1	1	1	75.25	60	0	28815.166	251.6129032	7250.292175	30000	0	0	30000	40.125	2004
22.01.2020 15:24:58	1	1	1	1	75.25	60	0	28625.592	266.6666667	7694.670182	30000	0	0	30000	40.1875	2004
22.01.2020 15:24:59	1	1	1	1	75.25	60	0	28815.166	268.8172043	7746.038649	30000	0	0	30000	39.75	2004
22.01.2020 15:25:00	1	1	1	1	75.25	59.75	0	28672.986	277.4193548	7879.759737	30000	0	0	30000	40.375	2004
22.01.2020 15:25:01	1	1	1	1	75.25	60.25	0	28815.166	288.172043	8179.816813	30000	0	0	30000	39.9375	2004
22.01.2020 15:25:02	1	1	1	1	75.25	59.75	0	28815.166	298.9247312	8613.594977	30000	0	0	30000	40.1875	2004
22.01.2020 15:25:03	1	1	1	1	75.25	60	0	28625.592	275.2688172	7879.759737	30000	0	0	30000	39.8125	2004
22.01.2020 15:25:04	1	1	1	1	75.25	59.75	0	28672.986	294.6236559	8551.626668	30000	0	0	30000	40.3125	2004
22.01.2020 15:25:05	1	1	1	1	75.25	60.25	0	28625.592	298.9247312	8675.563286	30000	0	0	30000	40.3125	2004
22.01.2020 15:25:06	1	1	1	1	75.25	60.25	0	28815.166	335.483871	9667.056234	30000	0	0	30000	40.1875	2004
22.01.2020 15:25:07	1	1	1	1	75.25	60	0	28672.986	292.4731183	8427.69005	30000	0	0	30000	40.125	2004
22.01.2020 15:25:08	1	1	1	1	75.25	60	0	0	0	0	30000	0	8	30000	40.3125	2004
22.01.2020 15:25:09	1	1	1	1	75.25	60.25	0	4881.5166	0	0	30000	0	0	30000	40.6875	2004
22.01.2020 15:25:10	1	1	1	1	75.25	60.5	0	10758.294	0	0	30000	0	0	30000	40.1875	2004
22.01.2020 15:25:11	1	1	1	1	75.25	60	0	11563.981	0	0	30000	0	0	30000	40.1875	2004
22.01.2020 15:25:12	1	1	1	1	75.25	60	0	12322.275	0	0	30000	0	0	30000	40.3125	2004
22.01.2020 15:25:13	1	1	1	1	75.25	60.25	0	13127.962	2.150537634	27.72266464	30000	0	0	30000	40.25	2004
22.01.2020 15:25:21	1	1	1	1	75.5	60.25	0	18530.806	34.40860215	637.6212867	30000	0	0	30000	40.3125	2004
22.01.2020 15:25:21	1	1	1	1	75.5	60.25	0	18530.806	34.40860215	637.6212867	30000	0	0	30000	40.3125	2004
22.01.2020 15:25:21	1	1	1	1	75.5	60.25	0	18530.806	34.40860215	637.6212867	30000	0	0	30000	40.3125	2004
22.01.2020 15:25:21	1	1	1	1	75.5	60.25	0	18530.806	34.40860215	637.6212867	30000	0	0	30000	40.3125	2004
22.01.2020 15:25:21	1	1	1	1	75.5	60.25	0	18530.806	34.40860215	637.6212867	30000	0	0	30000	40.3125	2004
22.01.2020 15:25:21	1	1	1	1	75.5	60.25	0	18530.806	34.40860215	637.6212867	30000	0	0	30000	40.3125	2004
22.01.2020 15:25:21	1	1	1	1	75.5	60.25	0	19289.1	40.86021505	787.6498247	30000	0	0	30000	40.25	2004
22.01.2020 15:25:22	1	1	1	1	75.5	60.25	0	20000	53.76344086	1032.261571	30000	0	0	30000	40.25	2004
22.01.2020 15:25:23	1	1	1	1	75.5	60.25	0	20758.294	60.21505376	1249.966026	30000	0	0	30000	40	2004
22.01.2020 15:25:24	1	1	1	1	75.5	60	0	21563.981	66.66666667	1437.501699	30000	0	0	30000	40.0625	2004
22.01.2020 15:25:25	1	1	1	1	75.5	60	0	22369.668	75.2688172	1687.00568	30000	0	0	30000	40.25	2004
22.01.2020 15:25:27	1	1	1	1	75.5	60.25	0	23080.569	83.87096774	1935.69429	30000	0	0	30000	40.1875	2004
22.01.2020 15:25:28	1	1	1	1	75.5	60	0	23554.502	92.47311828	2177.859919	30000	0	0	30000	40	2004
22.01.2020 15:25:29	1	1	1	1	75	60	0	23601.896	92.47311828	2177.859919	30000	0	0	30000	40.1875	2004
22.01.2020 15:25:30	1	1	1	1	75	60	0	23649.289	94.62365591	2181.936781	30000	0	0	30000	40.1875	2004
22.01.2020 15:25:31	1	1	1	1	75	60	0	23554.502	94.62365591	2283.858343	30000	0	0	30000	40.625	2004
22.01.2020 15:25:32	1	1	1	1	75	60.5	0	23601.896	103.2258065	2431.440763	30000	0	0	30000	40.25	2004
22.01.2020 15:25:33	1	1	1	1	75	60.25	0	23649.289	103.2258065	2436.332998	30000	0	0	30000	40.125	2004
22.01.2020 15:25:34	1	1	1	1	75	60	0	23554.502	103.2258065	2436.332998	30000	0	0	30000	40.25	2004
22.01.2020 15:25:35	1	1	1	1	75	60.25	0	23601.896	103.2258065	2436.332998	30000	0	0	30000	40.125	2004
22.01.2020 15:25:36	1	1	1	1	75	60	0	23601.896	103.2258065	2441.225233	30000	0	0	30000	40.3125	2004
22.01.2020 15:25:37	1	1	1	1	75	60.25	0	23601.896	103.2258065	2486.886092	30000	0	0	30000	40.125	2004
22.01.2020 15:25:38	1	1	1	1	75	60	0	23601.896	103.2258065	2436.332998	30000	0	0	30000	40.3125	2004
22.01.2020 15:25:39	1	1	1	1	75	60.25	0	23554.502	103.2258065	2441.225233	30000	0	0	30000	40.1875	2004
22.01.2020 15:25:40	1	1	1	1	75	60	0	23554.502	103.2258065	2431.440763	30000	0	0	30000	40.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 15:25:41	1	1	1	1	75	60	0	23601.896	103.2258065	2486.886092	30000	0	0	30000	40.25	2004
22.01.2020 15:25:42	1	1	1	1	75	60.25	0	23554.502	105.3763441	2481.993858	30000	0	0	30000	40.1875	2004
22.01.2020 15:25:43	1	1	1	1	75	60	0	23601.896	105.3763441	2436.332998	30000	0	0	30000	40.1875	2004
22.01.2020 15:25:44	1	1	1	1	75	60	0	23601.896	105.3763441	2491.778327	30000	0	0	30000	40.1875	2004
22.01.2020 15:25:45	1	1	1	1	75	60	0	23601.896	105.3763441	2486.886092	30000	0	0	30000	40.1875	2004
22.01.2020 15:25:46	1	1	1	1	75	60	0	23554.502	103.2258065	2537.439187	30000	0	0	30000	40.4375	2004
22.01.2020 15:25:47	1	1	1	1	75	60.25	0	23554.502	105.3763441	2481.993858	30000	0	0	30000	40.375	2004
22.01.2020 15:25:48	1	1	1	1	74.75	60.25	0	24218.009	113.9784946	2760.035876	30000	0	0	30000	40.25	2004
22.01.2020 15:25:49	1	1	1	1	74.75	60.25	0	24597.156	129.0322581	3173.429728	30000	0	0	30000	40.125	2004
22.01.2020 15:25:50	1	1	1	1	74.75	60	0	24691.943	129.0322581	3185.660316	30000	0	0	30000	39.125	2004
22.01.2020 15:25:51	1	1	1	1	74.75	59	0	25450.237	144.0860215	3666.730085	30000	0	0	30000	40.25	2004
22.01.2020 15:25:52	1	1	1	1	74.75	60.25	0	26113.744	159.1397849	4155.138206	30000	0	0	30000	40.25	2004
22.01.2020 15:25:53	1	1	1	1	74.75	60.25	0	26682.464	176.344086	4647.623189	30000	0	0	30000	40.1875	2004
22.01.2020 15:25:54	1	1	1	1	74.75	60	0	27298.578	189.2473118	5166.200092	30000	0	0	30000	40.3125	2004
22.01.2020 15:25:55	1	1	1	1	74.75	60.25	0	27440.758	206.4516129	5665.208056	30000	0	0	30000	40.375	2004
22.01.2020 15:25:56	1	1	1	1	74.75	60.25	0	27440.758	206.4516129	5665.208056	30000	0	0	30000	40.125	2004
22.01.2020 15:25:57	1	1	1	1	74.75	60	0	27630.332	217.2043011	6120.185905	30000	0	0	30000	40.1875	2004
22.01.2020 15:25:58	1	1	1	1	74.25	60	0	28009.479	232.2580645	6505.04172	30000	0	0	30000	40.3125	2004
22.01.2020 15:25:59	1	1	1	1	74.25	60.25	0	28341.232	240.8602151	6898.05126	30000	0	0	30000	40.3125	2004
22.01.2020 15:26:00	1	1	1	1	74.25	60.25	0	28388.626	243.0107527	6898.05126	30000	0	0	30000	40.25	2004
22.01.2020 15:26:01	1	1	1	1	74.25	60.25	0	28341.232	240.8602151	7020.357133	30000	0	0	30000	40.0625	2004
22.01.2020 15:26:02	1	1	1	1	74.25	60	0	28388.626	247.311828	7020.357133	30000	0	0	30000	40.1875	2004
22.01.2020 15:26:03	1	1	1	1	74.25	60	0	28388.626	247.311828	7020.357133	30000	0	0	30000	40.3125	2004
22.01.2020 15:26:05	1	1	1	1	74.25	60.25	0	28388.626	245.1612903	7020.357133	30000	0	0	30000	40.1875	2004
22.01.2020 15:26:06	1	1	1	1	74.25	60	0	28388.626	249.4623656	7020.357133	30000	0	0	30000	40.1875	2004
22.01.2020 15:26:07	1	1	1	1	74.25	60	0	28388.626	253.7634409	7142.663007	30000	0	0	30000	40.3125	2004
22.01.2020 15:26:08	1	1	1	1	74.25	60.25	0	28388.626	255.9139785	7191.585356	30000	0	0	30000	40	2004
22.01.2020 15:26:09	1	1	1	1	74.25	60	0	28388.626	255.9139785	7264.96888	30000	0	0	30000	40.625	2004
22.01.2020 15:26:10	1	1	1	1	74.25	60.5	0	28341.232	253.7634409	7203.815943	30000	0	0	30000	40.1875	2004
22.01.2020 15:26:11	1	1	1	1	74.25	60.25	0	28436.019	255.9139785	7264.96888	30000	0	0	30000	40.3125	2004
22.01.2020 15:26:12	1	1	1	1	74.25	60.25	0	28388.626	253.7634409	7203.815943	30000	0	0	30000	40.1875	2004
22.01.2020 15:26:13	1	1	1	1	74.25	60	0	28388.626	247.311828	7020.357133	30000	0	0	30000	40.1875	2004
22.01.2020 15:26:14	1	1	1	1	74.25	60	0	28341.232	240.8602151	6632.239828	30000	0	0	30000	40.1875	2004
22.01.2020 15:26:15	1	1	1	1	74.25	60	0	28436.019	227.9569892	6421.058353	30000	0	0	30000	40.375	2004
22.01.2020 15:26:23	1	1	1	1	74.25	60	0	28388.626	227.9569892	6604.517164	30000	0	0	30000	40.1875	2004
22.01.2020 15:26:23	1	1	1	1	74.25	60	0	28388.626	227.9569892	6604.517164	30000	0	0	30000	40.1875	2004
22.01.2020 15:26:23	1	1	1	1	74.25	60	0	28388.626	227.9569892	6604.517164	30000	0	0	30000	40.1875	2004
22.01.2020 15:26:23	1	1	1	1	74.25	60	0	28388.626	227.9569892	6604.517164	30000	0	0	30000	40.1875	2004
22.01.2020 15:26:23	1	1	1	1	74.25	60	0	28388.626	227.9569892	6604.517164	30000	0	0	30000	40.1875	2004
22.01.2020 15:26:23	1	1	1	1	74.25	60	0	28388.626	227.9569892	6604.517164	30000	0	0	30000	40.1875	2004
22.01.2020 15:26:23	1	1	1	1	74.25	60	0	28436.019	232.2580645	6543.364227	30000	0	0	30000	40.25	2004
22.01.2020 15:26:24	1	1	1	1	74.25	60.25	0	28436.019	232.2580645	6543.364227	30000	0	0	30000	40.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 15:26:25	1	1	1	1	74.25	60	0	28436.019	227.9569892	6543.364227	30000	0	0	30000	40.3125	2004
22.01.2020 15:26:26	1	1	1	1	74.25	60.25	0	28436.019	227.9569892	6543.364227	30000	0	0	30000	39.875	2004
22.01.2020 15:26:27	1	1	1	1	74.25	59.75	0	28436.019	227.9569892	6482.21129	30000	0	0	30000	40.3125	2004
22.01.2020 15:26:28	1	1	1	1	74.25	60.25	0	28436.019	230.1075269	6543.364227	30000	0	0	30000	40.0625	2004
22.01.2020 15:26:29	1	1	1	1	74.25	60	0	28436.019	232.2580645	6604.517164	30000	0	0	30000	40.25	2004
22.01.2020 15:26:30	1	1	1	1	74.25	60.25	0	28436.019	234.4086022	6665.6701	30000	0	0	30000	40	2004
22.01.2020 15:26:31	1	1	1	1	74.25	60	0	28436.019	236.5591398	6849.12891	30000	0	0	30000	40	2004
22.01.2020 15:26:32	1	1	1	1	74.25	60	0	28436.019	240.8602151	6849.12891	30000	0	0	30000	39.9375	2004
22.01.2020 15:26:33	1	1	1	1	74.25	59.75	0	28388.626	243.0107527	6837.713696	30000	0	0	30000	40.1875	2004
22.01.2020 15:26:34	1	1	1	1	74.25	60	0	28436.019	247.311828	6971.434784	30000	0	0	30000	40.125	2004
22.01.2020 15:26:35	1	1	1	1	74.25	60	0	28436.019	251.6129032	7142.663007	30000	0	0	30000	40.375	2004
22.01.2020 15:26:36	1	1	1	1	74.25	60.25	0	28436.019	253.7634409	7216.046531	30000	0	0	30000	40.375	2004
22.01.2020 15:26:37	1	1	1	1	74.25	60.25	0	28436.019	258.0645161	7338.352404	30000	0	0	30000	40.1875	2004
22.01.2020 15:26:38	1	1	1	1	74.25	60	0	28436.019	258.0645161	7386.459381	30000	0	0	30000	40.0625	2004
22.01.2020 15:26:39	1	1	1	1	74.25	60	0	28436.019	258.0645161	7399.505341	30000	0	0	30000	40.1875	2004
22.01.2020 15:26:40	1	1	1	1	74.25	60	0	28483.412	264.516129	7411.735928	30000	0	0	30000	40.1875	2004
22.01.2020 15:26:41	1	1	1	1	74.25	60	0	28483.412	266.6666667	7595.194738	30000	0	0	30000	40.0625	2004
22.01.2020 15:26:43	1	1	1	1	74.25	60	0	28436.019	262.3655914	7582.964151	30000	0	0	30000	40.1875	2004
22.01.2020 15:26:44	1	1	1	1	74.25	60	0	28483.412	268.8172043	7656.347675	30000	0	0	30000	40.3125	2004
22.01.2020 15:26:45	1	1	1	1	74.25	60.25	0	28436.019	266.6666667	7582.964151	30000	0	0	30000	40.125	2004
22.01.2020 15:26:46	1	1	1	1	74.25	60	0	28483.412	270.9677419	7656.347675	30000	0	0	30000	40.125	2004
22.01.2020 15:26:47	1	1	1	1	74.25	60	0	28483.412	266.6666667	7656.347675	30000	0	0	30000	40.4375	2004
22.01.2020 15:26:48	1	1	1	1	74.25	60.25	0	28483.412	268.8172043	7656.347675	30000	0	0	30000	40.1875	2004
22.01.2020 15:26:49	1	1	1	1	74.25	60	0	28483.412	268.8172043	7656.347675	30000	0	0	30000	39.375	2004
22.01.2020 15:26:50	1	1	1	1	74.25	60.25	0	28436.019	268.8172043	7656.347675	30000	0	0	30000	40.1875	2004
22.01.2020 15:26:51	1	1	1	1	74.25	60	0	28483.412	268.8172043	7656.347675	30000	0	0	30000	40.125	2004
22.01.2020 15:26:52	1	1	1	1	74.25	60	0	28483.412	270.9677419	7644.117087	30000	0	0	30000	39.75	2004
22.01.2020 15:26:53	1	1	1	1	74.25	59.75	0	28483.412	268.8172043	7656.347675	30000	0	0	30000	40.0625	2004
22.01.2020 15:26:54	1	1	1	1	74.25	60	0	28483.412	268.8172043	7717.500612	30000	0	0	30000	40.3125	2004
22.01.2020 15:26:55	1	1	1	1	74.25	60.25	0	28483.412	270.9677419	7644.117087	30000	0	0	30000	39.9375	2004
22.01.2020 15:26:56	1	1	1	1	74.25	59.75	0	28436.019	266.6666667	7595.194738	30000	0	0	30000	40.125	2004
22.01.2020 15:26:57	1	1	1	1	74.25	60	0	28483.412	270.9677419	7644.117087	30000	0	0	30000	39.875	2004
22.01.2020 15:26:58	1	1	1	1	74.25	59.75	0	28483.412	270.9677419	7717.500612	30000	0	0	30000	40.125	2004
22.01.2020 15:26:59	1	1	1	1	74.25	60	0	28436.019	270.9677419	7717.500612	30000	0	0	30000	40.1875	2004
22.01.2020 15:27:00	1	1	1	1	74.25	60	0	28483.412	266.6666667	7656.347675	30000	0	0	30000	40.1875	2004
22.01.2020 15:27:01	1	1	1	1	74.25	60	0	28483.412	266.6666667	7656.347675	30000	0	0	30000	40.3125	2004
22.01.2020 15:27:02	1	1	1	1	74.25	60.25	0	28483.412	270.9677419	7840.621857	30000	0	0	30000	39.75	2004
22.01.2020 15:27:03	1	1	1	1	74.25	59.75	0	28483.412	273.1182796	7778.653548	30000	0	0	30000	39.4375	2004
22.01.2020 15:27:04	1	1	1	1	74.25	59.25	0	28483.412	273.1182796	7778.653548	30000	0	0	30000	40.125	2004
22.01.2020 15:27:05	1	1	1	1	74.25	60	0	28483.412	273.1182796	7778.653548	30000	0	0	30000	40.25	2004
22.01.2020 15:27:06	1	1	1	1	74.25	60.25	0	28530.806	275.2688172	7656.347675	30000	0	0	30000	40.1875	2004
22.01.2020 15:27:07	1	1	1	1	74.25	60	0	28530.806	277.4193548	7866.713777	30000	0	0	30000	40.3125	2004
22.01.2020 15:27:08	1	1	1	1	74.75	60.25	0	28530.806	277.4193548	7840.621857	30000	0	0	30000	40.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 15:27:09	1	1	1	1	74.75	60.25	0	28530.806	277.4193548	7914.820754	30000	0	0	30000	40.25	2004
22.01.2020 15:27:10	1	1	1	1	74.75	60.25	0	28578.199	273.1182796	7778.653548	30000	0	0	30000	40.25	2004
22.01.2020 15:27:11	1	1	1	1	74.75	60.25	0	28530.806	270.9677419	7656.347675	30000	0	0	30000	40.1875	2004
22.01.2020 15:27:12	1	1	1	1	74.75	60	0	28530.806	262.3655914	7559.318349	30000	0	0	30000	40.375	2004
22.01.2020 15:27:13	1	1	1	1	74.75	60.25	0	28578.199	260.2150538	7436.197103	30000	0	0	30000	40.0625	2004
22.01.2020 15:27:14	1	1	1	1	74.75	60	0	28530.806	253.7634409	7251.92292	30000	0	0	30000	40.1875	2004
22.01.2020 15:27:15	1	1	1	1	74.75	60	0	28578.199	247.311828	7105.155872	30000	0	0	30000	40.0625	2004
22.01.2020 15:27:16	1	1	1	1	74.75	60	0	28483.412	245.1612903	6944.527492	30000	0	0	30000	40.1875	2004
22.01.2020 15:27:24	1	1	1	1	74.5	60.25	0	28483.412	208.6021505	6022.341206	30000	0	0	30000	40.25	2004
22.01.2020 15:27:24	1	1	1	1	74.5	60.25	0	28483.412	208.6021505	6022.341206	30000	0	0	30000	40.25	2004
22.01.2020 15:27:24	1	1	1	1	74.5	60.25	0	28483.412	208.6021505	6022.341206	30000	0	0	30000	40.25	2004
22.01.2020 15:27:24	1	1	1	1	74.5	60.25	0	28483.412	208.6021505	6022.341206	30000	0	0	30000	40.25	2004
22.01.2020 15:27:24	1	1	1	1	74.5	60.25	0	28483.412	208.6021505	6022.341206	30000	0	0	30000	40.25	2004
22.01.2020 15:27:24	1	1	1	1	74.5	60.25	0	28483.412	208.6021505	6022.341206	30000	0	0	30000	40.25	2004
22.01.2020 15:27:24	1	1	1	1	74.5	60.25	0	28483.412	208.6021505	6022.341206	30000	0	0	30000	40.25	2004
22.01.2020 15:27:25	1	1	1	1	74.5	60.25	0	28483.412	210.7526882	5941.61933	30000	0	0	30000	40.625	2004
22.01.2020 15:27:26	1	1	1	1	74.5	60.5	0	28483.412	212.9032258	6063.925203	30000	0	0	30000	40.1875	2004
22.01.2020 15:27:27	1	1	1	1	74.5	60	0	28483.412	219.3548387	6308.53695	30000	0	0	30000	40.125	2004
22.01.2020 15:27:28	1	1	1	1	74.5	60	0	28483.412	225.8064516	6514.010817	30000	0	0	30000	40.625	2004
22.01.2020 15:27:29	1	1	1	1	75	60.25	0	28530.806	230.1075269	6553.964069	30000	0	0	30000	40.0625	2004
22.01.2020 15:27:30	1	1	1	1	75	60	0	28530.806	230.1075269	6626.532221	30000	0	0	30000	40.1875	2004
22.01.2020 15:27:31	1	1	1	1	75	60	0	28578.199	232.2580645	6626.532221	30000	0	0	30000	39.5	2004
22.01.2020 15:27:32	1	1	1	1	75	59.5	0	28578.199	232.2580645	6575.979126	30000	0	0	30000	40.1875	2004
22.01.2020 15:27:33	1	1	1	1	75	60	0	28578.199	234.4086022	6698.285	30000	0	0	30000	39.8125	2004
22.01.2020 15:27:34	1	1	1	1	75	59.75	0	28578.199	240.8602151	6883.374555	30000	0	0	30000	39.8125	2004
22.01.2020 15:27:35	1	1	1	1	75	59.75	0	28578.199	240.8602151	6760.253309	30000	0	0	30000	40.125	2004
22.01.2020 15:27:36	1	1	1	1	75	60	0	28530.806	236.5591398	6883.374555	30000	0	0	30000	40.1875	2004
22.01.2020 15:27:37	1	1	1	1	75	60	0	28530.806	243.0107527	7067.648738	30000	0	0	30000	40.125	2004
22.01.2020 15:27:38	1	1	1	1	74.5	60	0	28578.199	249.4623656	7128.801674	30000	0	0	30000	39.8125	2004
22.01.2020 15:27:39	1	1	1	1	74.5	59.75	0	28530.806	253.7634409	7313.075857	30000	0	0	30000	40.0625	2004
22.01.2020 15:27:40	1	1	1	1	74.5	60	0	28578.199	255.9139785	7166.308809	30000	0	0	30000	39.75	2004
22.01.2020 15:27:41	1	1	1	1	74.5	59.75	0	28578.199	253.7634409	7251.92292	30000	0	0	30000	40.125	2004
22.01.2020 15:27:42	1	1	1	1	74.5	60	0	28578.199	253.7634409	7251.92292	30000	0	0	30000	39.9375	2004
22.01.2020 15:27:43	1	1	1	1	74.5	59.75	0	28578.199	249.4623656	7067.648738	30000	0	0	30000	40.25	2004
22.01.2020 15:27:44	1	1	1	1	74.5	60.25	0	28578.199	249.4623656	7189.954611	30000	0	0	30000	40.1875	2004
22.01.2020 15:27:45	1	1	1	1	74.5	60	0	28483.412	245.1612903	7067.648738	30000	0	0	30000	40.0625	2004
22.01.2020 15:27:46	1	1	1	1	74.5	60	0	28578.199	251.6129032	7189.954611	30000	0	0	30000	40.1875	2004
22.01.2020 15:27:47	1	1	1	1	74.5	60	0	28578.199	251.6129032	7189.954611	30000	0	0	30000	40.125	2004
22.01.2020 15:27:48	1	1	1	1	74.25	60	0	28530.806	249.4623656	7178.539396	30000	0	0	30000	40.1875	2004
22.01.2020 15:27:49	1	1	1	1	74.25	60	0	28578.199	251.6129032	7067.648738	30000	0	0	30000	39.875	2004
22.01.2020 15:27:50	1	1	1	1	74.25	59.75	0	28578.199	249.4623656	7128.801674	30000	0	0	30000	40.1875	2004
22.01.2020 15:27:51	1	1	1	1	74.25	60	0	28578.199	249.4623656	7128.801674	30000	0	0	30000	40.1875	2004
22.01.2020 15:27:52	1	1	1	1	74.25	60	0	28625.592	247.311828	7067.648738	30000	0	0	30000	39.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 15:27:53	1	1	1	1	74.25	59.25	0	28578.199	247.311828	6921.697062	30000	0	0	30000	40.1875	2004
22.01.2020 15:27:54	1	1	1	1	74.25	60	0	28578.199	251.6129032	7189.954611	30000	0	0	30000	39.75	2004
22.01.2020 15:27:55	1	1	1	1	74.25	59.75	0	28578.199	249.4623656	7128.801674	30000	0	0	30000	40.125	2004
22.01.2020 15:27:56	1	1	1	1	74.25	60	0	28530.806	247.311828	7189.954611	30000	0	0	30000	40.1875	2004
22.01.2020 15:27:57	1	1	1	1	74.25	60	0	28625.592	251.6129032	7189.954611	30000	0	0	30000	39.9375	2004
22.01.2020 15:27:59	1	1	1	1	74	59.75	0	28578.199	253.7634409	7251.92292	30000	0	0	30000	40.1875	2004
22.01.2020 15:28:00	1	1	1	1	74	60	0	28625.592	251.6129032	7202.185198	30000	0	0	30000	40.1875	2004
22.01.2020 15:28:01	1	1	1	1	74	60	0	28578.199	251.6129032	7079.063952	30000	0	0	30000	40.0625	2004
22.01.2020 15:28:02	1	1	1	1	74	60	0	28625.592	251.6129032	7202.185198	30000	0	0	30000	39.875	2004
22.01.2020 15:28:03	1	1	1	1	74	59.75	0	28625.592	249.4623656	7067.648738	30000	0	0	30000	40.1875	2004
22.01.2020 15:28:04	1	1	1	1	74	60	0	28625.592	247.311828	7079.063952	30000	0	0	30000	40.0625	2004
22.01.2020 15:28:05	1	1	1	1	74	60	0	28578.199	245.1612903	7079.063952	30000	0	0	30000	40.625	2004
22.01.2020 15:28:06	1	1	1	1	74	60.5	0	28625.592	243.0107527	6944.527492	30000	0	0	30000	40.1875	2004
22.01.2020 15:28:07	1	1	1	1	74	60	0	28625.592	243.0107527	6944.527492	30000	0	0	30000	40	2004
22.01.2020 15:28:08	1	1	1	1	74.25	60.75	0	28625.592	243.0107527	7017.911016	30000	0	0	30000	40.1875	2004
22.01.2020 15:28:09	1	1	1	1	74.25	60	0	28578.199	234.4086022	6894.78977	30000	0	0	30000	40.1875	2004
22.01.2020 15:28:10	1	1	1	1	74.25	60	0	28625.592	236.5591398	6771.668524	30000	0	0	30000	40.1875	2004
22.01.2020 15:28:11	1	1	1	1	74.25	60	0	28625.592	234.4086022	6698.285	30000	0	0	30000	39.75	2004
22.01.2020 15:28:12	1	1	1	1	74.25	59.75	0	28578.199	227.9569892	6586.578969	30000	0	0	30000	40.0625	2004
22.01.2020 15:28:13	1	1	1	1	74.25	60	0	28625.592	232.2580645	6637.132063	30000	0	0	30000	40.1875	2004
22.01.2020 15:28:14	1	1	1	1	74.25	60	0	28625.592	240.8602151	6894.78977	30000	0	0	30000	40.25	2004
22.01.2020 15:28:15	1	1	1	1	74.25	60.25	0	28625.592	240.8602151	6944.527492	30000	0	0	30000	40.3125	2004
22.01.2020 15:28:16	1	1	1	1	74.25	60.25	0	28625.592	243.0107527	6955.942706	30000	0	0	30000	40.3125	2004
22.01.2020 15:28:17	1	1	1	1	74.25	60.25	0	28625.592	234.4086022	6771.668524	30000	0	0	30000	40.375	2004
22.01.2020 15:28:18	1	1	1	1	74.25	60.25	0	28625.592	227.9569892	6525.426032	30000	0	0	30000	40.25	2004
22.01.2020 15:28:26	1	1	1	1	74.25	60	0	28625.592	234.4086022	6698.285	30000	0	0	30000	40.1875	2004
22.01.2020 15:28:26	1	1	1	1	74.25	60	0	28625.592	234.4086022	6698.285	30000	0	0	30000	40.1875	2004
22.01.2020 15:28:26	1	1	1	1	74.25	60	0	28625.592	234.4086022	6698.285	30000	0	0	30000	40.1875	2004
22.01.2020 15:28:26	1	1	1	1	74.25	60	0	28625.592	234.4086022	6698.285	30000	0	0	30000	40.1875	2004
22.01.2020 15:28:26	1	1	1	1	74.25	60	0	28625.592	234.4086022	6698.285	30000	0	0	30000	40.1875	2004
22.01.2020 15:28:26	1	1	1	1	74.25	60	0	28625.592	234.4086022	6698.285	30000	0	0	30000	40.1875	2004
22.01.2020 15:28:26	1	1	1	1	74.25	60	0	28625.592	234.4086022	6754.545702	30000	0	0	30000	40	2004
22.01.2020 15:28:27	1	1	1	1	74.25	60	0	28625.592	240.8602151	6832.821461	30000	0	0	30000	40.1875	2004
22.01.2020 15:28:28	1	1	1	1	74.25	60	0	28578.199	258.0645161	7387.274753	30000	0	0	30000	40.25	2004
22.01.2020 15:28:29	1	1	1	1	74.25	60.25	0	28625.592	249.4623656	7312.260484	30000	0	0	30000	40.125	2004
22.01.2020 15:28:30	1	1	1	1	74.25	60	0	28625.592	240.8602151	6883.374555	30000	0	0	30000	40.5	2004
22.01.2020 15:28:31	1	1	1	1	74.25	60.5	0	28625.592	243.0107527	6955.942706	30000	0	0	30000	40.3125	2004
22.01.2020 15:28:32	1	1	1	1	74.25	60.25	0	28578.199	240.8602151	6955.942706	30000	0	0	30000	40.3125	2004
22.01.2020 15:28:33	1	1	1	1	74.25	60.25	0	28625.592	240.8602151	6894.78977	30000	0	0	30000	40.25	2004
22.01.2020 15:28:34	1	1	1	1	74.25	60.25	0	28625.592	234.4086022	6906.204985	30000	0	0	30000	40.1875	2004
22.01.2020 15:28:35	1	1	1	1	74.25	60	0	28625.592	236.5591398	6648.547278	30000	0	0	30000	40.3125	2004
22.01.2020 15:28:37	1	1	1	1	74.25	60.25	0	28625.592	234.4086022	6709.700215	30000	0	0	30000	40.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 15:28:38	1	1	1	1	74.25	60.25	0	28625.592	247.311828	7126.355557	30000	0	0	30000	40.1875	2004
22.01.2020 15:28:39	1	1	1	1	74	60	0	28625.592	232.2580645	6692.577392	30000	0	0	30000	40.125	2004
22.01.2020 15:28:40	1	1	1	1	74	60	0	28815.166	236.5591398	6771.668524	30000	0	0	30000	40.0625	2004
22.01.2020 15:28:41	1	1	1	1	74	60	0	28625.592	240.8602151	6894.78977	30000	0	0	30000	40.3125	2004
22.01.2020 15:28:42	1	1	1	1	74	60.25	0	28578.199	258.0645161	7375.044166	30000	0	0	30000	39.8125	2004
22.01.2020 15:28:43	1	1	1	1	74	59.75	0	28625.592	277.4193548	8055.880195	30000	0	0	30000	40.1875	2004
22.01.2020 15:28:44	1	1	1	1	74	60	0	28625.592	275.2688172	7993.911885	30000	0	0	30000	40.5	2004
22.01.2020 15:28:45	1	1	1	1	74	60.5	0	28625.592	281.7204301	8117.848504	30000	0	0	30000	40.5625	2004
22.01.2020 15:28:46	1	1	1	1	74	60	0	28625.592	264.516129	7633.517245	30000	0	0	30000	40.3125	2004
22.01.2020 15:28:47	1	1	1	1	74	60.25	0	28625.592	255.9139785	7325.306444	30000	0	0	30000	40.25	2004
22.01.2020 15:28:48	1	1	1	1	74.25	60.25	0	28625.592	262.3655914	7498.165412	30000	0	0	30000	40.1875	2004
22.01.2020 15:28:49	1	1	1	1	74.25	60	0	28625.592	279.5698925	8117.848504	30000	0	0	30000	40.25	2004
22.01.2020 15:28:50	1	1	1	1	74.25	60.25	0	28815.166	258.0645161	7436.197103	30000	0	0	30000	40.3125	2004
22.01.2020 15:28:51	1	1	1	1	74.25	60.25	0	28625.592	279.5698925	7940.912674	30000	0	0	30000	40.0625	2004
22.01.2020 15:28:52	1	1	1	1	74.25	60	0	28625.592	286.0215054	8064.033919	30000	0	0	30000	40.125	2004
22.01.2020 15:28:53	1	1	1	1	74.25	60	0	28625.592	258.0645161	7498.165412	30000	0	0	30000	40.1875	2004
22.01.2020 15:28:54	1	1	1	1	74.25	60	0	28625.592	273.1182796	7681.624222	30000	0	0	30000	40.1875	2004
22.01.2020 15:28:55	1	1	1	1	74.25	60	0	28815.166	273.1182796	7869.975267	30000	0	0	30000	40.3125	2004
22.01.2020 15:28:56	1	1	1	1	74.25	60.25	0	28578.199	264.516129	7694.670182	30000	0	0	30000	40.3125	2004
22.01.2020 15:28:57	1	1	1	1	74.25	60.25	0	28815.166	290.3225806	8365.721741	30000	0	0	30000	40.3125	2004
22.01.2020 15:28:58	1	1	1	1	74.25	60.25	0	28625.592	262.3655914	7522.626587	30000	0	0	30000	40.1875	2004
22.01.2020 15:28:59	1	1	1	1	74.25	60	0	28625.592	266.6666667	7746.038649	30000	0	0	30000	40.3125	2004
22.01.2020 15:29:00	1	1	1	1	74.25	60.25	0	28815.166	260.2150538	7448.42769	30000	0	0	30000	40.3125	2004
22.01.2020 15:29:01	1	1	1	1	74.25	60.25	0	28625.592	260.2150538	7436.197103	30000	0	0	30000	40.375	2004
22.01.2020 15:29:02	1	1	1	1	74.25	60.25	0	28625.592	258.0645161	7387.274753	30000	0	0	30000	40.25	2004
22.01.2020 15:29:03	1	1	1	1	74.25	60.25	0	28625.592	253.7634409	7264.153507	30000	0	0	30000	40.3125	2004
22.01.2020 15:29:04	1	1	1	1	74.25	60.25	0	28625.592	253.7634409	7312.260484	30000	0	0	30000	40.375	2004
22.01.2020 15:29:05	1	1	1	1	74.25	60.25	0	28815.166	249.4623656	7141.032262	30000	0	0	30000	40.3125	2004
22.01.2020 15:29:06	1	1	1	1	74.25	60.25	0	28625.592	249.4623656	7079.063952	30000	0	0	30000	40.4375	2004
22.01.2020 15:29:07	1	1	1	1	74.25	60.25	0	28625.592	270.9677419	7817.791428	30000	0	0	30000	40.25	2004
22.01.2020 15:29:08	1	1	1	1	74.75	60.25	0	28625.592	286.0215054	8241.785122	30000	0	0	30000	40.25	2004
22.01.2020 15:29:09	1	1	1	1	74.75	60.25	0	28625.592	262.3655914	7510.395999	30000	0	0	30000	39.8125	2004
22.01.2020 15:29:10	1	1	1	1	74.75	59.75	0	28625.592	260.2150538	7448.42769	30000	0	0	30000	40.5	2004
22.01.2020 15:29:11	1	1	1	1	74.75	60.5	0	28625.592	258.0645161	7387.274753	30000	0	0	30000	39.625	2004
22.01.2020 15:29:12	1	1	1	1	74.75	59.5	0	28625.592	247.311828	7126.355557	30000	0	0	30000	40.375	2004
22.01.2020 15:29:13	1	1	1	1	74.75	60.25	0	28625.592	240.8602151	6894.78977	30000	0	0	30000	40.0625	2004
22.01.2020 15:29:14	1	1	1	1	74.75	60	0	28625.592	234.4086022	6816.514011	30000	0	0	30000	40.1875	2004
22.01.2020 15:29:16	1	1	1	1	74.75	60	0	28815.166	236.5591398	6754.545702	30000	0	0	30000	40.3125	2004
22.01.2020 15:29:17	1	1	1	1	74.75	60.25	0	28625.592	227.9569892	6630.609083	30000	0	0	30000	40.1875	2004
22.01.2020 15:29:18	1	1	1	1	74.75	60	0	28672.986	217.2043011	6320.767537	30000	0	0	30000	40.25	2004
22.01.2020 15:29:19	1	1	1	1	74.25	60.25	0	28625.592	210.7526882	6010.925991	30000	0	0	30000	40	2004
22.01.2020 15:29:20	1	1	1	1	74.25	60	0	28625.592	206.4516129	5970.972739	30000	0	0	30000	40.1875	2004
22.01.2020 15:29:27	1	1	1	1	74.25	60.25	0	28815.166	230.1075269	6630.609083	30000	0	0	30000	40.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 15:29:27	1	1	1	1	74.25	60.25	0	28815.166	230.1075269	6630.609083	30000	0	0	30000	40.25	2004
22.01.2020 15:29:27	1	1	1	1	74.25	60.25	0	28815.166	230.1075269	6630.609083	30000	0	0	30000	40.25	2004
22.01.2020 15:29:27	1	1	1	1	74.25	60.25	0	28815.166	230.1075269	6630.609083	30000	0	0	30000	40.25	2004
22.01.2020 15:29:27	1	1	1	1	74.25	60.25	0	28815.166	230.1075269	6630.609083	30000	0	0	30000	40.25	2004
22.01.2020 15:29:27	1	1	1	1	74.25	60.25	0	28815.166	230.1075269	6630.609083	30000	0	0	30000	40.25	2004
22.01.2020 15:29:27	1	1	1	1	74.25	60.25	0	28815.166	230.1075269	6630.609083	30000	0	0	30000	40.25	2004
22.01.2020 15:29:28	1	1	1	1	74.75	60.25	0	28625.592	227.9569892	6568.640774	30000	0	0	30000	40.25	2004
22.01.2020 15:29:29	1	1	1	1	74.75	60.25	0	28625.592	230.1075269	6586.578969	30000	0	0	30000	40.3125	2004
22.01.2020 15:29:30	1	1	1	1	74.75	60.25	0	28815.166	227.9569892	6630.609083	30000	0	0	30000	40.25	2004
22.01.2020 15:29:31	1	1	1	1	74.75	60.25	0	28672.986	249.4623656	7250.292175	30000	0	0	30000	40.25	2004
22.01.2020 15:29:32	1	1	1	1	74.75	60.25	0	28672.986	240.8602151	6940.450629	30000	0	0	30000	40.25	2004
22.01.2020 15:29:33	1	1	1	1	74.75	60.25	0	28625.592	236.5591398	6816.514011	30000	0	0	30000	40.4375	2004
22.01.2020 15:29:34	1	1	1	1	74.75	60.25	0	28815.166	221.5053763	6279.18354	30000	0	0	30000	40.1875	2004
22.01.2020 15:29:35	1	1	1	1	74.75	60	0	28625.592	225.8064516	6506.672465	30000	0	0	30000	40.25	2004
22.01.2020 15:29:36	1	1	1	1	74.75	60.25	0	28815.166	227.9569892	6568.640774	30000	0	0	30000	40.4375	2004
22.01.2020 15:29:37	1	1	1	1	74.75	60.25	0	28625.592	225.8064516	6630.609083	30000	0	0	30000	40.3125	2004
22.01.2020 15:29:38	1	1	1	1	74.5	60.25	0	28672.986	240.8602151	6894.78977	30000	0	0	30000	40.3125	2004
22.01.2020 15:29:39	1	1	1	1	74.5	60.25	0	28815.166	247.311828	7126.355557	30000	0	0	30000	40.375	2004
22.01.2020 15:29:40	1	1	1	1	74.5	60.25	0	28815.166	301.0752688	8737.531596	30000	0	0	30000	40.1875	2004
22.01.2020 15:29:41	1	1	1	1	74.5	60	0	28815.166	288.172043	8241.785122	30000	0	0	30000	40.1875	2004
22.01.2020 15:29:42	1	1	1	1	74.5	60	0	28815.166	243.0107527	7002.418938	30000	0	0	30000	40.1875	2004
22.01.2020 15:29:43	1	1	1	1	74.5	60	0	28815.166	253.7634409	7374.228794	30000	0	0	30000	39.3125	2004
22.01.2020 15:29:44	1	1	1	1	74.5	59.25	0	28815.166	270.9677419	7808.006958	30000	0	0	30000	39.75	2004
22.01.2020 15:29:45	1	1	1	1	74.5	59.75	0	28815.166	309.6774194	8861.468214	30000	0	0	30000	39.6875	2004
22.01.2020 15:29:46	1	1	1	1	74.5	59.5	0	0	0	0	30000	0	8	30000	40.1875	2004
22.01.2020 15:29:47	1	1	1	1	74.5	60	0	0	0	0	30000	0	8	30000	40.4375	2004
22.01.2020 15:29:48	1	1	1	1	74.5	60.25	0	10710.9	0	0	30000	0	0	30000	40.125	2004
22.01.2020 15:29:49	1	1	1	1	74.5	60	0	11469.194	0	0	30000	0	0	30000	40.375	2004
22.01.2020 15:29:50	1	1	1	1	74.5	60.25	0	12274.882	0	0	30000	0	0	30000	40.0625	2004
22.01.2020 15:29:51	1	1	1	1	74.5	60	0	13033.175	0	27.72266464	30000	0	0	30000	40.3125	2004
22.01.2020 15:29:52	1	1	1	1	74.5	60.25	0	13791.469	4.301075269	58.70681923	30000	0	0	30000	40.3125	2004
22.01.2020 15:29:54	1	1	1	1	74.5	60.25	0	14549.763	8.602150538	124.7519909	30000	0	0	30000	40.25	2004
22.01.2020 15:29:55	1	1	1	1	74.5	60.25	0	15308.057	15.05376344	229.935042	30000	0	0	30000	40.1875	2004
22.01.2020 15:29:56	1	1	1	1	74.5	60	0	16066.351	19.35483871	312.2876634	30000	0	0	30000	40.25	2004
22.01.2020 15:29:57	1	1	1	1	74.5	60.25	0	16919.431	25.80645161	433.7781643	30000	0	0	30000	40.25	2004
22.01.2020 15:29:58	1	1	1	1	74.5	60.25	0	17677.725	34.40860215	605.0063871	30000	0	0	30000	40.3125	2004
22.01.2020 15:29:59	1	1	1	1	74.75	60.25	0	18436.019	40.86021505	752.5888077	30000	0	0	30000	40.375	2004
22.01.2020 15:30:00	1	1	1	1	74.75	60.25	0	19194.313	51.61290323	949.0935776	30000	0	0	30000	40.4375	2004
22.01.2020 15:30:01	1	1	1	1	74.75	60.25	0	19952.607	62.3655914	1244.258419	30000	0	0	30000	40.75	2004
22.01.2020 15:30:02	1	1	1	1	74.75	60	0	20710.9	73.11827957	1558.176827	30000	0	0	30000	40.125	2004
22.01.2020 15:30:03	1	1	1	1	74.75	60	0	21516.588	83.87096774	1804.419319	30000	0	0	30000	40.375	2004
22.01.2020 15:30:04	1	1	1	1	74.75	60.25	0	22274.882	94.62365591	2102.84565	30000	0	0	30000	40.25	2004
22.01.2020 15:30:05	1	1	1	1	74.75	60.25	0	23033.175	105.3763441	2431.440763	30000	0	0	30000	40.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 15:30:06	1	1	1	1	74.75	60.25	0	23791.469	120.4301075	2859.51132	30000	0	0	30000	40.25	2004
22.01.2020 15:30:07	1	1	1	1	74.75	60.25	0	23791.469	116.1290323	2865.218928	30000	0	0	30000	39.875	2004
22.01.2020 15:30:08	1	1	1	1	74.25	59.75	0	23791.469	120.4301075	2756.774386	30000	0	0	30000	40.0625	2004
22.01.2020 15:30:09	1	1	1	1	74.25	60	0	23744.076	116.1290323	2768.189601	30000	0	0	30000	40.1875	2004
22.01.2020 15:30:10	1	1	1	1	74.25	60	0	23791.469	116.1290323	2756.774386	30000	0	0	30000	40.25	2004
22.01.2020 15:30:11	1	1	1	1	74.25	60.25	0	23744.076	116.1290323	2711.113527	30000	0	0	30000	40.3125	2004
22.01.2020 15:30:12	1	1	1	1	74.25	60.25	0	23744.076	113.9784946	2762.481994	30000	0	0	30000	40.4375	2004
22.01.2020 15:30:13	1	1	1	1	74.25	60.25	0	23791.469	116.1290323	2711.113527	30000	0	0	30000	40.25	2004
22.01.2020 15:30:14	1	1	1	1	74.25	60.25	0	23791.469	111.827957	2706.221292	30000	0	0	30000	40.25	2004
22.01.2020 15:30:15	1	1	1	1	74.25	60.25	0	23791.469	109.6774194	2609.191966	30000	0	0	30000	40	2004
22.01.2020 15:30:16	1	1	1	1	74.25	60	0	23838.863	103.2258065	2455.901938	30000	0	0	30000	40.1875	2004
22.01.2020 15:30:17	1	1	1	1	74.25	60	0	23791.469	103.2258065	2455.901938	30000	0	0	30000	40.25	2004
22.01.2020 15:30:18	1	1	1	1	74.25	60.25	0	23791.469	96.77419355	2301.796537	30000	0	0	30000	40.3125	2004
22.01.2020 15:30:19	1	1	1	1	74.25	60.25	0	23791.469	94.62365591	2144.429647	30000	0	0	30000	40.25	2004
22.01.2020 15:30:20	1	1	1	1	74.25	60.25	0	23838.863	90.32258065	2203.951839	30000	0	0	30000	40.25	2004
22.01.2020 15:30:21	1	1	1	1	74.25	60.25	0	23838.863	96.77419355	2199.874976	30000	0	0	30000	40.25	2004
22.01.2020 15:30:29	1	1	1	1	73.5	60.25	0	24881.517	141.9354839	3584.377463	30000	0	0	30000	40.1875	2004
22.01.2020 15:30:29	1	1	1	1	73.5	60.25	0	24881.517	141.9354839	3584.377463	30000	0	0	30000	40.1875	2004
22.01.2020 15:30:29	1	1	1	1	73.5	60.25	0	24881.517	141.9354839	3584.377463	30000	0	0	30000	40.1875	2004
22.01.2020 15:30:29	1	1	1	1	73.5	60.25	0	24881.517	141.9354839	3584.377463	30000	0	0	30000	40.1875	2004
22.01.2020 15:30:29	1	1	1	1	73.5	60.25	0	24881.517	141.9354839	3584.377463	30000	0	0	30000	40.1875	2004
22.01.2020 15:30:29	1	1	1	1	73.5	60	0	25355.45	159.1397849	3979.83312	30000	0	0	30000	40.25	2004
22.01.2020 15:30:30	1	1	1	1	73.5	60.25	0	25497.63	174.1935484	4433.180224	30000	0	0	30000	40.1875	2004
22.01.2020 15:30:31	1	1	1	1	73.5	60	0	26018.957	189.2473118	4906.096268	30000	0	0	30000	40.125	2004
22.01.2020 15:30:33	1	1	1	1	73.5	60	0	26113.744	206.4516129	5391.242899	30000	0	0	30000	40.125	2004
22.01.2020 15:30:34	1	1	1	1	73.5	60	0	26682.464	217.2043011	5737.776207	30000	0	0	30000	39.8125	2004
22.01.2020 15:30:35	1	1	1	1	73.5	59.75	0	27298.578	234.4086022	6399.043296	30000	0	0	30000	40.25	2004
22.01.2020 15:30:36	1	1	1	1	73.5	60.25	0	27440.758	247.311828	6845.052048	30000	0	0	30000	40.375	2004
22.01.2020 15:30:37	1	1	1	1	73.5	60.25	0	27819.905	264.516129	7358.736716	30000	0	0	30000	40.625	2004
22.01.2020 15:30:38	1	1	1	1	73.5	60.5	0	28341.232	279.5698925	7861.821542	30000	0	0	30000	40.125	2004
22.01.2020 15:30:39	1	1	1	1	73.5	60	0	28436.019	292.4731183	8330.660724	30000	0	0	30000	40.0625	2004
22.01.2020 15:30:40	1	1	1	1	73.5	60	0	0	0	0	30000	0	8	30000	40.3125	2004
22.01.2020 15:30:41	1	1	1	1	73.5	60.5	0	10663.507	0	0	30000	0	0	30000	40.3125	2004
22.01.2020 15:30:42	1	1	1	1	73.5	60.25	0	11421.801	0	0	30000	0	0	30000	40.375	2004
22.01.2020 15:30:43	1	1	1	1	73.5	60.25	0	12132.701	0	0	30000	0	0	30000	40.375	2004
22.01.2020 15:30:44	1	1	1	1	73.5	60.25	0	12890.995	0	0	30000	0	0	30000	40.0625	2004
22.01.2020 15:30:45	1	1	1	1	73.5	60	0	13744.076	4.301075269	29.35340962	30000	0	0	30000	40.1875	2004
22.01.2020 15:30:46	1	1	1	1	73.5	60	0	14454.976	6.451612903	123.9366184	30000	0	0	30000	40.1875	2004
22.01.2020 15:30:47	1	1	1	1	73.5	60	0	15213.27	12.90322581	195.6893974	30000	0	0	30000	40.25	2004
22.01.2020 15:30:48	1	1	1	1	73.75	60.25	0	15876.777	19.35483871	310.6569184	30000	0	0	30000	39.9375	2004
22.01.2020 15:30:49	1	1	1	1	73.75	59.75	0	16777.251	23.65591398	395.4556573	30000	0	0	30000	40.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 15:30:50	1	1	1	1	73.75	60.25	0	17535.545	30.10752688	527.5460006	30000	0	0	30000	40.25	2004
22.01.2020 15:30:51	1	1	1	1	73.75	60.25	0	18293.839	36.55913978	668.6054413	30000	0	0	30000	40.25	2004
22.01.2020 15:30:52	1	1	1	1	73.75	60.25	0	19052.133	45.16129032	860.2179762	30000	0	0	30000	40.25	2004
22.01.2020 15:30:53	1	1	1	1	73.75	60.25	0	19857.82	53.76344086	1067.322589	30000	0	0	30000	40.25	2004
22.01.2020 15:30:54	1	1	1	1	73.75	60.25	0	20616.114	62.3655914	1285.027043	30000	0	0	30000	40	2004
22.01.2020 15:30:55	1	1	1	1	73.75	60	0	21374.408	70.96774194	1516.59283	30000	0	0	30000	40.0625	2004
22.01.2020 15:30:56	1	1	1	1	73.75	60	0	22132.701	81.72043011	1808.496181	30000	0	0	30000	40	2004
22.01.2020 15:30:57	1	1	1	1	73.75	60	0	22985.782	96.77419355	2224.336151	30000	0	0	30000	40.0625	2004
22.01.2020 15:30:58	1	1	1	1	73.25	60	0	23412.322	105.3763441	2466.50178	30000	0	0	30000	40.3125	2004
22.01.2020 15:30:59	1	1	1	1	73.25	60.25	0	23412.322	103.2258065	2471.394015	30000	0	0	30000	40.1875	2004
22.01.2020 15:31:00	1	1	1	1	73.25	60	0	23459.716	103.2258065	2421.656293	30000	0	0	30000	40.0625	2004
22.01.2020 15:31:01	1	1	1	1	73.25	60	0	23459.716	103.2258065	2421.656293	30000	0	0	30000	40.125	2004
22.01.2020 15:31:02	1	1	1	1	73.25	60	0	23459.716	103.2258065	2421.656293	30000	0	0	30000	40.1875	2004
22.01.2020 15:31:03	1	1	1	1	73.25	60	0	23459.716	103.2258065	2421.656293	30000	0	0	30000	40.25	2004
22.01.2020 15:31:04	1	1	1	1	73.25	60.25	0	23554.502	105.3763441	2431.440763	30000	0	0	30000	40.0625	2004
22.01.2020 15:31:05	1	1	1	1	73.25	60	0	23554.502	105.3763441	2431.440763	30000	0	0	30000	39.875	2004
22.01.2020 15:31:06	1	1	1	1	73.25	59.75	0	23554.502	103.2258065	2481.993858	30000	0	0	30000	40.125	2004
22.01.2020 15:31:07	1	1	1	1	73.25	60	0	23554.502	105.3763441	2481.993858	30000	0	0	30000	40.1875	2004
22.01.2020 15:31:08	1	1	1	1	73	60	0	23554.502	105.3763441	2481.993858	30000	0	0	30000	40.25	2004
22.01.2020 15:31:09	1	1	1	1	73	60.25	0	23554.502	105.3763441	2481.993858	30000	0	0	30000	40.1875	2004
22.01.2020 15:31:11	1	1	1	1	73	60	0	23554.502	105.3763441	2431.440763	30000	0	0	30000	40.125	2004
22.01.2020 15:31:12	1	1	1	1	73	60	0	23554.502	105.3763441	2431.440763	30000	0	0	30000	40.0625	2004
22.01.2020 15:31:13	1	1	1	1	73	60	0	23554.502	103.2258065	2431.440763	30000	0	0	30000	40.0625	2004
22.01.2020 15:31:14	1	1	1	1	73	60	0	23554.502	103.2258065	2431.440763	30000	0	0	30000	40.125	2004
22.01.2020 15:31:15	1	1	1	1	73	60	0	23554.502	94.62365591	2228.413013	30000	0	0	30000	40.3125	2004
22.01.2020 15:31:16	1	1	1	1	73	60.25	0	23554.502	92.47311828	2177.859919	30000	0	0	30000	40.25	2004
22.01.2020 15:31:17	1	1	1	1	73	60.25	0	23554.502	90.32258065	2127.306825	30000	0	0	30000	40.6875	2004
22.01.2020 15:31:18	1	1	1	1	73	60.5	0	23554.502	90.32258065	2076.75373	30000	0	0	30000	40.125	2004
22.01.2020 15:31:19	1	1	1	1	72.75	60	0	24075.829	94.62365591	2278.150735	30000	0	0	30000	40.4375	2004
22.01.2020 15:31:20	1	1	1	1	72.75	60	0	24881.517	116.1290323	2888.86473	30000	0	0	30000	40.125	2004
22.01.2020 15:31:21	1	1	1	1	72.75	60	0	25592.417	137.6344086	3583.562091	30000	0	0	30000	40.25	2004
22.01.2020 15:31:22	1	1	1	1	72.75	60.25	0	25165.877	159.1397849	4112.738836	30000	0	0	30000	40.25	2004
22.01.2020 15:31:23	1	1	1	1	72.75	60.25	0	25308.057	169.8924731	4299.459136	30000	0	0	30000	40.0625	2004
22.01.2020 15:31:31	1	1	1	1	72.5	60.25	0	28625.592	279.5698925	8050.98796	30000	0	0	30000	40.25	2004
22.01.2020 15:31:31	1	1	1	1	72.5	60.25	0	28625.592	279.5698925	8050.98796	30000	0	0	30000	40.25	2004
22.01.2020 15:31:31	1	1	1	1	72.5	60.25	0	28625.592	279.5698925	8050.98796	30000	0	0	30000	40.25	2004
22.01.2020 15:31:31	1	1	1	1	72.5	60.25	0	28625.592	279.5698925	8050.98796	30000	0	0	30000	40.25	2004
22.01.2020 15:31:31	1	1	1	1	72.5	60.25	0	28625.592	279.5698925	8050.98796	30000	0	0	30000	40.25	2004
22.01.2020 15:31:31	1	1	1	1	72.5	60.25	0	28625.592	279.5698925	8050.98796	30000	0	0	30000	40.25	2004
22.01.2020 15:31:31	1	1	1	1	72.5	60.25	0	28625.592	279.5698925	8050.98796	30000	0	0	30000	40.25	2004
22.01.2020 15:31:31	1	1	1	1	72.5	60.25	0	28815.166	292.4731183	8365.721741	30000	0	0	30000	40.25	2004
22.01.2020 15:31:32	1	1	1	1	72.5	60.25	0	28815.166	296.7741935	8489.658359	30000	0	0	30000	39.9375	2004
22.01.2020 15:31:33	1	1	1	1	72.5	59.75	0	0	0	0	30000	0	8	30000	40.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 15:31:34	1	1	1	1	72.5	60.25	0	10236.967	0	0	30000	0	0	30000	40.4375	2004
22.01.2020 15:31:35	1	1	1	1	72.5	60.25	0	11090.047	0	0	30000	0	0	30000	40.25	2004
22.01.2020 15:31:36	1	1	1	1	72.5	60.25	0	11753.555	0	0	30000	0	0	30000	40.25	2004
22.01.2020 15:31:37	1	1	1	1	72.5	60.25	0	12511.848	0	0	30000	0	0	30000	40.1875	2004
22.01.2020 15:31:38	1	1	1	1	72.5	60	0	13270.142	0	0	30000	0	0	30000	40.1875	2004
22.01.2020 15:31:39	1	1	1	1	72.5	60	0	14123.223	4.301075269	30.16878211	30000	0	0	30000	40.0625	2004
22.01.2020 15:31:40	1	1	1	1	72.5	60	0	14834.123	6.451612903	127.1981083	30000	0	0	30000	40.1875	2004
22.01.2020 15:31:41	1	1	1	1	72.5	60	0	15687.204	12.90322581	167.1513603	30000	0	0	30000	40.1875	2004
22.01.2020 15:31:42	1	1	1	1	72.5	60	0	16350.711	15.05376344	245.4271193	30000	0	0	30000	40.125	2004
22.01.2020 15:31:43	1	1	1	1	72.5	60	0	17109.005	15.05376344	332.6719756	30000	0	0	30000	40.1875	2004
22.01.2020 15:31:44	1	1	1	1	72.5	60	0	17914.692	27.95698925	540.5919604	30000	0	0	30000	40	2004
22.01.2020 15:31:45	1	1	1	1	72.5	60	0	18672.986	34.40860215	642.5135216	30000	0	0	30000	39.625	2004
22.01.2020 15:31:46	1	1	1	1	72.5	59.5	0	19478.673	40.86021505	795.8035496	30000	0	0	30000	40.0625	2004
22.01.2020 15:31:48	1	1	1	1	72.5	60	0	20236.967	51.61290323	1044.492159	30000	0	0	30000	40.1875	2004
22.01.2020 15:31:49	1	1	1	1	72	60	0	20995.261	55.91397849	1218.981872	30000	0	0	30000	40.0625	2004
22.01.2020 15:31:50	1	1	1	1	72	60	0	21800.948	64.51612903	1406.517544	30000	0	0	30000	40.25	2004
22.01.2020 15:31:51	1	1	1	1	72	60.25	0	22559.242	73.11827957	1645.421683	30000	0	0	30000	39.875	2004
22.01.2020 15:31:52	1	1	1	1	72	59.75	0	23317.536	81.72043011	1905.525508	30000	0	0	30000	40.3125	2004
22.01.2020 15:31:53	1	1	1	1	72	60.25	0	23744.076	88.17204301	2093.06118	30000	0	0	30000	40.1875	2004
22.01.2020 15:31:54	1	1	1	1	72	60	0	23696.682	83.87096774	2093.06118	30000	0	0	30000	40.5	2004
22.01.2020 15:31:55	1	1	1	1	72	60.5	0	23744.076	88.17204301	1982.985894	30000	0	0	30000	40.125	2004
22.01.2020 15:31:56	1	1	1	1	72	60	0	23744.076	83.87096774	2084.907455	30000	0	0	30000	40.6875	2004
22.01.2020 15:31:57	1	1	1	1	72	60.5	0	23744.076	88.17204301	2144.429647	30000	0	0	30000	40.5	2004
22.01.2020 15:31:58	1	1	1	1	72	60.5	0	23744.076	88.17204301	2093.06118	30000	0	0	30000	40.1875	2004
22.01.2020 15:31:59	1	1	1	1	71	60.5	0	23649.289	83.87096774	2084.907455	30000	0	0	30000	40.0625	2004
22.01.2020 15:32:00	1	1	1	1	71	60	0	23744.076	83.87096774	1982.985894	30000	0	0	30000	40.125	2004
22.01.2020 15:32:01	1	1	1	1	71	60	0	23649.289	83.87096774	2084.907455	30000	0	0	30000	40.1875	2004
22.01.2020 15:32:02	1	1	1	1	71	60	0	23744.076	88.17204301	2093.06118	30000	0	0	30000	40.0625	2004
22.01.2020 15:32:03	1	1	1	1	71	60	0	23649.289	90.32258065	2237.382111	30000	0	0	30000	40.1875	2004
22.01.2020 15:32:04	1	1	1	1	71	60	0	23744.076	94.62365591	2246.351208	30000	0	0	30000	40.25	2004
22.01.2020 15:32:05	1	1	1	1	71	60.25	0	23744.076	103.2258065	2348.272769	30000	0	0	30000	40.1875	2004
22.01.2020 15:32:06	1	1	1	1	71	60	0	23696.682	103.2258065	2451.009703	30000	0	0	30000	40.25	2004
22.01.2020 15:32:07	1	1	1	1	71	60.25	0	23649.289	103.2258065	2441.225233	30000	0	0	30000	40.125	2004
22.01.2020 15:32:08	1	1	1	1	71.5	60	0	23696.682	103.2258065	2441.225233	30000	0	0	30000	40.125	2004
22.01.2020 15:32:09	1	1	1	1	71.5	60	0	23696.682	103.2258065	2451.009703	30000	0	0	30000	40.1875	2004
22.01.2020 15:32:10	1	1	1	1	71.5	60	0	23696.682	103.2258065	2451.009703	30000	0	0	30000	40.125	2004
22.01.2020 15:32:11	1	1	1	1	71.5	60	0	23649.289	96.77419355	2451.009703	30000	0	0	30000	40.1875	2004
22.01.2020 15:32:12	1	1	1	1	71.5	60	0	23696.682	103.2258065	2441.225233	30000	0	0	30000	40.1875	2004
22.01.2020 15:32:13	1	1	1	1	71.5	60	0	24407.583	109.6774194	2676.867882	30000	0	0	30000	39.625	2004
22.01.2020 15:32:14	1	1	1	1	71.5	59.5	0	24928.91	137.6344086	3222.352078	30000	0	0	30000	40.25	2004
22.01.2020 15:32:15	1	1	1	1	71.5	60.25	0	25592.417	144.0860215	3687.114397	30000	0	0	30000	40.3125	2004
22.01.2020 15:32:16	1	1	1	1	71.5	60.25	0	25924.171	161.2903226	4062.185742	30000	0	0	30000	40.375	2004
22.01.2020 15:32:17	1	1	1	1	71.5	60.25	0	26350.711	176.344086	4589.731742	30000	0	0	30000	40.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 15:32:18	1	1	1	1	71.75	60	0	26492.891	189.2473118	5022.694534	30000	0	0	30000	40.3125	2004
22.01.2020 15:32:19	1	1	1	1	71.75	60.25	0	26682.464	206.4516129	5508.656538	30000	0	0	30000	40	2004
22.01.2020 15:32:20	1	1	1	1	71.75	60	0	27298.578	221.5053763	6046.802381	30000	0	0	30000	40	2004
22.01.2020 15:32:21	1	1	1	1	71.75	60	0	27440.758	232.2580645	6431.658196	30000	0	0	30000	40.25	2004
22.01.2020 15:32:22	1	1	1	1	71.75	60.25	0	28009.479	249.4623656	6926.589297	30000	0	0	30000	40.1875	2004
22.01.2020 15:32:23	1	1	1	1	71.75	60	0	28388.626	264.516129	7508.765254	30000	0	0	30000	40.1875	2004
22.01.2020 15:32:24	1	1	1	1	71.75	60	0	28578.199	279.5698925	8050.98796	30000	0	0	30000	40.125	2004
22.01.2020 15:32:32	1	1	1	1	71.5	60.25	0	11421.801	0	0	30000	0	0	30000	40.1875	2004
22.01.2020 15:32:32	1	1	1	1	71.5	60.25	0	11421.801	0	0	30000	0	0	30000	40.1875	2004
22.01.2020 15:32:32	1	1	1	1	71.5	60.25	0	11421.801	0	0	30000	0	0	30000	40.1875	2004
22.01.2020 15:32:32	1	1	1	1	71.5	60.25	0	11421.801	0	0	30000	0	0	30000	40.1875	2004
22.01.2020 15:32:32	1	1	1	1	71.5	60.25	0	11421.801	0	0	30000	0	0	30000	40.1875	2004
22.01.2020 15:32:32	1	1	1	1	71.5	60.25	0	11421.801	0	0	30000	0	0	30000	40.1875	2004
22.01.2020 15:32:32	1	1	1	1	71.5	60.25	0	11421.801	0	0	30000	0	0	30000	40.1875	2004
22.01.2020 15:32:32	1	1	1	1	71.5	60.25	0	11421.801	0	0	30000	0	0	30000	40.1875	2004
22.01.2020 15:32:33	1	1	1	1	71.5	60	0	12274.882	0	0	30000	0	0	30000	40.125	2004
22.01.2020 15:32:34	1	1	1	1	71.5	60	0	12985.782	0	0	30000	0	0	30000	40.25	2004
22.01.2020 15:32:35	1	1	1	1	71.5	60.25	0	13791.469	0	29.35340962	30000	0	0	30000	40.0625	2004
22.01.2020 15:32:36	1	1	1	1	71.5	60	0	14549.763	4.301075269	93.76783627	30000	0	0	30000	40.5625	2004
22.01.2020 15:32:37	1	1	1	1	71.5	60.5	0	15308.057	10.75268817	131.2749708	30000	0	0	30000	40	2004
22.01.2020 15:32:38	1	1	1	1	71.5	60	0	16066.351	12.90322581	172.0435952	30000	0	0	30000	39.75	2004
22.01.2020 15:32:39	1	1	1	1	72	60	0	16919.431	17.20430108	326.9643682	30000	0	0	30000	40.1875	2004
22.01.2020 15:32:40	1	1	1	1	72	60	0	17677.725	23.65591398	379.96358	30000	0	0	30000	40.5	2004
22.01.2020 15:32:41	1	1	1	1	72	60.5	0	18436.019	30.10752688	552.0071753	30000	0	0	30000	40.125	2004
22.01.2020 15:32:42	1	1	1	1	72	60	0	19146.919	34.40860215	701.2203408	30000	0	0	30000	40	2004
22.01.2020 15:32:43	1	1	1	1	72	60	0	19952.607	43.01075269	857.7718588	30000	0	0	30000	40.125	2004
22.01.2020 15:32:44	1	1	1	1	72	60	0	20710.9	53.76344086	1112.983448	30000	0	0	30000	40	2004
22.01.2020 15:32:45	1	1	1	1	72	60	0	21516.588	60.21505376	1295.626886	30000	0	0	30000	40	2004
22.01.2020 15:32:46	1	1	1	1	72	60	0	22274.882	66.66666667	1484.793303	30000	0	0	30000	40.25	2004
22.01.2020 15:32:47	1	1	1	1	72	60.25	0	23033.175	75.2688172	1733.481912	30000	0	0	30000	40.125	2004
22.01.2020 15:32:48	1	1	1	1	71.25	60	0	23791.469	83.87096774	1995.216481	30000	0	0	30000	40.1875	2004
22.01.2020 15:32:49	1	1	1	1	71.25	60	0	24218.009	94.62365591	2291.196695	30000	0	0	30000	40.125	2004
22.01.2020 15:32:50	1	1	1	1	71.25	60	0	24218.009	94.62365591	2291.196695	30000	0	0	30000	39.9375	2004
22.01.2020 15:32:51	1	1	1	1	71.25	59.75	0	24218.009	90.32258065	2239.012856	30000	0	0	30000	40	2004
22.01.2020 15:32:52	1	1	1	1	71.25	60	0	24218.009	90.32258065	2134.645177	30000	0	0	30000	40.25	2004
22.01.2020 15:32:53	1	1	1	1	71.25	60.25	0	24218.009	90.32258065	2186.829016	30000	0	0	30000	40.0625	2004
22.01.2020 15:32:54	1	1	1	1	71.25	60	0	24218.009	90.32258065	2134.645177	30000	0	0	30000	40.125	2004
22.01.2020 15:32:55	1	1	1	1	71.25	60	0	24218.009	94.62365591	2186.829016	30000	0	0	30000	40.375	2004
22.01.2020 15:32:56	1	1	1	1	71.25	60.25	0	24218.009	90.32258065	2186.829016	30000	0	0	30000	40.25	2004
22.01.2020 15:32:57	1	1	1	1	71.25	60.25	0	24218.009	90.32258065	2134.645177	30000	0	0	30000	40.1875	2004
22.01.2020 15:32:58	1	1	1	1	70.75	60	0	24218.009	88.17204301	2134.645177	30000	0	0	30000	40.125	2004
22.01.2020 15:32:59	1	1	1	1	70.75	60	0	24170.616	86.02150538	2134.645177	30000	0	0	30000	40.1875	2004
22.01.2020 15:33:00	1	1	1	1	70.75	60	0	24218.009	88.17204301	2134.645177	30000	0	0	30000	40.3125	2004
22.01.2020 15:33:01	1	1	1	1	70.75	60.25	0	24218.009	88.17204301	2134.645177	30000	0	0	30000	40.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 15:33:02	1	1	1	1	70.75	60	0	24218.009	92.47311828	2239.012856	30000	0	0	30000	40.1875	2004
22.01.2020 15:33:03	1	1	1	1	70.75	60	0	24218.009	94.62365591	2291.196695	30000	0	0	30000	40.1875	2004
22.01.2020 15:33:04	1	1	1	1	70.75	60	0	24218.009	96.77419355	2343.380534	30000	0	0	30000	40.125	2004
22.01.2020 15:33:06	1	1	1	1	70.75	60	0	24218.009	94.62365591	2395.564374	30000	0	0	30000	40.0625	2004
22.01.2020 15:33:07	1	1	1	1	70.75	60	0	24218.009	103.2258065	2514.608757	30000	0	0	30000	40.125	2004
22.01.2020 15:33:08	1	1	1	1	70.75	60	0	24218.009	103.2258065	2566.792596	30000	0	0	30000	40.3125	2004
22.01.2020 15:33:09	1	1	1	1	71	60.25	0	24218.009	105.3763441	2551.300519	30000	0	0	30000	40.1875	2004
22.01.2020 15:33:10	1	1	1	1	71	60	0	24502.37	116.1290323	2792.650776	30000	0	0	30000	40.0625	2004
22.01.2020 15:33:11	1	1	1	1	71	60	0	24597.156	129.0322581	3185.660316	30000	0	0	30000	40.1875	2004
22.01.2020 15:33:12	1	1	1	1	71	60	0	24834.123	144.0860215	3577.854483	30000	0	0	30000	40.25	2004
22.01.2020 15:33:13	1	1	1	1	71	60.25	0	25071.09	152.688172	4058.924252	30000	0	0	30000	40.1875	2004
22.01.2020 15:33:14	1	1	1	1	71	60	0	25545.024	156.9892473	3885.249912	30000	0	0	30000	39.9375	2004
22.01.2020 15:33:15	1	1	1	1	71	59.75	0	25734.597	156.9892473	4094.800641	30000	0	0	30000	40.1875	2004
22.01.2020 15:33:16	1	1	1	1	71	60	0	25829.384	156.9892473	4062.185742	30000	0	0	30000	40.5625	2004
22.01.2020 15:33:17	1	1	1	1	71	60.5	0	26398.104	152.688172	4030.386215	30000	0	0	30000	40.375	2004
22.01.2020 15:33:18	1	1	1	1	70.75	60.5	0	26587.678	152.688172	4058.924252	30000	0	0	30000	40.125	2004
22.01.2020 15:33:19	1	1	1	1	70.75	60	0	26350.711	152.688172	4023.047862	30000	0	0	30000	40.25	2004
22.01.2020 15:33:20	1	1	1	1	70.75	60.25	0	26540.284	150.5376344	4052.401272	30000	0	0	30000	39.9375	2004
22.01.2020 15:33:21	1	1	1	1	70.75	59.75	0	26350.711	150.5376344	4023.047862	30000	0	0	30000	40.1875	2004
22.01.2020 15:33:22	1	1	1	1	70.75	60	0	26398.104	152.688172	3980.648493	30000	0	0	30000	40.125	2004
22.01.2020 15:33:23	1	1	1	1	70.75	60	0	26018.957	152.688172	4091.539151	30000	0	0	30000	40.3125	2004
22.01.2020 15:33:26	1	1	1	1	70.75	60	0	25734.597	152.688172	3929.280026	30000	0	0	30000	40.1875	2004
22.01.2020 15:33:26	1	1	1	1	70.75	60	0	25734.597	152.688172	3929.280026	30000	0	0	30000	40.1875	2004
22.01.2020 15:33:26	1	1	1	1	70.75	60	0	25924.171	152.688172	3957.818063	30000	0	0	30000	40.125	2004
22.01.2020 15:33:34	1	1	1	1	70.25	60	0	27393.365	184.9462366	5056.940179	30000	0	0	30000	40.1875	2004
22.01.2020 15:33:34	1	1	1	1	70.25	60	0	27393.365	184.9462366	5056.940179	30000	0	0	30000	40.1875	2004
22.01.2020 15:33:34	1	1	1	1	70.25	60	0	27393.365	184.9462366	5056.940179	30000	0	0	30000	40.1875	2004
22.01.2020 15:33:34	1	1	1	1	70.25	60	0	27393.365	184.9462366	5056.940179	30000	0	0	30000	40.1875	2004
22.01.2020 15:33:34	1	1	1	1	70.25	60	0	27393.365	184.9462366	5056.940179	30000	0	0	30000	40.1875	2004
22.01.2020 15:33:34	1	1	1	1	70.25	60	0	27393.365	184.9462366	5056.940179	30000	0	0	30000	40.1875	2004
22.01.2020 15:33:34	1	1	1	1	70.25	60	0	27393.365	184.9462366	5056.940179	30000	0	0	30000	40.1875	2004
22.01.2020 15:33:34	1	1	1	1	70.25	60	0	27393.365	184.9462366	5056.940179	30000	0	0	30000	40.1875	2004
22.01.2020 15:33:34	1	1	1	1	70.25	60	0	27393.365	184.9462366	5056.940179	30000	0	0	30000	40.1875	2004
22.01.2020 15:33:35	1	1	1	1	70.25	60.25	0	27725.118	180.6451613	4990.895007	30000	0	0	30000	40.375	2004
22.01.2020 15:33:35	1	1	1	1	70.25	60.25	0	27867.299	176.344086	4973.772185	30000	0	0	30000	40.125	2004
22.01.2020 15:33:36	1	1	1	1	70.25	60	0	27914.692	178.4946237	4990.895007	30000	0	0	30000	39.9375	2004
22.01.2020 15:33:37	1	1	1	1	70.25	59.75	0	27962.085	180.6451613	5059.386296	30000	0	0	30000	40	2004
22.01.2020 15:33:38	1	1	1	1	70.25	60	0	28009.479	178.4946237	5300.736553	30000	0	0	30000	40.125	2004
22.01.2020 15:33:39	1	1	1	1	70.25	60	0	27867.299	178.4946237	4973.772185	30000	0	0	30000	39.875	2004
22.01.2020 15:33:40	1	1	1	1	70.25	59.75	0	28009.479	189.2473118	4999.048732	30000	0	0	30000	40.25	2004
22.01.2020 15:33:41	1	1	1	1	70.25	60.25	0	27914.692	178.4946237	4981.92591	30000	0	0	30000	39.8125	2004
22.01.2020 15:33:42	1	1	1	1	70.25	59.75	0	27962.085	182.7956989	4990.895007	30000	0	0	30000	40.1875	2004
22.01.2020 15:33:43	1	1	1	1	70.25	60	0	27962.085	180.6451613	4990.895007	30000	0	0	30000	39.9375	2004
22.01.2020 15:33:45	1	1	1	1	70.25	59.75	0	27819.905	178.4946237	4965.61846	30000	0	0	30000	40.0625	2004
22.01.2020 15:33:46	1	1	1	1	70.25	60	0	27914.692	180.6451613	4981.92591	30000	0	0	30000	40.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 15:33:47	1	1	1	1	70.25	60.25	0	27630.332	180.6451613	4931.372815	30000	0	0	30000	39.8125	2004
22.01.2020 15:33:48	1	1	1	1	70.25	59.75	0	27819.905	189.2473118	4990.895007	30000	0	0	30000	40.125	2004
22.01.2020 15:33:49	1	1	1	1	70	60	0	27725.118	178.4946237	5084.662843	30000	0	0	30000	40.125	2004
22.01.2020 15:33:50	1	1	1	1	70	60	0	27630.332	178.4946237	4931.372815	30000	0	0	30000	39.9375	2004
22.01.2020 15:33:51	1	1	1	1	70	59.75	0	27962.085	180.6451613	5119.723861	30000	0	0	30000	40	2004
22.01.2020 15:33:52	1	1	1	1	70	60	0	27630.332	180.6451613	4931.372815	30000	0	0	30000	40.1875	2004
22.01.2020 15:33:53	1	1	1	1	70	60	0	28009.479	180.6451613	5059.386296	30000	0	0	30000	40.3125	2004
22.01.2020 15:33:54	1	1	1	1	70	60.25	0	27819.905	178.4946237	5025.140652	30000	0	0	30000	40.0625	2004
22.01.2020 15:33:55	1	1	1	1	70	60	0	27867.299	178.4946237	4973.772185	30000	0	0	30000	40.3125	2004
22.01.2020 15:33:56	1	1	1	1	70	60.25	0	27867.299	178.4946237	4973.772185	30000	0	0	30000	39.8125	2004
22.01.2020 15:33:57	1	1	1	1	70	59.75	0	28009.479	180.6451613	5119.723861	30000	0	0	30000	40.0625	2004
22.01.2020 15:33:58	1	1	1	1	70	60	0	28009.479	180.6451613	4999.048732	30000	0	0	30000	40.0625	2004
22.01.2020 15:33:59	1	1	1	1	70	60	0	28009.479	176.344086	5033.294377	30000	0	0	30000	40.1875	2004
22.01.2020 15:34:00	1	1	1	1	70	60	0	27914.692	178.4946237	4981.92591	30000	0	0	30000	40.1875	2004
22.01.2020 15:34:01	1	1	1	1	70	60	0	27962.085	178.4946237	4981.92591	30000	0	0	30000	40	2004
22.01.2020 15:34:02	1	1	1	1	70	60	0	27867.299	180.6451613	5102.601038	30000	0	0	30000	40	2004
22.01.2020 15:34:03	1	1	1	1	70	60	0	27630.332	182.7956989	5050.417199	30000	0	0	30000	39.9375	2004
22.01.2020 15:34:04	1	1	1	1	70	59.75	0	27535.545	178.4946237	4956.649363	30000	0	0	30000	40.25	2004
22.01.2020 15:34:05	1	1	1	1	70	60.25	0	27440.758	180.6451613	4897.942543	30000	0	0	30000	40.125	2004
22.01.2020 15:34:06	1	1	1	1	70	60	0	27630.332	182.7956989	5050.417199	30000	0	0	30000	40.125	2004
22.01.2020 15:34:07	1	1	1	1	70	60	0	27440.758	182.7956989	4956.649363	30000	0	0	30000	40.25	2004
22.01.2020 15:34:08	1	1	1	1	69.25	60.25	0	27440.758	182.7956989	4956.649363	30000	0	0	30000	40.25	2004
22.01.2020 15:34:09	1	1	1	1	69.25	60.25	0	27630.332	180.6451613	5050.417199	30000	0	0	30000	40.1875	2004
22.01.2020 15:34:10	1	1	1	1	69.25	60	0	27535.545	182.7956989	5015.356182	30000	0	0	30000	40.25	2004
22.01.2020 15:34:11	1	1	1	1	69.25	60.25	0	27535.545	178.4946237	5015.356182	30000	0	0	30000	40	2004
22.01.2020 15:34:12	1	1	1	1	69.25	60	0	27867.299	182.7956989	5093.631941	30000	0	0	30000	40.25	2004
22.01.2020 15:34:13	1	1	1	1	69.25	60.25	0	27867.299	178.4946237	4973.772185	30000	0	0	30000	40.125	2004
22.01.2020 15:34:14	1	1	1	1	69.25	60	0	27914.692	178.4946237	4990.895007	30000	0	0	30000	40.25	2004
22.01.2020 15:34:15	1	1	1	1	69.25	60.25	0	28009.479	180.6451613	4999.048732	30000	0	0	30000	40.25	2004
22.01.2020 15:34:16	1	1	1	1	69.25	60.25	0	28009.479	178.4946237	4758.513848	30000	0	0	30000	40	2004
22.01.2020 15:34:17	1	1	1	1	69.25	60	0	27867.299	178.4946237	4965.61846	30000	0	0	30000	40.125	2004
22.01.2020 15:34:18	1	1	1	1	69.5	60	0	27630.332	182.7956989	4990.895007	30000	0	0	30000	39.875	2004
22.01.2020 15:34:19	1	1	1	1	69.5	59.75	0	27440.758	178.4946237	4897.942543	30000	0	0	30000	40	2004
22.01.2020 15:34:20	1	1	1	1	69.5	60	0	27582.938	189.2473118	5074.878374	30000	0	0	30000	40.125	2004
22.01.2020 15:34:21	1	1	1	1	69.5	60	0	27393.365	180.6451613	4880.819721	30000	0	0	30000	40.3125	2004
22.01.2020 15:34:22	1	1	1	1	69.5	60.25	0	27440.758	180.6451613	5015.356182	30000	0	0	30000	40	2004
22.01.2020 15:34:24	1	1	1	1	69.5	60	0	27582.938	180.6451613	5041.448102	30000	0	0	30000	39.8125	2004
22.01.2020 15:34:25	1	1	1	1	69.5	59.75	0	27535.545	180.6451613	5050.417199	30000	0	0	30000	40.125	2004
22.01.2020 15:34:26	1	1	1	1	69.5	60	0	27630.332	178.4946237	4931.372815	30000	0	0	30000	40.1875	2004
22.01.2020 15:34:27	1	1	1	1	69.5	60	0	27819.905	180.6451613	4965.61846	30000	0	0	30000	39.625	2004
22.01.2020 15:34:28	1	1	1	1	69.5	59.5	0	27867.299	180.6451613	4965.61846	30000	0	0	30000	40.1875	2004
22.01.2020 15:34:35	1	1	1	1	70	59.75	0	28862.559	206.4516129	5958.742152	30000	0	0	30000	39.9375	2004
22.01.2020 15:34:35	1	1	1	1	70	59.75	0	28862.559	206.4516129	5958.742152	30000	0	0	30000	39.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 15:34:35	1	1	1	1	70	59.75	0	28862.559	206.4516129	5958.742152	30000	0	0	30000	39.9375	2004
22.01.2020 15:34:35	1	1	1	1	70	59.75	0	28862.559	206.4516129	5958.742152	30000	0	0	30000	39.9375	2004
22.01.2020 15:34:35	1	1	1	1	70	59.75	0	28862.559	206.4516129	5958.742152	30000	0	0	30000	39.9375	2004
22.01.2020 15:34:35	1	1	1	1	70	59.75	0	28862.559	206.4516129	5958.742152	30000	0	0	30000	39.9375	2004
22.01.2020 15:34:35	1	1	1	1	70	59.75	0	28862.559	206.4516129	5958.742152	30000	0	0	30000	39.9375	2004
22.01.2020 15:34:36	1	1	1	1	70	59.75	0	28578.199	206.4516129	6010.925991	30000	0	0	30000	40.0625	2004
22.01.2020 15:34:37	1	1	1	1	70	60	0	28530.806	208.6021505	5941.61933	30000	0	0	30000	40.125	2004
22.01.2020 15:34:38	1	1	1	1	70	60	0	28483.412	208.6021505	6063.925203	30000	0	0	30000	40.1875	2004
22.01.2020 15:34:39	1	1	1	1	70	60	0	28578.199	210.7526882	6084.309515	30000	0	0	30000	40.25	2004
22.01.2020 15:34:40	1	1	1	1	70	60.25	0	28483.412	212.9032258	6002.772266	30000	0	0	30000	40.125	2004
22.01.2020 15:34:41	1	1	1	1	70	60	0	28530.806	210.7526882	6063.925203	30000	0	0	30000	40.1875	2004
22.01.2020 15:34:42	1	1	1	1	70	60	0	28483.412	212.9032258	6054.140733	30000	0	0	30000	40.125	2004
22.01.2020 15:34:43	1	1	1	1	70	60	0	28388.626	208.6021505	5992.987797	30000	0	0	30000	39.625	2004
22.01.2020 15:34:44	1	1	1	1	70	59.5	0	28530.806	217.2043011	6063.925203	30000	0	0	30000	40.125	2004
22.01.2020 15:34:45	1	1	1	1	70	60	0	28293.839	208.6021505	6023.156579	30000	0	0	30000	40.25	2004
22.01.2020 15:34:46	1	1	1	1	70	60.25	0	28436.019	210.7526882	5982.387954	30000	0	0	30000	39.4375	2004
22.01.2020 15:34:47	1	1	1	1	70	59.25	0	28483.412	210.7526882	5931.83486	30000	0	0	30000	40	2004
22.01.2020 15:34:48	1	1	1	1	70.25	60	0	28436.019	208.6021505	6063.925203	30000	0	0	30000	40.0625	2004
22.01.2020 15:34:49	1	1	1	1	70.25	60	0	28293.839	208.6021505	6023.156579	30000	0	0	30000	40.1875	2004
22.01.2020 15:34:50	1	1	1	1	70.25	60	0	28293.839	212.9032258	5942.434702	30000	0	0	30000	40	2004
22.01.2020 15:34:51	1	1	1	1	70.25	60	0	28199.052	212.9032258	6003.587639	30000	0	0	30000	40.1875	2004
22.01.2020 15:34:52	1	1	1	1	70.25	60	0	28293.839	215.0537634	6216.399859	30000	0	0	30000	40.1875	2004
22.01.2020 15:34:53	1	1	1	1	70.25	60	0	28009.479	212.9032258	5962.819014	30000	0	0	30000	40.125	2004
22.01.2020 15:34:54	1	1	1	1	70.25	60	0	28009.479	212.9032258	6023.156579	30000	0	0	30000	40	2004
22.01.2020 15:34:55	1	1	1	1	70.25	60	0	28009.479	217.2043011	5962.819014	30000	0	0	30000	40.1875	2004
22.01.2020 15:34:56	1	1	1	1	70.25	60	0	28009.479	212.9032258	6023.156579	30000	0	0	30000	40.125	2004
22.01.2020 15:34:57	1	1	1	1	70.25	60	0	28009.479	212.9032258	6003.587639	30000	0	0	30000	40.1875	2004
22.01.2020 15:34:58	1	1	1	1	70.25	60	0	28199.052	212.9032258	6003.587639	30000	0	0	30000	40.25	2004
22.01.2020 15:34:59	1	1	1	1	70.25	60.25	0	28293.839	217.2043011	6003.587639	30000	0	0	30000	40.125	2004
22.01.2020 15:35:00	1	1	1	1	70.25	60	0	28009.479	212.9032258	5962.819014	30000	0	0	30000	40.125	2004
22.01.2020 15:35:02	1	1	1	1	70.25	60	0	28199.052	210.7526882	5782.621694	30000	0	0	30000	39.8125	2004
22.01.2020 15:35:03	1	1	1	1	70.25	59.75	0	28009.479	210.7526882	5962.819014	30000	0	0	30000	40.25	2004
22.01.2020 15:35:04	1	1	1	1	70.25	60.25	0	28199.052	212.9032258	6003.587639	30000	0	0	30000	39.8125	2004
22.01.2020 15:35:05	1	1	1	1	70.25	59.75	0	28293.839	212.9032258	5962.819014	30000	0	0	30000	40	2004
22.01.2020 15:35:06	1	1	1	1	70.25	60	0	28199.052	210.7526882	6003.587639	30000	0	0	30000	39.4375	2004
22.01.2020 15:35:07	1	1	1	1	70.25	59.25	0	28199.052	212.9032258	6003.587639	30000	0	0	30000	40.0625	2004
22.01.2020 15:35:08	1	1	1	1	70.25	60	0	28009.479	212.9032258	6023.156579	30000	0	0	30000	40.125	2004
22.01.2020 15:35:09	1	1	1	1	70.5	60	0	27914.692	212.9032258	5942.434702	30000	0	0	30000	40	2004
22.01.2020 15:35:10	1	1	1	1	70.5	60	0	27962.085	217.2043011	6122.632022	30000	0	0	30000	40	2004
22.01.2020 15:35:11	1	1	1	1	70.5	60	0	27630.332	215.0537634	5941.61933	30000	0	0	30000	40.5	2004
22.01.2020 15:35:12	1	1	1	1	70.5	60.5	0	27630.332	215.0537634	6001.141521	30000	0	0	30000	40.125	2004
22.01.2020 15:35:13	1	1	1	1	70.5	60	0	27630.332	217.2043011	6001.141521	30000	0	0	30000	39.9375	2004
22.01.2020 15:35:14	1	1	1	1	70.5	59.75	0	27630.332	217.2043011	5941.61933	30000	0	0	30000	40.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 15:35:15	1	1	1	1	70.5	60.25	0	27819.905	215.0537634	6041.910146	30000	0	0	30000	40.125	2004
22.01.2020 15:35:16	1	1	1	1	70.5	60	0	27962.085	212.9032258	5953.034545	30000	0	0	30000	40.1875	2004
22.01.2020 15:35:17	1	1	1	1	70.5	60	0	27914.692	212.9032258	5942.434702	30000	0	0	30000	39.75	2004
22.01.2020 15:35:18	1	1	1	1	71	59.75	0	27962.085	219.3548387	5942.434702	30000	0	0	30000	39.6875	2004
22.01.2020 15:35:19	1	1	1	1	71	59.5	0	27630.332	217.2043011	6060.663713	30000	0	0	30000	40.0625	2004
22.01.2020 15:35:20	1	1	1	1	71	60	0	27630.332	217.2043011	5882.097138	30000	0	0	30000	40.1875	2004
22.01.2020 15:35:21	1	1	1	1	71	60	0	27867.299	217.2043011	5982.387954	30000	0	0	30000	39.9375	2004
22.01.2020 15:35:22	1	1	1	1	71	59.75	0	27914.692	219.3548387	5932.650232	30000	0	0	30000	39.75	2004
22.01.2020 15:35:23	1	1	1	1	71	59.75	0	28009.479	215.0537634	5962.819014	30000	0	0	30000	40	2004
22.01.2020 15:35:24	1	1	1	1	71	60	0	27867.299	215.0537634	6063.109831	30000	0	0	30000	40.125	2004
22.01.2020 15:35:25	1	1	1	1	71	60	0	27630.332	212.9032258	5872.312668	30000	0	0	30000	40.125	2004
22.01.2020 15:35:26	1	1	1	1	71	60	0	27630.332	217.2043011	5990.541679	30000	0	0	30000	40.25	2004
22.01.2020 15:35:27	1	1	1	1	71	60.25	0	27630.332	217.2043011	6001.141521	30000	0	0	30000	40.1875	2004
22.01.2020 15:35:28	1	1	1	1	70.75	60	0	27630.332	217.2043011	6001.141521	30000	0	0	30000	40.25	2004
22.01.2020 15:35:29	1	1	1	1	70.75	60.25	0	28436.019	234.4086022	6737.422879	30000	0	0	30000	40.25	2004
22.01.2020 15:35:37	1	1	1	1	70.75	60	0	28957.346	240.8602151	6974.696274	30000	0	0	30000	40.125	2004
22.01.2020 15:35:37	1	1	1	1	70.75	60	0	28957.346	240.8602151	6974.696274	30000	0	0	30000	40.125	2004
22.01.2020 15:35:37	1	1	1	1	70.75	60	0	28957.346	240.8602151	6974.696274	30000	0	0	30000	40.125	2004
22.01.2020 15:35:37	1	1	1	1	70.75	60	0	28957.346	240.8602151	6974.696274	30000	0	0	30000	40.125	2004
22.01.2020 15:35:37	1	1	1	1	70.75	60	0	28957.346	240.8602151	6974.696274	30000	0	0	30000	40.125	2004
22.01.2020 15:35:37	1	1	1	1	70.75	60	0	28957.346	240.8602151	6974.696274	30000	0	0	30000	40.125	2004
22.01.2020 15:35:37	1	1	1	1	70.75	60	0	28957.346	240.8602151	7070.910227	30000	0	0	30000	40.125	2004
22.01.2020 15:35:38	1	1	1	1	71.5	60	0	28862.559	240.8602151	7013.834153	30000	0	0	30000	40	2004
22.01.2020 15:35:39	1	1	1	1	71.5	60	0	28815.166	243.0107527	6940.450629	30000	0	0	30000	40.125	2004
22.01.2020 15:35:41	1	1	1	1	71.5	60	0	28862.559	243.0107527	7075.802462	30000	0	0	30000	40.0625	2004
22.01.2020 15:35:42	1	1	1	1	71.5	60	0	28815.166	243.0107527	7002.418938	30000	0	0	30000	40.1875	2004
22.01.2020 15:35:43	1	1	1	1	71.5	60	0	28815.166	243.0107527	7002.418938	30000	0	0	30000	40.1875	2004
22.01.2020 15:35:44	1	1	1	1	71.5	60	0	29052.133	243.0107527	7036.664583	30000	0	0	30000	40.0625	2004
22.01.2020 15:35:45	1	1	1	1	71.5	60	0	28815.166	243.0107527	7002.418938	30000	0	0	30000	39.9375	2004
22.01.2020 15:35:46	1	1	1	1	71.5	59.75	0	28815.166	243.0107527	7002.418938	30000	0	0	30000	39.9375	2004
22.01.2020 15:35:47	1	1	1	1	71.5	59.75	0	28815.166	243.0107527	7002.418938	30000	0	0	30000	40.0625	2004
22.01.2020 15:35:48	1	1	1	1	71.5	60	0	28815.166	245.1612903	7002.418938	30000	0	0	30000	40.125	2004
22.01.2020 15:35:49	1	1	1	1	71.75	60	0	28815.166	245.1612903	7126.355557	30000	0	0	30000	40.5625	2004
22.01.2020 15:35:50	1	1	1	1	71.75	60.5	0	28815.166	243.0107527	7002.418938	30000	0	0	30000	40.0625	2004
22.01.2020 15:35:51	1	1	1	1	71.75	60	0	28625.592	243.0107527	6955.942706	30000	0	0	30000	40.1875	2004
22.01.2020 15:35:52	1	1	1	1	71.75	60	0	28625.592	245.1612903	6955.942706	30000	0	0	30000	40.125	2004
22.01.2020 15:35:53	1	1	1	1	71.75	60	0	28625.592	243.0107527	6955.942706	30000	0	0	30000	39.5	2004
22.01.2020 15:35:54	1	1	1	1	71.75	59.5	0	28815.166	243.0107527	6940.450629	30000	0	0	30000	40.125	2004
22.01.2020 15:35:55	1	1	1	1	71.75	60	0	28815.166	243.0107527	7002.418938	30000	0	0	30000	39.9375	2004
22.01.2020 15:35:56	1	1	1	1	71.75	59.75	0	28815.166	243.0107527	7002.418938	30000	0	0	30000	39.9375	2004
22.01.2020 15:35:57	1	1	1	1	71.75	59.75	0	28578.199	243.0107527	6894.78977	30000	0	0	30000	40.25	2004
22.01.2020 15:35:58	1	1	1	1	71.5	60.25	0	28625.592	243.0107527	7064.387248	30000	0	0	30000	40.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 15:35:59	1	1	1	1	71.5	60.25	0	28483.412	247.311828	6921.697062	30000	0	0	30000	39.875	2004
22.01.2020 15:36:00	1	1	1	1	71.5	59.75	0	28388.626	247.311828	6959.204196	30000	0	0	30000	40.125	2004
22.01.2020 15:36:01	1	1	1	1	71.5	60	0	28578.199	245.1612903	7067.648738	30000	0	0	30000	40.0625	2004
22.01.2020 15:36:02	1	1	1	1	71.5	60	0	28625.592	245.1612903	7079.063952	30000	0	0	30000	39.8125	2004
22.01.2020 15:36:03	1	1	1	1	71.5	59.75	0	28815.166	243.0107527	7002.418938	30000	0	0	30000	40.1875	2004
22.01.2020 15:36:04	1	1	1	1	71.5	60	0	28815.166	240.8602151	7002.418938	30000	0	0	30000	40	2004
22.01.2020 15:36:05	1	1	1	1	71.5	60	0	29052.133	243.0107527	7036.664583	30000	0	0	30000	40.0625	2004
22.01.2020 15:36:06	1	1	1	1	71.5	60	0	28815.166	243.0107527	7002.418938	30000	0	0	30000	40.25	2004
22.01.2020 15:36:07	1	1	1	1	71.5	60.25	0	28815.166	243.0107527	7064.387248	30000	0	0	30000	39.3125	2004
22.01.2020 15:36:08	1	1	1	1	71.5	59.25	0	28578.199	247.311828	7067.648738	30000	0	0	30000	40.1875	2004
22.01.2020 15:36:09	1	1	1	1	71.5	60	0	28293.839	247.311828	7008.941918	30000	0	0	30000	40.1875	2004
22.01.2020 15:36:10	1	1	1	1	71.5	60	0	28009.479	247.311828	6926.589297	30000	0	0	30000	40.125	2004
22.01.2020 15:36:11	1	1	1	1	71.5	60	0	28009.479	247.311828	6926.589297	30000	0	0	30000	40.3125	2004
22.01.2020 15:36:12	1	1	1	1	71.5	60.25	0	28199.052	247.311828	6973.880901	30000	0	0	30000	40.3125	2004
22.01.2020 15:36:13	1	1	1	1	71.5	60.25	0	28009.479	251.6129032	6986.926861	30000	0	0	30000	40.0625	2004
22.01.2020 15:36:14	1	1	1	1	71.5	60	0	28009.479	249.4623656	6986.926861	30000	0	0	30000	40.25	2004
22.01.2020 15:36:15	1	1	1	1	71.5	60.25	0	28009.479	251.6129032	7047.264425	30000	0	0	30000	40.25	2004
22.01.2020 15:36:16	1	1	1	1	71.5	60.25	0	27819.905	247.311828	6880.113065	30000	0	0	30000	39.25	2004
22.01.2020 15:36:18	1	1	1	1	71.5	59.25	0	28009.479	249.4623656	7047.264425	30000	0	0	30000	40.3125	2004
22.01.2020 15:36:19	1	1	1	1	71.25	60.25	0	28293.839	249.4623656	7252.738293	30000	0	0	30000	39.25	2004
22.01.2020 15:36:20	1	1	1	1	71.25	59.25	0	28341.232	247.311828	7008.941918	30000	0	0	30000	40.1875	2004
22.01.2020 15:36:21	1	1	1	1	71.25	60	0	28436.019	245.1612903	7020.357133	30000	0	0	30000	40.0625	2004
22.01.2020 15:36:22	1	1	1	1	71.25	60	0	28625.592	247.311828	7079.063952	30000	0	0	30000	40.25	2004
22.01.2020 15:36:23	1	1	1	1	71.25	60.25	0	28625.592	245.1612903	7005.680428	30000	0	0	30000	39.9375	2004
22.01.2020 15:36:24	1	1	1	1	71.25	59.75	0	28815.166	243.0107527	6878.48232	30000	0	0	30000	40.1875	2004
22.01.2020 15:36:25	1	1	1	1	71.25	60	0	28625.592	240.8602151	6883.374555	30000	0	0	30000	40.125	2004
22.01.2020 15:36:26	1	1	1	1	71.25	60	0	29052.133	243.0107527	7036.664583	30000	0	0	30000	40.1875	2004
22.01.2020 15:36:27	1	1	1	1	71.25	60	0	29146.919	240.8602151	7020.357133	30000	0	0	30000	40.4375	2004
22.01.2020 15:36:28	1	1	1	1	71.25	60.25	0	29146.919	236.5591398	7020.357133	30000	0	0	30000	40	2004
22.01.2020 15:36:29	1	1	1	1	71.75	60	0	29099.526	240.8602151	6997.526703	30000	0	0	30000	40.375	2004
22.01.2020 15:36:30	1	1	1	1	71.75	60.25	0	30000	255.9139785	7741.961786	30000	0	0	30000	40.125	2004
22.01.2020 15:36:31	1	1	1	1	71.75	59.5	0	30000	258.0645161	7741.961786	30000	0	0	30000	39.125	2004
22.01.2020 15:36:39	1	1	1	1	72.25	60	0	30000	236.5591398	7096.186775	30000	0	0	30000	40.125	2004
22.01.2020 15:36:39	1	1	1	1	72.25	60	0	30000	236.5591398	7096.186775	30000	0	0	30000	40.125	2004
22.01.2020 15:36:39	1	1	1	1	72.25	60	0	30000	236.5591398	7096.186775	30000	0	0	30000	40.125	2004
22.01.2020 15:36:39	1	1	1	1	72.25	60	0	30000	236.5591398	7096.186775	30000	0	0	30000	40.125	2004
22.01.2020 15:36:39	1	1	1	1	72.25	60	0	30000	236.5591398	7096.186775	30000	0	0	30000	40.125	2004
22.01.2020 15:36:39	1	1	1	1	72.25	60	0	30000	236.5591398	7096.186775	30000	0	0	30000	40.125	2004
22.01.2020 15:36:39	1	1	1	1	72.25	60	0	30000	240.8602151	7096.186775	30000	0	0	30000	39.9375	2004
22.01.2020 15:36:40	1	1	1	1	72.25	59.75	0	30000	240.8602151	7031.772348	30000	0	0	30000	40.1875	2004
22.01.2020 15:36:41	1	1	1	1	72.25	60	0	29952.607	240.8602151	7290.245427	30000	0	0	30000	40	2004
22.01.2020 15:36:42	1	1	1	1	72.25	60	0	30000	243.0107527	7290.245427	30000	0	0	30000	40	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 15:36:43	1	1	1	1	72.25	60	0	30000	245.1612903	7354.659854	30000	0	0	30000	40.1875	2004
22.01.2020 15:36:44	1	1	1	1	72.25	60	0	30000	247.311828	7419.07428	30000	0	0	30000	39.75	2004
22.01.2020 15:36:45	1	1	1	1	72.25	59.75	0	30000	247.311828	7483.488707	30000	0	0	30000	39.75	2004
22.01.2020 15:36:46	1	1	1	1	72.25	59.75	0	30000	249.4623656	7547.903134	30000	0	0	30000	39.9375	2004
22.01.2020 15:36:47	1	1	1	1	72.25	59.75	0	30000	251.6129032	7547.903134	30000	0	0	30000	40	2004
22.01.2020 15:36:48	1	1	1	1	72.5	60	0	29905.213	253.7634409	7741.961786	30000	0	0	30000	39.3125	2004
22.01.2020 15:36:49	1	1	1	1	72.5	59.25	0	30000	262.3655914	7883.021227	30000	0	0	30000	40.0625	2004
22.01.2020 15:36:50	1	1	1	1	72.5	60	0	29857.82	266.6666667	8038.757372	30000	0	0	30000	39.5625	2004
22.01.2020 15:36:51	1	1	1	1	72.5	59.5	0	29952.607	266.6666667	7974.342946	30000	0	0	30000	39.75	2004
22.01.2020 15:36:52	1	1	1	1	72.5	59.75	0	29715.64	266.6666667	7923.789851	30000	0	0	30000	39.75	2004
22.01.2020 15:36:53	1	1	1	1	72.5	59.75	0	29715.64	268.8172043	7987.388905	30000	0	0	30000	39.875	2004
22.01.2020 15:36:54	1	1	1	1	72.5	59.75	0	29668.246	268.8172043	7975.158318	30000	0	0	30000	39.75	2004
22.01.2020 15:36:55	1	1	1	1	72.5	59.75	0	29668.246	266.6666667	7987.388905	30000	0	0	30000	39.9375	2004
22.01.2020 15:36:57	1	1	1	1	72.5	59.75	0	29715.64	268.8172043	7987.388905	30000	0	0	30000	40.1875	2004
22.01.2020 15:36:58	1	1	1	1	72.5	60	0	29905.213	268.8172043	8038.757372	30000	0	0	30000	40.125	2004
22.01.2020 15:36:59	1	1	1	1	72.5	60	0	29810.427	268.8172043	8013.480825	30000	0	0	30000	39.875	2004
22.01.2020 15:37:00	1	1	1	1	72.5	59.75	0	29620.853	268.8172043	7962.112358	30000	0	0	30000	40.125	2004
22.01.2020 15:37:01	1	1	1	1	72.5	60	0	29715.64	266.6666667	7987.388905	30000	0	0	30000	40.125	2004
22.01.2020 15:37:02	1	1	1	1	72.5	60	0	29526.066	270.9677419	8000.434865	30000	0	0	30000	39.8125	2004
22.01.2020 15:37:03	1	1	1	1	72.5	59.75	0	29668.246	270.9677419	7987.388905	30000	0	0	30000	40.0625	2004
22.01.2020 15:37:04	1	1	1	1	72.5	60	0	29620.853	266.6666667	7898.513304	30000	0	0	30000	40.125	2004
22.01.2020 15:37:05	1	1	1	1	72.5	60	0	29526.066	270.9677419	7923.789851	30000	0	0	30000	40.3125	2004
22.01.2020 15:37:06	1	1	1	1	72.5	60.25	0	29573.46	268.8172043	7949.881771	30000	0	0	30000	40.125	2004
22.01.2020 15:37:07	1	1	1	1	72.5	60	0	29478.673	270.9677419	8000.434865	30000	0	0	30000	40.625	2004
22.01.2020 15:37:08	1	1	1	1	72.5	60.5	0	29526.066	270.9677419	8000.434865	30000	0	0	30000	40.0625	2004
22.01.2020 15:37:09	1	1	1	1	72.75	60	0	29526.066	270.9677419	8064.033919	30000	0	0	30000	40.125	2004
22.01.2020 15:37:10	1	1	1	1	72.75	60	0	29620.853	270.9677419	7962.112358	30000	0	0	30000	40.25	2004
22.01.2020 15:37:11	1	1	1	1	72.75	60.25	0	29526.066	270.9677419	8064.033919	30000	0	0	30000	39.5	2004
22.01.2020 15:37:12	1	1	1	1	72.75	59.5	0	29478.673	270.9677419	7923.789851	30000	0	0	30000	39.9375	2004
22.01.2020 15:37:13	1	1	1	1	72.75	59.75	0	29715.64	268.8172043	7987.388905	30000	0	0	30000	39.8125	2004
22.01.2020 15:37:14	1	1	1	1	72.75	59.75	0	29810.427	268.8172043	8013.480825	30000	0	0	30000	39.3125	2004
22.01.2020 15:37:15	1	1	1	1	72.75	59.25	0	29905.213	266.6666667	7974.342946	30000	0	0	30000	40.125	2004
22.01.2020 15:37:16	1	1	1	1	72.75	60	0	29952.607	264.516129	7717.500612	30000	0	0	30000	39.9375	2004
22.01.2020 15:37:17	1	1	1	1	72.75	59.75	0	30000	247.311828	7483.488707	30000	0	0	30000	39.75	2004
22.01.2020 15:37:18	1	1	1	1	72.5	59.75	0	29952.607	243.0107527	7419.07428	30000	0	0	30000	40	2004
22.01.2020 15:37:19	1	1	1	1	72.5	60	0	30000	240.8602151	7225.831	30000	0	0	30000	39.75	2004
22.01.2020 15:37:20	1	1	1	1	72.5	59.75	0	30000	243.0107527	7290.245427	30000	0	0	30000	40.0625	2004
22.01.2020 15:37:21	1	1	1	1	72.5	60	0	29952.607	245.1612903	7354.659854	30000	0	0	30000	39.6875	2004
22.01.2020 15:37:22	1	1	1	1	72.5	59.5	0	30000	243.0107527	7290.245427	30000	0	0	30000	39.1875	2004
22.01.2020 15:37:23	1	1	1	1	72.5	59	0	30000	240.8602151	7225.831	30000	0	0	30000	40.25	2004
22.01.2020 15:37:24	1	1	1	1	72.5	60.25	0	30000	240.8602151	7225.831	30000	0	0	30000	39.9375	2004
22.01.2020 15:37:25	1	1	1	1	72.5	59.75	0	30000	234.4086022	7031.772348	30000	0	0	30000	40	2004
22.01.2020 15:37:26	1	1	1	1	72.5	60	0	30000	232.2580645	6978.773136	30000	0	0	30000	40	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 15:37:27	1	1	1	1	72.5	60	0	30000	236.5591398	7096.186775	30000	0	0	30000	40.125	2004
22.01.2020 15:37:28	1	1	1	1	72.75	60	0	29905.213	232.2580645	7031.772348	30000	0	0	30000	39.9375	2004
22.01.2020 15:37:29	1	1	1	1	72.75	59.75	0	30000	232.2580645	6967.357921	30000	0	0	30000	40.0625	2004
22.01.2020 15:37:30	1	1	1	1	72.75	60	0	30000	230.1075269	6967.357921	30000	0	0	30000	40.25	2004
22.01.2020 15:37:31	1	1	1	1	72.75	60.25	0	30047.393	234.4086022	6902.943495	30000	0	0	30000	40.0625	2004
22.01.2020 15:37:32	1	1	1	1	72.75	60	0	29952.607	232.2580645	7096.186775	30000	0	0	30000	39.625	2004
22.01.2020 15:37:40	1	1	1	1	73.25	60.25	0	30000	296.7741935	8838.637784	30000	0	0	30000	39.4375	2004
22.01.2020 15:37:40	1	1	1	1	73.25	60.25	0	30000	296.7741935	8838.637784	30000	0	0	30000	39.4375	2004
22.01.2020 15:37:40	1	1	1	1	73.25	60.25	0	30000	296.7741935	8838.637784	30000	0	0	30000	39.4375	2004
22.01.2020 15:37:40	1	1	1	1	73.25	60.25	0	30000	296.7741935	8838.637784	30000	0	0	30000	39.4375	2004
22.01.2020 15:37:40	1	1	1	1	73.25	60.25	0	30000	296.7741935	8838.637784	30000	0	0	30000	39.4375	2004
22.01.2020 15:37:40	1	1	1	1	73.25	60.25	0	30000	296.7741935	8838.637784	30000	0	0	30000	39.4375	2004
22.01.2020 15:37:41	1	1	1	1	73.25	59.25	0	0	0	0	30000	0	8	30000	40.1875	2004
22.01.2020 15:37:42	1	1	1	1	73.25	60	0	10142.18	0	0	30000	0	0	30000	40.375	2004
22.01.2020 15:37:43	1	1	1	1	73.25	60.25	0	10853.081	0	0	30000	0	0	30000	40.1875	2004
22.01.2020 15:37:44	1	1	1	1	73.25	60	0	11611.374	0	0	30000	0	0	30000	40.3125	2004
22.01.2020 15:37:45	1	1	1	1	73.25	60.25	0	12369.668	0	0	30000	0	0	30000	40.1875	2004
22.01.2020 15:37:46	1	1	1	1	73.25	60	0	13222.749	0	0	30000	0	0	30000	39.75	2004
22.01.2020 15:37:47	1	1	1	1	73.25	59.75	0	13933.649	2.150537634	59.52219172	30000	0	0	30000	40.625	2004
22.01.2020 15:37:48	1	1	1	1	73.25	60.5	0	14691.943	8.602150538	94.58320876	30000	0	0	30000	40.1875	2004
22.01.2020 15:37:49	1	1	1	1	73.5	59.75	0	15497.63	12.90322581	199.7662599	30000	0	0	30000	40.125	2004
22.01.2020 15:37:50	1	1	1	1	73.5	60	0	16208.531	17.20430108	279.6727638	30000	0	0	30000	40.125	2004
22.01.2020 15:37:51	1	1	1	1	73.5	60	0	17014.218	23.65591398	401.9786372	30000	0	0	30000	40	2004
22.01.2020 15:37:52	1	1	1	1	73.5	60	0	17819.905	36.55913978	573.206886	30000	0	0	30000	40.0625	2004
22.01.2020 15:37:53	1	1	1	1	73.5	60	0	18625.592	38.70967742	760.7425325	30000	0	0	30000	40.125	2004
22.01.2020 15:37:54	1	1	1	1	73.5	60	0	19336.493	47.31182796	912.4018156	30000	0	0	30000	40	2004
22.01.2020 15:37:55	1	1	1	1	73.5	60	0	20142.18	58.06451613	1212.458892	30000	0	0	30000	40.125	2004
22.01.2020 15:37:56	1	1	1	1	73.5	60	0	20900.474	66.66666667	1392.656212	30000	0	0	30000	40.125	2004
22.01.2020 15:37:57	1	1	1	1	73.5	60	0	21753.555	79.56989247	1722.88207	30000	0	0	30000	40.0625	2004
22.01.2020 15:37:58	1	1	1	1	73.25	60	0	22369.668	88.17204301	1976.462914	30000	0	0	30000	40.3125	2004
22.01.2020 15:37:59	1	1	1	1	73.25	60.25	0	23175.355	103.2258065	2392.302884	30000	0	0	30000	39.625	2004
22.01.2020 15:38:00	1	1	1	1	73.25	59.5	0	23933.649	109.6774194	2629.576278	30000	0	0	30000	40.125	2004
22.01.2020 15:38:01	1	1	1	1	73.25	60	0	24739.336	137.6344086	3398.472536	30000	0	0	30000	40.1875	2004
22.01.2020 15:38:02	1	1	1	1	73.25	60	0	25071.09	144.0860215	3612.100128	30000	0	0	30000	40.25	2004
22.01.2020 15:38:03	1	1	1	1	73.25	60.25	0	25118.483	144.0860215	3612.100128	30000	0	0	30000	40.125	2004
22.01.2020 15:38:04	1	1	1	1	73.25	60	0	25118.483	144.0860215	3612.100128	30000	0	0	30000	40.125	2004
22.01.2020 15:38:05	1	1	1	1	73.25	60	0	25118.483	144.0860215	3618.623108	30000	0	0	30000	40.3125	2004
22.01.2020 15:38:06	1	1	1	1	73.25	60.25	0	25071.09	139.7849462	3625.96146	30000	0	0	30000	40.25	2004
22.01.2020 15:38:07	1	1	1	1	73.25	60.25	0	25118.483	144.0860215	3618.623108	30000	0	0	30000	39.5625	2004
22.01.2020 15:38:08	1	1	1	1	73	59.5	0	25071.09	144.0860215	3612.100128	30000	0	0	30000	40.1875	2004
22.01.2020 15:38:09	1	1	1	1	73	60	0	25118.483	144.0860215	3618.623108	30000	0	0	30000	40.25	2004
22.01.2020 15:38:10	1	1	1	1	73	60.25	0	25071.09	139.7849462	3612.100128	30000	0	0	30000	40.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 15:38:11	1	1	1	1	73	60.25	0	25071.09	144.0860215	3727.067649	30000	0	0	30000	39.9375	2004
22.01.2020 15:38:13	1	1	1	1	73	59.75	0	25118.483	144.0860215	3612.100128	30000	0	0	30000	40.1875	2004
22.01.2020 15:38:14	1	1	1	1	73	60	0	25165.877	144.0860215	3564.808523	30000	0	0	30000	40.1875	2004
22.01.2020 15:38:15	1	1	1	1	73	60	0	25165.877	139.7849462	3463.702335	30000	0	0	30000	40.1875	2004
22.01.2020 15:38:16	1	1	1	1	73	60	0	25118.483	137.6344086	3457.179355	30000	0	0	30000	40.0625	2004
22.01.2020 15:38:17	1	1	1	1	73	60	0	25071.09	122.5806452	3084.554127	30000	0	0	30000	39.75	2004
22.01.2020 15:38:18	1	1	1	1	73	59.75	0	25071.09	113.9784946	2970.401979	30000	0	0	30000	40.1875	2004
22.01.2020 15:38:19	1	1	1	1	73	60	0	25118.483	116.1290323	3030.739543	30000	0	0	30000	40.0625	2004
22.01.2020 15:38:20	1	1	1	1	73	60	0	25118.483	120.4301075	3078.84652	30000	0	0	30000	40.1875	2004
22.01.2020 15:38:21	1	1	1	1	73	60	0	25071.09	129.0322581	3186.475688	30000	0	0	30000	40.1875	2004
22.01.2020 15:38:22	1	1	1	1	73	60	0	25118.483	137.6344086	3450.656375	30000	0	0	30000	40.125	2004
22.01.2020 15:38:23	1	1	1	1	73	60	0	25924.171	152.688172	3957.818063	30000	0	0	30000	40.125	2004
22.01.2020 15:38:24	1	1	1	1	73	60	0	26113.744	156.9892473	4211.398907	30000	0	0	30000	40.1875	2004
22.01.2020 15:38:25	1	1	1	1	73	60	0	26777.251	176.344086	4721.822086	30000	0	0	30000	39.8125	2004
22.01.2020 15:38:26	1	1	1	1	73	59.75	0	27298.578	189.2473118	5166.200092	30000	0	0	30000	40.0625	2004
22.01.2020 15:38:27	1	1	1	1	73	60	0	28009.479	206.4516129	5902.48145	30000	0	0	30000	40.25	2004
22.01.2020 15:38:28	1	1	1	1	73.25	60.25	0	28957.346	240.8602151	6974.696274	30000	0	0	30000	40.25	2004
22.01.2020 15:38:29	1	1	1	1	73.25	60.25	0	29383.886	247.311828	7266.599625	30000	0	0	30000	40.1875	2004
22.01.2020 15:38:30	1	1	1	1	73.25	60	0	29431.28	247.311828	7341.613894	30000	0	0	30000	40	2004
22.01.2020 15:38:31	1	1	1	1	73.25	60	0	29431.28	268.8172043	7847.96021	30000	0	0	30000	40.3125	2004
22.01.2020 15:38:32	1	1	1	1	73.25	60.25	0	29431.28	266.6666667	7847.96021	30000	0	0	30000	39.75	2004
22.01.2020 15:38:33	1	1	1	1	73.25	59.75	0	29431.28	258.0645161	7595.194738	30000	0	0	30000	40.125	2004
22.01.2020 15:38:34	1	1	1	1	73.25	60	0	29431.28	251.6129032	7405.212948	30000	0	0	30000	40	2004
22.01.2020 15:38:42	1	1	1	1	73	60.25	0	29431.28	232.2580645	6634.685946	30000	0	0	30000	40.0625	2004
22.01.2020 15:38:42	1	1	1	1	73	60.25	0	29431.28	232.2580645	6634.685946	30000	0	0	30000	40.0625	2004
22.01.2020 15:38:42	1	1	1	1	73	60.25	0	29431.28	232.2580645	6634.685946	30000	0	0	30000	40.0625	2004
22.01.2020 15:38:42	1	1	1	1	73	60.25	0	29431.28	232.2580645	6634.685946	30000	0	0	30000	40.0625	2004
22.01.2020 15:38:42	1	1	1	1	73	60.25	0	29431.28	232.2580645	6634.685946	30000	0	0	30000	40.0625	2004
22.01.2020 15:38:42	1	1	1	1	73	60.25	0	29431.28	232.2580645	6634.685946	30000	0	0	30000	40.0625	2004
22.01.2020 15:38:42	1	1	1	1	73	60	0	29431.28	232.2580645	6835.267578	30000	0	0	30000	39.9375	2004
22.01.2020 15:38:43	1	1	1	1	73	59.75	0	29383.886	227.9569892	6708.884842	30000	0	0	30000	39.8125	2004
22.01.2020 15:38:44	1	1	1	1	73	59.75	0	29431.28	225.8064516	6645.285788	30000	0	0	30000	39.5625	2004
22.01.2020 15:38:45	1	1	1	1	73	59.5	0	29431.28	221.5053763	6518.903052	30000	0	0	30000	39.4375	2004
22.01.2020 15:38:46	1	1	1	1	73	59.25	0	29478.673	221.5053763	6518.903052	30000	0	0	30000	40.0625	2004
22.01.2020 15:38:47	1	1	1	1	73	60	0	29431.28	217.2043011	6518.903052	30000	0	0	30000	39.25	2004
22.01.2020 15:38:48	1	1	1	1	73.25	59.25	0	29431.28	221.5053763	6518.903052	30000	0	0	30000	40.3125	2004
22.01.2020 15:38:49	1	1	1	1	73.25	60.25	0	29431.28	221.5053763	6518.903052	30000	0	0	30000	40	2004
22.01.2020 15:38:51	1	1	1	1	73.25	60	0	29431.28	221.5053763	6518.903052	30000	0	0	30000	40.0625	2004
22.01.2020 15:38:52	1	1	1	1	73.25	60	0	29431.28	221.5053763	6518.903052	30000	0	0	30000	40.125	2004
22.01.2020 15:38:53	1	1	1	1	73.25	60	0	29526.066	223.655914	6529.502895	30000	0	0	30000	40.3125	2004
22.01.2020 15:38:54	1	1	1	1	73.25	60.25	0	29431.28	225.8064516	6655.88563	30000	0	0	30000	39.875	2004
22.01.2020 15:38:55	1	1	1	1	73.25	59.75	0	29478.673	227.9569892	6783.083739	30000	0	0	30000	40.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 15:38:56	1	1	1	1	73.25	60	0	29478.673	232.2580645	6846.682793	30000	0	0	30000	40.125	2004
22.01.2020 15:38:57	1	1	1	1	73.25	60	0	29478.673	236.5591398	6973.065529	30000	0	0	30000	39.4375	2004
22.01.2020 15:38:58	1	1	1	1	73.25	59.25	0	29526.066	240.8602151	7100.263637	30000	0	0	30000	40.0625	2004
22.01.2020 15:38:59	1	1	1	1	73.5	60	0	29431.28	243.0107527	7163.047319	30000	0	0	30000	39.4375	2004
22.01.2020 15:39:00	1	1	1	1	73.5	59.25	0	29478.673	243.0107527	7151.632104	30000	0	0	30000	40.3125	2004
22.01.2020 15:39:01	1	1	1	1	73.5	60.25	0	29478.673	255.9139785	7480.227217	30000	0	0	30000	39.875	2004
22.01.2020 15:39:02	1	1	1	1	73.5	59.75	0	29478.673	262.3655914	7797.407115	30000	0	0	30000	40.0625	2004
22.01.2020 15:39:03	1	1	1	1	73.5	60	0	29478.673	275.2688172	8254.01571	30000	0	0	30000	39.75	2004
22.01.2020 15:39:04	1	1	1	1	73.5	59.75	0	29478.673	283.8709677	8304.568804	30000	0	0	30000	40.125	2004
22.01.2020 15:39:05	1	1	1	1	73.5	60	0	29478.673	298.9247312	8797.053787	30000	0	0	30000	39.8125	2004
22.01.2020 15:39:06	1	1	1	1	73.5	59.75	0	29431.28	283.8709677	8304.568804	30000	0	0	30000	40	2004
22.01.2020 15:39:07	1	1	1	1	73.5	60	0	29431.28	286.0215054	8430.95154	30000	0	0	30000	40.0625	2004
22.01.2020 15:39:08	1	1	1	1	73.5	60	0	29289.1	305.3763441	8958.49754	30000	0	0	30000	40.1875	2004
22.01.2020 15:39:09	1	1	1	1	73.5	60	0	29241.706	307.5268817	9055.526867	30000	0	0	30000	39.75	2004
22.01.2020 15:39:10	1	1	1	1	73.5	59.75	0	29478.673	294.6236559	8761.99277	30000	0	0	30000	40	2004
22.01.2020 15:39:11	1	1	1	1	73.5	60	0	29431.28	305.3763441	8987.035577	30000	0	0	30000	39.75	2004
22.01.2020 15:39:12	1	1	1	1	73.5	59.75	0	29478.673	290.3225806	8558.149648	30000	0	0	30000	40	2004
22.01.2020 15:39:13	1	1	1	1	73.5	60	0	29478.673	292.4731183	8621.748702	30000	0	0	30000	40.0625	2004
22.01.2020 15:39:14	1	1	1	1	73.5	60	0	29431.28	288.172043	8544.288316	30000	0	0	30000	39.6875	2004
22.01.2020 15:39:15	1	1	1	1	73.5	59.5	0	29478.673	286.0215054	8444.812872	30000	0	0	30000	39.9375	2004
22.01.2020 15:39:16	1	1	1	1	73.5	59.75	0	29478.673	288.172043	8430.95154	30000	0	0	30000	39.625	2004
22.01.2020 15:39:17	1	1	1	1	73.5	59.5	0	29336.493	305.3763441	9021.281222	30000	0	0	30000	40	2004
22.01.2020 15:39:18	1	1	1	1	73.25	60	0	29526.066	301.0752688	8840.268529	30000	0	0	30000	40.0625	2004
22.01.2020 15:39:19	1	1	1	1	73.25	60	0	29478.673	268.8172043	8064.033919	30000	0	0	30000	40	2004
22.01.2020 15:39:20	1	1	1	1	73.25	60	0	29526.066	270.9677419	8077.079879	30000	0	0	30000	39.875	2004
22.01.2020 15:39:21	1	1	1	1	73.25	59.75	0	29526.066	268.8172043	7861.00617	30000	0	0	30000	40.25	2004
22.01.2020 15:39:22	1	1	1	1	73.25	60.25	0	29478.673	266.6666667	7873.236757	30000	0	0	30000	39.4375	2004
22.01.2020 15:39:23	1	1	1	1	73.25	59.25	0	29526.066	262.3655914	7682.439594	30000	0	0	30000	39.9375	2004
22.01.2020 15:39:24	1	1	1	1	73.25	59.75	0	29478.673	251.6129032	7428.85875	30000	0	0	30000	40.0625	2004
22.01.2020 15:39:25	1	1	1	1	73.25	60	0	29478.673	251.6129032	7416.628163	30000	0	0	30000	40	2004
22.01.2020 15:39:26	1	1	1	1	73.25	60	0	29526.066	243.0107527	7174.462534	30000	0	0	30000	39.875	2004
22.01.2020 15:39:27	1	1	1	1	73.25	59.75	0	29478.673	232.2580645	7111.678852	30000	0	0	30000	40.1875	2004
22.01.2020 15:39:28	1	1	1	1	73.5	60	0	29526.066	227.9569892	6719.484685	30000	0	0	30000	40.125	2004
22.01.2020 15:39:30	1	1	1	1	73.5	60	0	29526.066	223.655914	6666.485473	30000	0	0	30000	39.8125	2004
22.01.2020 15:39:31	1	1	1	1	73.5	59.75	0	29526.066	225.8064516	6328.921262	30000	0	0	30000	40.25	2004
22.01.2020 15:39:32	1	1	1	1	73.5	60.25	0	29526.066	217.2043011	6349.305574	30000	0	0	30000	40.1875	2004
22.01.2020 15:39:33	1	1	1	1	73.5	60	0	29526.066	212.9032258	6550.702579	30000	0	0	30000	39.9375	2004
22.01.2020 15:39:34	1	1	1	1	73.5	59.75	0	29526.066	212.9032258	6285.70652	30000	0	0	30000	40	2004
22.01.2020 15:39:35	1	1	1	1	73.5	60	0	29526.066	212.9032258	6285.70652	30000	0	0	30000	40	2004
22.01.2020 15:39:36	1	1	1	1	73.5	60	0	29526.066	212.9032258	6285.70652	30000	0	0	30000	40.125	2004
22.01.2020 15:39:43	1	1	1	1	73.75	60.5	0	29526.066	221.5053763	6275.92205	30000	0	0	30000	39.875	2004
22.01.2020 15:39:43	1	1	1	1	73.75	60.5	0	29526.066	221.5053763	6275.92205	30000	0	0	30000	39.875	2004
22.01.2020 15:39:43	1	1	1	1	73.75	60.5	0	29526.066	221.5053763	6275.92205	30000	0	0	30000	39.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 15:39:43	1	1	1	1	73.75	60.5	0	29526.066	221.5053763	6275.92205	30000	0	0	30000	39.875	2004
22.01.2020 15:39:43	1	1	1	1	73.75	60.5	0	29526.066	221.5053763	6275.92205	30000	0	0	30000	39.875	2004
22.01.2020 15:39:43	1	1	1	1	73.75	60.5	0	29526.066	221.5053763	6275.92205	30000	0	0	30000	39.875	2004
22.01.2020 15:39:43	1	1	1	1	73.75	60.5	0	29526.066	221.5053763	6275.92205	30000	0	0	30000	39.875	2004
22.01.2020 15:39:44	1	1	1	1	73.75	59.75	0	29526.066	221.5053763	6550.702579	30000	0	0	30000	40.25	2004
22.01.2020 15:39:45	1	1	1	1	73.75	60.25	0	29526.066	221.5053763	6550.702579	30000	0	0	30000	40	2004
22.01.2020 15:39:46	1	1	1	1	73.75	60	0	29526.066	227.9569892	6741.499742	30000	0	0	30000	40.0625	2004
22.01.2020 15:39:47	1	1	1	1	73.75	60	0	29526.066	227.9569892	6677.900688	30000	0	0	30000	40.25	2004
22.01.2020 15:39:48	1	1	1	1	74	60.25	0	29526.066	243.0107527	7186.693121	30000	0	0	30000	40	2004
22.01.2020 15:39:49	1	1	1	1	74	60	0	29573.46	262.3655914	7759.084608	30000	0	0	30000	40	2004
22.01.2020 15:39:50	1	1	1	1	74	60	0	29573.46	232.2580645	6868.69785	30000	0	0	30000	40.25	2004
22.01.2020 15:39:51	1	1	1	1	74	60.25	0	29526.066	240.8602151	7123.094067	30000	0	0	30000	40.125	2004
22.01.2020 15:39:52	1	1	1	1	74	60	0	29526.066	236.5591398	6932.296904	30000	0	0	30000	40.125	2004
22.01.2020 15:39:53	1	1	1	1	74	60	0	29573.46	236.5591398	6995.895958	30000	0	0	30000	40.25	2004
22.01.2020 15:39:54	1	1	1	1	74	60.25	0	29526.066	262.3655914	7822.683663	30000	0	0	30000	40.125	2004
22.01.2020 15:39:55	1	1	1	1	74	60	0	29526.066	234.4086022	6932.296904	30000	0	0	30000	39.875	2004
22.01.2020 15:39:56	1	1	1	1	74	59.75	0	29526.066	232.2580645	6932.296904	30000	0	0	30000	39.8125	2004
22.01.2020 15:39:57	1	1	1	1	74	59.75	0	29526.066	230.1075269	6805.098796	30000	0	0	30000	40.0625	2004
22.01.2020 15:39:58	1	1	1	1	73.75	60	0	29526.066	223.655914	6614.301633	30000	0	0	30000	40.125	2004
22.01.2020 15:39:59	1	1	1	1	73.75	60	0	29526.066	221.5053763	6677.900688	30000	0	0	30000	40.1875	2004
22.01.2020 15:40:00	1	1	1	1	73.75	60	0	29573.46	221.5053763	6688.50053	30000	0	0	30000	40.25	2004
22.01.2020 15:40:01	1	1	1	1	73.75	60.25	0	29573.46	221.5053763	6560.487049	30000	0	0	30000	39.9375	2004
22.01.2020 15:40:02	1	1	1	1	73.75	59.75	0	29526.066	221.5053763	6550.702579	30000	0	0	30000	39.875	2004
22.01.2020 15:40:03	1	1	1	1	73.75	59.75	0	29573.46	221.5053763	6677.900688	30000	0	0	30000	40	2004
22.01.2020 15:40:04	1	1	1	1	73.75	60	0	29573.46	221.5053763	6550.702579	30000	0	0	30000	39	2004
22.01.2020 15:40:05	1	1	1	1	73.75	59	0	29526.066	221.5053763	6540.102737	30000	0	0	30000	40	2004
22.01.2020 15:40:06	1	1	1	1	73.75	60	0	29573.46	221.5053763	6550.702579	30000	0	0	30000	40.125	2004
22.01.2020 15:40:08	1	1	1	1	73.75	60	0	29573.46	221.5053763	6550.702579	30000	0	0	30000	39.9375	2004
22.01.2020 15:40:09	1	1	1	1	73.75	59.75	0	29620.853	225.8064516	6550.702579	30000	0	0	30000	40.0625	2004
22.01.2020 15:40:10	1	1	1	1	73.75	60	0	29573.46	221.5053763	6560.487049	30000	0	0	30000	40.0625	2004
22.01.2020 15:40:11	1	1	1	1	73.75	60	0	29620.853	219.3548387	6496.887995	30000	0	0	30000	40.0625	2004
22.01.2020 15:40:12	1	1	1	1	73.75	60	0	29620.853	219.3548387	6496.887995	30000	0	0	30000	40.125	2004
22.01.2020 15:40:13	1	1	1	1	73.75	60	0	29620.853	212.9032258	6169.108254	30000	0	0	30000	40.0625	2004
22.01.2020 15:40:14	1	1	1	1	73.75	60	0	29620.853	210.7526882	6242.491778	30000	0	0	30000	40	2004
22.01.2020 15:40:15	1	1	1	1	73.75	60	0	29573.46	212.9032258	6306.090832	30000	0	0	30000	39.8125	2004
22.01.2020 15:40:16	1	1	1	1	73.75	59.75	0	29620.853	219.3548387	6550.702579	30000	0	0	30000	40.0625	2004
22.01.2020 15:40:17	1	1	1	1	73.75	60	0	29620.853	221.5053763	6496.887995	30000	0	0	30000	40.1875	2004
22.01.2020 15:40:18	1	1	1	1	73.75	60	0	29620.853	212.9032258	6306.090832	30000	0	0	30000	39.9375	2004
22.01.2020 15:40:19	1	1	1	1	73.75	59.75	0	29573.46	208.6021505	6178.892724	30000	0	0	30000	39.4375	2004
22.01.2020 15:40:20	1	1	1	1	73.75	59.25	0	29620.853	210.7526882	6306.090832	30000	0	0	30000	40.625	2004
22.01.2020 15:40:21	1	1	1	1	73.75	60.5	0	29620.853	212.9032258	6306.090832	30000	0	0	30000	39.875	2004
22.01.2020 15:40:22	1	1	1	1	73.75	60	0	29620.853	212.9032258	6306.090832	30000	0	0	30000	39.9375	2004
22.01.2020 15:40:23	1	1	1	1	73.75	59.75	0	29620.853	212.9032258	6306.090832	30000	0	0	30000	39.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 15:40:24	1	1	1	1	73.75	59.25	0	29620.853	210.7526882	6306.090832	30000	0	0	30000	39.6875	2004
22.01.2020 15:40:25	1	1	1	1	73.75	59.5	0	29620.853	212.9032258	6306.090832	30000	0	0	30000	39.9375	2004
22.01.2020 15:40:26	1	1	1	1	73.75	59.75	0	29620.853	212.9032258	6306.090832	30000	0	0	30000	39.6875	2004
22.01.2020 15:40:27	1	1	1	1	73.75	59.5	0	29573.46	212.9032258	6433.288941	30000	0	0	30000	40.1875	2004
22.01.2020 15:40:28	1	1	1	1	73.75	60	0	29620.853	215.0537634	6306.090832	30000	0	0	30000	40.0625	2004
22.01.2020 15:40:29	1	1	1	1	73.75	60	0	29620.853	212.9032258	6306.090832	30000	0	0	30000	40	2004
22.01.2020 15:40:30	1	1	1	1	73.75	60	0	29620.853	212.9032258	6369.689887	30000	0	0	30000	40	2004
22.01.2020 15:40:31	1	1	1	1	73.75	60	0	29620.853	217.2043011	6433.288941	30000	0	0	30000	40.1875	2004
22.01.2020 15:40:32	1	1	1	1	73.75	60	0	29620.853	219.3548387	6496.887995	30000	0	0	30000	39.125	2004
22.01.2020 15:40:33	1	1	1	1	73.75	59	0	29620.853	221.5053763	6571.086892	30000	0	0	30000	40.3125	2004
22.01.2020 15:40:34	1	1	1	1	73.75	60.25	0	29620.853	221.5053763	6560.487049	30000	0	0	30000	40.125	2004
22.01.2020 15:40:35	1	1	1	1	73.75	60	0	29668.246	223.655914	6560.487049	30000	0	0	30000	40.1875	2004
22.01.2020 15:40:36	1	1	1	1	73.75	60	0	29715.64	223.655914	6581.686734	30000	0	0	30000	40.125	2004
22.01.2020 15:40:37	1	1	1	1	73.75	60	0	29668.246	225.8064516	6688.50053	30000	0	0	30000	39.75	2004
22.01.2020 15:40:45	1	1	1	1	74	60.25	0	29620.853	273.1182796	8307.014921	30000	0	0	30000	40.0625	2004
22.01.2020 15:40:45	1	1	1	1	74	60.25	0	29620.853	273.1182796	8307.014921	30000	0	0	30000	40.0625	2004
22.01.2020 15:40:45	1	1	1	1	74	60.25	0	29620.853	273.1182796	8307.014921	30000	0	0	30000	40.0625	2004
22.01.2020 15:40:45	1	1	1	1	74	60.25	0	29620.853	273.1182796	8307.014921	30000	0	0	30000	40.0625	2004
22.01.2020 15:40:45	1	1	1	1	74	60.25	0	29620.853	273.1182796	8307.014921	30000	0	0	30000	40.0625	2004
22.01.2020 15:40:45	1	1	1	1	74	60.25	0	29620.853	273.1182796	8307.014921	30000	0	0	30000	40.0625	2004
22.01.2020 15:40:45	1	1	1	1	74	60	0	29668.246	275.2688172	8153.724893	30000	0	0	30000	40.125	2004
22.01.2020 15:40:46	1	1	1	1	74	60	0	29620.853	277.4193548	8217.323947	30000	0	0	30000	40.0625	2004
22.01.2020 15:40:47	1	1	1	1	74	60	0	29715.64	273.1182796	8179.816813	30000	0	0	30000	40.125	2004
22.01.2020 15:40:49	1	1	1	1	74.25	60	0	29668.246	275.2688172	8307.014921	30000	0	0	30000	39.9375	2004
22.01.2020 15:40:50	1	1	1	1	74.25	59.75	0	29620.853	273.1182796	8243.415867	30000	0	0	30000	40.25	2004
22.01.2020 15:40:51	1	1	1	1	74.25	60.25	0	29668.246	275.2688172	8243.415867	30000	0	0	30000	40	2004
22.01.2020 15:40:52	1	1	1	1	74.25	60	0	29715.64	275.2688172	8153.724893	30000	0	0	30000	40.1875	2004
22.01.2020 15:40:53	1	1	1	1	74.25	60	0	29715.64	273.1182796	7975.158318	30000	0	0	30000	40.1875	2004
22.01.2020 15:40:54	1	1	1	1	74.25	60	0	29620.853	275.2688172	8243.415867	30000	0	0	30000	40	2004
22.01.2020 15:40:55	1	1	1	1	74.25	60	0	29620.853	277.4193548	8230.369907	30000	0	0	30000	40.1875	2004
22.01.2020 15:40:56	1	1	1	1	74.25	60	0	29620.853	277.4193548	8217.323947	30000	0	0	30000	40.0625	2004
22.01.2020 15:40:57	1	1	1	1	74.25	60	0	29620.853	281.7204301	8371.429348	30000	0	0	30000	40.25	2004
22.01.2020 15:40:58	1	1	1	1	74.25	60.25	0	29715.64	283.8709677	8371.429348	30000	0	0	30000	40.1875	2004
22.01.2020 15:40:59	1	1	1	1	74.25	60	0	29668.246	288.172043	8549.180551	30000	0	0	30000	40.3125	2004
22.01.2020 15:41:00	1	1	1	1	74.25	60.25	0	29668.246	290.3225806	8598.918272	30000	0	0	30000	40.125	2004
22.01.2020 15:41:01	1	1	1	1	74.25	60	0	29715.64	290.3225806	8626.640937	30000	0	0	30000	40.1875	2004
22.01.2020 15:41:02	1	1	1	1	74.25	60	0	29715.64	294.6236559	8626.640937	30000	0	0	30000	40.4375	2004
22.01.2020 15:41:03	1	1	1	1	74.25	59.5	0	29715.64	290.3225806	8626.640937	30000	0	0	30000	39.8125	2004
22.01.2020 15:41:04	1	1	1	1	74.25	59.75	0	29715.64	292.4731183	8754.654418	30000	0	0	30000	39.8125	2004
22.01.2020 15:41:05	1	1	1	1	74.25	59.75	0	29668.246	292.4731183	8626.640937	30000	0	0	30000	40.0625	2004
22.01.2020 15:41:06	1	1	1	1	74.25	60	0	29715.64	290.3225806	8654.363602	30000	0	0	30000	39.75	2004
22.01.2020 15:41:07	1	1	1	1	74.25	59.75	0	29715.64	288.172043	8626.640937	30000	0	0	30000	39.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 15:41:08	1	1	1	1	74	59.75	0	29715.64	288.172043	8563.041883	30000	0	0	30000	40.125	2004
22.01.2020 15:41:09	1	1	1	1	74	60	0	29715.64	286.0215054	8408.12111	30000	0	0	30000	39.75	2004
22.01.2020 15:41:10	1	1	1	1	74	59.75	0	29715.64	288.172043	8626.640937	30000	0	0	30000	40.1875	2004
22.01.2020 15:41:11	1	1	1	1	74	60	0	29715.64	288.172043	8563.041883	30000	0	0	30000	40	2004
22.01.2020 15:41:12	1	1	1	1	74	60	0	29715.64	290.3225806	8498.627456	30000	0	0	30000	40	2004
22.01.2020 15:41:13	1	1	1	1	74	60	0	29715.64	283.8709677	8435.028402	30000	0	0	30000	39.625	2004
22.01.2020 15:41:14	1	1	1	1	74	59.5	0	29715.64	275.2688172	8179.816813	30000	0	0	30000	40.125	2004
22.01.2020 15:41:15	1	1	1	1	74	60	0	29763.033	266.6666667	7923.789851	30000	0	0	30000	40	2004
22.01.2020 15:41:16	1	1	1	1	74	60	0	29715.64	253.7634409	7540.564781	30000	0	0	30000	39.75	2004
22.01.2020 15:41:17	1	1	1	1	74	59.75	0	29715.64	247.311828	7412.551301	30000	0	0	30000	40.0625	2004
22.01.2020 15:41:18	1	1	1	1	74	60	0	29715.64	245.1612903	7412.551301	30000	0	0	30000	40.1875	2004
22.01.2020 15:41:19	1	1	1	1	74	60	0	29715.64	243.0107527	7284.53782	30000	0	0	30000	39.875	2004
22.01.2020 15:41:20	1	1	1	1	74	59.75	0	29715.64	249.4623656	7348.952246	30000	0	0	30000	40.125	2004
22.01.2020 15:41:21	1	1	1	1	74	60	0	29715.64	253.7634409	7540.564781	30000	0	0	30000	39.9375	2004
22.01.2020 15:41:22	1	1	1	1	74	59.75	0	29715.64	258.0645161	7604.163836	30000	0	0	30000	40.125	2004
22.01.2020 15:41:23	1	1	1	1	74	60	0	29715.64	247.311828	7348.952246	30000	0	0	30000	39.9375	2004
22.01.2020 15:41:24	1	1	1	1	74	59.75	0	29715.64	243.0107527	7220.938766	30000	0	0	30000	40.0625	2004
22.01.2020 15:41:26	1	1	1	1	74	60	0	29715.64	240.8602151	7157.339711	30000	0	0	30000	40.125	2004
22.01.2020 15:41:27	1	1	1	1	74	60	0	29810.427	243.0107527	7220.938766	30000	0	0	30000	40.25	2004
22.01.2020 15:41:28	1	1	1	1	74	60.25	0	29763.033	243.0107527	7436.197103	30000	0	0	30000	40.25	2004
22.01.2020 15:41:29	1	1	1	1	74	60.25	0	29810.427	251.6129032	7500.611529	30000	0	0	30000	40.125	2004
22.01.2020 15:41:30	1	1	1	1	74	60	0	29763.033	253.7634409	7564.210584	30000	0	0	30000	40.1875	2004
22.01.2020 15:41:31	1	1	1	1	74	60	0	29763.033	258.0645161	7732.177316	30000	0	0	30000	40.1875	2004
22.01.2020 15:41:32	1	1	1	1	74	60	0	29810.427	266.6666667	7884.651972	30000	0	0	30000	39.8125	2004
22.01.2020 15:41:33	1	1	1	1	74	59.75	0	29715.64	262.3655914	7987.388905	30000	0	0	30000	40.1875	2004
22.01.2020 15:41:34	1	1	1	1	74	60	0	29810.427	268.8172043	7987.388905	30000	0	0	30000	40.1875	2004
22.01.2020 15:41:35	1	1	1	1	74	60	0	29810.427	273.1182796	8141.494306	30000	0	0	30000	40.0625	2004
22.01.2020 15:41:36	1	1	1	1	74	60	0	29763.033	270.9677419	8051.803332	30000	0	0	30000	40.0625	2004
22.01.2020 15:41:37	1	1	1	1	74	60	0	29715.64	273.1182796	8051.803332	30000	0	0	30000	40.25	2004
22.01.2020 15:41:38	1	1	1	1	74	60.25	0	29810.427	270.9677419	8141.494306	30000	0	0	30000	40.25	2004
22.01.2020 15:41:39	1	1	1	1	74.25	60.25	0	29810.427	270.9677419	8013.480825	30000	0	0	30000	40.375	2004
22.01.2020 15:41:46	1	1	1	1	74.25	60	0	29763.033	268.8172043	7987.388905	30000	0	0	30000	39.75	2004
22.01.2020 15:41:46	1	1	1	1	74.25	60	0	29763.033	268.8172043	7987.388905	30000	0	0	30000	39.75	2004
22.01.2020 15:41:46	1	1	1	1	74.25	60	0	29763.033	268.8172043	7987.388905	30000	0	0	30000	39.75	2004
22.01.2020 15:41:46	1	1	1	1	74.25	60	0	29763.033	268.8172043	7987.388905	30000	0	0	30000	39.75	2004
22.01.2020 15:41:46	1	1	1	1	74.25	60	0	29763.033	268.8172043	7987.388905	30000	0	0	30000	39.75	2004
22.01.2020 15:41:46	1	1	1	1	74.25	60	0	29763.033	268.8172043	7987.388905	30000	0	0	30000	39.75	2004
22.01.2020 15:41:46	1	1	1	1	74.25	60	0	29763.033	268.8172043	7987.388905	30000	0	0	30000	39.75	2004
22.01.2020 15:41:47	1	1	1	1	74.25	59.75	0	29763.033	268.8172043	8013.480825	30000	0	0	30000	40.0625	2004
22.01.2020 15:41:48	1	1	1	1	74.25	60	0	29715.64	262.3655914	7987.388905	30000	0	0	30000	40.1875	2004
22.01.2020 15:41:49	1	1	1	1	74.25	60	0	29715.64	266.6666667	8013.480825	30000	0	0	30000	40	2004
22.01.2020 15:41:50	1	1	1	1	74.25	60	0	29715.64	266.6666667	7923.789851	30000	0	0	30000	40.1875	2004
22.01.2020 15:41:51	1	1	1	1	74.25	60	0	29810.427	268.8172043	8013.480825	30000	0	0	30000	40.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 15:41:52	1	1	1	1	74.25	60	0	29810.427	270.9677419	7923.789851	30000	0	0	30000	39.8125	2004
22.01.2020 15:41:53	1	1	1	1	74.25	59.75	0	29810.427	273.1182796	8141.494306	30000	0	0	30000	40.0625	2004
22.01.2020 15:41:54	1	1	1	1	74.25	60	0	29810.427	277.4193548	8269.507787	30000	0	0	30000	40.1875	2004
22.01.2020 15:41:55	1	1	1	1	74.25	60	0	29952.607	277.4193548	8256.461827	30000	0	0	30000	40.1875	2004
22.01.2020 15:41:56	1	1	1	1	74.25	60	0	29810.427	305.3763441	9117.495176	30000	0	0	30000	39.9375	2004
22.01.2020 15:41:57	1	1	1	1	74.25	59.75	0	29810.427	307.5268817	9167.232898	30000	0	0	30000	39.8125	2004
22.01.2020 15:41:58	1	1	1	1	74.25	59.75	0	29810.427	313.9784946	9295.246378	30000	0	0	30000	40.125	2004
22.01.2020 15:41:59	1	1	1	1	74.25	60	0	29810.427	290.3225806	8668.224934	30000	0	0	30000	40	2004
22.01.2020 15:42:00	1	1	1	1	74.25	60	0	29810.427	320.4301075	9615.687767	30000	0	0	30000	40.0625	2004
22.01.2020 15:42:01	1	1	1	1	74.25	60	0	29810.427	316.1290323	9423.259859	30000	0	0	30000	40	2004
22.01.2020 15:42:02	1	1	1	1	74.25	60	0	29810.427	296.7741935	8691.055364	30000	0	0	30000	39.75	2004
22.01.2020 15:42:04	1	1	1	1	74.25	59.75	0	29810.427	290.3225806	8718.778028	30000	0	0	30000	40	2004
22.01.2020 15:42:05	1	1	1	1	74.25	60	0	29857.82	294.6236559	8782.377083	30000	0	0	30000	39.9375	2004
22.01.2020 15:42:06	1	1	1	1	74.25	59.75	0	29810.427	316.1290323	9423.259859	30000	0	0	30000	40.125	2004
22.01.2020 15:42:07	1	1	1	1	74.25	60	0	29810.427	313.9784946	9295.246378	30000	0	0	30000	39.8125	2004
22.01.2020 15:42:08	1	1	1	1	74.25	59.75	0	29810.427	292.4731183	8563.041883	30000	0	0	30000	39.9375	2004
22.01.2020 15:42:09	1	1	1	1	74	59.75	0	29810.427	290.3225806	8654.363602	30000	0	0	30000	39.8125	2004
22.01.2020 15:42:10	1	1	1	1	74	59.75	0	29810.427	294.6236559	8846.791509	30000	0	0	30000	40	2004
22.01.2020 15:42:11	1	1	1	1	74	60	0	29810.427	316.1290323	9423.259859	30000	0	0	30000	40.0625	2004
22.01.2020 15:42:12	1	1	1	1	74	60	0	29810.427	316.1290323	9521.104558	30000	0	0	30000	39.9375	2004
22.01.2020 15:42:13	1	1	1	1	74	59.75	0	0	0	0	30000	0	8	30000	40	2004
22.01.2020 15:42:14	1	1	1	1	74	60	0	0	0	0	30000	0	8	30000	40.375	2004
22.01.2020 15:42:15	1	1	1	1	74	60.25	0	10758.294	0	0	30000	0	0	30000	40.125	2004
22.01.2020 15:42:16	1	1	1	1	74	60	0	11469.194	0	0	30000	0	0	30000	40.3125	2004
22.01.2020 15:42:17	1	1	1	1	74	60.25	0	12369.668	0	0	30000	0	0	30000	40.3125	2004
22.01.2020 15:42:18	1	1	1	1	74	60.25	0	13033.175	0	0	30000	0	0	30000	40.25	2004
22.01.2020 15:42:19	1	1	1	1	74.25	60.25	0	13791.469	2.150537634	0	30000	0	0	30000	40.5	2004
22.01.2020 15:42:20	1	1	1	1	74.25	60.5	0	14549.763	2.150537634	61.96830919	30000	0	0	30000	40.125	2004
22.01.2020 15:42:21	1	1	1	1	74.25	60	0	15308.057	8.602150538	98.66007121	30000	0	0	30000	40.125	2004
22.01.2020 15:42:22	1	1	1	1	74.25	60	0	16161.137	10.75268817	173.6743402	30000	0	0	30000	40.1875	2004
22.01.2020 15:42:23	1	1	1	1	74.25	60	0	16919.431	15.05376344	254.3962167	30000	0	0	30000	40.1875	2004
22.01.2020 15:42:24	1	1	1	1	74.25	60	0	17677.725	19.35483871	341.641073	30000	0	0	30000	40.0625	2004
22.01.2020 15:42:25	1	1	1	1	74.25	60	0	18436.019	25.80645161	515.3154133	30000	0	0	30000	40.3125	2004
22.01.2020 15:42:26	1	1	1	1	74.25	60.25	0	19194.313	32.25806452	660.4517164	30000	0	0	30000	40.1875	2004
22.01.2020 15:42:27	1	1	1	1	74.25	60	0	20000	40.86021505	817.0032343	30000	0	0	30000	40.125	2004
22.01.2020 15:42:28	1	1	1	1	73.75	60	0	20758.294	51.61290323	1071.399451	30000	0	0	30000	40.1875	2004
22.01.2020 15:42:29	1	1	1	1	73.75	60	0	21516.588	60.21505376	1295.626886	30000	0	0	30000	40.125	2004
22.01.2020 15:42:30	1	1	1	1	73.75	60	0	22274.882	66.66666667	1583.453374	30000	0	0	30000	40.25	2004
22.01.2020 15:42:31	1	1	1	1	73.75	60.25	0	23033.175	75.2688172	1729.40505	30000	0	0	30000	40.0625	2004
22.01.2020 15:42:32	1	1	1	1	73.75	60	0	23838.863	83.87096774	1999.293344	30000	0	0	30000	40.0625	2004
22.01.2020 15:42:33	1	1	1	1	73.75	60	0	24691.943	103.2258065	2539.069932	30000	0	0	30000	40.125	2004
22.01.2020 15:42:34	1	1	1	1	73.75	60	0	24691.943	105.3763441	2601.853613	30000	0	0	30000	39.9375	2004
22.01.2020 15:42:35	1	1	1	1	73.75	59.75	0	24691.943	105.3763441	2601.853613	30000	0	0	30000	40	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 15:42:36	1	1	1	1	73.75	60	0	24691.943	105.3763441	2601.853613	30000	0	0	30000	40.125	2004
22.01.2020 15:42:37	1	1	1	1	73.75	60	0	24691.943	109.6774194	2654.852825	30000	0	0	30000	40.0625	2004
22.01.2020 15:42:38	1	1	1	1	73.75	60	0	24691.943	107.5268817	2707.852037	30000	0	0	30000	40	2004
22.01.2020 15:42:39	1	1	1	1	73.75	60	0	24691.943	109.6774194	2707.852037	30000	0	0	30000	39.375	2004
22.01.2020 15:42:41	1	1	1	1	73.75	59.25	0	24691.943	109.6774194	2601.853613	30000	0	0	30000	39.75	2004
22.01.2020 15:42:48	1	1	1	1	73.75	60.25	0	24691.943	103.2258065	2601.853613	30000	0	0	30000	40.1875	2004
22.01.2020 15:42:48	1	1	1	1	73.75	60.25	0	24691.943	103.2258065	2601.853613	30000	0	0	30000	40.1875	2004
22.01.2020 15:42:48	1	1	1	1	73.75	60.25	0	24691.943	103.2258065	2601.853613	30000	0	0	30000	40.1875	2004
22.01.2020 15:42:48	1	1	1	1	73.75	60.25	0	24691.943	103.2258065	2601.853613	30000	0	0	30000	40.1875	2004
22.01.2020 15:42:48	1	1	1	1	73.75	60.25	0	24691.943	103.2258065	2601.853613	30000	0	0	30000	40.1875	2004
22.01.2020 15:42:48	1	1	1	1	73.75	60.25	0	24691.943	103.2258065	2601.853613	30000	0	0	30000	40.1875	2004
22.01.2020 15:42:48	1	1	1	1	73.75	60.25	0	24691.943	103.2258065	2601.853613	30000	0	0	30000	40.1875	2004
22.01.2020 15:42:49	1	1	1	1	73.5	60	0	24691.943	103.2258065	2601.853613	30000	0	0	30000	40.25	2004
22.01.2020 15:42:50	1	1	1	1	73.5	60.25	0	24691.943	105.3763441	2601.853613	30000	0	0	30000	40.25	2004
22.01.2020 15:42:51	1	1	1	1	73.5	60.25	0	24691.943	103.2258065	2548.854402	30000	0	0	30000	39.6875	2004
22.01.2020 15:42:52	1	1	1	1	73.5	59.5	0	24691.943	103.2258065	2548.854402	30000	0	0	30000	40.0625	2004
22.01.2020 15:42:53	1	1	1	1	73.5	60	0	24597.156	103.2258065	2548.854402	30000	0	0	30000	40.1875	2004
22.01.2020 15:42:54	1	1	1	1	73.5	60	0	24976.303	105.3763441	2626.314788	30000	0	0	30000	40.1875	2004
22.01.2020 15:42:55	1	1	1	1	73.5	60	0	25734.597	124.7311828	3166.091376	30000	0	0	30000	40.3125	2004
22.01.2020 15:42:56	1	1	1	1	73.5	60.25	0	26018.957	129.0322581	3300.627837	30000	0	0	30000	40.5625	2004
22.01.2020 15:42:57	1	1	1	1	73.5	60.5	0	27014.218	144.0860215	3899.111244	30000	0	0	30000	40.25	2004
22.01.2020 15:42:58	1	1	1	1	73.5	60.25	0	27819.905	163.4408602	4486.994809	30000	0	0	30000	40.25	2004
22.01.2020 15:42:59	1	1	1	1	73.5	60.25	0	28009.479	167.7419355	4698.176284	30000	0	0	30000	40.0625	2004
22.01.2020 15:43:00	1	1	1	1	73.5	60	0	28199.052	169.8924731	4790.313375	30000	0	0	30000	39.8125	2004
22.01.2020 15:43:01	1	1	1	1	73.5	59.75	0	28341.232	169.8924731	4806.620825	30000	0	0	30000	40.1875	2004
22.01.2020 15:43:02	1	1	1	1	73.5	60	0	28483.412	178.4946237	4838.420352	30000	0	0	30000	39.6875	2004
22.01.2020 15:43:03	1	1	1	1	73.5	59.5	0	28625.592	206.4516129	5601.609002	30000	0	0	30000	40.25	2004
22.01.2020 15:43:04	1	1	1	1	73.5	60.25	0	28483.412	206.4516129	5900.035333	30000	0	0	30000	40.25	2004
22.01.2020 15:43:05	1	1	1	1	73.5	60.25	0	28815.166	206.4516129	5478.487756	30000	0	0	30000	40.125	2004
22.01.2020 15:43:06	1	1	1	1	73.5	60	0	28625.592	191.3978495	5909.819803	30000	0	0	30000	40.1875	2004
22.01.2020 15:43:07	1	1	1	1	73.5	60	0	28625.592	206.4516129	5909.819803	30000	0	0	30000	40.125	2004
22.01.2020 15:43:08	1	1	1	1	73	60	0	28625.592	217.2043011	6258.799228	30000	0	0	30000	40.1875	2004
22.01.2020 15:43:09	1	1	1	1	73	60	0	28672.986	217.2043011	6258.799228	30000	0	0	30000	40.375	2004
22.01.2020 15:43:10	1	1	1	1	73	60.25	0	28815.166	221.5053763	6340.336477	30000	0	0	30000	40.125	2004
22.01.2020 15:43:11	1	1	1	1	73	60	0	28578.199	236.5591398	6760.253309	30000	0	0	30000	40.3125	2004
22.01.2020 15:43:12	1	1	1	1	73	60.25	0	28815.166	217.2043011	6320.767537	30000	0	0	30000	40.3125	2004
22.01.2020 15:43:13	1	1	1	1	73	60.25	0	28815.166	206.4516129	5948.957682	30000	0	0	30000	40.3125	2004
22.01.2020 15:43:14	1	1	1	1	73	60.25	0	28815.166	206.4516129	5909.819803	30000	0	0	30000	39.625	2004
22.01.2020 15:43:15	1	1	1	1	73	59.5	0	28625.592	206.4516129	5948.957682	30000	0	0	30000	40.25	2004
22.01.2020 15:43:16	1	1	1	1	73	60.25	0	28815.166	189.2473118	5453.211209	30000	0	0	30000	40.0625	2004
22.01.2020 15:43:17	1	1	1	1	73	60	0	28815.166	180.6451613	5267.306281	30000	0	0	30000	40.125	2004
22.01.2020 15:43:19	1	1	1	1	73	60	0	28625.592	178.4946237	5109.124018	30000	0	0	30000	40.3125	2004
22.01.2020 15:43:20	1	1	1	1	73	60.25	0	28815.166	178.4946237	5143.369663	30000	0	0	30000	40.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 15:43:21	1	1	1	1	73	60	0	28815.166	178.4946237	5143.369663	30000	0	0	30000	40.0625	2004
22.01.2020 15:43:22	1	1	1	1	73	60	0	28815.166	178.4946237	5143.369663	30000	0	0	30000	40.0625	2004
22.01.2020 15:43:23	1	1	1	1	73	60	0	28815.166	180.6451613	5267.306281	30000	0	0	30000	40.0625	2004
22.01.2020 15:43:24	1	1	1	1	73	60	0	28815.166	189.2473118	5391.242899	30000	0	0	30000	40.0625	2004
22.01.2020 15:43:25	1	1	1	1	73	60	0	28815.166	191.3978495	5515.179518	30000	0	0	30000	39.9375	2004
22.01.2020 15:43:26	1	1	1	1	73	59.75	0	28815.166	191.3978495	5515.179518	30000	0	0	30000	40	2004
22.01.2020 15:43:27	1	1	1	1	73	60	0	28815.166	191.3978495	5515.179518	30000	0	0	30000	39.6875	2004
22.01.2020 15:43:28	1	1	1	1	73	59.5	0	28815.166	191.3978495	5515.179518	30000	0	0	30000	40.125	2004
22.01.2020 15:43:29	1	1	1	1	73	60	0	28815.166	189.2473118	5453.211209	30000	0	0	30000	40.0625	2004
22.01.2020 15:43:30	1	1	1	1	73	60	0	28815.166	189.2473118	5453.211209	30000	0	0	30000	40.125	2004
22.01.2020 15:43:31	1	1	1	1	73	60	0	28815.166	184.9462366	5329.27459	30000	0	0	30000	39.75	2004
22.01.2020 15:43:32	1	1	1	1	73	59.75	0	28815.166	184.9462366	5329.27459	30000	0	0	30000	40.125	2004
22.01.2020 15:43:33	1	1	1	1	73	60	0	28815.166	191.3978495	5453.211209	30000	0	0	30000	40.5625	2004
22.01.2020 15:43:34	1	1	1	1	73	60.5	0	28815.166	189.2473118	5453.211209	30000	0	0	30000	40.3125	2004
22.01.2020 15:43:35	1	1	1	1	73	60.25	0	28815.166	189.2473118	5453.211209	30000	0	0	30000	40.25	2004
22.01.2020 15:43:36	1	1	1	1	73	60.25	0	28815.166	189.2473118	5453.211209	30000	0	0	30000	40.375	2004
22.01.2020 15:43:37	1	1	1	1	73	60	0	28815.166	189.2473118	5453.211209	30000	0	0	30000	39.875	2004
22.01.2020 15:43:38	1	1	1	1	73	59.75	0	28815.166	189.2473118	5453.211209	30000	0	0	30000	40.0625	2004
22.01.2020 15:43:39	1	1	1	1	73	60	0	28815.166	184.9462366	5453.211209	30000	0	0	30000	40.125	2004
22.01.2020 15:43:40	1	1	1	1	73	60	0	28815.166	184.9462366	5329.27459	30000	0	0	30000	40	2004
22.01.2020 15:43:41	1	1	1	1	73	60	0	28815.166	191.3978495	5453.211209	30000	0	0	30000	40.125	2004
22.01.2020 15:43:42	1	1	1	1	73	60	0	28815.166	178.4946237	5329.27459	30000	0	0	30000	39.625	2004
22.01.2020 15:43:50	1	1	1	1	73.25	60	0	28815.166	189.2473118	5524.148615	30000	0	0	30000	40.125	2004
22.01.2020 15:43:50	1	1	1	1	73.25	60	0	28815.166	189.2473118	5524.148615	30000	0	0	30000	40.125	2004
22.01.2020 15:43:50	1	1	1	1	73.25	60	0	28815.166	189.2473118	5524.148615	30000	0	0	30000	40.125	2004
22.01.2020 15:43:50	1	1	1	1	73.25	60	0	28815.166	189.2473118	5524.148615	30000	0	0	30000	40.125	2004
22.01.2020 15:43:50	1	1	1	1	73.25	60	0	28815.166	189.2473118	5524.148615	30000	0	0	30000	40.125	2004
22.01.2020 15:43:50	1	1	1	1	73.25	60	0	28862.559	195.6989247	5958.742152	30000	0	0	30000	39.8125	2004
22.01.2020 15:43:51	1	1	1	1	73.25	59.75	0	28862.559	206.4516129	5958.742152	30000	0	0	30000	40.1875	2004
22.01.2020 15:43:52	1	1	1	1	73.25	60	0	28862.559	219.3548387	6134.86261	30000	0	0	30000	39.625	2004
22.01.2020 15:43:53	1	1	1	1	73.25	59.5	0	28436.019	230.1075269	6665.6701	30000	0	0	30000	40.25	2004
22.01.2020 15:43:54	1	1	1	1	73.25	60.25	0	28815.166	249.4623656	7188.323866	30000	0	0	30000	39.6875	2004
22.01.2020 15:43:55	1	1	1	1	73.25	59.5	0	28957.346	260.2150538	7448.42769	30000	0	0	30000	40	2004
22.01.2020 15:43:56	1	1	1	1	73.25	60	0	28957.346	245.1612903	7098.632892	30000	0	0	30000	40.125	2004
22.01.2020 15:43:57	1	1	1	1	73.25	60	0	28862.559	240.8602151	6951.865844	30000	0	0	30000	40.25	2004
22.01.2020 15:43:59	1	1	1	1	73	60.25	0	28862.559	232.2580645	6725.192292	30000	0	0	30000	40.125	2004
22.01.2020 15:44:00	1	1	1	1	73	60	0	28862.559	236.5591398	6951.865844	30000	0	0	30000	40.1875	2004
22.01.2020 15:44:01	1	1	1	1	73	60	0	28957.346	258.0645161	7472.888865	30000	0	0	30000	40.25	2004
22.01.2020 15:44:02	1	1	1	1	73	60.25	0	28957.346	262.3655914	7596.825483	30000	0	0	30000	40	2004
22.01.2020 15:44:03	1	1	1	1	73	60	0	28909.953	260.2150538	7721.577474	30000	0	0	30000	40	2004
22.01.2020 15:44:04	1	1	1	1	73	60	0	28957.346	247.311828	7161.416574	30000	0	0	30000	40.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 15:44:05	1	1	1	1	73	60	0	28862.559	243.0107527	7098.632892	30000	0	0	30000	39.75	2004
22.01.2020 15:44:06	1	1	1	1	73	59.75	0	28957.346	232.2580645	6725.192292	30000	0	0	30000	39.875	2004
22.01.2020 15:44:07	1	1	1	1	73	59.75	0	28862.559	273.1182796	7882.205854	30000	0	0	30000	40.0625	2004
22.01.2020 15:44:08	1	1	1	1	73	60	0	28909.953	279.5698925	8068.926154	30000	0	0	30000	40.0625	2004
22.01.2020 15:44:09	1	1	1	1	73	60	0	28862.559	296.7741935	8593.210665	30000	0	0	30000	40	2004
22.01.2020 15:44:10	1	1	1	1	73	60	0	28957.346	307.5268817	8842.714647	30000	0	0	30000	40.125	2004
22.01.2020 15:44:11	1	1	1	1	73	60	0	28957.346	288.172043	8281.738374	30000	0	0	30000	40.0625	2004
22.01.2020 15:44:12	1	1	1	1	73	60	0	28957.346	309.6774194	8904.682956	30000	0	0	30000	40.25	2004
22.01.2020 15:44:13	1	1	1	1	73	60.25	0	28957.346	298.9247312	8655.994347	30000	0	0	30000	40.5	2004
22.01.2020 15:44:14	1	1	1	1	73	60.5	0	28957.346	277.4193548	8033.049765	30000	0	0	30000	40.375	2004
22.01.2020 15:44:15	1	1	1	1	73	60.25	0	28957.346	245.1612903	7098.632892	30000	0	0	30000	40	2004
22.01.2020 15:44:16	1	1	1	1	73	60	0	28957.346	212.9032258	6165.031392	30000	0	0	30000	40.1875	2004
22.01.2020 15:44:17	1	1	1	1	73	60	0	28957.346	208.6021505	6040.279401	30000	0	0	30000	40.1875	2004
22.01.2020 15:44:18	1	1	1	1	72.75	60	0	28862.559	206.4516129	6102.24771	30000	0	0	30000	39.8125	2004
22.01.2020 15:44:19	1	1	1	1	72.75	59.75	0	28957.346	212.9032258	6288.96801	30000	0	0	30000	40	2004
22.01.2020 15:44:20	1	1	1	1	72.75	60	0	28957.346	232.2580645	6725.192292	30000	0	0	30000	40.125	2004
22.01.2020 15:44:21	1	1	1	1	72.75	60	0	28957.346	227.9569892	6600.440301	30000	0	0	30000	39.3125	2004
22.01.2020 15:44:22	1	1	1	1	72.75	59.25	0	28957.346	240.8602151	6963.281059	30000	0	0	30000	40	2004
22.01.2020 15:44:23	1	1	1	1	72.75	60	0	28957.346	240.8602151	6974.696274	30000	0	0	30000	40	2004
22.01.2020 15:44:24	1	1	1	1	72.75	60	0	28957.346	225.8064516	6600.440301	30000	0	0	30000	40.0625	2004
22.01.2020 15:44:25	1	1	1	1	72.75	60	0	28957.346	208.6021505	6040.279401	30000	0	0	30000	40.0625	2004
22.01.2020 15:44:26	1	1	1	1	72.75	60	0	28957.346	212.9032258	6165.031392	30000	0	0	30000	40.125	2004
22.01.2020 15:44:27	1	1	1	1	72.75	60	0	29052.133	215.0537634	6184.600332	30000	0	0	30000	40.0625	2004
22.01.2020 15:44:28	1	1	1	1	73	60	0	29052.133	215.0537634	6165.031392	30000	0	0	30000	40.0625	2004
22.01.2020 15:44:29	1	1	1	1	73	60	0	28957.346	221.5053763	6413.720001	30000	0	0	30000	40.1875	2004
22.01.2020 15:44:30	1	1	1	1	73	60	0	28957.346	221.5053763	6413.720001	30000	0	0	30000	40.125	2004
22.01.2020 15:44:31	1	1	1	1	73	60	0	29052.133	225.8064516	6434.919686	30000	0	0	30000	40.1875	2004
22.01.2020 15:44:32	1	1	1	1	73	60	0	28957.346	221.5053763	6434.919686	30000	0	0	30000	40.25	2004
22.01.2020 15:44:33	1	1	1	1	73	60.25	0	28957.346	230.1075269	6684.423668	30000	0	0	30000	40.1875	2004
22.01.2020 15:44:34	1	1	1	1	73	60	0	29052.133	230.1075269	6684.423668	30000	0	0	30000	40.25	2004
22.01.2020 15:44:35	1	1	1	1	73	60.25	0	29052.133	230.1075269	6725.192292	30000	0	0	30000	40.1875	2004
22.01.2020 15:44:37	1	1	1	1	73	60	0	28957.346	251.6129032	7285.353192	30000	0	0	30000	40.0625	2004
22.01.2020 15:44:38	1	1	1	1	73	60	0	28957.346	253.7634409	7472.888865	30000	0	0	30000	40.0625	2004
22.01.2020 15:44:39	1	1	1	1	73	60	0	29004.739	260.2150538	7497.350039	30000	0	0	30000	40.1875	2004
22.01.2020 15:44:40	1	1	1	1	73	60	0	28957.346	260.2150538	7534.857174	30000	0	0	30000	40.25	2004
22.01.2020 15:44:41	1	1	1	1	73	60.25	0	29052.133	260.2150538	7559.318349	30000	0	0	30000	40.25	2004
22.01.2020 15:44:42	1	1	1	1	73	60.25	0	29052.133	260.2150538	7559.318349	30000	0	0	30000	40.3125	2004
22.01.2020 15:44:43	1	1	1	1	73	60.25	0	29052.133	258.0645161	7559.318349	30000	0	0	30000	39.9375	2004
22.01.2020 15:44:44	1	1	1	1	73	59.75	0	29052.133	258.0645161	7410.105183	30000	0	0	30000	40.125	2004
22.01.2020 15:44:51	1	1	1	1	73	60	0	28957.346	253.7634409	7371.782676	30000	0	0	30000	40.3125	2004
22.01.2020 15:44:51	1	1	1	1	73	60	0	28957.346	253.7634409	7371.782676	30000	0	0	30000	40.3125	2004
22.01.2020 15:44:51	1	1	1	1	73	60	0	28957.346	253.7634409	7371.782676	30000	0	0	30000	40.3125	2004
22.01.2020 15:44:51	1	1	1	1	73	60	0	28957.346	253.7634409	7371.782676	30000	0	0	30000	40.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 15:44:51	1	1	1	1	73	60	0	28957.346	253.7634409	7371.782676	30000	0	0	30000	40.3125	2004
22.01.2020 15:44:51	1	1	1	1	73	60	0	28957.346	253.7634409	7371.782676	30000	0	0	30000	40.3125	2004
22.01.2020 15:44:51	1	1	1	1	73	60	0	28957.346	253.7634409	7371.782676	30000	0	0	30000	40.3125	2004
22.01.2020 15:44:52	1	1	1	1	73	60.25	0	29146.919	258.0645161	7371.782676	30000	0	0	30000	40.5625	2004
22.01.2020 15:44:55	1	1	1	1	73	60.5	0	29052.133	253.7634409	7434.566358	30000	0	0	30000	39.9375	2004
22.01.2020 15:44:55	1	1	1	1	73	60.5	0	29052.133	253.7634409	7434.566358	30000	0	0	30000	39.9375	2004
22.01.2020 15:44:55	1	1	1	1	73	59.75	0	29052.133	251.6129032	7285.353192	30000	0	0	30000	40.1875	2004
22.01.2020 15:44:56	1	1	1	1	73	60	0	29052.133	251.6129032	7309.814367	30000	0	0	30000	40.1875	2004
22.01.2020 15:44:57	1	1	1	1	73	60	0	29052.133	251.6129032	7309.814367	30000	0	0	30000	40	2004
22.01.2020 15:44:58	1	1	1	1	73	60	0	29052.133	251.6129032	7184.247004	30000	0	0	30000	40.125	2004
22.01.2020 15:44:59	1	1	1	1	73	60	0	29052.133	251.6129032	7309.814367	30000	0	0	30000	40	2004
22.01.2020 15:45:00	1	1	1	1	73	60	0	29099.526	253.7634409	7098.632892	30000	0	0	30000	39.9375	2004
22.01.2020 15:45:01	1	1	1	1	73	59.75	0	29052.133	243.0107527	7059.495013	30000	0	0	30000	40	2004
22.01.2020 15:45:02	1	1	1	1	73	60	0	29052.133	243.0107527	7059.495013	30000	0	0	30000	39.9375	2004
22.01.2020 15:45:03	1	1	1	1	73	59.75	0	29099.526	245.1612903	7070.910227	30000	0	0	30000	40.125	2004
22.01.2020 15:45:04	1	1	1	1	73	60	0	29052.133	243.0107527	7196.477591	30000	0	0	30000	40.0625	2004
22.01.2020 15:45:05	1	1	1	1	73	60	0	29052.133	245.1612903	7184.247004	30000	0	0	30000	39.9375	2004
22.01.2020 15:45:06	1	1	1	1	73	59.75	0	29052.133	247.311828	7122.278694	30000	0	0	30000	39.8125	2004
22.01.2020 15:45:07	1	1	1	1	73	59.75	0	29052.133	247.311828	7036.664583	30000	0	0	30000	40.125	2004
22.01.2020 15:45:08	1	1	1	1	72.5	60	0	29052.133	247.311828	7259.261273	30000	0	0	30000	40.0625	2004
22.01.2020 15:45:09	1	1	1	1	72.5	60	0	29052.133	247.311828	7259.261273	30000	0	0	30000	39.9375	2004
22.01.2020 15:45:10	1	1	1	1	72.5	59.75	0	28957.346	249.4623656	7098.632892	30000	0	0	30000	40.0625	2004
22.01.2020 15:45:11	1	1	1	1	72.5	60	0	29052.133	247.311828	7196.477591	30000	0	0	30000	40	2004
22.01.2020 15:45:12	1	1	1	1	72.5	60	0	29052.133	247.311828	7184.247004	30000	0	0	30000	39.3125	2004
22.01.2020 15:45:13	1	1	1	1	72.5	59.25	0	29052.133	243.0107527	7059.495013	30000	0	0	30000	39.9375	2004
22.01.2020 15:45:15	1	1	1	1	72.5	59.75	0	29052.133	240.8602151	6997.526703	30000	0	0	30000	40.125	2004
22.01.2020 15:45:16	1	1	1	1	72.5	60	0	29052.133	232.2580645	6747.207349	30000	0	0	30000	40.125	2004
22.01.2020 15:45:17	1	1	1	1	72.5	60	0	28957.346	227.9569892	6747.207349	30000	0	0	30000	40.1875	2004
22.01.2020 15:45:18	1	1	1	1	72.5	60	0	29146.919	240.8602151	6883.374555	30000	0	0	30000	39.875	2004
22.01.2020 15:45:19	1	1	1	1	72.25	59.75	0	29099.526	234.4086022	6820.590873	30000	0	0	30000	40.1875	2004
22.01.2020 15:45:20	1	1	1	1	72.25	60	0	29052.133	230.1075269	6747.207349	30000	0	0	30000	40	2004
22.01.2020 15:45:21	1	1	1	1	72.25	60	0	29099.526	234.4086022	6809.991031	30000	0	0	30000	40.3125	2004
22.01.2020 15:45:22	1	1	1	1	72.25	60.25	0	29099.526	232.2580645	6758.622564	30000	0	0	30000	40.0625	2004
22.01.2020 15:45:23	1	1	1	1	72.25	60	0	29099.526	227.9569892	6706.438725	30000	0	0	30000	40.125	2004
22.01.2020 15:45:24	1	1	1	1	72.25	60	0	29052.133	225.8064516	6570.271519	30000	0	0	30000	40.0625	2004
22.01.2020 15:45:25	1	1	1	1	72.25	60	0	29099.526	221.5053763	6456.119371	30000	0	0	30000	39.6875	2004
22.01.2020 15:45:26	1	1	1	1	72.25	59.5	0	29099.526	221.5053763	6434.919686	30000	0	0	30000	39.75	2004
22.01.2020 15:45:27	1	1	1	1	72.25	59.75	0	29099.526	212.9032258	6195.200174	30000	0	0	30000	40.125	2004
22.01.2020 15:45:28	1	1	1	1	72.25	60	0	29099.526	215.0537634	6195.200174	30000	0	0	30000	40	2004
22.01.2020 15:45:29	1	1	1	1	72.75	60	0	29052.133	217.2043011	6195.200174	30000	0	0	30000	40.5	2004
22.01.2020 15:45:30	1	1	1	1	72.75	60.5	0	29099.526	219.3548387	6445.519528	30000	0	0	30000	39.75	2004
22.01.2020 15:45:31	1	1	1	1	72.75	59.75	0	29099.526	221.5053763	6445.519528	30000	0	0	30000	40.25	2004
22.01.2020 15:45:32	1	1	1	1	72.75	60.25	0	29099.526	221.5053763	6456.119371	30000	0	0	30000	40.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 15:45:33	1	1	1	1	72.75	60	0	29099.526	212.9032258	6195.200174	30000	0	0	30000	40.1875	2004
22.01.2020 15:45:34	1	1	1	1	72.75	60	0	29099.526	208.6021505	5978.311092	30000	0	0	30000	40	2004
22.01.2020 15:45:35	1	1	1	1	72.75	60	0	29099.526	206.4516129	6007.664501	30000	0	0	30000	40.125	2004
22.01.2020 15:45:36	1	1	1	1	72.75	60	0	29099.526	206.4516129	6007.664501	30000	0	0	30000	40.25	2004
22.01.2020 15:45:37	1	1	1	1	72.75	60.25	0	29052.133	206.4516129	6007.664501	30000	0	0	30000	39.9375	2004
22.01.2020 15:45:38	1	1	1	1	73.25	59.75	0	29146.919	217.2043011	6195.200174	30000	0	0	30000	40.0625	2004
22.01.2020 15:45:39	1	1	1	1	73.25	60	0	29099.526	217.2043011	6319.952165	30000	0	0	30000	40.125	2004
22.01.2020 15:45:40	1	1	1	1	73.25	60	0	29146.919	219.3548387	6393.335689	30000	0	0	30000	39.625	2004
22.01.2020 15:45:41	1	1	1	1	73.25	59.5	0	29146.919	223.655914	6580.871361	30000	0	0	30000	39.5	2004
22.01.2020 15:45:42	1	1	1	1	73.25	59.5	0	29099.526	230.1075269	6643.655043	30000	0	0	30000	39.9375	2004
22.01.2020 15:45:43	1	1	1	1	73.25	59.75	0	29146.919	232.2580645	7020.357133	30000	0	0	30000	40.125	2004
22.01.2020 15:45:44	1	1	1	1	73.25	60	0	29146.919	240.8602151	7020.357133	30000	0	0	30000	40	2004
22.01.2020 15:45:45	1	1	1	1	73.25	60	0	29146.919	249.4623656	7333.460169	30000	0	0	30000	39.75	2004
22.01.2020 15:45:53	1	1	1	1	73.5	60	0	29146.919	262.3655914	7646.563205	30000	0	0	30000	40	2004
22.01.2020 15:45:53	1	1	1	1	73.5	60	0	29146.919	262.3655914	7646.563205	30000	0	0	30000	40	2004
22.01.2020 15:45:53	1	1	1	1	73.5	60	0	29146.919	262.3655914	7646.563205	30000	0	0	30000	40	2004
22.01.2020 15:45:53	1	1	1	1	73.5	60	0	29146.919	262.3655914	7646.563205	30000	0	0	30000	40	2004
22.01.2020 15:45:53	1	1	1	1	73.5	60	0	29146.919	262.3655914	7646.563205	30000	0	0	30000	40	2004
22.01.2020 15:45:53	1	1	1	1	73.5	60	0	29146.919	262.3655914	7646.563205	30000	0	0	30000	40	2004
22.01.2020 15:45:53	1	1	1	1	73.5	60	0	29146.919	262.3655914	7646.563205	30000	0	0	30000	40	2004
22.01.2020 15:45:54	1	1	1	1	73.5	60	0	29099.526	262.3655914	7634.332618	30000	0	0	30000	39.9375	2004
22.01.2020 15:45:55	1	1	1	1	73.5	59.75	0	29146.919	281.7204301	8273.584649	30000	0	0	30000	39.875	2004
22.01.2020 15:45:56	1	1	1	1	73.5	59.75	0	29146.919	258.0645161	7521.811214	30000	0	0	30000	39.5625	2004
22.01.2020 15:45:57	1	1	1	1	73.5	59.5	0	29146.919	262.3655914	7583.779523	30000	0	0	30000	39.6875	2004
22.01.2020 15:45:58	1	1	1	1	73.5	59.5	0	29146.919	262.3655914	7646.563205	30000	0	0	30000	40.0625	2004
22.01.2020 15:45:59	1	1	1	1	73	60	0	29146.919	283.8709677	8273.584649	30000	0	0	30000	40.125	2004
22.01.2020 15:46:00	1	1	1	1	73	60	0	29146.919	273.1182796	7960.481613	30000	0	0	30000	39.9375	2004
22.01.2020 15:46:01	1	1	1	1	73	59.75	0	29146.919	288.172043	8399.152013	30000	0	0	30000	40	2004
22.01.2020 15:46:02	1	1	1	1	73	60	0	29146.919	290.3225806	8322.506999	30000	0	0	30000	40.0625	2004
22.01.2020 15:46:03	1	1	1	1	73	60	0	29146.919	253.7634409	7333.460169	30000	0	0	30000	40	2004
22.01.2020 15:46:04	1	1	1	1	73	60	0	29146.919	251.6129032	7333.460169	30000	0	0	30000	40.0625	2004
22.01.2020 15:46:05	1	1	1	1	73	60	0	29146.919	247.311828	7207.892806	30000	0	0	30000	40.3125	2004
22.01.2020 15:46:06	1	1	1	1	73	60.25	0	29146.919	243.0107527	7145.109124	30000	0	0	30000	40.0625	2004
22.01.2020 15:46:07	1	1	1	1	73	60	0	29146.919	255.9139785	7333.460169	30000	0	0	30000	39.9375	2004
22.01.2020 15:46:08	1	1	1	1	73	59.75	0	29146.919	277.4193548	8085.233604	30000	0	0	30000	39.875	2004
22.01.2020 15:46:09	1	1	1	1	72.75	59.75	0	29146.919	243.0107527	6894.78977	30000	0	0	30000	40.5625	2004
22.01.2020 15:46:10	1	1	1	1	72.75	60.5	0	29146.919	240.8602151	7020.357133	30000	0	0	30000	40.0625	2004
22.01.2020 15:46:11	1	1	1	1	72.75	60	0	29146.919	251.6129032	7357.105971	30000	0	0	30000	40.3125	2004
22.01.2020 15:46:12	1	1	1	1	72.75	60.25	0	29146.919	266.6666667	7709.346887	30000	0	0	30000	40.25	2004
22.01.2020 15:46:13	1	1	1	1	72.75	60.25	0	29241.706	225.8064516	6602.886419	30000	0	0	30000	40.125	2004
22.01.2020 15:46:14	1	1	1	1	72.75	60	0	29146.919	225.8064516	6580.871361	30000	0	0	30000	39.375	2004
22.01.2020 15:46:15	1	1	1	1	72.75	59.25	0	29146.919	232.2580645	6769.222406	30000	0	0	30000	40.125	2004
22.01.2020 15:46:16	1	1	1	1	72.75	60	0	29241.706	232.2580645	6728.453782	30000	0	0	30000	40.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 15:46:17	1	1	1	1	72.75	60	0	29241.706	268.8172043	7834.91425	30000	0	0	30000	40.1875	2004
22.01.2020 15:46:18	1	1	1	1	73.25	60	0	29241.706	296.7741935	8678.009404	30000	0	0	30000	40.0625	2004
22.01.2020 15:46:19	1	1	1	1	73.25	60	0	29146.919	270.9677419	7897.697932	30000	0	0	30000	40.0625	2004
22.01.2020 15:46:20	1	1	1	1	73.25	60	0	29146.919	281.7204301	8210.800968	30000	0	0	30000	40.125	2004
22.01.2020 15:46:21	1	1	1	1	73.25	60	0	29241.706	273.1182796	8201.016498	30000	0	0	30000	40.25	2004
22.01.2020 15:46:22	1	1	1	1	73.25	60.25	0	29241.706	240.8602151	7043.187563	30000	0	0	30000	40.0625	2004
22.01.2020 15:46:23	1	1	1	1	73.25	60	0	29241.706	232.2580645	6580.871361	30000	0	0	30000	40.25	2004
22.01.2020 15:46:24	1	1	1	1	73.25	60.25	0	29241.706	225.8064516	6643.655043	30000	0	0	30000	40.1875	2004
22.01.2020 15:46:25	1	1	1	1	73.25	60	0	29146.919	230.1075269	6706.438725	30000	0	0	30000	40.3125	2004
22.01.2020 15:46:26	1	1	1	1	73.25	60.25	0	29241.706	227.9569892	6769.222406	30000	0	0	30000	40.25	2004
22.01.2020 15:46:27	1	1	1	1	73.25	60.25	0	29146.919	232.2580645	6832.006088	30000	0	0	30000	40.1875	2004
22.01.2020 15:46:28	1	1	1	1	73.25	60	0	29146.919	232.2580645	6791.237464	30000	0	0	30000	40.3125	2004
22.01.2020 15:46:29	1	1	1	1	73.25	60.25	0	29241.706	236.5591398	6894.78977	30000	0	0	30000	40.125	2004
22.01.2020 15:46:31	1	1	1	1	73.25	60	0	29241.706	236.5591398	6854.021145	30000	0	0	30000	39.75	2004
22.01.2020 15:46:32	1	1	1	1	73.25	59.75	0	29241.706	240.8602151	6979.588509	30000	0	0	30000	40.125	2004
22.01.2020 15:46:33	1	1	1	1	73.25	60	0	29146.919	232.2580645	6769.222406	30000	0	0	30000	39.75	2004
22.01.2020 15:46:34	1	1	1	1	73.25	59.75	0	29241.706	230.1075269	6706.438725	30000	0	0	30000	40.25	2004
22.01.2020 15:46:35	1	1	1	1	73.25	60.25	0	29241.706	232.2580645	6791.237464	30000	0	0	30000	40.125	2004
22.01.2020 15:46:36	1	1	1	1	73.25	60	0	29241.706	232.2580645	6854.021145	30000	0	0	30000	40.0625	2004
22.01.2020 15:46:37	1	1	1	1	73.25	60	0	29241.706	240.8602151	6832.006088	30000	0	0	30000	40.125	2004
22.01.2020 15:46:38	1	1	1	1	73.25	60	0	29241.706	236.5591398	6916.804827	30000	0	0	30000	39.9375	2004
22.01.2020 15:46:39	1	1	1	1	73.5	59.75	0	29146.919	236.5591398	6916.804827	30000	0	0	30000	40.1875	2004
22.01.2020 15:46:40	1	1	1	1	73.5	60	0	29146.919	236.5591398	7043.187563	30000	0	0	30000	39.625	2004
22.01.2020 15:46:41	1	1	1	1	73.5	59.5	0	29241.706	240.8602151	7043.187563	30000	0	0	30000	40.1875	2004
22.01.2020 15:46:42	1	1	1	1	73.5	60	0	29241.706	234.4086022	7054.602778	30000	0	0	30000	40.125	2004
22.01.2020 15:46:43	1	1	1	1	73.5	60	0	29241.706	240.8602151	7043.187563	30000	0	0	30000	40	2004
22.01.2020 15:46:44	1	1	1	1	73.5	60	0	29241.706	240.8602151	7043.187563	30000	0	0	30000	40	2004
22.01.2020 15:46:45	1	1	1	1	73.5	60	0	29146.919	234.4086022	7020.357133	30000	0	0	30000	40	2004
22.01.2020 15:46:46	1	1	1	1	73.5	60	0	29241.706	245.1612903	6957.573451	30000	0	0	30000	40	2004
22.01.2020 15:46:47	1	1	1	1	73.5	60	0	29241.706	245.1612903	7105.971245	30000	0	0	30000	40.3125	2004
22.01.2020 15:46:55	1	1	1	1	73.75	60	0	29289.1	247.311828	7231.538608	30000	0	0	30000	39.8125	2004
22.01.2020 15:46:55	1	1	1	1	73.75	60	0	29289.1	247.311828	7231.538608	30000	0	0	30000	39.8125	2004
22.01.2020 15:46:55	1	1	1	1	73.75	60	0	29289.1	247.311828	7231.538608	30000	0	0	30000	39.8125	2004
22.01.2020 15:46:55	1	1	1	1	73.75	60	0	29289.1	247.311828	7231.538608	30000	0	0	30000	39.8125	2004
22.01.2020 15:46:55	1	1	1	1	73.75	60	0	29289.1	247.311828	7231.538608	30000	0	0	30000	39.8125	2004
22.01.2020 15:46:55	1	1	1	1	73.75	60	0	29289.1	247.311828	7231.538608	30000	0	0	30000	39.8125	2004
22.01.2020 15:46:55	1	1	1	1	73.75	59.75	0	29241.706	249.4623656	7270.676487	30000	0	0	30000	40.125	2004
22.01.2020 15:46:56	1	1	1	1	73.75	60	0	29241.706	253.7634409	7419.889653	30000	0	0	30000	40.125	2004
22.01.2020 15:46:57	1	1	1	1	73.75	60	0	29241.706	253.7634409	7357.105971	30000	0	0	30000	40.125	2004
22.01.2020 15:46:58	1	1	1	1	73.5	60	0	29146.919	253.7634409	7633.517245	30000	0	0	30000	39.75	2004
22.01.2020 15:46:59	1	1	1	1	73.5	59.75	0	29241.706	253.7634409	7432.12024	30000	0	0	30000	40.1875	2004
22.01.2020 15:47:00	1	1	1	1	73.5	60	0	29289.1	253.7634409	7419.889653	30000	0	0	30000	40.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 15:47:01	1	1	1	1	73.5	60.25	0	29336.493	258.0645161	7507.134509	30000	0	0	30000	39.75	2004
22.01.2020 15:47:02	1	1	1	1	73.5	59.75	0	29241.706	253.7634409	7357.105971	30000	0	0	30000	40.1875	2004
22.01.2020 15:47:03	1	1	1	1	73.5	60	0	29241.706	251.6129032	7357.105971	30000	0	0	30000	40.125	2004
22.01.2020 15:47:04	1	1	1	1	73.5	60	0	29289.1	251.6129032	7380.751773	30000	0	0	30000	40.0625	2004
22.01.2020 15:47:05	1	1	1	1	73.5	60	0	29241.706	251.6129032	7357.105971	30000	0	0	30000	40.0625	2004
22.01.2020 15:47:06	1	1	1	1	73.5	60	0	29241.706	249.4623656	7357.105971	30000	0	0	30000	40.0625	2004
22.01.2020 15:47:07	1	1	1	1	73.5	60	0	29241.706	251.6129032	7357.105971	30000	0	0	30000	40.1875	2004
22.01.2020 15:47:08	1	1	1	1	73.5	60	0	29241.706	249.4623656	7357.105971	30000	0	0	30000	40.25	2004
22.01.2020 15:47:10	1	1	1	1	73.5	60.25	0	29289.1	251.6129032	7357.105971	30000	0	0	30000	39.9375	2004
22.01.2020 15:47:11	1	1	1	1	73.5	59.75	0	29289.1	253.7634409	7357.105971	30000	0	0	30000	40.0625	2004
22.01.2020 15:47:12	1	1	1	1	73.5	60	0	29289.1	251.6129032	7380.751773	30000	0	0	30000	40.0625	2004
22.01.2020 15:47:13	1	1	1	1	73.5	60	0	29289.1	251.6129032	7369.336559	30000	0	0	30000	40.125	2004
22.01.2020 15:47:14	1	1	1	1	73.5	60	0	29241.706	243.0107527	7231.538608	30000	0	0	30000	40.0625	2004
22.01.2020 15:47:15	1	1	1	1	73.5	60	0	29289.1	240.8602151	7054.602778	30000	0	0	30000	40.0625	2004
22.01.2020 15:47:16	1	1	1	1	73.5	60	0	29289.1	240.8602151	7054.602778	30000	0	0	30000	40.0625	2004
22.01.2020 15:47:17	1	1	1	1	73.5	60	0	29146.919	243.0107527	7117.386459	30000	0	0	30000	40.1875	2004
22.01.2020 15:47:18	1	1	1	1	73.5	60	0	29241.706	240.8602151	7054.602778	30000	0	0	30000	40.125	2004
22.01.2020 15:47:19	1	1	1	1	73.25	60	0	29241.706	232.2580645	6876.036203	30000	0	0	30000	40	2004
22.01.2020 15:47:20	1	1	1	1	73.25	60	0	29289.1	236.5591398	6865.43636	30000	0	0	30000	40.1875	2004
22.01.2020 15:47:21	1	1	1	1	73.25	60	0	29336.493	232.2580645	6791.237464	30000	0	0	30000	39.9375	2004
22.01.2020 15:47:22	1	1	1	1	73.25	59.75	0	29289.1	232.2580645	6876.036203	30000	0	0	30000	40.125	2004
22.01.2020 15:47:23	1	1	1	1	73.25	60	0	29241.706	236.5591398	6854.021145	30000	0	0	30000	40.0625	2004
22.01.2020 15:47:24	1	1	1	1	73.25	60	0	29241.706	230.1075269	6728.453782	30000	0	0	30000	39.9375	2004
22.01.2020 15:47:25	1	1	1	1	73.25	59.75	0	29336.493	230.1075269	6813.252521	30000	0	0	30000	39.75	2004
22.01.2020 15:47:26	1	1	1	1	73.25	59.75	0	29336.493	225.8064516	6624.086103	30000	0	0	30000	40.125	2004
22.01.2020 15:47:27	1	1	1	1	73.25	60	0	29336.493	221.5053763	6497.703367	30000	0	0	30000	40.125	2004
22.01.2020 15:47:28	1	1	1	1	73.5	60.75	0	29336.493	217.2043011	6434.919686	30000	0	0	30000	39.875	2004
22.01.2020 15:47:29	1	1	1	1	73.5	59.75	0	29289.1	221.5053763	6497.703367	30000	0	0	30000	40.0625	2004
22.01.2020 15:47:30	1	1	1	1	73.5	60	0	29336.493	219.3548387	6497.703367	30000	0	0	30000	40.125	2004
22.01.2020 15:47:31	1	1	1	1	73.5	60	0	29336.493	219.3548387	6434.919686	30000	0	0	30000	40.125	2004
22.01.2020 15:47:32	1	1	1	1	73.5	60	0	29336.493	215.0537634	6371.320632	30000	0	0	30000	40.0625	2004
22.01.2020 15:47:33	1	1	1	1	73.5	60	0	29336.493	217.2043011	6371.320632	30000	0	0	30000	40	2004
22.01.2020 15:47:34	1	1	1	1	73.5	60	0	29336.493	221.5053763	6497.703367	30000	0	0	30000	40.0625	2004
22.01.2020 15:47:35	1	1	1	1	73.5	60	0	29289.1	212.9032258	6497.703367	30000	0	0	30000	39.75	2004
22.01.2020 15:47:36	1	1	1	1	73.5	59.75	0	29336.493	219.3548387	6434.919686	30000	0	0	30000	40.1875	2004
22.01.2020 15:47:37	1	1	1	1	73.5	60	0	29336.493	215.0537634	6245.753268	30000	0	0	30000	40.25	2004
22.01.2020 15:47:38	1	1	1	1	73.75	60.25	0	29289.1	210.7526882	6245.753268	30000	0	0	30000	40.25	2004
22.01.2020 15:47:39	1	1	1	1	73.75	60.25	0	29336.493	212.9032258	6308.53695	30000	0	0	30000	40.1875	2004
22.01.2020 15:47:40	1	1	1	1	73.75	60	0	29336.493	212.9032258	6245.753268	30000	0	0	30000	39.6875	2004
22.01.2020 15:47:41	1	1	1	1	73.75	59.5	0	29336.493	212.9032258	6245.753268	30000	0	0	30000	40.1875	2004
22.01.2020 15:47:42	1	1	1	1	73.75	60	0	29336.493	210.7526882	6182.154214	30000	0	0	30000	40.1875	2004
22.01.2020 15:47:43	1	1	1	1	73.75	60	0	29336.493	208.6021505	6182.154214	30000	0	0	30000	39.9375	2004
22.01.2020 15:47:44	1	1	1	1	73.75	59.75	0	29336.493	210.7526882	6119.370532	30000	0	0	30000	39	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 15:47:45	1	1	1	1	73.75	59	0	29336.493	208.6021505	6109.586063	30000	0	0	30000	40.1875	2004
22.01.2020 15:47:47	1	1	1	1	73.75	60	0	29336.493	206.4516129	6056.586851	30000	0	0	30000	39.1875	2004
22.01.2020 15:47:48	1	1	1	1	73.75	59	0	29336.493	206.4516129	6056.586851	30000	0	0	30000	40.0625	2004
22.01.2020 15:47:49	1	1	1	1	74	60	0	29336.493	206.4516129	6056.586851	30000	0	0	30000	40	2004
22.01.2020 15:47:56	1	1	1	1	74	60	0	29383.886	234.4086022	6951.050472	30000	0	0	30000	39.9375	2004
22.01.2020 15:47:56	1	1	1	1	74	60	0	29383.886	234.4086022	6951.050472	30000	0	0	30000	39.9375	2004
22.01.2020 15:47:56	1	1	1	1	74	60	0	29383.886	234.4086022	6951.050472	30000	0	0	30000	39.9375	2004
22.01.2020 15:47:56	1	1	1	1	74	60	0	29383.886	234.4086022	6951.050472	30000	0	0	30000	39.9375	2004
22.01.2020 15:47:56	1	1	1	1	74	60	0	29383.886	234.4086022	6951.050472	30000	0	0	30000	39.9375	2004
22.01.2020 15:47:56	1	1	1	1	74	60	0	29383.886	234.4086022	6951.050472	30000	0	0	30000	39.9375	2004
22.01.2020 15:47:56	1	1	1	1	74	60	0	29383.886	234.4086022	6951.050472	30000	0	0	30000	39.9375	2004
22.01.2020 15:47:57	1	1	1	1	74	59.75	0	29383.886	240.8602151	7215.231158	30000	0	0	30000	39.9375	2004
22.01.2020 15:47:58	1	1	1	1	74	59.75	0	29431.28	240.8602151	7088.848422	30000	0	0	30000	40.1875	2004
22.01.2020 15:47:59	1	1	1	1	74	60	0	29336.493	243.0107527	7140.216889	30000	0	0	30000	39.875	2004
22.01.2020 15:48:00	1	1	1	1	74	59.75	0	29431.28	247.311828	7278.01484	30000	0	0	30000	40.25	2004
22.01.2020 15:48:01	1	1	1	1	74	60.25	0	29336.493	247.311828	7266.599625	30000	0	0	30000	40.25	2004
22.01.2020 15:48:02	1	1	1	1	74	60.25	0	29383.886	247.311828	7278.01484	30000	0	0	30000	40.1875	2004
22.01.2020 15:48:03	1	1	1	1	74	60	0	29383.886	251.6129032	7392.982361	30000	0	0	30000	40.5	2004
22.01.2020 15:48:04	1	1	1	1	74	60.5	0	29383.886	251.6129032	7405.212948	30000	0	0	30000	40.3125	2004
22.01.2020 15:48:05	1	1	1	1	74	60.25	0	29383.886	251.6129032	7392.982361	30000	0	0	30000	40.3125	2004
22.01.2020 15:48:06	1	1	1	1	74	60.25	0	29383.886	251.6129032	7392.982361	30000	0	0	30000	40.5625	2004
22.01.2020 15:48:07	1	1	1	1	74	60	0	29431.28	258.0645161	7519.365097	30000	0	0	30000	40.3125	2004
22.01.2020 15:48:08	1	1	1	1	74.25	60.25	0	29336.493	258.0645161	7570.733563	30000	0	0	30000	40.0625	2004
22.01.2020 15:48:09	1	1	1	1	74.25	60	0	29383.886	258.0645161	7657.97842	30000	0	0	30000	40.25	2004
22.01.2020 15:48:10	1	1	1	1	74.25	60.25	0	29383.886	262.3655914	7696.300927	30000	0	0	30000	40	2004
22.01.2020 15:48:11	1	1	1	1	74.25	60	0	29383.886	264.516129	7847.96021	30000	0	0	30000	40.1875	2004
22.01.2020 15:48:12	1	1	1	1	74.25	60	0	29383.886	266.6666667	7822.683663	30000	0	0	30000	40.125	2004
22.01.2020 15:48:13	1	1	1	1	74.25	60	0	29383.886	262.3655914	7772.130568	30000	0	0	30000	40.125	2004
22.01.2020 15:48:14	1	1	1	1	74.25	60	0	29336.493	264.516129	7759.899981	30000	0	0	30000	40.125	2004
22.01.2020 15:48:15	1	1	1	1	74.25	60	0	29431.28	260.2150538	7657.97842	30000	0	0	30000	40.0625	2004
22.01.2020 15:48:16	1	1	1	1	74.25	60	0	29431.28	262.3655914	7645.747832	30000	0	0	30000	40.1875	2004
22.01.2020 15:48:17	1	1	1	1	74.25	60	0	29431.28	258.0645161	7595.194738	30000	0	0	30000	40.1875	2004
22.01.2020 15:48:18	1	1	1	1	74.25	60	0	29431.28	251.6129032	7405.212948	30000	0	0	30000	39.5625	2004
22.01.2020 15:48:19	1	1	1	1	74.25	59.5	0	29431.28	236.5591398	7088.848422	30000	0	0	30000	40.125	2004
22.01.2020 15:48:20	1	1	1	1	74.25	60	0	29431.28	221.5053763	6518.903052	30000	0	0	30000	39.875	2004
22.01.2020 15:48:21	1	1	1	1	74.25	59.75	0	29431.28	212.9032258	6265.322208	30000	0	0	30000	39.75	2004
22.01.2020 15:48:22	1	1	1	1	74.25	59.75	0	29431.28	210.7526882	6265.322208	30000	0	0	30000	39.375	2004
22.01.2020 15:48:23	1	1	1	1	74.25	59.25	0	29431.28	212.9032258	6255.537738	30000	0	0	30000	39.8125	2004
22.01.2020 15:48:24	1	1	1	1	74.25	59.75	0	29431.28	208.6021505	6138.939472	30000	0	0	30000	40.0625	2004
22.01.2020 15:48:26	1	1	1	1	74.25	60	0	29431.28	210.7526882	6202.538526	30000	0	0	30000	40	2004
22.01.2020 15:48:27	1	1	1	1	74.25	60	0	29431.28	210.7526882	6392.520316	30000	0	0	30000	39.5625	2004
22.01.2020 15:48:28	1	1	1	1	74.25	59.5	0	29431.28	210.7526882	6265.322208	30000	0	0	30000	40.1875	2004
22.01.2020 15:48:29	1	1	1	1	74	60	0	29431.28	212.9032258	6265.322208	30000	0	0	30000	40.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 15:48:30	1	1	1	1	74	60	0	29383.886	221.5053763	6645.285788	30000	0	0	30000	40	2004
22.01.2020 15:48:31	1	1	1	1	74	60	0	29431.28	232.2580645	6835.267578	30000	0	0	30000	40.0625	2004
22.01.2020 15:48:32	1	1	1	1	74	60	0	29383.886	234.4086022	6887.451417	30000	0	0	30000	40.1875	2004
22.01.2020 15:48:33	1	1	1	1	74	60	0	29431.28	240.8602151	7088.848422	30000	0	0	30000	40.0625	2004
22.01.2020 15:48:34	1	1	1	1	74	60	0	29431.28	243.0107527	7151.632104	30000	0	0	30000	40.125	2004
22.01.2020 15:48:35	1	1	1	1	74	60	0	29383.886	264.516129	7784.361156	30000	0	0	30000	40.0625	2004
22.01.2020 15:48:36	1	1	1	1	74	60	0	29478.673	262.3655914	7657.97842	30000	0	0	30000	40.125	2004
22.01.2020 15:48:37	1	1	1	1	74	60	0	29431.28	255.9139785	7595.194738	30000	0	0	30000	40.25	2004
22.01.2020 15:48:38	1	1	1	1	74	60.25	0	29431.28	253.7634409	7531.595684	30000	0	0	30000	40.1875	2004
22.01.2020 15:48:39	1	1	1	1	74.25	60	0	29431.28	253.7634409	7467.99663	30000	0	0	30000	40.0625	2004
22.01.2020 15:48:40	1	1	1	1	74.25	60	0	29431.28	255.9139785	7380.751773	30000	0	0	30000	40.25	2004
22.01.2020 15:48:41	1	1	1	1	74.25	60.25	0	29431.28	253.7634409	7467.99663	30000	0	0	30000	39.875	2004
22.01.2020 15:48:42	1	1	1	1	74.25	59.75	0	29431.28	262.3655914	7531.595684	30000	0	0	30000	39.875	2004
22.01.2020 15:48:43	1	1	1	1	74.25	59.75	0	29526.066	260.2150538	7682.439594	30000	0	0	30000	40.5625	2004
22.01.2020 15:48:44	1	1	1	1	74.25	60.5	0	29478.673	266.6666667	7847.96021	30000	0	0	30000	40.1875	2004
22.01.2020 15:48:45	1	1	1	1	74.25	60.25	0	29431.28	266.6666667	7861.00617	30000	0	0	30000	40.125	2004
22.01.2020 15:48:46	1	1	1	1	74.25	60	0	29478.673	264.516129	7797.407115	30000	0	0	30000	40.25	2004
22.01.2020 15:48:47	1	1	1	1	74.25	60.25	0	29431.28	255.9139785	7543.826271	30000	0	0	30000	40.0625	2004
22.01.2020 15:48:48	1	1	1	1	74.5	60	0	29478.673	253.7634409	7543.826271	30000	0	0	30000	39.875	2004
22.01.2020 15:48:49	1	1	1	1	74.5	59.75	0	29431.28	253.7634409	7595.194738	30000	0	0	30000	39.6875	2004
22.01.2020 15:48:50	1	1	1	1	74.5	59.5	0	29431.28	262.3655914	7936.835811	30000	0	0	30000	39.9375	2004
22.01.2020 15:48:58	1	1	1	1	74.5	60	0	29478.673	279.5698925	8164.324736	30000	0	0	30000	40.0625	2004
22.01.2020 15:48:58	1	1	1	1	74.5	60	0	29478.673	279.5698925	8164.324736	30000	0	0	30000	40.0625	2004
22.01.2020 15:48:58	1	1	1	1	74.5	60	0	29478.673	279.5698925	8164.324736	30000	0	0	30000	40.0625	2004
22.01.2020 15:48:58	1	1	1	1	74.5	60	0	29478.673	279.5698925	8164.324736	30000	0	0	30000	40.0625	2004
22.01.2020 15:48:58	1	1	1	1	74.5	60	0	29478.673	279.5698925	8164.324736	30000	0	0	30000	40.0625	2004
22.01.2020 15:48:58	1	1	1	1	74.5	60	0	29478.673	279.5698925	8164.324736	30000	0	0	30000	40.0625	2004
22.01.2020 15:48:58	1	1	1	1	74.5	60	0	29478.673	279.5698925	8164.324736	30000	0	0	30000	40.0625	2004
22.01.2020 15:48:58	1	1	1	1	74.5	60	0	29478.673	279.5698925	8240.96975	30000	0	0	30000	40.125	2004
22.01.2020 15:48:59	1	1	1	1	74.5	60	0	29478.673	279.5698925	8164.324736	30000	0	0	30000	40.3125	2004
22.01.2020 15:49:00	1	1	1	1	74.5	60.25	0	29478.673	281.7204301	8227.92379	30000	0	0	30000	40.25	2004
22.01.2020 15:49:01	1	1	1	1	74.5	60.25	0	29478.673	281.7204301	8381.213818	30000	0	0	30000	39.75	2004
22.01.2020 15:49:02	1	1	1	1	74.5	59.75	0	29478.673	283.8709677	8354.306526	30000	0	0	30000	40.1875	2004
22.01.2020 15:49:04	1	1	1	1	74.5	60	0	29478.673	283.8709677	8368.167858	30000	0	0	30000	40.125	2004
22.01.2020 15:49:05	1	1	1	1	74.5	60	0	29431.28	277.4193548	8304.568804	30000	0	0	30000	39.625	2004
22.01.2020 15:49:06	1	1	1	1	74.5	59.5	0	29431.28	283.8709677	8430.95154	30000	0	0	30000	39.75	2004
22.01.2020 15:49:07	1	1	1	1	74.5	59.75	0	29478.673	281.7204301	8304.568804	30000	0	0	30000	40.125	2004
22.01.2020 15:49:08	1	1	1	1	74.5	60	0	29431.28	281.7204301	8430.95154	30000	0	0	30000	40.1875	2004
22.01.2020 15:49:09	1	1	1	1	74.5	60	0	29526.066	290.3225806	8572.01098	30000	0	0	30000	39.625	2004
22.01.2020 15:49:10	1	1	1	1	74.5	59.5	0	29526.066	290.3225806	8572.01098	30000	0	0	30000	40.125	2004
22.01.2020 15:49:11	1	1	1	1	74.5	60	0	29478.673	288.172043	8635.610035	30000	0	0	30000	40.0625	2004
22.01.2020 15:49:12	1	1	1	1	74.5	60	0	29526.066	290.3225806	8635.610035	30000	0	0	30000	40.25	2004
22.01.2020 15:49:13	1	1	1	1	74.5	60.25	0	29478.673	292.4731183	8572.01098	30000	0	0	30000	39.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 15:49:14	1	1	1	1	74.5	59.75	0	29526.066	290.3225806	8558.149648	30000	0	0	30000	39.9375	2004
22.01.2020 15:49:15	1	1	1	1	74.5	59.75	0	29478.673	288.172043	8572.01098	30000	0	0	30000	40.125	2004
22.01.2020 15:49:16	1	1	1	1	74.5	60	0	29526.066	286.0215054	8444.812872	30000	0	0	30000	40.125	2004
22.01.2020 15:49:17	1	1	1	1	74.5	60	0	29478.673	283.8709677	8444.812872	30000	0	0	30000	39.375	2004
22.01.2020 15:49:18	1	1	1	1	74.5	59.25	0	29526.066	281.7204301	8317.614764	30000	0	0	30000	39.6875	2004
22.01.2020 15:49:19	1	1	1	1	74.5	59.5	0	29573.46	279.5698925	8331.476096	30000	0	0	30000	39.8125	2004
22.01.2020 15:49:20	1	1	1	1	74.5	59.75	0	29526.066	277.4193548	8190.416655	30000	0	0	30000	40	2004
22.01.2020 15:49:21	1	1	1	1	74.5	60	0	29526.066	275.2688172	8127.632974	30000	0	0	30000	40.0625	2004
22.01.2020 15:49:22	1	1	1	1	74.5	60	0	29526.066	273.1182796	8127.632974	30000	0	0	30000	40.375	2004
22.01.2020 15:49:23	1	1	1	1	74.5	60.25	0	29526.066	273.1182796	8064.033919	30000	0	0	30000	40.625	2004
22.01.2020 15:49:24	1	1	1	1	74.5	60.5	0	29526.066	262.3655914	7809.637703	30000	0	0	30000	40.1875	2004
22.01.2020 15:49:25	1	1	1	1	74.5	60	0	29526.066	258.0645161	7619.655913	30000	0	0	30000	40.25	2004
22.01.2020 15:49:26	1	1	1	1	74.5	60.25	0	29526.066	258.0645161	7619.655913	30000	0	0	30000	40.125	2004
22.01.2020 15:49:27	1	1	1	1	74.5	60	0	29526.066	258.0645161	7619.655913	30000	0	0	30000	40.1875	2004
22.01.2020 15:49:28	1	1	1	1	74.5	60	0	29526.066	266.6666667	7809.637703	30000	0	0	30000	39.8125	2004
22.01.2020 15:49:29	1	1	1	1	74.5	59.75	0	29478.673	268.8172043	7923.789851	30000	0	0	30000	40.125	2004
22.01.2020 15:49:30	1	1	1	1	74.5	60	0	29526.066	268.8172043	7923.789851	30000	0	0	30000	40.25	2004
22.01.2020 15:49:31	1	1	1	1	74.5	60.25	0	29526.066	275.2688172	8064.033919	30000	0	0	30000	39.9375	2004
22.01.2020 15:49:32	1	1	1	1	74.5	59.75	0	29526.066	273.1182796	8190.416655	30000	0	0	30000	40.125	2004
22.01.2020 15:49:33	1	1	1	1	74.5	60	0	29526.066	270.9677419	7936.835811	30000	0	0	30000	40	2004
22.01.2020 15:49:34	1	1	1	1	74.5	60	0	29573.46	270.9677419	8000.434865	30000	0	0	30000	40	2004
22.01.2020 15:49:35	1	1	1	1	74.5	60	0	29573.46	277.4193548	8217.323947	30000	0	0	30000	39.875	2004
22.01.2020 15:49:36	1	1	1	1	74.5	59.75	0	29526.066	277.4193548	8204.277988	30000	0	0	30000	40.1875	2004
22.01.2020 15:49:37	1	1	1	1	74.5	60	0	29573.46	283.8709677	8204.277988	30000	0	0	30000	40	2004
22.01.2020 15:49:38	1	1	1	1	75	60	0	29526.066	277.4193548	8204.277988	30000	0	0	30000	40.1875	2004
22.01.2020 15:49:39	1	1	1	1	75	60	0	29526.066	277.4193548	8064.033919	30000	0	0	30000	40.3125	2004
22.01.2020 15:49:40	1	1	1	1	75	60.25	0	29526.066	279.5698925	8204.277988	30000	0	0	30000	40.25	2004
22.01.2020 15:49:42	1	1	1	1	75	60.25	0	29573.46	273.1182796	8000.434865	30000	0	0	30000	40.125	2004
22.01.2020 15:49:43	1	1	1	1	75	60	0	29573.46	264.516129	7898.513304	30000	0	0	30000	39.625	2004
22.01.2020 15:49:44	1	1	1	1	75	59.5	0	29526.066	264.516129	7746.038649	30000	0	0	30000	39.75	2004
22.01.2020 15:49:45	1	1	1	1	75	59.75	0	29526.066	264.516129	7822.683663	30000	0	0	30000	40.25	2004
22.01.2020 15:49:46	1	1	1	1	75	60.25	0	29573.46	262.3655914	7822.683663	30000	0	0	30000	40.3125	2004
22.01.2020 15:49:47	1	1	1	1	75	60.25	0	29573.46	266.6666667	7822.683663	30000	0	0	30000	39.9375	2004
22.01.2020 15:49:48	1	1	1	1	75	59.75	0	29526.066	260.2150538	7898.513304	30000	0	0	30000	40.1875	2004
22.01.2020 15:49:49	1	1	1	1	75	60	0	29526.066	264.516129	7822.683663	30000	0	0	30000	40.25	2004
22.01.2020 15:49:50	1	1	1	1	75	60.25	0	29573.46	266.6666667	7822.683663	30000	0	0	30000	40.125	2004
22.01.2020 15:49:51	1	1	1	1	75	60	0	29573.46	264.516129	7619.655913	30000	0	0	30000	40.1875	2004
22.01.2020 15:49:52	1	1	1	1	75	60	0	29526.066	262.3655914	7759.084608	30000	0	0	30000	40	2004
22.01.2020 15:49:59	1	1	1	1	74.75	60	0	29620.853	258.0645161	7644.117087	30000	0	0	30000	40.5	2004
22.01.2020 15:49:59	1	1	1	1	74.75	60	0	29620.853	258.0645161	7644.117087	30000	0	0	30000	40.5	2004
22.01.2020 15:49:59	1	1	1	1	74.75	60	0	29620.853	258.0645161	7644.117087	30000	0	0	30000	40.5	2004
22.01.2020 15:49:59	1	1	1	1	74.75	60	0	29620.853	258.0645161	7644.117087	30000	0	0	30000	40.5	2004
22.01.2020 15:49:59	1	1	1	1	74.75	60	0	29620.853	258.0645161	7644.117087	30000	0	0	30000	40.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 15:49:59	1	1	1	1	74.75	60	0	29620.853	258.0645161	7644.117087	30000	0	0	30000	40.5	2004
22.01.2020 15:49:59	1	1	1	1	74.75	60	0	29620.853	258.0645161	7644.117087	30000	0	0	30000	40.5	2004
22.01.2020 15:50:00	1	1	1	1	74.75	60.5	0	29620.853	264.516129	7644.117087	30000	0	0	30000	40.1875	2004
22.01.2020 15:50:01	1	1	1	1	74.75	60	0	29620.853	258.0645161	7644.117087	30000	0	0	30000	40.625	2004
22.01.2020 15:50:02	1	1	1	1	74.75	60.5	0	29620.853	262.3655914	7707.716142	30000	0	0	30000	40.0625	2004
22.01.2020 15:50:03	1	1	1	1	74.75	59.5	0	29620.853	275.2688172	8153.724893	30000	0	0	30000	39.875	2004
22.01.2020 15:50:04	1	1	1	1	74.75	59.75	0	29573.46	275.2688172	8217.323947	30000	0	0	30000	40.0625	2004
22.01.2020 15:50:05	1	1	1	1	74.75	60	0	29620.853	277.4193548	8217.323947	30000	0	0	30000	40.125	2004
22.01.2020 15:50:06	1	1	1	1	74.75	60	0	29620.853	277.4193548	8217.323947	30000	0	0	30000	40.125	2004
22.01.2020 15:50:07	1	1	1	1	74.75	60	0	29620.853	273.1182796	8089.310467	30000	0	0	30000	39.8125	2004
22.01.2020 15:50:08	1	1	1	1	74.75	59.75	0	29573.46	275.2688172	7949.881771	30000	0	0	30000	40.1875	2004
22.01.2020 15:50:09	1	1	1	1	74.75	60	0	29620.853	275.2688172	8089.310467	30000	0	0	30000	39.625	2004
22.01.2020 15:50:10	1	1	1	1	74.75	59.5	0	29620.853	275.2688172	8089.310467	30000	0	0	30000	39.8125	2004
22.01.2020 15:50:11	1	1	1	1	74.75	59.75	0	29620.853	283.8709677	8408.12111	30000	0	0	30000	40.125	2004
22.01.2020 15:50:12	1	1	1	1	74.75	60	0	29620.853	281.7204301	8344.522056	30000	0	0	30000	40.0625	2004
22.01.2020 15:50:13	1	1	1	1	74.75	60	0	29620.853	277.4193548	8217.323947	30000	0	0	30000	40.125	2004
22.01.2020 15:50:14	1	1	1	1	74.75	60	0	29573.46	268.8172043	7962.112358	30000	0	0	30000	40.0625	2004
22.01.2020 15:50:15	1	1	1	1	74.75	60	0	29620.853	266.6666667	8089.310467	30000	0	0	30000	39.75	2004
22.01.2020 15:50:16	1	1	1	1	74.75	59.75	0	29620.853	260.2150538	7707.716142	30000	0	0	30000	40.125	2004
22.01.2020 15:50:17	1	1	1	1	74.75	60	0	29668.246	255.9139785	7579.702661	30000	0	0	30000	40	2004
22.01.2020 15:50:18	1	1	1	1	74.75	60	0	29620.853	253.7634409	7516.103607	30000	0	0	30000	40.25	2004
22.01.2020 15:50:19	1	1	1	1	74.75	60.25	0	29620.853	253.7634409	7516.103607	30000	0	0	30000	40.125	2004
22.01.2020 15:50:21	1	1	1	1	74.75	60	0	29620.853	249.4623656	7325.306444	30000	0	0	30000	40.0625	2004
22.01.2020 15:50:22	1	1	1	1	74.75	60	0	29620.853	245.1612903	7134.509282	30000	0	0	30000	40.0625	2004
22.01.2020 15:50:23	1	1	1	1	74.75	60	0	29668.246	258.0645161	7579.702661	30000	0	0	30000	40	2004
22.01.2020 15:50:24	1	1	1	1	74.75	60	0	29620.853	258.0645161	7644.117087	30000	0	0	30000	40.1875	2004
22.01.2020 15:50:25	1	1	1	1	74.75	60	0	29668.246	258.0645161	7732.177316	30000	0	0	30000	40.1875	2004
22.01.2020 15:50:26	1	1	1	1	74.75	60	0	29668.246	260.2150538	7783.545783	30000	0	0	30000	40.25	2004
22.01.2020 15:50:27	1	1	1	1	74.75	60.25	0	29668.246	264.516129	7860.190797	30000	0	0	30000	40.25	2004
22.01.2020 15:50:28	1	1	1	1	74.75	60.25	0	29620.853	266.6666667	7898.513304	30000	0	0	30000	40.25	2004
22.01.2020 15:50:29	1	1	1	1	74.5	60.25	0	29620.853	281.7204301	8344.522056	30000	0	0	30000	39.8125	2004
22.01.2020 15:50:30	1	1	1	1	74.5	59.75	0	29620.853	281.7204301	8344.522056	30000	0	0	30000	40.1875	2004
22.01.2020 15:50:31	1	1	1	1	74.5	60	0	29668.246	277.4193548	8371.429348	30000	0	0	30000	39.875	2004
22.01.2020 15:50:32	1	1	1	1	74.5	59.75	0	29620.853	277.4193548	8217.323947	30000	0	0	30000	40.125	2004
22.01.2020 15:50:33	1	1	1	1	74.5	60	0	29715.64	277.4193548	8230.369907	30000	0	0	30000	39.75	2004
22.01.2020 15:50:34	1	1	1	1	74.5	59.75	0	29668.246	270.9677419	7975.158318	30000	0	0	30000	40.25	2004
22.01.2020 15:50:35	1	1	1	1	74.5	60.25	0	29620.853	266.6666667	7987.388905	30000	0	0	30000	39.5	2004
22.01.2020 15:50:36	1	1	1	1	74.5	59.5	0	29668.246	258.0645161	7719.946729	30000	0	0	30000	40.25	2004
22.01.2020 15:50:37	1	1	1	1	74.5	60.25	0	29668.246	268.8172043	7987.388905	30000	0	0	30000	40.125	2004
22.01.2020 15:50:38	1	1	1	1	74.5	60	0	29620.853	260.2150538	7860.190797	30000	0	0	30000	40	2004
22.01.2020 15:50:39	1	1	1	1	75	60	0	29620.853	258.0645161	7783.545783	30000	0	0	30000	40.1875	2004
22.01.2020 15:50:40	1	1	1	1	75	60	0	29668.246	258.0645161	7732.177316	30000	0	0	30000	40.125	2004
22.01.2020 15:50:41	1	1	1	1	75	60	0	29715.64	275.2688172	8179.816813	30000	0	0	30000	40.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 15:50:42	1	1	1	1	75	60	0	29620.853	273.1182796	8089.310467	30000	0	0	30000	40.0625	2004
22.01.2020 15:50:43	1	1	1	1	75	60	0	29620.853	275.2688172	8179.816813	30000	0	0	30000	40.125	2004
22.01.2020 15:50:44	1	1	1	1	75	60	0	29715.64	273.1182796	8115.402386	30000	0	0	30000	39.6875	2004
22.01.2020 15:50:45	1	1	1	1	75	59.5	0	29620.853	266.6666667	7898.513304	30000	0	0	30000	40	2004
22.01.2020 15:50:46	1	1	1	1	75	60	0	29668.246	262.3655914	7771.315196	30000	0	0	30000	40.0625	2004
22.01.2020 15:50:47	1	1	1	1	75	60	0	29620.853	260.2150538	7707.716142	30000	0	0	30000	40.125	2004
22.01.2020 15:50:48	1	1	1	1	75	60	0	29620.853	273.1182796	8153.724893	30000	0	0	30000	39.75	2004
22.01.2020 15:50:49	1	1	1	1	75	59.75	0	29620.853	275.2688172	8089.310467	30000	0	0	30000	40.1875	2004
22.01.2020 15:50:50	1	1	1	1	75	60	0	29668.246	273.1182796	7962.112358	30000	0	0	30000	40.0625	2004
22.01.2020 15:50:51	1	1	1	1	75	60	0	29715.64	275.2688172	8051.803332	30000	0	0	30000	40.0625	2004
22.01.2020 15:50:52	1	1	1	1	75	60	0	29715.64	273.1182796	7923.789851	30000	0	0	30000	40.1875	2004
22.01.2020 15:50:53	1	1	1	1	75	60	0	29715.64	270.9677419	8115.402386	30000	0	0	30000	40	2004
22.01.2020 15:51:01	1	1	1	1	75.25	60	0	29668.246	281.7204301	8421.982442	30000	0	0	30000	39.5625	2004
22.01.2020 15:51:01	1	1	1	1	75.25	60	0	29668.246	281.7204301	8421.982442	30000	0	0	30000	39.5625	2004
22.01.2020 15:51:01	1	1	1	1	75.25	60	0	29668.246	281.7204301	8421.982442	30000	0	0	30000	39.5625	2004
22.01.2020 15:51:01	1	1	1	1	75.25	60	0	29668.246	281.7204301	8421.982442	30000	0	0	30000	39.5625	2004
22.01.2020 15:51:01	1	1	1	1	75.25	60	0	29668.246	281.7204301	8421.982442	30000	0	0	30000	39.5625	2004
22.01.2020 15:51:01	1	1	1	1	75.25	60	0	29668.246	281.7204301	8421.982442	30000	0	0	30000	39.5625	2004
22.01.2020 15:51:01	1	1	1	1	75.25	60	0	29668.246	281.7204301	8421.982442	30000	0	0	30000	39.5625	2004
22.01.2020 15:51:01	1	1	1	1	75.25	60	0	29668.246	281.7204301	8421.982442	30000	0	0	30000	39.5625	2004
22.01.2020 15:51:02	1	1	1	1	75.25	59.5	0	29715.64	292.4731183	8626.640937	30000	0	0	30000	40.125	2004
22.01.2020 15:51:03	1	1	1	1	75.25	60	0	29715.64	292.4731183	8691.055364	30000	0	0	30000	39.9375	2004
22.01.2020 15:51:04	1	1	1	1	75.25	59.75	0	29715.64	283.8709677	8498.627456	30000	0	0	30000	40.1875	2004
22.01.2020 15:51:05	1	1	1	1	75.25	60	0	29715.64	301.0752688	8946.266953	30000	0	0	30000	39.9375	2004
22.01.2020 15:51:06	1	1	1	1	75.25	59.75	0	29715.64	290.3225806	8754.654418	30000	0	0	30000	40.125	2004
22.01.2020 15:51:07	1	1	1	1	75.25	60	0	29668.246	303.2258065	9009.866007	30000	0	0	30000	40.125	2004
22.01.2020 15:51:08	1	1	1	1	75.25	60	0	29715.64	298.9247312	8867.991194	30000	0	0	30000	39.8125	2004
22.01.2020 15:51:09	1	1	1	1	74.75	59.75	0	29715.64	305.3763441	9137.879488	30000	0	0	30000	39.75	2004
22.01.2020 15:51:10	1	1	1	1	74.75	59.75	0	29715.64	307.5268817	9137.879488	30000	0	0	30000	39.75	2004
22.01.2020 15:51:11	1	1	1	1	74.75	59.75	0	29715.64	309.6774194	9265.892969	30000	0	0	30000	39.8125	2004
22.01.2020 15:51:12	1	1	1	1	74.75	59.75	0	29715.64	311.827957	9265.892969	30000	0	0	30000	40.125	2004
22.01.2020 15:51:13	1	1	1	1	74.75	60	0	29668.246	311.827957	9265.892969	30000	0	0	30000	39.875	2004
22.01.2020 15:51:14	1	1	1	1	74.75	59.75	0	29715.64	311.827957	9187.61721	30000	0	0	30000	39.8125	2004
22.01.2020 15:51:15	1	1	1	1	74.75	59.75	0	29715.64	307.5268817	9137.879488	30000	0	0	30000	40.125	2004
22.01.2020 15:51:16	1	1	1	1	74.75	60	0	29763.033	320.4301075	9552.088713	30000	0	0	30000	40.25	2004
22.01.2020 15:51:17	1	1	1	1	74.75	60.25	0	29810.427	316.1290323	9393.90645	30000	0	0	30000	40	2004
22.01.2020 15:51:18	1	1	1	1	74.75	60	0	29810.427	322.5806452	9615.687767	30000	0	0	30000	39.5	2004
22.01.2020 15:51:19	1	1	1	1	74.75	59.5	0	29763.033	320.4301075	9585.518985	30000	0	0	30000	40.5	2004
22.01.2020 15:51:20	1	1	1	1	74.75	59.75	0	29810.427	316.1290323	9552.088713	30000	0	0	30000	40.25	2004
22.01.2020 15:51:21	1	1	1	1	74.75	60.25	0	29810.427	311.827957	9202.293915	30000	0	0	30000	40.125	2004
22.01.2020 15:51:22	1	1	1	1	74.75	60	0	29715.64	307.5268817	9231.647324	30000	0	0	30000	40.25	2004
22.01.2020 15:51:23	1	1	1	1	74.75	60.25	0	29715.64	305.3763441	9074.280434	30000	0	0	30000	40	2004
22.01.2020 15:51:24	1	1	1	1	74.75	60	0	29715.64	298.9247312	8754.654418	30000	0	0	30000	40.0625	2004
22.01.2020 15:51:25	1	1	1	1	74.75	60	0	29810.427	303.2258065	9009.866007	30000	0	0	30000	40	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 15:51:26	1	1	1	1	74.75	60	0	29810.427	303.2258065	9039.219417	30000	0	0	30000	40.0625	2004
22.01.2020 15:51:27	1	1	1	1	74.75	60	0	29763.033	305.3763441	9137.879488	30000	0	0	30000	40	2004
22.01.2020 15:51:28	1	1	1	1	74	60	0	29810.427	307.5268817	9167.232898	30000	0	0	30000	40.0625	2004
22.01.2020 15:51:29	1	1	1	1	74	60	0	29763.033	309.6774194	9359.660805	30000	0	0	30000	40.125	2004
22.01.2020 15:51:30	1	1	1	1	74	60	0	29810.427	305.3763441	9074.280434	30000	0	0	30000	39.75	2004
22.01.2020 15:51:31	1	1	1	1	74	59.75	0	29763.033	309.6774194	9137.879488	30000	0	0	30000	39.875	2004
22.01.2020 15:51:32	1	1	1	1	74	59.75	0	29715.64	305.3763441	9009.866007	30000	0	0	30000	40.25	2004
22.01.2020 15:51:33	1	1	1	1	74	60.25	0	29810.427	305.3763441	9009.866007	30000	0	0	30000	40	2004
22.01.2020 15:51:34	1	1	1	1	74	60	0	29763.033	303.2258065	9039.219417	30000	0	0	30000	40.25	2004
22.01.2020 15:51:35	1	1	1	1	74	60.25	0	29810.427	303.2258065	9039.219417	30000	0	0	30000	40.25	2004
22.01.2020 15:51:37	1	1	1	1	74	60.25	0	29715.64	301.0752688	8946.266953	30000	0	0	30000	39.8125	2004
22.01.2020 15:51:38	1	1	1	1	74	59.75	0	29810.427	298.9247312	8910.390563	30000	0	0	30000	39.9375	2004
22.01.2020 15:51:39	1	1	1	1	74	59.75	0	29715.64	294.6236559	8754.654418	30000	0	0	30000	40	2004
22.01.2020 15:51:40	1	1	1	1	74	60	0	29715.64	294.6236559	8691.055364	30000	0	0	30000	40.25	2004
22.01.2020 15:51:41	1	1	1	1	74	60.25	0	29715.64	294.6236559	8974.80499	30000	0	0	30000	40.3125	2004
22.01.2020 15:51:42	1	1	1	1	74	60.25	0	29857.82	290.3225806	8874.514174	30000	0	0	30000	39.8125	2004
22.01.2020 15:51:43	1	1	1	1	74	59.75	0	29810.427	290.3225806	8718.778028	30000	0	0	30000	40	2004
22.01.2020 15:51:44	1	1	1	1	74	60	0	29810.427	288.172043	8589.949175	30000	0	0	30000	39.625	2004
22.01.2020 15:51:45	1	1	1	1	74	59.5	0	29810.427	286.0215054	8603.810507	30000	0	0	30000	40.1875	2004
22.01.2020 15:51:46	1	1	1	1	74	60	0	29857.82	290.3225806	8654.363602	30000	0	0	30000	39.9375	2004
22.01.2020 15:51:47	1	1	1	1	74	59.75	0	29810.427	288.172043	8526.350121	30000	0	0	30000	40.0625	2004
22.01.2020 15:51:48	1	1	1	1	74	60	0	29810.427	286.0215054	8526.350121	30000	0	0	30000	39.9375	2004
22.01.2020 15:51:49	1	1	1	1	74.25	59.75	0	29810.427	290.3225806	8589.949175	30000	0	0	30000	40.1875	2004
22.01.2020 15:51:50	1	1	1	1	74.25	60	0	29763.033	288.172043	8589.949175	30000	0	0	30000	40.125	2004
22.01.2020 15:51:51	1	1	1	1	74.25	60	0	29810.427	286.0215054	8371.429348	30000	0	0	30000	40.125	2004
22.01.2020 15:51:52	1	1	1	1	74.25	60	0	29857.82	290.3225806	8526.350121	30000	0	0	30000	40.1875	2004
22.01.2020 15:51:53	1	1	1	1	74.25	60	0	29810.427	281.7204301	8461.935694	30000	0	0	30000	40.375	2004
22.01.2020 15:51:54	1	1	1	1	74.25	60.25	0	29857.82	281.7204301	8397.521268	30000	0	0	30000	40.1875	2004
22.01.2020 15:51:55	1	1	1	1	74.25	60	0	29810.427	281.7204301	8397.521268	30000	0	0	30000	40.1875	2004
22.01.2020 15:52:03	1	1	1	1	75	60	0	29857.82	273.1182796	8141.494306	30000	0	0	30000	40.25	2004
22.01.2020 15:52:03	1	1	1	1	75	60	0	29857.82	273.1182796	8141.494306	30000	0	0	30000	40.25	2004
22.01.2020 15:52:03	1	1	1	1	75	60	0	29857.82	273.1182796	8141.494306	30000	0	0	30000	40.25	2004
22.01.2020 15:52:03	1	1	1	1	75	60	0	29857.82	273.1182796	8141.494306	30000	0	0	30000	40.25	2004
22.01.2020 15:52:03	1	1	1	1	75	60	0	29857.82	273.1182796	8141.494306	30000	0	0	30000	40.25	2004
22.01.2020 15:52:03	1	1	1	1	75	60.25	0	29810.427	275.2688172	8141.494306	30000	0	0	30000	40.3125	2004
22.01.2020 15:52:04	1	1	1	1	75	60.25	0	29810.427	277.4193548	8205.908733	30000	0	0	30000	40.25	2004
22.01.2020 15:52:05	1	1	1	1	75	60.25	0	29810.427	275.2688172	8154.540266	30000	0	0	30000	40.0625	2004
22.01.2020 15:52:06	1	1	1	1	75	60	0	29715.64	268.8172043	7987.388905	30000	0	0	30000	40.125	2004
22.01.2020 15:52:07	1	1	1	1	75	60	0	29810.427	275.2688172	8205.908733	30000	0	0	30000	40	2004
22.01.2020 15:52:08	1	1	1	1	74.75	60	0	29810.427	273.1182796	8167.586226	30000	0	0	30000	40	2004
22.01.2020 15:52:09	1	1	1	1	74.75	60	0	29857.82	273.1182796	8141.494306	30000	0	0	30000	40.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 15:52:10	1	1	1	1	74.75	60.25	0	29810.427	270.9677419	8090.125839	30000	0	0	30000	40.25	2004
22.01.2020 15:52:11	1	1	1	1	74.75	60.25	0	29857.82	273.1182796	8154.540266	30000	0	0	30000	40.3125	2004
22.01.2020 15:52:12	1	1	1	1	74.75	60.25	0	29857.82	268.8172043	8025.711412	30000	0	0	30000	40.25	2004
22.01.2020 15:52:14	1	1	1	1	74.75	60.25	0	29857.82	264.516129	7897.697932	30000	0	0	30000	40.125	2004
22.01.2020 15:52:15	1	1	1	1	74.75	60	0	29905.213	264.516129	7962.112358	30000	0	0	30000	40.25	2004
22.01.2020 15:52:16	1	1	1	1	74.75	60.25	0	29857.82	268.8172043	8025.711412	30000	0	0	30000	40.25	2004
22.01.2020 15:52:17	1	1	1	1	74.75	60.25	0	29857.82	275.2688172	8295.599706	30000	0	0	30000	40.125	2004
22.01.2020 15:52:18	1	1	1	1	74.75	60	0	29905.213	305.3763441	9039.219417	30000	0	0	30000	40.125	2004
22.01.2020 15:52:19	1	1	1	1	75	60	0	29810.427	313.9784946	9359.660805	30000	0	0	30000	40	2004
22.01.2020 15:52:20	1	1	1	1	75	60	0	29857.82	326.8817204	9760.008697	30000	0	0	30000	40.25	2004
22.01.2020 15:52:21	1	1	1	1	75	60.25	0	29857.82	303.2258065	9117.495176	30000	0	0	30000	40.3125	2004
22.01.2020 15:52:22	1	1	1	1	75	60.25	0	29857.82	305.3763441	9196.586307	30000	0	0	30000	40.3125	2004
22.01.2020 15:52:23	1	1	1	1	75	60.25	0	29857.82	303.2258065	9039.219417	30000	0	0	30000	40.1875	2004
22.01.2020 15:52:24	1	1	1	1	75	60	0	29857.82	311.827957	9309.923083	30000	0	0	30000	40.1875	2004
22.01.2020 15:52:25	1	1	1	1	75	60	0	29857.82	311.827957	9295.246378	30000	0	0	30000	40.0625	2004
22.01.2020 15:52:26	1	1	1	1	75	60	0	29857.82	303.2258065	9196.586307	30000	0	0	30000	40.25	2004
22.01.2020 15:52:27	1	1	1	1	75	60.25	0	29810.427	301.0752688	8989.481695	30000	0	0	30000	40.125	2004
22.01.2020 15:52:28	1	1	1	1	75	60	0	29810.427	292.4731183	8718.778028	30000	0	0	30000	40.125	2004
22.01.2020 15:52:29	1	1	1	1	75	60	0	29857.82	283.8709677	8475.797027	30000	0	0	30000	40.125	2004
22.01.2020 15:52:30	1	1	1	1	75	60	0	29810.427	292.4731183	8718.778028	30000	0	0	30000	40	2004
22.01.2020 15:52:31	1	1	1	1	75	60	0	29905.213	294.6236559	8732.639361	30000	0	0	30000	40.1875	2004
22.01.2020 15:52:32	1	1	1	1	75	60	0	29810.427	290.3225806	8718.778028	30000	0	0	30000	39.875	2004
22.01.2020 15:52:33	1	1	1	1	75	59.75	0	29905.213	296.7741935	8874.514174	30000	0	0	30000	40.0625	2004
22.01.2020 15:52:34	1	1	1	1	75	60	0	29905.213	303.2258065	9067.757454	30000	0	0	30000	40.25	2004
22.01.2020 15:52:35	1	1	1	1	75	60.25	0	29857.82	305.3763441	9196.586307	30000	0	0	30000	40.25	2004
22.01.2020 15:52:36	1	1	1	1	75	60.25	0	29905.213	326.8817204	9566.765417	30000	0	0	30000	40.1875	2004
22.01.2020 15:52:37	1	1	1	1	75	60.5	0	29905.213	326.8817204	9775.500775	30000	0	0	30000	39.75	2004
22.01.2020 15:52:38	1	1	1	1	75.25	59.75	0	29905.213	326.8817204	9775.500775	30000	0	0	30000	40	2004
22.01.2020 15:52:39	1	1	1	1	75.25	60	0	29905.213	335.483871	9967.928682	30000	0	0	30000	39.9375	2004
22.01.2020 15:52:40	1	1	1	1	75.25	59.75	0	29905.213	335.483871	10032.34311	30000	0	0	30000	39.875	2004
22.01.2020 15:52:41	1	1	1	1	75.25	59.75	0	29905.213	329.0322581	9839.099829	30000	0	0	30000	40	2004
22.01.2020 15:52:42	1	1	1	1	75.25	60	0	29905.213	322.5806452	9711.086348	30000	0	0	30000	39.5625	2004
22.01.2020 15:52:43	1	1	1	1	75.25	59.5	0	29905.213	329.0322581	9839.099829	30000	0	0	30000	40.25	2004
22.01.2020 15:52:44	1	1	1	1	75.25	60.25	0	29905.213	326.8817204	9775.500775	30000	0	0	30000	40	2004
22.01.2020 15:52:45	1	1	1	1	75.25	60	0	29905.213	326.8817204	9775.500775	30000	0	0	30000	39.875	2004
22.01.2020 15:52:46	1	1	1	1	75.25	59.75	0	29905.213	335.483871	9967.928682	30000	0	0	30000	40.0625	2004
22.01.2020 15:52:47	1	1	1	1	75.25	60	0	29857.82	324.7311828	9487.674286	30000	0	0	30000	39.75	2004
22.01.2020 15:52:48	1	1	1	1	75.25	59.75	0	29905.213	331.1827957	9695.594271	30000	0	0	30000	40.25	2004
22.01.2020 15:52:49	1	1	1	1	75.25	60.25	0	29905.213	318.2795699	9453.428641	30000	0	0	30000	40.25	2004
22.01.2020 15:52:50	1	1	1	1	75.25	60.25	0	29905.213	309.6774194	9324.599788	30000	0	0	30000	40.3125	2004
22.01.2020 15:52:51	1	1	1	1	75.25	60.25	0	29905.213	305.3763441	9053.080749	30000	0	0	30000	40	2004
22.01.2020 15:52:53	1	1	1	1	75.25	60	0	29905.213	296.7741935	8874.514174	30000	0	0	30000	40	2004
22.01.2020 15:52:54	1	1	1	1	75.25	60	0	29857.82	294.6236559	8860.652842	30000	0	0	30000	40.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 15:52:55	1	1	1	1	75.25	60	0	29905.213	292.4731183	8682.086266	30000	0	0	30000	40.125	2004
22.01.2020 15:52:56	1	1	1	1	75.25	60	0	29905.213	290.3225806	8682.086266	30000	0	0	30000	40.375	2004
22.01.2020 15:52:57	1	1	1	1	75.25	60.25	0	29857.82	290.3225806	8682.086266	30000	0	0	30000	40.0625	2004
22.01.2020 15:53:04	1	1	1	1	74.75	60	0	29952.607	305.3763441	9146.848585	30000	0	0	30000	40.0625	2004
22.01.2020 15:53:04	1	1	1	1	74.75	60	0	29952.607	305.3763441	9146.848585	30000	0	0	30000	40.0625	2004
22.01.2020 15:53:04	1	1	1	1	74.75	60	0	29952.607	305.3763441	9146.848585	30000	0	0	30000	40.0625	2004
22.01.2020 15:53:04	1	1	1	1	74.75	60	0	29952.607	305.3763441	9146.848585	30000	0	0	30000	40.0625	2004
22.01.2020 15:53:04	1	1	1	1	74.75	60	0	29952.607	305.3763441	9146.848585	30000	0	0	30000	40.0625	2004
22.01.2020 15:53:04	1	1	1	1	74.75	60	0	29952.607	305.3763441	9146.848585	30000	0	0	30000	40.0625	2004
22.01.2020 15:53:04	1	1	1	1	74.75	60	0	29952.607	305.3763441	9146.848585	30000	0	0	30000	40.0625	2004
22.01.2020 15:53:05	1	1	1	1	74.75	60	0	29952.607	296.7741935	8824.776452	30000	0	0	30000	40	2004
22.01.2020 15:53:06	1	1	1	1	74.75	60	0	29952.607	309.6774194	9261.000734	30000	0	0	30000	40	2004
22.01.2020 15:53:07	1	1	1	1	74.75	60	0	29905.213	309.6774194	9419.182997	30000	0	0	30000	39.75	2004
22.01.2020 15:53:08	1	1	1	1	74.75	59.75	0	29905.213	313.9784946	9324.599788	30000	0	0	30000	40.125	2004
22.01.2020 15:53:09	1	1	1	1	74.75	60	0	29905.213	303.2258065	9612.426277	30000	0	0	30000	40.1875	2004
22.01.2020 15:53:10	1	1	1	1	74.75	60	0	29952.607	305.3763441	9082.434159	30000	0	0	30000	40.1875	2004
22.01.2020 15:53:11	1	1	1	1	74.75	60	0	29905.213	296.7741935	8874.514174	30000	0	0	30000	40.0625	2004
22.01.2020 15:53:12	1	1	1	1	74.75	60	0	29905.213	307.5268817	9196.586307	30000	0	0	30000	40.0625	2004
22.01.2020 15:53:13	1	1	1	1	74.75	60	0	29952.607	301.0752688	9018.019732	30000	0	0	30000	40.1875	2004
22.01.2020 15:53:14	1	1	1	1	74.75	60	0	30000	311.827957	9160.709918	30000	0	0	30000	39.75	2004
22.01.2020 15:53:15	1	1	1	1	74.75	59.75	0	29952.607	313.9784946	9340.091865	30000	0	0	30000	40.0625	2004
22.01.2020 15:53:16	1	1	1	1	74.75	60	0	29952.607	307.5268817	9261.000734	30000	0	0	30000	40.1875	2004
22.01.2020 15:53:17	1	1	1	1	74.75	60	0	29905.213	292.4731183	8695.947599	30000	0	0	30000	39.9375	2004
22.01.2020 15:53:18	1	1	1	1	74.75	59.75	0	29952.607	290.3225806	8774.223358	30000	0	0	30000	40.125	2004
22.01.2020 15:53:19	1	1	1	1	74.75	60	0	29952.607	277.4193548	8309.461039	30000	0	0	30000	40.25	2004
22.01.2020 15:53:20	1	1	1	1	74.75	60.25	0	29952.607	279.5698925	8360.014133	30000	0	0	30000	39.9375	2004
22.01.2020 15:53:21	1	1	1	1	74.75	59.75	0	29952.607	270.9677419	8103.171799	30000	0	0	30000	39.75	2004
22.01.2020 15:53:22	1	1	1	1	74.75	59.75	0	29952.607	268.8172043	8051.803332	30000	0	0	30000	40.125	2004
22.01.2020 15:53:23	1	1	1	1	74.75	60	0	30000	255.9139785	7600.902346	30000	0	0	30000	40.25	2004
22.01.2020 15:53:24	1	1	1	1	74.75	60.25	0	30000	255.9139785	7754.192374	30000	0	0	30000	40.25	2004
22.01.2020 15:53:25	1	1	1	1	74.75	60.25	0	30000	258.0645161	7806.376213	30000	0	0	30000	40.25	2004
22.01.2020 15:53:26	1	1	1	1	74.75	60.25	0	30000	262.3655914	7806.376213	30000	0	0	30000	40	2004
22.01.2020 15:53:27	1	1	1	1	74.75	60	0	29905.213	262.3655914	7935.205066	30000	0	0	30000	40.125	2004
22.01.2020 15:53:28	1	1	1	1	75.25	60	0	30000	273.1182796	8192.862773	30000	0	0	30000	40.25	2004
22.01.2020 15:53:29	1	1	1	1	75.25	60.25	0	29952.607	307.5268817	9290.354143	30000	0	0	30000	39.8125	2004
22.01.2020 15:53:31	1	1	1	1	75.25	59.75	0	30000	313.9784946	9354.76857	30000	0	0	30000	40	2004
22.01.2020 15:53:32	1	1	1	1	75.25	60	0	30000	320.4301075	9612.426277	30000	0	0	30000	40	2004
22.01.2020 15:53:33	1	1	1	1	75.25	60	0	29952.607	337.6344086	10128.55706	30000	0	0	30000	39.875	2004
22.01.2020 15:53:34	1	1	1	1	75.25	59.75	0	30000	341.9354839	10032.34311	30000	0	0	30000	40.125	2004
22.01.2020 15:53:35	1	1	1	1	75.25	60	0	30000	337.6344086	10192.97149	30000	0	0	30000	40.0625	2004
22.01.2020 15:53:36	1	1	1	1	75.25	60	0	29810.427	354.8387097	10577.8273	30000	0	0	30000	40.125	2004
22.01.2020 15:53:37	1	1	1	1	75.25	60	0	29905.213	365.5913978	10996.92876	30000	0	0	30000	39.875	2004
22.01.2020 15:53:38	1	1	1	1	75.25	59.75	0	30000	356.9892473	10515.85899	30000	0	0	30000	40	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 15:53:39	1	1	1	1	75.25	60	0	29952.607	344.0860215	10451.44457	30000	0	0	30000	40.1875	2004
22.01.2020 15:53:40	1	1	1	1	75.25	60	0	30000	359.1397849	10773.5167	30000	0	0	30000	40.0625	2004
22.01.2020 15:53:41	1	1	1	1	75.25	60	0	30000	350.5376344	10515.85899	30000	0	0	30000	40.125	2004
22.01.2020 15:53:42	1	1	1	1	75.25	60	0	29857.82	367.7419355	10915.39151	30000	0	0	30000	40.0625	2004
22.01.2020 15:53:43	1	1	1	1	75.25	60	0	29952.607	350.5376344	10515.85899	30000	0	0	30000	39.75	2004
22.01.2020 15:53:44	1	1	1	1	75.25	59.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	40.25	2004
22.01.2020 15:53:45	1	1	1	1	75.25	60.25	0	30000	359.1397849	10903.16093	30000	0	0	30000	39.875	2004
22.01.2020 15:53:46	1	1	1	1	75.25	59.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	40.1875	2004
22.01.2020 15:53:47	1	1	1	1	75.25	60	0	30000	363.4408602	10563.96597	30000	0	0	30000	40.125	2004
22.01.2020 15:53:48	1	1	1	1	75.25	60	0	30047.393	367.7419355	10773.5167	30000	0	0	30000	40.25	2004
22.01.2020 15:53:49	1	1	1	1	74.5	60.25	0	29952.607	341.9354839	10515.85899	30000	0	0	30000	40.1875	2004
22.01.2020 15:53:50	1	1	1	1	74.5	60	0	29952.607	365.5913978	11031.98978	30000	0	0	30000	40.125	2004
22.01.2020 15:53:51	1	1	1	1	74.5	60	0	30000	352.688172	10515.85899	30000	0	0	30000	40.625	2004
22.01.2020 15:53:52	1	1	1	1	74.5	60.5	0	30000	352.688172	10515.85899	30000	0	0	30000	40.1875	2004
22.01.2020 15:53:53	1	1	1	1	74.5	60	0	30047.393	348.3870968	10451.44457	30000	0	0	30000	40.375	2004
22.01.2020 15:53:54	1	1	1	1	74.5	60.25	0	30000	326.8817204	9790.992852	30000	0	0	30000	40.125	2004
22.01.2020 15:53:55	1	1	1	1	74.5	60	0	30000	326.8817204	9741.25513	30000	0	0	30000	39.875	2004
22.01.2020 15:53:56	1	1	1	1	74.5	59.75	0	30000	320.4301075	9612.426277	30000	0	0	30000	40	2004
22.01.2020 15:53:57	1	1	1	1	74.5	60	0	30000	309.6774194	9419.182997	30000	0	0	30000	39.875	2004
22.01.2020 15:53:58	1	1	1	1	74.25	59.75	0	30000	313.9784946	9354.76857	30000	0	0	30000	40.0625	2004
22.01.2020 15:54:06	1	1	1	1	74.25	60	0	30000	301.0752688	8967.466638	30000	0	0	30000	40.125	2004
22.01.2020 15:54:06	1	1	1	1	74.25	60	0	30000	301.0752688	8967.466638	30000	0	0	30000	40.125	2004
22.01.2020 15:54:06	1	1	1	1	74.25	60	0	30000	301.0752688	8967.466638	30000	0	0	30000	40.125	2004
22.01.2020 15:54:06	1	1	1	1	74.25	60	0	30000	301.0752688	8967.466638	30000	0	0	30000	40.125	2004
22.01.2020 15:54:06	1	1	1	1	74.25	60	0	30000	301.0752688	8967.466638	30000	0	0	30000	40.125	2004
22.01.2020 15:54:06	1	1	1	1	74.25	60	0	30000	301.0752688	8967.466638	30000	0	0	30000	40.125	2004
22.01.2020 15:54:06	1	1	1	1	74.25	60	0	30000	301.0752688	8967.466638	30000	0	0	30000	40.125	2004
22.01.2020 15:54:06	1	1	1	1	74.25	60	0	30000	301.0752688	8967.466638	30000	0	0	30000	40.125	2004
22.01.2020 15:54:06	1	1	1	1	74.25	60	0	30000	294.6236559	8838.637784	30000	0	0	30000	40.1875	2004
22.01.2020 15:54:07	1	1	1	1	74.25	60	0	30000	290.3225806	8708.993559	30000	0	0	30000	40.0625	2004
22.01.2020 15:54:08	1	1	1	1	74.5	60	0	30000	286.0215054	8580.164705	30000	0	0	30000	40.3125	2004
22.01.2020 15:54:09	1	1	1	1	74.5	60.25	0	30000	279.5698925	8451.335852	30000	0	0	30000	39.9375	2004
22.01.2020 15:54:10	1	1	1	1	74.5	59.75	0	30000	277.4193548	8451.335852	30000	0	0	30000	39.8125	2004
22.01.2020 15:54:12	1	1	1	1	74.5	59.75	0	30000	270.9677419	8128.448346	30000	0	0	30000	40.125	2004
22.01.2020 15:54:13	1	1	1	1	74.5	60	0	30047.393	290.3225806	8580.164705	30000	0	0	30000	39.8125	2004
22.01.2020 15:54:14	1	1	1	1	74.5	59.75	0	30000	279.5698925	8322.506999	30000	0	0	30000	40.125	2004
22.01.2020 15:54:15	1	1	1	1	74.5	60	0	30000	270.9677419	8192.862773	30000	0	0	30000	39.8125	2004
22.01.2020 15:54:16	1	1	1	1	74.5	59.75	0	30000	270.9677419	8064.033919	30000	0	0	30000	40.125	2004
22.01.2020 15:54:17	1	1	1	1	74.5	60	0	29952.607	260.2150538	7870.79064	30000	0	0	30000	40.125	2004
22.01.2020 15:54:18	1	1	1	1	74.5	60	0	30000	260.2150538	7806.376213	30000	0	0	30000	40.125	2004
22.01.2020 15:54:19	1	1	1	1	74.5	60	0	30000	266.6666667	7999.619493	30000	0	0	30000	40.1875	2004
22.01.2020 15:54:20	1	1	1	1	74.5	60	0	30000	268.8172043	8064.033919	30000	0	0	30000	39.875	2004
22.01.2020 15:54:21	1	1	1	1	74.5	59.75	0	30047.393	268.8172043	8064.033919	30000	0	0	30000	40.125	2004
22.01.2020 15:54:22	1	1	1	1	74.5	60	0	30000	262.3655914	7870.79064	30000	0	0	30000	40.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 15:54:23	1	1	1	1	74.5	60	0	30000	255.9139785	7741.961786	30000	0	0	30000	40.25	2004
22.01.2020 15:54:24	1	1	1	1	74.5	60.25	0	30000	247.311828	7419.07428	30000	0	0	30000	40.125	2004
22.01.2020 15:54:25	1	1	1	1	74.5	60	0	30000	240.8602151	7225.831	30000	0	0	30000	39.5625	2004
22.01.2020 15:54:26	1	1	1	1	74.5	59.5	0	30000	247.311828	7419.07428	30000	0	0	30000	40	2004
22.01.2020 15:54:27	1	1	1	1	74.5	60	0	30000	240.8602151	7225.831	30000	0	0	30000	39.75	2004
22.01.2020 15:54:28	1	1	1	1	74.5	59.75	0	30000	240.8602151	7225.831	30000	0	0	30000	39.875	2004
22.01.2020 15:54:29	1	1	1	1	74.75	59.75	0	30000	240.8602151	7225.831	30000	0	0	30000	40.0625	2004
22.01.2020 15:54:30	1	1	1	1	74.75	60	0	30000	240.8602151	7225.831	30000	0	0	30000	40.0625	2004
22.01.2020 15:54:31	1	1	1	1	74.75	60	0	30000	240.8602151	7225.831	30000	0	0	30000	40.1875	2004
22.01.2020 15:54:32	1	1	1	1	74.75	60	0	30000	243.0107527	7290.245427	30000	0	0	30000	40.625	2004
22.01.2020 15:54:33	1	1	1	1	74.75	60.5	0	30000	247.311828	7419.07428	30000	0	0	30000	40.125	2004
22.01.2020 15:54:34	1	1	1	1	74.75	60	0	29952.607	247.311828	7419.07428	30000	0	0	30000	40.3125	2004
22.01.2020 15:54:35	1	1	1	1	74.75	60.25	0	30000	251.6129032	7676.731987	30000	0	0	30000	40.375	2004
22.01.2020 15:54:36	1	1	1	1	74.75	59.5	0	30000	251.6129032	7547.903134	30000	0	0	30000	40.375	2004
22.01.2020 15:54:37	1	1	1	1	74.75	60.25	0	30000	253.7634409	7612.31756	30000	0	0	30000	40.3125	2004
22.01.2020 15:54:38	1	1	1	1	75	60.25	0	30000	251.6129032	7547.903134	30000	0	0	30000	40	2004
22.01.2020 15:54:39	1	1	1	1	75	60	0	30000	253.7634409	7547.903134	30000	0	0	30000	39.9375	2004
22.01.2020 15:54:40	1	1	1	1	75	59.75	0	30000	266.6666667	8064.033919	30000	0	0	30000	39.75	2004
22.01.2020 15:54:41	1	1	1	1	75	59.75	0	30000	268.8172043	8064.033919	30000	0	0	30000	40.1875	2004
22.01.2020 15:54:42	1	1	1	1	75	60	0	30000	266.6666667	7999.619493	30000	0	0	30000	40.3125	2004
22.01.2020 15:54:43	1	1	1	1	75	60.25	0	29952.607	260.2150538	8064.033919	30000	0	0	30000	40.125	2004
22.01.2020 15:54:44	1	1	1	1	75	60	0	30000	262.3655914	7870.79064	30000	0	0	30000	40.1875	2004
22.01.2020 15:54:45	1	1	1	1	75	60	0	29952.607	260.2150538	7806.376213	30000	0	0	30000	40.1875	2004
22.01.2020 15:54:46	1	1	1	1	75	60	0	30047.393	260.2150538	7741.961786	30000	0	0	30000	40.25	2004
22.01.2020 15:54:47	1	1	1	1	75	60.25	0	30000	258.0645161	7806.376213	30000	0	0	30000	40.25	2004
22.01.2020 15:54:48	1	1	1	1	74.5	60.25	0	30000	262.3655914	7806.376213	30000	0	0	30000	40.0625	2004
22.01.2020 15:54:49	1	1	1	1	74.5	60	0	30000	264.516129	7870.79064	30000	0	0	30000	39.75	2004
22.01.2020 15:54:51	1	1	1	1	74.5	59.75	0	30000	264.516129	7935.205066	30000	0	0	30000	40.3125	2004
22.01.2020 15:54:52	1	1	1	1	74.5	60.25	0	30000	270.9677419	8064.033919	30000	0	0	30000	40.0625	2004
22.01.2020 15:54:53	1	1	1	1	74.5	60	0	30000	273.1182796	8192.862773	30000	0	0	30000	40.0625	2004
22.01.2020 15:54:54	1	1	1	1	74.5	60	0	30000	275.2688172	8322.506999	30000	0	0	30000	40.125	2004
22.01.2020 15:54:55	1	1	1	1	74.5	60	0	30000	279.5698925	8322.506999	30000	0	0	30000	40.25	2004
22.01.2020 15:54:56	1	1	1	1	74.5	60.25	0	30000	294.6236559	8838.637784	30000	0	0	30000	40.0625	2004
22.01.2020 15:54:57	1	1	1	1	74.5	60	0	30000	305.3763441	9018.019732	30000	0	0	30000	39.9375	2004
22.01.2020 15:54:58	1	1	1	1	74.5	59.75	0	30000	290.3225806	8852.499117	30000	0	0	30000	40	2004
22.01.2020 15:54:59	1	1	1	1	74.5	60	0	30000	290.3225806	8708.993559	30000	0	0	30000	40.3125	2004
22.01.2020 15:55:00	1	1	1	1	74.5	60.25	0	30000	288.172043	8644.579132	30000	0	0	30000	40.0625	2004
22.01.2020 15:55:07	1	1	1	1	74.5	60	0	30000	296.7741935	8903.052211	30000	0	0	30000	39.8125	2004
22.01.2020 15:55:07	1	1	1	1	74.5	60	0	30000	296.7741935	8903.052211	30000	0	0	30000	39.8125	2004
22.01.2020 15:55:07	1	1	1	1	74.5	60	0	30000	296.7741935	8903.052211	30000	0	0	30000	39.8125	2004
22.01.2020 15:55:07	1	1	1	1	74.5	60	0	30000	296.7741935	8903.052211	30000	0	0	30000	39.8125	2004
22.01.2020 15:55:07	1	1	1	1	74.5	60	0	30000	296.7741935	8903.052211	30000	0	0	30000	39.8125	2004
22.01.2020 15:55:07	1	1	1	1	74.5	60	0	30000	296.7741935	8903.052211	30000	0	0	30000	39.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 15:55:07	1	1	1	1	74.5	60	0	30000	296.7741935	8903.052211	30000	0	0	30000	39.8125	2004
22.01.2020 15:55:08	1	1	1	1	74.5	59.75	0	30000	303.2258065	9096.295491	30000	0	0	30000	39.875	2004
22.01.2020 15:55:09	1	1	1	1	73.75	59.75	0	30000	301.0752688	9018.019732	30000	0	0	30000	40.25	2004
22.01.2020 15:55:10	1	1	1	1	73.75	60.25	0	30000	298.9247312	8967.466638	30000	0	0	30000	40.1875	2004
22.01.2020 15:55:11	1	1	1	1	73.75	60	0	30000	320.4301075	9612.426277	30000	0	0	30000	40.25	2004
22.01.2020 15:55:12	1	1	1	1	73.75	60.25	0	30000	311.827957	9225.124344	30000	0	0	30000	40.4375	2004
22.01.2020 15:55:13	1	1	1	1	73.75	60.25	0	30000	288.172043	8644.579132	30000	0	0	30000	40.25	2004
22.01.2020 15:55:14	1	1	1	1	73.75	60	0	30000	294.6236559	8903.052211	30000	0	0	30000	40.0625	2004
22.01.2020 15:55:15	1	1	1	1	73.75	60	0	30000	286.0215054	8580.164705	30000	0	0	30000	40.1875	2004
22.01.2020 15:55:16	1	1	1	1	73.75	60	0	30000	277.4193548	8322.506999	30000	0	0	30000	40.1875	2004
22.01.2020 15:55:17	1	1	1	1	73.75	60	0	30000	266.6666667	7999.619493	30000	0	0	30000	40.1875	2004
22.01.2020 15:55:18	1	1	1	1	73.25	60	0	30000	273.1182796	8192.862773	30000	0	0	30000	40.1875	2004
22.01.2020 15:55:19	1	1	1	1	73.25	60	0	30000	273.1182796	8192.862773	30000	0	0	30000	39.75	2004
22.01.2020 15:55:20	1	1	1	1	73.25	59.75	0	30000	266.6666667	8064.033919	30000	0	0	30000	39.75	2004
22.01.2020 15:55:21	1	1	1	1	73.25	59.75	0	30000	264.516129	7935.205066	30000	0	0	30000	40	2004
22.01.2020 15:55:22	1	1	1	1	73.25	60	0	30000	279.5698925	8386.921425	30000	0	0	30000	40.1875	2004
22.01.2020 15:55:23	1	1	1	1	73.25	60	0	29905.213	275.2688172	8451.335852	30000	0	0	30000	40.125	2004
22.01.2020 15:55:24	1	1	1	1	73.25	60	0	30000	281.7204301	8515.750279	30000	0	0	30000	40.1875	2004
22.01.2020 15:55:25	1	1	1	1	73.25	60	0	30000	286.0215054	8451.335852	30000	0	0	30000	40.3125	2004
22.01.2020 15:55:26	1	1	1	1	73.25	60.25	0	30000	288.172043	8644.579132	30000	0	0	30000	40.375	2004
22.01.2020 15:55:27	1	1	1	1	73.25	60.25	0	30000	329.0322581	9741.25513	30000	0	0	30000	39.9375	2004
22.01.2020 15:55:29	1	1	1	1	73.75	59.75	0	30000	322.5806452	9741.25513	30000	0	0	30000	39.8125	2004
22.01.2020 15:55:30	1	1	1	1	73.75	59.75	0	30000	309.6774194	9290.354143	30000	0	0	30000	40.125	2004
22.01.2020 15:55:31	1	1	1	1	73.75	60	0	30000	294.6236559	8838.637784	30000	0	0	30000	39.5	2004
22.01.2020 15:55:32	1	1	1	1	73.75	59.5	0	30000	305.3763441	9160.709918	30000	0	0	30000	39.75	2004
22.01.2020 15:55:33	1	1	1	1	73.75	59.75	0	29905.213	288.172043	8838.637784	30000	0	0	30000	40.125	2004
22.01.2020 15:55:34	1	1	1	1	73.75	60	0	30000	290.3225806	8708.993559	30000	0	0	30000	39.875	2004
22.01.2020 15:55:35	1	1	1	1	73.75	59.75	0	30000	296.7741935	8903.052211	30000	0	0	30000	40.25	2004
22.01.2020 15:55:36	1	1	1	1	73.75	60.25	0	30000	292.4731183	8708.993559	30000	0	0	30000	40.3125	2004
22.01.2020 15:55:37	1	1	1	1	73.75	60.25	0	30000	286.0215054	8580.164705	30000	0	0	30000	40.25	2004
22.01.2020 15:55:38	1	1	1	1	73.75	60.25	0	29952.607	294.6236559	8903.052211	30000	0	0	30000	40.3125	2004
22.01.2020 15:55:39	1	1	1	1	74	60.25	0	30000	283.8709677	8580.164705	30000	0	0	30000	39.4375	2004
22.01.2020 15:55:40	1	1	1	1	74	59.25	0	30000	301.0752688	8903.052211	30000	0	0	30000	40.1875	2004
22.01.2020 15:55:41	1	1	1	1	74	60	0	30000	296.7741935	8838.637784	30000	0	0	30000	40.375	2004
22.01.2020 15:55:42	1	1	1	1	74	60.25	0	30000	290.3225806	8708.993559	30000	0	0	30000	40	2004
22.01.2020 15:55:43	1	1	1	1	74	60	0	30000	281.7204301	8580.164705	30000	0	0	30000	40.1875	2004
22.01.2020 15:55:44	1	1	1	1	74	60	0	30000	294.6236559	8838.637784	30000	0	0	30000	40.1875	2004
22.01.2020 15:55:45	1	1	1	1	74	60	0	30000	294.6236559	8838.637784	30000	0	0	30000	40.375	2004
22.01.2020 15:55:46	1	1	1	1	74	60.25	0	30047.393	296.7741935	8967.466638	30000	0	0	30000	40.375	2004
22.01.2020 15:55:47	1	1	1	1	74	60.25	0	30000	301.0752688	9225.124344	30000	0	0	30000	40.125	2004
22.01.2020 15:55:48	1	1	1	1	74	60	0	30000	326.8817204	9646.671921	30000	0	0	30000	40.25	2004
22.01.2020 15:55:49	1	1	1	1	74.25	60.25	0	30000	326.8817204	9806.484929	30000	0	0	30000	40.5	2004
22.01.2020 15:55:50	1	1	1	1	74.25	60.5	0	30000	341.9354839	10257.38592	30000	0	0	30000	40.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 15:55:51	1	1	1	1	74.25	60.25	0	30000	329.0322581	9870.899356	30000	0	0	30000	40.5	2004
22.01.2020 15:55:52	1	1	1	1	74.25	60.75	0	30000	316.1290323	9483.597423	30000	0	0	30000	39.875	2004
22.01.2020 15:55:53	1	1	1	1	74.25	59.75	0	30000	356.9892473	10773.5167	30000	0	0	30000	40.375	2004
22.01.2020 15:55:54	1	1	1	1	74.25	60.25	0	30000	318.2795699	9354.76857	30000	0	0	30000	40.375	2004
22.01.2020 15:55:55	1	1	1	1	74.25	60.25	0	29952.607	337.6344086	10128.55706	30000	0	0	30000	40.0625	2004
22.01.2020 15:55:56	1	1	1	1	74.25	60	0	30000	346.2365591	10451.44457	30000	0	0	30000	40.4375	2004
22.01.2020 15:55:57	1	1	1	1	74.25	60.25	0	30000	354.8387097	10644.68785	30000	0	0	30000	39.9375	2004
22.01.2020 15:55:58	1	1	1	1	74.5	59.75	0	30000	369.8924731	11160.81863	30000	0	0	30000	40.125	2004
22.01.2020 15:55:59	1	1	1	1	74.5	60	0	30000	378.4946237	11225.23306	30000	0	0	30000	40.3125	2004
22.01.2020 15:56:00	1	1	1	1	74.5	60.25	0	30000	380.6451613	11419.29171	30000	0	0	30000	40.25	2004
22.01.2020 15:56:01	1	1	1	1	74.5	60.25	0	0	0	0	30000	0	8	30000	37.875	2004
22.01.2020 15:56:09	1	1	1	1	75	60	0	14691.943	8.602150538	158.1822629	30000	0	0	30000	40.375	2004
22.01.2020 15:56:09	1	1	1	1	75	60	0	14691.943	8.602150538	158.1822629	30000	0	0	30000	40.375	2004
22.01.2020 15:56:09	1	1	1	1	75	60	0	14691.943	8.602150538	158.1822629	30000	0	0	30000	40.375	2004
22.01.2020 15:56:09	1	1	1	1	75	60	0	14691.943	8.602150538	158.1822629	30000	0	0	30000	40.375	2004
22.01.2020 15:56:09	1	1	1	1	75	60	0	14691.943	8.602150538	158.1822629	30000	0	0	30000	40.375	2004
22.01.2020 15:56:09	1	1	1	1	75	60	0	14691.943	8.602150538	158.1822629	30000	0	0	30000	40.375	2004
22.01.2020 15:56:09	1	1	1	1	75	60	0	14691.943	8.602150538	158.1822629	30000	0	0	30000	40.375	2004
22.01.2020 15:56:10	1	1	1	1	75	60.25	0	15450.237	15.05376344	165.5206153	30000	0	0	30000	40.5625	2004
22.01.2020 15:56:11	1	1	1	1	75	60.5	0	16208.531	19.35483871	278.8573914	30000	0	0	30000	40.5	2004
22.01.2020 15:56:12	1	1	1	1	75	60.5	0	17014.218	21.50537634	401.9786372	30000	0	0	30000	40.375	2004
22.01.2020 15:56:13	1	1	1	1	75	60.25	0	17772.512	27.95698925	496.561846	30000	0	0	30000	40.375	2004
22.01.2020 15:56:14	1	1	1	1	75	60.25	0	18530.806	34.40860215	637.6212867	30000	0	0	30000	40.25	2004
22.01.2020 15:56:15	1	1	1	1	75	60.25	0	19289.1	38.70967742	746.0658277	30000	0	0	30000	39.25	2004
22.01.2020 15:56:16	1	1	1	1	75	59.25	0	20047.393	51.61290323	1034.707689	30000	0	0	30000	40.25	2004
22.01.2020 15:56:17	1	1	1	1	75	60.25	0	20853.081	60.21505376	1255.673634	30000	0	0	30000	40.3125	2004
22.01.2020 15:56:18	1	1	1	1	75	60.25	0	21563.981	64.51612903	1437.501699	30000	0	0	30000	40.5	2004
22.01.2020 15:56:19	1	1	1	1	74.75	60.5	0	22369.668	70.96774194	1587.530237	30000	0	0	30000	40.1875	2004
22.01.2020 15:56:20	1	1	1	1	74.75	60	0	23080.569	73.11827957	1744.081755	30000	0	0	30000	40.3125	2004
22.01.2020 15:56:23	1	1	1	1	74.75	60	0	24691.943	94.62365591	2336.042182	30000	0	0	30000	40.5	2004
22.01.2020 15:56:23	1	1	1	1	74.75	60	0	24691.943	94.62365591	2336.042182	30000	0	0	30000	40.5	2004
22.01.2020 15:56:23	1	1	1	1	74.75	60.5	0	24976.303	107.5268817	2680.129372	30000	0	0	30000	39.75	2004
22.01.2020 15:56:24	1	1	1	1	74.75	59.75	0	24976.303	107.5268817	2738.836192	30000	0	0	30000	40.3125	2004
22.01.2020 15:56:25	1	1	1	1	74.75	60.25	0	24976.303	109.6774194	2738.836192	30000	0	0	30000	40.1875	2004
22.01.2020 15:56:26	1	1	1	1	74.75	60	0	25071.09	116.1290323	2910.879787	30000	0	0	30000	40.3125	2004
22.01.2020 15:56:27	1	1	1	1	74.75	60.25	0	24976.303	120.4301075	3019.324328	30000	0	0	30000	40.8125	2004
22.01.2020 15:56:28	1	1	1	1	74.75	60.75	0	24976.303	120.4301075	3019.324328	30000	0	0	30000	40.625	2004
22.01.2020 15:56:29	1	1	1	1	74.5	60.5	0	24976.303	122.5806452	3060.908325	30000	0	0	30000	40.125	2004
22.01.2020 15:56:30	1	1	1	1	74.5	60	0	24976.303	120.4301075	3007.909113	30000	0	0	30000	40.6875	2004
22.01.2020 15:56:31	1	1	1	1	74.5	60.25	0	25071.09	126.8817204	3180.768081	30000	0	0	30000	40.1875	2004
22.01.2020 15:56:32	1	1	1	1	74.5	60	0	24976.303	129.0322581	3437.610415	30000	0	0	30000	40.1875	2004
22.01.2020 15:56:33	1	1	1	1	74.5	60	0	24976.303	137.6344086	3450.656375	30000	0	0	30000	40.5	2004
22.01.2020 15:56:34	1	1	1	1	74.5	60.5	0	24976.303	137.6344086	3450.656375	30000	0	0	30000	40.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 15:56:35	1	1	1	1	74.5	60.25	0	24976.303	137.6344086	3437.610415	30000	0	0	30000	40.25	2004
22.01.2020 15:56:36	1	1	1	1	74.5	60.25	0	24976.303	137.6344086	3450.656375	30000	0	0	30000	40.375	2004
22.01.2020 15:56:37	1	1	1	1	74.5	60.25	0	24976.303	139.7849462	3504.470959	30000	0	0	30000	40.3125	2004
22.01.2020 15:56:38	1	1	1	1	74.5	60.25	0	24976.303	139.7849462	3490.609627	30000	0	0	30000	40.4375	2004
22.01.2020 15:56:39	1	1	1	1	74.5	60.25	0	24976.303	141.9354839	3612.100128	30000	0	0	30000	40.375	2004
22.01.2020 15:56:40	1	1	1	1	74.5	60.25	0	24976.303	144.0860215	3612.100128	30000	0	0	30000	40.4375	2004
22.01.2020 15:56:41	1	1	1	1	74.5	60.25	0	24976.303	144.0860215	3598.238795	30000	0	0	30000	39.9375	2004
22.01.2020 15:56:42	1	1	1	1	74.5	59.75	0	25071.09	144.0860215	3727.067649	30000	0	0	30000	40.375	2004
22.01.2020 15:56:43	1	1	1	1	74.5	60.25	0	25924.171	169.8924731	4403.826815	30000	0	0	30000	40.375	2004
22.01.2020 15:56:45	1	1	1	1	74.5	60.25	0	26682.464	184.9462366	4868.589134	30000	0	0	30000	40.3125	2004
22.01.2020 15:56:46	1	1	1	1	74.5	60.25	0	27298.578	206.4516129	5635.854646	30000	0	0	30000	40.375	2004
22.01.2020 15:56:47	1	1	1	1	74.5	60.25	0	27962.085	212.9032258	5953.034545	30000	0	0	30000	40.4375	2004
22.01.2020 15:56:48	1	1	1	1	74.5	60.25	0	27962.085	234.4086022	6553.964069	30000	0	0	30000	40.4375	2004
22.01.2020 15:56:49	1	1	1	1	74.5	60.25	0	28436.019	247.311828	7044.002935	30000	0	0	30000	40.5625	2004
22.01.2020 15:56:50	1	1	1	1	74.5	60.5	0	28625.592	249.4623656	7079.063952	30000	0	0	30000	40.375	2004
22.01.2020 15:56:51	1	1	1	1	74.5	60.25	0	28815.166	253.7634409	7374.228794	30000	0	0	30000	40.375	2004
22.01.2020 15:56:52	1	1	1	1	74.5	60.25	0	28909.953	279.5698925	8081.972114	30000	0	0	30000	40.375	2004
22.01.2020 15:56:53	1	1	1	1	74.5	60.25	0	28957.346	286.0215054	8281.738374	30000	0	0	30000	40.125	2004
22.01.2020 15:56:54	1	1	1	1	74.5	60	0	29052.133	286.0215054	8309.461039	30000	0	0	30000	40.25	2004
22.01.2020 15:56:55	1	1	1	1	74.5	60.25	0	29004.739	281.7204301	8157.801756	30000	0	0	30000	40.3125	2004
22.01.2020 15:56:56	1	1	1	1	74.5	60.25	0	29004.739	277.4193548	8033.049765	30000	0	0	30000	40.375	2004
22.01.2020 15:56:57	1	1	1	1	74.5	60.25	0	29052.133	275.2688172	7971.081456	30000	0	0	30000	40.3125	2004
22.01.2020 15:56:58	1	1	1	1	74.5	60.25	0	28957.346	288.172043	8406.490365	30000	0	0	30000	40.375	2004
22.01.2020 15:56:59	1	1	1	1	74.5	60.25	0	28957.346	288.172043	8344.522056	30000	0	0	30000	40.1875	2004
22.01.2020 15:57:00	1	1	1	1	74.5	60	0	29052.133	283.8709677	8219.770065	30000	0	0	30000	40.3125	2004
22.01.2020 15:57:01	1	1	1	1	74.5	60.25	0	28957.346	279.5698925	8434.21303	30000	0	0	30000	40.125	2004
22.01.2020 15:57:02	1	1	1	1	74.5	60	0	29052.133	281.7204301	8157.801756	30000	0	0	30000	40.125	2004
22.01.2020 15:57:03	1	1	1	1	74.5	60	0	29052.133	296.7741935	8558.965021	30000	0	0	30000	40.375	2004
22.01.2020 15:57:11	1	1	1	1	74.5	60.25	0	29052.133	288.172043	8344.522056	30000	0	0	30000	40.375	2004
22.01.2020 15:57:11	1	1	1	1	74.5	60.25	0	29052.133	288.172043	8344.522056	30000	0	0	30000	40.375	2004
22.01.2020 15:57:11	1	1	1	1	74.5	60.25	0	29052.133	288.172043	8344.522056	30000	0	0	30000	40.375	2004
22.01.2020 15:57:11	1	1	1	1	74.5	60.25	0	29052.133	288.172043	8344.522056	30000	0	0	30000	40.375	2004
22.01.2020 15:57:11	1	1	1	1	74.5	60.25	0	29052.133	288.172043	8344.522056	30000	0	0	30000	40.375	2004
22.01.2020 15:57:11	1	1	1	1	74.5	60.25	0	29052.133	288.172043	8344.522056	30000	0	0	30000	40.375	2004
22.01.2020 15:57:11	1	1	1	1	74.5	60.25	0	28957.346	275.2688172	8059.141685	30000	0	0	30000	40.125	2004
22.01.2020 15:57:12	1	1	1	1	74.5	60	0	28957.346	270.9677419	7846.329465	30000	0	0	30000	40.5	2004
22.01.2020 15:57:13	1	1	1	1	74.5	60.5	0	29052.133	283.8709677	8309.461039	30000	0	0	30000	40.3125	2004
22.01.2020 15:57:14	1	1	1	1	74.5	60.25	0	29052.133	266.6666667	7746.854021	30000	0	0	30000	40.4375	2004
22.01.2020 15:57:15	1	1	1	1	74.5	60.25	0	29099.526	258.0645161	7497.350039	30000	0	0	30000	40.0625	2004
22.01.2020 15:57:16	1	1	1	1	74.5	60	0	29052.133	262.3655914	7622.10203	30000	0	0	30000	40.25	2004
22.01.2020 15:57:17	1	1	1	1	74.5	60.25	0	29052.133	243.0107527	7270.676487	30000	0	0	30000	40.375	2004
22.01.2020 15:57:18	1	1	1	1	74.5	60.25	0	29052.133	247.311828	7122.278694	30000	0	0	30000	40.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 15:57:19	1	1	1	1	74.5	60.25	0	29052.133	230.1075269	6684.423668	30000	0	0	30000	40.125	2004
22.01.2020 15:57:20	1	1	1	1	74.5	60	0	29052.133	221.5053763	6559.671677	30000	0	0	30000	40.125	2004
22.01.2020 15:57:22	1	1	1	1	74.5	60	0	29052.133	217.2043011	6288.96801	30000	0	0	30000	40.375	2004
22.01.2020 15:57:23	1	1	1	1	74.5	60.25	0	29052.133	215.0537634	6319.952165	30000	0	0	30000	40.25	2004
22.01.2020 15:57:24	1	1	1	1	74.5	60.25	0	29099.526	240.8602151	7070.910227	30000	0	0	30000	40.25	2004
22.01.2020 15:57:25	1	1	1	1	74.5	60.25	0	29052.133	243.0107527	7059.495013	30000	0	0	30000	40.0625	2004
22.01.2020 15:57:26	1	1	1	1	74.5	60	0	29099.526	245.1612903	7070.910227	30000	0	0	30000	40.375	2004
22.01.2020 15:57:27	1	1	1	1	74.5	60.25	0	29004.739	236.5591398	6871.95934	30000	0	0	30000	40.1875	2004
22.01.2020 15:57:28	1	1	1	1	74.5	60	0	29052.133	245.1612903	7133.693909	30000	0	0	30000	40.375	2004
22.01.2020 15:57:29	1	1	1	1	74.25	60.25	0	29099.526	247.311828	7184.247004	30000	0	0	30000	40.4375	2004
22.01.2020 15:57:30	1	1	1	1	74.25	60.25	0	29052.133	240.8602151	7059.495013	30000	0	0	30000	40.375	2004
22.01.2020 15:57:31	1	1	1	1	74.25	60.25	0	29099.526	258.0645161	7509.580627	30000	0	0	30000	40.4375	2004
22.01.2020 15:57:32	1	1	1	1	74.25	60.25	0	29052.133	258.0645161	7497.350039	30000	0	0	30000	40.375	2004
22.01.2020 15:57:33	1	1	1	1	74.25	60.25	0	29099.526	255.9139785	7434.566358	30000	0	0	30000	40.0625	2004
22.01.2020 15:57:34	1	1	1	1	74.25	60	0	29052.133	273.1182796	7721.577474	30000	0	0	30000	40.0625	2004
22.01.2020 15:57:35	1	1	1	1	74.25	60	0	29052.133	262.3655914	7559.318349	30000	0	0	30000	40.1875	2004
22.01.2020 15:57:36	1	1	1	1	74.25	60	0	29099.526	258.0645161	7497.350039	30000	0	0	30000	40.4375	2004
22.01.2020 15:57:37	1	1	1	1	74.25	60.25	0	29052.133	266.6666667	7746.854021	30000	0	0	30000	40.4375	2004
22.01.2020 15:57:38	1	1	1	1	74.25	60.25	0	29052.133	266.6666667	7809.637703	30000	0	0	30000	40.1875	2004
22.01.2020 15:57:39	1	1	1	1	74.25	60	0	29052.133	258.0645161	7472.888865	30000	0	0	30000	40.25	2004
22.01.2020 15:57:40	1	1	1	1	74.25	60.25	0	29099.526	258.0645161	7509.580627	30000	0	0	30000	40.3125	2004
22.01.2020 15:57:41	1	1	1	1	74.25	60.25	0	29052.133	264.516129	7746.854021	30000	0	0	30000	40.1875	2004
22.01.2020 15:57:42	1	1	1	1	74.25	60	0	29099.526	268.8172043	7821.86829	30000	0	0	30000	40.3125	2004
22.01.2020 15:57:43	1	1	1	1	74.25	60.25	0	29099.526	264.516129	7772.130568	30000	0	0	30000	40.375	2004
22.01.2020 15:57:44	1	1	1	1	74.25	60.25	0	29099.526	260.2150538	7348.136874	30000	0	0	30000	40.375	2004
22.01.2020 15:57:45	1	1	1	1	74.25	60.25	0	29099.526	273.1182796	7947.435654	30000	0	0	30000	40.75	2004
22.01.2020 15:57:46	1	1	1	1	74.25	60.75	0	29099.526	262.3655914	7571.548936	30000	0	0	30000	40.25	2004
22.01.2020 15:57:47	1	1	1	1	74.25	60.25	0	28957.346	243.0107527	7184.247004	30000	0	0	30000	40.8125	2004
22.01.2020 15:57:48	1	1	1	1	74.5	60.25	0	29146.919	234.4086022	6809.991031	30000	0	0	30000	40	2004
22.01.2020 15:57:49	1	1	1	1	74.5	60	0	29099.526	221.5053763	6445.519528	30000	0	0	30000	40.25	2004
22.01.2020 15:57:50	1	1	1	1	74.5	60.25	0	29099.526	225.8064516	6633.055201	30000	0	0	30000	40.4375	2004
22.01.2020 15:57:51	1	1	1	1	74.5	60.25	0	29099.526	227.9569892	6633.055201	30000	0	0	30000	40.1875	2004
22.01.2020 15:57:52	1	1	1	1	74.5	60	0	29052.133	221.5053763	6570.271519	30000	0	0	30000	39.875	2004
22.01.2020 15:57:53	1	1	1	1	74.5	59.75	0	29099.526	223.655914	6434.919686	30000	0	0	30000	40.3125	2004
22.01.2020 15:57:54	1	1	1	1	74.5	60.25	0	29099.526	221.5053763	6445.519528	30000	0	0	30000	40.25	2004
22.01.2020 15:57:55	1	1	1	1	74.5	60.25	0	29052.133	236.5591398	6883.374555	30000	0	0	30000	40.375	2004
22.01.2020 15:57:56	1	1	1	1	74.5	60.25	0	29099.526	240.8602151	7008.941918	30000	0	0	30000	40.4375	2004
22.01.2020 15:57:57	1	1	1	1	74.5	60.25	0	29099.526	240.8602151	6934.743022	30000	0	0	30000	40.25	2004
22.01.2020 15:57:58	1	1	1	1	73.75	60.25	0	29052.133	234.4086022	6820.590873	30000	0	0	30000	40.3125	2004
22.01.2020 15:57:59	1	1	1	1	73.75	60.25	0	29146.919	227.9569892	6570.271519	30000	0	0	30000	40.3125	2004
22.01.2020 15:58:01	1	1	1	1	73.75	60.25	0	29099.526	232.2580645	6695.838882	30000	0	0	30000	40.5625	2004
22.01.2020 15:58:02	1	1	1	1	73.75	60.5	0	29099.526	230.1075269	6695.838882	30000	0	0	30000	40.3125	2004
22.01.2020 15:58:03	1	1	1	1	73.75	60.25	0	29052.133	225.8064516	6559.671677	30000	0	0	30000	40.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 15:58:04	1	1	1	1	73.75	60.25	0	29099.526	221.5053763	6643.655043	30000	0	0	30000	40.3125	2004
22.01.2020 15:58:05	1	1	1	1	73.75	60.25	0	29099.526	215.0537634	6184.600332	30000	0	0	30000	40.3125	2004
22.01.2020 15:58:12	1	1	1	1	73.25	60.25	0	29146.919	210.7526882	6079.41728	30000	0	0	30000	40.25	2004
22.01.2020 15:58:12	1	1	1	1	73.25	60.25	0	29146.919	210.7526882	6079.41728	30000	0	0	30000	40.25	2004
22.01.2020 15:58:12	1	1	1	1	73.25	60.25	0	29146.919	210.7526882	6079.41728	30000	0	0	30000	40.25	2004
22.01.2020 15:58:12	1	1	1	1	73.25	60.25	0	29146.919	210.7526882	6079.41728	30000	0	0	30000	40.25	2004
22.01.2020 15:58:12	1	1	1	1	73.25	60.25	0	29146.919	210.7526882	6079.41728	30000	0	0	30000	40.25	2004
22.01.2020 15:58:12	1	1	1	1	73.25	60.25	0	29146.919	210.7526882	6079.41728	30000	0	0	30000	40.25	2004
22.01.2020 15:58:12	1	1	1	1	73.25	60.25	0	29146.919	210.7526882	6079.41728	30000	0	0	30000	40.25	2004
22.01.2020 15:58:12	1	1	1	1	73.25	60.25	0	29146.919	206.4516129	6017.448971	30000	0	0	30000	40.375	2004
22.01.2020 15:58:14	1	1	1	1	73.25	60.25	0	29146.919	208.6021505	6079.41728	30000	0	0	30000	40.4375	2004
22.01.2020 15:58:15	1	1	1	1	73.25	60.25	0	29146.919	208.6021505	6079.41728	30000	0	0	30000	40.5625	2004
22.01.2020 15:58:16	1	1	1	1	73.25	60.5	0	29146.919	206.4516129	6017.448971	30000	0	0	30000	40.0625	2004
22.01.2020 15:58:17	1	1	1	1	73.25	60	0	29146.919	206.4516129	6017.448971	30000	0	0	30000	40.3125	2004
22.01.2020 15:58:18	1	1	1	1	73.25	60.25	0	29146.919	206.4516129	6017.448971	30000	0	0	30000	40.3125	2004
22.01.2020 15:58:19	1	1	1	1	72.5	60.25	0	29146.919	206.4516129	6017.448971	30000	0	0	30000	40.3125	2004
22.01.2020 15:58:20	1	1	1	1	72.5	60.25	0	29146.919	206.4516129	6017.448971	30000	0	0	30000	40.25	2004
22.01.2020 15:58:21	1	1	1	1	72.5	60.25	0	29146.919	206.4516129	6017.448971	30000	0	0	30000	40.3125	2004
22.01.2020 15:58:22	1	1	1	1	72.5	60.25	0	29146.919	206.4516129	6017.448971	30000	0	0	30000	40.25	2004
22.01.2020 15:58:23	1	1	1	1	72.5	60.25	0	29146.919	193.5483871	5703.530563	30000	0	0	30000	40	2004
22.01.2020 15:58:24	1	1	1	1	72.5	60	0	29146.919	195.6989247	6017.448971	30000	0	0	30000	39.5625	2004
22.01.2020 15:58:25	1	1	1	1	72.5	59.5	0	29146.919	208.6021505	6079.41728	30000	0	0	30000	39.9375	2004
22.01.2020 15:58:26	1	1	1	1	72.5	59.75	0	29146.919	212.9032258	6204.984644	30000	0	0	30000	40.4375	2004
22.01.2020 15:58:27	1	1	1	1	72.5	60.25	0	29146.919	225.8064516	6445.519528	30000	0	0	30000	40.9375	2004
22.01.2020 15:58:28	1	1	1	1	73	60.5	0	29146.919	232.2580645	6769.222406	30000	0	0	30000	40.1875	2004
22.01.2020 15:58:29	1	1	1	1	73	60	0	29146.919	240.8602151	6894.78977	30000	0	0	30000	40.25	2004
22.01.2020 15:58:30	1	1	1	1	73	60.25	0	29146.919	249.4623656	7270.676487	30000	0	0	30000	40.3125	2004
22.01.2020 15:58:31	1	1	1	1	73	60.25	0	29146.919	255.9139785	7333.460169	30000	0	0	30000	40.375	2004
22.01.2020 15:58:32	1	1	1	1	73	60.25	0	29241.706	249.4623656	7333.460169	30000	0	0	30000	40.4375	2004
22.01.2020 15:58:33	1	1	1	1	73	60.25	0	29241.706	251.6129032	7357.105971	30000	0	0	30000	40.4375	2004
22.01.2020 15:58:34	1	1	1	1	73	60.25	0	29146.919	268.8172043	7834.91425	30000	0	0	30000	40.375	2004
22.01.2020 15:58:35	1	1	1	1	73	60.25	0	29146.919	273.1182796	8023.265295	30000	0	0	30000	40.4375	2004
22.01.2020 15:58:36	1	1	1	1	73	60.25	0	29241.706	270.9677419	7897.697932	30000	0	0	30000	40.5	2004
22.01.2020 15:58:37	1	1	1	1	73	60.5	0	29146.919	270.9677419	7985.758161	30000	0	0	30000	40.5	2004
22.01.2020 15:58:39	1	1	1	1	73.25	60.5	0	29241.706	264.516129	7734.623434	30000	0	0	30000	40	2004
22.01.2020 15:58:40	1	1	1	1	73.25	60	0	29146.919	262.3655914	7646.563205	30000	0	0	30000	40.4375	2004
22.01.2020 15:58:41	1	1	1	1	73.25	60.25	0	29241.706	277.4193548	8112.140896	30000	0	0	30000	40.4375	2004
22.01.2020 15:58:42	1	1	1	1	73.25	60.25	0	29241.706	275.2688172	8023.265295	30000	0	0	30000	40.5625	2004
22.01.2020 15:58:43	1	1	1	1	73.25	60.5	0	29146.919	264.516129	7834.91425	30000	0	0	30000	40.4375	2004
22.01.2020 15:58:44	1	1	1	1	73.25	60.25	0	29146.919	258.0645161	7583.779523	30000	0	0	30000	40.1875	2004
22.01.2020 15:58:45	1	1	1	1	73.25	60	0	29146.919	277.4193548	8085.233604	30000	0	0	30000	40.4375	2004
22.01.2020 15:58:46	1	1	1	1	73.25	60.25	0	29241.706	273.1182796	7960.481613	30000	0	0	30000	40.4375	2004
22.01.2020 15:58:47	1	1	1	1	73.25	60.25	0	29241.706	270.9677419	7834.91425	30000	0	0	30000	40.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 15:58:48	1	1	1	1	73.25	60.25	0	29146.919	283.8709677	8336.368331	30000	0	0	30000	40.4375	2004
22.01.2020 15:58:49	1	1	1	1	73	60.25	0	29241.706	279.5698925	8085.233604	30000	0	0	30000	40.375	2004
22.01.2020 15:58:50	1	1	1	1	73	60.25	0	29241.706	294.6236559	8615.225722	30000	0	0	30000	40.25	2004
22.01.2020 15:58:51	1	1	1	1	73	60.25	0	29241.706	283.8709677	8336.368331	30000	0	0	30000	40.5	2004
22.01.2020 15:58:52	1	1	1	1	73	60.5	0	29241.706	303.2258065	8866.360449	30000	0	0	30000	40.3125	2004
22.01.2020 15:58:53	1	1	1	1	73	60.25	0	29241.706	309.6774194	9055.526867	30000	0	0	30000	40.1875	2004
22.01.2020 15:58:54	1	1	1	1	73	60	0	29146.919	303.2258065	8775.03873	30000	0	0	30000	40	2004
22.01.2020 15:58:55	1	1	1	1	73	60	0	29241.706	316.1290323	9213.709129	30000	0	0	30000	40.1875	2004
22.01.2020 15:58:56	1	1	1	1	73	60	0	29146.919	313.9784946	9213.709129	30000	0	0	30000	39.9375	2004
22.01.2020 15:58:57	1	1	1	1	73	59.75	0	29289.1	313.9784946	8963.389775	30000	0	0	30000	40.3125	2004
22.01.2020 15:58:58	1	1	1	1	73	60.25	0	29146.919	320.4301075	9558.611692	30000	0	0	30000	40.3125	2004
22.01.2020 15:58:59	1	1	1	1	73.5	60.25	0	29241.706	311.827957	9118.310548	30000	0	0	30000	40	2004
22.01.2020 15:59:00	1	1	1	1	73.5	60	0	29241.706	320.4301075	9369.445275	30000	0	0	30000	40.3125	2004
22.01.2020 15:59:01	1	1	1	1	73.5	60.25	0	29241.706	331.1827957	9621.395374	30000	0	0	30000	40.375	2004
22.01.2020 15:59:02	1	1	1	1	73.5	60.25	0	29241.706	335.483871	9809.746419	30000	0	0	30000	40.5	2004
22.01.2020 15:59:03	1	1	1	1	73.5	60.5	0	0	0	0	30000	0	8	30000	40.625	2004
22.01.2020 15:59:04	1	1	1	1	73.5	60.5	0	10284.36	0	0	30000	0	0	30000	41.125	2004
22.01.2020 15:59:05	1	1	1	1	73.5	60.25	0	11042.654	0	0	30000	0	0	30000	40.375	2004
22.01.2020 15:59:06	1	1	1	1	73.5	60.25	0	11800.948	0	0	30000	0	0	30000	40.5	2004
22.01.2020 15:59:14	1	1	1	1	74.25	60.5	0	17203.791	30.10752688	519.3922757	30000	0	0	30000	40.4375	2004
22.01.2020 15:59:14	1	1	1	1	74.25	60.5	0	17203.791	30.10752688	519.3922757	30000	0	0	30000	40.4375	2004
22.01.2020 15:59:14	1	1	1	1	74.25	60.5	0	17203.791	30.10752688	519.3922757	30000	0	0	30000	40.4375	2004
22.01.2020 15:59:14	1	1	1	1	74.25	60.5	0	17203.791	30.10752688	519.3922757	30000	0	0	30000	40.4375	2004
22.01.2020 15:59:14	1	1	1	1	74.25	60.5	0	17203.791	30.10752688	519.3922757	30000	0	0	30000	40.4375	2004
22.01.2020 15:59:14	1	1	1	1	74.25	60.5	0	17203.791	30.10752688	519.3922757	30000	0	0	30000	40.4375	2004
22.01.2020 15:59:14	1	1	1	1	74.25	60.25	0	18009.479	36.55913978	618.0523469	30000	0	0	30000	40.5	2004
22.01.2020 15:59:15	1	1	1	1	74.25	60.5	0	18815.166	45.16129032	807.2187644	30000	0	0	30000	40.5	2004
22.01.2020 15:59:16	1	1	1	1	74.25	60.5	0	19478.673	51.61290323	1005.354279	30000	0	0	30000	40.4375	2004
22.01.2020 15:59:18	1	1	1	1	74.25	60.25	0	20331.754	62.3655914	1223.874106	30000	0	0	30000	40.5625	2004
22.01.2020 15:59:19	1	1	1	1	74.25	60.5	0	21090.047	70.96774194	1496.208518	30000	0	0	30000	40.5	2004
22.01.2020 15:59:20	1	1	1	1	74.25	60.5	0	21800.948	79.56989247	1734.297285	30000	0	0	30000	40.5	2004
22.01.2020 15:59:21	1	1	1	1	74.25	60.5	0	22559.242	88.17204301	2037.615851	30000	0	0	30000	40.25	2004
22.01.2020 15:59:22	1	1	1	1	74.25	60.25	0	23412.322	103.2258065	2416.764058	30000	0	0	30000	40.5	2004
22.01.2020 15:59:23	1	1	1	1	74.25	60.5	0	24075.829	116.1290323	2743.728427	30000	0	0	30000	40.4375	2004
22.01.2020 15:59:24	1	1	1	1	74.25	60.25	0	24218.009	129.0322581	3124.507379	30000	0	0	30000	40.375	2004
22.01.2020 15:59:25	1	1	1	1	74.25	60.25	0	24597.156	137.6344086	3385.426576	30000	0	0	30000	40.375	2004
22.01.2020 15:59:26	1	1	1	1	74.25	60.25	0	24597.156	137.6344086	3120.430517	30000	0	0	30000	40.25	2004
22.01.2020 15:59:27	1	1	1	1	74.25	60.25	0	24597.156	122.5806452	3067.431305	30000	0	0	30000	40.5	2004
22.01.2020 15:59:28	1	1	1	1	74.25	60.5	0	24597.156	120.4301075	2962.248254	30000	0	0	30000	40.0625	2004
22.01.2020 15:59:29	1	1	1	1	74	60	0	24597.156	120.4301075	2962.248254	30000	0	0	30000	39.875	2004
22.01.2020 15:59:30	1	1	1	1	74	59.75	0	24597.156	120.4301075	2962.248254	30000	0	0	30000	40.25	2004
22.01.2020 15:59:31	1	1	1	1	74	60.25	0	24597.156	120.4301075	2962.248254	30000	0	0	30000	40.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 15:59:32	1	1	1	1	74	60.25	0	24597.156	120.4301075	2962.248254	30000	0	0	30000	40.5625	2004
22.01.2020 15:59:33	1	1	1	1	74	60.5	0	24549.763	120.4301075	2956.540646	30000	0	0	30000	40.375	2004
22.01.2020 15:59:34	1	1	1	1	74	60.25	0	24597.156	120.4301075	2856.24983	30000	0	0	30000	40.25	2004
22.01.2020 15:59:35	1	1	1	1	74	60.25	0	24549.763	116.1290323	2956.540646	30000	0	0	30000	40.5	2004
22.01.2020 15:59:36	1	1	1	1	74	60.5	0	24597.156	116.1290323	2856.24983	30000	0	0	30000	40.4375	2004
22.01.2020 15:59:37	1	1	1	1	74	60.25	0	24597.156	113.9784946	2803.250618	30000	0	0	30000	40.5	2004
22.01.2020 15:59:38	1	1	1	1	74	60.5	0	24549.763	109.6774194	2803.250618	30000	0	0	30000	40.375	2004
22.01.2020 15:59:39	1	1	1	1	74	60.25	0	24597.156	109.6774194	2697.252195	30000	0	0	30000	40.3125	2004
22.01.2020 15:59:40	1	1	1	1	74	60.25	0	24597.156	111.827957	2803.250618	30000	0	0	30000	40.5	2004
22.01.2020 15:59:41	1	1	1	1	74	60.5	0	24597.156	113.9784946	2803.250618	30000	0	0	30000	40.6875	2004
22.01.2020 15:59:42	1	1	1	1	74	60.5	0	24549.763	109.6774194	2803.250618	30000	0	0	30000	40.5625	2004
22.01.2020 15:59:43	1	1	1	1	74	60.25	0	24597.156	113.9784946	2856.24983	30000	0	0	30000	39.875	2004
22.01.2020 15:59:44	1	1	1	1	74	59.75	0	25355.45	137.6344086	3483.271274	30000	0	0	30000	40.375	2004
22.01.2020 15:59:45	1	1	1	1	74	60.25	0	25924.171	163.4408602	4236.675455	30000	0	0	30000	40.375	2004
22.01.2020 15:59:46	1	1	1	1	74	60.25	0	26208.531	174.1935484	4451.933792	30000	0	0	30000	40.5	2004
22.01.2020 15:59:47	1	1	1	1	74	60.5	0	26682.464	191.3978495	5088.739706	30000	0	0	30000	40.4375	2004
22.01.2020 15:59:48	1	1	1	1	73.5	60.25	0	26540.284	206.4516129	5479.303128	30000	0	0	30000	40.5625	2004
22.01.2020 15:59:49	1	1	1	1	73.5	60.5	0	26303.318	206.4516129	5147.446525	30000	0	0	30000	40.625	2004
22.01.2020 15:59:50	1	1	1	1	73.5	60.5	0	26777.251	217.2043011	5873.128041	30000	0	0	30000	40.625	2004
22.01.2020 15:59:51	1	1	1	1	73.5	60.5	0	27156.398	234.4086022	6365.613024	30000	0	0	30000	40.4375	2004
22.01.2020 15:59:52	1	1	1	1	73.5	60.25	0	27440.758	249.4623656	6845.052048	30000	0	0	30000	40.5625	2004
22.01.2020 15:59:53	1	1	1	1	73.5	60.5	0	28009.479	266.6666667	7459.027532	30000	0	0	30000	40.5	2004
22.01.2020 15:59:54	1	1	1	1	73.5	60.5	0	28009.479	279.5698925	7830.022015	30000	0	0	30000	40.4375	2004
22.01.2020 15:59:56	1	1	1	1	73.5	60.25	0	27914.692	290.3225806	8103.987171	30000	0	0	30000	40.4375	2004
22.01.2020 15:59:57	1	1	1	1	73.5	60.25	0	28199.052	309.6774194	8732.639361	30000	0	0	30000	40.3125	2004
22.01.2020 15:59:58	1	1	1	1	73.5	60.25	0	28199.052	307.5268817	8732.639361	30000	0	0	30000	40.5625	2004
22.01.2020 15:59:59	1	1	1	1	73.25	60.5	0	28341.232	324.7311828	9035.142554	30000	0	0	30000	40.5625	2004
22.01.2020 16:00:00	1	1	1	1	73.25	60.5	0	28199.052	341.9354839	9577.36526	30000	0	0	30000	40.4375	2004
22.01.2020 16:00:01	1	1	1	1	73.25	60.25	0	28199.052	350.5376344	10005.43582	30000	0	0	30000	40.375	2004
22.01.2020 16:00:02	1	1	1	1	73.25	60.25	0	28388.626	369.8924731	10483.2441	30000	0	0	30000	40.5	2004
22.01.2020 16:00:03	1	1	1	1	73.25	60.5	0	0	0	0	30000	0	8	30000	40.5625	2004
22.01.2020 16:00:04	1	1	1	1	73.25	60.5	0	10189.573	0	0	30000	0	0	30000	40.5625	2004
22.01.2020 16:00:05	1	1	1	1	73.25	60.5	0	10947.867	0	0	30000	0	0	30000	40.5625	2004
22.01.2020 16:00:06	1	1	1	1	73.25	60.5	0	11706.161	0	0	30000	0	0	30000	40.3125	2004
22.01.2020 16:00:07	1	1	1	1	73.25	60.25	0	12511.848	0	0	30000	0	0	30000	40.4375	2004
22.01.2020 16:00:08	1	1	1	1	73.25	60.25	0	13270.142	2.150537634	28.53803713	30000	0	0	30000	40.375	2004
22.01.2020 16:00:15	1	1	1	1	72.75	60.25	0	18530.806	36.55913978	680.8360286	30000	0	0	30000	40.5625	2004
22.01.2020 16:00:15	1	1	1	1	72.75	60.25	0	18530.806	36.55913978	680.8360286	30000	0	0	30000	40.5625	2004
22.01.2020 16:00:15	1	1	1	1	72.75	60.25	0	18530.806	36.55913978	680.8360286	30000	0	0	30000	40.5625	2004
22.01.2020 16:00:15	1	1	1	1	72.75	60.25	0	18530.806	36.55913978	680.8360286	30000	0	0	30000	40.5625	2004
22.01.2020 16:00:15	1	1	1	1	72.75	60.25	0	18530.806	36.55913978	680.8360286	30000	0	0	30000	40.5625	2004
22.01.2020 16:00:15	1	1	1	1	72.75	60.25	0	18530.806	36.55913978	680.8360286	30000	0	0	30000	40.5625	2004
22.01.2020 16:00:15	1	1	1	1	72.75	60.25	0	18530.806	36.55913978	680.8360286	30000	0	0	30000	40.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 16:00:16	1	1	1	1	72.75	60.5	0	19431.28	43.01075269	877.3407985	30000	0	0	30000	40.6875	2004
22.01.2020 16:00:17	1	1	1	1	72.75	60.5	0	20189.573	55.91397849	1085.260783	30000	0	0	30000	38.3125	2004
22.01.2020 16:00:18	1	1	1	1	72.75	58.25	0	20853.081	62.3655914	1302.965238	30000	0	0	30000	40.4375	2004
22.01.2020 16:00:19	1	1	1	1	72.75	60.25	0	21753.555	73.11827957	1543.500122	30000	0	0	30000	40.6875	2004
22.01.2020 16:00:20	1	1	1	1	72.75	60.5	0	22511.848	83.87096774	1839.480336	30000	0	0	30000	40.4375	2004
22.01.2020 16:00:21	1	1	1	1	72.75	60.25	0	23270.142	94.62365591	2151.767999	30000	0	0	30000	40.875	2004
22.01.2020 16:00:22	1	1	1	1	72.75	60.75	0	23744.076	103.2258065	2339.303672	30000	0	0	30000	41	2004
22.01.2020 16:00:23	1	1	1	1	72.75	60.5	0	23696.682	96.77419355	2451.009703	30000	0	0	30000	40.6875	2004
22.01.2020 16:00:24	1	1	1	1	72.75	60.5	0	23696.682	94.62365591	2451.009703	30000	0	0	30000	40.4375	2004
22.01.2020 16:00:25	1	1	1	1	72.75	60.25	0	23649.289	92.47311828	2186.829016	30000	0	0	30000	40.625	2004
22.01.2020 16:00:26	1	1	1	1	72.75	60.5	0	23649.289	90.32258065	2194.982741	30000	0	0	30000	40.5625	2004
22.01.2020 16:00:27	1	1	1	1	72.75	60.5	0	23744.076	92.47311828	2186.829016	30000	0	0	30000	40.5	2004
22.01.2020 16:00:28	1	1	1	1	73.25	60.5	0	23696.682	92.47311828	2194.982741	30000	0	0	30000	40.5	2004
22.01.2020 16:00:29	1	1	1	1	73.25	60.5	0	23696.682	94.62365591	2186.829016	30000	0	0	30000	40.5625	2004
22.01.2020 16:00:30	1	1	1	1	73.25	60.5	0	23649.289	92.47311828	2135.46055	30000	0	0	30000	40.5	2004
22.01.2020 16:00:31	1	1	1	1	73.25	60.5	0	23696.682	88.17204301	2084.907455	30000	0	0	30000	40.4375	2004
22.01.2020 16:00:32	1	1	1	1	73.25	60.25	0	23649.289	83.87096774	1932.4328	30000	0	0	30000	40.4375	2004
22.01.2020 16:00:33	1	1	1	1	73.25	60.25	0	23649.289	79.56989247	1779.958144	30000	0	0	30000	40.5	2004
22.01.2020 16:00:35	1	1	1	1	73.25	60.5	0	23744.076	77.41935484	1779.958144	30000	0	0	30000	40.4375	2004
22.01.2020 16:00:36	1	1	1	1	73.25	60.25	0	23696.682	75.2688172	1779.958144	30000	0	0	30000	40.5625	2004
22.01.2020 16:00:37	1	1	1	1	73.25	60.5	0	23696.682	75.2688172	1830.511239	30000	0	0	30000	40.5	2004
22.01.2020 16:00:38	1	1	1	1	73.25	60.5	0	23696.682	79.56989247	1889.218058	30000	0	0	30000	40.375	2004
22.01.2020 16:00:39	1	1	1	1	73.25	60.25	0	23696.682	81.72043011	1932.4328	30000	0	0	30000	40.375	2004
22.01.2020 16:00:40	1	1	1	1	73.25	60.25	0	23696.682	83.87096774	1991.139619	30000	0	0	30000	40.375	2004
22.01.2020 16:00:41	1	1	1	1	73.25	60.25	0	23744.076	83.87096774	1982.985894	30000	0	0	30000	40.4375	2004
22.01.2020 16:00:42	1	1	1	1	73.25	60.25	0	23649.289	83.87096774	1982.985894	30000	0	0	30000	40.3125	2004
22.01.2020 16:00:43	1	1	1	1	73.25	60.25	0	24502.37	103.2258065	2529.285462	30000	0	0	30000	40.3125	2004
22.01.2020 16:00:44	1	1	1	1	73.25	60.25	0	24786.73	116.1290323	2824.450303	30000	0	0	30000	40.5	2004
22.01.2020 16:00:45	1	1	1	1	73.25	60.5	0	25450.237	126.8817204	3290.027994	30000	0	0	30000	40.5	2004
22.01.2020 16:00:46	1	1	1	1	73.25	60.5	0	26255.924	144.0860215	3782.512978	30000	0	0	30000	40.375	2004
22.01.2020 16:00:47	1	1	1	1	73.25	60.25	0	26872.038	156.9892473	4341.858506	30000	0	0	30000	40.5	2004
22.01.2020 16:00:48	1	1	1	1	73.25	60.5	0	27345.972	169.8924731	4645.177072	30000	0	0	30000	40.4375	2004
22.01.2020 16:00:49	1	1	1	1	73	60.25	0	27345.972	189.2473118	5175.16919	30000	0	0	30000	39.6875	2004
22.01.2020 16:00:50	1	1	1	1	73	59.5	0	27345.972	206.4516129	5665.208056	30000	0	0	30000	40.5	2004
22.01.2020 16:00:51	1	1	1	1	73	60.5	0	27630.332	206.4516129	5704.345935	30000	0	0	30000	40.4375	2004
22.01.2020 16:00:52	1	1	1	1	73	60.25	0	27819.905	212.9032258	5882.097138	30000	0	0	30000	40.375	2004
22.01.2020 16:00:53	1	1	1	1	73	60.25	0	27630.332	210.7526882	5882.097138	30000	0	0	30000	40.375	2004
22.01.2020 16:00:54	1	1	1	1	73	60.25	0	27582.938	219.3548387	6050.063871	30000	0	0	30000	40.5	2004
22.01.2020 16:00:55	1	1	1	1	73	60.5	0	27630.332	221.5053763	6120.185905	30000	0	0	30000	40.4375	2004
22.01.2020 16:00:56	1	1	1	1	73	60.25	0	27630.332	230.1075269	6476.503683	30000	0	0	30000	40.25	2004
22.01.2020 16:00:57	1	1	1	1	73	60.25	0	27630.332	227.9569892	6297.937108	30000	0	0	30000	40.625	2004
22.01.2020 16:00:58	1	1	1	1	73	60.5	0	27630.332	225.8064516	6401.489414	30000	0	0	30000	40.5	2004
22.01.2020 16:00:59	1	1	1	1	73	60.5	0	27819.905	219.3548387	6060.663713	30000	0	0	30000	40.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 16:01:00	1	1	1	1	73	60.5	0	27630.332	212.9032258	5882.097138	30000	0	0	30000	40.875	2004
22.01.2020 16:01:01	1	1	1	1	73	60.5	0	27630.332	208.6021505	5763.052755	30000	0	0	30000	40.625	2004
22.01.2020 16:01:02	1	1	1	1	73	60.5	0	27630.332	206.4516129	5704.345935	30000	0	0	30000	40.625	2004
22.01.2020 16:01:03	1	1	1	1	73	60.5	0	27772.512	206.4516129	5743.483815	30000	0	0	30000	40.5625	2004
22.01.2020 16:01:04	1	1	1	1	73	60.5	0	27772.512	206.4516129	5704.345935	30000	0	0	30000	40.6875	2004
22.01.2020 16:01:05	1	1	1	1	73	60.5	0	27630.332	206.4516129	5704.345935	30000	0	0	30000	40.4375	2004
22.01.2020 16:01:06	1	1	1	1	73	60.25	0	27819.905	206.4516129	5723.914875	30000	0	0	30000	40.5625	2004
22.01.2020 16:01:07	1	1	1	1	73	60.5	0	27725.118	206.4516129	5704.345935	30000	0	0	30000	40.4375	2004
22.01.2020 16:01:08	1	1	1	1	72.75	60.25	0	27819.905	206.4516129	5704.345935	30000	0	0	30000	40.3125	2004
22.01.2020 16:01:09	1	1	1	1	72.75	60.25	0	27630.332	191.3978495	5753.268285	30000	0	0	30000	40.5	2004
22.01.2020 16:01:17	1	1	1	1	72.75	60.25	0	27772.512	169.8924731	4725.898948	30000	0	0	30000	40.5	2004
22.01.2020 16:01:17	1	1	1	1	72.75	60.25	0	27772.512	169.8924731	4725.898948	30000	0	0	30000	40.5	2004
22.01.2020 16:01:17	1	1	1	1	72.75	60.25	0	27772.512	169.8924731	4725.898948	30000	0	0	30000	40.5	2004
22.01.2020 16:01:17	1	1	1	1	72.75	60.25	0	27772.512	169.8924731	4725.898948	30000	0	0	30000	40.5	2004
22.01.2020 16:01:17	1	1	1	1	72.75	60.25	0	27772.512	169.8924731	4725.898948	30000	0	0	30000	40.5	2004
22.01.2020 16:01:17	1	1	1	1	72.75	60.25	0	27772.512	169.8924731	4725.898948	30000	0	0	30000	40.5	2004
22.01.2020 16:01:17	1	1	1	1	72.75	60.25	0	27772.512	169.8924731	4725.898948	30000	0	0	30000	40.5	2004
22.01.2020 16:01:17	1	1	1	1	72.75	60.25	0	27772.512	169.8924731	4725.898948	30000	0	0	30000	40.5	2004
22.01.2020 16:01:18	1	1	1	1	72.75	60.5	0	27819.905	169.8924731	4694.099421	30000	0	0	30000	40.5	2004
22.01.2020 16:01:19	1	1	1	1	72.5	60.5	0	27772.512	169.8924731	4725.898948	30000	0	0	30000	40.4375	2004
22.01.2020 16:01:20	1	1	1	1	72.5	60.25	0	27819.905	169.8924731	4709.591498	30000	0	0	30000	40.4375	2004
22.01.2020 16:01:21	1	1	1	1	72.5	60.25	0	27819.905	169.8924731	4725.898948	30000	0	0	30000	40.5625	2004
22.01.2020 16:01:22	1	1	1	1	72.5	60.5	0	27819.905	169.8924731	4634.577229	30000	0	0	30000	40.1875	2004
22.01.2020 16:01:23	1	1	1	1	72.5	60	0	27630.332	169.8924731	4694.099421	30000	0	0	30000	39.9375	2004
22.01.2020 16:01:24	1	1	1	1	72.5	59.75	0	27630.332	169.8924731	4694.099421	30000	0	0	30000	40.5625	2004
22.01.2020 16:01:25	1	1	1	1	72.5	60.5	0	27630.332	163.4408602	4650.069307	30000	0	0	30000	40.25	2004
22.01.2020 16:01:26	1	1	1	1	72.5	60.25	0	27630.332	167.7419355	4666.376756	30000	0	0	30000	40.4375	2004
22.01.2020 16:01:27	1	1	1	1	72.5	60.25	0	27819.905	165.5913978	4546.517001	30000	0	0	30000	40.4375	2004
22.01.2020 16:01:28	1	1	1	1	72.5	60.25	0	27630.332	167.7419355	4634.577229	30000	0	0	30000	40.4375	2004
22.01.2020 16:01:29	1	1	1	1	72.5	60.25	0	27772.512	169.8924731	4694.099421	30000	0	0	30000	40.4375	2004
22.01.2020 16:01:30	1	1	1	1	72.5	60.25	0	27772.512	163.4408602	4606.039192	30000	0	0	30000	40.4375	2004
22.01.2020 16:01:31	1	1	1	1	72.5	60.25	0	27772.512	163.4408602	4456.010654	30000	0	0	30000	40.375	2004
22.01.2020 16:01:32	1	1	1	1	72.5	60.25	0	27819.905	163.4408602	4546.517001	30000	0	0	30000	40.375	2004
22.01.2020 16:01:33	1	1	1	1	72.5	60.25	0	27630.332	163.4408602	4515.532846	30000	0	0	30000	40.3125	2004
22.01.2020 16:01:34	1	1	1	1	72.5	60.25	0	27819.905	167.7419355	4575.055038	30000	0	0	30000	40.5	2004
22.01.2020 16:01:35	1	1	1	1	72.5	60.5	0	27819.905	169.8924731	4725.898948	30000	0	0	30000	40.875	2004
22.01.2020 16:01:36	1	1	1	1	72.5	60.75	0	27630.332	169.8924731	4709.591498	30000	0	0	30000	40.6875	2004
22.01.2020 16:01:37	1	1	1	1	72.5	60.5	0	27819.905	169.8924731	4845.758704	30000	0	0	30000	40.625	2004
22.01.2020 16:01:38	1	1	1	1	72.5	60.5	0	27772.512	174.1935484	4694.099421	30000	0	0	30000	40.5625	2004
22.01.2020 16:01:39	1	1	1	1	72.75	60.5	0	27819.905	206.4516129	5406.734977	30000	0	0	30000	40.5	2004
22.01.2020 16:01:40	1	1	1	1	72.75	61	0	27630.332	169.8924731	4694.099421	30000	0	0	30000	40.5625	2004
22.01.2020 16:01:41	1	1	1	1	72.75	60.5	0	27630.332	169.8924731	4965.61846	30000	0	0	30000	40.5	2004
22.01.2020 16:01:42	1	1	1	1	72.75	60.5	0	27819.905	182.7956989	5145.000408	30000	0	0	30000	40.5625	2004
22.01.2020 16:01:43	1	1	1	1	72.75	60.5	0	27819.905	184.9462366	5084.662843	30000	0	0	30000	40.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 16:01:44	1	1	1	1	72.75	60.5	0	27630.332	206.4516129	5743.483815	30000	0	0	30000	40.4375	2004
22.01.2020 16:01:45	1	1	1	1	72.75	60.25	0	27725.118	206.4516129	5704.345935	30000	0	0	30000	40.375	2004
22.01.2020 16:01:46	1	1	1	1	72.75	60.25	0	27630.332	189.2473118	5109.939391	30000	0	0	30000	40.5	2004
22.01.2020 16:01:47	1	1	1	1	72.75	60.5	0	27819.905	184.9462366	5453.211209	30000	0	0	30000	40.375	2004
22.01.2020 16:01:48	1	1	1	1	72.5	60.25	0	27630.332	208.6021505	5763.052755	30000	0	0	30000	40.625	2004
22.01.2020 16:01:50	1	1	1	1	72.5	60.5	0	27819.905	212.9032258	5922.865763	30000	0	0	30000	40.5	2004
22.01.2020 16:01:51	1	1	1	1	72.5	60.5	0	27725.118	232.2580645	6461.011605	30000	0	0	30000	40.625	2004
22.01.2020 16:01:52	1	1	1	1	72.5	60.5	0	27630.332	206.4516129	5287.690593	30000	0	0	30000	40.5625	2004
22.01.2020 16:01:53	1	1	1	1	72.5	60.5	0	27630.332	206.4516129	5743.483815	30000	0	0	30000	40.625	2004
22.01.2020 16:01:54	1	1	1	1	72.5	60.5	0	27819.905	195.6989247	5406.734977	30000	0	0	30000	40.5	2004
22.01.2020 16:01:55	1	1	1	1	72.5	60.5	0	27819.905	195.6989247	5743.483815	30000	0	0	30000	40.5	2004
22.01.2020 16:01:56	1	1	1	1	72.5	60.5	0	27819.905	189.2473118	5264.860164	30000	0	0	30000	40.375	2004
22.01.2020 16:01:57	1	1	1	1	72.5	60.25	0	27725.118	208.6021505	5803.006007	30000	0	0	30000	40.5	2004
22.01.2020 16:01:58	1	1	1	1	72.5	60.5	0	27819.905	191.3978495	5383.904547	30000	0	0	30000	40.4375	2004
22.01.2020 16:01:59	1	1	1	1	72.5	60.25	0	27819.905	189.2473118	5324.382355	30000	0	0	30000	40.3125	2004
22.01.2020 16:02:00	1	1	1	1	72.5	60.25	0	27867.299	210.7526882	5922.865763	30000	0	0	30000	40.375	2004
22.01.2020 16:02:01	1	1	1	1	72.5	60.25	0	27819.905	191.3978495	5324.382355	30000	0	0	30000	40.3125	2004
22.01.2020 16:02:02	1	1	1	1	72.5	60.25	0	27819.905	191.3978495	5264.860164	30000	0	0	30000	40.4375	2004
22.01.2020 16:02:03	1	1	1	1	72.5	60.25	0	27819.905	206.4516129	5743.483815	30000	0	0	30000	40.5	2004
22.01.2020 16:02:04	1	1	1	1	72.5	60.5	0	27867.299	208.6021505	5803.006007	30000	0	0	30000	40.5	2004
22.01.2020 16:02:05	1	1	1	1	72.5	60.5	0	27819.905	212.9032258	5922.865763	30000	0	0	30000	40.5	2004
22.01.2020 16:02:06	1	1	1	1	72.5	60.5	0	27819.905	225.8064516	6292.2295	30000	0	0	30000	40.3125	2004
22.01.2020 16:02:07	1	1	1	1	72.5	60.25	0	27819.905	243.0107527	6700.731117	30000	0	0	30000	40.5	2004
22.01.2020 16:02:08	1	1	1	1	72.5	60.5	0	27867.299	212.9032258	5803.006007	30000	0	0	30000	40.4375	2004
22.01.2020 16:02:09	1	1	1	1	72	60.25	0	27819.905	227.9569892	6401.489414	30000	0	0	30000	40.375	2004
22.01.2020 16:02:10	1	1	1	1	72	60.25	0	27819.905	243.0107527	6819.775501	30000	0	0	30000	40.3125	2004
22.01.2020 16:02:11	1	1	1	1	72	60.25	0	27867.299	236.5591398	6531.949012	30000	0	0	30000	40.375	2004
22.01.2020 16:02:19	1	1	1	1	72	60.25	0	27914.692	245.1612903	6902.943495	30000	0	0	30000	40.875	2004
22.01.2020 16:02:19	1	1	1	1	72	60.25	0	27914.692	245.1612903	6902.943495	30000	0	0	30000	40.875	2004
22.01.2020 16:02:19	1	1	1	1	72	60.25	0	27914.692	245.1612903	6902.943495	30000	0	0	30000	40.875	2004
22.01.2020 16:02:19	1	1	1	1	72	60.25	0	27914.692	245.1612903	6902.943495	30000	0	0	30000	40.875	2004
22.01.2020 16:02:19	1	1	1	1	72	60.25	0	27914.692	245.1612903	6902.943495	30000	0	0	30000	40.875	2004
22.01.2020 16:02:19	1	1	1	1	72	60.25	0	27914.692	245.1612903	6902.943495	30000	0	0	30000	40.875	2004
22.01.2020 16:02:19	1	1	1	1	71.5	59.75	0	27867.299	240.8602151	6712.146332	30000	0	0	30000	40.4375	2004
22.01.2020 16:02:20	1	1	1	1	71.5	60.25	0	27867.299	234.4086022	6401.489414	30000	0	0	30000	40.3125	2004
22.01.2020 16:02:21	1	1	1	1	71.5	60.25	0	27867.299	230.1075269	6412.089256	30000	0	0	30000	40.125	2004
22.01.2020 16:02:22	1	1	1	1	71.5	60	0	27867.299	240.8602151	6651.808768	30000	0	0	30000	40.375	2004
22.01.2020 16:02:23	1	1	1	1	71.5	60.25	0	27867.299	230.1075269	6401.489414	30000	0	0	30000	40.5625	2004
22.01.2020 16:02:24	1	1	1	1	71.5	60.5	0	27867.299	227.9569892	6472.42682	30000	0	0	30000	40.4375	2004
22.01.2020 16:02:25	1	1	1	1	71.5	60.25	0	27867.299	221.5053763	6041.910146	30000	0	0	30000	40.375	2004
22.01.2020 16:02:26	1	1	1	1	71.5	60.25	0	27867.299	236.5591398	6461.011605	30000	0	0	30000	40.5625	2004
22.01.2020 16:02:28	1	1	1	1	71.5	60.5	0	27867.299	212.9032258	6052.509988	30000	0	0	30000	40.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 16:02:29	1	1	1	1	71.5	60.5	0	27819.905	260.2150538	7251.107548	30000	0	0	30000	40.5	2004
22.01.2020 16:02:30	1	1	1	1	71.5	60.5	0	27867.299	240.8602151	6712.146332	30000	0	0	30000	40.375	2004
22.01.2020 16:02:31	1	1	1	1	71.5	60.25	0	27867.299	206.4516129	5753.268285	30000	0	0	30000	40.4375	2004
22.01.2020 16:02:32	1	1	1	1	71.5	60.25	0	27914.692	217.2043011	6182.969587	30000	0	0	30000	40.375	2004
22.01.2020 16:02:33	1	1	1	1	71.5	60.25	0	27914.692	217.2043011	6063.109831	30000	0	0	30000	39.875	2004
22.01.2020 16:02:34	1	1	1	1	71.5	59.75	0	27914.692	208.6021505	5822.574946	30000	0	0	30000	39.875	2004
22.01.2020 16:02:35	1	1	1	1	71.5	59.75	0	27914.692	240.8602151	6723.561547	30000	0	0	30000	40.625	2004
22.01.2020 16:02:36	1	1	1	1	71.5	60.5	0	27914.692	208.6021505	5822.574946	30000	0	0	30000	40.0625	2004
22.01.2020 16:02:37	1	1	1	1	71.5	60	0	27867.299	221.5053763	6172.369744	30000	0	0	30000	40.5625	2004
22.01.2020 16:02:38	1	1	1	1	71.5	60.5	0	27914.692	206.4516129	5763.052755	30000	0	0	30000	40.5	2004
22.01.2020 16:02:39	1	1	1	1	71.75	60.5	0	27962.085	217.2043011	5882.912511	30000	0	0	30000	39.8125	2004
22.01.2020 16:02:40	1	1	1	1	71.75	59.75	0	27914.692	219.3548387	6122.632022	30000	0	0	30000	40.5	2004
22.01.2020 16:02:41	1	1	1	1	71.75	60.5	0	27867.299	221.5053763	6182.969587	30000	0	0	30000	40.4375	2004
22.01.2020 16:02:42	1	1	1	1	71.75	60.25	0	27867.299	240.8602151	6783.083739	30000	0	0	30000	40.25	2004
22.01.2020 16:02:43	1	1	1	1	71.75	60.25	0	27914.692	251.6129032	7023.618623	30000	0	0	30000	40.3125	2004
22.01.2020 16:02:44	1	1	1	1	71.75	60.25	0	27914.692	232.2580645	6483.026663	30000	0	0	30000	40.5	2004
22.01.2020 16:02:45	1	1	1	1	71.75	60.5	0	27867.299	234.4086022	6531.949012	30000	0	0	30000	40.375	2004
22.01.2020 16:02:46	1	1	1	1	71.75	60.25	0	27914.692	253.7634409	7083.140815	30000	0	0	30000	40.3125	2004
22.01.2020 16:02:47	1	1	1	1	71.75	60.25	0	27914.692	255.9139785	7155.708966	30000	0	0	30000	40.4375	2004
22.01.2020 16:02:48	1	1	1	1	71.75	60.25	0	27914.692	255.9139785	7203.815943	30000	0	0	30000	40.3125	2004
22.01.2020 16:02:49	1	1	1	1	72	60.25	0	27914.692	245.1612903	6783.083739	30000	0	0	30000	40.1875	2004
22.01.2020 16:02:50	1	1	1	1	72	60	0	27914.692	232.2580645	6543.364227	30000	0	0	30000	40.5625	2004
22.01.2020 16:02:51	1	1	1	1	72	60.5	0	27914.692	277.4193548	7743.592531	30000	0	0	30000	40.4375	2004
22.01.2020 16:02:52	1	1	1	1	72	60.25	0	27582.938	275.2688172	7651.45544	30000	0	0	30000	40.125	2004
22.01.2020 16:02:53	1	1	1	1	72	60	0	27914.692	290.3225806	8030.603647	30000	0	0	30000	40.1875	2004
22.01.2020 16:02:54	1	1	1	1	72	60	0	27914.692	292.4731183	8358.383388	30000	0	0	30000	40.375	2004
22.01.2020 16:02:55	1	1	1	1	72	60.25	0	27867.299	290.3225806	8103.987171	30000	0	0	30000	40.6875	2004
22.01.2020 16:02:56	1	1	1	1	72	60.5	0	27867.299	288.172043	7984.127416	30000	0	0	30000	40.0625	2004
22.01.2020 16:02:57	1	1	1	1	72	60.75	0	27962.085	298.9247312	8418.720952	30000	0	0	30000	40.375	2004
22.01.2020 16:02:58	1	1	1	1	72	60.25	0	27962.085	307.5268817	8598.918272	30000	0	0	30000	40	2004
22.01.2020 16:02:59	1	1	1	1	72	60	0	27962.085	322.5806452	9019.650477	30000	0	0	30000	40.5625	2004
22.01.2020 16:03:00	1	1	1	1	72	60.5	0	27962.085	311.827957	8704.101324	30000	0	0	30000	40.5625	2004
22.01.2020 16:03:01	1	1	1	1	72	60.5	0	27962.085	305.3763441	8538.580708	30000	0	0	30000	40.125	2004
22.01.2020 16:03:02	1	1	1	1	72	60	0	28009.479	320.4301075	8823.96108	30000	0	0	30000	40.3125	2004
22.01.2020 16:03:03	1	1	1	1	72	60.25	0	27914.692	326.8817204	9140.325605	30000	0	0	30000	40.5625	2004
22.01.2020 16:03:04	1	1	1	1	72	60.5	0	27819.905	350.5376344	9718.4247	30000	0	0	30000	39.875	2004
22.01.2020 16:03:06	1	1	1	1	72	59.75	0	27962.085	331.1827957	9199.847797	30000	0	0	30000	40.4375	2004
22.01.2020 16:03:07	1	1	1	1	72	60.25	0	27962.085	335.483871	9380.86049	30000	0	0	30000	40.4375	2004
22.01.2020 16:03:08	1	1	1	1	72	60.25	0	27962.085	339.7849462	9500.720246	30000	0	0	30000	40.25	2004
22.01.2020 16:03:09	1	1	1	1	71.5	60.25	0	27962.085	322.5806452	9079.988041	30000	0	0	30000	39.875	2004
22.01.2020 16:03:10	1	1	1	1	71.5	59.75	0	27962.085	350.5376344	9817.900144	30000	0	0	30000	40.375	2004
22.01.2020 16:03:11	1	1	1	1	71.5	60.25	0	27914.692	341.9354839	9801.592694	30000	0	0	30000	40.5625	2004
22.01.2020 16:03:12	1	1	1	1	71.5	60.5	0	27962.085	350.5376344	9724.94768	30000	0	0	30000	39.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 16:03:13	1	1	1	1	71.5	59.75	0	27962.085	344.0860215	9680.917566	30000	0	0	30000	40.4375	2004
22.01.2020 16:03:21	1	1	1	1	71.25	60.5	0	14170.616	10.75268817	151.659283	30000	0	0	30000	40.5	2004
22.01.2020 16:03:21	1	1	1	1	71.25	60.5	0	14170.616	10.75268817	151.659283	30000	0	0	30000	40.5	2004
22.01.2020 16:03:21	1	1	1	1	71.25	60.5	0	14170.616	10.75268817	151.659283	30000	0	0	30000	40.5	2004
22.01.2020 16:03:21	1	1	1	1	71.25	60.5	0	14170.616	10.75268817	151.659283	30000	0	0	30000	40.5	2004
22.01.2020 16:03:21	1	1	1	1	71.25	60.5	0	14170.616	10.75268817	151.659283	30000	0	0	30000	40.5	2004
22.01.2020 16:03:21	1	1	1	1	71.25	60.5	0	14170.616	10.75268817	151.659283	30000	0	0	30000	40.5	2004
22.01.2020 16:03:21	1	1	1	1	71.25	60.5	0	14928.91	12.90322581	192.4279075	30000	0	0	30000	40.4375	2004
22.01.2020 16:03:22	1	1	1	1	71.25	60.25	0	15687.204	17.20430108	303.318566	30000	0	0	30000	40.5625	2004
22.01.2020 16:03:23	1	1	1	1	71.25	60.5	0	16445.498	23.65591398	388.9326774	30000	0	0	30000	40.5	2004
22.01.2020 16:03:24	1	1	1	1	71.25	60.5	0	17251.185	30.10752688	519.3922757	30000	0	0	30000	40.6875	2004
22.01.2020 16:03:25	1	1	1	1	71.25	60.5	0	18009.479	40.86021505	735.4659854	30000	0	0	30000	40.625	2004
22.01.2020 16:03:26	1	1	1	1	71.25	60.5	0	18767.773	49.46236559	927.8938929	30000	0	0	30000	40.5	2004
22.01.2020 16:03:27	1	1	1	1	71.25	60.5	0	19478.673	58.06451613	1172.50564	30000	0	0	30000	40.375	2004
22.01.2020 16:03:28	1	1	1	1	71.25	60.25	0	20331.754	70.96774194	1442.393934	30000	0	0	30000	40.3125	2004
22.01.2020 16:03:29	1	1	1	1	71.5	60.25	0	21090.047	77.41935484	1678.036583	30000	0	0	30000	40.375	2004
22.01.2020 16:03:30	1	1	1	1	71.5	60.25	0	21800.948	92.47311828	2015.600794	30000	0	0	30000	40.4375	2004
22.01.2020 16:03:31	1	1	1	1	71.5	60.25	0	22559.242	103.2258065	2328.70383	30000	0	0	30000	40.375	2004
22.01.2020 16:03:32	1	1	1	1	71.5	60.25	0	23033.175	109.6774194	2526.023972	30000	0	0	30000	40.375	2004
22.01.2020 16:03:33	1	1	1	1	71.5	60.25	0	23080.569	107.5268817	2431.440763	30000	0	0	30000	40.875	2004
22.01.2020 16:03:34	1	1	1	1	71.5	60.75	0	23080.569	105.3763441	2431.440763	30000	0	0	30000	40.3125	2004
22.01.2020 16:03:35	1	1	1	1	71.5	60.25	0	23080.569	105.3763441	2431.440763	30000	0	0	30000	39.875	2004
22.01.2020 16:03:36	1	1	1	1	71.5	59.75	0	23080.569	105.3763441	2431.440763	30000	0	0	30000	40.5	2004
22.01.2020 16:03:37	1	1	1	1	71.5	60.5	0	23080.569	105.3763441	2431.440763	30000	0	0	30000	40.5	2004
22.01.2020 16:03:38	1	1	1	1	71.5	60.5	0	23080.569	105.3763441	2431.440763	30000	0	0	30000	40.375	2004
22.01.2020 16:03:39	1	1	1	1	71.5	60.25	0	23080.569	103.2258065	2431.440763	30000	0	0	30000	40.375	2004
22.01.2020 16:03:40	1	1	1	1	71.5	60.25	0	23080.569	103.2258065	2382.518414	30000	0	0	30000	40.4375	2004
22.01.2020 16:03:41	1	1	1	1	71.5	60.25	0	23080.569	105.3763441	2382.518414	30000	0	0	30000	40.25	2004
22.01.2020 16:03:42	1	1	1	1	71.5	60.25	0	23080.569	103.2258065	2431.440763	30000	0	0	30000	40.375	2004
22.01.2020 16:03:43	1	1	1	1	71.5	60.25	0	23080.569	105.3763441	2431.440763	30000	0	0	30000	40.4375	2004
22.01.2020 16:03:45	1	1	1	1	71.5	60.25	0	23033.175	107.5268817	2530.916207	30000	0	0	30000	40.4375	2004
22.01.2020 16:03:46	1	1	1	1	71.5	60.25	0	23175.355	116.1290323	2690.729215	30000	0	0	30000	40.375	2004
22.01.2020 16:03:47	1	1	1	1	71.5	60.25	0	23175.355	120.4301075	2791.020031	30000	0	0	30000	40.5	2004
22.01.2020 16:03:48	1	1	1	1	71.5	60.5	0	23175.355	120.4301075	2791.020031	30000	0	0	30000	40.3125	2004
22.01.2020 16:03:49	1	1	1	1	71.5	60.25	0	23175.355	120.4301075	2791.020031	30000	0	0	30000	40.3125	2004
22.01.2020 16:03:50	1	1	1	1	71.5	60.25	0	23175.355	120.4301075	2791.020031	30000	0	0	30000	40.5	2004
22.01.2020 16:03:51	1	1	1	1	71.5	60.5	0	23175.355	120.4301075	2791.020031	30000	0	0	30000	40.3125	2004
22.01.2020 16:03:52	1	1	1	1	71.5	60.25	0	23175.355	116.1290323	2791.020031	30000	0	0	30000	40.6875	2004
22.01.2020 16:03:53	1	1	1	1	71.5	60.5	0	23838.863	146.2365591	3427.825945	30000	0	0	30000	40.5625	2004
22.01.2020 16:03:54	1	1	1	1	71.5	60.5	0	23933.649	159.1397849	3757.236431	30000	0	0	30000	40.5	2004
22.01.2020 16:03:55	1	1	1	1	71.5	60.5	0	24360.19	176.344086	4356.535211	30000	0	0	30000	40.5625	2004
22.01.2020 16:03:56	1	1	1	1	71.5	60.5	0	24360.19	191.3978495	4634.577229	30000	0	0	30000	40.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 16:03:57	1	1	1	1	71.5	60.25	0	24976.303	206.4516129	5156.415623	30000	0	0	30000	40.4375	2004
22.01.2020 16:03:58	1	1	1	1	71.5	60.25	0	25071.09	221.5053763	5552.686652	30000	0	0	30000	40.25	2004
22.01.2020 16:03:59	1	1	1	1	71.5	60.25	0	25260.664	234.4086022	5986.464817	30000	0	0	30000	40.1875	2004
22.01.2020 16:04:00	1	1	1	1	71.5	60	0	26208.531	247.311828	6481.395918	30000	0	0	30000	40.4375	2004
22.01.2020 16:04:01	1	1	1	1	71.5	60.25	0	26682.464	264.516129	7114.940342	30000	0	0	30000	40.625	2004
22.01.2020 16:04:02	1	1	1	1	71.5	60.5	0	25924.171	277.4193548	7247.030685	30000	0	0	30000	40.5	2004
22.01.2020 16:04:03	1	1	1	1	71.5	60.5	0	26113.744	290.3225806	7581.333406	30000	0	0	30000	40.5	2004
22.01.2020 16:04:04	1	1	1	1	71.5	60.5	0	26966.825	309.6774194	8351.045036	30000	0	0	30000	40.0625	2004
22.01.2020 16:04:05	1	1	1	1	71.5	60	0	26966.825	322.5806452	8698.393716	30000	0	0	30000	40.5	2004
22.01.2020 16:04:06	1	1	1	1	71.5	60.5	0	26966.825	341.9354839	9220.232109	30000	0	0	30000	40.5	2004
22.01.2020 16:04:07	1	1	1	1	71.5	60.5	0	27345.972	356.9892473	9761.639442	30000	0	0	30000	40.625	2004
22.01.2020 16:04:08	1	1	1	1	71.5	60.5	0	27393.365	369.8924731	10173.40255	30000	0	0	30000	40.5625	2004
22.01.2020 16:04:09	1	1	1	1	71.5	60.5	0	27582.938	384.9462366	10617.78056	30000	0	0	30000	40.1875	2004
22.01.2020 16:04:10	1	1	1	1	71.5	60	0	27630.332	402.1505376	11051.55872	30000	0	0	30000	40.4375	2004
22.01.2020 16:04:11	1	1	1	1	71.5	60.25	0	28009.479	412.9032258	11565.24339	30000	0	0	30000	40.5	2004
22.01.2020 16:04:12	1	1	1	1	71.5	60.5	0	0	0	0	30000	0	8	30000	40.625	2004
22.01.2020 16:04:13	1	1	1	1	71.5	60.25	0	10379.147	0	0	30000	0	0	30000	40.625	2004
22.01.2020 16:04:14	1	1	1	1	71.5	60.5	0	11184.834	0	0	30000	0	0	30000	40.5625	2004
22.01.2020 16:04:22	1	1	1	1	71.25	60.5	0	16492.891	21.50537634	394.6402848	30000	0	0	30000	40.5625	2004
22.01.2020 16:04:22	1	1	1	1	71.25	60.5	0	16492.891	21.50537634	394.6402848	30000	0	0	30000	40.5625	2004
22.01.2020 16:04:22	1	1	1	1	71.25	60.5	0	16492.891	21.50537634	394.6402848	30000	0	0	30000	40.5625	2004
22.01.2020 16:04:22	1	1	1	1	71.25	60.5	0	16492.891	21.50537634	394.6402848	30000	0	0	30000	40.5625	2004
22.01.2020 16:04:22	1	1	1	1	71.25	60.5	0	16492.891	21.50537634	394.6402848	30000	0	0	30000	40.5625	2004
22.01.2020 16:04:22	1	1	1	1	71.25	60.5	0	16492.891	21.50537634	394.6402848	30000	0	0	30000	40.5625	2004
22.01.2020 16:04:22	1	1	1	1	71.25	60.5	0	16492.891	21.50537634	394.6402848	30000	0	0	30000	40.5625	2004
22.01.2020 16:04:23	1	1	1	1	71.25	60.5	0	17298.578	27.95698925	483.5158862	30000	0	0	30000	40.5	2004
22.01.2020 16:04:24	1	1	1	1	71.25	60.5	0	18056.872	38.70967742	659.6363439	30000	0	0	30000	40.375	2004
22.01.2020 16:04:25	1	1	1	1	71.25	60.25	0	18815.166	45.16129032	849.6181339	30000	0	0	30000	40.625	2004
22.01.2020 16:04:26	1	1	1	1	71.25	60.5	0	19668.246	53.76344086	1056.722746	30000	0	0	30000	40.625	2004
22.01.2020 16:04:27	1	1	1	1	71.25	60.5	0	20331.754	62.3655914	1358.410567	30000	0	0	30000	40.5	2004
22.01.2020 16:04:28	1	1	1	1	71.25	60.5	0	21137.441	75.2688172	1590.791727	30000	0	0	30000	40.625	2004
22.01.2020 16:04:29	1	1	1	1	70.75	60.5	0	21943.128	88.17204301	1934.063545	30000	0	0	30000	40.375	2004
22.01.2020 16:04:30	1	1	1	1	70.75	60.25	0	22559.242	103.2258065	2348.272769	30000	0	0	30000	40.5	2004
22.01.2020 16:04:31	1	1	1	1	70.75	60.5	0	23270.142	129.0322581	2852.172968	30000	0	0	30000	40.625	2004
22.01.2020 16:04:32	1	1	1	1	70.75	60.5	0	23459.716	137.6344086	3228.875058	30000	0	0	30000	40.5625	2004
22.01.2020 16:04:33	1	1	1	1	70.75	60.5	0	23412.322	137.6344086	3222.352078	30000	0	0	30000	39.875	2004
22.01.2020 16:04:34	1	1	1	1	70.75	59.75	0	23412.322	137.6344086	3215.829098	30000	0	0	30000	40.3125	2004
22.01.2020 16:04:35	1	1	1	1	70.75	60.25	0	23364.929	137.6344086	3222.352078	30000	0	0	30000	40.5	2004
22.01.2020 16:04:36	1	1	1	1	70.75	60.5	0	23412.322	129.0322581	3215.829098	30000	0	0	30000	40.625	2004
22.01.2020 16:04:37	1	1	1	1	70.75	60.5	0	23412.322	137.6344086	3222.352078	30000	0	0	30000	40.5	2004
22.01.2020 16:04:38	1	1	1	1	70.75	60.5	0	23412.322	137.6344086	3222.352078	30000	0	0	30000	40.5	2004
22.01.2020 16:04:39	1	1	1	1	70.5	60.5	0	23364.929	148.3870968	3473.486805	30000	0	0	30000	40.625	2004
22.01.2020 16:04:40	1	1	1	1	70.5	60.5	0	23412.322	137.6344086	3228.875058	30000	0	0	30000	40.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 16:04:41	1	1	1	1	70.5	60.5	0	23412.322	137.6344086	3222.352078	30000	0	0	30000	40.1875	2004
22.01.2020 16:04:42	1	1	1	1	70.5	60	0	23412.322	137.6344086	3222.352078	30000	0	0	30000	40.5	2004
22.01.2020 16:04:43	1	1	1	1	70.5	60.5	0	23412.322	129.0322581	3020.955073	30000	0	0	30000	40.5	2004
22.01.2020 16:04:44	1	1	1	1	70.5	60.5	0	23412.322	139.7849462	3222.352078	30000	0	0	30000	40.5625	2004
22.01.2020 16:04:45	1	1	1	1	70.5	60.5	0	23412.322	137.6344086	3222.352078	30000	0	0	30000	40.375	2004
22.01.2020 16:04:46	1	1	1	1	70.5	60.25	0	23412.322	137.6344086	3222.352078	30000	0	0	30000	40.375	2004
22.01.2020 16:04:47	1	1	1	1	70.5	60.25	0	23412.322	137.6344086	3222.352078	30000	0	0	30000	40.0625	2004
22.01.2020 16:04:48	1	1	1	1	70.5	60	0	23412.322	137.6344086	3215.829098	30000	0	0	30000	40.375	2004
22.01.2020 16:04:49	1	1	1	1	70.25	60.25	0	23412.322	137.6344086	3222.352078	30000	0	0	30000	40.6875	2004
22.01.2020 16:04:50	1	1	1	1	70.25	60.5	0	23364.929	137.6344086	3272.0898	30000	0	0	30000	40.4375	2004
22.01.2020 16:04:51	1	1	1	1	70.25	60.25	0	23744.076	159.1397849	3727.067649	30000	0	0	30000	40.625	2004
22.01.2020 16:04:52	1	1	1	1	70.25	60.75	0	23838.863	167.7419355	3998.586688	30000	0	0	30000	40.5	2004
22.01.2020 16:04:53	1	1	1	1	70.25	60.5	0	23838.863	167.7419355	3998.586688	30000	0	0	30000	40.5	2004
22.01.2020 16:04:54	1	1	1	1	70.25	60.5	0	23981.043	165.5913978	3970.864023	30000	0	0	30000	40.375	2004
22.01.2020 16:04:55	1	1	1	1	70.25	60.25	0	23554.502	169.8924731	4009.18653	30000	0	0	30000	40.375	2004
22.01.2020 16:04:56	1	1	1	1	70.25	60.25	0	23554.502	169.8924731	4001.032805	30000	0	0	30000	40.4375	2004
22.01.2020 16:04:57	1	1	1	1	70.25	60.25	0	23744.076	165.5913978	3982.279238	30000	0	0	30000	40.3125	2004
22.01.2020 16:04:58	1	1	1	1	70.25	60.25	0	23791.469	169.8924731	4041.80143	30000	0	0	30000	40.5	2004
22.01.2020 16:04:59	1	1	1	1	70.25	60.5	0	23364.929	169.8924731	3969.233278	30000	0	0	30000	40.5	2004
22.01.2020 16:05:00	1	1	1	1	70.25	60.5	0	23554.502	169.8924731	4001.032805	30000	0	0	30000	40.5	2004
22.01.2020 16:05:02	1	1	1	1	70.25	60.5	0	23412.322	169.8924731	3969.233278	30000	0	0	30000	40.5625	2004
22.01.2020 16:05:03	1	1	1	1	70.25	60.5	0	23554.502	169.8924731	4001.032805	30000	0	0	30000	40	2004
22.01.2020 16:05:04	1	1	1	1	70.25	60	0	23696.682	167.7419355	4033.647705	30000	0	0	30000	40.375	2004
22.01.2020 16:05:05	1	1	1	1	70.25	60.25	0	23554.502	169.8924731	4001.032805	30000	0	0	30000	40.5	2004
22.01.2020 16:05:06	1	1	1	1	70.25	60.5	0	23554.502	169.8924731	4001.032805	30000	0	0	30000	40.375	2004
22.01.2020 16:05:07	1	1	1	1	70.25	60.25	0	23554.502	169.8924731	4102.954366	30000	0	0	30000	40.625	2004
22.01.2020 16:05:08	1	1	1	1	70.25	60.5	0	23270.142	169.8924731	3952.925828	30000	0	0	30000	40.5625	2004
22.01.2020 16:05:09	1	1	1	1	69.75	60.5	0	23554.502	169.8924731	4001.032805	30000	0	0	30000	39.875	2004
22.01.2020 16:05:10	1	1	1	1	69.75	59.75	0	23459.716	174.1935484	3977.387003	30000	0	0	30000	40.4375	2004
22.01.2020 16:05:11	1	1	1	1	69.75	60.25	0	23554.502	169.8924731	3993.694453	30000	0	0	30000	40.5	2004
22.01.2020 16:05:12	1	1	1	1	69.75	60.5	0	23412.322	176.344086	4128.230913	30000	0	0	30000	40.125	2004
22.01.2020 16:05:13	1	1	1	1	69.75	60	0	23412.322	189.2473118	4430.734107	30000	0	0	30000	39.9375	2004
22.01.2020 16:05:14	1	1	1	1	69.75	59.75	0	23838.863	206.4516129	4664.746011	30000	0	0	30000	40.5	2004
22.01.2020 16:05:15	1	1	1	1	69.75	60.5	0	24218.009	206.4516129	4999.864105	30000	0	0	30000	40.4375	2004
22.01.2020 16:05:16	1	1	1	1	69.75	60.25	0	24218.009	206.4516129	5051.232571	30000	0	0	30000	40.375	2004
22.01.2020 16:05:24	1	1	1	1	69.5	59.75	0	24218.009	206.4516129	4999.864105	30000	0	0	30000	39.75	2004
22.01.2020 16:05:24	1	1	1	1	69.5	59.75	0	24218.009	206.4516129	4999.864105	30000	0	0	30000	39.75	2004
22.01.2020 16:05:24	1	1	1	1	69.5	59.75	0	24218.009	206.4516129	4999.864105	30000	0	0	30000	39.75	2004
22.01.2020 16:05:24	1	1	1	1	69.5	59.75	0	24218.009	206.4516129	4999.864105	30000	0	0	30000	39.75	2004
22.01.2020 16:05:24	1	1	1	1	69.5	59.75	0	24218.009	206.4516129	4999.864105	30000	0	0	30000	39.75	2004
22.01.2020 16:05:24	1	1	1	1	69.5	59.75	0	24218.009	206.4516129	4999.864105	30000	0	0	30000	39.75	2004
22.01.2020 16:05:24	1	1	1	1	69.5	59.75	0	24407.583	206.4516129	5039.001984	30000	0	0	30000	40.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 16:05:25	1	1	1	1	69.5	60.25	0	24691.943	206.4516129	5107.493273	30000	0	0	30000	40.5625	2004
22.01.2020 16:05:26	1	1	1	1	69.5	60.5	0	24454.976	206.4516129	5058.570924	30000	0	0	30000	40.5625	2004
22.01.2020 16:05:27	1	1	1	1	69.5	60.5	0	24407.583	206.4516129	5039.001984	30000	0	0	30000	40.875	2004
22.01.2020 16:05:28	1	1	1	1	69.5	60.75	0	24218.009	206.4516129	4625.608132	30000	0	0	30000	40.625	2004
22.01.2020 16:05:29	1	1	1	1	69.25	60.5	0	24597.156	206.4516129	4813.143805	30000	0	0	30000	41	2004
22.01.2020 16:05:30	1	1	1	1	69.25	61	0	24597.156	206.4516129	5078.139864	30000	0	0	30000	40.5625	2004
22.01.2020 16:05:31	1	1	1	1	69.25	60.5	0	24218.009	206.4516129	4738.944908	30000	0	0	30000	40.5625	2004
22.01.2020 16:05:32	1	1	1	1	69.25	60.5	0	24786.73	206.4516129	5117.277743	30000	0	0	30000	40.5	2004
22.01.2020 16:05:33	1	1	1	1	69.25	60.5	0	24218.009	206.4516129	4999.864105	30000	0	0	30000	40.625	2004
22.01.2020 16:05:34	1	1	1	1	69.25	60.5	0	24502.37	195.6989247	4794.390237	30000	0	0	30000	40.5	2004
22.01.2020 16:05:35	1	1	1	1	69.25	60.5	0	24218.009	206.4516129	4999.864105	30000	0	0	30000	40.625	2004
22.01.2020 16:05:36	1	1	1	1	69.25	60.5	0	24597.156	206.4516129	5078.139864	30000	0	0	30000	40.5625	2004
22.01.2020 16:05:37	1	1	1	1	69.25	60.5	0	24170.616	206.4516129	4990.079635	30000	0	0	30000	40.5	2004
22.01.2020 16:05:39	1	1	1	1	69.5	60.5	0	24123.223	206.4516129	4980.295165	30000	0	0	30000	40.25	2004
22.01.2020 16:05:40	1	1	1	1	69.5	60.25	0	24218.009	206.4516129	4999.864105	30000	0	0	30000	40.4375	2004
22.01.2020 16:05:41	1	1	1	1	69.5	60.25	0	24218.009	206.4516129	5051.232571	30000	0	0	30000	40.5	2004
22.01.2020 16:05:42	1	1	1	1	69.5	60.5	0	24218.009	206.4516129	4999.864105	30000	0	0	30000	40.3125	2004
22.01.2020 16:05:43	1	1	1	1	69.5	60.25	0	24218.009	206.4516129	4999.864105	30000	0	0	30000	40.5625	2004
22.01.2020 16:05:44	1	1	1	1	69.5	60.5	0	23981.043	208.6021505	5002.310222	30000	0	0	30000	40.4375	2004
22.01.2020 16:05:45	1	1	1	1	69.5	60.25	0	23981.043	208.6021505	5002.310222	30000	0	0	30000	39.875	2004
22.01.2020 16:05:46	1	1	1	1	69.5	59.75	0	24028.436	208.6021505	5002.310222	30000	0	0	30000	40.4375	2004
22.01.2020 16:05:47	1	1	1	1	69.5	60.25	0	24123.223	208.6021505	4980.295165	30000	0	0	30000	40.0625	2004
22.01.2020 16:05:48	1	1	1	1	69.5	60	0	24028.436	206.4516129	4960.726225	30000	0	0	30000	40.5625	2004
22.01.2020 16:05:49	1	1	1	1	69.25	60.5	0	23933.649	206.4516129	4941.157285	30000	0	0	30000	40.5	2004
22.01.2020 16:05:50	1	1	1	1	69.25	60.5	0	24028.436	206.4516129	5187.399777	30000	0	0	30000	40.5	2004
22.01.2020 16:05:51	1	1	1	1	69.25	60.5	0	24170.616	208.6021505	5041.448102	30000	0	0	30000	39.9375	2004
22.01.2020 16:05:52	1	1	1	1	69.25	59.75	0	24075.829	208.6021505	5031.663632	30000	0	0	30000	39.9375	2004
22.01.2020 16:05:53	1	1	1	1	69.25	59.75	0	24075.829	208.6021505	4970.510695	30000	0	0	30000	40.4375	2004
22.01.2020 16:05:54	1	1	1	1	69.25	60.25	0	23744.076	210.7526882	4952.5725	30000	0	0	30000	40.375	2004
22.01.2020 16:05:55	1	1	1	1	69.25	60.25	0	24218.009	206.4516129	5051.232571	30000	0	0	30000	40.4375	2004
22.01.2020 16:05:56	1	1	1	1	69.25	60.25	0	23744.076	210.7526882	4952.5725	30000	0	0	30000	40.5	2004
22.01.2020 16:05:57	1	1	1	1	69.25	60.5	0	23838.863	208.6021505	4972.14144	30000	0	0	30000	40.5625	2004
22.01.2020 16:05:58	1	1	1	1	69.25	60.5	0	23933.649	208.6021505	4992.525752	30000	0	0	30000	40.5625	2004
22.01.2020 16:05:59	1	1	1	1	69	60.5	0	24075.829	206.4516129	4970.510695	30000	0	0	30000	40.5	2004
22.01.2020 16:06:00	1	1	1	1	69	60.5	0	24123.223	206.4516129	4980.295165	30000	0	0	30000	40.375	2004
22.01.2020 16:06:01	1	1	1	1	69	60.25	0	23791.469	208.6021505	5023.509907	30000	0	0	30000	40.5	2004
22.01.2020 16:06:02	1	1	1	1	69	60.5	0	24123.223	208.6021505	5031.663632	30000	0	0	30000	40.4375	2004
22.01.2020 16:06:03	1	1	1	1	69	60.25	0	24075.829	208.6021505	5031.663632	30000	0	0	30000	40.3125	2004
22.01.2020 16:06:04	1	1	1	1	69	60.25	0	23886.256	208.6021505	4982.741282	30000	0	0	30000	40.5625	2004
22.01.2020 16:06:05	1	1	1	1	69	60.5	0	23886.256	208.6021505	4982.741282	30000	0	0	30000	40.5625	2004
22.01.2020 16:06:06	1	1	1	1	69	60.5	0	24123.223	208.6021505	5031.663632	30000	0	0	30000	40.875	2004
22.01.2020 16:06:07	1	1	1	1	69	60.75	0	24123.223	208.6021505	5031.663632	30000	0	0	30000	41	2004
22.01.2020 16:06:08	1	1	1	1	69	61	0	23981.043	208.6021505	5063.463159	30000	0	0	30000	40.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 16:06:09	1	1	1	1	69.25	60.25	0	23886.256	208.6021505	4982.741282	30000	0	0	30000	40.9375	2004
22.01.2020 16:06:10	1	1	1	1	69.25	60.5	0	24170.616	206.4516129	4990.079635	30000	0	0	30000	40.5	2004
22.01.2020 16:06:11	1	1	1	1	69.25	60.5	0	24123.223	208.6021505	5031.663632	30000	0	0	30000	40.5625	2004
22.01.2020 16:06:12	1	1	1	1	69.25	60.5	0	23222.749	221.5053763	5153.969505	30000	0	0	30000	40.5625	2004
22.01.2020 16:06:13	1	1	1	1	69.25	60.5	0	24218.009	236.5591398	5728.80711	30000	0	0	30000	40.5625	2004
22.01.2020 16:06:14	1	1	1	1	69.25	60.5	0	24597.156	245.1612903	5965.265132	30000	0	0	30000	40.625	2004
22.01.2020 16:06:15	1	1	1	1	69.25	60.5	0	24549.763	243.0107527	5976.680347	30000	0	0	30000	39.5625	2004
22.01.2020 16:06:17	1	1	1	1	69.25	59.5	0	24834.123	240.8602151	6045.987008	30000	0	0	30000	40.5	2004
22.01.2020 16:06:18	1	1	1	1	69.25	60.5	0	24691.943	243.0107527	5947.326937	30000	0	0	30000	40.4375	2004
22.01.2020 16:06:25	1	1	1	1	68.75	60.5	0	24597.156	243.0107527	6000.326149	30000	0	0	30000	40.3125	2004
22.01.2020 16:06:25	1	1	1	1	68.75	60.5	0	24597.156	243.0107527	6000.326149	30000	0	0	30000	40.3125	2004
22.01.2020 16:06:25	1	1	1	1	68.75	60.5	0	24597.156	243.0107527	6000.326149	30000	0	0	30000	40.3125	2004
22.01.2020 16:06:25	1	1	1	1	68.75	60.5	0	24597.156	243.0107527	6000.326149	30000	0	0	30000	40.3125	2004
22.01.2020 16:06:25	1	1	1	1	68.75	60.5	0	24597.156	243.0107527	6000.326149	30000	0	0	30000	40.3125	2004
22.01.2020 16:06:25	1	1	1	1	68.75	60.5	0	24597.156	243.0107527	6000.326149	30000	0	0	30000	40.3125	2004
22.01.2020 16:06:25	1	1	1	1	68.75	60.5	0	24597.156	243.0107527	6000.326149	30000	0	0	30000	40.3125	2004
22.01.2020 16:06:26	1	1	1	1	68.75	60.25	0	24407.583	249.4623656	5931.019487	30000	0	0	30000	40.4375	2004
22.01.2020 16:06:27	1	1	1	1	68.75	60.25	0	24691.943	240.8602151	6000.326149	30000	0	0	30000	39.8125	2004
22.01.2020 16:06:28	1	1	1	1	68.75	59.75	0	24691.943	243.0107527	6000.326149	30000	0	0	30000	40.375	2004
22.01.2020 16:06:29	1	1	1	1	68.75	60.25	0	24691.943	243.0107527	5947.326937	30000	0	0	30000	40.5625	2004
22.01.2020 16:06:30	1	1	1	1	68.75	60.5	0	24739.336	243.0107527	6000.326149	30000	0	0	30000	40.5	2004
22.01.2020 16:06:31	1	1	1	1	68.75	60.5	0	24739.336	240.8602151	5958.742152	30000	0	0	30000	40.5	2004
22.01.2020 16:06:32	1	1	1	1	68.75	60.5	0	24549.763	243.0107527	6029.679559	30000	0	0	30000	40.5	2004
22.01.2020 16:06:33	1	1	1	1	68.75	60.5	0	24644.55	245.1612903	5976.680347	30000	0	0	30000	40.4375	2004
22.01.2020 16:06:34	1	1	1	1	68.75	60.25	0	24549.763	245.1612903	5913.081293	30000	0	0	30000	40.5625	2004
22.01.2020 16:06:35	1	1	1	1	68.75	60.5	0	24691.943	240.8602151	6011.741364	30000	0	0	30000	40.625	2004
22.01.2020 16:06:36	1	1	1	1	68.75	60.5	0	24597.156	247.311828	6082.67877	30000	0	0	30000	39.625	2004
22.01.2020 16:06:37	1	1	1	1	68.75	59.5	0	24691.943	243.0107527	6000.326149	30000	0	0	30000	40.5625	2004
22.01.2020 16:06:38	1	1	1	1	68.75	60.5	0	24502.37	245.1612903	6059.032968	30000	0	0	30000	40.25	2004
22.01.2020 16:06:39	1	1	1	1	68.5	60.25	0	24691.943	245.1612903	5976.680347	30000	0	0	30000	40.5	2004
22.01.2020 16:06:40	1	1	1	1	68.5	60.5	0	24691.943	247.311828	6000.326149	30000	0	0	30000	40.5	2004
22.01.2020 16:06:41	1	1	1	1	68.5	60.5	0	24597.156	243.0107527	5976.680347	30000	0	0	30000	40.625	2004
22.01.2020 16:06:42	1	1	1	1	68.5	60.5	0	24597.156	240.8602151	5976.680347	30000	0	0	30000	40.4375	2004
22.01.2020 16:06:43	1	1	1	1	68.5	60.25	0	24597.156	245.1612903	5976.680347	30000	0	0	30000	40.4375	2004
22.01.2020 16:06:44	1	1	1	1	68.5	60.25	0	24739.336	243.0107527	6023.156579	30000	0	0	30000	40.375	2004
22.01.2020 16:06:45	1	1	1	1	68.5	60.25	0	24786.73	243.0107527	6023.156579	30000	0	0	30000	40.1875	2004
22.01.2020 16:06:46	1	1	1	1	68.5	60	0	24502.37	243.0107527	6082.67877	30000	0	0	30000	40.5625	2004
22.01.2020 16:06:47	1	1	1	1	68.5	60.5	0	24549.763	245.1612903	5976.680347	30000	0	0	30000	40.8125	2004
22.01.2020 16:06:48	1	1	1	1	68.5	60.75	0	24597.156	243.0107527	6106.324573	30000	0	0	30000	40.4375	2004
22.01.2020 16:06:49	1	1	1	1	68.5	60.5	0	24407.583	245.1612903	5878.835648	30000	0	0	30000	40.4375	2004
22.01.2020 16:06:50	1	1	1	1	68.5	60.25	0	24407.583	247.311828	6036.202539	30000	0	0	30000	40.5	2004
22.01.2020 16:06:51	1	1	1	1	68.5	60.5	0	24502.37	245.1612903	6006.849129	30000	0	0	30000	40.5	2004
22.01.2020 16:06:52	1	1	1	1	68.5	60.5	0	24218.009	247.311828	6041.094773	30000	0	0	30000	40.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 16:06:53	1	1	1	1	68.5	60.25	0	24407.583	247.311828	6088.386378	30000	0	0	30000	40.4375	2004
22.01.2020 16:06:55	1	1	1	1	68.5	60.25	0	24454.976	243.0107527	5942.434702	30000	0	0	30000	40.5	2004
22.01.2020 16:06:56	1	1	1	1	68.5	60.5	0	24218.009	247.311828	5988.910934	30000	0	0	30000	40.625	2004
22.01.2020 16:06:57	1	1	1	1	68.5	60.5	0	24502.37	245.1612903	5983.203327	30000	0	0	30000	40.5	2004
22.01.2020 16:06:58	1	1	1	1	68.5	60.5	0	24170.616	247.311828	5977.495719	30000	0	0	30000	40.5	2004
22.01.2020 16:06:59	1	1	1	1	68.5	60.5	0	24218.009	247.311828	5988.910934	30000	0	0	30000	40.25	2004
22.01.2020 16:07:00	1	1	1	1	68.5	60.25	0	24407.583	247.311828	5988.910934	30000	0	0	30000	40.5	2004
22.01.2020 16:07:01	1	1	1	1	68.5	60.5	0	24218.009	247.311828	6088.386378	30000	0	0	30000	39.8125	2004
22.01.2020 16:07:02	1	1	1	1	68.5	59.75	0	24549.763	240.8602151	6029.679559	30000	0	0	30000	40.5625	2004
22.01.2020 16:07:03	1	1	1	1	68.5	60.5	0	24360.19	245.1612903	6036.202539	30000	0	0	30000	40.4375	2004
22.01.2020 16:07:04	1	1	1	1	68.5	60.25	0	24502.37	245.1612903	6294.675618	30000	0	0	30000	40.5	2004
22.01.2020 16:07:05	1	1	1	1	68.5	60.5	0	24218.009	245.1612903	5936.727095	30000	0	0	30000	40.4375	2004
22.01.2020 16:07:06	1	1	1	1	68.5	60.25	0	24502.37	251.6129032	6165.031392	30000	0	0	30000	40.375	2004
22.01.2020 16:07:07	1	1	1	1	68.5	60.25	0	24407.583	245.1612903	5931.019487	30000	0	0	30000	40.4375	2004
22.01.2020 16:07:08	1	1	1	1	68.5	60.25	0	24407.583	245.1612903	6036.202539	30000	0	0	30000	40.3125	2004
22.01.2020 16:07:09	1	1	1	1	67.75	60.25	0	24407.583	245.1612903	6036.202539	30000	0	0	30000	40.5	2004
22.01.2020 16:07:10	1	1	1	1	67.75	60.5	0	24549.763	247.311828	6188.677194	30000	0	0	30000	40.5	2004
22.01.2020 16:07:11	1	1	1	1	67.75	60.5	0	24218.009	247.311828	6140.570217	30000	0	0	30000	40.5625	2004
22.01.2020 16:07:12	1	1	1	1	67.75	60.5	0	24218.009	245.1612903	5936.727095	30000	0	0	30000	40.5	2004
22.01.2020 16:07:13	1	1	1	1	67.75	60.5	0	24881.517	262.3655914	6527.87215	30000	0	0	30000	40.5	2004
22.01.2020 16:07:14	1	1	1	1	67.75	60.5	0	25071.09	279.5698925	7008.941918	30000	0	0	30000	40.5	2004
22.01.2020 16:07:15	1	1	1	1	67.75	60.5	0	25260.664	277.4193548	7007.311173	30000	0	0	30000	40.4375	2004
22.01.2020 16:07:16	1	1	1	1	67.75	60.25	0	25071.09	281.7204301	7062.756503	30000	0	0	30000	40.375	2004
22.01.2020 16:07:17	1	1	1	1	67.75	60.25	0	24976.303	279.5698925	6982.034626	30000	0	0	30000	40.4375	2004
22.01.2020 16:07:18	1	1	1	1	67.75	60.25	0	24976.303	277.4193548	6982.034626	30000	0	0	30000	40.5	2004
22.01.2020 16:07:19	1	1	1	1	67.5	60.5	0	25165.877	281.7204301	7089.663795	30000	0	0	30000	40.5625	2004
22.01.2020 16:07:27	1	1	1	1	67.5	60.75	0	24976.303	281.7204301	7008.941918	30000	0	0	30000	40.5	2004
22.01.2020 16:07:27	1	1	1	1	67.5	60.75	0	24976.303	281.7204301	7008.941918	30000	0	0	30000	40.5	2004
22.01.2020 16:07:27	1	1	1	1	67.5	60.75	0	24976.303	281.7204301	7008.941918	30000	0	0	30000	40.5	2004
22.01.2020 16:07:27	1	1	1	1	67.5	60.75	0	24976.303	281.7204301	7008.941918	30000	0	0	30000	40.5	2004
22.01.2020 16:07:27	1	1	1	1	67.5	60.75	0	24976.303	281.7204301	7008.941918	30000	0	0	30000	40.5	2004
22.01.2020 16:07:27	1	1	1	1	67.5	60.75	0	24976.303	281.7204301	7008.941918	30000	0	0	30000	40.5	2004
22.01.2020 16:07:27	1	1	1	1	67.5	60.75	0	24976.303	281.7204301	7008.941918	30000	0	0	30000	40.5	2004
22.01.2020 16:07:27	1	1	1	1	67.5	60.5	0	24786.73	279.5698925	6929.035414	30000	0	0	30000	40.4375	2004
22.01.2020 16:07:28	1	1	1	1	67.5	60.25	0	24976.303	279.5698925	7035.84921	30000	0	0	30000	40.4375	2004
22.01.2020 16:07:29	1	1	1	1	67.5	60.25	0	24834.123	283.8709677	6982.849999	30000	0	0	30000	40.5	2004
22.01.2020 16:07:30	1	1	1	1	67.5	60.5	0	24597.156	283.8709677	6915.989455	30000	0	0	30000	40.3125	2004
22.01.2020 16:07:31	1	1	1	1	67.5	60.25	0	24597.156	281.7204301	6982.034626	30000	0	0	30000	40.625	2004
22.01.2020 16:07:33	1	1	1	1	67.5	60.5	0	24786.73	290.3225806	6982.849999	30000	0	0	30000	40.375	2004
22.01.2020 16:07:34	1	1	1	1	67.5	60.25	0	24597.156	283.8709677	7035.033838	30000	0	0	30000	40.3125	2004
22.01.2020 16:07:35	1	1	1	1	67.5	60.25	0	24739.336	281.7204301	7035.84921	30000	0	0	30000	40.3125	2004
22.01.2020 16:07:36	1	1	1	1	67.5	60.25	0	24407.583	286.0215054	6980.403881	30000	0	0	30000	39.1875	2004
22.01.2020 16:07:37	1	1	1	1	67.5	59	0	24502.37	283.8709677	6876.036203	30000	0	0	30000	40.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 16:07:38	1	1	1	1	67.5	60.5	0	24597.156	286.0215054	7061.94113	30000	0	0	30000	39.4375	2004
22.01.2020 16:07:39	1	1	1	1	67	59.25	0	24597.156	281.7204301	6982.034626	30000	0	0	30000	40.625	2004
22.01.2020 16:07:40	1	1	1	1	67	60.5	0	24502.37	286.0215054	7008.126546	30000	0	0	30000	40.5625	2004
22.01.2020 16:07:41	1	1	1	1	67	60.5	0	24691.943	286.0215054	7061.94113	30000	0	0	30000	40.1875	2004
22.01.2020 16:07:42	1	1	1	1	67	60	0	24502.37	283.8709677	7008.126546	30000	0	0	30000	40.5625	2004
22.01.2020 16:07:43	1	1	1	1	67	60.5	0	24549.763	286.0215054	7035.033838	30000	0	0	30000	40.5	2004
22.01.2020 16:07:44	1	1	1	1	67	60.5	0	24407.583	288.172043	7085.586932	30000	0	0	30000	40.4375	2004
22.01.2020 16:07:45	1	1	1	1	67	60.25	0	24502.37	283.8709677	7008.126546	30000	0	0	30000	40.375	2004
22.01.2020 16:07:46	1	1	1	1	67	60.25	0	24218.009	290.3225806	6978.773136	30000	0	0	30000	40.5	2004
22.01.2020 16:07:47	1	1	1	1	67	60.5	0	24218.009	288.172043	6874.405458	30000	0	0	30000	40.375	2004
22.01.2020 16:07:48	1	1	1	1	67	60.25	0	24454.976	288.172043	7060.310385	30000	0	0	30000	40.3125	2004
22.01.2020 16:07:51	1	1	1	1	67	60.5	0	24549.763	286.0215054	7021.172506	30000	0	0	30000	40.25	2004
22.01.2020 16:07:51	1	1	1	1	67	60.5	0	24549.763	286.0215054	7021.172506	30000	0	0	30000	40.25	2004
22.01.2020 16:07:51	1	1	1	1	67	60.25	0	24502.37	288.172043	6980.403881	30000	0	0	30000	40.3125	2004
22.01.2020 16:07:52	1	1	1	1	67	60.25	0	24028.436	288.172043	6975.511646	30000	0	0	30000	40.625	2004
22.01.2020 16:07:53	1	1	1	1	67	60.5	0	24218.009	290.3225806	6926.589297	30000	0	0	30000	40.1875	2004
22.01.2020 16:07:54	1	1	1	1	67	60	0	24502.37	286.0215054	6980.403881	30000	0	0	30000	40.4375	2004
22.01.2020 16:07:55	1	1	1	1	67	60.25	0	24218.009	288.172043	6978.773136	30000	0	0	30000	40.375	2004
22.01.2020 16:07:56	1	1	1	1	67	60.25	0	24218.009	290.3225806	7017.095643	30000	0	0	30000	40.5	2004
22.01.2020 16:07:57	1	1	1	1	67	60.5	0	24218.009	290.3225806	7134.509282	30000	0	0	30000	40.625	2004
22.01.2020 16:07:58	1	1	1	1	67	60.5	0	24218.009	288.172043	7030.956976	30000	0	0	30000	40.5	2004
22.01.2020 16:07:59	1	1	1	1	67	60.5	0	24218.009	288.172043	6978.773136	30000	0	0	30000	40.4375	2004
22.01.2020 16:08:00	1	1	1	1	67	60.25	0	24407.583	288.172043	7033.403093	30000	0	0	30000	40.625	2004
22.01.2020 16:08:01	1	1	1	1	67	60.5	0	24075.829	288.172043	6951.050472	30000	0	0	30000	40.625	2004
22.01.2020 16:08:02	1	1	1	1	67	60.5	0	24407.583	288.172043	7033.403093	30000	0	0	30000	40.625	2004
22.01.2020 16:08:03	1	1	1	1	67	60.5	0	24218.009	286.0215054	7033.403093	30000	0	0	30000	41	2004
22.01.2020 16:08:04	1	1	1	1	67	60.5	0	24218.009	288.172043	7085.586932	30000	0	0	30000	40.4375	2004
22.01.2020 16:08:05	1	1	1	1	67	60.25	0	24691.943	286.0215054	7061.94113	30000	0	0	30000	40.5625	2004
22.01.2020 16:08:06	1	1	1	1	67	60.5	0	24597.156	286.0215054	7035.033838	30000	0	0	30000	40.4375	2004
22.01.2020 16:08:07	1	1	1	1	67	60.25	0	24549.763	286.0215054	7060.310385	30000	0	0	30000	40.5	2004
22.01.2020 16:08:08	1	1	1	1	66.75	60.5	0	24218.009	288.172043	6978.773136	30000	0	0	30000	40.5625	2004
22.01.2020 16:08:09	1	1	1	1	66.75	60.5	0	24218.009	288.172043	7030.956976	30000	0	0	30000	40.6875	2004
22.01.2020 16:08:11	1	1	1	1	66.75	60.5	0	24502.37	290.3225806	7127.170929	30000	0	0	30000	40.625	2004
22.01.2020 16:08:12	1	1	1	1	66.75	60.5	0	24502.37	286.0215054	7008.126546	30000	0	0	30000	40.4375	2004
22.01.2020 16:08:13	1	1	1	1	66.75	60.25	0	24549.763	309.6774194	7564.210584	30000	0	0	30000	40.25	2004
22.01.2020 16:08:14	1	1	1	1	66.75	60.25	0	24786.73	322.5806452	7874.052129	30000	0	0	30000	40.0625	2004
22.01.2020 16:08:15	1	1	1	1	66.75	60	0	24691.943	320.4301075	7805.56084	30000	0	0	30000	39.75	2004
22.01.2020 16:08:16	1	1	1	1	66.75	59.75	0	24691.943	322.5806452	8017.557688	30000	0	0	30000	40.4375	2004
22.01.2020 16:08:17	1	1	1	1	66.75	60.25	0	25071.09	322.5806452	8086.864349	30000	0	0	30000	40.125	2004
22.01.2020 16:08:18	1	1	1	1	66.75	60	0	25071.09	320.4301075	8033.049765	30000	0	0	30000	39.9375	2004
22.01.2020 16:08:19	1	1	1	1	65.5	59.75	0	24928.91	320.4301075	7987.388905	30000	0	0	30000	40.5625	2004
22.01.2020 16:08:20	1	1	1	1	65.5	60.5	0	25071.09	320.4301075	8033.049765	30000	0	0	30000	40.5	2004
22.01.2020 16:08:21	1	1	1	1	65.5	60.5	0	25071.09	316.1290323	7895.251814	30000	0	0	30000	40.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 16:08:28	1	1	1	1	65.5	60.5	0	24739.336	322.5806452	7927.051341	30000	0	0	30000	40.375	2004
22.01.2020 16:08:28	1	1	1	1	65.5	60.5	0	24739.336	322.5806452	7927.051341	30000	0	0	30000	40.375	2004
22.01.2020 16:08:28	1	1	1	1	65.5	60.5	0	24739.336	322.5806452	7927.051341	30000	0	0	30000	40.375	2004
22.01.2020 16:08:28	1	1	1	1	65.5	60.5	0	24739.336	322.5806452	7927.051341	30000	0	0	30000	40.375	2004
22.01.2020 16:08:28	1	1	1	1	65.5	60.5	0	24739.336	322.5806452	7927.051341	30000	0	0	30000	40.375	2004
22.01.2020 16:08:28	1	1	1	1	65.5	60.5	0	24739.336	322.5806452	7927.051341	30000	0	0	30000	40.375	2004
22.01.2020 16:08:28	1	1	1	1	65.5	60.5	0	24739.336	322.5806452	7927.051341	30000	0	0	30000	40.375	2004
22.01.2020 16:08:29	1	1	1	1	65.75	60.25	0	24834.123	322.5806452	8011.034708	30000	0	0	30000	40.375	2004
22.01.2020 16:08:30	1	1	1	1	65.75	60.25	0	24786.73	322.5806452	8155.355638	30000	0	0	30000	40.5625	2004
22.01.2020 16:08:31	1	1	1	1	65.75	60.5	0	24786.73	322.5806452	7995.54263	30000	0	0	30000	40.5625	2004
22.01.2020 16:08:32	1	1	1	1	65.75	60.5	0	24597.156	322.5806452	7987.388905	30000	0	0	30000	40.625	2004
22.01.2020 16:08:33	1	1	1	1	65.75	60.5	0	24786.73	322.5806452	7995.54263	30000	0	0	30000	40.5	2004
22.01.2020 16:08:34	1	1	1	1	65.75	60.5	0	24739.336	320.4301075	7995.54263	30000	0	0	30000	40.4375	2004
22.01.2020 16:08:35	1	1	1	1	65.75	60.25	0	24834.123	322.5806452	7995.54263	30000	0	0	30000	40.4375	2004
22.01.2020 16:08:36	1	1	1	1	65.75	60.25	0	24976.303	324.7311828	8056.695567	30000	0	0	30000	40.3125	2004
22.01.2020 16:08:37	1	1	1	1	65.75	60.25	0	24881.517	320.4301075	7972.712201	30000	0	0	30000	40.375	2004
22.01.2020 16:08:38	1	1	1	1	65.75	60.25	0	24881.517	320.4301075	7972.712201	30000	0	0	30000	40.5	2004
22.01.2020 16:08:39	1	1	1	1	65.5	60.5	0	24881.517	322.5806452	8025.711412	30000	0	0	30000	40.5625	2004
22.01.2020 16:08:40	1	1	1	1	65.5	60.5	0	24928.91	320.4301075	8002.880983	30000	0	0	30000	40.5625	2004
22.01.2020 16:08:41	1	1	1	1	65.5	60.5	0	24834.123	322.5806452	7972.712201	30000	0	0	30000	40.6875	2004
22.01.2020 16:08:42	1	1	1	1	65.5	60.5	0	25071.09	322.5806452	8086.864349	30000	0	0	30000	40.875	2004
22.01.2020 16:08:43	1	1	1	1	65.5	60.5	0	25165.877	320.4301075	8117.848504	30000	0	0	30000	40.5625	2004
22.01.2020 16:08:44	1	1	1	1	65.5	60.5	0	24976.303	322.5806452	8002.880983	30000	0	0	30000	40.625	2004
22.01.2020 16:08:45	1	1	1	1	65.5	60.5	0	24881.517	322.5806452	8025.711412	30000	0	0	30000	40.625	2004
22.01.2020 16:08:46	1	1	1	1	65.5	60.5	0	24786.73	320.4301075	7941.728046	30000	0	0	30000	40.5625	2004
22.01.2020 16:08:47	1	1	1	1	65.5	60.5	0	24739.336	320.4301075	7941.728046	30000	0	0	30000	40.5625	2004
22.01.2020 16:08:48	1	1	1	1	64.25	60.5	0	24976.303	322.5806452	8056.695567	30000	0	0	30000	40.4375	2004
22.01.2020 16:08:50	1	1	1	1	64.25	60.25	0	24786.73	320.4301075	7941.728046	30000	0	0	30000	40.5	2004
22.01.2020 16:08:51	1	1	1	1	64.25	60.5	0	24976.303	320.4301075	8002.880983	30000	0	0	30000	40.4375	2004
22.01.2020 16:08:52	1	1	1	1	64.25	60.25	0	25213.27	318.2795699	7955.589378	30000	0	0	30000	40.375	2004
22.01.2020 16:08:53	1	1	1	1	64.25	60.25	0	25308.057	322.5806452	8000.434865	30000	0	0	30000	40.375	2004
22.01.2020 16:08:54	1	1	1	1	64.25	60.25	0	25118.483	320.4301075	8033.049765	30000	0	0	30000	40.4375	2004
22.01.2020 16:08:55	1	1	1	1	64.25	60.25	0	24976.303	313.9784946	8002.880983	30000	0	0	30000	40.125	2004
22.01.2020 16:08:56	1	1	1	1	64.25	60	0	25071.09	320.4301075	7895.251814	30000	0	0	30000	40.625	2004
22.01.2020 16:08:57	1	1	1	1	64.25	60.5	0	24976.303	322.5806452	8110.510151	30000	0	0	30000	40.5	2004
22.01.2020 16:08:58	1	1	1	1	64.25	60.5	0	24976.303	318.2795699	7949.066398	30000	0	0	30000	40.4375	2004
22.01.2020 16:08:59	1	1	1	1	64	60.25	0	25118.483	318.2795699	8009.403963	30000	0	0	30000	40.4375	2004
22.01.2020 16:09:00	1	1	1	1	64	60.25	0	25165.877	320.4301075	8063.218547	30000	0	0	30000	40.5	2004
22.01.2020 16:09:01	1	1	1	1	64	60.5	0	25165.877	318.2795699	8009.403963	30000	0	0	30000	40.5	2004
22.01.2020 16:09:02	1	1	1	1	64	60.5	0	25355.45	318.2795699	8015.11157	30000	0	0	30000	40.625	2004
22.01.2020 16:09:03	1	1	1	1	64	60.5	0	25071.09	318.2795699	8033.049765	30000	0	0	30000	40.5625	2004
22.01.2020 16:09:04	1	1	1	1	64	60.5	0	25165.877	322.5806452	8117.848504	30000	0	0	30000	40.625	2004
22.01.2020 16:09:05	1	1	1	1	64	60.5	0	24976.303	320.4301075	7949.066398	30000	0	0	30000	40.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 16:09:06	1	1	1	1	64	60.5	0	25308.057	313.9784946	8015.11157	30000	0	0	30000	40.5625	2004
22.01.2020 16:09:07	1	1	1	1	64	60.5	0	25355.45	313.9784946	8030.603647	30000	0	0	30000	40.3125	2004
22.01.2020 16:09:08	1	1	1	1	64	60.25	0	25402.844	313.9784946	8030.603647	30000	0	0	30000	40.5	2004
22.01.2020 16:09:09	1	1	1	1	63.75	60.5	0	25402.844	313.9784946	7905.851657	30000	0	0	30000	40.4375	2004
22.01.2020 16:09:10	1	1	1	1	63.75	60.25	0	25071.09	316.1290323	7925.420596	30000	0	0	30000	40.4375	2004
22.01.2020 16:09:11	1	1	1	1	63.75	60.25	0	25355.45	316.1290323	8015.11157	30000	0	0	30000	40.5625	2004
22.01.2020 16:09:12	1	1	1	1	63.75	60.5	0	24834.123	316.1290323	7850.406327	30000	0	0	30000	40.4375	2004
22.01.2020 16:09:13	1	1	1	1	63.75	60.25	0	25308.057	339.7849462	8653.548229	30000	0	0	30000	40.375	2004
22.01.2020 16:09:14	1	1	1	1	63.75	60.25	0	25592.417	350.5376344	8970.728128	30000	0	0	30000	40.5625	2004
22.01.2020 16:09:15	1	1	1	1	63.75	60.5	0	25450.237	354.8387097	8920.990406	30000	0	0	30000	40.4375	2004
22.01.2020 16:09:16	1	1	1	1	63.75	60.25	0	25402.844	352.688172	8942.190091	30000	0	0	30000	40.5	2004
22.01.2020 16:09:17	1	1	1	1	63.75	60.5	0	25592.417	350.5376344	8970.728128	30000	0	0	30000	40.5625	2004
22.01.2020 16:09:18	1	1	1	1	63.75	60.5	0	25734.597	350.5376344	9004.1584	30000	0	0	30000	40.4375	2004
22.01.2020 16:09:19	1	1	1	1	63.5	60.25	0	25545.024	350.5376344	9063.680591	30000	0	0	30000	40.75	2004
22.01.2020 16:09:20	1	1	1	1	63.5	60.75	0	25734.597	354.8387097	9131.356508	30000	0	0	30000	40.625	2004
22.01.2020 16:09:21	1	1	1	1	63.5	60.5	0	25687.204	348.3870968	9075.911179	30000	0	0	30000	40.75	2004
22.01.2020 16:09:22	1	1	1	1	63.5	60.25	0	25592.417	350.5376344	8987.035577	30000	0	0	30000	40.5625	2004
22.01.2020 16:09:30	1	1	1	1	63.75	60.5	0	25687.204	348.3870968	8965.02052	30000	0	0	30000	40.625	2004
22.01.2020 16:09:30	1	1	1	1	63.75	60.5	0	25687.204	348.3870968	8965.02052	30000	0	0	30000	40.625	2004
22.01.2020 16:09:30	1	1	1	1	63.75	60.5	0	25687.204	348.3870968	8965.02052	30000	0	0	30000	40.625	2004
22.01.2020 16:09:30	1	1	1	1	63.75	60.5	0	25687.204	348.3870968	8965.02052	30000	0	0	30000	40.625	2004
22.01.2020 16:09:30	1	1	1	1	63.75	60.5	0	25687.204	348.3870968	8965.02052	30000	0	0	30000	40.625	2004
22.01.2020 16:09:30	1	1	1	1	63.75	60.5	0	25687.204	348.3870968	8965.02052	30000	0	0	30000	40.625	2004
22.01.2020 16:09:30	1	1	1	1	63.75	60.5	0	25687.204	348.3870968	8965.02052	30000	0	0	30000	40.625	2004
22.01.2020 16:09:31	1	1	1	1	63.75	60.5	0	25734.597	350.5376344	8909.575191	30000	0	0	30000	40.4375	2004
22.01.2020 16:09:32	1	1	1	1	63.75	60.25	0	25450.237	346.2365591	9063.680591	30000	0	0	30000	40.5	2004
22.01.2020 16:09:33	1	1	1	1	63.75	60.5	0	25497.63	352.688172	8866.360449	30000	0	0	30000	40.4375	2004
22.01.2020 16:09:34	1	1	1	1	63.75	60.25	0	25545.024	354.8387097	9063.680591	30000	0	0	30000	40.5	2004
22.01.2020 16:09:35	1	1	1	1	63.75	60.5	0	25592.417	350.5376344	8987.035577	30000	0	0	30000	40.5	2004
22.01.2020 16:09:36	1	1	1	1	63.75	60.5	0	25497.63	354.8387097	9030.250319	30000	0	0	30000	40.5	2004
22.01.2020 16:09:37	1	1	1	1	63.75	60.5	0	25687.204	350.5376344	9059.603729	30000	0	0	30000	40.5	2004
22.01.2020 16:09:38	1	1	1	1	63.75	60.5	0	25308.057	354.8387097	8963.389775	30000	0	0	30000	40.4375	2004
22.01.2020 16:09:39	1	1	1	1	63.75	60.25	0	25545.024	352.688172	9063.680591	30000	0	0	30000	40.375	2004
22.01.2020 16:09:40	1	1	1	1	63.75	60.25	0	25402.844	354.8387097	9139.510233	30000	0	0	30000	39.9375	2004
22.01.2020 16:09:41	1	1	1	1	63.75	59.75	0	25545.024	352.688172	8954.420678	30000	0	0	30000	40.3125	2004
22.01.2020 16:09:42	1	1	1	1	63.75	60.25	0	25260.664	350.5376344	8908.759818	30000	0	0	30000	40.5625	2004
22.01.2020 16:09:43	1	1	1	1	63.75	60.5	0	25592.417	354.8387097	9080.803414	30000	0	0	30000	40.4375	2004
22.01.2020 16:09:44	1	1	1	1	63.75	60.25	0	25545.024	352.688172	9063.680591	30000	0	0	30000	40.4375	2004
22.01.2020 16:09:45	1	1	1	1	63.75	60.25	0	25545.024	354.8387097	9047.373142	30000	0	0	30000	40.4375	2004
22.01.2020 16:09:46	1	1	1	1	63.75	60.25	0	25545.024	352.688172	8954.420678	30000	0	0	30000	40.1875	2004
22.01.2020 16:09:47	1	1	1	1	63.75	60	0	25687.204	350.5376344	9004.1584	30000	0	0	30000	40.375	2004
22.01.2020 16:09:48	1	1	1	1	63.75	60.25	0	25592.417	350.5376344	8954.420678	30000	0	0	30000	40.5	2004
22.01.2020 16:09:49	1	1	1	1	63.5	60.5	0	25450.237	354.8387097	9030.250319	30000	0	0	30000	40.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 16:09:50	1	1	1	1	63.5	60.5	0	25450.237	354.8387097	9030.250319	30000	0	0	30000	40.4375	2004
22.01.2020 16:09:51	1	1	1	1	63.5	60.25	0	25402.844	352.688172	8959.312913	30000	0	0	30000	39.4375	2004
22.01.2020 16:09:52	1	1	1	1	63.5	59.25	0	25355.45	350.5376344	8942.190091	30000	0	0	30000	40.4375	2004
22.01.2020 16:09:53	1	1	1	1	63.5	60.25	0	25639.81	354.8387097	9097.926236	30000	0	0	30000	40.5	2004
22.01.2020 16:09:54	1	1	1	1	63.5	60.5	0	25213.27	352.688172	8854.129862	30000	0	0	30000	40.625	2004
22.01.2020 16:09:55	1	1	1	1	63.5	60.5	0	25402.844	350.5376344	9013.94287	30000	0	0	30000	40.5	2004
22.01.2020 16:09:56	1	1	1	1	63.5	60.5	0	25545.024	352.688172	9009.050635	30000	0	0	30000	40.5625	2004
22.01.2020 16:09:57	1	1	1	1	63.5	60.5	0	25545.024	350.5376344	9063.680591	30000	0	0	30000	40.625	2004
22.01.2020 16:09:58	1	1	1	1	63.5	60.5	0	25639.81	352.688172	8970.728128	30000	0	0	30000	40.75	2004
22.01.2020 16:09:59	1	1	1	1	63	60.75	0	25402.844	356.9892473	8959.312913	30000	0	0	30000	40.6875	2004
22.01.2020 16:10:00	1	1	1	1	63	60.5	0	25450.237	352.688172	9030.250319	30000	0	0	30000	40.4375	2004
22.01.2020 16:10:01	1	1	1	1	63	60.5	0	25734.597	350.5376344	8909.575191	30000	0	0	30000	40.4375	2004
22.01.2020 16:10:02	1	1	1	1	63	60.25	0	25545.024	354.8387097	9063.680591	30000	0	0	30000	40.4375	2004
22.01.2020 16:10:03	1	1	1	1	63	60.25	0	25450.237	350.5376344	8920.990406	30000	0	0	30000	40.5625	2004
22.01.2020 16:10:04	1	1	1	1	63	60.5	0	25545.024	354.8387097	9080.803414	30000	0	0	30000	40.5625	2004
22.01.2020 16:10:05	1	1	1	1	63	60.5	0	25734.597	350.5376344	9004.1584	30000	0	0	30000	40.375	2004
22.01.2020 16:10:07	1	1	1	1	63	60.25	0	25592.417	350.5376344	8898.975349	30000	0	0	30000	40.5625	2004
22.01.2020 16:10:08	1	1	1	1	63	60.5	0	25450.237	350.5376344	8937.297856	30000	0	0	30000	40.5	2004
22.01.2020 16:10:09	1	1	1	1	62.5	60.5	0	25592.417	352.688172	8970.728128	30000	0	0	30000	40.3125	2004
22.01.2020 16:10:10	1	1	1	1	62.5	60.25	0	25639.81	350.5376344	8987.035577	30000	0	0	30000	40.4375	2004
22.01.2020 16:10:11	1	1	1	1	62.5	60.25	0	25545.024	348.3870968	8954.420678	30000	0	0	30000	39.875	2004
22.01.2020 16:10:12	1	1	1	1	62.5	59.75	0	25639.81	350.5376344	8876.960291	30000	0	0	30000	40.3125	2004
22.01.2020 16:10:13	1	1	1	1	62.5	60.25	0	25734.597	369.8924731	9518.65844	30000	0	0	30000	39.8125	2004
22.01.2020 16:10:14	1	1	1	1	62.5	59.75	0	26018.957	378.4946237	9867.637866	30000	0	0	30000	40.5	2004
22.01.2020 16:10:15	1	1	1	1	62.5	60.5	0	26208.531	382.7956989	9939.390645	30000	0	0	30000	40.5625	2004
22.01.2020 16:10:16	1	1	1	1	62.5	60.5	0	26303.318	380.6451613	9955.698095	30000	0	0	30000	40.3125	2004
22.01.2020 16:10:17	1	1	1	1	62.5	60.25	0	26303.318	382.7956989	10125.29557	30000	0	0	30000	40.5625	2004
22.01.2020 16:10:18	1	1	1	1	62.5	60.5	0	26303.318	380.6451613	10011.9588	30000	0	0	30000	40.5	2004
22.01.2020 16:10:19	1	1	1	1	63.25	60.5	0	26255.924	382.7956989	10125.29557	30000	0	0	30000	40.5625	2004
22.01.2020 16:10:20	1	1	1	1	63.25	60.5	0	26018.957	382.7956989	9903.514255	30000	0	0	30000	40.6875	2004
22.01.2020 16:10:21	1	1	1	1	63.25	60.5	0	26018.957	384.9462366	10033.97385	30000	0	0	30000	40.4375	2004
22.01.2020 16:10:22	1	1	1	1	63.25	60.25	0	25924.171	384.9462366	10015.22029	30000	0	0	30000	40.5625	2004
22.01.2020 16:10:23	1	1	1	1	63.25	60.5	0	26018.957	384.9462366	10015.22029	30000	0	0	30000	40.1875	2004
22.01.2020 16:10:24	1	1	1	1	63.25	60	0	25924.171	384.9462366	9979.343897	30000	0	0	30000	40.5	2004
22.01.2020 16:10:32	1	1	1	1	63	60.5	0	26113.744	380.6451613	9939.390645	30000	0	0	30000	40.625	2004
22.01.2020 16:10:32	1	1	1	1	63	60.5	0	26113.744	380.6451613	9939.390645	30000	0	0	30000	40.625	2004
22.01.2020 16:10:32	1	1	1	1	63	60.5	0	26113.744	380.6451613	9939.390645	30000	0	0	30000	40.625	2004
22.01.2020 16:10:32	1	1	1	1	63	60.5	0	26113.744	380.6451613	9939.390645	30000	0	0	30000	40.625	2004
22.01.2020 16:10:32	1	1	1	1	63	60.5	0	26113.744	380.6451613	9939.390645	30000	0	0	30000	40.625	2004
22.01.2020 16:10:32	1	1	1	1	63	60.5	0	26113.744	380.6451613	9939.390645	30000	0	0	30000	40.625	2004
22.01.2020 16:10:32	1	1	1	1	63	60.5	0	26303.318	384.9462366	10125.29557	30000	0	0	30000	40.375	2004
22.01.2020 16:10:33	1	1	1	1	63	60.25	0	26066.351	380.6451613	10051.91205	30000	0	0	30000	40.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 16:10:34	1	1	1	1	63	60.5	0	25924.171	387.0967742	10295.70842	30000	0	0	30000	40.375	2004
22.01.2020 16:10:35	1	1	1	1	63	60.25	0	26018.957	384.9462366	9979.343897	30000	0	0	30000	40.4375	2004
22.01.2020 16:10:36	1	1	1	1	63	60.25	0	26018.957	380.6451613	9921.45245	30000	0	0	30000	40.4375	2004
22.01.2020 16:10:37	1	1	1	1	63	60.25	0	26018.957	384.9462366	10015.22029	30000	0	0	30000	40.6875	2004
22.01.2020 16:10:38	1	1	1	1	63	60.5	0	25734.597	384.9462366	9905.960373	30000	0	0	30000	40.625	2004
22.01.2020 16:10:39	1	1	1	1	63.25	60.5	0	26113.744	378.4946237	10051.91205	30000	0	0	30000	40.9375	2004
22.01.2020 16:10:40	1	1	1	1	63.25	60.75	0	25829.384	380.6451613	10090.23456	30000	0	0	30000	40.375	2004
22.01.2020 16:10:41	1	1	1	1	63.25	60.25	0	26066.351	395.6989247	9979.343897	30000	0	0	30000	40.375	2004
22.01.2020 16:10:42	1	1	1	1	63.25	60.25	0	25734.597	384.9462366	9942.652135	30000	0	0	30000	40.5	2004
22.01.2020 16:10:43	1	1	1	1	63.25	60.5	0	25924.171	387.0967742	10034.78923	30000	0	0	30000	40.4375	2004
22.01.2020 16:10:44	1	1	1	1	63.25	60.25	0	26113.744	384.9462366	10051.91205	30000	0	0	30000	40.125	2004
22.01.2020 16:10:46	1	1	1	1	63.25	60	0	26018.957	378.4946237	9848.068926	30000	0	0	30000	40.5625	2004
22.01.2020 16:10:47	1	1	1	1	63.25	60.5	0	26113.744	380.6451613	9995.651347	30000	0	0	30000	40.625	2004
22.01.2020 16:10:48	1	1	1	1	63.25	60.5	0	25924.171	380.6451613	9979.343897	30000	0	0	30000	40.4375	2004
22.01.2020 16:10:49	1	1	1	1	63	60.25	0	26208.531	380.6451613	9976.082407	30000	0	0	30000	40.5	2004
22.01.2020 16:10:50	1	1	1	1	63	60.5	0	26066.351	382.7956989	9977.713152	30000	0	0	30000	40.1875	2004
22.01.2020 16:10:51	1	1	1	1	63	60	0	26018.957	384.9462366	10015.22029	30000	0	0	30000	40.4375	2004
22.01.2020 16:10:52	1	1	1	1	63	60.25	0	25924.171	384.9462366	10351.15375	30000	0	0	30000	40.5625	2004
22.01.2020 16:10:53	1	1	1	1	63	60.5	0	26018.957	387.0967742	10034.78923	30000	0	0	30000	40.5	2004
22.01.2020 16:10:54	1	1	1	1	63	60.5	0	25639.81	384.9462366	9869.268611	30000	0	0	30000	40.375	2004
22.01.2020 16:10:55	1	1	1	1	63	60.25	0	25545.024	389.2473118	9942.652135	30000	0	0	30000	40.5	2004
22.01.2020 16:10:56	1	1	1	1	63	60.5	0	25734.597	395.6989247	10072.29636	30000	0	0	30000	40.4375	2004
22.01.2020 16:10:57	1	1	1	1	63	60.25	0	25592.417	395.6989247	9998.097464	30000	0	0	30000	40.25	2004
22.01.2020 16:10:58	1	1	1	1	63	60.25	0	25734.597	391.3978495	10016.85103	30000	0	0	30000	40.25	2004
22.01.2020 16:10:59	1	1	1	1	62	60.25	0	25924.171	391.3978495	10090.23456	30000	0	0	30000	39.9375	2004
22.01.2020 16:11:00	1	1	1	1	62	59.75	0	25308.057	389.2473118	9850.515044	30000	0	0	30000	40.5625	2004
22.01.2020 16:11:01	1	1	1	1	62	60.5	0	25734.597	391.3978495	10016.85103	30000	0	0	30000	40.5	2004
22.01.2020 16:11:02	1	1	1	1	62	60.5	0	25924.171	387.0967742	10090.23456	30000	0	0	30000	40.6875	2004
22.01.2020 16:11:03	1	1	1	1	62	60.5	0	25639.81	391.3978495	9980.159269	30000	0	0	30000	40.4375	2004
22.01.2020 16:11:04	1	1	1	1	62	60.25	0	25545.024	389.2473118	9833.392221	30000	0	0	30000	40.4375	2004
22.01.2020 16:11:05	1	1	1	1	62	60.25	0	25592.417	387.0967742	9961.405702	30000	0	0	30000	40.1875	2004
22.01.2020 16:11:06	1	1	1	1	62	60	0	25734.597	391.3978495	10072.29636	30000	0	0	30000	40.4375	2004
22.01.2020 16:11:07	1	1	1	1	62	60.25	0	25639.81	387.0967742	9980.159269	30000	0	0	30000	40.625	2004
22.01.2020 16:11:08	1	1	1	1	62	60.5	0	25734.597	391.3978495	10072.29636	30000	0	0	30000	40.375	2004
22.01.2020 16:11:09	1	1	1	1	62.5	60.25	0	25734.597	387.0967742	9961.405702	30000	0	0	30000	40.3125	2004
22.01.2020 16:11:10	1	1	1	1	62.5	60.25	0	25734.597	389.2473118	10108.98812	30000	0	0	30000	40.5	2004
22.01.2020 16:11:11	1	1	1	1	62.5	60.5	0	25876.777	391.3978495	10146.49526	30000	0	0	30000	40.3125	2004
22.01.2020 16:11:12	1	1	1	1	62.5	60.25	0	25450.237	389.2473118	9960.59033	30000	0	0	30000	40.4375	2004
22.01.2020 16:11:13	1	1	1	1	62.5	60.25	0	26018.957	412.9032258	10798.79325	30000	0	0	30000	40.5625	2004
22.01.2020 16:11:14	1	1	1	1	62.5	60.5	0	26113.744	423.655914	11062.97394	30000	0	0	30000	40.5625	2004
22.01.2020 16:11:15	1	1	1	1	62.5	60.5	0	25924.171	419.3548387	10871.3614	30000	0	0	30000	40.5625	2004
22.01.2020 16:11:16	1	1	1	1	62.5	60.5	0	26303.318	419.3548387	11030.35904	30000	0	0	30000	40.75	2004
22.01.2020 16:11:17	1	1	1	1	62.5	60.75	0	26303.318	419.3548387	11030.35904	30000	0	0	30000	40.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 16:11:18	1	1	1	1	62.5	60.75	0	26113.744	423.655914	10950.45253	30000	0	0	30000	40.125	2004
22.01.2020 16:11:19	1	1	1	1	61.75	60.5	0	25876.777	419.3548387	10871.3614	30000	0	0	30000	40.3125	2004
22.01.2020 16:11:20	1	1	1	1	61.75	60.25	0	25734.597	419.3548387	10850.97709	30000	0	0	30000	40.3125	2004
22.01.2020 16:11:21	1	1	1	1	61.75	60.25	0	25876.777	419.3548387	10871.3614	30000	0	0	30000	40.4375	2004
22.01.2020 16:11:23	1	1	1	1	61.75	60.25	0	26113.744	419.3548387	10950.45253	30000	0	0	30000	40.6875	2004
22.01.2020 16:11:24	1	1	1	1	61.75	60.5	0	26113.744	419.3548387	11062.97394	30000	0	0	30000	40.375	2004
22.01.2020 16:11:25	1	1	1	1	61.75	60.25	0	26113.744	423.655914	10950.45253	30000	0	0	30000	39.9375	2004
22.01.2020 16:11:26	1	1	1	1	61.75	59.75	0	26066.351	419.3548387	10950.45253	30000	0	0	30000	40.25	2004
22.01.2020 16:11:33	1	1	1	1	62	60.5	0	26398.104	415.0537634	11069.49692	30000	0	0	30000	40.5625	2004
22.01.2020 16:11:33	1	1	1	1	62	60.5	0	26398.104	415.0537634	11069.49692	30000	0	0	30000	40.5625	2004
22.01.2020 16:11:33	1	1	1	1	62	60.5	0	26398.104	415.0537634	11069.49692	30000	0	0	30000	40.5625	2004
22.01.2020 16:11:33	1	1	1	1	62	60.5	0	26398.104	415.0537634	11069.49692	30000	0	0	30000	40.5625	2004
22.01.2020 16:11:33	1	1	1	1	62	60.5	0	26398.104	415.0537634	11069.49692	30000	0	0	30000	40.5625	2004
22.01.2020 16:11:33	1	1	1	1	62	60.5	0	26398.104	415.0537634	11069.49692	30000	0	0	30000	40.5625	2004
22.01.2020 16:11:33	1	1	1	1	62	60.5	0	26398.104	415.0537634	11069.49692	30000	0	0	30000	40.5625	2004
22.01.2020 16:11:34	1	1	1	1	62	60.5	0	26398.104	417.2043011	11069.49692	30000	0	0	30000	40.5	2004
22.01.2020 16:11:35	1	1	1	1	62	60.5	0	26587.678	419.3548387	11092.32734	30000	0	0	30000	40.5625	2004
22.01.2020 16:11:36	1	1	1	1	62	60.5	0	26540.284	415.0537634	11015.68233	30000	0	0	30000	40.4375	2004
22.01.2020 16:11:37	1	1	1	1	62	60.25	0	26540.284	415.0537634	11015.68233	30000	0	0	30000	40.5625	2004
22.01.2020 16:11:38	1	1	1	1	62	60.5	0	26350.711	415.0537634	10917.02226	30000	0	0	30000	40.375	2004
22.01.2020 16:11:39	1	1	1	1	61.25	60.25	0	26350.711	415.0537634	10917.02226	30000	0	0	30000	40.1875	2004
22.01.2020 16:11:40	1	1	1	1	61.25	60	0	26445.498	415.0537634	10975.72908	30000	0	0	30000	40.4375	2004
22.01.2020 16:11:41	1	1	1	1	61.25	60.25	0	26208.531	415.0537634	10877.88438	30000	0	0	30000	40.5625	2004
22.01.2020 16:11:42	1	1	1	1	61.25	60.5	0	26398.104	417.2043011	11069.49692	30000	0	0	30000	40.4375	2004
22.01.2020 16:11:43	1	1	1	1	61.25	60.25	0	26445.498	417.2043011	11089.88123	30000	0	0	30000	40.5	2004
22.01.2020 16:11:44	1	1	1	1	61.25	60.5	0	26208.531	419.3548387	10990.40578	30000	0	0	30000	40.5	2004
22.01.2020 16:11:45	1	1	1	1	61.25	60.5	0	26208.531	415.0537634	10877.88438	30000	0	0	30000	40.4375	2004
22.01.2020 16:11:46	1	1	1	1	61.25	60.25	0	26445.498	419.3548387	10956.16014	30000	0	0	30000	40.5	2004
22.01.2020 16:11:47	1	1	1	1	61.25	60.5	0	26303.318	415.0537634	10917.02226	30000	0	0	30000	40.4375	2004
22.01.2020 16:11:48	1	1	1	1	61.25	60.25	0	26303.318	419.3548387	11030.35904	30000	0	0	30000	40.5625	2004
22.01.2020 16:11:49	1	1	1	1	61	60.5	0	26303.318	412.9032258	11049.92798	30000	0	0	30000	40.25	2004
22.01.2020 16:11:50	1	1	1	1	61	60.25	0	26303.318	419.3548387	11009.97472	30000	0	0	30000	40.5	2004
22.01.2020 16:11:51	1	1	1	1	61	60.5	0	26066.351	419.3548387	10950.45253	30000	0	0	30000	40.5	2004
22.01.2020 16:11:52	1	1	1	1	61	60.5	0	26350.711	419.3548387	11030.35904	30000	0	0	30000	40.625	2004
22.01.2020 16:11:53	1	1	1	1	61	60.5	0	26350.711	419.3548387	11030.35904	30000	0	0	30000	40.5625	2004
22.01.2020 16:11:54	1	1	1	1	61	60.5	0	26113.744	425.8064516	10950.45253	30000	0	0	30000	40.625	2004
22.01.2020 16:11:55	1	1	1	1	61	60.5	0	26255.924	419.3548387	11009.97472	30000	0	0	30000	40.3125	2004
22.01.2020 16:11:56	1	1	1	1	61	60.75	0	26303.318	419.3548387	11030.35904	30000	0	0	30000	40.4375	2004
22.01.2020 16:11:57	1	1	1	1	61	60.25	0	26398.104	423.655914	11163.26475	30000	0	0	30000	40.5625	2004
22.01.2020 16:11:58	1	1	1	1	61.25	60.5	0	26255.924	419.3548387	11030.35904	30000	0	0	30000	40.4375	2004
22.01.2020 16:12:00	1	1	1	1	61.25	60.25	0	26208.531	419.3548387	10990.40578	30000	0	0	30000	40.4375	2004
22.01.2020 16:12:01	1	1	1	1	61.25	60.25	0	26113.744	421.5053763	11062.97394	30000	0	0	30000	40.4375	2004
22.01.2020 16:12:02	1	1	1	1	61.25	60.25	0	26066.351	419.3548387	10930.88359	30000	0	0	30000	40.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 16:12:03	1	1	1	1	61.25	60.5	0	26066.351	419.3548387	10950.45253	30000	0	0	30000	40.5625	2004
22.01.2020 16:12:04	1	1	1	1	61.25	60.5	0	25924.171	419.3548387	10871.3614	30000	0	0	30000	40.3125	2004
22.01.2020 16:12:05	1	1	1	1	61.25	60.25	0	26113.744	425.8064516	11119.23464	30000	0	0	30000	40.5	2004
22.01.2020 16:12:06	1	1	1	1	61.25	60.5	0	26113.744	419.3548387	11062.97394	30000	0	0	30000	40.5	2004
22.01.2020 16:12:07	1	1	1	1	61.25	60.5	0	26113.744	425.8064516	11119.23464	30000	0	0	30000	40.25	2004
22.01.2020 16:12:08	1	1	1	1	61.25	60.25	0	25876.777	423.655914	11018.12845	30000	0	0	30000	40.5625	2004
22.01.2020 16:12:09	1	1	1	1	60.5	60.5	0	25734.597	417.2043011	10791.4549	30000	0	0	30000	40.1875	2004
22.01.2020 16:12:10	1	1	1	1	60.5	60	0	26303.318	419.3548387	11030.35904	30000	0	0	30000	39.9375	2004
22.01.2020 16:12:11	1	1	1	1	60.5	59.75	0	26350.711	419.3548387	11030.35904	30000	0	0	30000	40.5	2004
22.01.2020 16:12:12	1	1	1	1	60.5	60.5	0	26255.924	419.3548387	11030.35904	30000	0	0	30000	40.5	2004
22.01.2020 16:12:13	1	1	1	1	60.5	60.5	0	26540.284	443.0107527	11814.74737	30000	0	0	30000	39.9375	2004
22.01.2020 16:12:14	1	1	1	1	60.5	59.75	0	26872.038	451.6129032	12077.29731	30000	0	0	30000	40.5	2004
22.01.2020 16:12:15	1	1	1	1	60.5	60.5	0	26966.825	453.7634409	12215.09526	30000	0	0	30000	40.4375	2004
22.01.2020 16:12:16	1	1	1	1	60.5	60.25	0	26540.284	453.7634409	11814.74737	30000	0	0	30000	40.5	2004
22.01.2020 16:12:17	1	1	1	1	60.5	60.5	0	26872.038	451.6129032	11983.52948	30000	0	0	30000	40.5625	2004
22.01.2020 16:12:18	1	1	1	1	60.5	60.5	0	26682.464	445.1612903	11877.53105	30000	0	0	30000	40.5625	2004
22.01.2020 16:12:19	1	1	1	1	60.25	60.5	0	26872.038	445.1612903	12215.09526	30000	0	0	30000	40.125	2004
22.01.2020 16:12:20	1	1	1	1	60.25	60	0	26966.825	445.1612903	12003.91379	30000	0	0	30000	39.8125	2004
22.01.2020 16:12:21	1	1	1	1	60.25	59.75	0	26587.678	445.1612903	11835.13168	30000	0	0	30000	40.5	2004
22.01.2020 16:12:22	1	1	1	1	60.25	60.5	0	26919.431	453.7634409	12135.18876	30000	0	0	30000	40.5	2004
22.01.2020 16:12:23	1	1	1	1	60.25	60.5	0	26445.498	445.1612903	11793.54769	30000	0	0	30000	40.5625	2004
22.01.2020 16:12:24	1	1	1	1	60.25	60.5	0	26824.645	453.7634409	11941.13011	30000	0	0	30000	40.5	2004
22.01.2020 16:12:25	1	1	1	1	60.25	60.5	0	26777.251	449.4623656	12034.89794	30000	0	0	30000	40.5	2004
22.01.2020 16:12:26	1	1	1	1	60.25	60.5	0	26872.038	453.7634409	12193.08021	30000	0	0	30000	40.5	2004
22.01.2020 16:12:27	1	1	1	1	60.25	60.5	0	26872.038	453.7634409	12193.08021	30000	0	0	30000	40.3125	2004
22.01.2020 16:12:35	1	1	1	1	60.25	60.25	0	26919.431	449.4623656	11983.52948	30000	0	0	30000	40.3125	2004
22.01.2020 16:12:35	1	1	1	1	60.25	60.25	0	26919.431	449.4623656	11983.52948	30000	0	0	30000	40.3125	2004
22.01.2020 16:12:35	1	1	1	1	60.25	60.25	0	26919.431	449.4623656	11983.52948	30000	0	0	30000	40.3125	2004
22.01.2020 16:12:35	1	1	1	1	60.25	60.25	0	26919.431	449.4623656	11983.52948	30000	0	0	30000	40.3125	2004
22.01.2020 16:12:35	1	1	1	1	60.25	60.25	0	26919.431	449.4623656	11983.52948	30000	0	0	30000	40.3125	2004
22.01.2020 16:12:35	1	1	1	1	60.25	60.25	0	26919.431	449.4623656	11983.52948	30000	0	0	30000	40.3125	2004
22.01.2020 16:12:35	1	1	1	1	60.25	60.5	0	26682.464	445.1612903	11877.53105	30000	0	0	30000	40.5	2004
22.01.2020 16:12:36	1	1	1	1	60.25	60.5	0	26824.645	445.1612903	11941.13011	30000	0	0	30000	40.5625	2004
22.01.2020 16:12:37	1	1	1	1	60.25	60.5	0	26777.251	453.7634409	12107.46609	30000	0	0	30000	40.6875	2004
22.01.2020 16:12:39	1	1	1	1	60	60.5	0	26824.645	451.6129032	12077.29731	30000	0	0	30000	40.375	2004
22.01.2020 16:12:40	1	1	1	1	60	60.25	0	27061.611	449.4623656	12046.31316	30000	0	0	30000	40.375	2004
22.01.2020 16:12:41	1	1	1	1	60	60.25	0	26398.104	445.1612903	11751.14832	30000	0	0	30000	40.3125	2004
22.01.2020 16:12:42	1	1	1	1	60	60.25	0	26113.744	445.1612903	11624.76558	30000	0	0	30000	40.4375	2004
22.01.2020 16:12:43	1	1	1	1	60	60.25	0	26587.678	451.6129032	11950.0992	30000	0	0	30000	40.5625	2004
22.01.2020 16:12:44	1	1	1	1	60	60.5	0	26872.038	458.0645161	12250.97165	30000	0	0	30000	40.5625	2004
22.01.2020 16:12:45	1	1	1	1	60	60.5	0	26398.104	445.1612903	11751.14832	30000	0	0	30000	40.75	2004
22.01.2020 16:12:46	1	1	1	1	60	60.75	0	26682.464	453.7634409	12107.46609	30000	0	0	30000	40.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 16:12:47	1	1	1	1	60	60.5	0	27156.398	453.7634409	12445.84568	30000	0	0	30000	40.375	2004
22.01.2020 16:12:48	1	1	1	1	60	60.25	0	26777.251	449.4623656	11919.93042	30000	0	0	30000	40.5	2004
22.01.2020 16:12:49	1	1	1	1	60.25	60.5	0	27109.005	451.6129032	12162.91142	30000	0	0	30000	40.3125	2004
22.01.2020 16:12:50	1	1	1	1	60.25	60.25	0	26682.464	449.4623656	12265.64836	30000	0	0	30000	40.5	2004
22.01.2020 16:12:51	1	1	1	1	60.25	60.5	0	26682.464	453.7634409	12107.46609	30000	0	0	30000	40.5	2004
22.01.2020 16:12:52	1	1	1	1	60.25	60.5	0	26966.825	445.1612903	12395.29258	30000	0	0	30000	40.5	2004
22.01.2020 16:12:53	1	1	1	1	60.25	60.5	0	26398.104	451.6129032	11999.83693	30000	0	0	30000	40.5625	2004
22.01.2020 16:12:54	1	1	1	1	60.25	60.5	0	26445.498	453.7634409	11772.348	30000	0	0	30000	40.5	2004
22.01.2020 16:12:55	1	1	1	1	60.25	60.5	0	26540.284	445.1612903	12064.25135	30000	0	0	30000	40.5	2004
22.01.2020 16:12:56	1	1	1	1	60.25	60.5	0	26445.498	445.1612903	11772.348	30000	0	0	30000	40.6875	2004
22.01.2020 16:12:57	1	1	1	1	60.25	60.5	0	26492.891	449.4623656	12021.03661	30000	0	0	30000	40.625	2004
22.01.2020 16:12:58	1	1	1	1	60.25	60.5	0	26398.104	445.1612903	11864.48509	30000	0	0	30000	40.5625	2004
22.01.2020 16:12:59	1	1	1	1	60.25	60.5	0	26682.464	445.1612903	11877.53105	30000	0	0	30000	40.5	2004
22.01.2020 16:13:00	1	1	1	1	60.25	60.5	0	26492.891	445.1612903	11793.54769	30000	0	0	30000	40.5	2004
22.01.2020 16:13:01	1	1	1	1	60.25	60.5	0	26682.464	453.7634409	12107.46609	30000	0	0	30000	40.5625	2004
22.01.2020 16:13:02	1	1	1	1	60.25	60.5	0	26966.825	453.7634409	12236.29495	30000	0	0	30000	40.5625	2004
22.01.2020 16:13:03	1	1	1	1	60.25	60.5	0	26492.891	445.1612903	11793.54769	30000	0	0	30000	40.3125	2004
22.01.2020 16:13:04	1	1	1	1	60.25	60.25	0	26587.678	445.1612903	12007.17528	30000	0	0	30000	40.5	2004
22.01.2020 16:13:05	1	1	1	1	60.25	60.5	0	26682.464	449.4623656	11877.53105	30000	0	0	30000	40.625	2004
22.01.2020 16:13:06	1	1	1	1	60.25	60.5	0	26635.071	453.7634409	12107.46609	30000	0	0	30000	40.5	2004
22.01.2020 16:13:07	1	1	1	1	60.25	60.5	0	26587.678	451.6129032	11928.89952	30000	0	0	30000	40.6875	2004
22.01.2020 16:13:08	1	1	1	1	60.25	60.5	0	26587.678	451.6129032	12064.25135	30000	0	0	30000	40.5	2004
22.01.2020 16:13:09	1	1	1	1	58	60.5	0	26540.284	453.7634409	12021.03661	30000	0	0	30000	40.5625	2004
22.01.2020 16:13:10	1	1	1	1	58	60.5	0	26682.464	453.7634409	12107.46609	30000	0	0	30000	40.3125	2004
22.01.2020 16:13:11	1	1	1	1	58	60.25	0	26540.284	451.6129032	12043.05167	30000	0	0	30000	40.375	2004
22.01.2020 16:13:12	1	1	1	1	58	60.25	0	26303.318	449.4623656	11708.74895	30000	0	0	30000	40.5625	2004
22.01.2020 16:13:13	1	1	1	1	58	60.25	0	26777.251	483.8709677	13001.92971	30000	0	0	30000	40.5	2004
22.01.2020 16:13:14	1	1	1	1	58	60.5	0	26919.431	481.7204301	12967.68407	30000	0	0	30000	40.3125	2004
22.01.2020 16:13:15	1	1	1	1	58	60.25	0	26919.431	483.8709677	13001.92971	30000	0	0	30000	40.25	2004
22.01.2020 16:13:16	1	1	1	1	58	60.25	0	26682.464	481.7204301	12853.53192	30000	0	0	30000	40.3125	2004
22.01.2020 16:13:18	1	1	1	1	58	60.25	0	26777.251	483.8709677	12979.09929	30000	0	0	30000	40.5625	2004
22.01.2020 16:13:19	1	1	1	1	59.5	60.5	0	26872.038	481.7204301	12944.85364	30000	0	0	30000	40.3125	2004
22.01.2020 16:13:20	1	1	1	1	59.5	60.25	0	26919.431	483.8709677	13025.57552	30000	0	0	30000	40.5625	2004
22.01.2020 16:13:21	1	1	1	1	59.5	60.5	0	26966.825	481.7204301	12990.5145	30000	0	0	30000	40.5	2004
22.01.2020 16:13:22	1	1	1	1	59.5	60.5	0	26966.825	481.7204301	12700.24189	30000	0	0	30000	40.1875	2004
22.01.2020 16:13:23	1	1	1	1	59.5	60	0	27156.398	481.7204301	13081.83622	30000	0	0	30000	40.5	2004
22.01.2020 16:13:24	1	1	1	1	59.5	60.5	0	26966.825	483.8709677	12990.5145	30000	0	0	30000	40.4375	2004
22.01.2020 16:13:25	1	1	1	1	59.5	60.25	0	27061.611	481.7204301	13036.17536	30000	0	0	30000	40.375	2004
22.01.2020 16:13:26	1	1	1	1	59.5	60.25	0	26966.825	481.7204301	12990.5145	30000	0	0	30000	40.375	2004
22.01.2020 16:13:27	1	1	1	1	59.5	60.25	0	26966.825	481.7204301	12990.5145	30000	0	0	30000	40.5	2004
22.01.2020 16:13:28	1	1	1	1	59.5	60.5	0	27298.578	481.7204301	13150.32751	30000	0	0	30000	40.5	2004
22.01.2020 16:13:29	1	1	1	1	59.5	60.5	0	27109.005	481.7204301	13059.00579	30000	0	0	30000	40.3125	2004
22.01.2020 16:13:36	1	1	1	1	59.5	60.5	0	27345.972	468.8172043	12878.80847	30000	0	0	30000	40.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 16:13:36	1	1	1	1	59.5	60.5	0	27345.972	468.8172043	12878.80847	30000	0	0	30000	40.625	2004
22.01.2020 16:13:36	1	1	1	1	59.5	60.5	0	27345.972	468.8172043	12878.80847	30000	0	0	30000	40.625	2004
22.01.2020 16:13:37	1	1	1	1	59.5	60.5	0	27345.972	468.8172043	12878.80847	30000	0	0	30000	40.625	2004
22.01.2020 16:13:37	1	1	1	1	59.5	60.5	0	27345.972	468.8172043	12878.80847	30000	0	0	30000	40.625	2004
22.01.2020 16:13:37	1	1	1	1	59.5	60.5	0	27345.972	468.8172043	12878.80847	30000	0	0	30000	40.625	2004
22.01.2020 16:13:37	1	1	1	1	59.5	60.5	0	27345.972	468.8172043	12878.80847	30000	0	0	30000	40.625	2004
22.01.2020 16:13:37	1	1	1	1	59.5	60.5	0	27630.332	481.7204301	13012.52956	30000	0	0	30000	40.625	2004
22.01.2020 16:13:38	1	1	1	1	59.5	60.5	0	27298.578	466.6666667	13150.32751	30000	0	0	30000	40.6875	2004
22.01.2020 16:13:39	1	1	1	1	58.25	60.5	0	27298.578	481.7204301	13150.32751	30000	0	0	30000	40.6875	2004
22.01.2020 16:13:40	1	1	1	1	58.25	60.5	0	26777.251	481.7204301	12610.55092	30000	0	0	30000	40.3125	2004
22.01.2020 16:13:41	1	1	1	1	58.25	60.25	0	26966.825	481.7204301	12990.5145	30000	0	0	30000	40.3125	2004
22.01.2020 16:13:42	1	1	1	1	58.25	60.25	0	26966.825	481.7204301	12990.5145	30000	0	0	30000	40.3125	2004
22.01.2020 16:13:43	1	1	1	1	58.25	60.25	0	27393.365	481.7204301	12761.39483	30000	0	0	30000	39.9375	2004
22.01.2020 16:13:44	1	1	1	1	58.25	59.75	0	27345.972	481.7204301	13173.15794	30000	0	0	30000	40.6875	2004
22.01.2020 16:13:45	1	1	1	1	58.25	60.5	0	27298.578	481.7204301	13150.32751	30000	0	0	30000	40.75	2004
22.01.2020 16:13:46	1	1	1	1	58.25	60.75	0	27298.578	481.7204301	13150.32751	30000	0	0	30000	40.5	2004
22.01.2020 16:13:47	1	1	1	1	58.25	60.5	0	26919.431	466.6666667	12642.35045	30000	0	0	30000	40.6875	2004
22.01.2020 16:13:48	1	1	1	1	58.25	60.5	0	27630.332	481.7204301	13287.31009	30000	0	0	30000	40.5625	2004
22.01.2020 16:13:49	1	1	1	1	59.5	60.5	0	27156.398	466.6666667	13150.32751	30000	0	0	30000	40.875	2004
22.01.2020 16:13:50	1	1	1	1	59.5	60.75	0	27345.972	464.516129	12878.80847	30000	0	0	30000	40.5	2004
22.01.2020 16:13:51	1	1	1	1	59.5	60.5	0	27440.758	481.7204301	13218.8188	30000	0	0	30000	40.6875	2004
22.01.2020 16:13:52	1	1	1	1	59.5	60.5	0	27393.365	468.8172043	12820.10165	30000	0	0	30000	40.5625	2004
22.01.2020 16:13:53	1	1	1	1	59.5	60.5	0	27109.005	468.8172043	12628.48911	30000	0	0	30000	39.5625	2004
22.01.2020 16:13:54	1	1	1	1	59.5	59.5	0	27061.611	468.8172043	12686.38056	30000	0	0	30000	40.4375	2004
22.01.2020 16:13:56	1	1	1	1	59.5	60.25	0	27582.938	481.7204301	13310.14052	30000	0	0	30000	40.375	2004
22.01.2020 16:13:57	1	1	1	1	59.5	60.25	0	27582.938	481.7204301	13310.14052	30000	0	0	30000	40.6875	2004
22.01.2020 16:13:58	1	1	1	1	59.5	60.5	0	27440.758	481.7204301	13218.8188	30000	0	0	30000	40.4375	2004
22.01.2020 16:13:59	1	1	1	1	59	60.25	0	27345.972	464.516129	13218.8188	30000	0	0	30000	40.5	2004
22.01.2020 16:14:00	1	1	1	1	59	60.5	0	27630.332	470.9677419	13310.14052	30000	0	0	30000	40.4375	2004
22.01.2020 16:14:01	1	1	1	1	59	60.25	0	27440.758	481.7204301	13218.8188	30000	0	0	30000	40.3125	2004
22.01.2020 16:14:02	1	1	1	1	59	60.25	0	27061.611	466.6666667	12628.48911	30000	0	0	30000	40.25	2004
22.01.2020 16:14:03	1	1	1	1	59	60.25	0	27298.578	464.516129	12761.39483	30000	0	0	30000	40.3125	2004
22.01.2020 16:14:04	1	1	1	1	59	60.25	0	27630.332	481.7204301	13310.14052	30000	0	0	30000	40.0625	2004
22.01.2020 16:14:05	1	1	1	1	59	60	0	27630.332	481.7204301	13012.52956	30000	0	0	30000	40.3125	2004
22.01.2020 16:14:06	1	1	1	1	59	60.25	0	27867.299	466.6666667	13064.7134	30000	0	0	30000	40.4375	2004
22.01.2020 16:14:07	1	1	1	1	59	60.25	0	27630.332	466.6666667	12893.48517	30000	0	0	30000	40.3125	2004
22.01.2020 16:14:08	1	1	1	1	59	60.25	0	27819.905	466.6666667	13041.88297	30000	0	0	30000	40.4375	2004
22.01.2020 16:14:09	1	1	1	1	58	60.25	0	27867.299	481.7204301	13124.23559	30000	0	0	30000	40.5	2004
22.01.2020 16:14:10	1	1	1	1	58	60.5	0	27962.085	481.7204301	13191.09613	30000	0	0	30000	40.3125	2004
22.01.2020 16:14:11	1	1	1	1	58	60.25	0	27867.299	468.8172043	13086.72845	30000	0	0	30000	40.5625	2004
22.01.2020 16:14:12	1	1	1	1	58	60.5	0	27630.332	466.6666667	12834.77835	30000	0	0	30000	40.5	2004
22.01.2020 16:14:13	1	1	1	1	58	60.5	0	28009.479	492.4731183	13793.6564	30000	0	0	30000	40.5	2004
22.01.2020 16:14:14	1	1	1	1	58	60.5	0	28009.479	492.4731183	13914.33153	30000	0	0	30000	40.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 16:14:15	1	1	1	1	58	60.5	0	28436.019	494.6236559	14088.00587	30000	0	0	30000	40.625	2004
22.01.2020 16:14:16	1	1	1	1	58	60.5	0	28341.232	496.7741935	14102.68258	30000	0	0	30000	40.5625	2004
22.01.2020 16:14:17	1	1	1	1	58	60.5	0	28009.479	496.7741935	14129.58987	30000	0	0	30000	40.25	2004
22.01.2020 16:14:18	1	1	1	1	58	60.25	0	28199.052	496.7741935	14008.09937	30000	0	0	30000	40.5625	2004
22.01.2020 16:14:19	1	1	1	1	58.75	60.5	0	28199.052	494.6236559	13947.7618	30000	0	0	30000	40.3125	2004
22.01.2020 16:14:20	1	1	1	1	58.75	60.25	0	28388.626	494.6236559	13980.3767	30000	0	0	30000	40.375	2004
22.01.2020 16:14:21	1	1	1	1	58.75	60.25	0	28199.052	494.6236559	14055.39097	30000	0	0	30000	40.625	2004
22.01.2020 16:14:22	1	1	1	1	58.75	60.5	0	28341.232	496.7741935	14055.39097	30000	0	0	30000	40.0625	2004
22.01.2020 16:14:23	1	1	1	1	58.75	60	0	28199.052	496.7741935	14008.09937	30000	0	0	30000	40.375	2004
22.01.2020 16:14:24	1	1	1	1	58.75	60.25	0	28199.052	498.9247312	14008.09937	30000	0	0	30000	40.4375	2004
22.01.2020 16:14:25	1	1	1	1	58.75	60.25	0	27630.332	496.7741935	13772.45672	30000	0	0	30000	40.1875	2004
22.01.2020 16:14:26	1	1	1	1	58.75	60	0	28009.479	496.7741935	14034.19129	30000	0	0	30000	40.25	2004
22.01.2020 16:14:27	1	1	1	1	58.75	60.25	0	28009.479	501.0752688	14034.19129	30000	0	0	30000	40.8125	2004
22.01.2020 16:14:28	1	1	1	1	58.75	60.75	0	28009.479	501.0752688	14034.19129	30000	0	0	30000	40.75	2004
22.01.2020 16:14:29	1	1	1	1	58.75	60.75	0	28199.052	507.5268817	14008.09937	30000	0	0	30000	40.375	2004
22.01.2020 16:14:30	1	1	1	1	58.75	60.25	0	28009.479	492.4731183	13853.99397	30000	0	0	30000	40.5	2004
22.01.2020 16:14:38	1	1	1	1	58.75	60	0	28578.199	492.4731183	13989.3458	30000	0	0	30000	40.4375	2004
22.01.2020 16:14:38	1	1	1	1	58.75	60	0	28578.199	492.4731183	13989.3458	30000	0	0	30000	40.4375	2004
22.01.2020 16:14:38	1	1	1	1	58.75	60	0	28578.199	492.4731183	13989.3458	30000	0	0	30000	40.4375	2004
22.01.2020 16:14:38	1	1	1	1	58.75	60	0	28578.199	492.4731183	13989.3458	30000	0	0	30000	40.4375	2004
22.01.2020 16:14:38	1	1	1	1	58.75	60	0	28578.199	492.4731183	13989.3458	30000	0	0	30000	40.4375	2004
22.01.2020 16:14:38	1	1	1	1	58.75	60	0	28578.199	492.4731183	13989.3458	30000	0	0	30000	40.4375	2004
22.01.2020 16:14:38	1	1	1	1	58.75	60	0	28578.199	492.4731183	13989.3458	30000	0	0	30000	40.4375	2004
22.01.2020 16:14:39	1	1	1	1	58.5	60.25	0	28815.166	486.0215054	14066.80619	30000	0	0	30000	40.5625	2004
22.01.2020 16:14:40	1	1	1	1	58.5	60.5	0	28341.232	490.3225806	13956.7309	30000	0	0	30000	40.4375	2004
22.01.2020 16:14:41	1	1	1	1	58.5	60.25	0	28009.479	488.172043	14008.09937	30000	0	0	30000	40.5625	2004
22.01.2020 16:14:42	1	1	1	1	58.5	60.5	0	27867.299	503.2258065	14023.59144	30000	0	0	30000	40.25	2004
22.01.2020 16:14:43	1	1	1	1	58.5	60.25	0	27630.332	507.5268817	14022.77607	30000	0	0	30000	40.5625	2004
22.01.2020 16:14:44	1	1	1	1	58.5	60.5	0	27440.758	507.5268817	13926.56212	30000	0	0	30000	40.375	2004
22.01.2020 16:14:45	1	1	1	1	58.5	60.25	0	27630.332	507.5268817	14022.77607	30000	0	0	30000	40.25	2004
22.01.2020 16:14:46	1	1	1	1	58.5	60.25	0	27630.332	505.3763441	13963.25388	30000	0	0	30000	40.5	2004
22.01.2020 16:14:47	1	1	1	1	58.5	60.5	0	27867.299	501.0752688	13963.25388	30000	0	0	30000	40.25	2004
22.01.2020 16:14:48	1	1	1	1	58.5	60.25	0	28009.479	503.2258065	14129.58987	30000	0	0	30000	40.5625	2004
22.01.2020 16:14:49	1	1	1	1	58.5	60.5	0	27630.332	507.5268817	14022.77607	30000	0	0	30000	40.625	2004
22.01.2020 16:14:50	1	1	1	1	58.5	60.5	0	27630.332	503.2258065	13903.73169	30000	0	0	30000	40.0625	2004
22.01.2020 16:14:51	1	1	1	1	58.5	60	0	27962.085	501.0752688	14010.54548	30000	0	0	30000	40.5	2004
22.01.2020 16:14:52	1	1	1	1	58.5	60.5	0	28009.479	503.2258065	14094.52885	30000	0	0	30000	40	2004
22.01.2020 16:14:53	1	1	1	1	58.5	60	0	27962.085	503.2258065	13986.89968	30000	0	0	30000	40.0625	2004
22.01.2020 16:14:54	1	1	1	1	58.5	60	0	27914.692	501.0752688	13986.89968	30000	0	0	30000	40.375	2004
22.01.2020 16:14:55	1	1	1	1	58.5	60.25	0	27962.085	501.0752688	14275.54154	30000	0	0	30000	40.4375	2004
22.01.2020 16:14:56	1	1	1	1	58.5	60.25	0	28009.479	501.0752688	14094.52885	30000	0	0	30000	40.3125	2004
22.01.2020 16:14:57	1	1	1	1	58.5	60.25	0	27914.692	496.7741935	13867.03993	30000	0	0	30000	40.375	2004
22.01.2020 16:14:58	1	1	1	1	58.5	60.25	0	27630.332	496.7741935	13880.08589	30000	0	0	30000	40.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 16:15:43	1	1	1	1	57.5	60.5	0	24549.763	243.0107527	5901.666078	30000	0	0	30000	40.5	2004
22.01.2020 16:15:44	1	1	1	1	57.5	60.5	0	24502.37	243.0107527	6006.849129	30000	0	0	30000	40.5	2004
22.01.2020 16:15:45	1	1	1	1	57.5	60.5	0	24502.37	243.0107527	5953.849917	30000	0	0	30000	41.125	2004
22.01.2020 16:15:46	1	1	1	1	57.5	61	0	24502.37	243.0107527	5953.849917	30000	0	0	30000	40.3125	2004
22.01.2020 16:15:47	1	1	1	1	57.5	59.75	0	24502.37	243.0107527	5953.849917	30000	0	0	30000	40.625	2004
22.01.2020 16:15:49	1	1	1	1	57.25	60.5	0	24502.37	232.2580645	5690.484603	30000	0	0	30000	40.4375	2004
22.01.2020 16:15:50	1	1	1	1	57.25	60.25	0	24502.37	236.5591398	5795.667654	30000	0	0	30000	40.5625	2004
22.01.2020 16:15:51	1	1	1	1	57.25	60.5	0	24502.37	232.2580645	5690.484603	30000	0	0	30000	40.5625	2004
22.01.2020 16:15:52	1	1	1	1	57.25	60.5	0	24502.37	230.1075269	5743.483815	30000	0	0	30000	40.4375	2004
22.01.2020 16:15:53	1	1	1	1	57.25	60.25	0	24881.517	262.3655914	6634.685946	30000	0	0	30000	40.5625	2004
22.01.2020 16:15:54	1	1	1	1	57.25	60.5	0	25450.237	279.5698925	7114.940342	30000	0	0	30000	40.75	2004
22.01.2020 16:15:55	1	1	1	1	57.25	60.75	0	25687.204	294.6236559	7581.333406	30000	0	0	30000	40.625	2004
22.01.2020 16:15:56	1	1	1	1	57.25	60.5	0	25924.171	311.827957	8083.602859	30000	0	0	30000	40.6875	2004
22.01.2020 16:15:57	1	1	1	1	57.25	60.5	0	26303.318	326.8817204	8541.026826	30000	0	0	30000	40.5625	2004
22.01.2020 16:15:58	1	1	1	1	57.25	60.5	0	26492.891	335.483871	9018.019732	30000	0	0	30000	40.6875	2004
22.01.2020 16:15:59	1	1	1	1	57.25	60.5	0	26682.464	354.8387097	9410.213899	30000	0	0	30000	40.4375	2004
22.01.2020 16:16:00	1	1	1	1	57.25	60.25	0	27061.611	369.8924731	10027.45087	30000	0	0	30000	40.5625	2004
22.01.2020 16:16:01	1	1	1	1	57.25	60.5	0	27298.578	384.9462366	10508.52064	30000	0	0	30000	40.625	2004
22.01.2020 16:16:02	1	1	1	1	57.25	60.5	0	27156.398	395.6989247	10919.46838	30000	0	0	30000	40.6875	2004
22.01.2020 16:16:03	1	1	1	1	57.25	60.5	0	27298.578	415.0537634	11330.41611	30000	0	0	30000	40.75	2004
22.01.2020 16:16:04	1	1	1	1	57.25	60.75	0	27819.905	432.2580645	11905.25372	30000	0	0	30000	40.3125	2004
22.01.2020 16:16:05	1	1	1	1	57.25	60.25	0	27962.085	445.1612903	12447.47642	30000	0	0	30000	40.4375	2004
22.01.2020 16:16:06	1	1	1	1	57.25	60.25	0	28388.626	460.2150538	13064.7134	30000	0	0	30000	40.375	2004
22.01.2020 16:16:07	1	1	1	1	57.25	60.25	0	28578.199	481.7204301	13721.08825	30000	0	0	30000	40.0625	2004
22.01.2020 16:16:08	1	1	1	1	57.25	60	0	28815.166	483.8709677	13942.86957	30000	0	0	30000	40.125	2004
22.01.2020 16:16:09	1	1	1	1	56.5	60	0	28578.199	483.8709677	13766.74911	30000	0	0	30000	40.5	2004
22.01.2020 16:16:10	1	1	1	1	56.5	60.5	0	28957.346	486.0215054	14011.36086	30000	0	0	30000	40.5	2004
22.01.2020 16:16:11	1	1	1	1	56.5	60.5	0	28862.559	488.172043	14089.63662	30000	0	0	30000	40.5	2004
22.01.2020 16:16:12	1	1	1	1	56.5	60.5	0	28578.199	486.0215054	13827.90205	30000	0	0	30000	40.4375	2004
22.01.2020 16:16:13	1	1	1	1	56.5	60.25	0	28530.806	490.3225806	14073.32917	30000	0	0	30000	40.5625	2004
22.01.2020 16:16:14	1	1	1	1	56.5	60.5	0	28009.479	496.7741935	13886.60887	30000	0	0	30000	40.625	2004
22.01.2020 16:16:15	1	1	1	1	56.5	60.5	0	28388.626	494.6236559	14224.17308	30000	0	0	30000	40.5	2004
22.01.2020 16:16:16	1	1	1	1	56.5	60.5	0	28009.479	494.6236559	14008.09937	30000	0	0	30000	40.4375	2004
22.01.2020 16:16:17	1	1	1	1	56.5	60.25	0	28483.412	488.172043	14088.00587	30000	0	0	30000	40.5	2004
22.01.2020 16:16:18	1	1	1	1	56.5	60.5	0	28341.232	494.6236559	14017.88384	30000	0	0	30000	40.5	2004
22.01.2020 16:16:19	1	1	1	1	56.75	60.5	0	28483.412	492.4731183	14026.85293	30000	0	0	30000	40.4375	2004
22.01.2020 16:16:20	1	1	1	1	56.75	60.25	0	28483.412	494.6236559	14088.00587	30000	0	0	30000	40.4375	2004
22.01.2020 16:16:21	1	1	1	1	56.75	60.25	0	28530.806	490.3225806	13904.54706	30000	0	0	30000	40.5625	2004
22.01.2020 16:16:22	1	1	1	1	56.75	60.5	0	28436.019	488.172043	14026.85293	30000	0	0	30000	40.5625	2004
22.01.2020 16:16:23	1	1	1	1	56.75	60.5	0	28530.806	488.172043	14073.32917	30000	0	0	30000	40.4375	2004
22.01.2020 16:16:24	1	1	1	1	56.75	60.25	0	28341.232	492.4731183	13956.7309	30000	0	0	30000	40.6875	2004
22.01.2020 16:16:25	1	1	1	1	56.75	60.5	0	28341.232	492.4731183	13980.3767	30000	0	0	30000	39.75	2004
22.01.2020 16:16:26	1	1	1	1	56.75	60.75	0	28483.412	488.172043	14196.45041	30000	0	0	30000	40.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 16:16:28	1	1	1	1	56.75	60.25	0	28293.839	494.6236559	13994.23803	30000	0	0	30000	40.625	2004
22.01.2020 16:16:29	1	1	1	1	56.25	60.5	0	28625.592	492.4731183	14190.7428	30000	0	0	30000	40	2004
22.01.2020 16:16:30	1	1	1	1	56.25	60	0	28436.019	492.4731183	14004.0225	30000	0	0	30000	40.5	2004
22.01.2020 16:16:31	1	1	1	1	56.25	60.5	0	28483.412	488.172043	14026.85293	30000	0	0	30000	40.5625	2004
22.01.2020 16:16:32	1	1	1	1	56.25	60.5	0	28483.412	492.4731183	14026.85293	30000	0	0	30000	40.4375	2004
22.01.2020 16:16:33	1	1	1	1	56.25	60.25	0	28436.019	488.172043	13904.54706	30000	0	0	30000	40.5	2004
22.01.2020 16:16:34	1	1	1	1	56.25	60.5	0	28436.019	488.172043	13881.71663	30000	0	0	30000	40.625	2004
22.01.2020 16:16:41	1	1	1	1	55.75	60.5	0	28483.412	492.4731183	14088.00587	30000	0	0	30000	40.8125	2004
22.01.2020 16:16:42	1	1	1	1	55.75	60.5	0	28483.412	492.4731183	14088.00587	30000	0	0	30000	40.8125	2004
22.01.2020 16:16:42	1	1	1	1	55.75	60.5	0	28483.412	492.4731183	14088.00587	30000	0	0	30000	40.8125	2004
22.01.2020 16:16:42	1	1	1	1	55.75	60.5	0	28483.412	492.4731183	14088.00587	30000	0	0	30000	40.8125	2004
22.01.2020 16:16:42	1	1	1	1	55.75	60.5	0	28483.412	492.4731183	14088.00587	30000	0	0	30000	40.8125	2004
22.01.2020 16:16:42	1	1	1	1	55.75	60.75	0	28815.166	492.4731183	14073.32917	30000	0	0	30000	40.375	2004
22.01.2020 16:16:43	1	1	1	1	55.75	60.25	0	28341.232	486.0215054	13858.07083	30000	0	0	30000	40.6875	2004
22.01.2020 16:16:44	1	1	1	1	55.75	60.5	0	28625.592	486.0215054	14066.80619	30000	0	0	30000	39.875	2004
22.01.2020 16:16:45	1	1	1	1	55.75	59.75	0	28815.166	486.0215054	13880.90126	30000	0	0	30000	40.4375	2004
22.01.2020 16:16:46	1	1	1	1	55.75	60.25	0	28625.592	490.3225806	14035.82203	30000	0	0	30000	40.3125	2004
22.01.2020 16:16:47	1	1	1	1	55.75	60.25	0	28436.019	488.172043	13881.71663	30000	0	0	30000	40.5625	2004
22.01.2020 16:16:48	1	1	1	1	55.75	60.5	0	28862.559	483.8709677	13965.7	30000	0	0	30000	40.5	2004
22.01.2020 16:16:49	1	1	1	1	55.25	60.5	0	28578.199	481.7204301	13850.73248	30000	0	0	30000	40.3125	2004
22.01.2020 16:16:50	1	1	1	1	55.25	60.25	0	28625.592	481.7204301	13880.90126	30000	0	0	30000	40.125	2004
22.01.2020 16:16:51	1	1	1	1	55.25	60	0	28957.346	483.8709677	14011.36086	30000	0	0	30000	40.25	2004
22.01.2020 16:16:52	1	1	1	1	55.25	60.25	0	28957.346	483.8709677	14011.36086	30000	0	0	30000	40.5	2004
22.01.2020 16:16:53	1	1	1	1	55.25	60.5	0	29241.706	483.8709677	14149.15881	30000	0	0	30000	40.3125	2004
22.01.2020 16:16:54	1	1	1	1	55.25	60.25	0	29099.526	483.8709677	14011.36086	30000	0	0	30000	40.4375	2004
22.01.2020 16:16:55	1	1	1	1	55.25	60.25	0	29052.133	481.7204301	13949.39255	30000	0	0	30000	40.5	2004
22.01.2020 16:16:56	1	1	1	1	55.25	60.5	0	29052.133	481.7204301	14079.85215	30000	0	0	30000	40.5625	2004
22.01.2020 16:16:57	1	1	1	1	55.25	60.5	0	28957.346	483.8709677	14011.36086	30000	0	0	30000	40.5	2004
22.01.2020 16:16:58	1	1	1	1	55.25	60.5	0	29052.133	483.8709677	14057.02172	30000	0	0	30000	40.1875	2004
22.01.2020 16:16:59	1	1	1	1	54.5	60	0	28957.346	486.0215054	14011.36086	30000	0	0	30000	40.4375	2004
22.01.2020 16:17:00	1	1	1	1	54.5	60.25	0	28815.166	488.172043	13942.86957	30000	0	0	30000	40.4375	2004
22.01.2020 16:17:01	1	1	1	1	54.5	60.25	0	28815.166	492.4731183	14004.83788	30000	0	0	30000	40.5625	2004
22.01.2020 16:17:02	1	1	1	1	54.5	60.5	0	28815.166	488.172043	14066.80619	30000	0	0	30000	40.5	2004
22.01.2020 16:17:03	1	1	1	1	54.5	60.5	0	28578.199	490.3225806	14012.17623	30000	0	0	30000	40.8125	2004
22.01.2020 16:17:04	1	1	1	1	54.5	60.75	0	28815.166	486.0215054	14004.83788	30000	0	0	30000	40.1875	2004
22.01.2020 16:17:06	1	1	1	1	54.5	60.5	0	28815.166	488.172043	14066.80619	30000	0	0	30000	40.5625	2004
22.01.2020 16:17:07	1	1	1	1	54.5	60.5	0	28578.199	488.172043	13951.02329	30000	0	0	30000	40.4375	2004
22.01.2020 16:17:08	1	1	1	1	54.5	60.25	0	28625.592	494.6236559	14128.7745	30000	0	0	30000	40.375	2004
22.01.2020 16:17:09	1	1	1	1	54.75	60.25	0	28483.412	488.172043	13904.54706	30000	0	0	30000	40.4375	2004
22.01.2020 16:17:10	1	1	1	1	54.75	60.25	0	28625.592	488.172043	14035.82203	30000	0	0	30000	40.4375	2004
22.01.2020 16:17:11	1	1	1	1	54.75	60.25	0	28815.166	488.172043	14066.80619	30000	0	0	30000	40.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 16:17:12	1	1	1	1	54.75	60.25	0	28578.199	488.172043	14012.17623	30000	0	0	30000	39.6875	2004
22.01.2020 16:17:13	1	1	1	1	54.75	59.5	0	28578.199	490.3225806	14073.32917	30000	0	0	30000	40.5625	2004
22.01.2020 16:17:14	1	1	1	1	54.75	60.5	0	28815.166	503.2258065	14562.55266	30000	0	0	30000	40.0625	2004
22.01.2020 16:17:15	1	1	1	1	54.75	60	0	28578.199	518.2795699	14872.39421	30000	0	0	30000	40.1875	2004
22.01.2020 16:17:16	1	1	1	1	54.75	60	0	28815.166	522.5806452	15058.29913	30000	0	0	30000	40.4375	2004
22.01.2020 16:17:17	1	1	1	1	54.75	60.25	0	28672.986	518.2795699	14934.36251	30000	0	0	30000	40.625	2004
22.01.2020 16:17:18	1	1	1	1	54.75	60.5	0	28815.166	520.4301075	15058.29913	30000	0	0	30000	40.5	2004
22.01.2020 16:17:19	1	1	1	1	54.5	60.5	0	28625.592	522.5806452	14934.36251	30000	0	0	30000	40.4375	2004
22.01.2020 16:17:20	1	1	1	1	54.5	60.25	0	28578.199	522.5806452	14934.36251	30000	0	0	30000	40.125	2004
22.01.2020 16:17:21	1	1	1	1	54.5	60	0	28625.592	524.7311828	15020.792	30000	0	0	30000	40.4375	2004
22.01.2020 16:17:22	1	1	1	1	54.5	60.25	0	28815.166	522.5806452	15058.29913	30000	0	0	30000	40.1875	2004
22.01.2020 16:17:23	1	1	1	1	54.5	60	0	28625.592	520.4301075	14934.36251	30000	0	0	30000	40.4375	2004
22.01.2020 16:17:24	1	1	1	1	54.5	60.25	0	28578.199	520.4301075	14811.24127	30000	0	0	30000	40.3125	2004
22.01.2020 16:17:25	1	1	1	1	54.5	60.25	0	28815.166	520.4301075	15058.29913	30000	0	0	30000	40.375	2004
22.01.2020 16:17:26	1	1	1	1	54.5	60.25	0	28530.806	524.7311828	14884.62479	30000	0	0	30000	40.5	2004
22.01.2020 16:17:27	1	1	1	1	54.5	60.5	0	28815.166	524.7311828	15182.23575	30000	0	0	30000	40.5	2004
22.01.2020 16:17:28	1	1	1	1	54.5	60.5	0	28625.592	526.8817204	14934.36251	30000	0	0	30000	40.75	2004
22.01.2020 16:17:29	1	1	1	1	54.75	60.75	0	28815.166	522.5806452	14996.33082	30000	0	0	30000	40.5	2004
22.01.2020 16:17:30	1	1	1	1	54.75	60.5	0	28815.166	520.4301075	15082.76031	30000	0	0	30000	40.4375	2004
22.01.2020 16:17:31	1	1	1	1	54.75	60.25	0	28530.806	522.5806452	14995.51545	30000	0	0	30000	40.125	2004
22.01.2020 16:17:32	1	1	1	1	54.75	60	0	28578.199	520.4301075	14934.36251	30000	0	0	30000	40.25	2004
22.01.2020 16:17:33	1	1	1	1	54.75	60.25	0	28862.559	524.7311828	15058.29913	30000	0	0	30000	40.5	2004
22.01.2020 16:17:34	1	1	1	1	54.75	60.5	0	28483.412	524.7311828	14995.51545	30000	0	0	30000	40.4375	2004
22.01.2020 16:17:35	1	1	1	1	54.75	60.25	0	28815.166	518.2795699	14872.39421	30000	0	0	30000	40.25	2004
22.01.2020 16:17:43	1	1	1	1	54.75	60.75	0	28862.559	516.1290323	14896.85538	30000	0	0	30000	40.375	2004
22.01.2020 16:17:43	1	1	1	1	54.75	60.75	0	28862.559	516.1290323	14896.85538	30000	0	0	30000	40.375	2004
22.01.2020 16:17:43	1	1	1	1	54.75	60.75	0	28862.559	516.1290323	14896.85538	30000	0	0	30000	40.375	2004
22.01.2020 16:17:43	1	1	1	1	54.75	60.75	0	28862.559	516.1290323	14896.85538	30000	0	0	30000	40.375	2004
22.01.2020 16:17:43	1	1	1	1	54.75	60.75	0	28862.559	516.1290323	14896.85538	30000	0	0	30000	40.375	2004
22.01.2020 16:17:43	1	1	1	1	54.75	60.75	0	28862.559	516.1290323	14896.85538	30000	0	0	30000	40.375	2004
22.01.2020 16:17:43	1	1	1	1	54.75	60.5	0	28815.166	516.1290323	14934.36251	30000	0	0	30000	40.5625	2004
22.01.2020 16:17:45	1	1	1	1	54.75	60.5	0	28957.346	518.2795699	15007.74604	30000	0	0	30000	40.3125	2004
22.01.2020 16:17:46	1	1	1	1	54.75	60.25	0	28862.559	516.1290323	14958.82369	30000	0	0	30000	40.4375	2004
22.01.2020 16:17:47	1	1	1	1	54.75	60.25	0	28957.346	516.1290323	14945.77773	30000	0	0	30000	40.375	2004
22.01.2020 16:17:48	1	1	1	1	54.75	60.25	0	28957.346	516.1290323	14994.70008	30000	0	0	30000	40.3125	2004
22.01.2020 16:17:49	1	1	1	1	54.5	60.25	0	28957.346	516.1290323	14945.77773	30000	0	0	30000	40.25	2004
22.01.2020 16:17:50	1	1	1	1	54.5	60.25	0	28862.559	516.1290323	14896.85538	30000	0	0	30000	40.75	2004
22.01.2020 16:17:51	1	1	1	1	54.5	60.75	0	28815.166	516.1290323	14872.39421	30000	0	0	30000	40.5	2004
22.01.2020 16:17:52	1	1	1	1	54.5	60.5	0	29099.526	518.2795699	15056.66839	30000	0	0	30000	40.4375	2004
22.01.2020 16:17:53	1	1	1	1	54.5	60.25	0	29099.526	516.1290323	15019.16125	30000	0	0	30000	40.5625	2004
22.01.2020 16:17:54	1	1	1	1	54.5	60.5	0	29146.919	518.2795699	15105.59074	30000	0	0	30000	40.25	2004
22.01.2020 16:17:55	1	1	1	1	54.5	60.25	0	28957.346	518.2795699	15007.74604	30000	0	0	30000	40.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 16:17:56	1	1	1	1	54.5	60	0	28909.953	516.1290323	15256.43465	30000	0	0	30000	40.5625	2004
22.01.2020 16:17:57	1	1	1	1	54.5	60.5	0	29146.919	516.1290323	14980.83875	30000	0	0	30000	40.1875	2004
22.01.2020 16:17:58	1	1	1	1	54.5	60	0	29146.919	516.1290323	15043.62243	30000	0	0	30000	40.1875	2004
22.01.2020 16:17:59	1	1	1	1	55	60	0	29099.526	516.1290323	15019.16125	30000	0	0	30000	40.5	2004
22.01.2020 16:18:00	1	1	1	1	55	60.5	0	28957.346	516.1290323	14994.70008	30000	0	0	30000	40.4375	2004
22.01.2020 16:18:01	1	1	1	1	55	60.25	0	29146.919	511.827957	14792.4877	30000	0	0	30000	40.4375	2004
22.01.2020 16:18:02	1	1	1	1	55	60.25	0	29146.919	516.1290323	15043.62243	30000	0	0	30000	40.4375	2004
22.01.2020 16:18:03	1	1	1	1	55	60.25	0	29289.1	516.1290323	14927.83953	30000	0	0	30000	39.75	2004
22.01.2020 16:18:04	1	1	1	1	55	59.75	0	29526.066	509.6774194	15112.11372	30000	0	0	30000	40.4375	2004
22.01.2020 16:18:05	1	1	1	1	55	60.25	0	29241.706	516.1290323	14966.16204	30000	0	0	30000	40.125	2004
22.01.2020 16:18:06	1	1	1	1	55	60	0	29289.1	507.5268817	14951.48534	30000	0	0	30000	40.1875	2004
22.01.2020 16:18:07	1	1	1	1	55	60	0	29289.1	507.5268817	15015.08439	30000	0	0	30000	40.375	2004
22.01.2020 16:18:08	1	1	1	1	55	60.25	0	29526.066	507.5268817	14984.91561	30000	0	0	30000	40.1875	2004
22.01.2020 16:18:09	1	1	1	1	53.75	60	0	29620.853	509.6774194	15096.62164	30000	0	0	30000	40.375	2004
22.01.2020 16:18:10	1	1	1	1	53.75	60.25	0	29099.526	516.1290323	15019.16125	30000	0	0	30000	40.4375	2004
22.01.2020 16:18:11	1	1	1	1	53.75	60.25	0	29146.919	516.1290323	15043.62243	30000	0	0	30000	40.125	2004
22.01.2020 16:18:12	1	1	1	1	53.75	60	0	29052.133	511.827957	14994.70008	30000	0	0	30000	40.0625	2004
22.01.2020 16:18:13	1	1	1	1	53.75	60	0	29146.919	516.1290323	15043.62243	30000	0	0	30000	40.5625	2004
22.01.2020 16:18:14	1	1	1	1	53.75	60.5	0	29431.28	535.483871	15759.51947	30000	0	0	30000	40.3125	2004
22.01.2020 16:18:15	1	1	1	1	53.75	60.25	0	29573.46	537.6344086	15963.3626	30000	0	0	30000	40.3125	2004
22.01.2020 16:18:16	1	1	1	1	53.75	60.25	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	40.0625	2004
22.01.2020 16:18:17	1	1	1	1	53.75	60	0	29905.213	520.4301075	15627.42913	30000	0	0	30000	40.5	2004
22.01.2020 16:18:18	1	1	1	1	53.75	60.5	0	30000	522.5806452	15241.75794	30000	0	0	30000	40.6875	2004
22.01.2020 16:18:19	1	1	1	1	54	60.5	0	29905.213	522.5806452	15627.42913	30000	0	0	30000	40	2004
22.01.2020 16:18:20	1	1	1	1	54	60	0	29905.213	526.8817204	15756.25798	30000	0	0	30000	40.75	2004
22.01.2020 16:18:21	1	1	1	1	54	60.75	0	29905.213	524.7311828	15756.25798	30000	0	0	30000	40.1875	2004
22.01.2020 16:18:23	1	1	1	1	54	60.25	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	40.0625	2004
22.01.2020 16:18:24	1	1	1	1	54	60	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	40.3125	2004
22.01.2020 16:18:25	1	1	1	1	54	60.25	0	29905.213	516.1290323	15498.60028	30000	0	0	30000	40.1875	2004
22.01.2020 16:18:26	1	1	1	1	54	60	0	29905.213	533.3333333	15885.08684	30000	0	0	30000	40.4375	2004
22.01.2020 16:18:27	1	1	1	1	54	60.25	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	40.1875	2004
22.01.2020 16:18:28	1	1	1	1	54	60	0	29905.213	535.483871	16013.10032	30000	0	0	30000	40	2004
22.01.2020 16:18:29	1	1	1	1	54	60	0	29905.213	531.1827957	15885.08684	30000	0	0	30000	40.5	2004
22.01.2020 16:18:30	1	1	1	1	54	60.5	0	29810.427	533.3333333	15987.82377	30000	0	0	30000	40.4375	2004
22.01.2020 16:18:31	1	1	1	1	54	60.25	0	29905.213	533.3333333	15885.08684	30000	0	0	30000	40.5	2004
22.01.2020 16:18:32	1	1	1	1	54	60.5	0	29905.213	529.0322581	15781.53453	30000	0	0	30000	40.125	2004
22.01.2020 16:18:33	1	1	1	1	54	60	0	29952.607	533.3333333	16000.05436	30000	0	0	30000	40.5	2004
22.01.2020 16:18:34	1	1	1	1	54	60.5	0	29952.607	524.7311828	15652.70568	30000	0	0	30000	40.3125	2004
22.01.2020 16:18:35	1	1	1	1	54	60.25	0	29715.64	537.6344086	15911.99413	30000	0	0	30000	40.4375	2004
22.01.2020 16:18:36	1	1	1	1	54	60.25	0	29857.82	535.483871	16052.2382	30000	0	0	30000	40.5	2004
22.01.2020 16:18:37	1	1	1	1	54	60.5	0	29857.82	535.483871	15962.54722	30000	0	0	30000	40.25	2004
22.01.2020 16:18:45	1	1	1	1	53.75	60.25	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	40.3125	2004
22.01.2020 16:18:45	1	1	1	1	53.75	60.25	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	40.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 16:18:45	1	1	1	1	53.75	60.25	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	40.3125	2004
22.01.2020 16:18:45	1	1	1	1	53.75	60.25	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	40.3125	2004
22.01.2020 16:18:45	1	1	1	1	53.75	60.25	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	40.3125	2004
22.01.2020 16:18:45	1	1	1	1	53.75	60.25	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	40.3125	2004
22.01.2020 16:18:45	1	1	1	1	53.75	60.25	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	40.3125	2004
22.01.2020 16:18:45	1	1	1	1	53.75	60.25	0	29383.886	541.9354839	15924.22472	30000	0	0	30000	40.4375	2004
22.01.2020 16:18:46	1	1	1	1	53.75	60.25	0	29620.853	541.9354839	16115.83725	30000	0	0	30000	40.125	2004
22.01.2020 16:18:47	1	1	1	1	53.75	60	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	40.125	2004
22.01.2020 16:18:48	1	1	1	1	53.75	60	0	29478.673	541.9354839	15911.99413	30000	0	0	30000	40.3125	2004
22.01.2020 16:18:49	1	1	1	1	53.75	60.25	0	29526.066	539.7849462	15963.3626	30000	0	0	30000	40.5	2004
22.01.2020 16:18:50	1	1	1	1	53.75	60.5	0	29478.673	544.0860215	15885.90221	30000	0	0	30000	40.625	2004
22.01.2020 16:18:51	1	1	1	1	53.75	60.5	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	40.25	2004
22.01.2020 16:18:52	1	1	1	1	53.75	60.25	0	29620.853	541.9354839	15963.3626	30000	0	0	30000	40.25	2004
22.01.2020 16:18:53	1	1	1	1	53.75	60.25	0	29526.066	539.7849462	15963.3626	30000	0	0	30000	40.5	2004
22.01.2020 16:18:54	1	1	1	1	53.75	60.5	0	29763.033	541.9354839	16103.60666	30000	0	0	30000	40.5	2004
22.01.2020 16:18:55	1	1	1	1	53.75	60.5	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	40.25	2004
22.01.2020 16:18:56	1	1	1	1	53.75	60.25	0	29573.46	541.9354839	16026.96165	30000	0	0	30000	40.0625	2004
22.01.2020 16:18:57	1	1	1	1	53.75	60	0	29431.28	541.9354839	15975.59318	30000	0	0	30000	40.3125	2004
22.01.2020 16:18:58	1	1	1	1	53.75	60.25	0	29336.493	541.9354839	15960.91648	30000	0	0	30000	40.5625	2004
22.01.2020 16:18:59	1	1	1	1	54	60.5	0	29146.919	546.2365591	15972.33169	30000	0	0	30000	40.4375	2004
22.01.2020 16:19:00	1	1	1	1	54	60.25	0	29336.493	539.7849462	15898.1328	30000	0	0	30000	39.9375	2004
22.01.2020 16:19:02	1	1	1	1	54	59.75	0	29478.673	546.2365591	16075.884	30000	0	0	30000	40.5625	2004
22.01.2020 16:19:03	1	1	1	1	54	60.5	0	29383.886	544.0860215	15960.91648	30000	0	0	30000	40.3125	2004
22.01.2020 16:19:04	1	1	1	1	54	60.25	0	29431.28	546.2365591	16075.884	30000	0	0	30000	40.1875	2004
22.01.2020 16:19:05	1	1	1	1	54	60	0	29241.706	546.2365591	16035.11538	30000	0	0	30000	40.1875	2004
22.01.2020 16:19:06	1	1	1	1	54	60	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	40.125	2004
22.01.2020 16:19:07	1	1	1	1	54	60	0	29383.886	544.0860215	16075.884	30000	0	0	30000	40.625	2004
22.01.2020 16:19:08	1	1	1	1	54	60.5	0	29431.28	546.2365591	16075.884	30000	0	0	30000	40.5625	2004
22.01.2020 16:19:09	1	1	1	1	53.25	60.5	0	29241.706	546.2365591	15960.91648	30000	0	0	30000	40.4375	2004
22.01.2020 16:19:10	1	1	1	1	53.25	60.25	0	29289.1	546.2365591	16150.89827	30000	0	0	30000	40.1875	2004
22.01.2020 16:19:11	1	1	1	1	53.25	60	0	29383.886	546.2365591	16087.29921	30000	0	0	30000	40.625	2004
22.01.2020 16:19:12	1	1	1	1	53.25	60.5	0	29383.886	546.2365591	15960.91648	30000	0	0	30000	40.375	2004
22.01.2020 16:19:13	1	1	1	1	53.25	60.25	0	29146.919	548.3870968	15795.39586	30000	0	0	30000	40.5	2004
22.01.2020 16:19:14	1	1	1	1	53.25	60.5	0	29099.526	550.5376344	16046.53059	30000	0	0	30000	40.5625	2004
22.01.2020 16:19:15	1	1	1	1	53.25	60.5	0	28957.346	546.2365591	15692.65893	30000	0	0	30000	40.125	2004
22.01.2020 16:19:16	1	1	1	1	53.25	60	0	29052.133	546.2365591	15744.0274	30000	0	0	30000	40.25	2004
22.01.2020 16:19:19	1	1	1	1	53.25	60.25	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	40.5	2004
22.01.2020 16:19:19	1	1	1	1	53.25	60.25	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	40.5	2004
22.01.2020 16:19:19	1	1	1	1	52.75	60.5	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	40.1875	2004
22.01.2020 16:19:20	1	1	1	1	52.75	60	0	29052.133	552.688172	16056.31506	30000	0	0	30000	40.5625	2004
22.01.2020 16:19:21	1	1	1	1	52.75	60.5	0	29146.919	550.5376344	16108.4989	30000	0	0	30000	40.1875	2004
22.01.2020 16:19:22	1	1	1	1	52.75	60	0	29052.133	550.5376344	15868.77939	30000	0	0	30000	40.6875	2004
22.01.2020 16:19:23	1	1	1	1	52.75	60.5	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	39.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 16:19:24	1	1	1	1	52.75	59.75	0	29052.133	552.688172	16056.31506	30000	0	0	30000	40.25	2004
22.01.2020 16:19:25	1	1	1	1	52.75	60.25	0	28815.166	550.5376344	15925.85546	30000	0	0	30000	40.6875	2004
22.01.2020 16:19:26	1	1	1	1	52.75	60.5	0	28957.346	552.688172	16004.13122	30000	0	0	30000	40.375	2004
22.01.2020 16:19:27	1	1	1	1	52.75	60.25	0	29052.133	548.3870968	15905.47115	30000	0	0	30000	40.25	2004
22.01.2020 16:19:28	1	1	1	1	52.75	60.25	0	28815.166	552.688172	15951.94738	30000	0	0	30000	40.3125	2004
22.01.2020 16:19:29	1	1	1	1	53.25	60.25	0	29052.133	554.8387097	16119.09874	30000	0	0	30000	40.5	2004
22.01.2020 16:19:30	1	1	1	1	53.25	60.5	0	29099.526	554.8387097	16171.28258	30000	0	0	30000	40.5	2004
22.01.2020 16:19:31	1	1	1	1	53.25	60.5	0	28862.559	556.9892473	16075.884	30000	0	0	30000	40.4375	2004
22.01.2020 16:19:32	1	1	1	1	53.25	60.25	0	28957.346	554.8387097	15951.94738	30000	0	0	30000	40.5	2004
22.01.2020 16:19:33	1	1	1	1	53.25	60.5	0	28815.166	550.5376344	15739.95053	30000	0	0	30000	40.125	2004
22.01.2020 16:19:34	1	1	1	1	53.25	60	0	28862.559	554.8387097	15951.94738	30000	0	0	30000	40.125	2004
22.01.2020 16:19:35	1	1	1	1	53.25	60	0	28957.346	556.9892473	16066.09953	30000	0	0	30000	40.4375	2004
22.01.2020 16:19:36	1	1	1	1	53.25	60.25	0	28815.166	550.5376344	15925.85546	30000	0	0	30000	40.625	2004
22.01.2020 16:19:37	1	1	1	1	53.25	60.5	0	28815.166	552.688172	15925.85546	30000	0	0	30000	40.0625	2004
22.01.2020 16:19:38	1	1	1	1	53.25	60	0	28672.986	554.8387097	15987.82377	30000	0	0	30000	40.6875	2004
22.01.2020 16:19:46	1	1	1	1	53.5	60.25	0	28815.166	552.688172	15925.85546	30000	0	0	30000	40.625	2004
22.01.2020 16:19:46	1	1	1	1	53.5	60.25	0	28815.166	552.688172	15925.85546	30000	0	0	30000	40.625	2004
22.01.2020 16:19:46	1	1	1	1	53.5	60.25	0	28815.166	552.688172	15925.85546	30000	0	0	30000	40.625	2004
22.01.2020 16:19:46	1	1	1	1	53.5	60.25	0	28815.166	552.688172	15925.85546	30000	0	0	30000	40.625	2004
22.01.2020 16:19:46	1	1	1	1	53.5	60.25	0	28815.166	552.688172	15925.85546	30000	0	0	30000	40.625	2004
22.01.2020 16:19:46	1	1	1	1	53.5	60.25	0	28815.166	552.688172	15925.85546	30000	0	0	30000	40.625	2004
22.01.2020 16:19:47	1	1	1	1	53.5	60.5	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	40.5625	2004
22.01.2020 16:19:48	1	1	1	1	53.5	60.5	0	28815.166	550.5376344	15925.85546	30000	0	0	30000	40.5	2004
22.01.2020 16:19:49	1	1	1	1	53	60.5	0	28862.559	552.688172	15951.94738	30000	0	0	30000	40.5	2004
22.01.2020 16:19:50	1	1	1	1	53	60.5	0	28862.559	552.688172	15951.94738	30000	0	0	30000	40.625	2004
22.01.2020 16:19:51	1	1	1	1	53	60.5	0	28957.346	552.688172	16004.13122	30000	0	0	30000	40.25	2004
22.01.2020 16:19:52	1	1	1	1	53	60.25	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	40.25	2004
22.01.2020 16:19:53	1	1	1	1	53	60.25	0	29052.133	554.8387097	16181.06705	30000	0	0	30000	40.25	2004
22.01.2020 16:19:54	1	1	1	1	53	60.25	0	28815.166	552.688172	15925.85546	30000	0	0	30000	40.5	2004
22.01.2020 16:19:55	1	1	1	1	53	60.5	0	28957.346	554.8387097	16128.88321	30000	0	0	30000	39.9375	2004
22.01.2020 16:19:56	1	1	1	1	53	59.75	0	28909.953	552.688172	16004.13122	30000	0	0	30000	40.375	2004
22.01.2020 16:19:57	1	1	1	1	53	60.25	0	28957.346	552.688172	16004.13122	30000	0	0	30000	40.5625	2004
22.01.2020 16:19:58	1	1	1	1	53	60.5	0	29052.133	550.5376344	16108.4989	30000	0	0	30000	40.375	2004
22.01.2020 16:19:59	1	1	1	1	52.75	60.25	0	29146.919	552.688172	16108.4989	30000	0	0	30000	40.5	2004
22.01.2020 16:20:00	1	1	1	1	52.75	60.5	0	29052.133	552.688172	16056.31506	30000	0	0	30000	40.6875	2004
22.01.2020 16:20:01	1	1	1	1	52.75	60.5	0	28815.166	550.5376344	15889.97907	30000	0	0	30000	40.1875	2004
22.01.2020 16:20:02	1	1	1	1	52.75	60	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	40.0625	2004
22.01.2020 16:20:03	1	1	1	1	52.75	60	0	29052.133	552.688172	16056.31506	30000	0	0	30000	39.75	2004
22.01.2020 16:20:04	1	1	1	1	52.75	59.75	0	29099.526	550.5376344	16020.43867	30000	0	0	30000	40.125	2004
22.01.2020 16:20:05	1	1	1	1	52.75	60	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	40.5625	2004
22.01.2020 16:20:06	1	1	1	1	52.75	60.5	0	29052.133	550.5376344	16020.43867	30000	0	0	30000	40.25	2004
22.01.2020 16:20:07	1	1	1	1	52.75	60.25	0	29052.133	550.5376344	16082.40698	30000	0	0	30000	40.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 16:20:08	1	1	1	1	52.75	60.25	0	29146.919	550.5376344	16108.4989	30000	0	0	30000	40.5625	2004
22.01.2020 16:20:09	1	1	1	1	52.75	60.5	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	40.5625	2004
22.01.2020 16:20:10	1	1	1	1	52.75	60.5	0	28957.346	550.5376344	15879.37923	30000	0	0	30000	40.25	2004
22.01.2020 16:20:11	1	1	1	1	52.75	60.25	0	29052.133	548.3870968	15994.34675	30000	0	0	30000	40.4375	2004
22.01.2020 16:20:12	1	1	1	1	52.75	60.25	0	29146.919	552.688172	16108.4989	30000	0	0	30000	40.5625	2004
22.01.2020 16:20:13	1	1	1	1	52.75	60.5	0	29146.919	548.3870968	16046.53059	30000	0	0	30000	40	2004
22.01.2020 16:20:14	1	1	1	1	52.75	60	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	40.25	2004
22.01.2020 16:20:15	1	1	1	1	52.75	60.25	0	29052.133	550.5376344	15957.65499	30000	0	0	30000	40.6875	2004
22.01.2020 16:20:16	1	1	1	1	52.75	60.5	0	29146.919	541.9354839	16098.71443	30000	0	0	30000	40.75	2004
22.01.2020 16:20:18	1	1	1	1	52.75	60.75	0	29099.526	550.5376344	15858.17955	30000	0	0	30000	40.25	2004
22.01.2020 16:20:19	1	1	1	1	52.5	60	0	29099.526	554.8387097	16171.28258	30000	0	0	30000	40.5	2004
22.01.2020 16:20:20	1	1	1	1	52.5	60.5	0	28957.346	552.688172	16066.09953	30000	0	0	30000	40.5625	2004
22.01.2020 16:20:21	1	1	1	1	52.5	60.5	0	28625.592	554.8387097	15820.67241	30000	0	0	30000	40.375	2004
22.01.2020 16:20:22	1	1	1	1	52.5	60.25	0	28815.166	552.688172	15987.82377	30000	0	0	30000	40.4375	2004
22.01.2020 16:20:23	1	1	1	1	52.5	60.25	0	29052.133	554.8387097	16056.31506	30000	0	0	30000	40.5625	2004
22.01.2020 16:20:24	1	1	1	1	52.5	60.5	0	28625.592	552.688172	15820.67241	30000	0	0	30000	40.5	2004
22.01.2020 16:20:25	1	1	1	1	52.5	60.5	0	28199.052	559.1397849	15881.00997	30000	0	0	30000	40.125	2004
22.01.2020 16:20:26	1	1	1	1	52.5	60	0	28625.592	559.1397849	15943.79366	30000	0	0	30000	40.6875	2004
22.01.2020 16:20:27	1	1	1	1	52.5	60.5	0	28625.592	559.1397849	16066.9149	30000	0	0	30000	40.5625	2004
22.01.2020 16:20:28	1	1	1	1	52.5	60.5	0	28483.412	556.9892473	15864.70252	30000	0	0	30000	40.3125	2004
22.01.2020 16:20:29	1	1	1	1	52.25	60.25	0	28530.806	556.9892473	15864.70252	30000	0	0	30000	40.375	2004
22.01.2020 16:20:30	1	1	1	1	52.25	60.25	0	28483.412	554.8387097	15987.0084	30000	0	0	30000	40.25	2004
22.01.2020 16:20:31	1	1	1	1	52.25	60.25	0	28436.019	556.9892473	15838.61061	30000	0	0	30000	40.375	2004
22.01.2020 16:20:32	1	1	1	1	52.25	60.25	0	28625.592	559.1397849	15917.70174	30000	0	0	30000	40.5	2004
22.01.2020 16:20:33	1	1	1	1	52.25	60.5	0	28625.592	559.1397849	15917.70174	30000	0	0	30000	40.375	2004
22.01.2020 16:20:34	1	1	1	1	52.25	60.25	0	28578.199	559.1397849	16040.00761	30000	0	0	30000	40.5	2004
22.01.2020 16:20:35	1	1	1	1	52.25	60.5	0	28483.412	563.4408602	15987.0084	30000	0	0	30000	40.4375	2004
22.01.2020 16:20:36	1	1	1	1	52.25	60.25	0	28578.199	559.1397849	15978.85467	30000	0	0	30000	40.1875	2004
22.01.2020 16:20:37	1	1	1	1	52.25	60	0	28672.986	559.1397849	16173.7287	30000	0	0	30000	40.3125	2004
22.01.2020 16:20:38	1	1	1	1	52.25	60.25	0	28388.626	563.4408602	16083.22235	30000	0	0	30000	40.5	2004
22.01.2020 16:20:39	1	1	1	1	51.75	60.5	0	28578.199	563.4408602	16048.16134	30000	0	0	30000	39.5625	2004
22.01.2020 16:20:40	1	1	1	1	51.75	59.5	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	40.625	2004
22.01.2020 16:20:48	1	1	1	1	51.75	59.75	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	40.1875	2004
22.01.2020 16:20:48	1	1	1	1	51.75	59.75	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	40.1875	2004
22.01.2020 16:20:48	1	1	1	1	51.75	59.75	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	40.1875	2004
22.01.2020 16:20:48	1	1	1	1	51.75	59.75	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	40.1875	2004
22.01.2020 16:20:48	1	1	1	1	51.75	59.75	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	40.1875	2004
22.01.2020 16:20:48	1	1	1	1	51.75	59.75	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	40.1875	2004
22.01.2020 16:20:48	1	1	1	1	51.75	59.75	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	40.1875	2004
22.01.2020 16:20:48	1	1	1	1	51.75	59.75	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	40.1875	2004
22.01.2020 16:20:48	1	1	1	1	51.75	59.75	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	40.1875	2004
22.01.2020 16:20:48	1	1	1	1	51.75	59.75	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	40.1875	2004
22.01.2020 16:20:48	1	1	1	1	51.75	59.75	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	40.1875	2004
22.01.2020 16:20:48	1	1	1	1	51.75	59.75	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	40.1875	2004
22.01.2020 16:20:48	1	1	1	1	51.75	59.75	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	40.1875	2004
22.01.2020 16:20:48	1	1	1	1	51.75	59.75	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	40.1875	2004
22.01.2020 16:20:48	1	1	1	1	51.75	59.75	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	40.1875	2004
22.01.2020 16:20:48	1	1	1	1	51.75	59.75	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	40.1875	2004
22.01.2020 16:20:48	1	1	1	1	51.75	59.75	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	40.1875	2004
22.01.2020 16:20:48	1	1	1	1	51.75	59.75	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	40.1875	2004
22.01.2020 16:20:48	1	1	1	1	51.75	59.75	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	40.1875	2004
22.01.2020 16:20:48	1	1	1	1	51.75	59.75	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	40.1875	2004
22.01.2020 16:20:48	1	1	1	1	51.75	59.75	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	40.1875	2004
22.01.2020 16:20:48	1	1	1	1	51.75	59.75	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	40.1875	2004
22.01.2020 16:20:48	1	1	1	1	51.75	59.75	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	40.1875	2004
22.01.2020 16:20:48	1	1	1	1	51.75	59.75	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	40.1875	2004
22.01.2020 16:20:48	1	1	1	1	51.75	59.75	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	40.1875	2004
22.01.2020 16:20:48	1	1	1	1	51.75	59.75	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	40.1875	2004
22.01.2020 16:20:48	1	1	1	1	51.75	59.75	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	40.1875	2004
22.01.2020 16:20:48	1	1	1	1	51.75	59.75	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	40.1875	2004
22.01.2020 16:20:48	1	1	1	1	51.75	59.75	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	40.1875	2004
22.01.2020 16:20:48	1	1	1	1	51.75	59.75	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	40.1875	2004
22.01.2020 16:20:48	1	1	1	1	51.75	59.75	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	40.1875	2004
22.01.2020 16:20:48	1	1	1	1	51.75	59.75	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	40.1875	2004
22.01.2020 16:20:48	1	1	1	1	51.75	59.75	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	40.1875	2004
22.01.2020 16:20:48	1	1	1	1	51.75	59.75	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	40.1875	2004
22.01.2020 16:20:48	1	1	1	1	51.75	59.75	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	40.1875	2004
22.01.2020 16:20:48	1	1	1	1	51.75	59.75	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	40.1875	2004
22.01.2020 16:20:48	1	1	1													

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 16:20:52	1	1	1	1	51.75	60.5	0	28436.019	563.4408602	15934.00919	30000	0	0	30000	40.4375	2004
22.01.2020 16:20:53	1	1	1	1	51.75	60.25	0	28341.232	561.2903226	15995.16212	30000	0	0	30000	40.6875	2004
22.01.2020 16:20:54	1	1	1	1	51.75	60.5	0	28436.019	563.4408602	15987.0084	30000	0	0	30000	40.5625	2004
22.01.2020 16:20:55	1	1	1	1	51.75	60.5	0	28293.839	563.4408602	16002.50048	30000	0	0	30000	40.5	2004
22.01.2020 16:20:57	1	1	1	1	51.75	60.5	0	28293.839	563.4408602	15948.68589	30000	0	0	30000	40	2004
22.01.2020 16:20:58	1	1	1	1	51.75	60	0	28293.839	563.4408602	15881.00997	30000	0	0	30000	40.3125	2004
22.01.2020 16:20:59	1	1	1	1	51.5	60.25	0	28341.232	565.5913978	16029.40777	30000	0	0	30000	40	2004
22.01.2020 16:21:00	1	1	1	1	51.5	60	0	28483.412	565.5913978	16048.16134	30000	0	0	30000	40.625	2004
22.01.2020 16:21:01	1	1	1	1	51.5	60.5	0	28483.412	563.4408602	16022.06942	30000	0	0	30000	40.5625	2004
22.01.2020 16:21:02	1	1	1	1	51.5	60.5	0	28341.232	563.4408602	15968.25483	30000	0	0	30000	39.75	2004
22.01.2020 16:21:03	1	1	1	1	51.5	59.75	0	28341.232	572.0430108	15941.34754	30000	0	0	30000	40.75	2004
22.01.2020 16:21:04	1	1	1	1	51.5	60.75	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	40.4375	2004
22.01.2020 16:21:05	1	1	1	1	51.5	60.25	0	28009.479	565.5913978	15888.34833	30000	0	0	30000	40.75	2004
22.01.2020 16:21:06	1	1	1	1	51.5	60.75	0	28341.232	569.8924731	16123.99098	30000	0	0	30000	39.8125	2004
22.01.2020 16:21:07	1	1	1	1	51.5	59.75	0	28293.839	563.4408602	16002.50048	30000	0	0	30000	40.625	2004
22.01.2020 16:21:08	1	1	1	1	51.5	60.5	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	40.5625	2004
22.01.2020 16:21:09	1	1	1	1	52.25	60.5	0	28341.232	563.4408602	16029.40777	30000	0	0	30000	39.9375	2004
22.01.2020 16:21:10	1	1	1	1	52.25	59.75	0	28341.232	565.5913978	16002.50048	30000	0	0	30000	40.3125	2004
22.01.2020 16:21:11	1	1	1	1	52.25	60.25	0	28009.479	569.8924731	15902.20966	30000	0	0	30000	40.1875	2004
22.01.2020 16:21:12	1	1	1	1	52.25	60	0	28009.479	567.7419355	16022.06942	30000	0	0	30000	40.3125	2004
22.01.2020 16:21:13	1	1	1	1	52.25	60.25	0	28199.052	569.8924731	15948.68589	30000	0	0	30000	40.5625	2004
22.01.2020 16:21:14	1	1	1	1	52.25	60.5	0	28009.479	561.2903226	15841.8721	30000	0	0	30000	40.1875	2004
22.01.2020 16:21:15	1	1	1	1	52.25	60	0	28009.479	561.2903226	15841.8721	30000	0	0	30000	40.5625	2004
22.01.2020 16:21:16	1	1	1	1	52.25	60.5	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	40.6875	2004
22.01.2020 16:21:17	1	1	1	1	52.25	60.5	0	28341.232	565.5913978	16029.40777	30000	0	0	30000	40.125	2004
22.01.2020 16:21:18	1	1	1	1	52.25	60	0	28199.052	569.8924731	16009.83883	30000	0	0	30000	40.75	2004
22.01.2020 16:21:19	1	1	1	1	51.75	60.75	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	40.75	2004
22.01.2020 16:21:20	1	1	1	1	51.75	60.75	0	28246.445	565.5913978	16063.65341	30000	0	0	30000	40.4375	2004
22.01.2020 16:21:21	1	1	1	1	51.75	60.25	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	39.75	2004
22.01.2020 16:21:22	1	1	1	1	51.75	59.75	0	28199.052	565.5913978	16009.83883	30000	0	0	30000	40.5	2004
22.01.2020 16:21:23	1	1	1	1	51.75	60.5	0	28199.052	567.7419355	16063.65341	30000	0	0	30000	40.3125	2004
22.01.2020 16:21:24	1	1	1	1	51.75	60.25	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	40.75	2004
22.01.2020 16:21:25	1	1	1	1	51.75	60.75	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	40.4375	2004
22.01.2020 16:21:26	1	1	1	1	51.75	60.25	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	40.625	2004
22.01.2020 16:21:27	1	1	1	1	51.75	60.5	0	28009.479	569.8924731	15841.8721	30000	0	0	30000	40.5	2004
22.01.2020 16:21:28	1	1	1	1	51.75	60.5	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	40.5625	2004
22.01.2020 16:21:29	1	1	1	1	51.5	60.5	0	27914.692	567.7419355	15875.30237	30000	0	0	30000	40.125	2004
22.01.2020 16:21:30	1	1	1	1	51.5	60	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	40.5	2004
22.01.2020 16:21:31	1	1	1	1	51.5	60.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	40.6875	2004
22.01.2020 16:21:32	1	1	1	1	51.5	60.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	40.5625	2004
22.01.2020 16:21:33	1	1	1	1	51.5	60.5	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	40.875	2004
22.01.2020 16:21:35	1	1	1	1	51.5	60.75	0	27867.299	569.8924731	15881.00997	30000	0	0	30000	40.5625	2004
22.01.2020 16:21:36	1	1	1	1	51.5	60.5	0	28199.052	569.8924731	16130.51396	30000	0	0	30000	40.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 16:21:37	1	1	1	1	51.5	60	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	40	2004
22.01.2020 16:21:38	1	1	1	1	51.5	60	0	28009.479	569.8924731	16130.51396	30000	0	0	30000	40.5	2004
22.01.2020 16:21:39	1	1	1	1	51.75	60.5	0	27962.085	569.8924731	15907.91727	30000	0	0	30000	40.25	2004
22.01.2020 16:21:40	1	1	1	1	51.75	60.25	0	28009.479	567.7419355	16009.83883	30000	0	0	30000	40.25	2004
22.01.2020 16:21:41	1	1	1	1	51.75	60.25	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	40.5	2004
22.01.2020 16:21:42	1	1	1	1	51.75	60.5	0	28388.626	567.7419355	16056.31506	30000	0	0	30000	40.375	2004
22.01.2020 16:21:50	1	1	1	1	51.25	60	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	40.1875	2004
22.01.2020 16:21:50	1	1	1	1	51.25	60	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	40.1875	2004
22.01.2020 16:21:50	1	1	1	1	51.25	60	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	40.1875	2004
22.01.2020 16:21:50	1	1	1	1	51.25	60	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	40.1875	2004
22.01.2020 16:21:50	1	1	1	1	51.25	60	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	40.1875	2004
22.01.2020 16:21:50	1	1	1	1	51.25	60	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	40.1875	2004
22.01.2020 16:21:50	1	1	1	1	51.25	60	0	28293.839	567.7419355	16070.17639	30000	0	0	30000	40.3125	2004
22.01.2020 16:21:51	1	1	1	1	51.25	60.25	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	40.4375	2004
22.01.2020 16:21:52	1	1	1	1	51.25	60.25	0	28341.232	567.7419355	16150.89827	30000	0	0	30000	40.5625	2004
22.01.2020 16:21:53	1	1	1	1	51.25	60.5	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	40.4375	2004
22.01.2020 16:21:54	1	1	1	1	51.25	60.25	0	28293.839	567.7419355	16063.65341	30000	0	0	30000	40.4375	2004
22.01.2020 16:21:55	1	1	1	1	51.25	60.25	0	28009.479	569.8924731	15902.20966	30000	0	0	30000	40.5625	2004
22.01.2020 16:21:56	1	1	1	1	51.25	60.5	0	28199.052	563.4408602	15948.68589	30000	0	0	30000	40.4375	2004
22.01.2020 16:21:57	1	1	1	1	51.25	60.25	0	28341.232	569.8924731	15948.68589	30000	0	0	30000	40.25	2004
22.01.2020 16:21:58	1	1	1	1	51.25	60.25	0	28293.839	567.7419355	16212.05121	30000	0	0	30000	40.1875	2004
22.01.2020 16:21:59	1	1	1	1	51.25	60	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	40.0625	2004
22.01.2020 16:22:00	1	1	1	1	51.25	60	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	39.6875	2004
22.01.2020 16:22:01	1	1	1	1	51.25	59.5	0	28293.839	567.7419355	16063.65341	30000	0	0	30000	40.375	2004
22.01.2020 16:22:02	1	1	1	1	51.25	60.25	0	28388.626	565.5913978	16056.31506	30000	0	0	30000	40.3125	2004
22.01.2020 16:22:03	1	1	1	1	51.25	60.25	0	28341.232	565.5913978	16090.5607	30000	0	0	30000	40	2004
22.01.2020 16:22:04	1	1	1	1	51.25	60	0	28341.232	567.7419355	16002.50048	30000	0	0	30000	40.375	2004
22.01.2020 16:22:05	1	1	1	1	51.25	60.25	0	28293.839	563.4408602	16002.50048	30000	0	0	30000	40.5625	2004
22.01.2020 16:22:06	1	1	1	1	51.25	60.5	0	28293.839	565.5913978	16090.5607	30000	0	0	30000	40.3125	2004
22.01.2020 16:22:07	1	1	1	1	51.25	60.25	0	28341.232	565.5913978	16029.40777	30000	0	0	30000	40.5	2004
22.01.2020 16:22:08	1	1	1	1	51.25	60.5	0	28388.626	563.4408602	16056.31506	30000	0	0	30000	40.5	2004
22.01.2020 16:22:09	1	1	1	1	51	60.5	0	28341.232	565.5913978	16029.40777	30000	0	0	30000	40.625	2004
22.01.2020 16:22:10	1	1	1	1	51	60.5	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	40.3125	2004
22.01.2020 16:22:11	1	1	1	1	51	60.25	0	28388.626	565.5913978	15995.16212	30000	0	0	30000	40.875	2004
22.01.2020 16:22:12	1	1	1	1	51	60.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	39.9375	2004
22.01.2020 16:22:14	1	1	1	1	51	59.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	40.5625	2004
22.01.2020 16:22:15	1	1	1	1	51	60.5	0	28293.839	563.4408602	16090.5607	30000	0	0	30000	40.125	2004
22.01.2020 16:22:16	1	1	1	1	51	60.25	0	28199.052	569.8924731	15902.20966	30000	0	0	30000	40.625	2004
22.01.2020 16:22:17	1	1	1	1	51	60.5	0	28436.019	565.5913978	16117.468	30000	0	0	30000	40.4375	2004
22.01.2020 16:22:18	1	1	1	1	51	60.25	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	40.5	2004
22.01.2020 16:22:19	1	1	1	1	50.5	60.5	0	28293.839	563.4408602	16002.50048	30000	0	0	30000	40.3125	2004
22.01.2020 16:22:20	1	1	1	1	50.5	60.25	0	28341.232	565.5913978	16029.40777	30000	0	0	30000	40.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 16:22:21	1	1	1	1	50.5	60.5	0	28388.626	572.0430108	16002.50048	30000	0	0	30000	40.25	2004
22.01.2020 16:22:22	1	1	1	1	50.5	60.25	0	28009.479	567.7419355	16009.83883	30000	0	0	30000	40.4375	2004
22.01.2020 16:22:23	1	1	1	1	50.5	60.25	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	40.5	2004
22.01.2020 16:22:24	1	1	1	1	50.5	60.5	0	28009.479	565.5913978	15841.8721	30000	0	0	30000	39.8125	2004
22.01.2020 16:22:25	1	1	1	1	50.5	59.75	0	28341.232	567.7419355	16185.14391	30000	0	0	30000	40.1875	2004
22.01.2020 16:22:26	1	1	1	1	50.5	60	0	28293.839	565.5913978	16070.17639	30000	0	0	30000	40.5	2004
22.01.2020 16:22:27	1	1	1	1	50.5	60.5	0	27867.299	567.7419355	15881.00997	30000	0	0	30000	40.375	2004
22.01.2020 16:22:28	1	1	1	1	50.5	60.25	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	40.4375	2004
22.01.2020 16:22:29	1	1	1	1	50.5	60.25	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	40.6875	2004
22.01.2020 16:22:30	1	1	1	1	50.5	60.5	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	40.625	2004
22.01.2020 16:22:31	1	1	1	1	50.5	60.5	0	28009.479	567.7419355	15841.8721	30000	0	0	30000	40.625	2004
22.01.2020 16:22:32	1	1	1	1	50.5	60.5	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	40.5	2004
22.01.2020 16:22:33	1	1	1	1	50.5	60.5	0	28009.479	567.7419355	16009.83883	30000	0	0	30000	40.125	2004
22.01.2020 16:22:34	1	1	1	1	50.5	60	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	40.4375	2004
22.01.2020 16:22:35	1	1	1	1	50.5	60.25	0	28341.232	569.8924731	16150.89827	30000	0	0	30000	40.5625	2004
22.01.2020 16:22:36	1	1	1	1	50.5	60.5	0	28009.479	565.5913978	15721.19697	30000	0	0	30000	40.1875	2004
22.01.2020 16:22:37	1	1	1	1	50.5	60	0	28199.052	567.7419355	16123.99098	30000	0	0	30000	40.5	2004
22.01.2020 16:22:38	1	1	1	1	50.5	60.5	0	28199.052	569.8924731	15841.8721	30000	0	0	30000	40.625	2004
22.01.2020 16:22:39	1	1	1	1	50.5	60.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	40.125	2004
22.01.2020 16:22:40	1	1	1	1	50.5	60	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	40.5625	2004
22.01.2020 16:22:41	1	1	1	1	50.5	60.5	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	40.625	2004
22.01.2020 16:22:42	1	1	1	1	50.5	60.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	40.375	2004
22.01.2020 16:22:43	1	1	1	1	50.5	60.25	0	28009.479	567.7419355	16009.83883	30000	0	0	30000	40.5	2004
22.01.2020 16:22:51	1	1	1	1	50	60.5	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	40.5	2004
22.01.2020 16:22:51	1	1	1	1	50	60.5	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	40.5	2004
22.01.2020 16:22:51	1	1	1	1	50	60.5	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	40.5	2004
22.01.2020 16:22:51	1	1	1	1	50	60.5	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	40.5	2004
22.01.2020 16:22:51	1	1	1	1	50	60.5	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	40.5	2004
22.01.2020 16:22:51	1	1	1	1	50	60.5	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	40.6875	2004
22.01.2020 16:22:53	1	1	1	1	50	60.5	0	28009.479	565.5913978	16009.83883	30000	0	0	30000	40.3125	2004
22.01.2020 16:22:54	1	1	1	1	50	60.25	0	28293.839	567.7419355	16029.40777	30000	0	0	30000	39.75	2004
22.01.2020 16:22:55	1	1	1	1	50	59.75	0	28341.232	569.8924731	16150.89827	30000	0	0	30000	40.4375	2004
22.01.2020 16:22:56	1	1	1	1	50	60.5	0	28009.479	567.7419355	15781.53453	30000	0	0	30000	40.4375	2004
22.01.2020 16:22:57	1	1	1	1	50	60.25	0	28009.479	565.5913978	15841.8721	30000	0	0	30000	40.375	2004
22.01.2020 16:22:58	1	1	1	1	50	60.25	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	40.5625	2004
22.01.2020 16:22:59	1	1	1	1	50.25	60.5	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	40.625	2004
22.01.2020 16:23:00	1	1	1	1	50.25	60.5	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	40.4375	2004
22.01.2020 16:23:01	1	1	1	1	50.25	60.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	40.4375	2004
22.01.2020 16:23:02	1	1	1	1	50.25	60.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	40.625	2004
22.01.2020 16:23:03	1	1	1	1	50.25	60.5	0	28199.052	569.8924731	15961.73185	30000	0	0	30000	40.0625	2004
22.01.2020 16:23:04	1	1	1	1	50.25	60	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	40.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 16:23:05	1	1	1	1	50.25	60.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	40.5625	2004
22.01.2020 16:23:06	1	1	1	1	50.25	60.5	0	27867.299	569.8924731	15881.00997	30000	0	0	30000	40.5625	2004
22.01.2020 16:23:07	1	1	1	1	50.25	60.5	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	40.625	2004
22.01.2020 16:23:08	1	1	1	1	50.25	60.5	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	40.375	2004
22.01.2020 16:23:09	1	1	1	1	49.75	60.25	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	40.8125	2004
22.01.2020 16:23:10	1	1	1	1	49.75	60.75	0	27867.299	569.8924731	15854.10268	30000	0	0	30000	40.5625	2004
22.01.2020 16:23:11	1	1	1	1	49.75	60.5	0	27914.692	569.8924731	15907.91727	30000	0	0	30000	39.5625	2004
22.01.2020 16:23:12	1	1	1	1	49.75	59.5	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	40.5	2004
22.01.2020 16:23:13	1	1	1	1	49.75	60.5	0	28341.232	567.7419355	16063.65341	30000	0	0	30000	40.3125	2004
22.01.2020 16:23:14	1	1	1	1	49.75	60.25	0	28199.052	572.0430108	16009.83883	30000	0	0	30000	40.625	2004
22.01.2020 16:23:15	1	1	1	1	49.75	60.5	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	40.5	2004
22.01.2020 16:23:16	1	1	1	1	49.75	60.5	0	28009.479	569.8924731	16252.00446	30000	0	0	30000	40.0625	2004
22.01.2020 16:23:17	1	1	1	1	49.75	60	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	40.375	2004
22.01.2020 16:23:18	1	1	1	1	49.75	60.25	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	40.5625	2004
22.01.2020 16:23:19	1	1	1	1	49.75	60.5	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	40.5	2004
22.01.2020 16:23:20	1	1	1	1	49.75	60.5	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	40.25	2004
22.01.2020 16:23:21	1	1	1	1	49.75	60.25	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	40.4375	2004
22.01.2020 16:23:22	1	1	1	1	49.75	60.25	0	28199.052	563.4408602	16063.65341	30000	0	0	30000	40.375	2004
22.01.2020 16:23:23	1	1	1	1	49.75	60.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	40.125	2004
22.01.2020 16:23:24	1	1	1	1	49.75	60	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	40.5	2004
22.01.2020 16:23:25	1	1	1	1	49.75	60.5	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	40.6875	2004
22.01.2020 16:23:26	1	1	1	1	49.75	60.5	0	28293.839	565.5913978	16090.5607	30000	0	0	30000	40.3125	2004
22.01.2020 16:23:27	1	1	1	1	49.75	60.25	0	28199.052	572.0430108	16070.17639	30000	0	0	30000	40.3125	2004
22.01.2020 16:23:28	1	1	1	1	49.75	60.25	0	28293.839	563.4408602	15941.34754	30000	0	0	30000	40.625	2004
22.01.2020 16:23:29	1	1	1	1	49.75	60.5	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	40.6875	2004
22.01.2020 16:23:31	1	1	1	1	49.75	60.5	0	28293.839	567.7419355	15948.68589	30000	0	0	30000	40.3125	2004
22.01.2020 16:23:32	1	1	1	1	49.75	60.25	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	40.75	2004
22.01.2020 16:23:33	1	1	1	1	49.75	60.75	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	40.75	2004
22.01.2020 16:23:34	1	1	1	1	49.75	59.75	0	28293.839	565.5913978	16090.5607	30000	0	0	30000	40.1875	2004
22.01.2020 16:23:35	1	1	1	1	49.75	60	0	28293.839	567.7419355	16009.83883	30000	0	0	30000	40	2004
22.01.2020 16:23:36	1	1	1	1	49.75	60	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	40.5625	2004
22.01.2020 16:23:37	1	1	1	1	49.75	60.5	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	40.25	2004
22.01.2020 16:23:38	1	1	1	1	49.75	60.25	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	40.1875	2004
22.01.2020 16:23:39	1	1	1	1	49.25	60	0	28009.479	567.7419355	16009.83883	30000	0	0	30000	40.1875	2004
22.01.2020 16:23:40	1	1	1	1	49.25	60	0	28293.839	565.5913978	16029.40777	30000	0	0	30000	40.3125	2004
22.01.2020 16:23:41	1	1	1	1	49.25	60.25	0	28009.479	567.7419355	16009.83883	30000	0	0	30000	40.375	2004
22.01.2020 16:23:42	1	1	1	1	49.25	60.25	0	28009.479	574.1935484	16070.17639	30000	0	0	30000	40.4375	2004
22.01.2020 16:23:43	1	1	1	1	49.25	60.25	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	39.75	2004
22.01.2020 16:23:44	1	1	1	1	49.25	59.75	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	40.625	2004
22.01.2020 16:23:45	1	1	1	1	49.25	60.5	0	28199.052	563.4408602	16009.83883	30000	0	0	30000	40.5	2004
22.01.2020 16:23:53	1	1	1	1	49.5	60.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	40.6875	2004
22.01.2020 16:23:53	1	1	1	1	49.5	60.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	40.6875	2004
22.01.2020 16:23:53	1	1	1	1	49.5	60.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	40.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 16:23:53	1	1	1	1	49.5	60.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	40.6875	2004
22.01.2020 16:23:53	1	1	1	1	49.5	60.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	40.6875	2004
22.01.2020 16:23:53	1	1	1	1	49.5	60.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	40.6875	2004
22.01.2020 16:23:53	1	1	1	1	49.5	60.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	40.6875	2004
22.01.2020 16:23:53	1	1	1	1	49.5	60.5	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	40.25	2004
22.01.2020 16:23:54	1	1	1	1	49.5	60.25	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	40	2004
22.01.2020 16:23:55	1	1	1	1	49.5	60	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	40.3125	2004
22.01.2020 16:23:56	1	1	1	1	49.5	60.25	0	28009.479	563.4408602	15961.73185	30000	0	0	30000	40.4375	2004
22.01.2020 16:23:57	1	1	1	1	49.5	60.25	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	40.5625	2004
22.01.2020 16:23:58	1	1	1	1	49.5	60.5	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	40.6875	2004
22.01.2020 16:23:59	1	1	1	1	49.25	60.5	0	28293.839	565.5913978	16002.50048	30000	0	0	30000	40.75	2004
22.01.2020 16:24:00	1	1	1	1	49.25	60.75	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	40.5	2004
22.01.2020 16:24:01	1	1	1	1	49.25	60.5	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	40.5	2004
22.01.2020 16:24:02	1	1	1	1	49.25	60.5	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	40.375	2004
22.01.2020 16:24:03	1	1	1	1	49.25	60.25	0	28199.052	563.4408602	15948.68589	30000	0	0	30000	40.25	2004
22.01.2020 16:24:04	1	1	1	1	49.25	60.25	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	40.375	2004
22.01.2020 16:24:05	1	1	1	1	49.25	60.25	0	28199.052	572.0430108	16130.51396	30000	0	0	30000	40.5	2004
22.01.2020 16:24:06	1	1	1	1	49.25	60.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	40.25	2004
22.01.2020 16:24:07	1	1	1	1	49.25	60.25	0	28199.052	569.8924731	15948.68589	30000	0	0	30000	39.75	2004
22.01.2020 16:24:08	1	1	1	1	49.25	59.75	0	28009.479	565.5913978	15841.8721	30000	0	0	30000	40.5625	2004
22.01.2020 16:24:10	1	1	1	1	49.25	60.5	0	28293.839	565.5913978	16150.89827	30000	0	0	30000	40.5	2004
22.01.2020 16:24:11	1	1	1	1	49.25	60.5	0	28199.052	569.8924731	15961.73185	30000	0	0	30000	40.1875	2004
22.01.2020 16:24:12	1	1	1	1	49.25	60	0	28009.479	567.7419355	15841.8721	30000	0	0	30000	41.0625	2004
22.01.2020 16:24:13	1	1	1	1	49.25	60.5	0	28293.839	565.5913978	16090.5607	30000	0	0	30000	39.4375	2004
22.01.2020 16:24:14	1	1	1	1	49.25	59.25	0	28341.232	565.5913978	16090.5607	30000	0	0	30000	40.5625	2004
22.01.2020 16:24:15	1	1	1	1	49.25	60.5	0	28009.479	565.5913978	15902.20966	30000	0	0	30000	40.1875	2004
22.01.2020 16:24:16	1	1	1	1	49.25	60	0	28293.839	565.5913978	15948.68589	30000	0	0	30000	40.6875	2004
22.01.2020 16:24:17	1	1	1	1	49.25	60.5	0	28009.479	567.7419355	16070.17639	30000	0	0	30000	39.75	2004
22.01.2020 16:24:18	1	1	1	1	49.25	59.75	0	28199.052	563.4408602	15948.68589	30000	0	0	30000	40.75	2004
22.01.2020 16:24:19	1	1	1	1	49	60.75	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	40.5	2004
22.01.2020 16:24:20	1	1	1	1	49	60.5	0	28009.479	567.7419355	15721.19697	30000	0	0	30000	40.1875	2004
22.01.2020 16:24:21	1	1	1	1	49	60	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	40.375	2004
22.01.2020 16:24:22	1	1	1	1	49	60.25	0	28199.052	567.7419355	15721.19697	30000	0	0	30000	40.1875	2004
22.01.2020 16:24:23	1	1	1	1	49	60	0	28009.479	567.7419355	16009.83883	30000	0	0	30000	40.1875	2004
22.01.2020 16:24:24	1	1	1	1	49	60	0	28009.479	565.5913978	16043.2691	30000	0	0	30000	40.5625	2004
22.01.2020 16:24:25	1	1	1	1	49	60.5	0	28009.479	569.8924731	16082.40698	30000	0	0	30000	40.4375	2004
22.01.2020 16:24:26	1	1	1	1	49	60.25	0	28341.232	567.7419355	15948.68589	30000	0	0	30000	40.4375	2004
22.01.2020 16:24:27	1	1	1	1	49	60.25	0	28293.839	563.4408602	16002.50048	30000	0	0	30000	40.625	2004
22.01.2020 16:24:28	1	1	1	1	49	60.5	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	40.5625	2004
22.01.2020 16:24:29	1	1	1	1	48.75	60.5	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	40.5	2004
22.01.2020 16:24:30	1	1	1	1	48.75	60.5	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	40.625	2004
22.01.2020 16:24:31	1	1	1	1	48.75	60.5	0	28199.052	569.8924731	15961.73185	30000	0	0	30000	39.9375	2004
22.01.2020 16:24:32	1	1	1	1	48.75	59.75	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	40.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
22.01.2020 16:24:33	1	1	1	1	48.75	60.5	0	28578.199	565.5913978	16163.12886	30000	0	0	30000	40.5625	2004
22.01.2020 16:24:34	1	1	1	1	48.75	60.5	0	28293.839	569.8924731	16070.17639	30000	0	0	30000	40.4375	2004
22.01.2020 16:24:35	1	1	1	1	48.75	60.25	0	28293.839	567.7419355	15948.68589	30000	0	0	30000	40.5	2004
22.01.2020 16:24:36	1	1	1	1	48.75	60.5	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	40.625	2004
22.01.2020 16:24:37	1	1	1	1	48.75	60.5	0	28009.479	565.5913978	15921.7786	30000	0	0	30000	40.375	2004
22.01.2020 16:24:38	1	1	1	1	48.75	60.25	0	28293.839	567.7419355	16090.5607	30000	0	0	30000	40.625	2004
22.01.2020 16:24:39	1	1	1	1	48.75	60.5	0	28199.052	559.1397849	16090.5607	30000	0	0	30000	40.25	2004
22.01.2020 16:24:40	1	1	1	1	48.75	60.25	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	40.5625	2004
22.01.2020 16:24:50	1	1	1	1	48.5	60.5	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	40.125	2004
22.01.2020 16:24:51	1	1	1	1	48.5	59.75	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	40.625	2004
22.01.2020 16:24:52	1	1	1	1	48.5	60.5	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	40.5	2004