

Com-Port	3 Port 3, 9600 baud, Open															
Open Connection	Close Connection			Clear Values			Dip-Switch 6-8 auf 0									
Adr. Übernehmen											Set	Umax	30000 V			
OekoTube Adresse:	31 ON OFF Auto															
	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 07:23:39	1	1	1	1	34.25	38.25	0	14075.829	0	0	30000	0	0	30000	19.8125	2004
12.02.2020 07:23:39	1	1	1	1	34.25	38.25	0	14075.829	0	0	30000	0	0	30000	19.8125	2004
12.02.2020 07:23:40	1	1	1	1	34.25	39.75	0	14834.123	0	0	30000	0	0	30000	18.25	2004
12.02.2020 07:23:41	1	1	1	1	34.25	38.25	0	15687.204	0	0	30000	0	0	30000	21	2004
12.02.2020 07:23:42	1	1	1	1	34.25	41	0	16445.498	0	0	30000	0	0	30000	20.4375	2004
12.02.2020 07:23:43	1	1	1	1	36.25	40.25	0	17156.398	0	0	30000	0	0	30000	18.3125	2004
12.02.2020 07:23:44	1	1	1	1	36.25	38.25	0	17914.692	0	0	30000	0	0	30000	18.3125	2004
12.02.2020 07:23:45	1	1	1	1	36.25	38.25	0	18767.773	4.301075269	80.72187644	30000	0	0	30000	19.25	2004
12.02.2020 07:23:46	1	1	1	1	36.25	39.25	0	19431.28	10.75268817	167.1513603	30000	0	0	30000	20.4375	2004
12.02.2020 07:23:47	1	1	1	1	36.25	40.25	0	20189.573	15.05376344	216.0737097	30000	0	0	30000	18.3125	2004
12.02.2020 07:23:48	1	1	1	1	36.25	38.25	0	21090.047	19.35483871	317.1798984	30000	0	0	30000	18.1875	2004
12.02.2020 07:23:49	1	1	1	1	36.25	38	0	21800.948	19.35483871	420.7322045	30000	0	0	30000	20.625	2004
12.02.2020 07:23:50	1	1	1	1	36.25	40.5	0	22559.242	27.95698925	630.2829343	30000	0	0	30000	18.25	2004
12.02.2020 07:23:51	1	1	1	1	36.25	38.25	0	23317.536	32.25806452	802.3265295	30000	0	0	30000	21	2004
12.02.2020 07:23:52	1	1	1	1	35.75	40.5	0	24170.616	40.86021505	989.0468296	30000	0	0	30000	18.5	2004
12.02.2020 07:23:53	1	1	1	1	35.75	38.5	0	24881.517	53.76344086	1337.210883	30000	0	0	30000	19.3125	2004
12.02.2020 07:23:54	1	1	1	1	35.75	39.25	0	25639.81	66.66666667	1651.129291	30000	0	0	30000	18.375	2004
12.02.2020 07:23:55	1	1	1	1	35.75	38.25	0	26398.104	70.96774194	1872.910608	30000	0	0	30000	18.375	2004
12.02.2020 07:23:56	1	1	1	1	35.75	38.25	0	27156.398	81.72043011	2218.628543	30000	0	0	30000	18.3125	2004
12.02.2020 07:23:57	1	1	1	1	35.75	38.25	0	27914.692	94.62365591	2640.991493	30000	0	0	30000	18.1875	2004
12.02.2020 07:23:58	1	1	1	1	35.75	38	0	28199.052	103.2258065	2920.664257	30000	0	0	30000	18.5	2004
12.02.2020 07:23:59	1	1	1	1	35.75	38.5	0	28436.019	122.5806452	3485.717392	30000	0	0	30000	18.625	2004
12.02.2020 07:24:00	1	1	1	1	35.75	38.5	0	28625.592	120.4301075	3447.394885	30000	0	0	30000	18.4375	2004
12.02.2020 07:24:01	1	1	1	1	35.75	38.25	0	28672.986	120.4301075	3329.165874	30000	0	0	30000	19	2004
12.02.2020 07:24:02	1	1	1	1	38.5	39	0	28957.346	124.7311828	3481.640529	30000	0	0	30000	18.3125	2004
12.02.2020 07:24:03	1	1	1	1	38.5	38.25	0	29241.706	137.6344086	4024.678607	30000	0	0	30000	18.6875	2004
12.02.2020 07:24:04	1	1	1	1	38.5	38.5	0	29573.46	144.0860215	4126.600169	30000	0	0	30000	18.4375	2004
12.02.2020 07:24:05	1	1	1	1	38.5	38.25	0	29857.82	161.2903226	4815.589922	30000	0	0	30000	18.25	2004
12.02.2020 07:24:06	1	1	1	1	38.5	38.25	0	30000	163.4408602	4967.249205	30000	0	0	30000	18.3125	2004
12.02.2020 07:24:07	1	1	1	1	38.5	38.25	0	30000	163.4408602	4902.834778	30000	0	0	30000	18.5	2004
12.02.2020 07:24:08	1	1	1	1	38.5	38.5	0	30000	169.8924731	5096.078058	30000	0	0	30000	18.5625	2004
12.02.2020 07:24:09	1	1	1	1	38.5	38.5	0	30000	163.4408602	4902.834778	30000	0	0	30000	18.5	2004
12.02.2020 07:24:10	1	1	1	1	38.5	38.5	0	30000	167.7419355	5096.078058	30000	0	0	30000	18.5625	2004
12.02.2020 07:24:11	1	1	1	1	38.5	38.5	0	30000	152.688172	4579.947273	30000	0	0	30000	18.3125	2004
12.02.2020 07:24:12	1	1	1	1	42.25	38.25	0	29952.607	152.688172	4838.420352	30000	0	0	30000	18.625	2004
12.02.2020 07:24:14	1	1	1	1	42.25	38.5	0	30000	169.8924731	5096.078058	30000	0	0	30000	18.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 07:24:15	1	1	1	1	42.25	38.25	0	29952.607	159.1397849	4838.420352	30000	0	0	30000	19	2004
12.02.2020 07:24:16	1	1	1	1	42.25	39	0	30000	167.7419355	5031.663632	30000	0	0	30000	18.8125	2004
12.02.2020 07:24:17	1	1	1	1	42.25	38.75	0	29905.213	159.1397849	4758.513848	30000	0	0	30000	19.9375	2004
12.02.2020 07:24:18	1	1	1	1	42.25	39.75	0	30000	169.8924731	5225.722284	30000	0	0	30000	19.3125	2004
12.02.2020 07:24:19	1	1	1	1	42.25	39.25	0	30000	169.8924731	5096.078058	30000	0	0	30000	18.75	2004
12.02.2020 07:24:20	1	1	1	1	42.25	38.75	0	30000	167.7419355	5096.078058	30000	0	0	30000	19.8125	2004
12.02.2020 07:24:21	1	1	1	1	42.25	39.75	0	30047.393	182.7956989	5483.379991	30000	0	0	30000	19.0625	2004
12.02.2020 07:24:22	1	1	1	1	42.25	39	0	30047.393	182.7956989	5483.379991	30000	0	0	30000	19.25	2004
12.02.2020 07:24:23	1	1	1	1	45	39.25	0	29905.213	169.8924731	5290.136711	30000	0	0	30000	18.1875	2004
12.02.2020 07:24:24	1	1	1	1	45	38	0	30000	174.1935484	5096.078058	30000	0	0	30000	19.125	2004
12.02.2020 07:24:25	1	1	1	1	45	39	0	30000	184.9462366	5547.794417	30000	0	0	30000	19.6875	2004
12.02.2020 07:24:26	1	1	1	1	45	39.5	0	30000	184.9462366	5612.208844	30000	0	0	30000	19.1875	2004
12.02.2020 07:24:27	1	1	1	1	45	39	0	30000	180.6451613	5418.965564	30000	0	0	30000	18.375	2004
12.02.2020 07:24:28	1	1	1	1	45	38.25	0	29952.607	169.8924731	5080.585981	30000	0	0	30000	19.3125	2004
12.02.2020 07:24:34	1	1	1	1	46.5	38.5	0	30000	163.4408602	4902.834778	30000	0	0	30000	19.0625	2004
12.02.2020 07:24:34	1	1	1	1	46.5	38.5	0	30000	163.4408602	4902.834778	30000	0	0	30000	19.0625	2004
12.02.2020 07:24:34	1	1	1	1	46.5	38.5	0	30000	163.4408602	4902.834778	30000	0	0	30000	19.0625	2004
12.02.2020 07:24:34	1	1	1	1	46.5	38.5	0	30000	163.4408602	4902.834778	30000	0	0	30000	19.0625	2004
12.02.2020 07:24:34	1	1	1	1	46.5	38.5	0	30000	163.4408602	4902.834778	30000	0	0	30000	19.0625	2004
12.02.2020 07:24:34	1	1	1	1	46.5	39	0	30000	163.4408602	4902.834778	30000	0	0	30000	18.5	2004
12.02.2020 07:24:35	1	1	1	1	46.5	38.5	0	29952.607	169.8924731	5096.078058	30000	0	0	30000	18.8125	2004
12.02.2020 07:24:36	1	1	1	1	46.5	38.75	0	29952.607	169.8924731	5290.136711	30000	0	0	30000	18.5625	2004
12.02.2020 07:24:37	1	1	1	1	46.5	38.5	0	29715.64	206.4516129	6134.86261	30000	0	0	30000	18.4375	2004
12.02.2020 07:24:38	1	1	1	1	46.5	38.25	0	30000	191.3978495	5741.85307	30000	0	0	30000	18.625	2004
12.02.2020 07:24:39	1	1	1	1	46.5	38.5	0	30000	189.2473118	5677.438643	30000	0	0	30000	18.375	2004
12.02.2020 07:24:40	1	1	1	1	46.5	38.25	0	30000	189.2473118	5677.438643	30000	0	0	30000	18.5	2004
12.02.2020 07:24:41	1	1	1	1	46.5	38.5	0	30000	174.1935484	5354.551137	30000	0	0	30000	18.25	2004
12.02.2020 07:24:42	1	1	1	1	49	38.25	0	30000	152.688172	4579.947273	30000	0	0	30000	18.375	2004
12.02.2020 07:24:43	1	1	1	1	49	38.25	0	29952.607	167.7419355	5096.078058	30000	0	0	30000	18.1875	2004
12.02.2020 07:24:44	1	1	1	1	49	38	0	30000	163.4408602	4967.249205	30000	0	0	30000	18.75	2004
12.02.2020 07:24:45	1	1	1	1	49	38.75	0	30000	178.4946237	5337.428315	30000	0	0	30000	18.5	2004
12.02.2020 07:24:46	1	1	1	1	49	38.5	0	30000	169.8924731	5096.078058	30000	0	0	30000	18.25	2004
12.02.2020 07:24:47	1	1	1	1	49	38.25	0	29905.213	169.8924731	5337.428315	30000	0	0	30000	18.5	2004
12.02.2020 07:24:48	1	1	1	1	49	38.5	0	30000	178.4946237	5354.551137	30000	0	0	30000	18.375	2004
12.02.2020 07:24:49	1	1	1	1	49	38.25	0	30000	178.4946237	5354.551137	30000	0	0	30000	18.125	2004
12.02.2020 07:24:50	1	1	1	1	49	38	0	30000	189.2473118	5741.85307	30000	0	0	30000	18.3125	2004
12.02.2020 07:24:51	1	1	1	1	49	38.25	0	30000	187.0967742	5547.794417	30000	0	0	30000	18.5625	2004
12.02.2020 07:24:53	1	1	1	1	51.5	38.5	0	29952.607	191.3978495	5741.85307	30000	0	0	30000	18.6875	2004
12.02.2020 07:24:54	1	1	1	1	51.5	38.5	0	30000	169.8924731	5096.078058	30000	0	0	30000	19.0625	2004
12.02.2020 07:24:55	1	1	1	1	51.5	39	0	30000	169.8924731	5096.078058	30000	0	0	30000	19.6875	2004
12.02.2020 07:24:56	1	1	1	1	51.5	39.5	0	30000	182.7956989	5418.965564	30000	0	0	30000	18.9375	2004
12.02.2020 07:24:57	1	1	1	1	51.5	38.75	0	30000	169.8924731	5031.663632	30000	0	0	30000	18.5625	2004
12.02.2020 07:24:58	1	1	1	1	51.5	38.5	0	30000	169.8924731	5096.078058	30000	0	0	30000	18.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 07:24:59	1	1	1	1	51.5	38.25	0	30000	184.9462366	5547.794417	30000	0	0	30000	18.625	2004
12.02.2020 07:25:00	1	1	1	1	51.5	38.5	0	30000	169.8924731	5225.722284	30000	0	0	30000	18.5	2004
12.02.2020 07:25:01	1	1	1	1	51.5	38.5	0	30000	169.8924731	5096.078058	30000	0	0	30000	18.3125	2004
12.02.2020 07:25:02	1	1	1	1	51.5	38.25	0	30000	152.688172	4709.591498	30000	0	0	30000	18.8125	2004
12.02.2020 07:25:03	1	1	1	1	57.25	38.75	0	30000	169.8924731	5096.078058	30000	0	0	30000	18.5	2004
12.02.2020 07:25:04	1	1	1	1	57.25	38.5	0	30000	182.7956989	5080.585981	30000	0	0	30000	18.375	2004
12.02.2020 07:25:05	1	1	1	1	57.25	38.25	0	30000	178.4946237	5354.551137	30000	0	0	30000	18.875	2004
12.02.2020 07:25:06	1	1	1	1	57.25	38.75	0	30000	189.2473118	5741.85307	30000	0	0	30000	18.625	2004
12.02.2020 07:25:07	1	1	1	1	57.25	38.5	0	30000	178.4946237	5354.551137	30000	0	0	30000	18.4375	2004
12.02.2020 07:25:08	1	1	1	1	57.25	38.25	0	30000	167.7419355	5096.078058	30000	0	0	30000	20.75	2004
12.02.2020 07:25:09	1	1	1	1	57.25	40.75	0	30000	178.4946237	5346.397413	30000	0	0	30000	19.75	2004
12.02.2020 07:25:10	1	1	1	1	57.25	39.75	0	30000	206.4516129	6193.569429	30000	0	0	30000	18.5625	2004
12.02.2020 07:25:11	1	1	1	1	57.25	40	0	30000	195.6989247	5870.681923	30000	0	0	30000	18.5625	2004
12.02.2020 07:25:12	1	1	1	1	65	38.5	0	30000	206.4516129	6193.569429	30000	0	0	30000	18.25	2004
12.02.2020 07:25:13	1	1	1	1	65	38.25	0	30000	206.4516129	6193.569429	30000	0	0	30000	18.4375	2004
12.02.2020 07:25:14	1	1	1	1	65	38.25	0	30000	225.8064516	6763.514799	30000	0	0	30000	19.25	2004
12.02.2020 07:25:15	1	1	1	1	65	39.25	0	30000	236.5591398	6967.357921	30000	0	0	30000	18.5	2004
12.02.2020 07:25:16	1	1	1	1	65	38.5	0	29526.066	262.3655914	7759.084608	30000	0	0	30000	19.9375	2004
12.02.2020 07:25:17	1	1	1	1	65	39.75	0	0	0	0	30000	0	8	30000	18.5625	2004
12.02.2020 07:25:18	1	1	1	1	65	38.5	0	10284.36	0	0	30000	0	0	30000	18.5	2004
12.02.2020 07:25:19	1	1	1	1	65	38.5	0	10805.687	0	0	30000	0	0	30000	19.75	2004
12.02.2020 07:25:20	1	1	1	1	65	39.75	0	11563.981	0	0	30000	0	0	30000	18.375	2004
12.02.2020 07:25:21	1	1	1	1	65	38.25	0	12322.275	0	0	30000	0	0	30000	18.4375	2004
12.02.2020 07:25:22	1	1	1	1	70.5	38.25	0	13127.962	0	0	30000	0	0	30000	18.75	2004
12.02.2020 07:25:23	1	1	1	1	70.5	38.75	0	13886.256	2.150537634	59.52219172	30000	0	0	30000	18.375	2004
12.02.2020 07:25:24	1	1	1	1	70.5	38.25	0	14644.55	6.451612903	93.76783627	30000	0	0	30000	20.5	2004
12.02.2020 07:25:25	1	1	1	1	70.5	40.5	0	15308.057	8.602150538	165.5206153	30000	0	0	30000	18.3125	2004
12.02.2020 07:25:26	1	1	1	1	70.5	38.25	0	16208.531	17.20430108	278.8573914	30000	0	0	30000	18.6875	2004
12.02.2020 07:25:27	1	1	1	1	70.5	38.5	0	16966.825	21.50537634	363.6561302	30000	0	0	30000	18.625	2004
12.02.2020 07:25:28	1	1	1	1	70.5	38.5	0	17677.725	27.95698925	455.7932215	30000	0	0	30000	18.3125	2004
12.02.2020 07:25:29	1	1	1	1	70.5	38.25	0	18388.626	34.40860215	634.3597967	30000	0	0	30000	18.4375	2004
12.02.2020 07:25:35	1	1	1	1	77	38.5	0	22369.668	92.47311828	2068.600005	30000	0	0	30000	19.375	2004
12.02.2020 07:25:35	1	1	1	1	77	38.5	0	22369.668	92.47311828	2068.600005	30000	0	0	30000	19.375	2004
12.02.2020 07:25:35	1	1	1	1	77	38.5	0	22369.668	92.47311828	2068.600005	30000	0	0	30000	19.375	2004
12.02.2020 07:25:35	1	1	1	1	77	38.5	0	22369.668	92.47311828	2068.600005	30000	0	0	30000	19.375	2004
12.02.2020 07:25:35	1	1	1	1	77	38.5	0	22369.668	92.47311828	2068.600005	30000	0	0	30000	19.375	2004
12.02.2020 07:25:36	1	1	1	1	77	39.25	0	21943.128	98.92473118	2123.229962	30000	0	0	30000	18.5625	2004
12.02.2020 07:25:37	1	1	1	1	77	38.5	0	22890.995	113.9784946	2608.376593	30000	0	0	30000	18.625	2004
12.02.2020 07:25:38	1	1	1	1	77	38.5	0	23791.469	129.0322581	3018.508956	30000	0	0	30000	18.5625	2004
12.02.2020 07:25:39	1	1	1	1	77	38.5	0	24691.943	144.0860215	3543.608839	30000	0	0	30000	18.3125	2004
12.02.2020 07:25:40	1	1	1	1	77	38.25	0	24786.73	159.1397849	3943.956731	30000	0	0	30000	18.75	2004
12.02.2020 07:25:41	1	1	1	1	77	38.75	0	25497.63	174.1935484	4441.333949	30000	0	0	30000	19.625	2004
12.02.2020 07:25:42	1	1	1	1	77	39.5	0	25639.81	189.2473118	4852.281684	30000	0	0	30000	18.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 07:25:43	1	1	1	1	84.25	38.5	0	25876.777	206.4516129	5352.10502	30000	0	0	30000	19.875	2004
12.02.2020 07:25:44	1	1	1	1	84.25	39.75	0	26540.284	221.5053763	5878.835648	30000	0	0	30000	18.625	2004
12.02.2020 07:25:45	1	1	1	1	84.25	38.5	0	27345.972	236.5591398	6586.578969	30000	0	0	30000	18.5	2004
12.02.2020 07:25:46	1	1	1	1	84.25	38.5	0	27345.972	247.311828	6821.406246	30000	0	0	30000	20.0625	2004
12.02.2020 07:25:47	1	1	1	1	84.25	40	0	28436.019	262.3655914	7582.964151	30000	0	0	30000	19.4375	2004
12.02.2020 07:25:48	1	1	1	1	84.25	39.25	0	27914.692	279.5698925	7803.930095	30000	0	0	30000	20.4375	2004
12.02.2020 07:25:49	1	1	1	1	84.25	40.25	0	27962.085	292.4731183	8178.186068	30000	0	0	30000	20.5	2004
12.02.2020 07:25:50	1	1	1	1	84.25	39.25	0	29431.28	326.8817204	9683.363683	30000	0	0	30000	19.125	2004
12.02.2020 07:25:51	1	1	1	1	84.25	39	0	29431.28	346.2365591	10189.71	30000	0	0	30000	19.5625	2004
12.02.2020 07:25:52	1	1	1	1	93.5	39.5	0	29526.066	356.9892473	10349.52301	30000	0	0	30000	18.625	2004
12.02.2020 07:25:53	1	1	1	1	93.5	38.5	0	29810.427	369.8924731	10991.22116	30000	0	0	30000	18.6875	2004
12.02.2020 07:25:54	1	1	1	1	93.5	38.5	0	30000	378.4946237	11160.81863	30000	0	0	30000	18.875	2004
12.02.2020 07:25:55	1	1	1	1	93.5	38.75	0	30000	380.6451613	11419.29171	30000	0	0	30000	19.3125	2004
12.02.2020 07:25:56	1	1	1	1	93.5	39.25	0	30000	354.8387097	10644.68785	30000	0	0	30000	19	2004
12.02.2020 07:25:57	1	1	1	1	93.5	39	0	29952.607	352.688172	10709.10227	30000	0	0	30000	19.1875	2004
12.02.2020 07:25:58	1	1	1	1	93.5	39	0	30000	365.5913978	11031.98978	30000	0	0	30000	19.125	2004
12.02.2020 07:25:59	1	1	1	1	93.5	39	0	30000	391.3978495	11741.36385	30000	0	0	30000	19.5	2004
12.02.2020 07:26:00	1	1	1	1	93.5	39.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	19.8125	2004
12.02.2020 07:26:01	1	1	1	1	93.5	39.75	0	30000	350.5376344	10499.55155	30000	0	0	30000	19	2004
12.02.2020 07:26:02	1	1	1	1	102.5	39	0	30000	378.4946237	11354.87729	30000	0	0	30000	18.75	2004
12.02.2020 07:26:03	1	1	1	1	102.5	38.75	0	30000	380.6451613	11419.29171	30000	0	0	30000	18.9375	2004
12.02.2020 07:26:04	1	1	1	1	102.5	38.75	0	30000	384.9462366	11483.70614	30000	0	0	30000	19.6875	2004
12.02.2020 07:26:05	1	1	1	1	102.5	39.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	19.4375	2004
12.02.2020 07:26:06	1	1	1	1	102.5	39.25	0	30047.393	387.0967742	11548.12057	30000	0	0	30000	20.1875	2004
12.02.2020 07:26:07	1	1	1	1	102.5	40	0	30000	395.6989247	11741.36385	30000	0	0	30000	18.5625	2004
12.02.2020 07:26:08	1	1	1	1	102.5	38.5	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	18.4375	2004
12.02.2020 07:26:09	1	1	1	1	102.5	38.25	0	30000	404.3010753	12090.34327	30000	0	0	30000	18.625	2004
12.02.2020 07:26:10	1	1	1	1	102.5	38.5	0	30000	406.4516129	12193.08021	30000	0	0	30000	18.6875	2004
12.02.2020 07:26:11	1	1	1	1	102.5	38.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	18.6875	2004
12.02.2020 07:26:13	1	1	1	1	110.3	38.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	19.3125	2004
12.02.2020 07:26:14	1	1	1	1	110.3	39.25	0	29383.886	445.1612903	13080.20547	30000	0	0	30000	18.625	2004
12.02.2020 07:26:15	1	1	1	1	110.3	38.5	0	29763.033	460.2150538	13655.04308	30000	0	0	30000	19.9375	2004
12.02.2020 07:26:16	1	1	1	1	110.3	39.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	20.5625	2004
12.02.2020 07:26:17	1	1	1	1	110.3	40.5	0	29905.213	460.2150538	13698.25782	30000	0	0	30000	19.0625	2004
12.02.2020 07:26:18	1	1	1	1	110.3	39	0	29952.607	417.2043011	12515.96771	30000	0	0	30000	18.6875	2004
12.02.2020 07:26:19	1	1	1	1	110.3	38.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	19.625	2004
12.02.2020 07:26:20	1	1	1	1	110.3	39.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	19.5	2004
12.02.2020 07:26:21	1	1	1	1	110.3	39.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	18.9375	2004
12.02.2020 07:26:22	1	1	1	1	110.3	38.75	0	30000	434.4086022	13246.54146	30000	0	0	30000	19.5625	2004
12.02.2020 07:26:23	1	1	1	1	120.3	39.5	0	30000	427.9569892	12858.42416	30000	0	0	30000	18.625	2004
12.02.2020 07:26:24	1	1	1	1	120.3	38.5	0	30000	412.9032258	12451.55328	30000	0	0	30000	18.6875	2004
12.02.2020 07:26:25	1	1	1	1	120.3	38.5	0	30000	432.2580645	12967.68407	30000	0	0	30000	19.1875	2004
12.02.2020 07:26:26	1	1	1	1	120.3	39	0	30047.393	404.3010753	12128.66578	30000	0	0	30000	18.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 07:26:27	1	1	1	1	120.3	38.5	0	30000	468.8172043	14064.36007	30000	0	0	30000	21.125	2004
12.02.2020 07:26:28	1	1	1	1	120.3	41	0	29099.526	494.6236559	14205.41951	30000	0	0	30000	19.875	2004
12.02.2020 07:26:29	1	1	1	1	120.3	39.75	0	29810.427	507.5268817	15129.23654	30000	0	0	30000	21.25	2004
12.02.2020 07:26:30	1	1	1	1	120.3	41.25	0	30000	466.6666667	13999.94564	30000	0	0	30000	19.6875	2004
12.02.2020 07:26:31	1	1	1	1	120.3	39.5	0	29383.886	520.4301075	15292.31104	30000	0	0	30000	19.4375	2004
12.02.2020 07:26:37	1	1	1	1	135.8	39	0	29431.28	541.9354839	15885.90221	30000	0	0	30000	18.9375	2004
12.02.2020 07:26:37	1	1	1	1	135.8	39	0	29431.28	541.9354839	15885.90221	30000	0	0	30000	18.9375	2004
12.02.2020 07:26:37	1	1	1	1	135.8	39	0	29431.28	541.9354839	15885.90221	30000	0	0	30000	18.9375	2004
12.02.2020 07:26:37	1	1	1	1	135.8	39	0	29431.28	541.9354839	15885.90221	30000	0	0	30000	18.9375	2004
12.02.2020 07:26:37	1	1	1	1	135.8	39	0	29431.28	541.9354839	15885.90221	30000	0	0	30000	18.9375	2004
12.02.2020 07:26:37	1	1	1	1	135.8	38.75	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	19.875	2004
12.02.2020 07:26:38	1	1	1	1	135.8	39.75	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	18.75	2004
12.02.2020 07:26:39	1	1	1	1	135.8	38.75	0	28957.346	550.5376344	16066.09953	30000	0	0	30000	19.125	2004
12.02.2020 07:26:40	1	1	1	1	135.8	39	0	28815.166	561.2903226	16049.79208	30000	0	0	30000	19.875	2004
12.02.2020 07:26:41	1	1	1	1	135.8	39.75	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	20.125	2004
12.02.2020 07:26:42	1	1	1	1	145	40	0	28862.559	559.1397849	15951.94738	30000	0	0	30000	19.5625	2004
12.02.2020 07:26:43	1	1	1	1	145	39.5	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	20.1875	2004
12.02.2020 07:26:44	1	1	1	1	145	40	0	28957.346	552.688172	16066.09953	30000	0	0	30000	19.0625	2004
12.02.2020 07:26:45	1	1	1	1	145	39	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	18.625	2004
12.02.2020 07:26:46	1	1	1	1	145	38.5	0	29146.919	559.1397849	16171.28258	30000	0	0	30000	19.6875	2004
12.02.2020 07:26:47	1	1	1	1	145	39.5	0	28293.839	563.4408602	15941.34754	30000	0	0	30000	19.625	2004
12.02.2020 07:26:48	1	1	1	1	145	39.5	0	28009.479	556.9892473	16009.83883	30000	0	0	30000	20.625	2004
12.02.2020 07:26:49	1	1	1	1	145	40.5	0	29146.919	550.5376344	16108.4989	30000	0	0	30000	19.3125	2004
12.02.2020 07:26:50	1	1	1	1	145	39.25	0	29241.706	546.2365591	15998.42361	30000	0	0	30000	18.8125	2004
12.02.2020 07:26:52	1	1	1	1	145	38.75	0	29146.919	546.2365591	16098.71443	30000	0	0	30000	20.0625	2004
12.02.2020 07:26:53	1	1	1	1	156	40	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	19.875	2004
12.02.2020 07:26:54	1	1	1	1	156	39.75	0	28436.019	561.2903226	15987.0084	30000	0	0	30000	19.875	2004
12.02.2020 07:26:55	1	1	1	1	156	39.75	0	28815.166	552.688172	15925.85546	30000	0	0	30000	18.75	2004
12.02.2020 07:26:56	1	1	1	1	156	38.75	0	28957.346	552.688172	15942.16291	30000	0	0	30000	19.875	2004
12.02.2020 07:26:57	1	1	1	1	156	39.75	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	19.375	2004
12.02.2020 07:26:58	1	1	1	1	156	39.25	0	28862.559	552.688172	15951.94738	30000	0	0	30000	19.3125	2004
12.02.2020 07:26:59	1	1	1	1	156	39.25	0	29620.853	535.483871	15861.44103	30000	0	0	30000	20	2004
12.02.2020 07:27:00	1	1	1	1	156	40	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	18.9375	2004
12.02.2020 07:27:01	1	1	1	1	156	38.75	0	29336.493	537.6344086	16203.08211	30000	0	0	30000	18.875	2004
12.02.2020 07:27:02	1	1	1	1	156	38.75	0	29478.673	544.0860215	16038.37687	30000	0	0	30000	19.4375	2004
12.02.2020 07:27:03	1	1	1	1	166.3	39.25	0	29052.133	546.2365591	15868.77939	30000	0	0	30000	20.3125	2004
12.02.2020 07:27:04	1	1	1	1	166.3	40.25	0	27440.758	578.4946237	15933.19381	30000	0	0	30000	18.9375	2004
12.02.2020 07:27:05	1	1	1	1	166.3	38.75	0	19004.739	580.6451613	11075.20452	30000	0	0	30000	19.5	2004
12.02.2020 07:27:06	1	1	1	1	166.3	39.5	0	18625.592	595.6989247	11094.77346	30000	0	0	30000	20.875	2004
12.02.2020 07:27:07	1	1	1	1	166.3	40.75	0	17488.152	602.1505376	10530.5357	30000	0	0	30000	18.75	2004
12.02.2020 07:27:08	1	1	1	1	166.3	38.75	0	17298.578	593.5483871	10267.17039	30000	0	0	30000	20.25	2004
12.02.2020 07:27:09	1	1	1	1	166.3	40.25	0	19146.919	569.8924731	10884.40736	30000	0	0	30000	21.3125	2004
12.02.2020 07:27:10	1	1	1	1	166.3	41.25	0	19668.246	580.6451613	11377.70772	30000	0	0	30000	21.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 07:27:11	1	1	1	1	166.3	40.75	0	17535.545	608.6021505	10634.08801	30000	0	0	30000	19.3125	2004
12.02.2020 07:27:12	1	1	1	1	173.8	39.25	0	20142.18	627.9569892	12604.84331	30000	0	0	30000	19.875	2004
12.02.2020 07:27:13	1	1	1	1	173.8	39.75	0	18151.659	617.2043011	11046.66649	30000	0	0	30000	20.8125	2004
12.02.2020 07:27:14	1	1	1	1	173.8	40.75	0	19336.493	653.7634409	12672.51923	30000	0	0	30000	20.9375	2004
12.02.2020 07:27:15	1	1	1	1	173.8	40.75	0	19668.246	688.172043	13535.18332	30000	0	0	30000	20.875	2004
12.02.2020 07:27:16	1	1	1	1	173.8	40.75	0	17962.085	690.3225806	12399.36945	30000	0	0	30000	18.875	2004
12.02.2020 07:27:17	1	1	1	1	173.8	38.75	0	19573.46	604.3010753	11954.17607	30000	0	0	30000	18.75	2004
12.02.2020 07:27:18	1	1	1	1	173.8	38.75	0	19289.1	632.2580645	12237.11032	30000	0	0	30000	19.3125	2004
12.02.2020 07:27:19	1	1	1	1	173.8	39.25	0	19478.673	602.1505376	11700.59522	30000	0	0	30000	20.125	2004
12.02.2020 07:27:20	1	1	1	1	173.8	40	0	21042.654	655.9139785	13801.81013	30000	0	0	30000	19.9375	2004
12.02.2020 07:27:21	1	1	1	1	173.8	39.75	0	18815.166	615.0537634	11641.8884	30000	0	0	30000	19.0625	2004
12.02.2020 07:27:22	1	1	1	1	172.8	39	0	19810.427	688.172043	13665.64292	30000	0	0	30000	20.375	2004
12.02.2020 07:27:23	1	1	1	1	172.8	40.25	0	20710.9	688.172043	13832.79428	30000	0	0	30000	19.125	2004
12.02.2020 07:27:24	1	1	1	1	172.8	39	0	20521.327	688.172043	14154.86641	30000	0	0	30000	18.875	2004
12.02.2020 07:27:25	1	1	1	1	172.8	38.75	0	20853.081	653.7634409	13708.85766	30000	0	0	30000	19	2004
12.02.2020 07:27:26	1	1	1	1	172.8	39	0	19573.46	675.2688172	13174.78868	30000	0	0	30000	20.625	2004
12.02.2020 07:27:27	1	1	1	1	172.8	40.5	0	21042.654	701.0752688	14797.37994	30000	0	0	30000	19.1875	2004
12.02.2020 07:27:28	1	1	1	1	172.8	39	0	18436.019	718.2795699	13241.64923	30000	0	0	30000	21.625	2004
12.02.2020 07:27:29	1	1	1	1	172.8	41.5	0	19573.46	718.2795699	14058.65246	30000	0	0	30000	19.5625	2004
12.02.2020 07:27:31	1	1	1	1	172.8	39.5	0	19857.82	729.0322581	14237.21904	30000	0	0	30000	19.8125	2004
12.02.2020 07:27:32	1	1	1	1	172.8	39.75	0	19857.82	694.6236559	13793.6564	30000	0	0	30000	19.5625	2004
12.02.2020 07:27:33	1	1	1	1	176.8	39.5	0	19099.526	688.172043	13184.57315	30000	0	0	30000	19.5625	2004
12.02.2020 07:27:38	1	1	1	1	176.8	41	0	19004.739	718.2795699	13616.72057	30000	0	0	30000	19.5	2004
12.02.2020 07:27:38	1	1	1	1	176.8	41	0	19004.739	718.2795699	13616.72057	30000	0	0	30000	19.5	2004
12.02.2020 07:27:38	1	1	1	1	176.8	41	0	19004.739	718.2795699	13616.72057	30000	0	0	30000	19.5	2004
12.02.2020 07:27:38	1	1	1	1	176.8	41	0	19004.739	718.2795699	13616.72057	30000	0	0	30000	19.5	2004
12.02.2020 07:27:39	1	1	1	1	176.8	39.5	0	18104.265	720.4301075	13232.68013	30000	0	0	30000	19	2004
12.02.2020 07:27:40	1	1	1	1	176.8	39	0	18909.953	703.2258065	13297.90993	30000	0	0	30000	18.875	2004
12.02.2020 07:27:41	1	1	1	1	176.8	38.75	0	19810.427	720.4301075	14391.32444	30000	0	0	30000	20.0625	2004
12.02.2020 07:27:42	1	1	1	1	176.8	40	0	17867.299	720.4301075	12871.47012	30000	0	0	30000	19.4375	2004
12.02.2020 07:27:43	1	1	1	1	181.5	39.25	0	19099.526	729.0322581	13958.36164	30000	0	0	30000	20.0625	2004
12.02.2020 07:27:44	1	1	1	1	181.5	40	0	18151.659	741.9354839	13466.69203	30000	0	0	30000	19.3125	2004
12.02.2020 07:27:45	1	1	1	1	181.5	39.25	0	17156.398	729.0322581	12578.75139	30000	0	0	30000	22	2004
12.02.2020 07:27:46	1	1	1	1	181.5	42	0	20189.573	739.7849462	14900.93224	30000	0	0	30000	20.5625	2004
12.02.2020 07:27:47	1	1	1	1	181.5	40.5	0	17582.938	731.1827957	12818.4709	30000	0	0	30000	19.6875	2004
12.02.2020 07:27:48	1	1	1	1	181.5	39.5	0	18104.265	744.0860215	13509.90678	30000	0	0	30000	20.4375	2004
12.02.2020 07:27:49	1	1	1	1	181.5	39	0	19668.246	782.7956989	15395.86334	30000	0	0	30000	19.5	2004
12.02.2020 07:27:50	1	1	1	1	181.5	39.5	0	19857.82	756.9892473	15032.20721	30000	0	0	30000	19.4375	2004
12.02.2020 07:27:51	1	1	1	1	181.5	39.25	0	19620.853	769.8924731	15068.89898	30000	0	0	30000	19.0625	2004
12.02.2020 07:27:52	1	1	1	1	187	39	0	18151.659	802.1505376	14638.3823	30000	0	0	30000	20.0625	2004
12.02.2020 07:27:53	1	1	1	1	187	40	0	18815.166	795.6989247	15008.56141	30000	0	0	30000	19.25	2004
12.02.2020 07:27:54	1	1	1	1	187	39.25	0	18483.412	817.2043011	15143.91324	30000	0	0	30000	19.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 07:27:55	1	1	1	1	187	39.75	0	16729.858	845.1612903	14139.37434	30000	0	0	30000	19.9375	2004
12.02.2020 07:27:56	1	1	1	1	187	39.75	0	17962.085	825.8064516	14833.25633	30000	0	0	30000	20.0625	2004
12.02.2020 07:27:57	1	1	1	1	187	40	0	20947.867	772.0430108	16172.09795	30000	0	0	30000	18.9375	2004
12.02.2020 07:27:58	1	1	1	1	187	38.75	0	23554.502	688.172043	15854.91806	30000	0	0	30000	20.25	2004
12.02.2020 07:27:59	1	1	1	1	187	40.25	0	23175.355	694.6236559	16097.89906	30000	0	0	30000	19.875	2004
12.02.2020 07:28:00	1	1	1	1	187	39.75	0	23364.929	673.1182796	15726.90457	30000	0	0	30000	19.875	2004
12.02.2020 07:28:01	1	1	1	1	187	39.75	0	22890.995	694.6236559	15998.42361	30000	0	0	30000	20.0625	2004
12.02.2020 07:28:04	1	1	1	1	189.3	39.25	0	21137.441	756.9892473	16000.86973	30000	0	0	30000	20.0625	2004
12.02.2020 07:28:04	1	1	1	1	189.3	39.25	0	21137.441	756.9892473	16000.86973	30000	0	0	30000	20.0625	2004
12.02.2020 07:28:04	1	1	1	1	189.3	40	0	21563.981	756.9892473	16323.75724	30000	0	0	30000	19.4375	2004
12.02.2020 07:28:05	1	1	1	1	189.3	39.25	0	19952.607	800	15918.51711	30000	0	0	30000	19.3125	2004
12.02.2020 07:28:06	1	1	1	1	189.3	39.25	0	19668.246	808.6021505	15861.44103	30000	0	0	30000	19.1875	2004
12.02.2020 07:28:08	1	1	1	1	189.3	39	0	19478.673	778.4946237	15247.46555	30000	0	0	30000	19.0625	2004
12.02.2020 07:28:09	1	1	1	1	189.3	39	0	17725.118	843.0107527	14982.46949	30000	0	0	30000	20	2004
12.02.2020 07:28:10	1	1	1	1	189.3	40	0	18530.806	827.9569892	15342.04876	30000	0	0	30000	20.5625	2004
12.02.2020 07:28:11	1	1	1	1	189.3	40.5	0	15876.777	873.1182796	13759.41076	30000	0	0	30000	19.1875	2004
12.02.2020 07:28:12	1	1	1	1	189.3	39	0	17203.791	851.6129032	14687.30465	30000	0	0	30000	19	2004
12.02.2020 07:28:13	1	1	1	1	182.3	39	0	18009.479	845.1612903	15220.55826	30000	0	0	30000	21.25	2004
12.02.2020 07:28:14	1	1	1	1	182.3	41.25	0	19194.313	830.1075269	15891.60982	30000	0	0	30000	19.875	2004
12.02.2020 07:28:15	1	1	1	1	182.3	39.75	0	18151.659	838.7096774	15262.95763	30000	0	0	30000	21.6875	2004
12.02.2020 07:28:16	1	1	1	1	182.3	41.5	0	18151.659	838.7096774	15262.95763	30000	0	0	30000	20.5	2004
12.02.2020 07:28:17	1	1	1	1	182.3	40.5	0	18341.232	836.5591398	15342.86413	30000	0	0	30000	20.0625	2004
12.02.2020 07:28:18	1	1	1	1	182.3	40	0	19289.1	817.2043011	15804.36496	30000	0	0	30000	19.4375	2004
12.02.2020 07:28:19	1	1	1	1	182.3	39.25	0	19478.673	823.655914	15920.96323	30000	0	0	30000	19.4375	2004
12.02.2020 07:28:20	1	1	1	1	182.3	39.25	0	18767.773	830.1075269	15619.27541	30000	0	0	30000	19.1875	2004
12.02.2020 07:28:21	1	1	1	1	182.3	39	0	18720.379	834.4086022	15580.13753	30000	0	0	30000	21.5625	2004
12.02.2020 07:28:22	1	1	1	1	182.3	41.5	0	17962.085	843.0107527	15180.60501	30000	0	0	30000	19.9375	2004
12.02.2020 07:28:23	1	1	1	1	175.5	39.75	0	18530.806	832.2580645	15461.90852	30000	0	0	30000	19.625	2004
12.02.2020 07:28:24	1	1	1	1	175.5	39.5	0	19099.526	821.5053763	15730.98144	30000	0	0	30000	19.625	2004
12.02.2020 07:28:25	1	1	1	1	175.5	39.5	0	20616.114	778.4946237	16004.94659	30000	0	0	30000	20.25	2004
12.02.2020 07:28:26	1	1	1	1	175.5	40.25	0	19526.066	817.2043011	15998.42361	30000	0	0	30000	22.0625	2004
12.02.2020 07:28:27	1	1	1	1	175.5	42	0	19573.46	812.9032258	15952.76275	30000	0	0	30000	19.875	2004
12.02.2020 07:28:28	1	1	1	1	175.5	39.75	0	20284.36	791.3978495	16053.05357	30000	0	0	30000	20.125	2004
12.02.2020 07:28:29	1	1	1	1	175.5	41.25	0	20521.327	791.3978495	16240.58924	30000	0	0	30000	19.8125	2004
12.02.2020 07:28:30	1	1	1	1	175.5	39.75	0	21042.654	756.9892473	15929.11695	30000	0	0	30000	19.8125	2004
12.02.2020 07:28:31	1	1	1	1	175.5	39.75	0	21137.441	756.9892473	16000.86973	30000	0	0	30000	20.5	2004
12.02.2020 07:28:32	1	1	1	1	173	40.5	0	20284.36	784.9462366	15959.28573	30000	0	0	30000	19.25	2004
12.02.2020 07:28:33	1	1	1	1	173	39.25	0	22227.488	720.4301075	15944.60903	30000	0	0	30000	19.5625	2004
12.02.2020 07:28:34	1	1	1	1	173	39.5	0	20853.081	769.8924731	15973.14707	30000	0	0	30000	19.6875	2004
12.02.2020 07:28:40	1	1	1	1	173	39.75	0	20900.474	759.1397849	15947.05515	30000	0	0	30000	20.625	2004
12.02.2020 07:28:40	1	1	1	1	173	39.75	0	20900.474	759.1397849	15947.05515	30000	0	0	30000	20.625	2004
12.02.2020 07:28:40	1	1	1	1	173	39.75	0	20900.474	759.1397849	15947.05515	30000	0	0	30000	20.625	2004
12.02.2020 07:28:40	1	1	1	1	173	39.75	0	20900.474	759.1397849	15947.05515	30000	0	0	30000	20.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 07:28:40	1	1	1	1	173	39.75	0	20900.474	759.1397849	15947.05515	30000	0	0	30000	20.625	2004
12.02.2020 07:28:40	1	1	1	1	173	40.5	0	21090.047	756.9892473	15964.99334	30000	0	0	30000	20.4375	2004
12.02.2020 07:28:41	1	1	1	1	173	40.25	0	21563.981	739.7849462	16091.37608	30000	0	0	30000	19.875	2004
12.02.2020 07:28:42	1	1	1	1	169	39.75	0	21800.948	733.3333333	16022.06942	30000	0	0	30000	18.875	2004
12.02.2020 07:28:43	1	1	1	1	169	38.75	0	21374.408	744.0860215	15950.31664	30000	0	0	30000	19.3125	2004
12.02.2020 07:28:44	1	1	1	1	169	39.25	0	21563.981	744.0860215	15998.42361	30000	0	0	30000	19.5625	2004
12.02.2020 07:28:45	1	1	1	1	169	39.5	0	21516.588	739.7849462	15952.76275	30000	0	0	30000	19.0625	2004
12.02.2020 07:28:47	1	1	1	1	169	39	0	21563.981	741.9354839	15998.42361	30000	0	0	30000	19.5625	2004
12.02.2020 07:28:48	1	1	1	1	169	39.5	0	21563.981	739.7849462	15952.76275	30000	0	0	30000	19.5625	2004
12.02.2020 07:28:49	1	1	1	1	169	39.5	0	21658.768	739.7849462	16022.88479	30000	0	0	30000	20.0625	2004
12.02.2020 07:28:50	1	1	1	1	169	40	0	21042.654	761.2903226	16100.34517	30000	0	0	30000	19.75	2004
12.02.2020 07:28:51	1	1	1	1	169	39.75	0	20995.261	761.2903226	15982.93154	30000	0	0	30000	20.5	2004
12.02.2020 07:28:52	1	1	1	1	169	40.5	0	21279.621	756.9892473	16108.4989	30000	0	0	30000	20.75	2004
12.02.2020 07:28:53	1	1	1	1	167	40.75	0	21753.555	739.7849462	15999.23899	30000	0	0	30000	19.3125	2004
12.02.2020 07:28:54	1	1	1	1	167	39.25	0	21848.341	726.8817204	16068.54565	30000	0	0	30000	21.4375	2004
12.02.2020 07:28:55	1	1	1	1	167	41.25	0	21943.128	729.0322581	15996.79287	30000	0	0	30000	19.5	2004
12.02.2020 07:28:56	1	1	1	1	167	39.5	0	21563.981	735.483871	15859.81029	30000	0	0	30000	19.1875	2004
12.02.2020 07:28:57	1	1	1	1	167	39	0	21563.981	735.483871	15859.81029	30000	0	0	30000	20.3125	2004
12.02.2020 07:28:58	1	1	1	1	167	40.25	0	22464.455	713.9784946	16004.94659	30000	0	0	30000	19.0625	2004
12.02.2020 07:28:59	1	1	1	1	167	39	0	21943.128	724.7311828	15996.79287	30000	0	0	30000	19	2004
12.02.2020 07:29:00	1	1	1	1	167	39	0	21943.128	729.0322581	15808.44182	30000	0	0	30000	19.5625	2004
12.02.2020 07:29:01	1	1	1	1	167	39.5	0	22274.882	718.2795699	16047.34596	30000	0	0	30000	19.9375	2004
12.02.2020 07:29:02	1	1	1	1	167	39.75	0	21563.981	739.7849462	15998.42361	30000	0	0	30000	21.375	2004
12.02.2020 07:29:03	1	1	1	1	166	41.25	0	22132.701	724.7311828	15944.60903	30000	0	0	30000	21.125	2004
12.02.2020 07:29:04	1	1	1	1	166	41	0	22417.062	709.6774194	15956.83962	30000	0	0	30000	20.5	2004
12.02.2020 07:29:05	1	1	1	1	166	40.5	0	21895.735	731.1827957	16056.31506	30000	0	0	30000	19.8125	2004
12.02.2020 07:29:06	1	1	1	1	166	40.25	0	22511.848	713.9784946	16072.62251	30000	0	0	30000	20.625	2004
12.02.2020 07:29:07	1	1	1	1	166	40.5	0	21848.341	724.7311828	15962.54722	30000	0	0	30000	19.375	2004
12.02.2020 07:29:08	1	1	1	1	166	39.25	0	22132.701	703.2258065	15869.59476	30000	0	0	30000	18.9375	2004
12.02.2020 07:29:09	1	1	1	1	166	38.75	0	22227.488	720.4301075	16238.9585	30000	0	0	30000	19.8125	2004
12.02.2020 07:29:10	1	1	1	1	166	39.75	0	22369.668	713.9784946	15971.51632	30000	0	0	30000	20	2004
12.02.2020 07:29:11	1	1	1	1	166	40	0	22985.782	690.3225806	16031.85389	30000	0	0	30000	19.9375	2004
12.02.2020 07:29:12	1	1	1	1	164.8	39.75	0	22985.782	701.0752688	15900.57891	30000	0	0	30000	20.5	2004
12.02.2020 07:29:13	1	1	1	1	164.8	40.5	0	22748.815	703.2258065	15997.60824	30000	0	0	30000	20.5625	2004
12.02.2020 07:29:14	1	1	1	1	164.8	40.5	0	22227.488	718.2795699	16047.34596	30000	0	0	30000	20.0625	2004
12.02.2020 07:29:15	1	1	1	1	164.8	40	0	22796.209	703.2258065	16030.22314	30000	0	0	30000	19.6875	2004
12.02.2020 07:29:16	1	1	1	1	164.8	39.5	0	22748.815	703.2258065	15997.60824	30000	0	0	30000	20.1875	2004
12.02.2020 07:29:17	1	1	1	1	164.8	40	0	22796.209	703.2258065	15997.60824	30000	0	0	30000	20.1875	2004
12.02.2020 07:29:18	1	1	1	1	164.8	40	0	22464.455	709.6774194	16072.62251	30000	0	0	30000	20	2004
12.02.2020 07:29:19	1	1	1	1	164.8	40	0	22748.815	703.2258065	15997.60824	30000	0	0	30000	19.4375	2004
12.02.2020 07:29:20	1	1	1	1	164.8	39.25	0	22606.635	703.2258065	16193.29764	30000	0	0	30000	19.8125	2004
12.02.2020 07:29:21	1	1	1	1	164.8	39.75	0	21848.341	729.0322581	15962.54722	30000	0	0	30000	20.5625	2004
12.02.2020 07:29:22	1	1	1	1	163.8	40.5	0	22748.815	703.2258065	15997.60824	30000	0	0	30000	20.5	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 07:29:23	1	1	1	1	163.8	40.5	0	22227.488	720.4301075	16047.34596	30000	0	0	30000	20.375	2004
12.02.2020 07:29:25	1	1	1	1	163.8	40.25	0	21943.128	729.0322581	15996.79287	30000	0	0	30000	20.25	2004
12.02.2020 07:29:26	1	1	1	1	163.8	40.25	0	22274.882	720.4301075	16047.34596	30000	0	0	30000	19.5625	2004
12.02.2020 07:29:27	1	1	1	1	163.8	39.5	0	22511.848	709.6774194	15927.48621	30000	0	0	30000	20.25	2004
12.02.2020 07:29:28	1	1	1	1	163.8	40.25	0	22890.995	698.9247312	16031.85389	30000	0	0	30000	20.6875	2004
12.02.2020 07:29:29	1	1	1	1	163.8	40.5	0	23033.175	694.6236559	15752.99649	30000	0	0	30000	20.625	2004
12.02.2020 07:29:30	1	1	1	1	163.8	40.5	0	22748.815	701.0752688	15997.60824	30000	0	0	30000	20.9375	2004
12.02.2020 07:29:31	1	1	1	1	163.8	40.75	0	22274.882	713.9784946	15903.8404	30000	0	0	30000	20	2004
12.02.2020 07:29:32	1	1	1	1	163.8	40	0	22748.815	701.0752688	15899.76354	30000	0	0	30000	19.1875	2004
12.02.2020 07:29:33	1	1	1	1	162.3	39	0	22748.815	703.2258065	15997.60824	30000	0	0	30000	19.5	2004
12.02.2020 07:29:34	1	1	1	1	162.3	39.5	0	22748.815	703.2258065	15997.60824	30000	0	0	30000	19.875	2004
12.02.2020 07:29:35	1	1	1	1	162.3	39.75	0	22890.995	698.9247312	15998.42361	30000	0	0	30000	21.5	2004
12.02.2020 07:29:36	1	1	1	1	162.3	41.5	0	23175.355	688.172043	16013.91569	30000	0	0	30000	19.75	2004
12.02.2020 07:29:42	1	1	1	1	162.3	39.25	0	23744.076	679.5698925	15969.0702	30000	0	0	30000	21.1875	2004
12.02.2020 07:29:42	1	1	1	1	162.3	39.25	0	23744.076	679.5698925	15969.0702	30000	0	0	30000	21.1875	2004
12.02.2020 07:29:42	1	1	1	1	162.3	39.25	0	23744.076	679.5698925	15969.0702	30000	0	0	30000	21.1875	2004
12.02.2020 07:29:42	1	1	1	1	162.3	39.25	0	23744.076	679.5698925	15969.0702	30000	0	0	30000	21.1875	2004
12.02.2020 07:29:42	1	1	1	1	162.3	41	0	23033.175	694.6236559	15818.22629	30000	0	0	30000	21.75	2004
12.02.2020 07:29:43	1	1	1	1	160.5	41.75	0	23033.175	690.3225806	15999.23899	30000	0	0	30000	21	2004
12.02.2020 07:29:44	1	1	1	1	160.5	41	0	23412.322	673.1182796	15758.7041	30000	0	0	30000	22	2004
12.02.2020 07:29:45	1	1	1	1	160.5	42	0	23364.929	670.9677419	15859.81029	30000	0	0	30000	21.625	2004
12.02.2020 07:29:46	1	1	1	1	160.5	41.5	0	23364.929	688.172043	16079.14549	30000	0	0	30000	20.4375	2004
12.02.2020 07:29:47	1	1	1	1	160.5	40.75	0	24170.616	664.516129	16061.20729	30000	0	0	30000	19.5	2004
12.02.2020 07:29:48	1	1	1	1	160.5	39.5	0	23744.076	673.1182796	16013.91569	30000	0	0	30000	20.5625	2004
12.02.2020 07:29:49	1	1	1	1	160.5	40.5	0	23791.469	677.4193548	16372.67959	30000	0	0	30000	20.8125	2004
12.02.2020 07:29:50	1	1	1	1	160.5	40.75	0	23886.256	673.1182796	16110.12964	30000	0	0	30000	19.75	2004
12.02.2020 07:29:51	1	1	1	1	160.5	39.75	0	24170.616	664.516129	16061.20729	30000	0	0	30000	19.75	2004
12.02.2020 07:29:52	1	1	1	1	159.8	39.75	0	23981.043	666.6666667	15903.8404	30000	0	0	30000	19.9375	2004
12.02.2020 07:29:53	1	1	1	1	159.8	39.75	0	23744.076	670.9677419	15963.3626	30000	0	0	30000	19.5	2004
12.02.2020 07:29:54	1	1	1	1	159.8	39.5	0	24218.009	660.2150538	16040.82298	30000	0	0	30000	19.5	2004
12.02.2020 07:29:55	1	1	1	1	159.8	39.5	0	23933.649	664.516129	15801.10347	30000	0	0	30000	20.1875	2004
12.02.2020 07:29:56	1	1	1	1	159.8	40	0	24407.583	653.7634409	15956.83962	30000	0	0	30000	20.75	2004
12.02.2020 07:29:57	1	1	1	1	159.8	40.75	0	23554.502	666.6666667	15804.36496	30000	0	0	30000	19.875	2004
12.02.2020 07:29:58	1	1	1	1	159.8	39.75	0	24218.009	670.9677419	16197.3745	30000	0	0	30000	21.25	2004
12.02.2020 07:29:59	1	1	1	1	159.8	41.25	0	24028.436	662.3655914	15863.88715	30000	0	0	30000	19.625	2004
12.02.2020 07:30:00	1	1	1	1	159.8	39.5	0	24407.583	655.9139785	15737.50442	30000	0	0	30000	20.625	2004
12.02.2020 07:30:01	1	1	1	1	159.8	40.5	0	23838.863	670.9677419	15995.16212	30000	0	0	30000	20.5	2004
12.02.2020 07:30:02	1	1	1	1	157.8	40.5	0	23933.649	666.6666667	15987.0084	30000	0	0	30000	20	2004
12.02.2020 07:30:03	1	1	1	1	157.8	40	0	24028.436	660.2150538	15863.88715	30000	0	0	30000	20	2004
12.02.2020 07:30:05	1	1	1	1	157.8	40	0	24218.009	662.3655914	16040.82298	30000	0	0	30000	20.125	2004
12.02.2020 07:30:06	1	1	1	1	157.8	40	0	24123.223	658.0645161	15925.85546	30000	0	0	30000	20.5	2004
12.02.2020 07:30:07	1	1	1	1	157.8	40.5	0	23791.469	670.9677419	15995.16212	30000	0	0	30000	20.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 07:30:08	1	1	1	1	157.8	40.25	0	24170.616	662.3655914	16093.00682	30000	0	0	30000	21	2004
12.02.2020 07:30:09	1	1	1	1	157.8	41	0	24170.616	662.3655914	15925.85546	30000	0	0	30000	21.0625	2004
12.02.2020 07:30:10	1	1	1	1	157.8	41	0	23507.109	673.1182796	15854.91806	30000	0	0	30000	20.5625	2004
12.02.2020 07:30:11	1	1	1	1	157.8	40.5	0	23744.076	670.9677419	15911.99413	30000	0	0	30000	20.0625	2004
12.02.2020 07:30:12	1	1	1	1	157.8	40	0	23981.043	666.6666667	15935.63993	30000	0	0	30000	21	2004
12.02.2020 07:30:13	1	1	1	1	156.5	41	0	23981.043	666.6666667	16018.80793	30000	0	0	30000	20.4375	2004
12.02.2020 07:30:14	1	1	1	1	156.5	40.25	0	23364.929	688.172043	15726.90457	30000	0	0	30000	20.3125	2004
12.02.2020 07:30:15	1	1	1	1	156.5	40.25	0	23507.109	688.172043	16176.99019	30000	0	0	30000	20.5	2004
12.02.2020 07:30:16	1	1	1	1	156.5	40.5	0	23507.109	675.2688172	15924.22472	30000	0	0	30000	19.6875	2004
12.02.2020 07:30:17	1	1	1	1	156.5	39.5	0	23270.142	688.172043	16013.91569	30000	0	0	30000	20.125	2004
12.02.2020 07:30:18	1	1	1	1	156.5	40	0	22890.995	703.2258065	16097.08368	30000	0	0	30000	19.5	2004
12.02.2020 07:30:19	1	1	1	1	156.5	39.5	0	23080.569	690.3225806	15932.37844	30000	0	0	30000	20.6875	2004
12.02.2020 07:30:20	1	1	1	1	156.5	40.5	0	23222.749	692.4731183	16031.03851	30000	0	0	30000	21.125	2004
12.02.2020 07:30:21	1	1	1	1	156.5	41	0	23222.749	688.172043	15981.30079	30000	0	0	30000	21.3125	2004
12.02.2020 07:30:22	1	1	1	1	156.5	41.25	0	22985.782	701.0752688	16097.08368	30000	0	0	30000	20.9375	2004
12.02.2020 07:30:23	1	1	1	1	155.8	40.75	0	22559.242	718.2795699	16291.14234	30000	0	0	30000	22.6875	2004
12.02.2020 07:30:24	1	1	1	1	155.8	42.5	0	22511.848	709.6774194	16024.51553	30000	0	0	30000	21.9375	2004
12.02.2020 07:30:25	1	1	1	1	155.8	41.75	0	22559.242	703.2258065	15863.88715	30000	0	0	30000	21.8125	2004
12.02.2020 07:30:26	1	1	1	1	155.8	42.25	0	21943.128	726.8817204	16135.40619	30000	0	0	30000	20.5	2004
12.02.2020 07:30:27	1	1	1	1	155.8	40.5	0	21895.735	731.1827957	16233.25089	30000	0	0	30000	21.4375	2004
12.02.2020 07:30:28	1	1	1	1	155.8	41.25	0	22417.062	709.6774194	15908.73264	30000	0	0	30000	21.0625	2004
12.02.2020 07:30:29	1	1	1	1	155.8	41	0	22890.995	694.6236559	15900.57891	30000	0	0	30000	20.75	2004
12.02.2020 07:30:30	1	1	1	1	155.8	40.75	0	22796.209	694.6236559	15965.80871	30000	0	0	30000	21.3125	2004
12.02.2020 07:30:31	1	1	1	1	155.8	41.25	0	22559.242	709.6774194	15927.48621	30000	0	0	30000	20.5625	2004
12.02.2020 07:30:32	1	1	1	1	154.8	40.5	0	21706.161	739.7849462	16093.00682	30000	0	0	30000	21	2004
12.02.2020 07:30:33	1	1	1	1	154.8	41	0	21516.588	739.7849462	15998.42361	30000	0	0	30000	20.25	2004
12.02.2020 07:30:34	1	1	1	1	154.8	40.25	0	20473.934	782.7956989	16026.96165	30000	0	0	30000	21.1875	2004
12.02.2020 07:30:35	1	1	1	1	154.8	41	0	21184.834	756.9892473	16072.62251	30000	0	0	30000	20.4375	2004
12.02.2020 07:30:36	1	1	1	1	154.8	40.25	0	21563.981	744.0860215	15998.42361	30000	0	0	30000	20	2004
12.02.2020 07:30:37	1	1	1	1	154.8	40	0	21042.654	763.4408602	16064.46878	30000	0	0	30000	19.875	2004
12.02.2020 07:30:43	1	1	1	1	154.5	40	0	21563.981	729.0322581	15859.81029	30000	0	0	30000	21.1875	2004
12.02.2020 07:30:43	1	1	1	1	154.5	40	0	21563.981	729.0322581	15859.81029	30000	0	0	30000	21.1875	2004
12.02.2020 07:30:43	1	1	1	1	154.5	40	0	21563.981	729.0322581	15859.81029	30000	0	0	30000	21.1875	2004
12.02.2020 07:30:43	1	1	1	1	154.5	40	0	21563.981	729.0322581	15859.81029	30000	0	0	30000	21.1875	2004
12.02.2020 07:30:43	1	1	1	1	154.5	41	0	18293.839	825.8064516	15107.22148	30000	0	0	30000	21.3125	2004
12.02.2020 07:30:45	1	1	1	1	154.5	41.25	0	18151.659	804.3010753	14521.78404	30000	0	0	30000	21.375	2004
12.02.2020 07:30:46	1	1	1	1	154.5	41.25	0	20142.18	797.8494624	16156.60588	30000	0	0	30000	20.5	2004
12.02.2020 07:30:47	1	1	1	1	154.5	40.5	0	20331.754	791.3978495	16053.05357	30000	0	0	30000	20.25	2004
12.02.2020 07:30:48	1	1	1	1	154.5	40.25	0	19857.82	817.2043011	16185.14391	30000	0	0	30000	20.75	2004
12.02.2020 07:30:49	1	1	1	1	154.5	40.75	0	19952.607	810.7526882	16219.38956	30000	0	0	30000	20	2004
12.02.2020 07:30:50	1	1	1	1	154.5	40	0	20000	795.6989247	15870.41013	30000	0	0	30000	20.5	2004
12.02.2020 07:30:51	1	1	1	1	154.5	40.5	0	21374.408	756.9892473	16180.25168	30000	0	0	30000	20.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 07:30:52	1	1	1	1	154.5	40.5	0	20426.54	791.3978495	16165.57497	30000	0	0	30000	21.4375	2004
12.02.2020 07:30:53	1	1	1	1	156.8	41.25	0	20805.687	769.8924731	15981.30079	30000	0	0	30000	19.6875	2004
12.02.2020 07:30:54	1	1	1	1	156.8	39.5	0	15165.877	802.1505376	12361.04694	30000	0	0	30000	20.5	2004
12.02.2020 07:30:55	1	1	1	1	156.8	40.5	0	22227.488	720.4301075	16047.34596	30000	0	0	30000	20.3125	2004
12.02.2020 07:30:56	1	1	1	1	156.8	40.25	0	22132.701	720.4301075	16108.4989	30000	0	0	30000	21.125	2004
12.02.2020 07:30:57	1	1	1	1	156.8	41	0	17819.905	800	14179.32759	30000	0	0	30000	20.125	2004
12.02.2020 07:30:58	1	1	1	1	156.8	40	0	13554.502	868.8172043	11734.84087	30000	0	0	30000	20.3125	2004
12.02.2020 07:30:59	1	1	1	1	156.8	40.25	0	19336.493	830.1075269	15969.88558	30000	0	0	30000	19.75	2004
12.02.2020 07:31:00	1	1	1	1	156.8	39.75	0	14691.943	830.1075269	12187.3726	30000	0	0	30000	20.5625	2004
12.02.2020 07:31:01	1	1	1	1	156.8	40.5	0	12180.095	886.0215054	10791.4549	30000	0	0	30000	19.8125	2004
12.02.2020 07:31:02	1	1	1	1	156.8	39.75	0	20473.934	791.3978495	16203.08211	30000	0	0	30000	22.25	2004
12.02.2020 07:31:03	1	1	1	1	156	42.25	0	20900.474	767.7419355	16135.40619	30000	0	0	30000	20.625	2004
12.02.2020 07:31:04	1	1	1	1	156	40.5	0	20521.327	780.6451613	15931.56307	30000	0	0	30000	21.75	2004
12.02.2020 07:31:05	1	1	1	1	156	41.75	0	19857.82	812.9032258	16185.14391	30000	0	0	30000	21	2004
12.02.2020 07:31:06	1	1	1	1	156	40	0	20047.393	787.0967742	15735.87367	30000	0	0	30000	20.5625	2004
12.02.2020 07:31:07	1	1	1	1	156	40.5	0	19289.1	819.3548387	15804.36496	30000	0	0	30000	20.1875	2004
12.02.2020 07:31:08	1	1	1	1	156	40	0	20236.967	802.1505376	16232.43552	30000	0	0	30000	20	2004
12.02.2020 07:31:09	1	1	1	1	156	40	0	19194.313	817.2043011	15643.73658	30000	0	0	30000	19.75	2004
12.02.2020 07:31:10	1	1	1	1	156	39.75	0	20616.114	769.8924731	15916.07099	30000	0	0	30000	20.5625	2004
12.02.2020 07:31:11	1	1	1	1	156	40.5	0	19478.673	795.6989247	15498.60028	30000	0	0	30000	20.375	2004
12.02.2020 07:31:12	1	1	1	1	156.8	40.25	0	20379.147	784.9462366	15995.9775	30000	0	0	30000	19.9375	2004
12.02.2020 07:31:13	1	1	1	1	156.8	39.75	0	19668.246	808.6021505	15980.48542	30000	0	0	30000	20.75	2004
12.02.2020 07:31:14	1	1	1	1	156.8	40.75	0	21042.654	756.9892473	16009.83883	30000	0	0	30000	19.875	2004
12.02.2020 07:31:15	1	1	1	1	156.8	39.75	0	20236.967	800	16232.43552	30000	0	0	30000	19.75	2004
12.02.2020 07:31:16	1	1	1	1	156.8	39.75	0	19763.033	804.3010753	15819.04167	30000	0	0	30000	21.375	2004
12.02.2020 07:31:17	1	1	1	1	156.8	41.25	0	19573.46	804.3010753	15540.99965	30000	0	0	30000	20.4375	2004
12.02.2020 07:31:18	1	1	1	1	156.8	40.25	0	19620.853	817.2043011	16118.28337	30000	0	0	30000	20.0625	2004
12.02.2020 07:31:19	1	1	1	1	156.8	40	0	19241.706	812.9032258	15682.87446	30000	0	0	30000	20.6875	2004
12.02.2020 07:31:20	1	1	1	1	156.8	40.5	0	20236.967	802.1505376	16319.68037	30000	0	0	30000	20.9375	2004
12.02.2020 07:31:21	1	1	1	1	156.8	40.75	0	18767.773	840.8602151	15819.85704	30000	0	0	30000	20.1875	2004
12.02.2020 07:31:22	1	1	1	1	153.8	40	0	20426.54	791.3978495	16121.54486	30000	0	0	30000	20	2004
12.02.2020 07:31:24	1	1	1	1	153.8	40	0	20473.934	778.4946237	16019.6233	30000	0	0	30000	20.5	2004
12.02.2020 07:31:25	1	1	1	1	153.8	40.5	0	21516.588	739.7849462	15744.0274	30000	0	0	30000	19.875	2004
12.02.2020 07:31:26	1	1	1	1	153.8	39.75	0	20000	808.6021505	16252.81983	30000	0	0	30000	21.25	2004
12.02.2020 07:31:27	1	1	1	1	153.8	41.25	0	20616.114	772.0430108	15916.07099	30000	0	0	30000	20.6875	2004
12.02.2020 07:31:28	1	1	1	1	153.8	40.5	0	20236.967	791.3978495	15978.0393	30000	0	0	30000	20.0625	2004
12.02.2020 07:31:29	1	1	1	1	153.8	40	0	20284.36	787.0967742	16128.06784	30000	0	0	30000	21.0625	2004
12.02.2020 07:31:30	1	1	1	1	153.8	41	0	19241.706	819.3548387	15765.22708	30000	0	0	30000	20.3125	2004
12.02.2020 07:31:31	1	1	1	1	153.8	40.25	0	19336.493	825.8064516	15929.11695	30000	0	0	30000	20	2004
12.02.2020 07:31:32	1	1	1	1	153.8	40	0	15308.057	840.8602151	12937.51529	30000	0	0	30000	20.5	2004
12.02.2020 07:31:33	1	1	1	1	153.5	40.5	0	18815.166	830.1075269	15538.55353	30000	0	0	30000	20.5625	2004
12.02.2020 07:31:34	1	1	1	1	153.5	40.5	0	19478.673	791.3978495	15415.43228	30000	0	0	30000	20.875	2004
12.02.2020 07:31:35	1	1	1	1	153.5	40.75	0	19004.739	821.5053763	15652.70568	30000	0	0	30000	20.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 07:31:36	1	1	1	1	153.5	40.25	0	18388.626	830.1075269	15185.49724	30000	0	0	30000	20.875	2004
12.02.2020 07:31:37	1	1	1	1	153.5	40.75	0	19383.886	810.7526882	15836.97986	30000	0	0	30000	21.25	2004
12.02.2020 07:31:38	1	1	1	1	153.5	41.25	0	19431.28	808.6021505	15753.81187	30000	0	0	30000	20.5	2004
12.02.2020 07:31:39	1	1	1	1	153.5	40.5	0	20284.36	791.3978495	16015.54644	30000	0	0	30000	20.5625	2004
12.02.2020 07:31:45	1	1	1	1	153.8	42.5	0	21753.555	741.9354839	16139.48305	30000	0	0	30000	20.625	2004
12.02.2020 07:31:45	1	1	1	1	153.8	42.5	0	21753.555	741.9354839	16139.48305	30000	0	0	30000	20.625	2004
12.02.2020 07:31:45	1	1	1	1	153.8	42.5	0	21753.555	741.9354839	16139.48305	30000	0	0	30000	20.625	2004
12.02.2020 07:31:45	1	1	1	1	153.8	42.5	0	21753.555	741.9354839	16139.48305	30000	0	0	30000	20.625	2004
12.02.2020 07:31:45	1	1	1	1	153.8	42.5	0	21753.555	741.9354839	16139.48305	30000	0	0	30000	20.625	2004
12.02.2020 07:31:45	1	1	1	1	153.8	40.5	0	14549.763	939.7849462	13902.10094	30000	0	0	30000	21.375	2004
12.02.2020 07:31:46	1	1	1	1	153.8	41.25	0	20805.687	763.4408602	15883.45609	30000	0	0	30000	20.9375	2004
12.02.2020 07:31:47	1	1	1	1	153.8	40.75	0	21090.047	763.4408602	15929.11695	30000	0	0	30000	21.3125	2004
12.02.2020 07:31:48	1	1	1	1	153.8	41.25	0	19099.526	815.0537634	15685.32058	30000	0	0	30000	21.8125	2004
12.02.2020 07:31:49	1	1	1	1	153.8	41.75	0	21516.588	756.9892473	16066.9149	30000	0	0	30000	20.8125	2004
12.02.2020 07:31:50	1	1	1	1	153.8	40.75	0	20473.934	780.6451613	16063.65341	30000	0	0	30000	20.25	2004
12.02.2020 07:31:51	1	1	1	1	153.8	40.25	0	19668.246	810.7526882	15945.4244	30000	0	0	30000	20.875	2004
12.02.2020 07:31:52	1	1	1	1	153	40.75	0	19383.886	797.8494624	15712.22787	30000	0	0	30000	21.125	2004
12.02.2020 07:31:53	1	1	1	1	153	41	0	12417.062	920.4301075	11472.29092	30000	0	0	30000	21	2004
12.02.2020 07:31:54	1	1	1	1	153	41	0	20236.967	791.3978495	16146.00603	30000	0	0	30000	20.9375	2004
12.02.2020 07:31:55	1	1	1	1	153	40.75	0	16350.711	993.5483871	16374.31033	30000	0	0	30000	20	2004
12.02.2020 07:31:56	1	1	1	1	153	40	0	21279.621	756.9892473	15879.37923	30000	0	0	30000	19.875	2004
12.02.2020 07:31:57	1	1	1	1	153	39.75	0	20947.867	756.9892473	15821.48778	30000	0	0	30000	20.3125	2004
12.02.2020 07:31:58	1	1	1	1	153	40.25	0	20521.327	774.1935484	15931.56307	30000	0	0	30000	21.375	2004
12.02.2020 07:31:59	1	1	1	1	153	41.25	0	18151.659	815.0537634	14794.11845	30000	0	0	30000	20.8125	2004
12.02.2020 07:32:00	1	1	1	1	153	40.75	0	20142.18	808.6021505	16210.42046	30000	0	0	30000	20.875	2004
12.02.2020 07:32:01	1	1	1	1	153	40.75	0	20616.114	778.4946237	16093.82219	30000	0	0	30000	22.3125	2004
12.02.2020 07:32:03	1	1	1	1	154	42.25	0	20379.147	795.6989247	16215.3127	30000	0	0	30000	21.625	2004
12.02.2020 07:32:04	1	1	1	1	154	41.5	0	20853.081	791.3978495	16503.13918	30000	0	0	30000	21.5	2004
12.02.2020 07:32:05	1	1	1	1	154	41.5	0	21516.588	744.0860215	15963.3626	30000	0	0	30000	20.6875	2004
12.02.2020 07:32:06	1	1	1	1	154	40.5	0	21042.654	759.1397849	15973.96244	30000	0	0	30000	22.125	2004
12.02.2020 07:32:07	1	1	1	1	154	42	0	21374.408	756.9892473	15950.31664	30000	0	0	30000	20.5625	2004
12.02.2020 07:32:08	1	1	1	1	154	40.5	0	20853.081	776.344086	16270.75802	30000	0	0	30000	20.25	2004
12.02.2020 07:32:09	1	1	1	1	154	40.25	0	12748.815	935.483871	11871.00807	30000	0	0	30000	20.9375	2004
12.02.2020 07:32:10	1	1	1	1	154	40.75	0	19336.493	819.3548387	15881.82535	30000	0	0	30000	20.5	2004
12.02.2020 07:32:11	1	1	1	1	154	40.5	0	21232.227	741.9354839	15707.33563	30000	0	0	30000	20.375	2004
12.02.2020 07:32:12	1	1	1	1	154	40.25	0	21137.441	756.9892473	16000.86973	30000	0	0	30000	20.375	2004
12.02.2020 07:32:13	1	1	1	1	159.8	40.25	0	21374.408	739.7849462	15858.17955	30000	0	0	30000	21.1875	2004
12.02.2020 07:32:14	1	1	1	1	159.8	41	0	20142.18	793.5483871	16021.25404	30000	0	0	30000	20.25	2004
12.02.2020 07:32:15	1	1	1	1	159.8	40.25	0	20805.687	772.0430108	16062.83804	30000	0	0	30000	20.125	2004
12.02.2020 07:32:16	1	1	1	1	159.8	40	0	20900.474	761.2903226	15875.30237	30000	0	0	30000	20.1875	2004
12.02.2020 07:32:17	1	1	1	1	159.8	40	0	21232.227	756.9892473	16072.62251	30000	0	0	30000	20.125	2004
12.02.2020 07:32:18	1	1	1	1	159.8	40	0	20805.687	769.8924731	16062.83804	30000	0	0	30000	21	2004
12.02.2020 07:32:19	1	1	1	1	159.8	41	0	21137.441	756.9892473	16000.86973	30000	0	0	30000	20.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 07:32:20	1	1	1	1	159.8	40.25	0	20473.934	780.6451613	15982.93154	30000	0	0	30000	21.875	2004
12.02.2020 07:32:21	1	1	1	1	159.8	41.75	0	20142.18	797.8494624	16113.39113	30000	0	0	30000	21	2004
12.02.2020 07:32:22	1	1	1	1	159.8	41	0	21279.621	744.0860215	15833.71837	30000	0	0	30000	20.9375	2004
12.02.2020 07:32:23	1	1	1	1	163	40.75	0	20758.294	776.344086	16151.71364	30000	0	0	30000	22.5625	2004
12.02.2020 07:32:24	1	1	1	1	163	42.5	0	21848.341	739.7849462	16034.3	30000	0	0	30000	22.5	2004
12.02.2020 07:32:25	1	1	1	1	163	42.5	0	20900.474	759.1397849	15956.02424	30000	0	0	30000	20.375	2004
12.02.2020 07:32:26	1	1	1	1	163	41	0	20331.754	787.0967742	16090.5607	30000	0	0	30000	21.1875	2004
12.02.2020 07:32:27	1	1	1	1	163	41	0	20521.327	782.7956989	16063.65341	30000	0	0	30000	20.3125	2004
12.02.2020 07:32:28	1	1	1	1	163	40.25	0	21232.227	759.1397849	16118.28337	30000	0	0	30000	21.625	2004
12.02.2020 07:32:29	1	1	1	1	163	41.5	0	20616.114	763.4408602	15783.16528	30000	0	0	30000	20.75	2004
12.02.2020 07:32:30	1	1	1	1	163	40.75	0	20995.261	763.4408602	16028.5924	30000	0	0	30000	20.25	2004
12.02.2020 07:32:31	1	1	1	1	163	40.25	0	21184.834	756.9892473	16000.86973	30000	0	0	30000	20.75	2004
12.02.2020 07:32:32	1	1	1	1	163.5	40.75	0	21184.834	744.0860215	16072.62251	30000	0	0	30000	20.625	2004
12.02.2020 07:32:33	1	1	1	1	163.5	40.5	0	21090.047	759.1397849	16009.83883	30000	0	0	30000	21.3125	2004
12.02.2020 07:32:34	1	1	1	1	163.5	41.25	0	21184.834	744.0860215	15844.31821	30000	0	0	30000	20.6875	2004
12.02.2020 07:32:35	1	1	1	1	163.5	40.5	0	21943.128	729.0322581	15996.79287	30000	0	0	30000	20.5	2004
12.02.2020 07:32:36	1	1	1	1	163.5	40.5	0	21563.981	741.9354839	16044.89985	30000	0	0	30000	21.8125	2004
12.02.2020 07:32:37	1	1	1	1	163.5	41.75	0	20900.474	767.7419355	16135.40619	30000	0	0	30000	21.25	2004
12.02.2020 07:32:38	1	1	1	1	163.5	41.25	0	21279.621	756.9892473	16108.4989	30000	0	0	30000	21.1875	2004
12.02.2020 07:32:39	1	1	1	1	163.5	41	0	21800.948	735.483871	16115.83725	30000	0	0	30000	21.4375	2004
12.02.2020 07:32:40	1	1	1	1	163.5	41.25	0	22417.062	713.9784946	16004.94659	30000	0	0	30000	20.8125	2004
12.02.2020 07:32:46	1	1	1	1	163.8	41	0	20995.261	759.1397849	15938.08605	30000	0	0	30000	20.75	2004
12.02.2020 07:32:46	1	1	1	1	163.8	41	0	20995.261	759.1397849	15938.08605	30000	0	0	30000	20.75	2004
12.02.2020 07:32:46	1	1	1	1	163.8	41	0	20995.261	759.1397849	15938.08605	30000	0	0	30000	20.75	2004
12.02.2020 07:32:46	1	1	1	1	163.8	41	0	20995.261	759.1397849	15938.08605	30000	0	0	30000	20.75	2004
12.02.2020 07:32:46	1	1	1	1	163.8	41	0	20995.261	759.1397849	15938.08605	30000	0	0	30000	20.75	2004
12.02.2020 07:32:47	1	1	1	1	163.8	40.75	0	21516.588	744.0860215	16323.75724	30000	0	0	30000	21.125	2004
12.02.2020 07:32:48	1	1	1	1	163.8	41	0	21374.408	756.9892473	16180.25168	30000	0	0	30000	20.1875	2004
12.02.2020 07:32:49	1	1	1	1	163.8	40	0	21232.227	767.7419355	16091.37608	30000	0	0	30000	21.4375	2004
12.02.2020 07:32:50	1	1	1	1	163.8	41.25	0	21563.981	756.9892473	16091.37608	30000	0	0	30000	21.5625	2004
12.02.2020 07:32:51	1	1	1	1	163.8	41.5	0	21943.128	724.7311828	15808.44182	30000	0	0	30000	21.6875	2004
12.02.2020 07:32:52	1	1	1	1	163.8	41.5	0	22417.062	711.827957	16039.19224	30000	0	0	30000	21.25	2004
12.02.2020 07:32:53	1	1	1	1	163.3	41.25	0	22890.995	701.0752688	15900.57891	30000	0	0	30000	21.125	2004
12.02.2020 07:32:54	1	1	1	1	163.3	41	0	21563.981	744.0860215	15998.42361	30000	0	0	30000	20.5	2004
12.02.2020 07:32:55	1	1	1	1	163.3	40.5	0	21848.341	735.483871	16115.83725	30000	0	0	30000	21	2004
12.02.2020 07:32:56	1	1	1	1	163.3	41	0	22132.701	731.1827957	16135.40619	30000	0	0	30000	20.875	2004
12.02.2020 07:32:57	1	1	1	1	163.3	40.75	0	21943.128	726.8817204	15902.20966	30000	0	0	30000	20.5	2004
12.02.2020 07:32:58	1	1	1	1	163.3	40.5	0	21563.981	739.7849462	15906.28652	30000	0	0	30000	21.0625	2004
12.02.2020 07:32:59	1	1	1	1	163.3	41	0	21943.128	729.0322581	15996.79287	30000	0	0	30000	20.5625	2004
12.02.2020 07:33:00	1	1	1	1	163.3	40.5	0	22417.062	713.9784946	16004.94659	30000	0	0	30000	21	2004
12.02.2020 07:33:01	1	1	1	1	163.3	41	0	23459.716	688.172043	15576.06066	30000	0	0	30000	21.3125	2004
12.02.2020 07:33:02	1	1	1	1	163.3	41.25	0	23033.175	692.4731183	15899.76354	30000	0	0	30000	21.8125	2004
12.02.2020 07:33:03	1	1	1	1	162.8	41.75	0	23222.749	688.172043	15699.18191	30000	0	0	30000	21.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 07:33:04	1	1	1	1	162.8	41.5	0	23033.175	694.6236559	15965.80871	30000	0	0	30000	22.3125	2004
12.02.2020 07:33:05	1	1	1	1	162.8	40.5	0	23649.289	688.172043	16020.43867	30000	0	0	30000	21.625	2004
12.02.2020 07:33:06	1	1	1	1	162.8	41.5	0	23459.716	675.2688172	15758.7041	30000	0	0	30000	20.8125	2004
12.02.2020 07:33:07	1	1	1	1	162.8	40.75	0	23507.109	688.172043	15974.77781	30000	0	0	30000	22	2004
12.02.2020 07:33:08	1	1	1	1	162.8	42	0	24075.829	662.3655914	16030.22314	30000	0	0	30000	20.8125	2004
12.02.2020 07:33:09	1	1	1	1	162.8	40.75	0	24123.223	662.3655914	16249.55834	30000	0	0	30000	20.75	2004
12.02.2020 07:33:10	1	1	1	1	162.8	40.75	0	23838.863	670.9677419	15995.16212	30000	0	0	30000	21.3125	2004
12.02.2020 07:33:11	1	1	1	1	162.8	41.25	0	24407.583	662.3655914	15832.903	30000	0	0	30000	21.875	2004
12.02.2020 07:33:12	1	1	1	1	161.3	41.75	0	24597.156	653.7634409	15921.7786	30000	0	0	30000	20.875	2004
12.02.2020 07:33:13	1	1	1	1	161.3	40.75	0	24407.583	653.7634409	16009.02346	30000	0	0	30000	21.25	2004
12.02.2020 07:33:14	1	1	1	1	161.3	41.25	0	24786.73	645.1612903	16013.91569	30000	0	0	30000	21.9375	2004
12.02.2020 07:33:15	1	1	1	1	161.3	41.75	0	24502.37	653.7634409	16018.80793	30000	0	0	30000	20.25	2004
12.02.2020 07:33:16	1	1	1	1	161.3	40.25	0	24691.943	647.311828	16142.74454	30000	0	0	30000	21.4375	2004
12.02.2020 07:33:17	1	1	1	1	161.3	41.25	0	24976.303	643.0107527	16059.57655	30000	0	0	30000	21.8125	2004
12.02.2020 07:33:18	1	1	1	1	161.3	41.75	0	24976.303	638.7096774	15898.94817	30000	0	0	30000	21.6875	2004
12.02.2020 07:33:19	1	1	1	1	161.3	41.5	0	24739.336	645.1612903	15876.93311	30000	0	0	30000	21.6875	2004
12.02.2020 07:33:21	1	1	1	1	161.3	41.5	0	25071.09	645.1612903	16174.54407	30000	0	0	30000	21.0625	2004
12.02.2020 07:33:22	1	1	1	1	161.3	41	0	24691.943	653.7634409	15982.93154	30000	0	0	30000	21.625	2004
12.02.2020 07:33:23	1	1	1	1	160.3	41.5	0	24218.009	664.516129	16093.00682	30000	0	0	30000	22.125	2004
12.02.2020 07:33:24	1	1	1	1	160.3	42	0	24312.796	653.7634409	15832.903	30000	0	0	30000	21.0625	2004
12.02.2020 07:33:25	1	1	1	1	160.3	41	0	24786.73	645.1612903	16044.08447	30000	0	0	30000	20.6875	2004
12.02.2020 07:33:26	1	1	1	1	160.3	40.5	0	24123.223	662.3655914	15760.33485	30000	0	0	30000	20.75	2004
12.02.2020 07:33:27	1	1	1	1	160.3	40.75	0	24407.583	658.0645161	16009.02346	30000	0	0	30000	21.125	2004
12.02.2020 07:33:28	1	1	1	1	160.3	41	0	23838.863	688.172043	16045.71522	30000	0	0	30000	20.5	2004
12.02.2020 07:33:29	1	1	1	1	160.3	40.5	0	23886.256	673.1182796	15995.16212	30000	0	0	30000	21.625	2004
12.02.2020 07:33:30	1	1	1	1	160.3	41.5	0	23459.716	675.2688172	15891.60982	30000	0	0	30000	21.625	2004
12.02.2020 07:33:31	1	1	1	1	160.3	41.5	0	24123.223	664.516129	16081.59161	30000	0	0	30000	21.0625	2004
12.02.2020 07:33:32	1	1	1	1	160.3	41	0	24312.796	655.9139785	15947.05515	30000	0	0	30000	21.1875	2004
12.02.2020 07:33:33	1	1	1	1	159.3	41	0	24218.009	655.9139785	16051.42282	30000	0	0	30000	22.3125	2004
12.02.2020 07:33:34	1	1	1	1	159.3	42.25	0	24028.436	660.2150538	15978.0393	30000	0	0	30000	20.5	2004
12.02.2020 07:33:35	1	1	1	1	159.3	40.5	0	23744.076	670.9677419	15931.56307	30000	0	0	30000	20.875	2004
12.02.2020 07:33:36	1	1	1	1	159.3	40.75	0	23791.469	673.1182796	16013.91569	30000	0	0	30000	21.6875	2004
12.02.2020 07:33:37	1	1	1	1	159.3	41.5	0	24360.19	653.7634409	15925.85546	30000	0	0	30000	22.1875	2004
12.02.2020 07:33:38	1	1	1	1	159.3	42	0	23838.863	673.1182796	16097.08368	30000	0	0	30000	21.25	2004
12.02.2020 07:33:39	1	1	1	1	159.3	41.25	0	23412.322	688.172043	16111.76039	30000	0	0	30000	20.625	2004
12.02.2020 07:33:40	1	1	1	1	159.3	40.5	0	23791.469	675.2688172	16097.08368	30000	0	0	30000	20.875	2004
12.02.2020 07:33:41	1	1	1	1	159.3	40.75	0	22890.995	703.2258065	16097.08368	30000	0	0	30000	21.875	2004
12.02.2020 07:33:42	1	1	1	1	159.3	41.75	0	23270.142	675.2688172	15713.04324	30000	0	0	30000	21.9375	2004
12.02.2020 07:33:48	1	1	1	1	160.3	41.5	0	22985.782	696.7741935	15965.80871	30000	0	0	30000	21.125	2004
12.02.2020 07:33:48	1	1	1	1	160.3	41.5	0	22985.782	696.7741935	15965.80871	30000	0	0	30000	21.125	2004
12.02.2020 07:33:48	1	1	1	1	160.3	41.5	0	22985.782	696.7741935	15965.80871	30000	0	0	30000	21.125	2004
12.02.2020 07:33:48	1	1	1	1	160.3	41.5	0	22985.782	696.7741935	15965.80871	30000	0	0	30000	21.125	2004
12.02.2020 07:33:48	1	1	1	1	160.3	41.5	0	22985.782	696.7741935	15965.80871	30000	0	0	30000	21.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 07:33:48	1	1	1	1	160.3	41	0	21943.128	720.4301075	15808.44182	30000	0	0	30000	20.4375	2004
12.02.2020 07:33:49	1	1	1	1	160.3	40.25	0	21943.128	735.483871	16091.37608	30000	0	0	30000	20.5	2004
12.02.2020 07:33:50	1	1	1	1	160.3	40.5	0	22511.848	713.9784946	15975.59318	30000	0	0	30000	20.875	2004
12.02.2020 07:33:51	1	1	1	1	160.3	40.75	0	21943.128	729.0322581	15996.79287	30000	0	0	30000	21.75	2004
12.02.2020 07:33:52	1	1	1	1	160	41.75	0	22417.062	709.6774194	15956.83962	30000	0	0	30000	20.375	2004
12.02.2020 07:33:53	1	1	1	1	160	40.25	0	22559.242	707.5268817	15863.88715	30000	0	0	30000	20.1875	2004
12.02.2020 07:33:54	1	1	1	1	160	40	0	22748.815	701.0752688	15997.60824	30000	0	0	30000	21.3125	2004
12.02.2020 07:33:55	1	1	1	1	160	41.25	0	22511.848	709.6774194	15797.02661	30000	0	0	30000	21.125	2004
12.02.2020 07:33:56	1	1	1	1	160	41	0	21943.128	729.0322581	15996.79287	30000	0	0	30000	21	2004
12.02.2020 07:33:58	1	1	1	1	160	41	0	21800.948	731.1827957	16080.77623	30000	0	0	30000	21.8125	2004
12.02.2020 07:33:59	1	1	1	1	160	41.75	0	21374.408	741.9354839	15858.17955	30000	0	0	30000	21.8125	2004
12.02.2020 07:34:00	1	1	1	1	160	41.75	0	21800.948	739.7849462	16128.06784	30000	0	0	30000	20.8125	2004
12.02.2020 07:34:01	1	1	1	1	160	40.75	0	22748.815	707.5268817	15997.60824	30000	0	0	30000	21	2004
12.02.2020 07:34:02	1	1	1	1	160	41	0	22796.209	701.0752688	15981.30079	30000	0	0	30000	20.4375	2004
12.02.2020 07:34:03	1	1	1	1	160.5	40.25	0	22274.882	720.4301075	16047.34596	30000	0	0	30000	20.75	2004
12.02.2020 07:34:04	1	1	1	1	160.5	40.75	0	22511.848	707.5268817	16024.51553	30000	0	0	30000	20.6875	2004
12.02.2020 07:34:05	1	1	1	1	160.5	40.5	0	22748.815	709.6774194	16193.29764	30000	0	0	30000	20.8125	2004
12.02.2020 07:34:06	1	1	1	1	160.5	40.75	0	22606.635	713.9784946	16009.83883	30000	0	0	30000	21.1875	2004
12.02.2020 07:34:07	1	1	1	1	160.5	41	0	21800.948	735.483871	16034.3	30000	0	0	30000	20.375	2004
12.02.2020 07:34:08	1	1	1	1	160.5	40.25	0	21943.128	735.483871	16138.66768	30000	0	0	30000	21.0625	2004
12.02.2020 07:34:09	1	1	1	1	160.5	41	0	21943.128	731.1827957	16044.08447	30000	0	0	30000	21.0625	2004
12.02.2020 07:34:10	1	1	1	1	160.5	41	0	22132.701	724.7311828	16040.00761	30000	0	0	30000	21.75	2004
12.02.2020 07:34:11	1	1	1	1	160.5	41.75	0	22511.848	718.2795699	16039.19224	30000	0	0	30000	21.4375	2004
12.02.2020 07:34:12	1	1	1	1	160.5	41.25	0	22511.848	711.827957	16024.51553	30000	0	0	30000	21.125	2004
12.02.2020 07:34:13	1	1	1	1	161.3	41	0	22748.815	701.0752688	15948.68589	30000	0	0	30000	20.625	2004
12.02.2020 07:34:14	1	1	1	1	161.3	40.5	0	22227.488	720.4301075	16013.10032	30000	0	0	30000	21.75	2004
12.02.2020 07:34:15	1	1	1	1	161.3	41.75	0	22274.882	720.4301075	16047.34596	30000	0	0	30000	20.8125	2004
12.02.2020 07:34:16	1	1	1	1	161.3	40.75	0	23080.569	692.4731183	16031.85389	30000	0	0	30000	21.5	2004
12.02.2020 07:34:17	1	1	1	1	161.3	41.5	0	23175.355	690.3225806	15998.42361	30000	0	0	30000	20.875	2004
12.02.2020 07:34:18	1	1	1	1	161.3	40.75	0	23364.929	677.4193548	15827.19539	30000	0	0	30000	20.75	2004
12.02.2020 07:34:19	1	1	1	1	161.3	40.75	0	23649.289	688.172043	16274.83489	30000	0	0	30000	22.5	2004
12.02.2020 07:34:20	1	1	1	1	161.3	42.5	0	22748.815	701.0752688	15948.68589	30000	0	0	30000	23.4375	2004
12.02.2020 07:34:21	1	1	1	1	161.3	40.75	0	23364.929	675.2688172	15645.36733	30000	0	0	30000	21.5	2004
12.02.2020 07:34:22	1	1	1	1	161.3	41.5	0	23838.863	670.9677419	15995.16212	30000	0	0	30000	20.625	2004
12.02.2020 07:34:23	1	1	1	1	161.3	40.5	0	22748.815	696.7741935	15899.76354	30000	0	0	30000	22.1875	2004
12.02.2020 07:34:24	1	1	1	1	161.3	42	0	22985.782	694.6236559	15965.80871	30000	0	0	30000	21.25	2004
12.02.2020 07:34:25	1	1	1	1	161.3	41.25	0	23175.355	688.172043	15599.70647	30000	0	0	30000	21.3125	2004
12.02.2020 07:34:26	1	1	1	1	161.3	41.25	0	23270.142	688.172043	16013.91569	30000	0	0	30000	20.6875	2004
12.02.2020 07:34:27	1	1	1	1	161.3	40.5	0	24360.19	658.0645161	15999.23899	30000	0	0	30000	21.5	2004
12.02.2020 07:34:28	1	1	1	1	161.3	41.5	0	23222.749	675.2688172	16013.91569	30000	0	0	30000	20.875	2004
12.02.2020 07:34:29	1	1	1	1	161.3	40.75	0	23933.649	670.9677419	16058.76118	30000	0	0	30000	21.1875	2004
12.02.2020 07:34:30	1	1	1	1	161.3	41	0	23744.076	670.9677419	15931.56307	30000	0	0	30000	21.375	2004
12.02.2020 07:34:31	1	1	1	1	161.3	41.25	0	23981.043	670.9677419	16058.76118	30000	0	0	30000	20.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 07:34:32	1	1	1	1	160	40.75	0	23033.175	690.3225806	15932.37844	30000	0	0	30000	21.1875	2004
12.02.2020 07:34:33	1	1	1	1	160	41	0	23554.502	688.172043	15956.02424	30000	0	0	30000	22.375	2004
12.02.2020 07:34:34	1	1	1	1	160	42.25	0	23554.502	670.9677419	16020.43867	30000	0	0	30000	21.125	2004
12.02.2020 07:34:35	1	1	1	1	160	41	0	23649.289	688.172043	16070.99176	30000	0	0	30000	21.3125	2004
12.02.2020 07:34:36	1	1	1	1	160	41.25	0	22985.782	694.6236559	15999.23899	30000	0	0	30000	21.75	2004
12.02.2020 07:34:37	1	1	1	1	160	41.75	0	22796.209	703.2258065	16030.22314	30000	0	0	30000	21.5	2004
12.02.2020 07:34:39	1	1	1	1	160	41.5	0	22748.815	694.6236559	15997.60824	30000	0	0	30000	21.75	2004
12.02.2020 07:34:40	1	1	1	1	160	41.75	0	22464.455	713.9784946	16004.94659	30000	0	0	30000	22.0625	2004
12.02.2020 07:34:41	1	1	1	1	160	42	0	22274.882	718.2795699	15964.99334	30000	0	0	30000	21.5625	2004
12.02.2020 07:34:42	1	1	1	1	160	41.5	0	23033.175	694.6236559	16031.85389	30000	0	0	30000	21.625	2004
12.02.2020 07:34:43	1	1	1	1	159.5	41.5	0	23222.749	692.4731183	16031.03851	30000	0	0	30000	22.0625	2004
12.02.2020 07:34:44	1	1	1	1	159.5	42	0	22748.815	703.2258065	15997.60824	30000	0	0	30000	21.8125	2004
12.02.2020 07:34:50	1	1	1	1	159.5	40.5	0	22748.815	701.0752688	16030.22314	30000	0	0	30000	21.5	2004
12.02.2020 07:34:50	1	1	1	1	159.5	40.5	0	22748.815	701.0752688	16030.22314	30000	0	0	30000	21.5	2004
12.02.2020 07:34:50	1	1	1	1	159.5	40.5	0	22748.815	701.0752688	16030.22314	30000	0	0	30000	21.5	2004
12.02.2020 07:34:50	1	1	1	1	159.5	40.5	0	22748.815	701.0752688	16030.22314	30000	0	0	30000	21.5	2004
12.02.2020 07:34:50	1	1	1	1	159.5	40.5	0	22748.815	701.0752688	16030.22314	30000	0	0	30000	21.5	2004
12.02.2020 07:34:50	1	1	1	1	159.5	40.5	0	22748.815	701.0752688	16030.22314	30000	0	0	30000	21.5	2004
12.02.2020 07:34:51	1	1	1	1	159.5	41.5	0	23175.355	677.4193548	15981.30079	30000	0	0	30000	22.5625	2004
12.02.2020 07:34:52	1	1	1	1	159.5	42.5	0	22227.488	718.2795699	16047.34596	30000	0	0	30000	21.3125	2004
12.02.2020 07:34:53	1	1	1	1	160	41.25	0	22890.995	698.9247312	15769.30394	30000	0	0	30000	21.5625	2004
12.02.2020 07:34:54	1	1	1	1	160	41.5	0	22748.815	703.2258065	15997.60824	30000	0	0	30000	20.6875	2004
12.02.2020 07:34:55	1	1	1	1	160	40.5	0	22748.815	701.0752688	16030.22314	30000	0	0	30000	21.375	2004
12.02.2020 07:34:56	1	1	1	1	160	41.25	0	22417.062	709.6774194	16004.94659	30000	0	0	30000	21.6875	2004
12.02.2020 07:34:57	1	1	1	1	160	41.5	0	22748.815	703.2258065	16030.22314	30000	0	0	30000	20.6875	2004
12.02.2020 07:34:58	1	1	1	1	160	40.5	0	21943.128	726.8817204	15996.79287	30000	0	0	30000	23.875	2004
12.02.2020 07:34:59	1	1	1	1	160	43.75	0	22890.995	701.0752688	15867.14864	30000	0	0	30000	22.0625	2004
12.02.2020 07:35:00	1	1	1	1	160	42	0	22417.062	711.827957	15956.83962	30000	0	0	30000	21.1875	2004
12.02.2020 07:35:01	1	1	1	1	160	41	0	22511.848	709.6774194	16024.51553	30000	0	0	30000	21.625	2004
12.02.2020 07:35:02	1	1	1	1	160.5	41.75	0	22985.782	698.9247312	16065.28416	30000	0	0	30000	21.8125	2004
12.02.2020 07:35:03	1	1	1	1	160.5	41.75	0	23222.749	690.3225806	15948.68589	30000	0	0	30000	21.6875	2004
12.02.2020 07:35:04	1	1	1	1	160.5	41.5	0	22132.701	720.4301075	16013.10032	30000	0	0	30000	20.9375	2004
12.02.2020 07:35:05	1	1	1	1	160.5	40.75	0	22511.848	709.6774194	15927.48621	30000	0	0	30000	22.1875	2004
12.02.2020 07:35:06	1	1	1	1	160.5	42	0	23033.175	696.7741935	16097.89906	30000	0	0	30000	21.9375	2004
12.02.2020 07:35:07	1	1	1	1	160.5	41.75	0	22748.815	703.2258065	16030.22314	30000	0	0	30000	20.875	2004
12.02.2020 07:35:08	1	1	1	1	160.5	40.75	0	22748.815	703.2258065	15997.60824	30000	0	0	30000	21.8125	2004
12.02.2020 07:35:09	1	1	1	1	160.5	41.75	0	22369.668	713.9784946	16019.6233	30000	0	0	30000	21.875	2004
12.02.2020 07:35:10	1	1	1	1	160.5	41.75	0	22227.488	718.2795699	15917.70174	30000	0	0	30000	22.625	2004
12.02.2020 07:35:11	1	1	1	1	160.5	42.5	0	22417.062	713.9784946	15860.62566	30000	0	0	30000	22.9375	2004
12.02.2020 07:35:12	1	1	1	1	160.8	42.75	0	22274.882	713.9784946	15903.8404	30000	0	0	30000	22.875	2004
12.02.2020 07:35:13	1	1	1	1	160.8	42.75	0	22274.882	716.1290323	15951.13201	30000	0	0	30000	21.75	2004
12.02.2020 07:35:14	1	1	1	1	160.8	41.75	0	21943.128	729.0322581	16044.08447	30000	0	0	30000	21	2004
12.02.2020 07:35:15	1	1	1	1	160.8	41	0	21279.621	756.9892473	15879.37923	30000	0	0	30000	20.875	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 07:35:16	1	1	1	1	160.8	40.75	0	21232.227	756.9892473	16072.62251	30000	0	0	30000	21.0625	2004
12.02.2020 07:35:18	1	1	1	1	160.8	41	0	22369.668	718.2795699	16033.48463	30000	0	0	30000	21.75	2004
12.02.2020 07:35:19	1	1	1	1	160.8	41.75	0	21374.408	756.9892473	15950.31664	30000	0	0	30000	20.9375	2004
12.02.2020 07:35:20	1	1	1	1	160.8	40.75	0	21800.948	739.7849462	16174.54407	30000	0	0	30000	22.0625	2004
12.02.2020 07:35:21	1	1	1	1	160.8	42	0	21374.408	756.9892473	15950.31664	30000	0	0	30000	21.5625	2004
12.02.2020 07:35:22	1	1	1	1	160.8	41.5	0	21943.128	729.0322581	16091.37608	30000	0	0	30000	21.625	2004
12.02.2020 07:35:23	1	1	1	1	160.8	41.5	0	22132.701	724.7311828	16135.40619	30000	0	0	30000	21.75	2004
12.02.2020 07:35:24	1	1	1	1	160.8	41.75	0	21232.227	756.9892473	16072.62251	30000	0	0	30000	22.125	2004
12.02.2020 07:35:25	1	1	1	1	160.8	42	0	21563.981	756.9892473	16323.75724	30000	0	0	30000	22.6875	2004
12.02.2020 07:35:26	1	1	1	1	160.8	42.5	0	21943.128	726.8817204	15902.20966	30000	0	0	30000	22.1875	2004
12.02.2020 07:35:27	1	1	1	1	160.8	42	0	21800.948	729.0322581	15940.53217	30000	0	0	30000	23	2004
12.02.2020 07:35:28	1	1	1	1	160.8	43	0	21943.128	724.7311828	15902.20966	30000	0	0	30000	20.9375	2004
12.02.2020 07:35:29	1	1	1	1	160.8	40.75	0	22227.488	724.7311828	16013.10032	30000	0	0	30000	20.625	2004
12.02.2020 07:35:30	1	1	1	1	160.8	40.5	0	22417.062	713.9784946	15990.26989	30000	0	0	30000	22.25	2004
12.02.2020 07:35:31	1	1	1	1	160.8	42.25	0	22227.488	716.1290323	15964.99334	30000	0	0	30000	22	2004
12.02.2020 07:35:32	1	1	1	1	160.8	42	0	22369.668	713.9784946	16019.6233	30000	0	0	30000	20.9375	2004
12.02.2020 07:35:33	1	1	1	1	161.3	40.75	0	22748.815	703.2258065	15997.60824	30000	0	0	30000	22.25	2004
12.02.2020 07:35:34	1	1	1	1	161.3	42.25	0	22132.701	729.0322581	16135.40619	30000	0	0	30000	22.0625	2004
12.02.2020 07:35:35	1	1	1	1	161.3	42	0	21137.441	756.9892473	16072.62251	30000	0	0	30000	21.75	2004
12.02.2020 07:35:36	1	1	1	1	161.3	41.75	0	21563.981	739.7849462	15998.42361	30000	0	0	30000	22.5625	2004
12.02.2020 07:35:37	1	1	1	1	161.3	42.5	0	21516.588	739.7849462	15882.64072	30000	0	0	30000	21.25	2004
12.02.2020 07:35:38	1	1	1	1	161.3	41.25	0	21753.555	733.3333333	15999.23899	30000	0	0	30000	21.625	2004
12.02.2020 07:35:39	1	1	1	1	161.3	41.5	0	22417.062	720.4301075	15971.51632	30000	0	0	30000	22.25	2004
12.02.2020 07:35:40	1	1	1	1	161.3	42.25	0	21943.128	726.8817204	15949.50126	30000	0	0	30000	21.4375	2004
12.02.2020 07:35:41	1	1	1	1	161.3	41.25	0	22227.488	720.4301075	16108.4989	30000	0	0	30000	22.5	2004
12.02.2020 07:35:42	1	1	1	1	161.3	42.5	0	21943.128	739.7849462	15996.79287	30000	0	0	30000	21.8125	2004
12.02.2020 07:35:43	1	1	1	1	162.3	41.5	0	22890.995	701.0752688	16048.16134	30000	0	0	30000	22	2004
12.02.2020 07:35:44	1	1	1	1	162.3	42	0	22227.488	720.4301075	16013.10032	30000	0	0	30000	21.625	2004
12.02.2020 07:35:45	1	1	1	1	162.3	41.5	0	22132.701	718.2795699	16013.10032	30000	0	0	30000	23	2004
12.02.2020 07:35:51	1	1	1	1	162.3	41.5	0	22559.242	709.6774194	16091.37608	30000	0	0	30000	21.5	2004
12.02.2020 07:35:51	1	1	1	1	162.3	41.5	0	22559.242	709.6774194	16091.37608	30000	0	0	30000	21.5	2004
12.02.2020 07:35:51	1	1	1	1	162.3	41.5	0	22559.242	709.6774194	16091.37608	30000	0	0	30000	21.5	2004
12.02.2020 07:35:51	1	1	1	1	162.3	41.5	0	22559.242	709.6774194	16091.37608	30000	0	0	30000	21.5	2004
12.02.2020 07:35:51	1	1	1	1	162.3	41.5	0	22559.242	709.6774194	16091.37608	30000	0	0	30000	21.5	2004
12.02.2020 07:35:51	1	1	1	1	162.3	41.5	0	22511.848	713.9784946	16072.62251	30000	0	0	30000	22.75	2004
12.02.2020 07:35:52	1	1	1	1	161.3	42.75	0	21943.128	729.0322581	16138.66768	30000	0	0	30000	21.6875	2004
12.02.2020 07:35:53	1	1	1	1	161.3	41.5	0	22985.782	694.6236559	15965.80871	30000	0	0	30000	22.1875	2004
12.02.2020 07:35:54	1	1	1	1	161.3	42	0	23317.536	694.6236559	16013.91569	30000	0	0	30000	21.875	2004
12.02.2020 07:35:55	1	1	1	1	161.3	41.75	0	22369.668	713.9784946	16053.05357	30000	0	0	30000	21.4375	2004
12.02.2020 07:35:56	1	1	1	1	161.3	41.25	0	22417.062	716.1290323	16004.94659	30000	0	0	30000	22.375	2004
12.02.2020 07:35:58	1	1	1	1	161.3	42.25	0	23554.502	673.1182796	15639.65972	30000	0	0	30000	23.125	2004
12.02.2020 07:35:59	1	1	1	1	161.3	43	0	23838.863	670.9677419	15995.16212	30000	0	0	30000	22.75	2004
12.02.2020 07:36:00	1	1	1	1	161.3	42.75	0	23080.569	694.6236559	16031.85389	30000	0	0	30000	22.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 07:36:01	1	1	1	1	161.3	42	0	22559.242	703.2258065	15994.34675	30000	0	0	30000	22.25	2004
12.02.2020 07:36:02	1	1	1	1	161.3	42.25	0	23080.569	688.172043	15998.42361	30000	0	0	30000	21.5	2004
12.02.2020 07:36:03	1	1	1	1	161.8	41.5	0	22606.635	703.2258065	16095.45294	30000	0	0	30000	22.4375	2004
12.02.2020 07:36:04	1	1	1	1	161.8	42.25	0	22890.995	696.7741935	15998.42361	30000	0	0	30000	21.75	2004
12.02.2020 07:36:05	1	1	1	1	161.8	41.75	0	23364.929	675.2688172	15745.65814	30000	0	0	30000	21.0625	2004
12.02.2020 07:36:06	1	1	1	1	161.8	41	0	22796.209	694.6236559	16048.16134	30000	0	0	30000	22.0625	2004
12.02.2020 07:36:07	1	1	1	1	161.8	42	0	22985.782	703.2258065	16163.94423	30000	0	0	30000	22.5625	2004
12.02.2020 07:36:08	1	1	1	1	161.8	42.5	0	22748.815	707.5268817	16095.45294	30000	0	0	30000	22.1875	2004
12.02.2020 07:36:09	1	1	1	1	161.8	42	0	23601.896	688.172043	15905.47115	30000	0	0	30000	23.25	2004
12.02.2020 07:36:10	1	1	1	1	161.8	43.25	0	23080.569	690.3225806	15932.37844	30000	0	0	30000	21.5	2004
12.02.2020 07:36:11	1	1	1	1	161.8	41.5	0	22748.815	703.2258065	15997.60824	30000	0	0	30000	22.4375	2004
12.02.2020 07:36:12	1	1	1	1	161.8	42.25	0	22890.995	701.0752688	16097.08368	30000	0	0	30000	22.375	2004
12.02.2020 07:36:13	1	1	1	1	161.3	42.25	0	23080.569	690.3225806	15932.37844	30000	0	0	30000	23	2004
12.02.2020 07:36:14	1	1	1	1	161.3	43	0	22748.815	701.0752688	15899.76354	30000	0	0	30000	22.9375	2004
12.02.2020 07:36:15	1	1	1	1	161.3	42.75	0	23270.142	690.3225806	16063.65341	30000	0	0	30000	23.25	2004
12.02.2020 07:36:16	1	1	1	1	161.3	43.25	0	23033.175	692.4731183	15999.23899	30000	0	0	30000	22	2004
12.02.2020 07:36:17	1	1	1	1	161.3	42	0	23459.716	688.172043	15873.67162	30000	0	0	30000	22.875	2004
12.02.2020 07:36:18	1	1	1	1	161.3	42.75	0	23649.289	675.2688172	15918.51711	30000	0	0	30000	22.6875	2004
12.02.2020 07:36:19	1	1	1	1	161.3	42.5	0	23554.502	675.2688172	15740.76591	30000	0	0	30000	21.5	2004
12.02.2020 07:36:20	1	1	1	1	161.3	41.5	0	23270.142	688.172043	16013.91569	30000	0	0	30000	23.3125	2004
12.02.2020 07:36:21	1	1	1	1	161.3	42.75	0	22796.209	703.2258065	16030.22314	30000	0	0	30000	21.5	2004
12.02.2020 07:36:22	1	1	1	1	161	41.5	0	23033.175	690.3225806	15932.37844	30000	0	0	30000	21.375	2004
12.02.2020 07:36:23	1	1	1	1	161	41.25	0	22985.782	694.6236559	15998.42361	30000	0	0	30000	21.1875	2004
12.02.2020 07:36:24	1	1	1	1	161	41	0	23649.289	675.2688172	16020.43867	30000	0	0	30000	21.5625	2004
12.02.2020 07:36:25	1	1	1	1	161	41.5	0	23080.569	694.6236559	16031.85389	30000	0	0	30000	21.0625	2004
12.02.2020 07:36:26	1	1	1	1	161	41	0	23317.536	688.172043	16111.76039	30000	0	0	30000	21.5	2004
12.02.2020 07:36:27	1	1	1	1	161	41.5	0	23317.536	688.172043	16046.53059	30000	0	0	30000	22	2004
12.02.2020 07:36:28	1	1	1	1	161	42	0	23696.682	670.9677419	15982.11616	30000	0	0	30000	21.9375	2004
12.02.2020 07:36:29	1	1	1	1	161	41.75	0	23080.569	701.0752688	16181.06705	30000	0	0	30000	23.125	2004
12.02.2020 07:36:30	1	1	1	1	161	43	0	23554.502	670.9677419	15854.91806	30000	0	0	30000	23.0625	2004
12.02.2020 07:36:31	1	1	1	1	161	43	0	23791.469	664.516129	16045.71522	30000	0	0	30000	23	2004
12.02.2020 07:36:32	1	1	1	1	160.3	43	0	23317.536	688.172043	15663.30552	30000	0	0	30000	22.75	2004
12.02.2020 07:36:33	1	1	1	1	160.3	42.75	0	23791.469	677.4193548	16340.06469	30000	0	0	30000	21.75	2004
12.02.2020 07:36:34	1	1	1	1	160.3	41.75	0	23933.649	666.6666667	15955.20887	30000	0	0	30000	22.5	2004
12.02.2020 07:36:36	1	1	1	1	160.3	42.5	0	23838.863	675.2688172	16405.29449	30000	0	0	30000	21.1875	2004
12.02.2020 07:36:37	1	1	1	1	160.3	41	0	24028.436	660.2150538	15863.88715	30000	0	0	30000	22.75	2004
12.02.2020 07:36:38	1	1	1	1	160.3	42.75	0	23649.289	677.4193548	16020.43867	30000	0	0	30000	23.1875	2004
12.02.2020 07:36:39	1	1	1	1	160.3	43	0	24028.436	666.6666667	15966.62409	30000	0	0	30000	22.5625	2004
12.02.2020 07:36:40	1	1	1	1	160.3	42.5	0	23886.256	673.1182796	16212.86658	30000	0	0	30000	21.625	2004
12.02.2020 07:36:41	1	1	1	1	160.3	41.5	0	24075.829	670.9677419	15915.25562	30000	0	0	30000	21.75	2004
12.02.2020 07:36:42	1	1	1	1	160.3	41.75	0	23838.863	666.6666667	15892.42519	30000	0	0	30000	22	2004
12.02.2020 07:36:43	1	1	1	1	159.8	42	0	23649.289	675.2688172	16020.43867	30000	0	0	30000	21.9375	2004
12.02.2020 07:36:44	1	1	1	1	159.8	41.75	0	24075.829	662.3655914	16030.22314	30000	0	0	30000	21.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 07:36:45	1	1	1	1	159.8	41.5	0	23554.502	673.1182796	15854.91806	30000	0	0	30000	21.9375	2004
12.02.2020 07:36:46	1	1	1	1	159.8	41.75	0	23886.256	670.9677419	16058.76118	30000	0	0	30000	21.75	2004
12.02.2020 07:36:47	1	1	1	1	159.8	41.75	0	24075.829	664.516129	16030.22314	30000	0	0	30000	22.9375	2004
12.02.2020 07:36:53	1	1	1	1	159	42	0	24218.009	660.2150538	15988.63914	30000	0	0	30000	22.125	2004
12.02.2020 07:36:53	1	1	1	1	159	42	0	24218.009	660.2150538	15988.63914	30000	0	0	30000	22.125	2004
12.02.2020 07:36:53	1	1	1	1	159	42	0	24218.009	660.2150538	15988.63914	30000	0	0	30000	22.125	2004
12.02.2020 07:36:53	1	1	1	1	159	42	0	24218.009	660.2150538	15988.63914	30000	0	0	30000	22.125	2004
12.02.2020 07:36:53	1	1	1	1	159	42	0	24218.009	660.2150538	15988.63914	30000	0	0	30000	22.125	2004
12.02.2020 07:36:53	1	1	1	1	159	42	0	24218.009	660.2150538	15988.63914	30000	0	0	30000	22.125	2004
12.02.2020 07:36:54	1	1	1	1	159	42	0	24170.616	662.3655914	16061.20729	30000	0	0	30000	22.5625	2004
12.02.2020 07:36:55	1	1	1	1	159	42.5	0	24360.19	655.9139785	16009.02346	30000	0	0	30000	21.5	2004
12.02.2020 07:36:56	1	1	1	1	159	41.5	0	23554.502	677.4193548	15956.02424	30000	0	0	30000	22.5	2004
12.02.2020 07:36:57	1	1	1	1	159	42.5	0	24218.009	662.3655914	15957.65499	30000	0	0	30000	22.25	2004
12.02.2020 07:36:58	1	1	1	1	159	42.25	0	24407.583	653.7634409	16114.20651	30000	0	0	30000	24	2004
12.02.2020 07:36:59	1	1	1	1	159	44	0	24218.009	653.7634409	15988.63914	30000	0	0	30000	22.5625	2004
12.02.2020 07:37:00	1	1	1	1	159	42.5	0	24218.009	662.3655914	16093.00682	30000	0	0	30000	24.0625	2004
12.02.2020 07:37:01	1	1	1	1	159	44	0	24123.223	662.3655914	15894.87131	30000	0	0	30000	24.3125	2004
12.02.2020 07:37:02	1	1	1	1	159.3	41.75	0	23933.649	670.9677419	16058.76118	30000	0	0	30000	22.3125	2004
12.02.2020 07:37:03	1	1	1	1	159.3	42.25	0	24786.73	640.8602151	15938.08605	30000	0	0	30000	21.4375	2004
12.02.2020 07:37:04	1	1	1	1	159.3	41.25	0	24691.943	653.7634409	16142.74454	30000	0	0	30000	22.5	2004
12.02.2020 07:37:05	1	1	1	1	159.3	42.5	0	24502.37	645.1612903	16018.80793	30000	0	0	30000	22.25	2004
12.02.2020 07:37:06	1	1	1	1	159.3	42.25	0	24218.009	658.0645161	16082.40698	30000	0	0	30000	21.5	2004
12.02.2020 07:37:07	1	1	1	1	159.3	41.5	0	24976.303	643.0107527	16005.76197	30000	0	0	30000	22.6875	2004
12.02.2020 07:37:08	1	1	1	1	159.3	42.5	0	24360.19	655.9139785	16009.02346	30000	0	0	30000	22.25	2004
12.02.2020 07:37:09	1	1	1	1	159.3	42.25	0	24739.336	653.7634409	16142.74454	30000	0	0	30000	21.8125	2004
12.02.2020 07:37:10	1	1	1	1	159.3	41.75	0	24597.156	647.311828	15890.79444	30000	0	0	30000	22.4375	2004
12.02.2020 07:37:11	1	1	1	1	159.3	42.25	0	24549.763	655.9139785	16101.97592	30000	0	0	30000	22.875	2004
12.02.2020 07:37:12	1	1	1	1	157.8	42.75	0	24312.796	662.3655914	15988.63914	30000	0	0	30000	22.625	2004
12.02.2020 07:37:13	1	1	1	1	157.8	42.5	0	24218.009	660.2150538	15988.63914	30000	0	0	30000	21.875	2004
12.02.2020 07:37:14	1	1	1	1	157.8	41.75	0	24454.976	653.7634409	15956.83962	30000	0	0	30000	21.9375	2004
12.02.2020 07:37:16	1	1	1	1	157.8	41.75	0	23838.863	666.6666667	15892.42519	30000	0	0	30000	22.75	2004
12.02.2020 07:37:17	1	1	1	1	157.8	42.75	0	24407.583	647.311828	16018.80793	30000	0	0	30000	22.1875	2004
12.02.2020 07:37:18	1	1	1	1	157.8	42	0	24597.156	647.311828	15921.7786	30000	0	0	30000	22.9375	2004
12.02.2020 07:37:19	1	1	1	1	157.8	42.75	0	24218.009	660.2150538	15988.63914	30000	0	0	30000	23.1875	2004
12.02.2020 07:37:20	1	1	1	1	157.8	43	0	24691.943	647.311828	15982.93154	30000	0	0	30000	22.5625	2004
12.02.2020 07:37:21	1	1	1	1	157.8	42.5	0	24502.37	653.7634409	16018.80793	30000	0	0	30000	22.5625	2004
12.02.2020 07:37:22	1	1	1	1	157.8	42.5	0	24123.223	664.516129	16030.22314	30000	0	0	30000	23.4375	2004
12.02.2020 07:37:23	1	1	1	1	157.5	43.25	0	24834.123	645.1612903	15998.42361	30000	0	0	30000	22.6875	2004
12.02.2020 07:37:24	1	1	1	1	157.5	42.5	0	24881.517	645.1612903	16052.2382	30000	0	0	30000	22.6875	2004
12.02.2020 07:37:25	1	1	1	1	157.5	42.5	0	24597.156	647.311828	15974.77781	30000	0	0	30000	21.6875	2004
12.02.2020 07:37:26	1	1	1	1	157.5	41.5	0	24881.517	638.7096774	15891.60982	30000	0	0	30000	22.4375	2004
12.02.2020 07:37:27	1	1	1	1	157.5	42.25	0	24028.436	660.2150538	15863.88715	30000	0	0	30000	22.5	2004
12.02.2020 07:37:28	1	1	1	1	157.5	42.5	0	24407.583	653.7634409	15956.83962	30000	0	0	30000	22.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 07:37:29	1	1	1	1	157.5	42.75	0	23981.043	666.6666667	16070.17639	30000	0	0	30000	23.4375	2004
12.02.2020 07:37:30	1	1	1	1	157.5	43.25	0	24597.156	653.7634409	16080.77623	30000	0	0	30000	21.9375	2004
12.02.2020 07:37:31	1	1	1	1	157.5	41.75	0	24691.943	647.311828	15982.93154	30000	0	0	30000	22.25	2004
12.02.2020 07:37:32	1	1	1	1	157.5	42.25	0	24597.156	653.7634409	15974.77781	30000	0	0	30000	22.375	2004
12.02.2020 07:37:33	1	1	1	1	157	42.25	0	25165.877	645.1612903	16181.88242	30000	0	0	30000	23.125	2004
12.02.2020 07:37:34	1	1	1	1	157	43	0	24454.976	653.7634409	15956.83962	30000	0	0	30000	21.9375	2004
12.02.2020 07:37:35	1	1	1	1	157	41.75	0	24028.436	670.9677419	16018.80793	30000	0	0	30000	22.125	2004
12.02.2020 07:37:36	1	1	1	1	157	42	0	24976.303	634.4086022	16013.10032	30000	0	0	30000	22.625	2004
12.02.2020 07:37:37	1	1	1	1	157	42.5	0	25165.877	638.7096774	16073.43788	30000	0	0	30000	23	2004
12.02.2020 07:37:38	1	1	1	1	157	43	0	24644.55	653.7634409	15921.7786	30000	0	0	30000	21.6875	2004
12.02.2020 07:37:39	1	1	1	1	157	41.5	0	24786.73	640.8602151	16106.05278	30000	0	0	30000	22.1875	2004
12.02.2020 07:37:40	1	1	1	1	157	42	0	25023.697	638.7096774	15951.94738	30000	0	0	30000	23.625	2004
12.02.2020 07:37:41	1	1	1	1	157	42.25	0	24834.123	643.0107527	16052.2382	30000	0	0	30000	22.1875	2004
12.02.2020 07:37:42	1	1	1	1	159.3	42	0	24834.123	645.1612903	16052.2382	30000	0	0	30000	23.75	2004
12.02.2020 07:37:43	1	1	1	1	159.3	43.75	0	24928.91	645.1612903	16052.2382	30000	0	0	30000	22.125	2004
12.02.2020 07:37:44	1	1	1	1	159.3	42	0	24786.73	645.1612903	15991.08526	30000	0	0	30000	22.5625	2004
12.02.2020 07:37:45	1	1	1	1	159.3	42.5	0	25497.63	630.1075269	16120.72949	30000	0	0	30000	22.5	2004
12.02.2020 07:37:46	1	1	1	1	159.3	42.5	0	25308.057	630.1075269	16085.66847	30000	0	0	30000	22.875	2004
12.02.2020 07:37:47	1	1	1	1	159.3	42.75	0	25165.877	632.2580645	15995.16212	30000	0	0	30000	22.4375	2004
12.02.2020 07:37:48	1	1	1	1	159.3	42.25	0	24786.73	643.0107527	15907.10189	30000	0	0	30000	22.125	2004
12.02.2020 07:37:54	1	1	1	1	159.8	42	0	25071.09	638.7096774	16013.10032	30000	0	0	30000	22.25	2004
12.02.2020 07:37:54	1	1	1	1	159.8	42	0	25071.09	638.7096774	16013.10032	30000	0	0	30000	22.25	2004
12.02.2020 07:37:54	1	1	1	1	159.8	42	0	25071.09	638.7096774	16013.10032	30000	0	0	30000	22.25	2004
12.02.2020 07:37:54	1	1	1	1	159.8	42	0	25071.09	638.7096774	16013.10032	30000	0	0	30000	22.25	2004
12.02.2020 07:37:54	1	1	1	1	159.8	42	0	25071.09	638.7096774	16013.10032	30000	0	0	30000	22.25	2004
12.02.2020 07:37:55	1	1	1	1	159.8	42.25	0	25402.844	632.2580645	16061.20729	30000	0	0	30000	23.9375	2004
12.02.2020 07:37:56	1	1	1	1	159.8	43.75	0	25165.877	640.8602151	16013.10032	30000	0	0	30000	23.625	2004
12.02.2020 07:37:57	1	1	1	1	159.8	43.5	0	24786.73	640.8602151	15831.27225	30000	0	0	30000	22.3125	2004
12.02.2020 07:37:58	1	1	1	1	159.8	42.25	0	24786.73	645.1612903	15991.08526	30000	0	0	30000	22.75	2004
12.02.2020 07:37:59	1	1	1	1	159.8	42.75	0	24691.943	645.1612903	16013.91569	30000	0	0	30000	22.3125	2004
12.02.2020 07:38:00	1	1	1	1	159.8	42.25	0	25355.45	627.9569892	15837.79523	30000	0	0	30000	23.375	2004
12.02.2020 07:38:01	1	1	1	1	159.8	43.25	0	24502.37	653.7634409	16018.80793	30000	0	0	30000	21.75	2004
12.02.2020 07:38:02	1	1	1	1	159.8	41.75	0	24786.73	645.1612903	15938.08605	30000	0	0	30000	21.5	2004
12.02.2020 07:38:03	1	1	1	1	160.3	41.5	0	24502.37	653.7634409	16018.80793	30000	0	0	30000	22.5	2004
12.02.2020 07:38:04	1	1	1	1	160.3	42.5	0	25165.877	638.7096774	16073.43788	30000	0	0	30000	23.5	2004
12.02.2020 07:38:05	1	1	1	1	160.3	43.5	0	24691.943	653.7634409	15982.93154	30000	0	0	30000	21.4375	2004
12.02.2020 07:38:06	1	1	1	1	160.3	41.25	0	25165.877	632.2580645	15911.17876	30000	0	0	30000	21.625	2004
12.02.2020 07:38:07	1	1	1	1	160.3	41.5	0	24786.73	645.1612903	16044.08447	30000	0	0	30000	22.4375	2004
12.02.2020 07:38:08	1	1	1	1	160.3	42.25	0	24976.303	638.7096774	16013.10032	30000	0	0	30000	22.5	2004
12.02.2020 07:38:09	1	1	1	1	160.3	42.5	0	24786.73	640.8602151	15938.08605	30000	0	0	30000	22.6875	2004
12.02.2020 07:38:10	1	1	1	1	160.3	42.5	0	24928.91	645.1612903	16113.39113	30000	0	0	30000	23.125	2004
12.02.2020 07:38:11	1	1	1	1	160.3	43	0	25165.877	636.5591398	15964.99334	30000	0	0	30000	22.375	2004
12.02.2020 07:38:12	1	1	1	1	160.3	42.25	0	25071.09	634.4086022	16043.2691	30000	0	0	30000	21.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 07:38:13	1	1	1	1	159	41.75	0	25165.877	638.7096774	16073.43788	30000	0	0	30000	22.625	2004
12.02.2020 07:38:14	1	1	1	1	159	42.5	0	25639.81	625.8064516	16015.54644	30000	0	0	30000	22.625	2004
12.02.2020 07:38:15	1	1	1	1	159	42.5	0	25545.024	623.655914	15930.7477	30000	0	0	30000	22.8125	2004
12.02.2020 07:38:16	1	1	1	1	159	42.75	0	24739.336	645.1612903	16044.08447	30000	0	0	30000	24.0625	2004
12.02.2020 07:38:17	1	1	1	1	159	44	0	25308.057	632.2580645	16085.66847	30000	0	0	30000	24.375	2004
12.02.2020 07:38:18	1	1	1	1	159	44.25	0	25450.237	625.8064516	15981.30079	30000	0	0	30000	24.0625	2004
12.02.2020 07:38:19	1	1	1	1	159	44	0	25308.057	632.2580645	16085.66847	30000	0	0	30000	23.5625	2004
12.02.2020 07:38:20	1	1	1	1	159	42.25	0	25165.877	634.4086022	15964.99334	30000	0	0	30000	22.125	2004
12.02.2020 07:38:21	1	1	1	1	159	42	0	25497.63	630.1075269	16150.89827	30000	0	0	30000	23.3125	2004
12.02.2020 07:38:22	1	1	1	1	158.3	43.25	0	25118.483	638.7096774	16073.43788	30000	0	0	30000	22.75	2004
12.02.2020 07:38:23	1	1	1	1	158.3	42.75	0	25355.45	630.1075269	16006.57734	30000	0	0	30000	22.875	2004
12.02.2020 07:38:24	1	1	1	1	158.3	42.75	0	25592.417	623.655914	15876.11774	30000	0	0	30000	23.1875	2004
12.02.2020 07:38:25	1	1	1	1	158.3	43	0	25687.204	619.3548387	15993.53138	30000	0	0	30000	22.625	2004
12.02.2020 07:38:26	1	1	1	1	158.3	42.5	0	25639.81	619.3548387	15993.53138	30000	0	0	30000	23.75	2004
12.02.2020 07:38:27	1	1	1	1	158.3	43.75	0	25402.844	627.9569892	15951.94738	30000	0	0	30000	21.875	2004
12.02.2020 07:38:28	1	1	1	1	158.3	41.75	0	25924.171	617.2043011	16056.31506	30000	0	0	30000	22.75	2004
12.02.2020 07:38:29	1	1	1	1	158.3	42.75	0	25876.777	625.8064516	16193.29764	30000	0	0	30000	22.5	2004
12.02.2020 07:38:30	1	1	1	1	158.3	42.5	0	25734.597	621.5053763	16163.94423	30000	0	0	30000	22.8125	2004
12.02.2020 07:38:31	1	1	1	1	158.3	42.75	0	25829.384	621.5053763	16053.05357	30000	0	0	30000	22.4375	2004
12.02.2020 07:38:33	1	1	1	1	155.3	42.25	0	25260.664	630.1075269	15856.5488	30000	0	0	30000	22	2004
12.02.2020 07:38:34	1	1	1	1	155.3	42	0	25924.171	617.2043011	16000.05436	30000	0	0	30000	22.6875	2004
12.02.2020 07:38:35	1	1	1	1	155.3	42.5	0	25829.384	623.655914	15883.45609	30000	0	0	30000	22.5	2004
12.02.2020 07:38:36	1	1	1	1	155.3	42.5	0	26066.351	610.7526882	15948.68589	30000	0	0	30000	22.125	2004
12.02.2020 07:38:37	1	1	1	1	155.3	42	0	25924.171	612.9032258	15944.60903	30000	0	0	30000	23.4375	2004
12.02.2020 07:38:38	1	1	1	1	155.3	43.25	0	25545.024	623.655914	15930.7477	30000	0	0	30000	23.3125	2004
12.02.2020 07:38:39	1	1	1	1	155.3	43.25	0	25260.664	630.1075269	16000.86973	30000	0	0	30000	23.125	2004
12.02.2020 07:38:40	1	1	1	1	155.3	43	0	26113.744	615.0537634	16004.94659	30000	0	0	30000	22.4375	2004
12.02.2020 07:38:41	1	1	1	1	155.3	42.25	0	26018.957	619.3548387	16056.31506	30000	0	0	30000	22.5625	2004
12.02.2020 07:38:42	1	1	1	1	155.3	42.5	0	25924.171	619.3548387	16000.05436	30000	0	0	30000	23.3125	2004
12.02.2020 07:38:43	1	1	1	1	152.5	43.25	0	25734.597	619.3548387	15938.90142	30000	0	0	30000	23.25	2004
12.02.2020 07:38:44	1	1	1	1	152.5	43.25	0	25545.024	621.5053763	15986.19303	30000	0	0	30000	23	2004
12.02.2020 07:38:45	1	1	1	1	152.5	43	0	26255.924	610.7526882	16064.46878	30000	0	0	30000	22.4375	2004
12.02.2020 07:38:46	1	1	1	1	152.5	42.25	0	25924.171	612.9032258	15944.60903	30000	0	0	30000	22.375	2004
12.02.2020 07:38:47	1	1	1	1	152.5	42.25	0	25545.024	625.8064516	15986.19303	30000	0	0	30000	21.875	2004
12.02.2020 07:38:48	1	1	1	1	152.5	41.75	0	25450.237	625.8064516	15926.67083	30000	0	0	30000	23.25	2004
12.02.2020 07:38:49	1	1	1	1	152.5	43.25	0	25260.664	636.5591398	16025.33091	30000	0	0	30000	22.375	2004
12.02.2020 07:38:50	1	1	1	1	152.5	42.25	0	25308.057	630.1075269	15807.62645	30000	0	0	30000	22	2004
12.02.2020 07:38:56	1	1	1	1	150.5	43.5	0	25071.09	638.7096774	16013.10032	30000	0	0	30000	23.5	2004
12.02.2020 07:38:56	1	1	1	1	150.5	43.5	0	25071.09	638.7096774	16013.10032	30000	0	0	30000	23.5	2004
12.02.2020 07:38:56	1	1	1	1	150.5	43.5	0	25071.09	638.7096774	16013.10032	30000	0	0	30000	23.5	2004
12.02.2020 07:38:56	1	1	1	1	150.5	43.5	0	25071.09	638.7096774	16013.10032	30000	0	0	30000	23.5	2004
12.02.2020 07:38:56	1	1	1	1	150.5	43.5	0	25071.09	638.7096774	16013.10032	30000	0	0	30000	23.5	2004
12.02.2020 07:38:56	1	1	1	1	150.5	43.5	0	25592.417	617.2043011	16044.89985	30000	0	0	30000	24.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 07:38:57	1	1	1	1	150.5	44	0	25071.09	653.7634409	15845.13359	30000	0	0	30000	23.375	2004
12.02.2020 07:38:58	1	1	1	1	150.5	43.25	0	25592.417	625.8064516	16044.89985	30000	0	0	30000	23.4375	2004
12.02.2020 07:38:59	1	1	1	1	150.5	43.25	0	25355.45	632.2580645	16085.66847	30000	0	0	30000	22.25	2004
12.02.2020 07:39:00	1	1	1	1	150.5	42.25	0	24976.303	640.8602151	15951.94738	30000	0	0	30000	23.125	2004
12.02.2020 07:39:01	1	1	1	1	150.5	43	0	24976.303	636.5591398	15951.94738	30000	0	0	30000	22.0625	2004
12.02.2020 07:39:02	1	1	1	1	150	42	0	25545.024	627.9569892	15986.19303	30000	0	0	30000	23.625	2004
12.02.2020 07:39:03	1	1	1	1	150	43.5	0	25165.877	640.8602151	16073.43788	30000	0	0	30000	24.25	2004
12.02.2020 07:39:04	1	1	1	1	150	44.25	0	25402.844	630.1075269	15976.40856	30000	0	0	30000	24.1875	2004
12.02.2020 07:39:05	1	1	1	1	150	44	0	25402.844	625.8064516	16035.93075	30000	0	0	30000	22.5	2004
12.02.2020 07:39:06	1	1	1	1	150	42.5	0	24502.37	653.7634409	16018.80793	30000	0	0	30000	21.9375	2004
12.02.2020 07:39:07	1	1	1	1	150	41.75	0	24976.303	634.4086022	15845.13359	30000	0	0	30000	24	2004
12.02.2020 07:39:08	1	1	1	1	150	44	0	24502.37	647.311828	15890.79444	30000	0	0	30000	23.25	2004
12.02.2020 07:39:09	1	1	1	1	150	43.25	0	25260.664	632.2580645	16025.33091	30000	0	0	30000	22.6875	2004
12.02.2020 07:39:10	1	1	1	1	150	42.5	0	24928.91	640.8602151	15891.60982	30000	0	0	30000	22.5625	2004
12.02.2020 07:39:11	1	1	1	1	150	42.5	0	24691.943	653.7634409	16080.77623	30000	0	0	30000	22.8125	2004
12.02.2020 07:39:13	1	1	1	1	149.5	42.75	0	25260.664	638.7096774	16073.43788	30000	0	0	30000	23	2004
12.02.2020 07:39:14	1	1	1	1	149.5	43	0	24502.37	638.7096774	15890.79444	30000	0	0	30000	24.375	2004
12.02.2020 07:39:15	1	1	1	1	149.5	44.25	0	24881.517	640.8602151	16052.2382	30000	0	0	30000	23.125	2004
12.02.2020 07:39:16	1	1	1	1	149.5	43	0	24834.123	645.1612903	16022.06942	30000	0	0	30000	23.0625	2004
12.02.2020 07:39:17	1	1	1	1	149.5	43	0	24928.91	643.0107527	15891.60982	30000	0	0	30000	22.0625	2004
12.02.2020 07:39:18	1	1	1	1	149.5	42	0	24976.303	636.5591398	15951.94738	30000	0	0	30000	23.75	2004
12.02.2020 07:39:19	1	1	1	1	149.5	43.75	0	24360.19	645.1612903	15956.83962	30000	0	0	30000	22.5625	2004
12.02.2020 07:39:20	1	1	1	1	149.5	42.5	0	24407.583	658.0645161	15956.83962	30000	0	0	30000	23.5625	2004
12.02.2020 07:39:21	1	1	1	1	149.5	43.5	0	24028.436	662.3655914	15998.42361	30000	0	0	30000	23.3125	2004
12.02.2020 07:39:22	1	1	1	1	149.5	43.25	0	24597.156	653.7634409	16080.77623	30000	0	0	30000	23.25	2004
12.02.2020 07:39:23	1	1	1	1	148.3	43.25	0	25450.237	630.1075269	16035.93075	30000	0	0	30000	23.125	2004
12.02.2020 07:39:24	1	1	1	1	148.3	43	0	25260.664	632.2580645	15941.34754	30000	0	0	30000	22.375	2004
12.02.2020 07:39:25	1	1	1	1	148.3	42.25	0	24786.73	653.7634409	16097.89906	30000	0	0	30000	22.5625	2004
12.02.2020 07:39:26	1	1	1	1	148.3	42.5	0	25260.664	638.7096774	16025.33091	30000	0	0	30000	22.875	2004
12.02.2020 07:39:27	1	1	1	1	148.3	42.75	0	25071.09	636.5591398	16013.10032	30000	0	0	30000	22.625	2004
12.02.2020 07:39:28	1	1	1	1	148.3	42.5	0	25450.237	627.9569892	16035.93075	30000	0	0	30000	23.375	2004
12.02.2020 07:39:31	1	1	1	1	148.3	43.75	0	23886.256	670.9677419	16026.96165	30000	0	0	30000	23.0625	2004
12.02.2020 07:39:31	1	1	1	1	148.3	43.75	0	23886.256	670.9677419	16026.96165	30000	0	0	30000	23.0625	2004
12.02.2020 07:39:31	1	1	1	1	148.3	43.75	0	23886.256	670.9677419	16026.96165	30000	0	0	30000	23.0625	2004
12.02.2020 07:39:32	1	1	1	1	148.3	43	0	23554.502	688.172043	16209.60509	30000	0	0	30000	23.125	2004
12.02.2020 07:39:33	1	1	1	1	148.5	43	0	24407.583	653.7634409	15956.83962	30000	0	0	30000	22.1875	2004
12.02.2020 07:39:34	1	1	1	1	148.5	42	0	23744.076	673.1182796	16013.91569	30000	0	0	30000	22.75	2004
12.02.2020 07:39:35	1	1	1	1	148.5	42.75	0	23270.142	688.172043	16013.91569	30000	0	0	30000	22.4375	2004
12.02.2020 07:39:36	1	1	1	1	148.5	42.25	0	23364.929	688.172043	16079.14549	30000	0	0	30000	24.1875	2004
12.02.2020 07:39:37	1	1	1	1	148.5	44	0	23554.502	675.2688172	15956.02424	30000	0	0	30000	23.1875	2004
12.02.2020 07:39:38	1	1	1	1	148.5	43	0	24028.436	670.9677419	16122.36023	30000	0	0	30000	24.25	2004
12.02.2020 07:39:39	1	1	1	1	148.5	44.25	0	22748.815	707.5268817	15997.60824	30000	0	0	30000	24.5	2004
12.02.2020 07:39:40	1	1	1	1	148.5	41.75	0	22985.782	703.2258065	16097.08368	30000	0	0	30000	21.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 07:39:41	1	1	1	1	148.5	41.75	0	21753.555	735.483871	15859.81029	30000	0	0	30000	24.25	2004
12.02.2020 07:39:42	1	1	1	1	149.3	44.25	0	22417.062	709.6774194	15860.62566	30000	0	0	30000	23.4375	2004
12.02.2020 07:39:43	1	1	1	1	149.3	43.25	0	22417.062	718.2795699	16101.16055	30000	0	0	30000	23.8125	2004
12.02.2020 07:39:44	1	1	1	1	149.3	43.75	0	0	0	0	30000	0	8	30000	21.875	2004
12.02.2020 07:39:45	1	1	1	1	149.3	41.75	0	10616.114	0	0	30000	0	0	30000	22.0625	2004
12.02.2020 07:39:46	1	1	1	1	149.3	42	0	11279.621	0	0	30000	0	0	30000	23.4375	2004
12.02.2020 07:39:47	1	1	1	1	149.3	43.25	0	12085.308	0	0	30000	0	0	30000	21.9375	2004
12.02.2020 07:39:48	1	1	1	1	149.3	41.75	0	12843.602	0	0	30000	0	0	30000	22	2004
12.02.2020 07:39:49	1	1	1	1	149.3	42	0	13507.109	2.150537634	57.89144674	30000	0	0	30000	22.25	2004
12.02.2020 07:39:51	1	1	1	1	149.3	42.25	0	14407.583	15.05376344	216.8890822	30000	0	0	30000	22.125	2004
12.02.2020 07:39:52	1	1	1	1	149.3	42	0	15165.877	23.65591398	358.7638953	30000	0	0	30000	21.9375	2004
12.02.2020 07:39:57	1	1	1	1	148.3	42.25	0	18341.232	111.827957	2089.79969	30000	0	0	30000	25.0625	2004
12.02.2020 07:39:57	1	1	1	1	148.3	42.25	0	18341.232	111.827957	2089.79969	30000	0	0	30000	25.0625	2004
12.02.2020 07:39:57	1	1	1	1	148.3	42.25	0	18341.232	111.827957	2089.79969	30000	0	0	30000	25.0625	2004
12.02.2020 07:39:57	1	1	1	1	148.3	42.25	0	18341.232	111.827957	2089.79969	30000	0	0	30000	25.0625	2004
12.02.2020 07:39:57	1	1	1	1	148.3	42.25	0	18341.232	111.827957	2089.79969	30000	0	0	30000	25.0625	2004
12.02.2020 07:39:58	1	1	1	1	148.3	45	0	18862.559	129.0322581	2433.886881	30000	0	0	30000	22.0625	2004
12.02.2020 07:39:59	1	1	1	1	148.3	42	0	19289.1	144.0860215	2778.789444	30000	0	0	30000	22.9375	2004
12.02.2020 07:40:00	1	1	1	1	148.3	42.75	0	19810.427	163.4408602	3144.891691	30000	0	0	30000	21.9375	2004
12.02.2020 07:40:01	1	1	1	1	148.3	41.75	0	20236.967	176.344086	3524.855271	30000	0	0	30000	23.3125	2004
12.02.2020 07:40:02	1	1	1	1	148.3	43.25	0	20331.754	189.2473118	3847.742777	30000	0	0	30000	23.4375	2004
12.02.2020 07:40:03	1	1	1	1	147.8	43.25	0	20473.934	189.2473118	4236.675455	30000	0	0	30000	22.25	2004
12.02.2020 07:40:04	1	1	1	1	147.8	42.25	0	20853.081	215.0537634	4539.178648	30000	0	0	30000	22.0625	2004
12.02.2020 07:40:05	1	1	1	1	147.8	42	0	21090.047	234.4086022	4954.203245	30000	0	0	30000	22.1875	2004
12.02.2020 07:40:06	1	1	1	1	147.8	42	0	21090.047	249.4623656	5260.783301	30000	0	0	30000	23.3125	2004
12.02.2020 07:40:07	1	1	1	1	147.8	43.25	0	21137.441	264.516129	5591.009159	30000	0	0	30000	22.1875	2004
12.02.2020 07:40:08	1	1	1	1	147.8	42	0	21516.588	279.5698925	6061.479086	30000	0	0	30000	22.5	2004
12.02.2020 07:40:09	1	1	1	1	147.8	42.5	0	21753.555	294.6236559	6408.827766	30000	0	0	30000	22	2004
12.02.2020 07:40:10	1	1	1	1	147.8	42	0	21895.735	309.6774194	6827.113853	30000	0	0	30000	22.5	2004
12.02.2020 07:40:11	1	1	1	1	147.8	42.5	0	21943.128	326.8817204	7172.831789	30000	0	0	30000	21.9375	2004
12.02.2020 07:40:12	1	1	1	1	147.8	41.75	0	19668.246	341.9354839	6767.591661	30000	0	0	30000	22.0625	2004
12.02.2020 07:40:13	1	1	1	1	148.8	42	0	19241.706	341.9354839	6579.240616	30000	0	0	30000	22.5	2004
12.02.2020 07:40:14	1	1	1	1	148.8	42.5	0	19194.313	339.7849462	6480.580545	30000	0	0	30000	23.375	2004
12.02.2020 07:40:15	1	1	1	1	148.8	43.25	0	19431.28	341.9354839	6643.655043	30000	0	0	30000	24.4375	2004
12.02.2020 07:40:16	1	1	1	1	148.8	44.25	0	20379.147	348.3870968	7099.448265	30000	0	0	30000	22.4375	2004
12.02.2020 07:40:17	1	1	1	1	148.8	42.25	0	19526.066	346.2365591	6743.945859	30000	0	0	30000	24.125	2004
12.02.2020 07:40:18	1	1	1	1	148.8	44	0	20047.393	380.6451613	7630.255755	30000	0	0	30000	22.75	2004
12.02.2020 07:40:19	1	1	1	1	148.8	42.75	0	19383.886	397.8494624	7711.793004	30000	0	0	30000	23.5	2004
12.02.2020 07:40:20	1	1	1	1	148.8	43.5	0	20758.294	417.2043011	8595.656783	30000	0	0	30000	24.8125	2004
12.02.2020 07:40:21	1	1	1	1	148.8	44.75	0	20236.967	415.0537634	8505.965809	30000	0	0	30000	23.5625	2004
12.02.2020 07:40:22	1	1	1	1	150	43.5	0	19194.313	395.6989247	7613.948305	30000	0	0	30000	22.3125	2004
12.02.2020 07:40:23	1	1	1	1	150	42.25	0	20616.114	434.4086022	9000.081537	30000	0	0	30000	21.9375	2004
12.02.2020 07:40:24	1	1	1	1	150	41.75	0	19289.1	382.7956989	7424.781888	30000	0	0	30000	23.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 07:40:25	1	1	1	1	150	43	0	20473.934	412.9032258	8453.781969	30000	0	0	30000	24.5	2004
12.02.2020 07:40:26	1	1	1	1	150	44.5	0	20995.261	415.0537634	8713.885793	30000	0	0	30000	22.9375	2004
12.02.2020 07:40:27	1	1	1	1	150	42.75	0	20000	412.9032258	8277.661512	30000	0	0	30000	23.4375	2004
12.02.2020 07:40:28	1	1	1	1	150	43.25	0	20047.393	427.9569892	8619.302585	30000	0	0	30000	22.25	2004
12.02.2020 07:40:29	1	1	1	1	150	42.25	0	20521.327	464.516129	9598.564944	30000	0	0	30000	22.375	2004
12.02.2020 07:40:30	1	1	1	1	150	42.25	0	19573.46	382.7956989	7474.51961	30000	0	0	30000	22.875	2004
12.02.2020 07:40:32	1	1	1	1	150	42.75	0	19763.033	415.0537634	8287.445982	30000	0	0	30000	24.375	2004
12.02.2020 07:40:33	1	1	1	1	150.3	44.25	0	20142.18	438.7096774	8836.191667	30000	0	0	30000	23.875	2004
12.02.2020 07:40:34	1	1	1	1	150.3	43.75	0	20995.261	445.1612903	9345.799473	30000	0	0	30000	24.6875	2004
12.02.2020 07:40:35	1	1	1	1	150.3	44.5	0	21042.654	466.6666667	9819.530889	30000	0	0	30000	23.375	2004
12.02.2020 07:40:36	1	1	1	1	150.3	43.25	0	21042.654	464.516129	9841.545946	30000	0	0	30000	22.75	2004
12.02.2020 07:40:37	1	1	1	1	150.3	42.75	0	19289.1	470.9677419	9084.064904	30000	0	0	30000	24.3125	2004
12.02.2020 07:40:38	1	1	1	1	150.3	44.25	0	20805.687	464.516129	9574.919142	30000	0	0	30000	23.3125	2004
12.02.2020 07:40:39	1	1	1	1	150.3	43.25	0	20616.114	490.3225806	10152.20286	30000	0	0	30000	23.6875	2004
12.02.2020 07:40:40	1	1	1	1	150.3	43.5	0	20853.081	453.7634409	9483.597423	30000	0	0	30000	24.5	2004
12.02.2020 07:40:41	1	1	1	1	150.3	44.5	0	18957.346	464.516129	8909.575191	30000	0	0	30000	23	2004
12.02.2020 07:40:42	1	1	1	1	150.3	43	0	20616.114	526.8817204	10773.5167	30000	0	0	30000	22.375	2004
12.02.2020 07:40:43	1	1	1	1	150.5	42.25	0	19241.706	481.7204301	9269.154459	30000	0	0	30000	23.0625	2004
12.02.2020 07:40:44	1	1	1	1	150.5	43	0	20853.081	483.8709677	10090.23456	30000	0	0	30000	24.1875	2004
12.02.2020 07:40:45	1	1	1	1	150.5	44	0	19573.46	511.827957	9976.082407	30000	0	0	30000	22.3125	2004
12.02.2020 07:40:46	1	1	1	1	150.5	42.25	0	19952.607	486.0215054	9763.270187	30000	0	0	30000	23.6875	2004
12.02.2020 07:40:47	1	1	1	1	150.5	43.5	0	20331.754	503.2258065	10254.9398	30000	0	0	30000	23.6875	2004
12.02.2020 07:40:48	1	1	1	1	150.5	43.5	0	20758.294	507.5268817	10490.58245	30000	0	0	30000	23.3125	2004
12.02.2020 07:40:49	1	1	1	1	150.5	43.25	0	20900.474	501.0752688	10472.64425	30000	0	0	30000	22.9375	2004
12.02.2020 07:40:50	1	1	1	1	150.5	42.75	0	20616.114	529.0322581	10861.57693	30000	0	0	30000	23.125	2004
12.02.2020 07:40:51	1	1	1	1	150.5	43	0	20758.294	503.2258065	10514.22825	30000	0	0	30000	22.625	2004
12.02.2020 07:40:52	1	1	1	1	150.5	42.5	0	20047.393	535.483871	10734.37882	30000	0	0	30000	23.6875	2004
12.02.2020 07:40:53	1	1	1	1	150.8	43.5	0	20236.967	486.0215054	9879.053081	30000	0	0	30000	23.25	2004
12.02.2020 07:40:59	1	1	1	1	150.8	44.75	0	20995.261	501.0752688	10519.93586	30000	0	0	30000	24	2004
12.02.2020 07:40:59	1	1	1	1	150.8	44.75	0	20995.261	501.0752688	10519.93586	30000	0	0	30000	24	2004
12.02.2020 07:40:59	1	1	1	1	150.8	44.75	0	20995.261	501.0752688	10519.93586	30000	0	0	30000	24	2004
12.02.2020 07:40:59	1	1	1	1	150.8	44.75	0	20995.261	501.0752688	10519.93586	30000	0	0	30000	24	2004
12.02.2020 07:40:59	1	1	1	1	150.8	44	0	19194.313	518.2795699	9947.54437	30000	0	0	30000	22.3125	2004
12.02.2020 07:41:00	1	1	1	1	150.8	42.75	0	19952.607	511.827957	10211.72506	30000	0	0	30000	23.6875	2004
12.02.2020 07:41:01	1	1	1	1	150.8	43.5	0	19763.033	556.9892473	11007.52861	30000	0	0	30000	23.625	2004
12.02.2020 07:41:02	1	1	1	1	151.8	43.5	0	20853.081	595.6989247	12467.04536	30000	0	0	30000	24.9375	2004
12.02.2020 07:41:03	1	1	1	1	151.8	44.75	0	20616.114	556.9892473	11482.89077	30000	0	0	30000	23.5625	2004
12.02.2020 07:41:04	1	1	1	1	151.8	43.5	0	18720.379	533.3333333	9984.236132	30000	0	0	30000	22.625	2004
12.02.2020 07:41:05	1	1	1	1	151.8	42.5	0	19857.82	572.0430108	11358.95415	30000	0	0	30000	24.5625	2004
12.02.2020 07:41:06	1	1	1	1	151.8	44.5	0	19099.526	539.7849462	10309.56976	30000	0	0	30000	22.6875	2004
12.02.2020 07:41:07	1	1	1	1	151.8	42.5	0	20710.9	567.7419355	11758.48667	30000	0	0	30000	23.9375	2004
12.02.2020 07:41:08	1	1	1	1	151.8	43.75	0	20900.474	552.688172	11551.38206	30000	0	0	30000	24.1875	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 07:41:09	1	1	1	1	151.8	44	0	21090.047	565.5913978	11973.74501	30000	0	0	30000	23.4375	2004
12.02.2020 07:41:10	1	1	1	1	151.8	43.25	0	21800.948	602.1505376	13221.26491	30000	0	0	30000	25.125	2004
12.02.2020 07:41:11	1	1	1	1	151.8	45	0	21943.128	591.3978495	12976.65317	30000	0	0	30000	25.1875	2004
12.02.2020 07:41:13	1	1	1	1	152	45	0	21137.441	580.6451613	12255.04851	30000	0	0	30000	24.6875	2004
12.02.2020 07:41:14	1	1	1	1	152	44.5	0	20473.934	569.8924731	11623.95021	30000	0	0	30000	23.375	2004
12.02.2020 07:41:15	1	1	1	1	152	43.25	0	20853.081	621.5053763	12960.34572	30000	0	0	30000	23.125	2004
12.02.2020 07:41:16	1	1	1	1	152	43	0	21800.948	608.6021505	13127.49708	30000	0	0	30000	23.75	2004
12.02.2020 07:41:17	1	1	1	1	152	43.75	0	21279.621	610.7526882	12996.22211	30000	0	0	30000	22.8125	2004
12.02.2020 07:41:18	1	1	1	1	152	42.75	0	19763.033	584.9462366	11658.19585	30000	0	0	30000	22.375	2004
12.02.2020 07:41:19	1	1	1	1	152	42.25	0	20853.081	612.9032258	12780.96377	30000	0	0	30000	23	2004
12.02.2020 07:41:20	1	1	1	1	152	43	0	22132.701	625.8064516	13850.73248	30000	0	0	30000	23.875	2004
12.02.2020 07:41:21	1	1	1	1	152	43.75	0	20142.18	584.9462366	11782.13247	30000	0	0	30000	23.1875	2004
12.02.2020 07:41:22	1	1	1	1	152	43	0	21753.555	634.4086022	13893.94722	30000	0	0	30000	22.5	2004
12.02.2020 07:41:23	1	1	1	1	152.5	42.5	0	21374.408	653.7634409	13881.71663	30000	0	0	30000	22.9375	2004
12.02.2020 07:41:24	1	1	1	1	152.5	42.75	0	21563.981	688.172043	14839.77931	30000	0	0	30000	24.25	2004
12.02.2020 07:41:25	1	1	1	1	152.5	44.25	0	21563.981	688.172043	14839.77931	30000	0	0	30000	22.8125	2004
12.02.2020 07:41:26	1	1	1	1	152.5	42.75	0	21563.981	660.2150538	14236.40366	30000	0	0	30000	22.8125	2004
12.02.2020 07:41:27	1	1	1	1	152.5	42.75	0	21469.194	688.172043	14774.54951	30000	0	0	30000	22.75	2004
12.02.2020 07:41:28	1	1	1	1	152.5	42.75	0	21800.948	688.172043	14970.2389	30000	0	0	30000	23.0625	2004
12.02.2020 07:41:29	1	1	1	1	152.5	43	0	21374.408	688.172043	14709.31971	30000	0	0	30000	24.1875	2004
12.02.2020 07:41:30	1	1	1	1	152.5	44	0	22464.455	688.172043	15426.8475	30000	0	0	30000	23.8125	2004
12.02.2020 07:41:31	1	1	1	1	152.5	43.75	0	21563.981	662.3655914	14236.40366	30000	0	0	30000	24.0625	2004
12.02.2020 07:41:32	1	1	1	1	152.5	44	0	21800.948	713.9784946	15531.21518	30000	0	0	30000	23.75	2004
12.02.2020 07:41:33	1	1	1	1	153	43.75	0	21563.981	688.172043	14607.39815	30000	0	0	30000	25	2004
12.02.2020 07:41:34	1	1	1	1	153	45	0	21374.408	707.5268817	15030.57647	30000	0	0	30000	24	2004
12.02.2020 07:41:35	1	1	1	1	153	44	0	22132.701	718.2795699	15849.21045	30000	0	0	30000	22.6875	2004
12.02.2020 07:41:36	1	1	1	1	153	42.5	0	21943.128	720.4301075	15761.15022	30000	0	0	30000	23.625	2004
12.02.2020 07:41:37	1	1	1	1	153	43.5	0	20473.934	713.9784946	14750.08833	30000	0	0	30000	23.9375	2004
12.02.2020 07:41:38	1	1	1	1	153	43.75	0	21232.227	703.2258065	14931.10102	30000	0	0	30000	24.3125	2004
12.02.2020 07:41:39	1	1	1	1	153	44.25	0	21374.408	707.5268817	15122.71356	30000	0	0	30000	24.8125	2004
12.02.2020 07:41:40	1	1	1	1	153	44.25	0	22796.209	688.172043	15752.99649	30000	0	0	30000	23.5625	2004
12.02.2020 07:41:41	1	1	1	1	153	43.5	0	21895.735	698.9247312	15383.63276	30000	0	0	30000	23.1875	2004
12.02.2020 07:41:42	1	1	1	1	152.5	43	0	21800.948	724.7311828	15927.48621	30000	0	0	30000	24.25	2004
12.02.2020 07:41:43	1	1	1	1	152.5	44.25	0	21279.621	739.7849462	15742.39665	30000	0	0	30000	23.4375	2004
12.02.2020 07:41:44	1	1	1	1	152.5	43.25	0	17582.938	720.4301075	12666.81162	30000	0	0	30000	23.125	2004
12.02.2020 07:41:45	1	1	1	1	152.5	43	0	22132.701	733.3333333	15996.79287	30000	0	0	30000	23.3125	2004
12.02.2020 07:41:46	1	1	1	1	152.5	43.25	0	22227.488	720.4301075	16013.10032	30000	0	0	30000	23	2004
12.02.2020 07:41:47	1	1	1	1	152.5	43	0	22369.668	713.9784946	15971.51632	30000	0	0	30000	24.75	2004
12.02.2020 07:41:48	1	1	1	1	152.5	44.75	0	22274.882	718.2795699	16047.34596	30000	0	0	30000	23.0625	2004
12.02.2020 07:41:49	1	1	1	1	152.5	43	0	21895.735	735.483871	16022.06942	30000	0	0	30000	22.9375	2004
12.02.2020 07:41:50	1	1	1	1	152.5	42.75	0	21895.735	729.0322581	15996.79287	30000	0	0	30000	23.0625	2004
12.02.2020 07:41:52	1	1	1	1	152.5	43	0	22464.455	713.9784946	16120.72949	30000	0	0	30000	22.6875	2004
12.02.2020 07:41:53	1	1	1	1	152.8	42.5	0	21943.128	726.8817204	15996.79287	30000	0	0	30000	22.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 07:41:54	1	1	1	1	152.8	42.75	0	22417.062	713.9784946	16004.94659	30000	0	0	30000	23.9375	2004
12.02.2020 07:41:55	1	1	1	1	152.8	43.75	0	22227.488	720.4301075	15944.60903	30000	0	0	30000	23.875	2004
12.02.2020 07:42:00	1	1	1	1	152.8	43	0	21232.227	756.9892473	16000.86973	30000	0	0	30000	24	2004
12.02.2020 07:42:00	1	1	1	1	152.8	43	0	21232.227	756.9892473	16000.86973	30000	0	0	30000	24	2004
12.02.2020 07:42:00	1	1	1	1	152.8	43	0	21232.227	756.9892473	16000.86973	30000	0	0	30000	24	2004
12.02.2020 07:42:00	1	1	1	1	152.8	43	0	21232.227	756.9892473	16000.86973	30000	0	0	30000	24	2004
12.02.2020 07:42:00	1	1	1	1	152.8	43	0	21232.227	756.9892473	16000.86973	30000	0	0	30000	24	2004
12.02.2020 07:42:01	1	1	1	1	152.8	44	0	21800.948	733.3333333	16034.3	30000	0	0	30000	22.625	2004
12.02.2020 07:42:02	1	1	1	1	152.8	42.5	0	21042.654	756.9892473	15929.11695	30000	0	0	30000	24	2004
12.02.2020 07:42:03	1	1	1	1	153.3	44	0	21090.047	756.9892473	16000.86973	30000	0	0	30000	22.8125	2004
12.02.2020 07:42:04	1	1	1	1	153.3	42.75	0	21374.408	756.9892473	15950.31664	30000	0	0	30000	24	2004
12.02.2020 07:42:05	1	1	1	1	153.3	44	0	20947.867	763.4408602	16028.5924	30000	0	0	30000	24.8125	2004
12.02.2020 07:42:06	1	1	1	1	153.3	44.75	0	20616.114	782.7956989	16137.85231	30000	0	0	30000	22.375	2004
12.02.2020 07:42:07	1	1	1	1	153.3	42.25	0	20236.967	791.3978495	16015.54644	30000	0	0	30000	23.125	2004
12.02.2020 07:42:08	1	1	1	1	153.3	43	0	21563.981	756.9892473	16323.75724	30000	0	0	30000	23.75	2004
12.02.2020 07:42:09	1	1	1	1	153.3	43.75	0	19857.82	808.6021505	16057.13043	30000	0	0	30000	22.75	2004
12.02.2020 07:42:10	1	1	1	1	153.3	42.75	0	20284.36	797.8494624	16183.51317	30000	0	0	30000	23.125	2004
12.02.2020 07:42:11	1	1	1	1	153.3	43	0	20758.294	767.7419355	15936.4553	30000	0	0	30000	23.75	2004
12.02.2020 07:42:12	1	1	1	1	153.3	43.75	0	20047.393	797.8494624	15907.91727	30000	0	0	30000	23.5625	2004
12.02.2020 07:42:13	1	1	1	1	154.8	43.5	0	19289.1	797.8494624	15631.50599	30000	0	0	30000	24.25	2004
12.02.2020 07:42:14	1	1	1	1	154.8	44.25	0	20853.081	767.7419355	16009.83883	30000	0	0	30000	24.625	2004
12.02.2020 07:42:15	1	1	1	1	154.8	44.5	0	20995.261	765.5913978	16118.28337	30000	0	0	30000	24.0625	2004
12.02.2020 07:42:16	1	1	1	1	154.8	44	0	20995.261	763.4408602	16028.5924	30000	0	0	30000	23.4375	2004
12.02.2020 07:42:17	1	1	1	1	154.8	43.25	0	19241.706	791.3978495	15227.89661	30000	0	0	30000	24.875	2004
12.02.2020 07:42:18	1	1	1	1	154.8	44.75	0	21137.441	756.9892473	16000.86973	30000	0	0	30000	23	2004
12.02.2020 07:42:19	1	1	1	1	154.8	43	0	21374.408	756.9892473	16180.25168	30000	0	0	30000	23.0625	2004
12.02.2020 07:42:20	1	1	1	1	154.8	44.25	0	20995.261	772.0430108	15956.02424	30000	0	0	30000	23.6875	2004
12.02.2020 07:42:21	1	1	1	1	154.8	43.5	0	21232.227	756.9892473	16072.62251	30000	0	0	30000	23.5625	2004
12.02.2020 07:42:22	1	1	1	1	155.5	43.5	0	20142.18	797.8494624	15983.74691	30000	0	0	30000	23.6875	2004
12.02.2020 07:42:23	1	1	1	1	155.5	43.5	0	20853.081	774.1935484	16099.5298	30000	0	0	30000	23.375	2004
12.02.2020 07:42:24	1	1	1	1	155.5	43.25	0	20995.261	756.9892473	15893.24056	30000	0	0	30000	22.5	2004
12.02.2020 07:42:25	1	1	1	1	155.5	42.5	0	20284.36	800	16146.00603	30000	0	0	30000	23.75	2004
12.02.2020 07:42:26	1	1	1	1	155.5	43.75	0	20853.081	769.8924731	15920.14785	30000	0	0	30000	22.75	2004
12.02.2020 07:42:27	1	1	1	1	155.5	42.75	0	20047.393	784.9462366	15735.87367	30000	0	0	30000	22.75	2004
12.02.2020 07:42:28	1	1	1	1	155.5	42.75	0	21516.588	756.9892473	15928.30158	30000	0	0	30000	23.25	2004
12.02.2020 07:42:29	1	1	1	1	155.5	43.25	0	20521.327	784.9462366	16107.68353	30000	0	0	30000	23.4375	2004
12.02.2020 07:42:31	1	1	1	1	155.5	43.25	0	20995.261	767.7419355	16118.28337	30000	0	0	30000	22.75	2004
12.02.2020 07:42:32	1	1	1	1	155.5	42.75	0	20189.573	791.3978495	15853.28731	30000	0	0	30000	23.8125	2004
12.02.2020 07:42:33	1	1	1	1	155	43.75	0	21374.408	741.9354839	15928.30158	30000	0	0	30000	23.6875	2004
12.02.2020 07:42:34	1	1	1	1	155	43.5	0	21563.981	741.9354839	15998.42361	30000	0	0	30000	23.25	2004
12.02.2020 07:42:35	1	1	1	1	155	43.25	0	21090.047	756.9892473	16000.86973	30000	0	0	30000	24.125	2004
12.02.2020 07:42:36	1	1	1	1	155	44	0	20331.754	784.9462366	16002.50048	30000	0	0	30000	23.4375	2004
12.02.2020 07:42:37	1	1	1	1	155	43.25	0	20947.867	763.4408602	15956.02424	30000	0	0	30000	23.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 07:42:38	1	1	1	1	155	43.75	0	21848.341	729.0322581	15927.48621	30000	0	0	30000	23.75	2004
12.02.2020 07:42:39	1	1	1	1	155	43.75	0	20900.474	769.8924731	16090.5607	30000	0	0	30000	22.8125	2004
12.02.2020 07:42:40	1	1	1	1	155	42.75	0	20331.754	791.3978495	16090.5607	30000	0	0	30000	23.0625	2004
12.02.2020 07:42:41	1	1	1	1	155	43	0	20331.754	778.4946237	15871.2255	30000	0	0	30000	23.875	2004
12.02.2020 07:42:42	1	1	1	1	155	43.75	0	20379.147	784.9462366	16070.99176	30000	0	0	30000	22.5625	2004
12.02.2020 07:42:43	1	1	1	1	154.8	42.5	0	21800.948	739.7849462	16034.3	30000	0	0	30000	22.8125	2004
12.02.2020 07:42:44	1	1	1	1	154.8	42.75	0	21563.981	744.0860215	16323.75724	30000	0	0	30000	22.9375	2004
12.02.2020 07:42:45	1	1	1	1	154.8	42.75	0	20853.081	767.7419355	15920.14785	30000	0	0	30000	23.5625	2004
12.02.2020 07:42:46	1	1	1	1	154.8	43.5	0	19241.706	778.4946237	15024.86886	30000	0	0	30000	23.375	2004
12.02.2020 07:42:47	1	1	1	1	154.8	43.25	0	20568.72	782.7956989	16063.65341	30000	0	0	30000	23.625	2004
12.02.2020 07:42:48	1	1	1	1	154.8	43.5	0	20236.967	769.8924731	15580.13753	30000	0	0	30000	24.375	2004
12.02.2020 07:42:49	1	1	1	1	154.8	44.25	0	20758.294	784.9462366	16256.89669	30000	0	0	30000	23.625	2004
12.02.2020 07:42:50	1	1	1	1	154.8	43.5	0	20900.474	756.9892473	15785.61139	30000	0	0	30000	24.25	2004
12.02.2020 07:42:51	1	1	1	1	154.8	44.25	0	21706.161	739.7849462	16022.88479	30000	0	0	30000	22.9375	2004
12.02.2020 07:42:52	1	1	1	1	154.8	42.75	0	21137.441	756.9892473	16081.59161	30000	0	0	30000	23.4375	2004
12.02.2020 07:42:53	1	1	1	1	155.3	43.25	0	21516.588	739.7849462	15917.70174	30000	0	0	30000	24.25	2004
12.02.2020 07:42:54	1	1	1	1	155.3	44.25	0	21184.834	756.9892473	16072.62251	30000	0	0	30000	22.875	2004
12.02.2020 07:42:55	1	1	1	1	155.3	42.75	0	20758.294	772.0430108	16026.14628	30000	0	0	30000	23.75	2004
12.02.2020 07:42:56	1	1	1	1	155.3	43.75	0	21374.408	741.9354839	15858.17955	30000	0	0	30000	24.3125	2004
12.02.2020 07:43:02	1	1	1	1	155.3	43	0	21800.948	729.0322581	16022.06942	30000	0	0	30000	23.625	2004
12.02.2020 07:43:02	1	1	1	1	155.3	43	0	21800.948	729.0322581	16022.06942	30000	0	0	30000	23.625	2004
12.02.2020 07:43:02	1	1	1	1	155.3	43	0	21800.948	729.0322581	16022.06942	30000	0	0	30000	23.625	2004
12.02.2020 07:43:02	1	1	1	1	155.3	43	0	21800.948	729.0322581	16022.06942	30000	0	0	30000	23.625	2004
12.02.2020 07:43:02	1	1	1	1	156.3	43.5	0	20473.934	791.3978495	16115.02188	30000	0	0	30000	23.0625	2004
12.02.2020 07:43:03	1	1	1	1	156.3	43	0	20995.261	756.9892473	15893.24056	30000	0	0	30000	23.875	2004
12.02.2020 07:43:04	1	1	1	1	156.3	43.75	0	20758.294	772.0430108	16062.83804	30000	0	0	30000	24.5	2004
12.02.2020 07:43:05	1	1	1	1	156.3	44.5	0	21042.654	765.5913978	16064.46878	30000	0	0	30000	23.1875	2004
12.02.2020 07:43:06	1	1	1	1	156.3	43	0	19763.033	795.6989247	15682.87446	30000	0	0	30000	23.6875	2004
12.02.2020 07:43:07	1	1	1	1	156.3	43.5	0	20047.393	784.9462366	15735.87367	30000	0	0	30000	23.25	2004
12.02.2020 07:43:09	1	1	1	1	156.3	43.25	0	21706.161	739.7849462	15999.23899	30000	0	0	30000	24.875	2004
12.02.2020 07:43:10	1	1	1	1	156.3	44.75	0	21658.768	739.7849462	16093.00682	30000	0	0	30000	25.1875	2004
12.02.2020 07:43:11	1	1	1	1	156.3	45	0	21042.654	767.7419355	16200.63599	30000	0	0	30000	23.375	2004
12.02.2020 07:43:12	1	1	1	1	156.3	43.25	0	20000	800	16042.45373	30000	0	0	30000	24.1875	2004
12.02.2020 07:43:13	1	1	1	1	156	44	0	20616.114	784.9462366	16270.75802	30000	0	0	30000	23.25	2004
12.02.2020 07:43:14	1	1	1	1	156	43.25	0	21137.441	756.9892473	16045.71522	30000	0	0	30000	23.375	2004
12.02.2020 07:43:15	1	1	1	1	156	43.25	0	20331.754	782.7956989	15915.25562	30000	0	0	30000	23.625	2004
12.02.2020 07:43:16	1	1	1	1	156	43.5	0	20236.967	778.4946237	15753.81187	30000	0	0	30000	22.9375	2004
12.02.2020 07:43:17	1	1	1	1	156	42.75	0	20426.54	791.3978495	16247.11222	30000	0	0	30000	23	2004
12.02.2020 07:43:18	1	1	1	1	156	43	0	21279.621	756.9892473	16108.4989	30000	0	0	30000	24.125	2004
12.02.2020 07:43:19	1	1	1	1	156	44	0	20758.294	772.0430108	16070.99176	30000	0	0	30000	22.9375	2004
12.02.2020 07:43:20	1	1	1	1	156	42.75	0	20236.967	778.4946237	15797.84198	30000	0	0	30000	22.75	2004
12.02.2020 07:43:21	1	1	1	1	156	42.75	0	20473.934	778.4946237	16019.6233	30000	0	0	30000	23.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 07:43:22	1	1	1	1	156	43.5	0	20616.114	791.3978495	16278.09638	30000	0	0	30000	23.625	2004
12.02.2020 07:43:23	1	1	1	1	156	43.5	0	20331.754	795.6989247	16221.0203	30000	0	0	30000	22.625	2004
12.02.2020 07:43:24	1	1	1	1	156	42.5	0	20995.261	756.9892473	15973.96244	30000	0	0	30000	23.75	2004
12.02.2020 07:43:25	1	1	1	1	156	43.75	0	20616.114	776.344086	15968.25483	30000	0	0	30000	24.3125	2004
12.02.2020 07:43:26	1	1	1	1	156	44.25	0	20047.393	800	15913.62487	30000	0	0	30000	23.5625	2004
12.02.2020 07:43:27	1	1	1	1	156	43.5	0	19289.1	780.6451613	15099.06776	30000	0	0	30000	24.0625	2004
12.02.2020 07:43:28	1	1	1	1	156	44	0	20616.114	782.7956989	16093.82219	30000	0	0	30000	25	2004
12.02.2020 07:43:29	1	1	1	1	156	45	0	19336.493	817.2043011	15843.50284	30000	0	0	30000	22.875	2004
12.02.2020 07:43:30	1	1	1	1	156	42.75	0	19620.853	778.4946237	15195.28171	30000	0	0	30000	22.875	2004
12.02.2020 07:43:31	1	1	1	1	156	42.75	0	19573.46	804.3010753	15658.41329	30000	0	0	30000	23	2004
12.02.2020 07:43:32	1	1	1	1	156	43	0	18530.806	800	14666.92034	30000	0	0	30000	22.75	2004
12.02.2020 07:43:33	1	1	1	1	157	42.75	0	12464.455	886.0215054	10921.09912	30000	0	0	30000	25.375	2004
12.02.2020 07:43:34	1	1	1	1	157	45.25	0	20047.393	804.3010753	16080.77623	30000	0	0	30000	25.375	2004
12.02.2020 07:43:35	1	1	1	1	157	45.25	0	19146.919	795.6989247	15190.38948	30000	0	0	30000	24.25	2004
12.02.2020 07:43:36	1	1	1	1	157	44.25	0	18151.659	834.4086022	15028.13035	30000	0	0	30000	25.6875	2004
12.02.2020 07:43:37	1	1	1	1	157	44.75	0	20047.393	791.3978495	15865.5179	30000	0	0	30000	23.375	2004
12.02.2020 07:43:38	1	1	1	1	157	43.25	0	19952.607	808.6021505	16057.13043	30000	0	0	30000	23.5	2004
12.02.2020 07:43:39	1	1	1	1	157	43.5	0	18720.379	860.2150538	16063.65341	30000	0	0	30000	23.9375	2004
12.02.2020 07:43:40	1	1	1	1	157	43.75	0	18909.953	808.6021505	15290.68029	30000	0	0	30000	23.3125	2004
12.02.2020 07:43:41	1	1	1	1	157	43.25	0	19526.066	804.3010753	15746.47351	30000	0	0	30000	24.0625	2004
12.02.2020 07:43:42	1	1	1	1	154.5	44	0	19383.886	810.7526882	15879.37923	30000	0	0	30000	24.75	2004
12.02.2020 07:43:43	1	1	1	1	154.5	44.75	0	19763.033	808.6021505	15980.48542	30000	0	0	30000	24.3125	2004
12.02.2020 07:43:44	1	1	1	1	154.5	44.25	0	20142.18	808.6021505	16210.42046	30000	0	0	30000	24.0625	2004
12.02.2020 07:43:45	1	1	1	1	154.5	44	0	13127.962	873.1182796	11461.69108	30000	0	0	30000	23.875	2004
12.02.2020 07:43:46	1	1	1	1	154.5	43.75	0	20710.9	791.3978495	16434.64789	30000	0	0	30000	23.6875	2004
12.02.2020 07:43:47	1	1	1	1	154.5	43.5	0	20047.393	791.3978495	15735.87367	30000	0	0	30000	23.3125	2004
12.02.2020 07:43:49	1	1	1	1	154.5	43.25	0	17203.791	825.8064516	14130.40524	30000	0	0	30000	23.25	2004
12.02.2020 07:43:50	1	1	1	1	154.5	43.25	0	20142.18	800	16194.92838	30000	0	0	30000	23.375	2004
12.02.2020 07:43:51	1	1	1	1	154.5	43.25	0	19004.739	821.5053763	15652.70568	30000	0	0	30000	24.25	2004
12.02.2020 07:43:52	1	1	1	1	154.5	44.25	0	18151.659	830.1075269	15028.13035	30000	0	0	30000	23.125	2004
12.02.2020 07:43:53	1	1	1	1	155	43	0	19194.313	817.2043011	15643.73658	30000	0	0	30000	25.625	2004
12.02.2020 07:43:54	1	1	1	1	155	45.5	0	17772.512	853.7634409	15253.98853	30000	0	0	30000	25.625	2004
12.02.2020 07:43:55	1	1	1	1	155	45.5	0	18436.019	830.1075269	15342.86413	30000	0	0	30000	24.75	2004
12.02.2020 07:43:56	1	1	1	1	155	44.75	0	18815.166	830.1075269	15496.96953	30000	0	0	30000	23.625	2004
12.02.2020 07:43:57	1	1	1	1	155	43.5	0	19478.673	817.2043011	15917.70174	30000	0	0	30000	23.375	2004
12.02.2020 07:43:58	1	1	1	1	155	43.25	0	19431.28	817.2043011	15917.70174	30000	0	0	30000	24.5625	2004
12.02.2020 07:44:04	1	1	1	1	156.5	44.75	0	20284.36	791.3978495	16133.77545	30000	0	0	30000	24.3125	2004
12.02.2020 07:44:04	1	1	1	1	156.5	44.75	0	20284.36	791.3978495	16133.77545	30000	0	0	30000	24.3125	2004
12.02.2020 07:44:04	1	1	1	1	156.5	44.75	0	20284.36	791.3978495	16133.77545	30000	0	0	30000	24.3125	2004
12.02.2020 07:44:04	1	1	1	1	156.5	44.75	0	20284.36	791.3978495	16133.77545	30000	0	0	30000	24.3125	2004
12.02.2020 07:44:04	1	1	1	1	156.5	44.75	0	20284.36	791.3978495	16133.77545	30000	0	0	30000	24.3125	2004
12.02.2020 07:44:04	1	1	1	1	156.5	44.75	0	20284.36	791.3978495	16133.77545	30000	0	0	30000	24.3125	2004
12.02.2020 07:44:05	1	1	1	1	156.5	44.25	0	19952.607	810.7526882	16219.38956	30000	0	0	30000	25.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 07:44:06	1	1	1	1	156.5	45.5	0	18530.806	827.9569892	15342.04876	30000	0	0	30000	23.3125	2004
12.02.2020 07:44:07	1	1	1	1	156.5	43.25	0	19383.886	817.2043011	15881.82535	30000	0	0	30000	23.375	2004
12.02.2020 07:44:08	1	1	1	1	156.5	43.25	0	18909.953	823.655914	15616.01392	30000	0	0	30000	23	2004
12.02.2020 07:44:09	1	1	1	1	156.5	43	0	19241.706	815.0537634	15804.36496	30000	0	0	30000	25.25	2004
12.02.2020 07:44:10	1	1	1	1	156.5	45.25	0	15213.27	830.1075269	12621.96613	30000	0	0	30000	23.0625	2004
12.02.2020 07:44:11	1	1	1	1	156.5	43	0	19668.246	804.3010753	15861.44103	30000	0	0	30000	24.75	2004
12.02.2020 07:44:12	1	1	1	1	156.5	44.75	0	19241.706	817.2043011	15804.36496	30000	0	0	30000	24.0625	2004
12.02.2020 07:44:13	1	1	1	1	155.8	44	0	17819.905	834.4086022	14867.50197	30000	0	0	30000	23.8125	2004
12.02.2020 07:44:14	1	1	1	1	155.8	43.75	0	18909.953	821.5053763	15575.24529	30000	0	0	30000	25.1875	2004
12.02.2020 07:44:15	1	1	1	1	155.8	45	0	19052.133	825.8064516	15652.70568	30000	0	0	30000	23.8125	2004
12.02.2020 07:44:16	1	1	1	1	155.8	43.75	0	18909.953	815.0537634	15571.16843	30000	0	0	30000	25.625	2004
12.02.2020 07:44:17	1	1	1	1	155.8	45.5	0	18625.592	819.3548387	15420.32452	30000	0	0	30000	24.1875	2004
12.02.2020 07:44:18	1	1	1	1	155.8	43.75	0	17772.512	843.0107527	14904.19373	30000	0	0	30000	23.3125	2004
12.02.2020 07:44:19	1	1	1	1	155.8	43.25	0	18909.953	823.655914	15575.24529	30000	0	0	30000	24.375	2004
12.02.2020 07:44:20	1	1	1	1	155.8	44.25	0	19668.246	795.6989247	15649.44419	30000	0	0	30000	23.5625	2004
12.02.2020 07:44:21	1	1	1	1	155.8	43.5	0	20521.327	776.344086	15931.56307	30000	0	0	30000	25.5	2004
12.02.2020 07:44:22	1	1	1	1	156.8	45.5	0	19763.033	808.6021505	16018.80793	30000	0	0	30000	22.9375	2004
12.02.2020 07:44:23	1	1	1	1	156.8	42.75	0	17251.185	847.311828	14539.72223	30000	0	0	30000	24	2004
12.02.2020 07:44:24	1	1	1	1	156.8	44	0	20142.18	804.3010753	16167.20572	30000	0	0	30000	23.6875	2004
12.02.2020 07:44:25	1	1	1	1	156.8	43.5	0	20521.327	791.3978495	16240.58924	30000	0	0	30000	23.5625	2004
12.02.2020 07:44:27	1	1	1	1	156.8	43.5	0	20473.934	791.3978495	16247.11222	30000	0	0	30000	24.75	2004
12.02.2020 07:44:28	1	1	1	1	156.8	44.75	0	19620.853	802.1505376	15823.11853	30000	0	0	30000	25.1875	2004
12.02.2020 07:44:29	1	1	1	1	156.8	45	0	19383.886	808.6021505	15715.48936	30000	0	0	30000	25.1875	2004
12.02.2020 07:44:30	1	1	1	1	156.8	45	0	20473.934	782.7956989	16026.96165	30000	0	0	30000	23.625	2004
12.02.2020 07:44:31	1	1	1	1	156.8	43.5	0	19573.46	795.6989247	15494.52341	30000	0	0	30000	23.125	2004
12.02.2020 07:44:32	1	1	1	1	156.8	43	0	20236.967	800	16232.43552	30000	0	0	30000	24.1875	2004
12.02.2020 07:44:33	1	1	1	1	157.3	44	0	20616.114	778.4946237	16167.20572	30000	0	0	30000	24.5625	2004
12.02.2020 07:44:34	1	1	1	1	157.3	44.5	0	20142.18	791.3978495	15853.28731	30000	0	0	30000	23.875	2004
12.02.2020 07:44:35	1	1	1	1	157.3	43.75	0	19383.886	812.9032258	15798.65735	30000	0	0	30000	24.4375	2004
12.02.2020 07:44:36	1	1	1	1	157.3	44.25	0	20758.294	767.7419355	15936.4553	30000	0	0	30000	23.9375	2004
12.02.2020 07:44:37	1	1	1	1	157.3	43.75	0	19668.246	808.6021505	15903.8404	30000	0	0	30000	25.3125	2004
12.02.2020 07:44:38	1	1	1	1	157.3	45.25	0	20616.114	774.1935484	16004.94659	30000	0	0	30000	25.0625	2004
12.02.2020 07:44:39	1	1	1	1	157.3	45	0	20616.114	780.6451613	16137.85231	30000	0	0	30000	23.8125	2004
12.02.2020 07:44:40	1	1	1	1	157.3	43.75	0	19289.1	819.3548387	15804.36496	30000	0	0	30000	24	2004
12.02.2020 07:44:41	1	1	1	1	157.3	44	0	20047.393	812.9032258	16210.42046	30000	0	0	30000	23.875	2004
12.02.2020 07:44:42	1	1	1	1	157.3	43.75	0	18056.872	834.4086022	15105.59074	30000	0	0	30000	24.0625	2004
12.02.2020 07:44:43	1	1	1	1	158.5	44	0	18625.592	827.9569892	15421.13989	30000	0	0	30000	24.125	2004
12.02.2020 07:44:44	1	1	1	1	158.5	44	0	18530.806	830.1075269	15342.04876	30000	0	0	30000	25.375	2004
12.02.2020 07:44:45	1	1	1	1	158.5	45.25	0	19383.886	819.3548387	15920.96323	30000	0	0	30000	25.0625	2004
12.02.2020 07:44:46	1	1	1	1	158.5	45	0	18056.872	836.5591398	15105.59074	30000	0	0	30000	23	2004
12.02.2020 07:44:47	1	1	1	1	158.5	43	0	18909.953	821.5053763	15534.47667	30000	0	0	30000	25.1875	2004
12.02.2020 07:44:48	1	1	1	1	158.5	45	0	19431.28	808.6021505	15917.70174	30000	0	0	30000	24.125	2004
12.02.2020 07:44:49	1	1	1	1	158.5	44	0	18720.379	821.5053763	15538.55353	30000	0	0	30000	25.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 07:44:50	1	1	1	1	158.5	45	0	18151.659	832.2580645	15184.68187	30000	0	0	30000	24.1875	2004
12.02.2020 07:44:51	1	1	1	1	158.5	44	0	18909.953	821.5053763	15614.38317	30000	0	0	30000	25.625	2004
12.02.2020 07:44:52	1	1	1	1	158.5	45.5	0	19383.886	817.2043011	15920.96323	30000	0	0	30000	24	2004
12.02.2020 07:44:53	1	1	1	1	159.3	44	0	17772.512	851.6129032	15019.97663	30000	0	0	30000	23.375	2004
12.02.2020 07:44:54	1	1	1	1	159.3	43.25	0	19431.28	821.5053763	15920.96323	30000	0	0	30000	25.1875	2004
12.02.2020 07:44:55	1	1	1	1	159.3	45	0	19004.739	825.8064516	15614.38317	30000	0	0	30000	26.125	2004
12.02.2020 07:44:56	1	1	1	1	159.3	46	0	19194.313	821.5053763	15809.2572	30000	0	0	30000	26.0625	2004
12.02.2020 07:44:57	1	1	1	1	159.3	43.25	0	18672.986	830.1075269	15461.09314	30000	0	0	30000	25.3125	2004
12.02.2020 07:44:58	1	1	1	1	159.3	45.25	0	18767.773	825.8064516	15577.69141	30000	0	0	30000	24.5625	2004
12.02.2020 07:44:59	1	1	1	1	159.3	44.5	0	19620.853	817.2043011	15991.90063	30000	0	0	30000	26.125	2004
12.02.2020 07:45:05	1	1	1	1	159.8	43	0	18530.806	827.9569892	15382.00201	30000	0	0	30000	24.75	2004
12.02.2020 07:45:05	1	1	1	1	159.8	43	0	18530.806	827.9569892	15382.00201	30000	0	0	30000	24.75	2004
12.02.2020 07:45:05	1	1	1	1	159.8	43	0	18530.806	827.9569892	15382.00201	30000	0	0	30000	24.75	2004
12.02.2020 07:45:05	1	1	1	1	159.8	43	0	18530.806	827.9569892	15382.00201	30000	0	0	30000	24.75	2004
12.02.2020 07:45:05	1	1	1	1	159.8	44.75	0	19383.886	819.3548387	15840.24135	30000	0	0	30000	23.6875	2004
12.02.2020 07:45:07	1	1	1	1	159.8	43.5	0	19241.706	817.2043011	15685.32058	30000	0	0	30000	23.3125	2004
12.02.2020 07:45:08	1	1	1	1	159.8	43.25	0	19194.313	821.5053763	15726.90457	30000	0	0	30000	22.8125	2004
12.02.2020 07:45:09	1	1	1	1	159.8	42.75	0	18578.199	827.9569892	15342.04876	30000	0	0	30000	23.5625	2004
12.02.2020 07:45:10	1	1	1	1	159.8	43.5	0	19478.673	817.2043011	15998.42361	30000	0	0	30000	23.1875	2004
12.02.2020 07:45:11	1	1	1	1	159.8	43	0	19383.886	817.2043011	15840.24135	30000	0	0	30000	23.5	2004
12.02.2020 07:45:12	1	1	1	1	159.8	43.5	0	19194.313	821.5053763	15929.11695	30000	0	0	30000	23.4375	2004
12.02.2020 07:45:13	1	1	1	1	159.5	43.25	0	18909.953	825.8064516	15655.96717	30000	0	0	30000	23.1875	2004
12.02.2020 07:45:14	1	1	1	1	159.5	43	0	19478.673	817.2043011	15917.70174	30000	0	0	30000	25.5	2004
12.02.2020 07:45:15	1	1	1	1	159.5	45.5	0	18151.659	830.1075269	15028.13035	30000	0	0	30000	24.375	2004
12.02.2020 07:45:16	1	1	1	1	159.5	44.25	0	18530.806	830.1075269	15342.04876	30000	0	0	30000	23.5	2004
12.02.2020 07:45:17	1	1	1	1	159.5	43.5	0	19383.886	819.3548387	15881.82535	30000	0	0	30000	23.875	2004
12.02.2020 07:45:18	1	1	1	1	159.5	43.75	0	17819.905	840.8602151	14984.10024	30000	0	0	30000	23.75	2004
12.02.2020 07:45:19	1	1	1	1	159.5	43.75	0	18720.379	823.655914	15418.69377	30000	0	0	30000	24.6875	2004
12.02.2020 07:45:20	1	1	1	1	159.5	44.5	0	20284.36	802.1505376	16309.08053	30000	0	0	30000	23.125	2004
12.02.2020 07:45:21	1	1	1	1	159.5	43	0	18530.806	827.9569892	15342.04876	30000	0	0	30000	24.375	2004
12.02.2020 07:45:22	1	1	1	1	159.5	44.25	0	20331.754	800	16309.08053	30000	0	0	30000	24.5625	2004
12.02.2020 07:45:23	1	1	1	1	159.5	44.5	0	19099.526	821.5053763	15648.62882	30000	0	0	30000	24.25	2004
12.02.2020 07:45:24	1	1	1	1	159.5	44.25	0	18909.953	819.3548387	15571.16843	30000	0	0	30000	23.375	2004
12.02.2020 07:45:25	1	1	1	1	159.5	43.25	0	19952.607	810.7526882	16099.5298	30000	0	0	30000	25.3125	2004
12.02.2020 07:45:26	1	1	1	1	159.5	45.25	0	20379.147	791.3978495	16128.06784	30000	0	0	30000	23.4375	2004
12.02.2020 07:45:27	1	1	1	1	159.5	43.25	0	19478.673	812.9032258	15792.13437	30000	0	0	30000	25.125	2004
12.02.2020 07:45:28	1	1	1	1	159.5	45	0	19383.886	804.3010753	15589.922	30000	0	0	30000	23.4375	2004
12.02.2020 07:45:29	1	1	1	1	159.5	43.25	0	20379.147	793.5483871	16133.77545	30000	0	0	30000	25	2004
12.02.2020 07:45:30	1	1	1	1	159.5	45	0	19857.82	804.3010753	16057.13043	30000	0	0	30000	24.75	2004
12.02.2020 07:45:31	1	1	1	1	159.5	44.75	0	19573.46	812.9032258	15949.50126	30000	0	0	30000	23.4375	2004
12.02.2020 07:45:32	1	1	1	1	159.5	43.25	0	20853.081	765.5913978	15920.14785	30000	0	0	30000	23.875	2004
12.02.2020 07:45:33	1	1	1	1	160.5	43.75	0	19952.607	802.1505376	16004.94659	30000	0	0	30000	24	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 07:45:34	1	1	1	1	160.5	44	0	19668.246	810.7526882	15945.4244	30000	0	0	30000	24	2004
12.02.2020 07:45:35	1	1	1	1	160.5	44	0	20568.72	774.1935484	15879.37923	30000	0	0	30000	25.4375	2004
12.02.2020 07:45:36	1	1	1	1	160.5	43.75	0	18151.659	830.1075269	15106.40611	30000	0	0	30000	23.5625	2004
12.02.2020 07:45:37	1	1	1	1	160.5	43.5	0	19573.46	812.9032258	15911.17876	30000	0	0	30000	23.6875	2004
12.02.2020 07:45:38	1	1	1	1	160.5	43.5	0	19668.246	800	15734.24293	30000	0	0	30000	23.3125	2004
12.02.2020 07:45:39	1	1	1	1	160.5	43.25	0	20047.393	804.3010753	16085.66847	30000	0	0	30000	24.75	2004
12.02.2020 07:45:40	1	1	1	1	160.5	44.75	0	20236.967	787.0967742	15971.51632	30000	0	0	30000	23.6875	2004
12.02.2020 07:45:41	1	1	1	1	160.5	43.5	0	20236.967	802.1505376	16189.22078	30000	0	0	30000	23.1875	2004
12.02.2020 07:45:42	1	1	1	1	160.5	43	0	20047.393	791.3978495	15907.91727	30000	0	0	30000	24.25	2004
12.02.2020 07:45:44	1	1	1	1	160.5	44.25	0	20473.934	782.7956989	16070.99176	30000	0	0	30000	23.4375	2004
12.02.2020 07:45:45	1	1	1	1	160.5	43.25	0	21042.654	759.1397849	15973.96244	30000	0	0	30000	24.625	2004
12.02.2020 07:45:46	1	1	1	1	160.5	44.5	0	21374.408	756.9892473	16180.25168	30000	0	0	30000	24.6875	2004
12.02.2020 07:45:47	1	1	1	1	160.5	44.5	0	20331.754	793.5483871	16128.06784	30000	0	0	30000	23.5625	2004
12.02.2020 07:45:48	1	1	1	1	160.5	43.5	0	20473.934	778.4946237	15982.93154	30000	0	0	30000	24.5625	2004
12.02.2020 07:45:49	1	1	1	1	160.5	44.5	0	19810.427	808.6021505	16099.5298	30000	0	0	30000	23.875	2004
12.02.2020 07:45:50	1	1	1	1	160.5	43.75	0	19810.427	812.9032258	16061.20729	30000	0	0	30000	23.9375	2004
12.02.2020 07:45:51	1	1	1	1	160.5	43.75	0	20616.114	791.3978495	16315.60351	30000	0	0	30000	23.625	2004
12.02.2020 07:45:52	1	1	1	1	160.5	43.5	0	19810.427	802.1505376	15928.30158	30000	0	0	30000	23.75	2004
12.02.2020 07:45:53	1	1	1	1	159.3	43.75	0	19620.853	810.7526882	15907.10189	30000	0	0	30000	25.0625	2004
12.02.2020 07:45:54	1	1	1	1	159.3	45	0	20047.393	812.9032258	16296.03457	30000	0	0	30000	23.1875	2004
12.02.2020 07:45:55	1	1	1	1	159.3	43	0	19383.886	808.6021505	15510.83086	30000	0	0	30000	23.75	2004
12.02.2020 07:45:56	1	1	1	1	159.3	43.75	0	19810.427	800	15885.90221	30000	0	0	30000	23.6875	2004
12.02.2020 07:45:57	1	1	1	1	159.3	43.5	0	18909.953	821.5053763	15534.47667	30000	0	0	30000	23.5625	2004
12.02.2020 07:45:58	1	1	1	1	159.3	43.5	0	20047.393	800	16037.56149	30000	0	0	30000	24.3125	2004
12.02.2020 07:45:59	1	1	1	1	159.3	44.25	0	20379.147	791.3978495	16208.78972	30000	0	0	30000	24.1875	2004
12.02.2020 07:46:00	1	1	1	1	159.3	44	0	19573.46	800	15616.01392	30000	0	0	30000	23.3125	2004
12.02.2020 07:46:01	1	1	1	1	159.3	43.25	0	20142.18	802.1505376	16199.82062	30000	0	0	30000	24.25	2004
12.02.2020 07:46:07	1	1	1	1	159.8	44.5	0	20379.147	791.3978495	16128.06784	30000	0	0	30000	24.3125	2004
12.02.2020 07:46:07	1	1	1	1	159.8	44.5	0	20379.147	791.3978495	16128.06784	30000	0	0	30000	24.3125	2004
12.02.2020 07:46:07	1	1	1	1	159.8	44.5	0	20379.147	791.3978495	16128.06784	30000	0	0	30000	24.3125	2004
12.02.2020 07:46:07	1	1	1	1	159.8	44.5	0	20379.147	791.3978495	16128.06784	30000	0	0	30000	24.3125	2004
12.02.2020 07:46:07	1	1	1	1	159.8	44.5	0	20379.147	791.3978495	16128.06784	30000	0	0	30000	24.3125	2004
12.02.2020 07:46:07	1	1	1	1	159.8	44.25	0	20616.114	787.0967742	16226.72791	30000	0	0	30000	23.4375	2004
12.02.2020 07:46:08	1	1	1	1	159.8	43.25	0	21090.047	761.2903226	16019.6233	30000	0	0	30000	24.3125	2004
12.02.2020 07:46:09	1	1	1	1	159.8	44.25	0	19526.066	812.9032258	15952.76275	30000	0	0	30000	23.5625	2004
12.02.2020 07:46:10	1	1	1	1	159.8	43.5	0	21090.047	756.9892473	15964.99334	30000	0	0	30000	23.9375	2004
12.02.2020 07:46:11	1	1	1	1	159.8	43.75	0	20047.393	800	15994.34675	30000	0	0	30000	26.375	2004
12.02.2020 07:46:12	1	1	1	1	159.8	46.25	0	21516.588	739.7849462	15998.42361	30000	0	0	30000	24.125	2004
12.02.2020 07:46:13	1	1	1	1	159.5	44	0	20284.36	791.3978495	16015.54644	30000	0	0	30000	24.375	2004
12.02.2020 07:46:14	1	1	1	1	159.5	44.25	0	21279.621	756.9892473	16108.4989	30000	0	0	30000	26.0625	2004
12.02.2020 07:46:15	1	1	1	1	159.5	46	0	20236.967	795.6989247	16146.00603	30000	0	0	30000	23.6875	2004
12.02.2020 07:46:16	1	1	1	1	159.5	45	0	21279.621	756.9892473	16108.4989	30000	0	0	30000	24.9375	2004
12.02.2020 07:46:17	1	1	1	1	159.5	44.75	0	21232.227	741.9354839	15752.99649	30000	0	0	30000	23.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 07:46:18	1	1	1	1	159.5	43.75	0	20616.114	778.4946237	16093.82219	30000	0	0	30000	24.6875	2004
12.02.2020 07:46:19	1	1	1	1	159.5	44.5	0	19668.246	793.5483871	15682.87446	30000	0	0	30000	23.5	2004
12.02.2020 07:46:20	1	1	1	1	159.5	43.5	0	20284.36	791.3978495	16053.05357	30000	0	0	30000	23.9375	2004
12.02.2020 07:46:21	1	1	1	1	159.5	43.75	0	18909.953	821.5053763	15534.47667	30000	0	0	30000	23.5625	2004
12.02.2020 07:46:23	1	1	1	1	160.5	43.5	0	19620.853	815.0537634	15952.76275	30000	0	0	30000	23.25	2004
12.02.2020 07:46:24	1	1	1	1	160.5	43.25	0	19620.853	808.6021505	15865.5179	30000	0	0	30000	26.0625	2004
12.02.2020 07:46:25	1	1	1	1	160.5	46	0	18909.953	827.9569892	15536.10741	30000	0	0	30000	24.1875	2004
12.02.2020 07:46:26	1	1	1	1	160.5	44	0	20284.36	784.9462366	16002.50048	30000	0	0	30000	24.1875	2004
12.02.2020 07:46:27	1	1	1	1	160.5	44	0	20047.393	804.3010753	16123.99098	30000	0	0	30000	25.375	2004
12.02.2020 07:46:28	1	1	1	1	160.5	45.25	0	19857.82	806.4516129	16013.91569	30000	0	0	30000	24.6875	2004
12.02.2020 07:46:29	1	1	1	1	160.5	44.5	0	19857.82	802.1505376	15843.50284	30000	0	0	30000	25.4375	2004
12.02.2020 07:46:30	1	1	1	1	160.5	45.25	0	20047.393	804.3010753	16080.77623	30000	0	0	30000	23.5	2004
12.02.2020 07:46:31	1	1	1	1	160.5	43.5	0	18483.412	830.1075269	15263.773	30000	0	0	30000	24.25	2004
12.02.2020 07:46:32	1	1	1	1	160.5	44.25	0	19336.493	821.5053763	15845.94896	30000	0	0	30000	24.25	2004
12.02.2020 07:46:33	1	1	1	1	160.5	44.25	0	19620.853	815.0537634	15949.50126	30000	0	0	30000	25	2004
12.02.2020 07:46:34	1	1	1	1	160.5	45	0	19289.1	821.5053763	15887.53295	30000	0	0	30000	23.625	2004
12.02.2020 07:46:35	1	1	1	1	160.5	43.5	0	19668.246	812.9032258	15907.10189	30000	0	0	30000	23.5625	2004
12.02.2020 07:46:36	1	1	1	1	160.5	43.5	0	20710.9	776.344086	16078.33012	30000	0	0	30000	25.4375	2004
12.02.2020 07:46:37	1	1	1	1	160.5	45.25	0	19383.886	812.9032258	15840.24135	30000	0	0	30000	23.4375	2004
12.02.2020 07:46:38	1	1	1	1	160.5	43.25	0	18625.592	836.5591398	15342.04876	30000	0	0	30000	23	2004
12.02.2020 07:46:39	1	1	1	1	160.5	43	0	19668.246	812.9032258	16030.22314	30000	0	0	30000	24.25	2004
12.02.2020 07:46:40	1	1	1	1	160.5	44.25	0	20379.147	793.5483871	16171.28258	30000	0	0	30000	24.25	2004
12.02.2020 07:46:41	1	1	1	1	160.5	44.25	0	20284.36	793.5483871	16133.77545	30000	0	0	30000	25	2004
12.02.2020 07:46:42	1	1	1	1	160.5	45	0	20473.934	791.3978495	16247.11222	30000	0	0	30000	24.875	2004
12.02.2020 07:46:43	1	1	1	1	159.5	44.75	0	19573.46	817.2043011	15995.16212	30000	0	0	30000	24.3125	2004
12.02.2020 07:46:44	1	1	1	1	159.5	44.25	0	18909.953	827.9569892	15454.57016	30000	0	0	30000	24.1875	2004
12.02.2020 07:46:45	1	1	1	1	159.5	44	0	19052.133	819.3548387	15569.53768	30000	0	0	30000	23.25	2004
12.02.2020 07:46:46	1	1	1	1	159.5	43.25	0	20142.18	791.3978495	15940.53217	30000	0	0	30000	25.1875	2004
12.02.2020 07:46:47	1	1	1	1	159.5	45	0	20331.754	795.6989247	16133.77545	30000	0	0	30000	24.1875	2004
12.02.2020 07:46:48	1	1	1	1	159.5	44	0	20331.754	793.5483871	16133.77545	30000	0	0	30000	23.4375	2004
12.02.2020 07:46:49	1	1	1	1	159.5	43.25	0	20047.393	797.8494624	15994.34675	30000	0	0	30000	23.875	2004
12.02.2020 07:46:50	1	1	1	1	159.5	43.75	0	19857.82	808.6021505	16057.13043	30000	0	0	30000	23.5625	2004
12.02.2020 07:46:51	1	1	1	1	159.5	43.5	0	20853.081	769.8924731	16099.5298	30000	0	0	30000	26.3125	2004
12.02.2020 07:46:52	1	1	1	1	159.5	46.25	0	19478.673	808.6021505	15669.8285	30000	0	0	30000	26.5	2004
12.02.2020 07:46:53	1	1	1	1	158.8	46.5	0	20473.934	791.3978495	16203.08211	30000	0	0	30000	25.375	2004
12.02.2020 07:46:54	1	1	1	1	158.8	45.25	0	18483.412	825.8064516	15302.91088	30000	0	0	30000	25.4375	2004
12.02.2020 07:46:55	1	1	1	1	158.8	46.5	0	20379.147	797.8494624	16259.34281	30000	0	0	30000	25.75	2004
12.02.2020 07:46:56	1	1	1	1	158.8	45.75	0	20379.147	791.3978495	16171.28258	30000	0	0	30000	24.875	2004
12.02.2020 07:46:57	1	1	1	1	158.8	44.75	0	20995.261	759.1397849	15938.08605	30000	0	0	30000	25.125	2004
12.02.2020 07:46:58	1	1	1	1	158.8	45	0	20473.934	782.7956989	16070.99176	30000	0	0	30000	25.875	2004
12.02.2020 07:46:59	1	1	1	1	158.8	45.75	0	19052.133	821.5053763	15813.33406	30000	0	0	30000	25.1875	2004
12.02.2020 07:47:00	1	1	1	1	158.8	45	0	19668.246	800	15691.84356	30000	0	0	30000	24.5	2004
12.02.2020 07:47:02	1	1	1	1	158.8	44.5	0	20900.474	756.9892473	15821.48778	30000	0	0	30000	24.3125	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 07:47:03	1	1	1	1	159.8	44.25	0	21327.014	756.9892473	16180.25168	30000	0	0	30000	25	2004
12.02.2020 07:47:09	1	1	1	1	159.8	44	0	20805.687	769.8924731	16017.99255	30000	0	0	30000	25.9375	2004
12.02.2020 07:47:09	1	1	1	1	159.8	44	0	20805.687	769.8924731	16017.99255	30000	0	0	30000	25.9375	2004
12.02.2020 07:47:09	1	1	1	1	159.8	44	0	20805.687	769.8924731	16017.99255	30000	0	0	30000	25.9375	2004
12.02.2020 07:47:09	1	1	1	1	159.8	44	0	20805.687	769.8924731	16017.99255	30000	0	0	30000	25.9375	2004
12.02.2020 07:47:09	1	1	1	1	159.8	44	0	20805.687	769.8924731	16017.99255	30000	0	0	30000	25.9375	2004
12.02.2020 07:47:09	1	1	1	1	159.8	45.75	0	20947.867	756.9892473	15938.08605	30000	0	0	30000	25.125	2004
12.02.2020 07:47:10	1	1	1	1	159.8	45	0	19383.886	810.7526882	15715.48936	30000	0	0	30000	23.75	2004
12.02.2020 07:47:11	1	1	1	1	159.8	43.75	0	19099.526	817.2043011	15648.62882	30000	0	0	30000	24.375	2004
12.02.2020 07:47:12	1	1	1	1	159.8	44.25	0	19857.82	802.1505376	15971.51632	30000	0	0	30000	25.5625	2004
12.02.2020 07:47:13	1	1	1	1	159	45.5	0	20521.327	784.9462366	16107.68353	30000	0	0	30000	25.625	2004
12.02.2020 07:47:14	1	1	1	1	159	45.5	0	20047.393	802.1505376	16080.77623	30000	0	0	30000	24.5625	2004
12.02.2020 07:47:15	1	1	1	1	159	44.5	0	19431.28	815.0537634	15917.70174	30000	0	0	30000	25.6875	2004
12.02.2020 07:47:16	1	1	1	1	159	45.5	0	19952.607	802.1505376	16004.94659	30000	0	0	30000	23.6875	2004
12.02.2020 07:47:17	1	1	1	1	159	43.5	0	19194.313	817.2043011	15607.86019	30000	0	0	30000	25.0625	2004
12.02.2020 07:47:18	1	1	1	1	159	45	0	14691.943	830.1075269	12227.32585	30000	0	0	30000	24.6875	2004
12.02.2020 07:47:19	1	1	1	1	159	44.5	0	20900.474	767.7419355	16135.40619	30000	0	0	30000	24.4375	2004
12.02.2020 07:47:20	1	1	1	1	159	44.25	0	19099.526	810.7526882	15567.09157	30000	0	0	30000	26.0625	2004
12.02.2020 07:47:21	1	1	1	1	159	46	0	19857.82	808.6021505	16133.77545	30000	0	0	30000	24.4375	2004
12.02.2020 07:47:22	1	1	1	1	159	44.25	0	20189.573	804.3010753	16199.82062	30000	0	0	30000	24.4375	2004
12.02.2020 07:47:23	1	1	1	1	159.3	44.25	0	18909.953	819.3548387	15493.70804	30000	0	0	30000	24.9375	2004
12.02.2020 07:47:24	1	1	1	1	159.3	44.75	0	19194.313	821.5053763	15687.76669	30000	0	0	30000	26.25	2004
12.02.2020 07:47:25	1	1	1	1	159.3	46.25	0	19383.886	808.6021505	15715.48936	30000	0	0	30000	25.625	2004
12.02.2020 07:47:26	1	1	1	1	159.3	45.5	0	19620.853	812.9032258	15987.82377	30000	0	0	30000	25.75	2004
12.02.2020 07:47:27	1	1	1	1	159.3	45.75	0	19857.82	802.1505376	15885.90221	30000	0	0	30000	24.8125	2004
12.02.2020 07:47:28	1	1	1	1	159.3	44.75	0	19620.853	808.6021505	15865.5179	30000	0	0	30000	25.75	2004
12.02.2020 07:47:29	1	1	1	1	159.3	45.75	0	20663.507	780.6451613	16167.20572	30000	0	0	30000	24.6875	2004
12.02.2020 07:47:30	1	1	1	1	159.3	44.5	0	19099.526	821.5053763	15730.98144	30000	0	0	30000	24.4375	2004
12.02.2020 07:47:31	1	1	1	1	159.3	44.25	0	19478.673	795.6989247	15457.01628	30000	0	0	30000	26.125	2004
12.02.2020 07:47:32	1	1	1	1	159.3	46	0	20900.474	782.7956989	16360.449	30000	0	0	30000	25.625	2004
12.02.2020 07:47:33	1	1	1	1	161	44.75	0	20853.081	761.2903226	15920.14785	30000	0	0	30000	24.5625	2004
12.02.2020 07:47:34	1	1	1	1	161	44.5	0	20758.294	769.8924731	15973.14707	30000	0	0	30000	25.25	2004
12.02.2020 07:47:35	1	1	1	1	161	45.25	0	21658.768	739.7849462	15952.76275	30000	0	0	30000	24.9375	2004
12.02.2020 07:47:36	1	1	1	1	161	44.75	0	21042.654	759.1397849	15973.96244	30000	0	0	30000	23.9375	2004
12.02.2020 07:47:37	1	1	1	1	161	43.75	0	20142.18	793.5483871	15983.74691	30000	0	0	30000	25.8125	2004
12.02.2020 07:47:38	1	1	1	1	161	45.75	0	20189.573	797.8494624	16146.00603	30000	0	0	30000	24.625	2004
12.02.2020 07:47:40	1	1	1	1	161	44.5	0	21090.047	767.7419355	16227.54328	30000	0	0	30000	25.25	2004
12.02.2020 07:47:41	1	1	1	1	161	45.25	0	19857.82	802.1505376	15928.30158	30000	0	0	30000	24.625	2004
12.02.2020 07:47:42	1	1	1	1	161	44.5	0	21090.047	756.9892473	16000.86973	30000	0	0	30000	25.4375	2004
12.02.2020 07:47:43	1	1	1	1	160.8	45.25	0	21943.128	731.1827957	16044.08447	30000	0	0	30000	25.25	2004
12.02.2020 07:47:44	1	1	1	1	160.8	45.25	0	21563.981	735.483871	15859.81029	30000	0	0	30000	24.5	2004
12.02.2020 07:47:45	1	1	1	1	160.8	44.5	0	21137.441	759.1397849	16045.71522	30000	0	0	30000	24.375	2004
12.02.2020 07:47:46	1	1	1	1	160.8	44.25	0	21232.227	744.0860215	16072.62251	30000	0	0	30000	25.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 07:47:47	1	1	1	1	160.8	45.25	0	20616.114	769.8924731	15872.04088	30000	0	0	30000	23.5625	2004
12.02.2020 07:47:48	1	1	1	1	160.8	43.5	0	21943.128	729.0322581	15996.79287	30000	0	0	30000	24.3125	2004
12.02.2020 07:47:49	1	1	1	1	160.8	44.25	0	21232.227	756.9892473	16072.62251	30000	0	0	30000	25.3125	2004
12.02.2020 07:47:50	1	1	1	1	160.8	45.25	0	21943.128	724.7311828	15867.96401	30000	0	0	30000	25.25	2004
12.02.2020 07:47:51	1	1	1	1	160.8	45.25	0	20900.474	767.7419355	16045.71522	30000	0	0	30000	25.4375	2004
12.02.2020 07:47:52	1	1	1	1	160.8	45.25	0	21232.227	756.9892473	15844.31821	30000	0	0	30000	26.3125	2004
12.02.2020 07:47:53	1	1	1	1	158.8	46.25	0	22132.701	720.4301075	15944.60903	30000	0	0	30000	23.875	2004
12.02.2020 07:47:54	1	1	1	1	158.8	43.75	0	21232.227	763.4408602	16209.60509	30000	0	0	30000	24.375	2004
12.02.2020 07:47:55	1	1	1	1	158.8	44.25	0	21137.441	756.9892473	16045.71522	30000	0	0	30000	25.125	2004
12.02.2020 07:47:56	1	1	1	1	158.8	45	0	20900.474	763.4408602	15956.02424	30000	0	0	30000	23.625	2004
12.02.2020 07:47:57	1	1	1	1	158.8	43.5	0	21469.194	756.9892473	16287.88085	30000	0	0	30000	25.5	2004
12.02.2020 07:47:58	1	1	1	1	158.8	45.5	0	21895.735	729.0322581	15996.79287	30000	0	0	30000	24.625	2004
12.02.2020 07:47:59	1	1	1	1	158.8	44.5	0	21563.981	741.9354839	15998.42361	30000	0	0	30000	24.625	2004
12.02.2020 07:48:00	1	1	1	1	158.8	44.5	0	21943.128	729.0322581	15996.79287	30000	0	0	30000	25.6875	2004
12.02.2020 07:48:01	1	1	1	1	158.8	45.5	0	21184.834	756.9892473	16118.28337	30000	0	0	30000	24.875	2004
12.02.2020 07:48:02	1	1	1	1	158.8	44.75	0	21374.408	744.0860215	15858.17955	30000	0	0	30000	25.6875	2004
12.02.2020 07:48:03	1	1	1	1	159	45.5	0	21658.768	739.7849462	16022.88479	30000	0	0	30000	26.0625	2004
12.02.2020 07:48:04	1	1	1	1	159	46	0	21137.441	756.9892473	16000.86973	30000	0	0	30000	24.75	2004
12.02.2020 07:48:10	1	1	1	1	159	45.75	0	20331.754	782.7956989	15915.25562	30000	0	0	30000	25.0625	2004
12.02.2020 07:48:10	1	1	1	1	159	45.75	0	20331.754	782.7956989	15915.25562	30000	0	0	30000	25.0625	2004
12.02.2020 07:48:10	1	1	1	1	159	45.75	0	20331.754	782.7956989	15915.25562	30000	0	0	30000	25.0625	2004
12.02.2020 07:48:10	1	1	1	1	159	45.75	0	20331.754	782.7956989	15915.25562	30000	0	0	30000	25.0625	2004
12.02.2020 07:48:10	1	1	1	1	159	45	0	21800.948	731.1827957	15987.0084	30000	0	0	30000	25.3125	2004
12.02.2020 07:48:11	1	1	1	1	159	45.25	0	21563.981	741.9354839	15998.42361	30000	0	0	30000	24.625	2004
12.02.2020 07:48:12	1	1	1	1	159	44.5	0	21800.948	735.483871	15987.0084	30000	0	0	30000	25.4375	2004
12.02.2020 07:48:13	1	1	1	1	159.3	46.75	0	20853.081	759.1397849	15866.33327	30000	0	0	30000	24.75	2004
12.02.2020 07:48:14	1	1	1	1	159.3	44.75	0	21374.408	735.483871	15812.51869	30000	0	0	30000	24.75	2004
12.02.2020 07:48:15	1	1	1	1	159.3	44.75	0	21137.441	763.4408602	16137.03694	30000	0	0	30000	25.5	2004
12.02.2020 07:48:16	1	1	1	1	159.3	45.5	0	21279.621	741.9354839	15788.05751	30000	0	0	30000	25.875	2004
12.02.2020 07:48:17	1	1	1	1	159.3	45.75	0	21232.227	756.9892473	15844.31821	30000	0	0	30000	25.125	2004
12.02.2020 07:48:18	1	1	1	1	159.3	45	0	20758.294	778.4946237	16204.71285	30000	0	0	30000	25.3125	2004
12.02.2020 07:48:20	1	1	1	1	159.3	45.25	0	21563.981	739.7849462	15952.76275	30000	0	0	30000	25.5625	2004
12.02.2020 07:48:21	1	1	1	1	159.3	45.5	0	20189.573	793.5483871	16021.25404	30000	0	0	30000	25.3125	2004
12.02.2020 07:48:22	1	1	1	1	159.3	45.25	0	21374.408	756.9892473	16180.25168	30000	0	0	30000	25.125	2004
12.02.2020 07:48:23	1	1	1	1	159	45	0	22748.815	703.2258065	15997.60824	30000	0	0	30000	23.625	2004
12.02.2020 07:48:24	1	1	1	1	159	43.5	0	21753.555	733.3333333	15999.23899	30000	0	0	30000	25.25	2004
12.02.2020 07:48:25	1	1	1	1	159	45.25	0	20616.114	778.4946237	16004.94659	30000	0	0	30000	25.625	2004
12.02.2020 07:48:26	1	1	1	1	159	45.5	0	21848.341	720.4301075	15962.54722	30000	0	0	30000	25.6875	2004
12.02.2020 07:48:27	1	1	1	1	159	45.5	0	21563.981	746.2365591	16044.89985	30000	0	0	30000	25.25	2004
12.02.2020 07:48:28	1	1	1	1	159	45.25	0	21374.408	741.9354839	15858.17955	30000	0	0	30000	24.375	2004
12.02.2020 07:48:29	1	1	1	1	159	44.25	0	21279.621	756.9892473	15879.37923	30000	0	0	30000	24.75	2004
12.02.2020 07:48:30	1	1	1	1	159	44.75	0	20853.081	784.9462366	16413.44821	30000	0	0	30000	24.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 07:48:31	1	1	1	1	159	44.5	0	21232.227	756.9892473	16072.62251	30000	0	0	30000	25.375	2004
12.02.2020 07:48:32	1	1	1	1	159	45.25	0	20521.327	784.9462366	16107.68353	30000	0	0	30000	26.4375	2004
12.02.2020 07:48:33	1	1	1	1	159.8	46.25	0	19146.919	821.5053763	15648.62882	30000	0	0	30000	25.1875	2004
12.02.2020 07:48:34	1	1	1	1	159.8	45	0	19668.246	812.9032258	15987.82377	30000	0	0	30000	24.1875	2004
12.02.2020 07:48:35	1	1	1	1	159.8	44	0	19668.246	812.9032258	16030.22314	30000	0	0	30000	25.1875	2004
12.02.2020 07:48:36	1	1	1	1	159.8	45	0	20521.327	778.4946237	16019.6233	30000	0	0	30000	24.625	2004
12.02.2020 07:48:37	1	1	1	1	159.8	44.5	0	20758.294	791.3978495	16472.15503	30000	0	0	30000	25.6875	2004
12.02.2020 07:48:38	1	1	1	1	159.8	45.5	0	19241.706	791.3978495	15227.89661	30000	0	0	30000	24.5	2004
12.02.2020 07:48:39	1	1	1	1	159.8	44.5	0	20047.393	795.6989247	15907.91727	30000	0	0	30000	24.3125	2004
12.02.2020 07:48:40	1	1	1	1	159.8	44.25	0	21563.981	739.7849462	15952.76275	30000	0	0	30000	25.1875	2004
12.02.2020 07:48:41	1	1	1	1	159.8	45	0	20710.9	769.8924731	15944.60903	30000	0	0	30000	25	2004
12.02.2020 07:48:42	1	1	1	1	159.8	45	0	19620.853	804.3010753	15780.71916	30000	0	0	30000	26.8125	2004
12.02.2020 07:48:43	1	1	1	1	158.5	46.75	0	20853.081	761.2903226	15830.45688	30000	0	0	30000	25.375	2004
12.02.2020 07:48:44	1	1	1	1	158.5	45.25	0	20853.081	765.5913978	15964.99334	30000	0	0	30000	25.125	2004
12.02.2020 07:48:45	1	1	1	1	158.5	45	0	20473.934	791.3978495	16203.08211	30000	0	0	30000	24.3125	2004
12.02.2020 07:48:46	1	1	1	1	158.5	44.25	0	21042.654	756.9892473	15929.11695	30000	0	0	30000	25.1875	2004
12.02.2020 07:48:47	1	1	1	1	158.5	45	0	21800.948	739.7849462	16256.89669	30000	0	0	30000	25.375	2004
12.02.2020 07:48:48	1	1	1	1	158.5	45.25	0	20995.261	772.0430108	16208.78972	30000	0	0	30000	25.4375	2004
12.02.2020 07:48:49	1	1	1	1	158.5	45.25	0	21042.654	761.2903226	16019.6233	30000	0	0	30000	25.5	2004
12.02.2020 07:48:50	1	1	1	1	158.5	45.5	0	22274.882	716.1290323	16033.48463	30000	0	0	30000	25.75	2004
12.02.2020 07:48:51	1	1	1	1	158.5	45.75	0	20805.687	769.8924731	16026.14628	30000	0	0	30000	26.0625	2004
12.02.2020 07:48:52	1	1	1	1	159.3	45.75	0	21090.047	756.9892473	16137.03694	30000	0	0	30000	25	2004
12.02.2020 07:48:53	1	1	1	1	159.3	45	0	21184.834	756.9892473	16036.74612	30000	0	0	30000	24.6875	2004
12.02.2020 07:48:54	1	1	1	1	159.3	44.5	0	21469.194	744.0860215	15858.17955	30000	0	0	30000	25.8125	2004
12.02.2020 07:48:55	1	1	1	1	159.3	45.75	0	21563.981	739.7849462	15998.42361	30000	0	0	30000	26.125	2004
12.02.2020 07:48:56	1	1	1	1	159.3	46	0	20616.114	782.7956989	15968.25483	30000	0	0	30000	25.4375	2004
12.02.2020 07:48:57	1	1	1	1	159.3	45.25	0	19763.033	810.7526882	16061.20729	30000	0	0	30000	26.25	2004
12.02.2020 07:48:59	1	1	1	1	159.3	46.25	0	20521.327	784.9462366	16107.68353	30000	0	0	30000	25.125	2004
12.02.2020 07:49:00	1	1	1	1	159.3	45	0	20900.474	769.8924731	16009.83883	30000	0	0	30000	25.75	2004
12.02.2020 07:49:01	1	1	1	1	159.3	45.75	0	20236.967	804.3010753	16232.43552	30000	0	0	30000	25.25	2004
12.02.2020 07:49:02	1	1	1	1	159.3	45.25	0	20473.934	784.9462366	16070.99176	30000	0	0	30000	24.875	2004
12.02.2020 07:49:03	1	1	1	1	159	44.75	0	22227.488	729.0322581	15944.60903	30000	0	0	30000	26.625	2004
12.02.2020 07:49:04	1	1	1	1	159	46.5	0	21374.408	741.9354839	15858.17955	30000	0	0	30000	26.125	2004
12.02.2020 07:49:05	1	1	1	1	159	46	0	20805.687	769.8924731	16017.99255	30000	0	0	30000	26.8125	2004
12.02.2020 07:49:06	1	1	1	1	159	46.75	0	20521.327	780.6451613	16063.65341	30000	0	0	30000	24.25	2004
12.02.2020 07:49:12	1	1	1	1	159	45.25	0	12938.389	896.7741935	11602.75052	30000	0	0	30000	26.375	2004
12.02.2020 07:49:12	1	1	1	1	159	45.25	0	12938.389	896.7741935	11602.75052	30000	0	0	30000	26.375	2004
12.02.2020 07:49:12	1	1	1	1	159	45.25	0	12938.389	896.7741935	11602.75052	30000	0	0	30000	26.375	2004
12.02.2020 07:49:12	1	1	1	1	159	45.25	0	12938.389	896.7741935	11602.75052	30000	0	0	30000	26.375	2004
12.02.2020 07:49:12	1	1	1	1	159	45.25	0	12938.389	896.7741935	11602.75052	30000	0	0	30000	26.375	2004
12.02.2020 07:49:12	1	1	1	1	159	46.25	0	20379.147	782.7956989	15952.76275	30000	0	0	30000	26.125	2004
12.02.2020 07:49:13	1	1	1	1	160.3	46	0	20805.687	787.0967742	16331.09559	30000	0	0	30000	25.5625	2004
12.02.2020 07:49:14	1	1	1	1	160.3	45.5	0	21184.834	756.9892473	16072.62251	30000	0	0	30000	25.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 07:49:15	1	1	1	1	160.3	45	0	21848.341	735.483871	16068.54565	30000	0	0	30000	25.75	2004
12.02.2020 07:49:16	1	1	1	1	160.3	45.75	0	20521.327	791.3978495	16372.67959	30000	0	0	30000	26.125	2004
12.02.2020 07:49:17	1	1	1	1	160.3	46	0	17014.218	812.9032258	13940.42345	30000	0	0	30000	24.8125	2004
12.02.2020 07:49:18	1	1	1	1	160.3	44.75	0	19004.739	812.9032258	15290.68029	30000	0	0	30000	25.8125	2004
12.02.2020 07:49:19	1	1	1	1	160.3	45.75	0	20331.754	795.6989247	16133.77545	30000	0	0	30000	25.75	2004
12.02.2020 07:49:20	1	1	1	1	160.3	45.75	0	20473.934	795.6989247	16296.84994	30000	0	0	30000	25.3125	2004
12.02.2020 07:49:21	1	1	1	1	160.3	45.25	0	20047.393	810.7526882	16252.81983	30000	0	0	30000	25.875	2004
12.02.2020 07:49:22	1	1	1	1	160.3	45.75	0	19099.526	817.2043011	15607.86019	30000	0	0	30000	24.875	2004
12.02.2020 07:49:23	1	1	1	1	161	44.75	0	20616.114	769.8924731	15944.60903	30000	0	0	30000	24.1875	2004
12.02.2020 07:49:24	1	1	1	1	161	44	0	22132.701	720.4301075	15944.60903	30000	0	0	30000	25.6875	2004
12.02.2020 07:49:25	1	1	1	1	161	45.5	0	19952.607	791.3978495	15661.67478	30000	0	0	30000	25.5625	2004
12.02.2020 07:49:26	1	1	1	1	161	45.5	0	20900.474	761.2903226	15956.02424	30000	0	0	30000	26.125	2004
12.02.2020 07:49:27	1	1	1	1	161	46	0	20379.147	791.3978495	16165.57497	30000	0	0	30000	25.3125	2004
12.02.2020 07:49:28	1	1	1	1	161	45.25	0	20995.261	763.4408602	16028.5924	30000	0	0	30000	25.3125	2004
12.02.2020 07:49:29	1	1	1	1	161	45.25	0	19336.493	817.2043011	15801.91884	30000	0	0	30000	26.125	2004
12.02.2020 07:49:30	1	1	1	1	161	46	0	17582.938	883.8709677	15589.922	30000	0	0	30000	24.25	2004
12.02.2020 07:49:31	1	1	1	1	161	45.25	0	21563.981	735.483871	15952.76275	30000	0	0	30000	25.875	2004
12.02.2020 07:49:32	1	1	1	1	160.8	45.75	0	20236.967	797.8494624	16146.00603	30000	0	0	30000	25.5	2004
12.02.2020 07:49:33	1	1	1	1	160.8	45.5	0	20047.393	804.3010753	16080.77623	30000	0	0	30000	24.8125	2004
12.02.2020 07:49:34	1	1	1	1	160.8	44.75	0	20473.934	778.4946237	15938.90142	30000	0	0	30000	26.5625	2004
12.02.2020 07:49:36	1	1	1	1	160.8	46.5	0	20521.327	791.3978495	16240.58924	30000	0	0	30000	26.25	2004
12.02.2020 07:49:37	1	1	1	1	160.8	46.25	0	20710.9	776.344086	16078.33012	30000	0	0	30000	24.6875	2004
12.02.2020 07:49:38	1	1	1	1	160.8	44.5	0	20047.393	795.6989247	15907.91727	30000	0	0	30000	25.6875	2004
12.02.2020 07:49:39	1	1	1	1	160.8	45.5	0	20616.114	782.7956989	16137.85231	30000	0	0	30000	26.3125	2004
12.02.2020 07:49:40	1	1	1	1	160.8	46.25	0	21563.981	744.0860215	15998.42361	30000	0	0	30000	25.375	2004
12.02.2020 07:49:41	1	1	1	1	160.8	45.25	0	20853.081	780.6451613	16360.449	30000	0	0	30000	25.6875	2004
12.02.2020 07:49:42	1	1	1	1	160.8	45.5	0	20331.754	791.3978495	16046.53059	30000	0	0	30000	26.125	2004
12.02.2020 07:49:43	1	1	1	1	161	46	0	20758.294	765.5913978	15936.4553	30000	0	0	30000	25.625	2004
12.02.2020 07:49:44	1	1	1	1	161	45.5	0	20236.967	776.344086	15710.59712	30000	0	0	30000	25.75	2004
12.02.2020 07:49:45	1	1	1	1	161	45.75	0	20947.867	769.8924731	16127.25247	30000	0	0	30000	24.9375	2004
12.02.2020 07:49:46	1	1	1	1	161	44.75	0	21563.981	744.0860215	16044.89985	30000	0	0	30000	25.625	2004
12.02.2020 07:49:47	1	1	1	1	161	45.5	0	22369.668	720.4301075	16115.83725	30000	0	0	30000	25.625	2004
12.02.2020 07:49:48	1	1	1	1	161	45.5	0	22511.848	711.827957	15797.02661	30000	0	0	30000	26.75	2004
12.02.2020 07:49:49	1	1	1	1	161	46.75	0	22559.242	713.9784946	16024.51553	30000	0	0	30000	25.3125	2004
12.02.2020 07:49:50	1	1	1	1	161	45.25	0	21563.981	741.9354839	15998.42361	30000	0	0	30000	24.75	2004
12.02.2020 07:49:51	1	1	1	1	161	44.75	0	20616.114	774.1935484	15916.07099	30000	0	0	30000	25.375	2004
12.02.2020 07:49:52	1	1	1	1	161	45.25	0	21800.948	720.4301075	15799.47273	30000	0	0	30000	25.5	2004
12.02.2020 07:49:53	1	1	1	1	160.5	45.5	0	21563.981	729.0322581	15951.94738	30000	0	0	30000	25	2004
12.02.2020 07:49:54	1	1	1	1	160.5	45	0	20047.393	802.1505376	16156.60588	30000	0	0	30000	25.8125	2004
12.02.2020 07:49:55	1	1	1	1	160.5	45.75	0	20995.261	756.9892473	15929.11695	30000	0	0	30000	25.375	2004
12.02.2020 07:49:56	1	1	1	1	160.5	45.25	0	20853.081	772.0430108	16062.83804	30000	0	0	30000	24.5	2004
12.02.2020 07:49:57	1	1	1	1	160.5	44.5	0	20236.967	800	16146.00603	30000	0	0	30000	24.5625	2004
12.02.2020 07:49:58	1	1	1	1	160.5	44.5	0	21137.441	759.1397849	15964.99334	30000	0	0	30000	26.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 07:49:59	1	1	1	1	160.5	46.25	0	21137.441	756.9892473	16072.62251	30000	0	0	30000	24.5	2004
12.02.2020 07:50:00	1	1	1	1	160.5	44.5	0	21800.948	735.483871	16128.06784	30000	0	0	30000	26.125	2004
12.02.2020 07:50:01	1	1	1	1	160.5	46	0	15165.877	834.4086022	12687.19593	30000	0	0	30000	24.6875	2004
12.02.2020 07:50:02	1	1	1	1	160.5	44.5	0	21279.621	756.9892473	16245.48148	30000	0	0	30000	25.3125	2004
12.02.2020 07:50:03	1	1	1	1	159.5	45.25	0	21042.654	763.4408602	16055.49969	30000	0	0	30000	25.1875	2004
12.02.2020 07:50:04	1	1	1	1	159.5	45	0	20616.114	772.0430108	15916.07099	30000	0	0	30000	25.3125	2004
12.02.2020 07:50:05	1	1	1	1	159.5	45.25	0	12985.782	929.0322581	11980.26799	30000	0	0	30000	25.6875	2004
12.02.2020 07:50:06	1	1	1	1	159.5	45.5	0	21563.981	741.9354839	15998.42361	30000	0	0	30000	25.1875	2004
12.02.2020 07:50:07	1	1	1	1	159.5	45	0	20995.261	763.4408602	16028.5924	30000	0	0	30000	26.375	2004
12.02.2020 07:50:14	1	1	1	1	162.8	45.25	0	21848.341	726.8817204	16056.31506	30000	0	0	30000	24.875	2004
12.02.2020 07:50:14	1	1	1	1	162.8	45.25	0	21848.341	726.8817204	16056.31506	30000	0	0	30000	24.875	2004
12.02.2020 07:50:14	1	1	1	1	162.8	45.25	0	21848.341	726.8817204	16056.31506	30000	0	0	30000	24.875	2004
12.02.2020 07:50:14	1	1	1	1	162.8	45.25	0	21848.341	726.8817204	16056.31506	30000	0	0	30000	24.875	2004
12.02.2020 07:50:14	1	1	1	1	162.8	45.25	0	21848.341	726.8817204	16056.31506	30000	0	0	30000	24.875	2004
12.02.2020 07:50:14	1	1	1	1	162.8	44.75	0	20379.147	791.3978495	16128.06784	30000	0	0	30000	26	2004
12.02.2020 07:50:15	1	1	1	1	162.8	46	0	21469.194	756.9892473	16020.43867	30000	0	0	30000	25.875	2004
12.02.2020 07:50:17	1	1	1	1	162.8	45.75	0	21563.981	739.7849462	15998.42361	30000	0	0	30000	25.6875	2004
12.02.2020 07:50:18	1	1	1	1	162.8	45.5	0	21658.768	741.9354839	16139.48305	30000	0	0	30000	26.625	2004
12.02.2020 07:50:19	1	1	1	1	162.8	46.5	0	20236.967	787.0967742	15884.27146	30000	0	0	30000	27.0625	2004
12.02.2020 07:50:20	1	1	1	1	162.8	47	0	21374.408	763.4408602	16318.04963	30000	0	0	30000	25.75	2004
12.02.2020 07:50:21	1	1	1	1	162.8	45.75	0	21137.441	756.9892473	16045.71522	30000	0	0	30000	25.375	2004
12.02.2020 07:50:22	1	1	1	1	162.8	45.25	0	21042.654	756.9892473	15929.11695	30000	0	0	30000	26.125	2004
12.02.2020 07:50:23	1	1	1	1	161	46	0	21090.047	782.7956989	16546.35393	30000	0	0	30000	25.3125	2004
12.02.2020 07:50:24	1	1	1	1	161	45.25	0	21374.408	744.0860215	15903.8404	30000	0	0	30000	24.625	2004
12.02.2020 07:50:25	1	1	1	1	161	44.5	0	20616.114	780.6451613	16093.82219	30000	0	0	30000	25.6875	2004
12.02.2020 07:50:26	1	1	1	1	161	45.5	0	21848.341	731.1827957	15927.48621	30000	0	0	30000	25.125	2004
12.02.2020 07:50:27	1	1	1	1	161	45	0	13791.469	931.1827957	12989.69913	30000	0	0	30000	25.125	2004
12.02.2020 07:50:28	1	1	1	1	161	45	0	21943.128	729.0322581	15996.79287	30000	0	0	30000	26.6875	2004
12.02.2020 07:50:29	1	1	1	1	161	46.5	0	22796.209	701.0752688	16030.22314	30000	0	0	30000	24.9375	2004
12.02.2020 07:50:30	1	1	1	1	161	44.75	0	22748.815	703.2258065	15863.88715	30000	0	0	30000	26.125	2004
12.02.2020 07:50:31	1	1	1	1	161	46	0	21563.981	741.9354839	15952.76275	30000	0	0	30000	25.5	2004
12.02.2020 07:50:32	1	1	1	1	161	45.5	0	17109.005	933.3333333	16181.88242	30000	0	0	30000	25.0625	2004
12.02.2020 07:50:33	1	1	1	1	159.8	45	0	20947.867	765.5913978	16037.56149	30000	0	0	30000	26.0625	2004
12.02.2020 07:50:34	1	1	1	1	159.8	46	0	20284.36	772.0430108	15696.73579	30000	0	0	30000	24.8125	2004
12.02.2020 07:50:35	1	1	1	1	159.8	44.75	0	19194.313	812.9032258	15765.22708	30000	0	0	30000	24.375	2004
12.02.2020 07:50:36	1	1	1	1	159.8	44.25	0	23175.355	677.4193548	15981.30079	30000	0	0	30000	24.875	2004
12.02.2020 07:50:37	1	1	1	1	159.8	44.75	0	25924.171	615.0537634	15944.60903	30000	0	0	30000	25.1875	2004
12.02.2020 07:50:38	1	1	1	1	159.8	45	0	23933.649	673.1182796	16110.12964	30000	0	0	30000	26	2004
12.02.2020 07:50:39	1	1	1	1	159.8	46	0	25734.597	617.2043011	15883.45609	30000	0	0	30000	24.5	2004
12.02.2020 07:50:40	1	1	1	1	159.8	44.5	0	25592.417	621.5053763	15905.47115	30000	0	0	30000	25.3125	2004
12.02.2020 07:50:41	1	1	1	1	159.8	45.25	0	24218.009	666.6666667	16155.7905	30000	0	0	30000	25.4375	2004
12.02.2020 07:50:42	1	1	1	1	159.8	45.25	0	24312.796	655.9139785	16051.42282	30000	0	0	30000	26.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 07:50:43	1	1	1	1	167.5	46.5	0	21848.341	735.483871	16022.06942	30000	0	0	30000	24.875	2004
12.02.2020 07:50:44	1	1	1	1	167.5	44.75	0	19857.82	808.6021505	16013.91569	30000	0	0	30000	26.125	2004
12.02.2020 07:50:45	1	1	1	1	167.5	46	0	20947.867	763.4408602	16028.5924	30000	0	0	30000	25.875	2004
12.02.2020 07:50:46	1	1	1	1	167.5	45.75	0	21469.194	741.9354839	16020.43867	30000	0	0	30000	26.0625	2004
12.02.2020 07:50:47	1	1	1	1	167.5	46	0	21800.948	733.3333333	15893.24056	30000	0	0	30000	26.1875	2004
12.02.2020 07:50:48	1	1	1	1	167.5	46	0	21042.654	763.4408602	16064.46878	30000	0	0	30000	26.0625	2004
12.02.2020 07:50:49	1	1	1	1	167.5	46	0	22748.815	703.2258065	15997.60824	30000	0	0	30000	26.875	2004
12.02.2020 07:50:50	1	1	1	1	167.5	46.75	0	20379.147	767.7419355	15806.81108	30000	0	0	30000	26.625	2004
12.02.2020 07:50:51	1	1	1	1	167.5	47.25	0	20616.114	782.7956989	16093.82219	30000	0	0	30000	25.625	2004
12.02.2020 07:50:52	1	1	1	1	175	45.5	0	19952.607	800	15961.73185	30000	0	0	30000	27.1875	2004
12.02.2020 07:50:53	1	1	1	1	175	47	0	20900.474	759.1397849	15902.20966	30000	0	0	30000	25.6875	2004
12.02.2020 07:50:54	1	1	1	1	175	45.5	0	19857.82	804.3010753	15928.30158	30000	0	0	30000	26.0625	2004
12.02.2020 07:50:56	1	1	1	1	175	46	0	20616.114	772.0430108	15916.07099	30000	0	0	30000	25.0625	2004
12.02.2020 07:50:58	1	1	1	1	175	45.25	0	20473.934	782.7956989	16063.65341	30000	0	0	30000	27.1875	2004
12.02.2020 07:50:58	1	1	1	1	175	45.25	0	20473.934	782.7956989	16063.65341	30000	0	0	30000	27.1875	2004
12.02.2020 07:50:59	1	1	1	1	175	47	0	18436.019	827.9569892	15303.72625	30000	0	0	30000	25.5	2004
12.02.2020 07:51:00	1	1	1	1	175	45.5	0	21753.555	720.4301075	15705.70489	30000	0	0	30000	25.3125	2004
12.02.2020 07:51:01	1	1	1	1	175	45.25	0	21137.441	759.1397849	16081.59161	30000	0	0	30000	24.375	2004
12.02.2020 07:51:02	1	1	1	1	175	44.25	0	21658.768	741.9354839	15998.42361	30000	0	0	30000	25.0625	2004
12.02.2020 07:51:03	1	1	1	1	178.5	45	0	21090.047	756.9892473	15964.99334	30000	0	0	30000	24.9375	2004
12.02.2020 07:51:04	1	1	1	1	178.5	44.75	0	20521.327	776.344086	15975.59318	30000	0	0	30000	25.6875	2004
12.02.2020 07:51:05	1	1	1	1	178.5	45.5	0	19905.213	800	15885.90221	30000	0	0	30000	25.5625	2004
12.02.2020 07:51:06	1	1	1	1	178.5	45.5	0	19668.246	800	15776.6423	30000	0	0	30000	24.875	2004
12.02.2020 07:51:07	1	1	1	1	178.5	44.75	0	20995.261	767.7419355	16118.28337	30000	0	0	30000	25.75	2004
12.02.2020 07:51:08	1	1	1	1	178.5	45.75	0	20710.9	765.5913978	15936.4553	30000	0	0	30000	26.125	2004
12.02.2020 07:51:09	1	1	1	1	178.5	46	0	19526.066	812.9032258	15833.71837	30000	0	0	30000	27	2004
12.02.2020 07:51:15	1	1	1	1	184.3	46	0	20331.754	795.6989247	16221.0203	30000	0	0	30000	25.375	2004
12.02.2020 07:51:15	1	1	1	1	184.3	46	0	20331.754	795.6989247	16221.0203	30000	0	0	30000	25.375	2004
12.02.2020 07:51:15	1	1	1	1	184.3	46	0	20331.754	795.6989247	16221.0203	30000	0	0	30000	25.375	2004
12.02.2020 07:51:15	1	1	1	1	184.3	46	0	20331.754	795.6989247	16221.0203	30000	0	0	30000	25.375	2004
12.02.2020 07:51:15	1	1	1	1	184.3	46	0	20331.754	795.6989247	16221.0203	30000	0	0	30000	25.375	2004
12.02.2020 07:51:15	1	1	1	1	184.3	45.25	0	21374.408	756.9892473	16180.25168	30000	0	0	30000	26.1875	2004
12.02.2020 07:51:16	1	1	1	1	184.3	46	0	18862.559	821.5053763	15575.24529	30000	0	0	30000	26.3125	2004
12.02.2020 07:51:17	1	1	1	1	184.3	46.25	0	19383.886	817.2043011	15840.24135	30000	0	0	30000	24.25	2004
12.02.2020 07:51:18	1	1	1	1	184.3	44.25	0	18056.872	830.1075269	14949.85459	30000	0	0	30000	26.1875	2004
12.02.2020 07:51:19	1	1	1	1	184.3	46	0	18530.806	834.4086022	15342.04876	30000	0	0	30000	27.125	2004
12.02.2020 07:51:20	1	1	1	1	184.3	47	0	17014.218	851.6129032	14489.16914	30000	0	0	30000	25.125	2004
12.02.2020 07:51:21	1	1	1	1	184.3	45	0	20000	804.3010753	16210.42046	30000	0	0	30000	26.25	2004
12.02.2020 07:51:22	1	1	1	1	184.3	46.25	0	18530.806	827.9569892	15342.04876	30000	0	0	30000	25.625	2004
12.02.2020 07:51:23	1	1	1	1	182.8	45.5	0	19526.066	812.9032258	15833.71837	30000	0	0	30000	26.375	2004
12.02.2020 07:51:24	1	1	1	1	182.8	46.25	0	18530.806	827.9569892	15302.91088	30000	0	0	30000	27.0625	2004
12.02.2020 07:51:25	1	1	1	1	182.8	47	0	18862.559	827.9569892	15577.69141	30000	0	0	30000	26.375	2004
12.02.2020 07:51:26	1	1	1	1	182.8	46.25	0	19052.133	819.3548387	15571.16843	30000	0	0	30000	25.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 07:51:27	1	1	1	1	182.8	45	0	19241.706	817.2043011	15804.36496	30000	0	0	30000	26.6875	2004
12.02.2020 07:51:28	1	1	1	1	182.8	46.5	0	18625.592	830.1075269	15342.04876	30000	0	0	30000	27.5625	2004
12.02.2020 07:51:29	1	1	1	1	182.8	47	0	18672.986	827.9569892	15420.32452	30000	0	0	30000	25.0625	2004
12.02.2020 07:51:30	1	1	1	1	182.8	45	0	18672.986	827.9569892	15460.27777	30000	0	0	30000	26	2004
12.02.2020 07:51:31	1	1	1	1	182.8	46	0	18056.872	836.5591398	15025.68423	30000	0	0	30000	27.0625	2004
12.02.2020 07:51:32	1	1	1	1	174.5	47	0	18530.806	827.9569892	15382.00201	30000	0	0	30000	25.75	2004
12.02.2020 07:51:34	1	1	1	1	174.5	45.75	0	18151.659	834.4086022	15184.68187	30000	0	0	30000	24.625	2004
12.02.2020 07:51:35	1	1	1	1	174.5	44.5	0	18530.806	827.9569892	15342.04876	30000	0	0	30000	25.5625	2004
12.02.2020 07:51:36	1	1	1	1	174.5	45.5	0	18341.232	832.2580645	15264.58837	30000	0	0	30000	25.125	2004
12.02.2020 07:51:37	1	1	1	1	174.5	45	0	18341.232	830.1075269	15264.58837	30000	0	0	30000	27.0625	2004
12.02.2020 07:51:38	1	1	1	1	174.5	47	0	18436.019	830.1075269	15421.95526	30000	0	0	30000	25.125	2004
12.02.2020 07:51:39	1	1	1	1	174.5	45	0	19099.526	821.5053763	15610.30631	30000	0	0	30000	26.4375	2004
12.02.2020 07:51:40	1	1	1	1	174.5	46.25	0	18341.232	834.4086022	15303.72625	30000	0	0	30000	25.0625	2004
12.02.2020 07:51:41	1	1	1	1	174.5	45	0	17014.218	851.6129032	14489.16914	30000	0	0	30000	26.3125	2004
12.02.2020 07:51:42	1	1	1	1	174.5	46.25	0	17867.299	840.8602151	15023.23812	30000	0	0	30000	26.5625	2004
12.02.2020 07:51:43	1	1	1	1	171	46.5	0	18009.479	838.7096774	15065.63749	30000	0	0	30000	25.6875	2004
12.02.2020 07:51:44	1	1	1	1	171	45.5	0	17962.085	843.0107527	15063.19137	30000	0	0	30000	27.375	2004
12.02.2020 07:51:45	1	1	1	1	171	47.25	0	17677.725	843.0107527	14940.07012	30000	0	0	30000	26.5625	2004
12.02.2020 07:51:46	1	1	1	1	171	46.5	0	17440.758	845.1612903	14740.30386	30000	0	0	30000	27.0625	2004
12.02.2020 07:51:47	1	1	1	1	171	47	0	17440.758	847.311828	14777.811	30000	0	0	30000	25.75	2004
12.02.2020 07:51:48	1	1	1	1	171	45.75	0	17725.118	843.0107527	14864.24048	30000	0	0	30000	26.75	2004
12.02.2020 07:51:49	1	1	1	1	171	46.75	0	17867.299	838.7096774	15023.23812	30000	0	0	30000	25.9375	2004
12.02.2020 07:51:50	1	1	1	1	171	45.75	0	18104.265	836.5591398	15144.72862	30000	0	0	30000	27.25	2004
12.02.2020 07:51:51	1	1	1	1	171	47.25	0	18104.265	834.4086022	15184.68187	30000	0	0	30000	27.1875	2004
12.02.2020 07:51:52	1	1	1	1	171	47	0	18151.659	834.4086022	15184.68187	30000	0	0	30000	27	2004
12.02.2020 07:51:53	1	1	1	1	170.8	47	0	18625.592	830.1075269	15421.13989	30000	0	0	30000	25.5625	2004
12.02.2020 07:51:54	1	1	1	1	170.8	45.5	0	18151.659	834.4086022	15184.68187	30000	0	0	30000	25.375	2004
12.02.2020 07:51:55	1	1	1	1	170.8	45.25	0	18909.953	825.8064516	15616.01392	30000	0	0	30000	26	2004
12.02.2020 07:51:56	1	1	1	1	170.8	46	0	18056.872	834.4086022	15105.59074	30000	0	0	30000	26.4375	2004
12.02.2020 07:51:57	1	1	1	1	170.8	46.25	0	18436.019	830.1075269	15382.81738	30000	0	0	30000	25.125	2004
12.02.2020 07:51:58	1	1	1	1	170.8	45	0	18436.019	832.2580645	15342.86413	30000	0	0	30000	24.9375	2004
12.02.2020 07:51:59	1	1	1	1	170.8	44.75	0	18530.806	830.1075269	15382.00201	30000	0	0	30000	27.0625	2004
12.02.2020 07:52:00	1	1	1	1	170.8	47	0	18530.806	832.2580645	15421.95526	30000	0	0	30000	25.375	2004
12.02.2020 07:52:01	1	1	1	1	170.8	45.25	0	18909.953	825.8064516	15575.24529	30000	0	0	30000	24.75	2004
12.02.2020 07:52:02	1	1	1	1	170.8	44.75	0	19668.246	810.7526882	15945.4244	30000	0	0	30000	26.25	2004
12.02.2020 07:52:03	1	1	1	1	168.5	46.25	0	19194.313	817.2043011	15726.90457	30000	0	0	30000	24.75	2004
12.02.2020 07:52:04	1	1	1	1	168.5	44.75	0	19052.133	817.2043011	15648.62882	30000	0	0	30000	25.5625	2004
12.02.2020 07:52:05	1	1	1	1	168.5	45.5	0	17867.299	843.0107527	14907.45522	30000	0	0	30000	24.875	2004
12.02.2020 07:52:06	1	1	1	1	168.5	44.75	0	19052.133	821.5053763	15610.30631	30000	0	0	30000	25.3125	2004
12.02.2020 07:52:07	1	1	1	1	168.5	45.25	0	18862.559	825.8064516	15576.87604	30000	0	0	30000	25.375	2004
12.02.2020 07:52:08	1	1	1	1	168.5	45.25	0	18767.773	825.8064516	15498.60028	30000	0	0	30000	26.9375	2004
12.02.2020 07:52:09	1	1	1	1	168.5	46.75	0	19478.673	815.0537634	15876.11774	30000	0	0	30000	26.75	2004
12.02.2020 07:52:10	1	1	1	1	168.5	46.75	0	19383.886	812.9032258	15798.65735	30000	0	0	30000	27.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 07:52:16	1	1	1	1	168.5	45.25	0	19620.853	808.6021505	15784.79602	30000	0	0	30000	26.1875	2004
12.02.2020 07:52:16	1	1	1	1	168.5	45.25	0	19620.853	808.6021505	15784.79602	30000	0	0	30000	26.1875	2004
12.02.2020 07:52:16	1	1	1	1	168.5	45.25	0	19620.853	808.6021505	15784.79602	30000	0	0	30000	26.1875	2004
12.02.2020 07:52:16	1	1	1	1	168.5	45.25	0	19620.853	808.6021505	15784.79602	30000	0	0	30000	26.1875	2004
12.02.2020 07:52:16	1	1	1	1	168.5	45.25	0	19620.853	808.6021505	15784.79602	30000	0	0	30000	26.1875	2004
12.02.2020 07:52:17	1	1	1	1	168.5	46	0	19099.526	817.2043011	15607.86019	30000	0	0	30000	26.1875	2004
12.02.2020 07:52:18	1	1	1	1	168.5	46	0	19099.526	815.0537634	15685.32058	30000	0	0	30000	25.75	2004
12.02.2020 07:52:19	1	1	1	1	168.5	45.75	0	19763.033	808.6021505	15980.48542	30000	0	0	30000	24.9375	2004
12.02.2020 07:52:20	1	1	1	1	168.5	44.75	0	18815.166	819.3548387	15537.73816	30000	0	0	30000	26.75	2004
12.02.2020 07:52:21	1	1	1	1	168.5	46.75	0	19573.46	808.6021505	15868.77939	30000	0	0	30000	26.1875	2004
12.02.2020 07:52:22	1	1	1	1	168.5	46	0	19952.607	808.6021505	16090.5607	30000	0	0	30000	26.5625	2004
12.02.2020 07:52:23	1	1	1	1	168	46.5	0	20000	800	16080.77623	30000	0	0	30000	25.375	2004
12.02.2020 07:52:24	1	1	1	1	168	45.25	0	19668.246	808.6021505	15945.4244	30000	0	0	30000	25.75	2004
12.02.2020 07:52:25	1	1	1	1	168	45.75	0	19810.427	808.6021505	16022.88479	30000	0	0	30000	25.625	2004
12.02.2020 07:52:26	1	1	1	1	168	45.5	0	19668.246	808.6021505	15903.8404	30000	0	0	30000	26.0625	2004
12.02.2020 07:52:27	1	1	1	1	168	46	0	19857.82	808.6021505	16057.13043	30000	0	0	30000	27.4375	2004
12.02.2020 07:52:28	1	1	1	1	168	47.25	0	20236.967	795.6989247	16101.97592	30000	0	0	30000	25.875	2004
12.02.2020 07:52:29	1	1	1	1	168	45.75	0	19952.607	804.3010753	15971.51632	30000	0	0	30000	27.1875	2004
12.02.2020 07:52:30	1	1	1	1	168	47	0	19478.673	815.0537634	15876.11774	30000	0	0	30000	26.3125	2004
12.02.2020 07:52:31	1	1	1	1	168	46.25	0	19857.82	802.1505376	16090.5607	30000	0	0	30000	25.625	2004
12.02.2020 07:52:32	1	1	1	1	168	45.5	0	19952.607	804.3010753	15961.73185	30000	0	0	30000	26.125	2004
12.02.2020 07:52:33	1	1	1	1	167	46	0	20236.967	791.3978495	16015.54644	30000	0	0	30000	26.8125	2004
12.02.2020 07:52:34	1	1	1	1	167	46.75	0	20047.393	791.3978495	15865.5179	30000	0	0	30000	25.625	2004
12.02.2020 07:52:35	1	1	1	1	167	45.5	0	20189.573	793.5483871	16021.25404	30000	0	0	30000	27.1875	2004
12.02.2020 07:52:36	1	1	1	1	167	47	0	20379.147	782.7956989	16033.48463	30000	0	0	30000	26.75	2004
12.02.2020 07:52:37	1	1	1	1	167	46.75	0	20473.934	778.4946237	15938.90142	30000	0	0	30000	26.5	2004
12.02.2020 07:52:38	1	1	1	1	167	46.5	0	20521.327	782.7956989	16019.6233	30000	0	0	30000	25.25	2004
12.02.2020 07:52:39	1	1	1	1	167	45.25	0	20568.72	776.344086	15931.56307	30000	0	0	30000	25.875	2004
12.02.2020 07:52:40	1	1	1	1	167	45.75	0	20236.967	791.3978495	16015.54644	30000	0	0	30000	25.875	2004
12.02.2020 07:52:41	1	1	1	1	167	45.75	0	20521.327	776.344086	15931.56307	30000	0	0	30000	25.375	2004
12.02.2020 07:52:42	1	1	1	1	167	45.25	0	20568.72	776.344086	15931.56307	30000	0	0	30000	26.75	2004
12.02.2020 07:52:43	1	1	1	1	165.8	46.75	0	20331.754	791.3978495	16090.5607	30000	0	0	30000	26.25	2004
12.02.2020 07:52:44	1	1	1	1	165.8	46.25	0	20331.754	795.6989247	16090.5607	30000	0	0	30000	26.0625	2004
12.02.2020 07:52:45	1	1	1	1	165.8	46	0	20663.507	776.344086	16078.33012	30000	0	0	30000	26.9375	2004
12.02.2020 07:52:46	1	1	1	1	165.8	46.75	0	20616.114	774.1935484	15916.07099	30000	0	0	30000	26.9375	2004
12.02.2020 07:52:47	1	1	1	1	165.8	46.75	0	20616.114	774.1935484	16004.94659	30000	0	0	30000	27.0625	2004
12.02.2020 07:52:48	1	1	1	1	165.8	45.25	0	19952.607	804.3010753	15971.51632	30000	0	0	30000	26.625	2004
12.02.2020 07:52:49	1	1	1	1	165.8	46.5	0	20331.754	787.0967742	15959.28573	30000	0	0	30000	25.375	2004
12.02.2020 07:52:50	1	1	1	1	165.8	45.25	0	20805.687	772.0430108	16062.83804	30000	0	0	30000	25.1875	2004
12.02.2020 07:52:51	1	1	1	1	165.8	45	0	20805.687	767.7419355	15847.5797	30000	0	0	30000	25.75	2004
12.02.2020 07:52:52	1	1	1	1	164.8	45.75	0	20853.081	765.5913978	16045.71522	30000	0	0	30000	25.625	2004
12.02.2020 07:52:54	1	1	1	1	164.8	45.5	0	20900.474	763.4408602	15956.02424	30000	0	0	30000	26.125	2004
12.02.2020 07:52:55	1	1	1	1	164.8	46	0	20616.114	772.0430108	15916.07099	30000	0	0	30000	26.25	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 07:52:56	1	1	1	1	164.8	46.25	0	20616.114	774.1935484	16004.94659	30000	0	0	30000	25.5625	2004
12.02.2020 07:52:57	1	1	1	1	164.8	45.5	0	20758.294	769.8924731	15944.60903	30000	0	0	30000	26.5	2004
12.02.2020 07:52:58	1	1	1	1	164.8	46.5	0	20995.261	765.5913978	15991.90063	30000	0	0	30000	26.375	2004
12.02.2020 07:52:59	1	1	1	1	164.8	46.25	0	21042.654	759.1397849	15973.96244	30000	0	0	30000	25.6875	2004
12.02.2020 07:53:00	1	1	1	1	164.8	45.5	0	20995.261	759.1397849	15938.08605	30000	0	0	30000	25.5625	2004
12.02.2020 07:53:01	1	1	1	1	164.8	45.5	0	20853.081	769.8924731	15973.14707	30000	0	0	30000	25.375	2004
12.02.2020 07:53:02	1	1	1	1	164.8	45.25	0	21232.227	756.9892473	16072.62251	30000	0	0	30000	26.1875	2004
12.02.2020 07:53:03	1	1	1	1	163.3	46	0	21090.047	756.9892473	15964.99334	30000	0	0	30000	25.125	2004
12.02.2020 07:53:04	1	1	1	1	163.3	45	0	20805.687	767.7419355	16009.83883	30000	0	0	30000	25.25	2004
12.02.2020 07:53:05	1	1	1	1	163.3	45.25	0	21042.654	759.1397849	15973.96244	30000	0	0	30000	25.625	2004
12.02.2020 07:53:06	1	1	1	1	163.3	45.5	0	20853.081	767.7419355	16017.99255	30000	0	0	30000	27.0625	2004
12.02.2020 07:53:07	1	1	1	1	163.3	47	0	21232.227	746.2365591	16072.62251	30000	0	0	30000	25.4375	2004
12.02.2020 07:53:08	1	1	1	1	163.3	45.25	0	21042.654	763.4408602	16064.46878	30000	0	0	30000	25.3125	2004
12.02.2020 07:53:09	1	1	1	1	163.3	45.25	0	20853.081	763.4408602	16009.83883	30000	0	0	30000	25.375	2004
12.02.2020 07:53:10	1	1	1	1	163.3	45.25	0	21232.227	739.7849462	15788.05751	30000	0	0	30000	26.125	2004
12.02.2020 07:53:11	1	1	1	1	163.3	46	0	21563.981	741.9354839	16044.89985	30000	0	0	30000	25.8125	2004
12.02.2020 07:53:12	1	1	1	1	163.3	45.75	0	21516.588	756.9892473	16287.88085	30000	0	0	30000	27.4375	2004
12.02.2020 07:53:18	1	1	1	1	162	46	0	21042.654	756.9892473	15893.24056	30000	0	0	30000	26.8125	2004
12.02.2020 07:53:18	1	1	1	1	162	46	0	21042.654	756.9892473	15893.24056	30000	0	0	30000	26.8125	2004
12.02.2020 07:53:18	1	1	1	1	162	46	0	21042.654	756.9892473	15893.24056	30000	0	0	30000	26.8125	2004
12.02.2020 07:53:18	1	1	1	1	162	46	0	21042.654	756.9892473	15893.24056	30000	0	0	30000	26.8125	2004
12.02.2020 07:53:18	1	1	1	1	162	46.75	0	21374.408	756.9892473	15950.31664	30000	0	0	30000	26.1875	2004
12.02.2020 07:53:19	1	1	1	1	162	46	0	21279.621	756.9892473	16108.4989	30000	0	0	30000	26.25	2004
12.02.2020 07:53:20	1	1	1	1	162	46.25	0	21374.408	741.9354839	15858.17955	30000	0	0	30000	27.5625	2004
12.02.2020 07:53:21	1	1	1	1	162	47.5	0	21374.408	756.9892473	15950.31664	30000	0	0	30000	25.625	2004
12.02.2020 07:53:22	1	1	1	1	162	45.5	0	21374.408	741.9354839	15950.31664	30000	0	0	30000	27.625	2004
12.02.2020 07:53:23	1	1	1	1	161.5	47.5	0	21943.128	729.0322581	15774.19618	30000	0	0	30000	27.8125	2004
12.02.2020 07:53:24	1	1	1	1	161.5	47.75	0	21516.588	744.0860215	16056.31506	30000	0	0	30000	26.9375	2004
12.02.2020 07:53:25	1	1	1	1	161.5	47.5	0	21753.555	731.1827957	16034.3	30000	0	0	30000	26.5625	2004
12.02.2020 07:53:26	1	1	1	1	161.5	46.5	0	21848.341	733.3333333	16022.06942	30000	0	0	30000	26.1875	2004
12.02.2020 07:53:27	1	1	1	1	161.5	46	0	21943.128	739.7849462	15962.54722	30000	0	0	30000	25.875	2004
12.02.2020 07:53:29	1	1	1	1	161.5	45.75	0	21943.128	729.0322581	15902.20966	30000	0	0	30000	26.375	2004
12.02.2020 07:53:30	1	1	1	1	161.5	46.25	0	21943.128	735.483871	16138.66768	30000	0	0	30000	26.75	2004
12.02.2020 07:53:31	1	1	1	1	161.5	46.75	0	22132.701	720.4301075	16013.10032	30000	0	0	30000	27.1875	2004
12.02.2020 07:53:32	1	1	1	1	161.5	47	0	22227.488	724.7311828	16142.74454	30000	0	0	30000	27.4375	2004
12.02.2020 07:53:33	1	1	1	1	159.8	47.25	0	21706.161	739.7849462	16045.71522	30000	0	0	30000	25.6875	2004
12.02.2020 07:53:34	1	1	1	1	159.8	45.5	0	21563.981	741.9354839	15998.42361	30000	0	0	30000	27.0625	2004
12.02.2020 07:53:35	1	1	1	1	159.8	47	0	21943.128	731.1827957	15996.79287	30000	0	0	30000	26.25	2004
12.02.2020 07:53:36	1	1	1	1	159.8	46.25	0	21848.341	729.0322581	15962.54722	30000	0	0	30000	26.75	2004
12.02.2020 07:53:37	1	1	1	1	159.8	46.75	0	21943.128	731.1827957	16091.37608	30000	0	0	30000	26.5625	2004
12.02.2020 07:53:38	1	1	1	1	159.8	46.5	0	21943.128	724.7311828	15808.44182	30000	0	0	30000	27.0625	2004
12.02.2020 07:53:39	1	1	1	1	159.8	47	0	22322.275	709.6774194	15889.1637	30000	0	0	30000	26.125	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 07:54:24	1	1	1	1	156.3	46.75	0	23459.716	673.1182796	15790.50363	30000	0	0	30000	27.0625	2004
12.02.2020 07:54:25	1	1	1	1	156.3	47	0	23459.716	688.172043	16176.99019	30000	0	0	30000	26.25	2004
12.02.2020 07:54:26	1	1	1	1	156.3	46.25	0	23317.536	670.9677419	15726.90457	30000	0	0	30000	26.3125	2004
12.02.2020 07:54:27	1	1	1	1	156.3	46.25	0	23649.289	675.2688172	15918.51711	30000	0	0	30000	26.625	2004
12.02.2020 07:54:28	1	1	1	1	156.3	46.5	0	23459.716	670.9677419	15790.50363	30000	0	0	30000	26.625	2004
12.02.2020 07:54:29	1	1	1	1	156.3	46.5	0	23459.716	675.2688172	16209.60509	30000	0	0	30000	27.4375	2004
12.02.2020 07:54:30	1	1	1	1	156.3	47.25	0	23317.536	688.172043	15763.59634	30000	0	0	30000	25.75	2004
12.02.2020 07:54:31	1	1	1	1	156.3	45.75	0	23459.716	688.172043	15859.81029	30000	0	0	30000	26.5	2004
12.02.2020 07:54:32	1	1	1	1	156.3	46.5	0	23601.896	677.4193548	16274.83489	30000	0	0	30000	26.625	2004
12.02.2020 07:54:33	1	1	1	1	154.5	46.5	0	23554.502	677.4193548	15924.22472	30000	0	0	30000	25.625	2004
12.02.2020 07:54:34	1	1	1	1	154.5	45.5	0	23554.502	673.1182796	15956.02424	30000	0	0	30000	27.625	2004
12.02.2020 07:54:35	1	1	1	1	154.5	47.5	0	23554.502	673.1182796	15905.47115	30000	0	0	30000	26.3125	2004
12.02.2020 07:54:36	1	1	1	1	154.5	46.25	0	23744.076	688.172043	16084.03772	30000	0	0	30000	26.125	2004
12.02.2020 07:54:37	1	1	1	1	154.5	46	0	23744.076	675.2688172	16033.48463	30000	0	0	30000	27.25	2004
12.02.2020 07:54:38	1	1	1	1	154.5	47.25	0	23791.469	675.2688172	16405.29449	30000	0	0	30000	27.6875	2004
12.02.2020 07:54:39	1	1	1	1	154.5	47.5	0	23554.502	670.9677419	15854.91806	30000	0	0	30000	26.3125	2004
12.02.2020 07:54:40	1	1	1	1	154.5	46.25	0	23791.469	673.1182796	16045.71522	30000	0	0	30000	26.9375	2004
12.02.2020 07:54:41	1	1	1	1	154.5	46.75	0	23507.109	675.2688172	15740.76591	30000	0	0	30000	26.8125	2004
12.02.2020 07:54:42	1	1	1	1	154.5	46.75	0	23507.109	670.9677419	15823.11853	30000	0	0	30000	27.5625	2004
12.02.2020 07:54:43	1	1	1	1	155	47.5	0	23554.502	673.1182796	15836.16449	30000	0	0	30000	28.0625	2004
12.02.2020 07:54:44	1	1	1	1	155	48	0	23649.289	673.1182796	15918.51711	30000	0	0	30000	27.8125	2004
12.02.2020 07:54:45	1	1	1	1	155	47.75	0	23317.536	673.1182796	15695.10505	30000	0	0	30000	27.75	2004
12.02.2020 07:54:46	1	1	1	1	155	47.75	0	23507.109	677.4193548	15924.22472	30000	0	0	30000	27.3125	2004
12.02.2020 07:54:47	1	1	1	1	155	47.25	0	23459.716	688.172043	16144.37529	30000	0	0	30000	26.625	2004
12.02.2020 07:54:48	1	1	1	1	155	46.5	0	23270.142	688.172043	15663.30552	30000	0	0	30000	27.125	2004
12.02.2020 07:54:50	1	1	1	1	155	47	0	23412.322	688.172043	16079.14549	30000	0	0	30000	27.8125	2004
12.02.2020 07:54:51	1	1	1	1	155	47.75	0	23175.355	688.172043	15948.68589	30000	0	0	30000	26.75	2004
12.02.2020 07:54:52	1	1	1	1	155	46.75	0	23270.142	688.172043	16013.91569	30000	0	0	30000	27.375	2004
12.02.2020 07:54:53	1	1	1	1	153.5	47.25	0	23459.716	688.172043	16144.37529	30000	0	0	30000	26.9375	2004
12.02.2020 07:54:54	1	1	1	1	153.5	46.75	0	23364.929	688.172043	16111.76039	30000	0	0	30000	27.125	2004
12.02.2020 07:54:55	1	1	1	1	153.5	47	0	23364.929	688.172043	16079.14549	30000	0	0	30000	27.625	2004
12.02.2020 07:54:56	1	1	1	1	153.5	47.5	0	23507.109	688.172043	16176.99019	30000	0	0	30000	26.3125	2004
12.02.2020 07:54:57	1	1	1	1	153.5	46.25	0	23175.355	688.172043	15948.68589	30000	0	0	30000	28.0625	2004
12.02.2020 07:54:58	1	1	1	1	153.5	48	0	23270.142	688.172043	16013.91569	30000	0	0	30000	27	2004
12.02.2020 07:54:59	1	1	1	1	153.5	47	0	23222.749	670.9677419	15663.30552	30000	0	0	30000	27.6875	2004
12.02.2020 07:55:00	1	1	1	1	153.5	47.5	0	23364.929	675.2688172	15726.90457	30000	0	0	30000	26.25	2004
12.02.2020 07:55:01	1	1	1	1	153.5	46.25	0	23554.502	677.4193548	15956.02424	30000	0	0	30000	25.875	2004
12.02.2020 07:55:02	1	1	1	1	153.5	45.75	0	23459.716	673.1182796	15841.05672	30000	0	0	30000	25.5	2004
12.02.2020 07:55:03	1	1	1	1	152	45.5	0	23270.142	688.172043	15763.59634	30000	0	0	30000	26	2004
12.02.2020 07:55:04	1	1	1	1	152	46	0	23554.502	688.172043	16209.60509	30000	0	0	30000	27.4375	2004
12.02.2020 07:55:05	1	1	1	1	152	47.25	0	23459.716	670.9677419	15823.11853	30000	0	0	30000	26.75	2004
12.02.2020 07:55:06	1	1	1	1	152	46.75	0	23270.142	675.2688172	16013.91569	30000	0	0	30000	27.625	2004
12.02.2020 07:55:07	1	1	1	1	152	47.5	0	23270.142	688.172043	15795.39586	30000	0	0	30000	27.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 07:55:08	1	1	1	1	152	47.25	0	23270.142	688.172043	15981.30079	30000	0	0	30000	27.5625	2004
12.02.2020 07:55:09	1	1	1	1	152	47.5	0	23270.142	688.172043	16013.91569	30000	0	0	30000	26.875	2004
12.02.2020 07:55:10	1	1	1	1	152	46.75	0	23175.355	690.3225806	15932.37844	30000	0	0	30000	26.8125	2004
12.02.2020 07:55:11	1	1	1	1	152	46.75	0	23222.749	688.172043	15981.30079	30000	0	0	30000	26.625	2004
12.02.2020 07:55:12	1	1	1	1	152	46.5	0	23364.929	688.172043	16079.14549	30000	0	0	30000	26.4375	2004
12.02.2020 07:55:13	1	1	1	1	152.8	46.25	0	23222.749	688.172043	15981.30079	30000	0	0	30000	27.0625	2004
12.02.2020 07:55:14	1	1	1	1	152.8	47	0	23270.142	688.172043	16013.91569	30000	0	0	30000	27	2004
12.02.2020 07:55:15	1	1	1	1	152.8	47	0	23175.355	690.3225806	15998.42361	30000	0	0	30000	27.125	2004
12.02.2020 07:55:21	1	1	1	1	152.8	47.5	0	23554.502	677.4193548	16209.60509	30000	0	0	30000	27.3125	2004
12.02.2020 07:55:21	1	1	1	1	152.8	47.5	0	23554.502	677.4193548	16209.60509	30000	0	0	30000	27.3125	2004
12.02.2020 07:55:21	1	1	1	1	152.8	47.5	0	23554.502	677.4193548	16209.60509	30000	0	0	30000	27.3125	2004
12.02.2020 07:55:21	1	1	1	1	152.8	47.5	0	23554.502	677.4193548	16209.60509	30000	0	0	30000	27.3125	2004
12.02.2020 07:55:21	1	1	1	1	152.8	47.25	0	23270.142	673.1182796	15763.59634	30000	0	0	30000	27.1875	2004
12.02.2020 07:55:22	1	1	1	1	152.8	47	0	23554.502	688.172043	16176.99019	30000	0	0	30000	28	2004
12.02.2020 07:55:23	1	1	1	1	151.8	48	0	23649.289	688.172043	16274.83489	30000	0	0	30000	26.875	2004
12.02.2020 07:55:24	1	1	1	1	151.8	46.75	0	23412.322	688.172043	16079.14549	30000	0	0	30000	27.25	2004
12.02.2020 07:55:26	1	1	1	1	151.8	47.25	0	23649.289	677.4193548	16274.83489	30000	0	0	30000	27.75	2004
12.02.2020 07:55:27	1	1	1	1	151.8	47.75	0	23791.469	673.1182796	15982.11616	30000	0	0	30000	27.5	2004
12.02.2020 07:55:28	1	1	1	1	151.8	47.5	0	23744.076	673.1182796	15982.11616	30000	0	0	30000	27.5	2004
12.02.2020 07:55:29	1	1	1	1	151.8	47.5	0	23838.863	670.9677419	16078.33012	30000	0	0	30000	26.8125	2004
12.02.2020 07:55:30	1	1	1	1	151.8	46.75	0	23744.076	673.1182796	15982.11616	30000	0	0	30000	27.5625	2004
12.02.2020 07:55:31	1	1	1	1	151.8	47.5	0	23744.076	675.2688172	16084.03772	30000	0	0	30000	27.5	2004
12.02.2020 07:55:32	1	1	1	1	151.8	47.5	0	23791.469	673.1182796	16013.91569	30000	0	0	30000	27.5	2004
12.02.2020 07:55:33	1	1	1	1	151.3	47.5	0	23791.469	670.9677419	16045.71522	30000	0	0	30000	27.25	2004
12.02.2020 07:55:34	1	1	1	1	151.3	47.25	0	23791.469	673.1182796	16013.91569	30000	0	0	30000	26.0625	2004
12.02.2020 07:55:35	1	1	1	1	151.3	46	0	23744.076	675.2688172	15982.11616	30000	0	0	30000	27.3125	2004
12.02.2020 07:55:36	1	1	1	1	151.3	47.25	0	23649.289	675.2688172	16274.83489	30000	0	0	30000	27.9375	2004
12.02.2020 07:55:37	1	1	1	1	151.3	47.75	0	23744.076	673.1182796	15982.11616	30000	0	0	30000	27.9375	2004
12.02.2020 07:55:38	1	1	1	1	151.3	47.75	0	23791.469	675.2688172	16405.29449	30000	0	0	30000	27.375	2004
12.02.2020 07:55:39	1	1	1	1	151.3	47.25	0	23649.289	673.1182796	15918.51711	30000	0	0	30000	27	2004
12.02.2020 07:55:40	1	1	1	1	151.3	47	0	23412.322	673.1182796	15790.50363	30000	0	0	30000	27.4375	2004
12.02.2020 07:55:41	1	1	1	1	151.3	47.25	0	23507.109	673.1182796	15823.11853	30000	0	0	30000	27.375	2004
12.02.2020 07:55:42	1	1	1	1	151.3	47.25	0	23459.716	675.2688172	15924.22472	30000	0	0	30000	28	2004
12.02.2020 07:55:43	1	1	1	1	150.8	48	0	23364.929	688.172043	15795.39586	30000	0	0	30000	26.5	2004
12.02.2020 07:55:44	1	1	1	1	150.8	46.5	0	23649.289	677.4193548	16274.83489	30000	0	0	30000	27.75	2004
12.02.2020 07:55:45	1	1	1	1	150.8	47.75	0	23649.289	677.4193548	16274.83489	30000	0	0	30000	26.8125	2004
12.02.2020 07:55:46	1	1	1	1	150.8	46.75	0	23791.469	673.1182796	16013.91569	30000	0	0	30000	27.1875	2004
12.02.2020 07:55:47	1	1	1	1	150.8	47	0	23838.863	670.9677419	16045.71522	30000	0	0	30000	26.0625	2004
12.02.2020 07:55:48	1	1	1	1	150.8	46	0	23933.649	670.9677419	16110.12964	30000	0	0	30000	26.5	2004
12.02.2020 07:55:49	1	1	1	1	150.8	46.5	0	23838.863	670.9677419	15995.16212	30000	0	0	30000	27.875	2004
12.02.2020 07:55:50	1	1	1	1	150.8	47.75	0	23791.469	670.9677419	15963.3626	30000	0	0	30000	27.25	2004
12.02.2020 07:55:51	1	1	1	1	150.8	47.25	0	23601.896	675.2688172	15987.82377	30000	0	0	30000	25.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 07:55:52	1	1	1	1	150.8	45.5	0	23459.716	673.1182796	15790.50363	30000	0	0	30000	27.625	2004
12.02.2020 07:55:53	1	1	1	1	149.3	47.5	0	23838.863	670.9677419	16045.71522	30000	0	0	30000	26.125	2004
12.02.2020 07:55:54	1	1	1	1	149.3	46	0	24028.436	662.3655914	15966.62409	30000	0	0	30000	27.8125	2004
12.02.2020 07:55:55	1	1	1	1	149.3	47.75	0	23886.256	664.516129	15955.20887	30000	0	0	30000	26.6875	2004
12.02.2020 07:55:56	1	1	1	1	149.3	46.5	0	23981.043	670.9677419	16090.5607	30000	0	0	30000	27.4375	2004
12.02.2020 07:55:57	1	1	1	1	149.3	47.25	0	23744.076	670.9677419	15931.56307	30000	0	0	30000	27.375	2004
12.02.2020 07:55:58	1	1	1	1	149.3	47.25	0	23838.863	670.9677419	15995.16212	30000	0	0	30000	26.875	2004
12.02.2020 07:55:59	1	1	1	1	149.3	46.75	0	23838.863	670.9677419	16045.71522	30000	0	0	30000	26.6875	2004
12.02.2020 07:56:00	1	1	1	1	149.3	46.5	0	23744.076	670.9677419	15931.56307	30000	0	0	30000	26.875	2004
12.02.2020 07:56:01	1	1	1	1	149.3	46.75	0	23838.863	670.9677419	15995.16212	30000	0	0	30000	28.4375	2004
12.02.2020 07:56:02	1	1	1	1	149.3	48.25	0	23649.289	670.9677419	15982.11616	30000	0	0	30000	26.875	2004
12.02.2020 07:56:03	1	1	1	1	149.5	46.75	0	23744.076	673.1182796	15982.11616	30000	0	0	30000	26.8125	2004
12.02.2020 07:56:04	1	1	1	1	149.5	47.75	0	23933.649	670.9677419	16058.76118	30000	0	0	30000	25.9375	2004
12.02.2020 07:56:06	1	1	1	1	149.5	45.75	0	23507.109	673.1182796	15854.91806	30000	0	0	30000	27.5	2004
12.02.2020 07:56:07	1	1	1	1	149.5	47.5	0	23744.076	670.9677419	15931.56307	30000	0	0	30000	26.875	2004
12.02.2020 07:56:08	1	1	1	1	149.5	46.75	0	23981.043	670.9677419	15903.8404	30000	0	0	30000	27.375	2004
12.02.2020 07:56:09	1	1	1	1	149.5	47.25	0	23791.469	673.1182796	16199.82062	30000	0	0	30000	27	2004
12.02.2020 07:56:10	1	1	1	1	149.5	47	0	23744.076	673.1182796	15918.51711	30000	0	0	30000	27.375	2004
12.02.2020 07:56:11	1	1	1	1	149.5	47.25	0	23744.076	670.9677419	15982.11616	30000	0	0	30000	27.6875	2004
12.02.2020 07:56:12	1	1	1	1	149.5	47.5	0	24028.436	670.9677419	16122.36023	30000	0	0	30000	27.75	2004
12.02.2020 07:56:13	1	1	1	1	147.8	47.75	0	23838.863	670.9677419	15995.16212	30000	0	0	30000	27	2004
12.02.2020 07:56:14	1	1	1	1	147.8	47	0	23838.863	670.9677419	15995.16212	30000	0	0	30000	27.3125	2004
12.02.2020 07:56:15	1	1	1	1	147.8	47.25	0	23791.469	673.1182796	15931.56307	30000	0	0	30000	26.8125	2004
12.02.2020 07:56:16	1	1	1	1	147.8	46.75	0	23838.863	670.9677419	15995.16212	30000	0	0	30000	26.875	2004
12.02.2020 07:56:17	1	1	1	1	147.8	46.75	0	23933.649	670.9677419	16058.76118	30000	0	0	30000	26.75	2004
12.02.2020 07:56:23	1	1	1	1	147.8	47.25	0	24028.436	670.9677419	16122.36023	30000	0	0	30000	27.5625	2004
12.02.2020 07:56:23	1	1	1	1	147.8	47.25	0	24028.436	670.9677419	16122.36023	30000	0	0	30000	27.5625	2004
12.02.2020 07:56:23	1	1	1	1	147.8	47.25	0	24028.436	670.9677419	16122.36023	30000	0	0	30000	27.5625	2004
12.02.2020 07:56:23	1	1	1	1	147.8	47.25	0	24028.436	670.9677419	16122.36023	30000	0	0	30000	27.5625	2004
12.02.2020 07:56:23	1	1	1	1	147.8	47.25	0	24028.436	670.9677419	16122.36023	30000	0	0	30000	27.5625	2004
12.02.2020 07:56:23	1	1	1	1	147.8	47.25	0	24028.436	670.9677419	16122.36023	30000	0	0	30000	27.5625	2004
12.02.2020 07:56:23	1	1	1	1	147.5	47.5	0	23791.469	660.2150538	15995.16212	30000	0	0	30000	27.5625	2004
12.02.2020 07:56:24	1	1	1	1	147.5	47.5	0	23791.469	670.9677419	15963.3626	30000	0	0	30000	27.25	2004
12.02.2020 07:56:25	1	1	1	1	147.5	47.25	0	23933.649	673.1182796	16110.12964	30000	0	0	30000	28.125	2004
12.02.2020 07:56:26	1	1	1	1	147.5	48	0	23933.649	670.9677419	16058.76118	30000	0	0	30000	27.4375	2004
12.02.2020 07:56:27	1	1	1	1	147.5	47.25	0	23933.649	673.1182796	16078.33012	30000	0	0	30000	28.125	2004
12.02.2020 07:56:28	1	1	1	1	147.5	48	0	23886.256	670.9677419	15995.16212	30000	0	0	30000	28.3125	2004
12.02.2020 07:56:29	1	1	1	1	147.5	48.25	0	23744.076	677.4193548	16340.06469	30000	0	0	30000	27.6875	2004
12.02.2020 07:56:30	1	1	1	1	147.5	47.5	0	23838.863	670.9677419	15995.16212	30000	0	0	30000	27.8125	2004
12.02.2020 07:56:31	1	1	1	1	147.5	47.75	0	23838.863	670.9677419	15995.16212	30000	0	0	30000	26.375	2004
12.02.2020 07:56:32	1	1	1	1	147.5	46.25	0	24075.829	670.9677419	16185.95929	30000	0	0	30000	27.8125	2004
12.02.2020 07:56:33	1	1	1	1	147.5	47.75	0	24075.829	670.9677419	16185.95929	30000	0	0	30000	26.6875	2004
12.02.2020 07:56:34	1	1	1	1	147.5	46.5	0	24028.436	670.9677419	16018.80793	30000	0	0	30000	27.25	2004
12.02.2020 07:56:35	1	1	1	1	147.5	47.25	0	23933.649	666.6666667	16006.57734	30000	0	0	30000	27.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 07:56:36	1	1	1	1	147.5	47.25	0	23933.649	670.9677419	16026.96165	30000	0	0	30000	27.75	2004
12.02.2020 07:56:37	1	1	1	1	147.5	47.75	0	23791.469	670.9677419	15963.3626	30000	0	0	30000	26.3125	2004
12.02.2020 07:56:38	1	1	1	1	147.5	46.25	0	23933.649	670.9677419	15955.20887	30000	0	0	30000	26.9375	2004
12.02.2020 07:56:39	1	1	1	1	147.5	46.75	0	23933.649	670.9677419	16090.5607	30000	0	0	30000	28.1875	2004
12.02.2020 07:56:40	1	1	1	1	147.5	48	0	23838.863	666.6666667	15892.42519	30000	0	0	30000	27.8125	2004
12.02.2020 07:56:41	1	1	1	1	147.5	47.75	0	23933.649	666.6666667	15955.20887	30000	0	0	30000	27.5625	2004
12.02.2020 07:56:42	1	1	1	1	147.5	47.5	0	23981.043	670.9677419	16122.36023	30000	0	0	30000	26.875	2004
12.02.2020 07:56:43	1	1	1	1	146.8	46.75	0	23933.649	670.9677419	15955.20887	30000	0	0	30000	26.875	2004
12.02.2020 07:56:44	1	1	1	1	146.8	46.75	0	23838.863	670.9677419	15995.16212	30000	0	0	30000	28.375	2004
12.02.2020 07:56:46	1	1	1	1	146.8	48.25	0	24123.223	666.6666667	16133.77545	30000	0	0	30000	27.375	2004
12.02.2020 07:56:47	1	1	1	1	146.8	47.25	0	23838.863	670.9677419	16078.33012	30000	0	0	30000	27.625	2004
12.02.2020 07:56:48	1	1	1	1	146.8	47.5	0	24075.829	662.3655914	15998.42361	30000	0	0	30000	27.9375	2004
12.02.2020 07:56:49	1	1	1	1	146.8	47.75	0	24123.223	664.516129	16030.22314	30000	0	0	30000	27.4375	2004
12.02.2020 07:56:50	1	1	1	1	146.8	47.25	0	24170.616	670.9677419	16030.22314	30000	0	0	30000	28.125	2004
12.02.2020 07:56:51	1	1	1	1	146.8	48	0	24075.829	666.6666667	16070.17639	30000	0	0	30000	27.375	2004
12.02.2020 07:56:52	1	1	1	1	146.8	47.25	0	24123.223	660.2150538	16113.39113	30000	0	0	30000	26.5	2004
12.02.2020 07:56:53	1	1	1	1	146.5	46.5	0	24028.436	670.9677419	15966.62409	30000	0	0	30000	27.75	2004
12.02.2020 07:56:54	1	1	1	1	146.5	47.75	0	23744.076	670.9677419	15982.11616	30000	0	0	30000	26.25	2004
12.02.2020 07:56:55	1	1	1	1	146.5	46.25	0	24218.009	666.6666667	16113.39113	30000	0	0	30000	27.6875	2004
12.02.2020 07:56:56	1	1	1	1	146.5	47.5	0	23744.076	675.2688172	15982.11616	30000	0	0	30000	27.9375	2004
12.02.2020 07:56:57	1	1	1	1	146.5	47.75	0	23886.256	670.9677419	16058.76118	30000	0	0	30000	27.6875	2004
12.02.2020 07:56:58	1	1	1	1	146.5	47.5	0	23838.863	670.9677419	15995.16212	30000	0	0	30000	26.375	2004
12.02.2020 07:56:59	1	1	1	1	146.5	46.25	0	23317.536	677.4193548	16079.14549	30000	0	0	30000	27.4375	2004
12.02.2020 07:57:00	1	1	1	1	146.5	47.25	0	23507.109	670.9677419	15823.11853	30000	0	0	30000	28.375	2004
12.02.2020 07:57:01	1	1	1	1	146.5	48.25	0	23649.289	675.2688172	15969.0702	30000	0	0	30000	27.9375	2004
12.02.2020 07:57:02	1	1	1	1	146.5	47.75	0	23507.109	675.2688172	15924.22472	30000	0	0	30000	27	2004
12.02.2020 07:57:03	1	1	1	1	145.8	47	0	23744.076	675.2688172	16084.03772	30000	0	0	30000	27.0625	2004
12.02.2020 07:57:04	1	1	1	1	145.8	47	0	23554.502	673.1182796	15886.71758	30000	0	0	30000	26.75	2004
12.02.2020 07:57:05	1	1	1	1	145.8	46.75	0	23838.863	688.172043	16405.29449	30000	0	0	30000	27.75	2004
12.02.2020 07:57:06	1	1	1	1	145.8	47.75	0	23649.289	675.2688172	16020.43867	30000	0	0	30000	27.8125	2004
12.02.2020 07:57:07	1	1	1	1	145.8	47.75	0	23459.716	673.1182796	15891.60982	30000	0	0	30000	27.5625	2004
12.02.2020 07:57:08	1	1	1	1	145.8	47.5	0	23933.649	670.9677419	16058.76118	30000	0	0	30000	26.9375	2004
12.02.2020 07:57:09	1	1	1	1	145.8	46.75	0	23838.863	675.2688172	15995.16212	30000	0	0	30000	27.875	2004
12.02.2020 07:57:10	1	1	1	1	145.8	47.75	0	23649.289	688.172043	15804.36496	30000	0	0	30000	28.1875	2004
12.02.2020 07:57:11	1	1	1	1	145.8	48	0	23554.502	688.172043	15987.82377	30000	0	0	30000	26.375	2004
12.02.2020 07:57:12	1	1	1	1	145.8	46.25	0	23791.469	688.172043	16084.03772	30000	0	0	30000	28.1875	2004
12.02.2020 07:57:13	1	1	1	1	144.8	48	0	23412.322	670.9677419	15740.76591	30000	0	0	30000	26.9375	2004
12.02.2020 07:57:14	1	1	1	1	144.8	46.75	0	23507.109	673.1182796	15873.67162	30000	0	0	30000	26.1875	2004
12.02.2020 07:57:15	1	1	1	1	144.8	46	0	23459.716	677.4193548	15924.22472	30000	0	0	30000	27.625	2004
12.02.2020 07:57:16	1	1	1	1	144.8	47.5	0	23838.863	670.9677419	16078.33012	30000	0	0	30000	25.75	2004
12.02.2020 07:57:17	1	1	1	1	144.8	45.75	0	23554.502	670.9677419	15854.91806	30000	0	0	30000	27.6875	2004
12.02.2020 07:57:18	1	1	1	1	144.8	47.5	0	23696.682	673.1182796	15982.11616	30000	0	0	30000	28.125	2004
12.02.2020 07:57:24	1	1	1	1	144	47.5	0	23649.289	675.2688172	16020.43867	30000	0	0	30000	28.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 07:57:24	1	1	1	1	144	47.5	0	23649.289	675.2688172	16020.43867	30000	0	0	30000	28.1875	2004
12.02.2020 07:57:24	1	1	1	1	144	47.5	0	23649.289	675.2688172	16020.43867	30000	0	0	30000	28.1875	2004
12.02.2020 07:57:24	1	1	1	1	144	47.5	0	23649.289	675.2688172	16020.43867	30000	0	0	30000	28.1875	2004
12.02.2020 07:57:24	1	1	1	1	144	47.5	0	23649.289	675.2688172	16020.43867	30000	0	0	30000	28.1875	2004
12.02.2020 07:57:25	1	1	1	1	144	48	0	23744.076	673.1182796	15982.11616	30000	0	0	30000	27.75	2004
12.02.2020 07:57:26	1	1	1	1	144	47.75	0	23601.896	675.2688172	16274.83489	30000	0	0	30000	26.625	2004
12.02.2020 07:57:27	1	1	1	1	144	46.5	0	22890.995	698.9247312	15801.91884	30000	0	0	30000	28.0625	2004
12.02.2020 07:57:28	1	1	1	1	144	48	0	22890.995	698.9247312	15998.42361	30000	0	0	30000	27.75	2004
12.02.2020 07:57:29	1	1	1	1	144	47.75	0	23175.355	688.172043	15948.68589	30000	0	0	30000	26.125	2004
12.02.2020 07:57:30	1	1	1	1	144	46	0	23080.569	694.6236559	16031.85389	30000	0	0	30000	27.75	2004
12.02.2020 07:57:31	1	1	1	1	144	47.75	0	23080.569	694.6236559	16031.85389	30000	0	0	30000	27.4375	2004
12.02.2020 07:57:32	1	1	1	1	144	47.25	0	22748.815	703.2258065	15997.60824	30000	0	0	30000	27.1875	2004
12.02.2020 07:57:33	1	1	1	1	143.5	47	0	22748.815	701.0752688	15899.76354	30000	0	0	30000	27.8125	2004
12.02.2020 07:57:34	1	1	1	1	143.5	47.75	0	22985.782	694.6236559	15999.23899	30000	0	0	30000	27.6875	2004
12.02.2020 07:57:35	1	1	1	1	143.5	47.5	0	22748.815	713.9784946	16095.45294	30000	0	0	30000	27.75	2004
12.02.2020 07:57:36	1	1	1	1	143.5	47.75	0	22796.209	698.9247312	15932.37844	30000	0	0	30000	26.625	2004
12.02.2020 07:57:37	1	1	1	1	143.5	46.5	0	22796.209	703.2258065	16030.22314	30000	0	0	30000	27.5625	2004
12.02.2020 07:57:38	1	1	1	1	143.5	47.5	0	22796.209	701.0752688	16030.22314	30000	0	0	30000	27.0625	2004
12.02.2020 07:57:39	1	1	1	1	143.5	47	0	22890.995	698.9247312	15965.80871	30000	0	0	30000	26.125	2004
12.02.2020 07:57:40	1	1	1	1	143.5	46	0	22890.995	701.0752688	16048.16134	30000	0	0	30000	27.125	2004
12.02.2020 07:57:41	1	1	1	1	143.5	47	0	22559.242	703.2258065	15997.60824	30000	0	0	30000	27.25	2004
12.02.2020 07:57:42	1	1	1	1	143.5	47.25	0	23080.569	673.1182796	15981.30079	30000	0	0	30000	27.875	2004
12.02.2020 07:57:43	1	1	1	1	143.3	47.75	0	23080.569	688.172043	16031.85389	30000	0	0	30000	27.5625	2004
12.02.2020 07:57:44	1	1	1	1	143.3	47.5	0	23222.749	690.3225806	16130.51396	30000	0	0	30000	27.375	2004
12.02.2020 07:57:45	1	1	1	1	143.3	47.25	0	23507.109	688.172043	16176.99019	30000	0	0	30000	28.375	2004
12.02.2020 07:57:46	1	1	1	1	143.3	48.25	0	23554.502	688.172043	15772.56543	30000	0	0	30000	28.4375	2004
12.02.2020 07:57:47	1	1	1	1	143.3	48.25	0	23649.289	675.2688172	16020.43867	30000	0	0	30000	27.0625	2004
12.02.2020 07:57:48	1	1	1	1	143.3	47	0	23317.536	688.172043	15795.39586	30000	0	0	30000	27.75	2004
12.02.2020 07:57:49	1	1	1	1	143.3	47.75	0	23270.142	688.172043	16013.91569	30000	0	0	30000	27.3125	2004
12.02.2020 07:57:50	1	1	1	1	143.3	47.25	0	22796.209	701.0752688	16030.22314	30000	0	0	30000	27.0625	2004
12.02.2020 07:57:51	1	1	1	1	143.3	47	0	23080.569	692.4731183	16330.28022	30000	0	0	30000	27.375	2004
12.02.2020 07:57:52	1	1	1	1	143.3	47.25	0	22890.995	698.9247312	15998.42361	30000	0	0	30000	27.6875	2004
12.02.2020 07:57:53	1	1	1	1	142.3	47.5	0	22559.242	711.827957	16106.86815	30000	0	0	30000	28.1875	2004
12.02.2020 07:57:54	1	1	1	1	142.3	48	0	23033.175	694.6236559	15999.23899	30000	0	0	30000	27.375	2004
12.02.2020 07:57:55	1	1	1	1	142.3	47.25	0	22796.209	701.0752688	15948.68589	30000	0	0	30000	26.5625	2004
12.02.2020 07:57:56	1	1	1	1	142.3	46.5	0	22748.815	703.2258065	15997.60824	30000	0	0	30000	27.5	2004
12.02.2020 07:57:57	1	1	1	1	142.3	47.5	0	22796.209	698.9247312	15932.37844	30000	0	0	30000	28.125	2004
12.02.2020 07:57:58	1	1	1	1	142.3	48	0	22748.815	703.2258065	15997.60824	30000	0	0	30000	28.6875	2004
12.02.2020 07:57:59	1	1	1	1	142.3	48.5	0	22796.209	707.5268817	16226.72791	30000	0	0	30000	28.375	2004
12.02.2020 07:58:00	1	1	1	1	142.3	48.25	0	22559.242	703.2258065	15863.88715	30000	0	0	30000	27.3125	2004
12.02.2020 07:58:01	1	1	1	1	142.3	48.25	0	22511.848	713.9784946	16024.51553	30000	0	0	30000	27.9375	2004
12.02.2020 07:58:03	1	1	1	1	142.8	47.75	0	21943.128	720.4301075	15666.56701	30000	0	0	30000	28.125	2004
12.02.2020 07:58:04	1	1	1	1	142.8	48	0	22322.275	718.2795699	15985.37765	30000	0	0	30000	28.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 07:58:05	1	1	1	1	142.8	48.25	0	22322.275	713.9784946	15903.8404	30000	0	0	30000	27.375	2004
12.02.2020 07:58:06	1	1	1	1	142.8	47.25	0	22890.995	701.0752688	16048.16134	30000	0	0	30000	26.5625	2004
12.02.2020 07:58:07	1	1	1	1	142.8	46.5	0	22369.668	713.9784946	16004.94659	30000	0	0	30000	28.5	2004
12.02.2020 07:58:08	1	1	1	1	142.8	48.5	0	22417.062	718.2795699	16101.16055	30000	0	0	30000	28.25	2004
12.02.2020 07:58:09	1	1	1	1	142.8	48.25	0	22274.882	716.1290323	15951.13201	30000	0	0	30000	27.375	2004
12.02.2020 07:58:10	1	1	1	1	142.8	47.25	0	22132.701	729.0322581	15808.44182	30000	0	0	30000	27.6875	2004
12.02.2020 07:58:11	1	1	1	1	142.8	47.5	0	22132.701	720.4301075	16040.00761	30000	0	0	30000	27.875	2004
12.02.2020 07:58:12	1	1	1	1	142.8	47.75	0	22132.701	733.3333333	16040.00761	30000	0	0	30000	27.8125	2004
12.02.2020 07:58:13	1	1	1	1	141.8	47.75	0	22274.882	718.2795699	15999.23899	30000	0	0	30000	27.8125	2004
12.02.2020 07:58:14	1	1	1	1	141.8	47.75	0	21895.735	731.1827957	15962.54722	30000	0	0	30000	26.75	2004
12.02.2020 07:58:15	1	1	1	1	141.8	46.75	0	21563.981	739.7849462	15906.28652	30000	0	0	30000	27.5625	2004
12.02.2020 07:58:16	1	1	1	1	141.8	47.5	0	22274.882	726.8817204	16013.10032	30000	0	0	30000	26.8125	2004
12.02.2020 07:58:17	1	1	1	1	141.8	46.75	0	21800.948	729.0322581	15940.53217	30000	0	0	30000	28.25	2004
12.02.2020 07:58:18	1	1	1	1	141.8	48.25	0	22132.701	720.4301075	15897.31742	30000	0	0	30000	27.875	2004
12.02.2020 07:58:19	1	1	1	1	141.8	47.75	0	22132.701	718.2795699	16013.10032	30000	0	0	30000	27.875	2004
12.02.2020 07:58:20	1	1	1	1	141.8	47.75	0	22417.062	713.9784946	16004.94659	30000	0	0	30000	26.375	2004
12.02.2020 07:58:26	1	1	1	1	141.8	47.75	0	22132.701	724.7311828	15944.60903	30000	0	0	30000	26.9375	2004
12.02.2020 07:58:26	1	1	1	1	141.8	47.75	0	22132.701	724.7311828	15944.60903	30000	0	0	30000	26.9375	2004
12.02.2020 07:58:26	1	1	1	1	141.8	47.75	0	22132.701	724.7311828	15944.60903	30000	0	0	30000	26.9375	2004
12.02.2020 07:58:26	1	1	1	1	141.8	47.75	0	22132.701	724.7311828	15944.60903	30000	0	0	30000	26.9375	2004
12.02.2020 07:58:26	1	1	1	1	141.8	47.75	0	22132.701	724.7311828	15944.60903	30000	0	0	30000	26.9375	2004
12.02.2020 07:58:26	1	1	1	1	141.8	46.75	0	22511.848	711.827957	16024.51553	30000	0	0	30000	27.5	2004
12.02.2020 07:58:27	1	1	1	1	141.8	47.5	0	22748.815	703.2258065	15997.60824	30000	0	0	30000	27.75	2004
12.02.2020 07:58:28	1	1	1	1	141.8	47.75	0	22274.882	720.4301075	16047.34596	30000	0	0	30000	27.25	2004
12.02.2020 07:58:29	1	1	1	1	141.8	47.25	0	22369.668	713.9784946	16019.6233	30000	0	0	30000	27.9375	2004
12.02.2020 07:58:30	1	1	1	1	141.8	47.75	0	22464.455	703.2258065	15763.59634	30000	0	0	30000	28.5	2004
12.02.2020 07:58:31	1	1	1	1	141.8	48.5	0	22274.882	720.4301075	15999.23899	30000	0	0	30000	27.875	2004
12.02.2020 07:58:32	1	1	1	1	141.8	47.75	0	22464.455	707.5268817	16024.51553	30000	0	0	30000	27.6875	2004
12.02.2020 07:58:33	1	1	1	1	142	47.5	0	22322.275	720.4301075	16081.59161	30000	0	0	30000	26.5	2004
12.02.2020 07:58:34	1	1	1	1	142	46.5	0	22274.882	720.4301075	16047.34596	30000	0	0	30000	26.625	2004
12.02.2020 07:58:35	1	1	1	1	142	46.5	0	22748.815	703.2258065	15997.60824	30000	0	0	30000	26.5	2004
12.02.2020 07:58:36	1	1	1	1	142	46.5	0	21943.128	733.3333333	16091.37608	30000	0	0	30000	28.3125	2004
12.02.2020 07:58:37	1	1	1	1	142	48.25	0	22322.275	716.1290323	15985.37765	30000	0	0	30000	27.4375	2004
12.02.2020 07:58:38	1	1	1	1	142	47.25	0	22796.209	701.0752688	15801.91884	30000	0	0	30000	28.375	2004
12.02.2020 07:58:39	1	1	1	1	142	48.25	0	22843.602	696.7741935	15834.53374	30000	0	0	30000	28.875	2004
12.02.2020 07:58:40	1	1	1	1	142	48.75	0	22417.062	713.9784946	16004.94659	30000	0	0	30000	27.6875	2004
12.02.2020 07:58:41	1	1	1	1	142	47.5	0	21800.948	739.7849462	16045.71522	30000	0	0	30000	27.9375	2004
12.02.2020 07:58:43	1	1	1	1	142.3	48.75	0	22796.209	701.0752688	16048.16134	30000	0	0	30000	27.8125	2004
12.02.2020 07:58:44	1	1	1	1	142.3	47.75	0	22511.848	709.6774194	15927.48621	30000	0	0	30000	26	2004
12.02.2020 07:58:45	1	1	1	1	142.3	46	0	22464.455	713.9784946	15860.62566	30000	0	0	30000	26.5	2004
12.02.2020 07:58:46	1	1	1	1	142.3	46.5	0	21943.128	729.0322581	15996.79287	30000	0	0	30000	27.5	2004
12.02.2020 07:58:47	1	1	1	1	142.3	47.5	0	22227.488	720.4301075	16047.34596	30000	0	0	30000	28.5	2004
12.02.2020 07:58:48	1	1	1	1	142.3	48.5	0	22369.668	713.9784946	16019.6233	30000	0	0	30000	27.9375	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 07:58:49	1	1	1	1	142.3	47.75	0	22417.062	713.9784946	16004.94659	30000	0	0	30000	25.9375	2004
12.02.2020 07:58:50	1	1	1	1	142.3	45.75	0	22227.488	713.9784946	15917.70174	30000	0	0	30000	26.5625	2004
12.02.2020 07:58:51	1	1	1	1	142.3	46.5	0	22985.782	694.6236559	15900.57891	30000	0	0	30000	28.75	2004
12.02.2020 07:58:52	1	1	1	1	142.3	48.75	0	22559.242	703.2258065	15733.42755	30000	0	0	30000	28	2004
12.02.2020 07:58:53	1	1	1	1	141.5	48	0	22559.242	707.5268817	16095.45294	30000	0	0	30000	28.0625	2004
12.02.2020 07:58:54	1	1	1	1	141.5	48	0	22132.701	731.1827957	15902.20966	30000	0	0	30000	27.6875	2004
12.02.2020 07:58:55	1	1	1	1	141.5	47.5	0	22417.062	713.9784946	16004.94659	30000	0	0	30000	27.5625	2004
12.02.2020 07:58:56	1	1	1	1	141.5	47.5	0	22132.701	729.0322581	16135.40619	30000	0	0	30000	27.6875	2004
12.02.2020 07:58:57	1	1	1	1	141.5	47.5	0	22132.701	724.7311828	15944.60903	30000	0	0	30000	27.5625	2004
12.02.2020 07:58:58	1	1	1	1	141.5	47.5	0	21943.128	729.0322581	16044.08447	30000	0	0	30000	27.9375	2004
12.02.2020 07:58:59	1	1	1	1	141.5	47.75	0	21279.621	756.9892473	16108.4989	30000	0	0	30000	26.1875	2004
12.02.2020 07:59:00	1	1	1	1	141.5	46	0	22369.668	713.9784946	16019.6233	30000	0	0	30000	28	2004
12.02.2020 07:59:01	1	1	1	1	141.5	48	0	21848.341	731.1827957	16022.06942	30000	0	0	30000	28.6875	2004
12.02.2020 07:59:02	1	1	1	1	141.5	48.5	0	22511.848	707.5268817	16057.9458	30000	0	0	30000	27.625	2004
12.02.2020 07:59:03	1	1	1	1	141.8	47.5	0	22417.062	716.1290323	16053.05357	30000	0	0	30000	28.5625	2004
12.02.2020 07:59:04	1	1	1	1	141.8	48.5	0	22227.488	720.4301075	16108.4989	30000	0	0	30000	28.5625	2004
12.02.2020 07:59:05	1	1	1	1	141.8	48.5	0	21943.128	731.1827957	15996.79287	30000	0	0	30000	28	2004
12.02.2020 07:59:06	1	1	1	1	141.8	48	0	22369.668	720.4301075	16033.48463	30000	0	0	30000	26.8125	2004
12.02.2020 07:59:07	1	1	1	1	141.8	46.75	0	21800.948	731.1827957	15940.53217	30000	0	0	30000	28.75	2004
12.02.2020 07:59:08	1	1	1	1	141.8	48.75	0	22132.701	729.0322581	16135.40619	30000	0	0	30000	27.5625	2004
12.02.2020 07:59:09	1	1	1	1	141.8	47.5	0	22748.815	709.6774194	15863.88715	30000	0	0	30000	27.0625	2004
12.02.2020 07:59:10	1	1	1	1	141.8	47	0	22559.242	709.6774194	15975.59318	30000	0	0	30000	27.0625	2004
12.02.2020 07:59:11	1	1	1	1	141.8	47	0	22369.668	709.6774194	15971.51632	30000	0	0	30000	28.5	2004
12.02.2020 07:59:12	1	1	1	1	141.8	48.5	0	22274.882	718.2795699	15951.13201	30000	0	0	30000	27.25	2004
12.02.2020 07:59:13	1	1	1	1	141.8	47.25	0	21943.128	733.3333333	15996.79287	30000	0	0	30000	27	2004
12.02.2020 07:59:14	1	1	1	1	141.8	47	0	21800.948	729.0322581	15893.24056	30000	0	0	30000	28.25	2004
12.02.2020 07:59:15	1	1	1	1	141.8	48.25	0	21706.161	731.1827957	15789.68826	30000	0	0	30000	27.75	2004
12.02.2020 07:59:16	1	1	1	1	141.8	47.75	0	21374.408	739.7849462	16252.00446	30000	0	0	30000	28.6875	2004
12.02.2020 07:59:17	1	1	1	1	141.8	48.5	0	21943.128	729.0322581	16135.40619	30000	0	0	30000	27.75	2004
12.02.2020 07:59:18	1	1	1	1	141.8	47.75	0	22559.242	707.5268817	16193.29764	30000	0	0	30000	28.25	2004
12.02.2020 07:59:19	1	1	1	1	141.8	48.25	0	22227.488	720.4301075	16013.10032	30000	0	0	30000	27.5625	2004
12.02.2020 07:59:20	1	1	1	1	141.8	47.5	0	22132.701	720.4301075	15944.60903	30000	0	0	30000	28.25	2004
12.02.2020 07:59:22	1	1	1	1	141.8	46.25	0	22132.701	724.7311828	16040.00761	30000	0	0	30000	28.1875	2004
12.02.2020 07:59:28	1	1	1	1	142	48	0	21943.128	731.1827957	15996.79287	30000	0	0	30000	28.3125	2004
12.02.2020 07:59:28	1	1	1	1	142	48	0	21943.128	731.1827957	15996.79287	30000	0	0	30000	28.3125	2004
12.02.2020 07:59:28	1	1	1	1	142	48	0	21943.128	731.1827957	15996.79287	30000	0	0	30000	28.3125	2004
12.02.2020 07:59:28	1	1	1	1	142	48	0	21943.128	731.1827957	15996.79287	30000	0	0	30000	28.3125	2004
12.02.2020 07:59:28	1	1	1	1	142	48	0	21943.128	731.1827957	15996.79287	30000	0	0	30000	28.3125	2004
12.02.2020 07:59:28	1	1	1	1	142	48.25	0	22417.062	707.5268817	15956.83962	30000	0	0	30000	27.3125	2004
12.02.2020 07:59:29	1	1	1	1	142	47.25	0	21563.981	739.7849462	15952.76275	30000	0	0	30000	26.625	2004
12.02.2020 07:59:30	1	1	1	1	142	46.5	0	21279.621	744.0860215	16108.4989	30000	0	0	30000	28.25	2004
12.02.2020 07:59:31	1	1	1	1	142	48.25	0	21895.735	724.7311828	15867.96401	30000	0	0	30000	26.8125	2004
12.02.2020 07:59:32	1	1	1	1	142	46.75	0	21563.981	729.0322581	15999.23899	30000	0	0	30000	28.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 07:59:33	1	1	1	1	142.5	48	0	21563.981	735.483871	15859.81029	30000	0	0	30000	29	2004
12.02.2020 07:59:34	1	1	1	1	142.5	49	0	21232.227	756.9892473	16072.62251	30000	0	0	30000	27.875	2004
12.02.2020 07:59:35	1	1	1	1	142.5	47.75	0	22274.882	720.4301075	16013.10032	30000	0	0	30000	26.6875	2004
12.02.2020 07:59:36	1	1	1	1	142.5	46.5	0	21943.128	729.0322581	15996.79287	30000	0	0	30000	27.125	2004
12.02.2020 07:59:37	1	1	1	1	142.5	47	0	22274.882	716.1290323	15951.13201	30000	0	0	30000	28.5625	2004
12.02.2020 07:59:38	1	1	1	1	142.5	48.5	0	21943.128	731.1827957	15996.79287	30000	0	0	30000	27.5	2004
12.02.2020 07:59:39	1	1	1	1	142.5	47.5	0	21943.128	724.7311828	15902.20966	30000	0	0	30000	28.6875	2004
12.02.2020 07:59:40	1	1	1	1	142.5	48.5	0	21943.128	729.0322581	15996.79287	30000	0	0	30000	27.375	2004
12.02.2020 07:59:41	1	1	1	1	142.5	47.25	0	22274.882	724.7311828	16047.34596	30000	0	0	30000	27.625	2004
12.02.2020 07:59:42	1	1	1	1	142.5	47.5	0	22132.701	716.1290323	16013.10032	30000	0	0	30000	27.0625	2004
12.02.2020 07:59:43	1	1	1	1	142	47	0	21563.981	739.7849462	15952.76275	30000	0	0	30000	28.6875	2004
12.02.2020 07:59:44	1	1	1	1	142	48.5	0	21563.981	741.9354839	15998.42361	30000	0	0	30000	28.25	2004
12.02.2020 07:59:45	1	1	1	1	142	48.25	0	21848.341	729.0322581	15974.77781	30000	0	0	30000	28.4375	2004
12.02.2020 07:59:46	1	1	1	1	142	48.25	0	21943.128	729.0322581	15996.79287	30000	0	0	30000	27.5625	2004
12.02.2020 07:59:47	1	1	1	1	142	47.5	0	21943.128	729.0322581	15808.44182	30000	0	0	30000	28.125	2004
12.02.2020 07:59:48	1	1	1	1	142	48	0	21943.128	731.1827957	16091.37608	30000	0	0	30000	28.125	2004
12.02.2020 07:59:49	1	1	1	1	142	48	0	21563.981	739.7849462	16057.9458	30000	0	0	30000	28.625	2004
12.02.2020 07:59:50	1	1	1	1	142	48.5	0	21800.948	739.7849462	15951.94738	30000	0	0	30000	28.8125	2004
12.02.2020 07:59:51	1	1	1	1	142	48.75	0	22227.488	718.2795699	15964.99334	30000	0	0	30000	27.875	2004
12.02.2020 07:59:52	1	1	1	1	142	47.75	0	21943.128	729.0322581	15996.79287	30000	0	0	30000	27.8125	2004
12.02.2020 07:59:53	1	1	1	1	142.5	47.75	0	21895.735	726.8817204	15867.96401	30000	0	0	30000	28.375	2004
12.02.2020 07:59:54	1	1	1	1	142.5	48.25	0	21895.735	729.0322581	16091.37608	30000	0	0	30000	28.375	2004
12.02.2020 07:59:55	1	1	1	1	142.5	48.25	0	22274.882	720.4301075	16047.34596	30000	0	0	30000	27.5625	2004
12.02.2020 07:59:56	1	1	1	1	142.5	47.5	0	22369.668	713.9784946	15923.40934	30000	0	0	30000	26.9375	2004
12.02.2020 07:59:57	1	1	1	1	142.5	46.75	0	22369.668	711.827957	15971.51632	30000	0	0	30000	27.9375	2004
12.02.2020 07:59:59	1	1	1	1	142.5	47.75	0	22748.815	703.2258065	15997.60824	30000	0	0	30000	29	2004
12.02.2020 08:00:00	1	1	1	1	142.5	47.75	0	22227.488	718.2795699	16013.10032	30000	0	0	30000	28.0625	2004
12.02.2020 08:00:01	1	1	1	1	142.5	48	0	22132.701	726.8817204	16135.40619	30000	0	0	30000	26.8125	2004
12.02.2020 08:00:02	1	1	1	1	142.5	46.75	0	22227.488	720.4301075	15849.21045	30000	0	0	30000	28.4375	2004
12.02.2020 08:00:03	1	1	1	1	141.8	48.25	0	22369.668	713.9784946	15971.51632	30000	0	0	30000	27.1875	2004
12.02.2020 08:00:04	1	1	1	1	141.8	47	0	22511.848	713.9784946	16039.19224	30000	0	0	30000	28.0625	2004
12.02.2020 08:00:05	1	1	1	1	141.8	48	0	22748.815	707.5268817	16095.45294	30000	0	0	30000	26.9375	2004
12.02.2020 08:00:06	1	1	1	1	141.8	46.75	0	22559.242	707.5268817	16057.9458	30000	0	0	30000	28.6875	2004
12.02.2020 08:00:07	1	1	1	1	141.8	48.5	0	22417.062	713.9784946	16004.94659	30000	0	0	30000	28	2004
12.02.2020 08:00:08	1	1	1	1	141.8	48	0	22417.062	713.9784946	16004.94659	30000	0	0	30000	27.8125	2004
12.02.2020 08:00:09	1	1	1	1	141.8	47.75	0	22417.062	713.9784946	16053.05357	30000	0	0	30000	26.875	2004
12.02.2020 08:00:10	1	1	1	1	141.8	46.75	0	22417.062	713.9784946	16004.94659	30000	0	0	30000	27.0625	2004
12.02.2020 08:00:11	1	1	1	1	141.8	47	0	22227.488	716.1290323	15999.23899	30000	0	0	30000	28.375	2004
12.02.2020 08:00:12	1	1	1	1	141.8	48.25	0	22464.455	718.2795699	15860.62566	30000	0	0	30000	28.4375	2004
12.02.2020 08:00:13	1	1	1	1	141.3	48.25	0	22464.455	707.5268817	15797.02661	30000	0	0	30000	27.0625	2004
12.02.2020 08:00:14	1	1	1	1	141.3	47	0	21943.128	720.4301075	15944.60903	30000	0	0	30000	28.6875	2004
12.02.2020 08:00:15	1	1	1	1	141.3	48.5	0	21563.981	726.8817204	15951.94738	30000	0	0	30000	29.125	2004
12.02.2020 08:00:16	1	1	1	1	141.3	49	0	21943.128	733.3333333	16091.37608	30000	0	0	30000	28.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 08:00:17	1	1	1	1	141.3	48.75	0	22511.848	713.9784946	16072.62251	30000	0	0	30000	27.3125	2004
12.02.2020 08:00:18	1	1	1	1	141.3	47.25	0	21943.128	729.0322581	15996.79287	30000	0	0	30000	27.5625	2004
12.02.2020 08:00:19	1	1	1	1	141.3	47.5	0	21895.735	726.8817204	15962.54722	30000	0	0	30000	27.8125	2004
12.02.2020 08:00:20	1	1	1	1	141.3	47.75	0	22227.488	718.2795699	16047.34596	30000	0	0	30000	27.8125	2004
12.02.2020 08:00:21	1	1	1	1	141.3	47.75	0	22511.848	703.2258065	15863.88715	30000	0	0	30000	27.4375	2004
12.02.2020 08:00:22	1	1	1	1	141.3	47.25	0	22748.815	703.2258065	15997.60824	30000	0	0	30000	28.125	2004
12.02.2020 08:00:23	1	1	1	1	141.5	48	0	22890.995	701.0752688	16048.16134	30000	0	0	30000	28.25	2004
12.02.2020 08:00:29	1	1	1	1	141.5	48.5	0	22559.242	709.6774194	16057.9458	30000	0	0	30000	28.0625	2004
12.02.2020 08:00:29	1	1	1	1	141.5	48.5	0	22559.242	709.6774194	16057.9458	30000	0	0	30000	28.0625	2004
12.02.2020 08:00:29	1	1	1	1	141.5	48.5	0	22559.242	709.6774194	16057.9458	30000	0	0	30000	28.0625	2004
12.02.2020 08:00:29	1	1	1	1	141.5	48.5	0	22559.242	709.6774194	16057.9458	30000	0	0	30000	28.0625	2004
12.02.2020 08:00:29	1	1	1	1	141.5	48	0	22748.815	703.2258065	15997.60824	30000	0	0	30000	27.9375	2004
12.02.2020 08:00:30	1	1	1	1	141.5	47.75	0	22748.815	703.2258065	15997.60824	30000	0	0	30000	28.5625	2004
12.02.2020 08:00:31	1	1	1	1	141.5	48.5	0	22748.815	703.2258065	15997.60824	30000	0	0	30000	26.875	2004
12.02.2020 08:00:32	1	1	1	1	141.5	46.75	0	22132.701	713.9784946	16013.10032	30000	0	0	30000	27.875	2004
12.02.2020 08:00:33	1	1	1	1	141	47.75	0	22322.275	718.2795699	15985.37765	30000	0	0	30000	28.25	2004
12.02.2020 08:00:34	1	1	1	1	141	48.25	0	22606.635	707.5268817	16193.29764	30000	0	0	30000	28.6875	2004
12.02.2020 08:00:35	1	1	1	1	141	48.5	0	22748.815	707.5268817	15997.60824	30000	0	0	30000	28.4375	2004
12.02.2020 08:00:36	1	1	1	1	141	48.25	0	22511.848	713.9784946	16024.51553	30000	0	0	30000	28.6875	2004
12.02.2020 08:00:38	1	1	1	1	141	48.5	0	22748.815	711.827957	15997.60824	30000	0	0	30000	28.9375	2004
12.02.2020 08:00:39	1	1	1	1	141	48.5	0	22511.848	713.9784946	16024.51553	30000	0	0	30000	27.5	2004
12.02.2020 08:00:40	1	1	1	1	141	47.5	0	22369.668	713.9784946	15937.27068	30000	0	0	30000	27.25	2004
12.02.2020 08:00:41	1	1	1	1	141	47.25	0	22132.701	724.7311828	16040.00761	30000	0	0	30000	27.6875	2004
12.02.2020 08:00:42	1	1	1	1	141	47.5	0	22132.701	720.4301075	16135.40619	30000	0	0	30000	29	2004
12.02.2020 08:00:43	1	1	1	1	141.8	49	0	22559.242	694.6236559	15997.60824	30000	0	0	30000	27.1875	2004
12.02.2020 08:00:44	1	1	1	1	141.8	47	0	22748.815	701.0752688	15899.76354	30000	0	0	30000	28.5	2004
12.02.2020 08:00:45	1	1	1	1	141.8	48.5	0	22322.275	713.9784946	15985.37765	30000	0	0	30000	27	2004
12.02.2020 08:00:46	1	1	1	1	141.8	47	0	22369.668	713.9784946	15971.51632	30000	0	0	30000	27.4375	2004
12.02.2020 08:00:47	1	1	1	1	141.8	47.25	0	22417.062	713.9784946	16004.94659	30000	0	0	30000	27.5625	2004
12.02.2020 08:00:48	1	1	1	1	141.8	47.5	0	22227.488	720.4301075	16013.10032	30000	0	0	30000	28.875	2004
12.02.2020 08:00:49	1	1	1	1	141.8	48.75	0	22369.668	716.1290323	16067.73027	30000	0	0	30000	27.6875	2004
12.02.2020 08:00:50	1	1	1	1	141.8	47.5	0	22369.668	711.827957	15827.19539	30000	0	0	30000	28.375	2004
12.02.2020 08:00:51	1	1	1	1	141.8	48.25	0	22748.815	707.5268817	15997.60824	30000	0	0	30000	28.1875	2004
12.02.2020 08:00:52	1	1	1	1	141.8	48	0	22796.209	703.2258065	15801.91884	30000	0	0	30000	26.375	2004
12.02.2020 08:00:53	1	1	1	1	140.8	46.25	0	22511.848	709.6774194	16072.62251	30000	0	0	30000	28.1875	2004
12.02.2020 08:00:54	1	1	1	1	140.8	48	0	22843.602	707.5268817	16162.31348	30000	0	0	30000	28.625	2004
12.02.2020 08:00:55	1	1	1	1	140.8	48.5	0	22559.242	707.5268817	16095.45294	30000	0	0	30000	28.4375	2004
12.02.2020 08:00:56	1	1	1	1	140.8	48.25	0	22274.882	718.2795699	15999.23899	30000	0	0	30000	29	2004
12.02.2020 08:00:57	1	1	1	1	140.8	49	0	22417.062	713.9784946	16072.62251	30000	0	0	30000	28.25	2004
12.02.2020 08:00:58	1	1	1	1	140.8	48.25	0	22322.275	707.5268817	16019.6233	30000	0	0	30000	28.3125	2004
12.02.2020 08:00:59	1	1	1	1	140.8	48.25	0	22559.242	703.2258065	15997.60824	30000	0	0	30000	28.8125	2004
12.02.2020 08:01:00	1	1	1	1	140.8	48.75	0	22274.882	720.4301075	16013.10032	30000	0	0	30000	28.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 08:01:01	1	1	1	1	140.8	48.5	0	22796.209	703.2258065	16030.22314	30000	0	0	30000	27.375	2004
12.02.2020 08:01:02	1	1	1	1	140.8	47.25	0	22748.815	709.6774194	16095.45294	30000	0	0	30000	27.75	2004
12.02.2020 08:01:03	1	1	1	1	140.3	47.75	0	21563.981	756.9892473	16091.37608	30000	0	0	30000	27.375	2004
12.02.2020 08:01:04	1	1	1	1	140.3	47.25	0	22369.668	713.9784946	16019.6233	30000	0	0	30000	28.0625	2004
12.02.2020 08:01:05	1	1	1	1	140.3	48	0	22227.488	716.1290323	16047.34596	30000	0	0	30000	27.9375	2004
12.02.2020 08:01:06	1	1	1	1	140.3	47.75	0	22322.275	720.4301075	16081.59161	30000	0	0	30000	27.8125	2004
12.02.2020 08:01:07	1	1	1	1	140.3	47.75	0	21943.128	729.0322581	15996.79287	30000	0	0	30000	27.6875	2004
12.02.2020 08:01:08	1	1	1	1	140.3	47.5	0	22227.488	716.1290323	15917.70174	30000	0	0	30000	28.4375	2004
12.02.2020 08:01:09	1	1	1	1	140.3	48.25	0	22559.242	703.2258065	15997.60824	30000	0	0	30000	28	2004
12.02.2020 08:01:10	1	1	1	1	140.3	48	0	21943.128	729.0322581	15996.79287	30000	0	0	30000	28.75	2004
12.02.2020 08:01:11	1	1	1	1	140.3	48.75	0	22322.275	713.9784946	16019.6233	30000	0	0	30000	28.8125	2004
12.02.2020 08:01:12	1	1	1	1	140.3	48.75	0	22511.848	707.5268817	15927.48621	30000	0	0	30000	28.5	2004
12.02.2020 08:01:13	1	1	1	1	140.3	48.5	0	22559.242	703.2258065	15830.45688	30000	0	0	30000	29.125	2004
12.02.2020 08:01:14	1	1	1	1	140.3	49	0	21943.128	726.8817204	15996.79287	30000	0	0	30000	29.1875	2004
12.02.2020 08:01:15	1	1	1	1	140.3	49	0	22132.701	720.4301075	15944.60903	30000	0	0	30000	27.4375	2004
12.02.2020 08:01:16	1	1	1	1	140.3	47.25	0	22322.275	720.4301075	16081.59161	30000	0	0	30000	28.3125	2004
12.02.2020 08:01:17	1	1	1	1	140.3	48.25	0	22322.275	720.4301075	15951.13201	30000	0	0	30000	28.9375	2004
12.02.2020 08:01:19	1	1	1	1	140.3	48.75	0	22227.488	720.4301075	15944.60903	30000	0	0	30000	29.0625	2004
12.02.2020 08:01:20	1	1	1	1	140.3	47.25	0	22559.242	713.9784946	15927.48621	30000	0	0	30000	28.6875	2004
12.02.2020 08:01:21	1	1	1	1	140.3	48.5	0	22274.882	720.4301075	16047.34596	30000	0	0	30000	28	2004
12.02.2020 08:01:22	1	1	1	1	140.3	48	0	22417.062	713.9784946	16072.62251	30000	0	0	30000	28.9375	2004
12.02.2020 08:01:23	1	1	1	1	140.8	48.75	0	22132.701	720.4301075	15944.60903	30000	0	0	30000	28.5	2004
12.02.2020 08:01:24	1	1	1	1	140.8	48.5	0	22511.848	709.6774194	15975.59318	30000	0	0	30000	27.375	2004
12.02.2020 08:01:25	1	1	1	1	140.8	47.25	0	21943.128	729.0322581	16005.76197	30000	0	0	30000	27.8125	2004
12.02.2020 08:01:31	1	1	1	1	140.8	48.25	0	23412.322	673.1182796	15841.05672	30000	0	0	30000	28.1875	2004
12.02.2020 08:01:31	1	1	1	1	140.8	48.25	0	23412.322	673.1182796	15841.05672	30000	0	0	30000	28.1875	2004
12.02.2020 08:01:31	1	1	1	1	140.8	48.25	0	23412.322	673.1182796	15841.05672	30000	0	0	30000	28.1875	2004
12.02.2020 08:01:31	1	1	1	1	140.8	48.25	0	23412.322	673.1182796	15841.05672	30000	0	0	30000	28.1875	2004
12.02.2020 08:01:31	1	1	1	1	140.8	48.25	0	23412.322	673.1182796	15841.05672	30000	0	0	30000	28.1875	2004
12.02.2020 08:01:31	1	1	1	1	140.8	48	0	23696.682	675.2688172	15918.51711	30000	0	0	30000	28.5625	2004
12.02.2020 08:01:32	1	1	1	1	140.8	48.5	0	23507.109	688.172043	16176.99019	30000	0	0	30000	26.75	2004
12.02.2020 08:01:33	1	1	1	1	140	46.75	0	23507.109	688.172043	16176.99019	30000	0	0	30000	27.25	2004
12.02.2020 08:01:34	1	1	1	1	140	47.25	0	23412.322	675.2688172	15809.2572	30000	0	0	30000	28	2004
12.02.2020 08:01:35	1	1	1	1	140	48	0	23364.929	673.1182796	15695.10505	30000	0	0	30000	27.5625	2004
12.02.2020 08:01:36	1	1	1	1	140	47.5	0	23459.716	675.2688172	16144.37529	30000	0	0	30000	27.625	2004
12.02.2020 08:01:37	1	1	1	1	140	47.5	0	23601.896	688.172043	16274.83489	30000	0	0	30000	28.8125	2004
12.02.2020 08:01:38	1	1	1	1	140	48.75	0	23459.716	679.5698925	15974.77781	30000	0	0	30000	28.8125	2004
12.02.2020 08:01:39	1	1	1	1	140	48.75	0	23364.929	688.172043	16111.76039	30000	0	0	30000	28.9375	2004
12.02.2020 08:01:40	1	1	1	1	140	48.75	0	23459.716	677.4193548	15859.81029	30000	0	0	30000	27.125	2004
12.02.2020 08:01:41	1	1	1	1	140	47	0	23459.716	688.172043	15942.16291	30000	0	0	30000	27.8125	2004
12.02.2020 08:01:42	1	1	1	1	140	47.75	0	23270.142	688.172043	15599.70647	30000	0	0	30000	27.8125	2004
12.02.2020 08:01:43	1	1	1	1	140	47.75	0	23222.749	688.172043	15781.53453	30000	0	0	30000	28.25	2004
12.02.2020 08:01:44	1	1	1	1	140	48.25	0	23364.929	677.4193548	16111.76039	30000	0	0	30000	27.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 08:01:45	1	1	1	1	140	47.75	0	23412.322	679.5698925	15891.60982	30000	0	0	30000	28.1875	2004
12.02.2020 08:01:46	1	1	1	1	140	48	0	23649.289	688.172043	16070.99176	30000	0	0	30000	28.125	2004
12.02.2020 08:01:47	1	1	1	1	140	48	0	23838.863	673.1182796	16045.71522	30000	0	0	30000	26.625	2004
12.02.2020 08:01:48	1	1	1	1	140	46.5	0	23838.863	670.9677419	15995.16212	30000	0	0	30000	27.1875	2004
12.02.2020 08:01:49	1	1	1	1	140	47	0	23933.649	670.9677419	16058.76118	30000	0	0	30000	27.5	2004
12.02.2020 08:01:50	1	1	1	1	140	47.5	0	23838.863	662.3655914	16026.96165	30000	0	0	30000	29.375	2004
12.02.2020 08:01:51	1	1	1	1	140	49.25	0	23744.076	670.9677419	15931.56307	30000	0	0	30000	28.5	2004
12.02.2020 08:01:52	1	1	1	1	140	48.5	0	23933.649	662.3655914	15903.8404	30000	0	0	30000	29.0625	2004
12.02.2020 08:01:53	1	1	1	1	139.3	49	0	24123.223	666.6666667	15925.85546	30000	0	0	30000	28.75	2004
12.02.2020 08:01:54	1	1	1	1	139.3	48.75	0	24028.436	662.3655914	15863.88715	30000	0	0	30000	28.25	2004
12.02.2020 08:01:56	1	1	1	1	139.3	48.25	0	24218.009	660.2150538	15988.63914	30000	0	0	30000	28.8125	2004
12.02.2020 08:01:57	1	1	1	1	139.3	48.75	0	24312.796	653.7634409	15978.0393	30000	0	0	30000	28.6875	2004
12.02.2020 08:01:58	1	1	1	1	139.3	48	0	24360.19	655.9139785	16082.40698	30000	0	0	30000	28.625	2004
12.02.2020 08:01:59	1	1	1	1	139.3	48.5	0	24360.19	660.2150538	16051.42282	30000	0	0	30000	27	2004
12.02.2020 08:02:00	1	1	1	1	139.3	47	0	24454.976	658.0645161	16061.20729	30000	0	0	30000	28.1875	2004
12.02.2020 08:02:01	1	1	1	1	139.3	48	0	24360.19	655.9139785	15978.0393	30000	0	0	30000	28.3125	2004
12.02.2020 08:02:02	1	1	1	1	139.3	48.25	0	24170.616	658.0645161	15884.27146	30000	0	0	30000	27.875	2004
12.02.2020 08:02:03	1	1	1	1	139.3	47.75	0	24218.009	662.3655914	16155.7905	30000	0	0	30000	27.3125	2004
12.02.2020 08:02:04	1	1	1	1	139.3	47.25	0	24218.009	662.3655914	15988.63914	30000	0	0	30000	26.5625	2004
12.02.2020 08:02:05	1	1	1	1	139.3	46.5	0	24075.829	666.6666667	15863.88715	30000	0	0	30000	27.875	2004
12.02.2020 08:02:06	1	1	1	1	139.3	47.75	0	23981.043	662.3655914	15935.63993	30000	0	0	30000	29	2004
12.02.2020 08:02:07	1	1	1	1	139.3	49	0	24312.796	662.3655914	16051.42282	30000	0	0	30000	28.0625	2004
12.02.2020 08:02:08	1	1	1	1	139.3	48	0	24123.223	653.7634409	15770.93469	30000	0	0	30000	27.625	2004
12.02.2020 08:02:09	1	1	1	1	139.3	47.5	0	24218.009	655.9139785	15978.0393	30000	0	0	30000	28.125	2004
12.02.2020 08:02:10	1	1	1	1	139.3	48	0	24407.583	655.9139785	15832.903	30000	0	0	30000	28.375	2004
12.02.2020 08:02:11	1	1	1	1	139.3	48.25	0	24218.009	660.2150538	16040.82298	30000	0	0	30000	28.3125	2004
12.02.2020 08:02:12	1	1	1	1	139.3	48.25	0	24218.009	662.3655914	15988.63914	30000	0	0	30000	28.1875	2004
12.02.2020 08:02:13	1	1	1	1	139	48	0	24360.19	658.0645161	15999.23899	30000	0	0	30000	28.375	2004
12.02.2020 08:02:14	1	1	1	1	139	48.25	0	24407.583	655.9139785	16009.02346	30000	0	0	30000	27.625	2004
12.02.2020 08:02:15	1	1	1	1	139	47.5	0	24123.223	662.3655914	15760.33485	30000	0	0	30000	28.3125	2004
12.02.2020 08:02:16	1	1	1	1	139	48.25	0	24360.19	660.2150538	16082.40698	30000	0	0	30000	27.875	2004
12.02.2020 08:02:17	1	1	1	1	139	47.75	0	24218.009	658.0645161	15988.63914	30000	0	0	30000	28.1875	2004
12.02.2020 08:02:18	1	1	1	1	139	48	0	24360.19	655.9139785	15978.0393	30000	0	0	30000	29.3125	2004
12.02.2020 08:02:19	1	1	1	1	139	49.25	0	24218.009	660.2150538	15988.63914	30000	0	0	30000	27	2004
12.02.2020 08:02:20	1	1	1	1	139	47	0	24312.796	658.0645161	16051.42282	30000	0	0	30000	28.0625	2004
12.02.2020 08:02:21	1	1	1	1	139	48	0	24312.796	660.2150538	15988.63914	30000	0	0	30000	27.625	2004
12.02.2020 08:02:22	1	1	1	1	139	47.5	0	24407.583	653.7634409	15798.65735	30000	0	0	30000	27.375	2004
12.02.2020 08:02:26	1	1	1	1	138.8	48.25	0	24218.009	660.2150538	15988.63914	30000	0	0	30000	27.5625	2004
12.02.2020 08:02:26	1	1	1	1	138.8	48.25	0	24218.009	660.2150538	15988.63914	30000	0	0	30000	27.5625	2004
12.02.2020 08:02:26	1	1	1	1	138.8	48.25	0	24218.009	660.2150538	15988.63914	30000	0	0	30000	27.5625	2004
12.02.2020 08:02:26	1	1	1	1	138.8	47.5	0	24218.009	655.9139785	15884.27146	30000	0	0	30000	28.75	2004
12.02.2020 08:02:32	1	1	1	1	138.8	48	0	24739.336	645.1612903	15960.91648	30000	0	0	30000	28.3125	2004
12.02.2020 08:02:32	1	1	1	1	138.8	48	0	24739.336	645.1612903	15960.91648	30000	0	0	30000	28.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 08:02:32	1	1	1	1	138.8	48	0	24739.336	645.1612903	15960.91648	30000	0	0	30000	28.3125	2004
12.02.2020 08:02:32	1	1	1	1	138.8	48	0	24739.336	645.1612903	15960.91648	30000	0	0	30000	28.3125	2004
12.02.2020 08:02:32	1	1	1	1	138.8	48	0	24739.336	645.1612903	15960.91648	30000	0	0	30000	28.3125	2004
12.02.2020 08:02:32	1	1	1	1	138.8	48.25	0	24739.336	647.311828	16044.08447	30000	0	0	30000	28.875	2004
12.02.2020 08:02:34	1	1	1	1	139	48.75	0	24597.156	645.1612903	15868.77939	30000	0	0	30000	28.4375	2004
12.02.2020 08:02:35	1	1	1	1	139	48.25	0	24691.943	643.0107527	15960.91648	30000	0	0	30000	29.5625	2004
12.02.2020 08:02:36	1	1	1	1	139	49.5	0	24786.73	645.1612903	15991.08526	30000	0	0	30000	28.6875	2004
12.02.2020 08:02:37	1	1	1	1	139	48.5	0	24928.91	645.1612903	16029.40777	30000	0	0	30000	28.25	2004
12.02.2020 08:02:38	1	1	1	1	139	48.25	0	24786.73	643.0107527	15938.08605	30000	0	0	30000	27.875	2004
12.02.2020 08:02:39	1	1	1	1	139	47.75	0	24786.73	645.1612903	15991.08526	30000	0	0	30000	29.25	2004
12.02.2020 08:02:40	1	1	1	1	139	49.25	0	24786.73	645.1612903	16044.08447	30000	0	0	30000	29.25	2004
12.02.2020 08:02:41	1	1	1	1	139	49.25	0	24597.156	647.311828	15921.7786	30000	0	0	30000	28.3125	2004
12.02.2020 08:02:42	1	1	1	1	139	48.25	0	24691.943	645.1612903	15709.78175	30000	0	0	30000	29.125	2004
12.02.2020 08:02:43	1	1	1	1	138	49	0	24928.91	640.8602151	16059.57655	30000	0	0	30000	28.9375	2004
12.02.2020 08:02:44	1	1	1	1	138	48.75	0	24928.91	645.1612903	15998.42361	30000	0	0	30000	28.875	2004
12.02.2020 08:02:45	1	1	1	1	138	48.75	0	24928.91	643.0107527	16059.57655	30000	0	0	30000	29.25	2004
12.02.2020 08:02:46	1	1	1	1	138	49.25	0	23838.863	670.9677419	15892.42519	30000	0	0	30000	28.625	2004
12.02.2020 08:02:47	1	1	1	1	138	48.5	0	23838.863	670.9677419	16026.96165	30000	0	0	30000	27.5625	2004
12.02.2020 08:02:48	1	1	1	1	138	47.5	0	23364.929	675.2688172	15827.19539	30000	0	0	30000	28.625	2004
12.02.2020 08:02:49	1	1	1	1	138	48.5	0	23554.502	677.4193548	15956.02424	30000	0	0	30000	27.8125	2004
12.02.2020 08:02:50	1	1	1	1	138	47.75	0	23791.469	673.1182796	16013.91569	30000	0	0	30000	28.3125	2004
12.02.2020 08:02:51	1	1	1	1	138	48.25	0	23791.469	670.9677419	16013.91569	30000	0	0	30000	27.75	2004
12.02.2020 08:02:52	1	1	1	1	138	47.75	0	23933.649	664.516129	15903.8404	30000	0	0	30000	27.75	2004
12.02.2020 08:02:53	1	1	1	1	137.5	47.75	0	24170.616	662.3655914	16061.20729	30000	0	0	30000	28.75	2004
12.02.2020 08:02:54	1	1	1	1	137.5	48.75	0	24218.009	660.2150538	15988.63914	30000	0	0	30000	28.875	2004
12.02.2020 08:02:55	1	1	1	1	137.5	48.75	0	23554.502	688.172043	16209.60509	30000	0	0	30000	28.75	2004
12.02.2020 08:02:56	1	1	1	1	137.5	48.75	0	24218.009	662.3655914	15988.63914	30000	0	0	30000	29.125	2004
12.02.2020 08:02:57	1	1	1	1	137.5	49	0	23649.289	673.1182796	16084.03772	30000	0	0	30000	29.25	2004
12.02.2020 08:02:58	1	1	1	1	137.5	49.25	0	23838.863	670.9677419	15809.2572	30000	0	0	30000	29.1875	2004
12.02.2020 08:02:59	1	1	1	1	137.5	49	0	24739.336	645.1612903	15929.93232	30000	0	0	30000	27.6875	2004
12.02.2020 08:03:00	1	1	1	1	137.5	47.5	0	24786.73	653.7634409	16204.71285	30000	0	0	30000	28.9375	2004
12.02.2020 08:03:01	1	1	1	1	137.5	48.75	0	24786.73	645.1612903	15991.08526	30000	0	0	30000	28.8125	2004
12.02.2020 08:03:02	1	1	1	1	137.5	48.75	0	24691.943	653.7634409	15982.93154	30000	0	0	30000	28.125	2004
12.02.2020 08:03:03	1	1	1	1	138	48	0	24597.156	649.4623656	16080.77623	30000	0	0	30000	27.8125	2004
12.02.2020 08:03:04	1	1	1	1	138	47.75	0	24928.91	645.1612903	15784.79602	30000	0	0	30000	28.6875	2004
12.02.2020 08:03:05	1	1	1	1	138	48.5	0	24834.123	640.8602151	15831.27225	30000	0	0	30000	28.375	2004
12.02.2020 08:03:06	1	1	1	1	138	48.25	0	24834.123	645.1612903	15991.08526	30000	0	0	30000	28.9375	2004
12.02.2020 08:03:07	1	1	1	1	138	48.75	0	24691.943	653.7634409	15982.93154	30000	0	0	30000	29.375	2004
12.02.2020 08:03:08	1	1	1	1	138	49.25	0	24881.517	645.1612903	16052.2382	30000	0	0	30000	29.125	2004
12.02.2020 08:03:09	1	1	1	1	138	49	0	24786.73	645.1612903	15991.08526	30000	0	0	30000	27.625	2004
12.02.2020 08:03:10	1	1	1	1	138	47.5	0	24739.336	645.1612903	15960.91648	30000	0	0	30000	29.4375	2004
12.02.2020 08:03:12	1	1	1	1	138	49.25	0	24976.303	636.5591398	16013.10032	30000	0	0	30000	28.5	2004
12.02.2020 08:03:13	1	1	1	1	138	48.5	0	24881.517	640.8602151	15938.08605	30000	0	0	30000	27.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 08:03:14	1	1	1	1	137.5	47.75	0	24976.303	645.1612903	16113.39113	30000	0	0	30000	28.3125	2004
12.02.2020 08:03:15	1	1	1	1	137.5	48.25	0	24881.517	640.8602151	15945.4244	30000	0	0	30000	27.75	2004
12.02.2020 08:03:16	1	1	1	1	137.5	49.25	0	23838.863	670.9677419	15995.16212	30000	0	0	30000	28.4375	2004
12.02.2020 08:03:17	1	1	1	1	137.5	48.25	0	23838.863	670.9677419	15995.16212	30000	0	0	30000	28.75	2004
12.02.2020 08:03:18	1	1	1	1	137.5	48.75	0	23270.142	688.172043	16013.91569	30000	0	0	30000	28.1875	2004
12.02.2020 08:03:19	1	1	1	1	137.5	48	0	23744.076	673.1182796	16116.65262	30000	0	0	30000	28.8125	2004
12.02.2020 08:03:20	1	1	1	1	137.5	48.75	0	23649.289	670.9677419	16084.03772	30000	0	0	30000	28	2004
12.02.2020 08:03:21	1	1	1	1	137.5	48	0	24218.009	662.3655914	16249.55834	30000	0	0	30000	28.3125	2004
12.02.2020 08:03:22	1	1	1	1	137.5	48.25	0	23554.502	673.1182796	15854.91806	30000	0	0	30000	28.5	2004
12.02.2020 08:03:23	1	1	1	1	137.5	48.5	0	24075.829	662.3655914	16030.22314	30000	0	0	30000	26.9375	2004
12.02.2020 08:03:24	1	1	1	1	137.5	46.75	0	23317.536	675.2688172	15745.65814	30000	0	0	30000	29.25	2004
12.02.2020 08:03:25	1	1	1	1	137.5	49.25	0	23222.749	688.172043	15730.98144	30000	0	0	30000	28.9375	2004
12.02.2020 08:03:26	1	1	1	1	137.5	48.75	0	23696.682	675.2688172	16084.03772	30000	0	0	30000	29.1875	2004
12.02.2020 08:03:27	1	1	1	1	137.5	49	0	23649.289	675.2688172	15918.51711	30000	0	0	30000	28.625	2004
12.02.2020 08:03:28	1	1	1	1	137.5	48.5	0	23412.322	688.172043	16111.76039	30000	0	0	30000	29.0625	2004
12.02.2020 08:03:34	1	1	1	1	139	48	0	23033.175	698.9247312	16097.89906	30000	0	0	30000	27.875	2004
12.02.2020 08:03:34	1	1	1	1	139	48	0	23033.175	698.9247312	16097.89906	30000	0	0	30000	27.875	2004
12.02.2020 08:03:34	1	1	1	1	139	48	0	23033.175	698.9247312	16097.89906	30000	0	0	30000	27.875	2004
12.02.2020 08:03:34	1	1	1	1	139	48	0	23033.175	698.9247312	16097.89906	30000	0	0	30000	27.875	2004
12.02.2020 08:03:34	1	1	1	1	139	48	0	23033.175	698.9247312	16097.89906	30000	0	0	30000	27.875	2004
12.02.2020 08:03:34	1	1	1	1	139	47.75	0	23270.142	688.172043	15981.30079	30000	0	0	30000	28.875	2004
12.02.2020 08:03:35	1	1	1	1	139	48.75	0	23364.929	688.172043	16079.14549	30000	0	0	30000	28.125	2004
12.02.2020 08:03:36	1	1	1	1	139	48	0	23270.142	688.172043	16013.91569	30000	0	0	30000	27.75	2004
12.02.2020 08:03:37	1	1	1	1	139	47.75	0	23317.536	688.172043	16079.14549	30000	0	0	30000	28.6875	2004
12.02.2020 08:03:38	1	1	1	1	139	48.5	0	23507.109	688.172043	16176.99019	30000	0	0	30000	29.4375	2004
12.02.2020 08:03:39	1	1	1	1	139	49.25	0	23364.929	688.172043	16079.14549	30000	0	0	30000	28.9375	2004
12.02.2020 08:03:40	1	1	1	1	139	48.75	0	22938.389	703.2258065	15900.57891	30000	0	0	30000	28.375	2004
12.02.2020 08:03:41	1	1	1	1	139	48.25	0	23459.716	688.172043	16144.37529	30000	0	0	30000	28.1875	2004
12.02.2020 08:03:42	1	1	1	1	139	48	0	22890.995	698.9247312	15998.42361	30000	0	0	30000	28.0625	2004
12.02.2020 08:03:43	1	1	1	1	138	48	0	23222.749	688.172043	16013.91569	30000	0	0	30000	29.6875	2004
12.02.2020 08:03:44	1	1	1	1	138	49.5	0	22985.782	694.6236559	15900.57891	30000	0	0	30000	28.9375	2004
12.02.2020 08:03:45	1	1	1	1	138	48.75	0	23080.569	694.6236559	16031.85389	30000	0	0	30000	28.9375	2004
12.02.2020 08:03:46	1	1	1	1	138	48.75	0	23317.536	688.172043	15663.30552	30000	0	0	30000	28.375	2004
12.02.2020 08:03:47	1	1	1	1	138	48.25	0	23080.569	690.3225806	15932.37844	30000	0	0	30000	28.25	2004
12.02.2020 08:03:48	1	1	1	1	138	48.25	0	22748.815	703.2258065	15997.60824	30000	0	0	30000	29.125	2004
12.02.2020 08:03:50	1	1	1	1	138	49	0	23270.142	688.172043	15981.30079	30000	0	0	30000	28.5	2004
12.02.2020 08:03:51	1	1	1	1	138	48.5	0	22417.062	709.6774194	15730.98144	30000	0	0	30000	29.625	2004
12.02.2020 08:03:52	1	1	1	1	138	49.5	0	22748.815	703.2258065	15997.60824	30000	0	0	30000	28.3125	2004
12.02.2020 08:03:53	1	1	1	1	138.8	49	0	23649.289	675.2688172	15918.51711	30000	0	0	30000	28.8125	2004
12.02.2020 08:03:54	1	1	1	1	138.8	48.75	0	22417.062	709.6774194	15860.62566	30000	0	0	30000	27.625	2004
12.02.2020 08:03:55	1	1	1	1	138.8	47.5	0	23080.569	694.6236559	15999.23899	30000	0	0	30000	29.125	2004
12.02.2020 08:03:56	1	1	1	1	138.8	49	0	22843.602	703.2258065	16030.22314	30000	0	0	30000	29	2004
12.02.2020 08:03:57	1	1	1	1	138.8	49	0	22796.209	703.2258065	16030.22314	30000	0	0	30000	29.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 08:03:58	1	1	1	1	138.8	49.75	0	22843.602	703.2258065	16063.65341	30000	0	0	30000	29.4375	2004
12.02.2020 08:03:59	1	1	1	1	138.8	49.25	0	22748.815	703.2258065	15997.60824	30000	0	0	30000	28.8125	2004
12.02.2020 08:04:00	1	1	1	1	138.8	48.75	0	22748.815	703.2258065	15997.60824	30000	0	0	30000	29.375	2004
12.02.2020 08:04:01	1	1	1	1	138.8	49.25	0	22417.062	716.1290323	16101.16055	30000	0	0	30000	29.25	2004
12.02.2020 08:04:02	1	1	1	1	138.8	49.25	0	22417.062	703.2258065	16004.94659	30000	0	0	30000	28.5	2004
12.02.2020 08:04:03	1	1	1	1	139	48.5	0	22559.242	709.6774194	15863.88715	30000	0	0	30000	28.5625	2004
12.02.2020 08:04:04	1	1	1	1	139	48.5	0	22796.209	694.6236559	16030.22314	30000	0	0	30000	29.3125	2004
12.02.2020 08:04:05	1	1	1	1	139	49.25	0	23033.175	694.6236559	15999.23899	30000	0	0	30000	28.375	2004
12.02.2020 08:04:06	1	1	1	1	139	48.25	0	22417.062	718.2795699	16004.94659	30000	0	0	30000	27.9375	2004
12.02.2020 08:04:07	1	1	1	1	139	47.75	0	22417.062	718.2795699	16149.26752	30000	0	0	30000	29.5625	2004
12.02.2020 08:04:08	1	1	1	1	139	49.5	0	22511.848	713.9784946	16072.62251	30000	0	0	30000	28.9375	2004
12.02.2020 08:04:09	1	1	1	1	139	48.75	0	22890.995	703.2258065	16097.08368	30000	0	0	30000	28.875	2004
12.02.2020 08:04:10	1	1	1	1	139	48.75	0	22796.209	703.2258065	16030.22314	30000	0	0	30000	29.1875	2004
12.02.2020 08:04:11	1	1	1	1	139	49	0	22796.209	701.0752688	16097.08368	30000	0	0	30000	29.125	2004
12.02.2020 08:04:12	1	1	1	1	139	49	0	22985.782	698.9247312	15801.91884	30000	0	0	30000	29.4375	2004
12.02.2020 08:04:13	1	1	1	1	138	49.25	0	22511.848	707.5268817	15927.48621	30000	0	0	30000	29.375	2004
12.02.2020 08:04:14	1	1	1	1	138	49.25	0	22511.848	709.6774194	15894.05593	30000	0	0	30000	29	2004
12.02.2020 08:04:15	1	1	1	1	138	49	0	22369.668	713.9784946	15971.51632	30000	0	0	30000	29.1875	2004
12.02.2020 08:04:16	1	1	1	1	138	49	0	22890.995	701.0752688	16097.08368	30000	0	0	30000	28.4375	2004
12.02.2020 08:04:17	1	1	1	1	138	48.25	0	22843.602	703.2258065	16030.22314	30000	0	0	30000	29.125	2004
12.02.2020 08:04:18	1	1	1	1	138	49	0	22464.455	713.9784946	16024.51553	30000	0	0	30000	29.625	2004
12.02.2020 08:04:19	1	1	1	1	138	49.5	0	22417.062	713.9784946	16004.94659	30000	0	0	30000	29.5	2004
12.02.2020 08:04:20	1	1	1	1	138	49.5	0	22748.815	703.2258065	15997.60824	30000	0	0	30000	28.5625	2004
12.02.2020 08:04:21	1	1	1	1	138	48.5	0	22227.488	718.2795699	15917.70174	30000	0	0	30000	28.3125	2004
12.02.2020 08:04:22	1	1	1	1	138	48.25	0	22559.242	703.2258065	15863.88715	30000	0	0	30000	29.125	2004
12.02.2020 08:04:23	1	1	1	1	139.5	49	0	22227.488	713.9784946	15917.70174	30000	0	0	30000	29.5625	2004
12.02.2020 08:04:24	1	1	1	1	139.5	49.5	0	22559.242	707.5268817	15863.88715	30000	0	0	30000	28.8125	2004
12.02.2020 08:04:25	1	1	1	1	139.5	48.75	0	22417.062	713.9784946	16004.94659	30000	0	0	30000	29.4375	2004
12.02.2020 08:04:26	1	1	1	1	139.5	49.25	0	22417.062	713.9784946	16053.05357	30000	0	0	30000	29.6875	2004
12.02.2020 08:04:28	1	1	1	1	139.5	49.5	0	21943.128	729.0322581	16135.40619	30000	0	0	30000	29.4375	2004
12.02.2020 08:04:29	1	1	1	1	139.5	49.25	0	22464.455	713.9784946	16072.62251	30000	0	0	30000	30	2004
12.02.2020 08:04:30	1	1	1	1	139.5	50	0	22417.062	713.9784946	16053.05357	30000	0	0	30000	28.6875	2004
12.02.2020 08:04:36	1	1	1	1	140	47.75	0	21895.735	729.0322581	15962.54722	30000	0	0	30000	28.875	2004
12.02.2020 08:04:36	1	1	1	1	140	47.75	0	21895.735	729.0322581	15962.54722	30000	0	0	30000	28.875	2004
12.02.2020 08:04:36	1	1	1	1	140	47.75	0	21895.735	729.0322581	15962.54722	30000	0	0	30000	28.875	2004
12.02.2020 08:04:36	1	1	1	1	140	47.75	0	21895.735	729.0322581	15962.54722	30000	0	0	30000	28.875	2004
12.02.2020 08:04:36	1	1	1	1	140	47.75	0	21895.735	729.0322581	15962.54722	30000	0	0	30000	28.875	2004
12.02.2020 08:04:36	1	1	1	1	140	48.75	0	22559.242	703.2258065	15830.45688	30000	0	0	30000	28.4375	2004
12.02.2020 08:04:37	1	1	1	1	140	48.25	0	22227.488	718.2795699	16013.10032	30000	0	0	30000	29.8125	2004
12.02.2020 08:04:38	1	1	1	1	140	49.75	0	22748.815	703.2258065	15997.60824	30000	0	0	30000	29.4375	2004
12.02.2020 08:04:39	1	1	1	1	140	49.25	0	22369.668	713.9784946	16019.6233	30000	0	0	30000	28.4375	2004
12.02.2020 08:04:40	1	1	1	1	140	48.25	0	22274.882	713.9784946	15903.8404	30000	0	0	30000	28.6875	2004
12.02.2020 08:04:41	1	1	1	1	140	48.5	0	21943.128	726.8817204	15996.79287	30000	0	0	30000	29.625	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 08:04:42	1	1	1	1	140	49.5	0	22132.701	724.7311828	15944.60903	30000	0	0	30000	29.4375	2004
12.02.2020 08:04:43	1	1	1	1	138.8	49.25	0	21943.128	729.0322581	15996.79287	30000	0	0	30000	27.9375	2004
12.02.2020 08:04:44	1	1	1	1	138.8	47.75	0	22369.668	718.2795699	16019.6233	30000	0	0	30000	29.6875	2004
12.02.2020 08:04:45	1	1	1	1	138.8	49.5	0	21800.948	739.7849462	16034.3	30000	0	0	30000	29.1875	2004
12.02.2020 08:04:46	1	1	1	1	138.8	49	0	21943.128	729.0322581	16091.37608	30000	0	0	30000	29.8125	2004
12.02.2020 08:04:47	1	1	1	1	138.8	49.75	0	21848.341	729.0322581	15893.24056	30000	0	0	30000	28.8125	2004
12.02.2020 08:04:48	1	1	1	1	138.8	48.75	0	22274.882	720.4301075	16013.10032	30000	0	0	30000	29.75	2004
12.02.2020 08:04:49	1	1	1	1	138.8	49.75	0	21563.981	744.0860215	16091.37608	30000	0	0	30000	28.625	2004
12.02.2020 08:04:50	1	1	1	1	138.8	48.5	0	21753.555	739.7849462	16093.00682	30000	0	0	30000	29.125	2004
12.02.2020 08:04:51	1	1	1	1	138.8	49	0	22464.455	711.827957	15763.59634	30000	0	0	30000	29.8125	2004
12.02.2020 08:04:52	1	1	1	1	138.8	49.75	0	22132.701	720.4301075	16013.10032	30000	0	0	30000	29.1875	2004
12.02.2020 08:04:53	1	1	1	1	139.8	49	0	21800.948	735.483871	16163.12886	30000	0	0	30000	29.0625	2004
12.02.2020 08:04:54	1	1	1	1	139.8	49	0	22417.062	720.4301075	15971.51632	30000	0	0	30000	28.8125	2004
12.02.2020 08:04:55	1	1	1	1	139.8	48.75	0	22464.455	713.9784946	16120.72949	30000	0	0	30000	28.4375	2004
12.02.2020 08:04:56	1	1	1	1	139.8	48.25	0	22227.488	720.4301075	15944.60903	30000	0	0	30000	29.0625	2004
12.02.2020 08:04:57	1	1	1	1	139.8	49	0	21943.128	720.4301075	15996.79287	30000	0	0	30000	29.6875	2004
12.02.2020 08:04:58	1	1	1	1	139.8	49.5	0	22417.062	709.6774194	16004.94659	30000	0	0	30000	29.625	2004
12.02.2020 08:04:59	1	1	1	1	139.8	49.5	0	21753.555	739.7849462	16057.9458	30000	0	0	30000	29.0625	2004
12.02.2020 08:05:00	1	1	1	1	139.8	49	0	21943.128	733.3333333	16091.37608	30000	0	0	30000	29.75	2004
12.02.2020 08:05:01	1	1	1	1	139.8	49.75	0	21563.981	739.7849462	15998.42361	30000	0	0	30000	28	2004
12.02.2020 08:05:02	1	1	1	1	139.8	48	0	21279.621	741.9354839	15879.37923	30000	0	0	30000	29.25	2004
12.02.2020 08:05:03	1	1	1	1	139.3	49.25	0	22322.275	713.9784946	16149.26752	30000	0	0	30000	29.6875	2004
12.02.2020 08:05:04	1	1	1	1	139.3	49.5	0	22132.701	729.0322581	16135.40619	30000	0	0	30000	29.6875	2004
12.02.2020 08:05:05	1	1	1	1	139.3	49.5	0	22369.668	713.9784946	15971.51632	30000	0	0	30000	28.625	2004
12.02.2020 08:05:07	1	1	1	1	139.3	48.5	0	21943.128	729.0322581	15996.79287	30000	0	0	30000	29.5	2004
12.02.2020 08:05:08	1	1	1	1	139.3	49.5	0	22132.701	724.7311828	16040.00761	30000	0	0	30000	28.625	2004
12.02.2020 08:05:09	1	1	1	1	139.3	48.5	0	21184.834	756.9892473	16000.86973	30000	0	0	30000	29	2004
12.02.2020 08:05:10	1	1	1	1	139.3	49	0	22132.701	718.2795699	16013.10032	30000	0	0	30000	29.9375	2004
12.02.2020 08:05:11	1	1	1	1	139.3	49.75	0	21800.948	739.7849462	16128.06784	30000	0	0	30000	28.25	2004
12.02.2020 08:05:12	1	1	1	1	139.3	49.25	0	21895.735	729.0322581	16091.37608	30000	0	0	30000	28.875	2004
12.02.2020 08:05:13	1	1	1	1	139	48.75	0	21943.128	739.7849462	16233.25089	30000	0	0	30000	27	2004
12.02.2020 08:05:14	1	1	1	1	139	47	0	21563.981	735.483871	16045.71522	30000	0	0	30000	29.8125	2004
12.02.2020 08:05:15	1	1	1	1	139	49.75	0	22132.701	729.0322581	16135.40619	30000	0	0	30000	29.875	2004
12.02.2020 08:05:16	1	1	1	1	139	49.75	0	22274.882	713.9784946	15903.8404	30000	0	0	30000	29.5	2004
12.02.2020 08:05:17	1	1	1	1	139	49.5	0	21895.735	729.0322581	15996.79287	30000	0	0	30000	29.25	2004
12.02.2020 08:05:18	1	1	1	1	139	49.25	0	21943.128	729.0322581	15774.19618	30000	0	0	30000	29.6875	2004
12.02.2020 08:05:19	1	1	1	1	139	49.5	0	21943.128	731.1827957	16044.08447	30000	0	0	30000	29.6875	2004
12.02.2020 08:05:20	1	1	1	1	139	49.5	0	21943.128	726.8817204	15996.79287	30000	0	0	30000	29.875	2004
12.02.2020 08:05:21	1	1	1	1	139	49.75	0	22132.701	729.0322581	16040.00761	30000	0	0	30000	29.6875	2004
12.02.2020 08:05:22	1	1	1	1	139	49.5	0	21563.981	739.7849462	15952.76275	30000	0	0	30000	28.4375	2004
12.02.2020 08:05:23	1	1	1	1	139	48.25	0	22132.701	720.4301075	15944.60903	30000	0	0	30000	28.625	2004
12.02.2020 08:05:24	1	1	1	1	139	48.5	0	21943.128	729.0322581	15996.79287	30000	0	0	30000	29.8125	2004
12.02.2020 08:05:25	1	1	1	1	139	49.75	0	21563.981	744.0860215	15998.42361	30000	0	0	30000	29.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 08:05:26	1	1	1	1	139	49	0	21943.128	729.0322581	16005.76197	30000	0	0	30000	29.375	2004
12.02.2020 08:05:27	1	1	1	1	139	49.25	0	22274.882	713.9784946	15951.13201	30000	0	0	30000	27.75	2004
12.02.2020 08:05:28	1	1	1	1	139	47.75	0	22369.668	716.1290323	15985.37765	30000	0	0	30000	29.1875	2004
12.02.2020 08:05:29	1	1	1	1	139	49	0	21800.948	733.3333333	15987.0084	30000	0	0	30000	28.25	2004
12.02.2020 08:05:30	1	1	1	1	139	48.25	0	21943.128	729.0322581	16135.40619	30000	0	0	30000	28.875	2004
12.02.2020 08:05:31	1	1	1	1	139	48.75	0	22227.488	720.4301075	16013.10032	30000	0	0	30000	28.6875	2004
12.02.2020 08:05:37	1	1	1	1	138.8	48.5	0	21279.621	756.9892473	16108.4989	30000	0	0	30000	29.4375	2004
12.02.2020 08:05:37	1	1	1	1	138.8	48.5	0	21279.621	756.9892473	16108.4989	30000	0	0	30000	29.4375	2004
12.02.2020 08:05:37	1	1	1	1	138.8	48.5	0	21279.621	756.9892473	16108.4989	30000	0	0	30000	29.4375	2004
12.02.2020 08:05:37	1	1	1	1	138.8	48.5	0	21279.621	756.9892473	16108.4989	30000	0	0	30000	29.4375	2004
12.02.2020 08:05:37	1	1	1	1	138.8	49.25	0	22227.488	718.2795699	15897.31742	30000	0	0	30000	29.875	2004
12.02.2020 08:05:38	1	1	1	1	138.8	49.75	0	21563.981	756.9892473	16091.37608	30000	0	0	30000	28.5625	2004
12.02.2020 08:05:39	1	1	1	1	138.8	48.5	0	22132.701	726.8817204	16040.00761	30000	0	0	30000	29.9375	2004
12.02.2020 08:05:40	1	1	1	1	138.8	49.75	0	21706.161	733.3333333	15999.23899	30000	0	0	30000	29.0625	2004
12.02.2020 08:05:41	1	1	1	1	138.8	49	0	21943.128	731.1827957	15996.79287	30000	0	0	30000	28.125	2004
12.02.2020 08:05:42	1	1	1	1	138.8	48	0	22464.455	713.9784946	16004.94659	30000	0	0	30000	29.4375	2004
12.02.2020 08:05:43	1	1	1	1	138.8	49.25	0	22132.701	720.4301075	16040.00761	30000	0	0	30000	29.8125	2004
12.02.2020 08:05:44	1	1	1	1	138.8	49.75	0	22274.882	720.4301075	16013.10032	30000	0	0	30000	29.3125	2004
12.02.2020 08:05:46	1	1	1	1	138.8	49.25	0	21374.408	739.7849462	15928.30158	30000	0	0	30000	30.25	2004
12.02.2020 08:05:47	1	1	1	1	138.8	50.25	0	22227.488	718.2795699	15964.99334	30000	0	0	30000	28.625	2004
12.02.2020 08:05:48	1	1	1	1	138.8	48.5	0	21895.735	729.0322581	15962.54722	30000	0	0	30000	29.75	2004
12.02.2020 08:05:49	1	1	1	1	138.8	49.75	0	22227.488	720.4301075	16013.10032	30000	0	0	30000	30.1875	2004
12.02.2020 08:05:50	1	1	1	1	138.8	48.5	0	21943.128	735.483871	15996.79287	30000	0	0	30000	29.75	2004
12.02.2020 08:05:51	1	1	1	1	138.8	49.75	0	22511.848	713.9784946	16072.62251	30000	0	0	30000	29.625	2004
12.02.2020 08:05:52	1	1	1	1	138.8	49.5	0	22511.848	713.9784946	16217.75881	30000	0	0	30000	29.9375	2004
12.02.2020 08:05:53	1	1	1	1	138.5	49.75	0	21943.128	724.7311828	15808.44182	30000	0	0	30000	29.125	2004
12.02.2020 08:05:54	1	1	1	1	138.5	49	0	21943.128	729.0322581	15996.79287	30000	0	0	30000	29.75	2004
12.02.2020 08:05:55	1	1	1	1	138.5	49.75	0	21563.981	756.9892473	16323.75724	30000	0	0	30000	29.5	2004
12.02.2020 08:05:56	1	1	1	1	138.5	49.5	0	21943.128	720.4301075	15774.19618	30000	0	0	30000	29.625	2004
12.02.2020 08:05:57	1	1	1	1	138.5	49.5	0	21279.621	744.0860215	15788.05751	30000	0	0	30000	29.125	2004
12.02.2020 08:05:58	1	1	1	1	138.5	49	0	21800.948	735.483871	16034.3	30000	0	0	30000	29.5	2004
12.02.2020 08:05:59	1	1	1	1	138.5	49.5	0	21943.128	731.1827957	15996.79287	30000	0	0	30000	29.625	2004
12.02.2020 08:06:00	1	1	1	1	138.5	49.5	0	21848.341	729.0322581	16022.06942	30000	0	0	30000	29.6875	2004
12.02.2020 08:06:01	1	1	1	1	138.5	49.5	0	21753.555	735.483871	15951.94738	30000	0	0	30000	28.9375	2004
12.02.2020 08:06:02	1	1	1	1	138.5	48.75	0	21800.948	731.1827957	15987.0084	30000	0	0	30000	28.625	2004
12.02.2020 08:06:03	1	1	1	1	138.3	48.5	0	21800.948	735.483871	16080.77623	30000	0	0	30000	29.4375	2004
12.02.2020 08:06:04	1	1	1	1	138.3	49.25	0	21279.621	756.9892473	15833.71837	30000	0	0	30000	28.5625	2004
12.02.2020 08:06:05	1	1	1	1	138.3	48.5	0	21279.621	756.9892473	16108.4989	30000	0	0	30000	29.5	2004
12.02.2020 08:06:06	1	1	1	1	138.3	49.5	0	21943.128	729.0322581	15996.79287	30000	0	0	30000	28.6875	2004
12.02.2020 08:06:07	1	1	1	1	138.3	48.5	0	21848.341	735.483871	16068.54565	30000	0	0	30000	28.5	2004
12.02.2020 08:06:08	1	1	1	1	138.3	48.5	0	21516.588	744.0860215	16056.31506	30000	0	0	30000	28.9375	2004
12.02.2020 08:06:09	1	1	1	1	138.3	48.75	0	21895.735	729.0322581	15996.79287	30000	0	0	30000	28.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 08:06:10	1	1	1	1	138.3	48.5	0	21563.981	756.9892473	15998.42361	30000	0	0	30000	28.375	2004
12.02.2020 08:06:11	1	1	1	1	138.3	48.25	0	21706.161	739.7849462	16010.6542	30000	0	0	30000	29.5	2004
12.02.2020 08:06:12	1	1	1	1	138.3	49.5	0	21374.408	739.7849462	15858.17955	30000	0	0	30000	29.75	2004
12.02.2020 08:06:13	1	1	1	1	137.8	49.75	0	21232.227	744.0860215	15798.65735	30000	0	0	30000	29.125	2004
12.02.2020 08:06:14	1	1	1	1	137.8	49	0	22227.488	720.4301075	16203.89748	30000	0	0	30000	28.4375	2004
12.02.2020 08:06:15	1	1	1	1	137.8	48.25	0	21848.341	731.1827957	15705.70489	30000	0	0	30000	29.3125	2004
12.02.2020 08:06:16	1	1	1	1	137.8	49.25	0	21232.227	756.9892473	16072.62251	30000	0	0	30000	28.875	2004
12.02.2020 08:06:17	1	1	1	1	137.8	48.75	0	21658.768	739.7849462	16139.48305	30000	0	0	30000	30.125	2004
12.02.2020 08:06:18	1	1	1	1	137.8	50	0	22417.062	713.9784946	16149.26752	30000	0	0	30000	29.1875	2004
12.02.2020 08:06:19	1	1	1	1	137.8	49	0	21848.341	731.1827957	15893.24056	30000	0	0	30000	28.8125	2004
12.02.2020 08:06:20	1	1	1	1	137.8	48.75	0	22274.882	724.7311828	16013.10032	30000	0	0	30000	29.375	2004
12.02.2020 08:06:21	1	1	1	1	137.8	49.25	0	21943.128	739.7849462	15996.79287	30000	0	0	30000	29.1875	2004
12.02.2020 08:06:22	1	1	1	1	137.8	49	0	21563.981	735.483871	15813.33406	30000	0	0	30000	29.75	2004
12.02.2020 08:06:23	1	1	1	1	138.8	49.75	0	21943.128	729.0322581	15996.79287	30000	0	0	30000	29.375	2004
12.02.2020 08:06:25	1	1	1	1	138.8	49.25	0	21800.948	733.3333333	16022.06942	30000	0	0	30000	30.0625	2004
12.02.2020 08:06:26	1	1	1	1	138.8	50	0	22132.701	724.7311828	16135.40619	30000	0	0	30000	29.625	2004
12.02.2020 08:06:27	1	1	1	1	138.8	49.5	0	21706.161	741.9354839	16139.48305	30000	0	0	30000	29.25	2004
12.02.2020 08:06:28	1	1	1	1	138.8	49.25	0	21374.408	756.9892473	15950.31664	30000	0	0	30000	29.5	2004
12.02.2020 08:06:29	1	1	1	1	138.8	49.5	0	22274.882	720.4301075	16047.34596	30000	0	0	30000	30.25	2004
12.02.2020 08:06:30	1	1	1	1	138.8	48.75	0	22132.701	731.1827957	16135.40619	30000	0	0	30000	30.125	2004
12.02.2020 08:06:31	1	1	1	1	138.8	50	0	22559.242	707.5268817	15782.3499	30000	0	0	30000	28.5625	2004
12.02.2020 08:06:32	1	1	1	1	138.8	48.5	0	22274.882	716.1290323	15951.13201	30000	0	0	30000	29.375	2004
12.02.2020 08:06:33	1	1	1	1	139.8	49.25	0	21943.128	731.1827957	16044.08447	30000	0	0	30000	28.75	2004
12.02.2020 08:06:39	1	1	1	1	139.8	48.5	0	21895.735	731.1827957	16056.31506	30000	0	0	30000	28.6875	2004
12.02.2020 08:06:39	1	1	1	1	139.8	48.5	0	21895.735	731.1827957	16056.31506	30000	0	0	30000	28.6875	2004
12.02.2020 08:06:39	1	1	1	1	139.8	48.5	0	21895.735	731.1827957	16056.31506	30000	0	0	30000	28.6875	2004
12.02.2020 08:06:39	1	1	1	1	139.8	48.5	0	21895.735	731.1827957	16056.31506	30000	0	0	30000	28.6875	2004
12.02.2020 08:06:39	1	1	1	1	139.8	48.5	0	22227.488	724.7311828	16203.89748	30000	0	0	30000	30	2004
12.02.2020 08:06:40	1	1	1	1	139.8	50	0	21706.161	733.3333333	15917.70174	30000	0	0	30000	29.9375	2004
12.02.2020 08:06:41	1	1	1	1	139.8	49.75	0	22132.701	731.1827957	15944.60903	30000	0	0	30000	29.6875	2004
12.02.2020 08:06:42	1	1	1	1	139.8	49.5	0	22132.701	724.7311828	16087.29921	30000	0	0	30000	29.25	2004
12.02.2020 08:06:43	1	1	1	1	139	49.25	0	22132.701	731.1827957	15996.79287	30000	0	0	30000	29.5	2004
12.02.2020 08:06:44	1	1	1	1	139	49.5	0	22274.882	718.2795699	16033.48463	30000	0	0	30000	29.9375	2004
12.02.2020 08:06:45	1	1	1	1	139	49.75	0	21753.555	739.7849462	16093.00682	30000	0	0	30000	29.5	2004
12.02.2020 08:06:46	1	1	1	1	139	49.5	0	22227.488	718.2795699	15917.70174	30000	0	0	30000	29.75	2004
12.02.2020 08:06:47	1	1	1	1	139	49.75	0	22227.488	724.7311828	16040.00761	30000	0	0	30000	30	2004
12.02.2020 08:06:48	1	1	1	1	139	50	0	21943.128	724.7311828	15808.44182	30000	0	0	30000	29.8125	2004
12.02.2020 08:06:49	1	1	1	1	139	49.75	0	22511.848	709.6774194	15927.48621	30000	0	0	30000	29.1875	2004
12.02.2020 08:06:50	1	1	1	1	139	49	0	22132.701	720.4301075	15944.60903	30000	0	0	30000	29.4375	2004
12.02.2020 08:06:51	1	1	1	1	139	49.25	0	22748.815	703.2258065	15997.60824	30000	0	0	30000	29	2004
12.02.2020 08:06:52	1	1	1	1	139	49	0	22748.815	701.0752688	15997.60824	30000	0	0	30000	29.875	2004
12.02.2020 08:06:53	1	1	1	1	139.5	49.75	0	22322.275	718.2795699	15985.37765	30000	0	0	30000	29.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 08:06:54	1	1	1	1	139.5	49.75	0	22132.701	720.4301075	15944.60903	30000	0	0	30000	29.9375	2004
12.02.2020 08:06:55	1	1	1	1	139.5	49.75	0	22748.815	703.2258065	15997.60824	30000	0	0	30000	30	2004
12.02.2020 08:06:56	1	1	1	1	139.5	50	0	22748.815	703.2258065	15899.76354	30000	0	0	30000	29.4375	2004
12.02.2020 08:06:57	1	1	1	1	139.5	49.25	0	22369.668	713.9784946	15971.51632	30000	0	0	30000	28.875	2004
12.02.2020 08:06:58	1	1	1	1	139.5	48.75	0	21943.128	729.0322581	15996.79287	30000	0	0	30000	29.5	2004
12.02.2020 08:06:59	1	1	1	1	139.5	49.5	0	22369.668	716.1290323	16053.05357	30000	0	0	30000	29.25	2004
12.02.2020 08:07:00	1	1	1	1	139.5	49.25	0	22274.882	713.9784946	15869.59476	30000	0	0	30000	30.0625	2004
12.02.2020 08:07:01	1	1	1	1	139.5	50	0	21563.981	741.9354839	15998.42361	30000	0	0	30000	29.8125	2004
12.02.2020 08:07:03	1	1	1	1	139.5	49.75	0	22748.815	707.5268817	16095.45294	30000	0	0	30000	29	2004
12.02.2020 08:07:04	1	1	1	1	139.5	49	0	21753.555	739.7849462	15999.23899	30000	0	0	30000	30.0625	2004
12.02.2020 08:07:05	1	1	1	1	139.5	50	0	22274.882	711.827957	15759.51947	30000	0	0	30000	30.4375	2004
12.02.2020 08:07:06	1	1	1	1	139.5	50.25	0	22464.455	713.9784946	15990.26989	30000	0	0	30000	29.6875	2004
12.02.2020 08:07:07	1	1	1	1	139.5	49.75	0	21943.128	724.7311828	15902.20966	30000	0	0	30000	29.9375	2004
12.02.2020 08:07:08	1	1	1	1	139.5	49.75	0	22417.062	711.827957	16004.94659	30000	0	0	30000	28.125	2004
12.02.2020 08:07:09	1	1	1	1	139.5	48	0	22227.488	718.2795699	15917.70174	30000	0	0	30000	28.375	2004
12.02.2020 08:07:10	1	1	1	1	139.5	48.25	0	21943.128	729.0322581	15996.79287	30000	0	0	30000	29.5	2004
12.02.2020 08:07:11	1	1	1	1	139.5	49.5	0	22417.062	713.9784946	16004.94659	30000	0	0	30000	28.9375	2004
12.02.2020 08:07:12	1	1	1	1	139.5	48.75	0	22417.062	716.1290323	16053.05357	30000	0	0	30000	28.625	2004
12.02.2020 08:07:13	1	1	1	1	139.3	48.5	0	22748.815	696.7741935	15801.91884	30000	0	0	30000	28.0625	2004
12.02.2020 08:07:14	1	1	1	1	139.3	48	0	22748.815	707.5268817	15997.60824	30000	0	0	30000	30	2004
12.02.2020 08:07:15	1	1	1	1	139.3	50	0	21943.128	724.7311828	15944.60903	30000	0	0	30000	28.875	2004
12.02.2020 08:07:16	1	1	1	1	139.3	48.75	0	22559.242	713.9784946	16106.86815	30000	0	0	30000	29.0625	2004
12.02.2020 08:07:17	1	1	1	1	139.3	49	0	22796.209	694.6236559	15981.30079	30000	0	0	30000	29.3125	2004
12.02.2020 08:07:18	1	1	1	1	139.3	49.25	0	22748.815	703.2258065	16030.22314	30000	0	0	30000	29.5625	2004
12.02.2020 08:07:19	1	1	1	1	139.3	49.5	0	22748.815	703.2258065	15997.60824	30000	0	0	30000	29.8125	2004
12.02.2020 08:07:20	1	1	1	1	139.3	49.75	0	22274.882	718.2795699	16081.59161	30000	0	0	30000	29.9375	2004
12.02.2020 08:07:21	1	1	1	1	139.3	49.75	0	22274.882	720.4301075	16047.34596	30000	0	0	30000	27.875	2004
12.02.2020 08:07:22	1	1	1	1	139.3	47.75	0	21943.128	726.8817204	15996.79287	30000	0	0	30000	28.4375	2004
12.02.2020 08:07:23	1	1	1	1	138	48.25	0	22417.062	716.1290323	16053.05357	30000	0	0	30000	30.125	2004
12.02.2020 08:07:24	1	1	1	1	138	50	0	22748.815	701.0752688	15948.68589	30000	0	0	30000	29.25	2004
12.02.2020 08:07:25	1	1	1	1	138	49.25	0	21943.128	729.0322581	16044.08447	30000	0	0	30000	28.0625	2004
12.02.2020 08:07:26	1	1	1	1	138	48	0	22511.848	713.9784946	16024.51553	30000	0	0	30000	30.1875	2004
12.02.2020 08:07:27	1	1	1	1	138	50	0	22227.488	718.2795699	15999.23899	30000	0	0	30000	29.375	2004
12.02.2020 08:07:28	1	1	1	1	138	49.25	0	22606.635	703.2258065	15997.60824	30000	0	0	30000	30.125	2004
12.02.2020 08:07:29	1	1	1	1	138	50	0	22417.062	716.1290323	16053.05357	30000	0	0	30000	27.375	2004
12.02.2020 08:07:30	1	1	1	1	138	47.25	0	22559.242	707.5268817	15960.91648	30000	0	0	30000	28.3125	2004
12.02.2020 08:07:31	1	1	1	1	138	48.25	0	21800.948	735.483871	15940.53217	30000	0	0	30000	28.75	2004
12.02.2020 08:07:32	1	1	1	1	138	48.75	0	21943.128	729.0322581	15996.79287	30000	0	0	30000	27.8125	2004
12.02.2020 08:07:33	1	1	1	1	138.3	47.75	0	22559.242	709.6774194	16193.29764	30000	0	0	30000	29.25	2004
12.02.2020 08:07:34	1	1	1	1	138.3	49.25	0	22085.308	726.8817204	15949.50126	30000	0	0	30000	29.8125	2004
12.02.2020 08:07:40	1	1	1	1	138.3	49.5	0	22511.848	713.9784946	15927.48621	30000	0	0	30000	28.8125	2004
12.02.2020 08:07:40	1	1	1	1	138.3	49.5	0	22511.848	713.9784946	15927.48621	30000	0	0	30000	28.8125	2004
12.02.2020 08:07:40	1	1	1	1	138.3	49.5	0	22511.848	713.9784946	15927.48621	30000	0	0	30000	28.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 08:07:40	1	1	1	1	138.3	49.5	0	22511.848	713.9784946	15927.48621	30000	0	0	30000	28.8125	2004
12.02.2020 08:07:40	1	1	1	1	138.3	49.5	0	22511.848	713.9784946	15927.48621	30000	0	0	30000	28.8125	2004
12.02.2020 08:07:41	1	1	1	1	138.3	48.75	0	22132.701	724.7311828	16135.40619	30000	0	0	30000	30.25	2004
12.02.2020 08:07:42	1	1	1	1	138.3	50.25	0	21658.768	739.7849462	15952.76275	30000	0	0	30000	30.1875	2004
12.02.2020 08:07:43	1	1	1	1	138.3	50	0	22748.815	703.2258065	15997.60824	30000	0	0	30000	29.75	2004
12.02.2020 08:07:44	1	1	1	1	139.3	49.75	0	23080.569	696.7741935	16031.85389	30000	0	0	30000	30.0625	2004
12.02.2020 08:07:45	1	1	1	1	139.3	50	0	22748.815	703.2258065	15997.60824	30000	0	0	30000	30	2004
12.02.2020 08:07:46	1	1	1	1	139.3	49.25	0	22227.488	718.2795699	15964.99334	30000	0	0	30000	29.3125	2004
12.02.2020 08:07:47	1	1	1	1	139.3	49.25	0	22369.668	713.9784946	15923.40934	30000	0	0	30000	28.125	2004
12.02.2020 08:07:48	1	1	1	1	139.3	48	0	22748.815	703.2258065	15997.60824	30000	0	0	30000	29.5625	2004
12.02.2020 08:07:49	1	1	1	1	139.3	49.5	0	22227.488	720.4301075	16047.34596	30000	0	0	30000	29.4375	2004
12.02.2020 08:07:50	1	1	1	1	139.3	49.25	0	21563.981	739.7849462	15998.42361	30000	0	0	30000	30.1875	2004
12.02.2020 08:07:51	1	1	1	1	139.3	50	0	22227.488	718.2795699	15944.60903	30000	0	0	30000	29.8125	2004
12.02.2020 08:07:52	1	1	1	1	139.3	49.75	0	22132.701	726.8817204	15944.60903	30000	0	0	30000	30.1875	2004
12.02.2020 08:07:53	1	1	1	1	139.5	50	0	21943.128	729.0322581	15996.79287	30000	0	0	30000	28.875	2004
12.02.2020 08:07:54	1	1	1	1	139.5	48.75	0	21800.948	726.8817204	15927.48621	30000	0	0	30000	29.5625	2004
12.02.2020 08:07:55	1	1	1	1	139.5	49.5	0	22511.848	709.6774194	16024.51553	30000	0	0	30000	30.1875	2004
12.02.2020 08:07:56	1	1	1	1	139.5	50	0	22559.242	703.2258065	15997.60824	30000	0	0	30000	29.5625	2004
12.02.2020 08:07:57	1	1	1	1	139.5	49.5	0	22559.242	707.5268817	15960.91648	30000	0	0	30000	29	2004
12.02.2020 08:07:58	1	1	1	1	139.5	49	0	22369.668	716.1290323	16019.6233	30000	0	0	30000	29.875	2004
12.02.2020 08:07:59	1	1	1	1	139.5	49.75	0	22417.062	713.9784946	15956.83962	30000	0	0	30000	29.8125	2004
12.02.2020 08:08:00	1	1	1	1	139.5	49.75	0	22417.062	703.2258065	15763.59634	30000	0	0	30000	29.9375	2004
12.02.2020 08:08:01	1	1	1	1	139.5	49.75	0	22180.095	720.4301075	15944.60903	30000	0	0	30000	28.6875	2004
12.02.2020 08:08:02	1	1	1	1	139.5	48.5	0	22369.668	713.9784946	16004.94659	30000	0	0	30000	30.1875	2004
12.02.2020 08:08:03	1	1	1	1	139.5	50	0	22132.701	729.0322581	15944.60903	30000	0	0	30000	29.625	2004
12.02.2020 08:08:04	1	1	1	1	139.5	49.5	0	22606.635	703.2258065	15997.60824	30000	0	0	30000	29.375	2004
12.02.2020 08:08:05	1	1	1	1	139.5	49.25	0	23080.569	692.4731183	15932.37844	30000	0	0	30000	29.25	2004
12.02.2020 08:08:06	1	1	1	1	139.5	49.25	0	22843.602	703.2258065	16030.22314	30000	0	0	30000	29.5	2004
12.02.2020 08:08:07	1	1	1	1	139.5	49.5	0	22748.815	703.2258065	15997.60824	30000	0	0	30000	29.75	2004
12.02.2020 08:08:08	1	1	1	1	139.5	49.75	0	22748.815	707.5268817	16128.88321	30000	0	0	30000	29.75	2004
12.02.2020 08:08:09	1	1	1	1	139.5	49.75	0	22748.815	703.2258065	15997.60824	30000	0	0	30000	30.3125	2004
12.02.2020 08:08:10	1	1	1	1	139.5	50.25	0	22748.815	713.9784946	15960.91648	30000	0	0	30000	30.0625	2004
12.02.2020 08:08:11	1	1	1	1	139.5	50	0	22748.815	703.2258065	16193.29764	30000	0	0	30000	29.75	2004
12.02.2020 08:08:12	1	1	1	1	139.5	49.75	0	22132.701	720.4301075	15944.60903	30000	0	0	30000	29.625	2004
12.02.2020 08:08:13	1	1	1	1	139	49.5	0	22511.848	713.9784946	16106.86815	30000	0	0	30000	30.25	2004
12.02.2020 08:08:14	1	1	1	1	139	50.25	0	22227.488	729.0322581	15944.60903	30000	0	0	30000	30.375	2004
12.02.2020 08:08:15	1	1	1	1	139	50.25	0	21943.128	720.4301075	15808.44182	30000	0	0	30000	28.8125	2004
12.02.2020 08:08:16	1	1	1	1	139	48.75	0	22274.882	718.2795699	15964.99334	30000	0	0	30000	29.5	2004
12.02.2020 08:08:17	1	1	1	1	139	49.5	0	22559.242	713.9784946	16072.62251	30000	0	0	30000	29.5	2004
12.02.2020 08:08:18	1	1	1	1	139	49.5	0	22511.848	713.9784946	16072.62251	30000	0	0	30000	28.8125	2004
12.02.2020 08:08:20	1	1	1	1	139	48.75	0	22748.815	692.4731183	15948.68589	30000	0	0	30000	29.6875	2004
12.02.2020 08:08:21	1	1	1	1	139	49.5	0	22748.815	703.2258065	15997.60824	30000	0	0	30000	29.625	2004
12.02.2020 08:08:22	1	1	1	1	139	49.5	0	24028.436	670.9677419	16018.80793	30000	0	0	30000	30.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 08:08:23	1	1	1	1	139	50.25	0	23933.649	664.516129	16122.36023	30000	0	0	30000	30.3125	2004
12.02.2020 08:08:24	1	1	1	1	138.8	50.25	0	24028.436	666.6666667	15966.62409	30000	0	0	30000	29.6875	2004
12.02.2020 08:08:25	1	1	1	1	138.8	49.5	0	24028.436	666.6666667	15966.62409	30000	0	0	30000	30.3125	2004
12.02.2020 08:08:26	1	1	1	1	138.8	49.25	0	24028.436	662.3655914	15966.62409	30000	0	0	30000	30.0625	2004
12.02.2020 08:08:27	1	1	1	1	138.8	50	0	24170.616	660.2150538	16061.20729	30000	0	0	30000	29.5	2004
12.02.2020 08:08:28	1	1	1	1	138.8	49.5	0	24170.616	662.3655914	15957.65499	30000	0	0	30000	29.875	2004
12.02.2020 08:08:29	1	1	1	1	138.8	49.75	0	24218.009	660.2150538	16093.00682	30000	0	0	30000	30	2004
12.02.2020 08:08:30	1	1	1	1	138.8	50	0	24123.223	662.3655914	16030.22314	30000	0	0	30000	28.9375	2004
12.02.2020 08:08:31	1	1	1	1	138.8	48.75	0	24028.436	660.2150538	15863.88715	30000	0	0	30000	29.875	2004
12.02.2020 08:08:32	1	1	1	1	138.8	49.75	0	24123.223	660.2150538	16030.22314	30000	0	0	30000	30.25	2004
12.02.2020 08:08:33	1	1	1	1	138.3	50.25	0	24123.223	662.3655914	16030.22314	30000	0	0	30000	29.0625	2004
12.02.2020 08:08:34	1	1	1	1	138.3	49	0	24170.616	662.3655914	15957.65499	30000	0	0	30000	28.5	2004
12.02.2020 08:08:35	1	1	1	1	138.3	48.5	0	24028.436	655.9139785	16030.22314	30000	0	0	30000	28.5	2004
12.02.2020 08:08:36	1	1	1	1	138.3	48.5	0	24218.009	673.1182796	16185.95929	30000	0	0	30000	29.375	2004
12.02.2020 08:08:42	1	1	1	1	138.3	49.25	0	23838.863	660.2150538	15738.31979	30000	0	0	30000	29.8125	2004
12.02.2020 08:08:42	1	1	1	1	138.3	49.25	0	23838.863	660.2150538	15738.31979	30000	0	0	30000	29.8125	2004
12.02.2020 08:08:42	1	1	1	1	138.3	49.25	0	23838.863	660.2150538	15738.31979	30000	0	0	30000	29.8125	2004
12.02.2020 08:08:42	1	1	1	1	138.3	49.25	0	23838.863	660.2150538	15738.31979	30000	0	0	30000	29.8125	2004
12.02.2020 08:08:42	1	1	1	1	138.3	49.25	0	23838.863	660.2150538	15738.31979	30000	0	0	30000	29.8125	2004
12.02.2020 08:08:42	1	1	1	1	138.3	49.75	0	23838.863	688.172043	15828.82614	30000	0	0	30000	30.25	2004
12.02.2020 08:08:43	1	1	1	1	137.8	50.25	0	23412.322	673.1182796	15708.96638	30000	0	0	30000	29.6875	2004
12.02.2020 08:08:44	1	1	1	1	137.8	49.5	0	23459.716	688.172043	16111.76039	30000	0	0	30000	29.625	2004
12.02.2020 08:08:45	1	1	1	1	137.8	49.5	0	23364.929	688.172043	16079.14549	30000	0	0	30000	29.375	2004
12.02.2020 08:08:46	1	1	1	1	137.8	49.25	0	23222.749	688.172043	16013.91569	30000	0	0	30000	30.1875	2004
12.02.2020 08:08:47	1	1	1	1	137.8	50	0	23175.355	694.6236559	16097.89906	30000	0	0	30000	30.125	2004
12.02.2020 08:08:48	1	1	1	1	137.8	50	0	23080.569	694.6236559	15999.23899	30000	0	0	30000	29.25	2004
12.02.2020 08:08:49	1	1	1	1	137.8	49.25	0	23033.175	694.6236559	15999.23899	30000	0	0	30000	30.3125	2004
12.02.2020 08:08:50	1	1	1	1	137.8	50.25	0	23270.142	690.3225806	15981.30079	30000	0	0	30000	30.25	2004
12.02.2020 08:08:51	1	1	1	1	137.8	50.25	0	23080.569	688.172043	15932.37844	30000	0	0	30000	30.3125	2004
12.02.2020 08:08:52	1	1	1	1	137.8	50.25	0	23175.355	694.6236559	16031.85389	30000	0	0	30000	29.25	2004
12.02.2020 08:08:53	1	1	1	1	138.5	49.25	0	22796.209	694.6236559	15834.53374	30000	0	0	30000	29.375	2004
12.02.2020 08:08:54	1	1	1	1	138.5	49.25	0	22890.995	694.6236559	15900.57891	30000	0	0	30000	29.1875	2004
12.02.2020 08:08:55	1	1	1	1	138.5	49	0	22890.995	701.0752688	15998.42361	30000	0	0	30000	28.5	2004
12.02.2020 08:08:56	1	1	1	1	138.5	48.5	0	23033.175	701.0752688	16147.63678	30000	0	0	30000	28.125	2004
12.02.2020 08:08:58	1	1	1	1	138.5	48	0	22796.209	701.0752688	16030.22314	30000	0	0	30000	29.6875	2004
12.02.2020 08:08:59	1	1	1	1	138.5	49.5	0	22748.815	703.2258065	15997.60824	30000	0	0	30000	30.25	2004
12.02.2020 08:09:00	1	1	1	1	138.5	50.25	0	22748.815	703.2258065	15997.60824	30000	0	0	30000	30.125	2004
12.02.2020 08:09:01	1	1	1	1	138.5	50	0	22559.242	703.2258065	16095.45294	30000	0	0	30000	30.0625	2004
12.02.2020 08:09:02	1	1	1	1	138.5	50	0	22796.209	703.2258065	16030.22314	30000	0	0	30000	30.0625	2004
12.02.2020 08:09:03	1	1	1	1	138.5	50	0	22748.815	703.2258065	16095.45294	30000	0	0	30000	30.375	2004
12.02.2020 08:09:04	1	1	1	1	137.8	50.25	0	22796.209	701.0752688	15801.91884	30000	0	0	30000	30.125	2004
12.02.2020 08:09:05	1	1	1	1	137.8	50	0	22796.209	698.9247312	15932.37844	30000	0	0	30000	29.625	2004
12.02.2020 08:09:06	1	1	1	1	137.8	49.5	0	22796.209	696.7741935	15834.53374	30000	0	0	30000	29.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 08:09:07	1	1	1	1	137.8	49	0	22748.815	698.9247312	15948.68589	30000	0	0	30000	29.5625	2004
12.02.2020 08:09:08	1	1	1	1	137.8	49.5	0	22748.815	703.2258065	15997.60824	30000	0	0	30000	29.5625	2004
12.02.2020 08:09:09	1	1	1	1	137.8	49.5	0	22748.815	703.2258065	15997.60824	30000	0	0	30000	28.6875	2004
12.02.2020 08:09:10	1	1	1	1	137.8	48.5	0	22748.815	701.0752688	15899.76354	30000	0	0	30000	29.875	2004
12.02.2020 08:09:11	1	1	1	1	137.8	49.75	0	22748.815	703.2258065	15997.60824	30000	0	0	30000	29.875	2004
12.02.2020 08:09:12	1	1	1	1	137.8	49.75	0	22748.815	709.6774194	16095.45294	30000	0	0	30000	28.75	2004
12.02.2020 08:09:13	1	1	1	1	137.5	48.75	0	22511.848	711.827957	16072.62251	30000	0	0	30000	28.4375	2004
12.02.2020 08:09:14	1	1	1	1	137.5	48.25	0	22559.242	709.6774194	15960.91648	30000	0	0	30000	30.625	2004
12.02.2020 08:09:15	1	1	1	1	137.5	50.5	0	22559.242	707.5268817	15960.91648	30000	0	0	30000	30.5	2004
12.02.2020 08:09:16	1	1	1	1	137.5	50.5	0	22559.242	703.2258065	16242.21999	30000	0	0	30000	29.4375	2004
12.02.2020 08:09:17	1	1	1	1	137.5	49.25	0	22511.848	701.0752688	15960.91648	30000	0	0	30000	29.8125	2004
12.02.2020 08:09:18	1	1	1	1	137.5	49.75	0	22559.242	709.6774194	16193.29764	30000	0	0	30000	29.9375	2004
12.02.2020 08:09:19	1	1	1	1	137.5	49.75	0	22559.242	703.2258065	15997.60824	30000	0	0	30000	29.6875	2004
12.02.2020 08:09:20	1	1	1	1	137.5	49.5	0	22748.815	709.6774194	16095.45294	30000	0	0	30000	30.0625	2004
12.02.2020 08:09:21	1	1	1	1	137.5	50	0	22559.242	703.2258065	15997.60824	30000	0	0	30000	30.125	2004
12.02.2020 08:09:22	1	1	1	1	137.5	50	0	22748.815	703.2258065	15997.60824	30000	0	0	30000	30.0625	2004
12.02.2020 08:09:23	1	1	1	1	137.5	50	0	22796.209	703.2258065	16030.22314	30000	0	0	30000	29	2004
12.02.2020 08:09:24	1	1	1	1	137.5	49	0	22748.815	707.5268817	15997.60824	30000	0	0	30000	28.8125	2004
12.02.2020 08:09:25	1	1	1	1	137.5	48.75	0	22559.242	709.6774194	16193.29764	30000	0	0	30000	29.125	2004
12.02.2020 08:09:26	1	1	1	1	137.5	49	0	22322.275	716.1290323	15985.37765	30000	0	0	30000	29.4375	2004
12.02.2020 08:09:27	1	1	1	1	137.5	49.25	0	22417.062	707.5268817	15894.05593	30000	0	0	30000	28.8125	2004
12.02.2020 08:09:28	1	1	1	1	137.5	48.75	0	22322.275	716.1290323	16019.6233	30000	0	0	30000	30.5	2004
12.02.2020 08:09:29	1	1	1	1	137.5	50.5	0	22369.668	716.1290323	16067.73027	30000	0	0	30000	30.125	2004
12.02.2020 08:09:30	1	1	1	1	137.5	50	0	22417.062	711.827957	16004.94659	30000	0	0	30000	30.3125	2004
12.02.2020 08:09:31	1	1	1	1	137.5	50.25	0	22511.848	713.9784946	16072.62251	30000	0	0	30000	29.75	2004
12.02.2020 08:09:32	1	1	1	1	137.5	49.75	0	22559.242	709.6774194	16024.51553	30000	0	0	30000	29.4375	2004
12.02.2020 08:09:33	1	1	1	1	137.3	49.25	0	22748.815	707.5268817	15997.60824	30000	0	0	30000	29	2004
12.02.2020 08:09:34	1	1	1	1	137.3	49	0	22748.815	703.2258065	16095.45294	30000	0	0	30000	29.5625	2004
12.02.2020 08:09:35	1	1	1	1	137.3	49.5	0	22748.815	703.2258065	15997.60824	30000	0	0	30000	29.0625	2004
12.02.2020 08:09:36	1	1	1	1	137.3	49	0	22748.815	703.2258065	16128.88321	30000	0	0	30000	29.0625	2004
12.02.2020 08:09:38	1	1	1	1	137.3	49	0	22559.242	707.5268817	16057.9458	30000	0	0	30000	29.5625	2004
12.02.2020 08:09:44	1	1	1	1	137.3	50.75	0	23080.569	694.6236559	16031.85389	30000	0	0	30000	29.4375	2004
12.02.2020 08:09:44	1	1	1	1	137.3	50.75	0	23080.569	694.6236559	16031.85389	30000	0	0	30000	29.4375	2004
12.02.2020 08:09:44	1	1	1	1	137.3	50.75	0	23080.569	694.6236559	16031.85389	30000	0	0	30000	29.4375	2004
12.02.2020 08:09:44	1	1	1	1	137.3	50.75	0	23080.569	694.6236559	16031.85389	30000	0	0	30000	29.4375	2004
12.02.2020 08:09:44	1	1	1	1	137	49.25	0	22890.995	696.7741935	15900.57891	30000	0	0	30000	28.625	2004
12.02.2020 08:09:45	1	1	1	1	137	48.5	0	22843.602	701.0752688	15965.80871	30000	0	0	30000	30.375	2004
12.02.2020 08:09:46	1	1	1	1	137	50.25	0	23033.175	701.0752688	16147.63678	30000	0	0	30000	30.25	2004
12.02.2020 08:09:47	1	1	1	1	137	50.25	0	22796.209	701.0752688	15932.37844	30000	0	0	30000	28.875	2004
12.02.2020 08:09:48	1	1	1	1	137	48.75	0	22748.815	698.9247312	15899.76354	30000	0	0	30000	29.1875	2004
12.02.2020 08:09:49	1	1	1	1	137	49	0	22890.995	694.6236559	15998.42361	30000	0	0	30000	29.25	2004
12.02.2020 08:09:50	1	1	1	1	137	49.25	0	23080.569	694.6236559	16031.85389	30000	0	0	30000	30.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 08:09:51	1	1	1	1	137	50.25	0	22890.995	701.0752688	15998.42361	30000	0	0	30000	30.4375	2004
12.02.2020 08:09:52	1	1	1	1	137	50.25	0	22890.995	694.6236559	15900.57891	30000	0	0	30000	29.3125	2004
12.02.2020 08:09:53	1	1	1	1	137.3	49.25	0	22890.995	703.2258065	15998.42361	30000	0	0	30000	28.9375	2004
12.02.2020 08:09:54	1	1	1	1	137.3	48.75	0	22748.815	694.6236559	15899.76354	30000	0	0	30000	28.5	2004
12.02.2020 08:09:55	1	1	1	1	137.3	48.5	0	22748.815	701.0752688	15997.60824	30000	0	0	30000	30.25	2004
12.02.2020 08:09:56	1	1	1	1	137.3	50.25	0	22748.815	694.6236559	15899.76354	30000	0	0	30000	28.9375	2004
12.02.2020 08:09:57	1	1	1	1	137.3	48.75	0	22796.209	703.2258065	16030.22314	30000	0	0	30000	29.75	2004
12.02.2020 08:09:58	1	1	1	1	137.3	49.75	0	22890.995	701.0752688	15998.42361	30000	0	0	30000	30.375	2004
12.02.2020 08:09:59	1	1	1	1	137.3	50.25	0	22985.782	692.4731183	15867.14864	30000	0	0	30000	30	2004
12.02.2020 08:10:00	1	1	1	1	137.3	50	0	23080.569	690.3225806	15932.37844	30000	0	0	30000	30.3125	2004
12.02.2020 08:10:01	1	1	1	1	137.3	50.25	0	23317.536	690.3225806	16013.91569	30000	0	0	30000	30.3125	2004
12.02.2020 08:10:02	1	1	1	1	137.3	50.25	0	23222.749	690.3225806	16031.03851	30000	0	0	30000	30.0625	2004
12.02.2020 08:10:03	1	1	1	1	137	50	0	23270.142	688.172043	15813.33406	30000	0	0	30000	29.6875	2004
12.02.2020 08:10:04	1	1	1	1	137	49.5	0	23222.749	694.6236559	16130.51396	30000	0	0	30000	30	2004
12.02.2020 08:10:05	1	1	1	1	137	50	0	23080.569	692.4731183	15932.37844	30000	0	0	30000	29.5	2004
12.02.2020 08:10:06	1	1	1	1	137	49.5	0	22890.995	694.6236559	15900.57891	30000	0	0	30000	29.375	2004
12.02.2020 08:10:07	1	1	1	1	137	49.25	0	22985.782	694.6236559	15999.23899	30000	0	0	30000	29.9375	2004
12.02.2020 08:10:08	1	1	1	1	137	49.75	0	22985.782	688.172043	15965.80871	30000	0	0	30000	29.3125	2004
12.02.2020 08:10:09	1	1	1	1	137	49.25	0	23175.355	694.6236559	15998.42361	30000	0	0	30000	29.75	2004
12.02.2020 08:10:10	1	1	1	1	137	49.75	0	23080.569	690.3225806	15932.37844	30000	0	0	30000	29.9375	2004
12.02.2020 08:10:11	1	1	1	1	137	49.75	0	23175.355	690.3225806	15932.37844	30000	0	0	30000	30.4375	2004
12.02.2020 08:10:12	1	1	1	1	137	50.25	0	23222.749	694.6236559	16130.51396	30000	0	0	30000	30.3125	2004
12.02.2020 08:10:13	1	1	1	1	137	50.25	0	23080.569	688.172043	15998.42361	30000	0	0	30000	28.5	2004
12.02.2020 08:10:15	1	1	1	1	137	48.5	0	22890.995	694.6236559	15998.42361	30000	0	0	30000	30.5	2004
12.02.2020 08:10:16	1	1	1	1	137	50.5	0	22890.995	696.7741935	15900.57891	30000	0	0	30000	30.625	2004
12.02.2020 08:10:17	1	1	1	1	137	50.5	0	22890.995	701.0752688	15867.14864	30000	0	0	30000	29.8125	2004
12.02.2020 08:10:18	1	1	1	1	137	49.75	0	23033.175	696.7741935	15965.80871	30000	0	0	30000	29.375	2004
12.02.2020 08:10:19	1	1	1	1	137	49.25	0	22796.209	703.2258065	16030.22314	30000	0	0	30000	30.625	2004
12.02.2020 08:10:20	1	1	1	1	137	50.5	0	22890.995	701.0752688	16048.16134	30000	0	0	30000	29.5	2004
12.02.2020 08:10:21	1	1	1	1	137	49.5	0	23033.175	694.6236559	15965.80871	30000	0	0	30000	30.8125	2004
12.02.2020 08:10:22	1	1	1	1	137	50	0	23270.142	688.172043	15981.30079	30000	0	0	30000	30.375	2004
12.02.2020 08:10:23	1	1	1	1	137.8	50.25	0	23175.355	690.3225806	15998.42361	30000	0	0	30000	30.25	2004
12.02.2020 08:10:24	1	1	1	1	137.8	50.25	0	22890.995	688.172043	15900.57891	30000	0	0	30000	29.8125	2004
12.02.2020 08:10:25	1	1	1	1	137.8	49.75	0	23080.569	690.3225806	15932.37844	30000	0	0	30000	29.8125	2004
12.02.2020 08:10:26	1	1	1	1	137.8	49.75	0	23270.142	688.172043	16013.91569	30000	0	0	30000	29.25	2004
12.02.2020 08:10:27	1	1	1	1	137.8	49.25	0	23175.355	675.2688172	15981.30079	30000	0	0	30000	29.1875	2004
12.02.2020 08:10:28	1	1	1	1	137.8	49	0	23175.355	690.3225806	16031.03851	30000	0	0	30000	29.25	2004
12.02.2020 08:10:29	1	1	1	1	137.8	49.25	0	23080.569	694.6236559	16031.85389	30000	0	0	30000	29.8125	2004
12.02.2020 08:10:30	1	1	1	1	137.8	49.75	0	23222.749	688.172043	16013.91569	30000	0	0	30000	30.5	2004
12.02.2020 08:10:31	1	1	1	1	137.8	50.5	0	23175.355	688.172043	16031.03851	30000	0	0	30000	29.9375	2004
12.02.2020 08:10:32	1	1	1	1	137.8	49.75	0	23222.749	688.172043	15981.30079	30000	0	0	30000	30.1875	2004
12.02.2020 08:10:33	1	1	1	1	137.3	50	0	23270.142	688.172043	16013.91569	30000	0	0	30000	29.3125	2004
12.02.2020 08:10:34	1	1	1	1	137.3	49.25	0	23222.749	688.172043	15981.30079	30000	0	0	30000	29.9375	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 08:10:35	1	1	1	1	137.3	49.75	0	23080.569	688.172043	16031.85389	30000	0	0	30000	30.25	2004
12.02.2020 08:10:36	1	1	1	1	137.3	50.25	0	23222.749	694.6236559	16163.94423	30000	0	0	30000	30.25	2004
12.02.2020 08:10:37	1	1	1	1	137.3	50.25	0	23033.175	690.3225806	15899.76354	30000	0	0	30000	29.75	2004
12.02.2020 08:10:38	1	1	1	1	137.3	49.75	0	22890.995	694.6236559	16163.94423	30000	0	0	30000	29.875	2004
12.02.2020 08:10:39	1	1	1	1	137.3	49.75	0	22890.995	694.6236559	15998.42361	30000	0	0	30000	29.5	2004
12.02.2020 08:10:45	1	1	1	1	137.5	49.75	0	23222.749	698.9247312	15883.45609	30000	0	0	30000	30.1875	2004
12.02.2020 08:10:45	1	1	1	1	137.5	49.75	0	23222.749	698.9247312	15883.45609	30000	0	0	30000	30.1875	2004
12.02.2020 08:10:45	1	1	1	1	137.5	49.75	0	23222.749	698.9247312	15883.45609	30000	0	0	30000	30.1875	2004
12.02.2020 08:10:45	1	1	1	1	137.5	49.75	0	23222.749	698.9247312	15883.45609	30000	0	0	30000	30.1875	2004
12.02.2020 08:10:45	1	1	1	1	137.5	50	0	23080.569	688.172043	15883.45609	30000	0	0	30000	30.125	2004
12.02.2020 08:10:46	1	1	1	1	137.5	50	0	23175.355	694.6236559	15932.37844	30000	0	0	30000	30.0625	2004
12.02.2020 08:10:47	1	1	1	1	137.5	50	0	23080.569	688.172043	15932.37844	30000	0	0	30000	29.375	2004
12.02.2020 08:10:48	1	1	1	1	137.5	49.25	0	23175.355	688.172043	15948.68589	30000	0	0	30000	30.25	2004
12.02.2020 08:10:49	1	1	1	1	137.5	50.25	0	23175.355	690.3225806	15998.42361	30000	0	0	30000	30.4375	2004
12.02.2020 08:10:50	1	1	1	1	137.5	50.25	0	23412.322	688.172043	16144.37529	30000	0	0	30000	30.6875	2004
12.02.2020 08:10:51	1	1	1	1	137.5	50.5	0	23175.355	692.4731183	15998.42361	30000	0	0	30000	29.0625	2004
12.02.2020 08:10:52	1	1	1	1	137.5	49	0	22985.782	690.3225806	15867.14864	30000	0	0	30000	29.125	2004
12.02.2020 08:10:53	1	1	1	1	138	49	0	23270.142	688.172043	16013.91569	30000	0	0	30000	29.9375	2004
12.02.2020 08:10:54	1	1	1	1	138	49.75	0	23270.142	690.3225806	16013.91569	30000	0	0	30000	29.75	2004
12.02.2020 08:10:55	1	1	1	1	138	49.75	0	23175.355	690.3225806	15998.42361	30000	0	0	30000	28.5625	2004
12.02.2020 08:10:57	1	1	1	1	138	48.5	0	23175.355	688.172043	15948.68589	30000	0	0	30000	30	2004
12.02.2020 08:10:58	1	1	1	1	138	50	0	23175.355	690.3225806	15998.42361	30000	0	0	30000	30.5	2004
12.02.2020 08:10:59	1	1	1	1	138	50.5	0	23080.569	690.3225806	15932.37844	30000	0	0	30000	30.25	2004
12.02.2020 08:11:00	1	1	1	1	138	50.25	0	23080.569	692.4731183	15883.45609	30000	0	0	30000	29.625	2004
12.02.2020 08:11:01	1	1	1	1	138	49.5	0	23080.569	688.172043	15883.45609	30000	0	0	30000	29.375	2004
12.02.2020 08:11:02	1	1	1	1	138	49.25	0	23175.355	688.172043	15948.68589	30000	0	0	30000	30.75	2004
12.02.2020 08:11:03	1	1	1	1	138	50.5	0	23222.749	688.172043	15486.36969	30000	0	0	30000	29.375	2004
12.02.2020 08:11:04	1	1	1	1	138	49.25	0	23175.355	688.172043	15948.68589	30000	0	0	30000	30.0625	2004
12.02.2020 08:11:05	1	1	1	1	138	50	0	23175.355	688.172043	15948.68589	30000	0	0	30000	29.1875	2004
12.02.2020 08:11:06	1	1	1	1	138	49	0	23317.536	688.172043	16046.53059	30000	0	0	30000	30.625	2004
12.02.2020 08:11:07	1	1	1	1	138	50.5	0	23175.355	688.172043	15998.42361	30000	0	0	30000	29.5625	2004
12.02.2020 08:11:08	1	1	1	1	138	49.5	0	23270.142	688.172043	16013.91569	30000	0	0	30000	29.875	2004
12.02.2020 08:11:09	1	1	1	1	138	49.75	0	23364.929	688.172043	16079.14549	30000	0	0	30000	30.0625	2004
12.02.2020 08:11:10	1	1	1	1	138	50	0	23459.716	688.172043	16144.37529	30000	0	0	30000	30.25	2004
12.02.2020 08:11:11	1	1	1	1	138	50.25	0	23270.142	688.172043	16013.91569	30000	0	0	30000	30.5625	2004
12.02.2020 08:11:12	1	1	1	1	138	50.5	0	23364.929	688.172043	15795.39586	30000	0	0	30000	30.3125	2004
12.02.2020 08:11:13	1	1	1	1	138.5	50.25	0	23175.355	690.3225806	16063.65341	30000	0	0	30000	30.4375	2004
12.02.2020 08:11:14	1	1	1	1	138.5	50.25	0	23080.569	698.9247312	16131.32933	30000	0	0	30000	30.25	2004
12.02.2020 08:11:15	1	1	1	1	138.5	50.25	0	22938.389	698.9247312	16065.28416	30000	0	0	30000	29.8125	2004
12.02.2020 08:11:16	1	1	1	1	138.5	49.75	0	23033.175	696.7741935	16097.89906	30000	0	0	30000	29.5625	2004
12.02.2020 08:11:17	1	1	1	1	138.5	49.5	0	23033.175	694.6236559	16031.85389	30000	0	0	30000	29.375	2004
12.02.2020 08:11:18	1	1	1	1	138.5	49.25	0	22985.782	698.9247312	16015.54644	30000	0	0	30000	30	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 08:11:19	1	1	1	1	138.5	50	0	23033.175	694.6236559	16031.85389	30000	0	0	30000	29.375	2004
12.02.2020 08:11:20	1	1	1	1	138.5	49.25	0	23080.569	694.6236559	15982.11616	30000	0	0	30000	30.5625	2004
12.02.2020 08:11:21	1	1	1	1	138.5	50.5	0	22985.782	690.3225806	15867.14864	30000	0	0	30000	30.3125	2004
12.02.2020 08:11:22	1	1	1	1	138.5	50.25	0	23033.175	694.6236559	15999.23899	30000	0	0	30000	30.0625	2004
12.02.2020 08:11:23	1	1	1	1	138.5	50	0	23033.175	694.6236559	16031.85389	30000	0	0	30000	29.6875	2004
12.02.2020 08:11:24	1	1	1	1	138.5	49.5	0	22985.782	694.6236559	15965.80871	30000	0	0	30000	29	2004
12.02.2020 08:11:25	1	1	1	1	138.5	49	0	23033.175	690.3225806	15965.80871	30000	0	0	30000	29.6875	2004
12.02.2020 08:11:26	1	1	1	1	138.5	49.5	0	23080.569	696.7741935	16230.80477	30000	0	0	30000	29.8125	2004
12.02.2020 08:11:27	1	1	1	1	138.5	49.75	0	22938.389	692.4731183	15900.57891	30000	0	0	30000	29.75	2004
12.02.2020 08:11:28	1	1	1	1	138.5	49.75	0	23080.569	694.6236559	16031.85389	30000	0	0	30000	29.875	2004
12.02.2020 08:11:29	1	1	1	1	138.5	49.75	0	23033.175	698.9247312	16097.89906	30000	0	0	30000	30.25	2004
12.02.2020 08:11:30	1	1	1	1	138.5	50.25	0	22890.995	696.7741935	15998.42361	30000	0	0	30000	28.4375	2004
12.02.2020 08:11:31	1	1	1	1	138.5	48.25	0	22796.209	701.0752688	16030.22314	30000	0	0	30000	30.25	2004
12.02.2020 08:11:32	1	1	1	1	138.5	50.25	0	22748.815	701.0752688	15899.76354	30000	0	0	30000	29.25	2004
12.02.2020 08:11:34	1	1	1	1	138.5	49.25	0	22559.242	703.2258065	15863.88715	30000	0	0	30000	28.625	2004
12.02.2020 08:11:35	1	1	1	1	138.5	48.5	0	22890.995	701.0752688	16097.08368	30000	0	0	30000	29.8125	2004
12.02.2020 08:11:36	1	1	1	1	138.5	49.75	0	22985.782	696.7741935	16065.28416	30000	0	0	30000	29.6875	2004
12.02.2020 08:11:37	1	1	1	1	138.5	49.5	0	22985.782	698.9247312	16065.28416	30000	0	0	30000	30.625	2004
12.02.2020 08:11:38	1	1	1	1	138.5	50.5	0	23175.355	694.6236559	16197.3745	30000	0	0	30000	30.0625	2004
12.02.2020 08:11:39	1	1	1	1	138.5	50	0	23270.142	690.3225806	15948.68589	30000	0	0	30000	29.6875	2004
12.02.2020 08:11:40	1	1	1	1	138.5	49.5	0	23175.355	688.172043	15981.30079	30000	0	0	30000	30.9375	2004
12.02.2020 08:11:41	1	1	1	1	138.5	49.25	0	23317.536	688.172043	16013.91569	30000	0	0	30000	29.3125	2004
12.02.2020 08:11:47	1	1	1	1	139.3	49	0	23080.569	692.4731183	15932.37844	30000	0	0	30000	30	2004
12.02.2020 08:11:47	1	1	1	1	139.3	49	0	23080.569	692.4731183	15932.37844	30000	0	0	30000	30	2004
12.02.2020 08:11:47	1	1	1	1	139.3	49	0	23080.569	692.4731183	15932.37844	30000	0	0	30000	30	2004
12.02.2020 08:11:47	1	1	1	1	139.3	49	0	23080.569	692.4731183	15932.37844	30000	0	0	30000	30	2004
12.02.2020 08:11:47	1	1	1	1	139.3	50	0	23459.716	688.172043	16144.37529	30000	0	0	30000	29.8125	2004
12.02.2020 08:11:48	1	1	1	1	139.3	49.75	0	23222.749	688.172043	16013.91569	30000	0	0	30000	30.0625	2004
12.02.2020 08:11:49	1	1	1	1	139.3	50	0	23364.929	688.172043	15726.90457	30000	0	0	30000	30.4375	2004
12.02.2020 08:11:50	1	1	1	1	139.3	50.25	0	23175.355	675.2688172	15730.98144	30000	0	0	30000	28.8125	2004
12.02.2020 08:11:51	1	1	1	1	139.3	48.75	0	23080.569	688.172043	15883.45609	30000	0	0	30000	29.8125	2004
12.02.2020 08:11:52	1	1	1	1	139.3	49.75	0	23033.175	690.3225806	15899.76354	30000	0	0	30000	28.875	2004
12.02.2020 08:11:53	1	1	1	1	139.3	48.75	0	23080.569	690.3225806	16097.89906	30000	0	0	30000	30.25	2004
12.02.2020 08:11:54	1	1	1	1	139.3	50.25	0	23222.749	694.6236559	16097.89906	30000	0	0	30000	29.75	2004
12.02.2020 08:11:55	1	1	1	1	139.3	49.75	0	23033.175	694.6236559	15999.23899	30000	0	0	30000	30.75	2004
12.02.2020 08:11:56	1	1	1	1	139.3	50.75	0	23175.355	694.6236559	16031.85389	30000	0	0	30000	30.1875	2004
12.02.2020 08:11:57	1	1	1	1	139.3	50	0	23080.569	688.172043	15883.45609	30000	0	0	30000	28.75	2004
12.02.2020 08:11:58	1	1	1	1	139.3	48.75	0	23175.355	688.172043	15932.37844	30000	0	0	30000	29.875	2004
12.02.2020 08:11:59	1	1	1	1	139.3	49.75	0	23270.142	688.172043	16046.53059	30000	0	0	30000	30.4375	2004
12.02.2020 08:12:00	1	1	1	1	139.3	50.25	0	23270.142	688.172043	16013.91569	30000	0	0	30000	29.875	2004
12.02.2020 08:12:01	1	1	1	1	139.3	49.75	0	23270.142	688.172043	16013.91569	30000	0	0	30000	30.25	2004
12.02.2020 08:12:02	1	1	1	1	139.3	50.25	0	23270.142	688.172043	16013.91569	30000	0	0	30000	30.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 08:12:03	1	1	1	1	140	50.25	0	23222.749	688.172043	15599.70647	30000	0	0	30000	30.625	2004
12.02.2020 08:12:04	1	1	1	1	140	50.5	0	23317.536	675.2688172	15795.39586	30000	0	0	30000	30.8125	2004
12.02.2020 08:12:05	1	1	1	1	140	50.75	0	23270.142	688.172043	16013.91569	30000	0	0	30000	29.625	2004
12.02.2020 08:12:06	1	1	1	1	140	49.5	0	23270.142	688.172043	16013.91569	30000	0	0	30000	30.5625	2004
12.02.2020 08:12:07	1	1	1	1	140	50.5	0	23270.142	688.172043	16013.91569	30000	0	0	30000	30.8125	2004
12.02.2020 08:12:08	1	1	1	1	140	50.75	0	23270.142	688.172043	16031.03851	30000	0	0	30000	29.4375	2004
12.02.2020 08:12:09	1	1	1	1	140	49.25	0	23175.355	690.3225806	15998.42361	30000	0	0	30000	28.5	2004
12.02.2020 08:12:10	1	1	1	1	140	48.5	0	23270.142	688.172043	16013.91569	30000	0	0	30000	30.375	2004
12.02.2020 08:12:11	1	1	1	1	140	50.25	0	23175.355	690.3225806	15998.42361	30000	0	0	30000	30.25	2004
12.02.2020 08:12:13	1	1	1	1	140	50.25	0	22985.782	690.3225806	15867.14864	30000	0	0	30000	30.25	2004
12.02.2020 08:12:14	1	1	1	1	139.3	50.25	0	23080.569	694.6236559	15982.11616	30000	0	0	30000	29.125	2004
12.02.2020 08:12:15	1	1	1	1	139.3	49	0	23175.355	690.3225806	15932.37844	30000	0	0	30000	30.25	2004
12.02.2020 08:12:16	1	1	1	1	139.3	50.25	0	23270.142	690.3225806	15981.30079	30000	0	0	30000	29.5	2004
12.02.2020 08:12:17	1	1	1	1	139.3	49.5	0	23270.142	688.172043	16013.91569	30000	0	0	30000	30	2004
12.02.2020 08:12:18	1	1	1	1	139.3	50	0	23080.569	688.172043	16031.85389	30000	0	0	30000	31.1875	2004
12.02.2020 08:12:19	1	1	1	1	139.3	51	0	23270.142	690.3225806	16031.03851	30000	0	0	30000	29.6875	2004
12.02.2020 08:12:20	1	1	1	1	139.3	50.5	0	23175.355	690.3225806	15998.42361	30000	0	0	30000	30.3125	2004
12.02.2020 08:12:21	1	1	1	1	139.3	50.25	0	23080.569	694.6236559	16031.85389	30000	0	0	30000	30	2004
12.02.2020 08:12:22	1	1	1	1	139.3	50	0	23222.749	688.172043	15948.68589	30000	0	0	30000	30.5625	2004
12.02.2020 08:12:23	1	1	1	1	139	50.5	0	23175.355	694.6236559	16097.89906	30000	0	0	30000	31	2004
12.02.2020 08:12:24	1	1	1	1	139	51	0	23080.569	692.4731183	15932.37844	30000	0	0	30000	30.625	2004
12.02.2020 08:12:25	1	1	1	1	139	50.5	0	23080.569	694.6236559	16031.85389	30000	0	0	30000	29.625	2004
12.02.2020 08:12:26	1	1	1	1	139	49.5	0	23080.569	696.7741935	16131.32933	30000	0	0	30000	30.6875	2004
12.02.2020 08:12:27	1	1	1	1	139	50.5	0	23080.569	694.6236559	16230.80477	30000	0	0	30000	30.8125	2004
12.02.2020 08:12:28	1	1	1	1	139	50.75	0	23033.175	694.6236559	15999.23899	30000	0	0	30000	30.125	2004
12.02.2020 08:12:29	1	1	1	1	139	50	0	23080.569	690.3225806	15932.37844	30000	0	0	30000	29.6875	2004
12.02.2020 08:12:30	1	1	1	1	139	49.5	0	23080.569	690.3225806	15932.37844	30000	0	0	30000	29.75	2004
12.02.2020 08:12:31	1	1	1	1	139	49.75	0	23459.716	688.172043	16111.76039	30000	0	0	30000	29.875	2004
12.02.2020 08:12:32	1	1	1	1	139	49.75	0	23222.749	688.172043	15981.30079	30000	0	0	30000	30.1875	2004
12.02.2020 08:12:33	1	1	1	1	139	50	0	23175.355	690.3225806	15932.37844	30000	0	0	30000	29.875	2004
12.02.2020 08:12:34	1	1	1	1	139	49.75	0	23222.749	694.6236559	15998.42361	30000	0	0	30000	30.4375	2004
12.02.2020 08:12:35	1	1	1	1	139	50.25	0	23222.749	688.172043	16013.91569	30000	0	0	30000	29.5	2004
12.02.2020 08:12:36	1	1	1	1	139	49.5	0	23270.142	688.172043	16013.91569	30000	0	0	30000	29.8125	2004
12.02.2020 08:12:37	1	1	1	1	139	49.75	0	23270.142	688.172043	16013.91569	30000	0	0	30000	29.1875	2004
12.02.2020 08:12:38	1	1	1	1	139	49	0	23317.536	688.172043	16013.91569	30000	0	0	30000	30.25	2004
12.02.2020 08:12:39	1	1	1	1	139	50.25	0	23270.142	688.172043	16013.91569	30000	0	0	30000	30.5	2004
12.02.2020 08:12:40	1	1	1	1	139	50.5	0	23080.569	692.4731183	16031.85389	30000	0	0	30000	30.625	2004
12.02.2020 08:12:41	1	1	1	1	139	50.5	0	23033.175	694.6236559	15999.23899	30000	0	0	30000	29.5625	2004
12.02.2020 08:12:42	1	1	1	1	139	49.5	0	22985.782	694.6236559	15965.80871	30000	0	0	30000	30.875	2004
12.02.2020 08:12:48	1	1	1	1	139.3	49	0	22796.209	694.6236559	15998.42361	30000	0	0	30000	30.4375	2004
12.02.2020 08:12:48	1	1	1	1	139.3	49	0	22796.209	694.6236559	15998.42361	30000	0	0	30000	30.4375	2004
12.02.2020 08:12:48	1	1	1	1	139.3	49	0	22796.209	694.6236559	15998.42361	30000	0	0	30000	30.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 08:12:48	1	1	1	1	139.3	49	0	22796.209	694.6236559	15998.42361	30000	0	0	30000	30.4375	2004
12.02.2020 08:12:48	1	1	1	1	139.3	49	0	22796.209	694.6236559	15998.42361	30000	0	0	30000	30.4375	2004
12.02.2020 08:12:49	1	1	1	1	139.3	50.25	0	22985.782	698.9247312	16197.3745	30000	0	0	30000	30.25	2004
12.02.2020 08:12:50	1	1	1	1	139.3	50.25	0	23033.175	692.4731183	16031.85389	30000	0	0	30000	31	2004
12.02.2020 08:12:51	1	1	1	1	139.3	51	0	23175.355	694.6236559	15883.45609	30000	0	0	30000	30.625	2004
12.02.2020 08:12:52	1	1	1	1	139.3	50.5	0	22985.782	694.6236559	15965.80871	30000	0	0	30000	31.0625	2004
12.02.2020 08:12:53	1	1	1	1	139.5	51	0	23175.355	694.6236559	16031.85389	30000	0	0	30000	30.0625	2004
12.02.2020 08:12:55	1	1	1	1	139.5	50	0	23175.355	690.3225806	16031.03851	30000	0	0	30000	30.75	2004
12.02.2020 08:12:56	1	1	1	1	139.5	50.75	0	23222.749	694.6236559	15998.42361	30000	0	0	30000	29.8125	2004
12.02.2020 08:12:57	1	1	1	1	139.5	49.75	0	23175.355	692.4731183	15932.37844	30000	0	0	30000	30	2004
12.02.2020 08:12:58	1	1	1	1	139.5	50	0	23033.175	698.9247312	16097.89906	30000	0	0	30000	30.3125	2004
12.02.2020 08:12:59	1	1	1	1	139.5	50.25	0	22890.995	696.7741935	15900.57891	30000	0	0	30000	30.5	2004
12.02.2020 08:13:00	1	1	1	1	139.5	50.5	0	22843.602	701.0752688	16014.73106	30000	0	0	30000	31	2004
12.02.2020 08:13:01	1	1	1	1	139.5	51	0	22890.995	696.7741935	15900.57891	30000	0	0	30000	31.1875	2004
12.02.2020 08:13:02	1	1	1	1	139.5	51	0	23080.569	694.6236559	16131.32933	30000	0	0	30000	31.1875	2004
12.02.2020 08:13:03	1	1	1	1	139.5	51	0	22890.995	694.6236559	15900.57891	30000	0	0	30000	31	2004
12.02.2020 08:13:04	1	1	1	1	139.3	50.25	0	22796.209	694.6236559	15834.53374	30000	0	0	30000	30.8125	2004
12.02.2020 08:13:05	1	1	1	1	139.3	50.75	0	23033.175	694.6236559	16230.80477	30000	0	0	30000	30.875	2004
12.02.2020 08:13:06	1	1	1	1	139.3	50.75	0	23080.569	692.4731183	15899.76354	30000	0	0	30000	29.8125	2004
12.02.2020 08:13:07	1	1	1	1	139.3	49.75	0	23080.569	701.0752688	16131.32933	30000	0	0	30000	30.4375	2004
12.02.2020 08:13:08	1	1	1	1	139.3	50.25	0	22890.995	690.3225806	15867.14864	30000	0	0	30000	30.8125	2004
12.02.2020 08:13:09	1	1	1	1	139.3	50.75	0	22843.602	701.0752688	16063.65341	30000	0	0	30000	30	2004
12.02.2020 08:13:10	1	1	1	1	139.3	50	0	22748.815	698.9247312	15981.30079	30000	0	0	30000	29.375	2004
12.02.2020 08:13:11	1	1	1	1	139.3	49.25	0	23080.569	694.6236559	16031.85389	30000	0	0	30000	29.375	2004
12.02.2020 08:13:12	1	1	1	1	139.3	49.25	0	22890.995	692.4731183	15965.80871	30000	0	0	30000	29.9375	2004
12.02.2020 08:13:13	1	1	1	1	139.3	49.75	0	22890.995	701.0752688	16097.08368	30000	0	0	30000	30.4375	2004
12.02.2020 08:13:14	1	1	1	1	139.3	50.25	0	23080.569	694.6236559	15999.23899	30000	0	0	30000	30.9375	2004
12.02.2020 08:13:15	1	1	1	1	139.3	50.75	0	23033.175	694.6236559	15965.80871	30000	0	0	30000	30.8125	2004
12.02.2020 08:13:16	1	1	1	1	139.3	50.75	0	23080.569	690.3225806	15932.37844	30000	0	0	30000	28.625	2004
12.02.2020 08:13:17	1	1	1	1	139.3	48.5	0	23080.569	692.4731183	15899.76354	30000	0	0	30000	30.3125	2004
12.02.2020 08:13:18	1	1	1	1	139.3	50.25	0	22890.995	698.9247312	15998.42361	30000	0	0	30000	30.9375	2004
12.02.2020 08:13:19	1	1	1	1	139.3	50.75	0	22843.602	694.6236559	15998.42361	30000	0	0	30000	30.25	2004
12.02.2020 08:13:20	1	1	1	1	139.3	50.25	0	23033.175	696.7741935	15999.23899	30000	0	0	30000	30.75	2004
12.02.2020 08:13:21	1	1	1	1	139.3	50.75	0	22843.602	701.0752688	15932.37844	30000	0	0	30000	30.875	2004
12.02.2020 08:13:22	1	1	1	1	139.3	50.75	0	22843.602	703.2258065	16030.22314	30000	0	0	30000	30.625	2004
12.02.2020 08:13:23	1	1	1	1	139.5	50.5	0	22796.209	703.2258065	16030.22314	30000	0	0	30000	30.3125	2004
12.02.2020 08:13:24	1	1	1	1	139.5	50.25	0	22890.995	698.9247312	15998.42361	30000	0	0	30000	30.25	2004
12.02.2020 08:13:25	1	1	1	1	139.5	50.25	0	22890.995	701.0752688	15998.42361	30000	0	0	30000	30.25	2004
12.02.2020 08:13:26	1	1	1	1	139.5	50.25	0	23080.569	694.6236559	16131.32933	30000	0	0	30000	30.6875	2004
12.02.2020 08:13:27	1	1	1	1	139.5	50.5	0	22985.782	698.9247312	16065.28416	30000	0	0	30000	30.4375	2004
12.02.2020 08:13:28	1	1	1	1	139.5	50.25	0	22890.995	703.2258065	15900.57891	30000	0	0	30000	30.5625	2004
12.02.2020 08:13:29	1	1	1	1	139.5	50.5	0	22796.209	698.9247312	16048.16134	30000	0	0	30000	29.75	2004
12.02.2020 08:13:30	1	1	1	1	139.5	49.75	0	22890.995	701.0752688	16097.08368	30000	0	0	30000	30.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 08:13:31	1	1	1	1	139.5	50.25	0	22890.995	701.0752688	15834.53374	30000	0	0	30000	30.875	2004
12.02.2020 08:13:32	1	1	1	1	139.5	50.75	0	22511.848	709.6774194	15715.48936	30000	0	0	30000	30.5625	2004
12.02.2020 08:13:33	1	1	1	1	140	50.5	0	22748.815	709.6774194	15863.88715	30000	0	0	30000	30.3125	2004
12.02.2020 08:13:35	1	1	1	1	140	50.25	0	22417.062	713.9784946	16004.94659	30000	0	0	30000	30.1875	2004
12.02.2020 08:13:36	1	1	1	1	140	50	0	22417.062	711.827957	15956.83962	30000	0	0	30000	28.8125	2004
12.02.2020 08:13:37	1	1	1	1	140	48.75	0	22417.062	711.827957	15908.73264	30000	0	0	30000	30.75	2004
12.02.2020 08:13:38	1	1	1	1	140	50.75	0	22464.455	713.9784946	16120.72949	30000	0	0	30000	29.5625	2004
12.02.2020 08:13:39	1	1	1	1	140	49.5	0	22511.848	709.6774194	16072.62251	30000	0	0	30000	30.25	2004
12.02.2020 08:13:40	1	1	1	1	140	50.25	0	22464.455	713.9784946	16039.19224	30000	0	0	30000	30.625	2004
12.02.2020 08:13:41	1	1	1	1	140	50.5	0	22559.242	709.6774194	16024.51553	30000	0	0	30000	30.5625	2004
12.02.2020 08:13:42	1	1	1	1	140	50.5	0	22511.848	713.9784946	16024.51553	30000	0	0	30000	30.5625	2004
12.02.2020 08:13:43	1	1	1	1	140	50.5	0	22417.062	713.9784946	15971.51632	30000	0	0	30000	29.8125	2004
12.02.2020 08:13:44	1	1	1	1	140.8	50.75	0	22511.848	718.2795699	16004.94659	30000	0	0	30000	31.125	2004
12.02.2020 08:13:50	1	1	1	1	140.8	50.5	0	22464.455	707.5268817	16072.62251	30000	0	0	30000	30.9375	2004
12.02.2020 08:13:50	1	1	1	1	140.8	50.5	0	22464.455	707.5268817	16072.62251	30000	0	0	30000	30.9375	2004
12.02.2020 08:13:50	1	1	1	1	140.8	50.5	0	22464.455	707.5268817	16072.62251	30000	0	0	30000	30.9375	2004
12.02.2020 08:13:50	1	1	1	1	140.8	50.5	0	22464.455	707.5268817	16072.62251	30000	0	0	30000	30.9375	2004
12.02.2020 08:13:50	1	1	1	1	140.8	50.75	0	22417.062	718.2795699	16053.05357	30000	0	0	30000	30.1875	2004
12.02.2020 08:13:53	1	1	1	1	140.8	49.75	0	22369.668	713.9784946	16004.94659	30000	0	0	30000	30.6875	2004
12.02.2020 08:13:53	1	1	1	1	140.8	49.75	0	22369.668	713.9784946	16004.94659	30000	0	0	30000	30.6875	2004
12.02.2020 08:13:53	1	1	1	1	140.8	50.5	0	22417.062	713.9784946	15971.51632	30000	0	0	30000	30.625	2004
12.02.2020 08:13:54	1	1	1	1	140.8	50.5	0	22322.275	713.9784946	15937.27068	30000	0	0	30000	30.375	2004
12.02.2020 08:13:55	1	1	1	1	140.8	50.25	0	22180.095	718.2795699	16013.10032	30000	0	0	30000	30.75	2004
12.02.2020 08:13:56	1	1	1	1	140.8	50.75	0	22274.882	720.4301075	16047.34596	30000	0	0	30000	29.75	2004
12.02.2020 08:13:57	1	1	1	1	140.8	49.75	0	22274.882	716.1290323	15985.37765	30000	0	0	30000	31.1875	2004
12.02.2020 08:13:58	1	1	1	1	140.8	51	0	22227.488	718.2795699	15849.21045	30000	0	0	30000	29.875	2004
12.02.2020 08:13:59	1	1	1	1	140.8	49.75	0	22322.275	718.2795699	16081.59161	30000	0	0	30000	30.1875	2004
12.02.2020 08:14:00	1	1	1	1	140.8	50	0	22369.668	713.9784946	15971.51632	30000	0	0	30000	31.0625	2004
12.02.2020 08:14:01	1	1	1	1	140.8	51	0	22322.275	718.2795699	16067.73027	30000	0	0	30000	31	2004
12.02.2020 08:14:02	1	1	1	1	140.8	51	0	22274.882	720.4301075	15964.99334	30000	0	0	30000	29.6875	2004
12.02.2020 08:14:03	1	1	1	1	140.5	49.5	0	22322.275	713.9784946	15985.37765	30000	0	0	30000	30.75	2004
12.02.2020 08:14:04	1	1	1	1	140.5	50.75	0	22417.062	718.2795699	16101.16055	30000	0	0	30000	31.25	2004
12.02.2020 08:14:05	1	1	1	1	140.5	51.25	0	22322.275	711.827957	15985.37765	30000	0	0	30000	30.625	2004
12.02.2020 08:14:06	1	1	1	1	140.5	50.5	0	22322.275	720.4301075	16081.59161	30000	0	0	30000	30.3125	2004
12.02.2020 08:14:07	1	1	1	1	140.5	50.25	0	22274.882	716.1290323	15985.37765	30000	0	0	30000	30.6875	2004
12.02.2020 08:14:08	1	1	1	1	140.5	50.5	0	22559.242	711.827957	16242.21999	30000	0	0	30000	30.625	2004
12.02.2020 08:14:09	1	1	1	1	140.5	50.5	0	22417.062	716.1290323	16053.05357	30000	0	0	30000	30.4375	2004
12.02.2020 08:14:10	1	1	1	1	140.5	50.25	0	22417.062	713.9784946	15956.83962	30000	0	0	30000	30.0625	2004
12.02.2020 08:14:11	1	1	1	1	140.5	50	0	22511.848	707.5268817	15927.48621	30000	0	0	30000	30.875	2004
12.02.2020 08:14:12	1	1	1	1	140.5	50.75	0	22559.242	711.827957	16057.9458	30000	0	0	30000	30.875	2004
12.02.2020 08:14:13	1	1	1	1	141	50.75	0	22417.062	709.6774194	16039.19224	30000	0	0	30000	30.3125	2004
12.02.2020 08:14:15	1	1	1	1	141	50.25	0	22511.848	713.9784946	16154.97513	30000	0	0	30000	31.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 08:14:16	1	1	1	1	141	51	0	22417.062	709.6774194	16072.62251	30000	0	0	30000	30.125	2004
12.02.2020 08:14:17	1	1	1	1	141	50	0	22748.815	703.2258065	15997.60824	30000	0	0	30000	30.1875	2004
12.02.2020 08:14:18	1	1	1	1	141	50	0	22748.815	703.2258065	15997.60824	30000	0	0	30000	30.75	2004
12.02.2020 08:14:19	1	1	1	1	141	50.75	0	22748.815	707.5268817	16095.45294	30000	0	0	30000	30.875	2004
12.02.2020 08:14:20	1	1	1	1	141	50.75	0	22559.242	707.5268817	15960.91648	30000	0	0	30000	30.5625	2004
12.02.2020 08:14:21	1	1	1	1	141	50.5	0	22417.062	707.5268817	15860.62566	30000	0	0	30000	31.375	2004
12.02.2020 08:14:22	1	1	1	1	141	51.25	0	22417.062	713.9784946	16004.94659	30000	0	0	30000	31.1875	2004
12.02.2020 08:14:23	1	1	1	1	141	51	0	22369.668	713.9784946	15971.51632	30000	0	0	30000	31.1875	2004
12.02.2020 08:14:24	1	1	1	1	140.8	50.5	0	22369.668	711.827957	16053.05357	30000	0	0	30000	30.1875	2004
12.02.2020 08:14:25	1	1	1	1	140.8	50	0	22559.242	713.9784946	16072.62251	30000	0	0	30000	29.9375	2004
12.02.2020 08:14:26	1	1	1	1	140.8	49.75	0	22417.062	713.9784946	16004.94659	30000	0	0	30000	30.25	2004
12.02.2020 08:14:27	1	1	1	1	140.8	50.25	0	22369.668	713.9784946	16019.6233	30000	0	0	30000	30.5625	2004
12.02.2020 08:14:28	1	1	1	1	140.8	50.5	0	22227.488	718.2795699	15897.31742	30000	0	0	30000	30.25	2004
12.02.2020 08:14:29	1	1	1	1	140.8	50.25	0	22369.668	713.9784946	16004.94659	30000	0	0	30000	30.0625	2004
12.02.2020 08:14:30	1	1	1	1	140.8	50	0	22322.275	713.9784946	15937.27068	30000	0	0	30000	31.1875	2004
12.02.2020 08:14:31	1	1	1	1	140.8	51	0	22369.668	713.9784946	15971.51632	30000	0	0	30000	31.125	2004
12.02.2020 08:14:32	1	1	1	1	140.8	51	0	22322.275	716.1290323	16019.6233	30000	0	0	30000	31.125	2004
12.02.2020 08:14:33	1	1	1	1	141	51	0	22559.242	707.5268817	15830.45688	30000	0	0	30000	30.5625	2004
12.02.2020 08:14:34	1	1	1	1	141	50.5	0	22796.209	703.2258065	16030.22314	30000	0	0	30000	30.6875	2004
12.02.2020 08:14:35	1	1	1	1	141	50.5	0	22796.209	703.2258065	15997.60824	30000	0	0	30000	30.5625	2004
12.02.2020 08:14:36	1	1	1	1	141	50.5	0	22417.062	709.6774194	16004.94659	30000	0	0	30000	29.9375	2004
12.02.2020 08:14:37	1	1	1	1	141	49.75	0	22559.242	711.827957	16057.9458	30000	0	0	30000	30.5625	2004
12.02.2020 08:14:38	1	1	1	1	141	50.5	0	22369.668	713.9784946	16019.6233	30000	0	0	30000	30.25	2004
12.02.2020 08:14:39	1	1	1	1	141	50.25	0	22274.882	718.2795699	15951.13201	30000	0	0	30000	29.375	2004
12.02.2020 08:14:40	1	1	1	1	141	49.25	0	22464.455	716.1290323	16087.29921	30000	0	0	30000	31.3125	2004
12.02.2020 08:14:41	1	1	1	1	141	51.25	0	22274.882	707.5268817	15841.05672	30000	0	0	30000	31.25	2004
12.02.2020 08:14:42	1	1	1	1	141	51.25	0	22322.275	707.5268817	15971.51632	30000	0	0	30000	30.4375	2004
12.02.2020 08:14:43	1	1	1	1	140.8	50.25	0	22417.062	713.9784946	15956.83962	30000	0	0	30000	30.875	2004
12.02.2020 08:14:44	1	1	1	1	140.8	50.75	0	22417.062	713.9784946	16053.05357	30000	0	0	30000	29.6875	2004
12.02.2020 08:14:45	1	1	1	1	140.8	49.5	0	22511.848	713.9784946	16072.62251	30000	0	0	30000	30.875	2004
12.02.2020 08:14:51	1	1	1	1	140.8	51	0	22748.815	707.5268817	16095.45294	30000	0	0	30000	31.0625	2004
12.02.2020 08:14:51	1	1	1	1	140.8	51	0	22748.815	707.5268817	16095.45294	30000	0	0	30000	31.0625	2004
12.02.2020 08:14:51	1	1	1	1	140.8	51	0	22748.815	707.5268817	16095.45294	30000	0	0	30000	31.0625	2004
12.02.2020 08:14:51	1	1	1	1	140.8	51	0	22748.815	707.5268817	16095.45294	30000	0	0	30000	31.0625	2004
12.02.2020 08:14:51	1	1	1	1	140.8	51	0	22748.815	707.5268817	16095.45294	30000	0	0	30000	31.0625	2004
12.02.2020 08:14:52	1	1	1	1	140.8	51	0	22748.815	707.5268817	16095.45294	30000	0	0	30000	31.0625	2004
12.02.2020 08:14:52	1	1	1	1	140.8	51	0	22559.242	707.5268817	16095.45294	30000	0	0	30000	31.0625	2004
12.02.2020 08:14:54	1	1	1	1	141.5	51	0	22559.242	709.6774194	16057.9458	30000	0	0	30000	30.1875	2004
12.02.2020 08:14:55	1	1	1	1	141.5	50	0	22559.242	709.6774194	15994.34675	30000	0	0	30000	31.25	2004
12.02.2020 08:14:56	1	1	1	1	141.5	51.25	0	22559.242	703.2258065	15997.60824	30000	0	0	30000	30.25	2004
12.02.2020 08:14:57	1	1	1	1	141.5	50.25	0	22559.242	713.9784946	16024.51553	30000	0	0	30000	31.0625	2004
12.02.2020 08:14:58	1	1	1	1	141.5	51	0	22417.062	709.6774194	16004.94659	30000	0	0	30000	30.9375	2004
12.02.2020 08:14:59	1	1	1	1	141.5	50.75	0	22511.848	707.5268817	15927.48621	30000	0	0	30000	30.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 08:15:00	1	1	1	1	141.5	50.75	0	22369.668	713.9784946	15971.51632	30000	0	0	30000	31.5	2004
12.02.2020 08:15:01	1	1	1	1	141.5	51.5	0	22559.242	709.6774194	16057.9458	30000	0	0	30000	30.625	2004
12.02.2020 08:15:02	1	1	1	1	141.5	50.5	0	22559.242	696.7741935	15863.88715	30000	0	0	30000	30.5625	2004
12.02.2020 08:15:03	1	1	1	1	141.5	50.5	0	22559.242	703.2258065	15863.88715	30000	0	0	30000	29.8125	2004
12.02.2020 08:15:04	1	1	1	1	142	51	0	22748.815	703.2258065	16095.45294	30000	0	0	30000	30.1875	2004
12.02.2020 08:15:05	1	1	1	1	142	50	0	22748.815	703.2258065	15997.60824	30000	0	0	30000	30.75	2004
12.02.2020 08:15:06	1	1	1	1	142	50.75	0	22748.815	709.6774194	16095.45294	30000	0	0	30000	30.125	2004
12.02.2020 08:15:07	1	1	1	1	142	50	0	22511.848	711.827957	15990.26989	30000	0	0	30000	30.25	2004
12.02.2020 08:15:08	1	1	1	1	142	50.25	0	22748.815	707.5268817	15997.60824	30000	0	0	30000	30.625	2004
12.02.2020 08:15:09	1	1	1	1	142	50.5	0	22559.242	703.2258065	16095.45294	30000	0	0	30000	30.1875	2004
12.02.2020 08:15:10	1	1	1	1	142	50	0	22748.815	707.5268817	15997.60824	30000	0	0	30000	31.3125	2004
12.02.2020 08:15:11	1	1	1	1	142	51.25	0	22748.815	707.5268817	16095.45294	30000	0	0	30000	30.6875	2004
12.02.2020 08:15:12	1	1	1	1	142	50.5	0	22748.815	707.5268817	15948.68589	30000	0	0	30000	29.6875	2004
12.02.2020 08:15:13	1	1	1	1	141.5	49.5	0	22511.848	711.827957	16106.86815	30000	0	0	30000	30.4375	2004
12.02.2020 08:15:14	1	1	1	1	141.5	50.25	0	22559.242	707.5268817	16144.37529	30000	0	0	30000	28.9375	2004
12.02.2020 08:15:15	1	1	1	1	141.5	48.75	0	22748.815	701.0752688	15997.60824	30000	0	0	30000	30.375	2004
12.02.2020 08:15:16	1	1	1	1	141.5	50.25	0	22748.815	703.2258065	15997.60824	30000	0	0	30000	30.875	2004
12.02.2020 08:15:17	1	1	1	1	141.5	50.75	0	22559.242	707.5268817	16193.29764	30000	0	0	30000	31.1875	2004
12.02.2020 08:15:18	1	1	1	1	141.5	51	0	22748.815	713.9784946	16193.29764	30000	0	0	30000	29.9375	2004
12.02.2020 08:15:19	1	1	1	1	141.5	49.75	0	22748.815	703.2258065	15997.60824	30000	0	0	30000	29.625	2004
12.02.2020 08:15:20	1	1	1	1	141.5	49.5	0	22748.815	703.2258065	16095.45294	30000	0	0	30000	31.4375	2004
12.02.2020 08:15:21	1	1	1	1	141.5	51.25	0	22369.668	713.9784946	15956.83962	30000	0	0	30000	29.4375	2004
12.02.2020 08:15:22	1	1	1	1	141.5	49.25	0	22417.062	711.827957	16004.94659	30000	0	0	30000	30.5625	2004
12.02.2020 08:15:23	1	1	1	1	141.3	50.5	0	22559.242	713.9784946	16057.9458	30000	0	0	30000	30.4375	2004
12.02.2020 08:15:24	1	1	1	1	141.3	50.25	0	22511.848	713.9784946	16072.62251	30000	0	0	30000	31.1875	2004
12.02.2020 08:15:25	1	1	1	1	141.3	51	0	22559.242	713.9784946	16057.9458	30000	0	0	30000	30.375	2004
12.02.2020 08:15:26	1	1	1	1	141.3	50.25	0	22559.242	707.5268817	16193.29764	30000	0	0	30000	30.75	2004
12.02.2020 08:15:27	1	1	1	1	141.3	50.75	0	22417.062	713.9784946	15763.59634	30000	0	0	30000	30.5625	2004
12.02.2020 08:15:28	1	1	1	1	141.3	50.5	0	22559.242	709.6774194	15927.48621	30000	0	0	30000	29.1875	2004
12.02.2020 08:15:29	1	1	1	1	141.3	49	0	22559.242	713.9784946	16106.86815	30000	0	0	30000	31.25	2004
12.02.2020 08:15:30	1	1	1	1	141.3	51.25	0	22511.848	709.6774194	15990.26989	30000	0	0	30000	29.9375	2004
12.02.2020 08:15:31	1	1	1	1	141.3	49.75	0	22511.848	707.5268817	15927.48621	30000	0	0	30000	29.625	2004
12.02.2020 08:15:32	1	1	1	1	141.3	49.5	0	22511.848	713.9784946	16024.51553	30000	0	0	30000	31.4375	2004
12.02.2020 08:15:33	1	1	1	1	140.8	51.25	0	22511.848	707.5268817	15763.59634	30000	0	0	30000	31.0625	2004
12.02.2020 08:15:35	1	1	1	1	140.8	51	0	22417.062	713.9784946	15763.59634	30000	0	0	30000	29.375	2004
12.02.2020 08:15:36	1	1	1	1	140.8	49.25	0	22417.062	713.9784946	15923.40934	30000	0	0	30000	30.6875	2004
12.02.2020 08:15:37	1	1	1	1	140.8	50.5	0	22274.882	716.1290323	16033.48463	30000	0	0	30000	31.3125	2004
12.02.2020 08:15:38	1	1	1	1	140.8	51.25	0	22369.668	713.9784946	15937.27068	30000	0	0	30000	30.9375	2004
12.02.2020 08:15:39	1	1	1	1	140.8	50.75	0	22417.062	709.6774194	16053.05357	30000	0	0	30000	30.125	2004
12.02.2020 08:15:40	1	1	1	1	140.8	50	0	22464.455	713.9784946	16004.94659	30000	0	0	30000	31.375	2004
12.02.2020 08:15:41	1	1	1	1	140.8	51.25	0	22369.668	713.9784946	16019.6233	30000	0	0	30000	30.8125	2004
12.02.2020 08:15:42	1	1	1	1	140.8	50.75	0	22417.062	713.9784946	16004.94659	30000	0	0	30000	30.75	2004
12.02.2020 08:15:43	1	1	1	1	140.8	50.75	0	22511.848	711.827957	15927.48621	30000	0	0	30000	31.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 08:15:44	1	1	1	1	140.5	49.25	0	22417.062	703.2258065	16072.62251	30000	0	0	30000	30.5625	2004
12.02.2020 08:15:45	1	1	1	1	140.5	50.5	0	22417.062	703.2258065	15956.83962	30000	0	0	30000	29.8125	2004
12.02.2020 08:15:46	1	1	1	1	140.5	49.75	0	22748.815	703.2258065	15997.60824	30000	0	0	30000	30.4375	2004
12.02.2020 08:15:47	1	1	1	1	140.5	50.25	0	22890.995	701.0752688	16097.08368	30000	0	0	30000	28.9375	2004
12.02.2020 08:15:53	1	1	1	1	140.5	51.25	0	22796.209	701.0752688	16048.16134	30000	0	0	30000	30.125	2004
12.02.2020 08:15:53	1	1	1	1	140.5	51.25	0	22796.209	701.0752688	16048.16134	30000	0	0	30000	30.125	2004
12.02.2020 08:15:53	1	1	1	1	140.5	51.25	0	22796.209	701.0752688	16048.16134	30000	0	0	30000	30.125	2004
12.02.2020 08:15:53	1	1	1	1	140.5	51.25	0	22796.209	701.0752688	16048.16134	30000	0	0	30000	30.125	2004
12.02.2020 08:15:53	1	1	1	1	140.5	51.25	0	22796.209	701.0752688	16048.16134	30000	0	0	30000	30.125	2004
12.02.2020 08:15:53	1	1	1	1	140.3	50	0	22985.782	694.6236559	15752.99649	30000	0	0	30000	30.5	2004
12.02.2020 08:15:54	1	1	1	1	140.3	50.5	0	23222.749	690.3225806	16063.65341	30000	0	0	30000	30.6875	2004
12.02.2020 08:15:55	1	1	1	1	140.3	50.5	0	23317.536	688.172043	16046.53059	30000	0	0	30000	30.0625	2004
12.02.2020 08:15:56	1	1	1	1	140.3	50	0	23270.142	688.172043	16013.91569	30000	0	0	30000	31.5	2004
12.02.2020 08:15:57	1	1	1	1	140.3	51.5	0	23270.142	690.3225806	16163.94423	30000	0	0	30000	30.25	2004
12.02.2020 08:15:58	1	1	1	1	140.3	50.25	0	23364.929	688.172043	15827.19539	30000	0	0	30000	29.6875	2004
12.02.2020 08:15:59	1	1	1	1	140.3	49.5	0	23317.536	670.9677419	15695.10505	30000	0	0	30000	30.1875	2004
12.02.2020 08:16:00	1	1	1	1	140.3	50	0	23364.929	688.172043	16013.91569	30000	0	0	30000	31.125	2004
12.02.2020 08:16:01	1	1	1	1	140.3	51	0	23317.536	688.172043	16046.53059	30000	0	0	30000	31.0625	2004
12.02.2020 08:16:02	1	1	1	1	140.3	51	0	23649.289	673.1182796	15969.0702	30000	0	0	30000	31.125	2004
12.02.2020 08:16:03	1	1	1	1	139.8	51	0	23933.649	670.9677419	16026.96165	30000	0	0	30000	29.5	2004
12.02.2020 08:16:04	1	1	1	1	139.8	49.5	0	22227.488	720.4301075	16013.10032	30000	0	0	30000	31.4375	2004
12.02.2020 08:16:05	1	1	1	1	139.8	51.25	0	21943.128	724.7311828	16040.00761	30000	0	0	30000	30.875	2004
12.02.2020 08:16:06	1	1	1	1	139.8	50.75	0	21563.981	741.9354839	16091.37608	30000	0	0	30000	31.5	2004
12.02.2020 08:16:07	1	1	1	1	139.8	51.5	0	22511.848	713.9784946	16072.62251	30000	0	0	30000	29.75	2004
12.02.2020 08:16:08	1	1	1	1	139.8	49.75	0	21943.128	724.7311828	15808.44182	30000	0	0	30000	31.1875	2004
12.02.2020 08:16:09	1	1	1	1	139.8	51	0	21848.341	733.3333333	15893.24056	30000	0	0	30000	30.75	2004
12.02.2020 08:16:10	1	1	1	1	139.8	50.75	0	21374.408	733.3333333	15720.38159	30000	0	0	30000	31.0625	2004
12.02.2020 08:16:11	1	1	1	1	139.8	51	0	21943.128	731.1827957	15996.79287	30000	0	0	30000	31.5625	2004
12.02.2020 08:16:12	1	1	1	1	139.8	51.5	0	21943.128	733.3333333	15996.79287	30000	0	0	30000	30.125	2004
12.02.2020 08:16:13	1	1	1	1	139.8	50	0	22274.882	720.4301075	16013.10032	30000	0	0	30000	30.625	2004
12.02.2020 08:16:15	1	1	1	1	139.8	50.5	0	22369.668	713.9784946	15971.51632	30000	0	0	30000	30.75	2004
12.02.2020 08:16:16	1	1	1	1	139.8	50.75	0	21943.128	720.4301075	15944.60903	30000	0	0	30000	31.5	2004
12.02.2020 08:16:17	1	1	1	1	139.8	51.5	0	21943.128	731.1827957	15808.44182	30000	0	0	30000	30.5625	2004
12.02.2020 08:16:18	1	1	1	1	139.8	50.5	0	22369.668	718.2795699	16101.16055	30000	0	0	30000	29.4375	2004
12.02.2020 08:16:19	1	1	1	1	139.8	49.25	0	21943.128	724.7311828	16040.00761	30000	0	0	30000	31.25	2004
12.02.2020 08:16:20	1	1	1	1	139.8	51.25	0	22274.882	716.1290323	15985.37765	30000	0	0	30000	31.4375	2004
12.02.2020 08:16:21	1	1	1	1	139.8	51.25	0	22180.095	718.2795699	15944.60903	30000	0	0	30000	31.4375	2004
12.02.2020 08:16:22	1	1	1	1	139.8	51.25	0	22748.815	703.2258065	15997.60824	30000	0	0	30000	30.75	2004
12.02.2020 08:16:23	1	1	1	1	139.8	50.75	0	22417.062	713.9784946	16004.94659	30000	0	0	30000	31.125	2004
12.02.2020 08:16:24	1	1	1	1	140	51	0	22748.815	709.6774194	15997.60824	30000	0	0	30000	29.5625	2004
12.02.2020 08:16:25	1	1	1	1	140	49.25	0	22559.242	713.9784946	16106.86815	30000	0	0	30000	31.0625	2004
12.02.2020 08:16:26	1	1	1	1	140	51	0	23080.569	694.6236559	16031.85389	30000	0	0	30000	30.1875	2004
12.02.2020 08:16:27	1	1	1	1	140	50	0	23270.142	688.172043	16013.91569	30000	0	0	30000	31.125	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 08:16:28	1	1	1	1	140	51	0	23175.355	688.172043	16031.03851	30000	0	0	30000	30.0625	2004
12.02.2020 08:16:29	1	1	1	1	140	50	0	22985.782	701.0752688	16048.16134	30000	0	0	30000	31.0625	2004
12.02.2020 08:16:30	1	1	1	1	140	51	0	23222.749	690.3225806	15998.42361	30000	0	0	30000	31.5	2004
12.02.2020 08:16:31	1	1	1	1	140	51.5	0	22796.209	696.7741935	15932.37844	30000	0	0	30000	29.75	2004
12.02.2020 08:16:32	1	1	1	1	140	49.75	0	23270.142	688.172043	16013.91569	30000	0	0	30000	31.375	2004
12.02.2020 08:16:33	1	1	1	1	140	51.25	0	22890.995	696.7741935	15998.42361	30000	0	0	30000	30.6875	2004
12.02.2020 08:16:34	1	1	1	1	140	50.5	0	22890.995	701.0752688	15998.42361	30000	0	0	30000	31.0625	2004
12.02.2020 08:16:35	1	1	1	1	140	51	0	22985.782	694.6236559	15900.57891	30000	0	0	30000	29.875	2004
12.02.2020 08:16:36	1	1	1	1	140	49.75	0	22985.782	694.6236559	15965.80871	30000	0	0	30000	29.6875	2004
12.02.2020 08:16:37	1	1	1	1	140	49.5	0	22890.995	694.6236559	15834.53374	30000	0	0	30000	30.625	2004
12.02.2020 08:16:38	1	1	1	1	140	50.5	0	23175.355	690.3225806	15998.42361	30000	0	0	30000	29.5	2004
12.02.2020 08:16:39	1	1	1	1	140	49.5	0	23175.355	688.172043	15981.30079	30000	0	0	30000	29.375	2004
12.02.2020 08:16:40	1	1	1	1	140	49.25	0	23554.502	688.172043	16209.60509	30000	0	0	30000	30.0625	2004
12.02.2020 08:16:41	1	1	1	1	140	50	0	23175.355	688.172043	15998.42361	30000	0	0	30000	30.6875	2004
12.02.2020 08:16:42	1	1	1	1	140	50.5	0	23317.536	688.172043	16079.14549	30000	0	0	30000	30.6875	2004
12.02.2020 08:16:43	1	1	1	1	139.5	50.5	0	23317.536	688.172043	16079.14549	30000	0	0	30000	30.625	2004
12.02.2020 08:16:44	1	1	1	1	139.5	50.5	0	23222.749	688.172043	16013.91569	30000	0	0	30000	31.125	2004
12.02.2020 08:16:45	1	1	1	1	139.5	51	0	23270.142	673.1182796	15763.59634	30000	0	0	30000	30.3125	2004
12.02.2020 08:16:46	1	1	1	1	139.5	50.25	0	23222.749	688.172043	15748.91963	30000	0	0	30000	29.8125	2004
12.02.2020 08:16:47	1	1	1	1	139.5	49.75	0	23459.716	688.172043	16144.37529	30000	0	0	30000	31.4375	2004
12.02.2020 08:16:48	1	1	1	1	139.5	51.25	0	23317.536	688.172043	15663.30552	30000	0	0	30000	30.875	2004
12.02.2020 08:16:55	1	1	1	1	139.3	51.5	0	23554.502	688.172043	15956.02424	30000	0	0	30000	31.375	2004
12.02.2020 08:16:55	1	1	1	1	139.3	51.5	0	23554.502	688.172043	15956.02424	30000	0	0	30000	31.375	2004
12.02.2020 08:16:55	1	1	1	1	139.3	51.5	0	23554.502	688.172043	15956.02424	30000	0	0	30000	31.375	2004
12.02.2020 08:16:55	1	1	1	1	139.3	51.5	0	23554.502	688.172043	15956.02424	30000	0	0	30000	31.375	2004
12.02.2020 08:16:55	1	1	1	1	139.3	51.25	0	23364.929	688.172043	15827.19539	30000	0	0	30000	30.6875	2004
12.02.2020 08:16:56	1	1	1	1	139.3	50.5	0	23364.929	673.1182796	15726.90457	30000	0	0	30000	30.625	2004
12.02.2020 08:16:57	1	1	1	1	139.3	50.5	0	23412.322	677.4193548	16111.76039	30000	0	0	30000	31.125	2004
12.02.2020 08:16:58	1	1	1	1	139.3	51	0	23270.142	688.172043	16013.91569	30000	0	0	30000	31.25	2004
12.02.2020 08:16:59	1	1	1	1	139.3	51.25	0	23270.142	688.172043	16013.91569	30000	0	0	30000	30.125	2004
12.02.2020 08:17:00	1	1	1	1	139.3	50	0	23270.142	688.172043	16013.91569	30000	0	0	30000	31.5	2004
12.02.2020 08:17:01	1	1	1	1	139.3	51.5	0	23270.142	688.172043	16013.91569	30000	0	0	30000	30.8125	2004
12.02.2020 08:17:02	1	1	1	1	139.3	50.75	0	23080.569	690.3225806	15932.37844	30000	0	0	30000	29.9375	2004
12.02.2020 08:17:03	1	1	1	1	138.8	49.75	0	23459.716	688.172043	16144.37529	30000	0	0	30000	29.25	2004
12.02.2020 08:17:04	1	1	1	1	138.8	49.25	0	23033.175	692.4731183	15999.23899	30000	0	0	30000	30.8125	2004
12.02.2020 08:17:05	1	1	1	1	138.8	50.75	0	23080.569	692.4731183	16097.89906	30000	0	0	30000	30.3125	2004
12.02.2020 08:17:06	1	1	1	1	138.8	50.25	0	23080.569	692.4731183	16031.85389	30000	0	0	30000	30.125	2004
12.02.2020 08:17:07	1	1	1	1	138.8	50	0	22796.209	701.0752688	15932.37844	30000	0	0	30000	31.5	2004
12.02.2020 08:17:08	1	1	1	1	138.8	51.5	0	23412.322	688.172043	16144.37529	30000	0	0	30000	31.1875	2004
12.02.2020 08:17:09	1	1	1	1	138.8	51	0	23175.355	690.3225806	15998.42361	30000	0	0	30000	30.1875	2004
12.02.2020 08:17:10	1	1	1	1	138.8	50	0	23270.142	688.172043	16013.91569	30000	0	0	30000	30.9375	2004
12.02.2020 08:17:11	1	1	1	1	138.8	50.75	0	23459.716	688.172043	16144.37529	30000	0	0	30000	29.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 08:17:12	1	1	1	1	138.8	49.5	0	21943.128	729.0322581	15996.79287	30000	0	0	30000	31.3125	2004
12.02.2020 08:17:13	1	1	1	1	138.3	51.25	0	25450.237	630.1075269	16175.35944	30000	0	0	30000	30.0625	2004
12.02.2020 08:17:14	1	1	1	1	138.3	50	0	26303.318	623.655914	16092.19145	30000	0	0	30000	30.0625	2004
12.02.2020 08:17:15	1	1	1	1	138.3	50	0	25545.024	625.8064516	15986.19303	30000	0	0	30000	31.5	2004
12.02.2020 08:17:16	1	1	1	1	138.3	51.5	0	26018.957	610.7526882	15947.05515	30000	0	0	30000	31.0625	2004
12.02.2020 08:17:17	1	1	1	1	138.3	51	0	26208.531	608.6021505	16008.20808	30000	0	0	30000	30.5625	2004
12.02.2020 08:17:18	1	1	1	1	138.3	50.5	0	25734.597	621.5053763	15938.90142	30000	0	0	30000	30.75	2004
12.02.2020 08:17:19	1	1	1	1	138.3	50.75	0	25734.597	619.3548387	16163.94423	30000	0	0	30000	30.875	2004
12.02.2020 08:17:20	1	1	1	1	138.3	50.75	0	26445.498	606.4516129	16152.52901	30000	0	0	30000	31.625	2004
12.02.2020 08:17:21	1	1	1	1	138.3	51.5	0	26777.251	602.1505376	16123.99098	30000	0	0	30000	30.875	2004
12.02.2020 08:17:22	1	1	1	1	138.3	50.75	0	26255.924	606.4516129	16008.20808	30000	0	0	30000	31.4375	2004
12.02.2020 08:17:23	1	1	1	1	143.8	51.25	0	26872.038	595.6989247	15949.50126	30000	0	0	30000	31.4375	2004
12.02.2020 08:17:24	1	1	1	1	143.8	51.25	0	26872.038	602.1505376	16181.06705	30000	0	0	30000	31.5625	2004
12.02.2020 08:17:25	1	1	1	1	143.8	51.5	0	26824.645	593.5483871	16007.39271	30000	0	0	30000	31.25	2004
12.02.2020 08:17:26	1	1	1	1	143.8	51.25	0	26777.251	602.1505376	16037.56149	30000	0	0	30000	29.9375	2004
12.02.2020 08:17:27	1	1	1	1	143.8	49.75	0	26777.251	591.3978495	16238.14313	30000	0	0	30000	31.5625	2004
12.02.2020 08:17:28	1	1	1	1	143.8	51.5	0	27582.938	578.4946237	16043.2691	30000	0	0	30000	31.5625	2004
12.02.2020 08:17:30	1	1	1	1	143.8	51.5	0	26919.431	587.0967742	15804.36496	30000	0	0	30000	31.1875	2004
12.02.2020 08:17:31	1	1	1	1	143.8	51	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	31.5625	2004
12.02.2020 08:17:32	1	1	1	1	143.8	51.5	0	28009.479	563.4408602	15841.8721	30000	0	0	30000	30.75	2004
12.02.2020 08:17:33	1	1	1	1	143.8	50.75	0	27345.972	580.6451613	15933.19381	30000	0	0	30000	31.125	2004
12.02.2020 08:17:34	1	1	1	1	142	51	0	28672.986	559.1397849	16111.76039	30000	0	0	30000	30.5	2004
12.02.2020 08:17:35	1	1	1	1	142	50.5	0	28009.479	567.7419355	15841.8721	30000	0	0	30000	29.9375	2004
12.02.2020 08:17:36	1	1	1	1	142	49.75	0	28815.166	552.688172	15951.94738	30000	0	0	30000	31.25	2004
12.02.2020 08:17:37	1	1	1	1	142	51.25	0	28862.559	554.8387097	16040.00761	30000	0	0	30000	31.125	2004
12.02.2020 08:17:38	1	1	1	1	142	51	0	27298.578	582.7956989	15936.4553	30000	0	0	30000	30.25	2004
12.02.2020 08:17:39	1	1	1	1	142	50.25	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	30.0625	2004
12.02.2020 08:17:40	1	1	1	1	142	50	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	30.8125	2004
12.02.2020 08:17:41	1	1	1	1	142	50.75	0	28009.479	576.344086	16082.40698	30000	0	0	30000	30.875	2004
12.02.2020 08:17:42	1	1	1	1	142	51	0	28436.019	563.4408602	15960.91648	30000	0	0	30000	31.125	2004
12.02.2020 08:17:43	1	1	1	1	137.8	51	0	28578.199	559.1397849	16040.00761	30000	0	0	30000	30.1875	2004
12.02.2020 08:17:44	1	1	1	1	137.8	50	0	28815.166	552.688172	15925.85546	30000	0	0	30000	30.875	2004
12.02.2020 08:17:45	1	1	1	1	137.8	50.75	0	29336.493	552.688172	16213.68195	30000	0	0	30000	31.0625	2004
12.02.2020 08:17:46	1	1	1	1	137.8	51	0	29810.427	537.6344086	16026.96165	30000	0	0	30000	30.3125	2004
12.02.2020 08:17:47	1	1	1	1	137.8	50.25	0	29099.526	550.5376344	16046.53059	30000	0	0	30000	30.625	2004
12.02.2020 08:17:48	1	1	1	1	137.8	50.5	0	29241.706	544.0860215	15920.96323	30000	0	0	30000	30.875	2004
12.02.2020 08:17:49	1	1	1	1	137.8	50.75	0	28815.166	556.9892473	16111.76039	30000	0	0	30000	30.625	2004
12.02.2020 08:17:50	1	1	1	1	137.8	50.5	0	29383.886	546.2365591	15960.91648	30000	0	0	30000	31.5625	2004
12.02.2020 08:17:56	1	1	1	1	133.3	51	0	26350.711	606.4516129	16008.20808	30000	0	0	30000	31.6875	2004
12.02.2020 08:17:56	1	1	1	1	133.3	51	0	26350.711	606.4516129	16008.20808	30000	0	0	30000	31.6875	2004
12.02.2020 08:17:56	1	1	1	1	133.3	51	0	26350.711	606.4516129	16008.20808	30000	0	0	30000	31.6875	2004
12.02.2020 08:17:56	1	1	1	1	133.3	51	0	26350.711	606.4516129	16008.20808	30000	0	0	30000	31.6875	2004
12.02.2020 08:17:56	1	1	1	1	133.3	51	0	26350.711	606.4516129	16008.20808	30000	0	0	30000	31.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 08:17:56	1	1	1	1	133.3	51.5	0	26540.284	606.4516129	16095.45294	30000	0	0	30000	31.6875	2004
12.02.2020 08:17:57	1	1	1	1	133.3	51.5	0	26208.531	610.7526882	16062.83804	30000	0	0	30000	30.875	2004
12.02.2020 08:17:58	1	1	1	1	133.3	50.75	0	26350.711	610.7526882	16036.74612	30000	0	0	30000	30.375	2004
12.02.2020 08:17:59	1	1	1	1	133.3	50.25	0	26492.891	606.4516129	15980.48542	30000	0	0	30000	31.3125	2004
12.02.2020 08:18:00	1	1	1	1	133.3	51.25	0	26777.251	589.2473118	16066.09953	30000	0	0	30000	30.125	2004
12.02.2020 08:18:01	1	1	1	1	133.3	50	0	26872.038	591.3978495	15891.60982	30000	0	0	30000	31.1875	2004
12.02.2020 08:18:02	1	1	1	1	133.3	51	0	27061.611	589.2473118	15945.4244	30000	0	0	30000	30.5	2004
12.02.2020 08:18:03	1	1	1	1	132.5	50.5	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	30.0625	2004
12.02.2020 08:18:04	1	1	1	1	132.5	50	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	31	2004
12.02.2020 08:18:05	1	1	1	1	132.5	51	0	27867.299	567.7419355	15968.25483	30000	0	0	30000	31.3125	2004
12.02.2020 08:18:06	1	1	1	1	132.5	51.25	0	27914.692	572.0430108	15968.25483	30000	0	0	30000	29.3125	2004
12.02.2020 08:18:07	1	1	1	1	132.5	49.25	0	27630.332	567.7419355	15745.65814	30000	0	0	30000	29.9375	2004
12.02.2020 08:18:09	1	1	1	1	132.5	49.75	0	27867.299	572.0430108	16000.86973	30000	0	0	30000	31.625	2004
12.02.2020 08:18:10	1	1	1	1	132.5	51.5	0	27914.692	572.0430108	15995.16212	30000	0	0	30000	31.5625	2004
12.02.2020 08:18:11	1	1	1	1	132.5	51.5	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	31.1875	2004
12.02.2020 08:18:12	1	1	1	1	132.5	51	0	28341.232	563.4408602	15995.16212	30000	0	0	30000	30.625	2004
12.02.2020 08:18:13	1	1	1	1	132.5	50.5	0	28483.412	559.1397849	16013.91569	30000	0	0	30000	31.4375	2004
12.02.2020 08:18:14	1	1	1	1	131.5	51.25	0	28388.626	565.5913978	16056.31506	30000	0	0	30000	30.5	2004
12.02.2020 08:18:15	1	1	1	1	131.5	50.5	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	31.375	2004
12.02.2020 08:18:16	1	1	1	1	131.5	51.25	0	28341.232	569.8924731	16123.99098	30000	0	0	30000	31.4375	2004
12.02.2020 08:18:17	1	1	1	1	131.5	51.25	0	28388.626	563.4408602	16083.22235	30000	0	0	30000	31.5625	2004
12.02.2020 08:18:18	1	1	1	1	131.5	51.5	0	28388.626	563.4408602	15995.16212	30000	0	0	30000	31.6875	2004
12.02.2020 08:18:19	1	1	1	1	131.5	51.5	0	28341.232	565.5913978	16029.40777	30000	0	0	30000	32	2004
12.02.2020 08:18:20	1	1	1	1	131.5	52	0	28341.232	567.7419355	16090.5607	30000	0	0	30000	30.5625	2004
12.02.2020 08:18:21	1	1	1	1	131.5	50.5	0	28293.839	569.8924731	16009.83883	30000	0	0	30000	31.3125	2004
12.02.2020 08:18:22	1	1	1	1	131.5	51.25	0	28199.052	563.4408602	15948.68589	30000	0	0	30000	31.25	2004
12.02.2020 08:18:23	1	1	1	1	130.8	51.25	0	28341.232	567.7419355	16029.40777	30000	0	0	30000	30.625	2004
12.02.2020 08:18:24	1	1	1	1	130.8	50.5	0	28341.232	563.4408602	16083.22235	30000	0	0	30000	31.4375	2004
12.02.2020 08:18:25	1	1	1	1	130.8	51.25	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	31.5	2004
12.02.2020 08:18:26	1	1	1	1	130.8	51.5	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	31.5625	2004
12.02.2020 08:18:27	1	1	1	1	130.8	51.5	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	31.0625	2004
12.02.2020 08:18:28	1	1	1	1	130.8	51	0	28293.839	565.5913978	16002.50048	30000	0	0	30000	31.4375	2004
12.02.2020 08:18:29	1	1	1	1	130.8	51.25	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	30.25	2004
12.02.2020 08:18:30	1	1	1	1	130.8	50.25	0	28341.232	565.5913978	15881.00997	30000	0	0	30000	29.75	2004
12.02.2020 08:18:31	1	1	1	1	130.8	49.75	0	28199.052	565.5913978	16009.83883	30000	0	0	30000	30.5	2004
12.02.2020 08:18:32	1	1	1	1	130.8	50.5	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	30.5625	2004
12.02.2020 08:18:33	1	1	1	1	129.8	50.5	0	28293.839	565.5913978	16002.50048	30000	0	0	30000	31.8125	2004
12.02.2020 08:18:34	1	1	1	1	129.8	51.75	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	29.5625	2004
12.02.2020 08:18:35	1	1	1	1	129.8	49.5	0	28199.052	567.7419355	16130.51396	30000	0	0	30000	30.6875	2004
12.02.2020 08:18:36	1	1	1	1	129.8	50.5	0	28199.052	567.7419355	16123.99098	30000	0	0	30000	31.125	2004
12.02.2020 08:18:37	1	1	1	1	129.8	51	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	31.375	2004
12.02.2020 08:18:38	1	1	1	1	129.8	51.25	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	31.625	2004
12.02.2020 08:18:39	1	1	1	1	129.8	51.5	0	27867.299	567.7419355	15907.91727	30000	0	0	30000	30.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 08:18:40	1	1	1	1	129.8	50.5	0	28199.052	569.8924731	15948.68589	30000	0	0	30000	30.1875	2004
12.02.2020 08:18:41	1	1	1	1	129.8	50	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	31.125	2004
12.02.2020 08:18:42	1	1	1	1	129.8	51	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	30.5625	2004
12.02.2020 08:18:43	1	1	1	1	128.3	50.5	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	31.0625	2004
12.02.2020 08:18:44	1	1	1	1	128.3	51	0	28199.052	572.0430108	16130.51396	30000	0	0	30000	30.9375	2004
12.02.2020 08:18:45	1	1	1	1	128.3	50.75	0	28009.479	572.0430108	15841.8721	30000	0	0	30000	31.3125	2004
12.02.2020 08:18:46	1	1	1	1	128.3	51.25	0	28009.479	580.6451613	16022.06942	30000	0	0	30000	30.6875	2004
12.02.2020 08:18:47	1	1	1	1	128.3	50.5	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	31.25	2004
12.02.2020 08:18:48	1	1	1	1	128.3	51.25	0	27914.692	572.0430108	15968.25483	30000	0	0	30000	31.5	2004
12.02.2020 08:18:49	1	1	1	1	128.3	51.5	0	27867.299	569.8924731	15854.10268	30000	0	0	30000	30.9375	2004
12.02.2020 08:18:51	1	1	1	1	128.3	50.75	0	27867.299	569.8924731	15881.00997	30000	0	0	30000	30.75	2004
12.02.2020 08:18:52	1	1	1	1	128.3	50.75	0	27914.692	574.1935484	16027.77702	30000	0	0	30000	31.125	2004
12.02.2020 08:18:58	1	1	1	1	127.3	50	0	27867.299	578.4946237	16061.20729	30000	0	0	30000	31.1875	2004
12.02.2020 08:18:58	1	1	1	1	127.3	50	0	27867.299	578.4946237	16061.20729	30000	0	0	30000	31.1875	2004
12.02.2020 08:18:58	1	1	1	1	127.3	50	0	27867.299	578.4946237	16061.20729	30000	0	0	30000	31.1875	2004
12.02.2020 08:18:58	1	1	1	1	127.3	50	0	27867.299	578.4946237	16061.20729	30000	0	0	30000	31.1875	2004
12.02.2020 08:18:58	1	1	1	1	127.3	50	0	27867.299	578.4946237	16061.20729	30000	0	0	30000	31.1875	2004
12.02.2020 08:18:58	1	1	1	1	127.3	51	0	27630.332	567.7419355	15745.65814	30000	0	0	30000	31.5625	2004
12.02.2020 08:18:59	1	1	1	1	127.3	51.5	0	27819.905	574.1935484	16033.48463	30000	0	0	30000	32.125	2004
12.02.2020 08:19:00	1	1	1	1	127.3	52	0	27914.692	580.6451613	16088.11459	30000	0	0	30000	31.5625	2004
12.02.2020 08:19:01	1	1	1	1	127.3	51.5	0	27819.905	574.1935484	15973.96244	30000	0	0	30000	31.8125	2004
12.02.2020 08:19:02	1	1	1	1	127.3	51.75	0	27819.905	576.344086	16033.48463	30000	0	0	30000	32.1875	2004
12.02.2020 08:19:03	1	1	1	1	127.3	50.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	31.125	2004
12.02.2020 08:19:04	1	1	1	1	127.3	51	0	27962.085	576.344086	16115.83725	30000	0	0	30000	31.25	2004
12.02.2020 08:19:05	1	1	1	1	127.3	51.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	31.1875	2004
12.02.2020 08:19:06	1	1	1	1	127.3	51	0	28009.479	576.344086	16082.40698	30000	0	0	30000	30.375	2004
12.02.2020 08:19:07	1	1	1	1	127.3	50.25	0	27725.118	572.0430108	15864.70252	30000	0	0	30000	31.3125	2004
12.02.2020 08:19:08	1	1	1	1	127.3	51.25	0	27630.332	574.1935484	15924.22472	30000	0	0	30000	30.875	2004
12.02.2020 08:19:09	1	1	1	1	127.3	50.75	0	27819.905	576.344086	15973.96244	30000	0	0	30000	31.625	2004
12.02.2020 08:19:10	1	1	1	1	127.3	51.5	0	27819.905	576.344086	15973.96244	30000	0	0	30000	31.4375	2004
12.02.2020 08:19:11	1	1	1	1	127.3	51.25	0	27914.692	572.0430108	16055.49969	30000	0	0	30000	30.25	2004
12.02.2020 08:19:12	1	1	1	1	127.3	50.25	0	27914.692	576.344086	16033.48463	30000	0	0	30000	31.5625	2004
12.02.2020 08:19:13	1	1	1	1	125.8	51.5	0	27962.085	576.344086	16115.83725	30000	0	0	30000	31.3125	2004
12.02.2020 08:19:14	1	1	1	1	125.8	51.25	0	27630.332	574.1935484	16093.00682	30000	0	0	30000	31.1875	2004
12.02.2020 08:19:15	1	1	1	1	125.8	51	0	27819.905	576.344086	16093.00682	30000	0	0	30000	31.6875	2004
12.02.2020 08:19:16	1	1	1	1	125.8	51.5	0	27819.905	576.344086	16033.48463	30000	0	0	30000	30.75	2004
12.02.2020 08:19:17	1	1	1	1	125.8	50.75	0	27914.692	578.4946237	16088.11459	30000	0	0	30000	31.0625	2004
12.02.2020 08:19:18	1	1	1	1	125.8	51	0	27630.332	576.344086	15924.22472	30000	0	0	30000	30.6875	2004
12.02.2020 08:19:19	1	1	1	1	125.8	50.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	31.625	2004
12.02.2020 08:19:20	1	1	1	1	125.8	51.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	32.0625	2004
12.02.2020 08:19:21	1	1	1	1	125.8	52	0	27630.332	576.344086	16093.00682	30000	0	0	30000	30.25	2004
12.02.2020 08:19:22	1	1	1	1	125.8	50.25	0	27630.332	576.344086	15924.22472	30000	0	0	30000	31	2004
12.02.2020 08:19:23	1	1	1	1	124.8	51	0	27630.332	576.344086	15983.74691	30000	0	0	30000	30.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 08:19:24	1	1	1	1	124.8	50.75	0	27630.332	576.344086	15924.22472	30000	0	0	30000	30.875	2004
12.02.2020 08:19:25	1	1	1	1	124.8	50.75	0	27819.905	576.344086	16033.48463	30000	0	0	30000	31	2004
12.02.2020 08:19:26	1	1	1	1	124.8	51	0	27867.299	580.6451613	16093.00682	30000	0	0	30000	30.125	2004
12.02.2020 08:19:27	1	1	1	1	124.8	50	0	27630.332	578.4946237	15956.02424	30000	0	0	30000	30.25	2004
12.02.2020 08:19:28	1	1	1	1	124.8	50.25	0	27630.332	578.4946237	16043.2691	30000	0	0	30000	31.8125	2004
12.02.2020 08:19:30	1	1	1	1	124.8	51.75	0	27630.332	576.344086	15983.74691	30000	0	0	30000	30.75	2004
12.02.2020 08:19:31	1	1	1	1	124.8	50.75	0	27819.905	578.4946237	15983.74691	30000	0	0	30000	31.4375	2004
12.02.2020 08:19:32	1	1	1	1	124.8	51.25	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	31.375	2004
12.02.2020 08:19:33	1	1	1	1	124.8	51.25	0	27630.332	580.6451613	16162.31348	30000	0	0	30000	31.8125	2004
12.02.2020 08:19:34	1	1	1	1	123.5	51.75	0	27630.332	576.344086	15983.74691	30000	0	0	30000	30.6875	2004
12.02.2020 08:19:35	1	1	1	1	123.5	50.5	0	27630.332	576.344086	15924.22472	30000	0	0	30000	30.4375	2004
12.02.2020 08:19:36	1	1	1	1	123.5	50.25	0	27630.332	569.8924731	15924.22472	30000	0	0	30000	30.25	2004
12.02.2020 08:19:37	1	1	1	1	123.5	50.25	0	27819.905	574.1935484	16033.48463	30000	0	0	30000	31.625	2004
12.02.2020 08:19:38	1	1	1	1	123.5	51.5	0	27819.905	576.344086	16093.00682	30000	0	0	30000	30.5	2004
12.02.2020 08:19:39	1	1	1	1	123.5	50.5	0	27630.332	576.344086	16033.48463	30000	0	0	30000	31.3125	2004
12.02.2020 08:19:40	1	1	1	1	123.5	51.25	0	27867.299	576.344086	16120.72949	30000	0	0	30000	31.75	2004
12.02.2020 08:19:41	1	1	1	1	123.5	51.75	0	27819.905	576.344086	15924.22472	30000	0	0	30000	30.25	2004
12.02.2020 08:19:42	1	1	1	1	123.5	50.5	0	27914.692	572.0430108	16000.86973	30000	0	0	30000	30.0625	2004
12.02.2020 08:19:43	1	1	1	1	122.8	50	0	27914.692	572.0430108	16027.77702	30000	0	0	30000	31.3125	2004
12.02.2020 08:19:44	1	1	1	1	122.8	51.25	0	27819.905	574.1935484	15973.96244	30000	0	0	30000	30.4375	2004
12.02.2020 08:19:45	1	1	1	1	122.8	50.25	0	27725.118	572.0430108	15973.96244	30000	0	0	30000	31.0625	2004
12.02.2020 08:19:46	1	1	1	1	122.8	51	0	27819.905	576.344086	16033.48463	30000	0	0	30000	30.375	2004
12.02.2020 08:19:47	1	1	1	1	122.8	50.25	0	27630.332	574.1935484	15864.70252	30000	0	0	30000	30.75	2004
12.02.2020 08:19:48	1	1	1	1	122.8	50.75	0	27819.905	576.344086	16033.48463	30000	0	0	30000	31.75	2004
12.02.2020 08:19:49	1	1	1	1	122.8	51.75	0	27867.299	574.1935484	15973.96244	30000	0	0	30000	30.875	2004
12.02.2020 08:19:50	1	1	1	1	122.8	50.75	0	27867.299	576.344086	16061.20729	30000	0	0	30000	30	2004
12.02.2020 08:19:51	1	1	1	1	122.8	50	0	27914.692	578.4946237	16093.00682	30000	0	0	30000	30.75	2004
12.02.2020 08:19:52	1	1	1	1	122.8	50.75	0	27630.332	572.0430108	15983.74691	30000	0	0	30000	30.8125	2004
12.02.2020 08:19:53	1	1	1	1	122	50.75	0	27630.332	578.4946237	16093.00682	30000	0	0	30000	32.0625	2004
12.02.2020 08:19:59	1	1	1	1	122	51.5	0	27630.332	576.344086	15864.70252	30000	0	0	30000	31	2004
12.02.2020 08:19:59	1	1	1	1	122	51.5	0	27630.332	576.344086	15864.70252	30000	0	0	30000	31	2004
12.02.2020 08:19:59	1	1	1	1	122	51.5	0	27630.332	576.344086	15864.70252	30000	0	0	30000	31	2004
12.02.2020 08:19:59	1	1	1	1	122	51.5	0	27630.332	576.344086	15864.70252	30000	0	0	30000	31	2004
12.02.2020 08:19:59	1	1	1	1	122	51	0	27630.332	576.344086	15983.74691	30000	0	0	30000	30.75	2004
12.02.2020 08:20:00	1	1	1	1	122	50.75	0	27725.118	574.1935484	15864.70252	30000	0	0	30000	31.0625	2004
12.02.2020 08:20:01	1	1	1	1	122	51	0	27582.938	574.1935484	15810.07257	30000	0	0	30000	30.3125	2004
12.02.2020 08:20:02	1	1	1	1	122	50.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	30.75	2004
12.02.2020 08:20:03	1	1	1	1	121	50.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	29.6875	2004
12.02.2020 08:20:04	1	1	1	1	121	49.5	0	27772.512	578.4946237	15983.74691	30000	0	0	30000	31.1875	2004
12.02.2020 08:20:05	1	1	1	1	121	51	0	27630.332	576.344086	15924.22472	30000	0	0	30000	30.375	2004
12.02.2020 08:20:06	1	1	1	1	121	50.25	0	27867.299	576.344086	16120.72949	30000	0	0	30000	31.9375	2004
12.02.2020 08:20:07	1	1	1	1	121	51.75	0	27630.332	584.9462366	15924.22472	30000	0	0	30000	31.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 08:20:09	1	1	1	1	121	51.25	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	30.625	2004
12.02.2020 08:20:10	1	1	1	1	121	50.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	30.375	2004
12.02.2020 08:20:11	1	1	1	1	121	50.25	0	27298.578	591.3978495	16144.37529	30000	0	0	30000	31.8125	2004
12.02.2020 08:20:12	1	1	1	1	121	51.75	0	27630.332	576.344086	15983.74691	30000	0	0	30000	32	2004
12.02.2020 08:20:13	1	1	1	1	121	52	0	27725.118	578.4946237	15983.74691	30000	0	0	30000	30.75	2004
12.02.2020 08:20:14	1	1	1	1	120	50.75	0	27819.905	576.344086	15973.96244	30000	0	0	30000	30.5	2004
12.02.2020 08:20:15	1	1	1	1	120	50.5	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	31.5	2004
12.02.2020 08:20:16	1	1	1	1	120	51.5	0	27772.512	574.1935484	16033.48463	30000	0	0	30000	31.875	2004
12.02.2020 08:20:17	1	1	1	1	120	51.75	0	27914.692	576.344086	16000.86973	30000	0	0	30000	31.875	2004
12.02.2020 08:20:18	1	1	1	1	120	51.75	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	32.125	2004
12.02.2020 08:20:19	1	1	1	1	120	52	0	27819.905	572.0430108	15805.18033	30000	0	0	30000	31.5	2004
12.02.2020 08:20:20	1	1	1	1	120	51.75	0	27819.905	576.344086	15854.10268	30000	0	0	30000	31.625	2004
12.02.2020 08:20:21	1	1	1	1	120	51.5	0	27819.905	574.1935484	16033.48463	30000	0	0	30000	31.3125	2004
12.02.2020 08:20:22	1	1	1	1	120	51.25	0	27819.905	576.344086	16033.48463	30000	0	0	30000	30.9375	2004
12.02.2020 08:20:23	1	1	1	1	119.5	50.75	0	27867.299	580.6451613	15973.96244	30000	0	0	30000	31.875	2004
12.02.2020 08:20:24	1	1	1	1	119.5	51.75	0	27867.299	572.0430108	15913.62487	30000	0	0	30000	30.6875	2004
12.02.2020 08:20:25	1	1	1	1	119.5	50.5	0	27867.299	576.344086	16093.00682	30000	0	0	30000	31.5625	2004
12.02.2020 08:20:26	1	1	1	1	119.5	51.5	0	28009.479	580.6451613	15907.91727	30000	0	0	30000	31.5625	2004
12.02.2020 08:20:27	1	1	1	1	119.5	51.5	0	27772.512	576.344086	15983.74691	30000	0	0	30000	31.6875	2004
12.02.2020 08:20:28	1	1	1	1	119.5	51.5	0	27867.299	578.4946237	16120.72949	30000	0	0	30000	30.9375	2004
12.02.2020 08:20:29	1	1	1	1	119.5	50.75	0	27630.332	576.344086	15983.74691	30000	0	0	30000	32.0625	2004
12.02.2020 08:20:30	1	1	1	1	119.5	52	0	27630.332	576.344086	15924.22472	30000	0	0	30000	31.8125	2004
12.02.2020 08:20:31	1	1	1	1	119.5	51.75	0	27725.118	576.344086	15864.70252	30000	0	0	30000	31.8125	2004
12.02.2020 08:20:32	1	1	1	1	119.5	51.75	0	27630.332	576.344086	15983.74691	30000	0	0	30000	31.0625	2004
12.02.2020 08:20:33	1	1	1	1	119	51	0	27914.692	574.1935484	16055.49969	30000	0	0	30000	31.875	2004
12.02.2020 08:20:34	1	1	1	1	119	51.75	0	27867.299	572.0430108	16027.77702	30000	0	0	30000	31.5	2004
12.02.2020 08:20:35	1	1	1	1	119	51.5	0	28009.479	574.1935484	16142.74454	30000	0	0	30000	31.3125	2004
12.02.2020 08:20:36	1	1	1	1	119	51.25	0	27630.332	574.1935484	15864.70252	30000	0	0	30000	31.625	2004
12.02.2020 08:20:37	1	1	1	1	119	51.5	0	27819.905	569.8924731	16033.48463	30000	0	0	30000	31.375	2004
12.02.2020 08:20:38	1	1	1	1	119	51.25	0	27962.085	576.344086	16055.49969	30000	0	0	30000	30.625	2004
12.02.2020 08:20:39	1	1	1	1	119	50.5	0	27914.692	572.0430108	15734.24293	30000	0	0	30000	31.1875	2004
12.02.2020 08:20:40	1	1	1	1	119	51	0	27819.905	572.0430108	16000.86973	30000	0	0	30000	31.4375	2004
12.02.2020 08:20:41	1	1	1	1	119	51.25	0	27867.299	574.1935484	15794.58049	30000	0	0	30000	31.4375	2004
12.02.2020 08:20:42	1	1	1	1	119	51.25	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	30.5625	2004
12.02.2020 08:20:43	1	1	1	1	117	50.5	0	27819.905	574.1935484	16000.86973	30000	0	0	30000	31.8125	2004
12.02.2020 08:20:44	1	1	1	1	117	51.75	0	27819.905	574.1935484	16120.72949	30000	0	0	30000	31.9375	2004
12.02.2020 08:20:45	1	1	1	1	117	51.75	0	27962.085	574.1935484	16055.49969	30000	0	0	30000	32	2004
12.02.2020 08:20:46	1	1	1	1	117	52	0	27914.692	576.344086	16027.77702	30000	0	0	30000	31	2004
12.02.2020 08:20:48	1	1	1	1	117	51	0	28199.052	576.344086	16252.00446	30000	0	0	30000	29.6875	2004
12.02.2020 08:20:49	1	1	1	1	117	49.5	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	31.1875	2004
12.02.2020 08:20:50	1	1	1	1	117	51	0	27962.085	574.1935484	16022.06942	30000	0	0	30000	32	2004
12.02.2020 08:20:51	1	1	1	1	117	52	0	27867.299	563.4408602	15907.91727	30000	0	0	30000	31.125	2004
12.02.2020 08:20:52	1	1	1	1	117	51	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	31.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 08:20:53	1	1	1	1	117	51.25	0	27630.332	569.8924731	15805.18033	30000	0	0	30000	30.25	2004
12.02.2020 08:20:54	1	1	1	1	116.8	50.25	0	27819.905	574.1935484	15973.96244	30000	0	0	30000	31.8125	2004
12.02.2020 08:20:55	1	1	1	1	116.8	51.75	0	27914.692	567.7419355	15968.25483	30000	0	0	30000	30.3125	2004
12.02.2020 08:21:01	1	1	1	1	116.8	51.25	0	27867.299	569.8924731	15907.91727	30000	0	0	30000	31.8125	2004
12.02.2020 08:21:01	1	1	1	1	116.8	51.25	0	27867.299	569.8924731	15907.91727	30000	0	0	30000	31.8125	2004
12.02.2020 08:21:01	1	1	1	1	116.8	51.25	0	27867.299	569.8924731	15907.91727	30000	0	0	30000	31.8125	2004
12.02.2020 08:21:01	1	1	1	1	116.8	51.25	0	27867.299	569.8924731	15907.91727	30000	0	0	30000	31.8125	2004
12.02.2020 08:21:01	1	1	1	1	116.8	51.25	0	27867.299	569.8924731	15907.91727	30000	0	0	30000	31.8125	2004
12.02.2020 08:21:01	1	1	1	1	116.8	51.75	0	27962.085	572.0430108	15934.82456	30000	0	0	30000	31.375	2004
12.02.2020 08:21:02	1	1	1	1	116.8	51.25	0	28009.479	565.5913978	16082.40698	30000	0	0	30000	30.875	2004
12.02.2020 08:21:03	1	1	1	1	116	50.75	0	28009.479	578.4946237	15934.82456	30000	0	0	30000	31	2004
12.02.2020 08:21:04	1	1	1	1	116	51	0	27962.085	572.0430108	15907.91727	30000	0	0	30000	31.75	2004
12.02.2020 08:21:05	1	1	1	1	116	51.75	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	31.1875	2004
12.02.2020 08:21:06	1	1	1	1	116	51	0	28009.479	567.7419355	15694.28967	30000	0	0	30000	30.3125	2004
12.02.2020 08:21:07	1	1	1	1	116	50.25	0	28009.479	576.344086	15875.30237	30000	0	0	30000	31.5625	2004
12.02.2020 08:21:08	1	1	1	1	116	51.5	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	30.0625	2004
12.02.2020 08:21:09	1	1	1	1	116	50	0	27867.299	567.7419355	15907.91727	30000	0	0	30000	31.125	2004
12.02.2020 08:21:10	1	1	1	1	116	51	0	27962.085	569.8924731	15907.91727	30000	0	0	30000	30.8125	2004
12.02.2020 08:21:11	1	1	1	1	116	50.75	0	27819.905	569.8924731	15854.10268	30000	0	0	30000	31	2004
12.02.2020 08:21:12	1	1	1	1	116	51	0	27962.085	572.0430108	16055.49969	30000	0	0	30000	29.6875	2004
12.02.2020 08:21:13	1	1	1	1	115.5	49.5	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	30.8125	2004
12.02.2020 08:21:14	1	1	1	1	115.5	50.75	0	28009.479	572.0430108	15902.20966	30000	0	0	30000	30.75	2004
12.02.2020 08:21:15	1	1	1	1	115.5	50.75	0	27914.692	572.0430108	16055.49969	30000	0	0	30000	30.0625	2004
12.02.2020 08:21:16	1	1	1	1	115.5	50	0	28199.052	574.1935484	16191.66689	30000	0	0	30000	31.75	2004
12.02.2020 08:21:17	1	1	1	1	115.5	51.75	0	28009.479	576.344086	16142.74454	30000	0	0	30000	32.125	2004
12.02.2020 08:21:18	1	1	1	1	115.5	52	0	27962.085	572.0430108	16142.74454	30000	0	0	30000	31.25	2004
12.02.2020 08:21:19	1	1	1	1	115.5	51.25	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	30.3125	2004
12.02.2020 08:21:20	1	1	1	1	115.5	50.25	0	27914.692	576.344086	16027.77702	30000	0	0	30000	31.875	2004
12.02.2020 08:21:21	1	1	1	1	115.5	51.75	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	31.1875	2004
12.02.2020 08:21:22	1	1	1	1	115.5	51	0	27630.332	567.7419355	16033.48463	30000	0	0	30000	31.875	2004
12.02.2020 08:21:23	1	1	1	1	114.8	51.75	0	27630.332	576.344086	15924.22472	30000	0	0	30000	31.3125	2004
12.02.2020 08:21:25	1	1	1	1	114.8	51.25	0	27630.332	576.344086	16093.00682	30000	0	0	30000	32.125	2004
12.02.2020 08:21:26	1	1	1	1	114.8	52	0	27535.545	578.4946237	15873.67162	30000	0	0	30000	31.9375	2004
12.02.2020 08:21:27	1	1	1	1	114.8	51.75	0	27867.299	578.4946237	16120.72949	30000	0	0	30000	31.875	2004
12.02.2020 08:21:28	1	1	1	1	114.8	51.75	0	27630.332	580.6451613	16038.37687	30000	0	0	30000	31	2004
12.02.2020 08:21:29	1	1	1	1	114.8	51	0	27914.692	574.1935484	16055.49969	30000	0	0	30000	31.375	2004
12.02.2020 08:21:30	1	1	1	1	114.8	51.25	0	27630.332	576.344086	15924.22472	30000	0	0	30000	30.625	2004
12.02.2020 08:21:31	1	1	1	1	114.8	50.5	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	31.625	2004
12.02.2020 08:21:32	1	1	1	1	114.8	51.5	0	27630.332	584.9462366	16043.2691	30000	0	0	30000	31.1875	2004
12.02.2020 08:21:33	1	1	1	1	114.8	51	0	27535.545	576.344086	15814.9648	30000	0	0	30000	32.125	2004
12.02.2020 08:21:34	1	1	1	1	114	52	0	27630.332	580.6451613	15924.22472	30000	0	0	30000	31.6875	2004
12.02.2020 08:21:35	1	1	1	1	114	51.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	31.8125	2004
12.02.2020 08:21:36	1	1	1	1	114	51.75	0	27630.332	576.344086	15983.74691	30000	0	0	30000	29.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 08:21:37	1	1	1	1	114	49.5	0	27630.332	574.1935484	15924.22472	30000	0	0	30000	30.625	2004
12.02.2020 08:21:38	1	1	1	1	114	52	0	27819.905	580.6451613	16153.34439	30000	0	0	30000	31.4375	2004
12.02.2020 08:21:39	1	1	1	1	114	51.25	0	27819.905	576.344086	15983.74691	30000	0	0	30000	31.8125	2004
12.02.2020 08:21:40	1	1	1	1	114	51.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	31.375	2004
12.02.2020 08:21:41	1	1	1	1	114	51.25	0	27630.332	576.344086	15924.22472	30000	0	0	30000	32.0625	2004
12.02.2020 08:21:42	1	1	1	1	114	52	0	27725.118	576.344086	16093.00682	30000	0	0	30000	31.375	2004
12.02.2020 08:21:43	1	1	1	1	113.8	51.25	0	27630.332	576.344086	15924.22472	30000	0	0	30000	31.9375	2004
12.02.2020 08:21:44	1	1	1	1	113.8	51.75	0	27630.332	576.344086	16043.2691	30000	0	0	30000	31.5	2004
12.02.2020 08:21:45	1	1	1	1	113.8	51.5	0	27962.085	572.0430108	16082.40698	30000	0	0	30000	31.375	2004
12.02.2020 08:21:46	1	1	1	1	113.8	51.25	0	27630.332	576.344086	15929.11695	30000	0	0	30000	31.4375	2004
12.02.2020 08:21:47	1	1	1	1	113.8	51.25	0	27582.938	576.344086	15956.02424	30000	0	0	30000	30.75	2004
12.02.2020 08:21:48	1	1	1	1	113.8	50.75	0	27867.299	574.1935484	16061.20729	30000	0	0	30000	30.6875	2004
12.02.2020 08:21:49	1	1	1	1	113.8	50.5	0	27725.118	576.344086	15919.33248	30000	0	0	30000	32.3125	2004
12.02.2020 08:21:50	1	1	1	1	113.8	52.25	0	27819.905	580.6451613	16153.34439	30000	0	0	30000	30.375	2004
12.02.2020 08:21:51	1	1	1	1	113.8	50.25	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	31.625	2004
12.02.2020 08:21:52	1	1	1	1	113.8	51.5	0	27962.085	572.0430108	16055.49969	30000	0	0	30000	31.8125	2004
12.02.2020 08:21:53	1	1	1	1	113.5	51.75	0	27582.938	580.6451613	16015.54644	30000	0	0	30000	31.1875	2004
12.02.2020 08:21:54	1	1	1	1	113.5	51	0	27914.692	572.0430108	16000.86973	30000	0	0	30000	30.9375	2004
12.02.2020 08:21:55	1	1	1	1	113.5	50.75	0	28009.479	567.7419355	16022.06942	30000	0	0	30000	32.125	2004
12.02.2020 08:21:56	1	1	1	1	113.5	52	0	27867.299	569.8924731	15973.96244	30000	0	0	30000	30.8125	2004
12.02.2020 08:22:03	1	1	1	1	113.5	51.25	0	27867.299	572.0430108	15941.34754	30000	0	0	30000	31.375	2004
12.02.2020 08:22:03	1	1	1	1	113.5	51.25	0	27867.299	572.0430108	15941.34754	30000	0	0	30000	31.375	2004
12.02.2020 08:22:03	1	1	1	1	113.5	51.25	0	27867.299	572.0430108	15941.34754	30000	0	0	30000	31.375	2004
12.02.2020 08:22:03	1	1	1	1	113.5	51.25	0	27867.299	572.0430108	15941.34754	30000	0	0	30000	31.375	2004
12.02.2020 08:22:03	1	1	1	1	113.5	51.25	0	27867.299	572.0430108	15941.34754	30000	0	0	30000	31.375	2004
12.02.2020 08:22:03	1	1	1	1	113.5	51.25	0	27867.299	572.0430108	15941.34754	30000	0	0	30000	31.375	2004
12.02.2020 08:22:03	1	1	1	1	112.5	51.25	0	27867.299	574.1935484	16027.77702	30000	0	0	30000	31.5625	2004
12.02.2020 08:22:05	1	1	1	1	112.5	51.5	0	27630.332	574.1935484	16093.00682	30000	0	0	30000	30.625	2004
12.02.2020 08:22:06	1	1	1	1	112.5	50.5	0	27772.512	576.344086	15924.22472	30000	0	0	30000	31.75	2004
12.02.2020 08:22:07	1	1	1	1	112.5	51.75	0	27962.085	576.344086	15968.25483	30000	0	0	30000	32.0625	2004
12.02.2020 08:22:08	1	1	1	1	112.5	52	0	27819.905	567.7419355	15854.10268	30000	0	0	30000	31.5625	2004
12.02.2020 08:22:09	1	1	1	1	112.5	51.5	0	27914.692	572.0430108	15821.48778	30000	0	0	30000	30.5	2004
12.02.2020 08:22:10	1	1	1	1	112.5	50.5	0	27867.299	576.344086	16088.11459	30000	0	0	30000	31.5	2004
12.02.2020 08:22:11	1	1	1	1	112.5	51.5	0	27772.512	580.6451613	16043.2691	30000	0	0	30000	30.5	2004
12.02.2020 08:22:12	1	1	1	1	112.5	50.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	30.875	2004
12.02.2020 08:22:13	1	1	1	1	112.5	50.75	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	31.0625	2004
12.02.2020 08:22:14	1	1	1	1	111.8	51	0	27962.085	569.8924731	15788.05751	30000	0	0	30000	31.1875	2004
12.02.2020 08:22:15	1	1	1	1	111.8	51	0	28009.479	576.344086	16082.40698	30000	0	0	30000	31.4375	2004
12.02.2020 08:22:16	1	1	1	1	111.8	51.25	0	27867.299	569.8924731	15794.58049	30000	0	0	30000	31.75	2004
12.02.2020 08:22:17	1	1	1	1	111.8	51.75	0	28009.479	576.344086	16082.40698	30000	0	0	30000	32.5625	2004
12.02.2020 08:22:18	1	1	1	1	111.8	52.5	0	27962.085	572.0430108	15995.16212	30000	0	0	30000	31.4375	2004
12.02.2020 08:22:19	1	1	1	1	111.8	51.25	0	27867.299	569.8924731	15968.25483	30000	0	0	30000	32.25	2004
12.02.2020 08:22:20	1	1	1	1	111.8	51.25	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	30.25	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 08:22:21	1	1	1	1	111.8	50.25	0	28199.052	576.344086	16252.00446	30000	0	0	30000	32.0625	2004
12.02.2020 08:22:22	1	1	1	1	111.8	52	0	27914.692	576.344086	16027.77702	30000	0	0	30000	32.25	2004
12.02.2020 08:22:23	1	1	1	1	110.5	52.25	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	31.5	2004
12.02.2020 08:22:24	1	1	1	1	110.5	51.5	0	27914.692	569.8924731	15934.82456	30000	0	0	30000	32.1875	2004
12.02.2020 08:22:25	1	1	1	1	110.5	52	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	31.6875	2004
12.02.2020 08:22:26	1	1	1	1	110.5	51.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	31.6875	2004
12.02.2020 08:22:27	1	1	1	1	110.5	51.5	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	31.8125	2004
12.02.2020 08:22:28	1	1	1	1	110.5	51.75	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	31	2004
12.02.2020 08:22:29	1	1	1	1	110.5	51	0	28341.232	567.7419355	16002.50048	30000	0	0	30000	31.75	2004
12.02.2020 08:22:30	1	1	1	1	110.5	51.75	0	28009.479	572.0430108	16203.08211	30000	0	0	30000	31.25	2004
12.02.2020 08:22:31	1	1	1	1	110.5	51.25	0	27630.332	572.0430108	15805.18033	30000	0	0	30000	31.8125	2004
12.02.2020 08:22:32	1	1	1	1	110.5	51.75	0	28009.479	569.8924731	16142.74454	30000	0	0	30000	30.8125	2004
12.02.2020 08:22:33	1	1	1	1	109.8	50.75	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	31.875	2004
12.02.2020 08:22:34	1	1	1	1	109.8	51.75	0	27867.299	567.7419355	15854.10268	30000	0	0	30000	32.125	2004
12.02.2020 08:22:35	1	1	1	1	109.8	52	0	27867.299	563.4408602	16027.77702	30000	0	0	30000	31.5	2004
12.02.2020 08:22:36	1	1	1	1	109.8	51.5	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	31.25	2004
12.02.2020 08:22:37	1	1	1	1	109.8	51.25	0	27725.118	574.1935484	15973.96244	30000	0	0	30000	31.6875	2004
12.02.2020 08:22:38	1	1	1	1	109.8	51.5	0	28009.479	576.344086	16142.74454	30000	0	0	30000	31.1875	2004
12.02.2020 08:22:39	1	1	1	1	109.8	51	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	31.6875	2004
12.02.2020 08:22:40	1	1	1	1	109.8	51.5	0	28009.479	569.8924731	15841.8721	30000	0	0	30000	30.625	2004
12.02.2020 08:22:41	1	1	1	1	109.8	50.5	0	27867.299	565.5913978	15995.16212	30000	0	0	30000	31	2004
12.02.2020 08:22:42	1	1	1	1	109.8	51	0	27962.085	569.8924731	15788.05751	30000	0	0	30000	31.875	2004
12.02.2020 08:22:43	1	1	1	1	108.8	51.75	0	27819.905	569.8924731	15913.62487	30000	0	0	30000	31.8125	2004
12.02.2020 08:22:45	1	1	1	1	108.8	51.75	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	31.75	2004
12.02.2020 08:22:46	1	1	1	1	108.8	51.75	0	28009.479	572.0430108	16191.66689	30000	0	0	30000	31.6875	2004
12.02.2020 08:22:47	1	1	1	1	108.8	51.5	0	27867.299	574.1935484	16088.11459	30000	0	0	30000	31.125	2004
12.02.2020 08:22:48	1	1	1	1	108.8	51	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	31.125	2004
12.02.2020 08:22:49	1	1	1	1	108.8	51	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	32.0625	2004
12.02.2020 08:22:50	1	1	1	1	108.8	52	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	31.5625	2004
12.02.2020 08:22:51	1	1	1	1	108.8	51.5	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	29.875	2004
12.02.2020 08:22:52	1	1	1	1	108.8	49.75	0	27819.905	572.0430108	15913.62487	30000	0	0	30000	32.1875	2004
12.02.2020 08:22:53	1	1	1	1	108.8	52	0	28009.479	569.8924731	15902.20966	30000	0	0	30000	30.875	2004
12.02.2020 08:22:54	1	1	1	1	108.5	50.75	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	30.9375	2004
12.02.2020 08:22:55	1	1	1	1	108.5	50.75	0	27819.905	572.0430108	15973.96244	30000	0	0	30000	30.4375	2004
12.02.2020 08:22:56	1	1	1	1	108.5	50.25	0	27914.692	569.8924731	15995.16212	30000	0	0	30000	32.25	2004
12.02.2020 08:22:57	1	1	1	1	108.5	52.25	0	27867.299	576.344086	16061.20729	30000	0	0	30000	31.75	2004
12.02.2020 08:22:58	1	1	1	1	108.5	51.75	0	27914.692	572.0430108	15968.25483	30000	0	0	30000	32.75	2004
12.02.2020 08:23:04	1	1	1	1	108.3	51.5	0	28199.052	572.0430108	16191.66689	30000	0	0	30000	32.0625	2004
12.02.2020 08:23:04	1	1	1	1	108.3	51.5	0	28199.052	572.0430108	16191.66689	30000	0	0	30000	32.0625	2004
12.02.2020 08:23:04	1	1	1	1	108.3	51.5	0	28199.052	572.0430108	16191.66689	30000	0	0	30000	32.0625	2004
12.02.2020 08:23:04	1	1	1	1	108.3	51.5	0	28199.052	572.0430108	16191.66689	30000	0	0	30000	32.0625	2004
12.02.2020 08:23:04	1	1	1	1	108.3	51.5	0	28199.052	572.0430108	16191.66689	30000	0	0	30000	32.0625	2004
12.02.2020 08:23:04	1	1	1	1	108.3	52	0	28009.479	567.7419355	15668.19776	30000	0	0	30000	31.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 08:23:05	1	1	1	1	108.3	51.75	0	28009.479	576.344086	16142.74454	30000	0	0	30000	31.25	2004
12.02.2020 08:23:06	1	1	1	1	108.3	51.25	0	28009.479	565.5913978	16082.40698	30000	0	0	30000	30.9375	2004
12.02.2020 08:23:07	1	1	1	1	108.3	50.75	0	28009.479	572.0430108	16263.41967	30000	0	0	30000	31.3125	2004
12.02.2020 08:23:08	1	1	1	1	108.3	51.25	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	32.1875	2004
12.02.2020 08:23:09	1	1	1	1	108.3	52	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	30.9375	2004
12.02.2020 08:23:10	1	1	1	1	108.3	50.75	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	31.4375	2004
12.02.2020 08:23:11	1	1	1	1	108.3	51.25	0	28009.479	572.0430108	16142.74454	30000	0	0	30000	31.75	2004
12.02.2020 08:23:12	1	1	1	1	108.3	51.75	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	31.0625	2004
12.02.2020 08:23:13	1	1	1	1	107.5	51	0	28199.052	572.0430108	16009.83883	30000	0	0	30000	31.1875	2004
12.02.2020 08:23:14	1	1	1	1	107.5	51	0	27914.692	569.8924731	15907.91727	30000	0	0	30000	31.8125	2004
12.02.2020 08:23:15	1	1	1	1	107.5	51.75	0	28199.052	569.8924731	15948.68589	30000	0	0	30000	31.1875	2004
12.02.2020 08:23:16	1	1	1	1	107.5	51	0	28151.659	567.7419355	15961.73185	30000	0	0	30000	31.375	2004
12.02.2020 08:23:17	1	1	1	1	107.5	51.25	0	28388.626	565.5913978	16029.40777	30000	0	0	30000	32.1875	2004
12.02.2020 08:23:18	1	1	1	1	107.5	52	0	28341.232	567.7419355	16063.65341	30000	0	0	30000	30.5	2004
12.02.2020 08:23:19	1	1	1	1	107.5	50.5	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	32.3125	2004
12.02.2020 08:23:20	1	1	1	1	107.5	52.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	31.0625	2004
12.02.2020 08:23:21	1	1	1	1	107.5	51	0	28293.839	563.4408602	16002.50048	30000	0	0	30000	32.1875	2004
12.02.2020 08:23:23	1	1	1	1	107.5	52	0	28388.626	563.4408602	15995.16212	30000	0	0	30000	32.3125	2004
12.02.2020 08:23:24	1	1	1	1	107	52.25	0	28293.839	569.8924731	16123.99098	30000	0	0	30000	31.375	2004
12.02.2020 08:23:25	1	1	1	1	107	51.25	0	28341.232	563.4408602	15995.16212	30000	0	0	30000	32.375	2004
12.02.2020 08:23:26	1	1	1	1	107	52.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	31.5	2004
12.02.2020 08:23:27	1	1	1	1	107	51.5	0	28436.019	574.1935484	16177.80556	30000	0	0	30000	31.9375	2004
12.02.2020 08:23:28	1	1	1	1	107	51.75	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	31.8125	2004
12.02.2020 08:23:29	1	1	1	1	107	51.75	0	28199.052	572.0430108	16070.17639	30000	0	0	30000	32.3125	2004
12.02.2020 08:23:30	1	1	1	1	107	52.25	0	28293.839	565.5913978	15948.68589	30000	0	0	30000	31.875	2004
12.02.2020 08:23:31	1	1	1	1	107	51.75	0	28341.232	567.7419355	16063.65341	30000	0	0	30000	30.25	2004
12.02.2020 08:23:32	1	1	1	1	107	50.25	0	28341.232	563.4408602	15907.10189	30000	0	0	30000	30.9375	2004
12.02.2020 08:23:33	1	1	1	1	107	50.75	0	28341.232	561.2903226	15995.16212	30000	0	0	30000	31.9375	2004
12.02.2020 08:23:34	1	1	1	1	106.3	51.75	0	28483.412	565.5913978	16083.22235	30000	0	0	30000	30.5625	2004
12.02.2020 08:23:35	1	1	1	1	106.3	50.5	0	28293.839	565.5913978	16002.50048	30000	0	0	30000	32.1875	2004
12.02.2020 08:23:36	1	1	1	1	106.3	52	0	28388.626	561.2903226	15934.00919	30000	0	0	30000	31.1875	2004
12.02.2020 08:23:37	1	1	1	1	106.3	52.25	0	28483.412	565.5913978	16048.16134	30000	0	0	30000	31.25	2004
12.02.2020 08:23:38	1	1	1	1	106.3	51.25	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	32.25	2004
12.02.2020 08:23:39	1	1	1	1	106.3	52.25	0	28388.626	563.4408602	15995.16212	30000	0	0	30000	31.3125	2004
12.02.2020 08:23:40	1	1	1	1	106.3	51.25	0	28388.626	563.4408602	16056.31506	30000	0	0	30000	31.4375	2004
12.02.2020 08:23:41	1	1	1	1	106.3	51.25	0	28293.839	563.4408602	15968.25483	30000	0	0	30000	31.3125	2004
12.02.2020 08:23:42	1	1	1	1	106.3	51.25	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	30.625	2004
12.02.2020 08:23:43	1	1	1	1	106.5	50.5	0	28341.232	565.5913978	16090.5607	30000	0	0	30000	30.625	2004
12.02.2020 08:23:44	1	1	1	1	106.5	50.5	0	28199.052	556.9892473	15827.19539	30000	0	0	30000	32.0625	2004
12.02.2020 08:23:45	1	1	1	1	106.5	52	0	28436.019	556.9892473	16048.16134	30000	0	0	30000	32.125	2004
12.02.2020 08:23:46	1	1	1	1	106.5	52	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	31.8125	2004
12.02.2020 08:23:47	1	1	1	1	106.5	51.75	0	28293.839	563.4408602	15888.34833	30000	0	0	30000	32.4375	2004
12.02.2020 08:23:48	1	1	1	1	106.5	52.25	0	28578.199	563.4408602	16163.12886	30000	0	0	30000	31.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 08:23:49	1	1	1	1	106.5	51.5	0	28341.232	565.5913978	16029.40777	30000	0	0	30000	31.5625	2004
12.02.2020 08:23:50	1	1	1	1	106.5	51.5	0	28293.839	563.4408602	15941.34754	30000	0	0	30000	31.125	2004
12.02.2020 08:23:51	1	1	1	1	106.5	51	0	28293.839	567.7419355	16063.65341	30000	0	0	30000	31.875	2004
12.02.2020 08:23:52	1	1	1	1	106.5	51.75	0	28009.479	567.7419355	16009.83883	30000	0	0	30000	32.1875	2004
12.02.2020 08:23:53	1	1	1	1	105.3	52	0	28436.019	561.2903226	16048.16134	30000	0	0	30000	31.25	2004
12.02.2020 08:23:54	1	1	1	1	105.3	51.25	0	28388.626	559.1397849	15934.00919	30000	0	0	30000	32.0625	2004
12.02.2020 08:23:55	1	1	1	1	105.3	52	0	28009.479	559.1397849	16009.83883	30000	0	0	30000	31.3125	2004
12.02.2020 08:23:56	1	1	1	1	105.3	51.25	0	28957.346	546.2365591	15879.37923	30000	0	0	30000	32.1875	2004
12.02.2020 08:23:57	1	1	1	1	105.3	52	0	30000	419.3548387	12580.38214	30000	0	0	30000	31.5	2004
12.02.2020 08:23:58	1	1	1	1	105.3	51.5	0	30000	492.4731183	14773.73413	30000	0	0	30000	30.5625	2004
12.02.2020 08:23:59	1	1	1	1	105.3	50.5	0	30000	488.172043	14644.90528	30000	0	0	30000	30.9375	2004
12.02.2020 08:24:06	1	1	1	1	105.5	52	0	29952.607	460.2150538	13805.88699	30000	0	0	30000	32.25	2004
12.02.2020 08:24:06	1	1	1	1	105.5	52	0	29952.607	460.2150538	13805.88699	30000	0	0	30000	32.25	2004
12.02.2020 08:24:06	1	1	1	1	105.5	52	0	29952.607	460.2150538	13805.88699	30000	0	0	30000	32.25	2004
12.02.2020 08:24:06	1	1	1	1	105.5	52	0	29952.607	460.2150538	13805.88699	30000	0	0	30000	32.25	2004
12.02.2020 08:24:06	1	1	1	1	105.5	52	0	29952.607	460.2150538	13805.88699	30000	0	0	30000	32.25	2004
12.02.2020 08:24:06	1	1	1	1	105.5	52	0	29952.607	460.2150538	13805.88699	30000	0	0	30000	32.25	2004
12.02.2020 08:24:06	1	1	1	1	105.5	52	0	29952.607	460.2150538	13805.88699	30000	0	0	30000	32.25	2004
12.02.2020 08:24:07	1	1	1	1	105.5	52.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	32.4375	2004
12.02.2020 08:24:08	1	1	1	1	105.5	52.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	32	2004
12.02.2020 08:24:09	1	1	1	1	105.5	52	0	30000	434.4086022	13032.0985	30000	0	0	30000	31.4375	2004
12.02.2020 08:24:10	1	1	1	1	105.5	51.25	0	30000	468.8172043	13999.94564	30000	0	0	30000	31.5	2004
12.02.2020 08:24:11	1	1	1	1	105.5	51.5	0	29952.607	460.2150538	13999.94564	30000	0	0	30000	31.75	2004
12.02.2020 08:24:12	1	1	1	1	105.5	51.75	0	30000	486.0215054	14644.90528	30000	0	0	30000	31.0625	2004
12.02.2020 08:24:13	1	1	1	1	105.5	51	0	30000	481.7204301	14451.662	30000	0	0	30000	31.625	2004
12.02.2020 08:24:14	1	1	1	1	103.5	51.5	0	30000	481.7204301	14451.662	30000	0	0	30000	32.125	2004
12.02.2020 08:24:15	1	1	1	1	103.5	51	0	30000	455.9139785	13677.05814	30000	0	0	30000	32.3125	2004
12.02.2020 08:24:16	1	1	1	1	103.5	52.25	0	29905.213	445.1612903	13612.64371	30000	0	0	30000	32	2004
12.02.2020 08:24:17	1	1	1	1	103.5	52	0	30000	522.5806452	15677.16685	30000	0	0	30000	30.1875	2004
12.02.2020 08:24:18	1	1	1	1	103.5	50	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	32.6875	2004
12.02.2020 08:24:19	1	1	1	1	103.5	52.5	0	28815.166	550.5376344	15863.88715	30000	0	0	30000	32.5	2004
12.02.2020 08:24:20	1	1	1	1	103.5	52.5	0	28388.626	563.4408602	16056.31506	30000	0	0	30000	31.25	2004
12.02.2020 08:24:21	1	1	1	1	103.5	51.25	0	28625.592	550.5376344	16049.79208	30000	0	0	30000	31.25	2004
12.02.2020 08:24:22	1	1	1	1	103.5	51.25	0	28815.166	552.688172	15925.85546	30000	0	0	30000	32.375	2004
12.02.2020 08:24:23	1	1	1	1	101.5	52.25	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	31.875	2004
12.02.2020 08:24:24	1	1	1	1	101.5	51.75	0	28625.592	552.688172	15820.67241	30000	0	0	30000	32.4375	2004
12.02.2020 08:24:25	1	1	1	1	101.5	52.25	0	28862.559	552.688172	15925.85546	30000	0	0	30000	31.6875	2004
12.02.2020 08:24:26	1	1	1	1	101.5	51.5	0	28625.592	552.688172	15820.67241	30000	0	0	30000	32.1875	2004
12.02.2020 08:24:27	1	1	1	1	101.5	52	0	28862.559	554.8387097	16013.91569	30000	0	0	30000	31.625	2004
12.02.2020 08:24:28	1	1	1	1	101.5	51.5	0	29052.133	552.688172	16234.06626	30000	0	0	30000	31.875	2004
12.02.2020 08:24:29	1	1	1	1	101.5	51.75	0	29099.526	546.2365591	15920.96323	30000	0	0	30000	32.375	2004
12.02.2020 08:24:30	1	1	1	1	101.5	52.25	0	28957.346	546.2365591	15817.41092	30000	0	0	30000	32.1875	2004
12.02.2020 08:24:31	1	1	1	1	101.5	52	0	29146.919	544.0860215	15920.96323	30000	0	0	30000	31.5	2004
12.02.2020 08:24:32	1	1	1	1	101.5	51.5	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	31.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 08:24:33	1	1	1	1	102.3	51.5	0	29431.28	541.9354839	16064.46878	30000	0	0	30000	32.5	2004
12.02.2020 08:24:34	1	1	1	1	102.3	52.5	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	32.0625	2004
12.02.2020 08:24:35	1	1	1	1	102.3	52	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	31.5	2004
12.02.2020 08:24:36	1	1	1	1	102.3	51.5	0	29478.673	541.9354839	15937.27068	30000	0	0	30000	31.5	2004
12.02.2020 08:24:38	1	1	1	1	102.3	51.5	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	32.4375	2004
12.02.2020 08:24:39	1	1	1	1	102.3	52.25	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	32.5	2004
12.02.2020 08:24:40	1	1	1	1	102.3	52.5	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	32.25	2004
12.02.2020 08:24:41	1	1	1	1	102.3	52.25	0	29715.64	544.0860215	16103.60666	30000	0	0	30000	32.25	2004
12.02.2020 08:24:42	1	1	1	1	102.3	52.25	0	29336.493	544.0860215	16075.884	30000	0	0	30000	32.25	2004
12.02.2020 08:24:43	1	1	1	1	102.3	52.25	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	32.125	2004
12.02.2020 08:24:44	1	1	1	1	102.3	52	0	29905.213	539.7849462	16141.92917	30000	0	0	30000	32.375	2004
12.02.2020 08:24:45	1	1	1	1	102.3	52.25	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	31.6875	2004
12.02.2020 08:24:46	1	1	1	1	102.3	51.5	0	29810.427	546.2365591	16040.00761	30000	0	0	30000	31.875	2004
12.02.2020 08:24:47	1	1	1	1	102.3	51.75	0	29526.066	539.7849462	15963.3626	30000	0	0	30000	31.5	2004
12.02.2020 08:24:48	1	1	1	1	102.3	51.5	0	29668.246	537.6344086	15925.04009	30000	0	0	30000	31.8125	2004
12.02.2020 08:24:49	1	1	1	1	102.3	51.75	0	29763.033	533.3333333	15987.82377	30000	0	0	30000	30.6875	2004
12.02.2020 08:24:50	1	1	1	1	102.3	50.5	0	29857.82	537.6344086	16052.2382	30000	0	0	30000	32.4375	2004
12.02.2020 08:24:51	1	1	1	1	102.3	52.25	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	32.5	2004
12.02.2020 08:24:52	1	1	1	1	102.3	52.5	0	29715.64	535.483871	15937.27068	30000	0	0	30000	32.5	2004
12.02.2020 08:24:53	1	1	1	1	102.3	52.5	0	29857.82	537.6344086	16052.2382	30000	0	0	30000	31.75	2004
12.02.2020 08:24:54	1	1	1	1	101.5	51.75	0	29905.213	537.6344086	16013.10032	30000	0	0	30000	31.875	2004
12.02.2020 08:24:55	1	1	1	1	101.5	51.75	0	29905.213	535.483871	16077.51474	30000	0	0	30000	31.4375	2004
12.02.2020 08:24:56	1	1	1	1	101.5	51.25	0	29715.64	529.0322581	15962.54722	30000	0	0	30000	32.0625	2004
12.02.2020 08:24:57	1	1	1	1	101.5	52	0	29810.427	535.483871	15987.82377	30000	0	0	30000	32.3125	2004
12.02.2020 08:24:58	1	1	1	1	101.5	52.25	0	29763.033	535.483871	15962.54722	30000	0	0	30000	32.375	2004
12.02.2020 08:24:59	1	1	1	1	101.5	52.25	0	29620.853	537.6344086	15925.04009	30000	0	0	30000	32	2004
12.02.2020 08:25:00	1	1	1	1	101.5	52	0	29146.919	544.0860215	15972.33169	30000	0	0	30000	32.4375	2004
12.02.2020 08:25:01	1	1	1	1	101.5	52.25	0	29573.46	546.2365591	15873.67162	30000	0	0	30000	32.3125	2004
12.02.2020 08:25:07	1	1	1	1	100.8	52.5	0	29478.673	544.0860215	15949.50126	30000	0	0	30000	30.875	2004
12.02.2020 08:25:07	1	1	1	1	100.8	52.5	0	29478.673	544.0860215	15949.50126	30000	0	0	30000	30.875	2004
12.02.2020 08:25:07	1	1	1	1	100.8	52.5	0	29478.673	544.0860215	15949.50126	30000	0	0	30000	30.875	2004
12.02.2020 08:25:07	1	1	1	1	100.8	52.5	0	29478.673	544.0860215	15949.50126	30000	0	0	30000	30.875	2004
12.02.2020 08:25:07	1	1	1	1	100.8	52.5	0	29478.673	544.0860215	15949.50126	30000	0	0	30000	30.875	2004
12.02.2020 08:25:07	1	1	1	1	100.8	50.75	0	29620.853	541.9354839	16115.83725	30000	0	0	30000	31.9375	2004
12.02.2020 08:25:08	1	1	1	1	100.8	51.75	0	29526.066	544.0860215	15823.11853	30000	0	0	30000	32.4375	2004
12.02.2020 08:25:09	1	1	1	1	100.8	52.25	0	29526.066	539.7849462	16064.46878	30000	0	0	30000	32.25	2004
12.02.2020 08:25:10	1	1	1	1	100.8	52.25	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	31.3125	2004
12.02.2020 08:25:11	1	1	1	1	100.8	51.25	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	32.5	2004
12.02.2020 08:25:12	1	1	1	1	100.8	52.5	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	32.4375	2004
12.02.2020 08:25:13	1	1	1	1	100.8	52.25	0	29478.673	541.9354839	16000.86973	30000	0	0	30000	31.5625	2004
12.02.2020 08:25:14	1	1	1	1	100.8	51.5	0	29478.673	541.9354839	15975.59318	30000	0	0	30000	31.0625	2004
12.02.2020 08:25:15	1	1	1	1	100.8	51	0	29620.853	541.9354839	16295.2192	30000	0	0	30000	32.25	2004
12.02.2020 08:25:17	1	1	1	1	100.8	52.25	0	29431.28	539.7849462	15885.90221	30000	0	0	30000	32.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 08:25:20	1	1	1	1	100.8	51.75	0	29431.28	541.9354839	16064.46878	30000	0	0	30000	31.3125	2004
12.02.2020 08:25:20	1	1	1	1	100.8	51.75	0	29431.28	541.9354839	16064.46878	30000	0	0	30000	31.3125	2004
12.02.2020 08:25:20	1	1	1	1	100.8	51.75	0	29431.28	541.9354839	16064.46878	30000	0	0	30000	31.3125	2004
12.02.2020 08:25:21	1	1	1	1	100.8	51.25	0	29526.066	539.7849462	16000.86973	30000	0	0	30000	32.1875	2004
12.02.2020 08:25:22	1	1	1	1	100.8	52	0	29620.853	541.9354839	15988.63914	30000	0	0	30000	31.6875	2004
12.02.2020 08:25:23	1	1	1	1	100.8	51.5	0	29526.066	541.9354839	15899.76354	30000	0	0	30000	32.6875	2004
12.02.2020 08:25:24	1	1	1	1	99	52.5	0	29668.246	537.6344086	16040.00761	30000	0	0	30000	32.3125	2004
12.02.2020 08:25:25	1	1	1	1	99	52.25	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	32.1875	2004
12.02.2020 08:25:26	1	1	1	1	99	52	0	29431.28	546.2365591	15911.99413	30000	0	0	30000	32	2004
12.02.2020 08:25:27	1	1	1	1	99	52	0	29573.46	539.7849462	16052.2382	30000	0	0	30000	31.75	2004
12.02.2020 08:25:28	1	1	1	1	99	51.75	0	29336.493	541.9354839	15835.34912	30000	0	0	30000	32.1875	2004
12.02.2020 08:25:29	1	1	1	1	99	52	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	32.4375	2004
12.02.2020 08:25:30	1	1	1	1	99	52.25	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	32.5625	2004
12.02.2020 08:25:31	1	1	1	1	99	52.5	0	29715.64	537.6344086	15911.99413	30000	0	0	30000	32.9375	2004
12.02.2020 08:25:32	1	1	1	1	99	52.75	0	29810.427	537.6344086	15911.99413	30000	0	0	30000	32.1875	2004
12.02.2020 08:25:33	1	1	1	1	99.5	51.75	0	29620.853	535.483871	15861.44103	30000	0	0	30000	32.5	2004
12.02.2020 08:25:34	1	1	1	1	99.5	52.5	0	29810.427	539.7849462	16090.5607	30000	0	0	30000	32.25	2004
12.02.2020 08:25:35	1	1	1	1	99.5	52.25	0	29573.46	541.9354839	15963.3626	30000	0	0	30000	31.875	2004
12.02.2020 08:25:36	1	1	1	1	99.5	51.75	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	32	2004
12.02.2020 08:25:37	1	1	1	1	99.5	52	0	29526.066	533.3333333	15810.07257	30000	0	0	30000	31.8125	2004
12.02.2020 08:25:38	1	1	1	1	99.5	51.75	0	29810.427	537.6344086	15898.94817	30000	0	0	30000	31.875	2004
12.02.2020 08:25:39	1	1	1	1	99.5	51.75	0	29810.427	544.0860215	15911.99413	30000	0	0	30000	32.75	2004
12.02.2020 08:25:40	1	1	1	1	99.5	52.75	0	29905.213	535.483871	16013.10032	30000	0	0	30000	31.5625	2004
12.02.2020 08:25:41	1	1	1	1	99.5	51.5	0	29620.853	533.3333333	15975.59318	30000	0	0	30000	32.5625	2004
12.02.2020 08:25:42	1	1	1	1	99.5	52.5	0	29857.82	535.483871	16013.10032	30000	0	0	30000	32.75	2004
12.02.2020 08:25:43	1	1	1	1	98.75	52.75	0	29526.066	533.3333333	15747.28889	30000	0	0	30000	31.4375	2004
12.02.2020 08:25:44	1	1	1	1	98.75	51.25	0	29715.64	535.483871	15911.99413	30000	0	0	30000	31.125	2004
12.02.2020 08:25:45	1	1	1	1	98.75	51	0	29857.82	537.6344086	15987.82377	30000	0	0	30000	32	2004
12.02.2020 08:25:46	1	1	1	1	98.75	52	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	31.5625	2004
12.02.2020 08:25:47	1	1	1	1	98.75	51.5	0	29857.82	535.483871	16013.10032	30000	0	0	30000	32.6875	2004
12.02.2020 08:25:48	1	1	1	1	98.75	52.5	0	29857.82	535.483871	15987.82377	30000	0	0	30000	31.9375	2004
12.02.2020 08:25:49	1	1	1	1	98.75	51.75	0	29857.82	533.3333333	15987.82377	30000	0	0	30000	32.125	2004
12.02.2020 08:25:50	1	1	1	1	98.75	52	0	29905.213	535.483871	16013.10032	30000	0	0	30000	31.6875	2004
12.02.2020 08:25:51	1	1	1	1	98.75	51.5	0	29905.213	537.6344086	16077.51474	30000	0	0	30000	32.4375	2004
12.02.2020 08:25:52	1	1	1	1	98.75	52.25	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	32.625	2004
12.02.2020 08:25:53	1	1	1	1	99	52.5	0	29810.427	539.7849462	16090.5607	30000	0	0	30000	32.4375	2004
12.02.2020 08:25:54	1	1	1	1	99	52.25	0	29810.427	535.483871	16026.96165	30000	0	0	30000	32.0625	2004
12.02.2020 08:25:55	1	1	1	1	99	52	0	29810.427	537.6344086	15962.54722	30000	0	0	30000	32.625	2004
12.02.2020 08:25:57	1	1	1	1	99	52.5	0	29763.033	537.6344086	16040.00761	30000	0	0	30000	32.4375	2004
12.02.2020 08:25:58	1	1	1	1	99	52.25	0	29905.213	535.483871	15730.98144	30000	0	0	30000	32.25	2004
12.02.2020 08:25:59	1	1	1	1	99	52.25	0	29810.427	537.6344086	16026.96165	30000	0	0	30000	30.8125	2004
12.02.2020 08:26:00	1	1	1	1	99	50.75	0	29810.427	537.6344086	16052.2382	30000	0	0	30000	31.625	2004
12.02.2020 08:26:01	1	1	1	1	99	51.5	0	29857.82	533.3333333	15706.52026	30000	0	0	30000	31.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 08:26:02	1	1	1	1	99	51	0	29952.607	539.7849462	16141.92917	30000	0	0	30000	32.4375	2004
12.02.2020 08:26:03	1	1	1	1	99	52.25	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	31.1875	2004
12.02.2020 08:26:09	1	1	1	1	98.75	52.25	0	29952.607	533.3333333	16064.46878	30000	0	0	30000	32.3125	2004
12.02.2020 08:26:09	1	1	1	1	98.75	52.25	0	29952.607	533.3333333	16064.46878	30000	0	0	30000	32.3125	2004
12.02.2020 08:26:09	1	1	1	1	98.75	52.25	0	29952.607	533.3333333	16064.46878	30000	0	0	30000	32.3125	2004
12.02.2020 08:26:09	1	1	1	1	98.75	52.25	0	29952.607	533.3333333	16064.46878	30000	0	0	30000	32.3125	2004
12.02.2020 08:26:09	1	1	1	1	98.75	52.25	0	29952.607	533.3333333	16064.46878	30000	0	0	30000	32.3125	2004
12.02.2020 08:26:09	1	1	1	1	98.75	52.25	0	29810.427	535.483871	15962.54722	30000	0	0	30000	31.0625	2004
12.02.2020 08:26:10	1	1	1	1	98.75	51	0	30000	533.3333333	16000.05436	30000	0	0	30000	32.625	2004
12.02.2020 08:26:11	1	1	1	1	98.75	52.5	0	29857.82	537.6344086	15987.82377	30000	0	0	30000	32.875	2004
12.02.2020 08:26:12	1	1	1	1	98.75	52.75	0	29857.82	535.483871	16013.10032	30000	0	0	30000	32.5	2004
12.02.2020 08:26:13	1	1	1	1	98.25	52.75	0	29905.213	531.1827957	15974.77781	30000	0	0	30000	32.5625	2004
12.02.2020 08:26:14	1	1	1	1	98.25	52.5	0	29810.427	537.6344086	16026.96165	30000	0	0	30000	32	2004
12.02.2020 08:26:15	1	1	1	1	98.25	52	0	30000	533.3333333	16000.05436	30000	0	0	30000	32.375	2004
12.02.2020 08:26:16	1	1	1	1	98.25	52.25	0	29905.213	537.6344086	16141.92917	30000	0	0	30000	31.4375	2004
12.02.2020 08:26:17	1	1	1	1	98.25	51.25	0	29905.213	535.483871	16013.10032	30000	0	0	30000	31.8125	2004
12.02.2020 08:26:18	1	1	1	1	98.25	51.75	0	29620.853	535.483871	15925.04009	30000	0	0	30000	32.4375	2004
12.02.2020 08:26:19	1	1	1	1	98.25	52.25	0	30000	533.3333333	16000.05436	30000	0	0	30000	32.5	2004
12.02.2020 08:26:20	1	1	1	1	98.25	52.5	0	29905.213	535.483871	16013.10032	30000	0	0	30000	32.625	2004
12.02.2020 08:26:21	1	1	1	1	98.25	52.5	0	30000	531.1827957	15870.41013	30000	0	0	30000	32	2004
12.02.2020 08:26:22	1	1	1	1	98.25	52	0	30000	522.5806452	15741.58128	30000	0	0	30000	31.75	2004
12.02.2020 08:26:23	1	1	1	1	98.25	51.75	0	30000	531.1827957	15870.41013	30000	0	0	30000	31.25	2004
12.02.2020 08:26:24	1	1	1	1	98.25	51.25	0	30000	529.0322581	15870.41013	30000	0	0	30000	31	2004
12.02.2020 08:26:25	1	1	1	1	98.25	51	0	29905.213	537.6344086	16128.88321	30000	0	0	30000	32.4375	2004
12.02.2020 08:26:26	1	1	1	1	98.25	52.25	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	31.875	2004
12.02.2020 08:26:27	1	1	1	1	98.25	51.75	0	29905.213	535.483871	16013.10032	30000	0	0	30000	31.0625	2004
12.02.2020 08:26:28	1	1	1	1	98.25	51	0	29952.607	535.483871	15949.50126	30000	0	0	30000	31.875	2004
12.02.2020 08:26:29	1	1	1	1	98.25	51.75	0	29905.213	529.0322581	16039.19224	30000	0	0	30000	32.4375	2004
12.02.2020 08:26:30	1	1	1	1	98.25	52.25	0	29905.213	531.1827957	15924.22472	30000	0	0	30000	32.1875	2004
12.02.2020 08:26:31	1	1	1	1	98.25	52	0	29810.427	533.3333333	15898.94817	30000	0	0	30000	31.5625	2004
12.02.2020 08:26:32	1	1	1	1	98.25	51.5	0	29905.213	537.6344086	15987.82377	30000	0	0	30000	32.125	2004
12.02.2020 08:26:33	1	1	1	1	97.5	52	0	29905.213	535.483871	16077.51474	30000	0	0	30000	32	2004
12.02.2020 08:26:34	1	1	1	1	97.5	52	0	29952.607	533.3333333	15949.50126	30000	0	0	30000	32.6875	2004
12.02.2020 08:26:36	1	1	1	1	97.5	52.5	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	32.1875	2004
12.02.2020 08:26:37	1	1	1	1	97.5	52	0	29905.213	535.483871	16013.10032	30000	0	0	30000	32	2004
12.02.2020 08:26:38	1	1	1	1	97.5	52	0	30000	531.1827957	15934.82456	30000	0	0	30000	32.5625	2004
12.02.2020 08:26:39	1	1	1	1	97.5	52.5	0	29905.213	535.483871	15949.50126	30000	0	0	30000	31	2004
12.02.2020 08:26:40	1	1	1	1	97.5	51	0	29905.213	533.3333333	15820.67241	30000	0	0	30000	30.9375	2004
12.02.2020 08:26:41	1	1	1	1	97.5	50.75	0	29810.427	535.483871	15962.54722	30000	0	0	30000	32.5625	2004
12.02.2020 08:26:42	1	1	1	1	97.5	52.5	0	30000	531.1827957	15934.82456	30000	0	0	30000	31.1875	2004
12.02.2020 08:26:43	1	1	1	1	97.5	51	0	30000	535.483871	16000.05436	30000	0	0	30000	32.0625	2004
12.02.2020 08:26:44	1	1	1	1	97.5	52	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	32.3125	2004
12.02.2020 08:26:45	1	1	1	1	97.5	52.25	0	30000	526.8817204	15805.99571	30000	0	0	30000	31.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 08:26:46	1	1	1	1	97.5	51.5	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	32.625	2004
12.02.2020 08:26:47	1	1	1	1	97.5	52.5	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	32.5625	2004
12.02.2020 08:26:48	1	1	1	1	97.5	52.5	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	30.5625	2004
12.02.2020 08:26:49	1	1	1	1	97.5	50.5	0	29905.213	535.483871	16013.10032	30000	0	0	30000	32.125	2004
12.02.2020 08:26:50	1	1	1	1	97.5	52	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	32.9375	2004
12.02.2020 08:26:51	1	1	1	1	97.5	52	0	30000	533.3333333	16000.05436	30000	0	0	30000	32.6875	2004
12.02.2020 08:26:52	1	1	1	1	97.5	52.5	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	30.3125	2004
12.02.2020 08:26:53	1	1	1	1	96.75	50.25	0	29952.607	533.3333333	15949.50126	30000	0	0	30000	32.4375	2004
12.02.2020 08:26:54	1	1	1	1	96.75	52.25	0	29905.213	526.8817204	16000.05436	30000	0	0	30000	32.125	2004
12.02.2020 08:26:55	1	1	1	1	96.75	52	0	29905.213	535.483871	15949.50126	30000	0	0	30000	31.875	2004
12.02.2020 08:26:56	1	1	1	1	96.75	51.75	0	29810.427	533.3333333	15924.22472	30000	0	0	30000	32.4375	2004
12.02.2020 08:26:57	1	1	1	1	96.75	52.25	0	30000	533.3333333	16000.05436	30000	0	0	30000	32.6875	2004
12.02.2020 08:26:58	1	1	1	1	96.75	52.5	0	30000	533.3333333	16000.05436	30000	0	0	30000	32.4375	2004
12.02.2020 08:26:59	1	1	1	1	96.75	52.25	0	29952.607	533.3333333	16000.05436	30000	0	0	30000	32.125	2004
12.02.2020 08:27:00	1	1	1	1	96.75	52	0	30000	524.7311828	15677.16685	30000	0	0	30000	31.75	2004
12.02.2020 08:27:01	1	1	1	1	96.75	51.75	0	30000	524.7311828	15677.16685	30000	0	0	30000	31.5625	2004
12.02.2020 08:27:02	1	1	1	1	96.75	51.5	0	30000	526.8817204	15805.99571	30000	0	0	30000	32.75	2004
12.02.2020 08:27:03	1	1	1	1	96.25	52.75	0	30000	524.7311828	15741.58128	30000	0	0	30000	32.4375	2004
12.02.2020 08:27:04	1	1	1	1	96.25	52.25	0	30000	518.2795699	15548.338	30000	0	0	30000	32.375	2004
12.02.2020 08:27:10	1	1	1	1	96.25	51.75	0	30000	529.0322581	15870.41013	30000	0	0	30000	32.5	2004
12.02.2020 08:27:10	1	1	1	1	96.25	51.75	0	30000	529.0322581	15870.41013	30000	0	0	30000	32.5	2004
12.02.2020 08:27:10	1	1	1	1	96.25	51.75	0	30000	529.0322581	15870.41013	30000	0	0	30000	32.5	2004
12.02.2020 08:27:10	1	1	1	1	96.25	51.75	0	30000	529.0322581	15870.41013	30000	0	0	30000	32.5	2004
12.02.2020 08:27:10	1	1	1	1	96.25	52.5	0	30000	520.4301075	15677.16685	30000	0	0	30000	32.375	2004
12.02.2020 08:27:12	1	1	1	1	96.25	52.25	0	30000	520.4301075	15548.338	30000	0	0	30000	31.3125	2004
12.02.2020 08:27:13	1	1	1	1	96.25	51.25	0	29952.607	518.2795699	15677.16685	30000	0	0	30000	32.125	2004
12.02.2020 08:27:14	1	1	1	1	95.5	52	0	30000	516.1290323	15483.92357	30000	0	0	30000	32.1875	2004
12.02.2020 08:27:15	1	1	1	1	95.5	52	0	30000	507.5268817	15225.45049	30000	0	0	30000	30.8125	2004
12.02.2020 08:27:16	1	1	1	1	95.5	50.75	0	30000	503.2258065	15096.62164	30000	0	0	30000	31.25	2004
12.02.2020 08:27:17	1	1	1	1	95.5	51.25	0	30000	505.3763441	14879.73256	30000	0	0	30000	32.125	2004
12.02.2020 08:27:18	1	1	1	1	95.5	52	0	30000	511.827957	15354.27935	30000	0	0	30000	32.5625	2004
12.02.2020 08:27:19	1	1	1	1	95.5	52.5	0	30000	507.5268817	15225.45049	30000	0	0	30000	32	2004
12.02.2020 08:27:20	1	1	1	1	95.5	52	0	30000	503.2258065	15032.20721	30000	0	0	30000	31.9375	2004
12.02.2020 08:27:21	1	1	1	1	95.5	51.75	0	30000	501.0752688	15096.62164	30000	0	0	30000	31.75	2004
12.02.2020 08:27:22	1	1	1	1	95.5	51.75	0	30000	503.2258065	15161.03607	30000	0	0	30000	32.5	2004
12.02.2020 08:27:23	1	1	1	1	95.5	52.5	0	30000	507.5268817	15289.86492	30000	0	0	30000	33.0625	2004
12.02.2020 08:27:24	1	1	1	1	95.5	53	0	30000	516.1290323	15855.73343	30000	0	0	30000	32.375	2004
12.02.2020 08:27:25	1	1	1	1	95.5	52.25	0	30000	516.1290323	15289.86492	30000	0	0	30000	31.6875	2004
12.02.2020 08:27:26	1	1	1	1	95.5	51.5	0	30000	518.2795699	15498.60028	30000	0	0	30000	32.5	2004
12.02.2020 08:27:27	1	1	1	1	95.5	52.5	0	29952.607	498.9247312	15161.03607	30000	0	0	30000	32.5625	2004
12.02.2020 08:27:28	1	1	1	1	95.5	52	0	30000	494.6236559	14902.56299	30000	0	0	30000	32.25	2004
12.02.2020 08:27:29	1	1	1	1	95.5	52.25	0	30000	498.9247312	14902.56299	30000	0	0	30000	32.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 08:27:30	1	1	1	1	95.5	52.75	0	30000	507.5268817	15225.45049	30000	0	0	30000	31.9375	2004
12.02.2020 08:27:31	1	1	1	1	95.5	51.75	0	29952.607	496.7741935	15096.62164	30000	0	0	30000	31.0625	2004
12.02.2020 08:27:32	1	1	1	1	95.5	51	0	30000	509.6774194	15225.45049	30000	0	0	30000	31.625	2004
12.02.2020 08:27:33	1	1	1	1	95	51.5	0	29905.213	503.2258065	15137.39026	30000	0	0	30000	31.4375	2004
12.02.2020 08:27:34	1	1	1	1	95	51.25	0	30000	498.9247312	14902.56299	30000	0	0	30000	32.0625	2004
12.02.2020 08:27:35	1	1	1	1	95	52	0	30000	494.6236559	14773.73413	30000	0	0	30000	32.625	2004
12.02.2020 08:27:36	1	1	1	1	95	52.5	0	30047.393	496.7741935	14902.56299	30000	0	0	30000	32.25	2004
12.02.2020 08:27:37	1	1	1	1	95	52.25	0	30000	507.5268817	15225.45049	30000	0	0	30000	31.9375	2004
12.02.2020 08:27:38	1	1	1	1	95	51.75	0	30000	511.827957	15483.92357	30000	0	0	30000	31.6875	2004
12.02.2020 08:27:39	1	1	1	1	95	51.5	0	30000	492.4731183	14773.73413	30000	0	0	30000	32.25	2004
12.02.2020 08:27:40	1	1	1	1	95	52.25	0	30000	488.172043	14644.90528	30000	0	0	30000	32.6875	2004
12.02.2020 08:27:41	1	1	1	1	95	52.5	0	30000	494.6236559	14838.14856	30000	0	0	30000	32.8125	2004
12.02.2020 08:27:42	1	1	1	1	95	52.75	0	30000	503.2258065	15096.62164	30000	0	0	30000	32.0625	2004
12.02.2020 08:27:43	1	1	1	1	94.75	52	0	30000	516.1290323	15483.92357	30000	0	0	30000	32.8125	2004
12.02.2020 08:27:44	1	1	1	1	94.75	52.75	0	29952.607	520.4301075	15677.16685	30000	0	0	30000	32.125	2004
12.02.2020 08:27:45	1	1	1	1	94.75	52	0	30000	522.5806452	15677.16685	30000	0	0	30000	32.0625	2004
12.02.2020 08:27:46	1	1	1	1	94.75	52	0	30000	503.2258065	15161.03607	30000	0	0	30000	30.4375	2004
12.02.2020 08:27:47	1	1	1	1	94.75	50.25	0	30000	501.0752688	15032.20721	30000	0	0	30000	32.125	2004
12.02.2020 08:27:49	1	1	1	1	94.75	52	0	30000	501.0752688	15032.20721	30000	0	0	30000	32.125	2004
12.02.2020 08:27:50	1	1	1	1	94.75	52	0	30000	505.3763441	15161.03607	30000	0	0	30000	30.5625	2004
12.02.2020 08:27:51	1	1	1	1	94.75	50.5	0	29952.607	501.0752688	15225.45049	30000	0	0	30000	32.4375	2004
12.02.2020 08:27:52	1	1	1	1	94.75	52.25	0	30000	494.6236559	14838.14856	30000	0	0	30000	31.125	2004
12.02.2020 08:27:53	1	1	1	1	94.75	51	0	30000	516.1290323	15483.92357	30000	0	0	30000	30.875	2004
12.02.2020 08:27:54	1	1	1	1	93.75	50.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	30.75	2004
12.02.2020 08:27:55	1	1	1	1	93.75	50.75	0	29952.607	503.2258065	15225.45049	30000	0	0	30000	32.6875	2004
12.02.2020 08:27:56	1	1	1	1	93.75	52.5	0	30000	503.2258065	15032.20721	30000	0	0	30000	30.5	2004
12.02.2020 08:27:57	1	1	1	1	93.75	50.5	0	30000	503.2258065	15032.20721	30000	0	0	30000	31.8125	2004
12.02.2020 08:27:58	1	1	1	1	93.75	51.75	0	30000	496.7741935	14879.73256	30000	0	0	30000	32.8125	2004
12.02.2020 08:27:59	1	1	1	1	93.75	52.75	0	29952.607	488.172043	14598.42905	30000	0	0	30000	32.875	2004
12.02.2020 08:28:00	1	1	1	1	93.75	52.75	0	30000	488.172043	14644.90528	30000	0	0	30000	31.5	2004
12.02.2020 08:28:01	1	1	1	1	93.75	51.5	0	30000	481.7204301	14451.662	30000	0	0	30000	32.6875	2004
12.02.2020 08:28:02	1	1	1	1	93.75	52.5	0	30000	494.6236559	14902.56299	30000	0	0	30000	33.0625	2004
12.02.2020 08:28:03	1	1	1	1	93.75	53	0	30000	494.6236559	14773.73413	30000	0	0	30000	31.0625	2004
12.02.2020 08:28:04	1	1	1	1	93.75	51	0	29952.607	488.172043	14709.31971	30000	0	0	30000	31.9375	2004
12.02.2020 08:28:05	1	1	1	1	93.75	51.75	0	30000	490.3225806	14838.14856	30000	0	0	30000	32.875	2004
12.02.2020 08:28:06	1	1	1	1	93.75	52.75	0	29952.607	486.0215054	14773.73413	30000	0	0	30000	32.1875	2004
12.02.2020 08:28:12	1	1	1	1	93.75	50.75	0	29952.607	483.8709677	14516.07643	30000	0	0	30000	31.375	2004
12.02.2020 08:28:12	1	1	1	1	93.75	50.75	0	29952.607	483.8709677	14516.07643	30000	0	0	30000	31.375	2004
12.02.2020 08:28:12	1	1	1	1	93.75	51.25	0	30000	488.172043	14644.90528	30000	0	0	30000	31.1875	2004
12.02.2020 08:28:12	1	1	1	1	93.75	51.25	0	30000	488.172043	14644.90528	30000	0	0	30000	31.1875	2004
12.02.2020 08:28:12	1	1	1	1	93.75	51.25	0	30000	488.172043	14644.90528	30000	0	0	30000	31.1875	2004
12.02.2020 08:28:12	1	1	1	1	93.75	51.25	0	30000	488.172043	14644.90528	30000	0	0	30000	31.1875	2004
12.02.2020 08:28:12	1	1	1	1	93.75	51.25	0	30000	488.172043	14644.90528	30000	0	0	30000	31.1875	2004
12.02.2020 08:28:13	1	1	1	1	93.75	51	0	30000	503.2258065	15096.62164	30000	0	0	30000	32.5625	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 08:28:14	1	1	1	1	93.75	52.5	0	30000	501.0752688	15096.62164	30000	0	0	30000	31.6875	2004
12.02.2020 08:28:15	1	1	1	1	93.75	51.5	0	30000	507.5268817	15225.45049	30000	0	0	30000	31.25	2004
12.02.2020 08:28:16	1	1	1	1	93.75	51.25	0	30000	503.2258065	15096.62164	30000	0	0	30000	31.75	2004
12.02.2020 08:28:17	1	1	1	1	93.75	51.75	0	30000	494.6236559	14838.14856	30000	0	0	30000	31.75	2004
12.02.2020 08:28:18	1	1	1	1	93.75	51.75	0	30000	492.4731183	14773.73413	30000	0	0	30000	30.375	2004
12.02.2020 08:28:19	1	1	1	1	93.75	50.25	0	30000	498.9247312	14902.56299	30000	0	0	30000	31.9375	2004
12.02.2020 08:28:20	1	1	1	1	93.75	51.75	0	30000	498.9247312	15032.20721	30000	0	0	30000	32.125	2004
12.02.2020 08:28:21	1	1	1	1	93.75	52	0	30000	496.7741935	14902.56299	30000	0	0	30000	32.25	2004
12.02.2020 08:28:22	1	1	1	1	93.75	52.25	0	30047.393	503.2258065	14902.56299	30000	0	0	30000	31.6875	2004
12.02.2020 08:28:23	1	1	1	1	92.75	51.5	0	30000	494.6236559	14773.73413	30000	0	0	30000	32.125	2004
12.02.2020 08:28:24	1	1	1	1	92.75	52	0	30000	492.4731183	14773.73413	30000	0	0	30000	32.5625	2004
12.02.2020 08:28:25	1	1	1	1	92.75	52.5	0	30000	481.7204301	14451.662	30000	0	0	30000	32.125	2004
12.02.2020 08:28:26	1	1	1	1	92.75	52	0	30000	490.3225806	14644.90528	30000	0	0	30000	31.75	2004
12.02.2020 08:28:27	1	1	1	1	92.75	51.75	0	29952.607	496.7741935	14902.56299	30000	0	0	30000	32.1875	2004
12.02.2020 08:28:28	1	1	1	1	92.75	52	0	30000	496.7741935	14902.56299	30000	0	0	30000	32.8125	2004
12.02.2020 08:28:29	1	1	1	1	92.75	52.75	0	30000	494.6236559	14838.14856	30000	0	0	30000	31.0625	2004
12.02.2020 08:28:30	1	1	1	1	92.75	51	0	30000	488.172043	14493.246	30000	0	0	30000	32.0625	2004
12.02.2020 08:28:32	1	1	1	1	92.75	52	0	30000	488.172043	14644.90528	30000	0	0	30000	32.6875	2004
12.02.2020 08:28:33	1	1	1	1	92.75	52.5	0	30000	492.4731183	14773.73413	30000	0	0	30000	32.6875	2004
12.02.2020 08:28:34	1	1	1	1	93	52.5	0	30000	490.3225806	14644.90528	30000	0	0	30000	31.75	2004
12.02.2020 08:28:35	1	1	1	1	93	51.75	0	29952.607	492.4731183	14773.73413	30000	0	0	30000	32.6875	2004
12.02.2020 08:28:36	1	1	1	1	93	52.5	0	29952.607	486.0215054	14644.90528	30000	0	0	30000	32.125	2004
12.02.2020 08:28:37	1	1	1	1	93	52	0	30000	501.0752688	14902.56299	30000	0	0	30000	32.875	2004
12.02.2020 08:28:38	1	1	1	1	93	52.75	0	30000	496.7741935	14727.2579	30000	0	0	30000	31	2004
12.02.2020 08:28:39	1	1	1	1	93	51	0	30000	498.9247312	15032.20721	30000	0	0	30000	30.75	2004
12.02.2020 08:28:40	1	1	1	1	93	50.75	0	30000	488.172043	14644.90528	30000	0	0	30000	30.9375	2004
12.02.2020 08:28:41	1	1	1	1	93	50.75	0	29952.607	486.0215054	14644.90528	30000	0	0	30000	32.5625	2004
12.02.2020 08:28:42	1	1	1	1	93	52.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	30.6875	2004
12.02.2020 08:28:43	1	1	1	1	93	50.5	0	30000	492.4731183	14773.73413	30000	0	0	30000	31.25	2004
12.02.2020 08:28:44	1	1	1	1	93	51.25	0	30000	488.172043	14644.90528	30000	0	0	30000	32.4375	2004
12.02.2020 08:28:45	1	1	1	1	93	52.25	0	30000	486.0215054	14516.07643	30000	0	0	30000	31.875	2004
12.02.2020 08:28:46	1	1	1	1	93	51.75	0	30000	483.8709677	14580.49085	30000	0	0	30000	32.875	2004
12.02.2020 08:28:47	1	1	1	1	93	52.75	0	29952.607	488.172043	14773.73413	30000	0	0	30000	32	2004
12.02.2020 08:28:48	1	1	1	1	93	52	0	30000	481.7204301	14451.662	30000	0	0	30000	33.0625	2004
12.02.2020 08:28:49	1	1	1	1	93	52.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	32.9375	2004
12.02.2020 08:28:50	1	1	1	1	93	52.75	0	30000	481.7204301	14451.662	30000	0	0	30000	31.5	2004
12.02.2020 08:28:51	1	1	1	1	93	51.5	0	30000	488.172043	14644.90528	30000	0	0	30000	32.1875	2004
12.02.2020 08:28:52	1	1	1	1	93	52	0	30000	488.172043	14773.73413	30000	0	0	30000	31	2004
12.02.2020 08:28:53	1	1	1	1	92.75	51	0	30000	483.8709677	14451.662	30000	0	0	30000	32.3125	2004
12.02.2020 08:28:54	1	1	1	1	92.75	52.25	0	30000	481.7204301	14451.662	30000	0	0	30000	32.6875	2004
12.02.2020 08:28:55	1	1	1	1	92.75	52.5	0	30000	481.7204301	14451.662	30000	0	0	30000	31.0625	2004
12.02.2020 08:28:56	1	1	1	1	92.75	51	0	30000	481.7204301	14451.662	30000	0	0	30000	31.875	2004
12.02.2020 08:28:57	1	1	1	1	92.75	51.75	0	29905.213	481.7204301	14451.662	30000	0	0	30000	32.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 08:28:58	1	1	1	1	92.75	52.25	0	30000	496.7741935	14902.56299	30000	0	0	30000	32	2004
12.02.2020 08:28:59	1	1	1	1	92.75	52	0	30000	483.8709677	14516.07643	30000	0	0	30000	31.1875	2004
12.02.2020 08:29:00	1	1	1	1	92.75	51	0	29952.607	486.0215054	14469.6002	30000	0	0	30000	32.875	2004
12.02.2020 08:29:01	1	1	1	1	92.75	52.75	0	30000	481.7204301	14451.662	30000	0	0	30000	31.875	2004
12.02.2020 08:29:02	1	1	1	1	92.75	51.75	0	30000	481.7204301	14451.662	30000	0	0	30000	31.75	2004
12.02.2020 08:29:03	1	1	1	1	92.5	51.75	0	30000	481.7204301	14451.662	30000	0	0	30000	31.4375	2004
12.02.2020 08:29:04	1	1	1	1	92.5	51.25	0	29905.213	481.7204301	14451.662	30000	0	0	30000	31.8125	2004
12.02.2020 08:29:05	1	1	1	1	92.5	51.75	0	30000	481.7204301	14428.83157	30000	0	0	30000	31.9375	2004
12.02.2020 08:29:06	1	1	1	1	92.5	51.75	0	30000	481.7204301	14451.662	30000	0	0	30000	31.9375	2004
12.02.2020 08:29:07	1	1	1	1	92.5	51.75	0	30000	481.7204301	14451.662	30000	0	0	30000	31	2004
12.02.2020 08:29:13	1	1	1	1	92.5	51.25	0	30000	481.7204301	14451.662	30000	0	0	30000	31.9375	2004
12.02.2020 08:29:13	1	1	1	1	92.5	51.25	0	30000	481.7204301	14451.662	30000	0	0	30000	31.9375	2004
12.02.2020 08:29:13	1	1	1	1	92.5	51.25	0	30000	481.7204301	14451.662	30000	0	0	30000	31.9375	2004
12.02.2020 08:29:13	1	1	1	1	92.5	51.25	0	30000	481.7204301	14451.662	30000	0	0	30000	31.9375	2004
12.02.2020 08:29:14	1	1	1	1	92	51.75	0	29952.607	481.7204301	14451.662	30000	0	0	30000	31.125	2004
12.02.2020 08:29:15	1	1	1	1	92	51	0	30000	481.7204301	14451.662	30000	0	0	30000	31.6875	2004
12.02.2020 08:29:16	1	1	1	1	92	51.5	0	30000	481.7204301	14451.662	30000	0	0	30000	32.25	2004
12.02.2020 08:29:17	1	1	1	1	92	52.25	0	30000	481.7204301	14451.662	30000	0	0	30000	33.0625	2004
12.02.2020 08:29:18	1	1	1	1	92	53	0	30000	481.7204301	14451.662	30000	0	0	30000	31.8125	2004
12.02.2020 08:29:19	1	1	1	1	92	51.75	0	30000	481.7204301	14474.49243	30000	0	0	30000	33.0625	2004
12.02.2020 08:29:20	1	1	1	1	92	53	0	29905.213	481.7204301	14451.662	30000	0	0	30000	32.75	2004
12.02.2020 08:29:21	1	1	1	1	92	52.75	0	29952.607	466.6666667	14064.36007	30000	0	0	30000	32.4375	2004
12.02.2020 08:29:22	1	1	1	1	92	52.25	0	30000	481.7204301	14451.662	30000	0	0	30000	32.125	2004
12.02.2020 08:29:23	1	1	1	1	92	52	0	30000	481.7204301	14451.662	30000	0	0	30000	33.5	2004
12.02.2020 08:29:24	1	1	1	1	93	53.5	0	30000	468.8172043	13913.51616	30000	0	0	30000	32.75	2004
12.02.2020 08:29:25	1	1	1	1	93	52.75	0	30000	481.7204301	14083.92901	30000	0	0	30000	32.375	2004
12.02.2020 08:29:26	1	1	1	1	93	52.25	0	30000	481.7204301	14451.662	30000	0	0	30000	32.4375	2004
12.02.2020 08:29:27	1	1	1	1	93	52.25	0	30000	481.7204301	14451.662	30000	0	0	30000	31.3125	2004
12.02.2020 08:29:28	1	1	1	1	93	51.25	0	30000	466.6666667	13999.94564	30000	0	0	30000	32.875	2004
12.02.2020 08:29:29	1	1	1	1	93	52.75	0	30000	481.7204301	14451.662	30000	0	0	30000	31.5625	2004
12.02.2020 08:29:30	1	1	1	1	93	51.5	0	30000	468.8172043	13999.94564	30000	0	0	30000	32.3125	2004
12.02.2020 08:29:31	1	1	1	1	93	52.25	0	30000	468.8172043	14128.7745	30000	0	0	30000	32.9375	2004
12.02.2020 08:29:32	1	1	1	1	93	52.75	0	30000	481.7204301	13977.93058	30000	0	0	30000	30.8125	2004
12.02.2020 08:29:33	1	1	1	1	92.5	50.75	0	30000	481.7204301	14474.49243	30000	0	0	30000	31.6875	2004
12.02.2020 08:29:34	1	1	1	1	92.5	51.5	0	30000	481.7204301	13955.10015	30000	0	0	30000	32.6875	2004
12.02.2020 08:29:35	1	1	1	1	92.5	52.5	0	29905.213	468.8172043	14451.662	30000	0	0	30000	33.125	2004
12.02.2020 08:29:36	1	1	1	1	92.5	53	0	30000	481.7204301	14451.662	30000	0	0	30000	32.125	2004
12.02.2020 08:29:37	1	1	1	1	92.5	52	0	30000	481.7204301	14128.7745	30000	0	0	30000	32.4375	2004
12.02.2020 08:29:38	1	1	1	1	92.5	52.25	0	30000	466.6666667	13999.94564	30000	0	0	30000	32.9375	2004
12.02.2020 08:29:39	1	1	1	1	92.5	52.75	0	30000	468.8172043	14064.36007	30000	0	0	30000	30.8125	2004
12.02.2020 08:29:40	1	1	1	1	92.5	50.75	0	30000	464.516129	13999.94564	30000	0	0	30000	32	2004
12.02.2020 08:29:41	1	1	1	1	92.5	52	0	30000	481.7204301	14451.662	30000	0	0	30000	32.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 08:29:42	1	1	1	1	92.5	52.25	0	30000	468.8172043	13999.94564	30000	0	0	30000	32.875	2004
12.02.2020 08:29:43	1	1	1	1	92.5	52.75	0	30000	464.516129	13999.94564	30000	0	0	30000	31.6875	2004
12.02.2020 08:29:44	1	1	1	1	92.5	51.5	0	30000	466.6666667	13999.94564	30000	0	0	30000	31.8125	2004
12.02.2020 08:29:46	1	1	1	1	92.5	51.75	0	30000	464.516129	13935.53122	30000	0	0	30000	31.8125	2004
12.02.2020 08:29:47	1	1	1	1	92.5	51.75	0	30000	458.0645161	13677.05814	30000	0	0	30000	32.5625	2004
12.02.2020 08:29:48	1	1	1	1	92.5	52.5	0	30000	464.516129	13935.53122	30000	0	0	30000	32.9375	2004
12.02.2020 08:29:49	1	1	1	1	92.5	52.75	0	30000	468.8172043	14128.7745	30000	0	0	30000	31.1875	2004
12.02.2020 08:29:50	1	1	1	1	92.5	51	0	30000	481.7204301	14451.662	30000	0	0	30000	32.5625	2004
12.02.2020 08:29:51	1	1	1	1	92.5	52.5	0	29952.607	466.6666667	14083.92901	30000	0	0	30000	30.6875	2004
12.02.2020 08:29:52	1	1	1	1	92.5	50.5	0	30000	468.8172043	13999.94564	30000	0	0	30000	31.875	2004
12.02.2020 08:29:53	1	1	1	1	92.5	51.75	0	30000	464.516129	13999.94564	30000	0	0	30000	31.3125	2004
12.02.2020 08:29:54	1	1	1	1	91.5	51.25	0	30000	464.516129	13870.30142	30000	0	0	30000	32	2004
12.02.2020 08:29:55	1	1	1	1	91.5	52	0	30000	460.2150538	13805.88699	30000	0	0	30000	31.9375	2004
12.02.2020 08:29:56	1	1	1	1	91.5	51.75	0	30000	468.8172043	13999.94564	30000	0	0	30000	32.375	2004
12.02.2020 08:29:57	1	1	1	1	91.5	52.25	0	29952.607	466.6666667	13977.93058	30000	0	0	30000	32.875	2004
12.02.2020 08:29:58	1	1	1	1	91.5	52.75	0	30000	464.516129	13913.51616	30000	0	0	30000	32.25	2004
12.02.2020 08:29:59	1	1	1	1	91.5	52.25	0	30000	464.516129	13870.30142	30000	0	0	30000	32.125	2004
12.02.2020 08:30:00	1	1	1	1	91.5	52	0	29952.607	451.6129032	13612.64371	30000	0	0	30000	32.25	2004
12.02.2020 08:30:01	1	1	1	1	91.5	52.25	0	29905.213	438.7096774	13119.34335	30000	0	0	30000	33.125	2004
12.02.2020 08:30:02	1	1	1	1	91.5	53	0	30000	464.516129	13741.47256	30000	0	0	30000	33.0625	2004
12.02.2020 08:30:03	1	1	1	1	91.5	53	0	30000	460.2150538	13870.30142	30000	0	0	30000	30.9375	2004
12.02.2020 08:30:04	1	1	1	1	91.75	52.25	0	29905.213	464.516129	13913.51616	30000	0	0	30000	31	2004
12.02.2020 08:30:05	1	1	1	1	91.75	51	0	30000	464.516129	13999.94564	30000	0	0	30000	33.25	2004
12.02.2020 08:30:06	1	1	1	1	91.75	53.25	0	29952.607	455.9139785	13698.25782	30000	0	0	30000	32.4375	2004
12.02.2020 08:30:07	1	1	1	1	91.75	52.25	0	29952.607	455.9139785	13741.47256	30000	0	0	30000	31.6875	2004
12.02.2020 08:30:08	1	1	1	1	91.75	51.5	0	30000	455.9139785	13612.64371	30000	0	0	30000	31.6875	2004
12.02.2020 08:30:09	1	1	1	1	91.75	51.5	0	30000	453.7634409	13612.64371	30000	0	0	30000	31.8125	2004
12.02.2020 08:30:15	1	1	1	1	91.75	52	0	30000	449.4623656	13354.17063	30000	0	0	30000	31.9375	2004
12.02.2020 08:30:15	1	1	1	1	91.75	52	0	30000	449.4623656	13354.17063	30000	0	0	30000	31.9375	2004
12.02.2020 08:30:15	1	1	1	1	91.75	52	0	30000	449.4623656	13354.17063	30000	0	0	30000	31.9375	2004
12.02.2020 08:30:15	1	1	1	1	91.75	52	0	30000	449.4623656	13354.17063	30000	0	0	30000	31.9375	2004
12.02.2020 08:30:15	1	1	1	1	91.75	52	0	30000	449.4623656	13354.17063	30000	0	0	30000	31.9375	2004
12.02.2020 08:30:15	1	1	1	1	91.75	51.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	31	2004
12.02.2020 08:30:16	1	1	1	1	91.75	51	0	30000	451.6129032	13548.22928	30000	0	0	30000	31.6875	2004
12.02.2020 08:30:17	1	1	1	1	91.75	51.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	31.125	2004
12.02.2020 08:30:18	1	1	1	1	91.75	51	0	30000	445.1612903	13354.17063	30000	0	0	30000	33.125	2004
12.02.2020 08:30:19	1	1	1	1	91.75	53	0	30000	443.0107527	13160.92735	30000	0	0	30000	32.4375	2004
12.02.2020 08:30:20	1	1	1	1	91.75	52.25	0	30000	440.8602151	13289.7562	30000	0	0	30000	31.0625	2004
12.02.2020 08:30:21	1	1	1	1	91.75	51	0	30000	453.7634409	13612.64371	30000	0	0	30000	30.375	2004
12.02.2020 08:30:23	1	1	1	1	91.75	50.25	0	30000	453.7634409	13612.64371	30000	0	0	30000	30.625	2004
12.02.2020 08:30:24	1	1	1	1	90.75	50.5	0	29952.607	449.4623656	13612.64371	30000	0	0	30000	32.5625	2004
12.02.2020 08:30:25	1	1	1	1	90.75	52.5	0	30000	451.6129032	13354.17063	30000	0	0	30000	32.0625	2004
12.02.2020 08:30:26	1	1	1	1	90.75	52	0	30000	453.7634409	13612.64371	30000	0	0	30000	32.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 08:30:27	1	1	1	1	90.75	52.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	32.125	2004
12.02.2020 08:30:28	1	1	1	1	90.75	52	0	30000	443.0107527	13289.7562	30000	0	0	30000	32.6875	2004
12.02.2020 08:30:29	1	1	1	1	90.75	52.5	0	30000	440.8602151	13289.7562	30000	0	0	30000	31.1875	2004
12.02.2020 08:30:30	1	1	1	1	90.75	51	0	30000	443.0107527	13354.17063	30000	0	0	30000	31.875	2004
12.02.2020 08:30:31	1	1	1	1	90.75	51.75	0	29952.607	443.0107527	13354.17063	30000	0	0	30000	31.75	2004
12.02.2020 08:30:32	1	1	1	1	90.75	51.75	0	30047.393	445.1612903	13354.17063	30000	0	0	30000	30.875	2004
12.02.2020 08:30:33	1	1	1	1	90.75	50.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	30.625	2004
12.02.2020 08:30:34	1	1	1	1	91	50.5	0	30000	445.1612903	13612.64371	30000	0	0	30000	32.875	2004
12.02.2020 08:30:35	1	1	1	1	91	52.75	0	29952.607	445.1612903	13354.17063	30000	0	0	30000	31.125	2004
12.02.2020 08:30:36	1	1	1	1	91	51	0	30000	445.1612903	13354.17063	30000	0	0	30000	31.875	2004
12.02.2020 08:30:37	1	1	1	1	91	51.75	0	29952.607	445.1612903	13354.17063	30000	0	0	30000	32.125	2004
12.02.2020 08:30:38	1	1	1	1	91	52	0	29905.213	443.0107527	13289.7562	30000	0	0	30000	31.625	2004
12.02.2020 08:30:39	1	1	1	1	91	51.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	31.25	2004
12.02.2020 08:30:40	1	1	1	1	91	51.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	31.5625	2004
12.02.2020 08:30:41	1	1	1	1	91	51.5	0	30000	443.0107527	13354.17063	30000	0	0	30000	32.5625	2004
12.02.2020 08:30:42	1	1	1	1	91	52.5	0	30000	443.0107527	13289.7562	30000	0	0	30000	31.4375	2004
12.02.2020 08:30:43	1	1	1	1	90	52	0	30000	438.7096774	13160.92735	30000	0	0	30000	32.75	2004
12.02.2020 08:30:44	1	1	1	1	90	52.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	32.625	2004
12.02.2020 08:30:45	1	1	1	1	90	52.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	31.3125	2004
12.02.2020 08:30:46	1	1	1	1	90	51.25	0	30000	445.1612903	13289.7562	30000	0	0	30000	32.3125	2004
12.02.2020 08:30:47	1	1	1	1	90	52.25	0	30000	443.0107527	13289.7562	30000	0	0	30000	32.1875	2004
12.02.2020 08:30:48	1	1	1	1	90	52	0	30000	440.8602151	13289.7562	30000	0	0	30000	31.6875	2004
12.02.2020 08:30:49	1	1	1	1	90	51.5	0	30000	438.7096774	13225.34178	30000	0	0	30000	32.75	2004
12.02.2020 08:30:50	1	1	1	1	90	52.75	0	30000	434.4086022	13032.0985	30000	0	0	30000	32.0625	2004
12.02.2020 08:30:51	1	1	1	1	90	52	0	30000	438.7096774	13160.92735	30000	0	0	30000	31.4375	2004
12.02.2020 08:30:52	1	1	1	1	90	51.25	0	30000	445.1612903	13333.78632	30000	0	0	30000	30.8125	2004
12.02.2020 08:30:53	1	1	1	1	90	50.75	0	30000	438.7096774	13160.92735	30000	0	0	30000	31.375	2004
12.02.2020 08:30:54	1	1	1	1	90	51.25	0	29952.607	438.7096774	13160.92735	30000	0	0	30000	31.3125	2004
12.02.2020 08:30:55	1	1	1	1	90	51.25	0	30000	443.0107527	13354.17063	30000	0	0	30000	33.125	2004
12.02.2020 08:30:56	1	1	1	1	90	53	0	30000	443.0107527	13354.17063	30000	0	0	30000	31.5	2004
12.02.2020 08:30:57	1	1	1	1	90	51.5	0	29952.607	440.8602151	13225.34178	30000	0	0	30000	32.375	2004
12.02.2020 08:30:58	1	1	1	1	90	52.25	0	30000	440.8602151	13225.34178	30000	0	0	30000	31.125	2004
12.02.2020 08:30:59	1	1	1	1	90	51	0	30000	438.7096774	13160.92735	30000	0	0	30000	30.875	2004
12.02.2020 08:31:00	1	1	1	1	90	50.75	0	30000	438.7096774	13225.34178	30000	0	0	30000	32.25	2004
12.02.2020 08:31:02	1	1	1	1	90	52.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	30.8125	2004
12.02.2020 08:31:03	1	1	1	1	90	50.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	32.125	2004
12.02.2020 08:31:04	1	1	1	1	89.5	52	0	30000	438.7096774	13225.34178	30000	0	0	30000	30.5	2004
12.02.2020 08:31:05	1	1	1	1	89.5	50.5	0	30000	443.0107527	13354.17063	30000	0	0	30000	32.25	2004
12.02.2020 08:31:06	1	1	1	1	89.5	52.25	0	30000	440.8602151	13225.34178	30000	0	0	30000	32.0625	2004
12.02.2020 08:31:07	1	1	1	1	89.5	52	0	30000	443.0107527	13225.34178	30000	0	0	30000	33.0625	2004
12.02.2020 08:31:08	1	1	1	1	89.5	53	0	30000	438.7096774	13160.92735	30000	0	0	30000	30.8125	2004
12.02.2020 08:31:09	1	1	1	1	89.5	50.75	0	30000	440.8602151	13225.34178	30000	0	0	30000	31.375	2004
12.02.2020 08:31:10	1	1	1	1	89.5	51.25	0	30000	438.7096774	13160.92735	30000	0	0	30000	31.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 08:31:11	1	1	1	1	89.5	51.5	0	29952.607	436.5591398	13160.92735	30000	0	0	30000	33.25	2004
12.02.2020 08:31:17	1	1	1	1	89	52.25	0	30000	455.9139785	13677.05814	30000	0	0	30000	31.75	2004
12.02.2020 08:31:17	1	1	1	1	89	52.25	0	30000	455.9139785	13677.05814	30000	0	0	30000	31.75	2004
12.02.2020 08:31:17	1	1	1	1	89	52.25	0	30000	455.9139785	13677.05814	30000	0	0	30000	31.75	2004
12.02.2020 08:31:17	1	1	1	1	89	52.25	0	30000	455.9139785	13677.05814	30000	0	0	30000	31.75	2004
12.02.2020 08:31:17	1	1	1	1	89	52.25	0	30000	455.9139785	13677.05814	30000	0	0	30000	31.75	2004
12.02.2020 08:31:17	1	1	1	1	89	52.25	0	30000	455.9139785	13677.05814	30000	0	0	30000	31.75	2004
12.02.2020 08:31:18	1	1	1	1	89	51.75	0	30000	460.2150538	13805.88699	30000	0	0	30000	31.5	2004
12.02.2020 08:31:19	1	1	1	1	89	51.5	0	30000	453.7634409	13612.64371	30000	0	0	30000	33.375	2004
12.02.2020 08:31:20	1	1	1	1	89	53.25	0	30000	438.7096774	13160.92735	30000	0	0	30000	32.6875	2004
12.02.2020 08:31:21	1	1	1	1	89	52.5	0	30000	436.5591398	13160.92735	30000	0	0	30000	32.3125	2004
12.02.2020 08:31:22	1	1	1	1	89	53	0	30000	434.4086022	13096.51292	30000	0	0	30000	32.1875	2004
12.02.2020 08:31:23	1	1	1	1	88.5	52	0	30000	432.2580645	12838.03984	30000	0	0	30000	31.6875	2004
12.02.2020 08:31:24	1	1	1	1	88.5	51.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	32.75	2004
12.02.2020 08:31:25	1	1	1	1	88.5	52.75	0	30000	443.0107527	13225.34178	30000	0	0	30000	33.25	2004
12.02.2020 08:31:26	1	1	1	1	88.5	53.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	31.9375	2004
12.02.2020 08:31:27	1	1	1	1	88.5	51.75	0	30000	438.7096774	13160.92735	30000	0	0	30000	32.25	2004
12.02.2020 08:31:28	1	1	1	1	88.5	52.25	0	30000	427.9569892	12858.42416	30000	0	0	30000	31.5	2004
12.02.2020 08:31:29	1	1	1	1	88.5	51.5	0	30000	436.5591398	12947.29976	30000	0	0	30000	33.1875	2004
12.02.2020 08:31:30	1	1	1	1	88.5	53	0	30000	440.8602151	13225.34178	30000	0	0	30000	32.8125	2004
12.02.2020 08:31:31	1	1	1	1	88.5	52.75	0	30000	438.7096774	13160.92735	30000	0	0	30000	32.125	2004
12.02.2020 08:31:32	1	1	1	1	88.5	52	0	29952.607	438.7096774	13160.92735	30000	0	0	30000	32.125	2004
12.02.2020 08:31:33	1	1	1	1	88	52	0	30000	438.7096774	13096.51292	30000	0	0	30000	31.3125	2004
12.02.2020 08:31:34	1	1	1	1	88	51.25	0	30000	438.7096774	13096.51292	30000	0	0	30000	32.6875	2004
12.02.2020 08:31:35	1	1	1	1	88	52.5	0	30000	436.5591398	13096.51292	30000	0	0	30000	31.875	2004
12.02.2020 08:31:36	1	1	1	1	88	51.75	0	30000	434.4086022	13096.51292	30000	0	0	30000	32.4375	2004
12.02.2020 08:31:37	1	1	1	1	88	52.25	0	30000	438.7096774	12798.08659	30000	0	0	30000	32.25	2004
12.02.2020 08:31:38	1	1	1	1	88	52.25	0	29952.607	427.9569892	12818.4709	30000	0	0	30000	32.1875	2004
12.02.2020 08:31:40	1	1	1	1	88	52	0	30000	427.9569892	12838.03984	30000	0	0	30000	30.75	2004
12.02.2020 08:31:41	1	1	1	1	88	50.75	0	30047.393	427.9569892	12838.03984	30000	0	0	30000	31.25	2004
12.02.2020 08:31:42	1	1	1	1	88	51.25	0	30000	440.8602151	13225.34178	30000	0	0	30000	32.875	2004
12.02.2020 08:31:43	1	1	1	1	88	52.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	32.3125	2004
12.02.2020 08:31:44	1	1	1	1	88.25	52.25	0	30000	432.2580645	12967.68407	30000	0	0	30000	33.1875	2004
12.02.2020 08:31:45	1	1	1	1	88.25	53	0	30000	427.9569892	12967.68407	30000	0	0	30000	32.9375	2004
12.02.2020 08:31:46	1	1	1	1	88.25	52.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	33.1875	2004
12.02.2020 08:31:47	1	1	1	1	88.25	53	0	30000	427.9569892	12967.68407	30000	0	0	30000	32.25	2004
12.02.2020 08:31:48	1	1	1	1	88.25	52.25	0	30000	427.9569892	12858.42416	30000	0	0	30000	33.4375	2004
12.02.2020 08:31:49	1	1	1	1	88.25	53.25	0	30000	425.8064516	12580.38214	30000	0	0	30000	32.25	2004
12.02.2020 08:31:50	1	1	1	1	88.25	52.25	0	30000	438.7096774	13096.51292	30000	0	0	30000	30.8125	2004
12.02.2020 08:31:51	1	1	1	1	88.25	50.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	30.875	2004
12.02.2020 08:31:52	1	1	1	1	88.25	50.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	32.1875	2004
12.02.2020 08:31:53	1	1	1	1	88.25	52	0	30000	427.9569892	12838.03984	30000	0	0	30000	31.625	2004
12.02.2020 08:31:54	1	1	1	1	87.25	51.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	31.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 08:31:55	1	1	1	1	87.25	51.25	0	30000	425.8064516	12773.62542	30000	0	0	30000	33.1875	2004
12.02.2020 08:31:56	1	1	1	1	87.25	53	0	30000	434.4086022	12967.68407	30000	0	0	30000	31	2004
12.02.2020 08:31:57	1	1	1	1	87.25	51	0	30000	427.9569892	12838.03984	30000	0	0	30000	33	2004
12.02.2020 08:31:58	1	1	1	1	87.25	53	0	30000	427.9569892	12967.68407	30000	0	0	30000	31.1875	2004
12.02.2020 08:31:59	1	1	1	1	87.25	51	0	30000	432.2580645	12838.03984	30000	0	0	30000	33	2004
12.02.2020 08:32:00	1	1	1	1	87.25	53	0	30000	425.8064516	12838.03984	30000	0	0	30000	32.1875	2004
12.02.2020 08:32:01	1	1	1	1	87.25	53.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	32	2004
12.02.2020 08:32:02	1	1	1	1	87.25	52	0	30000	427.9569892	12838.03984	30000	0	0	30000	31.6875	2004
12.02.2020 08:32:03	1	1	1	1	87.5	51.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	33.4375	2004
12.02.2020 08:32:04	1	1	1	1	87.5	53.25	0	30000	438.7096774	13160.92735	30000	0	0	30000	32.5	2004
12.02.2020 08:32:05	1	1	1	1	87.5	52.5	0	30000	438.7096774	13160.92735	30000	0	0	30000	33.25	2004
12.02.2020 08:32:06	1	1	1	1	87.5	53.25	0	29952.607	438.7096774	13160.92735	30000	0	0	30000	31.375	2004
12.02.2020 08:32:07	1	1	1	1	87.5	51.25	0	30000	427.9569892	12754.05648	30000	0	0	30000	31.6875	2004
12.02.2020 08:32:08	1	1	1	1	87.5	51.5	0	30000	421.5053763	12709.21099	30000	0	0	30000	32.4375	2004
12.02.2020 08:32:09	1	1	1	1	87.5	52.25	0	30000	425.8064516	12560.8132	30000	0	0	30000	32.375	2004
12.02.2020 08:32:10	1	1	1	1	87.5	52.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	32	2004
12.02.2020 08:32:11	1	1	1	1	87.5	52	0	30000	417.2043011	12580.38214	30000	0	0	30000	31.8125	2004
12.02.2020 08:32:12	1	1	1	1	87.5	51.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	30.625	2004
12.02.2020 08:32:19	1	1	1	1	87.25	51.75	0	30000	419.3548387	12709.21099	30000	0	0	30000	32.6875	2004
12.02.2020 08:32:19	1	1	1	1	87.25	51.75	0	30000	419.3548387	12709.21099	30000	0	0	30000	32.6875	2004
12.02.2020 08:32:19	1	1	1	1	87.25	51.75	0	30000	419.3548387	12709.21099	30000	0	0	30000	32.6875	2004
12.02.2020 08:32:19	1	1	1	1	87.25	51.75	0	30000	419.3548387	12709.21099	30000	0	0	30000	32.6875	2004
12.02.2020 08:32:19	1	1	1	1	87.25	51.75	0	30000	419.3548387	12709.21099	30000	0	0	30000	32.6875	2004
12.02.2020 08:32:19	1	1	1	1	87.25	51.75	0	30000	419.3548387	12709.21099	30000	0	0	30000	32.6875	2004
12.02.2020 08:32:20	1	1	1	1	87.25	52.5	0	30000	419.3548387	12709.21099	30000	0	0	30000	33.125	2004
12.02.2020 08:32:21	1	1	1	1	87.25	53	0	30000	421.5053763	12709.21099	30000	0	0	30000	32.5625	2004
12.02.2020 08:32:22	1	1	1	1	87.25	52.5	0	29952.607	419.3548387	12580.38214	30000	0	0	30000	33.125	2004
12.02.2020 08:32:23	1	1	1	1	87.25	53	0	30000	419.3548387	12709.21099	30000	0	0	30000	30.875	2004
12.02.2020 08:32:24	1	1	1	1	88	50.75	0	29952.607	412.9032258	12580.38214	30000	0	0	30000	32.125	2004
12.02.2020 08:32:25	1	1	1	1	88	52	0	30000	419.3548387	12580.38214	30000	0	0	30000	32.3125	2004
12.02.2020 08:32:26	1	1	1	1	88	52.25	0	30000	419.3548387	12515.96771	30000	0	0	30000	33.4375	2004
12.02.2020 08:32:27	1	1	1	1	88	53.25	0	29905.213	412.9032258	12431.98434	30000	0	0	30000	32.4375	2004
12.02.2020 08:32:28	1	1	1	1	88	52.25	0	30000	423.655914	12580.38214	30000	0	0	30000	32.6875	2004
12.02.2020 08:32:29	1	1	1	1	88	52.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	31.3125	2004
12.02.2020 08:32:30	1	1	1	1	88	51.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	32.8125	2004
12.02.2020 08:32:31	1	1	1	1	88	52.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	31.75	2004
12.02.2020 08:32:32	1	1	1	1	88	51.75	0	29952.607	412.9032258	12451.55328	30000	0	0	30000	32.4375	2004
12.02.2020 08:32:33	1	1	1	1	88	52.25	0	29952.607	419.3548387	12580.38214	30000	0	0	30000	32.375	2004
12.02.2020 08:32:34	1	1	1	1	87.75	52.25	0	30000	425.8064516	12773.62542	30000	0	0	30000	33.3125	2004
12.02.2020 08:32:35	1	1	1	1	87.75	53.25	0	30000	425.8064516	12709.21099	30000	0	0	30000	33.0625	2004
12.02.2020 08:32:36	1	1	1	1	87.75	53	0	30000	425.8064516	12838.03984	30000	0	0	30000	33.8125	2004
12.02.2020 08:32:37	1	1	1	1	87.75	53.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	32.5625	2004
12.02.2020 08:32:38	1	1	1	1	87.75	51.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	31.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 08:32:39	1	1	1	1	87.75	51.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	31.6875	2004
12.02.2020 08:32:40	1	1	1	1	87.75	51.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	31.4375	2004
12.02.2020 08:32:41	1	1	1	1	87.75	51.25	0	30000	402.1505376	12128.66578	30000	0	0	30000	32	2004
12.02.2020 08:32:42	1	1	1	1	87.75	52	0	29952.607	404.3010753	12128.66578	30000	0	0	30000	32.4375	2004
12.02.2020 08:32:43	1	1	1	1	87.25	52.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	32.25	2004
12.02.2020 08:32:44	1	1	1	1	87.25	52.25	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	33.5625	2004
12.02.2020 08:32:45	1	1	1	1	87.25	53.5	0	30000	412.9032258	12620.33539	30000	0	0	30000	31.9375	2004
12.02.2020 08:32:46	1	1	1	1	87.25	51.75	0	30000	419.3548387	12387.13886	30000	0	0	30000	32.375	2004
12.02.2020 08:32:47	1	1	1	1	87.25	52.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	32.9375	2004
12.02.2020 08:32:48	1	1	1	1	87.25	52.75	0	30000	438.7096774	13160.92735	30000	0	0	30000	32.5625	2004
12.02.2020 08:32:49	1	1	1	1	87.25	52.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	33.0625	2004
12.02.2020 08:32:50	1	1	1	1	87.25	53	0	30000	427.9569892	12709.21099	30000	0	0	30000	32.4375	2004
12.02.2020 08:32:51	1	1	1	1	87.25	52.25	0	30000	419.3548387	12773.62542	30000	0	0	30000	32.375	2004
12.02.2020 08:32:52	1	1	1	1	87.25	52.25	0	30000	432.2580645	12967.68407	30000	0	0	30000	33.1875	2004
12.02.2020 08:32:53	1	1	1	1	87.75	53	0	29952.607	419.3548387	12580.38214	30000	0	0	30000	33.6875	2004
12.02.2020 08:32:54	1	1	1	1	87.75	53.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	33.1875	2004
12.02.2020 08:32:55	1	1	1	1	87.75	53	0	30000	425.8064516	12773.62542	30000	0	0	30000	32.0625	2004
12.02.2020 08:32:56	1	1	1	1	87.75	52	0	30000	417.2043011	12411.60003	30000	0	0	30000	32.4375	2004
12.02.2020 08:32:58	1	1	1	1	87.75	52.25	0	30000	425.8064516	12773.62542	30000	0	0	30000	33	2004
12.02.2020 08:32:59	1	1	1	1	87.75	53	0	30000	423.655914	12709.21099	30000	0	0	30000	31.5	2004
12.02.2020 08:33:00	1	1	1	1	87.75	51.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	32.0625	2004
12.02.2020 08:33:01	1	1	1	1	87.75	52	0	30000	427.9569892	12967.68407	30000	0	0	30000	32.1875	2004
12.02.2020 08:33:02	1	1	1	1	87.75	52	0	29952.607	434.4086022	12967.68407	30000	0	0	30000	32.9375	2004
12.02.2020 08:33:03	1	1	1	1	87.75	52.75	0	30000	436.5591398	13160.92735	30000	0	0	30000	32.5625	2004
12.02.2020 08:33:04	1	1	1	1	87	52.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	32.1875	2004
12.02.2020 08:33:05	1	1	1	1	87	52	0	29952.607	427.9569892	12818.4709	30000	0	0	30000	31.875	2004
12.02.2020 08:33:06	1	1	1	1	87	51.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	32	2004
12.02.2020 08:33:07	1	1	1	1	87	52	0	30000	438.7096774	13160.92735	30000	0	0	30000	33.3125	2004
12.02.2020 08:33:08	1	1	1	1	87	53.25	0	30000	438.7096774	13160.92735	30000	0	0	30000	33.1875	2004
12.02.2020 08:33:09	1	1	1	1	87	53	0	30000	438.7096774	13160.92735	30000	0	0	30000	32.375	2004
12.02.2020 08:33:10	1	1	1	1	87	52.25	0	30000	436.5591398	13096.51292	30000	0	0	30000	33.125	2004
12.02.2020 08:33:11	1	1	1	1	87	53	0	30000	438.7096774	13160.92735	30000	0	0	30000	32	2004
12.02.2020 08:33:12	1	1	1	1	87	52	0	30047.393	438.7096774	13160.92735	30000	0	0	30000	32.75	2004
12.02.2020 08:33:13	1	1	1	1	87	52.75	0	30000	434.4086022	12967.68407	30000	0	0	30000	32.5625	2004
12.02.2020 08:33:14	1	1	1	1	88	52.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	34	2004
12.02.2020 08:33:20	1	1	1	1	88	52.25	0	30000	440.8602151	13225.34178	30000	0	0	30000	33.5625	2004
12.02.2020 08:33:20	1	1	1	1	88	52.25	0	30000	440.8602151	13225.34178	30000	0	0	30000	33.5625	2004
12.02.2020 08:33:20	1	1	1	1	88	52.25	0	30000	440.8602151	13225.34178	30000	0	0	30000	33.5625	2004
12.02.2020 08:33:20	1	1	1	1	88	52.25	0	30000	440.8602151	13225.34178	30000	0	0	30000	33.5625	2004
12.02.2020 08:33:20	1	1	1	1	88	53.5	0	30000	438.7096774	13160.92735	30000	0	0	30000	32.125	2004
12.02.2020 08:33:20	1	1	1	1	88	53.5	0	30000	438.7096774	13160.92735	30000	0	0	30000	32.125	2004
12.02.2020 08:33:21	1	1	1	1	88	52	0	29952.607	440.8602151	13225.34178	30000	0	0	30000	32.0625	2004
12.02.2020 08:33:22	1	1	1	1	88	52	0	29952.607	438.7096774	13096.51292	30000	0	0	30000	32	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 08:33:23	1	1	1	1	87.25	52	0	30000	438.7096774	13160.92735	30000	0	0	30000	32.9375	2004
12.02.2020 08:33:24	1	1	1	1	87.25	52.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	32.5625	2004
12.02.2020 08:33:25	1	1	1	1	87.25	52.5	0	30000	443.0107527	13289.7562	30000	0	0	30000	32.6875	2004
12.02.2020 08:33:26	1	1	1	1	87.25	52.5	0	29905.213	432.2580645	12926.10007	30000	0	0	30000	32.4375	2004
12.02.2020 08:33:27	1	1	1	1	87.25	52.25	0	30000	427.9569892	12967.68407	30000	0	0	30000	31.3125	2004
12.02.2020 08:33:28	1	1	1	1	87.25	51.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	31.375	2004
12.02.2020 08:33:29	1	1	1	1	87.25	51.25	0	30000	427.9569892	12967.68407	30000	0	0	30000	31.5	2004
12.02.2020 08:33:30	1	1	1	1	87.25	51.5	0	30000	434.4086022	13032.0985	30000	0	0	30000	31.6875	2004
12.02.2020 08:33:31	1	1	1	1	87.25	51.5	0	30000	438.7096774	13160.92735	30000	0	0	30000	31.4375	2004
12.02.2020 08:33:32	1	1	1	1	87.25	51.25	0	29952.607	438.7096774	13160.92735	30000	0	0	30000	31.625	2004
12.02.2020 08:33:33	1	1	1	1	87	51.5	0	30000	427.9569892	12818.4709	30000	0	0	30000	32.0625	2004
12.02.2020 08:33:34	1	1	1	1	87	52	0	30000	438.7096774	13160.92735	30000	0	0	30000	33.25	2004
12.02.2020 08:33:35	1	1	1	1	87	53.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	30.75	2004
12.02.2020 08:33:37	1	1	1	1	87	50.75	0	30000	434.4086022	12967.68407	30000	0	0	30000	31.875	2004
12.02.2020 08:33:38	1	1	1	1	87	51.75	0	29952.607	438.7096774	13289.7562	30000	0	0	30000	33.3125	2004
12.02.2020 08:33:39	1	1	1	1	87	53.25	0	30000	443.0107527	13289.7562	30000	0	0	30000	32.8125	2004
12.02.2020 08:33:40	1	1	1	1	87	52.75	0	30000	440.8602151	13225.34178	30000	0	0	30000	33.75	2004
12.02.2020 08:33:41	1	1	1	1	87	53.75	0	30000	438.7096774	13225.34178	30000	0	0	30000	31.25	2004
12.02.2020 08:33:42	1	1	1	1	87	51.25	0	30000	443.0107527	13289.7562	30000	0	0	30000	31.875	2004
12.02.2020 08:33:43	1	1	1	1	87	51.75	0	29952.607	434.4086022	13096.51292	30000	0	0	30000	32.5625	2004
12.02.2020 08:33:44	1	1	1	1	87.25	52.5	0	30000	438.7096774	13160.92735	30000	0	0	30000	31.6875	2004
12.02.2020 08:33:45	1	1	1	1	87.25	51.5	0	30000	438.7096774	13160.92735	30000	0	0	30000	31.4375	2004
12.02.2020 08:33:46	1	1	1	1	87.25	51.25	0	30000	445.1612903	13289.7562	30000	0	0	30000	31.6875	2004
12.02.2020 08:33:47	1	1	1	1	87.25	51.5	0	30000	440.8602151	13289.7562	30000	0	0	30000	31.75	2004
12.02.2020 08:33:48	1	1	1	1	87.25	51.75	0	30000	438.7096774	13160.92735	30000	0	0	30000	31.1875	2004
12.02.2020 08:33:49	1	1	1	1	87.25	51	0	30000	438.7096774	13160.92735	30000	0	0	30000	33.0625	2004
12.02.2020 08:33:50	1	1	1	1	87.25	53	0	30000	434.4086022	13096.51292	30000	0	0	30000	31.4375	2004
12.02.2020 08:33:51	1	1	1	1	87.25	51.25	0	30047.393	443.0107527	13225.34178	30000	0	0	30000	31.1875	2004
12.02.2020 08:33:52	1	1	1	1	87.25	51	0	30000	432.2580645	13160.92735	30000	0	0	30000	33.625	2004
12.02.2020 08:33:53	1	1	1	1	87.25	53.5	0	30000	443.0107527	13289.7562	30000	0	0	30000	32.25	2004
12.02.2020 08:33:54	1	1	1	1	86.75	52.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	33.0625	2004
12.02.2020 08:33:55	1	1	1	1	86.75	53	0	30000	432.2580645	12967.68407	30000	0	0	30000	33.0625	2004
12.02.2020 08:33:56	1	1	1	1	86.75	53	0	30000	434.4086022	13032.0985	30000	0	0	30000	30.8125	2004
12.02.2020 08:33:57	1	1	1	1	86.75	53.25	0	29905.213	443.0107527	13289.7562	30000	0	0	30000	31.8125	2004
12.02.2020 08:33:58	1	1	1	1	86.75	51.75	0	30000	436.5591398	13354.17063	30000	0	0	30000	31.8125	2004
12.02.2020 08:33:59	1	1	1	1	86.75	51.75	0	30000	434.4086022	13032.0985	30000	0	0	30000	32.375	2004
12.02.2020 08:34:00	1	1	1	1	86.75	52.25	0	30047.393	438.7096774	13354.17063	30000	0	0	30000	31.5	2004
12.02.2020 08:34:01	1	1	1	1	86.75	51.5	0	30000	443.0107527	13289.7562	30000	0	0	30000	32.9375	2004
12.02.2020 08:34:02	1	1	1	1	86.75	52.75	0	30000	443.0107527	13289.7562	30000	0	0	30000	31.875	2004
12.02.2020 08:34:03	1	1	1	1	86.25	51.75	0	29905.213	425.8064516	12838.03984	30000	0	0	30000	32.25	2004
12.02.2020 08:34:04	1	1	1	1	86.25	52.25	0	30000	443.0107527	13354.17063	30000	0	0	30000	32.375	2004
12.02.2020 08:34:05	1	1	1	1	86.25	52.25	0	30000	438.7096774	13160.92735	30000	0	0	30000	32.375	2004
12.02.2020 08:34:06	1	1	1	1	86.25	52.25	0	29952.607	427.9569892	13096.51292	30000	0	0	30000	30.8125	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 08:34:07	1	1	1	1	86.25	50.75	0	30000	438.7096774	13160.92735	30000	0	0	30000	33	2004
12.02.2020 08:34:08	1	1	1	1	86.25	53	0	30000	432.2580645	12967.68407	30000	0	0	30000	33.0625	2004
12.02.2020 08:34:09	1	1	1	1	86.25	53	0	30000	438.7096774	13076.12861	30000	0	0	30000	30.875	2004
12.02.2020 08:34:10	1	1	1	1	86.25	50.75	0	30000	427.9569892	12967.68407	30000	0	0	30000	31.875	2004
12.02.2020 08:34:11	1	1	1	1	86.25	51.75	0	30000	438.7096774	13160.92735	30000	0	0	30000	31.1875	2004
12.02.2020 08:34:12	1	1	1	1	86.25	51	0	30000	427.9569892	12838.03984	30000	0	0	30000	32.75	2004
12.02.2020 08:34:13	1	1	1	1	86.75	52.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	31.5625	2004
12.02.2020 08:34:15	1	1	1	1	86.75	51.5	0	30000	434.4086022	12988.06838	30000	0	0	30000	31.4375	2004
12.02.2020 08:34:16	1	1	1	1	86.75	51.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	32.1875	2004
12.02.2020 08:34:22	1	1	1	1	86.75	51	0	30000	427.9569892	12858.42416	30000	0	0	30000	31.6875	2004
12.02.2020 08:34:22	1	1	1	1	86.75	51	0	30000	427.9569892	12858.42416	30000	0	0	30000	31.6875	2004
12.02.2020 08:34:22	1	1	1	1	86.75	51	0	30000	427.9569892	12858.42416	30000	0	0	30000	31.6875	2004
12.02.2020 08:34:22	1	1	1	1	86.75	51	0	30000	427.9569892	12858.42416	30000	0	0	30000	31.6875	2004
12.02.2020 08:34:22	1	1	1	1	86.75	51	0	30000	427.9569892	12858.42416	30000	0	0	30000	31.6875	2004
12.02.2020 08:34:22	1	1	1	1	86.75	51	0	30000	427.9569892	12858.42416	30000	0	0	30000	31.6875	2004
12.02.2020 08:34:23	1	1	1	1	86.75	51.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	33.0625	2004
12.02.2020 08:34:24	1	1	1	1	85.75	53	0	30000	427.9569892	12838.03984	30000	0	0	30000	30.9375	2004
12.02.2020 08:34:25	1	1	1	1	85.75	50.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	31.5	2004
12.02.2020 08:34:26	1	1	1	1	85.75	51.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	32.8125	2004
12.02.2020 08:34:27	1	1	1	1	85.75	52.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	32.1875	2004
12.02.2020 08:34:28	1	1	1	1	85.75	52	0	30000	427.9569892	13160.92735	30000	0	0	30000	31.6875	2004
12.02.2020 08:34:29	1	1	1	1	85.75	51.5	0	30000	432.2580645	12967.68407	30000	0	0	30000	32.0625	2004
12.02.2020 08:34:30	1	1	1	1	85.75	52	0	30000	427.9569892	12838.03984	30000	0	0	30000	31.625	2004
12.02.2020 08:34:31	1	1	1	1	85.75	51.5	0	29952.607	425.8064516	12838.03984	30000	0	0	30000	31.75	2004
12.02.2020 08:34:32	1	1	1	1	85.75	51.75	0	30000	425.8064516	12838.03984	30000	0	0	30000	32.625	2004
12.02.2020 08:34:33	1	1	1	1	85.75	52.5	0	30000	432.2580645	12580.38214	30000	0	0	30000	33.75	2004
12.02.2020 08:34:34	1	1	1	1	86	53.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	33.875	2004
12.02.2020 08:34:35	1	1	1	1	86	53.75	0	30047.393	427.9569892	12838.03984	30000	0	0	30000	32.6875	2004
12.02.2020 08:34:36	1	1	1	1	86	52.75	0	30000	432.2580645	12967.68407	30000	0	0	30000	32.5625	2004
12.02.2020 08:34:37	1	1	1	1	86	52.5	0	29952.607	432.2580645	13160.92735	30000	0	0	30000	33.0625	2004
12.02.2020 08:34:38	1	1	1	1	86	53	0	30000	427.9569892	12838.03984	30000	0	0	30000	33.25	2004
12.02.2020 08:34:39	1	1	1	1	86	53.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	32.1875	2004
12.02.2020 08:34:40	1	1	1	1	86	52	0	30000	434.4086022	12838.03984	30000	0	0	30000	32.875	2004
12.02.2020 08:34:41	1	1	1	1	86	52.75	0	30000	434.4086022	12967.68407	30000	0	0	30000	32.25	2004
12.02.2020 08:34:42	1	1	1	1	86	52.25	0	30000	438.7096774	13096.51292	30000	0	0	30000	31.8125	2004
12.02.2020 08:34:43	1	1	1	1	85.25	51.75	0	30000	434.4086022	13096.51292	30000	0	0	30000	32.0625	2004
12.02.2020 08:34:44	1	1	1	1	85.25	52	0	30000	443.0107527	13289.7562	30000	0	0	30000	32.25	2004
12.02.2020 08:34:45	1	1	1	1	85.25	52.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	32.4375	2004
12.02.2020 08:34:46	1	1	1	1	85.25	52.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	32.0625	2004
12.02.2020 08:34:47	1	1	1	1	85.25	52	0	30000	432.2580645	12838.03984	30000	0	0	30000	31.25	2004
12.02.2020 08:34:48	1	1	1	1	85.25	51.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	33.625	2004
12.02.2020 08:34:49	1	1	1	1	85.25	53.5	0	29952.607	419.3548387	12580.38214	30000	0	0	30000	31.25	2004
12.02.2020 08:34:50	1	1	1	1	85.25	51.25	0	30000	427.9569892	12988.06838	30000	0	0	30000	32	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 08:34:52	1	1	1	1	85.25	52	0	30000	423.655914	12709.21099	30000	0	0	30000	32.5	2004
12.02.2020 08:34:53	1	1	1	1	85.25	52.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	32.125	2004
12.02.2020 08:34:54	1	1	1	1	83.75	52	0	30000	427.9569892	12838.03984	30000	0	0	30000	33.4375	2004
12.02.2020 08:34:55	1	1	1	1	83.75	53.25	0	30000	436.5591398	12967.68407	30000	0	0	30000	33.75	2004
12.02.2020 08:34:56	1	1	1	1	83.75	53.75	0	30000	438.7096774	13160.92735	30000	0	0	30000	31.375	2004
12.02.2020 08:34:57	1	1	1	1	83.75	51.25	0	30000	434.4086022	12967.68407	30000	0	0	30000	32.375	2004
12.02.2020 08:34:58	1	1	1	1	83.75	52.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	33	2004
12.02.2020 08:34:59	1	1	1	1	83.75	53	0	30047.393	427.9569892	12838.03984	30000	0	0	30000	31.5625	2004
12.02.2020 08:35:00	1	1	1	1	83.75	51.5	0	30000	436.5591398	13096.51292	30000	0	0	30000	31.75	2004
12.02.2020 08:35:01	1	1	1	1	83.75	51.75	0	30000	432.2580645	12967.68407	30000	0	0	30000	32.375	2004
12.02.2020 08:35:02	1	1	1	1	83.75	52.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	32.0625	2004
12.02.2020 08:35:03	1	1	1	1	83.75	52	0	30000	425.8064516	12838.03984	30000	0	0	30000	31.875	2004
12.02.2020 08:35:04	1	1	1	1	84.25	51.75	0	29952.607	425.8064516	12838.03984	30000	0	0	30000	32.625	2004
12.02.2020 08:35:05	1	1	1	1	84.25	52.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	32	2004
12.02.2020 08:35:06	1	1	1	1	84.25	52	0	29905.213	434.4086022	12967.68407	30000	0	0	30000	31.3125	2004
12.02.2020 08:35:07	1	1	1	1	84.25	51.25	0	30000	432.2580645	12967.68407	30000	0	0	30000	32.6875	2004
12.02.2020 08:35:08	1	1	1	1	84.25	52.5	0	30000	434.4086022	13032.0985	30000	0	0	30000	31.25	2004
12.02.2020 08:35:09	1	1	1	1	84.25	51.25	0	29952.607	434.4086022	12967.68407	30000	0	0	30000	32.4375	2004
12.02.2020 08:35:10	1	1	1	1	84.25	52.25	0	29952.607	432.2580645	12967.68407	30000	0	0	30000	32.75	2004
12.02.2020 08:35:11	1	1	1	1	84.25	52.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	33.75	2004
12.02.2020 08:35:12	1	1	1	1	84.25	53.75	0	30000	432.2580645	12988.06838	30000	0	0	30000	31.125	2004
12.02.2020 08:35:13	1	1	1	1	83.5	53.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	32.625	2004
12.02.2020 08:35:14	1	1	1	1	83.5	52.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	32.25	2004
12.02.2020 08:35:15	1	1	1	1	83.5	52.25	0	30000	425.8064516	12773.62542	30000	0	0	30000	31.125	2004
12.02.2020 08:35:16	1	1	1	1	83.5	51	0	30000	427.9569892	12838.03984	30000	0	0	30000	32.8125	2004
12.02.2020 08:35:17	1	1	1	1	83.5	52.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	32.3125	2004
12.02.2020 08:35:23	1	1	1	1	83.5	52.25	0	30000	432.2580645	12838.03984	30000	0	0	30000	32.3125	2004
12.02.2020 08:35:23	1	1	1	1	83.5	52.25	0	30000	432.2580645	12838.03984	30000	0	0	30000	32.3125	2004
12.02.2020 08:35:23	1	1	1	1	83.5	52.25	0	30000	432.2580645	12838.03984	30000	0	0	30000	32.3125	2004
12.02.2020 08:35:23	1	1	1	1	83.5	52.25	0	30000	432.2580645	12838.03984	30000	0	0	30000	32.3125	2004
12.02.2020 08:35:23	1	1	1	1	83.5	52.25	0	30000	432.2580645	12838.03984	30000	0	0	30000	32.3125	2004
12.02.2020 08:35:23	1	1	1	1	83.5	52.25	0	29952.607	427.9569892	13096.51292	30000	0	0	30000	32.5	2004
12.02.2020 08:35:24	1	1	1	1	83.5	52.5	0	29952.607	425.8064516	12838.03984	30000	0	0	30000	32.5625	2004
12.02.2020 08:35:25	1	1	1	1	83.5	52.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	32.0625	2004
12.02.2020 08:35:26	1	1	1	1	83.5	52	0	30000	427.9569892	12838.03984	30000	0	0	30000	32.625	2004
12.02.2020 08:35:27	1	1	1	1	83.5	52.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	32.9375	2004
12.02.2020 08:35:29	1	1	1	1	83.5	52.75	0	29905.213	427.9569892	12838.03984	30000	0	0	30000	32.8125	2004
12.02.2020 08:35:30	1	1	1	1	83.5	52.75	0	30000	425.8064516	12709.21099	30000	0	0	30000	32.25	2004
12.02.2020 08:35:31	1	1	1	1	83.5	52.25	0	30000	425.8064516	12773.62542	30000	0	0	30000	32.3125	2004
12.02.2020 08:35:32	1	1	1	1	83.5	52.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	33.6875	2004
12.02.2020 08:35:33	1	1	1	1	83.5	53.5	0	30000	432.2580645	12967.68407	30000	0	0	30000	33.1875	2004
12.02.2020 08:35:34	1	1	1	1	83	53	0	29905.213	419.3548387	12798.08659	30000	0	0	30000	33.4375	2004
12.02.2020 08:35:35	1	1	1	1	83	53.25	0	30000	421.5053763	12580.38214	30000	0	0	30000	33.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 08:35:36	1	1	1	1	83	53	0	30000	425.8064516	12773.62542	30000	0	0	30000	32.4375	2004
12.02.2020 08:35:37	1	1	1	1	83	52.25	0	30000	425.8064516	12709.21099	30000	0	0	30000	31.125	2004
12.02.2020 08:35:38	1	1	1	1	83	51	0	30000	425.8064516	12773.62542	30000	0	0	30000	32.9375	2004
12.02.2020 08:35:39	1	1	1	1	83	52.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	31.625	2004
12.02.2020 08:35:40	1	1	1	1	83	51.5	0	30000	425.8064516	12773.62542	30000	0	0	30000	33.125	2004
12.02.2020 08:35:41	1	1	1	1	83	53	0	30000	419.3548387	12580.38214	30000	0	0	30000	32.5625	2004
12.02.2020 08:35:42	1	1	1	1	83	52.5	0	30000	427.9569892	12818.4709	30000	0	0	30000	31.9375	2004
12.02.2020 08:35:43	1	1	1	1	83	51.75	0	30047.393	427.9569892	12838.03984	30000	0	0	30000	31.875	2004
12.02.2020 08:35:44	1	1	1	1	83	51.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	32.4375	2004
12.02.2020 08:35:45	1	1	1	1	83	52.25	0	30000	438.7096774	13160.92735	30000	0	0	30000	32.75	2004
12.02.2020 08:35:46	1	1	1	1	83	52.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	32.75	2004
12.02.2020 08:35:47	1	1	1	1	83	52.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	32.375	2004
12.02.2020 08:35:48	1	1	1	1	83	52.25	0	30000	436.5591398	13096.51292	30000	0	0	30000	33.8125	2004
12.02.2020 08:35:49	1	1	1	1	83	53.75	0	30000	425.8064516	12580.38214	30000	0	0	30000	32.625	2004
12.02.2020 08:35:50	1	1	1	1	83	52.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	34	2004
12.02.2020 08:35:51	1	1	1	1	83	53.25	0	30000	425.8064516	12838.03984	30000	0	0	30000	33.8125	2004
12.02.2020 08:35:52	1	1	1	1	83	53.75	0	30000	427.9569892	12560.8132	30000	0	0	30000	32.125	2004
12.02.2020 08:35:53	1	1	1	1	83.25	52	0	29952.607	427.9569892	12838.03984	30000	0	0	30000	32.9375	2004
12.02.2020 08:35:54	1	1	1	1	83.25	52.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	33.0625	2004
12.02.2020 08:35:55	1	1	1	1	83.25	53	0	30000	417.2043011	12451.55328	30000	0	0	30000	32.375	2004
12.02.2020 08:35:56	1	1	1	1	83.25	52.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	33.75	2004
12.02.2020 08:35:57	1	1	1	1	83.25	53.75	0	30000	417.2043011	12580.38214	30000	0	0	30000	32.5625	2004
12.02.2020 08:35:58	1	1	1	1	83.25	52.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	32.75	2004
12.02.2020 08:35:59	1	1	1	1	83.25	52.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	33.1875	2004
12.02.2020 08:36:00	1	1	1	1	83.25	53	0	30047.393	419.3548387	12580.38214	30000	0	0	30000	32.5	2004
12.02.2020 08:36:01	1	1	1	1	83.25	52.5	0	30000	412.9032258	12451.55328	30000	0	0	30000	32.5	2004
12.02.2020 08:36:02	1	1	1	1	83.25	52.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	32.4375	2004
12.02.2020 08:36:03	1	1	1	1	82.5	52.25	0	30000	423.655914	12773.62542	30000	0	0	30000	33.375	2004
12.02.2020 08:36:04	1	1	1	1	82.5	53.25	0	30000	419.3548387	12560.8132	30000	0	0	30000	32.6875	2004
12.02.2020 08:36:05	1	1	1	1	82.5	52.5	0	29952.607	419.3548387	12754.05648	30000	0	0	30000	32.6875	2004
12.02.2020 08:36:07	1	1	1	1	82.5	52.5	0	29952.607	419.3548387	12773.62542	30000	0	0	30000	32.25	2004
12.02.2020 08:36:08	1	1	1	1	82.5	52.25	0	30000	419.3548387	12451.55328	30000	0	0	30000	32.625	2004
12.02.2020 08:36:09	1	1	1	1	82.5	52.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	33.125	2004
12.02.2020 08:36:10	1	1	1	1	82.5	53	0	30000	419.3548387	12580.38214	30000	0	0	30000	32.125	2004
12.02.2020 08:36:11	1	1	1	1	82.5	52	0	29952.607	415.0537634	12580.38214	30000	0	0	30000	32.125	2004
12.02.2020 08:36:12	1	1	1	1	82.5	52	0	30000	419.3548387	12729.5953	30000	0	0	30000	31.5625	2004
12.02.2020 08:36:13	1	1	1	1	82.5	51.5	0	30000	425.8064516	12773.62542	30000	0	0	30000	32	2004
12.02.2020 08:36:14	1	1	1	1	81.75	52	0	30000	417.2043011	12451.55328	30000	0	0	30000	34	2004
12.02.2020 08:36:15	1	1	1	1	81.75	54	0	29952.607	415.0537634	12451.55328	30000	0	0	30000	32.75	2004
12.02.2020 08:36:16	1	1	1	1	81.75	52.75	0	30000	417.2043011	12515.96771	30000	0	0	30000	33.1875	2004
12.02.2020 08:36:17	1	1	1	1	81.75	53	0	29952.607	423.655914	12773.62542	30000	0	0	30000	32.5	2004
12.02.2020 08:36:18	1	1	1	1	81.75	52.5	0	30000	425.8064516	12858.42416	30000	0	0	30000	33.875	2004
12.02.2020 08:36:19	1	1	1	1	81.75	53.75	0	29905.213	419.3548387	12580.38214	30000	0	0	30000	33.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 08:36:25	1	1	1	1	82.5	52.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	32.0625	2004
12.02.2020 08:36:25	1	1	1	1	82.5	52.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	32.0625	2004
12.02.2020 08:36:25	1	1	1	1	82.5	52.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	32.0625	2004
12.02.2020 08:36:25	1	1	1	1	82.5	52.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	32.0625	2004
12.02.2020 08:36:25	1	1	1	1	82.5	52	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	31.5	2004
12.02.2020 08:36:26	1	1	1	1	82.5	51.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	33.5625	2004
12.02.2020 08:36:27	1	1	1	1	82.5	53.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	32.625	2004
12.02.2020 08:36:28	1	1	1	1	82.5	52.5	0	30000	412.9032258	12451.55328	30000	0	0	30000	32.25	2004
12.02.2020 08:36:29	1	1	1	1	82.5	52	0	30000	415.0537634	12515.96771	30000	0	0	30000	33.375	2004
12.02.2020 08:36:30	1	1	1	1	82.5	53.25	0	30000	419.3548387	12451.55328	30000	0	0	30000	32.3125	2004
12.02.2020 08:36:31	1	1	1	1	82.5	52.25	0	30000	417.2043011	12451.55328	30000	0	0	30000	32.4375	2004
12.02.2020 08:36:32	1	1	1	1	82.5	52.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	32.4375	2004
12.02.2020 08:36:33	1	1	1	1	81.5	52.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	33.75	2004
12.02.2020 08:36:34	1	1	1	1	81.5	53.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	31.625	2004
12.02.2020 08:36:35	1	1	1	1	81.5	51.5	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	33	2004
12.02.2020 08:36:36	1	1	1	1	81.5	53	0	30000	412.9032258	12387.13886	30000	0	0	30000	32.125	2004
12.02.2020 08:36:37	1	1	1	1	81.5	52	0	30000	417.2043011	12451.55328	30000	0	0	30000	32.5	2004
12.02.2020 08:36:38	1	1	1	1	81.5	52.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	33.4375	2004
12.02.2020 08:36:39	1	1	1	1	81.5	53.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	33.875	2004
12.02.2020 08:36:40	1	1	1	1	81.5	53.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	33.5625	2004
12.02.2020 08:36:41	1	1	1	1	81.5	53.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	32.875	2004
12.02.2020 08:36:42	1	1	1	1	81.5	52.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	32.8125	2004
12.02.2020 08:36:43	1	1	1	1	81.5	52.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	33.1875	2004
12.02.2020 08:36:45	1	1	1	1	81.5	53	0	30000	412.9032258	12451.55328	30000	0	0	30000	32.4375	2004
12.02.2020 08:36:47	1	1	1	1	81.5	53.75	0	29952.607	419.3548387	12580.38214	30000	0	0	30000	32.0625	2004
12.02.2020 08:36:47	1	1	1	1	81.5	53.75	0	29952.607	419.3548387	12580.38214	30000	0	0	30000	32.0625	2004
12.02.2020 08:36:48	1	1	1	1	81.5	52	0	29952.607	412.9032258	12367.56992	30000	0	0	30000	34	2004
12.02.2020 08:36:49	1	1	1	1	81.5	54	0	30000	415.0537634	12451.55328	30000	0	0	30000	33.9375	2004
12.02.2020 08:36:50	1	1	1	1	81.5	53.75	0	30047.393	412.9032258	12406.7078	30000	0	0	30000	32.6875	2004
12.02.2020 08:36:51	1	1	1	1	81.5	52.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	32.4375	2004
12.02.2020 08:36:52	1	1	1	1	81.5	52.25	0	30000	404.3010753	12387.13886	30000	0	0	30000	33.125	2004
12.02.2020 08:36:53	1	1	1	1	81.5	53	0	30000	404.3010753	12128.66578	30000	0	0	30000	33.75	2004
12.02.2020 08:36:54	1	1	1	1	82	53.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	31.6875	2004
12.02.2020 08:36:55	1	1	1	1	82	51.5	0	30000	400	11999.83693	30000	0	0	30000	31.3125	2004
12.02.2020 08:36:56	1	1	1	1	82	51.25	0	30000	400	11999.83693	30000	0	0	30000	33.1875	2004
12.02.2020 08:36:57	1	1	1	1	82	53	0	30000	397.8494624	11935.4225	30000	0	0	30000	33.6875	2004
12.02.2020 08:36:58	1	1	1	1	82	53.5	0	30000	402.1505376	11999.83693	30000	0	0	30000	31.4375	2004
12.02.2020 08:36:59	1	1	1	1	82	51.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	31.6875	2004
12.02.2020 08:37:00	1	1	1	1	82	51.5	0	29952.607	395.6989247	11871.00807	30000	0	0	30000	32.1875	2004
12.02.2020 08:37:01	1	1	1	1	82	52	0	30000	404.3010753	12128.66578	30000	0	0	30000	33.4375	2004
12.02.2020 08:37:02	1	1	1	1	82	53.25	0	30000	404.3010753	12045.49778	30000	0	0	30000	32.3125	2004
12.02.2020 08:37:03	1	1	1	1	82	52.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	33	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 08:37:04	1	1	1	1	81.25	53	0	30000	412.9032258	12387.13886	30000	0	0	30000	32	2004
12.02.2020 08:37:05	1	1	1	1	81.25	52	0	30047.393	404.3010753	12064.25135	30000	0	0	30000	33.375	2004
12.02.2020 08:37:06	1	1	1	1	81.25	53.25	0	30047.393	404.3010753	11999.83693	30000	0	0	30000	33.875	2004
12.02.2020 08:37:07	1	1	1	1	81.25	53.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	34.0625	2004
12.02.2020 08:37:08	1	1	1	1	81.25	54	0	30000	395.6989247	11935.4225	30000	0	0	30000	32.1875	2004
12.02.2020 08:37:09	1	1	1	1	81.25	52	0	30000	412.9032258	12387.13886	30000	0	0	30000	33.8125	2004
12.02.2020 08:37:10	1	1	1	1	81.25	53.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	32.3125	2004
12.02.2020 08:37:11	1	1	1	1	81.25	52.25	0	30000	397.8494624	11999.83693	30000	0	0	30000	33.375	2004
12.02.2020 08:37:12	1	1	1	1	81.25	53.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	33.9375	2004
12.02.2020 08:37:13	1	1	1	1	81.75	53.75	0	29952.607	417.2043011	12451.55328	30000	0	0	30000	32.4375	2004
12.02.2020 08:37:14	1	1	1	1	81.75	52.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	33.5625	2004
12.02.2020 08:37:15	1	1	1	1	81.75	53.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	33.9375	2004
12.02.2020 08:37:16	1	1	1	1	81.75	53.75	0	29905.213	419.3548387	12580.38214	30000	0	0	30000	33.75	2004
12.02.2020 08:37:17	1	1	1	1	81.75	53.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	32.75	2004
12.02.2020 08:37:18	1	1	1	1	81.75	52.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	32.4375	2004
12.02.2020 08:37:19	1	1	1	1	81.75	52.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	32.4375	2004
12.02.2020 08:37:20	1	1	1	1	81.75	52.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	31.5	2004
12.02.2020 08:37:27	1	1	1	1	81.25	53	0	30000	412.9032258	12387.13886	30000	0	0	30000	32.75	2004
12.02.2020 08:37:27	1	1	1	1	81.25	53	0	30000	412.9032258	12387.13886	30000	0	0	30000	32.75	2004
12.02.2020 08:37:27	1	1	1	1	81.25	53	0	30000	412.9032258	12387.13886	30000	0	0	30000	32.75	2004
12.02.2020 08:37:27	1	1	1	1	81.25	53	0	30000	412.9032258	12387.13886	30000	0	0	30000	32.75	2004
12.02.2020 08:37:27	1	1	1	1	81.25	52.75	0	30000	417.2043011	12580.38214	30000	0	0	30000	33.5625	2004
12.02.2020 08:37:28	1	1	1	1	81.25	53.5	0	30000	423.655914	12709.21099	30000	0	0	30000	33.875	2004
12.02.2020 08:37:29	1	1	1	1	81.25	53.75	0	30000	415.0537634	12580.38214	30000	0	0	30000	32.5	2004
12.02.2020 08:37:30	1	1	1	1	81.25	52.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	33.0625	2004
12.02.2020 08:37:31	1	1	1	1	81.25	53	0	30000	423.655914	12709.21099	30000	0	0	30000	32.8125	2004
12.02.2020 08:37:32	1	1	1	1	81.25	52.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	33.125	2004
12.02.2020 08:37:33	1	1	1	1	81.25	53	0	30000	419.3548387	12580.38214	30000	0	0	30000	32.5	2004
12.02.2020 08:37:34	1	1	1	1	81.5	52.5	0	30000	417.2043011	12580.38214	30000	0	0	30000	34.125	2004
12.02.2020 08:37:35	1	1	1	1	81.5	54	0	30000	425.8064516	12709.21099	30000	0	0	30000	32.625	2004
12.02.2020 08:37:36	1	1	1	1	81.5	52.5	0	29952.607	419.3548387	12580.38214	30000	0	0	30000	33.6875	2004
12.02.2020 08:37:37	1	1	1	1	81.5	53.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	32.1875	2004
12.02.2020 08:37:38	1	1	1	1	81.5	52	0	30000	421.5053763	12709.21099	30000	0	0	30000	33.5	2004
12.02.2020 08:37:39	1	1	1	1	81.5	53.5	0	29952.607	425.8064516	12838.03984	30000	0	0	30000	33.8125	2004
12.02.2020 08:37:40	1	1	1	1	81.5	53.75	0	29952.607	419.3548387	12560.8132	30000	0	0	30000	33.25	2004
12.02.2020 08:37:41	1	1	1	1	81.5	53.25	0	30000	425.8064516	12580.38214	30000	0	0	30000	31.625	2004
12.02.2020 08:37:42	1	1	1	1	81.5	51.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	34	2004
12.02.2020 08:37:43	1	1	1	1	81.5	54	0	30000	417.2043011	12451.55328	30000	0	0	30000	34.375	2004
12.02.2020 08:37:44	1	1	1	1	82	53.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	32.125	2004
12.02.2020 08:37:45	1	1	1	1	82	52	0	30000	412.9032258	12387.13886	30000	0	0	30000	33.4375	2004
12.02.2020 08:37:46	1	1	1	1	82	53.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	33.75	2004
12.02.2020 08:37:47	1	1	1	1	82	53.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	33.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 08:37:48	1	1	1	1	82	53.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	33.8125	2004
12.02.2020 08:37:49	1	1	1	1	82	53.75	0	30094.787	427.9569892	12431.98434	30000	0	0	30000	33.0625	2004
12.02.2020 08:37:50	1	1	1	1	82	53	0	30000	415.0537634	12451.55328	30000	0	0	30000	34.0625	2004
12.02.2020 08:37:51	1	1	1	1	82	54	0	29905.213	417.2043011	12560.8132	30000	0	0	30000	32.25	2004
12.02.2020 08:37:52	1	1	1	1	82	52.25	0	30000	415.0537634	12814.39404	30000	0	0	30000	34.0625	2004
12.02.2020 08:37:53	1	1	1	1	81.5	54	0	30000	417.2043011	12580.38214	30000	0	0	30000	33.1875	2004
12.02.2020 08:37:54	1	1	1	1	81.5	53	0	30000	415.0537634	12451.55328	30000	0	0	30000	33.75	2004
12.02.2020 08:37:55	1	1	1	1	81.5	53.75	0	29952.607	415.0537634	12580.38214	30000	0	0	30000	34.0625	2004
12.02.2020 08:37:56	1	1	1	1	81.5	54	0	30000	415.0537634	12451.55328	30000	0	0	30000	32.0625	2004
12.02.2020 08:37:57	1	1	1	1	81.5	52	0	30000	419.3548387	12580.38214	30000	0	0	30000	33.3125	2004
12.02.2020 08:37:58	1	1	1	1	81.5	53.25	0	29952.607	425.8064516	12773.62542	30000	0	0	30000	34.0625	2004
12.02.2020 08:38:00	1	1	1	1	81.5	54	0	30000	415.0537634	12451.55328	30000	0	0	30000	32.9375	2004
12.02.2020 08:38:01	1	1	1	1	81.5	52.75	0	30000	423.655914	12709.21099	30000	0	0	30000	33.9375	2004
12.02.2020 08:38:02	1	1	1	1	81.5	53.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	31.6875	2004
12.02.2020 08:38:03	1	1	1	1	81.5	51.5	0	29952.607	423.655914	12709.21099	30000	0	0	30000	33.4375	2004
12.02.2020 08:38:04	1	1	1	1	81.75	53.25	0	30000	423.655914	12709.21099	30000	0	0	30000	33.6875	2004
12.02.2020 08:38:05	1	1	1	1	81.75	53.5	0	30000	419.3548387	12709.21099	30000	0	0	30000	34.1875	2004
12.02.2020 08:38:06	1	1	1	1	81.75	54	0	29905.213	412.9032258	12580.38214	30000	0	0	30000	32.5	2004
12.02.2020 08:38:07	1	1	1	1	81.75	52.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	33.5	2004
12.02.2020 08:38:08	1	1	1	1	81.75	53.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	34	2004
12.02.2020 08:38:09	1	1	1	1	81.75	54	0	30000	419.3548387	12580.38214	30000	0	0	30000	32.875	2004
12.02.2020 08:38:10	1	1	1	1	81.75	52.75	0	30000	415.0537634	12348.00098	30000	0	0	30000	33.375	2004
12.02.2020 08:38:11	1	1	1	1	81.75	53.25	0	29952.607	412.9032258	12580.38214	30000	0	0	30000	32.75	2004
12.02.2020 08:38:12	1	1	1	1	81.75	52.75	0	30000	412.9032258	12431.98434	30000	0	0	30000	34.125	2004
12.02.2020 08:38:13	1	1	1	1	81.75	54	0	30000	415.0537634	12580.38214	30000	0	0	30000	31.3125	2004
12.02.2020 08:38:14	1	1	1	1	81.25	51.25	0	30000	425.8064516	12754.05648	30000	0	0	30000	32.5	2004
12.02.2020 08:38:15	1	1	1	1	81.25	52.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	32.9375	2004
12.02.2020 08:38:16	1	1	1	1	81.25	52.75	0	30000	423.655914	12709.21099	30000	0	0	30000	32.75	2004
12.02.2020 08:38:17	1	1	1	1	81.25	52.75	0	30000	421.5053763	12580.38214	30000	0	0	30000	32.8125	2004
12.02.2020 08:38:18	1	1	1	1	81.25	52.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	33.5	2004
12.02.2020 08:38:19	1	1	1	1	81.25	53.5	0	30000	425.8064516	12580.38214	30000	0	0	30000	33.25	2004
12.02.2020 08:38:20	1	1	1	1	81.25	53.25	0	29952.607	425.8064516	12773.62542	30000	0	0	30000	32.6875	2004
12.02.2020 08:38:21	1	1	1	1	81.25	52.5	0	30000	434.4086022	12773.62542	30000	0	0	30000	32.4375	2004
12.02.2020 08:38:22	1	1	1	1	81.25	52.25	0	30000	427.9569892	12878.80847	30000	0	0	30000	32.625	2004
12.02.2020 08:38:28	1	1	1	1	80.75	53.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	32.9375	2004
12.02.2020 08:38:28	1	1	1	1	80.75	53.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	32.9375	2004
12.02.2020 08:38:28	1	1	1	1	80.75	53.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	32.9375	2004
12.02.2020 08:38:28	1	1	1	1	80.75	53.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	32.9375	2004
12.02.2020 08:38:28	1	1	1	1	80.75	53.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	32.9375	2004
12.02.2020 08:38:28	1	1	1	1	80.75	52.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	32.9375	2004
12.02.2020 08:38:29	1	1	1	1	80.75	52.75	0	29952.607	419.3548387	12709.21099	30000	0	0	30000	34.125	2004
12.02.2020 08:38:30	1	1	1	1	80.75	54	0	30000	423.655914	12580.38214	30000	0	0	30000	32.625	2004
12.02.2020 08:38:31	1	1	1	1	80.75	52.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	33.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 08:38:32	1	1	1	1	80.75	53	0	30000	419.3548387	12580.38214	30000	0	0	30000	33.6875	2004
12.02.2020 08:38:33	1	1	1	1	80.5	53.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	33.1875	2004
12.02.2020 08:38:34	1	1	1	1	80.5	53	0	30000	425.8064516	12838.03984	30000	0	0	30000	33.625	2004
12.02.2020 08:38:35	1	1	1	1	80.5	53.5	0	30000	421.5053763	12709.21099	30000	0	0	30000	32.375	2004
12.02.2020 08:38:36	1	1	1	1	80.5	52.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	33.5625	2004
12.02.2020 08:38:37	1	1	1	1	80.5	53.5	0	30000	423.655914	12773.62542	30000	0	0	30000	32.9375	2004
12.02.2020 08:38:38	1	1	1	1	80.5	52.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	33.75	2004
12.02.2020 08:38:39	1	1	1	1	80.5	53.75	0	30047.393	432.2580645	12773.62542	30000	0	0	30000	33.9375	2004
12.02.2020 08:38:40	1	1	1	1	80.5	53.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	33.875	2004
12.02.2020 08:38:42	1	1	1	1	80.5	53.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	32.125	2004
12.02.2020 08:38:43	1	1	1	1	80.5	52	0	30000	425.8064516	12773.62542	30000	0	0	30000	31.75	2004
12.02.2020 08:38:44	1	1	1	1	80	51.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	33.25	2004
12.02.2020 08:38:45	1	1	1	1	80	53.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	32.4375	2004
12.02.2020 08:38:46	1	1	1	1	80	52.25	0	30000	423.655914	12709.21099	30000	0	0	30000	33	2004
12.02.2020 08:38:47	1	1	1	1	80	53	0	30000	419.3548387	12580.38214	30000	0	0	30000	33.625	2004
12.02.2020 08:38:48	1	1	1	1	80	53.5	0	30000	425.8064516	12773.62542	30000	0	0	30000	32.5625	2004
12.02.2020 08:38:49	1	1	1	1	80	52.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	32.625	2004
12.02.2020 08:38:50	1	1	1	1	80	52.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	32.125	2004
12.02.2020 08:38:51	1	1	1	1	80	52	0	29952.607	415.0537634	12580.38214	30000	0	0	30000	33.5	2004
12.02.2020 08:38:52	1	1	1	1	80	53.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	33.6875	2004
12.02.2020 08:38:53	1	1	1	1	80	53.5	0	30000	412.9032258	12431.98434	30000	0	0	30000	34	2004
12.02.2020 08:38:54	1	1	1	1	80.25	54	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	34.0625	2004
12.02.2020 08:38:55	1	1	1	1	80.25	54	0	30000	421.5053763	12709.21099	30000	0	0	30000	33.3125	2004
12.02.2020 08:38:56	1	1	1	1	80.25	53.25	0	30000	423.655914	12689.64205	30000	0	0	30000	34	2004
12.02.2020 08:38:57	1	1	1	1	80.25	54	0	30000	419.3548387	12580.38214	30000	0	0	30000	32.9375	2004
12.02.2020 08:38:58	1	1	1	1	80.25	52.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	33.0625	2004
12.02.2020 08:38:59	1	1	1	1	80.25	53	0	30000	415.0537634	12451.55328	30000	0	0	30000	33.4375	2004
12.02.2020 08:39:00	1	1	1	1	80.25	53.25	0	29952.607	412.9032258	12451.55328	30000	0	0	30000	33.8125	2004
12.02.2020 08:39:01	1	1	1	1	80.25	53.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	34.3125	2004
12.02.2020 08:39:02	1	1	1	1	80.25	54.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	34.1875	2004
12.02.2020 08:39:03	1	1	1	1	80.25	54	0	30000	412.9032258	12387.13886	30000	0	0	30000	34.125	2004
12.02.2020 08:39:04	1	1	1	1	80.25	54	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	33.3125	2004
12.02.2020 08:39:05	1	1	1	1	80.25	52.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	33.9375	2004
12.02.2020 08:39:06	1	1	1	1	80.25	53.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	33.4375	2004
12.02.2020 08:39:07	1	1	1	1	80.25	53.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	33.6875	2004
12.02.2020 08:39:08	1	1	1	1	80.25	53.5	0	30000	417.2043011	12580.38214	30000	0	0	30000	34.0625	2004
12.02.2020 08:39:09	1	1	1	1	80.25	54	0	29905.213	419.3548387	12773.62542	30000	0	0	30000	34.25	2004
12.02.2020 08:39:10	1	1	1	1	80.25	54.25	0	30000	425.8064516	12838.03984	30000	0	0	30000	33.25	2004
12.02.2020 08:39:11	1	1	1	1	80.25	53.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	33.9375	2004
12.02.2020 08:39:12	1	1	1	1	80.25	53.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	34.0625	2004
12.02.2020 08:39:13	1	1	1	1	80.25	54	0	30000	423.655914	12709.21099	30000	0	0	30000	33.875	2004
12.02.2020 08:39:14	1	1	1	1	80.25	53.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	33.5	2004
12.02.2020 08:39:15	1	1	1	1	80.25	53.5	0	29952.607	419.3548387	12669.25774	30000	0	0	30000	32.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 08:39:16	1	1	1	1	80.25	52.75	0	30000	417.2043011	12580.38214	30000	0	0	30000	32.4375	2004
12.02.2020 08:39:17	1	1	1	1	80.25	52.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	33.125	2004
12.02.2020 08:39:18	1	1	1	1	80.25	53	0	30000	425.8064516	12709.21099	30000	0	0	30000	31.75	2004
12.02.2020 08:39:19	1	1	1	1	80.25	51.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	34.125	2004
12.02.2020 08:39:21	1	1	1	1	80.25	54	0	30000	419.3548387	12580.38214	30000	0	0	30000	33.75	2004
12.02.2020 08:39:22	1	1	1	1	80.25	53.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	32.75	2004
12.02.2020 08:39:23	1	1	1	1	80.25	52.75	0	30000	423.655914	12709.21099	30000	0	0	30000	32.875	2004
12.02.2020 08:39:24	1	1	1	1	79.75	52.75	0	30000	412.9032258	12431.98434	30000	0	0	30000	34.1875	2004
12.02.2020 08:39:30	1	1	1	1	79.75	54.25	0	29905.213	412.9032258	12431.98434	30000	0	0	30000	32.4375	2004
12.02.2020 08:39:30	1	1	1	1	79.75	54.25	0	29905.213	412.9032258	12431.98434	30000	0	0	30000	32.4375	2004
12.02.2020 08:39:30	1	1	1	1	79.75	54.25	0	29905.213	412.9032258	12431.98434	30000	0	0	30000	32.4375	2004
12.02.2020 08:39:30	1	1	1	1	79.75	54.25	0	29905.213	412.9032258	12431.98434	30000	0	0	30000	32.4375	2004
12.02.2020 08:39:30	1	1	1	1	79.75	52.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	32.4375	2004
12.02.2020 08:39:31	1	1	1	1	79.75	52.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	33.375	2004
12.02.2020 08:39:32	1	1	1	1	79.75	53.25	0	29952.607	412.9032258	12451.55328	30000	0	0	30000	32.6875	2004
12.02.2020 08:39:33	1	1	1	1	79.75	52.5	0	29952.607	423.655914	12838.03984	30000	0	0	30000	34	2004
12.02.2020 08:39:34	1	1	1	1	79.25	54	0	30000	415.0537634	12431.98434	30000	0	0	30000	33.1875	2004
12.02.2020 08:39:35	1	1	1	1	79.25	53	0	30000	415.0537634	12515.96771	30000	0	0	30000	33.625	2004
12.02.2020 08:39:36	1	1	1	1	79.25	53.5	0	30000	417.2043011	12451.55328	30000	0	0	30000	32.25	2004
12.02.2020 08:39:37	1	1	1	1	79.25	52.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	32	2004
12.02.2020 08:39:38	1	1	1	1	79.25	52	0	30000	412.9032258	12387.13886	30000	0	0	30000	33.1875	2004
12.02.2020 08:39:39	1	1	1	1	79.25	53	0	30000	412.9032258	12387.13886	30000	0	0	30000	33.0625	2004
12.02.2020 08:39:40	1	1	1	1	79.25	53	0	30000	412.9032258	12431.98434	30000	0	0	30000	33.875	2004
12.02.2020 08:39:41	1	1	1	1	79.25	53.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	32.375	2004
12.02.2020 08:39:42	1	1	1	1	79.25	52.25	0	30000	415.0537634	12387.13886	30000	0	0	30000	33.1875	2004
12.02.2020 08:39:43	1	1	1	1	79.25	53	0	30000	419.3548387	12580.38214	30000	0	0	30000	34.25	2004
12.02.2020 08:39:44	1	1	1	1	80	54.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	33.625	2004
12.02.2020 08:39:45	1	1	1	1	80	53.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	33.25	2004
12.02.2020 08:39:46	1	1	1	1	80	53.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	34.4375	2004
12.02.2020 08:39:47	1	1	1	1	80	54.25	0	30000	412.9032258	12109.91221	30000	0	0	30000	33.6875	2004
12.02.2020 08:39:48	1	1	1	1	80	53.5	0	30000	404.3010753	12387.13886	30000	0	0	30000	33	2004
12.02.2020 08:39:49	1	1	1	1	80	53	0	30000	415.0537634	12451.55328	30000	0	0	30000	33.25	2004
12.02.2020 08:39:50	1	1	1	1	80	53.25	0	30000	412.9032258	12348.00098	30000	0	0	30000	32.875	2004
12.02.2020 08:39:51	1	1	1	1	80	52.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	32.6875	2004
12.02.2020 08:39:52	1	1	1	1	80	52.5	0	30047.393	419.3548387	12387.13886	30000	0	0	30000	33.75	2004
12.02.2020 08:39:53	1	1	1	1	79.25	53.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	33.125	2004
12.02.2020 08:39:54	1	1	1	1	79.25	53	0	30000	412.9032258	12128.66578	30000	0	0	30000	32.8125	2004
12.02.2020 08:39:55	1	1	1	1	79.25	52.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	32.9375	2004
12.02.2020 08:39:56	1	1	1	1	79.25	52.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	33.375	2004
12.02.2020 08:39:57	1	1	1	1	79.25	53.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	34.125	2004
12.02.2020 08:39:58	1	1	1	1	79.25	54	0	30000	406.4516129	12387.13886	30000	0	0	30000	33.5625	2004
12.02.2020 08:39:59	1	1	1	1	79.25	53.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	32.8125	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 08:40:00	1	1	1	1	79.25	52.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	33.5625	2004
12.02.2020 08:40:02	1	1	1	1	79.25	53.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	33.75	2004
12.02.2020 08:40:03	1	1	1	1	79.25	53.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	34.25	2004
12.02.2020 08:40:04	1	1	1	1	79.75	54.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	33.75	2004
12.02.2020 08:40:05	1	1	1	1	79.75	53.75	0	30000	412.9032258	12451.55328	30000	0	0	30000	34	2004
12.02.2020 08:40:06	1	1	1	1	79.75	54	0	30000	412.9032258	12535.53665	30000	0	0	30000	34.25	2004
12.02.2020 08:40:07	1	1	1	1	79.75	54.25	0	30000	412.9032258	12451.55328	30000	0	0	30000	34.25	2004
12.02.2020 08:40:08	1	1	1	1	79.75	54.25	0	30047.393	412.9032258	12387.13886	30000	0	0	30000	33.4375	2004
12.02.2020 08:40:09	1	1	1	1	79.75	53.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	34.3125	2004
12.02.2020 08:40:10	1	1	1	1	79.75	54.25	0	29952.607	412.9032258	12193.08021	30000	0	0	30000	34.125	2004
12.02.2020 08:40:11	1	1	1	1	79.75	54	0	30000	412.9032258	12128.66578	30000	0	0	30000	33.125	2004
12.02.2020 08:40:12	1	1	1	1	79.75	53	0	30000	412.9032258	12128.66578	30000	0	0	30000	33.0625	2004
12.02.2020 08:40:13	1	1	1	1	79.75	53	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	34.0625	2004
12.02.2020 08:40:14	1	1	1	1	79.5	54	0	30000	412.9032258	12109.91221	30000	0	0	30000	33.25	2004
12.02.2020 08:40:15	1	1	1	1	79.5	53.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	33.125	2004
12.02.2020 08:40:16	1	1	1	1	79.5	53	0	30000	404.3010753	12128.66578	30000	0	0	30000	33.75	2004
12.02.2020 08:40:17	1	1	1	1	79.5	53.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	32.875	2004
12.02.2020 08:40:18	1	1	1	1	79.5	52.75	0	30000	404.3010753	12109.91221	30000	0	0	30000	33.5	2004
12.02.2020 08:40:19	1	1	1	1	79.5	53.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	33.125	2004
12.02.2020 08:40:20	1	1	1	1	79.5	53	0	30000	397.8494624	11935.4225	30000	0	0	30000	33	2004
12.02.2020 08:40:21	1	1	1	1	79.5	53	0	30000	402.1505376	12064.25135	30000	0	0	30000	33.625	2004
12.02.2020 08:40:22	1	1	1	1	79.5	53.5	0	29952.607	400	12193.08021	30000	0	0	30000	33.3125	2004
12.02.2020 08:40:23	1	1	1	1	79.5	53.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	33.75	2004
12.02.2020 08:40:24	1	1	1	1	79.5	53.75	0	30047.393	404.3010753	11935.4225	30000	0	0	30000	34.3125	2004
12.02.2020 08:40:25	1	1	1	1	79.5	54.25	0	29952.607	400	12064.25135	30000	0	0	30000	33	2004
12.02.2020 08:40:31	1	1	1	1	79.5	53.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	32.9375	2004
12.02.2020 08:40:31	1	1	1	1	79.5	53.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	32.9375	2004
12.02.2020 08:40:31	1	1	1	1	79.5	53.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	32.9375	2004
12.02.2020 08:40:31	1	1	1	1	79.5	53.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	32.9375	2004
12.02.2020 08:40:31	1	1	1	1	79.5	53.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	32.9375	2004
12.02.2020 08:40:31	1	1	1	1	79.5	53.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	32.9375	2004
12.02.2020 08:40:32	1	1	1	1	79.5	52.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	33.5	2004
12.02.2020 08:40:33	1	1	1	1	79.25	53.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	33.75	2004
12.02.2020 08:40:34	1	1	1	1	79.25	53.75	0	30000	395.6989247	11935.4225	30000	0	0	30000	32.1875	2004
12.02.2020 08:40:35	1	1	1	1	79.25	52	0	30000	404.3010753	12128.66578	30000	0	0	30000	32.75	2004
12.02.2020 08:40:36	1	1	1	1	79.25	52.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	33.9375	2004
12.02.2020 08:40:37	1	1	1	1	79.25	53.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	33.8125	2004
12.02.2020 08:40:38	1	1	1	1	79.25	53.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	32.9375	2004
12.02.2020 08:40:40	1	1	1	1	79.25	52.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	34.25	2004
12.02.2020 08:40:41	1	1	1	1	79.25	54.25	0	30000	404.3010753	12387.13886	30000	0	0	30000	32.25	2004
12.02.2020 08:40:42	1	1	1	1	79.25	52.25	0	30000	402.1505376	12128.66578	30000	0	0	30000	33.625	2004
12.02.2020 08:40:43	1	1	1	1	79.25	53.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	34	2004
12.02.2020 08:40:44	1	1	1	1	79.5	54	0	30000	412.9032258	12387.13886	30000	0	0	30000	33.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 08:40:45	1	1	1	1	79.5	53.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	33.1875	2004
12.02.2020 08:40:46	1	1	1	1	79.5	53	0	30000	412.9032258	12387.13886	30000	0	0	30000	34	2004
12.02.2020 08:40:47	1	1	1	1	79.5	54	0	30000	412.9032258	12451.55328	30000	0	0	30000	33.6875	2004
12.02.2020 08:40:48	1	1	1	1	79.5	53.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	33.3125	2004
12.02.2020 08:40:49	1	1	1	1	79.5	53.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	33.1875	2004
12.02.2020 08:40:50	1	1	1	1	79.5	53	0	30000	412.9032258	12128.66578	30000	0	0	30000	32.5	2004
12.02.2020 08:40:51	1	1	1	1	79.5	52.5	0	30000	404.3010753	12064.25135	30000	0	0	30000	33.625	2004
12.02.2020 08:40:52	1	1	1	1	79.5	53.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	33.8125	2004
12.02.2020 08:40:53	1	1	1	1	79.5	53.75	0	30000	412.9032258	12193.08021	30000	0	0	30000	33.875	2004
12.02.2020 08:40:54	1	1	1	1	79.25	53.75	0	30000	412.9032258	12025.92885	30000	0	0	30000	34.375	2004
12.02.2020 08:40:55	1	1	1	1	79.25	54.25	0	30000	404.3010753	12387.13886	30000	0	0	30000	34.1875	2004
12.02.2020 08:40:56	1	1	1	1	79.25	54	0	30000	404.3010753	12128.66578	30000	0	0	30000	33.75	2004
12.02.2020 08:40:57	1	1	1	1	79.25	53.75	0	29952.607	415.0537634	12580.38214	30000	0	0	30000	33.6875	2004
12.02.2020 08:40:58	1	1	1	1	79.25	53.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	33.1875	2004
12.02.2020 08:40:59	1	1	1	1	79.25	53	0	30000	404.3010753	12128.66578	30000	0	0	30000	33.375	2004
12.02.2020 08:41:00	1	1	1	1	79.25	53.25	0	30047.393	412.9032258	12406.7078	30000	0	0	30000	34	2004
12.02.2020 08:41:01	1	1	1	1	79.25	54	0	29952.607	404.3010753	12387.13886	30000	0	0	30000	32.8125	2004
12.02.2020 08:41:02	1	1	1	1	79.25	52.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	34.6875	2004
12.02.2020 08:41:03	1	1	1	1	79.25	54.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	34.125	2004
12.02.2020 08:41:04	1	1	1	1	79.25	54	0	30000	412.9032258	12387.13886	30000	0	0	30000	33.625	2004
12.02.2020 08:41:05	1	1	1	1	79.25	53.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	33.5	2004
12.02.2020 08:41:06	1	1	1	1	79.25	53.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	32.9375	2004
12.02.2020 08:41:07	1	1	1	1	79.25	52.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	32.75	2004
12.02.2020 08:41:08	1	1	1	1	79.25	52.75	0	30000	412.9032258	12451.55328	30000	0	0	30000	34.375	2004
12.02.2020 08:41:09	1	1	1	1	79.25	54.25	0	30000	412.9032258	12471.12222	30000	0	0	30000	33.625	2004
12.02.2020 08:41:10	1	1	1	1	79.25	53.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	33.9375	2004
12.02.2020 08:41:11	1	1	1	1	79.25	53.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	32.4375	2004
12.02.2020 08:41:12	1	1	1	1	79.25	52.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	32.8125	2004
12.02.2020 08:41:13	1	1	1	1	79.25	52.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	32.9375	2004
12.02.2020 08:41:14	1	1	1	1	79.25	52.75	0	30000	412.9032258	12109.91221	30000	0	0	30000	32.4375	2004
12.02.2020 08:41:15	1	1	1	1	79.25	52.25	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	33.6875	2004
12.02.2020 08:41:16	1	1	1	1	79.25	53.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	33.9375	2004
12.02.2020 08:41:17	1	1	1	1	79.25	53.75	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	33.6875	2004
12.02.2020 08:41:18	1	1	1	1	79.25	53.5	0	30000	406.4516129	12025.92885	30000	0	0	30000	32.875	2004
12.02.2020 08:41:20	1	1	1	1	79.25	52.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	33.625	2004
12.02.2020 08:41:21	1	1	1	1	79.25	53.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	33.4375	2004
12.02.2020 08:41:22	1	1	1	1	79.25	53.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	33.625	2004
12.02.2020 08:41:23	1	1	1	1	79.25	53.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	33.375	2004
12.02.2020 08:41:24	1	1	1	1	79.25	53.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	32.8125	2004
12.02.2020 08:41:25	1	1	1	1	79.25	52.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	32.8125	2004
12.02.2020 08:41:26	1	1	1	1	79.25	52.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	34	2004
12.02.2020 08:41:27	1	1	1	1	79.25	54	0	30000	404.3010753	12387.13886	30000	0	0	30000	33.5625	2004
12.02.2020 08:41:33	1	1	1	1	79.25	51.75	0	30000	402.1505376	12128.66578	30000	0	0	30000	34.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 08:41:33	1	1	1	1	79.25	51.75	0	30000	402.1505376	12128.66578	30000	0	0	30000	34.3125	2004
12.02.2020 08:41:33	1	1	1	1	79.25	51.75	0	30000	402.1505376	12128.66578	30000	0	0	30000	34.3125	2004
12.02.2020 08:41:33	1	1	1	1	79.25	51.75	0	30000	402.1505376	12128.66578	30000	0	0	30000	34.3125	2004
12.02.2020 08:41:33	1	1	1	1	79.25	51.75	0	30000	402.1505376	12128.66578	30000	0	0	30000	34.3125	2004
12.02.2020 08:41:33	1	1	1	1	79.25	54.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	34.125	2004
12.02.2020 08:41:34	1	1	1	1	79.25	54	0	29905.213	402.1505376	12387.13886	30000	0	0	30000	33.9375	2004
12.02.2020 08:41:35	1	1	1	1	79.25	53.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	34	2004
12.02.2020 08:41:36	1	1	1	1	79.25	54	0	30000	412.9032258	12387.13886	30000	0	0	30000	34.5	2004
12.02.2020 08:41:37	1	1	1	1	79.25	54.5	0	30000	404.3010753	12193.08021	30000	0	0	30000	33	2004
12.02.2020 08:41:38	1	1	1	1	79.25	53	0	29952.607	406.4516129	12174.32664	30000	0	0	30000	34.25	2004
12.02.2020 08:41:39	1	1	1	1	79.25	54.25	0	29905.213	404.3010753	12193.08021	30000	0	0	30000	34.0625	2004
12.02.2020 08:41:40	1	1	1	1	79.25	54	0	30000	412.9032258	12387.13886	30000	0	0	30000	33.5625	2004
12.02.2020 08:41:41	1	1	1	1	79.25	53.5	0	29952.607	397.8494624	12193.08021	30000	0	0	30000	33.6875	2004
12.02.2020 08:41:42	1	1	1	1	79.25	53.5	0	30000	404.3010753	12064.25135	30000	0	0	30000	33.75	2004
12.02.2020 08:41:43	1	1	1	1	79.25	53.75	0	30000	404.3010753	12193.08021	30000	0	0	30000	34.4375	2004
12.02.2020 08:41:44	1	1	1	1	79.5	54.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	33.5625	2004
12.02.2020 08:41:45	1	1	1	1	79.5	54.25	0	30000	412.9032258	12128.66578	30000	0	0	30000	34.125	2004
12.02.2020 08:41:46	1	1	1	1	79.5	54	0	30000	412.9032258	12387.13886	30000	0	0	30000	34.125	2004
12.02.2020 08:41:47	1	1	1	1	79.5	54	0	30000	412.9032258	12387.13886	30000	0	0	30000	33.9375	2004
12.02.2020 08:41:48	1	1	1	1	79.5	53.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	34.5625	2004
12.02.2020 08:41:49	1	1	1	1	79.5	54.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	33	2004
12.02.2020 08:41:50	1	1	1	1	79.5	53	0	30047.393	412.9032258	12387.13886	30000	0	0	30000	33.8125	2004
12.02.2020 08:41:51	1	1	1	1	79.5	53.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	34.375	2004
12.02.2020 08:41:52	1	1	1	1	79.5	54.25	0	30000	397.8494624	12128.66578	30000	0	0	30000	34.0625	2004
12.02.2020 08:41:53	1	1	1	1	79	54	0	29952.607	397.8494624	11833.50094	30000	0	0	30000	33.625	2004
12.02.2020 08:41:54	1	1	1	1	79	53.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	33.8125	2004
12.02.2020 08:41:55	1	1	1	1	79	53.75	0	30000	402.1505376	12064.25135	30000	0	0	30000	33.625	2004
12.02.2020 08:41:56	1	1	1	1	79	53.5	0	30000	412.9032258	12212.64915	30000	0	0	30000	34.0625	2004
12.02.2020 08:41:57	1	1	1	1	79	54	0	30000	412.9032258	12387.13886	30000	0	0	30000	34.5	2004
12.02.2020 08:41:59	1	1	1	1	79	54.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	33.375	2004
12.02.2020 08:42:00	1	1	1	1	79	53.25	0	30047.393	404.3010753	12128.66578	30000	0	0	30000	33.0625	2004
12.02.2020 08:42:01	1	1	1	1	79	53	0	30000	402.1505376	12387.13886	30000	0	0	30000	33.875	2004
12.02.2020 08:42:02	1	1	1	1	79	53.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	32.75	2004
12.02.2020 08:42:03	1	1	1	1	79	52.75	0	30000	397.8494624	11852.2545	30000	0	0	30000	34.4375	2004
12.02.2020 08:42:04	1	1	1	1	78.75	54.25	0	30000	404.3010753	12387.13886	30000	0	0	30000	33.625	2004
12.02.2020 08:42:05	1	1	1	1	78.75	53.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	33.5625	2004
12.02.2020 08:42:06	1	1	1	1	78.75	53.5	0	29952.607	404.3010753	12128.66578	30000	0	0	30000	32.4375	2004
12.02.2020 08:42:07	1	1	1	1	78.75	52.25	0	30000	412.9032258	12193.08021	30000	0	0	30000	33.625	2004
12.02.2020 08:42:08	1	1	1	1	78.75	53.5	0	30000	404.3010753	12387.13886	30000	0	0	30000	34.5625	2004
12.02.2020 08:42:09	1	1	1	1	78.75	54.5	0	30000	400	12128.66578	30000	0	0	30000	33.3125	2004
12.02.2020 08:42:10	1	1	1	1	78.75	53.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	34.25	2004
12.02.2020 08:42:11	1	1	1	1	78.75	54.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	34.5625	2004
12.02.2020 08:42:12	1	1	1	1	78.75	54.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	34.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 08:42:13	1	1	1	1	78.75	54.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	32.5	2004
12.02.2020 08:42:14	1	1	1	1	78.5	52.5	0	29952.607	404.3010753	12128.66578	30000	0	0	30000	34.4375	2004
12.02.2020 08:42:15	1	1	1	1	78.5	54.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	33.5625	2004
12.02.2020 08:42:16	1	1	1	1	78.5	53.5	0	30000	404.3010753	12193.08021	30000	0	0	30000	34.375	2004
12.02.2020 08:42:17	1	1	1	1	78.5	54.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	33.5625	2004
12.02.2020 08:42:18	1	1	1	1	78.5	53.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	33.875	2004
12.02.2020 08:42:19	1	1	1	1	78.5	53.75	0	30000	412.9032258	12064.25135	30000	0	0	30000	32.4375	2004
12.02.2020 08:42:20	1	1	1	1	78.5	52.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	33	2004
12.02.2020 08:42:21	1	1	1	1	78.5	53	0	30000	404.3010753	12387.13886	30000	0	0	30000	34.8125	2004
12.02.2020 08:42:22	1	1	1	1	78.5	54.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	34.4375	2004
12.02.2020 08:42:23	1	1	1	1	78.5	54.25	0	30000	404.3010753	12193.08021	30000	0	0	30000	34.25	2004
12.02.2020 08:42:24	1	1	1	1	78.75	54.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	33.75	2004
12.02.2020 08:42:25	1	1	1	1	78.75	53.75	0	30000	400	11897.09999	30000	0	0	30000	34.375	2004
12.02.2020 08:42:26	1	1	1	1	78.75	54.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	34.1875	2004
12.02.2020 08:42:27	1	1	1	1	78.75	54	0	30000	412.9032258	12387.13886	30000	0	0	30000	31.9375	2004
12.02.2020 08:42:28	1	1	1	1	78.75	51.75	0	30000	402.1505376	12128.66578	30000	0	0	30000	33.9375	2004
12.02.2020 08:42:34	1	1	1	1	78.5	53	0	30000	412.9032258	12387.13886	30000	0	0	30000	33.3125	2004
12.02.2020 08:42:34	1	1	1	1	78.5	53	0	30000	412.9032258	12387.13886	30000	0	0	30000	33.3125	2004
12.02.2020 08:42:34	1	1	1	1	78.5	53	0	30000	412.9032258	12387.13886	30000	0	0	30000	33.3125	2004
12.02.2020 08:42:34	1	1	1	1	78.5	53	0	30000	412.9032258	12387.13886	30000	0	0	30000	33.3125	2004
12.02.2020 08:42:35	1	1	1	1	78.5	53.25	0	30000	412.9032258	12193.08021	30000	0	0	30000	33.625	2004
12.02.2020 08:42:36	1	1	1	1	78.5	53.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	33.9375	2004
12.02.2020 08:42:37	1	1	1	1	78.5	53.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	34	2004
12.02.2020 08:42:38	1	1	1	1	78.5	54	0	30000	404.3010753	12128.66578	30000	0	0	30000	33.5625	2004
12.02.2020 08:42:39	1	1	1	1	78.5	53.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	33.875	2004
12.02.2020 08:42:40	1	1	1	1	78.5	53.75	0	30000	397.8494624	11935.4225	30000	0	0	30000	34.25	2004
12.02.2020 08:42:41	1	1	1	1	78.5	54.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	34.125	2004
12.02.2020 08:42:42	1	1	1	1	78.5	54	0	29952.607	406.4516129	12193.08021	30000	0	0	30000	34.625	2004
12.02.2020 08:42:43	1	1	1	1	78.5	54.5	0	30000	406.4516129	12193.08021	30000	0	0	30000	32.1875	2004
12.02.2020 08:42:44	1	1	1	1	78	52	0	30000	404.3010753	12128.66578	30000	0	0	30000	33.875	2004
12.02.2020 08:42:45	1	1	1	1	78	53.75	0	29952.607	402.1505376	12109.91221	30000	0	0	30000	34.0625	2004
12.02.2020 08:42:46	1	1	1	1	78	54	0	29952.607	402.1505376	12128.66578	30000	0	0	30000	33.375	2004
12.02.2020 08:42:47	1	1	1	1	78	53.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	33	2004
12.02.2020 08:42:48	1	1	1	1	78	53	0	29952.607	395.6989247	11871.00807	30000	0	0	30000	32.0625	2004
12.02.2020 08:42:49	1	1	1	1	78	52	0	30000	412.9032258	12193.08021	30000	0	0	30000	34.3125	2004
12.02.2020 08:42:50	1	1	1	1	78	54.25	0	29952.607	400	12128.66578	30000	0	0	30000	32.5	2004
12.02.2020 08:42:51	1	1	1	1	78	52.5	0	29952.607	395.6989247	11935.4225	30000	0	0	30000	34.25	2004
12.02.2020 08:42:52	1	1	1	1	78	54.25	0	29952.607	397.8494624	12426.27674	30000	0	0	30000	34.4375	2004
12.02.2020 08:42:53	1	1	1	1	78	54.25	0	30000	397.8494624	11871.00807	30000	0	0	30000	32.4375	2004
12.02.2020 08:42:54	1	1	1	1	78	52.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	33.1875	2004
12.02.2020 08:42:55	1	1	1	1	78	53	0	30000	404.3010753	12109.91221	30000	0	0	30000	33.4375	2004
12.02.2020 08:42:56	1	1	1	1	78	53.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	33.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 08:42:57	1	1	1	1	78	53.25	0	30047.393	400	11935.4225	30000	0	0	30000	34.0625	2004
12.02.2020 08:42:58	1	1	1	1	78	54	0	29905.213	402.1505376	12193.08021	30000	0	0	30000	34.875	2004
12.02.2020 08:42:59	1	1	1	1	78	54.75	0	30000	400	11935.4225	30000	0	0	30000	34.3125	2004
12.02.2020 08:43:00	1	1	1	1	78	54.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	34.125	2004
12.02.2020 08:43:01	1	1	1	1	78	54.25	0	30000	395.6989247	11852.2545	30000	0	0	30000	34.375	2004
12.02.2020 08:43:02	1	1	1	1	78	54.25	0	30000	397.8494624	11935.4225	30000	0	0	30000	34.4375	2004
12.02.2020 08:43:03	1	1	1	1	78.25	54.25	0	29952.607	400	11999.83693	30000	0	0	30000	33.375	2004
12.02.2020 08:43:04	1	1	1	1	78.25	53.25	0	30000	391.3978495	11871.00807	30000	0	0	30000	33	2004
12.02.2020 08:43:05	1	1	1	1	78.25	53	0	30000	391.3978495	11871.00807	30000	0	0	30000	33.6875	2004
12.02.2020 08:43:06	1	1	1	1	78.25	53.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	34.0625	2004
12.02.2020 08:43:07	1	1	1	1	78.25	54	0	30000	395.6989247	11871.00807	30000	0	0	30000	33.0625	2004
12.02.2020 08:43:08	1	1	1	1	78.25	53	0	30000	395.6989247	11954.17607	30000	0	0	30000	32.75	2004
12.02.2020 08:43:09	1	1	1	1	78.25	52.75	0	30000	395.6989247	11612.53499	30000	0	0	30000	33.0625	2004
12.02.2020 08:43:10	1	1	1	1	78.25	53	0	30000	395.6989247	11676.94942	30000	0	0	30000	34.4375	2004
12.02.2020 08:43:11	1	1	1	1	78.25	54.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	33.5625	2004
12.02.2020 08:43:12	1	1	1	1	78.25	53.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	34	2004
12.02.2020 08:43:14	1	1	1	1	78.25	54	0	30000	395.6989247	11935.4225	30000	0	0	30000	33.8125	2004
12.02.2020 08:43:15	1	1	1	1	78.25	53.75	0	30000	397.8494624	11935.4225	30000	0	0	30000	34	2004
12.02.2020 08:43:16	1	1	1	1	78.25	54	0	30000	395.6989247	11871.00807	30000	0	0	30000	34.4375	2004
12.02.2020 08:43:17	1	1	1	1	78.25	54.25	0	30000	391.3978495	11871.00807	30000	0	0	30000	34.4375	2004
12.02.2020 08:43:18	1	1	1	1	78.25	54.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	33.5625	2004
12.02.2020 08:43:19	1	1	1	1	78.25	53.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	34.3125	2004
12.02.2020 08:43:20	1	1	1	1	78.25	54.25	0	30000	395.6989247	11852.2545	30000	0	0	30000	32.625	2004
12.02.2020 08:43:21	1	1	1	1	78.25	52.5	0	29952.607	389.2473118	11659.01122	30000	0	0	30000	34.375	2004
12.02.2020 08:43:22	1	1	1	1	78.25	54.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	34.5	2004
12.02.2020 08:43:23	1	1	1	1	78.25	54.5	0	30000	391.3978495	11676.94942	30000	0	0	30000	34.1875	2004
12.02.2020 08:43:24	1	1	1	1	78.25	54	0	29952.607	387.0967742	11612.53499	30000	0	0	30000	34.5625	2004
12.02.2020 08:43:25	1	1	1	1	78.25	54.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	34.6875	2004
12.02.2020 08:43:26	1	1	1	1	78.25	54.5	0	30000	397.8494624	11935.4225	30000	0	0	30000	34.0625	2004
12.02.2020 08:43:27	1	1	1	1	78.25	54	0	30000	391.3978495	11741.36385	30000	0	0	30000	33.9375	2004
12.02.2020 08:43:28	1	1	1	1	78.25	53.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	33.9375	2004
12.02.2020 08:43:29	1	1	1	1	78.25	53.75	0	30000	384.9462366	11401.35352	30000	0	0	30000	34	2004
12.02.2020 08:43:30	1	1	1	1	78.25	54	0	29905.213	391.3978495	11741.36385	30000	0	0	30000	34.3125	2004
12.02.2020 08:43:36	1	1	1	1	78.25	54.5	0	30000	387.0967742	11530.18237	30000	0	0	30000	34.75	2004
12.02.2020 08:43:36	1	1	1	1	78.25	54.5	0	30000	387.0967742	11530.18237	30000	0	0	30000	34.75	2004
12.02.2020 08:43:36	1	1	1	1	78.25	54.5	0	30000	387.0967742	11530.18237	30000	0	0	30000	34.75	2004
12.02.2020 08:43:36	1	1	1	1	78.25	54.5	0	30000	387.0967742	11530.18237	30000	0	0	30000	34.75	2004
12.02.2020 08:43:36	1	1	1	1	78.25	54.5	0	30000	387.0967742	11530.18237	30000	0	0	30000	34.75	2004
12.02.2020 08:43:36	1	1	1	1	78.25	54.75	0	29952.607	389.2473118	11676.94942	30000	0	0	30000	34.5625	2004
12.02.2020 08:43:37	1	1	1	1	78.25	54.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	34.1875	2004
12.02.2020 08:43:38	1	1	1	1	78.25	54	0	30000	391.3978495	11871.00807	30000	0	0	30000	34.5	2004
12.02.2020 08:43:39	1	1	1	1	78.25	54.5	0	30047.393	400	11871.00807	30000	0	0	30000	34.0625	2004
12.02.2020 08:43:40	1	1	1	1	78.25	54	0	30000	395.6989247	11871.00807	30000	0	0	30000	34.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 08:43:41	1	1	1	1	78.25	54.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	34.75	2004
12.02.2020 08:43:42	1	1	1	1	78.25	54.25	0	30000	402.1505376	12128.66578	30000	0	0	30000	34.3125	2004
12.02.2020 08:43:43	1	1	1	1	78.75	54.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	34.375	2004
12.02.2020 08:43:44	1	1	1	1	78.75	54.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	34.1875	2004
12.02.2020 08:43:45	1	1	1	1	78.75	54	0	30000	412.9032258	12025.92885	30000	0	0	30000	32.375	2004
12.02.2020 08:43:46	1	1	1	1	78.75	52.25	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	33.0625	2004
12.02.2020 08:43:47	1	1	1	1	78.75	53	0	29952.607	402.1505376	12128.66578	30000	0	0	30000	34.6875	2004
12.02.2020 08:43:48	1	1	1	1	78.75	54.5	0	29905.213	400	12128.66578	30000	0	0	30000	33.875	2004
12.02.2020 08:43:49	1	1	1	1	78.75	53.75	0	30000	402.1505376	12064.25135	30000	0	0	30000	34	2004
12.02.2020 08:43:50	1	1	1	1	78.75	54	0	30000	412.9032258	12387.13886	30000	0	0	30000	34.25	2004
12.02.2020 08:43:51	1	1	1	1	78.75	54.25	0	30000	400	11999.83693	30000	0	0	30000	32.375	2004
12.02.2020 08:43:52	1	1	1	1	78.75	52.25	0	30000	402.1505376	12128.66578	30000	0	0	30000	34	2004
12.02.2020 08:43:53	1	1	1	1	78.25	54	0	30000	397.8494624	11871.00807	30000	0	0	30000	33.9375	2004
12.02.2020 08:43:54	1	1	1	1	78.25	53.75	0	30000	397.8494624	11935.4225	30000	0	0	30000	34.0625	2004
12.02.2020 08:43:56	1	1	1	1	78.25	54	0	30000	402.1505376	12128.66578	30000	0	0	30000	34.5	2004
12.02.2020 08:43:57	1	1	1	1	78.25	54.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	34.625	2004
12.02.2020 08:43:58	1	1	1	1	78.25	54.5	0	30000	400	11935.4225	30000	0	0	30000	34.6875	2004
12.02.2020 08:43:59	1	1	1	1	78.25	54.5	0	30000	402.1505376	12064.25135	30000	0	0	30000	33.9375	2004
12.02.2020 08:44:00	1	1	1	1	78.25	53.75	0	30000	404.3010753	12064.25135	30000	0	0	30000	33.125	2004
12.02.2020 08:44:01	1	1	1	1	78.25	53	0	30000	402.1505376	11935.4225	30000	0	0	30000	33.8125	2004
12.02.2020 08:44:02	1	1	1	1	78.25	53.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	34.0625	2004
12.02.2020 08:44:03	1	1	1	1	78.25	54	0	30000	395.6989247	11871.00807	30000	0	0	30000	34.1875	2004
12.02.2020 08:44:04	1	1	1	1	78.5	54	0	29952.607	395.6989247	12128.66578	30000	0	0	30000	33.5625	2004
12.02.2020 08:44:05	1	1	1	1	78.5	53.5	0	30000	397.8494624	12064.25135	30000	0	0	30000	34.25	2004
12.02.2020 08:44:06	1	1	1	1	78.5	54.25	0	30000	395.6989247	11935.4225	30000	0	0	30000	34.3125	2004
12.02.2020 08:44:07	1	1	1	1	78.5	54.25	0	30094.787	404.3010753	12148.23472	30000	0	0	30000	34.5625	2004
12.02.2020 08:44:08	1	1	1	1	78.5	54.5	0	30000	400	11935.4225	30000	0	0	30000	33.9375	2004
12.02.2020 08:44:09	1	1	1	1	78.5	53.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	33.4375	2004
12.02.2020 08:44:10	1	1	1	1	78.5	53.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	33.875	2004
12.02.2020 08:44:11	1	1	1	1	78.5	53.75	0	30000	412.9032258	12193.08021	30000	0	0	30000	34.6875	2004
12.02.2020 08:44:12	1	1	1	1	78.5	54.5	0	30000	412.9032258	12128.66578	30000	0	0	30000	34.625	2004
12.02.2020 08:44:13	1	1	1	1	78.5	54.5	0	30000	404.3010753	12387.13886	30000	0	0	30000	34.625	2004
12.02.2020 08:44:14	1	1	1	1	78	54.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	33.625	2004
12.02.2020 08:44:15	1	1	1	1	78	53.5	0	29952.607	404.3010753	12128.66578	30000	0	0	30000	34.3125	2004
12.02.2020 08:44:16	1	1	1	1	78	54.25	0	30000	404.3010753	12387.13886	30000	0	0	30000	34	2004
12.02.2020 08:44:17	1	1	1	1	78	54	0	30000	400	12064.25135	30000	0	0	30000	34.4375	2004
12.02.2020 08:44:18	1	1	1	1	78	54.25	0	29905.213	395.6989247	11871.00807	30000	0	0	30000	34.9375	2004
12.02.2020 08:44:19	1	1	1	1	78	54.75	0	30000	402.1505376	11999.83693	30000	0	0	30000	34.4375	2004
12.02.2020 08:44:20	1	1	1	1	78	54.25	0	30000	404.3010753	12064.25135	30000	0	0	30000	34.1875	2004
12.02.2020 08:44:21	1	1	1	1	78	54.25	0	30000	404.3010753	12387.13886	30000	0	0	30000	32.3125	2004
12.02.2020 08:44:22	1	1	1	1	78	52.25	0	30000	397.8494624	11935.4225	30000	0	0	30000	34.125	2004
12.02.2020 08:44:23	1	1	1	1	77.25	54	0	30000	400	11999.83693	30000	0	0	30000	34.3125	2004
12.02.2020 08:44:24	1	1	1	1	77.25	54.25	0	30000	400	12064.25135	30000	0	0	30000	34.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 08:44:25	1	1	1	1	77.25	54.25	0	29952.607	397.8494624	11935.4225	30000	0	0	30000	34.3125	2004
12.02.2020 08:44:26	1	1	1	1	77.25	54.25	0	30000	397.8494624	11935.4225	30000	0	0	30000	34.25	2004
12.02.2020 08:44:27	1	1	1	1	77.25	54.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	34.625	2004
12.02.2020 08:44:28	1	1	1	1	77.25	54.5	0	29952.607	404.3010753	12128.66578	30000	0	0	30000	34.4375	2004
12.02.2020 08:44:29	1	1	1	1	77.25	54.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	34.4375	2004
12.02.2020 08:44:30	1	1	1	1	77.25	54.25	0	30000	397.8494624	11935.4225	30000	0	0	30000	34.6875	2004
12.02.2020 08:44:31	1	1	1	1	77.25	54.5	0	30000	395.6989247	11935.4225	30000	0	0	30000	33.5	2004
12.02.2020 08:44:38	1	1	1	1	77.25	53.5	0	30000	412.9032258	12064.25135	30000	0	0	30000	34.75	2004
12.02.2020 08:44:38	1	1	1	1	77.25	53.5	0	30000	412.9032258	12064.25135	30000	0	0	30000	34.75	2004
12.02.2020 08:44:38	1	1	1	1	77.25	53.5	0	30000	412.9032258	12064.25135	30000	0	0	30000	34.75	2004
12.02.2020 08:44:38	1	1	1	1	77.25	53.5	0	30000	412.9032258	12064.25135	30000	0	0	30000	34.75	2004
12.02.2020 08:44:38	1	1	1	1	77.25	54.75	0	30000	400	11999.83693	30000	0	0	30000	34	2004
12.02.2020 08:44:39	1	1	1	1	77.25	54	0	30000	397.8494624	11935.4225	30000	0	0	30000	34.375	2004
12.02.2020 08:44:40	1	1	1	1	77.25	54.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	33.875	2004
12.02.2020 08:44:41	1	1	1	1	77.25	53.75	0	30000	400	11935.4225	30000	0	0	30000	34.5625	2004
12.02.2020 08:44:42	1	1	1	1	77.25	54.5	0	30000	397.8494624	11935.4225	30000	0	0	30000	34.375	2004
12.02.2020 08:44:43	1	1	1	1	77.25	54.25	0	30000	397.8494624	11935.4225	30000	0	0	30000	33.8125	2004
12.02.2020 08:44:44	1	1	1	1	77.75	53.75	0	30000	397.8494624	11935.4225	30000	0	0	30000	33.5625	2004
12.02.2020 08:44:45	1	1	1	1	77.75	53.5	0	30000	397.8494624	11935.4225	30000	0	0	30000	34.0625	2004
12.02.2020 08:44:46	1	1	1	1	77.75	54	0	30000	395.6989247	11741.36385	30000	0	0	30000	33.0625	2004
12.02.2020 08:44:47	1	1	1	1	77.75	53	0	30000	397.8494624	11935.4225	30000	0	0	30000	33.3125	2004
12.02.2020 08:44:48	1	1	1	1	77.75	53.25	0	30000	391.3978495	11741.36385	30000	0	0	30000	33.9375	2004
12.02.2020 08:44:49	1	1	1	1	77.75	53.75	0	30000	397.8494624	11935.4225	30000	0	0	30000	34.125	2004
12.02.2020 08:44:50	1	1	1	1	77.75	54	0	29952.607	395.6989247	11871.00807	30000	0	0	30000	34.375	2004
12.02.2020 08:44:51	1	1	1	1	77.75	54.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	33.75	2004
12.02.2020 08:44:52	1	1	1	1	77.75	53.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	34.6875	2004
12.02.2020 08:44:53	1	1	1	1	77.75	54.5	0	30000	395.6989247	11916.66893	30000	0	0	30000	34.0625	2004
12.02.2020 08:44:54	1	1	1	1	77.5	54	0	29952.607	395.6989247	11852.2545	30000	0	0	30000	34.625	2004
12.02.2020 08:44:55	1	1	1	1	77.5	54.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	32.8125	2004
12.02.2020 08:44:56	1	1	1	1	77.5	52.75	0	30000	397.8494624	11935.4225	30000	0	0	30000	34.4375	2004
12.02.2020 08:44:57	1	1	1	1	77.5	54.25	0	29952.607	395.6989247	11935.4225	30000	0	0	30000	34.875	2004
12.02.2020 08:44:58	1	1	1	1	77.5	54.75	0	30000	402.1505376	11935.4225	30000	0	0	30000	34.1875	2004
12.02.2020 08:44:59	1	1	1	1	77.5	54	0	30000	395.6989247	11871.00807	30000	0	0	30000	33.8125	2004
12.02.2020 08:45:00	1	1	1	1	77.5	53.75	0	30000	395.6989247	11935.4225	30000	0	0	30000	33.875	2004
12.02.2020 08:45:01	1	1	1	1	77.5	53.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	34.5	2004
12.02.2020 08:45:02	1	1	1	1	77.5	54.5	0	30000	389.2473118	11575.84323	30000	0	0	30000	34.625	2004
12.02.2020 08:45:03	1	1	1	1	78	54.5	0	30000	391.3978495	11871.00807	30000	0	0	30000	34.8125	2004
12.02.2020 08:45:04	1	1	1	1	78	54.75	0	30000	391.3978495	11676.94942	30000	0	0	30000	33.4375	2004
12.02.2020 08:45:05	1	1	1	1	78	53.25	0	29952.607	395.6989247	11871.00807	30000	0	0	30000	34.625	2004
12.02.2020 08:45:06	1	1	1	1	78	54.5	0	30000	391.3978495	11676.94942	30000	0	0	30000	34.8125	2004
12.02.2020 08:45:07	1	1	1	1	78	54.75	0	29905.213	384.9462366	11871.00807	30000	0	0	30000	33.375	2004
12.02.2020 08:45:08	1	1	1	1	78	53.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	34	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 08:45:10	1	1	1	1	78	54	0	30000	397.8494624	11935.4225	30000	0	0	30000	34.625	2004
12.02.2020 08:45:11	1	1	1	1	78	54.5	0	30000	397.8494624	11935.4225	30000	0	0	30000	34.8125	2004
12.02.2020 08:45:12	1	1	1	1	78	54.75	0	30000	391.3978495	11741.36385	30000	0	0	30000	34.4375	2004
12.02.2020 08:45:13	1	1	1	1	78	54.25	0	30000	387.0967742	11676.94942	30000	0	0	30000	34.75	2004
12.02.2020 08:45:14	1	1	1	1	77.75	54.75	0	30000	384.9462366	11548.12057	30000	0	0	30000	34.1875	2004
12.02.2020 08:45:15	1	1	1	1	77.75	54	0	30000	387.0967742	11676.94942	30000	0	0	30000	34.8125	2004
12.02.2020 08:45:16	1	1	1	1	77.75	54.75	0	29905.213	391.3978495	11676.94942	30000	0	0	30000	34.0625	2004
12.02.2020 08:45:17	1	1	1	1	77.75	54	0	30000	384.9462366	11676.94942	30000	0	0	30000	34.5	2004
12.02.2020 08:45:18	1	1	1	1	77.75	54.5	0	30000	391.3978495	11871.00807	30000	0	0	30000	34.4375	2004
12.02.2020 08:45:19	1	1	1	1	77.75	54.25	0	29952.607	389.2473118	11676.94942	30000	0	0	30000	34.875	2004
12.02.2020 08:45:20	1	1	1	1	77.75	54.75	0	30000	389.2473118	11676.94942	30000	0	0	30000	34.3125	2004
12.02.2020 08:45:21	1	1	1	1	77.75	54.25	0	30000	387.0967742	11676.94942	30000	0	0	30000	34.0625	2004
12.02.2020 08:45:22	1	1	1	1	77.75	54	0	30000	391.3978495	11676.94942	30000	0	0	30000	34.5	2004
12.02.2020 08:45:23	1	1	1	1	77.75	54.5	0	30000	391.3978495	11871.00807	30000	0	0	30000	34.125	2004
12.02.2020 08:45:24	1	1	1	1	77.75	54	0	30000	395.6989247	11935.4225	30000	0	0	30000	34.375	2004
12.02.2020 08:45:25	1	1	1	1	77.75	54.25	0	30000	391.3978495	11741.36385	30000	0	0	30000	34.5625	2004
12.02.2020 08:45:26	1	1	1	1	77.75	54.5	0	30000	391.3978495	11741.36385	30000	0	0	30000	34.8125	2004
12.02.2020 08:45:27	1	1	1	1	77.75	54.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	34.6875	2004
12.02.2020 08:45:28	1	1	1	1	77.75	54.5	0	30000	395.6989247	11741.36385	30000	0	0	30000	34.5625	2004
12.02.2020 08:45:29	1	1	1	1	77.75	54.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	34.75	2004
12.02.2020 08:45:30	1	1	1	1	77.75	54.75	0	30000	391.3978495	11741.36385	30000	0	0	30000	33.625	2004
12.02.2020 08:45:31	1	1	1	1	77.75	53.5	0	30000	391.3978495	11871.00807	30000	0	0	30000	33.9375	2004
12.02.2020 08:45:32	1	1	1	1	77.75	53.75	0	29952.607	389.2473118	11871.00807	30000	0	0	30000	33.875	2004
12.02.2020 08:45:33	1	1	1	1	77.75	53.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	33.875	2004
12.02.2020 08:45:39	1	1	1	1	78.25	54.5	0	30000	395.6989247	11723.42565	30000	0	0	30000	33.5625	2004
12.02.2020 08:45:39	1	1	1	1	78.25	54.5	0	30000	395.6989247	11723.42565	30000	0	0	30000	33.5625	2004
12.02.2020 08:45:39	1	1	1	1	78.25	54.5	0	30000	395.6989247	11723.42565	30000	0	0	30000	33.5625	2004
12.02.2020 08:45:39	1	1	1	1	78.25	54.5	0	30000	395.6989247	11723.42565	30000	0	0	30000	33.5625	2004
12.02.2020 08:45:39	1	1	1	1	78.25	54.5	0	30000	395.6989247	11723.42565	30000	0	0	30000	33.5625	2004
12.02.2020 08:45:39	1	1	1	1	78.25	54.5	0	30000	395.6989247	11723.42565	30000	0	0	30000	33.5625	2004
12.02.2020 08:45:40	1	1	1	1	78.25	53.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	34.625	2004
12.02.2020 08:45:41	1	1	1	1	78.25	54.5	0	30000	400	11871.00807	30000	0	0	30000	34.8125	2004
12.02.2020 08:45:42	1	1	1	1	78.25	54.75	0	30000	397.8494624	12064.25135	30000	0	0	30000	34.6875	2004
12.02.2020 08:45:43	1	1	1	1	77.75	54.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	34.4375	2004
12.02.2020 08:45:44	1	1	1	1	77.75	54.25	0	30000	391.3978495	11871.00807	30000	0	0	30000	34.6875	2004
12.02.2020 08:45:45	1	1	1	1	77.75	54.5	0	30000	389.2473118	11676.94942	30000	0	0	30000	34.6875	2004
12.02.2020 08:45:46	1	1	1	1	77.75	54.5	0	30000	400	11935.4225	30000	0	0	30000	34.875	2004
12.02.2020 08:45:48	1	1	1	1	77.75	54.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	33	2004
12.02.2020 08:45:49	1	1	1	1	77.75	53	0	30000	384.9462366	11631.28856	30000	0	0	30000	34.75	2004
12.02.2020 08:45:50	1	1	1	1	77.75	54.75	0	30000	397.8494624	11916.66893	30000	0	0	30000	33.5	2004
12.02.2020 08:45:51	1	1	1	1	77.75	53.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	33.8125	2004
12.02.2020 08:45:52	1	1	1	1	77.75	53.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	34.5625	2004
12.02.2020 08:45:53	1	1	1	1	77.75	54.5	0	30000	389.2473118	11741.36385	30000	0	0	30000	33.4375	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 08:45:54	1	1	1	1	77.25	53.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	34.25	2004
12.02.2020 08:45:55	1	1	1	1	77.25	54.25	0	30000	384.9462366	11548.12057	30000	0	0	30000	34.875	2004
12.02.2020 08:45:56	1	1	1	1	77.25	54.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	34.6875	2004
12.02.2020 08:45:57	1	1	1	1	77.25	54.5	0	30000	389.2473118	11741.36385	30000	0	0	30000	34.625	2004
12.02.2020 08:45:58	1	1	1	1	77.25	54.5	0	30000	395.6989247	11805.77827	30000	0	0	30000	34.1875	2004
12.02.2020 08:45:59	1	1	1	1	77.25	54	0	30000	395.6989247	11741.36385	30000	0	0	30000	34	2004
12.02.2020 08:46:00	1	1	1	1	77.25	54	0	30000	391.3978495	11871.00807	30000	0	0	30000	34.5625	2004
12.02.2020 08:46:01	1	1	1	1	77.25	54.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	34.6875	2004
12.02.2020 08:46:02	1	1	1	1	77.25	54.5	0	30000	391.3978495	11871.00807	30000	0	0	30000	34.6875	2004
12.02.2020 08:46:03	1	1	1	1	77.25	54.5	0	30000	395.6989247	11741.36385	30000	0	0	30000	34.875	2004
12.02.2020 08:46:04	1	1	1	1	77.5	54.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	33.9375	2004
12.02.2020 08:46:05	1	1	1	1	77.5	53.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	34.1875	2004
12.02.2020 08:46:06	1	1	1	1	77.5	54	0	30000	397.8494624	11935.4225	30000	0	0	30000	34.3125	2004
12.02.2020 08:46:07	1	1	1	1	77.5	54.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	33.375	2004
12.02.2020 08:46:08	1	1	1	1	77.5	53.25	0	29952.607	391.3978495	11935.4225	30000	0	0	30000	33.9375	2004
12.02.2020 08:46:09	1	1	1	1	77.5	53.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	34.875	2004
12.02.2020 08:46:10	1	1	1	1	77.5	54.75	0	29952.607	333.3333333	10064.14264	30000	0	0	30000	34.5625	2004
12.02.2020 08:46:11	1	1	1	1	77.5	54.5	0	30000	320.4301075	9741.25513	30000	0	0	30000	34.4375	2004
12.02.2020 08:46:12	1	1	1	1	77.5	54.25	0	30000	326.8817204	9806.484929	30000	0	0	30000	34.625	2004
12.02.2020 08:46:13	1	1	1	1	77.5	54.5	0	30000	331.1827957	9999.728209	30000	0	0	30000	34.4375	2004
12.02.2020 08:46:14	1	1	1	1	77	54.25	0	30000	346.2365591	10387.03014	30000	0	0	30000	34.75	2004
12.02.2020 08:46:15	1	1	1	1	77	54.5	0	30000	352.688172	10644.68785	30000	0	0	30000	33.875	2004
12.02.2020 08:46:16	1	1	1	1	77	53.75	0	30000	333.3333333	9999.728209	30000	0	0	30000	34.875	2004
12.02.2020 08:46:17	1	1	1	1	77	54.75	0	30000	313.9784946	9483.597423	30000	0	0	30000	34.875	2004
12.02.2020 08:46:18	1	1	1	1	77	54.75	0	30000	324.7311828	9726.578425	30000	0	0	30000	34.9375	2004
12.02.2020 08:46:19	1	1	1	1	77	54.75	0	30000	316.1290323	9483.597423	30000	0	0	30000	33.625	2004
12.02.2020 08:46:20	1	1	1	1	77	53.5	0	30000	313.9784946	9340.091865	30000	0	0	30000	34.875	2004
12.02.2020 08:46:21	1	1	1	1	77	54.75	0	30000	316.1290323	9483.597423	30000	0	0	30000	34.0625	2004
12.02.2020 08:46:22	1	1	1	1	77	54	0	30000	313.9784946	9483.597423	30000	0	0	30000	34.6875	2004
12.02.2020 08:46:23	1	1	1	1	79.75	54.5	0	30000	316.1290323	9483.597423	30000	0	0	30000	34.8125	2004
12.02.2020 08:46:24	1	1	1	1	79.75	54.75	0	30000	318.2795699	9483.597423	30000	0	0	30000	33.875	2004
12.02.2020 08:46:26	1	1	1	1	79.75	53.75	0	30000	307.5268817	9225.124344	30000	0	0	30000	34.8125	2004
12.02.2020 08:46:27	1	1	1	1	79.75	54.75	0	30000	311.827957	9354.76857	30000	0	0	30000	34.875	2004
12.02.2020 08:46:28	1	1	1	1	79.75	54.75	0	30000	305.3763441	9096.295491	30000	0	0	30000	34.5625	2004
12.02.2020 08:46:29	1	1	1	1	79.75	54.5	0	29905.213	292.4731183	8967.466638	30000	0	0	30000	35	2004
12.02.2020 08:46:30	1	1	1	1	79.75	55	0	30000	294.6236559	8838.637784	30000	0	0	30000	34.6875	2004
12.02.2020 08:46:31	1	1	1	1	79.75	54.5	0	29952.607	288.172043	8708.993559	30000	0	0	30000	34.875	2004
12.02.2020 08:46:32	1	1	1	1	79.75	54.75	0	30142.18	294.6236559	8774.223358	30000	0	0	30000	34.6875	2004
12.02.2020 08:46:33	1	1	1	1	79.75	54.5	0	30000	292.4731183	8967.466638	30000	0	0	30000	33.5	2004
12.02.2020 08:46:34	1	1	1	1	81.75	53.5	0	29952.607	288.172043	8631.533172	30000	0	0	30000	34.8125	2004
12.02.2020 08:46:35	1	1	1	1	81.75	54.75	0	29952.607	288.172043	8708.993559	30000	0	0	30000	34.625	2004
12.02.2020 08:46:41	1	1	1	1	81.75	54.75	0	30000	277.4193548	8322.506999	30000	0	0	30000	33.875	2004
12.02.2020 08:46:41	1	1	1	1	81.75	54.75	0	30000	277.4193548	8322.506999	30000	0	0	30000	33.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 08:46:41	1	1	1	1	81.75	54.75	0	30000	277.4193548	8322.506999	30000	0	0	30000	33.875	2004
12.02.2020 08:46:41	1	1	1	1	81.75	54.75	0	30000	277.4193548	8322.506999	30000	0	0	30000	33.875	2004
12.02.2020 08:46:41	1	1	1	1	81.75	54.75	0	30000	277.4193548	8322.506999	30000	0	0	30000	33.875	2004
12.02.2020 08:46:41	1	1	1	1	81.75	53.75	0	30000	275.2688172	8386.921425	30000	0	0	30000	34.875	2004
12.02.2020 08:46:42	1	1	1	1	81.75	54.75	0	30000	279.5698925	8386.921425	30000	0	0	30000	34.9375	2004
12.02.2020 08:46:43	1	1	1	1	81.75	54.75	0	29952.607	273.1182796	8322.506999	30000	0	0	30000	34.25	2004
12.02.2020 08:46:44	1	1	1	1	82.25	54.25	0	30000	275.2688172	8192.862773	30000	0	0	30000	34.6875	2004
12.02.2020 08:46:45	1	1	1	1	82.25	54.5	0	30000	279.5698925	8322.506999	30000	0	0	30000	35.0625	2004
12.02.2020 08:46:46	1	1	1	1	82.25	55	0	30000	273.1182796	8258.092572	30000	0	0	30000	34.875	2004
12.02.2020 08:46:47	1	1	1	1	82.25	54.75	0	30000	273.1182796	8245.046612	30000	0	0	30000	34.8125	2004
12.02.2020 08:46:48	1	1	1	1	82.25	54.75	0	30000	268.8172043	8064.033919	30000	0	0	30000	34.8125	2004
12.02.2020 08:46:49	1	1	1	1	82.25	54.75	0	30000	266.6666667	7806.376213	30000	0	0	30000	34.875	2004
12.02.2020 08:46:50	1	1	1	1	82.25	54.75	0	30000	268.8172043	8064.033919	30000	0	0	30000	34.1875	2004
12.02.2020 08:46:51	1	1	1	1	82.25	54	0	30000	273.1182796	8192.862773	30000	0	0	30000	35.1875	2004
12.02.2020 08:46:52	1	1	1	1	82.25	55	0	29952.607	258.0645161	7935.205066	30000	0	0	30000	34.3125	2004
12.02.2020 08:46:53	1	1	1	1	82.25	54.25	0	30000	258.0645161	7806.376213	30000	0	0	30000	35.0625	2004
12.02.2020 08:46:54	1	1	1	1	83.25	55	0	30000	251.6129032	7547.903134	30000	0	0	30000	34.8125	2004
12.02.2020 08:46:55	1	1	1	1	83.25	53.25	0	30000	264.516129	7935.205066	30000	0	0	30000	34.75	2004
12.02.2020 08:46:56	1	1	1	1	83.25	54.75	0	29952.607	262.3655914	7999.619493	30000	0	0	30000	33	2004
12.02.2020 08:46:57	1	1	1	1	83.25	53	0	29905.213	258.0645161	7870.79064	30000	0	0	30000	34.125	2004
12.02.2020 08:46:58	1	1	1	1	83.25	54	0	30000	266.6666667	7999.619493	30000	0	0	30000	34.9375	2004
12.02.2020 08:46:59	1	1	1	1	83.25	54.75	0	30000	260.2150538	7806.376213	30000	0	0	30000	34.9375	2004
12.02.2020 08:47:00	1	1	1	1	83.25	54.75	0	30000	262.3655914	7806.376213	30000	0	0	30000	33.875	2004
12.02.2020 08:47:01	1	1	1	1	83.25	53.75	0	30000	266.6666667	7999.619493	30000	0	0	30000	32.4375	2004
12.02.2020 08:47:02	1	1	1	1	83.25	52.25	0	30000	270.9677419	8064.033919	30000	0	0	30000	34.375	2004
12.02.2020 08:47:03	1	1	1	1	82.75	54.25	0	30000	262.3655914	7870.79064	30000	0	0	30000	34.1875	2004
12.02.2020 08:47:05	1	1	1	1	82.75	54	0	29952.607	264.516129	7999.619493	30000	0	0	30000	35.0625	2004
12.02.2020 08:47:06	1	1	1	1	82.75	55	0	30000	260.2150538	7806.376213	30000	0	0	30000	33.3125	2004
12.02.2020 08:47:07	1	1	1	1	82.75	53.25	0	30000	258.0645161	7806.376213	30000	0	0	30000	34.625	2004
12.02.2020 08:47:08	1	1	1	1	82.75	54.5	0	30000	266.6666667	7999.619493	30000	0	0	30000	33.5	2004
12.02.2020 08:47:09	1	1	1	1	82.75	53.5	0	29952.607	215.0537634	6580.055989	30000	0	0	30000	34.0625	2004
12.02.2020 08:47:10	1	1	1	1	82.75	54	0	30000	159.1397849	4838.420352	30000	0	0	30000	32.3125	2004
12.02.2020 08:47:11	1	1	1	1	82.75	52.25	0	30000	167.7419355	5031.663632	30000	0	0	30000	34.9375	2004
12.02.2020 08:47:12	1	1	1	1	82.75	54.75	0	30000	148.3870968	4515.532846	30000	0	0	30000	34.125	2004
12.02.2020 08:47:13	1	1	1	1	82.75	54	0	30000	148.3870968	4451.118419	30000	0	0	30000	34.9375	2004
12.02.2020 08:47:14	1	1	1	1	83.5	54.75	0	30000	137.6344086	4129.046286	30000	0	0	30000	34.875	2004
12.02.2020 08:47:15	1	1	1	1	83.5	54.75	0	30000	152.688172	4579.947273	30000	0	0	30000	34.9375	2004
12.02.2020 08:47:16	1	1	1	1	83.5	54.75	0	30000	148.3870968	4322.289566	30000	0	0	30000	34.625	2004
12.02.2020 08:47:17	1	1	1	1	83.5	54.5	0	30000	152.688172	4566.08594	30000	0	0	30000	34.9375	2004
12.02.2020 08:47:18	1	1	1	1	83.5	54.75	0	30000	137.6344086	4129.046286	30000	0	0	30000	34.5625	2004
12.02.2020 08:47:19	1	1	1	1	83.5	54.5	0	30000	152.688172	4579.947273	30000	0	0	30000	34.1875	2004
12.02.2020 08:47:20	1	1	1	1	83.5	54	0	30000	152.688172	4579.947273	30000	0	0	30000	34.6875	2004
12.02.2020 08:47:21	1	1	1	1	83.5	54.5	0	29952.607	144.0860215	4322.289566	30000	0	0	30000	33.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 08:47:22	1	1	1	1	83.5	53.5	0	30000	144.0860215	4322.289566	30000	0	0	30000	34.875	2004
12.02.2020 08:47:23	1	1	1	1	83.5	54.75	0	29952.607	156.9892473	4758.513848	30000	0	0	30000	33.875	2004
12.02.2020 08:47:24	1	1	1	1	80.75	53.75	0	30000	144.0860215	4322.289566	30000	0	0	30000	34.375	2004
12.02.2020 08:47:25	1	1	1	1	80.75	54.25	0	30000	152.688172	4579.947273	30000	0	0	30000	34.4375	2004
12.02.2020 08:47:26	1	1	1	1	80.75	54.25	0	30000	150.5376344	4515.532846	30000	0	0	30000	35.0625	2004
12.02.2020 08:47:27	1	1	1	1	80.75	55	0	30000	152.688172	4579.947273	30000	0	0	30000	33.5	2004
12.02.2020 08:47:28	1	1	1	1	80.75	53.5	0	30000	189.2473118	5677.438643	30000	0	0	30000	35.1875	2004
12.02.2020 08:47:29	1	1	1	1	80.75	55	0	30000	215.0537634	6386.812709	30000	0	0	30000	35	2004
12.02.2020 08:47:30	1	1	1	1	80.75	55	0	30000	230.1075269	6978.773136	30000	0	0	30000	33.75	2004
12.02.2020 08:47:31	1	1	1	1	80.75	53.75	0	30000	206.4516129	6193.569429	30000	0	0	30000	34.9375	2004
12.02.2020 08:47:32	1	1	1	1	80.75	54.75	0	30000	195.6989247	5935.09635	30000	0	0	30000	34.6875	2004
12.02.2020 08:47:33	1	1	1	1	80.75	54.5	0	30000	206.4516129	6193.569429	30000	0	0	30000	34.625	2004
12.02.2020 08:47:34	1	1	1	1	79.75	54.5	0	30000	208.6021505	6257.983856	30000	0	0	30000	34.375	2004
12.02.2020 08:47:35	1	1	1	1	79.75	54.25	0	30000	212.9032258	6451.227136	30000	0	0	30000	32.5	2004
12.02.2020 08:47:36	1	1	1	1	79.75	52.5	0	29952.607	206.4516129	6257.983856	30000	0	0	30000	34.875	2004
12.02.2020 08:47:42	1	1	1	1	79.75	54.25	0	30000	193.5483871	5741.85307	30000	0	0	30000	35	2004
12.02.2020 08:47:42	1	1	1	1	79.75	54.25	0	30000	193.5483871	5741.85307	30000	0	0	30000	35	2004
12.02.2020 08:47:42	1	1	1	1	79.75	54.25	0	30000	193.5483871	5741.85307	30000	0	0	30000	35	2004
12.02.2020 08:47:42	1	1	1	1	79.75	54.25	0	30000	193.5483871	5741.85307	30000	0	0	30000	35	2004
12.02.2020 08:47:42	1	1	1	1	79.75	54.25	0	30000	193.5483871	5741.85307	30000	0	0	30000	35	2004
12.02.2020 08:47:42	1	1	1	1	79.75	54.25	0	30000	193.5483871	5741.85307	30000	0	0	30000	35	2004
12.02.2020 08:47:43	1	1	1	1	79.75	55	0	30000	189.2473118	5677.438643	30000	0	0	30000	34.5	2004
12.02.2020 08:47:44	1	1	1	1	81.25	54.5	0	30000	195.6989247	5668.469546	30000	0	0	30000	34.3125	2004
12.02.2020 08:47:45	1	1	1	1	81.25	54.25	0	30000	189.2473118	5677.438643	30000	0	0	30000	34.9375	2004
12.02.2020 08:47:46	1	1	1	1	81.25	54.75	0	30000	189.2473118	5677.438643	30000	0	0	30000	35.125	2004
12.02.2020 08:47:47	1	1	1	1	81.25	55	0	30000	184.9462366	5483.379991	30000	0	0	30000	34.625	2004
12.02.2020 08:47:48	1	1	1	1	81.25	54.5	0	29952.607	169.8924731	5418.965564	30000	0	0	30000	34.6875	2004
12.02.2020 08:47:49	1	1	1	1	81.25	54.5	0	30000	178.4946237	5354.551137	30000	0	0	30000	33.625	2004
12.02.2020 08:47:50	1	1	1	1	81.25	53.5	0	30000	182.7956989	5547.794417	30000	0	0	30000	34.8125	2004
12.02.2020 08:47:51	1	1	1	1	81.25	54.75	0	30000	184.9462366	5677.438643	30000	0	0	30000	34.5625	2004
12.02.2020 08:47:52	1	1	1	1	81.25	54.5	0	30000	182.7956989	5483.379991	30000	0	0	30000	34.8125	2004
12.02.2020 08:47:53	1	1	1	1	81.25	54.75	0	30000	189.2473118	5677.438643	30000	0	0	30000	34.4375	2004
12.02.2020 08:47:54	1	1	1	1	82.75	54.25	0	30000	189.2473118	5677.438643	30000	0	0	30000	34.5625	2004
12.02.2020 08:47:55	1	1	1	1	82.75	54.5	0	30000	189.2473118	5677.438643	30000	0	0	30000	34	2004
12.02.2020 08:47:56	1	1	1	1	82.75	54	0	30000	184.9462366	5677.438643	30000	0	0	30000	34.0625	2004
12.02.2020 08:47:57	1	1	1	1	82.75	54	0	30000	178.4946237	5346.397413	30000	0	0	30000	33.875	2004
12.02.2020 08:47:58	1	1	1	1	82.75	53.75	0	30000	184.9462366	5483.379991	30000	0	0	30000	34.6875	2004
12.02.2020 08:47:59	1	1	1	1	82.75	54.5	0	30000	189.2473118	5677.438643	30000	0	0	30000	34.8125	2004
12.02.2020 08:48:00	1	1	1	1	82.75	54.75	0	30000	184.9462366	5547.794417	30000	0	0	30000	35	2004
12.02.2020 08:48:01	1	1	1	1	82.75	55	0	30000	182.7956989	5547.794417	30000	0	0	30000	34.0625	2004
12.02.2020 08:48:02	1	1	1	1	82.75	54	0	30000	189.2473118	5677.438643	30000	0	0	30000	34.0625	2004
12.02.2020 08:48:03	1	1	1	1	82.75	54	0	29952.607	176.344086	5354.551137	30000	0	0	30000	34.8125	2004
12.02.2020 08:48:04	1	1	1	1	83	54.75	0	29952.607	184.9462366	5547.794417	30000	0	0	30000	35.0625	2004
12.02.2020 08:48:05	1	1	1	1	83	55	0	30000	189.2473118	5677.438643	30000	0	0	30000	35	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 08:48:06	1	1	1	1	83	55	0	30000	189.2473118	5547.794417	30000	0	0	30000	33.5625	2004
12.02.2020 08:48:07	1	1	1	1	83	53.5	0	30000	189.2473118	5677.438643	30000	0	0	30000	35.0625	2004
12.02.2020 08:48:08	1	1	1	1	83	55	0	30000	189.2473118	5483.379991	30000	0	0	30000	34.875	2004
12.02.2020 08:48:09	1	1	1	1	83	54.75	0	30000	189.2473118	5741.85307	30000	0	0	30000	34.4375	2004
12.02.2020 08:48:10	1	1	1	1	83	54.25	0	29905.213	178.4946237	5612.208844	30000	0	0	30000	35	2004
12.02.2020 08:48:11	1	1	1	1	83	55	0	30000	178.4946237	5354.551137	30000	0	0	30000	34.375	2004
12.02.2020 08:48:12	1	1	1	1	83	54.25	0	30000	178.4946237	5354.551137	30000	0	0	30000	35	2004
12.02.2020 08:48:15	1	1	1	1	84	54.75	0	30000	320.4301075	9676.840703	30000	0	0	30000	35.0625	2004
12.02.2020 08:48:15	1	1	1	1	84	54.75	0	30000	320.4301075	9676.840703	30000	0	0	30000	35.0625	2004
12.02.2020 08:48:15	1	1	1	1	84	55	0	30000	395.6989247	11871.00807	30000	0	0	30000	35	2004
12.02.2020 08:48:16	1	1	1	1	84	55	0	30000	445.1612903	13354.17063	30000	0	0	30000	35.0625	2004
12.02.2020 08:48:17	1	1	1	1	84	55	0	30000	481.7204301	14451.662	30000	0	0	30000	34.8125	2004
12.02.2020 08:48:18	1	1	1	1	84	54.75	0	30000	518.2795699	15548.338	30000	0	0	30000	33.25	2004
12.02.2020 08:48:19	1	1	1	1	84	53.25	0	29715.64	535.483871	15911.99413	30000	0	0	30000	34.1875	2004
12.02.2020 08:48:20	1	1	1	1	84	54	0	29905.213	533.3333333	15885.08684	30000	0	0	30000	34.4375	2004
12.02.2020 08:48:21	1	1	1	1	84	54.25	0	29383.886	550.5376344	16203.08211	30000	0	0	30000	35.0625	2004
12.02.2020 08:48:22	1	1	1	1	84	55	0	29146.919	546.2365591	15858.17955	30000	0	0	30000	35.0625	2004
12.02.2020 08:48:23	1	1	1	1	87.5	55	0	29526.066	541.9354839	16154.15976	30000	0	0	30000	35	2004
12.02.2020 08:48:25	1	1	1	1	87.5	55	0	28815.166	559.1397849	16049.79208	30000	0	0	30000	34.5625	2004
12.02.2020 08:48:26	1	1	1	1	87.5	54.5	0	28625.592	556.9892473	16111.76039	30000	0	0	30000	35.0625	2004
12.02.2020 08:48:27	1	1	1	1	87.5	55	0	28483.412	552.688172	15864.70252	30000	0	0	30000	34.875	2004
12.02.2020 08:48:28	1	1	1	1	87.5	54.75	0	28009.479	567.7419355	16312.34202	30000	0	0	30000	34.9375	2004
12.02.2020 08:48:29	1	1	1	1	87.5	54.75	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	34.5	2004
12.02.2020 08:48:30	1	1	1	1	87.5	54.5	0	28009.479	561.2903226	15902.20966	30000	0	0	30000	34.8125	2004
12.02.2020 08:48:31	1	1	1	1	87.5	54.75	0	28009.479	580.6451613	16142.74454	30000	0	0	30000	35	2004
12.02.2020 08:48:32	1	1	1	1	87.5	55	0	28151.659	569.8924731	15961.73185	30000	0	0	30000	34.875	2004
12.02.2020 08:48:33	1	1	1	1	87.5	54.75	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	34.8125	2004
12.02.2020 08:48:34	1	1	1	1	94.25	54.75	0	28009.479	572.0430108	16142.74454	30000	0	0	30000	35	2004
12.02.2020 08:48:35	1	1	1	1	94.25	55	0	27962.085	572.0430108	16055.49969	30000	0	0	30000	35	2004
12.02.2020 08:48:36	1	1	1	1	94.25	55	0	27772.512	578.4946237	15924.22472	30000	0	0	30000	35	2004
12.02.2020 08:48:37	1	1	1	1	94.25	55	0	27962.085	574.1935484	16082.40698	30000	0	0	30000	33.75	2004
12.02.2020 08:48:38	1	1	1	1	94.25	53.75	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	35.0625	2004
12.02.2020 08:48:44	1	1	1	1	94.25	54.75	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	34.4375	2004
12.02.2020 08:48:44	1	1	1	1	94.25	54.75	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	34.4375	2004
12.02.2020 08:48:44	1	1	1	1	94.25	54.75	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	34.4375	2004
12.02.2020 08:48:44	1	1	1	1	94.25	54.75	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	34.4375	2004
12.02.2020 08:48:44	1	1	1	1	100.3	54.25	0	27630.332	582.7956989	16102.79129	30000	0	0	30000	33.875	2004
12.02.2020 08:48:45	1	1	1	1	100.3	53.75	0	27867.299	576.344086	16061.20729	30000	0	0	30000	34.25	2004
12.02.2020 08:48:46	1	1	1	1	100.3	54.25	0	27630.332	584.9462366	16015.54644	30000	0	0	30000	35.0625	2004
12.02.2020 08:48:47	1	1	1	1	100.3	55	0	27345.972	580.6451613	15991.90063	30000	0	0	30000	35	2004
12.02.2020 08:48:48	1	1	1	1	100.3	55	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	35.25	2004
12.02.2020 08:48:49	1	1	1	1	100.3	55.25	0	27156.398	587.0967742	15942.97828	30000	0	0	30000	34.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 08:48:50	1	1	1	1	100.3	54.5	0	27345.972	587.0967742	15936.4553	30000	0	0	30000	35	2004
12.02.2020 08:48:51	1	1	1	1	100.3	55	0	27582.938	584.9462366	16134.59082	30000	0	0	30000	34.9375	2004
12.02.2020 08:48:52	1	1	1	1	100.3	54.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	35.125	2004
12.02.2020 08:48:53	1	1	1	1	100.3	55	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	34.875	2004
12.02.2020 08:48:54	1	1	1	1	104	54.75	0	27298.578	589.2473118	16001.6851	30000	0	0	30000	35.1875	2004
12.02.2020 08:48:55	1	1	1	1	104	55	0	27061.611	589.2473118	15887.53295	30000	0	0	30000	34.9375	2004
12.02.2020 08:48:56	1	1	1	1	104	55	0	27298.578	589.2473118	16144.37529	30000	0	0	30000	34.125	2004
12.02.2020 08:48:57	1	1	1	1	104	54	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	34.5625	2004
12.02.2020 08:48:58	1	1	1	1	104	54.5	0	26966.825	591.3978495	16004.13122	30000	0	0	30000	34.875	2004
12.02.2020 08:48:59	1	1	1	1	104	54.75	0	26682.464	597.8494624	16123.99098	30000	0	0	30000	34.625	2004
12.02.2020 08:49:00	1	1	1	1	104	54.5	0	26919.431	597.8494624	16093.82219	30000	0	0	30000	33.6875	2004
12.02.2020 08:49:01	1	1	1	1	104	53.5	0	27345.972	584.9462366	16054.68431	30000	0	0	30000	34.6875	2004
12.02.2020 08:49:02	1	1	1	1	104	54.5	0	27440.758	576.344086	15991.90063	30000	0	0	30000	34.5	2004
12.02.2020 08:49:03	1	1	1	1	106	54.5	0	27630.332	578.4946237	16043.2691	30000	0	0	30000	34.6875	2004
12.02.2020 08:49:04	1	1	1	1	106	54.5	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	35.125	2004
12.02.2020 08:49:06	1	1	1	1	106	55	0	27914.692	574.1935484	16000.86973	30000	0	0	30000	33.75	2004
12.02.2020 08:49:07	1	1	1	1	106	53.75	0	27630.332	567.7419355	15745.65814	30000	0	0	30000	34.6875	2004
12.02.2020 08:49:08	1	1	1	1	106	54.5	0	28009.479	572.0430108	15934.82456	30000	0	0	30000	34.75	2004
12.02.2020 08:49:09	1	1	1	1	106	54.75	0	27630.332	569.8924731	15983.74691	30000	0	0	30000	33.875	2004
12.02.2020 08:49:10	1	1	1	1	106	53.75	0	28483.412	559.1397849	16040.00761	30000	0	0	30000	34.3125	2004
12.02.2020 08:49:11	1	1	1	1	106	54.25	0	28815.166	556.9892473	15943.79366	30000	0	0	30000	34.5625	2004
12.02.2020 08:49:12	1	1	1	1	106	54.5	0	29146.919	550.5376344	15920.96323	30000	0	0	30000	34.9375	2004
12.02.2020 08:49:13	1	1	1	1	106	54.75	0	29146.919	546.2365591	16098.71443	30000	0	0	30000	34.5	2004
12.02.2020 08:49:14	1	1	1	1	98.75	54.5	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	34.875	2004
12.02.2020 08:49:15	1	1	1	1	98.75	54.75	0	29620.853	541.9354839	15988.63914	30000	0	0	30000	34.25	2004
12.02.2020 08:49:16	1	1	1	1	98.75	54.25	0	29478.673	544.0860215	16090.5607	30000	0	0	30000	34.8125	2004
12.02.2020 08:49:17	1	1	1	1	98.75	54.75	0	29241.706	546.2365591	15972.33169	30000	0	0	30000	35.0625	2004
12.02.2020 08:49:18	1	1	1	1	98.75	55	0	28957.346	546.2365591	15692.65893	30000	0	0	30000	34.875	2004
12.02.2020 08:49:19	1	1	1	1	98.75	54.75	0	29241.706	550.5376344	16046.53059	30000	0	0	30000	34.25	2004
12.02.2020 08:49:20	1	1	1	1	98.75	54.25	0	29336.493	546.2365591	16087.29921	30000	0	0	30000	34.125	2004
12.02.2020 08:49:21	1	1	1	1	98.75	54	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	34.5625	2004
12.02.2020 08:49:22	1	1	1	1	98.75	54.5	0	29241.706	544.0860215	15909.54801	30000	0	0	30000	34.75	2004
12.02.2020 08:49:23	1	1	1	1	98.75	54.75	0	29431.28	544.0860215	15987.0084	30000	0	0	30000	34.3125	2004
12.02.2020 08:49:24	1	1	1	1	97	54.25	0	29620.853	541.9354839	16078.33012	30000	0	0	30000	34.5625	2004
12.02.2020 08:49:25	1	1	1	1	97	54.5	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	34.375	2004
12.02.2020 08:49:26	1	1	1	1	97	54.25	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	34.75	2004
12.02.2020 08:49:27	1	1	1	1	97	54.75	0	29905.213	535.483871	16013.10032	30000	0	0	30000	34.8125	2004
12.02.2020 08:49:28	1	1	1	1	97	54.75	0	29810.427	537.6344086	16219.38956	30000	0	0	30000	35.0625	2004
12.02.2020 08:49:29	1	1	1	1	97	55	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	35.125	2004
12.02.2020 08:49:30	1	1	1	1	97	55	0	29763.033	537.6344086	16090.5607	30000	0	0	30000	34.875	2004
12.02.2020 08:49:31	1	1	1	1	97	54.75	0	29526.066	541.9354839	15975.59318	30000	0	0	30000	35	2004
12.02.2020 08:49:32	1	1	1	1	97	55	0	29668.246	537.6344086	15925.04009	30000	0	0	30000	35.1875	2004
12.02.2020 08:49:33	1	1	1	1	97	55	0	29431.28	539.7849462	15885.90221	30000	0	0	30000	33.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 08:49:34	1	1	1	1	96.25	53.75	0	29336.493	541.9354839	15835.34912	30000	0	0	30000	34.875	2004
12.02.2020 08:49:35	1	1	1	1	96.25	54.75	0	29668.246	537.6344086	16040.00761	30000	0	0	30000	35	2004
12.02.2020 08:49:36	1	1	1	1	96.25	55.25	0	29620.853	544.0860215	16115.83725	30000	0	0	30000	34.625	2004
12.02.2020 08:49:37	1	1	1	1	96.25	54.5	0	29715.64	537.6344086	15886.71758	30000	0	0	30000	34.125	2004
12.02.2020 08:49:38	1	1	1	1	96.25	54	0	29905.213	541.9354839	16206.3436	30000	0	0	30000	35.125	2004
12.02.2020 08:49:39	1	1	1	1	96.25	55	0	29952.607	537.6344086	16039.19224	30000	0	0	30000	34.5625	2004
12.02.2020 08:49:46	1	1	1	1	95	54	0	30000	503.2258065	15161.03607	30000	0	0	30000	33.9375	2004
12.02.2020 08:49:46	1	1	1	1	95	54	0	30000	503.2258065	15161.03607	30000	0	0	30000	33.9375	2004
12.02.2020 08:49:46	1	1	1	1	95	54	0	30000	503.2258065	15161.03607	30000	0	0	30000	33.9375	2004
12.02.2020 08:49:46	1	1	1	1	95	54	0	30000	503.2258065	15161.03607	30000	0	0	30000	33.9375	2004
12.02.2020 08:49:46	1	1	1	1	95	54	0	30000	503.2258065	15161.03607	30000	0	0	30000	33.9375	2004
12.02.2020 08:49:46	1	1	1	1	95	54	0	30000	503.2258065	15161.03607	30000	0	0	30000	33.9375	2004
12.02.2020 08:49:47	1	1	1	1	95	53.75	0	30000	498.9247312	14902.56299	30000	0	0	30000	34.5	2004
12.02.2020 08:49:48	1	1	1	1	95	54.5	0	30000	492.4731183	14773.73413	30000	0	0	30000	34.5	2004
12.02.2020 08:49:49	1	1	1	1	95	54.5	0	30000	488.172043	14644.90528	30000	0	0	30000	34.375	2004
12.02.2020 08:49:50	1	1	1	1	95	54.25	0	30000	481.7204301	14451.662	30000	0	0	30000	34.5625	2004
12.02.2020 08:49:51	1	1	1	1	95	54.5	0	30000	481.7204301	14451.662	30000	0	0	30000	34.8125	2004
12.02.2020 08:49:52	1	1	1	1	95	54.75	0	30000	481.7204301	14451.662	30000	0	0	30000	33.5625	2004
12.02.2020 08:49:53	1	1	1	1	95	53.5	0	30000	481.7204301	14451.662	30000	0	0	30000	34.125	2004
12.02.2020 08:49:54	1	1	1	1	94.5	54	0	30000	483.8709677	14580.49085	30000	0	0	30000	33.5625	2004
12.02.2020 08:49:55	1	1	1	1	94.5	53.5	0	30000	481.7204301	14516.07643	30000	0	0	30000	33.75	2004
12.02.2020 08:49:56	1	1	1	1	94.5	53.75	0	30000	481.7204301	14451.662	30000	0	0	30000	34.5625	2004
12.02.2020 08:49:57	1	1	1	1	94.5	54.5	0	30000	481.7204301	14516.07643	30000	0	0	30000	34	2004
12.02.2020 08:49:58	1	1	1	1	94.5	54	0	30000	483.8709677	14516.07643	30000	0	0	30000	34.1875	2004
12.02.2020 08:49:59	1	1	1	1	94.5	54	0	30000	498.9247312	14902.56299	30000	0	0	30000	34.3125	2004
12.02.2020 08:50:00	1	1	1	1	94.5	54.25	0	30000	490.3225806	14773.73413	30000	0	0	30000	34.5	2004
12.02.2020 08:50:01	1	1	1	1	94.5	54.5	0	30000	486.0215054	14580.49085	30000	0	0	30000	34.375	2004
12.02.2020 08:50:02	1	1	1	1	94.5	54.25	0	29952.607	481.7204301	14451.662	30000	0	0	30000	33.1875	2004
12.02.2020 08:50:03	1	1	1	1	94.5	53	0	30000	481.7204301	14451.662	30000	0	0	30000	34.375	2004
12.02.2020 08:50:04	1	1	1	1	94.5	54.25	0	30000	486.0215054	14580.49085	30000	0	0	30000	34.0625	2004
12.02.2020 08:50:05	1	1	1	1	94.5	54	0	30000	481.7204301	14451.662	30000	0	0	30000	34.8125	2004
12.02.2020 08:50:06	1	1	1	1	94.5	54.75	0	30000	483.8709677	14451.662	30000	0	0	30000	34.75	2004
12.02.2020 08:50:07	1	1	1	1	94.5	54.75	0	30000	481.7204301	14709.31971	30000	0	0	30000	32.9375	2004
12.02.2020 08:50:08	1	1	1	1	94.5	52.75	0	30000	481.7204301	14451.662	30000	0	0	30000	34.875	2004
12.02.2020 08:50:09	1	1	1	1	94.5	54.75	0	30000	481.7204301	14451.662	30000	0	0	30000	35.1875	2004
12.02.2020 08:50:10	1	1	1	1	94.5	55	0	29952.607	483.8709677	14580.49085	30000	0	0	30000	34.8125	2004
12.02.2020 08:50:11	1	1	1	1	94.5	54.75	0	30000	483.8709677	14451.662	30000	0	0	30000	35.125	2004
12.02.2020 08:50:12	1	1	1	1	94.5	55	0	30000	490.3225806	14709.31971	30000	0	0	30000	35.25	2004
12.02.2020 08:50:13	1	1	1	1	95	54.75	0	30047.393	481.7204301	14474.49243	30000	0	0	30000	34.875	2004
12.02.2020 08:50:14	1	1	1	1	95	54.75	0	30000	481.7204301	14451.662	30000	0	0	30000	34.3125	2004
12.02.2020 08:50:15	1	1	1	1	95	54.25	0	30000	481.7204301	14451.662	30000	0	0	30000	34.875	2004
12.02.2020 08:50:16	1	1	1	1	95	54.75	0	30000	481.7204301	14516.07643	30000	0	0	30000	34.125	2004
12.02.2020 08:50:17	1	1	1	1	95	54	0	30000	481.7204301	14644.90528	30000	0	0	30000	35.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 08:50:18	1	1	1	1	95	55	0	30000	481.7204301	14451.662	30000	0	0	30000	34.5	2004
12.02.2020 08:50:20	1	1	1	1	95	54.5	0	30000	481.7204301	14128.7745	30000	0	0	30000	34.125	2004
12.02.2020 08:50:21	1	1	1	1	95	54	0	29952.607	481.7204301	14451.662	30000	0	0	30000	33.6875	2004
12.02.2020 08:50:22	1	1	1	1	95	53.5	0	30000	481.7204301	14691.38151	30000	0	0	30000	34.75	2004
12.02.2020 08:50:23	1	1	1	1	95	54.75	0	29905.213	468.8172043	14451.662	30000	0	0	30000	34	2004
12.02.2020 08:50:24	1	1	1	1	94	54	0	30000	481.7204301	14451.662	30000	0	0	30000	33.75	2004
12.02.2020 08:50:25	1	1	1	1	94	53.75	0	29952.607	481.7204301	14493.246	30000	0	0	30000	34.875	2004
12.02.2020 08:50:26	1	1	1	1	94	54.75	0	30000	481.7204301	14451.662	30000	0	0	30000	34.25	2004
12.02.2020 08:50:27	1	1	1	1	94	54.25	0	30000	468.8172043	14064.36007	30000	0	0	30000	35.3125	2004
12.02.2020 08:50:28	1	1	1	1	94	55.25	0	30000	481.7204301	14451.662	30000	0	0	30000	35.0625	2004
12.02.2020 08:50:29	1	1	1	1	94	55	0	30000	481.7204301	14451.662	30000	0	0	30000	35.0625	2004
12.02.2020 08:50:30	1	1	1	1	94	55	0	30000	483.8709677	14516.07643	30000	0	0	30000	34.1875	2004
12.02.2020 08:50:31	1	1	1	1	94	54	0	30000	481.7204301	14451.662	30000	0	0	30000	34.6875	2004
12.02.2020 08:50:32	1	1	1	1	94	54.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	35	2004
12.02.2020 08:50:33	1	1	1	1	94	55	0	30000	481.7204301	14428.83157	30000	0	0	30000	34.875	2004
12.02.2020 08:50:34	1	1	1	1	94	54.75	0	30000	481.7204301	14451.662	30000	0	0	30000	34.6875	2004
12.02.2020 08:50:35	1	1	1	1	94	54.5	0	30000	481.7204301	14451.662	30000	0	0	30000	34	2004
12.02.2020 08:50:36	1	1	1	1	94	54	0	30000	481.7204301	14406.00114	30000	0	0	30000	34.25	2004
12.02.2020 08:50:37	1	1	1	1	94	54.25	0	30000	492.4731183	14773.73413	30000	0	0	30000	34.625	2004
12.02.2020 08:50:38	1	1	1	1	94	54.5	0	30000	494.6236559	14838.14856	30000	0	0	30000	34.875	2004
12.02.2020 08:50:39	1	1	1	1	94	54.75	0	30000	483.8709677	14516.07643	30000	0	0	30000	35.0625	2004
12.02.2020 08:50:40	1	1	1	1	94	55	0	29952.607	486.0215054	14580.49085	30000	0	0	30000	34	2004
12.02.2020 08:50:41	1	1	1	1	94	54	0	30000	490.3225806	14709.31971	30000	0	0	30000	34.625	2004
12.02.2020 08:50:47	1	1	1	1	93.25	54	0	30000	481.7204301	14451.662	30000	0	0	30000	34.875	2004
12.02.2020 08:50:47	1	1	1	1	93.25	54	0	30000	481.7204301	14451.662	30000	0	0	30000	34.875	2004
12.02.2020 08:50:47	1	1	1	1	93.25	54	0	30000	481.7204301	14451.662	30000	0	0	30000	34.875	2004
12.02.2020 08:50:47	1	1	1	1	93.25	54	0	30000	481.7204301	14451.662	30000	0	0	30000	34.875	2004
12.02.2020 08:50:47	1	1	1	1	93.25	54	0	30000	481.7204301	14451.662	30000	0	0	30000	34.875	2004
12.02.2020 08:50:48	1	1	1	1	93.25	54.75	0	29905.213	481.7204301	14644.90528	30000	0	0	30000	35.375	2004
12.02.2020 08:50:49	1	1	1	1	93.25	55.25	0	29952.607	486.0215054	14773.73413	30000	0	0	30000	34.5625	2004
12.02.2020 08:50:50	1	1	1	1	93.25	54.5	0	30000	481.7204301	14451.662	30000	0	0	30000	34.875	2004
12.02.2020 08:50:51	1	1	1	1	93.25	55.5	0	30000	481.7204301	14451.662	30000	0	0	30000	35	2004
12.02.2020 08:50:52	1	1	1	1	93.25	55	0	30000	492.4731183	14773.73413	30000	0	0	30000	34.625	2004
12.02.2020 08:50:53	1	1	1	1	93	54.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	33	2004
12.02.2020 08:50:54	1	1	1	1	93	53	0	29952.607	481.7204301	14428.83157	30000	0	0	30000	34	2004
12.02.2020 08:50:55	1	1	1	1	93	54	0	30000	481.7204301	14451.662	30000	0	0	30000	34.875	2004
12.02.2020 08:50:56	1	1	1	1	93	54.75	0	30000	483.8709677	14580.49085	30000	0	0	30000	33.5625	2004
12.02.2020 08:50:58	1	1	1	1	93	53.5	0	30000	488.172043	14644.90528	30000	0	0	30000	33.4375	2004
12.02.2020 08:50:59	1	1	1	1	93	53.25	0	30000	481.7204301	14451.662	30000	0	0	30000	34.875	2004
12.02.2020 08:51:00	1	1	1	1	93	54.75	0	30000	481.7204301	14451.662	30000	0	0	30000	35.25	2004
12.02.2020 08:51:01	1	1	1	1	93	55.25	0	30000	470.9677419	14451.662	30000	0	0	30000	34.6875	2004
12.02.2020 08:51:02	1	1	1	1	93	54.5	0	30000	481.7204301	14451.662	30000	0	0	30000	33.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 08:51:03	1	1	1	1	93	53.5	0	30000	464.516129	13999.94564	30000	0	0	30000	34.625	2004
12.02.2020 08:51:04	1	1	1	1	92.25	54.5	0	30000	458.0645161	13741.47256	30000	0	0	30000	34.5	2004
12.02.2020 08:51:05	1	1	1	1	92.25	54.5	0	30000	460.2150538	13870.30142	30000	0	0	30000	34.6875	2004
12.02.2020 08:51:06	1	1	1	1	92.25	54.5	0	30000	460.2150538	13935.53122	30000	0	0	30000	33.5625	2004
12.02.2020 08:51:07	1	1	1	1	92.25	53.5	0	30000	464.516129	13977.93058	30000	0	0	30000	33.8125	2004
12.02.2020 08:51:08	1	1	1	1	92.25	53.75	0	29905.213	464.516129	13935.53122	30000	0	0	30000	34.5	2004
12.02.2020 08:51:09	1	1	1	1	92.25	54.5	0	30000	464.516129	14474.49243	30000	0	0	30000	34.6875	2004
12.02.2020 08:51:10	1	1	1	1	92.25	54.5	0	30000	464.516129	13977.93058	30000	0	0	30000	34.6875	2004
12.02.2020 08:51:11	1	1	1	1	92.25	54.5	0	30000	458.0645161	13612.64371	30000	0	0	30000	35.125	2004
12.02.2020 08:51:12	1	1	1	1	92.25	55	0	30000	449.4623656	13483.81486	30000	0	0	30000	34.125	2004
12.02.2020 08:51:13	1	1	1	1	92.25	54	0	29905.213	440.8602151	13354.17063	30000	0	0	30000	33.6875	2004
12.02.2020 08:51:14	1	1	1	1	91.75	53.5	0	30000	436.5591398	13096.51292	30000	0	0	30000	34.25	2004
12.02.2020 08:51:15	1	1	1	1	91.75	54.25	0	30000	443.0107527	13354.17063	30000	0	0	30000	35.125	2004
12.02.2020 08:51:16	1	1	1	1	91.75	55	0	30000	440.8602151	13289.7562	30000	0	0	30000	35.3125	2004
12.02.2020 08:51:17	1	1	1	1	91.75	55.25	0	30000	451.6129032	13354.17063	30000	0	0	30000	33.0625	2004
12.02.2020 08:51:18	1	1	1	1	91.75	53	0	30000	443.0107527	13160.92735	30000	0	0	30000	34.5	2004
12.02.2020 08:51:19	1	1	1	1	91.75	54.5	0	30000	449.4623656	13354.17063	30000	0	0	30000	34.875	2004
12.02.2020 08:51:20	1	1	1	1	91.75	54.75	0	30000	443.0107527	13225.34178	30000	0	0	30000	33.625	2004
12.02.2020 08:51:21	1	1	1	1	91.75	53.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	34.625	2004
12.02.2020 08:51:22	1	1	1	1	91.75	54.5	0	30000	453.7634409	13612.64371	30000	0	0	30000	35.0625	2004
12.02.2020 08:51:23	1	1	1	1	91.75	55	0	30000	443.0107527	13289.7562	30000	0	0	30000	34.125	2004
12.02.2020 08:51:24	1	1	1	1	91.25	54	0	30000	445.1612903	13354.17063	30000	0	0	30000	34.125	2004
12.02.2020 08:51:25	1	1	1	1	91.25	54	0	30000	445.1612903	13289.7562	30000	0	0	30000	34.875	2004
12.02.2020 08:51:26	1	1	1	1	91.25	54.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	35.3125	2004
12.02.2020 08:51:27	1	1	1	1	91.25	55.25	0	29905.213	445.1612903	13354.17063	30000	0	0	30000	35.375	2004
12.02.2020 08:51:28	1	1	1	1	91.25	55.25	0	30000	443.0107527	12926.10007	30000	0	0	30000	35.375	2004
12.02.2020 08:51:29	1	1	1	1	91.25	55.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	35.5	2004
12.02.2020 08:51:30	1	1	1	1	91.25	55.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	34.25	2004
12.02.2020 08:51:31	1	1	1	1	91.25	54.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	34.375	2004
12.02.2020 08:51:32	1	1	1	1	91.25	54.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	34.6875	2004
12.02.2020 08:51:33	1	1	1	1	91	54.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	35	2004
12.02.2020 08:51:34	1	1	1	1	91	55	0	30000	440.8602151	13160.92735	30000	0	0	30000	33.75	2004
12.02.2020 08:51:35	1	1	1	1	91	53.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	34.9375	2004
12.02.2020 08:51:36	1	1	1	1	91	54.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	34.625	2004
12.02.2020 08:51:38	1	1	1	1	91	54.5	0	30000	438.7096774	13160.92735	30000	0	0	30000	35.125	2004
12.02.2020 08:51:39	1	1	1	1	91	55	0	30000	434.4086022	13096.51292	30000	0	0	30000	35.25	2004
12.02.2020 08:51:40	1	1	1	1	91	55.25	0	30000	438.7096774	13289.7562	30000	0	0	30000	34.1875	2004
12.02.2020 08:51:41	1	1	1	1	91	54	0	30000	438.7096774	13160.92735	30000	0	0	30000	34.25	2004
12.02.2020 08:51:42	1	1	1	1	91	54.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	34.6875	2004
12.02.2020 08:51:43	1	1	1	1	91	54.5	0	30000	425.8064516	12709.21099	30000	0	0	30000	34.875	2004
12.02.2020 08:51:49	1	1	1	1	90.5	54.5	0	30000	434.4086022	12967.68407	30000	0	0	30000	33.8125	2004
12.02.2020 08:51:49	1	1	1	1	90.5	54.5	0	30000	434.4086022	12967.68407	30000	0	0	30000	33.8125	2004
12.02.2020 08:51:49	1	1	1	1	90.5	54.5	0	30000	434.4086022	12967.68407	30000	0	0	30000	33.8125	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 08:51:49	1	1	1	1	90.5	54.5	0	30000	434.4086022	12967.68407	30000	0	0	30000	33.8125	2004
12.02.2020 08:51:49	1	1	1	1	90.5	54.5	0	30000	434.4086022	12967.68407	30000	0	0	30000	33.8125	2004
12.02.2020 08:51:49	1	1	1	1	90.5	53.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	34.875	2004
12.02.2020 08:51:50	1	1	1	1	90.5	54.75	0	29905.213	425.8064516	12838.03984	30000	0	0	30000	34.625	2004
12.02.2020 08:51:51	1	1	1	1	90.5	54.5	0	30000	425.8064516	12773.62542	30000	0	0	30000	35.375	2004
12.02.2020 08:51:52	1	1	1	1	90.5	55.25	0	30000	423.655914	12709.21099	30000	0	0	30000	34.875	2004
12.02.2020 08:51:53	1	1	1	1	90.5	54.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	34.875	2004
12.02.2020 08:51:54	1	1	1	1	90	54.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	34.75	2004
12.02.2020 08:51:55	1	1	1	1	90	54.75	0	30000	417.2043011	12580.38214	30000	0	0	30000	35.125	2004
12.02.2020 08:51:56	1	1	1	1	90	55	0	30000	419.3548387	12580.38214	30000	0	0	30000	34.6875	2004
12.02.2020 08:51:57	1	1	1	1	90	54.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	34.9375	2004
12.02.2020 08:51:58	1	1	1	1	90	54.75	0	30000	415.0537634	12580.38214	30000	0	0	30000	35.25	2004
12.02.2020 08:51:59	1	1	1	1	90	55.25	0	30000	419.3548387	12773.62542	30000	0	0	30000	35.5	2004
12.02.2020 08:52:00	1	1	1	1	90	55.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	32.8125	2004
12.02.2020 08:52:01	1	1	1	1	90	52.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	33.1875	2004
12.02.2020 08:52:02	1	1	1	1	90	53	0	30000	415.0537634	12451.55328	30000	0	0	30000	34.9375	2004
12.02.2020 08:52:03	1	1	1	1	90	54.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	34.625	2004
12.02.2020 08:52:04	1	1	1	1	90	54.5	0	29905.213	419.3548387	12580.38214	30000	0	0	30000	33.625	2004
12.02.2020 08:52:05	1	1	1	1	90	53.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	34.875	2004
12.02.2020 08:52:06	1	1	1	1	90	54.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	35.0625	2004
12.02.2020 08:52:07	1	1	1	1	90	55	0	30000	415.0537634	12451.55328	30000	0	0	30000	35.4375	2004
12.02.2020 08:52:08	1	1	1	1	90	55.25	0	29952.607	417.2043011	12560.8132	30000	0	0	30000	35.3125	2004
12.02.2020 08:52:09	1	1	1	1	90	55.25	0	30000	417.2043011	12451.55328	30000	0	0	30000	34.875	2004
12.02.2020 08:52:10	1	1	1	1	90	55	0	30000	419.3548387	12580.38214	30000	0	0	30000	34.6875	2004
12.02.2020 08:52:11	1	1	1	1	90	54.5	0	30000	415.0537634	12580.38214	30000	0	0	30000	35.1875	2004
12.02.2020 08:52:12	1	1	1	1	90	55	0	30000	421.5053763	12580.38214	30000	0	0	30000	34.9375	2004
12.02.2020 08:52:13	1	1	1	1	89.75	54.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	35.1875	2004
12.02.2020 08:52:14	1	1	1	1	89.75	55	0	30000	415.0537634	12580.38214	30000	0	0	30000	33.5	2004
12.02.2020 08:52:16	1	1	1	1	89.75	53.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	35.1875	2004
12.02.2020 08:52:17	1	1	1	1	89.75	55	0	30000	412.9032258	12387.13886	30000	0	0	30000	35.5	2004
12.02.2020 08:52:18	1	1	1	1	89.75	55.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	34.625	2004
12.02.2020 08:52:19	1	1	1	1	89.75	54.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	35.3125	2004
12.02.2020 08:52:20	1	1	1	1	89.75	55.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	34.875	2004
12.02.2020 08:52:21	1	1	1	1	89.75	54.75	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	35.4375	2004
12.02.2020 08:52:22	1	1	1	1	89.75	55.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	35.375	2004
12.02.2020 08:52:23	1	1	1	1	89.75	55.25	0	30000	423.655914	12709.21099	30000	0	0	30000	34.8125	2004
12.02.2020 08:52:24	1	1	1	1	88.75	54.75	0	29952.607	427.9569892	12838.03984	30000	0	0	30000	34.75	2004
12.02.2020 08:52:25	1	1	1	1	88.75	54.75	0	29952.607	432.2580645	12798.08659	30000	0	0	30000	34.9375	2004
12.02.2020 08:52:26	1	1	1	1	88.75	54.75	0	29952.607	432.2580645	12838.03984	30000	0	0	30000	35	2004
12.02.2020 08:52:27	1	1	1	1	88.75	55	0	30000	419.3548387	12580.38214	30000	0	0	30000	35.0625	2004
12.02.2020 08:52:28	1	1	1	1	88.75	55	0	30000	423.655914	12709.21099	30000	0	0	30000	34.5	2004
12.02.2020 08:52:29	1	1	1	1	88.75	54.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	34.1875	2004
12.02.2020 08:52:30	1	1	1	1	88.75	54	0	30000	419.3548387	12644.79656	30000	0	0	30000	35.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 08:52:31	1	1	1	1	88.75	55.25	0	30000	425.8064516	12580.38214	30000	0	0	30000	34.25	2004
12.02.2020 08:52:32	1	1	1	1	88.75	54.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	34.875	2004
12.02.2020 08:52:33	1	1	1	1	88.75	54.75	0	30000	412.9032258	12515.96771	30000	0	0	30000	35.375	2004
12.02.2020 08:52:34	1	1	1	1	88	55.25	0	29905.213	412.9032258	12451.55328	30000	0	0	30000	34.875	2004
12.02.2020 08:52:35	1	1	1	1	88	54.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	34.5625	2004
12.02.2020 08:52:36	1	1	1	1	88	54.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	35.25	2004
12.02.2020 08:52:37	1	1	1	1	88	55.25	0	30000	412.9032258	12451.55328	30000	0	0	30000	34.75	2004
12.02.2020 08:52:38	1	1	1	1	88	54.75	0	30047.393	427.9569892	12709.21099	30000	0	0	30000	35.3125	2004
12.02.2020 08:52:39	1	1	1	1	88	55.25	0	30000	425.8064516	12838.03984	30000	0	0	30000	35.25	2004
12.02.2020 08:52:40	1	1	1	1	88	55.25	0	30000	423.655914	12580.38214	30000	0	0	30000	35.1875	2004
12.02.2020 08:52:41	1	1	1	1	88	55	0	30000	415.0537634	12515.96771	30000	0	0	30000	34.875	2004
12.02.2020 08:52:42	1	1	1	1	88	54.75	0	30000	415.0537634	12580.38214	30000	0	0	30000	35.3125	2004
12.02.2020 08:52:43	1	1	1	1	88	55.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	34.9375	2004
12.02.2020 08:52:44	1	1	1	1	88	54.75	0	29952.607	415.0537634	12411.60003	30000	0	0	30000	35.0625	2004
12.02.2020 08:52:50	1	1	1	1	88	55.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	35.375	2004
12.02.2020 08:52:50	1	1	1	1	88	55.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	35.375	2004
12.02.2020 08:52:50	1	1	1	1	88	55.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	35.375	2004
12.02.2020 08:52:50	1	1	1	1	88	55.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	35.375	2004
12.02.2020 08:52:50	1	1	1	1	88	55.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	35.375	2004
12.02.2020 08:52:50	1	1	1	1	88	55.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	35.375	2004
12.02.2020 08:52:50	1	1	1	1	88	55.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	35.375	2004
12.02.2020 08:52:51	1	1	1	1	88	55.25	0	29952.607	415.0537634	12515.96771	30000	0	0	30000	35.125	2004
12.02.2020 08:52:52	1	1	1	1	88	55	0	30000	417.2043011	12451.55328	30000	0	0	30000	34.3125	2004
12.02.2020 08:52:53	1	1	1	1	88	54.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	35.3125	2004
12.02.2020 08:52:54	1	1	1	1	88	55.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	35.3125	2004
12.02.2020 08:52:56	1	1	1	1	88	55.25	0	30000	425.8064516	12709.21099	30000	0	0	30000	35.5	2004
12.02.2020 08:52:57	1	1	1	1	88	55.5	0	30000	427.9569892	12754.05648	30000	0	0	30000	35	2004
12.02.2020 08:52:58	1	1	1	1	88	55	0	30000	421.5053763	12580.38214	30000	0	0	30000	35.25	2004
12.02.2020 08:52:59	1	1	1	1	88	55.25	0	30000	421.5053763	12773.62542	30000	0	0	30000	35.1875	2004
12.02.2020 08:53:00	1	1	1	1	88	55	0	30000	427.9569892	12838.03984	30000	0	0	30000	35.25	2004
12.02.2020 08:53:01	1	1	1	1	88	55.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	34.8125	2004
12.02.2020 08:53:02	1	1	1	1	88	54.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	35.25	2004
12.02.2020 08:53:03	1	1	1	1	88	55.25	0	30000	432.2580645	12967.68407	30000	0	0	30000	35.1875	2004
12.02.2020 08:53:04	1	1	1	1	87.5	55	0	30000	427.9569892	12838.03984	30000	0	0	30000	34.3125	2004
12.02.2020 08:53:05	1	1	1	1	87.5	54.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	34.5625	2004
12.02.2020 08:53:06	1	1	1	1	87.5	54.5	0	30000	419.3548387	12451.55328	30000	0	0	30000	34.8125	2004
12.02.2020 08:53:07	1	1	1	1	87.5	54.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	35.1875	2004
12.02.2020 08:53:08	1	1	1	1	87.5	55	0	30000	419.3548387	12580.38214	30000	0	0	30000	35.0625	2004
12.02.2020 08:53:09	1	1	1	1	87.5	55	0	30000	419.3548387	12709.21099	30000	0	0	30000	34.5625	2004
12.02.2020 08:53:10	1	1	1	1	87.5	54.5	0	30000	421.5053763	12580.38214	30000	0	0	30000	33.5	2004
12.02.2020 08:53:11	1	1	1	1	87.5	53.5	0	30000	419.3548387	12709.21099	30000	0	0	30000	35.25	2004
12.02.2020 08:53:12	1	1	1	1	87.5	55.25	0	30000	419.3548387	12348.00098	30000	0	0	30000	35.3125	2004
12.02.2020 08:53:13	1	1	1	1	87.5	55.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	33.625	2004
12.02.2020 08:53:14	1	1	1	1	87	53.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	33.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 08:53:15	1	1	1	1	87	53.75	0	30000	423.655914	12709.21099	30000	0	0	30000	34.125	2004
12.02.2020 08:53:16	1	1	1	1	87	54	0	30000	423.655914	12709.21099	30000	0	0	30000	35.25	2004
12.02.2020 08:53:17	1	1	1	1	87	55.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	35.25	2004
12.02.2020 08:53:18	1	1	1	1	87	55.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	35.3125	2004
12.02.2020 08:53:19	1	1	1	1	87	55.25	0	30000	412.9032258	12045.49778	30000	0	0	30000	35	2004
12.02.2020 08:53:20	1	1	1	1	87	55	0	30000	412.9032258	12387.13886	30000	0	0	30000	33.75	2004
12.02.2020 08:53:21	1	1	1	1	87	53.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	35.0625	2004
12.02.2020 08:53:22	1	1	1	1	87	55	0	30000	412.9032258	12431.98434	30000	0	0	30000	35	2004
12.02.2020 08:53:23	1	1	1	1	87	55	0	29905.213	415.0537634	12451.55328	30000	0	0	30000	35	2004
12.02.2020 08:53:24	1	1	1	1	87.25	55	0	30000	412.9032258	12174.32664	30000	0	0	30000	35.1875	2004
12.02.2020 08:53:25	1	1	1	1	87.25	55	0	29952.607	415.0537634	12451.55328	30000	0	0	30000	35.5	2004
12.02.2020 08:53:26	1	1	1	1	87.25	55.5	0	30000	415.0537634	12387.13886	30000	0	0	30000	35.75	2004
12.02.2020 08:53:27	1	1	1	1	87.25	55.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	35.25	2004
12.02.2020 08:53:28	1	1	1	1	87.25	54.75	0	30000	412.9032258	12451.55328	30000	0	0	30000	34.4375	2004
12.02.2020 08:53:29	1	1	1	1	87.25	54.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	34.875	2004
12.02.2020 08:53:30	1	1	1	1	87.25	54.75	0	29905.213	412.9032258	12387.13886	30000	0	0	30000	34.5625	2004
12.02.2020 08:53:31	1	1	1	1	87.25	54.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	35.5	2004
12.02.2020 08:53:32	1	1	1	1	87.25	55.5	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	34.125	2004
12.02.2020 08:53:33	1	1	1	1	87	54	0	30000	412.9032258	12387.13886	30000	0	0	30000	33.5	2004
12.02.2020 08:53:35	1	1	1	1	87	53.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	35.3125	2004
12.02.2020 08:53:36	1	1	1	1	87	55.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	35.3125	2004
12.02.2020 08:53:37	1	1	1	1	87	55.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	34.5625	2004
12.02.2020 08:53:38	1	1	1	1	87	54.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	35.125	2004
12.02.2020 08:53:39	1	1	1	1	87	55	0	30000	412.9032258	12387.13886	30000	0	0	30000	34.8125	2004
12.02.2020 08:53:40	1	1	1	1	87	54.75	0	30000	404.3010753	12387.13886	30000	0	0	30000	34.6875	2004
12.02.2020 08:53:41	1	1	1	1	87	54.5	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	34.6875	2004
12.02.2020 08:53:42	1	1	1	1	87	54.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	34.9375	2004
12.02.2020 08:53:43	1	1	1	1	87	54.75	0	30000	412.9032258	12367.56992	30000	0	0	30000	35.625	2004
12.02.2020 08:53:44	1	1	1	1	86	55.5	0	30000	412.9032258	12212.64915	30000	0	0	30000	33.25	2004
12.02.2020 08:53:45	1	1	1	1	86	53.25	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	35.0625	2004
12.02.2020 08:53:46	1	1	1	1	86	55	0	30000	412.9032258	12387.13886	30000	0	0	30000	35.1875	2004
12.02.2020 08:53:52	1	1	1	1	86	54.5	0	30000	395.6989247	11935.4225	30000	0	0	30000	35	2004
12.02.2020 08:53:52	1	1	1	1	86	54.5	0	30000	395.6989247	11935.4225	30000	0	0	30000	35	2004
12.02.2020 08:53:52	1	1	1	1	86	54.5	0	30000	395.6989247	11935.4225	30000	0	0	30000	35	2004
12.02.2020 08:53:52	1	1	1	1	86	54.5	0	30000	395.6989247	11935.4225	30000	0	0	30000	35	2004
12.02.2020 08:53:52	1	1	1	1	86	54.5	0	30000	395.6989247	11935.4225	30000	0	0	30000	35	2004
12.02.2020 08:53:52	1	1	1	1	86	54.5	0	30000	395.6989247	11935.4225	30000	0	0	30000	35	2004
12.02.2020 08:53:53	1	1	1	1	86	55	0	30000	400	11935.4225	30000	0	0	30000	34.8125	2004
12.02.2020 08:53:54	1	1	1	1	86.25	54.75	0	30000	400	12064.25135	30000	0	0	30000	33.3125	2004
12.02.2020 08:53:55	1	1	1	1	86.25	53.25	0	30000	404.3010753	12064.25135	30000	0	0	30000	35.125	2004
12.02.2020 08:53:56	1	1	1	1	86.25	55	0	30000	395.6989247	12128.66578	30000	0	0	30000	35.5625	2004
12.02.2020 08:53:57	1	1	1	1	86.25	55.5	0	30000	397.8494624	11935.4225	30000	0	0	30000	34.5625	2004
12.02.2020 08:53:58	1	1	1	1	86.25	54.5	0	30000	400	11935.4225	30000	0	0	30000	34.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 08:53:59	1	1	1	1	86.25	54.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	34.0625	2004
12.02.2020 08:54:00	1	1	1	1	86.25	54	0	29952.607	404.3010753	12128.66578	30000	0	0	30000	34.3125	2004
12.02.2020 08:54:01	1	1	1	1	86.25	54.25	0	30000	400	11935.4225	30000	0	0	30000	34.8125	2004
12.02.2020 08:54:02	1	1	1	1	86.25	54.75	0	29952.607	395.6989247	11935.4225	30000	0	0	30000	34.0625	2004
12.02.2020 08:54:03	1	1	1	1	86.25	54	0	29905.213	389.2473118	11871.00807	30000	0	0	30000	35.375	2004
12.02.2020 08:54:04	1	1	1	1	85.75	55.25	0	30000	400	11935.4225	30000	0	0	30000	35.5	2004
12.02.2020 08:54:05	1	1	1	1	85.75	55.5	0	29952.607	391.3978495	11741.36385	30000	0	0	30000	34.875	2004
12.02.2020 08:54:06	1	1	1	1	85.75	54.75	0	30000	400	11935.4225	30000	0	0	30000	33.3125	2004
12.02.2020 08:54:07	1	1	1	1	85.75	53.25	0	30000	397.8494624	11935.4225	30000	0	0	30000	34.8125	2004
12.02.2020 08:54:08	1	1	1	1	85.75	54.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	34.8125	2004
12.02.2020 08:54:09	1	1	1	1	85.75	54.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	35.6875	2004
12.02.2020 08:54:10	1	1	1	1	85.75	55.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	35	2004
12.02.2020 08:54:11	1	1	1	1	85.75	54.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	34.0625	2004
12.02.2020 08:54:12	1	1	1	1	85.75	54	0	29905.213	391.3978495	11852.2545	30000	0	0	30000	34.875	2004
12.02.2020 08:54:13	1	1	1	1	85.75	54.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	34.875	2004
12.02.2020 08:54:14	1	1	1	1	85.75	54.75	0	30000	395.6989247	11723.42565	30000	0	0	30000	34.1875	2004
12.02.2020 08:54:16	1	1	1	1	85.75	54	0	30000	391.3978495	11889.76164	30000	0	0	30000	35.0625	2004
12.02.2020 08:54:17	1	1	1	1	85.75	55	0	30000	395.6989247	11871.00807	30000	0	0	30000	34.875	2004
12.02.2020 08:54:18	1	1	1	1	85.75	54.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	34.875	2004
12.02.2020 08:54:19	1	1	1	1	85.75	54.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	34.1875	2004
12.02.2020 08:54:20	1	1	1	1	85.75	54	0	30000	400	12064.25135	30000	0	0	30000	34.875	2004
12.02.2020 08:54:21	1	1	1	1	85.75	54.75	0	30000	402.1505376	12128.66578	30000	0	0	30000	35.3125	2004
12.02.2020 08:54:22	1	1	1	1	85.75	55.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	34.875	2004
12.02.2020 08:54:23	1	1	1	1	85.75	54.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	35.1875	2004
12.02.2020 08:54:24	1	1	1	1	85	55	0	29952.607	395.6989247	11871.00807	30000	0	0	30000	35.125	2004
12.02.2020 08:54:25	1	1	1	1	85	55	0	29905.213	397.8494624	11935.4225	30000	0	0	30000	35.5	2004
12.02.2020 08:54:26	1	1	1	1	85	55.5	0	29952.607	400	12128.66578	30000	0	0	30000	34.875	2004
12.02.2020 08:54:27	1	1	1	1	85	54.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	33.25	2004
12.02.2020 08:54:28	1	1	1	1	85	53.25	0	30000	412.9032258	12193.08021	30000	0	0	30000	34.125	2004
12.02.2020 08:54:29	1	1	1	1	85	54	0	30000	404.3010753	12193.08021	30000	0	0	30000	35.5	2004
12.02.2020 08:54:30	1	1	1	1	85	55.5	0	30000	400	11916.66893	30000	0	0	30000	35.25	2004
12.02.2020 08:54:31	1	1	1	1	85	55.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	34.3125	2004
12.02.2020 08:54:32	1	1	1	1	85	54.25	0	29952.607	400	12128.66578	30000	0	0	30000	34.875	2004
12.02.2020 08:54:33	1	1	1	1	85	54.75	0	30000	404.3010753	12387.13886	30000	0	0	30000	34.5	2004
12.02.2020 08:54:34	1	1	1	1	85	54.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	34.5	2004
12.02.2020 08:54:35	1	1	1	1	85	54.5	0	29952.607	402.1505376	12128.66578	30000	0	0	30000	35.25	2004
12.02.2020 08:54:36	1	1	1	1	85	55.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	35.4375	2004
12.02.2020 08:54:37	1	1	1	1	85	55.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	34.875	2004
12.02.2020 08:54:38	1	1	1	1	85	54.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	35.3125	2004
12.02.2020 08:54:39	1	1	1	1	85	55.25	0	30000	395.6989247	11805.77827	30000	0	0	30000	35.3125	2004
12.02.2020 08:54:40	1	1	1	1	85	55.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	35.625	2004
12.02.2020 08:54:41	1	1	1	1	85	55.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	35.25	2004
12.02.2020 08:54:42	1	1	1	1	85	55.25	0	30000	397.8494624	11871.00807	30000	0	0	30000	35.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 08:54:43	1	1	1	1	85	55.25	0	30000	391.3978495	11741.36385	30000	0	0	30000	35.0625	2004
12.02.2020 08:54:44	1	1	1	1	84.75	55	0	29952.607	391.3978495	11548.12057	30000	0	0	30000	34.5	2004
12.02.2020 08:54:45	1	1	1	1	84.75	54.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	34.8125	2004
12.02.2020 08:54:46	1	1	1	1	84.75	54.75	0	30000	404.3010753	12064.25135	30000	0	0	30000	35.5	2004
12.02.2020 08:54:47	1	1	1	1	84.75	55.5	0	29905.213	395.6989247	11999.83693	30000	0	0	30000	35.5	2004
12.02.2020 08:54:54	1	1	1	1	85	54.75	0	30000	384.9462366	11548.12057	30000	0	0	30000	34.0625	2004
12.02.2020 08:54:54	1	1	1	1	85	54.75	0	30000	384.9462366	11548.12057	30000	0	0	30000	34.0625	2004
12.02.2020 08:54:54	1	1	1	1	85	54.75	0	30000	384.9462366	11548.12057	30000	0	0	30000	34.0625	2004
12.02.2020 08:54:54	1	1	1	1	85	54.75	0	30000	384.9462366	11548.12057	30000	0	0	30000	34.0625	2004
12.02.2020 08:54:54	1	1	1	1	85	54.75	0	30000	384.9462366	11548.12057	30000	0	0	30000	34.0625	2004
12.02.2020 08:54:54	1	1	1	1	85	54.75	0	30000	384.9462366	11548.12057	30000	0	0	30000	34.0625	2004
12.02.2020 08:54:55	1	1	1	1	85	54	0	30000	387.0967742	11548.12057	30000	0	0	30000	35	2004
12.02.2020 08:54:56	1	1	1	1	85	55	0	30000	391.3978495	11530.18237	30000	0	0	30000	34.75	2004
12.02.2020 08:54:57	1	1	1	1	85	54.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	35.3125	2004
12.02.2020 08:54:58	1	1	1	1	85	55.25	0	30000	391.3978495	11871.00807	30000	0	0	30000	35.6875	2004
12.02.2020 08:54:59	1	1	1	1	85	55.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	34.6875	2004
12.02.2020 08:55:00	1	1	1	1	85	54.5	0	30000	387.0967742	11612.53499	30000	0	0	30000	34.75	2004
12.02.2020 08:55:01	1	1	1	1	85	54.75	0	30000	395.6989247	11852.2545	30000	0	0	30000	35.0625	2004
12.02.2020 08:55:02	1	1	1	1	85	55	0	30000	384.9462366	11548.12057	30000	0	0	30000	35.375	2004
12.02.2020 08:55:03	1	1	1	1	85	55.25	0	30000	389.2473118	11676.94942	30000	0	0	30000	35.3125	2004
12.02.2020 08:55:04	1	1	1	1	84.5	55.25	0	29952.607	389.2473118	11612.53499	30000	0	0	30000	35.5625	2004
12.02.2020 08:55:05	1	1	1	1	84.5	55.5	0	29905.213	395.6989247	11659.01122	30000	0	0	30000	35.5625	2004
12.02.2020 08:55:06	1	1	1	1	84.5	55.5	0	30000	395.6989247	11889.76164	30000	0	0	30000	35.5625	2004
12.02.2020 08:55:07	1	1	1	1	84.5	55.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	35.5625	2004
12.02.2020 08:55:08	1	1	1	1	84.5	55.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	35.125	2004
12.02.2020 08:55:09	1	1	1	1	84.5	55	0	30000	397.8494624	11871.00807	30000	0	0	30000	35.125	2004
12.02.2020 08:55:10	1	1	1	1	84.5	55	0	29952.607	397.8494624	11852.2545	30000	0	0	30000	35.375	2004
12.02.2020 08:55:11	1	1	1	1	84.5	55.25	0	30000	404.3010753	12064.25135	30000	0	0	30000	35.1875	2004
12.02.2020 08:55:12	1	1	1	1	84.5	55	0	29905.213	395.6989247	11871.00807	30000	0	0	30000	35.5	2004
12.02.2020 08:55:13	1	1	1	1	84.5	55.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	35.25	2004
12.02.2020 08:55:14	1	1	1	1	84.25	55.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	35.3125	2004
12.02.2020 08:55:15	1	1	1	1	84.25	55.25	0	30000	391.3978495	11741.36385	30000	0	0	30000	35.5625	2004
12.02.2020 08:55:16	1	1	1	1	84.25	55.5	0	30000	384.9462366	11676.94942	30000	0	0	30000	35.6875	2004
12.02.2020 08:55:17	1	1	1	1	84.25	55.5	0	30000	389.2473118	11741.36385	30000	0	0	30000	35.1875	2004
12.02.2020 08:55:18	1	1	1	1	84.25	55	0	30000	384.9462366	11548.12057	30000	0	0	30000	35.4375	2004
12.02.2020 08:55:19	1	1	1	1	84.25	55.25	0	29952.607	384.9462366	11548.12057	30000	0	0	30000	35.5	2004
12.02.2020 08:55:20	1	1	1	1	84.25	55.5	0	30000	382.7956989	11548.12057	30000	0	0	30000	34.0625	2004
12.02.2020 08:55:21	1	1	1	1	84.25	54	0	30000	389.2473118	11676.94942	30000	0	0	30000	35.0625	2004
12.02.2020 08:55:22	1	1	1	1	84.25	55	0	29952.607	384.9462366	11447.01438	30000	0	0	30000	35.5	2004
12.02.2020 08:55:23	1	1	1	1	84.25	55.5	0	30000	384.9462366	11548.12057	30000	0	0	30000	35.75	2004
12.02.2020 08:55:24	1	1	1	1	83.75	55.75	0	29952.607	387.0967742	11548.12057	30000	0	0	30000	35	2004
12.02.2020 08:55:25	1	1	1	1	83.75	55	0	30000	384.9462366	11548.12057	30000	0	0	30000	35.625	2004
12.02.2020 08:55:26	1	1	1	1	83.75	55.5	0	30000	382.7956989	11319.0009	30000	0	0	30000	35.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 08:55:27	1	1	1	1	83.75	55.75	0	30000	380.6451613	11419.29171	30000	0	0	30000	35.4375	2004
12.02.2020 08:55:28	1	1	1	1	83.75	55.25	0	30000	382.7956989	11419.29171	30000	0	0	30000	35.5625	2004
12.02.2020 08:55:29	1	1	1	1	83.75	55.5	0	30000	378.4946237	11483.70614	30000	0	0	30000	35.5625	2004
12.02.2020 08:55:30	1	1	1	1	83.75	55.5	0	30000	384.9462366	11548.12057	30000	0	0	30000	35.5625	2004
12.02.2020 08:55:31	1	1	1	1	83.75	55.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	35.625	2004
12.02.2020 08:55:32	1	1	1	1	83.75	55.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	35.25	2004
12.02.2020 08:55:33	1	1	1	1	84	55.25	0	30000	380.6451613	11419.29171	30000	0	0	30000	34.0625	2004
12.02.2020 08:55:34	1	1	1	1	84	54	0	30000	382.7956989	11548.12057	30000	0	0	30000	35.4375	2004
12.02.2020 08:55:36	1	1	1	1	84	55.25	0	30000	391.3978495	11676.94942	30000	0	0	30000	35.6875	2004
12.02.2020 08:55:37	1	1	1	1	84	55.5	0	30000	387.0967742	11548.12057	30000	0	0	30000	35.1875	2004
12.02.2020 08:55:38	1	1	1	1	84	55	0	30000	384.9462366	11419.29171	30000	0	0	30000	35.5	2004
12.02.2020 08:55:39	1	1	1	1	84	55.5	0	30000	382.7956989	11419.29171	30000	0	0	30000	35.625	2004
12.02.2020 08:55:40	1	1	1	1	84	55.5	0	30000	389.2473118	11676.94942	30000	0	0	30000	35.6875	2004
12.02.2020 08:55:41	1	1	1	1	84	55.5	0	30000	378.4946237	11419.29171	30000	0	0	30000	35.6875	2004
12.02.2020 08:55:42	1	1	1	1	84	55.5	0	30000	380.6451613	11354.87729	30000	0	0	30000	35.5	2004
12.02.2020 08:55:43	1	1	1	1	84	55.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	35.0625	2004
12.02.2020 08:55:44	1	1	1	1	83.5	55	0	30000	382.7956989	11419.29171	30000	0	0	30000	35.5625	2004
12.02.2020 08:55:45	1	1	1	1	83.5	55.5	0	30000	387.0967742	11676.94942	30000	0	0	30000	35.625	2004
12.02.2020 08:55:46	1	1	1	1	83.5	55.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	35.5625	2004
12.02.2020 08:55:47	1	1	1	1	83.5	55.5	0	30000	387.0967742	11676.94942	30000	0	0	30000	34.75	2004
12.02.2020 08:55:48	1	1	1	1	83.5	54.75	0	29952.607	387.0967742	11612.53499	30000	0	0	30000	34.4375	2004
12.02.2020 08:55:49	1	1	1	1	83.5	54.25	0	30000	384.9462366	11612.53499	30000	0	0	30000	35.4375	2004
12.02.2020 08:55:55	1	1	1	1	83.25	55.5	0	29905.213	378.4946237	11483.70614	30000	0	0	30000	35.625	2004
12.02.2020 08:55:55	1	1	1	1	83.25	55.5	0	29905.213	378.4946237	11483.70614	30000	0	0	30000	35.625	2004
12.02.2020 08:55:55	1	1	1	1	83.25	55.5	0	29905.213	378.4946237	11483.70614	30000	0	0	30000	35.625	2004
12.02.2020 08:55:55	1	1	1	1	83.25	55.5	0	29905.213	378.4946237	11483.70614	30000	0	0	30000	35.625	2004
12.02.2020 08:55:55	1	1	1	1	83.25	55.5	0	29905.213	378.4946237	11483.70614	30000	0	0	30000	35.625	2004
12.02.2020 08:55:56	1	1	1	1	83.25	55.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	35.4375	2004
12.02.2020 08:55:57	1	1	1	1	83.25	55.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	35.375	2004
12.02.2020 08:55:58	1	1	1	1	83.25	55.25	0	30000	380.6451613	11419.29171	30000	0	0	30000	35.3125	2004
12.02.2020 08:55:59	1	1	1	1	83.25	55.25	0	30000	380.6451613	11419.29171	30000	0	0	30000	35.625	2004
12.02.2020 08:56:00	1	1	1	1	83.25	55.5	0	30000	384.9462366	11419.29171	30000	0	0	30000	35.75	2004
12.02.2020 08:56:01	1	1	1	1	83.25	55.75	0	30047.393	380.6451613	11354.87729	30000	0	0	30000	35.3125	2004
12.02.2020 08:56:02	1	1	1	1	83.25	55.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	35.6875	2004
12.02.2020 08:56:03	1	1	1	1	83.25	55.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	34.875	2004
12.02.2020 08:56:04	1	1	1	1	82.75	54.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	34.1875	2004
12.02.2020 08:56:05	1	1	1	1	82.75	54	0	30000	378.4946237	11354.87729	30000	0	0	30000	35.1875	2004
12.02.2020 08:56:06	1	1	1	1	82.75	55	0	30000	378.4946237	11354.87729	30000	0	0	30000	35.5625	2004
12.02.2020 08:56:07	1	1	1	1	82.75	55.5	0	29952.607	378.4946237	11160.81863	30000	0	0	30000	35.75	2004
12.02.2020 08:56:08	1	1	1	1	82.75	55.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	35.5625	2004
12.02.2020 08:56:09	1	1	1	1	82.75	55.5	0	30000	384.9462366	11419.29171	30000	0	0	30000	35.0625	2004
12.02.2020 08:56:10	1	1	1	1	82.75	55	0	30000	380.6451613	11419.29171	30000	0	0	30000	36	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 08:56:11	1	1	1	1	82.75	54.5	0	30000	384.9462366	11548.12057	30000	0	0	30000	35.125	2004
12.02.2020 08:56:12	1	1	1	1	82.75	55	0	30000	378.4946237	11354.87729	30000	0	0	30000	35.0625	2004
12.02.2020 08:56:13	1	1	1	1	82	55	0	30000	372.0430108	11225.23306	30000	0	0	30000	35.6875	2004
12.02.2020 08:56:15	1	1	1	1	82	55.5	0	30000	378.4946237	11336.93909	30000	0	0	30000	35.0625	2004
12.02.2020 08:56:16	1	1	1	1	82	55	0	29905.213	363.4408602	11160.81863	30000	0	0	30000	33.875	2004
12.02.2020 08:56:17	1	1	1	1	82	53.75	0	30000	372.0430108	11160.81863	30000	0	0	30000	33.3125	2004
12.02.2020 08:56:18	1	1	1	1	82	53.25	0	30000	369.8924731	11096.40421	30000	0	0	30000	34.9375	2004
12.02.2020 08:56:19	1	1	1	1	82	54.75	0	29952.607	372.0430108	11160.81863	30000	0	0	30000	35.75	2004
12.02.2020 08:56:20	1	1	1	1	82	55.75	0	30047.393	378.4946237	11354.87729	30000	0	0	30000	35.3125	2004
12.02.2020 08:56:21	1	1	1	1	82	55.25	0	30000	365.5913978	11031.98978	30000	0	0	30000	35.8125	2004
12.02.2020 08:56:22	1	1	1	1	82	55.75	0	29952.607	367.7419355	11031.98978	30000	0	0	30000	35.125	2004
12.02.2020 08:56:23	1	1	1	1	82	55	0	30000	369.8924731	11096.40421	30000	0	0	30000	35.6875	2004
12.02.2020 08:56:24	1	1	1	1	81.25	55.5	0	30000	378.4946237	11336.93909	30000	0	0	30000	35.3125	2004
12.02.2020 08:56:25	1	1	1	1	81.25	55.25	0	29952.607	378.4946237	11096.40421	30000	0	0	30000	34.125	2004
12.02.2020 08:56:26	1	1	1	1	81.25	54	0	30000	369.8924731	11160.81863	30000	0	0	30000	35.8125	2004
12.02.2020 08:56:27	1	1	1	1	81.25	55.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	34.9375	2004
12.02.2020 08:56:28	1	1	1	1	81.25	54.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	35.4375	2004
12.02.2020 08:56:29	1	1	1	1	81.25	55.25	0	30000	372.0430108	11096.40421	30000	0	0	30000	34.875	2004
12.02.2020 08:56:30	1	1	1	1	81.25	54.75	0	30000	367.7419355	11031.98978	30000	0	0	30000	34.875	2004
12.02.2020 08:56:31	1	1	1	1	81.25	54.75	0	30000	372.0430108	11160.81863	30000	0	0	30000	35.3125	2004
12.02.2020 08:56:32	1	1	1	1	81.25	55.25	0	29952.607	369.8924731	11096.40421	30000	0	0	30000	35.5625	2004
12.02.2020 08:56:33	1	1	1	1	81.25	55.5	0	30000	369.8924731	11160.81863	30000	0	0	30000	35.75	2004
12.02.2020 08:56:34	1	1	1	1	81.75	55.75	0	30000	372.0430108	10868.09991	30000	0	0	30000	35.6875	2004
12.02.2020 08:56:35	1	1	1	1	81.75	55.5	0	30000	365.5913978	11031.98978	30000	0	0	30000	34.875	2004
12.02.2020 08:56:36	1	1	1	1	81.75	54.75	0	30000	372.0430108	11160.81863	30000	0	0	30000	34.25	2004
12.02.2020 08:56:37	1	1	1	1	81.75	54.25	0	30000	374.1935484	11160.81863	30000	0	0	30000	35.125	2004
12.02.2020 08:56:38	1	1	1	1	81.75	55	0	29952.607	372.0430108	11143.69581	30000	0	0	30000	35.125	2004
12.02.2020 08:56:39	1	1	1	1	81.75	55	0	30000	372.0430108	11160.81863	30000	0	0	30000	35.1875	2004
12.02.2020 08:56:40	1	1	1	1	81.75	55	0	30000	372.0430108	11160.81863	30000	0	0	30000	34.3125	2004
12.02.2020 08:56:41	1	1	1	1	81.75	54.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	35.5	2004
12.02.2020 08:56:42	1	1	1	1	81.75	55.5	0	29952.607	372.0430108	11354.87729	30000	0	0	30000	35.125	2004
12.02.2020 08:56:43	1	1	1	1	81.75	55	0	30000	378.4946237	11354.87729	30000	0	0	30000	35.3125	2004
12.02.2020 08:56:44	1	1	1	1	81.5	55.25	0	29952.607	378.4946237	11354.87729	30000	0	0	30000	35.1875	2004
12.02.2020 08:56:45	1	1	1	1	81.5	55	0	30000	378.4946237	11354.87729	30000	0	0	30000	35.75	2004
12.02.2020 08:56:46	1	1	1	1	81.5	55.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	36.1875	2004
12.02.2020 08:56:47	1	1	1	1	81.5	56	0	30000	378.4946237	11225.23306	30000	0	0	30000	36.0625	2004
12.02.2020 08:56:48	1	1	1	1	81.5	56	0	30000	372.0430108	11225.23306	30000	0	0	30000	35.625	2004
12.02.2020 08:56:49	1	1	1	1	81.5	55.5	0	29952.607	369.8924731	11096.40421	30000	0	0	30000	35.8125	2004
12.02.2020 08:56:50	1	1	1	1	81.5	55.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	34.6875	2004
12.02.2020 08:56:57	1	1	1	1	81.5	55	0	30000	372.0430108	11160.81863	30000	0	0	30000	35.4375	2004
12.02.2020 08:56:57	1	1	1	1	81.5	55	0	30000	372.0430108	11160.81863	30000	0	0	30000	35.4375	2004
12.02.2020 08:56:57	1	1	1	1	81.5	55	0	30000	372.0430108	11160.81863	30000	0	0	30000	35.4375	2004
12.02.2020 08:56:57	1	1	1	1	81.5	55	0	30000	372.0430108	11160.81863	30000	0	0	30000	35.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 08:56:57	1	1	1	1	81.5	55	0	30000	372.0430108	11160.81863	30000	0	0	30000	35.4375	2004
12.02.2020 08:56:57	1	1	1	1	81.5	55	0	30000	372.0430108	11160.81863	30000	0	0	30000	35.4375	2004
12.02.2020 08:56:58	1	1	1	1	81.5	55.25	0	30000	372.0430108	11160.81863	30000	0	0	30000	34.625	2004
12.02.2020 08:56:59	1	1	1	1	81.5	54.5	0	30000	365.5913978	10903.16093	30000	0	0	30000	35.5625	2004
12.02.2020 08:57:00	1	1	1	1	81.5	55.5	0	30000	369.8924731	11160.81863	30000	0	0	30000	34.9375	2004
12.02.2020 08:57:01	1	1	1	1	81.5	54.75	0	30000	378.4946237	11225.23306	30000	0	0	30000	34.8125	2004
12.02.2020 08:57:02	1	1	1	1	81.5	54.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	34.9375	2004
12.02.2020 08:57:03	1	1	1	1	81.5	54.75	0	29952.607	369.8924731	11014.86696	30000	0	0	30000	35.1875	2004
12.02.2020 08:57:04	1	1	1	1	81	55	0	30000	372.0430108	11096.40421	30000	0	0	30000	35.6875	2004
12.02.2020 08:57:05	1	1	1	1	81	55.5	0	30000	367.7419355	11031.98978	30000	0	0	30000	34.75	2004
12.02.2020 08:57:06	1	1	1	1	81	54.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	35.5	2004
12.02.2020 08:57:07	1	1	1	1	81	55.5	0	30000	369.8924731	11160.81863	30000	0	0	30000	35.6875	2004
12.02.2020 08:57:08	1	1	1	1	81	55.5	0	30000	369.8924731	11160.81863	30000	0	0	30000	35.5	2004
12.02.2020 08:57:09	1	1	1	1	81	55.5	0	30000	369.8924731	10868.09991	30000	0	0	30000	35.75	2004
12.02.2020 08:57:10	1	1	1	1	81	55.75	0	30000	367.7419355	11096.40421	30000	0	0	30000	35.0625	2004
12.02.2020 08:57:11	1	1	1	1	81	55	0	30000	367.7419355	11031.98978	30000	0	0	30000	35.8125	2004
12.02.2020 08:57:12	1	1	1	1	81	55.75	0	30000	365.5913978	11031.98978	30000	0	0	30000	35.4375	2004
12.02.2020 08:57:13	1	1	1	1	81	55.25	0	30000	369.8924731	11079.28139	30000	0	0	30000	35.625	2004
12.02.2020 08:57:14	1	1	1	1	81.5	55.5	0	30000	369.8924731	11096.40421	30000	0	0	30000	34.5	2004
12.02.2020 08:57:15	1	1	1	1	81.5	54.5	0	30047.393	378.4946237	11160.81863	30000	0	0	30000	35.75	2004
12.02.2020 08:57:16	1	1	1	1	81.5	55.75	0	30000	372.0430108	10932.51434	30000	0	0	30000	35.6875	2004
12.02.2020 08:57:17	1	1	1	1	81.5	55.5	0	30000	372.0430108	11390.75368	30000	0	0	30000	35.5625	2004
12.02.2020 08:57:18	1	1	1	1	81.5	55.5	0	30000	369.8924731	11031.98978	30000	0	0	30000	34.5625	2004
12.02.2020 08:57:19	1	1	1	1	81.5	54.5	0	30000	363.4408602	11031.98978	30000	0	0	30000	35.75	2004
12.02.2020 08:57:20	1	1	1	1	81.5	55.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	35.0625	2004
12.02.2020 08:57:21	1	1	1	1	81.5	55	0	30000	369.8924731	11096.40421	30000	0	0	30000	34.625	2004
12.02.2020 08:57:22	1	1	1	1	81.5	54.5	0	30000	374.1935484	11354.87729	30000	0	0	30000	35.4375	2004
12.02.2020 08:57:23	1	1	1	1	81.5	55.25	0	30000	372.0430108	11096.40421	30000	0	0	30000	35.25	2004
12.02.2020 08:57:24	1	1	1	1	80.75	55.25	0	30000	369.8924731	11160.81863	30000	0	0	30000	34.875	2004
12.02.2020 08:57:25	1	1	1	1	80.75	54.75	0	30000	369.8924731	11031.98978	30000	0	0	30000	35.8125	2004
12.02.2020 08:57:26	1	1	1	1	80.75	55.75	0	30000	372.0430108	11160.81863	30000	0	0	30000	36.0625	2004
12.02.2020 08:57:27	1	1	1	1	80.75	56	0	30000	369.8924731	11354.87729	30000	0	0	30000	35.4375	2004
12.02.2020 08:57:28	1	1	1	1	80.75	55.25	0	30000	365.5913978	10967.57535	30000	0	0	30000	35.75	2004
12.02.2020 08:57:29	1	1	1	1	80.75	56.25	0	30000	367.7419355	11096.40421	30000	0	0	30000	34.625	2004
12.02.2020 08:57:30	1	1	1	1	80.75	54.5	0	30000	367.7419355	11096.40421	30000	0	0	30000	34.875	2004
12.02.2020 08:57:32	1	1	1	1	80.75	54.75	0	30000	369.8924731	11031.98978	30000	0	0	30000	35.5625	2004
12.02.2020 08:57:33	1	1	1	1	80.75	55.5	0	30000	369.8924731	11160.81863	30000	0	0	30000	36	2004
12.02.2020 08:57:34	1	1	1	1	80.25	56	0	30000	369.8924731	11031.98978	30000	0	0	30000	35.6875	2004
12.02.2020 08:57:35	1	1	1	1	80.25	55.5	0	30000	369.8924731	11096.40421	30000	0	0	30000	35	2004
12.02.2020 08:57:36	1	1	1	1	80.25	55	0	29952.607	359.1397849	10773.5167	30000	0	0	30000	35.6875	2004
12.02.2020 08:57:37	1	1	1	1	80.25	55.5	0	30047.393	365.5913978	11195.87965	30000	0	0	30000	35.875	2004
12.02.2020 08:57:38	1	1	1	1	80.25	55.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	35.5	2004
12.02.2020 08:57:39	1	1	1	1	80.25	55.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	33.9375	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 08:57:40	1	1	1	1	80.25	53.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	35.5625	2004
12.02.2020 08:57:41	1	1	1	1	80.25	55.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	35.75	2004
12.02.2020 08:57:42	1	1	1	1	80.25	55.75	0	30000	365.5913978	10773.5167	30000	0	0	30000	35.3125	2004
12.02.2020 08:57:43	1	1	1	1	80.25	55.25	0	30000	359.1397849	11131.46522	30000	0	0	30000	35.75	2004
12.02.2020 08:57:44	1	1	1	1	80	55.75	0	30000	365.5913978	10903.16093	30000	0	0	30000	35.0625	2004
12.02.2020 08:57:45	1	1	1	1	80	55	0	30000	372.0430108	11225.23306	30000	0	0	30000	34.875	2004
12.02.2020 08:57:46	1	1	1	1	80	54.75	0	29952.607	372.0430108	11160.81863	30000	0	0	30000	36	2004
12.02.2020 08:57:47	1	1	1	1	80	56	0	30000	378.4946237	11354.87729	30000	0	0	30000	35.3125	2004
12.02.2020 08:57:48	1	1	1	1	80	55.25	0	30000	387.0967742	11483.70614	30000	0	0	30000	34.375	2004
12.02.2020 08:57:49	1	1	1	1	80	54.25	0	30047.393	378.4946237	11160.81863	30000	0	0	30000	35.0625	2004
12.02.2020 08:57:50	1	1	1	1	80	55	0	29905.213	378.4946237	11401.35352	30000	0	0	30000	35.625	2004
12.02.2020 08:57:51	1	1	1	1	80	55.5	0	30000	382.7956989	11548.12057	30000	0	0	30000	35.25	2004
12.02.2020 08:57:52	1	1	1	1	80	55.25	0	30000	382.7956989	11419.29171	30000	0	0	30000	35.625	2004
12.02.2020 08:57:58	1	1	1	1	80.5	54.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	34.6875	2004
12.02.2020 08:57:58	1	1	1	1	80.5	54.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	34.6875	2004
12.02.2020 08:57:58	1	1	1	1	80.5	54.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	34.6875	2004
12.02.2020 08:57:58	1	1	1	1	80.5	54.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	34.6875	2004
12.02.2020 08:57:58	1	1	1	1	80.5	54.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	34.6875	2004
12.02.2020 08:57:58	1	1	1	1	80.5	54.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	34.6875	2004
12.02.2020 08:57:58	1	1	1	1	80.5	54.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	34.6875	2004
12.02.2020 08:57:59	1	1	1	1	80.5	54.5	0	30000	380.6451613	11548.12057	30000	0	0	30000	35.8125	2004
12.02.2020 08:58:00	1	1	1	1	80.5	55.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	35.625	2004
12.02.2020 08:58:01	1	1	1	1	80.5	55.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	34.875	2004
12.02.2020 08:58:02	1	1	1	1	80.5	54.75	0	29952.607	389.2473118	11676.94942	30000	0	0	30000	35.25	2004
12.02.2020 08:58:03	1	1	1	1	80.5	55.25	0	30000	395.6989247	12128.66578	30000	0	0	30000	35.875	2004
12.02.2020 08:58:04	1	1	1	1	80.75	55.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	34.75	2004
12.02.2020 08:58:05	1	1	1	1	80.75	54.75	0	30000	400	11999.83693	30000	0	0	30000	36.1875	2004
12.02.2020 08:58:06	1	1	1	1	80.75	56	0	30000	395.6989247	11871.00807	30000	0	0	30000	35.75	2004
12.02.2020 08:58:07	1	1	1	1	80.75	55.75	0	30000	395.6989247	11935.4225	30000	0	0	30000	36	2004
12.02.2020 08:58:08	1	1	1	1	80.75	55.75	0	30000	397.8494624	11935.4225	30000	0	0	30000	35	2004
12.02.2020 08:58:09	1	1	1	1	80.75	55	0	30000	395.6989247	11676.94942	30000	0	0	30000	35.875	2004
12.02.2020 08:58:11	1	1	1	1	80.75	55.75	0	30000	397.8494624	12064.25135	30000	0	0	30000	35.75	2004
12.02.2020 08:58:12	1	1	1	1	80.75	55.75	0	30000	404.3010753	12193.08021	30000	0	0	30000	35.8125	2004
12.02.2020 08:58:13	1	1	1	1	80.75	55.75	0	30000	404.3010753	11935.4225	30000	0	0	30000	35.875	2004
12.02.2020 08:58:14	1	1	1	1	80.75	55.75	0	29905.213	404.3010753	12128.66578	30000	0	0	30000	35.4375	2004
12.02.2020 08:58:15	1	1	1	1	80.75	55.25	0	29952.607	406.4516129	12387.13886	30000	0	0	30000	34.625	2004
12.02.2020 08:58:16	1	1	1	1	80.75	54.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	34.6875	2004
12.02.2020 08:58:17	1	1	1	1	80.75	54.5	0	30000	412.9032258	12128.66578	30000	0	0	30000	35.125	2004
12.02.2020 08:58:18	1	1	1	1	80.75	55	0	30000	412.9032258	12451.55328	30000	0	0	30000	35.6875	2004
12.02.2020 08:58:19	1	1	1	1	80.75	55.5	0	30000	419.3548387	12560.8132	30000	0	0	30000	35.25	2004
12.02.2020 08:58:20	1	1	1	1	80.75	55.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	35.75	2004
12.02.2020 08:58:21	1	1	1	1	80.75	55.75	0	30000	425.8064516	12838.03984	30000	0	0	30000	35.5625	2004
12.02.2020 08:58:22	1	1	1	1	80.75	55.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	35.75	2004
12.02.2020 08:58:23	1	1	1	1	80.75	55.75	0	29952.607	440.8602151	13225.34178	30000	0	0	30000	35.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 08:58:24	1	1	1	1	81.25	55.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	35.1875	2004
12.02.2020 08:58:25	1	1	1	1	81.25	55	0	29952.607	427.9569892	12967.68407	30000	0	0	30000	35.25	2004
12.02.2020 08:58:26	1	1	1	1	81.25	55.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	34.6875	2004
12.02.2020 08:58:27	1	1	1	1	81.25	54.5	0	30000	438.7096774	13160.92735	30000	0	0	30000	35.0625	2004
12.02.2020 08:58:28	1	1	1	1	81.25	55	0	30000	432.2580645	12838.03984	30000	0	0	30000	35.25	2004
12.02.2020 08:58:29	1	1	1	1	81.25	55.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	35.9375	2004
12.02.2020 08:58:30	1	1	1	1	81.25	55.75	0	29952.607	438.7096774	13160.92735	30000	0	0	30000	35.5625	2004
12.02.2020 08:58:31	1	1	1	1	81.25	55.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	34.625	2004
12.02.2020 08:58:32	1	1	1	1	81.25	54.5	0	30000	436.5591398	12818.4709	30000	0	0	30000	34.4375	2004
12.02.2020 08:58:33	1	1	1	1	81.25	54.25	0	30000	453.7634409	13612.64371	30000	0	0	30000	35.625	2004
12.02.2020 08:58:34	1	1	1	1	80.25	55.5	0	30000	453.7634409	13612.64371	30000	0	0	30000	35.5625	2004
12.02.2020 08:58:35	1	1	1	1	80.25	55.5	0	30000	458.0645161	13741.47256	30000	0	0	30000	35.375	2004
12.02.2020 08:58:36	1	1	1	1	80.25	55.25	0	30000	449.4623656	13333.78632	30000	0	0	30000	35.8125	2004
12.02.2020 08:58:37	1	1	1	1	80.25	55.75	0	30000	464.516129	13999.94564	30000	0	0	30000	35.5625	2004
12.02.2020 08:58:38	1	1	1	1	80.25	55.5	0	30000	464.516129	13999.94564	30000	0	0	30000	35.75	2004
12.02.2020 08:58:39	1	1	1	1	80.25	55.75	0	30000	464.516129	13999.94564	30000	0	0	30000	35.375	2004
12.02.2020 08:58:40	1	1	1	1	80.25	55.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	34.625	2004
12.02.2020 08:58:41	1	1	1	1	80.25	54.5	0	30047.393	445.1612903	13354.17063	30000	0	0	30000	35	2004
12.02.2020 08:58:42	1	1	1	1	80.25	55	0	30000	464.516129	13935.53122	30000	0	0	30000	35.4375	2004
12.02.2020 08:58:43	1	1	1	1	80.25	55.25	0	30000	464.516129	13935.53122	30000	0	0	30000	36.0625	2004
12.02.2020 08:58:44	1	1	1	1	81.25	56	0	30000	488.172043	14644.90528	30000	0	0	30000	35.8125	2004
12.02.2020 08:58:45	1	1	1	1	81.25	55.75	0	30000	486.0215054	14580.49085	30000	0	0	30000	36	2004
12.02.2020 08:58:46	1	1	1	1	81.25	56	0	29952.607	481.7204301	14451.662	30000	0	0	30000	34.8125	2004
12.02.2020 08:58:47	1	1	1	1	81.25	55.5	0	30000	496.7741935	14902.56299	30000	0	0	30000	35.75	2004
12.02.2020 08:58:48	1	1	1	1	81.25	55.75	0	30000	494.6236559	14838.14856	30000	0	0	30000	35.5625	2004
12.02.2020 08:58:50	1	1	1	1	81.25	55.5	0	30000	494.6236559	14644.90528	30000	0	0	30000	35.5	2004
12.02.2020 08:58:51	1	1	1	1	81.25	55.5	0	30000	481.7204301	14128.7745	30000	0	0	30000	34.875	2004
12.02.2020 08:58:52	1	1	1	1	81.25	54.75	0	30000	481.7204301	14451.662	30000	0	0	30000	35.0625	2004
12.02.2020 08:58:53	1	1	1	1	81.25	55	0	29952.607	486.0215054	14516.07643	30000	0	0	30000	35.3125	2004
12.02.2020 08:58:54	1	1	1	1	81.5	55.25	0	30000	481.7204301	14474.49243	30000	0	0	30000	35.3125	2004
12.02.2020 08:59:00	1	1	1	1	81.5	55.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	35.8125	2004
12.02.2020 08:59:00	1	1	1	1	81.5	55.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	35.8125	2004
12.02.2020 08:59:00	1	1	1	1	81.5	55.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	35.8125	2004
12.02.2020 08:59:00	1	1	1	1	81.5	55.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	35.8125	2004
12.02.2020 08:59:00	1	1	1	1	81.5	55.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	35.8125	2004
12.02.2020 08:59:01	1	1	1	1	81.5	55.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	35.75	2004
12.02.2020 08:59:02	1	1	1	1	81.5	55.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	35.4375	2004
12.02.2020 08:59:03	1	1	1	1	81.5	55.25	0	30000	468.8172043	14128.7745	30000	0	0	30000	35.25	2004
12.02.2020 08:59:04	1	1	1	1	81.75	55.25	0	30000	455.9139785	13741.47256	30000	0	0	30000	35.1875	2004
12.02.2020 08:59:05	1	1	1	1	81.75	55	0	30000	464.516129	13935.53122	30000	0	0	30000	35.875	2004
12.02.2020 08:59:06	1	1	1	1	81.75	55.75	0	30000	458.0645161	13612.64371	30000	0	0	30000	34.875	2004
12.02.2020 08:59:07	1	1	1	1	81.75	54.75	0	30000	464.516129	13935.53122	30000	0	0	30000	36	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 08:59:08	1	1	1	1	81.75	56	0	29952.607	464.516129	13935.53122	30000	0	0	30000	35.4375	2004
12.02.2020 08:59:09	1	1	1	1	81.75	55.25	0	30000	464.516129	13935.53122	30000	0	0	30000	34.6875	2004
12.02.2020 08:59:10	1	1	1	1	81.75	54.5	0	30000	464.516129	13935.53122	30000	0	0	30000	35.875	2004
12.02.2020 08:59:11	1	1	1	1	81.75	55.75	0	29905.213	464.516129	13935.53122	30000	0	0	30000	35.125	2004
12.02.2020 08:59:12	1	1	1	1	81.75	55	0	30000	460.2150538	13870.30142	30000	0	0	30000	35.875	2004
12.02.2020 08:59:13	1	1	1	1	81.75	55.75	0	29952.607	445.1612903	13354.17063	30000	0	0	30000	34.875	2004
12.02.2020 08:59:14	1	1	1	1	82.5	54.75	0	30000	445.1612903	13763.48762	30000	0	0	30000	35.875	2004
12.02.2020 08:59:15	1	1	1	1	82.5	55.75	0	30047.393	455.9139785	13354.17063	30000	0	0	30000	35.875	2004
12.02.2020 08:59:16	1	1	1	1	82.5	55.75	0	30000	460.2150538	13805.88699	30000	0	0	30000	34.625	2004
12.02.2020 08:59:17	1	1	1	1	82.5	54.5	0	30000	481.7204301	14451.662	30000	0	0	30000	36	2004
12.02.2020 08:59:18	1	1	1	1	82.5	56	0	30000	481.7204301	14451.662	30000	0	0	30000	34.8125	2004
12.02.2020 08:59:19	1	1	1	1	82.5	54.75	0	30000	483.8709677	14516.07643	30000	0	0	30000	35	2004
12.02.2020 08:59:20	1	1	1	1	82.5	55	0	30000	458.0645161	13741.47256	30000	0	0	30000	35.375	2004
12.02.2020 08:59:21	1	1	1	1	82.5	55.25	0	29952.607	449.4623656	13333.78632	30000	0	0	30000	35.4375	2004
12.02.2020 08:59:22	1	1	1	1	82.5	55.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	35.0625	2004
12.02.2020 08:59:23	1	1	1	1	82.5	55	0	30000	464.516129	13935.53122	30000	0	0	30000	35.75	2004
12.02.2020 08:59:24	1	1	1	1	82.25	55.75	0	30000	464.516129	13935.53122	30000	0	0	30000	35.9375	2004
12.02.2020 08:59:25	1	1	1	1	82.25	55.75	0	30000	468.8172043	13999.94564	30000	0	0	30000	34.75	2004
12.02.2020 08:59:26	1	1	1	1	82.25	55.75	0	30000	481.7204301	14451.662	30000	0	0	30000	35	2004
12.02.2020 08:59:28	1	1	1	1	82.25	55	0	30000	481.7204301	14451.662	30000	0	0	30000	34.0625	2004
12.02.2020 08:59:29	1	1	1	1	82.25	54	0	30000	464.516129	13935.53122	30000	0	0	30000	36.125	2004
12.02.2020 08:59:30	1	1	1	1	82.25	56	0	30000	453.7634409	13612.64371	30000	0	0	30000	35.5	2004
12.02.2020 08:59:31	1	1	1	1	82.25	55.5	0	30000	481.7204301	14451.662	30000	0	0	30000	35.875	2004
12.02.2020 08:59:32	1	1	1	1	82.25	55.75	0	30000	466.6666667	13999.94564	30000	0	0	30000	35.125	2004
12.02.2020 08:59:33	1	1	1	1	82.25	55	0	29952.607	481.7204301	14451.662	30000	0	0	30000	35.75	2004
12.02.2020 08:59:34	1	1	1	1	82	55.75	0	30000	483.8709677	14516.07643	30000	0	0	30000	34.875	2004
12.02.2020 08:59:35	1	1	1	1	82	54.75	0	30000	481.7204301	14451.662	30000	0	0	30000	35.75	2004
12.02.2020 08:59:36	1	1	1	1	82	55.75	0	30000	481.7204301	14106.75944	30000	0	0	30000	34.625	2004
12.02.2020 08:59:37	1	1	1	1	82	54.5	0	30000	458.0645161	13741.47256	30000	0	0	30000	35.8125	2004
12.02.2020 08:59:38	1	1	1	1	82	55.75	0	30000	460.2150538	13805.88699	30000	0	0	30000	35.5625	2004
12.02.2020 08:59:39	1	1	1	1	82	55.5	0	30000	481.7204301	14451.662	30000	0	0	30000	35.25	2004
12.02.2020 08:59:42	1	1	1	1	82	55.25	0	30000	483.8709677	14451.662	30000	0	0	30000	35.125	2004
12.02.2020 08:59:42	1	1	1	1	82	55.25	0	30000	483.8709677	14451.662	30000	0	0	30000	35.125	2004
12.02.2020 08:59:42	1	1	1	1	82	55.25	0	30000	483.8709677	14451.662	30000	0	0	30000	35.125	2004
12.02.2020 08:59:43	1	1	1	1	82	55	0	30000	481.7204301	14451.662	30000	0	0	30000	35.5	2004
12.02.2020 08:59:44	1	1	1	1	83.5	55.5	0	30000	468.8172043	14128.7745	30000	0	0	30000	35.625	2004
12.02.2020 08:59:45	1	1	1	1	83.5	55.5	0	29952.607	453.7634409	13741.47256	30000	0	0	30000	35.0625	2004
12.02.2020 08:59:46	1	1	1	1	83.5	55	0	30000	453.7634409	13612.64371	30000	0	0	30000	36.0625	2004
12.02.2020 08:59:47	1	1	1	1	83.5	56	0	30000	464.516129	13935.53122	30000	0	0	30000	35.75	2004
12.02.2020 08:59:48	1	1	1	1	83.5	55.75	0	30000	460.2150538	13805.88699	30000	0	0	30000	35.3125	2004
12.02.2020 08:59:49	1	1	1	1	83.5	55.25	0	30000	464.516129	13935.53122	30000	0	0	30000	34.5	2004
12.02.2020 08:59:50	1	1	1	1	83.5	54.5	0	30000	455.9139785	13741.47256	30000	0	0	30000	35.875	2004
12.02.2020 08:59:51	1	1	1	1	83.5	55.75	0	30000	451.6129032	13483.81486	30000	0	0	30000	35.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 08:59:52	1	1	1	1	83.5	55	0	30000	445.1612903	13354.17063	30000	0	0	30000	35.4375	2004
12.02.2020 08:59:53	1	1	1	1	83.5	55.25	0	30000	460.2150538	13805.88699	30000	0	0	30000	34.9375	2004
12.02.2020 08:59:54	1	1	1	1	83.5	54.75	0	29952.607	466.6666667	13977.93058	30000	0	0	30000	35.5	2004
12.02.2020 08:59:55	1	1	1	1	83.5	55.5	0	30000	488.172043	14644.90528	30000	0	0	30000	36	2004
12.02.2020 09:00:02	1	1	1	1	83.5	55.5	0	30000	481.7204301	14451.662	30000	0	0	30000	35.5625	2004
12.02.2020 09:00:02	1	1	1	1	83.5	55.5	0	30000	481.7204301	14451.662	30000	0	0	30000	35.5625	2004
12.02.2020 09:00:02	1	1	1	1	83.5	55.5	0	30000	481.7204301	14451.662	30000	0	0	30000	35.5625	2004
12.02.2020 09:00:02	1	1	1	1	83.5	55.5	0	30000	481.7204301	14451.662	30000	0	0	30000	35.5625	2004
12.02.2020 09:00:02	1	1	1	1	83.5	55.5	0	30000	481.7204301	14451.662	30000	0	0	30000	35.5625	2004
12.02.2020 09:00:02	1	1	1	1	83.5	55.5	0	29952.607	458.0645161	13741.47256	30000	0	0	30000	35.4375	2004
12.02.2020 09:00:03	1	1	1	1	83.5	55.25	0	30000	481.7204301	14451.662	30000	0	0	30000	36.375	2004
12.02.2020 09:00:04	1	1	1	1	83.75	56.25	0	30000	464.516129	13935.53122	30000	0	0	30000	36.3125	2004
12.02.2020 09:00:05	1	1	1	1	83.75	56.25	0	30000	481.7204301	14451.662	30000	0	0	30000	35.8125	2004
12.02.2020 09:00:06	1	1	1	1	83.75	56.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	35.375	2004
12.02.2020 09:00:07	1	1	1	1	83.75	55.25	0	30000	492.4731183	14644.90528	30000	0	0	30000	36.0625	2004
12.02.2020 09:00:09	1	1	1	1	83.75	56	0	30000	483.8709677	14493.246	30000	0	0	30000	35.375	2004
12.02.2020 09:00:10	1	1	1	1	83.75	55.25	0	30000	481.7204301	14451.662	30000	0	0	30000	35.0625	2004
12.02.2020 09:00:11	1	1	1	1	83.75	55	0	30000	483.8709677	14516.07643	30000	0	0	30000	35.375	2004
12.02.2020 09:00:12	1	1	1	1	83.75	55.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	34.875	2004
12.02.2020 09:00:13	1	1	1	1	83.75	54.75	0	29905.213	507.5268817	15289.86492	30000	0	0	30000	34.3125	2004
12.02.2020 09:00:14	1	1	1	1	84.5	54.25	0	30000	501.0752688	15032.20721	30000	0	0	30000	35.125	2004
12.02.2020 09:00:15	1	1	1	1	84.5	55	0	30000	488.172043	14644.90528	30000	0	0	30000	35.8125	2004
12.02.2020 09:00:16	1	1	1	1	84.5	55.75	0	30000	481.7204301	14516.07643	30000	0	0	30000	34.9375	2004
12.02.2020 09:00:17	1	1	1	1	84.5	54.75	0	29952.607	481.7204301	14644.90528	30000	0	0	30000	35.625	2004
12.02.2020 09:00:18	1	1	1	1	84.5	55.5	0	29952.607	490.3225806	14773.73413	30000	0	0	30000	35.4375	2004
12.02.2020 09:00:19	1	1	1	1	84.5	55.25	0	29952.607	501.0752688	15008.56141	30000	0	0	30000	35.3125	2004
12.02.2020 09:00:20	1	1	1	1	84.5	55.25	0	29952.607	490.3225806	14750.9037	30000	0	0	30000	35.375	2004
12.02.2020 09:00:21	1	1	1	1	84.5	55.25	0	30000	488.172043	14644.90528	30000	0	0	30000	35.5	2004
12.02.2020 09:00:22	1	1	1	1	84.5	55.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	35.25	2004
12.02.2020 09:00:23	1	1	1	1	84.5	55.25	0	29952.607	483.8709677	14516.07643	30000	0	0	30000	35.5625	2004
12.02.2020 09:00:24	1	1	1	1	84.5	55.5	0	30000	486.0215054	14580.49085	30000	0	0	30000	35.5625	2004
12.02.2020 09:00:25	1	1	1	1	84.5	55.5	0	30000	490.3225806	14750.9037	30000	0	0	30000	35.5	2004
12.02.2020 09:00:26	1	1	1	1	84.5	55.5	0	30000	494.6236559	14644.90528	30000	0	0	30000	34.9375	2004
12.02.2020 09:00:27	1	1	1	1	84.5	54.75	0	30000	481.7204301	14451.662	30000	0	0	30000	35.125	2004
12.02.2020 09:00:28	1	1	1	1	84.5	55	0	30047.393	481.7204301	14128.7745	30000	0	0	30000	36	2004
12.02.2020 09:00:29	1	1	1	1	84.5	56	0	30000	492.4731183	14773.73413	30000	0	0	30000	36.125	2004
12.02.2020 09:00:30	1	1	1	1	84.5	56	0	30000	481.7204301	14451.662	30000	0	0	30000	36	2004
12.02.2020 09:00:31	1	1	1	1	84.5	56	0	30000	483.8709677	14516.07643	30000	0	0	30000	35.125	2004
12.02.2020 09:00:32	1	1	1	1	84.5	55	0	30000	481.7204301	14451.662	30000	0	0	30000	34.75	2004
12.02.2020 09:00:33	1	1	1	1	84.5	54.75	0	30000	486.0215054	14644.90528	30000	0	0	30000	35.9375	2004
12.02.2020 09:00:34	1	1	1	1	85.25	55.75	0	30000	464.516129	13935.53122	30000	0	0	30000	35.1875	2004
12.02.2020 09:00:35	1	1	1	1	85.25	55	0	30000	481.7204301	14451.662	30000	0	0	30000	34.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 09:00:36	1	1	1	1	85.25	54.75	0	30000	481.7204301	14451.662	30000	0	0	30000	36	2004
12.02.2020 09:00:37	1	1	1	1	85.25	56	0	30000	481.7204301	14428.83157	30000	0	0	30000	35.5	2004
12.02.2020 09:00:38	1	1	1	1	85.25	55.5	0	30000	481.7204301	14451.662	30000	0	0	30000	35.25	2004
12.02.2020 09:00:39	1	1	1	1	85.25	55.25	0	30000	481.7204301	14451.662	30000	0	0	30000	35.25	2004
12.02.2020 09:00:40	1	1	1	1	85.25	55.25	0	30000	481.7204301	14451.662	30000	0	0	30000	35.8125	2004
12.02.2020 09:00:41	1	1	1	1	85.25	55.75	0	30000	490.3225806	14773.73413	30000	0	0	30000	36.1875	2004
12.02.2020 09:00:42	1	1	1	1	85.25	56	0	30000	481.7204301	14451.662	30000	0	0	30000	35.5	2004
12.02.2020 09:00:43	1	1	1	1	85.25	55.5	0	30000	494.6236559	14773.73413	30000	0	0	30000	36.1875	2004
12.02.2020 09:00:44	1	1	1	1	85.5	55.5	0	30000	496.7741935	14902.56299	30000	0	0	30000	36.125	2004
12.02.2020 09:00:46	1	1	1	1	85.5	56	0	29952.607	494.6236559	15032.20721	30000	0	0	30000	35.875	2004
12.02.2020 09:00:47	1	1	1	1	85.5	55.75	0	30000	507.5268817	15443.15495	30000	0	0	30000	35.9375	2004
12.02.2020 09:00:48	1	1	1	1	85.5	55.75	0	30000	501.0752688	14902.56299	30000	0	0	30000	35.25	2004
12.02.2020 09:00:49	1	1	1	1	85.5	55.25	0	30000	507.5268817	15161.03607	30000	0	0	30000	34.9375	2004
12.02.2020 09:00:50	1	1	1	1	85.5	54.75	0	30000	490.3225806	14644.90528	30000	0	0	30000	34.375	2004
12.02.2020 09:00:51	1	1	1	1	85.5	54.25	0	30000	501.0752688	15032.20721	30000	0	0	30000	34.25	2004
12.02.2020 09:00:52	1	1	1	1	85.5	54.25	0	30000	494.6236559	14773.73413	30000	0	0	30000	34.5	2004
12.02.2020 09:00:53	1	1	1	1	85.5	54.5	0	30000	507.5268817	15161.03607	30000	0	0	30000	35.6875	2004
12.02.2020 09:00:54	1	1	1	1	85.5	55.5	0	30000	501.0752688	15032.20721	30000	0	0	30000	34.75	2004
12.02.2020 09:00:55	1	1	1	1	85.5	54.75	0	30000	507.5268817	15225.45049	30000	0	0	30000	35.75	2004
12.02.2020 09:00:56	1	1	1	1	85.5	55.75	0	30000	503.2258065	15008.56141	30000	0	0	30000	36.125	2004
12.02.2020 09:00:57	1	1	1	1	85.5	56	0	30000	518.2795699	15548.338	30000	0	0	30000	35.9375	2004
12.02.2020 09:01:03	1	1	1	1	85.5	56	0	30000	526.8817204	15805.99571	30000	0	0	30000	35.8125	2004
12.02.2020 09:01:03	1	1	1	1	85.5	56	0	30000	526.8817204	15805.99571	30000	0	0	30000	35.8125	2004
12.02.2020 09:01:03	1	1	1	1	85.5	56	0	30000	526.8817204	15805.99571	30000	0	0	30000	35.8125	2004
12.02.2020 09:01:03	1	1	1	1	85.5	56	0	30000	526.8817204	15805.99571	30000	0	0	30000	35.8125	2004
12.02.2020 09:01:03	1	1	1	1	85.5	56	0	30000	526.8817204	15805.99571	30000	0	0	30000	35.8125	2004
12.02.2020 09:01:03	1	1	1	1	85.5	56	0	30000	526.8817204	15805.99571	30000	0	0	30000	35.8125	2004
12.02.2020 09:01:03	1	1	1	1	85.5	56	0	30000	526.8817204	15805.99571	30000	0	0	30000	35.8125	2004
12.02.2020 09:01:04	1	1	1	1	86.25	55.75	0	30000	533.3333333	16000.05436	30000	0	0	30000	34.8125	2004
12.02.2020 09:01:05	1	1	1	1	86.25	54.75	0	30000	524.7311828	15805.99571	30000	0	0	30000	35.9375	2004
12.02.2020 09:01:06	1	1	1	1	86.25	55.75	0	29952.607	533.3333333	15974.77781	30000	0	0	30000	36.0625	2004
12.02.2020 09:01:07	1	1	1	1	86.25	56	0	29810.427	535.483871	15987.82377	30000	0	0	30000	35.9375	2004
12.02.2020 09:01:08	1	1	1	1	86.25	55.75	0	29857.82	533.3333333	15987.82377	30000	0	0	30000	35.125	2004
12.02.2020 09:01:09	1	1	1	1	86.25	55	0	29905.213	535.483871	16013.10032	30000	0	0	30000	34.5625	2004
12.02.2020 09:01:10	1	1	1	1	86.25	54.5	0	30000	529.0322581	15805.99571	30000	0	0	30000	35.3125	2004
12.02.2020 09:01:11	1	1	1	1	86.25	55.25	0	29952.607	533.3333333	16000.05436	30000	0	0	30000	35.4375	2004
12.02.2020 09:01:12	1	1	1	1	86.25	55.25	0	29905.213	533.3333333	15885.08684	30000	0	0	30000	35.5625	2004
12.02.2020 09:01:13	1	1	1	1	86.25	55.5	0	30000	537.6344086	15949.50126	30000	0	0	30000	36.1875	2004
12.02.2020 09:01:14	1	1	1	1	86.75	56	0	30000	533.3333333	16000.05436	30000	0	0	30000	35.3125	2004
12.02.2020 09:01:15	1	1	1	1	86.75	55.25	0	29952.607	526.8817204	16000.05436	30000	0	0	30000	35.3125	2004
12.02.2020 09:01:16	1	1	1	1	86.75	55.25	0	30000	529.0322581	15805.99571	30000	0	0	30000	34.875	2004
12.02.2020 09:01:17	1	1	1	1	86.75	54.75	0	29857.82	533.3333333	15949.50126	30000	0	0	30000	35.5	2004
12.02.2020 09:01:18	1	1	1	1	86.75	55.5	0	29810.427	537.6344086	16026.96165	30000	0	0	30000	36.125	2004
12.02.2020 09:01:19	1	1	1	1	86.75	56	0	29620.853	537.6344086	15925.04009	30000	0	0	30000	36.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 09:01:20	1	1	1	1	86.75	56.25	0	29620.853	535.483871	15861.44103	30000	0	0	30000	36.125	2004
12.02.2020 09:01:21	1	1	1	1	86.75	56	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	36.125	2004
12.02.2020 09:01:22	1	1	1	1	86.75	55.5	0	29715.64	537.6344086	15911.99413	30000	0	0	30000	36	2004
12.02.2020 09:01:23	1	1	1	1	87.5	56	0	29905.213	535.483871	15949.50126	30000	0	0	30000	36.125	2004
12.02.2020 09:01:25	1	1	1	1	87.5	56	0	30000	524.7311828	15563.0147	30000	0	0	30000	35.4375	2004
12.02.2020 09:01:26	1	1	1	1	87.5	55.25	0	30000	522.5806452	15677.16685	30000	0	0	30000	35.6875	2004
12.02.2020 09:01:27	1	1	1	1	87.5	55.5	0	30047.393	511.827957	15161.03607	30000	0	0	30000	36.0625	2004
12.02.2020 09:01:28	1	1	1	1	87.5	56	0	30000	533.3333333	16000.05436	30000	0	0	30000	34.8125	2004
12.02.2020 09:01:29	1	1	1	1	87.5	54.75	0	29478.673	537.6344086	15911.99413	30000	0	0	30000	35.3125	2004
12.02.2020 09:01:30	1	1	1	1	87.5	55.25	0	29715.64	529.0322581	16090.5607	30000	0	0	30000	35	2004
12.02.2020 09:01:31	1	1	1	1	87.5	55	0	29715.64	537.6344086	15911.99413	30000	0	0	30000	35.9375	2004
12.02.2020 09:01:32	1	1	1	1	87.5	55.75	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	36	2004
12.02.2020 09:01:33	1	1	1	1	87.5	56	0	29905.213	537.6344086	16013.10032	30000	0	0	30000	36.0625	2004
12.02.2020 09:01:34	1	1	1	1	87.75	56	0	29810.427	537.6344086	16026.96165	30000	0	0	30000	36.0625	2004
12.02.2020 09:01:35	1	1	1	1	87.75	56	0	29763.033	535.483871	15962.54722	30000	0	0	30000	35.4375	2004
12.02.2020 09:01:36	1	1	1	1	87.75	55.25	0	29857.82	537.6344086	15962.54722	30000	0	0	30000	35.8125	2004
12.02.2020 09:01:37	1	1	1	1	87.75	55.75	0	29810.427	535.483871	16154.97513	30000	0	0	30000	35.625	2004
12.02.2020 09:01:38	1	1	1	1	87.75	55.5	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	36.0625	2004
12.02.2020 09:01:39	1	1	1	1	87.75	56	0	29905.213	537.6344086	16116.65262	30000	0	0	30000	36	2004
12.02.2020 09:01:40	1	1	1	1	87.75	56	0	29905.213	537.6344086	16141.92917	30000	0	0	30000	36.0625	2004
12.02.2020 09:01:41	1	1	1	1	87.75	56	0	29715.64	535.483871	15911.99413	30000	0	0	30000	35.375	2004
12.02.2020 09:01:42	1	1	1	1	87.75	55.25	0	29857.82	531.1827957	16013.10032	30000	0	0	30000	35.5	2004
12.02.2020 09:01:43	1	1	1	1	87.75	55.5	0	29905.213	535.483871	16206.3436	30000	0	0	30000	36.0625	2004
12.02.2020 09:01:44	1	1	1	1	88	56	0	29715.64	535.483871	15950.31664	30000	0	0	30000	35.625	2004
12.02.2020 09:01:45	1	1	1	1	88	55.5	0	29905.213	537.6344086	16077.51474	30000	0	0	30000	35.8125	2004
12.02.2020 09:01:46	1	1	1	1	88	55.75	0	29857.82	535.483871	15987.82377	30000	0	0	30000	35.6875	2004
12.02.2020 09:01:47	1	1	1	1	88	55.5	0	29620.853	537.6344086	16013.91569	30000	0	0	30000	36.0625	2004
12.02.2020 09:01:48	1	1	1	1	88	56	0	29857.82	535.483871	15898.94817	30000	0	0	30000	36.125	2004
12.02.2020 09:01:49	1	1	1	1	88	56	0	29810.427	535.483871	15898.94817	30000	0	0	30000	35.5	2004
12.02.2020 09:01:50	1	1	1	1	88	55.5	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	35.9375	2004
12.02.2020 09:01:51	1	1	1	1	88	55.75	0	29810.427	537.6344086	15911.99413	30000	0	0	30000	36	2004
12.02.2020 09:01:52	1	1	1	1	88	56	0	29905.213	541.9354839	16090.5607	30000	0	0	30000	35.8125	2004
12.02.2020 09:01:53	1	1	1	1	88	55.75	0	29857.82	539.7849462	16090.5607	30000	0	0	30000	35.6875	2004
12.02.2020 09:01:54	1	1	1	1	88.75	55.5	0	29857.82	524.7311828	16013.10032	30000	0	0	30000	36.0625	2004
12.02.2020 09:01:55	1	1	1	1	88.75	56	0	29810.427	535.483871	15962.54722	30000	0	0	30000	36.0625	2004
12.02.2020 09:01:56	1	1	1	1	88.75	56	0	29715.64	537.6344086	16103.60666	30000	0	0	30000	35.8125	2004
12.02.2020 09:01:57	1	1	1	1	88.75	55.75	0	29715.64	537.6344086	15848.39508	30000	0	0	30000	35.875	2004
12.02.2020 09:01:58	1	1	1	1	88.75	55.75	0	29668.246	537.6344086	16040.00761	30000	0	0	30000	35.8125	2004
12.02.2020 09:02:05	1	1	1	1	89.75	56	0	29431.28	537.6344086	16101.97592	30000	0	0	30000	36	2004
12.02.2020 09:02:05	1	1	1	1	89.75	56	0	29431.28	537.6344086	16101.97592	30000	0	0	30000	36	2004
12.02.2020 09:02:05	1	1	1	1	89.75	56	0	29431.28	537.6344086	16101.97592	30000	0	0	30000	36	2004
12.02.2020 09:02:05	1	1	1	1	89.75	56	0	29431.28	537.6344086	16101.97592	30000	0	0	30000	36	2004
12.02.2020 09:02:05	1	1	1	1	89.75	56	0	29431.28	537.6344086	16101.97592	30000	0	0	30000	36	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 09:02:05	1	1	1	1	89.75	56	0	29431.28	537.6344086	16101.97592	30000	0	0	30000	36	2004
12.02.2020 09:02:06	1	1	1	1	89.75	56	0	29810.427	541.9354839	16154.97513	30000	0	0	30000	35.5625	2004
12.02.2020 09:02:07	1	1	1	1	89.75	55.5	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	36.0625	2004
12.02.2020 09:02:08	1	1	1	1	89.75	56	0	29763.033	537.6344086	15975.59318	30000	0	0	30000	36	2004
12.02.2020 09:02:09	1	1	1	1	89.75	56	0	29857.82	537.6344086	16026.96165	30000	0	0	30000	35.8125	2004
12.02.2020 09:02:10	1	1	1	1	89.75	55.75	0	29526.066	537.6344086	15937.27068	30000	0	0	30000	36.125	2004
12.02.2020 09:02:11	1	1	1	1	89.75	56	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	35.8125	2004
12.02.2020 09:02:12	1	1	1	1	89.75	55.75	0	29857.82	535.483871	16141.92917	30000	0	0	30000	35.625	2004
12.02.2020 09:02:13	1	1	1	1	89.75	55.5	0	29526.066	541.9354839	15937.27068	30000	0	0	30000	36.25	2004
12.02.2020 09:02:14	1	1	1	1	89.5	56.25	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	36.0625	2004
12.02.2020 09:02:15	1	1	1	1	89.5	56	0	29526.066	544.0860215	16090.5607	30000	0	0	30000	35.3125	2004
12.02.2020 09:02:16	1	1	1	1	89.5	55.25	0	29431.28	533.3333333	15569.53768	30000	0	0	30000	36.125	2004
12.02.2020 09:02:17	1	1	1	1	89.5	56	0	29573.46	539.7849462	15963.3626	30000	0	0	30000	35.4375	2004
12.02.2020 09:02:18	1	1	1	1	89.5	55.25	0	29905.213	539.7849462	15898.94817	30000	0	0	30000	35.75	2004
12.02.2020 09:02:19	1	1	1	1	89.5	55.75	0	29620.853	533.3333333	15797.84198	30000	0	0	30000	35.75	2004
12.02.2020 09:02:20	1	1	1	1	89.5	55.75	0	29905.213	537.6344086	16077.51474	30000	0	0	30000	36	2004
12.02.2020 09:02:21	1	1	1	1	89.5	56	0	29573.46	537.6344086	15861.44103	30000	0	0	30000	36.1875	2004
12.02.2020 09:02:22	1	1	1	1	89.5	56	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	35.75	2004
12.02.2020 09:02:23	1	1	1	1	89.5	55.75	0	29763.033	539.7849462	16090.5607	30000	0	0	30000	36.1875	2004
12.02.2020 09:02:24	1	1	1	1	90	56	0	29857.82	537.6344086	16077.51474	30000	0	0	30000	36.125	2004
12.02.2020 09:02:25	1	1	1	1	90	56	0	29715.64	539.7849462	16103.60666	30000	0	0	30000	35.5	2004
12.02.2020 09:02:26	1	1	1	1	90	55.5	0	29478.673	541.9354839	15975.59318	30000	0	0	30000	35.625	2004
12.02.2020 09:02:27	1	1	1	1	90	55.5	0	29526.066	541.9354839	16090.5607	30000	0	0	30000	36.3125	2004
12.02.2020 09:02:28	1	1	1	1	90	56.25	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	35.25	2004
12.02.2020 09:02:29	1	1	1	1	90	55.25	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	36.375	2004
12.02.2020 09:02:30	1	1	1	1	90	56.25	0	29810.427	537.6344086	16026.96165	30000	0	0	30000	35	2004
12.02.2020 09:02:31	1	1	1	1	90	55	0	29668.246	539.7849462	15988.63914	30000	0	0	30000	36	2004
12.02.2020 09:02:32	1	1	1	1	90	56	0	29668.246	539.7849462	15861.44103	30000	0	0	30000	35.75	2004
12.02.2020 09:02:33	1	1	1	1	90	55.75	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	35.875	2004
12.02.2020 09:02:34	1	1	1	1	90.5	55.75	0	29668.246	539.7849462	15988.63914	30000	0	0	30000	35.5625	2004
12.02.2020 09:02:35	1	1	1	1	90.5	55.5	0	29715.64	537.6344086	15911.99413	30000	0	0	30000	35	2004
12.02.2020 09:02:36	1	1	1	1	90.5	55	0	29905.213	537.6344086	16013.10032	30000	0	0	30000	34.875	2004
12.02.2020 09:02:37	1	1	1	1	90.5	54.75	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	36.4375	2004
12.02.2020 09:02:38	1	1	1	1	90.5	56.25	0	29857.82	535.483871	16013.10032	30000	0	0	30000	36.625	2004
12.02.2020 09:02:39	1	1	1	1	90.5	56.5	0	29810.427	537.6344086	16026.96165	30000	0	0	30000	35.75	2004
12.02.2020 09:02:41	1	1	1	1	90.5	56.5	0	29810.427	541.9354839	15783.98065	30000	0	0	30000	36	2004
12.02.2020 09:02:42	1	1	1	1	90.5	56	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	36.125	2004
12.02.2020 09:02:43	1	1	1	1	90.5	56	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	35.0625	2004
12.02.2020 09:02:44	1	1	1	1	91	55	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	36	2004
12.02.2020 09:02:45	1	1	1	1	91	56	0	29573.46	537.6344086	15899.76354	30000	0	0	30000	35.6875	2004
12.02.2020 09:02:46	1	1	1	1	91	55.5	0	29905.213	541.9354839	16270.75802	30000	0	0	30000	36.25	2004
12.02.2020 09:02:47	1	1	1	1	91	56.25	0	29857.82	539.7849462	16116.65262	30000	0	0	30000	36.0625	2004
12.02.2020 09:02:48	1	1	1	1	91	56	0	29905.213	539.7849462	16077.51474	30000	0	0	30000	35.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 09:02:49	1	1	1	1	91	55.5	0	29857.82	541.9354839	15962.54722	30000	0	0	30000	36.3125	2004
12.02.2020 09:02:50	1	1	1	1	91	56.25	0	29810.427	537.6344086	16090.5607	30000	0	0	30000	35.3125	2004
12.02.2020 09:02:51	1	1	1	1	91	55.25	0	29810.427	533.3333333	15962.54722	30000	0	0	30000	35.75	2004
12.02.2020 09:02:52	1	1	1	1	91	55.75	0	29952.607	533.3333333	16064.46878	30000	0	0	30000	36.125	2004
12.02.2020 09:02:53	1	1	1	1	91	56	0	29810.427	537.6344086	15975.59318	30000	0	0	30000	36	2004
12.02.2020 09:02:54	1	1	1	1	90.5	56	0	29857.82	533.3333333	15962.54722	30000	0	0	30000	35.625	2004
12.02.2020 09:02:55	1	1	1	1	90.5	55.5	0	29905.213	539.7849462	16141.92917	30000	0	0	30000	35.6875	2004
12.02.2020 09:02:56	1	1	1	1	90.5	55.5	0	29810.427	535.483871	16013.10032	30000	0	0	30000	34.9375	2004
12.02.2020 09:02:57	1	1	1	1	90.5	54.75	0	29857.82	535.483871	15962.54722	30000	0	0	30000	36.25	2004
12.02.2020 09:02:58	1	1	1	1	90.5	56.25	0	29857.82	537.6344086	16077.51474	30000	0	0	30000	35.5625	2004
12.02.2020 09:02:59	1	1	1	1	90.5	55.5	0	29715.64	537.6344086	15886.71758	30000	0	0	30000	36.0625	2004
12.02.2020 09:03:00	1	1	1	1	90.5	56	0	29857.82	535.483871	15987.82377	30000	0	0	30000	35.4375	2004
12.02.2020 09:03:06	1	1	1	1	91	55.75	0	29810.427	537.6344086	15962.54722	30000	0	0	30000	36.125	2004
12.02.2020 09:03:06	1	1	1	1	91	55.75	0	29810.427	537.6344086	15962.54722	30000	0	0	30000	36.125	2004
12.02.2020 09:03:06	1	1	1	1	91	55.75	0	29810.427	537.6344086	15962.54722	30000	0	0	30000	36.125	2004
12.02.2020 09:03:06	1	1	1	1	91	56	0	30000	533.3333333	16000.05436	30000	0	0	30000	35.4375	2004
12.02.2020 09:03:06	1	1	1	1	91	56	0	30000	533.3333333	16000.05436	30000	0	0	30000	35.4375	2004
12.02.2020 09:03:07	1	1	1	1	91	55.25	0	29857.82	533.3333333	15949.50126	30000	0	0	30000	36.1875	2004
12.02.2020 09:03:08	1	1	1	1	91	56	0	29952.607	533.3333333	16000.05436	30000	0	0	30000	35.8125	2004
12.02.2020 09:03:09	1	1	1	1	91	55.75	0	29952.607	539.7849462	15820.67241	30000	0	0	30000	35.625	2004
12.02.2020 09:03:10	1	1	1	1	91	55.5	0	29905.213	535.483871	16013.10032	30000	0	0	30000	36.0625	2004
12.02.2020 09:03:11	1	1	1	1	91	56	0	29620.853	533.3333333	15911.99413	30000	0	0	30000	35.625	2004
12.02.2020 09:03:12	1	1	1	1	91	55.5	0	29857.82	537.6344086	15962.54722	30000	0	0	30000	36.375	2004
12.02.2020 09:03:13	1	1	1	1	91	56.25	0	29857.82	535.483871	16013.10032	30000	0	0	30000	36	2004
12.02.2020 09:03:14	1	1	1	1	91.5	56	0	29810.427	533.3333333	15962.54722	30000	0	0	30000	36.125	2004
12.02.2020 09:03:15	1	1	1	1	91.5	56	0	29857.82	537.6344086	15987.82377	30000	0	0	30000	36.25	2004
12.02.2020 09:03:16	1	1	1	1	91.5	56.25	0	29857.82	533.3333333	16077.51474	30000	0	0	30000	36.125	2004
12.02.2020 09:03:17	1	1	1	1	91.5	56	0	29857.82	535.483871	15987.82377	30000	0	0	30000	36.25	2004
12.02.2020 09:03:18	1	1	1	1	91.5	56.25	0	29905.213	539.7849462	16052.2382	30000	0	0	30000	36.25	2004
12.02.2020 09:03:19	1	1	1	1	91.5	56.25	0	29905.213	531.1827957	15885.08684	30000	0	0	30000	36.125	2004
12.02.2020 09:03:20	1	1	1	1	91.5	56	0	29905.213	535.483871	16077.51474	30000	0	0	30000	36.3125	2004
12.02.2020 09:03:21	1	1	1	1	91.5	56.25	0	29810.427	537.6344086	16040.00761	30000	0	0	30000	36.25	2004
12.02.2020 09:03:23	1	1	1	1	91.5	56.25	0	29810.427	535.483871	16026.96165	30000	0	0	30000	35.75	2004
12.02.2020 09:03:24	1	1	1	1	92	55.75	0	29715.64	537.6344086	16026.96165	30000	0	0	30000	36.375	2004
12.02.2020 09:03:25	1	1	1	1	92	56.25	0	29857.82	537.6344086	16052.2382	30000	0	0	30000	35.75	2004
12.02.2020 09:03:26	1	1	1	1	92	55.75	0	29952.607	535.483871	16013.10032	30000	0	0	30000	36.0625	2004
12.02.2020 09:03:27	1	1	1	1	92	56	0	29715.64	537.6344086	15911.99413	30000	0	0	30000	36.1875	2004
12.02.2020 09:03:28	1	1	1	1	92	56	0	29905.213	533.3333333	15756.25798	30000	0	0	30000	35.1875	2004
12.02.2020 09:03:29	1	1	1	1	92	55	0	29810.427	535.483871	15898.94817	30000	0	0	30000	36	2004
12.02.2020 09:03:30	1	1	1	1	92	56	0	29810.427	535.483871	15962.54722	30000	0	0	30000	35.75	2004
12.02.2020 09:03:31	1	1	1	1	92	55.75	0	29810.427	537.6344086	15962.54722	30000	0	0	30000	36.0625	2004
12.02.2020 09:03:32	1	1	1	1	92	56	0	29715.64	533.3333333	15848.39508	30000	0	0	30000	36.0625	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 09:03:33	1	1	1	1	92	56	0	30000	537.6344086	16193.29764	30000	0	0	30000	35.8125	2004
12.02.2020 09:03:34	1	1	1	1	92.25	55.75	0	29810.427	537.6344086	16181.06705	30000	0	0	30000	35.6875	2004
12.02.2020 09:03:35	1	1	1	1	92.25	55.5	0	29905.213	535.483871	16064.46878	30000	0	0	30000	36.4375	2004
12.02.2020 09:03:36	1	1	1	1	92.25	56.25	0	29905.213	537.6344086	16206.3436	30000	0	0	30000	36.125	2004
12.02.2020 09:03:37	1	1	1	1	92.25	56	0	29810.427	533.3333333	15898.94817	30000	0	0	30000	36.0625	2004
12.02.2020 09:03:38	1	1	1	1	92.25	56	0	29857.82	537.6344086	16090.5607	30000	0	0	30000	36	2004
12.02.2020 09:03:39	1	1	1	1	92.25	56	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	35.4375	2004
12.02.2020 09:03:40	1	1	1	1	92.25	55.25	0	29905.213	535.483871	16013.10032	30000	0	0	30000	36.25	2004
12.02.2020 09:03:41	1	1	1	1	92.25	56.25	0	29857.82	533.3333333	15924.22472	30000	0	0	30000	36.3125	2004
12.02.2020 09:03:42	1	1	1	1	92.25	56.25	0	29810.427	535.483871	15962.54722	30000	0	0	30000	35.9375	2004
12.02.2020 09:03:43	1	1	1	1	92.25	55.75	0	29763.033	535.483871	15911.99413	30000	0	0	30000	36.1875	2004
12.02.2020 09:03:44	1	1	1	1	92.5	56	0	29810.427	537.6344086	16090.5607	30000	0	0	30000	35.625	2004
12.02.2020 09:03:45	1	1	1	1	92.5	55.5	0	29620.853	535.483871	15861.44103	30000	0	0	30000	36.0625	2004
12.02.2020 09:03:46	1	1	1	1	92.5	56	0	29810.427	533.3333333	15962.54722	30000	0	0	30000	35.5	2004
12.02.2020 09:03:47	1	1	1	1	92.5	55.5	0	29905.213	537.6344086	16077.51474	30000	0	0	30000	36.0625	2004
12.02.2020 09:03:48	1	1	1	1	92.5	56	0	29810.427	533.3333333	16013.10032	30000	0	0	30000	36.25	2004
12.02.2020 09:03:49	1	1	1	1	92.5	56.25	0	29857.82	535.483871	15987.82377	30000	0	0	30000	35.8125	2004
12.02.2020 09:03:50	1	1	1	1	92.5	55.75	0	29857.82	541.9354839	16090.5607	30000	0	0	30000	36.3125	2004
12.02.2020 09:03:51	1	1	1	1	92.5	56.25	0	29857.82	537.6344086	16116.65262	30000	0	0	30000	36.25	2004
12.02.2020 09:03:52	1	1	1	1	92.5	56.25	0	29763.033	533.3333333	15937.27068	30000	0	0	30000	36.25	2004
12.02.2020 09:03:53	1	1	1	1	92.5	56.25	0	29810.427	535.483871	15962.54722	30000	0	0	30000	36.125	2004
12.02.2020 09:03:54	1	1	1	1	93	56	0	29857.82	537.6344086	16026.96165	30000	0	0	30000	36.3125	2004
12.02.2020 09:03:55	1	1	1	1	93	56.25	0	30000	537.6344086	16039.19224	30000	0	0	30000	36.125	2004
12.02.2020 09:03:56	1	1	1	1	93	56	0	29857.82	535.483871	15987.82377	30000	0	0	30000	35.375	2004
12.02.2020 09:03:57	1	1	1	1	93	55.25	0	29810.427	531.1827957	16270.75802	30000	0	0	30000	35.8125	2004
12.02.2020 09:03:58	1	1	1	1	93	55.75	0	29905.213	533.3333333	15730.98144	30000	0	0	30000	36.4375	2004
12.02.2020 09:03:59	1	1	1	1	93	56.25	0	30000	533.3333333	16000.05436	30000	0	0	30000	35.625	2004
12.02.2020 09:04:01	1	1	1	1	93	55.5	0	29952.607	524.7311828	15717.1201	30000	0	0	30000	36	2004
12.02.2020 09:04:02	1	1	1	1	93	56	0	29857.82	537.6344086	16026.96165	30000	0	0	30000	36.0625	2004
12.02.2020 09:04:08	1	1	1	1	92.75	56	0	30000	533.3333333	16257.71206	30000	0	0	30000	35.5625	2004
12.02.2020 09:04:08	1	1	1	1	92.75	56	0	30000	533.3333333	16257.71206	30000	0	0	30000	35.5625	2004
12.02.2020 09:04:08	1	1	1	1	92.75	56	0	30000	533.3333333	16257.71206	30000	0	0	30000	35.5625	2004
12.02.2020 09:04:08	1	1	1	1	92.75	56	0	30000	533.3333333	16257.71206	30000	0	0	30000	35.5625	2004
12.02.2020 09:04:08	1	1	1	1	92.75	56	0	30000	533.3333333	16257.71206	30000	0	0	30000	35.5625	2004
12.02.2020 09:04:09	1	1	1	1	92.75	55.5	0	29905.213	520.4301075	15870.41013	30000	0	0	30000	35.6875	2004
12.02.2020 09:04:10	1	1	1	1	92.75	55.5	0	29715.64	533.3333333	15848.39508	30000	0	0	30000	34.9375	2004
12.02.2020 09:04:11	1	1	1	1	92.75	54.75	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	36.25	2004
12.02.2020 09:04:12	1	1	1	1	92.75	56.25	0	29952.607	533.3333333	16064.46878	30000	0	0	30000	35.75	2004
12.02.2020 09:04:13	1	1	1	1	92.75	55.75	0	29857.82	533.3333333	15924.22472	30000	0	0	30000	35.5625	2004
12.02.2020 09:04:14	1	1	1	1	93	55.5	0	29905.213	535.483871	15987.82377	30000	0	0	30000	36.125	2004
12.02.2020 09:04:15	1	1	1	1	93	56	0	30000	529.0322581	15934.82456	30000	0	0	30000	34.875	2004
12.02.2020 09:04:16	1	1	1	1	93	54.75	0	30000	533.3333333	16000.05436	30000	0	0	30000	35.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 09:04:17	1	1	1	1	93	55.75	0	29905.213	541.9354839	16013.10032	30000	0	0	30000	35.375	2004
12.02.2020 09:04:18	1	1	1	1	93	55.25	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	36.1875	2004
12.02.2020 09:04:19	1	1	1	1	93	56	0	29857.82	533.3333333	15949.50126	30000	0	0	30000	35.5625	2004
12.02.2020 09:04:20	1	1	1	1	93	55.5	0	29905.213	535.483871	16013.10032	30000	0	0	30000	35.6875	2004
12.02.2020 09:04:21	1	1	1	1	93	55.5	0	30000	526.8817204	15805.99571	30000	0	0	30000	34.6875	2004
12.02.2020 09:04:22	1	1	1	1	93	54.5	0	30000	518.2795699	15548.338	30000	0	0	30000	36.4375	2004
12.02.2020 09:04:23	1	1	1	1	93	56.25	0	30000	526.8817204	15805.99571	30000	0	0	30000	36.3125	2004
12.02.2020 09:04:24	1	1	1	1	92.5	56.25	0	29857.82	533.3333333	15924.22472	30000	0	0	30000	35.4375	2004
12.02.2020 09:04:25	1	1	1	1	92.5	55.25	0	30000	529.0322581	15870.41013	30000	0	0	30000	36.3125	2004
12.02.2020 09:04:26	1	1	1	1	92.5	56.25	0	30000	524.7311828	16050.60745	30000	0	0	30000	35.9375	2004
12.02.2020 09:04:27	1	1	1	1	92.5	55.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	35.8125	2004
12.02.2020 09:04:28	1	1	1	1	92.5	55.75	0	30000	507.5268817	15289.86492	30000	0	0	30000	35.3125	2004
12.02.2020 09:04:29	1	1	1	1	92.5	55.25	0	30000	529.0322581	15805.99571	30000	0	0	30000	35.875	2004
12.02.2020 09:04:30	1	1	1	1	92.5	55.75	0	30000	533.3333333	15934.82456	30000	0	0	30000	36.25	2004
12.02.2020 09:04:31	1	1	1	1	92.5	56.25	0	30000	522.5806452	15677.16685	30000	0	0	30000	35.375	2004
12.02.2020 09:04:32	1	1	1	1	92.5	55.25	0	30000	516.1290323	15459.4624	30000	0	0	30000	35.8125	2004
12.02.2020 09:04:33	1	1	1	1	92.5	55.75	0	30000	511.827957	15483.92357	30000	0	0	30000	35.375	2004
12.02.2020 09:04:34	1	1	1	1	92.75	55.25	0	30000	520.4301075	15548.338	30000	0	0	30000	36.0625	2004
12.02.2020 09:04:35	1	1	1	1	92.75	56	0	30000	529.0322581	15805.99571	30000	0	0	30000	35.9375	2004
12.02.2020 09:04:36	1	1	1	1	92.75	55.75	0	30000	533.3333333	15934.82456	30000	0	0	30000	36.0625	2004
12.02.2020 09:04:37	1	1	1	1	92.75	56	0	30000	522.5806452	15741.58128	30000	0	0	30000	35.3125	2004
12.02.2020 09:04:38	1	1	1	1	92.75	55.25	0	30000	516.1290323	15241.75794	30000	0	0	30000	36.5625	2004
12.02.2020 09:04:39	1	1	1	1	92.75	56.5	0	30000	507.5268817	15289.86492	30000	0	0	30000	35.625	2004
12.02.2020 09:04:41	1	1	1	1	92.75	55.5	0	30000	507.5268817	15289.86492	30000	0	0	30000	36.3125	2004
12.02.2020 09:04:42	1	1	1	1	92.75	56.25	0	30047.393	529.0322581	15612.75243	30000	0	0	30000	36.8125	2004
12.02.2020 09:04:43	1	1	1	1	92.75	55.75	0	29905.213	520.4301075	15548.338	30000	0	0	30000	36.3125	2004
12.02.2020 09:04:44	1	1	1	1	93.5	56.25	0	30000	518.2795699	15548.338	30000	0	0	30000	35.125	2004
12.02.2020 09:04:45	1	1	1	1	93.5	55	0	30000	531.1827957	16000.05436	30000	0	0	30000	36.25	2004
12.02.2020 09:04:46	1	1	1	1	93.5	56.25	0	30000	524.7311828	15805.99571	30000	0	0	30000	35.25	2004
12.02.2020 09:04:47	1	1	1	1	93.5	55.25	0	30000	522.5806452	15677.16685	30000	0	0	30000	35.75	2004
12.02.2020 09:04:48	1	1	1	1	93.5	55.75	0	30000	511.827957	15289.86492	30000	0	0	30000	35.5625	2004
12.02.2020 09:04:49	1	1	1	1	93.5	55.5	0	30000	516.1290323	15354.27935	30000	0	0	30000	34.75	2004
12.02.2020 09:04:50	1	1	1	1	93.5	54.75	0	30000	503.2258065	14902.56299	30000	0	0	30000	35.5625	2004
12.02.2020 09:04:51	1	1	1	1	93.5	55.5	0	30000	511.827957	15289.86492	30000	0	0	30000	36.375	2004
12.02.2020 09:04:52	1	1	1	1	93.5	56.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	36.25	2004
12.02.2020 09:04:53	1	1	1	1	93.5	56.25	0	30000	516.1290323	15548.338	30000	0	0	30000	35.6875	2004
12.02.2020 09:04:54	1	1	1	1	93.25	55.5	0	29952.607	507.5268817	15161.03607	30000	0	0	30000	36.5	2004
12.02.2020 09:04:55	1	1	1	1	93.25	56.5	0	30000	511.827957	15483.92357	30000	0	0	30000	35.125	2004
12.02.2020 09:04:56	1	1	1	1	93.25	55	0	30000	507.5268817	15161.03607	30000	0	0	30000	36.5	2004
12.02.2020 09:04:57	1	1	1	1	93.25	56.5	0	30000	501.0752688	15032.20721	30000	0	0	30000	36.25	2004
12.02.2020 09:04:58	1	1	1	1	93.25	56.25	0	30000	503.2258065	15032.20721	30000	0	0	30000	35.375	2004
12.02.2020 09:04:59	1	1	1	1	93.25	55.25	0	30000	503.2258065	15096.62164	30000	0	0	30000	34.8125	2004
12.02.2020 09:05:00	1	1	1	1	93.25	54.75	0	30000	505.3763441	15225.45049	30000	0	0	30000	35.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 09:05:01	1	1	1	1	93.25	55.5	0	30000	488.172043	14644.90528	30000	0	0	30000	35.4375	2004
12.02.2020 09:05:02	1	1	1	1	93.25	55.25	0	30000	494.6236559	14773.73413	30000	0	0	30000	34.5	2004
12.02.2020 09:05:03	1	1	1	1	93.25	54.5	0	29952.607	496.7741935	14902.56299	30000	0	0	30000	34.8125	2004
12.02.2020 09:05:10	1	1	1	1	93.5	56.25	0	30000	496.7741935	15032.20721	30000	0	0	30000	35.75	2004
12.02.2020 09:05:10	1	1	1	1	93.5	56.25	0	30000	496.7741935	15032.20721	30000	0	0	30000	35.75	2004
12.02.2020 09:05:10	1	1	1	1	93.5	56.25	0	30000	496.7741935	15032.20721	30000	0	0	30000	35.75	2004
12.02.2020 09:05:10	1	1	1	1	93.5	56.25	0	30000	496.7741935	15032.20721	30000	0	0	30000	35.75	2004
12.02.2020 09:05:10	1	1	1	1	93.5	56.25	0	30000	496.7741935	15032.20721	30000	0	0	30000	35.75	2004
12.02.2020 09:05:10	1	1	1	1	93.5	56.25	0	30000	496.7741935	15032.20721	30000	0	0	30000	35.75	2004
12.02.2020 09:05:10	1	1	1	1	93.5	56.25	0	30000	496.7741935	15032.20721	30000	0	0	30000	35.75	2004
12.02.2020 09:05:10	1	1	1	1	93.5	55.75	0	30000	509.6774194	15289.86492	30000	0	0	30000	35.1875	2004
12.02.2020 09:05:11	1	1	1	1	93.5	55	0	30000	507.5268817	15161.03607	30000	0	0	30000	36.625	2004
12.02.2020 09:05:12	1	1	1	1	93.5	56.5	0	29905.213	503.2258065	15161.03607	30000	0	0	30000	35.8125	2004
12.02.2020 09:05:13	1	1	1	1	93.5	55.75	0	30000	494.6236559	14773.73413	30000	0	0	30000	34.9375	2004
12.02.2020 09:05:14	1	1	1	1	93.75	54.75	0	30000	492.4731183	14838.14856	30000	0	0	30000	35.4375	2004
12.02.2020 09:05:15	1	1	1	1	93.75	55.25	0	30000	490.3225806	14644.90528	30000	0	0	30000	36.0625	2004
12.02.2020 09:05:16	1	1	1	1	93.75	56	0	29952.607	492.4731183	14773.73413	30000	0	0	30000	36	2004
12.02.2020 09:05:18	1	1	1	1	93.75	56	0	30000	507.5268817	15289.86492	30000	0	0	30000	36.1875	2004
12.02.2020 09:05:19	1	1	1	1	93.75	56.5	0	30000	503.2258065	15096.62164	30000	0	0	30000	35.9375	2004
12.02.2020 09:05:20	1	1	1	1	93.75	55.75	0	30000	507.5268817	15161.03607	30000	0	0	30000	36.3125	2004
12.02.2020 09:05:21	1	1	1	1	93.75	56.25	0	30000	492.4731183	14773.73413	30000	0	0	30000	35.75	2004
12.02.2020 09:05:22	1	1	1	1	93.75	55.75	0	30000	503.2258065	15161.03607	30000	0	0	30000	34.875	2004
12.02.2020 09:05:23	1	1	1	1	93.75	54.75	0	30000	505.3763441	15161.03607	30000	0	0	30000	35.6875	2004
12.02.2020 09:05:24	1	1	1	1	93.75	55.5	0	29905.213	516.1290323	15483.92357	30000	0	0	30000	36.25	2004
12.02.2020 09:05:25	1	1	1	1	93.75	56.25	0	30000	501.0752688	14838.14856	30000	0	0	30000	35.625	2004
12.02.2020 09:05:26	1	1	1	1	93.75	55.5	0	29952.607	511.827957	15483.92357	30000	0	0	30000	36.1875	2004
12.02.2020 09:05:27	1	1	1	1	93.75	56	0	30000	516.1290323	15459.4624	30000	0	0	30000	35.1875	2004
12.02.2020 09:05:28	1	1	1	1	93.75	55	0	30000	494.6236559	14838.14856	30000	0	0	30000	35.3125	2004
12.02.2020 09:05:29	1	1	1	1	93.75	55.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	35.8125	2004
12.02.2020 09:05:30	1	1	1	1	93.75	55.75	0	30000	509.6774194	15225.45049	30000	0	0	30000	36.5	2004
12.02.2020 09:05:31	1	1	1	1	93.75	56.5	0	30000	511.827957	15354.27935	30000	0	0	30000	35.6875	2004
12.02.2020 09:05:32	1	1	1	1	93.75	55.5	0	30000	516.1290323	15483.92357	30000	0	0	30000	36.25	2004
12.02.2020 09:05:33	1	1	1	1	93.75	56.25	0	30000	516.1290323	15354.27935	30000	0	0	30000	36.125	2004
12.02.2020 09:05:34	1	1	1	1	93.5	56	0	30000	492.4731183	14469.6002	30000	0	0	30000	35.1875	2004
12.02.2020 09:05:35	1	1	1	1	93.5	55	0	30000	505.3763441	15161.03607	30000	0	0	30000	35.125	2004
12.02.2020 09:05:36	1	1	1	1	93.5	55	0	30000	509.6774194	15201.80469	30000	0	0	30000	35.5625	2004
12.02.2020 09:05:37	1	1	1	1	93.5	55.5	0	30000	501.0752688	15337.9719	30000	0	0	30000	35.3125	2004
12.02.2020 09:05:38	1	1	1	1	93.5	55.25	0	30000	496.7741935	14902.56299	30000	0	0	30000	35.125	2004
12.02.2020 09:05:39	1	1	1	1	93.5	55	0	30000	490.3225806	14773.73413	30000	0	0	30000	36.5625	2004
12.02.2020 09:05:40	1	1	1	1	93.5	56.5	0	30000	488.172043	14644.90528	30000	0	0	30000	36.5	2004
12.02.2020 09:05:41	1	1	1	1	93.5	56.5	0	30000	492.4731183	14838.14856	30000	0	0	30000	34.875	2004
12.02.2020 09:05:42	1	1	1	1	93.5	54.75	0	29952.607	486.0215054	14598.42905	30000	0	0	30000	36.4375	2004
12.02.2020 09:05:43	1	1	1	1	93.5	56.25	0	30000	494.6236559	14838.14856	30000	0	0	30000	35.125	2004
12.02.2020 09:05:44	1	1	1	1	94	55	0	30000	481.7204301	14516.07643	30000	0	0	30000	36.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 09:05:45	1	1	1	1	94	56	0	30000	503.2258065	15096.62164	30000	0	0	30000	35.6875	2004
12.02.2020 09:05:46	1	1	1	1	94	55.5	0	30000	501.0752688	14902.56299	30000	0	0	30000	36.3125	2004
12.02.2020 09:05:47	1	1	1	1	94	56.25	0	29952.607	507.5268817	15289.86492	30000	0	0	30000	36.4375	2004
12.02.2020 09:05:48	1	1	1	1	94	56.25	0	30000	496.7741935	14902.56299	30000	0	0	30000	36.125	2004
12.02.2020 09:05:49	1	1	1	1	94	56	0	30000	494.6236559	14838.14856	30000	0	0	30000	35.5625	2004
12.02.2020 09:05:50	1	1	1	1	94	55.5	0	30000	492.4731183	14838.14856	30000	0	0	30000	35.6875	2004
12.02.2020 09:05:51	1	1	1	1	94	55.5	0	30000	494.6236559	14902.56299	30000	0	0	30000	36.0625	2004
12.02.2020 09:05:52	1	1	1	1	94	56	0	30000	488.172043	14709.31971	30000	0	0	30000	35.5625	2004
12.02.2020 09:05:53	1	1	1	1	94	55.5	0	30000	488.172043	14644.90528	30000	0	0	30000	36.25	2004
12.02.2020 09:05:55	1	1	1	1	94.5	56.25	0	30000	503.2258065	15032.20721	30000	0	0	30000	36.3125	2004
12.02.2020 09:05:56	1	1	1	1	94.5	56.25	0	30000	496.7741935	14902.56299	30000	0	0	30000	36.1875	2004
12.02.2020 09:05:57	1	1	1	1	94.5	56	0	30000	488.172043	14838.14856	30000	0	0	30000	36.1875	2004
12.02.2020 09:05:58	1	1	1	1	94.5	56	0	29905.213	488.172043	14773.73413	30000	0	0	30000	36.4375	2004
12.02.2020 09:05:59	1	1	1	1	94.5	56	0	30000	494.6236559	14838.14856	30000	0	0	30000	36.375	2004
12.02.2020 09:06:00	1	1	1	1	94.5	56.25	0	30000	490.3225806	14773.73413	30000	0	0	30000	35.5	2004
12.02.2020 09:06:01	1	1	1	1	94.5	55.5	0	30000	490.3225806	14709.31971	30000	0	0	30000	36.375	2004
12.02.2020 09:06:02	1	1	1	1	94.5	56.25	0	29952.607	490.3225806	14902.56299	30000	0	0	30000	35	2004
12.02.2020 09:06:03	1	1	1	1	94.5	55	0	30000	496.7741935	14902.56299	30000	0	0	30000	36.375	2004
12.02.2020 09:06:04	1	1	1	1	94.75	56.25	0	29952.607	490.3225806	14773.73413	30000	0	0	30000	36.0625	2004
12.02.2020 09:06:05	1	1	1	1	94.75	56	0	30000	490.3225806	14773.73413	30000	0	0	30000	35.25	2004
12.02.2020 09:06:11	1	1	1	1	94.75	56.25	0	30000	492.4731183	14773.73413	30000	0	0	30000	36.4375	2004
12.02.2020 09:06:11	1	1	1	1	94.75	56.25	0	30000	492.4731183	14773.73413	30000	0	0	30000	36.4375	2004
12.02.2020 09:06:11	1	1	1	1	94.75	56.25	0	30000	492.4731183	14773.73413	30000	0	0	30000	36.4375	2004
12.02.2020 09:06:11	1	1	1	1	94.75	56.25	0	30000	492.4731183	14773.73413	30000	0	0	30000	36.4375	2004
12.02.2020 09:06:11	1	1	1	1	94.75	56.25	0	30000	492.4731183	14773.73413	30000	0	0	30000	36.4375	2004
12.02.2020 09:06:11	1	1	1	1	94.75	56.25	0	30000	492.4731183	14773.73413	30000	0	0	30000	36.4375	2004
12.02.2020 09:06:11	1	1	1	1	94.75	56.25	0	30000	492.4731183	14773.73413	30000	0	0	30000	36.4375	2004
12.02.2020 09:06:12	1	1	1	1	94.75	56.25	0	29952.607	488.172043	14644.90528	30000	0	0	30000	36.125	2004
12.02.2020 09:06:13	1	1	1	1	94.75	56	0	30000	488.172043	14644.90528	30000	0	0	30000	35.875	2004
12.02.2020 09:06:14	1	1	1	1	94.5	55.75	0	30000	505.3763441	15161.03607	30000	0	0	30000	35.75	2004
12.02.2020 09:06:15	1	1	1	1	94.5	55.75	0	30000	490.3225806	14861.79436	30000	0	0	30000	36.375	2004
12.02.2020 09:06:16	1	1	1	1	94.5	56.25	0	30000	481.7204301	14451.662	30000	0	0	30000	36.1875	2004
12.02.2020 09:06:17	1	1	1	1	94.5	56	0	30000	490.3225806	14644.90528	30000	0	0	30000	35.5	2004
12.02.2020 09:06:18	1	1	1	1	94.5	55.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	35.1875	2004
12.02.2020 09:06:19	1	1	1	1	94.5	55	0	30000	496.7741935	14902.56299	30000	0	0	30000	35.75	2004
12.02.2020 09:06:20	1	1	1	1	94.5	55.75	0	30000	496.7741935	14902.56299	30000	0	0	30000	35.5625	2004
12.02.2020 09:06:21	1	1	1	1	94.5	55.5	0	30000	509.6774194	15289.86492	30000	0	0	30000	35.375	2004
12.02.2020 09:06:22	1	1	1	1	94.5	55.25	0	30000	507.5268817	15483.92357	30000	0	0	30000	35.875	2004
12.02.2020 09:06:23	1	1	1	1	94.5	55.75	0	30000	505.3763441	14879.73256	30000	0	0	30000	36.5	2004
12.02.2020 09:06:24	1	1	1	1	94.75	56.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	36.375	2004
12.02.2020 09:06:25	1	1	1	1	94.75	56.25	0	29952.607	486.0215054	14644.90528	30000	0	0	30000	35	2004
12.02.2020 09:06:26	1	1	1	1	94.75	55	0	30000	481.7204301	14451.662	30000	0	0	30000	34.875	2004
12.02.2020 09:06:27	1	1	1	1	94.75	54.75	0	30000	488.172043	14428.83157	30000	0	0	30000	36.5625	2004
12.02.2020 09:06:28	1	1	1	1	94.75	56.5	0	30000	486.0215054	14516.07643	30000	0	0	30000	35.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 09:06:29	1	1	1	1	94.75	55.25	0	30000	481.7204301	14451.662	30000	0	0	30000	36.375	2004
12.02.2020 09:06:30	1	1	1	1	94.75	56.25	0	30047.393	505.3763441	15161.03607	30000	0	0	30000	35.6875	2004
12.02.2020 09:06:31	1	1	1	1	94.75	55.5	0	30000	490.3225806	14709.31971	30000	0	0	30000	36.3125	2004
12.02.2020 09:06:32	1	1	1	1	94.75	56.25	0	30000	496.7741935	14902.56299	30000	0	0	30000	35.8125	2004
12.02.2020 09:06:33	1	1	1	1	94.75	55.75	0	29952.607	503.2258065	15161.03607	30000	0	0	30000	35.875	2004
12.02.2020 09:06:35	1	1	1	1	94.75	55.75	0	30000	503.2258065	15161.03607	30000	0	0	30000	36.4375	2004
12.02.2020 09:06:36	1	1	1	1	94.75	56.25	0	30000	492.4731183	14709.31971	30000	0	0	30000	36.5	2004
12.02.2020 09:06:37	1	1	1	1	94.75	55.75	0	30000	494.6236559	14902.56299	30000	0	0	30000	36.125	2004
12.02.2020 09:06:38	1	1	1	1	94.75	56	0	30000	481.7204301	14451.662	30000	0	0	30000	36.5	2004
12.02.2020 09:06:39	1	1	1	1	94.75	56.5	0	30000	488.172043	14644.90528	30000	0	0	30000	36.25	2004
12.02.2020 09:06:40	1	1	1	1	94.75	56.25	0	30000	492.4731183	14773.73413	30000	0	0	30000	34.9375	2004
12.02.2020 09:06:41	1	1	1	1	94.75	54.75	0	30000	481.7204301	14451.662	30000	0	0	30000	35.8125	2004
12.02.2020 09:06:42	1	1	1	1	94.75	55.75	0	29905.213	466.6666667	14451.662	30000	0	0	30000	36.0625	2004
12.02.2020 09:06:43	1	1	1	1	94.75	56	0	30000	481.7204301	14516.07643	30000	0	0	30000	36.3125	2004
12.02.2020 09:06:44	1	1	1	1	95.5	56.25	0	30000	488.172043	14644.90528	30000	0	0	30000	36.375	2004
12.02.2020 09:06:45	1	1	1	1	95.5	56.25	0	29952.607	488.172043	14644.90528	30000	0	0	30000	35.4375	2004
12.02.2020 09:06:46	1	1	1	1	95.5	55.25	0	30000	486.0215054	14516.07643	30000	0	0	30000	35.9375	2004
12.02.2020 09:06:47	1	1	1	1	95.5	55.75	0	30000	481.7204301	14451.662	30000	0	0	30000	35.9375	2004
12.02.2020 09:06:48	1	1	1	1	95.5	55.75	0	30000	481.7204301	14451.662	30000	0	0	30000	35.6875	2004
12.02.2020 09:06:49	1	1	1	1	95.5	55.5	0	30000	488.172043	14644.90528	30000	0	0	30000	36.375	2004
12.02.2020 09:06:50	1	1	1	1	95.5	56.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	36.125	2004
12.02.2020 09:06:51	1	1	1	1	95.5	56	0	30000	481.7204301	14451.662	30000	0	0	30000	36.0625	2004
12.02.2020 09:06:52	1	1	1	1	95.5	56	0	30000	494.6236559	14838.14856	30000	0	0	30000	36.3125	2004
12.02.2020 09:06:53	1	1	1	1	95.5	56.25	0	30000	496.7741935	14902.56299	30000	0	0	30000	35.4375	2004
12.02.2020 09:06:54	1	1	1	1	95.5	55.25	0	30000	496.7741935	14879.73256	30000	0	0	30000	36.5	2004
12.02.2020 09:06:55	1	1	1	1	95.5	56.5	0	30000	486.0215054	14580.49085	30000	0	0	30000	36.5	2004
12.02.2020 09:06:56	1	1	1	1	95.5	56.5	0	30000	488.172043	14709.31971	30000	0	0	30000	36.25	2004
12.02.2020 09:06:57	1	1	1	1	95.5	56.25	0	30000	490.3225806	14709.31971	30000	0	0	30000	35.9375	2004
12.02.2020 09:06:58	1	1	1	1	95.5	55.75	0	30000	488.172043	14644.90528	30000	0	0	30000	36.0625	2004
12.02.2020 09:06:59	1	1	1	1	95.5	56	0	30000	481.7204301	14451.662	30000	0	0	30000	36.75	2004
12.02.2020 09:07:00	1	1	1	1	95.5	56.75	0	30000	481.7204301	14451.662	30000	0	0	30000	35.9375	2004
12.02.2020 09:07:01	1	1	1	1	95.5	55.75	0	30000	486.0215054	14644.90528	30000	0	0	30000	36.25	2004
12.02.2020 09:07:02	1	1	1	1	95.5	56.25	0	30000	486.0215054	14644.90528	30000	0	0	30000	35.6875	2004
12.02.2020 09:07:03	1	1	1	1	95.5	55.5	0	30000	464.516129	13935.53122	30000	0	0	30000	36.4375	2004
12.02.2020 09:07:04	1	1	1	1	95.5	56.25	0	29905.213	481.7204301	14428.83157	30000	0	0	30000	36.375	2004
12.02.2020 09:07:05	1	1	1	1	95.5	56.25	0	30000	481.7204301	14451.662	30000	0	0	30000	36.5625	2004
12.02.2020 09:07:06	1	1	1	1	95.5	56.5	0	29952.607	481.7204301	14516.07643	30000	0	0	30000	35.4375	2004
12.02.2020 09:07:13	1	1	1	1	95.5	55.25	0	30000	464.516129	13935.53122	30000	0	0	30000	36.0625	2004
12.02.2020 09:07:13	1	1	1	1	95.5	55.25	0	30000	464.516129	13935.53122	30000	0	0	30000	36.0625	2004
12.02.2020 09:07:13	1	1	1	1	95.5	55.25	0	30000	464.516129	13935.53122	30000	0	0	30000	36.0625	2004
12.02.2020 09:07:13	1	1	1	1	95.5	55.25	0	30000	464.516129	13935.53122	30000	0	0	30000	36.0625	2004
12.02.2020 09:07:13	1	1	1	1	95.5	55.25	0	30000	464.516129	13935.53122	30000	0	0	30000	36.0625	2004
12.02.2020 09:07:13	1	1	1	1	95.5	55.25	0	30000	464.516129	13935.53122	30000	0	0	30000	36.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 09:07:14	1	1	1	1	95.5	56	0	29905.213	481.7204301	14580.49085	30000	0	0	30000	37	2004
12.02.2020 09:07:15	1	1	1	1	95.5	57	0	29905.213	486.0215054	14580.49085	30000	0	0	30000	36.375	2004
12.02.2020 09:07:16	1	1	1	1	95.5	56.5	0	29952.607	481.7204301	14516.07643	30000	0	0	30000	35.75	2004
12.02.2020 09:07:17	1	1	1	1	95.5	55.75	0	30000	481.7204301	14451.662	30000	0	0	30000	36	2004
12.02.2020 09:07:18	1	1	1	1	95.5	56	0	30000	481.7204301	14451.662	30000	0	0	30000	36.375	2004
12.02.2020 09:07:19	1	1	1	1	95.5	56.25	0	30000	468.8172043	13977.93058	30000	0	0	30000	35.9375	2004
12.02.2020 09:07:20	1	1	1	1	95.5	55.75	0	30000	481.7204301	14451.662	30000	0	0	30000	36.0625	2004
12.02.2020 09:07:21	1	1	1	1	95.5	56	0	30000	483.8709677	14406.00114	30000	0	0	30000	34.875	2004
12.02.2020 09:07:22	1	1	1	1	95.5	54.75	0	30000	481.7204301	14451.662	30000	0	0	30000	36.5	2004
12.02.2020 09:07:23	1	1	1	1	95.5	56.5	0	29952.607	481.7204301	14451.662	30000	0	0	30000	36.4375	2004
12.02.2020 09:07:24	1	1	1	1	96	56.25	0	30000	494.6236559	14902.56299	30000	0	0	30000	36.3125	2004
12.02.2020 09:07:25	1	1	1	1	96	56.25	0	30000	496.7741935	14902.56299	30000	0	0	30000	36.1875	2004
12.02.2020 09:07:26	1	1	1	1	96	56	0	30000	481.7204301	14451.662	30000	0	0	30000	36	2004
12.02.2020 09:07:27	1	1	1	1	96	56	0	30000	483.8709677	14516.07643	30000	0	0	30000	36.0625	2004
12.02.2020 09:07:28	1	1	1	1	96	56	0	30000	481.7204301	14451.662	30000	0	0	30000	36.1875	2004
12.02.2020 09:07:29	1	1	1	1	96	56	0	29952.607	481.7204301	14406.00114	30000	0	0	30000	35.875	2004
12.02.2020 09:07:30	1	1	1	1	96	55.75	0	30000	481.7204301	14451.662	30000	0	0	30000	35.9375	2004
12.02.2020 09:07:31	1	1	1	1	96	55.75	0	30000	464.516129	13935.53122	30000	0	0	30000	36.25	2004
12.02.2020 09:07:32	1	1	1	1	96	56.25	0	30000	481.7204301	14451.662	30000	0	0	30000	34.875	2004
12.02.2020 09:07:33	1	1	1	1	96	54.75	0	30000	481.7204301	14451.662	30000	0	0	30000	35.4375	2004
12.02.2020 09:07:34	1	1	1	1	95.5	55.25	0	30000	481.7204301	14451.662	30000	0	0	30000	36.6875	2004
12.02.2020 09:07:35	1	1	1	1	95.5	56.5	0	30000	464.516129	13913.51616	30000	0	0	30000	35.9375	2004
12.02.2020 09:07:36	1	1	1	1	95.5	55.75	0	30000	481.7204301	14451.662	30000	0	0	30000	35.875	2004
12.02.2020 09:07:37	1	1	1	1	95.5	55.75	0	30000	481.7204301	14451.662	30000	0	0	30000	35.375	2004
12.02.2020 09:07:38	1	1	1	1	95.5	55.25	0	30000	481.7204301	14451.662	30000	0	0	30000	36.3125	2004
12.02.2020 09:07:39	1	1	1	1	95.5	56.25	0	30000	483.8709677	14451.662	30000	0	0	30000	35.625	2004
12.02.2020 09:07:40	1	1	1	1	95.5	55.5	0	29952.607	481.7204301	14644.90528	30000	0	0	30000	36.5625	2004
12.02.2020 09:07:41	1	1	1	1	95.5	56.5	0	30000	483.8709677	14451.662	30000	0	0	30000	36.625	2004
12.02.2020 09:07:42	1	1	1	1	95.5	56.5	0	30000	468.8172043	14150.78955	30000	0	0	30000	35.1875	2004
12.02.2020 09:07:43	1	1	1	1	95.5	55	0	30000	481.7204301	14064.36007	30000	0	0	30000	36.1875	2004
12.02.2020 09:07:44	1	1	1	1	96	56	0	30000	481.7204301	14451.662	30000	0	0	30000	36.125	2004
12.02.2020 09:07:45	1	1	1	1	96	56	0	29952.607	460.2150538	13913.51616	30000	0	0	30000	35.9375	2004
12.02.2020 09:07:46	1	1	1	1	96	55.75	0	30000	464.516129	14173.61998	30000	0	0	30000	36.6875	2004
12.02.2020 09:07:47	1	1	1	1	96	56.5	0	30000	466.6666667	13999.94564	30000	0	0	30000	36.3125	2004
12.02.2020 09:07:48	1	1	1	1	96	56.25	0	30000	481.7204301	14451.662	30000	0	0	30000	35.5625	2004
12.02.2020 09:07:49	1	1	1	1	96	55.5	0	30000	481.7204301	14451.662	30000	0	0	30000	35.75	2004
12.02.2020 09:07:50	1	1	1	1	96	55.75	0	29905.213	490.3225806	14773.73413	30000	0	0	30000	36.375	2004
12.02.2020 09:07:51	1	1	1	1	96	56.25	0	30000	496.7741935	14773.73413	30000	0	0	30000	35.5	2004
12.02.2020 09:07:53	1	1	1	1	96	55.5	0	30000	481.7204301	14451.662	30000	0	0	30000	36.75	2004
12.02.2020 09:07:54	1	1	1	1	96	56.75	0	30000	481.7204301	14451.662	30000	0	0	30000	36.0625	2004
12.02.2020 09:07:55	1	1	1	1	96.75	56	0	30000	464.516129	13935.53122	30000	0	0	30000	36.5	2004
12.02.2020 09:07:56	1	1	1	1	96.75	55.75	0	29905.213	468.8172043	14451.662	30000	0	0	30000	36.1875	2004
12.02.2020 09:07:57	1	1	1	1	96.75	56	0	30000	460.2150538	13935.53122	30000	0	0	30000	35.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 09:07:58	1	1	1	1	96.75	55.75	0	30000	451.6129032	13354.17063	30000	0	0	30000	35.8125	2004
12.02.2020 09:07:59	1	1	1	1	96.75	55.75	0	30000	464.516129	13935.53122	30000	0	0	30000	35.9375	2004
12.02.2020 09:08:00	1	1	1	1	96.75	55.75	0	30000	481.7204301	14451.662	30000	0	0	30000	35.9375	2004
12.02.2020 09:08:01	1	1	1	1	96.75	55.75	0	29952.607	481.7204301	14428.83157	30000	0	0	30000	36.5	2004
12.02.2020 09:08:02	1	1	1	1	96.75	56.5	0	30000	464.516129	13698.25782	30000	0	0	30000	36.625	2004
12.02.2020 09:08:03	1	1	1	1	96.75	56.5	0	30000	481.7204301	14451.662	30000	0	0	30000	36	2004
12.02.2020 09:08:04	1	1	1	1	96.5	56	0	29952.607	460.2150538	13870.30142	30000	0	0	30000	36.3125	2004
12.02.2020 09:08:05	1	1	1	1	96.5	56.25	0	30000	488.172043	14644.90528	30000	0	0	30000	36.125	2004
12.02.2020 09:08:06	1	1	1	1	96.5	56	0	30000	481.7204301	14451.662	30000	0	0	30000	36.5	2004
12.02.2020 09:08:07	1	1	1	1	96.5	56.5	0	30000	464.516129	13999.94564	30000	0	0	30000	36.1875	2004
12.02.2020 09:08:08	1	1	1	1	96.5	56	0	30000	455.9139785	13677.05814	30000	0	0	30000	36.625	2004
12.02.2020 09:08:14	1	1	1	1	97	56.25	0	30000	481.7204301	14451.662	30000	0	0	30000	36.375	2004
12.02.2020 09:08:14	1	1	1	1	97	56.25	0	30000	481.7204301	14451.662	30000	0	0	30000	36.375	2004
12.02.2020 09:08:14	1	1	1	1	97	56.25	0	30000	481.7204301	14451.662	30000	0	0	30000	36.375	2004
12.02.2020 09:08:14	1	1	1	1	97	56.25	0	30000	481.7204301	14451.662	30000	0	0	30000	36.375	2004
12.02.2020 09:08:14	1	1	1	1	97	56.25	0	30000	481.7204301	14451.662	30000	0	0	30000	36.375	2004
12.02.2020 09:08:14	1	1	1	1	97	56.25	0	30000	481.7204301	14451.662	30000	0	0	30000	36.375	2004
12.02.2020 09:08:14	1	1	1	1	97	56.25	0	30000	481.7204301	14451.662	30000	0	0	30000	36.375	2004
12.02.2020 09:08:15	1	1	1	1	97	56.25	0	30000	481.7204301	14451.662	30000	0	0	30000	36.6875	2004
12.02.2020 09:08:16	1	1	1	1	97	56.5	0	30000	464.516129	13935.53122	30000	0	0	30000	36.3125	2004
12.02.2020 09:08:17	1	1	1	1	97	56.25	0	30000	458.0645161	13805.88699	30000	0	0	30000	35.8125	2004
12.02.2020 09:08:18	1	1	1	1	97	55.75	0	30000	481.7204301	14451.662	30000	0	0	30000	36	2004
12.02.2020 09:08:19	1	1	1	1	97	56	0	30000	481.7204301	14128.7745	30000	0	0	30000	36.3125	2004
12.02.2020 09:08:20	1	1	1	1	97	56.25	0	30000	481.7204301	14128.7745	30000	0	0	30000	36	2004
12.02.2020 09:08:21	1	1	1	1	97	56	0	30000	460.2150538	13741.47256	30000	0	0	30000	36.625	2004
12.02.2020 09:08:22	1	1	1	1	97	56.5	0	30047.393	466.6666667	13870.30142	30000	0	0	30000	35.6875	2004
12.02.2020 09:08:23	1	1	1	1	97	55.5	0	30000	443.0107527	13225.34178	30000	0	0	30000	35.875	2004
12.02.2020 09:08:24	1	1	1	1	97	55.75	0	29952.607	453.7634409	13741.47256	30000	0	0	30000	36.4375	2004
12.02.2020 09:08:25	1	1	1	1	97	56.25	0	30000	464.516129	13935.53122	30000	0	0	30000	36.5625	2004
12.02.2020 09:08:26	1	1	1	1	97	56.5	0	30000	481.7204301	14451.662	30000	0	0	30000	36.625	2004
12.02.2020 09:08:27	1	1	1	1	97	56.5	0	30000	481.7204301	14451.662	30000	0	0	30000	36.625	2004
12.02.2020 09:08:28	1	1	1	1	97	56.5	0	30000	481.7204301	14451.662	30000	0	0	30000	36.6875	2004
12.02.2020 09:08:29	1	1	1	1	97	56.5	0	30000	481.7204301	14451.662	30000	0	0	30000	35.25	2004
12.02.2020 09:08:30	1	1	1	1	97	55.25	0	29952.607	481.7204301	14451.662	30000	0	0	30000	36.6875	2004
12.02.2020 09:08:32	1	1	1	1	97	56.5	0	30000	464.516129	13999.94564	30000	0	0	30000	36.375	2004
12.02.2020 09:08:33	1	1	1	1	97	56.25	0	30000	488.172043	14644.90528	30000	0	0	30000	36.625	2004
12.02.2020 09:08:34	1	1	1	1	97	56.5	0	30000	481.7204301	14451.662	30000	0	0	30000	36.4375	2004
12.02.2020 09:08:35	1	1	1	1	97.75	57	0	30000	481.7204301	14451.662	30000	0	0	30000	35.9375	2004
12.02.2020 09:08:36	1	1	1	1	97.75	55.75	0	30000	481.7204301	14451.662	30000	0	0	30000	35.5	2004
12.02.2020 09:08:37	1	1	1	1	97.75	55.5	0	30000	468.8172043	14064.36007	30000	0	0	30000	36.3125	2004
12.02.2020 09:08:38	1	1	1	1	97.75	56.25	0	30000	483.8709677	14493.246	30000	0	0	30000	35.75	2004
12.02.2020 09:08:39	1	1	1	1	97.75	55.75	0	30000	481.7204301	14451.662	30000	0	0	30000	35.3125	2004
12.02.2020 09:08:40	1	1	1	1	97.75	55.25	0	30000	481.7204301	14128.7745	30000	0	0	30000	36.3125	2004
12.02.2020 09:08:41	1	1	1	1	97.75	56.25	0	30000	481.7204301	14451.662	30000	0	0	30000	35.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 09:08:42	1	1	1	1	97.75	55.75	0	30000	481.7204301	14451.662	30000	0	0	30000	36.5625	2004
12.02.2020 09:08:43	1	1	1	1	97.75	56.5	0	30000	481.7204301	14451.662	30000	0	0	30000	35.875	2004
12.02.2020 09:08:44	1	1	1	1	97.75	55.75	0	30000	481.7204301	14451.662	30000	0	0	30000	36.625	2004
12.02.2020 09:08:45	1	1	1	1	97.75	56.5	0	30000	481.7204301	14451.662	30000	0	0	30000	36.75	2004
12.02.2020 09:08:46	1	1	1	1	97.75	56.75	0	30000	486.0215054	14580.49085	30000	0	0	30000	36.625	2004
12.02.2020 09:08:47	1	1	1	1	97.75	56.5	0	30000	481.7204301	14451.662	30000	0	0	30000	36.625	2004
12.02.2020 09:08:48	1	1	1	1	97.75	56.5	0	29905.213	481.7204301	14451.662	30000	0	0	30000	35.8125	2004
12.02.2020 09:08:49	1	1	1	1	97.75	55.75	0	30000	488.172043	14493.246	30000	0	0	30000	35.6875	2004
12.02.2020 09:08:50	1	1	1	1	97.75	55.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	34.9375	2004
12.02.2020 09:08:51	1	1	1	1	97.75	54.75	0	30000	501.0752688	15032.20721	30000	0	0	30000	36.3125	2004
12.02.2020 09:08:52	1	1	1	1	97.75	56.25	0	30000	522.5806452	15741.58128	30000	0	0	30000	36.375	2004
12.02.2020 09:08:53	1	1	1	1	97.75	56.25	0	30000	518.2795699	15548.338	30000	0	0	30000	35.25	2004
12.02.2020 09:08:54	1	1	1	1	98.25	55.25	0	30000	526.8817204	15805.99571	30000	0	0	30000	36.6875	2004
12.02.2020 09:08:55	1	1	1	1	98.25	56.5	0	30000	518.2795699	15548.338	30000	0	0	30000	36.4375	2004
12.02.2020 09:08:56	1	1	1	1	98.25	56.25	0	30000	496.7741935	14902.56299	30000	0	0	30000	36.3125	2004
12.02.2020 09:08:57	1	1	1	1	98.25	56.25	0	30000	490.3225806	14773.73413	30000	0	0	30000	36.5	2004
12.02.2020 09:08:58	1	1	1	1	98.25	56.5	0	30000	488.172043	14644.90528	30000	0	0	30000	36.75	2004
12.02.2020 09:08:59	1	1	1	1	98.25	56.75	0	30000	520.4301075	15548.338	30000	0	0	30000	36.5	2004
12.02.2020 09:09:00	1	1	1	1	98.25	56.5	0	30047.393	524.7311828	15805.99571	30000	0	0	30000	36.625	2004
12.02.2020 09:09:01	1	1	1	1	98.25	56.5	0	30000	507.5268817	15225.45049	30000	0	0	30000	35.4375	2004
12.02.2020 09:09:02	1	1	1	1	98.25	55.25	0	30000	509.6774194	15354.27935	30000	0	0	30000	36.0625	2004
12.02.2020 09:09:03	1	1	1	1	98.25	56	0	30000	503.2258065	15096.62164	30000	0	0	30000	36.625	2004
12.02.2020 09:09:04	1	1	1	1	98.5	56.5	0	30000	505.3763441	15161.03607	30000	0	0	30000	35.8125	2004
12.02.2020 09:09:05	1	1	1	1	98.5	55.75	0	30000	518.2795699	15483.92357	30000	0	0	30000	36.0625	2004
12.02.2020 09:09:06	1	1	1	1	98.5	56	0	30000	531.1827957	15934.82456	30000	0	0	30000	35.875	2004
12.02.2020 09:09:07	1	1	1	1	98.5	55.75	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	36.75	2004
12.02.2020 09:09:08	1	1	1	1	98.5	56.75	0	30000	522.5806452	15652.70568	30000	0	0	30000	36.25	2004
12.02.2020 09:09:10	1	1	1	1	98.5	56.25	0	30000	516.1290323	15418.69377	30000	0	0	30000	36.875	2004
12.02.2020 09:09:16	1	1	1	1	99	56.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	35.875	2004
12.02.2020 09:09:16	1	1	1	1	99	56.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	35.875	2004
12.02.2020 09:09:16	1	1	1	1	99	56.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	35.875	2004
12.02.2020 09:09:16	1	1	1	1	99	56.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	35.875	2004
12.02.2020 09:09:16	1	1	1	1	99	56.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	35.875	2004
12.02.2020 09:09:16	1	1	1	1	99	56.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	35.875	2004
12.02.2020 09:09:17	1	1	1	1	99	55.75	0	30000	458.0645161	13591.44402	30000	0	0	30000	36.5	2004
12.02.2020 09:09:18	1	1	1	1	99	56.5	0	30000	468.8172043	14064.36007	30000	0	0	30000	36.5	2004
12.02.2020 09:09:19	1	1	1	1	99	56.5	0	30000	486.0215054	14580.49085	30000	0	0	30000	35.375	2004
12.02.2020 09:09:20	1	1	1	1	99	55.25	0	30000	481.7204301	14451.662	30000	0	0	30000	36.4375	2004
12.02.2020 09:09:21	1	1	1	1	99	56.25	0	30000	481.7204301	14128.7745	30000	0	0	30000	35.9375	2004
12.02.2020 09:09:22	1	1	1	1	99	55.75	0	30000	460.2150538	13655.85845	30000	0	0	30000	36.5625	2004
12.02.2020 09:09:23	1	1	1	1	99	56.5	0	30000	443.0107527	13354.17063	30000	0	0	30000	36	2004
12.02.2020 09:09:24	1	1	1	1	99.75	56	0	29952.607	451.6129032	13462.61517	30000	0	0	30000	36.6875	2004
12.02.2020 09:09:25	1	1	1	1	99.75	56.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.625	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 09:09:26	1	1	1	1	99.75	56.5	0	30000	434.4086022	13096.51292	30000	0	0	30000	36.25	2004
12.02.2020 09:09:27	1	1	1	1	99.75	56.25	0	30000	449.4623656	13354.17063	30000	0	0	30000	36.5625	2004
12.02.2020 09:09:28	1	1	1	1	99.75	56.5	0	29952.607	464.516129	13935.53122	30000	0	0	30000	36.0625	2004
12.02.2020 09:09:29	1	1	1	1	99.75	56	0	30000	481.7204301	14451.662	30000	0	0	30000	35.5625	2004
12.02.2020 09:09:30	1	1	1	1	99.75	55.5	0	29905.213	453.7634409	13569.42897	30000	0	0	30000	36.3125	2004
12.02.2020 09:09:31	1	1	1	1	99.75	56.25	0	30000	483.8709677	14732.96551	30000	0	0	30000	36.5	2004
12.02.2020 09:09:32	1	1	1	1	99.75	56.5	0	30000	460.2150538	13741.47256	30000	0	0	30000	36.3125	2004
12.02.2020 09:09:33	1	1	1	1	99.75	56.25	0	30000	458.0645161	13935.53122	30000	0	0	30000	36.25	2004
12.02.2020 09:09:34	1	1	1	1	99.25	56.25	0	30000	453.7634409	13612.64371	30000	0	0	30000	36.4375	2004
12.02.2020 09:09:35	1	1	1	1	99.25	56.25	0	29952.607	432.2580645	13096.51292	30000	0	0	30000	36.25	2004
12.02.2020 09:09:36	1	1	1	1	99.25	56.25	0	30000	427.9569892	12967.68407	30000	0	0	30000	36.3125	2004
12.02.2020 09:09:37	1	1	1	1	99.25	56.25	0	30000	443.0107527	13225.34178	30000	0	0	30000	36.625	2004
12.02.2020 09:09:38	1	1	1	1	99.25	56.5	0	29952.607	427.9569892	12967.68407	30000	0	0	30000	36.375	2004
12.02.2020 09:09:39	1	1	1	1	99.25	56.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	36.375	2004
12.02.2020 09:09:40	1	1	1	1	99.25	56.25	0	30000	412.9032258	12599.95108	30000	0	0	30000	36.75	2004
12.02.2020 09:09:41	1	1	1	1	99.25	56.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	36	2004
12.02.2020 09:09:42	1	1	1	1	99.25	56	0	29905.213	415.0537634	12560.8132	30000	0	0	30000	36	2004
12.02.2020 09:09:43	1	1	1	1	99.25	56	0	30000	436.5591398	13160.92735	30000	0	0	30000	36.625	2004
12.02.2020 09:09:44	1	1	1	1	99.5	56.5	0	30000	464.516129	13935.53122	30000	0	0	30000	36.8125	2004
12.02.2020 09:09:45	1	1	1	1	99.5	56.75	0	30047.393	455.9139785	13612.64371	30000	0	0	30000	36.6875	2004
12.02.2020 09:09:46	1	1	1	1	99.5	56.5	0	30000	464.516129	13935.53122	30000	0	0	30000	36.5	2004
12.02.2020 09:09:48	1	1	1	1	99.5	56.5	0	29905.213	453.7634409	13935.53122	30000	0	0	30000	36.1875	2004
12.02.2020 09:09:49	1	1	1	1	99.5	56	0	30000	460.2150538	13805.88699	30000	0	0	30000	37.0625	2004
12.02.2020 09:09:50	1	1	1	1	99.5	57	0	30000	449.4623656	13354.17063	30000	0	0	30000	36.25	2004
12.02.2020 09:09:51	1	1	1	1	99.5	56.25	0	30000	449.4623656	13354.17063	30000	0	0	30000	36.9375	2004
12.02.2020 09:09:52	1	1	1	1	99.5	56.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	36.25	2004
12.02.2020 09:09:53	1	1	1	1	99.5	55.75	0	30000	443.0107527	13289.7562	30000	0	0	30000	35.5	2004
12.02.2020 09:09:54	1	1	1	1	99.5	55.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.6875	2004
12.02.2020 09:09:55	1	1	1	1	99.5	56.5	0	30000	438.7096774	13160.92735	30000	0	0	30000	35.75	2004
12.02.2020 09:09:56	1	1	1	1	99.5	55.75	0	29952.607	438.7096774	13160.92735	30000	0	0	30000	36.5	2004
12.02.2020 09:09:57	1	1	1	1	99.5	56.5	0	30000	443.0107527	13289.7562	30000	0	0	30000	36.25	2004
12.02.2020 09:09:58	1	1	1	1	99.5	56.25	0	30000	451.6129032	13612.64371	30000	0	0	30000	36.1875	2004
12.02.2020 09:09:59	1	1	1	1	99.5	56	0	30000	464.516129	13935.53122	30000	0	0	30000	36.5	2004
12.02.2020 09:10:00	1	1	1	1	99.5	56.5	0	30000	468.8172043	13999.94564	30000	0	0	30000	36.6875	2004
12.02.2020 09:10:01	1	1	1	1	99.5	56.5	0	30000	481.7204301	14451.662	30000	0	0	30000	36.0625	2004
12.02.2020 09:10:02	1	1	1	1	99.5	56	0	30000	481.7204301	14451.662	30000	0	0	30000	36.4375	2004
12.02.2020 09:10:03	1	1	1	1	99.5	56.25	0	29905.213	443.0107527	13225.34178	30000	0	0	30000	36.4375	2004
12.02.2020 09:10:04	1	1	1	1	99.5	56.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	36.375	2004
12.02.2020 09:10:05	1	1	1	1	99.5	56.25	0	30047.393	445.1612903	13354.17063	30000	0	0	30000	35.875	2004
12.02.2020 09:10:06	1	1	1	1	99.5	55.75	0	30000	425.8064516	12773.62542	30000	0	0	30000	35.9375	2004
12.02.2020 09:10:07	1	1	1	1	99.5	55.75	0	30000	432.2580645	12967.68407	30000	0	0	30000	36.75	2004
12.02.2020 09:10:08	1	1	1	1	99.5	56.75	0	30000	432.2580645	12967.68407	30000	0	0	30000	36.6875	2004
12.02.2020 09:10:09	1	1	1	1	99.5	56.5	0	30000	419.3548387	12644.79656	30000	0	0	30000	36.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 09:10:10	1	1	1	1	99.5	56.5	0	30000	419.3548387	12560.8132	30000	0	0	30000	36.125	2004
12.02.2020 09:10:11	1	1	1	1	99.5	56	0	30000	415.0537634	12580.38214	30000	0	0	30000	35.75	2004
12.02.2020 09:10:17	1	1	1	1	100	56.25	0	30000	432.2580645	12838.03984	30000	0	0	30000	36.5	2004
12.02.2020 09:10:17	1	1	1	1	100	56.25	0	30000	432.2580645	12838.03984	30000	0	0	30000	36.5	2004
12.02.2020 09:10:17	1	1	1	1	100	56.25	0	30000	432.2580645	12838.03984	30000	0	0	30000	36.5	2004
12.02.2020 09:10:17	1	1	1	1	100	56.25	0	30000	432.2580645	12838.03984	30000	0	0	30000	36.5	2004
12.02.2020 09:10:17	1	1	1	1	100	56.25	0	30000	432.2580645	12838.03984	30000	0	0	30000	36.5	2004
12.02.2020 09:10:17	1	1	1	1	100	56.25	0	30000	432.2580645	12838.03984	30000	0	0	30000	36.5	2004
12.02.2020 09:10:18	1	1	1	1	100	56.5	0	30000	436.5591398	13096.51292	30000	0	0	30000	35.6875	2004
12.02.2020 09:10:19	1	1	1	1	100	55.5	0	30000	427.9569892	12967.68407	30000	0	0	30000	36.25	2004
12.02.2020 09:10:20	1	1	1	1	100	56.25	0	30000	425.8064516	12773.62542	30000	0	0	30000	35.625	2004
12.02.2020 09:10:21	1	1	1	1	100	55.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	36.8125	2004
12.02.2020 09:10:22	1	1	1	1	100	56.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	35.9375	2004
12.02.2020 09:10:23	1	1	1	1	100	55.75	0	29952.607	425.8064516	12754.05648	30000	0	0	30000	35.9375	2004
12.02.2020 09:10:24	1	1	1	1	100	55.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	35.4375	2004
12.02.2020 09:10:25	1	1	1	1	100	55.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	36.6875	2004
12.02.2020 09:10:26	1	1	1	1	100	56.5	0	30000	425.8064516	12773.62542	30000	0	0	30000	36.5625	2004
12.02.2020 09:10:28	1	1	1	1	100	56.5	0	30000	412.9032258	12174.32664	30000	0	0	30000	36.6875	2004
12.02.2020 09:10:29	1	1	1	1	100	56.5	0	30000	419.3548387	12709.21099	30000	0	0	30000	36.8125	2004
12.02.2020 09:10:30	1	1	1	1	100	56.75	0	30000	423.655914	12773.62542	30000	0	0	30000	36.375	2004
12.02.2020 09:10:31	1	1	1	1	100	56.25	0	30000	481.7204301	14128.7745	30000	0	0	30000	37.0625	2004
12.02.2020 09:10:32	1	1	1	1	100	57	0	30000	488.172043	14644.90528	30000	0	0	30000	36.1875	2004
12.02.2020 09:10:33	1	1	1	1	100	57	0	29810.427	535.483871	15962.54722	30000	0	0	30000	36.75	2004
12.02.2020 09:10:34	1	1	1	1	100.5	56.75	0	29526.066	537.6344086	15937.27068	30000	0	0	30000	35.8125	2004
12.02.2020 09:10:35	1	1	1	1	100.5	55.75	0	29289.1	541.9354839	15935.63993	30000	0	0	30000	36.8125	2004
12.02.2020 09:10:36	1	1	1	1	100.5	56.75	0	29526.066	537.6344086	15899.76354	30000	0	0	30000	36.5	2004
12.02.2020 09:10:37	1	1	1	1	100.5	56.5	0	29526.066	541.9354839	16064.46878	30000	0	0	30000	36.8125	2004
12.02.2020 09:10:38	1	1	1	1	100.5	56.75	0	29383.886	544.0860215	16013.10032	30000	0	0	30000	36.4375	2004
12.02.2020 09:10:39	1	1	1	1	100.5	56.25	0	29241.706	546.2365591	15909.54801	30000	0	0	30000	36.625	2004
12.02.2020 09:10:40	1	1	1	1	100.5	56.5	0	29146.919	546.2365591	16046.53059	30000	0	0	30000	36.3125	2004
12.02.2020 09:10:41	1	1	1	1	100.5	56.25	0	29052.133	550.5376344	15942.16291	30000	0	0	30000	36.4375	2004
12.02.2020 09:10:42	1	1	1	1	100.5	56.25	0	28957.346	552.688172	16004.13122	30000	0	0	30000	36.0625	2004
12.02.2020 09:10:43	1	1	1	1	100.5	56	0	28957.346	552.688172	16004.13122	30000	0	0	30000	36.75	2004
12.02.2020 09:10:44	1	1	1	1	101.8	56.75	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	36.75	2004
12.02.2020 09:10:45	1	1	1	1	101.8	56.75	0	28815.166	550.5376344	15925.85546	30000	0	0	30000	35.75	2004
12.02.2020 09:10:46	1	1	1	1	101.8	55.75	0	28815.166	552.688172	15925.85546	30000	0	0	30000	36.75	2004
12.02.2020 09:10:47	1	1	1	1	101.8	56.75	0	28862.559	552.688172	15951.94738	30000	0	0	30000	36.75	2004
12.02.2020 09:10:48	1	1	1	1	101.8	56.75	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	35.9375	2004
12.02.2020 09:10:49	1	1	1	1	101.8	55.75	0	28862.559	552.688172	16128.88321	30000	0	0	30000	36.8125	2004
12.02.2020 09:10:50	1	1	1	1	101.8	56.75	0	28815.166	550.5376344	15925.85546	30000	0	0	30000	36.875	2004
12.02.2020 09:10:51	1	1	1	1	101.8	56.75	0	28578.199	554.8387097	15917.70174	30000	0	0	30000	36.75	2004
12.02.2020 09:10:52	1	1	1	1	101.8	56.75	0	28625.592	552.688172	15987.82377	30000	0	0	30000	36.625	2004
12.02.2020 09:10:53	1	1	1	1	101.8	56.5	0	28625.592	561.2903226	16066.9149	30000	0	0	30000	36.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 09:10:54	1	1	1	1	103	56.25	0	28625.592	559.1397849	16005.76197	30000	0	0	30000	36.5	2004
12.02.2020 09:10:55	1	1	1	1	103	56.5	0	28341.232	565.5913978	16029.40777	30000	0	0	30000	36.6875	2004
12.02.2020 09:10:56	1	1	1	1	103	56.5	0	28341.232	563.4408602	15995.16212	30000	0	0	30000	36.8125	2004
12.02.2020 09:10:57	1	1	1	1	103	56.75	0	28199.052	567.7419355	15888.34833	30000	0	0	30000	36.125	2004
12.02.2020 09:10:58	1	1	1	1	103	56	0	28436.019	563.4408602	16022.06942	30000	0	0	30000	36	2004
12.02.2020 09:10:59	1	1	1	1	103	56	0	28293.839	565.5913978	16002.50048	30000	0	0	30000	35.5	2004
12.02.2020 09:11:00	1	1	1	1	103	55.5	0	28436.019	565.5913978	15934.00919	30000	0	0	30000	36.8125	2004
12.02.2020 09:11:01	1	1	1	1	103	56.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	36.6875	2004
12.02.2020 09:11:02	1	1	1	1	103	56.5	0	28293.839	569.8924731	16070.17639	30000	0	0	30000	36.875	2004
12.02.2020 09:11:03	1	1	1	1	103	56.75	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	36.125	2004
12.02.2020 09:11:04	1	1	1	1	103.8	56	0	27914.692	574.1935484	16027.77702	30000	0	0	30000	36.5	2004
12.02.2020 09:11:06	1	1	1	1	103.8	56.5	0	27819.905	572.0430108	15913.62487	30000	0	0	30000	36.5625	2004
12.02.2020 09:11:07	1	1	1	1	103.8	56.5	0	27867.299	569.8924731	16000.86973	30000	0	0	30000	36.875	2004
12.02.2020 09:11:09	1	1	1	1	103.8	56.5	0	27867.299	576.344086	15913.62487	30000	0	0	30000	36.875	2004
12.02.2020 09:11:09	1	1	1	1	103.8	56.5	0	27867.299	576.344086	15913.62487	30000	0	0	30000	36.875	2004
12.02.2020 09:11:10	1	1	1	1	103.8	56.25	0	27819.905	569.8924731	15686.95132	30000	0	0	30000	36.875	2004
12.02.2020 09:11:11	1	1	1	1	103.8	56.75	0	28199.052	576.344086	16312.34202	30000	0	0	30000	37	2004
12.02.2020 09:11:12	1	1	1	1	103.8	57	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	36.75	2004
12.02.2020 09:11:13	1	1	1	1	103.8	56.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	36.625	2004
12.02.2020 09:11:19	1	1	1	1	106	56	0	27298.578	584.9462366	15792.13437	30000	0	0	30000	36.75	2004
12.02.2020 09:11:19	1	1	1	1	106	56	0	27298.578	584.9462366	15792.13437	30000	0	0	30000	36.75	2004
12.02.2020 09:11:19	1	1	1	1	106	56	0	27298.578	584.9462366	15792.13437	30000	0	0	30000	36.75	2004
12.02.2020 09:11:19	1	1	1	1	106	56	0	27298.578	584.9462366	15792.13437	30000	0	0	30000	36.75	2004
12.02.2020 09:11:19	1	1	1	1	106	56	0	27298.578	584.9462366	15792.13437	30000	0	0	30000	36.75	2004
12.02.2020 09:11:20	1	1	1	1	106	56.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	36.5	2004
12.02.2020 09:11:21	1	1	1	1	106	56.5	0	27582.938	580.6451613	16015.54644	30000	0	0	30000	36.1875	2004
12.02.2020 09:11:22	1	1	1	1	106	56	0	27582.938	580.6451613	15929.11695	30000	0	0	30000	36.8125	2004
12.02.2020 09:11:23	1	1	1	1	106	56.75	0	27725.118	576.344086	16038.37687	30000	0	0	30000	36.1875	2004
12.02.2020 09:11:24	1	1	1	1	108.8	56	0	27582.938	582.7956989	16102.79129	30000	0	0	30000	36.75	2004
12.02.2020 09:11:25	1	1	1	1	108.8	56.75	0	27535.545	580.6451613	15991.90063	30000	0	0	30000	35.625	2004
12.02.2020 09:11:26	1	1	1	1	108.8	55.5	0	27725.118	576.344086	15924.22472	30000	0	0	30000	36.6875	2004
12.02.2020 09:11:27	1	1	1	1	108.8	56.5	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	36.625	2004
12.02.2020 09:11:28	1	1	1	1	108.8	56.5	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	36.5625	2004
12.02.2020 09:11:29	1	1	1	1	108.8	56.5	0	27440.758	576.344086	15873.67162	30000	0	0	30000	36.8125	2004
12.02.2020 09:11:30	1	1	1	1	108.8	56.75	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	36.75	2004
12.02.2020 09:11:31	1	1	1	1	108.8	56.75	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	36.875	2004
12.02.2020 09:11:32	1	1	1	1	108.8	56.75	0	27298.578	580.6451613	15850.84119	30000	0	0	30000	36.625	2004
12.02.2020 09:11:33	1	1	1	1	108.8	56.5	0	27345.972	576.344086	15991.90063	30000	0	0	30000	36.875	2004
12.02.2020 09:11:34	1	1	1	1	111	56.75	0	27630.332	578.4946237	16102.79129	30000	0	0	30000	36.875	2004
12.02.2020 09:11:35	1	1	1	1	111	56.75	0	27535.545	580.6451613	15956.02424	30000	0	0	30000	35.875	2004
12.02.2020 09:11:36	1	1	1	1	111	55.75	0	27630.332	576.344086	15983.74691	30000	0	0	30000	36.625	2004
12.02.2020 09:11:37	1	1	1	1	111	56.5	0	27819.905	578.4946237	16038.37687	30000	0	0	30000	36.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 09:11:38	1	1	1	1	111	56.25	0	27582.938	580.6451613	16043.2691	30000	0	0	30000	36.9375	2004
12.02.2020 09:11:39	1	1	1	1	111	56.75	0	27630.332	576.344086	15924.22472	30000	0	0	30000	36.9375	2004
12.02.2020 09:11:40	1	1	1	1	111	56.75	0	27582.938	580.6451613	16102.79129	30000	0	0	30000	36.875	2004
12.02.2020 09:11:41	1	1	1	1	111	56.75	0	27630.332	578.4946237	16043.2691	30000	0	0	30000	36.5625	2004
12.02.2020 09:11:42	1	1	1	1	111	56.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	36.5	2004
12.02.2020 09:11:43	1	1	1	1	111	56.5	0	27535.545	582.7956989	16047.34596	30000	0	0	30000	36.8125	2004
12.02.2020 09:11:44	1	1	1	1	112.8	56.75	0	27630.332	584.9462366	15956.02424	30000	0	0	30000	36.6875	2004
12.02.2020 09:11:46	1	1	1	1	112.8	56.5	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	36.875	2004
12.02.2020 09:11:47	1	1	1	1	112.8	56.75	0	27582.938	578.4946237	15956.02424	30000	0	0	30000	36.6875	2004
12.02.2020 09:11:48	1	1	1	1	112.8	56.5	0	27440.758	580.6451613	16051.42282	30000	0	0	30000	36.75	2004
12.02.2020 09:11:49	1	1	1	1	112.8	56.75	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	36.75	2004
12.02.2020 09:11:50	1	1	1	1	112.8	56.75	0	27630.332	576.344086	15983.74691	30000	0	0	30000	36.75	2004
12.02.2020 09:11:51	1	1	1	1	112.8	56.75	0	27440.758	578.4946237	15991.90063	30000	0	0	30000	36.625	2004
12.02.2020 09:11:52	1	1	1	1	112.8	56.5	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	36.6875	2004
12.02.2020 09:11:53	1	1	1	1	112.8	56.5	0	27440.758	582.7956989	16051.42282	30000	0	0	30000	36.375	2004
12.02.2020 09:11:54	1	1	1	1	114.3	56.25	0	27582.938	589.2473118	16106.86815	30000	0	0	30000	36.875	2004
12.02.2020 09:11:55	1	1	1	1	114.3	56.75	0	27298.578	578.4946237	15909.54801	30000	0	0	30000	36.25	2004
12.02.2020 09:11:56	1	1	1	1	114.3	56.25	0	27345.972	584.9462366	15936.4553	30000	0	0	30000	36.25	2004
12.02.2020 09:11:57	1	1	1	1	114.3	56.25	0	27345.972	584.9462366	16054.68431	30000	0	0	30000	36.6875	2004
12.02.2020 09:11:58	1	1	1	1	114.3	56.5	0	27440.758	589.2473118	16110.12964	30000	0	0	30000	36.0625	2004
12.02.2020 09:11:59	1	1	1	1	114.3	56	0	27345.972	582.7956989	15936.4553	30000	0	0	30000	36.375	2004
12.02.2020 09:12:00	1	1	1	1	114.3	56.25	0	27109.005	589.2473118	16031.85389	30000	0	0	30000	36.8125	2004
12.02.2020 09:12:01	1	1	1	1	114.3	56.75	0	27156.398	589.2473118	16085.66847	30000	0	0	30000	36.75	2004
12.02.2020 09:12:02	1	1	1	1	114.3	56.75	0	27109.005	591.3978495	16031.85389	30000	0	0	30000	37.0625	2004
12.02.2020 09:12:03	1	1	1	1	114.3	57	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	36.75	2004
12.02.2020 09:12:04	1	1	1	1	115.3	56.75	0	27061.611	584.9462366	15829.64151	30000	0	0	30000	37	2004
12.02.2020 09:12:05	1	1	1	1	115.3	57	0	27630.332	587.0967742	16221.0203	30000	0	0	30000	36.8125	2004
12.02.2020 09:12:06	1	1	1	1	115.3	56.75	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	36.8125	2004
12.02.2020 09:12:07	1	1	1	1	115.3	56.75	0	27582.938	587.0967742	16312.34202	30000	0	0	30000	36.9375	2004
12.02.2020 09:12:08	1	1	1	1	115.3	56.75	0	27345.972	589.2473118	16054.68431	30000	0	0	30000	36.8125	2004
12.02.2020 09:12:09	1	1	1	1	115.3	56.75	0	27298.578	591.3978495	16085.66847	30000	0	0	30000	36.75	2004
12.02.2020 09:12:10	1	1	1	1	115.3	56.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	36.9375	2004
12.02.2020 09:12:11	1	1	1	1	115.3	56.75	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	36.9375	2004
12.02.2020 09:12:12	1	1	1	1	115.3	56.75	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	36.75	2004
12.02.2020 09:12:13	1	1	1	1	115.3	56.75	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	36.5625	2004
12.02.2020 09:12:14	1	1	1	1	116.5	56.5	0	27061.611	584.9462366	15887.53295	30000	0	0	30000	37	2004
12.02.2020 09:12:20	1	1	1	1	116.5	56.25	0	27630.332	578.4946237	16043.2691	30000	0	0	30000	36.875	2004
12.02.2020 09:12:20	1	1	1	1	116.5	56.25	0	27630.332	578.4946237	16043.2691	30000	0	0	30000	36.875	2004
12.02.2020 09:12:20	1	1	1	1	116.5	56.25	0	27630.332	578.4946237	16043.2691	30000	0	0	30000	36.875	2004
12.02.2020 09:12:20	1	1	1	1	116.5	56.25	0	27630.332	578.4946237	16043.2691	30000	0	0	30000	36.875	2004
12.02.2020 09:12:21	1	1	1	1	116.5	56.25	0	27630.332	578.4946237	16043.2691	30000	0	0	30000	36.875	2004
12.02.2020 09:12:21	1	1	1	1	116.5	56.25	0	27630.332	578.4946237	16043.2691	30000	0	0	30000	36.875	2004
12.02.2020 09:12:21	1	1	1	1	116.5	56.75	0	27440.758	574.1935484	15956.02424	30000	0	0	30000	36.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 09:12:22	1	1	1	1	116.5	56.75	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	36.75	2004
12.02.2020 09:12:23	1	1	1	1	116.5	56.75	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	36.875	2004
12.02.2020 09:12:25	1	1	1	1	117.8	56.75	0	27440.758	580.6451613	16051.42282	30000	0	0	30000	36.5	2004
12.02.2020 09:12:26	1	1	1	1	117.8	56.5	0	27345.972	589.2473118	15936.4553	30000	0	0	30000	36.625	2004
12.02.2020 09:12:27	1	1	1	1	117.8	56.5	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	37	2004
12.02.2020 09:12:28	1	1	1	1	117.8	57	0	27630.332	584.9462366	16162.31348	30000	0	0	30000	37.0625	2004
12.02.2020 09:12:29	1	1	1	1	117.8	57	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	36.6875	2004
12.02.2020 09:12:30	1	1	1	1	117.8	56.75	0	27867.299	578.4946237	16328.64947	30000	0	0	30000	36.375	2004
12.02.2020 09:12:31	1	1	1	1	117.8	56.25	0	27630.332	584.9462366	16102.79129	30000	0	0	30000	36.5625	2004
12.02.2020 09:12:32	1	1	1	1	117.8	56.5	0	27440.758	576.344086	15933.19381	30000	0	0	30000	36.5625	2004
12.02.2020 09:12:33	1	1	1	1	117.8	56.5	0	27630.332	578.4946237	15864.70252	30000	0	0	30000	36.9375	2004
12.02.2020 09:12:34	1	1	1	1	118.8	56.75	0	27819.905	576.344086	16033.48463	30000	0	0	30000	36.1875	2004
12.02.2020 09:12:35	1	1	1	1	118.8	56	0	27819.905	576.344086	16093.00682	30000	0	0	30000	36.75	2004
12.02.2020 09:12:36	1	1	1	1	118.8	56.75	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	36.625	2004
12.02.2020 09:12:37	1	1	1	1	118.8	56.5	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	36.875	2004
12.02.2020 09:12:38	1	1	1	1	118.8	56.75	0	27630.332	580.6451613	16212.86658	30000	0	0	30000	36.4375	2004
12.02.2020 09:12:39	1	1	1	1	118.8	56.25	0	27298.578	582.7956989	15792.13437	30000	0	0	30000	36.5	2004
12.02.2020 09:12:40	1	1	1	1	118.8	56.5	0	27535.545	569.8924731	15983.74691	30000	0	0	30000	36.9375	2004
12.02.2020 09:12:41	1	1	1	1	118.8	56.75	0	27298.578	580.6451613	15740.76591	30000	0	0	30000	36.875	2004
12.02.2020 09:12:42	1	1	1	1	118.8	56.75	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	36.75	2004
12.02.2020 09:12:43	1	1	1	1	118.8	56.75	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	37	2004
12.02.2020 09:12:44	1	1	1	1	118	57	0	27630.332	576.344086	15864.70252	30000	0	0	30000	36.75	2004
12.02.2020 09:12:45	1	1	1	1	118	56.75	0	27962.085	576.344086	16115.83725	30000	0	0	30000	36.5625	2004
12.02.2020 09:12:46	1	1	1	1	118	56.5	0	27582.938	576.344086	15691.84356	30000	0	0	30000	36.75	2004
12.02.2020 09:12:47	1	1	1	1	118	56.75	0	27867.299	576.344086	16000.86973	30000	0	0	30000	36.5625	2004
12.02.2020 09:12:48	1	1	1	1	118	56.5	0	27582.938	582.7956989	16102.79129	30000	0	0	30000	36.625	2004
12.02.2020 09:12:49	1	1	1	1	118	56.5	0	27345.972	587.0967742	16110.12964	30000	0	0	30000	37	2004
12.02.2020 09:12:50	1	1	1	1	118	57	0	27582.938	578.4946237	15956.02424	30000	0	0	30000	36.5	2004
12.02.2020 09:12:51	1	1	1	1	118	56.5	0	27867.299	572.0430108	16000.86973	30000	0	0	30000	36.5	2004
12.02.2020 09:12:52	1	1	1	1	118	56.5	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	37	2004
12.02.2020 09:12:53	1	1	1	1	118	57	0	27725.118	576.344086	16033.48463	30000	0	0	30000	36	2004
12.02.2020 09:12:54	1	1	1	1	118.8	56	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	36.9375	2004
12.02.2020 09:12:55	1	1	1	1	118.8	56.75	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	37.0625	2004
12.02.2020 09:12:56	1	1	1	1	118.8	57	0	27914.692	576.344086	16148.45215	30000	0	0	30000	36.6875	2004
12.02.2020 09:12:57	1	1	1	1	118.8	56.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	36.875	2004
12.02.2020 09:12:58	1	1	1	1	118.8	56.75	0	27298.578	587.0967742	16085.66847	30000	0	0	30000	37.0625	2004
12.02.2020 09:12:59	1	1	1	1	118.8	57	0	27440.758	589.2473118	16113.39113	30000	0	0	30000	36.75	2004
12.02.2020 09:13:00	1	1	1	1	118.8	56.75	0	27109.005	587.0967742	15973.96244	30000	0	0	30000	36.875	2004
12.02.2020 09:13:02	1	1	1	1	118.8	56.75	0	27345.972	584.9462366	16110.12964	30000	0	0	30000	36.5	2004
12.02.2020 09:13:03	1	1	1	1	118.8	56.5	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	36.0625	2004
12.02.2020 09:13:04	1	1	1	1	118.8	56	0	27109.005	589.2473118	15945.4244	30000	0	0	30000	36.5	2004
12.02.2020 09:13:05	1	1	1	1	118.8	56.5	0	27109.005	587.0967742	16059.57655	30000	0	0	30000	37.125	2004
12.02.2020 09:13:06	1	1	1	1	118.8	57	0	27109.005	591.3978495	15829.64151	30000	0	0	30000	37.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 09:13:07	1	1	1	1	118.8	57	0	27061.611	591.3978495	16062.02267	30000	0	0	30000	36.75	2004
12.02.2020 09:13:08	1	1	1	1	118.8	57	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	36.1875	2004
12.02.2020 09:13:09	1	1	1	1	118.8	56	0	26824.645	593.5483871	15921.7786	30000	0	0	30000	36.75	2004
12.02.2020 09:13:10	1	1	1	1	118.8	56.75	0	27014.218	591.3978495	16062.02267	30000	0	0	30000	36.8125	2004
12.02.2020 09:13:11	1	1	1	1	118.8	56.75	0	27156.398	584.9462366	15942.97828	30000	0	0	30000	35.875	2004
12.02.2020 09:13:12	1	1	1	1	118.8	55.75	0	27109.005	587.0967742	16031.85389	30000	0	0	30000	37	2004
12.02.2020 09:13:13	1	1	1	1	118.8	57	0	26777.251	593.5483871	15835.34912	30000	0	0	30000	36.875	2004
12.02.2020 09:13:14	1	1	1	1	119.5	56.75	0	26540.284	593.5483871	15951.94738	30000	0	0	30000	36.4375	2004
12.02.2020 09:13:15	1	1	1	1	119.5	56.25	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	37.0625	2004
12.02.2020 09:13:16	1	1	1	1	119.5	57	0	26919.431	595.6989247	16063.65341	30000	0	0	30000	37	2004
12.02.2020 09:13:22	1	1	1	1	119.5	56.75	0	26966.825	600	16179.43631	30000	0	0	30000	36.1875	2004
12.02.2020 09:13:22	1	1	1	1	119.5	56.75	0	26966.825	600	16179.43631	30000	0	0	30000	36.1875	2004
12.02.2020 09:13:22	1	1	1	1	119.5	56.75	0	26966.825	600	16179.43631	30000	0	0	30000	36.1875	2004
12.02.2020 09:13:22	1	1	1	1	119.5	56.75	0	26966.825	600	16179.43631	30000	0	0	30000	36.1875	2004
12.02.2020 09:13:22	1	1	1	1	119.5	56.75	0	26966.825	600	16179.43631	30000	0	0	30000	36.1875	2004
12.02.2020 09:13:22	1	1	1	1	119.5	56.75	0	26966.825	600	16179.43631	30000	0	0	30000	36.1875	2004
12.02.2020 09:13:23	1	1	1	1	119.5	56	0	26682.464	597.8494624	16066.9149	30000	0	0	30000	36.9375	2004
12.02.2020 09:13:24	1	1	1	1	120.3	56.75	0	26635.071	604.3010753	16123.99098	30000	0	0	30000	37	2004
12.02.2020 09:13:25	1	1	1	1	120.3	57	0	26587.678	597.8494624	15837.79523	30000	0	0	30000	36.6875	2004
12.02.2020 09:13:26	1	1	1	1	120.3	56.5	0	26540.284	604.3010753	16038.37687	30000	0	0	30000	37.125	2004
12.02.2020 09:13:27	1	1	1	1	120.3	57	0	26540.284	600	15924.22472	30000	0	0	30000	36.0625	2004
12.02.2020 09:13:28	1	1	1	1	120.3	56	0	26398.104	604.3010753	15951.94738	30000	0	0	30000	36.5	2004
12.02.2020 09:13:29	1	1	1	1	120.3	56.5	0	26635.071	606.4516129	16238.9585	30000	0	0	30000	35.6875	2004
12.02.2020 09:13:30	1	1	1	1	120.3	55.5	0	26492.891	602.1505376	16009.02346	30000	0	0	30000	36.9375	2004
12.02.2020 09:13:31	1	1	1	1	120.3	56.75	0	26398.104	608.6021505	16065.28416	30000	0	0	30000	36.875	2004
12.02.2020 09:13:32	1	1	1	1	120.3	56.75	0	26682.464	597.8494624	16009.02346	30000	0	0	30000	37	2004
12.02.2020 09:13:33	1	1	1	1	120.3	57	0	26398.104	610.7526882	15923.40934	30000	0	0	30000	36.375	2004
12.02.2020 09:13:34	1	1	1	1	121.5	56.25	0	26018.957	617.2043011	16000.05436	30000	0	0	30000	37	2004
12.02.2020 09:13:35	1	1	1	1	121.5	57	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	36.8125	2004
12.02.2020 09:13:36	1	1	1	1	121.5	56.75	0	26255.924	608.6021505	15950.31664	30000	0	0	30000	36.9375	2004
12.02.2020 09:13:37	1	1	1	1	121.5	56.75	0	26350.711	606.4516129	15980.48542	30000	0	0	30000	37	2004
12.02.2020 09:13:38	1	1	1	1	121.5	57	0	26540.284	602.1505376	16066.9149	30000	0	0	30000	36.9375	2004
12.02.2020 09:13:40	1	1	1	1	121.5	56.75	0	26066.351	615.0537634	16031.85389	30000	0	0	30000	36.8125	2004
12.02.2020 09:13:41	1	1	1	1	121.5	56.75	0	26113.744	615.0537634	16061.20729	30000	0	0	30000	36.8125	2004
12.02.2020 09:13:42	1	1	1	1	121.5	56.75	0	26255.924	610.7526882	15978.85467	30000	0	0	30000	36.9375	2004
12.02.2020 09:13:43	1	1	1	1	121.5	56.75	0	26113.744	610.7526882	16004.94659	30000	0	0	30000	36.9375	2004
12.02.2020 09:13:44	1	1	1	1	121.5	56.75	0	25545.024	625.8064516	15986.19303	30000	0	0	30000	36.5	2004
12.02.2020 09:13:45	1	1	1	1	123	56.5	0	26303.318	606.4516129	16177.80556	30000	0	0	30000	37.125	2004
12.02.2020 09:13:46	1	1	1	1	123	57	0	26303.318	612.9032258	16120.72949	30000	0	0	30000	37	2004
12.02.2020 09:13:47	1	1	1	1	123	56.25	0	26350.711	608.6021505	16036.74612	30000	0	0	30000	37	2004
12.02.2020 09:13:48	1	1	1	1	123	57	0	25924.171	610.7526882	16058.76118	30000	0	0	30000	37	2004
12.02.2020 09:13:49	1	1	1	1	123	57	0	26208.531	610.7526882	16062.83804	30000	0	0	30000	36.9375	2004
12.02.2020 09:13:50	1	1	1	1	123	56.75	0	26350.711	606.4516129	15951.13201	30000	0	0	30000	37.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 09:13:51	1	1	1	1	123	57	0	26587.678	602.1505376	16123.99098	30000	0	0	30000	37	2004
12.02.2020 09:13:52	1	1	1	1	123	57	0	26113.744	610.7526882	15892.42519	30000	0	0	30000	36	2004
12.02.2020 09:13:53	1	1	1	1	123	56	0	26113.744	610.7526882	16117.468	30000	0	0	30000	35.5625	2004
12.02.2020 09:13:54	1	1	1	1	123.8	55.5	0	25924.171	619.3548387	15941.34754	30000	0	0	30000	37	2004
12.02.2020 09:13:55	1	1	1	1	123.8	57	0	25924.171	619.3548387	16000.05436	30000	0	0	30000	36.8125	2004
12.02.2020 09:13:56	1	1	1	1	123.8	56.75	0	25924.171	612.9032258	15888.34833	30000	0	0	30000	37.1875	2004
12.02.2020 09:13:57	1	1	1	1	123.8	57	0	26303.318	608.6021505	16008.20808	30000	0	0	30000	36	2004
12.02.2020 09:13:58	1	1	1	1	123.8	56	0	26018.957	615.0537634	16058.76118	30000	0	0	30000	37.0625	2004
12.02.2020 09:13:59	1	1	1	1	123.8	57	0	25924.171	615.0537634	16111.76039	30000	0	0	30000	36.5	2004
12.02.2020 09:14:00	1	1	1	1	123.8	56.5	0	25734.597	619.3548387	15993.53138	30000	0	0	30000	36.25	2004
12.02.2020 09:14:01	1	1	1	1	123.8	56.25	0	26113.744	615.0537634	16117.468	30000	0	0	30000	36.3125	2004
12.02.2020 09:14:02	1	1	1	1	123.8	56.25	0	26587.678	600	15951.94738	30000	0	0	30000	36.5	2004
12.02.2020 09:14:03	1	1	1	1	123.8	56.5	0	26492.891	604.3010753	16009.02346	30000	0	0	30000	36.6875	2004
12.02.2020 09:14:04	1	1	1	1	124.3	56.5	0	25924.171	619.3548387	15775.01155	30000	0	0	30000	37.125	2004
12.02.2020 09:14:05	1	1	1	1	124.3	57	0	26208.531	610.7526882	15950.31664	30000	0	0	30000	37.125	2004
12.02.2020 09:14:06	1	1	1	1	124.3	57	0	26113.744	610.7526882	16004.94659	30000	0	0	30000	37.0625	2004
12.02.2020 09:14:07	1	1	1	1	124.3	57	0	26113.744	610.7526882	15948.68589	30000	0	0	30000	36.5	2004
12.02.2020 09:14:08	1	1	1	1	124.3	56.5	0	26255.924	610.7526882	16120.72949	30000	0	0	30000	36.4375	2004
12.02.2020 09:14:09	1	1	1	1	124.3	56.25	0	26113.744	608.6021505	15892.42519	30000	0	0	30000	36.5625	2004
12.02.2020 09:14:10	1	1	1	1	124.3	56.5	0	26445.498	604.3010753	15980.48542	30000	0	0	30000	35.625	2004
12.02.2020 09:14:11	1	1	1	1	124.3	55.5	0	26113.744	615.0537634	16117.468	30000	0	0	30000	36.9375	2004
12.02.2020 09:14:12	1	1	1	1	124.3	56.75	0	26445.498	604.3010753	15980.48542	30000	0	0	30000	36.5625	2004
12.02.2020 09:14:13	1	1	1	1	124.3	56.5	0	26303.318	612.9032258	16064.46878	30000	0	0	30000	36.5	2004
12.02.2020 09:14:14	1	1	1	1	125.5	56.5	0	25924.171	615.0537634	15888.34833	30000	0	0	30000	36.875	2004
12.02.2020 09:14:15	1	1	1	1	125.5	56.75	0	26066.351	612.9032258	15975.59318	30000	0	0	30000	37	2004
12.02.2020 09:14:16	1	1	1	1	125.5	57	0	25924.171	612.9032258	15888.34833	30000	0	0	30000	35.6875	2004
12.02.2020 09:14:18	1	1	1	1	125.5	55.5	0	26113.744	610.7526882	15948.68589	30000	0	0	30000	36.4375	2004
12.02.2020 09:14:24	1	1	1	1	125.5	57	0	26018.957	612.9032258	16031.85389	30000	0	0	30000	37.3125	2004
12.02.2020 09:14:24	1	1	1	1	125.5	57	0	26018.957	612.9032258	16031.85389	30000	0	0	30000	37.3125	2004
12.02.2020 09:14:24	1	1	1	1	125.5	57	0	26018.957	612.9032258	16031.85389	30000	0	0	30000	37.3125	2004
12.02.2020 09:14:24	1	1	1	1	125.5	57	0	26018.957	612.9032258	16031.85389	30000	0	0	30000	37.3125	2004
12.02.2020 09:14:24	1	1	1	1	125.5	57	0	26018.957	612.9032258	16031.85389	30000	0	0	30000	37.3125	2004
12.02.2020 09:14:24	1	1	1	1	125.5	57	0	26018.957	612.9032258	16031.85389	30000	0	0	30000	37.3125	2004
12.02.2020 09:14:25	1	1	1	1	127.3	57	0	26303.318	610.7526882	16064.46878	30000	0	0	30000	36.875	2004
12.02.2020 09:14:26	1	1	1	1	127.3	56.75	0	25971.564	617.2043011	16170.46721	30000	0	0	30000	36.875	2004
12.02.2020 09:14:27	1	1	1	1	127.3	56.75	0	26303.318	606.4516129	16008.20808	30000	0	0	30000	35.9375	2004
12.02.2020 09:14:28	1	1	1	1	127.3	55.75	0	26303.318	604.3010753	15923.40934	30000	0	0	30000	36.625	2004
12.02.2020 09:14:29	1	1	1	1	127.3	56.5	0	26255.924	608.6021505	16006.57734	30000	0	0	30000	36.5625	2004
12.02.2020 09:14:30	1	1	1	1	127.3	56.5	0	26113.744	610.7526882	15948.68589	30000	0	0	30000	36.8125	2004
12.02.2020 09:14:31	1	1	1	1	127.3	56.75	0	25876.777	617.2043011	15970.70095	30000	0	0	30000	36.75	2004
12.02.2020 09:14:32	1	1	1	1	127.3	56.75	0	26208.531	612.9032258	16006.57734	30000	0	0	30000	35.25	2004
12.02.2020 09:14:33	1	1	1	1	127.3	55.25	0	26303.318	606.4516129	15951.13201	30000	0	0	30000	36.8125	2004
12.02.2020 09:14:34	1	1	1	1	127.8	56.75	0	26208.531	610.7526882	16006.57734	30000	0	0	30000	36.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 09:14:35	1	1	1	1	127.8	56.5	0	26113.744	610.7526882	16004.94659	30000	0	0	30000	37.0625	2004
12.02.2020 09:14:36	1	1	1	1	127.8	57	0	25924.171	625.8064516	16082.40698	30000	0	0	30000	37.0625	2004
12.02.2020 09:14:37	1	1	1	1	127.8	57	0	25734.597	619.3548387	15993.53138	30000	0	0	30000	37.0625	2004
12.02.2020 09:14:38	1	1	1	1	127.8	57	0	25924.171	617.2043011	15941.34754	30000	0	0	30000	36.625	2004
12.02.2020 09:14:39	1	1	1	1	127.8	56.5	0	26113.744	617.2043011	16058.76118	30000	0	0	30000	37.125	2004
12.02.2020 09:14:40	1	1	1	1	127.8	57	0	25971.564	610.7526882	16058.76118	30000	0	0	30000	37	2004
12.02.2020 09:14:41	1	1	1	1	127.8	57	0	26255.924	615.0537634	16119.09874	30000	0	0	30000	35.5625	2004
12.02.2020 09:14:42	1	1	1	1	127.8	55.5	0	26255.924	612.9032258	16062.83804	30000	0	0	30000	36.875	2004
12.02.2020 09:14:43	1	1	1	1	127.8	56.75	0	25876.777	615.0537634	16000.05436	30000	0	0	30000	36.4375	2004
12.02.2020 09:14:44	1	1	1	1	129.3	56.25	0	26208.531	612.9032258	16062.83804	30000	0	0	30000	36.8125	2004
12.02.2020 09:14:45	1	1	1	1	129.3	56.75	0	25924.171	621.5053763	16223.46642	30000	0	0	30000	37.0625	2004
12.02.2020 09:14:46	1	1	1	1	129.3	57	0	26113.744	617.2043011	16117.468	30000	0	0	30000	36.5	2004
12.02.2020 09:14:47	1	1	1	1	129.3	56.5	0	26113.744	610.7526882	15948.68589	30000	0	0	30000	36.375	2004
12.02.2020 09:14:48	1	1	1	1	129.3	56.25	0	26113.744	610.7526882	15948.68589	30000	0	0	30000	37.0625	2004
12.02.2020 09:14:49	1	1	1	1	129.3	57	0	26018.957	615.0537634	15944.60903	30000	0	0	30000	36.6875	2004
12.02.2020 09:14:50	1	1	1	1	129.3	56.5	0	26303.318	610.7526882	16064.46878	30000	0	0	30000	36.5625	2004
12.02.2020 09:14:51	1	1	1	1	129.3	56.5	0	26018.957	615.0537634	15944.60903	30000	0	0	30000	36.375	2004
12.02.2020 09:14:52	1	1	1	1	129.3	56.25	0	26350.711	612.9032258	16064.46878	30000	0	0	30000	36.1875	2004
12.02.2020 09:14:53	1	1	1	1	129.3	56	0	25924.171	615.0537634	16000.05436	30000	0	0	30000	36.375	2004
12.02.2020 09:14:54	1	1	1	1	130.5	56.25	0	25876.777	621.5053763	16082.40698	30000	0	0	30000	36.9375	2004
12.02.2020 09:14:56	1	1	1	1	130.5	56.75	0	25450.237	623.655914	16175.35944	30000	0	0	30000	37.125	2004
12.02.2020 09:14:57	1	1	1	1	130.5	57	0	25639.81	623.655914	15990.26989	30000	0	0	30000	37.0625	2004
12.02.2020 09:14:58	1	1	1	1	130.5	57	0	26066.351	612.9032258	16061.20729	30000	0	0	30000	37.0625	2004
12.02.2020 09:14:59	1	1	1	1	130.5	57	0	25924.171	621.5053763	15970.70095	30000	0	0	30000	36.0625	2004
12.02.2020 09:15:00	1	1	1	1	130.5	56	0	25971.564	617.2043011	16058.76118	30000	0	0	30000	37.3125	2004
12.02.2020 09:15:01	1	1	1	1	130.5	57.25	0	25924.171	619.3548387	16000.05436	30000	0	0	30000	37.3125	2004
12.02.2020 09:15:02	1	1	1	1	130.5	57.25	0	26018.957	617.2043011	16170.46721	30000	0	0	30000	37.125	2004
12.02.2020 09:15:03	1	1	1	1	130.5	57	0	25497.63	627.9569892	16066.09953	30000	0	0	30000	35.9375	2004
12.02.2020 09:15:04	1	1	1	1	131.8	55.75	0	25402.844	632.2580645	16145.19066	30000	0	0	30000	36.75	2004
12.02.2020 09:15:05	1	1	1	1	131.8	56.75	0	26018.957	617.2043011	16000.05436	30000	0	0	30000	36.3125	2004
12.02.2020 09:15:06	1	1	1	1	131.8	56.25	0	26066.351	615.0537634	16058.76118	30000	0	0	30000	36.375	2004
12.02.2020 09:15:07	1	1	1	1	131.8	56.25	0	26018.957	615.0537634	16058.76118	30000	0	0	30000	35.6875	2004
12.02.2020 09:15:08	1	1	1	1	131.8	55.5	0	26113.744	610.7526882	15892.42519	30000	0	0	30000	36.875	2004
12.02.2020 09:15:09	1	1	1	1	131.8	56.75	0	26350.711	610.7526882	16064.46878	30000	0	0	30000	37	2004
12.02.2020 09:15:10	1	1	1	1	131.8	57	0	26208.531	615.0537634	16062.83804	30000	0	0	30000	36.9375	2004
12.02.2020 09:15:11	1	1	1	1	131.8	56.75	0	25734.597	621.5053763	15993.53138	30000	0	0	30000	36.5	2004
12.02.2020 09:15:12	1	1	1	1	131.8	56.5	0	25308.057	627.9569892	15867.14864	30000	0	0	30000	34.8125	2004
12.02.2020 09:15:13	1	1	1	1	131.8	54.75	0	25450.237	625.8064516	15926.67083	30000	0	0	30000	36.75	2004
12.02.2020 09:15:14	1	1	1	1	132.8	56.75	0	25924.171	610.7526882	15888.34833	30000	0	0	30000	36.625	2004
12.02.2020 09:15:15	1	1	1	1	132.8	56.5	0	25924.171	617.2043011	16000.05436	30000	0	0	30000	37.125	2004
12.02.2020 09:15:16	1	1	1	1	132.8	57	0	25734.597	619.3548387	15883.45609	30000	0	0	30000	36.5	2004
12.02.2020 09:15:17	1	1	1	1	132.8	56.5	0	25924.171	615.0537634	16000.05436	30000	0	0	30000	37	2004
12.02.2020 09:15:18	1	1	1	1	132.8	57	0	26113.744	612.9032258	16004.94659	30000	0	0	30000	37.125	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 09:15:19	1	1	1	1	132.8	57	0	26208.531	615.0537634	16062.83804	30000	0	0	30000	37.125	2004
12.02.2020 09:15:25	1	1	1	1	133.8	57	0	25734.597	625.8064516	16104.42204	30000	0	0	30000	36.3125	2004
12.02.2020 09:15:26	1	1	1	1	133.8	57	0	25734.597	625.8064516	16104.42204	30000	0	0	30000	36.3125	2004
12.02.2020 09:15:26	1	1	1	1	133.8	57	0	25734.597	625.8064516	16104.42204	30000	0	0	30000	36.3125	2004
12.02.2020 09:15:26	1	1	1	1	133.8	57	0	25734.597	625.8064516	16104.42204	30000	0	0	30000	36.3125	2004
12.02.2020 09:15:26	1	1	1	1	133.8	57	0	25734.597	625.8064516	16104.42204	30000	0	0	30000	36.3125	2004
12.02.2020 09:15:26	1	1	1	1	133.8	57	0	25734.597	625.8064516	16104.42204	30000	0	0	30000	36.3125	2004
12.02.2020 09:15:26	1	1	1	1	133.8	56.25	0	25165.877	634.4086022	15964.99334	30000	0	0	30000	37.1875	2004
12.02.2020 09:15:27	1	1	1	1	133.8	57	0	25402.844	625.8064516	15867.14864	30000	0	0	30000	36.625	2004
12.02.2020 09:15:28	1	1	1	1	133.8	56.5	0	25071.09	636.5591398	16013.10032	30000	0	0	30000	36.8125	2004
12.02.2020 09:15:29	1	1	1	1	133.8	56.75	0	25924.171	619.3548387	16111.76039	30000	0	0	30000	37.125	2004
12.02.2020 09:15:30	1	1	1	1	133.8	57	0	25165.877	638.7096774	16127.25247	30000	0	0	30000	36.375	2004
12.02.2020 09:15:31	1	1	1	1	133.8	56.25	0	24976.303	640.8602151	16059.57655	30000	0	0	30000	37.125	2004
12.02.2020 09:15:32	1	1	1	1	133.8	57	0	25260.664	638.7096774	16296.84994	30000	0	0	30000	35.875	2004
12.02.2020 09:15:34	1	1	1	1	133.8	55.75	0	25165.877	632.2580645	15964.99334	30000	0	0	30000	37.125	2004
12.02.2020 09:15:35	1	1	1	1	135	57	0	25402.844	627.9569892	15897.31742	30000	0	0	30000	37.125	2004
12.02.2020 09:15:36	1	1	1	1	135	57	0	25308.057	627.9569892	15837.79523	30000	0	0	30000	37	2004
12.02.2020 09:15:37	1	1	1	1	135	57	0	25450.237	625.8064516	15981.30079	30000	0	0	30000	37.25	2004
12.02.2020 09:15:38	1	1	1	1	135	57.25	0	24881.517	638.7096774	16052.2382	30000	0	0	30000	36.9375	2004
12.02.2020 09:15:39	1	1	1	1	135	56.75	0	25545.024	627.9569892	16040.82298	30000	0	0	30000	36.6875	2004
12.02.2020 09:15:40	1	1	1	1	135	56.5	0	24976.303	640.8602151	16013.10032	30000	0	0	30000	37.0625	2004
12.02.2020 09:15:41	1	1	1	1	135	57	0	24834.123	645.1612903	15938.08605	30000	0	0	30000	37.25	2004
12.02.2020 09:15:42	1	1	1	1	135	57	0	25450.237	632.2580645	16090.5607	30000	0	0	30000	35.875	2004
12.02.2020 09:15:43	1	1	1	1	135	55.75	0	25260.664	627.9569892	15916.88636	30000	0	0	30000	37.125	2004
12.02.2020 09:15:44	1	1	1	1	137	57	0	25213.27	638.7096774	16188.4054	30000	0	0	30000	36.6875	2004
12.02.2020 09:15:45	1	1	1	1	137	56.5	0	25165.877	634.4086022	16025.33091	30000	0	0	30000	36.5625	2004
12.02.2020 09:15:46	1	1	1	1	137	56.5	0	24881.517	645.1612903	16266.68116	30000	0	0	30000	36.375	2004
12.02.2020 09:15:47	1	1	1	1	137	56.25	0	24976.303	640.8602151	16005.76197	30000	0	0	30000	37.125	2004
12.02.2020 09:15:48	1	1	1	1	137	57	0	23838.863	664.516129	15841.05672	30000	0	0	30000	37.125	2004
12.02.2020 09:15:49	1	1	1	1	137	57	0	24502.37	653.7634409	16018.80793	30000	0	0	30000	36.8125	2004
12.02.2020 09:15:50	1	1	1	1	137	56.75	0	24976.303	645.1612903	16059.57655	30000	0	0	30000	36.5625	2004
12.02.2020 09:15:51	1	1	1	1	137	56.5	0	24786.73	647.311828	16044.08447	30000	0	0	30000	36.625	2004
12.02.2020 09:15:52	1	1	1	1	137	56.5	0	24407.583	670.9677419	16082.40698	30000	0	0	30000	37.25	2004
12.02.2020 09:15:53	1	1	1	1	137	57.25	0	23886.256	670.9677419	15892.42519	30000	0	0	30000	36.875	2004
12.02.2020 09:15:54	1	1	1	1	138.8	56.75	0	25071.09	643.0107527	16120.72949	30000	0	0	30000	37.125	2004
12.02.2020 09:15:55	1	1	1	1	138.8	57	0	23554.502	670.9677419	15804.36496	30000	0	0	30000	36.9375	2004
12.02.2020 09:15:56	1	1	1	1	138.8	56.75	0	24976.303	645.1612903	16113.39113	30000	0	0	30000	36.5625	2004
12.02.2020 09:15:57	1	1	1	1	138.8	56.5	0	25260.664	634.4086022	15748.91963	30000	0	0	30000	37.0625	2004
12.02.2020 09:15:58	1	1	1	1	138.8	57	0	24739.336	647.311828	16013.91569	30000	0	0	30000	36.375	2004
12.02.2020 09:15:59	1	1	1	1	138.8	56.25	0	24218.009	660.2150538	15988.63914	30000	0	0	30000	37.1875	2004
12.02.2020 09:16:00	1	1	1	1	138.8	57	0	24597.156	653.7634409	15974.77781	30000	0	0	30000	37.25	2004
12.02.2020 09:16:01	1	1	1	1	138.8	57.25	0	24597.156	640.8602151	16035.93075	30000	0	0	30000	36.9375	2004
12.02.2020 09:16:02	1	1	1	1	138.8	56.75	0	24691.943	653.7634409	16173.7287	30000	0	0	30000	36.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 09:16:03	1	1	1	1	138.8	56.25	0	24976.303	643.0107527	16005.76197	30000	0	0	30000	36.875	2004
12.02.2020 09:16:04	1	1	1	1	140.8	56.75	0	24502.37	653.7634409	16018.80793	30000	0	0	30000	36.8125	2004
12.02.2020 09:16:05	1	1	1	1	140.8	56.75	0	24218.009	655.9139785	15884.27146	30000	0	0	30000	37.125	2004
12.02.2020 09:16:06	1	1	1	1	140.8	57	0	25402.844	634.4086022	16085.66847	30000	0	0	30000	37	2004
12.02.2020 09:16:07	1	1	1	1	140.8	57	0	24739.336	645.1612903	15876.93311	30000	0	0	30000	36.0625	2004
12.02.2020 09:16:08	1	1	1	1	140.8	56	0	24881.517	645.1612903	16159.05199	30000	0	0	30000	36.875	2004
12.02.2020 09:16:09	1	1	1	1	140.8	56.75	0	24407.583	658.0645161	16061.20729	30000	0	0	30000	36.75	2004
12.02.2020 09:16:10	1	1	1	1	140.8	56.75	0	24502.37	653.7634409	16018.80793	30000	0	0	30000	37	2004
12.02.2020 09:16:11	1	1	1	1	140.8	57	0	24123.223	660.2150538	15978.0393	30000	0	0	30000	36.3125	2004
12.02.2020 09:16:12	1	1	1	1	140.8	56.25	0	24691.943	653.7634409	15709.78175	30000	0	0	30000	36.875	2004
12.02.2020 09:16:14	1	1	1	1	140.8	56.75	0	25260.664	634.4086022	16055.49969	30000	0	0	30000	36.625	2004
12.02.2020 09:16:15	1	1	1	1	142.8	56.5	0	24407.583	655.9139785	16009.02346	30000	0	0	30000	37.0625	2004
12.02.2020 09:16:16	1	1	1	1	142.8	57	0	25450.237	630.1075269	16035.93075	30000	0	0	30000	37.3125	2004
12.02.2020 09:16:17	1	1	1	1	142.8	57.25	0	24928.91	653.7634409	16136.22156	30000	0	0	30000	36.875	2004
12.02.2020 09:16:18	1	1	1	1	142.8	56.75	0	25118.483	634.4086022	16073.43788	30000	0	0	30000	37.1875	2004
12.02.2020 09:16:19	1	1	1	1	142.8	57	0	24834.123	643.0107527	15968.25483	30000	0	0	30000	37.0625	2004
12.02.2020 09:16:20	1	1	1	1	142.8	57	0	24786.73	653.7634409	16044.08447	30000	0	0	30000	37.3125	2004
12.02.2020 09:16:21	1	1	1	1	142.8	57	0	24976.303	640.8602151	15951.94738	30000	0	0	30000	37.125	2004
12.02.2020 09:16:27	1	1	1	1	145	57.25	0	10284.36	0	0	30000	0	0	30000	37.25	2004
12.02.2020 09:16:27	1	1	1	1	145	57.25	0	10284.36	0	0	30000	0	0	30000	37.25	2004
12.02.2020 09:16:27	1	1	1	1	145	57.25	0	10284.36	0	0	30000	0	0	30000	37.25	2004
12.02.2020 09:16:27	1	1	1	1	145	57.25	0	10284.36	0	0	30000	0	0	30000	37.25	2004
12.02.2020 09:16:27	1	1	1	1	145	57.25	0	10284.36	0	0	30000	0	0	30000	37.25	2004
12.02.2020 09:16:27	1	1	1	1	145	57.25	0	10284.36	0	0	30000	0	0	30000	37.25	2004
12.02.2020 09:16:28	1	1	1	1	145	57.25	0	11090.047	0	0	30000	0	0	30000	37.3125	2004
12.02.2020 09:16:29	1	1	1	1	145	57.25	0	11848.341	0	0	30000	0	0	30000	37.3125	2004
12.02.2020 09:16:30	1	1	1	1	145	57.25	0	12559.242	0	0	30000	0	0	30000	34.6875	2004
12.02.2020 09:16:31	1	1	1	1	145	54.5	0	13412.322	4.301075269	28.53803713	30000	0	0	30000	37.375	2004
12.02.2020 09:16:32	1	1	1	1	145	57.25	0	14170.616	15.05376344	212.8122197	30000	0	0	30000	36.75	2004
12.02.2020 09:16:33	1	1	1	1	145	56.75	0	14881.517	32.25806452	513.6846683	30000	0	0	30000	37.25	2004
12.02.2020 09:16:34	1	1	1	1	146	57.25	0	15687.204	53.76344086	843.095154	30000	0	0	30000	37.25	2004
12.02.2020 09:16:35	1	1	1	1	146	57.25	0	16492.891	73.11827957	1166.798032	30000	0	0	30000	37.3125	2004
12.02.2020 09:16:36	1	1	1	1	146	57.25	0	17251.185	103.2258065	1706.57462	30000	0	0	30000	37.3125	2004
12.02.2020 09:16:37	1	1	1	1	146	57.25	0	18009.479	107.5268817	1897.371783	30000	0	0	30000	37.25	2004
12.02.2020 09:16:38	1	1	1	1	146	57.25	0	18483.412	129.0322581	2390.672139	30000	0	0	30000	37.3125	2004
12.02.2020 09:16:39	1	1	1	1	146	57.25	0	18720.379	148.3870968	2697.252195	30000	0	0	30000	37.3125	2004
12.02.2020 09:16:40	1	1	1	1	146	57.25	0	18909.953	159.1397849	2967.955861	30000	0	0	30000	37.3125	2004
12.02.2020 09:16:41	1	1	1	1	146	57.25	0	19478.673	174.1935484	3476.748295	30000	0	0	30000	37.3125	2004
12.02.2020 09:16:42	1	1	1	1	146	57.25	0	19857.82	189.2473118	3758.051803	30000	0	0	30000	37.25	2004
12.02.2020 09:16:43	1	1	1	1	146	57.25	0	19952.607	206.4516129	3904.003479	30000	0	0	30000	36.8125	2004
12.02.2020 09:16:44	1	1	1	1	152.3	56.75	0	20521.327	219.3548387	4500.856141	30000	0	0	30000	37.25	2004
12.02.2020 09:16:45	1	1	1	1	152.3	57.25	0	20521.327	234.4086022	4809.882315	30000	0	0	30000	37.3125	2004
12.02.2020 09:16:46	1	1	1	1	152.3	57.25	0	20758.294	249.4623656	5234.691382	30000	0	0	30000	37.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 09:16:47	1	1	1	1	152.3	57.25	0	20995.261	264.516129	5553.502025	30000	0	0	30000	37.375	2004
12.02.2020 09:16:48	1	1	1	1	152.3	57.25	0	19668.246	283.8709677	5582.855434	30000	0	0	30000	36.875	2004
12.02.2020 09:16:49	1	1	1	1	152.3	56.75	0	19810.427	288.172043	5694.561465	30000	0	0	30000	37.25	2004
12.02.2020 09:16:51	1	1	1	1	152.3	57.25	0	20142.18	307.5268817	6280.814285	30000	0	0	30000	37.3125	2004
12.02.2020 09:16:52	1	1	1	1	152.3	57.25	0	22417.062	326.8817204	7327.752562	30000	0	0	30000	37.0625	2004
12.02.2020 09:16:53	1	1	1	1	152.3	57	0	17914.692	335.483871	6010.110619	30000	0	0	30000	36.625	2004
12.02.2020 09:16:54	1	1	1	1	152.3	56.5	0	20900.474	339.7849462	7101.07901	30000	0	0	30000	37.3125	2004
12.02.2020 09:16:55	1	1	1	1	156.3	57.25	0	20047.393	350.5376344	7070.094855	30000	0	0	30000	37.1875	2004
12.02.2020 09:16:56	1	1	1	1	156.3	57	0	21279.621	356.9892473	7504.688392	30000	0	0	30000	37.3125	2004
12.02.2020 09:16:57	1	1	1	1	156.3	57.25	0	21279.621	369.8924731	7916.451499	30000	0	0	30000	37.625	2004
12.02.2020 09:16:58	1	1	1	1	156.3	57	0	19336.493	341.9354839	6611.855516	30000	0	0	30000	37.25	2004
12.02.2020 09:16:59	1	1	1	1	156.3	57.25	0	19431.28	389.2473118	7563.395211	30000	0	0	30000	36.4375	2004
12.02.2020 09:17:00	1	1	1	1	156.3	56.25	0	21374.408	389.2473118	8319.245509	30000	0	0	30000	37.3125	2004
12.02.2020 09:17:01	1	1	1	1	156.3	57.25	0	21374.408	412.9032258	8825.591825	30000	0	0	30000	36.9375	2004
12.02.2020 09:17:02	1	1	1	1	156.3	56.75	0	22132.701	425.8064516	9424.075232	30000	0	0	30000	37.3125	2004
12.02.2020 09:17:03	1	1	1	1	156.3	57.25	0	21943.128	432.2580645	9640.964314	30000	0	0	30000	37.25	2004
12.02.2020 09:17:04	1	1	1	1	156.8	57.25	0	21800.948	427.9569892	9168.863643	30000	0	0	30000	37.0625	2004
12.02.2020 09:17:05	1	1	1	1	156.8	57	0	20710.9	438.7096774	9130.541136	30000	0	0	30000	36.1875	2004
12.02.2020 09:17:06	1	1	1	1	156.8	56	0	22417.062	526.8817204	11641.8884	30000	0	0	30000	37.25	2004
12.02.2020 09:17:07	1	1	1	1	156.8	57.25	0	22132.701	451.6129032	10042.94295	30000	0	0	30000	37.125	2004
12.02.2020 09:17:08	1	1	1	1	156.8	57	0	22417.062	481.7204301	10798.79325	30000	0	0	30000	37.125	2004
12.02.2020 09:17:09	1	1	1	1	156.8	57	0	21232.227	419.3548387	8903.867584	30000	0	0	30000	37.3125	2004
12.02.2020 09:17:10	1	1	1	1	156.8	57.25	0	21658.768	438.7096774	9636.887451	30000	0	0	30000	37.1875	2004
12.02.2020 09:17:11	1	1	1	1	156.8	57	0	20473.934	445.1612903	9114.233686	30000	0	0	30000	36.9375	2004
12.02.2020 09:17:12	1	1	1	1	156.8	56.75	0	20379.147	468.8172043	9619.764629	30000	0	0	30000	37.3125	2004
12.02.2020 09:17:13	1	1	1	1	156.8	57.25	0	21279.621	481.7204301	10250.86294	30000	0	0	30000	37.1875	2004
12.02.2020 09:17:14	1	1	1	1	159.3	57	0	21279.621	481.7204301	10250.86294	30000	0	0	30000	37.0625	2004
12.02.2020 09:17:15	1	1	1	1	159.3	57	0	20236.967	464.516129	9400.42943	30000	0	0	30000	36.8125	2004
12.02.2020 09:17:16	1	1	1	1	159.3	56.75	0	20473.934	460.2150538	9510.504716	30000	0	0	30000	37.0625	2004
12.02.2020 09:17:17	1	1	1	1	159.3	57	0	19526.066	518.2795699	10203.57133	30000	0	0	30000	37.1875	2004
12.02.2020 09:17:18	1	1	1	1	159.3	57	0	19668.246	415.0537634	8162.693991	30000	0	0	30000	37.25	2004
12.02.2020 09:17:19	1	1	1	1	159.3	57.25	0	0	0	0	30000	0	8	30000	37.4375	2004
12.02.2020 09:17:20	1	1	1	1	159.3	57.25	0	10616.114	0	0	30000	0	0	30000	37.3125	2004
12.02.2020 09:17:21	1	1	1	1	159.3	57.25	0	11421.801	0	0	30000	0	0	30000	37.25	2004
12.02.2020 09:17:22	1	1	1	1	159.3	57.25	0	12085.308	0	26.09191966	30000	0	0	30000	37.375	2004
12.02.2020 09:17:29	1	1	1	1	161	57.25	0	16066.351	70.96774194	1174.136385	30000	0	0	30000	37.3125	2004
12.02.2020 09:17:29	1	1	1	1	161	57.25	0	16066.351	70.96774194	1174.136385	30000	0	0	30000	37.3125	2004
12.02.2020 09:17:29	1	1	1	1	161	57.25	0	16066.351	70.96774194	1174.136385	30000	0	0	30000	37.3125	2004
12.02.2020 09:17:29	1	1	1	1	161	57.25	0	16066.351	70.96774194	1174.136385	30000	0	0	30000	37.3125	2004
12.02.2020 09:17:29	1	1	1	1	161	57.25	0	16066.351	70.96774194	1174.136385	30000	0	0	30000	37.3125	2004
12.02.2020 09:17:29	1	1	1	1	161	57.25	0	16066.351	70.96774194	1174.136385	30000	0	0	30000	37.3125	2004
12.02.2020 09:17:30	1	1	1	1	161	57.25	0	16161.137	79.56989247	1209.197402	30000	0	0	30000	37.3125	2004
12.02.2020 09:17:31	1	1	1	1	161	57.25	0	16161.137	81.72043011	1320.08806	30000	0	0	30000	37.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 09:17:32	1	1	1	1	161	57.25	0	16161.137	79.56989247	1277.688691	30000	0	0	30000	37.3125	2004
12.02.2020 09:17:33	1	1	1	1	161	57.25	0	16066.351	77.41935484	1243.443046	30000	0	0	30000	36	2004
12.02.2020 09:17:34	1	1	1	1	161	56	0	16161.137	77.41935484	1209.197402	30000	0	0	30000	37.3125	2004
12.02.2020 09:17:35	1	1	1	1	162.3	57.25	0	16161.137	75.2688172	1209.197402	30000	0	0	30000	37.4375	2004
12.02.2020 09:17:36	1	1	1	1	162.3	57.25	0	16066.351	73.11827957	1139.89074	30000	0	0	30000	37.4375	2004
12.02.2020 09:17:37	1	1	1	1	162.3	57.5	0	16161.137	75.2688172	1209.197402	30000	0	0	30000	37.3125	2004
12.02.2020 09:17:38	1	1	1	1	162.3	57.25	0	16161.137	81.72043011	1277.688691	30000	0	0	30000	37.1875	2004
12.02.2020 09:17:39	1	1	1	1	162.3	57	0	16066.351	81.72043011	1346.995352	30000	0	0	30000	37.3125	2004
12.02.2020 09:17:40	1	1	1	1	162.3	57.25	0	16161.137	75.2688172	1215.720382	30000	0	0	30000	37.25	2004
12.02.2020 09:17:41	1	1	1	1	162.3	57.25	0	16066.351	81.72043011	1277.688691	30000	0	0	30000	37.3125	2004
12.02.2020 09:17:42	1	1	1	1	162.3	57.25	0	16161.137	81.72043011	1312.749708	30000	0	0	30000	37.3125	2004
12.02.2020 09:17:43	1	1	1	1	162.3	57.25	0	16113.744	77.41935484	1209.197402	30000	0	0	30000	37.25	2004
12.02.2020 09:17:44	1	1	1	1	168	57.25	0	16066.351	81.72043011	1320.08806	30000	0	0	30000	37.1875	2004
12.02.2020 09:17:45	1	1	1	1	168	57	0	16113.744	81.72043011	1320.08806	30000	0	0	30000	37.25	2004
12.02.2020 09:17:46	1	1	1	1	168	57.25	0	16113.744	79.56989247	1277.688691	30000	0	0	30000	37.1875	2004
12.02.2020 09:17:47	1	1	1	1	168	57	0	16161.137	88.17204301	1355.149077	30000	0	0	30000	37.3125	2004
12.02.2020 09:17:48	1	1	1	1	168	57.25	0	16445.498	92.47311828	1555.73071	30000	0	0	30000	37.3125	2004
12.02.2020 09:17:49	1	1	1	1	168	57.25	0	17109.005	105.3763441	1812.573044	30000	0	0	30000	37.3125	2004
12.02.2020 09:17:50	1	1	1	1	168	57.25	0	17819.905	129.0322581	2299.35042	30000	0	0	30000	37.3125	2004
12.02.2020 09:17:51	1	1	1	1	168	57.25	0	17725.118	144.0860215	2553.746637	30000	0	0	30000	37.3125	2004
12.02.2020 09:17:52	1	1	1	1	168	57.25	0	18388.626	159.1397849	2926.371864	30000	0	0	30000	37.25	2004
12.02.2020 09:17:53	1	1	1	1	168	57.25	0	18909.953	176.344086	3334.058109	30000	0	0	30000	37.25	2004
12.02.2020 09:17:54	1	1	1	1	171.3	57.25	0	19052.133	189.2473118	3655.31487	30000	0	0	30000	37.3125	2004
12.02.2020 09:17:55	1	1	1	1	171.3	57.25	0	19194.313	206.4516129	3962.710298	30000	0	0	30000	37.3125	2004
12.02.2020 09:17:56	1	1	1	1	171.3	57.25	0	19478.673	219.3548387	4272.551844	30000	0	0	30000	37.25	2004
12.02.2020 09:17:57	1	1	1	1	171.3	57.25	0	19857.82	234.4086022	4654.146169	30000	0	0	30000	37.0625	2004
12.02.2020 09:17:58	1	1	1	1	171.3	57	0	20000	249.4623656	4946.04952	30000	0	0	30000	37.3125	2004
12.02.2020 09:17:59	1	1	1	1	171.3	57.25	0	20236.967	264.516129	5396.135134	30000	0	0	30000	37.1875	2004
12.02.2020 09:18:00	1	1	1	1	171.3	57	0	20236.967	279.5698925	5657.054331	30000	0	0	30000	37.3125	2004
12.02.2020 09:18:01	1	1	1	1	171.3	57.25	0	20379.147	279.5698925	5697.007583	30000	0	0	30000	37.1875	2004
12.02.2020 09:18:02	1	1	1	1	171.3	57	0	19336.493	298.9247312	5723.914875	30000	0	0	30000	36.8125	2004
12.02.2020 09:18:03	1	1	1	1	171.3	56.75	0	18151.659	303.2258065	5503.764303	30000	0	0	30000	37.25	2004
12.02.2020 09:18:04	1	1	1	1	172.8	57.25	0	19478.673	294.6236559	5780.175577	30000	0	0	30000	36.5	2004
12.02.2020 09:18:05	1	1	1	1	172.8	56.5	0	18815.166	275.2688172	5219.199304	30000	0	0	30000	37.3125	2004
12.02.2020 09:18:07	1	1	1	1	172.8	57.25	0	19668.246	296.7741935	5878.835648	30000	0	0	30000	37.3125	2004
12.02.2020 09:18:08	1	1	1	1	172.8	57.25	0	18672.986	311.827957	5782.621694	30000	0	0	30000	37.1875	2004
12.02.2020 09:18:09	1	1	1	1	172.8	57	0	19383.886	309.6774194	6017.448971	30000	0	0	30000	37.25	2004
12.02.2020 09:18:10	1	1	1	1	172.8	57.25	0	16777.251	288.172043	4834.343489	30000	0	0	30000	37.3125	2004
12.02.2020 09:18:11	1	1	1	1	172.8	57.25	0	19573.46	322.5806452	6355.828554	30000	0	0	30000	37.3125	2004
12.02.2020 09:18:12	1	1	1	1	172.8	57.25	0	20142.18	320.4301075	6469.16533	30000	0	0	30000	37.125	2004
12.02.2020 09:18:13	1	1	1	1	172.8	57	0	19194.313	339.7849462	6489.549643	30000	0	0	30000	37.3125	2004
12.02.2020 09:18:14	1	1	1	1	172.8	57.25	0	19383.886	346.2365591	6711.33096	30000	0	0	30000	37.125	2004
12.02.2020 09:18:15	1	1	1	1	173.5	57	0	14218.009	337.6344086	4800.097845	30000	0	0	30000	37.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 09:18:16	1	1	1	1	173.5	57	0	19194.313	335.483871	6438.996548	30000	0	0	30000	37.3125	2004
12.02.2020 09:18:17	1	1	1	1	173.5	57	0	18530.806	348.3870968	6415.350746	30000	0	0	30000	37.25	2004
12.02.2020 09:18:18	1	1	1	1	173.5	57.25	0	19478.673	378.4946237	7414.182045	30000	0	0	30000	37.1875	2004
12.02.2020 09:18:19	1	1	1	1	173.5	57	0	18909.953	352.688172	6709.700215	30000	0	0	30000	37.125	2004
12.02.2020 09:18:20	1	1	1	1	173.5	57	0	19241.706	378.4946237	7176.093279	30000	0	0	30000	37.25	2004
12.02.2020 09:18:21	1	1	1	1	173.5	57.25	0	19099.526	389.2473118	7494.088549	30000	0	0	30000	37.375	2004
12.02.2020 09:18:22	1	1	1	1	173.5	57.25	0	18862.559	341.9354839	6530.318267	30000	0	0	30000	36.125	2004
12.02.2020 09:18:23	1	1	1	1	173.5	56	0	17251.185	326.8817204	5728.80711	30000	0	0	30000	37.375	2004
12.02.2020 09:18:24	1	1	1	1	174.3	57.25	0	21563.981	350.5376344	7558.502976	30000	0	0	30000	37.3125	2004
12.02.2020 09:18:30	1	1	1	1	174.3	54.5	0	11042.654	0	0	30000	0	0	30000	37.3125	2004
12.02.2020 09:18:30	1	1	1	1	174.3	54.5	0	11042.654	0	0	30000	0	0	30000	37.3125	2004
12.02.2020 09:18:30	1	1	1	1	174.3	54.5	0	11042.654	0	0	30000	0	0	30000	37.3125	2004
12.02.2020 09:18:30	1	1	1	1	174.3	54.5	0	11042.654	0	0	30000	0	0	30000	37.3125	2004
12.02.2020 09:18:30	1	1	1	1	174.3	54.5	0	11042.654	0	0	30000	0	0	30000	37.3125	2004
12.02.2020 09:18:30	1	1	1	1	174.3	54.5	0	11042.654	0	0	30000	0	0	30000	37.3125	2004
12.02.2020 09:18:31	1	1	1	1	174.3	57.25	0	11232.227	0	0	30000	0	0	30000	37.3125	2004
12.02.2020 09:18:32	1	1	1	1	174.3	57.25	0	11279.621	0	0	30000	0	0	30000	37.3125	2004
12.02.2020 09:18:33	1	1	1	1	174.3	57.25	0	11184.834	0	0	30000	0	0	30000	37.25	2004
12.02.2020 09:18:34	1	1	1	1	174.5	57.25	0	11232.227	0	0	30000	0	0	30000	34.5625	2004
12.02.2020 09:18:35	1	1	1	1	174.5	54.5	0	11232.227	0	0	30000	0	0	30000	37.3125	2004
12.02.2020 09:18:36	1	1	1	1	174.5	57.25	0	11232.227	0	0	30000	0	0	30000	37.3125	2004
12.02.2020 09:18:37	1	1	1	1	174.5	57.25	0	11232.227	0	0	30000	0	0	30000	37.25	2004
12.02.2020 09:18:38	1	1	1	1	174.5	57.25	0	11232.227	0	0	30000	0	0	30000	35	2004
12.02.2020 09:18:39	1	1	1	1	174.5	55	0	11232.227	0	0	30000	0	0	30000	35.9375	2004
12.02.2020 09:18:40	1	1	1	1	174.5	55.75	0	11232.227	0	0	30000	0	0	30000	37.3125	2004
12.02.2020 09:18:41	1	1	1	1	174.5	57.25	0	11232.227	0	0	30000	0	0	30000	37.1875	2004
12.02.2020 09:18:42	1	1	1	1	174.5	57	0	11232.227	0	0	30000	0	0	30000	34.6875	2004
12.02.2020 09:18:43	1	1	1	1	174.5	54.5	0	11232.227	0	0	30000	0	0	30000	37.25	2004
12.02.2020 09:18:44	1	1	1	1	171	57.25	0	11232.227	0	0	30000	0	0	30000	37.3125	2004
12.02.2020 09:18:45	1	1	1	1	171	57.25	0	11232.227	0	0	30000	0	0	30000	37.25	2004
12.02.2020 09:18:47	1	1	1	1	171	57.25	0	11232.227	0	0	30000	0	0	30000	37.3125	2004
12.02.2020 09:18:48	1	1	1	1	171	57.25	0	11232.227	0	0	30000	0	0	30000	37.3125	2004
12.02.2020 09:18:49	1	1	1	1	171	57.25	0	11232.227	0	0	30000	0	0	30000	37.3125	2004
12.02.2020 09:18:50	1	1	1	1	171	57.25	0	11232.227	0	0	30000	0	0	30000	36.125	2004
12.02.2020 09:18:51	1	1	1	1	171	56	0	11421.801	0	0	30000	0	0	30000	37.3125	2004
12.02.2020 09:18:52	1	1	1	1	171	57.25	0	12227.488	2.150537634	26.09191966	30000	0	0	30000	37.25	2004
12.02.2020 09:18:53	1	1	1	1	171	57.25	0	12985.782	10.75268817	139.4286957	30000	0	0	30000	37.3125	2004
12.02.2020 09:18:54	1	1	1	1	171	57.25	0	13744.076	17.20430108	206.2892398	30000	0	0	30000	37.4375	2004
12.02.2020 09:18:55	1	1	1	1	170.5	57.25	0	14265.403	25.80645161	367.7329927	30000	0	0	30000	37.25	2004
12.02.2020 09:18:56	1	1	1	1	170.5	57.25	0	14407.583	32.25806452	464.7623189	30000	0	0	30000	37.25	2004
12.02.2020 09:18:57	1	1	1	1	170.5	57.25	0	14549.763	32.25806452	533.253608	30000	0	0	30000	37.375	2004
12.02.2020 09:18:58	1	1	1	1	170.5	57.25	0	14739.336	36.55913978	538.145843	30000	0	0	30000	37.1875	2004
12.02.2020 09:18:59	1	1	1	1	170.5	57	0	14928.91	49.46236559	737.9121028	30000	0	0	30000	37.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 09:19:00	1	1	1	1	170.5	57.25	0	14976.303	45.16129032	684.912891	30000	0	0	30000	35.8125	2004
12.02.2020 09:19:01	1	1	1	1	170.5	55.75	0	15165.877	45.16129032	684.912891	30000	0	0	30000	37.25	2004
12.02.2020 09:19:02	1	1	1	1	170.5	57.25	0	15260.664	60.21505376	883.0484059	30000	0	0	30000	37.375	2004
12.02.2020 09:19:03	1	1	1	1	170.5	57.25	0	15308.057	60.21505376	888.7560134	30000	0	0	30000	36.875	2004
12.02.2020 09:19:04	1	1	1	1	170.8	56.75	0	15450.237	64.51612903	962.9549099	30000	0	0	30000	37.25	2004
12.02.2020 09:19:05	1	1	1	1	170.8	57.25	0	15497.63	66.66666667	1033.076944	30000	0	0	30000	37.3125	2004
12.02.2020 09:19:06	1	1	1	1	170.8	57.25	0	15639.81	66.66666667	1038.784551	30000	0	0	30000	37.3125	2004
12.02.2020 09:19:07	1	1	1	1	170.8	57.25	0	15687.204	66.66666667	1045.307531	30000	0	0	30000	37.3125	2004
12.02.2020 09:19:08	1	1	1	1	170.8	57.25	0	15781.991	70.96774194	1153.752072	30000	0	0	30000	37.3125	2004
12.02.2020 09:19:09	1	1	1	1	170.8	57.25	0	15876.777	73.11827957	1194.520697	30000	0	0	30000	37.25	2004
12.02.2020 09:19:10	1	1	1	1	170.8	57.25	0	15876.777	83.87096774	1331.503275	30000	0	0	30000	37.375	2004
12.02.2020 09:19:11	1	1	1	1	170.8	57.25	0	15876.777	70.96774194	1174.136385	30000	0	0	30000	37.25	2004
12.02.2020 09:19:12	1	1	1	1	170.8	57.25	0	16113.744	83.87096774	1346.995352	30000	0	0	30000	37.3125	2004
12.02.2020 09:19:13	1	1	1	1	170.8	57.25	0	16161.137	83.87096774	1359.22594	30000	0	0	30000	37.1875	2004
12.02.2020 09:19:14	1	1	1	1	174	57	0	16303.318	94.62365591	1542.68475	30000	0	0	30000	37.3125	2004
12.02.2020 09:19:15	1	1	1	1	174	57.25	0	16350.711	94.62365591	1551.653847	30000	0	0	30000	37.375	2004
12.02.2020 09:19:16	1	1	1	1	174	57.25	0	16445.498	90.32258065	1378.794879	30000	0	0	30000	37.3125	2004
12.02.2020 09:19:17	1	1	1	1	174	57.25	0	16682.464	103.2258065	1484.793303	30000	0	0	30000	37.375	2004
12.02.2020 09:19:18	1	1	1	1	174	57.25	0	16492.891	92.47311828	1578.561139	30000	0	0	30000	36.0625	2004
12.02.2020 09:19:19	1	1	1	1	174	56	0	16729.858	105.3763441	1762.835322	30000	0	0	30000	35.9375	2004
12.02.2020 09:19:20	1	1	1	1	174	55.75	0	16777.251	103.2258065	1731.851167	30000	0	0	30000	35.5625	2004
12.02.2020 09:19:21	1	1	1	1	174	55.5	0	16824.645	109.6774194	1916.940722	30000	0	0	30000	36.375	2004
12.02.2020 09:19:22	1	1	1	1	174	56.25	0	16966.825	116.1290323	1933.248172	30000	0	0	30000	34.625	2004
12.02.2020 09:19:23	1	1	1	1	174	54.5	0	17014.218	109.6774194	1938.95578	30000	0	0	30000	36.1875	2004
12.02.2020 09:19:25	1	1	1	1	178	56	0	17156.398	116.1290323	2066.153888	30000	0	0	30000	37.3125	2004
12.02.2020 09:19:26	1	1	1	1	178	57.25	0	17251.185	129.0322581	2071.861495	30000	0	0	30000	35.3125	2004
12.02.2020 09:19:32	1	1	1	1	178	57.5	0	17488.152	144.0860215	2519.500992	30000	0	0	30000	37.5	2004
12.02.2020 09:19:32	1	1	1	1	178	57.5	0	17488.152	144.0860215	2519.500992	30000	0	0	30000	37.5	2004
12.02.2020 09:19:32	1	1	1	1	178	57.5	0	17488.152	144.0860215	2519.500992	30000	0	0	30000	37.5	2004
12.02.2020 09:19:32	1	1	1	1	178	57.5	0	17488.152	144.0860215	2519.500992	30000	0	0	30000	37.5	2004
12.02.2020 09:19:32	1	1	1	1	178	57.5	0	17488.152	144.0860215	2519.500992	30000	0	0	30000	37.5	2004
12.02.2020 09:19:32	1	1	1	1	178	57.5	0	17488.152	144.0860215	2519.500992	30000	0	0	30000	37.5	2004
12.02.2020 09:19:33	1	1	1	1	178	57.5	0	17819.905	146.2365591	2521.94711	30000	0	0	30000	37.375	2004
12.02.2020 09:19:34	1	1	1	1	178	57.25	0	17914.692	148.3870968	2658.114315	30000	0	0	30000	37	2004
12.02.2020 09:19:35	1	1	1	1	181.3	57	0	18009.479	139.7849462	2517.054875	30000	0	0	30000	37.25	2004
12.02.2020 09:19:36	1	1	1	1	181.3	57.25	0	18104.265	152.688172	2764.112739	30000	0	0	30000	36.1875	2004
12.02.2020 09:19:37	1	1	1	1	181.3	56	0	18151.659	150.5376344	2732.313212	30000	0	0	30000	37.1875	2004
12.02.2020 09:19:38	1	1	1	1	181.3	57	0	18151.659	163.4408602	2989.970918	30000	0	0	30000	37.25	2004
12.02.2020 09:19:39	1	1	1	1	181.3	57.25	0	18483.412	169.8924731	3131.845732	30000	0	0	30000	37.125	2004
12.02.2020 09:19:40	1	1	1	1	181.3	57	0	18578.199	189.2473118	3524.855271	30000	0	0	30000	37.3125	2004
12.02.2020 09:19:41	1	1	1	1	181.3	57.25	0	18815.166	184.9462366	3479.194412	30000	0	0	30000	37.375	2004
12.02.2020 09:19:42	1	1	1	1	181.3	57.25	0	19004.739	208.6021505	3964.341043	30000	0	0	30000	37.3125	2004
12.02.2020 09:19:43	1	1	1	1	181.3	57.25	0	19194.313	212.9032258	4066.262604	30000	0	0	30000	37.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 09:19:44	1	1	1	1	182	57.25	0	19336.493	215.0537634	4199.983693	30000	0	0	30000	36.8125	2004
12.02.2020 09:19:45	1	1	1	1	182	56.75	0	19431.28	232.2580645	4523.686571	30000	0	0	30000	37.25	2004
12.02.2020 09:19:46	1	1	1	1	182	57.25	0	19668.246	240.8602151	4610.116055	30000	0	0	30000	37.25	2004
12.02.2020 09:19:47	1	1	1	1	182	57.25	0	19857.82	251.6129032	4995.787242	30000	0	0	30000	35.75	2004
12.02.2020 09:19:48	1	1	1	1	182	55.75	0	20000	266.6666667	5333.351453	30000	0	0	30000	37.3125	2004
12.02.2020 09:19:49	1	1	1	1	182	57.25	0	20142.18	253.7634409	5122.98535	30000	0	0	30000	37.375	2004
12.02.2020 09:19:50	1	1	1	1	182	57.25	0	20521.327	275.2688172	5736.960835	30000	0	0	30000	37.3125	2004
12.02.2020 09:19:51	1	1	1	1	182	57.25	0	20284.36	294.6236559	5932.650232	30000	0	0	30000	37.1875	2004
12.02.2020 09:19:52	1	1	1	1	182	57	0	20379.147	309.6774194	6325.659772	30000	0	0	30000	37.3125	2004
12.02.2020 09:19:53	1	1	1	1	182	57.25	0	18104.265	309.6774194	5894.327725	30000	0	0	30000	37.3125	2004
12.02.2020 09:19:54	1	1	1	1	180.8	57.25	0	19099.526	326.8817204	6201.723154	30000	0	0	30000	37.3125	2004
12.02.2020 09:19:55	1	1	1	1	180.8	57.25	0	18151.659	311.827957	5659.500448	30000	0	0	30000	37.1875	2004
12.02.2020 09:19:56	1	1	1	1	180.8	57	0	19289.1	378.4946237	7341.613894	30000	0	0	30000	37.3125	2004
12.02.2020 09:19:57	1	1	1	1	180.8	57.25	0	20047.393	359.1397849	7199.739081	30000	0	0	30000	37.25	2004
12.02.2020 09:19:58	1	1	1	1	180.8	57.25	0	15450.237	367.7419355	5681.515506	30000	0	0	30000	37.25	2004
12.02.2020 09:19:59	1	1	1	1	180.8	57.25	0	17488.152	365.5913978	6355.828554	30000	0	0	30000	37.3125	2004
12.02.2020 09:20:00	1	1	1	1	180.8	57.25	0	15165.877	273.1182796	4142.092246	30000	0	0	30000	37.1875	2004
12.02.2020 09:20:02	1	1	1	1	180.8	57	0	18151.659	369.8924731	6752.914957	30000	0	0	30000	37.25	2004
12.02.2020 09:20:03	1	1	1	1	180.8	57.25	0	19289.1	354.8387097	6744.761232	30000	0	0	30000	36.5	2004
12.02.2020 09:20:04	1	1	1	1	180.8	56.5	0	17203.791	326.8817204	5623.624059	30000	0	0	30000	37.3125	2004
12.02.2020 09:20:05	1	1	1	1	180	57.25	0	18530.806	329.0322581	6096.540103	30000	0	0	30000	37.25	2004
12.02.2020 09:20:06	1	1	1	1	180	57.25	0	18815.166	389.2473118	7282.907075	30000	0	0	30000	37.3125	2004
12.02.2020 09:20:07	1	1	1	1	180	57.25	0	14407.583	464.516129	6723.561547	30000	0	0	30000	37.3125	2004
12.02.2020 09:20:08	1	1	1	1	180	57.25	0	19573.46	378.4946237	7408.474438	30000	0	0	30000	37.5	2004
12.02.2020 09:20:09	1	1	1	1	180	57.5	0	19241.706	329.0322581	6346.044084	30000	0	0	30000	37.3125	2004
12.02.2020 09:20:10	1	1	1	1	180	57.25	0	19099.526	335.483871	6366.428397	30000	0	0	30000	37.375	2004
12.02.2020 09:20:11	1	1	1	1	180	57.25	0	19478.673	372.0430108	7264.153507	30000	0	0	30000	36.6875	2004
12.02.2020 09:20:12	1	1	1	1	180	57.25	0	20047.393	369.8924731	7414.997418	30000	0	0	30000	37.3125	2004
12.02.2020 09:20:13	1	1	1	1	180	57.25	0	18009.479	378.4946237	6816.514011	30000	0	0	30000	37.3125	2004
12.02.2020 09:20:14	1	1	1	1	180.8	57.25	0	16966.825	294.6236559	5048.786454	30000	0	0	30000	37.25	2004
12.02.2020 09:20:15	1	1	1	1	180.8	57.25	0	19620.853	397.8494624	7805.56084	30000	0	0	30000	36.625	2004
12.02.2020 09:20:16	1	1	1	1	180.8	56.5	0	19383.886	378.4946237	7378.305656	30000	0	0	30000	35.9375	2004
12.02.2020 09:20:17	1	1	1	1	180.8	55.75	0	17962.085	380.6451613	6836.898323	30000	0	0	30000	37.25	2004
12.02.2020 09:20:18	1	1	1	1	180.8	57.25	0	17914.692	363.4408602	6527.87215	30000	0	0	30000	37.3125	2004
12.02.2020 09:20:19	1	1	1	1	180.8	57.25	0	18720.379	391.3978495	7407.659066	30000	0	0	30000	37.25	2004
12.02.2020 09:20:20	1	1	1	1	180.8	57.25	0	17725.118	341.9354839	6044.356263	30000	0	0	30000	36.5625	2004
12.02.2020 09:20:21	1	1	1	1	180.8	56.5	0	18436.019	380.6451613	6942.081374	30000	0	0	30000	35.875	2004
12.02.2020 09:20:22	1	1	1	1	180.8	55.75	0	20284.36	395.6989247	7920.528361	30000	0	0	30000	37.25	2004
12.02.2020 09:20:23	1	1	1	1	180.8	57.25	0	18483.412	359.1397849	6637.947436	30000	0	0	30000	37.3125	2004
12.02.2020 09:20:24	1	1	1	1	179	57.25	0	21232.227	404.3010753	8584.241568	30000	0	0	30000	37.3125	2004
12.02.2020 09:20:25	1	1	1	1	179	57.25	0	16682.464	322.5806452	5345.58204	30000	0	0	30000	37.1875	2004
12.02.2020 09:20:26	1	1	1	1	179	57	0	17772.512	365.5913978	6458.565488	30000	0	0	30000	37.3125	2004
12.02.2020 09:20:27	1	1	1	1	179	57.25	0	20331.754	412.9032258	8375.50621	30000	0	0	30000	36.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 09:20:33	1	1	1	1	179	57	0	20331.754	443.0107527	8919.359661	30000	0	0	30000	37.3125	2004
12.02.2020 09:20:33	1	1	1	1	179	57	0	20331.754	443.0107527	8919.359661	30000	0	0	30000	37.3125	2004
12.02.2020 09:20:33	1	1	1	1	179	57	0	20331.754	443.0107527	8919.359661	30000	0	0	30000	37.3125	2004
12.02.2020 09:20:33	1	1	1	1	179	57	0	20331.754	443.0107527	8919.359661	30000	0	0	30000	37.3125	2004
12.02.2020 09:20:33	1	1	1	1	179	57	0	20331.754	443.0107527	8919.359661	30000	0	0	30000	37.3125	2004
12.02.2020 09:20:33	1	1	1	1	179	57	0	20331.754	443.0107527	8919.359661	30000	0	0	30000	37.3125	2004
12.02.2020 09:20:34	1	1	1	1	179.5	57.25	0	18009.479	481.7204301	8675.563286	30000	0	0	30000	37.1875	2004
12.02.2020 09:20:35	1	1	1	1	179.5	57	0	19857.82	427.9569892	8497.812084	30000	0	0	30000	37.25	2004
12.02.2020 09:20:36	1	1	1	1	179.5	57.25	0	19431.28	451.6129032	8649.471367	30000	0	0	30000	36.0625	2004
12.02.2020 09:20:37	1	1	1	1	179.5	56	0	19289.1	443.0107527	8545.103688	30000	0	0	30000	37.25	2004
12.02.2020 09:20:39	1	1	1	1	179.5	57.25	0	17962.085	427.9569892	7686.516457	30000	0	0	30000	37.1875	2004
12.02.2020 09:20:40	1	1	1	1	179.5	57	0	18909.953	486.0215054	9190.063327	30000	0	0	30000	37.125	2004
12.02.2020 09:20:41	1	1	1	1	179.5	57	0	17156.398	419.3548387	7194.031473	30000	0	0	30000	37.125	2004
12.02.2020 09:20:42	1	1	1	1	179.5	57	0	17488.152	481.7204301	8139.048189	30000	0	0	30000	37.25	2004
12.02.2020 09:20:43	1	1	1	1	179.5	57.25	0	18151.659	529.0322581	9641.779686	30000	0	0	30000	37.25	2004
12.02.2020 09:20:44	1	1	1	1	179.5	57.25	0	20900.474	488.172043	10202.75596	30000	0	0	30000	36.8125	2004
12.02.2020 09:20:45	1	1	1	1	180.3	56.75	0	19383.886	509.6774194	9879.053081	30000	0	0	30000	37.125	2004
12.02.2020 09:20:46	1	1	1	1	180.3	57	0	20473.934	445.1612903	9202.293915	30000	0	0	30000	36.1875	2004
12.02.2020 09:20:47	1	1	1	1	180.3	56	0	21042.654	460.2150538	9684.179056	30000	0	0	30000	37.125	2004
12.02.2020 09:20:48	1	1	1	1	180.3	57	0	18720.379	445.1612903	8311.907156	30000	0	0	30000	37.375	2004
12.02.2020 09:20:49	1	1	1	1	180.3	57.25	0	20047.393	481.7204301	9657.271764	30000	0	0	30000	37.4375	2004
12.02.2020 09:20:50	1	1	1	1	180.3	57.25	0	18720.379	496.7741935	9299.323241	30000	0	0	30000	37.25	2004
12.02.2020 09:20:51	1	1	1	1	180.3	57.25	0	19668.246	468.8172043	9349.876335	30000	0	0	30000	37.125	2004
12.02.2020 09:20:52	1	1	1	1	180.3	57	0	18862.559	483.8709677	9126.464273	30000	0	0	30000	37.1875	2004
12.02.2020 09:20:53	1	1	1	1	180.3	57	0	18341.232	516.1290323	9466.474601	30000	0	0	30000	37.3125	2004
12.02.2020 09:20:54	1	1	1	1	179	57.25	0	18436.019	492.4731183	9102.003098	30000	0	0	30000	37.125	2004
12.02.2020 09:20:55	1	1	1	1	179	57	0	20284.36	445.1612903	9029.434947	30000	0	0	30000	37.1875	2004
12.02.2020 09:20:56	1	1	1	1	179	57	0	19857.82	531.1827957	10505.25915	30000	0	0	30000	37.0625	2004
12.02.2020 09:20:57	1	1	1	1	179	57	0	20473.934	507.5268817	10391.107	30000	0	0	30000	36.5625	2004
12.02.2020 09:20:58	1	1	1	1	179	56.5	0	19620.853	481.7204301	9451.797896	30000	0	0	30000	37.1875	2004
12.02.2020 09:20:59	1	1	1	1	179	57	0	19810.427	511.827957	10139.1569	30000	0	0	30000	37.3125	2004
12.02.2020 09:21:00	1	1	1	1	179	57.25	0	19052.133	552.688172	10529.72033	30000	0	0	30000	36.9375	2004
12.02.2020 09:21:01	1	1	1	1	179	56.75	0	18625.592	427.9569892	7970.266083	30000	0	0	30000	37.25	2004
12.02.2020 09:21:02	1	1	1	1	179	57.25	0	19668.246	554.8387097	10912.13002	30000	0	0	30000	37.3125	2004
12.02.2020 09:21:03	1	1	1	1	179	57.25	0	20616.114	516.1290323	10640.61099	30000	0	0	30000	37.3125	2004
12.02.2020 09:21:04	1	1	1	1	178.8	57.25	0	17393.365	486.0215054	8551.626668	30000	0	0	30000	37.25	2004
12.02.2020 09:21:05	1	1	1	1	178.8	57.25	0	17109.005	445.1612903	7615.57905	30000	0	0	30000	37.1875	2004
12.02.2020 09:21:06	1	1	1	1	178.8	57	0	20000	576.344086	11483.70614	30000	0	0	30000	37.25	2004
12.02.2020 09:21:07	1	1	1	1	178.8	57.25	0	18720.379	546.2365591	10306.30827	30000	0	0	30000	37.1875	2004
12.02.2020 09:21:08	1	1	1	1	178.8	57	0	19620.853	481.7204301	9428.967467	30000	0	0	30000	36.6875	2004
12.02.2020 09:21:09	1	1	1	1	178.8	56.5	0	17582.938	494.6236559	8559.780393	30000	0	0	30000	36.8125	2004
12.02.2020 09:21:10	1	1	1	1	178.8	56.75	0	19194.313	481.7204301	9246.324029	30000	0	0	30000	36.375	2004
12.02.2020 09:21:11	1	1	1	1	178.8	56.25	0	18672.986	546.2365591	10159.54122	30000	0	0	30000	37.3125	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 09:21:12	1	1	1	1	178.8	57.25	0	20616.114	533.3333333	10995.29802	30000	0	0	30000	36.75	2004
12.02.2020 09:21:13	1	1	1	1	178.8	56.75	0	19052.133	481.7204301	8868.806566	30000	0	0	30000	36.875	2004
12.02.2020 09:21:14	1	1	1	1	179	56.75	0	21137.441	494.6236559	10454.70606	30000	0	0	30000	37.3125	2004
12.02.2020 09:21:15	1	1	1	1	179	57.25	0	21232.227	509.6774194	10821.62368	30000	0	0	30000	37.125	2004
12.02.2020 09:21:16	1	1	1	1	179	57	0	15308.057	550.5376344	8460.304949	30000	0	0	30000	37.3125	2004
12.02.2020 09:21:17	1	1	1	1	179	57.25	0	21232.227	507.5268817	10775.96282	30000	0	0	30000	37.375	2004
12.02.2020 09:21:19	1	1	1	1	179	57.25	0	20284.36	567.7419355	11472.29092	30000	0	0	30000	37.0625	2004
12.02.2020 09:21:20	1	1	1	1	179	57	0	20284.36	516.1290323	10444.92159	30000	0	0	30000	37.1875	2004
12.02.2020 09:21:21	1	1	1	1	179	57	0	20947.867	522.5806452	10992.03653	30000	0	0	30000	37.3125	2004
12.02.2020 09:21:22	1	1	1	1	179	57.25	0	19194.313	460.2150538	8789.715435	30000	0	0	30000	37.1875	2004
12.02.2020 09:21:23	1	1	1	1	179	57	0	21137.441	561.2903226	11773.16337	30000	0	0	30000	36.625	2004
12.02.2020 09:21:24	1	1	1	1	179	56.5	0	19573.46	496.7741935	9807.300302	30000	0	0	30000	35.875	2004
12.02.2020 09:21:25	1	1	1	1	176.5	55.75	0	20331.754	531.1827957	10755.57851	30000	0	0	30000	36.125	2004
12.02.2020 09:21:26	1	1	1	1	176.5	56	0	20663.507	516.1290323	10733.56345	30000	0	0	30000	37.3125	2004
12.02.2020 09:21:27	1	1	1	1	176.5	57.25	0	21279.621	503.2258065	10365.01508	30000	0	0	30000	37.4375	2004
12.02.2020 09:21:28	1	1	1	1	176.5	57.25	0	20995.261	559.1397849	11694.07224	30000	0	0	30000	37.1875	2004
12.02.2020 09:21:29	1	1	1	1	176.5	57	0	18625.592	533.3333333	9933.683038	30000	0	0	30000	37.3125	2004
12.02.2020 09:21:35	1	1	1	1	176.8	57	0	20236.967	501.0752688	10139.97228	30000	0	0	30000	37.375	2004
12.02.2020 09:21:35	1	1	1	1	176.8	57	0	20236.967	501.0752688	10139.97228	30000	0	0	30000	37.375	2004
12.02.2020 09:21:35	1	1	1	1	176.8	57	0	20236.967	501.0752688	10139.97228	30000	0	0	30000	37.375	2004
12.02.2020 09:21:35	1	1	1	1	176.8	57	0	20236.967	501.0752688	10139.97228	30000	0	0	30000	37.375	2004
12.02.2020 09:21:35	1	1	1	1	176.8	57	0	20236.967	501.0752688	10139.97228	30000	0	0	30000	37.375	2004
12.02.2020 09:21:35	1	1	1	1	176.8	57	0	20236.967	501.0752688	10139.97228	30000	0	0	30000	37.375	2004
12.02.2020 09:21:36	1	1	1	1	176.8	57.25	0	21232.227	574.1935484	12218.35675	30000	0	0	30000	36.8125	2004
12.02.2020 09:21:37	1	1	1	1	176.8	56.75	0	18530.806	507.5268817	9444.459544	30000	0	0	30000	36.0625	2004
12.02.2020 09:21:38	1	1	1	1	176.8	56	0	20616.114	516.1290323	10640.61099	30000	0	0	30000	37.125	2004
12.02.2020 09:21:39	1	1	1	1	176.8	57	0	19952.607	559.1397849	11268.4478	30000	0	0	30000	36.9375	2004
12.02.2020 09:21:40	1	1	1	1	176.8	56.75	0	20142.18	563.4408602	11391.56905	30000	0	0	30000	37.25	2004
12.02.2020 09:21:41	1	1	1	1	176.8	57.25	0	21563.981	546.2365591	11825.34721	30000	0	0	30000	37.3125	2004
12.02.2020 09:21:42	1	1	1	1	176.8	57.25	0	19194.313	483.8709677	9369.445275	30000	0	0	30000	37.25	2004
12.02.2020 09:21:43	1	1	1	1	176.8	57.25	0	20568.72	584.9462366	11959.0683	30000	0	0	30000	37.3125	2004
12.02.2020 09:21:44	1	1	1	1	176.3	57.25	0	22274.882	559.1397849	12502.10638	30000	0	0	30000	37.1875	2004
12.02.2020 09:21:45	1	1	1	1	176.3	57	0	20521.327	535.483871	10944.74492	30000	0	0	30000	37.1875	2004
12.02.2020 09:21:46	1	1	1	1	176.3	57	0	21327.014	587.0967742	12594.24347	30000	0	0	30000	37.125	2004
12.02.2020 09:21:47	1	1	1	1	176.3	57	0	15497.63	466.6666667	7231.538608	30000	0	0	30000	37	2004
12.02.2020 09:21:48	1	1	1	1	176.3	57	0	21374.408	554.8387097	11858.77748	30000	0	0	30000	36.875	2004
12.02.2020 09:21:49	1	1	1	1	176.3	56.75	0	20900.474	578.4946237	12135.18876	30000	0	0	30000	37.0625	2004
12.02.2020 09:21:50	1	1	1	1	176.3	57	0	21374.408	552.688172	11813.11663	30000	0	0	30000	37	2004
12.02.2020 09:21:51	1	1	1	1	176.3	57	0	19289.1	520.4301075	10038.05072	30000	0	0	30000	37.25	2004
12.02.2020 09:21:52	1	1	1	1	176.3	57.25	0	20284.36	544.0860215	10992.8519	30000	0	0	30000	37	2004
12.02.2020 09:21:53	1	1	1	1	176.3	57	0	0	0	0	30000	0	8	30000	36.8125	2004
12.02.2020 09:21:54	1	1	1	1	176.3	56.75	0	10189.573	0	0	30000	0	0	30000	36.875	2004
12.02.2020 09:21:56	1	1	1	1	176.3	56.75	0	11042.654	0	0	30000	0	0	30000	37.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 09:21:57	1	1	1	1	176.3	57.25	0	11753.555	0	0	30000	0	0	30000	37.1875	2004
12.02.2020 09:21:58	1	1	1	1	176.3	57	0	12559.242	2.150537634	26.90729215	30000	0	0	30000	37.3125	2004
12.02.2020 09:21:59	1	1	1	1	176.3	57.25	0	13270.142	10.75268817	171.2282228	30000	0	0	30000	37.25	2004
12.02.2020 09:22:00	1	1	1	1	176.3	57.25	0	14170.616	27.95698925	394.6402848	30000	0	0	30000	37.1875	2004
12.02.2020 09:22:01	1	1	1	1	176.3	57	0	14834.123	40.86021505	605.8217596	30000	0	0	30000	37.25	2004
12.02.2020 09:22:02	1	1	1	1	176.3	57.25	0	15497.63	60.21505376	938.4937352	30000	0	0	30000	37.3125	2004
12.02.2020 09:22:03	1	1	1	1	176.3	57.25	0	16492.891	81.72043011	1307.857473	30000	0	0	30000	37.3125	2004
12.02.2020 09:22:04	1	1	1	1	176.3	57.25	0	16966.825	103.2258065	1641.344821	30000	0	0	30000	37.5625	2004
12.02.2020 09:22:05	1	1	1	1	175	57.5	0	17014.218	105.3763441	1792.188732	30000	0	0	30000	35.8125	2004
12.02.2020 09:22:06	1	1	1	1	175	55.75	0	17014.218	103.2258065	1792.188732	30000	0	0	30000	37.4375	2004
12.02.2020 09:22:07	1	1	1	1	175	57	0	17014.218	94.62365591	1609.545294	30000	0	0	30000	37.125	2004
12.02.2020 09:22:08	1	1	1	1	175	57	0	17014.218	96.77419355	1609.545294	30000	0	0	30000	37.125	2004
12.02.2020 09:22:09	1	1	1	1	175	57	0	17014.218	109.6774194	1865.572256	30000	0	0	30000	37.1875	2004
12.02.2020 09:22:10	1	1	1	1	175	57	0	17014.218	107.5268817	1828.880494	30000	0	0	30000	36.75	2004
12.02.2020 09:22:11	1	1	1	1	175	56.75	0	17014.218	96.77419355	1756.312342	30000	0	0	30000	37.125	2004
12.02.2020 09:22:12	1	1	1	1	175	57	0	17014.218	98.92473118	1646.237056	30000	0	0	30000	37.25	2004
12.02.2020 09:22:13	1	1	1	1	175	57.25	0	17014.218	96.77419355	1756.312342	30000	0	0	30000	37.1875	2004
12.02.2020 09:22:14	1	1	1	1	179	57	0	17014.218	103.2258065	1682.928818	30000	0	0	30000	37.25	2004
12.02.2020 09:22:15	1	1	1	1	179	57.25	0	17014.218	103.2258065	1756.312342	30000	0	0	30000	37.125	2004
12.02.2020 09:22:16	1	1	1	1	179	57	0	17014.218	103.2258065	1756.312342	30000	0	0	30000	37.1875	2004
12.02.2020 09:22:17	1	1	1	1	179	57	0	17014.218	103.2258065	1682.928818	30000	0	0	30000	37.3125	2004
12.02.2020 09:22:18	1	1	1	1	179	57.25	0	17014.218	105.3763441	1828.880494	30000	0	0	30000	37.125	2004
12.02.2020 09:22:19	1	1	1	1	179	57	0	17014.218	103.2258065	1792.188732	30000	0	0	30000	34.625	2004
12.02.2020 09:22:20	1	1	1	1	179	54.5	0	17014.218	103.2258065	1756.312342	30000	0	0	30000	37.1875	2004
12.02.2020 09:22:21	1	1	1	1	179	57	0	17014.218	88.17204301	1536.16177	30000	0	0	30000	37.1875	2004
12.02.2020 09:22:22	1	1	1	1	179	57	0	17014.218	96.77419355	1609.545294	30000	0	0	30000	37	2004
12.02.2020 09:22:23	1	1	1	1	179	57	0	17014.218	94.62365591	1572.853532	30000	0	0	30000	37.1875	2004
12.02.2020 09:22:24	1	1	1	1	180.3	57	0	17488.152	107.5268817	1922.64833	30000	0	0	30000	37.1875	2004
12.02.2020 09:22:25	1	1	1	1	180.3	57	0	18293.839	144.0860215	2635.283886	30000	0	0	30000	37.0625	2004
12.02.2020 09:22:26	1	1	1	1	180.3	57	0	18625.592	159.1397849	3003.832251	30000	0	0	30000	37.25	2004
12.02.2020 09:22:27	1	1	1	1	180.3	57.25	0	18672.986	159.1397849	3003.832251	30000	0	0	30000	37.0625	2004
12.02.2020 09:22:28	1	1	1	1	180.3	57	0	18862.559	176.344086	3325.904384	30000	0	0	30000	37.3125	2004
12.02.2020 09:22:29	1	1	1	1	180.3	57.25	0	19194.313	189.2473118	3632.48444	30000	0	0	30000	37.125	2004
12.02.2020 09:22:30	1	1	1	1	180.3	57	0	19241.706	195.6989247	3982.279238	30000	0	0	30000	37.3125	2004
12.02.2020 09:22:37	1	1	1	1	179.5	57.25	0	20853.081	279.5698925	5829.913299	30000	0	0	30000	37.1875	2004
12.02.2020 09:22:37	1	1	1	1	179.5	57.25	0	20853.081	279.5698925	5829.913299	30000	0	0	30000	37.1875	2004
12.02.2020 09:22:37	1	1	1	1	179.5	57.25	0	20853.081	279.5698925	5829.913299	30000	0	0	30000	37.1875	2004
12.02.2020 09:22:37	1	1	1	1	179.5	57.25	0	20853.081	279.5698925	5829.913299	30000	0	0	30000	37.1875	2004
12.02.2020 09:22:37	1	1	1	1	179.5	57.25	0	20853.081	279.5698925	5829.913299	30000	0	0	30000	37.1875	2004
12.02.2020 09:22:37	1	1	1	1	179.5	57.25	0	20853.081	279.5698925	5829.913299	30000	0	0	30000	37.1875	2004
12.02.2020 09:22:40	1	1	1	1	179.5	57.25	0	19478.673	303.2258065	5891.881608	30000	0	0	30000	36.5625	2004
12.02.2020 09:22:40	1	1	1	1	179.5	57.25	0	19478.673	303.2258065	5891.881608	30000	0	0	30000	36.5625	2004
12.02.2020 09:22:40	1	1	1	1	179.5	56.5	0	18909.953	296.7741935	5611.393472	30000	0	0	30000	37.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 09:22:41	1	1	1	1	179.5	57.25	0	19857.82	316.1290323	6277.552795	30000	0	0	30000	36.625	2004
12.02.2020 09:22:42	1	1	1	1	179.5	56.5	0	20142.18	322.5806452	6466.719213	30000	0	0	30000	37.4375	2004
12.02.2020 09:22:43	1	1	1	1	179.5	57.25	0	18151.659	320.4301075	5816.051966	30000	0	0	30000	36.5	2004
12.02.2020 09:22:44	1	1	1	1	179.5	56.5	0	20853.081	339.7849462	7085.586932	30000	0	0	30000	37.5625	2004
12.02.2020 09:22:45	1	1	1	1	177.5	57.5	0	20000	335.483871	6709.700215	30000	0	0	30000	37.25	2004
12.02.2020 09:22:46	1	1	1	1	177.5	57.25	0	19052.133	344.0860215	6596.363439	30000	0	0	30000	37.375	2004
12.02.2020 09:22:47	1	1	1	1	177.5	57.25	0	19952.607	333.3333333	6736.607507	30000	0	0	30000	37.3125	2004
12.02.2020 09:22:48	1	1	1	1	177.5	57.25	0	19478.673	354.8387097	6827.929226	30000	0	0	30000	37.0625	2004
12.02.2020 09:22:49	1	1	1	1	177.5	57	0	19763.033	384.9462366	7607.425325	30000	0	0	30000	37.0625	2004
12.02.2020 09:22:50	1	1	1	1	177.5	57	0	20521.327	378.4946237	7811.268448	30000	0	0	30000	37	2004
12.02.2020 09:22:51	1	1	1	1	177.5	57	0	20047.393	389.2473118	7716.685239	30000	0	0	30000	37.125	2004
12.02.2020 09:22:52	1	1	1	1	177.5	57	0	20142.18	402.1505376	8061.587802	30000	0	0	30000	37.1875	2004
12.02.2020 09:22:53	1	1	1	1	177.5	57	0	20616.114	423.655914	8645.394504	30000	0	0	30000	37.25	2004
12.02.2020 09:22:54	1	1	1	1	175.8	57.25	0	21563.981	432.2580645	9459.951621	30000	0	0	30000	36.9375	2004
12.02.2020 09:22:55	1	1	1	1	175.8	56.75	0	20331.754	445.1612903	9071.834316	30000	0	0	30000	37.1875	2004
12.02.2020 09:22:56	1	1	1	1	175.8	57	0	20521.327	427.9569892	8781.56171	30000	0	0	30000	37.1875	2004
12.02.2020 09:22:57	1	1	1	1	175.8	57	0	20473.934	453.7634409	9290.354143	30000	0	0	30000	36.4375	2004
12.02.2020 09:22:58	1	1	1	1	175.8	56.25	0	21137.441	458.0645161	9727.393798	30000	0	0	30000	37.3125	2004
12.02.2020 09:22:59	1	1	1	1	175.8	57.25	0	20616.114	483.8709677	9975.267034	30000	0	0	30000	37.3125	2004
12.02.2020 09:23:00	1	1	1	1	175.8	57.25	0	21279.621	516.1290323	11028.72829	30000	0	0	30000	37.1875	2004
12.02.2020 09:23:01	1	1	1	1	175.8	57	0	20331.754	516.1290323	10493.84394	30000	0	0	30000	37.25	2004
12.02.2020 09:23:02	1	1	1	1	175.8	57.25	0	21042.654	516.1290323	11000.19025	30000	0	0	30000	37.125	2004
12.02.2020 09:23:03	1	1	1	1	175.8	57	0	21563.981	520.4301075	11271.70929	30000	0	0	30000	37.25	2004
12.02.2020 09:23:04	1	1	1	1	175.3	57.25	0	21800.948	550.5376344	12002.28304	30000	0	0	30000	37.1875	2004
12.02.2020 09:23:05	1	1	1	1	175.3	57	0	21563.981	595.6989247	12845.3782	30000	0	0	30000	36.9375	2004
12.02.2020 09:23:06	1	1	1	1	175.3	56.75	0	22748.815	537.6344086	12230.58734	30000	0	0	30000	36.875	2004
12.02.2020 09:23:07	1	1	1	1	175.3	56.75	0	21374.408	541.9354839	11445.38363	30000	0	0	30000	37.25	2004
12.02.2020 09:23:08	1	1	1	1	175.3	57.25	0	20758.294	537.6344086	11204.84875	30000	0	0	30000	37.125	2004
12.02.2020 09:23:09	1	1	1	1	175.3	57	0	21800.948	535.483871	11673.68793	30000	0	0	30000	36.5	2004
12.02.2020 09:23:10	1	1	1	1	175.3	56.5	0	20521.327	576.344086	11826.97796	30000	0	0	30000	37.1875	2004
12.02.2020 09:23:12	1	1	1	1	175.3	57	0	21563.981	556.9892473	12010.43677	30000	0	0	30000	37.1875	2004
12.02.2020 09:23:13	1	1	1	1	175.3	57	0	21943.128	580.6451613	12835.59373	30000	0	0	30000	37.3125	2004
12.02.2020 09:23:14	1	1	1	1	175.3	57.25	0	23270.142	580.6451613	13460.98443	30000	0	0	30000	36.25	2004
12.02.2020 09:23:15	1	1	1	1	174	56.25	0	23649.289	580.6451613	13653.41233	30000	0	0	30000	36.3125	2004
12.02.2020 09:23:16	1	1	1	1	174	56.25	0	23459.716	612.9032258	14327.72538	30000	0	0	30000	37.25	2004
12.02.2020 09:23:17	1	1	1	1	174	57.25	0	22511.848	615.0537634	13845.84024	30000	0	0	30000	37.125	2004
12.02.2020 09:23:18	1	1	1	1	174	57	0	23554.502	610.7526882	14385.61683	30000	0	0	30000	37.1875	2004
12.02.2020 09:23:19	1	1	1	1	174	57	0	22748.815	591.3978495	13551.49077	30000	0	0	30000	37.1875	2004
12.02.2020 09:23:20	1	1	1	1	174	57	0	21848.341	593.5483871	12967.68407	30000	0	0	30000	37.1875	2004
12.02.2020 09:23:21	1	1	1	1	174	57	0	22369.668	630.1075269	14220.91159	30000	0	0	30000	37.3125	2004
12.02.2020 09:23:22	1	1	1	1	174	57.25	0	21563.981	670.9677419	14468.78482	30000	0	0	30000	36.4375	2004
12.02.2020 09:23:23	1	1	1	1	174	56.25	0	23270.142	636.5591398	14792.4877	30000	0	0	30000	36.6875	2004
12.02.2020 09:23:24	1	1	1	1	173.5	57.25	0	21232.227	660.2150538	14017.88384	30000	0	0	30000	36.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 09:23:25	1	1	1	1	173.5	56.25	0	22890.995	653.7634409	14965.34667	30000	0	0	30000	37.0625	2004
12.02.2020 09:23:26	1	1	1	1	173.5	57	0	21374.408	632.2580645	13513.98364	30000	0	0	30000	36.8125	2004
12.02.2020 09:23:27	1	1	1	1	173.5	56.75	0	23838.863	670.9677419	15995.16212	30000	0	0	30000	37	2004
12.02.2020 09:23:28	1	1	1	1	173.5	57	0	24123.223	660.2150538	15957.65499	30000	0	0	30000	37.125	2004
12.02.2020 09:23:29	1	1	1	1	173.5	57	0	21706.161	673.1182796	14468.78482	30000	0	0	30000	37.0625	2004
12.02.2020 09:23:30	1	1	1	1	173.5	57	0	23744.076	670.9677419	15931.56307	30000	0	0	30000	37.125	2004
12.02.2020 09:23:31	1	1	1	1	173.5	57	0	24407.583	655.9139785	16009.02346	30000	0	0	30000	37.0625	2004
12.02.2020 09:23:32	1	1	1	1	173.5	57	0	23222.749	688.172043	16013.91569	30000	0	0	30000	36.875	2004
12.02.2020 09:23:38	1	1	1	1	172	56.25	0	22511.848	709.6774194	16024.51553	30000	0	0	30000	37.125	2004
12.02.2020 09:23:38	1	1	1	1	172	56.25	0	22511.848	709.6774194	16024.51553	30000	0	0	30000	37.125	2004
12.02.2020 09:23:38	1	1	1	1	172	56.25	0	22511.848	709.6774194	16024.51553	30000	0	0	30000	37.125	2004
12.02.2020 09:23:38	1	1	1	1	172	56.25	0	22511.848	709.6774194	16024.51553	30000	0	0	30000	37.125	2004
12.02.2020 09:23:38	1	1	1	1	172	56.25	0	22511.848	709.6774194	16024.51553	30000	0	0	30000	37.125	2004
12.02.2020 09:23:38	1	1	1	1	172	56.25	0	22511.848	709.6774194	16024.51553	30000	0	0	30000	37.125	2004
12.02.2020 09:23:39	1	1	1	1	172	57	0	23412.322	670.9677419	15677.16685	30000	0	0	30000	37.3125	2004
12.02.2020 09:23:40	1	1	1	1	172	57.25	0	22369.668	720.4301075	15971.51632	30000	0	0	30000	36.75	2004
12.02.2020 09:23:41	1	1	1	1	172	56.75	0	22417.062	713.9784946	16004.94659	30000	0	0	30000	37.0625	2004
12.02.2020 09:23:42	1	1	1	1	172	57	0	23554.502	679.5698925	15956.02424	30000	0	0	30000	37.3125	2004
12.02.2020 09:23:43	1	1	1	1	172	57.25	0	22559.242	707.5268817	16095.45294	30000	0	0	30000	36.4375	2004
12.02.2020 09:23:44	1	1	1	1	170.8	56.25	0	22227.488	718.2795699	16047.34596	30000	0	0	30000	37.0625	2004
12.02.2020 09:23:45	1	1	1	1	170.8	57	0	23080.569	690.3225806	15932.37844	30000	0	0	30000	37	2004
12.02.2020 09:23:46	1	1	1	1	170.8	57	0	23317.536	675.2688172	15827.19539	30000	0	0	30000	37.125	2004
12.02.2020 09:23:47	1	1	1	1	170.8	57	0	22511.848	703.2258065	15830.45688	30000	0	0	30000	37.0625	2004
12.02.2020 09:23:49	1	1	1	1	170.8	57	0	23222.749	692.4731183	16163.94423	30000	0	0	30000	37	2004
12.02.2020 09:23:50	1	1	1	1	170.8	57	0	23270.142	688.172043	16013.91569	30000	0	0	30000	36.8125	2004
12.02.2020 09:23:51	1	1	1	1	170.8	56.75	0	22890.995	703.2258065	16048.16134	30000	0	0	30000	36.9375	2004
12.02.2020 09:23:52	1	1	1	1	170.8	56.75	0	23080.569	692.4731183	16031.85389	30000	0	0	30000	37.0625	2004
12.02.2020 09:23:53	1	1	1	1	170.8	57	0	23033.175	698.9247312	16097.89906	30000	0	0	30000	36.9375	2004
12.02.2020 09:23:54	1	1	1	1	170.8	56.75	0	22559.242	703.2258065	15830.45688	30000	0	0	30000	37.0625	2004
12.02.2020 09:23:55	1	1	1	1	170.5	57	0	21895.735	735.483871	15881.00997	30000	0	0	30000	36.5	2004
12.02.2020 09:23:56	1	1	1	1	170.5	56.5	0	20900.474	756.9892473	15821.48778	30000	0	0	30000	37	2004
12.02.2020 09:23:57	1	1	1	1	170.5	57	0	21658.768	741.9354839	16093.00682	30000	0	0	30000	37.0625	2004
12.02.2020 09:23:58	1	1	1	1	170.5	57	0	21090.047	756.9892473	15964.99334	30000	0	0	30000	37.125	2004
12.02.2020 09:23:59	1	1	1	1	170.5	57	0	21137.441	756.9892473	15692.65893	30000	0	0	30000	37.25	2004
12.02.2020 09:24:00	1	1	1	1	170.5	57.25	0	21563.981	741.9354839	15998.42361	30000	0	0	30000	37.4375	2004
12.02.2020 09:24:01	1	1	1	1	170.5	57.25	0	20853.081	718.2795699	14978.39263	30000	0	0	30000	36.25	2004
12.02.2020 09:24:02	1	1	1	1	170.5	56.5	0	20616.114	756.9892473	15606.22945	30000	0	0	30000	36.9375	2004
12.02.2020 09:24:03	1	1	1	1	170.5	56.75	0	20521.327	756.9892473	15578.50678	30000	0	0	30000	36.6875	2004
12.02.2020 09:24:04	1	1	1	1	170.5	56.5	0	20236.967	767.7419355	15449.67793	30000	0	0	30000	37	2004
12.02.2020 09:24:05	1	1	1	1	170.5	57	0	20284.36	776.344086	15834.53374	30000	0	0	30000	37.1875	2004
12.02.2020 09:24:06	1	1	1	1	170.5	57	0	20189.573	791.3978495	15853.28731	30000	0	0	30000	37.0625	2004
12.02.2020 09:24:07	1	1	1	1	170.5	57	0	21042.654	763.4408602	16028.5924	30000	0	0	30000	36.9375	2004
12.02.2020 09:24:08	1	1	1	1	170.5	56.75	0	20853.081	772.0430108	16017.99255	30000	0	0	30000	37.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 09:24:09	1	1	1	1	170.5	57	0	21090.047	741.9354839	16072.62251	30000	0	0	30000	37.25	2004
12.02.2020 09:24:10	1	1	1	1	170.5	57.25	0	20331.754	791.3978495	16090.5607	30000	0	0	30000	36.8125	2004
12.02.2020 09:24:11	1	1	1	1	170.5	56.75	0	20710.9	772.0430108	15989.45452	30000	0	0	30000	37.125	2004
12.02.2020 09:24:12	1	1	1	1	170.5	57	0	20331.754	791.3978495	15884.27146	30000	0	0	30000	37.25	2004
12.02.2020 09:24:13	1	1	1	1	170.5	57.25	0	19289.1	804.3010753	15597.26035	30000	0	0	30000	37.1875	2004
12.02.2020 09:24:14	1	1	1	1	170.3	57	0	20047.393	787.0967742	15735.87367	30000	0	0	30000	36.875	2004
12.02.2020 09:24:15	1	1	1	1	170.3	56.75	0	21042.654	756.9892473	15929.11695	30000	0	0	30000	37.1875	2004
12.02.2020 09:24:16	1	1	1	1	170.3	57	0	20047.393	791.3978495	15865.5179	30000	0	0	30000	37.1875	2004
12.02.2020 09:24:17	1	1	1	1	170.3	57	0	20142.18	793.5483871	15983.74691	30000	0	0	30000	36.1875	2004
12.02.2020 09:24:18	1	1	1	1	170.3	56	0	18909.953	808.6021505	15369.77142	30000	0	0	30000	37.25	2004
12.02.2020 09:24:19	1	1	1	1	170.3	57.25	0	20521.327	784.9462366	16151.71364	30000	0	0	30000	36.1875	2004
12.02.2020 09:24:20	1	1	1	1	170.3	56	0	19431.28	804.3010753	15669.8285	30000	0	0	30000	37.0625	2004
12.02.2020 09:24:21	1	1	1	1	170.3	57	0	20473.934	791.3978495	16165.57497	30000	0	0	30000	37.1875	2004
12.02.2020 09:24:22	1	1	1	1	170.3	57	0	19431.28	810.7526882	15673.90536	30000	0	0	30000	36.9375	2004
12.02.2020 09:24:23	1	1	1	1	170.3	56.75	0	20331.754	778.4946237	15783.98065	30000	0	0	30000	37	2004
12.02.2020 09:24:24	1	1	1	1	171	57	0	20616.114	778.4946237	16256.89669	30000	0	0	30000	37.25	2004
12.02.2020 09:24:25	1	1	1	1	171	57.25	0	19857.82	802.1505376	15928.30158	30000	0	0	30000	37	2004
12.02.2020 09:24:27	1	1	1	1	171	57	0	19241.706	802.1505376	15597.26035	30000	0	0	30000	37.25	2004
12.02.2020 09:24:28	1	1	1	1	171	57.25	0	20758.294	765.5913978	15973.14707	30000	0	0	30000	37.125	2004
12.02.2020 09:24:29	1	1	1	1	171	57	0	18815.166	810.7526882	15214.03528	30000	0	0	30000	36.5625	2004
12.02.2020 09:24:30	1	1	1	1	171	56.5	0	20853.081	761.2903226	15883.45609	30000	0	0	30000	37.25	2004
12.02.2020 09:24:31	1	1	1	1	171	57.25	0	19573.46	800	15738.31979	30000	0	0	30000	37.0625	2004
12.02.2020 09:24:32	1	1	1	1	171	57	0	18720.379	817.2043011	15298.01864	30000	0	0	30000	37.1875	2004
12.02.2020 09:24:33	1	1	1	1	171	57	0	20047.393	791.3978495	15951.13201	30000	0	0	30000	36.4375	2004
12.02.2020 09:24:34	1	1	1	1	171	56.25	0	20047.393	793.5483871	15907.91727	30000	0	0	30000	37.0625	2004
12.02.2020 09:24:40	1	1	1	1	170.8	57	0	20616.114	787.0967742	16145.19066	30000	0	0	30000	37.0625	2004
12.02.2020 09:24:40	1	1	1	1	170.8	57	0	20616.114	787.0967742	16145.19066	30000	0	0	30000	37.0625	2004
12.02.2020 09:24:40	1	1	1	1	170.8	57	0	20616.114	787.0967742	16145.19066	30000	0	0	30000	37.0625	2004
12.02.2020 09:24:40	1	1	1	1	170.8	57	0	20616.114	787.0967742	16145.19066	30000	0	0	30000	37.0625	2004
12.02.2020 09:24:40	1	1	1	1	170.8	57	0	20616.114	787.0967742	16145.19066	30000	0	0	30000	37.0625	2004
12.02.2020 09:24:40	1	1	1	1	170.8	57	0	20616.114	787.0967742	16145.19066	30000	0	0	30000	37.0625	2004
12.02.2020 09:24:41	1	1	1	1	170.8	57.25	0	19289.1	797.8494624	15389.34036	30000	0	0	30000	36.4375	2004
12.02.2020 09:24:42	1	1	1	1	170.8	56.25	0	20000	797.8494624	15956.83962	30000	0	0	30000	37.1875	2004
12.02.2020 09:24:43	1	1	1	1	170.8	57	0	19478.673	808.6021505	15746.47351	30000	0	0	30000	37.25	2004
12.02.2020 09:24:44	1	1	1	1	171	57.25	0	20047.393	793.5483871	15870.41013	30000	0	0	30000	37.25	2004
12.02.2020 09:24:45	1	1	1	1	171	57.25	0	20331.754	772.0430108	15696.73579	30000	0	0	30000	37	2004
12.02.2020 09:24:46	1	1	1	1	171	57	0	18625.592	817.2043011	15259.69614	30000	0	0	30000	37.3125	2004
12.02.2020 09:24:47	1	1	1	1	171	57.25	0	19383.886	804.3010753	15673.90536	30000	0	0	30000	37.25	2004
12.02.2020 09:24:48	1	1	1	1	171	57.25	0	20284.36	795.6989247	16015.54644	30000	0	0	30000	37.125	2004
12.02.2020 09:24:49	1	1	1	1	171	57	0	19857.82	800	15928.30158	30000	0	0	30000	36.625	2004
12.02.2020 09:24:50	1	1	1	1	171	56.5	0	19952.607	800	15918.51711	30000	0	0	30000	36.5625	2004
12.02.2020 09:24:51	1	1	1	1	171	56.5	0	19668.246	802.1505376	15776.6423	30000	0	0	30000	37.1875	2004
12.02.2020 09:24:52	1	1	1	1	171	57	0	19099.526	810.7526882	15484.73894	30000	0	0	30000	36.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 09:24:53	1	1	1	1	171	56.25	0	20047.393	795.6989247	15951.13201	30000	0	0	30000	37.125	2004
12.02.2020 09:24:54	1	1	1	1	171.3	57	0	19052.133	812.9032258	15446.41644	30000	0	0	30000	37.25	2004
12.02.2020 09:24:55	1	1	1	1	171.3	57.25	0	20189.573	795.6989247	16146.00603	30000	0	0	30000	37.0625	2004
12.02.2020 09:24:56	1	1	1	1	171.3	57	0	18909.953	812.9032258	15410.54005	30000	0	0	30000	37.125	2004
12.02.2020 09:24:57	1	1	1	1	171.3	57	0	19099.526	808.6021505	15484.73894	30000	0	0	30000	37.1875	2004
12.02.2020 09:24:58	1	1	1	1	171.3	57	0	19573.46	800	15658.41329	30000	0	0	30000	37.25	2004
12.02.2020 09:24:59	1	1	1	1	171.3	57.25	0	19668.246	800	15861.44103	30000	0	0	30000	35.1875	2004
12.02.2020 09:25:00	1	1	1	1	171.3	55	0	20000	804.3010753	15885.90221	30000	0	0	30000	37.125	2004
12.02.2020 09:25:01	1	1	1	1	171.3	57	0	19478.673	795.6989247	15498.60028	30000	0	0	30000	37.1875	2004
12.02.2020 09:25:02	1	1	1	1	171.3	57	0	19383.886	806.4516129	15548.338	30000	0	0	30000	36.625	2004
12.02.2020 09:25:03	1	1	1	1	171.3	56.5	0	19336.493	808.6021505	15635.58286	30000	0	0	30000	36.25	2004
12.02.2020 09:25:04	1	1	1	1	171.8	56.25	0	19336.493	808.6021505	15715.48936	30000	0	0	30000	37.25	2004
12.02.2020 09:25:06	1	1	1	1	171.8	57.25	0	19194.313	810.7526882	15599.70647	30000	0	0	30000	37.0625	2004
12.02.2020 09:25:07	1	1	1	1	171.8	57	0	18436.019	819.3548387	15105.59074	30000	0	0	30000	37.1875	2004
12.02.2020 09:25:08	1	1	1	1	171.8	57	0	18909.953	812.9032258	15371.40217	30000	0	0	30000	37.25	2004
12.02.2020 09:25:09	1	1	1	1	171.8	57.25	0	19668.246	802.1505376	15819.04167	30000	0	0	30000	37.1875	2004
12.02.2020 09:25:10	1	1	1	1	171.8	57	0	19620.853	804.3010753	15784.79602	30000	0	0	30000	36.75	2004
12.02.2020 09:25:11	1	1	1	1	171.8	56.75	0	19099.526	810.7526882	15567.09157	30000	0	0	30000	36.5	2004
12.02.2020 09:25:12	1	1	1	1	171.8	56.5	0	20616.114	782.7956989	16181.88242	30000	0	0	30000	37.3125	2004
12.02.2020 09:25:13	1	1	1	1	171.8	57.25	0	20000	793.5483871	15907.91727	30000	0	0	30000	37.1875	2004
12.02.2020 09:25:14	1	1	1	1	171.8	57	0	19194.313	808.6021505	15520.61533	30000	0	0	30000	37.1875	2004
12.02.2020 09:25:15	1	1	1	1	172.5	57	0	19573.46	806.4516129	15742.39665	30000	0	0	30000	37.25	2004
12.02.2020 09:25:16	1	1	1	1	172.5	57.25	0	18862.559	810.7526882	15412.17079	30000	0	0	30000	37.375	2004
12.02.2020 09:25:17	1	1	1	1	172.5	57.25	0	18909.953	817.2043011	15530.3998	30000	0	0	30000	35.9375	2004
12.02.2020 09:25:18	1	1	1	1	172.5	55.75	0	18720.379	817.2043011	15337.9719	30000	0	0	30000	36.625	2004
12.02.2020 09:25:19	1	1	1	1	172.5	56.5	0	19146.919	808.6021505	15561.38396	30000	0	0	30000	37.375	2004
12.02.2020 09:25:20	1	1	1	1	172.5	56.25	0	18672.986	819.3548387	15299.64939	30000	0	0	30000	37	2004
12.02.2020 09:25:21	1	1	1	1	172.5	57	0	18009.479	834.4086022	14949.03922	30000	0	0	30000	37.0625	2004
12.02.2020 09:25:22	1	1	1	1	172.5	57	0	19146.919	812.9032258	15523.06145	30000	0	0	30000	37.1875	2004
12.02.2020 09:25:23	1	1	1	1	172.5	57	0	18483.412	825.8064516	15223.81975	30000	0	0	30000	36.375	2004
12.02.2020 09:25:24	1	1	1	1	172.8	56.25	0	18862.559	817.2043011	15414.61691	30000	0	0	30000	37.0625	2004
12.02.2020 09:25:25	1	1	1	1	172.8	57	0	19004.739	815.0537634	15489.63118	30000	0	0	30000	37.1875	2004
12.02.2020 09:25:26	1	1	1	1	172.8	57	0	19526.066	808.6021505	15788.87288	30000	0	0	30000	37.25	2004
12.02.2020 09:25:27	1	1	1	1	172.8	57.25	0	19004.739	812.9032258	15489.63118	30000	0	0	30000	37.1875	2004
12.02.2020 09:25:28	1	1	1	1	172.8	57	0	18767.773	821.5053763	15457.83165	30000	0	0	30000	36.5	2004
12.02.2020 09:25:29	1	1	1	1	172.8	56.5	0	20284.36	791.3978495	16096.26831	30000	0	0	30000	37.25	2004
12.02.2020 09:25:30	1	1	1	1	172.8	57.25	0	17630.332	834.4086022	14670.9972	30000	0	0	30000	37.125	2004
12.02.2020 09:25:31	1	1	1	1	172.8	57	0	18909.953	815.0537634	15412.17079	30000	0	0	30000	37.1875	2004
12.02.2020 09:25:32	1	1	1	1	172.8	57	0	18909.953	823.655914	15454.57016	30000	0	0	30000	36.6875	2004
12.02.2020 09:25:33	1	1	1	1	172.8	56.5	0	18056.872	827.9569892	14949.85459	30000	0	0	30000	36.8125	2004
12.02.2020 09:25:34	1	1	1	1	174	56.75	0	18767.773	810.7526882	15294.75715	30000	0	0	30000	37.0625	2004
12.02.2020 09:25:35	1	1	1	1	174	57	0	17251.185	832.2580645	14545.42984	30000	0	0	30000	36.8125	2004
12.02.2020 09:25:42	1	1	1	1	174	56.75	0	20047.393	797.8494624	15828.01076	30000	0	0	30000	37.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 09:25:42	1	1	1	1	174	56.75	0	20047.393	797.8494624	15828.01076	30000	0	0	30000	37.0625	2004
12.02.2020 09:25:42	1	1	1	1	174	56.75	0	20047.393	797.8494624	15828.01076	30000	0	0	30000	37.0625	2004
12.02.2020 09:25:42	1	1	1	1	174	56.75	0	20047.393	797.8494624	15828.01076	30000	0	0	30000	37.0625	2004
12.02.2020 09:25:42	1	1	1	1	174	56.75	0	20047.393	797.8494624	15828.01076	30000	0	0	30000	37.0625	2004
12.02.2020 09:25:42	1	1	1	1	174	57	0	19668.246	804.3010753	15894.87131	30000	0	0	30000	35.8125	2004
12.02.2020 09:25:43	1	1	1	1	174	55.75	0	19052.133	812.9032258	15527.95369	30000	0	0	30000	37.1875	2004
12.02.2020 09:25:45	1	1	1	1	175.3	57	0	18388.626	825.8064516	15184.68187	30000	0	0	30000	36.5	2004
12.02.2020 09:25:46	1	1	1	1	175.3	56.5	0	17962.085	823.655914	14833.25633	30000	0	0	30000	37.1875	2004
12.02.2020 09:25:47	1	1	1	1	175.3	57	0	19668.246	800	15776.6423	30000	0	0	30000	37.125	2004
12.02.2020 09:25:48	1	1	1	1	175.3	57	0	18720.379	817.2043011	15298.01864	30000	0	0	30000	36.4375	2004
12.02.2020 09:25:49	1	1	1	1	175.3	56.25	0	18909.953	812.9032258	15410.54005	30000	0	0	30000	36.4375	2004
12.02.2020 09:25:50	1	1	1	1	175.3	56.25	0	18815.166	819.3548387	15416.24766	30000	0	0	30000	37.3125	2004
12.02.2020 09:25:51	1	1	1	1	175.3	57.25	0	18909.953	815.0537634	15611.93705	30000	0	0	30000	37.0625	2004
12.02.2020 09:25:52	1	1	1	1	175.3	57	0	19052.133	812.9032258	15527.95369	30000	0	0	30000	37.125	2004
12.02.2020 09:25:53	1	1	1	1	175.3	57	0	19431.28	808.6021505	15712.22787	30000	0	0	30000	37	2004
12.02.2020 09:25:54	1	1	1	1	175.3	57	0	19668.246	804.3010753	15861.44103	30000	0	0	30000	37.1875	2004
12.02.2020 09:25:55	1	1	1	1	175	57	0	19194.313	810.7526882	15561.38396	30000	0	0	30000	37.3125	2004
12.02.2020 09:25:56	1	1	1	1	175	57.25	0	20000	802.1505376	15918.51711	30000	0	0	30000	37.5	2004
12.02.2020 09:25:57	1	1	1	1	175	57.25	0	19952.607	797.8494624	15918.51711	30000	0	0	30000	36.9375	2004
12.02.2020 09:25:58	1	1	1	1	175	56.75	0	18104.265	827.9569892	14988.99247	30000	0	0	30000	37.125	2004
12.02.2020 09:25:59	1	1	1	1	175	57	0	17914.692	827.9569892	14831.62558	30000	0	0	30000	37.125	2004
12.02.2020 09:26:00	1	1	1	1	175	57	0	18767.773	810.7526882	15215.66602	30000	0	0	30000	37.25	2004
12.02.2020 09:26:01	1	1	1	1	175	57.25	0	18625.592	819.3548387	15340.41801	30000	0	0	30000	37.3125	2004
12.02.2020 09:26:02	1	1	1	1	175	57.25	0	18767.773	815.0537634	15334.71041	30000	0	0	30000	37.1875	2004
12.02.2020 09:26:03	1	1	1	1	175	57	0	19004.739	812.9032258	15448.86256	30000	0	0	30000	37.25	2004
12.02.2020 09:26:04	1	1	1	1	176.3	57.25	0	19336.493	810.7526882	15677.16685	30000	0	0	30000	36.25	2004
12.02.2020 09:26:05	1	1	1	1	176.3	56.25	0	18909.953	812.9032258	15412.17079	30000	0	0	30000	37.3125	2004
12.02.2020 09:26:06	1	1	1	1	176.3	57.25	0	18483.412	815.0537634	15183.05112	30000	0	0	30000	37.1875	2004
12.02.2020 09:26:07	1	1	1	1	176.3	57	0	18293.839	821.5053763	15067.26823	30000	0	0	30000	37.125	2004
12.02.2020 09:26:08	1	1	1	1	176.3	57	0	19099.526	812.9032258	15525.50757	30000	0	0	30000	37.25	2004
12.02.2020 09:26:09	1	1	1	1	176.3	57.25	0	18293.839	825.8064516	15107.22148	30000	0	0	30000	37.25	2004
12.02.2020 09:26:10	1	1	1	1	176.3	57.25	0	18909.953	812.9032258	15412.17079	30000	0	0	30000	37.1875	2004
12.02.2020 09:26:11	1	1	1	1	176.3	57	0	19620.853	810.7526882	15865.5179	30000	0	0	30000	37.1875	2004
12.02.2020 09:26:12	1	1	1	1	176.3	57	0	18720.379	817.2043011	15298.01864	30000	0	0	30000	37.25	2004
12.02.2020 09:26:13	1	1	1	1	176.3	57.25	0	18388.626	823.655914	15184.68187	30000	0	0	30000	37.25	2004
12.02.2020 09:26:14	1	1	1	1	177	57.25	0	19099.526	817.2043011	15484.73894	30000	0	0	30000	37.3125	2004
12.02.2020 09:26:15	1	1	1	1	177	57.25	0	18530.806	821.5053763	15223.00438	30000	0	0	30000	36.9375	2004
12.02.2020 09:26:16	1	1	1	1	177	56.75	0	18104.265	817.2043011	14989.80784	30000	0	0	30000	37.25	2004
12.02.2020 09:26:17	1	1	1	1	177	57.25	0	17962.085	830.1075269	14832.44095	30000	0	0	30000	37.25	2004
12.02.2020 09:26:18	1	1	1	1	177	57.25	0	17582.938	838.7096774	14708.50434	30000	0	0	30000	36.4375	2004
12.02.2020 09:26:19	1	1	1	1	177	56.25	0	17251.185	836.5591398	14431.27769	30000	0	0	30000	36.6875	2004
12.02.2020 09:26:21	1	1	1	1	177	56.5	0	18530.806	812.9032258	15222.189	30000	0	0	30000	36.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 09:26:22	1	1	1	1	177	56.5	0	19478.673	804.3010753	15669.8285	30000	0	0	30000	37.3125	2004
12.02.2020 09:26:23	1	1	1	1	177	57.25	0	18104.265	825.8064516	14950.66996	30000	0	0	30000	37.1875	2004
12.02.2020 09:26:24	1	1	1	1	177	57	0	18483.412	823.655914	15263.773	30000	0	0	30000	36.9375	2004
12.02.2020 09:26:25	1	1	1	1	177.8	56.75	0	19668.246	802.1505376	15776.6423	30000	0	0	30000	36.375	2004
12.02.2020 09:26:26	1	1	1	1	177.8	56.25	0	17772.512	832.2580645	14790.85696	30000	0	0	30000	37	2004
12.02.2020 09:26:27	1	1	1	1	177.8	57	0	19478.673	808.6021505	15750.55038	30000	0	0	30000	37.3125	2004
12.02.2020 09:26:28	1	1	1	1	177.8	57.25	0	18625.592	821.5053763	15103.14462	30000	0	0	30000	37.1875	2004
12.02.2020 09:26:29	1	1	1	1	177.8	57	0	17582.938	834.4086022	14633.49007	30000	0	0	30000	37.1875	2004
12.02.2020 09:26:30	1	1	1	1	177.8	57	0	18815.166	817.2043011	15416.24766	30000	0	0	30000	37.375	2004
12.02.2020 09:26:31	1	1	1	1	177.8	57.25	0	17156.398	838.7096774	14352.18656	30000	0	0	30000	36.8125	2004
12.02.2020 09:26:32	1	1	1	1	177.8	56.75	0	17962.085	827.9569892	14909.90134	30000	0	0	30000	37.625	2004
12.02.2020 09:26:33	1	1	1	1	177.8	57.5	0	18672.986	825.8064516	15459.4624	30000	0	0	30000	37.125	2004
12.02.2020 09:26:34	1	1	1	1	177.8	57	0	17677.725	838.7096774	14788.41084	30000	0	0	30000	37.25	2004
12.02.2020 09:26:35	1	1	1	1	177.8	57.5	0	18815.166	817.2043011	15375.47903	30000	0	0	30000	37.1875	2004
12.02.2020 09:26:36	1	1	1	1	177.8	57	0	17345.972	825.8064516	14210.31174	30000	0	0	30000	36.9375	2004
12.02.2020 09:26:37	1	1	1	1	177.8	56.75	0	17582.938	832.2580645	14633.49007	30000	0	0	30000	37	2004
12.02.2020 09:26:43	1	1	1	1	177.8	56.5	0	17962.085	821.5053763	14716.65806	30000	0	0	30000	36	2004
12.02.2020 09:26:43	1	1	1	1	177.8	56.5	0	17962.085	821.5053763	14716.65806	30000	0	0	30000	36	2004
12.02.2020 09:26:43	1	1	1	1	177.8	56.5	0	17962.085	821.5053763	14716.65806	30000	0	0	30000	36	2004
12.02.2020 09:26:43	1	1	1	1	177.8	56.5	0	17962.085	821.5053763	14716.65806	30000	0	0	30000	36	2004
12.02.2020 09:26:43	1	1	1	1	177.8	56.5	0	17962.085	821.5053763	14716.65806	30000	0	0	30000	36	2004
12.02.2020 09:26:43	1	1	1	1	177.8	56.5	0	17962.085	821.5053763	14716.65806	30000	0	0	30000	36	2004
12.02.2020 09:26:44	1	1	1	1	177.5	56	0	17251.185	843.0107527	14582.93697	30000	0	0	30000	37.125	2004
12.02.2020 09:26:45	1	1	1	1	177.5	57	0	17867.299	830.1075269	14831.62558	30000	0	0	30000	37.25	2004
12.02.2020 09:26:46	1	1	1	1	177.5	57.25	0	18862.559	817.2043011	15373.84829	30000	0	0	30000	37.1875	2004
12.02.2020 09:26:47	1	1	1	1	177.5	57	0	19194.313	810.7526882	15523.06145	30000	0	0	30000	37.4375	2004
12.02.2020 09:26:48	1	1	1	1	177.5	57.25	0	18009.479	830.1075269	14871.57883	30000	0	0	30000	37.3125	2004
12.02.2020 09:26:49	1	1	1	1	177.5	57.25	0	17488.152	834.4086022	14629.4132	30000	0	0	30000	37.3125	2004
12.02.2020 09:26:50	1	1	1	1	177.5	57.25	0	17298.578	836.5591398	14545.42984	30000	0	0	30000	36.5625	2004
12.02.2020 09:26:51	1	1	1	1	177.5	56.5	0	18767.773	817.2043011	15177.34352	30000	0	0	30000	37.3125	2004
12.02.2020 09:26:52	1	1	1	1	177.5	57.25	0	18341.232	825.8064516	15146.35936	30000	0	0	30000	37.1875	2004
12.02.2020 09:26:53	1	1	1	1	177.5	57	0	20047.393	808.6021505	16167.20572	30000	0	0	30000	37.0625	2004
12.02.2020 09:26:54	1	1	1	1	177.5	57	0	18293.839	830.1075269	15264.58837	30000	0	0	30000	37.125	2004
12.02.2020 09:26:55	1	1	1	1	177.5	57	0	19336.493	810.7526882	15638.02897	30000	0	0	30000	37.375	2004
12.02.2020 09:26:56	1	1	1	1	177.5	57.25	0	17298.578	836.5591398	14471.23094	30000	0	0	30000	37.25	2004
12.02.2020 09:26:58	1	1	1	1	177.5	57.25	0	17867.299	832.2580645	14869.94809	30000	0	0	30000	37.3125	2004
12.02.2020 09:26:59	1	1	1	1	177.5	57.25	0	17819.905	832.2580645	14830.81021	30000	0	0	30000	36.5	2004
12.02.2020 09:27:00	1	1	1	1	177.5	56.5	0	19383.886	804.3010753	15673.90536	30000	0	0	30000	37.1875	2004
12.02.2020 09:27:01	1	1	1	1	177.5	57	0	18483.412	825.8064516	15262.95763	30000	0	0	30000	36.8125	2004
12.02.2020 09:27:02	1	1	1	1	177.5	56.75	0	18436.019	825.8064516	15263.773	30000	0	0	30000	37.3125	2004
12.02.2020 09:27:03	1	1	1	1	177.5	57.25	0	18483.412	825.8064516	15184.68187	30000	0	0	30000	36.6875	2004
12.02.2020 09:27:04	1	1	1	1	177.5	56.5	0	17819.905	830.1075269	14792.4877	30000	0	0	30000	37.25	2004
12.02.2020 09:27:05	1	1	1	1	178	57.25	0	17677.725	836.5591398	14788.41084	30000	0	0	30000	37.1875	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 09:27:06	1	1	1	1	178	57	0	17345.972	834.4086022	14473.67706	30000	0	0	30000	37.1875	2004
12.02.2020 09:27:07	1	1	1	1	178	57	0	18436.019	819.3548387	15223.81975	30000	0	0	30000	37.3125	2004
12.02.2020 09:27:08	1	1	1	1	178	57.25	0	18530.806	817.2043011	15183.05112	30000	0	0	30000	37.25	2004
12.02.2020 09:27:09	1	1	1	1	178	57.25	0	19857.82	806.4516129	16013.91569	30000	0	0	30000	37.25	2004
12.02.2020 09:27:10	1	1	1	1	178	57.25	0	19526.066	810.7526882	15830.45688	30000	0	0	30000	37.5625	2004
12.02.2020 09:27:11	1	1	1	1	178	57.5	0	18530.806	821.5053763	15302.91088	30000	0	0	30000	37.5625	2004
12.02.2020 09:27:12	1	1	1	1	178	57.5	0	18246.445	825.8064516	15068.0836	30000	0	0	30000	37.0625	2004
12.02.2020 09:27:13	1	1	1	1	178	57	0	19194.313	808.6021505	15520.61533	30000	0	0	30000	37.4375	2004
12.02.2020 09:27:14	1	1	1	1	181	56.5	0	19857.82	804.3010753	15928.30158	30000	0	0	30000	36.625	2004
12.02.2020 09:27:15	1	1	1	1	181	56.5	0	19668.246	804.3010753	15937.27068	30000	0	0	30000	37.25	2004
12.02.2020 09:27:16	1	1	1	1	181	57.25	0	18672.986	821.5053763	15299.64939	30000	0	0	30000	37.25	2004
12.02.2020 09:27:17	1	1	1	1	181	57.25	0	18388.626	830.1075269	15303.72625	30000	0	0	30000	36.875	2004
12.02.2020 09:27:18	1	1	1	1	181	56.75	0	17014.218	838.7096774	14306.5257	30000	0	0	30000	37.1875	2004
12.02.2020 09:27:19	1	1	1	1	181	57	0	18436.019	819.3548387	15184.68187	30000	0	0	30000	37.3125	2004
12.02.2020 09:27:20	1	1	1	1	181	57.25	0	17962.085	830.1075269	14949.03922	30000	0	0	30000	36.9375	2004
12.02.2020 09:27:21	1	1	1	1	181	56.75	0	17725.118	834.4086022	14867.50197	30000	0	0	30000	36.6875	2004
12.02.2020 09:27:22	1	1	1	1	181	56.5	0	17440.758	838.7096774	14665.28959	30000	0	0	30000	37.125	2004
12.02.2020 09:27:23	1	1	1	1	181	57	0	16682.464	847.311828	14171.17386	30000	0	0	30000	36.75	2004
12.02.2020 09:27:24	1	1	1	1	180.5	56.75	0	19857.82	802.1505376	15885.90221	30000	0	0	30000	37.25	2004
12.02.2020 09:27:25	1	1	1	1	180.5	57.25	0	17014.218	840.8602151	14306.5257	30000	0	0	30000	36.9375	2004
12.02.2020 09:27:26	1	1	1	1	180.5	56.75	0	17677.725	832.2580645	14711.76583	30000	0	0	30000	37.25	2004
12.02.2020 09:27:27	1	1	1	1	180.5	57.25	0	19668.246	804.3010753	15819.04167	30000	0	0	30000	37.3125	2004
12.02.2020 09:27:28	1	1	1	1	180.5	57.25	0	17014.218	843.0107527	14379.09385	30000	0	0	30000	35.625	2004
12.02.2020 09:27:29	1	1	1	1	180.5	55.5	0	17109.005	845.1612903	14459.81573	30000	0	0	30000	37.25	2004
12.02.2020 09:27:30	1	1	1	1	180.5	57.25	0	18909.953	812.9032258	15371.40217	30000	0	0	30000	36.9375	2004
12.02.2020 09:27:31	1	1	1	1	180.5	56.75	0	18530.806	815.0537634	15300.46476	30000	0	0	30000	36.75	2004
12.02.2020 09:27:32	1	1	1	1	180.5	56.75	0	18815.166	821.5053763	15456.20091	30000	0	0	30000	37.375	2004
12.02.2020 09:27:33	1	1	1	1	180.5	57.25	0	18151.659	827.9569892	15028.13035	30000	0	0	30000	37.25	2004
12.02.2020 09:27:34	1	1	1	1	179.8	57.25	0	17156.398	838.7096774	14385.61683	30000	0	0	30000	37.1875	2004
12.02.2020 09:27:35	1	1	1	1	179.8	57	0	18530.806	825.8064516	15183.05112	30000	0	0	30000	36.5625	2004
12.02.2020 09:27:37	1	1	1	1	179.8	56.5	0	19289.1	810.7526882	15638.02897	30000	0	0	30000	36.625	2004
12.02.2020 09:27:38	1	1	1	1	179.8	56.5	0	17677.725	836.5591398	14788.41084	30000	0	0	30000	37.3125	2004
12.02.2020 09:27:39	1	1	1	1	179.8	57.25	0	19478.673	810.7526882	15792.13437	30000	0	0	30000	37.25	2004
12.02.2020 09:27:45	1	1	1	1	180.3	57.25	0	17109.005	843.0107527	14459.81573	30000	0	0	30000	37.125	2004
12.02.2020 09:27:45	1	1	1	1	180.3	57.25	0	17109.005	843.0107527	14459.81573	30000	0	0	30000	37.125	2004
12.02.2020 09:27:45	1	1	1	1	180.3	57.25	0	17109.005	843.0107527	14459.81573	30000	0	0	30000	37.125	2004
12.02.2020 09:27:45	1	1	1	1	180.3	57.25	0	17109.005	843.0107527	14459.81573	30000	0	0	30000	37.125	2004
12.02.2020 09:27:45	1	1	1	1	180.3	57.25	0	17109.005	843.0107527	14459.81573	30000	0	0	30000	37.125	2004
12.02.2020 09:27:46	1	1	1	1	180.3	57	0	18483.412	825.8064516	15302.91088	30000	0	0	30000	36.8125	2004
12.02.2020 09:27:47	1	1	1	1	180.3	56.75	0	18625.592	823.655914	15340.41801	30000	0	0	30000	37.375	2004
12.02.2020 09:27:48	1	1	1	1	180.3	57.25	0	18815.166	817.2043011	15375.47903	30000	0	0	30000	37.0625	2004
12.02.2020 09:27:49	1	1	1	1	180.3	57	0	18767.773	821.5053763	15337.9719	30000	0	0	30000	37.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 09:27:50	1	1	1	1	180.3	57.5	0	18151.659	825.8064516	15068.0836	30000	0	0	30000	37.3125	2004
12.02.2020 09:27:51	1	1	1	1	180.3	57.25	0	17014.218	845.1612903	14379.09385	30000	0	0	30000	37.3125	2004
12.02.2020 09:27:52	1	1	1	1	180.3	57.5	0	18862.559	817.2043011	15412.17079	30000	0	0	30000	36.1875	2004
12.02.2020 09:27:53	1	1	1	1	180.3	56	0	18815.166	819.3548387	15416.24766	30000	0	0	30000	37.125	2004
12.02.2020 09:27:54	1	1	1	1	182	57	0	19620.853	808.6021505	15823.11853	30000	0	0	30000	37.3125	2004
12.02.2020 09:27:55	1	1	1	1	182	57.25	0	19668.246	797.8494624	15776.6423	30000	0	0	30000	37.3125	2004
12.02.2020 09:27:56	1	1	1	1	182	57.25	0	20047.393	795.6989247	15994.34675	30000	0	0	30000	37.3125	2004
12.02.2020 09:27:57	1	1	1	1	182	57.25	0	19668.246	804.3010753	15852.47194	30000	0	0	30000	36.5	2004
12.02.2020 09:27:58	1	1	1	1	182	56.5	0	17535.545	836.5591398	14629.4132	30000	0	0	30000	35.9375	2004
12.02.2020 09:27:59	1	1	1	1	182	55.75	0	19004.739	815.0537634	15530.3998	30000	0	0	30000	37.125	2004
12.02.2020 09:28:00	1	1	1	1	182	57	0	18151.659	830.1075269	15028.13035	30000	0	0	30000	37.375	2004
12.02.2020 09:28:01	1	1	1	1	182	57.25	0	17582.938	830.1075269	14633.49007	30000	0	0	30000	37.0625	2004
12.02.2020 09:28:02	1	1	1	1	182	57	0	17582.938	834.4086022	14633.49007	30000	0	0	30000	37.25	2004
12.02.2020 09:28:03	1	1	1	1	182	57.25	0	18341.232	823.655914	15106.40611	30000	0	0	30000	36.9375	2004
12.02.2020 09:28:04	1	1	1	1	180.8	56.75	0	19952.607	800	16004.94659	30000	0	0	30000	37.25	2004
12.02.2020 09:28:05	1	1	1	1	180.8	57.25	0	18815.166	817.2043011	15337.15652	30000	0	0	30000	37.125	2004
12.02.2020 09:28:06	1	1	1	1	180.8	57	0	19526.066	808.6021505	15868.77939	30000	0	0	30000	37.3125	2004
12.02.2020 09:28:07	1	1	1	1	180.8	57.25	0	18341.232	817.2043011	14869.94809	30000	0	0	30000	37.3125	2004
12.02.2020 09:28:08	1	1	1	1	180.8	57.25	0	18767.773	819.3548387	15377.10978	30000	0	0	30000	36.5625	2004
12.02.2020 09:28:09	1	1	1	1	180.8	56.5	0	18909.953	817.2043011	15452.93942	30000	0	0	30000	37.3125	2004
12.02.2020 09:28:10	1	1	1	1	180.8	57.25	0	18530.806	827.9569892	15262.95763	30000	0	0	30000	37.3125	2004
12.02.2020 09:28:11	1	1	1	1	180.8	57.25	0	19383.886	808.6021505	15715.48936	30000	0	0	30000	37.3125	2004
12.02.2020 09:28:12	1	1	1	1	180.8	57.25	0	19004.739	812.9032258	15527.95369	30000	0	0	30000	37.3125	2004
12.02.2020 09:28:13	1	1	1	1	180.8	57.25	0	19004.739	817.2043011	15530.3998	30000	0	0	30000	36.8125	2004
12.02.2020 09:28:15	1	1	1	1	180.5	56.75	0	19194.313	812.9032258	15643.73658	30000	0	0	30000	37.1875	2004
12.02.2020 09:28:16	1	1	1	1	180.5	57	0	19620.853	800	15654.33642	30000	0	0	30000	37.1875	2004
12.02.2020 09:28:17	1	1	1	1	180.5	57	0	18720.379	821.5053763	15378.74052	30000	0	0	30000	37.3125	2004
12.02.2020 09:28:18	1	1	1	1	180.5	57.25	0	18293.839	825.8064516	15146.35936	30000	0	0	30000	35.8125	2004
12.02.2020 09:28:19	1	1	1	1	180.5	55.75	0	18720.379	821.5053763	15418.69377	30000	0	0	30000	37.0625	2004
12.02.2020 09:28:20	1	1	1	1	180.5	57	0	18436.019	825.8064516	15184.68187	30000	0	0	30000	37.0625	2004
12.02.2020 09:28:21	1	1	1	1	180.5	57	0	18436.019	825.8064516	15145.54399	30000	0	0	30000	37.0625	2004
12.02.2020 09:28:22	1	1	1	1	180.5	57	0	18815.166	815.0537634	15334.71041	30000	0	0	30000	37.1875	2004
12.02.2020 09:28:23	1	1	1	1	180.5	57	0	20047.393	797.8494624	15994.34675	30000	0	0	30000	37.3125	2004
12.02.2020 09:28:24	1	1	1	1	180.5	57.25	0	18341.232	821.5053763	15106.40611	30000	0	0	30000	36.8125	2004
12.02.2020 09:28:25	1	1	1	1	181	56.75	0	18672.986	819.3548387	15299.64939	30000	0	0	30000	37.1875	2004
12.02.2020 09:28:26	1	1	1	1	181	57	0	18293.839	821.5053763	15067.26823	30000	0	0	30000	37.1875	2004
12.02.2020 09:28:27	1	1	1	1	181	57	0	20284.36	795.6989247	16058.76118	30000	0	0	30000	37.5	2004
12.02.2020 09:28:28	1	1	1	1	181	57.5	0	19668.246	804.3010753	15819.04167	30000	0	0	30000	36.9375	2004
12.02.2020 09:28:29	1	1	1	1	181	56.75	0	17867.299	827.9569892	14831.62558	30000	0	0	30000	37.3125	2004
12.02.2020 09:28:30	1	1	1	1	181	57.25	0	19099.526	812.9032258	15527.95369	30000	0	0	30000	37.3125	2004
12.02.2020 09:28:31	1	1	1	1	181	57.5	0	19668.246	802.1505376	15738.31979	30000	0	0	30000	36.9375	2004
12.02.2020 09:28:32	1	1	1	1	181	56.75	0	18909.953	812.9032258	15412.17079	30000	0	0	30000	36.5625	2004
12.02.2020 09:28:33	1	1	1	1	181	56.5	0	18341.232	832.2580645	15185.49724	30000	0	0	30000	37.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 09:28:34	1	1	1	1	181.8	57.25	0	17677.725	827.9569892	14635.93618	30000	0	0	30000	37.1875	2004
12.02.2020 09:28:35	1	1	1	1	181.8	57	0	18672.986	819.3548387	15339.60264	30000	0	0	30000	37.3125	2004
12.02.2020 09:28:36	1	1	1	1	181.8	57.25	0	19099.526	817.2043011	15567.09157	30000	0	0	30000	37.125	2004
12.02.2020 09:28:37	1	1	1	1	181.8	57	0	20047.393	800	16080.77623	30000	0	0	30000	37.125	2004
12.02.2020 09:28:38	1	1	1	1	181.8	57	0	18151.659	825.8064516	15028.13035	30000	0	0	30000	36.4375	2004
12.02.2020 09:28:39	1	1	1	1	181.8	56.25	0	17962.085	830.1075269	14909.90134	30000	0	0	30000	37.4375	2004
12.02.2020 09:28:40	1	1	1	1	181.8	57.25	0	19620.853	797.8494624	15616.01392	30000	0	0	30000	36.6875	2004
12.02.2020 09:28:47	1	1	1	1	181.8	56.75	0	17867.299	830.1075269	14909.08597	30000	0	0	30000	37.25	2004
12.02.2020 09:28:47	1	1	1	1	181.8	56.75	0	17867.299	830.1075269	14909.08597	30000	0	0	30000	37.25	2004
12.02.2020 09:28:47	1	1	1	1	181.8	56.75	0	17867.299	830.1075269	14909.08597	30000	0	0	30000	37.25	2004
12.02.2020 09:28:47	1	1	1	1	181.8	56.75	0	17867.299	830.1075269	14909.08597	30000	0	0	30000	37.25	2004
12.02.2020 09:28:47	1	1	1	1	181.8	56.75	0	17867.299	830.1075269	14909.08597	30000	0	0	30000	37.25	2004
12.02.2020 09:28:47	1	1	1	1	181.8	57.25	0	18151.659	827.9569892	15028.13035	30000	0	0	30000	37.1875	2004
12.02.2020 09:28:48	1	1	1	1	181.8	57	0	19099.526	810.7526882	15525.50757	30000	0	0	30000	37.25	2004
12.02.2020 09:28:49	1	1	1	1	181.8	57.25	0	18293.839	825.8064516	15068.0836	30000	0	0	30000	37.25	2004
12.02.2020 09:28:50	1	1	1	1	181.8	57.25	0	19146.919	812.9032258	15643.73658	30000	0	0	30000	37	2004
12.02.2020 09:28:51	1	1	1	1	181.8	57	0	18672.986	817.2043011	15218.92751	30000	0	0	30000	37.25	2004
12.02.2020 09:28:53	1	1	1	1	181.8	57.25	0	18151.659	827.9569892	15067.26823	30000	0	0	30000	36.9375	2004
12.02.2020 09:28:54	1	1	1	1	181.8	56.75	0	17488.152	838.7096774	14629.4132	30000	0	0	30000	37.3125	2004
12.02.2020 09:28:55	1	1	1	1	180.8	57.25	0	20616.114	791.3978495	16226.72791	30000	0	0	30000	37.25	2004
12.02.2020 09:28:56	1	1	1	1	180.8	57.25	0	18815.166	817.2043011	15377.10978	30000	0	0	30000	37.25	2004
12.02.2020 09:28:57	1	1	1	1	180.8	57.25	0	19004.739	817.2043011	15571.16843	30000	0	0	30000	36.5	2004
12.02.2020 09:28:58	1	1	1	1	180.8	56.5	0	19526.066	804.3010753	15746.47351	30000	0	0	30000	36.625	2004
12.02.2020 09:28:59	1	1	1	1	180.8	56	0	19526.066	808.6021505	15788.87288	30000	0	0	30000	36.625	2004
12.02.2020 09:29:00	1	1	1	1	180.8	56.5	0	18104.265	827.9569892	14988.99247	30000	0	0	30000	36.9375	2004
12.02.2020 09:29:01	1	1	1	1	180.8	56.75	0	19952.607	800	15961.73185	30000	0	0	30000	37.3125	2004
12.02.2020 09:29:02	1	1	1	1	180.8	57.25	0	20379.147	793.5483871	16128.06784	30000	0	0	30000	37.25	2004
12.02.2020 09:29:03	1	1	1	1	180.8	57.25	0	19241.706	810.7526882	15599.70647	30000	0	0	30000	37.3125	2004
12.02.2020 09:29:04	1	1	1	1	180.8	57.25	0	18720.379	817.2043011	15337.9719	30000	0	0	30000	37.6875	2004
12.02.2020 09:29:05	1	1	1	1	181.8	57.5	0	19099.526	817.2043011	15567.09157	30000	0	0	30000	37.3125	2004
12.02.2020 09:29:06	1	1	1	1	181.8	57.25	0	19099.526	810.7526882	15484.73894	30000	0	0	30000	37.1875	2004
12.02.2020 09:29:07	1	1	1	1	181.8	57.25	0	17962.085	827.9569892	14871.57883	30000	0	0	30000	37.4375	2004
12.02.2020 09:29:08	1	1	1	1	181.8	57.25	0	18862.559	817.2043011	15373.84829	30000	0	0	30000	37.25	2004
12.02.2020 09:29:09	1	1	1	1	181.8	57.25	0	19194.313	817.2043011	15567.09157	30000	0	0	30000	36.6875	2004
12.02.2020 09:29:10	1	1	1	1	181.8	56.5	0	18436.019	825.8064516	15184.68187	30000	0	0	30000	37.3125	2004
12.02.2020 09:29:11	1	1	1	1	181.8	57.25	0	19383.886	808.6021505	15753.81187	30000	0	0	30000	37.3125	2004
12.02.2020 09:29:12	1	1	1	1	181.8	57.25	0	18862.559	817.2043011	15493.70804	30000	0	0	30000	37.1875	2004
12.02.2020 09:29:13	1	1	1	1	181.8	57	0	20284.36	787.0967742	15884.27146	30000	0	0	30000	37.4375	2004
12.02.2020 09:29:14	1	1	1	1	180.3	57.25	0	20331.754	791.3978495	15959.28573	30000	0	0	30000	36.8125	2004
12.02.2020 09:29:15	1	1	1	1	180.3	56.75	0	19810.427	800	15928.30158	30000	0	0	30000	36.4375	2004
12.02.2020 09:29:16	1	1	1	1	180.3	56.25	0	18862.559	812.9032258	15493.70804	30000	0	0	30000	37.3125	2004
12.02.2020 09:29:17	1	1	1	1	180.3	57.25	0	19668.246	804.3010753	15861.44103	30000	0	0	30000	37.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 09:29:18	1	1	1	1	180.3	57	0	19668.246	800	15776.6423	30000	0	0	30000	37.25	2004
12.02.2020 09:29:19	1	1	1	1	180.3	57.25	0	19478.673	808.6021505	15750.55038	30000	0	0	30000	37.3125	2004
12.02.2020 09:29:20	1	1	1	1	180.3	57.25	0	19573.46	804.3010753	15742.39665	30000	0	0	30000	37.1875	2004
12.02.2020 09:29:21	1	1	1	1	180.3	57	0	18909.953	812.9032258	15412.17079	30000	0	0	30000	37.3125	2004
12.02.2020 09:29:22	1	1	1	1	180.3	57.25	0	19478.673	808.6021505	15750.55038	30000	0	0	30000	36.75	2004
12.02.2020 09:29:23	1	1	1	1	180.3	56.75	0	21516.588	739.7849462	16091.37608	30000	0	0	30000	37.3125	2004
12.02.2020 09:29:24	1	1	1	1	179.5	57.25	0	21042.654	769.8924731	16200.63599	30000	0	0	30000	36.75	2004
12.02.2020 09:29:25	1	1	1	1	179.5	56.75	0	20047.393	793.5483871	15907.91727	30000	0	0	30000	37.3125	2004
12.02.2020 09:29:26	1	1	1	1	179.5	57.25	0	20047.393	778.4946237	15692.65893	30000	0	0	30000	37.3125	2004
12.02.2020 09:29:27	1	1	1	1	179.5	57.25	0	20426.54	793.5483871	16247.11222	30000	0	0	30000	37.3125	2004
12.02.2020 09:29:28	1	1	1	1	179.5	57.25	0	19857.82	791.3978495	15629.87525	30000	0	0	30000	37.3125	2004
12.02.2020 09:29:30	1	1	1	1	179.5	57.25	0	20047.393	787.0967742	15779.08841	30000	0	0	30000	37.3125	2004
12.02.2020 09:29:31	1	1	1	1	179.5	57.25	0	19668.246	804.3010753	15861.44103	30000	0	0	30000	37.1875	2004
12.02.2020 09:29:32	1	1	1	1	179.5	57	0	20758.294	765.5913978	15936.4553	30000	0	0	30000	37.25	2004
12.02.2020 09:29:33	1	1	1	1	179.5	57.25	0	20995.261	772.0430108	16208.78972	30000	0	0	30000	36.75	2004
12.02.2020 09:29:34	1	1	1	1	179.5	56.75	0	22322.275	718.2795699	16033.48463	30000	0	0	30000	37.3125	2004
12.02.2020 09:29:35	1	1	1	1	177.8	57.25	0	21563.981	739.7849462	16057.9458	30000	0	0	30000	37.3125	2004
12.02.2020 09:29:36	1	1	1	1	177.8	57.25	0	20236.967	787.0967742	15884.27146	30000	0	0	30000	36.75	2004
12.02.2020 09:29:37	1	1	1	1	177.8	56.75	0	20047.393	791.3978495	15865.5179	30000	0	0	30000	37.1875	2004
12.02.2020 09:29:38	1	1	1	1	177.8	57	0	20047.393	795.6989247	15994.34675	30000	0	0	30000	37.3125	2004
12.02.2020 09:29:39	1	1	1	1	177.8	57.25	0	21090.047	772.0430108	16446.06311	30000	0	0	30000	37.3125	2004
12.02.2020 09:29:40	1	1	1	1	177.8	57.25	0	20900.474	763.4408602	15956.02424	30000	0	0	30000	37.25	2004
12.02.2020 09:29:41	1	1	1	1	177.8	57.25	0	20521.327	772.0430108	15842.68747	30000	0	0	30000	36.75	2004
12.02.2020 09:29:42	1	1	1	1	177.8	56.75	0	20758.294	778.4946237	16204.71285	30000	0	0	30000	37.3125	2004
12.02.2020 09:29:48	1	1	1	1	177.5	57.25	0	20331.754	787.0967742	16040.00761	30000	0	0	30000	37.25	2004
12.02.2020 09:29:48	1	1	1	1	177.5	57.25	0	20331.754	787.0967742	16040.00761	30000	0	0	30000	37.25	2004
12.02.2020 09:29:48	1	1	1	1	177.5	57.25	0	20331.754	787.0967742	16040.00761	30000	0	0	30000	37.25	2004
12.02.2020 09:29:48	1	1	1	1	177.5	57.25	0	20331.754	787.0967742	16040.00761	30000	0	0	30000	37.25	2004
12.02.2020 09:29:48	1	1	1	1	177.5	57.25	0	20331.754	787.0967742	16040.00761	30000	0	0	30000	37.25	2004
12.02.2020 09:29:48	1	1	1	1	177.5	57.25	0	20331.754	787.0967742	16040.00761	30000	0	0	30000	37.25	2004
12.02.2020 09:29:49	1	1	1	1	177.5	57.25	0	21563.981	756.9892473	16091.37608	30000	0	0	30000	37.1875	2004
12.02.2020 09:29:50	1	1	1	1	177.5	57	0	20616.114	769.8924731	15916.07099	30000	0	0	30000	36.625	2004
12.02.2020 09:29:51	1	1	1	1	177.5	56.5	0	20758.294	767.7419355	15936.4553	30000	0	0	30000	36.3125	2004
12.02.2020 09:29:52	1	1	1	1	177.5	56.25	0	21279.621	756.9892473	16108.4989	30000	0	0	30000	36.75	2004
12.02.2020 09:29:53	1	1	1	1	177.5	56.75	0	20473.934	784.9462366	16026.96165	30000	0	0	30000	36.75	2004
12.02.2020 09:29:54	1	1	1	1	177	56.75	0	20047.393	782.7956989	15735.87367	30000	0	0	30000	37.3125	2004
12.02.2020 09:29:55	1	1	1	1	177	57.25	0	20710.9	772.0430108	15944.60903	30000	0	0	30000	37	2004
12.02.2020 09:29:56	1	1	1	1	177	57	0	19668.246	802.1505376	15819.04167	30000	0	0	30000	37	2004
12.02.2020 09:29:57	1	1	1	1	177	57	0	21943.128	726.8817204	16135.40619	30000	0	0	30000	37.3125	2004
12.02.2020 09:29:58	1	1	1	1	177	57.25	0	20473.934	780.6451613	15982.93154	30000	0	0	30000	36.625	2004
12.02.2020 09:29:59	1	1	1	1	177	56.5	0	20331.754	795.6989247	15928.30158	30000	0	0	30000	37.3125	2004
12.02.2020 09:30:00	1	1	1	1	177	57.25	0	20284.36	791.3978495	16015.54644	30000	0	0	30000	37.375	2004
12.02.2020 09:30:01	1	1	1	1	177	57.25	0	20900.474	765.5913978	15956.02424	30000	0	0	30000	37.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 09:30:02	1	1	1	1	177	57.25	0	20616.114	763.4408602	15739.13516	30000	0	0	30000	35.75	2004
12.02.2020 09:30:03	1	1	1	1	177	55.75	0	22132.701	720.4301075	15944.60903	30000	0	0	30000	37.25	2004
12.02.2020 09:30:04	1	1	1	1	176.8	57.25	0	19668.246	791.3978495	15607.04482	30000	0	0	30000	37.4375	2004
12.02.2020 09:30:05	1	1	1	1	176.8	57.25	0	20947.867	761.2903226	15991.90063	30000	0	0	30000	37.3125	2004
12.02.2020 09:30:06	1	1	1	1	176.8	57.25	0	20616.114	782.7956989	16181.88242	30000	0	0	30000	36.625	2004
12.02.2020 09:30:07	1	1	1	1	176.8	56.5	0	20331.754	793.5483871	16053.05357	30000	0	0	30000	37.125	2004
12.02.2020 09:30:08	1	1	1	1	176.8	57	0	20521.327	791.3978495	16240.58924	30000	0	0	30000	37.3125	2004
12.02.2020 09:30:10	1	1	1	1	176.8	57.25	0	22132.701	729.0322581	16135.40619	30000	0	0	30000	37.125	2004
12.02.2020 09:30:11	1	1	1	1	176.8	57	0	21563.981	739.7849462	15952.76275	30000	0	0	30000	36.5	2004
12.02.2020 09:30:12	1	1	1	1	176.8	56.5	0	19336.493	800	15389.34036	30000	0	0	30000	37.3125	2004
12.02.2020 09:30:13	1	1	1	1	176.8	57.25	0	19668.246	797.8494624	15852.47194	30000	0	0	30000	37.25	2004
12.02.2020 09:30:14	1	1	1	1	176.8	57.25	0	19857.82	797.8494624	15843.50284	30000	0	0	30000	37.125	2004
12.02.2020 09:30:15	1	1	1	1	176.5	57	0	18672.986	817.2043011	15259.69614	30000	0	0	30000	37.125	2004
12.02.2020 09:30:16	1	1	1	1	176.5	57	0	19668.246	795.6989247	15691.84356	30000	0	0	30000	36.375	2004
12.02.2020 09:30:17	1	1	1	1	176.5	56.25	0	19478.673	804.3010753	15502.67714	30000	0	0	30000	37.5	2004
12.02.2020 09:30:18	1	1	1	1	176.5	57.5	0	20189.573	791.3978495	15940.53217	30000	0	0	30000	37.25	2004
12.02.2020 09:30:19	1	1	1	1	176.5	57.25	0	20616.114	784.9462366	16300.92681	30000	0	0	30000	36.9375	2004
12.02.2020 09:30:20	1	1	1	1	176.5	56.75	0	20853.081	769.8924731	15936.4553	30000	0	0	30000	36.6875	2004
12.02.2020 09:30:21	1	1	1	1	176.5	56.5	0	19620.853	808.6021505	15827.19539	30000	0	0	30000	37.3125	2004
12.02.2020 09:30:22	1	1	1	1	176.5	57.25	0	21232.227	756.9892473	16154.15976	30000	0	0	30000	37.3125	2004
12.02.2020 09:30:23	1	1	1	1	176.5	57.25	0	20047.393	795.6989247	15994.34675	30000	0	0	30000	37.5625	2004
12.02.2020 09:30:24	1	1	1	1	176.5	57.5	0	20000	791.3978495	15832.903	30000	0	0	30000	37.3125	2004
12.02.2020 09:30:25	1	1	1	1	175	57.25	0	20142.18	795.6989247	16026.96165	30000	0	0	30000	37.625	2004
12.02.2020 09:30:26	1	1	1	1	175	57.25	0	20000	795.6989247	15790.50363	30000	0	0	30000	37.3125	2004
12.02.2020 09:30:27	1	1	1	1	175	57.25	0	20616.114	763.4408602	15739.13516	30000	0	0	30000	37.1875	2004
12.02.2020 09:30:28	1	1	1	1	175	57	0	21137.441	756.9892473	16000.86973	30000	0	0	30000	37.3125	2004
12.02.2020 09:30:29	1	1	1	1	175	57.25	0	21137.441	756.9892473	16000.86973	30000	0	0	30000	37.25	2004
12.02.2020 09:30:30	1	1	1	1	175	57.25	0	20758.294	772.0430108	16115.02188	30000	0	0	30000	37.375	2004
12.02.2020 09:30:31	1	1	1	1	175	57.25	0	21137.441	756.9892473	16000.86973	30000	0	0	30000	37.25	2004
12.02.2020 09:30:32	1	1	1	1	175	57.25	0	21374.408	756.9892473	16180.25168	30000	0	0	30000	36.6875	2004
12.02.2020 09:30:33	1	1	1	1	175	56.5	0	21279.621	744.0860215	15788.05751	30000	0	0	30000	36.5625	2004
12.02.2020 09:30:34	1	1	1	1	174.5	56.5	0	20521.327	791.3978495	16315.60351	30000	0	0	30000	37.5625	2004
12.02.2020 09:30:35	1	1	1	1	174.5	57.5	0	20853.081	767.7419355	16009.83883	30000	0	0	30000	35.8125	2004
12.02.2020 09:30:36	1	1	1	1	174.5	55.75	0	20521.327	782.7956989	16063.65341	30000	0	0	30000	37.3125	2004
12.02.2020 09:30:37	1	1	1	1	174.5	57.25	0	20710.9	787.0967742	16256.89669	30000	0	0	30000	36.9375	2004
12.02.2020 09:30:38	1	1	1	1	174.5	56.75	0	16350.711	808.6021505	13182.94241	30000	0	0	30000	37.1875	2004
12.02.2020 09:30:39	1	1	1	1	174.5	57	0	19810.427	800	15885.90221	30000	0	0	30000	37.25	2004
12.02.2020 09:30:40	1	1	1	1	174.5	57.25	0	20616.114	778.4946237	15916.07099	30000	0	0	30000	37.4375	2004
12.02.2020 09:30:41	1	1	1	1	174.5	57.25	0	20853.081	772.0430108	16099.5298	30000	0	0	30000	37.125	2004
12.02.2020 09:30:42	1	1	1	1	174.5	57	0	20189.573	782.7956989	16053.05357	30000	0	0	30000	37.375	2004
12.02.2020 09:30:43	1	1	1	1	174.5	57.25	0	21042.654	763.4408602	16064.46878	30000	0	0	30000	36.25	2004
12.02.2020 09:30:50	1	1	1	1	173.5	57.25	0	19857.82	795.6989247	15843.50284	30000	0	0	30000	36.3125	2004
12.02.2020 09:30:50	1	1	1	1	173.5	57.25	0	19857.82	795.6989247	15843.50284	30000	0	0	30000	36.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 09:30:50	1	1	1	1	173.5	57.25	0	19857.82	795.6989247	15843.50284	30000	0	0	30000	36.3125	2004
12.02.2020 09:30:50	1	1	1	1	173.5	57.25	0	19857.82	795.6989247	15843.50284	30000	0	0	30000	36.3125	2004
12.02.2020 09:30:50	1	1	1	1	173.5	57.25	0	19857.82	795.6989247	15843.50284	30000	0	0	30000	36.3125	2004
12.02.2020 09:30:50	1	1	1	1	173.5	57.25	0	19857.82	795.6989247	15843.50284	30000	0	0	30000	36.3125	2004
12.02.2020 09:30:51	1	1	1	1	173.5	56.25	0	20710.9	784.9462366	16293.58845	30000	0	0	30000	37.1875	2004
12.02.2020 09:30:52	1	1	1	1	173.5	57	0	21090.047	756.9892473	16009.83883	30000	0	0	30000	37.1875	2004
12.02.2020 09:30:53	1	1	1	1	173.5	57	0	21563.981	756.9892473	15952.76275	30000	0	0	30000	37.3125	2004
12.02.2020 09:30:54	1	1	1	1	173.5	57.25	0	21137.441	756.9892473	16000.86973	30000	0	0	30000	36.9375	2004
12.02.2020 09:30:55	1	1	1	1	173.8	56.75	0	20616.114	772.0430108	16004.94659	30000	0	0	30000	36.5	2004
12.02.2020 09:30:56	1	1	1	1	173.8	56.5	0	21469.194	741.9354839	15858.17955	30000	0	0	30000	37.3125	2004
12.02.2020 09:30:57	1	1	1	1	173.8	57.25	0	21279.621	761.2903226	16154.15976	30000	0	0	30000	37.25	2004
12.02.2020 09:30:58	1	1	1	1	173.8	57.25	0	21563.981	744.0860215	15998.42361	30000	0	0	30000	37.25	2004
12.02.2020 09:30:59	1	1	1	1	173.8	57.25	0	20000	795.6989247	15956.83962	30000	0	0	30000	37.25	2004
12.02.2020 09:31:00	1	1	1	1	173.8	57.25	0	19620.853	800	15696.73579	30000	0	0	30000	36.375	2004
12.02.2020 09:31:01	1	1	1	1	173.8	56.25	0	20047.393	795.6989247	15907.91727	30000	0	0	30000	37.25	2004
12.02.2020 09:31:02	1	1	1	1	173.8	57.25	0	20473.934	782.7956989	16070.99176	30000	0	0	30000	37.0625	2004
12.02.2020 09:31:03	1	1	1	1	173.8	57	0	20805.687	776.344086	16115.02188	30000	0	0	30000	37	2004
12.02.2020 09:31:04	1	1	1	1	174	57	0	20473.934	791.3978495	16203.08211	30000	0	0	30000	37.3125	2004
12.02.2020 09:31:05	1	1	1	1	174	57.25	0	20568.72	782.7956989	16063.65341	30000	0	0	30000	37.3125	2004
12.02.2020 09:31:06	1	1	1	1	174	57.25	0	19573.46	806.4516129	15784.79602	30000	0	0	30000	37.4375	2004
12.02.2020 09:31:07	1	1	1	1	174	57.25	0	20473.934	791.3978495	16203.08211	30000	0	0	30000	37.5625	2004
12.02.2020 09:31:08	1	1	1	1	174	57.5	0	20047.393	782.7956989	15649.44419	30000	0	0	30000	36.875	2004
12.02.2020 09:31:09	1	1	1	1	174	56.75	0	20426.54	782.7956989	16203.08211	30000	0	0	30000	36.875	2004
12.02.2020 09:31:10	1	1	1	1	174	56.75	0	21090.047	763.4408602	16100.34517	30000	0	0	30000	36.875	2004
12.02.2020 09:31:11	1	1	1	1	174	56.75	0	20426.54	793.5483871	16247.11222	30000	0	0	30000	37.375	2004
12.02.2020 09:31:12	1	1	1	1	174	57.25	0	21943.128	733.3333333	16091.37608	30000	0	0	30000	37.4375	2004
12.02.2020 09:31:13	1	1	1	1	174	57.25	0	20663.507	769.8924731	15989.45452	30000	0	0	30000	37.3125	2004
12.02.2020 09:31:14	1	1	1	1	173.8	57.25	0	21184.834	756.9892473	16072.62251	30000	0	0	30000	37.5	2004
12.02.2020 09:31:15	1	1	1	1	173.8	57.5	0	21706.161	739.7849462	15952.76275	30000	0	0	30000	37.3125	2004
12.02.2020 09:31:16	1	1	1	1	173.8	57.25	0	19194.313	804.3010753	15437.44734	30000	0	0	30000	37.1875	2004
12.02.2020 09:31:17	1	1	1	1	173.8	57	0	20758.294	767.7419355	15973.14707	30000	0	0	30000	37.375	2004
12.02.2020 09:31:18	1	1	1	1	173.8	57.25	0	20616.114	772.0430108	15916.07099	30000	0	0	30000	37.375	2004
12.02.2020 09:31:19	1	1	1	1	173.8	57.25	0	21042.654	761.2903226	15973.96244	30000	0	0	30000	37.3125	2004
12.02.2020 09:31:20	1	1	1	1	173.8	57.25	0	20047.393	782.7956989	15735.87367	30000	0	0	30000	37.3125	2004
12.02.2020 09:31:21	1	1	1	1	173.8	57.25	0	19810.427	802.1505376	15767.6732	30000	0	0	30000	37.3125	2004
12.02.2020 09:31:22	1	1	1	1	173.8	57.25	0	20568.72	782.7956989	16181.88242	30000	0	0	30000	37.125	2004
12.02.2020 09:31:24	1	1	1	1	173.8	57	0	20900.474	756.9892473	15821.48778	30000	0	0	30000	37.375	2004
12.02.2020 09:31:25	1	1	1	1	172.8	57.25	0	21469.194	741.9354839	16287.88085	30000	0	0	30000	37.3125	2004
12.02.2020 09:31:26	1	1	1	1	172.8	57.25	0	20758.294	780.6451613	16204.71285	30000	0	0	30000	36.75	2004
12.02.2020 09:31:27	1	1	1	1	172.8	56.75	0	21042.654	772.0430108	16245.48148	30000	0	0	30000	37.3125	2004
12.02.2020 09:31:28	1	1	1	1	172.8	57.25	0	21137.441	756.9892473	16072.62251	30000	0	0	30000	36.0625	2004
12.02.2020 09:31:29	1	1	1	1	172.8	56	0	20616.114	759.1397849	15739.13516	30000	0	0	30000	37.125	2004
12.02.2020 09:31:30	1	1	1	1	172.8	57	0	21042.654	759.1397849	16064.46878	30000	0	0	30000	37.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 09:31:31	1	1	1	1	172.8	57.25	0	20805.687	780.6451613	16241.40462	30000	0	0	30000	37.3125	2004
12.02.2020 09:31:32	1	1	1	1	172.8	57.25	0	19952.607	780.6451613	15828.01076	30000	0	0	30000	37.1875	2004
12.02.2020 09:31:33	1	1	1	1	172.8	57	0	21090.047	756.9892473	15964.99334	30000	0	0	30000	36.8125	2004
12.02.2020 09:31:34	1	1	1	1	172.8	56.75	0	20521.327	791.3978495	16159.05199	30000	0	0	30000	37.3125	2004
12.02.2020 09:31:35	1	1	1	1	173	57.25	0	21042.654	769.8924731	16154.97513	30000	0	0	30000	37.125	2004
12.02.2020 09:31:36	1	1	1	1	173	57	0	20379.147	774.1935484	15820.67241	30000	0	0	30000	36.8125	2004
12.02.2020 09:31:37	1	1	1	1	173	56.75	0	20616.114	782.7956989	16137.85231	30000	0	0	30000	36.75	2004
12.02.2020 09:31:38	1	1	1	1	173	56.75	0	20142.18	787.0967742	15896.50205	30000	0	0	30000	37	2004
12.02.2020 09:31:39	1	1	1	1	173	57	0	20616.114	782.7956989	16093.82219	30000	0	0	30000	37.4375	2004
12.02.2020 09:31:40	1	1	1	1	173	57.25	0	20995.261	763.4408602	16028.5924	30000	0	0	30000	37.375	2004
12.02.2020 09:31:41	1	1	1	1	173	57.5	0	20853.081	769.8924731	16135.40619	30000	0	0	30000	37.3125	2004
12.02.2020 09:31:42	1	1	1	1	173	57.25	0	21943.128	729.0322581	15996.79287	30000	0	0	30000	37.3125	2004
12.02.2020 09:31:43	1	1	1	1	173	57.25	0	21184.834	756.9892473	16072.62251	30000	0	0	30000	36.6875	2004
12.02.2020 09:31:44	1	1	1	1	172	56.5	0	20758.294	780.6451613	16204.71285	30000	0	0	30000	37.3125	2004
12.02.2020 09:31:45	1	1	1	1	172	57.25	0	20521.327	772.0430108	15842.68747	30000	0	0	30000	37.125	2004
12.02.2020 09:31:51	1	1	1	1	172	57.25	0	21279.621	756.9892473	15879.37923	30000	0	0	30000	35.625	2004
12.02.2020 09:31:51	1	1	1	1	172	57.25	0	21279.621	756.9892473	15879.37923	30000	0	0	30000	35.625	2004
12.02.2020 09:31:51	1	1	1	1	172	57.25	0	21279.621	756.9892473	15879.37923	30000	0	0	30000	35.625	2004
12.02.2020 09:31:51	1	1	1	1	172	57.25	0	21279.621	756.9892473	15879.37923	30000	0	0	30000	35.625	2004
12.02.2020 09:31:51	1	1	1	1	172	57.25	0	21279.621	756.9892473	15879.37923	30000	0	0	30000	35.625	2004
12.02.2020 09:31:51	1	1	1	1	172	57.25	0	21279.621	756.9892473	15879.37923	30000	0	0	30000	35.625	2004
12.02.2020 09:31:51	1	1	1	1	172	57.25	0	21279.621	756.9892473	15879.37923	30000	0	0	30000	35.625	2004
12.02.2020 09:31:52	1	1	1	1	172	55.5	0	21137.441	759.1397849	16045.71522	30000	0	0	30000	37.375	2004
12.02.2020 09:31:53	1	1	1	1	172	57.25	0	21516.588	741.9354839	15963.3626	30000	0	0	30000	36.875	2004
12.02.2020 09:31:54	1	1	1	1	171.3	56.75	0	21943.128	720.4301075	16278.09638	30000	0	0	30000	37.3125	2004
12.02.2020 09:31:55	1	1	1	1	171.3	57.25	0	21374.408	756.9892473	16180.25168	30000	0	0	30000	37.4375	2004
12.02.2020 09:31:56	1	1	1	1	171.3	57.25	0	21279.621	756.9892473	15879.37923	30000	0	0	30000	36.4375	2004
12.02.2020 09:31:57	1	1	1	1	171.3	56.25	0	21469.194	756.9892473	16180.25168	30000	0	0	30000	37.375	2004
12.02.2020 09:31:58	1	1	1	1	171.3	57.25	0	20900.474	756.9892473	15866.33327	30000	0	0	30000	37.5	2004
12.02.2020 09:31:59	1	1	1	1	171.3	57.5	0	20710.9	763.4408602	15847.5797	30000	0	0	30000	37.4375	2004
12.02.2020 09:32:00	1	1	1	1	171.3	57.25	0	21753.555	731.1827957	15951.94738	30000	0	0	30000	37.125	2004
12.02.2020 09:32:01	1	1	1	1	171.3	57	0	21469.194	741.9354839	15928.30158	30000	0	0	30000	37.4375	2004
12.02.2020 09:32:02	1	1	1	1	171.3	57.25	0	21279.621	739.7849462	15650.25956	30000	0	0	30000	37	2004
12.02.2020 09:32:03	1	1	1	1	171.3	57	0	21563.981	735.483871	15998.42361	30000	0	0	30000	37.3125	2004
12.02.2020 09:32:04	1	1	1	1	171.5	57.25	0	21374.408	744.0860215	15950.31664	30000	0	0	30000	37.375	2004
12.02.2020 09:32:06	1	1	1	1	171.5	57.25	0	21374.408	756.9892473	15950.31664	30000	0	0	30000	37.3125	2004
12.02.2020 09:32:07	1	1	1	1	171.5	57.25	0	20995.261	763.4408602	16154.97513	30000	0	0	30000	37.3125	2004
12.02.2020 09:32:08	1	1	1	1	171.5	57.25	0	20379.147	791.3978495	16128.06784	30000	0	0	30000	37.3125	2004
12.02.2020 09:32:09	1	1	1	1	171.5	57.25	0	20758.294	776.344086	15989.45452	30000	0	0	30000	37.375	2004
12.02.2020 09:32:10	1	1	1	1	171.5	57.25	0	21279.621	741.9354839	15616.01392	30000	0	0	30000	36.9375	2004
12.02.2020 09:32:11	1	1	1	1	171.5	56.75	0	20900.474	769.8924731	16090.5607	30000	0	0	30000	37.3125	2004
12.02.2020 09:32:12	1	1	1	1	171.5	57.25	0	21137.441	761.2903226	16055.49969	30000	0	0	30000	37.375	2004
12.02.2020 09:32:13	1	1	1	1	171.5	57.25	0	21706.161	739.7849462	15859.81029	30000	0	0	30000	37.3125	2004
12.02.2020 09:32:14	1	1	1	1	171.5	57.25	0	20995.261	765.5913978	15991.90063	30000	0	0	30000	37	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 09:32:15	1	1	1	1	170.3	57	0	21800.948	733.3333333	15987.0084	30000	0	0	30000	37.1875	2004
12.02.2020 09:32:16	1	1	1	1	170.3	57	0	21800.948	731.1827957	16022.06942	30000	0	0	30000	37.375	2004
12.02.2020 09:32:17	1	1	1	1	170.3	57.25	0	21753.555	739.7849462	16139.48305	30000	0	0	30000	37.3125	2004
12.02.2020 09:32:18	1	1	1	1	170.3	57.25	0	21469.194	756.9892473	15812.51869	30000	0	0	30000	37.5	2004
12.02.2020 09:32:19	1	1	1	1	170.3	57.5	0	20616.114	765.5913978	15739.13516	30000	0	0	30000	37.5625	2004
12.02.2020 09:32:20	1	1	1	1	170.3	57.5	0	21516.588	756.9892473	16323.75724	30000	0	0	30000	37.125	2004
12.02.2020 09:32:21	1	1	1	1	170.3	57.75	0	21848.341	735.483871	16022.06942	30000	0	0	30000	37.375	2004
12.02.2020 09:32:22	1	1	1	1	170.3	57.25	0	20995.261	756.9892473	16064.46878	30000	0	0	30000	37.5625	2004
12.02.2020 09:32:23	1	1	1	1	170.3	57.5	0	21800.948	735.483871	15987.0084	30000	0	0	30000	37.3125	2004
12.02.2020 09:32:24	1	1	1	1	170.8	57.25	0	22227.488	713.9784946	15869.59476	30000	0	0	30000	36.9375	2004
12.02.2020 09:32:25	1	1	1	1	170.8	56.75	0	21943.128	733.3333333	16091.37608	30000	0	0	30000	37.5	2004
12.02.2020 09:32:26	1	1	1	1	170.8	57.5	0	20947.867	756.9892473	15938.08605	30000	0	0	30000	37.4375	2004
12.02.2020 09:32:27	1	1	1	1	170.8	57.25	0	21090.047	759.1397849	16009.83883	30000	0	0	30000	37.375	2004
12.02.2020 09:32:28	1	1	1	1	170.8	57.25	0	21943.128	720.4301075	15944.60903	30000	0	0	30000	37.5	2004
12.02.2020 09:32:29	1	1	1	1	170.8	57.5	0	22369.668	713.9784946	15971.51632	30000	0	0	30000	37.3125	2004
12.02.2020 09:32:30	1	1	1	1	170.8	57.25	0	21563.981	756.9892473	16091.37608	30000	0	0	30000	36.9375	2004
12.02.2020 09:32:31	1	1	1	1	170.8	56.75	0	22464.455	713.9784946	16039.19224	30000	0	0	30000	37.4375	2004
12.02.2020 09:32:32	1	1	1	1	170.8	57.25	0	22417.062	711.827957	16004.94659	30000	0	0	30000	36.875	2004
12.02.2020 09:32:33	1	1	1	1	170.8	56.75	0	21042.654	756.9892473	16154.97513	30000	0	0	30000	37.125	2004
12.02.2020 09:32:34	1	1	1	1	170.3	57	0	22227.488	720.4301075	15849.21045	30000	0	0	30000	37.125	2004
12.02.2020 09:32:35	1	1	1	1	170.3	57	0	21943.128	724.7311828	15902.20966	30000	0	0	30000	37.5	2004
12.02.2020 09:32:36	1	1	1	1	170.3	57.5	0	21232.227	756.9892473	16072.62251	30000	0	0	30000	36.5	2004
12.02.2020 09:32:37	1	1	1	1	170.3	56.5	0	21042.654	756.9892473	15929.11695	30000	0	0	30000	37.375	2004
12.02.2020 09:32:38	1	1	1	1	170.3	57.25	0	21042.654	763.4408602	16064.46878	30000	0	0	30000	36.75	2004
12.02.2020 09:32:39	1	1	1	1	170.3	56.75	0	22132.701	720.4301075	15944.60903	30000	0	0	30000	37.4375	2004
12.02.2020 09:32:40	1	1	1	1	170.3	57.25	0	21800.948	735.483871	15951.94738	30000	0	0	30000	37.5	2004
12.02.2020 09:32:42	1	1	1	1	170.3	57.5	0	21706.161	739.7849462	16022.88479	30000	0	0	30000	37.125	2004
12.02.2020 09:32:43	1	1	1	1	170.3	57	0	21563.981	739.7849462	15952.76275	30000	0	0	30000	36.125	2004
12.02.2020 09:32:44	1	1	1	1	170.3	56	0	21563.981	741.9354839	15998.42361	30000	0	0	30000	37	2004
12.02.2020 09:32:45	1	1	1	1	169.8	57	0	21090.047	759.1397849	15929.11695	30000	0	0	30000	36.75	2004
12.02.2020 09:32:46	1	1	1	1	169.8	56.75	0	21895.735	729.0322581	15962.54722	30000	0	0	30000	37.4375	2004
12.02.2020 09:32:47	1	1	1	1	169.8	57.25	0	21563.981	739.7849462	15952.76275	30000	0	0	30000	37.0625	2004
12.02.2020 09:32:53	1	1	1	1	169.8	57.5	0	22748.815	694.6236559	15801.91884	30000	0	0	30000	37.3125	2004
12.02.2020 09:32:53	1	1	1	1	169.8	57.5	0	22748.815	694.6236559	15801.91884	30000	0	0	30000	37.3125	2004
12.02.2020 09:32:53	1	1	1	1	169.8	57.5	0	22748.815	694.6236559	15801.91884	30000	0	0	30000	37.3125	2004
12.02.2020 09:32:53	1	1	1	1	169.8	57.5	0	22748.815	694.6236559	15801.91884	30000	0	0	30000	37.3125	2004
12.02.2020 09:32:53	1	1	1	1	169.8	57.5	0	22748.815	694.6236559	15801.91884	30000	0	0	30000	37.3125	2004
12.02.2020 09:32:53	1	1	1	1	169.8	57.5	0	22748.815	694.6236559	15801.91884	30000	0	0	30000	37.3125	2004
12.02.2020 09:32:54	1	1	1	1	169.8	57.25	0	22417.062	716.1290323	15956.83962	30000	0	0	30000	37.4375	2004
12.02.2020 09:32:55	1	1	1	1	169.8	57.25	0	21943.128	731.1827957	15996.79287	30000	0	0	30000	37.5	2004
12.02.2020 09:32:56	1	1	1	1	169.8	57.5	0	21516.588	741.9354839	16009.83883	30000	0	0	30000	36	2004
12.02.2020 09:32:57	1	1	1	1	169.8	56	0	22511.848	703.2258065	15830.45688	30000	0	0	30000	37.0625	2004
12.02.2020 09:32:58	1	1	1	1	169.8	57	0	22417.062	713.9784946	15730.98144	30000	0	0	30000	36.9375	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 09:32:59	1	1	1	1	169.8	56.75	0	22227.488	724.7311828	15944.60903	30000	0	0	30000	37.6875	2004
12.02.2020 09:33:00	1	1	1	1	169.8	57.5	0	21943.128	724.7311828	15902.20966	30000	0	0	30000	37.5	2004
12.02.2020 09:33:01	1	1	1	1	169.8	56.75	0	21563.981	739.7849462	15952.76275	30000	0	0	30000	36.9375	2004
12.02.2020 09:33:02	1	1	1	1	169.8	56.75	0	21800.948	735.483871	15987.0084	30000	0	0	30000	37.375	2004
12.02.2020 09:33:03	1	1	1	1	169.8	57.25	0	21232.227	741.9354839	16072.62251	30000	0	0	30000	36.8125	2004
12.02.2020 09:33:04	1	1	1	1	169.3	56.75	0	21800.948	729.0322581	15858.99492	30000	0	0	30000	37.375	2004
12.02.2020 09:33:05	1	1	1	1	169.3	57.25	0	22511.848	713.9784946	16072.62251	30000	0	0	30000	37.375	2004
12.02.2020 09:33:06	1	1	1	1	169.3	57.25	0	21232.227	756.9892473	16072.62251	30000	0	0	30000	36.5	2004
12.02.2020 09:33:07	1	1	1	1	169.3	56.5	0	21279.621	756.9892473	16108.4989	30000	0	0	30000	36.875	2004
12.02.2020 09:33:08	1	1	1	1	169.3	56.75	0	21563.981	741.9354839	15952.76275	30000	0	0	30000	37	2004
12.02.2020 09:33:09	1	1	1	1	169.3	57	0	21279.621	756.9892473	16108.4989	30000	0	0	30000	37.375	2004
12.02.2020 09:33:10	1	1	1	1	169.3	57.25	0	21279.621	741.9354839	15788.05751	30000	0	0	30000	35.9375	2004
12.02.2020 09:33:11	1	1	1	1	169.3	55.75	0	20900.474	756.9892473	15857.36417	30000	0	0	30000	37.125	2004
12.02.2020 09:33:12	1	1	1	1	169.3	57	0	20995.261	756.9892473	15893.24056	30000	0	0	30000	37.1875	2004
12.02.2020 09:33:13	1	1	1	1	169.3	57	0	21753.555	735.483871	16174.54407	30000	0	0	30000	36.5625	2004
12.02.2020 09:33:14	1	1	1	1	169.5	56.5	0	21279.621	756.9892473	16108.4989	30000	0	0	30000	36.8125	2004
12.02.2020 09:33:15	1	1	1	1	169.5	56.75	0	22132.701	724.7311828	15944.60903	30000	0	0	30000	36.875	2004
12.02.2020 09:33:16	1	1	1	1	169.5	56.75	0	21563.981	739.7849462	16069.36102	30000	0	0	30000	36.625	2004
12.02.2020 09:33:17	1	1	1	1	169.5	56.5	0	21706.161	739.7849462	16022.88479	30000	0	0	30000	37.3125	2004
12.02.2020 09:33:18	1	1	1	1	169.5	57.25	0	22227.488	720.4301075	15944.60903	30000	0	0	30000	36.4375	2004
12.02.2020 09:33:20	1	1	1	1	169.5	56.25	0	21516.588	756.9892473	16009.83883	30000	0	0	30000	37	2004
12.02.2020 09:33:21	1	1	1	1	169.5	57	0	22417.062	713.9784946	16053.05357	30000	0	0	30000	37.4375	2004
12.02.2020 09:33:22	1	1	1	1	169.5	57.25	0	22985.782	698.9247312	16097.89906	30000	0	0	30000	37.375	2004
12.02.2020 09:33:23	1	1	1	1	169.5	57.25	0	22322.275	718.2795699	16033.48463	30000	0	0	30000	37.625	2004
12.02.2020 09:33:24	1	1	1	1	169.5	57.5	0	21943.128	733.3333333	16091.37608	30000	0	0	30000	37.4375	2004
12.02.2020 09:33:25	1	1	1	1	168.3	57.25	0	21943.128	735.483871	15962.54722	30000	0	0	30000	37.4375	2004
12.02.2020 09:33:26	1	1	1	1	168.3	57.25	0	21943.128	720.4301075	15808.44182	30000	0	0	30000	37.3125	2004
12.02.2020 09:33:27	1	1	1	1	168.3	57.25	0	21279.621	756.9892473	16108.4989	30000	0	0	30000	37.3125	2004
12.02.2020 09:33:28	1	1	1	1	168.3	57.25	0	21137.441	756.9892473	15964.99334	30000	0	0	30000	36.6875	2004
12.02.2020 09:33:29	1	1	1	1	168.3	56.5	0	22227.488	724.7311828	16013.10032	30000	0	0	30000	37.375	2004
12.02.2020 09:33:30	1	1	1	1	168.3	57.25	0	21800.948	733.3333333	15927.48621	30000	0	0	30000	37.5625	2004
12.02.2020 09:33:31	1	1	1	1	168.3	57.5	0	21753.555	731.1827957	15720.38159	30000	0	0	30000	36.8125	2004
12.02.2020 09:33:32	1	1	1	1	168.3	56.75	0	21658.768	741.9354839	16069.36102	30000	0	0	30000	37.4375	2004
12.02.2020 09:33:33	1	1	1	1	168.3	57.25	0	21090.047	756.9892473	15964.99334	30000	0	0	30000	37.4375	2004
12.02.2020 09:33:34	1	1	1	1	168.3	57.25	0	21042.654	763.4408602	16064.46878	30000	0	0	30000	37.75	2004
12.02.2020 09:33:35	1	1	1	1	168	57.75	0	20047.393	793.5483871	15907.91727	30000	0	0	30000	37.6875	2004
12.02.2020 09:33:36	1	1	1	1	168	57.5	0	21279.621	756.9892473	16108.4989	30000	0	0	30000	37.5625	2004
12.02.2020 09:33:37	1	1	1	1	168	57.5	0	21943.128	731.1827957	16091.37608	30000	0	0	30000	37.1875	2004
12.02.2020 09:33:38	1	1	1	1	168	57.5	0	21800.948	739.7849462	16080.77623	30000	0	0	30000	37.375	2004
12.02.2020 09:33:39	1	1	1	1	168	57.25	0	21042.654	761.2903226	16019.6233	30000	0	0	30000	37.5625	2004
12.02.2020 09:33:40	1	1	1	1	168	57.5	0	21563.981	744.0860215	15998.42361	30000	0	0	30000	37.3125	2004
12.02.2020 09:33:41	1	1	1	1	168	57.25	0	22559.242	703.2258065	16095.45294	30000	0	0	30000	37.375	2004
12.02.2020 09:33:42	1	1	1	1	168	57.25	0	22748.815	703.2258065	15997.60824	30000	0	0	30000	37.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 09:33:43	1	1	1	1	168	57.5	0	23175.355	688.172043	15981.30079	30000	0	0	30000	37.5625	2004
12.02.2020 09:33:44	1	1	1	1	168	57.5	0	21090.047	759.1397849	16009.83883	30000	0	0	30000	37.375	2004
12.02.2020 09:33:45	1	1	1	1	168	57.25	0	21848.341	726.8817204	15739.95053	30000	0	0	30000	36.3125	2004
12.02.2020 09:33:46	1	1	1	1	168	56.25	0	21943.128	720.4301075	15808.44182	30000	0	0	30000	37.4375	2004
12.02.2020 09:33:47	1	1	1	1	168	57.25	0	21943.128	733.3333333	15902.20966	30000	0	0	30000	37.4375	2004
12.02.2020 09:33:48	1	1	1	1	168	57.25	0	21658.768	741.9354839	16139.48305	30000	0	0	30000	37.5625	2004
12.02.2020 09:33:55	1	1	1	1	167.3	57	0	21232.227	756.9892473	16072.62251	30000	0	0	30000	37.375	2004
12.02.2020 09:33:55	1	1	1	1	167.3	57	0	21232.227	756.9892473	16072.62251	30000	0	0	30000	37.375	2004
12.02.2020 09:33:55	1	1	1	1	167.3	57	0	21232.227	756.9892473	16072.62251	30000	0	0	30000	37.375	2004
12.02.2020 09:33:55	1	1	1	1	167.3	57	0	21232.227	756.9892473	16072.62251	30000	0	0	30000	37.375	2004
12.02.2020 09:33:55	1	1	1	1	167.3	57	0	21232.227	756.9892473	16072.62251	30000	0	0	30000	37.375	2004
12.02.2020 09:33:55	1	1	1	1	167.3	57.25	0	21943.128	733.3333333	16091.37608	30000	0	0	30000	36.9375	2004
12.02.2020 09:33:56	1	1	1	1	167.3	56.75	0	21232.227	756.9892473	16072.62251	30000	0	0	30000	36.875	2004
12.02.2020 09:33:58	1	1	1	1	167.3	56.75	0	21658.768	744.0860215	16233.25089	30000	0	0	30000	35.8125	2004
12.02.2020 09:33:59	1	1	1	1	167.3	55.75	0	20379.147	769.8924731	15645.36733	30000	0	0	30000	37.25	2004
12.02.2020 09:34:00	1	1	1	1	167.3	57.25	0	20853.081	756.9892473	15785.61139	30000	0	0	30000	37.3125	2004
12.02.2020 09:34:01	1	1	1	1	167.3	57.25	0	20853.081	776.344086	16189.22078	30000	0	0	30000	37	2004
12.02.2020 09:34:02	1	1	1	1	167.3	57	0	21563.981	739.7849462	15952.76275	30000	0	0	30000	37.625	2004
12.02.2020 09:34:03	1	1	1	1	167.3	57.5	0	21563.981	739.7849462	15952.76275	30000	0	0	30000	37.0625	2004
12.02.2020 09:34:04	1	1	1	1	167.3	57	0	21563.981	756.9892473	16287.88085	30000	0	0	30000	37.4375	2004
12.02.2020 09:34:07	1	1	1	1	167	56.75	0	20758.294	756.9892473	15749.735	30000	0	0	30000	37.5	2004
12.02.2020 09:34:07	1	1	1	1	167	56.75	0	20758.294	756.9892473	15749.735	30000	0	0	30000	37.5	2004
12.02.2020 09:34:07	1	1	1	1	167	56.75	0	20758.294	756.9892473	15749.735	30000	0	0	30000	37.5	2004
12.02.2020 09:34:08	1	1	1	1	167	57.5	0	21848.341	729.0322581	15927.48621	30000	0	0	30000	37.125	2004
12.02.2020 09:34:09	1	1	1	1	167	57	0	21516.588	756.9892473	16009.83883	30000	0	0	30000	37.625	2004
12.02.2020 09:34:10	1	1	1	1	167	57.5	0	21563.981	741.9354839	15998.42361	30000	0	0	30000	37	2004
12.02.2020 09:34:11	1	1	1	1	167	57	0	21279.621	756.9892473	16108.4989	30000	0	0	30000	37.4375	2004
12.02.2020 09:34:12	1	1	1	1	167	57.25	0	21943.128	731.1827957	16091.37608	30000	0	0	30000	36.6875	2004
12.02.2020 09:34:13	1	1	1	1	167	56.5	0	20853.081	772.0430108	16099.5298	30000	0	0	30000	37.1875	2004
12.02.2020 09:34:14	1	1	1	1	167	57	0	22274.882	720.4301075	15849.21045	30000	0	0	30000	37.9375	2004
12.02.2020 09:34:15	1	1	1	1	167.8	57.75	0	20142.18	791.3978495	15853.28731	30000	0	0	30000	37.625	2004
12.02.2020 09:34:16	1	1	1	1	167.8	57.5	0	21753.555	731.1827957	15999.23899	30000	0	0	30000	37.5625	2004
12.02.2020 09:34:17	1	1	1	1	167.8	57.5	0	21279.621	756.9892473	15707.33563	30000	0	0	30000	37.375	2004
12.02.2020 09:34:18	1	1	1	1	167.8	57	0	21800.948	739.7849462	15951.94738	30000	0	0	30000	37.4375	2004
12.02.2020 09:34:19	1	1	1	1	167.8	57.25	0	21895.735	731.1827957	15962.54722	30000	0	0	30000	37.4375	2004
12.02.2020 09:34:20	1	1	1	1	167.8	57.25	0	21374.408	756.9892473	15950.31664	30000	0	0	30000	37.125	2004
12.02.2020 09:34:21	1	1	1	1	167.8	57	0	21563.981	741.9354839	15998.42361	30000	0	0	30000	37.1875	2004
12.02.2020 09:34:22	1	1	1	1	167.8	57	0	21279.621	765.5913978	16245.48148	30000	0	0	30000	35.6875	2004
12.02.2020 09:34:23	1	1	1	1	167.8	55.5	0	21563.981	739.7849462	15952.76275	30000	0	0	30000	36.875	2004
12.02.2020 09:34:24	1	1	1	1	166.8	56.75	0	21137.441	756.9892473	15964.99334	30000	0	0	30000	37.3125	2004
12.02.2020 09:34:25	1	1	1	1	166.8	57.25	0	21943.128	724.7311828	15808.44182	30000	0	0	30000	37.25	2004
12.02.2020 09:34:26	1	1	1	1	166.8	57.25	0	21279.621	756.9892473	15879.37923	30000	0	0	30000	37.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 09:34:27	1	1	1	1	166.8	57.25	0	22274.882	720.4301075	16047.34596	30000	0	0	30000	37.6875	2004
12.02.2020 09:34:28	1	1	1	1	166.8	57.5	0	21563.981	739.7849462	15952.76275	30000	0	0	30000	36.625	2004
12.02.2020 09:34:29	1	1	1	1	166.8	56.5	0	21374.408	741.9354839	15858.17955	30000	0	0	30000	37.4375	2004
12.02.2020 09:34:30	1	1	1	1	166.8	57.25	0	22274.882	713.9784946	15903.8404	30000	0	0	30000	35.4375	2004
12.02.2020 09:34:31	1	1	1	1	166.8	55.25	0	21279.621	741.9354839	15788.05751	30000	0	0	30000	36.875	2004
12.02.2020 09:34:32	1	1	1	1	166.8	56.75	0	21943.128	733.3333333	16091.37608	30000	0	0	30000	37.375	2004
12.02.2020 09:34:33	1	1	1	1	166.8	57.25	0	21516.588	756.9892473	16287.88085	30000	0	0	30000	37.1875	2004
12.02.2020 09:34:34	1	1	1	1	166.5	57	0	21563.981	739.7849462	16022.88479	30000	0	0	30000	37.1875	2004
12.02.2020 09:34:35	1	1	1	1	166.5	57	0	22559.242	713.9784946	16072.62251	30000	0	0	30000	37.125	2004
12.02.2020 09:34:36	1	1	1	1	166.5	57	0	21563.981	739.7849462	16093.00682	30000	0	0	30000	36.125	2004
12.02.2020 09:34:38	1	1	1	1	166.5	56	0	21943.128	729.0322581	15996.79287	30000	0	0	30000	37.5	2004
12.02.2020 09:34:39	1	1	1	1	166.5	57.5	0	21042.654	756.9892473	15929.11695	30000	0	0	30000	36.4375	2004
12.02.2020 09:34:40	1	1	1	1	166.5	56.25	0	22369.668	713.9784946	16115.83725	30000	0	0	30000	37.75	2004
12.02.2020 09:34:41	1	1	1	1	166.5	57.75	0	22227.488	713.9784946	15999.23899	30000	0	0	30000	37.5	2004
12.02.2020 09:34:42	1	1	1	1	166.5	57.5	0	22417.062	718.2795699	16053.05357	30000	0	0	30000	36.125	2004
12.02.2020 09:34:43	1	1	1	1	166.5	56	0	21943.128	729.0322581	15996.79287	30000	0	0	30000	37.3125	2004
12.02.2020 09:34:44	1	1	1	1	166.5	57.25	0	21516.588	756.9892473	16323.75724	30000	0	0	30000	37.1875	2004
12.02.2020 09:34:45	1	1	1	1	166.3	57	0	21943.128	731.1827957	16091.37608	30000	0	0	30000	37.4375	2004
12.02.2020 09:34:46	1	1	1	1	166.3	57.25	0	21943.128	726.8817204	15808.44182	30000	0	0	30000	36.4375	2004
12.02.2020 09:34:47	1	1	1	1	166.3	56.25	0	21943.128	729.0322581	16091.37608	30000	0	0	30000	37.5625	2004
12.02.2020 09:34:48	1	1	1	1	166.3	57.5	0	22274.882	718.2795699	16033.48463	30000	0	0	30000	37.375	2004
12.02.2020 09:34:49	1	1	1	1	166.3	57.25	0	21563.981	739.7849462	15998.42361	30000	0	0	30000	36.75	2004
12.02.2020 09:34:50	1	1	1	1	166.3	56.75	0	23033.175	694.6236559	15999.23899	30000	0	0	30000	37	2004
12.02.2020 09:34:56	1	1	1	1	166.5	57.5	0	22274.882	720.4301075	16047.34596	30000	0	0	30000	37.5625	2004
12.02.2020 09:34:56	1	1	1	1	166.5	57.5	0	22274.882	720.4301075	16047.34596	30000	0	0	30000	37.5625	2004
12.02.2020 09:34:56	1	1	1	1	166.5	57.5	0	22274.882	720.4301075	16047.34596	30000	0	0	30000	37.5625	2004
12.02.2020 09:34:56	1	1	1	1	166.5	57.5	0	22274.882	720.4301075	16047.34596	30000	0	0	30000	37.5625	2004
12.02.2020 09:34:57	1	1	1	1	166.5	57.5	0	22274.882	720.4301075	16047.34596	30000	0	0	30000	37.5625	2004
12.02.2020 09:34:57	1	1	1	1	166.5	57.5	0	22274.882	720.4301075	16047.34596	30000	0	0	30000	37.5625	2004
12.02.2020 09:34:57	1	1	1	1	166.5	57	0	23033.175	692.4731183	15899.76354	30000	0	0	30000	37.5625	2004
12.02.2020 09:34:58	1	1	1	1	166.5	57.5	0	23080.569	694.6236559	16031.85389	30000	0	0	30000	37.4375	2004
12.02.2020 09:34:59	1	1	1	1	166.5	57.25	0	22511.848	716.1290323	16072.62251	30000	0	0	30000	37.5625	2004
12.02.2020 09:35:00	1	1	1	1	166.5	57.5	0	21563.981	739.7849462	16093.00682	30000	0	0	30000	36.3125	2004
12.02.2020 09:35:01	1	1	1	1	166.5	56.25	0	21706.161	739.7849462	15813.33406	30000	0	0	30000	37.3125	2004
12.02.2020 09:35:02	1	1	1	1	166.5	57.25	0	22796.209	707.5268817	16128.88321	30000	0	0	30000	36.5625	2004
12.02.2020 09:35:03	1	1	1	1	166.5	56.5	0	22227.488	720.4301075	16013.10032	30000	0	0	30000	37.625	2004
12.02.2020 09:35:04	1	1	1	1	165.5	57.5	0	21753.555	739.7849462	16128.06784	30000	0	0	30000	36.625	2004
12.02.2020 09:35:05	1	1	1	1	165.5	56.5	0	21753.555	741.9354839	16022.88479	30000	0	0	30000	37.5	2004
12.02.2020 09:35:06	1	1	1	1	165.5	57.5	0	21943.128	729.0322581	15902.20966	30000	0	0	30000	37.375	2004
12.02.2020 09:35:07	1	1	1	1	165.5	57.25	0	22796.209	701.0752688	16030.22314	30000	0	0	30000	37.4375	2004
12.02.2020 09:35:08	1	1	1	1	165.5	57.25	0	21800.948	735.483871	15987.0084	30000	0	0	30000	36.8125	2004
12.02.2020 09:35:09	1	1	1	1	165.5	56.75	0	22748.815	701.0752688	15997.60824	30000	0	0	30000	37.4375	2004
12.02.2020 09:35:10	1	1	1	1	165.5	57.25	0	22890.995	701.0752688	15998.42361	30000	0	0	30000	37.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 09:35:11	1	1	1	1	165.5	57.5	0	22464.455	713.9784946	16072.62251	30000	0	0	30000	37.3125	2004
12.02.2020 09:35:12	1	1	1	1	165.5	57.25	0	22748.815	703.2258065	16128.88321	30000	0	0	30000	36.6875	2004
12.02.2020 09:35:13	1	1	1	1	165.5	56.5	0	22227.488	720.4301075	15944.60903	30000	0	0	30000	37.375	2004
12.02.2020 09:35:14	1	1	1	1	165.8	57.25	0	21563.981	733.3333333	15951.94738	30000	0	0	30000	37.5625	2004
12.02.2020 09:35:15	1	1	1	1	165.8	57.5	0	22322.275	716.1290323	15985.37765	30000	0	0	30000	37.4375	2004
12.02.2020 09:35:17	1	1	1	1	165.8	57.25	0	22132.701	729.0322581	16135.40619	30000	0	0	30000	37.625	2004
12.02.2020 09:35:18	1	1	1	1	165.8	57.5	0	23601.896	675.2688172	15956.02424	30000	0	0	30000	37.375	2004
12.02.2020 09:35:19	1	1	1	1	165.8	57.25	0	22796.209	703.2258065	16030.22314	30000	0	0	30000	37.75	2004
12.02.2020 09:35:20	1	1	1	1	165.8	57.75	0	22890.995	694.6236559	15900.57891	30000	0	0	30000	37.5	2004
12.02.2020 09:35:21	1	1	1	1	165.8	57.5	0	22890.995	701.0752688	15900.57891	30000	0	0	30000	37.375	2004
12.02.2020 09:35:22	1	1	1	1	165.8	57.25	0	22748.815	703.2258065	16095.45294	30000	0	0	30000	36.375	2004
12.02.2020 09:35:23	1	1	1	1	165.8	56.25	0	22890.995	698.9247312	16114.20651	30000	0	0	30000	37.125	2004
12.02.2020 09:35:24	1	1	1	1	165.8	57	0	22417.062	713.9784946	16004.94659	30000	0	0	30000	37.125	2004
12.02.2020 09:35:25	1	1	1	1	165	57	0	23080.569	694.6236559	15999.23899	30000	0	0	30000	37.375	2004
12.02.2020 09:35:26	1	1	1	1	165	57.25	0	22511.848	709.6774194	15830.45688	30000	0	0	30000	37.75	2004
12.02.2020 09:35:27	1	1	1	1	165	57.75	0	22559.242	707.5268817	16095.45294	30000	0	0	30000	37.375	2004
12.02.2020 09:35:28	1	1	1	1	165	57.25	0	22274.882	724.7311828	16047.34596	30000	0	0	30000	36.75	2004
12.02.2020 09:35:29	1	1	1	1	165	56.75	0	22890.995	696.7741935	15900.57891	30000	0	0	30000	37.625	2004
12.02.2020 09:35:30	1	1	1	1	165	57.5	0	22274.882	718.2795699	15999.23899	30000	0	0	30000	37.3125	2004
12.02.2020 09:35:31	1	1	1	1	165	57.25	0	21563.981	741.9354839	15998.42361	30000	0	0	30000	37.125	2004
12.02.2020 09:35:32	1	1	1	1	165	57	0	22132.701	720.4301075	15944.60903	30000	0	0	30000	36.5625	2004
12.02.2020 09:35:33	1	1	1	1	165	56.5	0	22132.701	720.4301075	15944.60903	30000	0	0	30000	36.25	2004
12.02.2020 09:35:34	1	1	1	1	165	56.25	0	22369.668	703.2258065	16053.05357	30000	0	0	30000	37.25	2004
12.02.2020 09:35:35	1	1	1	1	165	57.25	0	22796.209	696.7741935	15932.37844	30000	0	0	30000	37.25	2004
12.02.2020 09:35:36	1	1	1	1	165	57.25	0	22748.815	703.2258065	15997.60824	30000	0	0	30000	37.4375	2004
12.02.2020 09:35:37	1	1	1	1	165	57.75	0	21895.735	733.3333333	16103.60666	30000	0	0	30000	37.1875	2004
12.02.2020 09:35:38	1	1	1	1	165	57	0	23222.749	690.3225806	15998.42361	30000	0	0	30000	36.875	2004
12.02.2020 09:35:39	1	1	1	1	165	56.75	0	22274.882	720.4301075	16013.10032	30000	0	0	30000	37.6875	2004
12.02.2020 09:35:40	1	1	1	1	165	57.5	0	22274.882	713.9784946	15869.59476	30000	0	0	30000	37.5625	2004
12.02.2020 09:35:41	1	1	1	1	165	57.5	0	22369.668	718.2795699	16115.83725	30000	0	0	30000	37.5	2004
12.02.2020 09:35:42	1	1	1	1	165	57.5	0	21658.768	735.483871	15813.33406	30000	0	0	30000	37.375	2004
12.02.2020 09:35:43	1	1	1	1	165	57.25	0	23080.569	694.6236559	16031.85389	30000	0	0	30000	37.3125	2004
12.02.2020 09:35:44	1	1	1	1	164.3	57.25	0	22748.815	703.2258065	15997.60824	30000	0	0	30000	37.1875	2004
12.02.2020 09:35:45	1	1	1	1	164.3	57	0	22274.882	718.2795699	15999.23899	30000	0	0	30000	37.625	2004
12.02.2020 09:35:46	1	1	1	1	164.3	57.5	0	21563.981	733.3333333	16139.48305	30000	0	0	30000	37.625	2004
12.02.2020 09:35:47	1	1	1	1	164.3	57.5	0	22227.488	720.4301075	16013.10032	30000	0	0	30000	37.3125	2004
12.02.2020 09:35:48	1	1	1	1	164.3	57.25	0	22322.275	703.2258065	15971.51632	30000	0	0	30000	37.5	2004
12.02.2020 09:35:49	1	1	1	1	164.3	57.5	0	21943.128	724.7311828	15902.20966	30000	0	0	30000	37.625	2004
12.02.2020 09:35:50	1	1	1	1	164.3	57.5	0	21563.981	756.9892473	16091.37608	30000	0	0	30000	37.5625	2004
12.02.2020 09:35:51	1	1	1	1	164.3	57.5	0	22227.488	720.4301075	15944.60903	30000	0	0	30000	37.375	2004
12.02.2020 09:35:58	1	1	1	1	163.5	56.75	0	22748.815	703.2258065	15997.60824	30000	0	0	30000	36.875	2004
12.02.2020 09:35:58	1	1	1	1	163.5	56.75	0	22748.815	703.2258065	15997.60824	30000	0	0	30000	36.875	2004
12.02.2020 09:35:58	1	1	1	1	163.5	56.75	0	22748.815	703.2258065	15997.60824	30000	0	0	30000	36.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 09:35:58	1	1	1	1	163.5	56.75	0	22748.815	703.2258065	15997.60824	30000	0	0	30000	36.875	2004
12.02.2020 09:35:58	1	1	1	1	163.5	56.75	0	22748.815	703.2258065	15997.60824	30000	0	0	30000	36.875	2004
12.02.2020 09:35:58	1	1	1	1	163.5	56.75	0	22748.815	703.2258065	15997.60824	30000	0	0	30000	36.875	2004
12.02.2020 09:35:59	1	1	1	1	163.5	56.75	0	22796.209	698.9247312	15932.37844	30000	0	0	30000	37.5	2004
12.02.2020 09:36:00	1	1	1	1	163.5	57.5	0	22369.668	711.827957	16101.16055	30000	0	0	30000	36.5625	2004
12.02.2020 09:36:01	1	1	1	1	163.5	56.5	0	22748.815	698.9247312	15899.76354	30000	0	0	30000	37.375	2004
12.02.2020 09:36:02	1	1	1	1	163.5	57.25	0	22890.995	696.7741935	15900.57891	30000	0	0	30000	36.375	2004
12.02.2020 09:36:03	1	1	1	1	163.5	56.25	0	22417.062	713.9784946	16039.19224	30000	0	0	30000	36	2004
12.02.2020 09:36:04	1	1	1	1	163.5	56	0	22511.848	703.2258065	15830.45688	30000	0	0	30000	37.375	2004
12.02.2020 09:36:05	1	1	1	1	163.3	57.25	0	22227.488	720.4301075	16013.10032	30000	0	0	30000	36.875	2004
12.02.2020 09:36:06	1	1	1	1	163.3	56.75	0	23080.569	690.3225806	15932.37844	30000	0	0	30000	35.25	2004
12.02.2020 09:36:07	1	1	1	1	163.3	55.25	0	23175.355	688.172043	16130.51396	30000	0	0	30000	37.6875	2004
12.02.2020 09:36:08	1	1	1	1	163.3	57.5	0	23080.569	694.6236559	16131.32933	30000	0	0	30000	36.4375	2004
12.02.2020 09:36:09	1	1	1	1	163.3	56.25	0	23317.536	688.172043	16013.91569	30000	0	0	30000	37.625	2004
12.02.2020 09:36:10	1	1	1	1	163.3	57.5	0	23554.502	673.1182796	15956.02424	30000	0	0	30000	37.625	2004
12.02.2020 09:36:11	1	1	1	1	163.3	57.5	0	23364.929	688.172043	16079.14549	30000	0	0	30000	37.9375	2004
12.02.2020 09:36:12	1	1	1	1	163.3	57.75	0	23222.749	688.172043	16013.91569	30000	0	0	30000	38	2004
12.02.2020 09:36:13	1	1	1	1	163.3	58	0	23554.502	673.1182796	15854.91806	30000	0	0	30000	37.5625	2004
12.02.2020 09:36:14	1	1	1	1	163.8	56.25	0	23033.175	698.9247312	16097.89906	30000	0	0	30000	37.625	2004
12.02.2020 09:36:15	1	1	1	1	163.8	57.5	0	22748.815	694.6236559	15948.68589	30000	0	0	30000	37.4375	2004
12.02.2020 09:36:16	1	1	1	1	163.8	57.25	0	23080.569	694.6236559	16031.85389	30000	0	0	30000	36.9375	2004
12.02.2020 09:36:17	1	1	1	1	163.8	56.75	0	23033.175	698.9247312	15867.14864	30000	0	0	30000	37.4375	2004
12.02.2020 09:36:18	1	1	1	1	163.8	57.25	0	23554.502	677.4193548	16209.60509	30000	0	0	30000	37	2004
12.02.2020 09:36:19	1	1	1	1	163.8	57	0	23507.109	688.172043	16176.99019	30000	0	0	30000	37.6875	2004
12.02.2020 09:36:20	1	1	1	1	163.8	57.5	0	22748.815	703.2258065	16095.45294	30000	0	0	30000	37.375	2004
12.02.2020 09:36:21	1	1	1	1	163.8	57.25	0	23080.569	694.6236559	16031.85389	30000	0	0	30000	37.4375	2004
12.02.2020 09:36:22	1	1	1	1	163.8	57.25	0	23222.749	688.172043	15981.30079	30000	0	0	30000	37.625	2004
12.02.2020 09:36:23	1	1	1	1	163.8	57.5	0	22796.209	701.0752688	16030.22314	30000	0	0	30000	37.625	2004
12.02.2020 09:36:24	1	1	1	1	163.5	57.5	0	23033.175	698.9247312	16097.89906	30000	0	0	30000	37.625	2004
12.02.2020 09:36:25	1	1	1	1	163.5	57.5	0	23080.569	690.3225806	15883.45609	30000	0	0	30000	37.6875	2004
12.02.2020 09:36:26	1	1	1	1	163.5	57.5	0	23364.929	688.172043	16079.14549	30000	0	0	30000	37.25	2004
12.02.2020 09:36:27	1	1	1	1	163.5	57.25	0	23270.142	688.172043	16013.91569	30000	0	0	30000	37.5	2004
12.02.2020 09:36:28	1	1	1	1	163.5	57.5	0	23317.536	688.172043	16046.53059	30000	0	0	30000	37.6875	2004
12.02.2020 09:36:29	1	1	1	1	163.5	57.5	0	22559.242	707.5268817	15997.60824	30000	0	0	30000	37.6875	2004
12.02.2020 09:36:30	1	1	1	1	163.5	57.5	0	22890.995	694.6236559	15998.42361	30000	0	0	30000	36.9375	2004
12.02.2020 09:36:31	1	1	1	1	163.5	56.75	0	23175.355	690.3225806	16163.94423	30000	0	0	30000	37.4375	2004
12.02.2020 09:36:32	1	1	1	1	163.5	57.25	0	23459.716	670.9677419	15740.76591	30000	0	0	30000	37.625	2004
12.02.2020 09:36:33	1	1	1	1	163.5	57.5	0	21943.128	731.1827957	16233.25089	30000	0	0	30000	37.5625	2004
12.02.2020 09:36:35	1	1	1	1	162.5	57.5	0	22369.668	713.9784946	16019.6233	30000	0	0	30000	37.75	2004
12.02.2020 09:36:36	1	1	1	1	162.5	57.75	0	22748.815	707.5268817	15997.60824	30000	0	0	30000	37.5625	2004
12.02.2020 09:36:37	1	1	1	1	162.5	57.5	0	22985.782	698.9247312	16097.89906	30000	0	0	30000	37.625	2004
12.02.2020 09:36:38	1	1	1	1	162.5	57.5	0	22890.995	696.7741935	15900.57891	30000	0	0	30000	37.4375	2004
12.02.2020 09:36:39	1	1	1	1	162.5	57.25	0	22843.602	694.6236559	16097.08368	30000	0	0	30000	37.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 09:36:40	1	1	1	1	162.5	57.25	0	21753.555	739.7849462	16093.00682	30000	0	0	30000	37.625	2004
12.02.2020 09:36:41	1	1	1	1	162.5	57.5	0	22748.815	707.5268817	16095.45294	30000	0	0	30000	37.4375	2004
12.02.2020 09:36:42	1	1	1	1	162.5	57.25	0	21753.555	735.483871	16045.71522	30000	0	0	30000	37.1875	2004
12.02.2020 09:36:43	1	1	1	1	162.5	57	0	22890.995	703.2258065	16097.08368	30000	0	0	30000	37.625	2004
12.02.2020 09:36:44	1	1	1	1	162.5	57.5	0	22369.668	718.2795699	16115.83725	30000	0	0	30000	37.3125	2004
12.02.2020 09:36:45	1	1	1	1	162	57.25	0	22511.848	709.6774194	16072.62251	30000	0	0	30000	37.3125	2004
12.02.2020 09:36:46	1	1	1	1	162	57.25	0	22748.815	701.0752688	15948.68589	30000	0	0	30000	37.125	2004
12.02.2020 09:36:47	1	1	1	1	162	57	0	22559.242	707.5268817	16242.21999	30000	0	0	30000	36.9375	2004
12.02.2020 09:36:48	1	1	1	1	162	56.75	0	22274.882	718.2795699	15951.13201	30000	0	0	30000	37.8125	2004
12.02.2020 09:36:49	1	1	1	1	162	57.75	0	22274.882	713.9784946	15903.8404	30000	0	0	30000	37.6875	2004
12.02.2020 09:36:50	1	1	1	1	162	57.5	0	21374.408	744.0860215	15950.31664	30000	0	0	30000	37.1875	2004
12.02.2020 09:36:51	1	1	1	1	162	57	0	23080.569	698.9247312	16031.85389	30000	0	0	30000	37.9375	2004
12.02.2020 09:36:52	1	1	1	1	162	57.75	0	22132.701	720.4301075	15944.60903	30000	0	0	30000	38.0625	2004
12.02.2020 09:36:53	1	1	1	1	162	58	0	22417.062	716.1290323	16053.05357	30000	0	0	30000	37.25	2004
12.02.2020 09:37:00	1	1	1	1	161.3	57.5	0	22748.815	703.2258065	15997.60824	30000	0	0	30000	37.5	2004
12.02.2020 09:37:00	1	1	1	1	161.3	57.5	0	22748.815	703.2258065	15997.60824	30000	0	0	30000	37.5	2004
12.02.2020 09:37:00	1	1	1	1	161.3	57.5	0	22748.815	703.2258065	15997.60824	30000	0	0	30000	37.5	2004
12.02.2020 09:37:00	1	1	1	1	161.3	57.5	0	22748.815	703.2258065	15997.60824	30000	0	0	30000	37.5	2004
12.02.2020 09:37:00	1	1	1	1	161.3	57.5	0	22748.815	703.2258065	15997.60824	30000	0	0	30000	37.5	2004
12.02.2020 09:37:00	1	1	1	1	161.3	57.5	0	22748.815	703.2258065	15997.60824	30000	0	0	30000	37.5	2004
12.02.2020 09:37:00	1	1	1	1	161.3	57.5	0	22417.062	713.9784946	16004.94659	30000	0	0	30000	37.5	2004
12.02.2020 09:37:01	1	1	1	1	161.3	57.5	0	22559.242	701.0752688	15863.88715	30000	0	0	30000	37.5	2004
12.02.2020 09:37:02	1	1	1	1	161.3	57.5	0	22227.488	720.4301075	16013.10032	30000	0	0	30000	36.6875	2004
12.02.2020 09:37:03	1	1	1	1	161.3	56.5	0	22559.242	713.9784946	16024.51553	30000	0	0	30000	35.8125	2004
12.02.2020 09:37:04	1	1	1	1	161.5	55.75	0	22559.242	713.9784946	16057.9458	30000	0	0	30000	37.625	2004
12.02.2020 09:37:05	1	1	1	1	161.5	57.5	0	23222.749	688.172043	15981.30079	30000	0	0	30000	37.6875	2004
12.02.2020 09:37:06	1	1	1	1	161.5	57.5	0	23601.896	677.4193548	15804.36496	30000	0	0	30000	37.625	2004
12.02.2020 09:37:07	1	1	1	1	161.5	57.5	0	22843.602	701.0752688	16048.16134	30000	0	0	30000	36.5625	2004
12.02.2020 09:37:08	1	1	1	1	161.5	56.5	0	22748.815	701.0752688	15899.76354	30000	0	0	30000	37.625	2004
12.02.2020 09:37:09	1	1	1	1	161.5	57.5	0	23222.749	690.3225806	15998.42361	30000	0	0	30000	37.3125	2004
12.02.2020 09:37:10	1	1	1	1	161.5	57.25	0	22796.209	703.2258065	16030.22314	30000	0	0	30000	37.75	2004
12.02.2020 09:37:11	1	1	1	1	161.5	57.75	0	22890.995	703.2258065	15998.42361	30000	0	0	30000	37.3125	2004
12.02.2020 09:37:12	1	1	1	1	161.5	57.25	0	22748.815	707.5268817	15997.60824	30000	0	0	30000	37.25	2004
12.02.2020 09:37:13	1	1	1	1	161.5	57.25	0	21800.948	739.7849462	16128.06784	30000	0	0	30000	37.5625	2004
12.02.2020 09:37:15	1	1	1	1	160.3	57.5	0	22748.815	698.9247312	15899.76354	30000	0	0	30000	37.625	2004
12.02.2020 09:37:16	1	1	1	1	160.3	57.5	0	23744.076	675.2688172	16084.03772	30000	0	0	30000	36.9375	2004
12.02.2020 09:37:17	1	1	1	1	160.3	56.75	0	23838.863	673.1182796	16045.71522	30000	0	0	30000	37.4375	2004
12.02.2020 09:37:18	1	1	1	1	160.3	57.25	0	24360.19	658.0645161	16082.40698	30000	0	0	30000	37	2004
12.02.2020 09:37:19	1	1	1	1	160.3	57	0	23175.355	690.3225806	15998.42361	30000	0	0	30000	36.875	2004
12.02.2020 09:37:20	1	1	1	1	160.3	56.75	0	23222.749	688.172043	15981.30079	30000	0	0	30000	37.625	2004
12.02.2020 09:37:21	1	1	1	1	160.3	57.5	0	22890.995	703.2258065	16097.08368	30000	0	0	30000	37.4375	2004
12.02.2020 09:37:22	1	1	1	1	160.3	57.25	0	22748.815	703.2258065	16095.45294	30000	0	0	30000	37.5	2004
12.02.2020 09:37:23	1	1	1	1	160.3	57.5	0	23459.716	675.2688172	15841.05672	30000	0	0	30000	36.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 09:37:24	1	1	1	1	160.3	56.5	0	23744.076	670.9677419	15982.11616	30000	0	0	30000	37.6875	2004
12.02.2020 09:37:25	1	1	1	1	160.8	57.5	0	23554.502	677.4193548	16209.60509	30000	0	0	30000	37.375	2004
12.02.2020 09:37:26	1	1	1	1	160.8	57.25	0	23744.076	673.1182796	15982.11616	30000	0	0	30000	37.4375	2004
12.02.2020 09:37:27	1	1	1	1	160.8	57.25	0	23270.142	688.172043	16063.65341	30000	0	0	30000	37.625	2004
12.02.2020 09:37:28	1	1	1	1	160.8	57.5	0	22748.815	701.0752688	15948.68589	30000	0	0	30000	37.6875	2004
12.02.2020 09:37:29	1	1	1	1	160.8	57.5	0	22748.815	707.5268817	15997.60824	30000	0	0	30000	37	2004
12.02.2020 09:37:30	1	1	1	1	160.8	57	0	22464.455	713.9784946	15956.83962	30000	0	0	30000	37.4375	2004
12.02.2020 09:37:31	1	1	1	1	160.8	57.25	0	22511.848	713.9784946	16072.62251	30000	0	0	30000	37.625	2004
12.02.2020 09:37:32	1	1	1	1	160.8	57.5	0	22132.701	724.7311828	15944.60903	30000	0	0	30000	37.5625	2004
12.02.2020 09:37:33	1	1	1	1	160.8	57.5	0	22227.488	718.2795699	16047.34596	30000	0	0	30000	37.625	2004
12.02.2020 09:37:34	1	1	1	1	160.8	57.5	0	21895.735	729.0322581	15962.54722	30000	0	0	30000	37.875	2004
12.02.2020 09:37:35	1	1	1	1	160.8	57.75	0	22985.782	701.0752688	15900.57891	30000	0	0	30000	37.75	2004
12.02.2020 09:37:36	1	1	1	1	160.8	57.75	0	22369.668	718.2795699	16115.83725	30000	0	0	30000	37.3125	2004
12.02.2020 09:37:37	1	1	1	1	160.8	57.25	0	23175.355	696.7741935	16031.85389	30000	0	0	30000	37.5625	2004
12.02.2020 09:37:38	1	1	1	1	160.8	57.5	0	22890.995	694.6236559	15965.80871	30000	0	0	30000	37.3125	2004
12.02.2020 09:37:39	1	1	1	1	160.8	57.25	0	23649.289	688.172043	16274.83489	30000	0	0	30000	37.5625	2004
12.02.2020 09:37:40	1	1	1	1	160.8	57.5	0	23838.863	662.3655914	15809.2572	30000	0	0	30000	37.75	2004
12.02.2020 09:37:41	1	1	1	1	160.8	57.75	0	23080.569	694.6236559	16031.85389	30000	0	0	30000	37.3125	2004
12.02.2020 09:37:42	1	1	1	1	160.8	57.25	0	23507.109	670.9677419	15772.56543	30000	0	0	30000	37.8125	2004
12.02.2020 09:37:43	1	1	1	1	160.8	57.75	0	22132.701	713.9784946	16047.34596	30000	0	0	30000	37.625	2004
12.02.2020 09:37:44	1	1	1	1	161	57.5	0	23033.175	694.6236559	15999.23899	30000	0	0	30000	37.0625	2004
12.02.2020 09:37:45	1	1	1	1	161	57	0	23080.569	694.6236559	16097.89906	30000	0	0	30000	37.3125	2004
12.02.2020 09:37:46	1	1	1	1	161	57.25	0	23080.569	690.3225806	15932.37844	30000	0	0	30000	36.8125	2004
12.02.2020 09:37:47	1	1	1	1	161	56.75	0	22274.882	720.4301075	16047.34596	30000	0	0	30000	37.4375	2004
12.02.2020 09:37:48	1	1	1	1	161	57.25	0	22559.242	703.2258065	15863.88715	30000	0	0	30000	37.625	2004
12.02.2020 09:37:49	1	1	1	1	161	57.5	0	22796.209	703.2258065	15997.60824	30000	0	0	30000	37.375	2004
12.02.2020 09:37:50	1	1	1	1	161	57.25	0	23222.749	692.4731183	16063.65341	30000	0	0	30000	37.6875	2004
12.02.2020 09:37:51	1	1	1	1	161	57.5	0	23175.355	690.3225806	15932.37844	30000	0	0	30000	37.625	2004
12.02.2020 09:37:53	1	1	1	1	161	57.5	0	22369.668	713.9784946	16019.6233	30000	0	0	30000	37.625	2004
12.02.2020 09:37:54	1	1	1	1	161	57.5	0	22890.995	694.6236559	15900.57891	30000	0	0	30000	37.8125	2004
12.02.2020 09:37:55	1	1	1	1	159.8	57.75	0	23270.142	688.172043	16013.91569	30000	0	0	30000	37	2004
12.02.2020 09:38:01	1	1	1	1	159.8	57.5	0	23933.649	673.1182796	16078.33012	30000	0	0	30000	37.625	2004
12.02.2020 09:38:01	1	1	1	1	159.8	57.5	0	23933.649	673.1182796	16078.33012	30000	0	0	30000	37.625	2004
12.02.2020 09:38:01	1	1	1	1	159.8	57.5	0	23933.649	673.1182796	16078.33012	30000	0	0	30000	37.625	2004
12.02.2020 09:38:01	1	1	1	1	159.8	57.5	0	23933.649	673.1182796	16078.33012	30000	0	0	30000	37.625	2004
12.02.2020 09:38:01	1	1	1	1	159.8	57.5	0	23933.649	673.1182796	16078.33012	30000	0	0	30000	37.625	2004
12.02.2020 09:38:01	1	1	1	1	159.8	57.5	0	23933.649	673.1182796	16078.33012	30000	0	0	30000	37.625	2004
12.02.2020 09:38:02	1	1	1	1	159.8	57.5	0	24881.517	643.0107527	16052.2382	30000	0	0	30000	37.5	2004
12.02.2020 09:38:03	1	1	1	1	159.8	57.5	0	24218.009	655.9139785	15884.27146	30000	0	0	30000	37.6875	2004
12.02.2020 09:38:04	1	1	1	1	159.8	57.5	0	24218.009	664.516129	16093.00682	30000	0	0	30000	37.625	2004
12.02.2020 09:38:05	1	1	1	1	159.5	57.5	0	24123.223	662.3655914	15925.85546	30000	0	0	30000	37.6875	2004
12.02.2020 09:38:06	1	1	1	1	159.5	57.5	0	24123.223	666.6666667	16081.59161	30000	0	0	30000	36.3125	2004
12.02.2020 09:38:07	1	1	1	1	159.5	56.25	0	23507.109	688.172043	16176.99019	30000	0	0	30000	37.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 09:38:08	1	1	1	1	159.5	57.25	0	22843.602	688.172043	15900.57891	30000	0	0	30000	37.6875	2004
12.02.2020 09:38:09	1	1	1	1	159.5	57.5	0	22890.995	694.6236559	15998.42361	30000	0	0	30000	37.875	2004
12.02.2020 09:38:10	1	1	1	1	159.5	57.75	0	23033.175	696.7741935	16065.28416	30000	0	0	30000	37.75	2004
12.02.2020 09:38:11	1	1	1	1	159.5	57.75	0	21943.128	729.0322581	15996.79287	30000	0	0	30000	37.875	2004
12.02.2020 09:38:12	1	1	1	1	159.5	57.5	0	23270.142	688.172043	16013.91569	30000	0	0	30000	37.625	2004
12.02.2020 09:38:13	1	1	1	1	159.5	57.5	0	22417.062	716.1290323	16135.40619	30000	0	0	30000	37.625	2004
12.02.2020 09:38:14	1	1	1	1	159.8	57.5	0	22748.815	696.7741935	15981.30079	30000	0	0	30000	37.375	2004
12.02.2020 09:38:15	1	1	1	1	159.8	57.25	0	23080.569	694.6236559	16031.85389	30000	0	0	30000	37.5625	2004
12.02.2020 09:38:16	1	1	1	1	159.8	57.5	0	22748.815	703.2258065	16095.45294	30000	0	0	30000	37.5	2004
12.02.2020 09:38:17	1	1	1	1	159.8	57.5	0	23033.175	694.6236559	15999.23899	30000	0	0	30000	37.5625	2004
12.02.2020 09:38:18	1	1	1	1	159.8	57.5	0	23412.322	688.172043	16144.37529	30000	0	0	30000	37.75	2004
12.02.2020 09:38:19	1	1	1	1	159.8	57.75	0	22890.995	696.7741935	15900.57891	30000	0	0	30000	37.4375	2004
12.02.2020 09:38:20	1	1	1	1	159.8	57.25	0	23459.716	688.172043	16176.99019	30000	0	0	30000	37.3125	2004
12.02.2020 09:38:21	1	1	1	1	159.8	57.25	0	22511.848	720.4301075	15990.26989	30000	0	0	30000	37.75	2004
12.02.2020 09:38:22	1	1	1	1	159.8	57.75	0	22985.782	701.0752688	16065.28416	30000	0	0	30000	37.5625	2004
12.02.2020 09:38:23	1	1	1	1	159.8	57.5	0	23033.175	696.7741935	15999.23899	30000	0	0	30000	37.625	2004
12.02.2020 09:38:24	1	1	1	1	159.8	57.5	0	23033.175	694.6236559	15867.14864	30000	0	0	30000	37.25	2004
12.02.2020 09:38:25	1	1	1	1	159.8	57.25	0	22748.815	703.2258065	15997.60824	30000	0	0	30000	37.5625	2004
12.02.2020 09:38:26	1	1	1	1	159.8	57.5	0	22464.455	713.9784946	16039.19224	30000	0	0	30000	37.75	2004
12.02.2020 09:38:27	1	1	1	1	159.8	57.75	0	22748.815	707.5268817	15997.60824	30000	0	0	30000	37.5	2004
12.02.2020 09:38:28	1	1	1	1	159.8	57.5	0	23222.749	692.4731183	15998.42361	30000	0	0	30000	37.6875	2004
12.02.2020 09:38:29	1	1	1	1	159.8	57.5	0	22890.995	694.6236559	15900.57891	30000	0	0	30000	37	2004
12.02.2020 09:38:30	1	1	1	1	159.8	57	0	22369.668	720.4301075	16081.59161	30000	0	0	30000	37.8125	2004
12.02.2020 09:38:32	1	1	1	1	159.8	57.75	0	22511.848	709.6774194	16009.83883	30000	0	0	30000	37.6875	2004
12.02.2020 09:38:33	1	1	1	1	159.8	57.5	0	22748.815	703.2258065	15997.60824	30000	0	0	30000	37.75	2004
12.02.2020 09:38:34	1	1	1	1	159.8	57.75	0	22890.995	701.0752688	16097.08368	30000	0	0	30000	37.6875	2004
12.02.2020 09:38:35	1	1	1	1	159.5	57.5	0	23270.142	688.172043	16013.91569	30000	0	0	30000	37.5625	2004
12.02.2020 09:38:36	1	1	1	1	159.5	57.5	0	22417.062	713.9784946	16004.94659	30000	0	0	30000	37.8125	2004
12.02.2020 09:38:37	1	1	1	1	159.5	57.75	0	22132.701	729.0322581	16040.00761	30000	0	0	30000	37.75	2004
12.02.2020 09:38:38	1	1	1	1	159.5	57.75	0	22511.848	703.2258065	15763.59634	30000	0	0	30000	37.0625	2004
12.02.2020 09:38:39	1	1	1	1	159.5	57	0	22748.815	703.2258065	15997.60824	30000	0	0	30000	37.3125	2004
12.02.2020 09:38:40	1	1	1	1	159.5	57.25	0	23270.142	688.172043	15981.30079	30000	0	0	30000	37.625	2004
12.02.2020 09:38:41	1	1	1	1	159.5	57.5	0	23317.536	688.172043	16013.91569	30000	0	0	30000	37.5625	2004
12.02.2020 09:38:42	1	1	1	1	159.5	57.5	0	23222.749	688.172043	15981.30079	30000	0	0	30000	37.3125	2004
12.02.2020 09:38:43	1	1	1	1	159.5	57.25	0	22890.995	694.6236559	15900.57891	30000	0	0	30000	37.5625	2004
12.02.2020 09:38:44	1	1	1	1	159.5	57.5	0	23080.569	692.4731183	16031.85389	30000	0	0	30000	37.5	2004
12.02.2020 09:38:45	1	1	1	1	159.3	57.5	0	23080.569	696.7741935	16031.85389	30000	0	0	30000	37.3125	2004
12.02.2020 09:38:46	1	1	1	1	159.3	57.25	0	23459.716	688.172043	16144.37529	30000	0	0	30000	37.875	2004
12.02.2020 09:38:47	1	1	1	1	159.3	57.75	0	23791.469	670.9677419	15963.3626	30000	0	0	30000	37.875	2004
12.02.2020 09:38:48	1	1	1	1	159.3	57.75	0	23459.716	673.1182796	15790.50363	30000	0	0	30000	37.8125	2004
12.02.2020 09:38:49	1	1	1	1	159.3	57.75	0	22748.815	703.2258065	16095.45294	30000	0	0	30000	37.1875	2004
12.02.2020 09:38:50	1	1	1	1	159.3	57	0	23649.289	673.1182796	15918.51711	30000	0	0	30000	37.3125	2004
12.02.2020 09:38:51	1	1	1	1	159.3	57.75	0	23080.569	688.172043	15883.45609	30000	0	0	30000	37.875	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 09:38:52	1	1	1	1	159.3	57.75	0	23222.749	688.172043	15948.68589	30000	0	0	30000	37.3125	2004
12.02.2020 09:38:53	1	1	1	1	159.3	57.25	0	22132.701	720.4301075	15944.60903	30000	0	0	30000	37.75	2004
12.02.2020 09:38:54	1	1	1	1	159.3	57.75	0	23080.569	694.6236559	16031.85389	30000	0	0	30000	37.5625	2004
12.02.2020 09:38:55	1	1	1	1	159.3	57.5	0	22559.242	703.2258065	15997.60824	30000	0	0	30000	36.8125	2004
12.02.2020 09:38:56	1	1	1	1	159.3	56.75	0	21848.341	731.1827957	16022.06942	30000	0	0	30000	37.3125	2004
12.02.2020 09:39:04	1	1	1	1	159.3	57.75	0	23459.716	688.172043	16176.99019	30000	0	0	30000	37.6875	2004
12.02.2020 09:39:04	1	1	1	1	159.3	57.75	0	23459.716	688.172043	16176.99019	30000	0	0	30000	37.6875	2004
12.02.2020 09:39:04	1	1	1	1	159.3	57.75	0	23459.716	688.172043	16176.99019	30000	0	0	30000	37.6875	2004
12.02.2020 09:39:04	1	1	1	1	159.3	57.75	0	23459.716	688.172043	16176.99019	30000	0	0	30000	37.6875	2004
12.02.2020 09:39:04	1	1	1	1	159.3	57.75	0	23459.716	688.172043	16176.99019	30000	0	0	30000	37.6875	2004
12.02.2020 09:39:04	1	1	1	1	159.3	57.75	0	23459.716	688.172043	16176.99019	30000	0	0	30000	37.6875	2004
12.02.2020 09:39:04	1	1	1	1	159.5	57.5	0	22417.062	713.9784946	16004.94659	30000	0	0	30000	37.9375	2004
12.02.2020 09:39:05	1	1	1	1	159.5	57.75	0	23033.175	701.0752688	16147.63678	30000	0	0	30000	37.8125	2004
12.02.2020 09:39:06	1	1	1	1	159.5	57.75	0	23791.469	670.9677419	15963.3626	30000	0	0	30000	37.875	2004
12.02.2020 09:39:07	1	1	1	1	159.5	57.75	0	23791.469	688.172043	16116.65262	30000	0	0	30000	37.8125	2004
12.02.2020 09:39:08	1	1	1	1	159.5	57.75	0	23791.469	688.172043	16135.40619	30000	0	0	30000	37.625	2004
12.02.2020 09:39:09	1	1	1	1	159.5	57.5	0	23649.289	673.1182796	15918.51711	30000	0	0	30000	37.875	2004
12.02.2020 09:39:10	1	1	1	1	159.5	57.75	0	24407.583	658.0645161	16061.20729	30000	0	0	30000	37.375	2004
12.02.2020 09:39:12	1	1	1	1	159.5	57.25	0	23933.649	660.2150538	15801.10347	30000	0	0	30000	37.6875	2004
12.02.2020 09:39:13	1	1	1	1	159.5	57.5	0	24502.37	645.1612903	15890.79444	30000	0	0	30000	37.5625	2004
12.02.2020 09:39:14	1	1	1	1	159.5	57.5	0	23744.076	670.9677419	15931.56307	30000	0	0	30000	36.375	2004
12.02.2020 09:39:15	1	1	1	1	159.5	56.25	0	23317.536	673.1182796	15827.19539	30000	0	0	30000	37.5625	2004
12.02.2020 09:39:16	1	1	1	1	159.5	57.5	0	23080.569	698.9247312	16031.85389	30000	0	0	30000	37.5625	2004
12.02.2020 09:39:17	1	1	1	1	159.5	57.5	0	22748.815	701.0752688	15997.60824	30000	0	0	30000	37.8125	2004
12.02.2020 09:39:18	1	1	1	1	159.5	57.75	0	22985.782	701.0752688	16163.94423	30000	0	0	30000	37.8125	2004
12.02.2020 09:39:19	1	1	1	1	159.5	57.75	0	23317.536	688.172043	16013.91569	30000	0	0	30000	37.625	2004
12.02.2020 09:39:20	1	1	1	1	159.5	57.5	0	22559.242	707.5268817	15830.45688	30000	0	0	30000	37.75	2004
12.02.2020 09:39:21	1	1	1	1	159.5	57.75	0	23222.749	692.4731183	16097.89906	30000	0	0	30000	37.9375	2004
12.02.2020 09:39:22	1	1	1	1	159.5	57.75	0	22843.602	698.9247312	15998.42361	30000	0	0	30000	37.375	2004
12.02.2020 09:39:23	1	1	1	1	159.5	57.25	0	23270.142	688.172043	16013.91569	30000	0	0	30000	37.75	2004
12.02.2020 09:39:24	1	1	1	1	159.5	57.75	0	22748.815	709.6774194	15997.60824	30000	0	0	30000	37.8125	2004
12.02.2020 09:39:25	1	1	1	1	159.5	57.75	0	22274.882	713.9784946	16081.59161	30000	0	0	30000	37.375	2004
12.02.2020 09:39:26	1	1	1	1	159.5	57.25	0	23033.175	696.7741935	15867.14864	30000	0	0	30000	37.5625	2004
12.02.2020 09:39:27	1	1	1	1	159.5	57.5	0	21943.128	731.1827957	16091.37608	30000	0	0	30000	37.8125	2004
12.02.2020 09:39:28	1	1	1	1	159.5	57.75	0	23270.142	688.172043	16013.91569	30000	0	0	30000	37.125	2004
12.02.2020 09:39:29	1	1	1	1	159.5	57	0	22132.701	720.4301075	15944.60903	30000	0	0	30000	37.6875	2004
12.02.2020 09:39:30	1	1	1	1	159.5	57.5	0	22559.242	703.2258065	15997.60824	30000	0	0	30000	36.9375	2004
12.02.2020 09:39:31	1	1	1	1	159.5	56.75	0	22843.602	694.6236559	16097.08368	30000	0	0	30000	37.1875	2004
12.02.2020 09:39:32	1	1	1	1	159.5	57	0	21848.341	729.0322581	15927.48621	30000	0	0	30000	38.125	2004
12.02.2020 09:39:33	1	1	1	1	159.5	58	0	22274.882	718.2795699	15964.99334	30000	0	0	30000	37.75	2004
12.02.2020 09:39:34	1	1	1	1	159.5	57.75	0	21943.128	733.3333333	16091.37608	30000	0	0	30000	38	2004
12.02.2020 09:39:35	1	1	1	1	159.3	57.25	0	22132.701	720.4301075	15944.60903	30000	0	0	30000	37.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 09:39:36	1	1	1	1	159.3	57.75	0	21753.555	739.7849462	15999.23899	30000	0	0	30000	37.25	2004
12.02.2020 09:39:37	1	1	1	1	159.3	57.25	0	22274.882	718.2795699	15999.23899	30000	0	0	30000	37.8125	2004
12.02.2020 09:39:38	1	1	1	1	159.3	57.75	0	21374.408	756.9892473	15903.8404	30000	0	0	30000	37.5	2004
12.02.2020 09:39:39	1	1	1	1	159.3	57.5	0	22985.782	694.6236559	16147.63678	30000	0	0	30000	37.8125	2004
12.02.2020 09:39:40	1	1	1	1	159.3	57.75	0	22796.209	709.6774194	16030.22314	30000	0	0	30000	37.625	2004
12.02.2020 09:39:41	1	1	1	1	159.3	57.5	0	22132.701	720.4301075	15944.60903	30000	0	0	30000	37.4375	2004
12.02.2020 09:39:42	1	1	1	1	159.3	57.25	0	22511.848	709.6774194	15927.48621	30000	0	0	30000	37.375	2004
12.02.2020 09:39:43	1	1	1	1	159.3	57.25	0	21943.128	729.0322581	15996.79287	30000	0	0	30000	37.9375	2004
12.02.2020 09:39:44	1	1	1	1	159.8	57.75	0	22748.815	698.9247312	15997.60824	30000	0	0	30000	37.6875	2004
12.02.2020 09:39:45	1	1	1	1	159.8	57.5	0	22748.815	707.5268817	16095.45294	30000	0	0	30000	37.6875	2004
12.02.2020 09:39:46	1	1	1	1	159.8	57.5	0	22985.782	696.7741935	16097.89906	30000	0	0	30000	37.9375	2004
12.02.2020 09:39:47	1	1	1	1	159.8	57.75	0	23033.175	698.9247312	16065.28416	30000	0	0	30000	37.875	2004
12.02.2020 09:39:48	1	1	1	1	159.8	57.75	0	21943.128	724.7311828	15808.44182	30000	0	0	30000	37.75	2004
12.02.2020 09:39:49	1	1	1	1	159.8	57.75	0	21658.768	735.483871	15951.94738	30000	0	0	30000	37.5	2004
12.02.2020 09:39:50	1	1	1	1	159.8	57.5	0	23033.175	694.6236559	15999.23899	30000	0	0	30000	37.3125	2004
12.02.2020 09:39:52	1	1	1	1	159.8	57.25	0	23317.536	677.4193548	15827.19539	30000	0	0	30000	37.375	2004
12.02.2020 09:39:53	1	1	1	1	159.8	57.25	0	23175.355	688.172043	15998.42361	30000	0	0	30000	37.625	2004
12.02.2020 09:39:54	1	1	1	1	159.8	57.5	0	21753.555	739.7849462	16093.00682	30000	0	0	30000	37.8125	2004
12.02.2020 09:39:55	1	1	1	1	159.3	57.75	0	22132.701	720.4301075	15944.60903	30000	0	0	30000	37.8125	2004
12.02.2020 09:39:56	1	1	1	1	159.3	57.75	0	22748.815	703.2258065	15997.60824	30000	0	0	30000	37.875	2004
12.02.2020 09:39:57	1	1	1	1	159.3	57.75	0	22132.701	720.4301075	15944.60903	30000	0	0	30000	37.5625	2004
12.02.2020 09:39:58	1	1	1	1	159.3	57.5	0	21943.128	726.8817204	15996.79287	30000	0	0	30000	36.75	2004
12.02.2020 09:40:04	1	1	1	1	159.3	57.5	0	23080.569	694.6236559	16031.85389	30000	0	0	30000	37.75	2004
12.02.2020 09:40:04	1	1	1	1	159.3	57.5	0	23080.569	694.6236559	16031.85389	30000	0	0	30000	37.75	2004
12.02.2020 09:40:04	1	1	1	1	159.3	57.5	0	23080.569	694.6236559	16031.85389	30000	0	0	30000	37.75	2004
12.02.2020 09:40:04	1	1	1	1	159.3	57.5	0	23080.569	694.6236559	16031.85389	30000	0	0	30000	37.75	2004
12.02.2020 09:40:04	1	1	1	1	159.3	57.5	0	23080.569	694.6236559	16031.85389	30000	0	0	30000	37.75	2004
12.02.2020 09:40:05	1	1	1	1	158.5	57.75	0	22511.848	709.6774194	16024.51553	30000	0	0	30000	37.75	2004
12.02.2020 09:40:06	1	1	1	1	158.5	57.75	0	23080.569	694.6236559	16031.85389	30000	0	0	30000	37.8125	2004
12.02.2020 09:40:07	1	1	1	1	158.5	57.75	0	23080.569	690.3225806	15932.37844	30000	0	0	30000	37.875	2004
12.02.2020 09:40:08	1	1	1	1	158.5	57.75	0	22890.995	701.0752688	16097.08368	30000	0	0	30000	37.1875	2004
12.02.2020 09:40:09	1	1	1	1	158.5	57	0	22890.995	696.7741935	15900.57891	30000	0	0	30000	37.875	2004
12.02.2020 09:40:10	1	1	1	1	158.5	57.75	0	22796.209	713.9784946	16095.45294	30000	0	0	30000	37.625	2004
12.02.2020 09:40:11	1	1	1	1	158.5	57.5	0	22274.882	718.2795699	16081.59161	30000	0	0	30000	37.8125	2004
12.02.2020 09:40:12	1	1	1	1	158.5	57.75	0	23033.175	694.6236559	16031.85389	30000	0	0	30000	37.75	2004
12.02.2020 09:40:13	1	1	1	1	158.5	57.75	0	22322.275	713.9784946	15937.27068	30000	0	0	30000	37.6875	2004
12.02.2020 09:40:14	1	1	1	1	158.5	57.5	0	23222.749	688.172043	15948.68589	30000	0	0	30000	37.6875	2004
12.02.2020 09:40:15	1	1	1	1	158.5	57.5	0	22985.782	694.6236559	15999.23899	30000	0	0	30000	37.5625	2004
12.02.2020 09:40:16	1	1	1	1	158.5	58	0	21943.128	726.8817204	15996.79287	30000	0	0	30000	37.875	2004
12.02.2020 09:40:17	1	1	1	1	158.5	57.75	0	22227.488	720.4301075	16013.10032	30000	0	0	30000	37.8125	2004
12.02.2020 09:40:18	1	1	1	1	158.5	57.75	0	22559.242	709.6774194	15927.48621	30000	0	0	30000	37.9375	2004
12.02.2020 09:40:19	1	1	1	1	158.5	57.75	0	21895.735	729.0322581	15962.54722	30000	0	0	30000	37.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 09:40:20	1	1	1	1	158.5	57.75	0	22748.815	703.2258065	15997.60824	30000	0	0	30000	37.9375	2004
12.02.2020 09:40:21	1	1	1	1	158.5	57.75	0	22559.242	707.5268817	15863.88715	30000	0	0	30000	37.25	2004
12.02.2020 09:40:22	1	1	1	1	158.5	57.25	0	22985.782	698.9247312	16097.89906	30000	0	0	30000	37.875	2004
12.02.2020 09:40:23	1	1	1	1	158.5	57.75	0	23080.569	694.6236559	16031.85389	30000	0	0	30000	37.9375	2004
12.02.2020 09:40:24	1	1	1	1	158.8	57.75	0	22511.848	694.6236559	15669.8285	30000	0	0	30000	37.625	2004
12.02.2020 09:40:25	1	1	1	1	158.8	57.5	0	22417.062	713.9784946	16072.62251	30000	0	0	30000	37.5	2004
12.02.2020 09:40:26	1	1	1	1	158.8	57.5	0	21943.128	731.1827957	16091.37608	30000	0	0	30000	36.75	2004
12.02.2020 09:40:27	1	1	1	1	158.8	56.75	0	22132.701	724.7311828	16135.40619	30000	0	0	30000	37.5	2004
12.02.2020 09:40:28	1	1	1	1	158.8	57.5	0	22274.882	720.4301075	16047.34596	30000	0	0	30000	38.0625	2004
12.02.2020 09:40:29	1	1	1	1	158.8	58	0	21895.735	729.0322581	15927.48621	30000	0	0	30000	37.9375	2004
12.02.2020 09:40:30	1	1	1	1	158.8	57.75	0	22132.701	718.2795699	15978.85467	30000	0	0	30000	37.1875	2004
12.02.2020 09:40:32	1	1	1	1	158.8	57	0	22796.209	703.2258065	16030.22314	30000	0	0	30000	37.8125	2004
12.02.2020 09:40:33	1	1	1	1	158.8	57.75	0	23033.175	694.6236559	15965.80871	30000	0	0	30000	37.5625	2004
12.02.2020 09:40:34	1	1	1	1	158.8	57.5	0	22890.995	698.9247312	15998.42361	30000	0	0	30000	37.9375	2004
12.02.2020 09:40:35	1	1	1	1	158.5	57.75	0	22511.848	711.827957	15763.59634	30000	0	0	30000	37.875	2004
12.02.2020 09:40:36	1	1	1	1	158.5	57.75	0	21943.128	720.4301075	15944.60903	30000	0	0	30000	37.9375	2004
12.02.2020 09:40:37	1	1	1	1	158.5	57.75	0	22890.995	701.0752688	15965.80871	30000	0	0	30000	37.9375	2004
12.02.2020 09:40:38	1	1	1	1	158.5	57.75	0	21943.128	729.0322581	16091.37608	30000	0	0	30000	37.8125	2004
12.02.2020 09:40:39	1	1	1	1	158.5	57.75	0	21943.128	724.7311828	15808.44182	30000	0	0	30000	37.4375	2004
12.02.2020 09:40:40	1	1	1	1	158.5	57.25	0	21943.128	720.4301075	15902.20966	30000	0	0	30000	38.0625	2004
12.02.2020 09:40:41	1	1	1	1	158.5	58	0	22132.701	724.7311828	15944.60903	30000	0	0	30000	37.3125	2004
12.02.2020 09:40:42	1	1	1	1	158.5	57.25	0	22227.488	716.1290323	15999.23899	30000	0	0	30000	37.75	2004
12.02.2020 09:40:43	1	1	1	1	158.5	57.75	0	21943.128	739.7849462	16091.37608	30000	0	0	30000	37.875	2004
12.02.2020 09:40:44	1	1	1	1	158.5	57.75	0	22748.815	701.0752688	15948.68589	30000	0	0	30000	37.5	2004
12.02.2020 09:40:45	1	1	1	1	159	57.5	0	21848.341	739.7849462	16163.12886	30000	0	0	30000	37.4375	2004
12.02.2020 09:40:46	1	1	1	1	159	57.25	0	22748.815	703.2258065	15997.60824	30000	0	0	30000	38.0625	2004
12.02.2020 09:40:47	1	1	1	1	159	58	0	21895.735	735.483871	16103.60666	30000	0	0	30000	37.875	2004
12.02.2020 09:40:48	1	1	1	1	159	57.75	0	22464.455	713.9784946	16024.51553	30000	0	0	30000	37.9375	2004
12.02.2020 09:40:49	1	1	1	1	159	57.75	0	22369.668	713.9784946	15971.51632	30000	0	0	30000	37.75	2004
12.02.2020 09:40:50	1	1	1	1	159	57.75	0	22890.995	703.2258065	16063.65341	30000	0	0	30000	37.75	2004
12.02.2020 09:40:51	1	1	1	1	159	57.75	0	22796.209	703.2258065	16030.22314	30000	0	0	30000	37.8125	2004
12.02.2020 09:40:52	1	1	1	1	159	57.75	0	21800.948	733.3333333	15987.0084	30000	0	0	30000	37.1875	2004
12.02.2020 09:40:53	1	1	1	1	159	57	0	23270.142	688.172043	16013.91569	30000	0	0	30000	37.6875	2004
12.02.2020 09:40:54	1	1	1	1	159	57.5	0	23080.569	690.3225806	15998.42361	30000	0	0	30000	37.875	2004
12.02.2020 09:40:55	1	1	1	1	158.3	57.75	0	23080.569	694.6236559	15899.76354	30000	0	0	30000	37.625	2004
12.02.2020 09:40:56	1	1	1	1	158.3	58.25	0	23459.716	675.2688172	15924.22472	30000	0	0	30000	37.875	2004
12.02.2020 09:40:57	1	1	1	1	158.3	57.75	0	22132.701	720.4301075	15944.60903	30000	0	0	30000	37.9375	2004
12.02.2020 09:40:58	1	1	1	1	158.3	57.75	0	23033.175	690.3225806	15932.37844	30000	0	0	30000	37.75	2004
12.02.2020 09:40:59	1	1	1	1	158.3	57.75	0	22748.815	703.2258065	15997.60824	30000	0	0	30000	37.875	2004
12.02.2020 09:41:06	1	1	1	1	158.3	58	0	21943.128	720.4301075	15808.44182	30000	0	0	30000	37.9375	2004
12.02.2020 09:41:06	1	1	1	1	158.3	58	0	21943.128	720.4301075	15808.44182	30000	0	0	30000	37.9375	2004
12.02.2020 09:41:06	1	1	1	1	158.3	58	0	21943.128	720.4301075	15808.44182	30000	0	0	30000	37.9375	2004
12.02.2020 09:41:06	1	1	1	1	158.3	58	0	21943.128	720.4301075	15808.44182	30000	0	0	30000	37.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 09:41:06	1	1	1	1	158.3	58	0	21943.128	720.4301075	15808.44182	30000	0	0	30000	37.9375	2004
12.02.2020 09:41:06	1	1	1	1	158.3	58	0	21943.128	720.4301075	15808.44182	30000	0	0	30000	37.9375	2004
12.02.2020 09:41:06	1	1	1	1	158.3	57.75	0	22748.815	703.2258065	15997.60824	30000	0	0	30000	37.9375	2004
12.02.2020 09:41:07	1	1	1	1	158.3	57.75	0	22274.882	720.4301075	16047.34596	30000	0	0	30000	37.75	2004
12.02.2020 09:41:08	1	1	1	1	158.3	57.75	0	21563.981	739.7849462	15998.42361	30000	0	0	30000	37.875	2004
12.02.2020 09:41:09	1	1	1	1	158.3	57.75	0	22985.782	698.9247312	16065.28416	30000	0	0	30000	38	2004
12.02.2020 09:41:10	1	1	1	1	158.3	58	0	22748.815	701.0752688	15997.60824	30000	0	0	30000	37.8125	2004
12.02.2020 09:41:11	1	1	1	1	158.3	57.75	0	21895.735	735.483871	16044.08447	30000	0	0	30000	37.3125	2004
12.02.2020 09:41:13	1	1	1	1	158.3	57.25	0	22796.209	707.5268817	16030.22314	30000	0	0	30000	37.75	2004
12.02.2020 09:41:14	1	1	1	1	158.3	57.75	0	22274.882	720.4301075	16047.34596	30000	0	0	30000	37.8125	2004
12.02.2020 09:41:15	1	1	1	1	158.3	57.75	0	22796.209	696.7741935	15834.53374	30000	0	0	30000	36.9375	2004
12.02.2020 09:41:16	1	1	1	1	158.3	56.75	0	22748.815	703.2258065	15997.60824	30000	0	0	30000	37.9375	2004
12.02.2020 09:41:17	1	1	1	1	158.3	57.75	0	22748.815	703.2258065	15997.60824	30000	0	0	30000	38	2004
12.02.2020 09:41:18	1	1	1	1	158.3	58	0	21943.128	718.2795699	15944.60903	30000	0	0	30000	37.5	2004
12.02.2020 09:41:19	1	1	1	1	158.3	57.5	0	21563.981	735.483871	15859.81029	30000	0	0	30000	37.9375	2004
12.02.2020 09:41:20	1	1	1	1	158.3	57.75	0	21943.128	731.1827957	15996.79287	30000	0	0	30000	37.375	2004
12.02.2020 09:41:21	1	1	1	1	158.3	57.25	0	21800.948	729.0322581	15893.24056	30000	0	0	30000	38	2004
12.02.2020 09:41:22	1	1	1	1	158.3	58	0	21753.555	735.483871	15813.33406	30000	0	0	30000	37.6875	2004
12.02.2020 09:41:23	1	1	1	1	158.3	57.5	0	21753.555	739.7849462	15999.23899	30000	0	0	30000	37.3125	2004
12.02.2020 09:41:24	1	1	1	1	158.3	57.25	0	21943.128	720.4301075	15808.44182	30000	0	0	30000	37.75	2004
12.02.2020 09:41:25	1	1	1	1	158.5	57.75	0	22227.488	720.4301075	16013.10032	30000	0	0	30000	37.875	2004
12.02.2020 09:41:26	1	1	1	1	158.5	57.75	0	22369.668	713.9784946	16004.94659	30000	0	0	30000	37.75	2004
12.02.2020 09:41:27	1	1	1	1	158.5	57.75	0	22274.882	718.2795699	15999.23899	30000	0	0	30000	37.75	2004
12.02.2020 09:41:28	1	1	1	1	158.5	57.75	0	21943.128	726.8817204	16040.00761	30000	0	0	30000	37.3125	2004
12.02.2020 09:41:29	1	1	1	1	158.5	57.25	0	21279.621	763.4408602	16245.48148	30000	0	0	30000	37.25	2004
12.02.2020 09:41:30	1	1	1	1	158.5	57.25	0	21706.161	741.9354839	16139.48305	30000	0	0	30000	38.25	2004
12.02.2020 09:41:31	1	1	1	1	158.5	58.25	0	22748.815	703.2258065	15997.60824	30000	0	0	30000	37.75	2004
12.02.2020 09:41:32	1	1	1	1	158.5	57.75	0	22796.209	703.2258065	16030.22314	30000	0	0	30000	37.9375	2004
12.02.2020 09:41:33	1	1	1	1	158.5	57.75	0	22132.701	726.8817204	16040.00761	30000	0	0	30000	37.875	2004
12.02.2020 09:41:34	1	1	1	1	158.5	57	0	22559.242	703.2258065	15733.42755	30000	0	0	30000	37.9375	2004
12.02.2020 09:41:35	1	1	1	1	158.5	57.75	0	21137.441	761.2903226	16045.71522	30000	0	0	30000	38	2004
12.02.2020 09:41:36	1	1	1	1	158.5	58	0	21943.128	729.0322581	15996.79287	30000	0	0	30000	37.625	2004
12.02.2020 09:41:37	1	1	1	1	158.5	57.5	0	21943.128	720.4301075	15808.44182	30000	0	0	30000	37.9375	2004
12.02.2020 09:41:38	1	1	1	1	158.5	57.75	0	21943.128	735.483871	16091.37608	30000	0	0	30000	37.6875	2004
12.02.2020 09:41:39	1	1	1	1	158.5	57.5	0	22132.701	720.4301075	15944.60903	30000	0	0	30000	37.875	2004
12.02.2020 09:41:40	1	1	1	1	158.5	57.75	0	22748.815	703.2258065	15997.60824	30000	0	0	30000	37.875	2004
12.02.2020 09:41:41	1	1	1	1	158.5	57.75	0	22417.062	713.9784946	15956.83962	30000	0	0	30000	37.75	2004
12.02.2020 09:41:42	1	1	1	1	158.5	57.75	0	22274.882	713.9784946	15985.37765	30000	0	0	30000	37.9375	2004
12.02.2020 09:41:43	1	1	1	1	158.5	57.75	0	22511.848	713.9784946	16072.62251	30000	0	0	30000	37.875	2004
12.02.2020 09:41:44	1	1	1	1	158	57.75	0	21800.948	735.483871	16128.06784	30000	0	0	30000	37.9375	2004
12.02.2020 09:41:45	1	1	1	1	158	57.75	0	22748.815	703.2258065	15997.60824	30000	0	0	30000	37.3125	2004
12.02.2020 09:41:46	1	1	1	1	158	57.25	0	22227.488	718.2795699	15964.99334	30000	0	0	30000	38	2004
12.02.2020 09:41:47	1	1	1	1	158	58	0	23080.569	690.3225806	16131.32933	30000	0	0	30000	38.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 09:41:48	1	1	1	1	158	58	0	22322.275	720.4301075	16047.34596	30000	0	0	30000	37.25	2004
12.02.2020 09:41:49	1	1	1	1	158	57.25	0	21374.408	756.9892473	15788.05751	30000	0	0	30000	37.8125	2004
12.02.2020 09:41:50	1	1	1	1	158	57.75	0	22748.815	703.2258065	15997.60824	30000	0	0	30000	38.0625	2004
12.02.2020 09:41:52	1	1	1	1	158	58	0	22511.848	709.6774194	16024.51553	30000	0	0	30000	37.5625	2004
12.02.2020 09:41:53	1	1	1	1	158	57.5	0	20663.507	767.7419355	15827.19539	30000	0	0	30000	37.3125	2004
12.02.2020 09:41:54	1	1	1	1	158	57.25	0	20995.261	763.4408602	16028.5924	30000	0	0	30000	38.0625	2004
12.02.2020 09:41:55	1	1	1	1	158	58	0	21943.128	726.8817204	16135.40619	30000	0	0	30000	37.125	2004
12.02.2020 09:41:56	1	1	1	1	158	57	0	21137.441	756.9892473	16072.62251	30000	0	0	30000	37.9375	2004
12.02.2020 09:41:57	1	1	1	1	158	57.75	0	20853.081	769.8924731	16009.83883	30000	0	0	30000	37.4375	2004
12.02.2020 09:41:58	1	1	1	1	158	57.25	0	21137.441	756.9892473	16036.74612	30000	0	0	30000	37.8125	2004
12.02.2020 09:41:59	1	1	1	1	158	57.75	0	21563.981	744.0860215	16091.37608	30000	0	0	30000	38	2004
12.02.2020 09:42:00	1	1	1	1	158	58	0	22417.062	713.9784946	15956.83962	30000	0	0	30000	37.5	2004
12.02.2020 09:42:01	1	1	1	1	158	57.5	0	21137.441	756.9892473	15964.99334	30000	0	0	30000	37.9375	2004
12.02.2020 09:42:07	1	1	1	1	157.8	57.75	0	21848.341	735.483871	16022.06942	30000	0	0	30000	37.4375	2004
12.02.2020 09:42:07	1	1	1	1	157.8	57.75	0	21848.341	735.483871	16022.06942	30000	0	0	30000	37.4375	2004
12.02.2020 09:42:07	1	1	1	1	157.8	57.75	0	21848.341	735.483871	16022.06942	30000	0	0	30000	37.4375	2004
12.02.2020 09:42:07	1	1	1	1	157.8	57.75	0	21848.341	735.483871	16022.06942	30000	0	0	30000	37.4375	2004
12.02.2020 09:42:07	1	1	1	1	157.8	57.75	0	21848.341	735.483871	16022.06942	30000	0	0	30000	37.4375	2004
12.02.2020 09:42:07	1	1	1	1	157.8	57.75	0	21848.341	735.483871	16022.06942	30000	0	0	30000	37.4375	2004
12.02.2020 09:42:07	1	1	1	1	157.8	57.75	0	21848.341	735.483871	16022.06942	30000	0	0	30000	37.4375	2004
12.02.2020 09:42:08	1	1	1	1	157.8	57.25	0	22890.995	701.0752688	16097.08368	30000	0	0	30000	36.8125	2004
12.02.2020 09:42:09	1	1	1	1	157.8	56.75	0	21943.128	729.0322581	15996.79287	30000	0	0	30000	37.9375	2004
12.02.2020 09:42:10	1	1	1	1	157.8	57.75	0	21469.194	741.9354839	15812.51869	30000	0	0	30000	38.3125	2004
12.02.2020 09:42:11	1	1	1	1	157.8	58.25	0	20995.261	756.9892473	15893.24056	30000	0	0	30000	38.1875	2004
12.02.2020 09:42:12	1	1	1	1	157.8	58	0	21232.227	756.9892473	16118.28337	30000	0	0	30000	38.3125	2004
12.02.2020 09:42:13	1	1	1	1	157.8	58.25	0	21563.981	756.9892473	16091.37608	30000	0	0	30000	37.75	2004
12.02.2020 09:42:14	1	1	1	1	157.8	57.75	0	21516.588	744.0860215	16287.88085	30000	0	0	30000	37.5625	2004
12.02.2020 09:42:15	1	1	1	1	157.8	57.5	0	21943.128	729.0322581	16044.08447	30000	0	0	30000	37.375	2004
12.02.2020 09:42:16	1	1	1	1	157.8	57.25	0	21800.948	739.7849462	16163.12886	30000	0	0	30000	37.9375	2004
12.02.2020 09:42:17	1	1	1	1	157.8	57.75	0	22559.242	711.827957	16072.62251	30000	0	0	30000	37.875	2004
12.02.2020 09:42:18	1	1	1	1	157.8	57.75	0	21563.981	744.0860215	15998.42361	30000	0	0	30000	37.9375	2004
12.02.2020 09:42:19	1	1	1	1	157.8	57.75	0	22417.062	713.9784946	15923.40934	30000	0	0	30000	38.125	2004
12.02.2020 09:42:20	1	1	1	1	157.8	58	0	21563.981	731.1827957	15766.85783	30000	0	0	30000	37.75	2004
12.02.2020 09:42:21	1	1	1	1	157.8	57.75	0	22227.488	726.8817204	16108.4989	30000	0	0	30000	37.9375	2004
12.02.2020 09:42:22	1	1	1	1	157.8	57.75	0	22511.848	713.9784946	16039.19224	30000	0	0	30000	37.4375	2004
12.02.2020 09:42:23	1	1	1	1	157.8	57.25	0	21563.981	735.483871	15813.33406	30000	0	0	30000	38.1875	2004
12.02.2020 09:42:24	1	1	1	1	158.5	58	0	22417.062	713.9784946	15956.83962	30000	0	0	30000	38.0625	2004
12.02.2020 09:42:25	1	1	1	1	158.5	58	0	22748.815	703.2258065	15997.60824	30000	0	0	30000	37.8125	2004
12.02.2020 09:42:26	1	1	1	1	158.5	57.75	0	21943.128	724.7311828	15808.44182	30000	0	0	30000	38	2004
12.02.2020 09:42:28	1	1	1	1	158.5	58	0	22369.668	720.4301075	16115.83725	30000	0	0	30000	38	2004
12.02.2020 09:42:29	1	1	1	1	158.5	58	0	22796.209	703.2258065	16030.22314	30000	0	0	30000	38	2004
12.02.2020 09:42:30	1	1	1	1	158.5	58	0	22227.488	718.2795699	16013.10032	30000	0	0	30000	38	2004
12.02.2020 09:42:31	1	1	1	1	158.5	58	0	22274.882	716.1290323	15917.70174	30000	0	0	30000	38.125	2004
12.02.2020 09:42:32	1	1	1	1	158.5	58	0	22890.995	703.2258065	16048.16134	30000	0	0	30000	37.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 09:42:33	1	1	1	1	158.5	57.75	0	21563.981	741.9354839	15998.42361	30000	0	0	30000	37.9375	2004
12.02.2020 09:42:34	1	1	1	1	158.5	57.75	0	22748.815	703.2258065	16095.45294	30000	0	0	30000	37.875	2004
12.02.2020 09:42:35	1	1	1	1	158.8	57.75	0	22180.095	720.4301075	16013.10032	30000	0	0	30000	37.875	2004
12.02.2020 09:42:36	1	1	1	1	158.8	57.75	0	23080.569	694.6236559	15999.23899	30000	0	0	30000	37.125	2004
12.02.2020 09:42:37	1	1	1	1	158.8	57	0	22227.488	720.4301075	16047.34596	30000	0	0	30000	37.875	2004
12.02.2020 09:42:38	1	1	1	1	158.8	57.75	0	21563.981	741.9354839	16044.89985	30000	0	0	30000	37.3125	2004
12.02.2020 09:42:39	1	1	1	1	158.8	57.25	0	21232.227	759.1397849	16118.28337	30000	0	0	30000	37.125	2004
12.02.2020 09:42:40	1	1	1	1	158.8	57	0	22417.062	713.9784946	16004.94659	30000	0	0	30000	38.1875	2004
12.02.2020 09:42:41	1	1	1	1	158.8	58	0	21090.047	756.9892473	16009.83883	30000	0	0	30000	37.875	2004
12.02.2020 09:42:42	1	1	1	1	158.8	57.75	0	22227.488	729.0322581	16135.40619	30000	0	0	30000	37.25	2004
12.02.2020 09:42:43	1	1	1	1	158.8	57.25	0	21753.555	739.7849462	15999.23899	30000	0	0	30000	37.875	2004
12.02.2020 09:42:44	1	1	1	1	158.8	57.75	0	22132.701	720.4301075	15944.60903	30000	0	0	30000	37.9375	2004
12.02.2020 09:42:45	1	1	1	1	158	57.75	0	22748.815	703.2258065	15997.60824	30000	0	0	30000	37.5	2004
12.02.2020 09:42:46	1	1	1	1	158	57.5	0	22748.815	703.2258065	16095.45294	30000	0	0	30000	37.8125	2004
12.02.2020 09:42:47	1	1	1	1	158	57.75	0	21895.735	739.7849462	16103.60666	30000	0	0	30000	37.125	2004
12.02.2020 09:42:48	1	1	1	1	158	57	0	21563.981	741.9354839	15998.42361	30000	0	0	30000	38.0625	2004
12.02.2020 09:42:49	1	1	1	1	158	58	0	22369.668	720.4301075	16067.73027	30000	0	0	30000	38.3125	2004
12.02.2020 09:42:50	1	1	1	1	158	58.25	0	21895.735	735.483871	16163.12886	30000	0	0	30000	38.0625	2004
12.02.2020 09:42:51	1	1	1	1	158	58	0	21848.341	735.483871	16068.54565	30000	0	0	30000	37.8125	2004
12.02.2020 09:42:52	1	1	1	1	158	57.75	0	21943.128	735.483871	16138.66768	30000	0	0	30000	37.125	2004
12.02.2020 09:42:53	1	1	1	1	158	57	0	22132.701	724.7311828	15944.60903	30000	0	0	30000	38.1875	2004
12.02.2020 09:42:54	1	1	1	1	158.8	58	0	21753.555	735.483871	16128.06784	30000	0	0	30000	38.125	2004
12.02.2020 09:42:55	1	1	1	1	158.8	58	0	21563.981	739.7849462	15906.28652	30000	0	0	30000	37.5625	2004
12.02.2020 09:42:56	1	1	1	1	158.8	57.5	0	22274.882	720.4301075	16047.34596	30000	0	0	30000	38.0625	2004
12.02.2020 09:42:57	1	1	1	1	158.8	58	0	22274.882	713.9784946	15951.13201	30000	0	0	30000	37.875	2004
12.02.2020 09:42:58	1	1	1	1	158.8	57.75	0	22132.701	729.0322581	16135.40619	30000	0	0	30000	37.5	2004
12.02.2020 09:42:59	1	1	1	1	158.8	57.5	0	21943.128	729.0322581	15902.20966	30000	0	0	30000	37.3125	2004
12.02.2020 09:43:00	1	1	1	1	158.8	57.25	0	22274.882	713.9784946	15903.8404	30000	0	0	30000	37.6875	2004
12.02.2020 09:43:01	1	1	1	1	158.8	57.5	0	23175.355	694.6236559	15932.37844	30000	0	0	30000	37.1875	2004
12.02.2020 09:43:02	1	1	1	1	158.8	57	0	21943.128	720.4301075	15713.85861	30000	0	0	30000	37.6875	2004
12.02.2020 09:43:09	1	1	1	1	159.5	57.5	0	21658.768	735.483871	15813.33406	30000	0	0	30000	37.0625	2004
12.02.2020 09:43:09	1	1	1	1	159.5	57.5	0	21658.768	735.483871	15813.33406	30000	0	0	30000	37.0625	2004
12.02.2020 09:43:09	1	1	1	1	159.5	57.5	0	21658.768	735.483871	15813.33406	30000	0	0	30000	37.0625	2004
12.02.2020 09:43:09	1	1	1	1	159.5	57.5	0	21658.768	735.483871	15813.33406	30000	0	0	30000	37.0625	2004
12.02.2020 09:43:09	1	1	1	1	159.5	57.5	0	21658.768	735.483871	15813.33406	30000	0	0	30000	37.0625	2004
12.02.2020 09:43:09	1	1	1	1	159.5	57.5	0	21658.768	735.483871	15813.33406	30000	0	0	30000	37.0625	2004
12.02.2020 09:43:10	1	1	1	1	159.5	57	0	22274.882	718.2795699	15999.23899	30000	0	0	30000	38.125	2004
12.02.2020 09:43:11	1	1	1	1	159.5	58	0	22369.668	718.2795699	16067.73027	30000	0	0	30000	38.1875	2004
12.02.2020 09:43:12	1	1	1	1	159.5	58	0	22559.242	703.2258065	15830.45688	30000	0	0	30000	38.125	2004
12.02.2020 09:43:13	1	1	1	1	159.5	58	0	22417.062	713.9784946	16101.16055	30000	0	0	30000	38	2004
12.02.2020 09:43:14	1	1	1	1	159.5	58	0	21943.128	720.4301075	15808.44182	30000	0	0	30000	38.1875	2004
12.02.2020 09:43:15	1	1	1	1	159.3	58	0	21563.981	735.483871	16093.00682	30000	0	0	30000	38.0625	2004
12.02.2020 09:43:16	1	1	1	1	159.3	58	0	22417.062	718.2795699	16053.05357	30000	0	0	30000	38.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 09:43:17	1	1	1	1	159.3	58	0	22843.602	703.2258065	16097.08368	30000	0	0	30000	37.875	2004
12.02.2020 09:43:18	1	1	1	1	159.3	57.75	0	22132.701	720.4301075	15897.31742	30000	0	0	30000	37.5625	2004
12.02.2020 09:43:19	1	1	1	1	159.3	57.5	0	21563.981	739.7849462	15952.76275	30000	0	0	30000	38.1875	2004
12.02.2020 09:43:20	1	1	1	1	159.3	58	0	22274.882	720.4301075	15999.23899	30000	0	0	30000	37.3125	2004
12.02.2020 09:43:21	1	1	1	1	159.3	57.25	0	21279.621	735.483871	15812.51869	30000	0	0	30000	38.0625	2004
12.02.2020 09:43:22	1	1	1	1	159.3	58	0	22274.882	716.1290323	15985.37765	30000	0	0	30000	37.3125	2004
12.02.2020 09:43:23	1	1	1	1	159.3	57.25	0	21232.227	756.9892473	16072.62251	30000	0	0	30000	38.1875	2004
12.02.2020 09:43:24	1	1	1	1	159.3	58	0	21563.981	739.7849462	15998.42361	30000	0	0	30000	37.5	2004
12.02.2020 09:43:25	1	1	1	1	159	57.5	0	20995.261	765.5913978	16118.28337	30000	0	0	30000	38	2004
12.02.2020 09:43:26	1	1	1	1	159	58	0	21753.555	739.7849462	16093.00682	30000	0	0	30000	38.1875	2004
12.02.2020 09:43:27	1	1	1	1	159	58	0	21848.341	731.1827957	16198.18987	30000	0	0	30000	37.625	2004
12.02.2020 09:43:28	1	1	1	1	159	57.5	0	21943.128	720.4301075	15996.79287	30000	0	0	30000	38.4375	2004
12.02.2020 09:43:29	1	1	1	1	159	58.25	0	22227.488	720.4301075	16013.10032	30000	0	0	30000	37	2004
12.02.2020 09:43:30	1	1	1	1	159	57.5	0	21563.981	739.7849462	16091.37608	30000	0	0	30000	38	2004
12.02.2020 09:43:31	1	1	1	1	159	58	0	21943.128	729.0322581	15996.79287	30000	0	0	30000	38.125	2004
12.02.2020 09:43:32	1	1	1	1	159	58	0	22890.995	703.2258065	15998.42361	30000	0	0	30000	38.0625	2004
12.02.2020 09:43:33	1	1	1	1	159	58	0	21895.735	726.8817204	15996.79287	30000	0	0	30000	37.875	2004
12.02.2020 09:43:34	1	1	1	1	158.8	57.75	0	22796.209	698.9247312	15932.37844	30000	0	0	30000	38.25	2004
12.02.2020 09:43:35	1	1	1	1	158.8	58.25	0	22322.275	718.2795699	16081.59161	30000	0	0	30000	38.125	2004
12.02.2020 09:43:36	1	1	1	1	158.8	58	0	23033.175	694.6236559	16031.85389	30000	0	0	30000	37.875	2004
12.02.2020 09:43:37	1	1	1	1	158.8	57.75	0	22274.882	716.1290323	15869.59476	30000	0	0	30000	38.1875	2004
12.02.2020 09:43:38	1	1	1	1	158.8	58	0	21943.128	724.7311828	15902.20966	30000	0	0	30000	37.5625	2004
12.02.2020 09:43:39	1	1	1	1	158.8	57.5	0	21279.621	756.9892473	15879.37923	30000	0	0	30000	38	2004
12.02.2020 09:43:40	1	1	1	1	158.8	58	0	22274.882	718.2795699	16047.34596	30000	0	0	30000	38.0625	2004
12.02.2020 09:43:41	1	1	1	1	158.8	58	0	21232.227	756.9892473	16072.62251	30000	0	0	30000	37.875	2004
12.02.2020 09:43:42	1	1	1	1	158.8	57.75	0	21090.047	756.9892473	16000.86973	30000	0	0	30000	38.1875	2004
12.02.2020 09:43:43	1	1	1	1	158.8	58	0	20616.114	765.5913978	15827.19539	30000	0	0	30000	37.6875	2004
12.02.2020 09:43:44	1	1	1	1	159.5	57.5	0	20521.327	769.8924731	15754.62724	30000	0	0	30000	37.625	2004
12.02.2020 09:43:45	1	1	1	1	159.5	57.5	0	21137.441	739.7849462	16072.62251	30000	0	0	30000	37.875	2004
12.02.2020 09:43:46	1	1	1	1	159.5	57.75	0	21374.408	756.9892473	15833.71837	30000	0	0	30000	37.8125	2004
12.02.2020 09:43:47	1	1	1	1	159.5	57.75	0	21563.981	744.0860215	15998.42361	30000	0	0	30000	38	2004
12.02.2020 09:43:48	1	1	1	1	159.5	58	0	21516.588	741.9354839	15963.3626	30000	0	0	30000	37.8125	2004
12.02.2020 09:43:49	1	1	1	1	159.5	57.75	0	21753.555	739.7849462	16093.00682	30000	0	0	30000	38.1875	2004
12.02.2020 09:43:50	1	1	1	1	159.5	58	0	21090.047	759.1397849	15964.99334	30000	0	0	30000	37.75	2004
12.02.2020 09:43:51	1	1	1	1	159.5	57.75	0	21042.654	756.9892473	15929.11695	30000	0	0	30000	38.0625	2004
12.02.2020 09:43:52	1	1	1	1	159.5	58	0	21137.441	756.9892473	16000.86973	30000	0	0	30000	37.1875	2004
12.02.2020 09:43:53	1	1	1	1	159.5	57	0	20616.114	772.0430108	15916.07099	30000	0	0	30000	38.125	2004
12.02.2020 09:43:54	1	1	1	1	159	58	0	21279.621	744.0860215	15788.05751	30000	0	0	30000	38.25	2004
12.02.2020 09:43:55	1	1	1	1	159	58.25	0	21042.654	756.9892473	15929.11695	30000	0	0	30000	37.4375	2004
12.02.2020 09:43:56	1	1	1	1	159	57.25	0	21090.047	756.9892473	15964.99334	30000	0	0	30000	37.875	2004
12.02.2020 09:43:57	1	1	1	1	159	57.75	0	21137.441	756.9892473	16072.62251	30000	0	0	30000	37.5	2004
12.02.2020 09:43:58	1	1	1	1	159	57.5	0	20000	787.0967742	15698.36654	30000	0	0	30000	37.6875	2004
12.02.2020 09:43:59	1	1	1	1	159	57.5	0	20805.687	776.344086	16115.02188	30000	0	0	30000	38.125	2004
12.02.2020 09:44:00	1	1	1	1	159	57.5	0	20805.687	776.344086	16115.02188	30000	0	0	30000	38.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 09:44:01	1	1	1	1	159	58	0	20900.474	765.5913978	16045.71522	30000	0	0	30000	38.0625	2004
12.02.2020 09:44:02	1	1	1	1	159	58	0	21090.047	756.9892473	15929.11695	30000	0	0	30000	38.1875	2004
12.02.2020 09:44:03	1	1	1	1	159	58	0	20995.261	763.4408602	16028.5924	30000	0	0	30000	38.25	2004
12.02.2020 09:44:04	1	1	1	1	159	58.25	0	21232.227	756.9892473	16072.62251	30000	0	0	30000	38.0625	2004
12.02.2020 09:44:10	1	1	1	1	159.8	58	0	21943.128	724.7311828	15774.19618	30000	0	0	30000	38.1875	2004
12.02.2020 09:44:10	1	1	1	1	159.8	58	0	21943.128	724.7311828	15774.19618	30000	0	0	30000	38.1875	2004
12.02.2020 09:44:10	1	1	1	1	159.8	58	0	21943.128	724.7311828	15774.19618	30000	0	0	30000	38.1875	2004
12.02.2020 09:44:10	1	1	1	1	159.8	58	0	21943.128	724.7311828	15774.19618	30000	0	0	30000	38.1875	2004
12.02.2020 09:44:10	1	1	1	1	159.8	58	0	21943.128	724.7311828	15774.19618	30000	0	0	30000	38.1875	2004
12.02.2020 09:44:10	1	1	1	1	159.8	58	0	21943.128	724.7311828	15774.19618	30000	0	0	30000	38.1875	2004
12.02.2020 09:44:11	1	1	1	1	159.8	58	0	21090.047	759.1397849	15929.11695	30000	0	0	30000	37.9375	2004
12.02.2020 09:44:12	1	1	1	1	159.8	57.75	0	21469.194	739.7849462	16287.88085	30000	0	0	30000	37.9375	2004
12.02.2020 09:44:13	1	1	1	1	159.8	57.75	0	21279.621	756.9892473	16108.4989	30000	0	0	30000	38.0625	2004
12.02.2020 09:44:14	1	1	1	1	160.3	58	0	21943.128	726.8817204	16040.00761	30000	0	0	30000	38.125	2004
12.02.2020 09:44:15	1	1	1	1	160.3	58	0	20853.081	772.0430108	16189.22078	30000	0	0	30000	37.5625	2004
12.02.2020 09:44:16	1	1	1	1	160.3	57.5	0	21943.128	724.7311828	15996.79287	30000	0	0	30000	38.0625	2004
12.02.2020 09:44:17	1	1	1	1	160.3	58	0	20900.474	765.5913978	15956.02424	30000	0	0	30000	38.0625	2004
12.02.2020 09:44:18	1	1	1	1	160.3	58	0	22132.701	729.0322581	16135.40619	30000	0	0	30000	38.1875	2004
12.02.2020 09:44:19	1	1	1	1	160.3	58	0	21943.128	726.8817204	15949.50126	30000	0	0	30000	38.1875	2004
12.02.2020 09:44:20	1	1	1	1	160.3	58	0	21753.555	739.7849462	15999.23899	30000	0	0	30000	38.0625	2004
12.02.2020 09:44:22	1	1	1	1	160.3	58	0	22511.848	713.9784946	16072.62251	30000	0	0	30000	37.8125	2004
12.02.2020 09:44:23	1	1	1	1	160.3	57.75	0	21658.768	735.483871	15906.28652	30000	0	0	30000	38.0625	2004
12.02.2020 09:44:24	1	1	1	1	160.3	58	0	21090.047	756.9892473	15964.99334	30000	0	0	30000	38.1875	2004
12.02.2020 09:44:25	1	1	1	1	159.5	58	0	21563.981	735.483871	15929.11695	30000	0	0	30000	37.9375	2004
12.02.2020 09:44:26	1	1	1	1	159.5	57.75	0	21232.227	746.2365591	16072.62251	30000	0	0	30000	38.125	2004
12.02.2020 09:44:27	1	1	1	1	159.5	58	0	21516.588	741.9354839	15963.3626	30000	0	0	30000	38.125	2004
12.02.2020 09:44:28	1	1	1	1	159.5	58	0	21943.128	739.7849462	16233.25089	30000	0	0	30000	38.125	2004
12.02.2020 09:44:29	1	1	1	1	159.5	58	0	21042.654	759.1397849	16009.83883	30000	0	0	30000	38.1875	2004
12.02.2020 09:44:30	1	1	1	1	159.5	58	0	21943.128	720.4301075	16135.40619	30000	0	0	30000	38.25	2004
12.02.2020 09:44:31	1	1	1	1	159.5	58.25	0	21563.981	744.0860215	15998.42361	30000	0	0	30000	38	2004
12.02.2020 09:44:32	1	1	1	1	159.5	58	0	22227.488	720.4301075	16013.10032	30000	0	0	30000	38.125	2004
12.02.2020 09:44:33	1	1	1	1	159.5	58	0	21516.588	744.0860215	15963.3626	30000	0	0	30000	38.125	2004
12.02.2020 09:44:34	1	1	1	1	159.5	58	0	22369.668	713.9784946	15971.51632	30000	0	0	30000	38.0625	2004
12.02.2020 09:44:35	1	1	1	1	159.8	58	0	22796.209	703.2258065	16030.22314	30000	0	0	30000	37.4375	2004
12.02.2020 09:44:36	1	1	1	1	159.8	57.25	0	21374.408	741.9354839	15858.17955	30000	0	0	30000	38.0625	2004
12.02.2020 09:44:37	1	1	1	1	159.8	58	0	21563.981	739.7849462	15952.76275	30000	0	0	30000	38.1875	2004
12.02.2020 09:44:38	1	1	1	1	159.8	58	0	20853.081	772.0430108	16099.5298	30000	0	0	30000	38.3125	2004
12.02.2020 09:44:39	1	1	1	1	159.8	58.25	0	21279.621	756.9892473	15752.99649	30000	0	0	30000	38.25	2004
12.02.2020 09:44:40	1	1	1	1	159.8	58.25	0	21848.341	733.3333333	15846.76433	30000	0	0	30000	38.1875	2004
12.02.2020 09:44:41	1	1	1	1	159.8	58	0	21184.834	759.1397849	16118.28337	30000	0	0	30000	38.0625	2004
12.02.2020 09:44:42	1	1	1	1	159.8	58	0	22227.488	720.4301075	15944.60903	30000	0	0	30000	37.9375	2004
12.02.2020 09:44:43	1	1	1	1	159.8	57.75	0	22322.275	720.4301075	16081.59161	30000	0	0	30000	37.875	2004
12.02.2020 09:44:44	1	1	1	1	159.8	57.75	0	21563.981	739.7849462	15952.76275	30000	0	0	30000	38.25	2004





	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 09:45:29	1	1	1	1	159.8	57.75	0	20758.294	772.0430108	16026.14628	30000	0	0	30000	38.0625	2004
12.02.2020 09:45:30	1	1	1	1	159.8	58	0	20947.867	763.4408602	15821.48778	30000	0	0	30000	38.1875	2004
12.02.2020 09:45:31	1	1	1	1	159.8	58	0	20947.867	759.1397849	15902.20966	30000	0	0	30000	38.125	2004
12.02.2020 09:45:34	1	1	1	1	159.8	57.25	0	20995.261	761.2903226	16028.5924	30000	0	0	30000	37.8125	2004
12.02.2020 09:45:34	1	1	1	1	159.8	57.25	0	20995.261	761.2903226	16028.5924	30000	0	0	30000	37.8125	2004
12.02.2020 09:45:34	1	1	1	1	160	57.75	0	21469.194	756.9892473	16020.43867	30000	0	0	30000	38.1875	2004
12.02.2020 09:45:35	1	1	1	1	160	58	0	21232.227	756.9892473	16045.71522	30000	0	0	30000	38.1875	2004
12.02.2020 09:45:36	1	1	1	1	160	58	0	20995.261	772.0430108	16208.78972	30000	0	0	30000	37.8125	2004
12.02.2020 09:45:37	1	1	1	1	160	57.75	0	20521.327	769.8924731	15835.34912	30000	0	0	30000	38.3125	2004
12.02.2020 09:45:38	1	1	1	1	160	58.25	0	21800.948	729.0322581	16022.06942	30000	0	0	30000	37.5	2004
12.02.2020 09:45:40	1	1	1	1	160	57.5	0	21232.227	756.9892473	16072.62251	30000	0	0	30000	38.375	2004
12.02.2020 09:45:41	1	1	1	1	160	58.25	0	21563.981	756.9892473	16044.89985	30000	0	0	30000	37.6875	2004
12.02.2020 09:45:42	1	1	1	1	160	57.5	0	20710.9	774.1935484	16115.02188	30000	0	0	30000	38	2004
12.02.2020 09:45:43	1	1	1	1	160	58	0	20710.9	759.1397849	15722.01234	30000	0	0	30000	38	2004
12.02.2020 09:45:44	1	1	1	1	160	58	0	22274.882	720.4301075	16047.34596	30000	0	0	30000	38	2004
12.02.2020 09:45:45	1	1	1	1	160.3	58	0	21374.408	756.9892473	16180.25168	30000	0	0	30000	38.0625	2004
12.02.2020 09:45:46	1	1	1	1	160.3	58	0	20379.147	772.0430108	15733.42755	30000	0	0	30000	38.25	2004
12.02.2020 09:45:47	1	1	1	1	160.3	58.25	0	21232.227	763.4408602	16209.60509	30000	0	0	30000	38.0625	2004
12.02.2020 09:45:48	1	1	1	1	160.3	58	0	21090.047	759.1397849	16009.83883	30000	0	0	30000	38.0625	2004
12.02.2020 09:45:49	1	1	1	1	160.3	58	0	21232.227	756.9892473	16072.62251	30000	0	0	30000	37.9375	2004
12.02.2020 09:45:50	1	1	1	1	160.3	57.75	0	21563.981	756.9892473	16323.75724	30000	0	0	30000	37.9375	2004
12.02.2020 09:45:51	1	1	1	1	160.3	57.75	0	21516.588	739.7849462	15917.70174	30000	0	0	30000	38.125	2004
12.02.2020 09:45:52	1	1	1	1	160.3	58	0	21279.621	744.0860215	15879.37923	30000	0	0	30000	38.3125	2004
12.02.2020 09:45:53	1	1	1	1	160.3	58.25	0	21279.621	756.9892473	15879.37923	30000	0	0	30000	38.125	2004
12.02.2020 09:45:54	1	1	1	1	160.3	58	0	20853.081	756.9892473	15866.33327	30000	0	0	30000	38.0625	2004
12.02.2020 09:45:55	1	1	1	1	160	58	0	20473.934	778.4946237	16019.6233	30000	0	0	30000	38.125	2004
12.02.2020 09:45:56	1	1	1	1	160	58	0	20236.967	791.3978495	16015.54644	30000	0	0	30000	37.4375	2004
12.02.2020 09:45:57	1	1	1	1	160	57.25	0	21137.441	759.1397849	16081.59161	30000	0	0	30000	37.6875	2004
12.02.2020 09:45:58	1	1	1	1	160	57.5	0	21137.441	756.9892473	16000.86973	30000	0	0	30000	37.9375	2004
12.02.2020 09:45:59	1	1	1	1	160	57.75	0	21327.014	741.9354839	15833.71837	30000	0	0	30000	38	2004
12.02.2020 09:46:00	1	1	1	1	160	58	0	20900.474	784.9462366	16405.29449	30000	0	0	30000	38.1875	2004
12.02.2020 09:46:01	1	1	1	1	160	58	0	21090.047	741.9354839	16000.86973	30000	0	0	30000	38.125	2004
12.02.2020 09:46:02	1	1	1	1	160	58	0	20853.081	774.1935484	16189.22078	30000	0	0	30000	37.875	2004
12.02.2020 09:46:03	1	1	1	1	160	57.75	0	21374.408	744.0860215	15950.31664	30000	0	0	30000	38.3125	2004
12.02.2020 09:46:04	1	1	1	1	160	58.25	0	21943.128	733.3333333	16091.37608	30000	0	0	30000	38.3125	2004
12.02.2020 09:46:05	1	1	1	1	159.5	57.75	0	21943.128	729.0322581	15996.79287	30000	0	0	30000	38.375	2004
12.02.2020 09:46:06	1	1	1	1	159.5	58.25	0	22417.062	713.9784946	16004.94659	30000	0	0	30000	38.1875	2004
12.02.2020 09:46:07	1	1	1	1	159.5	58	0	19810.427	782.7956989	15586.66051	30000	0	0	30000	38.1875	2004
12.02.2020 09:46:14	1	1	1	1	159.5	58	0	20379.147	787.0967742	16040.00761	30000	0	0	30000	38.0625	2004
12.02.2020 09:46:14	1	1	1	1	159.5	58	0	20379.147	787.0967742	16040.00761	30000	0	0	30000	38.0625	2004
12.02.2020 09:46:14	1	1	1	1	159.5	58	0	20379.147	787.0967742	16040.00761	30000	0	0	30000	38.0625	2004
12.02.2020 09:46:14	1	1	1	1	159.5	58	0	20379.147	787.0967742	16040.00761	30000	0	0	30000	38.0625	2004
12.02.2020 09:46:14	1	1	1	1	159.5	58	0	20379.147	787.0967742	16040.00761	30000	0	0	30000	38.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 09:46:14	1	1	1	1	159.5	58	0	20379.147	787.0967742	16040.00761	30000	0	0	30000	38.0625	2004
12.02.2020 09:46:14	1	1	1	1	159.3	58	0	20900.474	763.4408602	15956.02424	30000	0	0	30000	38.125	2004
12.02.2020 09:46:15	1	1	1	1	159.3	58	0	21232.227	756.9892473	16072.62251	30000	0	0	30000	38	2004
12.02.2020 09:46:17	1	1	1	1	159.3	58	0	21137.441	759.1397849	16100.34517	30000	0	0	30000	37.5625	2004
12.02.2020 09:46:18	1	1	1	1	159.3	57.5	0	20710.9	782.7956989	16167.20572	30000	0	0	30000	38.0625	2004
12.02.2020 09:46:19	1	1	1	1	159.3	58	0	20758.294	776.344086	16115.02188	30000	0	0	30000	38.125	2004
12.02.2020 09:46:20	1	1	1	1	159.3	58	0	20616.114	772.0430108	15916.07099	30000	0	0	30000	38.1875	2004
12.02.2020 09:46:21	1	1	1	1	159.3	58	0	20379.147	782.7956989	15952.76275	30000	0	0	30000	38.125	2004
12.02.2020 09:46:22	1	1	1	1	159.3	58	0	20284.36	782.7956989	15884.27146	30000	0	0	30000	38.25	2004
12.02.2020 09:46:23	1	1	1	1	159.3	58.25	0	20995.261	763.4408602	16028.5924	30000	0	0	30000	37.3125	2004
12.02.2020 09:46:24	1	1	1	1	159.3	57.25	0	20616.114	782.7956989	16137.85231	30000	0	0	30000	38.25	2004
12.02.2020 09:46:25	1	1	1	1	159.5	58.25	0	20900.474	756.9892473	15821.48778	30000	0	0	30000	37.9375	2004
12.02.2020 09:46:26	1	1	1	1	159.5	57.75	0	22132.701	720.4301075	15849.21045	30000	0	0	30000	38.125	2004
12.02.2020 09:46:27	1	1	1	1	159.5	58	0	21232.227	756.9892473	16072.62251	30000	0	0	30000	37.75	2004
12.02.2020 09:46:28	1	1	1	1	159.5	57.75	0	20805.687	763.4408602	15883.45609	30000	0	0	30000	38.1875	2004
12.02.2020 09:46:29	1	1	1	1	159.5	58	0	20047.393	772.0430108	15477.40059	30000	0	0	30000	38.1875	2004
12.02.2020 09:46:30	1	1	1	1	159.5	58	0	20900.474	769.8924731	15920.14785	30000	0	0	30000	38.0625	2004
12.02.2020 09:46:31	1	1	1	1	159.5	58	0	21563.981	741.9354839	15998.42361	30000	0	0	30000	38	2004
12.02.2020 09:46:32	1	1	1	1	159.5	58	0	21563.981	739.7849462	15906.28652	30000	0	0	30000	37.75	2004
12.02.2020 09:46:33	1	1	1	1	159.5	57.75	0	20236.967	784.9462366	16090.5607	30000	0	0	30000	38.4375	2004
12.02.2020 09:46:34	1	1	1	1	159.5	58.25	0	20900.474	763.4408602	15956.02424	30000	0	0	30000	37.875	2004
12.02.2020 09:46:35	1	1	1	1	159.3	57.75	0	20142.18	776.344086	15673.90536	30000	0	0	30000	37.8125	2004
12.02.2020 09:46:36	1	1	1	1	159.3	57.75	0	20710.9	778.4946237	16123.1756	30000	0	0	30000	38.375	2004
12.02.2020 09:46:37	1	1	1	1	159.3	58.25	0	19857.82	791.3978495	15715.48936	30000	0	0	30000	37.5625	2004
12.02.2020 09:46:38	1	1	1	1	159.3	57.5	0	20521.327	774.1935484	15931.56307	30000	0	0	30000	38.25	2004
12.02.2020 09:46:39	1	1	1	1	159.3	58.25	0	20473.934	784.9462366	16070.99176	30000	0	0	30000	37.625	2004
12.02.2020 09:46:40	1	1	1	1	159.3	57.5	0	20284.36	791.3978495	16096.26831	30000	0	0	30000	38.5	2004
12.02.2020 09:46:41	1	1	1	1	159.3	58.5	0	21090.047	756.9892473	15964.99334	30000	0	0	30000	38.3125	2004
12.02.2020 09:46:42	1	1	1	1	159.3	58.25	0	19620.853	802.1505376	15578.50678	30000	0	0	30000	38.3125	2004
12.02.2020 09:46:43	1	1	1	1	159.3	58.25	0	20995.261	765.5913978	16028.5924	30000	0	0	30000	38.1875	2004
12.02.2020 09:46:44	1	1	1	1	158.8	58	0	21042.654	756.9892473	15964.99334	30000	0	0	30000	38.125	2004
12.02.2020 09:46:45	1	1	1	1	158.8	58	0	20426.54	774.1935484	16026.96165	30000	0	0	30000	38.1875	2004
12.02.2020 09:46:46	1	1	1	1	158.8	58	0	20710.9	776.344086	16078.33012	30000	0	0	30000	38.3125	2004
12.02.2020 09:46:47	1	1	1	1	158.8	58.25	0	20521.327	791.3978495	16240.58924	30000	0	0	30000	38.125	2004
12.02.2020 09:46:48	1	1	1	1	158.8	58	0	20473.934	791.3978495	16203.08211	30000	0	0	30000	37.9375	2004
12.02.2020 09:46:49	1	1	1	1	158.8	57.75	0	20473.934	782.7956989	16026.96165	30000	0	0	30000	38.1875	2004
12.02.2020 09:46:50	1	1	1	1	158.8	58	0	20521.327	776.344086	15931.56307	30000	0	0	30000	37.375	2004
12.02.2020 09:46:51	1	1	1	1	158.8	57.25	0	20473.934	782.7956989	16026.96165	30000	0	0	30000	38.125	2004
12.02.2020 09:46:52	1	1	1	1	158.8	58	0	19857.82	787.0967742	15586.66051	30000	0	0	30000	37.8125	2004
12.02.2020 09:46:53	1	1	1	1	158.8	57.75	0	20853.081	765.5913978	15964.99334	30000	0	0	30000	38.125	2004
12.02.2020 09:46:55	1	1	1	1	159.8	58	0	20379.147	782.7956989	15952.76275	30000	0	0	30000	38.25	2004
12.02.2020 09:46:56	1	1	1	1	159.8	58.25	0	20521.327	780.6451613	16019.6233	30000	0	0	30000	37.8125	2004
12.02.2020 09:46:57	1	1	1	1	159.8	57.75	0	19952.607	793.5483871	15832.903	30000	0	0	30000	38.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 09:46:58	1	1	1	1	159.8	58.25	0	20521.327	772.0430108	15842.68747	30000	0	0	30000	38.1875	2004
12.02.2020 09:46:59	1	1	1	1	159.8	58	0	20473.934	784.9462366	16107.68353	30000	0	0	30000	38.1875	2004
12.02.2020 09:47:00	1	1	1	1	159.8	58	0	20616.114	778.4946237	16093.82219	30000	0	0	30000	37.875	2004
12.02.2020 09:47:01	1	1	1	1	159.8	57.75	0	20331.754	782.7956989	15995.9775	30000	0	0	30000	38.125	2004
12.02.2020 09:47:02	1	1	1	1	159.8	58	0	19668.246	793.5483871	15565.46082	30000	0	0	30000	38.3125	2004
12.02.2020 09:47:03	1	1	1	1	159.8	58.25	0	21042.654	769.8924731	16208.78972	30000	0	0	30000	38.1875	2004
12.02.2020 09:47:04	1	1	1	1	159.8	58	0	20236.967	782.7956989	15884.27146	30000	0	0	30000	38.375	2004
12.02.2020 09:47:05	1	1	1	1	159.5	58.25	0	20236.967	791.3978495	16015.54644	30000	0	0	30000	38.375	2004
12.02.2020 09:47:06	1	1	1	1	159.5	58.25	0	21137.441	756.9892473	16036.74612	30000	0	0	30000	37.3125	2004
12.02.2020 09:47:07	1	1	1	1	159.5	57.25	0	21137.441	756.9892473	16000.86973	30000	0	0	30000	37.6875	2004
12.02.2020 09:47:08	1	1	1	1	159.5	57.5	0	23080.569	694.6236559	16031.85389	30000	0	0	30000	38.1875	2004
12.02.2020 09:47:09	1	1	1	1	159.5	58	0	21943.128	729.0322581	15996.79287	30000	0	0	30000	38.375	2004
12.02.2020 09:47:17	1	1	1	1	158.3	58.25	0	22796.209	703.2258065	16030.22314	30000	0	0	30000	37.4375	2004
12.02.2020 09:47:17	1	1	1	1	158.3	58.25	0	22796.209	703.2258065	16030.22314	30000	0	0	30000	37.4375	2004
12.02.2020 09:47:17	1	1	1	1	158.3	58.25	0	22796.209	703.2258065	16030.22314	30000	0	0	30000	37.4375	2004
12.02.2020 09:47:17	1	1	1	1	158.3	58.25	0	22796.209	703.2258065	16030.22314	30000	0	0	30000	37.4375	2004
12.02.2020 09:47:17	1	1	1	1	158.3	58.25	0	22796.209	703.2258065	16030.22314	30000	0	0	30000	37.4375	2004
12.02.2020 09:47:17	1	1	1	1	158.3	58.25	0	22796.209	703.2258065	16030.22314	30000	0	0	30000	37.4375	2004
12.02.2020 09:47:17	1	1	1	1	158.3	58.25	0	22796.209	703.2258065	16030.22314	30000	0	0	30000	37.4375	2004
12.02.2020 09:47:17	1	1	1	1	158.3	57.25	0	22322.275	716.1290323	15985.37765	30000	0	0	30000	38.25	2004
12.02.2020 09:47:18	1	1	1	1	158.3	58.25	0	22985.782	694.6236559	15801.91884	30000	0	0	30000	38.4375	2004
12.02.2020 09:47:19	1	1	1	1	158.3	58.25	0	22464.455	709.6774194	15956.83962	30000	0	0	30000	37.3125	2004
12.02.2020 09:47:20	1	1	1	1	158.3	57.25	0	22511.848	709.6774194	16024.51553	30000	0	0	30000	37.8125	2004
12.02.2020 09:47:21	1	1	1	1	158.3	58.5	0	21943.128	720.4301075	15902.20966	30000	0	0	30000	38.0625	2004
12.02.2020 09:47:22	1	1	1	1	158.3	58	0	22274.882	720.4301075	16047.34596	30000	0	0	30000	37.9375	2004
12.02.2020 09:47:23	1	1	1	1	158.3	57.75	0	22464.455	713.9784946	16072.62251	30000	0	0	30000	38.25	2004
12.02.2020 09:47:24	1	1	1	1	158.3	58.25	0	21943.128	726.8817204	15902.20966	30000	0	0	30000	38.375	2004
12.02.2020 09:47:25	1	1	1	1	158.3	58.25	0	23175.355	690.3225806	15998.42361	30000	0	0	30000	38.25	2004
12.02.2020 09:47:26	1	1	1	1	158.3	58.25	0	22417.062	713.9784946	16053.05357	30000	0	0	30000	38.125	2004
12.02.2020 09:47:27	1	1	1	1	158.3	58	0	23364.929	688.172043	16079.14549	30000	0	0	30000	38.25	2004
12.02.2020 09:47:28	1	1	1	1	158.3	58.25	0	22417.062	713.9784946	16004.94659	30000	0	0	30000	38.25	2004
12.02.2020 09:47:29	1	1	1	1	158.3	58.25	0	22511.848	713.9784946	16072.62251	30000	0	0	30000	38.25	2004
12.02.2020 09:47:30	1	1	1	1	158.3	58.25	0	22559.242	703.2258065	15863.88715	30000	0	0	30000	38.3125	2004
12.02.2020 09:47:31	1	1	1	1	158.3	58.25	0	22274.882	718.2795699	15801.91884	30000	0	0	30000	38.1875	2004
12.02.2020 09:47:33	1	1	1	1	158.3	58	0	22417.062	709.6774194	15956.83962	30000	0	0	30000	38.25	2004
12.02.2020 09:47:34	1	1	1	1	158.3	58.25	0	22274.882	720.4301075	16047.34596	30000	0	0	30000	38.125	2004
12.02.2020 09:47:35	1	1	1	1	159.3	58	0	21943.128	735.483871	15996.79287	30000	0	0	30000	38.3125	2004
12.02.2020 09:47:36	1	1	1	1	159.3	58.25	0	22559.242	703.2258065	15863.88715	30000	0	0	30000	38.125	2004
12.02.2020 09:47:37	1	1	1	1	159.3	58	0	22132.701	720.4301075	15944.60903	30000	0	0	30000	38.1875	2004
12.02.2020 09:47:38	1	1	1	1	159.3	58	0	22369.668	709.6774194	15956.83962	30000	0	0	30000	38.3125	2004
12.02.2020 09:47:39	1	1	1	1	159.3	58.25	0	22274.882	720.4301075	16081.59161	30000	0	0	30000	38	2004
12.02.2020 09:47:40	1	1	1	1	159.3	58	0	22890.995	703.2258065	16097.08368	30000	0	0	30000	38.125	2004
12.02.2020 09:47:41	1	1	1	1	159.3	58	0	22748.815	703.2258065	15997.60824	30000	0	0	30000	38.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 09:47:42	1	1	1	1	159.3	58.25	0	22274.882	713.9784946	15937.27068	30000	0	0	30000	38.125	2004
12.02.2020 09:47:43	1	1	1	1	159.3	58	0	22417.062	707.5268817	15927.48621	30000	0	0	30000	38.125	2004
12.02.2020 09:47:44	1	1	1	1	159.3	58	0	21848.341	729.0322581	15927.48621	30000	0	0	30000	38.375	2004
12.02.2020 09:47:45	1	1	1	1	159.5	58.25	0	22274.882	729.0322581	16238.9585	30000	0	0	30000	38.3125	2004
12.02.2020 09:47:46	1	1	1	1	159.5	58.25	0	22796.209	694.6236559	16048.16134	30000	0	0	30000	38.25	2004
12.02.2020 09:47:47	1	1	1	1	159.5	58.25	0	22843.602	703.2258065	16063.65341	30000	0	0	30000	38.1875	2004
12.02.2020 09:47:48	1	1	1	1	159.5	58	0	22748.815	703.2258065	15997.60824	30000	0	0	30000	38.0625	2004
12.02.2020 09:47:49	1	1	1	1	159.5	58	0	22464.455	713.9784946	16217.75881	30000	0	0	30000	38.3125	2004
12.02.2020 09:47:50	1	1	1	1	159.5	58.25	0	22274.882	720.4301075	16081.59161	30000	0	0	30000	38.25	2004
12.02.2020 09:47:51	1	1	1	1	159.5	58.25	0	21895.735	731.1827957	16056.31506	30000	0	0	30000	38.3125	2004
12.02.2020 09:47:52	1	1	1	1	159.5	58.25	0	21800.948	729.0322581	15893.24056	30000	0	0	30000	38.3125	2004
12.02.2020 09:47:53	1	1	1	1	159.5	58.25	0	21943.128	729.0322581	15996.79287	30000	0	0	30000	38.0625	2004
12.02.2020 09:47:54	1	1	1	1	159.5	58	0	22227.488	720.4301075	15897.31742	30000	0	0	30000	38.375	2004
12.02.2020 09:47:55	1	1	1	1	161	58.25	0	22180.095	720.4301075	15944.60903	30000	0	0	30000	37.75	2004
12.02.2020 09:47:56	1	1	1	1	161	57.75	0	22274.882	713.9784946	15937.27068	30000	0	0	30000	38.3125	2004
12.02.2020 09:47:57	1	1	1	1	161	58.25	0	22227.488	720.4301075	16013.10032	30000	0	0	30000	38.375	2004
12.02.2020 09:47:58	1	1	1	1	161	58.25	0	21943.128	729.0322581	15996.79287	30000	0	0	30000	38.5625	2004
12.02.2020 09:47:59	1	1	1	1	161	58.5	0	21943.128	729.0322581	15996.79287	30000	0	0	30000	38.4375	2004
12.02.2020 09:48:00	1	1	1	1	161	58.75	0	21753.555	741.9354839	16093.00682	30000	0	0	30000	38	2004
12.02.2020 09:48:01	1	1	1	1	161	58	0	22417.062	711.827957	16004.94659	30000	0	0	30000	38.3125	2004
12.02.2020 09:48:02	1	1	1	1	161	58.25	0	22369.668	713.9784946	15923.40934	30000	0	0	30000	37.6875	2004
12.02.2020 09:48:03	1	1	1	1	161	57.5	0	22227.488	720.4301075	15944.60903	30000	0	0	30000	38.375	2004
12.02.2020 09:48:04	1	1	1	1	160.8	58.25	0	22464.455	718.2795699	16004.94659	30000	0	0	30000	38.3125	2004
12.02.2020 09:48:05	1	1	1	1	160.8	58.25	0	21374.408	741.9354839	15788.05751	30000	0	0	30000	38.375	2004
12.02.2020 09:48:06	1	1	1	1	160.8	58.25	0	22369.668	713.9784946	15971.51632	30000	0	0	30000	37.75	2004
12.02.2020 09:48:07	1	1	1	1	160.8	57.75	0	22274.882	718.2795699	16047.34596	30000	0	0	30000	38.25	2004
12.02.2020 09:48:08	1	1	1	1	160.8	58.25	0	21563.981	731.1827957	15813.33406	30000	0	0	30000	38.0625	2004
12.02.2020 09:48:10	1	1	1	1	160.8	58	0	22132.701	726.8817204	16040.00761	30000	0	0	30000	38.5	2004
12.02.2020 09:48:11	1	1	1	1	160.8	58.5	0	22796.209	703.2258065	16030.22314	30000	0	0	30000	37.625	2004
12.02.2020 09:48:17	1	1	1	1	160.8	58.5	0	21232.227	756.9892473	16108.4989	30000	0	0	30000	38.25	2004
12.02.2020 09:48:17	1	1	1	1	160.8	58.5	0	21232.227	756.9892473	16108.4989	30000	0	0	30000	38.25	2004
12.02.2020 09:48:17	1	1	1	1	160.8	58.5	0	21232.227	756.9892473	16108.4989	30000	0	0	30000	38.25	2004
12.02.2020 09:48:17	1	1	1	1	160.8	58.5	0	21232.227	756.9892473	16108.4989	30000	0	0	30000	38.25	2004
12.02.2020 09:48:17	1	1	1	1	160.8	58.5	0	21232.227	756.9892473	16108.4989	30000	0	0	30000	38.25	2004
12.02.2020 09:48:17	1	1	1	1	160.8	58.5	0	21232.227	756.9892473	16108.4989	30000	0	0	30000	38.25	2004
12.02.2020 09:48:17	1	1	1	1	160.8	58.5	0	21232.227	756.9892473	16108.4989	30000	0	0	30000	38.25	2004
12.02.2020 09:48:18	1	1	1	1	160.8	58.25	0	21279.621	741.9354839	15788.05751	30000	0	0	30000	38.5	2004
12.02.2020 09:48:19	1	1	1	1	160.8	58.5	0	22227.488	731.1827957	15944.60903	30000	0	0	30000	38.5	2004
12.02.2020 09:48:20	1	1	1	1	160.8	58.5	0	21800.948	733.3333333	16034.3	30000	0	0	30000	38.3125	2004
12.02.2020 09:48:21	1	1	1	1	160.8	58.25	0	22511.848	713.9784946	16024.51553	30000	0	0	30000	38.25	2004
12.02.2020 09:48:22	1	1	1	1	160.8	58.25	0	22748.815	703.2258065	15997.60824	30000	0	0	30000	38.4375	2004
12.02.2020 09:48:23	1	1	1	1	160.8	58.25	0	22417.062	713.9784946	16004.94659	30000	0	0	30000	38.4375	2004
12.02.2020 09:48:24	1	1	1	1	160.8	58.25	0	21943.128	735.483871	16091.37608	30000	0	0	30000	37.5625	2004
12.02.2020 09:48:25	1	1	1	1	161.5	57.5	0	21943.128	720.4301075	16040.00761	30000	0	0	30000	38.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 09:48:26	1	1	1	1	161.5	58	0	22559.242	694.6236559	15997.60824	30000	0	0	30000	38.0625	2004
12.02.2020 09:48:27	1	1	1	1	161.5	58	0	22748.815	694.6236559	15899.76354	30000	0	0	30000	38.375	2004
12.02.2020 09:48:28	1	1	1	1	161.5	58.25	0	21374.408	756.9892473	15950.31664	30000	0	0	30000	38	2004
12.02.2020 09:48:29	1	1	1	1	161.5	58	0	21232.227	756.9892473	16072.62251	30000	0	0	30000	38.0625	2004
12.02.2020 09:48:30	1	1	1	1	161.5	58	0	22748.815	707.5268817	16095.45294	30000	0	0	30000	38.3125	2004
12.02.2020 09:48:31	1	1	1	1	161.5	58.25	0	21943.128	731.1827957	15996.79287	30000	0	0	30000	38	2004
12.02.2020 09:48:32	1	1	1	1	161.5	58	0	22274.882	731.1827957	15944.60903	30000	0	0	30000	37.6875	2004
12.02.2020 09:48:33	1	1	1	1	161.5	57.5	0	21895.735	724.7311828	15867.96401	30000	0	0	30000	38.3125	2004
12.02.2020 09:48:34	1	1	1	1	161.5	58.25	0	22227.488	718.2795699	15964.99334	30000	0	0	30000	38.0625	2004
12.02.2020 09:48:35	1	1	1	1	161.8	58	0	21563.981	756.9892473	16044.89985	30000	0	0	30000	38.5	2004
12.02.2020 09:48:36	1	1	1	1	161.8	58.5	0	21800.948	720.4301075	15833.71837	30000	0	0	30000	38.25	2004
12.02.2020 09:48:37	1	1	1	1	161.8	58.25	0	21848.341	729.0322581	15927.48621	30000	0	0	30000	38.5625	2004
12.02.2020 09:48:38	1	1	1	1	161.8	58	0	21848.341	726.8817204	15962.54722	30000	0	0	30000	37.8125	2004
12.02.2020 09:48:39	1	1	1	1	161.8	57.75	0	21090.047	756.9892473	16000.86973	30000	0	0	30000	38.375	2004
12.02.2020 09:48:40	1	1	1	1	161.8	58.25	0	21374.408	741.9354839	15858.17955	30000	0	0	30000	38.1875	2004
12.02.2020 09:48:41	1	1	1	1	161.8	58	0	21943.128	731.1827957	16091.37608	30000	0	0	30000	38.3125	2004
12.02.2020 09:48:42	1	1	1	1	161.8	58.25	0	22227.488	724.7311828	16013.10032	30000	0	0	30000	38.125	2004
12.02.2020 09:48:43	1	1	1	1	161.8	58	0	21563.981	739.7849462	16467.26279	30000	0	0	30000	38.0625	2004
12.02.2020 09:48:44	1	1	1	1	162	58	0	21516.588	756.9892473	16287.88085	30000	0	0	30000	37.25	2004
12.02.2020 09:48:45	1	1	1	1	162	57.25	0	21563.981	744.0860215	16091.37608	30000	0	0	30000	38.3125	2004
12.02.2020 09:48:46	1	1	1	1	162	58.25	0	22796.209	694.6236559	16097.08368	30000	0	0	30000	38.25	2004
12.02.2020 09:48:47	1	1	1	1	162	58.25	0	22559.242	713.9784946	16106.86815	30000	0	0	30000	37.9375	2004
12.02.2020 09:48:48	1	1	1	1	162	57.75	0	22796.209	701.0752688	15932.37844	30000	0	0	30000	37.5625	2004
12.02.2020 09:48:49	1	1	1	1	162	57.5	0	22559.242	703.2258065	15997.60824	30000	0	0	30000	38.3125	2004
12.02.2020 09:48:51	1	1	1	1	162	58.25	0	22748.815	703.2258065	15997.60824	30000	0	0	30000	38.3125	2004
12.02.2020 09:48:52	1	1	1	1	162	58.25	0	23175.355	690.3225806	16130.51396	30000	0	0	30000	38.25	2004
12.02.2020 09:48:53	1	1	1	1	162	58.25	0	22748.815	701.0752688	16030.22314	30000	0	0	30000	38.5625	2004
12.02.2020 09:48:54	1	1	1	1	162	58.5	0	24075.829	660.2150538	15863.88715	30000	0	0	30000	37.8125	2004
12.02.2020 09:48:55	1	1	1	1	162.3	57.75	0	24218.009	664.516129	16093.00682	30000	0	0	30000	38.375	2004
12.02.2020 09:48:56	1	1	1	1	162.3	58.25	0	24170.616	662.3655914	15925.85546	30000	0	0	30000	38.5	2004
12.02.2020 09:48:57	1	1	1	1	162.3	58.5	0	24218.009	662.3655914	16093.00682	30000	0	0	30000	38.25	2004
12.02.2020 09:48:58	1	1	1	1	162.3	58.25	0	24123.223	666.6666667	16030.22314	30000	0	0	30000	38.25	2004
12.02.2020 09:48:59	1	1	1	1	162.3	58.25	0	24123.223	664.516129	16030.22314	30000	0	0	30000	38.375	2004
12.02.2020 09:49:00	1	1	1	1	162.3	58.25	0	24123.223	660.2150538	15925.85546	30000	0	0	30000	38.5	2004
12.02.2020 09:49:01	1	1	1	1	162.3	58.5	0	24407.583	653.7634409	16070.99176	30000	0	0	30000	37.75	2004
12.02.2020 09:49:02	1	1	1	1	162.3	57.75	0	24739.336	647.311828	16013.91569	30000	0	0	30000	37.6875	2004
12.02.2020 09:49:03	1	1	1	1	162.3	57.5	0	24786.73	645.1612903	15991.08526	30000	0	0	30000	38.0625	2004
12.02.2020 09:49:04	1	1	1	1	162.3	58	0	24597.156	653.7634409	16080.77623	30000	0	0	30000	38.1875	2004
12.02.2020 09:49:05	1	1	1	1	159.5	58	0	24502.37	653.7634409	16018.80793	30000	0	0	30000	38.3125	2004
12.02.2020 09:49:06	1	1	1	1	159.5	58.25	0	24549.763	653.7634409	15860.62566	30000	0	0	30000	38.5	2004
12.02.2020 09:49:07	1	1	1	1	159.5	58.5	0	24834.123	645.1612903	15938.08605	30000	0	0	30000	38.25	2004
12.02.2020 09:49:08	1	1	1	1	159.5	58.25	0	24691.943	638.7096774	15770.93469	30000	0	0	30000	38.1875	2004
12.02.2020 09:49:09	1	1	1	1	159.5	58	0	24881.517	643.0107527	15998.42361	30000	0	0	30000	38.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 09:49:10	1	1	1	1	159.5	58.25	0	24976.303	636.5591398	16013.10032	30000	0	0	30000	38.375	2004
12.02.2020 09:49:11	1	1	1	1	159.5	58.25	0	25118.483	636.5591398	15934.82456	30000	0	0	30000	37.9375	2004
12.02.2020 09:49:12	1	1	1	1	159.5	57.75	0	24976.303	632.2580645	16066.9149	30000	0	0	30000	38.125	2004
12.02.2020 09:49:19	1	1	1	1	158	58.25	0	25260.664	632.2580645	16025.33091	30000	0	0	30000	38.0625	2004
12.02.2020 09:49:19	1	1	1	1	158	58.25	0	25260.664	632.2580645	16025.33091	30000	0	0	30000	38.0625	2004
12.02.2020 09:49:19	1	1	1	1	158	58.25	0	25260.664	632.2580645	16025.33091	30000	0	0	30000	38.0625	2004
12.02.2020 09:49:19	1	1	1	1	158	58.25	0	25260.664	632.2580645	16025.33091	30000	0	0	30000	38.0625	2004
12.02.2020 09:49:19	1	1	1	1	158	58.25	0	25260.664	632.2580645	16025.33091	30000	0	0	30000	38.0625	2004
12.02.2020 09:49:19	1	1	1	1	158	58.25	0	25260.664	632.2580645	16025.33091	30000	0	0	30000	38.0625	2004
12.02.2020 09:49:19	1	1	1	1	158	58	0	25071.09	636.5591398	15904.65578	30000	0	0	30000	38.375	2004
12.02.2020 09:49:20	1	1	1	1	158	58.25	0	25118.483	634.4086022	15904.65578	30000	0	0	30000	38.1875	2004
12.02.2020 09:49:21	1	1	1	1	158	58	0	25165.877	634.4086022	15964.99334	30000	0	0	30000	38.1875	2004
12.02.2020 09:49:22	1	1	1	1	158	58	0	25260.664	632.2580645	16025.33091	30000	0	0	30000	38.3125	2004
12.02.2020 09:49:23	1	1	1	1	158	58.25	0	25165.877	632.2580645	16025.33091	30000	0	0	30000	38.25	2004
12.02.2020 09:49:24	1	1	1	1	155.3	58.25	0	25260.664	632.2580645	15970.70095	30000	0	0	30000	37.6875	2004
12.02.2020 09:49:25	1	1	1	1	155.3	57.5	0	25402.844	632.2580645	16085.66847	30000	0	0	30000	38.5	2004
12.02.2020 09:49:26	1	1	1	1	155.3	58.5	0	25497.63	632.2580645	16066.09953	30000	0	0	30000	38.4375	2004
12.02.2020 09:49:27	1	1	1	1	155.3	58.25	0	25545.024	627.9569892	16095.45294	30000	0	0	30000	38.4375	2004
12.02.2020 09:49:28	1	1	1	1	155.3	58.25	0	25639.81	623.655914	16044.89985	30000	0	0	30000	38.4375	2004
12.02.2020 09:49:30	1	1	1	1	155.3	58.25	0	25734.597	619.3548387	15993.53138	30000	0	0	30000	38.1875	2004
12.02.2020 09:49:31	1	1	1	1	155.3	58	0	25876.777	621.5053763	16082.40698	30000	0	0	30000	38.3125	2004
12.02.2020 09:49:32	1	1	1	1	155.3	58.25	0	25924.171	621.5053763	16111.76039	30000	0	0	30000	37.6875	2004
12.02.2020 09:49:33	1	1	1	1	155.3	57.5	0	25734.597	619.3548387	15883.45609	30000	0	0	30000	38.375	2004
12.02.2020 09:49:34	1	1	1	1	155.3	58.25	0	25734.597	615.0537634	15828.01076	30000	0	0	30000	38	2004
12.02.2020 09:49:35	1	1	1	1	153.3	58	0	25734.597	621.5053763	15993.53138	30000	0	0	30000	38	2004
12.02.2020 09:49:36	1	1	1	1	153.3	58	0	25924.171	617.2043011	16000.05436	30000	0	0	30000	38.3125	2004
12.02.2020 09:49:37	1	1	1	1	153.3	58.25	0	26113.744	615.0537634	16061.20729	30000	0	0	30000	38.125	2004
12.02.2020 09:49:38	1	1	1	1	153.3	58	0	26255.924	610.7526882	16092.19145	30000	0	0	30000	38.4375	2004
12.02.2020 09:49:39	1	1	1	1	153.3	58.25	0	26255.924	615.0537634	16119.09874	30000	0	0	30000	38.125	2004
12.02.2020 09:49:40	1	1	1	1	153.3	58	0	26208.531	610.7526882	15948.68589	30000	0	0	30000	38.3125	2004
12.02.2020 09:49:41	1	1	1	1	153.3	58.25	0	26113.744	610.7526882	16006.57734	30000	0	0	30000	38.0625	2004
12.02.2020 09:49:42	1	1	1	1	153.3	58	0	26350.711	610.7526882	16093.82219	30000	0	0	30000	38.4375	2004
12.02.2020 09:49:43	1	1	1	1	153.3	58.25	0	26350.711	608.6021505	16036.74612	30000	0	0	30000	38.3125	2004
12.02.2020 09:49:44	1	1	1	1	153.3	58.25	0	26398.104	606.4516129	16065.28416	30000	0	0	30000	37.875	2004
12.02.2020 09:49:45	1	1	1	1	151.8	57.75	0	26255.924	608.6021505	15922.59397	30000	0	0	30000	38.4375	2004
12.02.2020 09:49:46	1	1	1	1	151.8	58.25	0	26350.711	608.6021505	16235.69701	30000	0	0	30000	38.4375	2004
12.02.2020 09:49:47	1	1	1	1	151.8	58.25	0	26350.711	606.4516129	16036.74612	30000	0	0	30000	38.5	2004
12.02.2020 09:49:48	1	1	1	1	151.8	58.5	0	26113.744	615.0537634	15975.59318	30000	0	0	30000	38	2004
12.02.2020 09:49:49	1	1	1	1	151.8	58	0	26066.351	610.7526882	15948.68589	30000	0	0	30000	38	2004
12.02.2020 09:49:50	1	1	1	1	151.8	58	0	26208.531	610.7526882	16006.57734	30000	0	0	30000	38.375	2004
12.02.2020 09:49:51	1	1	1	1	151.8	58.25	0	26398.104	606.4516129	15895.68668	30000	0	0	30000	38.3125	2004
12.02.2020 09:49:52	1	1	1	1	151.8	58.25	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	38.375	2004
12.02.2020 09:49:53	1	1	1	1	151.8	58.25	0	26777.251	595.6989247	15894.05593	30000	0	0	30000	38.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 09:49:54	1	1	1	1	151.8	58.25	0	26872.038	595.6989247	16007.39271	30000	0	0	30000	38.3125	2004
12.02.2020 09:49:55	1	1	1	1	150.5	58.25	0	26682.464	597.8494624	16123.99098	30000	0	0	30000	38.25	2004
12.02.2020 09:49:56	1	1	1	1	150.5	58.25	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	38.5625	2004
12.02.2020 09:49:57	1	1	1	1	150.5	58.5	0	26540.284	602.1505376	15867.14864	30000	0	0	30000	38.5	2004
12.02.2020 09:49:58	1	1	1	1	150.5	58.5	0	26682.464	597.8494624	15894.05593	30000	0	0	30000	37.875	2004
12.02.2020 09:49:59	1	1	1	1	150.5	58.5	0	26919.431	593.5483871	16035.93075	30000	0	0	30000	37.5625	2004
12.02.2020 09:50:00	1	1	1	1	150.5	57.5	0	26919.431	591.3978495	15891.60982	30000	0	0	30000	38.0625	2004
12.02.2020 09:50:01	1	1	1	1	150.5	58	0	26777.251	602.1505376	16066.9149	30000	0	0	30000	38.375	2004
12.02.2020 09:50:02	1	1	1	1	150.5	58.25	0	26445.498	597.8494624	15810.07257	30000	0	0	30000	38.1875	2004
12.02.2020 09:50:03	1	1	1	1	150.5	58	0	26872.038	597.8494624	16209.60509	30000	0	0	30000	37.9375	2004
12.02.2020 09:50:04	1	1	1	1	148.8	57.75	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	38.375	2004
12.02.2020 09:50:05	1	1	1	1	148.8	58.25	0	26872.038	597.8494624	15921.7786	30000	0	0	30000	38.3125	2004
12.02.2020 09:50:06	1	1	1	1	148.8	58.25	0	26966.825	595.6989247	16005.76197	30000	0	0	30000	38.5	2004
12.02.2020 09:50:08	1	1	1	1	148.8	58.5	0	26919.431	595.6989247	16035.93075	30000	0	0	30000	38.3125	2004
12.02.2020 09:50:09	1	1	1	1	148.8	58.25	0	27061.611	595.6989247	16119.91411	30000	0	0	30000	38.5	2004
12.02.2020 09:50:10	1	1	1	1	148.8	58.5	0	26966.825	593.5483871	15947.87052	30000	0	0	30000	38.3125	2004
12.02.2020 09:50:11	1	1	1	1	148.8	58.25	0	27298.578	591.3978495	16203.08211	30000	0	0	30000	38.4375	2004
12.02.2020 09:50:12	1	1	1	1	148.8	58.25	0	27345.972	584.9462366	16054.68431	30000	0	0	30000	37.5625	2004
12.02.2020 09:50:13	1	1	1	1	148.8	57.5	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	38.4375	2004
12.02.2020 09:50:14	1	1	1	1	148.8	58.25	0	27345.972	582.7956989	15936.4553	30000	0	0	30000	38.375	2004
12.02.2020 09:50:20	1	1	1	1	147.5	58.25	0	27819.905	578.4946237	15973.96244	30000	0	0	30000	36.8125	2004
12.02.2020 09:50:20	1	1	1	1	147.5	58.25	0	27819.905	578.4946237	15973.96244	30000	0	0	30000	36.8125	2004
12.02.2020 09:50:20	1	1	1	1	147.5	58.25	0	27819.905	578.4946237	15973.96244	30000	0	0	30000	36.8125	2004
12.02.2020 09:50:20	1	1	1	1	147.5	58.25	0	27819.905	578.4946237	15973.96244	30000	0	0	30000	36.8125	2004
12.02.2020 09:50:20	1	1	1	1	147.5	58.25	0	27819.905	578.4946237	15973.96244	30000	0	0	30000	36.8125	2004
12.02.2020 09:50:20	1	1	1	1	147.5	58.25	0	27819.905	578.4946237	15973.96244	30000	0	0	30000	36.8125	2004
12.02.2020 09:50:21	1	1	1	1	147.5	56.75	0	27962.085	572.0430108	15968.25483	30000	0	0	30000	38.375	2004
12.02.2020 09:50:22	1	1	1	1	147.5	58.25	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	38.5	2004
12.02.2020 09:50:23	1	1	1	1	147.5	58.5	0	28341.232	563.4408602	15881.00997	30000	0	0	30000	37.8125	2004
12.02.2020 09:50:24	1	1	1	1	147.5	57.75	0	28578.199	556.9892473	15978.85467	30000	0	0	30000	38.4375	2004
12.02.2020 09:50:25	1	1	1	1	145.5	58.25	0	28957.346	556.9892473	16252.81983	30000	0	0	30000	38.0625	2004
12.02.2020 09:50:26	1	1	1	1	145.5	58	0	28862.559	556.9892473	15951.94738	30000	0	0	30000	38.3125	2004
12.02.2020 09:50:27	1	1	1	1	145.5	58.25	0	29099.526	550.5376344	15754.62724	30000	0	0	30000	38.25	2004
12.02.2020 09:50:28	1	1	1	1	145.5	58.25	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	37.875	2004
12.02.2020 09:50:29	1	1	1	1	145.5	57.75	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	38.375	2004
12.02.2020 09:50:30	1	1	1	1	145.5	58.25	0	29383.886	546.2365591	15771.75006	30000	0	0	30000	37.6875	2004
12.02.2020 09:50:31	1	1	1	1	145.5	57.5	0	29478.673	544.0860215	16038.37687	30000	0	0	30000	37.8125	2004
12.02.2020 09:50:32	1	1	1	1	145.5	57.75	0	29526.066	541.9354839	16026.96165	30000	0	0	30000	38.5	2004
12.02.2020 09:50:33	1	1	1	1	145.5	58.5	0	29526.066	541.9354839	15937.27068	30000	0	0	30000	38.625	2004
12.02.2020 09:50:34	1	1	1	1	145.5	58.5	0	29573.46	539.7849462	15963.3626	30000	0	0	30000	37.9375	2004
12.02.2020 09:50:35	1	1	1	1	143.8	57.75	0	29715.64	537.6344086	15861.44103	30000	0	0	30000	38.3125	2004
12.02.2020 09:50:36	1	1	1	1	143.8	58.25	0	29810.427	535.483871	15962.54722	30000	0	0	30000	38.3125	2004
12.02.2020 09:50:37	1	1	1	1	143.8	58.25	0	29905.213	533.3333333	16141.92917	30000	0	0	30000	37.4375	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 09:50:38	1	1	1	1	143.8	57.25	0	30000	533.3333333	16000.05436	30000	0	0	30000	38.0625	2004
12.02.2020 09:50:39	1	1	1	1	143.8	58	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	38.3125	2004
12.02.2020 09:50:40	1	1	1	1	143.8	58.25	0	30000	531.1827957	15934.82456	30000	0	0	30000	37.6875	2004
12.02.2020 09:50:41	1	1	1	1	143.8	57.5	0	30000	533.3333333	15820.67241	30000	0	0	30000	37.875	2004
12.02.2020 09:50:42	1	1	1	1	143.8	57.75	0	30000	526.8817204	15870.41013	30000	0	0	30000	38	2004
12.02.2020 09:50:43	1	1	1	1	143.8	58	0	29952.607	533.3333333	15974.77781	30000	0	0	30000	37.625	2004
12.02.2020 09:50:44	1	1	1	1	142	57.5	0	30000	526.8817204	15870.41013	30000	0	0	30000	38.0625	2004
12.02.2020 09:50:45	1	1	1	1	142	58	0	30000	526.8817204	15677.16685	30000	0	0	30000	38.25	2004
12.02.2020 09:50:47	1	1	1	1	142	58.25	0	30000	522.5806452	15677.16685	30000	0	0	30000	38	2004
12.02.2020 09:50:48	1	1	1	1	142	58	0	30000	524.7311828	15677.16685	30000	0	0	30000	38.3125	2004
12.02.2020 09:50:49	1	1	1	1	142	58.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	37.4375	2004
12.02.2020 09:50:50	1	1	1	1	142	57.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	38.4375	2004
12.02.2020 09:50:51	1	1	1	1	142	58.25	0	29905.213	507.5268817	15483.92357	30000	0	0	30000	37.5	2004
12.02.2020 09:50:52	1	1	1	1	142	57.5	0	30000	516.1290323	15548.338	30000	0	0	30000	38.375	2004
12.02.2020 09:50:53	1	1	1	1	142	58.25	0	30000	511.827957	15354.27935	30000	0	0	30000	38	2004
12.02.2020 09:50:54	1	1	1	1	142	58	0	30000	511.827957	15289.86492	30000	0	0	30000	38.0625	2004
12.02.2020 09:50:55	1	1	1	1	139.8	58	0	30000	516.1290323	15483.92357	30000	0	0	30000	38.0625	2004
12.02.2020 09:50:56	1	1	1	1	139.8	58	0	30000	522.5806452	15741.58128	30000	0	0	30000	38	2004
12.02.2020 09:50:57	1	1	1	1	139.8	58	0	30000	516.1290323	15354.27935	30000	0	0	30000	36.9375	2004
12.02.2020 09:50:58	1	1	1	1	139.8	56.75	0	30000	511.827957	15354.27935	30000	0	0	30000	38.3125	2004
12.02.2020 09:50:59	1	1	1	1	139.8	58.25	0	30000	509.6774194	15289.86492	30000	0	0	30000	38.5	2004
12.02.2020 09:51:00	1	1	1	1	139.8	58.5	0	30000	507.5268817	15225.45049	30000	0	0	30000	37.375	2004
12.02.2020 09:51:01	1	1	1	1	139.8	57.25	0	30000	503.2258065	15289.86492	30000	0	0	30000	38.125	2004
12.02.2020 09:51:02	1	1	1	1	139.8	58	0	29952.607	518.2795699	15548.338	30000	0	0	30000	38	2004
12.02.2020 09:51:03	1	1	1	1	139.8	58	0	30000	507.5268817	15225.45049	30000	0	0	30000	37.9375	2004
12.02.2020 09:51:04	1	1	1	1	139.8	57.75	0	30000	503.2258065	15096.62164	30000	0	0	30000	38.3125	2004
12.02.2020 09:51:05	1	1	1	1	138.3	58.25	0	30000	511.827957	15354.27935	30000	0	0	30000	38.125	2004
12.02.2020 09:51:06	1	1	1	1	138.3	58	0	30000	501.0752688	15032.20721	30000	0	0	30000	38.125	2004
12.02.2020 09:51:07	1	1	1	1	138.3	58	0	30000	509.6774194	15289.86492	30000	0	0	30000	38.1875	2004
12.02.2020 09:51:08	1	1	1	1	138.3	58	0	30000	507.5268817	15225.45049	30000	0	0	30000	38.5	2004
12.02.2020 09:51:09	1	1	1	1	138.3	58.5	0	30000	492.4731183	14686.48928	30000	0	0	30000	38	2004
12.02.2020 09:51:10	1	1	1	1	138.3	58	0	30000	490.3225806	14686.48928	30000	0	0	30000	38.25	2004
12.02.2020 09:51:11	1	1	1	1	138.3	58.25	0	30000	490.3225806	14644.90528	30000	0	0	30000	38.5	2004
12.02.2020 09:51:12	1	1	1	1	138.3	58.5	0	30000	488.172043	14644.90528	30000	0	0	30000	38.75	2004
12.02.2020 09:51:13	1	1	1	1	138.3	58.75	0	29905.213	481.7204301	14516.07643	30000	0	0	30000	38.125	2004
12.02.2020 09:51:14	1	1	1	1	138.3	58	0	30000	501.0752688	15032.20721	30000	0	0	30000	38.8125	2004
12.02.2020 09:51:15	1	1	1	1	137.5	58.75	0	30000	496.7741935	14902.56299	30000	0	0	30000	38.1875	2004
12.02.2020 09:51:22	1	1	1	1	137.5	57.75	0	30000	490.3225806	14644.90528	30000	0	0	30000	38.0625	2004
12.02.2020 09:51:22	1	1	1	1	137.5	57.75	0	30000	490.3225806	14644.90528	30000	0	0	30000	38.0625	2004
12.02.2020 09:51:22	1	1	1	1	137.5	57.75	0	30000	490.3225806	14644.90528	30000	0	0	30000	38.0625	2004
12.02.2020 09:51:22	1	1	1	1	137.5	57.75	0	30000	490.3225806	14644.90528	30000	0	0	30000	38.0625	2004
12.02.2020 09:51:22	1	1	1	1	137.5	57.75	0	30000	490.3225806	14644.90528	30000	0	0	30000	38.0625	2004
12.02.2020 09:51:22	1	1	1	1	137.5	57.75	0	30000	490.3225806	14644.90528	30000	0	0	30000	38.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 09:51:22	1	1	1	1	137.5	58	0	30000	490.3225806	14644.90528	30000	0	0	30000	38.1875	2004
12.02.2020 09:51:23	1	1	1	1	137.5	58	0	29952.607	481.7204301	14451.662	30000	0	0	30000	38.25	2004
12.02.2020 09:51:24	1	1	1	1	135.8	58.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	37.75	2004
12.02.2020 09:51:26	1	1	1	1	135.8	57.75	0	30000	488.172043	14644.90528	30000	0	0	30000	38.1875	2004
12.02.2020 09:51:27	1	1	1	1	135.8	58	0	30000	488.172043	14644.90528	30000	0	0	30000	37.9375	2004
12.02.2020 09:51:28	1	1	1	1	135.8	57.75	0	30000	492.4731183	14644.90528	30000	0	0	30000	37.6875	2004
12.02.2020 09:51:29	1	1	1	1	135.8	57.5	0	30000	483.8709677	14451.662	30000	0	0	30000	38.375	2004
12.02.2020 09:51:30	1	1	1	1	135.8	58.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	38.3125	2004
12.02.2020 09:51:31	1	1	1	1	135.8	58.25	0	30000	492.4731183	14773.73413	30000	0	0	30000	37.8125	2004
12.02.2020 09:51:32	1	1	1	1	135.8	57.75	0	30000	481.7204301	14451.662	30000	0	0	30000	37.6875	2004
12.02.2020 09:51:33	1	1	1	1	135.8	57.5	0	30000	488.172043	14644.90528	30000	0	0	30000	37.5	2004
12.02.2020 09:51:34	1	1	1	1	135.8	57.5	0	30000	481.7204301	14451.662	30000	0	0	30000	37.9375	2004
12.02.2020 09:51:35	1	1	1	1	134.3	57.75	0	30000	481.7204301	14516.07643	30000	0	0	30000	38.375	2004
12.02.2020 09:51:36	1	1	1	1	134.3	58.25	0	30000	481.7204301	14128.7745	30000	0	0	30000	37.875	2004
12.02.2020 09:51:37	1	1	1	1	134.3	57.75	0	30000	481.7204301	14451.662	30000	0	0	30000	37.875	2004
12.02.2020 09:51:38	1	1	1	1	134.3	57.75	0	30000	486.0215054	14644.90528	30000	0	0	30000	38.5	2004
12.02.2020 09:51:39	1	1	1	1	134.3	58.5	0	30000	481.7204301	14451.662	30000	0	0	30000	38.0625	2004
12.02.2020 09:51:40	1	1	1	1	134.3	58	0	30000	488.172043	14644.90528	30000	0	0	30000	38.125	2004
12.02.2020 09:51:41	1	1	1	1	134.3	58	0	30000	481.7204301	14451.662	30000	0	0	30000	37.3125	2004
12.02.2020 09:51:42	1	1	1	1	134.3	57.25	0	30000	481.7204301	14516.07643	30000	0	0	30000	38.25	2004
12.02.2020 09:51:43	1	1	1	1	134.3	58.25	0	30000	481.7204301	14451.662	30000	0	0	30000	37.6875	2004
12.02.2020 09:51:44	1	1	1	1	134.3	57.5	0	30000	481.7204301	14451.662	30000	0	0	30000	38.3125	2004
12.02.2020 09:51:45	1	1	1	1	132.8	58.25	0	30000	488.172043	14644.90528	30000	0	0	30000	38.125	2004
12.02.2020 09:51:46	1	1	1	1	132.8	58	0	29952.607	481.7204301	14516.07643	30000	0	0	30000	37.875	2004
12.02.2020 09:51:47	1	1	1	1	132.8	57.75	0	30000	483.8709677	14709.31971	30000	0	0	30000	38.375	2004
12.02.2020 09:51:48	1	1	1	1	132.8	58.25	0	30000	488.172043	14838.14856	30000	0	0	30000	37.8125	2004
12.02.2020 09:51:49	1	1	1	1	132.8	57.75	0	30000	486.0215054	14580.49085	30000	0	0	30000	38.4375	2004
12.02.2020 09:51:50	1	1	1	1	132.8	58.25	0	30000	490.3225806	14773.73413	30000	0	0	30000	37.9375	2004
12.02.2020 09:51:51	1	1	1	1	132.8	57.75	0	30000	496.7741935	14902.56299	30000	0	0	30000	38.5	2004
12.02.2020 09:51:52	1	1	1	1	132.8	58.5	0	30000	492.4731183	14773.73413	30000	0	0	30000	38.3125	2004
12.02.2020 09:51:53	1	1	1	1	132.8	58.25	0	30000	481.7204301	14644.90528	30000	0	0	30000	38.375	2004
12.02.2020 09:51:54	1	1	1	1	131.5	58.25	0	30000	488.172043	14644.90528	30000	0	0	30000	37.9375	2004
12.02.2020 09:51:55	1	1	1	1	131.5	57.75	0	30000	488.172043	14580.49085	30000	0	0	30000	37.5625	2004
12.02.2020 09:51:56	1	1	1	1	131.5	57.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	37.9375	2004
12.02.2020 09:51:57	1	1	1	1	131.5	57.75	0	30000	496.7741935	14838.14856	30000	0	0	30000	38.5	2004
12.02.2020 09:51:58	1	1	1	1	131.5	58.5	0	30000	488.172043	14644.90528	30000	0	0	30000	37.6875	2004
12.02.2020 09:51:59	1	1	1	1	131.5	57.5	0	30000	483.8709677	14428.83157	30000	0	0	30000	38.4375	2004
12.02.2020 09:52:00	1	1	1	1	131.5	58.25	0	29905.213	481.7204301	14451.662	30000	0	0	30000	38.5625	2004
12.02.2020 09:52:01	1	1	1	1	131.5	58.5	0	30000	492.4731183	14773.73413	30000	0	0	30000	38.5	2004
12.02.2020 09:52:03	1	1	1	1	131.5	58.5	0	30000	488.172043	14644.90528	30000	0	0	30000	37.6875	2004
12.02.2020 09:52:04	1	1	1	1	131.5	57.5	0	30000	488.172043	14644.90528	30000	0	0	30000	38.5	2004
12.02.2020 09:52:05	1	1	1	1	130.3	58.5	0	30000	496.7741935	14902.56299	30000	0	0	30000	38.4375	2004
12.02.2020 09:52:06	1	1	1	1	130.3	58.25	0	30000	496.7741935	15032.20721	30000	0	0	30000	38.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 09:52:07	1	1	1	1	130.3	58.25	0	29905.213	483.8709677	14773.73413	30000	0	0	30000	38.1875	2004
12.02.2020 09:52:08	1	1	1	1	130.3	58	0	30000	486.0215054	14644.90528	30000	0	0	30000	38.25	2004
12.02.2020 09:52:09	1	1	1	1	130.3	58.25	0	30000	488.172043	14644.90528	30000	0	0	30000	38.5	2004
12.02.2020 09:52:10	1	1	1	1	130.3	58.5	0	30000	481.7204301	14451.662	30000	0	0	30000	38.5	2004
12.02.2020 09:52:11	1	1	1	1	130.3	58.5	0	30047.393	483.8709677	14451.662	30000	0	0	30000	38.5	2004
12.02.2020 09:52:12	1	1	1	1	130.3	58.5	0	30000	481.7204301	14451.662	30000	0	0	30000	38.125	2004
12.02.2020 09:52:13	1	1	1	1	130.3	58	0	29952.607	481.7204301	14451.662	30000	0	0	30000	38.5625	2004
12.02.2020 09:52:14	1	1	1	1	130.3	58.5	0	30000	483.8709677	14451.662	30000	0	0	30000	38.5	2004
12.02.2020 09:52:15	1	1	1	1	129	58.5	0	30000	481.7204301	14451.662	30000	0	0	30000	38.25	2004
12.02.2020 09:52:16	1	1	1	1	129	58.25	0	30000	481.7204301	14451.662	30000	0	0	30000	37.9375	2004
12.02.2020 09:52:17	1	1	1	1	129	57.75	0	30000	481.7204301	14451.662	30000	0	0	30000	38.25	2004
12.02.2020 09:52:23	1	1	1	1	129	58.25	0	30000	488.172043	14644.90528	30000	0	0	30000	38.4375	2004
12.02.2020 09:52:23	1	1	1	1	129	58.25	0	30000	488.172043	14644.90528	30000	0	0	30000	38.4375	2004
12.02.2020 09:52:23	1	1	1	1	129	58.25	0	30000	488.172043	14644.90528	30000	0	0	30000	38.4375	2004
12.02.2020 09:52:23	1	1	1	1	129	58.25	0	30000	488.172043	14644.90528	30000	0	0	30000	38.4375	2004
12.02.2020 09:52:23	1	1	1	1	129	58.25	0	30000	488.172043	14644.90528	30000	0	0	30000	38.4375	2004
12.02.2020 09:52:23	1	1	1	1	129	58.25	0	30000	488.172043	14644.90528	30000	0	0	30000	38.4375	2004
12.02.2020 09:52:23	1	1	1	1	129	58.25	0	30000	488.172043	14644.90528	30000	0	0	30000	38.4375	2004
12.02.2020 09:52:23	1	1	1	1	129	58.25	0	30000	488.172043	14644.90528	30000	0	0	30000	38.4375	2004
12.02.2020 09:52:24	1	1	1	1	129	58.25	0	30000	490.3225806	14709.31971	30000	0	0	30000	38.4375	2004
12.02.2020 09:52:25	1	1	1	1	128	58.25	0	30000	481.7204301	14451.662	30000	0	0	30000	38.5	2004
12.02.2020 09:52:26	1	1	1	1	128	58.5	0	30047.393	496.7741935	14516.07643	30000	0	0	30000	38.1875	2004
12.02.2020 09:52:27	1	1	1	1	128	58	0	30000	490.3225806	14773.73413	30000	0	0	30000	38.3125	2004
12.02.2020 09:52:28	1	1	1	1	128	58.25	0	30000	496.7741935	14902.56299	30000	0	0	30000	38.5	2004
12.02.2020 09:52:29	1	1	1	1	128	58.5	0	30000	488.172043	14773.73413	30000	0	0	30000	38.1875	2004
12.02.2020 09:52:30	1	1	1	1	128	58	0	30000	494.6236559	14838.14856	30000	0	0	30000	38.5	2004
12.02.2020 09:52:31	1	1	1	1	128	58.5	0	29952.607	494.6236559	14838.14856	30000	0	0	30000	38.5625	2004
12.02.2020 09:52:32	1	1	1	1	128	58.5	0	30000	496.7741935	14750.9037	30000	0	0	30000	38.9375	2004
12.02.2020 09:52:33	1	1	1	1	128	57.5	0	29905.213	492.4731183	14773.73413	30000	0	0	30000	38.25	2004
12.02.2020 09:52:34	1	1	1	1	126.5	58.25	0	30000	496.7741935	14902.56299	30000	0	0	30000	37.6875	2004
12.02.2020 09:52:35	1	1	1	1	126.5	57.5	0	30000	496.7741935	14902.56299	30000	0	0	30000	37.875	2004
12.02.2020 09:52:36	1	1	1	1	126.5	57.75	0	30000	496.7741935	14902.56299	30000	0	0	30000	38.4375	2004
12.02.2020 09:52:37	1	1	1	1	126.5	58.25	0	30000	494.6236559	14773.73413	30000	0	0	30000	38.25	2004
12.02.2020 09:52:38	1	1	1	1	126.5	58.25	0	30000	488.172043	14644.90528	30000	0	0	30000	37.3125	2004
12.02.2020 09:52:39	1	1	1	1	126.5	57.25	0	30000	492.4731183	14773.73413	30000	0	0	30000	38.5	2004
12.02.2020 09:52:40	1	1	1	1	126.5	58.5	0	30000	492.4731183	14773.73413	30000	0	0	30000	38.4375	2004
12.02.2020 09:52:42	1	1	1	1	126.5	58.25	0	30000	490.3225806	14644.90528	30000	0	0	30000	38.125	2004
12.02.2020 09:52:43	1	1	1	1	126.5	58	0	29952.607	481.7204301	14451.662	30000	0	0	30000	38.5	2004
12.02.2020 09:52:44	1	1	1	1	126.5	58.5	0	30000	488.172043	14580.49085	30000	0	0	30000	38.5	2004
12.02.2020 09:52:45	1	1	1	1	125.5	58.5	0	30047.393	481.7204301	14474.49243	30000	0	0	30000	38.3125	2004
12.02.2020 09:52:46	1	1	1	1	125.5	58.25	0	30000	481.7204301	14406.00114	30000	0	0	30000	38.25	2004
12.02.2020 09:52:47	1	1	1	1	125.5	58.25	0	30000	470.9677419	13999.94564	30000	0	0	30000	38.6875	2004
12.02.2020 09:52:48	1	1	1	1	125.5	58.5	0	30000	481.7204301	14451.662	30000	0	0	30000	38.5	2004
12.02.2020 09:52:49	1	1	1	1	125.5	58.5	0	30000	481.7204301	14451.662	30000	0	0	30000	37.375	2004
12.02.2020 09:52:50	1	1	1	1	125.5	57.25	0	30000	481.7204301	14451.662	30000	0	0	30000	38.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 09:52:51	1	1	1	1	125.5	58.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	38.3125	2004
12.02.2020 09:52:52	1	1	1	1	125.5	58.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	38.625	2004
12.02.2020 09:52:53	1	1	1	1	125.5	58.5	0	30000	492.4731183	14773.73413	30000	0	0	30000	38.3125	2004
12.02.2020 09:52:54	1	1	1	1	125.5	58.25	0	29952.607	483.8709677	14644.90528	30000	0	0	30000	37.9375	2004
12.02.2020 09:52:55	1	1	1	1	124.5	57.75	0	30000	481.7204301	14451.662	30000	0	0	30000	38.3125	2004
12.02.2020 09:52:56	1	1	1	1	124.5	58.25	0	30000	481.7204301	14451.662	30000	0	0	30000	37.0625	2004
12.02.2020 09:52:57	1	1	1	1	124.5	57	0	30000	483.8709677	14516.07643	30000	0	0	30000	38.625	2004
12.02.2020 09:52:58	1	1	1	1	124.5	58.5	0	30000	488.172043	14644.90528	30000	0	0	30000	38.375	2004
12.02.2020 09:52:59	1	1	1	1	124.5	58.25	0	30000	488.172043	14644.90528	30000	0	0	30000	38.5625	2004
12.02.2020 09:53:00	1	1	1	1	124.5	58.5	0	30000	481.7204301	14516.07643	30000	0	0	30000	38.5625	2004
12.02.2020 09:53:01	1	1	1	1	124.5	58.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	38.3125	2004
12.02.2020 09:53:02	1	1	1	1	124.5	58.25	0	30000	488.172043	14580.49085	30000	0	0	30000	38.4375	2004
12.02.2020 09:53:03	1	1	1	1	124.5	58.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	38.4375	2004
12.02.2020 09:53:04	1	1	1	1	124.5	58.25	0	30000	486.0215054	14516.07643	30000	0	0	30000	38.375	2004
12.02.2020 09:53:05	1	1	1	1	123.3	58.25	0	30000	481.7204301	14451.662	30000	0	0	30000	38.5625	2004
12.02.2020 09:53:06	1	1	1	1	123.3	58.5	0	30000	481.7204301	14428.83157	30000	0	0	30000	37.4375	2004
12.02.2020 09:53:07	1	1	1	1	123.3	57.25	0	30000	481.7204301	14451.662	30000	0	0	30000	38.6875	2004
12.02.2020 09:53:08	1	1	1	1	123.3	58.5	0	30000	481.7204301	14451.662	30000	0	0	30000	38.375	2004
12.02.2020 09:53:09	1	1	1	1	123.3	58.25	0	30000	481.7204301	14451.662	30000	0	0	30000	38.875	2004
12.02.2020 09:53:10	1	1	1	1	123.3	59	0	30000	481.7204301	14406.00114	30000	0	0	30000	38.0625	2004
12.02.2020 09:53:11	1	1	1	1	123.3	58	0	30000	481.7204301	14083.92901	30000	0	0	30000	37.875	2004
12.02.2020 09:53:12	1	1	1	1	123.3	57.75	0	30000	481.7204301	14451.662	30000	0	0	30000	38.1875	2004
12.02.2020 09:53:13	1	1	1	1	123.3	58	0	30000	486.0215054	14644.90528	30000	0	0	30000	38.5	2004
12.02.2020 09:53:14	1	1	1	1	122.5	58.5	0	30000	483.8709677	14451.662	30000	0	0	30000	38.6875	2004
12.02.2020 09:53:15	1	1	1	1	122.5	58.5	0	30000	486.0215054	14516.07643	30000	0	0	30000	38.0625	2004
12.02.2020 09:53:16	1	1	1	1	122.5	58	0	30000	481.7204301	14451.662	30000	0	0	30000	37.875	2004
12.02.2020 09:53:18	1	1	1	1	122.5	57.75	0	30000	488.172043	14469.6002	30000	0	0	30000	38.5625	2004
12.02.2020 09:53:19	1	1	1	1	122.5	58.5	0	30000	486.0215054	14773.73413	30000	0	0	30000	38.375	2004
12.02.2020 09:53:25	1	1	1	1	121.3	58.5	0	30000	481.7204301	14451.662	30000	0	0	30000	38.125	2004
12.02.2020 09:53:25	1	1	1	1	121.3	58.5	0	30000	481.7204301	14451.662	30000	0	0	30000	38.125	2004
12.02.2020 09:53:25	1	1	1	1	121.3	58.5	0	30000	481.7204301	14451.662	30000	0	0	30000	38.125	2004
12.02.2020 09:53:25	1	1	1	1	121.3	58.5	0	30000	481.7204301	14451.662	30000	0	0	30000	38.125	2004
12.02.2020 09:53:25	1	1	1	1	121.3	58.5	0	30000	481.7204301	14451.662	30000	0	0	30000	38.125	2004
12.02.2020 09:53:25	1	1	1	1	121.3	58.5	0	30000	481.7204301	14451.662	30000	0	0	30000	38.125	2004
12.02.2020 09:53:25	1	1	1	1	121.3	58.5	0	30000	481.7204301	14451.662	30000	0	0	30000	38.125	2004
12.02.2020 09:53:26	1	1	1	1	121.3	58	0	30000	483.8709677	14516.07643	30000	0	0	30000	38	2004
12.02.2020 09:53:27	1	1	1	1	121.3	58	0	30000	498.9247312	14902.56299	30000	0	0	30000	38.125	2004
12.02.2020 09:53:28	1	1	1	1	121.3	58	0	29952.607	488.172043	14644.90528	30000	0	0	30000	38.375	2004
12.02.2020 09:53:29	1	1	1	1	121.3	58.25	0	30000	488.172043	14644.90528	30000	0	0	30000	38.5625	2004
12.02.2020 09:53:30	1	1	1	1	121.3	58.5	0	30000	492.4731183	14773.73413	30000	0	0	30000	37.75	2004
12.02.2020 09:53:31	1	1	1	1	121.3	57.75	0	30000	486.0215054	14644.90528	30000	0	0	30000	38.125	2004
12.02.2020 09:53:32	1	1	1	1	121.3	58	0	30000	481.7204301	14451.662	30000	0	0	30000	38.5	2004
12.02.2020 09:53:33	1	1	1	1	121.3	58.5	0	30000	481.7204301	14451.662	30000	0	0	30000	38.5625	2004
12.02.2020 09:53:34	1	1	1	1	121.3	58.5	0	29952.607	481.7204301	14451.662	30000	0	0	30000	38.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 09:53:35	1	1	1	1	120.3	58.25	0	29952.607	483.8709677	14516.07643	30000	0	0	30000	38.75	2004
12.02.2020 09:53:36	1	1	1	1	120.3	58.75	0	30000	481.7204301	14451.662	30000	0	0	30000	38.625	2004
12.02.2020 09:53:37	1	1	1	1	120.3	58.5	0	30000	481.7204301	14451.662	30000	0	0	30000	38.125	2004
12.02.2020 09:53:38	1	1	1	1	120.3	58	0	30000	481.7204301	14516.07643	30000	0	0	30000	38.4375	2004
12.02.2020 09:53:39	1	1	1	1	120.3	58.25	0	30047.393	481.7204301	14451.662	30000	0	0	30000	38.6875	2004
12.02.2020 09:53:40	1	1	1	1	120.3	58.5	0	30000	481.7204301	14451.662	30000	0	0	30000	38.5	2004
12.02.2020 09:53:41	1	1	1	1	120.3	58.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	37.5625	2004
12.02.2020 09:53:42	1	1	1	1	120.3	57.5	0	30000	488.172043	14644.90528	30000	0	0	30000	38.0625	2004
12.02.2020 09:53:43	1	1	1	1	120.3	58	0	29952.607	481.7204301	14451.662	30000	0	0	30000	38.25	2004
12.02.2020 09:53:44	1	1	1	1	120.3	58.25	0	30000	481.7204301	14451.662	30000	0	0	30000	38.5625	2004
12.02.2020 09:53:45	1	1	1	1	119.3	58.5	0	30000	481.7204301	14451.662	30000	0	0	30000	38.25	2004
12.02.2020 09:53:46	1	1	1	1	119.3	58.25	0	30000	481.7204301	14516.07643	30000	0	0	30000	39.0625	2004
12.02.2020 09:53:47	1	1	1	1	119.3	59	0	30000	481.7204301	14451.662	30000	0	0	30000	38.9375	2004
12.02.2020 09:53:48	1	1	1	1	119.3	57.75	0	30000	481.7204301	14451.662	30000	0	0	30000	38.375	2004
12.02.2020 09:53:49	1	1	1	1	119.3	58.25	0	30047.393	481.7204301	14561.73729	30000	0	0	30000	38.5625	2004
12.02.2020 09:53:50	1	1	1	1	119.3	58.5	0	29952.607	481.7204301	14406.00114	30000	0	0	30000	38.5	2004
12.02.2020 09:53:51	1	1	1	1	119.3	58.5	0	30000	481.7204301	14428.83157	30000	0	0	30000	38.5625	2004
12.02.2020 09:53:52	1	1	1	1	119.3	58.5	0	30000	486.0215054	14516.07643	30000	0	0	30000	38.4375	2004
12.02.2020 09:53:53	1	1	1	1	119.3	58.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	38.4375	2004
12.02.2020 09:53:54	1	1	1	1	118.3	58.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	37.6875	2004
12.02.2020 09:53:55	1	1	1	1	118.3	57.5	0	30000	488.172043	14861.79436	30000	0	0	30000	37.0625	2004
12.02.2020 09:53:57	1	1	1	1	118.3	57	0	30000	481.7204301	14516.07643	30000	0	0	30000	38.5	2004
12.02.2020 09:53:58	1	1	1	1	118.3	58.5	0	29952.607	481.7204301	14451.662	30000	0	0	30000	38.625	2004
12.02.2020 09:53:59	1	1	1	1	118.3	58.5	0	30000	481.7204301	14406.00114	30000	0	0	30000	37.9375	2004
12.02.2020 09:54:00	1	1	1	1	118.3	57.75	0	30000	481.7204301	14451.662	30000	0	0	30000	38.3125	2004
12.02.2020 09:54:01	1	1	1	1	118.3	58.25	0	30000	481.7204301	14451.662	30000	0	0	30000	37.4375	2004
12.02.2020 09:54:02	1	1	1	1	118.3	57.25	0	29905.213	481.7204301	14516.07643	30000	0	0	30000	38.5	2004
12.02.2020 09:54:03	1	1	1	1	118.3	58.5	0	30000	481.7204301	14451.662	30000	0	0	30000	38.5	2004
12.02.2020 09:54:04	1	1	1	1	118.3	58.5	0	30000	481.7204301	14451.662	30000	0	0	30000	38.3125	2004
12.02.2020 09:54:05	1	1	1	1	117.3	58.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	38.4375	2004
12.02.2020 09:54:06	1	1	1	1	117.3	58.25	0	30000	481.7204301	14516.07643	30000	0	0	30000	38.25	2004
12.02.2020 09:54:07	1	1	1	1	117.3	58.25	0	30000	481.7204301	14451.662	30000	0	0	30000	38.4375	2004
12.02.2020 09:54:08	1	1	1	1	117.3	58.25	0	30000	481.7204301	14451.662	30000	0	0	30000	38.4375	2004
12.02.2020 09:54:09	1	1	1	1	117.3	58.25	0	30000	481.7204301	14451.662	30000	0	0	30000	38.5	2004
12.02.2020 09:54:10	1	1	1	1	117.3	58.5	0	30000	481.7204301	14451.662	30000	0	0	30000	38	2004
12.02.2020 09:54:11	1	1	1	1	117.3	58	0	30000	481.7204301	14451.662	30000	0	0	30000	38.4375	2004
12.02.2020 09:54:12	1	1	1	1	117.3	58.25	0	30000	481.7204301	14451.662	30000	0	0	30000	37.875	2004
12.02.2020 09:54:13	1	1	1	1	117.3	57.75	0	29952.607	481.7204301	14451.662	30000	0	0	30000	37.5	2004
12.02.2020 09:54:14	1	1	1	1	117.3	57.5	0	30000	481.7204301	14451.662	30000	0	0	30000	37.4375	2004
12.02.2020 09:54:15	1	1	1	1	116.8	57.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	38.3125	2004
12.02.2020 09:54:16	1	1	1	1	116.8	58.25	0	30000	481.7204301	14451.662	30000	0	0	30000	37.3125	2004
12.02.2020 09:54:17	1	1	1	1	116.8	57.25	0	30000	481.7204301	14451.662	30000	0	0	30000	38.125	2004
12.02.2020 09:54:18	1	1	1	1	116.8	58	0	30000	481.7204301	14451.662	30000	0	0	30000	38.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 09:54:19	1	1	1	1	116.8	58.5	0	30000	481.7204301	14474.49243	30000	0	0	30000	38.6875	2004
12.02.2020 09:54:20	1	1	1	1	116.8	58.5	0	30000	481.7204301	14516.07643	30000	0	0	30000	38.1875	2004
12.02.2020 09:54:27	1	1	1	1	116.3	58.5	0	30000	490.3225806	14644.90528	30000	0	0	30000	38.8125	2004
12.02.2020 09:54:27	1	1	1	1	116.3	58.5	0	30000	490.3225806	14644.90528	30000	0	0	30000	38.8125	2004
12.02.2020 09:54:27	1	1	1	1	116.3	58.5	0	30000	490.3225806	14644.90528	30000	0	0	30000	38.8125	2004
12.02.2020 09:54:27	1	1	1	1	116.3	58.5	0	30000	490.3225806	14644.90528	30000	0	0	30000	38.8125	2004
12.02.2020 09:54:27	1	1	1	1	116.3	58.5	0	30000	490.3225806	14644.90528	30000	0	0	30000	38.8125	2004
12.02.2020 09:54:27	1	1	1	1	116.3	58.5	0	30000	490.3225806	14644.90528	30000	0	0	30000	38.8125	2004
12.02.2020 09:54:27	1	1	1	1	116.3	58.5	0	30000	490.3225806	14644.90528	30000	0	0	30000	38.8125	2004
12.02.2020 09:54:27	1	1	1	1	116.3	58.75	0	30000	488.172043	14516.07643	30000	0	0	30000	38.6875	2004
12.02.2020 09:54:28	1	1	1	1	116.3	58.5	0	29952.607	483.8709677	14516.07643	30000	0	0	30000	38.75	2004
12.02.2020 09:54:29	1	1	1	1	116.3	58.75	0	30000	483.8709677	14516.07643	30000	0	0	30000	37.3125	2004
12.02.2020 09:54:30	1	1	1	1	116.3	57.25	0	30000	488.172043	14644.90528	30000	0	0	30000	37.9375	2004
12.02.2020 09:54:31	1	1	1	1	116.3	57.75	0	30000	486.0215054	14580.49085	30000	0	0	30000	38.5625	2004
12.02.2020 09:54:32	1	1	1	1	116.3	58.5	0	30000	492.4731183	14709.31971	30000	0	0	30000	38.0625	2004
12.02.2020 09:54:33	1	1	1	1	116.3	58	0	30000	483.8709677	14516.07643	30000	0	0	30000	38.5	2004
12.02.2020 09:54:34	1	1	1	1	115	58.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	38.625	2004
12.02.2020 09:54:36	1	1	1	1	115	58.5	0	30000	488.172043	14580.49085	30000	0	0	30000	38.4375	2004
12.02.2020 09:54:37	1	1	1	1	115	58.25	0	30000	486.0215054	14644.90528	30000	0	0	30000	38.625	2004
12.02.2020 09:54:38	1	1	1	1	115	58.5	0	30000	488.172043	14622.07485	30000	0	0	30000	38.5	2004
12.02.2020 09:54:39	1	1	1	1	115	58.5	0	29952.607	488.172043	14709.31971	30000	0	0	30000	38.25	2004
12.02.2020 09:54:40	1	1	1	1	115	58.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	38.4375	2004
12.02.2020 09:54:41	1	1	1	1	115	58.25	0	29952.607	483.8709677	14516.07643	30000	0	0	30000	38.25	2004
12.02.2020 09:54:42	1	1	1	1	115	58.25	0	30000	488.172043	14644.90528	30000	0	0	30000	38.375	2004
12.02.2020 09:54:43	1	1	1	1	115	58.25	0	30000	488.172043	14644.90528	30000	0	0	30000	38.6875	2004
12.02.2020 09:54:44	1	1	1	1	115	58.5	0	30000	486.0215054	14516.07643	30000	0	0	30000	38.375	2004
12.02.2020 09:54:45	1	1	1	1	114.5	58.25	0	29905.213	488.172043	14902.56299	30000	0	0	30000	38.0625	2004
12.02.2020 09:54:46	1	1	1	1	114.5	58	0	30000	494.6236559	14879.73256	30000	0	0	30000	38.75	2004
12.02.2020 09:54:47	1	1	1	1	114.5	58.75	0	30000	483.8709677	14516.07643	30000	0	0	30000	38.4375	2004
12.02.2020 09:54:48	1	1	1	1	114.5	58.25	0	30000	481.7204301	14516.07643	30000	0	0	30000	38.4375	2004
12.02.2020 09:54:49	1	1	1	1	114.5	58.25	0	30000	481.7204301	14451.662	30000	0	0	30000	38.0625	2004
12.02.2020 09:54:50	1	1	1	1	114.5	58	0	30047.393	488.172043	14451.662	30000	0	0	30000	38.3125	2004
12.02.2020 09:54:51	1	1	1	1	114.5	58.25	0	30000	481.7204301	14516.07643	30000	0	0	30000	38.4375	2004
12.02.2020 09:54:52	1	1	1	1	114.5	58.25	0	30000	488.172043	14644.90528	30000	0	0	30000	38.3125	2004
12.02.2020 09:54:53	1	1	1	1	114.5	58.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	38.5625	2004
12.02.2020 09:54:54	1	1	1	1	114.5	58.5	0	30047.393	488.172043	14644.90528	30000	0	0	30000	38.0625	2004
12.02.2020 09:54:55	1	1	1	1	113.8	58	0	30000	481.7204301	14451.662	30000	0	0	30000	37.4375	2004
12.02.2020 09:54:56	1	1	1	1	113.8	57.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	38.6875	2004
12.02.2020 09:54:57	1	1	1	1	113.8	58.5	0	29952.607	488.172043	14406.00114	30000	0	0	30000	38.125	2004
12.02.2020 09:54:58	1	1	1	1	113.8	58	0	30000	496.7741935	14644.90528	30000	0	0	30000	37.5625	2004
12.02.2020 09:54:59	1	1	1	1	113.8	57.5	0	30000	492.4731183	14838.14856	30000	0	0	30000	38.5625	2004
12.02.2020 09:55:00	1	1	1	1	113.8	58.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	38.25	2004
12.02.2020 09:55:01	1	1	1	1	113.8	58.25	0	30000	496.7741935	14902.56299	30000	0	0	30000	37.75	2004
12.02.2020 09:55:02	1	1	1	1	113.8	57.75	0	30000	496.7741935	14902.56299	30000	0	0	30000	38.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 09:55:03	1	1	1	1	113.8	58.5	0	30000	492.4731183	14773.73413	30000	0	0	30000	38.8125	2004
12.02.2020 09:55:04	1	1	1	1	113.8	58.75	0	30000	486.0215054	14580.49085	30000	0	0	30000	38.75	2004
12.02.2020 09:55:05	1	1	1	1	114	58.75	0	30000	486.0215054	14580.49085	30000	0	0	30000	38.625	2004
12.02.2020 09:55:06	1	1	1	1	114	58.5	0	30000	488.172043	14644.90528	30000	0	0	30000	39.0625	2004
12.02.2020 09:55:07	1	1	1	1	114	58.5	0	30000	481.7204301	14516.07643	30000	0	0	30000	38.5625	2004
12.02.2020 09:55:08	1	1	1	1	114	58.5	0	30000	488.172043	14644.90528	30000	0	0	30000	38.375	2004
12.02.2020 09:55:09	1	1	1	1	114	58.25	0	29952.607	492.4731183	14773.73413	30000	0	0	30000	38.125	2004
12.02.2020 09:55:10	1	1	1	1	114	58	0	30000	481.7204301	14451.662	30000	0	0	30000	38.5	2004
12.02.2020 09:55:11	1	1	1	1	114	58.5	0	30047.393	490.3225806	14516.07643	30000	0	0	30000	38.5	2004
12.02.2020 09:55:12	1	1	1	1	114	58.5	0	30094.787	488.172043	14516.07643	30000	0	0	30000	38.3125	2004
12.02.2020 09:55:14	1	1	1	1	114	58.25	0	30000	486.0215054	14644.90528	30000	0	0	30000	38.4375	2004
12.02.2020 09:55:15	1	1	1	1	113.8	58.25	0	30000	481.7204301	14516.07643	30000	0	0	30000	38.5625	2004
12.02.2020 09:55:16	1	1	1	1	113.8	58.5	0	30000	488.172043	14644.90528	30000	0	0	30000	38.4375	2004
12.02.2020 09:55:17	1	1	1	1	113.8	58.25	0	30000	481.7204301	14451.662	30000	0	0	30000	37.5	2004
12.02.2020 09:55:18	1	1	1	1	113.8	57.5	0	30000	488.172043	14644.90528	30000	0	0	30000	38.75	2004
12.02.2020 09:55:19	1	1	1	1	113.8	58.75	0	29952.607	486.0215054	14644.90528	30000	0	0	30000	37.875	2004
12.02.2020 09:55:20	1	1	1	1	113.8	57.75	0	29952.607	481.7204301	14451.662	30000	0	0	30000	38.4375	2004
12.02.2020 09:55:21	1	1	1	1	113.8	58.25	0	30000	481.7204301	14451.662	30000	0	0	30000	38.125	2004
12.02.2020 09:55:22	1	1	1	1	113.8	58	0	30000	488.172043	14644.90528	30000	0	0	30000	37.9375	2004
12.02.2020 09:55:28	1	1	1	1	112.8	58.25	0	30000	483.8709677	14644.90528	30000	0	0	30000	38.625	2004
12.02.2020 09:55:28	1	1	1	1	112.8	58.25	0	30000	483.8709677	14644.90528	30000	0	0	30000	38.625	2004
12.02.2020 09:55:28	1	1	1	1	112.8	58.25	0	30000	483.8709677	14644.90528	30000	0	0	30000	38.625	2004
12.02.2020 09:55:28	1	1	1	1	112.8	58.25	0	30000	483.8709677	14644.90528	30000	0	0	30000	38.625	2004
12.02.2020 09:55:28	1	1	1	1	112.8	58.25	0	30000	483.8709677	14644.90528	30000	0	0	30000	38.625	2004
12.02.2020 09:55:28	1	1	1	1	112.8	58.25	0	30000	483.8709677	14644.90528	30000	0	0	30000	38.625	2004
12.02.2020 09:55:29	1	1	1	1	112.8	58.5	0	30000	481.7204301	14451.662	30000	0	0	30000	38.4375	2004
12.02.2020 09:55:30	1	1	1	1	112.8	58.25	0	30000	481.7204301	14451.662	30000	0	0	30000	37.4375	2004
12.02.2020 09:55:31	1	1	1	1	112.8	57.25	0	30000	481.7204301	14451.662	30000	0	0	30000	37.3125	2004
12.02.2020 09:55:32	1	1	1	1	112.8	57.25	0	30000	481.7204301	14451.662	30000	0	0	30000	38.125	2004
12.02.2020 09:55:33	1	1	1	1	112.8	58	0	30000	481.7204301	14451.662	30000	0	0	30000	38.6875	2004
12.02.2020 09:55:34	1	1	1	1	112.8	58.5	0	30000	496.7741935	14902.56299	30000	0	0	30000	38.3125	2004
12.02.2020 09:55:35	1	1	1	1	112.8	58.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	38.4375	2004
12.02.2020 09:55:36	1	1	1	1	112.8	58.25	0	30000	486.0215054	14580.49085	30000	0	0	30000	38	2004
12.02.2020 09:55:37	1	1	1	1	112.8	58	0	30000	483.8709677	14516.07643	30000	0	0	30000	38.75	2004
12.02.2020 09:55:38	1	1	1	1	112.8	58.75	0	30000	490.3225806	14773.73413	30000	0	0	30000	38.875	2004
12.02.2020 09:55:39	1	1	1	1	112.8	58.75	0	30000	488.172043	14644.90528	30000	0	0	30000	38.8125	2004
12.02.2020 09:55:40	1	1	1	1	112.8	58.75	0	30000	481.7204301	14516.07643	30000	0	0	30000	38.8125	2004
12.02.2020 09:55:41	1	1	1	1	112.8	58.75	0	30000	486.0215054	14516.07643	30000	0	0	30000	38.8125	2004
12.02.2020 09:55:42	1	1	1	1	112.8	58.75	0	30000	494.6236559	14838.14856	30000	0	0	30000	38.875	2004
12.02.2020 09:55:43	1	1	1	1	112.8	58.75	0	30000	492.4731183	14644.90528	30000	0	0	30000	39.1875	2004
12.02.2020 09:55:44	1	1	1	1	112.8	59	0	30000	488.172043	14644.90528	30000	0	0	30000	38.875	2004
12.02.2020 09:55:45	1	1	1	1	112.8	58.75	0	30000	481.7204301	14516.07643	30000	0	0	30000	38.125	2004
12.02.2020 09:55:46	1	1	1	1	112.8	58.75	0	30000	486.0215054	14580.49085	30000	0	0	30000	38.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 09:55:47	1	1	1	1	112.8	58.75	0	29952.607	481.7204301	14644.90528	30000	0	0	30000	38.5	2004
12.02.2020 09:55:48	1	1	1	1	112.8	58.5	0	30000	488.172043	14644.90528	30000	0	0	30000	38.4375	2004
12.02.2020 09:55:49	1	1	1	1	112.8	58.25	0	30000	483.8709677	14644.90528	30000	0	0	30000	38.6875	2004
12.02.2020 09:55:50	1	1	1	1	112.8	58.5	0	30000	488.172043	14644.90528	30000	0	0	30000	38.125	2004
12.02.2020 09:55:51	1	1	1	1	112.8	58	0	30000	488.172043	14644.90528	30000	0	0	30000	38.375	2004
12.02.2020 09:55:53	1	1	1	1	112.8	58.25	0	30000	486.0215054	14580.49085	30000	0	0	30000	38.5625	2004
12.02.2020 09:55:54	1	1	1	1	112.8	58.5	0	30000	486.0215054	14644.90528	30000	0	0	30000	38.4375	2004
12.02.2020 09:55:55	1	1	1	1	112.5	58.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	38.4375	2004
12.02.2020 09:55:56	1	1	1	1	112.5	58.25	0	30000	492.4731183	14773.73413	30000	0	0	30000	38.5625	2004
12.02.2020 09:55:57	1	1	1	1	112.5	58.5	0	29952.607	481.7204301	14451.662	30000	0	0	30000	38.5	2004
12.02.2020 09:55:58	1	1	1	1	112.5	58.5	0	30000	481.7204301	14516.07643	30000	0	0	30000	38.5	2004
12.02.2020 09:55:59	1	1	1	1	112.5	58.5	0	30000	490.3225806	14622.07485	30000	0	0	30000	37.75	2004
12.02.2020 09:56:00	1	1	1	1	112.5	57.75	0	30000	486.0215054	14644.90528	30000	0	0	30000	38.25	2004
12.02.2020 09:56:01	1	1	1	1	112.5	58.25	0	30000	488.172043	14644.90528	30000	0	0	30000	38.5	2004
12.02.2020 09:56:02	1	1	1	1	112.5	58.5	0	30000	488.172043	14644.90528	30000	0	0	30000	38.625	2004
12.02.2020 09:56:03	1	1	1	1	112.5	58.5	0	29952.607	488.172043	14644.90528	30000	0	0	30000	38	2004
12.02.2020 09:56:04	1	1	1	1	112.5	58	0	30000	496.7741935	14902.56299	30000	0	0	30000	38.1875	2004
12.02.2020 09:56:05	1	1	1	1	111.5	58	0	29952.607	488.172043	14644.90528	30000	0	0	30000	38.1875	2004
12.02.2020 09:56:06	1	1	1	1	111.5	58	0	30000	492.4731183	14773.73413	30000	0	0	30000	38	2004
12.02.2020 09:56:07	1	1	1	1	111.5	58	0	30000	486.0215054	14516.07643	30000	0	0	30000	38.5625	2004
12.02.2020 09:56:08	1	1	1	1	111.5	58.5	0	30000	492.4731183	14773.73413	30000	0	0	30000	38.6875	2004
12.02.2020 09:56:09	1	1	1	1	111.5	58.5	0	30000	494.6236559	14773.73413	30000	0	0	30000	38.625	2004
12.02.2020 09:56:10	1	1	1	1	111.5	58.5	0	30000	488.172043	14644.90528	30000	0	0	30000	38	2004
12.02.2020 09:56:11	1	1	1	1	111.5	58	0	30000	488.172043	14644.90528	30000	0	0	30000	38.375	2004
12.02.2020 09:56:12	1	1	1	1	111.5	58.25	0	29905.213	481.7204301	14516.07643	30000	0	0	30000	37.875	2004
12.02.2020 09:56:13	1	1	1	1	111.5	57.75	0	30000	486.0215054	14644.90528	30000	0	0	30000	38.3125	2004
12.02.2020 09:56:14	1	1	1	1	111.5	58.25	0	30000	494.6236559	14926.20879	30000	0	0	30000	38.75	2004
12.02.2020 09:56:15	1	1	1	1	111	58.75	0	30000	488.172043	14644.90528	30000	0	0	30000	38.75	2004
12.02.2020 09:56:16	1	1	1	1	111	58.75	0	30000	490.3225806	14644.90528	30000	0	0	30000	38.6875	2004
12.02.2020 09:56:17	1	1	1	1	111	58.5	0	29905.213	488.172043	14838.14856	30000	0	0	30000	38.5625	2004
12.02.2020 09:56:18	1	1	1	1	111	58.5	0	30000	488.172043	14773.73413	30000	0	0	30000	38.6875	2004
12.02.2020 09:56:19	1	1	1	1	111	58.5	0	30000	492.4731183	14773.73413	30000	0	0	30000	37.3125	2004
12.02.2020 09:56:20	1	1	1	1	111	57.25	0	30000	486.0215054	14644.90528	30000	0	0	30000	38.75	2004
12.02.2020 09:56:21	1	1	1	1	111	58.75	0	30000	498.9247312	15032.20721	30000	0	0	30000	38.0625	2004
12.02.2020 09:56:22	1	1	1	1	111	58	0	30000	496.7741935	14838.14856	30000	0	0	30000	38.25	2004
12.02.2020 09:56:23	1	1	1	1	111	58.25	0	30000	494.6236559	14838.14856	30000	0	0	30000	38.75	2004
12.02.2020 09:56:30	1	1	1	1	110.8	58.75	0	29905.213	496.7741935	15032.20721	30000	0	0	30000	38.4375	2004
12.02.2020 09:56:30	1	1	1	1	110.8	58.75	0	29905.213	496.7741935	15032.20721	30000	0	0	30000	38.4375	2004
12.02.2020 09:56:30	1	1	1	1	110.8	58.75	0	29905.213	496.7741935	15032.20721	30000	0	0	30000	38.4375	2004
12.02.2020 09:56:30	1	1	1	1	110.8	58.75	0	29905.213	496.7741935	15032.20721	30000	0	0	30000	38.4375	2004
12.02.2020 09:56:30	1	1	1	1	110.8	58.75	0	29905.213	496.7741935	15032.20721	30000	0	0	30000	38.4375	2004
12.02.2020 09:56:30	1	1	1	1	110.8	58.75	0	29905.213	496.7741935	15032.20721	30000	0	0	30000	38.4375	2004
12.02.2020 09:56:30	1	1	1	1	110.8	58.25	0	30000	496.7741935	14902.56299	30000	0	0	30000	38.5625	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 09:56:31	1	1	1	1	110.8	58.5	0	30000	496.7741935	15032.20721	30000	0	0	30000	37.6875	2004
12.02.2020 09:56:32	1	1	1	1	110.8	57.5	0	30000	488.172043	14644.90528	30000	0	0	30000	38.125	2004
12.02.2020 09:56:34	1	1	1	1	110.8	58	0	29952.607	496.7741935	14902.56299	30000	0	0	30000	38.375	2004
12.02.2020 09:56:35	1	1	1	1	110.3	58.25	0	30000	494.6236559	14838.14856	30000	0	0	30000	38	2004
12.02.2020 09:56:36	1	1	1	1	110.3	58	0	30000	496.7741935	14902.56299	30000	0	0	30000	38.6875	2004
12.02.2020 09:56:37	1	1	1	1	110.3	58.5	0	30000	501.0752688	15032.20721	30000	0	0	30000	38.4375	2004
12.02.2020 09:56:38	1	1	1	1	110.3	58.25	0	30000	496.7741935	14902.56299	30000	0	0	30000	38.6875	2004
12.02.2020 09:56:39	1	1	1	1	110.3	58.5	0	30000	501.0752688	15032.20721	30000	0	0	30000	38.5625	2004
12.02.2020 09:56:40	1	1	1	1	110.3	58.5	0	30000	490.3225806	14773.73413	30000	0	0	30000	38.6875	2004
12.02.2020 09:56:41	1	1	1	1	110.3	58.5	0	30000	496.7741935	14902.56299	30000	0	0	30000	38.375	2004
12.02.2020 09:56:42	1	1	1	1	110.3	58.25	0	29952.607	498.9247312	15032.20721	30000	0	0	30000	38	2004
12.02.2020 09:56:43	1	1	1	1	110.3	58	0	30000	498.9247312	14902.56299	30000	0	0	30000	38	2004
12.02.2020 09:56:44	1	1	1	1	110.3	58	0	29952.607	488.172043	14644.90528	30000	0	0	30000	38.5	2004
12.02.2020 09:56:45	1	1	1	1	109.8	58.5	0	30000	501.0752688	15096.62164	30000	0	0	30000	38.3125	2004
12.02.2020 09:56:46	1	1	1	1	109.8	58.25	0	29952.607	501.0752688	15008.56141	30000	0	0	30000	38.5625	2004
12.02.2020 09:56:47	1	1	1	1	109.8	58.5	0	30000	501.0752688	15032.20721	30000	0	0	30000	38.875	2004
12.02.2020 09:56:48	1	1	1	1	109.8	58.75	0	30000	501.0752688	15032.20721	30000	0	0	30000	38.6875	2004
12.02.2020 09:56:49	1	1	1	1	109.8	58.5	0	30000	501.0752688	15032.20721	30000	0	0	30000	38.375	2004
12.02.2020 09:56:50	1	1	1	1	109.8	58.25	0	30000	498.9247312	14727.2579	30000	0	0	30000	38.4375	2004
12.02.2020 09:56:51	1	1	1	1	109.8	58.25	0	30047.393	505.3763441	15184.68187	30000	0	0	30000	38.875	2004
12.02.2020 09:56:52	1	1	1	1	109.8	58.75	0	30000	496.7741935	14902.56299	30000	0	0	30000	38.125	2004
12.02.2020 09:56:53	1	1	1	1	109.8	58	0	30000	501.0752688	15032.20721	30000	0	0	30000	37.75	2004
12.02.2020 09:56:54	1	1	1	1	109.8	57.75	0	30000	503.2258065	15096.62164	30000	0	0	30000	38.375	2004
12.02.2020 09:56:55	1	1	1	1	109	58.25	0	30000	503.2258065	15096.62164	30000	0	0	30000	38.75	2004
12.02.2020 09:56:56	1	1	1	1	109	58.75	0	30000	501.0752688	15161.03607	30000	0	0	30000	38.6875	2004
12.02.2020 09:56:57	1	1	1	1	109	58.5	0	30000	496.7741935	14902.56299	30000	0	0	30000	38.75	2004
12.02.2020 09:56:58	1	1	1	1	109	58.75	0	30000	494.6236559	14838.14856	30000	0	0	30000	38.1875	2004
12.02.2020 09:56:59	1	1	1	1	109	58	0	30000	507.5268817	14727.2579	30000	0	0	30000	38.625	2004
12.02.2020 09:57:02	1	1	1	1	109	57.75	0	30000	494.6236559	14838.14856	30000	0	0	30000	38.375	2004
12.02.2020 09:57:02	1	1	1	1	109	57.75	0	30000	494.6236559	14838.14856	30000	0	0	30000	38.375	2004
12.02.2020 09:57:02	1	1	1	1	109	57.75	0	30000	494.6236559	14838.14856	30000	0	0	30000	38.375	2004
12.02.2020 09:57:03	1	1	1	1	109	58.25	0	30000	496.7741935	14902.56299	30000	0	0	30000	38.625	2004
12.02.2020 09:57:04	1	1	1	1	109	58.5	0	30000	496.7741935	14902.56299	30000	0	0	30000	38.6875	2004
12.02.2020 09:57:05	1	1	1	1	108.3	58.5	0	30000	496.7741935	14773.73413	30000	0	0	30000	39.1875	2004
12.02.2020 09:57:06	1	1	1	1	108.3	58.5	0	29952.607	490.3225806	14773.73413	30000	0	0	30000	38.9375	2004
12.02.2020 09:57:07	1	1	1	1	108.3	58.75	0	30000	501.0752688	15032.20721	30000	0	0	30000	38.375	2004
12.02.2020 09:57:08	1	1	1	1	108.3	58.25	0	30000	496.7741935	14902.56299	30000	0	0	30000	38.1875	2004
12.02.2020 09:57:09	1	1	1	1	108.3	58	0	30000	501.0752688	15032.20721	30000	0	0	30000	38.5625	2004
12.02.2020 09:57:10	1	1	1	1	108.3	58.5	0	30000	496.7741935	14902.56299	30000	0	0	30000	37.75	2004
12.02.2020 09:57:12	1	1	1	1	108.3	57.75	0	30000	496.7741935	14838.14856	30000	0	0	30000	38.5625	2004
12.02.2020 09:57:13	1	1	1	1	108.3	58.5	0	30000	494.6236559	14902.56299	30000	0	0	30000	38.8125	2004
12.02.2020 09:57:14	1	1	1	1	108.3	58.75	0	30000	494.6236559	14838.14856	30000	0	0	30000	38.6875	2004
12.02.2020 09:57:15	1	1	1	1	108	58.5	0	29905.213	503.2258065	15161.03607	30000	0	0	30000	37.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 09:57:16	1	1	1	1	108	57.75	0	30000	496.7741935	14902.56299	30000	0	0	30000	38.625	2004
12.02.2020 09:57:17	1	1	1	1	108	58.5	0	30000	496.7741935	14902.56299	30000	0	0	30000	37.8125	2004
12.02.2020 09:57:18	1	1	1	1	108	57.75	0	30000	505.3763441	15137.39026	30000	0	0	30000	38.6875	2004
12.02.2020 09:57:19	1	1	1	1	108	58.5	0	29952.607	488.172043	14902.56299	30000	0	0	30000	38.5	2004
12.02.2020 09:57:20	1	1	1	1	108	58.5	0	30000	503.2258065	15032.20721	30000	0	0	30000	39	2004
12.02.2020 09:57:21	1	1	1	1	108	59	0	30000	507.5268817	15225.45049	30000	0	0	30000	38.625	2004
12.02.2020 09:57:22	1	1	1	1	108	58.5	0	30047.393	509.6774194	15354.27935	30000	0	0	30000	38.4375	2004
12.02.2020 09:57:23	1	1	1	1	108	58.25	0	30000	509.6774194	15354.27935	30000	0	0	30000	38.5	2004
12.02.2020 09:57:24	1	1	1	1	108	58.5	0	30000	498.9247312	15032.20721	30000	0	0	30000	38.5	2004
12.02.2020 09:57:25	1	1	1	1	107.8	58.5	0	30000	488.172043	14644.90528	30000	0	0	30000	38.1875	2004
12.02.2020 09:57:31	1	1	1	1	107.8	58.25	0	30047.393	503.2258065	15032.20721	30000	0	0	30000	38.375	2004
12.02.2020 09:57:31	1	1	1	1	107.8	58.25	0	30047.393	503.2258065	15032.20721	30000	0	0	30000	38.375	2004
12.02.2020 09:57:31	1	1	1	1	107.8	58.25	0	30047.393	503.2258065	15032.20721	30000	0	0	30000	38.375	2004
12.02.2020 09:57:31	1	1	1	1	107.8	58.25	0	30047.393	503.2258065	15032.20721	30000	0	0	30000	38.375	2004
12.02.2020 09:57:31	1	1	1	1	107.8	58.25	0	30047.393	503.2258065	15032.20721	30000	0	0	30000	38.375	2004
12.02.2020 09:57:31	1	1	1	1	107.8	58.25	0	30047.393	503.2258065	15032.20721	30000	0	0	30000	38.375	2004
12.02.2020 09:57:31	1	1	1	1	107.8	58.25	0	30047.393	503.2258065	15032.20721	30000	0	0	30000	38.375	2004
12.02.2020 09:57:32	1	1	1	1	107.8	58.25	0	30000	496.7741935	15032.20721	30000	0	0	30000	38.8125	2004
12.02.2020 09:57:33	1	1	1	1	107.8	58.75	0	30000	496.7741935	14902.56299	30000	0	0	30000	38.8125	2004
12.02.2020 09:57:34	1	1	1	1	107.8	58.75	0	29905.213	488.172043	14773.73413	30000	0	0	30000	38.5	2004
12.02.2020 09:57:35	1	1	1	1	107.8	58.5	0	30000	501.0752688	15032.20721	30000	0	0	30000	38.75	2004
12.02.2020 09:57:36	1	1	1	1	107.8	58.75	0	30000	488.172043	14644.90528	30000	0	0	30000	38.9375	2004
12.02.2020 09:57:37	1	1	1	1	107.8	58.75	0	30000	496.7741935	14902.56299	30000	0	0	30000	38.6875	2004
12.02.2020 09:57:38	1	1	1	1	107.8	58.5	0	30000	492.4731183	14773.73413	30000	0	0	30000	38.625	2004
12.02.2020 09:57:39	1	1	1	1	107.8	58.5	0	30000	496.7741935	14902.56299	30000	0	0	30000	38.75	2004
12.02.2020 09:57:40	1	1	1	1	107.8	58.75	0	30000	492.4731183	14902.56299	30000	0	0	30000	38.1875	2004
12.02.2020 09:57:41	1	1	1	1	107.8	58	0	30000	496.7741935	14902.56299	30000	0	0	30000	38.3125	2004
12.02.2020 09:57:42	1	1	1	1	107.8	58.25	0	30000	492.4731183	14773.73413	30000	0	0	30000	39.0625	2004
12.02.2020 09:57:43	1	1	1	1	107.8	59	0	30000	494.6236559	14902.56299	30000	0	0	30000	38	2004
12.02.2020 09:57:44	1	1	1	1	107.8	58	0	30000	496.7741935	14902.56299	30000	0	0	30000	38.5	2004
12.02.2020 09:57:45	1	1	1	1	107.3	58.75	0	30000	488.172043	14644.90528	30000	0	0	30000	38	2004
12.02.2020 09:57:46	1	1	1	1	107.3	58	0	30000	496.7741935	14902.56299	30000	0	0	30000	38.8125	2004
12.02.2020 09:57:47	1	1	1	1	107.3	58.75	0	30000	496.7741935	14902.56299	30000	0	0	30000	38.125	2004
12.02.2020 09:57:48	1	1	1	1	107.3	58	0	30000	501.0752688	15096.62164	30000	0	0	30000	38.75	2004
12.02.2020 09:57:49	1	1	1	1	107.3	58.75	0	30000	501.0752688	15032.20721	30000	0	0	30000	38.75	2004
12.02.2020 09:57:51	1	1	1	1	107.3	58.75	0	30000	501.0752688	15032.20721	30000	0	0	30000	38.8125	2004
12.02.2020 09:57:52	1	1	1	1	107.3	58.75	0	30000	507.5268817	15161.03607	30000	0	0	30000	38.8125	2004
12.02.2020 09:57:53	1	1	1	1	107.3	58.75	0	30000	503.2258065	15096.62164	30000	0	0	30000	37.875	2004
12.02.2020 09:57:54	1	1	1	1	107.3	57.75	0	30000	503.2258065	15161.03607	30000	0	0	30000	38.625	2004
12.02.2020 09:57:55	1	1	1	1	106.3	58.5	0	29905.213	496.7741935	14967.79279	30000	0	0	30000	38.6875	2004
12.02.2020 09:57:56	1	1	1	1	106.3	58.5	0	30000	507.5268817	15225.45049	30000	0	0	30000	38.5625	2004
12.02.2020 09:57:57	1	1	1	1	106.3	58.5	0	30000	503.2258065	15161.03607	30000	0	0	30000	38.6875	2004
12.02.2020 09:57:58	1	1	1	1	106.3	58.5	0	30047.393	507.5268817	15032.20721	30000	0	0	30000	38.625	2004
12.02.2020 09:57:59	1	1	1	1	106.3	58.5	0	30000	505.3763441	15032.20721	30000	0	0	30000	38.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 09:58:00	1	1	1	1	106.3	58.25	0	30000	501.0752688	15096.62164	30000	0	0	30000	38.5	2004
12.02.2020 09:58:01	1	1	1	1	106.3	58.5	0	29952.607	507.5268817	15161.03607	30000	0	0	30000	38.125	2004
12.02.2020 09:58:02	1	1	1	1	106.3	58	0	30000	501.0752688	15032.20721	30000	0	0	30000	38.25	2004
12.02.2020 09:58:03	1	1	1	1	106.3	58.25	0	29952.607	501.0752688	15032.20721	30000	0	0	30000	38.6875	2004
12.02.2020 09:58:04	1	1	1	1	106.3	58.5	0	29905.213	505.3763441	15177.34352	30000	0	0	30000	38.6875	2004
12.02.2020 09:58:05	1	1	1	1	105.8	58.5	0	30000	507.5268817	15225.45049	30000	0	0	30000	38.5	2004
12.02.2020 09:58:06	1	1	1	1	105.8	58.5	0	30000	501.0752688	15032.20721	30000	0	0	30000	37.6875	2004
12.02.2020 09:58:07	1	1	1	1	105.8	57.5	0	30000	505.3763441	15137.39026	30000	0	0	30000	38.25	2004
12.02.2020 09:58:08	1	1	1	1	105.8	58.25	0	30000	503.2258065	15032.20721	30000	0	0	30000	38.4375	2004
12.02.2020 09:58:09	1	1	1	1	105.8	58.25	0	30000	507.5268817	15483.92357	30000	0	0	30000	38.5625	2004
12.02.2020 09:58:10	1	1	1	1	105.8	58.5	0	30000	503.2258065	14856.08676	30000	0	0	30000	38.8125	2004
12.02.2020 09:58:11	1	1	1	1	105.8	58.75	0	29905.213	501.0752688	15225.45049	30000	0	0	30000	38.4375	2004
12.02.2020 09:58:12	1	1	1	1	105.8	58.25	0	30000	503.2258065	15096.62164	30000	0	0	30000	38.25	2004
12.02.2020 09:58:13	1	1	1	1	105.8	58.25	0	29952.607	501.0752688	15289.86492	30000	0	0	30000	38.25	2004
12.02.2020 09:58:14	1	1	1	1	105.8	58.25	0	30000	511.827957	15289.86492	30000	0	0	30000	38.5625	2004
12.02.2020 09:58:15	1	1	1	1	105.5	58.5	0	30000	503.2258065	15096.62164	30000	0	0	30000	38.9375	2004
12.02.2020 09:58:16	1	1	1	1	105.5	58.75	0	29905.213	496.7741935	15161.03607	30000	0	0	30000	38.4375	2004
12.02.2020 09:58:17	1	1	1	1	105.5	58.25	0	30000	507.5268817	15161.03607	30000	0	0	30000	38.25	2004
12.02.2020 09:58:18	1	1	1	1	105.5	58.25	0	30000	496.7741935	14902.56299	30000	0	0	30000	38.4375	2004
12.02.2020 09:58:19	1	1	1	1	105.5	58.25	0	30000	496.7741935	14902.56299	30000	0	0	30000	38.8125	2004
12.02.2020 09:58:20	1	1	1	1	105.5	58.75	0	29952.607	498.9247312	15032.20721	30000	0	0	30000	38.9375	2004
12.02.2020 09:58:21	1	1	1	1	105.5	58.75	0	30000	494.6236559	14838.14856	30000	0	0	30000	38.4375	2004
12.02.2020 09:58:22	1	1	1	1	105.5	58.25	0	30000	498.9247312	14902.56299	30000	0	0	30000	38.625	2004
12.02.2020 09:58:23	1	1	1	1	105.5	58.5	0	30000	501.0752688	15096.62164	30000	0	0	30000	39.0625	2004
12.02.2020 09:58:24	1	1	1	1	105.5	59	0	30000	501.0752688	15032.20721	30000	0	0	30000	38.9375	2004
12.02.2020 09:58:25	1	1	1	1	105	58.5	0	30000	503.2258065	15161.03607	30000	0	0	30000	38.375	2004
12.02.2020 09:58:26	1	1	1	1	105	58.25	0	30000	507.5268817	15161.03607	30000	0	0	30000	39	2004
12.02.2020 09:58:33	1	1	1	1	105	58.75	0	30000	509.6774194	15289.86492	30000	0	0	30000	38.8125	2004
12.02.2020 09:58:33	1	1	1	1	105	58.75	0	30000	509.6774194	15289.86492	30000	0	0	30000	38.8125	2004
12.02.2020 09:58:33	1	1	1	1	105	58.75	0	30000	509.6774194	15289.86492	30000	0	0	30000	38.8125	2004
12.02.2020 09:58:33	1	1	1	1	105	58.75	0	30000	509.6774194	15289.86492	30000	0	0	30000	38.8125	2004
12.02.2020 09:58:33	1	1	1	1	105	58.75	0	30000	509.6774194	15289.86492	30000	0	0	30000	38.8125	2004
12.02.2020 09:58:33	1	1	1	1	105	58.75	0	30000	509.6774194	15289.86492	30000	0	0	30000	38.8125	2004
12.02.2020 09:58:34	1	1	1	1	105	58.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	38.6875	2004
12.02.2020 09:58:35	1	1	1	1	104.8	58.5	0	30000	516.1290323	15508.38475	30000	0	0	30000	38.25	2004
12.02.2020 09:58:36	1	1	1	1	104.8	58.25	0	30000	509.6774194	15289.86492	30000	0	0	30000	38.4375	2004
12.02.2020 09:58:37	1	1	1	1	104.8	58.25	0	30000	509.6774194	15289.86492	30000	0	0	30000	37.4375	2004
12.02.2020 09:58:38	1	1	1	1	104.8	57.25	0	30000	507.5268817	15225.45049	30000	0	0	30000	38.6875	2004
12.02.2020 09:58:39	1	1	1	1	104.8	58.5	0	30000	507.5268817	15225.45049	30000	0	0	30000	38.3125	2004
12.02.2020 09:58:40	1	1	1	1	104.8	58.25	0	30000	507.5268817	15289.86492	30000	0	0	30000	38.3125	2004
12.02.2020 09:58:41	1	1	1	1	104.8	58.25	0	30000	509.6774194	15289.86492	30000	0	0	30000	38.8125	2004
12.02.2020 09:58:42	1	1	1	1	104.8	58.75	0	30000	507.5268817	15225.45049	30000	0	0	30000	38.875	2004
12.02.2020 09:58:43	1	1	1	1	104.8	58.75	0	29905.213	509.6774194	15483.92357	30000	0	0	30000	38.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 09:58:44	1	1	1	1	104.8	58.75	0	30000	509.6774194	15289.86492	30000	0	0	30000	38.375	2004
12.02.2020 09:58:45	1	1	1	1	104.3	58.25	0	29952.607	507.5268817	15266.21912	30000	0	0	30000	38.5	2004
12.02.2020 09:58:46	1	1	1	1	104.3	58.5	0	30000	509.6774194	15289.86492	30000	0	0	30000	38.5625	2004
12.02.2020 09:58:47	1	1	1	1	104.3	58.5	0	30000	516.1290323	15483.92357	30000	0	0	30000	38.125	2004
12.02.2020 09:58:48	1	1	1	1	104.3	58	0	30000	507.5268817	15289.86492	30000	0	0	30000	39	2004
12.02.2020 09:58:49	1	1	1	1	104.3	59	0	30000	511.827957	15289.86492	30000	0	0	30000	38.75	2004
12.02.2020 09:58:50	1	1	1	1	104.3	58.75	0	30000	511.827957	15483.92357	30000	0	0	30000	38.5625	2004
12.02.2020 09:58:51	1	1	1	1	104.3	58.5	0	30000	507.5268817	15225.45049	30000	0	0	30000	37.5625	2004
12.02.2020 09:58:52	1	1	1	1	104.3	57.5	0	30000	505.3763441	15161.03607	30000	0	0	30000	38.75	2004
12.02.2020 09:58:53	1	1	1	1	104.3	58.75	0	29952.607	516.1290323	15483.92357	30000	0	0	30000	38.9375	2004
12.02.2020 09:58:54	1	1	1	1	104.3	58.75	0	30000	516.1290323	15418.69377	30000	0	0	30000	38.1875	2004
12.02.2020 09:58:55	1	1	1	1	104.3	58	0	30000	516.1290323	15483.92357	30000	0	0	30000	38.4375	2004
12.02.2020 09:58:56	1	1	1	1	104.3	58.25	0	30000	516.1290323	15548.338	30000	0	0	30000	38.3125	2004
12.02.2020 09:58:57	1	1	1	1	104.3	58.25	0	30000	516.1290323	15289.86492	30000	0	0	30000	38.875	2004
12.02.2020 09:58:58	1	1	1	1	104.3	58.75	0	30000	511.827957	15289.86492	30000	0	0	30000	38.125	2004
12.02.2020 09:58:59	1	1	1	1	104.3	58	0	29905.213	511.827957	15459.4624	30000	0	0	30000	38.625	2004
12.02.2020 09:59:00	1	1	1	1	104.3	58.5	0	29952.607	507.5268817	15289.86492	30000	0	0	30000	38.75	2004
12.02.2020 09:59:01	1	1	1	1	104.3	58.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	39	2004
12.02.2020 09:59:02	1	1	1	1	104.3	59	0	30000	522.5806452	15677.16685	30000	0	0	30000	38.5625	2004
12.02.2020 09:59:03	1	1	1	1	104.3	58.5	0	30000	511.827957	15289.86492	30000	0	0	30000	38.5625	2004
12.02.2020 09:59:04	1	1	1	1	104.3	58.5	0	30000	516.1290323	15483.92357	30000	0	0	30000	39.125	2004
12.02.2020 09:59:05	1	1	1	1	103.5	59	0	30000	507.5268817	15225.45049	30000	0	0	30000	38.9375	2004
12.02.2020 09:59:06	1	1	1	1	103.5	58.75	0	30000	516.1290323	15548.338	30000	0	0	30000	37.8125	2004
12.02.2020 09:59:07	1	1	1	1	103.5	57.75	0	30000	516.1290323	15201.80469	30000	0	0	30000	38.75	2004
12.02.2020 09:59:08	1	1	1	1	103.5	58.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	38.9375	2004
12.02.2020 09:59:09	1	1	1	1	103.5	58.75	0	30000	509.6774194	15289.86492	30000	0	0	30000	38.1875	2004
12.02.2020 09:59:11	1	1	1	1	103.5	58	0	30000	509.6774194	15289.86492	30000	0	0	30000	37.875	2004
12.02.2020 09:59:12	1	1	1	1	103.5	57.75	0	30000	518.2795699	15548.338	30000	0	0	30000	38.4375	2004
12.02.2020 09:59:13	1	1	1	1	103.5	58.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	38.8125	2004
12.02.2020 09:59:14	1	1	1	1	103.5	58.75	0	30000	516.1290323	15548.338	30000	0	0	30000	38.25	2004
12.02.2020 09:59:15	1	1	1	1	103.3	58.25	0	30000	516.1290323	15548.338	30000	0	0	30000	37.25	2004
12.02.2020 09:59:16	1	1	1	1	103.3	57.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	38.875	2004
12.02.2020 09:59:17	1	1	1	1	103.3	58.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	38.8125	2004
12.02.2020 09:59:18	1	1	1	1	103.3	58.75	0	30000	520.4301075	15483.92357	30000	0	0	30000	38.9375	2004
12.02.2020 09:59:19	1	1	1	1	103.3	58.75	0	30000	516.1290323	15548.338	30000	0	0	30000	38.6875	2004
12.02.2020 09:59:20	1	1	1	1	103.3	58.5	0	30000	518.2795699	15548.338	30000	0	0	30000	38.1875	2004
12.02.2020 09:59:21	1	1	1	1	103.3	58	0	29905.213	516.1290323	15548.338	30000	0	0	30000	38.8125	2004
12.02.2020 09:59:22	1	1	1	1	103.3	58.75	0	30000	518.2795699	15548.338	30000	0	0	30000	38.75	2004
12.02.2020 09:59:23	1	1	1	1	103.3	58.75	0	30000	516.1290323	15548.338	30000	0	0	30000	38.5625	2004
12.02.2020 09:59:24	1	1	1	1	103.3	58.5	0	30000	518.2795699	15548.338	30000	0	0	30000	38.875	2004
12.02.2020 09:59:25	1	1	1	1	103	58.75	0	29952.607	520.4301075	15612.75243	30000	0	0	30000	38.875	2004
12.02.2020 09:59:26	1	1	1	1	103	58.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	38.4375	2004
12.02.2020 09:59:27	1	1	1	1	103	58.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	38.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 09:59:28	1	1	1	1	103	58.75	0	30000	511.827957	15354.27935	30000	0	0	30000	38.625	2004
12.02.2020 09:59:35	1	1	1	1	103	59	0	30000	516.1290323	15483.92357	30000	0	0	30000	39	2004
12.02.2020 09:59:35	1	1	1	1	103	59	0	30000	516.1290323	15483.92357	30000	0	0	30000	39	2004
12.02.2020 09:59:35	1	1	1	1	103	59	0	30000	516.1290323	15483.92357	30000	0	0	30000	39	2004
12.02.2020 09:59:35	1	1	1	1	103	59	0	30000	516.1290323	15483.92357	30000	0	0	30000	39	2004
12.02.2020 09:59:35	1	1	1	1	103	59	0	30000	516.1290323	15483.92357	30000	0	0	30000	39	2004
12.02.2020 09:59:35	1	1	1	1	102.8	59	0	30000	516.1290323	15483.92357	30000	0	0	30000	38.875	2004
12.02.2020 09:59:36	1	1	1	1	102.8	58.75	0	30000	518.2795699	15548.338	30000	0	0	30000	39	2004
12.02.2020 09:59:37	1	1	1	1	102.8	59	0	30000	516.1290323	15483.92357	30000	0	0	30000	38.9375	2004
12.02.2020 09:59:38	1	1	1	1	102.8	58.75	0	30000	516.1290323	15548.338	30000	0	0	30000	38.8125	2004
12.02.2020 09:59:39	1	1	1	1	102.8	58.75	0	29952.607	518.2795699	15677.16685	30000	0	0	30000	38.25	2004
12.02.2020 09:59:40	1	1	1	1	102.8	58.25	0	30000	518.2795699	15548.338	30000	0	0	30000	38.75	2004
12.02.2020 09:59:41	1	1	1	1	102.8	58.75	0	29905.213	520.4301075	15498.60028	30000	0	0	30000	39.0625	2004
12.02.2020 09:59:42	1	1	1	1	102.8	59	0	30000	524.7311828	15677.16685	30000	0	0	30000	39.375	2004
12.02.2020 09:59:43	1	1	1	1	102.8	59	0	30000	522.5806452	15677.16685	30000	0	0	30000	38.625	2004
12.02.2020 09:59:44	1	1	1	1	102.5	58.5	0	30000	518.2795699	15548.338	30000	0	0	30000	38.375	2004
12.02.2020 09:59:45	1	1	1	1	102.5	58.25	0	30000	516.1290323	15548.338	30000	0	0	30000	38.9375	2004
12.02.2020 09:59:46	1	1	1	1	102.5	58.75	0	30094.787	533.3333333	15677.16685	30000	0	0	30000	38.625	2004
12.02.2020 09:59:48	1	1	1	1	102.5	58.5	0	30000	518.2795699	15612.75243	30000	0	0	30000	39	2004
12.02.2020 09:59:49	1	1	1	1	102.5	59	0	30000	516.1290323	15483.92357	30000	0	0	30000	38.8125	2004
12.02.2020 09:59:50	1	1	1	1	102.5	58.75	0	30000	522.5806452	15588.29125	30000	0	0	30000	38.6875	2004
12.02.2020 09:59:51	1	1	1	1	102.5	58.5	0	30000	533.3333333	15627.42913	30000	0	0	30000	38.875	2004
12.02.2020 09:59:52	1	1	1	1	102.5	58.75	0	30000	520.4301075	15498.60028	30000	0	0	30000	38.5625	2004
12.02.2020 09:59:53	1	1	1	1	102.5	58.5	0	30000	529.0322581	15934.82456	30000	0	0	30000	38.625	2004
12.02.2020 09:59:54	1	1	1	1	102.5	58.5	0	30000	524.7311828	15741.58128	30000	0	0	30000	38.875	2004
12.02.2020 09:59:55	1	1	1	1	102.3	58.75	0	30000	526.8817204	15870.41013	30000	0	0	30000	38.875	2004
12.02.2020 09:59:56	1	1	1	1	102.3	58.75	0	30000	524.7311828	15805.99571	30000	0	0	30000	38.125	2004
12.02.2020 09:59:57	1	1	1	1	102.3	58	0	30000	529.0322581	15870.41013	30000	0	0	30000	38.6875	2004
12.02.2020 09:59:58	1	1	1	1	102.3	58.5	0	30000	529.0322581	15870.41013	30000	0	0	30000	38.375	2004
12.02.2020 09:59:59	1	1	1	1	102.3	58.25	0	30000	522.5806452	15677.16685	30000	0	0	30000	38.5	2004
12.02.2020 10:00:00	1	1	1	1	102.3	58.5	0	30000	524.7311828	15741.58128	30000	0	0	30000	38.75	2004
12.02.2020 10:00:01	1	1	1	1	102.3	58.75	0	30000	529.0322581	15870.41013	30000	0	0	30000	38.9375	2004
12.02.2020 10:00:02	1	1	1	1	102.3	58.75	0	30000	520.4301075	15612.75243	30000	0	0	30000	38.625	2004
12.02.2020 10:00:03	1	1	1	1	102.3	58.5	0	30000	516.1290323	15548.338	30000	0	0	30000	38.5	2004
12.02.2020 10:00:04	1	1	1	1	102.3	58.5	0	30000	522.5806452	15677.16685	30000	0	0	30000	38.0625	2004
12.02.2020 10:00:05	1	1	1	1	102	58	0	30000	507.5268817	15225.45049	30000	0	0	30000	38.75	2004
12.02.2020 10:00:06	1	1	1	1	102	58.75	0	30000	507.5268817	15161.03607	30000	0	0	30000	38.6875	2004
12.02.2020 10:00:07	1	1	1	1	102	58.5	0	29952.607	516.1290323	15483.92357	30000	0	0	30000	38.5	2004
12.02.2020 10:00:08	1	1	1	1	102	58.5	0	30000	505.3763441	15161.03607	30000	0	0	30000	38.875	2004
12.02.2020 10:00:09	1	1	1	1	102	58.75	0	30000	507.5268817	15225.45049	30000	0	0	30000	38.8125	2004
12.02.2020 10:00:10	1	1	1	1	102	58.75	0	30000	509.6774194	15289.86492	30000	0	0	30000	38.5	2004
12.02.2020 10:00:11	1	1	1	1	102	58.5	0	30000	490.3225806	14773.73413	30000	0	0	30000	38.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 10:00:12	1	1	1	1	102	58.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	38.75	2004
12.02.2020 10:00:13	1	1	1	1	102	58.75	0	30000	507.5268817	15161.03607	30000	0	0	30000	38.25	2004
12.02.2020 10:00:14	1	1	1	1	102	58.25	0	29952.607	505.3763441	15225.45049	30000	0	0	30000	38.8125	2004
12.02.2020 10:00:15	1	1	1	1	101.5	58.75	0	30000	507.5268817	15161.03607	30000	0	0	30000	38.4375	2004
12.02.2020 10:00:16	1	1	1	1	101.5	58.25	0	29952.607	507.5268817	15225.45049	30000	0	0	30000	39.125	2004
12.02.2020 10:00:17	1	1	1	1	101.5	59	0	30000	507.5268817	15289.86492	30000	0	0	30000	38.8125	2004
12.02.2020 10:00:18	1	1	1	1	101.5	58.75	0	29952.607	516.1290323	15483.92357	30000	0	0	30000	38.5	2004
12.02.2020 10:00:19	1	1	1	1	101.5	58.5	0	29952.607	516.1290323	15483.92357	30000	0	0	30000	39	2004
12.02.2020 10:00:20	1	1	1	1	101.5	59	0	30000	516.1290323	15483.92357	30000	0	0	30000	39.4375	2004
12.02.2020 10:00:21	1	1	1	1	101.5	59.25	0	30000	511.827957	15330.63354	30000	0	0	30000	39.125	2004
12.02.2020 10:00:22	1	1	1	1	101.5	58.75	0	30000	507.5268817	15225.45049	30000	0	0	30000	38.625	2004
12.02.2020 10:00:23	1	1	1	1	101.5	58.5	0	30000	509.6774194	15289.86492	30000	0	0	30000	38.5625	2004
12.02.2020 10:00:24	1	1	1	1	101.3	58.5	0	30000	516.1290323	15483.92357	30000	0	0	30000	38.9375	2004
12.02.2020 10:00:25	1	1	1	1	101.3	58.75	0	29952.607	505.3763441	15225.45049	30000	0	0	30000	38.75	2004
12.02.2020 10:00:27	1	1	1	1	101.3	58.75	0	30000	509.6774194	15289.86492	30000	0	0	30000	38.375	2004
12.02.2020 10:00:28	1	1	1	1	101.3	58.25	0	30047.393	524.7311828	15435.00122	30000	0	0	30000	38.5625	2004
12.02.2020 10:00:29	1	1	1	1	101.3	58.5	0	30047.393	505.3763441	15161.03607	30000	0	0	30000	38.8125	2004
12.02.2020 10:00:30	1	1	1	1	101.3	58.75	0	30000	503.2258065	15161.03607	30000	0	0	30000	38.25	2004
12.02.2020 10:00:36	1	1	1	1	101	58.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	38.875	2004
12.02.2020 10:00:36	1	1	1	1	101	58.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	38.875	2004
12.02.2020 10:00:36	1	1	1	1	101	58.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	38.875	2004
12.02.2020 10:00:36	1	1	1	1	101	58.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	38.875	2004
12.02.2020 10:00:36	1	1	1	1	101	58.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	38.875	2004
12.02.2020 10:00:36	1	1	1	1	101	58.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	38.875	2004
12.02.2020 10:00:37	1	1	1	1	101	58.75	0	30000	511.827957	15289.86492	30000	0	0	30000	38.8125	2004
12.02.2020 10:00:38	1	1	1	1	101	58.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	39.1875	2004
12.02.2020 10:00:39	1	1	1	1	101	59	0	30000	518.2795699	15548.338	30000	0	0	30000	39.125	2004
12.02.2020 10:00:40	1	1	1	1	101	59	0	30047.393	507.5268817	15184.68187	30000	0	0	30000	38.0625	2004
12.02.2020 10:00:41	1	1	1	1	101	58	0	30000	507.5268817	15225.45049	30000	0	0	30000	38.875	2004
12.02.2020 10:00:42	1	1	1	1	101	58.75	0	29952.607	516.1290323	15459.4624	30000	0	0	30000	38.625	2004
12.02.2020 10:00:43	1	1	1	1	101	58.5	0	30000	516.1290323	15483.92357	30000	0	0	30000	38.375	2004
12.02.2020 10:00:44	1	1	1	1	101	58.25	0	29952.607	518.2795699	15548.338	30000	0	0	30000	38.9375	2004
12.02.2020 10:00:45	1	1	1	1	100.3	58.75	0	30000	520.4301075	15612.75243	30000	0	0	30000	38.8125	2004
12.02.2020 10:00:46	1	1	1	1	100.3	58.75	0	30000	520.4301075	15612.75243	30000	0	0	30000	39.0625	2004
12.02.2020 10:00:47	1	1	1	1	100.3	59	0	30000	524.7311828	15677.16685	30000	0	0	30000	39	2004
12.02.2020 10:00:48	1	1	1	1	100.3	59	0	30000	518.2795699	15548.338	30000	0	0	30000	38.8125	2004
12.02.2020 10:00:49	1	1	1	1	100.3	58.75	0	30000	481.7204301	13999.94564	30000	0	0	30000	38.6875	2004
12.02.2020 10:00:50	1	1	1	1	100.3	58.5	0	29810.427	535.483871	16026.96165	30000	0	0	30000	38.875	2004
12.02.2020 10:00:51	1	1	1	1	100.3	58.75	0	29810.427	535.483871	15962.54722	30000	0	0	30000	38.9375	2004
12.02.2020 10:00:52	1	1	1	1	100.3	58.75	0	29289.1	546.2365591	16087.29921	30000	0	0	30000	39.0625	2004
12.02.2020 10:00:53	1	1	1	1	100.3	59	0	29241.706	550.5376344	16098.71443	30000	0	0	30000	38.75	2004
12.02.2020 10:00:54	1	1	1	1	100.3	58.75	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	38.9375	2004
12.02.2020 10:00:55	1	1	1	1	100.3	58.75	0	29715.64	535.483871	15975.59318	30000	0	0	30000	39.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 10:00:56	1	1	1	1	100.3	59	0	29763.033	541.9354839	16040.00761	30000	0	0	30000	38.875	2004
12.02.2020 10:00:57	1	1	1	1	100.3	58.75	0	29526.066	539.7849462	15937.27068	30000	0	0	30000	39.4375	2004
12.02.2020 10:00:58	1	1	1	1	100.3	59.25	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	39.0625	2004
12.02.2020 10:00:59	1	1	1	1	100.3	59	0	29383.886	546.2365591	15960.91648	30000	0	0	30000	39	2004
12.02.2020 10:01:00	1	1	1	1	100.3	59.5	0	29526.066	541.9354839	15759.51947	30000	0	0	30000	39	2004
12.02.2020 10:01:01	1	1	1	1	100.3	59	0	29573.46	541.9354839	15899.76354	30000	0	0	30000	38.9375	2004
12.02.2020 10:01:02	1	1	1	1	100.3	58.75	0	29715.64	537.6344086	15911.99413	30000	0	0	30000	39.0625	2004
12.02.2020 10:01:04	1	1	1	1	100.3	59	0	30000	531.1827957	15870.41013	30000	0	0	30000	39.0625	2004
12.02.2020 10:01:05	1	1	1	1	100.5	59	0	30000	533.3333333	16000.05436	30000	0	0	30000	38.5625	2004
12.02.2020 10:01:06	1	1	1	1	100.5	58.5	0	30000	520.4301075	15435.00122	30000	0	0	30000	38.8125	2004
12.02.2020 10:01:07	1	1	1	1	100.5	58.75	0	30047.393	524.7311828	15741.58128	30000	0	0	30000	38.8125	2004
12.02.2020 10:01:08	1	1	1	1	100.5	58.75	0	30000	518.2795699	15548.338	30000	0	0	30000	38.375	2004
12.02.2020 10:01:09	1	1	1	1	100.5	58.25	0	29952.607	520.4301075	15548.338	30000	0	0	30000	38.625	2004
12.02.2020 10:01:10	1	1	1	1	100.5	58.5	0	30000	520.4301075	15612.75243	30000	0	0	30000	39.0625	2004
12.02.2020 10:01:11	1	1	1	1	100.5	59	0	30000	520.4301075	15548.338	30000	0	0	30000	38.9375	2004
12.02.2020 10:01:12	1	1	1	1	100.5	58.75	0	30000	516.1290323	15548.338	30000	0	0	30000	38.8125	2004
12.02.2020 10:01:13	1	1	1	1	100.5	58.75	0	30000	520.4301075	15612.75243	30000	0	0	30000	38.8125	2004
12.02.2020 10:01:14	1	1	1	1	100.5	58.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	38.875	2004
12.02.2020 10:01:15	1	1	1	1	100	58.75	0	30047.393	520.4301075	15612.75243	30000	0	0	30000	38.8125	2004
12.02.2020 10:01:16	1	1	1	1	100	58.75	0	30000	516.1290323	15289.86492	30000	0	0	30000	38.3125	2004
12.02.2020 10:01:17	1	1	1	1	100	58.25	0	30047.393	516.1290323	15548.338	30000	0	0	30000	38.9375	2004
12.02.2020 10:01:18	1	1	1	1	100	58.75	0	30000	520.4301075	15677.16685	30000	0	0	30000	39	2004
12.02.2020 10:01:19	1	1	1	1	100	59	0	30000	511.827957	15354.27935	30000	0	0	30000	39.0625	2004
12.02.2020 10:01:20	1	1	1	1	100	59	0	29952.607	509.6774194	15548.338	30000	0	0	30000	38.9375	2004
12.02.2020 10:01:21	1	1	1	1	100	58.75	0	30000	522.5806452	15652.70568	30000	0	0	30000	39.0625	2004
12.02.2020 10:01:22	1	1	1	1	100	59	0	30000	520.4301075	15498.60028	30000	0	0	30000	38.875	2004
12.02.2020 10:01:23	1	1	1	1	100	58.75	0	30000	516.1290323	15241.75794	30000	0	0	30000	39.125	2004
12.02.2020 10:01:24	1	1	1	1	100	59	0	29952.607	516.1290323	15548.338	30000	0	0	30000	39.1875	2004
12.02.2020 10:01:25	1	1	1	1	99.5	59	0	30000	518.2795699	15548.338	30000	0	0	30000	39.1875	2004
12.02.2020 10:01:26	1	1	1	1	99.5	59	0	30000	518.2795699	15548.338	30000	0	0	30000	38.625	2004
12.02.2020 10:01:27	1	1	1	1	99.5	58.5	0	30000	518.2795699	15548.338	30000	0	0	30000	38.875	2004
12.02.2020 10:01:28	1	1	1	1	99.5	58.75	0	30047.393	516.1290323	15289.86492	30000	0	0	30000	38.75	2004
12.02.2020 10:01:29	1	1	1	1	99.5	58.75	0	30000	518.2795699	15548.338	30000	0	0	30000	38.9375	2004
12.02.2020 10:01:30	1	1	1	1	99.5	58.75	0	30000	524.7311828	15805.99571	30000	0	0	30000	38.9375	2004
12.02.2020 10:01:31	1	1	1	1	99.5	58.75	0	30000	518.2795699	15548.338	30000	0	0	30000	39.0625	2004
12.02.2020 10:01:38	1	1	1	1	99.75	59.25	0	30000	516.1290323	15418.69377	30000	0	0	30000	38.0625	2004
12.02.2020 10:01:38	1	1	1	1	99.75	59.25	0	30000	516.1290323	15418.69377	30000	0	0	30000	38.0625	2004
12.02.2020 10:01:38	1	1	1	1	99.75	59.25	0	30000	516.1290323	15418.69377	30000	0	0	30000	38.0625	2004
12.02.2020 10:01:38	1	1	1	1	99.75	59.25	0	30000	516.1290323	15418.69377	30000	0	0	30000	38.0625	2004
12.02.2020 10:01:38	1	1	1	1	99.75	59.25	0	30000	516.1290323	15418.69377	30000	0	0	30000	38.0625	2004
12.02.2020 10:01:38	1	1	1	1	99.75	59.25	0	30000	516.1290323	15418.69377	30000	0	0	30000	38.0625	2004
12.02.2020 10:01:38	1	1	1	1	99.75	58	0	30000	520.4301075	15612.75243	30000	0	0	30000	38.5625	2004
12.02.2020 10:01:39	1	1	1	1	99.75	58.5	0	30000	522.5806452	15677.16685	30000	0	0	30000	38.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 10:01:40	1	1	1	1	99.75	58.75	0	30000	522.5806452	15548.338	30000	0	0	30000	38.875	2004
12.02.2020 10:01:42	1	1	1	1	99.75	58.75	0	29952.607	522.5806452	15741.58128	30000	0	0	30000	39	2004
12.02.2020 10:01:43	1	1	1	1	99.75	59	0	30000	524.7311828	15652.70568	30000	0	0	30000	38.375	2004
12.02.2020 10:01:44	1	1	1	1	99.75	58.25	0	30000	518.2795699	15548.338	30000	0	0	30000	39.125	2004
12.02.2020 10:01:45	1	1	1	1	99.5	59	0	29905.213	509.6774194	15548.338	30000	0	0	30000	38.375	2004
12.02.2020 10:01:46	1	1	1	1	99.5	58.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	37.875	2004
12.02.2020 10:01:47	1	1	1	1	99.5	57.75	0	30000	522.5806452	15677.16685	30000	0	0	30000	38.625	2004
12.02.2020 10:01:48	1	1	1	1	99.5	58.5	0	30000	518.2795699	15548.338	30000	0	0	30000	39	2004
12.02.2020 10:01:49	1	1	1	1	99.5	59	0	30000	518.2795699	15498.60028	30000	0	0	30000	38.875	2004
12.02.2020 10:01:50	1	1	1	1	99.5	58.75	0	30000	522.5806452	15677.16685	30000	0	0	30000	37.75	2004
12.02.2020 10:01:51	1	1	1	1	99.5	57.75	0	30000	524.7311828	15548.338	30000	0	0	30000	39.125	2004
12.02.2020 10:01:52	1	1	1	1	99.5	59	0	30000	524.7311828	15677.16685	30000	0	0	30000	39.0625	2004
12.02.2020 10:01:53	1	1	1	1	99.5	59	0	30000	520.4301075	15677.16685	30000	0	0	30000	38.3125	2004
12.02.2020 10:01:54	1	1	1	1	99.5	58.25	0	30000	518.2795699	15548.338	30000	0	0	30000	38.9375	2004
12.02.2020 10:01:55	1	1	1	1	98.75	58.75	0	30000	518.2795699	15548.338	30000	0	0	30000	38.75	2004
12.02.2020 10:01:56	1	1	1	1	98.75	58.75	0	30000	516.1290323	15354.27935	30000	0	0	30000	38.5625	2004
12.02.2020 10:01:57	1	1	1	1	98.75	58.5	0	30000	518.2795699	15548.338	30000	0	0	30000	39.0625	2004
12.02.2020 10:01:58	1	1	1	1	98.75	59	0	29952.607	524.7311828	15677.16685	30000	0	0	30000	38.875	2004
12.02.2020 10:01:59	1	1	1	1	98.75	58.75	0	30000	529.0322581	15870.41013	30000	0	0	30000	38.25	2004
12.02.2020 10:02:00	1	1	1	1	98.75	58.25	0	30000	526.8817204	15805.99571	30000	0	0	30000	38.4375	2004
12.02.2020 10:02:01	1	1	1	1	98.75	58.25	0	30000	518.2795699	15548.338	30000	0	0	30000	39	2004
12.02.2020 10:02:02	1	1	1	1	98.75	59	0	30000	522.5806452	15677.16685	30000	0	0	30000	38.9375	2004
12.02.2020 10:02:03	1	1	1	1	98.75	58.75	0	29952.607	524.7311828	15677.16685	30000	0	0	30000	39.125	2004
12.02.2020 10:02:04	1	1	1	1	98.75	59	0	30000	524.7311828	15677.16685	30000	0	0	30000	38.9375	2004
12.02.2020 10:02:05	1	1	1	1	98.75	58.75	0	30000	526.8817204	15677.16685	30000	0	0	30000	39	2004
12.02.2020 10:02:06	1	1	1	1	98.75	59	0	30000	520.4301075	15677.16685	30000	0	0	30000	38.5625	2004
12.02.2020 10:02:07	1	1	1	1	98.75	58.5	0	30000	522.5806452	15677.16685	30000	0	0	30000	38.625	2004
12.02.2020 10:02:08	1	1	1	1	98.75	58.5	0	30000	522.5806452	15548.338	30000	0	0	30000	38.1875	2004
12.02.2020 10:02:09	1	1	1	1	98.75	58	0	30000	522.5806452	15677.16685	30000	0	0	30000	38.9375	2004
12.02.2020 10:02:10	1	1	1	1	98.75	58.75	0	30000	529.0322581	15805.99571	30000	0	0	30000	38.875	2004
12.02.2020 10:02:11	1	1	1	1	98.75	58.75	0	30000	533.3333333	16000.05436	30000	0	0	30000	38.125	2004
12.02.2020 10:02:12	1	1	1	1	98.75	58	0	29952.607	522.5806452	15805.99571	30000	0	0	30000	38.75	2004
12.02.2020 10:02:13	1	1	1	1	98.75	58.75	0	30000	533.3333333	16064.46878	30000	0	0	30000	39.4375	2004
12.02.2020 10:02:14	1	1	1	1	98.75	59.25	0	30000	520.4301075	15612.75243	30000	0	0	30000	38.9375	2004
12.02.2020 10:02:15	1	1	1	1	98.5	58.75	0	29905.213	511.827957	15548.338	30000	0	0	30000	39.125	2004
12.02.2020 10:02:16	1	1	1	1	98.5	59	0	30000	526.8817204	15870.41013	30000	0	0	30000	39.4375	2004
12.02.2020 10:02:17	1	1	1	1	98.5	59.25	0	30000	529.0322581	15805.99571	30000	0	0	30000	38.5	2004
12.02.2020 10:02:18	1	1	1	1	98.5	58.5	0	30000	522.5806452	15741.58128	30000	0	0	30000	38.8125	2004
12.02.2020 10:02:19	1	1	1	1	98.5	59	0	30000	520.4301075	15612.75243	30000	0	0	30000	38.875	2004
12.02.2020 10:02:20	1	1	1	1	98.5	58.75	0	30000	524.7311828	15677.16685	30000	0	0	30000	38.375	2004
12.02.2020 10:02:21	1	1	1	1	98.5	58.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	37.3125	2004
12.02.2020 10:02:23	1	1	1	1	98.5	57.25	0	30000	520.4301075	15459.4624	30000	0	0	30000	38.6875	2004
12.02.2020 10:02:24	1	1	1	1	98.5	58.5	0	30000	518.2795699	15548.338	30000	0	0	30000	39.0625	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 10:02:25	1	1	1	1	98.25	59	0	29905.213	516.1290323	15483.92357	30000	0	0	30000	38.625	2004
12.02.2020 10:02:26	1	1	1	1	98.25	58.5	0	30000	516.1290323	15548.338	30000	0	0	30000	37.8125	2004
12.02.2020 10:02:27	1	1	1	1	98.25	57.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	38.25	2004
12.02.2020 10:02:28	1	1	1	1	98.25	58.25	0	30000	526.8817204	15805.99571	30000	0	0	30000	39.125	2004
12.02.2020 10:02:29	1	1	1	1	98.25	59	0	30000	520.4301075	15677.16685	30000	0	0	30000	38.4375	2004
12.02.2020 10:02:30	1	1	1	1	98.25	58.25	0	30000	522.5806452	15677.16685	30000	0	0	30000	39.375	2004
12.02.2020 10:02:31	1	1	1	1	98.25	59.25	0	30000	524.7311828	15805.99571	30000	0	0	30000	38.5	2004
12.02.2020 10:02:32	1	1	1	1	98.25	58.5	0	29952.607	522.5806452	15677.16685	30000	0	0	30000	39.1875	2004
12.02.2020 10:02:33	1	1	1	1	98.25	59	0	30000	516.1290323	15483.92357	30000	0	0	30000	38.6875	2004
12.02.2020 10:02:40	1	1	1	1	97.5	58.75	0	29952.607	516.1290323	15483.92357	30000	0	0	30000	38.25	2004
12.02.2020 10:02:40	1	1	1	1	97.5	58.75	0	29952.607	516.1290323	15483.92357	30000	0	0	30000	38.25	2004
12.02.2020 10:02:40	1	1	1	1	97.5	58.75	0	29952.607	516.1290323	15483.92357	30000	0	0	30000	38.25	2004
12.02.2020 10:02:40	1	1	1	1	97.5	58.75	0	29952.607	516.1290323	15483.92357	30000	0	0	30000	38.25	2004
12.02.2020 10:02:40	1	1	1	1	97.5	58.75	0	29952.607	516.1290323	15483.92357	30000	0	0	30000	38.25	2004
12.02.2020 10:02:40	1	1	1	1	97.5	58.25	0	29905.213	537.6344086	16141.92917	30000	0	0	30000	38.875	2004
12.02.2020 10:02:41	1	1	1	1	97.5	58.75	0	29431.28	546.2365591	16024.51553	30000	0	0	30000	38.75	2004
12.02.2020 10:02:42	1	1	1	1	97.5	58.75	0	29146.919	544.0860215	15795.39586	30000	0	0	30000	39.3125	2004
12.02.2020 10:02:43	1	1	1	1	97.5	59.25	0	29526.066	541.9354839	15937.27068	30000	0	0	30000	38.8125	2004
12.02.2020 10:02:44	1	1	1	1	97.5	58.75	0	29857.82	535.483871	16077.51474	30000	0	0	30000	39.0625	2004
12.02.2020 10:02:45	1	1	1	1	98.25	59	0	29905.213	537.6344086	16077.51474	30000	0	0	30000	39.1875	2004
12.02.2020 10:02:46	1	1	1	1	98.25	59	0	29620.853	537.6344086	15925.04009	30000	0	0	30000	39.1875	2004
12.02.2020 10:02:47	1	1	1	1	98.25	59	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	38.4375	2004
12.02.2020 10:02:48	1	1	1	1	98.25	58.25	0	29620.853	537.6344086	16052.2382	30000	0	0	30000	39.125	2004
12.02.2020 10:02:49	1	1	1	1	98.25	59	0	29573.46	537.6344086	15899.76354	30000	0	0	30000	39.0625	2004
12.02.2020 10:02:50	1	1	1	1	98.25	59	0	29952.607	535.483871	16039.19224	30000	0	0	30000	39.3125	2004
12.02.2020 10:02:51	1	1	1	1	98.25	59.25	0	30000	529.0322581	16179.43631	30000	0	0	30000	39.0625	2004
12.02.2020 10:02:52	1	1	1	1	98.25	59	0	30000	522.5806452	15741.58128	30000	0	0	30000	38.625	2004
12.02.2020 10:02:53	1	1	1	1	98.25	58.5	0	30000	509.6774194	15289.86492	30000	0	0	30000	39	2004
12.02.2020 10:02:54	1	1	1	1	98.25	59	0	30000	509.6774194	15289.86492	30000	0	0	30000	39.125	2004
12.02.2020 10:02:55	1	1	1	1	97.75	59	0	30000	501.0752688	15032.20721	30000	0	0	30000	38.9375	2004
12.02.2020 10:02:56	1	1	1	1	97.75	58.75	0	30000	498.9247312	14902.56299	30000	0	0	30000	38.9375	2004
12.02.2020 10:02:57	1	1	1	1	97.75	59	0	30000	496.7741935	14902.56299	30000	0	0	30000	38.9375	2004
12.02.2020 10:02:58	1	1	1	1	97.75	58.75	0	30000	501.0752688	15096.62164	30000	0	0	30000	38.375	2004
12.02.2020 10:02:59	1	1	1	1	97.75	58.25	0	29905.213	501.0752688	15096.62164	30000	0	0	30000	38.8125	2004
12.02.2020 10:03:01	1	1	1	1	97.75	58.75	0	30000	503.2258065	15032.20721	30000	0	0	30000	38.9375	2004
12.02.2020 10:03:02	1	1	1	1	97.75	58.75	0	29952.607	501.0752688	15008.56141	30000	0	0	30000	38.6875	2004
12.02.2020 10:03:03	1	1	1	1	97.75	58.5	0	30000	503.2258065	15161.03607	30000	0	0	30000	38.75	2004
12.02.2020 10:03:04	1	1	1	1	97.75	58.75	0	30000	503.2258065	15096.62164	30000	0	0	30000	38.4375	2004
12.02.2020 10:03:05	1	1	1	1	97.5	58.25	0	30000	505.3763441	15225.45049	30000	0	0	30000	39	2004
12.02.2020 10:03:06	1	1	1	1	97.5	59	0	29952.607	507.5268817	15201.80469	30000	0	0	30000	39.0625	2004
12.02.2020 10:03:07	1	1	1	1	97.5	59	0	30000	507.5268817	15483.92357	30000	0	0	30000	38.5	2004
12.02.2020 10:03:08	1	1	1	1	97.5	58.5	0	30047.393	516.1290323	15483.92357	30000	0	0	30000	38.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 10:03:09	1	1	1	1	97.5	58.75	0	30000	509.6774194	15225.45049	30000	0	0	30000	38.25	2004
12.02.2020 10:03:10	1	1	1	1	97.5	58.25	0	30000	507.5268817	15225.45049	30000	0	0	30000	38.9375	2004
12.02.2020 10:03:11	1	1	1	1	97.5	58.75	0	30000	501.0752688	15032.20721	30000	0	0	30000	39.1875	2004
12.02.2020 10:03:12	1	1	1	1	97.5	59	0	29952.607	507.5268817	15289.86492	30000	0	0	30000	39.0625	2004
12.02.2020 10:03:13	1	1	1	1	97.5	59	0	29905.213	505.3763441	15201.80469	30000	0	0	30000	38.875	2004
12.02.2020 10:03:14	1	1	1	1	97.5	58.75	0	30000	507.5268817	15289.86492	30000	0	0	30000	38.1875	2004
12.02.2020 10:03:15	1	1	1	1	96.75	58	0	30000	516.1290323	15548.338	30000	0	0	30000	39	2004
12.02.2020 10:03:16	1	1	1	1	96.75	59	0	30000	516.1290323	15483.92357	30000	0	0	30000	39.125	2004
12.02.2020 10:03:17	1	1	1	1	96.75	59	0	29952.607	509.6774194	15266.21912	30000	0	0	30000	38.75	2004
12.02.2020 10:03:18	1	1	1	1	96.75	58.75	0	29952.607	516.1290323	15483.92357	30000	0	0	30000	38.9375	2004
12.02.2020 10:03:19	1	1	1	1	96.75	58.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	38.875	2004
12.02.2020 10:03:20	1	1	1	1	96.75	58.75	0	30000	511.827957	15289.86492	30000	0	0	30000	38.5625	2004
12.02.2020 10:03:21	1	1	1	1	96.75	58.5	0	30000	516.1290323	15548.338	30000	0	0	30000	38.8125	2004
12.02.2020 10:03:22	1	1	1	1	96.75	58.75	0	30000	518.2795699	15548.338	30000	0	0	30000	39.125	2004
12.02.2020 10:03:23	1	1	1	1	96.75	59	0	30000	516.1290323	15483.92357	30000	0	0	30000	38.6875	2004
12.02.2020 10:03:24	1	1	1	1	96.75	58.5	0	30000	516.1290323	15483.92357	30000	0	0	30000	39.25	2004
12.02.2020 10:03:25	1	1	1	1	96.75	59.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	38.875	2004
12.02.2020 10:03:26	1	1	1	1	96.75	58.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	39.125	2004
12.02.2020 10:03:27	1	1	1	1	96.75	59	0	29952.607	516.1290323	15483.92357	30000	0	0	30000	38.6875	2004
12.02.2020 10:03:28	1	1	1	1	96.75	58.5	0	30000	518.2795699	15548.338	30000	0	0	30000	39.0625	2004
12.02.2020 10:03:29	1	1	1	1	96.75	59	0	30000	516.1290323	15483.92357	30000	0	0	30000	39	2004
12.02.2020 10:03:30	1	1	1	1	96.75	59	0	30000	522.5806452	15677.16685	30000	0	0	30000	39.0625	2004
12.02.2020 10:03:31	1	1	1	1	96.75	59	0	30000	516.1290323	15548.338	30000	0	0	30000	38.875	2004
12.02.2020 10:03:32	1	1	1	1	96.75	58.75	0	30000	516.1290323	15548.338	30000	0	0	30000	38.9375	2004
12.02.2020 10:03:33	1	1	1	1	96.75	58.75	0	30000	516.1290323	15548.338	30000	0	0	30000	39.25	2004
12.02.2020 10:03:34	1	1	1	1	96.75	59.25	0	30000	518.2795699	15548.338	30000	0	0	30000	39.125	2004
12.02.2020 10:03:41	1	1	1	1	96.5	59	0	30000	522.5806452	15677.16685	30000	0	0	30000	38.375	2004
12.02.2020 10:03:41	1	1	1	1	96.5	59	0	30000	522.5806452	15677.16685	30000	0	0	30000	38.375	2004
12.02.2020 10:03:41	1	1	1	1	96.5	59	0	30000	522.5806452	15677.16685	30000	0	0	30000	38.375	2004
12.02.2020 10:03:41	1	1	1	1	96.5	59	0	30000	522.5806452	15677.16685	30000	0	0	30000	38.375	2004
12.02.2020 10:03:41	1	1	1	1	96.5	59	0	30000	522.5806452	15677.16685	30000	0	0	30000	38.375	2004
12.02.2020 10:03:41	1	1	1	1	96.5	59	0	30000	522.5806452	15677.16685	30000	0	0	30000	38.375	2004
12.02.2020 10:03:42	1	1	1	1	96.5	58.25	0	30000	518.2795699	15370.5868	30000	0	0	30000	38.9375	2004
12.02.2020 10:03:43	1	1	1	1	96.5	58.75	0	30000	520.4301075	15459.4624	30000	0	0	30000	38.9375	2004
12.02.2020 10:03:44	1	1	1	1	96.5	58.75	0	30000	518.2795699	15548.338	30000	0	0	30000	39.0625	2004
12.02.2020 10:03:45	1	1	1	1	96.25	59	0	30000	516.1290323	15483.92357	30000	0	0	30000	39.0625	2004
12.02.2020 10:03:46	1	1	1	1	96.25	59	0	30000	518.2795699	15483.92357	30000	0	0	30000	38.125	2004
12.02.2020 10:03:47	1	1	1	1	96.25	58	0	30000	516.1290323	15548.338	30000	0	0	30000	38.5625	2004
12.02.2020 10:03:48	1	1	1	1	96.25	58.5	0	30000	516.1290323	15483.92357	30000	0	0	30000	38.875	2004
12.02.2020 10:03:49	1	1	1	1	96.25	58.75	0	29952.607	516.1290323	15354.27935	30000	0	0	30000	38.6875	2004
12.02.2020 10:03:50	1	1	1	1	96.25	58.5	0	30000	464.516129	13935.53122	30000	0	0	30000	39.125	2004
12.02.2020 10:03:51	1	1	1	1	96.25	59	0	30047.393	509.6774194	15289.86492	30000	0	0	30000	39	2004
12.02.2020 10:03:52	1	1	1	1	96.25	59	0	29810.427	537.6344086	15962.54722	30000	0	0	30000	39.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 10:03:53	1	1	1	1	96.25	59	0	29715.64	537.6344086	15911.99413	30000	0	0	30000	39.25	2004
12.02.2020 10:03:54	1	1	1	1	96.25	59.25	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	39.3125	2004
12.02.2020 10:03:55	1	1	1	1	96.25	59.25	0	29857.82	539.7849462	16090.5607	30000	0	0	30000	39.25	2004
12.02.2020 10:03:56	1	1	1	1	96.25	59.25	0	29763.033	535.483871	15975.59318	30000	0	0	30000	38.9375	2004
12.02.2020 10:03:57	1	1	1	1	96.25	58.75	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	38.75	2004
12.02.2020 10:03:58	1	1	1	1	96.25	58.75	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	38.6875	2004
12.02.2020 10:03:59	1	1	1	1	96.25	58.5	0	30000	533.3333333	15974.77781	30000	0	0	30000	39.1875	2004
12.02.2020 10:04:00	1	1	1	1	96.25	59	0	30000	533.3333333	16000.05436	30000	0	0	30000	39.125	2004
12.02.2020 10:04:01	1	1	1	1	96.25	59	0	30000	529.0322581	15870.41013	30000	0	0	30000	39.0625	2004
12.02.2020 10:04:02	1	1	1	1	96.25	59	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	38.8125	2004
12.02.2020 10:04:03	1	1	1	1	96.25	58.75	0	30000	520.4301075	15612.75243	30000	0	0	30000	39	2004
12.02.2020 10:04:04	1	1	1	1	96.25	59	0	30000	529.0322581	15934.82456	30000	0	0	30000	38.9375	2004
12.02.2020 10:04:05	1	1	1	1	96.25	58.75	0	30000	522.5806452	15677.16685	30000	0	0	30000	38.5625	2004
12.02.2020 10:04:06	1	1	1	1	96.25	58.5	0	30000	518.2795699	15548.338	30000	0	0	30000	39.4375	2004
12.02.2020 10:04:07	1	1	1	1	96.25	59.25	0	30000	520.4301075	15548.338	30000	0	0	30000	38.9375	2004
12.02.2020 10:04:08	1	1	1	1	96.25	58.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	38.6875	2004
12.02.2020 10:04:09	1	1	1	1	96.25	58.5	0	30000	516.1290323	15483.92357	30000	0	0	30000	38.8125	2004
12.02.2020 10:04:10	1	1	1	1	96.25	58.75	0	30000	509.6774194	15289.86492	30000	0	0	30000	39	2004
12.02.2020 10:04:11	1	1	1	1	96.25	59	0	30000	509.6774194	15266.21912	30000	0	0	30000	39.4375	2004
12.02.2020 10:04:12	1	1	1	1	96.25	59.25	0	30000	511.827957	15354.27935	30000	0	0	30000	39.3125	2004
12.02.2020 10:04:13	1	1	1	1	96.25	59.25	0	29952.607	516.1290323	15483.92357	30000	0	0	30000	39.1875	2004
12.02.2020 10:04:14	1	1	1	1	95.75	59.25	0	29952.607	520.4301075	15677.16685	30000	0	0	30000	39.0625	2004
12.02.2020 10:04:15	1	1	1	1	95.75	59	0	30000	518.2795699	15483.92357	30000	0	0	30000	39	2004
12.02.2020 10:04:17	1	1	1	1	95.75	59	0	29952.607	511.827957	15354.27935	30000	0	0	30000	39.4375	2004
12.02.2020 10:04:18	1	1	1	1	95.75	59.25	0	30000	516.1290323	15354.27935	30000	0	0	30000	38.375	2004
12.02.2020 10:04:19	1	1	1	1	95.75	58.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	39.25	2004
12.02.2020 10:04:20	1	1	1	1	95.75	59.25	0	30000	511.827957	15354.27935	30000	0	0	30000	38.6875	2004
12.02.2020 10:04:21	1	1	1	1	95.75	58.5	0	29952.607	516.1290323	15483.92357	30000	0	0	30000	39.125	2004
12.02.2020 10:04:22	1	1	1	1	95.75	59	0	30000	516.1290323	15483.92357	30000	0	0	30000	39	2004
12.02.2020 10:04:23	1	1	1	1	95.75	59	0	30000	516.1290323	15483.92357	30000	0	0	30000	39.3125	2004
12.02.2020 10:04:24	1	1	1	1	95.75	59.25	0	30000	509.6774194	15225.45049	30000	0	0	30000	38.9375	2004
12.02.2020 10:04:25	1	1	1	1	95.5	58.75	0	30000	509.6774194	15289.86492	30000	0	0	30000	39.3125	2004
12.02.2020 10:04:26	1	1	1	1	95.5	59.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	39.1875	2004
12.02.2020 10:04:27	1	1	1	1	95.5	59	0	30000	511.827957	15289.86492	30000	0	0	30000	38.8125	2004
12.02.2020 10:04:28	1	1	1	1	95.5	58.75	0	30000	516.1290323	15289.86492	30000	0	0	30000	38.8125	2004
12.02.2020 10:04:29	1	1	1	1	95.5	58.75	0	30000	511.827957	15354.27935	30000	0	0	30000	39.25	2004
12.02.2020 10:04:30	1	1	1	1	95.5	59.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	38.9375	2004
12.02.2020 10:04:31	1	1	1	1	95.5	58.75	0	30000	518.2795699	15548.338	30000	0	0	30000	38.625	2004
12.02.2020 10:04:32	1	1	1	1	95.5	58.5	0	30000	516.1290323	15266.21912	30000	0	0	30000	38.8125	2004
12.02.2020 10:04:33	1	1	1	1	95.5	58.75	0	29905.213	509.6774194	15289.86492	30000	0	0	30000	39.125	2004
12.02.2020 10:04:34	1	1	1	1	95.5	59	0	29905.213	507.5268817	15483.92357	30000	0	0	30000	38.6875	2004
12.02.2020 10:04:35	1	1	1	1	95	58.5	0	30000	516.1290323	15483.92357	30000	0	0	30000	38.875	2004
12.02.2020 10:04:36	1	1	1	1	95	58.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	39.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 10:04:43	1	1	1	1	95	59	0	30000	518.2795699	15548.338	30000	0	0	30000	39.0625	2004
12.02.2020 10:04:43	1	1	1	1	95	59	0	30000	518.2795699	15548.338	30000	0	0	30000	39.0625	2004
12.02.2020 10:04:43	1	1	1	1	95	59	0	30000	518.2795699	15548.338	30000	0	0	30000	39.0625	2004
12.02.2020 10:04:43	1	1	1	1	95	59	0	30000	518.2795699	15548.338	30000	0	0	30000	39.0625	2004
12.02.2020 10:04:43	1	1	1	1	95	59	0	30000	518.2795699	15548.338	30000	0	0	30000	39.0625	2004
12.02.2020 10:04:43	1	1	1	1	95	59	0	30000	518.2795699	15548.338	30000	0	0	30000	39.0625	2004
12.02.2020 10:04:43	1	1	1	1	95	59	0	30000	518.2795699	15548.338	30000	0	0	30000	38.6875	2004
12.02.2020 10:04:44	1	1	1	1	95	58.5	0	30000	518.2795699	15483.92357	30000	0	0	30000	39.1875	2004
12.02.2020 10:04:45	1	1	1	1	95.5	59	0	30000	522.5806452	15677.16685	30000	0	0	30000	39.0625	2004
12.02.2020 10:04:46	1	1	1	1	95.5	59	0	30000	516.1290323	15548.338	30000	0	0	30000	39.375	2004
12.02.2020 10:04:47	1	1	1	1	95.5	59.25	0	30000	516.1290323	15548.338	30000	0	0	30000	38.1875	2004
12.02.2020 10:04:48	1	1	1	1	95.5	58	0	29905.213	518.2795699	15677.16685	30000	0	0	30000	38.875	2004
12.02.2020 10:04:49	1	1	1	1	95.5	58.75	0	29952.607	516.1290323	15483.92357	30000	0	0	30000	39	2004
12.02.2020 10:04:50	1	1	1	1	95.5	59	0	30000	516.1290323	15483.92357	30000	0	0	30000	38.5625	2004
12.02.2020 10:04:51	1	1	1	1	95.5	58.5	0	30000	518.2795699	15548.338	30000	0	0	30000	39.1875	2004
12.02.2020 10:04:52	1	1	1	1	95.5	59	0	29952.607	507.5268817	15483.92357	30000	0	0	30000	39	2004
12.02.2020 10:04:53	1	1	1	1	95.5	59	0	30000	516.1290323	15241.75794	30000	0	0	30000	39.25	2004
12.02.2020 10:04:54	1	1	1	1	94.75	57.75	0	29952.607	507.5268817	15354.27935	30000	0	0	30000	38.6875	2004
12.02.2020 10:04:56	1	1	1	1	94.75	58.5	0	30000	516.1290323	15483.92357	30000	0	0	30000	39	2004
12.02.2020 10:04:57	1	1	1	1	94.75	59	0	30000	516.1290323	15289.86492	30000	0	0	30000	39	2004
12.02.2020 10:04:58	1	1	1	1	94.75	59	0	29905.213	505.3763441	15483.92357	30000	0	0	30000	38.6875	2004
12.02.2020 10:04:59	1	1	1	1	94.75	58.5	0	30047.393	522.5806452	15483.92357	30000	0	0	30000	38.375	2004
12.02.2020 10:05:00	1	1	1	1	94.75	58.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	39.375	2004
12.02.2020 10:05:01	1	1	1	1	94.75	59.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	39.0625	2004
12.02.2020 10:05:02	1	1	1	1	94.75	59	0	30000	507.5268817	15289.86492	30000	0	0	30000	38.9375	2004
12.02.2020 10:05:03	1	1	1	1	94.75	58.75	0	30047.393	509.6774194	15289.86492	30000	0	0	30000	39.125	2004
12.02.2020 10:05:04	1	1	1	1	94.75	59	0	30000	507.5268817	15289.86492	30000	0	0	30000	38.6875	2004
12.02.2020 10:05:05	1	1	1	1	95	58.5	0	30000	501.0752688	14879.73256	30000	0	0	30000	38.9375	2004
12.02.2020 10:05:06	1	1	1	1	95	58.75	0	30000	509.6774194	15289.86492	30000	0	0	30000	39.3125	2004
12.02.2020 10:05:07	1	1	1	1	95	59.25	0	30000	516.1290323	15354.27935	30000	0	0	30000	39.25	2004
12.02.2020 10:05:08	1	1	1	1	95	59.25	0	29952.607	511.827957	15354.27935	30000	0	0	30000	39.1875	2004
12.02.2020 10:05:09	1	1	1	1	95	59	0	30000	516.1290323	15354.27935	30000	0	0	30000	39.3125	2004
12.02.2020 10:05:10	1	1	1	1	95	59.25	0	30000	509.6774194	15483.92357	30000	0	0	30000	39.125	2004
12.02.2020 10:05:11	1	1	1	1	95	59	0	30000	516.1290323	15483.92357	30000	0	0	30000	39.0625	2004
12.02.2020 10:05:12	1	1	1	1	95	59	0	30000	503.2258065	15161.03607	30000	0	0	30000	38.6875	2004
12.02.2020 10:05:13	1	1	1	1	95	58.5	0	29952.607	516.1290323	15483.92357	30000	0	0	30000	38.625	2004
12.02.2020 10:05:14	1	1	1	1	95	58.5	0	30000	516.1290323	15483.92357	30000	0	0	30000	38.875	2004
12.02.2020 10:05:15	1	1	1	1	95	58.75	0	30000	507.5268817	15289.86492	30000	0	0	30000	39.375	2004
12.02.2020 10:05:16	1	1	1	1	95	59.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	39.0625	2004
12.02.2020 10:05:17	1	1	1	1	95	59	0	30000	507.5268817	15225.45049	30000	0	0	30000	38.625	2004
12.02.2020 10:05:18	1	1	1	1	95	58.5	0	30000	516.1290323	15548.338	30000	0	0	30000	39.0625	2004
12.02.2020 10:05:19	1	1	1	1	95	59	0	29952.607	511.827957	15289.86492	30000	0	0	30000	38.9375	2004
12.02.2020 10:05:20	1	1	1	1	95	58.75	0	30000	516.1290323	15418.69377	30000	0	0	30000	39.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 10:05:21	1	1	1	1	95	59	0	30000	513.9784946	15483.92357	30000	0	0	30000	38.5625	2004
12.02.2020 10:05:22	1	1	1	1	95	58.5	0	30000	507.5268817	15289.86492	30000	0	0	30000	39	2004
12.02.2020 10:05:23	1	1	1	1	95	59	0	30000	501.0752688	15161.03607	30000	0	0	30000	38.8125	2004
12.02.2020 10:05:24	1	1	1	1	95	58.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	39.0625	2004
12.02.2020 10:05:25	1	1	1	1	94.75	59	0	30000	507.5268817	15161.03607	30000	0	0	30000	39.3125	2004
12.02.2020 10:05:26	1	1	1	1	94.75	59.25	0	30000	507.5268817	15289.86492	30000	0	0	30000	39.1875	2004
12.02.2020 10:05:27	1	1	1	1	94.75	59	0	30000	507.5268817	15161.03607	30000	0	0	30000	38.6875	2004
12.02.2020 10:05:28	1	1	1	1	94.75	58.5	0	30000	507.5268817	15225.45049	30000	0	0	30000	38.75	2004
12.02.2020 10:05:29	1	1	1	1	94.75	58.75	0	29952.607	507.5268817	15225.45049	30000	0	0	30000	39.5	2004
12.02.2020 10:05:30	1	1	1	1	94.75	59.5	0	30000	509.6774194	15161.03607	30000	0	0	30000	39.5	2004
12.02.2020 10:05:31	1	1	1	1	94.75	59.5	0	30000	501.0752688	15032.20721	30000	0	0	30000	39.0625	2004
12.02.2020 10:05:32	1	1	1	1	94.75	59	0	30000	503.2258065	15161.03607	30000	0	0	30000	38.75	2004
12.02.2020 10:05:33	1	1	1	1	94.75	59.25	0	30000	503.2258065	15161.03607	30000	0	0	30000	39.125	2004
12.02.2020 10:05:35	1	1	1	1	94.5	59	0	30000	501.0752688	15032.20721	30000	0	0	30000	39.25	2004
12.02.2020 10:05:36	1	1	1	1	94.5	59.25	0	30000	505.3763441	14879.73256	30000	0	0	30000	38.5625	2004
12.02.2020 10:05:37	1	1	1	1	94.5	58.5	0	30000	501.0752688	15032.20721	30000	0	0	30000	39	2004
12.02.2020 10:05:38	1	1	1	1	94.5	59	0	30000	505.3763441	15161.03607	30000	0	0	30000	38.0625	2004
12.02.2020 10:05:44	1	1	1	1	94.5	59	0	29905.213	494.6236559	14727.2579	30000	0	0	30000	38.6875	2004
12.02.2020 10:05:44	1	1	1	1	94.5	59	0	29905.213	494.6236559	14727.2579	30000	0	0	30000	38.6875	2004
12.02.2020 10:05:44	1	1	1	1	94.5	59	0	29905.213	494.6236559	14727.2579	30000	0	0	30000	38.6875	2004
12.02.2020 10:05:44	1	1	1	1	94.5	59	0	29905.213	494.6236559	14727.2579	30000	0	0	30000	38.6875	2004
12.02.2020 10:05:44	1	1	1	1	94.5	59	0	29905.213	494.6236559	14727.2579	30000	0	0	30000	38.6875	2004
12.02.2020 10:05:44	1	1	1	1	94.5	59	0	29905.213	494.6236559	14727.2579	30000	0	0	30000	38.6875	2004
12.02.2020 10:05:45	1	1	1	1	94.25	58.5	0	30000	501.0752688	14902.56299	30000	0	0	30000	39.1875	2004
12.02.2020 10:05:46	1	1	1	1	94.25	59	0	30047.393	496.7741935	14902.56299	30000	0	0	30000	39.125	2004
12.02.2020 10:05:47	1	1	1	1	94.25	59	0	29952.607	507.5268817	15161.03607	30000	0	0	30000	38.9375	2004
12.02.2020 10:05:48	1	1	1	1	94.25	58.75	0	29952.607	496.7741935	15032.20721	30000	0	0	30000	38.5625	2004
12.02.2020 10:05:49	1	1	1	1	94.25	58.5	0	30000	505.3763441	15161.03607	30000	0	0	30000	39.125	2004
12.02.2020 10:05:50	1	1	1	1	94.25	59	0	29905.213	496.7741935	14967.79279	30000	0	0	30000	39.25	2004
12.02.2020 10:05:51	1	1	1	1	94.25	59.25	0	29952.607	501.0752688	15032.20721	30000	0	0	30000	38.6875	2004
12.02.2020 10:05:52	1	1	1	1	94.25	58.5	0	30000	507.5268817	15008.56141	30000	0	0	30000	38.4375	2004
12.02.2020 10:05:53	1	1	1	1	94.25	58.25	0	30000	507.5268817	15225.45049	30000	0	0	30000	39.1875	2004
12.02.2020 10:05:54	1	1	1	1	94.25	59	0	30000	507.5268817	15225.45049	30000	0	0	30000	39.125	2004
12.02.2020 10:05:55	1	1	1	1	94	59	0	30000	494.6236559	14838.14856	30000	0	0	30000	39.375	2004
12.02.2020 10:05:56	1	1	1	1	94	59.25	0	29905.213	501.0752688	15032.20721	30000	0	0	30000	39.1875	2004
12.02.2020 10:05:57	1	1	1	1	94	59	0	30000	503.2258065	15096.62164	30000	0	0	30000	39.25	2004
12.02.2020 10:05:58	1	1	1	1	94	59.25	0	30000	503.2258065	15096.62164	30000	0	0	30000	39.25	2004
12.02.2020 10:05:59	1	1	1	1	94	59.25	0	30000	501.0752688	15032.20721	30000	0	0	30000	39.5	2004
12.02.2020 10:06:00	1	1	1	1	94	59.5	0	30000	503.2258065	15161.03607	30000	0	0	30000	39.3125	2004
12.02.2020 10:06:01	1	1	1	1	94	59.25	0	30000	503.2258065	15096.62164	30000	0	0	30000	38.9375	2004
12.02.2020 10:06:02	1	1	1	1	94	58.75	0	30000	496.7741935	14967.79279	30000	0	0	30000	39.25	2004
12.02.2020 10:06:03	1	1	1	1	94	59.25	0	30000	501.0752688	14902.56299	30000	0	0	30000	39.25	2004
12.02.2020 10:06:04	1	1	1	1	94	59.25	0	30000	496.7741935	15032.20721	30000	0	0	30000	39.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 10:06:05	1	1	1	1	93.5	59.25	0	30000	494.6236559	14838.14856	30000	0	0	30000	39.4375	2004
12.02.2020 10:06:06	1	1	1	1	93.5	59.25	0	30000	507.5268817	15161.03607	30000	0	0	30000	39.375	2004
12.02.2020 10:06:07	1	1	1	1	93.5	59.25	0	29905.213	488.172043	14838.14856	30000	0	0	30000	39.25	2004
12.02.2020 10:06:08	1	1	1	1	93.5	59.25	0	30000	496.7741935	14902.56299	30000	0	0	30000	38.6875	2004
12.02.2020 10:06:09	1	1	1	1	93.5	58.5	0	30000	494.6236559	14622.07485	30000	0	0	30000	39.375	2004
12.02.2020 10:06:10	1	1	1	1	93.5	59.25	0	30000	501.0752688	15032.20721	30000	0	0	30000	38.5625	2004
12.02.2020 10:06:11	1	1	1	1	93.5	58.5	0	30000	509.6774194	15201.80469	30000	0	0	30000	38.875	2004
12.02.2020 10:06:12	1	1	1	1	93.5	58.75	0	30000	501.0752688	14727.2579	30000	0	0	30000	39.25	2004
12.02.2020 10:06:13	1	1	1	1	93.5	59.25	0	30047.393	501.0752688	14902.56299	30000	0	0	30000	38.4375	2004
12.02.2020 10:06:15	1	1	1	1	93.5	59.25	0	30000	494.6236559	14902.56299	30000	0	0	30000	39.25	2004
12.02.2020 10:06:16	1	1	1	1	93.5	59.25	0	29905.213	498.9247312	15032.20721	30000	0	0	30000	39.5625	2004
12.02.2020 10:06:17	1	1	1	1	93.5	59.5	0	30000	503.2258065	15096.62164	30000	0	0	30000	39.1875	2004
12.02.2020 10:06:18	1	1	1	1	93.5	59	0	30000	501.0752688	15032.20721	30000	0	0	30000	39.375	2004
12.02.2020 10:06:19	1	1	1	1	93.5	59.25	0	30000	503.2258065	15008.56141	30000	0	0	30000	39	2004
12.02.2020 10:06:20	1	1	1	1	93.5	59	0	30000	507.5268817	15354.27935	30000	0	0	30000	39.3125	2004
12.02.2020 10:06:21	1	1	1	1	93.5	59.25	0	30000	501.0752688	15096.62164	30000	0	0	30000	38.625	2004
12.02.2020 10:06:22	1	1	1	1	93.5	58.5	0	30000	503.2258065	15032.20721	30000	0	0	30000	38.625	2004
12.02.2020 10:06:23	1	1	1	1	93.5	58.5	0	30000	501.0752688	15096.62164	30000	0	0	30000	39	2004
12.02.2020 10:06:24	1	1	1	1	93.5	59	0	30000	507.5268817	15225.45049	30000	0	0	30000	39.4375	2004
12.02.2020 10:06:25	1	1	1	1	93	59.25	0	30000	505.3763441	14984.10024	30000	0	0	30000	39.1875	2004
12.02.2020 10:06:26	1	1	1	1	93	59	0	30000	507.5268817	15225.45049	30000	0	0	30000	39.25	2004
12.02.2020 10:06:27	1	1	1	1	93	59.25	0	30000	501.0752688	14902.56299	30000	0	0	30000	39	2004
12.02.2020 10:06:28	1	1	1	1	93	59	0	30000	501.0752688	15032.20721	30000	0	0	30000	39.25	2004
12.02.2020 10:06:29	1	1	1	1	93	59.25	0	30000	503.2258065	15096.62164	30000	0	0	30000	39.25	2004
12.02.2020 10:06:30	1	1	1	1	93	59.25	0	30000	503.2258065	15289.86492	30000	0	0	30000	39.375	2004
12.02.2020 10:06:31	1	1	1	1	93	59.25	0	30000	503.2258065	15225.45049	30000	0	0	30000	38.9375	2004
12.02.2020 10:06:32	1	1	1	1	93	58.75	0	30000	501.0752688	15161.03607	30000	0	0	30000	38.625	2004
12.02.2020 10:06:33	1	1	1	1	93	58.5	0	30000	501.0752688	15032.20721	30000	0	0	30000	39.3125	2004
12.02.2020 10:06:34	1	1	1	1	93	59.25	0	30000	503.2258065	15137.39026	30000	0	0	30000	39.3125	2004
12.02.2020 10:06:35	1	1	1	1	92.75	59.25	0	29952.607	501.0752688	15161.03607	30000	0	0	30000	39	2004
12.02.2020 10:06:36	1	1	1	1	92.75	59	0	30000	496.7741935	14967.79279	30000	0	0	30000	39.3125	2004
12.02.2020 10:06:37	1	1	1	1	92.75	59.25	0	30000	509.6774194	15289.86492	30000	0	0	30000	38.875	2004
12.02.2020 10:06:38	1	1	1	1	92.75	58.75	0	30000	503.2258065	15161.03607	30000	0	0	30000	39.0625	2004
12.02.2020 10:06:39	1	1	1	1	92.75	59	0	30000	507.5268817	15225.45049	30000	0	0	30000	38.875	2004
12.02.2020 10:06:46	1	1	1	1	92.75	59	0	29952.607	427.9569892	12818.4709	30000	0	0	30000	38.75	2004
12.02.2020 10:06:46	1	1	1	1	92.75	59	0	29952.607	427.9569892	12818.4709	30000	0	0	30000	38.75	2004
12.02.2020 10:06:46	1	1	1	1	92.75	59	0	29952.607	427.9569892	12818.4709	30000	0	0	30000	38.75	2004
12.02.2020 10:06:46	1	1	1	1	92.75	59	0	29952.607	427.9569892	12818.4709	30000	0	0	30000	38.75	2004
12.02.2020 10:06:46	1	1	1	1	92.75	59	0	29952.607	427.9569892	12818.4709	30000	0	0	30000	38.75	2004
12.02.2020 10:06:46	1	1	1	1	92.75	59	0	29952.607	427.9569892	12818.4709	30000	0	0	30000	38.75	2004
12.02.2020 10:06:46	1	1	1	1	92.75	58.75	0	30000	490.3225806	14644.90528	30000	0	0	30000	39.375	2004
12.02.2020 10:06:47	1	1	1	1	92.75	59.25	0	30000	505.3763441	15161.03607	30000	0	0	30000	39.1875	2004
12.02.2020 10:06:48	1	1	1	1	92.75	59	0	29905.213	535.483871	16013.10032	30000	0	0	30000	39.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 10:06:49	1	1	1	1	92.75	59.25	0	29857.82	537.6344086	16116.65262	30000	0	0	30000	39.375	2004
12.02.2020 10:06:50	1	1	1	1	92.75	59.25	0	29763.033	537.6344086	16347.40304	30000	0	0	30000	39.3125	2004
12.02.2020 10:06:51	1	1	1	1	92.75	59.25	0	29620.853	535.483871	15988.63914	30000	0	0	30000	39.4375	2004
12.02.2020 10:06:52	1	1	1	1	92.75	59.25	0	29715.64	537.6344086	15911.99413	30000	0	0	30000	39.6875	2004
12.02.2020 10:06:53	1	1	1	1	92.75	59.5	0	29715.64	537.6344086	15911.99413	30000	0	0	30000	39.0625	2004
12.02.2020 10:06:54	1	1	1	1	92.75	59	0	29715.64	537.6344086	15911.99413	30000	0	0	30000	39.75	2004
12.02.2020 10:06:55	1	1	1	1	92.75	59.75	0	29857.82	535.483871	16013.10032	30000	0	0	30000	39.25	2004
12.02.2020 10:06:57	1	1	1	1	92.75	59.25	0	29715.64	533.3333333	15975.59318	30000	0	0	30000	39.3125	2004
12.02.2020 10:06:58	1	1	1	1	92.75	59.25	0	29952.607	533.3333333	15756.25798	30000	0	0	30000	39.3125	2004
12.02.2020 10:06:59	1	1	1	1	92.75	59.25	0	30000	520.4301075	15612.75243	30000	0	0	30000	39.125	2004
12.02.2020 10:07:00	1	1	1	1	92.75	59	0	30000	520.4301075	15435.00122	30000	0	0	30000	39.1875	2004
12.02.2020 10:07:01	1	1	1	1	92.75	59	0	30000	516.1290323	15483.92357	30000	0	0	30000	39.125	2004
12.02.2020 10:07:02	1	1	1	1	92.75	59	0	30000	503.2258065	15161.03607	30000	0	0	30000	39.3125	2004
12.02.2020 10:07:03	1	1	1	1	92.75	59.25	0	29952.607	496.7741935	15096.62164	30000	0	0	30000	38.75	2004
12.02.2020 10:07:04	1	1	1	1	92.75	58.75	0	30000	507.5268817	15161.03607	30000	0	0	30000	39.625	2004
12.02.2020 10:07:05	1	1	1	1	93	59.5	0	30000	501.0752688	15032.20721	30000	0	0	30000	39.5	2004
12.02.2020 10:07:06	1	1	1	1	93	59.5	0	29952.607	492.4731183	14622.07485	30000	0	0	30000	39.375	2004
12.02.2020 10:07:07	1	1	1	1	93	59.25	0	30000	501.0752688	15032.20721	30000	0	0	30000	39.0625	2004
12.02.2020 10:07:08	1	1	1	1	93	59	0	30000	496.7741935	14902.56299	30000	0	0	30000	39.375	2004
12.02.2020 10:07:09	1	1	1	1	93	59.25	0	30000	496.7741935	14902.56299	30000	0	0	30000	38.9375	2004
12.02.2020 10:07:10	1	1	1	1	93	58.75	0	30000	496.7741935	14902.56299	30000	0	0	30000	39.5	2004
12.02.2020 10:07:11	1	1	1	1	93	59.5	0	30000	496.7741935	14902.56299	30000	0	0	30000	39.1875	2004
12.02.2020 10:07:12	1	1	1	1	93	59	0	29952.607	507.5268817	15225.45049	30000	0	0	30000	39.0625	2004
12.02.2020 10:07:13	1	1	1	1	93	59	0	29905.213	490.3225806	14902.56299	30000	0	0	30000	39.25	2004
12.02.2020 10:07:14	1	1	1	1	93	59.25	0	30000	492.4731183	14838.14856	30000	0	0	30000	39.0625	2004
12.02.2020 10:07:15	1	1	1	1	92.25	59	0	30000	488.172043	14516.07643	30000	0	0	30000	38.9375	2004
12.02.2020 10:07:16	1	1	1	1	92.25	58.75	0	30000	494.6236559	14902.56299	30000	0	0	30000	39.1875	2004
12.02.2020 10:07:17	1	1	1	1	92.25	59	0	30000	492.4731183	14773.73413	30000	0	0	30000	39.5	2004
12.02.2020 10:07:18	1	1	1	1	92.25	59.5	0	29952.607	496.7741935	14902.56299	30000	0	0	30000	38.5	2004
12.02.2020 10:07:19	1	1	1	1	92.25	58.5	0	30000	496.7741935	15032.20721	30000	0	0	30000	39.375	2004
12.02.2020 10:07:20	1	1	1	1	92.25	59.25	0	30000	501.0752688	15032.20721	30000	0	0	30000	38.8125	2004
12.02.2020 10:07:21	1	1	1	1	92.25	58.75	0	29952.607	494.6236559	14902.56299	30000	0	0	30000	39.5	2004
12.02.2020 10:07:22	1	1	1	1	92.25	59.5	0	30000	492.4731183	14773.73413	30000	0	0	30000	39.0625	2004
12.02.2020 10:07:23	1	1	1	1	92.25	59	0	30000	501.0752688	15032.20721	30000	0	0	30000	39.4375	2004
12.02.2020 10:07:24	1	1	1	1	92.25	59.25	0	30047.393	501.0752688	15032.20721	30000	0	0	30000	38.9375	2004
12.02.2020 10:07:25	1	1	1	1	92.25	58.75	0	29952.607	496.7741935	14879.73256	30000	0	0	30000	39.375	2004
12.02.2020 10:07:26	1	1	1	1	92.25	59.25	0	30000	496.7741935	14902.56299	30000	0	0	30000	38.8125	2004
12.02.2020 10:07:27	1	1	1	1	92.25	58.75	0	30000	505.3763441	15225.45049	30000	0	0	30000	38.6875	2004
12.02.2020 10:07:28	1	1	1	1	92.25	58.5	0	30000	503.2258065	15161.03607	30000	0	0	30000	39.5	2004
12.02.2020 10:07:29	1	1	1	1	92.25	59.5	0	30000	503.2258065	15032.20721	30000	0	0	30000	39.375	2004
12.02.2020 10:07:30	1	1	1	1	92.25	59.25	0	30000	503.2258065	15032.20721	30000	0	0	30000	39.375	2004
12.02.2020 10:07:31	1	1	1	1	92.25	59.25	0	30000	505.3763441	15161.03607	30000	0	0	30000	39.75	2004
12.02.2020 10:07:32	1	1	1	1	92.25	59.75	0	30000	496.7741935	14902.56299	30000	0	0	30000	39.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 10:07:33	1	1	1	1	92.25	59.25	0	30000	501.0752688	14902.56299	30000	0	0	30000	39.1875	2004
12.02.2020 10:07:35	1	1	1	1	92.25	59	0	29952.607	496.7741935	14967.79279	30000	0	0	30000	39.3125	2004
12.02.2020 10:07:36	1	1	1	1	92.25	59.25	0	29952.607	496.7741935	14902.56299	30000	0	0	30000	38.8125	2004
12.02.2020 10:07:37	1	1	1	1	92.25	58.75	0	29952.607	496.7741935	14879.73256	30000	0	0	30000	39.5	2004
12.02.2020 10:07:38	1	1	1	1	92.25	59.5	0	30047.393	501.0752688	14926.20879	30000	0	0	30000	39.125	2004
12.02.2020 10:07:39	1	1	1	1	92.25	59	0	29952.607	496.7741935	14902.56299	30000	0	0	30000	39.0625	2004
12.02.2020 10:07:40	1	1	1	1	92.25	59	0	30000	505.3763441	15161.03607	30000	0	0	30000	39.125	2004
12.02.2020 10:07:41	1	1	1	1	92.25	59	0	29952.607	494.6236559	15032.20721	30000	0	0	30000	38.6875	2004
12.02.2020 10:07:48	1	1	1	1	92.25	59.25	0	30000	496.7741935	15032.20721	30000	0	0	30000	39.375	2004
12.02.2020 10:07:48	1	1	1	1	92.25	59.25	0	30000	496.7741935	15032.20721	30000	0	0	30000	39.375	2004
12.02.2020 10:07:48	1	1	1	1	92.25	59.25	0	30000	496.7741935	15032.20721	30000	0	0	30000	39.375	2004
12.02.2020 10:07:48	1	1	1	1	92.25	59.25	0	30000	496.7741935	15032.20721	30000	0	0	30000	39.375	2004
12.02.2020 10:07:48	1	1	1	1	92.25	59.25	0	30000	496.7741935	15032.20721	30000	0	0	30000	39.375	2004
12.02.2020 10:07:48	1	1	1	1	92.25	59.25	0	30000	494.6236559	14902.56299	30000	0	0	30000	38.8125	2004
12.02.2020 10:07:49	1	1	1	1	92.25	58.75	0	30000	494.6236559	14838.14856	30000	0	0	30000	39.5	2004
12.02.2020 10:07:50	1	1	1	1	92.25	59.5	0	30000	501.0752688	15032.20721	30000	0	0	30000	38.9375	2004
12.02.2020 10:07:51	1	1	1	1	92.25	58.75	0	30000	496.7741935	14879.73256	30000	0	0	30000	39.0625	2004
12.02.2020 10:07:52	1	1	1	1	92.25	59	0	30000	496.7741935	14902.56299	30000	0	0	30000	39.4375	2004
12.02.2020 10:07:53	1	1	1	1	92.25	59.25	0	30000	501.0752688	15032.20721	30000	0	0	30000	38.8125	2004
12.02.2020 10:07:54	1	1	1	1	92.25	58.75	0	29905.213	505.3763441	15161.03607	30000	0	0	30000	39.0625	2004
12.02.2020 10:07:55	1	1	1	1	91.75	59	0	30000	501.0752688	15032.20721	30000	0	0	30000	38.875	2004
12.02.2020 10:07:56	1	1	1	1	91.75	58.75	0	30000	494.6236559	14902.56299	30000	0	0	30000	38.25	2004
12.02.2020 10:07:57	1	1	1	1	91.75	58.25	0	30000	501.0752688	15032.20721	30000	0	0	30000	39	2004
12.02.2020 10:07:58	1	1	1	1	91.75	59	0	29952.607	501.0752688	15032.20721	30000	0	0	30000	39.25	2004
12.02.2020 10:07:59	1	1	1	1	91.75	59.25	0	30000	501.0752688	15032.20721	30000	0	0	30000	39.5625	2004
12.02.2020 10:08:00	1	1	1	1	91.75	59.5	0	30000	503.2258065	15032.20721	30000	0	0	30000	39.375	2004
12.02.2020 10:08:01	1	1	1	1	91.75	59.25	0	29952.607	494.6236559	14902.56299	30000	0	0	30000	39.4375	2004
12.02.2020 10:08:02	1	1	1	1	91.75	59.25	0	30000	496.7741935	14902.56299	30000	0	0	30000	39.375	2004
12.02.2020 10:08:03	1	1	1	1	91.75	59.25	0	30000	498.9247312	15032.20721	30000	0	0	30000	39	2004
12.02.2020 10:08:04	1	1	1	1	91.75	59	0	30000	496.7741935	14902.56299	30000	0	0	30000	39.0625	2004
12.02.2020 10:08:05	1	1	1	1	92	59	0	30000	505.3763441	14902.56299	30000	0	0	30000	39.5	2004
12.02.2020 10:08:06	1	1	1	1	92	59.5	0	30000	496.7741935	14967.79279	30000	0	0	30000	39.3125	2004
12.02.2020 10:08:07	1	1	1	1	92	59.25	0	30000	501.0752688	15032.20721	30000	0	0	30000	39.3125	2004
12.02.2020 10:08:08	1	1	1	1	92	59.25	0	30000	496.7741935	14902.56299	30000	0	0	30000	38.5625	2004
12.02.2020 10:08:09	1	1	1	1	92	58.5	0	30000	496.7741935	14902.56299	30000	0	0	30000	39.625	2004
12.02.2020 10:08:10	1	1	1	1	92	59.5	0	30000	501.0752688	15008.56141	30000	0	0	30000	38.8125	2004
12.02.2020 10:08:11	1	1	1	1	92	58.75	0	30000	501.0752688	15032.20721	30000	0	0	30000	39.125	2004
12.02.2020 10:08:12	1	1	1	1	92	59	0	30000	501.0752688	15161.03607	30000	0	0	30000	39.6875	2004
12.02.2020 10:08:13	1	1	1	1	92	59.5	0	30000	501.0752688	15032.20721	30000	0	0	30000	39	2004
12.02.2020 10:08:15	1	1	1	1	91.25	58.75	0	30000	494.6236559	14902.56299	30000	0	0	30000	39.625	2004
12.02.2020 10:08:16	1	1	1	1	91.25	59.5	0	30000	496.7741935	14902.56299	30000	0	0	30000	38.8125	2004
12.02.2020 10:08:17	1	1	1	1	91.25	58.75	0	30000	496.7741935	15055.85302	30000	0	0	30000	39.25	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 10:08:18	1	1	1	1	91.25	59.25	0	30000	503.2258065	15032.20721	30000	0	0	30000	38.875	2004
12.02.2020 10:08:19	1	1	1	1	91.25	58.75	0	30000	507.5268817	15225.45049	30000	0	0	30000	38.5	2004
12.02.2020 10:08:20	1	1	1	1	91.25	58.5	0	30000	505.3763441	15161.03607	30000	0	0	30000	39.375	2004
12.02.2020 10:08:21	1	1	1	1	91.25	59.25	0	30000	501.0752688	15096.62164	30000	0	0	30000	39	2004
12.02.2020 10:08:22	1	1	1	1	91.25	59	0	30047.393	496.7741935	14902.56299	30000	0	0	30000	39.5	2004
12.02.2020 10:08:23	1	1	1	1	91.25	59.5	0	30000	505.3763441	15161.03607	30000	0	0	30000	39.5	2004
12.02.2020 10:08:24	1	1	1	1	91.25	59.5	0	29952.607	496.7741935	15032.20721	30000	0	0	30000	38.375	2004
12.02.2020 10:08:25	1	1	1	1	91.75	58.25	0	30000	498.9247312	14902.56299	30000	0	0	30000	39.25	2004
12.02.2020 10:08:26	1	1	1	1	91.75	59.25	0	30000	496.7741935	14902.56299	30000	0	0	30000	38.6875	2004
12.02.2020 10:08:27	1	1	1	1	91.75	58.5	0	30000	503.2258065	15032.20721	30000	0	0	30000	39.5625	2004
12.02.2020 10:08:30	1	1	1	1	91.75	58.25	0	29952.607	498.9247312	15032.20721	30000	0	0	30000	39.1875	2004
12.02.2020 10:08:30	1	1	1	1	91.75	58.25	0	29952.607	498.9247312	15032.20721	30000	0	0	30000	39.1875	2004
12.02.2020 10:08:30	1	1	1	1	91.75	59	0	30000	507.5268817	15225.45049	30000	0	0	30000	39.1875	2004
12.02.2020 10:08:31	1	1	1	1	91.75	59	0	29952.607	501.0752688	15032.20721	30000	0	0	30000	39.5	2004
12.02.2020 10:08:32	1	1	1	1	91.75	59.5	0	30000	501.0752688	14902.56299	30000	0	0	30000	39.3125	2004
12.02.2020 10:08:33	1	1	1	1	91.75	59.25	0	30000	501.0752688	15096.62164	30000	0	0	30000	39	2004
12.02.2020 10:08:34	1	1	1	1	91.75	59	0	30000	501.0752688	15008.56141	30000	0	0	30000	38.0625	2004
12.02.2020 10:08:35	1	1	1	1	91.5	58	0	30000	505.3763441	14902.56299	30000	0	0	30000	38.8125	2004
12.02.2020 10:08:36	1	1	1	1	91.5	58.75	0	30000	505.3763441	15161.03607	30000	0	0	30000	39	2004
12.02.2020 10:08:37	1	1	1	1	91.5	59	0	29952.607	496.7741935	14902.56299	30000	0	0	30000	39.5	2004
12.02.2020 10:08:38	1	1	1	1	91.5	59.5	0	30000	509.6774194	15161.03607	30000	0	0	30000	38.6875	2004
12.02.2020 10:08:39	1	1	1	1	91.5	58.5	0	30000	498.9247312	15032.20721	30000	0	0	30000	39.5625	2004
12.02.2020 10:08:40	1	1	1	1	91.5	59.5	0	30000	498.9247312	14902.56299	30000	0	0	30000	39.5625	2004
12.02.2020 10:08:41	1	1	1	1	91.5	59.5	0	30000	507.5268817	15137.39026	30000	0	0	30000	39.5625	2004
12.02.2020 10:08:42	1	1	1	1	91.5	59.5	0	30000	503.2258065	15184.68187	30000	0	0	30000	39.1875	2004
12.02.2020 10:08:49	1	1	1	1	91.25	59.5	0	30000	526.8817204	15805.99571	30000	0	0	30000	39.0625	2004
12.02.2020 10:08:49	1	1	1	1	91.25	59.5	0	30000	526.8817204	15805.99571	30000	0	0	30000	39.0625	2004
12.02.2020 10:08:49	1	1	1	1	91.25	59.5	0	30000	526.8817204	15805.99571	30000	0	0	30000	39.0625	2004
12.02.2020 10:08:49	1	1	1	1	91.25	59.5	0	30000	526.8817204	15805.99571	30000	0	0	30000	39.0625	2004
12.02.2020 10:08:49	1	1	1	1	91.25	59.5	0	30000	526.8817204	15805.99571	30000	0	0	30000	39.0625	2004
12.02.2020 10:08:49	1	1	1	1	91.25	59	0	30000	533.3333333	16000.05436	30000	0	0	30000	38.75	2004
12.02.2020 10:08:50	1	1	1	1	91.25	58.75	0	30000	535.483871	16064.46878	30000	0	0	30000	39.5	2004
12.02.2020 10:08:51	1	1	1	1	91.25	59.5	0	29905.213	535.483871	16013.10032	30000	0	0	30000	38.5625	2004
12.02.2020 10:08:52	1	1	1	1	91.25	58.5	0	29857.82	539.7849462	15898.94817	30000	0	0	30000	39.375	2004
12.02.2020 10:08:53	1	1	1	1	91.25	59.25	0	30000	533.3333333	16000.05436	30000	0	0	30000	39.6875	2004
12.02.2020 10:08:54	1	1	1	1	91.25	59.5	0	29905.213	518.2795699	15627.42913	30000	0	0	30000	39.5625	2004
12.02.2020 10:08:56	1	1	1	1	91.5	59.5	0	30000	518.2795699	15548.338	30000	0	0	30000	39.3125	2004
12.02.2020 10:08:57	1	1	1	1	91.5	59.5	0	29952.607	526.8817204	15756.25798	30000	0	0	30000	39.4375	2004
12.02.2020 10:08:58	1	1	1	1	91.5	59.25	0	30000	533.3333333	16064.46878	30000	0	0	30000	39.4375	2004
12.02.2020 10:08:59	1	1	1	1	91.5	59.25	0	30000	511.827957	15289.86492	30000	0	0	30000	39.125	2004
12.02.2020 10:09:00	1	1	1	1	91.5	59	0	30000	511.827957	15289.86492	30000	0	0	30000	39.25	2004
12.02.2020 10:09:01	1	1	1	1	91.5	59.25	0	29905.213	496.7741935	15161.03607	30000	0	0	30000	39.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 10:09:02	1	1	1	1	91.5	59.25	0	30000	498.9247312	14902.56299	30000	0	0	30000	38.5625	2004
12.02.2020 10:09:03	1	1	1	1	91.5	58.5	0	30000	496.7741935	14902.56299	30000	0	0	30000	39.375	2004
12.02.2020 10:09:04	1	1	1	1	91.5	59.25	0	30000	507.5268817	15161.03607	30000	0	0	30000	39.5	2004
12.02.2020 10:09:05	1	1	1	1	91.25	59.5	0	30000	486.0215054	14644.90528	30000	0	0	30000	39.5	2004
12.02.2020 10:09:06	1	1	1	1	91.25	59.5	0	30000	494.6236559	14902.56299	30000	0	0	30000	39.5	2004
12.02.2020 10:09:07	1	1	1	1	91.25	59.5	0	30000	492.4731183	14773.73413	30000	0	0	30000	39.0625	2004
12.02.2020 10:09:08	1	1	1	1	91.25	59	0	30000	490.3225806	14644.90528	30000	0	0	30000	38.8125	2004
12.02.2020 10:09:09	1	1	1	1	91.25	58.75	0	30000	494.6236559	14902.56299	30000	0	0	30000	38.8125	2004
12.02.2020 10:09:10	1	1	1	1	91.25	58.75	0	30000	494.6236559	14902.56299	30000	0	0	30000	39.6875	2004
12.02.2020 10:09:11	1	1	1	1	91.25	59.5	0	30000	505.3763441	15161.03607	30000	0	0	30000	38.625	2004
12.02.2020 10:09:12	1	1	1	1	91.25	58.5	0	29952.607	492.4731183	14773.73413	30000	0	0	30000	38.6875	2004
12.02.2020 10:09:13	1	1	1	1	91.25	58.5	0	30000	492.4731183	14773.73413	30000	0	0	30000	39.4375	2004
12.02.2020 10:09:14	1	1	1	1	91.25	59.25	0	30000	492.4731183	14773.73413	30000	0	0	30000	38.125	2004
12.02.2020 10:09:15	1	1	1	1	90.5	58	0	30000	501.0752688	15032.20721	30000	0	0	30000	39.5625	2004
12.02.2020 10:09:16	1	1	1	1	90.5	59.5	0	30000	488.172043	14644.90528	30000	0	0	30000	39.5625	2004
12.02.2020 10:09:17	1	1	1	1	90.5	59.5	0	30000	496.7741935	14902.56299	30000	0	0	30000	39.5	2004
12.02.2020 10:09:18	1	1	1	1	90.5	59.5	0	30000	498.9247312	14902.56299	30000	0	0	30000	39.375	2004
12.02.2020 10:09:19	1	1	1	1	90.5	59.25	0	30000	490.3225806	14773.73413	30000	0	0	30000	38.9375	2004
12.02.2020 10:09:20	1	1	1	1	90.5	58.75	0	30000	503.2258065	14902.56299	30000	0	0	30000	39.5625	2004
12.02.2020 10:09:21	1	1	1	1	90.5	59.5	0	30000	498.9247312	15032.20721	30000	0	0	30000	38.75	2004
12.02.2020 10:09:22	1	1	1	1	90.5	58.75	0	30000	496.7741935	14902.56299	30000	0	0	30000	39.3125	2004
12.02.2020 10:09:23	1	1	1	1	90.5	59.25	0	29952.607	492.4731183	14644.90528	30000	0	0	30000	38.75	2004
12.02.2020 10:09:24	1	1	1	1	90.5	58.75	0	30000	498.9247312	14902.56299	30000	0	0	30000	39.375	2004
12.02.2020 10:09:25	1	1	1	1	90.75	59.25	0	30000	501.0752688	14902.56299	30000	0	0	30000	39.25	2004
12.02.2020 10:09:26	1	1	1	1	90.75	59.25	0	30000	490.3225806	14838.14856	30000	0	0	30000	39.5625	2004
12.02.2020 10:09:27	1	1	1	1	90.75	59.5	0	30000	494.6236559	14902.56299	30000	0	0	30000	39.5625	2004
12.02.2020 10:09:28	1	1	1	1	90.75	59.5	0	30000	494.6236559	14838.14856	30000	0	0	30000	39.125	2004
12.02.2020 10:09:29	1	1	1	1	90.75	59	0	30000	490.3225806	14644.90528	30000	0	0	30000	39.0625	2004
12.02.2020 10:09:30	1	1	1	1	90.75	59	0	30000	494.6236559	14598.42905	30000	0	0	30000	39.1875	2004
12.02.2020 10:09:32	1	1	1	1	90.75	59	0	30000	496.7741935	15161.03607	30000	0	0	30000	39.75	2004
12.02.2020 10:09:33	1	1	1	1	90.75	59.75	0	29952.607	492.4731183	14838.14856	30000	0	0	30000	39.5	2004
12.02.2020 10:09:34	1	1	1	1	90.75	59.25	0	30000	486.0215054	14516.07643	30000	0	0	30000	39.5	2004
12.02.2020 10:09:35	1	1	1	1	90.75	59.5	0	29905.213	490.3225806	14773.73413	30000	0	0	30000	39.25	2004
12.02.2020 10:09:36	1	1	1	1	90.75	59.25	0	30000	496.7741935	14902.56299	30000	0	0	30000	39.5	2004
12.02.2020 10:09:37	1	1	1	1	90.75	59.5	0	30000	488.172043	14644.90528	30000	0	0	30000	39.5625	2004
12.02.2020 10:09:38	1	1	1	1	90.75	59.5	0	30000	494.6236559	14902.56299	30000	0	0	30000	39	2004
12.02.2020 10:09:39	1	1	1	1	90.75	59	0	29952.607	496.7741935	14902.56299	30000	0	0	30000	39.5625	2004
12.02.2020 10:09:40	1	1	1	1	90.75	59.5	0	30000	496.7741935	14902.56299	30000	0	0	30000	39.375	2004
12.02.2020 10:09:41	1	1	1	1	90.75	59.25	0	30000	505.3763441	15161.03607	30000	0	0	30000	39.25	2004
12.02.2020 10:09:42	1	1	1	1	90.75	59.25	0	30000	496.7741935	15032.20721	30000	0	0	30000	39.625	2004
12.02.2020 10:09:43	1	1	1	1	90.75	59.5	0	30047.393	496.7741935	14926.20879	30000	0	0	30000	39.6875	2004
12.02.2020 10:09:44	1	1	1	1	90.75	59.5	0	30000	496.7741935	14902.56299	30000	0	0	30000	38.875	2004
12.02.2020 10:09:51	1	1	1	1	90.25	59	0	30000	501.0752688	15032.20721	30000	0	0	30000	38.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 10:09:51	1	1	1	1	90.25	59	0	30000	501.0752688	15032.20721	30000	0	0	30000	38.875	2004
12.02.2020 10:09:51	1	1	1	1	90.25	59	0	30000	501.0752688	15032.20721	30000	0	0	30000	38.875	2004
12.02.2020 10:09:51	1	1	1	1	90.25	59	0	30000	501.0752688	15032.20721	30000	0	0	30000	38.875	2004
12.02.2020 10:09:51	1	1	1	1	90.25	59	0	30000	501.0752688	15032.20721	30000	0	0	30000	38.875	2004
12.02.2020 10:09:51	1	1	1	1	90.25	59	0	30000	501.0752688	15032.20721	30000	0	0	30000	38.875	2004
12.02.2020 10:09:51	1	1	1	1	90.25	58.75	0	30000	496.7741935	14902.56299	30000	0	0	30000	39.125	2004
12.02.2020 10:09:52	1	1	1	1	90.25	59	0	30000	507.5268817	15225.45049	30000	0	0	30000	39.5625	2004
12.02.2020 10:09:53	1	1	1	1	90.25	59.5	0	30047.393	507.5268817	15161.03607	30000	0	0	30000	39.0625	2004
12.02.2020 10:09:54	1	1	1	1	90.25	59	0	30000	496.7741935	14879.73256	30000	0	0	30000	39.5625	2004
12.02.2020 10:09:55	1	1	1	1	90.5	59.5	0	29905.213	496.7741935	14598.42905	30000	0	0	30000	39.3125	2004
12.02.2020 10:09:56	1	1	1	1	90.5	59.25	0	30000	501.0752688	15032.20721	30000	0	0	30000	39.5	2004
12.02.2020 10:09:57	1	1	1	1	90.5	59.5	0	30000	503.2258065	15032.20721	30000	0	0	30000	39.4375	2004
12.02.2020 10:09:58	1	1	1	1	90.5	59.25	0	30000	496.7741935	15032.20721	30000	0	0	30000	39.375	2004
12.02.2020 10:09:59	1	1	1	1	90.5	59.25	0	30000	501.0752688	15032.20721	30000	0	0	30000	39.5	2004
12.02.2020 10:10:00	1	1	1	1	90.5	59.5	0	30000	503.2258065	15096.62164	30000	0	0	30000	39.1875	2004
12.02.2020 10:10:01	1	1	1	1	90.5	59	0	29952.607	507.5268817	15289.86492	30000	0	0	30000	39.1875	2004
12.02.2020 10:10:02	1	1	1	1	90.5	59	0	30000	505.3763441	15161.03607	30000	0	0	30000	39.75	2004
12.02.2020 10:10:03	1	1	1	1	90.5	59.75	0	30000	503.2258065	15096.62164	30000	0	0	30000	39	2004
12.02.2020 10:10:04	1	1	1	1	90.5	59	0	30000	503.2258065	15161.03607	30000	0	0	30000	39.0625	2004
12.02.2020 10:10:05	1	1	1	1	90.25	59	0	30000	503.2258065	15096.62164	30000	0	0	30000	39.3125	2004
12.02.2020 10:10:06	1	1	1	1	90.25	59.25	0	30000	509.6774194	15354.27935	30000	0	0	30000	39.5625	2004
12.02.2020 10:10:07	1	1	1	1	90.25	59.5	0	30000	501.0752688	14902.56299	30000	0	0	30000	39.1875	2004
12.02.2020 10:10:08	1	1	1	1	90.25	59	0	30000	494.6236559	14838.14856	30000	0	0	30000	39.0625	2004
12.02.2020 10:10:09	1	1	1	1	90.25	59	0	30000	494.6236559	14838.14856	30000	0	0	30000	39.375	2004
12.02.2020 10:10:10	1	1	1	1	90.25	59.25	0	30000	492.4731183	14773.73413	30000	0	0	30000	40	2004
12.02.2020 10:10:12	1	1	1	1	90.25	60	0	29952.607	490.3225806	15032.20721	30000	0	0	30000	38.75	2004
12.02.2020 10:10:13	1	1	1	1	90.25	58.75	0	30000	496.7741935	14902.56299	30000	0	0	30000	40	2004
12.02.2020 10:10:14	1	1	1	1	90.25	58.75	0	30000	496.7741935	14727.2579	30000	0	0	30000	39.5	2004
12.02.2020 10:10:15	1	1	1	1	90	59.5	0	30000	496.7741935	14902.56299	30000	0	0	30000	39.1875	2004
12.02.2020 10:10:16	1	1	1	1	90	59	0	30000	496.7741935	14902.56299	30000	0	0	30000	39.375	2004
12.02.2020 10:10:17	1	1	1	1	90	59.25	0	30000	496.7741935	14902.56299	30000	0	0	30000	38.875	2004
12.02.2020 10:10:18	1	1	1	1	90	58.75	0	30000	501.0752688	15032.20721	30000	0	0	30000	39.1875	2004
12.02.2020 10:10:19	1	1	1	1	90	59	0	30000	494.6236559	14838.14856	30000	0	0	30000	39.1875	2004
12.02.2020 10:10:20	1	1	1	1	90	59	0	29952.607	496.7741935	14902.56299	30000	0	0	30000	39.5625	2004
12.02.2020 10:10:21	1	1	1	1	90	59.5	0	29952.607	494.6236559	14902.56299	30000	0	0	30000	39	2004
12.02.2020 10:10:22	1	1	1	1	90	59	0	30000	498.9247312	14838.14856	30000	0	0	30000	39.4375	2004
12.02.2020 10:10:23	1	1	1	1	90	59.25	0	30000	494.6236559	14773.73413	30000	0	0	30000	39.5625	2004
12.02.2020 10:10:24	1	1	1	1	90	59.5	0	30000	494.6236559	14686.48928	30000	0	0	30000	38.8125	2004
12.02.2020 10:10:25	1	1	1	1	90	58.75	0	30000	496.7741935	14902.56299	30000	0	0	30000	38.875	2004
12.02.2020 10:10:26	1	1	1	1	90	58.75	0	29952.607	498.9247312	15032.20721	30000	0	0	30000	39.375	2004
12.02.2020 10:10:27	1	1	1	1	90	59.25	0	29905.213	494.6236559	15032.20721	30000	0	0	30000	38.5	2004
12.02.2020 10:10:28	1	1	1	1	90	58.5	0	30000	496.7741935	14902.56299	30000	0	0	30000	39.25	2004
12.02.2020 10:10:29	1	1	1	1	90	59.25	0	30000	503.2258065	15096.62164	30000	0	0	30000	39.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 10:10:30	1	1	1	1	90	59.5	0	29952.607	494.6236559	14902.56299	30000	0	0	30000	39.375	2004
12.02.2020 10:10:31	1	1	1	1	90	59.25	0	30000	501.0752688	15032.20721	30000	0	0	30000	39.4375	2004
12.02.2020 10:10:32	1	1	1	1	90	59.25	0	30047.393	503.2258065	14902.56299	30000	0	0	30000	39.3125	2004
12.02.2020 10:10:33	1	1	1	1	90	59.25	0	30000	494.6236559	14902.56299	30000	0	0	30000	38.8125	2004
12.02.2020 10:10:34	1	1	1	1	90	58.75	0	30000	501.0752688	15032.20721	30000	0	0	30000	39.4375	2004
12.02.2020 10:10:35	1	1	1	1	89.75	59.25	0	30000	490.3225806	14644.90528	30000	0	0	30000	39.625	2004
12.02.2020 10:10:36	1	1	1	1	89.75	59.5	0	30000	494.6236559	14902.56299	30000	0	0	30000	39.5	2004
12.02.2020 10:10:37	1	1	1	1	89.75	59.5	0	30000	494.6236559	14838.14856	30000	0	0	30000	39.125	2004
12.02.2020 10:10:38	1	1	1	1	89.75	59	0	30142.18	496.7741935	14902.56299	30000	0	0	30000	39.5	2004
12.02.2020 10:10:39	1	1	1	1	89.75	59.5	0	30000	498.9247312	14902.56299	30000	0	0	30000	38.75	2004
12.02.2020 10:10:40	1	1	1	1	89.75	58.75	0	29905.213	492.4731183	14879.73256	30000	0	0	30000	39.5625	2004
12.02.2020 10:10:41	1	1	1	1	89.75	59.5	0	30000	490.3225806	14773.73413	30000	0	0	30000	39.375	2004
12.02.2020 10:10:42	1	1	1	1	89.75	59.25	0	30000	507.5268817	15096.62164	30000	0	0	30000	39.75	2004
12.02.2020 10:10:43	1	1	1	1	89.75	59.75	0	30000	501.0752688	15032.20721	30000	0	0	30000	38.75	2004
12.02.2020 10:10:44	1	1	1	1	89.75	58.75	0	30000	505.3763441	15289.86492	30000	0	0	30000	39.5	2004
12.02.2020 10:10:45	1	1	1	1	89.5	59.5	0	30000	503.2258065	15032.20721	30000	0	0	30000	39.5625	2004
12.02.2020 10:10:52	1	1	1	1	89.5	59.75	0	29952.607	496.7741935	14902.56299	30000	0	0	30000	39.5625	2004
12.02.2020 10:10:52	1	1	1	1	89.5	59.75	0	29952.607	496.7741935	14902.56299	30000	0	0	30000	39.5625	2004
12.02.2020 10:10:52	1	1	1	1	89.5	59.75	0	29952.607	496.7741935	14902.56299	30000	0	0	30000	39.5625	2004
12.02.2020 10:10:52	1	1	1	1	89.5	59.75	0	29952.607	496.7741935	14902.56299	30000	0	0	30000	39.5625	2004
12.02.2020 10:10:52	1	1	1	1	89.5	59.75	0	29952.607	496.7741935	14902.56299	30000	0	0	30000	39.5625	2004
12.02.2020 10:10:52	1	1	1	1	89.5	59.75	0	29952.607	496.7741935	14902.56299	30000	0	0	30000	39.5625	2004
12.02.2020 10:10:53	1	1	1	1	89.5	59.75	0	30000	501.0752688	15032.20721	30000	0	0	30000	39.5625	2004
12.02.2020 10:10:54	1	1	1	1	89.5	59.5	0	29952.607	507.5268817	15225.45049	30000	0	0	30000	39.0625	2004
12.02.2020 10:10:55	1	1	1	1	90	59	0	30000	507.5268817	15161.03607	30000	0	0	30000	39.5625	2004
12.02.2020 10:10:56	1	1	1	1	90	59.5	0	30000	507.5268817	15225.45049	30000	0	0	30000	39.625	2004
12.02.2020 10:10:57	1	1	1	1	90	59.5	0	30000	507.5268817	15161.03607	30000	0	0	30000	39.625	2004
12.02.2020 10:10:58	1	1	1	1	90	59.5	0	30000	509.6774194	15289.86492	30000	0	0	30000	39.625	2004
12.02.2020 10:10:59	1	1	1	1	90	59.5	0	30000	507.5268817	15289.86492	30000	0	0	30000	39.5	2004
12.02.2020 10:11:00	1	1	1	1	90	59.5	0	30000	496.7741935	14902.56299	30000	0	0	30000	38.8125	2004
12.02.2020 10:11:01	1	1	1	1	90	58.75	0	30000	503.2258065	15096.62164	30000	0	0	30000	39.4375	2004
12.02.2020 10:11:02	1	1	1	1	90	59.25	0	30000	501.0752688	15032.20721	30000	0	0	30000	39.6875	2004
12.02.2020 10:11:03	1	1	1	1	90	59.5	0	29952.607	492.4731183	14902.56299	30000	0	0	30000	39.375	2004
12.02.2020 10:11:04	1	1	1	1	90	59.25	0	30000	505.3763441	15161.03607	30000	0	0	30000	38.4375	2004
12.02.2020 10:11:05	1	1	1	1	89.5	58.25	0	30000	503.2258065	15096.62164	30000	0	0	30000	39.375	2004
12.02.2020 10:11:06	1	1	1	1	89.5	59.25	0	30000	501.0752688	15032.20721	30000	0	0	30000	39.5625	2004
12.02.2020 10:11:07	1	1	1	1	89.5	59.5	0	30000	507.5268817	15225.45049	30000	0	0	30000	39.375	2004
12.02.2020 10:11:08	1	1	1	1	89.5	59.25	0	30000	496.7741935	14902.56299	30000	0	0	30000	39.1875	2004
12.02.2020 10:11:09	1	1	1	1	89.5	59	0	30000	490.3225806	14709.31971	30000	0	0	30000	39.5625	2004
12.02.2020 10:11:10	1	1	1	1	89.5	59.5	0	30000	503.2258065	15161.03607	30000	0	0	30000	39.625	2004
12.02.2020 10:11:11	1	1	1	1	89.5	59.5	0	29952.607	501.0752688	15032.20721	30000	0	0	30000	39.625	2004
12.02.2020 10:11:12	1	1	1	1	89.5	59.5	0	30000	516.1290323	15072.97584	30000	0	0	30000	39.6875	2004
12.02.2020 10:11:13	1	1	1	1	89.5	59.5	0	30000	496.7741935	14902.56299	30000	0	0	30000	39	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 10:11:14	1	1	1	1	89.5	59	0	30000	503.2258065	15161.03607	30000	0	0	30000	39.5625	2004
12.02.2020 10:11:15	1	1	1	1	89.75	59.5	0	30000	501.0752688	15032.20721	30000	0	0	30000	39.75	2004
12.02.2020 10:11:16	1	1	1	1	89.75	59.75	0	30000	509.6774194	15289.86492	30000	0	0	30000	39.1875	2004
12.02.2020 10:11:17	1	1	1	1	89.75	59	0	30000	511.827957	15354.27935	30000	0	0	30000	39.1875	2004
12.02.2020 10:11:18	1	1	1	1	89.75	59	0	30000	505.3763441	15161.03607	30000	0	0	30000	39.5625	2004
12.02.2020 10:11:19	1	1	1	1	89.75	59.5	0	30000	507.5268817	14879.73256	30000	0	0	30000	39.4375	2004
12.02.2020 10:11:20	1	1	1	1	89.75	59.25	0	30000	507.5268817	15225.45049	30000	0	0	30000	39.75	2004
12.02.2020 10:11:21	1	1	1	1	89.75	59.75	0	30000	494.6236559	14902.56299	30000	0	0	30000	39.3125	2004
12.02.2020 10:11:22	1	1	1	1	89.75	59.25	0	29952.607	492.4731183	14773.73413	30000	0	0	30000	39.3125	2004
12.02.2020 10:11:23	1	1	1	1	89.75	59.25	0	30000	507.5268817	15161.03607	30000	0	0	30000	39.4375	2004
12.02.2020 10:11:24	1	1	1	1	89.75	59.25	0	30000	503.2258065	15096.62164	30000	0	0	30000	39.625	2004
12.02.2020 10:11:25	1	1	1	1	89.5	59.5	0	30000	503.2258065	15161.03607	30000	0	0	30000	39.1875	2004
12.02.2020 10:11:26	1	1	1	1	89.5	59	0	30000	494.6236559	14902.56299	30000	0	0	30000	39.4375	2004
12.02.2020 10:11:27	1	1	1	1	89.5	59.25	0	30000	498.9247312	14902.56299	30000	0	0	30000	38.875	2004
12.02.2020 10:11:28	1	1	1	1	89.5	58.75	0	30000	503.2258065	15161.03607	30000	0	0	30000	39.4375	2004
12.02.2020 10:11:30	1	1	1	1	89.5	59.25	0	30000	494.6236559	14902.56299	30000	0	0	30000	39.6875	2004
12.02.2020 10:11:31	1	1	1	1	89.5	59.5	0	30000	494.6236559	14838.14856	30000	0	0	30000	39.5	2004
12.02.2020 10:11:32	1	1	1	1	89.5	59.75	0	30000	488.172043	14709.31971	30000	0	0	30000	39.75	2004
12.02.2020 10:11:33	1	1	1	1	89.5	59.75	0	30000	496.7741935	14902.56299	30000	0	0	30000	39.5	2004
12.02.2020 10:11:34	1	1	1	1	89.5	59.5	0	30000	496.7741935	14902.56299	30000	0	0	30000	39.1875	2004
12.02.2020 10:11:35	1	1	1	1	89.25	59	0	30000	496.7741935	14902.56299	30000	0	0	30000	39.4375	2004
12.02.2020 10:11:36	1	1	1	1	89.25	59.25	0	30000	503.2258065	14598.42905	30000	0	0	30000	38.8125	2004
12.02.2020 10:11:37	1	1	1	1	89.25	58.75	0	30000	505.3763441	15161.03607	30000	0	0	30000	38.9375	2004
12.02.2020 10:11:38	1	1	1	1	89.25	58.75	0	29905.213	488.172043	14902.56299	30000	0	0	30000	39.625	2004
12.02.2020 10:11:39	1	1	1	1	89.25	59.5	0	30000	498.9247312	15032.20721	30000	0	0	30000	39.6875	2004
12.02.2020 10:11:40	1	1	1	1	89.25	59.5	0	29952.607	492.4731183	14838.14856	30000	0	0	30000	39.25	2004
12.02.2020 10:11:41	1	1	1	1	89.25	59.25	0	30000	494.6236559	14773.73413	30000	0	0	30000	39.3125	2004
12.02.2020 10:11:42	1	1	1	1	89.25	59.25	0	30000	490.3225806	14773.73413	30000	0	0	30000	39.6875	2004
12.02.2020 10:11:43	1	1	1	1	89.25	59.5	0	30000	494.6236559	14838.14856	30000	0	0	30000	39.3125	2004
12.02.2020 10:11:44	1	1	1	1	89.25	59.25	0	30000	488.172043	14644.90528	30000	0	0	30000	39.6875	2004
12.02.2020 10:11:45	1	1	1	1	88.75	59.5	0	29905.213	498.9247312	15032.20721	30000	0	0	30000	39.5	2004
12.02.2020 10:11:46	1	1	1	1	88.75	59.5	0	29905.213	494.6236559	14773.73413	30000	0	0	30000	39.4375	2004
12.02.2020 10:11:47	1	1	1	1	88.75	59.25	0	30000	496.7741935	14902.56299	30000	0	0	30000	39.625	2004
12.02.2020 10:11:54	1	1	1	1	88.75	59.5	0	30047.393	507.5268817	15161.03607	30000	0	0	30000	39.5	2004
12.02.2020 10:11:54	1	1	1	1	88.75	59.5	0	30047.393	507.5268817	15161.03607	30000	0	0	30000	39.5	2004
12.02.2020 10:11:54	1	1	1	1	88.75	59.5	0	30047.393	507.5268817	15161.03607	30000	0	0	30000	39.5	2004
12.02.2020 10:11:54	1	1	1	1	88.75	59.5	0	30047.393	507.5268817	15161.03607	30000	0	0	30000	39.5	2004
12.02.2020 10:11:54	1	1	1	1	88.75	59.5	0	30047.393	507.5268817	15161.03607	30000	0	0	30000	39.5	2004
12.02.2020 10:11:54	1	1	1	1	88.75	59.5	0	30047.393	507.5268817	15161.03607	30000	0	0	30000	39.5	2004
12.02.2020 10:11:54	1	1	1	1	88.75	59.5	0	30000	509.6774194	15225.45049	30000	0	0	30000	39.625	2004
12.02.2020 10:11:55	1	1	1	1	88.5	59.5	0	30000	501.0752688	15032.20721	30000	0	0	30000	39.5625	2004
12.02.2020 10:11:56	1	1	1	1	88.5	59.5	0	30000	488.172043	14644.90528	30000	0	0	30000	39.6875	2004
12.02.2020 10:11:57	1	1	1	1	88.5	59.5	0	30000	505.3763441	15032.20721	30000	0	0	30000	39.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 10:11:58	1	1	1	1	88.5	59.5	0	30000	501.0752688	15096.62164	30000	0	0	30000	39.5625	2004
12.02.2020 10:11:59	1	1	1	1	88.5	59.5	0	29952.607	496.7741935	14879.73256	30000	0	0	30000	39.5	2004
12.02.2020 10:12:00	1	1	1	1	88.5	59.5	0	30000	496.7741935	14902.56299	30000	0	0	30000	39.625	2004
12.02.2020 10:12:01	1	1	1	1	88.5	59.5	0	30000	503.2258065	15072.97584	30000	0	0	30000	39.5	2004
12.02.2020 10:12:02	1	1	1	1	88.5	59.5	0	30000	501.0752688	15008.56141	30000	0	0	30000	39.375	2004
12.02.2020 10:12:03	1	1	1	1	88.5	59.25	0	30000	498.9247312	14902.56299	30000	0	0	30000	39.75	2004
12.02.2020 10:12:04	1	1	1	1	88.5	59.75	0	30000	503.2258065	14967.79279	30000	0	0	30000	39.5	2004
12.02.2020 10:12:05	1	1	1	1	89	59.5	0	30000	496.7741935	14750.9037	30000	0	0	30000	38.5625	2004
12.02.2020 10:12:06	1	1	1	1	89	58.5	0	30000	496.7741935	14902.56299	30000	0	0	30000	39.3125	2004
12.02.2020 10:12:08	1	1	1	1	89	59.25	0	30000	507.5268817	15225.45049	30000	0	0	30000	39.9375	2004
12.02.2020 10:12:09	1	1	1	1	89	59.75	0	29952.607	496.7741935	14879.73256	30000	0	0	30000	39.375	2004
12.02.2020 10:12:10	1	1	1	1	89	59.5	0	30000	503.2258065	15032.20721	30000	0	0	30000	39.5625	2004
12.02.2020 10:12:11	1	1	1	1	89	59.5	0	30000	496.7741935	14902.56299	30000	0	0	30000	39.75	2004
12.02.2020 10:12:12	1	1	1	1	89	59.75	0	30000	494.6236559	14838.14856	30000	0	0	30000	39.625	2004
12.02.2020 10:12:13	1	1	1	1	89	59.5	0	30000	501.0752688	15032.20721	30000	0	0	30000	39.5625	2004
12.02.2020 10:12:14	1	1	1	1	89	59.5	0	30000	490.3225806	14773.73413	30000	0	0	30000	38.5625	2004
12.02.2020 10:12:15	1	1	1	1	88.75	58.5	0	30000	496.7741935	14902.56299	30000	0	0	30000	38.9375	2004
12.02.2020 10:12:16	1	1	1	1	88.75	58.75	0	30000	494.6236559	14838.14856	30000	0	0	30000	38.1875	2004
12.02.2020 10:12:17	1	1	1	1	88.75	58	0	30000	496.7741935	14902.56299	30000	0	0	30000	39.4375	2004
12.02.2020 10:12:18	1	1	1	1	88.75	59.25	0	29952.607	509.6774194	15289.86492	30000	0	0	30000	39.25	2004
12.02.2020 10:12:19	1	1	1	1	88.75	59.25	0	30000	507.5268817	15161.03607	30000	0	0	30000	39.75	2004
12.02.2020 10:12:20	1	1	1	1	88.75	59.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	39.1875	2004
12.02.2020 10:12:21	1	1	1	1	88.75	59	0	30000	503.2258065	15096.62164	30000	0	0	30000	39.5	2004
12.02.2020 10:12:22	1	1	1	1	88.75	59.5	0	30000	498.9247312	14902.56299	30000	0	0	30000	39.3125	2004
12.02.2020 10:12:23	1	1	1	1	88.75	59.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	39.5	2004
12.02.2020 10:12:24	1	1	1	1	88.75	59.5	0	30000	483.8709677	14451.662	30000	0	0	30000	39.375	2004
12.02.2020 10:12:25	1	1	1	1	88.25	59.25	0	30000	488.172043	14644.90528	30000	0	0	30000	39.75	2004
12.02.2020 10:12:26	1	1	1	1	88.25	59.75	0	29952.607	509.6774194	15354.27935	30000	0	0	30000	39.4375	2004
12.02.2020 10:12:27	1	1	1	1	88.25	59.25	0	30000	520.4301075	15677.16685	30000	0	0	30000	39.5625	2004
12.02.2020 10:12:28	1	1	1	1	88.25	59.5	0	30000	522.5806452	15677.16685	30000	0	0	30000	39.6875	2004
12.02.2020 10:12:29	1	1	1	1	88.25	59.5	0	29952.607	533.3333333	15974.77781	30000	0	0	30000	39.75	2004
12.02.2020 10:12:30	1	1	1	1	88.25	59.75	0	29952.607	522.5806452	15498.60028	30000	0	0	30000	39.75	2004
12.02.2020 10:12:31	1	1	1	1	88.25	59.75	0	29905.213	522.5806452	15677.16685	30000	0	0	30000	39.625	2004
12.02.2020 10:12:32	1	1	1	1	88.25	59.5	0	30000	518.2795699	15548.338	30000	0	0	30000	39	2004
12.02.2020 10:12:33	1	1	1	1	88.25	59	0	30000	507.5268817	15161.03607	30000	0	0	30000	39.5625	2004
12.02.2020 10:12:34	1	1	1	1	88.25	59.5	0	29952.607	492.4731183	15032.20721	30000	0	0	30000	39.75	2004
12.02.2020 10:12:35	1	1	1	1	88.75	59.75	0	30000	496.7741935	14902.56299	30000	0	0	30000	39.625	2004
12.02.2020 10:12:36	1	1	1	1	88.75	59.5	0	29952.607	501.0752688	15032.20721	30000	0	0	30000	39	2004
12.02.2020 10:12:37	1	1	1	1	88.75	59	0	30000	494.6236559	14902.56299	30000	0	0	30000	39.6875	2004
12.02.2020 10:12:38	1	1	1	1	88.75	59.5	0	30047.393	492.4731183	14516.07643	30000	0	0	30000	39.4375	2004
12.02.2020 10:12:39	1	1	1	1	88.75	59.25	0	30000	481.7204301	14516.07643	30000	0	0	30000	39	2004
12.02.2020 10:12:40	1	1	1	1	88.75	59	0	30000	483.8709677	14516.07643	30000	0	0	30000	39.5625	2004
12.02.2020 10:12:41	1	1	1	1	88.75	59.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	39.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 10:12:42	1	1	1	1	88.75	59.25	0	30000	481.7204301	14451.662	30000	0	0	30000	39.625	2004
12.02.2020 10:12:43	1	1	1	1	88.75	59.5	0	30000	481.7204301	14451.662	30000	0	0	30000	39.75	2004
12.02.2020 10:12:44	1	1	1	1	88.75	59.75	0	30000	488.172043	14644.90528	30000	0	0	30000	39.25	2004
12.02.2020 10:12:45	1	1	1	1	88.25	59.25	0	30000	490.3225806	14469.6002	30000	0	0	30000	40.0625	2004
12.02.2020 10:12:47	1	1	1	1	88.25	60	0	30000	488.172043	14709.31971	30000	0	0	30000	38.875	2004
12.02.2020 10:12:48	1	1	1	1	88.25	58.75	0	30000	488.172043	14622.07485	30000	0	0	30000	40.0625	2004
12.02.2020 10:12:49	1	1	1	1	88.25	60	0	30000	486.0215054	14580.49085	30000	0	0	30000	39.5	2004
12.02.2020 10:12:55	1	1	1	1	88.25	58.25	0	30000	486.0215054	14516.07643	30000	0	0	30000	39.1875	2004
12.02.2020 10:12:55	1	1	1	1	88.25	58.25	0	30000	486.0215054	14516.07643	30000	0	0	30000	39.1875	2004
12.02.2020 10:12:55	1	1	1	1	88.25	58.25	0	30000	486.0215054	14516.07643	30000	0	0	30000	39.1875	2004
12.02.2020 10:12:55	1	1	1	1	88.25	58.25	0	30000	486.0215054	14516.07643	30000	0	0	30000	39.1875	2004
12.02.2020 10:12:55	1	1	1	1	88.25	58.25	0	30000	486.0215054	14516.07643	30000	0	0	30000	39.1875	2004
12.02.2020 10:12:56	1	1	1	1	88.25	59	0	30000	483.8709677	14709.31971	30000	0	0	30000	39.8125	2004
12.02.2020 10:12:57	1	1	1	1	88.25	59.75	0	30000	490.3225806	14644.90528	30000	0	0	30000	39.75	2004
12.02.2020 10:12:58	1	1	1	1	88.25	59.75	0	30000	486.0215054	14428.83157	30000	0	0	30000	39.5625	2004
12.02.2020 10:12:59	1	1	1	1	88.25	59.5	0	30000	481.7204301	14516.07643	30000	0	0	30000	39.4375	2004
12.02.2020 10:13:00	1	1	1	1	88.25	59.25	0	30000	488.172043	14644.90528	30000	0	0	30000	39.4375	2004
12.02.2020 10:13:01	1	1	1	1	88.25	59.25	0	30000	490.3225806	14773.73413	30000	0	0	30000	39.75	2004
12.02.2020 10:13:02	1	1	1	1	88.25	59.75	0	29952.607	434.4086022	13076.12861	30000	0	0	30000	39.4375	2004
12.02.2020 10:13:03	1	1	1	1	88.25	59.25	0	29952.607	481.7204301	14516.07643	30000	0	0	30000	39.5	2004
12.02.2020 10:13:04	1	1	1	1	88.25	59.5	0	30000	492.4731183	14838.14856	30000	0	0	30000	39.3125	2004
12.02.2020 10:13:05	1	1	1	1	88.25	59.25	0	30000	492.4731183	14773.73413	30000	0	0	30000	38.8125	2004
12.02.2020 10:13:06	1	1	1	1	88.25	58.75	0	30000	518.2795699	15548.338	30000	0	0	30000	39.8125	2004
12.02.2020 10:13:07	1	1	1	1	88.25	59.75	0	30000	524.7311828	15805.99571	30000	0	0	30000	39.75	2004
12.02.2020 10:13:08	1	1	1	1	88.25	59.75	0	29952.607	522.5806452	15677.16685	30000	0	0	30000	39.75	2004
12.02.2020 10:13:09	1	1	1	1	88.25	59.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	39.9375	2004
12.02.2020 10:13:10	1	1	1	1	88.25	59.75	0	30000	518.2795699	15677.16685	30000	0	0	30000	39.5	2004
12.02.2020 10:13:11	1	1	1	1	88.25	59.5	0	30000	505.3763441	15161.03607	30000	0	0	30000	39.75	2004
12.02.2020 10:13:12	1	1	1	1	88.25	59.75	0	30000	494.6236559	14902.56299	30000	0	0	30000	39.3125	2004
12.02.2020 10:13:13	1	1	1	1	88.25	59.25	0	30000	496.7741935	14902.56299	30000	0	0	30000	39.8125	2004
12.02.2020 10:13:14	1	1	1	1	88.25	59.75	0	30000	492.4731183	14773.73413	30000	0	0	30000	39.4375	2004
12.02.2020 10:13:15	1	1	1	1	88.25	59.25	0	30000	494.6236559	14709.31971	30000	0	0	30000	39.5625	2004
12.02.2020 10:13:16	1	1	1	1	88.25	59.5	0	30000	496.7741935	14902.56299	30000	0	0	30000	39.5625	2004
12.02.2020 10:13:17	1	1	1	1	88.25	59.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	39.3125	2004
12.02.2020 10:13:18	1	1	1	1	88.25	59.25	0	30000	481.7204301	14451.662	30000	0	0	30000	39.6875	2004
12.02.2020 10:13:19	1	1	1	1	88.25	59.5	0	30000	481.7204301	14451.662	30000	0	0	30000	39.5625	2004
12.02.2020 10:13:20	1	1	1	1	88.25	59.5	0	30000	481.7204301	14451.662	30000	0	0	30000	39.5	2004
12.02.2020 10:13:21	1	1	1	1	88.25	59.5	0	29952.607	481.7204301	14451.662	30000	0	0	30000	39.1875	2004
12.02.2020 10:13:22	1	1	1	1	88.25	59	0	30000	481.7204301	14451.662	30000	0	0	30000	39.75	2004
12.02.2020 10:13:23	1	1	1	1	88.25	59.75	0	29952.607	481.7204301	14451.662	30000	0	0	30000	39.25	2004
12.02.2020 10:13:25	1	1	1	1	88.25	59.25	0	30000	481.7204301	14451.662	30000	0	0	30000	39.625	2004
12.02.2020 10:13:26	1	1	1	1	88	59.5	0	30000	481.7204301	14451.662	30000	0	0	30000	39.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 10:13:27	1	1	1	1	88	59.75	0	30000	458.0645161	13741.47256	30000	0	0	30000	39.75	2004
12.02.2020 10:13:28	1	1	1	1	88	59	0	30000	464.516129	13935.53122	30000	0	0	30000	39.75	2004
12.02.2020 10:13:29	1	1	1	1	88	59.75	0	30000	466.6666667	14021.9607	30000	0	0	30000	39.75	2004
12.02.2020 10:13:30	1	1	1	1	88	59.75	0	30000	464.516129	13935.53122	30000	0	0	30000	39.75	2004
12.02.2020 10:13:31	1	1	1	1	88	59.75	0	30000	466.6666667	13999.94564	30000	0	0	30000	39.6875	2004
12.02.2020 10:13:32	1	1	1	1	88	59.5	0	30000	481.7204301	14451.662	30000	0	0	30000	39.6875	2004
12.02.2020 10:13:33	1	1	1	1	88	59.5	0	30000	481.7204301	13955.10015	30000	0	0	30000	39.4375	2004
12.02.2020 10:13:34	1	1	1	1	88	59.25	0	30000	481.7204301	14451.662	30000	0	0	30000	39.5	2004
12.02.2020 10:13:35	1	1	1	1	88	59.5	0	30000	481.7204301	14451.662	30000	0	0	30000	38.9375	2004
12.02.2020 10:13:36	1	1	1	1	88	58.75	0	30000	483.8709677	14516.07643	30000	0	0	30000	39.75	2004
12.02.2020 10:13:37	1	1	1	1	88	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	38.5625	2004
12.02.2020 10:13:38	1	1	1	1	88	58.5	0	30000	486.0215054	14644.90528	30000	0	0	30000	39.75	2004
12.02.2020 10:13:39	1	1	1	1	88	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	39.6875	2004
12.02.2020 10:13:40	1	1	1	1	88	59.5	0	30000	481.7204301	14451.662	30000	0	0	30000	38.5625	2004
12.02.2020 10:13:41	1	1	1	1	88	58.5	0	30000	481.7204301	14451.662	30000	0	0	30000	39.75	2004
12.02.2020 10:13:42	1	1	1	1	88	59.75	0	30000	483.8709677	14516.07643	30000	0	0	30000	39.3125	2004
12.02.2020 10:13:43	1	1	1	1	88	59.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	39	2004
12.02.2020 10:13:44	1	1	1	1	88	59	0	30000	481.7204301	14451.662	30000	0	0	30000	39.5	2004
12.02.2020 10:13:45	1	1	1	1	87.75	59.5	0	30000	470.9677419	14451.662	30000	0	0	30000	39.8125	2004
12.02.2020 10:13:46	1	1	1	1	87.75	59.75	0	30000	481.7204301	14406.00114	30000	0	0	30000	39.75	2004
12.02.2020 10:13:47	1	1	1	1	87.75	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	39.0625	2004
12.02.2020 10:13:48	1	1	1	1	87.75	59	0	29952.607	481.7204301	14516.07643	30000	0	0	30000	39.6875	2004
12.02.2020 10:13:49	1	1	1	1	87.75	59.5	0	30000	494.6236559	14838.14856	30000	0	0	30000	39.75	2004
12.02.2020 10:13:50	1	1	1	1	87.75	59.75	0	30000	445.1612903	13333.78632	30000	0	0	30000	39.125	2004
12.02.2020 10:13:57	1	1	1	1	87.25	59.5	0	30000	520.4301075	15435.00122	30000	0	0	30000	39.625	2004
12.02.2020 10:13:57	1	1	1	1	87.25	59.5	0	30000	520.4301075	15435.00122	30000	0	0	30000	39.625	2004
12.02.2020 10:13:57	1	1	1	1	87.25	59.5	0	30000	520.4301075	15435.00122	30000	0	0	30000	39.625	2004
12.02.2020 10:13:57	1	1	1	1	87.25	59.5	0	30000	520.4301075	15435.00122	30000	0	0	30000	39.625	2004
12.02.2020 10:13:57	1	1	1	1	87.25	59.5	0	30000	520.4301075	15435.00122	30000	0	0	30000	39.625	2004
12.02.2020 10:13:57	1	1	1	1	87.25	59.5	0	30000	507.5268817	15266.21912	30000	0	0	30000	39.625	2004
12.02.2020 10:13:58	1	1	1	1	87.25	59.5	0	30000	516.1290323	15483.92357	30000	0	0	30000	38.875	2004
12.02.2020 10:13:59	1	1	1	1	87.25	58.75	0	30000	501.0752688	15096.62164	30000	0	0	30000	39.375	2004
12.02.2020 10:14:00	1	1	1	1	87.25	59.25	0	30047.393	486.0215054	14580.49085	30000	0	0	30000	39.4375	2004
12.02.2020 10:14:01	1	1	1	1	87.25	59.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	39.5	2004
12.02.2020 10:14:03	1	1	1	1	87.25	59.5	0	30000	488.172043	14773.73413	30000	0	0	30000	39.75	2004
12.02.2020 10:14:04	1	1	1	1	87.25	59.75	0	30000	488.172043	14644.90528	30000	0	0	30000	39.3125	2004
12.02.2020 10:14:05	1	1	1	1	87.25	59.25	0	30000	481.7204301	14474.49243	30000	0	0	30000	39.8125	2004
12.02.2020 10:14:06	1	1	1	1	87.5	60	0	30000	486.0215054	14469.6002	30000	0	0	30000	39.25	2004
12.02.2020 10:14:07	1	1	1	1	87.5	59.25	0	29905.213	468.8172043	14451.662	30000	0	0	30000	39.625	2004
12.02.2020 10:14:08	1	1	1	1	87.5	59.5	0	30000	481.7204301	14451.662	30000	0	0	30000	39.6875	2004
12.02.2020 10:14:09	1	1	1	1	87.5	59.5	0	29952.607	481.7204301	14451.662	30000	0	0	30000	39.4375	2004
12.02.2020 10:14:10	1	1	1	1	87.5	59.25	0	30047.393	481.7204301	14474.49243	30000	0	0	30000	39.375	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 10:14:11	1	1	1	1	87.5	59.25	0	30047.393	481.7204301	14451.662	30000	0	0	30000	39.8125	2004
12.02.2020 10:14:12	1	1	1	1	87.5	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	39.375	2004
12.02.2020 10:14:13	1	1	1	1	87.5	59.25	0	30000	466.6666667	13999.94564	30000	0	0	30000	39.75	2004
12.02.2020 10:14:14	1	1	1	1	87.5	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	39	2004
12.02.2020 10:14:15	1	1	1	1	87.25	59	0	30000	481.7204301	14451.662	30000	0	0	30000	39.6875	2004
12.02.2020 10:14:16	1	1	1	1	87.25	59.5	0	30000	481.7204301	14451.662	30000	0	0	30000	39.75	2004
12.02.2020 10:14:17	1	1	1	1	87.25	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	39	2004
12.02.2020 10:14:18	1	1	1	1	87.25	59	0	30000	488.172043	14644.90528	30000	0	0	30000	39.6875	2004
12.02.2020 10:14:19	1	1	1	1	87.25	59.5	0	29905.213	481.7204301	14451.662	30000	0	0	30000	39.6875	2004
12.02.2020 10:14:20	1	1	1	1	87.25	59.5	0	30000	481.7204301	14428.83157	30000	0	0	30000	39.6875	2004
12.02.2020 10:14:21	1	1	1	1	87.25	59.5	0	30000	481.7204301	14451.662	30000	0	0	30000	39.3125	2004
12.02.2020 10:14:22	1	1	1	1	87.25	59.25	0	30000	481.7204301	14451.662	30000	0	0	30000	39.75	2004
12.02.2020 10:14:23	1	1	1	1	87.25	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	39.4375	2004
12.02.2020 10:14:24	1	1	1	1	87.25	59.25	0	30000	464.516129	13935.53122	30000	0	0	30000	39.3125	2004
12.02.2020 10:14:25	1	1	1	1	87.25	59.25	0	30000	481.7204301	14474.49243	30000	0	0	30000	39.25	2004
12.02.2020 10:14:26	1	1	1	1	87.25	59.25	0	30000	481.7204301	14451.662	30000	0	0	30000	39	2004
12.02.2020 10:14:27	1	1	1	1	87.25	59	0	30000	481.7204301	14451.662	30000	0	0	30000	39.4375	2004
12.02.2020 10:14:28	1	1	1	1	87.25	59.25	0	30000	481.7204301	14451.662	30000	0	0	30000	39.5625	2004
12.02.2020 10:14:29	1	1	1	1	87.25	59.5	0	29952.607	481.7204301	14451.662	30000	0	0	30000	39.75	2004
12.02.2020 10:14:30	1	1	1	1	87.25	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	39.75	2004
12.02.2020 10:14:31	1	1	1	1	87.25	59.75	0	30000	466.6666667	13999.94564	30000	0	0	30000	38.9375	2004
12.02.2020 10:14:32	1	1	1	1	87.25	58.75	0	30000	481.7204301	14451.662	30000	0	0	30000	39.125	2004
12.02.2020 10:14:33	1	1	1	1	87.25	59	0	29905.213	481.7204301	14451.662	30000	0	0	30000	39.1875	2004
12.02.2020 10:14:34	1	1	1	1	87.25	59	0	30000	490.3225806	14773.73413	30000	0	0	30000	39.25	2004
12.02.2020 10:14:35	1	1	1	1	86.5	59.25	0	30000	481.7204301	14451.662	30000	0	0	30000	39.375	2004
12.02.2020 10:14:36	1	1	1	1	86.5	59.25	0	30000	481.7204301	14451.662	30000	0	0	30000	39.875	2004
12.02.2020 10:14:37	1	1	1	1	86.5	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	38.875	2004
12.02.2020 10:14:38	1	1	1	1	86.5	58.75	0	30000	488.172043	14644.90528	30000	0	0	30000	39.25	2004
12.02.2020 10:14:39	1	1	1	1	86.5	59.25	0	30000	481.7204301	14451.662	30000	0	0	30000	39.25	2004
12.02.2020 10:14:40	1	1	1	1	86.5	59.25	0	30000	488.172043	14644.90528	30000	0	0	30000	39.6875	2004
12.02.2020 10:14:42	1	1	1	1	86.5	59.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	39.1875	2004
12.02.2020 10:14:43	1	1	1	1	86.5	59	0	30000	492.4731183	14773.73413	30000	0	0	30000	40.25	2004
12.02.2020 10:14:44	1	1	1	1	86.5	60.25	0	30000	490.3225806	14644.90528	30000	0	0	30000	39.75	2004
12.02.2020 10:14:45	1	1	1	1	86.5	59.75	0	30047.393	488.172043	14644.90528	30000	0	0	30000	39.75	2004
12.02.2020 10:14:46	1	1	1	1	86.75	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	39.75	2004
12.02.2020 10:14:47	1	1	1	1	86.75	59.75	0	30000	486.0215054	14516.07643	30000	0	0	30000	39.625	2004
12.02.2020 10:14:48	1	1	1	1	86.75	59.5	0	30000	488.172043	14516.07643	30000	0	0	30000	39.625	2004
12.02.2020 10:14:49	1	1	1	1	86.75	59.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	39.6875	2004
12.02.2020 10:14:50	1	1	1	1	86.75	59.5	0	30000	488.172043	14644.90528	30000	0	0	30000	39.4375	2004
12.02.2020 10:14:51	1	1	1	1	86.75	59.25	0	30000	486.0215054	14667.73571	30000	0	0	30000	39.625	2004
12.02.2020 10:14:52	1	1	1	1	86.75	59.5	0	30000	488.172043	14644.90528	30000	0	0	30000	39.75	2004
12.02.2020 10:14:58	1	1	1	1	86.5	58.75	0	30000	488.172043	14644.90528	30000	0	0	30000	39.625	2004
12.02.2020 10:14:58	1	1	1	1	86.5	58.75	0	30000	488.172043	14644.90528	30000	0	0	30000	39.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 10:14:58	1	1	1	1	86.5	58.75	0	30000	488.172043	14644.90528	30000	0	0	30000	39.625	2004
12.02.2020 10:14:58	1	1	1	1	86.5	58.75	0	30000	488.172043	14644.90528	30000	0	0	30000	39.625	2004
12.02.2020 10:14:58	1	1	1	1	86.5	58.75	0	30000	488.172043	14644.90528	30000	0	0	30000	39.625	2004
12.02.2020 10:14:58	1	1	1	1	86.5	58.75	0	30000	488.172043	14644.90528	30000	0	0	30000	39.625	2004
12.02.2020 10:14:59	1	1	1	1	86.5	59.5	0	30000	488.172043	14644.90528	30000	0	0	30000	39.6875	2004
12.02.2020 10:15:00	1	1	1	1	86.5	59.5	0	30000	488.172043	14644.90528	30000	0	0	30000	39.625	2004
12.02.2020 10:15:01	1	1	1	1	86.5	59.5	0	30000	488.172043	14644.90528	30000	0	0	30000	39.125	2004
12.02.2020 10:15:02	1	1	1	1	86.5	59	0	30000	488.172043	14644.90528	30000	0	0	30000	38.9375	2004
12.02.2020 10:15:03	1	1	1	1	86.5	58.75	0	29952.607	492.4731183	14686.48928	30000	0	0	30000	39	2004
12.02.2020 10:15:04	1	1	1	1	86.5	59	0	30000	492.4731183	14773.73413	30000	0	0	30000	39.625	2004
12.02.2020 10:15:05	1	1	1	1	86.25	59.5	0	30000	490.3225806	14644.90528	30000	0	0	30000	39.75	2004
12.02.2020 10:15:06	1	1	1	1	86.25	59.75	0	29952.607	494.6236559	14791.67233	30000	0	0	30000	39.9375	2004
12.02.2020 10:15:07	1	1	1	1	86.25	59.75	0	29905.213	481.7204301	14644.90528	30000	0	0	30000	39.75	2004
12.02.2020 10:15:08	1	1	1	1	86.25	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	39.5	2004
12.02.2020 10:15:09	1	1	1	1	86.25	59.5	0	30000	481.7204301	14451.662	30000	0	0	30000	39.4375	2004
12.02.2020 10:15:10	1	1	1	1	86.25	59.25	0	30000	481.7204301	14451.662	30000	0	0	30000	39.75	2004
12.02.2020 10:15:11	1	1	1	1	86.25	59.75	0	29952.607	486.0215054	14644.90528	30000	0	0	30000	39.1875	2004
12.02.2020 10:15:12	1	1	1	1	86.25	59	0	30000	490.3225806	14644.90528	30000	0	0	30000	39.75	2004
12.02.2020 10:15:13	1	1	1	1	86.25	59.75	0	30000	486.0215054	14516.07643	30000	0	0	30000	39.5	2004
12.02.2020 10:15:14	1	1	1	1	86.25	59.5	0	30000	492.4731183	14838.14856	30000	0	0	30000	39.75	2004
12.02.2020 10:15:15	1	1	1	1	86.25	59.75	0	30000	488.172043	14644.90528	30000	0	0	30000	39.8125	2004
12.02.2020 10:15:16	1	1	1	1	86.25	59.75	0	29952.607	483.8709677	14516.07643	30000	0	0	30000	39.75	2004
12.02.2020 10:15:17	1	1	1	1	86.25	59.75	0	30000	483.8709677	14644.90528	30000	0	0	30000	39.6875	2004
12.02.2020 10:15:18	1	1	1	1	86.25	59.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	38.625	2004
12.02.2020 10:15:19	1	1	1	1	86.25	58.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	39.75	2004
12.02.2020 10:15:21	1	1	1	1	86.25	59.75	0	30000	494.6236559	14773.73413	30000	0	0	30000	39.375	2004
12.02.2020 10:15:22	1	1	1	1	86.25	59.25	0	30000	488.172043	14644.90528	30000	0	0	30000	39.8125	2004
12.02.2020 10:15:23	1	1	1	1	86.25	59.75	0	30000	488.172043	14516.07643	30000	0	0	30000	39.9375	2004
12.02.2020 10:15:24	1	1	1	1	86.25	59.75	0	30000	486.0215054	14644.90528	30000	0	0	30000	39.5625	2004
12.02.2020 10:15:25	1	1	1	1	86.25	59.5	0	30000	486.0215054	14644.90528	30000	0	0	30000	39.75	2004
12.02.2020 10:15:26	1	1	1	1	86.25	59.75	0	30000	486.0215054	14516.07643	30000	0	0	30000	39.75	2004
12.02.2020 10:15:27	1	1	1	1	86.25	59.75	0	30000	483.8709677	14516.07643	30000	0	0	30000	39.8125	2004
12.02.2020 10:15:28	1	1	1	1	86.25	59.75	0	30000	488.172043	14773.73413	30000	0	0	30000	39.125	2004
12.02.2020 10:15:29	1	1	1	1	86.25	59	0	30000	488.172043	14644.90528	30000	0	0	30000	38.8125	2004
12.02.2020 10:15:30	1	1	1	1	86.25	58.75	0	30000	483.8709677	14580.49085	30000	0	0	30000	39.75	2004
12.02.2020 10:15:31	1	1	1	1	86.25	59.75	0	30000	492.4731183	14773.73413	30000	0	0	30000	39.75	2004
12.02.2020 10:15:32	1	1	1	1	86.25	59.75	0	30000	490.3225806	14773.73413	30000	0	0	30000	39.375	2004
12.02.2020 10:15:33	1	1	1	1	86.25	59.25	0	30000	492.4731183	14773.73413	30000	0	0	30000	39.4375	2004
12.02.2020 10:15:34	1	1	1	1	86.25	59.25	0	30000	492.4731183	14797.37994	30000	0	0	30000	39.5	2004
12.02.2020 10:15:35	1	1	1	1	86	59.5	0	30000	490.3225806	14773.73413	30000	0	0	30000	39.6875	2004
12.02.2020 10:15:36	1	1	1	1	86	59.5	0	30000	496.7741935	14856.08676	30000	0	0	30000	39.5	2004
12.02.2020 10:15:37	1	1	1	1	86	59.5	0	30000	486.0215054	14644.90528	30000	0	0	30000	39.5	2004
12.02.2020 10:15:38	1	1	1	1	86	59.5	0	30000	494.6236559	14838.14856	30000	0	0	30000	39.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 10:15:39	1	1	1	1	86	59.75	0	30000	496.7741935	14902.56299	30000	0	0	30000	39.8125	2004
12.02.2020 10:15:40	1	1	1	1	86	59.75	0	30000	496.7741935	14879.73256	30000	0	0	30000	39.75	2004
12.02.2020 10:15:41	1	1	1	1	86	59.75	0	30000	492.4731183	14773.73413	30000	0	0	30000	39.75	2004
12.02.2020 10:15:42	1	1	1	1	86	59.75	0	30000	494.6236559	14838.14856	30000	0	0	30000	39.5625	2004
12.02.2020 10:15:43	1	1	1	1	86	59.5	0	30000	492.4731183	14773.73413	30000	0	0	30000	39.4375	2004
12.02.2020 10:15:44	1	1	1	1	86	59.25	0	30000	494.6236559	14644.90528	30000	0	0	30000	39.5	2004
12.02.2020 10:15:45	1	1	1	1	85.75	59.5	0	30000	488.172043	14773.73413	30000	0	0	30000	38.8125	2004
12.02.2020 10:15:46	1	1	1	1	85.75	58.75	0	30000	496.7741935	14902.56299	30000	0	0	30000	39.3125	2004
12.02.2020 10:15:47	1	1	1	1	85.75	59.25	0	30000	490.3225806	15032.20721	30000	0	0	30000	39.75	2004
12.02.2020 10:15:48	1	1	1	1	85.75	59.75	0	30000	498.9247312	15032.20721	30000	0	0	30000	39.0625	2004
12.02.2020 10:15:49	1	1	1	1	85.75	59	0	29952.607	496.7741935	15161.03607	30000	0	0	30000	39.75	2004
12.02.2020 10:15:50	1	1	1	1	85.75	59.75	0	30000	501.0752688	14902.56299	30000	0	0	30000	39.5625	2004
12.02.2020 10:15:51	1	1	1	1	85.75	59.5	0	30000	496.7741935	14838.14856	30000	0	0	30000	39.6875	2004
12.02.2020 10:15:52	1	1	1	1	85.75	59.5	0	30000	496.7741935	14902.56299	30000	0	0	30000	39.8125	2004
12.02.2020 10:15:53	1	1	1	1	85.75	59.75	0	30000	498.9247312	14902.56299	30000	0	0	30000	39.8125	2004
12.02.2020 10:16:00	1	1	1	1	85.75	59.5	0	30000	501.0752688	15032.20721	30000	0	0	30000	39.1875	2004
12.02.2020 10:16:00	1	1	1	1	85.75	59.5	0	30000	501.0752688	15032.20721	30000	0	0	30000	39.1875	2004
12.02.2020 10:16:00	1	1	1	1	85.75	59.5	0	30000	501.0752688	15032.20721	30000	0	0	30000	39.1875	2004
12.02.2020 10:16:00	1	1	1	1	85.75	59.5	0	30000	501.0752688	15032.20721	30000	0	0	30000	39.1875	2004
12.02.2020 10:16:00	1	1	1	1	85.75	59.5	0	30000	501.0752688	15032.20721	30000	0	0	30000	39.1875	2004
12.02.2020 10:16:00	1	1	1	1	85.75	59.5	0	30000	501.0752688	15032.20721	30000	0	0	30000	39.1875	2004
12.02.2020 10:16:01	1	1	1	1	85.75	59	0	29952.607	507.5268817	15225.45049	30000	0	0	30000	39.8125	2004
12.02.2020 10:16:02	1	1	1	1	85.75	59.75	0	30000	507.5268817	15161.03607	30000	0	0	30000	40.25	2004
12.02.2020 10:16:03	1	1	1	1	85.75	59.5	0	30000	496.7741935	14902.56299	30000	0	0	30000	39.25	2004
12.02.2020 10:16:04	1	1	1	1	85.75	59.25	0	30000	498.9247312	15032.20721	30000	0	0	30000	39.4375	2004
12.02.2020 10:16:05	1	1	1	1	85.5	59.25	0	29952.607	492.4731183	14838.14856	30000	0	0	30000	39.75	2004
12.02.2020 10:16:06	1	1	1	1	85.5	59.75	0	30000	494.6236559	14773.73413	30000	0	0	30000	39.75	2004
12.02.2020 10:16:07	1	1	1	1	85.5	59.75	0	30000	496.7741935	14902.56299	30000	0	0	30000	40	2004
12.02.2020 10:16:08	1	1	1	1	85.5	60	0	30000	496.7741935	14902.56299	30000	0	0	30000	39.75	2004
12.02.2020 10:16:09	1	1	1	1	85.5	59.75	0	30000	490.3225806	14644.90528	30000	0	0	30000	39.625	2004
12.02.2020 10:16:10	1	1	1	1	85.5	59.5	0	30000	494.6236559	14838.14856	30000	0	0	30000	38.9375	2004
12.02.2020 10:16:11	1	1	1	1	85.5	58.75	0	30000	496.7741935	14902.56299	30000	0	0	30000	39.4375	2004
12.02.2020 10:16:12	1	1	1	1	85.5	59.25	0	30000	498.9247312	15032.20721	30000	0	0	30000	39.5	2004
12.02.2020 10:16:13	1	1	1	1	85.5	59.5	0	29952.607	490.3225806	14902.56299	30000	0	0	30000	39.5625	2004
12.02.2020 10:16:14	1	1	1	1	85.5	59.5	0	30000	494.6236559	14838.14856	30000	0	0	30000	39.5625	2004
12.02.2020 10:16:15	1	1	1	1	85	59.5	0	30000	490.3225806	14644.90528	30000	0	0	30000	39.8125	2004
12.02.2020 10:16:16	1	1	1	1	85	59.75	0	30000	498.9247312	15096.62164	30000	0	0	30000	39.75	2004
12.02.2020 10:16:17	1	1	1	1	85	59.75	0	30000	496.7741935	14902.56299	30000	0	0	30000	39.875	2004
12.02.2020 10:16:18	1	1	1	1	85	59.75	0	30000	496.7741935	14902.56299	30000	0	0	30000	38.9375	2004
12.02.2020 10:16:19	1	1	1	1	85	58.75	0	29905.213	501.0752688	15032.20721	30000	0	0	30000	39.25	2004
12.02.2020 10:16:20	1	1	1	1	85	59.25	0	30000	505.3763441	15032.20721	30000	0	0	30000	39.875	2004
12.02.2020 10:16:21	1	1	1	1	85	59.75	0	30000	494.6236559	14902.56299	30000	0	0	30000	39.6875	2004
12.02.2020 10:16:22	1	1	1	1	85	59.5	0	29952.607	488.172043	14773.73413	30000	0	0	30000	39.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 10:16:23	1	1	1	1	85	59.5	0	30000	498.9247312	14967.79279	30000	0	0	30000	39	2004
12.02.2020 10:16:24	1	1	1	1	85	59	0	30000	492.4731183	14557.66042	30000	0	0	30000	39.3125	2004
12.02.2020 10:16:25	1	1	1	1	84.75	59.25	0	30000	488.172043	14644.90528	30000	0	0	30000	39.75	2004
12.02.2020 10:16:26	1	1	1	1	84.75	59.75	0	30000	494.6236559	14902.56299	30000	0	0	30000	39.75	2004
12.02.2020 10:16:27	1	1	1	1	84.75	59.75	0	30000	488.172043	14644.90528	30000	0	0	30000	39.75	2004
12.02.2020 10:16:28	1	1	1	1	84.75	59.75	0	30000	490.3225806	14644.90528	30000	0	0	30000	39.5625	2004
12.02.2020 10:16:29	1	1	1	1	84.75	59.5	0	29952.607	492.4731183	14773.73413	30000	0	0	30000	39.5625	2004
12.02.2020 10:16:30	1	1	1	1	84.75	59.5	0	30000	507.5268817	15032.20721	30000	0	0	30000	39.4375	2004
12.02.2020 10:16:31	1	1	1	1	84.75	59.25	0	30000	496.7741935	14838.14856	30000	0	0	30000	39.75	2004
12.02.2020 10:16:32	1	1	1	1	84.75	59.75	0	30000	501.0752688	15032.20721	30000	0	0	30000	39.8125	2004
12.02.2020 10:16:33	1	1	1	1	84.75	59.75	0	30000	501.0752688	15032.20721	30000	0	0	30000	39.5	2004
12.02.2020 10:16:34	1	1	1	1	84.75	59.5	0	29905.213	488.172043	14773.73413	30000	0	0	30000	39.75	2004
12.02.2020 10:16:36	1	1	1	1	85	59.75	0	30000	496.7741935	14902.56299	30000	0	0	30000	39.8125	2004
12.02.2020 10:16:37	1	1	1	1	85	59.75	0	30000	488.172043	14644.90528	30000	0	0	30000	39.75	2004
12.02.2020 10:16:38	1	1	1	1	85	59.75	0	30000	492.4731183	14773.73413	30000	0	0	30000	39.75	2004
12.02.2020 10:16:39	1	1	1	1	85	59.75	0	30000	496.7741935	14902.56299	30000	0	0	30000	40.3125	2004
12.02.2020 10:16:40	1	1	1	1	85	60.25	0	30000	494.6236559	14902.56299	30000	0	0	30000	39.75	2004
12.02.2020 10:16:41	1	1	1	1	85	59.75	0	30000	494.6236559	14773.73413	30000	0	0	30000	39.875	2004
12.02.2020 10:16:42	1	1	1	1	85	59.75	0	30000	488.172043	14773.73413	30000	0	0	30000	40.1875	2004
12.02.2020 10:16:43	1	1	1	1	85	59.75	0	30000	496.7741935	14902.56299	30000	0	0	30000	39.5625	2004
12.02.2020 10:16:44	1	1	1	1	85	59.5	0	29952.607	488.172043	14838.14856	30000	0	0	30000	39.75	2004
12.02.2020 10:16:45	1	1	1	1	84.75	59.75	0	30000	492.4731183	14773.73413	30000	0	0	30000	39.75	2004
12.02.2020 10:16:46	1	1	1	1	84.75	59.75	0	30000	492.4731183	14773.73413	30000	0	0	30000	39.875	2004
12.02.2020 10:16:47	1	1	1	1	84.75	59.75	0	30000	488.172043	14644.90528	30000	0	0	30000	39.375	2004
12.02.2020 10:16:48	1	1	1	1	84.75	59.25	0	30000	494.6236559	14902.56299	30000	0	0	30000	39.75	2004
12.02.2020 10:16:49	1	1	1	1	84.75	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	39.375	2004
12.02.2020 10:16:50	1	1	1	1	84.75	59.25	0	29952.607	483.8709677	14949.85459	30000	0	0	30000	39.75	2004
12.02.2020 10:16:51	1	1	1	1	84.75	59.75	0	30000	490.3225806	14773.73413	30000	0	0	30000	39.6875	2004
12.02.2020 10:16:52	1	1	1	1	84.75	59.5	0	30000	494.6236559	14644.90528	30000	0	0	30000	39.875	2004
12.02.2020 10:16:53	1	1	1	1	84.75	59.75	0	30000	492.4731183	14773.73413	30000	0	0	30000	39.6875	2004
12.02.2020 10:16:54	1	1	1	1	84.75	59.5	0	30000	483.8709677	14644.90528	30000	0	0	30000	39.0625	2004
12.02.2020 10:16:55	1	1	1	1	84.75	59	0	30000	494.6236559	14838.14856	30000	0	0	30000	39.6875	2004
12.02.2020 10:17:02	1	1	1	1	84.75	58.75	0	29952.607	488.172043	14622.07485	30000	0	0	30000	39.6875	2004
12.02.2020 10:17:02	1	1	1	1	84.75	58.75	0	29952.607	488.172043	14622.07485	30000	0	0	30000	39.6875	2004
12.02.2020 10:17:02	1	1	1	1	84.75	58.75	0	29952.607	488.172043	14622.07485	30000	0	0	30000	39.6875	2004
12.02.2020 10:17:02	1	1	1	1	84.75	58.75	0	29952.607	488.172043	14622.07485	30000	0	0	30000	39.6875	2004
12.02.2020 10:17:02	1	1	1	1	84.75	58.75	0	29952.607	488.172043	14622.07485	30000	0	0	30000	39.6875	2004
12.02.2020 10:17:02	1	1	1	1	84.75	59.5	0	29952.607	494.6236559	14902.56299	30000	0	0	30000	39.5625	2004
12.02.2020 10:17:03	1	1	1	1	84.75	59.5	0	30000	496.7741935	14902.56299	30000	0	0	30000	39.5	2004
12.02.2020 10:17:04	1	1	1	1	84.75	59.5	0	30000	490.3225806	14644.90528	30000	0	0	30000	39.3125	2004
12.02.2020 10:17:05	1	1	1	1	84.25	59.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	39.5	2004
12.02.2020 10:17:06	1	1	1	1	84.25	59.5	0	30000	486.0215054	14644.90528	30000	0	0	30000	39.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 10:17:07	1	1	1	1	84.25	59.25	0	30000	488.172043	14516.07643	30000	0	0	30000	39.5625	2004
12.02.2020 10:17:08	1	1	1	1	84.25	59.5	0	29952.607	488.172043	14644.90528	30000	0	0	30000	39.75	2004
12.02.2020 10:17:09	1	1	1	1	84.25	59.75	0	30000	488.172043	14644.90528	30000	0	0	30000	39.5625	2004
12.02.2020 10:17:10	1	1	1	1	84.25	59.5	0	30000	488.172043	14644.90528	30000	0	0	30000	39.5625	2004
12.02.2020 10:17:11	1	1	1	1	84.25	59.5	0	29952.607	481.7204301	14128.7745	30000	0	0	30000	39.6875	2004
12.02.2020 10:17:12	1	1	1	1	84.25	59.5	0	30000	481.7204301	14451.662	30000	0	0	30000	39.875	2004
12.02.2020 10:17:13	1	1	1	1	84.25	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	38.75	2004
12.02.2020 10:17:14	1	1	1	1	84.25	58.75	0	30000	481.7204301	14451.662	30000	0	0	30000	39.8125	2004
12.02.2020 10:17:16	1	1	1	1	84.5	59.75	0	30000	486.0215054	14644.90528	30000	0	0	30000	39.625	2004
12.02.2020 10:17:17	1	1	1	1	84.5	59.5	0	30000	481.7204301	14451.662	30000	0	0	30000	39.9375	2004
12.02.2020 10:17:18	1	1	1	1	84.5	59.75	0	30000	488.172043	14644.90528	30000	0	0	30000	39	2004
12.02.2020 10:17:19	1	1	1	1	84.5	59	0	30000	481.7204301	14516.07643	30000	0	0	30000	39.1875	2004
12.02.2020 10:17:20	1	1	1	1	84.5	59	0	30000	488.172043	14644.90528	30000	0	0	30000	39.6875	2004
12.02.2020 10:17:21	1	1	1	1	84.5	59.5	0	30000	494.6236559	14838.14856	30000	0	0	30000	39.75	2004
12.02.2020 10:17:22	1	1	1	1	84.5	59.5	0	29952.607	488.172043	14644.90528	30000	0	0	30000	39.75	2004
12.02.2020 10:17:23	1	1	1	1	84.5	59.75	0	29952.607	490.3225806	14644.90528	30000	0	0	30000	39.875	2004
12.02.2020 10:17:24	1	1	1	1	84.5	59.75	0	30000	488.172043	14644.90528	30000	0	0	30000	39.5625	2004
12.02.2020 10:17:25	1	1	1	1	84.5	59.5	0	30000	483.8709677	14580.49085	30000	0	0	30000	39.75	2004
12.02.2020 10:17:26	1	1	1	1	84.5	59.75	0	30000	486.0215054	14516.07643	30000	0	0	30000	39.375	2004
12.02.2020 10:17:27	1	1	1	1	84.5	59.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	39.6875	2004
12.02.2020 10:17:28	1	1	1	1	84.5	59.5	0	30000	486.0215054	14644.90528	30000	0	0	30000	39.75	2004
12.02.2020 10:17:29	1	1	1	1	84.5	59.75	0	30000	486.0215054	14580.49085	30000	0	0	30000	39.75	2004
12.02.2020 10:17:30	1	1	1	1	84.5	59.75	0	30000	486.0215054	14644.90528	30000	0	0	30000	39.8125	2004
12.02.2020 10:17:31	1	1	1	1	84.5	59.75	0	30000	490.3225806	14926.20879	30000	0	0	30000	38.8125	2004
12.02.2020 10:17:32	1	1	1	1	84.5	58.75	0	30000	490.3225806	14902.56299	30000	0	0	30000	39.6875	2004
12.02.2020 10:17:33	1	1	1	1	84.5	59.5	0	29952.607	488.172043	14644.90528	30000	0	0	30000	39.75	2004
12.02.2020 10:17:34	1	1	1	1	84.5	59.75	0	29905.213	488.172043	14644.90528	30000	0	0	30000	39.5625	2004
12.02.2020 10:17:35	1	1	1	1	83.75	59.5	0	30000	492.4731183	14773.73413	30000	0	0	30000	39.625	2004
12.02.2020 10:17:36	1	1	1	1	83.75	59.5	0	30000	496.7741935	14902.56299	30000	0	0	30000	39.75	2004
12.02.2020 10:17:37	1	1	1	1	83.75	59.75	0	30000	488.172043	14644.90528	30000	0	0	30000	39.8125	2004
12.02.2020 10:17:38	1	1	1	1	83.75	59.75	0	30000	483.8709677	14451.662	30000	0	0	30000	38.8125	2004
12.02.2020 10:17:39	1	1	1	1	83.75	58.75	0	30000	492.4731183	14709.31971	30000	0	0	30000	39.6875	2004
12.02.2020 10:17:40	1	1	1	1	83.75	59.5	0	30000	492.4731183	14644.90528	30000	0	0	30000	39.125	2004
12.02.2020 10:17:41	1	1	1	1	83.75	59	0	30000	494.6236559	14902.56299	30000	0	0	30000	39.5	2004
12.02.2020 10:17:42	1	1	1	1	83.75	59.5	0	30000	503.2258065	15032.20721	30000	0	0	30000	39.875	2004
12.02.2020 10:17:43	1	1	1	1	83.75	59.75	0	30000	494.6236559	14773.73413	30000	0	0	30000	39.6875	2004
12.02.2020 10:17:44	1	1	1	1	83.75	59.5	0	30000	494.6236559	14773.73413	30000	0	0	30000	39.375	2004
12.02.2020 10:17:45	1	1	1	1	83.5	59.25	0	30000	494.6236559	14773.73413	30000	0	0	30000	39.75	2004
12.02.2020 10:17:46	1	1	1	1	83.5	59.75	0	30000	496.7741935	14902.56299	30000	0	0	30000	39.375	2004
12.02.2020 10:17:47	1	1	1	1	83.5	59.25	0	30000	488.172043	14644.90528	30000	0	0	30000	39.8125	2004
12.02.2020 10:17:48	1	1	1	1	83.5	59.75	0	30000	490.3225806	14644.90528	30000	0	0	30000	39.6875	2004
12.02.2020 10:17:49	1	1	1	1	83.5	59.5	0	30000	494.6236559	14773.73413	30000	0	0	30000	39.75	2004
12.02.2020 10:17:50	1	1	1	1	83.5	59.75	0	30000	490.3225806	14644.90528	30000	0	0	30000	39.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 10:17:51	1	1	1	1	83.5	59.25	0	30000	492.4731183	14644.90528	30000	0	0	30000	39.75	2004
12.02.2020 10:17:53	1	1	1	1	83.5	59.75	0	30000	488.172043	14644.90528	30000	0	0	30000	39.75	2004
12.02.2020 10:17:54	1	1	1	1	83.5	59.75	0	30000	496.7741935	15096.62164	30000	0	0	30000	39.625	2004
12.02.2020 10:17:55	1	1	1	1	83.5	59.5	0	30000	490.3225806	14709.31971	30000	0	0	30000	39.375	2004
12.02.2020 10:17:56	1	1	1	1	83.5	59.25	0	30000	494.6236559	14773.73413	30000	0	0	30000	39.75	2004
12.02.2020 10:17:57	1	1	1	1	83.5	59.75	0	30000	496.7741935	14902.56299	30000	0	0	30000	40.125	2004
12.02.2020 10:18:03	1	1	1	1	83.5	59.5	0	30000	496.7741935	15032.20721	30000	0	0	30000	39.5	2004
12.02.2020 10:18:03	1	1	1	1	83.5	59.5	0	30000	496.7741935	15032.20721	30000	0	0	30000	39.5	2004
12.02.2020 10:18:03	1	1	1	1	83.5	59.5	0	30000	496.7741935	15032.20721	30000	0	0	30000	39.5	2004
12.02.2020 10:18:03	1	1	1	1	83.5	59.5	0	30000	496.7741935	15032.20721	30000	0	0	30000	39.5	2004
12.02.2020 10:18:03	1	1	1	1	83.5	59.5	0	30000	496.7741935	15032.20721	30000	0	0	30000	39.5	2004
12.02.2020 10:18:04	1	1	1	1	83.5	59.5	0	30000	492.4731183	14773.73413	30000	0	0	30000	39.625	2004
12.02.2020 10:18:05	1	1	1	1	83	59.5	0	30000	488.172043	14644.90528	30000	0	0	30000	39.4375	2004
12.02.2020 10:18:06	1	1	1	1	83	59.25	0	30000	492.4731183	14709.31971	30000	0	0	30000	39.8125	2004
12.02.2020 10:18:07	1	1	1	1	83	59.75	0	30000	496.7741935	14902.56299	30000	0	0	30000	39.75	2004
12.02.2020 10:18:08	1	1	1	1	83	59.75	0	30000	492.4731183	14773.73413	30000	0	0	30000	39.8125	2004
12.02.2020 10:18:09	1	1	1	1	83	59.75	0	30000	483.8709677	14493.246	30000	0	0	30000	39.875	2004
12.02.2020 10:18:10	1	1	1	1	83	59.75	0	29905.213	492.4731183	14773.73413	30000	0	0	30000	39.75	2004
12.02.2020 10:18:11	1	1	1	1	83	59.75	0	30000	483.8709677	14644.90528	30000	0	0	30000	38.875	2004
12.02.2020 10:18:12	1	1	1	1	83	58.75	0	30000	490.3225806	14773.73413	30000	0	0	30000	39.4375	2004
12.02.2020 10:18:13	1	1	1	1	83	59.25	0	30000	486.0215054	14644.90528	30000	0	0	30000	38.75	2004
12.02.2020 10:18:14	1	1	1	1	83	58.75	0	30000	488.172043	14773.73413	30000	0	0	30000	39.8125	2004
12.02.2020 10:18:15	1	1	1	1	83	59.75	0	30000	492.4731183	14709.31971	30000	0	0	30000	39.75	2004
12.02.2020 10:18:16	1	1	1	1	83	59.75	0	30000	490.3225806	14838.14856	30000	0	0	30000	39.625	2004
12.02.2020 10:18:17	1	1	1	1	83	59.5	0	30000	488.172043	14644.90528	30000	0	0	30000	39.625	2004
12.02.2020 10:18:18	1	1	1	1	83	59.5	0	30000	492.4731183	14773.73413	30000	0	0	30000	39.4375	2004
12.02.2020 10:18:19	1	1	1	1	83	59.25	0	30047.393	494.6236559	14516.07643	30000	0	0	30000	39.5625	2004
12.02.2020 10:18:20	1	1	1	1	83	59.5	0	30000	492.4731183	14902.56299	30000	0	0	30000	39.8125	2004
12.02.2020 10:18:21	1	1	1	1	83	59.75	0	30000	494.6236559	14838.14856	30000	0	0	30000	39.6875	2004
12.02.2020 10:18:22	1	1	1	1	83	59.5	0	30000	492.4731183	14861.79436	30000	0	0	30000	39.4375	2004
12.02.2020 10:18:23	1	1	1	1	83	59.25	0	30000	498.9247312	14902.56299	30000	0	0	30000	39.9375	2004
12.02.2020 10:18:24	1	1	1	1	83	59.75	0	30000	492.4731183	14773.73413	30000	0	0	30000	39.625	2004
12.02.2020 10:18:25	1	1	1	1	83	59.5	0	30000	492.4731183	14773.73413	30000	0	0	30000	39.75	2004
12.02.2020 10:18:26	1	1	1	1	83	59.75	0	30000	488.172043	14644.90528	30000	0	0	30000	39.25	2004
12.02.2020 10:18:27	1	1	1	1	83	59.25	0	30000	490.3225806	14516.07643	30000	0	0	30000	39.75	2004
12.02.2020 10:18:28	1	1	1	1	83	59.75	0	30000	492.4731183	14773.73413	30000	0	0	30000	39.6875	2004
12.02.2020 10:18:29	1	1	1	1	83	59.5	0	30000	490.3225806	14773.73413	30000	0	0	30000	39.25	2004
12.02.2020 10:18:30	1	1	1	1	83	59.25	0	30000	496.7741935	14838.14856	30000	0	0	30000	39.5625	2004
12.02.2020 10:18:31	1	1	1	1	83	59.5	0	30000	492.4731183	14773.73413	30000	0	0	30000	39.5	2004
12.02.2020 10:18:33	1	1	1	1	83	59.5	0	30000	486.0215054	14644.90528	30000	0	0	30000	39.0625	2004
12.02.2020 10:18:34	1	1	1	1	83	59	0	30000	483.8709677	14451.662	30000	0	0	30000	38.6875	2004
12.02.2020 10:18:35	1	1	1	1	83	58.5	0	30000	490.3225806	14773.73413	30000	0	0	30000	39.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 10:18:36	1	1	1	1	82.5	59.5	0	30000	486.0215054	14516.07643	30000	0	0	30000	39.5	2004
12.02.2020 10:18:37	1	1	1	1	82.5	59.5	0	30000	494.6236559	14516.07643	30000	0	0	30000	39.75	2004
12.02.2020 10:18:38	1	1	1	1	82.5	59.75	0	29952.607	490.3225806	14773.73413	30000	0	0	30000	40	2004
12.02.2020 10:18:39	1	1	1	1	82.5	60	0	30000	496.7741935	14709.31971	30000	0	0	30000	39.75	2004
12.02.2020 10:18:40	1	1	1	1	82.5	59.75	0	30000	501.0752688	15032.20721	30000	0	0	30000	39.6875	2004
12.02.2020 10:18:41	1	1	1	1	82.5	60	0	29905.213	483.8709677	14516.07643	30000	0	0	30000	39.875	2004
12.02.2020 10:18:42	1	1	1	1	82.5	59.75	0	30000	488.172043	14644.90528	30000	0	0	30000	39.6875	2004
12.02.2020 10:18:43	1	1	1	1	82.5	59.5	0	30000	488.172043	14709.31971	30000	0	0	30000	39.1875	2004
12.02.2020 10:18:44	1	1	1	1	82.5	59	0	29952.607	481.7204301	14709.31971	30000	0	0	30000	39.75	2004
12.02.2020 10:18:45	1	1	1	1	82.75	59.75	0	30000	488.172043	14516.07643	30000	0	0	30000	39.75	2004
12.02.2020 10:18:46	1	1	1	1	82.75	59.75	0	30000	490.3225806	14557.66042	30000	0	0	30000	39.5	2004
12.02.2020 10:18:47	1	1	1	1	82.75	59.5	0	29905.213	490.3225806	14773.73413	30000	0	0	30000	39.75	2004
12.02.2020 10:18:48	1	1	1	1	82.75	59.75	0	30000	488.172043	14644.90528	30000	0	0	30000	39.5	2004
12.02.2020 10:18:49	1	1	1	1	82.75	59.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	39.75	2004
12.02.2020 10:18:50	1	1	1	1	82.75	59.75	0	30000	494.6236559	14773.73413	30000	0	0	30000	39.375	2004
12.02.2020 10:18:51	1	1	1	1	82.75	59.25	0	30000	494.6236559	14838.14856	30000	0	0	30000	39.375	2004
12.02.2020 10:18:52	1	1	1	1	82.75	59.25	0	29952.607	494.6236559	14902.56299	30000	0	0	30000	39.1875	2004
12.02.2020 10:18:53	1	1	1	1	82.75	59	0	30000	501.0752688	15032.20721	30000	0	0	30000	39.75	2004
12.02.2020 10:18:54	1	1	1	1	82.75	59.75	0	30000	490.3225806	14644.90528	30000	0	0	30000	39.6875	2004
12.02.2020 10:18:55	1	1	1	1	82.5	59.5	0	30000	488.172043	14644.90528	30000	0	0	30000	39.5625	2004
12.02.2020 10:18:56	1	1	1	1	82.5	59.5	0	30000	490.3225806	14644.90528	30000	0	0	30000	39.4375	2004
12.02.2020 10:18:57	1	1	1	1	82.5	59.25	0	30000	494.6236559	15015.08439	30000	0	0	30000	39.625	2004
12.02.2020 10:18:58	1	1	1	1	82.5	59.5	0	30000	501.0752688	14902.56299	30000	0	0	30000	39.75	2004
12.02.2020 10:19:05	1	1	1	1	82.5	59.75	0	29952.607	490.3225806	14856.08676	30000	0	0	30000	39.375	2004
12.02.2020 10:19:05	1	1	1	1	82.5	59.75	0	29952.607	490.3225806	14856.08676	30000	0	0	30000	39.375	2004
12.02.2020 10:19:05	1	1	1	1	82.5	59.75	0	29952.607	490.3225806	14856.08676	30000	0	0	30000	39.375	2004
12.02.2020 10:19:05	1	1	1	1	82.5	59.75	0	29952.607	490.3225806	14856.08676	30000	0	0	30000	39.375	2004
12.02.2020 10:19:05	1	1	1	1	82.5	59.75	0	29952.607	490.3225806	14856.08676	30000	0	0	30000	39.375	2004
12.02.2020 10:19:05	1	1	1	1	82.25	59.25	0	30000	496.7741935	14902.56299	30000	0	0	30000	39.6875	2004
12.02.2020 10:19:06	1	1	1	1	82.25	59.5	0	30000	481.7204301	14451.662	30000	0	0	30000	39.8125	2004
12.02.2020 10:19:07	1	1	1	1	82.25	59.75	0	30000	492.4731183	14773.73413	30000	0	0	30000	39.8125	2004
12.02.2020 10:19:08	1	1	1	1	82.25	59.75	0	30000	481.7204301	14516.07643	30000	0	0	30000	39.5625	2004
12.02.2020 10:19:09	1	1	1	1	82.25	59.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	39.5625	2004
12.02.2020 10:19:10	1	1	1	1	82.25	59.5	0	30000	488.172043	14644.90528	30000	0	0	30000	39.5	2004
12.02.2020 10:19:12	1	1	1	1	82.25	59.5	0	30000	481.7204301	14516.07643	30000	0	0	30000	39.5	2004
12.02.2020 10:19:13	1	1	1	1	82.25	59.5	0	30000	481.7204301	14451.662	30000	0	0	30000	39.75	2004
12.02.2020 10:19:14	1	1	1	1	82.25	59.75	0	30000	486.0215054	14580.49085	30000	0	0	30000	39.4375	2004
12.02.2020 10:19:15	1	1	1	1	82.25	59.25	0	30000	481.7204301	14451.662	30000	0	0	30000	39.5	2004
12.02.2020 10:19:16	1	1	1	1	82	59.5	0	30000	481.7204301	14451.662	30000	0	0	30000	39.6875	2004
12.02.2020 10:19:17	1	1	1	1	82	59.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	39.125	2004
12.02.2020 10:19:18	1	1	1	1	82	59	0	30000	486.0215054	14644.90528	30000	0	0	30000	39.125	2004
12.02.2020 10:19:19	1	1	1	1	82	59	0	30000	488.172043	14516.07643	30000	0	0	30000	39.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 10:19:20	1	1	1	1	82	59.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	39.6875	2004
12.02.2020 10:19:21	1	1	1	1	82	59.5	0	30000	488.172043	14644.90528	30000	0	0	30000	39.375	2004
12.02.2020 10:19:22	1	1	1	1	82	59.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	39.5625	2004
12.02.2020 10:19:23	1	1	1	1	82	59.5	0	30000	488.172043	14644.90528	30000	0	0	30000	39.875	2004
12.02.2020 10:19:24	1	1	1	1	82	59.75	0	30000	496.7741935	14469.6002	30000	0	0	30000	39.4375	2004
12.02.2020 10:19:25	1	1	1	1	81.75	59.25	0	30000	481.7204301	14451.662	30000	0	0	30000	39.125	2004
12.02.2020 10:19:26	1	1	1	1	81.75	59	0	30000	488.172043	14644.90528	30000	0	0	30000	39.6875	2004
12.02.2020 10:19:27	1	1	1	1	81.75	59.5	0	30000	488.172043	14644.90528	30000	0	0	30000	39.75	2004
12.02.2020 10:19:28	1	1	1	1	81.75	59.75	0	30000	490.3225806	14644.90528	30000	0	0	30000	39.9375	2004
12.02.2020 10:19:29	1	1	1	1	81.75	59.75	0	30000	490.3225806	14709.31971	30000	0	0	30000	39.625	2004
12.02.2020 10:19:30	1	1	1	1	81.75	59.5	0	30000	481.7204301	14451.662	30000	0	0	30000	39.1875	2004
12.02.2020 10:19:31	1	1	1	1	81.75	59	0	29952.607	481.7204301	14644.90528	30000	0	0	30000	39.75	2004
12.02.2020 10:19:32	1	1	1	1	81.75	59.75	0	30047.393	481.7204301	14451.662	30000	0	0	30000	39.75	2004
12.02.2020 10:19:33	1	1	1	1	81.75	59.75	0	30000	483.8709677	14516.07643	30000	0	0	30000	39.8125	2004
12.02.2020 10:19:34	1	1	1	1	81.75	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	39.625	2004
12.02.2020 10:19:35	1	1	1	1	82.25	59.5	0	30000	481.7204301	14451.662	30000	0	0	30000	39.625	2004
12.02.2020 10:19:36	1	1	1	1	82.25	59.5	0	30000	481.7204301	14451.662	30000	0	0	30000	39.8125	2004
12.02.2020 10:19:37	1	1	1	1	82.25	59.75	0	29952.607	481.7204301	14516.07643	30000	0	0	30000	39.8125	2004
12.02.2020 10:19:38	1	1	1	1	82.25	59.75	0	30000	481.7204301	14428.83157	30000	0	0	30000	39.5	2004
12.02.2020 10:19:39	1	1	1	1	82.25	59.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	39.75	2004
12.02.2020 10:19:40	1	1	1	1	82.25	59.75	0	30047.393	486.0215054	14516.07643	30000	0	0	30000	39.625	2004
12.02.2020 10:19:41	1	1	1	1	82.25	59.5	0	30000	490.3225806	14773.73413	30000	0	0	30000	39.3125	2004
12.02.2020 10:19:42	1	1	1	1	82.25	59.25	0	30047.393	498.9247312	14838.14856	30000	0	0	30000	39.25	2004
12.02.2020 10:19:43	1	1	1	1	82.25	59.25	0	30000	488.172043	14644.90528	30000	0	0	30000	39.75	2004
12.02.2020 10:19:44	1	1	1	1	82.25	59.75	0	30000	488.172043	14644.90528	30000	0	0	30000	38.4375	2004
12.02.2020 10:19:45	1	1	1	1	82	58.25	0	30000	492.4731183	14773.73413	30000	0	0	30000	39.75	2004
12.02.2020 10:19:46	1	1	1	1	82	59.75	0	30000	481.7204301	14516.07643	30000	0	0	30000	39.8125	2004
12.02.2020 10:19:47	1	1	1	1	82	59.75	0	30000	488.172043	14644.90528	30000	0	0	30000	39.8125	2004
12.02.2020 10:19:49	1	1	1	1	82	59.75	0	30000	488.172043	14667.73571	30000	0	0	30000	39.75	2004
12.02.2020 10:19:50	1	1	1	1	82	59.75	0	30000	486.0215054	14580.49085	30000	0	0	30000	39.3125	2004
12.02.2020 10:19:51	1	1	1	1	82	59.25	0	30000	486.0215054	14428.83157	30000	0	0	30000	39.5625	2004
12.02.2020 10:19:52	1	1	1	1	82	59.5	0	30000	486.0215054	14644.90528	30000	0	0	30000	39.625	2004
12.02.2020 10:19:53	1	1	1	1	82	59.5	0	30000	488.172043	14644.90528	30000	0	0	30000	39.6875	2004
12.02.2020 10:19:54	1	1	1	1	82	59.5	0	30000	488.172043	14773.73413	30000	0	0	30000	39.8125	2004
12.02.2020 10:19:57	1	1	1	1	82.5	59.75	0	30000	490.3225806	14644.90528	30000	0	0	30000	39.5625	2004
12.02.2020 10:19:57	1	1	1	1	82.5	59.75	0	30000	490.3225806	14644.90528	30000	0	0	30000	39.5625	2004
12.02.2020 10:19:57	1	1	1	1	82.5	59.75	0	30000	490.3225806	14644.90528	30000	0	0	30000	39.5625	2004
12.02.2020 10:19:58	1	1	1	1	82.5	59.5	0	29952.607	488.172043	14773.73413	30000	0	0	30000	39.75	2004
12.02.2020 10:19:59	1	1	1	1	82.5	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	39.75	2004
12.02.2020 10:20:00	1	1	1	1	82.5	59.75	0	30000	483.8709677	14451.662	30000	0	0	30000	39.625	2004
12.02.2020 10:20:07	1	1	1	1	82.5	59.5	0	30000	481.7204301	14516.07643	30000	0	0	30000	39.75	2004
12.02.2020 10:20:07	1	1	1	1	82.5	59.5	0	30000	481.7204301	14516.07643	30000	0	0	30000	39.75	2004
12.02.2020 10:20:07	1	1	1	1	82.5	59.5	0	30000	481.7204301	14516.07643	30000	0	0	30000	39.75	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 10:20:07	1	1	1	1	82.5	59.5	0	30000	481.7204301	14516.07643	30000	0	0	30000	39.75	2004
12.02.2020 10:20:07	1	1	1	1	82.5	59.5	0	30000	481.7204301	14516.07643	30000	0	0	30000	39.75	2004
12.02.2020 10:20:07	1	1	1	1	82.5	59.5	0	30000	481.7204301	14516.07643	30000	0	0	30000	39.75	2004
12.02.2020 10:20:07	1	1	1	1	82.5	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	39.5	2004
12.02.2020 10:20:08	1	1	1	1	82.5	59.5	0	30000	488.172043	14644.90528	30000	0	0	30000	39.875	2004
12.02.2020 10:20:09	1	1	1	1	82.5	59.75	0	30000	488.172043	14644.90528	30000	0	0	30000	39.375	2004
12.02.2020 10:20:10	1	1	1	1	82.5	59.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	39.375	2004
12.02.2020 10:20:11	1	1	1	1	82.5	59.25	0	30047.393	483.8709677	14516.07643	30000	0	0	30000	39.5625	2004
12.02.2020 10:20:12	1	1	1	1	82.5	59.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	39.25	2004
12.02.2020 10:20:13	1	1	1	1	82.5	59.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	39.25	2004
12.02.2020 10:20:14	1	1	1	1	82.5	59.25	0	30000	488.172043	14644.90528	30000	0	0	30000	39.8125	2004
12.02.2020 10:20:15	1	1	1	1	81.5	59.75	0	30000	486.0215054	14516.07643	30000	0	0	30000	39.625	2004
12.02.2020 10:20:16	1	1	1	1	81.5	59.5	0	30000	488.172043	14644.90528	30000	0	0	30000	39	2004
12.02.2020 10:20:17	1	1	1	1	81.5	59	0	30000	486.0215054	14516.07643	30000	0	0	30000	38.8125	2004
12.02.2020 10:20:18	1	1	1	1	81.5	58.75	0	30000	481.7204301	14451.662	30000	0	0	30000	39.75	2004
12.02.2020 10:20:19	1	1	1	1	81.5	59.75	0	29952.607	486.0215054	14644.90528	30000	0	0	30000	39.75	2004
12.02.2020 10:20:20	1	1	1	1	81.5	59.75	0	30000	486.0215054	14580.49085	30000	0	0	30000	39.75	2004
12.02.2020 10:20:21	1	1	1	1	81.5	59.75	0	30000	488.172043	14428.83157	30000	0	0	30000	39.1875	2004
12.02.2020 10:20:22	1	1	1	1	81.5	59	0	30000	490.3225806	14861.79436	30000	0	0	30000	39.5	2004
12.02.2020 10:20:23	1	1	1	1	81.5	59.5	0	30000	486.0215054	14580.49085	30000	0	0	30000	39.75	2004
12.02.2020 10:20:24	1	1	1	1	81.5	59.75	0	30000	483.8709677	14644.90528	30000	0	0	30000	39.75	2004
12.02.2020 10:20:25	1	1	1	1	81.75	59.75	0	30000	496.7741935	14773.73413	30000	0	0	30000	39.75	2004
12.02.2020 10:20:27	1	1	1	1	81.75	59.75	0	30000	488.172043	14644.90528	30000	0	0	30000	39.5	2004
12.02.2020 10:20:28	1	1	1	1	81.75	59.5	0	30000	494.6236559	14622.07485	30000	0	0	30000	39.75	2004
12.02.2020 10:20:29	1	1	1	1	81.75	59.75	0	30000	492.4731183	14838.14856	30000	0	0	30000	39.875	2004
12.02.2020 10:20:30	1	1	1	1	81.75	59.75	0	30000	488.172043	14406.00114	30000	0	0	30000	39.75	2004
12.02.2020 10:20:31	1	1	1	1	81.75	59.75	0	30000	494.6236559	14838.14856	30000	0	0	30000	40	2004
12.02.2020 10:20:32	1	1	1	1	81.75	60	0	30000	481.7204301	14451.662	30000	0	0	30000	39.9375	2004
12.02.2020 10:20:33	1	1	1	1	81.75	59.75	0	30000	466.6666667	13999.94564	30000	0	0	30000	39.8125	2004
12.02.2020 10:20:34	1	1	1	1	81.75	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.1875	2004
12.02.2020 10:20:35	1	1	1	1	81.75	60	0	30000	481.7204301	14451.662	30000	0	0	30000	39.9375	2004
12.02.2020 10:20:36	1	1	1	1	82	60	0	30000	481.7204301	14451.662	30000	0	0	30000	39.5	2004
12.02.2020 10:20:37	1	1	1	1	82	59.5	0	30000	481.7204301	14451.662	30000	0	0	30000	39.75	2004
12.02.2020 10:20:38	1	1	1	1	82	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	39.75	2004
12.02.2020 10:20:39	1	1	1	1	82	59.75	0	30000	481.7204301	14128.7745	30000	0	0	30000	39.9375	2004
12.02.2020 10:20:40	1	1	1	1	82	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	39.75	2004
12.02.2020 10:20:41	1	1	1	1	82	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	39.4375	2004
12.02.2020 10:20:42	1	1	1	1	82	59.25	0	30000	481.7204301	14451.662	30000	0	0	30000	39.875	2004
12.02.2020 10:20:43	1	1	1	1	82	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40	2004
12.02.2020 10:20:44	1	1	1	1	82	60	0	30000	483.8709677	14451.662	30000	0	0	30000	39.25	2004
12.02.2020 10:20:45	1	1	1	1	82	59.25	0	30000	486.0215054	14516.07643	30000	0	0	30000	39.4375	2004
12.02.2020 10:20:46	1	1	1	1	82	59.25	0	30000	481.7204301	14451.662	30000	0	0	30000	39.6875	2004
12.02.2020 10:20:47	1	1	1	1	82	59.5	0	30000	483.8709677	14773.73413	30000	0	0	30000	39.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 10:20:48	1	1	1	1	82	59.75	0	30000	488.172043	14580.49085	30000	0	0	30000	39.75	2004
12.02.2020 10:20:49	1	1	1	1	82	59.75	0	29952.607	481.7204301	14451.662	30000	0	0	30000	39.5625	2004
12.02.2020 10:20:50	1	1	1	1	82	59.5	0	30000	481.7204301	14516.07643	30000	0	0	30000	39.3125	2004
12.02.2020 10:20:51	1	1	1	1	82	59.25	0	30000	483.8709677	14428.83157	30000	0	0	30000	39.75	2004
12.02.2020 10:20:52	1	1	1	1	82	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	39.5625	2004
12.02.2020 10:20:53	1	1	1	1	82	59.5	0	30000	481.7204301	14451.662	30000	0	0	30000	39.75	2004
12.02.2020 10:20:54	1	1	1	1	82	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	39.3125	2004
12.02.2020 10:20:55	1	1	1	1	81.5	59.25	0	29952.607	481.7204301	14406.00114	30000	0	0	30000	39.75	2004
12.02.2020 10:20:56	1	1	1	1	81.5	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	39.25	2004
12.02.2020 10:20:57	1	1	1	1	81.5	59.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	39.875	2004
12.02.2020 10:20:58	1	1	1	1	81.5	59.75	0	30000	488.172043	14516.07643	30000	0	0	30000	39.375	2004
12.02.2020 10:20:59	1	1	1	1	81.5	59.25	0	30000	481.7204301	14451.662	30000	0	0	30000	39.5	2004
12.02.2020 10:21:00	1	1	1	1	81.5	59.5	0	30000	488.172043	14644.90528	30000	0	0	30000	39.125	2004
12.02.2020 10:21:01	1	1	1	1	81.5	59	0	30000	481.7204301	14451.662	30000	0	0	30000	39.25	2004
12.02.2020 10:21:08	1	1	1	1	81	59.5	0	30000	481.7204301	14451.662	30000	0	0	30000	39.6875	2004
12.02.2020 10:21:08	1	1	1	1	81	59.5	0	30000	481.7204301	14451.662	30000	0	0	30000	39.6875	2004
12.02.2020 10:21:08	1	1	1	1	81	59.5	0	30000	481.7204301	14451.662	30000	0	0	30000	39.6875	2004
12.02.2020 10:21:08	1	1	1	1	81	59.5	0	30000	481.7204301	14451.662	30000	0	0	30000	39.6875	2004
12.02.2020 10:21:08	1	1	1	1	81	59.5	0	30000	481.7204301	14451.662	30000	0	0	30000	39.6875	2004
12.02.2020 10:21:08	1	1	1	1	81	59.5	0	30000	481.7204301	14451.662	30000	0	0	30000	39.6875	2004
12.02.2020 10:21:08	1	1	1	1	81	59.5	0	30000	481.7204301	14451.662	30000	0	0	30000	39.6875	2004
12.02.2020 10:21:09	1	1	1	1	81	59.5	0	30000	481.7204301	14451.662	30000	0	0	30000	39.75	2004
12.02.2020 10:21:10	1	1	1	1	81	59.75	0	30000	490.3225806	14644.90528	30000	0	0	30000	39.8125	2004
12.02.2020 10:21:11	1	1	1	1	81	59.75	0	29905.213	488.172043	14644.90528	30000	0	0	30000	39.5625	2004
12.02.2020 10:21:12	1	1	1	1	81	59.5	0	29952.607	481.7204301	14428.83157	30000	0	0	30000	39.5625	2004
12.02.2020 10:21:13	1	1	1	1	81	59.5	0	30000	481.7204301	14451.662	30000	0	0	30000	39.5625	2004
12.02.2020 10:21:14	1	1	1	1	81	59.75	0	30000	483.8709677	14451.662	30000	0	0	30000	39.5	2004
12.02.2020 10:21:15	1	1	1	1	81.5	59.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	39.75	2004
12.02.2020 10:21:16	1	1	1	1	81.5	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	39.75	2004
12.02.2020 10:21:17	1	1	1	1	81.5	59.75	0	30000	481.7204301	14428.83157	30000	0	0	30000	39.375	2004
12.02.2020 10:21:18	1	1	1	1	81.5	59.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	39.1875	2004
12.02.2020 10:21:19	1	1	1	1	81.5	59	0	30000	483.8709677	14516.07643	30000	0	0	30000	39.625	2004
12.02.2020 10:21:20	1	1	1	1	81.5	59.5	0	30000	490.3225806	14644.90528	30000	0	0	30000	39.75	2004
12.02.2020 10:21:21	1	1	1	1	81.5	59.75	0	29952.607	488.172043	14644.90528	30000	0	0	30000	37.5	2004
12.02.2020 10:21:22	1	1	1	1	81.5	57.5	0	30000	490.3225806	14644.90528	30000	0	0	30000	39.6875	2004
12.02.2020 10:21:23	1	1	1	1	81.5	59.5	0	29952.607	481.7204301	14451.662	30000	0	0	30000	39.1875	2004
12.02.2020 10:21:24	1	1	1	1	81.5	59	0	30000	481.7204301	14451.662	30000	0	0	30000	39.4375	2004
12.02.2020 10:21:25	1	1	1	1	81.5	59.25	0	30047.393	481.7204301	14451.662	30000	0	0	30000	39.25	2004
12.02.2020 10:21:26	1	1	1	1	81.5	59.25	0	30000	481.7204301	14451.662	30000	0	0	30000	39.9375	2004
12.02.2020 10:21:27	1	1	1	1	81.5	59.75	0	29905.213	483.8709677	14516.07643	30000	0	0	30000	38.6875	2004
12.02.2020 10:21:28	1	1	1	1	81.5	58.5	0	30000	483.8709677	14580.49085	30000	0	0	30000	39.1875	2004
12.02.2020 10:21:29	1	1	1	1	81.5	59	0	30000	483.8709677	14644.90528	30000	0	0	30000	39.3125	2004
12.02.2020 10:21:30	1	1	1	1	81.5	59.25	0	29952.607	481.7204301	14644.90528	30000	0	0	30000	39.8125	2004
12.02.2020 10:21:31	1	1	1	1	81.5	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	38.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 10:21:32	1	1	1	1	81.5	58.5	0	30000	481.7204301	14451.662	30000	0	0	30000	39.75	2004
12.02.2020 10:21:33	1	1	1	1	81.5	59.75	0	30000	486.0215054	14644.90528	30000	0	0	30000	39.875	2004
12.02.2020 10:21:34	1	1	1	1	81.5	59.75	0	30000	483.8709677	14709.31971	30000	0	0	30000	39.625	2004
12.02.2020 10:21:35	1	1	1	1	81.5	59.5	0	29952.607	483.8709677	14516.07643	30000	0	0	30000	39.125	2004
12.02.2020 10:21:36	1	1	1	1	81.5	59	0	30000	483.8709677	14451.662	30000	0	0	30000	38.4375	2004
12.02.2020 10:21:37	1	1	1	1	81.5	58.25	0	30000	481.7204301	14451.662	30000	0	0	30000	39.9375	2004
12.02.2020 10:21:38	1	1	1	1	81.5	59.75	0	29952.607	481.7204301	14516.07643	30000	0	0	30000	39.125	2004
12.02.2020 10:21:39	1	1	1	1	81.5	59	0	30000	481.7204301	14451.662	30000	0	0	30000	39.1875	2004
12.02.2020 10:21:40	1	1	1	1	81.5	59	0	30000	483.8709677	14516.07643	30000	0	0	30000	39.75	2004
12.02.2020 10:21:41	1	1	1	1	81.5	59.75	0	30000	483.8709677	14516.07643	30000	0	0	30000	39.75	2004
12.02.2020 10:21:42	1	1	1	1	81.5	59.75	0	29905.213	481.7204301	14773.73413	30000	0	0	30000	39.0625	2004
12.02.2020 10:21:44	1	1	1	1	81.5	59	0	30000	486.0215054	14644.90528	30000	0	0	30000	39.6875	2004
12.02.2020 10:21:45	1	1	1	1	81.5	59.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	39.75	2004
12.02.2020 10:21:46	1	1	1	1	81.25	59.75	0	30000	483.8709677	14428.83157	30000	0	0	30000	39.9375	2004
12.02.2020 10:21:47	1	1	1	1	81.25	59.75	0	30000	488.172043	14644.90528	30000	0	0	30000	38.9375	2004
12.02.2020 10:21:48	1	1	1	1	81.25	58.75	0	30000	483.8709677	14516.07643	30000	0	0	30000	39.25	2004
12.02.2020 10:21:49	1	1	1	1	81.25	59.25	0	30000	486.0215054	14644.90528	30000	0	0	30000	39.5625	2004
12.02.2020 10:21:50	1	1	1	1	81.25	59.5	0	29905.213	488.172043	14644.90528	30000	0	0	30000	40.25	2004
12.02.2020 10:21:51	1	1	1	1	81.25	60.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	38.125	2004
12.02.2020 10:21:52	1	1	1	1	81.25	59.25	0	30047.393	483.8709677	14516.07643	30000	0	0	30000	39.3125	2004
12.02.2020 10:21:53	1	1	1	1	81.25	59.25	0	30000	483.8709677	14644.90528	30000	0	0	30000	39.8125	2004
12.02.2020 10:21:54	1	1	1	1	81.25	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	39.9375	2004
12.02.2020 10:21:55	1	1	1	1	81.5	59.75	0	29952.607	481.7204301	14451.662	30000	0	0	30000	39.5	2004
12.02.2020 10:21:56	1	1	1	1	81.5	59.5	0	30000	483.8709677	14644.90528	30000	0	0	30000	39.75	2004
12.02.2020 10:21:57	1	1	1	1	81.5	59.75	0	29952.607	481.7204301	14451.662	30000	0	0	30000	39.4375	2004
12.02.2020 10:21:58	1	1	1	1	81.5	59.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	39.625	2004
12.02.2020 10:21:59	1	1	1	1	81.5	59.5	0	30000	483.8709677	14580.49085	30000	0	0	30000	39.5625	2004
12.02.2020 10:22:00	1	1	1	1	81.5	59.5	0	30000	490.3225806	14622.07485	30000	0	0	30000	39.8125	2004
12.02.2020 10:22:01	1	1	1	1	81.5	59.75	0	29905.213	494.6236559	14815.31813	30000	0	0	30000	39.125	2004
12.02.2020 10:22:02	1	1	1	1	81.5	59	0	30000	490.3225806	14644.90528	30000	0	0	30000	40	2004
12.02.2020 10:22:03	1	1	1	1	81.5	60	0	30047.393	483.8709677	14538.90686	30000	0	0	30000	39.875	2004
12.02.2020 10:22:10	1	1	1	1	81.75	59.75	0	29952.607	481.7204301	14451.662	30000	0	0	30000	39.875	2004
12.02.2020 10:22:10	1	1	1	1	81.75	59.75	0	29952.607	481.7204301	14451.662	30000	0	0	30000	39.875	2004
12.02.2020 10:22:10	1	1	1	1	81.75	59.75	0	29952.607	481.7204301	14451.662	30000	0	0	30000	39.875	2004
12.02.2020 10:22:10	1	1	1	1	81.75	59.75	0	29952.607	481.7204301	14451.662	30000	0	0	30000	39.875	2004
12.02.2020 10:22:10	1	1	1	1	81.75	59.75	0	29952.607	481.7204301	14451.662	30000	0	0	30000	39.875	2004
12.02.2020 10:22:10	1	1	1	1	81.75	59.75	0	30000	486.0215054	14622.07485	30000	0	0	30000	39.5625	2004
12.02.2020 10:22:11	1	1	1	1	81.75	59.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	40	2004
12.02.2020 10:22:12	1	1	1	1	81.75	60	0	30000	483.8709677	14516.07643	30000	0	0	30000	39	2004
12.02.2020 10:22:13	1	1	1	1	81.75	59	0	30000	481.7204301	14451.662	30000	0	0	30000	39.6875	2004
12.02.2020 10:22:14	1	1	1	1	81.75	59.5	0	30000	481.7204301	14451.662	30000	0	0	30000	39.6875	2004
12.02.2020 10:22:15	1	1	1	1	81.25	59.5	0	30000	481.7204301	14451.662	30000	0	0	30000	39.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 10:22:16	1	1	1	1	81.25	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	39.8125	2004
12.02.2020 10:22:17	1	1	1	1	81.25	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	39.5625	2004
12.02.2020 10:22:18	1	1	1	1	81.25	59.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	39.3125	2004
12.02.2020 10:22:19	1	1	1	1	81.25	59.25	0	30000	481.7204301	14451.662	30000	0	0	30000	39.8125	2004
12.02.2020 10:22:20	1	1	1	1	81.25	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	39.5	2004
12.02.2020 10:22:22	1	1	1	1	81.25	59.5	0	30000	481.7204301	14451.662	30000	0	0	30000	39.8125	2004
12.02.2020 10:22:23	1	1	1	1	81.25	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	39.875	2004
12.02.2020 10:22:24	1	1	1	1	81.25	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	39.8125	2004
12.02.2020 10:22:25	1	1	1	1	81.25	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	39.875	2004
12.02.2020 10:22:26	1	1	1	1	81.75	59.75	0	30000	481.7204301	14474.49243	30000	0	0	30000	39.8125	2004
12.02.2020 10:22:27	1	1	1	1	81.75	59.75	0	29905.213	468.8172043	14451.662	30000	0	0	30000	39.875	2004
12.02.2020 10:22:28	1	1	1	1	81.75	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	39.3125	2004
12.02.2020 10:22:29	1	1	1	1	81.75	59.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.0625	2004
12.02.2020 10:22:30	1	1	1	1	81.75	60	0	30000	481.7204301	14451.662	30000	0	0	30000	39.25	2004
12.02.2020 10:22:31	1	1	1	1	81.75	59	0	30000	481.7204301	14451.662	30000	0	0	30000	39.75	2004
12.02.2020 10:22:32	1	1	1	1	81.75	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	39.125	2004
12.02.2020 10:22:33	1	1	1	1	81.75	59	0	30000	481.7204301	14451.662	30000	0	0	30000	39.0625	2004
12.02.2020 10:22:34	1	1	1	1	81.75	59	0	30000	481.7204301	14451.662	30000	0	0	30000	39.6875	2004
12.02.2020 10:22:35	1	1	1	1	81.5	59.5	0	30000	481.7204301	14451.662	30000	0	0	30000	39.875	2004
12.02.2020 10:22:36	1	1	1	1	81.5	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	39.8125	2004
12.02.2020 10:22:37	1	1	1	1	81.5	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	39.4375	2004
12.02.2020 10:22:38	1	1	1	1	81.5	59.25	0	30000	481.7204301	14451.662	30000	0	0	30000	39.25	2004
12.02.2020 10:22:39	1	1	1	1	81.5	59.25	0	29905.213	481.7204301	14451.662	30000	0	0	30000	39.0625	2004
12.02.2020 10:22:40	1	1	1	1	81.5	59	0	30000	481.7204301	14516.07643	30000	0	0	30000	39.875	2004
12.02.2020 10:22:41	1	1	1	1	81.5	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	38.0625	2004
12.02.2020 10:22:42	1	1	1	1	81.5	58	0	30000	483.8709677	14516.07643	30000	0	0	30000	39.5625	2004
12.02.2020 10:22:43	1	1	1	1	81.5	59.5	0	30000	481.7204301	14451.662	30000	0	0	30000	39.875	2004
12.02.2020 10:22:44	1	1	1	1	81.5	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	39.1875	2004
12.02.2020 10:22:45	1	1	1	1	81.25	59	0	29905.213	481.7204301	14451.662	30000	0	0	30000	39.375	2004
12.02.2020 10:22:46	1	1	1	1	81.25	59.25	0	29952.607	481.7204301	14451.662	30000	0	0	30000	39.875	2004
12.02.2020 10:22:47	1	1	1	1	81.25	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	38.8125	2004
12.02.2020 10:22:48	1	1	1	1	81.25	58.75	0	30000	481.7204301	14451.662	30000	0	0	30000	39.6875	2004
12.02.2020 10:22:49	1	1	1	1	81.25	59.5	0	30000	486.0215054	14644.90528	30000	0	0	30000	39.8125	2004
12.02.2020 10:22:50	1	1	1	1	81.25	59.75	0	30000	488.172043	14644.90528	30000	0	0	30000	39.6875	2004
12.02.2020 10:22:51	1	1	1	1	81.25	59.5	0	30000	481.7204301	14406.00114	30000	0	0	30000	39.8125	2004
12.02.2020 10:22:52	1	1	1	1	81.25	59.75	0	30000	483.8709677	14516.07643	30000	0	0	30000	39.25	2004
12.02.2020 10:22:53	1	1	1	1	81.25	59.25	0	30000	488.172043	14644.90528	30000	0	0	30000	39.3125	2004
12.02.2020 10:22:54	1	1	1	1	81.25	59.25	0	30000	481.7204301	14516.07643	30000	0	0	30000	39.5	2004
12.02.2020 10:22:55	1	1	1	1	81.5	59.5	0	30000	481.7204301	14451.662	30000	0	0	30000	39.125	2004
12.02.2020 10:22:56	1	1	1	1	81.5	59	0	30000	483.8709677	14516.07643	30000	0	0	30000	39.75	2004
12.02.2020 10:22:57	1	1	1	1	81.5	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	39.75	2004
12.02.2020 10:22:58	1	1	1	1	81.5	59.75	0	30000	486.0215054	14644.90528	30000	0	0	30000	39.875	2004
12.02.2020 10:22:59	1	1	1	1	81.5	59.75	0	30000	486.0215054	14469.6002	30000	0	0	30000	39.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 10:23:01	1	1	1	1	81.5	59.75	0	30000	483.8709677	14516.07643	30000	0	0	30000	38.75	2004
12.02.2020 10:23:02	1	1	1	1	81.5	58.75	0	30000	486.0215054	14644.90528	30000	0	0	30000	39.75	2004
12.02.2020 10:23:03	1	1	1	1	81.5	59.75	0	30000	490.3225806	14644.90528	30000	0	0	30000	39.75	2004
12.02.2020 10:23:04	1	1	1	1	81.5	59.75	0	30000	488.172043	14644.90528	30000	0	0	30000	39.5	2004
12.02.2020 10:23:05	1	1	1	1	81.5	59.5	0	29952.607	494.6236559	14879.73256	30000	0	0	30000	39.5625	2004
12.02.2020 10:23:11	1	1	1	1	81.75	60	0	30000	488.172043	14644.90528	30000	0	0	30000	39.9375	2004
12.02.2020 10:23:11	1	1	1	1	81.75	60	0	30000	488.172043	14644.90528	30000	0	0	30000	39.9375	2004
12.02.2020 10:23:11	1	1	1	1	81.75	60	0	30000	488.172043	14644.90528	30000	0	0	30000	39.9375	2004
12.02.2020 10:23:11	1	1	1	1	81.75	60	0	30000	488.172043	14644.90528	30000	0	0	30000	39.9375	2004
12.02.2020 10:23:11	1	1	1	1	81.75	60	0	30000	488.172043	14644.90528	30000	0	0	30000	39.9375	2004
12.02.2020 10:23:12	1	1	1	1	81.75	59.75	0	30000	488.172043	14644.90528	30000	0	0	30000	40	2004
12.02.2020 10:23:13	1	1	1	1	81.75	60	0	30000	488.172043	14644.90528	30000	0	0	30000	39.25	2004
12.02.2020 10:23:14	1	1	1	1	81.75	59.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40	2004
12.02.2020 10:23:15	1	1	1	1	81.75	60	0	29952.607	483.8709677	14538.90686	30000	0	0	30000	39.75	2004
12.02.2020 10:23:16	1	1	1	1	81.75	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.0625	2004
12.02.2020 10:23:17	1	1	1	1	81.75	60	0	30000	481.7204301	14451.662	30000	0	0	30000	39.625	2004
12.02.2020 10:23:18	1	1	1	1	81.75	59.5	0	30000	481.7204301	14451.662	30000	0	0	30000	39.75	2004
12.02.2020 10:23:19	1	1	1	1	81.75	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	39.375	2004
12.02.2020 10:23:20	1	1	1	1	81.75	59.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	39.625	2004
12.02.2020 10:23:21	1	1	1	1	81.75	59.5	0	30000	481.7204301	14451.662	30000	0	0	30000	39.9375	2004
12.02.2020 10:23:22	1	1	1	1	81.75	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	38.6875	2004
12.02.2020 10:23:23	1	1	1	1	81.75	58.5	0	30000	481.7204301	14451.662	30000	0	0	30000	39.9375	2004
12.02.2020 10:23:24	1	1	1	1	81.75	59.75	0	30000	483.8709677	14773.73413	30000	0	0	30000	39.4375	2004
12.02.2020 10:23:25	1	1	1	1	81.5	59.25	0	30000	488.172043	14644.90528	30000	0	0	30000	39.5625	2004
12.02.2020 10:23:26	1	1	1	1	81.5	59.5	0	30000	488.172043	14644.90528	30000	0	0	30000	39.75	2004
12.02.2020 10:23:27	1	1	1	1	81.5	59.75	0	30000	488.172043	14773.73413	30000	0	0	30000	39.4375	2004
12.02.2020 10:23:28	1	1	1	1	81.5	59.25	0	30000	488.172043	14644.90528	30000	0	0	30000	39.625	2004
12.02.2020 10:23:29	1	1	1	1	81.5	59.5	0	30000	486.0215054	14644.90528	30000	0	0	30000	39.9375	2004
12.02.2020 10:23:30	1	1	1	1	81.5	59.75	0	30000	488.172043	14644.90528	30000	0	0	30000	39.8125	2004
12.02.2020 10:23:31	1	1	1	1	81.5	59.75	0	30000	488.172043	14493.246	30000	0	0	30000	39.5	2004
12.02.2020 10:23:32	1	1	1	1	81.5	59.5	0	30000	488.172043	14644.90528	30000	0	0	30000	39.8125	2004
12.02.2020 10:23:33	1	1	1	1	81.5	59.75	0	30000	483.8709677	14451.662	30000	0	0	30000	38.875	2004
12.02.2020 10:23:34	1	1	1	1	81.5	58.75	0	30000	486.0215054	14580.49085	30000	0	0	30000	39.25	2004
12.02.2020 10:23:35	1	1	1	1	81.5	59.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	39.25	2004
12.02.2020 10:23:36	1	1	1	1	81.5	59.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	39.8125	2004
12.02.2020 10:23:37	1	1	1	1	81.5	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	38.875	2004
12.02.2020 10:23:38	1	1	1	1	81.5	58.75	0	30000	481.7204301	14451.662	30000	0	0	30000	39.8125	2004
12.02.2020 10:23:40	1	1	1	1	81.5	59.75	0	29952.607	481.7204301	14451.662	30000	0	0	30000	39.4375	2004
12.02.2020 10:23:41	1	1	1	1	81.5	59.25	0	30000	481.7204301	14451.662	30000	0	0	30000	38.8125	2004
12.02.2020 10:23:42	1	1	1	1	81.5	58.75	0	30000	481.7204301	14451.662	30000	0	0	30000	39.625	2004
12.02.2020 10:23:43	1	1	1	1	81.5	59.5	0	30000	481.7204301	14451.662	30000	0	0	30000	39.625	2004
12.02.2020 10:23:44	1	1	1	1	81.5	59.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 10:23:45	1	1	1	1	81.5	60	0	30000	483.8709677	14451.662	30000	0	0	30000	39.625	2004
12.02.2020 10:23:46	1	1	1	1	81	59.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	39.75	2004
12.02.2020 10:23:47	1	1	1	1	81	59.75	0	30000	483.8709677	14516.07643	30000	0	0	30000	39.8125	2004
12.02.2020 10:23:48	1	1	1	1	81	59.75	0	29952.607	483.8709677	14516.07643	30000	0	0	30000	40.375	2004
12.02.2020 10:23:49	1	1	1	1	81	60.25	0	30000	488.172043	14580.49085	30000	0	0	30000	39.9375	2004
12.02.2020 10:23:50	1	1	1	1	81	59.75	0	30000	486.0215054	14516.07643	30000	0	0	30000	40.1875	2004
12.02.2020 10:23:51	1	1	1	1	81	60	0	29952.607	481.7204301	14451.662	30000	0	0	30000	39.8125	2004
12.02.2020 10:23:52	1	1	1	1	81	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	38.3125	2004
12.02.2020 10:23:53	1	1	1	1	81	60	0	30000	481.7204301	14451.662	30000	0	0	30000	38.75	2004
12.02.2020 10:23:54	1	1	1	1	81	58.75	0	30000	483.8709677	14516.07643	30000	0	0	30000	39.125	2004
12.02.2020 10:23:55	1	1	1	1	81	59	0	30000	486.0215054	14644.90528	30000	0	0	30000	39.5625	2004
12.02.2020 10:23:56	1	1	1	1	81	59.5	0	30000	488.172043	14644.90528	30000	0	0	30000	39.6875	2004
12.02.2020 10:23:57	1	1	1	1	81	59.5	0	30000	488.172043	14644.90528	30000	0	0	30000	39.75	2004
12.02.2020 10:23:58	1	1	1	1	81	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40	2004
12.02.2020 10:23:59	1	1	1	1	81	60	0	30000	481.7204301	14451.662	30000	0	0	30000	39.4375	2004
12.02.2020 10:24:00	1	1	1	1	81	59.25	0	30000	486.0215054	14667.73571	30000	0	0	30000	39.1875	2004
12.02.2020 10:24:01	1	1	1	1	81	59	0	29952.607	481.7204301	14644.90528	30000	0	0	30000	39.875	2004
12.02.2020 10:24:02	1	1	1	1	81	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	39.625	2004
12.02.2020 10:24:03	1	1	1	1	81	59.5	0	30000	481.7204301	14451.662	30000	0	0	30000	39.625	2004
12.02.2020 10:24:04	1	1	1	1	81	59.5	0	30000	481.7204301	14516.07643	30000	0	0	30000	39.625	2004
12.02.2020 10:24:05	1	1	1	1	81.5	59.5	0	30000	481.7204301	14451.662	30000	0	0	30000	39.5	2004
12.02.2020 10:24:06	1	1	1	1	81.5	59.5	0	30000	486.0215054	14516.07643	30000	0	0	30000	39.875	2004
12.02.2020 10:24:13	1	1	1	1	81.5	59.5	0	30000	481.7204301	14451.662	30000	0	0	30000	39.4375	2004
12.02.2020 10:24:13	1	1	1	1	81.5	59.5	0	30000	481.7204301	14451.662	30000	0	0	30000	39.4375	2004
12.02.2020 10:24:13	1	1	1	1	81.5	59.5	0	30000	481.7204301	14451.662	30000	0	0	30000	39.4375	2004
12.02.2020 10:24:13	1	1	1	1	81.5	59.5	0	30000	481.7204301	14451.662	30000	0	0	30000	39.4375	2004
12.02.2020 10:24:13	1	1	1	1	81.5	59.5	0	30000	481.7204301	14451.662	30000	0	0	30000	39.4375	2004
12.02.2020 10:24:13	1	1	1	1	81.5	59.25	0	30000	481.7204301	14451.662	30000	0	0	30000	38.8125	2004
12.02.2020 10:24:14	1	1	1	1	81.5	58.75	0	30000	481.7204301	14451.662	30000	0	0	30000	39.75	2004
12.02.2020 10:24:15	1	1	1	1	81	59.75	0	30000	483.8709677	14516.07643	30000	0	0	30000	39.75	2004
12.02.2020 10:24:16	1	1	1	1	81	59.75	0	30000	483.8709677	14516.07643	30000	0	0	30000	39.5625	2004
12.02.2020 10:24:17	1	1	1	1	81	59.5	0	30000	481.7204301	14451.662	30000	0	0	30000	38.8125	2004
12.02.2020 10:24:18	1	1	1	1	81	58.75	0	30000	481.7204301	14451.662	30000	0	0	30000	39.875	2004
12.02.2020 10:24:19	1	1	1	1	81	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	39.375	2004
12.02.2020 10:24:20	1	1	1	1	81	59.25	0	30000	468.8172043	14451.662	30000	0	0	30000	39.0625	2004
12.02.2020 10:24:22	1	1	1	1	81	59	0	30000	481.7204301	14451.662	30000	0	0	30000	39	2004
12.02.2020 10:24:23	1	1	1	1	81	59	0	30000	481.7204301	14451.662	30000	0	0	30000	39.25	2004
12.02.2020 10:24:24	1	1	1	1	81	59.25	0	30000	481.7204301	14451.662	30000	0	0	30000	39.8125	2004
12.02.2020 10:24:25	1	1	1	1	81	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	39.6875	2004
12.02.2020 10:24:26	1	1	1	1	81	59.5	0	30000	488.172043	14644.90528	30000	0	0	30000	39.375	2004
12.02.2020 10:24:27	1	1	1	1	81	59.25	0	30000	483.8709677	14580.49085	30000	0	0	30000	39.1875	2004
12.02.2020 10:24:28	1	1	1	1	81	59	0	29952.607	488.172043	14709.31971	30000	0	0	30000	39.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 10:24:29	1	1	1	1	81	59.5	0	29952.607	481.7204301	14451.662	30000	0	0	30000	40.0625	2004
12.02.2020 10:24:30	1	1	1	1	81	60	0	30000	481.7204301	14451.662	30000	0	0	30000	39.375	2004
12.02.2020 10:24:31	1	1	1	1	81	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	39	2004
12.02.2020 10:24:32	1	1	1	1	81	59	0	30000	481.7204301	14451.662	30000	0	0	30000	39.625	2004
12.02.2020 10:24:33	1	1	1	1	81	59.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	39.75	2004
12.02.2020 10:24:34	1	1	1	1	81	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	39.6875	2004
12.02.2020 10:24:35	1	1	1	1	81.5	59.5	0	30000	481.7204301	14451.662	30000	0	0	30000	39.375	2004
12.02.2020 10:24:36	1	1	1	1	81.5	59.25	0	30000	481.7204301	14451.662	30000	0	0	30000	39.8125	2004
12.02.2020 10:24:37	1	1	1	1	81.5	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	39.6875	2004
12.02.2020 10:24:38	1	1	1	1	81.5	59.5	0	29905.213	481.7204301	14516.07643	30000	0	0	30000	39.8125	2004
12.02.2020 10:24:39	1	1	1	1	81.5	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	39.875	2004
12.02.2020 10:24:40	1	1	1	1	81.5	59.75	0	30000	486.0215054	14516.07643	30000	0	0	30000	39.8125	2004
12.02.2020 10:24:41	1	1	1	1	81.5	59.75	0	30047.393	481.7204301	14451.662	30000	0	0	30000	39.625	2004
12.02.2020 10:24:42	1	1	1	1	81.5	59.5	0	30000	481.7204301	14644.90528	30000	0	0	30000	39.75	2004
12.02.2020 10:24:43	1	1	1	1	81.5	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	39.8125	2004
12.02.2020 10:24:44	1	1	1	1	81.5	59.75	0	30000	490.3225806	14469.6002	30000	0	0	30000	40	2004
12.02.2020 10:24:45	1	1	1	1	81.5	60	0	30000	483.8709677	14516.07643	30000	0	0	30000	39.5	2004
12.02.2020 10:24:46	1	1	1	1	81.5	59.5	0	30000	481.7204301	14451.662	30000	0	0	30000	38.875	2004
12.02.2020 10:24:47	1	1	1	1	81.5	58.75	0	30000	481.7204301	14428.83157	30000	0	0	30000	39.75	2004
12.02.2020 10:24:48	1	1	1	1	81.5	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	39.75	2004
12.02.2020 10:24:49	1	1	1	1	81.5	59.75	0	30000	483.8709677	14644.90528	30000	0	0	30000	39.8125	2004
12.02.2020 10:24:50	1	1	1	1	81.5	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	38.875	2004
12.02.2020 10:24:51	1	1	1	1	81.5	58.75	0	30000	483.8709677	14516.07643	30000	0	0	30000	38.4375	2004
12.02.2020 10:24:52	1	1	1	1	81.5	58.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	39.75	2004
12.02.2020 10:24:53	1	1	1	1	81.5	59.75	0	30000	490.3225806	14773.73413	30000	0	0	30000	39.5625	2004
12.02.2020 10:24:54	1	1	1	1	81.5	59.5	0	29952.607	488.172043	14644.90528	30000	0	0	30000	39.875	2004
12.02.2020 10:24:55	1	1	1	1	81.25	59.75	0	30000	486.0215054	14580.49085	30000	0	0	30000	39.9375	2004
12.02.2020 10:24:57	1	1	1	1	81.25	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	39.5625	2004
12.02.2020 10:24:58	1	1	1	1	81.25	59.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	39.625	2004
12.02.2020 10:24:59	1	1	1	1	81.25	59.5	0	30142.18	488.172043	14493.246	30000	0	0	30000	39.9375	2004
12.02.2020 10:25:00	1	1	1	1	81.25	59.75	0	30000	488.172043	14644.90528	30000	0	0	30000	39.75	2004
12.02.2020 10:25:01	1	1	1	1	81.25	59.75	0	30000	481.7204301	14428.83157	30000	0	0	30000	38.75	2004
12.02.2020 10:25:02	1	1	1	1	81.25	58.75	0	30000	481.7204301	14451.662	30000	0	0	30000	39.5625	2004
12.02.2020 10:25:03	1	1	1	1	81.25	59.5	0	30000	481.7204301	14451.662	30000	0	0	30000	39.75	2004
12.02.2020 10:25:04	1	1	1	1	81.25	59.75	0	30000	483.8709677	14516.07643	30000	0	0	30000	39.6875	2004
12.02.2020 10:25:05	1	1	1	1	81.25	59.5	0	30000	483.8709677	14644.90528	30000	0	0	30000	40.0625	2004
12.02.2020 10:25:06	1	1	1	1	81.5	60	0	30000	490.3225806	14622.07485	30000	0	0	30000	40.25	2004
12.02.2020 10:25:07	1	1	1	1	81.5	60.25	0	30000	492.4731183	14644.90528	30000	0	0	30000	39.8125	2004
12.02.2020 10:25:08	1	1	1	1	81.5	59.75	0	29905.213	494.6236559	14815.31813	30000	0	0	30000	39.375	2004
12.02.2020 10:25:14	1	1	1	1	81.5	59.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	39.75	2004
12.02.2020 10:25:14	1	1	1	1	81.5	59.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	39.75	2004
12.02.2020 10:25:15	1	1	1	1	81.5	59.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	39.75	2004
12.02.2020 10:25:15	1	1	1	1	81.5	59.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	39.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 10:25:15	1	1	1	1	81.5	59.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	39.75	2004
12.02.2020 10:25:15	1	1	1	1	81.5	59.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	39.75	2004
12.02.2020 10:25:15	1	1	1	1	81.5	59.75	0	29905.213	488.172043	14644.90528	30000	0	0	30000	39.625	2004
12.02.2020 10:25:16	1	1	1	1	81.5	59.5	0	30000	481.7204301	14451.662	30000	0	0	30000	39.6875	2004
12.02.2020 10:25:17	1	1	1	1	81.5	59.5	0	30000	486.0215054	14644.90528	30000	0	0	30000	39.625	2004
12.02.2020 10:25:18	1	1	1	1	81.5	59.5	0	29905.213	481.7204301	14516.07643	30000	0	0	30000	39.375	2004
12.02.2020 10:25:19	1	1	1	1	81.5	59.25	0	29952.607	481.7204301	14451.662	30000	0	0	30000	39.25	2004
12.02.2020 10:25:20	1	1	1	1	81.5	59.25	0	30000	483.8709677	14580.49085	30000	0	0	30000	39.9375	2004
12.02.2020 10:25:21	1	1	1	1	81.5	59.75	0	30000	483.8709677	14538.90686	30000	0	0	30000	39.625	2004
12.02.2020 10:25:22	1	1	1	1	81.5	59.5	0	30000	481.7204301	14451.662	30000	0	0	30000	39.75	2004
12.02.2020 10:25:23	1	1	1	1	81.5	59.75	0	29952.607	483.8709677	14493.246	30000	0	0	30000	39.5625	2004
12.02.2020 10:25:24	1	1	1	1	81.5	59.5	0	30000	488.172043	14644.90528	30000	0	0	30000	39.875	2004
12.02.2020 10:25:25	1	1	1	1	81.25	59.75	0	30000	488.172043	14644.90528	30000	0	0	30000	39.8125	2004
12.02.2020 10:25:26	1	1	1	1	81.25	59.75	0	30000	490.3225806	14644.90528	30000	0	0	30000	39.8125	2004
12.02.2020 10:25:27	1	1	1	1	81.25	59.75	0	30000	481.7204301	14516.07643	30000	0	0	30000	39.75	2004
12.02.2020 10:25:28	1	1	1	1	81.25	59.75	0	30000	496.7741935	14902.56299	30000	0	0	30000	40	2004
12.02.2020 10:25:29	1	1	1	1	81.25	60	0	30000	490.3225806	14644.90528	30000	0	0	30000	39.875	2004
12.02.2020 10:25:30	1	1	1	1	81.25	59.75	0	29952.607	490.3225806	14773.73413	30000	0	0	30000	39.5625	2004
12.02.2020 10:25:31	1	1	1	1	81.25	59.5	0	30000	488.172043	14644.90528	30000	0	0	30000	38.875	2004
12.02.2020 10:25:32	1	1	1	1	81.25	58.75	0	29952.607	486.0215054	14493.246	30000	0	0	30000	39.375	2004
12.02.2020 10:25:33	1	1	1	1	81.25	59.25	0	30047.393	488.172043	14516.07643	30000	0	0	30000	39.6875	2004
12.02.2020 10:25:34	1	1	1	1	81.25	59.5	0	30000	490.3225806	14622.07485	30000	0	0	30000	39.5625	2004
12.02.2020 10:25:35	1	1	1	1	81.25	59.5	0	30000	488.172043	14516.07643	30000	0	0	30000	39.375	2004
12.02.2020 10:25:37	1	1	1	1	81.25	59.25	0	30000	481.7204301	14451.662	30000	0	0	30000	39.6875	2004
12.02.2020 10:25:38	1	1	1	1	81.25	59.5	0	30000	488.172043	14644.90528	30000	0	0	30000	39.5625	2004
12.02.2020 10:25:39	1	1	1	1	81.25	59.5	0	30000	492.4731183	14773.73413	30000	0	0	30000	39.9375	2004
12.02.2020 10:25:40	1	1	1	1	81.25	59.75	0	30047.393	503.2258065	14773.73413	30000	0	0	30000	39	2004
12.02.2020 10:25:41	1	1	1	1	81.25	59	0	30000	494.6236559	14838.14856	30000	0	0	30000	38.5625	2004
12.02.2020 10:25:42	1	1	1	1	81.25	58.5	0	30047.393	496.7741935	14902.56299	30000	0	0	30000	39.5625	2004
12.02.2020 10:25:43	1	1	1	1	81.25	59.5	0	30047.393	498.9247312	14902.56299	30000	0	0	30000	39.9375	2004
12.02.2020 10:25:44	1	1	1	1	81.25	59.75	0	30000	486.0215054	14644.90528	30000	0	0	30000	39.8125	2004
12.02.2020 10:25:45	1	1	1	1	81.25	59.75	0	30000	496.7741935	14902.56299	30000	0	0	30000	39.875	2004
12.02.2020 10:25:46	1	1	1	1	81.5	59.5	0	30000	488.172043	14644.90528	30000	0	0	30000	39.3125	2004
12.02.2020 10:25:47	1	1	1	1	81.5	59.25	0	30000	481.7204301	14644.90528	30000	0	0	30000	39.75	2004
12.02.2020 10:25:48	1	1	1	1	81.5	59.75	0	30000	494.6236559	14838.14856	30000	0	0	30000	39.8125	2004
12.02.2020 10:25:49	1	1	1	1	81.5	59.75	0	30000	492.4731183	14644.90528	30000	0	0	30000	39.8125	2004
12.02.2020 10:25:50	1	1	1	1	81.5	59.75	0	29952.607	496.7741935	14902.56299	30000	0	0	30000	39.5	2004
12.02.2020 10:25:51	1	1	1	1	81.5	59.5	0	30000	494.6236559	14773.73413	30000	0	0	30000	39.75	2004
12.02.2020 10:25:52	1	1	1	1	81.5	59.75	0	30000	488.172043	14644.90528	30000	0	0	30000	39.4375	2004
12.02.2020 10:25:53	1	1	1	1	81.5	59.25	0	30000	494.6236559	14838.14856	30000	0	0	30000	40	2004
12.02.2020 10:25:54	1	1	1	1	81.5	60	0	30000	494.6236559	14838.14856	30000	0	0	30000	38.5625	2004
12.02.2020 10:25:55	1	1	1	1	81.25	58.5	0	30000	496.7741935	14902.56299	30000	0	0	30000	39.6875	2004
12.02.2020 10:25:56	1	1	1	1	81.25	59.5	0	30000	481.7204301	14516.07643	30000	0	0	30000	38.5625	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 10:25:57	1	1	1	1	81.25	58.5	0	29952.607	419.3548387	12580.38214	30000	0	0	30000	39.5	2004
12.02.2020 10:25:58	1	1	1	1	81.25	59.5	0	29952.607	425.8064516	12838.03984	30000	0	0	30000	39.75	2004
12.02.2020 10:25:59	1	1	1	1	81.25	59.75	0	30000	496.7741935	15096.62164	30000	0	0	30000	39.9375	2004
12.02.2020 10:26:00	1	1	1	1	81.25	59.75	0	30000	522.5806452	15677.16685	30000	0	0	30000	39	2004
12.02.2020 10:26:01	1	1	1	1	81.25	59	0	29905.213	516.1290323	15523.87682	30000	0	0	30000	39.5625	2004
12.02.2020 10:26:02	1	1	1	1	81.25	59.5	0	29715.64	535.483871	15911.99413	30000	0	0	30000	39.8125	2004
12.02.2020 10:26:03	1	1	1	1	81.25	59.75	0	29810.427	535.483871	16090.5607	30000	0	0	30000	40.0625	2004
12.02.2020 10:26:04	1	1	1	1	81.25	60	0	30000	529.0322581	15934.82456	30000	0	0	30000	40.0625	2004
12.02.2020 10:26:05	1	1	1	1	81.5	60	0	30000	520.4301075	15548.338	30000	0	0	30000	38.4375	2004
12.02.2020 10:26:06	1	1	1	1	81.5	58.25	0	30000	505.3763441	15161.03607	30000	0	0	30000	39.5625	2004
12.02.2020 10:26:07	1	1	1	1	81.5	59.5	0	30000	505.3763441	15161.03607	30000	0	0	30000	39.9375	2004
12.02.2020 10:26:08	1	1	1	1	81.5	59.75	0	30000	486.0215054	14516.07643	30000	0	0	30000	39.75	2004
12.02.2020 10:26:09	1	1	1	1	81.5	59.75	0	30000	481.7204301	14474.49243	30000	0	0	30000	39.5625	2004
12.02.2020 10:26:16	1	1	1	1	82	59.75	0	29905.213	460.2150538	13999.94564	30000	0	0	30000	39.75	2004
12.02.2020 10:26:16	1	1	1	1	82	59.75	0	29905.213	460.2150538	13999.94564	30000	0	0	30000	39.75	2004
12.02.2020 10:26:16	1	1	1	1	82	59.75	0	29905.213	460.2150538	13999.94564	30000	0	0	30000	39.75	2004
12.02.2020 10:26:16	1	1	1	1	82	59.75	0	29905.213	460.2150538	13999.94564	30000	0	0	30000	39.75	2004
12.02.2020 10:26:16	1	1	1	1	82	59.75	0	29905.213	460.2150538	13999.94564	30000	0	0	30000	39.75	2004
12.02.2020 10:26:16	1	1	1	1	82	59.75	0	29905.213	460.2150538	13999.94564	30000	0	0	30000	39.75	2004
12.02.2020 10:26:16	1	1	1	1	82	59.75	0	29905.213	460.2150538	13999.94564	30000	0	0	30000	39.75	2004
12.02.2020 10:26:17	1	1	1	1	82	59.75	0	30000	466.6666667	13935.53122	30000	0	0	30000	39.75	2004
12.02.2020 10:26:18	1	1	1	1	82	59.75	0	30000	464.516129	13870.30142	30000	0	0	30000	40	2004
12.02.2020 10:26:19	1	1	1	1	82	60	0	30000	464.516129	13935.53122	30000	0	0	30000	39.625	2004
12.02.2020 10:26:20	1	1	1	1	82	59.5	0	29952.607	464.516129	14128.7745	30000	0	0	30000	39.75	2004
12.02.2020 10:26:21	1	1	1	1	82	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	39	2004
12.02.2020 10:26:22	1	1	1	1	82	59	0	30000	481.7204301	14451.662	30000	0	0	30000	39.9375	2004
12.02.2020 10:26:23	1	1	1	1	82	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	39.375	2004
12.02.2020 10:26:24	1	1	1	1	82	59.25	0	30000	481.7204301	14451.662	30000	0	0	30000	39.875	2004
12.02.2020 10:26:25	1	1	1	1	82	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	39.9375	2004
12.02.2020 10:26:26	1	1	1	1	81.5	59.75	0	30000	483.8709677	14451.662	30000	0	0	30000	40.1875	2004
12.02.2020 10:26:27	1	1	1	1	81.5	59.5	0	30000	481.7204301	14451.662	30000	0	0	30000	39	2004
12.02.2020 10:26:28	1	1	1	1	81.5	59	0	30000	483.8709677	14493.246	30000	0	0	30000	39.4375	2004
12.02.2020 10:26:29	1	1	1	1	81.5	59.25	0	30000	466.6666667	13999.94564	30000	0	0	30000	39.5	2004
12.02.2020 10:26:30	1	1	1	1	81.5	59.5	0	30047.393	481.7204301	14451.662	30000	0	0	30000	39.875	2004
12.02.2020 10:26:31	1	1	1	1	81.5	59.75	0	30000	483.8709677	14516.07643	30000	0	0	30000	39.9375	2004
12.02.2020 10:26:32	1	1	1	1	81.5	59.75	0	30000	483.8709677	14516.07643	30000	0	0	30000	39.125	2004
12.02.2020 10:26:33	1	1	1	1	81.5	59	0	30000	380.6451613	11419.29171	30000	0	0	30000	40	2004
12.02.2020 10:26:34	1	1	1	1	81.5	60	0	30000	445.1612903	13354.17063	30000	0	0	30000	39.3125	2004
12.02.2020 10:26:35	1	1	1	1	81.5	59.25	0	30000	496.7741935	14902.56299	30000	0	0	30000	39.8125	2004
12.02.2020 10:26:36	1	1	1	1	81.5	59.75	0	29857.82	535.483871	15962.54722	30000	0	0	30000	39.375	2004
12.02.2020 10:26:37	1	1	1	1	81.5	59.25	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	39.3125	2004
12.02.2020 10:26:38	1	1	1	1	81.5	59.25	0	29715.64	546.2365591	15975.59318	30000	0	0	30000	40	2004
12.02.2020 10:26:39	1	1	1	1	81.5	60	0	30000	529.0322581	15934.82456	30000	0	0	30000	39.875	2004
12.02.2020 10:26:40	1	1	1	1	81.5	59.75	0	30000	505.3763441	15225.45049	30000	0	0	30000	39.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 10:26:41	1	1	1	1	81.5	59	0	30000	509.6774194	15289.86492	30000	0	0	30000	39.6875	2004
12.02.2020 10:26:42	1	1	1	1	81.5	59.5	0	30000	507.5268817	15225.45049	30000	0	0	30000	39.9375	2004
12.02.2020 10:26:43	1	1	1	1	81.5	59.75	0	30000	490.3225806	14644.90528	30000	0	0	30000	40	2004
12.02.2020 10:26:44	1	1	1	1	81.5	60	0	29952.607	481.7204301	14451.662	30000	0	0	30000	39.8125	2004
12.02.2020 10:26:45	1	1	1	1	81.75	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	39.75	2004
12.02.2020 10:26:46	1	1	1	1	81.75	59.75	0	30000	464.516129	13913.51616	30000	0	0	30000	39.875	2004
12.02.2020 10:26:47	1	1	1	1	81.75	59.75	0	29952.607	460.2150538	14064.36007	30000	0	0	30000	39.3125	2004
12.02.2020 10:26:48	1	1	1	1	81.75	59.25	0	30000	460.2150538	13805.88699	30000	0	0	30000	39.125	2004
12.02.2020 10:26:49	1	1	1	1	81.75	59	0	29952.607	464.516129	13999.94564	30000	0	0	30000	40.0625	2004
12.02.2020 10:26:50	1	1	1	1	81.75	60	0	30000	464.516129	13935.53122	30000	0	0	30000	40.125	2004
12.02.2020 10:26:51	1	1	1	1	81.75	60	0	30000	481.7204301	13935.53122	30000	0	0	30000	39.8125	2004
12.02.2020 10:26:52	1	1	1	1	81.75	59.75	0	30000	468.8172043	13999.94564	30000	0	0	30000	38.875	2004
12.02.2020 10:26:53	1	1	1	1	81.75	58.75	0	30000	481.7204301	14451.662	30000	0	0	30000	39.75	2004
12.02.2020 10:26:55	1	1	1	1	81.75	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	39.75	2004
12.02.2020 10:26:56	1	1	1	1	81.25	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	39.5	2004
12.02.2020 10:26:57	1	1	1	1	81.25	59.5	0	30000	481.7204301	14128.7745	30000	0	0	30000	39.5625	2004
12.02.2020 10:26:58	1	1	1	1	81.25	59.5	0	30000	481.7204301	14451.662	30000	0	0	30000	39.9375	2004
12.02.2020 10:26:59	1	1	1	1	81.25	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	39.5625	2004
12.02.2020 10:27:00	1	1	1	1	81.25	59.5	0	29952.607	481.7204301	14451.662	30000	0	0	30000	39.875	2004
12.02.2020 10:27:01	1	1	1	1	81.25	59.75	0	30000	468.8172043	13999.94564	30000	0	0	30000	39.875	2004
12.02.2020 10:27:02	1	1	1	1	81.25	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	39.5625	2004
12.02.2020 10:27:03	1	1	1	1	81.25	59.5	0	30000	481.7204301	14451.662	30000	0	0	30000	39.6875	2004
12.02.2020 10:27:04	1	1	1	1	81.25	59.5	0	30000	481.7204301	14451.662	30000	0	0	30000	39.6875	2004
12.02.2020 10:27:05	1	1	1	1	81.25	59.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	39.0625	2004
12.02.2020 10:27:06	1	1	1	1	81.75	59.75	0	30000	483.8709677	14516.07643	30000	0	0	30000	39.5	2004
12.02.2020 10:27:07	1	1	1	1	81.75	59.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	39.625	2004
12.02.2020 10:27:08	1	1	1	1	81.75	59.5	0	29952.607	481.7204301	14773.73413	30000	0	0	30000	39.8125	2004
12.02.2020 10:27:09	1	1	1	1	81.75	59.75	0	30000	490.3225806	14644.90528	30000	0	0	30000	39.8125	2004
12.02.2020 10:27:10	1	1	1	1	81.75	59.75	0	30000	498.9247312	14773.73413	30000	0	0	30000	39.375	2004
12.02.2020 10:27:11	1	1	1	1	81.75	59.25	0	29952.607	483.8709677	14644.90528	30000	0	0	30000	39.8125	2004
12.02.2020 10:27:18	1	1	1	1	81.25	59.5	0	30000	501.0752688	15032.20721	30000	0	0	30000	39.6875	2004
12.02.2020 10:27:18	1	1	1	1	81.25	59.5	0	30000	501.0752688	15032.20721	30000	0	0	30000	39.6875	2004
12.02.2020 10:27:18	1	1	1	1	81.25	59.5	0	30000	501.0752688	15032.20721	30000	0	0	30000	39.6875	2004
12.02.2020 10:27:18	1	1	1	1	81.25	59.5	0	30000	501.0752688	15032.20721	30000	0	0	30000	39.6875	2004
12.02.2020 10:27:18	1	1	1	1	81.25	59.5	0	30000	501.0752688	15032.20721	30000	0	0	30000	39.6875	2004
12.02.2020 10:27:18	1	1	1	1	81.25	59.5	0	30000	501.0752688	15032.20721	30000	0	0	30000	39.6875	2004
12.02.2020 10:27:18	1	1	1	1	81.25	59.5	0	30000	501.0752688	15032.20721	30000	0	0	30000	39.8125	2004
12.02.2020 10:27:19	1	1	1	1	81.25	59.75	0	30000	496.7741935	14902.56299	30000	0	0	30000	39.5625	2004
12.02.2020 10:27:20	1	1	1	1	81.25	59.5	0	30000	494.6236559	14838.14856	30000	0	0	30000	39.5	2004
12.02.2020 10:27:21	1	1	1	1	81.25	59.5	0	30000	496.7741935	14902.56299	30000	0	0	30000	40.1875	2004
12.02.2020 10:27:22	1	1	1	1	81.25	60	0	30000	498.9247312	15032.20721	30000	0	0	30000	40	2004
12.02.2020 10:27:23	1	1	1	1	81.25	60	0	30000	494.6236559	14773.73413	30000	0	0	30000	39.6875	2004
12.02.2020 10:27:24	1	1	1	1	81.25	59.5	0	30000	350.5376344	10515.85899	30000	0	0	30000	38.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 10:27:25	1	1	1	1	81.25	58.75	0	29952.607	445.1612903	13354.17063	30000	0	0	30000	39.4375	2004
12.02.2020 10:27:26	1	1	1	1	81.25	59.25	0	29952.607	516.1290323	15548.338	30000	0	0	30000	39.5625	2004
12.02.2020 10:27:27	1	1	1	1	81.25	59.5	0	29715.64	539.7849462	15975.59318	30000	0	0	30000	39.75	2004
12.02.2020 10:27:28	1	1	1	1	81.25	59.75	0	29715.64	537.6344086	16103.60666	30000	0	0	30000	39.9375	2004
12.02.2020 10:27:29	1	1	1	1	81.25	59.75	0	29857.82	537.6344086	16026.96165	30000	0	0	30000	39.75	2004
12.02.2020 10:27:30	1	1	1	1	81.25	59.75	0	30000	522.5806452	15523.87682	30000	0	0	30000	40	2004
12.02.2020 10:27:31	1	1	1	1	81.25	60	0	30000	507.5268817	15161.03607	30000	0	0	30000	39.375	2004
12.02.2020 10:27:32	1	1	1	1	81.25	59.25	0	30000	503.2258065	15008.56141	30000	0	0	30000	39.75	2004
12.02.2020 10:27:33	1	1	1	1	81.25	59.75	0	29905.213	496.7741935	15161.03607	30000	0	0	30000	39.8125	2004
12.02.2020 10:27:35	1	1	1	1	81.25	59.75	0	29952.607	483.8709677	14709.31971	30000	0	0	30000	38.25	2004
12.02.2020 10:27:36	1	1	1	1	82	58.25	0	30000	481.7204301	14451.662	30000	0	0	30000	39.625	2004
12.02.2020 10:27:37	1	1	1	1	82	59.5	0	30000	481.7204301	14064.36007	30000	0	0	30000	39.875	2004
12.02.2020 10:27:38	1	1	1	1	82	59.75	0	30000	460.2150538	13805.88699	30000	0	0	30000	40.0625	2004
12.02.2020 10:27:39	1	1	1	1	82	60	0	30000	455.9139785	13805.88699	30000	0	0	30000	39.8125	2004
12.02.2020 10:27:40	1	1	1	1	82	59.75	0	30000	451.6129032	13354.17063	30000	0	0	30000	40.125	2004
12.02.2020 10:27:41	1	1	1	1	82	60	0	30000	451.6129032	13548.22928	30000	0	0	30000	39.5	2004
12.02.2020 10:27:42	1	1	1	1	82	59.5	0	30000	453.7634409	13612.64371	30000	0	0	30000	39.4375	2004
12.02.2020 10:27:43	1	1	1	1	82	59.25	0	30000	455.9139785	13633.84339	30000	0	0	30000	40.125	2004
12.02.2020 10:27:44	1	1	1	1	82	60	0	30000	455.9139785	13612.64371	30000	0	0	30000	39.8125	2004
12.02.2020 10:27:45	1	1	1	1	82	59.75	0	30000	460.2150538	13805.88699	30000	0	0	30000	39.1875	2004
12.02.2020 10:27:46	1	1	1	1	81.75	59.75	0	30000	464.516129	13870.30142	30000	0	0	30000	39.0625	2004
12.02.2020 10:27:47	1	1	1	1	81.75	59	0	30000	464.516129	13935.53122	30000	0	0	30000	39.9375	2004
12.02.2020 10:27:48	1	1	1	1	81.75	59.75	0	30000	468.8172043	13999.94564	30000	0	0	30000	40.1875	2004
12.02.2020 10:27:49	1	1	1	1	81.75	60	0	30000	468.8172043	14064.36007	30000	0	0	30000	38.625	2004
12.02.2020 10:27:50	1	1	1	1	81.75	58.5	0	30000	468.8172043	13999.94564	30000	0	0	30000	39.9375	2004
12.02.2020 10:27:51	1	1	1	1	81.75	59.75	0	30000	481.7204301	14128.7745	30000	0	0	30000	39.8125	2004
12.02.2020 10:27:52	1	1	1	1	81.75	59.75	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.0625	2004
12.02.2020 10:27:53	1	1	1	1	81.75	60	0	30000	464.516129	13935.53122	30000	0	0	30000	40	2004
12.02.2020 10:27:54	1	1	1	1	81.75	60	0	30000	464.516129	13935.53122	30000	0	0	30000	39.9375	2004
12.02.2020 10:27:55	1	1	1	1	81.75	59.75	0	30000	468.8172043	14128.7745	30000	0	0	30000	39.875	2004
12.02.2020 10:27:56	1	1	1	1	81.75	59.75	0	30000	481.7204301	14128.7745	30000	0	0	30000	40	2004
12.02.2020 10:27:57	1	1	1	1	81.75	60	0	30000	481.7204301	14451.662	30000	0	0	30000	39.9375	2004
12.02.2020 10:27:58	1	1	1	1	81.75	59.75	0	30000	466.6666667	13999.94564	30000	0	0	30000	40	2004
12.02.2020 10:27:59	1	1	1	1	81.75	60	0	30000	354.8387097	10709.10227	30000	0	0	30000	40.0625	2004
12.02.2020 10:28:00	1	1	1	1	81.75	60	0	30000	445.1612903	13354.17063	30000	0	0	30000	39.6875	2004
12.02.2020 10:28:01	1	1	1	1	81.75	59.5	0	30000	511.827957	15289.86492	30000	0	0	30000	39.0625	2004
12.02.2020 10:28:02	1	1	1	1	81.75	59	0	29810.427	537.6344086	16206.3436	30000	0	0	30000	39.9375	2004
12.02.2020 10:28:03	1	1	1	1	81.75	59.75	0	29810.427	533.3333333	15898.94817	30000	0	0	30000	39.5625	2004
12.02.2020 10:28:04	1	1	1	1	81.75	59.5	0	29905.213	535.483871	16013.10032	30000	0	0	30000	39.6875	2004
12.02.2020 10:28:05	1	1	1	1	81.5	59.5	0	29952.607	520.4301075	15612.75243	30000	0	0	30000	39.75	2004
12.02.2020 10:28:06	1	1	1	1	81.5	59.75	0	30000	501.0752688	15032.20721	30000	0	0	30000	39.0625	2004
12.02.2020 10:28:07	1	1	1	1	81.5	59	0	30000	496.7741935	14902.56299	30000	0	0	30000	39.6875	2004
12.02.2020 10:28:08	1	1	1	1	81.5	59.5	0	29952.607	490.3225806	14622.07485	30000	0	0	30000	39.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 10:28:09	1	1	1	1	81.5	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	39.4375	2004
12.02.2020 10:28:10	1	1	1	1	81.5	59.25	0	30000	466.6666667	13999.94564	30000	0	0	30000	39.6875	2004
12.02.2020 10:28:11	1	1	1	1	81.5	59.5	0	29952.607	460.2150538	13935.53122	30000	0	0	30000	39.8125	2004
12.02.2020 10:28:12	1	1	1	1	81.5	59.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	40	2004
12.02.2020 10:28:20	1	1	1	1	81.75	60	0	30000	445.1612903	13354.17063	30000	0	0	30000	39.875	2004
12.02.2020 10:28:20	1	1	1	1	81.75	60	0	30000	445.1612903	13354.17063	30000	0	0	30000	39.875	2004
12.02.2020 10:28:20	1	1	1	1	81.75	60	0	30000	445.1612903	13354.17063	30000	0	0	30000	39.875	2004
12.02.2020 10:28:20	1	1	1	1	81.75	60	0	30000	445.1612903	13354.17063	30000	0	0	30000	39.875	2004
12.02.2020 10:28:20	1	1	1	1	81.75	60	0	30000	445.1612903	13354.17063	30000	0	0	30000	39.875	2004
12.02.2020 10:28:20	1	1	1	1	81.75	60	0	30000	445.1612903	13354.17063	30000	0	0	30000	39.875	2004
12.02.2020 10:28:21	1	1	1	1	81.75	59.75	0	30000	449.4623656	13354.17063	30000	0	0	30000	39.5625	2004
12.02.2020 10:28:22	1	1	1	1	81.75	59.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	39.8125	2004
12.02.2020 10:28:23	1	1	1	1	81.75	59.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.0625	2004
12.02.2020 10:28:24	1	1	1	1	81.75	60	0	30000	445.1612903	13312.58663	30000	0	0	30000	39.875	2004
12.02.2020 10:28:25	1	1	1	1	81.75	59.75	0	30000	445.1612903	13612.64371	30000	0	0	30000	39.75	2004
12.02.2020 10:28:26	1	1	1	1	82	60	0	30000	458.0645161	13741.47256	30000	0	0	30000	39.9375	2004
12.02.2020 10:28:27	1	1	1	1	82	59.75	0	30000	460.2150538	13612.64371	30000	0	0	30000	40.1875	2004
12.02.2020 10:28:28	1	1	1	1	82	60	0	29952.607	460.2150538	13870.30142	30000	0	0	30000	39.625	2004
12.02.2020 10:28:29	1	1	1	1	82	59.5	0	30000	458.0645161	13805.88699	30000	0	0	30000	40.0625	2004
12.02.2020 10:28:30	1	1	1	1	82	60	0	30000	451.6129032	13612.64371	30000	0	0	30000	39.875	2004
12.02.2020 10:28:31	1	1	1	1	82	59.75	0	30000	464.516129	13935.53122	30000	0	0	30000	39.8125	2004
12.02.2020 10:28:32	1	1	1	1	82	59.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	39.6875	2004
12.02.2020 10:28:33	1	1	1	1	82	59.5	0	29952.607	464.516129	13784.6873	30000	0	0	30000	39.875	2004
12.02.2020 10:28:34	1	1	1	1	82	59.75	0	30000	466.6666667	13999.94564	30000	0	0	30000	39.625	2004
12.02.2020 10:28:35	1	1	1	1	81.5	59.5	0	30000	464.516129	13935.53122	30000	0	0	30000	39.6875	2004
12.02.2020 10:28:36	1	1	1	1	81.5	59.5	0	30000	460.2150538	13935.53122	30000	0	0	30000	39.4375	2004
12.02.2020 10:28:37	1	1	1	1	81.5	59.25	0	30000	333.3333333	9984.236132	30000	0	0	30000	39.875	2004
12.02.2020 10:28:38	1	1	1	1	81.5	59.75	0	30000	486.0215054	14516.07643	30000	0	0	30000	39.75	2004
12.02.2020 10:28:39	1	1	1	1	81.5	59.75	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	39.9375	2004
12.02.2020 10:28:40	1	1	1	1	81.5	59.75	0	29857.82	533.3333333	15949.50126	30000	0	0	30000	40	2004
12.02.2020 10:28:41	1	1	1	1	81.5	60	0	29715.64	541.9354839	15911.99413	30000	0	0	30000	39.75	2004
12.02.2020 10:28:42	1	1	1	1	81.5	59.75	0	29857.82	537.6344086	16026.96165	30000	0	0	30000	39.5625	2004
12.02.2020 10:28:43	1	1	1	1	81.5	59.5	0	30000	516.1290323	15483.92357	30000	0	0	30000	39.75	2004
12.02.2020 10:28:44	1	1	1	1	81.5	59.75	0	30000	498.9247312	14902.56299	30000	0	0	30000	39.3125	2004
12.02.2020 10:28:45	1	1	1	1	82	59.25	0	30000	496.7741935	14902.56299	30000	0	0	30000	39.8125	2004
12.02.2020 10:28:46	1	1	1	1	82	59.75	0	30000	492.4731183	14773.73413	30000	0	0	30000	39.9375	2004
12.02.2020 10:28:47	1	1	1	1	82	59.75	0	30000	483.8709677	14516.07643	30000	0	0	30000	39.3125	2004
12.02.2020 10:28:48	1	1	1	1	82	59.25	0	30000	468.8172043	13999.94564	30000	0	0	30000	39.625	2004
12.02.2020 10:28:49	1	1	1	1	82	59.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	39.5	2004
12.02.2020 10:28:50	1	1	1	1	82	59.5	0	29905.213	427.9569892	13160.92735	30000	0	0	30000	39.875	2004
12.02.2020 10:28:52	1	1	1	1	82	59.75	0	29952.607	427.9569892	12838.03984	30000	0	0	30000	39.875	2004
12.02.2020 10:28:53	1	1	1	1	82	59.75	0	30000	436.5591398	13096.51292	30000	0	0	30000	40	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 10:28:54	1	1	1	1	82	60	0	30000	438.7096774	13160.92735	30000	0	0	30000	40	2004
12.02.2020 10:28:55	1	1	1	1	82	60	0	30000	443.0107527	13354.17063	30000	0	0	30000	40.125	2004
12.02.2020 10:28:56	1	1	1	1	81.75	60	0	29905.213	438.7096774	13354.17063	30000	0	0	30000	39.8125	2004
12.02.2020 10:28:57	1	1	1	1	81.75	59.75	0	30000	449.4623656	13354.17063	30000	0	0	30000	39.875	2004
12.02.2020 10:28:58	1	1	1	1	81.75	59.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	39.875	2004
12.02.2020 10:28:59	1	1	1	1	81.75	59.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	39.8125	2004
12.02.2020 10:29:00	1	1	1	1	81.75	59.75	0	30000	445.1612903	13333.78632	30000	0	0	30000	40.3125	2004
12.02.2020 10:29:01	1	1	1	1	81.75	60.25	0	30000	453.7634409	13612.64371	30000	0	0	30000	39.625	2004
12.02.2020 10:29:02	1	1	1	1	81.75	59.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	39.9375	2004
12.02.2020 10:29:03	1	1	1	1	81.75	59.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.125	2004
12.02.2020 10:29:04	1	1	1	1	81.75	60	0	30000	464.516129	13935.53122	30000	0	0	30000	39.75	2004
12.02.2020 10:29:05	1	1	1	1	81.75	59.75	0	30000	455.9139785	13483.81486	30000	0	0	30000	40.0625	2004
12.02.2020 10:29:06	1	1	1	1	82	60	0	30000	460.2150538	13805.88699	30000	0	0	30000	40	2004
12.02.2020 10:29:07	1	1	1	1	82	60	0	30000	453.7634409	13612.64371	30000	0	0	30000	40.125	2004
12.02.2020 10:29:08	1	1	1	1	82	60	0	29952.607	458.0645161	13741.47256	30000	0	0	30000	39.75	2004
12.02.2020 10:29:09	1	1	1	1	82	59.75	0	30000	464.516129	13935.53122	30000	0	0	30000	40	2004
12.02.2020 10:29:10	1	1	1	1	82	60	0	30000	453.7634409	13612.64371	30000	0	0	30000	39.6875	2004
12.02.2020 10:29:11	1	1	1	1	82	59.5	0	30000	458.0645161	13741.47256	30000	0	0	30000	39.375	2004
12.02.2020 10:29:12	1	1	1	1	82	59.25	0	30000	460.2150538	13612.64371	30000	0	0	30000	40	2004
12.02.2020 10:29:13	1	1	1	1	82	60	0	30000	460.2150538	13741.47256	30000	0	0	30000	39.5625	2004
12.02.2020 10:29:14	1	1	1	1	82	59.5	0	30000	464.516129	13805.88699	30000	0	0	30000	39.5625	2004
12.02.2020 10:29:21	1	1	1	1	81.75	59.75	0	30000	464.516129	13935.53122	30000	0	0	30000	39.25	2004
12.02.2020 10:29:21	1	1	1	1	81.75	59.75	0	30000	464.516129	13935.53122	30000	0	0	30000	39.25	2004
12.02.2020 10:29:21	1	1	1	1	81.75	59.75	0	30000	464.516129	13935.53122	30000	0	0	30000	39.25	2004
12.02.2020 10:29:21	1	1	1	1	81.75	59.75	0	30000	464.516129	13935.53122	30000	0	0	30000	39.25	2004
12.02.2020 10:29:21	1	1	1	1	81.75	59.75	0	30000	464.516129	13935.53122	30000	0	0	30000	39.25	2004
12.02.2020 10:29:21	1	1	1	1	81.75	59.25	0	29952.607	460.2150538	13805.88699	30000	0	0	30000	38.875	2004
12.02.2020 10:29:22	1	1	1	1	81.75	58.75	0	30000	466.6666667	13999.94564	30000	0	0	30000	39.5625	2004
12.02.2020 10:29:23	1	1	1	1	81.75	59.5	0	30000	466.6666667	13999.94564	30000	0	0	30000	39.75	2004
12.02.2020 10:29:24	1	1	1	1	81.75	59.75	0	30047.393	466.6666667	13999.94564	30000	0	0	30000	39.875	2004
12.02.2020 10:29:25	1	1	1	1	81.75	59.75	0	30000	470.9677419	14064.36007	30000	0	0	30000	40	2004
12.02.2020 10:29:26	1	1	1	1	81.75	60	0	30000	481.7204301	14128.7745	30000	0	0	30000	39	2004
12.02.2020 10:29:27	1	1	1	1	81.75	59	0	30000	481.7204301	14451.662	30000	0	0	30000	40	2004
12.02.2020 10:29:28	1	1	1	1	81.75	60	0	30000	481.7204301	14451.662	30000	0	0	30000	39.75	2004
12.02.2020 10:29:29	1	1	1	1	81.75	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	39.625	2004
12.02.2020 10:29:31	1	1	1	1	81.75	59.5	0	30000	481.7204301	14451.662	30000	0	0	30000	39.5625	2004
12.02.2020 10:29:32	1	1	1	1	81.75	59.5	0	30000	481.7204301	14451.662	30000	0	0	30000	39.875	2004
12.02.2020 10:29:33	1	1	1	1	81.75	59.75	0	30047.393	481.7204301	13999.94564	30000	0	0	30000	39.8125	2004
12.02.2020 10:29:34	1	1	1	1	81.75	59.75	0	29952.607	481.7204301	14451.662	30000	0	0	30000	39.75	2004
12.02.2020 10:29:35	1	1	1	1	81.75	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	39.75	2004
12.02.2020 10:29:36	1	1	1	1	81.5	59.75	0	30000	481.7204301	14428.83157	30000	0	0	30000	39.1875	2004
12.02.2020 10:29:37	1	1	1	1	81.5	59	0	30000	481.7204301	14451.662	30000	0	0	30000	39.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 10:29:38	1	1	1	1	81.5	59.5	0	29952.607	481.7204301	14406.00114	30000	0	0	30000	40	2004
12.02.2020 10:29:39	1	1	1	1	81.5	60	0	30000	481.7204301	14451.662	30000	0	0	30000	39.875	2004
12.02.2020 10:29:40	1	1	1	1	81.5	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	39.6875	2004
12.02.2020 10:29:41	1	1	1	1	81.5	59.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.4375	2004
12.02.2020 10:29:42	1	1	1	1	81.5	60.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.4375	2004
12.02.2020 10:29:43	1	1	1	1	81.5	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	39.8125	2004
12.02.2020 10:29:44	1	1	1	1	81.5	60	0	30000	483.8709677	14516.07643	30000	0	0	30000	39.75	2004
12.02.2020 10:29:45	1	1	1	1	81.25	59.75	0	30000	483.8709677	14516.07643	30000	0	0	30000	39.75	2004
12.02.2020 10:29:46	1	1	1	1	81.25	59.75	0	30000	483.8709677	14516.07643	30000	0	0	30000	39.5625	2004
12.02.2020 10:29:47	1	1	1	1	81.25	59.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	39.9375	2004
12.02.2020 10:29:48	1	1	1	1	81.25	59.75	0	30000	488.172043	14644.90528	30000	0	0	30000	39.75	2004
12.02.2020 10:29:49	1	1	1	1	81.25	59.75	0	30000	488.172043	14644.90528	30000	0	0	30000	39.75	2004
12.02.2020 10:29:50	1	1	1	1	81.25	59.75	0	30000	486.0215054	14516.07643	30000	0	0	30000	39.9375	2004
12.02.2020 10:29:51	1	1	1	1	81.25	59.75	0	30000	486.0215054	14644.90528	30000	0	0	30000	39.625	2004
12.02.2020 10:29:52	1	1	1	1	81.25	59.5	0	30000	481.7204301	14516.07643	30000	0	0	30000	40.0625	2004
12.02.2020 10:29:53	1	1	1	1	81.25	60	0	30000	481.7204301	14451.662	30000	0	0	30000	39.5	2004
12.02.2020 10:29:54	1	1	1	1	81.25	59.5	0	30000	486.0215054	14667.73571	30000	0	0	30000	39.625	2004
12.02.2020 10:29:55	1	1	1	1	81.25	59.5	0	30000	488.172043	14644.90528	30000	0	0	30000	39.875	2004
12.02.2020 10:29:56	1	1	1	1	81.25	59.75	0	30000	483.8709677	14644.90528	30000	0	0	30000	39.875	2004
12.02.2020 10:29:57	1	1	1	1	81.25	59.75	0	30000	488.172043	14644.90528	30000	0	0	30000	39.8125	2004
12.02.2020 10:29:58	1	1	1	1	81.25	59.75	0	29952.607	483.8709677	14644.90528	30000	0	0	30000	39.8125	2004
12.02.2020 10:29:59	1	1	1	1	81.25	59.75	0	30000	490.3225806	14644.90528	30000	0	0	30000	39.75	2004
12.02.2020 10:30:00	1	1	1	1	81.25	59.75	0	30000	483.8709677	14516.07643	30000	0	0	30000	39.3125	2004
12.02.2020 10:30:01	1	1	1	1	81.25	59.25	0	30000	488.172043	14773.73413	30000	0	0	30000	39.625	2004
12.02.2020 10:30:02	1	1	1	1	81.25	59.5	0	30000	488.172043	14902.56299	30000	0	0	30000	39.6875	2004
12.02.2020 10:30:03	1	1	1	1	81.25	59.5	0	30000	492.4731183	14622.07485	30000	0	0	30000	39.3125	2004
12.02.2020 10:30:04	1	1	1	1	81.25	59.25	0	30000	494.6236559	14773.73413	30000	0	0	30000	39.625	2004
12.02.2020 10:30:05	1	1	1	1	81	59.5	0	30094.787	494.6236559	14598.42905	30000	0	0	30000	39.1875	2004
12.02.2020 10:30:06	1	1	1	1	81	59	0	30000	488.172043	14644.90528	30000	0	0	30000	39.4375	2004
12.02.2020 10:30:07	1	1	1	1	81	59.25	0	30000	488.172043	14644.90528	30000	0	0	30000	39.9375	2004
12.02.2020 10:30:09	1	1	1	1	81	59.75	0	30000	488.172043	14644.90528	30000	0	0	30000	39.5	2004
12.02.2020 10:30:10	1	1	1	1	81	59.5	0	30000	481.7204301	14451.662	30000	0	0	30000	39.875	2004
12.02.2020 10:30:11	1	1	1	1	81	59.75	0	30000	488.172043	14644.90528	30000	0	0	30000	39.4375	2004
12.02.2020 10:30:12	1	1	1	1	81	59.25	0	30000	488.172043	14644.90528	30000	0	0	30000	39.125	2004
12.02.2020 10:30:13	1	1	1	1	81	59	0	30000	488.172043	14644.90528	30000	0	0	30000	39.8125	2004
12.02.2020 10:30:14	1	1	1	1	81	59.75	0	29952.607	481.7204301	14644.90528	30000	0	0	30000	39.8125	2004
12.02.2020 10:30:15	1	1	1	1	81	59.75	0	30000	483.8709677	14516.07643	30000	0	0	30000	39.8125	2004
12.02.2020 10:30:16	1	1	1	1	81.25	59.75	0	30000	488.172043	14644.90528	30000	0	0	30000	39.75	2004
12.02.2020 10:30:22	1	1	1	1	81.25	60	0	30000	490.3225806	14644.90528	30000	0	0	30000	39.375	2004
12.02.2020 10:30:22	1	1	1	1	81.25	60	0	30000	490.3225806	14644.90528	30000	0	0	30000	39.375	2004
12.02.2020 10:30:22	1	1	1	1	81.25	60	0	30000	490.3225806	14644.90528	30000	0	0	30000	39.375	2004
12.02.2020 10:30:22	1	1	1	1	81.25	60	0	30000	490.3225806	14644.90528	30000	0	0	30000	39.375	2004
12.02.2020 10:30:22	1	1	1	1	81.25	60	0	30000	490.3225806	14644.90528	30000	0	0	30000	39.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 10:30:22	1	1	1	1	81.25	60	0	30000	490.3225806	14644.90528	30000	0	0	30000	39.375	2004
12.02.2020 10:30:23	1	1	1	1	81.25	59.25	0	30000	494.6236559	14902.56299	30000	0	0	30000	39.75	2004
12.02.2020 10:30:24	1	1	1	1	81.25	59.75	0	30000	490.3225806	14644.90528	30000	0	0	30000	39.875	2004
12.02.2020 10:30:25	1	1	1	1	81.25	59.75	0	30000	490.3225806	14773.73413	30000	0	0	30000	39.9375	2004
12.02.2020 10:30:26	1	1	1	1	81.25	59.75	0	30000	494.6236559	14838.14856	30000	0	0	30000	39.75	2004
12.02.2020 10:30:27	1	1	1	1	81.25	59.75	0	30000	503.2258065	14902.56299	30000	0	0	30000	39.9375	2004
12.02.2020 10:30:28	1	1	1	1	81.25	59.75	0	30000	496.7741935	14879.73256	30000	0	0	30000	39.6875	2004
12.02.2020 10:30:29	1	1	1	1	81.25	59.5	0	30000	494.6236559	14838.14856	30000	0	0	30000	39.75	2004
12.02.2020 10:30:30	1	1	1	1	81.25	59.75	0	30000	494.6236559	14838.14856	30000	0	0	30000	39.6875	2004
12.02.2020 10:30:31	1	1	1	1	81.25	59.5	0	30000	337.6344086	10128.55706	30000	0	0	30000	40	2004
12.02.2020 10:30:32	1	1	1	1	81.25	60	0	30000	481.7204301	14451.662	30000	0	0	30000	40.0625	2004
12.02.2020 10:30:33	1	1	1	1	81.25	60	0	30000	529.0322581	15805.99571	30000	0	0	30000	39.625	2004
12.02.2020 10:30:34	1	1	1	1	81.25	59.5	0	29526.066	541.9354839	15937.27068	30000	0	0	30000	39.875	2004
12.02.2020 10:30:35	1	1	1	1	81.25	59.75	0	29478.673	537.6344086	16128.06784	30000	0	0	30000	39.8125	2004
12.02.2020 10:30:36	1	1	1	1	81.25	59.75	0	29810.427	535.483871	16026.96165	30000	0	0	30000	39.75	2004
12.02.2020 10:30:37	1	1	1	1	81.25	59.75	0	30000	518.2795699	15548.338	30000	0	0	30000	40.0625	2004
12.02.2020 10:30:38	1	1	1	1	81.25	60	0	30000	496.7741935	14902.56299	30000	0	0	30000	39.8125	2004
12.02.2020 10:30:39	1	1	1	1	81.25	59.75	0	30000	488.172043	14580.49085	30000	0	0	30000	39.9375	2004
12.02.2020 10:30:40	1	1	1	1	81.25	59.75	0	29952.607	492.4731183	14838.14856	30000	0	0	30000	39.9375	2004
12.02.2020 10:30:41	1	1	1	1	81.25	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	39.6875	2004
12.02.2020 10:30:42	1	1	1	1	81.25	59.5	0	30000	481.7204301	14451.662	30000	0	0	30000	39.5	2004
12.02.2020 10:30:43	1	1	1	1	81.25	59.5	0	30000	464.516129	13870.30142	30000	0	0	30000	39.9375	2004
12.02.2020 10:30:44	1	1	1	1	81.25	59.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	39.625	2004
12.02.2020 10:30:45	1	1	1	1	81.25	59.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	39.8125	2004
12.02.2020 10:30:47	1	1	1	1	81.25	59.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	40	2004
12.02.2020 10:30:48	1	1	1	1	81.25	60	0	30000	445.1612903	13354.17063	30000	0	0	30000	40	2004
12.02.2020 10:30:49	1	1	1	1	81.25	60	0	30000	453.7634409	13612.64371	30000	0	0	30000	40	2004
12.02.2020 10:30:50	1	1	1	1	81.25	60	0	30000	445.1612903	13354.17063	30000	0	0	30000	39.6875	2004
12.02.2020 10:30:51	1	1	1	1	81.25	59.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	39.6875	2004
12.02.2020 10:30:52	1	1	1	1	81.25	59.5	0	30000	464.516129	13935.53122	30000	0	0	30000	39.875	2004
12.02.2020 10:30:53	1	1	1	1	81.25	59.75	0	30000	458.0645161	13720.27288	30000	0	0	30000	39.9375	2004
12.02.2020 10:30:54	1	1	1	1	81.25	59.75	0	30000	464.516129	13677.05814	30000	0	0	30000	39.3125	2004
12.02.2020 10:30:55	1	1	1	1	81.25	59.25	0	30000	460.2150538	13805.88699	30000	0	0	30000	39.5	2004
12.02.2020 10:30:56	1	1	1	1	81.25	59.5	0	30000	464.516129	13935.53122	30000	0	0	30000	40.25	2004
12.02.2020 10:30:57	1	1	1	1	81.25	60.25	0	30047.393	466.6666667	13935.53122	30000	0	0	30000	40.125	2004
12.02.2020 10:30:58	1	1	1	1	81.25	60	0	30000	464.516129	13999.94564	30000	0	0	30000	39.9375	2004
12.02.2020 10:30:59	1	1	1	1	81.25	60	0	30000	481.7204301	14128.7745	30000	0	0	30000	39.25	2004
12.02.2020 10:31:00	1	1	1	1	81.25	59.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.0625	2004
12.02.2020 10:31:01	1	1	1	1	81.25	60	0	30000	481.7204301	14406.00114	30000	0	0	30000	40.0625	2004
12.02.2020 10:31:02	1	1	1	1	81.25	60	0	30000	481.7204301	14451.662	30000	0	0	30000	39.875	2004
12.02.2020 10:31:03	1	1	1	1	81.25	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	39.75	2004
12.02.2020 10:31:04	1	1	1	1	81.25	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	39.375	2004
12.02.2020 10:31:05	1	1	1	1	81	59.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 10:31:06	1	1	1	1	81	60	0	30000	481.7204301	14474.49243	30000	0	0	30000	39.8125	2004
12.02.2020 10:31:07	1	1	1	1	81	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	39.375	2004
12.02.2020 10:31:08	1	1	1	1	81	59.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	39.6875	2004
12.02.2020 10:31:09	1	1	1	1	81	59.5	0	30000	481.7204301	14451.662	30000	0	0	30000	39.8125	2004
12.02.2020 10:31:10	1	1	1	1	81	59.75	0	30000	486.0215054	14580.49085	30000	0	0	30000	40.0625	2004
12.02.2020 10:31:11	1	1	1	1	81	60	0	29952.607	481.7204301	14516.07643	30000	0	0	30000	40	2004
12.02.2020 10:31:12	1	1	1	1	81	60	0	30000	488.172043	14580.49085	30000	0	0	30000	40.0625	2004
12.02.2020 10:31:13	1	1	1	1	81	60	0	30000	490.3225806	14644.90528	30000	0	0	30000	39.875	2004
12.02.2020 10:31:14	1	1	1	1	81	59.75	0	30000	494.6236559	14644.90528	30000	0	0	30000	39.9375	2004
12.02.2020 10:31:15	1	1	1	1	81	59.75	0	30000	496.7741935	14838.14856	30000	0	0	30000	39.8125	2004
12.02.2020 10:31:16	1	1	1	1	81	59.75	0	30000	494.6236559	14838.14856	30000	0	0	30000	39.5625	2004
12.02.2020 10:31:17	1	1	1	1	81	59.5	0	30000	496.7741935	14902.56299	30000	0	0	30000	39.5625	2004
12.02.2020 10:31:24	1	1	1	1	81	59.75	0	30000	501.0752688	14902.56299	30000	0	0	30000	39.4375	2004
12.02.2020 10:31:24	1	1	1	1	81	59.75	0	30000	501.0752688	14902.56299	30000	0	0	30000	39.4375	2004
12.02.2020 10:31:24	1	1	1	1	81	59.75	0	30000	501.0752688	14902.56299	30000	0	0	30000	39.4375	2004
12.02.2020 10:31:24	1	1	1	1	81	59.75	0	30000	501.0752688	14902.56299	30000	0	0	30000	39.4375	2004
12.02.2020 10:31:24	1	1	1	1	81	59.75	0	30000	501.0752688	14902.56299	30000	0	0	30000	39.4375	2004
12.02.2020 10:31:24	1	1	1	1	81	59.75	0	30000	501.0752688	14902.56299	30000	0	0	30000	39.4375	2004
12.02.2020 10:31:27	1	1	1	1	81	59.75	0	30000	507.5268817	14879.73256	30000	0	0	30000	39.3125	2004
12.02.2020 10:31:27	1	1	1	1	81	59.75	0	30000	507.5268817	14879.73256	30000	0	0	30000	39.3125	2004
12.02.2020 10:31:27	1	1	1	1	81	59.75	0	30000	507.5268817	14879.73256	30000	0	0	30000	39.3125	2004
12.02.2020 10:31:28	1	1	1	1	81	59.25	0	29952.607	501.0752688	15032.20721	30000	0	0	30000	39.9375	2004
12.02.2020 10:31:29	1	1	1	1	81	59.75	0	29952.607	496.7741935	15032.20721	30000	0	0	30000	39.6875	2004
12.02.2020 10:31:30	1	1	1	1	81	59.5	0	30000	496.7741935	14902.56299	30000	0	0	30000	39.5	2004
12.02.2020 10:31:31	1	1	1	1	81	59.5	0	29905.213	501.0752688	15096.62164	30000	0	0	30000	39.75	2004
12.02.2020 10:31:32	1	1	1	1	81	59.75	0	30000	498.9247312	14879.73256	30000	0	0	30000	39.75	2004
12.02.2020 10:31:33	1	1	1	1	81	59.75	0	30000	505.3763441	15289.86492	30000	0	0	30000	39.8125	2004
12.02.2020 10:31:34	1	1	1	1	81	59.75	0	30000	505.3763441	15161.03607	30000	0	0	30000	40.5	2004
12.02.2020 10:31:35	1	1	1	1	81	60.5	0	30000	494.6236559	14750.9037	30000	0	0	30000	39.75	2004
12.02.2020 10:31:36	1	1	1	1	80.75	59.75	0	30000	496.7741935	14902.56299	30000	0	0	30000	39.5	2004
12.02.2020 10:31:37	1	1	1	1	80.75	59.5	0	29952.607	496.7741935	14902.56299	30000	0	0	30000	40.25	2004
12.02.2020 10:31:38	1	1	1	1	80.75	59.75	0	29905.213	507.5268817	15161.03607	30000	0	0	30000	39.75	2004
12.02.2020 10:31:39	1	1	1	1	80.75	59.75	0	30000	509.6774194	15354.27935	30000	0	0	30000	39.125	2004
12.02.2020 10:31:40	1	1	1	1	80.75	59	0	30000	509.6774194	15289.86492	30000	0	0	30000	39.875	2004
12.02.2020 10:31:41	1	1	1	1	80.75	59.75	0	29952.607	503.2258065	15096.62164	30000	0	0	30000	40	2004
12.02.2020 10:31:42	1	1	1	1	80.75	60	0	30000	505.3763441	15225.45049	30000	0	0	30000	39.75	2004
12.02.2020 10:31:43	1	1	1	1	80.75	59.75	0	30047.393	509.6774194	15161.03607	30000	0	0	30000	39.4375	2004
12.02.2020 10:31:44	1	1	1	1	80.75	59.25	0	30000	507.5268817	15161.03607	30000	0	0	30000	39.75	2004
12.02.2020 10:31:45	1	1	1	1	81.25	59.75	0	30000	505.3763441	15225.45049	30000	0	0	30000	39.75	2004
12.02.2020 10:31:46	1	1	1	1	81.25	59.75	0	30000	498.9247312	15032.20721	30000	0	0	30000	40	2004
12.02.2020 10:31:47	1	1	1	1	81.25	60	0	30000	503.2258065	15096.62164	30000	0	0	30000	39.875	2004
12.02.2020 10:31:48	1	1	1	1	81.25	59.75	0	30000	505.3763441	15225.45049	30000	0	0	30000	40	2004
12.02.2020 10:31:49	1	1	1	1	81.25	60	0	30000	509.6774194	15161.03607	30000	0	0	30000	39.5625	2004





	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 10:32:34	1	1	1	1	81	59.75	0	30000	490.3225806	14773.73413	30000	0	0	30000	39.8125	2004
12.02.2020 10:32:35	1	1	1	1	81	59.75	0	30000	496.7741935	14902.56299	30000	0	0	30000	40.1875	2004
12.02.2020 10:32:36	1	1	1	1	81	60	0	30000	492.4731183	14773.73413	30000	0	0	30000	40.125	2004
12.02.2020 10:32:37	1	1	1	1	81	60	0	30000	492.4731183	14773.73413	30000	0	0	30000	40	2004
12.02.2020 10:32:39	1	1	1	1	81	60	0	30000	494.6236559	14838.14856	30000	0	0	30000	39.6875	2004
12.02.2020 10:32:40	1	1	1	1	81	59.5	0	30000	492.4731183	14838.14856	30000	0	0	30000	40	2004
12.02.2020 10:32:41	1	1	1	1	81	60	0	30000	501.0752688	15032.20721	30000	0	0	30000	39.875	2004
12.02.2020 10:32:42	1	1	1	1	81	59.75	0	29952.607	496.7741935	15225.45049	30000	0	0	30000	39.875	2004
12.02.2020 10:32:43	1	1	1	1	81	59.75	0	30000	501.0752688	14902.56299	30000	0	0	30000	39.75	2004
12.02.2020 10:32:44	1	1	1	1	81	59.75	0	30000	492.4731183	14773.73413	30000	0	0	30000	39.9375	2004
12.02.2020 10:32:45	1	1	1	1	81	59.75	0	30000	496.7741935	14902.56299	30000	0	0	30000	40.0625	2004
12.02.2020 10:32:46	1	1	1	1	80.5	60	0	30000	490.3225806	14644.90528	30000	0	0	30000	40.125	2004
12.02.2020 10:32:47	1	1	1	1	80.5	60	0	30000	490.3225806	14773.73413	30000	0	0	30000	39.8125	2004
12.02.2020 10:32:48	1	1	1	1	80.5	59.75	0	30000	494.6236559	14838.14856	30000	0	0	30000	40.0625	2004
12.02.2020 10:32:49	1	1	1	1	80.5	60	0	30000	498.9247312	15096.62164	30000	0	0	30000	40.125	2004
12.02.2020 10:32:50	1	1	1	1	80.5	60	0	30000	503.2258065	15161.03607	30000	0	0	30000	39.375	2004
12.02.2020 10:32:51	1	1	1	1	80.5	59.25	0	30000	501.0752688	15032.20721	30000	0	0	30000	40.25	2004
12.02.2020 10:32:52	1	1	1	1	80.5	60.25	0	30000	494.6236559	14622.07485	30000	0	0	30000	40.125	2004
12.02.2020 10:32:53	1	1	1	1	80.5	59.5	0	30000	486.0215054	14644.90528	30000	0	0	30000	40.125	2004
12.02.2020 10:32:54	1	1	1	1	80.5	60	0	30000	486.0215054	14644.90528	30000	0	0	30000	39.75	2004
12.02.2020 10:32:55	1	1	1	1	80.5	59.75	0	30000	486.0215054	14580.49085	30000	0	0	30000	40.1875	2004
12.02.2020 10:32:56	1	1	1	1	80.5	60	0	30000	483.8709677	14516.07643	30000	0	0	30000	39.75	2004
12.02.2020 10:32:57	1	1	1	1	80.5	59.75	0	30000	490.3225806	14773.73413	30000	0	0	30000	39.5	2004
12.02.2020 10:32:58	1	1	1	1	80.5	59.5	0	30000	496.7741935	14902.56299	30000	0	0	30000	40.1875	2004
12.02.2020 10:32:59	1	1	1	1	80.5	60	0	30000	492.4731183	14773.73413	30000	0	0	30000	39.4375	2004
12.02.2020 10:33:00	1	1	1	1	80.5	59.25	0	30000	492.4731183	14838.14856	30000	0	0	30000	39.875	2004
12.02.2020 10:33:01	1	1	1	1	80.5	59.75	0	30000	488.172043	14644.90528	30000	0	0	30000	40.0625	2004
12.02.2020 10:33:02	1	1	1	1	80.5	60	0	30000	488.172043	14773.73413	30000	0	0	30000	39.1875	2004
12.02.2020 10:33:03	1	1	1	1	80.5	59	0	30000	496.7741935	14902.56299	30000	0	0	30000	39.9375	2004
12.02.2020 10:33:04	1	1	1	1	80.5	59.75	0	30000	496.7741935	14902.56299	30000	0	0	30000	39.0625	2004
12.02.2020 10:33:05	1	1	1	1	79.75	59	0	30000	501.0752688	14902.56299	30000	0	0	30000	39.75	2004
12.02.2020 10:33:06	1	1	1	1	79.75	59.75	0	30000	494.6236559	14838.14856	30000	0	0	30000	40	2004
12.02.2020 10:33:07	1	1	1	1	79.75	60	0	30000	488.172043	14644.90528	30000	0	0	30000	39.875	2004
12.02.2020 10:33:08	1	1	1	1	79.75	59.75	0	30000	494.6236559	14838.14856	30000	0	0	30000	40	2004
12.02.2020 10:33:09	1	1	1	1	79.75	60	0	30000	492.4731183	14773.73413	30000	0	0	30000	40.25	2004
12.02.2020 10:33:10	1	1	1	1	79.75	60.25	0	30000	490.3225806	14709.31971	30000	0	0	30000	39.875	2004
12.02.2020 10:33:11	1	1	1	1	79.75	59.75	0	30000	492.4731183	14773.73413	30000	0	0	30000	40.0625	2004
12.02.2020 10:33:12	1	1	1	1	79.75	60	0	30000	496.7741935	14902.56299	30000	0	0	30000	40.1875	2004
12.02.2020 10:33:13	1	1	1	1	79.75	60	0	30000	494.6236559	14902.56299	30000	0	0	30000	39.75	2004
12.02.2020 10:33:14	1	1	1	1	79.75	59.75	0	30000	496.7741935	14902.56299	30000	0	0	30000	40	2004
12.02.2020 10:33:15	1	1	1	1	80	60	0	30000	492.4731183	14773.73413	30000	0	0	30000	39.75	2004
12.02.2020 10:33:17	1	1	1	1	80	59.75	0	30000	492.4731183	14773.73413	30000	0	0	30000	40	2004
12.02.2020 10:33:18	1	1	1	1	80	60	0	30000	483.8709677	14644.90528	30000	0	0	30000	39.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 10:33:19	1	1	1	1	80	59.75	0	30000	494.6236559	14838.14856	30000	0	0	30000	39.25	2004
12.02.2020 10:33:20	1	1	1	1	80	59.25	0	30000	496.7741935	14902.56299	30000	0	0	30000	39.5	2004
12.02.2020 10:33:21	1	1	1	1	80	59.5	0	30000	496.7741935	14902.56299	30000	0	0	30000	39.75	2004
12.02.2020 10:33:27	1	1	1	1	80	59	0	29905.213	488.172043	14773.73413	30000	0	0	30000	40.0625	2004
12.02.2020 10:33:27	1	1	1	1	80	59	0	29905.213	488.172043	14773.73413	30000	0	0	30000	40.0625	2004
12.02.2020 10:33:27	1	1	1	1	80	59	0	29905.213	488.172043	14773.73413	30000	0	0	30000	40.0625	2004
12.02.2020 10:33:27	1	1	1	1	80	59	0	29905.213	488.172043	14773.73413	30000	0	0	30000	40.0625	2004
12.02.2020 10:33:27	1	1	1	1	80	59	0	29905.213	488.172043	14773.73413	30000	0	0	30000	40.0625	2004
12.02.2020 10:33:27	1	1	1	1	80	59	0	29905.213	488.172043	14773.73413	30000	0	0	30000	40.0625	2004
12.02.2020 10:33:28	1	1	1	1	80	60	0	30000	498.9247312	15032.20721	30000	0	0	30000	39.75	2004
12.02.2020 10:33:29	1	1	1	1	80	59.75	0	30000	503.2258065	15161.03607	30000	0	0	30000	40.4375	2004
12.02.2020 10:33:30	1	1	1	1	80	60.25	0	30000	501.0752688	15096.62164	30000	0	0	30000	40.125	2004
12.02.2020 10:33:31	1	1	1	1	80	60	0	30000	496.7741935	14902.56299	30000	0	0	30000	40.1875	2004
12.02.2020 10:33:32	1	1	1	1	80	60.5	0	30000	494.6236559	14902.56299	30000	0	0	30000	39.75	2004
12.02.2020 10:33:33	1	1	1	1	80	59.75	0	30000	496.7741935	14598.42905	30000	0	0	30000	40.125	2004
12.02.2020 10:33:34	1	1	1	1	80	60	0	30000	503.2258065	14815.31813	30000	0	0	30000	39.8125	2004
12.02.2020 10:33:35	1	1	1	1	80.25	59.75	0	30000	509.6774194	15289.86492	30000	0	0	30000	39.625	2004
12.02.2020 10:33:36	1	1	1	1	80.25	59.5	0	30000	505.3763441	15225.45049	30000	0	0	30000	39.8125	2004
12.02.2020 10:33:37	1	1	1	1	80.25	59.75	0	30000	505.3763441	15112.92909	30000	0	0	30000	40	2004
12.02.2020 10:33:38	1	1	1	1	80.25	60	0	30000	496.7741935	15008.56141	30000	0	0	30000	39.875	2004
12.02.2020 10:33:39	1	1	1	1	80.25	59.75	0	30000	505.3763441	15161.03607	30000	0	0	30000	39.75	2004
12.02.2020 10:33:40	1	1	1	1	80.25	59.75	0	30000	507.5268817	15483.92357	30000	0	0	30000	39.75	2004
12.02.2020 10:33:41	1	1	1	1	80.25	59.75	0	30000	509.6774194	15289.86492	30000	0	0	30000	39.625	2004
12.02.2020 10:33:42	1	1	1	1	80.25	59.5	0	30000	509.6774194	15289.86492	30000	0	0	30000	40.1875	2004
12.02.2020 10:33:43	1	1	1	1	80.25	60	0	30000	505.3763441	14879.73256	30000	0	0	30000	39.875	2004
12.02.2020 10:33:44	1	1	1	1	80.25	59.75	0	29905.213	503.2258065	15289.86492	30000	0	0	30000	40.125	2004
12.02.2020 10:33:45	1	1	1	1	79.5	60	0	30000	503.2258065	15225.45049	30000	0	0	30000	39.5625	2004
12.02.2020 10:33:46	1	1	1	1	79.5	59.5	0	30000	498.9247312	15032.20721	30000	0	0	30000	39.5	2004
12.02.2020 10:33:47	1	1	1	1	79.5	59.5	0	30000	509.6774194	15008.56141	30000	0	0	30000	40.0625	2004
12.02.2020 10:33:48	1	1	1	1	79.5	60	0	30000	509.6774194	15289.86492	30000	0	0	30000	39.8125	2004
12.02.2020 10:33:49	1	1	1	1	79.5	59.75	0	29952.607	501.0752688	15161.03607	30000	0	0	30000	39.75	2004
12.02.2020 10:33:50	1	1	1	1	79.5	59.75	0	30000	509.6774194	15289.86492	30000	0	0	30000	39.5625	2004
12.02.2020 10:33:51	1	1	1	1	79.5	59.5	0	30000	511.827957	15483.92357	30000	0	0	30000	39.75	2004
12.02.2020 10:33:52	1	1	1	1	79.5	59.75	0	30000	509.6774194	15289.86492	30000	0	0	30000	39.8125	2004
12.02.2020 10:33:53	1	1	1	1	79.5	59.75	0	30047.393	511.827957	15161.03607	30000	0	0	30000	39.75	2004
12.02.2020 10:33:55	1	1	1	1	79.5	59.75	0	30000	516.1290323	15395.04797	30000	0	0	30000	39.75	2004
12.02.2020 10:33:56	1	1	1	1	80	59.75	0	30000	511.827957	15289.86492	30000	0	0	30000	39.875	2004
12.02.2020 10:33:57	1	1	1	1	80	59.75	0	29952.607	507.5268817	15289.86492	30000	0	0	30000	39.9375	2004
12.02.2020 10:33:58	1	1	1	1	80	59.75	0	30000	509.6774194	15418.69377	30000	0	0	30000	39.9375	2004
12.02.2020 10:33:59	1	1	1	1	80	59.75	0	30000	516.1290323	15354.27935	30000	0	0	30000	39.125	2004
12.02.2020 10:34:00	1	1	1	1	80	59	0	30000	507.5268817	15289.86492	30000	0	0	30000	39.9375	2004
12.02.2020 10:34:01	1	1	1	1	80	59.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	40	2004
12.02.2020 10:34:02	1	1	1	1	80	60	0	30000	516.1290323	15483.92357	30000	0	0	30000	39.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 10:34:03	1	1	1	1	80	59.25	0	30000	511.827957	15483.92357	30000	0	0	30000	40.0625	2004
12.02.2020 10:34:04	1	1	1	1	80	60	0	30000	516.1290323	15483.92357	30000	0	0	30000	39.5	2004
12.02.2020 10:34:05	1	1	1	1	80	59.5	0	30000	516.1290323	15483.92357	30000	0	0	30000	39.3125	2004
12.02.2020 10:34:06	1	1	1	1	80	59.25	0	30000	505.3763441	15161.03607	30000	0	0	30000	40.5	2004
12.02.2020 10:34:07	1	1	1	1	80	60.5	0	30000	511.827957	15354.27935	30000	0	0	30000	39.875	2004
12.02.2020 10:34:08	1	1	1	1	80	59.75	0	30000	511.827957	15225.45049	30000	0	0	30000	40.4375	2004
12.02.2020 10:34:09	1	1	1	1	80	59.75	0	30000	507.5268817	15225.45049	30000	0	0	30000	40.1875	2004
12.02.2020 10:34:10	1	1	1	1	80	60	0	30000	507.5268817	15289.86492	30000	0	0	30000	39.125	2004
12.02.2020 10:34:11	1	1	1	1	80	59	0	30000	516.1290323	15354.27935	30000	0	0	30000	39.375	2004
12.02.2020 10:34:12	1	1	1	1	80	59.25	0	30000	507.5268817	15289.86492	30000	0	0	30000	40.1875	2004
12.02.2020 10:34:13	1	1	1	1	80	60	0	30000	516.1290323	15266.21912	30000	0	0	30000	39.75	2004
12.02.2020 10:34:14	1	1	1	1	80	59.75	0	30000	507.5268817	15161.03607	30000	0	0	30000	40.125	2004
12.02.2020 10:34:15	1	1	1	1	79.75	60	0	30000	503.2258065	15161.03607	30000	0	0	30000	40.1875	2004
12.02.2020 10:34:16	1	1	1	1	79.75	60	0	30000	507.5268817	15161.03607	30000	0	0	30000	39.75	2004
12.02.2020 10:34:17	1	1	1	1	79.75	59.75	0	29952.607	503.2258065	15225.45049	30000	0	0	30000	40.125	2004
12.02.2020 10:34:18	1	1	1	1	79.75	60	0	30000	505.3763441	15289.86492	30000	0	0	30000	39.5625	2004
12.02.2020 10:34:19	1	1	1	1	79.75	59.5	0	30000	507.5268817	15225.45049	30000	0	0	30000	40	2004
12.02.2020 10:34:20	1	1	1	1	79.75	60	0	30000	509.6774194	15289.86492	30000	0	0	30000	39.375	2004
12.02.2020 10:34:21	1	1	1	1	79.75	59.25	0	30000	511.827957	15483.92357	30000	0	0	30000	40	2004
12.02.2020 10:34:22	1	1	1	1	79.75	60	0	30000	516.1290323	15459.4624	30000	0	0	30000	39.75	2004
12.02.2020 10:34:29	1	1	1	1	79.5	60	0	30000	503.2258065	15161.03607	30000	0	0	30000	39.5625	2004
12.02.2020 10:34:29	1	1	1	1	79.5	60	0	30000	503.2258065	15161.03607	30000	0	0	30000	39.5625	2004
12.02.2020 10:34:29	1	1	1	1	79.5	60	0	30000	503.2258065	15161.03607	30000	0	0	30000	39.5625	2004
12.02.2020 10:34:29	1	1	1	1	79.5	60	0	30000	503.2258065	15161.03607	30000	0	0	30000	39.5625	2004
12.02.2020 10:34:29	1	1	1	1	79.5	60	0	30000	503.2258065	15161.03607	30000	0	0	30000	39.5625	2004
12.02.2020 10:34:29	1	1	1	1	79.5	59.5	0	30000	507.5268817	15225.45049	30000	0	0	30000	40.1875	2004
12.02.2020 10:34:30	1	1	1	1	79.5	60	0	30000	501.0752688	15032.20721	30000	0	0	30000	39.75	2004
12.02.2020 10:34:31	1	1	1	1	79.5	59.75	0	29952.607	501.0752688	15032.20721	30000	0	0	30000	39.75	2004
12.02.2020 10:34:32	1	1	1	1	79.5	59.75	0	30000	507.5268817	15225.45049	30000	0	0	30000	39.4375	2004
12.02.2020 10:34:34	1	1	1	1	79.5	59.25	0	30000	507.5268817	15225.45049	30000	0	0	30000	40.3125	2004
12.02.2020 10:34:35	1	1	1	1	79.5	60.25	0	30000	501.0752688	15096.62164	30000	0	0	30000	40.25	2004
12.02.2020 10:34:36	1	1	1	1	79.5	60.25	0	30000	496.7741935	14902.56299	30000	0	0	30000	39.875	2004
12.02.2020 10:34:37	1	1	1	1	79.5	59.75	0	30000	496.7741935	14879.73256	30000	0	0	30000	40.1875	2004
12.02.2020 10:34:38	1	1	1	1	79.5	60	0	30000	498.9247312	15032.20721	30000	0	0	30000	40.3125	2004
12.02.2020 10:34:39	1	1	1	1	79.5	60.25	0	30000	490.3225806	14644.90528	30000	0	0	30000	40.0625	2004
12.02.2020 10:34:40	1	1	1	1	79.5	60	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.0625	2004
12.02.2020 10:34:41	1	1	1	1	79.5	60	0	29905.213	481.7204301	14451.662	30000	0	0	30000	40.0625	2004
12.02.2020 10:34:42	1	1	1	1	79.5	60	0	30000	488.172043	14644.90528	30000	0	0	30000	40.25	2004
12.02.2020 10:34:43	1	1	1	1	79.5	60.25	0	30000	486.0215054	14516.07643	30000	0	0	30000	40.125	2004
12.02.2020 10:34:44	1	1	1	1	79.5	60	0	30000	486.0215054	14644.90528	30000	0	0	30000	39.9375	2004
12.02.2020 10:34:45	1	1	1	1	79.5	59.75	0	30000	488.172043	14644.90528	30000	0	0	30000	40.4375	2004
12.02.2020 10:34:46	1	1	1	1	79.75	60.25	0	30000	488.172043	14644.90528	30000	0	0	30000	40.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 10:34:47	1	1	1	1	79.75	60	0	29905.213	492.4731183	14838.14856	30000	0	0	30000	40.125	2004
12.02.2020 10:34:48	1	1	1	1	79.75	60.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	39.875	2004
12.02.2020 10:34:49	1	1	1	1	79.75	59.75	0	30000	481.7204301	14516.07643	30000	0	0	30000	39.9375	2004
12.02.2020 10:34:50	1	1	1	1	79.75	59.75	0	30000	486.0215054	14644.90528	30000	0	0	30000	39.6875	2004
12.02.2020 10:34:51	1	1	1	1	79.75	59.5	0	30000	488.172043	14516.07643	30000	0	0	30000	40	2004
12.02.2020 10:34:52	1	1	1	1	79.75	60	0	30000	481.7204301	14516.07643	30000	0	0	30000	39.6875	2004
12.02.2020 10:34:53	1	1	1	1	79.75	59.5	0	30000	481.7204301	14451.662	30000	0	0	30000	39.75	2004
12.02.2020 10:34:54	1	1	1	1	79.75	59.75	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.125	2004
12.02.2020 10:34:55	1	1	1	1	79.5	60	0	30000	483.8709677	14516.07643	30000	0	0	30000	39.75	2004
12.02.2020 10:34:56	1	1	1	1	79.5	59.75	0	29952.607	488.172043	14644.90528	30000	0	0	30000	39.8125	2004
12.02.2020 10:34:57	1	1	1	1	79.5	59.75	0	30000	488.172043	14644.90528	30000	0	0	30000	40.3125	2004
12.02.2020 10:34:58	1	1	1	1	79.5	60.25	0	29952.607	481.7204301	14451.662	30000	0	0	30000	40.25	2004
12.02.2020 10:34:59	1	1	1	1	79.5	60.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	39.4375	2004
12.02.2020 10:35:00	1	1	1	1	79.5	59.25	0	30000	488.172043	14644.90528	30000	0	0	30000	39.75	2004
12.02.2020 10:35:01	1	1	1	1	79.5	59.75	0	30000	488.172043	14644.90528	30000	0	0	30000	39.75	2004
12.02.2020 10:35:02	1	1	1	1	79.5	59.75	0	30000	488.172043	14709.31971	30000	0	0	30000	40	2004
12.02.2020 10:35:03	1	1	1	1	79.5	60	0	30000	492.4731183	14557.66042	30000	0	0	30000	40.125	2004
12.02.2020 10:35:04	1	1	1	1	79.5	60	0	30000	486.0215054	14516.07643	30000	0	0	30000	40.125	2004
12.02.2020 10:35:05	1	1	1	1	79.5	60	0	29905.213	483.8709677	14516.07643	30000	0	0	30000	39.4375	2004
12.02.2020 10:35:06	1	1	1	1	79.5	59.25	0	30000	488.172043	14644.90528	30000	0	0	30000	39.5625	2004
12.02.2020 10:35:07	1	1	1	1	79.5	59.5	0	30000	488.172043	14773.73413	30000	0	0	30000	40	2004
12.02.2020 10:35:08	1	1	1	1	79.5	60	0	29952.607	483.8709677	14493.246	30000	0	0	30000	39	2004
12.02.2020 10:35:10	1	1	1	1	79.5	59	0	30000	488.172043	14644.90528	30000	0	0	30000	40.25	2004
12.02.2020 10:35:11	1	1	1	1	79.5	60.25	0	30000	488.172043	14644.90528	30000	0	0	30000	40.0625	2004
12.02.2020 10:35:12	1	1	1	1	79.5	60	0	30000	488.172043	14644.90528	30000	0	0	30000	40.25	2004
12.02.2020 10:35:13	1	1	1	1	79.5	60.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	39.9375	2004
12.02.2020 10:35:14	1	1	1	1	79.5	59.75	0	30000	486.0215054	14516.07643	30000	0	0	30000	39.625	2004
12.02.2020 10:35:15	1	1	1	1	79.5	59.5	0	30000	488.172043	14406.00114	30000	0	0	30000	39.8125	2004
12.02.2020 10:35:16	1	1	1	1	79.25	59.75	0	30000	483.8709677	14516.07643	30000	0	0	30000	39.6875	2004
12.02.2020 10:35:17	1	1	1	1	79.25	59.5	0	30000	481.7204301	14451.662	30000	0	0	30000	39.875	2004
12.02.2020 10:35:18	1	1	1	1	79.25	59.75	0	30000	488.172043	14644.90528	30000	0	0	30000	40.25	2004
12.02.2020 10:35:19	1	1	1	1	79.25	60.25	0	30000	483.8709677	14451.662	30000	0	0	30000	38.8125	2004
12.02.2020 10:35:20	1	1	1	1	79.25	58.75	0	30000	483.8709677	14516.07643	30000	0	0	30000	39.625	2004
12.02.2020 10:35:21	1	1	1	1	79.25	59.5	0	30000	488.172043	14644.90528	30000	0	0	30000	40.125	2004
12.02.2020 10:35:22	1	1	1	1	79.25	60	0	30000	488.172043	14644.90528	30000	0	0	30000	39.5	2004
12.02.2020 10:35:23	1	1	1	1	79.25	59.5	0	30000	486.0215054	14516.07643	30000	0	0	30000	39.625	2004
12.02.2020 10:35:24	1	1	1	1	79.25	59.5	0	30000	494.6236559	14644.90528	30000	0	0	30000	40.4375	2004
12.02.2020 10:35:30	1	1	1	1	79.5	60	0	30000	483.8709677	14493.246	30000	0	0	30000	39.9375	2004
12.02.2020 10:35:31	1	1	1	1	79.5	60	0	30000	483.8709677	14493.246	30000	0	0	30000	39.9375	2004
12.02.2020 10:35:31	1	1	1	1	79.5	60	0	30000	483.8709677	14493.246	30000	0	0	30000	39.9375	2004
12.02.2020 10:35:31	1	1	1	1	79.5	60	0	30000	483.8709677	14493.246	30000	0	0	30000	39.9375	2004
12.02.2020 10:35:31	1	1	1	1	79.5	60	0	30000	483.8709677	14493.246	30000	0	0	30000	39.9375	2004
12.02.2020 10:35:31	1	1	1	1	79.5	60	0	30000	483.8709677	14493.246	30000	0	0	30000	39.9375	2004
12.02.2020 10:35:31	1	1	1	1	79.5	60	0	30000	483.8709677	14493.246	30000	0	0	30000	39.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 10:35:31	1	1	1	1	79.5	59.75	0	30000	483.8709677	14516.07643	30000	0	0	30000	39.9375	2004
12.02.2020 10:35:32	1	1	1	1	79.5	59.75	0	30047.393	490.3225806	14644.90528	30000	0	0	30000	39.125	2004
12.02.2020 10:35:33	1	1	1	1	79.5	59	0	29952.607	481.7204301	14516.07643	30000	0	0	30000	40	2004
12.02.2020 10:35:34	1	1	1	1	79.5	60	0	29952.607	481.7204301	14451.662	30000	0	0	30000	39.125	2004
12.02.2020 10:35:35	1	1	1	1	79.25	59	0	30000	481.7204301	14451.662	30000	0	0	30000	39.4375	2004
12.02.2020 10:35:36	1	1	1	1	79.25	59.25	0	30000	488.172043	14580.49085	30000	0	0	30000	39.8125	2004
12.02.2020 10:35:37	1	1	1	1	79.25	59.75	0	30000	486.0215054	14516.07643	30000	0	0	30000	39.625	2004
12.02.2020 10:35:38	1	1	1	1	79.25	59.5	0	30047.393	483.8709677	14644.90528	30000	0	0	30000	40.0625	2004
12.02.2020 10:35:39	1	1	1	1	79.25	60	0	30000	483.8709677	14516.07643	30000	0	0	30000	39.1875	2004
12.02.2020 10:35:40	1	1	1	1	79.25	59	0	30000	488.172043	14773.73413	30000	0	0	30000	39.5625	2004
12.02.2020 10:35:41	1	1	1	1	79.25	59.5	0	30000	488.172043	14644.90528	30000	0	0	30000	40.25	2004
12.02.2020 10:35:42	1	1	1	1	79.25	60.25	0	30000	492.4731183	14773.73413	30000	0	0	30000	40.3125	2004
12.02.2020 10:35:43	1	1	1	1	79.25	60.25	0	30000	496.7741935	14902.56299	30000	0	0	30000	39.75	2004
12.02.2020 10:35:44	1	1	1	1	79.25	59.75	0	30000	496.7741935	14902.56299	30000	0	0	30000	40.1875	2004
12.02.2020 10:35:45	1	1	1	1	79.25	60	0	30000	494.6236559	14598.42905	30000	0	0	30000	40.25	2004
12.02.2020 10:35:46	1	1	1	1	79.25	60.25	0	30000	498.9247312	14838.14856	30000	0	0	30000	40.0625	2004
12.02.2020 10:35:47	1	1	1	1	79.25	60	0	29952.607	481.7204301	14516.07643	30000	0	0	30000	40.125	2004
12.02.2020 10:35:48	1	1	1	1	79.25	60	0	30000	481.7204301	14451.662	30000	0	0	30000	40.3125	2004
12.02.2020 10:35:49	1	1	1	1	79.25	60.25	0	30000	488.172043	14902.56299	30000	0	0	30000	39.625	2004
12.02.2020 10:35:50	1	1	1	1	79.25	59.5	0	30000	490.3225806	14644.90528	30000	0	0	30000	40.3125	2004
12.02.2020 10:35:52	1	1	1	1	79.25	60.25	0	30000	488.172043	14644.90528	30000	0	0	30000	39.375	2004
12.02.2020 10:35:53	1	1	1	1	79.25	59.25	0	30000	492.4731183	14644.90528	30000	0	0	30000	40.3125	2004
12.02.2020 10:35:54	1	1	1	1	79.25	60.25	0	30000	490.3225806	14773.73413	30000	0	0	30000	39.3125	2004
12.02.2020 10:35:55	1	1	1	1	79.25	59.25	0	29952.607	490.3225806	14709.31971	30000	0	0	30000	39.5	2004
12.02.2020 10:35:56	1	1	1	1	79	59.5	0	30000	494.6236559	14838.14856	30000	0	0	30000	39.5625	2004
12.02.2020 10:35:57	1	1	1	1	79	59.5	0	30000	505.3763441	15032.20721	30000	0	0	30000	40.1875	2004
12.02.2020 10:35:58	1	1	1	1	79	60	0	30000	496.7741935	14902.56299	30000	0	0	30000	40.1875	2004
12.02.2020 10:35:59	1	1	1	1	79	60	0	30047.393	496.7741935	14902.56299	30000	0	0	30000	39.875	2004
12.02.2020 10:36:00	1	1	1	1	79	59.75	0	30000	498.9247312	15032.20721	30000	0	0	30000	40	2004
12.02.2020 10:36:01	1	1	1	1	79	60	0	30000	494.6236559	14902.56299	30000	0	0	30000	40.3125	2004
12.02.2020 10:36:02	1	1	1	1	79	60.25	0	30000	498.9247312	14902.56299	30000	0	0	30000	40.5625	2004
12.02.2020 10:36:03	1	1	1	1	79	60.5	0	30000	494.6236559	14902.56299	30000	0	0	30000	40	2004
12.02.2020 10:36:04	1	1	1	1	79	60	0	30000	496.7741935	14902.56299	30000	0	0	30000	40.25	2004
12.02.2020 10:36:05	1	1	1	1	79	60.25	0	30000	498.9247312	14902.56299	30000	0	0	30000	40.25	2004
12.02.2020 10:36:06	1	1	1	1	79.25	60	0	30000	490.3225806	14644.90528	30000	0	0	30000	39	2004
12.02.2020 10:36:07	1	1	1	1	79.25	59	0	29952.607	490.3225806	14773.73413	30000	0	0	30000	39.9375	2004
12.02.2020 10:36:08	1	1	1	1	79.25	59.75	0	30000	496.7741935	15032.20721	30000	0	0	30000	40.0625	2004
12.02.2020 10:36:09	1	1	1	1	79.25	60	0	30000	494.6236559	14902.56299	30000	0	0	30000	39.375	2004
12.02.2020 10:36:10	1	1	1	1	79.25	59.25	0	30000	498.9247312	14598.42905	30000	0	0	30000	39.875	2004
12.02.2020 10:36:11	1	1	1	1	79.25	59.75	0	30000	496.7741935	14902.56299	30000	0	0	30000	40.25	2004
12.02.2020 10:36:12	1	1	1	1	79.25	60.25	0	30000	501.0752688	15032.20721	30000	0	0	30000	40	2004
12.02.2020 10:36:13	1	1	1	1	79.25	60	0	30000	488.172043	14773.73413	30000	0	0	30000	39.5625	2004
12.02.2020 10:36:14	1	1	1	1	79.25	59.5	0	30000	490.3225806	14773.73413	30000	0	0	30000	39.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 10:36:15	1	1	1	1	78.75	59.25	0	30000	488.172043	14644.90528	30000	0	0	30000	40.125	2004
12.02.2020 10:36:16	1	1	1	1	78.75	60	0	30000	490.3225806	14709.31971	30000	0	0	30000	40.25	2004
12.02.2020 10:36:17	1	1	1	1	78.75	60.25	0	30000	494.6236559	14838.14856	30000	0	0	30000	39.8125	2004
12.02.2020 10:36:18	1	1	1	1	78.75	59.75	0	30000	494.6236559	15055.85302	30000	0	0	30000	40.1875	2004
12.02.2020 10:36:19	1	1	1	1	78.75	60	0	30000	496.7741935	14902.56299	30000	0	0	30000	39.9375	2004
12.02.2020 10:36:20	1	1	1	1	78.75	59.75	0	30000	498.9247312	15055.85302	30000	0	0	30000	40.125	2004
12.02.2020 10:36:21	1	1	1	1	78.75	60	0	30000	494.6236559	14838.14856	30000	0	0	30000	39.6875	2004
12.02.2020 10:36:22	1	1	1	1	78.75	59.5	0	30047.393	490.3225806	14644.90528	30000	0	0	30000	39.75	2004
12.02.2020 10:36:23	1	1	1	1	78.75	59.75	0	29905.213	481.7204301	14644.90528	30000	0	0	30000	39.3125	2004
12.02.2020 10:36:24	1	1	1	1	78.75	59.25	0	30000	488.172043	14644.90528	30000	0	0	30000	39.9375	2004
12.02.2020 10:36:25	1	1	1	1	79	59.75	0	30000	483.8709677	14709.31971	30000	0	0	30000	39	2004
12.02.2020 10:36:32	1	1	1	1	79	58.5	0	30000	503.2258065	15032.20721	30000	0	0	30000	39.875	2004
12.02.2020 10:36:32	1	1	1	1	79	58.5	0	30000	503.2258065	15032.20721	30000	0	0	30000	39.875	2004
12.02.2020 10:36:32	1	1	1	1	79	58.5	0	30000	503.2258065	15032.20721	30000	0	0	30000	39.875	2004
12.02.2020 10:36:32	1	1	1	1	79	58.5	0	30000	503.2258065	15032.20721	30000	0	0	30000	39.875	2004
12.02.2020 10:36:32	1	1	1	1	79	58.5	0	30000	503.2258065	15032.20721	30000	0	0	30000	39.875	2004
12.02.2020 10:36:32	1	1	1	1	79	58.5	0	30000	503.2258065	15032.20721	30000	0	0	30000	39.875	2004
12.02.2020 10:36:32	1	1	1	1	79	58.5	0	30000	503.2258065	15032.20721	30000	0	0	30000	39.875	2004
12.02.2020 10:36:33	1	1	1	1	79	59.75	0	30000	501.0752688	15096.62164	30000	0	0	30000	40.0625	2004
12.02.2020 10:36:34	1	1	1	1	79	60	0	30000	505.3763441	15161.03607	30000	0	0	30000	40.0625	2004
12.02.2020 10:36:35	1	1	1	1	79	60	0	30000	496.7741935	14902.56299	30000	0	0	30000	40.125	2004
12.02.2020 10:36:36	1	1	1	1	78.5	60	0	30000	501.0752688	15032.20721	30000	0	0	30000	39.875	2004
12.02.2020 10:36:37	1	1	1	1	78.5	59.75	0	30000	498.9247312	15161.03607	30000	0	0	30000	39.75	2004
12.02.2020 10:36:38	1	1	1	1	78.5	59.75	0	30000	503.2258065	14838.14856	30000	0	0	30000	39.8125	2004
12.02.2020 10:36:39	1	1	1	1	78.5	59.75	0	30000	496.7741935	14902.56299	30000	0	0	30000	40.1875	2004
12.02.2020 10:36:40	1	1	1	1	78.5	60	0	29905.213	496.7741935	15161.03607	30000	0	0	30000	40.1875	2004
12.02.2020 10:36:41	1	1	1	1	78.5	60	0	30000	496.7741935	14902.56299	30000	0	0	30000	40.375	2004
12.02.2020 10:36:42	1	1	1	1	78.5	60.25	0	30000	496.7741935	14902.56299	30000	0	0	30000	40.4375	2004
12.02.2020 10:36:43	1	1	1	1	78.5	60.25	0	30000	503.2258065	15096.62164	30000	0	0	30000	40.125	2004
12.02.2020 10:36:44	1	1	1	1	78.5	60	0	30000	501.0752688	15032.20721	30000	0	0	30000	40.625	2004
12.02.2020 10:36:45	1	1	1	1	78.5	60.5	0	30000	503.2258065	15161.03607	30000	0	0	30000	40.6875	2004
12.02.2020 10:36:46	1	1	1	1	79	60.5	0	30000	494.6236559	14902.56299	30000	0	0	30000	39.625	2004
12.02.2020 10:36:47	1	1	1	1	79	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40	2004
12.02.2020 10:36:48	1	1	1	1	79	60	0	30000	481.7204301	14451.662	30000	0	0	30000	40.25	2004
12.02.2020 10:36:49	1	1	1	1	79	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	39.8125	2004
12.02.2020 10:36:50	1	1	1	1	79	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40	2004
12.02.2020 10:36:51	1	1	1	1	79	60	0	30000	486.0215054	14516.07643	30000	0	0	30000	39.75	2004
12.02.2020 10:36:52	1	1	1	1	79	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.0625	2004
12.02.2020 10:36:53	1	1	1	1	79	60	0	30000	483.8709677	14516.07643	30000	0	0	30000	39.9375	2004
12.02.2020 10:36:54	1	1	1	1	79	59.75	0	30000	488.172043	14493.246	30000	0	0	30000	40.25	2004
12.02.2020 10:36:55	1	1	1	1	78.75	60.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.125	2004
12.02.2020 10:36:56	1	1	1	1	78.75	60	0	30000	488.172043	14580.49085	30000	0	0	30000	39.75	2004
12.02.2020 10:36:57	1	1	1	1	78.75	59.75	0	30000	488.172043	14644.90528	30000	0	0	30000	40.125	2004
12.02.2020 10:36:58	1	1	1	1	78.75	60	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 10:36:59	1	1	1	1	78.75	60.25	0	30000	486.0215054	14644.90528	30000	0	0	30000	40.25	2004
12.02.2020 10:37:00	1	1	1	1	78.75	60.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.0625	2004
12.02.2020 10:37:01	1	1	1	1	78.75	60	0	30000	488.172043	14644.90528	30000	0	0	30000	40.25	2004
12.02.2020 10:37:02	1	1	1	1	78.75	60.25	0	30000	488.172043	14644.90528	30000	0	0	30000	39.0625	2004
12.02.2020 10:37:03	1	1	1	1	78.75	59	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.0625	2004
12.02.2020 10:37:04	1	1	1	1	78.75	60	0	30000	483.8709677	14516.07643	30000	0	0	30000	39.8125	2004
12.02.2020 10:37:05	1	1	1	1	78.75	59.75	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.1875	2004
12.02.2020 10:37:07	1	1	1	1	78.75	60	0	30000	483.8709677	14603.32128	30000	0	0	30000	39.375	2004
12.02.2020 10:37:08	1	1	1	1	78.75	59.25	0	30000	488.172043	14516.07643	30000	0	0	30000	39.875	2004
12.02.2020 10:37:09	1	1	1	1	78.75	59.75	0	30000	483.8709677	14516.07643	30000	0	0	30000	39.75	2004
12.02.2020 10:37:10	1	1	1	1	78.75	59.75	0	30000	483.8709677	14516.07643	30000	0	0	30000	40	2004
12.02.2020 10:37:11	1	1	1	1	78.75	60	0	29952.607	486.0215054	14580.49085	30000	0	0	30000	40	2004
12.02.2020 10:37:12	1	1	1	1	78.75	60	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.3125	2004
12.02.2020 10:37:13	1	1	1	1	78.75	60.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	39.375	2004
12.02.2020 10:37:14	1	1	1	1	78.75	59.25	0	30000	481.7204301	14516.07643	30000	0	0	30000	40.1875	2004
12.02.2020 10:37:15	1	1	1	1	78.75	60	0	30000	481.7204301	14451.662	30000	0	0	30000	40.125	2004
12.02.2020 10:37:16	1	1	1	1	78.25	60	0	30000	481.7204301	14451.662	30000	0	0	30000	39.75	2004
12.02.2020 10:37:17	1	1	1	1	78.25	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.25	2004
12.02.2020 10:37:18	1	1	1	1	78.25	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.125	2004
12.02.2020 10:37:19	1	1	1	1	78.25	60	0	29952.607	481.7204301	14516.07643	30000	0	0	30000	40.3125	2004
12.02.2020 10:37:20	1	1	1	1	78.25	60.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	39.9375	2004
12.02.2020 10:37:21	1	1	1	1	78.25	59.75	0	30000	483.8709677	14516.07643	30000	0	0	30000	39.875	2004
12.02.2020 10:37:22	1	1	1	1	78.25	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	39.75	2004
12.02.2020 10:37:23	1	1	1	1	78.25	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.25	2004
12.02.2020 10:37:24	1	1	1	1	78.25	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.1875	2004
12.02.2020 10:37:25	1	1	1	1	78.5	60	0	30000	481.7204301	14474.49243	30000	0	0	30000	39.125	2004
12.02.2020 10:37:26	1	1	1	1	78.5	59	0	30000	481.7204301	14451.662	30000	0	0	30000	39.875	2004
12.02.2020 10:37:27	1	1	1	1	78.5	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.1875	2004
12.02.2020 10:37:34	1	1	1	1	78.5	59.25	0	30000	481.7204301	14451.662	30000	0	0	30000	39.9375	2004
12.02.2020 10:37:34	1	1	1	1	78.5	59.25	0	30000	481.7204301	14451.662	30000	0	0	30000	39.9375	2004
12.02.2020 10:37:34	1	1	1	1	78.5	59.25	0	30000	481.7204301	14451.662	30000	0	0	30000	39.9375	2004
12.02.2020 10:37:34	1	1	1	1	78.5	59.25	0	30000	481.7204301	14451.662	30000	0	0	30000	39.9375	2004
12.02.2020 10:37:34	1	1	1	1	78.5	59.25	0	30000	481.7204301	14451.662	30000	0	0	30000	39.9375	2004
12.02.2020 10:37:34	1	1	1	1	78.5	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	39.75	2004
12.02.2020 10:37:35	1	1	1	1	78.25	59.75	0	29952.607	481.7204301	14451.662	30000	0	0	30000	38.6875	2004
12.02.2020 10:37:36	1	1	1	1	78.25	58.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.1875	2004
12.02.2020 10:37:37	1	1	1	1	78.25	60	0	29952.607	481.7204301	14451.662	30000	0	0	30000	39.875	2004
12.02.2020 10:37:38	1	1	1	1	78.25	59.75	0	30000	481.7204301	14497.32286	30000	0	0	30000	39.8125	2004
12.02.2020 10:37:39	1	1	1	1	78.25	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.1875	2004
12.02.2020 10:37:40	1	1	1	1	78.25	60	0	30000	481.7204301	14451.662	30000	0	0	30000	40.375	2004
12.02.2020 10:37:41	1	1	1	1	78.25	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	39.8125	2004
12.02.2020 10:37:42	1	1	1	1	78.25	59.75	0	29952.607	481.7204301	14451.662	30000	0	0	30000	39.5625	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 10:37:43	1	1	1	1	78.25	59.5	0	30000	481.7204301	14516.07643	30000	0	0	30000	40.25	2004
12.02.2020 10:37:45	1	1	1	1	78.25	60.25	0	30000	486.0215054	14667.73571	30000	0	0	30000	40.125	2004
12.02.2020 10:37:46	1	1	1	1	78.25	60	0	30000	483.8709677	14644.90528	30000	0	0	30000	40.375	2004
12.02.2020 10:37:47	1	1	1	1	78.25	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	39.25	2004
12.02.2020 10:37:48	1	1	1	1	78.25	59.25	0	30000	481.7204301	14451.662	30000	0	0	30000	39.9375	2004
12.02.2020 10:37:49	1	1	1	1	78.25	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.125	2004
12.02.2020 10:37:50	1	1	1	1	78.25	60	0	30000	486.0215054	14516.07643	30000	0	0	30000	40.25	2004
12.02.2020 10:37:51	1	1	1	1	78.25	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	39.9375	2004
12.02.2020 10:37:52	1	1	1	1	78.25	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	39.5625	2004
12.02.2020 10:37:53	1	1	1	1	78.25	59.5	0	29905.213	481.7204301	14451.662	30000	0	0	30000	40.125	2004
12.02.2020 10:37:54	1	1	1	1	78.25	60	0	30000	481.7204301	14451.662	30000	0	0	30000	39.6875	2004
12.02.2020 10:37:55	1	1	1	1	78.25	59.5	0	29952.607	481.7204301	14451.662	30000	0	0	30000	40	2004
12.02.2020 10:37:56	1	1	1	1	78	60	0	30000	488.172043	14644.90528	30000	0	0	30000	40.1875	2004
12.02.2020 10:37:57	1	1	1	1	78	60	0	30000	481.7204301	14451.662	30000	0	0	30000	40.25	2004
12.02.2020 10:37:58	1	1	1	1	78	60.25	0	29905.213	481.7204301	14644.90528	30000	0	0	30000	39.9375	2004
12.02.2020 10:37:59	1	1	1	1	78	59.75	0	30000	488.172043	14644.90528	30000	0	0	30000	39.6875	2004
12.02.2020 10:38:00	1	1	1	1	78	59.5	0	30000	488.172043	14644.90528	30000	0	0	30000	40	2004
12.02.2020 10:38:01	1	1	1	1	78	60	0	30000	490.3225806	14644.90528	30000	0	0	30000	40.1875	2004
12.02.2020 10:38:02	1	1	1	1	78	60	0	29952.607	494.6236559	14902.56299	30000	0	0	30000	39.6875	2004
12.02.2020 10:38:03	1	1	1	1	78	59.5	0	30000	488.172043	14838.14856	30000	0	0	30000	40.25	2004
12.02.2020 10:38:04	1	1	1	1	78	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	39.4375	2004
12.02.2020 10:38:05	1	1	1	1	78	60.25	0	29952.607	481.7204301	14516.07643	30000	0	0	30000	40	2004
12.02.2020 10:38:06	1	1	1	1	78	60	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.125	2004
12.02.2020 10:38:07	1	1	1	1	78	60	0	30000	486.0215054	14516.07643	30000	0	0	30000	39.875	2004
12.02.2020 10:38:08	1	1	1	1	78	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.0625	2004
12.02.2020 10:38:09	1	1	1	1	78	60	0	30000	481.7204301	14451.662	30000	0	0	30000	40.25	2004
12.02.2020 10:38:10	1	1	1	1	78	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40	2004
12.02.2020 10:38:11	1	1	1	1	78	60	0	30000	488.172043	14644.90528	30000	0	0	30000	40.25	2004
12.02.2020 10:38:12	1	1	1	1	78	60.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.125	2004
12.02.2020 10:38:13	1	1	1	1	78	60	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.25	2004
12.02.2020 10:38:14	1	1	1	1	78	60.25	0	30094.787	488.172043	14451.662	30000	0	0	30000	39.9375	2004
12.02.2020 10:38:15	1	1	1	1	78	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	39.6875	2004
12.02.2020 10:38:16	1	1	1	1	78	59.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.0625	2004
12.02.2020 10:38:17	1	1	1	1	78	60	0	30000	486.0215054	14516.07643	30000	0	0	30000	40.25	2004
12.02.2020 10:38:18	1	1	1	1	78	60.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.0625	2004
12.02.2020 10:38:19	1	1	1	1	78	60	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.25	2004
12.02.2020 10:38:20	1	1	1	1	78	60.25	0	29952.607	486.0215054	14644.90528	30000	0	0	30000	40.1875	2004
12.02.2020 10:38:21	1	1	1	1	78	60	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.375	2004
12.02.2020 10:38:22	1	1	1	1	78	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	39.875	2004
12.02.2020 10:38:24	1	1	1	1	78	59.75	0	30000	481.7204301	14516.07643	30000	0	0	30000	39.8125	2004
12.02.2020 10:38:25	1	1	1	1	78	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	39.25	2004
12.02.2020 10:38:26	1	1	1	1	78	59.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.3125	2004
12.02.2020 10:38:27	1	1	1	1	78	60.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 10:38:28	1	1	1	1	78	60	0	30000	486.0215054	14580.49085	30000	0	0	30000	39.625	2004
12.02.2020 10:38:29	1	1	1	1	78	59.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	39.0625	2004
12.02.2020 10:38:35	1	1	1	1	78	59	0	29952.607	481.7204301	14406.00114	30000	0	0	30000	40.25	2004
12.02.2020 10:38:35	1	1	1	1	78	59	0	29952.607	481.7204301	14406.00114	30000	0	0	30000	40.25	2004
12.02.2020 10:38:35	1	1	1	1	78	59	0	29952.607	481.7204301	14406.00114	30000	0	0	30000	40.25	2004
12.02.2020 10:38:35	1	1	1	1	78	59	0	29952.607	481.7204301	14406.00114	30000	0	0	30000	40.25	2004
12.02.2020 10:38:35	1	1	1	1	78	59	0	29952.607	481.7204301	14406.00114	30000	0	0	30000	40.25	2004
12.02.2020 10:38:35	1	1	1	1	78	59	0	29952.607	481.7204301	14406.00114	30000	0	0	30000	40.25	2004
12.02.2020 10:38:36	1	1	1	1	77.75	60.25	0	30000	488.172043	14644.90528	30000	0	0	30000	39.75	2004
12.02.2020 10:38:37	1	1	1	1	77.75	59.75	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.0625	2004
12.02.2020 10:38:38	1	1	1	1	77.75	60	0	30000	481.7204301	14451.662	30000	0	0	30000	40.1875	2004
12.02.2020 10:38:39	1	1	1	1	77.75	60	0	30000	481.7204301	14451.662	30000	0	0	30000	39.6875	2004
12.02.2020 10:38:40	1	1	1	1	77.75	59.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40	2004
12.02.2020 10:38:41	1	1	1	1	77.75	60	0	30000	488.172043	14644.90528	30000	0	0	30000	40.75	2004
12.02.2020 10:38:42	1	1	1	1	77.75	60.75	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.1875	2004
12.02.2020 10:38:43	1	1	1	1	77.75	60.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	39.75	2004
12.02.2020 10:38:44	1	1	1	1	77.75	59.75	0	30000	488.172043	14469.6002	30000	0	0	30000	40.3125	2004
12.02.2020 10:38:45	1	1	1	1	78	60.25	0	30000	488.172043	14644.90528	30000	0	0	30000	40.3125	2004
12.02.2020 10:38:46	1	1	1	1	78	60.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	39.75	2004
12.02.2020 10:38:47	1	1	1	1	78	59.75	0	30000	481.7204301	14644.90528	30000	0	0	30000	40	2004
12.02.2020 10:38:48	1	1	1	1	78	60	0	30000	481.7204301	14516.07643	30000	0	0	30000	40.125	2004
12.02.2020 10:38:49	1	1	1	1	78	60	0	30000	486.0215054	14644.90528	30000	0	0	30000	39.5625	2004
12.02.2020 10:38:50	1	1	1	1	78	59.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.1875	2004
12.02.2020 10:38:51	1	1	1	1	78	60	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.0625	2004
12.02.2020 10:38:52	1	1	1	1	78	60	0	30047.393	483.8709677	14516.07643	30000	0	0	30000	39.5	2004
12.02.2020 10:38:53	1	1	1	1	78	59.5	0	30000	488.172043	14644.90528	30000	0	0	30000	39.75	2004
12.02.2020 10:38:54	1	1	1	1	78	59.75	0	30000	483.8709677	14406.00114	30000	0	0	30000	40.125	2004
12.02.2020 10:38:55	1	1	1	1	78	60	0	29905.213	481.7204301	14428.83157	30000	0	0	30000	40.1875	2004
12.02.2020 10:38:56	1	1	1	1	78	60	0	30000	481.7204301	14451.662	30000	0	0	30000	40.1875	2004
12.02.2020 10:38:57	1	1	1	1	78	60	0	30000	481.7204301	14451.662	30000	0	0	30000	40.375	2004
12.02.2020 10:38:58	1	1	1	1	78	60.25	0	30000	483.8709677	14451.662	30000	0	0	30000	39.8125	2004
12.02.2020 10:38:59	1	1	1	1	78	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	39.875	2004
12.02.2020 10:39:00	1	1	1	1	78	59.75	0	30047.393	483.8709677	14516.07643	30000	0	0	30000	39.75	2004
12.02.2020 10:39:01	1	1	1	1	78	59.75	0	30000	488.172043	14644.90528	30000	0	0	30000	40.5	2004
12.02.2020 10:39:02	1	1	1	1	78	60.5	0	30000	486.0215054	14797.37994	30000	0	0	30000	40.0625	2004
12.02.2020 10:39:03	1	1	1	1	78	60	0	30000	481.7204301	14451.662	30000	0	0	30000	40.125	2004
12.02.2020 10:39:05	1	1	1	1	78	60	0	30000	481.7204301	14451.662	30000	0	0	30000	39.6875	2004
12.02.2020 10:39:06	1	1	1	1	78	59.5	0	30000	481.7204301	14451.662	30000	0	0	30000	39.8125	2004
12.02.2020 10:39:07	1	1	1	1	78	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.125	2004
12.02.2020 10:39:08	1	1	1	1	78	60	0	29905.213	486.0215054	14580.49085	30000	0	0	30000	39.1875	2004
12.02.2020 10:39:09	1	1	1	1	78	59	0	30000	486.0215054	14516.07643	30000	0	0	30000	40.125	2004
12.02.2020 10:39:10	1	1	1	1	78	60	0	29952.607	481.7204301	14516.07643	30000	0	0	30000	39.75	2004
12.02.2020 10:39:11	1	1	1	1	78	59.75	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 10:39:12	1	1	1	1	78	60	0	30000	481.7204301	14451.662	30000	0	0	30000	39.75	2004
12.02.2020 10:39:13	1	1	1	1	78	59.75	0	29952.607	483.8709677	14516.07643	30000	0	0	30000	40.375	2004
12.02.2020 10:39:14	1	1	1	1	78	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.25	2004
12.02.2020 10:39:15	1	1	1	1	78	60.25	0	30000	483.8709677	14451.662	30000	0	0	30000	40.125	2004
12.02.2020 10:39:16	1	1	1	1	77.75	60	0	30000	481.7204301	14451.662	30000	0	0	30000	39.75	2004
12.02.2020 10:39:17	1	1	1	1	77.75	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40	2004
12.02.2020 10:39:18	1	1	1	1	77.75	60	0	30000	481.7204301	14451.662	30000	0	0	30000	40.0625	2004
12.02.2020 10:39:19	1	1	1	1	77.75	60	0	30000	481.7204301	14451.662	30000	0	0	30000	40.3125	2004
12.02.2020 10:39:20	1	1	1	1	77.75	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.75	2004
12.02.2020 10:39:21	1	1	1	1	77.75	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.125	2004
12.02.2020 10:39:22	1	1	1	1	77.75	60	0	30000	481.7204301	14451.662	30000	0	0	30000	39.8125	2004
12.02.2020 10:39:23	1	1	1	1	77.75	60.25	0	30000	483.8709677	14451.662	30000	0	0	30000	39.4375	2004
12.02.2020 10:39:24	1	1	1	1	77.75	59.25	0	30000	483.8709677	14493.246	30000	0	0	30000	40.125	2004
12.02.2020 10:39:25	1	1	1	1	77.75	60	0	29952.607	481.7204301	14516.07643	30000	0	0	30000	40	2004
12.02.2020 10:39:26	1	1	1	1	77.75	60	0	30000	483.8709677	14493.246	30000	0	0	30000	39.75	2004
12.02.2020 10:39:27	1	1	1	1	77.75	59.75	0	30094.787	496.7741935	14644.90528	30000	0	0	30000	40.25	2004
12.02.2020 10:39:28	1	1	1	1	77.75	60.25	0	30000	488.172043	14644.90528	30000	0	0	30000	40	2004
12.02.2020 10:39:29	1	1	1	1	77.75	60	0	30000	481.7204301	14451.662	30000	0	0	30000	40.3125	2004
12.02.2020 10:39:30	1	1	1	1	77.75	60.25	0	30000	481.7204301	14516.07643	30000	0	0	30000	40.0625	2004
12.02.2020 10:39:37	1	1	1	1	77.75	60	0	30000	488.172043	14644.90528	30000	0	0	30000	39.9375	2004
12.02.2020 10:39:37	1	1	1	1	77.75	60	0	30000	488.172043	14644.90528	30000	0	0	30000	39.9375	2004
12.02.2020 10:39:37	1	1	1	1	77.75	60	0	30000	488.172043	14644.90528	30000	0	0	30000	39.9375	2004
12.02.2020 10:39:37	1	1	1	1	77.75	60	0	30000	488.172043	14644.90528	30000	0	0	30000	39.9375	2004
12.02.2020 10:39:37	1	1	1	1	77.75	60	0	30000	488.172043	14644.90528	30000	0	0	30000	39.9375	2004
12.02.2020 10:39:37	1	1	1	1	77.75	60	0	30000	488.172043	14644.90528	30000	0	0	30000	39.9375	2004
12.02.2020 10:39:37	1	1	1	1	77.75	59.75	0	30047.393	494.6236559	14926.20879	30000	0	0	30000	40.4375	2004
12.02.2020 10:39:38	1	1	1	1	77.75	60.25	0	30000	494.6236559	14838.14856	30000	0	0	30000	40.375	2004
12.02.2020 10:39:39	1	1	1	1	77.75	60.25	0	30047.393	501.0752688	14773.73413	30000	0	0	30000	40.375	2004
12.02.2020 10:39:40	1	1	1	1	77.75	60.25	0	30000	492.4731183	14773.73413	30000	0	0	30000	40.375	2004
12.02.2020 10:39:41	1	1	1	1	77.75	60.25	0	29952.607	494.6236559	14773.73413	30000	0	0	30000	39.8125	2004
12.02.2020 10:39:43	1	1	1	1	77.75	59.75	0	30000	488.172043	14644.90528	30000	0	0	30000	39.8125	2004
12.02.2020 10:39:44	1	1	1	1	77.75	59.75	0	30000	488.172043	14773.73413	30000	0	0	30000	40.25	2004
12.02.2020 10:39:45	1	1	1	1	77.75	60.25	0	30000	496.7741935	14902.56299	30000	0	0	30000	40	2004
12.02.2020 10:39:46	1	1	1	1	77.5	60	0	30000	496.7741935	14902.56299	30000	0	0	30000	40.25	2004
12.02.2020 10:39:47	1	1	1	1	77.5	60.25	0	30000	494.6236559	14902.56299	30000	0	0	30000	39.4375	2004
12.02.2020 10:39:48	1	1	1	1	77.5	59.25	0	30000	486.0215054	14644.90528	30000	0	0	30000	39.8125	2004
12.02.2020 10:39:49	1	1	1	1	77.5	59.75	0	30000	483.8709677	14516.07643	30000	0	0	30000	39.75	2004
12.02.2020 10:39:50	1	1	1	1	77.5	59.75	0	29952.607	483.8709677	14516.07643	30000	0	0	30000	39.6875	2004
12.02.2020 10:39:51	1	1	1	1	77.5	59.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.375	2004
12.02.2020 10:39:52	1	1	1	1	77.5	60.25	0	30000	486.0215054	14516.07643	30000	0	0	30000	40.3125	2004
12.02.2020 10:39:53	1	1	1	1	77.5	60.25	0	30000	488.172043	14644.90528	30000	0	0	30000	39.375	2004
12.02.2020 10:39:54	1	1	1	1	77.5	59.25	0	30000	488.172043	14644.90528	30000	0	0	30000	39.75	2004
12.02.2020 10:39:55	1	1	1	1	77.5	59.75	0	30000	483.8709677	14451.662	30000	0	0	30000	40.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 10:39:56	1	1	1	1	77.25	60.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.3125	2004
12.02.2020 10:39:57	1	1	1	1	77.25	60.25	0	29952.607	486.0215054	14516.07643	30000	0	0	30000	40.8125	2004
12.02.2020 10:39:58	1	1	1	1	77.25	60.75	0	30000	486.0215054	14644.90528	30000	0	0	30000	39.75	2004
12.02.2020 10:39:59	1	1	1	1	77.25	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.0625	2004
12.02.2020 10:40:00	1	1	1	1	77.25	60	0	30000	481.7204301	14516.07643	30000	0	0	30000	40	2004
12.02.2020 10:40:01	1	1	1	1	77.25	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.3125	2004
12.02.2020 10:40:02	1	1	1	1	77.25	60.25	0	29952.607	481.7204301	14644.90528	30000	0	0	30000	40.3125	2004
12.02.2020 10:40:03	1	1	1	1	77.25	60.25	0	30094.787	483.8709677	14451.662	30000	0	0	30000	40.5	2004
12.02.2020 10:40:04	1	1	1	1	77.25	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40	2004
12.02.2020 10:40:05	1	1	1	1	77.25	60	0	30000	481.7204301	14451.662	30000	0	0	30000	40.125	2004
12.02.2020 10:40:06	1	1	1	1	77.25	60	0	30000	481.7204301	14451.662	30000	0	0	30000	40.3125	2004
12.02.2020 10:40:07	1	1	1	1	77.25	60.25	0	30000	483.8709677	14451.662	30000	0	0	30000	40.25	2004
12.02.2020 10:40:08	1	1	1	1	77.25	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	39.75	2004
12.02.2020 10:40:09	1	1	1	1	77.25	59.75	0	30000	481.7204301	14516.07643	30000	0	0	30000	40.25	2004
12.02.2020 10:40:10	1	1	1	1	77.25	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	39.625	2004
12.02.2020 10:40:11	1	1	1	1	77.25	59.5	0	29952.607	481.7204301	14451.662	30000	0	0	30000	39.75	2004
12.02.2020 10:40:12	1	1	1	1	77.25	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.3125	2004
12.02.2020 10:40:13	1	1	1	1	77.25	60.25	0	30000	470.9677419	14128.7745	30000	0	0	30000	39.75	2004
12.02.2020 10:40:14	1	1	1	1	77.25	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.25	2004
12.02.2020 10:40:15	1	1	1	1	77	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	39.625	2004
12.02.2020 10:40:16	1	1	1	1	77	59.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.1875	2004
12.02.2020 10:40:17	1	1	1	1	77	60	0	30000	481.7204301	14128.7745	30000	0	0	30000	39.5	2004
12.02.2020 10:40:18	1	1	1	1	77	59.5	0	29905.213	481.7204301	14451.662	30000	0	0	30000	40.25	2004
12.02.2020 10:40:20	1	1	1	1	77	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	39.375	2004
12.02.2020 10:40:21	1	1	1	1	77	59.25	0	30000	481.7204301	14451.662	30000	0	0	30000	39.625	2004
12.02.2020 10:40:22	1	1	1	1	77	59.5	0	30000	481.7204301	14406.00114	30000	0	0	30000	39.8125	2004
12.02.2020 10:40:23	1	1	1	1	77	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	39.1875	2004
12.02.2020 10:40:24	1	1	1	1	77	59	0	30000	481.7204301	14451.662	30000	0	0	30000	40.1875	2004
12.02.2020 10:40:25	1	1	1	1	77	60	0	30000	481.7204301	14451.662	30000	0	0	30000	39.8125	2004
12.02.2020 10:40:26	1	1	1	1	76.75	59.75	0	30000	481.7204301	14428.83157	30000	0	0	30000	40.3125	2004
12.02.2020 10:40:27	1	1	1	1	76.75	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.4375	2004
12.02.2020 10:40:28	1	1	1	1	76.75	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	39.8125	2004
12.02.2020 10:40:29	1	1	1	1	76.75	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.3125	2004
12.02.2020 10:40:30	1	1	1	1	76.75	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	39.5625	2004
12.02.2020 10:40:31	1	1	1	1	76.75	59.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.375	2004
12.02.2020 10:40:32	1	1	1	1	76.75	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.25	2004
12.02.2020 10:40:39	1	1	1	1	77.25	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	39.8125	2004
12.02.2020 10:40:39	1	1	1	1	77.25	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	39.8125	2004
12.02.2020 10:40:39	1	1	1	1	77.25	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	39.8125	2004
12.02.2020 10:40:39	1	1	1	1	77.25	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	39.8125	2004
12.02.2020 10:40:39	1	1	1	1	77.25	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	39.8125	2004
12.02.2020 10:40:39	1	1	1	1	77.25	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	39.8125	2004
12.02.2020 10:40:39	1	1	1	1	77.25	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	39.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 10:40:40	1	1	1	1	77.25	59.75	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.1875	2004
12.02.2020 10:40:41	1	1	1	1	77.25	60	0	30000	481.7204301	14451.662	30000	0	0	30000	40.125	2004
12.02.2020 10:40:42	1	1	1	1	77.25	60	0	30000	481.7204301	14451.662	30000	0	0	30000	39.0625	2004
12.02.2020 10:40:43	1	1	1	1	77.25	59	0	30000	481.7204301	14451.662	30000	0	0	30000	40.1875	2004
12.02.2020 10:40:44	1	1	1	1	77.25	60	0	30000	481.7204301	14451.662	30000	0	0	30000	40.3125	2004
12.02.2020 10:40:45	1	1	1	1	76.5	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.25	2004
12.02.2020 10:40:46	1	1	1	1	76.5	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.125	2004
12.02.2020 10:40:47	1	1	1	1	76.5	60	0	30000	468.8172043	14128.7745	30000	0	0	30000	40.125	2004
12.02.2020 10:40:48	1	1	1	1	76.5	60	0	30000	481.7204301	14406.00114	30000	0	0	30000	40.4375	2004
12.02.2020 10:40:49	1	1	1	1	76.5	60.25	0	30000	466.6666667	14128.7745	30000	0	0	30000	40.3125	2004
12.02.2020 10:40:50	1	1	1	1	76.5	60.25	0	30000	481.7204301	14428.83157	30000	0	0	30000	39.9375	2004
12.02.2020 10:40:51	1	1	1	1	76.5	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.25	2004
12.02.2020 10:40:52	1	1	1	1	76.5	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.3125	2004
12.02.2020 10:40:53	1	1	1	1	76.5	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.1875	2004
12.02.2020 10:40:54	1	1	1	1	76.5	60	0	30047.393	481.7204301	14451.662	30000	0	0	30000	40.5625	2004
12.02.2020 10:40:55	1	1	1	1	76.5	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.25	2004
12.02.2020 10:40:56	1	1	1	1	76.5	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	39.5	2004
12.02.2020 10:40:58	1	1	1	1	76.5	59.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.0625	2004
12.02.2020 10:40:59	1	1	1	1	76.5	60	0	30000	481.7204301	14451.662	30000	0	0	30000	40.0625	2004
12.02.2020 10:41:00	1	1	1	1	76.5	60	0	30047.393	481.7204301	14451.662	30000	0	0	30000	39.8125	2004
12.02.2020 10:41:01	1	1	1	1	76.5	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.3125	2004
12.02.2020 10:41:02	1	1	1	1	76.5	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.0625	2004
12.02.2020 10:41:03	1	1	1	1	76.5	60	0	30000	481.7204301	14128.7745	30000	0	0	30000	39.375	2004
12.02.2020 10:41:04	1	1	1	1	76.5	59.25	0	30000	481.7204301	14451.662	30000	0	0	30000	39.8125	2004
12.02.2020 10:41:05	1	1	1	1	76.5	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	39.75	2004
12.02.2020 10:41:06	1	1	1	1	76.25	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	39.0625	2004
12.02.2020 10:41:07	1	1	1	1	76.25	59	0	30000	481.7204301	14451.662	30000	0	0	30000	40.375	2004
12.02.2020 10:41:08	1	1	1	1	76.25	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.4375	2004
12.02.2020 10:41:09	1	1	1	1	76.25	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.125	2004
12.02.2020 10:41:10	1	1	1	1	76.25	60	0	30000	481.7204301	14451.662	30000	0	0	30000	39.875	2004
12.02.2020 10:41:11	1	1	1	1	76.25	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	39.6875	2004
12.02.2020 10:41:12	1	1	1	1	76.25	59.5	0	30000	488.172043	14644.90528	30000	0	0	30000	40.25	2004
12.02.2020 10:41:13	1	1	1	1	76.25	60.25	0	30000	490.3225806	14644.90528	30000	0	0	30000	39.875	2004
12.02.2020 10:41:14	1	1	1	1	76.25	59.75	0	30000	483.8709677	14580.49085	30000	0	0	30000	40.25	2004
12.02.2020 10:41:15	1	1	1	1	76.25	60.25	0	29952.607	481.7204301	14451.662	30000	0	0	30000	40.125	2004
12.02.2020 10:41:16	1	1	1	1	76.5	60	0	29952.607	481.7204301	14451.662	30000	0	0	30000	40.5	2004
12.02.2020 10:41:17	1	1	1	1	76.5	60.5	0	30047.393	483.8709677	14516.07643	30000	0	0	30000	39.75	2004
12.02.2020 10:41:18	1	1	1	1	76.5	60	0	30000	486.0215054	14580.49085	30000	0	0	30000	39.4375	2004
12.02.2020 10:41:19	1	1	1	1	76.5	59.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.125	2004
12.02.2020 10:41:20	1	1	1	1	76.5	60	0	30000	481.7204301	14428.83157	30000	0	0	30000	39.8125	2004
12.02.2020 10:41:21	1	1	1	1	76.5	59.75	0	29952.607	481.7204301	14406.00114	30000	0	0	30000	40.25	2004
12.02.2020 10:41:22	1	1	1	1	76.5	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.1875	2004
12.02.2020 10:41:23	1	1	1	1	76.5	60	0	30000	481.7204301	14451.662	30000	0	0	30000	40.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 10:41:24	1	1	1	1	76.5	60	0	29952.607	481.7204301	14451.662	30000	0	0	30000	39.9375	2004
12.02.2020 10:41:25	1	1	1	1	76	59.75	0	29952.607	481.7204301	14451.662	30000	0	0	30000	40.25	2004
12.02.2020 10:41:26	1	1	1	1	76	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	39.75	2004
12.02.2020 10:41:27	1	1	1	1	76	59.75	0	29905.213	464.516129	13999.94564	30000	0	0	30000	40	2004
12.02.2020 10:41:28	1	1	1	1	76	60	0	30000	468.8172043	14064.36007	30000	0	0	30000	40.4375	2004
12.02.2020 10:41:29	1	1	1	1	76	60.25	0	30000	481.7204301	14128.7745	30000	0	0	30000	39.75	2004
12.02.2020 10:41:30	1	1	1	1	76	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	39.8125	2004
12.02.2020 10:41:31	1	1	1	1	76	59.75	0	30000	468.8172043	14451.662	30000	0	0	30000	39.75	2004
12.02.2020 10:41:32	1	1	1	1	76	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	39.9375	2004
12.02.2020 10:41:33	1	1	1	1	76	59.75	0	29952.607	483.8709677	14516.07643	30000	0	0	30000	40.375	2004
12.02.2020 10:41:40	1	1	1	1	76	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	39.75	2004
12.02.2020 10:41:40	1	1	1	1	76	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	39.75	2004
12.02.2020 10:41:40	1	1	1	1	76	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	39.75	2004
12.02.2020 10:41:40	1	1	1	1	76	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	39.75	2004
12.02.2020 10:41:40	1	1	1	1	76	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	39.75	2004
12.02.2020 10:41:40	1	1	1	1	76	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	39.75	2004
12.02.2020 10:41:41	1	1	1	1	76	59.75	0	30000	468.8172043	14128.7745	30000	0	0	30000	39.8125	2004
12.02.2020 10:41:42	1	1	1	1	76	59.75	0	29952.607	466.6666667	13977.93058	30000	0	0	30000	40.4375	2004
12.02.2020 10:41:43	1	1	1	1	76	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	39.8125	2004
12.02.2020 10:41:44	1	1	1	1	76	59.75	0	29952.607	481.7204301	14451.662	30000	0	0	30000	40.125	2004
12.02.2020 10:41:45	1	1	1	1	76	60	0	30000	481.7204301	14451.662	30000	0	0	30000	39.75	2004
12.02.2020 10:41:46	1	1	1	1	75.5	59.75	0	29952.607	481.7204301	14451.662	30000	0	0	30000	40.1875	2004
12.02.2020 10:41:47	1	1	1	1	75.5	60	0	30000	481.7204301	14128.7745	30000	0	0	30000	40.0625	2004
12.02.2020 10:41:48	1	1	1	1	75.5	60	0	30000	481.7204301	14451.662	30000	0	0	30000	40.25	2004
12.02.2020 10:41:49	1	1	1	1	75.5	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	39	2004
12.02.2020 10:41:50	1	1	1	1	75.5	59	0	30000	481.7204301	14451.662	30000	0	0	30000	40.125	2004
12.02.2020 10:41:51	1	1	1	1	75.5	60	0	30000	481.7204301	14451.662	30000	0	0	30000	39.875	2004
12.02.2020 10:41:52	1	1	1	1	75.5	59.75	0	30000	481.7204301	14128.7745	30000	0	0	30000	40.375	2004
12.02.2020 10:41:53	1	1	1	1	75.5	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	39.875	2004
12.02.2020 10:41:54	1	1	1	1	75.5	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.5625	2004
12.02.2020 10:41:55	1	1	1	1	75.5	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.1875	2004
12.02.2020 10:41:56	1	1	1	1	75.5	60	0	30000	481.7204301	14451.662	30000	0	0	30000	40.5625	2004
12.02.2020 10:41:57	1	1	1	1	75.5	60	0	30000	481.7204301	14451.662	30000	0	0	30000	40.375	2004
12.02.2020 10:41:58	1	1	1	1	75.5	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.1875	2004
12.02.2020 10:41:59	1	1	1	1	75.5	60	0	30000	481.7204301	14451.662	30000	0	0	30000	40.25	2004
12.02.2020 10:42:00	1	1	1	1	75.5	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.1875	2004
12.02.2020 10:42:01	1	1	1	1	75.5	60	0	29952.607	468.8172043	14451.662	30000	0	0	30000	40.5625	2004
12.02.2020 10:42:02	1	1	1	1	75.5	60.5	0	30000	481.7204301	14128.7745	30000	0	0	30000	40.375	2004
12.02.2020 10:42:03	1	1	1	1	75.5	60.25	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.1875	2004
12.02.2020 10:42:04	1	1	1	1	75.5	60	0	30000	481.7204301	14451.662	30000	0	0	30000	39.125	2004
12.02.2020 10:42:05	1	1	1	1	75.75	59	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.3125	2004
12.02.2020 10:42:06	1	1	1	1	75.75	60.25	0	30000	468.8172043	13999.94564	30000	0	0	30000	40.3125	2004
12.02.2020 10:42:07	1	1	1	1	75.75	60.25	0	30000	481.7204301	14128.7745	30000	0	0	30000	40.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 10:42:08	1	1	1	1	75.75	60.25	0	30000	468.8172043	14128.7745	30000	0	0	30000	40.375	2004
12.02.2020 10:42:09	1	1	1	1	75.75	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.125	2004
12.02.2020 10:42:10	1	1	1	1	75.75	60	0	30000	481.7204301	14451.662	30000	0	0	30000	39.75	2004
12.02.2020 10:42:11	1	1	1	1	75.75	59.75	0	30000	468.8172043	14064.36007	30000	0	0	30000	39.8125	2004
12.02.2020 10:42:12	1	1	1	1	75.75	59.75	0	29952.607	466.6666667	14128.7745	30000	0	0	30000	40.0625	2004
12.02.2020 10:42:13	1	1	1	1	75.75	60	0	30000	481.7204301	14451.662	30000	0	0	30000	39.875	2004
12.02.2020 10:42:14	1	1	1	1	75.75	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	39.9375	2004
12.02.2020 10:42:16	1	1	1	1	75.5	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.3125	2004
12.02.2020 10:42:17	1	1	1	1	75.5	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.375	2004
12.02.2020 10:42:18	1	1	1	1	75.5	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	39.8125	2004
12.02.2020 10:42:19	1	1	1	1	75.5	59.75	0	30000	468.8172043	14128.7745	30000	0	0	30000	39	2004
12.02.2020 10:42:20	1	1	1	1	75.5	59	0	30000	481.7204301	14428.83157	30000	0	0	30000	39.4375	2004
12.02.2020 10:42:21	1	1	1	1	75.5	59.25	0	30000	481.7204301	14451.662	30000	0	0	30000	39.9375	2004
12.02.2020 10:42:22	1	1	1	1	75.5	59.75	0	30000	464.516129	13935.53122	30000	0	0	30000	40.1875	2004
12.02.2020 10:42:23	1	1	1	1	75.5	60	0	30000	466.6666667	13999.94564	30000	0	0	30000	40	2004
12.02.2020 10:42:24	1	1	1	1	75.5	60	0	29952.607	468.8172043	14128.7745	30000	0	0	30000	40	2004
12.02.2020 10:42:25	1	1	1	1	75.5	60	0	30000	481.7204301	14451.662	30000	0	0	30000	39.8125	2004
12.02.2020 10:42:26	1	1	1	1	75.25	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.3125	2004
12.02.2020 10:42:27	1	1	1	1	75.25	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40	2004
12.02.2020 10:42:28	1	1	1	1	75.25	60	0	30000	483.8709677	14516.07643	30000	0	0	30000	39.875	2004
12.02.2020 10:42:29	1	1	1	1	75.25	59.75	0	30000	483.8709677	14580.49085	30000	0	0	30000	40.1875	2004
12.02.2020 10:42:30	1	1	1	1	75.25	60	0	30000	488.172043	14644.90528	30000	0	0	30000	39.1875	2004
12.02.2020 10:42:31	1	1	1	1	75.25	59	0	30000	481.7204301	14451.662	30000	0	0	30000	40.25	2004
12.02.2020 10:42:32	1	1	1	1	75.25	60.25	0	29905.213	466.6666667	14428.83157	30000	0	0	30000	40.25	2004
12.02.2020 10:42:33	1	1	1	1	75.25	60.25	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.1875	2004
12.02.2020 10:42:34	1	1	1	1	75.25	60	0	30000	468.8172043	13999.94564	30000	0	0	30000	40.375	2004
12.02.2020 10:42:35	1	1	1	1	75.25	60.25	0	30047.393	481.7204301	14451.662	30000	0	0	30000	40.625	2004
12.02.2020 10:42:42	1	1	1	1	75.5	60.25	0	30000	464.516129	13999.94564	30000	0	0	30000	39.9375	2004
12.02.2020 10:42:42	1	1	1	1	75.5	60.25	0	30000	464.516129	13999.94564	30000	0	0	30000	39.9375	2004
12.02.2020 10:42:42	1	1	1	1	75.5	60.25	0	30000	464.516129	13999.94564	30000	0	0	30000	39.9375	2004
12.02.2020 10:42:42	1	1	1	1	75.5	60.25	0	30000	464.516129	13999.94564	30000	0	0	30000	39.9375	2004
12.02.2020 10:42:42	1	1	1	1	75.5	60.25	0	30000	464.516129	13999.94564	30000	0	0	30000	39.9375	2004
12.02.2020 10:42:42	1	1	1	1	75.5	60.25	0	30000	464.516129	13999.94564	30000	0	0	30000	39.9375	2004
12.02.2020 10:42:42	1	1	1	1	75.5	59.75	0	30047.393	466.6666667	13999.94564	30000	0	0	30000	40.125	2004
12.02.2020 10:42:43	1	1	1	1	75.5	60	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.0625	2004
12.02.2020 10:42:44	1	1	1	1	75.5	60	0	30000	468.8172043	14128.7745	30000	0	0	30000	40.25	2004
12.02.2020 10:42:45	1	1	1	1	75.5	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	39.625	2004
12.02.2020 10:42:46	1	1	1	1	75.5	59.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.5	2004
12.02.2020 10:42:47	1	1	1	1	75.5	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	39.8125	2004
12.02.2020 10:42:48	1	1	1	1	75.5	59.75	0	29952.607	466.6666667	14428.83157	30000	0	0	30000	39.8125	2004
12.02.2020 10:42:49	1	1	1	1	75.5	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.25	2004
12.02.2020 10:42:50	1	1	1	1	75.5	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.1875	2004
12.02.2020 10:42:51	1	1	1	1	75.5	60	0	30000	481.7204301	14451.662	30000	0	0	30000	40.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 10:42:54	1	1	1	1	75.5	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.375	2004
12.02.2020 10:42:54	1	1	1	1	75.5	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.375	2004
12.02.2020 10:42:55	1	1	1	1	75.5	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40	2004
12.02.2020 10:42:56	1	1	1	1	75.25	60	0	30000	481.7204301	14451.662	30000	0	0	30000	39.75	2004
12.02.2020 10:42:57	1	1	1	1	75.25	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	39.8125	2004
12.02.2020 10:42:58	1	1	1	1	75.25	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.125	2004
12.02.2020 10:42:59	1	1	1	1	75.25	60	0	30000	481.7204301	14451.662	30000	0	0	30000	39.75	2004
12.02.2020 10:43:00	1	1	1	1	75.25	59.75	0	30047.393	481.7204301	14451.662	30000	0	0	30000	40.375	2004
12.02.2020 10:43:01	1	1	1	1	75.25	60.25	0	30000	468.8172043	14128.7745	30000	0	0	30000	40.25	2004
12.02.2020 10:43:02	1	1	1	1	75.25	60.25	0	30047.393	470.9677419	14064.36007	30000	0	0	30000	39.4375	2004
12.02.2020 10:43:03	1	1	1	1	75.25	59.25	0	30000	481.7204301	14474.49243	30000	0	0	30000	39.875	2004
12.02.2020 10:43:04	1	1	1	1	75.25	59.75	0	30000	481.7204301	14128.7745	30000	0	0	30000	39.9375	2004
12.02.2020 10:43:05	1	1	1	1	75.25	59.75	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.125	2004
12.02.2020 10:43:06	1	1	1	1	75.25	60	0	30000	481.7204301	14451.662	30000	0	0	30000	39.9375	2004
12.02.2020 10:43:07	1	1	1	1	75.25	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.125	2004
12.02.2020 10:43:08	1	1	1	1	75.25	60	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.25	2004
12.02.2020 10:43:09	1	1	1	1	75.25	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.1875	2004
12.02.2020 10:43:10	1	1	1	1	75.25	60	0	29905.213	464.516129	14451.662	30000	0	0	30000	40.1875	2004
12.02.2020 10:43:11	1	1	1	1	75.25	60	0	30000	481.7204301	14451.662	30000	0	0	30000	39.8125	2004
12.02.2020 10:43:12	1	1	1	1	75.25	59.75	0	29952.607	481.7204301	14451.662	30000	0	0	30000	40.6875	2004
12.02.2020 10:43:13	1	1	1	1	75.25	60.5	0	30000	468.8172043	13999.94564	30000	0	0	30000	39.875	2004
12.02.2020 10:43:14	1	1	1	1	75.25	60	0	30000	481.7204301	13955.10015	30000	0	0	30000	39.6875	2004
12.02.2020 10:43:15	1	1	1	1	75.25	59.5	0	30000	464.516129	13935.53122	30000	0	0	30000	40.25	2004
12.02.2020 10:43:16	1	1	1	1	75.25	60.25	0	30000	466.6666667	14474.49243	30000	0	0	30000	40	2004
12.02.2020 10:43:17	1	1	1	1	75.25	60	0	30000	481.7204301	14451.662	30000	0	0	30000	40.3125	2004
12.02.2020 10:43:18	1	1	1	1	75.25	60.25	0	29952.607	481.7204301	14451.662	30000	0	0	30000	39.1875	2004
12.02.2020 10:43:19	1	1	1	1	75.25	59	0	29952.607	481.7204301	14451.662	30000	0	0	30000	40.1875	2004
12.02.2020 10:43:20	1	1	1	1	75.25	60	0	30000	481.7204301	14451.662	30000	0	0	30000	39	2004
12.02.2020 10:43:21	1	1	1	1	75.25	59	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.125	2004
12.02.2020 10:43:22	1	1	1	1	75.25	60	0	30000	481.7204301	14451.662	30000	0	0	30000	40.25	2004
12.02.2020 10:43:23	1	1	1	1	75.25	60.25	0	29952.607	481.7204301	13955.10015	30000	0	0	30000	40.3125	2004
12.02.2020 10:43:24	1	1	1	1	75.25	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.125	2004
12.02.2020 10:43:25	1	1	1	1	74.75	60	0	30000	481.7204301	14451.662	30000	0	0	30000	40.25	2004
12.02.2020 10:43:26	1	1	1	1	74.75	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	39.875	2004
12.02.2020 10:43:27	1	1	1	1	74.75	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	39.9375	2004
12.02.2020 10:43:28	1	1	1	1	74.75	59.75	0	29952.607	468.8172043	14451.662	30000	0	0	30000	40	2004
12.02.2020 10:43:29	1	1	1	1	74.75	60	0	30000	481.7204301	13955.10015	30000	0	0	30000	39.6875	2004
12.02.2020 10:43:30	1	1	1	1	74.75	59.5	0	30000	481.7204301	14428.83157	30000	0	0	30000	39.9375	2004
12.02.2020 10:43:32	1	1	1	1	74.75	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	39.25	2004
12.02.2020 10:43:33	1	1	1	1	74.75	59.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.25	2004
12.02.2020 10:43:34	1	1	1	1	74.75	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.3125	2004
12.02.2020 10:43:35	1	1	1	1	74.75	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.25	2004
12.02.2020 10:43:36	1	1	1	1	75	60.25	0	30000	468.8172043	14451.662	30000	0	0	30000	40	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 10:43:37	1	1	1	1	75	60	0	29952.607	466.6666667	14064.36007	30000	0	0	30000	40.375	2004
12.02.2020 10:43:44	1	1	1	1	75	60.25	0	30000	464.516129	13935.53122	30000	0	0	30000	40.1875	2004
12.02.2020 10:43:44	1	1	1	1	75	60.25	0	30000	464.516129	13935.53122	30000	0	0	30000	40.1875	2004
12.02.2020 10:43:44	1	1	1	1	75	60.25	0	30000	464.516129	13935.53122	30000	0	0	30000	40.1875	2004
12.02.2020 10:43:44	1	1	1	1	75	60.25	0	30000	464.516129	13935.53122	30000	0	0	30000	40.1875	2004
12.02.2020 10:43:44	1	1	1	1	75	60.25	0	30000	464.516129	13935.53122	30000	0	0	30000	40.1875	2004
12.02.2020 10:43:44	1	1	1	1	75	60	0	30000	464.516129	13935.53122	30000	0	0	30000	39.4375	2004
12.02.2020 10:43:45	1	1	1	1	75	59.25	0	29952.607	481.7204301	14106.75944	30000	0	0	30000	39.9375	2004
12.02.2020 10:43:46	1	1	1	1	74.75	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	39.9375	2004
12.02.2020 10:43:47	1	1	1	1	74.75	59.75	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.4375	2004
12.02.2020 10:43:48	1	1	1	1	74.75	60.25	0	30000	468.8172043	14128.7745	30000	0	0	30000	40.375	2004
12.02.2020 10:43:49	1	1	1	1	74.75	60.25	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.5	2004
12.02.2020 10:43:50	1	1	1	1	74.75	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.0625	2004
12.02.2020 10:43:51	1	1	1	1	74.75	60	0	30000	481.7204301	14451.662	30000	0	0	30000	40.625	2004
12.02.2020 10:43:52	1	1	1	1	74.75	59.75	0	30000	468.8172043	14451.662	30000	0	0	30000	40.25	2004
12.02.2020 10:43:53	1	1	1	1	74.75	60.25	0	30000	481.7204301	14128.7745	30000	0	0	30000	39.9375	2004
12.02.2020 10:43:54	1	1	1	1	74.75	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.125	2004
12.02.2020 10:43:55	1	1	1	1	74.75	60	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.125	2004
12.02.2020 10:43:56	1	1	1	1	74.75	60	0	30000	481.7204301	14451.662	30000	0	0	30000	40.3125	2004
12.02.2020 10:43:57	1	1	1	1	74.75	60.25	0	29952.607	466.6666667	13999.94564	30000	0	0	30000	40.1875	2004
12.02.2020 10:43:58	1	1	1	1	74.75	60	0	30000	481.7204301	14451.662	30000	0	0	30000	40.0625	2004
12.02.2020 10:43:59	1	1	1	1	74.75	60	0	29952.607	481.7204301	14451.662	30000	0	0	30000	40.125	2004
12.02.2020 10:44:00	1	1	1	1	74.75	60	0	30000	481.7204301	14428.83157	30000	0	0	30000	40.375	2004
12.02.2020 10:44:01	1	1	1	1	74.75	60.25	0	30047.393	468.8172043	13999.94564	30000	0	0	30000	39.6875	2004
12.02.2020 10:44:02	1	1	1	1	74.75	59.5	0	29952.607	464.516129	13999.94564	30000	0	0	30000	39.375	2004
12.02.2020 10:44:03	1	1	1	1	74.75	59.25	0	30000	464.516129	14021.9607	30000	0	0	30000	40.1875	2004
12.02.2020 10:44:04	1	1	1	1	74.75	60	0	30000	464.516129	13999.94564	30000	0	0	30000	40.4375	2004
12.02.2020 10:44:05	1	1	1	1	74.75	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.375	2004
12.02.2020 10:44:06	1	1	1	1	74.75	60.25	0	29952.607	481.7204301	14106.75944	30000	0	0	30000	40.125	2004
12.02.2020 10:44:07	1	1	1	1	74.75	60	0	30000	481.7204301	14451.662	30000	0	0	30000	39.4375	2004
12.02.2020 10:44:08	1	1	1	1	74.75	59.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.3125	2004
12.02.2020 10:44:10	1	1	1	1	74.75	60.25	0	30000	468.8172043	14451.662	30000	0	0	30000	40.25	2004
12.02.2020 10:44:11	1	1	1	1	74.75	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.375	2004
12.02.2020 10:44:12	1	1	1	1	74.75	60.25	0	29905.213	481.7204301	14428.83157	30000	0	0	30000	40.25	2004
12.02.2020 10:44:13	1	1	1	1	74.75	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.1875	2004
12.02.2020 10:44:14	1	1	1	1	74.75	60	0	29952.607	481.7204301	14451.662	30000	0	0	30000	40.1875	2004
12.02.2020 10:44:15	1	1	1	1	74.75	60	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.4375	2004
12.02.2020 10:44:16	1	1	1	1	75	60.25	0	30000	464.516129	13935.53122	30000	0	0	30000	40	2004
12.02.2020 10:44:17	1	1	1	1	75	60	0	29952.607	481.7204301	14451.662	30000	0	0	30000	39.75	2004
12.02.2020 10:44:18	1	1	1	1	75	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	39.75	2004
12.02.2020 10:44:19	1	1	1	1	75	59.75	0	30000	464.516129	13935.53122	30000	0	0	30000	40.125	2004
12.02.2020 10:44:20	1	1	1	1	75	60	0	30000	470.9677419	14451.662	30000	0	0	30000	40.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 10:44:21	1	1	1	1	75	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	39.8125	2004
12.02.2020 10:44:22	1	1	1	1	75	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.1875	2004
12.02.2020 10:44:23	1	1	1	1	75	60	0	30000	481.7204301	14128.7745	30000	0	0	30000	40.3125	2004
12.02.2020 10:44:24	1	1	1	1	75	60.25	0	29905.213	464.516129	13935.53122	30000	0	0	30000	39.75	2004
12.02.2020 10:44:25	1	1	1	1	75	59.75	0	29952.607	464.516129	13913.51616	30000	0	0	30000	40.25	2004
12.02.2020 10:44:26	1	1	1	1	74.75	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	39.6875	2004
12.02.2020 10:44:27	1	1	1	1	74.75	59.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.3125	2004
12.02.2020 10:44:28	1	1	1	1	74.75	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	39.9375	2004
12.02.2020 10:44:29	1	1	1	1	74.75	59.75	0	30000	481.7204301	14128.7745	30000	0	0	30000	39.875	2004
12.02.2020 10:44:30	1	1	1	1	74.75	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40	2004
12.02.2020 10:44:31	1	1	1	1	74.75	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	39.125	2004
12.02.2020 10:44:32	1	1	1	1	74.75	59	0	30000	481.7204301	14451.662	30000	0	0	30000	40.3125	2004
12.02.2020 10:44:33	1	1	1	1	74.75	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.125	2004
12.02.2020 10:44:34	1	1	1	1	74.75	60	0	30000	481.7204301	14451.662	30000	0	0	30000	39.4375	2004
12.02.2020 10:44:35	1	1	1	1	74.75	59.25	0	30047.393	481.7204301	14128.7745	30000	0	0	30000	40.4375	2004
12.02.2020 10:44:36	1	1	1	1	74.75	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	39.75	2004
12.02.2020 10:44:37	1	1	1	1	74.75	59.75	0	29952.607	481.7204301	14451.662	30000	0	0	30000	39.4375	2004
12.02.2020 10:44:38	1	1	1	1	74.75	59.25	0	30000	481.7204301	14451.662	30000	0	0	30000	39.8125	2004
12.02.2020 10:44:46	1	1	1	1	74.5	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.3125	2004
12.02.2020 10:44:46	1	1	1	1	74.5	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.3125	2004
12.02.2020 10:44:46	1	1	1	1	74.5	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.3125	2004
12.02.2020 10:44:46	1	1	1	1	74.5	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.3125	2004
12.02.2020 10:44:46	1	1	1	1	74.5	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.3125	2004
12.02.2020 10:44:46	1	1	1	1	74.5	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.3125	2004
12.02.2020 10:44:46	1	1	1	1	74.5	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.3125	2004
12.02.2020 10:44:46	1	1	1	1	74.5	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.3125	2004
12.02.2020 10:44:48	1	1	1	1	74.5	60.25	0	30000	468.8172043	14064.36007	30000	0	0	30000	39.5625	2004
12.02.2020 10:44:49	1	1	1	1	74.5	59.5	0	30000	468.8172043	14128.7745	30000	0	0	30000	39.8125	2004
12.02.2020 10:44:50	1	1	1	1	74.5	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.3125	2004
12.02.2020 10:44:51	1	1	1	1	74.5	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.375	2004
12.02.2020 10:44:52	1	1	1	1	74.5	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.375	2004
12.02.2020 10:44:53	1	1	1	1	74.5	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.3125	2004
12.02.2020 10:44:54	1	1	1	1	74.5	60.25	0	30000	468.8172043	14064.36007	30000	0	0	30000	40.4375	2004
12.02.2020 10:44:55	1	1	1	1	74.5	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40	2004
12.02.2020 10:44:56	1	1	1	1	74.5	60	0	30000	481.7204301	14451.662	30000	0	0	30000	40	2004
12.02.2020 10:44:57	1	1	1	1	74.5	60	0	30000	481.7204301	14451.662	30000	0	0	30000	40.25	2004
12.02.2020 10:44:58	1	1	1	1	74.5	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	39.625	2004
12.02.2020 10:44:59	1	1	1	1	74.5	59.5	0	30047.393	481.7204301	14064.36007	30000	0	0	30000	40.375	2004
12.02.2020 10:45:00	1	1	1	1	74.5	60.25	0	30000	466.6666667	13935.53122	30000	0	0	30000	40.4375	2004
12.02.2020 10:45:01	1	1	1	1	74.5	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.375	2004
12.02.2020 10:45:02	1	1	1	1	74.5	60.25	0	30000	481.7204301	14516.07643	30000	0	0	30000	40.125	2004
12.02.2020 10:45:03	1	1	1	1	74.5	60	0	30000	481.7204301	14451.662	30000	0	0	30000	40.0625	2004
12.02.2020 10:45:04	1	1	1	1	74.5	60	0	30000	481.7204301	14451.662	30000	0	0	30000	40.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 10:45:05	1	1	1	1	74.5	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	39.25	2004
12.02.2020 10:45:06	1	1	1	1	74.5	59.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.4375	2004
12.02.2020 10:45:07	1	1	1	1	74.5	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	39.875	2004
12.02.2020 10:45:08	1	1	1	1	74.5	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.5	2004
12.02.2020 10:45:09	1	1	1	1	74.5	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.3125	2004
12.02.2020 10:45:10	1	1	1	1	74.5	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.125	2004
12.02.2020 10:45:11	1	1	1	1	74.5	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.1875	2004
12.02.2020 10:45:12	1	1	1	1	74.5	60	0	30000	481.7204301	14516.07643	30000	0	0	30000	40.0625	2004
12.02.2020 10:45:13	1	1	1	1	74.5	60	0	30000	481.7204301	14451.662	30000	0	0	30000	40.3125	2004
12.02.2020 10:45:14	1	1	1	1	74.5	60.25	0	30000	481.7204301	14428.83157	30000	0	0	30000	40.375	2004
12.02.2020 10:45:15	1	1	1	1	74.5	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.0625	2004
12.02.2020 10:45:16	1	1	1	1	74.5	60	0	30000	481.7204301	14451.662	30000	0	0	30000	40.3125	2004
12.02.2020 10:45:17	1	1	1	1	74.5	60.25	0	29952.607	481.7204301	14451.662	30000	0	0	30000	39.75	2004
12.02.2020 10:45:18	1	1	1	1	74.5	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.4375	2004
12.02.2020 10:45:19	1	1	1	1	74.5	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40	2004
12.02.2020 10:45:20	1	1	1	1	74.5	60	0	29952.607	481.7204301	14451.662	30000	0	0	30000	40.3125	2004
12.02.2020 10:45:21	1	1	1	1	74.5	60.25	0	30047.393	492.4731183	14516.07643	30000	0	0	30000	39.5	2004
12.02.2020 10:45:22	1	1	1	1	74.5	59.5	0	29952.607	481.7204301	14451.662	30000	0	0	30000	40	2004
12.02.2020 10:45:24	1	1	1	1	74.5	60	0	30000	481.7204301	14451.662	30000	0	0	30000	39.9375	2004
12.02.2020 10:45:25	1	1	1	1	74.5	59.75	0	29905.213	481.7204301	14451.662	30000	0	0	30000	39.4375	2004
12.02.2020 10:45:26	1	1	1	1	74	59.25	0	30000	481.7204301	14428.83157	30000	0	0	30000	39.4375	2004
12.02.2020 10:45:27	1	1	1	1	74	59.25	0	29952.607	481.7204301	14451.662	30000	0	0	30000	40.0625	2004
12.02.2020 10:45:28	1	1	1	1	74	60	0	30000	481.7204301	14451.662	30000	0	0	30000	39.9375	2004
12.02.2020 10:45:29	1	1	1	1	74	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40	2004
12.02.2020 10:45:30	1	1	1	1	74	60	0	30000	481.7204301	14451.662	30000	0	0	30000	40.3125	2004
12.02.2020 10:45:31	1	1	1	1	74	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	39.9375	2004
12.02.2020 10:45:32	1	1	1	1	74	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.0625	2004
12.02.2020 10:45:33	1	1	1	1	74	60	0	30000	481.7204301	14451.662	30000	0	0	30000	40.375	2004
12.02.2020 10:45:34	1	1	1	1	74	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.4375	2004
12.02.2020 10:45:35	1	1	1	1	74	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.5	2004
12.02.2020 10:45:36	1	1	1	1	74	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.0625	2004
12.02.2020 10:45:37	1	1	1	1	74	60	0	29952.607	481.7204301	14406.00114	30000	0	0	30000	40.25	2004
12.02.2020 10:45:38	1	1	1	1	74	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.125	2004
12.02.2020 10:45:39	1	1	1	1	74	60	0	30000	481.7204301	14451.662	30000	0	0	30000	40.5	2004
12.02.2020 10:45:40	1	1	1	1	74	60.5	0	29952.607	468.8172043	14083.92901	30000	0	0	30000	40.4375	2004
12.02.2020 10:45:47	1	1	1	1	74.25	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.6875	2004
12.02.2020 10:45:47	1	1	1	1	74.25	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.6875	2004
12.02.2020 10:45:47	1	1	1	1	74.25	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.6875	2004
12.02.2020 10:45:47	1	1	1	1	74.25	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.6875	2004
12.02.2020 10:45:47	1	1	1	1	74.25	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.6875	2004
12.02.2020 10:45:47	1	1	1	1	74.25	60	0	30000	481.7204301	14451.662	30000	0	0	30000	39.625	2004
12.02.2020 10:45:48	1	1	1	1	74.25	59.5	0	30000	470.9677419	14064.36007	30000	0	0	30000	40.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 10:45:49	1	1	1	1	74.25	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.0625	2004
12.02.2020 10:45:50	1	1	1	1	74.25	60	0	30000	481.7204301	14428.83157	30000	0	0	30000	40.25	2004
12.02.2020 10:45:51	1	1	1	1	74.25	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	39.875	2004
12.02.2020 10:45:52	1	1	1	1	74.25	59.75	0	29952.607	468.8172043	14128.7745	30000	0	0	30000	40.25	2004
12.02.2020 10:45:53	1	1	1	1	74.25	60.25	0	30047.393	470.9677419	14086.37513	30000	0	0	30000	40.3125	2004
12.02.2020 10:45:54	1	1	1	1	74.25	60.25	0	30047.393	481.7204301	14497.32286	30000	0	0	30000	40	2004
12.02.2020 10:45:55	1	1	1	1	73.5	60	0	30000	466.6666667	13999.94564	30000	0	0	30000	40	2004
12.02.2020 10:45:56	1	1	1	1	73.5	60	0	30000	468.8172043	13999.94564	30000	0	0	30000	40.1875	2004
12.02.2020 10:45:57	1	1	1	1	73.5	60	0	30000	481.7204301	14451.662	30000	0	0	30000	40.3125	2004
12.02.2020 10:45:58	1	1	1	1	73.5	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.25	2004
12.02.2020 10:45:59	1	1	1	1	73.5	60.25	0	29905.213	464.516129	14451.662	30000	0	0	30000	39.5625	2004
12.02.2020 10:46:00	1	1	1	1	73.5	59.5	0	30000	464.516129	13935.53122	30000	0	0	30000	39.8125	2004
12.02.2020 10:46:01	1	1	1	1	73.5	59.75	0	30000	464.516129	13935.53122	30000	0	0	30000	40.5625	2004
12.02.2020 10:46:03	1	1	1	1	73.5	60.5	0	29952.607	466.6666667	13999.94564	30000	0	0	30000	40.5625	2004
12.02.2020 10:46:04	1	1	1	1	73.5	60.5	0	30000	468.8172043	14128.7745	30000	0	0	30000	39.9375	2004
12.02.2020 10:46:05	1	1	1	1	73.5	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.5625	2004
12.02.2020 10:46:06	1	1	1	1	74.25	60.5	0	30000	468.8172043	14064.36007	30000	0	0	30000	40.3125	2004
12.02.2020 10:46:07	1	1	1	1	74.25	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.3125	2004
12.02.2020 10:46:08	1	1	1	1	74.25	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.1875	2004
12.02.2020 10:46:09	1	1	1	1	74.25	60	0	30000	481.7204301	14128.7745	30000	0	0	30000	39.875	2004
12.02.2020 10:46:10	1	1	1	1	74.25	59.75	0	30000	466.6666667	13999.94564	30000	0	0	30000	39	2004
12.02.2020 10:46:11	1	1	1	1	74.25	59	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.5625	2004
12.02.2020 10:46:12	1	1	1	1	74.25	60.5	0	30000	468.8172043	14064.36007	30000	0	0	30000	40	2004
12.02.2020 10:46:13	1	1	1	1	74.25	60	0	30000	481.7204301	14451.662	30000	0	0	30000	40.1875	2004
12.02.2020 10:46:14	1	1	1	1	74.25	60	0	30000	481.7204301	14128.7745	30000	0	0	30000	39.3125	2004
12.02.2020 10:46:15	1	1	1	1	74.25	59.25	0	30000	468.8172043	14451.662	30000	0	0	30000	39.625	2004
12.02.2020 10:46:16	1	1	1	1	73.5	59.5	0	30000	464.516129	13935.53122	30000	0	0	30000	40.1875	2004
12.02.2020 10:46:17	1	1	1	1	73.5	60	0	29905.213	464.516129	14451.662	30000	0	0	30000	40.4375	2004
12.02.2020 10:46:18	1	1	1	1	73.5	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	39.8125	2004
12.02.2020 10:46:19	1	1	1	1	73.5	59.75	0	30000	464.516129	13999.94564	30000	0	0	30000	39.25	2004
12.02.2020 10:46:20	1	1	1	1	73.5	59.25	0	30000	468.8172043	14064.36007	30000	0	0	30000	40.4375	2004
12.02.2020 10:46:21	1	1	1	1	73.5	60.25	0	30000	481.7204301	14128.7745	30000	0	0	30000	40.375	2004
12.02.2020 10:46:22	1	1	1	1	73.5	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	39.4375	2004
12.02.2020 10:46:23	1	1	1	1	73.5	59.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.3125	2004
12.02.2020 10:46:24	1	1	1	1	73.5	60.25	0	30000	466.6666667	14128.7745	30000	0	0	30000	40.375	2004
12.02.2020 10:46:25	1	1	1	1	73.5	60.25	0	30000	466.6666667	13999.94564	30000	0	0	30000	39.875	2004
12.02.2020 10:46:26	1	1	1	1	73.5	60.75	0	30047.393	468.8172043	14086.37513	30000	0	0	30000	40	2004
12.02.2020 10:46:27	1	1	1	1	73.5	60	0	30000	481.7204301	14451.662	30000	0	0	30000	40.3125	2004
12.02.2020 10:46:28	1	1	1	1	73.5	60.25	0	30000	468.8172043	14128.7745	30000	0	0	30000	40.4375	2004
12.02.2020 10:46:29	1	1	1	1	73.5	60.25	0	30000	468.8172043	14064.36007	30000	0	0	30000	40.3125	2004
12.02.2020 10:46:30	1	1	1	1	73.5	60.25	0	30047.393	481.7204301	14474.49243	30000	0	0	30000	39.875	2004
12.02.2020 10:46:31	1	1	1	1	73.5	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	39.8125	2004
12.02.2020 10:46:32	1	1	1	1	73.5	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 10:46:33	1	1	1	1	73.5	60.25	0	30000	481.7204301	14128.7745	30000	0	0	30000	39.75	2004
12.02.2020 10:46:34	1	1	1	1	73.5	59.75	0	30000	468.8172043	13999.94564	30000	0	0	30000	40	2004
12.02.2020 10:46:35	1	1	1	1	73.25	60	0	30000	466.6666667	13999.94564	30000	0	0	30000	39.6875	2004
12.02.2020 10:46:36	1	1	1	1	73.25	59.5	0	30000	481.7204301	14451.662	30000	0	0	30000	39.875	2004
12.02.2020 10:46:37	1	1	1	1	73.25	59.75	0	30000	464.516129	13935.53122	30000	0	0	30000	40.3125	2004
12.02.2020 10:46:38	1	1	1	1	73.25	60.25	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.25	2004
12.02.2020 10:46:40	1	1	1	1	73.25	60.25	0	29952.607	466.6666667	13999.94564	30000	0	0	30000	40.4375	2004
12.02.2020 10:46:41	1	1	1	1	73.25	60.25	0	30000	468.8172043	13977.93058	30000	0	0	30000	40.0625	2004
12.02.2020 10:46:42	1	1	1	1	73.25	60	0	30000	468.8172043	14128.7745	30000	0	0	30000	39.9375	2004
12.02.2020 10:46:48	1	1	1	1	73.5	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.25	2004
12.02.2020 10:46:48	1	1	1	1	73.5	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.25	2004
12.02.2020 10:46:48	1	1	1	1	73.5	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.25	2004
12.02.2020 10:46:48	1	1	1	1	73.5	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.25	2004
12.02.2020 10:46:48	1	1	1	1	73.5	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.25	2004
12.02.2020 10:46:48	1	1	1	1	73.5	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.25	2004
12.02.2020 10:46:49	1	1	1	1	73.5	60.25	0	30000	481.7204301	14128.7745	30000	0	0	30000	40.4375	2004
12.02.2020 10:46:50	1	1	1	1	73.5	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.4375	2004
12.02.2020 10:46:51	1	1	1	1	73.5	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.125	2004
12.02.2020 10:46:52	1	1	1	1	73.5	60	0	30047.393	481.7204301	14128.7745	30000	0	0	30000	40.125	2004
12.02.2020 10:46:53	1	1	1	1	73.5	60	0	30000	481.7204301	14451.662	30000	0	0	30000	40.4375	2004
12.02.2020 10:46:54	1	1	1	1	73.5	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.3125	2004
12.02.2020 10:46:55	1	1	1	1	73.5	60.25	0	30000	481.7204301	13955.10015	30000	0	0	30000	40.3125	2004
12.02.2020 10:46:56	1	1	1	1	73.25	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.4375	2004
12.02.2020 10:46:57	1	1	1	1	73.25	60.25	0	29952.607	481.7204301	14451.662	30000	0	0	30000	40.375	2004
12.02.2020 10:46:58	1	1	1	1	73.25	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.1875	2004
12.02.2020 10:46:59	1	1	1	1	73.25	60	0	30000	466.6666667	13935.53122	30000	0	0	30000	40.5	2004
12.02.2020 10:47:00	1	1	1	1	73.25	60.5	0	30000	468.8172043	14128.7745	30000	0	0	30000	39.875	2004
12.02.2020 10:47:01	1	1	1	1	73.25	59.75	0	30000	468.8172043	14064.36007	30000	0	0	30000	39.5	2004
12.02.2020 10:47:02	1	1	1	1	73.25	59.5	0	30000	468.8172043	14451.662	30000	0	0	30000	40.625	2004
12.02.2020 10:47:03	1	1	1	1	73.25	60.75	0	30000	468.8172043	14064.36007	30000	0	0	30000	39.25	2004
12.02.2020 10:47:04	1	1	1	1	73.25	59.25	0	29952.607	481.7204301	14451.662	30000	0	0	30000	39.3125	2004
12.02.2020 10:47:05	1	1	1	1	73.25	59.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.3125	2004
12.02.2020 10:47:06	1	1	1	1	73.25	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.25	2004
12.02.2020 10:47:07	1	1	1	1	73.25	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.1875	2004
12.02.2020 10:47:08	1	1	1	1	73.25	60	0	29905.213	468.8172043	14451.662	30000	0	0	30000	39.75	2004
12.02.2020 10:47:09	1	1	1	1	73.25	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40	2004
12.02.2020 10:47:10	1	1	1	1	73.25	60	0	29905.213	468.8172043	13977.93058	30000	0	0	30000	40.5	2004
12.02.2020 10:47:11	1	1	1	1	73.25	60.5	0	30000	466.6666667	13999.94564	30000	0	0	30000	39.875	2004
12.02.2020 10:47:12	1	1	1	1	73.25	59.75	0	30000	468.8172043	13977.93058	30000	0	0	30000	40.125	2004
12.02.2020 10:47:13	1	1	1	1	73.25	60	0	30000	481.7204301	14451.662	30000	0	0	30000	40.375	2004
12.02.2020 10:47:14	1	1	1	1	73.25	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	39.875	2004
12.02.2020 10:47:15	1	1	1	1	73.25	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.3125	2004
12.02.2020 10:47:16	1	1	1	1	73.25	60.25	0	30000	481.7204301	14128.7745	30000	0	0	30000	40.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 10:47:17	1	1	1	1	73.25	60	0	29952.607	464.516129	13999.94564	30000	0	0	30000	40.3125	2004
12.02.2020 10:47:19	1	1	1	1	73.25	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40	2004
12.02.2020 10:47:20	1	1	1	1	73.25	60	0	30000	481.7204301	14451.662	30000	0	0	30000	40	2004
12.02.2020 10:47:21	1	1	1	1	73.25	60	0	30000	481.7204301	14451.662	30000	0	0	30000	40.4375	2004
12.02.2020 10:47:22	1	1	1	1	73.25	60.25	0	29952.607	481.7204301	14451.662	30000	0	0	30000	40.3125	2004
12.02.2020 10:47:23	1	1	1	1	73.25	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	39.8125	2004
12.02.2020 10:47:24	1	1	1	1	73.25	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	39.9375	2004
12.02.2020 10:47:25	1	1	1	1	73.25	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40	2004
12.02.2020 10:47:26	1	1	1	1	73	60	0	29952.607	481.7204301	14451.662	30000	0	0	30000	39.875	2004
12.02.2020 10:47:27	1	1	1	1	73	59.75	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.125	2004
12.02.2020 10:47:28	1	1	1	1	73	60	0	30047.393	468.8172043	13999.94564	30000	0	0	30000	40.3125	2004
12.02.2020 10:47:29	1	1	1	1	73	60.25	0	30000	468.8172043	14064.36007	30000	0	0	30000	40.1875	2004
12.02.2020 10:47:30	1	1	1	1	73	60	0	30000	464.516129	14021.9607	30000	0	0	30000	40.0625	2004
12.02.2020 10:47:31	1	1	1	1	73	60	0	30000	481.7204301	14451.662	30000	0	0	30000	40.25	2004
12.02.2020 10:47:32	1	1	1	1	73	60.25	0	30000	466.6666667	14064.36007	30000	0	0	30000	40.375	2004
12.02.2020 10:47:33	1	1	1	1	73	60.25	0	30000	481.7204301	14128.7745	30000	0	0	30000	40.1875	2004
12.02.2020 10:47:34	1	1	1	1	73	60	0	30000	481.7204301	14451.662	30000	0	0	30000	40.1875	2004
12.02.2020 10:47:35	1	1	1	1	73	60	0	30000	481.7204301	14128.7745	30000	0	0	30000	40.375	2004
12.02.2020 10:47:36	1	1	1	1	73.25	60.25	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.125	2004
12.02.2020 10:47:37	1	1	1	1	73.25	60	0	30000	468.8172043	14064.36007	30000	0	0	30000	40.3125	2004
12.02.2020 10:47:38	1	1	1	1	73.25	60.25	0	30000	468.8172043	13999.94564	30000	0	0	30000	40.6875	2004
12.02.2020 10:47:39	1	1	1	1	73.25	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.625	2004
12.02.2020 10:47:40	1	1	1	1	73.25	60.5	0	30000	468.8172043	14064.36007	30000	0	0	30000	40.5625	2004
12.02.2020 10:47:41	1	1	1	1	73.25	60.25	0	30000	481.7204301	14128.7745	30000	0	0	30000	40.375	2004
12.02.2020 10:47:42	1	1	1	1	73.25	60.25	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.5	2004
12.02.2020 10:47:43	1	1	1	1	73.25	60.5	0	29952.607	468.8172043	14451.662	30000	0	0	30000	40.5	2004
12.02.2020 10:47:50	1	1	1	1	73.5	60.25	0	30000	468.8172043	13999.94564	30000	0	0	30000	40.375	2004
12.02.2020 10:47:50	1	1	1	1	73.5	60.25	0	30000	468.8172043	13999.94564	30000	0	0	30000	40.375	2004
12.02.2020 10:47:50	1	1	1	1	73.5	60.25	0	30000	468.8172043	13999.94564	30000	0	0	30000	40.375	2004
12.02.2020 10:47:50	1	1	1	1	73.5	60.25	0	30000	468.8172043	13999.94564	30000	0	0	30000	40.375	2004
12.02.2020 10:47:50	1	1	1	1	73.5	60.25	0	30000	468.8172043	13999.94564	30000	0	0	30000	40.375	2004
12.02.2020 10:47:50	1	1	1	1	73.5	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.375	2004
12.02.2020 10:47:51	1	1	1	1	73.5	60.25	0	30000	464.516129	13935.53122	30000	0	0	30000	40.1875	2004
12.02.2020 10:47:52	1	1	1	1	73.5	60	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.4375	2004
12.02.2020 10:47:53	1	1	1	1	73.5	60.25	0	30047.393	466.6666667	13999.94564	30000	0	0	30000	40.375	2004
12.02.2020 10:47:54	1	1	1	1	73.5	60.25	0	30000	464.516129	13935.53122	30000	0	0	30000	39.1875	2004
12.02.2020 10:47:55	1	1	1	1	73.25	59	0	30000	464.516129	13935.53122	30000	0	0	30000	40.3125	2004
12.02.2020 10:47:57	1	1	1	1	73.25	60.25	0	30000	466.6666667	13720.27288	30000	0	0	30000	39.8125	2004
12.02.2020 10:47:58	1	1	1	1	73.25	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.5625	2004
12.02.2020 10:47:59	1	1	1	1	73.25	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.125	2004
12.02.2020 10:48:00	1	1	1	1	73.25	60	0	30000	481.7204301	14451.662	30000	0	0	30000	40	2004
12.02.2020 10:48:01	1	1	1	1	73.25	60	0	30000	481.7204301	14451.662	30000	0	0	30000	40.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 10:48:02	1	1	1	1	73.25	60	0	30000	481.7204301	14128.7745	30000	0	0	30000	40.0625	2004
12.02.2020 10:48:03	1	1	1	1	73.25	60	0	30000	468.8172043	14128.7745	30000	0	0	30000	40.125	2004
12.02.2020 10:48:04	1	1	1	1	73.25	60	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.3125	2004
12.02.2020 10:48:05	1	1	1	1	73.25	60.25	0	30000	464.516129	13935.53122	30000	0	0	30000	40.375	2004
12.02.2020 10:48:06	1	1	1	1	73.25	60.25	0	29952.607	464.516129	13935.53122	30000	0	0	30000	40.25	2004
12.02.2020 10:48:07	1	1	1	1	73.25	60.25	0	30000	464.516129	13913.51616	30000	0	0	30000	40.3125	2004
12.02.2020 10:48:08	1	1	1	1	73.25	60.25	0	30000	460.2150538	13784.6873	30000	0	0	30000	39.4375	2004
12.02.2020 10:48:09	1	1	1	1	73.25	59.25	0	30000	481.7204301	13999.94564	30000	0	0	30000	40.0625	2004
12.02.2020 10:48:10	1	1	1	1	73.25	60	0	30000	460.2150538	13762.67225	30000	0	0	30000	39.75	2004
12.02.2020 10:48:11	1	1	1	1	73.25	59.75	0	30000	464.516129	13935.53122	30000	0	0	30000	40.1875	2004
12.02.2020 10:48:12	1	1	1	1	73.25	60	0	30000	464.516129	13935.53122	30000	0	0	30000	40.25	2004
12.02.2020 10:48:13	1	1	1	1	73.25	60.25	0	30000	468.8172043	14064.36007	30000	0	0	30000	40.625	2004
12.02.2020 10:48:14	1	1	1	1	73.25	60.5	0	29905.213	464.516129	13999.94564	30000	0	0	30000	39.8125	2004
12.02.2020 10:48:15	1	1	1	1	73.25	59.75	0	29952.607	464.516129	14128.7745	30000	0	0	30000	40.3125	2004
12.02.2020 10:48:16	1	1	1	1	73.25	60.25	0	30000	466.6666667	13977.93058	30000	0	0	30000	40.5	2004
12.02.2020 10:48:17	1	1	1	1	73.25	60.5	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.4375	2004
12.02.2020 10:48:18	1	1	1	1	73.25	60.25	0	29952.607	466.6666667	14451.662	30000	0	0	30000	40.625	2004
12.02.2020 10:48:19	1	1	1	1	73.25	60.5	0	30000	481.7204301	14128.7745	30000	0	0	30000	40.375	2004
12.02.2020 10:48:20	1	1	1	1	73.25	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.9375	2004
12.02.2020 10:48:21	1	1	1	1	73.25	61	0	30000	481.7204301	14451.662	30000	0	0	30000	40.1875	2004
12.02.2020 10:48:22	1	1	1	1	73.25	60	0	30047.393	481.7204301	14451.662	30000	0	0	30000	40	2004
12.02.2020 10:48:23	1	1	1	1	73.25	60	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.25	2004
12.02.2020 10:48:24	1	1	1	1	73.25	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.125	2004
12.02.2020 10:48:25	1	1	1	1	73	60	0	30000	468.8172043	14128.7745	30000	0	0	30000	40.1875	2004
12.02.2020 10:48:26	1	1	1	1	73	60	0	30000	468.8172043	14064.36007	30000	0	0	30000	40.5625	2004
12.02.2020 10:48:27	1	1	1	1	73	60.5	0	30000	466.6666667	13999.94564	30000	0	0	30000	40	2004
12.02.2020 10:48:28	1	1	1	1	73	60	0	30000	468.8172043	14128.7745	30000	0	0	30000	39.8125	2004
12.02.2020 10:48:29	1	1	1	1	73	59.75	0	29952.607	466.6666667	13891.5011	30000	0	0	30000	40.25	2004
12.02.2020 10:48:30	1	1	1	1	73	60.25	0	30000	468.8172043	14128.7745	30000	0	0	30000	40.3125	2004
12.02.2020 10:48:31	1	1	1	1	73	60.25	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.5	2004
12.02.2020 10:48:32	1	1	1	1	73	60.5	0	30000	466.6666667	14064.36007	30000	0	0	30000	40.125	2004
12.02.2020 10:48:33	1	1	1	1	73	60	0	29952.607	468.8172043	14128.7745	30000	0	0	30000	39.75	2004
12.02.2020 10:48:34	1	1	1	1	73	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	39.8125	2004
12.02.2020 10:48:36	1	1	1	1	72.75	59.75	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.5625	2004
12.02.2020 10:48:37	1	1	1	1	72.75	60.5	0	30047.393	481.7204301	14064.36007	30000	0	0	30000	39.9375	2004
12.02.2020 10:48:38	1	1	1	1	72.75	59.75	0	29952.607	468.8172043	14064.36007	30000	0	0	30000	40.4375	2004
12.02.2020 10:48:39	1	1	1	1	72.75	60.25	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.375	2004
12.02.2020 10:48:40	1	1	1	1	72.75	60.25	0	30000	464.516129	13935.53122	30000	0	0	30000	40.5	2004
12.02.2020 10:48:41	1	1	1	1	72.75	60.5	0	30000	466.6666667	13935.53122	30000	0	0	30000	40.3125	2004
12.02.2020 10:48:42	1	1	1	1	72.75	60.25	0	30000	464.516129	13935.53122	30000	0	0	30000	40.4375	2004
12.02.2020 10:48:43	1	1	1	1	72.75	60.25	0	30000	464.516129	13870.30142	30000	0	0	30000	40.3125	2004
12.02.2020 10:48:44	1	1	1	1	72.75	60.25	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.0625	2004
12.02.2020 10:48:45	1	1	1	1	72.75	60	0	30047.393	481.7204301	14128.7745	30000	0	0	30000	40.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 10:48:52	1	1	1	1	72.75	60.25	0	30000	481.7204301	13977.93058	30000	0	0	30000	37.875	2004
12.02.2020 10:48:52	1	1	1	1	72.75	60.25	0	30000	481.7204301	13977.93058	30000	0	0	30000	37.875	2004
12.02.2020 10:48:52	1	1	1	1	72.75	60.25	0	30000	481.7204301	13977.93058	30000	0	0	30000	37.875	2004
12.02.2020 10:48:52	1	1	1	1	72.75	60.25	0	30000	481.7204301	13977.93058	30000	0	0	30000	37.875	2004
12.02.2020 10:48:52	1	1	1	1	72.75	60.25	0	30000	481.7204301	13977.93058	30000	0	0	30000	37.875	2004
12.02.2020 10:48:52	1	1	1	1	72.75	60.25	0	30000	481.7204301	13977.93058	30000	0	0	30000	37.875	2004
12.02.2020 10:48:52	1	1	1	1	72.75	57.75	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.1875	2004
12.02.2020 10:48:53	1	1	1	1	72.75	60	0	30000	464.516129	13935.53122	30000	0	0	30000	39.75	2004
12.02.2020 10:48:54	1	1	1	1	72.75	59.75	0	30000	468.8172043	13999.94564	30000	0	0	30000	40.4375	2004
12.02.2020 10:48:55	1	1	1	1	72.75	60.25	0	30000	464.516129	13935.53122	30000	0	0	30000	40.0625	2004
12.02.2020 10:48:56	1	1	1	1	72.5	60	0	30000	468.8172043	14128.7745	30000	0	0	30000	40.9375	2004
12.02.2020 10:48:57	1	1	1	1	72.5	60.75	0	29952.607	466.6666667	14451.662	30000	0	0	30000	40.625	2004
12.02.2020 10:48:58	1	1	1	1	72.5	60.5	0	29952.607	468.8172043	14451.662	30000	0	0	30000	40.3125	2004
12.02.2020 10:48:59	1	1	1	1	72.5	60.5	0	30000	466.6666667	13935.53122	30000	0	0	30000	40.375	2004
12.02.2020 10:49:00	1	1	1	1	72.5	60.25	0	30000	464.516129	13999.94564	30000	0	0	30000	40.4375	2004
12.02.2020 10:49:01	1	1	1	1	72.5	60.25	0	29952.607	468.8172043	14064.36007	30000	0	0	30000	39.75	2004
12.02.2020 10:49:02	1	1	1	1	72.5	59.75	0	30000	468.8172043	14128.7745	30000	0	0	30000	39.75	2004
12.02.2020 10:49:03	1	1	1	1	72.5	59.75	0	30000	466.6666667	13935.53122	30000	0	0	30000	39.75	2004
12.02.2020 10:49:04	1	1	1	1	72.5	59.75	0	29905.213	466.6666667	13891.5011	30000	0	0	30000	40.125	2004
12.02.2020 10:49:05	1	1	1	1	72.75	60	0	30000	468.8172043	14128.7745	30000	0	0	30000	39.875	2004
12.02.2020 10:49:06	1	1	1	1	72.75	59.75	0	30000	481.7204301	14128.7745	30000	0	0	30000	40.375	2004
12.02.2020 10:49:07	1	1	1	1	72.75	60.25	0	29952.607	460.2150538	13999.94564	30000	0	0	30000	40.375	2004
12.02.2020 10:49:08	1	1	1	1	72.75	60.25	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.3125	2004
12.02.2020 10:49:09	1	1	1	1	72.75	60.25	0	30000	466.6666667	14064.36007	30000	0	0	30000	40.4375	2004
12.02.2020 10:49:10	1	1	1	1	72.75	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.4375	2004
12.02.2020 10:49:11	1	1	1	1	72.75	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.5625	2004
12.02.2020 10:49:12	1	1	1	1	72.75	60.5	0	30000	468.8172043	14128.7745	30000	0	0	30000	39.4375	2004
12.02.2020 10:49:13	1	1	1	1	72.75	59.25	0	30000	481.7204301	14451.662	30000	0	0	30000	39.1875	2004
12.02.2020 10:49:15	1	1	1	1	72.75	59	0	30000	481.7204301	14128.7745	30000	0	0	30000	40.25	2004
12.02.2020 10:49:16	1	1	1	1	73	60.25	0	30000	464.516129	13935.53122	30000	0	0	30000	40.1875	2004
12.02.2020 10:49:17	1	1	1	1	73	60	0	30000	468.8172043	14451.662	30000	0	0	30000	40.5	2004
12.02.2020 10:49:18	1	1	1	1	73	60.5	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.25	2004
12.02.2020 10:49:19	1	1	1	1	73	60.25	0	30000	466.6666667	13784.6873	30000	0	0	30000	40.25	2004
12.02.2020 10:49:20	1	1	1	1	73	60.25	0	30000	470.9677419	14128.7745	30000	0	0	30000	40.25	2004
12.02.2020 10:49:21	1	1	1	1	73	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.25	2004
12.02.2020 10:49:22	1	1	1	1	73	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.25	2004
12.02.2020 10:49:23	1	1	1	1	73	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.375	2004
12.02.2020 10:49:24	1	1	1	1	73	60.25	0	29905.213	464.516129	14128.7745	30000	0	0	30000	39.8125	2004
12.02.2020 10:49:25	1	1	1	1	73	59.75	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.3125	2004
12.02.2020 10:49:26	1	1	1	1	73	60.25	0	30000	481.7204301	13891.5011	30000	0	0	30000	40.5	2004
12.02.2020 10:49:27	1	1	1	1	73	60.5	0	30000	468.8172043	13999.94564	30000	0	0	30000	40	2004
12.02.2020 10:49:28	1	1	1	1	73	60	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.25	2004
12.02.2020 10:49:29	1	1	1	1	73	60.25	0	30000	468.8172043	13999.94564	30000	0	0	30000	39.25	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 10:49:30	1	1	1	1	73	59.25	0	29905.213	466.6666667	13999.94564	30000	0	0	30000	40.1875	2004
12.02.2020 10:49:31	1	1	1	1	73	60	0	30000	464.516129	13935.53122	30000	0	0	30000	40.625	2004
12.02.2020 10:49:32	1	1	1	1	73	60.5	0	30000	464.516129	13935.53122	30000	0	0	30000	40.375	2004
12.02.2020 10:49:33	1	1	1	1	73	60.25	0	30000	460.2150538	13720.27288	30000	0	0	30000	39.75	2004
12.02.2020 10:49:34	1	1	1	1	73	59.75	0	29952.607	455.9139785	13805.88699	30000	0	0	30000	40.5625	2004
12.02.2020 10:49:35	1	1	1	1	73	60.5	0	30000	464.516129	13935.53122	30000	0	0	30000	40.3125	2004
12.02.2020 10:49:36	1	1	1	1	72.75	60.25	0	29952.607	458.0645161	13805.88699	30000	0	0	30000	40.375	2004
12.02.2020 10:49:37	1	1	1	1	72.75	60.25	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.75	2004
12.02.2020 10:49:38	1	1	1	1	72.75	60.75	0	30000	464.516129	13935.53122	30000	0	0	30000	40.6875	2004
12.02.2020 10:49:39	1	1	1	1	72.75	60.5	0	30000	468.8172043	14128.7745	30000	0	0	30000	40.6875	2004
12.02.2020 10:49:40	1	1	1	1	72.75	60.5	0	30000	468.8172043	14128.7745	30000	0	0	30000	40.5625	2004
12.02.2020 10:49:41	1	1	1	1	72.75	60.25	0	30000	464.516129	13935.53122	30000	0	0	30000	40.4375	2004
12.02.2020 10:49:42	1	1	1	1	72.75	60.25	0	30000	460.2150538	13935.53122	30000	0	0	30000	40.125	2004
12.02.2020 10:49:43	1	1	1	1	72.75	60	0	30000	464.516129	13935.53122	30000	0	0	30000	39.75	2004
12.02.2020 10:49:44	1	1	1	1	72.75	59.75	0	29952.607	458.0645161	13935.53122	30000	0	0	30000	40.3125	2004
12.02.2020 10:49:45	1	1	1	1	72.75	60.25	0	30000	481.7204301	13999.94564	30000	0	0	30000	40.4375	2004
12.02.2020 10:49:46	1	1	1	1	72.75	60.25	0	30000	466.6666667	13999.94564	30000	0	0	30000	39.8125	2004
12.02.2020 10:49:53	1	1	1	1	72.75	60.25	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.3125	2004
12.02.2020 10:49:53	1	1	1	1	72.75	60.25	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.3125	2004
12.02.2020 10:49:53	1	1	1	1	72.75	60.25	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.3125	2004
12.02.2020 10:49:53	1	1	1	1	72.75	60.25	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.3125	2004
12.02.2020 10:49:53	1	1	1	1	72.75	60.25	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.3125	2004
12.02.2020 10:49:53	1	1	1	1	72.75	60.25	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.3125	2004
12.02.2020 10:49:53	1	1	1	1	72.75	60.25	0	29952.607	464.516129	13999.94564	30000	0	0	30000	40.375	2004
12.02.2020 10:49:55	1	1	1	1	72.75	60.25	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.0625	2004
12.02.2020 10:49:56	1	1	1	1	72.75	60	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.625	2004
12.02.2020 10:49:57	1	1	1	1	72.75	60.5	0	30000	466.6666667	14064.36007	30000	0	0	30000	40.125	2004
12.02.2020 10:49:58	1	1	1	1	72.75	60	0	30000	464.516129	13935.53122	30000	0	0	30000	40.4375	2004
12.02.2020 10:49:59	1	1	1	1	72.75	60.25	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.125	2004
12.02.2020 10:50:00	1	1	1	1	72.75	60	0	30000	466.6666667	13913.51616	30000	0	0	30000	40.5	2004
12.02.2020 10:50:01	1	1	1	1	72.75	60.5	0	30000	481.7204301	13999.94564	30000	0	0	30000	39.75	2004
12.02.2020 10:50:02	1	1	1	1	72.75	59.75	0	30000	470.9677419	14128.7745	30000	0	0	30000	40.1875	2004
12.02.2020 10:50:03	1	1	1	1	72.75	60	0	30000	466.6666667	13999.94564	30000	0	0	30000	39.4375	2004
12.02.2020 10:50:04	1	1	1	1	72.75	59.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.25	2004
12.02.2020 10:50:05	1	1	1	1	72.75	60.25	0	30000	481.7204301	13891.5011	30000	0	0	30000	40.25	2004
12.02.2020 10:50:06	1	1	1	1	72.5	60.25	0	29952.607	468.8172043	14451.662	30000	0	0	30000	40.1875	2004
12.02.2020 10:50:07	1	1	1	1	72.5	60	0	30000	481.7204301	14128.7745	30000	0	0	30000	39.8125	2004
12.02.2020 10:50:08	1	1	1	1	72.5	59.75	0	29952.607	466.6666667	14451.662	30000	0	0	30000	39.75	2004
12.02.2020 10:50:09	1	1	1	1	72.5	59.75	0	30000	481.7204301	13999.94564	30000	0	0	30000	39.875	2004
12.02.2020 10:50:10	1	1	1	1	72.5	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	39.5	2004
12.02.2020 10:50:11	1	1	1	1	72.5	59.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.125	2004
12.02.2020 10:50:12	1	1	1	1	72.5	60	0	30000	470.9677419	14451.662	30000	0	0	30000	40.1875	2004
12.02.2020 10:50:13	1	1	1	1	72.5	60	0	30000	481.7204301	14451.662	30000	0	0	30000	39.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 10:50:14	1	1	1	1	72.5	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.625	2004
12.02.2020 10:50:15	1	1	1	1	72.5	60.5	0	30000	464.516129	14150.78955	30000	0	0	30000	40.1875	2004
12.02.2020 10:50:16	1	1	1	1	72.25	60	0	30000	464.516129	13935.53122	30000	0	0	30000	39.875	2004
12.02.2020 10:50:17	1	1	1	1	72.25	59.75	0	30000	468.8172043	13977.93058	30000	0	0	30000	40.8125	2004
12.02.2020 10:50:18	1	1	1	1	72.25	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.625	2004
12.02.2020 10:50:19	1	1	1	1	72.25	60.5	0	30000	466.6666667	13913.51616	30000	0	0	30000	40.5	2004
12.02.2020 10:50:20	1	1	1	1	72.25	60.5	0	30000	466.6666667	13935.53122	30000	0	0	30000	40.375	2004
12.02.2020 10:50:21	1	1	1	1	72.25	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.375	2004
12.02.2020 10:50:22	1	1	1	1	72.25	60.25	0	30000	481.7204301	14128.7745	30000	0	0	30000	39.875	2004
12.02.2020 10:50:23	1	1	1	1	72.25	59.75	0	29952.607	464.516129	13784.6873	30000	0	0	30000	40.375	2004
12.02.2020 10:50:24	1	1	1	1	72.25	60.25	0	30000	464.516129	13999.94564	30000	0	0	30000	40.5625	2004
12.02.2020 10:50:25	1	1	1	1	72.25	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	39.875	2004
12.02.2020 10:50:26	1	1	1	1	72.25	59.75	0	30000	481.7204301	14128.7745	30000	0	0	30000	40.3125	2004
12.02.2020 10:50:27	1	1	1	1	72.25	60.25	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.25	2004
12.02.2020 10:50:28	1	1	1	1	72.25	60.25	0	29952.607	464.516129	14128.7745	30000	0	0	30000	39.9375	2004
12.02.2020 10:50:29	1	1	1	1	72.25	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.375	2004
12.02.2020 10:50:30	1	1	1	1	72.25	60.25	0	30000	481.7204301	14128.7745	30000	0	0	30000	40.1875	2004
12.02.2020 10:50:32	1	1	1	1	72.25	60	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.625	2004
12.02.2020 10:50:33	1	1	1	1	72.25	60.5	0	29952.607	468.8172043	14128.7745	30000	0	0	30000	40.3125	2004
12.02.2020 10:50:34	1	1	1	1	72.25	60.25	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.1875	2004
12.02.2020 10:50:35	1	1	1	1	72.25	60	0	30000	466.6666667	14064.36007	30000	0	0	30000	39.6875	2004
12.02.2020 10:50:36	1	1	1	1	72.5	59.5	0	30000	466.6666667	13849.10173	30000	0	0	30000	40.6875	2004
12.02.2020 10:50:37	1	1	1	1	72.5	60.5	0	30000	460.2150538	13741.47256	30000	0	0	30000	40	2004
12.02.2020 10:50:38	1	1	1	1	72.5	60	0	30000	464.516129	13870.30142	30000	0	0	30000	40.0625	2004
12.02.2020 10:50:39	1	1	1	1	72.5	60	0	30000	464.516129	13935.53122	30000	0	0	30000	40.375	2004
12.02.2020 10:50:40	1	1	1	1	72.5	60.25	0	29952.607	464.516129	13999.94564	30000	0	0	30000	40.3125	2004
12.02.2020 10:50:41	1	1	1	1	72.5	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.3125	2004
12.02.2020 10:50:42	1	1	1	1	72.5	60.25	0	29952.607	464.516129	13999.94564	30000	0	0	30000	40.25	2004
12.02.2020 10:50:43	1	1	1	1	72.5	60.25	0	30000	466.6666667	13999.94564	30000	0	0	30000	39.9375	2004
12.02.2020 10:50:44	1	1	1	1	72.5	59.75	0	30000	464.516129	13935.53122	30000	0	0	30000	39.75	2004
12.02.2020 10:50:45	1	1	1	1	72.5	59.75	0	30000	466.6666667	13935.53122	30000	0	0	30000	40.5	2004
12.02.2020 10:50:46	1	1	1	1	72.25	60.5	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.4375	2004
12.02.2020 10:50:47	1	1	1	1	72.25	60.25	0	30000	464.516129	13999.94564	30000	0	0	30000	40.5625	2004
12.02.2020 10:50:48	1	1	1	1	72.25	60.5	0	29952.607	464.516129	14021.9607	30000	0	0	30000	39.875	2004
12.02.2020 10:50:54	1	1	1	1	72.25	60.25	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.5	2004
12.02.2020 10:50:54	1	1	1	1	72.25	60.25	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.5	2004
12.02.2020 10:50:54	1	1	1	1	72.25	60.25	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.5	2004
12.02.2020 10:50:54	1	1	1	1	72.25	60.25	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.5	2004
12.02.2020 10:50:55	1	1	1	1	72.25	60.25	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.5	2004
12.02.2020 10:50:55	1	1	1	1	72.25	60.25	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.5	2004
12.02.2020 10:50:55	1	1	1	1	72.25	60.5	0	30000	464.516129	13935.53122	30000	0	0	30000	40.625	2004
12.02.2020 10:50:56	1	1	1	1	72.5	60.5	0	30000	464.516129	13999.94564	30000	0	0	30000	39.5625	2004
12.02.2020 10:50:57	1	1	1	1	72.5	59.5	0	30000	464.516129	13935.53122	30000	0	0	30000	40.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 10:50:58	1	1	1	1	72.5	60.25	0	30000	464.516129	13935.53122	30000	0	0	30000	40.5	2004
12.02.2020 10:50:59	1	1	1	1	72.5	60.25	0	30000	460.2150538	13935.53122	30000	0	0	30000	40.0625	2004
12.02.2020 10:51:00	1	1	1	1	72.5	60	0	30000	464.516129	13720.27288	30000	0	0	30000	40.25	2004
12.02.2020 10:51:01	1	1	1	1	72.5	60.25	0	30000	466.6666667	13805.88699	30000	0	0	30000	40.4375	2004
12.02.2020 10:51:02	1	1	1	1	72.5	60.25	0	30000	464.516129	13935.53122	30000	0	0	30000	40.5625	2004
12.02.2020 10:51:03	1	1	1	1	72.5	60.5	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.25	2004
12.02.2020 10:51:04	1	1	1	1	72.5	60.25	0	30000	481.7204301	14128.7745	30000	0	0	30000	40.5	2004
12.02.2020 10:51:05	1	1	1	1	72	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.0625	2004
12.02.2020 10:51:06	1	1	1	1	72	60	0	30000	481.7204301	14451.662	30000	0	0	30000	40.375	2004
12.02.2020 10:51:07	1	1	1	1	72	60.25	0	30000	464.516129	13935.53122	30000	0	0	30000	40.0625	2004
12.02.2020 10:51:08	1	1	1	1	72	60	0	30000	464.516129	13999.94564	30000	0	0	30000	40.5	2004
12.02.2020 10:51:09	1	1	1	1	72	60.5	0	30000	464.516129	13935.53122	30000	0	0	30000	39.8125	2004
12.02.2020 10:51:10	1	1	1	1	72	59.75	0	30000	468.8172043	14128.7745	30000	0	0	30000	40.375	2004
12.02.2020 10:51:12	1	1	1	1	72	60.25	0	30000	470.9677419	14128.7745	30000	0	0	30000	39.875	2004
12.02.2020 10:51:13	1	1	1	1	72	59.75	0	30000	466.6666667	13977.93058	30000	0	0	30000	40.5	2004
12.02.2020 10:51:14	1	1	1	1	72	60.5	0	30000	464.516129	13935.53122	30000	0	0	30000	40.5625	2004
12.02.2020 10:51:15	1	1	1	1	72	60.5	0	30000	464.516129	13935.53122	30000	0	0	30000	40.375	2004
12.02.2020 10:51:16	1	1	1	1	71.75	60.25	0	30000	464.516129	13935.53122	30000	0	0	30000	40.1875	2004
12.02.2020 10:51:17	1	1	1	1	71.75	60	0	30000	460.2150538	13805.88699	30000	0	0	30000	40.125	2004
12.02.2020 10:51:18	1	1	1	1	71.75	60	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.625	2004
12.02.2020 10:51:19	1	1	1	1	71.75	60.5	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.3125	2004
12.02.2020 10:51:20	1	1	1	1	71.75	60.25	0	30000	464.516129	14021.9607	30000	0	0	30000	40.1875	2004
12.02.2020 10:51:21	1	1	1	1	71.75	60	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.1875	2004
12.02.2020 10:51:22	1	1	1	1	71.75	60	0	30000	464.516129	13935.53122	30000	0	0	30000	40.4375	2004
12.02.2020 10:51:23	1	1	1	1	71.75	60.25	0	30000	464.516129	13935.53122	30000	0	0	30000	40.3125	2004
12.02.2020 10:51:24	1	1	1	1	71.75	60.25	0	30000	464.516129	13999.94564	30000	0	0	30000	40	2004
12.02.2020 10:51:25	1	1	1	1	71.75	60	0	30000	464.516129	13870.30142	30000	0	0	30000	40.375	2004
12.02.2020 10:51:26	1	1	1	1	71.75	60.25	0	30000	464.516129	13935.53122	30000	0	0	30000	40.5	2004
12.02.2020 10:51:27	1	1	1	1	71.75	60.5	0	30000	460.2150538	13935.53122	30000	0	0	30000	40.5	2004
12.02.2020 10:51:28	1	1	1	1	71.75	60.5	0	30000	464.516129	13805.88699	30000	0	0	30000	40.3125	2004
12.02.2020 10:51:29	1	1	1	1	71.75	60.25	0	30000	464.516129	13935.53122	30000	0	0	30000	40.625	2004
12.02.2020 10:51:30	1	1	1	1	71.75	60.5	0	30000	466.6666667	13935.53122	30000	0	0	30000	40.375	2004
12.02.2020 10:51:31	1	1	1	1	71.75	60.25	0	30000	464.516129	13935.53122	30000	0	0	30000	40.5625	2004
12.02.2020 10:51:32	1	1	1	1	71.75	60.5	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.25	2004
12.02.2020 10:51:33	1	1	1	1	71.75	60.25	0	30000	464.516129	13999.94564	30000	0	0	30000	40.3125	2004
12.02.2020 10:51:34	1	1	1	1	71.75	60.25	0	30000	468.8172043	13999.94564	30000	0	0	30000	40.125	2004
12.02.2020 10:51:35	1	1	1	1	71.75	60	0	30000	464.516129	13935.53122	30000	0	0	30000	40.4375	2004
12.02.2020 10:51:36	1	1	1	1	71.75	60.25	0	30000	460.2150538	13805.88699	30000	0	0	30000	39.75	2004
12.02.2020 10:51:37	1	1	1	1	71.75	59.75	0	30000	460.2150538	13805.88699	30000	0	0	30000	40.75	2004
12.02.2020 10:51:38	1	1	1	1	71.75	60.75	0	30000	464.516129	13935.53122	30000	0	0	30000	40.5	2004
12.02.2020 10:51:39	1	1	1	1	71.75	60.5	0	30000	464.516129	13935.53122	30000	0	0	30000	40	2004
12.02.2020 10:51:40	1	1	1	1	71.75	60.25	0	30000	460.2150538	13870.30142	30000	0	0	30000	40.5	2004
12.02.2020 10:51:41	1	1	1	1	71.75	60.5	0	30000	464.516129	13935.53122	30000	0	0	30000	40.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 10:51:42	1	1	1	1	71.75	60.5	0	29952.607	466.6666667	13999.94564	30000	0	0	30000	40.0625	2004
12.02.2020 10:51:43	1	1	1	1	71.75	60	0	30000	468.8172043	13999.94564	30000	0	0	30000	40.4375	2004
12.02.2020 10:51:44	1	1	1	1	71.75	60.25	0	30000	464.516129	13935.53122	30000	0	0	30000	40.5	2004
12.02.2020 10:51:45	1	1	1	1	72	60.5	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.25	2004
12.02.2020 10:51:46	1	1	1	1	72	60.25	0	30000	468.8172043	13999.94564	30000	0	0	30000	40.4375	2004
12.02.2020 10:51:47	1	1	1	1	72	60.25	0	30000	468.8172043	14083.92901	30000	0	0	30000	40	2004
12.02.2020 10:51:48	1	1	1	1	72	60	0	30000	470.9677419	13999.94564	30000	0	0	30000	40.625	2004
12.02.2020 10:51:49	1	1	1	1	72	60.5	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.1875	2004
12.02.2020 10:51:56	1	1	1	1	71.75	60.25	0	30000	466.6666667	13935.53122	30000	0	0	30000	40.5	2004
12.02.2020 10:51:56	1	1	1	1	71.75	60.25	0	30000	466.6666667	13935.53122	30000	0	0	30000	40.5	2004
12.02.2020 10:51:56	1	1	1	1	71.75	60.25	0	30000	466.6666667	13935.53122	30000	0	0	30000	40.5	2004
12.02.2020 10:51:56	1	1	1	1	71.75	60.25	0	30000	466.6666667	13935.53122	30000	0	0	30000	40.5	2004
12.02.2020 10:51:56	1	1	1	1	71.75	60.25	0	30000	466.6666667	13935.53122	30000	0	0	30000	40.5	2004
12.02.2020 10:51:56	1	1	1	1	71.75	60.25	0	30000	466.6666667	13935.53122	30000	0	0	30000	40.5	2004
12.02.2020 10:51:57	1	1	1	1	71.75	60.5	0	30000	466.6666667	13891.5011	30000	0	0	30000	40.375	2004
12.02.2020 10:51:58	1	1	1	1	71.75	60.25	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.1875	2004
12.02.2020 10:51:59	1	1	1	1	71.75	60	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.5	2004
12.02.2020 10:52:00	1	1	1	1	71.75	60.5	0	30000	481.7204301	13977.93058	30000	0	0	30000	40.5	2004
12.02.2020 10:52:01	1	1	1	1	71.75	60.5	0	30000	468.8172043	14451.662	30000	0	0	30000	40.5625	2004
12.02.2020 10:52:02	1	1	1	1	71.75	60.5	0	30000	464.516129	13913.51616	30000	0	0	30000	40.0625	2004
12.02.2020 10:52:03	1	1	1	1	71.75	60	0	30000	481.7204301	14451.662	30000	0	0	30000	40	2004
12.02.2020 10:52:04	1	1	1	1	71.75	60	0	30000	464.516129	13999.94564	30000	0	0	30000	40.1875	2004
12.02.2020 10:52:05	1	1	1	1	71.75	60	0	30000	464.516129	13999.94564	30000	0	0	30000	40.4375	2004
12.02.2020 10:52:06	1	1	1	1	71.75	60.25	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.625	2004
12.02.2020 10:52:07	1	1	1	1	71.75	60.5	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.125	2004
12.02.2020 10:52:08	1	1	1	1	71.75	60	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.1875	2004
12.02.2020 10:52:09	1	1	1	1	71.75	60	0	29905.213	468.8172043	13999.94564	30000	0	0	30000	40.5625	2004
12.02.2020 10:52:10	1	1	1	1	71.75	60.5	0	30000	468.8172043	13977.93058	30000	0	0	30000	40.1875	2004
12.02.2020 10:52:11	1	1	1	1	71.75	60	0	30000	468.8172043	14451.662	30000	0	0	30000	39.8125	2004
12.02.2020 10:52:12	1	1	1	1	71.75	59.75	0	29952.607	481.7204301	14428.83157	30000	0	0	30000	40.5	2004
12.02.2020 10:52:13	1	1	1	1	71.75	60.5	0	30000	481.7204301	14128.7745	30000	0	0	30000	40.4375	2004
12.02.2020 10:52:14	1	1	1	1	71.75	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.5	2004
12.02.2020 10:52:15	1	1	1	1	71.75	60.5	0	30000	481.7204301	14128.7745	30000	0	0	30000	40.375	2004
12.02.2020 10:52:16	1	1	1	1	71.75	60.25	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.625	2004
12.02.2020 10:52:17	1	1	1	1	71.75	60.5	0	30000	464.516129	13999.94564	30000	0	0	30000	40.9375	2004
12.02.2020 10:52:18	1	1	1	1	71.75	60.75	0	30000	466.6666667	13891.5011	30000	0	0	30000	40.375	2004
12.02.2020 10:52:19	1	1	1	1	71.75	60.25	0	30000	481.7204301	14128.7745	30000	0	0	30000	40.4375	2004
12.02.2020 10:52:20	1	1	1	1	71.75	60.25	0	30000	466.6666667	13999.94564	30000	0	0	30000	39.6875	2004
12.02.2020 10:52:21	1	1	1	1	71.75	59.5	0	30000	464.516129	13999.94564	30000	0	0	30000	40.3125	2004
12.02.2020 10:52:22	1	1	1	1	71.75	60.25	0	29952.607	466.6666667	13999.94564	30000	0	0	30000	40.0625	2004
12.02.2020 10:52:23	1	1	1	1	71.75	60	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.4375	2004
12.02.2020 10:52:24	1	1	1	1	71.75	60.25	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.3125	2004
12.02.2020 10:52:25	1	1	1	1	71.75	60.25	0	30000	466.6666667	13977.93058	30000	0	0	30000	40.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 10:52:26	1	1	1	1	71.75	60.25	0	30000	464.516129	13999.94564	30000	0	0	30000	40.5625	2004
12.02.2020 10:52:27	1	1	1	1	71.75	60.5	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.5	2004
12.02.2020 10:52:28	1	1	1	1	71.75	60.5	0	30000	470.9677419	14128.7745	30000	0	0	30000	40.4375	2004
12.02.2020 10:52:29	1	1	1	1	71.75	60.25	0	29952.607	468.8172043	14451.662	30000	0	0	30000	39.4375	2004
12.02.2020 10:52:31	1	1	1	1	71.75	59.25	0	30000	468.8172043	14064.36007	30000	0	0	30000	40.3125	2004
12.02.2020 10:52:32	1	1	1	1	71.75	60.25	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.5625	2004
12.02.2020 10:52:33	1	1	1	1	71.75	60.5	0	29952.607	464.516129	13999.94564	30000	0	0	30000	40.5	2004
12.02.2020 10:52:34	1	1	1	1	71.75	60.5	0	30000	464.516129	13999.94564	30000	0	0	30000	40.3125	2004
12.02.2020 10:52:35	1	1	1	1	71.75	60.25	0	29952.607	464.516129	13935.53122	30000	0	0	30000	40.0625	2004
12.02.2020 10:52:36	1	1	1	1	71.5	60	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.375	2004
12.02.2020 10:52:37	1	1	1	1	71.5	60.25	0	30000	466.6666667	13935.53122	30000	0	0	30000	40.375	2004
12.02.2020 10:52:38	1	1	1	1	71.5	60.25	0	30000	481.7204301	13935.53122	30000	0	0	30000	39.8125	2004
12.02.2020 10:52:39	1	1	1	1	71.5	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	39.8125	2004
12.02.2020 10:52:40	1	1	1	1	71.5	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.4375	2004
12.02.2020 10:52:41	1	1	1	1	71.5	60.25	0	30000	481.7204301	14128.7745	30000	0	0	30000	40.4375	2004
12.02.2020 10:52:42	1	1	1	1	71.5	60.25	0	29905.213	481.7204301	14451.662	30000	0	0	30000	40.375	2004
12.02.2020 10:52:43	1	1	1	1	71.5	60.25	0	30000	468.8172043	13999.94564	30000	0	0	30000	40.5625	2004
12.02.2020 10:52:44	1	1	1	1	71.5	60.5	0	30000	466.6666667	14021.9607	30000	0	0	30000	40.5	2004
12.02.2020 10:52:45	1	1	1	1	71.5	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.625	2004
12.02.2020 10:52:46	1	1	1	1	71.25	60.5	0	30000	468.8172043	13999.94564	30000	0	0	30000	40	2004
12.02.2020 10:52:47	1	1	1	1	71.25	60	0	29952.607	481.7204301	13977.93058	30000	0	0	30000	40.5	2004
12.02.2020 10:52:48	1	1	1	1	71.25	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.3125	2004
12.02.2020 10:52:49	1	1	1	1	71.25	60.25	0	30000	468.8172043	14451.662	30000	0	0	30000	40.4375	2004
12.02.2020 10:52:50	1	1	1	1	71.25	60.25	0	30000	481.7204301	13913.51616	30000	0	0	30000	40.4375	2004
12.02.2020 10:52:51	1	1	1	1	71.25	60.25	0	30000	481.7204301	13891.5011	30000	0	0	30000	39.9375	2004
12.02.2020 10:52:58	1	1	1	1	71	60.5	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.625	2004
12.02.2020 10:52:58	1	1	1	1	71	60.5	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.625	2004
12.02.2020 10:52:58	1	1	1	1	71	60.5	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.625	2004
12.02.2020 10:52:58	1	1	1	1	71	60.5	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.625	2004
12.02.2020 10:52:58	1	1	1	1	71	60.5	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.625	2004
12.02.2020 10:52:58	1	1	1	1	71	60.5	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.625	2004
12.02.2020 10:52:58	1	1	1	1	71	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.4375	2004
12.02.2020 10:52:59	1	1	1	1	71	60.75	0	29905.213	481.7204301	14451.662	30000	0	0	30000	39.875	2004
12.02.2020 10:53:00	1	1	1	1	71	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	39.75	2004
12.02.2020 10:53:01	1	1	1	1	71	59.75	0	30000	468.8172043	14128.7745	30000	0	0	30000	40.125	2004
12.02.2020 10:53:02	1	1	1	1	71	60	0	30000	464.516129	13913.51616	30000	0	0	30000	40.1875	2004
12.02.2020 10:53:03	1	1	1	1	71	60	0	30000	464.516129	13784.6873	30000	0	0	30000	40.3125	2004
12.02.2020 10:53:04	1	1	1	1	71	60.25	0	30000	464.516129	13999.94564	30000	0	0	30000	40.4375	2004
12.02.2020 10:53:05	1	1	1	1	70.75	60.25	0	30000	466.6666667	13935.53122	30000	0	0	30000	40.5	2004
12.02.2020 10:53:06	1	1	1	1	70.75	60.5	0	29952.607	466.6666667	13999.94564	30000	0	0	30000	40.375	2004
12.02.2020 10:53:07	1	1	1	1	70.75	60.25	0	30000	464.516129	13935.53122	30000	0	0	30000	40.375	2004
12.02.2020 10:53:09	1	1	1	1	70.75	60.25	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.375	2004
12.02.2020 10:53:10	1	1	1	1	70.75	60.25	0	30000	468.8172043	13977.93058	30000	0	0	30000	40.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 10:53:11	1	1	1	1	70.75	60.25	0	29952.607	468.8172043	14128.7745	30000	0	0	30000	40.0625	2004
12.02.2020 10:53:12	1	1	1	1	70.75	60	0	30000	464.516129	13999.94564	30000	0	0	30000	40.4375	2004
12.02.2020 10:53:13	1	1	1	1	70.75	60.25	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.5	2004
12.02.2020 10:53:14	1	1	1	1	70.75	60.5	0	30000	464.516129	13935.53122	30000	0	0	30000	39.8125	2004
12.02.2020 10:53:15	1	1	1	1	70.75	59.75	0	29905.213	468.8172043	14042.34501	30000	0	0	30000	40.375	2004
12.02.2020 10:53:16	1	1	1	1	70.5	60.25	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.5	2004
12.02.2020 10:53:17	1	1	1	1	70.5	60.5	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.4375	2004
12.02.2020 10:53:18	1	1	1	1	70.5	60.25	0	30000	464.516129	13999.94564	30000	0	0	30000	40.125	2004
12.02.2020 10:53:19	1	1	1	1	70.5	60	0	30000	464.516129	14021.9607	30000	0	0	30000	40.375	2004
12.02.2020 10:53:20	1	1	1	1	70.5	60.25	0	30000	466.6666667	13977.93058	30000	0	0	30000	40.4375	2004
12.02.2020 10:53:21	1	1	1	1	70.5	60.25	0	30000	464.516129	13913.51616	30000	0	0	30000	40.5625	2004
12.02.2020 10:53:22	1	1	1	1	70.5	60.5	0	30000	468.8172043	14064.36007	30000	0	0	30000	40.375	2004
12.02.2020 10:53:23	1	1	1	1	70.5	60.25	0	30047.393	466.6666667	13999.94564	30000	0	0	30000	40.3125	2004
12.02.2020 10:53:24	1	1	1	1	70.5	60.25	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.3125	2004
12.02.2020 10:53:25	1	1	1	1	70.5	60.25	0	30000	464.516129	13999.94564	30000	0	0	30000	40.5	2004
12.02.2020 10:53:26	1	1	1	1	70.5	60.5	0	30000	481.7204301	14106.75944	30000	0	0	30000	40.25	2004
12.02.2020 10:53:27	1	1	1	1	70.5	60.25	0	30000	464.516129	13870.30142	30000	0	0	30000	40.375	2004
12.02.2020 10:53:28	1	1	1	1	70.5	60.25	0	30000	464.516129	13698.25782	30000	0	0	30000	40.3125	2004
12.02.2020 10:53:29	1	1	1	1	70.5	60.25	0	30000	481.7204301	14128.7745	30000	0	0	30000	40.1875	2004
12.02.2020 10:53:30	1	1	1	1	70.5	60	0	30000	464.516129	13999.94564	30000	0	0	30000	40.5	2004
12.02.2020 10:53:31	1	1	1	1	70.5	60.5	0	29905.213	464.516129	13935.53122	30000	0	0	30000	40.5	2004
12.02.2020 10:53:32	1	1	1	1	70.5	60.5	0	30000	468.8172043	14064.36007	30000	0	0	30000	40.875	2004
12.02.2020 10:53:33	1	1	1	1	70.5	60.75	0	30000	468.8172043	13999.94564	30000	0	0	30000	40.5625	2004
12.02.2020 10:53:34	1	1	1	1	70.5	60.5	0	30047.393	466.6666667	13999.94564	30000	0	0	30000	40.4375	2004
12.02.2020 10:53:35	1	1	1	1	70.5	60.25	0	30000	466.6666667	14497.32286	30000	0	0	30000	40.875	2004
12.02.2020 10:53:36	1	1	1	1	70.5	60.75	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.125	2004
12.02.2020 10:53:37	1	1	1	1	70.5	60	0	30000	464.516129	13612.64371	30000	0	0	30000	40.25	2004
12.02.2020 10:53:38	1	1	1	1	70.5	60.25	0	30000	464.516129	13935.53122	30000	0	0	30000	40.4375	2004
12.02.2020 10:53:39	1	1	1	1	70.5	60.25	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.375	2004
12.02.2020 10:53:40	1	1	1	1	70.5	60.25	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.25	2004
12.02.2020 10:53:41	1	1	1	1	70.5	60.25	0	30000	464.516129	13935.53122	30000	0	0	30000	40.375	2004
12.02.2020 10:53:42	1	1	1	1	70.5	60.25	0	30000	466.6666667	14474.49243	30000	0	0	30000	40.4375	2004
12.02.2020 10:53:43	1	1	1	1	70.5	60.25	0	30000	481.7204301	13955.10015	30000	0	0	30000	40.625	2004
12.02.2020 10:53:44	1	1	1	1	70.5	60.5	0	30000	468.8172043	14451.662	30000	0	0	30000	40.3125	2004
12.02.2020 10:53:45	1	1	1	1	70.5	60.25	0	30000	464.516129	13870.30142	30000	0	0	30000	40.0625	2004
12.02.2020 10:53:46	1	1	1	1	70.5	60	0	30000	464.516129	14474.49243	30000	0	0	30000	40.375	2004
12.02.2020 10:53:47	1	1	1	1	70.5	60.25	0	30000	464.516129	13741.47256	30000	0	0	30000	40.6875	2004
12.02.2020 10:53:49	1	1	1	1	70.5	60.5	0	30000	464.516129	13935.53122	30000	0	0	30000	40.4375	2004
12.02.2020 10:53:50	1	1	1	1	70.5	60.25	0	30000	464.516129	13935.53122	30000	0	0	30000	40.4375	2004
12.02.2020 10:53:51	1	1	1	1	70.5	60.25	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.0625	2004
12.02.2020 10:53:52	1	1	1	1	70.5	60	0	30000	464.516129	13999.94564	30000	0	0	30000	40.625	2004
12.02.2020 10:53:53	1	1	1	1	70.5	60.5	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.375	2004
12.02.2020 10:53:59	1	1	1	1	70.5	60.25	0	29952.607	464.516129	13999.94564	30000	0	0	30000	40.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 10:53:59	1	1	1	1	70.5	60.25	0	29952.607	464.516129	13999.94564	30000	0	0	30000	40.375	2004
12.02.2020 10:53:59	1	1	1	1	70.5	60.25	0	29952.607	464.516129	13999.94564	30000	0	0	30000	40.375	2004
12.02.2020 10:53:59	1	1	1	1	70.5	60.25	0	29952.607	464.516129	13999.94564	30000	0	0	30000	40.375	2004
12.02.2020 10:53:59	1	1	1	1	70.5	60.25	0	29952.607	464.516129	13999.94564	30000	0	0	30000	40.375	2004
12.02.2020 10:53:59	1	1	1	1	70.5	60.25	0	29952.607	464.516129	13999.94564	30000	0	0	30000	40.375	2004
12.02.2020 10:54:00	1	1	1	1	70.5	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.375	2004
12.02.2020 10:54:01	1	1	1	1	70.5	60.25	0	30000	468.8172043	14064.36007	30000	0	0	30000	40.25	2004
12.02.2020 10:54:02	1	1	1	1	70.5	60.25	0	30000	464.516129	13999.94564	30000	0	0	30000	39.625	2004
12.02.2020 10:54:03	1	1	1	1	70.5	59.5	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.3125	2004
12.02.2020 10:54:04	1	1	1	1	70.5	60.25	0	30000	466.6666667	13999.94564	30000	0	0	30000	40	2004
12.02.2020 10:54:05	1	1	1	1	70.5	60	0	29952.607	466.6666667	13977.93058	30000	0	0	30000	40.5625	2004
12.02.2020 10:54:06	1	1	1	1	70.5	60.5	0	30047.393	481.7204301	13999.94564	30000	0	0	30000	39.9375	2004
12.02.2020 10:54:07	1	1	1	1	70.5	59.75	0	30047.393	481.7204301	14128.7745	30000	0	0	30000	40.5	2004
12.02.2020 10:54:08	1	1	1	1	70.5	60.5	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.5	2004
12.02.2020 10:54:09	1	1	1	1	70.5	60.5	0	30000	468.8172043	14451.662	30000	0	0	30000	40.6875	2004
12.02.2020 10:54:10	1	1	1	1	70.5	60.5	0	30000	466.6666667	14128.7745	30000	0	0	30000	40.1875	2004
12.02.2020 10:54:11	1	1	1	1	70.5	60	0	30000	464.516129	13999.94564	30000	0	0	30000	40.4375	2004
12.02.2020 10:54:12	1	1	1	1	70.5	60.25	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.4375	2004
12.02.2020 10:54:13	1	1	1	1	70.5	60.25	0	30000	464.516129	13935.53122	30000	0	0	30000	41.0625	2004
12.02.2020 10:54:14	1	1	1	1	70.5	61	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.5	2004
12.02.2020 10:54:15	1	1	1	1	70.5	60.5	0	29952.607	466.6666667	14128.7745	30000	0	0	30000	40.25	2004
12.02.2020 10:54:16	1	1	1	1	70.75	60.25	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.3125	2004
12.02.2020 10:54:17	1	1	1	1	70.75	60.25	0	29952.607	464.516129	13999.94564	30000	0	0	30000	40.3125	2004
12.02.2020 10:54:18	1	1	1	1	70.75	60.25	0	30047.393	481.7204301	14128.7745	30000	0	0	30000	39.4375	2004
12.02.2020 10:54:22	1	1	1	1	70.75	60.5	0	30000	464.516129	13935.53122	30000	0	0	30000	40.1875	2004
12.02.2020 10:54:22	1	1	1	1	70.75	60.5	0	30000	464.516129	13935.53122	30000	0	0	30000	40.1875	2004
12.02.2020 10:54:22	1	1	1	1	70.75	60.5	0	30000	464.516129	13935.53122	30000	0	0	30000	40.1875	2004
12.02.2020 10:54:22	1	1	1	1	70.75	60	0	30000	464.516129	13999.94564	30000	0	0	30000	40.4375	2004
12.02.2020 10:54:23	1	1	1	1	70.75	60.25	0	30000	481.7204301	14106.75944	30000	0	0	30000	40.625	2004
12.02.2020 10:54:24	1	1	1	1	70.75	60.5	0	30000	464.516129	13999.94564	30000	0	0	30000	40.4375	2004
12.02.2020 10:54:25	1	1	1	1	70.75	60.25	0	29905.213	464.516129	13999.94564	30000	0	0	30000	40.5	2004
12.02.2020 10:54:27	1	1	1	1	70.75	60.5	0	30000	481.7204301	13913.51616	30000	0	0	30000	40.375	2004
12.02.2020 10:54:28	1	1	1	1	70.75	60.25	0	30000	468.8172043	14064.36007	30000	0	0	30000	40.4375	2004
12.02.2020 10:54:29	1	1	1	1	70.75	60.25	0	30000	481.7204301	14128.7745	30000	0	0	30000	40.375	2004
12.02.2020 10:54:30	1	1	1	1	70.75	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.4375	2004
12.02.2020 10:54:31	1	1	1	1	70.75	60.25	0	30000	466.6666667	14451.662	30000	0	0	30000	40.3125	2004
12.02.2020 10:54:32	1	1	1	1	70.75	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.5625	2004
12.02.2020 10:54:33	1	1	1	1	70.75	60.5	0	30000	470.9677419	14451.662	30000	0	0	30000	40.4375	2004
12.02.2020 10:54:34	1	1	1	1	70.75	60.25	0	30000	470.9677419	14128.7745	30000	0	0	30000	40.1875	2004
12.02.2020 10:54:35	1	1	1	1	70.75	60	0	30000	481.7204301	14451.662	30000	0	0	30000	39.9375	2004
12.02.2020 10:54:36	1	1	1	1	70.5	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.25	2004
12.02.2020 10:54:37	1	1	1	1	70.5	60.25	0	30000	468.8172043	14064.36007	30000	0	0	30000	39.5625	2004
12.02.2020 10:54:38	1	1	1	1	70.5	59.5	0	30000	464.516129	13999.94564	30000	0	0	30000	40.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 10:54:39	1	1	1	1	70.5	60.25	0	30000	481.7204301	14128.7745	30000	0	0	30000	40.4375	2004
12.02.2020 10:54:40	1	1	1	1	70.5	60.25	0	30000	468.8172043	14451.662	30000	0	0	30000	40.625	2004
12.02.2020 10:54:41	1	1	1	1	70.5	60.5	0	30000	468.8172043	13999.94564	30000	0	0	30000	40.3125	2004
12.02.2020 10:54:42	1	1	1	1	70.5	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	39.875	2004
12.02.2020 10:54:43	1	1	1	1	70.5	59.75	0	30000	481.7204301	14128.7745	30000	0	0	30000	40.375	2004
12.02.2020 10:54:44	1	1	1	1	70.5	60.25	0	30000	468.8172043	14128.7745	30000	0	0	30000	40.3125	2004
12.02.2020 10:54:45	1	1	1	1	70.5	60.25	0	30000	466.6666667	13935.53122	30000	0	0	30000	40.5	2004
12.02.2020 10:54:46	1	1	1	1	70.25	60.5	0	29905.213	464.516129	14128.7745	30000	0	0	30000	40.5	2004
12.02.2020 10:54:47	1	1	1	1	70.25	60.5	0	30000	464.516129	13999.94564	30000	0	0	30000	40.5625	2004
12.02.2020 10:54:48	1	1	1	1	70.25	60.5	0	30000	481.7204301	14128.7745	30000	0	0	30000	40.5625	2004
12.02.2020 10:54:49	1	1	1	1	70.25	60.5	0	30000	464.516129	13999.94564	30000	0	0	30000	40.6875	2004
12.02.2020 10:54:50	1	1	1	1	70.25	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40	2004
12.02.2020 10:54:51	1	1	1	1	70.25	60	0	29905.213	464.516129	14451.662	30000	0	0	30000	40.4375	2004
12.02.2020 10:54:52	1	1	1	1	70.25	60.25	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.5	2004
12.02.2020 10:54:53	1	1	1	1	70.25	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.9375	2004
12.02.2020 10:54:54	1	1	1	1	70.25	60.75	0	29952.607	481.7204301	14451.662	30000	0	0	30000	40.75	2004
12.02.2020 10:55:01	1	1	1	1	70.5	60.25	0	30000	468.8172043	14451.662	30000	0	0	30000	40.625	2004
12.02.2020 10:55:01	1	1	1	1	70.5	60.25	0	30000	468.8172043	14451.662	30000	0	0	30000	40.625	2004
12.02.2020 10:55:01	1	1	1	1	70.5	60.25	0	30000	468.8172043	14451.662	30000	0	0	30000	40.625	2004
12.02.2020 10:55:01	1	1	1	1	70.5	60.25	0	30000	468.8172043	14451.662	30000	0	0	30000	40.625	2004
12.02.2020 10:55:01	1	1	1	1	70.5	60.25	0	30000	468.8172043	14451.662	30000	0	0	30000	40.625	2004
12.02.2020 10:55:01	1	1	1	1	70.5	60.25	0	30000	468.8172043	14451.662	30000	0	0	30000	40.625	2004
12.02.2020 10:55:01	1	1	1	1	70.5	60.5	0	30000	481.7204301	14128.7745	30000	0	0	30000	40.5625	2004
12.02.2020 10:55:02	1	1	1	1	70.5	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.6875	2004
12.02.2020 10:55:03	1	1	1	1	70.5	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.3125	2004
12.02.2020 10:55:04	1	1	1	1	70.5	60.25	0	30000	468.8172043	14064.36007	30000	0	0	30000	40.5625	2004
12.02.2020 10:55:06	1	1	1	1	70.5	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	39.875	2004
12.02.2020 10:55:07	1	1	1	1	70.5	59.75	0	30000	481.7204301	14064.36007	30000	0	0	30000	40.375	2004
12.02.2020 10:55:08	1	1	1	1	70.5	60.25	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.625	2004
12.02.2020 10:55:09	1	1	1	1	70.5	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.5625	2004
12.02.2020 10:55:10	1	1	1	1	70.5	60.5	0	30000	468.8172043	14128.7745	30000	0	0	30000	40.625	2004
12.02.2020 10:55:11	1	1	1	1	70.5	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.5625	2004
12.02.2020 10:55:12	1	1	1	1	70.5	60.5	0	30000	481.7204301	13999.94564	30000	0	0	30000	39.8125	2004
12.02.2020 10:55:13	1	1	1	1	70.5	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.5625	2004
12.02.2020 10:55:14	1	1	1	1	70.5	60.5	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.5625	2004
12.02.2020 10:55:15	1	1	1	1	70.5	60.5	0	30000	460.2150538	13935.53122	30000	0	0	30000	40.125	2004
12.02.2020 10:55:16	1	1	1	1	70.75	60	0	30000	468.8172043	14064.36007	30000	0	0	30000	40.25	2004
12.02.2020 10:55:17	1	1	1	1	70.75	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.4375	2004
12.02.2020 10:55:18	1	1	1	1	70.75	60.25	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.5625	2004
12.02.2020 10:55:19	1	1	1	1	70.75	60.5	0	29952.607	466.6666667	13999.94564	30000	0	0	30000	40.3125	2004
12.02.2020 10:55:20	1	1	1	1	70.75	60.25	0	30000	481.7204301	14128.7745	30000	0	0	30000	40	2004
12.02.2020 10:55:21	1	1	1	1	70.75	60	0	29905.213	481.7204301	14451.662	30000	0	0	30000	40.5625	2004
12.02.2020 10:55:22	1	1	1	1	70.75	60.5	0	30000	481.7204301	14428.83157	30000	0	0	30000	40.5625	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 10:55:23	1	1	1	1	70.75	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.25	2004
12.02.2020 10:55:24	1	1	1	1	70.75	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.5	2004
12.02.2020 10:55:25	1	1	1	1	70.75	60.5	0	30000	481.7204301	13999.94564	30000	0	0	30000	38.875	2004
12.02.2020 10:55:26	1	1	1	1	70.75	58.75	0	30000	481.7204301	14451.662	30000	0	0	30000	39.9375	2004
12.02.2020 10:55:27	1	1	1	1	70.75	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.75	2004
12.02.2020 10:55:28	1	1	1	1	70.75	60.75	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.25	2004
12.02.2020 10:55:29	1	1	1	1	70.75	60.25	0	30000	466.6666667	14128.7745	30000	0	0	30000	40.4375	2004
12.02.2020 10:55:30	1	1	1	1	70.75	60.25	0	30047.393	466.6666667	13957.54627	30000	0	0	30000	40.375	2004
12.02.2020 10:55:31	1	1	1	1	70.75	60.25	0	30000	481.7204301	14128.7745	30000	0	0	30000	41	2004
12.02.2020 10:55:32	1	1	1	1	70.75	61	0	30000	481.7204301	14451.662	30000	0	0	30000	40.4375	2004
12.02.2020 10:55:33	1	1	1	1	70.75	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.25	2004
12.02.2020 10:55:34	1	1	1	1	70.75	60.25	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.625	2004
12.02.2020 10:55:35	1	1	1	1	71	60.5	0	30000	468.8172043	14451.662	30000	0	0	30000	40.6875	2004
12.02.2020 10:55:36	1	1	1	1	71	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.1875	2004
12.02.2020 10:55:37	1	1	1	1	71	60	0	30000	481.7204301	14451.662	30000	0	0	30000	40.5625	2004
12.02.2020 10:55:38	1	1	1	1	71	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.6875	2004
12.02.2020 10:55:39	1	1	1	1	71	60.5	0	30000	466.6666667	14064.36007	30000	0	0	30000	40.1875	2004
12.02.2020 10:55:40	1	1	1	1	71	60	0	30000	481.7204301	14451.662	30000	0	0	30000	39.9375	2004
12.02.2020 10:55:41	1	1	1	1	71	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.5625	2004
12.02.2020 10:55:42	1	1	1	1	71	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	39.875	2004
12.02.2020 10:55:43	1	1	1	1	71	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.4375	2004
12.02.2020 10:55:45	1	1	1	1	71	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	38.9375	2004
12.02.2020 10:55:46	1	1	1	1	70.75	58.75	0	30000	481.7204301	14428.83157	30000	0	0	30000	40.5	2004
12.02.2020 10:55:47	1	1	1	1	70.75	60.5	0	30000	481.7204301	14428.83157	30000	0	0	30000	40.0625	2004
12.02.2020 10:55:48	1	1	1	1	70.75	60	0	30000	481.7204301	14451.662	30000	0	0	30000	40.375	2004
12.02.2020 10:55:49	1	1	1	1	70.75	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.1875	2004
12.02.2020 10:55:50	1	1	1	1	70.75	60	0	30000	481.7204301	14451.662	30000	0	0	30000	40.3125	2004
12.02.2020 10:55:51	1	1	1	1	70.75	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.75	2004
12.02.2020 10:55:52	1	1	1	1	70.75	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.1875	2004
12.02.2020 10:55:53	1	1	1	1	70.75	60	0	30000	481.7204301	14451.662	30000	0	0	30000	40.25	2004
12.02.2020 10:55:54	1	1	1	1	70.75	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	39.875	2004
12.02.2020 10:55:55	1	1	1	1	70.75	59.75	0	29905.213	481.7204301	14451.662	30000	0	0	30000	40.625	2004
12.02.2020 10:55:56	1	1	1	1	70.75	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.5625	2004
12.02.2020 10:56:03	1	1	1	1	70.75	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.4375	2004
12.02.2020 10:56:03	1	1	1	1	70.75	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.4375	2004
12.02.2020 10:56:03	1	1	1	1	70.75	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.4375	2004
12.02.2020 10:56:03	1	1	1	1	70.75	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.4375	2004
12.02.2020 10:56:03	1	1	1	1	70.75	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.4375	2004
12.02.2020 10:56:03	1	1	1	1	70.75	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.4375	2004
12.02.2020 10:56:03	1	1	1	1	70.75	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.4375	2004
12.02.2020 10:56:03	1	1	1	1	70.75	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.0625	2004
12.02.2020 10:56:04	1	1	1	1	70.75	60	0	30000	481.7204301	14106.75944	30000	0	0	30000	40.1875	2004
12.02.2020 10:56:05	1	1	1	1	70.75	60	0	30000	481.7204301	14451.662	30000	0	0	30000	40.1875	2004
12.02.2020 10:56:06	1	1	1	1	71	60	0	30000	481.7204301	14451.662	30000	0	0	30000	39.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 10:56:07	1	1	1	1	71	59.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40	2004
12.02.2020 10:56:08	1	1	1	1	71	60	0	30047.393	481.7204301	14128.7745	30000	0	0	30000	40.1875	2004
12.02.2020 10:56:09	1	1	1	1	71	60	0	30094.787	483.8709677	14451.662	30000	0	0	30000	40.375	2004
12.02.2020 10:56:10	1	1	1	1	71	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.375	2004
12.02.2020 10:56:11	1	1	1	1	71	60.25	0	29952.607	481.7204301	14106.75944	30000	0	0	30000	40.8125	2004
12.02.2020 10:56:12	1	1	1	1	71	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	41.0625	2004
12.02.2020 10:56:13	1	1	1	1	71	60.25	0	30047.393	481.7204301	14451.662	30000	0	0	30000	40.25	2004
12.02.2020 10:56:14	1	1	1	1	71	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	39.625	2004
12.02.2020 10:56:15	1	1	1	1	71	59.5	0	29905.213	481.7204301	14451.662	30000	0	0	30000	40.4375	2004
12.02.2020 10:56:16	1	1	1	1	71	60.25	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.6875	2004
12.02.2020 10:56:17	1	1	1	1	71	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.4375	2004
12.02.2020 10:56:18	1	1	1	1	71	60.25	0	30000	481.7204301	14474.49243	30000	0	0	30000	40.5625	2004
12.02.2020 10:56:19	1	1	1	1	71	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.1875	2004
12.02.2020 10:56:20	1	1	1	1	71	60	0	30000	481.7204301	14451.662	30000	0	0	30000	40.4375	2004
12.02.2020 10:56:21	1	1	1	1	71	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.375	2004
12.02.2020 10:56:22	1	1	1	1	71	60.25	0	29952.607	466.6666667	14451.662	30000	0	0	30000	40.5	2004
12.02.2020 10:56:24	1	1	1	1	71	60.5	0	30000	481.7204301	14128.7745	30000	0	0	30000	40.5625	2004
12.02.2020 10:56:25	1	1	1	1	71	60.5	0	30000	466.6666667	14128.7745	30000	0	0	30000	39.6875	2004
12.02.2020 10:56:26	1	1	1	1	71	59.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.375	2004
12.02.2020 10:56:27	1	1	1	1	71	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	39.9375	2004
12.02.2020 10:56:28	1	1	1	1	71	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.125	2004
12.02.2020 10:56:29	1	1	1	1	71	60	0	30000	481.7204301	14451.662	30000	0	0	30000	40.125	2004
12.02.2020 10:56:30	1	1	1	1	71	60	0	30000	481.7204301	14451.662	30000	0	0	30000	40.4375	2004
12.02.2020 10:56:31	1	1	1	1	71	60.25	0	30000	481.7204301	14428.83157	30000	0	0	30000	40.375	2004
12.02.2020 10:56:32	1	1	1	1	71	60.25	0	30000	481.7204301	14428.83157	30000	0	0	30000	40.6875	2004
12.02.2020 10:56:33	1	1	1	1	71	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.4375	2004
12.02.2020 10:56:34	1	1	1	1	71	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.5625	2004
12.02.2020 10:56:35	1	1	1	1	71	60.5	0	29952.607	481.7204301	14451.662	30000	0	0	30000	40.125	2004
12.02.2020 10:56:36	1	1	1	1	71	60	0	29905.213	481.7204301	14451.662	30000	0	0	30000	40.6875	2004
12.02.2020 10:56:37	1	1	1	1	71	60.5	0	29952.607	481.7204301	14516.07643	30000	0	0	30000	40.375	2004
12.02.2020 10:56:38	1	1	1	1	71	60.25	0	29952.607	481.7204301	14451.662	30000	0	0	30000	40.4375	2004
12.02.2020 10:56:39	1	1	1	1	71	60.25	0	30000	483.8709677	14451.662	30000	0	0	30000	40.0625	2004
12.02.2020 10:56:40	1	1	1	1	71	60	0	30000	481.7204301	14451.662	30000	0	0	30000	40.5625	2004
12.02.2020 10:56:41	1	1	1	1	71	60.5	0	30000	481.7204301	14561.73729	30000	0	0	30000	39.625	2004
12.02.2020 10:56:42	1	1	1	1	71	59.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.125	2004
12.02.2020 10:56:43	1	1	1	1	71	60	0	30000	481.7204301	14451.662	30000	0	0	30000	40.6875	2004
12.02.2020 10:56:44	1	1	1	1	71	60.5	0	29952.607	481.7204301	14451.662	30000	0	0	30000	40.3125	2004
12.02.2020 10:56:45	1	1	1	1	71	60.25	0	30094.787	481.7204301	14451.662	30000	0	0	30000	39.625	2004
12.02.2020 10:56:46	1	1	1	1	71	59.5	0	29905.213	481.7204301	14451.662	30000	0	0	30000	40.125	2004
12.02.2020 10:56:47	1	1	1	1	71	60	0	30000	481.7204301	14451.662	30000	0	0	30000	40.625	2004
12.02.2020 10:56:48	1	1	1	1	71	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.6875	2004
12.02.2020 10:56:49	1	1	1	1	71	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.375	2004
12.02.2020 10:56:50	1	1	1	1	71	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	39.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 10:56:51	1	1	1	1	71	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	41	2004
12.02.2020 10:56:52	1	1	1	1	71	61	0	30000	481.7204301	14428.83157	30000	0	0	30000	40.5	2004
12.02.2020 10:56:53	1	1	1	1	71	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.4375	2004
12.02.2020 10:56:54	1	1	1	1	71	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.5	2004
12.02.2020 10:56:55	1	1	1	1	71	60.5	0	29952.607	481.7204301	14451.662	30000	0	0	30000	40.1875	2004
12.02.2020 10:56:56	1	1	1	1	71	60	0	30000	486.0215054	14451.662	30000	0	0	30000	40.75	2004
12.02.2020 10:56:57	1	1	1	1	71	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.125	2004
12.02.2020 10:57:04	1	1	1	1	71	59.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.3125	2004
12.02.2020 10:57:04	1	1	1	1	71	59.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.3125	2004
12.02.2020 10:57:04	1	1	1	1	71	59.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.3125	2004
12.02.2020 10:57:04	1	1	1	1	71	59.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.3125	2004
12.02.2020 10:57:04	1	1	1	1	71	59.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.3125	2004
12.02.2020 10:57:05	1	1	1	1	71	60.25	0	30000	481.7204301	14428.83157	30000	0	0	30000	40.875	2004
12.02.2020 10:57:06	1	1	1	1	71	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.3125	2004
12.02.2020 10:57:07	1	1	1	1	71	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.1875	2004
12.02.2020 10:57:08	1	1	1	1	71	60	0	30000	481.7204301	14451.662	30000	0	0	30000	38.5625	2004
12.02.2020 10:57:09	1	1	1	1	71	58.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.5	2004
12.02.2020 10:57:10	1	1	1	1	71	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.6875	2004
12.02.2020 10:57:11	1	1	1	1	71	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.5	2004
12.02.2020 10:57:12	1	1	1	1	71	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.3125	2004
12.02.2020 10:57:13	1	1	1	1	71	60.25	0	29905.213	481.7204301	14428.83157	30000	0	0	30000	40.6875	2004
12.02.2020 10:57:14	1	1	1	1	71	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.5	2004
12.02.2020 10:57:15	1	1	1	1	71	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.5625	2004
12.02.2020 10:57:16	1	1	1	1	71.25	60.5	0	30000	481.7204301	14474.49243	30000	0	0	30000	40.4375	2004
12.02.2020 10:57:17	1	1	1	1	71.25	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.5625	2004
12.02.2020 10:57:18	1	1	1	1	71.25	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	39.5625	2004
12.02.2020 10:57:19	1	1	1	1	71.25	59.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.1875	2004
12.02.2020 10:57:20	1	1	1	1	71.25	60	0	30000	481.7204301	14451.662	30000	0	0	30000	40.5	2004
12.02.2020 10:57:21	1	1	1	1	71.25	60.5	0	30000	483.8709677	14406.00114	30000	0	0	30000	40.6875	2004
12.02.2020 10:57:22	1	1	1	1	71.25	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.5	2004
12.02.2020 10:57:23	1	1	1	1	71.25	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.375	2004
12.02.2020 10:57:24	1	1	1	1	71.25	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.5625	2004
12.02.2020 10:57:25	1	1	1	1	71.25	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.5	2004
12.02.2020 10:57:26	1	1	1	1	71.25	60.5	0	29905.213	481.7204301	14451.662	30000	0	0	30000	40.5	2004
12.02.2020 10:57:27	1	1	1	1	71.25	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.5	2004
12.02.2020 10:57:28	1	1	1	1	71.25	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	39.75	2004
12.02.2020 10:57:29	1	1	1	1	71.25	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	41	2004
12.02.2020 10:57:30	1	1	1	1	71.25	61	0	30000	481.7204301	14451.662	30000	0	0	30000	40.8125	2004
12.02.2020 10:57:31	1	1	1	1	71.25	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.375	2004
12.02.2020 10:57:32	1	1	1	1	71.25	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.9375	2004
12.02.2020 10:57:33	1	1	1	1	71.25	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.5625	2004
12.02.2020 10:57:34	1	1	1	1	71.25	60.5	0	29952.607	481.7204301	14428.83157	30000	0	0	30000	40.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 10:57:35	1	1	1	1	70.75	60.75	0	29952.607	481.7204301	14451.662	30000	0	0	30000	39.9375	2004
12.02.2020 10:57:36	1	1	1	1	70.75	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	39.0625	2004
12.02.2020 10:57:37	1	1	1	1	70.75	59	0	30000	481.7204301	14451.662	30000	0	0	30000	40.4375	2004
12.02.2020 10:57:38	1	1	1	1	70.75	60.25	0	30000	481.7204301	14474.49243	30000	0	0	30000	40.25	2004
12.02.2020 10:57:39	1	1	1	1	70.75	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40	2004
12.02.2020 10:57:41	1	1	1	1	70.75	60	0	30000	481.7204301	14451.662	30000	0	0	30000	40.125	2004
12.02.2020 10:57:42	1	1	1	1	70.75	60	0	30000	481.7204301	14451.662	30000	0	0	30000	40.375	2004
12.02.2020 10:57:43	1	1	1	1	70.75	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.125	2004
12.02.2020 10:57:44	1	1	1	1	70.75	60	0	30000	481.7204301	14451.662	30000	0	0	30000	40.4375	2004
12.02.2020 10:57:45	1	1	1	1	70.75	60.25	0	29952.607	481.7204301	14516.07643	30000	0	0	30000	40.625	2004
12.02.2020 10:57:46	1	1	1	1	71	60.5	0	29952.607	481.7204301	14451.662	30000	0	0	30000	39.5625	2004
12.02.2020 10:57:47	1	1	1	1	71	59.5	0	29905.213	481.7204301	14451.662	30000	0	0	30000	40.3125	2004
12.02.2020 10:57:48	1	1	1	1	71	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.25	2004
12.02.2020 10:57:49	1	1	1	1	71	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40	2004
12.02.2020 10:57:50	1	1	1	1	71	60	0	30000	481.7204301	14451.662	30000	0	0	30000	40.0625	2004
12.02.2020 10:57:51	1	1	1	1	71	60	0	30047.393	481.7204301	14451.662	30000	0	0	30000	40	2004
12.02.2020 10:57:52	1	1	1	1	71	60	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.625	2004
12.02.2020 10:57:53	1	1	1	1	71	60.5	0	30000	481.7204301	14516.07643	30000	0	0	30000	40.4375	2004
12.02.2020 10:57:54	1	1	1	1	71	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.75	2004
12.02.2020 10:57:55	1	1	1	1	71	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.5625	2004
12.02.2020 10:57:56	1	1	1	1	71.25	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.375	2004
12.02.2020 10:57:57	1	1	1	1	71.25	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.375	2004
12.02.2020 10:57:58	1	1	1	1	71.25	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.5625	2004
12.02.2020 10:57:59	1	1	1	1	71.25	60.5	0	30000	481.7204301	14516.07643	30000	0	0	30000	40.5	2004
12.02.2020 10:58:06	1	1	1	1	71.25	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.625	2004
12.02.2020 10:58:06	1	1	1	1	71.25	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.625	2004
12.02.2020 10:58:06	1	1	1	1	71.25	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.625	2004
12.02.2020 10:58:06	1	1	1	1	71.25	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.625	2004
12.02.2020 10:58:06	1	1	1	1	71.25	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.625	2004
12.02.2020 10:58:06	1	1	1	1	71.25	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.625	2004
12.02.2020 10:58:06	1	1	1	1	71.25	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.625	2004
12.02.2020 10:58:06	1	1	1	1	71.25	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.75	2004
12.02.2020 10:58:07	1	1	1	1	71.25	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.625	2004
12.02.2020 10:58:08	1	1	1	1	71.25	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.75	2004
12.02.2020 10:58:09	1	1	1	1	71.25	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.5	2004
12.02.2020 10:58:10	1	1	1	1	71.25	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.8125	2004
12.02.2020 10:58:11	1	1	1	1	71.25	59.75	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.5625	2004
12.02.2020 10:58:12	1	1	1	1	71.25	60.5	0	29952.607	481.7204301	14667.73571	30000	0	0	30000	40.5	2004
12.02.2020 10:58:13	1	1	1	1	71.25	60.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.5	2004
12.02.2020 10:58:14	1	1	1	1	71.25	60.5	0	30000	486.0215054	14516.07643	30000	0	0	30000	40.0625	2004
12.02.2020 10:58:15	1	1	1	1	71.5	60	0	30000	486.0215054	14516.07643	30000	0	0	30000	40.6875	2004
12.02.2020 10:58:16	1	1	1	1	71.5	60.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.0625	2004
12.02.2020 10:58:17	1	1	1	1	71.5	60	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.5	2004
12.02.2020 10:58:19	1	1	1	1	71.5	60.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 10:58:20	1	1	1	1	71.5	60.5	0	29952.607	483.8709677	14580.49085	30000	0	0	30000	40.6875	2004
12.02.2020 10:58:21	1	1	1	1	71.5	60.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.6875	2004
12.02.2020 10:58:22	1	1	1	1	71.5	60.5	0	30000	486.0215054	14516.07643	30000	0	0	30000	39.875	2004
12.02.2020 10:58:23	1	1	1	1	71.5	59.75	0	30047.393	494.6236559	14644.90528	30000	0	0	30000	40.3125	2004
12.02.2020 10:58:24	1	1	1	1	71.5	60.25	0	29952.607	481.7204301	14428.83157	30000	0	0	30000	40.375	2004
12.02.2020 10:58:25	1	1	1	1	71.5	60.25	0	30000	481.7204301	14474.49243	30000	0	0	30000	40.5	2004
12.02.2020 10:58:26	1	1	1	1	71.25	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.4375	2004
12.02.2020 10:58:27	1	1	1	1	71.25	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.5625	2004
12.02.2020 10:58:28	1	1	1	1	71.25	60.5	0	29952.607	481.7204301	14516.07643	30000	0	0	30000	40.4375	2004
12.02.2020 10:58:29	1	1	1	1	71.25	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.5625	2004
12.02.2020 10:58:30	1	1	1	1	71.25	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.4375	2004
12.02.2020 10:58:31	1	1	1	1	71.25	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.5	2004
12.02.2020 10:58:32	1	1	1	1	71.25	60.5	0	30000	481.7204301	14516.07643	30000	0	0	30000	40.75	2004
12.02.2020 10:58:33	1	1	1	1	71.25	60.75	0	30000	481.7204301	14428.83157	30000	0	0	30000	40.0625	2004
12.02.2020 10:58:34	1	1	1	1	71.25	60	0	30000	481.7204301	14451.662	30000	0	0	30000	39.6875	2004
12.02.2020 10:58:35	1	1	1	1	71.25	59.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.625	2004
12.02.2020 10:58:36	1	1	1	1	71.25	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.4375	2004
12.02.2020 10:58:37	1	1	1	1	71.25	60.25	0	29952.607	481.7204301	14428.83157	30000	0	0	30000	40.5625	2004
12.02.2020 10:58:38	1	1	1	1	71.25	60.5	0	29905.213	481.7204301	14451.662	30000	0	0	30000	40.5	2004
12.02.2020 10:58:39	1	1	1	1	71.25	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.625	2004
12.02.2020 10:58:40	1	1	1	1	71.25	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.375	2004
12.02.2020 10:58:41	1	1	1	1	71.25	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.5	2004
12.02.2020 10:58:42	1	1	1	1	71.25	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.375	2004
12.02.2020 10:58:43	1	1	1	1	71.25	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.5625	2004
12.02.2020 10:58:44	1	1	1	1	71.25	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.125	2004
12.02.2020 10:58:45	1	1	1	1	71.25	60	0	30000	481.7204301	14451.662	30000	0	0	30000	40.4375	2004
12.02.2020 10:58:46	1	1	1	1	71	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.8125	2004
12.02.2020 10:58:47	1	1	1	1	71	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	41.0625	2004
12.02.2020 10:58:48	1	1	1	1	71	61	0	30000	483.8709677	14451.662	30000	0	0	30000	41.0625	2004
12.02.2020 10:58:49	1	1	1	1	71	61	0	30000	481.7204301	14451.662	30000	0	0	30000	40.5	2004
12.02.2020 10:58:50	1	1	1	1	71	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.1875	2004
12.02.2020 10:58:51	1	1	1	1	71	60	0	30000	481.7204301	14451.662	30000	0	0	30000	40.625	2004
12.02.2020 10:58:52	1	1	1	1	71	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.3125	2004
12.02.2020 10:58:53	1	1	1	1	71	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.3125	2004
12.02.2020 10:58:54	1	1	1	1	71	60.25	0	30000	483.8709677	14451.662	30000	0	0	30000	40.375	2004
12.02.2020 10:58:55	1	1	1	1	71	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.1875	2004
12.02.2020 10:58:57	1	1	1	1	71	60	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.125	2004
12.02.2020 10:58:58	1	1	1	1	71	60	0	30000	481.7204301	14451.662	30000	0	0	30000	40	2004
12.02.2020 10:58:59	1	1	1	1	71	60	0	30000	481.7204301	14451.662	30000	0	0	30000	40.375	2004
12.02.2020 10:59:00	1	1	1	1	71	60.25	0	30000	488.172043	14580.49085	30000	0	0	30000	40.0625	2004
12.02.2020 10:59:01	1	1	1	1	71	60	0	30000	481.7204301	14451.662	30000	0	0	30000	40.625	2004
12.02.2020 10:59:07	1	1	1	1	70.75	60	0	30000	481.7204301	14451.662	30000	0	0	30000	40.5	2004
12.02.2020 10:59:07	1	1	1	1	70.75	60	0	30000	481.7204301	14451.662	30000	0	0	30000	40.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 10:59:07	1	1	1	1	70.75	60	0	30000	481.7204301	14451.662	30000	0	0	30000	40.5	2004
12.02.2020 10:59:07	1	1	1	1	70.75	60	0	30000	481.7204301	14451.662	30000	0	0	30000	40.5	2004
12.02.2020 10:59:07	1	1	1	1	70.75	60	0	30000	481.7204301	14451.662	30000	0	0	30000	40.5	2004
12.02.2020 10:59:07	1	1	1	1	70.75	60	0	30000	481.7204301	14451.662	30000	0	0	30000	40.5	2004
12.02.2020 10:59:08	1	1	1	1	70.75	60.5	0	29952.607	481.7204301	14451.662	30000	0	0	30000	40.625	2004
12.02.2020 10:59:09	1	1	1	1	70.75	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.5625	2004
12.02.2020 10:59:10	1	1	1	1	70.75	60.5	0	29952.607	481.7204301	14451.662	30000	0	0	30000	40.25	2004
12.02.2020 10:59:11	1	1	1	1	70.75	60.25	0	30047.393	481.7204301	14451.662	30000	0	0	30000	40.375	2004
12.02.2020 10:59:12	1	1	1	1	70.75	60.25	0	30000	486.0215054	14516.07643	30000	0	0	30000	40.5	2004
12.02.2020 10:59:13	1	1	1	1	70.75	60.5	0	30000	481.7204301	14516.07643	30000	0	0	30000	40.125	2004
12.02.2020 10:59:14	1	1	1	1	70.75	60	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.125	2004
12.02.2020 10:59:15	1	1	1	1	70.75	60	0	30000	486.0215054	14644.90528	30000	0	0	30000	40.5	2004
12.02.2020 10:59:16	1	1	1	1	70.5	60.5	0	30047.393	486.0215054	14644.90528	30000	0	0	30000	40.3125	2004
12.02.2020 10:59:17	1	1	1	1	70.5	60.25	0	30000	481.7204301	14406.00114	30000	0	0	30000	40.375	2004
12.02.2020 10:59:18	1	1	1	1	70.5	60.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.3125	2004
12.02.2020 10:59:19	1	1	1	1	70.5	60.25	0	30000	486.0215054	14644.90528	30000	0	0	30000	40.375	2004
12.02.2020 10:59:20	1	1	1	1	70.5	60.25	0	29952.607	488.172043	14644.90528	30000	0	0	30000	40.3125	2004
12.02.2020 10:59:21	1	1	1	1	70.5	60.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.0625	2004
12.02.2020 10:59:22	1	1	1	1	70.5	60	0	30000	481.7204301	14451.662	30000	0	0	30000	40.75	2004
12.02.2020 10:59:23	1	1	1	1	70.5	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	39.875	2004
12.02.2020 10:59:24	1	1	1	1	70.5	59.75	0	30000	488.172043	14516.07643	30000	0	0	30000	40.375	2004
12.02.2020 10:59:25	1	1	1	1	70.5	60.25	0	30000	486.0215054	14516.07643	30000	0	0	30000	40.25	2004
12.02.2020 10:59:26	1	1	1	1	70.75	60.25	0	30000	486.0215054	14516.07643	30000	0	0	30000	41.125	2004
12.02.2020 10:59:27	1	1	1	1	70.75	61	0	30000	492.4731183	14516.07643	30000	0	0	30000	40.4375	2004
12.02.2020 10:59:28	1	1	1	1	70.75	60.25	0	30000	488.172043	14516.07643	30000	0	0	30000	40.4375	2004
12.02.2020 10:59:29	1	1	1	1	70.75	60.25	0	30000	490.3225806	14516.07643	30000	0	0	30000	40.0625	2004
12.02.2020 10:59:30	1	1	1	1	70.75	60	0	29952.607	483.8709677	14516.07643	30000	0	0	30000	40.125	2004
12.02.2020 10:59:31	1	1	1	1	70.75	60	0	30000	483.8709677	14580.49085	30000	0	0	30000	40.6875	2004
12.02.2020 10:59:32	1	1	1	1	70.75	60.5	0	30000	483.8709677	14644.90528	30000	0	0	30000	40.3125	2004
12.02.2020 10:59:34	1	1	1	1	70.75	60.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.375	2004
12.02.2020 10:59:35	1	1	1	1	70.75	60.25	0	30000	481.7204301	14516.07643	30000	0	0	30000	40.5	2004
12.02.2020 10:59:36	1	1	1	1	70.75	60.5	0	30000	481.7204301	14516.07643	30000	0	0	30000	40.5625	2004
12.02.2020 10:59:37	1	1	1	1	70.75	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.5	2004
12.02.2020 10:59:38	1	1	1	1	70.75	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.6875	2004
12.02.2020 10:59:39	1	1	1	1	70.75	60.5	0	30047.393	483.8709677	14451.662	30000	0	0	30000	40.1875	2004
12.02.2020 10:59:40	1	1	1	1	70.75	60	0	30000	481.7204301	14474.49243	30000	0	0	30000	40.625	2004
12.02.2020 10:59:41	1	1	1	1	70.75	60.5	0	29905.213	481.7204301	14451.662	30000	0	0	30000	40.3125	2004
12.02.2020 10:59:42	1	1	1	1	70.75	60.25	0	30000	492.4731183	14644.90528	30000	0	0	30000	40.625	2004
12.02.2020 10:59:43	1	1	1	1	70.75	60.5	0	30000	481.7204301	14516.07643	30000	0	0	30000	39.8125	2004
12.02.2020 10:59:44	1	1	1	1	70.75	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.375	2004
12.02.2020 10:59:45	1	1	1	1	70.75	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.125	2004
12.02.2020 10:59:46	1	1	1	1	70.5	60	0	30000	481.7204301	14451.662	30000	0	0	30000	40.5625	2004
12.02.2020 10:59:47	1	1	1	1	70.5	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 10:59:48	1	1	1	1	70.5	60.5	0	30000	486.0215054	14580.49085	30000	0	0	30000	40.1875	2004
12.02.2020 10:59:49	1	1	1	1	70.5	60	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.5625	2004
12.02.2020 10:59:50	1	1	1	1	70.5	60.5	0	30000	486.0215054	14644.90528	30000	0	0	30000	40.0625	2004
12.02.2020 10:59:51	1	1	1	1	70.5	60	0	30000	488.172043	14644.90528	30000	0	0	30000	40.5	2004
12.02.2020 10:59:52	1	1	1	1	70.5	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	39.875	2004
12.02.2020 10:59:53	1	1	1	1	70.5	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.0625	2004
12.02.2020 10:59:54	1	1	1	1	70.5	60	0	30047.393	481.7204301	14451.662	30000	0	0	30000	40.5625	2004
12.02.2020 10:59:55	1	1	1	1	70.5	60.5	0	30000	481.7204301	14428.83157	30000	0	0	30000	40.1875	2004
12.02.2020 10:59:56	1	1	1	1	70.75	60	0	29905.213	466.6666667	14451.662	30000	0	0	30000	40.4375	2004
12.02.2020 10:59:57	1	1	1	1	70.75	60.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.5	2004
12.02.2020 10:59:58	1	1	1	1	70.75	60.5	0	29952.607	481.7204301	14451.662	30000	0	0	30000	40.5625	2004
12.02.2020 10:59:59	1	1	1	1	70.75	60.5	0	30000	483.8709677	14451.662	30000	0	0	30000	40.0625	2004
12.02.2020 11:00:00	1	1	1	1	70.75	60	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.6875	2004
12.02.2020 11:00:01	1	1	1	1	70.75	60.5	0	30000	483.8709677	14451.662	30000	0	0	30000	40.375	2004
12.02.2020 11:00:02	1	1	1	1	70.75	60.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	41	2004
12.02.2020 11:00:09	1	1	1	1	70.5	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	39.9375	2004
12.02.2020 11:00:09	1	1	1	1	70.5	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	39.9375	2004
12.02.2020 11:00:09	1	1	1	1	70.5	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	39.9375	2004
12.02.2020 11:00:09	1	1	1	1	70.5	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	39.9375	2004
12.02.2020 11:00:09	1	1	1	1	70.5	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	39.9375	2004
12.02.2020 11:00:09	1	1	1	1	70.5	59.75	0	29952.607	481.7204301	14428.83157	30000	0	0	30000	40.125	2004
12.02.2020 11:00:10	1	1	1	1	70.5	60	0	30000	481.7204301	14451.662	30000	0	0	30000	40.625	2004
12.02.2020 11:00:12	1	1	1	1	70.5	60.5	0	30000	481.7204301	14516.07643	30000	0	0	30000	40.5625	2004
12.02.2020 11:00:13	1	1	1	1	70.5	60.5	0	29905.213	481.7204301	14451.662	30000	0	0	30000	40.375	2004
12.02.2020 11:00:14	1	1	1	1	70.5	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.6875	2004
12.02.2020 11:00:15	1	1	1	1	70.5	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.5625	2004
12.02.2020 11:00:16	1	1	1	1	70.75	60.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.125	2004
12.02.2020 11:00:17	1	1	1	1	70.75	60	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.3125	2004
12.02.2020 11:00:18	1	1	1	1	70.75	60.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.6875	2004
12.02.2020 11:00:19	1	1	1	1	70.75	60.5	0	29905.213	483.8709677	14516.07643	30000	0	0	30000	40.125	2004
12.02.2020 11:00:20	1	1	1	1	70.75	60	0	29905.213	481.7204301	14516.07643	30000	0	0	30000	40.0625	2004
12.02.2020 11:00:21	1	1	1	1	70.75	60	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.375	2004
12.02.2020 11:00:22	1	1	1	1	70.75	60.25	0	30000	488.172043	14644.90528	30000	0	0	30000	40.4375	2004
12.02.2020 11:00:23	1	1	1	1	70.75	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.375	2004
12.02.2020 11:00:24	1	1	1	1	70.75	60.25	0	29952.607	481.7204301	14516.07643	30000	0	0	30000	40.1875	2004
12.02.2020 11:00:25	1	1	1	1	70.75	60	0	30000	486.0215054	14406.00114	30000	0	0	30000	40.6875	2004
12.02.2020 11:00:26	1	1	1	1	70.5	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.5	2004
12.02.2020 11:00:27	1	1	1	1	70.5	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.375	2004
12.02.2020 11:00:28	1	1	1	1	70.5	60.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.5625	2004
12.02.2020 11:00:29	1	1	1	1	70.5	60.5	0	29952.607	481.7204301	14580.49085	30000	0	0	30000	40.75	2004
12.02.2020 11:00:30	1	1	1	1	70.5	60.75	0	30000	488.172043	14644.90528	30000	0	0	30000	40.5	2004
12.02.2020 11:00:31	1	1	1	1	70.5	60.5	0	29952.607	481.7204301	14451.662	30000	0	0	30000	40.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 11:00:32	1	1	1	1	70.5	60.25	0	29952.607	481.7204301	14451.662	30000	0	0	30000	39.9375	2004
12.02.2020 11:00:33	1	1	1	1	70.5	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.4375	2004
12.02.2020 11:00:34	1	1	1	1	70.5	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.6875	2004
12.02.2020 11:00:35	1	1	1	1	70.5	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.625	2004
12.02.2020 11:00:36	1	1	1	1	70.5	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.5625	2004
12.02.2020 11:00:37	1	1	1	1	70.5	60.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.375	2004
12.02.2020 11:00:38	1	1	1	1	70.5	60.25	0	29905.213	481.7204301	14451.662	30000	0	0	30000	39.9375	2004
12.02.2020 11:00:39	1	1	1	1	70.5	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	39.625	2004
12.02.2020 11:00:40	1	1	1	1	70.5	59.5	0	29952.607	481.7204301	14451.662	30000	0	0	30000	40.8125	2004
12.02.2020 11:00:41	1	1	1	1	70.5	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.6875	2004
12.02.2020 11:00:42	1	1	1	1	70.5	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.25	2004
12.02.2020 11:00:43	1	1	1	1	70.5	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.5625	2004
12.02.2020 11:00:44	1	1	1	1	70.5	60.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	39.4375	2004
12.02.2020 11:00:45	1	1	1	1	70.5	59.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.1875	2004
12.02.2020 11:00:46	1	1	1	1	70.5	60	0	30000	481.7204301	14451.662	30000	0	0	30000	40.6875	2004
12.02.2020 11:00:47	1	1	1	1	70.5	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.625	2004
12.02.2020 11:00:48	1	1	1	1	70.5	60.5	0	30000	483.8709677	14493.246	30000	0	0	30000	39.8125	2004
12.02.2020 11:00:50	1	1	1	1	70.5	59.75	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.5	2004
12.02.2020 11:00:51	1	1	1	1	70.5	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.5	2004
12.02.2020 11:00:52	1	1	1	1	70.5	60.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.625	2004
12.02.2020 11:00:53	1	1	1	1	70.5	60.5	0	30000	481.7204301	14709.31971	30000	0	0	30000	39.8125	2004
12.02.2020 11:00:54	1	1	1	1	70.5	59.75	0	30000	486.0215054	14644.90528	30000	0	0	30000	40.5	2004
12.02.2020 11:00:55	1	1	1	1	70.5	60.5	0	30000	488.172043	14428.83157	30000	0	0	30000	40.1875	2004
12.02.2020 11:00:56	1	1	1	1	70.5	60	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.0625	2004
12.02.2020 11:00:57	1	1	1	1	70.5	60	0	30000	486.0215054	14580.49085	30000	0	0	30000	40.25	2004
12.02.2020 11:00:58	1	1	1	1	70.5	60.25	0	30000	481.7204301	14474.49243	30000	0	0	30000	40.4375	2004
12.02.2020 11:00:59	1	1	1	1	70.5	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.4375	2004
12.02.2020 11:01:00	1	1	1	1	70.5	60.25	0	30000	481.7204301	14516.07643	30000	0	0	30000	40.625	2004
12.02.2020 11:01:01	1	1	1	1	70.5	60.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.5	2004
12.02.2020 11:01:02	1	1	1	1	70.5	60.5	0	30000	481.7204301	14516.07643	30000	0	0	30000	40.4375	2004
12.02.2020 11:01:03	1	1	1	1	70.5	60.25	0	30000	483.8709677	14451.662	30000	0	0	30000	40.6875	2004
12.02.2020 11:01:04	1	1	1	1	70.5	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.625	2004
12.02.2020 11:01:11	1	1	1	1	70.75	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.4375	2004
12.02.2020 11:01:11	1	1	1	1	70.75	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.4375	2004
12.02.2020 11:01:11	1	1	1	1	70.75	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.4375	2004
12.02.2020 11:01:11	1	1	1	1	70.75	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.4375	2004
12.02.2020 11:01:11	1	1	1	1	70.75	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.4375	2004
12.02.2020 11:01:11	1	1	1	1	70.75	60.25	0	30000	481.7204301	14428.83157	30000	0	0	30000	40.5	2004
12.02.2020 11:01:12	1	1	1	1	70.75	60.5	0	30000	481.7204301	14428.83157	30000	0	0	30000	40.125	2004
12.02.2020 11:01:13	1	1	1	1	70.75	60	0	30000	481.7204301	14451.662	30000	0	0	30000	40.5625	2004
12.02.2020 11:01:14	1	1	1	1	70.75	60.5	0	30000	486.0215054	14644.90528	30000	0	0	30000	40.5625	2004
12.02.2020 11:01:15	1	1	1	1	70.75	60.5	0	30000	486.0215054	14644.90528	30000	0	0	30000	40.5625	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 11:01:16	1	1	1	1	70.25	60.5	0	30000	488.172043	14644.90528	30000	0	0	30000	40.625	2004
12.02.2020 11:01:17	1	1	1	1	70.25	60.5	0	30000	486.0215054	14516.07643	30000	0	0	30000	40.25	2004
12.02.2020 11:01:18	1	1	1	1	70.25	60.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.75	2004
12.02.2020 11:01:19	1	1	1	1	70.25	60.75	0	30000	494.6236559	14598.42905	30000	0	0	30000	40.5	2004
12.02.2020 11:01:20	1	1	1	1	70.25	60.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.625	2004
12.02.2020 11:01:21	1	1	1	1	70.25	60.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.0625	2004
12.02.2020 11:01:22	1	1	1	1	70.25	60	0	30000	483.8709677	14469.6002	30000	0	0	30000	40.5	2004
12.02.2020 11:01:23	1	1	1	1	70.25	60.25	0	30000	486.0215054	14580.49085	30000	0	0	30000	39.9375	2004
12.02.2020 11:01:24	1	1	1	1	70.25	59.75	0	30000	481.7204301	14516.07643	30000	0	0	30000	40.375	2004
12.02.2020 11:01:25	1	1	1	1	70.25	60.25	0	30000	481.7204301	14516.07643	30000	0	0	30000	40.375	2004
12.02.2020 11:01:26	1	1	1	1	70.25	60.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.6875	2004
12.02.2020 11:01:27	1	1	1	1	70.25	60.5	0	30000	486.0215054	14516.07643	30000	0	0	30000	40.6875	2004
12.02.2020 11:01:28	1	1	1	1	70.25	60.5	0	30000	488.172043	14516.07643	30000	0	0	30000	39.875	2004
12.02.2020 11:01:29	1	1	1	1	70.25	59.75	0	30047.393	483.8709677	14516.07643	30000	0	0	30000	40.375	2004
12.02.2020 11:01:31	1	1	1	1	70.25	60.25	0	30047.393	483.8709677	14516.07643	30000	0	0	30000	40.8125	2004
12.02.2020 11:01:32	1	1	1	1	70.25	60.75	0	30000	488.172043	14644.90528	30000	0	0	30000	40.375	2004
12.02.2020 11:01:33	1	1	1	1	70.25	60.25	0	30000	488.172043	14644.90528	30000	0	0	30000	40.5625	2004
12.02.2020 11:01:34	1	1	1	1	70.25	60.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.1875	2004
12.02.2020 11:01:35	1	1	1	1	70.25	60	0	30000	481.7204301	14451.662	30000	0	0	30000	40.6875	2004
12.02.2020 11:01:36	1	1	1	1	70.5	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	39.9375	2004
12.02.2020 11:01:37	1	1	1	1	70.5	59.75	0	29952.607	486.0215054	14644.90528	30000	0	0	30000	40.375	2004
12.02.2020 11:01:38	1	1	1	1	70.5	60.25	0	30000	486.0215054	14644.90528	30000	0	0	30000	40.1875	2004
12.02.2020 11:01:39	1	1	1	1	70.5	60	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.25	2004
12.02.2020 11:01:40	1	1	1	1	70.5	60.25	0	30000	483.8709677	14580.49085	30000	0	0	30000	40.5	2004
12.02.2020 11:01:41	1	1	1	1	70.5	60.5	0	30000	488.172043	14644.90528	30000	0	0	30000	40.4375	2004
12.02.2020 11:01:42	1	1	1	1	70.5	60.25	0	30000	483.8709677	14451.662	30000	0	0	30000	40.6875	2004
12.02.2020 11:01:43	1	1	1	1	70.5	60.5	0	29952.607	481.7204301	14773.73413	30000	0	0	30000	40.125	2004
12.02.2020 11:01:44	1	1	1	1	70.5	60	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.125	2004
12.02.2020 11:01:45	1	1	1	1	70.5	60	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.3125	2004
12.02.2020 11:01:46	1	1	1	1	70.25	60.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	39.8125	2004
12.02.2020 11:01:47	1	1	1	1	70.25	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.625	2004
12.02.2020 11:01:48	1	1	1	1	70.25	60.5	0	30000	481.7204301	14516.07643	30000	0	0	30000	40.6875	2004
12.02.2020 11:01:49	1	1	1	1	70.25	60.5	0	29952.607	481.7204301	14516.07643	30000	0	0	30000	40.5625	2004
12.02.2020 11:01:50	1	1	1	1	70.25	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.3125	2004
12.02.2020 11:01:51	1	1	1	1	70.25	60.25	0	29952.607	481.7204301	14516.07643	30000	0	0	30000	40.375	2004
12.02.2020 11:01:52	1	1	1	1	70.25	60.25	0	30000	481.7204301	14406.00114	30000	0	0	30000	40.375	2004
12.02.2020 11:01:53	1	1	1	1	70.25	60.25	0	30000	486.0215054	14516.07643	30000	0	0	30000	39.75	2004
12.02.2020 11:01:54	1	1	1	1	70.25	59.75	0	30000	486.0215054	14451.662	30000	0	0	30000	40.0625	2004
12.02.2020 11:01:55	1	1	1	1	70.25	60	0	29952.607	486.0215054	14598.42905	30000	0	0	30000	40.6875	2004
12.02.2020 11:01:56	1	1	1	1	70.5	60.5	0	30000	488.172043	14644.90528	30000	0	0	30000	40.0625	2004
12.02.2020 11:01:57	1	1	1	1	70.5	60	0	30000	488.172043	14516.07643	30000	0	0	30000	39.75	2004
12.02.2020 11:01:58	1	1	1	1	70.5	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	41.125	2004
12.02.2020 11:01:59	1	1	1	1	70.5	61	0	30000	488.172043	14622.07485	30000	0	0	30000	40.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 11:02:00	1	1	1	1	70.5	60.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.5	2004
12.02.2020 11:02:01	1	1	1	1	70.5	60.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.5625	2004
12.02.2020 11:02:02	1	1	1	1	70.5	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.0625	2004
12.02.2020 11:02:03	1	1	1	1	70.5	60	0	30047.393	486.0215054	14538.90686	30000	0	0	30000	39.875	2004
12.02.2020 11:02:04	1	1	1	1	70.5	59.75	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.1875	2004
12.02.2020 11:02:05	1	1	1	1	70.75	60	0	30000	481.7204301	14451.662	30000	0	0	30000	40.0625	2004
12.02.2020 11:02:12	1	1	1	1	70.75	60.25	0	30000	486.0215054	14580.49085	30000	0	0	30000	40.5625	2004
12.02.2020 11:02:12	1	1	1	1	70.75	60.25	0	30000	486.0215054	14580.49085	30000	0	0	30000	40.5625	2004
12.02.2020 11:02:12	1	1	1	1	70.75	60.25	0	30000	486.0215054	14580.49085	30000	0	0	30000	40.5625	2004
12.02.2020 11:02:12	1	1	1	1	70.75	60.25	0	30000	486.0215054	14580.49085	30000	0	0	30000	40.5625	2004
12.02.2020 11:02:12	1	1	1	1	70.75	60.25	0	30000	486.0215054	14580.49085	30000	0	0	30000	40.5625	2004
12.02.2020 11:02:12	1	1	1	1	70.75	60.25	0	30000	486.0215054	14580.49085	30000	0	0	30000	40.5625	2004
12.02.2020 11:02:13	1	1	1	1	70.75	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.5625	2004
12.02.2020 11:02:14	1	1	1	1	70.75	60.5	0	30000	486.0215054	14516.07643	30000	0	0	30000	40.75	2004
12.02.2020 11:02:15	1	1	1	1	70.75	60.75	0	30000	483.8709677	14516.07643	30000	0	0	30000	39.8125	2004
12.02.2020 11:02:16	1	1	1	1	70.5	59.75	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.625	2004
12.02.2020 11:02:17	1	1	1	1	70.5	60.5	0	30000	486.0215054	14516.07643	30000	0	0	30000	40.5	2004
12.02.2020 11:02:18	1	1	1	1	70.5	60.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.4375	2004
12.02.2020 11:02:19	1	1	1	1	70.5	60.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.375	2004
12.02.2020 11:02:20	1	1	1	1	70.5	60.25	0	30047.393	486.0215054	14516.07643	30000	0	0	30000	40.5	2004
12.02.2020 11:02:21	1	1	1	1	70.5	60.5	0	30000	483.8709677	14644.90528	30000	0	0	30000	40.625	2004
12.02.2020 11:02:22	1	1	1	1	70.5	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.5625	2004
12.02.2020 11:02:23	1	1	1	1	70.5	60.5	0	30000	488.172043	14580.49085	30000	0	0	30000	40.4375	2004
12.02.2020 11:02:24	1	1	1	1	70.5	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.125	2004
12.02.2020 11:02:25	1	1	1	1	70.5	60	0	30000	481.7204301	14451.662	30000	0	0	30000	40.1875	2004
12.02.2020 11:02:26	1	1	1	1	70.25	60	0	30000	481.7204301	14516.07643	30000	0	0	30000	40.5625	2004
12.02.2020 11:02:27	1	1	1	1	70.25	60.5	0	30000	488.172043	14644.90528	30000	0	0	30000	40.4375	2004
12.02.2020 11:02:28	1	1	1	1	70.25	60.25	0	30000	486.0215054	14644.90528	30000	0	0	30000	40.25	2004
12.02.2020 11:02:29	1	1	1	1	70.25	60.25	0	30000	488.172043	14644.90528	30000	0	0	30000	40.6875	2004
12.02.2020 11:02:30	1	1	1	1	70.25	60.5	0	30000	486.0215054	14644.90528	30000	0	0	30000	40.625	2004
12.02.2020 11:02:31	1	1	1	1	70.25	60.5	0	30000	486.0215054	14406.00114	30000	0	0	30000	40.625	2004
12.02.2020 11:02:32	1	1	1	1	70.25	60.5	0	30000	488.172043	14885.44017	30000	0	0	30000	40.375	2004
12.02.2020 11:02:33	1	1	1	1	70.25	60.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.6875	2004
12.02.2020 11:02:34	1	1	1	1	70.25	60.5	0	30000	488.172043	14644.90528	30000	0	0	30000	40.375	2004
12.02.2020 11:02:35	1	1	1	1	70.25	60.25	0	30000	486.0215054	14516.07643	30000	0	0	30000	40.1875	2004
12.02.2020 11:02:36	1	1	1	1	70.5	60	0	30000	486.0215054	14516.07643	30000	0	0	30000	40.6875	2004
12.02.2020 11:02:37	1	1	1	1	70.5	60.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.625	2004
12.02.2020 11:02:38	1	1	1	1	70.5	60.5	0	30000	486.0215054	14644.90528	30000	0	0	30000	40.625	2004
12.02.2020 11:02:39	1	1	1	1	70.5	60.5	0	30000	486.0215054	14644.90528	30000	0	0	30000	40.25	2004
12.02.2020 11:02:40	1	1	1	1	70.5	59.75	0	30000	490.3225806	14644.90528	30000	0	0	30000	40.125	2004
12.02.2020 11:02:41	1	1	1	1	70.5	60	0	30000	483.8709677	14516.07643	30000	0	0	30000	39.6875	2004
12.02.2020 11:02:42	1	1	1	1	70.5	59.5	0	30000	490.3225806	14644.90528	30000	0	0	30000	40.4375	2004
12.02.2020 11:02:43	1	1	1	1	70.5	60.25	0	30000	486.0215054	14644.90528	30000	0	0	30000	40.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 11:02:45	1	1	1	1	70.5	60.25	0	30000	488.172043	14644.90528	30000	0	0	30000	40.1875	2004
12.02.2020 11:02:46	1	1	1	1	70.25	60	0	30000	488.172043	14644.90528	30000	0	0	30000	39.9375	2004
12.02.2020 11:02:47	1	1	1	1	70.25	59.75	0	30000	488.172043	14644.90528	30000	0	0	30000	40.3125	2004
12.02.2020 11:02:48	1	1	1	1	70.25	60.25	0	30000	481.7204301	14516.07643	30000	0	0	30000	40.5625	2004
12.02.2020 11:02:49	1	1	1	1	70.25	60.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.5	2004
12.02.2020 11:02:50	1	1	1	1	70.25	60.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.625	2004
12.02.2020 11:02:51	1	1	1	1	70.25	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.1875	2004
12.02.2020 11:02:52	1	1	1	1	70.25	60	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.4375	2004
12.02.2020 11:02:53	1	1	1	1	70.25	60.25	0	30000	490.3225806	14709.31971	30000	0	0	30000	40.375	2004
12.02.2020 11:02:54	1	1	1	1	70.25	60.25	0	30000	494.6236559	14838.14856	30000	0	0	30000	39.875	2004
12.02.2020 11:02:55	1	1	1	1	70.25	59.75	0	30000	494.6236559	14644.90528	30000	0	0	30000	39.875	2004
12.02.2020 11:02:56	1	1	1	1	70.25	59.75	0	30000	488.172043	14580.49085	30000	0	0	30000	40.5	2004
12.02.2020 11:02:57	1	1	1	1	70.25	60.5	0	30000	481.7204301	14516.07643	30000	0	0	30000	40.5	2004
12.02.2020 11:02:58	1	1	1	1	70.25	60.5	0	30000	486.0215054	14580.49085	30000	0	0	30000	39.8125	2004
12.02.2020 11:02:59	1	1	1	1	70.25	59.75	0	30000	486.0215054	14516.07643	30000	0	0	30000	40.125	2004
12.02.2020 11:03:00	1	1	1	1	70.25	60	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.625	2004
12.02.2020 11:03:01	1	1	1	1	70.25	60.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.25	2004
12.02.2020 11:03:02	1	1	1	1	70.25	60.25	0	30000	488.172043	14644.90528	30000	0	0	30000	40.25	2004
12.02.2020 11:03:03	1	1	1	1	70.25	60.25	0	30000	486.0215054	14516.07643	30000	0	0	30000	40.5625	2004
12.02.2020 11:03:04	1	1	1	1	70.25	60.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.4375	2004
12.02.2020 11:03:05	1	1	1	1	70.25	60.25	0	30000	490.3225806	14644.90528	30000	0	0	30000	40.0625	2004
12.02.2020 11:03:06	1	1	1	1	70.25	60	0	30000	488.172043	14406.00114	30000	0	0	30000	40.625	2004
12.02.2020 11:03:07	1	1	1	1	70.25	60.5	0	30000	488.172043	14773.73413	30000	0	0	30000	40.25	2004
12.02.2020 11:03:14	1	1	1	1	70.25	60.75	0	30000	488.172043	14644.90528	30000	0	0	30000	40.5625	2004
12.02.2020 11:03:14	1	1	1	1	70.25	60.75	0	30000	488.172043	14644.90528	30000	0	0	30000	40.5625	2004
12.02.2020 11:03:14	1	1	1	1	70.25	60.75	0	30000	488.172043	14644.90528	30000	0	0	30000	40.5625	2004
12.02.2020 11:03:14	1	1	1	1	70.25	60.75	0	30000	488.172043	14644.90528	30000	0	0	30000	40.5625	2004
12.02.2020 11:03:14	1	1	1	1	70.25	60.75	0	30000	488.172043	14644.90528	30000	0	0	30000	40.5625	2004
12.02.2020 11:03:14	1	1	1	1	70.25	60.75	0	30000	488.172043	14644.90528	30000	0	0	30000	40.5625	2004
12.02.2020 11:03:14	1	1	1	1	70.25	60.5	0	29952.607	486.0215054	14580.49085	30000	0	0	30000	40.125	2004
12.02.2020 11:03:15	1	1	1	1	70.25	60	0	30000	486.0215054	14516.07643	30000	0	0	30000	40.75	2004
12.02.2020 11:03:16	1	1	1	1	70.5	60.75	0	30000	488.172043	14709.31971	30000	0	0	30000	40.1875	2004
12.02.2020 11:03:17	1	1	1	1	70.5	60.75	0	30000	490.3225806	14732.96551	30000	0	0	30000	40.6875	2004
12.02.2020 11:03:18	1	1	1	1	70.5	60.5	0	30000	490.3225806	14644.90528	30000	0	0	30000	40.8125	2004
12.02.2020 11:03:19	1	1	1	1	70.5	60.75	0	30000	490.3225806	14773.73413	30000	0	0	30000	40.5625	2004
12.02.2020 11:03:20	1	1	1	1	70.5	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.3125	2004
12.02.2020 11:03:22	1	1	1	1	70.5	60.25	0	30000	486.0215054	14516.07643	30000	0	0	30000	40.625	2004
12.02.2020 11:03:23	1	1	1	1	70.5	60.5	0	30000	488.172043	14580.49085	30000	0	0	30000	40.5	2004
12.02.2020 11:03:24	1	1	1	1	70.5	60.5	0	30000	486.0215054	14644.90528	30000	0	0	30000	40.375	2004
12.02.2020 11:03:25	1	1	1	1	70.5	60.25	0	30000	481.7204301	14428.83157	30000	0	0	30000	40.375	2004
12.02.2020 11:03:26	1	1	1	1	71	60.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.6875	2004
12.02.2020 11:03:27	1	1	1	1	71	60.5	0	30000	488.172043	14709.31971	30000	0	0	30000	40.1875	2004
12.02.2020 11:03:28	1	1	1	1	71	60	0	30000	486.0215054	14516.07643	30000	0	0	30000	40	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 11:03:29	1	1	1	1	71	60	0	30000	481.7204301	14451.662	30000	0	0	30000	40.5	2004
12.02.2020 11:03:30	1	1	1	1	71	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.6875	2004
12.02.2020 11:03:31	1	1	1	1	71	60.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.125	2004
12.02.2020 11:03:32	1	1	1	1	71	60	0	30000	488.172043	14644.90528	30000	0	0	30000	40.0625	2004
12.02.2020 11:03:33	1	1	1	1	71	60	0	29952.607	488.172043	14644.90528	30000	0	0	30000	40.5625	2004
12.02.2020 11:03:34	1	1	1	1	71	60.5	0	30000	486.0215054	14580.49085	30000	0	0	30000	40.6875	2004
12.02.2020 11:03:35	1	1	1	1	71	60.5	0	30000	494.6236559	14709.31971	30000	0	0	30000	39.5625	2004
12.02.2020 11:03:36	1	1	1	1	70.25	59.5	0	29952.607	481.7204301	14516.07643	30000	0	0	30000	40.5625	2004
12.02.2020 11:03:37	1	1	1	1	70.25	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.5	2004
12.02.2020 11:03:38	1	1	1	1	70.25	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	39.875	2004
12.02.2020 11:03:39	1	1	1	1	70.25	59.75	0	30000	486.0215054	14644.90528	30000	0	0	30000	40.75	2004
12.02.2020 11:03:40	1	1	1	1	70.25	60.75	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.4375	2004
12.02.2020 11:03:41	1	1	1	1	70.25	60.25	0	29952.607	492.4731183	14709.31971	30000	0	0	30000	40.625	2004
12.02.2020 11:03:42	1	1	1	1	70.25	60.5	0	30000	486.0215054	14667.73571	30000	0	0	30000	40.25	2004
12.02.2020 11:03:43	1	1	1	1	70.25	60.25	0	30000	486.0215054	14580.49085	30000	0	0	30000	40.4375	2004
12.02.2020 11:03:44	1	1	1	1	70.25	60.25	0	29952.607	483.8709677	14516.07643	30000	0	0	30000	40.3125	2004
12.02.2020 11:03:45	1	1	1	1	70.25	60.25	0	30047.393	486.0215054	14516.07643	30000	0	0	30000	40.25	2004
12.02.2020 11:03:46	1	1	1	1	70.5	60.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.5	2004
12.02.2020 11:03:47	1	1	1	1	70.5	60.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.5625	2004
12.02.2020 11:03:48	1	1	1	1	70.5	60.5	0	30000	486.0215054	14516.07643	30000	0	0	30000	40.625	2004
12.02.2020 11:03:49	1	1	1	1	70.5	60.5	0	30000	488.172043	14644.90528	30000	0	0	30000	40.0625	2004
12.02.2020 11:03:50	1	1	1	1	70.5	60	0	30000	483.8709677	14644.90528	30000	0	0	30000	40.1875	2004
12.02.2020 11:03:51	1	1	1	1	70.5	60	0	30000	488.172043	14644.90528	30000	0	0	30000	40.5625	2004
12.02.2020 11:03:52	1	1	1	1	70.5	60.5	0	30000	488.172043	14644.90528	30000	0	0	30000	40.8125	2004
12.02.2020 11:03:53	1	1	1	1	70.5	60.75	0	30000	490.3225806	14644.90528	30000	0	0	30000	40.9375	2004
12.02.2020 11:03:54	1	1	1	1	70.5	60.75	0	30000	488.172043	14644.90528	30000	0	0	30000	41.1875	2004
12.02.2020 11:03:55	1	1	1	1	70.5	61	0	30000	494.6236559	14838.14856	30000	0	0	30000	40.1875	2004
12.02.2020 11:03:56	1	1	1	1	70.75	60.75	0	30000	488.172043	14644.90528	30000	0	0	30000	40.75	2004
12.02.2020 11:03:57	1	1	1	1	70.75	60.75	0	30000	490.3225806	14773.73413	30000	0	0	30000	40	2004
12.02.2020 11:03:58	1	1	1	1	70.75	60	0	30000	483.8709677	14580.49085	30000	0	0	30000	40	2004
12.02.2020 11:04:00	1	1	1	1	70.75	60	0	30000	488.172043	14644.90528	30000	0	0	30000	39.75	2004
12.02.2020 11:04:01	1	1	1	1	70.75	59.75	0	29952.607	488.172043	14773.73413	30000	0	0	30000	40.125	2004
12.02.2020 11:04:02	1	1	1	1	70.75	60	0	30047.393	488.172043	14644.90528	30000	0	0	30000	40.375	2004
12.02.2020 11:04:03	1	1	1	1	70.75	60.25	0	30000	488.172043	14709.31971	30000	0	0	30000	40.4375	2004
12.02.2020 11:04:04	1	1	1	1	70.75	60.25	0	29952.607	488.172043	14644.90528	30000	0	0	30000	40.625	2004
12.02.2020 11:04:05	1	1	1	1	70.75	60.5	0	30000	488.172043	14644.90528	30000	0	0	30000	40.125	2004
12.02.2020 11:04:06	1	1	1	1	70.5	60	0	30000	486.0215054	14644.90528	30000	0	0	30000	40.625	2004
12.02.2020 11:04:07	1	1	1	1	70.5	60.5	0	29952.607	483.8709677	14516.07643	30000	0	0	30000	40.6875	2004
12.02.2020 11:04:08	1	1	1	1	70.5	60.5	0	30000	488.172043	14644.90528	30000	0	0	30000	40.625	2004
12.02.2020 11:04:09	1	1	1	1	70.5	60.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.375	2004
12.02.2020 11:04:16	1	1	1	1	70.5	60.5	0	30000	483.8709677	14644.90528	30000	0	0	30000	40.25	2004
12.02.2020 11:04:16	1	1	1	1	70.5	60.5	0	30000	483.8709677	14644.90528	30000	0	0	30000	40.25	2004
12.02.2020 11:04:16	1	1	1	1	70.5	60.5	0	30000	483.8709677	14644.90528	30000	0	0	30000	40.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 11:04:16	1	1	1	1	70.5	60.5	0	30000	483.8709677	14644.90528	30000	0	0	30000	40.25	2004
12.02.2020 11:04:16	1	1	1	1	70.5	60.5	0	30000	483.8709677	14644.90528	30000	0	0	30000	40.25	2004
12.02.2020 11:04:16	1	1	1	1	70.5	60.5	0	30000	483.8709677	14644.90528	30000	0	0	30000	40.25	2004
12.02.2020 11:04:16	1	1	1	1	70.75	60.25	0	29952.607	488.172043	14580.49085	30000	0	0	30000	40.1875	2004
12.02.2020 11:04:17	1	1	1	1	70.75	60	0	30000	488.172043	14644.90528	30000	0	0	30000	40.375	2004
12.02.2020 11:04:18	1	1	1	1	70.75	60.25	0	30000	490.3225806	14773.73413	30000	0	0	30000	40.5625	2004
12.02.2020 11:04:19	1	1	1	1	70.75	60.5	0	30000	488.172043	14644.90528	30000	0	0	30000	40.6875	2004
12.02.2020 11:04:20	1	1	1	1	70.75	60.5	0	29952.607	494.6236559	14838.14856	30000	0	0	30000	40.125	2004
12.02.2020 11:04:21	1	1	1	1	70.75	60	0	30000	486.0215054	14644.90528	30000	0	0	30000	40.6875	2004
12.02.2020 11:04:22	1	1	1	1	70.75	60.5	0	30000	494.6236559	14773.73413	30000	0	0	30000	40.8125	2004
12.02.2020 11:04:23	1	1	1	1	70.75	60.75	0	30000	492.4731183	14773.73413	30000	0	0	30000	39.4375	2004
12.02.2020 11:04:24	1	1	1	1	70.75	59.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.4375	2004
12.02.2020 11:04:25	1	1	1	1	70.75	60.25	0	30000	483.8709677	14644.90528	30000	0	0	30000	40.6875	2004
12.02.2020 11:04:26	1	1	1	1	70.75	60.5	0	30000	488.172043	14644.90528	30000	0	0	30000	40.5625	2004
12.02.2020 11:04:27	1	1	1	1	70.75	60.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.75	2004
12.02.2020 11:04:28	1	1	1	1	70.75	60.75	0	30000	486.0215054	14644.90528	30000	0	0	30000	40.6875	2004
12.02.2020 11:04:29	1	1	1	1	70.75	60.5	0	30000	486.0215054	14580.49085	30000	0	0	30000	40.0625	2004
12.02.2020 11:04:30	1	1	1	1	70.75	60	0	29905.213	486.0215054	14493.246	30000	0	0	30000	40.625	2004
12.02.2020 11:04:31	1	1	1	1	70.75	60.5	0	30000	486.0215054	14644.90528	30000	0	0	30000	40.4375	2004
12.02.2020 11:04:32	1	1	1	1	70.75	60.25	0	29952.607	483.8709677	14493.246	30000	0	0	30000	40.1875	2004
12.02.2020 11:04:33	1	1	1	1	70.75	60	0	30000	486.0215054	14580.49085	30000	0	0	30000	41.3125	2004
12.02.2020 11:04:34	1	1	1	1	70.75	61.25	0	30000	488.172043	14644.90528	30000	0	0	30000	40.625	2004
12.02.2020 11:04:35	1	1	1	1	70.75	60.5	0	30000	488.172043	14516.07643	30000	0	0	30000	40.4375	2004
12.02.2020 11:04:36	1	1	1	1	70.75	60.25	0	30000	488.172043	14644.90528	30000	0	0	30000	40.5625	2004
12.02.2020 11:04:37	1	1	1	1	70.75	60.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.4375	2004
12.02.2020 11:04:39	1	1	1	1	70.75	60.25	0	30000	492.4731183	14773.73413	30000	0	0	30000	40.0625	2004
12.02.2020 11:04:40	1	1	1	1	70.75	60	0	30000	488.172043	14644.90528	30000	0	0	30000	40.125	2004
12.02.2020 11:04:41	1	1	1	1	70.75	60	0	29952.607	483.8709677	14516.07643	30000	0	0	30000	40.625	2004
12.02.2020 11:04:42	1	1	1	1	70.75	60.5	0	30000	486.0215054	14516.07643	30000	0	0	30000	40.0625	2004
12.02.2020 11:04:43	1	1	1	1	70.75	60	0	30000	488.172043	14644.90528	30000	0	0	30000	40.0625	2004
12.02.2020 11:04:44	1	1	1	1	70.75	60	0	30000	492.4731183	14750.9037	30000	0	0	30000	40.125	2004
12.02.2020 11:04:45	1	1	1	1	70.75	60	0	30000	494.6236559	14773.73413	30000	0	0	30000	39.875	2004
12.02.2020 11:04:46	1	1	1	1	70.5	59.75	0	30000	488.172043	14644.90528	30000	0	0	30000	40.875	2004
12.02.2020 11:04:47	1	1	1	1	70.5	60.75	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.4375	2004
12.02.2020 11:04:48	1	1	1	1	70.5	60.25	0	29952.607	483.8709677	14516.07643	30000	0	0	30000	40.375	2004
12.02.2020 11:04:49	1	1	1	1	70.5	60.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.4375	2004
12.02.2020 11:04:50	1	1	1	1	70.5	60.25	0	30000	481.7204301	14516.07643	30000	0	0	30000	40.5	2004
12.02.2020 11:04:51	1	1	1	1	70.5	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.5625	2004
12.02.2020 11:04:52	1	1	1	1	70.5	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.375	2004
12.02.2020 11:04:53	1	1	1	1	70.5	60.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.4375	2004
12.02.2020 11:04:54	1	1	1	1	70.5	60.25	0	30000	486.0215054	14516.07643	30000	0	0	30000	39.75	2004
12.02.2020 11:04:55	1	1	1	1	70.5	59.75	0	30000	486.0215054	14644.90528	30000	0	0	30000	40.375	2004
12.02.2020 11:04:56	1	1	1	1	70.5	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	39.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 11:04:57	1	1	1	1	70.5	59.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.375	2004
12.02.2020 11:04:58	1	1	1	1	70.5	60.25	0	30000	483.8709677	14451.662	30000	0	0	30000	40.0625	2004
12.02.2020 11:04:59	1	1	1	1	70.5	60	0	30000	486.0215054	14580.49085	30000	0	0	30000	40.5625	2004
12.02.2020 11:05:00	1	1	1	1	70.5	60.5	0	29952.607	486.0215054	14580.49085	30000	0	0	30000	40.3125	2004
12.02.2020 11:05:01	1	1	1	1	70.5	60.25	0	29905.213	492.4731183	14750.9037	30000	0	0	30000	40.75	2004
12.02.2020 11:05:02	1	1	1	1	70.5	60.75	0	30000	488.172043	14644.90528	30000	0	0	30000	40.625	2004
12.02.2020 11:05:03	1	1	1	1	70.5	60.5	0	30000	486.0215054	14644.90528	30000	0	0	30000	40.6875	2004
12.02.2020 11:05:04	1	1	1	1	70.5	60.5	0	30000	488.172043	14644.90528	30000	0	0	30000	40.125	2004
12.02.2020 11:05:05	1	1	1	1	70.5	60	0	29952.607	486.0215054	14557.66042	30000	0	0	30000	40.5	2004
12.02.2020 11:05:06	1	1	1	1	70.5	60.5	0	30000	486.0215054	14580.49085	30000	0	0	30000	40.25	2004
12.02.2020 11:05:07	1	1	1	1	70.5	60.25	0	30000	488.172043	14644.90528	30000	0	0	30000	40.125	2004
12.02.2020 11:05:08	1	1	1	1	70.5	60	0	30000	488.172043	14644.90528	30000	0	0	30000	40.6875	2004
12.02.2020 11:05:09	1	1	1	1	70.5	60.5	0	30000	483.8709677	14493.246	30000	0	0	30000	40.5625	2004
12.02.2020 11:05:10	1	1	1	1	70.5	60.5	0	30000	492.4731183	14516.07643	30000	0	0	30000	40.875	2004
12.02.2020 11:05:17	1	1	1	1	70.75	60.5	0	30000	488.172043	14644.90528	30000	0	0	30000	40.3125	2004
12.02.2020 11:05:17	1	1	1	1	70.75	60.5	0	30000	488.172043	14644.90528	30000	0	0	30000	40.3125	2004
12.02.2020 11:05:17	1	1	1	1	70.75	60.5	0	30000	488.172043	14644.90528	30000	0	0	30000	40.3125	2004
12.02.2020 11:05:17	1	1	1	1	70.75	60.5	0	30000	488.172043	14644.90528	30000	0	0	30000	40.3125	2004
12.02.2020 11:05:17	1	1	1	1	70.75	60.5	0	30000	488.172043	14644.90528	30000	0	0	30000	40.3125	2004
12.02.2020 11:05:17	1	1	1	1	70.75	60.5	0	30000	488.172043	14644.90528	30000	0	0	30000	40.3125	2004
12.02.2020 11:05:17	1	1	1	1	70.75	60.25	0	29952.607	490.3225806	14773.73413	30000	0	0	30000	40.6875	2004
12.02.2020 11:05:19	1	1	1	1	70.75	60.5	0	30000	494.6236559	14773.73413	30000	0	0	30000	40.4375	2004
12.02.2020 11:05:20	1	1	1	1	70.75	60.25	0	30000	488.172043	14709.31971	30000	0	0	30000	40.625	2004
12.02.2020 11:05:21	1	1	1	1	70.75	60.5	0	30000	488.172043	14644.90528	30000	0	0	30000	40.75	2004
12.02.2020 11:05:22	1	1	1	1	70.75	60.75	0	30000	488.172043	14644.90528	30000	0	0	30000	40.5625	2004
12.02.2020 11:05:23	1	1	1	1	70.75	60.5	0	30000	492.4731183	14773.73413	30000	0	0	30000	40.5	2004
12.02.2020 11:05:24	1	1	1	1	70.75	60.5	0	30000	492.4731183	14773.73413	30000	0	0	30000	40.3125	2004
12.02.2020 11:05:25	1	1	1	1	70.75	60.25	0	30000	488.172043	14644.90528	30000	0	0	30000	40.25	2004
12.02.2020 11:05:26	1	1	1	1	70.25	60.25	0	30000	488.172043	14644.90528	30000	0	0	30000	40.125	2004
12.02.2020 11:05:27	1	1	1	1	70.25	60	0	29905.213	486.0215054	14773.73413	30000	0	0	30000	40.5	2004
12.02.2020 11:05:28	1	1	1	1	70.25	60.5	0	30000	490.3225806	14644.90528	30000	0	0	30000	40.1875	2004
12.02.2020 11:05:29	1	1	1	1	70.25	60	0	30000	488.172043	14644.90528	30000	0	0	30000	40.6875	2004
12.02.2020 11:05:30	1	1	1	1	70.25	60.5	0	30000	488.172043	14644.90528	30000	0	0	30000	39.4375	2004
12.02.2020 11:05:31	1	1	1	1	70.25	59.25	0	29905.213	481.7204301	14557.66042	30000	0	0	30000	40.25	2004
12.02.2020 11:05:32	1	1	1	1	70.25	60.25	0	30000	488.172043	14644.90528	30000	0	0	30000	40.5625	2004
12.02.2020 11:05:33	1	1	1	1	70.25	60.5	0	30000	488.172043	14644.90528	30000	0	0	30000	40.375	2004
12.02.2020 11:05:34	1	1	1	1	70.25	60.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.625	2004
12.02.2020 11:05:35	1	1	1	1	70.25	60.5	0	30000	488.172043	14644.90528	30000	0	0	30000	40.625	2004
12.02.2020 11:05:36	1	1	1	1	70.25	60.5	0	30000	488.172043	14644.90528	30000	0	0	30000	40.8125	2004
12.02.2020 11:05:37	1	1	1	1	70.25	60.75	0	30000	486.0215054	14516.07643	30000	0	0	30000	40.6875	2004
12.02.2020 11:05:38	1	1	1	1	70.25	60.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.5625	2004
12.02.2020 11:05:39	1	1	1	1	70.25	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	39.75	2004
12.02.2020 11:05:40	1	1	1	1	70.25	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 11:05:41	1	1	1	1	70.25	60.75	0	30000	488.172043	14644.90528	30000	0	0	30000	40.625	2004
12.02.2020 11:05:42	1	1	1	1	70.25	60.5	0	30000	486.0215054	14580.49085	30000	0	0	30000	40.5	2004
12.02.2020 11:05:43	1	1	1	1	70.25	60.5	0	30000	488.172043	14644.90528	30000	0	0	30000	40.75	2004
12.02.2020 11:05:44	1	1	1	1	70.25	60.75	0	30000	490.3225806	14838.14856	30000	0	0	30000	40.6875	2004
12.02.2020 11:05:45	1	1	1	1	70.25	60.5	0	30000	490.3225806	14622.07485	30000	0	0	30000	40.6875	2004
12.02.2020 11:05:46	1	1	1	1	70.5	60.5	0	30000	494.6236559	14902.56299	30000	0	0	30000	40.1875	2004
12.02.2020 11:05:50	1	1	1	1	70.5	60.25	0	30000	488.172043	14644.90528	30000	0	0	30000	40.8125	2004
12.02.2020 11:05:50	1	1	1	1	70.5	60.25	0	30000	488.172043	14644.90528	30000	0	0	30000	40.8125	2004
12.02.2020 11:05:50	1	1	1	1	70.5	60.75	0	29952.607	486.0215054	14598.42905	30000	0	0	30000	40.375	2004
12.02.2020 11:05:51	1	1	1	1	70.5	60.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	41.125	2004
12.02.2020 11:05:52	1	1	1	1	70.5	61	0	30000	486.0215054	14644.90528	30000	0	0	30000	41	2004
12.02.2020 11:05:53	1	1	1	1	70.5	59.5	0	30000	488.172043	14644.90528	30000	0	0	30000	40.625	2004
12.02.2020 11:05:54	1	1	1	1	70.5	60.5	0	29905.213	486.0215054	14644.90528	30000	0	0	30000	40.5	2004
12.02.2020 11:05:55	1	1	1	1	70.25	60.5	0	29905.213	486.0215054	14493.246	30000	0	0	30000	40.4375	2004
12.02.2020 11:05:57	1	1	1	1	70.25	60.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.4375	2004
12.02.2020 11:05:58	1	1	1	1	70.25	60.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.4375	2004
12.02.2020 11:05:59	1	1	1	1	70.25	60.25	0	30000	488.172043	14644.90528	30000	0	0	30000	40.6875	2004
12.02.2020 11:06:00	1	1	1	1	70.25	60.5	0	29905.213	488.172043	14644.90528	30000	0	0	30000	40.1875	2004
12.02.2020 11:06:01	1	1	1	1	70.25	60	0	30000	488.172043	14644.90528	30000	0	0	30000	40.6875	2004
12.02.2020 11:06:02	1	1	1	1	70.25	60.5	0	30000	490.3225806	14709.31971	30000	0	0	30000	40.8125	2004
12.02.2020 11:06:03	1	1	1	1	70.25	60.75	0	29905.213	481.7204301	14644.90528	30000	0	0	30000	40.3125	2004
12.02.2020 11:06:04	1	1	1	1	70.25	60.25	0	29952.607	488.172043	14644.90528	30000	0	0	30000	40.5625	2004
12.02.2020 11:06:05	1	1	1	1	70.25	60.5	0	30000	488.172043	14644.90528	30000	0	0	30000	40.1875	2004
12.02.2020 11:06:06	1	1	1	1	70	60	0	30000	488.172043	14644.90528	30000	0	0	30000	39.4375	2004
12.02.2020 11:06:07	1	1	1	1	70	59.25	0	30000	486.0215054	14580.49085	30000	0	0	30000	39.8125	2004
12.02.2020 11:06:08	1	1	1	1	70	59.75	0	29952.607	492.4731183	14773.73413	30000	0	0	30000	40.25	2004
12.02.2020 11:06:09	1	1	1	1	70	60.25	0	29952.607	486.0215054	14644.90528	30000	0	0	30000	40.75	2004
12.02.2020 11:06:10	1	1	1	1	70	60.75	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.375	2004
12.02.2020 11:06:11	1	1	1	1	70	60.25	0	29905.213	481.7204301	14451.662	30000	0	0	30000	40.6875	2004
12.02.2020 11:06:12	1	1	1	1	70	60.5	0	29952.607	481.7204301	14516.07643	30000	0	0	30000	40.75	2004
12.02.2020 11:06:19	1	1	1	1	70	60	0	30000	490.3225806	14644.90528	30000	0	0	30000	40.4375	2004
12.02.2020 11:06:19	1	1	1	1	70	60	0	30000	490.3225806	14644.90528	30000	0	0	30000	40.4375	2004
12.02.2020 11:06:19	1	1	1	1	70	60	0	30000	490.3225806	14644.90528	30000	0	0	30000	40.4375	2004
12.02.2020 11:06:19	1	1	1	1	70	60	0	30000	490.3225806	14644.90528	30000	0	0	30000	40.4375	2004
12.02.2020 11:06:19	1	1	1	1	70	60	0	30000	490.3225806	14644.90528	30000	0	0	30000	40.4375	2004
12.02.2020 11:06:19	1	1	1	1	70	60	0	30000	490.3225806	14644.90528	30000	0	0	30000	40.4375	2004
12.02.2020 11:06:19	1	1	1	1	70	60.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.125	2004
12.02.2020 11:06:20	1	1	1	1	70	60	0	30000	486.0215054	14516.07643	30000	0	0	30000	40.5	2004
12.02.2020 11:06:21	1	1	1	1	70	60.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.125	2004
12.02.2020 11:06:22	1	1	1	1	70	60	0	30000	488.172043	14516.07643	30000	0	0	30000	40.625	2004
12.02.2020 11:06:23	1	1	1	1	70	60.5	0	30000	483.8709677	14428.83157	30000	0	0	30000	40.625	2004
12.02.2020 11:06:24	1	1	1	1	70	60.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 11:06:25	1	1	1	1	70	60.75	0	30047.393	488.172043	14644.90528	30000	0	0	30000	40.625	2004
12.02.2020 11:06:26	1	1	1	1	70	60.5	0	30000	490.3225806	14644.90528	30000	0	0	30000	40.625	2004
12.02.2020 11:06:27	1	1	1	1	70	60.5	0	29952.607	488.172043	14644.90528	30000	0	0	30000	40.375	2004
12.02.2020 11:06:28	1	1	1	1	70	60.25	0	30000	481.7204301	14644.90528	30000	0	0	30000	39.875	2004
12.02.2020 11:06:29	1	1	1	1	70	59.75	0	29952.607	481.7204301	14451.662	30000	0	0	30000	40.375	2004
12.02.2020 11:06:30	1	1	1	1	70	60.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.6875	2004
12.02.2020 11:06:31	1	1	1	1	70	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.75	2004
12.02.2020 11:06:32	1	1	1	1	70	60.75	0	30000	481.7204301	14516.07643	30000	0	0	30000	40.8125	2004
12.02.2020 11:06:33	1	1	1	1	70	60.75	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.75	2004
12.02.2020 11:06:34	1	1	1	1	70	60.75	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.8125	2004
12.02.2020 11:06:35	1	1	1	1	70	60.75	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.0625	2004
12.02.2020 11:06:36	1	1	1	1	70.25	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.75	2004
12.02.2020 11:06:37	1	1	1	1	70.25	60.75	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.6875	2004
12.02.2020 11:06:39	1	1	1	1	70.25	60.5	0	30000	488.172043	14644.90528	30000	0	0	30000	40.75	2004
12.02.2020 11:06:40	1	1	1	1	70.25	60.75	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.3125	2004
12.02.2020 11:06:41	1	1	1	1	70.25	60.25	0	29952.607	483.8709677	14493.246	30000	0	0	30000	40.6875	2004
12.02.2020 11:06:42	1	1	1	1	70.25	60.5	0	29952.607	486.0215054	14580.49085	30000	0	0	30000	40.625	2004
12.02.2020 11:06:43	1	1	1	1	70.25	60.5	0	30000	488.172043	14644.90528	30000	0	0	30000	40.375	2004
12.02.2020 11:06:44	1	1	1	1	70.25	60.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.5	2004
12.02.2020 11:06:45	1	1	1	1	70.25	60.5	0	29905.213	481.7204301	14451.662	30000	0	0	30000	40.3125	2004
12.02.2020 11:06:46	1	1	1	1	70.25	60.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	39.9375	2004
12.02.2020 11:06:47	1	1	1	1	70.25	59.75	0	30000	483.8709677	14451.662	30000	0	0	30000	40.75	2004
12.02.2020 11:06:48	1	1	1	1	70.25	60.75	0	30000	483.8709677	14580.49085	30000	0	0	30000	40.875	2004
12.02.2020 11:06:49	1	1	1	1	70.25	60.75	0	29952.607	481.7204301	14451.662	30000	0	0	30000	40	2004
12.02.2020 11:06:50	1	1	1	1	70.25	60	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.4375	2004
12.02.2020 11:06:51	1	1	1	1	70.25	60.25	0	30000	488.172043	14644.90528	30000	0	0	30000	40.5625	2004
12.02.2020 11:06:52	1	1	1	1	70.25	60.5	0	30000	488.172043	14709.31971	30000	0	0	30000	40.9375	2004
12.02.2020 11:06:53	1	1	1	1	70.25	60.75	0	30000	488.172043	14469.6002	30000	0	0	30000	39.9375	2004
12.02.2020 11:06:54	1	1	1	1	70.25	59.75	0	30000	492.4731183	14644.90528	30000	0	0	30000	40.8125	2004
12.02.2020 11:06:55	1	1	1	1	70.25	60.75	0	30000	483.8709677	14451.662	30000	0	0	30000	40.75	2004
12.02.2020 11:06:56	1	1	1	1	70.25	60.75	0	29952.607	481.7204301	14516.07643	30000	0	0	30000	40.0625	2004
12.02.2020 11:06:57	1	1	1	1	70.25	60	0	30000	481.7204301	14451.662	30000	0	0	30000	41	2004
12.02.2020 11:06:58	1	1	1	1	70.25	61	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.5625	2004
12.02.2020 11:06:59	1	1	1	1	70.25	60.5	0	29952.607	483.8709677	14516.07643	30000	0	0	30000	40.1875	2004
12.02.2020 11:07:00	1	1	1	1	70.25	60	0	30000	486.0215054	14516.07643	30000	0	0	30000	40.625	2004
12.02.2020 11:07:01	1	1	1	1	70.25	60.5	0	30000	481.7204301	14516.07643	30000	0	0	30000	40.5625	2004
12.02.2020 11:07:02	1	1	1	1	70.25	60.5	0	30000	481.7204301	14516.07643	30000	0	0	30000	40.75	2004
12.02.2020 11:07:03	1	1	1	1	70.25	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.5625	2004
12.02.2020 11:07:04	1	1	1	1	70.25	60.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.6875	2004
12.02.2020 11:07:05	1	1	1	1	70.25	60.5	0	30000	488.172043	14580.49085	30000	0	0	30000	40.625	2004
12.02.2020 11:07:06	1	1	1	1	70	60.5	0	29905.213	481.7204301	14428.83157	30000	0	0	30000	40.875	2004
12.02.2020 11:07:07	1	1	1	1	70	60.75	0	30000	481.7204301	14516.07643	30000	0	0	30000	40.3125	2004
12.02.2020 11:07:08	1	1	1	1	70	60.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.5625	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 11:07:09	1	1	1	1	70	60.5	0	29952.607	486.0215054	14516.07643	30000	0	0	30000	40.5	2004
12.02.2020 11:07:10	1	1	1	1	70	60.5	0	30000	486.0215054	14644.90528	30000	0	0	30000	40.9375	2004
12.02.2020 11:07:11	1	1	1	1	70	60.75	0	30047.393	492.4731183	14644.90528	30000	0	0	30000	40.8125	2004
12.02.2020 11:07:12	1	1	1	1	70	60.75	0	30000	483.8709677	14644.90528	30000	0	0	30000	40.875	2004
12.02.2020 11:07:13	1	1	1	1	70	60.75	0	29905.213	481.7204301	14838.14856	30000	0	0	30000	41.375	2004
12.02.2020 11:07:21	1	1	1	1	70	60.25	0	30000	492.4731183	14644.90528	30000	0	0	30000	40.8125	2004
12.02.2020 11:07:21	1	1	1	1	70	60.25	0	30000	492.4731183	14644.90528	30000	0	0	30000	40.8125	2004
12.02.2020 11:07:21	1	1	1	1	70	60.25	0	30000	492.4731183	14644.90528	30000	0	0	30000	40.8125	2004
12.02.2020 11:07:21	1	1	1	1	70	60.25	0	30000	492.4731183	14644.90528	30000	0	0	30000	40.8125	2004
12.02.2020 11:07:21	1	1	1	1	70	60.25	0	30000	492.4731183	14644.90528	30000	0	0	30000	40.8125	2004
12.02.2020 11:07:21	1	1	1	1	70	60.75	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.75	2004
12.02.2020 11:07:22	1	1	1	1	70	60.75	0	30000	488.172043	14644.90528	30000	0	0	30000	40.3125	2004
12.02.2020 11:07:23	1	1	1	1	70	60.25	0	29905.213	481.7204301	14516.07643	30000	0	0	30000	40.375	2004
12.02.2020 11:07:24	1	1	1	1	70	60.25	0	29952.607	486.0215054	14644.90528	30000	0	0	30000	40.125	2004
12.02.2020 11:07:25	1	1	1	1	70	60	0	30000	488.172043	14644.90528	30000	0	0	30000	39.8125	2004
12.02.2020 11:07:26	1	1	1	1	70	59.75	0	30000	488.172043	14557.66042	30000	0	0	30000	40.5625	2004
12.02.2020 11:07:27	1	1	1	1	70	60.5	0	29905.213	481.7204301	14516.07643	30000	0	0	30000	40.5	2004
12.02.2020 11:07:28	1	1	1	1	70	60.5	0	30000	488.172043	14644.90528	30000	0	0	30000	40.8125	2004
12.02.2020 11:07:29	1	1	1	1	70	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.75	2004
12.02.2020 11:07:30	1	1	1	1	70	60.75	0	30000	486.0215054	14644.90528	30000	0	0	30000	40.6875	2004
12.02.2020 11:07:31	1	1	1	1	70	60.5	0	30000	486.0215054	14516.07643	30000	0	0	30000	40.625	2004
12.02.2020 11:07:32	1	1	1	1	70	60.5	0	30000	488.172043	14644.90528	30000	0	0	30000	40.875	2004
12.02.2020 11:07:33	1	1	1	1	70	60.75	0	30000	488.172043	14644.90528	30000	0	0	30000	40.75	2004
12.02.2020 11:07:34	1	1	1	1	70	60.75	0	29905.213	490.3225806	14686.48928	30000	0	0	30000	40.3125	2004
12.02.2020 11:07:35	1	1	1	1	70	60.25	0	30000	483.8709677	14580.49085	30000	0	0	30000	40	2004
12.02.2020 11:07:36	1	1	1	1	69.75	60	0	29905.213	481.7204301	14516.07643	30000	0	0	30000	39.9375	2004
12.02.2020 11:07:37	1	1	1	1	69.75	59.75	0	30000	483.8709677	14580.49085	30000	0	0	30000	40.875	2004
12.02.2020 11:07:38	1	1	1	1	69.75	60.75	0	30047.393	492.4731183	14622.07485	30000	0	0	30000	40.5625	2004
12.02.2020 11:07:39	1	1	1	1	69.75	60.5	0	30000	488.172043	14644.90528	30000	0	0	30000	40.875	2004
12.02.2020 11:07:40	1	1	1	1	69.75	60.75	0	30000	490.3225806	14622.07485	30000	0	0	30000	40.6875	2004
12.02.2020 11:07:41	1	1	1	1	69.75	60.5	0	30000	488.172043	14644.90528	30000	0	0	30000	40.4375	2004
12.02.2020 11:07:42	1	1	1	1	69.75	60.25	0	30000	486.0215054	14516.07643	30000	0	0	30000	39.9375	2004
12.02.2020 11:07:43	1	1	1	1	69.75	59.75	0	30000	488.172043	14580.49085	30000	0	0	30000	40.5625	2004
12.02.2020 11:07:44	1	1	1	1	69.75	60.5	0	30000	488.172043	14516.07643	30000	0	0	30000	40.5	2004
12.02.2020 11:07:45	1	1	1	1	69.75	60.5	0	30000	481.7204301	14516.07643	30000	0	0	30000	40.125	2004
12.02.2020 11:07:46	1	1	1	1	69.75	60	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.8125	2004
12.02.2020 11:07:47	1	1	1	1	69.75	60.75	0	30000	486.0215054	14580.49085	30000	0	0	30000	40.3125	2004
12.02.2020 11:07:48	1	1	1	1	69.75	60.25	0	29905.213	481.7204301	14493.246	30000	0	0	30000	41	2004
12.02.2020 11:07:49	1	1	1	1	69.75	61	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.75	2004
12.02.2020 11:07:50	1	1	1	1	69.75	60.75	0	30000	488.172043	14644.90528	30000	0	0	30000	40.625	2004
12.02.2020 11:07:51	1	1	1	1	69.75	60.5	0	30000	481.7204301	14516.07643	30000	0	0	30000	40.8125	2004
12.02.2020 11:07:52	1	1	1	1	69.75	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	41.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 11:07:53	1	1	1	1	69.75	61	0	30000	483.8709677	14644.90528	30000	0	0	30000	40.1875	2004
12.02.2020 11:07:54	1	1	1	1	69.75	60.5	0	30000	490.3225806	14516.07643	30000	0	0	30000	40.5625	2004
12.02.2020 11:07:56	1	1	1	1	69.75	60.5	0	30000	488.172043	14644.90528	30000	0	0	30000	40.8125	2004
12.02.2020 11:07:57	1	1	1	1	69.75	60.75	0	30000	481.7204301	14644.90528	30000	0	0	30000	40.375	2004
12.02.2020 11:07:58	1	1	1	1	69.75	60.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.6875	2004
12.02.2020 11:07:59	1	1	1	1	69.75	60.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.0625	2004
12.02.2020 11:08:00	1	1	1	1	69.75	60	0	30000	481.7204301	14451.662	30000	0	0	30000	40.875	2004
12.02.2020 11:08:01	1	1	1	1	69.75	60.75	0	29952.607	483.8709677	14516.07643	30000	0	0	30000	40.3125	2004
12.02.2020 11:08:02	1	1	1	1	69.75	60.25	0	29952.607	483.8709677	14516.07643	30000	0	0	30000	40.6875	2004
12.02.2020 11:08:03	1	1	1	1	69.75	60.5	0	30000	488.172043	14644.90528	30000	0	0	30000	40.6875	2004
12.02.2020 11:08:04	1	1	1	1	69.75	60.5	0	30000	488.172043	14644.90528	30000	0	0	30000	40.5625	2004
12.02.2020 11:08:05	1	1	1	1	69.75	60.5	0	30000	488.172043	14644.90528	30000	0	0	30000	40.0625	2004
12.02.2020 11:08:06	1	1	1	1	69.5	60	0	30000	481.7204301	14451.662	30000	0	0	30000	40.875	2004
12.02.2020 11:08:07	1	1	1	1	69.5	60.75	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.375	2004
12.02.2020 11:08:08	1	1	1	1	69.5	60.25	0	30000	483.8709677	14451.662	30000	0	0	30000	40.8125	2004
12.02.2020 11:08:09	1	1	1	1	69.5	60.75	0	30000	483.8709677	14516.07643	30000	0	0	30000	40	2004
12.02.2020 11:08:10	1	1	1	1	69.5	60	0	29952.607	483.8709677	14516.07643	30000	0	0	30000	40.5625	2004
12.02.2020 11:08:11	1	1	1	1	69.5	60.5	0	30000	486.0215054	14516.07643	30000	0	0	30000	40.625	2004
12.02.2020 11:08:12	1	1	1	1	69.5	60.5	0	30000	486.0215054	14580.49085	30000	0	0	30000	40.8125	2004
12.02.2020 11:08:13	1	1	1	1	69.5	60.75	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.875	2004
12.02.2020 11:08:14	1	1	1	1	69.5	60.75	0	30000	488.172043	14644.90528	30000	0	0	30000	40.5625	2004
12.02.2020 11:08:15	1	1	1	1	69.5	60.5	0	30000	486.0215054	14644.90528	30000	0	0	30000	40.375	2004
12.02.2020 11:08:22	1	1	1	1	69.75	60.75	0	30000	488.172043	14580.49085	30000	0	0	30000	40.8125	2004
12.02.2020 11:08:22	1	1	1	1	69.75	60.75	0	30000	488.172043	14580.49085	30000	0	0	30000	40.8125	2004
12.02.2020 11:08:22	1	1	1	1	69.75	60.75	0	30000	488.172043	14580.49085	30000	0	0	30000	40.8125	2004
12.02.2020 11:08:22	1	1	1	1	69.75	60.75	0	30000	488.172043	14580.49085	30000	0	0	30000	40.8125	2004
12.02.2020 11:08:22	1	1	1	1	69.75	60.75	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.625	2004
12.02.2020 11:08:23	1	1	1	1	69.75	60.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	41.0625	2004
12.02.2020 11:08:24	1	1	1	1	69.75	61	0	29952.607	486.0215054	14516.07643	30000	0	0	30000	40.8125	2004
12.02.2020 11:08:25	1	1	1	1	69.75	60.75	0	30000	488.172043	14644.90528	30000	0	0	30000	40.5625	2004
12.02.2020 11:08:26	1	1	1	1	70	60.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.625	2004
12.02.2020 11:08:27	1	1	1	1	70	60.5	0	30000	486.0215054	14516.07643	30000	0	0	30000	40.3125	2004
12.02.2020 11:08:28	1	1	1	1	70	60.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.5625	2004
12.02.2020 11:08:29	1	1	1	1	70	60.5	0	30000	483.8709677	14580.49085	30000	0	0	30000	40.875	2004
12.02.2020 11:08:30	1	1	1	1	70	60.75	0	30000	488.172043	14644.90528	30000	0	0	30000	41	2004
12.02.2020 11:08:31	1	1	1	1	70	61	0	30000	483.8709677	14516.07643	30000	0	0	30000	41.0625	2004
12.02.2020 11:08:32	1	1	1	1	70	61	0	30000	486.0215054	14644.90528	30000	0	0	30000	40.9375	2004
12.02.2020 11:08:33	1	1	1	1	70	60.75	0	30000	488.172043	14773.73413	30000	0	0	30000	40.75	2004
12.02.2020 11:08:34	1	1	1	1	70	60.75	0	29952.607	481.7204301	14451.662	30000	0	0	30000	40.5625	2004
12.02.2020 11:08:36	1	1	1	1	70	60.5	0	29905.213	483.8709677	14516.07643	30000	0	0	30000	40.9375	2004
12.02.2020 11:08:37	1	1	1	1	70	60.75	0	29905.213	481.7204301	14516.07643	30000	0	0	30000	40.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 11:08:38	1	1	1	1	70	60.5	0	30000	488.172043	14644.90528	30000	0	0	30000	40.5	2004
12.02.2020 11:08:39	1	1	1	1	70	60.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.5	2004
12.02.2020 11:08:40	1	1	1	1	70	60.5	0	30000	483.8709677	14603.32128	30000	0	0	30000	40.6875	2004
12.02.2020 11:08:41	1	1	1	1	70	60.5	0	30000	490.3225806	14644.90528	30000	0	0	30000	40.625	2004
12.02.2020 11:08:42	1	1	1	1	70	60.5	0	30000	488.172043	14516.07643	30000	0	0	30000	40.5	2004
12.02.2020 11:08:43	1	1	1	1	70	60.5	0	29952.607	481.7204301	14667.73571	30000	0	0	30000	40.8125	2004
12.02.2020 11:08:44	1	1	1	1	70	60.75	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.625	2004
12.02.2020 11:08:45	1	1	1	1	70	60.5	0	30000	483.8709677	14644.90528	30000	0	0	30000	40.25	2004
12.02.2020 11:08:46	1	1	1	1	69.75	60.25	0	30000	483.8709677	14580.49085	30000	0	0	30000	40.875	2004
12.02.2020 11:08:47	1	1	1	1	69.75	60.75	0	30000	486.0215054	14516.07643	30000	0	0	30000	40.4375	2004
12.02.2020 11:08:48	1	1	1	1	69.75	60.25	0	30094.787	496.7741935	14644.90528	30000	0	0	30000	40.25	2004
12.02.2020 11:08:49	1	1	1	1	69.75	60.25	0	29952.607	481.7204301	14516.07643	30000	0	0	30000	40.375	2004
12.02.2020 11:08:50	1	1	1	1	69.75	60.25	0	30000	481.7204301	14516.07643	30000	0	0	30000	40.75	2004
12.02.2020 11:08:51	1	1	1	1	69.75	60.75	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.9375	2004
12.02.2020 11:08:52	1	1	1	1	69.75	60.75	0	30000	488.172043	14709.31971	30000	0	0	30000	40.6875	2004
12.02.2020 11:08:53	1	1	1	1	69.75	60.5	0	30000	490.3225806	14644.90528	30000	0	0	30000	40.3125	2004
12.02.2020 11:08:54	1	1	1	1	69.75	60.25	0	30000	486.0215054	14516.07643	30000	0	0	30000	40.4375	2004
12.02.2020 11:08:55	1	1	1	1	69.75	60.25	0	29952.607	481.7204301	14516.07643	30000	0	0	30000	40.3125	2004
12.02.2020 11:08:56	1	1	1	1	69.5	60.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.0625	2004
12.02.2020 11:08:57	1	1	1	1	69.5	60	0	29905.213	486.0215054	14493.246	30000	0	0	30000	40.375	2004
12.02.2020 11:08:58	1	1	1	1	69.5	60.25	0	30000	494.6236559	14644.90528	30000	0	0	30000	40.8125	2004
12.02.2020 11:08:59	1	1	1	1	69.5	60.75	0	30000	486.0215054	14516.07643	30000	0	0	30000	40.8125	2004
12.02.2020 11:09:00	1	1	1	1	69.5	60.75	0	30000	481.7204301	14580.49085	30000	0	0	30000	40.875	2004
12.02.2020 11:09:01	1	1	1	1	69.5	60.75	0	30000	481.7204301	14406.00114	30000	0	0	30000	40.75	2004
12.02.2020 11:09:02	1	1	1	1	69.5	60.75	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.125	2004
12.02.2020 11:09:03	1	1	1	1	69.5	60	0	30000	486.0215054	14580.49085	30000	0	0	30000	40.3125	2004
12.02.2020 11:09:04	1	1	1	1	69.5	60.25	0	30000	481.7204301	14516.07643	30000	0	0	30000	40.6875	2004
12.02.2020 11:09:05	1	1	1	1	69.5	60.5	0	30000	483.8709677	14580.49085	30000	0	0	30000	39.875	2004
12.02.2020 11:09:06	1	1	1	1	69.75	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.4375	2004
12.02.2020 11:09:07	1	1	1	1	69.75	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.4375	2004
12.02.2020 11:09:08	1	1	1	1	69.75	60.25	0	29952.607	481.7204301	14451.662	30000	0	0	30000	40.9375	2004
12.02.2020 11:09:09	1	1	1	1	69.75	60.75	0	30000	481.7204301	14428.83157	30000	0	0	30000	40.5625	2004
12.02.2020 11:09:10	1	1	1	1	69.75	60.5	0	30000	481.7204301	14516.07643	30000	0	0	30000	41	2004
12.02.2020 11:09:11	1	1	1	1	69.75	61	0	30000	481.7204301	14451.662	30000	0	0	30000	40.4375	2004
12.02.2020 11:09:12	1	1	1	1	69.75	60.75	0	30000	486.0215054	14644.90528	30000	0	0	30000	40.1875	2004
12.02.2020 11:09:14	1	1	1	1	69.75	60	0	30000	483.8709677	14644.90528	30000	0	0	30000	40.875	2004
12.02.2020 11:09:15	1	1	1	1	69.75	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.9375	2004
12.02.2020 11:09:16	1	1	1	1	69.75	60.75	0	30000	486.0215054	14861.79436	30000	0	0	30000	40.375	2004
12.02.2020 11:09:17	1	1	1	1	69.75	60.25	0	30000	488.172043	14644.90528	30000	0	0	30000	40.75	2004
12.02.2020 11:09:23	1	1	1	1	69.75	60.75	0	30000	483.8709677	14451.662	30000	0	0	30000	40.1875	2004
12.02.2020 11:09:23	1	1	1	1	69.75	60.75	0	30000	483.8709677	14451.662	30000	0	0	30000	40.1875	2004
12.02.2020 11:09:23	1	1	1	1	69.75	60.75	0	30000	483.8709677	14451.662	30000	0	0	30000	40.1875	2004
12.02.2020 11:09:23	1	1	1	1	69.75	60.75	0	30000	483.8709677	14451.662	30000	0	0	30000	40.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 11:09:23	1	1	1	1	69.75	60.75	0	30000	483.8709677	14451.662	30000	0	0	30000	40.1875	2004
12.02.2020 11:09:23	1	1	1	1	69.75	60.75	0	30000	483.8709677	14451.662	30000	0	0	30000	40.1875	2004
12.02.2020 11:09:24	1	1	1	1	69.75	60	0	30000	481.7204301	14428.83157	30000	0	0	30000	40.8125	2004
12.02.2020 11:09:25	1	1	1	1	69.75	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.875	2004
12.02.2020 11:09:26	1	1	1	1	69.5	60.75	0	30000	481.7204301	14580.49085	30000	0	0	30000	40.25	2004
12.02.2020 11:09:27	1	1	1	1	69.5	60.25	0	30000	486.0215054	14516.07643	30000	0	0	30000	40.8125	2004
12.02.2020 11:09:28	1	1	1	1	69.5	60.75	0	30000	486.0215054	14580.49085	30000	0	0	30000	41	2004
12.02.2020 11:09:29	1	1	1	1	69.5	61	0	30000	481.7204301	14516.07643	30000	0	0	30000	40.25	2004
12.02.2020 11:09:30	1	1	1	1	69.5	60.25	0	29952.607	488.172043	14580.49085	30000	0	0	30000	40.25	2004
12.02.2020 11:09:31	1	1	1	1	69.5	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.75	2004
12.02.2020 11:09:32	1	1	1	1	69.5	60.75	0	30047.393	483.8709677	14516.07643	30000	0	0	30000	40.5625	2004
12.02.2020 11:09:33	1	1	1	1	69.5	60.5	0	30000	481.7204301	14428.83157	30000	0	0	30000	40.8125	2004
12.02.2020 11:09:34	1	1	1	1	69.5	60.75	0	29952.607	481.7204301	14451.662	30000	0	0	30000	40.75	2004
12.02.2020 11:09:35	1	1	1	1	69.5	60.75	0	30000	488.172043	14644.90528	30000	0	0	30000	40.3125	2004
12.02.2020 11:09:36	1	1	1	1	69.5	60.25	0	30000	488.172043	14644.90528	30000	0	0	30000	40.875	2004
12.02.2020 11:09:37	1	1	1	1	69.5	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.6875	2004
12.02.2020 11:09:38	1	1	1	1	69.5	60.5	0	30000	483.8709677	14580.49085	30000	0	0	30000	40.5	2004
12.02.2020 11:09:39	1	1	1	1	69.5	60.5	0	29952.607	486.0215054	14516.07643	30000	0	0	30000	40.3125	2004
12.02.2020 11:09:40	1	1	1	1	69.5	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.5625	2004
12.02.2020 11:09:41	1	1	1	1	69.5	60.5	0	30000	481.7204301	14516.07643	30000	0	0	30000	40.8125	2004
12.02.2020 11:09:42	1	1	1	1	69.5	60.75	0	30000	486.0215054	14451.662	30000	0	0	30000	40.6875	2004
12.02.2020 11:09:43	1	1	1	1	69.5	60.5	0	30000	488.172043	14644.90528	30000	0	0	30000	39.5625	2004
12.02.2020 11:09:44	1	1	1	1	69.5	59.5	0	30000	486.0215054	14644.90528	30000	0	0	30000	40.375	2004
12.02.2020 11:09:45	1	1	1	1	69.5	60.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.6875	2004
12.02.2020 11:09:46	1	1	1	1	69.5	60.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.75	2004
12.02.2020 11:09:47	1	1	1	1	69.5	60.75	0	30000	486.0215054	14580.49085	30000	0	0	30000	41.125	2004
12.02.2020 11:09:48	1	1	1	1	69.5	61	0	29952.607	490.3225806	14644.90528	30000	0	0	30000	40.9375	2004
12.02.2020 11:09:49	1	1	1	1	69.5	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	41.1875	2004
12.02.2020 11:09:50	1	1	1	1	69.5	61	0	30000	483.8709677	14516.07643	30000	0	0	30000	41.25	2004
12.02.2020 11:09:51	1	1	1	1	69.5	61.25	0	30000	486.0215054	14644.90528	30000	0	0	30000	40.375	2004
12.02.2020 11:09:52	1	1	1	1	69.5	61	0	30000	481.7204301	14516.07643	30000	0	0	30000	40.8125	2004
12.02.2020 11:09:54	1	1	1	1	69.5	60.75	0	30000	488.172043	14644.90528	30000	0	0	30000	40.75	2004
12.02.2020 11:09:55	1	1	1	1	69.5	60.75	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.375	2004
12.02.2020 11:09:56	1	1	1	1	69.5	60.25	0	29952.607	481.7204301	14516.07643	30000	0	0	30000	40.25	2004
12.02.2020 11:09:57	1	1	1	1	69.5	60.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.3125	2004
12.02.2020 11:09:58	1	1	1	1	69.5	60.25	0	30000	488.172043	14644.90528	30000	0	0	30000	40.5625	2004
12.02.2020 11:09:59	1	1	1	1	69.5	60.5	0	30000	486.0215054	14516.07643	30000	0	0	30000	40.75	2004
12.02.2020 11:10:00	1	1	1	1	69.5	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.3125	2004
12.02.2020 11:10:01	1	1	1	1	69.5	60.25	0	30000	486.0215054	14580.49085	30000	0	0	30000	41	2004
12.02.2020 11:10:02	1	1	1	1	69.5	61	0	30000	481.7204301	14451.662	30000	0	0	30000	39.875	2004
12.02.2020 11:10:03	1	1	1	1	69.5	59.75	0	30000	486.0215054	14709.31971	30000	0	0	30000	40.8125	2004
12.02.2020 11:10:04	1	1	1	1	69.5	60.75	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.75	2004
12.02.2020 11:10:05	1	1	1	1	69.5	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 11:10:06	1	1	1	1	69.5	60	0	30000	481.7204301	14451.662	30000	0	0	30000	40.3125	2004
12.02.2020 11:10:07	1	1	1	1	69.5	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.75	2004
12.02.2020 11:10:08	1	1	1	1	69.5	60.75	0	29952.607	483.8709677	14580.49085	30000	0	0	30000	40.9375	2004
12.02.2020 11:10:09	1	1	1	1	69.5	60.75	0	29952.607	481.7204301	14580.49085	30000	0	0	30000	40.875	2004
12.02.2020 11:10:10	1	1	1	1	69.5	60.75	0	30000	483.8709677	14644.90528	30000	0	0	30000	40.9375	2004
12.02.2020 11:10:11	1	1	1	1	69.5	60.75	0	30000	486.0215054	14516.07643	30000	0	0	30000	40.75	2004
12.02.2020 11:10:12	1	1	1	1	69.5	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.875	2004
12.02.2020 11:10:13	1	1	1	1	69.5	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.6875	2004
12.02.2020 11:10:14	1	1	1	1	69.5	60.5	0	29952.607	481.7204301	14451.662	30000	0	0	30000	40.5	2004
12.02.2020 11:10:15	1	1	1	1	69.5	60.5	0	30000	481.7204301	14516.07643	30000	0	0	30000	40.3125	2004
12.02.2020 11:10:16	1	1	1	1	69.25	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.1875	2004
12.02.2020 11:10:17	1	1	1	1	69.25	60	0	30000	481.7204301	14406.00114	30000	0	0	30000	40.6875	2004
12.02.2020 11:10:18	1	1	1	1	69.25	60.5	0	30000	483.8709677	14428.83157	30000	0	0	30000	40.9375	2004
12.02.2020 11:10:25	1	1	1	1	69.25	59.75	0	30000	488.172043	14644.90528	30000	0	0	30000	40.8125	2004
12.02.2020 11:10:25	1	1	1	1	69.25	59.75	0	30000	488.172043	14644.90528	30000	0	0	30000	40.8125	2004
12.02.2020 11:10:25	1	1	1	1	69.25	59.75	0	30000	488.172043	14644.90528	30000	0	0	30000	40.8125	2004
12.02.2020 11:10:25	1	1	1	1	69.25	59.75	0	30000	488.172043	14644.90528	30000	0	0	30000	40.8125	2004
12.02.2020 11:10:25	1	1	1	1	69.25	59.75	0	30000	488.172043	14644.90528	30000	0	0	30000	40.8125	2004
12.02.2020 11:10:25	1	1	1	1	69.25	59.75	0	30000	488.172043	14644.90528	30000	0	0	30000	40.8125	2004
12.02.2020 11:10:25	1	1	1	1	69.25	59.75	0	30000	488.172043	14644.90528	30000	0	0	30000	40.8125	2004
12.02.2020 11:10:25	1	1	1	1	69.25	59.75	0	30000	488.172043	14644.90528	30000	0	0	30000	40.8125	2004
12.02.2020 11:10:25	1	1	1	1	69.25	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.6875	2004
12.02.2020 11:10:26	1	1	1	1	69.25	60.5	0	30000	486.0215054	14557.66042	30000	0	0	30000	40.5	2004
12.02.2020 11:10:27	1	1	1	1	69.25	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.875	2004
12.02.2020 11:10:28	1	1	1	1	69.25	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.875	2004
12.02.2020 11:10:29	1	1	1	1	69.25	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	41	2004
12.02.2020 11:10:30	1	1	1	1	69.25	61	0	30000	481.7204301	14451.662	30000	0	0	30000	40.75	2004
12.02.2020 11:10:32	1	1	1	1	69.25	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.4375	2004
12.02.2020 11:10:33	1	1	1	1	69.25	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.5	2004
12.02.2020 11:10:34	1	1	1	1	69.25	60.5	0	30000	481.7204301	14516.07643	30000	0	0	30000	40.8125	2004
12.02.2020 11:10:35	1	1	1	1	69.25	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.9375	2004
12.02.2020 11:10:36	1	1	1	1	69.75	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	41	2004
12.02.2020 11:10:37	1	1	1	1	69.75	61	0	30000	481.7204301	14451.662	30000	0	0	30000	41	2004
12.02.2020 11:10:38	1	1	1	1	69.75	61	0	29952.607	481.7204301	14451.662	30000	0	0	30000	40.25	2004
12.02.2020 11:10:39	1	1	1	1	69.75	60.25	0	29952.607	481.7204301	14428.83157	30000	0	0	30000	40.6875	2004
12.02.2020 11:10:40	1	1	1	1	69.75	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.875	2004
12.02.2020 11:10:41	1	1	1	1	69.75	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.5	2004
12.02.2020 11:10:42	1	1	1	1	69.75	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.125	2004
12.02.2020 11:10:43	1	1	1	1	69.75	60	0	30000	481.7204301	14451.662	30000	0	0	30000	40.25	2004
12.02.2020 11:10:44	1	1	1	1	69.75	60.25	0	29905.213	481.7204301	14709.31971	30000	0	0	30000	40.8125	2004
12.02.2020 11:10:45	1	1	1	1	69.75	60.75	0	30000	486.0215054	14580.49085	30000	0	0	30000	40.875	2004
12.02.2020 11:10:46	1	1	1	1	69.25	60.75	0	29952.607	481.7204301	14451.662	30000	0	0	30000	40.875	2004
12.02.2020 11:10:47	1	1	1	1	69.25	60.75	0	30000	481.7204301	14406.00114	30000	0	0	30000	40.875	2004
12.02.2020 11:10:48	1	1	1	1	69.25	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.9375	2004
12.02.2020 11:10:49	1	1	1	1	69.25	60.75	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 11:10:50	1	1	1	1	69.25	60	0	30000	481.7204301	14451.662	30000	0	0	30000	40.125	2004
12.02.2020 11:10:51	1	1	1	1	69.25	60	0	30000	481.7204301	14516.07643	30000	0	0	30000	40.875	2004
12.02.2020 11:10:52	1	1	1	1	69.25	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.5625	2004
12.02.2020 11:10:53	1	1	1	1	69.25	60.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.8125	2004
12.02.2020 11:10:54	1	1	1	1	69.25	60.75	0	30000	481.7204301	14516.07643	30000	0	0	30000	40.375	2004
12.02.2020 11:10:55	1	1	1	1	69.25	60.25	0	29952.607	481.7204301	14451.662	30000	0	0	30000	40.5	2004
12.02.2020 11:10:56	1	1	1	1	69.25	60.5	0	30000	486.0215054	14516.07643	30000	0	0	30000	40.4375	2004
12.02.2020 11:10:57	1	1	1	1	69.25	60.25	0	30000	481.7204301	14516.07643	30000	0	0	30000	40.625	2004
12.02.2020 11:10:58	1	1	1	1	69.25	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.875	2004
12.02.2020 11:10:59	1	1	1	1	69.25	60.75	0	29952.607	481.7204301	14451.662	30000	0	0	30000	40.9375	2004
12.02.2020 11:11:00	1	1	1	1	69.25	60.75	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.8125	2004
12.02.2020 11:11:01	1	1	1	1	69.25	60.75	0	30047.393	486.0215054	14580.49085	30000	0	0	30000	40.75	2004
12.02.2020 11:11:02	1	1	1	1	69.25	60.75	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.125	2004
12.02.2020 11:11:03	1	1	1	1	69.25	60	0	30000	481.7204301	14474.49243	30000	0	0	30000	39.75	2004
12.02.2020 11:11:04	1	1	1	1	69.25	59.75	0	30000	483.8709677	14516.07643	30000	0	0	30000	41.1875	2004
12.02.2020 11:11:05	1	1	1	1	69.25	61	0	30000	481.7204301	14516.07643	30000	0	0	30000	40.1875	2004
12.02.2020 11:11:06	1	1	1	1	69.5	60	0	30000	481.7204301	14451.662	30000	0	0	30000	40.625	2004
12.02.2020 11:11:07	1	1	1	1	69.5	60.5	0	30000	486.0215054	14516.07643	30000	0	0	30000	41	2004
12.02.2020 11:11:08	1	1	1	1	69.5	61	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.875	2004
12.02.2020 11:11:09	1	1	1	1	69.5	60.75	0	30000	488.172043	14644.90528	30000	0	0	30000	41.0625	2004
12.02.2020 11:11:11	1	1	1	1	69.5	61	0	30000	486.0215054	14580.49085	30000	0	0	30000	40.875	2004
12.02.2020 11:11:12	1	1	1	1	69.5	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.8125	2004
12.02.2020 11:11:13	1	1	1	1	69.5	60.75	0	29952.607	483.8709677	14516.07643	30000	0	0	30000	40.0625	2004
12.02.2020 11:11:14	1	1	1	1	69.5	60	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.75	2004
12.02.2020 11:11:15	1	1	1	1	69.5	60.75	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.6875	2004
12.02.2020 11:11:16	1	1	1	1	69	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.1875	2004
12.02.2020 11:11:17	1	1	1	1	69	60	0	29905.213	481.7204301	14451.662	30000	0	0	30000	40.875	2004
12.02.2020 11:11:18	1	1	1	1	69	60.75	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.9375	2004
12.02.2020 11:11:19	1	1	1	1	69	60.75	0	29952.607	486.0215054	14644.90528	30000	0	0	30000	41	2004
12.02.2020 11:11:20	1	1	1	1	69	61	0	30000	483.8709677	14451.662	30000	0	0	30000	40.9375	2004
12.02.2020 11:11:27	1	1	1	1	69.25	60.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.375	2004
12.02.2020 11:11:27	1	1	1	1	69.25	60.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.375	2004
12.02.2020 11:11:27	1	1	1	1	69.25	60.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.375	2004
12.02.2020 11:11:27	1	1	1	1	69.25	60.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.375	2004
12.02.2020 11:11:27	1	1	1	1	69.25	60.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.375	2004
12.02.2020 11:11:27	1	1	1	1	69.25	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	41	2004
12.02.2020 11:11:28	1	1	1	1	69.25	61	0	29952.607	481.7204301	14451.662	30000	0	0	30000	40.8125	2004
12.02.2020 11:11:29	1	1	1	1	69.25	60.75	0	30000	486.0215054	14644.90528	30000	0	0	30000	41	2004
12.02.2020 11:11:30	1	1	1	1	69.25	61	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.6875	2004
12.02.2020 11:11:31	1	1	1	1	69.25	60.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	41.0625	2004
12.02.2020 11:11:32	1	1	1	1	69.25	61	0	30000	481.7204301	14451.662	30000	0	0	30000	40.8125	2004
12.02.2020 11:11:33	1	1	1	1	69.25	60.75	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 11:11:34	1	1	1	1	69.25	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	39.4375	2004
12.02.2020 11:11:35	1	1	1	1	69.25	59.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.3125	2004
12.02.2020 11:11:36	1	1	1	1	69.25	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.375	2004
12.02.2020 11:11:37	1	1	1	1	69.25	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.875	2004
12.02.2020 11:11:38	1	1	1	1	69.25	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.5625	2004
12.02.2020 11:11:39	1	1	1	1	69.25	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.3125	2004
12.02.2020 11:11:40	1	1	1	1	69.25	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.8125	2004
12.02.2020 11:11:41	1	1	1	1	69.25	60.75	0	29952.607	483.8709677	14516.07643	30000	0	0	30000	40.4375	2004
12.02.2020 11:11:42	1	1	1	1	69.25	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	41	2004
12.02.2020 11:11:43	1	1	1	1	69.25	61	0	29952.607	481.7204301	14451.662	30000	0	0	30000	40.9375	2004
12.02.2020 11:11:44	1	1	1	1	69.25	60.75	0	29905.213	481.7204301	14451.662	30000	0	0	30000	40.6875	2004
12.02.2020 11:11:45	1	1	1	1	69.25	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	41.1875	2004
12.02.2020 11:11:46	1	1	1	1	69.25	61	0	30000	481.7204301	14451.662	30000	0	0	30000	40.9375	2004
12.02.2020 11:11:47	1	1	1	1	69.25	60.75	0	30000	481.7204301	14516.07643	30000	0	0	30000	40.9375	2004
12.02.2020 11:11:49	1	1	1	1	69.25	61	0	30000	481.7204301	14451.662	30000	0	0	30000	40.0625	2004
12.02.2020 11:11:50	1	1	1	1	69.25	60	0	30000	481.7204301	14451.662	30000	0	0	30000	40.875	2004
12.02.2020 11:11:51	1	1	1	1	69.25	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.625	2004
12.02.2020 11:11:52	1	1	1	1	69.25	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.6875	2004
12.02.2020 11:11:53	1	1	1	1	69.25	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.6875	2004
12.02.2020 11:11:54	1	1	1	1	69.25	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.8125	2004
12.02.2020 11:11:55	1	1	1	1	69.25	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.4375	2004
12.02.2020 11:11:56	1	1	1	1	69.25	60.25	0	29952.607	481.7204301	14451.662	30000	0	0	30000	40.8125	2004
12.02.2020 11:11:57	1	1	1	1	69.25	60.75	0	29952.607	481.7204301	14451.662	30000	0	0	30000	40.75	2004
12.02.2020 11:11:58	1	1	1	1	69.25	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.5625	2004
12.02.2020 11:11:59	1	1	1	1	69.25	60.5	0	30000	481.7204301	14428.83157	30000	0	0	30000	40.75	2004
12.02.2020 11:12:00	1	1	1	1	69.25	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.875	2004
12.02.2020 11:12:01	1	1	1	1	69.25	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.4375	2004
12.02.2020 11:12:02	1	1	1	1	69.25	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.875	2004
12.02.2020 11:12:03	1	1	1	1	69.25	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	39.8125	2004
12.02.2020 11:12:04	1	1	1	1	69.25	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.6875	2004
12.02.2020 11:12:05	1	1	1	1	69.25	60.5	0	29952.607	481.7204301	14451.662	30000	0	0	30000	40.75	2004
12.02.2020 11:12:06	1	1	1	1	69.25	60.75	0	30047.393	481.7204301	14451.662	30000	0	0	30000	40.875	2004
12.02.2020 11:12:07	1	1	1	1	69.25	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.75	2004
12.02.2020 11:12:08	1	1	1	1	69.25	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.9375	2004
12.02.2020 11:12:09	1	1	1	1	69.25	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.8125	2004
12.02.2020 11:12:10	1	1	1	1	69.25	60.75	0	29952.607	481.7204301	14451.662	30000	0	0	30000	39.8125	2004
12.02.2020 11:12:11	1	1	1	1	69.25	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.1875	2004
12.02.2020 11:12:12	1	1	1	1	69.25	60	0	30000	481.7204301	14451.662	30000	0	0	30000	40	2004
12.02.2020 11:12:13	1	1	1	1	69.25	60	0	30047.393	481.7204301	14451.662	30000	0	0	30000	40.875	2004
12.02.2020 11:12:14	1	1	1	1	69.25	60.75	0	30000	483.8709677	14451.662	30000	0	0	30000	40.8125	2004
12.02.2020 11:12:15	1	1	1	1	69.25	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	41.0625	2004
12.02.2020 11:12:16	1	1	1	1	69	61	0	29905.213	481.7204301	14451.662	30000	0	0	30000	40.4375	2004
12.02.2020 11:12:17	1	1	1	1	69	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 11:12:18	1	1	1	1	69	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	39.9375	2004
12.02.2020 11:12:19	1	1	1	1	69	59.75	0	29952.607	481.7204301	14451.662	30000	0	0	30000	40.5	2004
12.02.2020 11:12:20	1	1	1	1	69	60.5	0	30000	486.0215054	14451.662	30000	0	0	30000	40.75	2004
12.02.2020 11:12:21	1	1	1	1	69	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.125	2004
12.02.2020 11:12:28	1	1	1	1	69	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.625	2004
12.02.2020 11:12:28	1	1	1	1	69	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.625	2004
12.02.2020 11:12:28	1	1	1	1	69	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.625	2004
12.02.2020 11:12:28	1	1	1	1	69	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.625	2004
12.02.2020 11:12:28	1	1	1	1	69	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.625	2004
12.02.2020 11:12:28	1	1	1	1	69	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.625	2004
12.02.2020 11:12:28	1	1	1	1	69	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.625	2004
12.02.2020 11:12:29	1	1	1	1	69	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.375	2004
12.02.2020 11:12:30	1	1	1	1	69	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.4375	2004
12.02.2020 11:12:31	1	1	1	1	69	60.25	0	29952.607	481.7204301	14428.83157	30000	0	0	30000	40.25	2004
12.02.2020 11:12:32	1	1	1	1	69	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.25	2004
12.02.2020 11:12:33	1	1	1	1	69	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.8125	2004
12.02.2020 11:12:34	1	1	1	1	69	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.4375	2004
12.02.2020 11:12:35	1	1	1	1	69	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.75	2004
12.02.2020 11:12:36	1	1	1	1	69	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.8125	2004
12.02.2020 11:12:37	1	1	1	1	69	60.75	0	29952.607	481.7204301	14451.662	30000	0	0	30000	40.75	2004
12.02.2020 11:12:38	1	1	1	1	69	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.75	2004
12.02.2020 11:12:39	1	1	1	1	69	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.3125	2004
12.02.2020 11:12:40	1	1	1	1	69	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.125	2004
12.02.2020 11:12:41	1	1	1	1	69	60	0	30000	481.7204301	14451.662	30000	0	0	30000	40.1875	2004
12.02.2020 11:12:42	1	1	1	1	69	60	0	30000	481.7204301	14451.662	30000	0	0	30000	40.625	2004
12.02.2020 11:12:43	1	1	1	1	69	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.625	2004
12.02.2020 11:12:44	1	1	1	1	69	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.5	2004
12.02.2020 11:12:45	1	1	1	1	69	60.5	0	30000	481.7204301	13955.10015	30000	0	0	30000	40.4375	2004
12.02.2020 11:12:46	1	1	1	1	68.75	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.625	2004
12.02.2020 11:12:47	1	1	1	1	68.75	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.6875	2004
12.02.2020 11:12:48	1	1	1	1	68.75	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.8125	2004
12.02.2020 11:12:49	1	1	1	1	68.75	60.75	0	29905.213	481.7204301	14451.662	30000	0	0	30000	40.5625	2004
12.02.2020 11:12:50	1	1	1	1	68.75	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.875	2004
12.02.2020 11:12:51	1	1	1	1	68.75	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.8125	2004
12.02.2020 11:12:52	1	1	1	1	68.75	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.375	2004
12.02.2020 11:12:53	1	1	1	1	68.75	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.75	2004
12.02.2020 11:12:54	1	1	1	1	68.75	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.6875	2004
12.02.2020 11:12:55	1	1	1	1	68.75	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.8125	2004
12.02.2020 11:12:56	1	1	1	1	68.75	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.0625	2004
12.02.2020 11:12:57	1	1	1	1	68.75	60	0	30000	481.7204301	14451.662	30000	0	0	30000	40.375	2004
12.02.2020 11:12:58	1	1	1	1	68.75	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.9375	2004
12.02.2020 11:12:59	1	1	1	1	68.75	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.4375	2004
12.02.2020 11:13:00	1	1	1	1	68.75	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.5625	2004
12.02.2020 11:13:01	1	1	1	1	68.75	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	39.8125	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 11:13:02	1	1	1	1	68.75	59.75	0	29952.607	481.7204301	14451.662	30000	0	0	30000	40.8125	2004
12.02.2020 11:13:03	1	1	1	1	68.75	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	41.3125	2004
12.02.2020 11:13:04	1	1	1	1	68.75	61.25	0	30000	481.7204301	14451.662	30000	0	0	30000	41.125	2004
12.02.2020 11:13:06	1	1	1	1	68.75	61	0	29952.607	481.7204301	14451.662	30000	0	0	30000	40.8125	2004
12.02.2020 11:13:07	1	1	1	1	69	60.5	0	29952.607	481.7204301	14451.662	30000	0	0	30000	41	2004
12.02.2020 11:13:08	1	1	1	1	69	61	0	30000	481.7204301	14451.662	30000	0	0	30000	40.125	2004
12.02.2020 11:13:09	1	1	1	1	69	60	0	30000	481.7204301	14451.662	30000	0	0	30000	40.9375	2004
12.02.2020 11:13:10	1	1	1	1	69	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.8125	2004
12.02.2020 11:13:11	1	1	1	1	69	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.75	2004
12.02.2020 11:13:12	1	1	1	1	69	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	39.5	2004
12.02.2020 11:13:13	1	1	1	1	69	59.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.8125	2004
12.02.2020 11:13:14	1	1	1	1	69	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.125	2004
12.02.2020 11:13:15	1	1	1	1	69	60	0	30000	481.7204301	14451.662	30000	0	0	30000	40.6875	2004
12.02.2020 11:13:16	1	1	1	1	69	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.8125	2004
12.02.2020 11:13:17	1	1	1	1	69	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.875	2004
12.02.2020 11:13:18	1	1	1	1	69	60.75	0	30000	481.7204301	13999.94564	30000	0	0	30000	40.125	2004
12.02.2020 11:13:19	1	1	1	1	69	60	0	29952.607	481.7204301	14451.662	30000	0	0	30000	40.6875	2004
12.02.2020 11:13:20	1	1	1	1	69	60.5	0	30000	481.7204301	14474.49243	30000	0	0	30000	40.8125	2004
12.02.2020 11:13:21	1	1	1	1	69	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.8125	2004
12.02.2020 11:13:22	1	1	1	1	69	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.625	2004
12.02.2020 11:13:23	1	1	1	1	69	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.75	2004
12.02.2020 11:13:30	1	1	1	1	69	61	0	30000	468.8172043	14128.7745	30000	0	0	30000	40.875	2004
12.02.2020 11:13:30	1	1	1	1	69	61	0	30000	468.8172043	14128.7745	30000	0	0	30000	40.875	2004
12.02.2020 11:13:30	1	1	1	1	69	61	0	30000	468.8172043	14128.7745	30000	0	0	30000	40.875	2004
12.02.2020 11:13:30	1	1	1	1	69	61	0	30000	468.8172043	14128.7745	30000	0	0	30000	40.875	2004
12.02.2020 11:13:30	1	1	1	1	69	61	0	30000	468.8172043	14128.7745	30000	0	0	30000	40.875	2004
12.02.2020 11:13:30	1	1	1	1	69	61	0	30000	468.8172043	14128.7745	30000	0	0	30000	40.875	2004
12.02.2020 11:13:30	1	1	1	1	69	61	0	30000	468.8172043	14128.7745	30000	0	0	30000	40.875	2004
12.02.2020 11:13:30	1	1	1	1	69	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.8125	2004
12.02.2020 11:13:31	1	1	1	1	69	60.75	0	29952.607	481.7204301	14451.662	30000	0	0	30000	40.6875	2004
12.02.2020 11:13:32	1	1	1	1	69	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	41.0625	2004
12.02.2020 11:13:33	1	1	1	1	69	61	0	30000	481.7204301	14451.662	30000	0	0	30000	40.5	2004
12.02.2020 11:13:34	1	1	1	1	69	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	41	2004
12.02.2020 11:13:35	1	1	1	1	69	61	0	30000	481.7204301	14451.662	30000	0	0	30000	40.9375	2004
12.02.2020 11:13:36	1	1	1	1	69	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.9375	2004
12.02.2020 11:13:37	1	1	1	1	69	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	41	2004
12.02.2020 11:13:38	1	1	1	1	69	61	0	30000	481.7204301	14083.92901	30000	0	0	30000	39.125	2004
12.02.2020 11:13:39	1	1	1	1	69	59	0	30000	481.7204301	14451.662	30000	0	0	30000	40.5625	2004
12.02.2020 11:13:40	1	1	1	1	69	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.75	2004
12.02.2020 11:13:41	1	1	1	1	69	60.75	0	30000	481.7204301	14516.07643	30000	0	0	30000	40.875	2004
12.02.2020 11:13:42	1	1	1	1	69	60.75	0	30000	486.0215054	14451.662	30000	0	0	30000	40.625	2004
12.02.2020 11:13:43	1	1	1	1	69	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	41.25	2004
12.02.2020 11:13:45	1	1	1	1	69	61.25	0	29905.213	481.7204301	14451.662	30000	0	0	30000	40.75	2004
12.02.2020 11:13:46	1	1	1	1	69	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 11:13:47	1	1	1	1	69	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.5625	2004
12.02.2020 11:13:48	1	1	1	1	69	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.25	2004
12.02.2020 11:13:49	1	1	1	1	69	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.5625	2004
12.02.2020 11:13:50	1	1	1	1	69	60.5	0	29952.607	481.7204301	14451.662	30000	0	0	30000	40.4375	2004
12.02.2020 11:13:51	1	1	1	1	69	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.5625	2004
12.02.2020 11:13:52	1	1	1	1	69	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.1875	2004
12.02.2020 11:13:53	1	1	1	1	69	60	0	30000	481.7204301	14064.36007	30000	0	0	30000	40.5	2004
12.02.2020 11:13:54	1	1	1	1	69	60.5	0	29952.607	481.7204301	14451.662	30000	0	0	30000	40.75	2004
12.02.2020 11:13:55	1	1	1	1	69	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.8125	2004
12.02.2020 11:13:56	1	1	1	1	68.75	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.25	2004
12.02.2020 11:13:57	1	1	1	1	68.75	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.5	2004
12.02.2020 11:13:58	1	1	1	1	68.75	60.5	0	29952.607	466.6666667	14128.7745	30000	0	0	30000	40.6875	2004
12.02.2020 11:13:59	1	1	1	1	68.75	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	39.25	2004
12.02.2020 11:14:00	1	1	1	1	68.75	59.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.875	2004
12.02.2020 11:14:01	1	1	1	1	68.75	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.875	2004
12.02.2020 11:14:02	1	1	1	1	68.75	60.75	0	29952.607	466.6666667	14451.662	30000	0	0	30000	40.6875	2004
12.02.2020 11:14:03	1	1	1	1	68.75	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.9375	2004
12.02.2020 11:14:04	1	1	1	1	68.75	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.75	2004
12.02.2020 11:14:05	1	1	1	1	68.75	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.875	2004
12.02.2020 11:14:06	1	1	1	1	69	60.75	0	29952.607	481.7204301	14451.662	30000	0	0	30000	39.875	2004
12.02.2020 11:14:07	1	1	1	1	69	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.5625	2004
12.02.2020 11:14:08	1	1	1	1	69	60.5	0	29905.213	464.516129	14128.7745	30000	0	0	30000	40.4375	2004
12.02.2020 11:14:09	1	1	1	1	69	60.25	0	29905.213	464.516129	13913.51616	30000	0	0	30000	40.1875	2004
12.02.2020 11:14:10	1	1	1	1	69	60	0	30000	468.8172043	13891.5011	30000	0	0	30000	40.375	2004
12.02.2020 11:14:11	1	1	1	1	69	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.1875	2004
12.02.2020 11:14:12	1	1	1	1	69	60	0	30000	481.7204301	14451.662	30000	0	0	30000	40.5625	2004
12.02.2020 11:14:13	1	1	1	1	69	60.5	0	30000	481.7204301	14428.83157	30000	0	0	30000	40.4375	2004
12.02.2020 11:14:14	1	1	1	1	69	60.25	0	30000	464.516129	13935.53122	30000	0	0	30000	40.8125	2004
12.02.2020 11:14:15	1	1	1	1	69	60.75	0	30000	464.516129	13999.94564	30000	0	0	30000	40.75	2004
12.02.2020 11:14:16	1	1	1	1	69	60.75	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.5625	2004
12.02.2020 11:14:17	1	1	1	1	69	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.875	2004
12.02.2020 11:14:18	1	1	1	1	69	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.9375	2004
12.02.2020 11:14:19	1	1	1	1	69	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.6875	2004
12.02.2020 11:14:21	1	1	1	1	69	60.5	0	29952.607	481.7204301	14451.662	30000	0	0	30000	41.0625	2004
12.02.2020 11:14:22	1	1	1	1	69	61	0	30000	481.7204301	14451.662	30000	0	0	30000	40.8125	2004
12.02.2020 11:14:23	1	1	1	1	69	60.75	0	30000	481.7204301	14106.75944	30000	0	0	30000	41.25	2004
12.02.2020 11:14:24	1	1	1	1	69	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	41.0625	2004
12.02.2020 11:14:25	1	1	1	1	69	61	0	30000	481.7204301	14451.662	30000	0	0	30000	40.125	2004
12.02.2020 11:14:32	1	1	1	1	69.25	60.25	0	30000	466.6666667	14064.36007	30000	0	0	30000	40.4375	2004
12.02.2020 11:14:32	1	1	1	1	69.25	60.25	0	30000	466.6666667	14064.36007	30000	0	0	30000	40.4375	2004
12.02.2020 11:14:32	1	1	1	1	69.25	60.25	0	30000	466.6666667	14064.36007	30000	0	0	30000	40.4375	2004
12.02.2020 11:14:32	1	1	1	1	69.25	60.25	0	30000	466.6666667	14064.36007	30000	0	0	30000	40.4375	2004
12.02.2020 11:14:32	1	1	1	1	69.25	60.25	0	30000	466.6666667	14064.36007	30000	0	0	30000	40.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 11:14:32	1	1	1	1	69.25	60.25	0	30000	466.6666667	14064.36007	30000	0	0	30000	40.4375	2004
12.02.2020 11:14:32	1	1	1	1	69.25	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.8125	2004
12.02.2020 11:14:33	1	1	1	1	69.25	60.75	0	30000	468.8172043	14128.7745	30000	0	0	30000	40.6875	2004
12.02.2020 11:14:34	1	1	1	1	69.25	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.625	2004
12.02.2020 11:14:35	1	1	1	1	69.25	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.875	2004
12.02.2020 11:14:36	1	1	1	1	69	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.3125	2004
12.02.2020 11:14:37	1	1	1	1	69	60.25	0	30000	481.7204301	14128.7745	30000	0	0	30000	40.625	2004
12.02.2020 11:14:38	1	1	1	1	69	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.875	2004
12.02.2020 11:14:39	1	1	1	1	69	60.75	0	29952.607	481.7204301	14451.662	30000	0	0	30000	40.6875	2004
12.02.2020 11:14:40	1	1	1	1	69	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.125	2004
12.02.2020 11:14:41	1	1	1	1	69	60	0	30000	481.7204301	14451.662	30000	0	0	30000	40.1875	2004
12.02.2020 11:14:42	1	1	1	1	69	60	0	30000	481.7204301	14451.662	30000	0	0	30000	40.5625	2004
12.02.2020 11:14:43	1	1	1	1	69	60.5	0	30000	468.8172043	14128.7745	30000	0	0	30000	40.625	2004
12.02.2020 11:14:44	1	1	1	1	69	60.5	0	30000	464.516129	13999.94564	30000	0	0	30000	40.3125	2004
12.02.2020 11:14:45	1	1	1	1	69	60.25	0	29905.213	481.7204301	14451.662	30000	0	0	30000	40.6875	2004
12.02.2020 11:14:46	1	1	1	1	68.75	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.375	2004
12.02.2020 11:14:47	1	1	1	1	68.75	60.25	0	29905.213	468.8172043	14064.36007	30000	0	0	30000	40.375	2004
12.02.2020 11:14:48	1	1	1	1	68.75	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	41	2004
12.02.2020 11:14:49	1	1	1	1	68.75	61	0	30000	481.7204301	14451.662	30000	0	0	30000	40.5625	2004
12.02.2020 11:14:50	1	1	1	1	68.75	60.5	0	29952.607	470.9677419	14451.662	30000	0	0	30000	40.8125	2004
12.02.2020 11:14:51	1	1	1	1	68.75	60.75	0	29952.607	481.7204301	14451.662	30000	0	0	30000	40.5	2004
12.02.2020 11:14:52	1	1	1	1	68.75	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	41	2004
12.02.2020 11:14:53	1	1	1	1	68.75	61	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.8125	2004
12.02.2020 11:14:54	1	1	1	1	68.75	60.75	0	30000	466.6666667	13999.94564	30000	0	0	30000	41	2004
12.02.2020 11:14:55	1	1	1	1	68.75	61	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.8125	2004
12.02.2020 11:14:56	1	1	1	1	68.75	60.75	0	30000	466.6666667	14064.36007	30000	0	0	30000	40.375	2004
12.02.2020 11:14:57	1	1	1	1	68.75	60.25	0	30000	468.8172043	14064.36007	30000	0	0	30000	40.6875	2004
12.02.2020 11:14:58	1	1	1	1	68.75	60.5	0	29905.213	466.6666667	14451.662	30000	0	0	30000	40.75	2004
12.02.2020 11:14:59	1	1	1	1	68.75	60.75	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.9375	2004
12.02.2020 11:15:00	1	1	1	1	68.75	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.875	2004
12.02.2020 11:15:02	1	1	1	1	68.75	60.75	0	30000	481.7204301	14128.7745	30000	0	0	30000	41.3125	2004
12.02.2020 11:15:03	1	1	1	1	68.75	61.25	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.9375	2004
12.02.2020 11:15:04	1	1	1	1	68.75	60.75	0	30000	464.516129	13999.94564	30000	0	0	30000	40.4375	2004
12.02.2020 11:15:05	1	1	1	1	68.75	61	0	30000	466.6666667	13999.94564	30000	0	0	30000	41	2004
12.02.2020 11:15:06	1	1	1	1	69	61	0	29952.607	468.8172043	14064.36007	30000	0	0	30000	40.375	2004
12.02.2020 11:15:07	1	1	1	1	69	60.25	0	29952.607	466.6666667	13999.94564	30000	0	0	30000	40.6875	2004
12.02.2020 11:15:08	1	1	1	1	69	60.5	0	30000	468.8172043	14064.36007	30000	0	0	30000	40.4375	2004
12.02.2020 11:15:09	1	1	1	1	69	60.25	0	30000	466.6666667	14064.36007	30000	0	0	30000	40.875	2004
12.02.2020 11:15:10	1	1	1	1	69	60.75	0	30000	481.7204301	13999.94564	30000	0	0	30000	40.4375	2004
12.02.2020 11:15:11	1	1	1	1	69	60.25	0	30000	481.7204301	14064.36007	30000	0	0	30000	40.5	2004
12.02.2020 11:15:12	1	1	1	1	69	60.5	0	30000	464.516129	13999.94564	30000	0	0	30000	41.125	2004
12.02.2020 11:15:13	1	1	1	1	69	61	0	30000	468.8172043	13999.94564	30000	0	0	30000	40.9375	2004
12.02.2020 11:15:14	1	1	1	1	69	60.75	0	30000	481.7204301	14150.78955	30000	0	0	30000	40.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 11:15:15	1	1	1	1	69	60.5	0	30000	481.7204301	14128.7745	30000	0	0	30000	40.625	2004
12.02.2020 11:15:16	1	1	1	1	68.75	60.5	0	30000	460.2150538	13741.47256	30000	0	0	30000	40.875	2004
12.02.2020 11:15:17	1	1	1	1	68.75	60.75	0	30000	464.516129	13935.53122	30000	0	0	30000	40.9375	2004
12.02.2020 11:15:18	1	1	1	1	68.75	60.75	0	30000	460.2150538	13935.53122	30000	0	0	30000	40.75	2004
12.02.2020 11:15:19	1	1	1	1	68.75	60.75	0	30000	464.516129	13935.53122	30000	0	0	30000	40.875	2004
12.02.2020 11:15:20	1	1	1	1	68.75	60.75	0	30000	464.516129	13935.53122	30000	0	0	30000	41.0625	2004
12.02.2020 11:15:21	1	1	1	1	68.75	61	0	30000	464.516129	13935.53122	30000	0	0	30000	40.5	2004
12.02.2020 11:15:22	1	1	1	1	68.75	60.5	0	30000	460.2150538	13805.88699	30000	0	0	30000	41	2004
12.02.2020 11:15:23	1	1	1	1	68.75	61	0	30000	464.516129	13935.53122	30000	0	0	30000	40.75	2004
12.02.2020 11:15:24	1	1	1	1	68.75	60.75	0	30000	464.516129	13935.53122	30000	0	0	30000	40.8125	2004
12.02.2020 11:15:25	1	1	1	1	68.75	60.75	0	30000	455.9139785	13741.47256	30000	0	0	30000	40.875	2004
12.02.2020 11:15:26	1	1	1	1	68.75	60.75	0	30000	458.0645161	13612.64371	30000	0	0	30000	40.6875	2004
12.02.2020 11:15:33	1	1	1	1	68.75	60.75	0	30000	468.8172043	14128.7745	30000	0	0	30000	40.5625	2004
12.02.2020 11:15:33	1	1	1	1	68.75	60.75	0	30000	468.8172043	14128.7745	30000	0	0	30000	40.5625	2004
12.02.2020 11:15:33	1	1	1	1	68.75	60.75	0	30000	468.8172043	14128.7745	30000	0	0	30000	40.5625	2004
12.02.2020 11:15:33	1	1	1	1	68.75	60.75	0	30000	468.8172043	14128.7745	30000	0	0	30000	40.5625	2004
12.02.2020 11:15:33	1	1	1	1	68.75	60.75	0	30000	468.8172043	14128.7745	30000	0	0	30000	40.5625	2004
12.02.2020 11:15:33	1	1	1	1	68.75	60.5	0	30000	468.8172043	13999.94564	30000	0	0	30000	40.875	2004
12.02.2020 11:15:34	1	1	1	1	68.75	60.75	0	30000	481.7204301	14064.36007	30000	0	0	30000	40.875	2004
12.02.2020 11:15:35	1	1	1	1	68.75	60.75	0	29905.213	458.0645161	13805.88699	30000	0	0	30000	40.875	2004
12.02.2020 11:15:36	1	1	1	1	68.75	60.75	0	30000	458.0645161	13805.88699	30000	0	0	30000	41.0625	2004
12.02.2020 11:15:37	1	1	1	1	68.75	61	0	30000	464.516129	13935.53122	30000	0	0	30000	40.8125	2004
12.02.2020 11:15:38	1	1	1	1	68.75	60.75	0	30000	464.516129	13935.53122	30000	0	0	30000	40.3125	2004
12.02.2020 11:15:39	1	1	1	1	68.75	60.25	0	30000	460.2150538	13870.30142	30000	0	0	30000	40.9375	2004
12.02.2020 11:15:40	1	1	1	1	68.75	60.75	0	30000	468.8172043	13999.94564	30000	0	0	30000	40.875	2004
12.02.2020 11:15:42	1	1	1	1	68.75	60.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	40.5	2004
12.02.2020 11:15:43	1	1	1	1	68.75	60.5	0	30000	460.2150538	13741.47256	30000	0	0	30000	40.625	2004
12.02.2020 11:15:44	1	1	1	1	68.75	60.5	0	30000	464.516129	13935.53122	30000	0	0	30000	41.125	2004
12.02.2020 11:15:45	1	1	1	1	68.75	60.75	0	30000	464.516129	13805.88699	30000	0	0	30000	40.6875	2004
12.02.2020 11:15:46	1	1	1	1	68.75	60.5	0	30000	464.516129	13935.53122	30000	0	0	30000	40.9375	2004
12.02.2020 11:15:47	1	1	1	1	68.75	60.75	0	29952.607	466.6666667	14451.662	30000	0	0	30000	40.25	2004
12.02.2020 11:15:48	1	1	1	1	68.75	60.25	0	30000	464.516129	13849.10173	30000	0	0	30000	40.75	2004
12.02.2020 11:15:49	1	1	1	1	68.75	60.75	0	30000	466.6666667	14021.9607	30000	0	0	30000	41.0625	2004
12.02.2020 11:15:50	1	1	1	1	68.75	61	0	29952.607	464.516129	13805.88699	30000	0	0	30000	40	2004
12.02.2020 11:15:51	1	1	1	1	68.75	60	0	29905.213	464.516129	13849.10173	30000	0	0	30000	40.25	2004
12.02.2020 11:15:52	1	1	1	1	68.75	60.25	0	30000	455.9139785	13741.47256	30000	0	0	30000	41	2004
12.02.2020 11:15:53	1	1	1	1	68.75	61	0	29952.607	460.2150538	13935.53122	30000	0	0	30000	40.25	2004
12.02.2020 11:15:54	1	1	1	1	68.75	60.25	0	30000	458.0645161	13741.47256	30000	0	0	30000	40.5	2004
12.02.2020 11:15:55	1	1	1	1	68.75	60.5	0	30000	464.516129	13870.30142	30000	0	0	30000	40.875	2004
12.02.2020 11:15:56	1	1	1	1	68.25	60.75	0	30000	464.516129	13935.53122	30000	0	0	30000	41	2004
12.02.2020 11:15:57	1	1	1	1	68.25	61	0	30000	464.516129	13935.53122	30000	0	0	30000	41.125	2004
12.02.2020 11:15:58	1	1	1	1	68.25	61	0	30000	453.7634409	13741.47256	30000	0	0	30000	40.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 11:15:59	1	1	1	1	68.25	60.75	0	30000	460.2150538	13805.88699	30000	0	0	30000	40.625	2004
12.02.2020 11:16:00	1	1	1	1	68.25	60.5	0	30000	464.516129	13741.47256	30000	0	0	30000	40.6875	2004
12.02.2020 11:16:01	1	1	1	1	68.25	60.5	0	30000	464.516129	13935.53122	30000	0	0	30000	40.625	2004
12.02.2020 11:16:02	1	1	1	1	68.25	60.5	0	30000	464.516129	13870.30142	30000	0	0	30000	40.75	2004
12.02.2020 11:16:03	1	1	1	1	68.25	60.75	0	30000	464.516129	13935.53122	30000	0	0	30000	40.375	2004
12.02.2020 11:16:04	1	1	1	1	68.25	60.25	0	30000	464.516129	13935.53122	30000	0	0	30000	40.9375	2004
12.02.2020 11:16:05	1	1	1	1	68.25	60.75	0	30000	453.7634409	13677.05814	30000	0	0	30000	40.6875	2004
12.02.2020 11:16:06	1	1	1	1	68.5	60.5	0	30000	453.7634409	13612.64371	30000	0	0	30000	40.6875	2004
12.02.2020 11:16:07	1	1	1	1	68.5	60.5	0	30000	464.516129	13870.30142	30000	0	0	30000	40.375	2004
12.02.2020 11:16:08	1	1	1	1	68.5	60.25	0	30000	464.516129	13698.25782	30000	0	0	30000	40.9375	2004
12.02.2020 11:16:09	1	1	1	1	68.5	60.75	0	30000	464.516129	13999.94564	30000	0	0	30000	40.625	2004
12.02.2020 11:16:10	1	1	1	1	68.5	60.5	0	30000	464.516129	13935.53122	30000	0	0	30000	40.9375	2004
12.02.2020 11:16:11	1	1	1	1	68.5	60.75	0	30000	460.2150538	13741.47256	30000	0	0	30000	40.375	2004
12.02.2020 11:16:12	1	1	1	1	68.5	60.25	0	30000	464.516129	13935.53122	30000	0	0	30000	40.875	2004
12.02.2020 11:16:13	1	1	1	1	68.5	60.75	0	30000	464.516129	13935.53122	30000	0	0	30000	40.3125	2004
12.02.2020 11:16:14	1	1	1	1	68.5	60.25	0	30000	455.9139785	13612.64371	30000	0	0	30000	40.75	2004
12.02.2020 11:16:15	1	1	1	1	68.5	60.75	0	30000	464.516129	13935.53122	30000	0	0	30000	40.9375	2004
12.02.2020 11:16:16	1	1	1	1	68.5	60.75	0	29952.607	464.516129	13935.53122	30000	0	0	30000	41.0625	2004
12.02.2020 11:16:17	1	1	1	1	68.5	61	0	30000	460.2150538	13805.88699	30000	0	0	30000	40.3125	2004
12.02.2020 11:16:18	1	1	1	1	68.5	60.25	0	30000	460.2150538	13935.53122	30000	0	0	30000	40.875	2004
12.02.2020 11:16:20	1	1	1	1	68.5	60.75	0	30000	464.516129	13935.53122	30000	0	0	30000	40.375	2004
12.02.2020 11:16:21	1	1	1	1	68.5	60.25	0	30000	464.516129	13935.53122	30000	0	0	30000	40.6875	2004
12.02.2020 11:16:22	1	1	1	1	68.5	60.5	0	30000	464.516129	13935.53122	30000	0	0	30000	41.25	2004
12.02.2020 11:16:23	1	1	1	1	68.5	61.25	0	30000	466.6666667	13999.94564	30000	0	0	30000	41.0625	2004
12.02.2020 11:16:24	1	1	1	1	68.5	61	0	30000	464.516129	13935.53122	30000	0	0	30000	41	2004
12.02.2020 11:16:25	1	1	1	1	68.5	60.75	0	30000	464.516129	13870.30142	30000	0	0	30000	40.75	2004
12.02.2020 11:16:26	1	1	1	1	68.5	60.75	0	30000	458.0645161	13720.27288	30000	0	0	30000	40.9375	2004
12.02.2020 11:16:27	1	1	1	1	68.5	60.75	0	30000	464.516129	13935.53122	30000	0	0	30000	40.25	2004
12.02.2020 11:16:28	1	1	1	1	68.5	60.25	0	30000	464.516129	13935.53122	30000	0	0	30000	40.875	2004
12.02.2020 11:16:35	1	1	1	1	68.5	59.75	0	30000	464.516129	13935.53122	30000	0	0	30000	40.3125	2004
12.02.2020 11:16:35	1	1	1	1	68.5	59.75	0	30000	464.516129	13935.53122	30000	0	0	30000	40.3125	2004
12.02.2020 11:16:35	1	1	1	1	68.5	59.75	0	30000	464.516129	13935.53122	30000	0	0	30000	40.3125	2004
12.02.2020 11:16:35	1	1	1	1	68.5	59.75	0	30000	464.516129	13935.53122	30000	0	0	30000	40.3125	2004
12.02.2020 11:16:35	1	1	1	1	68.5	59.75	0	30000	464.516129	13935.53122	30000	0	0	30000	40.3125	2004
12.02.2020 11:16:35	1	1	1	1	68.5	60.25	0	30000	464.516129	13935.53122	30000	0	0	30000	40.5	2004
12.02.2020 11:16:36	1	1	1	1	68.5	60.5	0	30000	455.9139785	13677.05814	30000	0	0	30000	40.8125	2004
12.02.2020 11:16:37	1	1	1	1	68.5	60.75	0	30000	460.2150538	13805.88699	30000	0	0	30000	41.0625	2004
12.02.2020 11:16:38	1	1	1	1	68.5	61	0	30000	460.2150538	13741.47256	30000	0	0	30000	40.875	2004
12.02.2020 11:16:39	1	1	1	1	68.5	60.75	0	30000	460.2150538	13741.47256	30000	0	0	30000	40.625	2004
12.02.2020 11:16:40	1	1	1	1	68.5	60.5	0	30000	464.516129	13935.53122	30000	0	0	30000	39.9375	2004
12.02.2020 11:16:41	1	1	1	1	68.5	59.75	0	30000	464.516129	13935.53122	30000	0	0	30000	40.4375	2004
12.02.2020 11:16:42	1	1	1	1	68.5	60.25	0	30000	453.7634409	13741.47256	30000	0	0	30000	40.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 11:16:43	1	1	1	1	68.5	60.75	0	30000	460.2150538	13870.30142	30000	0	0	30000	40.4375	2004
12.02.2020 11:16:44	1	1	1	1	68.5	60.25	0	30000	460.2150538	13805.88699	30000	0	0	30000	40.5	2004
12.02.2020 11:16:45	1	1	1	1	68.5	60.5	0	30000	453.7634409	13741.47256	30000	0	0	30000	40.875	2004
12.02.2020 11:16:46	1	1	1	1	68.5	60.75	0	30000	460.2150538	13741.47256	30000	0	0	30000	40.5625	2004
12.02.2020 11:16:47	1	1	1	1	68.5	60.5	0	30000	455.9139785	13612.64371	30000	0	0	30000	40.25	2004
12.02.2020 11:16:48	1	1	1	1	68.5	60.25	0	29952.607	464.516129	13935.53122	30000	0	0	30000	40.625	2004
12.02.2020 11:16:49	1	1	1	1	68.5	60.5	0	30000	460.2150538	13935.53122	30000	0	0	30000	41.0625	2004
12.02.2020 11:16:50	1	1	1	1	68.5	61	0	30000	464.516129	13935.53122	30000	0	0	30000	40.5625	2004
12.02.2020 11:16:51	1	1	1	1	68.5	60.5	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.4375	2004
12.02.2020 11:16:52	1	1	1	1	68.5	60.25	0	30000	464.516129	13935.53122	30000	0	0	30000	40.8125	2004
12.02.2020 11:16:53	1	1	1	1	68.5	60.75	0	30000	464.516129	13805.88699	30000	0	0	30000	40.1875	2004
12.02.2020 11:16:54	1	1	1	1	68.5	60	0	30000	460.2150538	13741.47256	30000	0	0	30000	40.6875	2004
12.02.2020 11:16:55	1	1	1	1	68.5	60.5	0	30000	464.516129	13720.27288	30000	0	0	30000	40.75	2004
12.02.2020 11:16:56	1	1	1	1	68.5	60.75	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.625	2004
12.02.2020 11:16:57	1	1	1	1	68.5	60.5	0	30000	466.6666667	13999.94564	30000	0	0	30000	41	2004
12.02.2020 11:16:59	1	1	1	1	68.5	61	0	30047.393	466.6666667	13999.94564	30000	0	0	30000	41	2004
12.02.2020 11:17:00	1	1	1	1	68.5	61	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.6875	2004
12.02.2020 11:17:01	1	1	1	1	68.5	60.5	0	30000	464.516129	13805.88699	30000	0	0	30000	40.6875	2004
12.02.2020 11:17:02	1	1	1	1	68.5	60.5	0	30000	460.2150538	13935.53122	30000	0	0	30000	41.1875	2004
12.02.2020 11:17:03	1	1	1	1	68.5	61.25	0	30047.393	464.516129	13935.53122	30000	0	0	30000	40.375	2004
12.02.2020 11:17:04	1	1	1	1	68.5	60.25	0	30000	460.2150538	13935.53122	30000	0	0	30000	40.625	2004
12.02.2020 11:17:05	1	1	1	1	68.5	60.5	0	30000	464.516129	13935.53122	30000	0	0	30000	40.25	2004
12.02.2020 11:17:06	1	1	1	1	69	60.25	0	30000	464.516129	13935.53122	30000	0	0	30000	40.875	2004
12.02.2020 11:17:07	1	1	1	1	69	60.75	0	30000	466.6666667	14064.36007	30000	0	0	30000	40.75	2004
12.02.2020 11:17:08	1	1	1	1	69	60.75	0	30000	464.516129	13935.53122	30000	0	0	30000	41.0625	2004
12.02.2020 11:17:09	1	1	1	1	69	61	0	29952.607	455.9139785	13935.53122	30000	0	0	30000	40.5	2004
12.02.2020 11:17:10	1	1	1	1	69	60.5	0	29905.213	460.2150538	13999.94564	30000	0	0	30000	40.625	2004
12.02.2020 11:17:11	1	1	1	1	69	60.5	0	29952.607	466.6666667	13999.94564	30000	0	0	30000	40.875	2004
12.02.2020 11:17:12	1	1	1	1	69	60.75	0	30000	481.7204301	14128.7745	30000	0	0	30000	40.9375	2004
12.02.2020 11:17:13	1	1	1	1	69	60.75	0	30000	464.516129	13913.51616	30000	0	0	30000	40.9375	2004
12.02.2020 11:17:14	1	1	1	1	69	60.75	0	30000	466.6666667	14064.36007	30000	0	0	30000	40.625	2004
12.02.2020 11:17:17	1	1	1	1	69	60.5	0	30000	464.516129	13935.53122	30000	0	0	30000	40.9375	2004
12.02.2020 11:17:17	1	1	1	1	69	60.5	0	30000	464.516129	13935.53122	30000	0	0	30000	40.9375	2004
12.02.2020 11:17:17	1	1	1	1	69	60.75	0	30000	464.516129	13805.88699	30000	0	0	30000	40.9375	2004
12.02.2020 11:17:18	1	1	1	1	69	60.75	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.75	2004
12.02.2020 11:17:19	1	1	1	1	69	60.75	0	30000	464.516129	13935.53122	30000	0	0	30000	40.6875	2004
12.02.2020 11:17:20	1	1	1	1	69	60.5	0	30000	464.516129	13935.53122	30000	0	0	30000	40.25	2004
12.02.2020 11:17:21	1	1	1	1	69	60.25	0	30000	453.7634409	13612.64371	30000	0	0	30000	40.4375	2004
12.02.2020 11:17:22	1	1	1	1	69	60.25	0	29952.607	460.2150538	13870.30142	30000	0	0	30000	41.0625	2004
12.02.2020 11:17:23	1	1	1	1	69	61	0	30000	464.516129	13935.53122	30000	0	0	30000	39.9375	2004
12.02.2020 11:17:24	1	1	1	1	69	59.75	0	30000	464.516129	13935.53122	30000	0	0	30000	40.75	2004
12.02.2020 11:17:25	1	1	1	1	69	60.75	0	30000	451.6129032	13612.64371	30000	0	0	30000	40.5	2004
12.02.2020 11:17:26	1	1	1	1	69	60.5	0	30000	460.2150538	13805.88699	30000	0	0	30000	40.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 11:17:27	1	1	1	1	69	60.75	0	30000	458.0645161	13741.47256	30000	0	0	30000	40.625	2004
12.02.2020 11:17:28	1	1	1	1	69	60.5	0	30000	455.9139785	13612.64371	30000	0	0	30000	40.8125	2004
12.02.2020 11:17:29	1	1	1	1	69	60.75	0	30000	460.2150538	13805.88699	30000	0	0	30000	40.875	2004
12.02.2020 11:17:36	1	1	1	1	69	60.75	0	30000	458.0645161	13741.47256	30000	0	0	30000	40.9375	2004
12.02.2020 11:17:36	1	1	1	1	69	60.75	0	30000	458.0645161	13741.47256	30000	0	0	30000	40.9375	2004
12.02.2020 11:17:36	1	1	1	1	69	60.75	0	30000	458.0645161	13741.47256	30000	0	0	30000	40.9375	2004
12.02.2020 11:17:36	1	1	1	1	69	60.75	0	30000	458.0645161	13741.47256	30000	0	0	30000	40.9375	2004
12.02.2020 11:17:36	1	1	1	1	69	60.75	0	30000	458.0645161	13741.47256	30000	0	0	30000	40.9375	2004
12.02.2020 11:17:36	1	1	1	1	69	60.75	0	30000	458.0645161	13741.47256	30000	0	0	30000	40.9375	2004
12.02.2020 11:17:36	1	1	1	1	69	60.75	0	30000	458.0645161	13741.47256	30000	0	0	30000	40.9375	2004
12.02.2020 11:17:37	1	1	1	1	68.75	60.75	0	30000	464.516129	13870.30142	30000	0	0	30000	40.75	2004
12.02.2020 11:17:38	1	1	1	1	68.75	60.75	0	30000	458.0645161	13805.88699	30000	0	0	30000	40.375	2004
12.02.2020 11:17:39	1	1	1	1	68.75	60.25	0	30000	453.7634409	13805.88699	30000	0	0	30000	40.8125	2004
12.02.2020 11:17:40	1	1	1	1	68.75	60.75	0	30000	455.9139785	13805.88699	30000	0	0	30000	40.875	2004
12.02.2020 11:17:41	1	1	1	1	68.75	60.5	0	30000	460.2150538	13805.88699	30000	0	0	30000	40.5625	2004
12.02.2020 11:17:42	1	1	1	1	68.75	60.5	0	30000	460.2150538	13805.88699	30000	0	0	30000	40.8125	2004
12.02.2020 11:17:43	1	1	1	1	68.75	60.75	0	30000	460.2150538	13870.30142	30000	0	0	30000	40.875	2004
12.02.2020 11:17:44	1	1	1	1	68.75	60.75	0	30000	460.2150538	13591.44402	30000	0	0	30000	40.875	2004
12.02.2020 11:17:45	1	1	1	1	68.75	60.75	0	30000	460.2150538	13612.64371	30000	0	0	30000	40.875	2004
12.02.2020 11:17:46	1	1	1	1	68.75	60.75	0	30000	464.516129	13999.94564	30000	0	0	30000	40.8125	2004
12.02.2020 11:17:47	1	1	1	1	68.75	60.75	0	29952.607	460.2150538	13784.6873	30000	0	0	30000	41.0625	2004
12.02.2020 11:17:48	1	1	1	1	68.75	61	0	30000	458.0645161	13741.47256	30000	0	0	30000	40.3125	2004
12.02.2020 11:17:49	1	1	1	1	68.75	60.25	0	30000	460.2150538	13805.88699	30000	0	0	30000	40.8125	2004
12.02.2020 11:17:50	1	1	1	1	68.75	60.75	0	30000	466.6666667	14128.7745	30000	0	0	30000	40.4375	2004
12.02.2020 11:17:51	1	1	1	1	68.75	60.25	0	30000	464.516129	13935.53122	30000	0	0	30000	40.3125	2004
12.02.2020 11:17:52	1	1	1	1	68.75	60.25	0	30000	458.0645161	13741.47256	30000	0	0	30000	41	2004
12.02.2020 11:17:53	1	1	1	1	68.75	61	0	30000	460.2150538	13805.88699	30000	0	0	30000	40.875	2004
12.02.2020 11:17:54	1	1	1	1	68.75	60.75	0	30000	464.516129	13935.53122	30000	0	0	30000	40.625	2004
12.02.2020 11:17:55	1	1	1	1	68.75	60.5	0	30000	453.7634409	13741.47256	30000	0	0	30000	41.0625	2004
12.02.2020 11:17:56	1	1	1	1	68.75	61	0	30000	468.8172043	13569.42897	30000	0	0	30000	39.9375	2004
12.02.2020 11:17:57	1	1	1	1	68.75	59.75	0	29952.607	464.516129	13935.53122	30000	0	0	30000	40.875	2004
12.02.2020 11:17:58	1	1	1	1	68.75	60.75	0	30000	458.0645161	13677.05814	30000	0	0	30000	40.8125	2004
12.02.2020 11:17:59	1	1	1	1	68.75	60.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	40.9375	2004
12.02.2020 11:18:00	1	1	1	1	68.75	60.75	0	30000	458.0645161	13741.47256	30000	0	0	30000	40.9375	2004
12.02.2020 11:18:01	1	1	1	1	68.75	60.75	0	30000	464.516129	13935.53122	30000	0	0	30000	40.5625	2004
12.02.2020 11:18:02	1	1	1	1	68.75	60.5	0	30000	464.516129	13999.94564	30000	0	0	30000	40.8125	2004
12.02.2020 11:18:03	1	1	1	1	68.75	60.75	0	29952.607	455.9139785	13741.47256	30000	0	0	30000	40.8125	2004
12.02.2020 11:18:04	1	1	1	1	68.75	60.75	0	30000	458.0645161	13741.47256	30000	0	0	30000	40.875	2004
12.02.2020 11:18:05	1	1	1	1	68.75	60.75	0	30000	453.7634409	13677.05814	30000	0	0	30000	40.5625	2004
12.02.2020 11:18:06	1	1	1	1	69	60.5	0	30000	458.0645161	13741.47256	30000	0	0	30000	40.75	2004
12.02.2020 11:18:07	1	1	1	1	69	60.75	0	30000	455.9139785	13741.47256	30000	0	0	30000	41	2004
12.02.2020 11:18:08	1	1	1	1	69	61	0	30000	455.9139785	13805.88699	30000	0	0	30000	40.5	2004
12.02.2020 11:18:09	1	1	1	1	69	60.5	0	30000	453.7634409	13612.64371	30000	0	0	30000	40.75	2004
12.02.2020 11:18:10	1	1	1	1	69	60.75	0	29952.607	460.2150538	13805.88699	30000	0	0	30000	40.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 11:18:11	1	1	1	1	69	60.75	0	30000	466.6666667	13935.53122	30000	0	0	30000	40.75	2004
12.02.2020 11:18:12	1	1	1	1	69	60.75	0	30000	458.0645161	13805.88699	30000	0	0	30000	41	2004
12.02.2020 11:18:13	1	1	1	1	69	61	0	30000	460.2150538	13805.88699	30000	0	0	30000	40.6875	2004
12.02.2020 11:18:14	1	1	1	1	69	60.5	0	30000	458.0645161	13741.47256	30000	0	0	30000	41.0625	2004
12.02.2020 11:18:16	1	1	1	1	69	61	0	30000	458.0645161	13741.47256	30000	0	0	30000	40.3125	2004
12.02.2020 11:18:17	1	1	1	1	68.75	60.25	0	30000	453.7634409	13612.64371	30000	0	0	30000	41.375	2004
12.02.2020 11:18:18	1	1	1	1	68.75	61.25	0	30000	451.6129032	13483.81486	30000	0	0	30000	41.1875	2004
12.02.2020 11:18:19	1	1	1	1	68.75	61	0	29952.607	451.6129032	13612.64371	30000	0	0	30000	41	2004
12.02.2020 11:18:20	1	1	1	1	68.75	61	0	30000	453.7634409	13612.64371	30000	0	0	30000	40.875	2004
12.02.2020 11:18:21	1	1	1	1	68.75	60.75	0	30000	458.0645161	13741.47256	30000	0	0	30000	40.3125	2004
12.02.2020 11:18:22	1	1	1	1	68.75	60.25	0	30000	449.4623656	13333.78632	30000	0	0	30000	40.625	2004
12.02.2020 11:18:23	1	1	1	1	68.75	60.5	0	29952.607	449.4623656	13312.58663	30000	0	0	30000	40.9375	2004
12.02.2020 11:18:24	1	1	1	1	68.75	60.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	40.875	2004
12.02.2020 11:18:25	1	1	1	1	68.75	60.75	0	30000	458.0645161	13677.05814	30000	0	0	30000	40.9375	2004
12.02.2020 11:18:26	1	1	1	1	68.5	60.75	0	30047.393	453.7634409	13612.64371	30000	0	0	30000	41.0625	2004
12.02.2020 11:18:27	1	1	1	1	68.5	61	0	30000	453.7634409	13612.64371	30000	0	0	30000	40.5625	2004
12.02.2020 11:18:28	1	1	1	1	68.5	60.5	0	30000	453.7634409	13612.64371	30000	0	0	30000	40.875	2004
12.02.2020 11:18:29	1	1	1	1	68.5	60.75	0	30000	451.6129032	13483.81486	30000	0	0	30000	40.375	2004
12.02.2020 11:18:30	1	1	1	1	68.5	60.25	0	30000	453.7634409	13612.64371	30000	0	0	30000	40.5625	2004
12.02.2020 11:18:31	1	1	1	1	68.5	60.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.9375	2004
12.02.2020 11:18:38	1	1	1	1	68.25	61	0	30000	453.7634409	13612.64371	30000	0	0	30000	40.75	2004
12.02.2020 11:18:38	1	1	1	1	68.25	61	0	30000	453.7634409	13612.64371	30000	0	0	30000	40.75	2004
12.02.2020 11:18:38	1	1	1	1	68.25	61	0	30000	453.7634409	13612.64371	30000	0	0	30000	40.75	2004
12.02.2020 11:18:38	1	1	1	1	68.25	61	0	30000	453.7634409	13612.64371	30000	0	0	30000	40.75	2004
12.02.2020 11:18:38	1	1	1	1	68.25	61	0	30000	453.7634409	13612.64371	30000	0	0	30000	40.75	2004
12.02.2020 11:18:38	1	1	1	1	68.25	60.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	40.875	2004
12.02.2020 11:18:39	1	1	1	1	68.25	60.75	0	30000	449.4623656	13548.22928	30000	0	0	30000	40.6875	2004
12.02.2020 11:18:40	1	1	1	1	68.25	60.5	0	30000	453.7634409	13612.64371	30000	0	0	30000	40.9375	2004
12.02.2020 11:18:41	1	1	1	1	68.25	60.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	40.4375	2004
12.02.2020 11:18:42	1	1	1	1	68.25	60.25	0	30000	445.1612903	13548.22928	30000	0	0	30000	41.1875	2004
12.02.2020 11:18:43	1	1	1	1	68.25	61	0	30000	453.7634409	13612.64371	30000	0	0	30000	41	2004
12.02.2020 11:18:44	1	1	1	1	68.25	61	0	30000	455.9139785	13612.64371	30000	0	0	30000	40.875	2004
12.02.2020 11:18:45	1	1	1	1	68.25	60.75	0	30000	458.0645161	13805.88699	30000	0	0	30000	41.125	2004
12.02.2020 11:18:46	1	1	1	1	68.75	61	0	30000	458.0645161	13741.47256	30000	0	0	30000	40.875	2004
12.02.2020 11:18:47	1	1	1	1	68.75	60.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	40.9375	2004
12.02.2020 11:18:48	1	1	1	1	68.75	60.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	39.8125	2004
12.02.2020 11:18:49	1	1	1	1	68.75	59.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	40.9375	2004
12.02.2020 11:18:50	1	1	1	1	68.75	60.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	40.8125	2004
12.02.2020 11:18:51	1	1	1	1	68.75	60.75	0	30000	464.516129	13741.47256	30000	0	0	30000	40.875	2004
12.02.2020 11:18:52	1	1	1	1	68.75	60.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	40.75	2004
12.02.2020 11:18:53	1	1	1	1	68.75	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	41	2004
12.02.2020 11:18:55	1	1	1	1	68.75	61	0	29952.607	445.1612903	13354.17063	30000	0	0	30000	40.75	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 11:18:56	1	1	1	1	68.75	60.75	0	29952.607	453.7634409	13612.64371	30000	0	0	30000	40.875	2004
12.02.2020 11:18:57	1	1	1	1	68.75	60.75	0	30000	449.4623656	13354.17063	30000	0	0	30000	41.5625	2004
12.02.2020 11:18:58	1	1	1	1	68.75	61.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.9375	2004
12.02.2020 11:18:59	1	1	1	1	68.75	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.75	2004
12.02.2020 11:19:00	1	1	1	1	68.75	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.5	2004
12.02.2020 11:19:01	1	1	1	1	68.75	60.5	0	30000	455.9139785	13741.47256	30000	0	0	30000	40.6875	2004
12.02.2020 11:19:02	1	1	1	1	68.75	60.5	0	30000	453.7634409	13612.64371	30000	0	0	30000	40.8125	2004
12.02.2020 11:19:03	1	1	1	1	68.75	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.375	2004
12.02.2020 11:19:04	1	1	1	1	68.75	60.25	0	29905.213	451.6129032	13612.64371	30000	0	0	30000	40.5	2004
12.02.2020 11:19:05	1	1	1	1	68.75	60.5	0	30000	453.7634409	13612.64371	30000	0	0	30000	41.0625	2004
12.02.2020 11:19:06	1	1	1	1	68.5	61	0	30000	453.7634409	13612.64371	30000	0	0	30000	41.0625	2004
12.02.2020 11:19:07	1	1	1	1	68.5	61	0	30000	455.9139785	13612.64371	30000	0	0	30000	40.3125	2004
12.02.2020 11:19:08	1	1	1	1	68.5	60.25	0	29952.607	453.7634409	13591.44402	30000	0	0	30000	40.75	2004
12.02.2020 11:19:09	1	1	1	1	68.5	60.75	0	30000	453.7634409	13483.81486	30000	0	0	30000	40.9375	2004
12.02.2020 11:19:10	1	1	1	1	68.5	60.75	0	30000	449.4623656	13354.17063	30000	0	0	30000	40.4375	2004
12.02.2020 11:19:11	1	1	1	1	68.5	60.25	0	30000	455.9139785	13741.47256	30000	0	0	30000	40.875	2004
12.02.2020 11:19:12	1	1	1	1	68.5	60.75	0	30000	458.0645161	13741.47256	30000	0	0	30000	40.6875	2004
12.02.2020 11:19:13	1	1	1	1	68.5	60.5	0	29905.213	445.1612903	13591.44402	30000	0	0	30000	40.875	2004
12.02.2020 11:19:14	1	1	1	1	68.5	60.75	0	29952.607	453.7634409	13591.44402	30000	0	0	30000	40.9375	2004
12.02.2020 11:19:15	1	1	1	1	68.5	60.75	0	30000	455.9139785	13612.64371	30000	0	0	30000	41	2004
12.02.2020 11:19:16	1	1	1	1	68.75	61	0	30000	453.7634409	13612.64371	30000	0	0	30000	40.6875	2004
12.02.2020 11:19:17	1	1	1	1	68.75	60.5	0	30000	455.9139785	13333.78632	30000	0	0	30000	40.8125	2004
12.02.2020 11:19:18	1	1	1	1	68.75	60.75	0	30000	460.2150538	13612.64371	30000	0	0	30000	40.75	2004
12.02.2020 11:19:19	1	1	1	1	68.75	60.75	0	30000	451.6129032	13612.64371	30000	0	0	30000	40.5	2004
12.02.2020 11:19:20	1	1	1	1	68.75	60.5	0	30000	453.7634409	13612.64371	30000	0	0	30000	40.8125	2004
12.02.2020 11:19:21	1	1	1	1	68.75	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	41	2004
12.02.2020 11:19:22	1	1	1	1	68.75	61	0	30000	445.1612903	13483.81486	30000	0	0	30000	41	2004
12.02.2020 11:19:23	1	1	1	1	68.75	61	0	30000	445.1612903	13183.75778	30000	0	0	30000	40.75	2004
12.02.2020 11:19:24	1	1	1	1	68.75	60.75	0	30000	453.7634409	13312.58663	30000	0	0	30000	40.3125	2004
12.02.2020 11:19:25	1	1	1	1	68.75	60.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.25	2004
12.02.2020 11:19:26	1	1	1	1	68.75	60.25	0	29905.213	445.1612903	13354.17063	30000	0	0	30000	40.625	2004
12.02.2020 11:19:27	1	1	1	1	68.75	60.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.125	2004
12.02.2020 11:19:28	1	1	1	1	68.75	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.8125	2004
12.02.2020 11:19:29	1	1	1	1	68.75	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	41	2004
12.02.2020 11:19:30	1	1	1	1	68.75	61	0	30000	453.7634409	13612.64371	30000	0	0	30000	41.125	2004
12.02.2020 11:19:31	1	1	1	1	68.75	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.9375	2004
12.02.2020 11:19:32	1	1	1	1	68.75	60.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	40.875	2004
12.02.2020 11:19:39	1	1	1	1	68.75	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.875	2004
12.02.2020 11:19:39	1	1	1	1	68.75	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.875	2004
12.02.2020 11:19:39	1	1	1	1	68.75	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.875	2004
12.02.2020 11:19:39	1	1	1	1	68.75	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.875	2004
12.02.2020 11:19:39	1	1	1	1	68.75	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.875	2004
12.02.2020 11:19:39	1	1	1	1	68.75	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.875	2004
12.02.2020 11:19:39	1	1	1	1	68.75	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 11:19:40	1	1	1	1	68.75	60.75	0	30047.393	453.7634409	13483.81486	30000	0	0	30000	40.5	2004
12.02.2020 11:19:41	1	1	1	1	68.75	60.5	0	30000	453.7634409	13612.64371	30000	0	0	30000	40.875	2004
12.02.2020 11:19:42	1	1	1	1	68.75	60.75	0	30000	451.6129032	13612.64371	30000	0	0	30000	40.9375	2004
12.02.2020 11:19:43	1	1	1	1	68.75	60.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	41.0625	2004
12.02.2020 11:19:44	1	1	1	1	68.75	61	0	30000	453.7634409	13612.64371	30000	0	0	30000	40.875	2004
12.02.2020 11:19:45	1	1	1	1	68.75	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.9375	2004
12.02.2020 11:19:46	1	1	1	1	68.75	60.75	0	30000	453.7634409	13333.78632	30000	0	0	30000	41	2004
12.02.2020 11:19:47	1	1	1	1	68.75	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.0625	2004
12.02.2020 11:19:48	1	1	1	1	68.75	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.8125	2004
12.02.2020 11:19:49	1	1	1	1	68.75	60.75	0	30000	451.6129032	13483.81486	30000	0	0	30000	40.5625	2004
12.02.2020 11:19:50	1	1	1	1	68.75	60.5	0	30000	451.6129032	13312.58663	30000	0	0	30000	41	2004
12.02.2020 11:19:51	1	1	1	1	68.75	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.125	2004
12.02.2020 11:19:52	1	1	1	1	68.75	61	0	30000	453.7634409	13612.64371	30000	0	0	30000	39.8125	2004
12.02.2020 11:19:53	1	1	1	1	68.75	59.75	0	30000	451.6129032	13612.64371	30000	0	0	30000	40.125	2004
12.02.2020 11:19:54	1	1	1	1	68.75	60	0	30000	453.7634409	13354.17063	30000	0	0	30000	40.9375	2004
12.02.2020 11:19:55	1	1	1	1	68.75	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	41	2004
12.02.2020 11:19:56	1	1	1	1	68.75	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.875	2004
12.02.2020 11:19:57	1	1	1	1	68.75	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.625	2004
12.02.2020 11:19:58	1	1	1	1	68.75	60.5	0	29952.607	445.1612903	13333.78632	30000	0	0	30000	41.0625	2004
12.02.2020 11:19:59	1	1	1	1	68.75	61	0	30000	451.6129032	13483.81486	30000	0	0	30000	41	2004
12.02.2020 11:20:00	1	1	1	1	68.75	61	0	29952.607	438.7096774	13289.7562	30000	0	0	30000	41	2004
12.02.2020 11:20:01	1	1	1	1	68.75	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.875	2004
12.02.2020 11:20:02	1	1	1	1	68.75	60.75	0	29905.213	445.1612903	13354.17063	30000	0	0	30000	41	2004
12.02.2020 11:20:03	1	1	1	1	68.75	61	0	29905.213	438.7096774	13354.17063	30000	0	0	30000	40.8125	2004
12.02.2020 11:20:04	1	1	1	1	68.75	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.5	2004
12.02.2020 11:20:05	1	1	1	1	68.75	60.5	0	30000	443.0107527	13354.17063	30000	0	0	30000	40.6875	2004
12.02.2020 11:20:06	1	1	1	1	69	60.5	0	30000	445.1612903	13312.58663	30000	0	0	30000	41.0625	2004
12.02.2020 11:20:07	1	1	1	1	69	61	0	30000	451.6129032	13483.81486	30000	0	0	30000	40.6875	2004
12.02.2020 11:20:08	1	1	1	1	69	60.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.9375	2004
12.02.2020 11:20:10	1	1	1	1	69	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.3125	2004
12.02.2020 11:20:11	1	1	1	1	69	60.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.9375	2004
12.02.2020 11:20:12	1	1	1	1	69	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.9375	2004
12.02.2020 11:20:13	1	1	1	1	69	60.75	0	29952.607	445.1612903	13612.64371	30000	0	0	30000	40.8125	2004
12.02.2020 11:20:14	1	1	1	1	69	60.75	0	29952.607	445.1612903	13462.61517	30000	0	0	30000	40.875	2004
12.02.2020 11:20:15	1	1	1	1	69	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.9375	2004
12.02.2020 11:20:16	1	1	1	1	68.75	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.875	2004
12.02.2020 11:20:17	1	1	1	1	68.75	60.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	41.125	2004
12.02.2020 11:20:18	1	1	1	1	68.75	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.3125	2004
12.02.2020 11:20:19	1	1	1	1	68.75	60.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.875	2004
12.02.2020 11:20:20	1	1	1	1	68.75	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.125	2004
12.02.2020 11:20:21	1	1	1	1	68.75	60	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.125	2004
12.02.2020 11:20:22	1	1	1	1	68.75	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.125	2004
12.02.2020 11:20:23	1	1	1	1	68.75	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 11:20:24	1	1	1	1	68.75	60.5	0	30000	451.6129032	13612.64371	30000	0	0	30000	40.8125	2004
12.02.2020 11:20:25	1	1	1	1	68.75	60.75	0	29952.607	451.6129032	13354.17063	30000	0	0	30000	40.875	2004
12.02.2020 11:20:26	1	1	1	1	68.5	60.75	0	29952.607	443.0107527	13289.7562	30000	0	0	30000	41	2004
12.02.2020 11:20:27	1	1	1	1	68.5	61	0	29905.213	445.1612903	13354.17063	30000	0	0	30000	40.6875	2004
12.02.2020 11:20:28	1	1	1	1	68.5	60.5	0	30000	445.1612903	13183.75778	30000	0	0	30000	41.125	2004
12.02.2020 11:20:29	1	1	1	1	68.5	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.625	2004
12.02.2020 11:20:30	1	1	1	1	68.5	60.5	0	30000	445.1612903	13289.7562	30000	0	0	30000	40.4375	2004
12.02.2020 11:20:31	1	1	1	1	68.5	60.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.9375	2004
12.02.2020 11:20:32	1	1	1	1	68.5	60.75	0	30000	445.1612903	13612.64371	30000	0	0	30000	40.875	2004
12.02.2020 11:20:33	1	1	1	1	68.5	60.75	0	30000	445.1612903	13333.78632	30000	0	0	30000	40.8125	2004
12.02.2020 11:20:34	1	1	1	1	68.5	60.75	0	30000	449.4623656	13354.17063	30000	0	0	30000	40.5625	2004
12.02.2020 11:20:41	1	1	1	1	68.5	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.4375	2004
12.02.2020 11:20:41	1	1	1	1	68.5	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.4375	2004
12.02.2020 11:20:41	1	1	1	1	68.5	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.4375	2004
12.02.2020 11:20:41	1	1	1	1	68.5	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.4375	2004
12.02.2020 11:20:41	1	1	1	1	68.5	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.4375	2004
12.02.2020 11:20:41	1	1	1	1	68.5	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.4375	2004
12.02.2020 11:20:41	1	1	1	1	68.5	60.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.875	2004
12.02.2020 11:20:42	1	1	1	1	68.5	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.9375	2004
12.02.2020 11:20:43	1	1	1	1	68.5	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.9375	2004
12.02.2020 11:20:44	1	1	1	1	68.5	60.75	0	29952.607	445.1612903	13354.17063	30000	0	0	30000	40.9375	2004
12.02.2020 11:20:45	1	1	1	1	68.5	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.125	2004
12.02.2020 11:20:46	1	1	1	1	68.5	61	0	29952.607	451.6129032	13483.81486	30000	0	0	30000	40.875	2004
12.02.2020 11:20:48	1	1	1	1	68.5	60.75	0	29905.213	438.7096774	13354.17063	30000	0	0	30000	41.0625	2004
12.02.2020 11:20:49	1	1	1	1	68.5	61	0	30000	453.7634409	13548.22928	30000	0	0	30000	41.0625	2004
12.02.2020 11:20:50	1	1	1	1	68.5	61	0	30000	445.1612903	13483.81486	30000	0	0	30000	41.1875	2004
12.02.2020 11:20:51	1	1	1	1	68.5	61	0	30000	451.6129032	13483.81486	30000	0	0	30000	40.6875	2004
12.02.2020 11:20:52	1	1	1	1	68.5	60.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.9375	2004
12.02.2020 11:20:53	1	1	1	1	68.5	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.6875	2004
12.02.2020 11:20:54	1	1	1	1	68.5	60.5	0	30047.393	445.1612903	13505.01454	30000	0	0	30000	40.4375	2004
12.02.2020 11:20:55	1	1	1	1	68.5	61.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.0625	2004
12.02.2020 11:20:56	1	1	1	1	68.75	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.0625	2004
12.02.2020 11:20:57	1	1	1	1	68.75	61	0	29952.607	445.1612903	13333.78632	30000	0	0	30000	40.3125	2004
12.02.2020 11:20:58	1	1	1	1	68.75	60.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.375	2004
12.02.2020 11:20:59	1	1	1	1	68.75	60.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.125	2004
12.02.2020 11:21:00	1	1	1	1	68.75	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.125	2004
12.02.2020 11:21:01	1	1	1	1	68.75	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.6875	2004
12.02.2020 11:21:02	1	1	1	1	68.75	60.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	41	2004
12.02.2020 11:21:03	1	1	1	1	68.75	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.8125	2004
12.02.2020 11:21:04	1	1	1	1	68.75	60.75	0	30000	445.1612903	13483.81486	30000	0	0	30000	40.9375	2004
12.02.2020 11:21:05	1	1	1	1	68.75	60.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	40.4375	2004
12.02.2020 11:21:06	1	1	1	1	68.75	60.25	0	29905.213	445.1612903	13354.17063	30000	0	0	30000	40.625	2004
12.02.2020 11:21:07	1	1	1	1	68.75	60.5	0	30000	453.7634409	13612.64371	30000	0	0	30000	40.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 11:21:08	1	1	1	1	68.75	60.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	40.875	2004
12.02.2020 11:21:09	1	1	1	1	68.75	60.75	0	30000	440.8602151	13225.34178	30000	0	0	30000	41	2004
12.02.2020 11:21:10	1	1	1	1	68.75	61	0	30000	445.1612903	13289.7562	30000	0	0	30000	40.875	2004
12.02.2020 11:21:11	1	1	1	1	68.75	60.75	0	30000	443.0107527	13354.17063	30000	0	0	30000	41	2004
12.02.2020 11:21:12	1	1	1	1	68.75	61	0	30000	443.0107527	13354.17063	30000	0	0	30000	40.5	2004
12.02.2020 11:21:13	1	1	1	1	68.75	60.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.8125	2004
12.02.2020 11:21:14	1	1	1	1	68.75	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.8125	2004
12.02.2020 11:21:15	1	1	1	1	68.75	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.875	2004
12.02.2020 11:21:16	1	1	1	1	68.75	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.625	2004
12.02.2020 11:21:17	1	1	1	1	68.75	60.5	0	29952.607	445.1612903	13354.17063	30000	0	0	30000	40.5	2004
12.02.2020 11:21:18	1	1	1	1	68.75	60.5	0	29952.607	445.1612903	13483.81486	30000	0	0	30000	40.4375	2004
12.02.2020 11:21:19	1	1	1	1	68.75	60.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.0625	2004
12.02.2020 11:21:20	1	1	1	1	68.75	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.9375	2004
12.02.2020 11:21:21	1	1	1	1	68.75	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.0625	2004
12.02.2020 11:21:22	1	1	1	1	68.75	60	0	30000	445.1612903	13354.17063	30000	0	0	30000	41	2004
12.02.2020 11:21:23	1	1	1	1	68.75	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.5625	2004
12.02.2020 11:21:24	1	1	1	1	68.75	60.5	0	30000	453.7634409	13548.22928	30000	0	0	30000	40	2004
12.02.2020 11:21:25	1	1	1	1	68.75	60	0	30000	445.1612903	13354.17063	30000	0	0	30000	41	2004
12.02.2020 11:21:26	1	1	1	1	69	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.875	2004
12.02.2020 11:21:27	1	1	1	1	69	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.4375	2004
12.02.2020 11:21:29	1	1	1	1	69	60.25	0	30000	449.4623656	13612.64371	30000	0	0	30000	40.75	2004
12.02.2020 11:21:30	1	1	1	1	69	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.9375	2004
12.02.2020 11:21:31	1	1	1	1	69	60.75	0	30000	445.1612903	13483.81486	30000	0	0	30000	41	2004
12.02.2020 11:21:32	1	1	1	1	69	61	0	29905.213	453.7634409	13612.64371	30000	0	0	30000	40.375	2004
12.02.2020 11:21:33	1	1	1	1	69	60.25	0	30000	445.1612903	13483.81486	30000	0	0	30000	40.6875	2004
12.02.2020 11:21:34	1	1	1	1	69	60.5	0	30000	451.6129032	13354.17063	30000	0	0	30000	41.0625	2004
12.02.2020 11:21:35	1	1	1	1	69	61	0	30000	449.4623656	13354.17063	30000	0	0	30000	40.75	2004
12.02.2020 11:21:36	1	1	1	1	69	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.9375	2004
12.02.2020 11:21:43	1	1	1	1	69	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.125	2004
12.02.2020 11:21:43	1	1	1	1	69	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.125	2004
12.02.2020 11:21:43	1	1	1	1	69	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.125	2004
12.02.2020 11:21:43	1	1	1	1	69	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.125	2004
12.02.2020 11:21:43	1	1	1	1	69	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.125	2004
12.02.2020 11:21:43	1	1	1	1	69	61	0	30000	443.0107527	13354.17063	30000	0	0	30000	41.0625	2004
12.02.2020 11:21:44	1	1	1	1	69	61	0	29952.607	445.1612903	13354.17063	30000	0	0	30000	40.8125	2004
12.02.2020 11:21:45	1	1	1	1	69	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.875	2004
12.02.2020 11:21:46	1	1	1	1	69	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.9375	2004
12.02.2020 11:21:47	1	1	1	1	69	60.75	0	30000	451.6129032	13354.17063	30000	0	0	30000	40.875	2004
12.02.2020 11:21:48	1	1	1	1	69	60.75	0	30000	449.4623656	13483.81486	30000	0	0	30000	41.0625	2004
12.02.2020 11:21:49	1	1	1	1	69	61	0	30000	445.1612903	13483.81486	30000	0	0	30000	40.875	2004
12.02.2020 11:21:50	1	1	1	1	69	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.8125	2004
12.02.2020 11:21:51	1	1	1	1	69	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 11:21:52	1	1	1	1	69	60.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	41	2004
12.02.2020 11:21:53	1	1	1	1	69	61	0	30000	449.4623656	13354.17063	30000	0	0	30000	40.6875	2004
12.02.2020 11:21:54	1	1	1	1	69	60.5	0	30000	451.6129032	13483.81486	30000	0	0	30000	40.9375	2004
12.02.2020 11:21:55	1	1	1	1	69	60.75	0	30000	449.4623656	13483.81486	30000	0	0	30000	40.75	2004
12.02.2020 11:21:56	1	1	1	1	68.75	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.75	2004
12.02.2020 11:21:57	1	1	1	1	68.75	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.625	2004
12.02.2020 11:21:58	1	1	1	1	68.75	60.5	0	29952.607	438.7096774	13225.34178	30000	0	0	30000	41.0625	2004
12.02.2020 11:21:59	1	1	1	1	68.75	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.875	2004
12.02.2020 11:22:00	1	1	1	1	68.75	60.75	0	30000	451.6129032	13354.17063	30000	0	0	30000	41.0625	2004
12.02.2020 11:22:01	1	1	1	1	68.75	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.0625	2004
12.02.2020 11:22:02	1	1	1	1	68.75	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.8125	2004
12.02.2020 11:22:03	1	1	1	1	68.75	60.75	0	30094.787	453.7634409	13354.17063	30000	0	0	30000	40.8125	2004
12.02.2020 11:22:04	1	1	1	1	68.75	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.75	2004
12.02.2020 11:22:05	1	1	1	1	68.75	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.875	2004
12.02.2020 11:22:06	1	1	1	1	69	60.75	0	30000	443.0107527	13289.7562	30000	0	0	30000	41	2004
12.02.2020 11:22:08	1	1	1	1	69	61	0	29905.213	443.0107527	13354.17063	30000	0	0	30000	40.875	2004
12.02.2020 11:22:09	1	1	1	1	69	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.875	2004
12.02.2020 11:22:10	1	1	1	1	69	60.75	0	30047.393	445.1612903	13354.17063	30000	0	0	30000	41.0625	2004
12.02.2020 11:22:11	1	1	1	1	69	61	0	30000	453.7634409	13354.17063	30000	0	0	30000	41	2004
12.02.2020 11:22:12	1	1	1	1	69	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.5625	2004
12.02.2020 11:22:13	1	1	1	1	69	60.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.125	2004
12.02.2020 11:22:14	1	1	1	1	69	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.5625	2004
12.02.2020 11:22:15	1	1	1	1	69	60.5	0	30000	445.1612903	13248.17221	30000	0	0	30000	40.4375	2004
12.02.2020 11:22:16	1	1	1	1	69	61.25	0	29952.607	449.4623656	13354.17063	30000	0	0	30000	40.375	2004
12.02.2020 11:22:17	1	1	1	1	69	60.25	0	30000	449.4623656	13354.17063	30000	0	0	30000	40.625	2004
12.02.2020 11:22:18	1	1	1	1	69	60.5	0	30000	445.1612903	13333.78632	30000	0	0	30000	40.5	2004
12.02.2020 11:22:19	1	1	1	1	69	60.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.9375	2004
12.02.2020 11:22:20	1	1	1	1	69	60.75	0	30000	443.0107527	13289.7562	30000	0	0	30000	41.1875	2004
12.02.2020 11:22:21	1	1	1	1	69	61	0	30000	443.0107527	13354.17063	30000	0	0	30000	40.6875	2004
12.02.2020 11:22:22	1	1	1	1	69	60.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.0625	2004
12.02.2020 11:22:23	1	1	1	1	69	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.625	2004
12.02.2020 11:22:24	1	1	1	1	69	60.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.875	2004
12.02.2020 11:22:25	1	1	1	1	69	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.625	2004
12.02.2020 11:22:26	1	1	1	1	68.75	60.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.6875	2004
12.02.2020 11:22:27	1	1	1	1	68.75	60.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.3125	2004
12.02.2020 11:22:28	1	1	1	1	68.75	60.25	0	29952.607	445.1612903	13483.81486	30000	0	0	30000	40.625	2004
12.02.2020 11:22:29	1	1	1	1	68.75	60.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.6875	2004
12.02.2020 11:22:30	1	1	1	1	68.75	60.5	0	30000	443.0107527	13354.17063	30000	0	0	30000	41.125	2004
12.02.2020 11:22:31	1	1	1	1	68.75	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.6875	2004
12.02.2020 11:22:32	1	1	1	1	68.75	60.5	0	30000	453.7634409	13612.64371	30000	0	0	30000	41.0625	2004
12.02.2020 11:22:33	1	1	1	1	68.75	61	0	30000	445.1612903	13333.78632	30000	0	0	30000	40.4375	2004
12.02.2020 11:22:34	1	1	1	1	68.75	60.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.625	2004
12.02.2020 11:22:35	1	1	1	1	68.75	60.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 11:22:36	1	1	1	1	68.75	61	0	30000	440.8602151	13289.7562	30000	0	0	30000	40.9375	2004
12.02.2020 11:22:37	1	1	1	1	68.75	60.75	0	30000	443.0107527	13248.17221	30000	0	0	30000	41	2004
12.02.2020 11:22:44	1	1	1	1	68.75	60.75	0	30000	453.7634409	13354.17063	30000	0	0	30000	41.0625	2004
12.02.2020 11:22:44	1	1	1	1	68.75	60.75	0	30000	453.7634409	13354.17063	30000	0	0	30000	41.0625	2004
12.02.2020 11:22:44	1	1	1	1	68.75	60.75	0	30000	453.7634409	13354.17063	30000	0	0	30000	41.0625	2004
12.02.2020 11:22:44	1	1	1	1	68.75	60.75	0	30000	453.7634409	13354.17063	30000	0	0	30000	41.0625	2004
12.02.2020 11:22:44	1	1	1	1	68.75	60.75	0	30000	453.7634409	13354.17063	30000	0	0	30000	41.0625	2004
12.02.2020 11:22:44	1	1	1	1	68.75	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.625	2004
12.02.2020 11:22:45	1	1	1	1	68.75	60.5	0	30000	445.1612903	13333.78632	30000	0	0	30000	41	2004
12.02.2020 11:22:46	1	1	1	1	69	61	0	29952.607	438.7096774	13354.17063	30000	0	0	30000	40.9375	2004
12.02.2020 11:22:48	1	1	1	1	69	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.875	2004
12.02.2020 11:22:49	1	1	1	1	69	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.875	2004
12.02.2020 11:22:50	1	1	1	1	69	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	39.8125	2004
12.02.2020 11:22:51	1	1	1	1	69	59.75	0	29905.213	451.6129032	13612.64371	30000	0	0	30000	41.1875	2004
12.02.2020 11:22:52	1	1	1	1	69	61	0	30000	453.7634409	13612.64371	30000	0	0	30000	41	2004
12.02.2020 11:22:53	1	1	1	1	69	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.3125	2004
12.02.2020 11:22:54	1	1	1	1	69	61.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.625	2004
12.02.2020 11:22:55	1	1	1	1	69	60.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	41	2004
12.02.2020 11:22:56	1	1	1	1	68.75	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.5	2004
12.02.2020 11:22:57	1	1	1	1	68.75	60.5	0	30000	443.0107527	13225.34178	30000	0	0	30000	40.625	2004
12.02.2020 11:22:58	1	1	1	1	68.75	60.5	0	30000	445.1612903	13333.78632	30000	0	0	30000	41.0625	2004
12.02.2020 11:22:59	1	1	1	1	68.75	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.75	2004
12.02.2020 11:23:00	1	1	1	1	68.75	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.5	2004
12.02.2020 11:23:01	1	1	1	1	68.75	60.5	0	29952.607	445.1612903	13354.17063	30000	0	0	30000	41.1875	2004
12.02.2020 11:23:02	1	1	1	1	68.75	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.5625	2004
12.02.2020 11:23:03	1	1	1	1	68.75	60.5	0	30000	440.8602151	13289.7562	30000	0	0	30000	41.25	2004
12.02.2020 11:23:04	1	1	1	1	68.75	61.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.4375	2004
12.02.2020 11:23:05	1	1	1	1	68.75	60.25	0	29952.607	440.8602151	13354.17063	30000	0	0	30000	40.5	2004
12.02.2020 11:23:06	1	1	1	1	68.75	60.5	0	29952.607	449.4623656	13462.61517	30000	0	0	30000	40.8125	2004
12.02.2020 11:23:07	1	1	1	1	68.75	60.75	0	30000	445.1612903	13119.34335	30000	0	0	30000	40.9375	2004
12.02.2020 11:23:08	1	1	1	1	68.75	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.1875	2004
12.02.2020 11:23:09	1	1	1	1	68.75	61	0	29952.607	445.1612903	13354.17063	30000	0	0	30000	41.0625	2004
12.02.2020 11:23:10	1	1	1	1	68.75	61	0	30000	449.4623656	13354.17063	30000	0	0	30000	41	2004
12.02.2020 11:23:11	1	1	1	1	68.75	61	0	29952.607	445.1612903	13248.17221	30000	0	0	30000	40.6875	2004
12.02.2020 11:23:12	1	1	1	1	68.75	60.5	0	30000	451.6129032	13548.22928	30000	0	0	30000	41.125	2004
12.02.2020 11:23:13	1	1	1	1	68.75	61	0	30000	443.0107527	13354.17063	30000	0	0	30000	41	2004
12.02.2020 11:23:14	1	1	1	1	68.75	61	0	30000	440.8602151	13225.34178	30000	0	0	30000	41.125	2004
12.02.2020 11:23:15	1	1	1	1	68.75	61	0	29952.607	443.0107527	13333.78632	30000	0	0	30000	40.5	2004
12.02.2020 11:23:16	1	1	1	1	68.75	60.5	0	29905.213	445.1612903	13354.17063	30000	0	0	30000	40.625	2004
12.02.2020 11:23:17	1	1	1	1	68.75	60.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.75	2004
12.02.2020 11:23:18	1	1	1	1	68.75	60.75	0	30000	445.1612903	13289.7562	30000	0	0	30000	40.625	2004
12.02.2020 11:23:19	1	1	1	1	68.75	60.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 11:23:20	1	1	1	1	68.75	60.75	0	30000	445.1612903	13289.7562	30000	0	0	30000	41.0625	2004
12.02.2020 11:23:21	1	1	1	1	68.75	61	0	30000	449.4623656	13354.17063	30000	0	0	30000	40.8125	2004
12.02.2020 11:23:22	1	1	1	1	68.75	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.125	2004
12.02.2020 11:23:23	1	1	1	1	68.75	60	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.5625	2004
12.02.2020 11:23:24	1	1	1	1	68.75	60.5	0	30000	445.1612903	13333.78632	30000	0	0	30000	41	2004
12.02.2020 11:23:25	1	1	1	1	68.75	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	41	2004
12.02.2020 11:23:26	1	1	1	1	68.75	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.125	2004
12.02.2020 11:23:28	1	1	1	1	68.75	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.8125	2004
12.02.2020 11:23:29	1	1	1	1	68.75	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.6875	2004
12.02.2020 11:23:30	1	1	1	1	68.75	60.5	0	29952.607	445.1612903	13354.17063	30000	0	0	30000	41	2004
12.02.2020 11:23:31	1	1	1	1	68.75	61	0	29952.607	443.0107527	13354.17063	30000	0	0	30000	40.6875	2004
12.02.2020 11:23:32	1	1	1	1	68.75	60.5	0	30000	453.7634409	13612.64371	30000	0	0	30000	41	2004
12.02.2020 11:23:33	1	1	1	1	68.75	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.25	2004
12.02.2020 11:23:34	1	1	1	1	68.75	61.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	41	2004
12.02.2020 11:23:35	1	1	1	1	68.75	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.3125	2004
12.02.2020 11:23:36	1	1	1	1	68.75	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.25	2004
12.02.2020 11:23:37	1	1	1	1	68.75	60.25	0	29952.607	451.6129032	13312.58663	30000	0	0	30000	41.1875	2004
12.02.2020 11:23:38	1	1	1	1	68.75	61	0	30000	451.6129032	13612.64371	30000	0	0	30000	41.1875	2004
12.02.2020 11:23:39	1	1	1	1	68.75	61	0	30000	453.7634409	13612.64371	30000	0	0	30000	40.9375	2004
12.02.2020 11:23:46	1	1	1	1	68.75	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.0625	2004
12.02.2020 11:23:46	1	1	1	1	68.75	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.0625	2004
12.02.2020 11:23:46	1	1	1	1	68.75	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.0625	2004
12.02.2020 11:23:46	1	1	1	1	68.75	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.0625	2004
12.02.2020 11:23:46	1	1	1	1	68.75	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.0625	2004
12.02.2020 11:23:46	1	1	1	1	68.75	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.0625	2004
12.02.2020 11:23:46	1	1	1	1	68.5	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.5625	2004
12.02.2020 11:23:47	1	1	1	1	68.5	60.5	0	30000	440.8602151	13225.34178	30000	0	0	30000	41.0625	2004
12.02.2020 11:23:48	1	1	1	1	68.5	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	41	2004
12.02.2020 11:23:49	1	1	1	1	68.5	61	0	30000	451.6129032	13354.17063	30000	0	0	30000	41.1875	2004
12.02.2020 11:23:50	1	1	1	1	68.5	61	0	30000	453.7634409	13612.64371	30000	0	0	30000	41	2004
12.02.2020 11:23:51	1	1	1	1	68.5	61	0	30000	445.1612903	13333.78632	30000	0	0	30000	40.25	2004
12.02.2020 11:23:52	1	1	1	1	68.5	60.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.1875	2004
12.02.2020 11:23:53	1	1	1	1	68.5	61	0	30000	445.1612903	13119.34335	30000	0	0	30000	41.125	2004
12.02.2020 11:23:54	1	1	1	1	68.5	61	0	30000	445.1612903	13289.7562	30000	0	0	30000	41	2004
12.02.2020 11:23:55	1	1	1	1	68.5	61	0	30000	445.1612903	13333.78632	30000	0	0	30000	41.1875	2004
12.02.2020 11:23:56	1	1	1	1	68.75	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.4375	2004
12.02.2020 11:23:57	1	1	1	1	68.75	60.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.875	2004
12.02.2020 11:23:58	1	1	1	1	68.75	60.75	0	30000	445.1612903	13248.17221	30000	0	0	30000	41.125	2004
12.02.2020 11:23:59	1	1	1	1	68.75	61	0	29905.213	445.1612903	13354.17063	30000	0	0	30000	41.0625	2004
12.02.2020 11:24:00	1	1	1	1	68.75	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.1875	2004
12.02.2020 11:24:01	1	1	1	1	68.75	61	0	29952.607	443.0107527	13289.7562	30000	0	0	30000	41	2004
12.02.2020 11:24:02	1	1	1	1	68.75	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.3125	2004
12.02.2020 11:24:03	1	1	1	1	68.75	60.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 11:24:04	1	1	1	1	68.75	60.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.75	2004
12.02.2020 11:24:06	1	1	1	1	68.75	60.75	0	30000	443.0107527	13354.17063	30000	0	0	30000	40.8125	2004
12.02.2020 11:24:07	1	1	1	1	68.5	60.75	0	30000	440.8602151	13225.34178	30000	0	0	30000	41	2004
12.02.2020 11:24:08	1	1	1	1	68.5	61	0	30000	443.0107527	13289.7562	30000	0	0	30000	41	2004
12.02.2020 11:24:09	1	1	1	1	68.5	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.375	2004
12.02.2020 11:24:10	1	1	1	1	68.5	60.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.125	2004
12.02.2020 11:24:11	1	1	1	1	68.5	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.75	2004
12.02.2020 11:24:12	1	1	1	1	68.5	60.75	0	30000	445.1612903	13333.78632	30000	0	0	30000	41.0625	2004
12.02.2020 11:24:13	1	1	1	1	68.5	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.125	2004
12.02.2020 11:24:14	1	1	1	1	68.5	61.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.0625	2004
12.02.2020 11:24:15	1	1	1	1	68.5	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.375	2004
12.02.2020 11:24:16	1	1	1	1	68.5	60.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.0625	2004
12.02.2020 11:24:17	1	1	1	1	68.5	61	0	29952.607	438.7096774	13289.7562	30000	0	0	30000	40.875	2004
12.02.2020 11:24:18	1	1	1	1	68.5	60.75	0	30000	443.0107527	13354.17063	30000	0	0	30000	39.875	2004
12.02.2020 11:24:19	1	1	1	1	68.5	59.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.6875	2004
12.02.2020 11:24:20	1	1	1	1	68.5	60.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.9375	2004
12.02.2020 11:24:21	1	1	1	1	68.5	60.75	0	30000	449.4623656	13354.17063	30000	0	0	30000	40.3125	2004
12.02.2020 11:24:22	1	1	1	1	68.5	60.25	0	30000	453.7634409	13483.81486	30000	0	0	30000	40.375	2004
12.02.2020 11:24:23	1	1	1	1	68.5	60.25	0	30000	443.0107527	13289.7562	30000	0	0	30000	40.3125	2004
12.02.2020 11:24:24	1	1	1	1	68.5	60.25	0	30000	443.0107527	13354.17063	30000	0	0	30000	40.875	2004
12.02.2020 11:24:25	1	1	1	1	68.5	60.75	0	30000	443.0107527	13289.7562	30000	0	0	30000	41.0625	2004
12.02.2020 11:24:26	1	1	1	1	69	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.875	2004
12.02.2020 11:24:27	1	1	1	1	69	60.75	0	30000	449.4623656	13289.7562	30000	0	0	30000	40.125	2004
12.02.2020 11:24:28	1	1	1	1	69	60	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.6875	2004
12.02.2020 11:24:29	1	1	1	1	69	60.5	0	30000	445.1612903	13333.78632	30000	0	0	30000	41.125	2004
12.02.2020 11:24:30	1	1	1	1	69	61	0	30000	451.6129032	13333.78632	30000	0	0	30000	41	2004
12.02.2020 11:24:31	1	1	1	1	69	61	0	30000	445.1612903	13289.7562	30000	0	0	30000	41.125	2004
12.02.2020 11:24:32	1	1	1	1	69	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.0625	2004
12.02.2020 11:24:33	1	1	1	1	69	61	0	30000	445.1612903	13289.7562	30000	0	0	30000	39.8125	2004
12.02.2020 11:24:34	1	1	1	1	69	59.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.1875	2004
12.02.2020 11:24:35	1	1	1	1	69	60	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.0625	2004
12.02.2020 11:24:36	1	1	1	1	68.75	61	0	30000	443.0107527	13354.17063	30000	0	0	30000	41.125	2004
12.02.2020 11:24:37	1	1	1	1	68.75	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.9375	2004
12.02.2020 11:24:38	1	1	1	1	68.75	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.25	2004
12.02.2020 11:24:39	1	1	1	1	68.75	61.25	0	29952.607	445.1612903	13354.17063	30000	0	0	30000	40.875	2004
12.02.2020 11:24:40	1	1	1	1	68.75	60.75	0	30000	453.7634409	13354.17063	30000	0	0	30000	40.3125	2004
12.02.2020 11:24:47	1	1	1	1	69	60.5	0	30000	453.7634409	13741.47256	30000	0	0	30000	40.3125	2004
12.02.2020 11:24:47	1	1	1	1	69	60.5	0	30000	453.7634409	13741.47256	30000	0	0	30000	40.3125	2004
12.02.2020 11:24:47	1	1	1	1	69	60.5	0	30000	453.7634409	13741.47256	30000	0	0	30000	40.3125	2004
12.02.2020 11:24:47	1	1	1	1	69	60.5	0	30000	453.7634409	13741.47256	30000	0	0	30000	40.3125	2004
12.02.2020 11:24:47	1	1	1	1	69	60.5	0	30000	453.7634409	13741.47256	30000	0	0	30000	40.3125	2004
12.02.2020 11:24:47	1	1	1	1	69	60.5	0	30000	453.7634409	13741.47256	30000	0	0	30000	40.3125	2004
12.02.2020 11:24:48	1	1	1	1	69	60.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	40	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 11:24:49	1	1	1	1	69	60	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.75	2004
12.02.2020 11:24:50	1	1	1	1	69	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	41	2004
12.02.2020 11:24:51	1	1	1	1	69	61	0	29905.213	445.1612903	13805.88699	30000	0	0	30000	41	2004
12.02.2020 11:24:52	1	1	1	1	69	61	0	30000	449.4623656	13483.81486	30000	0	0	30000	41.125	2004
12.02.2020 11:24:53	1	1	1	1	69	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.875	2004
12.02.2020 11:24:54	1	1	1	1	69	61.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.875	2004
12.02.2020 11:24:55	1	1	1	1	69	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.125	2004
12.02.2020 11:24:56	1	1	1	1	69	61	0	30000	451.6129032	13612.64371	30000	0	0	30000	40.625	2004
12.02.2020 11:24:57	1	1	1	1	69	60.5	0	30000	451.6129032	13354.17063	30000	0	0	30000	40.5625	2004
12.02.2020 11:24:58	1	1	1	1	69	60.5	0	30000	453.7634409	13612.64371	30000	0	0	30000	40.9375	2004
12.02.2020 11:24:59	1	1	1	1	69	60.75	0	30000	455.9139785	13741.47256	30000	0	0	30000	40.875	2004
12.02.2020 11:25:00	1	1	1	1	69	60.75	0	29952.607	453.7634409	13591.44402	30000	0	0	30000	41.125	2004
12.02.2020 11:25:01	1	1	1	1	69	61	0	30000	449.4623656	13354.17063	30000	0	0	30000	40.625	2004
12.02.2020 11:25:02	1	1	1	1	69	60.5	0	30000	453.7634409	13612.64371	30000	0	0	30000	40.5	2004
12.02.2020 11:25:03	1	1	1	1	69	60.5	0	30000	453.7634409	13354.17063	30000	0	0	30000	41	2004
12.02.2020 11:25:04	1	1	1	1	69	61	0	30000	455.9139785	13612.64371	30000	0	0	30000	40.625	2004
12.02.2020 11:25:05	1	1	1	1	69	60.5	0	30000	453.7634409	13462.61517	30000	0	0	30000	40.5	2004
12.02.2020 11:25:06	1	1	1	1	68.75	60.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.8125	2004
12.02.2020 11:25:07	1	1	1	1	68.75	60.75	0	30000	449.4623656	13354.17063	30000	0	0	30000	40.875	2004
12.02.2020 11:25:08	1	1	1	1	68.75	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.6875	2004
12.02.2020 11:25:09	1	1	1	1	68.75	60.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.8125	2004
12.02.2020 11:25:10	1	1	1	1	68.75	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.4375	2004
12.02.2020 11:25:11	1	1	1	1	68.75	60.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.875	2004
12.02.2020 11:25:12	1	1	1	1	68.75	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	41	2004
12.02.2020 11:25:13	1	1	1	1	68.75	61	0	30000	445.1612903	13375.37032	30000	0	0	30000	40.875	2004
12.02.2020 11:25:14	1	1	1	1	68.75	60.75	0	30000	445.1612903	13248.17221	30000	0	0	30000	40.875	2004
12.02.2020 11:25:15	1	1	1	1	68.75	60.75	0	30000	453.7634409	13483.81486	30000	0	0	30000	41.0625	2004
12.02.2020 11:25:16	1	1	1	1	69	61	0	29905.213	451.6129032	13612.64371	30000	0	0	30000	40.9375	2004
12.02.2020 11:25:17	1	1	1	1	69	60.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	41	2004
12.02.2020 11:25:18	1	1	1	1	69	61	0	30000	453.7634409	13612.64371	30000	0	0	30000	41.0625	2004
12.02.2020 11:25:19	1	1	1	1	69	61	0	29905.213	445.1612903	13633.84339	30000	0	0	30000	41.125	2004
12.02.2020 11:25:20	1	1	1	1	69	61	0	30000	453.7634409	13333.78632	30000	0	0	30000	40.8125	2004
12.02.2020 11:25:22	1	1	1	1	69	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.0625	2004
12.02.2020 11:25:23	1	1	1	1	69	61	0	30000	455.9139785	13612.64371	30000	0	0	30000	40.6875	2004
12.02.2020 11:25:24	1	1	1	1	69	60.5	0	30000	453.7634409	13612.64371	30000	0	0	30000	41.0625	2004
12.02.2020 11:25:25	1	1	1	1	69	61	0	30000	453.7634409	13612.64371	30000	0	0	30000	40.875	2004
12.02.2020 11:25:26	1	1	1	1	69	60.75	0	30047.393	451.6129032	13354.17063	30000	0	0	30000	41.5	2004
12.02.2020 11:25:27	1	1	1	1	68.5	61.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.125	2004
12.02.2020 11:25:28	1	1	1	1	68.5	61	0	29905.213	451.6129032	13612.64371	30000	0	0	30000	40.75	2004
12.02.2020 11:25:29	1	1	1	1	68.5	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.4375	2004
12.02.2020 11:25:30	1	1	1	1	68.5	60.75	0	30047.393	445.1612903	13354.17063	30000	0	0	30000	40.8125	2004
12.02.2020 11:25:31	1	1	1	1	68.5	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.9375	2004
12.02.2020 11:25:32	1	1	1	1	68.5	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 11:25:33	1	1	1	1	68.5	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.5625	2004
12.02.2020 11:25:34	1	1	1	1	68.5	60.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.625	2004
12.02.2020 11:25:35	1	1	1	1	68.5	60.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.8125	2004
12.02.2020 11:25:36	1	1	1	1	68.5	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.8125	2004
12.02.2020 11:25:37	1	1	1	1	68.5	60.75	0	29952.607	445.1612903	13354.17063	30000	0	0	30000	41	2004
12.02.2020 11:25:38	1	1	1	1	68.5	61	0	30000	449.4623656	13354.17063	30000	0	0	30000	41	2004
12.02.2020 11:25:39	1	1	1	1	68.5	61	0	30000	451.6129032	13354.17063	30000	0	0	30000	41	2004
12.02.2020 11:25:40	1	1	1	1	68.5	61	0	30000	453.7634409	13612.64371	30000	0	0	30000	40.9375	2004
12.02.2020 11:25:41	1	1	1	1	68.5	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.875	2004
12.02.2020 11:25:42	1	1	1	1	68.5	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.3125	2004
12.02.2020 11:25:49	1	1	1	1	68.75	60.25	0	30000	449.4623656	13354.17063	30000	0	0	30000	40.625	2004
12.02.2020 11:25:49	1	1	1	1	68.75	60.25	0	30000	449.4623656	13354.17063	30000	0	0	30000	40.625	2004
12.02.2020 11:25:49	1	1	1	1	68.75	60.25	0	30000	449.4623656	13354.17063	30000	0	0	30000	40.625	2004
12.02.2020 11:25:49	1	1	1	1	68.75	60.25	0	30000	449.4623656	13354.17063	30000	0	0	30000	40.625	2004
12.02.2020 11:25:49	1	1	1	1	68.75	60.25	0	30000	449.4623656	13354.17063	30000	0	0	30000	40.625	2004
12.02.2020 11:25:49	1	1	1	1	68.75	60.5	0	30000	449.4623656	13548.22928	30000	0	0	30000	40.875	2004
12.02.2020 11:25:50	1	1	1	1	68.75	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	41	2004
12.02.2020 11:25:51	1	1	1	1	68.75	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.0625	2004
12.02.2020 11:25:52	1	1	1	1	68.75	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.875	2004
12.02.2020 11:25:53	1	1	1	1	68.75	60.75	0	30000	451.6129032	13612.64371	30000	0	0	30000	41.0625	2004
12.02.2020 11:25:54	1	1	1	1	68.75	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.4375	2004
12.02.2020 11:25:55	1	1	1	1	68.75	60.25	0	30000	445.1612903	13483.81486	30000	0	0	30000	41.0625	2004
12.02.2020 11:25:56	1	1	1	1	68.5	61	0	29952.607	449.4623656	13612.64371	30000	0	0	30000	40.3125	2004
12.02.2020 11:25:57	1	1	1	1	68.5	60.25	0	30000	453.7634409	13677.05814	30000	0	0	30000	40.125	2004
12.02.2020 11:25:58	1	1	1	1	68.5	60	0	30000	449.4623656	13354.17063	30000	0	0	30000	41.0625	2004
12.02.2020 11:25:59	1	1	1	1	68.5	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.25	2004
12.02.2020 11:26:01	1	1	1	1	68.5	61.25	0	30000	453.7634409	13333.78632	30000	0	0	30000	40.9375	2004
12.02.2020 11:26:02	1	1	1	1	68.5	60.75	0	30000	445.1612903	13483.81486	30000	0	0	30000	40.125	2004
12.02.2020 11:26:03	1	1	1	1	68.5	60	0	30000	449.4623656	13483.81486	30000	0	0	30000	40.875	2004
12.02.2020 11:26:04	1	1	1	1	68.5	60.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	41.1875	2004
12.02.2020 11:26:05	1	1	1	1	68.5	61	0	30000	451.6129032	13612.64371	30000	0	0	30000	40.9375	2004
12.02.2020 11:26:06	1	1	1	1	68.5	60.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	41.1875	2004
12.02.2020 11:26:07	1	1	1	1	68.5	61	0	29952.607	453.7634409	13612.64371	30000	0	0	30000	40.4375	2004
12.02.2020 11:26:08	1	1	1	1	68.5	60.25	0	29905.213	445.1612903	13612.64371	30000	0	0	30000	41.0625	2004
12.02.2020 11:26:09	1	1	1	1	68.5	61	0	30000	464.516129	13612.64371	30000	0	0	30000	41.25	2004
12.02.2020 11:26:10	1	1	1	1	68.5	61.25	0	30000	453.7634409	13741.47256	30000	0	0	30000	40.8125	2004
12.02.2020 11:26:11	1	1	1	1	68.5	60.75	0	30000	453.7634409	13677.05814	30000	0	0	30000	40.875	2004
12.02.2020 11:26:12	1	1	1	1	68.5	61.25	0	30000	458.0645161	13741.47256	30000	0	0	30000	40.3125	2004
12.02.2020 11:26:13	1	1	1	1	68.5	60.25	0	30000	464.516129	13935.53122	30000	0	0	30000	40.3125	2004
12.02.2020 11:26:14	1	1	1	1	68.5	60.25	0	30000	458.0645161	13805.88699	30000	0	0	30000	40.25	2004
12.02.2020 11:26:15	1	1	1	1	68.5	60.25	0	30000	455.9139785	13612.64371	30000	0	0	30000	41.0625	2004
12.02.2020 11:26:16	1	1	1	1	68.75	61	0	30000	449.4623656	13483.81486	30000	0	0	30000	40.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 11:26:17	1	1	1	1	68.75	60.5	0	30000	453.7634409	13612.64371	30000	0	0	30000	41.125	2004
12.02.2020 11:26:18	1	1	1	1	68.75	61	0	29952.607	445.1612903	13591.44402	30000	0	0	30000	41.125	2004
12.02.2020 11:26:19	1	1	1	1	68.75	61	0	30000	453.7634409	13612.64371	30000	0	0	30000	40.9375	2004
12.02.2020 11:26:20	1	1	1	1	68.75	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.125	2004
12.02.2020 11:26:21	1	1	1	1	68.75	61	0	30000	445.1612903	13333.78632	30000	0	0	30000	40.5	2004
12.02.2020 11:26:22	1	1	1	1	68.75	60.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.4375	2004
12.02.2020 11:26:23	1	1	1	1	68.75	60.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.9375	2004
12.02.2020 11:26:24	1	1	1	1	68.75	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.6875	2004
12.02.2020 11:26:25	1	1	1	1	68.75	60.5	0	30000	451.6129032	13612.64371	30000	0	0	30000	41.0625	2004
12.02.2020 11:26:26	1	1	1	1	68.75	61	0	30000	445.1612903	13333.78632	30000	0	0	30000	41.25	2004
12.02.2020 11:26:27	1	1	1	1	68.75	61.25	0	30000	451.6129032	13483.81486	30000	0	0	30000	41	2004
12.02.2020 11:26:28	1	1	1	1	68.75	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.75	2004
12.02.2020 11:26:29	1	1	1	1	68.75	60.75	0	29952.607	445.1612903	13333.78632	30000	0	0	30000	40.1875	2004
12.02.2020 11:26:30	1	1	1	1	68.75	60	0	30000	445.1612903	13375.37032	30000	0	0	30000	40.25	2004
12.02.2020 11:26:31	1	1	1	1	68.75	60.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.0625	2004
12.02.2020 11:26:32	1	1	1	1	68.75	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	41	2004
12.02.2020 11:26:33	1	1	1	1	68.75	61	0	30000	449.4623656	13354.17063	30000	0	0	30000	41	2004
12.02.2020 11:26:34	1	1	1	1	68.75	61	0	30000	449.4623656	13354.17063	30000	0	0	30000	41	2004
12.02.2020 11:26:35	1	1	1	1	68.75	61	0	30000	453.7634409	13633.84339	30000	0	0	30000	40.875	2004
12.02.2020 11:26:36	1	1	1	1	68.5	60.75	0	30000	449.4623656	13483.81486	30000	0	0	30000	41.0625	2004
12.02.2020 11:26:37	1	1	1	1	68.5	61	0	30000	449.4623656	13354.17063	30000	0	0	30000	40.75	2004
12.02.2020 11:26:38	1	1	1	1	68.5	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.8125	2004
12.02.2020 11:26:40	1	1	1	1	68.5	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.5	2004
12.02.2020 11:26:41	1	1	1	1	68.5	60.5	0	30000	458.0645161	13354.17063	30000	0	0	30000	41.0625	2004
12.02.2020 11:26:42	1	1	1	1	68.5	61	0	29952.607	453.7634409	13612.64371	30000	0	0	30000	41.3125	2004
12.02.2020 11:26:43	1	1	1	1	68.5	61.25	0	30000	449.4623656	13354.17063	30000	0	0	30000	40.8125	2004
12.02.2020 11:26:44	1	1	1	1	68.5	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.375	2004
12.02.2020 11:26:51	1	1	1	1	68.25	60.5	0	30000	451.6129032	13462.61517	30000	0	0	30000	41	2004
12.02.2020 11:26:51	1	1	1	1	68.25	60.5	0	30000	451.6129032	13462.61517	30000	0	0	30000	41	2004
12.02.2020 11:26:51	1	1	1	1	68.25	60.5	0	30000	451.6129032	13462.61517	30000	0	0	30000	41	2004
12.02.2020 11:26:51	1	1	1	1	68.25	60.5	0	30000	451.6129032	13462.61517	30000	0	0	30000	41	2004
12.02.2020 11:26:51	1	1	1	1	68.25	60.5	0	30000	451.6129032	13462.61517	30000	0	0	30000	41	2004
12.02.2020 11:26:51	1	1	1	1	68.25	60.5	0	30000	451.6129032	13462.61517	30000	0	0	30000	41	2004
12.02.2020 11:26:51	1	1	1	1	68.25	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.5	2004
12.02.2020 11:26:52	1	1	1	1	68.25	60.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.5625	2004
12.02.2020 11:26:53	1	1	1	1	68.25	60.5	0	30000	445.1612903	13333.78632	30000	0	0	30000	40.9375	2004
12.02.2020 11:26:54	1	1	1	1	68.25	60.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	41	2004
12.02.2020 11:26:55	1	1	1	1	68.25	61	0	30000	451.6129032	13612.64371	30000	0	0	30000	40.875	2004
12.02.2020 11:26:56	1	1	1	1	68.75	60.75	0	29952.607	445.1612903	13354.17063	30000	0	0	30000	40.875	2004
12.02.2020 11:26:57	1	1	1	1	68.75	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.0625	2004
12.02.2020 11:26:58	1	1	1	1	68.75	61	0	30000	445.1612903	13333.78632	30000	0	0	30000	41	2004
12.02.2020 11:26:59	1	1	1	1	68.75	61	0	30000	453.7634409	13612.64371	30000	0	0	30000	40.6875	2004
12.02.2020 11:27:00	1	1	1	1	68.75	60.5	0	30000	453.7634409	13612.64371	30000	0	0	30000	40.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 11:27:01	1	1	1	1	68.75	60.75	0	30000	458.0645161	13741.47256	30000	0	0	30000	39.75	2004
12.02.2020 11:27:02	1	1	1	1	68.75	59.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.125	2004
12.02.2020 11:27:03	1	1	1	1	68.75	60	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.875	2004
12.02.2020 11:27:04	1	1	1	1	68.75	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.0625	2004
12.02.2020 11:27:05	1	1	1	1	68.75	60	0	30000	451.6129032	13612.64371	30000	0	0	30000	41.1875	2004
12.02.2020 11:27:06	1	1	1	1	68.5	61	0	30000	451.6129032	13354.17063	30000	0	0	30000	40.625	2004
12.02.2020 11:27:07	1	1	1	1	68.5	60.5	0	29952.607	445.1612903	13354.17063	30000	0	0	30000	40.625	2004
12.02.2020 11:27:08	1	1	1	1	68.5	60.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.9375	2004
12.02.2020 11:27:09	1	1	1	1	68.5	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.1875	2004
12.02.2020 11:27:10	1	1	1	1	68.5	60	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.125	2004
12.02.2020 11:27:11	1	1	1	1	68.5	61	0	30000	445.1612903	13612.64371	30000	0	0	30000	40.75	2004
12.02.2020 11:27:12	1	1	1	1	68.5	60.75	0	30000	458.0645161	13741.47256	30000	0	0	30000	40.5	2004
12.02.2020 11:27:13	1	1	1	1	68.5	60.5	0	30000	453.7634409	13591.44402	30000	0	0	30000	41	2004
12.02.2020 11:27:14	1	1	1	1	68.5	61	0	30047.393	453.7634409	13612.64371	30000	0	0	30000	40.5	2004
12.02.2020 11:27:15	1	1	1	1	68.5	60.5	0	29952.607	443.0107527	13183.75778	30000	0	0	30000	40.625	2004
12.02.2020 11:27:16	1	1	1	1	68.75	60.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.4375	2004
12.02.2020 11:27:17	1	1	1	1	68.75	60.25	0	29905.213	445.1612903	13354.17063	30000	0	0	30000	40.0625	2004
12.02.2020 11:27:19	1	1	1	1	68.75	60	0	30000	451.6129032	13612.64371	30000	0	0	30000	41.0625	2004
12.02.2020 11:27:20	1	1	1	1	68.75	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	41	2004
12.02.2020 11:27:21	1	1	1	1	68.75	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.9375	2004
12.02.2020 11:27:22	1	1	1	1	68.75	60.75	0	30047.393	453.7634409	13612.64371	30000	0	0	30000	41	2004
12.02.2020 11:27:23	1	1	1	1	68.75	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.1875	2004
12.02.2020 11:27:24	1	1	1	1	68.75	60	0	30000	445.1612903	13612.64371	30000	0	0	30000	41	2004
12.02.2020 11:27:25	1	1	1	1	68.75	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.1875	2004
12.02.2020 11:27:26	1	1	1	1	68.75	61	0	30000	445.1612903	13333.78632	30000	0	0	30000	41	2004
12.02.2020 11:27:27	1	1	1	1	68.75	61	0	30000	445.1612903	13677.05814	30000	0	0	30000	41.25	2004
12.02.2020 11:27:28	1	1	1	1	68.75	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.9375	2004
12.02.2020 11:27:29	1	1	1	1	68.75	60.75	0	29905.213	445.1612903	13354.17063	30000	0	0	30000	40.8125	2004
12.02.2020 11:27:30	1	1	1	1	68.75	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.25	2004
12.02.2020 11:27:31	1	1	1	1	68.75	61.25	0	30000	453.7634409	13612.64371	30000	0	0	30000	41	2004
12.02.2020 11:27:32	1	1	1	1	68.75	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.1875	2004
12.02.2020 11:27:33	1	1	1	1	68.75	61	0	30000	451.6129032	13677.05814	30000	0	0	30000	40.375	2004
12.02.2020 11:27:34	1	1	1	1	68.75	60.25	0	30000	455.9139785	13741.47256	30000	0	0	30000	40.9375	2004
12.02.2020 11:27:35	1	1	1	1	68.75	60.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	41.1875	2004
12.02.2020 11:27:36	1	1	1	1	68.75	61	0	30000	453.7634409	13612.64371	30000	0	0	30000	40.9375	2004
12.02.2020 11:27:37	1	1	1	1	68.75	60.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	40.6875	2004
12.02.2020 11:27:38	1	1	1	1	68.75	60.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.875	2004
12.02.2020 11:27:39	1	1	1	1	68.75	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.125	2004
12.02.2020 11:27:40	1	1	1	1	68.75	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.125	2004
12.02.2020 11:27:41	1	1	1	1	68.75	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.9375	2004
12.02.2020 11:27:42	1	1	1	1	68.75	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.125	2004
12.02.2020 11:27:43	1	1	1	1	68.75	61	0	30000	443.0107527	13354.17063	30000	0	0	30000	41.0625	2004
12.02.2020 11:27:44	1	1	1	1	68.75	61	0	29952.607	440.8602151	13354.17063	30000	0	0	30000	40.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 11:27:45	1	1	1	1	68.75	60.75	0	30000	449.4623656	13612.64371	30000	0	0	30000	40.3125	2004
12.02.2020 11:27:52	1	1	1	1	68.75	60.75	0	29952.607	445.1612903	13354.17063	30000	0	0	30000	41.1875	2004
12.02.2020 11:27:52	1	1	1	1	68.75	60.75	0	29952.607	445.1612903	13354.17063	30000	0	0	30000	41.1875	2004
12.02.2020 11:27:52	1	1	1	1	68.75	60.75	0	29952.607	445.1612903	13354.17063	30000	0	0	30000	41.1875	2004
12.02.2020 11:27:52	1	1	1	1	68.75	60.75	0	29952.607	445.1612903	13354.17063	30000	0	0	30000	41.1875	2004
12.02.2020 11:27:52	1	1	1	1	68.75	60.75	0	29952.607	445.1612903	13354.17063	30000	0	0	30000	41.1875	2004
12.02.2020 11:27:52	1	1	1	1	68.75	60.75	0	29952.607	445.1612903	13354.17063	30000	0	0	30000	41.1875	2004
12.02.2020 11:27:52	1	1	1	1	68.75	61	0	30047.393	451.6129032	13354.17063	30000	0	0	30000	40.8125	2004
12.02.2020 11:27:53	1	1	1	1	68.75	60.75	0	30000	443.0107527	13225.34178	30000	0	0	30000	41.125	2004
12.02.2020 11:27:54	1	1	1	1	68.75	61	0	29952.607	443.0107527	13289.7562	30000	0	0	30000	40.75	2004
12.02.2020 11:27:55	1	1	1	1	68.75	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.625	2004
12.02.2020 11:27:57	1	1	1	1	68.75	60.5	0	29952.607	443.0107527	13354.17063	30000	0	0	30000	40.625	2004
12.02.2020 11:27:58	1	1	1	1	68.75	60.5	0	29952.607	445.1612903	13354.17063	30000	0	0	30000	40.8125	2004
12.02.2020 11:27:59	1	1	1	1	68.75	60.75	0	30000	449.4623656	13354.17063	30000	0	0	30000	41	2004
12.02.2020 11:28:00	1	1	1	1	68.75	61	0	29952.607	449.4623656	13354.17063	30000	0	0	30000	40.3125	2004
12.02.2020 11:28:01	1	1	1	1	68.75	60.25	0	30047.393	449.4623656	13354.17063	30000	0	0	30000	41.0625	2004
12.02.2020 11:28:02	1	1	1	1	68.75	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.625	2004
12.02.2020 11:28:03	1	1	1	1	68.75	60.5	0	30000	453.7634409	13612.64371	30000	0	0	30000	40.5625	2004
12.02.2020 11:28:04	1	1	1	1	68.75	60.5	0	30000	451.6129032	13354.17063	30000	0	0	30000	40.4375	2004
12.02.2020 11:28:05	1	1	1	1	68.75	60.25	0	30000	449.4623656	13354.17063	30000	0	0	30000	41.3125	2004
12.02.2020 11:28:06	1	1	1	1	68.75	61.25	0	30000	449.4623656	13354.17063	30000	0	0	30000	41.25	2004
12.02.2020 11:28:07	1	1	1	1	68.75	61	0	30047.393	455.9139785	13483.81486	30000	0	0	30000	41	2004
12.02.2020 11:28:08	1	1	1	1	68.75	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.5	2004
12.02.2020 11:28:09	1	1	1	1	68.75	60.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.75	2004
12.02.2020 11:28:10	1	1	1	1	68.75	60.75	0	30000	443.0107527	13225.34178	30000	0	0	30000	41.0625	2004
12.02.2020 11:28:11	1	1	1	1	68.75	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.125	2004
12.02.2020 11:28:12	1	1	1	1	68.75	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.0625	2004
12.02.2020 11:28:13	1	1	1	1	68.75	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.375	2004
12.02.2020 11:28:14	1	1	1	1	68.75	60.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.75	2004
12.02.2020 11:28:15	1	1	1	1	68.75	60.75	0	30000	445.1612903	13289.7562	30000	0	0	30000	41.0625	2004
12.02.2020 11:28:16	1	1	1	1	68.75	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.125	2004
12.02.2020 11:28:17	1	1	1	1	68.75	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	39.9375	2004
12.02.2020 11:28:18	1	1	1	1	68.75	59.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.75	2004
12.02.2020 11:28:19	1	1	1	1	68.75	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.125	2004
12.02.2020 11:28:20	1	1	1	1	68.75	60	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.125	2004
12.02.2020 11:28:21	1	1	1	1	68.75	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.0625	2004
12.02.2020 11:28:22	1	1	1	1	68.75	61	0	30000	451.6129032	13612.64371	30000	0	0	30000	40.4375	2004
12.02.2020 11:28:23	1	1	1	1	68.75	60.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	41	2004
12.02.2020 11:28:24	1	1	1	1	68.75	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.0625	2004
12.02.2020 11:28:25	1	1	1	1	68.75	60	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.9375	2004
12.02.2020 11:28:26	1	1	1	1	68.5	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.75	2004
12.02.2020 11:28:27	1	1	1	1	68.5	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.0625	2004
12.02.2020 11:28:28	1	1	1	1	68.5	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 11:28:29	1	1	1	1	68.5	61	0	30000	443.0107527	13289.7562	30000	0	0	30000	41.0625	2004
12.02.2020 11:28:30	1	1	1	1	68.5	61	0	30000	443.0107527	13225.34178	30000	0	0	30000	41	2004
12.02.2020 11:28:31	1	1	1	1	68.5	61	0	30000	443.0107527	13289.7562	30000	0	0	30000	40.625	2004
12.02.2020 11:28:32	1	1	1	1	68.5	60.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.125	2004
12.02.2020 11:28:33	1	1	1	1	68.5	61	0	30000	449.4623656	13354.17063	30000	0	0	30000	41.125	2004
12.02.2020 11:28:34	1	1	1	1	68.5	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.1875	2004
12.02.2020 11:28:36	1	1	1	1	68.5	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.0625	2004
12.02.2020 11:28:37	1	1	1	1	68.75	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.5	2004
12.02.2020 11:28:38	1	1	1	1	68.75	60.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.5625	2004
12.02.2020 11:28:39	1	1	1	1	68.75	60.5	0	29952.607	443.0107527	13354.17063	30000	0	0	30000	40.875	2004
12.02.2020 11:28:40	1	1	1	1	68.75	60.75	0	29952.607	438.7096774	13354.17063	30000	0	0	30000	40.9375	2004
12.02.2020 11:28:41	1	1	1	1	68.75	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.5625	2004
12.02.2020 11:28:44	1	1	1	1	68.75	60.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.6875	2004
12.02.2020 11:28:44	1	1	1	1	68.75	60.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.6875	2004
12.02.2020 11:28:44	1	1	1	1	68.75	60.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.6875	2004
12.02.2020 11:28:45	1	1	1	1	68.75	61.5	0	30000	443.0107527	13354.17063	30000	0	0	30000	40.875	2004
12.02.2020 11:28:46	1	1	1	1	68.75	60.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	41	2004
12.02.2020 11:28:47	1	1	1	1	68.75	60.25	0	30000	453.7634409	13354.17063	30000	0	0	30000	40.5	2004
12.02.2020 11:28:54	1	1	1	1	68.75	60.75	0	30000	451.6129032	13612.64371	30000	0	0	30000	41	2004
12.02.2020 11:28:54	1	1	1	1	68.75	60.75	0	30000	451.6129032	13612.64371	30000	0	0	30000	41	2004
12.02.2020 11:28:54	1	1	1	1	68.75	60.75	0	30000	451.6129032	13612.64371	30000	0	0	30000	41	2004
12.02.2020 11:28:54	1	1	1	1	68.75	60.75	0	30000	451.6129032	13612.64371	30000	0	0	30000	41	2004
12.02.2020 11:28:54	1	1	1	1	68.75	60.75	0	30000	451.6129032	13612.64371	30000	0	0	30000	41	2004
12.02.2020 11:28:54	1	1	1	1	68.75	61	0	30000	451.6129032	13612.64371	30000	0	0	30000	41	2004
12.02.2020 11:28:55	1	1	1	1	68.75	61	0	30000	451.6129032	13612.64371	30000	0	0	30000	41.1875	2004
12.02.2020 11:28:56	1	1	1	1	68.5	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.125	2004
12.02.2020 11:28:57	1	1	1	1	68.5	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.1875	2004
12.02.2020 11:28:58	1	1	1	1	68.5	61	0	29952.607	443.0107527	13354.17063	30000	0	0	30000	41.125	2004
12.02.2020 11:28:59	1	1	1	1	68.5	61	0	30000	451.6129032	13483.81486	30000	0	0	30000	40.6875	2004
12.02.2020 11:29:00	1	1	1	1	68.5	60.5	0	29905.213	451.6129032	13612.64371	30000	0	0	30000	40.0625	2004
12.02.2020 11:29:01	1	1	1	1	68.5	60	0	30000	449.4623656	13612.64371	30000	0	0	30000	41.1875	2004
12.02.2020 11:29:02	1	1	1	1	68.5	61	0	30000	453.7634409	13612.64371	30000	0	0	30000	39.5625	2004
12.02.2020 11:29:03	1	1	1	1	68.5	59.5	0	30000	449.4623656	13612.64371	30000	0	0	30000	40.8125	2004
12.02.2020 11:29:04	1	1	1	1	68.5	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	41	2004
12.02.2020 11:29:05	1	1	1	1	68.5	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.6875	2004
12.02.2020 11:29:06	1	1	1	1	68.5	60.5	0	30000	443.0107527	13289.7562	30000	0	0	30000	40.875	2004
12.02.2020 11:29:07	1	1	1	1	68.5	60.75	0	30000	443.0107527	13354.17063	30000	0	0	30000	41.125	2004
12.02.2020 11:29:08	1	1	1	1	68.5	61	0	30000	443.0107527	13354.17063	30000	0	0	30000	41.0625	2004
12.02.2020 11:29:09	1	1	1	1	68.5	61	0	29952.607	445.1612903	13354.17063	30000	0	0	30000	40.9375	2004
12.02.2020 11:29:10	1	1	1	1	68.5	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.6875	2004
12.02.2020 11:29:11	1	1	1	1	68.5	60.5	0	30000	453.7634409	13612.64371	30000	0	0	30000	40.6875	2004
12.02.2020 11:29:12	1	1	1	1	68.5	60.5	0	29952.607	445.1612903	13354.17063	30000	0	0	30000	40.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 11:29:13	1	1	1	1	68.5	60.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.0625	2004
12.02.2020 11:29:15	1	1	1	1	68.5	61	0	30000	449.4623656	13483.81486	30000	0	0	30000	41.125	2004
12.02.2020 11:29:16	1	1	1	1	68.5	61	0	29905.213	445.1612903	13354.17063	30000	0	0	30000	41.125	2004
12.02.2020 11:29:17	1	1	1	1	68.75	61	0	30000	453.7634409	13354.17063	30000	0	0	30000	41.0625	2004
12.02.2020 11:29:18	1	1	1	1	68.75	61	0	30000	458.0645161	13612.64371	30000	0	0	30000	41.0625	2004
12.02.2020 11:29:19	1	1	1	1	68.75	61	0	30047.393	458.0645161	13269.37189	30000	0	0	30000	41.1875	2004
12.02.2020 11:29:20	1	1	1	1	68.75	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.75	2004
12.02.2020 11:29:21	1	1	1	1	68.75	60.75	0	29952.607	445.1612903	13204.95746	30000	0	0	30000	40.6875	2004
12.02.2020 11:29:22	1	1	1	1	68.75	60.5	0	30000	451.6129032	13354.17063	30000	0	0	30000	41.3125	2004
12.02.2020 11:29:23	1	1	1	1	68.75	61.25	0	30000	445.1612903	13612.64371	30000	0	0	30000	41.4375	2004
12.02.2020 11:29:24	1	1	1	1	68.75	61.25	0	30000	449.4623656	13354.17063	30000	0	0	30000	41	2004
12.02.2020 11:29:25	1	1	1	1	68.75	61	0	30000	451.6129032	13354.17063	30000	0	0	30000	41.5625	2004
12.02.2020 11:29:26	1	1	1	1	68.75	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.9375	2004
12.02.2020 11:29:27	1	1	1	1	68.75	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.875	2004
12.02.2020 11:29:28	1	1	1	1	68.75	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	40	2004
12.02.2020 11:29:29	1	1	1	1	68.75	60	0	30000	445.1612903	13483.81486	30000	0	0	30000	40.0625	2004
12.02.2020 11:29:30	1	1	1	1	68.75	60	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.3125	2004
12.02.2020 11:29:31	1	1	1	1	68.75	60.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.25	2004
12.02.2020 11:29:32	1	1	1	1	68.75	61.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.5	2004
12.02.2020 11:29:33	1	1	1	1	68.75	60.5	0	30000	453.7634409	13612.64371	30000	0	0	30000	40.125	2004
12.02.2020 11:29:34	1	1	1	1	68.75	60	0	30000	451.6129032	13612.64371	30000	0	0	30000	41.1875	2004
12.02.2020 11:29:35	1	1	1	1	68.75	61	0	30000	449.4623656	13354.17063	30000	0	0	30000	40.5625	2004
12.02.2020 11:29:36	1	1	1	1	68.25	60.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.0625	2004
12.02.2020 11:29:37	1	1	1	1	68.25	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.0625	2004
12.02.2020 11:29:38	1	1	1	1	68.25	61	0	30000	445.1612903	13483.81486	30000	0	0	30000	40.875	2004
12.02.2020 11:29:39	1	1	1	1	68.25	60.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	40.6875	2004
12.02.2020 11:29:40	1	1	1	1	68.25	60.5	0	30000	453.7634409	13612.64371	30000	0	0	30000	40	2004
12.02.2020 11:29:41	1	1	1	1	68.25	60	0	30000	449.4623656	13354.17063	30000	0	0	30000	41.25	2004
12.02.2020 11:29:42	1	1	1	1	68.25	61.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.125	2004
12.02.2020 11:29:43	1	1	1	1	68.25	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.5625	2004
12.02.2020 11:29:44	1	1	1	1	68.25	60.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.8125	2004
12.02.2020 11:29:45	1	1	1	1	68.25	60.75	0	30000	453.7634409	13591.44402	30000	0	0	30000	40.6875	2004
12.02.2020 11:29:46	1	1	1	1	68.5	60.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.875	2004
12.02.2020 11:29:47	1	1	1	1	68.5	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.75	2004
12.02.2020 11:29:48	1	1	1	1	68.5	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	41	2004
12.02.2020 11:29:55	1	1	1	1	68.5	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.1875	2004
12.02.2020 11:29:55	1	1	1	1	68.5	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.1875	2004
12.02.2020 11:29:55	1	1	1	1	68.5	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.1875	2004
12.02.2020 11:29:55	1	1	1	1	68.5	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.1875	2004
12.02.2020 11:29:55	1	1	1	1	68.5	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.1875	2004
12.02.2020 11:29:56	1	1	1	1	68.5	61	0	30000	445.1612903	13633.84339	30000	0	0	30000	41.1875	2004
12.02.2020 11:29:57	1	1	1	1	68.5	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 11:29:58	1	1	1	1	68.5	60.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	40.6875	2004
12.02.2020 11:29:59	1	1	1	1	68.5	60.5	0	30000	460.2150538	13612.64371	30000	0	0	30000	40.8125	2004
12.02.2020 11:30:00	1	1	1	1	68.5	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.1875	2004
12.02.2020 11:30:01	1	1	1	1	68.5	60	0	30000	443.0107527	13225.34178	30000	0	0	30000	40.4375	2004
12.02.2020 11:30:02	1	1	1	1	68.5	60.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.8125	2004
12.02.2020 11:30:03	1	1	1	1	68.5	60.75	0	30000	449.4623656	13354.17063	30000	0	0	30000	41.5	2004
12.02.2020 11:30:04	1	1	1	1	68.5	61.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.75	2004
12.02.2020 11:30:05	1	1	1	1	68.5	60.75	0	30047.393	445.1612903	13269.37189	30000	0	0	30000	40.9375	2004
12.02.2020 11:30:06	1	1	1	1	68.5	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.625	2004
12.02.2020 11:30:07	1	1	1	1	68.5	60.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.25	2004
12.02.2020 11:30:08	1	1	1	1	68.5	61.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.6875	2004
12.02.2020 11:30:09	1	1	1	1	68.5	60.5	0	29952.607	451.6129032	13612.64371	30000	0	0	30000	41.0625	2004
12.02.2020 11:30:10	1	1	1	1	68.5	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.8125	2004
12.02.2020 11:30:11	1	1	1	1	68.5	60.75	0	30000	445.1612903	13333.78632	30000	0	0	30000	41.0625	2004
12.02.2020 11:30:12	1	1	1	1	68.5	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.5625	2004
12.02.2020 11:30:13	1	1	1	1	68.5	60.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.9375	2004
12.02.2020 11:30:14	1	1	1	1	68.5	60.75	0	30000	443.0107527	13354.17063	30000	0	0	30000	40.375	2004
12.02.2020 11:30:15	1	1	1	1	68.5	60.25	0	30000	445.1612903	13289.7562	30000	0	0	30000	41.1875	2004
12.02.2020 11:30:16	1	1	1	1	68.75	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.5625	2004
12.02.2020 11:30:17	1	1	1	1	68.75	60.5	0	30000	440.8602151	13354.17063	30000	0	0	30000	40.9375	2004
12.02.2020 11:30:18	1	1	1	1	68.75	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.0625	2004
12.02.2020 11:30:19	1	1	1	1	68.75	61	0	30000	453.7634409	13741.47256	30000	0	0	30000	40.875	2004
12.02.2020 11:30:20	1	1	1	1	68.75	60.75	0	29952.607	455.9139785	13591.44402	30000	0	0	30000	40.6875	2004
12.02.2020 11:30:21	1	1	1	1	68.75	60.5	0	30047.393	445.1612903	13354.17063	30000	0	0	30000	41.125	2004
12.02.2020 11:30:22	1	1	1	1	68.75	61	0	30000	445.1612903	13333.78632	30000	0	0	30000	40.5	2004
12.02.2020 11:30:23	1	1	1	1	68.75	60.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.125	2004
12.02.2020 11:30:24	1	1	1	1	68.75	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.0625	2004
12.02.2020 11:30:25	1	1	1	1	68.75	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.5625	2004
12.02.2020 11:30:26	1	1	1	1	68.5	60.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.6875	2004
12.02.2020 11:30:27	1	1	1	1	68.5	60.5	0	30000	453.7634409	13333.78632	30000	0	0	30000	41	2004
12.02.2020 11:30:28	1	1	1	1	68.5	61	0	30000	449.4623656	13548.22928	30000	0	0	30000	40.375	2004
12.02.2020 11:30:29	1	1	1	1	68.5	60.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.125	2004
12.02.2020 11:30:30	1	1	1	1	68.5	61	0	30000	445.1612903	13483.81486	30000	0	0	30000	41	2004
12.02.2020 11:30:32	1	1	1	1	68.5	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.3125	2004
12.02.2020 11:30:33	1	1	1	1	68.5	61.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.1875	2004
12.02.2020 11:30:34	1	1	1	1	68.5	60	0	30000	453.7634409	13354.17063	30000	0	0	30000	41.0625	2004
12.02.2020 11:30:35	1	1	1	1	68.5	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.125	2004
12.02.2020 11:30:36	1	1	1	1	68.5	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.125	2004
12.02.2020 11:30:37	1	1	1	1	68.5	61	0	30047.393	445.1612903	13375.37032	30000	0	0	30000	40.5625	2004
12.02.2020 11:30:38	1	1	1	1	68.5	60.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.9375	2004
12.02.2020 11:30:39	1	1	1	1	68.5	60.75	0	29952.607	443.0107527	13289.7562	30000	0	0	30000	40.6875	2004
12.02.2020 11:30:40	1	1	1	1	68.5	60.5	0	30000	443.0107527	13289.7562	30000	0	0	30000	40.875	2004
12.02.2020 11:30:41	1	1	1	1	68.5	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.375	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 11:30:42	1	1	1	1	68.5	61.25	0	30000	453.7634409	13612.64371	30000	0	0	30000	41.375	2004
12.02.2020 11:30:43	1	1	1	1	68.5	61.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.3125	2004
12.02.2020 11:30:44	1	1	1	1	68.5	61.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.125	2004
12.02.2020 11:30:45	1	1	1	1	68.5	60.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.0625	2004
12.02.2020 11:30:46	1	1	1	1	68.75	60	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.8125	2004
12.02.2020 11:30:47	1	1	1	1	68.75	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.5625	2004
12.02.2020 11:30:48	1	1	1	1	68.75	60.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	41	2004
12.02.2020 11:30:49	1	1	1	1	68.75	61	0	29905.213	440.8602151	13354.17063	30000	0	0	30000	41.0625	2004
12.02.2020 11:30:50	1	1	1	1	68.75	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.125	2004
12.02.2020 11:30:57	1	1	1	1	68.75	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.9375	2004
12.02.2020 11:30:57	1	1	1	1	68.75	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.9375	2004
12.02.2020 11:30:57	1	1	1	1	68.75	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.9375	2004
12.02.2020 11:30:57	1	1	1	1	68.75	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.9375	2004
12.02.2020 11:30:57	1	1	1	1	68.75	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.9375	2004
12.02.2020 11:30:57	1	1	1	1	68.75	60.75	0	30000	443.0107527	13354.17063	30000	0	0	30000	40.5625	2004
12.02.2020 11:30:58	1	1	1	1	68.75	60.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.6875	2004
12.02.2020 11:30:59	1	1	1	1	68.75	60.5	0	29952.607	445.1612903	13354.17063	30000	0	0	30000	40.9375	2004
12.02.2020 11:31:00	1	1	1	1	68.75	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.625	2004
12.02.2020 11:31:01	1	1	1	1	68.75	60.5	0	30000	449.4623656	13269.37189	30000	0	0	30000	41.0625	2004
12.02.2020 11:31:02	1	1	1	1	68.75	61	0	30000	451.6129032	13612.64371	30000	0	0	30000	41.125	2004
12.02.2020 11:31:03	1	1	1	1	68.75	61	0	30000	451.6129032	13483.81486	30000	0	0	30000	41.0625	2004
12.02.2020 11:31:04	1	1	1	1	68.75	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.6875	2004
12.02.2020 11:31:05	1	1	1	1	68.75	60.5	0	30000	443.0107527	13354.17063	30000	0	0	30000	40.6875	2004
12.02.2020 11:31:06	1	1	1	1	68.5	60.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.375	2004
12.02.2020 11:31:07	1	1	1	1	68.5	60.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	41	2004
12.02.2020 11:31:08	1	1	1	1	68.5	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.9375	2004
12.02.2020 11:31:09	1	1	1	1	68.5	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.0625	2004
12.02.2020 11:31:10	1	1	1	1	68.5	61	0	30000	440.8602151	13225.34178	30000	0	0	30000	40.9375	2004
12.02.2020 11:31:12	1	1	1	1	68.5	60.75	0	29905.213	443.0107527	13289.7562	30000	0	0	30000	41.125	2004
12.02.2020 11:31:13	1	1	1	1	68.5	61	0	30000	445.1612903	13333.78632	30000	0	0	30000	41.1875	2004
12.02.2020 11:31:14	1	1	1	1	68.5	61	0	30000	443.0107527	13269.37189	30000	0	0	30000	40.9375	2004
12.02.2020 11:31:15	1	1	1	1	68.5	60.75	0	30000	445.1612903	13333.78632	30000	0	0	30000	41.125	2004
12.02.2020 11:31:16	1	1	1	1	68.5	61	0	30000	445.1612903	13289.7562	30000	0	0	30000	41	2004
12.02.2020 11:31:17	1	1	1	1	68.75	61	0	30000	445.1612903	13269.37189	30000	0	0	30000	40.375	2004
12.02.2020 11:31:18	1	1	1	1	68.75	60.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.0625	2004
12.02.2020 11:31:19	1	1	1	1	68.75	61	0	30000	445.1612903	13375.37032	30000	0	0	30000	41.25	2004
12.02.2020 11:31:20	1	1	1	1	68.75	61.25	0	30000	432.2580645	12967.68407	30000	0	0	30000	41.3125	2004
12.02.2020 11:31:21	1	1	1	1	68.75	61.25	0	30000	436.5591398	13160.92735	30000	0	0	30000	41.4375	2004
12.02.2020 11:31:22	1	1	1	1	68.75	61.25	0	30000	434.4086022	12967.68407	30000	0	0	30000	41.3125	2004
12.02.2020 11:31:23	1	1	1	1	68.75	61.25	0	30000	432.2580645	13032.0985	30000	0	0	30000	41.4375	2004
12.02.2020 11:31:24	1	1	1	1	68.75	61.25	0	30000	436.5591398	13096.51292	30000	0	0	30000	40.75	2004
12.02.2020 11:31:25	1	1	1	1	68.75	61.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 11:31:26	1	1	1	1	68.5	61	0	30000	427.9569892	12838.03984	30000	0	0	30000	40.9375	2004
12.02.2020 11:31:27	1	1	1	1	68.5	60.75	0	30000	434.4086022	12967.68407	30000	0	0	30000	40.75	2004
12.02.2020 11:31:28	1	1	1	1	68.5	60.75	0	30000	438.7096774	12818.4709	30000	0	0	30000	40.5625	2004
12.02.2020 11:31:29	1	1	1	1	68.5	60.5	0	30000	438.7096774	13160.92735	30000	0	0	30000	40.8125	2004
12.02.2020 11:31:30	1	1	1	1	68.5	60.75	0	30000	443.0107527	13225.34178	30000	0	0	30000	41.125	2004
12.02.2020 11:31:31	1	1	1	1	68.5	61	0	30000	443.0107527	13289.7562	30000	0	0	30000	40.9375	2004
12.02.2020 11:31:32	1	1	1	1	68.5	60.75	0	30000	432.2580645	13032.0985	30000	0	0	30000	41.0625	2004
12.02.2020 11:31:33	1	1	1	1	68.5	61	0	30000	432.2580645	12798.08659	30000	0	0	30000	40.25	2004
12.02.2020 11:31:34	1	1	1	1	68.5	60.25	0	30000	432.2580645	12967.68407	30000	0	0	30000	40.8125	2004
12.02.2020 11:31:35	1	1	1	1	68.5	60.75	0	30000	432.2580645	12967.68407	30000	0	0	30000	41.25	2004
12.02.2020 11:31:36	1	1	1	1	68.25	61.25	0	30000	427.9569892	12858.42416	30000	0	0	30000	41.0625	2004
12.02.2020 11:31:37	1	1	1	1	68.25	61	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.1875	2004
12.02.2020 11:31:38	1	1	1	1	68.25	61	0	30000	427.9569892	12838.03984	30000	0	0	30000	40.6875	2004
12.02.2020 11:31:39	1	1	1	1	68.25	60.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.0625	2004
12.02.2020 11:31:40	1	1	1	1	68.25	61	0	30000	427.9569892	12838.03984	30000	0	0	30000	40.5	2004
12.02.2020 11:31:41	1	1	1	1	68.25	60.5	0	30000	434.4086022	13096.51292	30000	0	0	30000	40.1875	2004
12.02.2020 11:31:42	1	1	1	1	68.25	60	0	30000	438.7096774	13225.34178	30000	0	0	30000	40.875	2004
12.02.2020 11:31:43	1	1	1	1	68.25	60.75	0	30000	432.2580645	12967.68407	30000	0	0	30000	41	2004
12.02.2020 11:31:44	1	1	1	1	68.25	61	0	30000	436.5591398	13096.51292	30000	0	0	30000	40.625	2004
12.02.2020 11:31:45	1	1	1	1	68.25	60.5	0	30094.787	438.7096774	12838.03984	30000	0	0	30000	41	2004
12.02.2020 11:31:46	1	1	1	1	68.25	61	0	30000	427.9569892	12838.03984	30000	0	0	30000	40.625	2004
12.02.2020 11:31:47	1	1	1	1	68.25	60.5	0	30000	434.4086022	12947.29976	30000	0	0	30000	40.5625	2004
12.02.2020 11:31:48	1	1	1	1	68.25	60.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.25	2004
12.02.2020 11:31:50	1	1	1	1	68.25	61.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.25	2004
12.02.2020 11:31:51	1	1	1	1	68.25	61.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	40.625	2004
12.02.2020 11:31:52	1	1	1	1	68.25	60.5	0	30000	434.4086022	12967.68407	30000	0	0	30000	40.4375	2004
12.02.2020 11:31:59	1	1	1	1	68.5	60.75	0	30000	434.4086022	13096.51292	30000	0	0	30000	40.9375	2004
12.02.2020 11:31:59	1	1	1	1	68.5	60.75	0	30000	434.4086022	13096.51292	30000	0	0	30000	40.9375	2004
12.02.2020 11:31:59	1	1	1	1	68.5	60.75	0	30000	434.4086022	13096.51292	30000	0	0	30000	40.9375	2004
12.02.2020 11:31:59	1	1	1	1	68.5	60.75	0	30000	434.4086022	13096.51292	30000	0	0	30000	40.9375	2004
12.02.2020 11:31:59	1	1	1	1	68.5	60.75	0	30000	434.4086022	13096.51292	30000	0	0	30000	40.9375	2004
12.02.2020 11:31:59	1	1	1	1	68.5	60.75	0	30000	438.7096774	12967.68407	30000	0	0	30000	40.5625	2004
12.02.2020 11:32:00	1	1	1	1	68.5	60.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	40.6875	2004
12.02.2020 11:32:01	1	1	1	1	68.5	60.5	0	30000	434.4086022	12967.68407	30000	0	0	30000	41	2004
12.02.2020 11:32:02	1	1	1	1	68.5	61	0	30000	438.7096774	13096.51292	30000	0	0	30000	41.25	2004
12.02.2020 11:32:03	1	1	1	1	68.5	61.25	0	30000	438.7096774	13160.92735	30000	0	0	30000	40.875	2004
12.02.2020 11:32:04	1	1	1	1	68.5	60.75	0	30000	438.7096774	13160.92735	30000	0	0	30000	40.125	2004
12.02.2020 11:32:05	1	1	1	1	68.5	61.5	0	30047.393	440.8602151	12967.68407	30000	0	0	30000	40.75	2004
12.02.2020 11:32:06	1	1	1	1	68.75	60.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.125	2004
12.02.2020 11:32:07	1	1	1	1	68.75	61	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.25	2004
12.02.2020 11:32:08	1	1	1	1	68.75	61.25	0	29952.607	427.9569892	12838.03984	30000	0	0	30000	40.625	2004
12.02.2020 11:32:09	1	1	1	1	68.75	60.5	0	30000	432.2580645	12838.03984	30000	0	0	30000	40.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 11:32:10	1	1	1	1	68.75	60.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.3125	2004
12.02.2020 11:32:11	1	1	1	1	68.75	61.25	0	30000	432.2580645	12967.68407	30000	0	0	30000	40.4375	2004
12.02.2020 11:32:12	1	1	1	1	68.75	60.25	0	30000	432.2580645	12967.68407	30000	0	0	30000	40.375	2004
12.02.2020 11:32:13	1	1	1	1	68.75	60.25	0	30000	438.7096774	13160.92735	30000	0	0	30000	40.875	2004
12.02.2020 11:32:14	1	1	1	1	68.75	60.75	0	30000	438.7096774	13160.92735	30000	0	0	30000	40.8125	2004
12.02.2020 11:32:15	1	1	1	1	68.75	60.75	0	29952.607	438.7096774	13160.92735	30000	0	0	30000	41.0625	2004
12.02.2020 11:32:16	1	1	1	1	68.75	61	0	30000	432.2580645	13096.51292	30000	0	0	30000	40.8125	2004
12.02.2020 11:32:17	1	1	1	1	68.75	60.75	0	30000	438.7096774	13160.92735	30000	0	0	30000	41.0625	2004
12.02.2020 11:32:18	1	1	1	1	68.75	61	0	30000	432.2580645	12838.03984	30000	0	0	30000	41	2004
12.02.2020 11:32:19	1	1	1	1	68.75	61	0	30000	427.9569892	12967.68407	30000	0	0	30000	41.1875	2004
12.02.2020 11:32:20	1	1	1	1	68.75	61	0	30000	432.2580645	12838.03984	30000	0	0	30000	40.625	2004
12.02.2020 11:32:21	1	1	1	1	68.75	60.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	40.5625	2004
12.02.2020 11:32:22	1	1	1	1	68.75	60.5	0	30000	425.8064516	12838.03984	30000	0	0	30000	40.4375	2004
12.02.2020 11:32:23	1	1	1	1	68.75	60.25	0	30000	427.9569892	12818.4709	30000	0	0	30000	41.125	2004
12.02.2020 11:32:24	1	1	1	1	68.75	61	0	29952.607	427.9569892	12838.03984	30000	0	0	30000	40.625	2004
12.02.2020 11:32:25	1	1	1	1	68.75	60.5	0	30000	432.2580645	12838.03984	30000	0	0	30000	41.0625	2004
12.02.2020 11:32:26	1	1	1	1	68.75	61	0	30000	434.4086022	13032.0985	30000	0	0	30000	40.6875	2004
12.02.2020 11:32:27	1	1	1	1	68.75	60.5	0	30000	432.2580645	12798.08659	30000	0	0	30000	40.25	2004
12.02.2020 11:32:28	1	1	1	1	68.75	60.25	0	30000	443.0107527	13289.7562	30000	0	0	30000	41.0625	2004
12.02.2020 11:32:30	1	1	1	1	68.75	61	0	30000	434.4086022	12967.68407	30000	0	0	30000	40.0625	2004
12.02.2020 11:32:31	1	1	1	1	68.75	60	0	29952.607	427.9569892	12967.68407	30000	0	0	30000	41	2004
12.02.2020 11:32:32	1	1	1	1	68.75	61	0	30000	438.7096774	12818.4709	30000	0	0	30000	39.625	2004
12.02.2020 11:32:33	1	1	1	1	68.75	59.5	0	30000	434.4086022	13096.51292	30000	0	0	30000	41.125	2004
12.02.2020 11:32:34	1	1	1	1	68.75	61	0	30000	434.4086022	12967.68407	30000	0	0	30000	41.25	2004
12.02.2020 11:32:35	1	1	1	1	68.75	61.25	0	30000	432.2580645	12838.03984	30000	0	0	30000	41.125	2004
12.02.2020 11:32:36	1	1	1	1	68.75	61	0	30000	432.2580645	12967.68407	30000	0	0	30000	40.875	2004
12.02.2020 11:32:37	1	1	1	1	68.75	60.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.1875	2004
12.02.2020 11:32:38	1	1	1	1	68.75	61	0	30000	438.7096774	12818.4709	30000	0	0	30000	40.5625	2004
12.02.2020 11:32:39	1	1	1	1	68.75	60.5	0	30000	434.4086022	13160.92735	30000	0	0	30000	41.4375	2004
12.02.2020 11:32:40	1	1	1	1	68.75	61.25	0	30000	438.7096774	13160.92735	30000	0	0	30000	41	2004
12.02.2020 11:32:41	1	1	1	1	68.75	61.25	0	30000	438.7096774	13182.12704	30000	0	0	30000	40.125	2004
12.02.2020 11:32:42	1	1	1	1	68.75	60	0	30000	436.5591398	13160.92735	30000	0	0	30000	41.25	2004
12.02.2020 11:32:43	1	1	1	1	68.75	61.25	0	30000	438.7096774	13011.71418	30000	0	0	30000	41.0625	2004
12.02.2020 11:32:44	1	1	1	1	68.75	61	0	30000	438.7096774	12926.10007	30000	0	0	30000	40.6875	2004
12.02.2020 11:32:45	1	1	1	1	68.75	60.5	0	30000	443.0107527	13140.54304	30000	0	0	30000	41.25	2004
12.02.2020 11:32:46	1	1	1	1	68.75	61.25	0	30000	438.7096774	13225.34178	30000	0	0	30000	41.25	2004
12.02.2020 11:32:47	1	1	1	1	68.75	61.25	0	29905.213	432.2580645	13225.34178	30000	0	0	30000	41.125	2004
12.02.2020 11:32:48	1	1	1	1	68.75	61	0	30000	432.2580645	12967.68407	30000	0	0	30000	40.5625	2004
12.02.2020 11:32:49	1	1	1	1	68.75	60.5	0	30000	438.7096774	13096.51292	30000	0	0	30000	41.125	2004
12.02.2020 11:32:50	1	1	1	1	68.75	61	0	30000	438.7096774	12947.29976	30000	0	0	30000	40.3125	2004
12.02.2020 11:32:51	1	1	1	1	68.75	60.25	0	30000	438.7096774	13160.92735	30000	0	0	30000	41.1875	2004
12.02.2020 11:32:52	1	1	1	1	68.75	61	0	30000	438.7096774	13160.92735	30000	0	0	30000	41.125	2004
12.02.2020 11:32:53	1	1	1	1	68.75	61	0	30000	440.8602151	13160.92735	30000	0	0	30000	41.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 11:33:00	1	1	1	1	68.5	60.75	0	30000	443.0107527	13289.7562	30000	0	0	30000	41.1875	2004
12.02.2020 11:33:00	1	1	1	1	68.5	60.75	0	30000	443.0107527	13289.7562	30000	0	0	30000	41.1875	2004
12.02.2020 11:33:00	1	1	1	1	68.5	60.75	0	30000	443.0107527	13289.7562	30000	0	0	30000	41.1875	2004
12.02.2020 11:33:00	1	1	1	1	68.5	60.75	0	30000	443.0107527	13289.7562	30000	0	0	30000	41.1875	2004
12.02.2020 11:33:00	1	1	1	1	68.5	60.75	0	30000	443.0107527	13289.7562	30000	0	0	30000	41.1875	2004
12.02.2020 11:33:00	1	1	1	1	68.5	60.75	0	30000	443.0107527	13289.7562	30000	0	0	30000	41.1875	2004
12.02.2020 11:33:00	1	1	1	1	68.5	61	0	30000	443.0107527	13289.7562	30000	0	0	30000	40.9375	2004
12.02.2020 11:33:01	1	1	1	1	68.5	60.75	0	30000	443.0107527	13225.34178	30000	0	0	30000	40.75	2004
12.02.2020 11:33:02	1	1	1	1	68.5	60.75	0	30000	438.7096774	13225.34178	30000	0	0	30000	40.8125	2004
12.02.2020 11:33:03	1	1	1	1	68.5	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.9375	2004
12.02.2020 11:33:04	1	1	1	1	68.5	60.75	0	30000	440.8602151	13225.34178	30000	0	0	30000	41	2004
12.02.2020 11:33:05	1	1	1	1	68.5	61	0	30000	440.8602151	13289.7562	30000	0	0	30000	41.0625	2004
12.02.2020 11:33:06	1	1	1	1	68.5	61	0	29952.607	445.1612903	13354.17063	30000	0	0	30000	40.8125	2004
12.02.2020 11:33:08	1	1	1	1	68.5	60.75	0	30000	440.8602151	13289.7562	30000	0	0	30000	40.75	2004
12.02.2020 11:33:09	1	1	1	1	68.5	60.75	0	30000	443.0107527	13225.34178	30000	0	0	30000	41.125	2004
12.02.2020 11:33:10	1	1	1	1	68.5	61	0	30000	443.0107527	13289.7562	30000	0	0	30000	41.125	2004
12.02.2020 11:33:11	1	1	1	1	68.5	61	0	30000	440.8602151	13225.34178	30000	0	0	30000	41.1875	2004
12.02.2020 11:33:12	1	1	1	1	68.5	61	0	30094.787	445.1612903	13354.17063	30000	0	0	30000	41.0625	2004
12.02.2020 11:33:13	1	1	1	1	68.5	61	0	29952.607	438.7096774	13289.7562	30000	0	0	30000	41.0625	2004
12.02.2020 11:33:14	1	1	1	1	68.5	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.125	2004
12.02.2020 11:33:15	1	1	1	1	68.5	61	0	29952.607	427.9569892	13160.92735	30000	0	0	30000	41.0625	2004
12.02.2020 11:33:16	1	1	1	1	68.5	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.5625	2004
12.02.2020 11:33:17	1	1	1	1	68.5	60.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.9375	2004
12.02.2020 11:33:18	1	1	1	1	68.5	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.5625	2004
12.02.2020 11:33:19	1	1	1	1	68.5	60.5	0	29952.607	445.1612903	13354.17063	30000	0	0	30000	41.25	2004
12.02.2020 11:33:20	1	1	1	1	68.5	61.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.25	2004
12.02.2020 11:33:21	1	1	1	1	68.5	61.25	0	30000	443.0107527	13289.7562	30000	0	0	30000	40.4375	2004
12.02.2020 11:33:22	1	1	1	1	68.5	60.75	0	30000	443.0107527	13225.34178	30000	0	0	30000	41	2004
12.02.2020 11:33:23	1	1	1	1	68.5	61	0	30000	438.7096774	13225.34178	30000	0	0	30000	41.1875	2004
12.02.2020 11:33:24	1	1	1	1	68.5	61	0	30000	440.8602151	13225.34178	30000	0	0	30000	40.75	2004
12.02.2020 11:33:25	1	1	1	1	68.5	60.75	0	30000	438.7096774	13160.92735	30000	0	0	30000	41.125	2004
12.02.2020 11:33:26	1	1	1	1	68.5	61	0	30000	432.2580645	12967.68407	30000	0	0	30000	40.8125	2004
12.02.2020 11:33:27	1	1	1	1	68.5	60.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	40.75	2004
12.02.2020 11:33:28	1	1	1	1	68.5	60.75	0	30000	436.5591398	13160.92735	30000	0	0	30000	40.6875	2004
12.02.2020 11:33:29	1	1	1	1	68.5	60.5	0	30000	438.7096774	13225.34178	30000	0	0	30000	41.1875	2004
12.02.2020 11:33:30	1	1	1	1	68.5	61	0	30000	438.7096774	13160.92735	30000	0	0	30000	40.25	2004
12.02.2020 11:33:31	1	1	1	1	68.5	60.25	0	29952.607	438.7096774	13160.92735	30000	0	0	30000	40.875	2004
12.02.2020 11:33:32	1	1	1	1	68.5	60.75	0	30000	438.7096774	13160.92735	30000	0	0	30000	41.3125	2004
12.02.2020 11:33:33	1	1	1	1	68.5	61.25	0	30000	438.7096774	13225.34178	30000	0	0	30000	41.0625	2004
12.02.2020 11:33:34	1	1	1	1	68.5	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.25	2004
12.02.2020 11:33:35	1	1	1	1	68.5	61.25	0	30000	445.1612903	13204.95746	30000	0	0	30000	40.25	2004
12.02.2020 11:33:36	1	1	1	1	68.25	60.25	0	29952.607	438.7096774	13160.92735	30000	0	0	30000	41.0625	2004
12.02.2020 11:33:37	1	1	1	1	68.25	61	0	30000	438.7096774	13289.7562	30000	0	0	30000	41.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 11:33:38	1	1	1	1	68.25	61	0	30000	440.8602151	13289.7562	30000	0	0	30000	40.8125	2004
12.02.2020 11:33:39	1	1	1	1	68.25	60.75	0	29905.213	440.8602151	13225.34178	30000	0	0	30000	40.4375	2004
12.02.2020 11:33:40	1	1	1	1	68.25	60.25	0	30000	438.7096774	13140.54304	30000	0	0	30000	41.125	2004
12.02.2020 11:33:41	1	1	1	1	68.25	61	0	30000	438.7096774	13354.17063	30000	0	0	30000	40.6875	2004
12.02.2020 11:33:42	1	1	1	1	68.25	60.5	0	30000	440.8602151	13160.92735	30000	0	0	30000	41	2004
12.02.2020 11:33:43	1	1	1	1	68.25	61	0	30000	440.8602151	13225.34178	30000	0	0	30000	40.8125	2004
12.02.2020 11:33:45	1	1	1	1	68.25	60.75	0	29905.213	427.9569892	13160.92735	30000	0	0	30000	40.375	2004
12.02.2020 11:33:46	1	1	1	1	68.25	60.25	0	30000	438.7096774	13160.92735	30000	0	0	30000	41.125	2004
12.02.2020 11:33:47	1	1	1	1	68.25	61	0	30000	440.8602151	13225.34178	30000	0	0	30000	40.9375	2004
12.02.2020 11:33:48	1	1	1	1	68.25	60.75	0	30000	438.7096774	13225.34178	30000	0	0	30000	41.1875	2004
12.02.2020 11:33:49	1	1	1	1	68.25	61	0	29952.607	434.4086022	13225.34178	30000	0	0	30000	40.6875	2004
12.02.2020 11:33:50	1	1	1	1	68.25	60.5	0	29952.607	436.5591398	13225.34178	30000	0	0	30000	40.8125	2004
12.02.2020 11:33:51	1	1	1	1	68.25	60.75	0	30000	443.0107527	13225.34178	30000	0	0	30000	40.8125	2004
12.02.2020 11:33:52	1	1	1	1	68.25	60.75	0	30000	443.0107527	13289.7562	30000	0	0	30000	40.5625	2004
12.02.2020 11:33:53	1	1	1	1	68.25	60.5	0	30000	438.7096774	13225.34178	30000	0	0	30000	40.875	2004
12.02.2020 11:33:54	1	1	1	1	68.25	60.75	0	30047.393	445.1612903	13160.92735	30000	0	0	30000	41.25	2004
12.02.2020 11:33:55	1	1	1	1	68.25	61.25	0	30000	443.0107527	13289.7562	30000	0	0	30000	41.5	2004
12.02.2020 11:34:02	1	1	1	1	68.75	61.25	0	30000	438.7096774	13396.57	30000	0	0	30000	40.375	2004
12.02.2020 11:34:02	1	1	1	1	68.75	61.25	0	30000	438.7096774	13396.57	30000	0	0	30000	40.375	2004
12.02.2020 11:34:02	1	1	1	1	68.75	61.25	0	30000	438.7096774	13396.57	30000	0	0	30000	40.375	2004
12.02.2020 11:34:02	1	1	1	1	68.75	61.25	0	30000	438.7096774	13396.57	30000	0	0	30000	40.375	2004
12.02.2020 11:34:02	1	1	1	1	68.75	61.25	0	30000	438.7096774	13396.57	30000	0	0	30000	40.375	2004
12.02.2020 11:34:02	1	1	1	1	68.75	61.25	0	30000	438.7096774	13396.57	30000	0	0	30000	40.375	2004
12.02.2020 11:34:02	1	1	1	1	68.75	60.25	0	30000	438.7096774	13160.92735	30000	0	0	30000	41.0625	2004
12.02.2020 11:34:03	1	1	1	1	68.75	61	0	30000	438.7096774	13160.92735	30000	0	0	30000	40.75	2004
12.02.2020 11:34:04	1	1	1	1	68.75	60.75	0	30047.393	438.7096774	13225.34178	30000	0	0	30000	41.125	2004
12.02.2020 11:34:05	1	1	1	1	68.75	61	0	30000	438.7096774	13160.92735	30000	0	0	30000	40.6875	2004
12.02.2020 11:34:06	1	1	1	1	68.25	60.5	0	30000	436.5591398	13160.92735	30000	0	0	30000	40.75	2004
12.02.2020 11:34:07	1	1	1	1	68.25	60.75	0	30000	436.5591398	12967.68407	30000	0	0	30000	41.375	2004
12.02.2020 11:34:08	1	1	1	1	68.25	61.25	0	30000	438.7096774	13096.51292	30000	0	0	30000	41.1875	2004
12.02.2020 11:34:09	1	1	1	1	68.25	61	0	30000	445.1612903	13225.34178	30000	0	0	30000	41	2004
12.02.2020 11:34:10	1	1	1	1	68.25	61	0	30000	443.0107527	13354.17063	30000	0	0	30000	40.5625	2004
12.02.2020 11:34:11	1	1	1	1	68.25	60.5	0	30000	445.1612903	13225.34178	30000	0	0	30000	41.25	2004
12.02.2020 11:34:12	1	1	1	1	68.25	61.25	0	30000	443.0107527	13225.34178	30000	0	0	30000	41.3125	2004
12.02.2020 11:34:13	1	1	1	1	68.25	61.25	0	30000	438.7096774	13225.34178	30000	0	0	30000	41.0625	2004
12.02.2020 11:34:14	1	1	1	1	68.25	61	0	30000	443.0107527	13354.17063	30000	0	0	30000	41.125	2004
12.02.2020 11:34:15	1	1	1	1	68.25	61	0	30000	440.8602151	13160.92735	30000	0	0	30000	41.1875	2004
12.02.2020 11:34:16	1	1	1	1	68.75	61	0	30000	440.8602151	13160.92735	30000	0	0	30000	41.125	2004
12.02.2020 11:34:17	1	1	1	1	68.75	61	0	30000	440.8602151	13225.34178	30000	0	0	30000	41.1875	2004
12.02.2020 11:34:18	1	1	1	1	68.75	61	0	30000	438.7096774	13160.92735	30000	0	0	30000	39.875	2004
12.02.2020 11:34:19	1	1	1	1	68.75	59.75	0	30000	434.4086022	12967.68407	30000	0	0	30000	40.8125	2004
12.02.2020 11:34:20	1	1	1	1	68.75	60.75	0	30000	432.2580645	13032.0985	30000	0	0	30000	41.3125	2004
12.02.2020 11:34:21	1	1	1	1	68.75	61.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	41	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 11:34:22	1	1	1	1	68.75	61	0	29952.607	369.8924731	11354.87729	30000	0	0	30000	40.9375	2004
12.02.2020 11:34:23	1	1	1	1	68.75	60.75	0	29905.213	535.483871	16039.19224	30000	0	0	30000	41.125	2004
12.02.2020 11:34:25	1	1	1	1	68.75	61	0	30000	417.2043011	12387.13886	30000	0	0	30000	40.9375	2004
12.02.2020 11:34:26	1	1	1	1	68.75	60.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	41.0625	2004
12.02.2020 11:34:27	1	1	1	1	68.75	61	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	40.75	2004
12.02.2020 11:34:28	1	1	1	1	68.75	60.75	0	30000	427.9569892	12967.68407	30000	0	0	30000	41.0625	2004
12.02.2020 11:34:29	1	1	1	1	68.75	61	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	41.125	2004
12.02.2020 11:34:30	1	1	1	1	68.75	61	0	29952.607	509.6774194	15330.63354	30000	0	0	30000	40.875	2004
12.02.2020 11:34:31	1	1	1	1	68.75	60.75	0	30000	488.172043	14644.90528	30000	0	0	30000	41.0625	2004
12.02.2020 11:34:32	1	1	1	1	68.75	61	0	30000	313.9784946	9354.76857	30000	0	0	30000	41.25	2004
12.02.2020 11:34:33	1	1	1	1	68.75	61.25	0	30000	313.9784946	9483.597423	30000	0	0	30000	40.8125	2004
12.02.2020 11:34:34	1	1	1	1	68.75	60.75	0	30047.393	309.6774194	9225.124344	30000	0	0	30000	41.25	2004
12.02.2020 11:34:35	1	1	1	1	68.75	61.25	0	30000	288.172043	8580.164705	30000	0	0	30000	41.5625	2004
12.02.2020 11:34:36	1	1	1	1	68.75	61.5	0	30000	264.516129	7935.205066	30000	0	0	30000	41.5	2004
12.02.2020 11:34:37	1	1	1	1	77	61.5	0	30000	206.4516129	6203.353899	30000	0	0	30000	41.0625	2004
12.02.2020 11:34:38	1	1	1	1	77	61	0	29952.607	236.5591398	7225.831	30000	0	0	30000	41.5	2004
12.02.2020 11:34:39	1	1	1	1	77	61	0	30047.393	275.2688172	8192.862773	30000	0	0	30000	41.25	2004
12.02.2020 11:34:40	1	1	1	1	77	61.25	0	30000	262.3655914	7806.376213	30000	0	0	30000	41.375	2004
12.02.2020 11:34:41	1	1	1	1	77	61.25	0	29905.213	253.7634409	7588.671758	30000	0	0	30000	41.3125	2004
12.02.2020 11:34:42	1	1	1	1	77	61.25	0	30000	189.2473118	5741.85307	30000	0	0	30000	41.25	2004
12.02.2020 11:34:43	1	1	1	1	77	61.25	0	30000	253.7634409	7612.31756	30000	0	0	30000	40.5	2004
12.02.2020 11:34:44	1	1	1	1	77	60.5	0	30000	221.5053763	6644.470416	30000	0	0	30000	40.4375	2004
12.02.2020 11:34:45	1	1	1	1	77	60.25	0	30000	212.9032258	6386.812709	30000	0	0	30000	41.125	2004
12.02.2020 11:34:46	1	1	1	1	75.75	61	0	30000	206.4516129	6193.569429	30000	0	0	30000	41.125	2004
12.02.2020 11:34:47	1	1	1	1	75.75	61	0	30000	206.4516129	6193.569429	30000	0	0	30000	41.25	2004
12.02.2020 11:34:48	1	1	1	1	75.75	61.25	0	30000	178.4946237	5483.379991	30000	0	0	30000	41.25	2004
12.02.2020 11:34:49	1	1	1	1	75.75	61.25	0	30000	178.4946237	5354.551137	30000	0	0	30000	41.3125	2004
12.02.2020 11:34:50	1	1	1	1	75.75	61.25	0	30000	311.827957	9354.76857	30000	0	0	30000	41.25	2004
12.02.2020 11:34:51	1	1	1	1	75.75	61.25	0	30047.393	367.7419355	10773.5167	30000	0	0	30000	41.0625	2004
12.02.2020 11:34:52	1	1	1	1	75.75	61	0	30000	389.2473118	11676.94942	30000	0	0	30000	40.125	2004
12.02.2020 11:34:53	1	1	1	1	75.75	60	0	30000	391.3978495	11741.36385	30000	0	0	30000	41.25	2004
12.02.2020 11:34:54	1	1	1	1	75.75	61.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.25	2004
12.02.2020 11:34:55	1	1	1	1	75.75	61.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.25	2004
12.02.2020 11:34:56	1	1	1	1	74.25	61.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.3125	2004
12.02.2020 11:35:03	1	1	1	1	74.25	61	0	30047.393	425.8064516	12367.56992	30000	0	0	30000	40.9375	2004
12.02.2020 11:35:03	1	1	1	1	74.25	61	0	30047.393	425.8064516	12367.56992	30000	0	0	30000	40.9375	2004
12.02.2020 11:35:03	1	1	1	1	74.25	61	0	30047.393	425.8064516	12367.56992	30000	0	0	30000	40.9375	2004
12.02.2020 11:35:03	1	1	1	1	74.25	61	0	30047.393	425.8064516	12367.56992	30000	0	0	30000	40.9375	2004
12.02.2020 11:35:03	1	1	1	1	74.25	61	0	30047.393	425.8064516	12367.56992	30000	0	0	30000	40.9375	2004
12.02.2020 11:35:03	1	1	1	1	74.25	61	0	30047.393	425.8064516	12367.56992	30000	0	0	30000	40.9375	2004
12.02.2020 11:35:04	1	1	1	1	74.25	60.75	0	30000	415.0537634	12471.12222	30000	0	0	30000	41.0625	2004
12.02.2020 11:35:05	1	1	1	1	74.25	61	0	30000	415.0537634	12451.55328	30000	0	0	30000	41.1875	2004
12.02.2020 11:35:06	1	1	1	1	74.25	61	0	30000	412.9032258	12387.13886	30000	0	0	30000	40.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 11:35:07	1	1	1	1	72.25	60.5	0	30000	417.2043011	12451.55328	30000	0	0	30000	41.0625	2004
12.02.2020 11:35:08	1	1	1	1	72.25	61	0	30000	419.3548387	12580.38214	30000	0	0	30000	41.3125	2004
12.02.2020 11:35:09	1	1	1	1	72.25	61.25	0	30000	417.2043011	12451.55328	30000	0	0	30000	41.125	2004
12.02.2020 11:35:10	1	1	1	1	72.25	61	0	30000	419.3548387	12709.21099	30000	0	0	30000	41.0625	2004
12.02.2020 11:35:11	1	1	1	1	72.25	61	0	30000	419.3548387	12580.38214	30000	0	0	30000	41.1875	2004
12.02.2020 11:35:12	1	1	1	1	72.25	61	0	29952.607	412.9032258	12878.80847	30000	0	0	30000	41.25	2004
12.02.2020 11:35:13	1	1	1	1	72.25	61.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	41.25	2004
12.02.2020 11:35:14	1	1	1	1	72.25	61.25	0	30000	423.655914	12709.21099	30000	0	0	30000	41.4375	2004
12.02.2020 11:35:15	1	1	1	1	72.25	61.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.4375	2004
12.02.2020 11:35:16	1	1	1	1	72.25	61.25	0	30000	432.2580645	12838.03984	30000	0	0	30000	41.125	2004
12.02.2020 11:35:17	1	1	1	1	72	60.5	0	30000	434.4086022	13096.51292	30000	0	0	30000	41	2004
12.02.2020 11:35:18	1	1	1	1	72	61	0	30000	427.9569892	12967.68407	30000	0	0	30000	40.5625	2004
12.02.2020 11:35:19	1	1	1	1	72	60.5	0	30000	432.2580645	12838.03984	30000	0	0	30000	41.0625	2004
12.02.2020 11:35:20	1	1	1	1	72	61	0	30000	432.2580645	12967.68407	30000	0	0	30000	41.125	2004
12.02.2020 11:35:21	1	1	1	1	72	61	0	30000	438.7096774	13096.51292	30000	0	0	30000	41.125	2004
12.02.2020 11:35:22	1	1	1	1	72	61	0	30000	438.7096774	13225.34178	30000	0	0	30000	41.125	2004
12.02.2020 11:35:23	1	1	1	1	72	61	0	30000	438.7096774	13096.51292	30000	0	0	30000	41.25	2004
12.02.2020 11:35:24	1	1	1	1	72	61.25	0	30000	440.8602151	13225.34178	30000	0	0	30000	41.125	2004
12.02.2020 11:35:25	1	1	1	1	72	61	0	30000	438.7096774	13225.34178	30000	0	0	30000	41.1875	2004
12.02.2020 11:35:26	1	1	1	1	71.5	61	0	30000	440.8602151	13225.34178	30000	0	0	30000	40.6875	2004
12.02.2020 11:35:27	1	1	1	1	71.5	60.5	0	30000	443.0107527	13289.7562	30000	0	0	30000	40.5625	2004
12.02.2020 11:35:28	1	1	1	1	71.5	60.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.1875	2004
12.02.2020 11:35:29	1	1	1	1	71.5	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.3125	2004
12.02.2020 11:35:30	1	1	1	1	71.5	61.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.1875	2004
12.02.2020 11:35:31	1	1	1	1	71.5	61	0	29952.607	445.1612903	13354.17063	30000	0	0	30000	40.875	2004
12.02.2020 11:35:32	1	1	1	1	71.5	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.1875	2004
12.02.2020 11:35:33	1	1	1	1	71.5	61	0	29952.607	443.0107527	13354.17063	30000	0	0	30000	41	2004
12.02.2020 11:35:34	1	1	1	1	71.5	61	0	30047.393	449.4623656	13354.17063	30000	0	0	30000	41.0625	2004
12.02.2020 11:35:35	1	1	1	1	71.5	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.0625	2004
12.02.2020 11:35:36	1	1	1	1	71.5	61	0	30000	453.7634409	13612.64371	30000	0	0	30000	41.125	2004
12.02.2020 11:35:37	1	1	1	1	71.5	61	0	30000	453.7634409	13612.64371	30000	0	0	30000	40.3125	2004
12.02.2020 11:35:39	1	1	1	1	71.5	60.25	0	30000	453.7634409	13805.88699	30000	0	0	30000	41	2004
12.02.2020 11:35:40	1	1	1	1	71.5	61	0	30000	460.2150538	13805.88699	30000	0	0	30000	41.1875	2004
12.02.2020 11:35:41	1	1	1	1	71.5	61	0	29952.607	464.516129	13935.53122	30000	0	0	30000	41.0625	2004
12.02.2020 11:35:42	1	1	1	1	71.5	61	0	30000	460.2150538	13935.53122	30000	0	0	30000	41.0625	2004
12.02.2020 11:35:43	1	1	1	1	71.5	61	0	30000	464.516129	13569.42897	30000	0	0	30000	40.1875	2004
12.02.2020 11:35:44	1	1	1	1	71.5	60	0	29952.607	468.8172043	13891.5011	30000	0	0	30000	40.9375	2004
12.02.2020 11:35:45	1	1	1	1	71.5	60.75	0	30000	481.7204301	14128.7745	30000	0	0	30000	41.1875	2004
12.02.2020 11:35:46	1	1	1	1	71.5	61	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.5625	2004
12.02.2020 11:35:47	1	1	1	1	71.5	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	41.0625	2004
12.02.2020 11:35:48	1	1	1	1	71.5	61	0	30000	481.7204301	14451.662	30000	0	0	30000	41.1875	2004
12.02.2020 11:35:49	1	1	1	1	71.5	61	0	30000	481.7204301	14451.662	30000	0	0	30000	41.1875	2004
12.02.2020 11:35:50	1	1	1	1	71.5	61	0	30000	481.7204301	14451.662	30000	0	0	30000	41.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 11:35:51	1	1	1	1	71.5	61.5	0	30000	468.8172043	14451.662	30000	0	0	30000	40.5625	2004
12.02.2020 11:35:52	1	1	1	1	71.5	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.5625	2004
12.02.2020 11:35:53	1	1	1	1	71.5	60.5	0	30000	468.8172043	13999.94564	30000	0	0	30000	41.375	2004
12.02.2020 11:35:54	1	1	1	1	71.5	60.5	0	30000	468.8172043	14128.7745	30000	0	0	30000	41.125	2004
12.02.2020 11:35:55	1	1	1	1	71.5	61	0	30000	466.6666667	13999.94564	30000	0	0	30000	41.125	2004
12.02.2020 11:35:56	1	1	1	1	71.5	61	0	30000	468.8172043	14064.36007	30000	0	0	30000	41.0625	2004
12.02.2020 11:35:57	1	1	1	1	71.5	61	0	30047.393	466.6666667	13999.94564	30000	0	0	30000	40.6875	2004
12.02.2020 11:35:58	1	1	1	1	71.5	60.5	0	30000	481.7204301	14428.83157	30000	0	0	30000	41.125	2004
12.02.2020 11:36:05	1	1	1	1	71.5	60.25	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.625	2004
12.02.2020 11:36:05	1	1	1	1	71.5	60.25	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.625	2004
12.02.2020 11:36:05	1	1	1	1	71.5	60.25	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.625	2004
12.02.2020 11:36:05	1	1	1	1	71.5	60.25	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.625	2004
12.02.2020 11:36:05	1	1	1	1	71.5	60.25	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.625	2004
12.02.2020 11:36:05	1	1	1	1	71.5	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	41.0625	2004
12.02.2020 11:36:06	1	1	1	1	71	61	0	30000	481.7204301	14451.662	30000	0	0	30000	41.3125	2004
12.02.2020 11:36:07	1	1	1	1	71	61.25	0	30000	481.7204301	14451.662	30000	0	0	30000	41	2004
12.02.2020 11:36:08	1	1	1	1	71	61	0	30000	466.6666667	13999.94564	30000	0	0	30000	41.1875	2004
12.02.2020 11:36:09	1	1	1	1	71	61	0	30000	481.7204301	14128.7745	30000	0	0	30000	40.875	2004
12.02.2020 11:36:10	1	1	1	1	71	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.6875	2004
12.02.2020 11:36:11	1	1	1	1	71	60.5	0	30000	468.8172043	14451.662	30000	0	0	30000	40.5	2004
12.02.2020 11:36:12	1	1	1	1	71	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.5625	2004
12.02.2020 11:36:13	1	1	1	1	71	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	41.3125	2004
12.02.2020 11:36:14	1	1	1	1	71	61.25	0	30000	481.7204301	14451.662	30000	0	0	30000	41.3125	2004
12.02.2020 11:36:15	1	1	1	1	71	61.25	0	30094.787	481.7204301	14451.662	30000	0	0	30000	41.125	2004
12.02.2020 11:36:16	1	1	1	1	71	61	0	30000	481.7204301	14451.662	30000	0	0	30000	40.9375	2004
12.02.2020 11:36:18	1	1	1	1	71	60.75	0	29952.607	481.7204301	14451.662	30000	0	0	30000	40.9375	2004
12.02.2020 11:36:19	1	1	1	1	71	60.75	0	29905.213	468.8172043	14451.662	30000	0	0	30000	38.75	2004
12.02.2020 11:36:20	1	1	1	1	71	58.75	0	30000	481.7204301	14451.662	30000	0	0	30000	41	2004
12.02.2020 11:36:21	1	1	1	1	71	61	0	30000	481.7204301	14451.662	30000	0	0	30000	40.75	2004
12.02.2020 11:36:22	1	1	1	1	71	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.3125	2004
12.02.2020 11:36:23	1	1	1	1	71	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.6875	2004
12.02.2020 11:36:24	1	1	1	1	71	60.5	0	30000	481.7204301	14538.90686	30000	0	0	30000	41.1875	2004
12.02.2020 11:36:25	1	1	1	1	71	61	0	30000	481.7204301	14451.662	30000	0	0	30000	41.1875	2004
12.02.2020 11:36:26	1	1	1	1	71	61	0	29952.607	481.7204301	14451.662	30000	0	0	30000	41.0625	2004
12.02.2020 11:36:27	1	1	1	1	71.5	61	0	30000	481.7204301	14451.662	30000	0	0	30000	41.1875	2004
12.02.2020 11:36:28	1	1	1	1	71.5	61	0	30000	481.7204301	14451.662	30000	0	0	30000	41	2004
12.02.2020 11:36:29	1	1	1	1	71.5	61	0	30000	481.7204301	14451.662	30000	0	0	30000	40.75	2004
12.02.2020 11:36:30	1	1	1	1	71.5	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.9375	2004
12.02.2020 11:36:31	1	1	1	1	71.5	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	41.1875	2004
12.02.2020 11:36:32	1	1	1	1	71.5	61	0	30000	481.7204301	13977.93058	30000	0	0	30000	41.0625	2004
12.02.2020 11:36:33	1	1	1	1	71.5	61	0	30000	481.7204301	14451.662	30000	0	0	30000	40.625	2004
12.02.2020 11:36:34	1	1	1	1	71.5	60.5	0	29952.607	481.7204301	14451.662	30000	0	0	30000	41.1875	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 11:36:35	1	1	1	1	71.5	61	0	30000	481.7204301	14451.662	30000	0	0	30000	41.1875	2004
12.02.2020 11:36:36	1	1	1	1	71	61	0	29952.607	483.8709677	14516.07643	30000	0	0	30000	40.6875	2004
12.02.2020 11:36:37	1	1	1	1	71	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.875	2004
12.02.2020 11:36:38	1	1	1	1	71	60.75	0	30047.393	483.8709677	14516.07643	30000	0	0	30000	41.25	2004
12.02.2020 11:36:39	1	1	1	1	71	61.25	0	30000	481.7204301	14451.662	30000	0	0	30000	39.75	2004
12.02.2020 11:36:40	1	1	1	1	71	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	41	2004
12.02.2020 11:36:41	1	1	1	1	71	61	0	30000	481.7204301	14451.662	30000	0	0	30000	41.125	2004
12.02.2020 11:36:42	1	1	1	1	71	61	0	30000	481.7204301	14451.662	30000	0	0	30000	41	2004
12.02.2020 11:36:43	1	1	1	1	71	61	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.625	2004
12.02.2020 11:36:44	1	1	1	1	71	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.625	2004
12.02.2020 11:36:45	1	1	1	1	71	60.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	41	2004
12.02.2020 11:36:46	1	1	1	1	71	61	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.4375	2004
12.02.2020 11:36:47	1	1	1	1	71	60.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	41.25	2004
12.02.2020 11:36:48	1	1	1	1	71	61.25	0	30000	481.7204301	14516.07643	30000	0	0	30000	40.9375	2004
12.02.2020 11:36:49	1	1	1	1	71	60.75	0	30000	483.8709677	14516.07643	30000	0	0	30000	41.25	2004
12.02.2020 11:36:50	1	1	1	1	71	61.25	0	30000	481.7204301	14516.07643	30000	0	0	30000	40.875	2004
12.02.2020 11:36:51	1	1	1	1	71	60.75	0	30000	483.8709677	14516.07643	30000	0	0	30000	41.0625	2004
12.02.2020 11:36:52	1	1	1	1	71	61	0	30000	483.8709677	14451.662	30000	0	0	30000	41	2004
12.02.2020 11:36:53	1	1	1	1	71	61	0	30000	483.8709677	14451.662	30000	0	0	30000	40.9375	2004
12.02.2020 11:36:55	1	1	1	1	71	60.75	0	29952.607	481.7204301	14516.07643	30000	0	0	30000	41.0625	2004
12.02.2020 11:36:56	1	1	1	1	71	61	0	30000	486.0215054	14580.49085	30000	0	0	30000	41.1875	2004
12.02.2020 11:36:57	1	1	1	1	71.25	61	0	30000	486.0215054	14580.49085	30000	0	0	30000	40.8125	2004
12.02.2020 11:36:58	1	1	1	1	71.25	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	41.125	2004
12.02.2020 11:36:59	1	1	1	1	71.25	61	0	30000	483.8709677	14516.07643	30000	0	0	30000	41.4375	2004
12.02.2020 11:37:00	1	1	1	1	71.25	61.25	0	29952.607	481.7204301	14516.07643	30000	0	0	30000	40.625	2004
12.02.2020 11:37:06	1	1	1	1	71.25	60.75	0	30000	490.3225806	14644.90528	30000	0	0	30000	41.1875	2004
12.02.2020 11:37:06	1	1	1	1	71.25	60.75	0	30000	490.3225806	14644.90528	30000	0	0	30000	41.1875	2004
12.02.2020 11:37:06	1	1	1	1	71.25	60.75	0	30000	490.3225806	14644.90528	30000	0	0	30000	41.1875	2004
12.02.2020 11:37:06	1	1	1	1	71.25	60.75	0	30000	490.3225806	14644.90528	30000	0	0	30000	41.1875	2004
12.02.2020 11:37:06	1	1	1	1	71.25	60.75	0	30000	490.3225806	14644.90528	30000	0	0	30000	41.1875	2004
12.02.2020 11:37:06	1	1	1	1	71.25	60.75	0	30000	490.3225806	14644.90528	30000	0	0	30000	41.1875	2004
12.02.2020 11:37:06	1	1	1	1	71.25	60.75	0	30000	490.3225806	14644.90528	30000	0	0	30000	41.1875	2004
12.02.2020 11:37:07	1	1	1	1	71	61	0	30000	488.172043	14644.90528	30000	0	0	30000	41.1875	2004
12.02.2020 11:37:08	1	1	1	1	71	61	0	30000	483.8709677	14428.83157	30000	0	0	30000	40.6875	2004
12.02.2020 11:37:09	1	1	1	1	71	60.5	0	30000	488.172043	14644.90528	30000	0	0	30000	41.5	2004
12.02.2020 11:37:10	1	1	1	1	71	61.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.3125	2004
12.02.2020 11:37:11	1	1	1	1	71	61	0	30047.393	494.6236559	14644.90528	30000	0	0	30000	40.875	2004
12.02.2020 11:37:12	1	1	1	1	71	60.75	0	30000	492.4731183	14773.73413	30000	0	0	30000	40.5625	2004
12.02.2020 11:37:13	1	1	1	1	71	60.5	0	30000	488.172043	14644.90528	30000	0	0	30000	39.875	2004
12.02.2020 11:37:14	1	1	1	1	71	59.75	0	30000	488.172043	14516.07643	30000	0	0	30000	41.125	2004
12.02.2020 11:37:15	1	1	1	1	71	61	0	30000	490.3225806	14644.90528	30000	0	0	30000	40.3125	2004
12.02.2020 11:37:16	1	1	1	1	70.75	60.25	0	30000	488.172043	14644.90528	30000	0	0	30000	41.125	2004
12.02.2020 11:37:17	1	1	1	1	70.75	61	0	30000	488.172043	14709.31971	30000	0	0	30000	40.125	2004
12.02.2020 11:37:18	1	1	1	1	70.75	60	0	30000	490.3225806	14709.31971	30000	0	0	30000	40.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 11:37:19	1	1	1	1	70.75	60.25	0	30000	488.172043	14644.90528	30000	0	0	30000	40.9375	2004
12.02.2020 11:37:20	1	1	1	1	70.75	60.75	0	30000	488.172043	14644.90528	30000	0	0	30000	40.9375	2004
12.02.2020 11:37:21	1	1	1	1	70.75	60.75	0	30000	490.3225806	14644.90528	30000	0	0	30000	41	2004
12.02.2020 11:37:22	1	1	1	1	70.75	61	0	30000	488.172043	14644.90528	30000	0	0	30000	40.375	2004
12.02.2020 11:37:23	1	1	1	1	70.75	60.25	0	30000	486.0215054	14644.90528	30000	0	0	30000	40.875	2004
12.02.2020 11:37:24	1	1	1	1	70.75	60.75	0	30000	488.172043	14644.90528	30000	0	0	30000	41.3125	2004
12.02.2020 11:37:25	1	1	1	1	70.75	61.25	0	30000	486.0215054	14516.07643	30000	0	0	30000	41.0625	2004
12.02.2020 11:37:26	1	1	1	1	70.25	61	0	30000	483.8709677	14516.07643	30000	0	0	30000	41.125	2004
12.02.2020 11:37:27	1	1	1	1	70.25	61	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.8125	2004
12.02.2020 11:37:28	1	1	1	1	70.25	60.75	0	30000	488.172043	14644.90528	30000	0	0	30000	40.75	2004
12.02.2020 11:37:29	1	1	1	1	70.25	60.75	0	30000	488.172043	14428.83157	30000	0	0	30000	41.125	2004
12.02.2020 11:37:30	1	1	1	1	70.25	61	0	30000	486.0215054	14644.90528	30000	0	0	30000	41.1875	2004
12.02.2020 11:37:31	1	1	1	1	70.25	61	0	30000	488.172043	14644.90528	30000	0	0	30000	40.9375	2004
12.02.2020 11:37:32	1	1	1	1	70.25	60.75	0	30000	488.172043	14644.90528	30000	0	0	30000	40.5	2004
12.02.2020 11:37:33	1	1	1	1	70.25	60.5	0	30000	488.172043	14709.31971	30000	0	0	30000	40.9375	2004
12.02.2020 11:37:35	1	1	1	1	70.25	60.75	0	30000	488.172043	14644.90528	30000	0	0	30000	41.1875	2004
12.02.2020 11:37:36	1	1	1	1	70.25	61	0	30000	488.172043	14773.73413	30000	0	0	30000	41.25	2004
12.02.2020 11:37:37	1	1	1	1	70.25	61.25	0	29952.607	488.172043	14644.90528	30000	0	0	30000	41.375	2004
12.02.2020 11:37:38	1	1	1	1	70.25	61.25	0	30000	488.172043	14644.90528	30000	0	0	30000	40.6875	2004
12.02.2020 11:37:39	1	1	1	1	70.25	60.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	41.3125	2004
12.02.2020 11:37:40	1	1	1	1	70.25	61.25	0	29952.607	483.8709677	14516.07643	30000	0	0	30000	40.625	2004
12.02.2020 11:37:41	1	1	1	1	70.25	60.5	0	30000	488.172043	14644.90528	30000	0	0	30000	41.25	2004
12.02.2020 11:37:42	1	1	1	1	70.25	61.25	0	30000	488.172043	14644.90528	30000	0	0	30000	40.75	2004
12.02.2020 11:37:43	1	1	1	1	70.25	60.75	0	30000	488.172043	14644.90528	30000	0	0	30000	40.5625	2004
12.02.2020 11:37:44	1	1	1	1	70.25	60.5	0	30000	492.4731183	14773.73413	30000	0	0	30000	40.5625	2004
12.02.2020 11:37:45	1	1	1	1	70.25	60.5	0	30000	488.172043	14644.90528	30000	0	0	30000	41.125	2004
12.02.2020 11:37:46	1	1	1	1	70.25	61	0	30000	488.172043	14926.20879	30000	0	0	30000	41.25	2004
12.02.2020 11:37:47	1	1	1	1	70.5	61.25	0	30000	483.8709677	14580.49085	30000	0	0	30000	41.4375	2004
12.02.2020 11:37:48	1	1	1	1	70.5	61.25	0	30000	488.172043	14644.90528	30000	0	0	30000	41.25	2004
12.02.2020 11:37:49	1	1	1	1	70.5	61.25	0	30000	488.172043	14644.90528	30000	0	0	30000	40.875	2004
12.02.2020 11:37:50	1	1	1	1	70.5	60.75	0	30000	483.8709677	14516.07643	30000	0	0	30000	41.125	2004
12.02.2020 11:37:51	1	1	1	1	70.5	61	0	30000	486.0215054	14516.07643	30000	0	0	30000	40.5625	2004
12.02.2020 11:37:52	1	1	1	1	70.5	60.5	0	29905.213	490.3225806	14773.73413	30000	0	0	30000	41.0625	2004
12.02.2020 11:37:53	1	1	1	1	70.5	61	0	30000	494.6236559	14838.14856	30000	0	0	30000	40.625	2004
12.02.2020 11:37:54	1	1	1	1	70.5	60.5	0	30000	492.4731183	14861.79436	30000	0	0	30000	40.875	2004
12.02.2020 11:37:55	1	1	1	1	70.5	60.75	0	30000	490.3225806	14644.90528	30000	0	0	30000	41.1875	2004
12.02.2020 11:37:56	1	1	1	1	70.25	61	0	30000	494.6236559	14773.73413	30000	0	0	30000	40.6875	2004
12.02.2020 11:37:57	1	1	1	1	70.25	60.5	0	30000	488.172043	14773.73413	30000	0	0	30000	41.3125	2004
12.02.2020 11:37:58	1	1	1	1	70.25	61.25	0	30000	494.6236559	15032.20721	30000	0	0	30000	40.8125	2004
12.02.2020 11:37:59	1	1	1	1	70.25	60.75	0	29905.213	494.6236559	14902.56299	30000	0	0	30000	41.25	2004
12.02.2020 11:38:00	1	1	1	1	70.25	61.25	0	30000	496.7741935	14902.56299	30000	0	0	30000	41.1875	2004
12.02.2020 11:38:01	1	1	1	1	70.25	61	0	30000	488.172043	14644.90528	30000	0	0	30000	40.8125	2004
12.02.2020 11:38:08	1	1	1	1	70.25	60.75	0	30000	494.6236559	14902.56299	30000	0	0	30000	41.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 11:38:08	1	1	1	1	70.25	60.75	0	30000	494.6236559	14902.56299	30000	0	0	30000	41.125	2004
12.02.2020 11:38:08	1	1	1	1	70.25	60.75	0	30000	494.6236559	14902.56299	30000	0	0	30000	41.125	2004
12.02.2020 11:38:08	1	1	1	1	70.25	60.75	0	30000	494.6236559	14902.56299	30000	0	0	30000	41.125	2004
12.02.2020 11:38:08	1	1	1	1	70.25	60.75	0	30000	494.6236559	14902.56299	30000	0	0	30000	41.125	2004
12.02.2020 11:38:08	1	1	1	1	70.25	61	0	30000	494.6236559	14838.14856	30000	0	0	30000	40.6875	2004
12.02.2020 11:38:09	1	1	1	1	70.25	60.5	0	30000	488.172043	14644.90528	30000	0	0	30000	41.375	2004
12.02.2020 11:38:10	1	1	1	1	70.25	61.25	0	30000	488.172043	14622.07485	30000	0	0	30000	41.3125	2004
12.02.2020 11:38:11	1	1	1	1	70.25	61.25	0	30000	488.172043	14580.49085	30000	0	0	30000	40.3125	2004
12.02.2020 11:38:12	1	1	1	1	70.25	60.25	0	30000	488.172043	14644.90528	30000	0	0	30000	40.9375	2004
12.02.2020 11:38:14	1	1	1	1	70.25	60.75	0	30000	490.3225806	14773.73413	30000	0	0	30000	41.3125	2004
12.02.2020 11:38:15	1	1	1	1	70.25	61.25	0	30000	492.4731183	14773.73413	30000	0	0	30000	40.6875	2004
12.02.2020 11:38:16	1	1	1	1	70.25	60.5	0	30000	488.172043	14644.90528	30000	0	0	30000	41.125	2004
12.02.2020 11:38:17	1	1	1	1	70	61	0	30000	486.0215054	14622.07485	30000	0	0	30000	41.1875	2004
12.02.2020 11:38:18	1	1	1	1	70	61	0	30000	494.6236559	14773.73413	30000	0	0	30000	40.9375	2004
12.02.2020 11:38:19	1	1	1	1	70	60.75	0	30000	488.172043	14644.90528	30000	0	0	30000	41.125	2004
12.02.2020 11:38:20	1	1	1	1	70	61	0	30000	490.3225806	14644.90528	30000	0	0	30000	40.9375	2004
12.02.2020 11:38:21	1	1	1	1	70	60.75	0	30000	492.4731183	14838.14856	30000	0	0	30000	41.125	2004
12.02.2020 11:38:22	1	1	1	1	70	61	0	30000	490.3225806	14644.90528	30000	0	0	30000	41	2004
12.02.2020 11:38:23	1	1	1	1	70	61	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.625	2004
12.02.2020 11:38:24	1	1	1	1	70	60.5	0	30000	481.7204301	14516.07643	30000	0	0	30000	41.375	2004
12.02.2020 11:38:25	1	1	1	1	70	61.25	0	29952.607	490.3225806	14773.73413	30000	0	0	30000	40.8125	2004
12.02.2020 11:38:26	1	1	1	1	70	60.75	0	30000	490.3225806	14644.90528	30000	0	0	30000	40.625	2004
12.02.2020 11:38:27	1	1	1	1	70.25	60.5	0	30000	488.172043	14644.90528	30000	0	0	30000	40.4375	2004
12.02.2020 11:38:28	1	1	1	1	70.25	60.25	0	29952.607	483.8709677	14516.07643	30000	0	0	30000	40.75	2004
12.02.2020 11:38:29	1	1	1	1	70.25	60.75	0	30000	483.8709677	14644.90528	30000	0	0	30000	41.125	2004
12.02.2020 11:38:30	1	1	1	1	70.25	60.25	0	29952.607	490.3225806	14644.90528	30000	0	0	30000	41	2004
12.02.2020 11:38:31	1	1	1	1	70.25	61	0	30000	492.4731183	14773.73413	30000	0	0	30000	40.8125	2004
12.02.2020 11:38:32	1	1	1	1	70.25	60.75	0	30000	494.6236559	14773.73413	30000	0	0	30000	41.0625	2004
12.02.2020 11:38:33	1	1	1	1	70.25	61	0	30000	492.4731183	14773.73413	30000	0	0	30000	40.5	2004
12.02.2020 11:38:34	1	1	1	1	70.25	60.5	0	30000	492.4731183	14773.73413	30000	0	0	30000	41.25	2004
12.02.2020 11:38:35	1	1	1	1	70.25	61.25	0	30000	494.6236559	14644.90528	30000	0	0	30000	40.9375	2004
12.02.2020 11:38:36	1	1	1	1	70	60.75	0	30000	488.172043	14644.90528	30000	0	0	30000	40.125	2004
12.02.2020 11:38:37	1	1	1	1	70	60	0	30000	488.172043	14644.90528	30000	0	0	30000	40.9375	2004
12.02.2020 11:38:38	1	1	1	1	70	60.75	0	30000	486.0215054	14644.90528	30000	0	0	30000	40.8125	2004
12.02.2020 11:38:39	1	1	1	1	70	60.75	0	30000	486.0215054	14516.07643	30000	0	0	30000	41.25	2004
12.02.2020 11:38:40	1	1	1	1	70	61.25	0	30000	486.0215054	14516.07643	30000	0	0	30000	41.0625	2004
12.02.2020 11:38:41	1	1	1	1	70	61	0	30000	488.172043	14644.90528	30000	0	0	30000	40.9375	2004
12.02.2020 11:38:42	1	1	1	1	70	60.75	0	29952.607	481.7204301	14516.07643	30000	0	0	30000	39.75	2004
12.02.2020 11:38:43	1	1	1	1	70	59.75	0	30000	483.8709677	14538.90686	30000	0	0	30000	41.1875	2004
12.02.2020 11:38:44	1	1	1	1	70	61	0	30000	481.7204301	14516.07643	30000	0	0	30000	41	2004
12.02.2020 11:38:45	1	1	1	1	70	61	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.6875	2004
12.02.2020 11:38:46	1	1	1	1	70	60.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	41.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 11:38:47	1	1	1	1	70	61.25	0	29952.607	481.7204301	14428.83157	30000	0	0	30000	41.1875	2004
12.02.2020 11:38:48	1	1	1	1	70	61	0	30000	481.7204301	14451.662	30000	0	0	30000	40.9375	2004
12.02.2020 11:38:49	1	1	1	1	70	60.75	0	29952.607	481.7204301	14516.07643	30000	0	0	30000	41.0625	2004
12.02.2020 11:38:50	1	1	1	1	70	61	0	30000	481.7204301	14451.662	30000	0	0	30000	41.125	2004
12.02.2020 11:38:52	1	1	1	1	70	61	0	30000	481.7204301	14451.662	30000	0	0	30000	41	2004
12.02.2020 11:38:53	1	1	1	1	70	61	0	30000	486.0215054	14516.07643	30000	0	0	30000	41.25	2004
12.02.2020 11:38:54	1	1	1	1	70	61.25	0	30000	483.8709677	14451.662	30000	0	0	30000	41.25	2004
12.02.2020 11:38:55	1	1	1	1	70	61.25	0	30000	481.7204301	14451.662	30000	0	0	30000	41.125	2004
12.02.2020 11:38:56	1	1	1	1	70	61	0	30000	483.8709677	14516.07643	30000	0	0	30000	41.125	2004
12.02.2020 11:38:57	1	1	1	1	70	61	0	30047.393	481.7204301	14451.662	30000	0	0	30000	40.875	2004
12.02.2020 11:38:58	1	1	1	1	70	60.75	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.625	2004
12.02.2020 11:38:59	1	1	1	1	70	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.25	2004
12.02.2020 11:39:00	1	1	1	1	70	60.25	0	30000	483.8709677	14580.49085	30000	0	0	30000	40.875	2004
12.02.2020 11:39:01	1	1	1	1	70	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	41.1875	2004
12.02.2020 11:39:02	1	1	1	1	70	61	0	30000	481.7204301	14451.662	30000	0	0	30000	41.3125	2004
12.02.2020 11:39:03	1	1	1	1	70	61.25	0	30000	481.7204301	14451.662	30000	0	0	30000	41.0625	2004
12.02.2020 11:39:10	1	1	1	1	69.75	61	0	30000	481.7204301	14516.07643	30000	0	0	30000	40.8125	2004
12.02.2020 11:39:10	1	1	1	1	69.75	61	0	30000	481.7204301	14516.07643	30000	0	0	30000	40.8125	2004
12.02.2020 11:39:10	1	1	1	1	69.75	61	0	30000	481.7204301	14516.07643	30000	0	0	30000	40.8125	2004
12.02.2020 11:39:10	1	1	1	1	69.75	61	0	30000	481.7204301	14516.07643	30000	0	0	30000	40.8125	2004
12.02.2020 11:39:10	1	1	1	1	69.75	61	0	30000	481.7204301	14516.07643	30000	0	0	30000	40.8125	2004
12.02.2020 11:39:10	1	1	1	1	69.75	60.75	0	29952.607	481.7204301	14451.662	30000	0	0	30000	41.3125	2004
12.02.2020 11:39:11	1	1	1	1	69.75	61.25	0	30000	481.7204301	14451.662	30000	0	0	30000	41.125	2004
12.02.2020 11:39:12	1	1	1	1	69.75	61	0	30000	481.7204301	14451.662	30000	0	0	30000	41	2004
12.02.2020 11:39:13	1	1	1	1	69.75	61	0	30000	481.7204301	14451.662	30000	0	0	30000	41	2004
12.02.2020 11:39:14	1	1	1	1	69.75	61	0	30000	481.7204301	14451.662	30000	0	0	30000	40.75	2004
12.02.2020 11:39:15	1	1	1	1	69.75	60.75	0	29952.607	481.7204301	14561.73729	30000	0	0	30000	40.5	2004
12.02.2020 11:39:16	1	1	1	1	69.75	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	41.125	2004
12.02.2020 11:39:17	1	1	1	1	69.75	61	0	30000	481.7204301	14451.662	30000	0	0	30000	41.1875	2004
12.02.2020 11:39:18	1	1	1	1	69.75	61	0	30000	481.7204301	14451.662	30000	0	0	30000	41.3125	2004
12.02.2020 11:39:19	1	1	1	1	69.75	61.25	0	30000	481.7204301	14128.7745	30000	0	0	30000	40.4375	2004
12.02.2020 11:39:20	1	1	1	1	69.75	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.9375	2004
12.02.2020 11:39:21	1	1	1	1	69.75	60.75	0	29905.213	481.7204301	14451.662	30000	0	0	30000	41.25	2004
12.02.2020 11:39:22	1	1	1	1	69.75	61.25	0	29952.607	481.7204301	14451.662	30000	0	0	30000	41	2004
12.02.2020 11:39:23	1	1	1	1	69.75	61	0	30000	481.7204301	14451.662	30000	0	0	30000	41.1875	2004
12.02.2020 11:39:24	1	1	1	1	69.75	61	0	30000	481.7204301	14451.662	30000	0	0	30000	41.25	2004
12.02.2020 11:39:25	1	1	1	1	69.75	61.25	0	30000	481.7204301	14451.662	30000	0	0	30000	41.1875	2004
12.02.2020 11:39:26	1	1	1	1	69.75	61	0	30000	481.7204301	14451.662	30000	0	0	30000	40.6875	2004
12.02.2020 11:39:27	1	1	1	1	69.75	60.5	0	30000	466.6666667	13935.53122	30000	0	0	30000	41.25	2004
12.02.2020 11:39:28	1	1	1	1	69.75	61.25	0	29952.607	464.516129	13999.94564	30000	0	0	30000	41.0625	2004
12.02.2020 11:39:30	1	1	1	1	69.75	61	0	30000	481.7204301	14128.7745	30000	0	0	30000	41.3125	2004
12.02.2020 11:39:31	1	1	1	1	69.75	61.25	0	30000	466.6666667	14064.36007	30000	0	0	30000	40.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 11:39:32	1	1	1	1	69.75	60.25	0	29905.213	464.516129	13999.94564	30000	0	0	30000	40.8125	2004
12.02.2020 11:39:33	1	1	1	1	69.75	60.75	0	30000	466.6666667	13999.94564	30000	0	0	30000	41.25	2004
12.02.2020 11:39:34	1	1	1	1	69.75	61.25	0	30000	468.8172043	14451.662	30000	0	0	30000	41.125	2004
12.02.2020 11:39:35	1	1	1	1	69.75	61	0	29952.607	466.6666667	14451.662	30000	0	0	30000	40.375	2004
12.02.2020 11:39:36	1	1	1	1	69.75	60.25	0	30000	481.7204301	13955.10015	30000	0	0	30000	40.75	2004
12.02.2020 11:39:37	1	1	1	1	69.25	60.75	0	30000	481.7204301	14128.7745	30000	0	0	30000	41.0625	2004
12.02.2020 11:39:38	1	1	1	1	69.25	61	0	30000	468.8172043	13999.94564	30000	0	0	30000	41.1875	2004
12.02.2020 11:39:39	1	1	1	1	69.25	61	0	30000	468.8172043	13849.10173	30000	0	0	30000	41.25	2004
12.02.2020 11:39:40	1	1	1	1	69.25	61.25	0	30047.393	466.6666667	14021.9607	30000	0	0	30000	41.1875	2004
12.02.2020 11:39:41	1	1	1	1	69.25	61	0	30000	464.516129	13999.94564	30000	0	0	30000	41.0625	2004
12.02.2020 11:39:42	1	1	1	1	69.25	61	0	29952.607	464.516129	13935.53122	30000	0	0	30000	41.25	2004
12.02.2020 11:39:43	1	1	1	1	69.25	61.25	0	30000	460.2150538	13805.88699	30000	0	0	30000	40.875	2004
12.02.2020 11:39:44	1	1	1	1	69.25	60.75	0	30000	464.516129	13935.53122	30000	0	0	30000	41.0625	2004
12.02.2020 11:39:45	1	1	1	1	69.25	61	0	30000	466.6666667	13999.94564	30000	0	0	30000	41	2004
12.02.2020 11:39:46	1	1	1	1	69.25	61	0	30000	464.516129	13935.53122	30000	0	0	30000	41.0625	2004
12.02.2020 11:39:47	1	1	1	1	69.5	61	0	30000	468.8172043	14128.7745	30000	0	0	30000	41.625	2004
12.02.2020 11:39:48	1	1	1	1	69.5	61.5	0	30000	466.6666667	13999.94564	30000	0	0	30000	41.25	2004
12.02.2020 11:39:49	1	1	1	1	69.5	61.25	0	30000	466.6666667	13999.94564	30000	0	0	30000	41.25	2004
12.02.2020 11:39:50	1	1	1	1	69.5	61	0	30000	481.7204301	14451.662	30000	0	0	30000	40.875	2004
12.02.2020 11:39:51	1	1	1	1	69.5	60.75	0	30000	466.6666667	14451.662	30000	0	0	30000	40.8125	2004
12.02.2020 11:39:52	1	1	1	1	69.5	60.75	0	30000	466.6666667	13935.53122	30000	0	0	30000	41.375	2004
12.02.2020 11:39:53	1	1	1	1	69.5	61.25	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.4375	2004
12.02.2020 11:39:54	1	1	1	1	69.5	60.25	0	30000	464.516129	13935.53122	30000	0	0	30000	41.3125	2004
12.02.2020 11:39:55	1	1	1	1	69.5	61.25	0	30000	464.516129	13870.30142	30000	0	0	30000	41.1875	2004
12.02.2020 11:39:56	1	1	1	1	69.5	61	0	30000	464.516129	13935.53122	30000	0	0	30000	41.0625	2004
12.02.2020 11:39:57	1	1	1	1	69.5	61	0	30000	455.9139785	13591.44402	30000	0	0	30000	40.8125	2004
12.02.2020 11:39:58	1	1	1	1	69.5	60.75	0	30000	464.516129	13935.53122	30000	0	0	30000	41.125	2004
12.02.2020 11:39:59	1	1	1	1	69.5	61	0	30000	464.516129	13935.53122	30000	0	0	30000	41.25	2004
12.02.2020 11:40:00	1	1	1	1	69.5	61.25	0	30000	455.9139785	13677.05814	30000	0	0	30000	41.0625	2004
12.02.2020 11:40:01	1	1	1	1	69.5	61	0	30000	453.7634409	13805.88699	30000	0	0	30000	41.25	2004
12.02.2020 11:40:02	1	1	1	1	69.5	61.25	0	30000	464.516129	13935.53122	30000	0	0	30000	40.9375	2004
12.02.2020 11:40:03	1	1	1	1	69.5	60.75	0	30000	464.516129	13935.53122	30000	0	0	30000	40.3125	2004
12.02.2020 11:40:04	1	1	1	1	69.5	60.25	0	30000	460.2150538	13805.88699	30000	0	0	30000	41	2004
12.02.2020 11:40:11	1	1	1	1	69	61	0	30000	466.6666667	13999.94564	30000	0	0	30000	41.1875	2004
12.02.2020 11:40:11	1	1	1	1	69	61	0	30000	466.6666667	13999.94564	30000	0	0	30000	41.1875	2004
12.02.2020 11:40:11	1	1	1	1	69	61	0	30000	466.6666667	13999.94564	30000	0	0	30000	41.1875	2004
12.02.2020 11:40:11	1	1	1	1	69	61	0	30000	466.6666667	13999.94564	30000	0	0	30000	41.1875	2004
12.02.2020 11:40:11	1	1	1	1	69	61	0	30000	466.6666667	13999.94564	30000	0	0	30000	41.1875	2004
12.02.2020 11:40:11	1	1	1	1	69	61	0	30000	466.6666667	13999.94564	30000	0	0	30000	41.1875	2004
12.02.2020 11:40:14	1	1	1	1	69	61.25	0	30000	464.516129	13935.53122	30000	0	0	30000	40.9375	2004
12.02.2020 11:40:14	1	1	1	1	69	61.25	0	30000	464.516129	13935.53122	30000	0	0	30000	40.9375	2004
12.02.2020 11:40:14	1	1	1	1	69	61.25	0	30000	464.516129	13935.53122	30000	0	0	30000	40.9375	2004
12.02.2020 11:40:15	1	1	1	1	69	60.75	0	30000	460.2150538	13935.53122	30000	0	0	30000	41.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 11:40:16	1	1	1	1	69	61	0	30000	458.0645161	13870.30142	30000	0	0	30000	40.6875	2004
12.02.2020 11:40:17	1	1	1	1	69	60.5	0	30000	458.0645161	13805.88699	30000	0	0	30000	41	2004
12.02.2020 11:40:18	1	1	1	1	69	61	0	30000	460.2150538	13935.53122	30000	0	0	30000	41	2004
12.02.2020 11:40:19	1	1	1	1	69	61	0	30000	464.516129	13935.53122	30000	0	0	30000	39.9375	2004
12.02.2020 11:40:20	1	1	1	1	69	59.75	0	30000	460.2150538	13805.88699	30000	0	0	30000	41.0625	2004
12.02.2020 11:40:21	1	1	1	1	69	61	0	30000	464.516129	13698.25782	30000	0	0	30000	41.0625	2004
12.02.2020 11:40:22	1	1	1	1	69	61	0	30000	464.516129	13935.53122	30000	0	0	30000	40.125	2004
12.02.2020 11:40:23	1	1	1	1	69	60	0	30000	458.0645161	13741.47256	30000	0	0	30000	40.75	2004
12.02.2020 11:40:24	1	1	1	1	69	60.75	0	30000	460.2150538	13805.88699	30000	0	0	30000	41	2004
12.02.2020 11:40:25	1	1	1	1	69	61	0	30000	453.7634409	13612.64371	30000	0	0	30000	41.5	2004
12.02.2020 11:40:26	1	1	1	1	69	61.5	0	30047.393	464.516129	13741.47256	30000	0	0	30000	41.1875	2004
12.02.2020 11:40:27	1	1	1	1	69.25	61	0	29952.607	464.516129	13935.53122	30000	0	0	30000	40.6875	2004
12.02.2020 11:40:28	1	1	1	1	69.25	60.5	0	30000	460.2150538	13805.88699	30000	0	0	30000	41.375	2004
12.02.2020 11:40:29	1	1	1	1	69.25	61	0	30000	458.0645161	13741.47256	30000	0	0	30000	41.3125	2004
12.02.2020 11:40:30	1	1	1	1	69.25	61.25	0	30000	458.0645161	13741.47256	30000	0	0	30000	40.9375	2004
12.02.2020 11:40:31	1	1	1	1	69.25	60.75	0	30000	460.2150538	13805.88699	30000	0	0	30000	41.125	2004
12.02.2020 11:40:32	1	1	1	1	69.25	61	0	30000	458.0645161	13741.47256	30000	0	0	30000	40.4375	2004
12.02.2020 11:40:33	1	1	1	1	69.25	60.25	0	29952.607	449.4623656	13354.17063	30000	0	0	30000	40.8125	2004
12.02.2020 11:40:34	1	1	1	1	69.25	60.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	40.9375	2004
12.02.2020 11:40:35	1	1	1	1	69.25	60.75	0	30000	445.1612903	13612.64371	30000	0	0	30000	41.1875	2004
12.02.2020 11:40:36	1	1	1	1	68.75	61	0	30000	453.7634409	13612.64371	30000	0	0	30000	41.1875	2004
12.02.2020 11:40:37	1	1	1	1	68.75	61	0	30000	453.7634409	13612.64371	30000	0	0	30000	41.0625	2004
12.02.2020 11:40:38	1	1	1	1	68.75	61	0	30000	453.7634409	13612.64371	30000	0	0	30000	40.75	2004
12.02.2020 11:40:39	1	1	1	1	68.75	60.75	0	30000	458.0645161	13935.53122	30000	0	0	30000	41.1875	2004
12.02.2020 11:40:40	1	1	1	1	68.75	61	0	30000	453.7634409	13612.64371	30000	0	0	30000	40.8125	2004
12.02.2020 11:40:41	1	1	1	1	68.75	60.75	0	30000	458.0645161	13741.47256	30000	0	0	30000	40.5625	2004
12.02.2020 11:40:42	1	1	1	1	68.75	60.5	0	30047.393	460.2150538	13805.88699	30000	0	0	30000	40.9375	2004
12.02.2020 11:40:43	1	1	1	1	68.75	60.75	0	30000	449.4623656	13612.64371	30000	0	0	30000	41.25	2004
12.02.2020 11:40:44	1	1	1	1	68.75	61.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.1875	2004
12.02.2020 11:40:45	1	1	1	1	68.75	61	0	30000	449.4623656	13354.17063	30000	0	0	30000	41.3125	2004
12.02.2020 11:40:46	1	1	1	1	68.5	61.25	0	30000	453.7634409	13612.64371	30000	0	0	30000	40.8125	2004
12.02.2020 11:40:47	1	1	1	1	68.5	60.75	0	30000	453.7634409	13741.47256	30000	0	0	30000	41.0625	2004
12.02.2020 11:40:49	1	1	1	1	68.5	61	0	30047.393	455.9139785	13741.47256	30000	0	0	30000	41.0625	2004
12.02.2020 11:40:50	1	1	1	1	68.5	61	0	30000	453.7634409	13612.64371	30000	0	0	30000	40.6875	2004
12.02.2020 11:40:51	1	1	1	1	68.5	60.5	0	30000	453.7634409	13612.64371	30000	0	0	30000	39.875	2004
12.02.2020 11:40:52	1	1	1	1	68.5	59.75	0	29952.607	455.9139785	13741.47256	30000	0	0	30000	41.0625	2004
12.02.2020 11:40:53	1	1	1	1	68.5	61	0	30000	458.0645161	13741.47256	30000	0	0	30000	40.9375	2004
12.02.2020 11:40:54	1	1	1	1	68.5	60.75	0	30000	455.9139785	13677.05814	30000	0	0	30000	40.4375	2004
12.02.2020 11:40:55	1	1	1	1	68.5	60.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.25	2004
12.02.2020 11:40:56	1	1	1	1	68.5	61.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.1875	2004
12.02.2020 11:40:57	1	1	1	1	68.5	61	0	30000	458.0645161	13741.47256	30000	0	0	30000	41.125	2004
12.02.2020 11:40:58	1	1	1	1	68.5	61	0	30000	453.7634409	13612.64371	30000	0	0	30000	41.0625	2004
12.02.2020 11:40:59	1	1	1	1	68.5	61	0	29952.607	445.1612903	13462.61517	30000	0	0	30000	41.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 11:41:00	1	1	1	1	68.5	61.25	0	29952.607	445.1612903	13354.17063	30000	0	0	30000	41.3125	2004
12.02.2020 11:41:01	1	1	1	1	68.5	61.25	0	30000	453.7634409	13677.05814	30000	0	0	30000	41.3125	2004
12.02.2020 11:41:02	1	1	1	1	68.5	61.25	0	30000	453.7634409	13612.64371	30000	0	0	30000	41.125	2004
12.02.2020 11:41:03	1	1	1	1	68.5	61	0	30000	449.4623656	13375.37032	30000	0	0	30000	41.125	2004
12.02.2020 11:41:04	1	1	1	1	68.5	61	0	30000	453.7634409	13612.64371	30000	0	0	30000	40.75	2004
12.02.2020 11:41:05	1	1	1	1	68.5	60.75	0	29952.607	445.1612903	13612.64371	30000	0	0	30000	40.4375	2004
12.02.2020 11:41:06	1	1	1	1	69	61.25	0	30000	451.6129032	13483.81486	30000	0	0	30000	41	2004
12.02.2020 11:41:13	1	1	1	1	69	60.25	0	30000	451.6129032	13612.64371	30000	0	0	30000	41.3125	2004
12.02.2020 11:41:13	1	1	1	1	69	60.25	0	30000	451.6129032	13612.64371	30000	0	0	30000	41.3125	2004
12.02.2020 11:41:13	1	1	1	1	69	60.25	0	30000	451.6129032	13612.64371	30000	0	0	30000	41.3125	2004
12.02.2020 11:41:13	1	1	1	1	69	60.25	0	30000	451.6129032	13612.64371	30000	0	0	30000	41.3125	2004
12.02.2020 11:41:13	1	1	1	1	69	60.25	0	30000	451.6129032	13612.64371	30000	0	0	30000	41.3125	2004
12.02.2020 11:41:13	1	1	1	1	69	61.25	0	30000	455.9139785	13591.44402	30000	0	0	30000	40.8125	2004
12.02.2020 11:41:14	1	1	1	1	69	60.75	0	30000	445.1612903	13612.64371	30000	0	0	30000	40.1875	2004
12.02.2020 11:41:15	1	1	1	1	69	60	0	30000	455.9139785	13741.47256	30000	0	0	30000	41.25	2004
12.02.2020 11:41:16	1	1	1	1	68.75	61.25	0	30000	453.7634409	13612.64371	30000	0	0	30000	41.25	2004
12.02.2020 11:41:17	1	1	1	1	68.75	61.25	0	30000	451.6129032	13483.81486	30000	0	0	30000	41.0625	2004
12.02.2020 11:41:18	1	1	1	1	68.75	61	0	30000	458.0645161	13805.88699	30000	0	0	30000	40.4375	2004
12.02.2020 11:41:19	1	1	1	1	68.75	60.25	0	30000	460.2150538	13805.88699	30000	0	0	30000	41.125	2004
12.02.2020 11:41:20	1	1	1	1	68.75	61	0	30047.393	464.516129	13741.47256	30000	0	0	30000	41.1875	2004
12.02.2020 11:41:21	1	1	1	1	68.75	61	0	29952.607	460.2150538	13805.88699	30000	0	0	30000	40.625	2004
12.02.2020 11:41:22	1	1	1	1	68.75	60.5	0	30000	464.516129	13935.53122	30000	0	0	30000	40.75	2004
12.02.2020 11:41:23	1	1	1	1	68.75	60.75	0	30000	464.516129	13720.27288	30000	0	0	30000	40.75	2004
12.02.2020 11:41:24	1	1	1	1	68.75	60.75	0	30000	455.9139785	13612.64371	30000	0	0	30000	41.0625	2004
12.02.2020 11:41:25	1	1	1	1	68.75	61	0	30000	458.0645161	13741.47256	30000	0	0	30000	41.125	2004
12.02.2020 11:41:27	1	1	1	1	68.75	61	0	30000	464.516129	13935.53122	30000	0	0	30000	41.125	2004
12.02.2020 11:41:28	1	1	1	1	68.75	61	0	29952.607	460.2150538	13935.53122	30000	0	0	30000	40.4375	2004
12.02.2020 11:41:29	1	1	1	1	68.75	60.25	0	30000	458.0645161	13741.47256	30000	0	0	30000	40.9375	2004
12.02.2020 11:41:30	1	1	1	1	68.75	60.75	0	30000	458.0645161	13612.64371	30000	0	0	30000	41.375	2004
12.02.2020 11:41:31	1	1	1	1	68.75	61.25	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.9375	2004
12.02.2020 11:41:32	1	1	1	1	68.75	60.75	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.75	2004
12.02.2020 11:41:33	1	1	1	1	68.75	60.75	0	30000	466.6666667	13999.94564	30000	0	0	30000	41	2004
12.02.2020 11:41:34	1	1	1	1	68.75	61	0	30000	464.516129	13999.94564	30000	0	0	30000	40.8125	2004
12.02.2020 11:41:35	1	1	1	1	68.75	60.75	0	30000	464.516129	13935.53122	30000	0	0	30000	41.3125	2004
12.02.2020 11:41:36	1	1	1	1	68.75	61.25	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.6875	2004
12.02.2020 11:41:37	1	1	1	1	68.5	60.5	0	29952.607	466.6666667	14474.49243	30000	0	0	30000	40.9375	2004
12.02.2020 11:41:38	1	1	1	1	68.5	60.75	0	30000	464.516129	13935.53122	30000	0	0	30000	40.5	2004
12.02.2020 11:41:39	1	1	1	1	68.5	60.5	0	30000	466.6666667	13999.94564	30000	0	0	30000	41.1875	2004
12.02.2020 11:41:40	1	1	1	1	68.5	61	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.6875	2004
12.02.2020 11:41:41	1	1	1	1	68.5	60.5	0	30000	466.6666667	13999.94564	30000	0	0	30000	41.1875	2004
12.02.2020 11:41:42	1	1	1	1	68.5	61	0	30000	466.6666667	13999.94564	30000	0	0	30000	41.3125	2004
12.02.2020 11:41:43	1	1	1	1	68.5	61.25	0	30000	481.7204301	13999.94564	30000	0	0	30000	41.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 11:41:44	1	1	1	1	68.5	61.25	0	30000	466.6666667	13999.94564	30000	0	0	30000	41.75	2004
12.02.2020 11:41:45	1	1	1	1	68.5	61.75	0	30000	464.516129	13999.94564	30000	0	0	30000	41.4375	2004
12.02.2020 11:41:46	1	1	1	1	68.5	61.25	0	30000	466.6666667	13999.94564	30000	0	0	30000	41.3125	2004
12.02.2020 11:41:47	1	1	1	1	68.75	60.75	0	30000	466.6666667	13999.94564	30000	0	0	30000	41.375	2004
12.02.2020 11:41:48	1	1	1	1	68.75	61.25	0	30000	468.8172043	13999.94564	30000	0	0	30000	41.0625	2004
12.02.2020 11:41:49	1	1	1	1	68.75	61	0	30000	466.6666667	13999.94564	30000	0	0	30000	41.1875	2004
12.02.2020 11:41:50	1	1	1	1	68.75	61	0	30000	466.6666667	13935.53122	30000	0	0	30000	40.6875	2004
12.02.2020 11:41:51	1	1	1	1	68.75	60.5	0	30000	481.7204301	14128.7745	30000	0	0	30000	40.75	2004
12.02.2020 11:41:52	1	1	1	1	68.75	60.75	0	30000	466.6666667	13999.94564	30000	0	0	30000	41.25	2004
12.02.2020 11:41:53	1	1	1	1	68.75	61.25	0	30000	468.8172043	14128.7745	30000	0	0	30000	41.125	2004
12.02.2020 11:41:54	1	1	1	1	68.75	61	0	30000	481.7204301	14128.7745	30000	0	0	30000	41.1875	2004
12.02.2020 11:41:55	1	1	1	1	68.75	61	0	30000	481.7204301	13935.53122	30000	0	0	30000	40.5	2004
12.02.2020 11:41:56	1	1	1	1	68.75	60.5	0	30000	466.6666667	13999.94564	30000	0	0	30000	41.3125	2004
12.02.2020 11:41:57	1	1	1	1	68.75	61.25	0	30000	466.6666667	14064.36007	30000	0	0	30000	41.0625	2004
12.02.2020 11:41:58	1	1	1	1	68.75	61	0	30000	481.7204301	14128.7745	30000	0	0	30000	41.125	2004
12.02.2020 11:41:59	1	1	1	1	68.75	61	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.75	2004
12.02.2020 11:42:00	1	1	1	1	68.75	60.75	0	30000	460.2150538	13935.53122	30000	0	0	30000	41.1875	2004
12.02.2020 11:42:01	1	1	1	1	68.75	61	0	30000	464.516129	13935.53122	30000	0	0	30000	41.25	2004
12.02.2020 11:42:02	1	1	1	1	68.75	61.25	0	30000	464.516129	13999.94564	30000	0	0	30000	40.9375	2004
12.02.2020 11:42:03	1	1	1	1	68.75	60.75	0	30000	481.7204301	14128.7745	30000	0	0	30000	41.1875	2004
12.02.2020 11:42:04	1	1	1	1	68.75	61	0	30000	468.8172043	14064.36007	30000	0	0	30000	40.5	2004
12.02.2020 11:42:06	1	1	1	1	68.75	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.5	2004
12.02.2020 11:42:07	1	1	1	1	68.25	60.5	0	29905.213	464.516129	14128.7745	30000	0	0	30000	40.9375	2004
12.02.2020 11:42:08	1	1	1	1	68.25	60.75	0	30000	466.6666667	13935.53122	30000	0	0	30000	40.75	2004
12.02.2020 11:42:14	1	1	1	1	68.25	61	0	30000	466.6666667	13999.94564	30000	0	0	30000	41	2004
12.02.2020 11:42:14	1	1	1	1	68.25	61	0	30000	466.6666667	13999.94564	30000	0	0	30000	41	2004
12.02.2020 11:42:14	1	1	1	1	68.25	61	0	30000	466.6666667	13999.94564	30000	0	0	30000	41	2004
12.02.2020 11:42:14	1	1	1	1	68.25	61	0	30000	466.6666667	13999.94564	30000	0	0	30000	41	2004
12.02.2020 11:42:14	1	1	1	1	68.25	61	0	30000	466.6666667	13999.94564	30000	0	0	30000	41	2004
12.02.2020 11:42:14	1	1	1	1	68.25	61	0	30000	466.6666667	13999.94564	30000	0	0	30000	41	2004
12.02.2020 11:42:15	1	1	1	1	68.25	61	0	29952.607	464.516129	14064.36007	30000	0	0	30000	41.125	2004
12.02.2020 11:42:16	1	1	1	1	68.25	61	0	30000	481.7204301	13999.94564	30000	0	0	30000	41.25	2004
12.02.2020 11:42:17	1	1	1	1	68.25	61.25	0	30000	466.6666667	14128.7745	30000	0	0	30000	40.6875	2004
12.02.2020 11:42:18	1	1	1	1	68.25	60.5	0	30000	481.7204301	13977.93058	30000	0	0	30000	40.9375	2004
12.02.2020 11:42:19	1	1	1	1	68.25	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	41	2004
12.02.2020 11:42:20	1	1	1	1	68.25	61	0	30000	481.7204301	14128.7745	30000	0	0	30000	41.25	2004
12.02.2020 11:42:21	1	1	1	1	68.25	61.25	0	30000	468.8172043	14128.7745	30000	0	0	30000	41.3125	2004
12.02.2020 11:42:22	1	1	1	1	68.25	61.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.8125	2004
12.02.2020 11:42:23	1	1	1	1	68.25	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	41.3125	2004
12.02.2020 11:42:24	1	1	1	1	68.25	61.25	0	30000	464.516129	13999.94564	30000	0	0	30000	40.9375	2004
12.02.2020 11:42:25	1	1	1	1	68.25	60.75	0	30000	466.6666667	13999.94564	30000	0	0	30000	41.625	2004
12.02.2020 11:42:26	1	1	1	1	68.25	61.5	0	30000	464.516129	13935.53122	30000	0	0	30000	41.3125	2004
12.02.2020 11:42:27	1	1	1	1	68.5	61.25	0	30000	464.516129	13935.53122	30000	0	0	30000	41.4375	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 11:42:28	1	1	1	1	68.5	61.25	0	30000	466.6666667	14451.662	30000	0	0	30000	41.25	2004
12.02.2020 11:42:29	1	1	1	1	68.5	61.25	0	30000	464.516129	13935.53122	30000	0	0	30000	41.3125	2004
12.02.2020 11:42:30	1	1	1	1	68.5	61.25	0	30000	464.516129	13999.94564	30000	0	0	30000	41	2004
12.02.2020 11:42:31	1	1	1	1	68.5	61	0	30000	481.7204301	13999.94564	30000	0	0	30000	40.5	2004
12.02.2020 11:42:32	1	1	1	1	68.5	60.5	0	30000	481.7204301	13999.94564	30000	0	0	30000	41.0625	2004
12.02.2020 11:42:33	1	1	1	1	68.5	61	0	30000	464.516129	13999.94564	30000	0	0	30000	41.1875	2004
12.02.2020 11:42:34	1	1	1	1	68.5	61	0	29952.607	481.7204301	13955.10015	30000	0	0	30000	41.375	2004
12.02.2020 11:42:35	1	1	1	1	68.5	61.25	0	30000	481.7204301	14451.662	30000	0	0	30000	41.0625	2004
12.02.2020 11:42:36	1	1	1	1	68.25	61	0	30000	481.7204301	14451.662	30000	0	0	30000	40.75	2004
12.02.2020 11:42:37	1	1	1	1	68.25	60.75	0	30000	466.6666667	13935.53122	30000	0	0	30000	41	2004
12.02.2020 11:42:38	1	1	1	1	68.25	61	0	30000	468.8172043	14128.7745	30000	0	0	30000	41	2004
12.02.2020 11:42:39	1	1	1	1	68.25	61	0	30000	481.7204301	14474.49243	30000	0	0	30000	41.25	2004
12.02.2020 11:42:40	1	1	1	1	68.25	61.25	0	30000	481.7204301	14451.662	30000	0	0	30000	41	2004
12.02.2020 11:42:41	1	1	1	1	68.25	61	0	30000	481.7204301	14451.662	30000	0	0	30000	40.875	2004
12.02.2020 11:42:42	1	1	1	1	68.25	60.75	0	29952.607	481.7204301	14064.36007	30000	0	0	30000	40.9375	2004
12.02.2020 11:42:43	1	1	1	1	68.25	60.75	0	30000	481.7204301	14128.7745	30000	0	0	30000	40.875	2004
12.02.2020 11:42:44	1	1	1	1	68.25	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	41.25	2004
12.02.2020 11:42:46	1	1	1	1	68.25	61.25	0	30000	481.7204301	14451.662	30000	0	0	30000	41.3125	2004
12.02.2020 11:42:47	1	1	1	1	68.5	61.25	0	30000	481.7204301	14428.83157	30000	0	0	30000	40.6875	2004
12.02.2020 11:42:48	1	1	1	1	68.5	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.5	2004
12.02.2020 11:42:49	1	1	1	1	68.5	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	41.125	2004
12.02.2020 11:42:50	1	1	1	1	68.5	61	0	30000	481.7204301	14451.662	30000	0	0	30000	41.25	2004
12.02.2020 11:42:51	1	1	1	1	68.5	61.25	0	30000	481.7204301	14451.662	30000	0	0	30000	41	2004
12.02.2020 11:42:52	1	1	1	1	68.5	61	0	30000	481.7204301	14451.662	30000	0	0	30000	41.125	2004
12.02.2020 11:42:53	1	1	1	1	68.5	61	0	30000	481.7204301	14451.662	30000	0	0	30000	40.9375	2004
12.02.2020 11:42:54	1	1	1	1	68.5	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	41.1875	2004
12.02.2020 11:42:55	1	1	1	1	68.5	61	0	29952.607	481.7204301	14451.662	30000	0	0	30000	40.5	2004
12.02.2020 11:42:56	1	1	1	1	68.5	60.5	0	30000	466.6666667	13977.93058	30000	0	0	30000	41.25	2004
12.02.2020 11:42:57	1	1	1	1	68.5	61.25	0	29952.607	481.7204301	14451.662	30000	0	0	30000	41.3125	2004
12.02.2020 11:42:58	1	1	1	1	68.5	61.25	0	29952.607	481.7204301	14451.662	30000	0	0	30000	41.25	2004
12.02.2020 11:42:59	1	1	1	1	68.5	61.25	0	30000	481.7204301	14451.662	30000	0	0	30000	41.1875	2004
12.02.2020 11:43:00	1	1	1	1	68.5	61	0	30000	481.7204301	14451.662	30000	0	0	30000	41.0625	2004
12.02.2020 11:43:01	1	1	1	1	68.5	61	0	29905.213	481.7204301	14451.662	30000	0	0	30000	41.1875	2004
12.02.2020 11:43:02	1	1	1	1	68.5	61	0	30000	481.7204301	14451.662	30000	0	0	30000	41.0625	2004
12.02.2020 11:43:03	1	1	1	1	68.5	61	0	29952.607	481.7204301	14106.75944	30000	0	0	30000	41.125	2004
12.02.2020 11:43:04	1	1	1	1	68.5	61.25	0	30000	481.7204301	14451.662	30000	0	0	30000	41.1875	2004
12.02.2020 11:43:05	1	1	1	1	68.5	61	0	30000	481.7204301	14451.662	30000	0	0	30000	41.0625	2004
12.02.2020 11:43:06	1	1	1	1	68.25	61	0	30000	481.7204301	14451.662	30000	0	0	30000	41.125	2004
12.02.2020 11:43:07	1	1	1	1	68.25	61	0	30000	481.7204301	14451.662	30000	0	0	30000	41.3125	2004
12.02.2020 11:43:08	1	1	1	1	68.25	61.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.75	2004
12.02.2020 11:43:09	1	1	1	1	68.25	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.875	2004
12.02.2020 11:43:16	1	1	1	1	68.25	61	0	29952.607	481.7204301	14451.662	30000	0	0	30000	41.3125	2004
12.02.2020 11:43:16	1	1	1	1	68.25	61	0	29952.607	481.7204301	14451.662	30000	0	0	30000	41.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 11:43:16	1	1	1	1	68.25	61	0	29952.607	481.7204301	14451.662	30000	0	0	30000	41.3125	2004
12.02.2020 11:43:16	1	1	1	1	68.25	61	0	29952.607	481.7204301	14451.662	30000	0	0	30000	41.3125	2004
12.02.2020 11:43:16	1	1	1	1	68.25	61	0	29952.607	481.7204301	14451.662	30000	0	0	30000	41.3125	2004
12.02.2020 11:43:16	1	1	1	1	68.25	61	0	29952.607	481.7204301	14451.662	30000	0	0	30000	41.3125	2004
12.02.2020 11:43:16	1	1	1	1	68	61.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.3125	2004
12.02.2020 11:43:17	1	1	1	1	68	60.25	0	30000	481.7204301	14474.49243	30000	0	0	30000	41.0625	2004
12.02.2020 11:43:18	1	1	1	1	68	61	0	30000	481.7204301	14451.662	30000	0	0	30000	40.625	2004
12.02.2020 11:43:19	1	1	1	1	68	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	41.1875	2004
12.02.2020 11:43:20	1	1	1	1	68	61	0	30000	481.7204301	14451.662	30000	0	0	30000	40.5	2004
12.02.2020 11:43:21	1	1	1	1	68	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	41.0625	2004
12.02.2020 11:43:22	1	1	1	1	68	61	0	30000	481.7204301	14451.662	30000	0	0	30000	41.1875	2004
12.02.2020 11:43:24	1	1	1	1	68	61	0	30000	481.7204301	14451.662	30000	0	0	30000	41.1875	2004
12.02.2020 11:43:25	1	1	1	1	68	61	0	30000	481.7204301	14451.662	30000	0	0	30000	41.125	2004
12.02.2020 11:43:26	1	1	1	1	68	61	0	30000	481.7204301	14451.662	30000	0	0	30000	41	2004
12.02.2020 11:43:27	1	1	1	1	67.75	61	0	29952.607	481.7204301	14451.662	30000	0	0	30000	39.6875	2004
12.02.2020 11:43:28	1	1	1	1	67.75	59.5	0	30000	481.7204301	14428.83157	30000	0	0	30000	41	2004
12.02.2020 11:43:29	1	1	1	1	67.75	61	0	30000	481.7204301	14451.662	30000	0	0	30000	40.5	2004
12.02.2020 11:43:30	1	1	1	1	67.75	60.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.9375	2004
12.02.2020 11:43:31	1	1	1	1	67.75	60.75	0	30000	488.172043	14406.00114	30000	0	0	30000	40.8125	2004
12.02.2020 11:43:32	1	1	1	1	67.75	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	41.25	2004
12.02.2020 11:43:33	1	1	1	1	67.75	61.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.125	2004
12.02.2020 11:43:34	1	1	1	1	67.75	60	0	30000	481.7204301	14451.662	30000	0	0	30000	40.6875	2004
12.02.2020 11:43:35	1	1	1	1	67.75	60.5	0	29952.607	481.7204301	14451.662	30000	0	0	30000	41.0625	2004
12.02.2020 11:43:36	1	1	1	1	67.75	61	0	30000	481.7204301	14451.662	30000	0	0	30000	40.875	2004
12.02.2020 11:43:37	1	1	1	1	68.25	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	41.0625	2004
12.02.2020 11:43:38	1	1	1	1	68.25	61	0	29952.607	481.7204301	14516.07643	30000	0	0	30000	41.25	2004
12.02.2020 11:43:39	1	1	1	1	68.25	61.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.75	2004
12.02.2020 11:43:40	1	1	1	1	68.25	60.75	0	30000	486.0215054	14580.49085	30000	0	0	30000	40.6875	2004
12.02.2020 11:43:41	1	1	1	1	68.25	60.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	41.125	2004
12.02.2020 11:43:42	1	1	1	1	68.25	61	0	30000	481.7204301	14451.662	30000	0	0	30000	41.125	2004
12.02.2020 11:43:43	1	1	1	1	68.25	61	0	30000	483.8709677	14493.246	30000	0	0	30000	41.375	2004
12.02.2020 11:43:44	1	1	1	1	68.25	61.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	41.25	2004
12.02.2020 11:43:45	1	1	1	1	68.25	61.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.875	2004
12.02.2020 11:43:46	1	1	1	1	68	60.75	0	30000	483.8709677	14516.07643	30000	0	0	30000	41.1875	2004
12.02.2020 11:43:47	1	1	1	1	68	61	0	30000	486.0215054	14580.49085	30000	0	0	30000	40.9375	2004
12.02.2020 11:43:48	1	1	1	1	68	60.75	0	30000	481.7204301	14516.07643	30000	0	0	30000	40.6875	2004
12.02.2020 11:43:49	1	1	1	1	68	60.5	0	30000	481.7204301	14516.07643	30000	0	0	30000	41.0625	2004
12.02.2020 11:43:50	1	1	1	1	68	61	0	30000	481.7204301	14538.90686	30000	0	0	30000	40.6875	2004
12.02.2020 11:43:51	1	1	1	1	68	60.5	0	29952.607	483.8709677	14451.662	30000	0	0	30000	40.6875	2004
12.02.2020 11:43:52	1	1	1	1	68	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.625	2004
12.02.2020 11:43:53	1	1	1	1	68	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	41.1875	2004
12.02.2020 11:43:54	1	1	1	1	68	61	0	30000	481.7204301	14516.07643	30000	0	0	30000	41.0625	2004
12.02.2020 11:43:55	1	1	1	1	68	61	0	30000	481.7204301	14451.662	30000	0	0	30000	40.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 11:43:56	1	1	1	1	67.75	60	0	30000	481.7204301	14451.662	30000	0	0	30000	40.875	2004
12.02.2020 11:43:57	1	1	1	1	67.75	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.75	2004
12.02.2020 11:43:58	1	1	1	1	67.75	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.6875	2004
12.02.2020 11:43:59	1	1	1	1	67.75	60.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.8125	2004
12.02.2020 11:44:01	1	1	1	1	67.75	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.6875	2004
12.02.2020 11:44:02	1	1	1	1	67.75	60.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	41.0625	2004
12.02.2020 11:44:03	1	1	1	1	67.75	61	0	29952.607	481.7204301	14451.662	30000	0	0	30000	40.75	2004
12.02.2020 11:44:04	1	1	1	1	67.75	60.75	0	30000	492.4731183	14773.73413	30000	0	0	30000	41.25	2004
12.02.2020 11:44:05	1	1	1	1	67.75	61.25	0	30000	488.172043	14644.90528	30000	0	0	30000	40.5625	2004
12.02.2020 11:44:06	1	1	1	1	67.75	60.5	0	30000	488.172043	14644.90528	30000	0	0	30000	39.9375	2004
12.02.2020 11:44:07	1	1	1	1	67.75	59.75	0	30000	488.172043	14644.90528	30000	0	0	30000	41.0625	2004
12.02.2020 11:44:08	1	1	1	1	67.75	61	0	30000	483.8709677	14516.07643	30000	0	0	30000	41.0625	2004
12.02.2020 11:44:09	1	1	1	1	67.75	61	0	29952.607	481.7204301	14451.662	30000	0	0	30000	40.75	2004
12.02.2020 11:44:10	1	1	1	1	67.75	60.75	0	30000	486.0215054	14516.07643	30000	0	0	30000	41.1875	2004
12.02.2020 11:44:11	1	1	1	1	67.75	61	0	30000	488.172043	14622.07485	30000	0	0	30000	41.1875	2004
12.02.2020 11:44:18	1	1	1	1	68	60.25	0	30000	494.6236559	14773.73413	30000	0	0	30000	40.5	2004
12.02.2020 11:44:18	1	1	1	1	68	60.25	0	30000	494.6236559	14773.73413	30000	0	0	30000	40.5	2004
12.02.2020 11:44:18	1	1	1	1	68	60.25	0	30000	494.6236559	14773.73413	30000	0	0	30000	40.5	2004
12.02.2020 11:44:18	1	1	1	1	68	60.25	0	30000	494.6236559	14773.73413	30000	0	0	30000	40.5	2004
12.02.2020 11:44:18	1	1	1	1	68	60.25	0	30000	494.6236559	14773.73413	30000	0	0	30000	40.5	2004
12.02.2020 11:44:18	1	1	1	1	68	60.25	0	30000	494.6236559	14773.73413	30000	0	0	30000	40.5	2004
12.02.2020 11:44:18	1	1	1	1	68	60.5	0	30000	490.3225806	14644.90528	30000	0	0	30000	41.25	2004
12.02.2020 11:44:19	1	1	1	1	68	61.25	0	29905.213	494.6236559	14838.14856	30000	0	0	30000	40.8125	2004
12.02.2020 11:44:20	1	1	1	1	68	60.75	0	30000	492.4731183	14838.14856	30000	0	0	30000	41.3125	2004
12.02.2020 11:44:21	1	1	1	1	68	61.25	0	29952.607	483.8709677	14644.90528	30000	0	0	30000	41.75	2004
12.02.2020 11:44:22	1	1	1	1	68	61.75	0	30000	492.4731183	14773.73413	30000	0	0	30000	41	2004
12.02.2020 11:44:23	1	1	1	1	68	61.25	0	30000	490.3225806	14773.73413	30000	0	0	30000	40.8125	2004
12.02.2020 11:44:24	1	1	1	1	68	60.75	0	30000	492.4731183	14773.73413	30000	0	0	30000	40.9375	2004
12.02.2020 11:44:25	1	1	1	1	68	60.75	0	30000	488.172043	14773.73413	30000	0	0	30000	41.375	2004
12.02.2020 11:44:26	1	1	1	1	68	61.25	0	30000	492.4731183	15055.85302	30000	0	0	30000	41.3125	2004
12.02.2020 11:44:27	1	1	1	1	68	61.25	0	30000	496.7741935	14902.56299	30000	0	0	30000	41.125	2004
12.02.2020 11:44:28	1	1	1	1	68	61	0	30000	494.6236559	14838.14856	30000	0	0	30000	40.875	2004
12.02.2020 11:44:29	1	1	1	1	68	60.75	0	30000	496.7741935	14902.56299	30000	0	0	30000	40.1875	2004
12.02.2020 11:44:30	1	1	1	1	68	60	0	30000	492.4731183	14469.6002	30000	0	0	30000	40.875	2004
12.02.2020 11:44:31	1	1	1	1	68	60.75	0	30094.787	496.7741935	14902.56299	30000	0	0	30000	40.125	2004
12.02.2020 11:44:32	1	1	1	1	68	60	0	29952.607	496.7741935	14879.73256	30000	0	0	30000	40.5	2004
12.02.2020 11:44:33	1	1	1	1	68	60.5	0	30000	496.7741935	14902.56299	30000	0	0	30000	40.25	2004
12.02.2020 11:44:34	1	1	1	1	68	60.25	0	30000	501.0752688	14902.56299	30000	0	0	30000	40.625	2004
12.02.2020 11:44:35	1	1	1	1	68	60.5	0	30000	496.7741935	14902.56299	30000	0	0	30000	40.625	2004
12.02.2020 11:44:36	1	1	1	1	67.5	60.5	0	30047.393	496.7741935	14902.56299	30000	0	0	30000	40.1875	2004
12.02.2020 11:44:37	1	1	1	1	67.5	60	0	30000	496.7741935	14838.14856	30000	0	0	30000	41.1875	2004
12.02.2020 11:44:38	1	1	1	1	67.5	61	0	30000	494.6236559	14902.56299	30000	0	0	30000	41.25	2004
12.02.2020 11:44:39	1	1	1	1	67.5	61.25	0	30000	496.7741935	14902.56299	30000	0	0	30000	40.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 11:44:40	1	1	1	1	67.5	60.75	0	30000	496.7741935	15184.68187	30000	0	0	30000	41.25	2004
12.02.2020 11:44:42	1	1	1	1	67.5	61.25	0	30000	496.7741935	14902.56299	30000	0	0	30000	40.6875	2004
12.02.2020 11:44:43	1	1	1	1	67.5	60.5	0	30000	501.0752688	15032.20721	30000	0	0	30000	41.0625	2004
12.02.2020 11:44:44	1	1	1	1	67.5	61	0	30000	496.7741935	15032.20721	30000	0	0	30000	40.9375	2004
12.02.2020 11:44:45	1	1	1	1	67.5	60.75	0	30000	498.9247312	15032.20721	30000	0	0	30000	41.1875	2004
12.02.2020 11:44:46	1	1	1	1	67.5	61	0	30000	503.2258065	15032.20721	30000	0	0	30000	41.0625	2004
12.02.2020 11:44:47	1	1	1	1	67.75	61	0	30000	498.9247312	14902.56299	30000	0	0	30000	41.125	2004
12.02.2020 11:44:48	1	1	1	1	67.75	61	0	30000	501.0752688	15032.20721	30000	0	0	30000	40.875	2004
12.02.2020 11:44:49	1	1	1	1	67.75	60.75	0	30000	501.0752688	15032.20721	30000	0	0	30000	41	2004
12.02.2020 11:44:50	1	1	1	1	67.75	61	0	29952.607	496.7741935	14902.56299	30000	0	0	30000	41.0625	2004
12.02.2020 11:44:51	1	1	1	1	67.75	61	0	30000	501.0752688	15032.20721	30000	0	0	30000	41	2004
12.02.2020 11:44:52	1	1	1	1	67.75	61	0	30000	496.7741935	14902.56299	30000	0	0	30000	40.9375	2004
12.02.2020 11:44:53	1	1	1	1	67.75	60.75	0	30000	501.0752688	15032.20721	30000	0	0	30000	39.9375	2004
12.02.2020 11:44:54	1	1	1	1	67.75	59.75	0	29952.607	501.0752688	15032.20721	30000	0	0	30000	40.5625	2004
12.02.2020 11:44:55	1	1	1	1	67.75	60.5	0	30000	505.3763441	15161.03607	30000	0	0	30000	41.1875	2004
12.02.2020 11:44:56	1	1	1	1	67.75	61	0	30000	498.9247312	14902.56299	30000	0	0	30000	41.25	2004
12.02.2020 11:44:57	1	1	1	1	67.5	61.25	0	29905.213	494.6236559	14902.56299	30000	0	0	30000	40.125	2004
12.02.2020 11:44:58	1	1	1	1	67.5	60	0	29952.607	494.6236559	14902.56299	30000	0	0	30000	40.8125	2004
12.02.2020 11:44:59	1	1	1	1	67.5	60.75	0	30000	492.4731183	14902.56299	30000	0	0	30000	41.125	2004
12.02.2020 11:45:00	1	1	1	1	67.5	61	0	30000	498.9247312	14902.56299	30000	0	0	30000	41.5625	2004
12.02.2020 11:45:01	1	1	1	1	67.5	61.5	0	30000	496.7741935	14902.56299	30000	0	0	30000	41.5	2004
12.02.2020 11:45:02	1	1	1	1	67.5	61.5	0	30000	498.9247312	14902.56299	30000	0	0	30000	41.25	2004
12.02.2020 11:45:03	1	1	1	1	67.5	61.5	0	30000	494.6236559	14773.73413	30000	0	0	30000	41.3125	2004
12.02.2020 11:45:04	1	1	1	1	67.5	61.25	0	30000	496.7741935	14902.56299	30000	0	0	30000	41	2004
12.02.2020 11:45:05	1	1	1	1	67.5	61	0	30000	498.9247312	14902.56299	30000	0	0	30000	41.375	2004
12.02.2020 11:45:06	1	1	1	1	67.75	61.25	0	30000	496.7741935	14902.56299	30000	0	0	30000	40.6875	2004
12.02.2020 11:45:07	1	1	1	1	67.75	60.5	0	30000	501.0752688	15032.20721	30000	0	0	30000	41.25	2004
12.02.2020 11:45:08	1	1	1	1	67.75	61.25	0	30000	494.6236559	14902.56299	30000	0	0	30000	41.1875	2004
12.02.2020 11:45:09	1	1	1	1	67.75	61	0	30000	496.7741935	14902.56299	30000	0	0	30000	41.125	2004
12.02.2020 11:45:10	1	1	1	1	67.75	61	0	29952.607	492.4731183	14902.56299	30000	0	0	30000	40.8125	2004
12.02.2020 11:45:11	1	1	1	1	67.75	60.75	0	29905.213	494.6236559	15008.56141	30000	0	0	30000	41.1875	2004
12.02.2020 11:45:12	1	1	1	1	67.75	61	0	30000	501.0752688	15032.20721	30000	0	0	30000	41.125	2004
12.02.2020 11:45:19	1	1	1	1	67.75	61	0	30000	503.2258065	15225.45049	30000	0	0	30000	40.625	2004
12.02.2020 11:45:19	1	1	1	1	67.75	61	0	30000	503.2258065	15225.45049	30000	0	0	30000	40.625	2004
12.02.2020 11:45:19	1	1	1	1	67.75	61	0	30000	503.2258065	15225.45049	30000	0	0	30000	40.625	2004
12.02.2020 11:45:19	1	1	1	1	67.75	61	0	30000	503.2258065	15225.45049	30000	0	0	30000	40.625	2004
12.02.2020 11:45:19	1	1	1	1	67.75	61	0	30000	503.2258065	15225.45049	30000	0	0	30000	40.625	2004
12.02.2020 11:45:20	1	1	1	1	67.75	60.5	0	30000	501.0752688	14879.73256	30000	0	0	30000	40.5	2004
12.02.2020 11:45:21	1	1	1	1	67.75	60.5	0	30000	501.0752688	15096.62164	30000	0	0	30000	41.125	2004
12.02.2020 11:45:22	1	1	1	1	67.75	61	0	30000	507.5268817	15137.39026	30000	0	0	30000	41	2004
12.02.2020 11:45:23	1	1	1	1	67.75	61	0	30000	496.7741935	14879.73256	30000	0	0	30000	40.625	2004
12.02.2020 11:45:24	1	1	1	1	67.75	60.5	0	30000	501.0752688	14902.56299	30000	0	0	30000	41	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 11:45:25	1	1	1	1	67.75	61	0	29952.607	492.4731183	14773.73413	30000	0	0	30000	40.5	2004
12.02.2020 11:45:26	1	1	1	1	67.75	60.5	0	30000	496.7741935	14902.56299	30000	0	0	30000	40.9375	2004
12.02.2020 11:45:27	1	1	1	1	67.25	60.75	0	30000	496.7741935	14902.56299	30000	0	0	30000	40.875	2004
12.02.2020 11:45:28	1	1	1	1	67.25	60.75	0	30000	496.7741935	15184.68187	30000	0	0	30000	41.125	2004
12.02.2020 11:45:29	1	1	1	1	67.25	61	0	29952.607	496.7741935	15032.20721	30000	0	0	30000	41.25	2004
12.02.2020 11:45:30	1	1	1	1	67.25	61.25	0	30000	496.7741935	14838.14856	30000	0	0	30000	41.0625	2004
12.02.2020 11:45:31	1	1	1	1	67.25	61	0	30000	494.6236559	14773.73413	30000	0	0	30000	40.875	2004
12.02.2020 11:45:32	1	1	1	1	67.25	60.75	0	30000	496.7741935	14902.56299	30000	0	0	30000	41.125	2004
12.02.2020 11:45:33	1	1	1	1	67.25	61	0	30000	498.9247312	15032.20721	30000	0	0	30000	41.1875	2004
12.02.2020 11:45:34	1	1	1	1	67.25	61	0	30000	498.9247312	15008.56141	30000	0	0	30000	41.25	2004
12.02.2020 11:45:35	1	1	1	1	67.25	61.25	0	30000	496.7741935	14902.56299	30000	0	0	30000	41.1875	2004
12.02.2020 11:45:36	1	1	1	1	67.25	61	0	29952.607	494.6236559	14902.56299	30000	0	0	30000	41	2004
12.02.2020 11:45:37	1	1	1	1	67.5	61	0	30000	496.7741935	14902.56299	30000	0	0	30000	41	2004
12.02.2020 11:45:38	1	1	1	1	67.5	61	0	29905.213	503.2258065	15032.20721	30000	0	0	30000	40.625	2004
12.02.2020 11:45:39	1	1	1	1	67.5	60.5	0	30000	501.0752688	15032.20721	30000	0	0	30000	41.1875	2004
12.02.2020 11:45:40	1	1	1	1	67.5	61	0	30000	501.0752688	15161.03607	30000	0	0	30000	41.25	2004
12.02.2020 11:45:41	1	1	1	1	67.5	61	0	30000	501.0752688	15032.20721	30000	0	0	30000	41.3125	2004
12.02.2020 11:45:42	1	1	1	1	67.5	61.25	0	30000	503.2258065	15096.62164	30000	0	0	30000	41.125	2004
12.02.2020 11:45:43	1	1	1	1	67.5	61	0	30000	503.2258065	15096.62164	30000	0	0	30000	40.8125	2004
12.02.2020 11:45:44	1	1	1	1	67.5	60.75	0	29952.607	501.0752688	14984.10024	30000	0	0	30000	41.125	2004
12.02.2020 11:45:45	1	1	1	1	67.5	61	0	30000	496.7741935	15096.62164	30000	0	0	30000	40.3125	2004
12.02.2020 11:45:46	1	1	1	1	67.75	60.25	0	30000	498.9247312	15032.20721	30000	0	0	30000	40.875	2004
12.02.2020 11:45:47	1	1	1	1	67.75	60.75	0	29952.607	494.6236559	14902.56299	30000	0	0	30000	40.4375	2004
12.02.2020 11:45:48	1	1	1	1	67.75	60.25	0	30000	501.0752688	15008.56141	30000	0	0	30000	40.6875	2004
12.02.2020 11:45:49	1	1	1	1	67.75	60.5	0	29952.607	501.0752688	15096.62164	30000	0	0	30000	41.3125	2004
12.02.2020 11:45:50	1	1	1	1	67.75	61.25	0	30000	496.7741935	14902.56299	30000	0	0	30000	40.5	2004
12.02.2020 11:45:51	1	1	1	1	67.75	60.5	0	30000	503.2258065	15096.62164	30000	0	0	30000	41.3125	2004
12.02.2020 11:45:52	1	1	1	1	67.75	61.25	0	29905.213	496.7741935	14856.08676	30000	0	0	30000	41.1875	2004
12.02.2020 11:45:53	1	1	1	1	67.75	61	0	29952.607	501.0752688	15032.20721	30000	0	0	30000	41	2004
12.02.2020 11:45:54	1	1	1	1	67.75	61	0	30000	505.3763441	15161.03607	30000	0	0	30000	40.875	2004
12.02.2020 11:45:55	1	1	1	1	67.75	60.75	0	30000	501.0752688	15032.20721	30000	0	0	30000	41.25	2004
12.02.2020 11:45:56	1	1	1	1	67.5	61.25	0	30000	501.0752688	15184.68187	30000	0	0	30000	40.8125	2004
12.02.2020 11:45:57	1	1	1	1	67.5	60.75	0	29905.213	492.4731183	14902.56299	30000	0	0	30000	41.1875	2004
12.02.2020 11:45:58	1	1	1	1	67.5	61	0	30000	494.6236559	14902.56299	30000	0	0	30000	40.9375	2004
12.02.2020 11:46:00	1	1	1	1	67.5	60.75	0	30000	496.7741935	15161.03607	30000	0	0	30000	40.1875	2004
12.02.2020 11:46:01	1	1	1	1	67.5	60	0	30000	505.3763441	15161.03607	30000	0	0	30000	41	2004
12.02.2020 11:46:02	1	1	1	1	67.5	61	0	30000	503.2258065	15161.03607	30000	0	0	30000	41.1875	2004
12.02.2020 11:46:03	1	1	1	1	67.5	61	0	30047.393	507.5268817	15161.03607	30000	0	0	30000	41.1875	2004
12.02.2020 11:46:04	1	1	1	1	67.5	61	0	30000	503.2258065	15032.20721	30000	0	0	30000	41.1875	2004
12.02.2020 11:46:05	1	1	1	1	67.5	61	0	29952.607	501.0752688	15096.62164	30000	0	0	30000	41.125	2004
12.02.2020 11:46:06	1	1	1	1	67.5	61	0	29905.213	507.5268817	15137.39026	30000	0	0	30000	40.9375	2004
12.02.2020 11:46:07	1	1	1	1	67.75	60.75	0	29952.607	498.9247312	15032.20721	30000	0	0	30000	40.875	2004
12.02.2020 11:46:08	1	1	1	1	67.75	60.75	0	30047.393	501.0752688	15032.20721	30000	0	0	30000	41.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 11:46:09	1	1	1	1	67.75	61.25	0	30000	501.0752688	14727.2579	30000	0	0	30000	41.125	2004
12.02.2020 11:46:10	1	1	1	1	67.75	61	0	30094.787	507.5268817	15032.20721	30000	0	0	30000	41.3125	2004
12.02.2020 11:46:11	1	1	1	1	67.75	61.25	0	30000	501.0752688	15032.20721	30000	0	0	30000	40.9375	2004
12.02.2020 11:46:12	1	1	1	1	67.75	60.75	0	30000	501.0752688	15032.20721	30000	0	0	30000	41.3125	2004
12.02.2020 11:46:13	1	1	1	1	67.75	61.25	0	30000	498.9247312	15032.20721	30000	0	0	30000	40.8125	2004
12.02.2020 11:46:14	1	1	1	1	67.75	60.75	0	30000	503.2258065	15161.03607	30000	0	0	30000	41.125	2004
12.02.2020 11:46:21	1	1	1	1	67.5	60.75	0	30000	505.3763441	15161.03607	30000	0	0	30000	40.625	2004
12.02.2020 11:46:21	1	1	1	1	67.5	60.75	0	30000	505.3763441	15161.03607	30000	0	0	30000	40.625	2004
12.02.2020 11:46:21	1	1	1	1	67.5	60.75	0	30000	505.3763441	15161.03607	30000	0	0	30000	40.625	2004
12.02.2020 11:46:21	1	1	1	1	67.5	60.75	0	30000	505.3763441	15161.03607	30000	0	0	30000	40.625	2004
12.02.2020 11:46:21	1	1	1	1	67.5	61.25	0	30000	507.5268817	15225.45049	30000	0	0	30000	41.25	2004
12.02.2020 11:46:22	1	1	1	1	67.5	61.25	0	30000	496.7741935	15032.20721	30000	0	0	30000	41.125	2004
12.02.2020 11:46:23	1	1	1	1	67.5	61	0	30000	496.7741935	14598.42905	30000	0	0	30000	41.375	2004
12.02.2020 11:46:24	1	1	1	1	67.5	61.25	0	30000	501.0752688	15032.20721	30000	0	0	30000	40.5	2004
12.02.2020 11:46:25	1	1	1	1	67.5	60.5	0	30000	496.7741935	14902.56299	30000	0	0	30000	40.875	2004
12.02.2020 11:46:26	1	1	1	1	67.5	60.75	0	30000	501.0752688	15032.20721	30000	0	0	30000	41.25	2004
12.02.2020 11:46:27	1	1	1	1	67.5	61.25	0	29952.607	505.3763441	15201.80469	30000	0	0	30000	41.375	2004
12.02.2020 11:46:28	1	1	1	1	67.5	61.25	0	30000	507.5268817	15161.03607	30000	0	0	30000	41.125	2004
12.02.2020 11:46:29	1	1	1	1	67.5	61	0	30000	503.2258065	15161.03607	30000	0	0	30000	41.25	2004
12.02.2020 11:46:30	1	1	1	1	67.5	61.25	0	29952.607	498.9247312	15161.03607	30000	0	0	30000	41	2004
12.02.2020 11:46:31	1	1	1	1	67.5	61	0	30000	507.5268817	15225.45049	30000	0	0	30000	41	2004
12.02.2020 11:46:32	1	1	1	1	67.5	61	0	29952.607	507.5268817	15072.97584	30000	0	0	30000	40.6875	2004
12.02.2020 11:46:33	1	1	1	1	67.5	60.5	0	29905.213	498.9247312	15161.03607	30000	0	0	30000	40.8125	2004
12.02.2020 11:46:34	1	1	1	1	67.5	60.75	0	29905.213	498.9247312	15161.03607	30000	0	0	30000	41.25	2004
12.02.2020 11:46:35	1	1	1	1	67.5	61.25	0	30000	509.6774194	15225.45049	30000	0	0	30000	40.8125	2004
12.02.2020 11:46:36	1	1	1	1	67.5	60.75	0	30000	503.2258065	15032.20721	30000	0	0	30000	40.9375	2004
12.02.2020 11:46:38	1	1	1	1	67.5	60.75	0	29952.607	503.2258065	15161.03607	30000	0	0	30000	40.9375	2004
12.02.2020 11:46:39	1	1	1	1	67.5	60.75	0	30000	503.2258065	15032.20721	30000	0	0	30000	40.625	2004
12.02.2020 11:46:40	1	1	1	1	67.5	60.5	0	30000	501.0752688	15032.20721	30000	0	0	30000	41.3125	2004
12.02.2020 11:46:41	1	1	1	1	67.5	61.25	0	30000	501.0752688	15032.20721	30000	0	0	30000	41.1875	2004
12.02.2020 11:46:42	1	1	1	1	67.5	61	0	30000	507.5268817	15225.45049	30000	0	0	30000	41	2004
12.02.2020 11:46:43	1	1	1	1	67.5	61	0	29952.607	501.0752688	15032.20721	30000	0	0	30000	41.125	2004
12.02.2020 11:46:44	1	1	1	1	67.5	61	0	30000	505.3763441	15008.56141	30000	0	0	30000	40.5	2004
12.02.2020 11:46:45	1	1	1	1	67.5	60.5	0	30000	507.5268817	15354.27935	30000	0	0	30000	41.0625	2004
12.02.2020 11:46:46	1	1	1	1	67.5	61	0	30000	505.3763441	15096.62164	30000	0	0	30000	41	2004
12.02.2020 11:46:47	1	1	1	1	67.25	61	0	30000	507.5268817	15161.03607	30000	0	0	30000	41.0625	2004
12.02.2020 11:46:48	1	1	1	1	67.25	61	0	30000	507.5268817	15161.03607	30000	0	0	30000	40.75	2004
12.02.2020 11:46:49	1	1	1	1	67.25	60.75	0	30000	509.6774194	15289.86492	30000	0	0	30000	41	2004
12.02.2020 11:46:50	1	1	1	1	67.25	61	0	30000	509.6774194	15161.03607	30000	0	0	30000	41	2004
12.02.2020 11:46:51	1	1	1	1	67.25	61	0	30000	507.5268817	15225.45049	30000	0	0	30000	41.3125	2004
12.02.2020 11:46:52	1	1	1	1	67.25	61.25	0	30000	516.1290323	15418.69377	30000	0	0	30000	41.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 11:46:53	1	1	1	1	67.25	61.25	0	30000	511.827957	15483.92357	30000	0	0	30000	41.1875	2004
12.02.2020 11:46:54	1	1	1	1	67.25	61	0	30000	516.1290323	15483.92357	30000	0	0	30000	41	2004
12.02.2020 11:46:55	1	1	1	1	67.25	61	0	29952.607	503.2258065	15289.86492	30000	0	0	30000	41.3125	2004
12.02.2020 11:46:56	1	1	1	1	67.25	61.25	0	30000	507.5268817	15289.86492	30000	0	0	30000	41.1875	2004
12.02.2020 11:46:57	1	1	1	1	67.5	61	0	30000	507.5268817	14879.73256	30000	0	0	30000	41.375	2004
12.02.2020 11:46:58	1	1	1	1	67.5	61.25	0	30000	511.827957	15354.27935	30000	0	0	30000	41.125	2004
12.02.2020 11:46:59	1	1	1	1	67.5	61	0	30000	516.1290323	15289.86492	30000	0	0	30000	40.5625	2004
12.02.2020 11:47:00	1	1	1	1	67.5	60.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	41.0625	2004
12.02.2020 11:47:01	1	1	1	1	67.5	61	0	30000	503.2258065	15225.45049	30000	0	0	30000	41.1875	2004
12.02.2020 11:47:02	1	1	1	1	67.5	61	0	30000	507.5268817	15225.45049	30000	0	0	30000	41.25	2004
12.02.2020 11:47:03	1	1	1	1	67.5	61.25	0	30000	505.3763441	15225.45049	30000	0	0	30000	41.3125	2004
12.02.2020 11:47:04	1	1	1	1	67.5	61.25	0	30000	501.0752688	15032.20721	30000	0	0	30000	40.9375	2004
12.02.2020 11:47:05	1	1	1	1	67.5	60.75	0	30000	507.5268817	15289.86492	30000	0	0	30000	40.625	2004
12.02.2020 11:47:06	1	1	1	1	67	60.5	0	30000	507.5268817	15289.86492	30000	0	0	30000	40.25	2004
12.02.2020 11:47:07	1	1	1	1	67	60.25	0	30000	507.5268817	15225.45049	30000	0	0	30000	40.9375	2004
12.02.2020 11:47:08	1	1	1	1	67	60.75	0	30000	509.6774194	15289.86492	30000	0	0	30000	41.1875	2004
12.02.2020 11:47:09	1	1	1	1	67	61	0	30000	516.1290323	15483.92357	30000	0	0	30000	41.1875	2004
12.02.2020 11:47:10	1	1	1	1	67	61	0	30000	516.1290323	15483.92357	30000	0	0	30000	41.1875	2004
12.02.2020 11:47:11	1	1	1	1	67	61	0	30000	511.827957	15483.92357	30000	0	0	30000	41.3125	2004
12.02.2020 11:47:12	1	1	1	1	67	61.25	0	30000	507.5268817	15483.92357	30000	0	0	30000	41.1875	2004
12.02.2020 11:47:13	1	1	1	1	67	61	0	30000	511.827957	15354.27935	30000	0	0	30000	40.9375	2004
12.02.2020 11:47:14	1	1	1	1	67	60.75	0	29952.607	507.5268817	15483.92357	30000	0	0	30000	41.125	2004
12.02.2020 11:47:15	1	1	1	1	67	61	0	30047.393	516.1290323	15483.92357	30000	0	0	30000	40.9375	2004
12.02.2020 11:47:22	1	1	1	1	67.25	61	0	30000	518.2795699	15548.338	30000	0	0	30000	40.75	2004
12.02.2020 11:47:22	1	1	1	1	67.25	61	0	30000	518.2795699	15548.338	30000	0	0	30000	40.75	2004
12.02.2020 11:47:22	1	1	1	1	67.25	61	0	30000	518.2795699	15548.338	30000	0	0	30000	40.75	2004
12.02.2020 11:47:22	1	1	1	1	67.25	61	0	30000	518.2795699	15548.338	30000	0	0	30000	40.75	2004
12.02.2020 11:47:22	1	1	1	1	67.25	61	0	30000	518.2795699	15548.338	30000	0	0	30000	40.75	2004
12.02.2020 11:47:23	1	1	1	1	67.25	60.75	0	29952.607	518.2795699	15612.75243	30000	0	0	30000	40.3125	2004
12.02.2020 11:47:24	1	1	1	1	67.25	60.25	0	30000	516.1290323	15523.87682	30000	0	0	30000	40.8125	2004
12.02.2020 11:47:25	1	1	1	1	67.25	60.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	40.9375	2004
12.02.2020 11:47:26	1	1	1	1	67.25	60.75	0	30000	516.1290323	15418.69377	30000	0	0	30000	40.875	2004
12.02.2020 11:47:27	1	1	1	1	67.25	60.75	0	30000	509.6774194	15354.27935	30000	0	0	30000	40.625	2004
12.02.2020 11:47:28	1	1	1	1	67.25	60.5	0	30000	516.1290323	15548.338	30000	0	0	30000	41.0625	2004
12.02.2020 11:47:29	1	1	1	1	67.25	61	0	30000	520.4301075	15612.75243	30000	0	0	30000	41.125	2004
12.02.2020 11:47:30	1	1	1	1	67.25	61	0	30000	516.1290323	15548.338	30000	0	0	30000	41.3125	2004
12.02.2020 11:47:31	1	1	1	1	67.25	61.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	41.25	2004
12.02.2020 11:47:32	1	1	1	1	67.25	61.25	0	30000	511.827957	15289.86492	30000	0	0	30000	41.25	2004
12.02.2020 11:47:33	1	1	1	1	67.25	61.25	0	30000	516.1290323	15418.69377	30000	0	0	30000	41.0625	2004
12.02.2020 11:47:34	1	1	1	1	67.25	61	0	30000	516.1290323	15483.92357	30000	0	0	30000	40.5625	2004
12.02.2020 11:47:35	1	1	1	1	67.25	60.5	0	30000	518.2795699	15548.338	30000	0	0	30000	39.8125	2004
12.02.2020 11:47:36	1	1	1	1	67.25	59.75	0	30000	518.2795699	15548.338	30000	0	0	30000	41.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 11:47:37	1	1	1	1	67.25	61.25	0	29905.213	516.1290323	15483.92357	30000	0	0	30000	41.6875	2004
12.02.2020 11:47:38	1	1	1	1	67.25	60.5	0	30000	518.2795699	15548.338	30000	0	0	30000	41.125	2004
12.02.2020 11:47:39	1	1	1	1	67.25	61	0	30000	518.2795699	15483.92357	30000	0	0	30000	40.9375	2004
12.02.2020 11:47:40	1	1	1	1	67.25	60.75	0	30000	520.4301075	15677.16685	30000	0	0	30000	41	2004
12.02.2020 11:47:41	1	1	1	1	67.25	61	0	30000	518.2795699	15548.338	30000	0	0	30000	41.375	2004
12.02.2020 11:47:42	1	1	1	1	67.25	61.25	0	30000	516.1290323	15548.338	30000	0	0	30000	40.3125	2004
12.02.2020 11:47:43	1	1	1	1	67.25	60.25	0	30000	518.2795699	15548.338	30000	0	0	30000	40.5	2004
12.02.2020 11:47:44	1	1	1	1	67.25	60.5	0	30000	520.4301075	15548.338	30000	0	0	30000	40.75	2004
12.02.2020 11:47:45	1	1	1	1	67.25	60.75	0	30000	520.4301075	15741.58128	30000	0	0	30000	41	2004
12.02.2020 11:47:46	1	1	1	1	67	61	0	30000	522.5806452	15677.16685	30000	0	0	30000	41.25	2004
12.02.2020 11:47:47	1	1	1	1	67	61.25	0	30000	518.2795699	15548.338	30000	0	0	30000	41.1875	2004
12.02.2020 11:47:48	1	1	1	1	67	61	0	29952.607	516.1290323	15483.92357	30000	0	0	30000	41.0625	2004
12.02.2020 11:47:49	1	1	1	1	67	61	0	30047.393	524.7311828	15677.16685	30000	0	0	30000	40.875	2004
12.02.2020 11:47:50	1	1	1	1	67	60.75	0	30000	522.5806452	15677.16685	30000	0	0	30000	41.4375	2004
12.02.2020 11:47:51	1	1	1	1	67	61.25	0	30000	520.4301075	15677.16685	30000	0	0	30000	41.25	2004
12.02.2020 11:47:52	1	1	1	1	67	61.25	0	30000	522.5806452	15677.16685	30000	0	0	30000	41	2004
12.02.2020 11:47:53	1	1	1	1	67	61	0	30000	518.2795699	15612.75243	30000	0	0	30000	41.1875	2004
12.02.2020 11:47:54	1	1	1	1	67	61	0	30000	522.5806452	15677.16685	30000	0	0	30000	40.75	2004
12.02.2020 11:47:56	1	1	1	1	67	60.75	0	30000	522.5806452	15677.16685	30000	0	0	30000	41.25	2004
12.02.2020 11:47:57	1	1	1	1	67	61.25	0	30000	529.0322581	15741.58128	30000	0	0	30000	41.1875	2004
12.02.2020 11:47:58	1	1	1	1	67	61	0	30000	522.5806452	15677.16685	30000	0	0	30000	41.3125	2004
12.02.2020 11:47:59	1	1	1	1	67	61.25	0	30000	524.7311828	15677.16685	30000	0	0	30000	40.9375	2004
12.02.2020 11:48:00	1	1	1	1	67	60.75	0	30000	518.2795699	15612.75243	30000	0	0	30000	41.25	2004
12.02.2020 11:48:01	1	1	1	1	67	61.25	0	30000	526.8817204	15781.53453	30000	0	0	30000	41	2004
12.02.2020 11:48:02	1	1	1	1	67	61	0	30000	524.7311828	15805.99571	30000	0	0	30000	41.1875	2004
12.02.2020 11:48:03	1	1	1	1	67	61	0	30000	526.8817204	15677.16685	30000	0	0	30000	41.125	2004
12.02.2020 11:48:04	1	1	1	1	67	61	0	30000	524.7311828	15677.16685	30000	0	0	30000	40.5	2004
12.02.2020 11:48:05	1	1	1	1	67	60.5	0	30000	518.2795699	15548.338	30000	0	0	30000	41.375	2004
12.02.2020 11:48:06	1	1	1	1	67	61.25	0	29905.213	516.1290323	15677.16685	30000	0	0	30000	41.1875	2004
12.02.2020 11:48:07	1	1	1	1	66.75	61	0	30000	526.8817204	15870.41013	30000	0	0	30000	41.25	2004
12.02.2020 11:48:08	1	1	1	1	66.75	61.25	0	30047.393	526.8817204	15741.58128	30000	0	0	30000	41.25	2004
12.02.2020 11:48:09	1	1	1	1	66.75	61.25	0	30000	526.8817204	15805.99571	30000	0	0	30000	41.1875	2004
12.02.2020 11:48:10	1	1	1	1	66.75	61	0	30000	533.3333333	15934.82456	30000	0	0	30000	41.1875	2004
12.02.2020 11:48:11	1	1	1	1	66.75	61	0	30000	526.8817204	15805.99571	30000	0	0	30000	41.375	2004
12.02.2020 11:48:12	1	1	1	1	66.75	61.25	0	30000	526.8817204	15805.99571	30000	0	0	30000	40.375	2004
12.02.2020 11:48:13	1	1	1	1	66.75	60.25	0	30000	529.0322581	15870.41013	30000	0	0	30000	41.375	2004
12.02.2020 11:48:14	1	1	1	1	66.75	61.25	0	30000	529.0322581	15870.41013	30000	0	0	30000	41.375	2004
12.02.2020 11:48:15	1	1	1	1	66.75	61.25	0	29952.607	524.7311828	15652.70568	30000	0	0	30000	40.6875	2004
12.02.2020 11:48:16	1	1	1	1	66.75	60.5	0	30000	533.3333333	16000.05436	30000	0	0	30000	41.3125	2004
12.02.2020 11:48:17	1	1	1	1	67.25	61.25	0	29905.213	531.1827957	15934.82456	30000	0	0	30000	41.1875	2004
12.02.2020 11:48:24	1	1	1	1	67.25	61	0	30000	533.3333333	16000.05436	30000	0	0	30000	41.3125	2004
12.02.2020 11:48:24	1	1	1	1	67.25	61	0	30000	533.3333333	16000.05436	30000	0	0	30000	41.3125	2004
12.02.2020 11:48:24	1	1	1	1	67.25	61	0	30000	533.3333333	16000.05436	30000	0	0	30000	41.3125	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 11:48:24	1	1	1	1	67.25	61	0	30000	533.3333333	16000.05436	30000	0	0	30000	41.3125	2004
12.02.2020 11:48:24	1	1	1	1	67.25	61	0	30000	533.3333333	16000.05436	30000	0	0	30000	41.3125	2004
12.02.2020 11:48:24	1	1	1	1	67.25	61	0	30000	533.3333333	16000.05436	30000	0	0	30000	41.3125	2004
12.02.2020 11:48:24	1	1	1	1	67.25	61.25	0	30000	533.3333333	16154.15976	30000	0	0	30000	41.25	2004
12.02.2020 11:48:25	1	1	1	1	67.25	61.25	0	29952.607	535.483871	16039.19224	30000	0	0	30000	41.25	2004
12.02.2020 11:48:26	1	1	1	1	66.75	61.25	0	29905.213	533.3333333	15910.36338	30000	0	0	30000	41.3125	2004
12.02.2020 11:48:27	1	1	1	1	66.75	61.25	0	29952.607	533.3333333	15756.25798	30000	0	0	30000	40.75	2004
12.02.2020 11:48:28	1	1	1	1	66.75	60.75	0	30000	533.3333333	16000.05436	30000	0	0	30000	41.4375	2004
12.02.2020 11:48:29	1	1	1	1	66.75	61.25	0	30000	529.0322581	15805.99571	30000	0	0	30000	41.25	2004
12.02.2020 11:48:30	1	1	1	1	66.75	61.25	0	30000	529.0322581	15870.41013	30000	0	0	30000	40.875	2004
12.02.2020 11:48:31	1	1	1	1	66.75	60.75	0	30000	533.3333333	16000.05436	30000	0	0	30000	41.3125	2004
12.02.2020 11:48:32	1	1	1	1	66.75	61.25	0	30000	537.6344086	16154.15976	30000	0	0	30000	40.9375	2004
12.02.2020 11:48:34	1	1	1	1	66.75	60.75	0	30000	533.3333333	15756.25798	30000	0	0	30000	40.6875	2004
12.02.2020 11:48:35	1	1	1	1	66.75	60.5	0	30000	533.3333333	15934.82456	30000	0	0	30000	40.5625	2004
12.02.2020 11:48:36	1	1	1	1	66.75	60.5	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	41.1875	2004
12.02.2020 11:48:37	1	1	1	1	67	61	0	30000	533.3333333	16000.05436	30000	0	0	30000	41.25	2004
12.02.2020 11:48:38	1	1	1	1	67	61.25	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	41.4375	2004
12.02.2020 11:48:39	1	1	1	1	67	61.25	0	29905.213	535.483871	16168.02109	30000	0	0	30000	41	2004
12.02.2020 11:48:40	1	1	1	1	67	61	0	29905.213	529.0322581	15949.50126	30000	0	0	30000	41.25	2004
12.02.2020 11:48:41	1	1	1	1	67	61.25	0	29952.607	529.0322581	15934.82456	30000	0	0	30000	41.0625	2004
12.02.2020 11:48:42	1	1	1	1	67	61	0	29952.607	533.3333333	15974.77781	30000	0	0	30000	41.25	2004
12.02.2020 11:48:43	1	1	1	1	67	61.25	0	29905.213	535.483871	16013.10032	30000	0	0	30000	41.1875	2004
12.02.2020 11:48:44	1	1	1	1	67	61	0	29905.213	535.483871	15949.50126	30000	0	0	30000	41.3125	2004
12.02.2020 11:48:45	1	1	1	1	67	61.25	0	29857.82	535.483871	15962.54722	30000	0	0	30000	41.25	2004
12.02.2020 11:48:46	1	1	1	1	67	61.25	0	29905.213	533.3333333	15924.22472	30000	0	0	30000	41.3125	2004
12.02.2020 11:48:47	1	1	1	1	67	61.25	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	41.25	2004
12.02.2020 11:48:48	1	1	1	1	67	61.25	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	41	2004
12.02.2020 11:48:49	1	1	1	1	67	61	0	29905.213	533.3333333	16064.46878	30000	0	0	30000	41.375	2004
12.02.2020 11:48:50	1	1	1	1	67	61.25	0	29905.213	535.483871	16013.10032	30000	0	0	30000	41.0625	2004
12.02.2020 11:48:51	1	1	1	1	67	61	0	29810.427	529.0322581	15987.82377	30000	0	0	30000	41.375	2004
12.02.2020 11:48:52	1	1	1	1	67	61.25	0	29905.213	535.483871	16013.10032	30000	0	0	30000	41.3125	2004
12.02.2020 11:48:53	1	1	1	1	67	61.25	0	29905.213	537.6344086	16013.10032	30000	0	0	30000	40.5625	2004
12.02.2020 11:48:54	1	1	1	1	67	60.5	0	29810.427	541.9354839	16026.96165	30000	0	0	30000	41	2004
12.02.2020 11:48:55	1	1	1	1	67	61	0	29905.213	535.483871	16013.10032	30000	0	0	30000	41.0625	2004
12.02.2020 11:48:56	1	1	1	1	67	61.75	0	29810.427	533.3333333	15987.82377	30000	0	0	30000	40.3125	2004
12.02.2020 11:48:57	1	1	1	1	67	60.25	0	29715.64	535.483871	15962.54722	30000	0	0	30000	41.375	2004
12.02.2020 11:48:58	1	1	1	1	67	61.25	0	29857.82	535.483871	15987.82377	30000	0	0	30000	40.5625	2004
12.02.2020 11:48:59	1	1	1	1	67	60.5	0	29952.607	535.483871	16077.51474	30000	0	0	30000	41.1875	2004
12.02.2020 11:49:00	1	1	1	1	67	61	0	29905.213	537.6344086	16077.51474	30000	0	0	30000	41.1875	2004
12.02.2020 11:49:01	1	1	1	1	67	61	0	29905.213	535.483871	16013.10032	30000	0	0	30000	41.375	2004
12.02.2020 11:49:02	1	1	1	1	67	61.25	0	29763.033	533.3333333	15911.99413	30000	0	0	30000	41.1875	2004
12.02.2020 11:49:03	1	1	1	1	67	61	0	29905.213	535.483871	15949.50126	30000	0	0	30000	41.375	2004
12.02.2020 11:49:04	1	1	1	1	67	61.25	0	29857.82	535.483871	16013.10032	30000	0	0	30000	41.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 11:49:05	1	1	1	1	67	61.25	0	29810.427	535.483871	15898.94817	30000	0	0	30000	40.5625	2004
12.02.2020 11:49:06	1	1	1	1	67.25	60.5	0	29905.213	537.6344086	16013.10032	30000	0	0	30000	41	2004
12.02.2020 11:49:07	1	1	1	1	67.25	61	0	29857.82	537.6344086	15962.54722	30000	0	0	30000	41.375	2004
12.02.2020 11:49:08	1	1	1	1	67.25	61.25	0	29810.427	535.483871	15720.38159	30000	0	0	30000	41.375	2004
12.02.2020 11:49:09	1	1	1	1	67.25	61.25	0	29857.82	537.6344086	16116.65262	30000	0	0	30000	40.8125	2004
12.02.2020 11:49:10	1	1	1	1	67.25	60.75	0	29810.427	537.6344086	15962.54722	30000	0	0	30000	41.3125	2004
12.02.2020 11:49:12	1	1	1	1	67.25	61.25	0	29715.64	533.3333333	16040.00761	30000	0	0	30000	41.0625	2004
12.02.2020 11:49:13	1	1	1	1	67.25	61	0	29810.427	535.483871	16026.96165	30000	0	0	30000	40.375	2004
12.02.2020 11:49:14	1	1	1	1	67.25	60.25	0	29857.82	537.6344086	15987.82377	30000	0	0	30000	40.5625	2004
12.02.2020 11:49:15	1	1	1	1	67.25	60.5	0	29857.82	535.483871	15962.54722	30000	0	0	30000	40.9375	2004
12.02.2020 11:49:16	1	1	1	1	67.25	60.75	0	29810.427	535.483871	16013.10032	30000	0	0	30000	41.25	2004
12.02.2020 11:49:17	1	1	1	1	66.75	61.25	0	29905.213	537.6344086	16077.51474	30000	0	0	30000	41.3125	2004
12.02.2020 11:49:18	1	1	1	1	66.75	61.25	0	29810.427	535.483871	16090.5607	30000	0	0	30000	41.125	2004
12.02.2020 11:49:19	1	1	1	1	66.75	61	0	29810.427	537.6344086	16026.96165	30000	0	0	30000	41.125	2004
12.02.2020 11:49:26	1	1	1	1	66.75	60	0	29857.82	535.483871	15720.38159	30000	0	0	30000	41.25	2004
12.02.2020 11:49:26	1	1	1	1	66.75	60	0	29857.82	535.483871	15720.38159	30000	0	0	30000	41.25	2004
12.02.2020 11:49:26	1	1	1	1	66.75	60	0	29857.82	535.483871	15720.38159	30000	0	0	30000	41.25	2004
12.02.2020 11:49:26	1	1	1	1	66.75	60	0	29857.82	535.483871	15720.38159	30000	0	0	30000	41.25	2004
12.02.2020 11:49:26	1	1	1	1	66.75	60	0	29857.82	535.483871	15720.38159	30000	0	0	30000	41.25	2004
12.02.2020 11:49:26	1	1	1	1	66.75	60	0	29857.82	535.483871	15720.38159	30000	0	0	30000	41.25	2004
12.02.2020 11:49:26	1	1	1	1	66.75	60	0	29857.82	535.483871	15720.38159	30000	0	0	30000	41.25	2004
12.02.2020 11:49:26	1	1	1	1	66.75	60	0	29857.82	535.483871	15720.38159	30000	0	0	30000	41.25	2004
12.02.2020 11:49:27	1	1	1	1	66.75	61.25	0	29715.64	537.6344086	15911.99413	30000	0	0	30000	40.8125	2004
12.02.2020 11:49:28	1	1	1	1	66.75	60.75	0	29668.246	535.483871	15911.99413	30000	0	0	30000	41.3125	2004
12.02.2020 11:49:29	1	1	1	1	66.75	61.25	0	29857.82	537.6344086	15987.82377	30000	0	0	30000	41.25	2004
12.02.2020 11:49:30	1	1	1	1	66.75	61.25	0	29857.82	537.6344086	16013.10032	30000	0	0	30000	41.3125	2004
12.02.2020 11:49:31	1	1	1	1	66.75	61.25	0	29857.82	537.6344086	16116.65262	30000	0	0	30000	41.4375	2004
12.02.2020 11:49:32	1	1	1	1	66.75	61.25	0	29810.427	537.6344086	15962.54722	30000	0	0	30000	40.875	2004
12.02.2020 11:49:33	1	1	1	1	66.75	60.75	0	29905.213	537.6344086	16077.51474	30000	0	0	30000	41.8125	2004
12.02.2020 11:49:34	1	1	1	1	66.75	61.75	0	29620.853	529.0322581	15950.31664	30000	0	0	30000	41.75	2004
12.02.2020 11:49:35	1	1	1	1	66.75	61.25	0	29763.033	541.9354839	15911.99413	30000	0	0	30000	40.9375	2004
12.02.2020 11:49:36	1	1	1	1	67	60.75	0	29715.64	537.6344086	15911.99413	30000	0	0	30000	41.25	2004
12.02.2020 11:49:37	1	1	1	1	67	61.25	0	29810.427	535.483871	15962.54722	30000	0	0	30000	40.75	2004
12.02.2020 11:49:38	1	1	1	1	67	60.75	0	29715.64	535.483871	15975.59318	30000	0	0	30000	41.5	2004
12.02.2020 11:49:39	1	1	1	1	67	61.5	0	29857.82	537.6344086	16052.2382	30000	0	0	30000	40.9375	2004
12.02.2020 11:49:40	1	1	1	1	67	60.75	0	29810.427	535.483871	15975.59318	30000	0	0	30000	41.0625	2004
12.02.2020 11:49:41	1	1	1	1	67	61	0	29763.033	537.6344086	15975.59318	30000	0	0	30000	40.1875	2004
12.02.2020 11:49:42	1	1	1	1	67	60	0	29763.033	537.6344086	15962.54722	30000	0	0	30000	41.375	2004
12.02.2020 11:49:43	1	1	1	1	67	61.25	0	29620.853	535.483871	15886.71758	30000	0	0	30000	41.0625	2004
12.02.2020 11:49:44	1	1	1	1	67	61	0	29857.82	539.7849462	16141.92917	30000	0	0	30000	41.0625	2004
12.02.2020 11:49:45	1	1	1	1	67	61	0	29857.82	535.483871	16116.65262	30000	0	0	30000	41.375	2004
12.02.2020 11:49:46	1	1	1	1	66.25	61.25	0	29857.82	539.7849462	16116.65262	30000	0	0	30000	41	2004
12.02.2020 11:49:47	1	1	1	1	66.25	61	0	29620.853	537.6344086	15975.59318	30000	0	0	30000	41.125	2004
12.02.2020 11:49:48	1	1	1	1	66.25	61	0	29810.427	541.9354839	15911.99413	30000	0	0	30000	41.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 11:49:49	1	1	1	1	66.25	61.25	0	29715.64	535.483871	15911.99413	30000	0	0	30000	41.375	2004
12.02.2020 11:49:51	1	1	1	1	66.25	61.25	0	29810.427	537.6344086	16090.5607	30000	0	0	30000	40.5	2004
12.02.2020 11:49:52	1	1	1	1	66.25	60.5	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	41.0625	2004
12.02.2020 11:49:53	1	1	1	1	66.25	61	0	29810.427	546.2365591	15975.59318	30000	0	0	30000	40.8125	2004
12.02.2020 11:49:54	1	1	1	1	66.25	60.75	0	29810.427	537.6344086	16026.96165	30000	0	0	30000	41	2004
12.02.2020 11:49:55	1	1	1	1	66.25	61	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	41.1875	2004
12.02.2020 11:49:56	1	1	1	1	66.25	61	0	29620.853	537.6344086	15861.44103	30000	0	0	30000	41.375	2004
12.02.2020 11:49:57	1	1	1	1	67.25	61.25	0	29668.246	537.6344086	16040.00761	30000	0	0	30000	40.8125	2004
12.02.2020 11:49:58	1	1	1	1	67.25	60.75	0	29715.64	544.0860215	16040.00761	30000	0	0	30000	41	2004
12.02.2020 11:49:59	1	1	1	1	67.25	61	0	29857.82	537.6344086	16141.92917	30000	0	0	30000	41.3125	2004
12.02.2020 11:50:00	1	1	1	1	67.25	61.25	0	29905.213	539.7849462	16141.92917	30000	0	0	30000	41.1875	2004
12.02.2020 11:50:01	1	1	1	1	67.25	61	0	29620.853	537.6344086	15861.44103	30000	0	0	30000	40.5625	2004
12.02.2020 11:50:02	1	1	1	1	67.25	60.5	0	29620.853	537.6344086	15925.04009	30000	0	0	30000	41.375	2004
12.02.2020 11:50:03	1	1	1	1	67.25	61.25	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	41.25	2004
12.02.2020 11:50:04	1	1	1	1	67.25	61.25	0	29668.246	535.483871	16013.91569	30000	0	0	30000	40.5	2004
12.02.2020 11:50:05	1	1	1	1	67.25	60.5	0	29620.853	537.6344086	15861.44103	30000	0	0	30000	41.375	2004
12.02.2020 11:50:06	1	1	1	1	67.25	61.25	0	29810.427	537.6344086	15911.99413	30000	0	0	30000	41.0625	2004
12.02.2020 11:50:07	1	1	1	1	67	61	0	29810.427	539.7849462	15962.54722	30000	0	0	30000	40.625	2004
12.02.2020 11:50:08	1	1	1	1	67	60.5	0	29810.427	541.9354839	16090.5607	30000	0	0	30000	41.0625	2004
12.02.2020 11:50:09	1	1	1	1	67	61	0	29715.64	546.2365591	16040.00761	30000	0	0	30000	41.125	2004
12.02.2020 11:50:10	1	1	1	1	67	61	0	29810.427	539.7849462	16116.65262	30000	0	0	30000	41.3125	2004
12.02.2020 11:50:11	1	1	1	1	67	61.25	0	29810.427	544.0860215	16040.00761	30000	0	0	30000	41.6875	2004
12.02.2020 11:50:12	1	1	1	1	67	61.5	0	29668.246	537.6344086	15950.31664	30000	0	0	30000	41.5625	2004
12.02.2020 11:50:13	1	1	1	1	67	61.5	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	41.0625	2004
12.02.2020 11:50:14	1	1	1	1	67	61	0	29715.64	535.483871	15975.59318	30000	0	0	30000	41.3125	2004
12.02.2020 11:50:15	1	1	1	1	67	60.5	0	29810.427	537.6344086	16026.96165	30000	0	0	30000	41.4375	2004
12.02.2020 11:50:16	1	1	1	1	66.75	61.25	0	29620.853	537.6344086	15925.04009	30000	0	0	30000	40.9375	2004
12.02.2020 11:50:17	1	1	1	1	66.75	60.75	0	29715.64	533.3333333	15975.59318	30000	0	0	30000	41.4375	2004
12.02.2020 11:50:18	1	1	1	1	66.75	61.25	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	40.625	2004
12.02.2020 11:50:19	1	1	1	1	66.75	60.5	0	29715.64	535.483871	15886.71758	30000	0	0	30000	40.9375	2004
12.02.2020 11:50:20	1	1	1	1	66.75	60.75	0	29857.82	537.6344086	16090.5607	30000	0	0	30000	40.6875	2004
12.02.2020 11:50:27	1	1	1	1	66.5	61.25	0	29715.64	550.5376344	15988.63914	30000	0	0	30000	41.1875	2004
12.02.2020 11:50:27	1	1	1	1	66.5	61.25	0	29715.64	550.5376344	15988.63914	30000	0	0	30000	41.1875	2004
12.02.2020 11:50:27	1	1	1	1	66.5	61.25	0	29715.64	550.5376344	15988.63914	30000	0	0	30000	41.1875	2004
12.02.2020 11:50:27	1	1	1	1	66.5	61.25	0	29715.64	550.5376344	15988.63914	30000	0	0	30000	41.1875	2004
12.02.2020 11:50:27	1	1	1	1	66.5	61.25	0	29715.64	550.5376344	15988.63914	30000	0	0	30000	41.1875	2004
12.02.2020 11:50:27	1	1	1	1	66.5	61	0	29668.246	537.6344086	15975.59318	30000	0	0	30000	41.25	2004
12.02.2020 11:50:28	1	1	1	1	66.5	61.25	0	29668.246	537.6344086	16040.00761	30000	0	0	30000	41.1875	2004
12.02.2020 11:50:29	1	1	1	1	66.5	61	0	29810.427	541.9354839	16090.5607	30000	0	0	30000	41.4375	2004
12.02.2020 11:50:31	1	1	1	1	66.5	61.25	0	29810.427	535.483871	16090.5607	30000	0	0	30000	41.25	2004
12.02.2020 11:50:32	1	1	1	1	66.5	61.25	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	41.0625	2004
12.02.2020 11:50:33	1	1	1	1	66.5	61	0	29668.246	537.6344086	15861.44103	30000	0	0	30000	41.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 11:50:34	1	1	1	1	66.5	61.25	0	29810.427	539.7849462	16090.5607	30000	0	0	30000	41.5	2004
12.02.2020 11:50:35	1	1	1	1	66.5	61.5	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	41.25	2004
12.02.2020 11:50:36	1	1	1	1	66.5	61.25	0	29668.246	539.7849462	16013.91569	30000	0	0	30000	41.25	2004
12.02.2020 11:50:37	1	1	1	1	66.25	61.25	0	29810.427	537.6344086	16040.00761	30000	0	0	30000	41.3125	2004
12.02.2020 11:50:38	1	1	1	1	66.25	61.25	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	41.3125	2004
12.02.2020 11:50:39	1	1	1	1	66.25	61.25	0	29573.46	537.6344086	15925.04009	30000	0	0	30000	41.1875	2004
12.02.2020 11:50:40	1	1	1	1	66.25	61	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	40.875	2004
12.02.2020 11:50:41	1	1	1	1	66.25	60.75	0	29810.427	537.6344086	16026.96165	30000	0	0	30000	41.375	2004
12.02.2020 11:50:42	1	1	1	1	66.25	61.25	0	29668.246	539.7849462	15988.63914	30000	0	0	30000	41.375	2004
12.02.2020 11:50:43	1	1	1	1	66.25	61.25	0	29668.246	537.6344086	15975.59318	30000	0	0	30000	41.25	2004
12.02.2020 11:50:44	1	1	1	1	66.25	61.25	0	29810.427	539.7849462	16040.00761	30000	0	0	30000	41.1875	2004
12.02.2020 11:50:45	1	1	1	1	66.25	61	0	29620.853	537.6344086	15925.04009	30000	0	0	30000	41.375	2004
12.02.2020 11:50:46	1	1	1	1	66.25	61.25	0	29526.066	535.483871	15810.07257	30000	0	0	30000	41.3125	2004
12.02.2020 11:50:47	1	1	1	1	66.75	61.25	0	29573.46	537.6344086	15988.63914	30000	0	0	30000	41.125	2004
12.02.2020 11:50:48	1	1	1	1	66.75	61	0	29715.64	539.7849462	15911.99413	30000	0	0	30000	41.1875	2004
12.02.2020 11:50:49	1	1	1	1	66.75	61	0	29620.853	537.6344086	15925.04009	30000	0	0	30000	41.125	2004
12.02.2020 11:50:50	1	1	1	1	66.75	61	0	29668.246	537.6344086	16040.00761	30000	0	0	30000	40.1875	2004
12.02.2020 11:50:51	1	1	1	1	66.75	60	0	29810.427	539.7849462	16090.5607	30000	0	0	30000	41.5625	2004
12.02.2020 11:50:52	1	1	1	1	66.75	61.5	0	29715.64	539.7849462	15911.99413	30000	0	0	30000	41	2004
12.02.2020 11:50:53	1	1	1	1	66.75	61	0	29810.427	539.7849462	16090.5607	30000	0	0	30000	41.5	2004
12.02.2020 11:50:54	1	1	1	1	66.75	61.25	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	41.3125	2004
12.02.2020 11:50:55	1	1	1	1	66.75	61.25	0	29478.673	531.1827957	15810.07257	30000	0	0	30000	40.5625	2004
12.02.2020 11:50:56	1	1	1	1	66.75	60.5	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	41.1875	2004
12.02.2020 11:50:57	1	1	1	1	66.75	61	0	29668.246	537.6344086	16052.2382	30000	0	0	30000	40.9375	2004
12.02.2020 11:50:58	1	1	1	1	66.75	60.75	0	29715.64	533.3333333	15975.59318	30000	0	0	30000	41.1875	2004
12.02.2020 11:50:59	1	1	1	1	66.75	61	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	41.1875	2004
12.02.2020 11:51:00	1	1	1	1	66.75	61	0	29715.64	541.9354839	15925.04009	30000	0	0	30000	40.625	2004
12.02.2020 11:51:01	1	1	1	1	66.75	60.5	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	41.25	2004
12.02.2020 11:51:02	1	1	1	1	66.75	61.25	0	29620.853	544.0860215	15925.04009	30000	0	0	30000	41.125	2004
12.02.2020 11:51:03	1	1	1	1	66.75	61	0	29857.82	544.0860215	16090.5607	30000	0	0	30000	40.875	2004
12.02.2020 11:51:04	1	1	1	1	66.75	60.75	0	29668.246	537.6344086	16040.00761	30000	0	0	30000	41.25	2004
12.02.2020 11:51:05	1	1	1	1	66.75	61.25	0	29668.246	537.6344086	15950.31664	30000	0	0	30000	41.375	2004
12.02.2020 11:51:06	1	1	1	1	67	61.25	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	41.1875	2004
12.02.2020 11:51:07	1	1	1	1	67	61	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	41.25	2004
12.02.2020 11:51:09	1	1	1	1	67	61.25	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	41.1875	2004
12.02.2020 11:51:10	1	1	1	1	67	61	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	41.1875	2004
12.02.2020 11:51:11	1	1	1	1	67	61	0	29526.066	535.483871	16026.96165	30000	0	0	30000	41.25	2004
12.02.2020 11:51:12	1	1	1	1	67	61.25	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	40.4375	2004
12.02.2020 11:51:13	1	1	1	1	67	60.25	0	29573.46	537.6344086	15988.63914	30000	0	0	30000	41.25	2004
12.02.2020 11:51:14	1	1	1	1	67	61.25	0	29715.64	537.6344086	15911.99413	30000	0	0	30000	41	2004
12.02.2020 11:51:15	1	1	1	1	67	61	0	29810.427	539.7849462	16090.5607	30000	0	0	30000	41.3125	2004
12.02.2020 11:51:16	1	1	1	1	67	61.25	0	29857.82	550.5376344	16219.38956	30000	0	0	30000	41	2004
12.02.2020 11:51:17	1	1	1	1	66.75	61	0	29810.427	539.7849462	16090.5607	30000	0	0	30000	41.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 11:51:18	1	1	1	1	66.75	61	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	41.1875	2004
12.02.2020 11:51:19	1	1	1	1	66.75	61	0	29620.853	541.9354839	15925.04009	30000	0	0	30000	40.8125	2004
12.02.2020 11:51:20	1	1	1	1	66.75	60.75	0	29715.64	539.7849462	16103.60666	30000	0	0	30000	41.1875	2004
12.02.2020 11:51:21	1	1	1	1	66.75	61	0	29526.066	539.7849462	15937.27068	30000	0	0	30000	41.375	2004
12.02.2020 11:51:22	1	1	1	1	66.75	61.25	0	29573.46	537.6344086	15988.63914	30000	0	0	30000	41.125	2004
12.02.2020 11:51:29	1	1	1	1	66.5	60.75	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	40.8125	2004
12.02.2020 11:51:29	1	1	1	1	66.5	60.75	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	40.8125	2004
12.02.2020 11:51:29	1	1	1	1	66.5	60.75	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	40.8125	2004
12.02.2020 11:51:29	1	1	1	1	66.5	60.75	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	40.8125	2004
12.02.2020 11:51:29	1	1	1	1	66.5	60.75	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	40.8125	2004
12.02.2020 11:51:29	1	1	1	1	66.5	60.75	0	29431.28	537.6344086	15911.99413	30000	0	0	30000	40.625	2004
12.02.2020 11:51:30	1	1	1	1	66.5	60.5	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	41.125	2004
12.02.2020 11:51:31	1	1	1	1	66.5	61	0	29431.28	535.483871	15759.51947	30000	0	0	30000	41.125	2004
12.02.2020 11:51:32	1	1	1	1	66.5	61	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	41.25	2004
12.02.2020 11:51:33	1	1	1	1	66.5	61.25	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	41.1875	2004
12.02.2020 11:51:34	1	1	1	1	66.5	61	0	29526.066	539.7849462	15937.27068	30000	0	0	30000	41.25	2004
12.02.2020 11:51:35	1	1	1	1	66.5	61.25	0	29715.64	535.483871	15848.39508	30000	0	0	30000	41.8125	2004
12.02.2020 11:51:36	1	1	1	1	66.5	61.75	0	29810.427	539.7849462	16040.00761	30000	0	0	30000	40.3125	2004
12.02.2020 11:51:37	1	1	1	1	66.5	60.25	0	29478.673	539.7849462	15911.99413	30000	0	0	30000	41.0625	2004
12.02.2020 11:51:38	1	1	1	1	66.5	61	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	41.1875	2004
12.02.2020 11:51:41	1	1	1	1	66.5	61.25	0	29668.246	541.9354839	16103.60666	30000	0	0	30000	41.125	2004
12.02.2020 11:51:41	1	1	1	1	66.5	61.25	0	29668.246	541.9354839	16103.60666	30000	0	0	30000	41.125	2004
12.02.2020 11:51:41	1	1	1	1	66.5	61.25	0	29668.246	541.9354839	16103.60666	30000	0	0	30000	41.125	2004
12.02.2020 11:51:42	1	1	1	1	66.5	61	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	41.125	2004
12.02.2020 11:51:43	1	1	1	1	66.5	61	0	29715.64	544.0860215	16103.60666	30000	0	0	30000	41.3125	2004
12.02.2020 11:51:44	1	1	1	1	66.5	61.25	0	29526.066	539.7849462	15963.3626	30000	0	0	30000	41.375	2004
12.02.2020 11:51:45	1	1	1	1	66.5	61.25	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	41.125	2004
12.02.2020 11:51:46	1	1	1	1	66.25	61	0	29573.46	539.7849462	15988.63914	30000	0	0	30000	40.875	2004
12.02.2020 11:51:47	1	1	1	1	66.25	60.75	0	29620.853	546.2365591	15925.04009	30000	0	0	30000	41	2004
12.02.2020 11:51:48	1	1	1	1	66.25	61	0	29526.066	537.6344086	15937.27068	30000	0	0	30000	41.375	2004
12.02.2020 11:51:50	1	1	1	1	66.25	61.25	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	40.6875	2004
12.02.2020 11:51:51	1	1	1	1	66.25	60.5	0	29620.853	537.6344086	15925.04009	30000	0	0	30000	41.0625	2004
12.02.2020 11:51:52	1	1	1	1	66.25	61	0	29715.64	535.483871	16103.60666	30000	0	0	30000	41.125	2004
12.02.2020 11:51:53	1	1	1	1	66.25	61	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	41.4375	2004
12.02.2020 11:51:54	1	1	1	1	66.25	61.25	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	41.5	2004
12.02.2020 11:51:55	1	1	1	1	66.25	61.5	0	29573.46	541.9354839	16052.2382	30000	0	0	30000	40.75	2004
12.02.2020 11:51:56	1	1	1	1	66.25	60.75	0	29478.673	539.7849462	15911.99413	30000	0	0	30000	41.375	2004
12.02.2020 11:51:57	1	1	1	1	66.75	61.25	0	29620.853	539.7849462	16052.2382	30000	0	0	30000	40.9375	2004
12.02.2020 11:51:58	1	1	1	1	66.75	60.75	0	30000	436.5591398	13310.95589	30000	0	0	30000	41.3125	2004
12.02.2020 11:51:59	1	1	1	1	66.75	61.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.1875	2004
12.02.2020 11:52:00	1	1	1	1	66.75	61	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.4375	2004
12.02.2020 11:52:01	1	1	1	1	66.75	61.25	0	29952.607	391.3978495	11871.00807	30000	0	0	30000	40.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 11:52:02	1	1	1	1	66.75	60.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	41.375	2004
12.02.2020 11:52:03	1	1	1	1	66.75	61.25	0	29810.427	537.6344086	16052.2382	30000	0	0	30000	41.3125	2004
12.02.2020 11:52:04	1	1	1	1	66.75	61.25	0	29478.673	544.0860215	16013.10032	30000	0	0	30000	41.0625	2004
12.02.2020 11:52:05	1	1	1	1	66.75	61	0	30000	391.3978495	11741.36385	30000	0	0	30000	40.9375	2004
12.02.2020 11:52:06	1	1	1	1	66.75	60.75	0	30000	298.9247312	8967.466638	30000	0	0	30000	41.25	2004
12.02.2020 11:52:07	1	1	1	1	67.75	61.25	0	29905.213	210.7526882	6441.442666	30000	0	0	30000	41.375	2004
12.02.2020 11:52:08	1	1	1	1	67.75	61.25	0	30000	215.0537634	6515.641562	30000	0	0	30000	41.25	2004
12.02.2020 11:52:09	1	1	1	1	67.75	61.25	0	29905.213	243.0107527	7419.07428	30000	0	0	30000	41.3125	2004
12.02.2020 11:52:10	1	1	1	1	67.75	61.25	0	30000	316.1290323	9483.597423	30000	0	0	30000	41.4375	2004
12.02.2020 11:52:11	1	1	1	1	67.75	61.25	0	30000	372.0430108	11225.23306	30000	0	0	30000	41.375	2004
12.02.2020 11:52:12	1	1	1	1	67.75	61.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	41.1875	2004
12.02.2020 11:52:13	1	1	1	1	67.75	61	0	29952.607	305.3763441	9225.124344	30000	0	0	30000	40.9375	2004
12.02.2020 11:52:14	1	1	1	1	67.75	60.75	0	30047.393	516.1290323	15161.03607	30000	0	0	30000	41.75	2004
12.02.2020 11:52:15	1	1	1	1	67.75	61	0	28293.839	565.5913978	16002.50048	30000	0	0	30000	41.25	2004
12.02.2020 11:52:16	1	1	1	1	73	61.25	0	29905.213	537.6344086	15962.54722	30000	0	0	30000	41.0625	2004
12.02.2020 11:52:17	1	1	1	1	73	61	0	29905.213	539.7849462	15924.22472	30000	0	0	30000	41.1875	2004
12.02.2020 11:52:18	1	1	1	1	73	61	0	27914.692	569.8924731	15821.48778	30000	0	0	30000	40.75	2004
12.02.2020 11:52:19	1	1	1	1	73	60.75	0	27298.578	578.4946237	15995.9775	30000	0	0	30000	41.375	2004
12.02.2020 11:52:20	1	1	1	1	73	61.25	0	27630.332	576.344086	15983.74691	30000	0	0	30000	41.4375	2004
12.02.2020 11:52:21	1	1	1	1	73	61.25	0	27819.905	572.0430108	15913.62487	30000	0	0	30000	41.5	2004
12.02.2020 11:52:22	1	1	1	1	73	61.5	0	27630.332	578.4946237	16043.2691	30000	0	0	30000	40.5625	2004
12.02.2020 11:52:23	1	1	1	1	73	60.5	0	25924.171	617.2043011	16000.05436	30000	0	0	30000	41.3125	2004
12.02.2020 11:52:30	1	1	1	1	75.75	61.25	0	29336.493	546.2365591	16150.89827	30000	0	0	30000	41.125	2004
12.02.2020 11:52:30	1	1	1	1	75.75	61.25	0	29336.493	546.2365591	16150.89827	30000	0	0	30000	41.125	2004
12.02.2020 11:52:30	1	1	1	1	75.75	61.25	0	29336.493	546.2365591	16150.89827	30000	0	0	30000	41.125	2004
12.02.2020 11:52:30	1	1	1	1	75.75	61.25	0	29336.493	546.2365591	16150.89827	30000	0	0	30000	41.125	2004
12.02.2020 11:52:30	1	1	1	1	75.75	61.25	0	29336.493	546.2365591	16150.89827	30000	0	0	30000	41.125	2004
12.02.2020 11:52:30	1	1	1	1	75.75	61.25	0	29336.493	546.2365591	16150.89827	30000	0	0	30000	41.125	2004
12.02.2020 11:52:31	1	1	1	1	75.75	61	0	29099.526	550.5376344	15806.81108	30000	0	0	30000	41.375	2004
12.02.2020 11:52:32	1	1	1	1	75.75	61.25	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	41.4375	2004
12.02.2020 11:52:33	1	1	1	1	75.75	61.25	0	29146.919	554.8387097	15920.96323	30000	0	0	30000	40.9375	2004
12.02.2020 11:52:34	1	1	1	1	75.75	60.75	0	29336.493	541.9354839	15898.1328	30000	0	0	30000	41.25	2004
12.02.2020 11:52:35	1	1	1	1	75.75	61.25	0	29715.64	535.483871	15911.99413	30000	0	0	30000	41	2004
12.02.2020 11:52:36	1	1	1	1	75.75	61	0	30000	518.2795699	15548.338	30000	0	0	30000	41.5625	2004
12.02.2020 11:52:37	1	1	1	1	75.5	61.5	0	30000	496.7741935	14902.56299	30000	0	0	30000	41.0625	2004
12.02.2020 11:52:38	1	1	1	1	75.5	61	0	30000	492.4731183	14773.73413	30000	0	0	30000	41.25	2004
12.02.2020 11:52:39	1	1	1	1	75.5	61.25	0	30000	496.7741935	14902.56299	30000	0	0	30000	41.3125	2004
12.02.2020 11:52:40	1	1	1	1	75.5	61.25	0	30000	503.2258065	15096.62164	30000	0	0	30000	41.125	2004
12.02.2020 11:52:41	1	1	1	1	75.5	61	0	30000	507.5268817	15225.45049	30000	0	0	30000	40.8125	2004
12.02.2020 11:52:42	1	1	1	1	75.5	60.75	0	30000	507.5268817	15289.86492	30000	0	0	30000	41.375	2004
12.02.2020 11:52:43	1	1	1	1	75.5	61.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	41.375	2004
12.02.2020 11:52:44	1	1	1	1	75.5	61.25	0	30000	522.5806452	15637.2136	30000	0	0	30000	40.8125	2004
12.02.2020 11:52:45	1	1	1	1	75.5	60.75	0	30094.787	520.4301075	15548.338	30000	0	0	30000	39.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 11:52:46	1	1	1	1	75.5	59.5	0	30000	524.7311828	15548.338	30000	0	0	30000	41.1875	2004
12.02.2020 11:52:47	1	1	1	1	73.5	61	0	30000	522.5806452	15677.16685	30000	0	0	30000	41.3125	2004
12.02.2020 11:52:48	1	1	1	1	73.5	61.25	0	30000	526.8817204	15805.99571	30000	0	0	30000	40.3125	2004
12.02.2020 11:52:49	1	1	1	1	73.5	60.25	0	30000	522.5806452	15677.16685	30000	0	0	30000	40.75	2004
12.02.2020 11:52:50	1	1	1	1	73.5	60.75	0	29952.607	529.0322581	15934.82456	30000	0	0	30000	41.375	2004
12.02.2020 11:52:51	1	1	1	1	73.5	61.25	0	30000	522.5806452	15677.16685	30000	0	0	30000	40.4375	2004
12.02.2020 11:52:52	1	1	1	1	73.5	60.25	0	30000	529.0322581	15934.82456	30000	0	0	30000	41	2004
12.02.2020 11:52:53	1	1	1	1	73.5	61	0	30000	522.5806452	15805.99571	30000	0	0	30000	41.8125	2004
12.02.2020 11:52:54	1	1	1	1	73.5	61.75	0	30000	533.3333333	15652.70568	30000	0	0	30000	41.1875	2004
12.02.2020 11:52:55	1	1	1	1	73.5	61	0	30000	529.0322581	15870.41013	30000	0	0	30000	41.0625	2004
12.02.2020 11:52:56	1	1	1	1	72.25	61	0	30000	533.3333333	15870.41013	30000	0	0	30000	41.0625	2004
12.02.2020 11:52:57	1	1	1	1	72.25	61	0	30000	531.1827957	16000.05436	30000	0	0	30000	40.5625	2004
12.02.2020 11:52:58	1	1	1	1	72.25	60.5	0	30000	533.3333333	16000.05436	30000	0	0	30000	41.375	2004
12.02.2020 11:52:59	1	1	1	1	72.25	61.25	0	30000	533.3333333	15934.82456	30000	0	0	30000	40.875	2004
12.02.2020 11:53:00	1	1	1	1	72.25	60.75	0	29905.213	533.3333333	16257.71206	30000	0	0	30000	41.125	2004
12.02.2020 11:53:01	1	1	1	1	72.25	61	0	29952.607	535.483871	16039.19224	30000	0	0	30000	41.5625	2004
12.02.2020 11:53:02	1	1	1	1	72.25	61.5	0	29857.82	533.3333333	16013.10032	30000	0	0	30000	41.25	2004
12.02.2020 11:53:03	1	1	1	1	72.25	61.25	0	29905.213	535.483871	16077.51474	30000	0	0	30000	41.4375	2004
12.02.2020 11:53:04	1	1	1	1	72.25	61.25	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	40.75	2004
12.02.2020 11:53:05	1	1	1	1	72.25	60.75	0	29857.82	537.6344086	16052.2382	30000	0	0	30000	41.5	2004
12.02.2020 11:53:06	1	1	1	1	72.25	61.5	0	30047.393	539.7849462	16039.19224	30000	0	0	30000	41	2004
12.02.2020 11:53:08	1	1	1	1	72.25	61	0	29857.82	533.3333333	16013.10032	30000	0	0	30000	41.1875	2004
12.02.2020 11:53:09	1	1	1	1	72.25	61	0	29905.213	535.483871	16013.10032	30000	0	0	30000	40.9375	2004
12.02.2020 11:53:10	1	1	1	1	72.25	60.75	0	29810.427	533.3333333	16026.96165	30000	0	0	30000	41.125	2004
12.02.2020 11:53:11	1	1	1	1	72.25	61	0	29857.82	537.6344086	16052.2382	30000	0	0	30000	41.3125	2004
12.02.2020 11:53:12	1	1	1	1	72.25	61.25	0	29810.427	537.6344086	16052.2382	30000	0	0	30000	40.9375	2004
12.02.2020 11:53:13	1	1	1	1	72.25	60.75	0	29857.82	537.6344086	15987.82377	30000	0	0	30000	41.25	2004
12.02.2020 11:53:14	1	1	1	1	72.25	61.25	0	29810.427	535.483871	15962.54722	30000	0	0	30000	41.1875	2004
12.02.2020 11:53:15	1	1	1	1	72.25	61	0	29715.64	535.483871	15975.59318	30000	0	0	30000	41.3125	2004
12.02.2020 11:53:16	1	1	1	1	72.25	61.25	0	29952.607	537.6344086	16077.51474	30000	0	0	30000	41.375	2004
12.02.2020 11:53:17	1	1	1	1	72.5	61.25	0	29715.64	535.483871	15911.99413	30000	0	0	30000	40.75	2004
12.02.2020 11:53:18	1	1	1	1	72.5	60.75	0	29668.246	537.6344086	16103.60666	30000	0	0	30000	40.5	2004
12.02.2020 11:53:19	1	1	1	1	72.5	60.5	0	29715.64	533.3333333	16001.6851	30000	0	0	30000	41.25	2004
12.02.2020 11:53:20	1	1	1	1	72.5	61.25	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	41.625	2004
12.02.2020 11:53:21	1	1	1	1	72.5	61.5	0	29620.853	537.6344086	15861.44103	30000	0	0	30000	40.625	2004
12.02.2020 11:53:22	1	1	1	1	72.5	60.5	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	40.75	2004
12.02.2020 11:53:23	1	1	1	1	72.5	60.75	0	29715.64	533.3333333	15975.59318	30000	0	0	30000	40.5625	2004
12.02.2020 11:53:24	1	1	1	1	72.5	60.5	0	29715.64	535.483871	15911.99413	30000	0	0	30000	41.5625	2004
12.02.2020 11:53:25	1	1	1	1	72.5	61.5	0	29857.82	535.483871	16116.65262	30000	0	0	30000	40.5	2004
12.02.2020 11:53:32	1	1	1	1	72	61.5	0	29763.033	539.7849462	16090.5607	30000	0	0	30000	41.3125	2004
12.02.2020 11:53:32	1	1	1	1	72	61.5	0	29763.033	539.7849462	16090.5607	30000	0	0	30000	41.3125	2004
12.02.2020 11:53:32	1	1	1	1	72	61.5	0	29763.033	539.7849462	16090.5607	30000	0	0	30000	41.3125	2004
12.02.2020 11:53:32	1	1	1	1	72	61.5	0	29763.033	539.7849462	16090.5607	30000	0	0	30000	41.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 11:53:32	1	1	1	1	72	61.5	0	29763.033	539.7849462	16090.5607	30000	0	0	30000	41.3125	2004
12.02.2020 11:53:32	1	1	1	1	72	61.5	0	29763.033	539.7849462	16090.5607	30000	0	0	30000	41.3125	2004
12.02.2020 11:53:32	1	1	1	1	72	61.25	0	29573.46	537.6344086	15988.63914	30000	0	0	30000	40.625	2004
12.02.2020 11:53:33	1	1	1	1	72	61.5	0	29620.853	537.6344086	15861.44103	30000	0	0	30000	41.25	2004
12.02.2020 11:53:34	1	1	1	1	72	61.25	0	29810.427	541.9354839	15783.98065	30000	0	0	30000	41.3125	2004
12.02.2020 11:53:35	1	1	1	1	72	61.25	0	29620.853	537.6344086	15925.04009	30000	0	0	30000	41.375	2004
12.02.2020 11:53:36	1	1	1	1	71.75	61.25	0	29668.246	537.6344086	16103.60666	30000	0	0	30000	41.375	2004
12.02.2020 11:53:37	1	1	1	1	71.75	61.25	0	29668.246	537.6344086	15925.04009	30000	0	0	30000	41.1875	2004
12.02.2020 11:53:38	1	1	1	1	71.75	61	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	41.3125	2004
12.02.2020 11:53:39	1	1	1	1	71.75	61.25	0	29857.82	541.9354839	16141.92917	30000	0	0	30000	41.125	2004
12.02.2020 11:53:40	1	1	1	1	71.75	61	0	29526.066	535.483871	15873.67162	30000	0	0	30000	41.5625	2004
12.02.2020 11:53:41	1	1	1	1	71.75	61.5	0	29620.853	537.6344086	15925.04009	30000	0	0	30000	41.25	2004
12.02.2020 11:53:42	1	1	1	1	71.75	61.25	0	29620.853	535.483871	15925.04009	30000	0	0	30000	41.3125	2004
12.02.2020 11:53:43	1	1	1	1	71.75	61.25	0	29715.64	537.6344086	16013.91569	30000	0	0	30000	41.4375	2004
12.02.2020 11:53:44	1	1	1	1	71.75	61.25	0	29478.673	537.6344086	15848.39508	30000	0	0	30000	40.8125	2004
12.02.2020 11:53:45	1	1	1	1	71.75	60.75	0	29620.853	539.7849462	16103.60666	30000	0	0	30000	41.4375	2004
12.02.2020 11:53:46	1	1	1	1	71.75	61.25	0	29573.46	537.6344086	15899.76354	30000	0	0	30000	41.3125	2004
12.02.2020 11:53:48	1	1	1	1	71.75	61.25	0	29526.066	539.7849462	15963.3626	30000	0	0	30000	41.3125	2004
12.02.2020 11:53:49	1	1	1	1	71.75	61.25	0	29620.853	539.7849462	15747.28889	30000	0	0	30000	41.25	2004
12.02.2020 11:53:50	1	1	1	1	71.75	61.25	0	29668.246	541.9354839	16103.60666	30000	0	0	30000	41.375	2004
12.02.2020 11:53:51	1	1	1	1	71.75	61.25	0	29763.033	541.9354839	16103.60666	30000	0	0	30000	41.375	2004
12.02.2020 11:53:52	1	1	1	1	71.75	61.25	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	41.3125	2004
12.02.2020 11:53:53	1	1	1	1	71.75	61.25	0	29573.46	533.3333333	15988.63914	30000	0	0	30000	40.8125	2004
12.02.2020 11:53:54	1	1	1	1	71.75	60.75	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	41.0625	2004
12.02.2020 11:53:55	1	1	1	1	71.75	61	0	29573.46	539.7849462	15963.3626	30000	0	0	30000	41.4375	2004
12.02.2020 11:53:56	1	1	1	1	71.75	61.25	0	29668.246	537.6344086	15925.04009	30000	0	0	30000	41.5	2004
12.02.2020 11:53:57	1	1	1	1	71.5	61.5	0	29620.853	539.7849462	16115.83725	30000	0	0	30000	41.4375	2004
12.02.2020 11:53:58	1	1	1	1	71.5	61.25	0	29526.066	539.7849462	15937.27068	30000	0	0	30000	41.5	2004
12.02.2020 11:53:59	1	1	1	1	71.5	61.5	0	29526.066	539.7849462	15937.27068	30000	0	0	30000	41.5625	2004
12.02.2020 11:54:00	1	1	1	1	71.5	61.5	0	29620.853	541.9354839	15988.63914	30000	0	0	30000	41.375	2004
12.02.2020 11:54:01	1	1	1	1	71.5	61.25	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	41.25	2004
12.02.2020 11:54:02	1	1	1	1	71.5	61.25	0	29620.853	535.483871	15861.44103	30000	0	0	30000	40.75	2004
12.02.2020 11:54:03	1	1	1	1	71.5	60.75	0	29478.673	535.483871	15848.39508	30000	0	0	30000	41.1875	2004
12.02.2020 11:54:04	1	1	1	1	71.5	61	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	40.8125	2004
12.02.2020 11:54:05	1	1	1	1	71.5	60.75	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	41.5625	2004
12.02.2020 11:54:06	1	1	1	1	71.5	61.5	0	29573.46	537.6344086	15836.16449	30000	0	0	30000	41.1875	2004
12.02.2020 11:54:07	1	1	1	1	71.75	61	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	41.4375	2004
12.02.2020 11:54:08	1	1	1	1	71.75	61.25	0	29620.853	541.9354839	15861.44103	30000	0	0	30000	41.1875	2004
12.02.2020 11:54:09	1	1	1	1	71.75	61	0	29526.066	539.7849462	15963.3626	30000	0	0	30000	41.375	2004
12.02.2020 11:54:10	1	1	1	1	71.75	61.25	0	29526.066	537.6344086	15899.76354	30000	0	0	30000	41.1875	2004
12.02.2020 11:54:11	1	1	1	1	71.75	61	0	29715.64	544.0860215	15886.71758	30000	0	0	30000	41.6875	2004
12.02.2020 11:54:12	1	1	1	1	71.75	61.5	0	29526.066	537.6344086	15873.67162	30000	0	0	30000	41.0625	2004
12.02.2020 11:54:13	1	1	1	1	71.75	61.25	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	41.375	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 11:54:14	1	1	1	1	71.75	61.25	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	41.125	2004
12.02.2020 11:54:15	1	1	1	1	71.75	61	0	29526.066	539.7849462	15937.27068	30000	0	0	30000	41.375	2004
12.02.2020 11:54:16	1	1	1	1	71.75	61.25	0	29715.64	541.9354839	16231.62015	30000	0	0	30000	41.3125	2004
12.02.2020 11:54:17	1	1	1	1	71.75	61.25	0	29620.853	541.9354839	16115.83725	30000	0	0	30000	41.625	2004
12.02.2020 11:54:18	1	1	1	1	71.75	61.5	0	29526.066	535.483871	15810.07257	30000	0	0	30000	41	2004
12.02.2020 11:54:19	1	1	1	1	71.75	61	0	29620.853	537.6344086	15925.04009	30000	0	0	30000	41.3125	2004
12.02.2020 11:54:20	1	1	1	1	71.75	61.25	0	29526.066	537.6344086	15963.3626	30000	0	0	30000	41.3125	2004
12.02.2020 11:54:21	1	1	1	1	71.75	61.25	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	41.3125	2004
12.02.2020 11:54:22	1	1	1	1	71.75	61.25	0	29620.853	541.9354839	15925.04009	30000	0	0	30000	41.25	2004
12.02.2020 11:54:23	1	1	1	1	71.75	61.25	0	29668.246	537.6344086	16040.00761	30000	0	0	30000	41.375	2004
12.02.2020 11:54:25	1	1	1	1	71.75	61.25	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	41.375	2004
12.02.2020 11:54:26	1	1	1	1	71.75	61.25	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	41.3125	2004
12.02.2020 11:54:27	1	1	1	1	71	61.25	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	41.3125	2004
12.02.2020 11:54:34	1	1	1	1	71	61	0	29620.853	537.6344086	16040.00761	30000	0	0	30000	41.0625	2004
12.02.2020 11:54:34	1	1	1	1	71	61	0	29620.853	537.6344086	16040.00761	30000	0	0	30000	41.0625	2004
12.02.2020 11:54:34	1	1	1	1	71	61	0	29620.853	537.6344086	16040.00761	30000	0	0	30000	41.0625	2004
12.02.2020 11:54:34	1	1	1	1	71	61	0	29620.853	537.6344086	16040.00761	30000	0	0	30000	41.0625	2004
12.02.2020 11:54:34	1	1	1	1	71	61	0	29620.853	537.6344086	16040.00761	30000	0	0	30000	41.0625	2004
12.02.2020 11:54:34	1	1	1	1	71	61	0	29620.853	537.6344086	16040.00761	30000	0	0	30000	41.0625	2004
12.02.2020 11:54:34	1	1	1	1	71	61	0	29620.853	537.6344086	16040.00761	30000	0	0	30000	41.0625	2004
12.02.2020 11:54:34	1	1	1	1	71	61	0	29478.673	537.6344086	15911.99413	30000	0	0	30000	41.4375	2004
12.02.2020 11:54:35	1	1	1	1	71	61.25	0	29810.427	539.7849462	16090.5607	30000	0	0	30000	41.5	2004
12.02.2020 11:54:36	1	1	1	1	71	61.5	0	29810.427	539.7849462	16040.00761	30000	0	0	30000	41.1875	2004
12.02.2020 11:54:37	1	1	1	1	71	61	0	29620.853	537.6344086	15861.44103	30000	0	0	30000	41.25	2004
12.02.2020 11:54:38	1	1	1	1	71	61.25	0	29620.853	537.6344086	15925.04009	30000	0	0	30000	41.5	2004
12.02.2020 11:54:39	1	1	1	1	71	61.5	0	29857.82	539.7849462	16116.65262	30000	0	0	30000	41.3125	2004
12.02.2020 11:54:40	1	1	1	1	71	61.25	0	29763.033	541.9354839	16090.5607	30000	0	0	30000	41.0625	2004
12.02.2020 11:54:41	1	1	1	1	71	61	0	29905.213	537.6344086	16141.92917	30000	0	0	30000	41.375	2004
12.02.2020 11:54:42	1	1	1	1	71	61.25	0	29526.066	537.6344086	15963.3626	30000	0	0	30000	41.5	2004
12.02.2020 11:54:43	1	1	1	1	71	61.5	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	41.375	2004
12.02.2020 11:54:44	1	1	1	1	71	61.25	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	41.25	2004
12.02.2020 11:54:45	1	1	1	1	71	61.25	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	41.375	2004
12.02.2020 11:54:46	1	1	1	1	71	61.25	0	29573.46	537.6344086	15899.76354	30000	0	0	30000	41.25	2004
12.02.2020 11:54:47	1	1	1	1	71	61.25	0	29526.066	539.7849462	15963.3626	30000	0	0	30000	41.3125	2004
12.02.2020 11:54:48	1	1	1	1	71	61.25	0	29668.246	537.6344086	15797.84198	30000	0	0	30000	41.75	2004
12.02.2020 11:54:49	1	1	1	1	71	61.75	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	41	2004
12.02.2020 11:54:50	1	1	1	1	71	61	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	41	2004
12.02.2020 11:54:51	1	1	1	1	71	61.25	0	29763.033	537.6344086	16090.5607	30000	0	0	30000	40.5	2004
12.02.2020 11:54:52	1	1	1	1	71	60.5	0	29763.033	541.9354839	16040.00761	30000	0	0	30000	41.375	2004
12.02.2020 11:54:53	1	1	1	1	71	61.25	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	40.8125	2004
12.02.2020 11:54:54	1	1	1	1	71	60.75	0	29620.853	541.9354839	15988.63914	30000	0	0	30000	41.1875	2004
12.02.2020 11:54:55	1	1	1	1	71	61	0	29668.246	539.7849462	16040.00761	30000	0	0	30000	41.25	2004
12.02.2020 11:54:56	1	1	1	1	70.75	61.25	0	29526.066	537.6344086	15963.3626	30000	0	0	30000	41.25	2004
12.02.2020 11:54:57	1	1	1	1	70.75	61.25	0	29668.246	539.7849462	16013.91569	30000	0	0	30000	41.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 11:54:58	1	1	1	1	70.75	61.25	0	29810.427	541.9354839	16040.00761	30000	0	0	30000	41.1875	2004
12.02.2020 11:54:59	1	1	1	1	70.75	61	0	29668.246	539.7849462	16103.60666	30000	0	0	30000	41.3125	2004
12.02.2020 11:55:00	1	1	1	1	70.75	61.25	0	29668.246	539.7849462	15988.63914	30000	0	0	30000	41.3125	2004
12.02.2020 11:55:01	1	1	1	1	70.75	61.25	0	29620.853	541.9354839	15988.63914	30000	0	0	30000	41.4375	2004
12.02.2020 11:55:03	1	1	1	1	70.75	61.25	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	41.25	2004
12.02.2020 11:55:04	1	1	1	1	70.75	61.25	0	29857.82	539.7849462	16141.92917	30000	0	0	30000	41.3125	2004
12.02.2020 11:55:05	1	1	1	1	70.75	61.25	0	29620.853	535.483871	15988.63914	30000	0	0	30000	40.9375	2004
12.02.2020 11:55:06	1	1	1	1	70.75	60.75	0	29526.066	537.6344086	15937.27068	30000	0	0	30000	40.9375	2004
12.02.2020 11:55:07	1	1	1	1	71.25	60.75	0	29668.246	539.7849462	15988.63914	30000	0	0	30000	40.625	2004
12.02.2020 11:55:08	1	1	1	1	71.25	60.5	0	29668.246	537.6344086	15925.04009	30000	0	0	30000	41.4375	2004
12.02.2020 11:55:09	1	1	1	1	71.25	61.25	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	41.625	2004
12.02.2020 11:55:10	1	1	1	1	71.25	61.5	0	29857.82	537.6344086	16116.65262	30000	0	0	30000	40.75	2004
12.02.2020 11:55:11	1	1	1	1	71.25	60.75	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	41.5	2004
12.02.2020 11:55:12	1	1	1	1	71.25	61.5	0	29715.64	533.3333333	16103.60666	30000	0	0	30000	41.375	2004
12.02.2020 11:55:13	1	1	1	1	71.25	61.25	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	41.125	2004
12.02.2020 11:55:14	1	1	1	1	71.25	61	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	41.4375	2004
12.02.2020 11:55:15	1	1	1	1	71.25	61.25	0	29668.246	539.7849462	15861.44103	30000	0	0	30000	41.1875	2004
12.02.2020 11:55:16	1	1	1	1	71.25	61	0	29620.853	539.7849462	15861.44103	30000	0	0	30000	41.4375	2004
12.02.2020 11:55:17	1	1	1	1	70.75	61.25	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	41.4375	2004
12.02.2020 11:55:18	1	1	1	1	70.75	61.25	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	41.5	2004
12.02.2020 11:55:19	1	1	1	1	70.75	61.5	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	41.25	2004
12.02.2020 11:55:20	1	1	1	1	70.75	61.25	0	29526.066	537.6344086	15747.28889	30000	0	0	30000	41.375	2004
12.02.2020 11:55:21	1	1	1	1	70.75	61.25	0	29810.427	539.7849462	16090.5607	30000	0	0	30000	41.25	2004
12.02.2020 11:55:22	1	1	1	1	70.75	61.25	0	29715.64	537.6344086	16231.62015	30000	0	0	30000	40.625	2004
12.02.2020 11:55:23	1	1	1	1	70.75	60.5	0	29620.853	539.7849462	15861.44103	30000	0	0	30000	41.5	2004
12.02.2020 11:55:24	1	1	1	1	70.75	61.5	0	29620.853	537.6344086	15925.04009	30000	0	0	30000	41.5625	2004
12.02.2020 11:55:25	1	1	1	1	70.75	61.5	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	41.3125	2004
12.02.2020 11:55:26	1	1	1	1	70.75	61.25	0	29620.853	539.7849462	16013.91569	30000	0	0	30000	41.0625	2004
12.02.2020 11:55:27	1	1	1	1	70.5	61	0	29715.64	539.7849462	16013.91569	30000	0	0	30000	41.375	2004
12.02.2020 11:55:28	1	1	1	1	70.5	61.25	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	41.375	2004
12.02.2020 11:55:35	1	1	1	1	70.5	61.25	0	29620.853	539.7849462	16052.2382	30000	0	0	30000	41.625	2004
12.02.2020 11:55:35	1	1	1	1	70.5	61.25	0	29620.853	539.7849462	16052.2382	30000	0	0	30000	41.625	2004
12.02.2020 11:55:35	1	1	1	1	70.5	61.25	0	29620.853	539.7849462	16052.2382	30000	0	0	30000	41.625	2004
12.02.2020 11:55:35	1	1	1	1	70.5	61.25	0	29620.853	539.7849462	16052.2382	30000	0	0	30000	41.625	2004
12.02.2020 11:55:35	1	1	1	1	70.5	61.25	0	29620.853	539.7849462	16052.2382	30000	0	0	30000	41.625	2004
12.02.2020 11:55:35	1	1	1	1	70.5	61.5	0	29431.28	535.483871	15759.51947	30000	0	0	30000	41.375	2004
12.02.2020 11:55:36	1	1	1	1	70.5	61.25	0	29431.28	537.6344086	15848.39508	30000	0	0	30000	41.4375	2004
12.02.2020 11:55:37	1	1	1	1	70.5	61.25	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	41.4375	2004
12.02.2020 11:55:38	1	1	1	1	70.5	61.25	0	29857.82	541.9354839	16219.38956	30000	0	0	30000	41.4375	2004
12.02.2020 11:55:39	1	1	1	1	70.5	61.25	0	29715.64	539.7849462	16013.91569	30000	0	0	30000	40.75	2004
12.02.2020 11:55:41	1	1	1	1	70.5	60.75	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	41.5625	2004
12.02.2020 11:55:42	1	1	1	1	70.5	61.5	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	41.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 11:55:43	1	1	1	1	70.5	61	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	41.375	2004
12.02.2020 11:55:44	1	1	1	1	70.5	61.25	0	29620.853	535.483871	15925.04009	30000	0	0	30000	40.75	2004
12.02.2020 11:55:45	1	1	1	1	70.5	60.75	0	29763.033	539.7849462	16154.97513	30000	0	0	30000	41.375	2004
12.02.2020 11:55:46	1	1	1	1	70.5	61.25	0	29526.066	533.3333333	15899.76354	30000	0	0	30000	41.3125	2004
12.02.2020 11:55:47	1	1	1	1	70	61.25	0	29668.246	539.7849462	16040.00761	30000	0	0	30000	40.125	2004
12.02.2020 11:55:48	1	1	1	1	70	60	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	41.4375	2004
12.02.2020 11:55:49	1	1	1	1	70	61.25	0	29573.46	539.7849462	15988.63914	30000	0	0	30000	41.5	2004
12.02.2020 11:55:50	1	1	1	1	70	61.5	0	29620.853	537.6344086	15925.04009	30000	0	0	30000	41.4375	2004
12.02.2020 11:55:51	1	1	1	1	70	61.25	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	41	2004
12.02.2020 11:55:52	1	1	1	1	70	61	0	29573.46	539.7849462	15963.3626	30000	0	0	30000	40.5625	2004
12.02.2020 11:55:53	1	1	1	1	70	60.5	0	29620.853	537.6344086	15925.04009	30000	0	0	30000	41.5	2004
12.02.2020 11:55:54	1	1	1	1	70	61.5	0	29668.246	544.0860215	15988.63914	30000	0	0	30000	40.875	2004
12.02.2020 11:55:55	1	1	1	1	70	60.75	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	41.4375	2004
12.02.2020 11:55:56	1	1	1	1	70	61.25	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	40.8125	2004
12.02.2020 11:55:57	1	1	1	1	70.5	60.75	0	29573.46	539.7849462	15988.63914	30000	0	0	30000	41.5	2004
12.02.2020 11:55:58	1	1	1	1	70.5	61.5	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	41.375	2004
12.02.2020 11:55:59	1	1	1	1	70.5	61.25	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	41.3125	2004
12.02.2020 11:56:00	1	1	1	1	70.5	61.25	0	29620.853	537.6344086	15925.04009	30000	0	0	30000	40.6875	2004
12.02.2020 11:56:01	1	1	1	1	70.5	60.5	0	29857.82	539.7849462	16141.92917	30000	0	0	30000	41.1875	2004
12.02.2020 11:56:02	1	1	1	1	70.5	61	0	29715.64	541.9354839	15988.63914	30000	0	0	30000	41.4375	2004
12.02.2020 11:56:03	1	1	1	1	70.5	61.25	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	41.5625	2004
12.02.2020 11:56:04	1	1	1	1	70.5	61.5	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	41.6875	2004
12.02.2020 11:56:05	1	1	1	1	70.5	61.5	0	29715.64	539.7849462	16103.60666	30000	0	0	30000	41.8125	2004
12.02.2020 11:56:06	1	1	1	1	70.5	61.75	0	29573.46	537.6344086	15963.3626	30000	0	0	30000	41.5	2004
12.02.2020 11:56:07	1	1	1	1	70.5	61.5	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	41.5	2004
12.02.2020 11:56:08	1	1	1	1	70.5	61.5	0	29763.033	539.7849462	16090.5607	30000	0	0	30000	41.3125	2004
12.02.2020 11:56:09	1	1	1	1	70.5	61.25	0	29668.246	537.6344086	15925.04009	30000	0	0	30000	41.5625	2004
12.02.2020 11:56:10	1	1	1	1	70.5	61.5	0	29668.246	539.7849462	15861.44103	30000	0	0	30000	41.125	2004
12.02.2020 11:56:11	1	1	1	1	70.5	61	0	29810.427	541.9354839	16154.97513	30000	0	0	30000	41.3125	2004
12.02.2020 11:56:12	1	1	1	1	70.5	61.25	0	29668.246	539.7849462	15988.63914	30000	0	0	30000	41.5625	2004
12.02.2020 11:56:13	1	1	1	1	70.5	61.5	0	29715.64	537.6344086	16103.60666	30000	0	0	30000	41.4375	2004
12.02.2020 11:56:14	1	1	1	1	70.5	61.25	0	29715.64	541.9354839	16282.98861	30000	0	0	30000	41.5	2004
12.02.2020 11:56:15	1	1	1	1	70.5	61.5	0	29573.46	539.7849462	15988.63914	30000	0	0	30000	41.375	2004
12.02.2020 11:56:16	1	1	1	1	70	61.25	0	29668.246	541.9354839	15861.44103	30000	0	0	30000	41	2004
12.02.2020 11:56:18	1	1	1	1	70	61	0	29857.82	541.9354839	16206.3436	30000	0	0	30000	41.5	2004
12.02.2020 11:56:19	1	1	1	1	70	61.5	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	40.9375	2004
12.02.2020 11:56:20	1	1	1	1	70	60.75	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	41.375	2004
12.02.2020 11:56:21	1	1	1	1	70	61.25	0	29620.853	539.7849462	15975.59318	30000	0	0	30000	41.125	2004
12.02.2020 11:56:22	1	1	1	1	70	61	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	41	2004
12.02.2020 11:56:23	1	1	1	1	70	61	0	29763.033	541.9354839	16103.60666	30000	0	0	30000	41.375	2004
12.02.2020 11:56:24	1	1	1	1	70	61.25	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	41.25	2004
12.02.2020 11:56:25	1	1	1	1	70	61.25	0	29620.853	539.7849462	16013.91569	30000	0	0	30000	41.5625	2004
12.02.2020 11:56:26	1	1	1	1	70	61.5	0	29526.066	539.7849462	15963.3626	30000	0	0	30000	41.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 11:56:27	1	1	1	1	70	61.5	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	41.4375	2004
12.02.2020 11:56:28	1	1	1	1	70	61.25	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	41.375	2004
12.02.2020 11:56:29	1	1	1	1	70	61.25	0	29620.853	537.6344086	15797.84198	30000	0	0	30000	41.25	2004
12.02.2020 11:56:30	1	1	1	1	70	61.25	0	29620.853	539.7849462	15861.44103	30000	0	0	30000	41.0625	2004
12.02.2020 11:56:37	1	1	1	1	70	61	0	29526.066	537.6344086	15937.27068	30000	0	0	30000	41.375	2004
12.02.2020 11:56:37	1	1	1	1	70	61	0	29526.066	537.6344086	15937.27068	30000	0	0	30000	41.375	2004
12.02.2020 11:56:37	1	1	1	1	70	61	0	29526.066	537.6344086	15937.27068	30000	0	0	30000	41.375	2004
12.02.2020 11:56:37	1	1	1	1	70	61	0	29526.066	537.6344086	15937.27068	30000	0	0	30000	41.375	2004
12.02.2020 11:56:37	1	1	1	1	70	61	0	29526.066	537.6344086	15937.27068	30000	0	0	30000	41.375	2004
12.02.2020 11:56:37	1	1	1	1	70	61.25	0	29620.853	535.483871	15988.63914	30000	0	0	30000	41.25	2004
12.02.2020 11:56:38	1	1	1	1	70	61.25	0	29620.853	539.7849462	16052.2382	30000	0	0	30000	41.375	2004
12.02.2020 11:56:39	1	1	1	1	70	61.25	0	29620.853	541.9354839	15988.63914	30000	0	0	30000	41.0625	2004
12.02.2020 11:56:40	1	1	1	1	70	61	0	29763.033	541.9354839	16052.2382	30000	0	0	30000	41.5	2004
12.02.2020 11:56:41	1	1	1	1	70	61.5	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	41.25	2004
12.02.2020 11:56:42	1	1	1	1	70	61.25	0	29478.673	537.6344086	15848.39508	30000	0	0	30000	41.3125	2004
12.02.2020 11:56:43	1	1	1	1	70	61.25	0	29715.64	537.6344086	16167.20572	30000	0	0	30000	41.625	2004
12.02.2020 11:56:44	1	1	1	1	70	61.5	0	29526.066	539.7849462	16000.86973	30000	0	0	30000	41.375	2004
12.02.2020 11:56:45	1	1	1	1	70	61.25	0	29526.066	539.7849462	15937.27068	30000	0	0	30000	41.4375	2004
12.02.2020 11:56:46	1	1	1	1	70	61.25	0	29478.673	537.6344086	15911.99413	30000	0	0	30000	41.625	2004
12.02.2020 11:56:47	1	1	1	1	70	61.5	0	29478.673	539.7849462	15937.27068	30000	0	0	30000	41.5	2004
12.02.2020 11:56:48	1	1	1	1	70	61.25	0	29526.066	539.7849462	15937.27068	30000	0	0	30000	41.4375	2004
12.02.2020 11:56:49	1	1	1	1	70	61.25	0	29526.066	533.3333333	15937.27068	30000	0	0	30000	41.3125	2004
12.02.2020 11:56:50	1	1	1	1	70	61.25	0	29526.066	541.9354839	15937.27068	30000	0	0	30000	41.375	2004
12.02.2020 11:56:51	1	1	1	1	70	61.25	0	29715.64	541.9354839	16167.20572	30000	0	0	30000	41.1875	2004
12.02.2020 11:56:52	1	1	1	1	70	61	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	41.3125	2004
12.02.2020 11:56:53	1	1	1	1	70	61.25	0	29526.066	539.7849462	16026.96165	30000	0	0	30000	40.5	2004
12.02.2020 11:56:54	1	1	1	1	70	60.5	0	29668.246	541.9354839	16103.60666	30000	0	0	30000	41.375	2004
12.02.2020 11:56:55	1	1	1	1	70	61.25	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	41.3125	2004
12.02.2020 11:56:56	1	1	1	1	70	61.25	0	29715.64	541.9354839	16078.33012	30000	0	0	30000	41.375	2004
12.02.2020 11:56:57	1	1	1	1	70	61.25	0	29336.493	533.3333333	15885.90221	30000	0	0	30000	40.75	2004
12.02.2020 11:56:58	1	1	1	1	70	60.75	0	29620.853	539.7849462	15963.3626	30000	0	0	30000	41.4375	2004
12.02.2020 11:57:00	1	1	1	1	70	61.25	0	29573.46	539.7849462	15988.63914	30000	0	0	30000	41.1875	2004
12.02.2020 11:57:01	1	1	1	1	70	61	0	29526.066	537.6344086	15873.67162	30000	0	0	30000	40.875	2004
12.02.2020 11:57:02	1	1	1	1	70	60.75	0	29526.066	537.6344086	15963.3626	30000	0	0	30000	41.3125	2004
12.02.2020 11:57:03	1	1	1	1	70	61.25	0	29620.853	541.9354839	16141.92917	30000	0	0	30000	41.5	2004
12.02.2020 11:57:04	1	1	1	1	70	61.5	0	29573.46	539.7849462	16052.2382	30000	0	0	30000	41.625	2004
12.02.2020 11:57:05	1	1	1	1	70	61.5	0	29668.246	541.9354839	15988.63914	30000	0	0	30000	41.125	2004
12.02.2020 11:57:06	1	1	1	1	70	61	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	41.5	2004
12.02.2020 11:57:07	1	1	1	1	69.5	61.5	0	29620.853	541.9354839	15988.63914	30000	0	0	30000	41.3125	2004
12.02.2020 11:57:08	1	1	1	1	69.5	61.25	0	29526.066	537.6344086	15937.27068	30000	0	0	30000	41	2004
12.02.2020 11:57:09	1	1	1	1	69.5	61	0	29526.066	535.483871	15873.67162	30000	0	0	30000	41.375	2004
12.02.2020 11:57:10	1	1	1	1	69.5	61.25	0	29526.066	544.0860215	16090.5607	30000	0	0	30000	41.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 11:57:11	1	1	1	1	69.5	61.5	0	29620.853	541.9354839	15988.63914	30000	0	0	30000	41	2004
12.02.2020 11:57:12	1	1	1	1	69.5	61	0	29478.673	537.6344086	15937.27068	30000	0	0	30000	40.625	2004
12.02.2020 11:57:13	1	1	1	1	69.5	60.5	0	29478.673	541.9354839	15885.90221	30000	0	0	30000	40.6875	2004
12.02.2020 11:57:14	1	1	1	1	69.5	60.5	0	29573.46	539.7849462	15963.3626	30000	0	0	30000	41.25	2004
12.02.2020 11:57:15	1	1	1	1	69.5	61.25	0	29573.46	537.6344086	15963.3626	30000	0	0	30000	41.375	2004
12.02.2020 11:57:16	1	1	1	1	69.5	61.25	0	29857.82	541.9354839	16244.6661	30000	0	0	30000	41.3125	2004
12.02.2020 11:57:17	1	1	1	1	69.75	61.25	0	29620.853	535.483871	16013.91569	30000	0	0	30000	39.75	2004
12.02.2020 11:57:18	1	1	1	1	69.75	59.75	0	29573.46	539.7849462	15836.16449	30000	0	0	30000	40.8125	2004
12.02.2020 11:57:19	1	1	1	1	69.75	60.75	0	29526.066	541.9354839	16026.96165	30000	0	0	30000	41.625	2004
12.02.2020 11:57:20	1	1	1	1	69.75	61.5	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	41.3125	2004
12.02.2020 11:57:21	1	1	1	1	69.75	61.25	0	29526.066	537.6344086	16090.5607	30000	0	0	30000	41.5	2004
12.02.2020 11:57:22	1	1	1	1	69.75	61.5	0	29431.28	537.6344086	15633.13674	30000	0	0	30000	41.3125	2004
12.02.2020 11:57:23	1	1	1	1	69.75	61.25	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	41.625	2004
12.02.2020 11:57:24	1	1	1	1	69.75	61.5	0	29478.673	539.7849462	16000.86973	30000	0	0	30000	40.625	2004
12.02.2020 11:57:25	1	1	1	1	69.75	60.5	0	29526.066	541.9354839	15937.27068	30000	0	0	30000	41.375	2004
12.02.2020 11:57:26	1	1	1	1	69.75	61.25	0	29573.46	539.7849462	16052.2382	30000	0	0	30000	41.4375	2004
12.02.2020 11:57:27	1	1	1	1	69.25	61.75	0	29573.46	533.3333333	16052.2382	30000	0	0	30000	41.5625	2004
12.02.2020 11:57:28	1	1	1	1	69.25	61.5	0	29668.246	541.9354839	16052.2382	30000	0	0	30000	41.5625	2004
12.02.2020 11:57:29	1	1	1	1	69.25	61.5	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	41.5	2004
12.02.2020 11:57:30	1	1	1	1	69.25	61.5	0	29526.066	541.9354839	15937.27068	30000	0	0	30000	41.125	2004
12.02.2020 11:57:31	1	1	1	1	69.25	61	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	41.625	2004
12.02.2020 11:57:39	1	1	1	1	69.5	61	0	29526.066	537.6344086	15937.27068	30000	0	0	30000	41.25	2004
12.02.2020 11:57:39	1	1	1	1	69.5	61	0	29526.066	537.6344086	15937.27068	30000	0	0	30000	41.25	2004
12.02.2020 11:57:39	1	1	1	1	69.5	61	0	29526.066	537.6344086	15937.27068	30000	0	0	30000	41.25	2004
12.02.2020 11:57:39	1	1	1	1	69.5	61	0	29526.066	537.6344086	15937.27068	30000	0	0	30000	41.25	2004
12.02.2020 11:57:39	1	1	1	1	69.5	61	0	29526.066	537.6344086	15937.27068	30000	0	0	30000	41.25	2004
12.02.2020 11:57:39	1	1	1	1	69.5	61	0	29526.066	537.6344086	15937.27068	30000	0	0	30000	41.25	2004
12.02.2020 11:57:40	1	1	1	1	69.5	61.25	0	29526.066	541.9354839	15963.3626	30000	0	0	30000	41.625	2004
12.02.2020 11:57:41	1	1	1	1	69.5	61.5	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	41.125	2004
12.02.2020 11:57:42	1	1	1	1	69.5	61	0	29526.066	539.7849462	15911.99413	30000	0	0	30000	41.375	2004
12.02.2020 11:57:43	1	1	1	1	69.5	61.25	0	29526.066	541.9354839	15937.27068	30000	0	0	30000	41.125	2004
12.02.2020 11:57:44	1	1	1	1	69.5	61	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	41.1875	2004
12.02.2020 11:57:45	1	1	1	1	69.5	61	0	29620.853	546.2365591	16026.96165	30000	0	0	30000	41.25	2004
12.02.2020 11:57:46	1	1	1	1	69.5	61.25	0	29431.28	537.6344086	15911.99413	30000	0	0	30000	40.9375	2004
12.02.2020 11:57:47	1	1	1	1	69.5	60.75	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	41.625	2004
12.02.2020 11:57:48	1	1	1	1	69.5	61.5	0	29620.853	541.9354839	16115.83725	30000	0	0	30000	41.375	2004
12.02.2020 11:57:49	1	1	1	1	69.5	61.25	0	29573.46	541.9354839	15963.3626	30000	0	0	30000	41.0625	2004
12.02.2020 11:57:50	1	1	1	1	69.5	61	0	29715.64	544.0860215	16040.00761	30000	0	0	30000	41.5625	2004
12.02.2020 11:57:51	1	1	1	1	69.5	61.5	0	29668.246	539.7849462	16103.60666	30000	0	0	30000	41.3125	2004
12.02.2020 11:57:52	1	1	1	1	69.5	61.25	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	41.5	2004
12.02.2020 11:57:53	1	1	1	1	69.5	61.5	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	40.875	2004
12.02.2020 11:57:54	1	1	1	1	69.5	60.75	0	29526.066	537.6344086	15937.27068	30000	0	0	30000	41.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 11:57:55	1	1	1	1	69.5	61	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	41.25	2004
12.02.2020 11:57:56	1	1	1	1	69.5	61.25	0	29526.066	539.7849462	16090.5607	30000	0	0	30000	41.5625	2004
12.02.2020 11:57:57	1	1	1	1	69.75	61.5	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	41.375	2004
12.02.2020 11:57:58	1	1	1	1	69.75	61.25	0	29620.853	541.9354839	15988.63914	30000	0	0	30000	41.1875	2004
12.02.2020 11:57:59	1	1	1	1	69.75	61	0	29573.46	541.9354839	16026.96165	30000	0	0	30000	41.25	2004
12.02.2020 11:58:00	1	1	1	1	69.75	61.25	0	29431.28	541.9354839	15696.73579	30000	0	0	30000	41.5625	2004
12.02.2020 11:58:01	1	1	1	1	69.75	61.5	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	41.5	2004
12.02.2020 11:58:02	1	1	1	1	69.75	61.5	0	29526.066	539.7849462	16000.86973	30000	0	0	30000	41.8125	2004
12.02.2020 11:58:03	1	1	1	1	69.75	60.75	0	29526.066	539.7849462	16090.5607	30000	0	0	30000	41.4375	2004
12.02.2020 11:58:04	1	1	1	1	69.75	61.25	0	29478.673	541.9354839	16038.37687	30000	0	0	30000	40.625	2004
12.02.2020 11:58:05	1	1	1	1	69.75	60.5	0	29526.066	541.9354839	15937.27068	30000	0	0	30000	41.4375	2004
12.02.2020 11:58:06	1	1	1	1	69.25	61.25	0	29336.493	537.6344086	15835.34912	30000	0	0	30000	40.5625	2004
12.02.2020 11:58:07	1	1	1	1	69.25	60.5	0	29526.066	541.9354839	15963.3626	30000	0	0	30000	41.625	2004
12.02.2020 11:58:08	1	1	1	1	69.25	61.5	0	29620.853	539.7849462	16052.2382	30000	0	0	30000	41.3125	2004
12.02.2020 11:58:09	1	1	1	1	69.25	61.25	0	29715.64	541.9354839	15988.63914	30000	0	0	30000	41.5625	2004
12.02.2020 11:58:10	1	1	1	1	69.25	61.5	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	40.5	2004
12.02.2020 11:58:11	1	1	1	1	69.25	60.5	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	41.4375	2004
12.02.2020 11:58:12	1	1	1	1	69.25	61.25	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	41.25	2004
12.02.2020 11:58:13	1	1	1	1	69.25	61.25	0	29526.066	537.6344086	15911.99413	30000	0	0	30000	40.875	2004
12.02.2020 11:58:15	1	1	1	1	69.25	60.75	0	29526.066	541.9354839	15937.27068	30000	0	0	30000	41.375	2004
12.02.2020 11:58:16	1	1	1	1	69.25	61.25	0	29668.246	539.7849462	16052.2382	30000	0	0	30000	41.5	2004
12.02.2020 11:58:17	1	1	1	1	69.25	61.5	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	41.375	2004
12.02.2020 11:58:18	1	1	1	1	69.25	61.25	0	29478.673	550.5376344	15885.90221	30000	0	0	30000	41.3125	2004
12.02.2020 11:58:19	1	1	1	1	69.25	61.25	0	29383.886	541.9354839	15949.50126	30000	0	0	30000	41.3125	2004
12.02.2020 11:58:20	1	1	1	1	69.25	61.25	0	29526.066	541.9354839	16026.96165	30000	0	0	30000	41.25	2004
12.02.2020 11:58:21	1	1	1	1	69.25	61.25	0	29526.066	541.9354839	16026.96165	30000	0	0	30000	40.75	2004
12.02.2020 11:58:22	1	1	1	1	69.25	60.75	0	29431.28	537.6344086	16013.10032	30000	0	0	30000	41.125	2004
12.02.2020 11:58:23	1	1	1	1	69.25	61	0	29526.066	541.9354839	15963.3626	30000	0	0	30000	41.4375	2004
12.02.2020 11:58:24	1	1	1	1	69.25	61.25	0	29620.853	539.7849462	16307.44979	30000	0	0	30000	41.4375	2004
12.02.2020 11:58:25	1	1	1	1	69.25	61.25	0	29478.673	541.9354839	16000.86973	30000	0	0	30000	41.5625	2004
12.02.2020 11:58:26	1	1	1	1	69.25	61.5	0	29526.066	544.0860215	16154.15976	30000	0	0	30000	41.3125	2004
12.02.2020 11:58:27	1	1	1	1	69.25	61.25	0	29715.64	544.0860215	16167.20572	30000	0	0	30000	41.625	2004
12.02.2020 11:58:28	1	1	1	1	69.25	61.5	0	29478.673	541.9354839	16000.86973	30000	0	0	30000	41.375	2004
12.02.2020 11:58:29	1	1	1	1	69.25	61.25	0	29573.46	541.9354839	16026.96165	30000	0	0	30000	41.3125	2004
12.02.2020 11:58:30	1	1	1	1	69.25	61.25	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	41.5625	2004
12.02.2020 11:58:31	1	1	1	1	69.25	61.5	0	29431.28	539.7849462	15949.50126	30000	0	0	30000	41.375	2004
12.02.2020 11:58:32	1	1	1	1	69.25	61.25	0	29620.853	541.9354839	15988.63914	30000	0	0	30000	41.5625	2004
12.02.2020 11:58:33	1	1	1	1	69.25	61.5	0	29573.46	541.9354839	16026.96165	30000	0	0	30000	41.5	2004
12.02.2020 11:58:40	1	1	1	1	68.75	61.5	0	29573.46	539.7849462	16026.96165	30000	0	0	30000	41.5625	2004
12.02.2020 11:58:40	1	1	1	1	68.75	61.5	0	29573.46	539.7849462	16026.96165	30000	0	0	30000	41.5625	2004
12.02.2020 11:58:40	1	1	1	1	68.75	61.5	0	29573.46	539.7849462	16026.96165	30000	0	0	30000	41.5625	2004
12.02.2020 11:58:40	1	1	1	1	68.75	61.5	0	29573.46	539.7849462	16026.96165	30000	0	0	30000	41.5625	2004
12.02.2020 11:58:40	1	1	1	1	68.75	61.5	0	29573.46	539.7849462	16026.96165	30000	0	0	30000	41.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 11:58:40	1	1	1	1	68.75	61.5	0	29573.46	539.7849462	16026.96165	30000	0	0	30000	41.5625	2004
12.02.2020 11:58:40	1	1	1	1	68.75	61.5	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	41.75	2004
12.02.2020 11:58:41	1	1	1	1	68.75	61.75	0	29526.066	539.7849462	16026.96165	30000	0	0	30000	41.4375	2004
12.02.2020 11:58:42	1	1	1	1	68.75	61	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	41.3125	2004
12.02.2020 11:58:43	1	1	1	1	68.75	61.25	0	29526.066	541.9354839	15937.27068	30000	0	0	30000	40.5625	2004
12.02.2020 11:58:44	1	1	1	1	68.75	60.5	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	41.4375	2004
12.02.2020 11:58:45	1	1	1	1	68.75	61.25	0	29526.066	539.7849462	16307.44979	30000	0	0	30000	41.3125	2004
12.02.2020 11:58:46	1	1	1	1	68.75	61.25	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	40.5625	2004
12.02.2020 11:58:47	1	1	1	1	68.75	60.5	0	29526.066	537.6344086	16052.2382	30000	0	0	30000	41.4375	2004
12.02.2020 11:58:48	1	1	1	1	68.75	61.25	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	41.375	2004
12.02.2020 11:58:49	1	1	1	1	68.75	61.25	0	29526.066	541.9354839	15975.59318	30000	0	0	30000	41.25	2004
12.02.2020 11:58:50	1	1	1	1	68.75	61.25	0	29573.46	541.9354839	16026.96165	30000	0	0	30000	40.625	2004
12.02.2020 11:58:51	1	1	1	1	68.75	60.5	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	41.5	2004
12.02.2020 11:58:53	1	1	1	1	68.75	61.5	0	29526.066	539.7849462	15963.3626	30000	0	0	30000	41.5625	2004
12.02.2020 11:58:54	1	1	1	1	68.75	61.5	0	29573.46	539.7849462	16115.83725	30000	0	0	30000	41.5	2004
12.02.2020 11:58:55	1	1	1	1	68.75	61.5	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	41.1875	2004
12.02.2020 11:58:56	1	1	1	1	68.75	61	0	29526.066	539.7849462	15937.27068	30000	0	0	30000	41.625	2004
12.02.2020 11:58:57	1	1	1	1	68.5	61.5	0	29526.066	541.9354839	15937.27068	30000	0	0	30000	40.6875	2004
12.02.2020 11:58:58	1	1	1	1	68.5	60.5	0	29526.066	541.9354839	16026.96165	30000	0	0	30000	41.5625	2004
12.02.2020 11:58:59	1	1	1	1	68.5	61.5	0	29478.673	539.7849462	15949.50126	30000	0	0	30000	41.375	2004
12.02.2020 11:59:00	1	1	1	1	68.5	61.25	0	29431.28	539.7849462	15885.90221	30000	0	0	30000	41.5	2004
12.02.2020 11:59:01	1	1	1	1	68.5	61.5	0	29478.673	539.7849462	15937.27068	30000	0	0	30000	41.375	2004
12.02.2020 11:59:02	1	1	1	1	68.5	61.25	0	29573.46	541.9354839	16026.96165	30000	0	0	30000	41.625	2004
12.02.2020 11:59:03	1	1	1	1	68.5	61.5	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	40.75	2004
12.02.2020 11:59:04	1	1	1	1	68.5	60.75	0	29431.28	539.7849462	15975.59318	30000	0	0	30000	40.8125	2004
12.02.2020 11:59:05	1	1	1	1	68.5	60.75	0	29668.246	541.9354839	16052.2382	30000	0	0	30000	41.625	2004
12.02.2020 11:59:06	1	1	1	1	68.5	61.5	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	41.4375	2004
12.02.2020 11:59:07	1	1	1	1	68.5	61.25	0	29526.066	539.7849462	15937.27068	30000	0	0	30000	41.3125	2004
12.02.2020 11:59:08	1	1	1	1	68.5	61.25	0	29620.853	541.9354839	16103.60666	30000	0	0	30000	41.6875	2004
12.02.2020 11:59:09	1	1	1	1	68.5	61.5	0	29573.46	539.7849462	16052.2382	30000	0	0	30000	41.375	2004
12.02.2020 11:59:10	1	1	1	1	68.5	61.25	0	29573.46	541.9354839	16026.96165	30000	0	0	30000	40.9375	2004
12.02.2020 11:59:11	1	1	1	1	68.5	60.75	0	29526.066	541.9354839	15937.27068	30000	0	0	30000	40.8125	2004
12.02.2020 11:59:12	1	1	1	1	68.5	60.75	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	41.625	2004
12.02.2020 11:59:13	1	1	1	1	68.5	61.5	0	29573.46	541.9354839	15963.3626	30000	0	0	30000	41.4375	2004
12.02.2020 11:59:14	1	1	1	1	68.5	61.25	0	29620.853	539.7849462	16103.60666	30000	0	0	30000	41.4375	2004
12.02.2020 11:59:15	1	1	1	1	68.5	61.25	0	29526.066	541.9354839	15963.3626	30000	0	0	30000	41.5	2004
12.02.2020 11:59:16	1	1	1	1	68.5	61.5	0	29573.46	541.9354839	16026.96165	30000	0	0	30000	41.4375	2004
12.02.2020 11:59:17	1	1	1	1	69	61.25	0	29620.853	541.9354839	15988.63914	30000	0	0	30000	41.375	2004
12.02.2020 11:59:18	1	1	1	1	69	61.25	0	29526.066	539.7849462	15937.27068	30000	0	0	30000	41.625	2004
12.02.2020 11:59:19	1	1	1	1	69	61.5	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	41.3125	2004
12.02.2020 11:59:20	1	1	1	1	69	61.25	0	29620.853	537.6344086	16052.2382	30000	0	0	30000	41.625	2004
12.02.2020 11:59:21	1	1	1	1	69	61.5	0	29573.46	539.7849462	15963.3626	30000	0	0	30000	41.25	2004
12.02.2020 11:59:22	1	1	1	1	69	61.5	0	29620.853	539.7849462	15899.76354	30000	0	0	30000	40.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 11:59:23	1	1	1	1	69	60.75	0	29573.46	541.9354839	16052.2382	30000	0	0	30000	41.375	2004
12.02.2020 11:59:24	1	1	1	1	69	61.25	0	29715.64	544.0860215	16141.92917	30000	0	0	30000	41.4375	2004
12.02.2020 11:59:25	1	1	1	1	69	61.25	0	29573.46	537.6344086	15899.76354	30000	0	0	30000	41.5	2004
12.02.2020 11:59:26	1	1	1	1	68.5	61.5	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	41	2004
12.02.2020 11:59:27	1	1	1	1	68.5	61	0	29431.28	539.7849462	15885.90221	30000	0	0	30000	41.3125	2004
12.02.2020 11:59:28	1	1	1	1	68.5	61.25	0	29620.853	539.7849462	16078.33012	30000	0	0	30000	41.5	2004
12.02.2020 11:59:29	1	1	1	1	68.5	61.5	0	29478.673	541.9354839	15911.99413	30000	0	0	30000	41.375	2004
12.02.2020 11:59:31	1	1	1	1	68.5	61.25	0	29478.673	539.7849462	15937.27068	30000	0	0	30000	41.3125	2004
12.02.2020 11:59:32	1	1	1	1	68.5	61.25	0	29573.46	541.9354839	16026.96165	30000	0	0	30000	41.375	2004
12.02.2020 11:59:33	1	1	1	1	68.5	61.25	0	29526.066	541.9354839	15848.39508	30000	0	0	30000	41.125	2004
12.02.2020 11:59:34	1	1	1	1	68.5	61	0	29526.066	544.0860215	16000.86973	30000	0	0	30000	41.4375	2004
12.02.2020 11:59:35	1	1	1	1	68.5	61.25	0	29383.886	541.9354839	16013.10032	30000	0	0	30000	41.375	2004
12.02.2020 11:59:42	1	1	1	1	68	61.25	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	41.4375	2004
12.02.2020 11:59:42	1	1	1	1	68	61.25	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	41.4375	2004
12.02.2020 11:59:42	1	1	1	1	68	61.25	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	41.4375	2004
12.02.2020 11:59:42	1	1	1	1	68	61.25	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	41.4375	2004
12.02.2020 11:59:42	1	1	1	1	68	61.25	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	41.4375	2004
12.02.2020 11:59:42	1	1	1	1	68	61.25	0	29526.066	544.0860215	15911.99413	30000	0	0	30000	41.125	2004
12.02.2020 11:59:43	1	1	1	1	68	61	0	29573.46	535.483871	16052.2382	30000	0	0	30000	41.375	2004
12.02.2020 11:59:44	1	1	1	1	68	61.25	0	29715.64	544.0860215	16141.92917	30000	0	0	30000	41.0625	2004
12.02.2020 11:59:45	1	1	1	1	68	61	0	29431.28	539.7849462	15885.90221	30000	0	0	30000	41.4375	2004
12.02.2020 11:59:46	1	1	1	1	68	61.25	0	29526.066	541.9354839	15937.27068	30000	0	0	30000	41.1875	2004
12.02.2020 11:59:47	1	1	1	1	68.25	61	0	29526.066	539.7849462	15937.27068	30000	0	0	30000	41.25	2004
12.02.2020 11:59:48	1	1	1	1	68.25	61.25	0	29668.246	541.9354839	15861.44103	30000	0	0	30000	41.5625	2004
12.02.2020 11:59:49	1	1	1	1	68.25	61.5	0	29431.28	537.6344086	15885.90221	30000	0	0	30000	41.4375	2004
12.02.2020 11:59:50	1	1	1	1	68.25	61.25	0	29715.64	535.483871	16167.20572	30000	0	0	30000	41.375	2004
12.02.2020 11:59:51	1	1	1	1	68.25	61.25	0	29573.46	541.9354839	16052.2382	30000	0	0	30000	41.5625	2004
12.02.2020 11:59:52	1	1	1	1	68.25	61.5	0	29526.066	539.7849462	15873.67162	30000	0	0	30000	41.5625	2004
12.02.2020 11:59:53	1	1	1	1	68.25	61.5	0	29526.066	539.7849462	15937.27068	30000	0	0	30000	41.25	2004
12.02.2020 11:59:54	1	1	1	1	68.25	61.25	0	29526.066	535.483871	16179.43631	30000	0	0	30000	41.4375	2004
12.02.2020 11:59:55	1	1	1	1	68.25	61.25	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	40.6875	2004
12.02.2020 11:59:56	1	1	1	1	68.25	60.5	0	29383.886	541.9354839	15860.62566	30000	0	0	30000	41.375	2004
12.02.2020 11:59:57	1	1	1	1	68.25	61.25	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	41.3125	2004
12.02.2020 11:59:58	1	1	1	1	68.25	61.25	0	29526.066	541.9354839	15963.3626	30000	0	0	30000	41.4375	2004
12.02.2020 11:59:59	1	1	1	1	68.25	61.25	0	29526.066	535.483871	15873.67162	30000	0	0	30000	41.5625	2004
12.02.2020 12:00:00	1	1	1	1	68.25	60.5	0	29478.673	539.7849462	15937.27068	30000	0	0	30000	41.5625	2004
12.02.2020 12:00:01	1	1	1	1	68.25	61.5	0	29715.64	544.0860215	16167.20572	30000	0	0	30000	41.4375	2004
12.02.2020 12:00:02	1	1	1	1	68.25	61.25	0	29478.673	541.9354839	15885.90221	30000	0	0	30000	41.4375	2004
12.02.2020 12:00:03	1	1	1	1	68.25	61.25	0	29573.46	550.5376344	16090.5607	30000	0	0	30000	41.5625	2004
12.02.2020 12:00:04	1	1	1	1	68.25	61.5	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	41.5625	2004
12.02.2020 12:00:05	1	1	1	1	68.25	61.5	0	29526.066	537.6344086	15722.01234	30000	0	0	30000	41.4375	2004
12.02.2020 12:00:06	1	1	1	1	67.75	61.25	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	40.9375	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 12:00:07	1	1	1	1	67.75	60.75	0	29620.853	541.9354839	16026.96165	30000	0	0	30000	41.375	2004
12.02.2020 12:00:09	1	1	1	1	67.75	61.25	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	41.75	2004
12.02.2020 12:00:10	1	1	1	1	67.75	61.75	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	41.3125	2004
12.02.2020 12:00:11	1	1	1	1	67.75	61.25	0	29573.46	544.0860215	16090.5607	30000	0	0	30000	41.25	2004
12.02.2020 12:00:12	1	1	1	1	67.75	61.25	0	29383.886	537.6344086	15797.84198	30000	0	0	30000	41.25	2004
12.02.2020 12:00:13	1	1	1	1	67.75	61.25	0	29478.673	541.9354839	15759.51947	30000	0	0	30000	41.5	2004
12.02.2020 12:00:14	1	1	1	1	67.75	61.5	0	29715.64	541.9354839	16219.38956	30000	0	0	30000	41.375	2004
12.02.2020 12:00:15	1	1	1	1	67.75	61.25	0	29526.066	541.9354839	16026.96165	30000	0	0	30000	41.5	2004
12.02.2020 12:00:16	1	1	1	1	67.75	61.5	0	29478.673	541.9354839	16000.86973	30000	0	0	30000	41.5	2004
12.02.2020 12:00:17	1	1	1	1	67.75	61.5	0	29336.493	541.9354839	15898.1328	30000	0	0	30000	41.5	2004
12.02.2020 12:00:18	1	1	1	1	67.75	61.5	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	41.0625	2004
12.02.2020 12:00:19	1	1	1	1	67.75	61	0	29526.066	539.7849462	16000.86973	30000	0	0	30000	41.6875	2004
12.02.2020 12:00:20	1	1	1	1	67.75	61.5	0	29668.246	541.9354839	16103.60666	30000	0	0	30000	40.875	2004
12.02.2020 12:00:21	1	1	1	1	67.75	60.75	0	29478.673	541.9354839	15784.79602	30000	0	0	30000	40.5	2004
12.02.2020 12:00:22	1	1	1	1	67.75	60.5	0	29573.46	541.9354839	16307.44979	30000	0	0	30000	41.5625	2004
12.02.2020 12:00:23	1	1	1	1	67.75	61.5	0	29526.066	546.2365591	15937.27068	30000	0	0	30000	41.375	2004
12.02.2020 12:00:24	1	1	1	1	67.75	61.25	0	29383.886	539.7849462	15860.62566	30000	0	0	30000	41.5	2004
12.02.2020 12:00:25	1	1	1	1	67.75	61.5	0	29715.64	544.0860215	15873.67162	30000	0	0	30000	41.4375	2004
12.02.2020 12:00:26	1	1	1	1	67.75	61.25	0	29620.853	541.9354839	16026.96165	30000	0	0	30000	41.5	2004
12.02.2020 12:00:27	1	1	1	1	68	61.5	0	29526.066	539.7849462	16000.86973	30000	0	0	30000	41.25	2004
12.02.2020 12:00:28	1	1	1	1	68	61.25	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	41.125	2004
12.02.2020 12:00:29	1	1	1	1	68	61	0	29383.886	539.7849462	15885.90221	30000	0	0	30000	41.3125	2004
12.02.2020 12:00:30	1	1	1	1	68	61.25	0	29573.46	541.9354839	16052.2382	30000	0	0	30000	41.4375	2004
12.02.2020 12:00:31	1	1	1	1	68	61.25	0	29478.673	544.0860215	15734.24293	30000	0	0	30000	41.1875	2004
12.02.2020 12:00:32	1	1	1	1	68	61	0	29620.853	541.9354839	15988.63914	30000	0	0	30000	41.1875	2004
12.02.2020 12:00:33	1	1	1	1	68	61	0	29573.46	541.9354839	16307.44979	30000	0	0	30000	41.4375	2004
12.02.2020 12:00:34	1	1	1	1	68	61.25	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	41.75	2004
12.02.2020 12:00:35	1	1	1	1	68	61.75	0	29383.886	539.7849462	15860.62566	30000	0	0	30000	41.1875	2004
12.02.2020 12:00:36	1	1	1	1	68	61	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	41.5	2004
12.02.2020 12:00:43	1	1	1	1	67.75	61.25	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	41.375	2004
12.02.2020 12:00:43	1	1	1	1	67.75	61.25	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	41.375	2004
12.02.2020 12:00:43	1	1	1	1	67.75	61.25	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	41.375	2004
12.02.2020 12:00:43	1	1	1	1	67.75	61.25	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	41.375	2004
12.02.2020 12:00:43	1	1	1	1	67.75	61.25	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	41.375	2004
12.02.2020 12:00:43	1	1	1	1	67.75	61.25	0	29620.853	541.9354839	16115.83725	30000	0	0	30000	41.0625	2004
12.02.2020 12:00:44	1	1	1	1	67.75	61	0	29478.673	539.7849462	15937.27068	30000	0	0	30000	41.5625	2004
12.02.2020 12:00:45	1	1	1	1	67.75	61.5	0	29715.64	541.9354839	15988.63914	30000	0	0	30000	41.625	2004
12.02.2020 12:00:47	1	1	1	1	67.75	61.5	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	41.3125	2004
12.02.2020 12:00:48	1	1	1	1	67.75	61.25	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	41.4375	2004
12.02.2020 12:00:49	1	1	1	1	67.75	61.25	0	29478.673	541.9354839	16064.46878	30000	0	0	30000	41.5625	2004
12.02.2020 12:00:50	1	1	1	1	67.75	61.5	0	29526.066	541.9354839	16064.46878	30000	0	0	30000	41.4375	2004
12.02.2020 12:00:51	1	1	1	1	67.75	61.25	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	41.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 12:00:52	1	1	1	1	67.75	61.5	0	29526.066	544.0860215	16090.5607	30000	0	0	30000	41.625	2004
12.02.2020 12:00:53	1	1	1	1	67.75	61.5	0	29336.493	541.9354839	15898.1328	30000	0	0	30000	41.5	2004
12.02.2020 12:00:54	1	1	1	1	67.75	61.5	0	29526.066	541.9354839	16064.46878	30000	0	0	30000	41.0625	2004
12.02.2020 12:00:55	1	1	1	1	67.75	61	0	29383.886	541.9354839	15835.34912	30000	0	0	30000	41.5625	2004
12.02.2020 12:00:56	1	1	1	1	67.75	61.5	0	29620.853	541.9354839	16115.83725	30000	0	0	30000	41	2004
12.02.2020 12:00:57	1	1	1	1	67.75	61	0	29526.066	539.7849462	16026.96165	30000	0	0	30000	41.625	2004
12.02.2020 12:00:58	1	1	1	1	67.75	61.5	0	29336.493	539.7849462	15809.2572	30000	0	0	30000	40.75	2004
12.02.2020 12:00:59	1	1	1	1	67.75	60.75	0	29431.28	541.9354839	15975.59318	30000	0	0	30000	41.4375	2004
12.02.2020 12:01:00	1	1	1	1	67.75	61.25	0	29383.886	541.9354839	15924.22472	30000	0	0	30000	41.5625	2004
12.02.2020 12:01:01	1	1	1	1	67.75	61.5	0	29573.46	544.0860215	16090.5607	30000	0	0	30000	41.125	2004
12.02.2020 12:01:02	1	1	1	1	67.75	61	0	29478.673	541.9354839	16000.86973	30000	0	0	30000	41.25	2004
12.02.2020 12:01:03	1	1	1	1	67.75	61.25	0	29478.673	541.9354839	15975.59318	30000	0	0	30000	41.375	2004
12.02.2020 12:01:04	1	1	1	1	67.75	61.25	0	29573.46	541.9354839	16026.96165	30000	0	0	30000	41.5625	2004
12.02.2020 12:01:05	1	1	1	1	67.75	61.5	0	29620.853	541.9354839	15873.67162	30000	0	0	30000	41.625	2004
12.02.2020 12:01:06	1	1	1	1	67.75	61.5	0	29620.853	541.9354839	15988.63914	30000	0	0	30000	41.5	2004
12.02.2020 12:01:07	1	1	1	1	68	61.5	0	29478.673	539.7849462	15975.59318	30000	0	0	30000	41.0625	2004
12.02.2020 12:01:08	1	1	1	1	68	61	0	29526.066	544.0860215	16000.86973	30000	0	0	30000	41.375	2004
12.02.2020 12:01:09	1	1	1	1	68	61.25	0	29336.493	539.7849462	15771.75006	30000	0	0	30000	41.5	2004
12.02.2020 12:01:10	1	1	1	1	68	61.5	0	29526.066	541.9354839	16064.46878	30000	0	0	30000	40.5	2004
12.02.2020 12:01:11	1	1	1	1	68	60.5	0	29431.28	544.0860215	15987.0084	30000	0	0	30000	41.6875	2004
12.02.2020 12:01:12	1	1	1	1	68	61.5	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	41.625	2004
12.02.2020 12:01:13	1	1	1	1	68	61.5	0	29336.493	541.9354839	15898.1328	30000	0	0	30000	41.4375	2004
12.02.2020 12:01:14	1	1	1	1	68	61.25	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	41.9375	2004
12.02.2020 12:01:15	1	1	1	1	68	61.5	0	29620.853	544.0860215	16333.54171	30000	0	0	30000	41.25	2004
12.02.2020 12:01:16	1	1	1	1	67.75	61.25	0	29478.673	544.0860215	16013.10032	30000	0	0	30000	41.5625	2004
12.02.2020 12:01:17	1	1	1	1	67.75	61.5	0	29383.886	537.6344086	15860.62566	30000	0	0	30000	41.75	2004
12.02.2020 12:01:18	1	1	1	1	67.75	61.75	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	41.3125	2004
12.02.2020 12:01:19	1	1	1	1	67.75	61.25	0	29573.46	544.0860215	16115.83725	30000	0	0	30000	41.5	2004
12.02.2020 12:01:20	1	1	1	1	67.75	61.5	0	29431.28	539.7849462	15949.50126	30000	0	0	30000	41.0625	2004
12.02.2020 12:01:21	1	1	1	1	67.75	61	0	29431.28	541.9354839	15708.96638	30000	0	0	30000	41.0625	2004
12.02.2020 12:01:22	1	1	1	1	67.75	61	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	41.5625	2004
12.02.2020 12:01:24	1	1	1	1	67.75	61.5	0	29336.493	541.9354839	15898.1328	30000	0	0	30000	41.375	2004
12.02.2020 12:01:25	1	1	1	1	67.75	61.25	0	29526.066	544.0860215	16090.5607	30000	0	0	30000	40.9375	2004
12.02.2020 12:01:26	1	1	1	1	67.75	60.75	0	29715.64	552.688172	16115.83725	30000	0	0	30000	41.25	2004
12.02.2020 12:01:27	1	1	1	1	67.5	61.25	0	29620.853	544.0860215	16115.83725	30000	0	0	30000	41.1875	2004
12.02.2020 12:01:28	1	1	1	1	67.5	61	0	29478.673	541.9354839	15949.50126	30000	0	0	30000	41.375	2004
12.02.2020 12:01:29	1	1	1	1	67.5	61.25	0	29431.28	541.9354839	15885.90221	30000	0	0	30000	41.4375	2004
12.02.2020 12:01:30	1	1	1	1	67.5	61.25	0	29478.673	541.9354839	16000.86973	30000	0	0	30000	41.75	2004
12.02.2020 12:01:31	1	1	1	1	67.5	61.75	0	29478.673	541.9354839	15937.27068	30000	0	0	30000	41.625	2004
12.02.2020 12:01:32	1	1	1	1	67.5	61.5	0	29620.853	544.0860215	16052.2382	30000	0	0	30000	41.375	2004
12.02.2020 12:01:33	1	1	1	1	67.5	61.25	0	29431.28	541.9354839	15975.59318	30000	0	0	30000	41.5625	2004
12.02.2020 12:01:34	1	1	1	1	67.5	61.5	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	41.6875	2004
12.02.2020 12:01:35	1	1	1	1	67.5	61.5	0	29478.673	541.9354839	15949.50126	30000	0	0	30000	41.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 12:01:36	1	1	1	1	67.5	61.25	0	29383.886	541.9354839	15987.0084	30000	0	0	30000	41.625	2004
12.02.2020 12:01:37	1	1	1	1	67.5	61.5	0	29478.673	539.7849462	16064.46878	30000	0	0	30000	41.1875	2004
12.02.2020 12:01:38	1	1	1	1	67.5	61	0	29431.28	541.9354839	16038.37687	30000	0	0	30000	40.8125	2004
12.02.2020 12:01:45	1	1	1	1	67.5	60.75	0	29478.673	541.9354839	15975.59318	30000	0	0	30000	41.625	2004
12.02.2020 12:01:45	1	1	1	1	67.5	60.75	0	29478.673	541.9354839	15975.59318	30000	0	0	30000	41.625	2004
12.02.2020 12:01:45	1	1	1	1	67.5	60.75	0	29478.673	541.9354839	15975.59318	30000	0	0	30000	41.625	2004
12.02.2020 12:01:45	1	1	1	1	67.5	60.75	0	29478.673	541.9354839	15975.59318	30000	0	0	30000	41.625	2004
12.02.2020 12:01:45	1	1	1	1	67.5	60.75	0	29478.673	541.9354839	15975.59318	30000	0	0	30000	41.625	2004
12.02.2020 12:01:45	1	1	1	1	67.5	60.75	0	29478.673	541.9354839	15975.59318	30000	0	0	30000	41.625	2004
12.02.2020 12:01:45	1	1	1	1	67.5	61.5	0	29478.673	544.0860215	16038.37687	30000	0	0	30000	41.3125	2004
12.02.2020 12:01:46	1	1	1	1	67.5	61.25	0	29431.28	541.9354839	16013.10032	30000	0	0	30000	41.6875	2004
12.02.2020 12:01:47	1	1	1	1	67.5	61.5	0	29431.28	544.0860215	15949.50126	30000	0	0	30000	41.6875	2004
12.02.2020 12:01:48	1	1	1	1	67.5	61.5	0	29478.673	535.483871	16000.86973	30000	0	0	30000	41.4375	2004
12.02.2020 12:01:49	1	1	1	1	67.5	61.25	0	29478.673	541.9354839	15949.50126	30000	0	0	30000	40.8125	2004
12.02.2020 12:01:50	1	1	1	1	67.5	60.75	0	29336.493	541.9354839	15898.1328	30000	0	0	30000	41.625	2004
12.02.2020 12:01:51	1	1	1	1	67.5	61.5	0	29620.853	544.0860215	16115.83725	30000	0	0	30000	41.625	2004
12.02.2020 12:01:52	1	1	1	1	67.5	61.5	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	41.6875	2004
12.02.2020 12:01:53	1	1	1	1	67.5	61.5	0	29478.673	541.9354839	15975.59318	30000	0	0	30000	41.5625	2004
12.02.2020 12:01:54	1	1	1	1	67.5	61.5	0	29573.46	544.0860215	16000.86973	30000	0	0	30000	41.625	2004
12.02.2020 12:01:55	1	1	1	1	67.5	61.25	0	29526.066	544.0860215	15911.99413	30000	0	0	30000	40.9375	2004
12.02.2020 12:01:56	1	1	1	1	67.75	60.75	0	29431.28	541.9354839	15975.59318	30000	0	0	30000	40.875	2004
12.02.2020 12:01:57	1	1	1	1	67.75	60.75	0	29478.673	541.9354839	15911.99413	30000	0	0	30000	41.625	2004
12.02.2020 12:01:58	1	1	1	1	67.75	61.5	0	29383.886	541.9354839	15949.50126	30000	0	0	30000	41.5	2004
12.02.2020 12:01:59	1	1	1	1	67.75	61.5	0	29336.493	541.9354839	15987.0084	30000	0	0	30000	41.5	2004
12.02.2020 12:02:00	1	1	1	1	67.75	61.5	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	41.125	2004
12.02.2020 12:02:02	1	1	1	1	67.75	61	0	29478.673	541.9354839	16038.37687	30000	0	0	30000	41.625	2004
12.02.2020 12:02:03	1	1	1	1	67.75	61.5	0	29526.066	544.0860215	16281.35787	30000	0	0	30000	40.8125	2004
12.02.2020 12:02:04	1	1	1	1	67.75	60.75	0	29526.066	537.6344086	16090.5607	30000	0	0	30000	41.5	2004
12.02.2020 12:02:05	1	1	1	1	67.75	61.5	0	29526.066	544.0860215	16000.86973	30000	0	0	30000	40.8125	2004
12.02.2020 12:02:06	1	1	1	1	67.75	60.75	0	29478.673	541.9354839	15823.11853	30000	0	0	30000	41.375	2004
12.02.2020 12:02:07	1	1	1	1	67.5	61.25	0	29336.493	539.7849462	15924.22472	30000	0	0	30000	41.5625	2004
12.02.2020 12:02:08	1	1	1	1	67.5	61.5	0	29383.886	544.0860215	15898.1328	30000	0	0	30000	41.6875	2004
12.02.2020 12:02:09	1	1	1	1	67.5	61.5	0	29383.886	537.6344086	15949.50126	30000	0	0	30000	41.25	2004
12.02.2020 12:02:10	1	1	1	1	67.5	61.25	0	29526.066	537.6344086	16090.5607	30000	0	0	30000	41.5	2004
12.02.2020 12:02:11	1	1	1	1	67.5	61.5	0	29573.46	541.9354839	16090.5607	30000	0	0	30000	41.5625	2004
12.02.2020 12:02:12	1	1	1	1	67.5	61.5	0	29383.886	537.6344086	15949.50126	30000	0	0	30000	41.75	2004
12.02.2020 12:02:13	1	1	1	1	67.5	61.75	0	29431.28	539.7849462	15949.50126	30000	0	0	30000	41.5	2004
12.02.2020 12:02:14	1	1	1	1	67.5	61.5	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	41.4375	2004
12.02.2020 12:02:15	1	1	1	1	67.5	61.25	0	29431.28	535.483871	15911.99413	30000	0	0	30000	41.5625	2004
12.02.2020 12:02:16	1	1	1	1	67.5	61.5	0	29478.673	533.3333333	15810.07257	30000	0	0	30000	41	2004
12.02.2020 12:02:17	1	1	1	1	67.25	61	0	29715.64	544.0860215	16167.20572	30000	0	0	30000	41.5	2004
12.02.2020 12:02:18	1	1	1	1	67.25	61.5	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	40.375	2004
12.02.2020 12:02:19	1	1	1	1	67.25	60.25	0	29478.673	541.9354839	16064.46878	30000	0	0	30000	41	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 12:02:20	1	1	1	1	67.25	61	0	29526.066	541.9354839	16154.15976	30000	0	0	30000	41.5	2004
12.02.2020 12:02:21	1	1	1	1	67.25	61.5	0	29383.886	539.7849462	15924.22472	30000	0	0	30000	41.125	2004
12.02.2020 12:02:22	1	1	1	1	67.25	61	0	29336.493	541.9354839	15898.1328	30000	0	0	30000	41.5625	2004
12.02.2020 12:02:23	1	1	1	1	67.25	61.5	0	29336.493	533.3333333	15949.50126	30000	0	0	30000	41	2004
12.02.2020 12:02:24	1	1	1	1	67.25	61	0	29526.066	541.9354839	16026.96165	30000	0	0	30000	41.375	2004
12.02.2020 12:02:25	1	1	1	1	67.25	61.25	0	29526.066	544.0860215	15975.59318	30000	0	0	30000	41.6875	2004
12.02.2020 12:02:26	1	1	1	1	67.25	61.5	0	29526.066	546.2365591	15759.51947	30000	0	0	30000	41.5	2004
12.02.2020 12:02:27	1	1	1	1	67.25	61.5	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	41.375	2004
12.02.2020 12:02:28	1	1	1	1	67.25	61.25	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	41.5625	2004
12.02.2020 12:02:29	1	1	1	1	67.25	61.5	0	29526.066	541.9354839	16090.5607	30000	0	0	30000	41.1875	2004
12.02.2020 12:02:30	1	1	1	1	67.25	61	0	29336.493	541.9354839	15898.1328	30000	0	0	30000	41.625	2004
12.02.2020 12:02:31	1	1	1	1	67.25	61.5	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	42	2004
12.02.2020 12:02:32	1	1	1	1	67.25	61	0	29383.886	541.9354839	16150.89827	30000	0	0	30000	41.5	2004
12.02.2020 12:02:33	1	1	1	1	67.25	61.5	0	29431.28	541.9354839	16038.37687	30000	0	0	30000	41.5	2004
12.02.2020 12:02:34	1	1	1	1	67.25	61.5	0	29526.066	535.483871	16090.5607	30000	0	0	30000	41.625	2004
12.02.2020 12:02:35	1	1	1	1	67.25	61.5	0	29526.066	544.0860215	16090.5607	30000	0	0	30000	41.6875	2004
12.02.2020 12:02:36	1	1	1	1	67.5	61.5	0	29478.673	541.9354839	15949.50126	30000	0	0	30000	40.375	2004
12.02.2020 12:02:37	1	1	1	1	67.5	60.25	0	29478.673	541.9354839	16064.46878	30000	0	0	30000	41.125	2004
12.02.2020 12:02:38	1	1	1	1	67.5	61	0	29383.886	537.6344086	16013.10032	30000	0	0	30000	41.125	2004
12.02.2020 12:02:40	1	1	1	1	67.5	61	0	29526.066	541.9354839	16064.46878	30000	0	0	30000	40.875	2004
12.02.2020 12:02:47	1	1	1	1	67.5	61.5	0	29478.673	541.9354839	15975.59318	30000	0	0	30000	41.375	2004
12.02.2020 12:02:47	1	1	1	1	67.5	61.5	0	29478.673	541.9354839	15975.59318	30000	0	0	30000	41.375	2004
12.02.2020 12:02:47	1	1	1	1	67.5	61.5	0	29478.673	541.9354839	15975.59318	30000	0	0	30000	41.375	2004
12.02.2020 12:02:47	1	1	1	1	66.75	61.25	0	29526.066	544.0860215	15937.27068	30000	0	0	30000	41.3125	2004
12.02.2020 12:02:47	1	1	1	1	66.75	61.25	0	29526.066	544.0860215	15937.27068	30000	0	0	30000	41.3125	2004
12.02.2020 12:02:47	1	1	1	1	66.75	61.25	0	29526.066	544.0860215	15937.27068	30000	0	0	30000	41.3125	2004
12.02.2020 12:02:48	1	1	1	1	66.75	61.25	0	29336.493	541.9354839	15960.91648	30000	0	0	30000	41.25	2004
12.02.2020 12:02:49	1	1	1	1	66.75	61.25	0	29336.493	541.9354839	15898.1328	30000	0	0	30000	41.0625	2004
12.02.2020 12:02:50	1	1	1	1	66.75	61	0	29289.1	544.0860215	15960.91648	30000	0	0	30000	41.0625	2004
12.02.2020 12:02:51	1	1	1	1	66.75	61	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	41.4375	2004
12.02.2020 12:02:52	1	1	1	1	66.75	61.25	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	41.4375	2004
12.02.2020 12:02:53	1	1	1	1	66.75	61.25	0	29431.28	544.0860215	15949.50126	30000	0	0	30000	41.5625	2004
12.02.2020 12:02:54	1	1	1	1	66.75	61.5	0	29526.066	541.9354839	16064.46878	30000	0	0	30000	41.25	2004
12.02.2020 12:02:55	1	1	1	1	66.75	61.25	0	29526.066	552.688172	15949.50126	30000	0	0	30000	41.5	2004
12.02.2020 12:02:56	1	1	1	1	66.75	61.5	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	41.1875	2004
12.02.2020 12:02:57	1	1	1	1	67	61	0	29383.886	539.7849462	15924.22472	30000	0	0	30000	40.9375	2004
12.02.2020 12:02:58	1	1	1	1	67	60.75	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	41.375	2004
12.02.2020 12:02:59	1	1	1	1	67	61.25	0	29478.673	541.9354839	15975.59318	30000	0	0	30000	41.5625	2004
12.02.2020 12:03:00	1	1	1	1	67	61.5	0	29620.853	544.0860215	16115.83725	30000	0	0	30000	40.625	2004
12.02.2020 12:03:01	1	1	1	1	67	60.5	0	29383.886	541.9354839	15960.91648	30000	0	0	30000	41.5625	2004
12.02.2020 12:03:02	1	1	1	1	67	61.5	0	29431.28	541.9354839	15885.90221	30000	0	0	30000	40.8125	2004
12.02.2020 12:03:03	1	1	1	1	67	60.75	0	29383.886	541.9354839	15885.90221	30000	0	0	30000	41.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 12:03:04	1	1	1	1	67	61	0	29526.066	544.0860215	16191.66689	30000	0	0	30000	41.4375	2004
12.02.2020 12:03:05	1	1	1	1	67	61.25	0	29431.28	541.9354839	16013.10032	30000	0	0	30000	41.5625	2004
12.02.2020 12:03:09	1	1	1	1	67.25	61	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	40.75	2004
12.02.2020 12:03:09	1	1	1	1	67.25	61	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	40.75	2004
12.02.2020 12:03:09	1	1	1	1	67.25	60.75	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	41.625	2004
12.02.2020 12:03:10	1	1	1	1	67.25	61.5	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	41.375	2004
12.02.2020 12:03:11	1	1	1	1	67.25	61.75	0	29336.493	539.7849462	15960.91648	30000	0	0	30000	41.5625	2004
12.02.2020 12:03:12	1	1	1	1	67.25	61.5	0	29383.886	544.0860215	16013.10032	30000	0	0	30000	40.5625	2004
12.02.2020 12:03:13	1	1	1	1	67.25	60.5	0	29383.886	544.0860215	15960.91648	30000	0	0	30000	41.625	2004
12.02.2020 12:03:14	1	1	1	1	67.25	61.5	0	29478.673	541.9354839	16013.10032	30000	0	0	30000	41.375	2004
12.02.2020 12:03:15	1	1	1	1	67.25	61.25	0	29526.066	541.9354839	15975.59318	30000	0	0	30000	40.8125	2004
12.02.2020 12:03:17	1	1	1	1	66.5	60.75	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	40.9375	2004
12.02.2020 12:03:18	1	1	1	1	66.5	60.75	0	29478.673	544.0860215	16013.10032	30000	0	0	30000	41.625	2004
12.02.2020 12:03:19	1	1	1	1	66.5	61.5	0	29478.673	539.7849462	16064.46878	30000	0	0	30000	41.3125	2004
12.02.2020 12:03:20	1	1	1	1	66.5	61.25	0	29383.886	541.9354839	15960.91648	30000	0	0	30000	41.625	2004
12.02.2020 12:03:21	1	1	1	1	66.5	61.5	0	29383.886	539.7849462	15835.34912	30000	0	0	30000	41.1875	2004
12.02.2020 12:03:22	1	1	1	1	66.5	61	0	29526.066	544.0860215	16128.06784	30000	0	0	30000	41.5	2004
12.02.2020 12:03:23	1	1	1	1	66.5	61.5	0	29526.066	541.9354839	15911.99413	30000	0	0	30000	41.5625	2004
12.02.2020 12:03:24	1	1	1	1	66.5	61.5	0	29478.673	541.9354839	16038.37687	30000	0	0	30000	41.6875	2004
12.02.2020 12:03:25	1	1	1	1	66.5	61.5	0	29336.493	537.6344086	15898.1328	30000	0	0	30000	41.625	2004
12.02.2020 12:03:26	1	1	1	1	66.5	61.5	0	29620.853	550.5376344	16090.5607	30000	0	0	30000	41.1875	2004
12.02.2020 12:03:27	1	1	1	1	67.25	61	0	29383.886	544.0860215	16013.10032	30000	0	0	30000	41.625	2004
12.02.2020 12:03:28	1	1	1	1	67.25	61.5	0	29383.886	544.0860215	15924.22472	30000	0	0	30000	41.4375	2004
12.02.2020 12:03:29	1	1	1	1	67.25	61.25	0	29383.886	544.0860215	16013.10032	30000	0	0	30000	41.375	2004
12.02.2020 12:03:30	1	1	1	1	67.25	61.25	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	41.5	2004
12.02.2020 12:03:31	1	1	1	1	67.25	61.5	0	29431.28	541.9354839	15885.90221	30000	0	0	30000	41	2004
12.02.2020 12:03:32	1	1	1	1	67.25	61	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	41.5	2004
12.02.2020 12:03:33	1	1	1	1	67.25	61.5	0	29526.066	544.0860215	16191.66689	30000	0	0	30000	41.6875	2004
12.02.2020 12:03:34	1	1	1	1	67.25	61.5	0	29336.493	541.9354839	15835.34912	30000	0	0	30000	41.5	2004
12.02.2020 12:03:35	1	1	1	1	67.25	61.5	0	29431.28	544.0860215	15885.90221	30000	0	0	30000	41.125	2004
12.02.2020 12:03:36	1	1	1	1	67.25	61	0	29478.673	541.9354839	15949.50126	30000	0	0	30000	41.6875	2004
12.02.2020 12:03:37	1	1	1	1	66.75	61.5	0	29383.886	541.9354839	15860.62566	30000	0	0	30000	41.625	2004
12.02.2020 12:03:38	1	1	1	1	66.75	61.5	0	29573.46	546.2365591	16064.46878	30000	0	0	30000	41.625	2004
12.02.2020 12:03:39	1	1	1	1	66.75	61.5	0	29289.1	541.9354839	15809.2572	30000	0	0	30000	41.1875	2004
12.02.2020 12:03:40	1	1	1	1	66.75	61	0	29431.28	541.9354839	15708.96638	30000	0	0	30000	41.625	2004
12.02.2020 12:03:41	1	1	1	1	66.75	61.5	0	29526.066	544.0860215	16090.5607	30000	0	0	30000	41.3125	2004
12.02.2020 12:03:48	1	1	1	1	66.75	61.75	0	29478.673	541.9354839	16038.37687	30000	0	0	30000	41.375	2004
12.02.2020 12:03:48	1	1	1	1	66.75	61.75	0	29478.673	544.0860215	16115.83725	30000	0	0	30000	41.125	2004
12.02.2020 12:03:48	1	1	1	1	66.75	61.25	0	29620.853	544.0860215	16115.83725	30000	0	0	30000	41.125	2004
12.02.2020 12:03:48	1	1	1	1	66.75	61.25	0	29620.853	544.0860215	16115.83725	30000	0	0	30000	41.125	2004
12.02.2020 12:03:48	1	1	1	1	66.75	61.25	0	29620.853	544.0860215	16115.83725	30000	0	0	30000	41.125	2004
12.02.2020 12:03:48	1	1	1	1	66.75	61.25	0	29620.853	544.0860215	16115.83725	30000	0	0	30000	41.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 12:03:48	1	1	1	1	66.75	61.25	0	29620.853	544.0860215	16115.83725	30000	0	0	30000	41.125	2004
12.02.2020 12:03:49	1	1	1	1	66.75	61	0	29478.673	541.9354839	15975.59318	30000	0	0	30000	41.75	2004
12.02.2020 12:03:50	1	1	1	1	66.75	61.5	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	41.6875	2004
12.02.2020 12:03:51	1	1	1	1	66.75	61.5	0	29431.28	541.9354839	15885.90221	30000	0	0	30000	41.375	2004
12.02.2020 12:03:52	1	1	1	1	66.75	61.25	0	29478.673	544.0860215	16038.37687	30000	0	0	30000	40.75	2004
12.02.2020 12:03:53	1	1	1	1	66.75	60.75	0	29526.066	541.9354839	16064.46878	30000	0	0	30000	41.3125	2004
12.02.2020 12:03:54	1	1	1	1	66.75	61.25	0	29478.673	544.0860215	16038.37687	30000	0	0	30000	40.875	2004
12.02.2020 12:03:55	1	1	1	1	66.75	60.75	0	29336.493	541.9354839	15924.22472	30000	0	0	30000	40.8125	2004
12.02.2020 12:03:57	1	1	1	1	66.75	60.75	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	40.9375	2004
12.02.2020 12:03:58	1	1	1	1	66.75	60.75	0	29620.853	546.2365591	16052.2382	30000	0	0	30000	41.625	2004
12.02.2020 12:03:59	1	1	1	1	66.75	61.5	0	29478.673	544.0860215	15949.50126	30000	0	0	30000	40.9375	2004
12.02.2020 12:04:00	1	1	1	1	66.75	60.75	0	29526.066	541.9354839	16064.46878	30000	0	0	30000	41.5	2004
12.02.2020 12:04:01	1	1	1	1	66.75	61.5	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	41.6875	2004
12.02.2020 12:04:02	1	1	1	1	66.75	61.5	0	29383.886	541.9354839	16013.10032	30000	0	0	30000	41.1875	2004
12.02.2020 12:04:03	1	1	1	1	66.75	61	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	41.5	2004
12.02.2020 12:04:04	1	1	1	1	66.75	61.5	0	29336.493	539.7849462	15898.1328	30000	0	0	30000	41.625	2004
12.02.2020 12:04:05	1	1	1	1	66.75	61.5	0	29383.886	544.0860215	15960.91648	30000	0	0	30000	41.5625	2004
12.02.2020 12:04:06	1	1	1	1	66.75	61.5	0	29478.673	544.0860215	16038.37687	30000	0	0	30000	41.375	2004
12.02.2020 12:04:07	1	1	1	1	66.5	61.25	0	29383.886	546.2365591	15987.0084	30000	0	0	30000	41	2004
12.02.2020 12:04:08	1	1	1	1	66.5	61	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	41.5	2004
12.02.2020 12:04:09	1	1	1	1	66.5	61.5	0	29431.28	546.2365591	16139.48305	30000	0	0	30000	41.5625	2004
12.02.2020 12:04:10	1	1	1	1	66.5	61.5	0	29431.28	546.2365591	15949.50126	30000	0	0	30000	41.6875	2004
12.02.2020 12:04:11	1	1	1	1	66.5	61.5	0	29526.066	541.9354839	16064.46878	30000	0	0	30000	41.5625	2004
12.02.2020 12:04:12	1	1	1	1	66.5	61.5	0	29383.886	541.9354839	15987.0084	30000	0	0	30000	40.9375	2004
12.02.2020 12:04:13	1	1	1	1	66.5	60.75	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	41.625	2004
12.02.2020 12:04:14	1	1	1	1	66.5	61.5	0	29383.886	541.9354839	15898.1328	30000	0	0	30000	41.1875	2004
12.02.2020 12:04:15	1	1	1	1	66.5	61	0	29383.886	541.9354839	15898.1328	30000	0	0	30000	41	2004
12.02.2020 12:04:16	1	1	1	1	66.5	61	0	29383.886	544.0860215	15960.91648	30000	0	0	30000	41.625	2004
12.02.2020 12:04:17	1	1	1	1	67	61.5	0	29478.673	544.0860215	16064.46878	30000	0	0	30000	41.5625	2004
12.02.2020 12:04:18	1	1	1	1	67	61.5	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	41.625	2004
12.02.2020 12:04:19	1	1	1	1	67	61.5	0	29526.066	544.0860215	16281.35787	30000	0	0	30000	41.125	2004
12.02.2020 12:04:20	1	1	1	1	67	61	0	29478.673	544.0860215	16064.46878	30000	0	0	30000	41.375	2004
12.02.2020 12:04:21	1	1	1	1	67	61.25	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	41.5625	2004
12.02.2020 12:04:22	1	1	1	1	67	61.5	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	40.5625	2004
12.02.2020 12:04:23	1	1	1	1	67	60.5	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	41.5	2004
12.02.2020 12:04:24	1	1	1	1	67	61.5	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	40.9375	2004
12.02.2020 12:04:25	1	1	1	1	67	60.75	0	29478.673	546.2365591	16013.10032	30000	0	0	30000	41.625	2004
12.02.2020 12:04:26	1	1	1	1	67	61.5	0	29478.673	544.0860215	16038.37687	30000	0	0	30000	42.0625	2004
12.02.2020 12:04:27	1	1	1	1	67.25	62	0	29526.066	544.0860215	16344.95692	30000	0	0	30000	41.75	2004
12.02.2020 12:04:28	1	1	1	1	67.25	61.75	0	29478.673	541.9354839	16038.37687	30000	0	0	30000	40.875	2004
12.02.2020 12:04:29	1	1	1	1	67.25	60.75	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	41.6875	2004
12.02.2020 12:04:30	1	1	1	1	67.25	61.5	0	29383.886	544.0860215	16013.10032	30000	0	0	30000	40.875	2004
12.02.2020 12:04:31	1	1	1	1	67.25	60.75	0	29431.28	546.2365591	16075.884	30000	0	0	30000	41.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 12:04:32	1	1	1	1	67.25	61	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	41.625	2004
12.02.2020 12:04:33	1	1	1	1	67.25	61.5	0	29431.28	541.9354839	15924.22472	30000	0	0	30000	41.6875	2004
12.02.2020 12:04:34	1	1	1	1	67.25	61.5	0	29431.28	541.9354839	16013.10032	30000	0	0	30000	41.6875	2004
12.02.2020 12:04:36	1	1	1	1	67.25	61.5	0	29526.066	546.2365591	16090.5607	30000	0	0	30000	41.6875	2004
12.02.2020 12:04:37	1	1	1	1	66.25	61.5	0	29383.886	544.0860215	16038.37687	30000	0	0	30000	41.5	2004
12.02.2020 12:04:38	1	1	1	1	66.25	61.5	0	29478.673	544.0860215	16038.37687	30000	0	0	30000	41.5	2004
12.02.2020 12:04:39	1	1	1	1	66.25	61.5	0	29478.673	544.0860215	16064.46878	30000	0	0	30000	41.625	2004
12.02.2020 12:04:40	1	1	1	1	66.25	61.5	0	29336.493	541.9354839	15898.1328	30000	0	0	30000	41.625	2004
12.02.2020 12:04:41	1	1	1	1	66.25	61.5	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	40.625	2004
12.02.2020 12:04:42	1	1	1	1	66.25	60.5	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	41.5	2004
12.02.2020 12:04:43	1	1	1	1	66.25	61.5	0	29573.46	546.2365591	16128.06784	30000	0	0	30000	41.5	2004
12.02.2020 12:04:50	1	1	1	1	67	61.75	0	29383.886	544.0860215	15960.91648	30000	0	0	30000	41.75	2004
12.02.2020 12:04:50	1	1	1	1	67	61.75	0	29383.886	544.0860215	15960.91648	30000	0	0	30000	41.75	2004
12.02.2020 12:04:50	1	1	1	1	67	61.75	0	29383.886	544.0860215	15960.91648	30000	0	0	30000	41.75	2004
12.02.2020 12:04:50	1	1	1	1	67	61.75	0	29383.886	544.0860215	15960.91648	30000	0	0	30000	41.75	2004
12.02.2020 12:04:50	1	1	1	1	67	61.75	0	29383.886	544.0860215	15960.91648	30000	0	0	30000	41.75	2004
12.02.2020 12:04:50	1	1	1	1	67	61.75	0	29383.886	544.0860215	15960.91648	30000	0	0	30000	41.75	2004
12.02.2020 12:04:50	1	1	1	1	67	61.75	0	29383.886	544.0860215	15898.1328	30000	0	0	30000	40.4375	2004
12.02.2020 12:04:51	1	1	1	1	67	60.25	0	29383.886	546.2365591	15960.91648	30000	0	0	30000	41.625	2004
12.02.2020 12:04:52	1	1	1	1	67	61.5	0	29478.673	544.0860215	16038.37687	30000	0	0	30000	41.5	2004
12.02.2020 12:04:53	1	1	1	1	67	61.5	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	41.4375	2004
12.02.2020 12:04:54	1	1	1	1	67	61.25	0	29383.886	546.2365591	16024.51553	30000	0	0	30000	40.875	2004
12.02.2020 12:04:55	1	1	1	1	67	60.75	0	29289.1	544.0860215	16024.51553	30000	0	0	30000	40.9375	2004
12.02.2020 12:04:56	1	1	1	1	67	60.75	0	29241.706	546.2365591	15935.63993	30000	0	0	30000	41.375	2004
12.02.2020 12:04:57	1	1	1	1	66.25	61.25	0	29431.28	546.2365591	16075.884	30000	0	0	30000	41.6875	2004
12.02.2020 12:04:58	1	1	1	1	66.25	61.5	0	29336.493	550.5376344	16024.51553	30000	0	0	30000	41.625	2004
12.02.2020 12:04:59	1	1	1	1	66.25	61.5	0	29383.886	548.3870968	16139.48305	30000	0	0	30000	40.9375	2004
12.02.2020 12:05:00	1	1	1	1	66.25	60.75	0	29146.919	544.0860215	15795.39586	30000	0	0	30000	41.625	2004
12.02.2020 12:05:01	1	1	1	1	66.25	61.5	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	41	2004
12.02.2020 12:05:02	1	1	1	1	66.25	61	0	29289.1	546.2365591	15909.54801	30000	0	0	30000	41.1875	2004
12.02.2020 12:05:03	1	1	1	1	66.25	61	0	29336.493	546.2365591	15909.54801	30000	0	0	30000	41.625	2004
12.02.2020 12:05:04	1	1	1	1	66.25	61.5	0	29383.886	546.2365591	16024.51553	30000	0	0	30000	41.625	2004
12.02.2020 12:05:05	1	1	1	1	66.25	61.5	0	29478.673	552.688172	16203.08211	30000	0	0	30000	41.875	2004
12.02.2020 12:05:06	1	1	1	1	66.25	61.75	0	29383.886	537.6344086	16013.10032	30000	0	0	30000	41.625	2004
12.02.2020 12:05:07	1	1	1	1	66	61.25	0	29478.673	546.2365591	16075.884	30000	0	0	30000	41.625	2004
12.02.2020 12:05:08	1	1	1	1	66	61.5	0	29289.1	544.0860215	15960.91648	30000	0	0	30000	41.375	2004
12.02.2020 12:05:09	1	1	1	1	66	61.25	0	29336.493	546.2365591	15960.91648	30000	0	0	30000	41.3125	2004
12.02.2020 12:05:10	1	1	1	1	66	61.25	0	29336.493	541.9354839	15909.54801	30000	0	0	30000	41.375	2004
12.02.2020 12:05:11	1	1	1	1	66	61.25	0	29241.706	546.2365591	15909.54801	30000	0	0	30000	41.4375	2004
12.02.2020 12:05:12	1	1	1	1	66	61.25	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	41.3125	2004
12.02.2020 12:05:14	1	1	1	1	66	61.25	0	29431.28	546.2365591	16139.48305	30000	0	0	30000	41.5625	2004
12.02.2020 12:05:15	1	1	1	1	66	61.5	0	29336.493	546.2365591	15783.98065	30000	0	0	30000	41.625	2004
12.02.2020 12:05:16	1	1	1	1	66	61.5	0	29383.886	544.0860215	16013.10032	30000	0	0	30000	41.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 12:05:17	1	1	1	1	66.25	61.25	0	29336.493	544.0860215	15935.63993	30000	0	0	30000	41.5625	2004
12.02.2020 12:05:18	1	1	1	1	66.25	61.5	0	29383.886	546.2365591	16075.884	30000	0	0	30000	40.75	2004
12.02.2020 12:05:19	1	1	1	1	66.25	60.75	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	41.1875	2004
12.02.2020 12:05:20	1	1	1	1	66.25	61	0	29431.28	546.2365591	15898.1328	30000	0	0	30000	41.3125	2004
12.02.2020 12:05:21	1	1	1	1	66.25	61.25	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	41.4375	2004
12.02.2020 12:05:22	1	1	1	1	66.25	61.25	0	29241.706	546.2365591	16098.71443	30000	0	0	30000	41.4375	2004
12.02.2020 12:05:23	1	1	1	1	66.25	61.25	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	41.5625	2004
12.02.2020 12:05:24	1	1	1	1	66.25	61.5	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	41.5625	2004
12.02.2020 12:05:25	1	1	1	1	66.25	61.5	0	29383.886	546.2365591	16139.48305	30000	0	0	30000	40.5	2004
12.02.2020 12:05:26	1	1	1	1	66.25	60.5	0	29478.673	544.0860215	16038.37687	30000	0	0	30000	41.625	2004
12.02.2020 12:05:27	1	1	1	1	66	61.5	0	29336.493	546.2365591	15960.91648	30000	0	0	30000	41	2004
12.02.2020 12:05:28	1	1	1	1	66	61	0	29383.886	552.688172	16150.89827	30000	0	0	30000	41.5	2004
12.02.2020 12:05:29	1	1	1	1	66	61.5	0	29478.673	550.5376344	16191.66689	30000	0	0	30000	41.5625	2004
12.02.2020 12:05:30	1	1	1	1	66	61.5	0	29526.066	546.2365591	16255.26595	30000	0	0	30000	41.4375	2004
12.02.2020 12:05:31	1	1	1	1	66	61.25	0	29099.526	541.9354839	15858.17955	30000	0	0	30000	41	2004
12.02.2020 12:05:32	1	1	1	1	66	61	0	29336.493	544.0860215	16024.51553	30000	0	0	30000	41.4375	2004
12.02.2020 12:05:33	1	1	1	1	66	61.25	0	29336.493	544.0860215	16024.51553	30000	0	0	30000	41.5	2004
12.02.2020 12:05:34	1	1	1	1	66	61.5	0	29336.493	544.0860215	15898.1328	30000	0	0	30000	41.75	2004
12.02.2020 12:05:35	1	1	1	1	66	61.75	0	29478.673	546.2365591	16101.97592	30000	0	0	30000	41.125	2004
12.02.2020 12:05:36	1	1	1	1	66	61	0	29478.673	546.2365591	16101.97592	30000	0	0	30000	41.8125	2004
12.02.2020 12:05:37	1	1	1	1	65.75	61.75	0	29478.673	546.2365591	16101.97592	30000	0	0	30000	41.8125	2004
12.02.2020 12:05:38	1	1	1	1	65.75	61.75	0	29431.28	546.2365591	16038.37687	30000	0	0	30000	41.0625	2004
12.02.2020 12:05:39	1	1	1	1	65.75	61	0	29431.28	544.0860215	16101.97592	30000	0	0	30000	41.3125	2004
12.02.2020 12:05:40	1	1	1	1	65.75	61.25	0	29289.1	537.6344086	15960.91648	30000	0	0	30000	41.5625	2004
12.02.2020 12:05:41	1	1	1	1	65.75	61.5	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	41.6875	2004
12.02.2020 12:05:42	1	1	1	1	65.75	61.5	0	29383.886	541.9354839	15987.0084	30000	0	0	30000	41.6875	2004
12.02.2020 12:05:43	1	1	1	1	65.75	61.5	0	29099.526	544.0860215	15744.0274	30000	0	0	30000	41.625	2004
12.02.2020 12:05:44	1	1	1	1	65.75	61.5	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	41.5	2004
12.02.2020 12:05:51	1	1	1	1	66.25	61.25	0	29241.706	546.2365591	15920.96323	30000	0	0	30000	41.4375	2004
12.02.2020 12:05:51	1	1	1	1	66.25	61.25	0	29241.706	546.2365591	15920.96323	30000	0	0	30000	41.4375	2004
12.02.2020 12:05:51	1	1	1	1	66.25	61.25	0	29241.706	546.2365591	15920.96323	30000	0	0	30000	41.4375	2004
12.02.2020 12:05:51	1	1	1	1	66.25	61.25	0	29241.706	546.2365591	15920.96323	30000	0	0	30000	41.4375	2004
12.02.2020 12:05:51	1	1	1	1	66.25	61.25	0	29241.706	546.2365591	15920.96323	30000	0	0	30000	41.4375	2004
12.02.2020 12:05:51	1	1	1	1	66.25	61.25	0	29241.706	546.2365591	15920.96323	30000	0	0	30000	41.4375	2004
12.02.2020 12:05:51	1	1	1	1	66.25	61.25	0	29431.28	548.3870968	16203.08211	30000	0	0	30000	41.5625	2004
12.02.2020 12:05:53	1	1	1	1	66.25	61.5	0	29336.493	550.5376344	16087.29921	30000	0	0	30000	41.5625	2004
12.02.2020 12:05:54	1	1	1	1	66.25	61.5	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	41.625	2004
12.02.2020 12:05:55	1	1	1	1	66.25	61.5	0	29336.493	546.2365591	16050.60745	30000	0	0	30000	41.0625	2004
12.02.2020 12:05:56	1	1	1	1	66.25	61	0	29431.28	546.2365591	16013.10032	30000	0	0	30000	41.4375	2004
12.02.2020 12:05:57	1	1	1	1	66	61.25	0	29383.886	544.0860215	16329.46484	30000	0	0	30000	41.75	2004
12.02.2020 12:05:58	1	1	1	1	66	61.75	0	29241.706	541.9354839	15909.54801	30000	0	0	30000	41.3125	2004
12.02.2020 12:05:59	1	1	1	1	66	61.25	0	29336.493	541.9354839	16050.60745	30000	0	0	30000	41.375	2004
12.02.2020 12:06:00	1	1	1	1	66	61.25	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	41.5625	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 12:06:01	1	1	1	1	66	61.5	0	29526.066	546.2365591	16038.37687	30000	0	0	30000	41.375	2004
12.02.2020 12:06:02	1	1	1	1	66	61.25	0	29383.886	544.0860215	15960.91648	30000	0	0	30000	41.375	2004
12.02.2020 12:06:03	1	1	1	1	66	61.25	0	29336.493	535.483871	15771.75006	30000	0	0	30000	41.375	2004
12.02.2020 12:06:04	1	1	1	1	66	61.25	0	29478.673	544.0860215	16038.37687	30000	0	0	30000	41.5625	2004
12.02.2020 12:06:05	1	1	1	1	66	61.5	0	29383.886	544.0860215	16013.10032	30000	0	0	30000	41.125	2004
12.02.2020 12:06:06	1	1	1	1	66	61	0	29336.493	546.2365591	16087.29921	30000	0	0	30000	41.5625	2004
12.02.2020 12:06:07	1	1	1	1	66.25	61.5	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	41.375	2004
12.02.2020 12:06:08	1	1	1	1	66.25	61.25	0	29478.673	546.2365591	16038.37687	30000	0	0	30000	41.4375	2004
12.02.2020 12:06:09	1	1	1	1	66.25	61.25	0	29336.493	544.0860215	16024.51553	30000	0	0	30000	41.3125	2004
12.02.2020 12:06:10	1	1	1	1	66.25	61.25	0	29431.28	544.0860215	15987.0084	30000	0	0	30000	41.5	2004
12.02.2020 12:06:11	1	1	1	1	66.25	61.5	0	29241.706	544.0860215	15960.91648	30000	0	0	30000	41.5	2004
12.02.2020 12:06:12	1	1	1	1	66.25	61.5	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	41.5	2004
12.02.2020 12:06:13	1	1	1	1	66.25	61.5	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	41.5	2004
12.02.2020 12:06:14	1	1	1	1	66.25	61.5	0	29383.886	550.5376344	16050.60745	30000	0	0	30000	40.75	2004
12.02.2020 12:06:15	1	1	1	1	66.25	60.75	0	29336.493	544.0860215	15909.54801	30000	0	0	30000	41.3125	2004
12.02.2020 12:06:16	1	1	1	1	66.25	61.25	0	29241.706	544.0860215	15909.54801	30000	0	0	30000	41.0625	2004
12.02.2020 12:06:17	1	1	1	1	66	61	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	41.4375	2004
12.02.2020 12:06:18	1	1	1	1	66	61.25	0	29241.706	544.0860215	15920.96323	30000	0	0	30000	41.625	2004
12.02.2020 12:06:19	1	1	1	1	66	61.5	0	29336.493	546.2365591	15960.91648	30000	0	0	30000	41.6875	2004
12.02.2020 12:06:20	1	1	1	1	66	61.5	0	29336.493	546.2365591	15960.91648	30000	0	0	30000	41.5	2004
12.02.2020 12:06:21	1	1	1	1	66	61.5	0	29289.1	541.9354839	15607.04482	30000	0	0	30000	41.6875	2004
12.02.2020 12:06:22	1	1	1	1	66	61.5	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	41.5625	2004
12.02.2020 12:06:23	1	1	1	1	66	61.5	0	29289.1	544.0860215	15935.63993	30000	0	0	30000	41.875	2004
12.02.2020 12:06:24	1	1	1	1	66	61.75	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	41.5	2004
12.02.2020 12:06:25	1	1	1	1	66	61.5	0	29241.706	544.0860215	15846.76433	30000	0	0	30000	42	2004
12.02.2020 12:06:26	1	1	1	1	66	62	0	29431.28	546.2365591	16139.48305	30000	0	0	30000	42.0625	2004
12.02.2020 12:06:27	1	1	1	1	66	61.25	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	41.625	2004
12.02.2020 12:06:28	1	1	1	1	66	61.5	0	29336.493	546.2365591	16239.77387	30000	0	0	30000	41.625	2004
12.02.2020 12:06:29	1	1	1	1	66	61.5	0	29241.706	537.6344086	16061.20729	30000	0	0	30000	41.6875	2004
12.02.2020 12:06:30	1	1	1	1	66	61.5	0	29289.1	546.2365591	15935.63993	30000	0	0	30000	41.5625	2004
12.02.2020 12:06:31	1	1	1	1	66	61.5	0	29289.1	544.0860215	15998.42361	30000	0	0	30000	41.25	2004
12.02.2020 12:06:33	1	1	1	1	66	61.25	0	29336.493	546.2365591	15998.42361	30000	0	0	30000	41.625	2004
12.02.2020 12:06:34	1	1	1	1	66	61.5	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	41.625	2004
12.02.2020 12:06:35	1	1	1	1	66	61.5	0	29336.493	544.0860215	16050.60745	30000	0	0	30000	41.5	2004
12.02.2020 12:06:36	1	1	1	1	66	61.5	0	29146.919	544.0860215	15858.17955	30000	0	0	30000	41.4375	2004
12.02.2020 12:06:37	1	1	1	1	65.75	61.25	0	29336.493	548.3870968	16024.51553	30000	0	0	30000	41.6875	2004
12.02.2020 12:06:38	1	1	1	1	65.75	61.5	0	29289.1	546.2365591	16087.29921	30000	0	0	30000	41.6875	2004
12.02.2020 12:06:39	1	1	1	1	65.75	61.5	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	41.75	2004
12.02.2020 12:06:40	1	1	1	1	65.75	61.75	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	41.6875	2004
12.02.2020 12:06:41	1	1	1	1	65.75	61.5	0	29336.493	544.0860215	16024.51553	30000	0	0	30000	41.75	2004
12.02.2020 12:06:42	1	1	1	1	65.75	61.75	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	41.75	2004
12.02.2020 12:06:43	1	1	1	1	65.75	61.75	0	29431.28	544.0860215	16075.884	30000	0	0	30000	41.6875	2004
12.02.2020 12:06:44	1	1	1	1	65.75	61.5	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	40.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 12:06:45	1	1	1	1	65.75	60.75	0	29383.886	546.2365591	16024.51553	30000	0	0	30000	41.8125	2004
12.02.2020 12:06:46	1	1	1	1	65.75	61.75	0	29383.886	546.2365591	15960.91648	30000	0	0	30000	41.4375	2004
12.02.2020 12:06:53	1	1	1	1	66	61.5	0	29241.706	544.0860215	15935.63993	30000	0	0	30000	41.5	2004
12.02.2020 12:06:53	1	1	1	1	66	61.5	0	29241.706	544.0860215	15935.63993	30000	0	0	30000	41.5	2004
12.02.2020 12:06:53	1	1	1	1	66	61.5	0	29241.706	544.0860215	15935.63993	30000	0	0	30000	41.5	2004
12.02.2020 12:06:53	1	1	1	1	66	61.5	0	29241.706	544.0860215	15935.63993	30000	0	0	30000	41.5	2004
12.02.2020 12:06:53	1	1	1	1	66	61.5	0	29241.706	544.0860215	15935.63993	30000	0	0	30000	41.5	2004
12.02.2020 12:06:53	1	1	1	1	66	61.5	0	29241.706	544.0860215	15935.63993	30000	0	0	30000	41.5	2004
12.02.2020 12:06:53	1	1	1	1	66	61.5	0	29241.706	544.0860215	15935.63993	30000	0	0	30000	41.5	2004
12.02.2020 12:06:54	1	1	1	1	66	61.5	0	29336.493	550.5376344	15960.91648	30000	0	0	30000	41.25	2004
12.02.2020 12:06:55	1	1	1	1	66	61.25	0	29289.1	544.0860215	15935.63993	30000	0	0	30000	41.5625	2004
12.02.2020 12:06:56	1	1	1	1	66	61.5	0	29241.706	544.0860215	15935.63993	30000	0	0	30000	41.625	2004
12.02.2020 12:06:57	1	1	1	1	66	61.5	0	29289.1	546.2365591	16024.51553	30000	0	0	30000	41.5625	2004
12.02.2020 12:06:58	1	1	1	1	66	61.5	0	29241.706	541.9354839	15846.76433	30000	0	0	30000	41.3125	2004
12.02.2020 12:06:59	1	1	1	1	66	61.25	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	41.625	2004
12.02.2020 12:07:00	1	1	1	1	66	61.5	0	29289.1	546.2365591	15909.54801	30000	0	0	30000	41.6875	2004
12.02.2020 12:07:01	1	1	1	1	66	61.5	0	29431.28	552.688172	15835.34912	30000	0	0	30000	41.6875	2004
12.02.2020 12:07:02	1	1	1	1	66	61.5	0	29383.886	546.2365591	15960.91648	30000	0	0	30000	41.25	2004
12.02.2020 12:07:03	1	1	1	1	66	61.25	0	29383.886	546.2365591	16024.51553	30000	0	0	30000	42	2004
12.02.2020 12:07:04	1	1	1	1	66	62	0	29383.886	546.2365591	16024.51553	30000	0	0	30000	41.75	2004
12.02.2020 12:07:05	1	1	1	1	66	61.75	0	29383.886	554.8387097	16087.29921	30000	0	0	30000	41.9375	2004
12.02.2020 12:07:06	1	1	1	1	65.75	61.75	0	29383.886	537.6344086	16013.10032	30000	0	0	30000	41.625	2004
12.02.2020 12:07:07	1	1	1	1	65.75	61.5	0	29383.886	544.0860215	16265.86579	30000	0	0	30000	41	2004
12.02.2020 12:07:08	1	1	1	1	65.75	61	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	41.75	2004
12.02.2020 12:07:09	1	1	1	1	65.75	61.75	0	29431.28	546.2365591	16075.884	30000	0	0	30000	41.5	2004
12.02.2020 12:07:11	1	1	1	1	65.75	61.5	0	29336.493	544.0860215	16087.29921	30000	0	0	30000	41.5	2004
12.02.2020 12:07:12	1	1	1	1	65.75	61.5	0	29146.919	544.0860215	15858.17955	30000	0	0	30000	41.375	2004
12.02.2020 12:07:13	1	1	1	1	65.75	61.25	0	29146.919	541.9354839	15858.17955	30000	0	0	30000	41.3125	2004
12.02.2020 12:07:14	1	1	1	1	65.75	61.25	0	29336.493	544.0860215	16024.51553	30000	0	0	30000	41.25	2004
12.02.2020 12:07:15	1	1	1	1	65.75	61.25	0	29336.493	546.2365591	16213.68195	30000	0	0	30000	41.375	2004
12.02.2020 12:07:16	1	1	1	1	65.75	61.25	0	29241.706	544.0860215	15846.76433	30000	0	0	30000	41.6875	2004
12.02.2020 12:07:17	1	1	1	1	65.75	61.5	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	41.375	2004
12.02.2020 12:07:18	1	1	1	1	65.75	61.25	0	29336.493	546.2365591	15960.91648	30000	0	0	30000	41.75	2004
12.02.2020 12:07:19	1	1	1	1	65.75	61.75	0	29146.919	544.0860215	15607.04482	30000	0	0	30000	41.4375	2004
12.02.2020 12:07:20	1	1	1	1	65.75	61.25	0	0	0	0	30000	0	8	30000	41.9375	2004
12.02.2020 12:07:21	1	1	1	1	65.75	61.75	0	10616.114	0	0	30000	0	0	30000	41.75	2004
12.02.2020 12:07:22	1	1	1	1	65.75	61.75	0	11232.227	0	0	30000	0	0	30000	41.8125	2004
12.02.2020 12:07:23	1	1	1	1	65.75	61.75	0	12085.308	0	0	30000	0	0	30000	41.8125	2004
12.02.2020 12:07:24	1	1	1	1	65.75	61.75	0	12843.602	0	0	30000	0	0	30000	41.8125	2004
12.02.2020 12:07:25	1	1	1	1	65.75	61.75	0	13601.896	0	0	30000	0	0	30000	41.5625	2004
12.02.2020 12:07:26	1	1	1	1	65.75	61.5	0	14407.583	0	0	30000	0	0	30000	41.625	2004
12.02.2020 12:07:27	1	1	1	1	65.75	61.5	0	15165.877	2.150537634	32.61489957	30000	0	0	30000	41.6875	2004
12.02.2020 12:07:28	1	1	1	1	65.75	61.5	0	15876.777	6.451612903	101.9215612	30000	0	0	30000	41.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 12:07:29	1	1	1	1	65.75	61.5	0	16682.464	12.90322581	215.2583372	30000	0	0	30000	41.5	2004
12.02.2020 12:07:30	1	1	1	1	65.75	61.5	0	17488.152	19.35483871	375.8867176	30000	0	0	30000	41.75	2004
12.02.2020 12:07:31	1	1	1	1	65.75	61.75	0	18293.839	32.25806452	548.7456853	30000	0	0	30000	41.6875	2004
12.02.2020 12:07:32	1	1	1	1	65.75	61.5	0	19004.739	40.86021505	776.2346098	30000	0	0	30000	41.8125	2004
12.02.2020 12:07:33	1	1	1	1	65.75	61.75	0	19810.427	55.91397849	1104.829723	30000	0	0	30000	41.6875	2004
12.02.2020 12:07:34	1	1	1	1	65.75	61.5	0	20616.114	73.11827957	1462.778246	30000	0	0	30000	41.6875	2004
12.02.2020 12:07:35	1	1	1	1	65.75	61.5	0	21374.408	90.32258065	1884.325823	30000	0	0	30000	41.8125	2004
12.02.2020 12:07:36	1	1	1	1	65.75	61.75	0	22132.701	111.827957	2427.363901	30000	0	0	30000	41.75	2004
12.02.2020 12:07:37	1	1	1	1	64.5	61.75	0	22748.815	137.6344086	2935.340962	30000	0	0	30000	41.4375	2004
12.02.2020 12:07:38	1	1	1	1	64.5	61.25	0	23175.355	144.0860215	3345.473324	30000	0	0	30000	41.4375	2004
12.02.2020 12:07:39	1	1	1	1	64.5	61.25	0	23412.322	159.1397849	3674.883809	30000	0	0	30000	41.25	2004
12.02.2020 12:07:40	1	1	1	1	64.5	61.25	0	23791.469	169.8924731	4254.613649	30000	0	0	30000	41.75	2004
12.02.2020 12:07:41	1	1	1	1	64.5	61.75	0	23981.043	189.2473118	4538.363276	30000	0	0	30000	41.875	2004
12.02.2020 12:07:42	1	1	1	1	64.5	61.5	0	25071.09	212.9032258	5156.415623	30000	0	0	30000	41.6875	2004
12.02.2020 12:07:43	1	1	1	1	64.5	61.5	0	25355.45	240.8602151	6107.139945	30000	0	0	30000	41.625	2004
12.02.2020 12:07:44	1	1	1	1	64.5	61.5	0	25071.09	243.0107527	6200.092409	30000	0	0	30000	41.6875	2004
12.02.2020 12:07:45	1	1	1	1	64.5	61.5	0	25545.024	260.2150538	6646.916533	30000	0	0	30000	41.625	2004
12.02.2020 12:07:47	1	1	1	1	65	61.5	0	25734.597	279.5698925	7249.476803	30000	0	0	30000	41.8125	2004
12.02.2020 12:07:48	1	1	1	1	65	61.75	0	26066.351	294.6236559	7693.039437	30000	0	0	30000	41.8125	2004
12.02.2020 12:07:55	1	1	1	1	65	61.5	0	26777.251	341.9354839	9155.817683	30000	0	0	30000	41.75	2004
12.02.2020 12:07:55	1	1	1	1	65	61.5	0	26777.251	341.9354839	9155.817683	30000	0	0	30000	41.75	2004
12.02.2020 12:07:55	1	1	1	1	65	61.5	0	26777.251	341.9354839	9155.817683	30000	0	0	30000	41.75	2004
12.02.2020 12:07:55	1	1	1	1	65	61.5	0	26777.251	341.9354839	9155.817683	30000	0	0	30000	41.75	2004
12.02.2020 12:07:55	1	1	1	1	65	61.5	0	26777.251	341.9354839	9155.817683	30000	0	0	30000	41.75	2004
12.02.2020 12:07:55	1	1	1	1	65	61.5	0	26777.251	341.9354839	9155.817683	30000	0	0	30000	41.75	2004
12.02.2020 12:07:55	1	1	1	1	65	61.5	0	26777.251	341.9354839	9155.817683	30000	0	0	30000	41.75	2004
12.02.2020 12:07:56	1	1	1	1	65	61.75	0	26777.251	341.9354839	9172.125132	30000	0	0	30000	41.75	2004
12.02.2020 12:07:56	1	1	1	1	65	61.75	0	26777.251	341.9354839	9155.817683	30000	0	0	30000	41.625	2004
12.02.2020 12:07:57	1	1	1	1	65.25	61.5	0	26777.251	341.9354839	9287.092653	30000	0	0	30000	40.25	2004
12.02.2020 12:07:58	1	1	1	1	65.25	60.25	0	26777.251	346.2365591	9270.785204	30000	0	0	30000	41.6875	2004
12.02.2020 12:07:59	1	1	1	1	65.25	61.5	0	26777.251	346.2365591	9328.67665	30000	0	0	30000	41.1875	2004
12.02.2020 12:08:00	1	1	1	1	65.25	61	0	26777.251	350.5376344	9238.170304	30000	0	0	30000	41.6875	2004
12.02.2020 12:08:01	1	1	1	1	65.25	61.5	0	26777.251	346.2365591	9270.785204	30000	0	0	30000	41.25	2004
12.02.2020 12:08:02	1	1	1	1	65.25	61.25	0	26729.858	341.9354839	9172.125132	30000	0	0	30000	41.5625	2004
12.02.2020 12:08:03	1	1	1	1	65.25	61.5	0	27156.398	367.7419355	10038.86609	30000	0	0	30000	41.5625	2004
12.02.2020 12:08:04	1	1	1	1	65.25	61.5	0	27440.758	384.9462366	10740.08643	30000	0	0	30000	41.75	2004
12.02.2020 12:08:05	1	1	1	1	65.25	61.75	0	27535.545	395.6989247	10858.31544	30000	0	0	30000	41.5	2004
12.02.2020 12:08:06	1	1	1	1	65.25	61.5	0	27725.118	415.0537634	11507.35194	30000	0	0	30000	41.6875	2004
12.02.2020 12:08:07	1	1	1	1	65.25	61.5	0	27867.299	419.3548387	11685.91852	30000	0	0	30000	41.875	2004
12.02.2020 12:08:08	1	1	1	1	65.25	61.75	0	28009.479	434.4086022	12106.65072	30000	0	0	30000	41.6875	2004
12.02.2020 12:08:09	1	1	1	1	65.25	61.5	0	28199.052	443.0107527	12492.32191	30000	0	0	30000	41.75	2004
12.02.2020 12:08:10	1	1	1	1	65.25	61.75	0	28388.626	458.0645161	13003.56046	30000	0	0	30000	41.375	2004
12.02.2020 12:08:11	1	1	1	1	65.25	61.25	0	28530.806	481.7204301	13414.50819	30000	0	0	30000	41.8125	2004
12.02.2020 12:08:12	1	1	1	1	65.25	61.75	0	28578.199	481.7204301	13880.90126	30000	0	0	30000	40.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 12:08:13	1	1	1	1	65.25	60.75	0	28815.166	488.172043	14066.80619	30000	0	0	30000	41.6875	2004
12.02.2020 12:08:14	1	1	1	1	65.25	61.5	0	28862.559	507.5268817	14586.19846	30000	0	0	30000	41.75	2004
12.02.2020 12:08:15	1	1	1	1	65.25	61.75	0	29146.919	520.4301075	15081.12956	30000	0	0	30000	41.5625	2004
12.02.2020 12:08:16	1	1	1	1	65.25	61.5	0	29336.493	533.3333333	15708.96638	30000	0	0	30000	41.5	2004
12.02.2020 12:08:17	1	1	1	1	65	61.5	0	29431.28	546.2365591	16075.884	30000	0	0	30000	40.9375	2004
12.02.2020 12:08:18	1	1	1	1	65	60.75	0	29526.066	550.5376344	16064.46878	30000	0	0	30000	41.4375	2004
12.02.2020 12:08:19	1	1	1	1	65	61.25	0	29478.673	544.0860215	16038.37687	30000	0	0	30000	41.5625	2004
12.02.2020 12:08:20	1	1	1	1	65	61.5	0	29431.28	541.9354839	15797.84198	30000	0	0	30000	41.0625	2004
12.02.2020 12:08:21	1	1	1	1	65	61.25	0	29431.28	544.0860215	16075.884	30000	0	0	30000	41.5625	2004
12.02.2020 12:08:22	1	1	1	1	65	61.5	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	41.25	2004
12.02.2020 12:08:23	1	1	1	1	65	61.25	0	29383.886	546.2365591	15987.0084	30000	0	0	30000	41.3125	2004
12.02.2020 12:08:25	1	1	1	1	65	61.25	0	29383.886	544.0860215	16013.10032	30000	0	0	30000	41.3125	2004
12.02.2020 12:08:26	1	1	1	1	65	61.25	0	29336.493	537.6344086	15987.0084	30000	0	0	30000	41.0625	2004
12.02.2020 12:08:27	1	1	1	1	65	61	0	29146.919	544.0860215	15858.17955	30000	0	0	30000	40.75	2004
12.02.2020 12:08:28	1	1	1	1	65	60.75	0	29431.28	546.2365591	16075.884	30000	0	0	30000	40.875	2004
12.02.2020 12:08:29	1	1	1	1	65	60.75	0	29526.066	546.2365591	16038.37687	30000	0	0	30000	41.375	2004
12.02.2020 12:08:30	1	1	1	1	65	61.25	0	29478.673	544.0860215	16013.10032	30000	0	0	30000	41.625	2004
12.02.2020 12:08:31	1	1	1	1	65	61.5	0	29383.886	546.2365591	16013.10032	30000	0	0	30000	41.5625	2004
12.02.2020 12:08:32	1	1	1	1	65	61.5	0	29431.28	546.2365591	16013.10032	30000	0	0	30000	41.25	2004
12.02.2020 12:08:33	1	1	1	1	65	61.25	0	29431.28	541.9354839	16038.37687	30000	0	0	30000	41.5	2004
12.02.2020 12:08:34	1	1	1	1	65	61.5	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	41.6875	2004
12.02.2020 12:08:35	1	1	1	1	65	61.5	0	29383.886	541.9354839	15960.91648	30000	0	0	30000	41.125	2004
12.02.2020 12:08:36	1	1	1	1	65	61	0	29383.886	544.0860215	16013.10032	30000	0	0	30000	41.6875	2004
12.02.2020 12:08:37	1	1	1	1	65.25	61.5	0	29336.493	541.9354839	15898.1328	30000	0	0	30000	40.9375	2004
12.02.2020 12:08:38	1	1	1	1	65.25	60.75	0	29431.28	541.9354839	15708.96638	30000	0	0	30000	41.6875	2004
12.02.2020 12:08:39	1	1	1	1	65.25	61.5	0	29383.886	544.0860215	15987.0084	30000	0	0	30000	41.4375	2004
12.02.2020 12:08:40	1	1	1	1	65.25	61.25	0	29431.28	541.9354839	15960.91648	30000	0	0	30000	41.6875	2004
12.02.2020 12:08:41	1	1	1	1	65.25	61.5	0	29431.28	546.2365591	16075.884	30000	0	0	30000	41.5625	2004
12.02.2020 12:08:42	1	1	1	1	65.25	61.5	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	41.625	2004
12.02.2020 12:08:43	1	1	1	1	65.25	61.5	0	29478.673	546.2365591	16165.57497	30000	0	0	30000	41.625	2004
12.02.2020 12:08:44	1	1	1	1	65.25	61.5	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	41.6875	2004
12.02.2020 12:08:45	1	1	1	1	65.25	61.5	0	29241.706	544.0860215	15909.54801	30000	0	0	30000	41.625	2004
12.02.2020 12:08:46	1	1	1	1	65.25	61.5	0	29383.886	544.0860215	15898.1328	30000	0	0	30000	41.5	2004
12.02.2020 12:08:47	1	1	1	1	65.25	61.5	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	41.6875	2004
12.02.2020 12:08:48	1	1	1	1	65.25	61.5	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	41.625	2004
12.02.2020 12:08:49	1	1	1	1	65.25	61.5	0	29478.673	546.2365591	15975.59318	30000	0	0	30000	41.5	2004
12.02.2020 12:08:56	1	1	1	1	65.25	60.75	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	41.625	2004
12.02.2020 12:08:56	1	1	1	1	65.25	60.75	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	41.625	2004
12.02.2020 12:08:56	1	1	1	1	65.25	60.75	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	41.625	2004
12.02.2020 12:08:56	1	1	1	1	65.25	60.75	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	41.625	2004
12.02.2020 12:08:56	1	1	1	1	65.25	60.75	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	41.625	2004
12.02.2020 12:08:56	1	1	1	1	65.25	60.75	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	41.625	2004
12.02.2020 12:08:56	1	1	1	1	65.25	61.5	0	29526.066	544.0860215	16090.5607	30000	0	0	30000	41.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 12:08:57	1	1	1	1	65.25	61.75	0	29526.066	546.2365591	16064.46878	30000	0	0	30000	41.625	2004
12.02.2020 12:08:58	1	1	1	1	65.25	61.5	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	42.0625	2004
12.02.2020 12:08:59	1	1	1	1	65.25	62	0	29336.493	546.2365591	15987.0084	30000	0	0	30000	41.75	2004
12.02.2020 12:09:00	1	1	1	1	65.25	61.75	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	41.3125	2004
12.02.2020 12:09:01	1	1	1	1	65.25	61	0	29478.673	544.0860215	16038.37687	30000	0	0	30000	41.1875	2004
12.02.2020 12:09:02	1	1	1	1	65.25	61	0	29526.066	546.2365591	16154.15976	30000	0	0	30000	41.1875	2004
12.02.2020 12:09:04	1	1	1	1	65.25	61	0	29478.673	544.0860215	16013.10032	30000	0	0	30000	40.8125	2004
12.02.2020 12:09:05	1	1	1	1	65.25	60.75	0	29336.493	537.6344086	16013.10032	30000	0	0	30000	41.125	2004
12.02.2020 12:09:06	1	1	1	1	65.25	61	0	29383.886	544.0860215	15987.0084	30000	0	0	30000	41.3125	2004
12.02.2020 12:09:07	1	1	1	1	65.25	61.25	0	29478.673	544.0860215	16038.37687	30000	0	0	30000	41.5625	2004
12.02.2020 12:09:08	1	1	1	1	65.25	61.5	0	29526.066	544.0860215	16255.26595	30000	0	0	30000	41.5	2004
12.02.2020 12:09:09	1	1	1	1	65.25	61.5	0	29431.28	546.2365591	16101.97592	30000	0	0	30000	41	2004
12.02.2020 12:09:10	1	1	1	1	65.25	61	0	29431.28	544.0860215	15885.90221	30000	0	0	30000	41.625	2004
12.02.2020 12:09:11	1	1	1	1	65.25	61.5	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	41.5	2004
12.02.2020 12:09:12	1	1	1	1	65.25	61.5	0	29383.886	541.9354839	15835.34912	30000	0	0	30000	41.1875	2004
12.02.2020 12:09:13	1	1	1	1	65.25	61	0	29526.066	544.0860215	16090.5607	30000	0	0	30000	41.4375	2004
12.02.2020 12:09:14	1	1	1	1	65.25	61.25	0	29478.673	544.0860215	16038.37687	30000	0	0	30000	41.625	2004
12.02.2020 12:09:15	1	1	1	1	65.25	61.5	0	29289.1	541.9354839	15960.91648	30000	0	0	30000	41.125	2004
12.02.2020 12:09:16	1	1	1	1	65.25	61	0	29146.919	544.0860215	15858.17955	30000	0	0	30000	41.5	2004
12.02.2020 12:09:17	1	1	1	1	65.25	61.5	0	29336.493	541.9354839	15960.91648	30000	0	0	30000	41.3125	2004
12.02.2020 12:09:18	1	1	1	1	65.25	61.25	0	29478.673	546.2365591	16038.37687	30000	0	0	30000	41.5	2004
12.02.2020 12:09:19	1	1	1	1	65.25	61.5	0	29478.673	546.2365591	16139.48305	30000	0	0	30000	41.5	2004
12.02.2020 12:09:20	1	1	1	1	65.25	61.5	0	29241.706	546.2365591	15732.61218	30000	0	0	30000	41.5625	2004
12.02.2020 12:09:21	1	1	1	1	65.25	61.5	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	41.625	2004
12.02.2020 12:09:22	1	1	1	1	65.25	61.5	0	29431.28	541.9354839	16101.97592	30000	0	0	30000	41.5625	2004
12.02.2020 12:09:23	1	1	1	1	65.25	61.5	0	29383.886	544.0860215	15960.91648	30000	0	0	30000	41.75	2004
12.02.2020 12:09:24	1	1	1	1	65.25	61.75	0	29336.493	537.6344086	16050.60745	30000	0	0	30000	41.4375	2004
12.02.2020 12:09:25	1	1	1	1	65.25	61.25	0	29431.28	546.2365591	15987.0084	30000	0	0	30000	41.3125	2004
12.02.2020 12:09:26	1	1	1	1	65.25	61.25	0	29431.28	539.7849462	16038.37687	30000	0	0	30000	41.5	2004
12.02.2020 12:09:27	1	1	1	1	66	61.5	0	29336.493	541.9354839	15898.1328	30000	0	0	30000	41.5	2004
12.02.2020 12:09:28	1	1	1	1	66	61.5	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	41.5625	2004
12.02.2020 12:09:29	1	1	1	1	66	61.5	0	29526.066	546.2365591	16128.06784	30000	0	0	30000	41.75	2004
12.02.2020 12:09:30	1	1	1	1	66	61.75	0	29478.673	541.9354839	16064.46878	30000	0	0	30000	41.1875	2004
12.02.2020 12:09:31	1	1	1	1	66	61	0	29336.493	546.2365591	15935.63993	30000	0	0	30000	41.25	2004
12.02.2020 12:09:32	1	1	1	1	66	61.25	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	41.5625	2004
12.02.2020 12:09:33	1	1	1	1	66	61.5	0	29289.1	544.0860215	15935.63993	30000	0	0	30000	41	2004
12.02.2020 12:09:34	1	1	1	1	66	61	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	41.5	2004
12.02.2020 12:09:35	1	1	1	1	66	61.5	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	41.25	2004
12.02.2020 12:09:36	1	1	1	1	66	61.25	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	41.625	2004
12.02.2020 12:09:37	1	1	1	1	65	61.75	0	29383.886	544.0860215	16013.10032	30000	0	0	30000	41.75	2004
12.02.2020 12:09:38	1	1	1	1	65	61.75	0	29526.066	544.0860215	16038.37687	30000	0	0	30000	41.375	2004
12.02.2020 12:09:39	1	1	1	1	65	61.25	0	29431.28	539.7849462	16013.10032	30000	0	0	30000	41.6875	2004
12.02.2020 12:09:41	1	1	1	1	65	61.5	0	29336.493	546.2365591	16050.60745	30000	0	0	30000	41.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 12:09:42	1	1	1	1	65	61.5	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	40.9375	2004
12.02.2020 12:09:43	1	1	1	1	65	60.75	0	29146.919	541.9354839	15795.39586	30000	0	0	30000	41.375	2004
12.02.2020 12:09:44	1	1	1	1	65	61.25	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	41.375	2004
12.02.2020 12:09:45	1	1	1	1	65	61.25	0	29431.28	541.9354839	16013.10032	30000	0	0	30000	41.375	2004
12.02.2020 12:09:46	1	1	1	1	65	61.25	0	29431.28	546.2365591	15987.0084	30000	0	0	30000	41.375	2004
12.02.2020 12:09:47	1	1	1	1	65.5	61.25	0	29383.886	541.9354839	16013.10032	30000	0	0	30000	41.5	2004
12.02.2020 12:09:48	1	1	1	1	65.5	61.5	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	41.6875	2004
12.02.2020 12:09:49	1	1	1	1	65.5	61.5	0	29431.28	541.9354839	16203.08211	30000	0	0	30000	41.6875	2004
12.02.2020 12:09:50	1	1	1	1	65.5	61.5	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	41.5	2004
12.02.2020 12:09:51	1	1	1	1	65.5	61.5	0	29383.886	544.0860215	15960.91648	30000	0	0	30000	41.3125	2004
12.02.2020 12:09:58	1	1	1	1	65.5	61.5	0	29431.28	541.9354839	16013.10032	30000	0	0	30000	41.4375	2004
12.02.2020 12:09:58	1	1	1	1	65.5	61.5	0	29431.28	541.9354839	16013.10032	30000	0	0	30000	41.4375	2004
12.02.2020 12:09:58	1	1	1	1	65.5	61.5	0	29431.28	541.9354839	16013.10032	30000	0	0	30000	41.4375	2004
12.02.2020 12:09:58	1	1	1	1	65.5	61.5	0	29431.28	541.9354839	16013.10032	30000	0	0	30000	41.4375	2004
12.02.2020 12:09:58	1	1	1	1	65.5	61.5	0	29431.28	541.9354839	16013.10032	30000	0	0	30000	41.4375	2004
12.02.2020 12:09:58	1	1	1	1	65.5	61.25	0	29336.493	546.2365591	15960.91648	30000	0	0	30000	40.75	2004
12.02.2020 12:09:59	1	1	1	1	65.5	60.75	0	29383.886	541.9354839	16013.10032	30000	0	0	30000	41.1875	2004
12.02.2020 12:10:00	1	1	1	1	65.5	61	0	29431.28	544.0860215	15987.0084	30000	0	0	30000	41.375	2004
12.02.2020 12:10:01	1	1	1	1	65.5	61.25	0	29336.493	541.9354839	15721.19697	30000	0	0	30000	41.5	2004
12.02.2020 12:10:02	1	1	1	1	65.5	61.5	0	29478.673	544.0860215	16013.10032	30000	0	0	30000	41.625	2004
12.02.2020 12:10:03	1	1	1	1	65.5	61.5	0	29526.066	550.5376344	15823.11853	30000	0	0	30000	41.5	2004
12.02.2020 12:10:04	1	1	1	1	65.5	61.5	0	29241.706	541.9354839	15783.98065	30000	0	0	30000	41.5	2004
12.02.2020 12:10:05	1	1	1	1	65.5	61.5	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	41.625	2004
12.02.2020 12:10:06	1	1	1	1	65.5	61.5	0	29289.1	541.9354839	15809.2572	30000	0	0	30000	41.625	2004
12.02.2020 12:10:07	1	1	1	1	65	61.5	0	29241.706	544.0860215	15972.33169	30000	0	0	30000	41	2004
12.02.2020 12:10:08	1	1	1	1	65	61	0	29431.28	544.0860215	16139.48305	30000	0	0	30000	41.4375	2004
12.02.2020 12:10:09	1	1	1	1	65	61.25	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	41.625	2004
12.02.2020 12:10:10	1	1	1	1	65	61.5	0	29573.46	544.0860215	16090.5607	30000	0	0	30000	41.4375	2004
12.02.2020 12:10:11	1	1	1	1	65	61.25	0	29478.673	541.9354839	16064.46878	30000	0	0	30000	41.5625	2004
12.02.2020 12:10:12	1	1	1	1	65	61.5	0	29336.493	544.0860215	15835.34912	30000	0	0	30000	41.5	2004
12.02.2020 12:10:13	1	1	1	1	65	61.5	0	29526.066	546.2365591	16154.15976	30000	0	0	30000	41.6875	2004
12.02.2020 12:10:14	1	1	1	1	65	61.5	0	29431.28	546.2365591	16075.884	30000	0	0	30000	41.4375	2004
12.02.2020 12:10:15	1	1	1	1	65	61.5	0	29336.493	544.0860215	15987.0084	30000	0	0	30000	41.125	2004
12.02.2020 12:10:16	1	1	1	1	65	61	0	29336.493	535.483871	15898.1328	30000	0	0	30000	41.375	2004
12.02.2020 12:10:17	1	1	1	1	65	61.25	0	29336.493	544.0860215	16024.51553	30000	0	0	30000	41.625	2004
12.02.2020 12:10:19	1	1	1	1	65	61.5	0	29383.886	544.0860215	15987.0084	30000	0	0	30000	41.625	2004
12.02.2020 12:10:20	1	1	1	1	65	61.5	0	29383.886	546.2365591	15960.91648	30000	0	0	30000	40.75	2004
12.02.2020 12:10:21	1	1	1	1	65	60.75	0	29241.706	546.2365591	15909.54801	30000	0	0	30000	41.25	2004
12.02.2020 12:10:22	1	1	1	1	65	61.25	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	41.6875	2004
12.02.2020 12:10:23	1	1	1	1	65	61.5	0	29383.886	544.0860215	16024.51553	30000	0	0	30000	41.625	2004
12.02.2020 12:10:24	1	1	1	1	65	61.5	0	29478.673	554.8387097	16139.48305	30000	0	0	30000	41.6875	2004
12.02.2020 12:10:25	1	1	1	1	65	61.5	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	41.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 12:10:26	1	1	1	1	65	61.5	0	29383.886	546.2365591	15960.91648	30000	0	0	30000	41.5	2004
12.02.2020 12:10:27	1	1	1	1	65	61.5	0	29336.493	546.2365591	15960.91648	30000	0	0	30000	41.4375	2004
12.02.2020 12:10:28	1	1	1	1	65	61.25	0	29431.28	546.2365591	16139.48305	30000	0	0	30000	41.5625	2004
12.02.2020 12:10:29	1	1	1	1	65	61.5	0	29336.493	546.2365591	16075.884	30000	0	0	30000	41.5	2004
12.02.2020 12:10:30	1	1	1	1	65	61.5	0	29383.886	544.0860215	15960.91648	30000	0	0	30000	41.5	2004
12.02.2020 12:10:31	1	1	1	1	65	61.5	0	29431.28	544.0860215	16075.884	30000	0	0	30000	41.75	2004
12.02.2020 12:10:32	1	1	1	1	65	61.75	0	29383.886	546.2365591	15960.91648	30000	0	0	30000	41.6875	2004
12.02.2020 12:10:33	1	1	1	1	65	61.5	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	41.5	2004
12.02.2020 12:10:34	1	1	1	1	65	61.5	0	29336.493	546.2365591	16113.39113	30000	0	0	30000	41.625	2004
12.02.2020 12:10:35	1	1	1	1	65	61.5	0	29146.919	539.7849462	15935.63993	30000	0	0	30000	41	2004
12.02.2020 12:10:36	1	1	1	1	65	61	0	29431.28	546.2365591	16229.17403	30000	0	0	30000	41.6875	2004
12.02.2020 12:10:37	1	1	1	1	64.75	61.5	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	41.5	2004
12.02.2020 12:10:38	1	1	1	1	64.75	61.5	0	29241.706	546.2365591	15972.33169	30000	0	0	30000	41.4375	2004
12.02.2020 12:10:39	1	1	1	1	64.75	61.25	0	29383.886	546.2365591	16024.51553	30000	0	0	30000	41.3125	2004
12.02.2020 12:10:40	1	1	1	1	64.75	61.25	0	29241.706	546.2365591	15732.61218	30000	0	0	30000	41.625	2004
12.02.2020 12:10:41	1	1	1	1	64.75	61.5	0	29383.886	546.2365591	16075.884	30000	0	0	30000	41.625	2004
12.02.2020 12:10:42	1	1	1	1	64.75	61.5	0	29478.673	546.2365591	16013.10032	30000	0	0	30000	41.8125	2004
12.02.2020 12:10:43	1	1	1	1	64.75	61.75	0	29383.886	544.0860215	16203.08211	30000	0	0	30000	41.375	2004
12.02.2020 12:10:44	1	1	1	1	64.75	61.25	0	29383.886	544.0860215	16013.10032	30000	0	0	30000	41.3125	2004
12.02.2020 12:10:45	1	1	1	1	64.75	61.25	0	29383.886	544.0860215	15960.91648	30000	0	0	30000	41.625	2004
12.02.2020 12:10:46	1	1	1	1	64.75	61.5	0	29241.706	544.0860215	16035.11538	30000	0	0	30000	41.25	2004
12.02.2020 12:10:47	1	1	1	1	65	61.25	0	29241.706	550.5376344	15920.96323	30000	0	0	30000	41.625	2004
12.02.2020 12:10:48	1	1	1	1	65	61.5	0	29431.28	550.5376344	16165.57497	30000	0	0	30000	41.75	2004
12.02.2020 12:10:49	1	1	1	1	65	61.75	0	29336.493	546.2365591	16087.29921	30000	0	0	30000	41.6875	2004
12.02.2020 12:10:50	1	1	1	1	65	61.5	0	29241.706	550.5376344	15972.33169	30000	0	0	30000	41.8125	2004
12.02.2020 12:10:51	1	1	1	1	65	61.75	0	29431.28	546.2365591	16075.884	30000	0	0	30000	41.3125	2004
12.02.2020 12:10:52	1	1	1	1	65	61.25	0	29289.1	546.2365591	15909.54801	30000	0	0	30000	41.9375	2004
12.02.2020 12:10:59	1	1	1	1	65	61.5	0	29336.493	546.2365591	16150.89827	30000	0	0	30000	41.5	2004
12.02.2020 12:10:59	1	1	1	1	65	61.5	0	29336.493	546.2365591	16150.89827	30000	0	0	30000	41.5	2004
12.02.2020 12:10:59	1	1	1	1	65	61.5	0	29336.493	546.2365591	16150.89827	30000	0	0	30000	41.5	2004
12.02.2020 12:10:59	1	1	1	1	65	61.5	0	29336.493	546.2365591	16150.89827	30000	0	0	30000	41.5	2004
12.02.2020 12:10:59	1	1	1	1	65	61.5	0	29336.493	546.2365591	16150.89827	30000	0	0	30000	41.5	2004
12.02.2020 12:10:59	1	1	1	1	65	61.5	0	29336.493	546.2365591	16150.89827	30000	0	0	30000	41.5	2004
12.02.2020 12:11:00	1	1	1	1	65	61.5	0	29241.706	546.2365591	15909.54801	30000	0	0	30000	41.1875	2004
12.02.2020 12:11:01	1	1	1	1	65	61	0	29431.28	546.2365591	16139.48305	30000	0	0	30000	41.0625	2004
12.02.2020 12:11:02	1	1	1	1	65	61	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	41.625	2004
12.02.2020 12:11:03	1	1	1	1	65	61.5	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	41.375	2004
12.02.2020 12:11:04	1	1	1	1	65	61.25	0	28957.346	544.0860215	15754.62724	30000	0	0	30000	41.1875	2004
12.02.2020 12:11:05	1	1	1	1	65	61	0	29336.493	548.3870968	15872.85625	30000	0	0	30000	41.3125	2004
12.02.2020 12:11:06	1	1	1	1	65	61.25	0	29336.493	550.5376344	16239.77387	30000	0	0	30000	41.5	2004
12.02.2020 12:11:07	1	1	1	1	64.75	61.5	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	41.125	2004
12.02.2020 12:11:08	1	1	1	1	64.75	61	0	29289.1	550.5376344	16035.11538	30000	0	0	30000	40.875	2004
12.02.2020 12:11:09	1	1	1	1	64.75	60.75	0	29241.706	546.2365591	15983.74691	30000	0	0	30000	41.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 12:11:10	1	1	1	1	64.75	61.25	0	28957.346	541.9354839	15868.77939	30000	0	0	30000	41.625	2004
12.02.2020 12:11:11	1	1	1	1	64.75	61.5	0	29146.919	546.2365591	15972.33169	30000	0	0	30000	41.1875	2004
12.02.2020 12:11:12	1	1	1	1	64.75	61	0	29146.919	544.0860215	15858.17955	30000	0	0	30000	41.75	2004
12.02.2020 12:11:13	1	1	1	1	64.75	61.75	0	29431.28	552.688172	16176.99019	30000	0	0	30000	41.375	2004
12.02.2020 12:11:14	1	1	1	1	64.75	61.25	0	29289.1	546.2365591	16024.51553	30000	0	0	30000	40.875	2004
12.02.2020 12:11:15	1	1	1	1	64.75	60.75	0	29289.1	548.3870968	16150.89827	30000	0	0	30000	41.375	2004
12.02.2020 12:11:16	1	1	1	1	64.75	61.25	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	41.6875	2004
12.02.2020 12:11:17	1	1	1	1	64.75	61.5	0	29241.706	546.2365591	15858.17955	30000	0	0	30000	41.6875	2004
12.02.2020 12:11:18	1	1	1	1	64.75	61.5	0	29146.919	546.2365591	15858.17955	30000	0	0	30000	41.5	2004
12.02.2020 12:11:19	1	1	1	1	64.75	61.5	0	29052.133	546.2365591	16020.43867	30000	0	0	30000	40.9375	2004
12.02.2020 12:11:20	1	1	1	1	64.75	60.75	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	41.5625	2004
12.02.2020 12:11:21	1	1	1	1	64.75	61.5	0	29099.526	546.2365591	15868.77939	30000	0	0	30000	41.3125	2004
12.02.2020 12:11:22	1	1	1	1	64.75	61.25	0	29099.526	550.5376344	15692.65893	30000	0	0	30000	41.625	2004
12.02.2020 12:11:23	1	1	1	1	64.75	61.5	0	29146.919	548.3870968	16046.53059	30000	0	0	30000	41.25	2004
12.02.2020 12:11:24	1	1	1	1	64.75	61.25	0	29289.1	550.5376344	16035.11538	30000	0	0	30000	41.1875	2004
12.02.2020 12:11:25	1	1	1	1	64.75	61	0	29336.493	550.5376344	16087.29921	30000	0	0	30000	41.25	2004
12.02.2020 12:11:26	1	1	1	1	64.75	61.25	0	29289.1	554.8387097	15983.74691	30000	0	0	30000	41.6875	2004
12.02.2020 12:11:27	1	1	1	1	64.75	61.5	0	29241.706	550.5376344	15972.33169	30000	0	0	30000	41.5625	2004
12.02.2020 12:11:28	1	1	1	1	64.75	61.5	0	29383.886	548.3870968	16176.99019	30000	0	0	30000	40.875	2004
12.02.2020 12:11:29	1	1	1	1	64.75	60.75	0	29052.133	546.2365591	15931.56307	30000	0	0	30000	41.5625	2004
12.02.2020 12:11:30	1	1	1	1	64.75	61.5	0	29810.427	541.9354839	16090.5607	30000	0	0	30000	41.1875	2004
12.02.2020 12:11:31	1	1	1	1	64.75	61	0	30000	397.8494624	12128.66578	30000	0	0	30000	41.25	2004
12.02.2020 12:11:32	1	1	1	1	64.75	61.25	0	30000	380.6451613	11419.29171	30000	0	0	30000	41.6875	2004
12.02.2020 12:11:33	1	1	1	1	64.75	61.5	0	30000	320.4301075	9483.597423	30000	0	0	30000	42.0625	2004
12.02.2020 12:11:34	1	1	1	1	64.75	61.5	0	30000	281.7204301	8451.335852	30000	0	0	30000	41.3125	2004
12.02.2020 12:11:35	1	1	1	1	64.75	61.25	0	30000	275.2688172	8322.506999	30000	0	0	30000	41.6875	2004
12.02.2020 12:11:37	1	1	1	1	66	61.5	0	30000	275.2688172	8322.506999	30000	0	0	30000	41.5	2004
12.02.2020 12:11:38	1	1	1	1	66	61.5	0	30000	290.3225806	8774.223358	30000	0	0	30000	41.8125	2004
12.02.2020 12:11:39	1	1	1	1	66	61.75	0	30000	298.9247312	8967.466638	30000	0	0	30000	41.625	2004
12.02.2020 12:11:40	1	1	1	1	66	61.5	0	30000	298.9247312	8967.466638	30000	0	0	30000	41.625	2004
12.02.2020 12:11:41	1	1	1	1	66	61.5	0	30000	279.5698925	8386.921425	30000	0	0	30000	41.125	2004
12.02.2020 12:11:42	1	1	1	1	66	61	0	30000	294.6236559	8838.637784	30000	0	0	30000	40.75	2004
12.02.2020 12:11:43	1	1	1	1	66	60.75	0	30000	221.5053763	6644.470416	30000	0	0	30000	41.5	2004
12.02.2020 12:11:44	1	1	1	1	66	61.5	0	30000	221.5053763	6774.114641	30000	0	0	30000	40.375	2004
12.02.2020 12:11:45	1	1	1	1	66	60.25	0	30000	245.1612903	7419.07428	30000	0	0	30000	41.5	2004
12.02.2020 12:11:46	1	1	1	1	66	61.5	0	30000	240.8602151	6967.357921	30000	0	0	30000	41.625	2004
12.02.2020 12:11:47	1	1	1	1	69.25	61.5	0	30000	206.4516129	6193.569429	30000	0	0	30000	41	2004
12.02.2020 12:11:48	1	1	1	1	69.25	61	0	30047.393	232.2580645	6774.114641	30000	0	0	30000	41.6875	2004
12.02.2020 12:11:49	1	1	1	1	69.25	61.5	0	29952.607	212.9032258	6257.983856	30000	0	0	30000	41.75	2004
12.02.2020 12:11:50	1	1	1	1	69.25	61.75	0	30000	230.1075269	6902.943495	30000	0	0	30000	40.3125	2004
12.02.2020 12:11:51	1	1	1	1	69.25	60.25	0	30000	240.8602151	7225.831	30000	0	0	30000	41.625	2004
12.02.2020 12:11:52	1	1	1	1	69.25	61.5	0	30000	206.4516129	6193.569429	30000	0	0	30000	41.75	2004
12.02.2020 12:11:53	1	1	1	1	69.25	61.75	0	30000	219.3548387	6580.055989	30000	0	0	30000	41.375	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 12:11:54	1	1	1	1	69.25	61.25	0	30000	245.1612903	7354.659854	30000	0	0	30000	41.625	2004
12.02.2020 12:12:01	1	1	1	1	69.25	61	0	30000	483.8709677	14516.07643	30000	0	0	30000	41.4375	2004
12.02.2020 12:12:01	1	1	1	1	69.25	61	0	30000	483.8709677	14516.07643	30000	0	0	30000	41.4375	2004
12.02.2020 12:12:01	1	1	1	1	69.25	61	0	30000	483.8709677	14516.07643	30000	0	0	30000	41.4375	2004
12.02.2020 12:12:01	1	1	1	1	69.25	61	0	30000	483.8709677	14516.07643	30000	0	0	30000	41.4375	2004
12.02.2020 12:12:01	1	1	1	1	69.25	61	0	30000	483.8709677	14516.07643	30000	0	0	30000	41.4375	2004
12.02.2020 12:12:01	1	1	1	1	69.25	61	0	30000	483.8709677	14516.07643	30000	0	0	30000	41.4375	2004
12.02.2020 12:12:01	1	1	1	1	69.25	61	0	30000	483.8709677	14516.07643	30000	0	0	30000	41.4375	2004
12.02.2020 12:12:02	1	1	1	1	69.25	61.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	40.375	2004
12.02.2020 12:12:03	1	1	1	1	69.25	60.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	41.6875	2004
12.02.2020 12:12:04	1	1	1	1	69.25	61.5	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	41.6875	2004
12.02.2020 12:12:05	1	1	1	1	69.25	61.5	0	30047.393	488.172043	14644.90528	30000	0	0	30000	41.25	2004
12.02.2020 12:12:06	1	1	1	1	69.25	61.25	0	28815.166	561.2903226	16173.7287	30000	0	0	30000	41.4375	2004
12.02.2020 12:12:07	1	1	1	1	73.25	61.25	0	29004.739	550.5376344	15994.34675	30000	0	0	30000	41.6875	2004
12.02.2020 12:12:08	1	1	1	1	73.25	61.5	0	28483.412	563.4408602	15987.0084	30000	0	0	30000	42	2004
12.02.2020 12:12:09	1	1	1	1	73.25	62	0	29099.526	546.2365591	15894.87131	30000	0	0	30000	41.375	2004
12.02.2020 12:12:10	1	1	1	1	73.25	61.25	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	41.6875	2004
12.02.2020 12:12:11	1	1	1	1	73.25	61.75	0	27819.905	569.8924731	15854.10268	30000	0	0	30000	41.6875	2004
12.02.2020 12:12:13	1	1	1	1	73.25	61.5	0	27867.299	576.344086	16033.48463	30000	0	0	30000	40.9375	2004
12.02.2020 12:12:14	1	1	1	1	73.25	60.75	0	27109.005	591.3978495	16148.45215	30000	0	0	30000	41.0625	2004
12.02.2020 12:12:15	1	1	1	1	73.25	61	0	27061.611	589.2473118	16004.13122	30000	0	0	30000	41.6875	2004
12.02.2020 12:12:16	1	1	1	1	73.25	61.5	0	26777.251	597.8494624	16009.02346	30000	0	0	30000	41.3125	2004
12.02.2020 12:12:17	1	1	1	1	80	61.25	0	26540.284	606.4516129	16095.45294	30000	0	0	30000	41.5	2004
12.02.2020 12:12:18	1	1	1	1	80	61.5	0	27345.972	584.9462366	15936.4553	30000	0	0	30000	41.4375	2004
12.02.2020 12:12:19	1	1	1	1	80	61.25	0	26919.431	597.8494624	16035.93075	30000	0	0	30000	41.4375	2004
12.02.2020 12:12:20	1	1	1	1	80	61.25	0	27109.005	582.7956989	15968.25483	30000	0	0	30000	41.625	2004
12.02.2020 12:12:21	1	1	1	1	80	61.5	0	28009.479	569.8924731	16009.83883	30000	0	0	30000	41.4375	2004
12.02.2020 12:12:22	1	1	1	1	80	61.25	0	27630.332	584.9462366	16162.31348	30000	0	0	30000	41.625	2004
12.02.2020 12:12:23	1	1	1	1	80	61.5	0	27061.611	589.2473118	15945.4244	30000	0	0	30000	41	2004
12.02.2020 12:12:24	1	1	1	1	80	61	0	27819.905	574.1935484	16033.48463	30000	0	0	30000	41.5625	2004
12.02.2020 12:12:25	1	1	1	1	80	61.5	0	27582.938	580.6451613	15956.02424	30000	0	0	30000	41.5625	2004
12.02.2020 12:12:26	1	1	1	1	80	61.5	0	27156.398	587.0967742	15942.97828	30000	0	0	30000	41.6875	2004
12.02.2020 12:12:27	1	1	1	1	87.25	61.5	0	27061.611	587.0967742	15915.25562	30000	0	0	30000	41.6875	2004
12.02.2020 12:12:28	1	1	1	1	87.25	61.5	0	26635.071	602.1505376	16066.9149	30000	0	0	30000	41.4375	2004
12.02.2020 12:12:29	1	1	1	1	87.25	61.25	0	25734.597	621.5053763	15993.53138	30000	0	0	30000	41.5	2004
12.02.2020 12:12:30	1	1	1	1	87.25	61.5	0	24928.91	643.0107527	16113.39113	30000	0	0	30000	41.625	2004
12.02.2020 12:12:31	1	1	1	1	87.25	61.5	0	26540.284	604.3010753	16038.37687	30000	0	0	30000	41.625	2004
12.02.2020 12:12:32	1	1	1	1	87.25	61.5	0	27582.938	582.7956989	16075.06863	30000	0	0	30000	41.625	2004
12.02.2020 12:12:33	1	1	1	1	87.25	61.5	0	27867.299	574.1935484	16061.20729	30000	0	0	30000	41.5	2004
12.02.2020 12:12:34	1	1	1	1	87.25	61.5	0	27440.758	584.9462366	15760.33485	30000	0	0	30000	41.75	2004
12.02.2020 12:12:35	1	1	1	1	87.25	61.75	0	26113.744	610.7526882	16004.94659	30000	0	0	30000	41.375	2004
12.02.2020 12:12:36	1	1	1	1	87.25	61.25	0	26919.431	597.8494624	16007.39271	30000	0	0	30000	41.375	2004
12.02.2020 12:12:37	1	1	1	1	87.5	61.25	0	26350.711	606.4516129	16036.74612	30000	0	0	30000	41.4375	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 12:13:22	1	1	1	1	85.25	61.5	0	26966.825	283.8709677	7423.151143	30000	0	0	30000	41.625	2004
12.02.2020 12:13:23	1	1	1	1	85.25	61.5	0	27772.512	292.4731183	8196.124263	30000	0	0	30000	41.375	2004
12.02.2020 12:13:24	1	1	1	1	85.25	61.25	0	28436.019	309.6774194	8806.022885	30000	0	0	30000	41.8125	2004
12.02.2020 12:13:25	1	1	1	1	85.25	61.75	0	28625.592	322.5806452	9357.214688	30000	0	0	30000	41.625	2004
12.02.2020 12:13:26	1	1	1	1	85.25	61.5	0	29052.133	341.9354839	9776.316147	30000	0	0	30000	41.1875	2004
12.02.2020 12:13:27	1	1	1	1	83.5	61	0	29099.526	354.8387097	10325.06183	30000	0	0	30000	41.75	2004
12.02.2020 12:13:28	1	1	1	1	83.5	61.75	0	29336.493	369.8924731	10644.68785	30000	0	0	30000	41.75	2004
12.02.2020 12:13:29	1	1	1	1	83.5	61.75	0	29336.493	378.4946237	11103.74256	30000	0	0	30000	41.9375	2004
12.02.2020 12:13:31	1	1	1	1	83.5	60.75	0	29478.673	395.6989247	11537.52072	30000	0	0	30000	41.375	2004
12.02.2020 12:13:32	1	1	1	1	83.5	61.25	0	29668.246	412.9032258	12396.92333	30000	0	0	30000	41.5625	2004
12.02.2020 12:13:33	1	1	1	1	83.5	61.5	0	29620.853	432.2580645	12675.78072	30000	0	0	30000	41.5	2004
12.02.2020 12:13:34	1	1	1	1	83.5	61.5	0	29857.82	445.1612903	13312.58663	30000	0	0	30000	41.1875	2004
12.02.2020 12:13:35	1	1	1	1	83.5	61	0	29952.607	460.2150538	13805.88699	30000	0	0	30000	41.625	2004
12.02.2020 12:13:36	1	1	1	1	83.5	61.5	0	30000	464.516129	13935.53122	30000	0	0	30000	41.3125	2004
12.02.2020 12:13:37	1	1	1	1	81.5	61.25	0	30000	466.6666667	13999.94564	30000	0	0	30000	41	2004
12.02.2020 12:13:38	1	1	1	1	81.5	61	0	30000	481.7204301	14128.7745	30000	0	0	30000	41.5625	2004
12.02.2020 12:13:39	1	1	1	1	81.5	61.5	0	29952.607	481.7204301	14451.662	30000	0	0	30000	41.4375	2004
12.02.2020 12:13:40	1	1	1	1	81.5	61.25	0	30000	481.7204301	14451.662	30000	0	0	30000	41.3125	2004
12.02.2020 12:13:41	1	1	1	1	81.5	61.25	0	29905.213	481.7204301	14451.662	30000	0	0	30000	41.5	2004
12.02.2020 12:13:42	1	1	1	1	81.5	61.5	0	30000	481.7204301	14451.662	30000	0	0	30000	41.1875	2004
12.02.2020 12:13:43	1	1	1	1	81.5	61	0	30000	481.7204301	14451.662	30000	0	0	30000	41.3125	2004
12.02.2020 12:13:44	1	1	1	1	81.5	61.25	0	30000	486.0215054	14516.07643	30000	0	0	30000	41.5	2004
12.02.2020 12:13:45	1	1	1	1	81.5	61.5	0	30000	481.7204301	14451.662	30000	0	0	30000	41.3125	2004
12.02.2020 12:13:46	1	1	1	1	81.5	61.25	0	30000	481.7204301	14451.662	30000	0	0	30000	41.5	2004
12.02.2020 12:13:47	1	1	1	1	80.5	61.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	41.5625	2004
12.02.2020 12:13:48	1	1	1	1	80.5	61.5	0	29952.607	481.7204301	14451.662	30000	0	0	30000	41.4375	2004
12.02.2020 12:13:49	1	1	1	1	80.5	61.25	0	30000	483.8709677	14580.49085	30000	0	0	30000	41.1875	2004
12.02.2020 12:13:50	1	1	1	1	80.5	61	0	30000	492.4731183	14773.73413	30000	0	0	30000	41.5625	2004
12.02.2020 12:13:51	1	1	1	1	80.5	61.5	0	30000	486.0215054	14516.07643	30000	0	0	30000	41.375	2004
12.02.2020 12:13:52	1	1	1	1	80.5	61.25	0	30000	494.6236559	14902.56299	30000	0	0	30000	41.375	2004
12.02.2020 12:13:53	1	1	1	1	80.5	61.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	41.125	2004
12.02.2020 12:13:54	1	1	1	1	80.5	61	0	30000	488.172043	14516.07643	30000	0	0	30000	41.4375	2004
12.02.2020 12:13:55	1	1	1	1	80.5	61.25	0	29952.607	488.172043	14644.90528	30000	0	0	30000	41.3125	2004
12.02.2020 12:13:56	1	1	1	1	80.5	61.25	0	30000	494.6236559	14773.73413	30000	0	0	30000	41.375	2004
12.02.2020 12:13:57	1	1	1	1	79.75	61.25	0	29952.607	496.7741935	14902.56299	30000	0	0	30000	41.1875	2004
12.02.2020 12:14:04	1	1	1	1	79.75	61	0	30000	503.2258065	15072.97584	30000	0	0	30000	40.6875	2004
12.02.2020 12:14:04	1	1	1	1	79.75	61	0	30000	503.2258065	15072.97584	30000	0	0	30000	40.6875	2004
12.02.2020 12:14:04	1	1	1	1	79.75	61	0	30000	503.2258065	15072.97584	30000	0	0	30000	40.6875	2004
12.02.2020 12:14:04	1	1	1	1	79.75	61	0	30000	503.2258065	15072.97584	30000	0	0	30000	40.6875	2004
12.02.2020 12:14:04	1	1	1	1	79.75	61	0	30000	503.2258065	15072.97584	30000	0	0	30000	40.6875	2004
12.02.2020 12:14:04	1	1	1	1	79.75	61	0	30000	503.2258065	15072.97584	30000	0	0	30000	40.6875	2004
12.02.2020 12:14:05	1	1	1	1	79.75	61	0	30000	503.2258065	15072.97584	30000	0	0	30000	40.6875	2004
12.02.2020 12:14:05	1	1	1	1	79.75	60.5	0	30000	507.5268817	15289.86492	30000	0	0	30000	41.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 12:14:06	1	1	1	1	79.75	61.75	0	30000	509.6774194	15532.84592	30000	0	0	30000	41.125	2004
12.02.2020 12:14:07	1	1	1	1	79.25	61.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	41.5	2004
12.02.2020 12:14:09	1	1	1	1	79.25	61.5	0	30000	518.2795699	15483.92357	30000	0	0	30000	41.4375	2004
12.02.2020 12:14:10	1	1	1	1	79.25	61.25	0	30000	509.6774194	15289.86492	30000	0	0	30000	40.8125	2004
12.02.2020 12:14:11	1	1	1	1	79.25	60.75	0	30000	509.6774194	15612.75243	30000	0	0	30000	41.4375	2004
12.02.2020 12:14:12	1	1	1	1	79.25	61.25	0	30000	511.827957	15289.86492	30000	0	0	30000	41.0625	2004
12.02.2020 12:14:13	1	1	1	1	79.25	61	0	30000	518.2795699	15548.338	30000	0	0	30000	40.6875	2004
12.02.2020 12:14:14	1	1	1	1	79.25	60.5	0	30000	518.2795699	15548.338	30000	0	0	30000	41.5	2004
12.02.2020 12:14:15	1	1	1	1	79.25	61.5	0	30000	520.4301075	15652.70568	30000	0	0	30000	41.1875	2004
12.02.2020 12:14:16	1	1	1	1	79.25	61	0	30000	529.0322581	15870.41013	30000	0	0	30000	40.375	2004
12.02.2020 12:14:17	1	1	1	1	79	60.25	0	30000	526.8817204	15805.99571	30000	0	0	30000	41.625	2004
12.02.2020 12:14:18	1	1	1	1	79	61.5	0	30000	522.5806452	15677.16685	30000	0	0	30000	41.375	2004
12.02.2020 12:14:19	1	1	1	1	79	61.25	0	30000	526.8817204	15831.27225	30000	0	0	30000	41.3125	2004
12.02.2020 12:14:20	1	1	1	1	79	61.25	0	30000	520.4301075	15548.338	30000	0	0	30000	41.1875	2004
12.02.2020 12:14:21	1	1	1	1	79	61	0	30000	520.4301075	15612.75243	30000	0	0	30000	41.5	2004
12.02.2020 12:14:22	1	1	1	1	79	61.5	0	30000	524.7311828	15741.58128	30000	0	0	30000	40.9375	2004
12.02.2020 12:14:23	1	1	1	1	79	60.75	0	29952.607	529.0322581	15910.36338	30000	0	0	30000	40.6875	2004
12.02.2020 12:14:24	1	1	1	1	79	60.5	0	30000	526.8817204	15805.99571	30000	0	0	30000	40.625	2004
12.02.2020 12:14:25	1	1	1	1	79	60.5	0	30000	520.4301075	15612.75243	30000	0	0	30000	41.125	2004
12.02.2020 12:14:26	1	1	1	1	79	61	0	30047.393	531.1827957	15870.41013	30000	0	0	30000	41.25	2004
12.02.2020 12:14:27	1	1	1	1	78.25	61.25	0	30000	524.7311828	15701.62803	30000	0	0	30000	41.125	2004
12.02.2020 12:14:28	1	1	1	1	78.25	61	0	30000	524.7311828	15741.58128	30000	0	0	30000	41.4375	2004
12.02.2020 12:14:29	1	1	1	1	78.25	61.25	0	30000	533.3333333	16000.05436	30000	0	0	30000	41.375	2004
12.02.2020 12:14:30	1	1	1	1	78.25	61.25	0	30000	533.3333333	16000.05436	30000	0	0	30000	41.375	2004
12.02.2020 12:14:31	1	1	1	1	78.25	61.25	0	29952.607	533.3333333	16000.05436	30000	0	0	30000	41.1875	2004
12.02.2020 12:14:32	1	1	1	1	78.25	61	0	30000	529.0322581	15870.41013	30000	0	0	30000	41.0625	2004
12.02.2020 12:14:33	1	1	1	1	78.25	61	0	30000	531.1827957	15870.41013	30000	0	0	30000	41.125	2004
12.02.2020 12:14:34	1	1	1	1	78.25	61	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	41.3125	2004
12.02.2020 12:14:37	1	1	1	1	78.25	61	0	30000	533.3333333	16000.05436	30000	0	0	30000	41.5	2004
12.02.2020 12:14:37	1	1	1	1	78.25	61	0	30000	533.3333333	16000.05436	30000	0	0	30000	41.5	2004
12.02.2020 12:14:37	1	1	1	1	78	61.5	0	30000	526.8817204	15870.41013	30000	0	0	30000	41.5	2004
12.02.2020 12:14:38	1	1	1	1	78	61.5	0	30000	533.3333333	16000.05436	30000	0	0	30000	41.5	2004
12.02.2020 12:14:39	1	1	1	1	78	61.5	0	30000	533.3333333	16309.08053	30000	0	0	30000	41.25	2004
12.02.2020 12:14:40	1	1	1	1	78	61.25	0	30000	533.3333333	16000.05436	30000	0	0	30000	41.5	2004
12.02.2020 12:14:41	1	1	1	1	78	61.5	0	29952.607	529.0322581	16000.05436	30000	0	0	30000	41.3125	2004
12.02.2020 12:14:42	1	1	1	1	78	61.25	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	41.25	2004
12.02.2020 12:14:43	1	1	1	1	78	61.25	0	29952.607	535.483871	16013.10032	30000	0	0	30000	41.5625	2004
12.02.2020 12:14:45	1	1	1	1	78	61.75	0	30000	529.0322581	15870.41013	30000	0	0	30000	41.125	2004
12.02.2020 12:14:46	1	1	1	1	78	61	0	30047.393	535.483871	15934.82456	30000	0	0	30000	41.1875	2004
12.02.2020 12:14:47	1	1	1	1	77.75	61	0	29952.607	533.3333333	15949.50126	30000	0	0	30000	41.375	2004
12.02.2020 12:14:48	1	1	1	1	77.75	61.25	0	30000	526.8817204	15831.27225	30000	0	0	30000	40.625	2004
12.02.2020 12:14:49	1	1	1	1	77.75	60.5	0	30000	533.3333333	16000.05436	30000	0	0	30000	41.4375	2004
12.02.2020 12:14:50	1	1	1	1	77.75	61.25	0	30000	533.3333333	16000.05436	30000	0	0	30000	40.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 12:14:51	1	1	1	1	77.75	60.75	0	30000	533.3333333	16000.05436	30000	0	0	30000	41.3125	2004
12.02.2020 12:14:52	1	1	1	1	77.75	61.25	0	30000	533.3333333	15934.82456	30000	0	0	30000	40.9375	2004
12.02.2020 12:14:53	1	1	1	1	77.75	60.75	0	29905.213	533.3333333	16000.05436	30000	0	0	30000	41.1875	2004
12.02.2020 12:14:54	1	1	1	1	77.75	61	0	30000	533.3333333	15949.50126	30000	0	0	30000	41.4375	2004
12.02.2020 12:14:55	1	1	1	1	77.75	61.25	0	29905.213	535.483871	15730.98144	30000	0	0	30000	41.4375	2004
12.02.2020 12:14:56	1	1	1	1	77.75	61.25	0	30000	533.3333333	16064.46878	30000	0	0	30000	41.5	2004
12.02.2020 12:14:57	1	1	1	1	77	61.5	0	29952.607	529.0322581	16000.05436	30000	0	0	30000	41.0625	2004
12.02.2020 12:14:58	1	1	1	1	77	61	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	41.5625	2004
12.02.2020 12:14:59	1	1	1	1	77	61.5	0	29857.82	533.3333333	15898.94817	30000	0	0	30000	41.5	2004
12.02.2020 12:15:06	1	1	1	1	77	61.25	0	29952.607	533.3333333	15949.50126	30000	0	0	30000	41.625	2004
12.02.2020 12:15:06	1	1	1	1	77	61.25	0	29952.607	533.3333333	15949.50126	30000	0	0	30000	41.625	2004
12.02.2020 12:15:06	1	1	1	1	77	61.25	0	29952.607	533.3333333	15949.50126	30000	0	0	30000	41.625	2004
12.02.2020 12:15:06	1	1	1	1	77	61.25	0	29952.607	533.3333333	15949.50126	30000	0	0	30000	41.625	2004
12.02.2020 12:15:06	1	1	1	1	77	61.25	0	29952.607	533.3333333	15949.50126	30000	0	0	30000	41.625	2004
12.02.2020 12:15:06	1	1	1	1	77	61.25	0	29952.607	533.3333333	15949.50126	30000	0	0	30000	41.625	2004
12.02.2020 12:15:06	1	1	1	1	77	61.25	0	29952.607	533.3333333	15949.50126	30000	0	0	30000	41.625	2004
12.02.2020 12:15:06	1	1	1	1	77	61.25	0	29952.607	533.3333333	15949.50126	30000	0	0	30000	41.625	2004
12.02.2020 12:15:07	1	1	1	1	76.75	61.5	0	29952.607	533.3333333	15949.50126	30000	0	0	30000	41.3125	2004
12.02.2020 12:15:08	1	1	1	1	76.75	61.25	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	41.375	2004
12.02.2020 12:15:09	1	1	1	1	76.75	61.25	0	29810.427	533.3333333	15987.82377	30000	0	0	30000	41.375	2004
12.02.2020 12:15:10	1	1	1	1	76.75	61.25	0	29857.82	539.7849462	16270.75802	30000	0	0	30000	41.375	2004
12.02.2020 12:15:11	1	1	1	1	76.75	61.25	0	29905.213	535.483871	16013.10032	30000	0	0	30000	41.1875	2004
12.02.2020 12:15:12	1	1	1	1	76.75	61	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	40.8125	2004
12.02.2020 12:15:13	1	1	1	1	76.75	60.75	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	41.375	2004
12.02.2020 12:15:14	1	1	1	1	76.75	61.25	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	41.625	2004
12.02.2020 12:15:15	1	1	1	1	76.75	61.5	0	29857.82	535.483871	15962.54722	30000	0	0	30000	41.375	2004
12.02.2020 12:15:16	1	1	1	1	76.75	61.25	0	29905.213	537.6344086	16013.10032	30000	0	0	30000	41.4375	2004
12.02.2020 12:15:17	1	1	1	1	76.5	61.25	0	29905.213	535.483871	16141.92917	30000	0	0	30000	40.8125	2004
12.02.2020 12:15:18	1	1	1	1	76.5	60.75	0	29810.427	529.0322581	16206.3436	30000	0	0	30000	41.3125	2004
12.02.2020 12:15:19	1	1	1	1	76.5	61.25	0	29810.427	537.6344086	16077.51474	30000	0	0	30000	41.5625	2004
12.02.2020 12:15:20	1	1	1	1	76.5	61.5	0	29905.213	537.6344086	15987.82377	30000	0	0	30000	41.125	2004
12.02.2020 12:15:21	1	1	1	1	76.5	61	0	29857.82	537.6344086	15987.82377	30000	0	0	30000	41.75	2004
12.02.2020 12:15:22	1	1	1	1	76.5	61.75	0	29810.427	537.6344086	16026.96165	30000	0	0	30000	41.375	2004
12.02.2020 12:15:24	1	1	1	1	76.5	61	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	41.1875	2004
12.02.2020 12:15:25	1	1	1	1	76.5	61	0	29715.64	537.6344086	15886.71758	30000	0	0	30000	41.4375	2004
12.02.2020 12:15:26	1	1	1	1	76.5	61.25	0	29810.427	544.0860215	16040.00761	30000	0	0	30000	41.5625	2004
12.02.2020 12:15:27	1	1	1	1	76	61.5	0	29763.033	541.9354839	16040.00761	30000	0	0	30000	41.5625	2004
12.02.2020 12:15:28	1	1	1	1	76	61.5	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	41.375	2004
12.02.2020 12:15:29	1	1	1	1	76	61.25	0	29715.64	537.6344086	16437.90938	30000	0	0	30000	41	2004
12.02.2020 12:15:30	1	1	1	1	76	61	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	41.4375	2004
12.02.2020 12:15:31	1	1	1	1	76	61.25	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	41.3125	2004
12.02.2020 12:15:32	1	1	1	1	76	61.25	0	29668.246	537.6344086	15950.31664	30000	0	0	30000	41.125	2004
12.02.2020 12:15:33	1	1	1	1	76	61	0	29715.64	537.6344086	15950.31664	30000	0	0	30000	41.5	2004
12.02.2020 12:15:34	1	1	1	1	76	61.5	0	29668.246	537.6344086	16103.60666	30000	0	0	30000	41.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 12:15:35	1	1	1	1	76	61.5	0	29810.427	541.9354839	16154.97513	30000	0	0	30000	41.4375	2004
12.02.2020 12:15:36	1	1	1	1	76	61.25	0	29526.066	537.6344086	15899.76354	30000	0	0	30000	41.4375	2004
12.02.2020 12:15:37	1	1	1	1	76	61.25	0	29763.033	539.7849462	15911.99413	30000	0	0	30000	41.3125	2004
12.02.2020 12:15:38	1	1	1	1	76	61.25	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	41.4375	2004
12.02.2020 12:15:39	1	1	1	1	76	61.25	0	29715.64	539.7849462	16167.20572	30000	0	0	30000	41.4375	2004
12.02.2020 12:15:40	1	1	1	1	76	61.25	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	41.5	2004
12.02.2020 12:15:41	1	1	1	1	76	61.5	0	29810.427	546.2365591	16040.00761	30000	0	0	30000	41.5	2004
12.02.2020 12:15:42	1	1	1	1	76	61.5	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	41.5625	2004
12.02.2020 12:15:43	1	1	1	1	76	61.5	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	40.875	2004
12.02.2020 12:15:44	1	1	1	1	76	60.75	0	29810.427	539.7849462	16090.5607	30000	0	0	30000	41.0625	2004
12.02.2020 12:15:45	1	1	1	1	76	61	0	29715.64	539.7849462	15848.39508	30000	0	0	30000	41.125	2004
12.02.2020 12:15:46	1	1	1	1	76	61	0	29715.64	539.7849462	16103.60666	30000	0	0	30000	41.25	2004
12.02.2020 12:15:47	1	1	1	1	75.25	61.25	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	41.5625	2004
12.02.2020 12:15:48	1	1	1	1	75.25	61.5	0	29620.853	535.483871	15861.44103	30000	0	0	30000	41.3125	2004
12.02.2020 12:15:49	1	1	1	1	75.25	61.25	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	41.5	2004
12.02.2020 12:15:50	1	1	1	1	75.25	61.5	0	29810.427	537.6344086	15962.54722	30000	0	0	30000	41.25	2004
12.02.2020 12:15:51	1	1	1	1	75.25	61.25	0	29715.64	537.6344086	15911.99413	30000	0	0	30000	41.5	2004
12.02.2020 12:15:52	1	1	1	1	75.25	61.5	0	29715.64	535.483871	15975.59318	30000	0	0	30000	40.875	2004
12.02.2020 12:15:53	1	1	1	1	75.25	60.75	0	29810.427	539.7849462	16090.5607	30000	0	0	30000	41.3125	2004
12.02.2020 12:15:54	1	1	1	1	75.25	61.25	0	29620.853	535.483871	15861.44103	30000	0	0	30000	41.5	2004
12.02.2020 12:15:55	1	1	1	1	75.25	61.5	0	29810.427	537.6344086	15911.99413	30000	0	0	30000	41.6875	2004
12.02.2020 12:15:56	1	1	1	1	75.25	61.5	0	29620.853	529.0322581	15797.84198	30000	0	0	30000	41.1875	2004
12.02.2020 12:15:57	1	1	1	1	75	61	0	29620.853	537.6344086	15861.44103	30000	0	0	30000	41.3125	2004
12.02.2020 12:15:58	1	1	1	1	75	61.25	0	29715.64	537.6344086	15962.54722	30000	0	0	30000	41.4375	2004
12.02.2020 12:15:59	1	1	1	1	75	61.25	0	29668.246	537.6344086	16013.91569	30000	0	0	30000	40.4375	2004
12.02.2020 12:16:00	1	1	1	1	75	60.25	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	41.875	2004
12.02.2020 12:16:08	1	1	1	1	74.5	61.25	0	29952.607	529.0322581	15845.94896	30000	0	0	30000	40.4375	2004
12.02.2020 12:16:08	1	1	1	1	74.5	61.25	0	29952.607	529.0322581	15845.94896	30000	0	0	30000	40.4375	2004
12.02.2020 12:16:08	1	1	1	1	74.5	61.25	0	29952.607	529.0322581	15845.94896	30000	0	0	30000	40.4375	2004
12.02.2020 12:16:08	1	1	1	1	74.5	61.25	0	29952.607	529.0322581	15845.94896	30000	0	0	30000	40.4375	2004
12.02.2020 12:16:08	1	1	1	1	74.5	61.25	0	29952.607	529.0322581	15845.94896	30000	0	0	30000	40.4375	2004
12.02.2020 12:16:08	1	1	1	1	74.5	61.25	0	29952.607	529.0322581	15845.94896	30000	0	0	30000	40.4375	2004
12.02.2020 12:16:08	1	1	1	1	74.5	61.25	0	29952.607	529.0322581	15845.94896	30000	0	0	30000	40.4375	2004
12.02.2020 12:16:09	1	1	1	1	74.5	60.25	0	29905.213	529.0322581	15934.82456	30000	0	0	30000	41.4375	2004
12.02.2020 12:16:10	1	1	1	1	74.5	61.25	0	30000	529.0322581	15934.82456	30000	0	0	30000	41	2004
12.02.2020 12:16:11	1	1	1	1	74.5	61	0	30000	529.0322581	16064.46878	30000	0	0	30000	41.5625	2004
12.02.2020 12:16:12	1	1	1	1	74.5	61.5	0	29857.82	533.3333333	15949.50126	30000	0	0	30000	41.4375	2004
12.02.2020 12:16:13	1	1	1	1	74.5	61.25	0	29905.213	533.3333333	16064.46878	30000	0	0	30000	41.375	2004
12.02.2020 12:16:14	1	1	1	1	74.5	61.25	0	30000	533.3333333	16000.05436	30000	0	0	30000	41.375	2004
12.02.2020 12:16:15	1	1	1	1	74.5	61.25	0	29952.607	529.0322581	16064.46878	30000	0	0	30000	41.4375	2004
12.02.2020 12:16:16	1	1	1	1	74.5	61.25	0	30000	533.3333333	15934.82456	30000	0	0	30000	41.125	2004
12.02.2020 12:16:17	1	1	1	1	74.5	61	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	41.25	2004
12.02.2020 12:16:18	1	1	1	1	74.5	61.25	0	29905.213	529.0322581	15949.50126	30000	0	0	30000	41.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 12:16:19	1	1	1	1	74.5	61.5	0	29905.213	529.0322581	15910.36338	30000	0	0	30000	41.375	2004
12.02.2020 12:16:20	1	1	1	1	74.5	61.25	0	29905.213	533.3333333	15974.77781	30000	0	0	30000	41.25	2004
12.02.2020 12:16:21	1	1	1	1	74.5	61.25	0	29857.82	541.9354839	16141.92917	30000	0	0	30000	40.875	2004
12.02.2020 12:16:22	1	1	1	1	74.5	60.75	0	30000	533.3333333	16000.05436	30000	0	0	30000	41.375	2004
12.02.2020 12:16:23	1	1	1	1	74.5	61.25	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	41.375	2004
12.02.2020 12:16:24	1	1	1	1	74.5	61.25	0	29952.607	533.3333333	15949.50126	30000	0	0	30000	40	2004
12.02.2020 12:16:25	1	1	1	1	74.5	60	0	30000	533.3333333	16064.46878	30000	0	0	30000	41.5	2004
12.02.2020 12:16:26	1	1	1	1	74.5	61.5	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	41.4375	2004
12.02.2020 12:16:27	1	1	1	1	74.5	61.25	0	30000	535.483871	16064.46878	30000	0	0	30000	41.125	2004
12.02.2020 12:16:28	1	1	1	1	74.5	61	0	29952.607	533.3333333	16013.10032	30000	0	0	30000	41.0625	2004
12.02.2020 12:16:29	1	1	1	1	74.5	61	0	30000	533.3333333	16000.05436	30000	0	0	30000	41.25	2004
12.02.2020 12:16:30	1	1	1	1	74.5	61.25	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	41.3125	2004
12.02.2020 12:16:31	1	1	1	1	74.5	61.25	0	29952.607	533.3333333	16000.05436	30000	0	0	30000	41.1875	2004
12.02.2020 12:16:32	1	1	1	1	74.5	61	0	30000	533.3333333	16000.05436	30000	0	0	30000	41.25	2004
12.02.2020 12:16:33	1	1	1	1	74.5	61.25	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	41.4375	2004
12.02.2020 12:16:34	1	1	1	1	74.5	61.25	0	29952.607	535.483871	15949.50126	30000	0	0	30000	41.25	2004
12.02.2020 12:16:35	1	1	1	1	74.5	61.25	0	30000	533.3333333	16000.05436	30000	0	0	30000	41.4375	2004
12.02.2020 12:16:36	1	1	1	1	74.5	61.25	0	30000	524.7311828	15677.16685	30000	0	0	30000	41.25	2004
12.02.2020 12:16:37	1	1	1	1	74	61.25	0	30000	518.2795699	15548.338	30000	0	0	30000	41.1875	2004
12.02.2020 12:16:38	1	1	1	1	74	61	0	30000	522.5806452	15870.41013	30000	0	0	30000	41.3125	2004
12.02.2020 12:16:39	1	1	1	1	74	61.25	0	30000	526.8817204	15805.99571	30000	0	0	30000	41.3125	2004
12.02.2020 12:16:40	1	1	1	1	74	61.25	0	30000	531.1827957	15934.82456	30000	0	0	30000	41.4375	2004
12.02.2020 12:16:41	1	1	1	1	74	61.25	0	30000	524.7311828	15805.99571	30000	0	0	30000	41.375	2004
12.02.2020 12:16:42	1	1	1	1	74	61.25	0	30000	520.4301075	15612.75243	30000	0	0	30000	41.1875	2004
12.02.2020 12:16:44	1	1	1	1	74	61	0	30000	520.4301075	15548.338	30000	0	0	30000	40.875	2004
12.02.2020 12:16:45	1	1	1	1	74	61.5	0	29905.213	507.5268817	15483.92357	30000	0	0	30000	41.375	2004
12.02.2020 12:16:46	1	1	1	1	74	61.25	0	30000	522.5806452	15677.16685	30000	0	0	30000	40.875	2004
12.02.2020 12:16:47	1	1	1	1	73.75	60.75	0	30000	524.7311828	15805.99571	30000	0	0	30000	41.375	2004
12.02.2020 12:16:48	1	1	1	1	73.75	61.25	0	30000	516.1290323	15548.338	30000	0	0	30000	41.4375	2004
12.02.2020 12:16:49	1	1	1	1	73.75	61.25	0	30000	518.2795699	15548.338	30000	0	0	30000	40	2004
12.02.2020 12:16:50	1	1	1	1	73.75	60	0	30000	526.8817204	15805.99571	30000	0	0	30000	41	2004
12.02.2020 12:16:51	1	1	1	1	73.75	61	0	30000	518.2795699	15548.338	30000	0	0	30000	41.0625	2004
12.02.2020 12:16:52	1	1	1	1	73.75	61	0	30000	518.2795699	15612.75243	30000	0	0	30000	41.4375	2004
12.02.2020 12:16:53	1	1	1	1	73.75	61.25	0	30000	518.2795699	15548.338	30000	0	0	30000	41.0625	2004
12.02.2020 12:16:54	1	1	1	1	73.75	61	0	30000	522.5806452	15677.16685	30000	0	0	30000	41.25	2004
12.02.2020 12:16:55	1	1	1	1	73.75	61.25	0	30000	520.4301075	15548.338	30000	0	0	30000	40.625	2004
12.02.2020 12:16:56	1	1	1	1	73.75	60.5	0	29952.607	520.4301075	15612.75243	30000	0	0	30000	41.25	2004
12.02.2020 12:16:57	1	1	1	1	73.25	61.25	0	30000	526.8817204	15805.99571	30000	0	0	30000	41.125	2004
12.02.2020 12:16:58	1	1	1	1	73.25	61	0	30000	526.8817204	15805.99571	30000	0	0	30000	41.25	2004
12.02.2020 12:16:59	1	1	1	1	73.25	61.25	0	30000	522.5806452	15805.99571	30000	0	0	30000	41.4375	2004
12.02.2020 12:17:00	1	1	1	1	73.25	61.25	0	29905.213	524.7311828	16000.05436	30000	0	0	30000	41.3125	2004
12.02.2020 12:17:01	1	1	1	1	73.25	61.25	0	29905.213	529.0322581	15870.41013	30000	0	0	30000	40.8125	2004
12.02.2020 12:17:02	1	1	1	1	73.25	60.75	0	29952.607	526.8817204	15934.82456	30000	0	0	30000	41.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 12:17:09	1	1	1	1	73.25	61.25	0	30000	518.2795699	15548.338	30000	0	0	30000	41.375	2004
12.02.2020 12:17:09	1	1	1	1	73.25	61.25	0	30000	518.2795699	15548.338	30000	0	0	30000	41.375	2004
12.02.2020 12:17:09	1	1	1	1	73.25	61.25	0	30000	518.2795699	15548.338	30000	0	0	30000	41.375	2004
12.02.2020 12:17:09	1	1	1	1	73.25	61.25	0	30000	518.2795699	15548.338	30000	0	0	30000	41.375	2004
12.02.2020 12:17:09	1	1	1	1	73.25	61.25	0	30000	518.2795699	15548.338	30000	0	0	30000	41.375	2004
12.02.2020 12:17:09	1	1	1	1	73.25	61.25	0	30000	518.2795699	15548.338	30000	0	0	30000	41.375	2004
12.02.2020 12:17:09	1	1	1	1	73.25	61.25	0	30000	522.5806452	15677.16685	30000	0	0	30000	41.5625	2004
12.02.2020 12:17:10	1	1	1	1	73.25	61.5	0	30000	516.1290323	15548.338	30000	0	0	30000	41.125	2004
12.02.2020 12:17:11	1	1	1	1	73.25	61	0	30000	524.7311828	15677.16685	30000	0	0	30000	41	2004
12.02.2020 12:17:12	1	1	1	1	73.25	61	0	30000	524.7311828	15677.16685	30000	0	0	30000	41.125	2004
12.02.2020 12:17:13	1	1	1	1	73.25	61	0	30000	522.5806452	15677.16685	30000	0	0	30000	41.5625	2004
12.02.2020 12:17:14	1	1	1	1	73.25	61.5	0	30000	518.2795699	15548.338	30000	0	0	30000	41.4375	2004
12.02.2020 12:17:15	1	1	1	1	73.25	61.25	0	30047.393	518.2795699	15548.338	30000	0	0	30000	40.9375	2004
12.02.2020 12:17:16	1	1	1	1	73.25	60.75	0	29952.607	522.5806452	15652.70568	30000	0	0	30000	40.875	2004
12.02.2020 12:17:17	1	1	1	1	72.5	60.75	0	30000	522.5806452	15741.58128	30000	0	0	30000	40.6875	2004
12.02.2020 12:17:18	1	1	1	1	72.5	60.5	0	30000	520.4301075	15548.338	30000	0	0	30000	41.4375	2004
12.02.2020 12:17:19	1	1	1	1	72.5	61.25	0	30000	522.5806452	15677.16685	30000	0	0	30000	41.3125	2004
12.02.2020 12:17:20	1	1	1	1	72.5	61.25	0	29952.607	520.4301075	15805.99571	30000	0	0	30000	41.3125	2004
12.02.2020 12:17:22	1	1	1	1	72.5	61.25	0	30000	529.0322581	15870.41013	30000	0	0	30000	41.625	2004
12.02.2020 12:17:23	1	1	1	1	72.5	61.5	0	30000	524.7311828	15741.58128	30000	0	0	30000	41.6875	2004
12.02.2020 12:17:24	1	1	1	1	72.5	61.5	0	30000	526.8817204	15805.99571	30000	0	0	30000	41	2004
12.02.2020 12:17:25	1	1	1	1	72.5	61	0	30000	524.7311828	15677.16685	30000	0	0	30000	41.1875	2004
12.02.2020 12:17:26	1	1	1	1	72.5	61	0	30000	520.4301075	15741.58128	30000	0	0	30000	41.0625	2004
12.02.2020 12:17:27	1	1	1	1	72.75	61	0	29952.607	524.7311828	15741.58128	30000	0	0	30000	41.25	2004
12.02.2020 12:17:28	1	1	1	1	72.75	61.25	0	30000	524.7311828	15805.99571	30000	0	0	30000	41.5	2004
12.02.2020 12:17:29	1	1	1	1	72.75	61.5	0	30000	524.7311828	15677.16685	30000	0	0	30000	41.5	2004
12.02.2020 12:17:30	1	1	1	1	72.75	61.5	0	30000	522.5806452	15805.99571	30000	0	0	30000	41.375	2004
12.02.2020 12:17:31	1	1	1	1	72.75	61.25	0	29905.213	516.1290323	15548.338	30000	0	0	30000	40.8125	2004
12.02.2020 12:17:32	1	1	1	1	72.75	60.75	0	30000	524.7311828	15741.58128	30000	0	0	30000	41.3125	2004
12.02.2020 12:17:33	1	1	1	1	72.75	61.25	0	30000	524.7311828	15805.99571	30000	0	0	30000	41.3125	2004
12.02.2020 12:17:34	1	1	1	1	72.75	61.25	0	30000	531.1827957	15934.82456	30000	0	0	30000	41.0625	2004
12.02.2020 12:17:35	1	1	1	1	72.75	61	0	30000	529.0322581	15805.99571	30000	0	0	30000	41.1875	2004
12.02.2020 12:17:36	1	1	1	1	72.75	61	0	29905.213	522.5806452	15741.58128	30000	0	0	30000	41.1875	2004
12.02.2020 12:17:37	1	1	1	1	72.5	61	0	30000	524.7311828	15741.58128	30000	0	0	30000	41.25	2004
12.02.2020 12:17:38	1	1	1	1	72.5	61.25	0	30000	526.8817204	15677.16685	30000	0	0	30000	41.1875	2004
12.02.2020 12:17:39	1	1	1	1	72.5	61	0	30000	522.5806452	15677.16685	30000	0	0	30000	41.5625	2004
12.02.2020 12:17:40	1	1	1	1	72.5	61.5	0	30000	522.5806452	15677.16685	30000	0	0	30000	41.1875	2004
12.02.2020 12:17:41	1	1	1	1	72.5	61	0	30000	524.7311828	15741.58128	30000	0	0	30000	41.0625	2004
12.02.2020 12:17:42	1	1	1	1	72.5	61	0	30000	524.7311828	15677.16685	30000	0	0	30000	41.0625	2004
12.02.2020 12:17:43	1	1	1	1	72.5	61	0	30000	520.4301075	15677.16685	30000	0	0	30000	41.125	2004
12.02.2020 12:17:44	1	1	1	1	72.5	61	0	30000	520.4301075	15677.16685	30000	0	0	30000	41.0625	2004
12.02.2020 12:17:45	1	1	1	1	72.5	61	0	30000	520.4301075	15548.338	30000	0	0	30000	41.1875	2004
12.02.2020 12:17:46	1	1	1	1	72.5	61	0	30000	524.7311828	15741.58128	30000	0	0	30000	41.25	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 12:17:47	1	1	1	1	72	61.25	0	30000	520.4301075	15612.75243	30000	0	0	30000	41.25	2004
12.02.2020 12:17:48	1	1	1	1	72	61.25	0	29905.213	520.4301075	15548.338	30000	0	0	30000	41.375	2004
12.02.2020 12:17:49	1	1	1	1	72	61.25	0	30000	524.7311828	15677.16685	30000	0	0	30000	41.375	2004
12.02.2020 12:17:50	1	1	1	1	72	61.25	0	30000	529.0322581	15870.41013	30000	0	0	30000	41.1875	2004
12.02.2020 12:17:51	1	1	1	1	72	61	0	30000	526.8817204	15805.99571	30000	0	0	30000	41.125	2004
12.02.2020 12:17:52	1	1	1	1	72	61	0	30000	533.3333333	15741.58128	30000	0	0	30000	40	2004
12.02.2020 12:17:53	1	1	1	1	72	60	0	30000	526.8817204	15805.99571	30000	0	0	30000	41.125	2004
12.02.2020 12:17:54	1	1	1	1	72	61	0	30000	526.8817204	15677.16685	30000	0	0	30000	41.375	2004
12.02.2020 12:17:55	1	1	1	1	72	61.25	0	30000	524.7311828	15627.42913	30000	0	0	30000	41.125	2004
12.02.2020 12:17:56	1	1	1	1	72	61	0	30000	522.5806452	15677.16685	30000	0	0	30000	41.125	2004
12.02.2020 12:17:57	1	1	1	1	72	61	0	29952.607	516.1290323	15483.92357	30000	0	0	30000	41.25	2004
12.02.2020 12:17:58	1	1	1	1	72	61.25	0	29952.607	524.7311828	15677.16685	30000	0	0	30000	40.6875	2004
12.02.2020 12:17:59	1	1	1	1	72	60.5	0	30000	518.2795699	15548.338	30000	0	0	30000	40.25	2004
12.02.2020 12:18:00	1	1	1	1	72	60.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	41.625	2004
12.02.2020 12:18:02	1	1	1	1	72	61.5	0	30000	524.7311828	15741.58128	30000	0	0	30000	41.375	2004
12.02.2020 12:18:03	1	1	1	1	72	61.25	0	30000	524.7311828	15805.99571	30000	0	0	30000	41.8125	2004
12.02.2020 12:18:04	1	1	1	1	72	61.25	0	30000	524.7311828	15677.16685	30000	0	0	30000	41.125	2004
12.02.2020 12:18:11	1	1	1	1	71.75	61	0	30000	520.4301075	15677.16685	30000	0	0	30000	41.5	2004
12.02.2020 12:18:11	1	1	1	1	71.75	61	0	30000	520.4301075	15677.16685	30000	0	0	30000	41.5	2004
12.02.2020 12:18:11	1	1	1	1	71.75	61	0	30000	520.4301075	15677.16685	30000	0	0	30000	41.5	2004
12.02.2020 12:18:11	1	1	1	1	71.75	61	0	30000	520.4301075	15677.16685	30000	0	0	30000	41.5	2004
12.02.2020 12:18:11	1	1	1	1	71.75	61	0	30000	520.4301075	15677.16685	30000	0	0	30000	41.5	2004
12.02.2020 12:18:11	1	1	1	1	71.75	61.5	0	30000	520.4301075	15677.16685	30000	0	0	30000	41.125	2004
12.02.2020 12:18:12	1	1	1	1	71.75	61	0	30000	516.1290323	15483.92357	30000	0	0	30000	41.5	2004
12.02.2020 12:18:13	1	1	1	1	71.75	61.5	0	30000	520.4301075	15677.16685	30000	0	0	30000	40.75	2004
12.02.2020 12:18:14	1	1	1	1	71.75	60.75	0	30000	518.2795699	15548.338	30000	0	0	30000	41.375	2004
12.02.2020 12:18:15	1	1	1	1	71.75	61.25	0	30000	524.7311828	15741.58128	30000	0	0	30000	40.625	2004
12.02.2020 12:18:16	1	1	1	1	71.75	60.5	0	30000	526.8817204	15805.99571	30000	0	0	30000	41.625	2004
12.02.2020 12:18:17	1	1	1	1	71.5	61.5	0	29952.607	529.0322581	15845.94896	30000	0	0	30000	40.6875	2004
12.02.2020 12:18:18	1	1	1	1	71.5	60.5	0	30000	524.7311828	15805.99571	30000	0	0	30000	41.375	2004
12.02.2020 12:18:19	1	1	1	1	71.5	61.25	0	29952.607	516.1290323	15548.338	30000	0	0	30000	41.625	2004
12.02.2020 12:18:20	1	1	1	1	71.5	61.5	0	30000	516.1290323	15354.27935	30000	0	0	30000	41.25	2004
12.02.2020 12:18:21	1	1	1	1	71.5	61.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	41.1875	2004
12.02.2020 12:18:22	1	1	1	1	71.5	61	0	30000	518.2795699	15548.338	30000	0	0	30000	41.4375	2004
12.02.2020 12:18:23	1	1	1	1	71.5	61.25	0	30000	511.827957	15354.27935	30000	0	0	30000	41.25	2004
12.02.2020 12:18:24	1	1	1	1	71.5	61.25	0	30000	518.2795699	15548.338	30000	0	0	30000	41.3125	2004
12.02.2020 12:18:25	1	1	1	1	71.5	61.25	0	30000	522.5806452	15677.16685	30000	0	0	30000	40.6875	2004
12.02.2020 12:18:26	1	1	1	1	71.5	60.5	0	30000	520.4301075	15548.338	30000	0	0	30000	41.1875	2004
12.02.2020 12:18:27	1	1	1	1	71.5	61	0	30000	516.1290323	15483.92357	30000	0	0	30000	41.5625	2004
12.02.2020 12:18:28	1	1	1	1	71.5	61.5	0	30000	516.1290323	15483.92357	30000	0	0	30000	41.1875	2004
12.02.2020 12:18:29	1	1	1	1	71.5	61	0	30000	516.1290323	15483.92357	30000	0	0	30000	41.5	2004
12.02.2020 12:18:30	1	1	1	1	71.5	61.5	0	30047.393	522.5806452	15483.92357	30000	0	0	30000	40.3125	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 12:19:15	1	1	1	1	70.75	60.75	0	30000	518.2795699	15548.338	30000	0	0	30000	41	2004
12.02.2020 12:19:16	1	1	1	1	70.75	61	0	30000	518.2795699	15548.338	30000	0	0	30000	41.5	2004
12.02.2020 12:19:18	1	1	1	1	70.75	61.5	0	30000	516.1290323	15483.92357	30000	0	0	30000	41.125	2004
12.02.2020 12:19:19	1	1	1	1	70.75	61	0	29952.607	520.4301075	15483.92357	30000	0	0	30000	40.75	2004
12.02.2020 12:19:20	1	1	1	1	70.75	60.75	0	30000	516.1290323	15289.86492	30000	0	0	30000	41.0625	2004
12.02.2020 12:19:21	1	1	1	1	70.75	61.25	0	29905.213	516.1290323	15354.27935	30000	0	0	30000	41.375	2004
12.02.2020 12:19:22	1	1	1	1	70.75	61.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	41.0625	2004
12.02.2020 12:19:23	1	1	1	1	70.75	61	0	30000	520.4301075	15548.338	30000	0	0	30000	41.4375	2004
12.02.2020 12:19:24	1	1	1	1	70.75	61.25	0	30000	516.1290323	15548.338	30000	0	0	30000	41.0625	2004
12.02.2020 12:19:25	1	1	1	1	70.75	61	0	30000	516.1290323	15548.338	30000	0	0	30000	41.5625	2004
12.02.2020 12:19:26	1	1	1	1	70.75	61.5	0	30000	520.4301075	15548.338	30000	0	0	30000	41.0625	2004
12.02.2020 12:19:27	1	1	1	1	70.25	61	0	29952.607	516.1290323	15523.87682	30000	0	0	30000	41.125	2004
12.02.2020 12:19:28	1	1	1	1	70.25	61	0	29952.607	507.5268817	15483.92357	30000	0	0	30000	41.125	2004
12.02.2020 12:19:29	1	1	1	1	70.25	61	0	29952.607	518.2795699	15548.338	30000	0	0	30000	41.25	2004
12.02.2020 12:19:30	1	1	1	1	70.25	61.25	0	30000	518.2795699	15483.92357	30000	0	0	30000	41.375	2004
12.02.2020 12:19:31	1	1	1	1	70.25	61.25	0	30000	518.2795699	15548.338	30000	0	0	30000	41.0625	2004
12.02.2020 12:19:32	1	1	1	1	70.25	61	0	30000	524.7311828	15677.16685	30000	0	0	30000	41.1875	2004
12.02.2020 12:19:33	1	1	1	1	70.25	61	0	30000	516.1290323	15548.338	30000	0	0	30000	41.4375	2004
12.02.2020 12:19:34	1	1	1	1	70.25	61.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	40.9375	2004
12.02.2020 12:19:35	1	1	1	1	70.25	60.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	40.875	2004
12.02.2020 12:19:36	1	1	1	1	70.25	60.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	41.5625	2004
12.02.2020 12:19:37	1	1	1	1	70.25	61.5	0	30000	511.827957	15354.27935	30000	0	0	30000	41.25	2004
12.02.2020 12:19:38	1	1	1	1	70.25	61.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	41.5	2004
12.02.2020 12:19:39	1	1	1	1	70.25	61.5	0	30000	518.2795699	15548.338	30000	0	0	30000	41.3125	2004
12.02.2020 12:19:40	1	1	1	1	70.25	61.25	0	30000	520.4301075	15612.75243	30000	0	0	30000	41.4375	2004
12.02.2020 12:19:41	1	1	1	1	70.25	61.25	0	30000	518.2795699	15548.338	30000	0	0	30000	40.6875	2004
12.02.2020 12:19:42	1	1	1	1	70.25	60.5	0	30000	518.2795699	15548.338	30000	0	0	30000	41.4375	2004
12.02.2020 12:19:43	1	1	1	1	70.25	61.25	0	30000	518.2795699	15548.338	30000	0	0	30000	41	2004
12.02.2020 12:19:44	1	1	1	1	70.25	61	0	30000	518.2795699	15548.338	30000	0	0	30000	41.375	2004
12.02.2020 12:19:45	1	1	1	1	70.25	61.25	0	29952.607	507.5268817	15177.34352	30000	0	0	30000	41.25	2004
12.02.2020 12:19:46	1	1	1	1	70.25	61.25	0	30000	518.2795699	15548.338	30000	0	0	30000	41.5	2004
12.02.2020 12:19:47	1	1	1	1	70.25	61.5	0	30000	516.1290323	15483.92357	30000	0	0	30000	41.375	2004
12.02.2020 12:19:48	1	1	1	1	70.25	61.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	41.4375	2004
12.02.2020 12:19:49	1	1	1	1	70.25	61.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	41.125	2004
12.02.2020 12:19:50	1	1	1	1	70.25	61	0	30000	516.1290323	15548.338	30000	0	0	30000	41.3125	2004
12.02.2020 12:19:51	1	1	1	1	70.25	61.25	0	30000	518.2795699	15548.338	30000	0	0	30000	41	2004
12.02.2020 12:19:52	1	1	1	1	70.25	61	0	30000	516.1290323	15354.27935	30000	0	0	30000	41.0625	2004
12.02.2020 12:19:53	1	1	1	1	70.25	61	0	30000	516.1290323	15483.92357	30000	0	0	30000	41.125	2004
12.02.2020 12:19:55	1	1	1	1	70.25	61	0	30000	516.1290323	15483.92357	30000	0	0	30000	41.5625	2004
12.02.2020 12:19:56	1	1	1	1	70.25	61.5	0	29905.213	511.827957	15483.92357	30000	0	0	30000	41.5	2004
12.02.2020 12:19:57	1	1	1	1	70.25	61.5	0	30000	520.4301075	15548.338	30000	0	0	30000	41.375	2004
12.02.2020 12:19:58	1	1	1	1	70.25	61.5	0	30000	511.827957	15483.92357	30000	0	0	30000	41.5625	2004
12.02.2020 12:19:59	1	1	1	1	70.25	61.5	0	30000	516.1290323	15483.92357	30000	0	0	30000	40.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 12:20:00	1	1	1	1	70.25	60.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	41.3125	2004
12.02.2020 12:20:01	1	1	1	1	70.25	61.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	41.3125	2004
12.02.2020 12:20:02	1	1	1	1	70.25	61.25	0	30000	520.4301075	15548.338	30000	0	0	30000	41.5	2004
12.02.2020 12:20:03	1	1	1	1	70.25	61.5	0	29905.213	509.6774194	15548.338	30000	0	0	30000	41.25	2004
12.02.2020 12:20:04	1	1	1	1	70.25	61.25	0	29952.607	516.1290323	15483.92357	30000	0	0	30000	41.5	2004
12.02.2020 12:20:05	1	1	1	1	70.25	61.5	0	30000	516.1290323	15354.27935	30000	0	0	30000	40.875	2004
12.02.2020 12:20:06	1	1	1	1	70.25	60.75	0	30000	516.1290323	15548.338	30000	0	0	30000	41.375	2004
12.02.2020 12:20:07	1	1	1	1	69.75	61.25	0	30000	516.1290323	15354.27935	30000	0	0	30000	40.75	2004
12.02.2020 12:20:14	1	1	1	1	69.75	61.5	0	30047.393	516.1290323	15483.92357	30000	0	0	30000	40.875	2004
12.02.2020 12:20:14	1	1	1	1	69.75	61.5	0	30047.393	516.1290323	15483.92357	30000	0	0	30000	40.875	2004
12.02.2020 12:20:14	1	1	1	1	69.75	61.5	0	30047.393	516.1290323	15483.92357	30000	0	0	30000	40.875	2004
12.02.2020 12:20:14	1	1	1	1	69.75	61.5	0	30047.393	516.1290323	15483.92357	30000	0	0	30000	40.875	2004
12.02.2020 12:20:14	1	1	1	1	69.75	61.5	0	30047.393	516.1290323	15483.92357	30000	0	0	30000	40.875	2004
12.02.2020 12:20:14	1	1	1	1	69.75	60.75	0	29905.213	511.827957	15548.338	30000	0	0	30000	41.125	2004
12.02.2020 12:20:15	1	1	1	1	69.75	61	0	29952.607	516.1290323	15483.92357	30000	0	0	30000	41.5	2004
12.02.2020 12:20:16	1	1	1	1	69.75	61.5	0	30000	516.1290323	15354.27935	30000	0	0	30000	41.625	2004
12.02.2020 12:20:17	1	1	1	1	69.75	61.5	0	30000	516.1290323	15483.92357	30000	0	0	30000	40.75	2004
12.02.2020 12:20:18	1	1	1	1	69.75	60.75	0	30000	516.1290323	15459.4624	30000	0	0	30000	41.125	2004
12.02.2020 12:20:19	1	1	1	1	69.75	61	0	30000	516.1290323	15483.92357	30000	0	0	30000	41.0625	2004
12.02.2020 12:20:20	1	1	1	1	69.75	61	0	30000	516.1290323	15483.92357	30000	0	0	30000	41.4375	2004
12.02.2020 12:20:21	1	1	1	1	69.75	61.25	0	30000	520.4301075	15523.87682	30000	0	0	30000	40.5625	2004
12.02.2020 12:20:22	1	1	1	1	69.75	60.5	0	30000	516.1290323	15483.92357	30000	0	0	30000	41.0625	2004
12.02.2020 12:20:23	1	1	1	1	69.75	61	0	30000	516.1290323	15354.27935	30000	0	0	30000	41	2004
12.02.2020 12:20:24	1	1	1	1	69.75	61	0	29952.607	516.1290323	15548.338	30000	0	0	30000	41.6875	2004
12.02.2020 12:20:25	1	1	1	1	69.75	61.5	0	30000	511.827957	15572.79917	30000	0	0	30000	40.75	2004
12.02.2020 12:20:26	1	1	1	1	69.75	60.75	0	30000	511.827957	15483.92357	30000	0	0	30000	41.5	2004
12.02.2020 12:20:27	1	1	1	1	69.25	61.5	0	29952.607	516.1290323	15523.87682	30000	0	0	30000	41.375	2004
12.02.2020 12:20:28	1	1	1	1	69.25	61.25	0	29952.607	518.2795699	15330.63354	30000	0	0	30000	41.125	2004
12.02.2020 12:20:29	1	1	1	1	69.25	61	0	30000	516.1290323	15483.92357	30000	0	0	30000	41.5625	2004
12.02.2020 12:20:30	1	1	1	1	69.25	61.5	0	30000	511.827957	15289.86492	30000	0	0	30000	40.8125	2004
12.02.2020 12:20:31	1	1	1	1	69.25	60.75	0	30000	507.5268817	15483.92357	30000	0	0	30000	41.0625	2004
12.02.2020 12:20:32	1	1	1	1	69.25	61	0	30000	518.2795699	15548.338	30000	0	0	30000	41.0625	2004
12.02.2020 12:20:34	1	1	1	1	69.25	61	0	30000	516.1290323	15483.92357	30000	0	0	30000	41.1875	2004
12.02.2020 12:20:35	1	1	1	1	69.25	61	0	30000	518.2795699	15548.338	30000	0	0	30000	41.75	2004
12.02.2020 12:20:36	1	1	1	1	69.25	61.75	0	29952.607	516.1290323	15548.338	30000	0	0	30000	41.5	2004
12.02.2020 12:20:37	1	1	1	1	69.25	61.5	0	30000	518.2795699	15548.338	30000	0	0	30000	40.875	2004
12.02.2020 12:20:38	1	1	1	1	69.5	60.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	41.6875	2004
12.02.2020 12:20:39	1	1	1	1	69.5	61	0	30000	516.1290323	15483.92357	30000	0	0	30000	41.3125	2004
12.02.2020 12:20:40	1	1	1	1	69.5	61.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	41.125	2004
12.02.2020 12:20:41	1	1	1	1	69.5	61	0	30000	516.1290323	15726.90457	30000	0	0	30000	41.0625	2004
12.02.2020 12:20:42	1	1	1	1	69.5	61	0	30000	516.1290323	15483.92357	30000	0	0	30000	41.125	2004
12.02.2020 12:20:43	1	1	1	1	69.5	61	0	30000	518.2795699	15741.58128	30000	0	0	30000	41.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 12:20:44	1	1	1	1	69.5	61	0	30000	518.2795699	15548.338	30000	0	0	30000	41.25	2004
12.02.2020 12:20:45	1	1	1	1	69.5	61.25	0	30000	518.2795699	15483.92357	30000	0	0	30000	41.5	2004
12.02.2020 12:20:46	1	1	1	1	69.5	61.5	0	30000	516.1290323	15483.92357	30000	0	0	30000	40.9375	2004
12.02.2020 12:20:47	1	1	1	1	69	60.75	0	30000	516.1290323	15241.75794	30000	0	0	30000	41.625	2004
12.02.2020 12:20:48	1	1	1	1	69	61.5	0	29952.607	509.6774194	15354.27935	30000	0	0	30000	41.3125	2004
12.02.2020 12:20:49	1	1	1	1	69	61.25	0	29905.213	511.827957	15289.86492	30000	0	0	30000	40.6875	2004
12.02.2020 12:20:50	1	1	1	1	69	60.5	0	30000	516.1290323	15483.92357	30000	0	0	30000	41.0625	2004
12.02.2020 12:20:51	1	1	1	1	69	61	0	30000	516.1290323	15483.92357	30000	0	0	30000	41	2004
12.02.2020 12:20:52	1	1	1	1	69	61	0	29952.607	516.1290323	15330.63354	30000	0	0	30000	41	2004
12.02.2020 12:20:53	1	1	1	1	69	61	0	30000	509.6774194	15354.27935	30000	0	0	30000	41.375	2004
12.02.2020 12:20:54	1	1	1	1	69	61.25	0	30047.393	522.5806452	15483.92357	30000	0	0	30000	41.4375	2004
12.02.2020 12:20:55	1	1	1	1	69	61.25	0	30000	511.827957	15354.27935	30000	0	0	30000	41.375	2004
12.02.2020 12:20:56	1	1	1	1	69	61.25	0	30000	516.1290323	15548.338	30000	0	0	30000	40.6875	2004
12.02.2020 12:20:57	1	1	1	1	69	60.5	0	30000	516.1290323	15483.92357	30000	0	0	30000	40.5	2004
12.02.2020 12:20:58	1	1	1	1	69	60.5	0	30000	520.4301075	15548.338	30000	0	0	30000	41	2004
12.02.2020 12:20:59	1	1	1	1	69	61	0	30000	516.1290323	15548.338	30000	0	0	30000	40.625	2004
12.02.2020 12:21:00	1	1	1	1	69	60.5	0	30000	522.5806452	15677.16685	30000	0	0	30000	40.875	2004
12.02.2020 12:21:01	1	1	1	1	69	60.75	0	30000	522.5806452	15677.16685	30000	0	0	30000	41.1875	2004
12.02.2020 12:21:02	1	1	1	1	69	61	0	30000	522.5806452	15652.70568	30000	0	0	30000	41.4375	2004
12.02.2020 12:21:03	1	1	1	1	69	61.25	0	30000	518.2795699	15548.338	30000	0	0	30000	41	2004
12.02.2020 12:21:04	1	1	1	1	69	61	0	30000	520.4301075	15677.16685	30000	0	0	30000	40.25	2004
12.02.2020 12:21:05	1	1	1	1	69	60.25	0	29857.82	533.3333333	15987.82377	30000	0	0	30000	41.1875	2004
12.02.2020 12:21:06	1	1	1	1	69	61	0	29952.607	520.4301075	15677.16685	30000	0	0	30000	41.6875	2004
12.02.2020 12:21:07	1	1	1	1	68.5	61.5	0	30000	520.4301075	15612.75243	30000	0	0	30000	41.5	2004
12.02.2020 12:21:08	1	1	1	1	68.5	61.5	0	30000	516.1290323	15483.92357	30000	0	0	30000	41.3125	2004
12.02.2020 12:21:15	1	1	1	1	68.5	61	0	30000	516.1290323	15483.92357	30000	0	0	30000	41.5	2004
12.02.2020 12:21:15	1	1	1	1	68.5	61	0	30000	516.1290323	15483.92357	30000	0	0	30000	41.5	2004
12.02.2020 12:21:15	1	1	1	1	68.5	61	0	30000	516.1290323	15483.92357	30000	0	0	30000	41.5	2004
12.02.2020 12:21:15	1	1	1	1	68.5	61	0	30000	516.1290323	15483.92357	30000	0	0	30000	41.5	2004
12.02.2020 12:21:15	1	1	1	1	68.5	61	0	30000	516.1290323	15483.92357	30000	0	0	30000	41.5	2004
12.02.2020 12:21:15	1	1	1	1	68.5	61	0	30000	516.1290323	15483.92357	30000	0	0	30000	41.5	2004
12.02.2020 12:21:16	1	1	1	1	68.5	61.5	0	30000	518.2795699	15523.87682	30000	0	0	30000	41.8125	2004
12.02.2020 12:21:17	1	1	1	1	68.5	61.75	0	30000	516.1290323	15548.338	30000	0	0	30000	41.6875	2004
12.02.2020 12:21:18	1	1	1	1	68.75	61.5	0	30000	520.4301075	15548.338	30000	0	0	30000	41.125	2004
12.02.2020 12:21:19	1	1	1	1	68.75	61.5	0	30000	516.1290323	15483.92357	30000	0	0	30000	41.625	2004
12.02.2020 12:21:20	1	1	1	1	68.75	61.5	0	30000	511.827957	15354.27935	30000	0	0	30000	41.0625	2004
12.02.2020 12:21:21	1	1	1	1	68.75	61	0	30000	511.827957	15354.27935	30000	0	0	30000	41.125	2004
12.02.2020 12:21:22	1	1	1	1	68.75	61	0	30000	516.1290323	15548.338	30000	0	0	30000	41.375	2004
12.02.2020 12:21:23	1	1	1	1	68.75	61.25	0	30000	511.827957	15289.86492	30000	0	0	30000	40.0625	2004
12.02.2020 12:21:24	1	1	1	1	68.75	60	0	30000	516.1290323	15548.338	30000	0	0	30000	41.4375	2004
12.02.2020 12:21:25	1	1	1	1	68.75	61.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	40.875	2004
12.02.2020 12:21:26	1	1	1	1	68.75	60.75	0	30000	516.1290323	15354.27935	30000	0	0	30000	41.3125	2004
12.02.2020 12:21:27	1	1	1	1	68.5	61.25	0	30000	511.827957	15354.27935	30000	0	0	30000	40.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 12:21:28	1	1	1	1	68.5	60.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	41.0625	2004
12.02.2020 12:21:29	1	1	1	1	68.5	61	0	30000	516.1290323	15548.338	30000	0	0	30000	41.5	2004
12.02.2020 12:21:30	1	1	1	1	68.5	61.5	0	30000	516.1290323	15418.69377	30000	0	0	30000	40.5625	2004
12.02.2020 12:21:31	1	1	1	1	68.5	60.5	0	30000	516.1290323	15483.92357	30000	0	0	30000	41.125	2004
12.02.2020 12:21:32	1	1	1	1	68.5	61	0	30000	516.1290323	15483.92357	30000	0	0	30000	41.0625	2004
12.02.2020 12:21:33	1	1	1	1	68.5	61	0	30000	516.1290323	15483.92357	30000	0	0	30000	41.375	2004
12.02.2020 12:21:34	1	1	1	1	68.5	61.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	40.75	2004
12.02.2020 12:21:35	1	1	1	1	68.5	60.75	0	30000	511.827957	15483.92357	30000	0	0	30000	41.3125	2004
12.02.2020 12:21:36	1	1	1	1	68.5	61.25	0	30000	516.1290323	15459.4624	30000	0	0	30000	41.625	2004
12.02.2020 12:21:37	1	1	1	1	68.75	61.5	0	30000	520.4301075	15548.338	30000	0	0	30000	41.5	2004
12.02.2020 12:21:38	1	1	1	1	68.75	61.5	0	30000	516.1290323	15483.92357	30000	0	0	30000	41.25	2004
12.02.2020 12:21:39	1	1	1	1	68.75	61.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	41.4375	2004
12.02.2020 12:21:40	1	1	1	1	68.75	61.25	0	29905.213	507.5268817	15483.92357	30000	0	0	30000	41.4375	2004
12.02.2020 12:21:41	1	1	1	1	68.75	61.25	0	30000	507.5268817	15289.86492	30000	0	0	30000	41.4375	2004
12.02.2020 12:21:42	1	1	1	1	68.75	61.25	0	29952.607	516.1290323	15483.92357	30000	0	0	30000	40.8125	2004
12.02.2020 12:21:43	1	1	1	1	68.75	60.75	0	29952.607	511.827957	15330.63354	30000	0	0	30000	41.5	2004
12.02.2020 12:21:44	1	1	1	1	68.75	61.5	0	30000	509.6774194	15289.86492	30000	0	0	30000	41.375	2004
12.02.2020 12:21:45	1	1	1	1	68.75	61.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	40.875	2004
12.02.2020 12:21:46	1	1	1	1	68.75	60.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	41.1875	2004
12.02.2020 12:21:47	1	1	1	1	68.5	61	0	30000	516.1290323	15483.92357	30000	0	0	30000	41.25	2004
12.02.2020 12:21:48	1	1	1	1	68.5	61.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	41.375	2004
12.02.2020 12:21:49	1	1	1	1	68.5	61.25	0	30000	511.827957	15483.92357	30000	0	0	30000	41.0625	2004
12.02.2020 12:21:51	1	1	1	1	68.5	61	0	30000	511.827957	15354.27935	30000	0	0	30000	41.125	2004
12.02.2020 12:21:52	1	1	1	1	68.5	61	0	30000	518.2795699	15548.338	30000	0	0	30000	41.8125	2004
12.02.2020 12:21:53	1	1	1	1	68.5	61.75	0	29952.607	516.1290323	15548.338	30000	0	0	30000	41.125	2004
12.02.2020 12:21:54	1	1	1	1	68.5	61	0	30000	516.1290323	15483.92357	30000	0	0	30000	41.625	2004
12.02.2020 12:21:55	1	1	1	1	68.5	62	0	30000	516.1290323	15354.27935	30000	0	0	30000	41.5	2004
12.02.2020 12:21:56	1	1	1	1	68.5	61.5	0	30000	516.1290323	15483.92357	30000	0	0	30000	40.875	2004
12.02.2020 12:21:57	1	1	1	1	68.5	60.75	0	30000	507.5268817	15096.62164	30000	0	0	30000	40.6875	2004
12.02.2020 12:21:58	1	1	1	1	68.5	60.5	0	29952.607	507.5268817	15289.86492	30000	0	0	30000	41.25	2004
12.02.2020 12:21:59	1	1	1	1	68.5	61.25	0	30000	511.827957	15289.86492	30000	0	0	30000	41.5	2004
12.02.2020 12:22:00	1	1	1	1	68.5	61.5	0	30000	509.6774194	15289.86492	30000	0	0	30000	41.125	2004
12.02.2020 12:22:01	1	1	1	1	68.5	61	0	30000	516.1290323	15483.92357	30000	0	0	30000	40.6875	2004
12.02.2020 12:22:02	1	1	1	1	68.5	60.5	0	30000	511.827957	15289.86492	30000	0	0	30000	41.1875	2004
12.02.2020 12:22:03	1	1	1	1	68.5	61	0	30000	505.3763441	15161.03607	30000	0	0	30000	40.4375	2004
12.02.2020 12:22:04	1	1	1	1	68.5	60.25	0	30000	507.5268817	15289.86492	30000	0	0	30000	41.5	2004
12.02.2020 12:22:05	1	1	1	1	68.5	61.5	0	30000	505.3763441	15161.03607	30000	0	0	30000	41.4375	2004
12.02.2020 12:22:06	1	1	1	1	68.5	61.25	0	30000	507.5268817	15161.03607	30000	0	0	30000	41.125	2004
12.02.2020 12:22:07	1	1	1	1	68.25	61	0	30000	507.5268817	14856.08676	30000	0	0	30000	40.875	2004
12.02.2020 12:22:08	1	1	1	1	68.25	60.75	0	30000	509.6774194	15161.03607	30000	0	0	30000	41.375	2004
12.02.2020 12:22:09	1	1	1	1	68.25	61.25	0	30000	507.5268817	15225.45049	30000	0	0	30000	41.5	2004
12.02.2020 12:22:10	1	1	1	1	68.25	61.5	0	29952.607	507.5268817	15225.45049	30000	0	0	30000	41.1875	2004
12.02.2020 12:22:17	1	1	1	1	68	61.25	0	29952.607	516.1290323	15354.27935	30000	0	0	30000	41.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 12:22:17	1	1	1	1	68	61.25	0	29952.607	516.1290323	15354.27935	30000	0	0	30000	41.5625	2004
12.02.2020 12:22:17	1	1	1	1	68	61.25	0	29952.607	516.1290323	15354.27935	30000	0	0	30000	41.5625	2004
12.02.2020 12:22:17	1	1	1	1	68	61.25	0	29952.607	516.1290323	15354.27935	30000	0	0	30000	41.5625	2004
12.02.2020 12:22:17	1	1	1	1	68	61.25	0	29952.607	516.1290323	15354.27935	30000	0	0	30000	41.5625	2004
12.02.2020 12:22:17	1	1	1	1	68	61.25	0	29952.607	516.1290323	15354.27935	30000	0	0	30000	41.5625	2004
12.02.2020 12:22:17	1	1	1	1	68	61.25	0	29952.607	516.1290323	15354.27935	30000	0	0	30000	41.5625	2004
12.02.2020 12:22:18	1	1	1	1	68	61.5	0	30000	507.5268817	15289.86492	30000	0	0	30000	41.3125	2004
12.02.2020 12:22:19	1	1	1	1	68	61.25	0	30000	509.6774194	15289.86492	30000	0	0	30000	41.4375	2004
12.02.2020 12:22:20	1	1	1	1	68	61.25	0	30000	505.3763441	15161.03607	30000	0	0	30000	40.875	2004
12.02.2020 12:22:21	1	1	1	1	68	60.75	0	30000	507.5268817	15225.45049	30000	0	0	30000	40.75	2004
12.02.2020 12:22:22	1	1	1	1	68	60.75	0	29952.607	505.3763441	15161.03607	30000	0	0	30000	41.5	2004
12.02.2020 12:22:23	1	1	1	1	68	61.5	0	30000	511.827957	15161.03607	30000	0	0	30000	41.125	2004
12.02.2020 12:22:24	1	1	1	1	68	61	0	30000	511.827957	15354.27935	30000	0	0	30000	41.6875	2004
12.02.2020 12:22:25	1	1	1	1	68	61.5	0	30000	507.5268817	15008.56141	30000	0	0	30000	40.6875	2004
12.02.2020 12:22:26	1	1	1	1	68	60.5	0	30000	503.2258065	15161.03607	30000	0	0	30000	41.375	2004
12.02.2020 12:22:27	1	1	1	1	68	61.25	0	29905.213	505.3763441	15161.03607	30000	0	0	30000	41.5625	2004
12.02.2020 12:22:29	1	1	1	1	68	61.5	0	30000	503.2258065	15161.03607	30000	0	0	30000	41.5625	2004
12.02.2020 12:22:30	1	1	1	1	68	61.5	0	30000	505.3763441	15032.20721	30000	0	0	30000	40.6875	2004
12.02.2020 12:22:31	1	1	1	1	68	60.5	0	30000	507.5268817	15161.03607	30000	0	0	30000	41.375	2004
12.02.2020 12:22:32	1	1	1	1	68	61.25	0	30000	498.9247312	15032.20721	30000	0	0	30000	41.75	2004
12.02.2020 12:22:33	1	1	1	1	68	61.75	0	30000	505.3763441	15161.03607	30000	0	0	30000	41.5625	2004
12.02.2020 12:22:34	1	1	1	1	68	61	0	30000	507.5268817	15161.03607	30000	0	0	30000	41.5625	2004
12.02.2020 12:22:35	1	1	1	1	68	61.5	0	30000	516.1290323	15354.27935	30000	0	0	30000	41.375	2004
12.02.2020 12:22:36	1	1	1	1	68	61.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	41.25	2004
12.02.2020 12:22:37	1	1	1	1	68.25	61.25	0	30000	516.1290323	15354.27935	30000	0	0	30000	41.5625	2004
12.02.2020 12:22:38	1	1	1	1	68.25	61.5	0	30000	507.5268817	14984.10024	30000	0	0	30000	41.5625	2004
12.02.2020 12:22:39	1	1	1	1	68.25	61.5	0	30000	509.6774194	15112.92909	30000	0	0	30000	41.5	2004
12.02.2020 12:22:40	1	1	1	1	68.25	61.5	0	30000	509.6774194	15289.86492	30000	0	0	30000	41.375	2004
12.02.2020 12:22:41	1	1	1	1	68.25	61.25	0	29905.213	501.0752688	15354.27935	30000	0	0	30000	41.375	2004
12.02.2020 12:22:42	1	1	1	1	68.25	61.25	0	30000	505.3763441	15161.03607	30000	0	0	30000	41.125	2004
12.02.2020 12:22:43	1	1	1	1	68.25	61	0	30000	503.2258065	15532.84592	30000	0	0	30000	41.1875	2004
12.02.2020 12:22:44	1	1	1	1	68.25	61	0	30000	509.6774194	15289.86492	30000	0	0	30000	41.0625	2004
12.02.2020 12:22:45	1	1	1	1	68.25	61	0	29952.607	507.5268817	15289.86492	30000	0	0	30000	40.9375	2004
12.02.2020 12:22:46	1	1	1	1	68.25	60.75	0	30000	511.827957	15483.92357	30000	0	0	30000	41.25	2004
12.02.2020 12:22:47	1	1	1	1	68	61.25	0	30000	509.6774194	15225.45049	30000	0	0	30000	41.25	2004
12.02.2020 12:22:48	1	1	1	1	68	61.25	0	30000	509.6774194	15354.27935	30000	0	0	30000	41.3125	2004
12.02.2020 12:22:49	1	1	1	1	68	61.25	0	30000	509.6774194	15289.86492	30000	0	0	30000	41.3125	2004
12.02.2020 12:22:50	1	1	1	1	68	61.25	0	30000	511.827957	15354.27935	30000	0	0	30000	41.375	2004
12.02.2020 12:22:51	1	1	1	1	68	61.25	0	30000	511.827957	15289.86492	30000	0	0	30000	40.5	2004
12.02.2020 12:22:52	1	1	1	1	68	60.5	0	30000	511.827957	15137.39026	30000	0	0	30000	41.375	2004
12.02.2020 12:22:53	1	1	1	1	68	61.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	41.625	2004
12.02.2020 12:22:54	1	1	1	1	68	61.5	0	30000	507.5268817	15225.45049	30000	0	0	30000	40.875	2004
12.02.2020 12:22:55	1	1	1	1	68	60.75	0	30000	511.827957	15483.92357	30000	0	0	30000	41.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 12:22:56	1	1	1	1	68	61	0	30047.393	516.1290323	15354.27935	30000	0	0	30000	41.3125	2004
12.02.2020 12:22:57	1	1	1	1	67.5	61.25	0	30000	509.6774194	15289.86492	30000	0	0	30000	41.5	2004
12.02.2020 12:22:58	1	1	1	1	67.5	61.5	0	30000	507.5268817	15225.45049	30000	0	0	30000	39.75	2004
12.02.2020 12:22:59	1	1	1	1	67.5	59.75	0	30000	511.827957	15289.86492	30000	0	0	30000	41.375	2004
12.02.2020 12:23:00	1	1	1	1	67.5	61.25	0	30000	511.827957	15289.86492	30000	0	0	30000	41.5625	2004
12.02.2020 12:23:01	1	1	1	1	67.5	61.5	0	30000	511.827957	15483.92357	30000	0	0	30000	41.4375	2004
12.02.2020 12:23:02	1	1	1	1	67.5	61.25	0	30000	516.1290323	15548.338	30000	0	0	30000	40.75	2004
12.02.2020 12:23:03	1	1	1	1	67.5	60.75	0	30000	511.827957	15483.92357	30000	0	0	30000	41.4375	2004
12.02.2020 12:23:05	1	1	1	1	67.5	61.25	0	30000	511.827957	15483.92357	30000	0	0	30000	40.5	2004
12.02.2020 12:23:06	1	1	1	1	67.5	60.5	0	30000	507.5268817	15289.86492	30000	0	0	30000	41.375	2004
12.02.2020 12:23:07	1	1	1	1	67.5	61.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	41.5	2004
12.02.2020 12:23:08	1	1	1	1	67.75	61.5	0	30000	518.2795699	15548.338	30000	0	0	30000	41.875	2004
12.02.2020 12:23:09	1	1	1	1	67.75	61.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	41.25	2004
12.02.2020 12:23:10	1	1	1	1	67.75	61.25	0	30047.393	522.5806452	15548.338	30000	0	0	30000	41.375	2004
12.02.2020 12:23:11	1	1	1	1	67.75	62	0	30000	518.2795699	15483.92357	30000	0	0	30000	41	2004
12.02.2020 12:23:12	1	1	1	1	67.75	61	0	29905.213	503.2258065	15289.86492	30000	0	0	30000	41.4375	2004
12.02.2020 12:23:19	1	1	1	1	67.25	60.75	0	29905.213	518.2795699	15548.338	30000	0	0	30000	41.5625	2004
12.02.2020 12:23:19	1	1	1	1	67.25	60.75	0	29905.213	518.2795699	15548.338	30000	0	0	30000	41.5625	2004
12.02.2020 12:23:19	1	1	1	1	67.25	60.75	0	29905.213	518.2795699	15548.338	30000	0	0	30000	41.5625	2004
12.02.2020 12:23:19	1	1	1	1	67.25	60.75	0	29905.213	518.2795699	15548.338	30000	0	0	30000	41.5625	2004
12.02.2020 12:23:19	1	1	1	1	67.25	60.75	0	29905.213	518.2795699	15548.338	30000	0	0	30000	41.5625	2004
12.02.2020 12:23:19	1	1	1	1	67.25	61.5	0	30000	516.1290323	15266.21912	30000	0	0	30000	41.375	2004
12.02.2020 12:23:20	1	1	1	1	67.25	61.25	0	30000	520.4301075	15612.75243	30000	0	0	30000	40.9375	2004
12.02.2020 12:23:21	1	1	1	1	67.25	60.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	40.8125	2004
12.02.2020 12:23:22	1	1	1	1	67.25	60.75	0	30000	516.1290323	15612.75243	30000	0	0	30000	41.4375	2004
12.02.2020 12:23:23	1	1	1	1	67.25	61.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	41.3125	2004
12.02.2020 12:23:24	1	1	1	1	67.25	61.25	0	29952.607	516.1290323	15483.92357	30000	0	0	30000	41.5625	2004
12.02.2020 12:23:25	1	1	1	1	67.25	61.5	0	30000	516.1290323	15483.92357	30000	0	0	30000	41.25	2004
12.02.2020 12:23:26	1	1	1	1	67.25	61.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	41.1875	2004
12.02.2020 12:23:27	1	1	1	1	67.25	61	0	30000	522.5806452	15677.16685	30000	0	0	30000	41.4375	2004
12.02.2020 12:23:28	1	1	1	1	67.25	61.25	0	30000	526.8817204	15677.16685	30000	0	0	30000	41.375	2004
12.02.2020 12:23:29	1	1	1	1	67.25	61.25	0	30000	520.4301075	15548.338	30000	0	0	30000	39.9375	2004
12.02.2020 12:23:30	1	1	1	1	67.25	59.75	0	30000	520.4301075	15612.75243	30000	0	0	30000	41.4375	2004
12.02.2020 12:23:31	1	1	1	1	67.25	61.25	0	30000	520.4301075	15612.75243	30000	0	0	30000	41.375	2004
12.02.2020 12:23:32	1	1	1	1	67.25	61.25	0	30000	518.2795699	15612.75243	30000	0	0	30000	41.625	2004
12.02.2020 12:23:33	1	1	1	1	67.25	61.5	0	30000	516.1290323	15483.92357	30000	0	0	30000	41.5625	2004
12.02.2020 12:23:34	1	1	1	1	67.25	61.5	0	30000	509.6774194	15354.27935	30000	0	0	30000	41	2004
12.02.2020 12:23:35	1	1	1	1	67.25	61	0	30000	516.1290323	15612.75243	30000	0	0	30000	40.75	2004
12.02.2020 12:23:36	1	1	1	1	67.25	60.75	0	30000	511.827957	15354.27935	30000	0	0	30000	41.3125	2004
12.02.2020 12:23:37	1	1	1	1	66.75	61.25	0	30000	516.1290323	15266.21912	30000	0	0	30000	41.5625	2004
12.02.2020 12:23:38	1	1	1	1	66.75	61.5	0	29952.607	516.1290323	15483.92357	30000	0	0	30000	41.125	2004
12.02.2020 12:23:39	1	1	1	1	66.75	61	0	30000	516.1290323	15418.69377	30000	0	0	30000	41.3125	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 12:23:40	1	1	1	1	66.75	61.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	41.4375	2004
12.02.2020 12:23:41	1	1	1	1	66.75	61.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	41.375	2004
12.02.2020 12:23:42	1	1	1	1	66.75	61.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	41.25	2004
12.02.2020 12:23:43	1	1	1	1	66.75	61.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	41.375	2004
12.02.2020 12:23:45	1	1	1	1	66.75	61.25	0	30000	516.1290323	15548.338	30000	0	0	30000	41.375	2004
12.02.2020 12:23:46	1	1	1	1	66.75	61.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	41.5	2004
12.02.2020 12:23:47	1	1	1	1	66.75	61.5	0	30000	516.1290323	15483.92357	30000	0	0	30000	41.4375	2004
12.02.2020 12:23:48	1	1	1	1	67	61.25	0	30000	509.6774194	15225.45049	30000	0	0	30000	40.8125	2004
12.02.2020 12:23:49	1	1	1	1	67	60.75	0	30000	505.3763441	15225.45049	30000	0	0	30000	41.625	2004
12.02.2020 12:23:50	1	1	1	1	67	61.25	0	30000	509.6774194	15354.27935	30000	0	0	30000	41.5	2004
12.02.2020 12:23:51	1	1	1	1	67	61.5	0	30000	516.1290323	15418.69377	30000	0	0	30000	40.9375	2004
12.02.2020 12:23:52	1	1	1	1	67	60.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	41.5	2004
12.02.2020 12:23:53	1	1	1	1	67	61.5	0	30000	511.827957	15354.27935	30000	0	0	30000	41.625	2004
12.02.2020 12:23:54	1	1	1	1	67	61.5	0	29952.607	511.827957	15289.86492	30000	0	0	30000	40.6875	2004
12.02.2020 12:23:55	1	1	1	1	67	60.5	0	30000	516.1290323	15548.338	30000	0	0	30000	41	2004
12.02.2020 12:23:56	1	1	1	1	67	61	0	30000	518.2795699	15548.338	30000	0	0	30000	41.25	2004
12.02.2020 12:23:57	1	1	1	1	67.25	61.25	0	30000	516.1290323	15548.338	30000	0	0	30000	41	2004
12.02.2020 12:23:58	1	1	1	1	67.25	61	0	30000	518.2795699	15548.338	30000	0	0	30000	41.375	2004
12.02.2020 12:23:59	1	1	1	1	67.25	61.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	41	2004
12.02.2020 12:24:00	1	1	1	1	67.25	61	0	30000	511.827957	15225.45049	30000	0	0	30000	41.375	2004
12.02.2020 12:24:01	1	1	1	1	67.25	61.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	41.375	2004
12.02.2020 12:24:02	1	1	1	1	67.25	61.25	0	30000	518.2795699	15548.338	30000	0	0	30000	41.5625	2004
12.02.2020 12:24:03	1	1	1	1	67.25	61.5	0	30000	516.1290323	15548.338	30000	0	0	30000	41.6875	2004
12.02.2020 12:24:04	1	1	1	1	67.25	61.5	0	30000	520.4301075	15612.75243	30000	0	0	30000	41.3125	2004
12.02.2020 12:24:05	1	1	1	1	67.25	61.25	0	30000	518.2795699	15612.75243	30000	0	0	30000	41.3125	2004
12.02.2020 12:24:06	1	1	1	1	67.25	61.25	0	30047.393	520.4301075	15637.2136	30000	0	0	30000	41.4375	2004
12.02.2020 12:24:07	1	1	1	1	66.75	61.25	0	30000	518.2795699	15548.338	30000	0	0	30000	41.4375	2004
12.02.2020 12:24:08	1	1	1	1	66.75	61.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	41.375	2004
12.02.2020 12:24:09	1	1	1	1	66.75	61.25	0	30000	518.2795699	15548.338	30000	0	0	30000	41.3125	2004
12.02.2020 12:24:10	1	1	1	1	66.75	61.25	0	30000	516.1290323	15418.69377	30000	0	0	30000	41.4375	2004
12.02.2020 12:24:11	1	1	1	1	66.75	61.25	0	30000	511.827957	15483.92357	30000	0	0	30000	40.625	2004
12.02.2020 12:24:12	1	1	1	1	66.75	60.5	0	30000	516.1290323	15483.92357	30000	0	0	30000	41.5	2004
12.02.2020 12:24:13	1	1	1	1	66.75	61.5	0	30000	516.1290323	15483.92357	30000	0	0	30000	41.3125	2004
12.02.2020 12:24:21	1	1	1	1	66.75	61.5	0	30000	509.6774194	15161.03607	30000	0	0	30000	41.5	2004
12.02.2020 12:24:21	1	1	1	1	66.75	61.5	0	30000	509.6774194	15161.03607	30000	0	0	30000	41.5	2004
12.02.2020 12:24:21	1	1	1	1	66.75	61.5	0	30000	509.6774194	15161.03607	30000	0	0	30000	41.5	2004
12.02.2020 12:24:21	1	1	1	1	66.75	61.5	0	30000	509.6774194	15161.03607	30000	0	0	30000	41.5	2004
12.02.2020 12:24:21	1	1	1	1	66.75	61.5	0	30000	509.6774194	15161.03607	30000	0	0	30000	41.5	2004
12.02.2020 12:24:21	1	1	1	1	66.75	61.5	0	30000	509.6774194	15161.03607	30000	0	0	30000	41.5	2004
12.02.2020 12:24:21	1	1	1	1	66.75	61.5	0	30000	509.6774194	15161.03607	30000	0	0	30000	41.5	2004
12.02.2020 12:24:22	1	1	1	1	66.75	61.5	0	30000	511.827957	15354.27935	30000	0	0	30000	40.125	2004
12.02.2020 12:24:23	1	1	1	1	66.75	60	0	30000	511.827957	15354.27935	30000	0	0	30000	41.125	2004
12.02.2020 12:24:24	1	1	1	1	66.75	61	0	30000	509.6774194	15289.86492	30000	0	0	30000	40.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 12:24:25	1	1	1	1	66.75	60.75	0	30000	520.4301075	15548.338	30000	0	0	30000	41.125	2004
12.02.2020 12:24:26	1	1	1	1	66.75	61	0	30000	516.1290323	15177.34352	30000	0	0	30000	41.75	2004
12.02.2020 12:24:27	1	1	1	1	66.75	61.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	41.0625	2004
12.02.2020 12:24:28	1	1	1	1	66.75	61	0	30000	516.1290323	15418.69377	30000	0	0	30000	41.25	2004
12.02.2020 12:24:29	1	1	1	1	66.75	61.5	0	30000	511.827957	15289.86492	30000	0	0	30000	41.4375	2004
12.02.2020 12:24:30	1	1	1	1	66.75	61.25	0	29952.607	503.2258065	15289.86492	30000	0	0	30000	40.875	2004
12.02.2020 12:24:31	1	1	1	1	66.75	60.75	0	30000	516.1290323	15225.45049	30000	0	0	30000	41	2004
12.02.2020 12:24:32	1	1	1	1	66.75	61	0	30000	509.6774194	15289.86492	30000	0	0	30000	41.5	2004
12.02.2020 12:24:33	1	1	1	1	66.75	61.5	0	30000	516.1290323	15483.92357	30000	0	0	30000	41.6875	2004
12.02.2020 12:24:34	1	1	1	1	66.75	61.5	0	30000	516.1290323	15483.92357	30000	0	0	30000	41.3125	2004
12.02.2020 12:24:35	1	1	1	1	66.75	61.25	0	29952.607	516.1290323	15354.27935	30000	0	0	30000	41.1875	2004
12.02.2020 12:24:36	1	1	1	1	66.75	61	0	30000	516.1290323	15483.92357	30000	0	0	30000	41.375	2004
12.02.2020 12:24:37	1	1	1	1	66.75	61.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	41.0625	2004
12.02.2020 12:24:38	1	1	1	1	66.75	61	0	30000	516.1290323	15483.92357	30000	0	0	30000	41.25	2004
12.02.2020 12:24:39	1	1	1	1	66.75	61.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	41.3125	2004
12.02.2020 12:24:40	1	1	1	1	66.75	61.25	0	29952.607	516.1290323	15289.86492	30000	0	0	30000	41.25	2004
12.02.2020 12:24:41	1	1	1	1	66.75	61.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	40.875	2004
12.02.2020 12:24:42	1	1	1	1	66.75	60.75	0	29952.607	516.1290323	15483.92357	30000	0	0	30000	41.25	2004
12.02.2020 12:24:43	1	1	1	1	66.75	61.25	0	30000	518.2795699	15548.338	30000	0	0	30000	41.3125	2004
12.02.2020 12:24:44	1	1	1	1	66.75	61.25	0	30047.393	516.1290323	15354.27935	30000	0	0	30000	41.375	2004
12.02.2020 12:24:45	1	1	1	1	66.75	61.25	0	30000	511.827957	15137.39026	30000	0	0	30000	40.875	2004
12.02.2020 12:24:46	1	1	1	1	66.75	60.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	41.125	2004
12.02.2020 12:24:47	1	1	1	1	66.5	61	0	30000	516.1290323	15548.338	30000	0	0	30000	40.875	2004
12.02.2020 12:24:48	1	1	1	1	66.5	60.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	41.5625	2004
12.02.2020 12:24:49	1	1	1	1	66.5	61.5	0	30000	509.6774194	15354.27935	30000	0	0	30000	41.4375	2004
12.02.2020 12:24:50	1	1	1	1	66.5	61.25	0	30000	516.1290323	15354.27935	30000	0	0	30000	41.25	2004
12.02.2020 12:24:51	1	1	1	1	66.5	61.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	41.5625	2004
12.02.2020 12:24:52	1	1	1	1	66.5	61.5	0	29952.607	516.1290323	15483.92357	30000	0	0	30000	41.1875	2004
12.02.2020 12:24:53	1	1	1	1	66.5	61	0	30000	518.2795699	15548.338	30000	0	0	30000	41.125	2004
12.02.2020 12:24:54	1	1	1	1	66.5	61	0	30000	518.2795699	15548.338	30000	0	0	30000	41.1875	2004
12.02.2020 12:24:55	1	1	1	1	66.5	61	0	30000	516.1290323	15483.92357	30000	0	0	30000	40.875	2004
12.02.2020 12:24:56	1	1	1	1	66.5	60.75	0	30000	518.2795699	15548.338	30000	0	0	30000	41.25	2004
12.02.2020 12:24:57	1	1	1	1	66.5	61.25	0	29905.213	516.1290323	15483.92357	30000	0	0	30000	41.375	2004
12.02.2020 12:24:58	1	1	1	1	66.5	61.25	0	29905.213	509.6774194	15418.69377	30000	0	0	30000	41.625	2004
12.02.2020 12:24:59	1	1	1	1	66.5	61.5	0	30000	516.1290323	15483.92357	30000	0	0	30000	41.4375	2004
12.02.2020 12:25:01	1	1	1	1	66.5	61.25	0	29952.607	505.3763441	15483.92357	30000	0	0	30000	41.375	2004
12.02.2020 12:25:02	1	1	1	1	66.5	61.25	0	30000	516.1290323	15354.27935	30000	0	0	30000	40.75	2004
12.02.2020 12:25:03	1	1	1	1	66.5	60.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	41.5	2004
12.02.2020 12:25:04	1	1	1	1	66.5	61.5	0	30000	518.2795699	15548.338	30000	0	0	30000	40.6875	2004
12.02.2020 12:25:05	1	1	1	1	66.5	60.5	0	30000	518.2795699	15548.338	30000	0	0	30000	41.1875	2004
12.02.2020 12:25:06	1	1	1	1	66.5	61	0	30000	516.1290323	15483.92357	30000	0	0	30000	41.0625	2004
12.02.2020 12:25:07	1	1	1	1	66.5	61.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	41.125	2004
12.02.2020 12:25:08	1	1	1	1	66.5	61	0	30000	529.0322581	15934.82456	30000	0	0	30000	41.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 12:25:09	1	1	1	1	66.5	61.25	0	30000	522.5806452	15677.16685	30000	0	0	30000	41.4375	2004
12.02.2020 12:25:10	1	1	1	1	66.5	61.25	0	29952.607	518.2795699	15612.75243	30000	0	0	30000	41.5625	2004
12.02.2020 12:25:11	1	1	1	1	66.5	61.5	0	30047.393	522.5806452	15701.62803	30000	0	0	30000	41.125	2004
12.02.2020 12:25:12	1	1	1	1	66.5	61	0	30000	481.7204301	14644.90528	30000	0	0	30000	41.125	2004
12.02.2020 12:25:13	1	1	1	1	66.5	61	0	30000	520.4301075	15548.338	30000	0	0	30000	41.3125	2004
12.02.2020 12:25:14	1	1	1	1	66.5	61.25	0	29952.607	518.2795699	15831.27225	30000	0	0	30000	41.4375	2004
12.02.2020 12:25:15	1	1	1	1	66.5	61.25	0	30000	518.2795699	15483.92357	30000	0	0	30000	40.5625	2004
12.02.2020 12:25:22	1	1	1	1	66.5	61.5	0	30000	516.1290323	15459.4624	30000	0	0	30000	40.875	2004
12.02.2020 12:25:22	1	1	1	1	66.5	61.5	0	30000	516.1290323	15459.4624	30000	0	0	30000	40.875	2004
12.02.2020 12:25:22	1	1	1	1	66.5	61.5	0	30000	516.1290323	15459.4624	30000	0	0	30000	40.875	2004
12.02.2020 12:25:22	1	1	1	1	66.5	61.5	0	30000	516.1290323	15459.4624	30000	0	0	30000	40.875	2004
12.02.2020 12:25:22	1	1	1	1	66.5	60.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	41.4375	2004
12.02.2020 12:25:23	1	1	1	1	66.5	61.25	0	29952.607	516.1290323	15483.92357	30000	0	0	30000	41.5625	2004
12.02.2020 12:25:24	1	1	1	1	66.5	61.5	0	30000	520.4301075	15548.338	30000	0	0	30000	40.6875	2004
12.02.2020 12:25:25	1	1	1	1	66.5	60.5	0	29952.607	518.2795699	15548.338	30000	0	0	30000	41.25	2004
12.02.2020 12:25:26	1	1	1	1	66.5	61.25	0	30000	518.2795699	15548.338	30000	0	0	30000	41.3125	2004
12.02.2020 12:25:27	1	1	1	1	66	61.25	0	30000	518.2795699	15548.338	30000	0	0	30000	41.5625	2004
12.02.2020 12:25:28	1	1	1	1	66	61.5	0	29905.213	516.1290323	15548.338	30000	0	0	30000	41.5625	2004
12.02.2020 12:25:29	1	1	1	1	66	61.5	0	30000	522.5806452	15741.58128	30000	0	0	30000	41.3125	2004
12.02.2020 12:25:30	1	1	1	1	66	61.25	0	30000	518.2795699	15548.338	30000	0	0	30000	41.6875	2004
12.02.2020 12:25:31	1	1	1	1	66	61.5	0	30000	516.1290323	15483.92357	30000	0	0	30000	41.4375	2004
12.02.2020 12:25:32	1	1	1	1	66	61.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	40.6875	2004
12.02.2020 12:25:33	1	1	1	1	66	60.5	0	30000	516.1290323	15637.2136	30000	0	0	30000	41.1875	2004
12.02.2020 12:25:34	1	1	1	1	66	61	0	30000	516.1290323	15483.92357	30000	0	0	30000	41.4375	2004
12.02.2020 12:25:35	1	1	1	1	66	61.25	0	30000	522.5806452	15677.16685	30000	0	0	30000	41.0625	2004
12.02.2020 12:25:36	1	1	1	1	66	61	0	29905.213	522.5806452	15612.75243	30000	0	0	30000	41.625	2004
12.02.2020 12:25:37	1	1	1	1	66	61.5	0	30000	516.1290323	15483.92357	30000	0	0	30000	41.5	2004
12.02.2020 12:25:39	1	1	1	1	66	61.5	0	30000	520.4301075	15677.16685	30000	0	0	30000	41.3125	2004
12.02.2020 12:25:40	1	1	1	1	66	61.25	0	30000	520.4301075	15612.75243	30000	0	0	30000	41.5	2004
12.02.2020 12:25:41	1	1	1	1	66	61.5	0	30000	516.1290323	15548.338	30000	0	0	30000	41.3125	2004
12.02.2020 12:25:42	1	1	1	1	66	61.25	0	30000	518.2795699	15548.338	30000	0	0	30000	41.4375	2004
12.02.2020 12:25:43	1	1	1	1	66	61.25	0	29952.607	516.1290323	15548.338	30000	0	0	30000	41.5625	2004
12.02.2020 12:25:44	1	1	1	1	66	61.5	0	30000	516.1290323	15483.92357	30000	0	0	30000	41.1875	2004
12.02.2020 12:25:45	1	1	1	1	66	61	0	30000	518.2795699	15548.338	30000	0	0	30000	41.125	2004
12.02.2020 12:25:46	1	1	1	1	66	61.25	0	30000	518.2795699	15548.338	30000	0	0	30000	41.5	2004
12.02.2020 12:25:47	1	1	1	1	65.75	61.5	0	30000	516.1290323	15726.90457	30000	0	0	30000	41.3125	2004
12.02.2020 12:25:48	1	1	1	1	65.75	61.25	0	30047.393	524.7311828	15741.58128	30000	0	0	30000	40.6875	2004
12.02.2020 12:25:49	1	1	1	1	65.75	60.5	0	30000	518.2795699	15548.338	30000	0	0	30000	41.375	2004
12.02.2020 12:25:50	1	1	1	1	65.75	61.25	0	30000	520.4301075	15612.75243	30000	0	0	30000	40.4375	2004
12.02.2020 12:25:51	1	1	1	1	65.75	60.25	0	30000	518.2795699	15548.338	30000	0	0	30000	41.4375	2004
12.02.2020 12:25:52	1	1	1	1	65.75	61.25	0	30000	520.4301075	15677.16685	30000	0	0	30000	41.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 12:25:53	1	1	1	1	65.75	61.25	0	30000	518.2795699	15548.338	30000	0	0	30000	41.375	2004
12.02.2020 12:25:54	1	1	1	1	65.75	61.25	0	30000	520.4301075	15677.16685	30000	0	0	30000	40.9375	2004
12.02.2020 12:25:55	1	1	1	1	65.75	60.75	0	29952.607	520.4301075	15548.338	30000	0	0	30000	41.5625	2004
12.02.2020 12:25:56	1	1	1	1	65.75	61.5	0	30000	520.4301075	15548.338	30000	0	0	30000	40.8125	2004
12.02.2020 12:25:57	1	1	1	1	65.75	60.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	41.5	2004
12.02.2020 12:25:58	1	1	1	1	65.75	61.5	0	30000	516.1290323	15483.92357	30000	0	0	30000	41.375	2004
12.02.2020 12:25:59	1	1	1	1	65.75	61.25	0	29952.607	520.4301075	15588.29125	30000	0	0	30000	41.375	2004
12.02.2020 12:26:00	1	1	1	1	65.75	61.25	0	30000	520.4301075	15870.41013	30000	0	0	30000	41.625	2004
12.02.2020 12:26:01	1	1	1	1	65.75	61.5	0	30000	522.5806452	15548.338	30000	0	0	30000	41	2004
12.02.2020 12:26:04	1	1	1	1	65.75	61	0	30000	524.7311828	15741.58128	30000	0	0	30000	39.875	2004
12.02.2020 12:26:04	1	1	1	1	65.75	61	0	30000	524.7311828	15741.58128	30000	0	0	30000	39.875	2004
12.02.2020 12:26:04	1	1	1	1	65.75	61	0	30000	524.7311828	15741.58128	30000	0	0	30000	39.875	2004
12.02.2020 12:26:05	1	1	1	1	65.75	59.75	0	30000	520.4301075	15677.16685	30000	0	0	30000	40.25	2004
12.02.2020 12:26:06	1	1	1	1	65.75	60.25	0	30000	522.5806452	15741.58128	30000	0	0	30000	41.5	2004
12.02.2020 12:26:07	1	1	1	1	65.5	61.5	0	30000	524.7311828	15677.16685	30000	0	0	30000	41.1875	2004
12.02.2020 12:26:08	1	1	1	1	65.5	61	0	30000	516.1290323	15548.338	30000	0	0	30000	41.5625	2004
12.02.2020 12:26:09	1	1	1	1	65.5	61.5	0	30000	524.7311828	15805.99571	30000	0	0	30000	41.3125	2004
12.02.2020 12:26:10	1	1	1	1	65.5	61.25	0	30000	516.1290323	15548.338	30000	0	0	30000	41.6875	2004
12.02.2020 12:26:11	1	1	1	1	65.5	61.5	0	30000	518.2795699	15548.338	30000	0	0	30000	40.75	2004
12.02.2020 12:26:12	1	1	1	1	65.5	60.75	0	30047.393	524.7311828	15548.338	30000	0	0	30000	41.375	2004
12.02.2020 12:26:13	1	1	1	1	65.5	61.25	0	30000	516.1290323	15548.338	30000	0	0	30000	41.4375	2004
12.02.2020 12:26:14	1	1	1	1	65.5	61.25	0	29952.607	522.5806452	15677.16685	30000	0	0	30000	41	2004
12.02.2020 12:26:15	1	1	1	1	65.5	61	0	30000	522.5806452	15677.16685	30000	0	0	30000	41.25	2004
12.02.2020 12:26:16	1	1	1	1	65.5	61.25	0	30047.393	529.0322581	15677.16685	30000	0	0	30000	41.375	2004
12.02.2020 12:26:24	1	1	1	1	65.75	61.25	0	29952.607	516.1290323	15805.99571	30000	0	0	30000	41.25	2004
12.02.2020 12:26:24	1	1	1	1	65.75	61.25	0	29952.607	516.1290323	15805.99571	30000	0	0	30000	41.25	2004
12.02.2020 12:26:24	1	1	1	1	65.75	61.25	0	29952.607	516.1290323	15805.99571	30000	0	0	30000	41.25	2004
12.02.2020 12:26:24	1	1	1	1	65.75	61.25	0	29952.607	516.1290323	15805.99571	30000	0	0	30000	41.25	2004
12.02.2020 12:26:24	1	1	1	1	65.75	61.25	0	29952.607	516.1290323	15805.99571	30000	0	0	30000	41.25	2004
12.02.2020 12:26:24	1	1	1	1	65.75	61.25	0	29952.607	516.1290323	15805.99571	30000	0	0	30000	41.25	2004
12.02.2020 12:26:24	1	1	1	1	65.75	61.25	0	30000	522.5806452	15677.16685	30000	0	0	30000	41.125	2004
12.02.2020 12:26:25	1	1	1	1	65.75	61	0	30000	520.4301075	15677.16685	30000	0	0	30000	41.6875	2004
12.02.2020 12:26:26	1	1	1	1	65.75	61	0	30000	524.7311828	15677.16685	30000	0	0	30000	40.6875	2004
12.02.2020 12:26:27	1	1	1	1	65.75	60.5	0	30000	520.4301075	15677.16685	30000	0	0	30000	41.5625	2004
12.02.2020 12:26:28	1	1	1	1	65.75	61.5	0	30000	526.8817204	15870.41013	30000	0	0	30000	41.4375	2004
12.02.2020 12:26:29	1	1	1	1	65.75	61.25	0	30000	522.5806452	15677.16685	30000	0	0	30000	41.4375	2004
12.02.2020 12:26:30	1	1	1	1	65.75	61.25	0	30000	520.4301075	15677.16685	30000	0	0	30000	40.5	2004
12.02.2020 12:26:31	1	1	1	1	65.75	60.5	0	30000	520.4301075	15612.75243	30000	0	0	30000	41.5625	2004
12.02.2020 12:26:32	1	1	1	1	65.75	61.5	0	30000	526.8817204	15870.41013	30000	0	0	30000	41.5625	2004
12.02.2020 12:26:33	1	1	1	1	65.75	61.5	0	30000	524.7311828	15652.70568	30000	0	0	30000	41.0625	2004
12.02.2020 12:26:34	1	1	1	1	65.75	61	0	30000	529.0322581	15934.82456	30000	0	0	30000	41.6875	2004
12.02.2020 12:26:35	1	1	1	1	65.75	61.5	0	30000	524.7311828	15805.99571	30000	0	0	30000	41.4375	2004
12.02.2020 12:26:36	1	1	1	1	65.75	61.25	0	30000	524.7311828	15677.16685	30000	0	0	30000	41.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 12:26:37	1	1	1	1	65.75	61.5	0	30000	533.3333333	16000.05436	30000	0	0	30000	40.75	2004
12.02.2020 12:26:38	1	1	1	1	65.75	60.75	0	30000	533.3333333	16000.05436	30000	0	0	30000	41.5	2004
12.02.2020 12:26:39	1	1	1	1	65.75	61.5	0	30000	533.3333333	16000.05436	30000	0	0	30000	41.375	2004
12.02.2020 12:26:40	1	1	1	1	65.75	61.25	0	30047.393	533.3333333	15934.82456	30000	0	0	30000	41.1875	2004
12.02.2020 12:26:41	1	1	1	1	65.75	61	0	30000	526.8817204	15805.99571	30000	0	0	30000	41.5	2004
12.02.2020 12:26:42	1	1	1	1	65.75	61.5	0	29952.607	524.7311828	15677.16685	30000	0	0	30000	41.1875	2004
12.02.2020 12:26:43	1	1	1	1	65.75	61	0	30000	526.8817204	15805.99571	30000	0	0	30000	41.5	2004
12.02.2020 12:26:44	1	1	1	1	65.75	61.5	0	30000	529.0322581	15805.99571	30000	0	0	30000	41.3125	2004
12.02.2020 12:26:45	1	1	1	1	65.75	61.25	0	30000	533.3333333	16000.05436	30000	0	0	30000	41.625	2004
12.02.2020 12:26:46	1	1	1	1	65.75	61.5	0	30000	533.3333333	16000.05436	30000	0	0	30000	40.75	2004
12.02.2020 12:26:47	1	1	1	1	65.25	60.75	0	30000	533.3333333	15934.82456	30000	0	0	30000	40.25	2004
12.02.2020 12:26:48	1	1	1	1	65.25	60.25	0	30000	529.0322581	15805.99571	30000	0	0	30000	41.625	2004
12.02.2020 12:26:49	1	1	1	1	65.25	61.5	0	30000	526.8817204	15870.41013	30000	0	0	30000	41.5625	2004
12.02.2020 12:26:50	1	1	1	1	65.25	61.5	0	30000	529.0322581	15563.0147	30000	0	0	30000	40.75	2004
12.02.2020 12:26:51	1	1	1	1	65.25	60.75	0	30000	529.0322581	15870.41013	30000	0	0	30000	41.375	2004
12.02.2020 12:26:52	1	1	1	1	65.25	61.25	0	30000	531.1827957	15934.82456	30000	0	0	30000	40.5625	2004
12.02.2020 12:26:53	1	1	1	1	65.25	60.5	0	30000	533.3333333	15974.77781	30000	0	0	30000	41.625	2004
12.02.2020 12:26:54	1	1	1	1	65.25	61.5	0	29952.607	526.8817204	15885.08684	30000	0	0	30000	41.4375	2004
12.02.2020 12:26:55	1	1	1	1	65.25	61.25	0	30000	529.0322581	15805.99571	30000	0	0	30000	40.9375	2004
12.02.2020 12:26:56	1	1	1	1	65.25	60.75	0	30000	529.0322581	15870.41013	30000	0	0	30000	41.3125	2004
12.02.2020 12:26:57	1	1	1	1	65.25	61.25	0	30000	533.3333333	15934.82456	30000	0	0	30000	40.1875	2004
12.02.2020 12:26:59	1	1	1	1	65.25	60	0	30000	533.3333333	16000.05436	30000	0	0	30000	41.3125	2004
12.02.2020 12:27:00	1	1	1	1	65.25	61.25	0	30000	529.0322581	15934.82456	30000	0	0	30000	41.4375	2004
12.02.2020 12:27:01	1	1	1	1	65.25	61.25	0	30000	533.3333333	16000.05436	30000	0	0	30000	41.375	2004
12.02.2020 12:27:02	1	1	1	1	65.25	61.25	0	29952.607	533.3333333	15974.77781	30000	0	0	30000	41.5625	2004
12.02.2020 12:27:03	1	1	1	1	65.25	61.5	0	30000	533.3333333	16000.05436	30000	0	0	30000	40.9375	2004
12.02.2020 12:27:04	1	1	1	1	65.25	60.75	0	30000	531.1827957	15627.42913	30000	0	0	30000	41.0625	2004
12.02.2020 12:27:05	1	1	1	1	65.25	61.5	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	41.25	2004
12.02.2020 12:27:06	1	1	1	1	65.25	61.25	0	30000	533.3333333	15934.82456	30000	0	0	30000	41.5	2004
12.02.2020 12:27:07	1	1	1	1	65.25	61.5	0	30000	529.0322581	15627.42913	30000	0	0	30000	40.75	2004
12.02.2020 12:27:08	1	1	1	1	65.25	60.75	0	29905.213	520.4301075	15934.82456	30000	0	0	30000	41.0625	2004
12.02.2020 12:27:09	1	1	1	1	65.25	61	0	30000	526.8817204	15805.99571	30000	0	0	30000	41.1875	2004
12.02.2020 12:27:10	1	1	1	1	65.25	61	0	30000	522.5806452	15870.41013	30000	0	0	30000	41.375	2004
12.02.2020 12:27:11	1	1	1	1	65.25	61.25	0	30000	533.3333333	16000.05436	30000	0	0	30000	41.625	2004
12.02.2020 12:27:12	1	1	1	1	65.25	61.5	0	26587.678	550.5376344	14611.47501	30000	0	0	30000	41.625	2004
12.02.2020 12:27:13	1	1	1	1	65.25	61.5	0	29905.213	535.483871	16013.10032	30000	0	0	30000	41.5625	2004
12.02.2020 12:27:14	1	1	1	1	65.25	61.5	0	29905.213	535.483871	16039.19224	30000	0	0	30000	41.3125	2004
12.02.2020 12:27:15	1	1	1	1	65.25	61.25	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	41.0625	2004
12.02.2020 12:27:16	1	1	1	1	65.25	61	0	29952.607	535.483871	15949.50126	30000	0	0	30000	41.3125	2004
12.02.2020 12:27:17	1	1	1	1	65.25	61.25	0	29952.607	533.3333333	15974.77781	30000	0	0	30000	41.375	2004
12.02.2020 12:27:18	1	1	1	1	65.25	61.25	0	29952.607	533.3333333	16064.46878	30000	0	0	30000	41.1875	2004
12.02.2020 12:27:26	1	1	1	1	65.25	61.25	0	29810.427	526.8817204	15949.50126	30000	0	0	30000	41.5	2004
12.02.2020 12:27:26	1	1	1	1	65.25	61.25	0	29810.427	526.8817204	15949.50126	30000	0	0	30000	41.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 12:27:26	1	1	1	1	65.25	61.25	0	29810.427	526.8817204	15949.50126	30000	0	0	30000	41.5	2004
12.02.2020 12:27:26	1	1	1	1	65.25	61.25	0	29810.427	526.8817204	15949.50126	30000	0	0	30000	41.5	2004
12.02.2020 12:27:26	1	1	1	1	65.25	61.25	0	29810.427	526.8817204	15949.50126	30000	0	0	30000	41.5	2004
12.02.2020 12:27:26	1	1	1	1	65.25	61.25	0	29810.427	526.8817204	15949.50126	30000	0	0	30000	41.5	2004
12.02.2020 12:27:26	1	1	1	1	65.25	61.5	0	30000	535.483871	15974.77781	30000	0	0	30000	41.4375	2004
12.02.2020 12:27:27	1	1	1	1	65.25	61.25	0	29952.607	533.3333333	16039.19224	30000	0	0	30000	41.1875	2004
12.02.2020 12:27:28	1	1	1	1	65.25	61	0	29857.82	535.483871	15987.82377	30000	0	0	30000	41.5625	2004
12.02.2020 12:27:29	1	1	1	1	65.25	61.5	0	29905.213	535.483871	16013.10032	30000	0	0	30000	41.625	2004
12.02.2020 12:27:30	1	1	1	1	65.25	61.5	0	30000	533.3333333	16000.05436	30000	0	0	30000	41.25	2004
12.02.2020 12:27:31	1	1	1	1	65.25	61.25	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	41.25	2004
12.02.2020 12:27:32	1	1	1	1	65.25	61.25	0	29952.607	533.3333333	15910.36338	30000	0	0	30000	41.625	2004
12.02.2020 12:27:33	1	1	1	1	65.25	61.5	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	41	2004
12.02.2020 12:27:34	1	1	1	1	65.25	61	0	30000	533.3333333	16000.05436	30000	0	0	30000	41.3125	2004
12.02.2020 12:27:35	1	1	1	1	65.25	61.25	0	29905.213	526.8817204	15974.77781	30000	0	0	30000	41.4375	2004
12.02.2020 12:27:37	1	1	1	1	65.25	61.25	0	29952.607	537.6344086	16013.10032	30000	0	0	30000	41.25	2004
12.02.2020 12:27:38	1	1	1	1	65.25	61.25	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	41.4375	2004
12.02.2020 12:27:39	1	1	1	1	65.25	61.25	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	40.9375	2004
12.02.2020 12:27:40	1	1	1	1	65.25	60.75	0	29952.607	533.3333333	16039.19224	30000	0	0	30000	41.3125	2004
12.02.2020 12:27:41	1	1	1	1	65.25	61.25	0	29952.607	535.483871	16013.10032	30000	0	0	30000	41.4375	2004
12.02.2020 12:27:42	1	1	1	1	65.25	61.25	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	41.1875	2004
12.02.2020 12:27:43	1	1	1	1	65.25	61	0	30000	533.3333333	15974.77781	30000	0	0	30000	41.625	2004
12.02.2020 12:27:44	1	1	1	1	65.25	61.5	0	29715.64	529.0322581	15898.94817	30000	0	0	30000	41.5625	2004
12.02.2020 12:27:45	1	1	1	1	65.25	61.5	0	29810.427	533.3333333	15987.82377	30000	0	0	30000	41.5	2004
12.02.2020 12:27:46	1	1	1	1	65.25	61.5	0	29810.427	533.3333333	15962.54722	30000	0	0	30000	41.75	2004
12.02.2020 12:27:47	1	1	1	1	65.25	61.75	0	29810.427	535.483871	15987.82377	30000	0	0	30000	41.3125	2004
12.02.2020 12:27:48	1	1	1	1	65.25	61.25	0	29810.427	537.6344086	15987.82377	30000	0	0	30000	41.4375	2004
12.02.2020 12:27:49	1	1	1	1	65.25	61.25	0	29810.427	537.6344086	15848.39508	30000	0	0	30000	41.4375	2004
12.02.2020 12:27:50	1	1	1	1	65.25	61.25	0	29857.82	535.483871	15962.54722	30000	0	0	30000	41.625	2004
12.02.2020 12:27:51	1	1	1	1	65.25	61.5	0	29905.213	535.483871	16013.10032	30000	0	0	30000	41.375	2004
12.02.2020 12:27:52	1	1	1	1	65.25	61.25	0	29857.82	537.6344086	15987.82377	30000	0	0	30000	41.625	2004
12.02.2020 12:27:53	1	1	1	1	65.25	61.5	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	41.6875	2004
12.02.2020 12:27:54	1	1	1	1	65.25	61.5	0	29857.82	533.3333333	15987.82377	30000	0	0	30000	41.3125	2004
12.02.2020 12:27:55	1	1	1	1	65.25	61.25	0	29905.213	537.6344086	16103.60666	30000	0	0	30000	41.4375	2004
12.02.2020 12:27:56	1	1	1	1	65.25	61.25	0	29810.427	533.3333333	15987.82377	30000	0	0	30000	40.75	2004
12.02.2020 12:27:57	1	1	1	1	65	60.75	0	30000	535.483871	16128.88321	30000	0	0	30000	41.5625	2004
12.02.2020 12:27:58	1	1	1	1	65	61.5	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	40.6875	2004
12.02.2020 12:27:59	1	1	1	1	65	60.5	0	30000	535.483871	16039.19224	30000	0	0	30000	41.4375	2004
12.02.2020 12:28:00	1	1	1	1	65	61.25	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	41.3125	2004
12.02.2020 12:28:01	1	1	1	1	65	61.25	0	29857.82	535.483871	15987.82377	30000	0	0	30000	41	2004
12.02.2020 12:28:02	1	1	1	1	65	61	0	29810.427	535.483871	15924.22472	30000	0	0	30000	41.5	2004
12.02.2020 12:28:03	1	1	1	1	65	61.5	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	41.625	2004
12.02.2020 12:28:04	1	1	1	1	65	61.5	0	29857.82	529.0322581	16013.10032	30000	0	0	30000	41.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 12:28:05	1	1	1	1	65	61.25	0	29905.213	535.483871	16193.29764	30000	0	0	30000	41.1875	2004
12.02.2020 12:28:06	1	1	1	1	65	61	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	41.5625	2004
12.02.2020 12:28:07	1	1	1	1	64.75	61.5	0	29857.82	535.483871	15987.82377	30000	0	0	30000	41.625	2004
12.02.2020 12:28:08	1	1	1	1	64.75	61.5	0	29857.82	533.3333333	16013.10032	30000	0	0	30000	41.25	2004
12.02.2020 12:28:09	1	1	1	1	64.75	61.25	0	29905.213	541.9354839	16052.2382	30000	0	0	30000	41.125	2004
12.02.2020 12:28:10	1	1	1	1	64.75	61	0	29905.213	535.483871	16013.10032	30000	0	0	30000	41.4375	2004
12.02.2020 12:28:11	1	1	1	1	64.75	61.25	0	29952.607	535.483871	16013.10032	30000	0	0	30000	40.8125	2004
12.02.2020 12:28:12	1	1	1	1	64.75	60.75	0	29905.213	537.6344086	16013.10032	30000	0	0	30000	41.375	2004
12.02.2020 12:28:13	1	1	1	1	64.75	61.25	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	41	2004
12.02.2020 12:28:14	1	1	1	1	64.75	61	0	29905.213	535.483871	16013.10032	30000	0	0	30000	41.375	2004
12.02.2020 12:28:16	1	1	1	1	64.75	61.25	0	29857.82	535.483871	16116.65262	30000	0	0	30000	41.125	2004
12.02.2020 12:28:17	1	1	1	1	64.75	61	0	29857.82	535.483871	15987.82377	30000	0	0	30000	41.5625	2004
12.02.2020 12:28:18	1	1	1	1	65	61.5	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	41.6875	2004
12.02.2020 12:28:19	1	1	1	1	65	61.5	0	30000	535.483871	16000.05436	30000	0	0	30000	41.25	2004
12.02.2020 12:28:20	1	1	1	1	65	61.25	0	29905.213	535.483871	16039.19224	30000	0	0	30000	42	2004
12.02.2020 12:28:27	1	1	1	1	65	61.25	0	29857.82	533.3333333	15924.22472	30000	0	0	30000	41.4375	2004
12.02.2020 12:28:27	1	1	1	1	65	61.25	0	29857.82	533.3333333	15924.22472	30000	0	0	30000	41.4375	2004
12.02.2020 12:28:27	1	1	1	1	65	61.25	0	29857.82	533.3333333	15924.22472	30000	0	0	30000	41.4375	2004
12.02.2020 12:28:27	1	1	1	1	65	61.25	0	29857.82	533.3333333	15924.22472	30000	0	0	30000	41.4375	2004
12.02.2020 12:28:27	1	1	1	1	65	61.25	0	29857.82	533.3333333	15924.22472	30000	0	0	30000	41.4375	2004
12.02.2020 12:28:27	1	1	1	1	65	61.25	0	29905.213	533.3333333	16064.46878	30000	0	0	30000	41.5625	2004
12.02.2020 12:28:28	1	1	1	1	65	61.5	0	29905.213	526.8817204	16168.02109	30000	0	0	30000	41.5	2004
12.02.2020 12:28:29	1	1	1	1	65	61.5	0	29952.607	535.483871	16064.46878	30000	0	0	30000	41.625	2004
12.02.2020 12:28:30	1	1	1	1	65	61.5	0	29905.213	535.483871	15987.82377	30000	0	0	30000	41.4375	2004
12.02.2020 12:28:31	1	1	1	1	65	61.25	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	41.3125	2004
12.02.2020 12:28:32	1	1	1	1	65	61.25	0	29857.82	533.3333333	15987.82377	30000	0	0	30000	41.25	2004
12.02.2020 12:28:33	1	1	1	1	65	61.25	0	29952.607	535.483871	16039.19224	30000	0	0	30000	41.4375	2004
12.02.2020 12:28:34	1	1	1	1	65	61.25	0	29952.607	535.483871	16013.10032	30000	0	0	30000	41.5	2004
12.02.2020 12:28:35	1	1	1	1	65	61.5	0	29715.64	539.7849462	15720.38159	30000	0	0	30000	41.625	2004
12.02.2020 12:28:36	1	1	1	1	65	61.5	0	29952.607	535.483871	15898.94817	30000	0	0	30000	41.5625	2004
12.02.2020 12:28:37	1	1	1	1	64.75	61.5	0	29857.82	535.483871	15987.82377	30000	0	0	30000	41.4375	2004
12.02.2020 12:28:38	1	1	1	1	64.75	61.25	0	29857.82	535.483871	15987.82377	30000	0	0	30000	41.4375	2004
12.02.2020 12:28:39	1	1	1	1	64.75	61.25	0	29857.82	535.483871	15987.82377	30000	0	0	30000	41.125	2004
12.02.2020 12:28:40	1	1	1	1	64.75	61	0	29952.607	535.483871	16103.60666	30000	0	0	30000	41.1875	2004
12.02.2020 12:28:41	1	1	1	1	64.75	61	0	29905.213	535.483871	15987.82377	30000	0	0	30000	41.4375	2004
12.02.2020 12:28:42	1	1	1	1	64.75	61.25	0	29905.213	537.6344086	16013.10032	30000	0	0	30000	41.625	2004
12.02.2020 12:28:43	1	1	1	1	64.75	61.5	0	29763.033	535.483871	15911.99413	30000	0	0	30000	41.5625	2004
12.02.2020 12:28:44	1	1	1	1	64.75	61.5	0	29905.213	535.483871	16064.46878	30000	0	0	30000	41.3125	2004
12.02.2020 12:28:45	1	1	1	1	64.75	61.25	0	29810.427	537.6344086	15987.82377	30000	0	0	30000	41.5	2004
12.02.2020 12:28:46	1	1	1	1	64.75	61.5	0	29857.82	533.3333333	15924.22472	30000	0	0	30000	41.4375	2004
12.02.2020 12:28:47	1	1	1	1	64.75	61.25	0	29952.607	533.3333333	15974.77781	30000	0	0	30000	41.125	2004
12.02.2020 12:28:48	1	1	1	1	64.75	61	0	29857.82	533.3333333	15987.82377	30000	0	0	30000	41.5625	2004





	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 12:29:34	1	1	1	1	64.75	61.5	0	29952.607	535.483871	16013.10032	30000	0	0	30000	41.625	2004
12.02.2020 12:29:35	1	1	1	1	64.75	61.5	0	29857.82	535.483871	15987.82377	30000	0	0	30000	41.625	2004
12.02.2020 12:29:36	1	1	1	1	64.75	61.5	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	41.4375	2004
12.02.2020 12:29:37	1	1	1	1	64.75	61.25	0	30000	533.3333333	16000.05436	30000	0	0	30000	41.4375	2004
12.02.2020 12:29:38	1	1	1	1	64.5	61.25	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	41.25	2004
12.02.2020 12:29:39	1	1	1	1	64.5	61.25	0	29905.213	533.3333333	15924.22472	30000	0	0	30000	41.3125	2004
12.02.2020 12:29:40	1	1	1	1	64.5	61.25	0	29905.213	535.483871	16013.10032	30000	0	0	30000	41.8125	2004
12.02.2020 12:29:41	1	1	1	1	64.5	61.75	0	29952.607	535.483871	15885.08684	30000	0	0	30000	41.75	2004
12.02.2020 12:29:42	1	1	1	1	64.5	61.5	0	29905.213	535.483871	16013.10032	30000	0	0	30000	41.125	2004
12.02.2020 12:29:43	1	1	1	1	64.5	61	0	30000	533.3333333	16064.46878	30000	0	0	30000	41.375	2004
12.02.2020 12:29:44	1	1	1	1	64.5	61.25	0	30000	533.3333333	16000.05436	30000	0	0	30000	41	2004
12.02.2020 12:29:45	1	1	1	1	64.5	61	0	29810.427	533.3333333	15898.94817	30000	0	0	30000	41.6875	2004
12.02.2020 12:29:46	1	1	1	1	64.5	61.5	0	29905.213	533.3333333	16039.19224	30000	0	0	30000	41.625	2004
12.02.2020 12:29:47	1	1	1	1	64.5	61.5	0	29952.607	533.3333333	15949.50126	30000	0	0	30000	41.4375	2004
12.02.2020 12:29:48	1	1	1	1	64.5	61.25	0	29857.82	533.3333333	15898.94817	30000	0	0	30000	41.6875	2004
12.02.2020 12:29:49	1	1	1	1	64.5	61.5	0	29905.213	539.7849462	15770.11932	30000	0	0	30000	41.625	2004
12.02.2020 12:29:50	1	1	1	1	64.5	61.5	0	29715.64	535.483871	15911.99413	30000	0	0	30000	41.4375	2004
12.02.2020 12:29:51	1	1	1	1	64.5	61.25	0	29905.213	541.9354839	16141.92917	30000	0	0	30000	41.3125	2004
12.02.2020 12:29:52	1	1	1	1	64.5	61.25	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	40.9375	2004
12.02.2020 12:29:53	1	1	1	1	64.5	60.75	0	29952.607	537.6344086	16168.02109	30000	0	0	30000	41.4375	2004
12.02.2020 12:29:54	1	1	1	1	64.5	61.25	0	29905.213	537.6344086	15859.81029	30000	0	0	30000	41.1875	2004
12.02.2020 12:29:55	1	1	1	1	64.5	61	0	29810.427	533.3333333	15987.82377	30000	0	0	30000	41.4375	2004
12.02.2020 12:29:56	1	1	1	1	64.5	61.25	0	29857.82	535.483871	15987.82377	30000	0	0	30000	41.6875	2004
12.02.2020 12:29:57	1	1	1	1	64.5	61.5	0	29905.213	535.483871	16013.10032	30000	0	0	30000	41.25	2004
12.02.2020 12:29:58	1	1	1	1	64.5	61.25	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	41.6875	2004
12.02.2020 12:29:59	1	1	1	1	64.5	61.5	0	29905.213	535.483871	15987.82377	30000	0	0	30000	41.625	2004
12.02.2020 12:30:00	1	1	1	1	64.5	61.5	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	41.625	2004
12.02.2020 12:30:01	1	1	1	1	64.5	61.5	0	29905.213	535.483871	15885.08684	30000	0	0	30000	40.3125	2004
12.02.2020 12:30:02	1	1	1	1	64.5	60.25	0	29905.213	535.483871	15859.81029	30000	0	0	30000	41.4375	2004
12.02.2020 12:30:03	1	1	1	1	64.5	61.25	0	29810.427	535.483871	16026.96165	30000	0	0	30000	41.625	2004
12.02.2020 12:30:04	1	1	1	1	64.5	61.5	0	29715.64	537.6344086	15911.99413	30000	0	0	30000	41.625	2004
12.02.2020 12:30:05	1	1	1	1	64.5	61.5	0	29905.213	535.483871	16013.10032	30000	0	0	30000	40.9375	2004
12.02.2020 12:30:06	1	1	1	1	64.5	60.75	0	29905.213	537.6344086	16077.51474	30000	0	0	30000	41.25	2004
12.02.2020 12:30:07	1	1	1	1	64.5	61.25	0	29857.82	537.6344086	16052.2382	30000	0	0	30000	41.25	2004
12.02.2020 12:30:08	1	1	1	1	64.5	61.25	0	29715.64	537.6344086	15911.99413	30000	0	0	30000	40.8125	2004
12.02.2020 12:30:09	1	1	1	1	64.5	60.75	0	29810.427	535.483871	15962.54722	30000	0	0	30000	41.6875	2004
12.02.2020 12:30:10	1	1	1	1	64.5	61.5	0	29857.82	535.483871	15987.82377	30000	0	0	30000	41.375	2004
12.02.2020 12:30:12	1	1	1	1	64.5	61.25	0	29857.82	537.6344086	16116.65262	30000	0	0	30000	41.0625	2004
12.02.2020 12:30:13	1	1	1	1	64.5	61	0	29715.64	533.3333333	15848.39508	30000	0	0	30000	41.625	2004
12.02.2020 12:30:14	1	1	1	1	64.5	61.5	0	29810.427	535.483871	15962.54722	30000	0	0	30000	41.5625	2004
12.02.2020 12:30:15	1	1	1	1	64.5	61.5	0	29810.427	537.6344086	15911.99413	30000	0	0	30000	41.5625	2004
12.02.2020 12:30:16	1	1	1	1	64.5	61.5	0	29810.427	535.483871	16026.96165	30000	0	0	30000	41.3125	2004
12.02.2020 12:30:17	1	1	1	1	64.5	61.25	0	29857.82	535.483871	16026.96165	30000	0	0	30000	41.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 12:30:18	1	1	1	1	64.25	61.25	0	29905.213	539.7849462	16013.10032	30000	0	0	30000	42	2004
12.02.2020 12:30:19	1	1	1	1	64.25	62	0	29905.213	537.6344086	16141.92917	30000	0	0	30000	41.625	2004
12.02.2020 12:30:20	1	1	1	1	64.25	61.5	0	29810.427	537.6344086	16090.5607	30000	0	0	30000	41.5	2004
12.02.2020 12:30:21	1	1	1	1	64.25	61.5	0	29905.213	537.6344086	15987.82377	30000	0	0	30000	41.4375	2004
12.02.2020 12:30:22	1	1	1	1	64.25	61.25	0	29905.213	537.6344086	16141.92917	30000	0	0	30000	41.6875	2004
12.02.2020 12:30:23	1	1	1	1	64.25	61.5	0	29620.853	537.6344086	15708.96638	30000	0	0	30000	41.6875	2004
12.02.2020 12:30:30	1	1	1	1	64.25	61.25	0	29857.82	535.483871	15962.54722	30000	0	0	30000	41.0625	2004
12.02.2020 12:30:30	1	1	1	1	64.25	61.25	0	29857.82	535.483871	15962.54722	30000	0	0	30000	41.0625	2004
12.02.2020 12:30:30	1	1	1	1	64.25	61.25	0	29857.82	535.483871	15962.54722	30000	0	0	30000	41.0625	2004
12.02.2020 12:30:30	1	1	1	1	64.25	61.25	0	29857.82	535.483871	15962.54722	30000	0	0	30000	41.0625	2004
12.02.2020 12:30:30	1	1	1	1	64.25	61.25	0	29857.82	535.483871	15962.54722	30000	0	0	30000	41.0625	2004
12.02.2020 12:30:30	1	1	1	1	64.25	61.25	0	29857.82	535.483871	15962.54722	30000	0	0	30000	41.0625	2004
12.02.2020 12:30:31	1	1	1	1	64.25	61	0	29952.607	537.6344086	16168.02109	30000	0	0	30000	41.5	2004
12.02.2020 12:30:32	1	1	1	1	64.25	61.5	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	41.1875	2004
12.02.2020 12:30:33	1	1	1	1	64.25	61	0	29810.427	537.6344086	16090.5607	30000	0	0	30000	41.1875	2004
12.02.2020 12:30:34	1	1	1	1	64.25	61	0	29715.64	537.6344086	15886.71758	30000	0	0	30000	41.6875	2004
12.02.2020 12:30:35	1	1	1	1	64.25	61.5	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	41.5625	2004
12.02.2020 12:30:36	1	1	1	1	64.25	61.5	0	29810.427	537.6344086	16090.5607	30000	0	0	30000	41.5625	2004
12.02.2020 12:30:37	1	1	1	1	64.75	61.5	0	29715.64	535.483871	15911.99413	30000	0	0	30000	41.375	2004
12.02.2020 12:30:38	1	1	1	1	64.75	61.25	0	29715.64	537.6344086	15797.84198	30000	0	0	30000	40.5	2004
12.02.2020 12:30:39	1	1	1	1	64.75	60.5	0	29810.427	533.3333333	15834.53374	30000	0	0	30000	40.875	2004
12.02.2020 12:30:40	1	1	1	1	64.75	60.75	0	29668.246	535.483871	15975.59318	30000	0	0	30000	41	2004
12.02.2020 12:30:41	1	1	1	1	64.75	61	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	41.5625	2004
12.02.2020 12:30:42	1	1	1	1	64.75	61.5	0	29810.427	537.6344086	16090.5607	30000	0	0	30000	41.4375	2004
12.02.2020 12:30:43	1	1	1	1	64.75	61.25	0	29857.82	539.7849462	16116.65262	30000	0	0	30000	41.3125	2004
12.02.2020 12:30:44	1	1	1	1	64.75	61.25	0	29810.427	537.6344086	16141.92917	30000	0	0	30000	41.5625	2004
12.02.2020 12:30:45	1	1	1	1	64.75	61.5	0	29763.033	535.483871	15911.99413	30000	0	0	30000	41.6875	2004
12.02.2020 12:30:46	1	1	1	1	64.75	61.5	0	29620.853	535.483871	15861.44103	30000	0	0	30000	41.5625	2004
12.02.2020 12:30:47	1	1	1	1	64.25	61.5	0	29810.427	537.6344086	15975.59318	30000	0	0	30000	41.1875	2004
12.02.2020 12:30:48	1	1	1	1	64.25	61	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	41.3125	2004
12.02.2020 12:30:50	1	1	1	1	64.25	61.25	0	29620.853	537.6344086	15925.04009	30000	0	0	30000	41.5625	2004
12.02.2020 12:30:51	1	1	1	1	64.25	61.5	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	41.3125	2004
12.02.2020 12:30:52	1	1	1	1	64.25	61.25	0	29620.853	537.6344086	15861.44103	30000	0	0	30000	41.5	2004
12.02.2020 12:30:53	1	1	1	1	64.25	61.5	0	29620.853	529.0322581	15861.44103	30000	0	0	30000	41.625	2004
12.02.2020 12:30:54	1	1	1	1	64.25	61.5	0	29715.64	537.6344086	16090.5607	30000	0	0	30000	41.3125	2004
12.02.2020 12:30:55	1	1	1	1	64.25	61.25	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	41.4375	2004
12.02.2020 12:30:56	1	1	1	1	64.25	61.25	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	41.75	2004
12.02.2020 12:30:57	1	1	1	1	64.25	61.75	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	41.625	2004
12.02.2020 12:30:58	1	1	1	1	64.75	61.5	0	29715.64	539.7849462	15911.99413	30000	0	0	30000	41.6875	2004
12.02.2020 12:30:59	1	1	1	1	64.75	61.75	0	29857.82	537.6344086	15898.94817	30000	0	0	30000	41.625	2004
12.02.2020 12:31:00	1	1	1	1	64.75	61.5	0	29620.853	539.7849462	15925.04009	30000	0	0	30000	41.75	2004
12.02.2020 12:31:01	1	1	1	1	64.75	61.75	0	29810.427	539.7849462	16090.5607	30000	0	0	30000	41.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 12:31:02	1	1	1	1	64.75	61.5	0	29573.46	537.6344086	15988.63914	30000	0	0	30000	41.25	2004
12.02.2020 12:31:03	1	1	1	1	64.75	61.25	0	29620.853	541.9354839	15988.63914	30000	0	0	30000	41.5625	2004
12.02.2020 12:31:04	1	1	1	1	64.75	61.5	0	29526.066	537.6344086	15937.27068	30000	0	0	30000	41.5625	2004
12.02.2020 12:31:05	1	1	1	1	64.75	61.5	0	29668.246	539.7849462	16040.00761	30000	0	0	30000	41.625	2004
12.02.2020 12:31:06	1	1	1	1	64.75	61.5	0	29573.46	537.6344086	15836.16449	30000	0	0	30000	41	2004
12.02.2020 12:31:07	1	1	1	1	64.25	61	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	41.5	2004
12.02.2020 12:31:08	1	1	1	1	64.25	61.5	0	29620.853	537.6344086	15836.16449	30000	0	0	30000	41.5	2004
12.02.2020 12:31:09	1	1	1	1	64.25	61.5	0	29810.427	541.9354839	16090.5607	30000	0	0	30000	41.75	2004
12.02.2020 12:31:10	1	1	1	1	64.25	61.75	0	29620.853	537.6344086	16040.00761	30000	0	0	30000	41.6875	2004
12.02.2020 12:31:11	1	1	1	1	64.25	61.5	0	29668.246	537.6344086	15925.04009	30000	0	0	30000	41.5625	2004
12.02.2020 12:31:12	1	1	1	1	64.25	61.5	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	41.5625	2004
12.02.2020 12:31:13	1	1	1	1	64.25	61.5	0	29857.82	539.7849462	16181.06705	30000	0	0	30000	41.125	2004
12.02.2020 12:31:14	1	1	1	1	64.25	61	0	29620.853	541.9354839	15772.56543	30000	0	0	30000	41.125	2004
12.02.2020 12:31:15	1	1	1	1	64.25	61	0	29573.46	539.7849462	15963.3626	30000	0	0	30000	41.6875	2004
12.02.2020 12:31:16	1	1	1	1	64.25	61.5	0	29810.427	539.7849462	16154.97513	30000	0	0	30000	41.75	2004
12.02.2020 12:31:17	1	1	1	1	64	61.75	0	29620.853	537.6344086	15925.04009	30000	0	0	30000	41.625	2004
12.02.2020 12:31:18	1	1	1	1	64	61.5	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	41.625	2004
12.02.2020 12:31:19	1	1	1	1	64	61.5	0	29620.853	537.6344086	15925.04009	30000	0	0	30000	41.5625	2004
12.02.2020 12:31:20	1	1	1	1	64	61.5	0	29810.427	539.7849462	16154.97513	30000	0	0	30000	41.0625	2004
12.02.2020 12:31:21	1	1	1	1	64	61	0	29810.427	541.9354839	16090.5607	30000	0	0	30000	41.5625	2004
12.02.2020 12:31:22	1	1	1	1	64	61.5	0	29620.853	537.6344086	15873.67162	30000	0	0	30000	41.0625	2004
12.02.2020 12:31:23	1	1	1	1	64	61	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	41.625	2004
12.02.2020 12:31:24	1	1	1	1	64	61.5	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	41.75	2004
12.02.2020 12:31:32	1	1	1	1	64	61.25	0	29573.46	537.6344086	15772.56543	30000	0	0	30000	41.4375	2004
12.02.2020 12:31:32	1	1	1	1	64	61.25	0	29573.46	537.6344086	15772.56543	30000	0	0	30000	41.4375	2004
12.02.2020 12:31:32	1	1	1	1	64	61.25	0	29573.46	537.6344086	15772.56543	30000	0	0	30000	41.4375	2004
12.02.2020 12:31:32	1	1	1	1	64	61.25	0	29573.46	537.6344086	15772.56543	30000	0	0	30000	41.4375	2004
12.02.2020 12:31:32	1	1	1	1	64	61.25	0	29573.46	537.6344086	15772.56543	30000	0	0	30000	41.4375	2004
12.02.2020 12:31:32	1	1	1	1	64	61.25	0	29573.46	537.6344086	15772.56543	30000	0	0	30000	41.4375	2004
12.02.2020 12:31:32	1	1	1	1	64	61.25	0	29573.46	537.6344086	15772.56543	30000	0	0	30000	41.4375	2004
12.02.2020 12:31:33	1	1	1	1	64	61.25	0	29620.853	539.7849462	15836.16449	30000	0	0	30000	41.375	2004
12.02.2020 12:31:34	1	1	1	1	64	61.25	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	41.375	2004
12.02.2020 12:31:35	1	1	1	1	64	61.25	0	29573.46	541.9354839	16052.2382	30000	0	0	30000	41.75	2004
12.02.2020 12:31:36	1	1	1	1	64	61.75	0	29668.246	539.7849462	16103.60666	30000	0	0	30000	40.9375	2004
12.02.2020 12:31:37	1	1	1	1	64	60.75	0	29526.066	539.7849462	15885.90221	30000	0	0	30000	41.625	2004
12.02.2020 12:31:38	1	1	1	1	64.25	61.5	0	29810.427	546.2365591	16040.00761	30000	0	0	30000	41.25	2004
12.02.2020 12:31:39	1	1	1	1	64.25	61.5	0	29620.853	541.9354839	15988.63914	30000	0	0	30000	41.25	2004
12.02.2020 12:31:40	1	1	1	1	64.25	61.25	0	29668.246	539.7849462	16013.91569	30000	0	0	30000	41.25	2004
12.02.2020 12:31:41	1	1	1	1	64.25	61.25	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	41.25	2004
12.02.2020 12:31:42	1	1	1	1	64.25	61.25	0	29620.853	541.9354839	15988.63914	30000	0	0	30000	41.625	2004
12.02.2020 12:31:43	1	1	1	1	64.25	61.5	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	41.4375	2004
12.02.2020 12:31:44	1	1	1	1	64.25	61.25	0	29810.427	541.9354839	16090.5607	30000	0	0	30000	41.375	2004
12.02.2020 12:31:45	1	1	1	1	64.25	61.25	0	29668.246	537.6344086	15975.59318	30000	0	0	30000	41.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 12:31:46	1	1	1	1	64.25	61.5	0	29763.033	541.9354839	16154.97513	30000	0	0	30000	41.625	2004
12.02.2020 12:31:47	1	1	1	1	64.75	61.5	0	29620.853	537.6344086	15899.76354	30000	0	0	30000	41.375	2004
12.02.2020 12:31:48	1	1	1	1	64.75	61.25	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	41.5625	2004
12.02.2020 12:31:49	1	1	1	1	64.75	61.5	0	29526.066	539.7849462	15988.63914	30000	0	0	30000	41.625	2004
12.02.2020 12:31:50	1	1	1	1	64.75	61.5	0	29668.246	539.7849462	16040.00761	30000	0	0	30000	41.4375	2004
12.02.2020 12:31:51	1	1	1	1	64.75	61.25	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	41.0625	2004
12.02.2020 12:31:52	1	1	1	1	64.75	61	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	41.25	2004
12.02.2020 12:31:53	1	1	1	1	64.75	61.25	0	29526.066	539.7849462	16026.96165	30000	0	0	30000	41.6875	2004
12.02.2020 12:31:54	1	1	1	1	64.75	61.5	0	29526.066	537.6344086	15937.27068	30000	0	0	30000	41.5625	2004
12.02.2020 12:31:55	1	1	1	1	64.75	61.5	0	29431.28	537.6344086	15823.11853	30000	0	0	30000	41.625	2004
12.02.2020 12:31:56	1	1	1	1	64.75	61.5	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	41.3125	2004
12.02.2020 12:31:57	1	1	1	1	64.25	61.25	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	41.25	2004
12.02.2020 12:31:58	1	1	1	1	64.25	61.25	0	29620.853	535.483871	15797.84198	30000	0	0	30000	41	2004
12.02.2020 12:31:59	1	1	1	1	64.25	61	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	41.5625	2004
12.02.2020 12:32:00	1	1	1	1	64.25	61.5	0	29668.246	539.7849462	15988.63914	30000	0	0	30000	41.125	2004
12.02.2020 12:32:01	1	1	1	1	64.25	61	0	29620.853	535.483871	16013.91569	30000	0	0	30000	41.375	2004
12.02.2020 12:32:02	1	1	1	1	64.25	61.25	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	40.875	2004
12.02.2020 12:32:03	1	1	1	1	64.25	60.75	0	29573.46	537.6344086	15810.07257	30000	0	0	30000	40.4375	2004
12.02.2020 12:32:04	1	1	1	1	64.25	60.25	0	29573.46	544.0860215	15937.27068	30000	0	0	30000	41.6875	2004
12.02.2020 12:32:05	1	1	1	1	64.25	61.5	0	29620.853	541.9354839	16040.00761	30000	0	0	30000	41.75	2004
12.02.2020 12:32:07	1	1	1	1	64.25	61.75	0	29668.246	539.7849462	16078.33012	30000	0	0	30000	41.375	2004
12.02.2020 12:32:08	1	1	1	1	64	61.25	0	29668.246	541.9354839	16052.2382	30000	0	0	30000	41.5625	2004
12.02.2020 12:32:09	1	1	1	1	64	61.5	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	41.5625	2004
12.02.2020 12:32:10	1	1	1	1	64	61.5	0	29620.853	541.9354839	16103.60666	30000	0	0	30000	41.5625	2004
12.02.2020 12:32:11	1	1	1	1	64	61.5	0	29620.853	541.9354839	15988.63914	30000	0	0	30000	41.4375	2004
12.02.2020 12:32:12	1	1	1	1	64	61.25	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	41.5	2004
12.02.2020 12:32:13	1	1	1	1	64	61.5	0	29573.46	539.7849462	15963.3626	30000	0	0	30000	41.375	2004
12.02.2020 12:32:14	1	1	1	1	64	61.25	0	29573.46	541.9354839	15988.63914	30000	0	0	30000	41.6875	2004
12.02.2020 12:32:15	1	1	1	1	64	61.5	0	29620.853	541.9354839	15988.63914	30000	0	0	30000	41.375	2004
12.02.2020 12:32:16	1	1	1	1	64	61.25	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	41.5	2004
12.02.2020 12:32:17	1	1	1	1	64	61.5	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	41.5	2004
12.02.2020 12:32:18	1	1	1	1	64	61.5	0	29573.46	537.6344086	15925.04009	30000	0	0	30000	41.125	2004
12.02.2020 12:32:19	1	1	1	1	64	61	0	29526.066	537.6344086	15899.76354	30000	0	0	30000	41.625	2004
12.02.2020 12:32:20	1	1	1	1	64	61.5	0	29526.066	537.6344086	15873.67162	30000	0	0	30000	41.4375	2004
12.02.2020 12:32:21	1	1	1	1	64	61.25	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	41.1875	2004
12.02.2020 12:32:22	1	1	1	1	64	61	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	41.3125	2004
12.02.2020 12:32:23	1	1	1	1	64	61.25	0	29810.427	541.9354839	16103.60666	30000	0	0	30000	41.1875	2004
12.02.2020 12:32:24	1	1	1	1	64	61	0	29715.64	539.7849462	16103.60666	30000	0	0	30000	41.75	2004
12.02.2020 12:32:25	1	1	1	1	64	61.75	0	29810.427	541.9354839	16154.97513	30000	0	0	30000	41.1875	2004
12.02.2020 12:32:26	1	1	1	1	64	61	0	29620.853	539.7849462	16052.2382	30000	0	0	30000	41.25	2004
12.02.2020 12:32:33	1	1	1	1	64.5	61.5	0	29526.066	541.9354839	15937.27068	30000	0	0	30000	41.625	2004
12.02.2020 12:32:33	1	1	1	1	64.5	61.5	0	29526.066	541.9354839	15937.27068	30000	0	0	30000	41.625	2004
12.02.2020 12:32:33	1	1	1	1	64.5	61.5	0	29526.066	541.9354839	15937.27068	30000	0	0	30000	41.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 12:32:33	1	1	1	1	64.5	61.5	0	29526.066	541.9354839	15937.27068	30000	0	0	30000	41.625	2004
12.02.2020 12:32:33	1	1	1	1	64.5	61.5	0	29526.066	541.9354839	15937.27068	30000	0	0	30000	41.625	2004
12.02.2020 12:32:33	1	1	1	1	64.5	61.5	0	29526.066	541.9354839	15937.27068	30000	0	0	30000	41.625	2004
12.02.2020 12:32:33	1	1	1	1	64.5	61.5	0	29526.066	541.9354839	15937.27068	30000	0	0	30000	41.625	2004
12.02.2020 12:32:34	1	1	1	1	64.5	61.5	0	29526.066	539.7849462	15937.27068	30000	0	0	30000	41.625	2004
12.02.2020 12:32:35	1	1	1	1	64.5	61.5	0	29573.46	539.7849462	15963.3626	30000	0	0	30000	41.5625	2004
12.02.2020 12:32:36	1	1	1	1	64.5	61.5	0	29620.853	535.483871	16078.33012	30000	0	0	30000	41.625	2004
12.02.2020 12:32:37	1	1	1	1	64.25	61.5	0	29810.427	541.9354839	16103.60666	30000	0	0	30000	41.375	2004
12.02.2020 12:32:38	1	1	1	1	64.25	61.25	0	29763.033	544.0860215	16167.20572	30000	0	0	30000	41.5625	2004
12.02.2020 12:32:39	1	1	1	1	64.25	61.5	0	29526.066	537.6344086	15963.3626	30000	0	0	30000	41.8125	2004
12.02.2020 12:32:40	1	1	1	1	64.25	61.75	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	41.75	2004
12.02.2020 12:32:41	1	1	1	1	64.25	61.75	0	29526.066	537.6344086	15937.27068	30000	0	0	30000	41.1875	2004
12.02.2020 12:32:42	1	1	1	1	64.25	61	0	29715.64	541.9354839	16231.62015	30000	0	0	30000	41.6875	2004
12.02.2020 12:32:43	1	1	1	1	64.25	61.5	0	29573.46	537.6344086	15963.3626	30000	0	0	30000	41.6875	2004
12.02.2020 12:32:44	1	1	1	1	64.25	61.5	0	29715.64	541.9354839	16167.20572	30000	0	0	30000	41.6875	2004
12.02.2020 12:32:45	1	1	1	1	64.25	61.5	0	29573.46	541.9354839	16052.2382	30000	0	0	30000	41.5625	2004
12.02.2020 12:32:47	1	1	1	1	64.25	61.5	0	29620.853	541.9354839	16115.83725	30000	0	0	30000	41.5625	2004
12.02.2020 12:32:48	1	1	1	1	64.25	61.5	0	29620.853	541.9354839	15988.63914	30000	0	0	30000	41.5625	2004
12.02.2020 12:32:49	1	1	1	1	64.25	61.5	0	29573.46	539.7849462	15899.76354	30000	0	0	30000	41.5625	2004
12.02.2020 12:32:50	1	1	1	1	64.25	61.5	0	29478.673	535.483871	16026.96165	30000	0	0	30000	40.9375	2004
12.02.2020 12:32:51	1	1	1	1	64.25	60.75	0	29668.246	541.9354839	15988.63914	30000	0	0	30000	41.5625	2004
12.02.2020 12:32:52	1	1	1	1	64.25	61.5	0	29668.246	539.7849462	15988.63914	30000	0	0	30000	41.5625	2004
12.02.2020 12:32:53	1	1	1	1	64.25	61.5	0	29620.853	546.2365591	16026.96165	30000	0	0	30000	41	2004
12.02.2020 12:32:54	1	1	1	1	64.25	61	0	29478.673	539.7849462	16064.46878	30000	0	0	30000	41.25	2004
12.02.2020 12:32:55	1	1	1	1	64.25	61.25	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	41.1875	2004
12.02.2020 12:32:56	1	1	1	1	64.25	61	0	29526.066	541.9354839	15963.3626	30000	0	0	30000	41.875	2004
12.02.2020 12:32:57	1	1	1	1	64.25	61.75	0	29620.853	541.9354839	15963.3626	30000	0	0	30000	41.25	2004
12.02.2020 12:32:58	1	1	1	1	64.5	61.5	0	29573.46	539.7849462	15988.63914	30000	0	0	30000	41.6875	2004
12.02.2020 12:32:59	1	1	1	1	64.5	61.5	0	29620.853	541.9354839	15988.63914	30000	0	0	30000	41.375	2004
12.02.2020 12:33:00	1	1	1	1	64.5	61.25	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	41.1875	2004
12.02.2020 12:33:01	1	1	1	1	64.5	61	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	41.625	2004
12.02.2020 12:33:02	1	1	1	1	64.5	61.5	0	29620.853	541.9354839	15988.63914	30000	0	0	30000	41.4375	2004
12.02.2020 12:33:03	1	1	1	1	64.5	61.25	0	29526.066	539.7849462	16026.96165	30000	0	0	30000	41.625	2004
12.02.2020 12:33:04	1	1	1	1	64.5	61.5	0	29620.853	539.7849462	16052.2382	30000	0	0	30000	41.25	2004
12.02.2020 12:33:05	1	1	1	1	64.5	61.25	0	29526.066	539.7849462	16052.2382	30000	0	0	30000	41.8125	2004
12.02.2020 12:33:06	1	1	1	1	64.5	61.75	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	41.6875	2004
12.02.2020 12:33:07	1	1	1	1	64	61.5	0	29526.066	537.6344086	15747.28889	30000	0	0	30000	41.1875	2004
12.02.2020 12:33:08	1	1	1	1	64	61	0	29526.066	539.7849462	16064.46878	30000	0	0	30000	41.4375	2004
12.02.2020 12:33:09	1	1	1	1	64	61.25	0	29573.46	537.6344086	15988.63914	30000	0	0	30000	41.4375	2004
12.02.2020 12:33:10	1	1	1	1	64	61.25	0	29668.246	537.6344086	15950.31664	30000	0	0	30000	41.75	2004
12.02.2020 12:33:11	1	1	1	1	64	61.75	0	29620.853	539.7849462	16052.2382	30000	0	0	30000	41.75	2004
12.02.2020 12:33:12	1	1	1	1	64	61.75	0	29478.673	539.7849462	15975.59318	30000	0	0	30000	41.1875	2004
12.02.2020 12:33:13	1	1	1	1	64	61	0	29620.853	539.7849462	15963.3626	30000	0	0	30000	41.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 12:33:14	1	1	1	1	64	61.5	0	29620.853	541.9354839	15988.63914	30000	0	0	30000	41.5625	2004
12.02.2020 12:33:15	1	1	1	1	64	61.5	0	29526.066	539.7849462	15937.27068	30000	0	0	30000	41.625	2004
12.02.2020 12:33:16	1	1	1	1	64	61.5	0	29763.033	541.9354839	16040.00761	30000	0	0	30000	41.625	2004
12.02.2020 12:33:17	1	1	1	1	64.25	61.5	0	29526.066	537.6344086	15873.67162	30000	0	0	30000	41.5625	2004
12.02.2020 12:33:18	1	1	1	1	64.25	61.5	0	29715.64	541.9354839	16167.20572	30000	0	0	30000	41.5625	2004
12.02.2020 12:33:19	1	1	1	1	64.25	61.5	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	41.4375	2004
12.02.2020 12:33:20	1	1	1	1	64.25	61.25	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	41.6875	2004
12.02.2020 12:33:21	1	1	1	1	64.25	61.5	0	29526.066	539.7849462	15937.27068	30000	0	0	30000	41.5625	2004
12.02.2020 12:33:22	1	1	1	1	64.25	61.5	0	29620.853	537.6344086	15925.04009	30000	0	0	30000	41.5	2004
12.02.2020 12:33:23	1	1	1	1	64.25	61.5	0	29620.853	537.6344086	15861.44103	30000	0	0	30000	41.375	2004
12.02.2020 12:33:24	1	1	1	1	64.25	61.25	0	29715.64	539.7849462	15925.04009	30000	0	0	30000	41.625	2004
12.02.2020 12:33:26	1	1	1	1	64.25	61.5	0	29526.066	539.7849462	16026.96165	30000	0	0	30000	41.375	2004
12.02.2020 12:33:27	1	1	1	1	64.25	61.25	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	41.625	2004
12.02.2020 12:33:28	1	1	1	1	63.5	61.5	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	41.625	2004
12.02.2020 12:33:35	1	1	1	1	63.5	61.25	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	41.375	2004
12.02.2020 12:33:35	1	1	1	1	63.5	61.25	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	41.375	2004
12.02.2020 12:33:35	1	1	1	1	63.5	61.25	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	41.375	2004
12.02.2020 12:33:35	1	1	1	1	63.5	61.25	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	41.375	2004
12.02.2020 12:33:35	1	1	1	1	63.5	61.25	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	41.375	2004
12.02.2020 12:33:35	1	1	1	1	63.5	61.25	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	41.375	2004
12.02.2020 12:33:35	1	1	1	1	63.5	61.25	0	29763.033	544.0860215	16040.00761	30000	0	0	30000	41.3125	2004
12.02.2020 12:33:36	1	1	1	1	63.5	61.25	0	29526.066	537.6344086	16064.46878	30000	0	0	30000	41.6875	2004
12.02.2020 12:33:37	1	1	1	1	64.25	62	0	29620.853	541.9354839	15988.63914	30000	0	0	30000	41.375	2004
12.02.2020 12:33:38	1	1	1	1	64.25	61.25	0	29526.066	539.7849462	15747.28889	30000	0	0	30000	41.5	2004
12.02.2020 12:33:39	1	1	1	1	64.25	61.5	0	29526.066	537.6344086	15937.27068	30000	0	0	30000	41.3125	2004
12.02.2020 12:33:40	1	1	1	1	64.25	61.25	0	29810.427	541.9354839	16154.97513	30000	0	0	30000	41.4375	2004
12.02.2020 12:33:41	1	1	1	1	64.25	61.25	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	41.375	2004
12.02.2020 12:33:42	1	1	1	1	64.25	61.25	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	41.75	2004
12.02.2020 12:33:43	1	1	1	1	64.25	61.75	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	41.3125	2004
12.02.2020 12:33:44	1	1	1	1	64.25	61.25	0	29526.066	537.6344086	15937.27068	30000	0	0	30000	41.375	2004
12.02.2020 12:33:45	1	1	1	1	64.25	61.25	0	29620.853	541.9354839	16026.96165	30000	0	0	30000	41.625	2004
12.02.2020 12:33:46	1	1	1	1	64.25	61.5	0	29668.246	541.9354839	16103.60666	30000	0	0	30000	41.375	2004
12.02.2020 12:33:47	1	1	1	1	64.25	61.25	0	29478.673	537.6344086	15911.99413	30000	0	0	30000	41.5	2004
12.02.2020 12:33:48	1	1	1	1	64.25	61.5	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	41.6875	2004
12.02.2020 12:33:49	1	1	1	1	64.25	61.5	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	41.3125	2004
12.02.2020 12:33:50	1	1	1	1	64.25	61.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	41.6875	2004
12.02.2020 12:33:51	1	1	1	1	64.25	61.5	0	29952.607	425.8064516	12773.62542	30000	0	0	30000	41.5625	2004
12.02.2020 12:33:52	1	1	1	1	64.25	61.5	0	30000	335.483871	10064.14264	30000	0	0	30000	41.75	2004
12.02.2020 12:33:53	1	1	1	1	64.25	61.75	0	30000	318.2795699	9483.597423	30000	0	0	30000	41.4375	2004
12.02.2020 12:33:54	1	1	1	1	64.25	61.25	0	30000	331.1827957	9935.313783	30000	0	0	30000	41.375	2004
12.02.2020 12:33:55	1	1	1	1	64.25	61.25	0	30000	309.6774194	9354.76857	30000	0	0	30000	41.5	2004
12.02.2020 12:33:56	1	1	1	1	64.25	61.5	0	30000	307.5268817	9290.354143	30000	0	0	30000	41.375	2004
12.02.2020 12:33:57	1	1	1	1	67	61.25	0	30000	303.2258065	9096.295491	30000	0	0	30000	41.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 12:33:58	1	1	1	1	67	61.5	0	30000	305.3763441	9160.709918	30000	0	0	30000	41.625	2004
12.02.2020 12:33:59	1	1	1	1	67	61.5	0	30000	305.3763441	9096.295491	30000	0	0	30000	41.5625	2004
12.02.2020 12:34:00	1	1	1	1	67	61.5	0	30000	309.6774194	9354.76857	30000	0	0	30000	41.5625	2004
12.02.2020 12:34:01	1	1	1	1	67	61.5	0	30000	303.2258065	8967.466638	30000	0	0	30000	41.6875	2004
12.02.2020 12:34:02	1	1	1	1	67	61.5	0	30000	305.3763441	9225.124344	30000	0	0	30000	41.6875	2004
12.02.2020 12:34:03	1	1	1	1	67	61.5	0	30000	301.0752688	9096.295491	30000	0	0	30000	41.625	2004
12.02.2020 12:34:05	1	1	1	1	67	61.5	0	30000	307.5268817	9225.124344	30000	0	0	30000	41.625	2004
12.02.2020 12:34:06	1	1	1	1	67	61.5	0	29905.213	305.3763441	9096.295491	30000	0	0	30000	40.625	2004
12.02.2020 12:34:07	1	1	1	1	67	60.5	0	30000	307.5268817	9160.709918	30000	0	0	30000	40.8125	2004
12.02.2020 12:34:08	1	1	1	1	70.25	60.75	0	30000	311.827957	9354.76857	30000	0	0	30000	41.625	2004
12.02.2020 12:34:09	1	1	1	1	70.25	61.5	0	30000	277.4193548	8322.506999	30000	0	0	30000	41.625	2004
12.02.2020 12:34:10	1	1	1	1	70.25	61.5	0	30000	270.9677419	8192.862773	30000	0	0	30000	41.75	2004
12.02.2020 12:34:11	1	1	1	1	70.25	61.75	0	30000	277.4193548	8322.506999	30000	0	0	30000	41.625	2004
12.02.2020 12:34:12	1	1	1	1	70.25	61.5	0	30000	264.516129	7935.205066	30000	0	0	30000	41.625	2004
12.02.2020 12:34:13	1	1	1	1	70.25	61.5	0	30047.393	258.0645161	7676.731987	30000	0	0	30000	41.25	2004
12.02.2020 12:34:14	1	1	1	1	70.25	61.25	0	30000	247.311828	7419.07428	30000	0	0	30000	42.0625	2004
12.02.2020 12:34:15	1	1	1	1	70.25	62	0	30000	251.6129032	7547.903134	30000	0	0	30000	41.5625	2004
12.02.2020 12:34:16	1	1	1	1	70.25	61.5	0	30000	227.9569892	6913.543337	30000	0	0	30000	41.9375	2004
12.02.2020 12:34:17	1	1	1	1	72.25	61.75	0	30000	219.3548387	6515.641562	30000	0	0	30000	41.75	2004
12.02.2020 12:34:18	1	1	1	1	72.25	61.75	0	29952.607	212.9032258	6451.227136	30000	0	0	30000	41.6875	2004
12.02.2020 12:34:19	1	1	1	1	72.25	61.5	0	30000	206.4516129	6193.569429	30000	0	0	30000	41.625	2004
12.02.2020 12:34:20	1	1	1	1	72.25	61.5	0	30000	219.3548387	6515.641562	30000	0	0	30000	41.5625	2004
12.02.2020 12:34:21	1	1	1	1	72.25	61.5	0	0	0	0	30000	0	8	30000	39.0625	2004
12.02.2020 12:34:22	1	1	1	1	72.25	59	0	10663.507	0	0	30000	0	0	30000	41.6875	2004
12.02.2020 12:34:23	1	1	1	1	72.25	61.5	0	11421.801	0	0	30000	0	0	30000	41.625	2004
12.02.2020 12:34:24	1	1	1	1	72.25	61.5	0	12180.095	0	0	30000	0	0	30000	41.5625	2004
12.02.2020 12:34:25	1	1	1	1	72.25	61.5	0	13033.175	0	0	30000	0	0	30000	41.5625	2004
12.02.2020 12:34:26	1	1	1	1	72.25	61.5	0	13744.076	0	0	30000	0	0	30000	41.625	2004
12.02.2020 12:34:27	1	1	1	1	71.5	61.5	0	14454.976	0	0	30000	0	0	30000	41.75	2004
12.02.2020 12:34:28	1	1	1	1	71.5	61.75	0	15308.057	0	0	30000	0	0	30000	41.8125	2004
12.02.2020 12:34:29	1	1	1	1	71.5	61.75	0	16066.351	0	0	30000	0	0	30000	41.875	2004
12.02.2020 12:34:36	1	1	1	1	71.5	61.5	0	21469.194	30.10752688	645.7750116	30000	0	0	30000	41.625	2004
12.02.2020 12:34:36	1	1	1	1	71.5	61.5	0	21469.194	30.10752688	645.7750116	30000	0	0	30000	41.625	2004
12.02.2020 12:34:36	1	1	1	1	71.5	61.5	0	21469.194	30.10752688	645.7750116	30000	0	0	30000	41.625	2004
12.02.2020 12:34:36	1	1	1	1	71.5	61.5	0	21469.194	30.10752688	645.7750116	30000	0	0	30000	41.625	2004
12.02.2020 12:34:36	1	1	1	1	71.5	61.5	0	21469.194	30.10752688	645.7750116	30000	0	0	30000	41.625	2004
12.02.2020 12:34:36	1	1	1	1	71.5	61.5	0	21469.194	30.10752688	645.7750116	30000	0	0	30000	41.625	2004
12.02.2020 12:34:36	1	1	1	1	71.5	61.5	0	21469.194	30.10752688	645.7750116	30000	0	0	30000	41.625	2004
12.02.2020 12:34:37	1	1	1	1	70.5	61.5	0	22132.701	38.70967742	856.1411138	30000	0	0	30000	41.75	2004
12.02.2020 12:34:38	1	1	1	1	70.5	61.75	0	22890.995	55.91397849	1377.979507	30000	0	0	30000	41.6875	2004
12.02.2020 12:34:39	1	1	1	1	70.5	61.5	0	23270.142	103.2258065	2301.796537	30000	0	0	30000	41.75	2004
12.02.2020 12:34:40	1	1	1	1	70.5	61.75	0	23744.076	113.9784946	2711.113527	30000	0	0	30000	41.75	2004
12.02.2020 12:34:41	1	1	1	1	70.5	61.75	0	22748.815	129.0322581	2935.340962	30000	0	0	30000	41.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 12:34:43	1	1	1	1	70.5	61.75	0	22796.209	144.0860215	3284.320387	30000	0	0	30000	41.875	2004
12.02.2020 12:34:44	1	1	1	1	70.5	61.75	0	22985.782	159.1397849	3608.023265	30000	0	0	30000	41.6875	2004
12.02.2020 12:34:45	1	1	1	1	70.5	61.5	0	23175.355	169.8924731	4086.646917	30000	0	0	30000	41.75	2004
12.02.2020 12:34:46	1	1	1	1	70.5	61.75	0	23270.142	189.2473118	4403.826815	30000	0	0	30000	41.8125	2004
12.02.2020 12:34:47	1	1	1	1	70.5	61.75	0	23175.355	206.4516129	4784.605767	30000	0	0	30000	41.6875	2004
12.02.2020 12:34:48	1	1	1	1	71	61.5	0	23696.682	221.5053763	5237.952871	30000	0	0	30000	40.3125	2004
12.02.2020 12:34:49	1	1	1	1	71	60.25	0	23933.649	232.2580645	5621.177941	30000	0	0	30000	41.8125	2004
12.02.2020 12:34:50	1	1	1	1	71	61.75	0	24407.583	249.4623656	6036.202539	30000	0	0	30000	41.8125	2004
12.02.2020 12:34:51	1	1	1	1	71	61.75	0	24928.91	264.516129	6593.917321	30000	0	0	30000	41.625	2004
12.02.2020 12:34:52	1	1	1	1	71	61.5	0	25355.45	283.8709677	7088.03305	30000	0	0	30000	41.75	2004
12.02.2020 12:34:53	1	1	1	1	71	61.75	0	25545.024	294.6236559	7525.888077	30000	0	0	30000	41.75	2004
12.02.2020 12:34:54	1	1	1	1	71	61.75	0	26066.351	309.6774194	8057.51094	30000	0	0	30000	42.0625	2004
12.02.2020 12:34:55	1	1	1	1	71	62	0	26919.431	326.8817204	8668.224934	30000	0	0	30000	41.8125	2004
12.02.2020 12:34:56	1	1	1	1	71	61.75	0	27630.332	361.2903226	9923.083195	30000	0	0	30000	41.6875	2004
12.02.2020 12:34:57	1	1	1	1	70	61.5	0	27914.692	365.5913978	10264.72427	30000	0	0	30000	41.75	2004
12.02.2020 12:34:58	1	1	1	1	70	61.75	0	28293.839	378.4946237	10709.10227	30000	0	0	30000	41	2004
12.02.2020 12:34:59	1	1	1	1	70	61	0	28625.592	397.8494624	11450.27587	30000	0	0	30000	41.9375	2004
12.02.2020 12:35:00	1	1	1	1	70	61.75	0	28815.166	417.2043011	11959.88367	30000	0	0	30000	41.5625	2004
12.02.2020 12:35:01	1	1	1	1	70	61.5	0	29052.133	432.2580645	12432.79972	30000	0	0	30000	41.6875	2004
12.02.2020 12:35:02	1	1	1	1	70	61.5	0	29241.706	445.1612903	13016.60642	30000	0	0	30000	41.625	2004
12.02.2020 12:35:03	1	1	1	1	70	61.5	0	29241.706	453.7634409	13478.92262	30000	0	0	30000	40.8125	2004
12.02.2020 12:35:04	1	1	1	1	70	60.75	0	29383.886	470.9677419	14154.86641	30000	0	0	30000	41.4375	2004
12.02.2020 12:35:05	1	1	1	1	70	61.25	0	29431.28	490.3225806	14366.86326	30000	0	0	30000	41.4375	2004
12.02.2020 12:35:06	1	1	1	1	70	61.25	0	29620.853	505.3763441	14969.42353	30000	0	0	30000	41.25	2004
12.02.2020 12:35:07	1	1	1	1	68.25	61.25	0	29715.64	516.1290323	15464.35463	30000	0	0	30000	41.375	2004
12.02.2020 12:35:08	1	1	1	1	68.25	61.25	0	29810.427	535.483871	15962.54722	30000	0	0	30000	41	2004
12.02.2020 12:35:09	1	1	1	1	68.25	61	0	29715.64	535.483871	16040.00761	30000	0	0	30000	41.5625	2004
12.02.2020 12:35:10	1	1	1	1	68.25	61.5	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	41.5	2004
12.02.2020 12:35:11	1	1	1	1	68.25	61.5	0	29573.46	537.6344086	15963.3626	30000	0	0	30000	41.125	2004
12.02.2020 12:35:12	1	1	1	1	68.25	61	0	29526.066	537.6344086	15963.3626	30000	0	0	30000	41.5625	2004
12.02.2020 12:35:13	1	1	1	1	68.25	61.5	0	29620.853	541.9354839	15988.63914	30000	0	0	30000	41.1875	2004
12.02.2020 12:35:14	1	1	1	1	68.25	61	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	41.625	2004
12.02.2020 12:35:15	1	1	1	1	68.25	61.5	0	29715.64	539.7849462	16103.60666	30000	0	0	30000	41.625	2004
12.02.2020 12:35:16	1	1	1	1	68.25	61.5	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	41.625	2004
12.02.2020 12:35:17	1	1	1	1	67.75	61.5	0	29431.28	541.9354839	15885.90221	30000	0	0	30000	41.625	2004
12.02.2020 12:35:18	1	1	1	1	67.75	61.5	0	29573.46	544.0860215	16090.5607	30000	0	0	30000	41.75	2004
12.02.2020 12:35:19	1	1	1	1	67.75	61.75	0	29431.28	544.0860215	16038.37687	30000	0	0	30000	41.5	2004
12.02.2020 12:35:20	1	1	1	1	67.75	61.5	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	41.4375	2004
12.02.2020 12:35:22	1	1	1	1	67.75	61.25	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	41.25	2004
12.02.2020 12:35:23	1	1	1	1	67.75	61.25	0	29336.493	544.0860215	15835.34912	30000	0	0	30000	41.625	2004
12.02.2020 12:35:24	1	1	1	1	67.75	61.5	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	41.625	2004
12.02.2020 12:35:25	1	1	1	1	67.75	61.5	0	29146.919	544.0860215	15858.17955	30000	0	0	30000	41.5	2004
12.02.2020 12:35:26	1	1	1	1	67.75	61.5	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	41.5625	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 12:35:27	1	1	1	1	67.75	61.5	0	29383.886	546.2365591	16075.884	30000	0	0	30000	41.3125	2004
12.02.2020 12:35:28	1	1	1	1	67.5	61.25	0	29241.706	546.2365591	16098.71443	30000	0	0	30000	41.75	2004
12.02.2020 12:35:29	1	1	1	1	67.5	61.75	0	29431.28	550.5376344	16229.17403	30000	0	0	30000	40.8125	2004
12.02.2020 12:35:30	1	1	1	1	67.5	60.75	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	41.5625	2004
12.02.2020 12:35:31	1	1	1	1	67.5	61.5	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	41.5	2004
12.02.2020 12:35:38	1	1	1	1	67.5	61.5	0	29241.706	546.2365591	16213.68195	30000	0	0	30000	41.0625	2004
12.02.2020 12:35:38	1	1	1	1	67.5	61.5	0	29241.706	546.2365591	16213.68195	30000	0	0	30000	41.0625	2004
12.02.2020 12:35:38	1	1	1	1	67.5	61.5	0	29241.706	546.2365591	16213.68195	30000	0	0	30000	41.0625	2004
12.02.2020 12:35:38	1	1	1	1	67.5	61.5	0	29241.706	546.2365591	16213.68195	30000	0	0	30000	41.0625	2004
12.02.2020 12:35:38	1	1	1	1	67.5	61.5	0	29241.706	546.2365591	16213.68195	30000	0	0	30000	41.0625	2004
12.02.2020 12:35:38	1	1	1	1	67.5	61.5	0	29241.706	546.2365591	16213.68195	30000	0	0	30000	41.0625	2004
12.02.2020 12:35:38	1	1	1	1	67.5	61.5	0	29241.706	546.2365591	16213.68195	30000	0	0	30000	41.0625	2004
12.02.2020 12:35:39	1	1	1	1	67.5	61	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	41.1875	2004
12.02.2020 12:35:40	1	1	1	1	67.5	61	0	29146.919	544.0860215	15920.96323	30000	0	0	30000	41.6875	2004
12.02.2020 12:35:41	1	1	1	1	67.5	61.5	0	29336.493	546.2365591	15960.91648	30000	0	0	30000	41.375	2004
12.02.2020 12:35:42	1	1	1	1	67.5	61.25	0	29336.493	546.2365591	15783.98065	30000	0	0	30000	41.5	2004
12.02.2020 12:35:43	1	1	1	1	67.5	61.5	0	29146.919	544.0860215	15920.96323	30000	0	0	30000	41.625	2004
12.02.2020 12:35:44	1	1	1	1	67.5	61.5	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	41.625	2004
12.02.2020 12:35:45	1	1	1	1	67.5	61.5	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	41.5	2004
12.02.2020 12:35:46	1	1	1	1	67.5	61.5	0	29146.919	544.0860215	15858.17955	30000	0	0	30000	41.3125	2004
12.02.2020 12:35:47	1	1	1	1	67.25	61.25	0	29289.1	550.5376344	15909.54801	30000	0	0	30000	41.5625	2004
12.02.2020 12:35:48	1	1	1	1	67.25	61.5	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	41.5	2004
12.02.2020 12:35:49	1	1	1	1	67.25	61.5	0	29241.706	550.5376344	15983.74691	30000	0	0	30000	41.5625	2004
12.02.2020 12:35:50	1	1	1	1	67.25	61.5	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	41.625	2004
12.02.2020 12:35:51	1	1	1	1	67.25	61.5	0	29146.919	548.3870968	16108.4989	30000	0	0	30000	41.1875	2004
12.02.2020 12:35:52	1	1	1	1	67.25	61	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	41.75	2004
12.02.2020 12:35:53	1	1	1	1	67.25	61.75	0	29146.919	554.8387097	15983.74691	30000	0	0	30000	41.5	2004
12.02.2020 12:35:54	1	1	1	1	67.25	61.5	0	29146.919	548.3870968	16046.53059	30000	0	0	30000	41.5625	2004
12.02.2020 12:35:55	1	1	1	1	67.25	61.5	0	29146.919	548.3870968	15983.74691	30000	0	0	30000	41.625	2004
12.02.2020 12:35:56	1	1	1	1	67.25	61.5	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	40.9375	2004
12.02.2020 12:35:57	1	1	1	1	67.5	60.75	0	29241.706	550.5376344	16124.80635	30000	0	0	30000	40.875	2004
12.02.2020 12:35:58	1	1	1	1	67.5	60.75	0	29289.1	546.2365591	16035.11538	30000	0	0	30000	41.1875	2004
12.02.2020 12:35:59	1	1	1	1	67.5	61	0	29336.493	550.5376344	16087.29921	30000	0	0	30000	41.375	2004
12.02.2020 12:36:00	1	1	1	1	67.5	61.25	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	41.375	2004
12.02.2020 12:36:02	1	1	1	1	67.5	61.25	0	29052.133	546.2365591	15806.81108	30000	0	0	30000	41	2004
12.02.2020 12:36:03	1	1	1	1	67.5	61	0	29336.493	550.5376344	16087.29921	30000	0	0	30000	41.5	2004
12.02.2020 12:36:04	1	1	1	1	67.5	61.5	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	41.5	2004
12.02.2020 12:36:05	1	1	1	1	67.5	61.5	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	41.5	2004
12.02.2020 12:36:06	1	1	1	1	67.5	61.5	0	29383.886	550.5376344	16150.89827	30000	0	0	30000	41.375	2004
12.02.2020 12:36:07	1	1	1	1	67.5	61.25	0	29146.919	539.7849462	15920.96323	30000	0	0	30000	41.3125	2004
12.02.2020 12:36:08	1	1	1	1	67	61.25	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	41.5	2004
12.02.2020 12:36:09	1	1	1	1	67	61.5	0	29146.919	546.2365591	16046.53059	30000	0	0	30000	41.375	2004
12.02.2020 12:36:10	1	1	1	1	67	61.25	0	29099.526	548.3870968	15920.96323	30000	0	0	30000	41.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 12:36:11	1	1	1	1	67	61.75	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	40.8125	2004
12.02.2020 12:36:12	1	1	1	1	67	60.75	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	41.375	2004
12.02.2020 12:36:13	1	1	1	1	67	61.25	0	29241.706	550.5376344	16098.71443	30000	0	0	30000	41.9375	2004
12.02.2020 12:36:14	1	1	1	1	67	61.25	0	29099.526	548.3870968	16020.43867	30000	0	0	30000	41.6875	2004
12.02.2020 12:36:15	1	1	1	1	67	61.5	0	29146.919	550.5376344	16108.4989	30000	0	0	30000	40.75	2004
12.02.2020 12:36:16	1	1	1	1	67	60.75	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	41.375	2004
12.02.2020 12:36:17	1	1	1	1	67	61.25	0	29099.526	546.2365591	15806.81108	30000	0	0	30000	41.625	2004
12.02.2020 12:36:18	1	1	1	1	67	61.5	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	41.625	2004
12.02.2020 12:36:19	1	1	1	1	67	61.5	0	29241.706	550.5376344	16046.53059	30000	0	0	30000	41.8125	2004
12.02.2020 12:36:20	1	1	1	1	67	61.75	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	41.75	2004
12.02.2020 12:36:21	1	1	1	1	67	61.75	0	29241.706	546.2365591	15920.96323	30000	0	0	30000	41.4375	2004
12.02.2020 12:36:22	1	1	1	1	67	61.25	0	29336.493	550.5376344	16150.89827	30000	0	0	30000	41.75	2004
12.02.2020 12:36:23	1	1	1	1	67	61.75	0	29146.919	548.3870968	16098.71443	30000	0	0	30000	41.0625	2004
12.02.2020 12:36:24	1	1	1	1	67	61	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	41.6875	2004
12.02.2020 12:36:25	1	1	1	1	67	61.5	0	29099.526	550.5376344	15957.65499	30000	0	0	30000	41.3125	2004
12.02.2020 12:36:26	1	1	1	1	67	61.25	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	41.5	2004
12.02.2020 12:36:27	1	1	1	1	67	61.5	0	29289.1	546.2365591	16150.89827	30000	0	0	30000	41.625	2004
12.02.2020 12:36:28	1	1	1	1	67	61.5	0	29336.493	544.0860215	16392.24853	30000	0	0	30000	41.75	2004
12.02.2020 12:36:29	1	1	1	1	67	61.75	0	29052.133	550.5376344	15931.56307	30000	0	0	30000	41.5	2004
12.02.2020 12:36:30	1	1	1	1	67	61.5	0	29146.919	552.688172	15983.74691	30000	0	0	30000	41.375	2004
12.02.2020 12:36:31	1	1	1	1	67	61.25	0	29289.1	550.5376344	16098.71443	30000	0	0	30000	41.5	2004
12.02.2020 12:36:32	1	1	1	1	67	61.5	0	29336.493	550.5376344	15835.34912	30000	0	0	30000	41.5625	2004
12.02.2020 12:36:40	1	1	1	1	66	61.5	0	29099.526	550.5376344	15920.96323	30000	0	0	30000	41.625	2004
12.02.2020 12:36:40	1	1	1	1	66	61.75	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	41.625	2004
12.02.2020 12:36:40	1	1	1	1	66	61.75	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	41.625	2004
12.02.2020 12:36:40	1	1	1	1	66	61.75	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	41.625	2004
12.02.2020 12:36:40	1	1	1	1	66	61.75	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	41.625	2004
12.02.2020 12:36:40	1	1	1	1	66	61.75	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	41.625	2004
12.02.2020 12:36:41	1	1	1	1	66	61.5	0	28957.346	544.0860215	15994.34675	30000	0	0	30000	41.625	2004
12.02.2020 12:36:42	1	1	1	1	66	61.5	0	29052.133	546.2365591	15894.87131	30000	0	0	30000	41.8125	2004
12.02.2020 12:36:43	1	1	1	1	66	61.75	0	29241.706	550.5376344	16098.71443	30000	0	0	30000	40.9375	2004
12.02.2020 12:36:44	1	1	1	1	66	60.75	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	41.25	2004
12.02.2020 12:36:45	1	1	1	1	66	61.25	0	29241.706	550.5376344	16098.71443	30000	0	0	30000	41.625	2004
12.02.2020 12:36:46	1	1	1	1	66	61.5	0	29146.919	550.5376344	15858.17955	30000	0	0	30000	41.5	2004
12.02.2020 12:36:47	1	1	1	1	66	61.5	0	29052.133	548.3870968	15957.65499	30000	0	0	30000	41.5625	2004
12.02.2020 12:36:48	1	1	1	1	67	61.5	0	29052.133	546.2365591	15894.87131	30000	0	0	30000	41.4375	2004
12.02.2020 12:36:49	1	1	1	1	67	61.25	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	41.5625	2004
12.02.2020 12:36:50	1	1	1	1	67	61.5	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	41.625	2004
12.02.2020 12:36:51	1	1	1	1	67	61.5	0	29099.526	550.5376344	15942.16291	30000	0	0	30000	40.375	2004
12.02.2020 12:36:52	1	1	1	1	67	60.25	0	29052.133	546.2365591	15894.87131	30000	0	0	30000	41.5625	2004
12.02.2020 12:36:53	1	1	1	1	67	61.75	0	29146.919	546.2365591	16046.53059	30000	0	0	30000	41.6875	2004
12.02.2020 12:36:54	1	1	1	1	67	61.5	0	29146.919	550.5376344	15795.39586	30000	0	0	30000	41.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 12:36:55	1	1	1	1	67	61.5	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	41.625	2004
12.02.2020 12:36:56	1	1	1	1	67	61.5	0	29099.526	550.5376344	16020.43867	30000	0	0	30000	41.5625	2004
12.02.2020 12:36:57	1	1	1	1	66.75	61.5	0	29052.133	546.2365591	15817.41092	30000	0	0	30000	41.375	2004
12.02.2020 12:36:58	1	1	1	1	66.75	61.25	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	41.1875	2004
12.02.2020 12:36:59	1	1	1	1	66.75	61	0	29099.526	546.2365591	15957.65499	30000	0	0	30000	41.1875	2004
12.02.2020 12:37:00	1	1	1	1	66.75	61	0	29099.526	550.5376344	16020.43867	30000	0	0	30000	40.9375	2004
12.02.2020 12:37:01	1	1	1	1	66.75	60.75	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	41.5	2004
12.02.2020 12:37:02	1	1	1	1	66.75	61.5	0	29099.526	550.5376344	15931.56307	30000	0	0	30000	41.125	2004
12.02.2020 12:37:03	1	1	1	1	66.75	61	0	29052.133	546.2365591	15942.16291	30000	0	0	30000	41.6875	2004
12.02.2020 12:37:04	1	1	1	1	66.75	61.5	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	40.25	2004
12.02.2020 12:37:05	1	1	1	1	66.75	60.25	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	41.5	2004
12.02.2020 12:37:06	1	1	1	1	66.75	61.5	0	28957.346	546.2365591	15879.37923	30000	0	0	30000	41.5	2004
12.02.2020 12:37:07	1	1	1	1	66.5	61.5	0	29146.919	550.5376344	16108.4989	30000	0	0	30000	41.3125	2004
12.02.2020 12:37:08	1	1	1	1	66.5	61.25	0	29052.133	546.2365591	15879.37923	30000	0	0	30000	41.5625	2004
12.02.2020 12:37:09	1	1	1	1	66.5	61.5	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	41.375	2004
12.02.2020 12:37:10	1	1	1	1	66.5	61.25	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	41.75	2004
12.02.2020 12:37:11	1	1	1	1	66.5	61.75	0	29146.919	544.0860215	16098.71443	30000	0	0	30000	40.25	2004
12.02.2020 12:37:12	1	1	1	1	66.5	60.25	0	29146.919	550.5376344	15858.17955	30000	0	0	30000	41.4375	2004
12.02.2020 12:37:13	1	1	1	1	66.5	61.25	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	41.375	2004
12.02.2020 12:37:14	1	1	1	1	66.5	61.25	0	29052.133	546.2365591	16020.43867	30000	0	0	30000	41.3125	2004
12.02.2020 12:37:15	1	1	1	1	66.5	61.25	0	29146.919	550.5376344	16082.40698	30000	0	0	30000	41.625	2004
12.02.2020 12:37:17	1	1	1	1	66.5	61.5	0	29004.739	546.2365591	15931.56307	30000	0	0	30000	41.5625	2004
12.02.2020 12:37:18	1	1	1	1	66	61.5	0	29099.526	541.9354839	15983.74691	30000	0	0	30000	41.5	2004
12.02.2020 12:37:19	1	1	1	1	66	61.5	0	29052.133	550.5376344	15931.56307	30000	0	0	30000	41.375	2004
12.02.2020 12:37:20	1	1	1	1	66	61.25	0	29289.1	550.5376344	16046.53059	30000	0	0	30000	41.5625	2004
12.02.2020 12:37:21	1	1	1	1	66	61.5	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	41.75	2004
12.02.2020 12:37:22	1	1	1	1	66	61.75	0	28957.346	550.5376344	16056.31506	30000	0	0	30000	41.5625	2004
12.02.2020 12:37:23	1	1	1	1	66	61.5	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	41.625	2004
12.02.2020 12:37:24	1	1	1	1	66	61.5	0	29052.133	546.2365591	15931.56307	30000	0	0	30000	41.625	2004
12.02.2020 12:37:25	1	1	1	1	66	61.5	0	29336.493	550.5376344	16213.68195	30000	0	0	30000	41.5625	2004
12.02.2020 12:37:26	1	1	1	1	66	61.5	0	29099.526	548.3870968	15894.87131	30000	0	0	30000	41.75	2004
12.02.2020 12:37:27	1	1	1	1	66	61.75	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	41.6875	2004
12.02.2020 12:37:28	1	1	1	1	66.5	61.5	0	29336.493	552.688172	16150.89827	30000	0	0	30000	41.8125	2004
12.02.2020 12:37:29	1	1	1	1	66.5	61.75	0	29241.706	550.5376344	16098.71443	30000	0	0	30000	41.6875	2004
12.02.2020 12:37:32	1	1	1	1	66.5	61.75	0	29052.133	544.0860215	15957.65499	30000	0	0	30000	41.6875	2004
12.02.2020 12:37:32	1	1	1	1	66.5	61.75	0	29052.133	544.0860215	15957.65499	30000	0	0	30000	41.6875	2004
12.02.2020 12:37:32	1	1	1	1	66.5	61.5	0	29336.493	550.5376344	16087.29921	30000	0	0	30000	41.625	2004
12.02.2020 12:37:33	1	1	1	1	66.5	61.5	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	41.5	2004
12.02.2020 12:37:34	1	1	1	1	66.5	61.5	0	29241.706	541.9354839	15732.61218	30000	0	0	30000	41.5625	2004
12.02.2020 12:37:41	1	1	1	1	66.25	61.75	0	29241.706	550.5376344	16098.71443	30000	0	0	30000	41.375	2004
12.02.2020 12:37:41	1	1	1	1	66.25	61.75	0	29241.706	550.5376344	16098.71443	30000	0	0	30000	41.375	2004
12.02.2020 12:37:41	1	1	1	1	66.25	61.75	0	29241.706	550.5376344	16098.71443	30000	0	0	30000	41.375	2004
12.02.2020 12:37:41	1	1	1	1	66.25	61.75	0	29241.706	550.5376344	16098.71443	30000	0	0	30000	41.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 12:37:41	1	1	1	1	66.25	61.75	0	29241.706	550.5376344	16098.71443	30000	0	0	30000	41.375	2004
12.02.2020 12:37:41	1	1	1	1	66.25	61.75	0	29241.706	550.5376344	16098.71443	30000	0	0	30000	41.375	2004
12.02.2020 12:37:41	1	1	1	1	66.25	61.75	0	29241.706	550.5376344	16098.71443	30000	0	0	30000	41.375	2004
12.02.2020 12:37:42	1	1	1	1	66.25	61.25	0	29289.1	550.5376344	16035.11538	30000	0	0	30000	41.5	2004
12.02.2020 12:37:43	1	1	1	1	66.25	61.5	0	29241.706	546.2365591	15972.33169	30000	0	0	30000	41.5625	2004
12.02.2020 12:37:44	1	1	1	1	66.25	61.5	0	29289.1	546.2365591	15983.74691	30000	0	0	30000	41.6875	2004
12.02.2020 12:37:45	1	1	1	1	66.25	61.5	0	29099.526	548.3870968	15983.74691	30000	0	0	30000	41.5	2004
12.02.2020 12:37:46	1	1	1	1	66.25	61.5	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	41.3125	2004
12.02.2020 12:37:47	1	1	1	1	66.25	61.25	0	29336.493	550.5376344	16087.29921	30000	0	0	30000	41.5	2004
12.02.2020 12:37:48	1	1	1	1	66.25	61.5	0	29241.706	546.2365591	15920.96323	30000	0	0	30000	41.5625	2004
12.02.2020 12:37:49	1	1	1	1	66.25	61.5	0	29146.919	546.2365591	16046.53059	30000	0	0	30000	41.5625	2004
12.02.2020 12:37:50	1	1	1	1	66.25	61.5	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	41.6875	2004
12.02.2020 12:37:51	1	1	1	1	66.25	61.5	0	29289.1	548.3870968	16150.89827	30000	0	0	30000	40.8125	2004
12.02.2020 12:37:52	1	1	1	1	66.25	60.75	0	28957.346	546.2365591	15817.41092	30000	0	0	30000	41.4375	2004
12.02.2020 12:37:53	1	1	1	1	66.25	61.25	0	29146.919	550.5376344	15920.96323	30000	0	0	30000	41.6875	2004
12.02.2020 12:37:54	1	1	1	1	66.25	61.5	0	29289.1	550.5376344	16098.71443	30000	0	0	30000	41.375	2004
12.02.2020 12:37:55	1	1	1	1	66.25	61.25	0	29146.919	546.2365591	16046.53059	30000	0	0	30000	41.25	2004
12.02.2020 12:37:57	1	1	1	1	66.25	61.25	0	28957.346	546.2365591	15868.77939	30000	0	0	30000	41.625	2004
12.02.2020 12:37:58	1	1	1	1	65.75	61.5	0	29146.919	550.5376344	16124.80635	30000	0	0	30000	41.625	2004
12.02.2020 12:37:59	1	1	1	1	65.75	61.5	0	29099.526	546.2365591	15744.0274	30000	0	0	30000	41.4375	2004
12.02.2020 12:38:00	1	1	1	1	65.75	61.25	0	29146.919	546.2365591	16046.53059	30000	0	0	30000	41.5625	2004
12.02.2020 12:38:01	1	1	1	1	65.75	61.5	0	29099.526	548.3870968	15957.65499	30000	0	0	30000	41.375	2004
12.02.2020 12:38:02	1	1	1	1	65.75	61.25	0	29241.706	550.5376344	16035.11538	30000	0	0	30000	41.25	2004
12.02.2020 12:38:03	1	1	1	1	65.75	61.25	0	29146.919	539.7849462	15983.74691	30000	0	0	30000	41.6875	2004
12.02.2020 12:38:04	1	1	1	1	65.75	61.5	0	29336.493	550.5376344	16087.29921	30000	0	0	30000	40.5	2004
12.02.2020 12:38:05	1	1	1	1	65.75	60.5	0	29241.706	550.5376344	16035.11538	30000	0	0	30000	41.375	2004
12.02.2020 12:38:06	1	1	1	1	65.75	61.25	0	29146.919	544.0860215	15983.74691	30000	0	0	30000	41.125	2004
12.02.2020 12:38:07	1	1	1	1	65.75	61	0	29099.526	541.9354839	15983.74691	30000	0	0	30000	41.8125	2004
12.02.2020 12:38:08	1	1	1	1	66	61.75	0	29241.706	550.5376344	16035.11538	30000	0	0	30000	41.625	2004
12.02.2020 12:38:09	1	1	1	1	66	61.5	0	29241.706	546.2365591	15972.33169	30000	0	0	30000	41	2004
12.02.2020 12:38:10	1	1	1	1	66	61.25	0	29336.493	548.3870968	16150.89827	30000	0	0	30000	41.625	2004
12.02.2020 12:38:11	1	1	1	1	66	61.5	0	29146.919	546.2365591	16046.53059	30000	0	0	30000	41.5	2004
12.02.2020 12:38:12	1	1	1	1	66	61.5	0	29146.919	546.2365591	15894.87131	30000	0	0	30000	40.8125	2004
12.02.2020 12:38:13	1	1	1	1	66	60.75	0	29146.919	546.2365591	16150.89827	30000	0	0	30000	41.4375	2004
12.02.2020 12:38:14	1	1	1	1	66	61.25	0	29241.706	550.5376344	16046.53059	30000	0	0	30000	41.3125	2004
12.02.2020 12:38:15	1	1	1	1	66	61.25	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	41.625	2004
12.02.2020 12:38:16	1	1	1	1	66	61.5	0	29146.919	546.2365591	16046.53059	30000	0	0	30000	41.5625	2004
12.02.2020 12:38:17	1	1	1	1	65.5	61.5	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	41.25	2004
12.02.2020 12:38:18	1	1	1	1	65.5	61.25	0	29241.706	550.5376344	16098.71443	30000	0	0	30000	41.5625	2004
12.02.2020 12:38:19	1	1	1	1	65.5	61.5	0	29241.706	550.5376344	16098.71443	30000	0	0	30000	41.6875	2004
12.02.2020 12:38:20	1	1	1	1	65.5	61.5	0	29336.493	550.5376344	16024.51553	30000	0	0	30000	41.5625	2004
12.02.2020 12:38:21	1	1	1	1	65.5	61.5	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	41.375	2004
12.02.2020 12:38:22	1	1	1	1	65.5	61.25	0	29241.706	546.2365591	15795.39586	30000	0	0	30000	41.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 12:38:23	1	1	1	1	65.5	61	0	29146.919	546.2365591	15858.17955	30000	0	0	30000	41.5	2004
12.02.2020 12:38:24	1	1	1	1	65.5	61.5	0	29241.706	546.2365591	15795.39586	30000	0	0	30000	41.625	2004
12.02.2020 12:38:25	1	1	1	1	65.5	61.5	0	29146.919	546.2365591	16046.53059	30000	0	0	30000	41.3125	2004
12.02.2020 12:38:26	1	1	1	1	65.5	61.25	0	29241.706	544.0860215	15972.33169	30000	0	0	30000	41.25	2004
12.02.2020 12:38:27	1	1	1	1	65.5	61.25	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	41.125	2004
12.02.2020 12:38:28	1	1	1	1	65.5	61	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	41.4375	2004
12.02.2020 12:38:29	1	1	1	1	65.5	61.25	0	29241.706	546.2365591	15920.96323	30000	0	0	30000	41.3125	2004
12.02.2020 12:38:30	1	1	1	1	65.5	61.25	0	29336.493	548.3870968	16024.51553	30000	0	0	30000	41.25	2004
12.02.2020 12:38:31	1	1	1	1	65.5	61.25	0	29146.919	544.0860215	15920.96323	30000	0	0	30000	41.125	2004
12.02.2020 12:38:32	1	1	1	1	65.5	61	0	29241.706	546.2365591	16035.11538	30000	0	0	30000	41.5	2004
12.02.2020 12:38:34	1	1	1	1	65.5	61.5	0	29146.919	544.0860215	15858.17955	30000	0	0	30000	41.4375	2004
12.02.2020 12:38:35	1	1	1	1	65.5	61.25	0	29241.706	546.2365591	15795.39586	30000	0	0	30000	40.5625	2004
12.02.2020 12:38:36	1	1	1	1	65.5	60.5	0	29241.706	546.2365591	15858.17955	30000	0	0	30000	41.6875	2004
12.02.2020 12:38:43	1	1	1	1	65.5	61.5	0	29383.886	550.5376344	16087.29921	30000	0	0	30000	41.5	2004
12.02.2020 12:38:43	1	1	1	1	65.5	61.5	0	29383.886	550.5376344	16087.29921	30000	0	0	30000	41.5	2004
12.02.2020 12:38:43	1	1	1	1	65.5	61.5	0	29383.886	550.5376344	16087.29921	30000	0	0	30000	41.5	2004
12.02.2020 12:38:43	1	1	1	1	65.5	61.5	0	29383.886	550.5376344	16087.29921	30000	0	0	30000	41.5	2004
12.02.2020 12:38:43	1	1	1	1	65.5	61.5	0	29383.886	550.5376344	16087.29921	30000	0	0	30000	41.5	2004
12.02.2020 12:38:43	1	1	1	1	65.5	61.5	0	29383.886	550.5376344	16087.29921	30000	0	0	30000	41.5	2004
12.02.2020 12:38:43	1	1	1	1	65.5	61.5	0	29383.886	550.5376344	16087.29921	30000	0	0	30000	41.5	2004
12.02.2020 12:38:44	1	1	1	1	65.5	61.5	0	29383.886	546.2365591	16087.29921	30000	0	0	30000	41.1875	2004
12.02.2020 12:38:45	1	1	1	1	65.5	61	0	29336.493	550.5376344	15872.85625	30000	0	0	30000	41.6875	2004
12.02.2020 12:38:46	1	1	1	1	65.5	61.5	0	29241.706	544.0860215	15909.54801	30000	0	0	30000	41.5625	2004
12.02.2020 12:38:47	1	1	1	1	65.5	61.5	0	29241.706	546.2365591	15935.63993	30000	0	0	30000	41.3125	2004
12.02.2020 12:38:48	1	1	1	1	65.25	61.5	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	41.5625	2004
12.02.2020 12:38:49	1	1	1	1	65.25	61.5	0	29431.28	550.5376344	16229.17403	30000	0	0	30000	41.375	2004
12.02.2020 12:38:50	1	1	1	1	65.25	61.25	0	29289.1	550.5376344	16061.20729	30000	0	0	30000	40.9375	2004
12.02.2020 12:38:51	1	1	1	1	65.25	60.75	0	29336.493	550.5376344	16024.51553	30000	0	0	30000	41.25	2004
12.02.2020 12:38:52	1	1	1	1	65.25	61.25	0	29336.493	546.2365591	16087.29921	30000	0	0	30000	41.5625	2004
12.02.2020 12:38:53	1	1	1	1	65.25	61.5	0	29099.526	544.0860215	15858.17955	30000	0	0	30000	41.5625	2004
12.02.2020 12:38:54	1	1	1	1	65.25	61.5	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	41.25	2004
12.02.2020 12:38:55	1	1	1	1	65.25	61.25	0	29146.919	546.2365591	16046.53059	30000	0	0	30000	41.375	2004
12.02.2020 12:38:56	1	1	1	1	65.25	61.25	0	29336.493	546.2365591	15998.42361	30000	0	0	30000	41.6875	2004
12.02.2020 12:38:57	1	1	1	1	65.25	61.5	0	29383.886	546.2365591	16113.39113	30000	0	0	30000	41.4375	2004
12.02.2020 12:38:58	1	1	1	1	65.25	61.25	0	29241.706	546.2365591	15972.33169	30000	0	0	30000	41.625	2004
12.02.2020 12:38:59	1	1	1	1	65.25	61.5	0	29289.1	546.2365591	16024.51553	30000	0	0	30000	41.5	2004
12.02.2020 12:39:00	1	1	1	1	65.25	61.5	0	29146.919	539.7849462	15920.96323	30000	0	0	30000	41.4375	2004
12.02.2020 12:39:01	1	1	1	1	65.25	61.25	0	29336.493	550.5376344	16087.29921	30000	0	0	30000	41.6875	2004
12.02.2020 12:39:02	1	1	1	1	65.25	61.5	0	29289.1	546.2365591	16098.71443	30000	0	0	30000	41.625	2004
12.02.2020 12:39:03	1	1	1	1	65.25	61.5	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	41.5	2004
12.02.2020 12:39:04	1	1	1	1	65.25	61.5	0	29241.706	546.2365591	15972.33169	30000	0	0	30000	41.3125	2004
12.02.2020 12:39:05	1	1	1	1	65.25	61.25	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	41.6875	2004
12.02.2020 12:39:06	1	1	1	1	65.25	61.5	0	29241.706	544.0860215	15858.17955	30000	0	0	30000	41.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 12:39:07	1	1	1	1	65.25	61.25	0	29289.1	544.0860215	15935.63993	30000	0	0	30000	41.1875	2004
12.02.2020 12:39:08	1	1	1	1	65.25	61	0	29241.706	546.2365591	15858.17955	30000	0	0	30000	41	2004
12.02.2020 12:39:09	1	1	1	1	65.25	61	0	29336.493	546.2365591	16150.89827	30000	0	0	30000	41.1875	2004
12.02.2020 12:39:11	1	1	1	1	65.25	61	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	41.375	2004
12.02.2020 12:39:12	1	1	1	1	65.25	61.25	0	29241.706	544.0860215	15909.54801	30000	0	0	30000	41.5625	2004
12.02.2020 12:39:13	1	1	1	1	65.25	61.5	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	41.375	2004
12.02.2020 12:39:14	1	1	1	1	65.25	61.25	0	29289.1	544.0860215	16024.51553	30000	0	0	30000	41.25	2004
12.02.2020 12:39:15	1	1	1	1	65.25	61.25	0	29146.919	550.5376344	15920.96323	30000	0	0	30000	41.4375	2004
12.02.2020 12:39:16	1	1	1	1	65.25	61.25	0	29383.886	546.2365591	16075.884	30000	0	0	30000	41.6875	2004
12.02.2020 12:39:17	1	1	1	1	65.25	61.5	0	29241.706	544.0860215	15972.33169	30000	0	0	30000	41.1875	2004
12.02.2020 12:39:18	1	1	1	1	65	61	0	29289.1	537.6344086	16176.99019	30000	0	0	30000	41.6875	2004
12.02.2020 12:39:19	1	1	1	1	65	61.5	0	29336.493	544.0860215	16087.29921	30000	0	0	30000	41.375	2004
12.02.2020 12:39:20	1	1	1	1	65	61.25	0	29146.919	546.2365591	15858.17955	30000	0	0	30000	41.4375	2004
12.02.2020 12:39:21	1	1	1	1	65	61.25	0	29431.28	546.2365591	16075.884	30000	0	0	30000	41.625	2004
12.02.2020 12:39:22	1	1	1	1	65	61.5	0	29241.706	546.2365591	15972.33169	30000	0	0	30000	41.4375	2004
12.02.2020 12:39:23	1	1	1	1	65	61.25	0	29383.886	546.2365591	16024.51553	30000	0	0	30000	41.625	2004
12.02.2020 12:39:24	1	1	1	1	65	61.5	0	29241.706	541.9354839	15972.33169	30000	0	0	30000	41.6875	2004
12.02.2020 12:39:25	1	1	1	1	65	61.5	0	29241.706	544.0860215	16024.51553	30000	0	0	30000	41.4375	2004
12.02.2020 12:39:26	1	1	1	1	65	61.25	0	29431.28	548.3870968	16139.48305	30000	0	0	30000	41.9375	2004
12.02.2020 12:39:27	1	1	1	1	65	61.75	0	29289.1	544.0860215	15960.91648	30000	0	0	30000	41.8125	2004
12.02.2020 12:39:28	1	1	1	1	65	61.25	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	41.375	2004
12.02.2020 12:39:29	1	1	1	1	65	61.25	0	29289.1	546.2365591	15960.91648	30000	0	0	30000	41.0625	2004
12.02.2020 12:39:30	1	1	1	1	65	61	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	41.375	2004
12.02.2020 12:39:31	1	1	1	1	65	61.25	0	29146.919	544.0860215	15909.54801	30000	0	0	30000	41.5	2004
12.02.2020 12:39:32	1	1	1	1	65	61.5	0	29336.493	546.2365591	15960.91648	30000	0	0	30000	41.375	2004
12.02.2020 12:39:33	1	1	1	1	65	61.25	0	29383.886	544.0860215	15987.0084	30000	0	0	30000	41.3125	2004
12.02.2020 12:39:34	1	1	1	1	65	61.25	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	41.4375	2004
12.02.2020 12:39:35	1	1	1	1	65	61.25	0	29383.886	546.2365591	16075.884	30000	0	0	30000	41.25	2004
12.02.2020 12:39:36	1	1	1	1	65	61.25	0	29336.493	544.0860215	15872.85625	30000	0	0	30000	41.75	2004
12.02.2020 12:39:37	1	1	1	1	64.75	61.75	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	41.375	2004
12.02.2020 12:39:44	1	1	1	1	64.75	61.5	0	29336.493	546.2365591	16087.29921	30000	0	0	30000	40.25	2004
12.02.2020 12:39:44	1	1	1	1	64.75	61.5	0	29336.493	546.2365591	16087.29921	30000	0	0	30000	40.25	2004
12.02.2020 12:39:44	1	1	1	1	64.75	61.5	0	29336.493	546.2365591	16087.29921	30000	0	0	30000	40.25	2004
12.02.2020 12:39:44	1	1	1	1	64.75	61.5	0	29336.493	546.2365591	16087.29921	30000	0	0	30000	40.25	2004
12.02.2020 12:39:44	1	1	1	1	64.75	61.5	0	29336.493	546.2365591	16087.29921	30000	0	0	30000	40.25	2004
12.02.2020 12:39:44	1	1	1	1	64.75	61.5	0	29336.493	546.2365591	16087.29921	30000	0	0	30000	40.25	2004
12.02.2020 12:39:45	1	1	1	1	64.75	60.25	0	29431.28	546.2365591	15987.0084	30000	0	0	30000	41.5625	2004
12.02.2020 12:39:46	1	1	1	1	64.75	61.5	0	29146.919	541.9354839	15858.17955	30000	0	0	30000	41.375	2004
12.02.2020 12:39:47	1	1	1	1	64.75	61.25	0	29431.28	546.2365591	16075.884	30000	0	0	30000	41.5625	2004
12.02.2020 12:39:48	1	1	1	1	64.75	61.5	0	29383.886	544.0860215	16050.60745	30000	0	0	30000	41.625	2004
12.02.2020 12:39:49	1	1	1	1	64.75	61.5	0	29431.28	544.0860215	15987.0084	30000	0	0	30000	41.0625	2004
12.02.2020 12:39:50	1	1	1	1	64.75	61	0	29383.886	544.0860215	16013.10032	30000	0	0	30000	41.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 12:39:52	1	1	1	1	64.75	61.5	0	29336.493	537.6344086	15987.0084	30000	0	0	30000	41.5	2004
12.02.2020 12:39:53	1	1	1	1	64.75	61.5	0	29431.28	546.2365591	16013.10032	30000	0	0	30000	41.5625	2004
12.02.2020 12:39:54	1	1	1	1	64.75	61.5	0	29146.919	544.0860215	15858.17955	30000	0	0	30000	41.4375	2004
12.02.2020 12:39:55	1	1	1	1	64.75	61.25	0	29431.28	544.0860215	15835.34912	30000	0	0	30000	41.5	2004
12.02.2020 12:39:56	1	1	1	1	64.75	61.5	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	41.625	2004
12.02.2020 12:39:57	1	1	1	1	64.75	61.5	0	29383.886	541.9354839	15987.0084	30000	0	0	30000	41.3125	2004
12.02.2020 12:39:58	1	1	1	1	64.5	61.25	0	29573.46	546.2365591	16179.43631	30000	0	0	30000	41.25	2004
12.02.2020 12:39:59	1	1	1	1	64.5	61.25	0	29620.853	546.2365591	16154.15976	30000	0	0	30000	41.3125	2004
12.02.2020 12:40:00	1	1	1	1	64.5	61.25	0	29431.28	544.0860215	15987.0084	30000	0	0	30000	41.375	2004
12.02.2020 12:40:01	1	1	1	1	64.5	61.25	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	41.375	2004
12.02.2020 12:40:02	1	1	1	1	64.5	61.25	0	29241.706	541.9354839	15846.76433	30000	0	0	30000	41.5	2004
12.02.2020 12:40:03	1	1	1	1	64.5	61.5	0	29289.1	544.0860215	15935.63993	30000	0	0	30000	41	2004
12.02.2020 12:40:04	1	1	1	1	64.5	61	0	29383.886	544.0860215	15987.0084	30000	0	0	30000	41.6875	2004
12.02.2020 12:40:05	1	1	1	1	64.5	61.5	0	29478.673	544.0860215	16038.37687	30000	0	0	30000	41.3125	2004
12.02.2020 12:40:06	1	1	1	1	64.5	61.5	0	29336.493	539.7849462	16087.29921	30000	0	0	30000	41	2004
12.02.2020 12:40:07	1	1	1	1	65	61	0	29431.28	541.9354839	16013.10032	30000	0	0	30000	41.625	2004
12.02.2020 12:40:08	1	1	1	1	65	61.5	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	41.5625	2004
12.02.2020 12:40:09	1	1	1	1	65	61.5	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	41.1875	2004
12.02.2020 12:40:10	1	1	1	1	65	61	0	29526.066	541.9354839	16064.46878	30000	0	0	30000	41	2004
12.02.2020 12:40:11	1	1	1	1	65	61	0	29336.493	544.0860215	15683.68983	30000	0	0	30000	41.625	2004
12.02.2020 12:40:12	1	1	1	1	65	61.5	0	29336.493	544.0860215	15721.19697	30000	0	0	30000	41.6875	2004
12.02.2020 12:40:13	1	1	1	1	65	61.5	0	29526.066	546.2365591	16128.06784	30000	0	0	30000	41.3125	2004
12.02.2020 12:40:14	1	1	1	1	65	61.25	0	29336.493	541.9354839	15924.22472	30000	0	0	30000	41.5	2004
12.02.2020 12:40:15	1	1	1	1	65	61.5	0	29336.493	541.9354839	16203.08211	30000	0	0	30000	41.375	2004
12.02.2020 12:40:16	1	1	1	1	65	61.25	0	29336.493	541.9354839	15898.1328	30000	0	0	30000	41.25	2004
12.02.2020 12:40:17	1	1	1	1	64.75	61.25	0	29431.28	541.9354839	16013.10032	30000	0	0	30000	40.9375	2004
12.02.2020 12:40:18	1	1	1	1	64.75	60.75	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	41.125	2004
12.02.2020 12:40:19	1	1	1	1	64.75	61	0	29573.46	544.0860215	15963.3626	30000	0	0	30000	41.3125	2004
12.02.2020 12:40:20	1	1	1	1	64.75	61.25	0	29431.28	544.0860215	16101.97592	30000	0	0	30000	41.625	2004
12.02.2020 12:40:21	1	1	1	1	64.75	61.5	0	29478.673	541.9354839	16064.46878	30000	0	0	30000	41.0625	2004
12.02.2020 12:40:22	1	1	1	1	64.75	61	0	29526.066	541.9354839	16064.46878	30000	0	0	30000	41.4375	2004
12.02.2020 12:40:23	1	1	1	1	64.75	61.25	0	29431.28	541.9354839	16013.10032	30000	0	0	30000	41.5	2004
12.02.2020 12:40:24	1	1	1	1	64.75	61.5	0	29478.673	544.0860215	16013.10032	30000	0	0	30000	41	2004
12.02.2020 12:40:25	1	1	1	1	64.75	61	0	29620.853	546.2365591	16115.83725	30000	0	0	30000	41.375	2004
12.02.2020 12:40:26	1	1	1	1	64.75	61.25	0	29431.28	541.9354839	16038.37687	30000	0	0	30000	41.5625	2004
12.02.2020 12:40:27	1	1	1	1	64.5	61.5	0	29336.493	541.9354839	15898.1328	30000	0	0	30000	41.5625	2004
12.02.2020 12:40:29	1	1	1	1	64.5	61.5	0	29478.673	539.7849462	16064.46878	30000	0	0	30000	41.5	2004
12.02.2020 12:40:30	1	1	1	1	64.5	61.5	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	41.5625	2004
12.02.2020 12:40:31	1	1	1	1	64.5	61.5	0	29431.28	541.9354839	16013.10032	30000	0	0	30000	41.5	2004
12.02.2020 12:40:32	1	1	1	1	64.5	61.5	0	29383.886	544.0860215	15835.34912	30000	0	0	30000	41.5625	2004
12.02.2020 12:40:33	1	1	1	1	64.5	61.5	0	29336.493	541.9354839	15898.1328	30000	0	0	30000	41.25	2004
12.02.2020 12:40:34	1	1	1	1	64.5	61.25	0	29336.493	541.9354839	15809.2572	30000	0	0	30000	41.5625	2004
12.02.2020 12:40:35	1	1	1	1	64.5	61.5	0	29431.28	541.9354839	16013.10032	30000	0	0	30000	41.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 12:40:36	1	1	1	1	64.5	61.25	0	29383.886	541.9354839	15924.22472	30000	0	0	30000	41.625	2004
12.02.2020 12:40:37	1	1	1	1	64.5	61.5	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	41.5	2004
12.02.2020 12:40:38	1	1	1	1	64.5	61.5	0	29431.28	541.9354839	15823.11853	30000	0	0	30000	41.625	2004
12.02.2020 12:40:39	1	1	1	1	64.5	61.5	0	29526.066	546.2365591	16154.15976	30000	0	0	30000	41.25	2004
12.02.2020 12:40:46	1	1	1	1	64.5	61.25	0	29526.066	544.0860215	16090.5607	30000	0	0	30000	41.25	2004
12.02.2020 12:40:46	1	1	1	1	64.5	61.25	0	29526.066	544.0860215	16090.5607	30000	0	0	30000	41.25	2004
12.02.2020 12:40:46	1	1	1	1	64.5	61.25	0	29526.066	544.0860215	16090.5607	30000	0	0	30000	41.25	2004
12.02.2020 12:40:46	1	1	1	1	64.5	61.25	0	29526.066	544.0860215	16090.5607	30000	0	0	30000	41.25	2004
12.02.2020 12:40:46	1	1	1	1	64.5	61.25	0	29526.066	544.0860215	16090.5607	30000	0	0	30000	41.25	2004
12.02.2020 12:40:46	1	1	1	1	64.5	61.25	0	29526.066	544.0860215	16090.5607	30000	0	0	30000	41.25	2004
12.02.2020 12:40:46	1	1	1	1	64.5	61.25	0	29526.066	544.0860215	16090.5607	30000	0	0	30000	41.25	2004
12.02.2020 12:40:46	1	1	1	1	64.5	61.25	0	29526.066	544.0860215	16090.5607	30000	0	0	30000	41.25	2004
12.02.2020 12:40:47	1	1	1	1	64.25	61.25	0	29478.673	541.9354839	15975.59318	30000	0	0	30000	41.4375	2004
12.02.2020 12:40:48	1	1	1	1	64.25	61.25	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	41.6875	2004
12.02.2020 12:40:49	1	1	1	1	64.25	61.5	0	29383.886	541.9354839	16013.10032	30000	0	0	30000	41.5	2004
12.02.2020 12:40:50	1	1	1	1	64.25	61.5	0	29289.1	541.9354839	15872.85625	30000	0	0	30000	41	2004
12.02.2020 12:40:51	1	1	1	1	64.25	61	0	29289.1	544.0860215	15909.54801	30000	0	0	30000	41.1875	2004
12.02.2020 12:40:52	1	1	1	1	64.25	61	0	29336.493	541.9354839	15935.63993	30000	0	0	30000	41.625	2004
12.02.2020 12:40:53	1	1	1	1	64.25	61.5	0	29431.28	537.6344086	15911.99413	30000	0	0	30000	41.5	2004
12.02.2020 12:40:54	1	1	1	1	64.25	61.5	0	29573.46	546.2365591	16154.15976	30000	0	0	30000	41.4375	2004
12.02.2020 12:40:55	1	1	1	1	64.25	61.25	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	41.125	2004
12.02.2020 12:40:56	1	1	1	1	64.25	61	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	41.25	2004
12.02.2020 12:40:57	1	1	1	1	63.75	61.25	0	29383.886	541.9354839	15924.22472	30000	0	0	30000	41.375	2004
12.02.2020 12:40:58	1	1	1	1	63.75	61.25	0	29431.28	544.0860215	16038.37687	30000	0	0	30000	41.25	2004
12.02.2020 12:40:59	1	1	1	1	63.75	61.25	0	29336.493	541.9354839	15960.91648	30000	0	0	30000	41.25	2004
12.02.2020 12:41:00	1	1	1	1	63.75	61.25	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	41.4375	2004
12.02.2020 12:41:01	1	1	1	1	63.75	61.25	0	29526.066	544.0860215	16090.5607	30000	0	0	30000	41.5	2004
12.02.2020 12:41:02	1	1	1	1	63.75	61.5	0	29431.28	537.6344086	16000.86973	30000	0	0	30000	41.6875	2004
12.02.2020 12:41:03	1	1	1	1	63.75	61.5	0	29336.493	541.9354839	15898.1328	30000	0	0	30000	41.625	2004
12.02.2020 12:41:04	1	1	1	1	63.75	61.5	0	29383.886	541.9354839	15987.0084	30000	0	0	30000	41.3125	2004
12.02.2020 12:41:05	1	1	1	1	63.75	61.25	0	29478.673	546.2365591	16128.06784	30000	0	0	30000	41.5	2004
12.02.2020 12:41:07	1	1	1	1	63.75	61.5	0	29336.493	546.2365591	15960.91648	30000	0	0	30000	41.5625	2004
12.02.2020 12:41:08	1	1	1	1	64	61.5	0	29336.493	546.2365591	15960.91648	30000	0	0	30000	41.5625	2004
12.02.2020 12:41:09	1	1	1	1	64	61.5	0	29336.493	541.9354839	15924.22472	30000	0	0	30000	41.5	2004
12.02.2020 12:41:10	1	1	1	1	64	61.5	0	29383.886	544.0860215	16013.10032	30000	0	0	30000	41.375	2004
12.02.2020 12:41:11	1	1	1	1	64	61.25	0	29383.886	541.9354839	15949.50126	30000	0	0	30000	41.125	2004
12.02.2020 12:41:12	1	1	1	1	64	61	0	29336.493	537.6344086	15771.75006	30000	0	0	30000	41.6875	2004
12.02.2020 12:41:13	1	1	1	1	64	61.5	0	29478.673	546.2365591	16128.06784	30000	0	0	30000	41.25	2004
12.02.2020 12:41:14	1	1	1	1	64	61.25	0	29431.28	541.9354839	16038.37687	30000	0	0	30000	41.375	2004
12.02.2020 12:41:15	1	1	1	1	64	61.25	0	29620.853	544.0860215	16090.5607	30000	0	0	30000	41.625	2004
12.02.2020 12:41:16	1	1	1	1	64	61.5	0	29241.706	541.9354839	15809.2572	30000	0	0	30000	41.3125	2004
12.02.2020 12:41:17	1	1	1	1	64	61.25	0	29526.066	541.9354839	16064.46878	30000	0	0	30000	41.375	2004
12.02.2020 12:41:18	1	1	1	1	63.5	61.25	0	29526.066	537.6344086	16064.46878	30000	0	0	30000	41.6875	2004
12.02.2020 12:41:19	1	1	1	1	63.5	61.5	0	29478.673	541.9354839	15975.59318	30000	0	0	30000	41.3125	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 12:41:20	1	1	1	1	63.5	61.25	0	29336.493	535.483871	15835.34912	30000	0	0	30000	41.5625	2004
12.02.2020 12:41:21	1	1	1	1	63.5	61.5	0	29383.886	541.9354839	15924.22472	30000	0	0	30000	41.8125	2004
12.02.2020 12:41:22	1	1	1	1	63.5	61.75	0	29383.886	541.9354839	15835.34912	30000	0	0	30000	41.3125	2004
12.02.2020 12:41:23	1	1	1	1	63.5	61.75	0	29478.673	541.9354839	15975.59318	30000	0	0	30000	41.3125	2004
12.02.2020 12:41:24	1	1	1	1	63.5	61.25	0	29620.853	544.0860215	16115.83725	30000	0	0	30000	41.5	2004
12.02.2020 12:41:25	1	1	1	1	63.5	61.5	0	29431.28	541.9354839	15975.59318	30000	0	0	30000	41.4375	2004
12.02.2020 12:41:26	1	1	1	1	63.5	61.25	0	29383.886	541.9354839	15860.62566	30000	0	0	30000	41.5	2004
12.02.2020 12:41:27	1	1	1	1	64.25	61.5	0	29668.246	544.0860215	16179.43631	30000	0	0	30000	41.625	2004
12.02.2020 12:41:28	1	1	1	1	64.25	61.5	0	29431.28	541.9354839	15975.59318	30000	0	0	30000	41.3125	2004
12.02.2020 12:41:29	1	1	1	1	64.25	61.25	0	29573.46	541.9354839	16115.83725	30000	0	0	30000	41.6875	2004
12.02.2020 12:41:30	1	1	1	1	64.25	61.5	0	29620.853	544.0860215	16115.83725	30000	0	0	30000	41.4375	2004
12.02.2020 12:41:31	1	1	1	1	64.25	61.25	0	29526.066	539.7849462	16000.86973	30000	0	0	30000	40.75	2004
12.02.2020 12:41:32	1	1	1	1	64.25	60.75	0	29478.673	541.9354839	15949.50126	30000	0	0	30000	41.6875	2004
12.02.2020 12:41:33	1	1	1	1	64.25	61.5	0	29431.28	541.9354839	15975.59318	30000	0	0	30000	41.5	2004
12.02.2020 12:41:34	1	1	1	1	64.25	61.5	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	41.5625	2004
12.02.2020 12:41:35	1	1	1	1	64.25	61.5	0	29478.673	541.9354839	15975.59318	30000	0	0	30000	41.1875	2004
12.02.2020 12:41:36	1	1	1	1	64.25	61	0	29573.46	541.9354839	15963.3626	30000	0	0	30000	40.4375	2004
12.02.2020 12:41:37	1	1	1	1	63.25	60.25	0	29336.493	539.7849462	15949.50126	30000	0	0	30000	41.375	2004
12.02.2020 12:41:38	1	1	1	1	63.25	61.25	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	41.4375	2004
12.02.2020 12:41:39	1	1	1	1	63.25	61.25	0	29478.673	541.9354839	16038.37687	30000	0	0	30000	41.5625	2004
12.02.2020 12:41:40	1	1	1	1	63.25	61.5	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	41.5625	2004
12.02.2020 12:41:48	1	1	1	1	63.75	61.25	0	29620.853	541.9354839	16026.96165	30000	0	0	30000	41.625	2004
12.02.2020 12:41:48	1	1	1	1	63.75	61.25	0	29620.853	541.9354839	16026.96165	30000	0	0	30000	41.625	2004
12.02.2020 12:41:48	1	1	1	1	63.75	61.25	0	29620.853	541.9354839	16026.96165	30000	0	0	30000	41.625	2004
12.02.2020 12:41:48	1	1	1	1	63.75	61.25	0	29620.853	541.9354839	16026.96165	30000	0	0	30000	41.625	2004
12.02.2020 12:41:48	1	1	1	1	63.75	61.25	0	29620.853	541.9354839	16026.96165	30000	0	0	30000	41.625	2004
12.02.2020 12:41:48	1	1	1	1	63.75	61.25	0	29620.853	541.9354839	16026.96165	30000	0	0	30000	41.625	2004
12.02.2020 12:41:49	1	1	1	1	63.75	61.5	0	29573.46	541.9354839	16026.96165	30000	0	0	30000	41.5	2004
12.02.2020 12:41:50	1	1	1	1	63.75	61.5	0	29478.673	541.9354839	15975.59318	30000	0	0	30000	41.1875	2004
12.02.2020 12:41:51	1	1	1	1	63.75	61	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	41.5625	2004
12.02.2020 12:41:52	1	1	1	1	63.75	61.5	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	41.6875	2004
12.02.2020 12:41:53	1	1	1	1	63.75	61.5	0	29431.28	539.7849462	15885.90221	30000	0	0	30000	41.5	2004
12.02.2020 12:41:54	1	1	1	1	63.75	61.5	0	29478.673	541.9354839	16165.57497	30000	0	0	30000	41.5	2004
12.02.2020 12:41:55	1	1	1	1	63.75	61.5	0	29526.066	541.9354839	16128.06784	30000	0	0	30000	41.75	2004
12.02.2020 12:41:56	1	1	1	1	63.75	61.75	0	29526.066	541.9354839	16179.43631	30000	0	0	30000	41.3125	2004
12.02.2020 12:41:57	1	1	1	1	63.75	61.25	0	29573.46	539.7849462	15988.63914	30000	0	0	30000	41.375	2004
12.02.2020 12:41:58	1	1	1	1	63.75	61.25	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	41.625	2004
12.02.2020 12:41:59	1	1	1	1	63.75	61.5	0	29526.066	541.9354839	15937.27068	30000	0	0	30000	41.375	2004
12.02.2020 12:42:00	1	1	1	1	63.75	61.25	0	29526.066	539.7849462	15937.27068	30000	0	0	30000	41.375	2004
12.02.2020 12:42:01	1	1	1	1	63.75	61.25	0	29715.64	539.7849462	16103.60666	30000	0	0	30000	41.375	2004
12.02.2020 12:42:02	1	1	1	1	63.75	61.25	0	29620.853	541.9354839	15988.63914	30000	0	0	30000	42	2004
12.02.2020 12:42:03	1	1	1	1	63.75	62	0	29526.066	537.6344086	16000.86973	30000	0	0	30000	41.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 12:42:04	1	1	1	1	63.75	61.5	0	29526.066	541.9354839	15784.79602	30000	0	0	30000	41.625	2004
12.02.2020 12:42:05	1	1	1	1	63.75	61.5	0	29478.673	537.6344086	15937.27068	30000	0	0	30000	41	2004
12.02.2020 12:42:06	1	1	1	1	63.75	61	0	29620.853	541.9354839	15861.44103	30000	0	0	30000	41.4375	2004
12.02.2020 12:42:07	1	1	1	1	63.5	61.25	0	29620.853	541.9354839	15925.04009	30000	0	0	30000	41.5625	2004
12.02.2020 12:42:08	1	1	1	1	63.5	61.5	0	29620.853	541.9354839	16167.20572	30000	0	0	30000	41.375	2004
12.02.2020 12:42:09	1	1	1	1	63.5	61.25	0	29715.64	537.6344086	16154.97513	30000	0	0	30000	41.4375	2004
12.02.2020 12:42:10	1	1	1	1	63.5	61.25	0	29573.46	541.9354839	15836.16449	30000	0	0	30000	41.5	2004
12.02.2020 12:42:11	1	1	1	1	63.5	61.5	0	29763.033	541.9354839	16154.97513	30000	0	0	30000	41.3125	2004
12.02.2020 12:42:12	1	1	1	1	63.5	61.25	0	29383.886	539.7849462	15860.62566	30000	0	0	30000	41.5625	2004
12.02.2020 12:42:13	1	1	1	1	63.5	61.5	0	29620.853	541.9354839	16115.83725	30000	0	0	30000	41.25	2004
12.02.2020 12:42:14	1	1	1	1	63.5	61.25	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	41.3125	2004
12.02.2020 12:42:15	1	1	1	1	63.5	61.25	0	29668.246	544.0860215	16167.20572	30000	0	0	30000	41.4375	2004
12.02.2020 12:42:16	1	1	1	1	63.5	61.25	0	29620.853	541.9354839	16115.83725	30000	0	0	30000	41.4375	2004
12.02.2020 12:42:17	1	1	1	1	63.25	61.25	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	41.5	2004
12.02.2020 12:42:18	1	1	1	1	63.25	61.5	0	29526.066	541.9354839	15937.27068	30000	0	0	30000	41.5625	2004
12.02.2020 12:42:19	1	1	1	1	63.25	61.5	0	29668.246	541.9354839	16115.83725	30000	0	0	30000	41.625	2004
12.02.2020 12:42:20	1	1	1	1	63.25	61.5	0	29526.066	539.7849462	16026.96165	30000	0	0	30000	41.6875	2004
12.02.2020 12:42:21	1	1	1	1	63.25	61.5	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	41.5	2004
12.02.2020 12:42:22	1	1	1	1	63.25	61.5	0	29620.853	539.7849462	15836.16449	30000	0	0	30000	41.1875	2004
12.02.2020 12:42:23	1	1	1	1	63.25	61	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	41.4375	2004
12.02.2020 12:42:25	1	1	1	1	63.25	61.25	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	41	2004
12.02.2020 12:42:26	1	1	1	1	63.25	61	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	41.1875	2004
12.02.2020 12:42:27	1	1	1	1	63.25	61	0	29478.673	539.7849462	15937.27068	30000	0	0	30000	41.5625	2004
12.02.2020 12:42:28	1	1	1	1	63.25	61.5	0	29526.066	541.9354839	16090.5607	30000	0	0	30000	41.4375	2004
12.02.2020 12:42:29	1	1	1	1	63.25	61.25	0	29668.246	541.9354839	16078.33012	30000	0	0	30000	41.5	2004
12.02.2020 12:42:30	1	1	1	1	63.25	61.5	0	29526.066	539.7849462	15963.3626	30000	0	0	30000	41	2004
12.02.2020 12:42:31	1	1	1	1	63.25	61	0	29573.46	539.7849462	15873.67162	30000	0	0	30000	41.625	2004
12.02.2020 12:42:32	1	1	1	1	63.25	61.5	0	29810.427	544.0860215	16219.38956	30000	0	0	30000	41.25	2004
12.02.2020 12:42:33	1	1	1	1	63.25	61.25	0	29715.64	550.5376344	15988.63914	30000	0	0	30000	41.5625	2004
12.02.2020 12:42:34	1	1	1	1	63.25	61.5	0	29526.066	537.6344086	15784.79602	30000	0	0	30000	41.4375	2004
12.02.2020 12:42:35	1	1	1	1	63.25	61.25	0	29620.853	541.9354839	15988.63914	30000	0	0	30000	41.1875	2004
12.02.2020 12:42:36	1	1	1	1	63.25	61	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	41.375	2004
12.02.2020 12:42:37	1	1	1	1	63.25	61.25	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	41.625	2004
12.02.2020 12:42:38	1	1	1	1	63.5	61.5	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	41.1875	2004
12.02.2020 12:42:39	1	1	1	1	63.5	61	0	29620.853	537.6344086	15963.3626	30000	0	0	30000	41.625	2004
12.02.2020 12:42:40	1	1	1	1	63.5	61.5	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	41.5625	2004
12.02.2020 12:42:41	1	1	1	1	63.5	61.5	0	29810.427	541.9354839	16154.97513	30000	0	0	30000	40.8125	2004
12.02.2020 12:42:42	1	1	1	1	63.5	60.75	0	29715.64	541.9354839	16013.91569	30000	0	0	30000	42.0625	2004
12.02.2020 12:42:49	1	1	1	1	63.25	61.5	0	29478.673	537.6344086	15937.27068	30000	0	0	30000	41.625	2004
12.02.2020 12:42:49	1	1	1	1	63.25	61.5	0	29478.673	537.6344086	15937.27068	30000	0	0	30000	41.625	2004
12.02.2020 12:42:49	1	1	1	1	63.25	61.5	0	29478.673	537.6344086	15937.27068	30000	0	0	30000	41.625	2004
12.02.2020 12:42:49	1	1	1	1	63.25	61.5	0	29478.673	537.6344086	15937.27068	30000	0	0	30000	41.625	2004
12.02.2020 12:42:49	1	1	1	1	63.25	61.5	0	29478.673	537.6344086	15937.27068	30000	0	0	30000	41.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 12:42:49	1	1	1	1	63.25	61.5	0	29478.673	537.6344086	15937.27068	30000	0	0	30000	41.625	2004
12.02.2020 12:42:49	1	1	1	1	63.25	61.5	0	29478.673	537.6344086	15937.27068	30000	0	0	30000	41.625	2004
12.02.2020 12:42:50	1	1	1	1	63.25	61.5	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	41.5625	2004
12.02.2020 12:42:51	1	1	1	1	63.25	61.5	0	29526.066	544.0860215	15937.27068	30000	0	0	30000	41.625	2004
12.02.2020 12:42:52	1	1	1	1	63.25	61.5	0	29668.246	541.9354839	16040.00761	30000	0	0	30000	41.5625	2004
12.02.2020 12:42:53	1	1	1	1	63.25	61.5	0	29715.64	539.7849462	16103.60666	30000	0	0	30000	41.5	2004
12.02.2020 12:42:54	1	1	1	1	63.25	61.5	0	29573.46	537.6344086	15899.76354	30000	0	0	30000	41.3125	2004
12.02.2020 12:42:55	1	1	1	1	63.25	61.25	0	29526.066	539.7849462	16000.86973	30000	0	0	30000	41.625	2004
12.02.2020 12:42:56	1	1	1	1	63.25	61.5	0	29573.46	539.7849462	16052.2382	30000	0	0	30000	41.75	2004
12.02.2020 12:42:57	1	1	1	1	63.25	61.75	0	29526.066	541.9354839	16026.96165	30000	0	0	30000	41.75	2004
12.02.2020 12:42:58	1	1	1	1	63.25	61.75	0	29431.28	539.7849462	15885.90221	30000	0	0	30000	41.375	2004
12.02.2020 12:42:59	1	1	1	1	63.25	61.25	0	29668.246	541.9354839	16103.60666	30000	0	0	30000	41.5	2004
12.02.2020 12:43:00	1	1	1	1	63.25	61.5	0	29715.64	541.9354839	16167.20572	30000	0	0	30000	41.5625	2004
12.02.2020 12:43:01	1	1	1	1	63.25	61.5	0	29620.853	541.9354839	15988.63914	30000	0	0	30000	41.5	2004
12.02.2020 12:43:02	1	1	1	1	63.25	61.5	0	29526.066	537.6344086	15963.3626	30000	0	0	30000	41.5625	2004
12.02.2020 12:43:04	1	1	1	1	63.25	61.5	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	41.75	2004
12.02.2020 12:43:05	1	1	1	1	63.25	61.75	0	29526.066	539.7849462	15963.3626	30000	0	0	30000	41.5	2004
12.02.2020 12:43:06	1	1	1	1	63.25	61.5	0	29526.066	535.483871	15963.3626	30000	0	0	30000	41.625	2004
12.02.2020 12:43:07	1	1	1	1	63.25	61.5	0	29620.853	541.9354839	15988.63914	30000	0	0	30000	41.4375	2004
12.02.2020 12:43:08	1	1	1	1	63	61.25	0	29526.066	539.7849462	15899.76354	30000	0	0	30000	41.625	2004
12.02.2020 12:43:09	1	1	1	1	63	61.5	0	29526.066	537.6344086	15937.27068	30000	0	0	30000	41.5625	2004
12.02.2020 12:43:10	1	1	1	1	63	61.5	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	41.4375	2004
12.02.2020 12:43:11	1	1	1	1	63	61.25	0	29573.46	537.6344086	15963.3626	30000	0	0	30000	41.375	2004
12.02.2020 12:43:12	1	1	1	1	63	61.25	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	40.875	2004
12.02.2020 12:43:13	1	1	1	1	63	60.75	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	41.375	2004
12.02.2020 12:43:14	1	1	1	1	63	61.25	0	29526.066	537.6344086	15963.3626	30000	0	0	30000	41.3125	2004
12.02.2020 12:43:15	1	1	1	1	63	61.25	0	29573.46	539.7849462	15988.63914	30000	0	0	30000	41.1875	2004
12.02.2020 12:43:16	1	1	1	1	63	61	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	41.625	2004
12.02.2020 12:43:17	1	1	1	1	63	61.5	0	29620.853	539.7849462	15963.3626	30000	0	0	30000	41.5625	2004
12.02.2020 12:43:18	1	1	1	1	63	61.5	0	29573.46	537.6344086	15988.63914	30000	0	0	30000	41.6875	2004
12.02.2020 12:43:19	1	1	1	1	63	61.5	0	29478.673	537.6344086	15823.11853	30000	0	0	30000	41.125	2004
12.02.2020 12:43:20	1	1	1	1	63	61	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	41.5625	2004
12.02.2020 12:43:21	1	1	1	1	63	61.5	0	29573.46	541.9354839	16026.96165	30000	0	0	30000	41.5625	2004
12.02.2020 12:43:22	1	1	1	1	63	61.5	0	29620.853	541.9354839	15963.3626	30000	0	0	30000	41.375	2004
12.02.2020 12:43:23	1	1	1	1	63	61.25	0	29668.246	537.6344086	15861.44103	30000	0	0	30000	41.625	2004
12.02.2020 12:43:24	1	1	1	1	63	61.5	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	41.625	2004
12.02.2020 12:43:25	1	1	1	1	63	61.5	0	29810.427	539.7849462	16026.96165	30000	0	0	30000	41.5	2004
12.02.2020 12:43:26	1	1	1	1	63	61.5	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	41.5	2004
12.02.2020 12:43:27	1	1	1	1	62.5	61.5	0	29573.46	537.6344086	15988.63914	30000	0	0	30000	41	2004
12.02.2020 12:43:28	1	1	1	1	62.5	61	0	29526.066	541.9354839	15963.3626	30000	0	0	30000	41.6875	2004
12.02.2020 12:43:29	1	1	1	1	62.5	61.5	0	29668.246	539.7849462	16103.60666	30000	0	0	30000	41.25	2004
12.02.2020 12:43:30	1	1	1	1	62.5	61.25	0	29620.853	541.9354839	15988.63914	30000	0	0	30000	41.4375	2004
12.02.2020 12:43:31	1	1	1	1	62.5	61.25	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	41.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 12:43:32	1	1	1	1	62.5	61.5	0	29715.64	541.9354839	16013.91569	30000	0	0	30000	41.5625	2004
12.02.2020 12:43:33	1	1	1	1	62.5	61.5	0	29526.066	539.7849462	15899.76354	30000	0	0	30000	41.625	2004
12.02.2020 12:43:34	1	1	1	1	62.5	61.5	0	29573.46	539.7849462	15899.76354	30000	0	0	30000	41.25	2004
12.02.2020 12:43:35	1	1	1	1	62.5	61.25	0	29526.066	539.7849462	15784.79602	30000	0	0	30000	41.375	2004
12.02.2020 12:43:36	1	1	1	1	62.5	61.25	0	29763.033	539.7849462	16154.97513	30000	0	0	30000	41.6875	2004
12.02.2020 12:43:37	1	1	1	1	62.75	61.5	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	41.1875	2004
12.02.2020 12:43:38	1	1	1	1	62.75	61	0	29668.246	541.9354839	16103.60666	30000	0	0	30000	41.375	2004
12.02.2020 12:43:39	1	1	1	1	62.75	61.25	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	41.5	2004
12.02.2020 12:43:40	1	1	1	1	62.75	61.5	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	41.6875	2004
12.02.2020 12:43:42	1	1	1	1	62.75	61.5	0	29526.066	535.483871	15988.63914	30000	0	0	30000	40.9375	2004
12.02.2020 12:43:43	1	1	1	1	62.75	60.75	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	41.4375	2004
12.02.2020 12:43:44	1	1	1	1	62.75	61.25	0	29620.853	541.9354839	15836.16449	30000	0	0	30000	41.0625	2004
12.02.2020 12:43:51	1	1	1	1	63	60.75	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	41.125	2004
12.02.2020 12:43:51	1	1	1	1	63	60.75	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	41.125	2004
12.02.2020 12:43:51	1	1	1	1	63	60.75	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	41.125	2004
12.02.2020 12:43:51	1	1	1	1	63	60.75	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	41.125	2004
12.02.2020 12:43:51	1	1	1	1	63	60.75	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	41.125	2004
12.02.2020 12:43:51	1	1	1	1	63	60.75	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	41.125	2004
12.02.2020 12:43:51	1	1	1	1	63	60.75	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	41.125	2004
12.02.2020 12:43:52	1	1	1	1	63	61	0	29573.46	539.7849462	15937.27068	30000	0	0	30000	41.6875	2004
12.02.2020 12:43:53	1	1	1	1	63	61.5	0	29715.64	539.7849462	16103.60666	30000	0	0	30000	41.3125	2004
12.02.2020 12:43:54	1	1	1	1	63	61.25	0	29668.246	541.9354839	15861.44103	30000	0	0	30000	41.75	2004
12.02.2020 12:43:55	1	1	1	1	63	61.75	0	29810.427	539.7849462	16090.5607	30000	0	0	30000	41.4375	2004
12.02.2020 12:43:56	1	1	1	1	63	61.25	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	41.5	2004
12.02.2020 12:43:57	1	1	1	1	63	61.5	0	29668.246	537.6344086	16040.00761	30000	0	0	30000	41.6875	2004
12.02.2020 12:43:58	1	1	1	1	62.75	61.5	0	29620.853	537.6344086	15925.04009	30000	0	0	30000	41.375	2004
12.02.2020 12:43:59	1	1	1	1	62.75	61.25	0	29526.066	537.6344086	15873.67162	30000	0	0	30000	41.125	2004
12.02.2020 12:44:00	1	1	1	1	62.75	61.5	0	29668.246	539.7849462	16040.00761	30000	0	0	30000	41.5625	2004
12.02.2020 12:44:01	1	1	1	1	62.75	61.5	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	41.125	2004
12.02.2020 12:44:02	1	1	1	1	62.75	61	0	29620.853	539.7849462	16103.60666	30000	0	0	30000	41.625	2004
12.02.2020 12:44:03	1	1	1	1	62.75	61.5	0	29526.066	541.9354839	15963.3626	30000	0	0	30000	41.6875	2004
12.02.2020 12:44:04	1	1	1	1	62.75	61.5	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	41.75	2004
12.02.2020 12:44:05	1	1	1	1	62.75	61.75	0	29526.066	537.6344086	15810.07257	30000	0	0	30000	41.625	2004
12.02.2020 12:44:06	1	1	1	1	62.75	61.5	0	29573.46	537.6344086	16052.2382	30000	0	0	30000	41.625	2004
12.02.2020 12:44:07	1	1	1	1	63.25	61.5	0	29715.64	541.9354839	15797.84198	30000	0	0	30000	40.4375	2004
12.02.2020 12:44:08	1	1	1	1	63.25	60.25	0	29668.246	541.9354839	15925.04009	30000	0	0	30000	41.375	2004
12.02.2020 12:44:09	1	1	1	1	63.25	61.25	0	29526.066	539.7849462	15747.28889	30000	0	0	30000	41.625	2004
12.02.2020 12:44:10	1	1	1	1	63.25	61.5	0	29668.246	537.6344086	16078.33012	30000	0	0	30000	41.625	2004
12.02.2020 12:44:11	1	1	1	1	63.25	61.5	0	29431.28	529.0322581	15569.53768	30000	0	0	30000	41.375	2004
12.02.2020 12:44:12	1	1	1	1	63.25	61.25	0	29620.853	539.7849462	15963.3626	30000	0	0	30000	41.5	2004
12.02.2020 12:44:13	1	1	1	1	63.25	61.5	0	29857.82	541.9354839	16206.3436	30000	0	0	30000	41.75	2004
12.02.2020 12:44:14	1	1	1	1	63.25	61.75	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	41.625	2004
12.02.2020 12:44:15	1	1	1	1	63.25	61.5	0	29668.246	539.7849462	15988.63914	30000	0	0	30000	41.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 12:44:16	1	1	1	1	63.25	61.5	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	41.4375	2004
12.02.2020 12:44:17	1	1	1	1	62.75	61.25	0	29620.853	533.3333333	15950.31664	30000	0	0	30000	41.0625	2004
12.02.2020 12:44:18	1	1	1	1	62.75	61	0	29715.64	537.6344086	16103.60666	30000	0	0	30000	41.5	2004
12.02.2020 12:44:20	1	1	1	1	62.75	61.5	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	41.375	2004
12.02.2020 12:44:21	1	1	1	1	62.75	61.25	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	41.3125	2004
12.02.2020 12:44:22	1	1	1	1	62.75	61.25	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	41.4375	2004
12.02.2020 12:44:23	1	1	1	1	62.75	61.25	0	29620.853	537.6344086	15708.96638	30000	0	0	30000	41.5	2004
12.02.2020 12:44:24	1	1	1	1	62.75	61.5	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	41.1875	2004
12.02.2020 12:44:25	1	1	1	1	62.75	61	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	41.625	2004
12.02.2020 12:44:26	1	1	1	1	62.75	61.5	0	29715.64	539.7849462	15911.99413	30000	0	0	30000	41.5625	2004
12.02.2020 12:44:27	1	1	1	1	62.75	61.5	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	41.0625	2004
12.02.2020 12:44:28	1	1	1	1	62.5	61	0	29810.427	541.9354839	16090.5607	30000	0	0	30000	41.625	2004
12.02.2020 12:44:29	1	1	1	1	62.5	61.5	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	41.5	2004
12.02.2020 12:44:30	1	1	1	1	62.5	61.5	0	29526.066	539.7849462	15873.67162	30000	0	0	30000	41.5625	2004
12.02.2020 12:44:31	1	1	1	1	62.5	61.5	0	29715.64	537.6344086	15911.99413	30000	0	0	30000	41.375	2004
12.02.2020 12:44:32	1	1	1	1	62.5	61.25	0	29668.246	539.7849462	16103.60666	30000	0	0	30000	40.9375	2004
12.02.2020 12:44:33	1	1	1	1	62.5	60.75	0	29620.853	539.7849462	15925.04009	30000	0	0	30000	41.375	2004
12.02.2020 12:44:34	1	1	1	1	62.5	61.25	0	29383.886	537.6344086	15771.75006	30000	0	0	30000	41.8125	2004
12.02.2020 12:44:35	1	1	1	1	62.5	61.75	0	29526.066	539.7849462	15988.63914	30000	0	0	30000	41.625	2004
12.02.2020 12:44:36	1	1	1	1	62.5	61.5	0	29526.066	537.6344086	15873.67162	30000	0	0	30000	41.75	2004
12.02.2020 12:44:37	1	1	1	1	62.5	61.75	0	29526.066	533.3333333	16243.03536	30000	0	0	30000	41.3125	2004
12.02.2020 12:44:38	1	1	1	1	62.5	61.75	0	29526.066	539.7849462	15963.3626	30000	0	0	30000	41.125	2004
12.02.2020 12:44:39	1	1	1	1	62.5	61	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	41.75	2004
12.02.2020 12:44:40	1	1	1	1	62.5	61.75	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	41.5625	2004
12.02.2020 12:44:41	1	1	1	1	62.5	61.5	0	29526.066	537.6344086	15937.27068	30000	0	0	30000	41.5625	2004
12.02.2020 12:44:42	1	1	1	1	62.5	61.5	0	29478.673	533.3333333	15937.27068	30000	0	0	30000	41.75	2004
12.02.2020 12:44:43	1	1	1	1	62.5	61.75	0	29620.853	541.9354839	15988.63914	30000	0	0	30000	41.625	2004
12.02.2020 12:44:44	1	1	1	1	62.5	61.5	0	29715.64	537.6344086	15988.63914	30000	0	0	30000	41.5625	2004
12.02.2020 12:44:45	1	1	1	1	62.5	61.5	0	29810.427	541.9354839	16154.97513	30000	0	0	30000	41.625	2004
12.02.2020 12:44:52	1	1	1	1	62	61.5	0	29668.246	539.7849462	16040.00761	30000	0	0	30000	41	2004
12.02.2020 12:44:52	1	1	1	1	62	61.5	0	29668.246	539.7849462	16040.00761	30000	0	0	30000	41	2004
12.02.2020 12:44:52	1	1	1	1	62	61.5	0	29668.246	539.7849462	16040.00761	30000	0	0	30000	41	2004
12.02.2020 12:44:52	1	1	1	1	62	61.5	0	29668.246	539.7849462	16040.00761	30000	0	0	30000	41	2004
12.02.2020 12:44:52	1	1	1	1	62	61.5	0	29668.246	539.7849462	16040.00761	30000	0	0	30000	41	2004
12.02.2020 12:44:52	1	1	1	1	62	61	0	29810.427	541.9354839	16411.81747	30000	0	0	30000	41.75	2004
12.02.2020 12:44:53	1	1	1	1	62	61.75	0	29526.066	537.6344086	15899.76354	30000	0	0	30000	41.4375	2004
12.02.2020 12:44:54	1	1	1	1	62	61.25	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	41.5	2004
12.02.2020 12:44:55	1	1	1	1	62	61.5	0	29526.066	537.6344086	15937.27068	30000	0	0	30000	41.375	2004
12.02.2020 12:44:56	1	1	1	1	62	61.25	0	29620.853	537.6344086	15925.04009	30000	0	0	30000	41.4375	2004
12.02.2020 12:44:58	1	1	1	1	62.25	61.25	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	41.375	2004
12.02.2020 12:44:59	1	1	1	1	62.25	61.25	0	29668.246	541.9354839	15988.63914	30000	0	0	30000	41.5625	2004
12.02.2020 12:45:00	1	1	1	1	62.25	61.5	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	41.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 12:45:01	1	1	1	1	62.25	61.25	0	29620.853	539.7849462	16013.91569	30000	0	0	30000	41.5	2004
12.02.2020 12:45:02	1	1	1	1	62.25	61.5	0	29620.853	541.9354839	15963.3626	30000	0	0	30000	41	2004
12.02.2020 12:45:03	1	1	1	1	62.25	61	0	29668.246	539.7849462	16013.91569	30000	0	0	30000	41.75	2004
12.02.2020 12:45:04	1	1	1	1	62.25	61.75	0	29715.64	544.0860215	16040.00761	30000	0	0	30000	41.4375	2004
12.02.2020 12:45:05	1	1	1	1	62.25	61.25	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	41.6875	2004
12.02.2020 12:45:06	1	1	1	1	62.25	61.5	0	29810.427	539.7849462	16090.5607	30000	0	0	30000	41.75	2004
12.02.2020 12:45:07	1	1	1	1	62.25	61.75	0	29668.246	537.6344086	16040.00761	30000	0	0	30000	41.6875	2004
12.02.2020 12:45:08	1	1	1	1	62.25	61.5	0	29715.64	537.6344086	16167.20572	30000	0	0	30000	41.5	2004
12.02.2020 12:45:09	1	1	1	1	62.25	61.5	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	41.5	2004
12.02.2020 12:45:10	1	1	1	1	62.25	61.5	0	29620.853	535.483871	15925.04009	30000	0	0	30000	40.75	2004
12.02.2020 12:45:11	1	1	1	1	62.25	60.75	0	29620.853	537.6344086	15797.84198	30000	0	0	30000	41.625	2004
12.02.2020 12:45:12	1	1	1	1	62.25	61.5	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	41.625	2004
12.02.2020 12:45:13	1	1	1	1	62.25	61.5	0	29715.64	546.2365591	16040.00761	30000	0	0	30000	41.3125	2004
12.02.2020 12:45:14	1	1	1	1	62.25	61.25	0	29526.066	539.7849462	15937.27068	30000	0	0	30000	41.4375	2004
12.02.2020 12:45:15	1	1	1	1	62.25	61.25	0	29668.246	537.6344086	16078.33012	30000	0	0	30000	41.0625	2004
12.02.2020 12:45:16	1	1	1	1	62.25	61	0	29620.853	537.6344086	15950.31664	30000	0	0	30000	42.125	2004
12.02.2020 12:45:17	1	1	1	1	62.25	62	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	41.375	2004
12.02.2020 12:45:18	1	1	1	1	62.25	61.5	0	29526.066	537.6344086	15899.76354	30000	0	0	30000	41.5625	2004
12.02.2020 12:45:19	1	1	1	1	62.25	61.5	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	41.5	2004
12.02.2020 12:45:20	1	1	1	1	62.25	61.5	0	29715.64	533.3333333	16040.00761	30000	0	0	30000	41.5	2004
12.02.2020 12:45:21	1	1	1	1	62.25	61.5	0	29620.853	539.7849462	16040.00761	30000	0	0	30000	41.5625	2004
12.02.2020 12:45:22	1	1	1	1	62.25	61.5	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	41.625	2004
12.02.2020 12:45:23	1	1	1	1	62.25	61.5	0	29668.246	544.0860215	16013.91569	30000	0	0	30000	41.4375	2004
12.02.2020 12:45:24	1	1	1	1	62.25	61.25	0	29857.82	539.7849462	16116.65262	30000	0	0	30000	41.375	2004
12.02.2020 12:45:25	1	1	1	1	62.25	61.25	0	29620.853	537.6344086	15975.59318	30000	0	0	30000	41.5	2004
12.02.2020 12:45:26	1	1	1	1	62.25	61.5	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	40.9375	2004
12.02.2020 12:45:27	1	1	1	1	62	60.75	0	29668.246	539.7849462	16040.00761	30000	0	0	30000	41.5	2004
12.02.2020 12:45:28	1	1	1	1	62	61.5	0	29620.853	539.7849462	16103.60666	30000	0	0	30000	41.5625	2004
12.02.2020 12:45:29	1	1	1	1	62	61.5	0	29526.066	537.6344086	15937.27068	30000	0	0	30000	41.6875	2004
12.02.2020 12:45:30	1	1	1	1	62	61.5	0	29573.46	533.3333333	15772.56543	30000	0	0	30000	41.625	2004
12.02.2020 12:45:31	1	1	1	1	62	61.5	0	29668.246	539.7849462	15988.63914	30000	0	0	30000	41.625	2004
12.02.2020 12:45:32	1	1	1	1	62	61.5	0	29573.46	539.7849462	15988.63914	30000	0	0	30000	41.6875	2004
12.02.2020 12:45:33	1	1	1	1	62	61.5	0	29715.64	535.483871	16103.60666	30000	0	0	30000	41.5625	2004
12.02.2020 12:45:34	1	1	1	1	62	61.5	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	41.5625	2004
12.02.2020 12:45:35	1	1	1	1	62	61.5	0	29668.246	539.7849462	16103.60666	30000	0	0	30000	41.3125	2004
12.02.2020 12:45:37	1	1	1	1	62	61.25	0	29620.853	541.9354839	15988.63914	30000	0	0	30000	41.5625	2004
12.02.2020 12:45:38	1	1	1	1	61.75	61.5	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	40.8125	2004
12.02.2020 12:45:39	1	1	1	1	61.75	60.75	0	29620.853	533.3333333	16040.00761	30000	0	0	30000	41.1875	2004
12.02.2020 12:45:40	1	1	1	1	61.75	61	0	29620.853	541.9354839	15963.3626	30000	0	0	30000	41.5625	2004
12.02.2020 12:45:41	1	1	1	1	61.75	61.5	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	40.5625	2004
12.02.2020 12:45:42	1	1	1	1	61.75	60.5	0	29573.46	535.483871	15899.76354	30000	0	0	30000	41.75	2004
12.02.2020 12:45:43	1	1	1	1	61.75	61.75	0	29715.64	539.7849462	15975.59318	30000	0	0	30000	41.125	2004
12.02.2020 12:45:44	1	1	1	1	61.75	61	0	29620.853	533.3333333	15925.04009	30000	0	0	30000	41.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 12:45:45	1	1	1	1	61.75	61.5	0	29668.246	537.6344086	15975.59318	30000	0	0	30000	41.4375	2004
12.02.2020 12:45:46	1	1	1	1	61.75	61.25	0	29668.246	537.6344086	16013.91569	30000	0	0	30000	41.6875	2004
12.02.2020 12:45:47	1	1	1	1	61.75	61.5	0	29573.46	537.6344086	15963.3626	30000	0	0	30000	41.4375	2004
12.02.2020 12:45:54	1	1	1	1	62.25	61.75	0	29620.853	537.6344086	15963.3626	30000	0	0	30000	42	2004
12.02.2020 12:45:54	1	1	1	1	62.25	61.75	0	29620.853	537.6344086	15963.3626	30000	0	0	30000	42	2004
12.02.2020 12:45:54	1	1	1	1	62.25	61.75	0	29620.853	537.6344086	15963.3626	30000	0	0	30000	42	2004
12.02.2020 12:45:54	1	1	1	1	62.25	61.75	0	29620.853	537.6344086	15963.3626	30000	0	0	30000	42	2004
12.02.2020 12:45:54	1	1	1	1	62.25	61.75	0	29620.853	537.6344086	15963.3626	30000	0	0	30000	42	2004
12.02.2020 12:45:54	1	1	1	1	62.25	61.75	0	29620.853	537.6344086	15963.3626	30000	0	0	30000	42	2004
12.02.2020 12:45:55	1	1	1	1	62.25	62	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	41.25	2004
12.02.2020 12:45:56	1	1	1	1	62.25	61.25	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	41.4375	2004
12.02.2020 12:45:57	1	1	1	1	61.5	61.25	0	29715.64	539.7849462	15975.59318	30000	0	0	30000	41.4375	2004
12.02.2020 12:45:58	1	1	1	1	61.5	61.25	0	29526.066	535.483871	15810.07257	30000	0	0	30000	41.625	2004
12.02.2020 12:45:59	1	1	1	1	61.5	61.5	0	29905.213	539.7849462	16141.92917	30000	0	0	30000	41.375	2004
12.02.2020 12:46:00	1	1	1	1	61.5	61.25	0	29763.033	539.7849462	16090.5607	30000	0	0	30000	41.6875	2004
12.02.2020 12:46:01	1	1	1	1	61.5	61.5	0	29526.066	537.6344086	15899.76354	30000	0	0	30000	41.5625	2004
12.02.2020 12:46:02	1	1	1	1	61.5	61.5	0	29715.64	539.7849462	16103.60666	30000	0	0	30000	41.5	2004
12.02.2020 12:46:03	1	1	1	1	61.5	61.5	0	29620.853	537.6344086	15925.04009	30000	0	0	30000	41.3125	2004
12.02.2020 12:46:04	1	1	1	1	61.5	61.25	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	41.75	2004
12.02.2020 12:46:05	1	1	1	1	61.5	61.75	0	29810.427	537.6344086	16090.5607	30000	0	0	30000	41.75	2004
12.02.2020 12:46:06	1	1	1	1	61.5	61.75	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	41.4375	2004
12.02.2020 12:46:07	1	1	1	1	61.75	61.25	0	29620.853	537.6344086	16040.00761	30000	0	0	30000	40.875	2004
12.02.2020 12:46:08	1	1	1	1	61.75	60.75	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	41.625	2004
12.02.2020 12:46:09	1	1	1	1	61.75	61.5	0	29668.246	539.7849462	16013.91569	30000	0	0	30000	41.5	2004
12.02.2020 12:46:10	1	1	1	1	61.75	61.5	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	41.375	2004
12.02.2020 12:46:11	1	1	1	1	61.75	61.25	0	29668.246	539.7849462	15988.63914	30000	0	0	30000	41.6875	2004
12.02.2020 12:46:12	1	1	1	1	61.75	61.5	0	29620.853	537.6344086	15861.44103	30000	0	0	30000	41.25	2004
12.02.2020 12:46:13	1	1	1	1	61.75	61.25	0	29763.033	537.6344086	16090.5607	30000	0	0	30000	40.8125	2004
12.02.2020 12:46:15	1	1	1	1	61.75	60.75	0	29620.853	541.9354839	15861.44103	30000	0	0	30000	41.4375	2004
12.02.2020 12:46:16	1	1	1	1	61.75	61.25	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	41.3125	2004
12.02.2020 12:46:17	1	1	1	1	61.75	61.25	0	29573.46	535.483871	15925.04009	30000	0	0	30000	41.75	2004
12.02.2020 12:46:18	1	1	1	1	61.75	61.75	0	29857.82	546.2365591	16090.5607	30000	0	0	30000	41.5625	2004
12.02.2020 12:46:19	1	1	1	1	61.75	61.5	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	41.75	2004
12.02.2020 12:46:20	1	1	1	1	61.75	61.75	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	41	2004
12.02.2020 12:46:21	1	1	1	1	61.75	61	0	29810.427	539.7849462	16154.97513	30000	0	0	30000	41.25	2004
12.02.2020 12:46:22	1	1	1	1	61.75	61.25	0	29573.46	537.6344086	15810.07257	30000	0	0	30000	41.25	2004
12.02.2020 12:46:23	1	1	1	1	61.75	61.25	0	29668.246	537.6344086	15975.59318	30000	0	0	30000	41.375	2004
12.02.2020 12:46:24	1	1	1	1	61.75	61.25	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	41.6875	2004
12.02.2020 12:46:25	1	1	1	1	61.75	61.5	0	29573.46	539.7849462	15988.63914	30000	0	0	30000	41.25	2004
12.02.2020 12:46:26	1	1	1	1	61.75	61.25	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	41.5625	2004
12.02.2020 12:46:27	1	1	1	1	61.75	61.5	0	29810.427	541.9354839	16090.5607	30000	0	0	30000	41.5	2004
12.02.2020 12:46:28	1	1	1	1	61.75	61.5	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	41.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 12:46:29	1	1	1	1	61.75	61.5	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	41.625	2004
12.02.2020 12:46:30	1	1	1	1	61.75	61.5	0	29668.246	541.9354839	16013.91569	30000	0	0	30000	41.125	2004
12.02.2020 12:46:31	1	1	1	1	61.75	61	0	29620.853	541.9354839	15861.44103	30000	0	0	30000	41.5625	2004
12.02.2020 12:46:32	1	1	1	1	61.75	61.5	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	41.4375	2004
12.02.2020 12:46:33	1	1	1	1	61.75	61.25	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	41.8125	2004
12.02.2020 12:46:34	1	1	1	1	61.75	61.75	0	29573.46	539.7849462	15988.63914	30000	0	0	30000	42.125	2004
12.02.2020 12:46:35	1	1	1	1	61.75	61.5	0	29668.246	539.7849462	16040.00761	30000	0	0	30000	40.75	2004
12.02.2020 12:46:36	1	1	1	1	61.75	60.75	0	29526.066	539.7849462	15937.27068	30000	0	0	30000	41.6875	2004
12.02.2020 12:46:37	1	1	1	1	62	61.5	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	41.4375	2004
12.02.2020 12:46:38	1	1	1	1	62	61.25	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	41.625	2004
12.02.2020 12:46:39	1	1	1	1	62	61.5	0	29668.246	533.3333333	15797.84198	30000	0	0	30000	41.3125	2004
12.02.2020 12:46:40	1	1	1	1	62	61.25	0	29620.853	539.7849462	16040.00761	30000	0	0	30000	41.25	2004
12.02.2020 12:46:41	1	1	1	1	62	61.25	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	41.5625	2004
12.02.2020 12:46:42	1	1	1	1	62	61.5	0	29526.066	537.6344086	16000.86973	30000	0	0	30000	41.375	2004
12.02.2020 12:46:43	1	1	1	1	62	61.25	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	41.5625	2004
12.02.2020 12:46:44	1	1	1	1	62	61.5	0	29620.853	535.483871	16040.00761	30000	0	0	30000	41.75	2004
12.02.2020 12:46:45	1	1	1	1	62	61.75	0	29526.066	537.6344086	15937.27068	30000	0	0	30000	41.8125	2004
12.02.2020 12:46:46	1	1	1	1	62	61.75	0	29620.853	541.9354839	15963.3626	30000	0	0	30000	41.1875	2004
12.02.2020 12:46:47	1	1	1	1	61.75	61	0	29668.246	537.6344086	15988.63914	30000	0	0	30000	41.75	2004
12.02.2020 12:46:48	1	1	1	1	61.75	61.75	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	41.375	2004
12.02.2020 12:46:56	1	1	1	1	61.75	61.25	0	29763.033	539.7849462	16219.38956	30000	0	0	30000	41.6875	2004
12.02.2020 12:46:56	1	1	1	1	61.75	61.25	0	29763.033	539.7849462	16219.38956	30000	0	0	30000	41.6875	2004
12.02.2020 12:46:56	1	1	1	1	61.75	61.25	0	29763.033	539.7849462	16219.38956	30000	0	0	30000	41.6875	2004
12.02.2020 12:46:56	1	1	1	1	61.75	61.25	0	29763.033	539.7849462	16219.38956	30000	0	0	30000	41.6875	2004
12.02.2020 12:46:56	1	1	1	1	61.75	61.25	0	29763.033	539.7849462	16219.38956	30000	0	0	30000	41.6875	2004
12.02.2020 12:46:56	1	1	1	1	61.75	61.25	0	29763.033	539.7849462	16219.38956	30000	0	0	30000	41.6875	2004
12.02.2020 12:46:56	1	1	1	1	61.75	61.25	0	29763.033	539.7849462	16219.38956	30000	0	0	30000	41.6875	2004
12.02.2020 12:46:56	1	1	1	1	61.75	61.25	0	29763.033	539.7849462	16219.38956	30000	0	0	30000	41.6875	2004
12.02.2020 12:46:57	1	1	1	1	61.75	61.5	0	29715.64	539.7849462	16154.97513	30000	0	0	30000	41.4375	2004
12.02.2020 12:46:58	1	1	1	1	62	61.25	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	41.4375	2004
12.02.2020 12:46:59	1	1	1	1	62	61.25	0	29668.246	539.7849462	15925.04009	30000	0	0	30000	41.5	2004
12.02.2020 12:47:00	1	1	1	1	62	61.5	0	29715.64	537.6344086	16103.60666	30000	0	0	30000	41.5625	2004
12.02.2020 12:47:01	1	1	1	1	62	61.5	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	41.625	2004
12.02.2020 12:47:02	1	1	1	1	62	61.5	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	41.5	2004
12.02.2020 12:47:03	1	1	1	1	62	61.5	0	29526.066	533.3333333	15772.56543	30000	0	0	30000	41.4375	2004
12.02.2020 12:47:04	1	1	1	1	62	61.25	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	40.5	2004
12.02.2020 12:47:05	1	1	1	1	62	60.5	0	29668.246	539.7849462	15988.63914	30000	0	0	30000	41.5625	2004
12.02.2020 12:47:06	1	1	1	1	62	61.5	0	29715.64	539.7849462	16167.20572	30000	0	0	30000	41.625	2004
12.02.2020 12:47:07	1	1	1	1	62	61.5	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	41.125	2004
12.02.2020 12:47:08	1	1	1	1	61.5	61	0	29763.033	541.9354839	15848.39508	30000	0	0	30000	41.625	2004
12.02.2020 12:47:09	1	1	1	1	61.5	61.5	0	29715.64	535.483871	16040.00761	30000	0	0	30000	41.6875	2004
12.02.2020 12:47:10	1	1	1	1	61.5	61.5	0	29668.246	541.9354839	16040.00761	30000	0	0	30000	41.3125	2004
12.02.2020 12:47:11	1	1	1	1	61.5	61.25	0	29668.246	539.7849462	16040.00761	30000	0	0	30000	41.375	2004
12.02.2020 12:47:12	1	1	1	1	61.5	61.25	0	29620.853	537.6344086	15861.44103	30000	0	0	30000	41.8125	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 12:47:13	1	1	1	1	61.5	61.75	0	29668.246	539.7849462	16052.2382	30000	0	0	30000	41.3125	2004
12.02.2020 12:47:14	1	1	1	1	61.5	62	0	29620.853	535.483871	15925.04009	30000	0	0	30000	41.75	2004
12.02.2020 12:47:15	1	1	1	1	61.5	61.75	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	41.125	2004
12.02.2020 12:47:16	1	1	1	1	61.5	61	0	29668.246	544.0860215	15861.44103	30000	0	0	30000	41.8125	2004
12.02.2020 12:47:17	1	1	1	1	61.75	61.75	0	29857.82	539.7849462	16141.92917	30000	0	0	30000	41.3125	2004
12.02.2020 12:47:18	1	1	1	1	61.75	61.25	0	29857.82	541.9354839	16206.3436	30000	0	0	30000	41.6875	2004
12.02.2020 12:47:19	1	1	1	1	61.75	61.5	0	29810.427	541.9354839	16090.5607	30000	0	0	30000	41.5625	2004
12.02.2020 12:47:20	1	1	1	1	61.75	61.5	0	29715.64	533.3333333	15975.59318	30000	0	0	30000	41.375	2004
12.02.2020 12:47:21	1	1	1	1	61.75	61.25	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	41.625	2004
12.02.2020 12:47:22	1	1	1	1	61.75	61.5	0	29573.46	535.483871	15683.68983	30000	0	0	30000	41.8125	2004
12.02.2020 12:47:23	1	1	1	1	61.75	61.75	0	29810.427	539.7849462	15848.39508	30000	0	0	30000	41.1875	2004
12.02.2020 12:47:24	1	1	1	1	61.75	61	0	29810.427	541.9354839	16411.81747	30000	0	0	30000	41.5	2004
12.02.2020 12:47:25	1	1	1	1	61.75	61.5	0	29668.246	537.6344086	16040.00761	30000	0	0	30000	41.5	2004
12.02.2020 12:47:26	1	1	1	1	61.75	61.5	0	29620.853	535.483871	15861.44103	30000	0	0	30000	41.625	2004
12.02.2020 12:47:27	1	1	1	1	61.75	61.5	0	29810.427	537.6344086	16026.96165	30000	0	0	30000	41.5625	2004
12.02.2020 12:47:28	1	1	1	1	61.75	61.5	0	29715.64	537.6344086	15911.99413	30000	0	0	30000	41.3125	2004
12.02.2020 12:47:29	1	1	1	1	61.75	61.25	0	29620.853	535.483871	15925.04009	30000	0	0	30000	41.4375	2004
12.02.2020 12:47:30	1	1	1	1	61.75	61.25	0	29810.427	539.7849462	16090.5607	30000	0	0	30000	41.5625	2004
12.02.2020 12:47:31	1	1	1	1	61.75	61.5	0	29620.853	535.483871	16013.91569	30000	0	0	30000	41.375	2004
12.02.2020 12:47:33	1	1	1	1	61.75	61.25	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	41.4375	2004
12.02.2020 12:47:34	1	1	1	1	61.75	61.25	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	41.5	2004
12.02.2020 12:47:35	1	1	1	1	61.75	61.5	0	29668.246	539.7849462	16040.00761	30000	0	0	30000	41.5	2004
12.02.2020 12:47:36	1	1	1	1	61.75	61.5	0	29620.853	537.6344086	15925.04009	30000	0	0	30000	41.75	2004
12.02.2020 12:47:37	1	1	1	1	61.75	61.75	0	29620.853	537.6344086	16078.33012	30000	0	0	30000	41.25	2004
12.02.2020 12:47:38	1	1	1	1	61.5	61.25	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	41.6875	2004
12.02.2020 12:47:39	1	1	1	1	61.5	61.5	0	29810.427	537.6344086	16090.5607	30000	0	0	30000	41.1875	2004
12.02.2020 12:47:40	1	1	1	1	61.5	61	0	29526.066	535.483871	15810.07257	30000	0	0	30000	41.4375	2004
12.02.2020 12:47:41	1	1	1	1	61.5	61.25	0	29573.46	537.6344086	15988.63914	30000	0	0	30000	41.3125	2004
12.02.2020 12:47:42	1	1	1	1	61.5	61.25	0	29668.246	539.7849462	16040.00761	30000	0	0	30000	40.8125	2004
12.02.2020 12:47:43	1	1	1	1	61.5	60.75	0	29526.066	537.6344086	15899.76354	30000	0	0	30000	41.75	2004
12.02.2020 12:47:44	1	1	1	1	61.5	61.75	0	29715.64	539.7849462	16103.60666	30000	0	0	30000	41.625	2004
12.02.2020 12:47:45	1	1	1	1	61.5	61.5	0	29810.427	539.7849462	16026.96165	30000	0	0	30000	41.6875	2004
12.02.2020 12:47:46	1	1	1	1	61.5	61.5	0	29573.46	537.6344086	15836.16449	30000	0	0	30000	41.375	2004
12.02.2020 12:47:47	1	1	1	1	61.5	61.25	0	29620.853	539.7849462	15797.84198	30000	0	0	30000	41.4375	2004
12.02.2020 12:47:48	1	1	1	1	61	61.25	0	29620.853	537.6344086	15925.04009	30000	0	0	30000	41.4375	2004
12.02.2020 12:47:49	1	1	1	1	61	61.25	0	29478.673	535.483871	15784.79602	30000	0	0	30000	41.5625	2004
12.02.2020 12:47:50	1	1	1	1	61	61.5	0	29620.853	535.483871	15988.63914	30000	0	0	30000	41.5	2004
12.02.2020 12:47:57	1	1	1	1	61.25	61.5	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	41.5625	2004
12.02.2020 12:47:57	1	1	1	1	61.25	61.5	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	41.5625	2004
12.02.2020 12:47:57	1	1	1	1	61.25	61.5	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	41.5625	2004
12.02.2020 12:47:57	1	1	1	1	61.25	61.5	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	41.5625	2004
12.02.2020 12:47:57	1	1	1	1	61.25	61.5	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	41.5625	2004
12.02.2020 12:47:57	1	1	1	1	61.25	61.5	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	41.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 12:47:57	1	1	1	1	61.25	61.5	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	41.5625	2004
12.02.2020 12:47:58	1	1	1	1	61.25	61.5	0	29810.427	539.7849462	16090.5607	30000	0	0	30000	41.5625	2004
12.02.2020 12:47:59	1	1	1	1	61.25	61.5	0	29668.246	537.6344086	15925.04009	30000	0	0	30000	41.5	2004
12.02.2020 12:48:00	1	1	1	1	61.25	61.5	0	29715.64	539.7849462	16103.60666	30000	0	0	30000	41.375	2004
12.02.2020 12:48:01	1	1	1	1	61.25	61.25	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	41.25	2004
12.02.2020 12:48:02	1	1	1	1	61.25	61.25	0	29620.853	537.6344086	15861.44103	30000	0	0	30000	41.5	2004
12.02.2020 12:48:03	1	1	1	1	61.25	61.5	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	41.375	2004
12.02.2020 12:48:04	1	1	1	1	61.25	61.25	0	29526.066	537.6344086	15810.07257	30000	0	0	30000	40.875	2004
12.02.2020 12:48:05	1	1	1	1	61.25	60.75	0	29810.427	537.6344086	15848.39508	30000	0	0	30000	41.6875	2004
12.02.2020 12:48:06	1	1	1	1	61.25	61.5	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	41.5625	2004
12.02.2020 12:48:07	1	1	1	1	61.25	61.5	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	41.5625	2004
12.02.2020 12:48:08	1	1	1	1	61.25	61.5	0	29810.427	537.6344086	16026.96165	30000	0	0	30000	41.5	2004
12.02.2020 12:48:09	1	1	1	1	61.25	61.5	0	29763.033	537.6344086	16090.5607	30000	0	0	30000	41.4375	2004
12.02.2020 12:48:10	1	1	1	1	61.25	61.25	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	41.4375	2004
12.02.2020 12:48:11	1	1	1	1	61.25	61.25	0	29668.246	537.6344086	16040.00761	30000	0	0	30000	41.625	2004
12.02.2020 12:48:13	1	1	1	1	61.25	61.5	0	29810.427	539.7849462	16090.5607	30000	0	0	30000	41.25	2004
12.02.2020 12:48:14	1	1	1	1	61.25	61.25	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	41.625	2004
12.02.2020 12:48:15	1	1	1	1	61.25	61.5	0	29810.427	541.9354839	16040.00761	30000	0	0	30000	41.5625	2004
12.02.2020 12:48:16	1	1	1	1	61.25	61.5	0	29810.427	539.7849462	16154.97513	30000	0	0	30000	40.875	2004
12.02.2020 12:48:17	1	1	1	1	61.25	60.75	0	29526.066	535.483871	15594.81423	30000	0	0	30000	41.5	2004
12.02.2020 12:48:18	1	1	1	1	61.25	61.5	0	29620.853	535.483871	15861.44103	30000	0	0	30000	41.25	2004
12.02.2020 12:48:19	1	1	1	1	61.25	61.25	0	29668.246	535.483871	15861.44103	30000	0	0	30000	41.25	2004
12.02.2020 12:48:20	1	1	1	1	61.25	61.25	0	29478.673	533.3333333	15784.79602	30000	0	0	30000	41.4375	2004
12.02.2020 12:48:21	1	1	1	1	61.25	61.25	0	29668.246	537.6344086	16040.00761	30000	0	0	30000	41.5	2004
12.02.2020 12:48:22	1	1	1	1	61.25	61.5	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	41.625	2004
12.02.2020 12:48:23	1	1	1	1	61.25	61.5	0	29715.64	539.7849462	16167.20572	30000	0	0	30000	41.6875	2004
12.02.2020 12:48:24	1	1	1	1	61.25	61.5	0	29526.066	533.3333333	15988.63914	30000	0	0	30000	41.625	2004
12.02.2020 12:48:25	1	1	1	1	61.25	61.5	0	29715.64	537.6344086	16013.91569	30000	0	0	30000	41.25	2004
12.02.2020 12:48:26	1	1	1	1	61.25	61.25	0	29526.066	535.483871	15810.07257	30000	0	0	30000	41.625	2004
12.02.2020 12:48:27	1	1	1	1	61.25	61.5	0	29620.853	535.483871	15925.04009	30000	0	0	30000	41.6875	2004
12.02.2020 12:48:28	1	1	1	1	61	61.5	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	41.75	2004
12.02.2020 12:48:29	1	1	1	1	61	61.75	0	29810.427	537.6344086	16090.5607	30000	0	0	30000	41.875	2004
12.02.2020 12:48:30	1	1	1	1	61	61.75	0	29668.246	537.6344086	16040.00761	30000	0	0	30000	42	2004
12.02.2020 12:48:31	1	1	1	1	61	62	0	29905.213	550.5376344	16116.65262	30000	0	0	30000	41.3125	2004
12.02.2020 12:48:32	1	1	1	1	61	61.5	0	29810.427	537.6344086	16026.96165	30000	0	0	30000	41.4375	2004
12.02.2020 12:48:33	1	1	1	1	61	61.25	0	29857.82	541.9354839	16181.06705	30000	0	0	30000	41.6875	2004
12.02.2020 12:48:34	1	1	1	1	61	61.5	0	29763.033	537.6344086	16065.28416	30000	0	0	30000	41.6875	2004
12.02.2020 12:48:35	1	1	1	1	61	61.5	0	29668.246	537.6344086	15988.63914	30000	0	0	30000	41.375	2004
12.02.2020 12:48:36	1	1	1	1	61	61.25	0	29668.246	537.6344086	16040.00761	30000	0	0	30000	41.5625	2004
12.02.2020 12:48:37	1	1	1	1	61	61.5	0	29526.066	537.6344086	15899.76354	30000	0	0	30000	41.6875	2004
12.02.2020 12:48:38	1	1	1	1	61	61.5	0	29668.246	539.7849462	16013.91569	30000	0	0	30000	41.625	2004
12.02.2020 12:48:39	1	1	1	1	61	61.5	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	40.9375	2004
12.02.2020 12:48:40	1	1	1	1	61	60.75	0	29526.066	535.483871	15836.16449	30000	0	0	30000	41.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 12:48:41	1	1	1	1	61	61.5	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	41.3125	2004
12.02.2020 12:48:42	1	1	1	1	61	61.25	0	29763.033	537.6344086	16040.00761	30000	0	0	30000	41.4375	2004
12.02.2020 12:48:43	1	1	1	1	61	61.25	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	41.4375	2004
12.02.2020 12:48:44	1	1	1	1	61	61.25	0	29857.82	541.9354839	16116.65262	30000	0	0	30000	41.5625	2004
12.02.2020 12:48:45	1	1	1	1	61	61.5	0	29668.246	537.6344086	15861.44103	30000	0	0	30000	41.375	2004
12.02.2020 12:48:46	1	1	1	1	61	61.25	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	41.375	2004
12.02.2020 12:48:47	1	1	1	1	61.5	61.25	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	41.5625	2004
12.02.2020 12:48:48	1	1	1	1	61.5	61.5	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	41.6875	2004
12.02.2020 12:48:50	1	1	1	1	61.5	61.5	0	29620.853	537.6344086	15925.04009	30000	0	0	30000	41.5625	2004
12.02.2020 12:48:51	1	1	1	1	61.5	61.5	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	41.5	2004
12.02.2020 12:48:52	1	1	1	1	61.5	61.5	0	29620.853	537.6344086	15925.04009	30000	0	0	30000	41.375	2004
12.02.2020 12:48:59	1	1	1	1	61	61.5	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	41.125	2004
12.02.2020 12:48:59	1	1	1	1	61	61.5	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	41.125	2004
12.02.2020 12:48:59	1	1	1	1	61	61.5	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	41.125	2004
12.02.2020 12:48:59	1	1	1	1	61	61.5	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	41.125	2004
12.02.2020 12:48:59	1	1	1	1	61	61.5	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	41.125	2004
12.02.2020 12:48:59	1	1	1	1	61	61.5	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	41.125	2004
12.02.2020 12:48:59	1	1	1	1	61	61.5	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	41.125	2004
12.02.2020 12:49:02	1	1	1	1	61	61.5	0	29668.246	537.6344086	16013.91569	30000	0	0	30000	41.5	2004
12.02.2020 12:49:02	1	1	1	1	61	61.5	0	29668.246	537.6344086	16013.91569	30000	0	0	30000	41.5	2004
12.02.2020 12:49:02	1	1	1	1	61	61.5	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	41.75	2004
12.02.2020 12:49:03	1	1	1	1	61	61.75	0	29573.46	537.6344086	15988.63914	30000	0	0	30000	41.4375	2004
12.02.2020 12:49:04	1	1	1	1	61	61.25	0	29573.46	539.7849462	15988.63914	30000	0	0	30000	41.625	2004
12.02.2020 12:49:05	1	1	1	1	61	61.5	0	29715.64	537.6344086	15911.99413	30000	0	0	30000	41.125	2004
12.02.2020 12:49:06	1	1	1	1	61	61	0	29905.213	541.9354839	16077.51474	30000	0	0	30000	41.3125	2004
12.02.2020 12:49:07	1	1	1	1	61	61.25	0	29810.427	537.6344086	16090.5607	30000	0	0	30000	41.3125	2004
12.02.2020 12:49:08	1	1	1	1	60.75	61.25	0	29715.64	537.6344086	15848.39508	30000	0	0	30000	41.375	2004
12.02.2020 12:49:09	1	1	1	1	60.75	61.25	0	29810.427	537.6344086	16090.5607	30000	0	0	30000	41.75	2004
12.02.2020 12:49:10	1	1	1	1	60.75	61.75	0	29715.64	537.6344086	15848.39508	30000	0	0	30000	41.75	2004
12.02.2020 12:49:11	1	1	1	1	60.75	61.75	0	29715.64	537.6344086	15886.71758	30000	0	0	30000	42	2004
12.02.2020 12:49:12	1	1	1	1	60.75	62	0	29715.64	537.6344086	16282.98861	30000	0	0	30000	42	2004
12.02.2020 12:49:13	1	1	1	1	60.75	61.5	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	41.6875	2004
12.02.2020 12:49:14	1	1	1	1	60.75	61.5	0	29810.427	541.9354839	16090.5607	30000	0	0	30000	41.6875	2004
12.02.2020 12:49:15	1	1	1	1	60.75	61.5	0	29668.246	535.483871	15911.99413	30000	0	0	30000	41.4375	2004
12.02.2020 12:49:16	1	1	1	1	60.75	61.25	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	41	2004
12.02.2020 12:49:17	1	1	1	1	60.75	61	0	29810.427	541.9354839	16090.5607	30000	0	0	30000	40.9375	2004
12.02.2020 12:49:18	1	1	1	1	60.75	60.75	0	29668.246	537.6344086	15975.59318	30000	0	0	30000	41.0625	2004
12.02.2020 12:49:19	1	1	1	1	60.75	61	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	41.8125	2004
12.02.2020 12:49:20	1	1	1	1	60.75	61.75	0	29715.64	539.7849462	16103.60666	30000	0	0	30000	41.1875	2004
12.02.2020 12:49:21	1	1	1	1	60.75	61	0	29620.853	537.6344086	15925.04009	30000	0	0	30000	40.875	2004
12.02.2020 12:49:22	1	1	1	1	60.75	60.75	0	29810.427	537.6344086	16090.5607	30000	0	0	30000	41.625	2004
12.02.2020 12:49:23	1	1	1	1	60.75	61.5	0	29810.427	537.6344086	15975.59318	30000	0	0	30000	41.625	2004
12.02.2020 12:49:24	1	1	1	1	60.75	61.5	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	41.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 12:49:25	1	1	1	1	60.75	61.5	0	29715.64	537.6344086	16026.96165	30000	0	0	30000	41.5625	2004
12.02.2020 12:49:26	1	1	1	1	60.75	61.5	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	41.5	2004
12.02.2020 12:49:27	1	1	1	1	60.75	61.5	0	29620.853	537.6344086	15975.59318	30000	0	0	30000	41.6875	2004
12.02.2020 12:49:28	1	1	1	1	60.75	61.5	0	29715.64	537.6344086	15911.99413	30000	0	0	30000	41.25	2004
12.02.2020 12:49:30	1	1	1	1	60.75	61.25	0	29857.82	539.7849462	16141.92917	30000	0	0	30000	41.5625	2004
12.02.2020 12:49:31	1	1	1	1	60.75	61.5	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	41.75	2004
12.02.2020 12:49:32	1	1	1	1	60.75	61.75	0	29715.64	537.6344086	16103.60666	30000	0	0	30000	41.6875	2004
12.02.2020 12:49:33	1	1	1	1	60.75	61.5	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	41	2004
12.02.2020 12:49:34	1	1	1	1	60.75	61	0	29810.427	539.7849462	16116.65262	30000	0	0	30000	41.625	2004
12.02.2020 12:49:35	1	1	1	1	60.75	61.5	0	29810.427	535.483871	16026.96165	30000	0	0	30000	41.25	2004
12.02.2020 12:49:36	1	1	1	1	60.75	61.25	0	29905.213	537.6344086	16141.92917	30000	0	0	30000	41.625	2004
12.02.2020 12:49:37	1	1	1	1	60.75	61.5	0	29857.82	537.6344086	16090.5607	30000	0	0	30000	41.75	2004
12.02.2020 12:49:38	1	1	1	1	60.75	61.75	0	29810.427	541.9354839	16154.97513	30000	0	0	30000	41.75	2004
12.02.2020 12:49:39	1	1	1	1	60.75	61.75	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	41.625	2004
12.02.2020 12:49:40	1	1	1	1	60.75	61.5	0	29526.066	535.483871	15810.07257	30000	0	0	30000	41.5625	2004
12.02.2020 12:49:41	1	1	1	1	60.75	61.5	0	29715.64	539.7849462	16103.60666	30000	0	0	30000	41.4375	2004
12.02.2020 12:49:42	1	1	1	1	60.75	61.25	0	29573.46	533.3333333	15988.63914	30000	0	0	30000	41.5	2004
12.02.2020 12:49:43	1	1	1	1	60.75	61.5	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	41.6875	2004
12.02.2020 12:49:44	1	1	1	1	60.75	61.5	0	29668.246	537.6344086	16040.00761	30000	0	0	30000	41.75	2004
12.02.2020 12:49:45	1	1	1	1	60.75	61.75	0	29526.066	537.6344086	15937.27068	30000	0	0	30000	41.5	2004
12.02.2020 12:49:46	1	1	1	1	60.75	61.5	0	29810.427	539.7849462	16090.5607	30000	0	0	30000	41.5	2004
12.02.2020 12:49:47	1	1	1	1	60.75	61.5	0	29620.853	537.6344086	15861.44103	30000	0	0	30000	41.5625	2004
12.02.2020 12:49:48	1	1	1	1	60.75	61.5	0	29810.427	537.6344086	15975.59318	30000	0	0	30000	41.875	2004
12.02.2020 12:49:49	1	1	1	1	60.75	61.75	0	29668.246	539.7849462	15733.42755	30000	0	0	30000	41.75	2004
12.02.2020 12:49:50	1	1	1	1	60.75	61.75	0	29620.853	537.6344086	15925.04009	30000	0	0	30000	41.5	2004
12.02.2020 12:49:51	1	1	1	1	60.75	61.5	0	29526.066	535.483871	15683.68983	30000	0	0	30000	41.125	2004
12.02.2020 12:49:52	1	1	1	1	60.75	61	0	29715.64	535.483871	15975.59318	30000	0	0	30000	41.3125	2004
12.02.2020 12:49:53	1	1	1	1	60.75	61.25	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	41.5625	2004
12.02.2020 12:50:01	1	1	1	1	60.75	61.5	0	29810.427	541.9354839	16090.5607	30000	0	0	30000	41.5625	2004
12.02.2020 12:50:01	1	1	1	1	60.75	61.5	0	29810.427	541.9354839	16090.5607	30000	0	0	30000	41.5625	2004
12.02.2020 12:50:01	1	1	1	1	60.75	61.5	0	29810.427	541.9354839	16090.5607	30000	0	0	30000	41.5625	2004
12.02.2020 12:50:01	1	1	1	1	60.75	61.5	0	29810.427	541.9354839	16090.5607	30000	0	0	30000	41.5625	2004
12.02.2020 12:50:01	1	1	1	1	60.75	61.5	0	29810.427	541.9354839	16090.5607	30000	0	0	30000	41.5625	2004
12.02.2020 12:50:01	1	1	1	1	60.75	61.5	0	29810.427	541.9354839	16090.5607	30000	0	0	30000	41.5625	2004
12.02.2020 12:50:01	1	1	1	1	60.75	61.5	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	41.1875	2004
12.02.2020 12:50:02	1	1	1	1	60.75	61	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	41.375	2004
12.02.2020 12:50:03	1	1	1	1	60.75	61.25	0	29620.853	537.6344086	15886.71758	30000	0	0	30000	41.4375	2004
12.02.2020 12:50:04	1	1	1	1	60.75	61.25	0	29810.427	537.6344086	16026.96165	30000	0	0	30000	41.5	2004
12.02.2020 12:50:06	1	1	1	1	60.75	61.5	0	29715.64	537.6344086	16103.60666	30000	0	0	30000	41.5625	2004
12.02.2020 12:50:07	1	1	1	1	60.75	61.5	0	29810.427	539.7849462	16090.5607	30000	0	0	30000	41	2004
12.02.2020 12:50:08	1	1	1	1	61	61	0	29620.853	537.6344086	15861.44103	30000	0	0	30000	41.5625	2004
12.02.2020 12:50:09	1	1	1	1	61	61.5	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	41.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 12:50:10	1	1	1	1	61	61.5	0	29573.46	537.6344086	15747.28889	30000	0	0	30000	41.4375	2004
12.02.2020 12:50:11	1	1	1	1	61	61.25	0	29810.427	533.3333333	16116.65262	30000	0	0	30000	41.3125	2004
12.02.2020 12:50:12	1	1	1	1	61	61.25	0	29857.82	539.7849462	16052.2382	30000	0	0	30000	41.6875	2004
12.02.2020 12:50:13	1	1	1	1	61	61.5	0	29620.853	537.6344086	15861.44103	30000	0	0	30000	41.5625	2004
12.02.2020 12:50:14	1	1	1	1	61	61.5	0	29668.246	537.6344086	15950.31664	30000	0	0	30000	41.3125	2004
12.02.2020 12:50:15	1	1	1	1	61	61.25	0	29715.64	537.6344086	15925.04009	30000	0	0	30000	41	2004
12.02.2020 12:50:16	1	1	1	1	61	61	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	41.25	2004
12.02.2020 12:50:17	1	1	1	1	61	61.25	0	29763.033	539.7849462	16040.00761	30000	0	0	30000	41.5625	2004
12.02.2020 12:50:18	1	1	1	1	60.75	61.5	0	29763.033	537.6344086	16090.5607	30000	0	0	30000	41.5	2004
12.02.2020 12:50:19	1	1	1	1	60.75	61.5	0	29620.853	537.6344086	15925.04009	30000	0	0	30000	41.125	2004
12.02.2020 12:50:20	1	1	1	1	60.75	61	0	29620.853	535.483871	15925.04009	30000	0	0	30000	41.625	2004
12.02.2020 12:50:21	1	1	1	1	60.75	61.5	0	29573.46	541.9354839	15925.04009	30000	0	0	30000	41.0625	2004
12.02.2020 12:50:22	1	1	1	1	60.75	61	0	29715.64	535.483871	16040.00761	30000	0	0	30000	41.625	2004
12.02.2020 12:50:23	1	1	1	1	60.75	61.5	0	29857.82	539.7849462	16090.5607	30000	0	0	30000	41.6875	2004
12.02.2020 12:50:24	1	1	1	1	60.75	61.5	0	29810.427	537.6344086	16154.97513	30000	0	0	30000	41.125	2004
12.02.2020 12:50:25	1	1	1	1	60.75	61	0	29715.64	537.6344086	15911.99413	30000	0	0	30000	41.5625	2004
12.02.2020 12:50:26	1	1	1	1	60.75	61.5	0	29715.64	535.483871	15975.59318	30000	0	0	30000	41.6875	2004
12.02.2020 12:50:27	1	1	1	1	60.75	61.5	0	29715.64	537.6344086	15886.71758	30000	0	0	30000	41.75	2004
12.02.2020 12:50:28	1	1	1	1	60.25	61.75	0	29573.46	537.6344086	15988.63914	30000	0	0	30000	41.3125	2004
12.02.2020 12:50:29	1	1	1	1	60.25	61.25	0	29526.066	535.483871	15810.07257	30000	0	0	30000	41.5625	2004
12.02.2020 12:50:30	1	1	1	1	60.25	61.5	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	41.375	2004
12.02.2020 12:50:31	1	1	1	1	60.25	61.25	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	41.5	2004
12.02.2020 12:50:32	1	1	1	1	60.25	61.5	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	41.625	2004
12.02.2020 12:50:33	1	1	1	1	60.25	61.5	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	41.5	2004
12.02.2020 12:50:34	1	1	1	1	60.25	61.5	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	41.5625	2004
12.02.2020 12:50:35	1	1	1	1	60.25	61.5	0	29715.64	541.9354839	16154.97513	30000	0	0	30000	41.4375	2004
12.02.2020 12:50:36	1	1	1	1	60.25	61.25	0	29810.427	539.7849462	16090.5607	30000	0	0	30000	41.75	2004
12.02.2020 12:50:37	1	1	1	1	60.25	61.75	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	41.5	2004
12.02.2020 12:50:38	1	1	1	1	60.25	61.5	0	29857.82	541.9354839	15962.54722	30000	0	0	30000	41.8125	2004
12.02.2020 12:50:39	1	1	1	1	60.25	61.75	0	29857.82	539.7849462	16206.3436	30000	0	0	30000	41.5	2004
12.02.2020 12:50:40	1	1	1	1	60.25	61.5	0	29620.853	537.6344086	15925.04009	30000	0	0	30000	41.6875	2004
12.02.2020 12:50:41	1	1	1	1	60.25	61.5	0	29715.64	537.6344086	15886.71758	30000	0	0	30000	41.625	2004
12.02.2020 12:50:42	1	1	1	1	60.25	61.5	0	29763.033	539.7849462	16154.97513	30000	0	0	30000	41.8125	2004
12.02.2020 12:50:43	1	1	1	1	60.25	61.75	0	29715.64	539.7849462	15988.63914	30000	0	0	30000	41.6875	2004
12.02.2020 12:50:44	1	1	1	1	60.25	61.5	0	29620.853	533.3333333	15925.04009	30000	0	0	30000	41.75	2004
12.02.2020 12:50:46	1	1	1	1	60.25	61.75	0	29810.427	541.9354839	16040.00761	30000	0	0	30000	41.375	2004
12.02.2020 12:50:47	1	1	1	1	60.25	61.25	0	29620.853	537.6344086	15925.04009	30000	0	0	30000	41.75	2004
12.02.2020 12:50:48	1	1	1	1	60.75	61.75	0	29810.427	539.7849462	16090.5607	30000	0	0	30000	41.3125	2004
12.02.2020 12:50:49	1	1	1	1	60.75	61.25	0	29810.427	539.7849462	16090.5607	30000	0	0	30000	41.625	2004
12.02.2020 12:50:50	1	1	1	1	60.75	61.5	0	29668.246	537.6344086	16013.91569	30000	0	0	30000	41.75	2004
12.02.2020 12:50:51	1	1	1	1	60.75	61.75	0	29857.82	539.7849462	16116.65262	30000	0	0	30000	41.8125	2004
12.02.2020 12:50:52	1	1	1	1	60.75	61.75	0	29810.427	539.7849462	16090.5607	30000	0	0	30000	41.5625	2004
12.02.2020 12:50:53	1	1	1	1	60.75	61.5	0	29810.427	539.7849462	16040.00761	30000	0	0	30000	41.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 12:50:54	1	1	1	1	60.75	61.5	0	29620.853	537.6344086	15950.31664	30000	0	0	30000	41.5625	2004
12.02.2020 12:50:55	1	1	1	1	60.75	61.5	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	40.9375	2004
12.02.2020 12:51:02	1	1	1	1	60.25	61.25	0	29526.066	535.483871	15836.16449	30000	0	0	30000	41.625	2004
12.02.2020 12:51:02	1	1	1	1	60.25	61.25	0	29526.066	535.483871	15836.16449	30000	0	0	30000	41.625	2004
12.02.2020 12:51:02	1	1	1	1	60.25	61.25	0	29526.066	535.483871	15836.16449	30000	0	0	30000	41.625	2004
12.02.2020 12:51:02	1	1	1	1	60.25	61.25	0	29526.066	535.483871	15836.16449	30000	0	0	30000	41.625	2004
12.02.2020 12:51:02	1	1	1	1	60.25	61.25	0	29526.066	535.483871	15836.16449	30000	0	0	30000	41.625	2004
12.02.2020 12:51:02	1	1	1	1	60.25	61.25	0	29526.066	535.483871	15836.16449	30000	0	0	30000	41.625	2004
12.02.2020 12:51:02	1	1	1	1	60.25	61.25	0	29526.066	535.483871	15836.16449	30000	0	0	30000	41.625	2004
12.02.2020 12:51:02	1	1	1	1	60.25	61.25	0	29526.066	535.483871	15836.16449	30000	0	0	30000	41.625	2004
12.02.2020 12:51:03	1	1	1	1	60.25	61.5	0	29763.033	539.7849462	16040.00761	30000	0	0	30000	41.4375	2004
12.02.2020 12:51:04	1	1	1	1	60.25	61.25	0	29526.066	537.6344086	15937.27068	30000	0	0	30000	41.125	2004
12.02.2020 12:51:05	1	1	1	1	60.25	61	0	29526.066	537.6344086	15810.07257	30000	0	0	30000	41.6875	2004
12.02.2020 12:51:06	1	1	1	1	60.25	61.5	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	41.5625	2004
12.02.2020 12:51:07	1	1	1	1	60	61.5	0	29526.066	537.6344086	15873.67162	30000	0	0	30000	41.3125	2004
12.02.2020 12:51:08	1	1	1	1	60	61.25	0	29526.066	533.3333333	15899.76354	30000	0	0	30000	41.375	2004
12.02.2020 12:51:09	1	1	1	1	60	61.25	0	29668.246	533.3333333	15911.99413	30000	0	0	30000	41.6875	2004
12.02.2020 12:51:10	1	1	1	1	60	61.5	0	29668.246	537.6344086	16013.91569	30000	0	0	30000	41.8125	2004
12.02.2020 12:51:11	1	1	1	1	60	61.75	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	41.5	2004
12.02.2020 12:51:12	1	1	1	1	60	61.5	0	29810.427	537.6344086	16090.5607	30000	0	0	30000	41.6875	2004
12.02.2020 12:51:13	1	1	1	1	60	61.5	0	29573.46	537.6344086	15899.76354	30000	0	0	30000	41.4375	2004
12.02.2020 12:51:14	1	1	1	1	60	61.25	0	29810.427	541.9354839	16040.00761	30000	0	0	30000	41.5625	2004
12.02.2020 12:51:15	1	1	1	1	60	61.5	0	29810.427	537.6344086	16026.96165	30000	0	0	30000	41.3125	2004
12.02.2020 12:51:16	1	1	1	1	60	61.25	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	41.6875	2004
12.02.2020 12:51:17	1	1	1	1	59.75	61.5	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	41	2004
12.02.2020 12:51:18	1	1	1	1	59.75	61	0	29478.673	535.483871	15810.07257	30000	0	0	30000	41.5	2004
12.02.2020 12:51:19	1	1	1	1	59.75	61.5	0	29620.853	533.3333333	15925.04009	30000	0	0	30000	41.3125	2004
12.02.2020 12:51:20	1	1	1	1	59.75	61.25	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	41.3125	2004
12.02.2020 12:51:21	1	1	1	1	59.75	61.25	0	29715.64	537.6344086	15911.99413	30000	0	0	30000	41.375	2004
12.02.2020 12:51:23	1	1	1	1	59.75	61.25	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	41.625	2004
12.02.2020 12:51:24	1	1	1	1	59.75	61.5	0	29620.853	535.483871	15988.63914	30000	0	0	30000	41.5625	2004
12.02.2020 12:51:25	1	1	1	1	59.75	61.5	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	41.75	2004
12.02.2020 12:51:26	1	1	1	1	59.75	61.75	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	41.6875	2004
12.02.2020 12:51:27	1	1	1	1	59.75	61.5	0	29715.64	533.3333333	15783.98065	30000	0	0	30000	41.625	2004
12.02.2020 12:51:28	1	1	1	1	60	61.5	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	41.75	2004
12.02.2020 12:51:29	1	1	1	1	60	61.75	0	29620.853	537.6344086	15925.04009	30000	0	0	30000	41.6875	2004
12.02.2020 12:51:30	1	1	1	1	60	61.5	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	41.3125	2004
12.02.2020 12:51:31	1	1	1	1	60	61.25	0	29715.64	539.7849462	15848.39508	30000	0	0	30000	41.3125	2004
12.02.2020 12:51:32	1	1	1	1	60	61.25	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	41.3125	2004
12.02.2020 12:51:33	1	1	1	1	60	61.25	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	41.5625	2004
12.02.2020 12:51:34	1	1	1	1	60	61.5	0	29668.246	537.6344086	15886.71758	30000	0	0	30000	41.5625	2004
12.02.2020 12:51:35	1	1	1	1	60	61.5	0	29810.427	539.7849462	16090.5607	30000	0	0	30000	41.5	2004
12.02.2020 12:51:36	1	1	1	1	60	61.5	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	41	2004
12.02.2020 12:51:37	1	1	1	1	60	61	0	29810.427	537.6344086	16090.5607	30000	0	0	30000	41.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 12:51:38	1	1	1	1	59.75	61.5	0	29715.64	539.7849462	15975.59318	30000	0	0	30000	41.5	2004
12.02.2020 12:51:39	1	1	1	1	59.75	61.5	0	29715.64	535.483871	15975.59318	30000	0	0	30000	41.4375	2004
12.02.2020 12:51:40	1	1	1	1	59.75	61.25	0	29715.64	539.7849462	16013.91569	30000	0	0	30000	41.6875	2004
12.02.2020 12:51:41	1	1	1	1	59.75	61.5	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	41.5	2004
12.02.2020 12:51:42	1	1	1	1	59.75	61.5	0	29668.246	539.7849462	16040.00761	30000	0	0	30000	41.3125	2004
12.02.2020 12:51:43	1	1	1	1	59.75	61.25	0	29620.853	537.6344086	15861.44103	30000	0	0	30000	41.6875	2004
12.02.2020 12:51:44	1	1	1	1	59.75	61.5	0	29810.427	541.9354839	16090.5607	30000	0	0	30000	41.8125	2004
12.02.2020 12:51:45	1	1	1	1	59.75	61.75	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	41.625	2004
12.02.2020 12:51:46	1	1	1	1	59.75	61.5	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	41.9375	2004
12.02.2020 12:51:47	1	1	1	1	59.75	61.75	0	29620.853	537.6344086	15861.44103	30000	0	0	30000	41.5625	2004
12.02.2020 12:51:48	1	1	1	1	60	61.75	0	29620.853	537.6344086	15925.04009	30000	0	0	30000	41.625	2004
12.02.2020 12:51:49	1	1	1	1	60	61.5	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	41.6875	2004
12.02.2020 12:51:50	1	1	1	1	60	61.5	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	40.6875	2004
12.02.2020 12:51:51	1	1	1	1	60	60.5	0	29810.427	539.7849462	16154.97513	30000	0	0	30000	41.8125	2004
12.02.2020 12:51:52	1	1	1	1	60	61.75	0	29810.427	537.6344086	15975.59318	30000	0	0	30000	41.5	2004
12.02.2020 12:51:53	1	1	1	1	60	61.5	0	29620.853	537.6344086	15925.04009	30000	0	0	30000	41.75	2004
12.02.2020 12:51:54	1	1	1	1	60	61.75	0	29763.033	539.7849462	16040.00761	30000	0	0	30000	41.6875	2004
12.02.2020 12:51:55	1	1	1	1	60	61.5	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	41.4375	2004
12.02.2020 12:51:56	1	1	1	1	60	61.25	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	41.5625	2004
12.02.2020 12:52:04	1	1	1	1	60.25	61.75	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	41.4375	2004
12.02.2020 12:52:04	1	1	1	1	60.25	61.75	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	41.4375	2004
12.02.2020 12:52:04	1	1	1	1	60.25	61.75	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	41.4375	2004
12.02.2020 12:52:04	1	1	1	1	60.25	61.75	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	41.4375	2004
12.02.2020 12:52:04	1	1	1	1	60.25	61.75	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	41.4375	2004
12.02.2020 12:52:04	1	1	1	1	60.25	61.75	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	41.4375	2004
12.02.2020 12:52:04	1	1	1	1	60.25	61.75	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	41.4375	2004
12.02.2020 12:52:05	1	1	1	1	60.25	61.25	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	41.5	2004
12.02.2020 12:52:06	1	1	1	1	60.25	61.5	0	29573.46	535.483871	15836.16449	30000	0	0	30000	41.1875	2004
12.02.2020 12:52:07	1	1	1	1	60.25	61	0	29763.033	537.6344086	16090.5607	30000	0	0	30000	41.75	2004
12.02.2020 12:52:08	1	1	1	1	60	61.75	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	41.625	2004
12.02.2020 12:52:09	1	1	1	1	60	61.5	0	29810.427	537.6344086	16090.5607	30000	0	0	30000	41.6875	2004
12.02.2020 12:52:10	1	1	1	1	60	61.5	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	41.75	2004
12.02.2020 12:52:11	1	1	1	1	60	61.75	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	41.5625	2004
12.02.2020 12:52:12	1	1	1	1	60	61.5	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	41.5	2004
12.02.2020 12:52:13	1	1	1	1	60	61.5	0	29668.246	537.6344086	15975.59318	30000	0	0	30000	41.75	2004
12.02.2020 12:52:14	1	1	1	1	60	61.75	0	29620.853	537.6344086	15899.76354	30000	0	0	30000	41.125	2004
12.02.2020 12:52:15	1	1	1	1	60	61	0	29620.853	537.6344086	15797.84198	30000	0	0	30000	41.8125	2004
12.02.2020 12:52:16	1	1	1	1	60	61.75	0	29857.82	537.6344086	16026.96165	30000	0	0	30000	41.4375	2004
12.02.2020 12:52:17	1	1	1	1	60	61.25	0	29620.853	535.483871	15861.44103	30000	0	0	30000	41.5625	2004
12.02.2020 12:52:18	1	1	1	1	60.75	61.5	0	29857.82	544.0860215	16181.06705	30000	0	0	30000	41.6875	2004
12.02.2020 12:52:19	1	1	1	1	60.75	61.5	0	29763.033	539.7849462	16154.97513	30000	0	0	30000	41.3125	2004
12.02.2020 12:52:20	1	1	1	1	60.75	61.25	0	29668.246	541.9354839	15950.31664	30000	0	0	30000	41.625	2004
12.02.2020 12:52:21	1	1	1	1	60.75	61.5	0	29715.64	539.7849462	16129.69858	30000	0	0	30000	42.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 12:52:22	1	1	1	1	60.75	62	0	29857.82	539.7849462	16040.00761	30000	0	0	30000	41.75	2004
12.02.2020 12:52:23	1	1	1	1	60.75	61.75	0	29810.427	539.7849462	16090.5607	30000	0	0	30000	41.75	2004
12.02.2020 12:52:24	1	1	1	1	60.75	61.5	0	29620.853	537.6344086	15861.44103	30000	0	0	30000	41.0625	2004
12.02.2020 12:52:25	1	1	1	1	60.75	61	0	29668.246	533.3333333	16103.60666	30000	0	0	30000	40.75	2004
12.02.2020 12:52:26	1	1	1	1	60.75	60.75	0	29620.853	537.6344086	15925.04009	30000	0	0	30000	41.3125	2004
12.02.2020 12:52:27	1	1	1	1	60.25	61.25	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	41.5625	2004
12.02.2020 12:52:28	1	1	1	1	60.25	61.5	0	29668.246	537.6344086	15925.04009	30000	0	0	30000	41.25	2004
12.02.2020 12:52:29	1	1	1	1	60.25	61.25	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	41.625	2004
12.02.2020 12:52:30	1	1	1	1	60.25	61.5	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	41.5	2004
12.02.2020 12:52:31	1	1	1	1	60.25	61.5	0	29715.64	537.6344086	15911.99413	30000	0	0	30000	41.25	2004
12.02.2020 12:52:32	1	1	1	1	60.25	61.25	0	29668.246	537.6344086	16040.00761	30000	0	0	30000	41.75	2004
12.02.2020 12:52:33	1	1	1	1	60.25	61.75	0	29620.853	531.1827957	15836.16449	30000	0	0	30000	41.5625	2004
12.02.2020 12:52:34	1	1	1	1	60.25	61.5	0	29810.427	541.9354839	15848.39508	30000	0	0	30000	41.3125	2004
12.02.2020 12:52:35	1	1	1	1	60.25	61.25	0	29620.853	537.6344086	16052.2382	30000	0	0	30000	41.1875	2004
12.02.2020 12:52:36	1	1	1	1	60.25	61	0	29573.46	537.6344086	15963.3626	30000	0	0	30000	41.625	2004
12.02.2020 12:52:37	1	1	1	1	59.75	61.5	0	29715.64	537.6344086	15950.31664	30000	0	0	30000	40.9375	2004
12.02.2020 12:52:38	1	1	1	1	59.75	60.75	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	41.6875	2004
12.02.2020 12:52:39	1	1	1	1	59.75	61.5	0	29857.82	541.9354839	16090.5607	30000	0	0	30000	41.125	2004
12.02.2020 12:52:41	1	1	1	1	59.75	61	0	29810.427	537.6344086	16026.96165	30000	0	0	30000	41.375	2004
12.02.2020 12:52:42	1	1	1	1	59.75	61.25	0	29763.033	537.6344086	16219.38956	30000	0	0	30000	41.5625	2004
12.02.2020 12:52:43	1	1	1	1	59.75	61.5	0	29763.033	539.7849462	16040.00761	30000	0	0	30000	41.5	2004
12.02.2020 12:52:44	1	1	1	1	59.75	61.5	0	29668.246	537.6344086	15925.04009	30000	0	0	30000	41.625	2004
12.02.2020 12:52:45	1	1	1	1	59.75	61.5	0	29810.427	539.7849462	16154.97513	30000	0	0	30000	41.5	2004
12.02.2020 12:52:46	1	1	1	1	59.75	61.5	0	29620.853	535.483871	15925.04009	30000	0	0	30000	41.6875	2004
12.02.2020 12:52:47	1	1	1	1	59.75	61.5	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	41.5625	2004
12.02.2020 12:52:48	1	1	1	1	60.75	61.5	0	29763.033	537.6344086	15911.99413	30000	0	0	30000	40.375	2004
12.02.2020 12:52:49	1	1	1	1	60.75	60.25	0	29810.427	539.7849462	16090.5607	30000	0	0	30000	41.75	2004
12.02.2020 12:52:50	1	1	1	1	60.75	61.75	0	29620.853	541.9354839	15988.63914	30000	0	0	30000	41.4375	2004
12.02.2020 12:52:51	1	1	1	1	60.75	61.25	0	29668.246	533.3333333	15911.99413	30000	0	0	30000	40	2004
12.02.2020 12:52:52	1	1	1	1	60.75	60	0	29857.82	539.7849462	16090.5607	30000	0	0	30000	41.5625	2004
12.02.2020 12:52:53	1	1	1	1	60.75	61.5	0	29810.427	541.9354839	16090.5607	30000	0	0	30000	41.5625	2004
12.02.2020 12:52:54	1	1	1	1	60.75	61.5	0	29715.64	544.0860215	15925.04009	30000	0	0	30000	41.5	2004
12.02.2020 12:52:55	1	1	1	1	60.75	61.5	0	29620.853	533.3333333	15988.63914	30000	0	0	30000	41.5	2004
12.02.2020 12:52:56	1	1	1	1	60.75	61.5	0	29620.853	539.7849462	15963.3626	30000	0	0	30000	41.8125	2004
12.02.2020 12:52:57	1	1	1	1	60.75	61.75	0	29715.64	535.483871	15911.99413	30000	0	0	30000	41.4375	2004
12.02.2020 12:52:58	1	1	1	1	60	61.25	0	29905.213	539.7849462	16141.92917	30000	0	0	30000	41.75	2004
12.02.2020 12:53:05	1	1	1	1	60	61.25	0	29905.213	541.9354839	16181.06705	30000	0	0	30000	41.375	2004
12.02.2020 12:53:05	1	1	1	1	60	61.25	0	29905.213	541.9354839	16181.06705	30000	0	0	30000	41.375	2004
12.02.2020 12:53:05	1	1	1	1	60	61.25	0	29905.213	541.9354839	16181.06705	30000	0	0	30000	41.375	2004
12.02.2020 12:53:05	1	1	1	1	60	61.25	0	29905.213	541.9354839	16181.06705	30000	0	0	30000	41.375	2004
12.02.2020 12:53:05	1	1	1	1	60	61.25	0	29905.213	541.9354839	16181.06705	30000	0	0	30000	41.375	2004
12.02.2020 12:53:05	1	1	1	1	60	61.25	0	29905.213	541.9354839	16181.06705	30000	0	0	30000	41.375	2004
12.02.2020 12:53:05	1	1	1	1	60	61.25	0	29905.213	541.9354839	16181.06705	30000	0	0	30000	41.375	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 12:53:06	1	1	1	1	60	61.25	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	41.5625	2004
12.02.2020 12:53:07	1	1	1	1	60.25	61.5	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	41.75	2004
12.02.2020 12:53:08	1	1	1	1	60.25	61.75	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	40.875	2004
12.02.2020 12:53:09	1	1	1	1	60.25	60.75	0	29620.853	535.483871	15925.04009	30000	0	0	30000	41.6875	2004
12.02.2020 12:53:10	1	1	1	1	60.25	61.5	0	29715.64	533.3333333	16040.00761	30000	0	0	30000	41.125	2004
12.02.2020 12:53:11	1	1	1	1	60.25	61	0	29526.066	539.7849462	15963.3626	30000	0	0	30000	40.75	2004
12.02.2020 12:53:12	1	1	1	1	60.25	60.75	0	29620.853	537.6344086	15861.44103	30000	0	0	30000	41.625	2004
12.02.2020 12:53:13	1	1	1	1	60.25	61.5	0	29526.066	535.483871	15810.07257	30000	0	0	30000	41.3125	2004
12.02.2020 12:53:14	1	1	1	1	60.25	61.25	0	29668.246	537.6344086	16040.00761	30000	0	0	30000	41.4375	2004
12.02.2020 12:53:15	1	1	1	1	60.25	61.25	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	41.6875	2004
12.02.2020 12:53:16	1	1	1	1	60.25	61.5	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	41.75	2004
12.02.2020 12:53:17	1	1	1	1	60.25	61.75	0	29573.46	537.6344086	15836.16449	30000	0	0	30000	41.625	2004
12.02.2020 12:53:18	1	1	1	1	60.25	61.5	0	29573.46	537.6344086	15988.63914	30000	0	0	30000	41.6875	2004
12.02.2020 12:53:20	1	1	1	1	60.25	61.5	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	41.3125	2004
12.02.2020 12:53:21	1	1	1	1	60.25	61.25	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	41.5625	2004
12.02.2020 12:53:22	1	1	1	1	60.25	61.5	0	29668.246	537.6344086	16013.91569	30000	0	0	30000	41.75	2004
12.02.2020 12:53:23	1	1	1	1	60.25	61.75	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	41.6875	2004
12.02.2020 12:53:24	1	1	1	1	60.25	61.5	0	29810.427	539.7849462	16090.5607	30000	0	0	30000	41.625	2004
12.02.2020 12:53:25	1	1	1	1	60.25	61.5	0	29715.64	541.9354839	16295.2192	30000	0	0	30000	40.5	2004
12.02.2020 12:53:26	1	1	1	1	60.25	60.5	0	29810.427	539.7849462	15975.59318	30000	0	0	30000	41.5	2004
12.02.2020 12:53:27	1	1	1	1	60.25	61.5	0	29668.246	537.6344086	15988.63914	30000	0	0	30000	41.375	2004
12.02.2020 12:53:28	1	1	1	1	59.75	61.25	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	41.3125	2004
12.02.2020 12:53:29	1	1	1	1	59.75	61.25	0	29810.427	541.9354839	16090.5607	30000	0	0	30000	41.625	2004
12.02.2020 12:53:30	1	1	1	1	59.75	61.5	0	29715.64	539.7849462	15988.63914	30000	0	0	30000	41.25	2004
12.02.2020 12:53:31	1	1	1	1	59.75	61.25	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	41.5625	2004
12.02.2020 12:53:32	1	1	1	1	59.75	61.5	0	29573.46	531.1827957	15925.04009	30000	0	0	30000	41.6875	2004
12.02.2020 12:53:33	1	1	1	1	59.75	61.5	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	41.8125	2004
12.02.2020 12:53:34	1	1	1	1	59.75	61.75	0	29620.853	535.483871	16103.60666	30000	0	0	30000	41.3125	2004
12.02.2020 12:53:35	1	1	1	1	59.75	61.25	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	41.75	2004
12.02.2020 12:53:36	1	1	1	1	59.75	61.75	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	41.125	2004
12.02.2020 12:53:37	1	1	1	1	59.75	61	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	40.875	2004
12.02.2020 12:53:38	1	1	1	1	60	60.75	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	41.5	2004
12.02.2020 12:53:39	1	1	1	1	60	61.5	0	29810.427	541.9354839	15848.39508	30000	0	0	30000	41.75	2004
12.02.2020 12:53:40	1	1	1	1	60	61.75	0	29715.64	535.483871	15975.59318	30000	0	0	30000	41.6875	2004
12.02.2020 12:53:41	1	1	1	1	60	61.5	0	29715.64	539.7849462	16103.60666	30000	0	0	30000	41.625	2004
12.02.2020 12:53:42	1	1	1	1	60	61.5	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	41.5625	2004
12.02.2020 12:53:43	1	1	1	1	60	61.5	0	29620.853	533.3333333	15950.31664	30000	0	0	30000	41.1875	2004
12.02.2020 12:53:44	1	1	1	1	60	61	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	41.125	2004
12.02.2020 12:53:45	1	1	1	1	60	61	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	40.375	2004
12.02.2020 12:53:46	1	1	1	1	60	60.25	0	29715.64	537.6344086	15988.63914	30000	0	0	30000	41.5	2004
12.02.2020 12:53:47	1	1	1	1	59.5	61.5	0	29668.246	533.3333333	16040.00761	30000	0	0	30000	41.6875	2004
12.02.2020 12:53:48	1	1	1	1	59.5	61.5	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	41.375	2004
12.02.2020 12:53:49	1	1	1	1	59.5	61.25	0	29620.853	537.6344086	15899.76354	30000	0	0	30000	41.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 12:53:50	1	1	1	1	59.5	61.25	0	29715.64	539.7849462	15911.99413	30000	0	0	30000	41.5625	2004
12.02.2020 12:53:51	1	1	1	1	59.5	61.5	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	40.9375	2004
12.02.2020 12:53:52	1	1	1	1	59.5	60.75	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	41.125	2004
12.02.2020 12:53:53	1	1	1	1	59.5	61	0	29668.246	537.6344086	15975.59318	30000	0	0	30000	41.625	2004
12.02.2020 12:53:54	1	1	1	1	59.5	61.5	0	29810.427	539.7849462	16154.97513	30000	0	0	30000	41.625	2004
12.02.2020 12:53:56	1	1	1	1	59.5	61.5	0	29620.853	537.6344086	15925.04009	30000	0	0	30000	40.6875	2004
12.02.2020 12:53:57	1	1	1	1	59.5	60.5	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	40.9375	2004
12.02.2020 12:53:58	1	1	1	1	59.25	60.75	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	41.0625	2004
12.02.2020 12:53:59	1	1	1	1	59.25	61	0	29810.427	539.7849462	16090.5607	30000	0	0	30000	41	2004
12.02.2020 12:54:00	1	1	1	1	59.25	61	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	41.5625	2004
12.02.2020 12:54:07	1	1	1	1	59.25	61.25	0	29620.853	535.483871	15886.71758	30000	0	0	30000	41.125	2004
12.02.2020 12:54:07	1	1	1	1	59.25	61.25	0	29620.853	535.483871	15886.71758	30000	0	0	30000	41.125	2004
12.02.2020 12:54:07	1	1	1	1	59.25	61.25	0	29620.853	535.483871	15886.71758	30000	0	0	30000	41.125	2004
12.02.2020 12:54:07	1	1	1	1	59.25	61.25	0	29620.853	535.483871	15886.71758	30000	0	0	30000	41.125	2004
12.02.2020 12:54:07	1	1	1	1	59.25	61.25	0	29620.853	535.483871	15886.71758	30000	0	0	30000	41.125	2004
12.02.2020 12:54:07	1	1	1	1	59.25	61.25	0	29620.853	535.483871	15886.71758	30000	0	0	30000	41.125	2004
12.02.2020 12:54:07	1	1	1	1	59.25	61.25	0	29620.853	535.483871	15886.71758	30000	0	0	30000	41.125	2004
12.02.2020 12:54:07	1	1	1	1	59.25	61.25	0	29620.853	535.483871	15886.71758	30000	0	0	30000	41.125	2004
12.02.2020 12:54:08	1	1	1	1	59.25	61	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	41.625	2004
12.02.2020 12:54:09	1	1	1	1	59.25	61.5	0	29857.82	541.9354839	16116.65262	30000	0	0	30000	41.5	2004
12.02.2020 12:54:10	1	1	1	1	59.25	61.5	0	29573.46	537.6344086	16115.83725	30000	0	0	30000	40.875	2004
12.02.2020 12:54:11	1	1	1	1	59.25	60.75	0	29668.246	539.7849462	15797.84198	30000	0	0	30000	41.8125	2004
12.02.2020 12:54:12	1	1	1	1	59.25	61.75	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	41.625	2004
12.02.2020 12:54:13	1	1	1	1	59.25	61.5	0	29668.246	539.7849462	15988.63914	30000	0	0	30000	41.625	2004
12.02.2020 12:54:14	1	1	1	1	59.25	61.5	0	29715.64	539.7849462	16090.5607	30000	0	0	30000	41.125	2004
12.02.2020 12:54:15	1	1	1	1	59.25	61	0	29526.066	537.6344086	15873.67162	30000	0	0	30000	40.8125	2004
12.02.2020 12:54:16	1	1	1	1	59.25	60.75	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	41.5625	2004
12.02.2020 12:54:17	1	1	1	1	59.25	61.5	0	29715.64	539.7849462	16013.91569	30000	0	0	30000	41.625	2004
12.02.2020 12:54:18	1	1	1	1	59	61.5	0	29810.427	539.7849462	16090.5607	30000	0	0	30000	41.5625	2004
12.02.2020 12:54:19	1	1	1	1	59	61.5	0	29620.853	537.6344086	15925.04009	30000	0	0	30000	41.6875	2004
12.02.2020 12:54:20	1	1	1	1	59	61.5	0	29715.64	539.7849462	16103.60666	30000	0	0	30000	41.75	2004
12.02.2020 12:54:21	1	1	1	1	59	61.75	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	41	2004
12.02.2020 12:54:22	1	1	1	1	59	61	0	29620.853	537.6344086	15925.04009	30000	0	0	30000	41.4375	2004
12.02.2020 12:54:23	1	1	1	1	59	61.25	0	29478.673	537.6344086	15873.67162	30000	0	0	30000	41.6875	2004
12.02.2020 12:54:24	1	1	1	1	59	61.5	0	29857.82	537.6344086	16090.5607	30000	0	0	30000	41.1875	2004
12.02.2020 12:54:25	1	1	1	1	59	61	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	41.5625	2004
12.02.2020 12:54:26	1	1	1	1	59	61.5	0	29715.64	537.6344086	15606.22945	30000	0	0	30000	41.5625	2004
12.02.2020 12:54:27	1	1	1	1	59.25	61.5	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	41.625	2004
12.02.2020 12:54:28	1	1	1	1	59.25	61.5	0	29715.64	541.9354839	15733.42755	30000	0	0	30000	41.375	2004
12.02.2020 12:54:29	1	1	1	1	59.25	61.25	0	29478.673	533.3333333	15937.27068	30000	0	0	30000	41.8125	2004
12.02.2020 12:54:30	1	1	1	1	59.25	61.75	0	29620.853	537.6344086	15925.04009	30000	0	0	30000	41.5625	2004
12.02.2020 12:54:31	1	1	1	1	59.25	61.5	0	29810.427	539.7849462	16154.97513	30000	0	0	30000	41.625	2004
12.02.2020 12:54:32	1	1	1	1	59.25	61.5	0	29810.427	539.7849462	16090.5607	30000	0	0	30000	41.6875	2004
12.02.2020 12:54:33	1	1	1	1	59.25	61.5	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	41.75	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 12:55:19	1	1	1	1	59	61.25	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	41	2004
12.02.2020 12:55:20	1	1	1	1	59	61	0	29620.853	537.6344086	15925.04009	30000	0	0	30000	40.75	2004
12.02.2020 12:55:21	1	1	1	1	59	60.75	0	29526.066	537.6344086	15899.76354	30000	0	0	30000	41.5	2004
12.02.2020 12:55:22	1	1	1	1	59	61.5	0	29573.46	537.6344086	15963.3626	30000	0	0	30000	41.4375	2004
12.02.2020 12:55:23	1	1	1	1	59	61.25	0	29668.246	541.9354839	16013.91569	30000	0	0	30000	41.75	2004
12.02.2020 12:55:24	1	1	1	1	59	61.75	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	41.75	2004
12.02.2020 12:55:25	1	1	1	1	59	61.75	0	29668.246	539.7849462	16013.91569	30000	0	0	30000	41.625	2004
12.02.2020 12:55:26	1	1	1	1	59	61.5	0	29526.066	539.7849462	15873.67162	30000	0	0	30000	40.9375	2004
12.02.2020 12:55:27	1	1	1	1	59	60.75	0	29620.853	539.7849462	16103.60666	30000	0	0	30000	41.75	2004
12.02.2020 12:55:28	1	1	1	1	59.25	61.75	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	41.75	2004
12.02.2020 12:55:29	1	1	1	1	59.25	61.75	0	29620.853	539.7849462	16013.91569	30000	0	0	30000	41.75	2004
12.02.2020 12:55:30	1	1	1	1	59.25	61.75	0	29573.46	537.6344086	15925.04009	30000	0	0	30000	41.375	2004
12.02.2020 12:55:31	1	1	1	1	59.25	61.25	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	40.6875	2004
12.02.2020 12:55:32	1	1	1	1	59.25	60.5	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	41.1875	2004
12.02.2020 12:55:33	1	1	1	1	59.25	61	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	41.5625	2004
12.02.2020 12:55:34	1	1	1	1	59.25	61.5	0	29810.427	541.9354839	16090.5607	30000	0	0	30000	40.625	2004
12.02.2020 12:55:35	1	1	1	1	59.25	60.5	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	41.3125	2004
12.02.2020 12:55:36	1	1	1	1	59.25	61.25	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	41.875	2004
12.02.2020 12:55:37	1	1	1	1	59.25	61.75	0	29573.46	537.6344086	15899.76354	30000	0	0	30000	41.6875	2004
12.02.2020 12:55:38	1	1	1	1	58.75	61	0	29526.066	537.6344086	15873.67162	30000	0	0	30000	41.4375	2004
12.02.2020 12:55:39	1	1	1	1	58.75	61.25	0	29573.46	537.6344086	15925.04009	30000	0	0	30000	40.5625	2004
12.02.2020 12:55:40	1	1	1	1	58.75	60.5	0	29573.46	539.7849462	15988.63914	30000	0	0	30000	41.6875	2004
12.02.2020 12:55:41	1	1	1	1	58.75	61.5	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	41.75	2004
12.02.2020 12:55:42	1	1	1	1	58.75	61.75	0	29620.853	537.6344086	15899.76354	30000	0	0	30000	41.625	2004
12.02.2020 12:55:43	1	1	1	1	58.75	61.5	0	29620.853	537.6344086	15797.84198	30000	0	0	30000	41.625	2004
12.02.2020 12:55:44	1	1	1	1	58.75	61.5	0	29526.066	537.6344086	15873.67162	30000	0	0	30000	41.5	2004
12.02.2020 12:55:45	1	1	1	1	58.75	61.5	0	29573.46	539.7849462	16052.2382	30000	0	0	30000	41.5	2004
12.02.2020 12:55:46	1	1	1	1	58.75	61.5	0	29526.066	539.7849462	15937.27068	30000	0	0	30000	40.75	2004
12.02.2020 12:55:47	1	1	1	1	59.25	60.75	0	29620.853	535.483871	15861.44103	30000	0	0	30000	41.1875	2004
12.02.2020 12:55:48	1	1	1	1	59.25	61	0	29620.853	539.7849462	16103.60666	30000	0	0	30000	41.75	2004
12.02.2020 12:55:50	1	1	1	1	59.25	61.75	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	41.0625	2004
12.02.2020 12:55:51	1	1	1	1	59.25	61	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	41.5	2004
12.02.2020 12:55:52	1	1	1	1	59.25	61.5	0	29526.066	541.9354839	15873.67162	30000	0	0	30000	41	2004
12.02.2020 12:55:53	1	1	1	1	59.25	61	0	29526.066	537.6344086	15873.67162	30000	0	0	30000	41.5	2004
12.02.2020 12:55:54	1	1	1	1	59.25	61.5	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	41.8125	2004
12.02.2020 12:55:55	1	1	1	1	59.25	61.75	0	29668.246	541.9354839	16103.60666	30000	0	0	30000	41.625	2004
12.02.2020 12:55:56	1	1	1	1	59.25	61.5	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	40.875	2004
12.02.2020 12:55:57	1	1	1	1	59.25	60.75	0	29431.28	539.7849462	15885.90221	30000	0	0	30000	41.375	2004
12.02.2020 12:55:58	1	1	1	1	59	61.25	0	29526.066	541.9354839	16090.5607	30000	0	0	30000	41.3125	2004
12.02.2020 12:55:59	1	1	1	1	59	61.25	0	29810.427	541.9354839	16116.65262	30000	0	0	30000	41.5	2004
12.02.2020 12:56:00	1	1	1	1	59	61.5	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	41.6875	2004
12.02.2020 12:56:01	1	1	1	1	59	61.5	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	40.75	2004
12.02.2020 12:56:02	1	1	1	1	59	60.75	0	29810.427	541.9354839	16399.58688	30000	0	0	30000	41.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 12:56:03	1	1	1	1	59	61.5	0	29620.853	537.6344086	15797.84198	30000	0	0	30000	41.5625	2004
12.02.2020 12:56:10	1	1	1	1	59	61.75	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	41.1875	2004
12.02.2020 12:56:10	1	1	1	1	59	61.75	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	41.1875	2004
12.02.2020 12:56:10	1	1	1	1	59	61.75	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	41.1875	2004
12.02.2020 12:56:10	1	1	1	1	59	61.75	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	41.1875	2004
12.02.2020 12:56:10	1	1	1	1	59	61.75	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	41.1875	2004
12.02.2020 12:56:10	1	1	1	1	59	61.75	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	41.1875	2004
12.02.2020 12:56:10	1	1	1	1	59	61.75	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	41.1875	2004
12.02.2020 12:56:11	1	1	1	1	59	61	0	29526.066	539.7849462	15937.27068	30000	0	0	30000	41.8125	2004
12.02.2020 12:56:12	1	1	1	1	59	61.75	0	29668.246	539.7849462	16013.91569	30000	0	0	30000	41.6875	2004
12.02.2020 12:56:13	1	1	1	1	59	61.5	0	29573.46	535.483871	15925.04009	30000	0	0	30000	41.625	2004
12.02.2020 12:56:14	1	1	1	1	59	61.75	0	29478.673	537.6344086	15784.79602	30000	0	0	30000	41.0625	2004
12.02.2020 12:56:15	1	1	1	1	59	61	0	29620.853	539.7849462	16052.2382	30000	0	0	30000	41	2004
12.02.2020 12:56:16	1	1	1	1	59	61	0	29715.64	550.5376344	15988.63914	30000	0	0	30000	41.75	2004
12.02.2020 12:56:17	1	1	1	1	59	61.75	0	29715.64	550.5376344	16103.60666	30000	0	0	30000	41.375	2004
12.02.2020 12:56:18	1	1	1	1	59	61.25	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	41.375	2004
12.02.2020 12:56:19	1	1	1	1	59	61.25	0	29573.46	539.7849462	15988.63914	30000	0	0	30000	41.1875	2004
12.02.2020 12:56:20	1	1	1	1	59	61	0	29526.066	539.7849462	15911.99413	30000	0	0	30000	41.6875	2004
12.02.2020 12:56:21	1	1	1	1	59	61.5	0	29526.066	537.6344086	15873.67162	30000	0	0	30000	41.8125	2004
12.02.2020 12:56:22	1	1	1	1	59	61.75	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	41.125	2004
12.02.2020 12:56:23	1	1	1	1	59	61	0	29526.066	537.6344086	15810.07257	30000	0	0	30000	41.6875	2004
12.02.2020 12:56:24	1	1	1	1	59	61.5	0	29668.246	539.7849462	16103.60666	30000	0	0	30000	41.5625	2004
12.02.2020 12:56:25	1	1	1	1	59	61.5	0	29668.246	541.9354839	16103.60666	30000	0	0	30000	40.9375	2004
12.02.2020 12:56:26	1	1	1	1	59	60.75	0	29383.886	537.6344086	15646.1827	30000	0	0	30000	41.3125	2004
12.02.2020 12:56:27	1	1	1	1	59.25	61.25	0	29526.066	539.7849462	16026.96165	30000	0	0	30000	41.6875	2004
12.02.2020 12:56:29	1	1	1	1	59.25	61.5	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	41.5	2004
12.02.2020 12:56:30	1	1	1	1	59.25	61.5	0	29478.673	537.6344086	15848.39508	30000	0	0	30000	40.5625	2004
12.02.2020 12:56:31	1	1	1	1	59.25	60.5	0	29573.46	541.9354839	16052.2382	30000	0	0	30000	41.4375	2004
12.02.2020 12:56:32	1	1	1	1	59.25	61.25	0	29573.46	539.7849462	15963.3626	30000	0	0	30000	41.3125	2004
12.02.2020 12:56:33	1	1	1	1	59.25	61.25	0	29573.46	533.3333333	15988.63914	30000	0	0	30000	41.8125	2004
12.02.2020 12:56:34	1	1	1	1	59.25	61.75	0	29526.066	539.7849462	15937.27068	30000	0	0	30000	41.6875	2004
12.02.2020 12:56:35	1	1	1	1	59.25	61.5	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	41.375	2004
12.02.2020 12:56:36	1	1	1	1	59.25	61.25	0	29526.066	539.7849462	15836.16449	30000	0	0	30000	41.1875	2004
12.02.2020 12:56:37	1	1	1	1	59.25	61	0	29715.64	537.6344086	16219.38956	30000	0	0	30000	41.4375	2004
12.02.2020 12:56:38	1	1	1	1	59	61.25	0	29668.246	539.7849462	16040.00761	30000	0	0	30000	41.5625	2004
12.02.2020 12:56:39	1	1	1	1	59	61.5	0	29478.673	539.7849462	15848.39508	30000	0	0	30000	41.8125	2004
12.02.2020 12:56:40	1	1	1	1	59	61.75	0	29336.493	533.3333333	15860.62566	30000	0	0	30000	41.375	2004
12.02.2020 12:56:41	1	1	1	1	59	61.25	0	29620.853	541.9354839	15988.63914	30000	0	0	30000	41.25	2004
12.02.2020 12:56:42	1	1	1	1	59	61.25	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	41.6875	2004
12.02.2020 12:56:43	1	1	1	1	59	61.5	0	29526.066	537.6344086	15937.27068	30000	0	0	30000	41.5625	2004
12.02.2020 12:56:44	1	1	1	1	59	61.5	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	41.6875	2004
12.02.2020 12:56:45	1	1	1	1	59	61.5	0	29715.64	544.0860215	16103.60666	30000	0	0	30000	41.875	2004
12.02.2020 12:56:46	1	1	1	1	59	61.75	0	29526.066	539.7849462	15937.27068	30000	0	0	30000	41.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 12:56:47	1	1	1	1	59	61	0	29573.46	539.7849462	15988.63914	30000	0	0	30000	41.375	2004
12.02.2020 12:56:48	1	1	1	1	59.25	61.25	0	29668.246	541.9354839	16052.2382	30000	0	0	30000	41.25	2004
12.02.2020 12:56:49	1	1	1	1	59.25	61.25	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	41.25	2004
12.02.2020 12:56:50	1	1	1	1	59.25	61.25	0	29526.066	537.6344086	15848.39508	30000	0	0	30000	41.8125	2004
12.02.2020 12:56:51	1	1	1	1	59.25	61.75	0	29478.673	541.9354839	15911.99413	30000	0	0	30000	41.75	2004
12.02.2020 12:56:52	1	1	1	1	59.25	61.75	0	29573.46	537.6344086	16052.2382	30000	0	0	30000	41.8125	2004
12.02.2020 12:56:53	1	1	1	1	59.25	61.75	0	29810.427	541.9354839	16244.6661	30000	0	0	30000	41.75	2004
12.02.2020 12:56:54	1	1	1	1	59.25	62	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	41.75	2004
12.02.2020 12:56:55	1	1	1	1	59.25	61.75	0	29526.066	537.6344086	15963.3626	30000	0	0	30000	41.75	2004
12.02.2020 12:56:56	1	1	1	1	59.25	61.75	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	41.4375	2004
12.02.2020 12:56:57	1	1	1	1	59.25	61.25	0	29620.853	539.7849462	16052.2382	30000	0	0	30000	41.75	2004
12.02.2020 12:56:58	1	1	1	1	59.25	61.75	0	29573.46	541.9354839	15988.63914	30000	0	0	30000	41.625	2004
12.02.2020 12:56:59	1	1	1	1	59.25	61.5	0	29573.46	541.9354839	15963.3626	30000	0	0	30000	41.75	2004
12.02.2020 12:57:00	1	1	1	1	59.25	61.75	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	41.5625	2004
12.02.2020 12:57:01	1	1	1	1	59.25	61.5	0	29620.853	541.9354839	15988.63914	30000	0	0	30000	41.4375	2004
12.02.2020 12:57:02	1	1	1	1	59.25	61.25	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	41.25	2004
12.02.2020 12:57:03	1	1	1	1	59.25	61.25	0	29668.246	541.9354839	15988.63914	30000	0	0	30000	40.8125	2004
12.02.2020 12:57:04	1	1	1	1	59.25	60.75	0	29620.853	533.3333333	16052.2382	30000	0	0	30000	41.5625	2004
12.02.2020 12:57:12	1	1	1	1	58.75	61.25	0	29526.066	541.9354839	15937.27068	30000	0	0	30000	41.3125	2004
12.02.2020 12:57:12	1	1	1	1	58.75	61.25	0	29526.066	541.9354839	15937.27068	30000	0	0	30000	41.3125	2004
12.02.2020 12:57:12	1	1	1	1	58.75	61.25	0	29526.066	541.9354839	15937.27068	30000	0	0	30000	41.3125	2004
12.02.2020 12:57:12	1	1	1	1	58.75	61.25	0	29526.066	541.9354839	15937.27068	30000	0	0	30000	41.3125	2004
12.02.2020 12:57:12	1	1	1	1	58.75	61.25	0	29526.066	541.9354839	15937.27068	30000	0	0	30000	41.3125	2004
12.02.2020 12:57:12	1	1	1	1	58.75	61.25	0	29526.066	539.7849462	16000.86973	30000	0	0	30000	41.75	2004
12.02.2020 12:57:13	1	1	1	1	58.75	61.75	0	29526.066	535.483871	15988.63914	30000	0	0	30000	41.3125	2004
12.02.2020 12:57:14	1	1	1	1	58.75	61.25	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	41.375	2004
12.02.2020 12:57:15	1	1	1	1	58.75	61.25	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	41.5	2004
12.02.2020 12:57:16	1	1	1	1	58.75	61.5	0	29526.066	533.3333333	15899.76354	30000	0	0	30000	41.8125	2004
12.02.2020 12:57:17	1	1	1	1	58.75	61.75	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	41.625	2004
12.02.2020 12:57:18	1	1	1	1	59.25	61.5	0	29431.28	537.6344086	15848.39508	30000	0	0	30000	41.8125	2004
12.02.2020 12:57:19	1	1	1	1	59.25	61.75	0	29526.066	537.6344086	15911.99413	30000	0	0	30000	40.9375	2004
12.02.2020 12:57:20	1	1	1	1	59.25	60.75	0	29526.066	539.7849462	16026.96165	30000	0	0	30000	41.6875	2004
12.02.2020 12:57:21	1	1	1	1	59.25	61.5	0	29526.066	541.9354839	16026.96165	30000	0	0	30000	41.375	2004
12.02.2020 12:57:22	1	1	1	1	59.25	61.25	0	29620.853	544.0860215	16179.43631	30000	0	0	30000	41.4375	2004
12.02.2020 12:57:23	1	1	1	1	59.25	61.25	0	29573.46	539.7849462	15963.3626	30000	0	0	30000	41.375	2004
12.02.2020 12:57:24	1	1	1	1	59.25	61.25	0	29620.853	541.9354839	15988.63914	30000	0	0	30000	41.375	2004
12.02.2020 12:57:25	1	1	1	1	59.25	61.25	0	29146.919	546.2365591	15619.27541	30000	0	0	30000	41.5625	2004
12.02.2020 12:57:26	1	1	1	1	59.25	61.5	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	41.4375	2004
12.02.2020 12:57:27	1	1	1	1	59.25	61.25	0	29431.28	539.7849462	15949.50126	30000	0	0	30000	41.6875	2004
12.02.2020 12:57:28	1	1	1	1	58.75	61.5	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	41.3125	2004
12.02.2020 12:57:29	1	1	1	1	58.75	61.25	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	41.75	2004
12.02.2020 12:57:30	1	1	1	1	58.75	61.75	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	41.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 12:57:31	1	1	1	1	58.75	61.5	0	29526.066	541.9354839	16026.96165	30000	0	0	30000	41.875	2004
12.02.2020 12:57:32	1	1	1	1	58.75	61.75	0	29668.246	541.9354839	16167.20572	30000	0	0	30000	41.8125	2004
12.02.2020 12:57:33	1	1	1	1	58.75	61.75	0	29478.673	539.7849462	15937.27068	30000	0	0	30000	42.125	2004
12.02.2020 12:57:34	1	1	1	1	58.75	62	0	29526.066	541.9354839	15873.67162	30000	0	0	30000	41.625	2004
12.02.2020 12:57:35	1	1	1	1	58.75	61.5	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	41.5	2004
12.02.2020 12:57:36	1	1	1	1	58.75	61.75	0	29620.853	541.9354839	15988.63914	30000	0	0	30000	41.75	2004
12.02.2020 12:57:37	1	1	1	1	59	61.75	0	29620.853	544.0860215	16052.2382	30000	0	0	30000	40.625	2004
12.02.2020 12:57:38	1	1	1	1	59	60.5	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	41.5	2004
12.02.2020 12:57:39	1	1	1	1	59	61.5	0	29478.673	541.9354839	15975.59318	30000	0	0	30000	41.5625	2004
12.02.2020 12:57:40	1	1	1	1	59	61.5	0	29431.28	539.7849462	15885.90221	30000	0	0	30000	41.5	2004
12.02.2020 12:57:41	1	1	1	1	59	61.5	0	29383.886	541.9354839	15885.90221	30000	0	0	30000	40.875	2004
12.02.2020 12:57:42	1	1	1	1	59	60.75	0	29336.493	537.6344086	15646.1827	30000	0	0	30000	41.5625	2004
12.02.2020 12:57:43	1	1	1	1	59	61.5	0	29478.673	539.7849462	15937.27068	30000	0	0	30000	41.6875	2004
12.02.2020 12:57:44	1	1	1	1	59	61.5	0	29431.28	535.483871	15911.99413	30000	0	0	30000	41.75	2004
12.02.2020 12:57:45	1	1	1	1	59	61.75	0	29620.853	541.9354839	15899.76354	30000	0	0	30000	41.25	2004
12.02.2020 12:57:46	1	1	1	1	59	61.25	0	29526.066	539.7849462	16000.86973	30000	0	0	30000	41.625	2004
12.02.2020 12:57:48	1	1	1	1	58.75	61.5	0	29620.853	544.0860215	16026.96165	30000	0	0	30000	41.1875	2004
12.02.2020 12:57:49	1	1	1	1	58.75	61	0	29526.066	544.0860215	16090.5607	30000	0	0	30000	41.75	2004
12.02.2020 12:57:50	1	1	1	1	58.75	61.75	0	29431.28	541.9354839	15885.90221	30000	0	0	30000	40.75	2004
12.02.2020 12:57:51	1	1	1	1	58.75	60.75	0	29383.886	541.9354839	15924.22472	30000	0	0	30000	41.4375	2004
12.02.2020 12:57:52	1	1	1	1	58.75	61.25	0	29383.886	541.9354839	16013.10032	30000	0	0	30000	41.5625	2004
12.02.2020 12:57:53	1	1	1	1	58.75	61.5	0	29620.853	544.0860215	16026.96165	30000	0	0	30000	41.6875	2004
12.02.2020 12:57:54	1	1	1	1	58.75	61.5	0	29431.28	541.9354839	15885.90221	30000	0	0	30000	41.625	2004
12.02.2020 12:57:55	1	1	1	1	58.75	61.5	0	29526.066	550.5376344	15949.50126	30000	0	0	30000	41.5625	2004
12.02.2020 12:57:56	1	1	1	1	58.75	61.5	0	29620.853	544.0860215	16052.2382	30000	0	0	30000	41.0625	2004
12.02.2020 12:57:57	1	1	1	1	58.75	61	0	29668.246	544.0860215	16115.83725	30000	0	0	30000	41.3125	2004
12.02.2020 12:57:58	1	1	1	1	58.5	61.25	0	29526.066	544.0860215	16090.5607	30000	0	0	30000	41.8125	2004
12.02.2020 12:57:59	1	1	1	1	58.5	61.75	0	29526.066	541.9354839	16115.83725	30000	0	0	30000	41.4375	2004
12.02.2020 12:58:00	1	1	1	1	58.5	61.25	0	29478.673	541.9354839	15975.59318	30000	0	0	30000	41.6875	2004
12.02.2020 12:58:01	1	1	1	1	58.5	61.5	0	29620.853	541.9354839	16115.83725	30000	0	0	30000	41.375	2004
12.02.2020 12:58:02	1	1	1	1	58.5	61.25	0	29526.066	541.9354839	16090.5607	30000	0	0	30000	41.8125	2004
12.02.2020 12:58:03	1	1	1	1	58.5	61.75	0	29478.673	541.9354839	15975.59318	30000	0	0	30000	41.6875	2004
12.02.2020 12:58:04	1	1	1	1	58.5	61.5	0	29620.853	541.9354839	16167.20572	30000	0	0	30000	41.4375	2004
12.02.2020 12:58:05	1	1	1	1	58.5	61.25	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	41.8125	2004
12.02.2020 12:58:06	1	1	1	1	58.5	61.75	0	29478.673	539.7849462	15911.99413	30000	0	0	30000	41.75	2004
12.02.2020 12:58:13	1	1	1	1	58.75	62	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	41.625	2004
12.02.2020 12:58:13	1	1	1	1	58.75	62	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	41.625	2004
12.02.2020 12:58:13	1	1	1	1	58.75	62	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	41.625	2004
12.02.2020 12:58:13	1	1	1	1	58.75	62	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	41.625	2004
12.02.2020 12:58:13	1	1	1	1	58.75	62	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	41.625	2004
12.02.2020 12:58:13	1	1	1	1	58.75	61.5	0	29620.853	541.9354839	16115.83725	30000	0	0	30000	41.6875	2004
12.02.2020 12:58:14	1	1	1	1	58.75	61.5	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	41.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 12:58:15	1	1	1	1	58.75	61.75	0	29431.28	541.9354839	15885.90221	30000	0	0	30000	41.6875	2004
12.02.2020 12:58:16	1	1	1	1	58.75	61.5	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	41	2004
12.02.2020 12:58:17	1	1	1	1	58.75	61	0	29431.28	541.9354839	16038.37687	30000	0	0	30000	41.25	2004
12.02.2020 12:58:18	1	1	1	1	58.75	61.25	0	29526.066	537.6344086	16026.96165	30000	0	0	30000	41.75	2004
12.02.2020 12:58:19	1	1	1	1	58.75	61.75	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	41.5625	2004
12.02.2020 12:58:20	1	1	1	1	58.75	61.5	0	29431.28	539.7849462	15949.50126	30000	0	0	30000	41.25	2004
12.02.2020 12:58:21	1	1	1	1	58.75	61.25	0	29526.066	537.6344086	15747.28889	30000	0	0	30000	41.5	2004
12.02.2020 12:58:22	1	1	1	1	58.75	61.5	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	41.5625	2004
12.02.2020 12:58:23	1	1	1	1	58.75	61.5	0	29336.493	539.7849462	15708.96638	30000	0	0	30000	41.625	2004
12.02.2020 12:58:25	1	1	1	1	58.75	61.5	0	29383.886	541.9354839	15898.1328	30000	0	0	30000	41.625	2004
12.02.2020 12:58:26	1	1	1	1	58.75	61.5	0	29478.673	541.9354839	15937.27068	30000	0	0	30000	41.3125	2004
12.02.2020 12:58:27	1	1	1	1	58.75	61.25	0	29478.673	539.7849462	15911.99413	30000	0	0	30000	41.125	2004
12.02.2020 12:58:28	1	1	1	1	58.75	61	0	29478.673	541.9354839	15759.51947	30000	0	0	30000	41.5625	2004
12.02.2020 12:58:29	1	1	1	1	58.75	61.5	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	41.5625	2004
12.02.2020 12:58:30	1	1	1	1	58.75	61.5	0	29431.28	541.9354839	15885.90221	30000	0	0	30000	41.1875	2004
12.02.2020 12:58:31	1	1	1	1	58.75	61	0	29431.28	541.9354839	15885.90221	30000	0	0	30000	41.375	2004
12.02.2020 12:58:32	1	1	1	1	58.75	61.25	0	29478.673	541.9354839	15975.59318	30000	0	0	30000	41.4375	2004
12.02.2020 12:58:33	1	1	1	1	58.75	61.25	0	29620.853	541.9354839	16115.83725	30000	0	0	30000	41.4375	2004
12.02.2020 12:58:34	1	1	1	1	58.75	61.25	0	29620.853	550.5376344	16243.03536	30000	0	0	30000	41.625	2004
12.02.2020 12:58:35	1	1	1	1	58.75	61.5	0	29526.066	541.9354839	16154.15976	30000	0	0	30000	41.6875	2004
12.02.2020 12:58:36	1	1	1	1	58.75	61.5	0	29336.493	541.9354839	15898.1328	30000	0	0	30000	41.3125	2004
12.02.2020 12:58:37	1	1	1	1	58.75	61.25	0	29478.673	541.9354839	16038.37687	30000	0	0	30000	41.6875	2004
12.02.2020 12:58:38	1	1	1	1	58.25	61.5	0	29431.28	541.9354839	15975.59318	30000	0	0	30000	41.5	2004
12.02.2020 12:58:39	1	1	1	1	58.25	61.5	0	29478.673	541.9354839	15885.90221	30000	0	0	30000	41.0625	2004
12.02.2020 12:58:40	1	1	1	1	58.25	61	0	29383.886	535.483871	15949.50126	30000	0	0	30000	41.125	2004
12.02.2020 12:58:41	1	1	1	1	58.25	61	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	41.6875	2004
12.02.2020 12:58:42	1	1	1	1	58.25	61.5	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	41.4375	2004
12.02.2020 12:58:43	1	1	1	1	58.25	61.25	0	29478.673	541.9354839	15949.50126	30000	0	0	30000	41.625	2004
12.02.2020 12:58:44	1	1	1	1	58.25	61.5	0	29336.493	541.9354839	15835.34912	30000	0	0	30000	41.6875	2004
12.02.2020 12:58:45	1	1	1	1	58.25	61.5	0	29336.493	539.7849462	15898.1328	30000	0	0	30000	41.5	2004
12.02.2020 12:58:46	1	1	1	1	58.25	61.5	0	29478.673	541.9354839	15975.59318	30000	0	0	30000	41.6875	2004
12.02.2020 12:58:47	1	1	1	1	58.25	61.5	0	29526.066	544.0860215	15975.59318	30000	0	0	30000	41.625	2004
12.02.2020 12:58:48	1	1	1	1	58.5	61.5	0	29478.673	541.9354839	16013.10032	30000	0	0	30000	41.5625	2004
12.02.2020 12:58:49	1	1	1	1	58.5	61.5	0	29573.46	537.6344086	16052.2382	30000	0	0	30000	42.125	2004
12.02.2020 12:58:50	1	1	1	1	58.5	62	0	29431.28	541.9354839	16013.10032	30000	0	0	30000	41.75	2004
12.02.2020 12:58:51	1	1	1	1	58.5	61.75	0	29478.673	541.9354839	16128.06784	30000	0	0	30000	41.6875	2004
12.02.2020 12:58:52	1	1	1	1	58.5	61.5	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	41.625	2004
12.02.2020 12:58:53	1	1	1	1	58.5	61.5	0	29478.673	544.0860215	16038.37687	30000	0	0	30000	41.25	2004
12.02.2020 12:58:54	1	1	1	1	58.5	61.25	0	29478.673	541.9354839	15975.59318	30000	0	0	30000	41.625	2004
12.02.2020 12:58:55	1	1	1	1	58.5	61.5	0	29478.673	541.9354839	16255.26595	30000	0	0	30000	40.9375	2004
12.02.2020 12:58:56	1	1	1	1	58.5	60.75	0	29478.673	541.9354839	15975.59318	30000	0	0	30000	41.75	2004
12.02.2020 12:58:57	1	1	1	1	58.5	61.75	0	29383.886	541.9354839	15949.50126	30000	0	0	30000	41	2004
12.02.2020 12:58:58	1	1	1	1	58.5	61	0	29478.673	539.7849462	15885.90221	30000	0	0	30000	41.6875	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 12:58:59	1	1	1	1	58.5	61.5	0	29431.28	541.9354839	15975.59318	30000	0	0	30000	41.75	2004
12.02.2020 12:59:00	1	1	1	1	58.5	61.75	0	29526.066	544.0860215	16000.86973	30000	0	0	30000	41.75	2004
12.02.2020 12:59:01	1	1	1	1	58.5	61.75	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	41.4375	2004
12.02.2020 12:59:02	1	1	1	1	58.5	61.25	0	29478.673	539.7849462	16000.86973	30000	0	0	30000	41.75	2004
12.02.2020 12:59:04	1	1	1	1	58.5	61.75	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	41.375	2004
12.02.2020 12:59:05	1	1	1	1	58.5	61.25	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	41.625	2004
12.02.2020 12:59:06	1	1	1	1	58.5	61.5	0	29383.886	541.9354839	15949.50126	30000	0	0	30000	41.5	2004
12.02.2020 12:59:07	1	1	1	1	58.5	61.5	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	41.6875	2004
12.02.2020 12:59:08	1	1	1	1	58.5	61.5	0	29336.493	539.7849462	15924.22472	30000	0	0	30000	41.5625	2004
12.02.2020 12:59:15	1	1	1	1	58.5	61	0	29526.066	541.9354839	15885.90221	30000	0	0	30000	41.125	2004
12.02.2020 12:59:15	1	1	1	1	58.5	61	0	29526.066	541.9354839	15885.90221	30000	0	0	30000	41.125	2004
12.02.2020 12:59:15	1	1	1	1	58.5	61	0	29526.066	541.9354839	15885.90221	30000	0	0	30000	41.125	2004
12.02.2020 12:59:15	1	1	1	1	58.5	61	0	29526.066	541.9354839	15885.90221	30000	0	0	30000	41.125	2004
12.02.2020 12:59:15	1	1	1	1	58.5	61	0	29526.066	541.9354839	15885.90221	30000	0	0	30000	41.125	2004
12.02.2020 12:59:15	1	1	1	1	58.5	61	0	29526.066	541.9354839	15885.90221	30000	0	0	30000	41.125	2004
12.02.2020 12:59:15	1	1	1	1	58.5	61	0	29526.066	541.9354839	15885.90221	30000	0	0	30000	41.125	2004
12.02.2020 12:59:16	1	1	1	1	58.5	61	0	29573.46	544.0860215	16090.5607	30000	0	0	30000	41.75	2004
12.02.2020 12:59:17	1	1	1	1	58.5	61.75	0	29478.673	539.7849462	15975.59318	30000	0	0	30000	41.1875	2004
12.02.2020 12:59:18	1	1	1	1	58.25	61	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	41.0625	2004
12.02.2020 12:59:19	1	1	1	1	58.25	61	0	29478.673	541.9354839	16038.37687	30000	0	0	30000	41.6875	2004
12.02.2020 12:59:20	1	1	1	1	58.25	61.5	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	41.75	2004
12.02.2020 12:59:21	1	1	1	1	58.25	61.75	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	41.625	2004
12.02.2020 12:59:22	1	1	1	1	58.25	61.5	0	29431.28	541.9354839	15885.90221	30000	0	0	30000	41.6875	2004
12.02.2020 12:59:23	1	1	1	1	58.25	61.5	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	41.6875	2004
12.02.2020 12:59:24	1	1	1	1	58.25	61.5	0	29573.46	541.9354839	16026.96165	30000	0	0	30000	41.75	2004
12.02.2020 12:59:25	1	1	1	1	58.25	61.75	0	29526.066	544.0860215	16115.83725	30000	0	0	30000	41.4375	2004
12.02.2020 12:59:26	1	1	1	1	58.25	61.25	0	29526.066	546.2365591	16064.46878	30000	0	0	30000	41.6875	2004
12.02.2020 12:59:27	1	1	1	1	58.25	61.5	0	29573.46	541.9354839	16115.83725	30000	0	0	30000	41.5625	2004
12.02.2020 12:59:28	1	1	1	1	58.5	61.5	0	29526.066	541.9354839	16064.46878	30000	0	0	30000	41.1875	2004
12.02.2020 12:59:29	1	1	1	1	58.5	61.75	0	29478.673	544.0860215	16013.10032	30000	0	0	30000	41.4375	2004
12.02.2020 12:59:30	1	1	1	1	58.5	61.25	0	29431.28	544.0860215	15949.50126	30000	0	0	30000	41.5	2004
12.02.2020 12:59:31	1	1	1	1	58.5	61.5	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	41.375	2004
12.02.2020 12:59:32	1	1	1	1	58.5	61.25	0	29383.886	541.9354839	15835.34912	30000	0	0	30000	41.1875	2004
12.02.2020 12:59:33	1	1	1	1	58.5	61	0	29526.066	541.9354839	15937.27068	30000	0	0	30000	41.6875	2004
12.02.2020 12:59:34	1	1	1	1	58.5	61.5	0	29478.673	544.0860215	15949.50126	30000	0	0	30000	41.4375	2004
12.02.2020 12:59:35	1	1	1	1	58.5	61.25	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	41.375	2004
12.02.2020 12:59:36	1	1	1	1	58.5	61.25	0	29336.493	537.6344086	15835.34912	30000	0	0	30000	41.4375	2004
12.02.2020 12:59:37	1	1	1	1	58.5	61.25	0	29715.64	537.6344086	16359.63363	30000	0	0	30000	41.6875	2004
12.02.2020 12:59:39	1	1	1	1	58.5	61.5	0	29668.246	550.5376344	15988.63914	30000	0	0	30000	41.625	2004
12.02.2020 12:59:40	1	1	1	1	58.5	61.5	0	29478.673	541.9354839	16000.86973	30000	0	0	30000	41.4375	2004
12.02.2020 12:59:41	1	1	1	1	58.5	61.25	0	29383.886	541.9354839	15835.34912	30000	0	0	30000	41.5625	2004
12.02.2020 12:59:42	1	1	1	1	58.5	61.5	0	29478.673	541.9354839	16000.86973	30000	0	0	30000	41.3125	2004
12.02.2020 12:59:43	1	1	1	1	58.5	61.25	0	29573.46	541.9354839	16026.96165	30000	0	0	30000	41.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 12:59:44	1	1	1	1	58.5	61.75	0	29478.673	539.7849462	16064.46878	30000	0	0	30000	41.625	2004
12.02.2020 12:59:45	1	1	1	1	58.5	61.5	0	29478.673	537.6344086	16000.86973	30000	0	0	30000	41.625	2004
12.02.2020 12:59:46	1	1	1	1	58.5	61.5	0	29431.28	541.9354839	15975.59318	30000	0	0	30000	41.625	2004
12.02.2020 12:59:47	1	1	1	1	58.5	61.5	0	29620.853	541.9354839	16115.83725	30000	0	0	30000	41.8125	2004
12.02.2020 12:59:48	1	1	1	1	58.5	61.75	0	29478.673	541.9354839	16000.86973	30000	0	0	30000	40.8125	2004
12.02.2020 12:59:49	1	1	1	1	58.5	60.75	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	41.6875	2004
12.02.2020 12:59:50	1	1	1	1	58.5	61.5	0	29383.886	541.9354839	15924.22472	30000	0	0	30000	41.5625	2004
12.02.2020 12:59:51	1	1	1	1	58.5	61.5	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	41.75	2004
12.02.2020 12:59:52	1	1	1	1	58.5	61.75	0	29620.853	544.0860215	16090.5607	30000	0	0	30000	41.4375	2004
12.02.2020 12:59:53	1	1	1	1	58.5	61.25	0	29478.673	541.9354839	15975.59318	30000	0	0	30000	41.25	2004
12.02.2020 12:59:54	1	1	1	1	58.5	61.25	0	29431.28	539.7849462	15885.90221	30000	0	0	30000	41.6875	2004
12.02.2020 12:59:55	1	1	1	1	58.5	61.5	0	29478.673	535.483871	16064.46878	30000	0	0	30000	41.5625	2004
12.02.2020 12:59:56	1	1	1	1	58.5	61.5	0	29478.673	544.0860215	15975.59318	30000	0	0	30000	41.4375	2004
12.02.2020 12:59:57	1	1	1	1	58.5	61.25	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	41.75	2004
12.02.2020 12:59:58	1	1	1	1	58.5	61.75	0	29526.066	541.9354839	16064.46878	30000	0	0	30000	41.5625	2004
12.02.2020 12:59:59	1	1	1	1	58.5	61.5	0	29620.853	544.0860215	16179.43631	30000	0	0	30000	41.1875	2004
12.02.2020 13:00:00	1	1	1	1	58.5	61	0	29431.28	541.9354839	16191.66689	30000	0	0	30000	41.875	2004
12.02.2020 13:00:01	1	1	1	1	58.5	61.75	0	29383.886	541.9354839	15949.50126	30000	0	0	30000	40.9375	2004
12.02.2020 13:00:02	1	1	1	1	58.5	60.75	0	29383.886	541.9354839	16203.08211	30000	0	0	30000	41.6875	2004
12.02.2020 13:00:03	1	1	1	1	58.5	61.5	0	29573.46	544.0860215	16064.46878	30000	0	0	30000	41.9375	2004
12.02.2020 13:00:04	1	1	1	1	58.5	61.75	0	29383.886	541.9354839	16013.10032	30000	0	0	30000	41.0625	2004
12.02.2020 13:00:05	1	1	1	1	58.5	61	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	41.25	2004
12.02.2020 13:00:06	1	1	1	1	58.5	61.75	0	29526.066	544.0860215	16090.5607	30000	0	0	30000	41.6875	2004
12.02.2020 13:00:07	1	1	1	1	58.25	61.5	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	41.5625	2004
12.02.2020 13:00:08	1	1	1	1	58.25	61.5	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	41.625	2004
12.02.2020 13:00:09	1	1	1	1	58.25	61.5	0	29478.673	544.0860215	15975.59318	30000	0	0	30000	41.4375	2004
12.02.2020 13:00:17	1	1	1	1	58.25	61.5	0	29431.28	541.9354839	16013.10032	30000	0	0	30000	41.5	2004
12.02.2020 13:00:17	1	1	1	1	58.25	61.5	0	29431.28	541.9354839	16013.10032	30000	0	0	30000	41.5	2004
12.02.2020 13:00:17	1	1	1	1	58.25	61.5	0	29431.28	541.9354839	16013.10032	30000	0	0	30000	41.5	2004
12.02.2020 13:00:17	1	1	1	1	58.25	61.5	0	29431.28	541.9354839	16013.10032	30000	0	0	30000	41.5	2004
12.02.2020 13:00:17	1	1	1	1	58.25	61.5	0	29431.28	541.9354839	16013.10032	30000	0	0	30000	41.5	2004
12.02.2020 13:00:17	1	1	1	1	58.25	61.5	0	29431.28	541.9354839	16013.10032	30000	0	0	30000	41.5	2004
12.02.2020 13:00:17	1	1	1	1	58.25	61.5	0	29431.28	541.9354839	16013.10032	30000	0	0	30000	41.5	2004
12.02.2020 13:00:18	1	1	1	1	58	61.5	0	29383.886	541.9354839	15949.50126	30000	0	0	30000	41.5	2004
12.02.2020 13:00:19	1	1	1	1	58	61.5	0	29526.066	541.9354839	16064.46878	30000	0	0	30000	41.6875	2004
12.02.2020 13:00:20	1	1	1	1	58	61.5	0	29289.1	541.9354839	15960.91648	30000	0	0	30000	41.125	2004
12.02.2020 13:00:21	1	1	1	1	58	61	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	41.625	2004
12.02.2020 13:00:22	1	1	1	1	58	61.5	0	29478.673	544.0860215	16064.46878	30000	0	0	30000	41.5625	2004
12.02.2020 13:00:23	1	1	1	1	58	61.5	0	29526.066	537.6344086	16154.15976	30000	0	0	30000	41.5	2004
12.02.2020 13:00:24	1	1	1	1	58	61.5	0	29478.673	544.0860215	16013.10032	30000	0	0	30000	41.625	2004
12.02.2020 13:00:25	1	1	1	1	58	61.5	0	29383.886	541.9354839	15987.0084	30000	0	0	30000	41.1875	2004
12.02.2020 13:00:26	1	1	1	1	58	61	0	29431.28	541.9354839	16013.10032	30000	0	0	30000	41.3125	2004
12.02.2020 13:00:29	1	1	1	1	58.25	61.5	0	29431.28	537.6344086	16038.37687	30000	0	0	30000	41.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 13:00:29	1	1	1	1	58.25	61.5	0	29431.28	537.6344086	16038.37687	30000	0	0	30000	41.1875	2004
12.02.2020 13:00:29	1	1	1	1	58.25	61.5	0	29431.28	537.6344086	16038.37687	30000	0	0	30000	41.1875	2004
12.02.2020 13:00:30	1	1	1	1	58.25	61	0	29431.28	539.7849462	15949.50126	30000	0	0	30000	41.4375	2004
12.02.2020 13:00:31	1	1	1	1	58.25	61.25	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	41.625	2004
12.02.2020 13:00:32	1	1	1	1	58.25	61.5	0	29431.28	541.9354839	16038.37687	30000	0	0	30000	41.4375	2004
12.02.2020 13:00:33	1	1	1	1	58.25	61.25	0	29336.493	535.483871	16013.10032	30000	0	0	30000	41.5	2004
12.02.2020 13:00:34	1	1	1	1	58.25	61.5	0	29431.28	544.0860215	15949.50126	30000	0	0	30000	41.8125	2004
12.02.2020 13:00:35	1	1	1	1	58.25	61.75	0	29526.066	546.2365591	16090.5607	30000	0	0	30000	41.375	2004
12.02.2020 13:00:36	1	1	1	1	58.25	61.25	0	29526.066	541.9354839	16090.5607	30000	0	0	30000	41.625	2004
12.02.2020 13:00:37	1	1	1	1	58.25	61.5	0	29478.673	544.0860215	15823.11853	30000	0	0	30000	41.5	2004
12.02.2020 13:00:38	1	1	1	1	58.5	61.5	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	41.6875	2004
12.02.2020 13:00:39	1	1	1	1	58.5	61.5	0	29431.28	541.9354839	16013.10032	30000	0	0	30000	41.5625	2004
12.02.2020 13:00:40	1	1	1	1	58.5	61.5	0	29431.28	541.9354839	16038.37687	30000	0	0	30000	41.625	2004
12.02.2020 13:00:41	1	1	1	1	58.5	61.5	0	29431.28	541.9354839	16013.10032	30000	0	0	30000	41.75	2004
12.02.2020 13:00:42	1	1	1	1	58.5	61.75	0	29478.673	544.0860215	16064.46878	30000	0	0	30000	41.6875	2004
12.02.2020 13:00:43	1	1	1	1	58.5	61.5	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	41.9375	2004
12.02.2020 13:00:44	1	1	1	1	58.5	61.75	0	29478.673	541.9354839	16064.46878	30000	0	0	30000	41.5	2004
12.02.2020 13:00:45	1	1	1	1	58.5	61.75	0	29383.886	537.6344086	15987.0084	30000	0	0	30000	41.5625	2004
12.02.2020 13:00:46	1	1	1	1	58.5	61.5	0	29289.1	541.9354839	15872.85625	30000	0	0	30000	41.375	2004
12.02.2020 13:00:47	1	1	1	1	58.25	61.25	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	40.75	2004
12.02.2020 13:00:48	1	1	1	1	58.25	60.75	0	29383.886	541.9354839	15949.50126	30000	0	0	30000	41.5	2004
12.02.2020 13:00:49	1	1	1	1	58.25	61.5	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	41.1875	2004
12.02.2020 13:00:50	1	1	1	1	58.25	61	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	41.6875	2004
12.02.2020 13:00:51	1	1	1	1	58.25	61.5	0	29526.066	544.0860215	16000.86973	30000	0	0	30000	41.5625	2004
12.02.2020 13:00:52	1	1	1	1	58.25	61.5	0	29431.28	541.9354839	16038.37687	30000	0	0	30000	41.6875	2004
12.02.2020 13:00:53	1	1	1	1	58.25	61.5	0	29336.493	541.9354839	16075.884	30000	0	0	30000	41.625	2004
12.02.2020 13:00:55	1	1	1	1	58.25	61.5	0	29431.28	539.7849462	16013.10032	30000	0	0	30000	41.5	2004
12.02.2020 13:00:56	1	1	1	1	58.25	61.5	0	29573.46	544.0860215	16090.5607	30000	0	0	30000	41.625	2004
12.02.2020 13:00:57	1	1	1	1	58.25	61.5	0	29478.673	541.9354839	16064.46878	30000	0	0	30000	41.5	2004
12.02.2020 13:00:58	1	1	1	1	58.5	61.5	0	29431.28	541.9354839	15924.22472	30000	0	0	30000	41.625	2004
12.02.2020 13:00:59	1	1	1	1	58.5	61.5	0	29620.853	544.0860215	16115.83725	30000	0	0	30000	41.625	2004
12.02.2020 13:01:00	1	1	1	1	58.5	61.5	0	29336.493	541.9354839	15898.1328	30000	0	0	30000	41.3125	2004
12.02.2020 13:01:01	1	1	1	1	58.5	61.25	0	29526.066	544.0860215	16281.35787	30000	0	0	30000	41.25	2004
12.02.2020 13:01:02	1	1	1	1	58.5	61.25	0	29431.28	541.9354839	16203.08211	30000	0	0	30000	41.6875	2004
12.02.2020 13:01:03	1	1	1	1	58.5	61.5	0	29526.066	541.9354839	16090.5607	30000	0	0	30000	41.625	2004
12.02.2020 13:01:04	1	1	1	1	58.5	61.5	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	41.5	2004
12.02.2020 13:01:05	1	1	1	1	58.5	61.5	0	29383.886	541.9354839	15960.91648	30000	0	0	30000	41.375	2004
12.02.2020 13:01:06	1	1	1	1	58.5	61.25	0	29431.28	544.0860215	16038.37687	30000	0	0	30000	41.3125	2004
12.02.2020 13:01:07	1	1	1	1	58.5	61.25	0	29383.886	544.0860215	15924.22472	30000	0	0	30000	41.125	2004
12.02.2020 13:01:08	1	1	1	1	58.25	61	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	41.625	2004
12.02.2020 13:01:09	1	1	1	1	58.25	61.5	0	29431.28	544.0860215	16038.37687	30000	0	0	30000	41.25	2004
12.02.2020 13:01:10	1	1	1	1	58.25	61.25	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	41.625	2004
12.02.2020 13:01:11	1	1	1	1	58.25	61.5	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	41.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 13:01:18	1	1	1	1	58.25	61.25	0	29431.28	544.0860215	16139.48305	30000	0	0	30000	41.625	2004
12.02.2020 13:01:18	1	1	1	1	58.25	61.25	0	29431.28	544.0860215	16139.48305	30000	0	0	30000	41.625	2004
12.02.2020 13:01:18	1	1	1	1	58.25	61.25	0	29431.28	544.0860215	16139.48305	30000	0	0	30000	41.625	2004
12.02.2020 13:01:18	1	1	1	1	58.25	61.25	0	29431.28	544.0860215	16139.48305	30000	0	0	30000	41.625	2004
12.02.2020 13:01:18	1	1	1	1	58.25	61.25	0	29431.28	544.0860215	16139.48305	30000	0	0	30000	41.625	2004
12.02.2020 13:01:18	1	1	1	1	58.25	61.25	0	29431.28	544.0860215	16139.48305	30000	0	0	30000	41.625	2004
12.02.2020 13:01:18	1	1	1	1	58.25	61.25	0	29431.28	544.0860215	16139.48305	30000	0	0	30000	41.625	2004
12.02.2020 13:01:19	1	1	1	1	58.25	61.5	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	41.875	2004
12.02.2020 13:01:20	1	1	1	1	58.25	61.75	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	41.5	2004
12.02.2020 13:01:21	1	1	1	1	58.25	61.5	0	29383.886	544.0860215	15960.91648	30000	0	0	30000	41.25	2004
12.02.2020 13:01:22	1	1	1	1	58.25	61.25	0	29336.493	541.9354839	15987.0084	30000	0	0	30000	41.25	2004
12.02.2020 13:01:23	1	1	1	1	58.25	61.25	0	29336.493	550.5376344	15960.91648	30000	0	0	30000	41.3125	2004
12.02.2020 13:01:24	1	1	1	1	58.25	61.75	0	29431.28	544.0860215	16075.884	30000	0	0	30000	41.5	2004
12.02.2020 13:01:25	1	1	1	1	58.25	61.5	0	29431.28	544.0860215	16075.884	30000	0	0	30000	41.5625	2004
12.02.2020 13:01:26	1	1	1	1	58.25	61.5	0	29478.673	546.2365591	16013.10032	30000	0	0	30000	41.5	2004
12.02.2020 13:01:27	1	1	1	1	58.25	61.5	0	29573.46	544.0860215	16179.43631	30000	0	0	30000	41.75	2004
12.02.2020 13:01:28	1	1	1	1	58.25	61.75	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	41.125	2004
12.02.2020 13:01:29	1	1	1	1	58.25	61	0	29478.673	550.5376344	15885.90221	30000	0	0	30000	41.3125	2004
12.02.2020 13:01:30	1	1	1	1	58.25	61.25	0	29526.066	544.0860215	16090.5607	30000	0	0	30000	41.625	2004
12.02.2020 13:01:31	1	1	1	1	58.25	61.5	0	29241.706	541.9354839	15872.85625	30000	0	0	30000	41.5	2004
12.02.2020 13:01:33	1	1	1	1	58.25	61.5	0	29241.706	544.0860215	15858.17955	30000	0	0	30000	41.0625	2004
12.02.2020 13:01:34	1	1	1	1	58.25	61	0	29526.066	546.2365591	16013.10032	30000	0	0	30000	41.6875	2004
12.02.2020 13:01:35	1	1	1	1	58.25	61.5	0	29336.493	546.2365591	15960.91648	30000	0	0	30000	41.625	2004
12.02.2020 13:01:36	1	1	1	1	58.25	61.5	0	29383.886	544.0860215	16050.60745	30000	0	0	30000	41.75	2004
12.02.2020 13:01:37	1	1	1	1	58.25	61.75	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	41.6875	2004
12.02.2020 13:01:38	1	1	1	1	57.75	61.5	0	29241.706	544.0860215	15935.63993	30000	0	0	30000	41.375	2004
12.02.2020 13:01:39	1	1	1	1	57.75	61.25	0	29336.493	541.9354839	16024.51553	30000	0	0	30000	41.75	2004
12.02.2020 13:01:40	1	1	1	1	57.75	61.75	0	29336.493	550.5376344	15960.91648	30000	0	0	30000	40.9375	2004
12.02.2020 13:01:41	1	1	1	1	57.75	60.75	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	41.625	2004
12.02.2020 13:01:42	1	1	1	1	57.75	61.5	0	29289.1	544.0860215	15935.63993	30000	0	0	30000	41.5	2004
12.02.2020 13:01:43	1	1	1	1	57.75	61.5	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	41.5625	2004
12.02.2020 13:01:44	1	1	1	1	57.75	61.5	0	29383.886	544.0860215	16013.10032	30000	0	0	30000	41.5	2004
12.02.2020 13:01:45	1	1	1	1	57.75	61.5	0	29383.886	544.0860215	15960.91648	30000	0	0	30000	41.375	2004
12.02.2020 13:01:46	1	1	1	1	57.75	61.25	0	29146.919	541.9354839	15858.17955	30000	0	0	30000	41.625	2004
12.02.2020 13:01:47	1	1	1	1	57.75	61.5	0	29526.066	544.0860215	16038.37687	30000	0	0	30000	41.1875	2004
12.02.2020 13:01:48	1	1	1	1	58	61	0	29383.886	544.0860215	15987.0084	30000	0	0	30000	41.75	2004
12.02.2020 13:01:49	1	1	1	1	58	61.75	0	29431.28	544.0860215	16101.97592	30000	0	0	30000	41.8125	2004
12.02.2020 13:01:50	1	1	1	1	58	61.75	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	41.375	2004
12.02.2020 13:01:51	1	1	1	1	58	61.25	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	41.5625	2004
12.02.2020 13:01:52	1	1	1	1	58	61.5	0	29431.28	550.5376344	16013.10032	30000	0	0	30000	41.5625	2004
12.02.2020 13:01:53	1	1	1	1	58	61.5	0	29383.886	541.9354839	15987.0084	30000	0	0	30000	41.5625	2004
12.02.2020 13:01:54	1	1	1	1	58	61.5	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	41.4375	2004
12.02.2020 13:01:55	1	1	1	1	58	61.25	0	29336.493	544.0860215	15909.54801	30000	0	0	30000	41.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 13:01:56	1	1	1	1	58	61.5	0	29431.28	546.2365591	16013.10032	30000	0	0	30000	41.5	2004
12.02.2020 13:01:57	1	1	1	1	58	61.5	0	29383.886	544.0860215	15960.91648	30000	0	0	30000	41.6875	2004
12.02.2020 13:01:58	1	1	1	1	58.25	61.5	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	41.3125	2004
12.02.2020 13:01:59	1	1	1	1	58.25	61.25	0	29336.493	544.0860215	16176.99019	30000	0	0	30000	41.5625	2004
12.02.2020 13:02:00	1	1	1	1	58.25	61.25	0	29383.886	537.6344086	16013.10032	30000	0	0	30000	41.375	2004
12.02.2020 13:02:01	1	1	1	1	58.25	61.25	0	29478.673	544.0860215	16038.37687	30000	0	0	30000	41.5625	2004
12.02.2020 13:02:02	1	1	1	1	58.25	61.5	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	41.1875	2004
12.02.2020 13:02:03	1	1	1	1	58.25	61	0	29146.919	541.9354839	15909.54801	30000	0	0	30000	41	2004
12.02.2020 13:02:04	1	1	1	1	58.25	61	0	29383.886	546.2365591	16024.51553	30000	0	0	30000	41.5	2004
12.02.2020 13:02:05	1	1	1	1	58.25	61.5	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	41	2004
12.02.2020 13:02:06	1	1	1	1	58.25	61	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	41.375	2004
12.02.2020 13:02:07	1	1	1	1	58.25	61.25	0	29431.28	544.0860215	15987.0084	30000	0	0	30000	41.4375	2004
12.02.2020 13:02:08	1	1	1	1	58.25	61.25	0	29383.886	544.0860215	15960.91648	30000	0	0	30000	41.5	2004
12.02.2020 13:02:09	1	1	1	1	58.25	61.5	0	29336.493	544.0860215	15935.63993	30000	0	0	30000	41	2004
12.02.2020 13:02:11	1	1	1	1	58.25	61	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	41.4375	2004
12.02.2020 13:02:12	1	1	1	1	58.25	61.25	0	29336.493	541.9354839	15960.91648	30000	0	0	30000	41.125	2004
12.02.2020 13:02:13	1	1	1	1	58.25	61	0	29526.066	544.0860215	16090.5607	30000	0	0	30000	41	2004
12.02.2020 13:02:20	1	1	1	1	58.25	61.5	0	29526.066	546.2365591	16128.06784	30000	0	0	30000	41.25	2004
12.02.2020 13:02:20	1	1	1	1	58.25	61.5	0	29526.066	546.2365591	16128.06784	30000	0	0	30000	41.25	2004
12.02.2020 13:02:20	1	1	1	1	58.25	61.5	0	29526.066	546.2365591	16128.06784	30000	0	0	30000	41.25	2004
12.02.2020 13:02:20	1	1	1	1	58.25	61.5	0	29526.066	546.2365591	16128.06784	30000	0	0	30000	41.25	2004
12.02.2020 13:02:20	1	1	1	1	58.25	61.5	0	29526.066	546.2365591	16128.06784	30000	0	0	30000	41.25	2004
12.02.2020 13:02:20	1	1	1	1	58.25	61.5	0	29526.066	546.2365591	16128.06784	30000	0	0	30000	41.25	2004
12.02.2020 13:02:20	1	1	1	1	58.25	61.5	0	29526.066	546.2365591	16128.06784	30000	0	0	30000	41.25	2004
12.02.2020 13:02:21	1	1	1	1	58.25	61.25	0	29478.673	546.2365591	16101.97592	30000	0	0	30000	41.625	2004
12.02.2020 13:02:22	1	1	1	1	58.25	61.5	0	29383.886	544.0860215	15987.0084	30000	0	0	30000	41.5625	2004
12.02.2020 13:02:23	1	1	1	1	58.25	61.5	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	41.375	2004
12.02.2020 13:02:24	1	1	1	1	58.25	61.25	0	29478.673	544.0860215	16064.46878	30000	0	0	30000	41.625	2004
12.02.2020 13:02:25	1	1	1	1	58.25	61.5	0	29478.673	544.0860215	16101.97592	30000	0	0	30000	41.5625	2004
12.02.2020 13:02:26	1	1	1	1	58.25	61.5	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	41.3125	2004
12.02.2020 13:02:27	1	1	1	1	58.25	61.25	0	29336.493	541.9354839	15898.1328	30000	0	0	30000	41.5625	2004
12.02.2020 13:02:28	1	1	1	1	58.25	61.5	0	29383.886	544.0860215	16013.10032	30000	0	0	30000	41.4375	2004
12.02.2020 13:02:29	1	1	1	1	58.25	61.25	0	29383.886	544.0860215	15960.91648	30000	0	0	30000	41.6875	2004
12.02.2020 13:02:30	1	1	1	1	58.25	61.5	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	41.625	2004
12.02.2020 13:02:31	1	1	1	1	58.25	61.5	0	29431.28	546.2365591	16229.17403	30000	0	0	30000	41.625	2004
12.02.2020 13:02:32	1	1	1	1	58.25	61.5	0	29336.493	541.9354839	15898.1328	30000	0	0	30000	41.4375	2004
12.02.2020 13:02:33	1	1	1	1	58.25	61.25	0	29289.1	544.0860215	15960.91648	30000	0	0	30000	41.5	2004
12.02.2020 13:02:34	1	1	1	1	58.25	61.5	0	29526.066	546.2365591	16038.37687	30000	0	0	30000	40.625	2004
12.02.2020 13:02:35	1	1	1	1	58.25	60.5	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	42.0625	2004
12.02.2020 13:02:36	1	1	1	1	58.25	62	0	29478.673	544.0860215	16013.10032	30000	0	0	30000	41.75	2004
12.02.2020 13:02:37	1	1	1	1	58.25	61.75	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	41.5	2004
12.02.2020 13:02:38	1	1	1	1	58.25	61.5	0	29146.919	544.0860215	15795.39586	30000	0	0	30000	41.8125	2004
12.02.2020 13:02:39	1	1	1	1	58.25	61.5	0	29146.919	546.2365591	15858.17955	30000	0	0	30000	41.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 13:02:40	1	1	1	1	58.25	61.5	0	29478.673	544.0860215	16128.06784	30000	0	0	30000	41.625	2004
12.02.2020 13:02:41	1	1	1	1	58.25	61.5	0	29478.673	546.2365591	15885.90221	30000	0	0	30000	41.625	2004
12.02.2020 13:02:42	1	1	1	1	58.25	61.5	0	29146.919	541.9354839	15909.54801	30000	0	0	30000	41.375	2004
12.02.2020 13:02:43	1	1	1	1	58.25	61.25	0	29383.886	544.0860215	15960.91648	30000	0	0	30000	41.4375	2004
12.02.2020 13:02:44	1	1	1	1	58.25	61.25	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	41.25	2004
12.02.2020 13:02:45	1	1	1	1	58.25	61.25	0	29336.493	546.2365591	15960.91648	30000	0	0	30000	41.5	2004
12.02.2020 13:02:46	1	1	1	1	58.25	61.5	0	29431.28	548.3870968	16139.48305	30000	0	0	30000	41.5625	2004
12.02.2020 13:02:48	1	1	1	1	58.25	61.5	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	41.625	2004
12.02.2020 13:02:49	1	1	1	1	58.25	61.5	0	29478.673	550.5376344	16075.884	30000	0	0	30000	41.5625	2004
12.02.2020 13:02:50	1	1	1	1	58.25	61.5	0	29383.886	546.2365591	15960.91648	30000	0	0	30000	41.25	2004
12.02.2020 13:02:51	1	1	1	1	58.25	61.25	0	29336.493	546.2365591	16087.29921	30000	0	0	30000	41.4375	2004
12.02.2020 13:02:52	1	1	1	1	58.25	61.25	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	41.375	2004
12.02.2020 13:02:53	1	1	1	1	58.25	61.25	0	29336.493	541.9354839	15960.91648	30000	0	0	30000	41.625	2004
12.02.2020 13:02:54	1	1	1	1	58.25	61.5	0	29478.673	546.2365591	16101.97592	30000	0	0	30000	41.625	2004
12.02.2020 13:02:55	1	1	1	1	58.25	61.5	0	29289.1	544.0860215	15960.91648	30000	0	0	30000	41.1875	2004
12.02.2020 13:02:56	1	1	1	1	58.25	61	0	29289.1	544.0860215	15960.91648	30000	0	0	30000	41.5625	2004
12.02.2020 13:02:57	1	1	1	1	58.25	61.5	0	29478.673	546.2365591	16013.10032	30000	0	0	30000	41.5	2004
12.02.2020 13:02:58	1	1	1	1	58.25	61.5	0	29478.673	544.0860215	16038.37687	30000	0	0	30000	41.25	2004
12.02.2020 13:02:59	1	1	1	1	58.25	61.25	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	41.5	2004
12.02.2020 13:03:00	1	1	1	1	58.25	61.5	0	29431.28	546.2365591	16075.884	30000	0	0	30000	41.0625	2004
12.02.2020 13:03:01	1	1	1	1	58.25	61	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	41.125	2004
12.02.2020 13:03:02	1	1	1	1	58.25	61	0	29289.1	541.9354839	15960.91648	30000	0	0	30000	41.625	2004
12.02.2020 13:03:03	1	1	1	1	58.25	61.5	0	29431.28	550.5376344	15898.1328	30000	0	0	30000	40.875	2004
12.02.2020 13:03:04	1	1	1	1	58.25	60.75	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	41.625	2004
12.02.2020 13:03:05	1	1	1	1	58.25	61.5	0	29478.673	546.2365591	16128.06784	30000	0	0	30000	41.375	2004
12.02.2020 13:03:06	1	1	1	1	58.25	61.25	0	29526.066	544.0860215	16128.06784	30000	0	0	30000	41.625	2004
12.02.2020 13:03:07	1	1	1	1	58.25	61.5	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	41.5625	2004
12.02.2020 13:03:08	1	1	1	1	57.5	61.5	0	29573.46	541.9354839	16115.83725	30000	0	0	30000	41.5	2004
12.02.2020 13:03:09	1	1	1	1	57.5	61.5	0	29383.886	544.0860215	16113.39113	30000	0	0	30000	41.5	2004
12.02.2020 13:03:10	1	1	1	1	57.5	61.5	0	29431.28	546.2365591	16013.10032	30000	0	0	30000	41.25	2004
12.02.2020 13:03:11	1	1	1	1	57.5	61.25	0	29431.28	544.0860215	15949.50126	30000	0	0	30000	41	2004
12.02.2020 13:03:12	1	1	1	1	57.5	61	0	29336.493	541.9354839	16013.10032	30000	0	0	30000	41.6875	2004
12.02.2020 13:03:13	1	1	1	1	57.5	61.5	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	41.5625	2004
12.02.2020 13:03:14	1	1	1	1	57.5	61.5	0	29336.493	541.9354839	15898.1328	30000	0	0	30000	41.5	2004
12.02.2020 13:03:22	1	1	1	1	58.25	61.25	0	29526.066	541.9354839	16064.46878	30000	0	0	30000	41.5625	2004
12.02.2020 13:03:22	1	1	1	1	58.25	61.25	0	29526.066	541.9354839	16064.46878	30000	0	0	30000	41.5625	2004
12.02.2020 13:03:22	1	1	1	1	58.25	61.25	0	29526.066	541.9354839	16064.46878	30000	0	0	30000	41.5625	2004
12.02.2020 13:03:22	1	1	1	1	58.25	61.25	0	29526.066	541.9354839	16064.46878	30000	0	0	30000	41.5625	2004
12.02.2020 13:03:22	1	1	1	1	58.25	61.25	0	29526.066	541.9354839	16064.46878	30000	0	0	30000	41.5625	2004
12.02.2020 13:03:22	1	1	1	1	58.25	61.25	0	29526.066	541.9354839	16064.46878	30000	0	0	30000	41.5625	2004
12.02.2020 13:03:22	1	1	1	1	58.25	61.25	0	29526.066	541.9354839	16064.46878	30000	0	0	30000	41.5625	2004
12.02.2020 13:03:22	1	1	1	1	58.25	61.5	0	29383.886	539.7849462	15924.22472	30000	0	0	30000	41.4375	2004
12.02.2020 13:03:24	1	1	1	1	58.25	61.25	0	29573.46	546.2365591	16090.5607	30000	0	0	30000	41.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 13:03:25	1	1	1	1	58.25	61	0	29620.853	546.2365591	16115.83725	30000	0	0	30000	41.5	2004
12.02.2020 13:03:26	1	1	1	1	58.25	61.5	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	41.6875	2004
12.02.2020 13:03:27	1	1	1	1	58.25	61.5	0	29431.28	550.5376344	16013.10032	30000	0	0	30000	41.5625	2004
12.02.2020 13:03:28	1	1	1	1	58.25	61.5	0	29526.066	544.0860215	16000.86973	30000	0	0	30000	41.8125	2004
12.02.2020 13:03:29	1	1	1	1	58.25	61.75	0	29526.066	546.2365591	16090.5607	30000	0	0	30000	41.375	2004
12.02.2020 13:03:30	1	1	1	1	58.25	61.25	0	29478.673	544.0860215	16038.37687	30000	0	0	30000	41.375	2004
12.02.2020 13:03:31	1	1	1	1	58.25	61.25	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	41.125	2004
12.02.2020 13:03:32	1	1	1	1	58.25	61	0	29383.886	541.9354839	15960.91648	30000	0	0	30000	41.6875	2004
12.02.2020 13:03:33	1	1	1	1	58.25	61.5	0	29478.673	541.9354839	16038.37687	30000	0	0	30000	41.75	2004
12.02.2020 13:03:34	1	1	1	1	58.25	61.75	0	29478.673	541.9354839	15949.50126	30000	0	0	30000	41.125	2004
12.02.2020 13:03:35	1	1	1	1	58.25	61	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	41.4375	2004
12.02.2020 13:03:36	1	1	1	1	58.25	61.25	0	29526.066	544.0860215	16255.26595	30000	0	0	30000	41.4375	2004
12.02.2020 13:03:37	1	1	1	1	58.25	61.25	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	41.3125	2004
12.02.2020 13:03:38	1	1	1	1	58	61.25	0	29526.066	544.0860215	16090.5607	30000	0	0	30000	41.25	2004
12.02.2020 13:03:39	1	1	1	1	58	61.25	0	29478.673	541.9354839	15975.59318	30000	0	0	30000	41.6875	2004
12.02.2020 13:03:40	1	1	1	1	58	61.5	0	29526.066	546.2365591	15937.27068	30000	0	0	30000	41.75	2004
12.02.2020 13:03:41	1	1	1	1	58	61.75	0	29431.28	541.9354839	15987.0084	30000	0	0	30000	41.6875	2004
12.02.2020 13:03:42	1	1	1	1	58	61.5	0	29526.066	544.0860215	16191.66689	30000	0	0	30000	41.5625	2004
12.02.2020 13:03:43	1	1	1	1	58	61.5	0	29383.886	544.0860215	15987.0084	30000	0	0	30000	41.5	2004
12.02.2020 13:03:44	1	1	1	1	58	61.5	0	29478.673	544.0860215	16038.37687	30000	0	0	30000	41.25	2004
12.02.2020 13:03:45	1	1	1	1	58	61.25	0	29431.28	541.9354839	15860.62566	30000	0	0	30000	41.5	2004
12.02.2020 13:03:46	1	1	1	1	58	61.5	0	29431.28	548.3870968	16013.10032	30000	0	0	30000	41.75	2004
12.02.2020 13:03:47	1	1	1	1	58	61.75	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	41.5625	2004
12.02.2020 13:03:48	1	1	1	1	58	61.5	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	41.625	2004
12.02.2020 13:03:49	1	1	1	1	58	61.5	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	40.9375	2004
12.02.2020 13:03:50	1	1	1	1	58	60.75	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	41.9375	2004
12.02.2020 13:03:51	1	1	1	1	58	61.75	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	41.3125	2004
12.02.2020 13:03:52	1	1	1	1	58	61.25	0	29431.28	546.2365591	16013.10032	30000	0	0	30000	41.9375	2004
12.02.2020 13:03:53	1	1	1	1	58	61.75	0	29383.886	537.6344086	16013.10032	30000	0	0	30000	41.9375	2004
12.02.2020 13:03:54	1	1	1	1	58	61.5	0	29478.673	546.2365591	16038.37687	30000	0	0	30000	41.6875	2004
12.02.2020 13:03:55	1	1	1	1	58	61.5	0	29336.493	541.9354839	15898.1328	30000	0	0	30000	41.4375	2004
12.02.2020 13:03:56	1	1	1	1	58	61.25	0	29526.066	552.688172	16128.06784	30000	0	0	30000	41.625	2004
12.02.2020 13:03:57	1	1	1	1	58	61.5	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	41.75	2004
12.02.2020 13:03:58	1	1	1	1	58	61.75	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	41.1875	2004
12.02.2020 13:03:59	1	1	1	1	58	61	0	29336.493	544.0860215	15898.1328	30000	0	0	30000	41.625	2004
12.02.2020 13:04:00	1	1	1	1	58	61.5	0	29383.886	544.0860215	15960.91648	30000	0	0	30000	41.4375	2004
12.02.2020 13:04:02	1	1	1	1	58	61.25	0	29383.886	541.9354839	16013.10032	30000	0	0	30000	41.625	2004
12.02.2020 13:04:03	1	1	1	1	58	61.5	0	29383.886	544.0860215	16013.10032	30000	0	0	30000	41.5625	2004
12.02.2020 13:04:04	1	1	1	1	58	61.5	0	29383.886	544.0860215	15960.91648	30000	0	0	30000	41.5	2004
12.02.2020 13:04:05	1	1	1	1	58	61.5	0	29383.886	544.0860215	15960.91648	30000	0	0	30000	41.3125	2004
12.02.2020 13:04:06	1	1	1	1	58	61.25	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	41.125	2004
12.02.2020 13:04:07	1	1	1	1	58	61	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	41.5	2004
12.02.2020 13:04:08	1	1	1	1	57.75	61.5	0	30000	481.7204301	14128.7745	30000	0	0	30000	41.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 13:04:09	1	1	1	1	57.75	61.5	0	30000	464.516129	13612.64371	30000	0	0	30000	41.625	2004
12.02.2020 13:04:10	1	1	1	1	57.75	61.5	0	29952.607	372.0430108	11160.81863	30000	0	0	30000	41.25	2004
12.02.2020 13:04:11	1	1	1	1	57.75	61.25	0	30000	329.0322581	9870.899356	30000	0	0	30000	41.625	2004
12.02.2020 13:04:12	1	1	1	1	57.75	61.5	0	30000	335.483871	10128.55706	30000	0	0	30000	41.8125	2004
12.02.2020 13:04:13	1	1	1	1	57.75	61.75	0	29952.607	341.9354839	10387.03014	30000	0	0	30000	41.625	2004
12.02.2020 13:04:14	1	1	1	1	57.75	61.5	0	30000	341.9354839	10257.38592	30000	0	0	30000	41.625	2004
12.02.2020 13:04:15	1	1	1	1	57.75	61.5	0	0	0	0	30000	0	8	30000	42	2004
12.02.2020 13:04:16	1	1	1	1	57.75	62	0	10426.54	0	0	30000	0	0	30000	41.9375	2004
12.02.2020 13:04:23	1	1	1	1	62.75	61.75	0	15829.384	4.301075269	67.67591661	30000	0	0	30000	41.625	2004
12.02.2020 13:04:23	1	1	1	1	62.75	61.75	0	15829.384	4.301075269	67.67591661	30000	0	0	30000	41.625	2004
12.02.2020 13:04:23	1	1	1	1	62.75	61.75	0	15829.384	4.301075269	67.67591661	30000	0	0	30000	41.625	2004
12.02.2020 13:04:23	1	1	1	1	62.75	61.75	0	15829.384	4.301075269	67.67591661	30000	0	0	30000	41.625	2004
12.02.2020 13:04:23	1	1	1	1	62.75	61.75	0	15829.384	4.301075269	67.67591661	30000	0	0	30000	41.625	2004
12.02.2020 13:04:23	1	1	1	1	62.75	61.75	0	15829.384	4.301075269	67.67591661	30000	0	0	30000	41.625	2004
12.02.2020 13:04:23	1	1	1	1	62.75	61.75	0	15829.384	4.301075269	67.67591661	30000	0	0	30000	41.625	2004
12.02.2020 13:04:24	1	1	1	1	62.75	61.5	0	16492.891	10.75268817	176.9358302	30000	0	0	30000	41.625	2004
12.02.2020 13:04:25	1	1	1	1	62.75	61.5	0	17440.758	17.20430108	299.2417036	30000	0	0	30000	41.75	2004
12.02.2020 13:04:26	1	1	1	1	62.75	61.75	0	18151.659	27.95698925	507.1616884	30000	0	0	30000	41.625	2004
12.02.2020 13:04:27	1	1	1	1	62.75	61.5	0	18909.953	25.80645161	569.1299976	30000	0	0	30000	41.6875	2004
12.02.2020 13:04:28	1	1	1	1	62.75	61.5	0	19668.246	40.86021505	803.141902	30000	0	0	30000	41.875	2004
12.02.2020 13:04:29	1	1	1	1	62.75	61.75	0	20473.934	49.46236559	1056.722746	30000	0	0	30000	41.75	2004
12.02.2020 13:04:30	1	1	1	1	62.75	61.75	0	21232.227	62.3655914	1278.504063	30000	0	0	30000	41.8125	2004
12.02.2020 13:04:31	1	1	1	1	62.75	61.75	0	21943.128	73.11827957	1556.546082	30000	0	0	30000	41.75	2004
12.02.2020 13:04:32	1	1	1	1	62.75	61.75	0	22559.242	75.2688172	1663.359878	30000	0	0	30000	42	2004
12.02.2020 13:04:33	1	1	1	1	62.75	61.75	0	23554.502	88.17204301	2076.75373	30000	0	0	30000	41.6875	2004
12.02.2020 13:04:34	1	1	1	1	62.75	61.5	0	24218.009	103.2258065	2409.425706	30000	0	0	30000	41.625	2004
12.02.2020 13:04:35	1	1	1	1	62.75	61.5	0	24976.303	109.6774194	2738.836192	30000	0	0	30000	41.0625	2004
12.02.2020 13:04:36	1	1	1	1	62.75	61	0	25071.09	116.1290323	2910.879787	30000	0	0	30000	41.75	2004
12.02.2020 13:04:37	1	1	1	1	64.25	61.75	0	25213.27	124.7311828	3095.969342	30000	0	0	30000	40.6875	2004
12.02.2020 13:04:38	1	1	1	1	64.25	60.5	0	25165.877	124.7311828	3144.891691	30000	0	0	30000	40.6875	2004
12.02.2020 13:04:39	1	1	1	1	64.25	60.5	0	25213.27	109.6774194	2760.035876	30000	0	0	30000	41.8125	2004
12.02.2020 13:04:41	1	1	1	1	64.25	61.75	0	25165.877	103.2258065	2498.301307	30000	0	0	30000	41.6875	2004
12.02.2020 13:04:42	1	1	1	1	64.25	61.5	0	25165.877	120.4301075	3030.739543	30000	0	0	30000	41.8125	2004
12.02.2020 13:04:43	1	1	1	1	64.25	61.75	0	25213.27	116.1290323	2922.295002	30000	0	0	30000	41.75	2004
12.02.2020 13:04:44	1	1	1	1	64.25	61.75	0	25260.664	144.0860215	3639.00742	30000	0	0	30000	41.75	2004
12.02.2020 13:04:45	1	1	1	1	64.25	61.75	0	25118.483	174.1935484	4383.442503	30000	0	0	30000	40.5	2004
12.02.2020 13:04:46	1	1	1	1	64.25	60.5	0	24597.156	189.2473118	4654.961542	30000	0	0	30000	41.8125	2004
12.02.2020 13:04:47	1	1	1	1	64.25	61.75	0	24028.436	206.4516129	4960.726225	30000	0	0	30000	41.75	2004
12.02.2020 13:04:48	1	1	1	1	66	61.75	0	23554.502	206.4516129	4862.881526	30000	0	0	30000	41.625	2004
12.02.2020 13:04:49	1	1	1	1	66	61.5	0	23364.929	206.4516129	4823.743647	30000	0	0	30000	41.6875	2004
12.02.2020 13:04:50	1	1	1	1	66	61.5	0	23649.289	217.2043011	5237.952871	30000	0	0	30000	41.8125	2004
12.02.2020 13:04:51	1	1	1	1	66	61.75	0	23791.469	234.4086022	5576.332455	30000	0	0	30000	41.75	2004
12.02.2020 13:04:52	1	1	1	1	66	61.75	0	23838.863	247.311828	5946.511565	30000	0	0	30000	41.5625	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 13:04:53	1	1	1	1	66	61.5	0	23933.649	262.3655914	6355.828554	30000	0	0	30000	41.6875	2004
12.02.2020 13:04:54	1	1	1	1	66	61.5	0	24597.156	279.5698925	6876.036203	30000	0	0	30000	41.8125	2004
12.02.2020 13:04:55	1	1	1	1	66	61.75	0	25308.057	294.6236559	7455.766042	30000	0	0	30000	41.8125	2004
12.02.2020 13:04:56	1	1	1	1	66	61.75	0	25687.204	309.6774194	8134.971326	30000	0	0	30000	41.75	2004
12.02.2020 13:04:57	1	1	1	1	66	61.75	0	26208.531	322.5806452	8623.379447	30000	0	0	30000	41.25	2004
12.02.2020 13:04:58	1	1	1	1	65	61.25	0	26587.678	339.7849462	9090.587884	30000	0	0	30000	41.5625	2004
12.02.2020 13:04:59	1	1	1	1	65	61.5	0	26966.825	354.8387097	9568.396162	30000	0	0	30000	41.6875	2004
12.02.2020 13:05:00	1	1	1	1	65	61.5	0	27345.972	369.8924731	10173.40255	30000	0	0	30000	41.625	2004
12.02.2020 13:05:01	1	1	1	1	65	61.5	0	27630.332	384.9462366	10635.71875	30000	0	0	30000	41.75	2004
12.02.2020 13:05:02	1	1	1	1	65	61.75	0	27867.299	395.6989247	11105.3733	30000	0	0	30000	41.75	2004
12.02.2020 13:05:03	1	1	1	1	65	61.75	0	28009.479	415.0537634	11624.76558	30000	0	0	30000	41.625	2004
12.02.2020 13:05:04	1	1	1	1	65	61.5	0	28293.839	432.2580645	12067.51284	30000	0	0	30000	41.8125	2004
12.02.2020 13:05:05	1	1	1	1	65	61.75	0	28530.806	445.1612903	12721.44158	30000	0	0	30000	41.25	2004
12.02.2020 13:05:06	1	1	1	1	65	61.25	0	28815.166	464.516129	13261.21817	30000	0	0	30000	41.6875	2004
12.02.2020 13:05:07	1	1	1	1	65	61.5	0	28625.592	481.7204301	13789.57954	30000	0	0	30000	41.8125	2004
12.02.2020 13:05:08	1	1	1	1	63.25	61.75	0	28862.559	494.6236559	14384.80146	30000	0	0	30000	42	2004
12.02.2020 13:05:09	1	1	1	1	63.25	62	0	29052.133	505.3763441	14681.59704	30000	0	0	30000	41.5625	2004
12.02.2020 13:05:10	1	1	1	1	63.25	61.5	0	29146.919	520.4301075	15043.62243	30000	0	0	30000	41.875	2004
12.02.2020 13:05:11	1	1	1	1	63.25	61.75	0	29336.493	535.483871	15708.96638	30000	0	0	30000	41.6875	2004
12.02.2020 13:05:12	1	1	1	1	63.25	61.5	0	29383.886	546.2365591	16013.10032	30000	0	0	30000	41.6875	2004
12.02.2020 13:05:13	1	1	1	1	63.25	61.5	0	29383.886	546.2365591	15960.91648	30000	0	0	30000	41.625	2004
12.02.2020 13:05:14	1	1	1	1	63.25	61.5	0	29431.28	544.0860215	16024.51553	30000	0	0	30000	41.625	2004
12.02.2020 13:05:15	1	1	1	1	63.25	61.5	0	29289.1	544.0860215	15935.63993	30000	0	0	30000	41.75	2004
12.02.2020 13:05:16	1	1	1	1	63.25	61.75	0	29431.28	541.9354839	16128.06784	30000	0	0	30000	41.5	2004
12.02.2020 13:05:17	1	1	1	1	62.5	61.5	0	29383.886	544.0860215	16329.46484	30000	0	0	30000	41.4375	2004
12.02.2020 13:05:25	1	1	1	1	62.5	61.5	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	41.1875	2004
12.02.2020 13:05:25	1	1	1	1	62.5	61.5	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	41.1875	2004
12.02.2020 13:05:25	1	1	1	1	62.5	61.5	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	41.1875	2004
12.02.2020 13:05:25	1	1	1	1	62.5	61.5	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	41.1875	2004
12.02.2020 13:05:25	1	1	1	1	62.5	61.5	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	41.1875	2004
12.02.2020 13:05:25	1	1	1	1	62.5	61.5	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	41.1875	2004
12.02.2020 13:05:25	1	1	1	1	62.5	61.5	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	41.1875	2004
12.02.2020 13:05:25	1	1	1	1	62.5	61.5	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	41.1875	2004
12.02.2020 13:05:26	1	1	1	1	62.5	61	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	41.25	2004
12.02.2020 13:05:27	1	1	1	1	62.5	61.25	0	29052.133	550.5376344	15879.37923	30000	0	0	30000	41.5625	2004
12.02.2020 13:05:28	1	1	1	1	62	61.5	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	41.5625	2004
12.02.2020 13:05:29	1	1	1	1	62	61.5	0	29052.133	550.5376344	15931.56307	30000	0	0	30000	41.5625	2004
12.02.2020 13:05:30	1	1	1	1	62	61.5	0	29146.919	552.688172	16046.53059	30000	0	0	30000	41.1875	2004
12.02.2020 13:05:31	1	1	1	1	62	61	0	28862.559	546.2365591	15703.25877	30000	0	0	30000	41.1875	2004
12.02.2020 13:05:32	1	1	1	1	62	61	0	29052.133	550.5376344	16056.31506	30000	0	0	30000	41.6875	2004
12.02.2020 13:05:33	1	1	1	1	62	61.5	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	41.1875	2004
12.02.2020 13:05:34	1	1	1	1	62	61	0	29004.739	550.5376344	15994.34675	30000	0	0	30000	40.5625	2004
12.02.2020 13:05:35	1	1	1	1	62	60.5	0	28957.346	552.688172	16004.13122	30000	0	0	30000	41.3125	2004
12.02.2020 13:05:36	1	1	1	1	62	61.25	0	28909.953	550.5376344	15703.25877	30000	0	0	30000	41.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 13:05:37	1	1	1	1	62	61.5	0	28957.346	552.688172	15942.16291	30000	0	0	30000	41.6875	2004
12.02.2020 13:05:38	1	1	1	1	61.5	61.5	0	29146.919	552.688172	16020.43867	30000	0	0	30000	41.5625	2004
12.02.2020 13:05:39	1	1	1	1	61.5	61.5	0	28957.346	552.688172	16004.13122	30000	0	0	30000	41.6875	2004
12.02.2020 13:05:40	1	1	1	1	61.5	61.5	0	28957.346	548.3870968	16181.06705	30000	0	0	30000	41.375	2004
12.02.2020 13:05:41	1	1	1	1	61.5	61.25	0	28909.953	552.688172	16004.13122	30000	0	0	30000	41.75	2004
12.02.2020 13:05:42	1	1	1	1	61.5	61.75	0	29099.526	554.8387097	16108.4989	30000	0	0	30000	41.0625	2004
12.02.2020 13:05:43	1	1	1	1	61.5	61	0	28957.346	554.8387097	16004.13122	30000	0	0	30000	41.75	2004
12.02.2020 13:05:44	1	1	1	1	61.5	61.75	0	28862.559	550.5376344	15889.97907	30000	0	0	30000	41.6875	2004
12.02.2020 13:05:45	1	1	1	1	61.5	61.5	0	29052.133	552.688172	16056.31506	30000	0	0	30000	41.125	2004
12.02.2020 13:05:46	1	1	1	1	61.5	61	0	28862.559	550.5376344	15951.94738	30000	0	0	30000	42.1875	2004
12.02.2020 13:05:47	1	1	1	1	61.5	62	0	28957.346	556.9892473	16128.88321	30000	0	0	30000	41.5625	2004
12.02.2020 13:05:48	1	1	1	1	61.75	61.5	0	28862.559	552.688172	15951.94738	30000	0	0	30000	41.5	2004
12.02.2020 13:05:49	1	1	1	1	61.75	61.5	0	29052.133	548.3870968	16056.31506	30000	0	0	30000	41.1875	2004
12.02.2020 13:05:50	1	1	1	1	61.75	61	0	28957.346	556.9892473	16128.88321	30000	0	0	30000	41.5	2004
12.02.2020 13:05:51	1	1	1	1	61.75	61.5	0	28909.953	552.688172	15978.0393	30000	0	0	30000	41.5625	2004
12.02.2020 13:05:52	1	1	1	1	61.75	61.5	0	28957.346	552.688172	16004.13122	30000	0	0	30000	41.3125	2004
12.02.2020 13:05:53	1	1	1	1	61.75	61.25	0	28957.346	552.688172	15579.32215	30000	0	0	30000	41.625	2004
12.02.2020 13:05:54	1	1	1	1	61.75	61.5	0	29099.526	556.9892473	16056.31506	30000	0	0	30000	41.75	2004
12.02.2020 13:05:55	1	1	1	1	61.75	61.75	0	28815.166	550.5376344	15925.85546	30000	0	0	30000	41.4375	2004
12.02.2020 13:05:57	1	1	1	1	61.75	61.25	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	41.75	2004
12.02.2020 13:05:58	1	1	1	1	62.25	61.75	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	41.625	2004
12.02.2020 13:05:59	1	1	1	1	62.25	61.5	0	28815.166	550.5376344	15925.85546	30000	0	0	30000	40.75	2004
12.02.2020 13:06:00	1	1	1	1	62.25	60.75	0	28815.166	552.688172	15925.85546	30000	0	0	30000	41.8125	2004
12.02.2020 13:06:01	1	1	1	1	62.25	61.75	0	29052.133	556.9892473	16181.06705	30000	0	0	30000	41.1875	2004
12.02.2020 13:06:02	1	1	1	1	62.25	61	0	28957.346	554.8387097	16066.09953	30000	0	0	30000	41.625	2004
12.02.2020 13:06:03	1	1	1	1	62.25	61.5	0	28862.559	554.8387097	16013.91569	30000	0	0	30000	41.0625	2004
12.02.2020 13:06:04	1	1	1	1	62.25	61	0	28862.559	556.9892473	16075.884	30000	0	0	30000	41.5	2004
12.02.2020 13:06:05	1	1	1	1	62.25	61.5	0	28625.592	552.688172	15820.67241	30000	0	0	30000	41.0625	2004
12.02.2020 13:06:06	1	1	1	1	62.25	61	0	28862.559	556.9892473	16137.85231	30000	0	0	30000	41.75	2004
12.02.2020 13:06:07	1	1	1	1	62.25	61.75	0	28625.592	552.688172	15925.85546	30000	0	0	30000	41.625	2004
12.02.2020 13:06:08	1	1	1	1	62.25	61.5	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	41.5625	2004
12.02.2020 13:06:09	1	1	1	1	62.25	61.5	0	28957.346	556.9892473	16128.88321	30000	0	0	30000	41.125	2004
12.02.2020 13:06:10	1	1	1	1	62.25	61	0	28862.559	554.8387097	16075.884	30000	0	0	30000	41.6875	2004
12.02.2020 13:06:11	1	1	1	1	62.25	61.5	0	28957.346	556.9892473	16066.09953	30000	0	0	30000	41.4375	2004
12.02.2020 13:06:12	1	1	1	1	62.25	61.25	0	28815.166	552.688172	15987.82377	30000	0	0	30000	41.5	2004
12.02.2020 13:06:13	1	1	1	1	62.25	61.5	0	28578.199	554.8387097	15855.73343	30000	0	0	30000	41.5625	2004
12.02.2020 13:06:14	1	1	1	1	62.25	61.5	0	28815.166	552.688172	15925.85546	30000	0	0	30000	40.9375	2004
12.02.2020 13:06:15	1	1	1	1	62.25	60.75	0	28862.559	559.1397849	16049.79208	30000	0	0	30000	40.875	2004
12.02.2020 13:06:16	1	1	1	1	62.25	60.75	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	41.5625	2004
12.02.2020 13:06:17	1	1	1	1	62.25	61.5	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	41.6875	2004
12.02.2020 13:06:18	1	1	1	1	62	61.5	0	28815.166	554.8387097	15820.67241	30000	0	0	30000	41.3125	2004
12.02.2020 13:06:19	1	1	1	1	62	61.25	0	28815.166	559.1397849	16049.79208	30000	0	0	30000	41.6875	2004
12.02.2020 13:06:26	1	1	1	1	62	61.5	0	28578.199	554.8387097	15855.73343	30000	0	0	30000	41.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 13:06:26	1	1	1	1	62	61.5	0	28578.199	554.8387097	15855.73343	30000	0	0	30000	41.6875	2004
12.02.2020 13:06:26	1	1	1	1	62	61.5	0	28578.199	554.8387097	15855.73343	30000	0	0	30000	41.6875	2004
12.02.2020 13:06:26	1	1	1	1	62	61.5	0	28578.199	554.8387097	15855.73343	30000	0	0	30000	41.6875	2004
12.02.2020 13:06:26	1	1	1	1	62	61.5	0	28578.199	554.8387097	15855.73343	30000	0	0	30000	41.6875	2004
12.02.2020 13:06:26	1	1	1	1	62	61.5	0	28578.199	554.8387097	15855.73343	30000	0	0	30000	41.6875	2004
12.02.2020 13:06:26	1	1	1	1	62	61.5	0	28578.199	554.8387097	15855.73343	30000	0	0	30000	41.6875	2004
12.02.2020 13:06:27	1	1	1	1	62	61.5	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	41.5625	2004
12.02.2020 13:06:28	1	1	1	1	62.5	61.5	0	28625.592	556.9892473	16049.79208	30000	0	0	30000	42	2004
12.02.2020 13:06:29	1	1	1	1	62.5	62	0	28625.592	559.1397849	16049.79208	30000	0	0	30000	41.25	2004
12.02.2020 13:06:30	1	1	1	1	62.5	61.5	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	41.6875	2004
12.02.2020 13:06:31	1	1	1	1	62.5	61.5	0	28625.592	554.8387097	15882.64072	30000	0	0	30000	41.375	2004
12.02.2020 13:06:32	1	1	1	1	62.5	61.25	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	41.25	2004
12.02.2020 13:06:33	1	1	1	1	62.5	61.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	41.6875	2004
12.02.2020 13:06:34	1	1	1	1	62.5	61.5	0	28578.199	550.5376344	16049.79208	30000	0	0	30000	41.25	2004
12.02.2020 13:06:35	1	1	1	1	62.5	61.25	0	28672.986	554.8387097	16049.79208	30000	0	0	30000	41.5	2004
12.02.2020 13:06:37	1	1	1	1	62.5	61.5	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	41.375	2004
12.02.2020 13:06:38	1	1	1	1	62.25	61.25	0	28578.199	550.5376344	15820.67241	30000	0	0	30000	41.4375	2004
12.02.2020 13:06:39	1	1	1	1	62.25	61.25	0	28815.166	556.9892473	15987.82377	30000	0	0	30000	41.3125	2004
12.02.2020 13:06:40	1	1	1	1	62.25	61.25	0	28625.592	554.8387097	16049.79208	30000	0	0	30000	41.4375	2004
12.02.2020 13:06:41	1	1	1	1	62.25	61.25	0	28672.986	559.1397849	16031.85389	30000	0	0	30000	41.625	2004
12.02.2020 13:06:42	1	1	1	1	62.25	61.5	0	28815.166	559.1397849	16049.79208	30000	0	0	30000	41.1875	2004
12.02.2020 13:06:43	1	1	1	1	62.25	61	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	41.5625	2004
12.02.2020 13:06:44	1	1	1	1	62.25	61.5	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	41.6875	2004
12.02.2020 13:06:45	1	1	1	1	62.25	61.5	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	41.625	2004
12.02.2020 13:06:46	1	1	1	1	62.25	61.5	0	28625.592	556.9892473	15733.42755	30000	0	0	30000	41.5625	2004
12.02.2020 13:06:47	1	1	1	1	62.25	61.5	0	28815.166	559.1397849	16173.7287	30000	0	0	30000	41	2004
12.02.2020 13:06:48	1	1	1	1	62.25	61	0	28815.166	561.2903226	15882.64072	30000	0	0	30000	41.5	2004
12.02.2020 13:06:49	1	1	1	1	62.25	61.5	0	28578.199	554.8387097	15917.70174	30000	0	0	30000	40.9375	2004
12.02.2020 13:06:50	1	1	1	1	62.25	60.75	0	28625.592	559.1397849	15978.85467	30000	0	0	30000	41.6875	2004
12.02.2020 13:06:51	1	1	1	1	62.25	61.5	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	41.625	2004
12.02.2020 13:06:52	1	1	1	1	62.25	61.5	0	28625.592	556.9892473	15917.70174	30000	0	0	30000	41.75	2004
12.02.2020 13:06:53	1	1	1	1	62.25	61.75	0	28815.166	556.9892473	16173.7287	30000	0	0	30000	41.5	2004
12.02.2020 13:06:54	1	1	1	1	62.25	61.5	0	28815.166	559.1397849	15943.79366	30000	0	0	30000	41.625	2004
12.02.2020 13:06:55	1	1	1	1	62.25	61.5	0	28625.592	559.1397849	16049.79208	30000	0	0	30000	41.5625	2004
12.02.2020 13:06:56	1	1	1	1	62.25	61.5	0	28815.166	559.1397849	15943.79366	30000	0	0	30000	41.6875	2004
12.02.2020 13:06:57	1	1	1	1	62.25	61.5	0	28625.592	559.1397849	15978.85467	30000	0	0	30000	41.5	2004
12.02.2020 13:06:58	1	1	1	1	62.5	61.5	0	28625.592	559.1397849	16066.9149	30000	0	0	30000	41.8125	2004
12.02.2020 13:06:59	1	1	1	1	62.5	61.75	0	28815.166	559.1397849	16049.79208	30000	0	0	30000	41.125	2004
12.02.2020 13:07:00	1	1	1	1	62.5	61	0	28625.592	556.9892473	15943.79366	30000	0	0	30000	41.6875	2004
12.02.2020 13:07:01	1	1	1	1	62.5	61.5	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	41.5625	2004
12.02.2020 13:07:02	1	1	1	1	62.5	61.5	0	28625.592	559.1397849	15943.79366	30000	0	0	30000	41.75	2004
12.02.2020 13:07:03	1	1	1	1	62.5	61.75	0	28578.199	552.688172	15943.79366	30000	0	0	30000	41.6875	2004
12.02.2020 13:07:04	1	1	1	1	62.5	61.5	0	28625.592	556.9892473	16049.79208	30000	0	0	30000	41.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 13:07:05	1	1	1	1	62.5	61.25	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	41.3125	2004
12.02.2020 13:07:06	1	1	1	1	62.5	61.25	0	28578.199	559.1397849	16066.9149	30000	0	0	30000	41.4375	2004
12.02.2020 13:07:07	1	1	1	1	62.5	61.75	0	28625.592	561.2903226	16066.9149	30000	0	0	30000	41.0625	2004
12.02.2020 13:07:08	1	1	1	1	62.5	61	0	28483.412	559.1397849	15987.0084	30000	0	0	30000	41.5625	2004
12.02.2020 13:07:09	1	1	1	1	62.5	61.5	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	41.5625	2004
12.02.2020 13:07:10	1	1	1	1	62.5	61.5	0	28625.592	554.8387097	16049.79208	30000	0	0	30000	41.6875	2004
12.02.2020 13:07:11	1	1	1	1	62.5	61.5	0	28625.592	559.1397849	15978.85467	30000	0	0	30000	41.125	2004
12.02.2020 13:07:12	1	1	1	1	62.5	61	0	28578.199	561.2903226	15978.85467	30000	0	0	30000	41.625	2004
12.02.2020 13:07:13	1	1	1	1	62.5	61.5	0	28815.166	552.688172	16049.79208	30000	0	0	30000	41.5625	2004
12.02.2020 13:07:15	1	1	1	1	62.5	61.5	0	28530.806	559.1397849	15952.76275	30000	0	0	30000	41.3125	2004
12.02.2020 13:07:16	1	1	1	1	62.5	61.25	0	28625.592	559.1397849	16005.76197	30000	0	0	30000	41	2004
12.02.2020 13:07:17	1	1	1	1	62.5	61	0	28578.199	559.1397849	15917.70174	30000	0	0	30000	41.625	2004
12.02.2020 13:07:18	1	1	1	1	62	61.5	0	28625.592	556.9892473	15943.79366	30000	0	0	30000	41.5625	2004
12.02.2020 13:07:19	1	1	1	1	62	61.5	0	28625.592	559.1397849	15978.85467	30000	0	0	30000	41.625	2004
12.02.2020 13:07:20	1	1	1	1	62	61.5	0	28483.412	559.1397849	15864.70252	30000	0	0	30000	41.625	2004
12.02.2020 13:07:21	1	1	1	1	62	61.5	0	28578.199	559.1397849	16040.00761	30000	0	0	30000	41	2004
12.02.2020 13:07:28	1	1	1	1	62.25	61.5	0	28625.592	554.8387097	16005.76197	30000	0	0	30000	41.6875	2004
12.02.2020 13:07:28	1	1	1	1	62.25	61.5	0	28625.592	554.8387097	16005.76197	30000	0	0	30000	41.6875	2004
12.02.2020 13:07:28	1	1	1	1	62.25	61.5	0	28625.592	554.8387097	16005.76197	30000	0	0	30000	41.6875	2004
12.02.2020 13:07:28	1	1	1	1	62.25	61.5	0	28625.592	554.8387097	16005.76197	30000	0	0	30000	41.6875	2004
12.02.2020 13:07:28	1	1	1	1	62.25	61.5	0	28625.592	554.8387097	16005.76197	30000	0	0	30000	41.6875	2004
12.02.2020 13:07:28	1	1	1	1	62.25	61.5	0	28625.592	554.8387097	16005.76197	30000	0	0	30000	41.6875	2004
12.02.2020 13:07:28	1	1	1	1	62.25	61.5	0	28625.592	554.8387097	16005.76197	30000	0	0	30000	41.6875	2004
12.02.2020 13:07:28	1	1	1	1	62.25	61.5	0	28625.592	554.8387097	16005.76197	30000	0	0	30000	41.6875	2004
12.02.2020 13:07:29	1	1	1	1	62.25	61.5	0	28625.592	559.1397849	16066.9149	30000	0	0	30000	41.5	2004
12.02.2020 13:07:30	1	1	1	1	62.25	61.5	0	28625.592	559.1397849	15978.85467	30000	0	0	30000	41.1875	2004
12.02.2020 13:07:31	1	1	1	1	62.25	61	0	28483.412	556.9892473	15925.85546	30000	0	0	30000	41.5625	2004
12.02.2020 13:07:32	1	1	1	1	62.25	61.5	0	28483.412	559.1397849	15925.85546	30000	0	0	30000	41.6875	2004
12.02.2020 13:07:33	1	1	1	1	62.25	61.5	0	28625.592	559.1397849	16066.9149	30000	0	0	30000	41.625	2004
12.02.2020 13:07:34	1	1	1	1	62.25	61.5	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	41.5625	2004
12.02.2020 13:07:35	1	1	1	1	62.25	61.5	0	28578.199	563.4408602	16013.91569	30000	0	0	30000	41.25	2004
12.02.2020 13:07:36	1	1	1	1	62.25	61.25	0	28578.199	559.1397849	16040.00761	30000	0	0	30000	41.5	2004
12.02.2020 13:07:37	1	1	1	1	62.25	61.5	0	28578.199	559.1397849	15917.70174	30000	0	0	30000	41.5625	2004
12.02.2020 13:07:38	1	1	1	1	62.75	61.5	0	28578.199	556.9892473	15917.70174	30000	0	0	30000	41.625	2004
12.02.2020 13:07:39	1	1	1	1	62.75	61.5	0	28815.166	559.1397849	16111.76039	30000	0	0	30000	41.625	2004
12.02.2020 13:07:40	1	1	1	1	62.75	61.5	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	41.6875	2004
12.02.2020 13:07:41	1	1	1	1	62.75	61.5	0	28672.986	554.8387097	16297.66532	30000	0	0	30000	41	2004
12.02.2020 13:07:42	1	1	1	1	62.75	61	0	28815.166	561.2903226	16111.76039	30000	0	0	30000	41.5	2004
12.02.2020 13:07:43	1	1	1	1	62.75	61.5	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	41.4375	2004
12.02.2020 13:07:44	1	1	1	1	62.75	61.25	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	41.5625	2004
12.02.2020 13:07:45	1	1	1	1	62.75	61.5	0	28625.592	559.1397849	15978.85467	30000	0	0	30000	41.5	2004
12.02.2020 13:07:46	1	1	1	1	62.75	61.5	0	28578.199	559.1397849	16040.00761	30000	0	0	30000	41.1875	2004
12.02.2020 13:07:47	1	1	1	1	62.75	61	0	28625.592	559.1397849	15943.79366	30000	0	0	30000	41.875	2004
12.02.2020 13:07:48	1	1	1	1	62	61.75	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	41.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 13:07:49	1	1	1	1	62	61.5	0	28625.592	559.1397849	16066.9149	30000	0	0	30000	41.6875	2004
12.02.2020 13:07:50	1	1	1	1	62	61.5	0	28578.199	561.2903226	15742.39665	30000	0	0	30000	41.6875	2004
12.02.2020 13:07:51	1	1	1	1	62	61.5	0	28815.166	559.1397849	16005.76197	30000	0	0	30000	41.5625	2004
12.02.2020 13:07:53	1	1	1	1	62	61.5	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	41.5625	2004
12.02.2020 13:07:54	1	1	1	1	62	61.5	0	28578.199	559.1397849	15978.85467	30000	0	0	30000	41.8125	2004
12.02.2020 13:07:55	1	1	1	1	62	61.75	0	28625.592	559.1397849	16040.00761	30000	0	0	30000	41.6875	2004
12.02.2020 13:07:56	1	1	1	1	62	61.5	0	28625.592	559.1397849	16005.76197	30000	0	0	30000	41.5625	2004
12.02.2020 13:07:57	1	1	1	1	62	61.5	0	28578.199	559.1397849	15917.70174	30000	0	0	30000	41.625	2004
12.02.2020 13:07:58	1	1	1	1	62.25	61.5	0	28625.592	554.8387097	15794.58049	30000	0	0	30000	41.6875	2004
12.02.2020 13:07:59	1	1	1	1	62.25	61.5	0	28625.592	559.1397849	15943.79366	30000	0	0	30000	41.6875	2004
12.02.2020 13:08:00	1	1	1	1	62.25	61.5	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	41.25	2004
12.02.2020 13:08:01	1	1	1	1	62.25	61.25	0	28578.199	559.1397849	15978.85467	30000	0	0	30000	41.125	2004
12.02.2020 13:08:02	1	1	1	1	62.25	61	0	28483.412	559.1397849	15838.61061	30000	0	0	30000	41.4375	2004
12.02.2020 13:08:03	1	1	1	1	62.25	61.25	0	28578.199	559.1397849	15978.85467	30000	0	0	30000	41.25	2004
12.02.2020 13:08:04	1	1	1	1	62.25	61.25	0	28436.019	548.3870968	15593.99886	30000	0	0	30000	41.75	2004
12.02.2020 13:08:05	1	1	1	1	62.25	61.75	0	28625.592	559.1397849	16031.85389	30000	0	0	30000	41.6875	2004
12.02.2020 13:08:06	1	1	1	1	62.25	61.5	0	28815.166	561.2903226	16173.7287	30000	0	0	30000	41.5	2004
12.02.2020 13:08:07	1	1	1	1	62.25	61.5	0	28578.199	554.8387097	15978.85467	30000	0	0	30000	41.4375	2004
12.02.2020 13:08:08	1	1	1	1	62.25	61.25	0	28625.592	563.4408602	16111.76039	30000	0	0	30000	41.6875	2004
12.02.2020 13:08:09	1	1	1	1	62.25	61.5	0	28483.412	563.4408602	15987.0084	30000	0	0	30000	41.75	2004
12.02.2020 13:08:10	1	1	1	1	62.25	61.75	0	28625.592	559.1397849	16173.7287	30000	0	0	30000	41.75	2004
12.02.2020 13:08:11	1	1	1	1	62.25	61.75	0	28530.806	559.1397849	16040.00761	30000	0	0	30000	41.3125	2004
12.02.2020 13:08:12	1	1	1	1	62.25	61.25	0	28530.806	559.1397849	15987.0084	30000	0	0	30000	41.625	2004
12.02.2020 13:08:13	1	1	1	1	62.25	61.5	0	28483.412	556.9892473	15987.0084	30000	0	0	30000	41.6875	2004
12.02.2020 13:08:14	1	1	1	1	62.25	61.5	0	28436.019	559.1397849	15960.91648	30000	0	0	30000	41.6875	2004
12.02.2020 13:08:15	1	1	1	1	62.25	61.5	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	41.5625	2004
12.02.2020 13:08:16	1	1	1	1	62.25	61.5	0	28483.412	561.2903226	16040.00761	30000	0	0	30000	41.125	2004
12.02.2020 13:08:17	1	1	1	1	62.25	61	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	41.5	2004
12.02.2020 13:08:18	1	1	1	1	62.25	61.5	0	28530.806	559.1397849	15925.85546	30000	0	0	30000	41.75	2004
12.02.2020 13:08:19	1	1	1	1	62.25	61.75	0	28578.199	561.2903226	16066.9149	30000	0	0	30000	41	2004
12.02.2020 13:08:20	1	1	1	1	62.25	61	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	41.1875	2004
12.02.2020 13:08:21	1	1	1	1	62.25	61	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	41.625	2004
12.02.2020 13:08:22	1	1	1	1	62.25	61.5	0	28815.166	559.1397849	16111.76039	30000	0	0	30000	41.9375	2004
12.02.2020 13:08:30	1	1	1	1	62.5	61.5	0	28578.199	559.1397849	15987.0084	30000	0	0	30000	41.5625	2004
12.02.2020 13:08:30	1	1	1	1	62.5	61.5	0	28578.199	559.1397849	15987.0084	30000	0	0	30000	41.5625	2004
12.02.2020 13:08:30	1	1	1	1	62.5	61.5	0	28578.199	559.1397849	15987.0084	30000	0	0	30000	41.5625	2004
12.02.2020 13:08:30	1	1	1	1	62.5	61.5	0	28578.199	559.1397849	15987.0084	30000	0	0	30000	41.5625	2004
12.02.2020 13:08:30	1	1	1	1	62.5	61.5	0	28578.199	559.1397849	15987.0084	30000	0	0	30000	41.5625	2004
12.02.2020 13:08:30	1	1	1	1	62.5	61.5	0	28578.199	559.1397849	15987.0084	30000	0	0	30000	41.5625	2004
12.02.2020 13:08:30	1	1	1	1	62.5	61.5	0	28578.199	559.1397849	15987.0084	30000	0	0	30000	41.5625	2004
12.02.2020 13:08:30	1	1	1	1	62.5	61.5	0	28578.199	559.1397849	15987.0084	30000	0	0	30000	41.5625	2004
12.02.2020 13:08:30	1	1	1	1	62.5	61.5	0	28578.199	559.1397849	15987.0084	30000	0	0	30000	41.5625	2004
12.02.2020 13:08:31	1	1	1	1	62.5	61.5	0	28436.019	565.5913978	15960.91648	30000	0	0	30000	41.625	2004
12.02.2020 13:08:32	1	1	1	1	62.5	61.5	0	28483.412	559.1397849	15864.70252	30000	0	0	30000	41.5625	2004
12.02.2020 13:08:33	1	1	1	1	62.5	61.5	0	28625.592	559.1397849	16066.9149	30000	0	0	30000	41.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 13:08:34	1	1	1	1	62.5	61.5	0	28578.199	561.2903226	15917.70174	30000	0	0	30000	41.375	2004
12.02.2020 13:08:35	1	1	1	1	62.5	61.25	0	28483.412	559.1397849	15864.70252	30000	0	0	30000	41.5625	2004
12.02.2020 13:08:36	1	1	1	1	62.5	61.5	0	28578.199	561.2903226	16066.9149	30000	0	0	30000	40.5625	2004
12.02.2020 13:08:37	1	1	1	1	62.5	60.5	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	41.6875	2004
12.02.2020 13:08:38	1	1	1	1	62	61.5	0	28815.166	561.2903226	15882.64072	30000	0	0	30000	41.375	2004
12.02.2020 13:08:39	1	1	1	1	62	61.25	0	28578.199	559.1397849	16040.00761	30000	0	0	30000	41.625	2004
12.02.2020 13:08:40	1	1	1	1	62	61.5	0	28625.592	561.2903226	16066.9149	30000	0	0	30000	40.8125	2004
12.02.2020 13:08:41	1	1	1	1	62	60.75	0	28625.592	561.2903226	16040.00761	30000	0	0	30000	41.75	2004
12.02.2020 13:08:42	1	1	1	1	62	61.75	0	28625.592	561.2903226	16066.9149	30000	0	0	30000	41.125	2004
12.02.2020 13:08:43	1	1	1	1	62	61	0	28483.412	552.688172	15987.0084	30000	0	0	30000	41.1875	2004
12.02.2020 13:08:44	1	1	1	1	62	61	0	28578.199	565.5913978	15978.85467	30000	0	0	30000	41.6875	2004
12.02.2020 13:08:45	1	1	1	1	62	61.5	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	41.5625	2004
12.02.2020 13:08:46	1	1	1	1	62	61.5	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	41.625	2004
12.02.2020 13:08:47	1	1	1	1	62	61.5	0	28578.199	559.1397849	15925.85546	30000	0	0	30000	41.5625	2004
12.02.2020 13:08:48	1	1	1	1	61.75	61.5	0	28625.592	559.1397849	15978.85467	30000	0	0	30000	41.5625	2004
12.02.2020 13:08:49	1	1	1	1	61.75	61.5	0	28578.199	563.4408602	16421.60194	30000	0	0	30000	41.625	2004
12.02.2020 13:08:50	1	1	1	1	61.75	61.5	0	28483.412	559.1397849	15987.0084	30000	0	0	30000	40.875	2004
12.02.2020 13:08:51	1	1	1	1	61.75	60.75	0	28483.412	563.4408602	15987.0084	30000	0	0	30000	40.875	2004
12.02.2020 13:08:52	1	1	1	1	61.75	60.75	0	28483.412	563.4408602	15960.91648	30000	0	0	30000	41.75	2004
12.02.2020 13:08:53	1	1	1	1	61.75	61.75	0	28578.199	561.2903226	16101.97592	30000	0	0	30000	41.625	2004
12.02.2020 13:08:54	1	1	1	1	61.75	61.5	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	41.75	2004
12.02.2020 13:08:55	1	1	1	1	61.75	61.75	0	28483.412	561.2903226	16048.16134	30000	0	0	30000	41	2004
12.02.2020 13:08:56	1	1	1	1	61.75	61	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	41.5625	2004
12.02.2020 13:08:57	1	1	1	1	61.75	61.5	0	28578.199	561.2903226	15890.79444	30000	0	0	30000	41.75	2004
12.02.2020 13:08:58	1	1	1	1	61.75	61.75	0	28293.839	563.4408602	15827.19539	30000	0	0	30000	41.375	2004
12.02.2020 13:08:59	1	1	1	1	61.75	61.25	0	28578.199	563.4408602	16101.97592	30000	0	0	30000	41.625	2004
12.02.2020 13:09:00	1	1	1	1	61.75	61.5	0	28530.806	565.5913978	16163.12886	30000	0	0	30000	41.8125	2004
12.02.2020 13:09:01	1	1	1	1	61.75	61.5	0	28483.412	559.1397849	15987.0084	30000	0	0	30000	40.6875	2004
12.02.2020 13:09:02	1	1	1	1	61.75	60.5	0	28483.412	565.5913978	16048.16134	30000	0	0	30000	41.5	2004
12.02.2020 13:09:03	1	1	1	1	61.75	61.5	0	28625.592	563.4408602	16163.12886	30000	0	0	30000	41.625	2004
12.02.2020 13:09:04	1	1	1	1	61.75	61.5	0	28578.199	563.4408602	16101.97592	30000	0	0	30000	41.4375	2004
12.02.2020 13:09:05	1	1	1	1	61.75	61.25	0	28293.839	561.2903226	15907.10189	30000	0	0	30000	41.5	2004
12.02.2020 13:09:07	1	1	1	1	61.75	61.5	0	28436.019	561.2903226	15934.00919	30000	0	0	30000	41.625	2004
12.02.2020 13:09:08	1	1	1	1	62.25	61.5	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	41.1875	2004
12.02.2020 13:09:09	1	1	1	1	62.25	61	0	28388.626	563.4408602	15872.85625	30000	0	0	30000	41.25	2004
12.02.2020 13:09:10	1	1	1	1	62.25	61.25	0	28578.199	563.4408602	16163.12886	30000	0	0	30000	41.625	2004
12.02.2020 13:09:11	1	1	1	1	62.25	61.5	0	28483.412	565.5913978	16109.31427	30000	0	0	30000	41.4375	2004
12.02.2020 13:09:12	1	1	1	1	62.25	61.25	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	41.75	2004
12.02.2020 13:09:13	1	1	1	1	62.25	61.75	0	28436.019	563.4408602	16022.06942	30000	0	0	30000	41.5625	2004
12.02.2020 13:09:14	1	1	1	1	62.25	61.5	0	28199.052	565.5913978	16002.50048	30000	0	0	30000	41.75	2004
12.02.2020 13:09:15	1	1	1	1	62.25	61.75	0	28388.626	561.2903226	15960.91648	30000	0	0	30000	41.25	2004
12.02.2020 13:09:16	1	1	1	1	62.25	61.25	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	41.25	2004
12.02.2020 13:09:17	1	1	1	1	62.25	61.25	0	28436.019	559.1397849	15960.91648	30000	0	0	30000	41.5625	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 13:10:02	1	1	1	1	61.75	61.5	0	28625.592	559.1397849	16005.76197	30000	0	0	30000	40.125	2004
12.02.2020 13:10:03	1	1	1	1	61.75	60	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	41.4375	2004
12.02.2020 13:10:04	1	1	1	1	61.75	61.25	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	41.25	2004
12.02.2020 13:10:05	1	1	1	1	61.75	61.25	0	28483.412	561.2903226	16040.00761	30000	0	0	30000	41.3125	2004
12.02.2020 13:10:06	1	1	1	1	61.75	61.25	0	28578.199	561.2903226	15987.0084	30000	0	0	30000	41.5625	2004
12.02.2020 13:10:07	1	1	1	1	61.75	61.5	0	28483.412	556.9892473	16013.91569	30000	0	0	30000	41.5625	2004
12.02.2020 13:10:08	1	1	1	1	62	61.5	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	41.1875	2004
12.02.2020 13:10:09	1	1	1	1	62	61	0	28483.412	559.1397849	15864.70252	30000	0	0	30000	41.5	2004
12.02.2020 13:10:10	1	1	1	1	62	61.5	0	28578.199	556.9892473	15917.70174	30000	0	0	30000	41.6875	2004
12.02.2020 13:10:11	1	1	1	1	62	61.5	0	28578.199	554.8387097	16040.00761	30000	0	0	30000	41.4375	2004
12.02.2020 13:10:12	1	1	1	1	62	61.25	0	28530.806	561.2903226	16013.91569	30000	0	0	30000	41.375	2004
12.02.2020 13:10:13	1	1	1	1	62	61.25	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	41.9375	2004
12.02.2020 13:10:14	1	1	1	1	62	61.75	0	28341.232	554.8387097	15872.85625	30000	0	0	30000	41.75	2004
12.02.2020 13:10:15	1	1	1	1	62	61.75	0	28625.592	561.2903226	16040.00761	30000	0	0	30000	41.4375	2004
12.02.2020 13:10:16	1	1	1	1	62	61.75	0	28578.199	559.1397849	16040.00761	30000	0	0	30000	41.6875	2004
12.02.2020 13:10:17	1	1	1	1	61.75	61.5	0	28483.412	559.1397849	15987.0084	30000	0	0	30000	40.8125	2004
12.02.2020 13:10:18	1	1	1	1	61.75	60.75	0	28483.412	559.1397849	15987.0084	30000	0	0	30000	41.6875	2004
12.02.2020 13:10:19	1	1	1	1	61.75	61.5	0	28293.839	556.9892473	15758.7041	30000	0	0	30000	41.3125	2004
12.02.2020 13:10:20	1	1	1	1	61.75	61.25	0	28578.199	559.1397849	15925.85546	30000	0	0	30000	41.625	2004
12.02.2020 13:10:22	1	1	1	1	61.75	61.5	0	28625.592	559.1397849	16066.9149	30000	0	0	30000	41.625	2004
12.02.2020 13:10:23	1	1	1	1	61.75	61.5	0	28625.592	561.2903226	16040.00761	30000	0	0	30000	41.6875	2004
12.02.2020 13:10:24	1	1	1	1	61.75	61.5	0	28578.199	552.688172	16173.7287	30000	0	0	30000	41.6875	2004
12.02.2020 13:10:25	1	1	1	1	61.75	61.5	0	28578.199	561.2903226	15864.70252	30000	0	0	30000	41.25	2004
12.02.2020 13:10:26	1	1	1	1	61.75	61.25	0	28578.199	559.1397849	16040.00761	30000	0	0	30000	41.4375	2004
12.02.2020 13:10:33	1	1	1	1	61.75	61	0	28815.166	559.1397849	16173.7287	30000	0	0	30000	41.25	2004
12.02.2020 13:10:33	1	1	1	1	61.75	61	0	28815.166	559.1397849	16173.7287	30000	0	0	30000	41.25	2004
12.02.2020 13:10:33	1	1	1	1	61.75	61	0	28815.166	559.1397849	16173.7287	30000	0	0	30000	41.25	2004
12.02.2020 13:10:33	1	1	1	1	61.75	61	0	28815.166	559.1397849	16173.7287	30000	0	0	30000	41.25	2004
12.02.2020 13:10:33	1	1	1	1	61.75	61	0	28815.166	559.1397849	16173.7287	30000	0	0	30000	41.25	2004
12.02.2020 13:10:33	1	1	1	1	61.75	61	0	28815.166	559.1397849	16173.7287	30000	0	0	30000	41.25	2004
12.02.2020 13:10:33	1	1	1	1	61.75	61	0	28815.166	559.1397849	16173.7287	30000	0	0	30000	41.25	2004
12.02.2020 13:10:34	1	1	1	1	61.75	61.25	0	28530.806	561.2903226	15978.85467	30000	0	0	30000	40.8125	2004
12.02.2020 13:10:35	1	1	1	1	61.75	60.75	0	28578.199	561.2903226	15952.76275	30000	0	0	30000	41.375	2004
12.02.2020 13:10:36	1	1	1	1	61.75	61.25	0	28578.199	559.1397849	15917.70174	30000	0	0	30000	41.75	2004
12.02.2020 13:10:37	1	1	1	1	61.75	61.75	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	41.6875	2004
12.02.2020 13:10:38	1	1	1	1	61.5	61.5	0	28436.019	559.1397849	15960.91648	30000	0	0	30000	41.8125	2004
12.02.2020 13:10:39	1	1	1	1	61.5	61.75	0	28625.592	561.2903226	16066.9149	30000	0	0	30000	41.6875	2004
12.02.2020 13:10:40	1	1	1	1	61.5	61.5	0	28578.199	559.1397849	16040.00761	30000	0	0	30000	41.4375	2004
12.02.2020 13:10:41	1	1	1	1	61.5	61.25	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	41.625	2004
12.02.2020 13:10:42	1	1	1	1	61.5	61.5	0	28815.166	563.4408602	16235.69701	30000	0	0	30000	40.9375	2004
12.02.2020 13:10:43	1	1	1	1	61.5	60.75	0	28815.166	559.1397849	16049.79208	30000	0	0	30000	41.5625	2004
12.02.2020 13:10:44	1	1	1	1	61.5	61.5	0	28815.166	565.5913978	15943.79366	30000	0	0	30000	41.5	2004
12.02.2020 13:10:45	1	1	1	1	61.5	61.5	0	28625.592	559.1397849	15917.70174	30000	0	0	30000	41.5	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 13:10:46	1	1	1	1	61.5	61.5	0	28625.592	556.9892473	15917.70174	30000	0	0	30000	41.3125	2004
12.02.2020 13:10:47	1	1	1	1	61.5	61.25	0	28578.199	559.1397849	16005.76197	30000	0	0	30000	41.3125	2004
12.02.2020 13:10:48	1	1	1	1	61.5	61.25	0	28578.199	559.1397849	15978.85467	30000	0	0	30000	41.25	2004
12.02.2020 13:10:49	1	1	1	1	61.5	61.25	0	28625.592	559.1397849	15943.79366	30000	0	0	30000	41.75	2004
12.02.2020 13:10:50	1	1	1	1	61.5	61.75	0	28672.986	556.9892473	15733.42755	30000	0	0	30000	41.875	2004
12.02.2020 13:10:51	1	1	1	1	61.5	61.75	0	28862.559	556.9892473	16075.884	30000	0	0	30000	41.125	2004
12.02.2020 13:10:52	1	1	1	1	61.5	61	0	28815.166	550.5376344	16111.76039	30000	0	0	30000	41.6875	2004
12.02.2020 13:10:53	1	1	1	1	61.5	61.5	0	28815.166	556.9892473	16111.76039	30000	0	0	30000	41.5625	2004
12.02.2020 13:10:54	1	1	1	1	61.5	61.5	0	28815.166	561.2903226	16173.7287	30000	0	0	30000	41	2004
12.02.2020 13:10:55	1	1	1	1	61.5	61	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	41.625	2004
12.02.2020 13:10:56	1	1	1	1	61.5	61.5	0	28625.592	556.9892473	15917.70174	30000	0	0	30000	41.75	2004
12.02.2020 13:10:57	1	1	1	1	61.75	61.75	0	28625.592	550.5376344	16049.79208	30000	0	0	30000	41.4375	2004
12.02.2020 13:10:58	1	1	1	1	61.75	61.25	0	28625.592	556.9892473	15917.70174	30000	0	0	30000	41.8125	2004
12.02.2020 13:11:00	1	1	1	1	61.75	61.75	0	28815.166	556.9892473	16111.76039	30000	0	0	30000	41.4375	2004
12.02.2020 13:11:01	1	1	1	1	61.75	61.25	0	28625.592	556.9892473	15917.70174	30000	0	0	30000	41.25	2004
12.02.2020 13:11:02	1	1	1	1	61.75	61.25	0	28578.199	552.688172	15829.64151	30000	0	0	30000	41.6875	2004
12.02.2020 13:11:03	1	1	1	1	61.75	61.5	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	41.6875	2004
12.02.2020 13:11:04	1	1	1	1	61.75	61.5	0	28578.199	552.688172	15943.79366	30000	0	0	30000	40.625	2004
12.02.2020 13:11:05	1	1	1	1	61.75	60.5	0	28815.166	552.688172	16173.7287	30000	0	0	30000	41.0625	2004
12.02.2020 13:11:06	1	1	1	1	61.75	61	0	28625.592	554.8387097	15943.79366	30000	0	0	30000	41.625	2004
12.02.2020 13:11:07	1	1	1	1	61.75	61.5	0	28815.166	559.1397849	16049.79208	30000	0	0	30000	41.4375	2004
12.02.2020 13:11:08	1	1	1	1	61.5	61.25	0	28625.592	556.9892473	15943.79366	30000	0	0	30000	41.75	2004
12.02.2020 13:11:09	1	1	1	1	61.5	61.75	0	28625.592	554.8387097	15943.79366	30000	0	0	30000	41.625	2004
12.02.2020 13:11:10	1	1	1	1	61.5	61.5	0	28815.166	559.1397849	16049.79208	30000	0	0	30000	41.375	2004
12.02.2020 13:11:11	1	1	1	1	61.5	61.25	0	28815.166	559.1397849	15863.88715	30000	0	0	30000	41.8125	2004
12.02.2020 13:11:12	1	1	1	1	61.5	61.75	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	41.4375	2004
12.02.2020 13:11:13	1	1	1	1	61.5	61.25	0	28483.412	552.688172	15742.39665	30000	0	0	30000	41.5	2004
12.02.2020 13:11:14	1	1	1	1	61.5	61.5	0	28625.592	559.1397849	15882.64072	30000	0	0	30000	41.625	2004
12.02.2020 13:11:15	1	1	1	1	61.5	61.5	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	41.625	2004
12.02.2020 13:11:16	1	1	1	1	61.5	61.5	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	41.5625	2004
12.02.2020 13:11:17	1	1	1	1	61.5	61.5	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	41.125	2004
12.02.2020 13:11:18	1	1	1	1	61.5	61	0	28815.166	556.9892473	16111.76039	30000	0	0	30000	41.375	2004
12.02.2020 13:11:19	1	1	1	1	61.5	61.25	0	28815.166	559.1397849	16049.79208	30000	0	0	30000	41.625	2004
12.02.2020 13:11:20	1	1	1	1	61.5	61.5	0	28815.166	559.1397849	16111.76039	30000	0	0	30000	40.9375	2004
12.02.2020 13:11:21	1	1	1	1	61.5	60.75	0	28815.166	559.1397849	16111.76039	30000	0	0	30000	41.625	2004
12.02.2020 13:11:22	1	1	1	1	61.5	61.5	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	41.5	2004
12.02.2020 13:11:23	1	1	1	1	61.5	61.5	0	28815.166	552.688172	15925.85546	30000	0	0	30000	40.375	2004
12.02.2020 13:11:24	1	1	1	1	61.5	60.25	0	28672.986	554.8387097	16049.79208	30000	0	0	30000	41.25	2004
12.02.2020 13:11:25	1	1	1	1	61.5	61.25	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	41.625	2004
12.02.2020 13:11:26	1	1	1	1	61.5	61.5	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	41.25	2004
12.02.2020 13:11:27	1	1	1	1	61.5	61.25	0	28625.592	552.688172	15882.64072	30000	0	0	30000	41.5	2004
12.02.2020 13:11:35	1	1	1	1	61.5	61.25	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	41.9375	2004
12.02.2020 13:11:35	1	1	1	1	61.5	61.25	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	41.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 13:11:35	1	1	1	1	61.5	61.25	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	41.9375	2004
12.02.2020 13:11:35	1	1	1	1	61.5	61.25	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	41.9375	2004
12.02.2020 13:11:35	1	1	1	1	61.5	61.25	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	41.9375	2004
12.02.2020 13:11:35	1	1	1	1	61.5	61.25	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	41.9375	2004
12.02.2020 13:11:35	1	1	1	1	61.5	61.25	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	41.9375	2004
12.02.2020 13:11:35	1	1	1	1	61.5	61.75	0	28625.592	554.8387097	15987.82377	30000	0	0	30000	41.6875	2004
12.02.2020 13:11:36	1	1	1	1	61.5	61.75	0	28909.953	559.1397849	15951.94738	30000	0	0	30000	41.6875	2004
12.02.2020 13:11:37	1	1	1	1	61.5	61.5	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	41.5	2004
12.02.2020 13:11:38	1	1	1	1	61.5	61.5	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	41.75	2004
12.02.2020 13:11:39	1	1	1	1	61.5	61.75	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	41.1875	2004
12.02.2020 13:11:41	1	1	1	1	61.5	61	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	41.75	2004
12.02.2020 13:11:42	1	1	1	1	61.5	61.75	0	28672.986	554.8387097	15794.58049	30000	0	0	30000	41.375	2004
12.02.2020 13:11:43	1	1	1	1	61.5	61.25	0	28815.166	559.1397849	16049.79208	30000	0	0	30000	41.6875	2004
12.02.2020 13:11:44	1	1	1	1	61.5	61.5	0	28625.592	556.9892473	16173.7287	30000	0	0	30000	41.4375	2004
12.02.2020 13:11:45	1	1	1	1	61.5	61.25	0	28625.592	554.8387097	16049.79208	30000	0	0	30000	41.5	2004
12.02.2020 13:11:46	1	1	1	1	61.5	61.5	0	28578.199	556.9892473	15917.70174	30000	0	0	30000	41.5	2004
12.02.2020 13:11:47	1	1	1	1	61.5	61.5	0	28815.166	559.1397849	16049.79208	30000	0	0	30000	41.75	2004
12.02.2020 13:11:48	1	1	1	1	61.75	61.75	0	28815.166	559.1397849	15882.64072	30000	0	0	30000	40.625	2004
12.02.2020 13:11:49	1	1	1	1	61.75	60.5	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	41	2004
12.02.2020 13:11:50	1	1	1	1	61.75	61	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	40.4375	2004
12.02.2020 13:11:51	1	1	1	1	61.75	60.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	41.75	2004
12.02.2020 13:11:52	1	1	1	1	61.75	61.75	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	40.8125	2004
12.02.2020 13:11:53	1	1	1	1	61.75	60.75	0	28815.166	554.8387097	15882.64072	30000	0	0	30000	41.6875	2004
12.02.2020 13:11:56	1	1	1	1	61.75	61.5	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	41.4375	2004
12.02.2020 13:11:56	1	1	1	1	61.75	61.5	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	41.4375	2004
12.02.2020 13:11:56	1	1	1	1	61.75	61.5	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	41.4375	2004
12.02.2020 13:11:57	1	1	1	1	61.75	61.25	0	28625.592	554.8387097	15917.70174	30000	0	0	30000	41.5625	2004
12.02.2020 13:11:58	1	1	1	1	61.25	61.5	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	41.125	2004
12.02.2020 13:11:59	1	1	1	1	61.25	61	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	41.5	2004
12.02.2020 13:12:00	1	1	1	1	61.25	61.5	0	28862.559	556.9892473	16075.884	30000	0	0	30000	41.625	2004
12.02.2020 13:12:01	1	1	1	1	61.25	61.5	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	41.6875	2004
12.02.2020 13:12:02	1	1	1	1	61.25	61.5	0	28815.166	556.9892473	16137.85231	30000	0	0	30000	40.9375	2004
12.02.2020 13:12:03	1	1	1	1	61.25	60.75	0	28815.166	556.9892473	15987.82377	30000	0	0	30000	41.5625	2004
12.02.2020 13:12:04	1	1	1	1	61.25	61.5	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	41.1875	2004
12.02.2020 13:12:05	1	1	1	1	61.25	61	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	41.8125	2004
12.02.2020 13:12:06	1	1	1	1	61.25	61.75	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	41.4375	2004
12.02.2020 13:12:07	1	1	1	1	61.25	61.25	0	28815.166	559.1397849	16049.79208	30000	0	0	30000	41.5625	2004
12.02.2020 13:12:08	1	1	1	1	61.5	61.5	0	28815.166	550.5376344	16111.76039	30000	0	0	30000	40.875	2004
12.02.2020 13:12:09	1	1	1	1	61.5	60.75	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	40.8125	2004
12.02.2020 13:12:10	1	1	1	1	61.5	60.75	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	41.6875	2004
12.02.2020 13:12:11	1	1	1	1	61.5	61.5	0	28862.559	559.1397849	16137.85231	30000	0	0	30000	41.375	2004
12.02.2020 13:12:12	1	1	1	1	61.5	61.25	0	28957.346	559.1397849	16075.884	30000	0	0	30000	40.6875	2004
12.02.2020 13:12:13	1	1	1	1	61.5	60.5	0	28530.806	554.8387097	15803.54959	30000	0	0	30000	40.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 13:12:14	1	1	1	1	61.5	60.5	0	28815.166	561.2903226	16049.79208	30000	0	0	30000	41.875	2004
12.02.2020 13:12:15	1	1	1	1	61.5	61.75	0	28862.559	556.9892473	16075.884	30000	0	0	30000	41.5625	2004
12.02.2020 13:12:16	1	1	1	1	61.5	61.5	0	28815.166	559.1397849	15882.64072	30000	0	0	30000	41.0625	2004
12.02.2020 13:12:17	1	1	1	1	61.75	61	0	28388.626	556.9892473	15934.00919	30000	0	0	30000	41.5	2004
12.02.2020 13:12:18	1	1	1	1	61.75	61.5	0	28341.232	561.2903226	15934.00919	30000	0	0	30000	41.4375	2004
12.02.2020 13:12:20	1	1	1	1	61.75	61.25	0	28483.412	565.5913978	15987.0084	30000	0	0	30000	41.0625	2004
12.02.2020 13:12:21	1	1	1	1	61.75	61	0	28483.412	567.7419355	15864.70252	30000	0	0	30000	41.6875	2004
12.02.2020 13:12:22	1	1	1	1	61.75	61.5	0	28436.019	561.2903226	16083.22235	30000	0	0	30000	41.1875	2004
12.02.2020 13:12:23	1	1	1	1	61.75	61	0	28293.839	563.4408602	15968.25483	30000	0	0	30000	41.625	2004
12.02.2020 13:12:24	1	1	1	1	61.75	61.5	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	41.4375	2004
12.02.2020 13:12:25	1	1	1	1	61.75	61.25	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	41.6875	2004
12.02.2020 13:12:26	1	1	1	1	61.75	61.5	0	28436.019	563.4408602	15899.76354	30000	0	0	30000	41.375	2004
12.02.2020 13:12:27	1	1	1	1	61.75	61.25	0	28293.839	556.9892473	15968.25483	30000	0	0	30000	41.25	2004
12.02.2020 13:12:28	1	1	1	1	61.5	61.25	0	28009.479	563.4408602	15600.52184	30000	0	0	30000	41.6875	2004
12.02.2020 13:12:29	1	1	1	1	61.5	61.5	0	28341.232	561.2903226	16029.40777	30000	0	0	30000	41.5	2004
12.02.2020 13:12:36	1	1	1	1	61.5	61.25	0	28483.412	563.4408602	16109.31427	30000	0	0	30000	41.25	2004
12.02.2020 13:12:36	1	1	1	1	61.5	61.25	0	28483.412	563.4408602	16109.31427	30000	0	0	30000	41.25	2004
12.02.2020 13:12:36	1	1	1	1	61.5	61.25	0	28483.412	563.4408602	16109.31427	30000	0	0	30000	41.25	2004
12.02.2020 13:12:36	1	1	1	1	61.5	61.25	0	28483.412	563.4408602	16109.31427	30000	0	0	30000	41.25	2004
12.02.2020 13:12:36	1	1	1	1	61.5	61.25	0	28483.412	563.4408602	16109.31427	30000	0	0	30000	41.25	2004
12.02.2020 13:12:36	1	1	1	1	61.5	61.25	0	28483.412	563.4408602	16109.31427	30000	0	0	30000	41.25	2004
12.02.2020 13:12:36	1	1	1	1	61.5	61.25	0	28483.412	563.4408602	16109.31427	30000	0	0	30000	41.25	2004
12.02.2020 13:12:37	1	1	1	1	61.5	61.25	0	28341.232	563.4408602	16056.31506	30000	0	0	30000	41.4375	2004
12.02.2020 13:12:38	1	1	1	1	61.75	61.25	0	28341.232	563.4408602	15968.25483	30000	0	0	30000	41.5	2004
12.02.2020 13:12:39	1	1	1	1	61.75	61.5	0	28341.232	561.2903226	15995.16212	30000	0	0	30000	41.6875	2004
12.02.2020 13:12:40	1	1	1	1	61.75	61.5	0	28388.626	561.2903226	15934.00919	30000	0	0	30000	41.5	2004
12.02.2020 13:12:41	1	1	1	1	61.75	61.5	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	41.3125	2004
12.02.2020 13:12:42	1	1	1	1	61.75	61.25	0	28578.199	565.5913978	16163.12886	30000	0	0	30000	41.0625	2004
12.02.2020 13:12:43	1	1	1	1	61.75	61	0	28293.839	561.2903226	15881.00997	30000	0	0	30000	41.4375	2004
12.02.2020 13:12:44	1	1	1	1	61.75	61.25	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	41.75	2004
12.02.2020 13:12:45	1	1	1	1	61.75	61.75	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	41.125	2004
12.02.2020 13:12:46	1	1	1	1	61.75	61	0	28341.232	563.4408602	15995.16212	30000	0	0	30000	41.4375	2004
12.02.2020 13:12:47	1	1	1	1	61.75	61.25	0	28199.052	563.4408602	15888.34833	30000	0	0	30000	41.375	2004
12.02.2020 13:12:48	1	1	1	1	61.5	61.25	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	41.625	2004
12.02.2020 13:12:49	1	1	1	1	61.5	61.5	0	28578.199	565.5913978	16163.12886	30000	0	0	30000	41.5625	2004
12.02.2020 13:12:50	1	1	1	1	61.5	61.5	0	28625.592	563.4408602	16128.88321	30000	0	0	30000	41.375	2004
12.02.2020 13:12:51	1	1	1	1	61.5	61.25	0	28483.412	561.2903226	16048.16134	30000	0	0	30000	41.5625	2004
12.02.2020 13:12:52	1	1	1	1	61.5	61.5	0	28436.019	563.4408602	15960.91648	30000	0	0	30000	41.625	2004
12.02.2020 13:12:53	1	1	1	1	61.5	61.5	0	28483.412	563.4408602	15987.0084	30000	0	0	30000	41.625	2004
12.02.2020 13:12:54	1	1	1	1	61.5	61.5	0	28388.626	561.2903226	15934.00919	30000	0	0	30000	41.0625	2004
12.02.2020 13:12:55	1	1	1	1	61.5	61	0	28483.412	563.4408602	15987.0084	30000	0	0	30000	42	2004
12.02.2020 13:12:56	1	1	1	1	61.5	61.5	0	28388.626	561.2903226	15934.00919	30000	0	0	30000	40.625	2004
12.02.2020 13:12:57	1	1	1	1	61.75	60.5	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	41.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 13:12:59	1	1	1	1	61.75	61.25	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	41.5625	2004
12.02.2020 13:13:00	1	1	1	1	61.75	61.5	0	28341.232	563.4408602	16056.31506	30000	0	0	30000	41.5625	2004
12.02.2020 13:13:01	1	1	1	1	61.75	61.5	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	40.9375	2004
12.02.2020 13:13:02	1	1	1	1	61.75	60.75	0	28483.412	563.4408602	15925.85546	30000	0	0	30000	41.3125	2004
12.02.2020 13:13:03	1	1	1	1	61.75	61.25	0	28625.592	563.4408602	16128.88321	30000	0	0	30000	41.6875	2004
12.02.2020 13:13:04	1	1	1	1	61.75	61.5	0	28436.019	563.4408602	16109.31427	30000	0	0	30000	41	2004
12.02.2020 13:13:05	1	1	1	1	61.75	61	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	41.375	2004
12.02.2020 13:13:06	1	1	1	1	61.75	61.25	0	28483.412	563.4408602	16286.2501	30000	0	0	30000	41.4375	2004
12.02.2020 13:13:07	1	1	1	1	61.75	61.25	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	41.6875	2004
12.02.2020 13:13:08	1	1	1	1	61.25	61.5	0	28578.199	563.4408602	16101.97592	30000	0	0	30000	41.625	2004
12.02.2020 13:13:09	1	1	1	1	61.25	61.5	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	41.625	2004
12.02.2020 13:13:10	1	1	1	1	61.25	61.5	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	41.125	2004
12.02.2020 13:13:11	1	1	1	1	61.25	61	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	41.4375	2004
12.02.2020 13:13:12	1	1	1	1	61.25	61.25	0	28388.626	561.2903226	15934.00919	30000	0	0	30000	41.5	2004
12.02.2020 13:13:13	1	1	1	1	61.25	61.5	0	28483.412	563.4408602	16075.06863	30000	0	0	30000	41.5	2004
12.02.2020 13:13:14	1	1	1	1	61.25	61.5	0	28483.412	567.7419355	16109.31427	30000	0	0	30000	41.4375	2004
12.02.2020 13:13:15	1	1	1	1	61.25	61.25	0	28483.412	563.4408602	16022.06942	30000	0	0	30000	41.5	2004
12.02.2020 13:13:16	1	1	1	1	61.25	61.5	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	40.9375	2004
12.02.2020 13:13:17	1	1	1	1	61.25	60.75	0	28483.412	563.4408602	15987.0084	30000	0	0	30000	41.6875	2004
12.02.2020 13:13:18	1	1	1	1	61	61.5	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	41.625	2004
12.02.2020 13:13:19	1	1	1	1	61	61.5	0	28341.232	559.1397849	15995.16212	30000	0	0	30000	41.5	2004
12.02.2020 13:13:20	1	1	1	1	61	61.5	0	28436.019	561.2903226	15750.55038	30000	0	0	30000	41.3125	2004
12.02.2020 13:13:21	1	1	1	1	61	61.25	0	28530.806	561.2903226	16040.00761	30000	0	0	30000	41.4375	2004
12.02.2020 13:13:22	1	1	1	1	61	61.25	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	41.125	2004
12.02.2020 13:13:23	1	1	1	1	61	61	0	28199.052	561.2903226	15660.8594	30000	0	0	30000	41.625	2004
12.02.2020 13:13:24	1	1	1	1	61	61.5	0	28388.626	563.4408602	15960.91648	30000	0	0	30000	41.375	2004
12.02.2020 13:13:25	1	1	1	1	61	61.25	0	28388.626	556.9892473	15960.91648	30000	0	0	30000	41.4375	2004
12.02.2020 13:13:26	1	1	1	1	61	61.25	0	28436.019	561.2903226	15987.0084	30000	0	0	30000	41.625	2004
12.02.2020 13:13:27	1	1	1	1	61	61.5	0	28625.592	563.4408602	16040.00761	30000	0	0	30000	41.0625	2004
12.02.2020 13:13:28	1	1	1	1	61.5	61	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	41.5625	2004
12.02.2020 13:13:29	1	1	1	1	61.5	61.5	0	28483.412	563.4408602	15987.0084	30000	0	0	30000	41.5625	2004
12.02.2020 13:13:30	1	1	1	1	61.5	61.5	0	28483.412	563.4408602	15987.0084	30000	0	0	30000	41.375	2004
12.02.2020 13:13:38	1	1	1	1	61.5	61	0	28578.199	561.2903226	16013.91569	30000	0	0	30000	41.4375	2004
12.02.2020 13:13:38	1	1	1	1	61.5	61	0	28578.199	561.2903226	16013.91569	30000	0	0	30000	41.4375	2004
12.02.2020 13:13:38	1	1	1	1	61.5	61	0	28578.199	561.2903226	16013.91569	30000	0	0	30000	41.4375	2004
12.02.2020 13:13:38	1	1	1	1	61.5	61	0	28578.199	561.2903226	16013.91569	30000	0	0	30000	41.4375	2004
12.02.2020 13:13:38	1	1	1	1	61.5	61	0	28578.199	561.2903226	16013.91569	30000	0	0	30000	41.4375	2004
12.02.2020 13:13:38	1	1	1	1	61.5	61	0	28578.199	561.2903226	16013.91569	30000	0	0	30000	41.4375	2004
12.02.2020 13:13:38	1	1	1	1	61.5	61	0	28578.199	561.2903226	16013.91569	30000	0	0	30000	41.4375	2004
12.02.2020 13:13:38	1	1	1	1	61.5	61	0	28578.199	561.2903226	16013.91569	30000	0	0	30000	41.4375	2004
12.02.2020 13:13:39	1	1	1	1	61.5	61.25	0	28578.199	565.5913978	16101.97592	30000	0	0	30000	41.5625	2004
12.02.2020 13:13:40	1	1	1	1	61.5	61.5	0	28483.412	563.4408602	15987.0084	30000	0	0	30000	41.25	2004
12.02.2020 13:13:41	1	1	1	1	61.5	61.25	0	28625.592	561.2903226	16066.9149	30000	0	0	30000	41.4375	2004
12.02.2020 13:13:42	1	1	1	1	61.5	61.25	0	28578.199	563.4408602	16075.06863	30000	0	0	30000	41.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 13:13:43	1	1	1	1	61.5	61.5	0	28483.412	563.4408602	15864.70252	30000	0	0	30000	41.25	2004
12.02.2020 13:13:44	1	1	1	1	61.5	61.25	0	28341.232	561.2903226	15934.00919	30000	0	0	30000	41.0625	2004
12.02.2020 13:13:45	1	1	1	1	61.5	61	0	28578.199	569.8924731	15716.30473	30000	0	0	30000	41.5625	2004
12.02.2020 13:13:46	1	1	1	1	61.5	61.5	0	28578.199	559.1397849	15917.70174	30000	0	0	30000	41.4375	2004
12.02.2020 13:13:47	1	1	1	1	61.5	61.25	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	41.625	2004
12.02.2020 13:13:48	1	1	1	1	61	61.5	0	28530.806	561.2903226	15987.0084	30000	0	0	30000	41.5	2004
12.02.2020 13:13:49	1	1	1	1	61	61.5	0	28578.199	563.4408602	15803.54959	30000	0	0	30000	41.5	2004
12.02.2020 13:13:50	1	1	1	1	61	61.5	0	28436.019	559.1397849	15960.91648	30000	0	0	30000	41.375	2004
12.02.2020 13:13:51	1	1	1	1	61	61.25	0	28436.019	559.1397849	15811.70331	30000	0	0	30000	41.6875	2004
12.02.2020 13:13:52	1	1	1	1	61	61.5	0	28483.412	563.4408602	15987.0084	30000	0	0	30000	41.4375	2004
12.02.2020 13:13:53	1	1	1	1	61	61.25	0	28436.019	563.4408602	16022.06942	30000	0	0	30000	41.5625	2004
12.02.2020 13:13:54	1	1	1	1	61	61.5	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	41.3125	2004
12.02.2020 13:13:55	1	1	1	1	61	61.25	0	28578.199	565.5913978	16163.12886	30000	0	0	30000	41.625	2004
12.02.2020 13:13:56	1	1	1	1	61	61.5	0	28341.232	561.2903226	15934.00919	30000	0	0	30000	41.375	2004
12.02.2020 13:13:57	1	1	1	1	61	61.25	0	28293.839	559.1397849	15827.19539	30000	0	0	30000	41.5	2004
12.02.2020 13:13:58	1	1	1	1	61.25	61.5	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	41.4375	2004
12.02.2020 13:13:59	1	1	1	1	61.25	61.25	0	28578.199	563.4408602	16101.97592	30000	0	0	30000	41.625	2004
12.02.2020 13:14:00	1	1	1	1	61.25	61.5	0	28530.806	561.2903226	15987.0084	30000	0	0	30000	41	2004
12.02.2020 13:14:01	1	1	1	1	61.25	61	0	28815.166	559.1397849	16111.76039	30000	0	0	30000	41.5625	2004
12.02.2020 13:14:02	1	1	1	1	61.25	61.5	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	41.75	2004
12.02.2020 13:14:03	1	1	1	1	61.25	61.75	0	28530.806	563.4408602	16040.00761	30000	0	0	30000	41.625	2004
12.02.2020 13:14:04	1	1	1	1	61.25	61.5	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	41.375	2004
12.02.2020 13:14:05	1	1	1	1	61.25	61.25	0	28436.019	559.1397849	15899.76354	30000	0	0	30000	41.375	2004
12.02.2020 13:14:06	1	1	1	1	61.25	61.25	0	28530.806	561.2903226	15987.0084	30000	0	0	30000	41.25	2004
12.02.2020 13:14:07	1	1	1	1	61.25	61.25	0	28625.592	561.2903226	16173.7287	30000	0	0	30000	41.1875	2004
12.02.2020 13:14:08	1	1	1	1	60.75	61	0	28483.412	565.5913978	15987.0084	30000	0	0	30000	41.5625	2004
12.02.2020 13:14:09	1	1	1	1	60.75	61.5	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	41.875	2004
12.02.2020 13:14:10	1	1	1	1	60.75	61.75	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	41.75	2004
12.02.2020 13:14:11	1	1	1	1	60.75	61.5	0	28815.166	559.1397849	16173.7287	30000	0	0	30000	41.25	2004
12.02.2020 13:14:12	1	1	1	1	60.75	61.25	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	41.5625	2004
12.02.2020 13:14:14	1	1	1	1	60.75	61.5	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	41.25	2004
12.02.2020 13:14:15	1	1	1	1	60.75	61.25	0	28436.019	559.1397849	15899.76354	30000	0	0	30000	41.4375	2004
12.02.2020 13:14:16	1	1	1	1	60.75	61.25	0	28625.592	561.2903226	16066.9149	30000	0	0	30000	41.75	2004
12.02.2020 13:14:17	1	1	1	1	60.75	61.75	0	28483.412	559.1397849	15987.0084	30000	0	0	30000	41.625	2004
12.02.2020 13:14:18	1	1	1	1	61.25	61.5	0	28578.199	563.4408602	16101.97592	30000	0	0	30000	41.4375	2004
12.02.2020 13:14:19	1	1	1	1	61.25	61.25	0	28578.199	554.8387097	16040.00761	30000	0	0	30000	40.9375	2004
12.02.2020 13:14:20	1	1	1	1	61.25	60.75	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	41.3125	2004
12.02.2020 13:14:21	1	1	1	1	61.25	61.25	0	28436.019	565.5913978	15987.0084	30000	0	0	30000	41.3125	2004
12.02.2020 13:14:22	1	1	1	1	61.25	61.25	0	28436.019	561.2903226	15987.0084	30000	0	0	30000	40.75	2004
12.02.2020 13:14:23	1	1	1	1	61.25	60.75	0	28578.199	563.4408602	15987.0084	30000	0	0	30000	41.6875	2004
12.02.2020 13:14:24	1	1	1	1	61.25	61.5	0	28483.412	559.1397849	15987.0084	30000	0	0	30000	41.625	2004
12.02.2020 13:14:25	1	1	1	1	61.25	61.5	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	41.5625	2004
12.02.2020 13:14:26	1	1	1	1	61.25	61.5	0	28483.412	559.1397849	15987.0084	30000	0	0	30000	41.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 13:14:27	1	1	1	1	61.25	61.25	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	41.5625	2004
12.02.2020 13:14:28	1	1	1	1	61	61.5	0	28483.412	559.1397849	15925.85546	30000	0	0	30000	40.9375	2004
12.02.2020 13:14:29	1	1	1	1	61	60.75	0	28483.412	556.9892473	15925.85546	30000	0	0	30000	41.5625	2004
12.02.2020 13:14:30	1	1	1	1	61	61.5	0	28388.626	561.2903226	15934.00919	30000	0	0	30000	41.25	2004
12.02.2020 13:14:31	1	1	1	1	61	61.25	0	28530.806	561.2903226	16225.09717	30000	0	0	30000	41.5625	2004
12.02.2020 13:14:32	1	1	1	1	61	61.5	0	28483.412	563.4408602	16109.31427	30000	0	0	30000	41.6875	2004
12.02.2020 13:14:39	1	1	1	1	60.75	61.5	0	28483.412	556.9892473	15864.70252	30000	0	0	30000	41.5	2004
12.02.2020 13:14:39	1	1	1	1	60.75	61.5	0	28483.412	556.9892473	15864.70252	30000	0	0	30000	41.5	2004
12.02.2020 13:14:39	1	1	1	1	60.75	61.5	0	28483.412	556.9892473	15864.70252	30000	0	0	30000	41.5	2004
12.02.2020 13:14:39	1	1	1	1	60.75	61.5	0	28483.412	556.9892473	15864.70252	30000	0	0	30000	41.5	2004
12.02.2020 13:14:39	1	1	1	1	60.75	61.5	0	28483.412	556.9892473	15864.70252	30000	0	0	30000	41.5	2004
12.02.2020 13:14:39	1	1	1	1	60.75	61.5	0	28483.412	556.9892473	15864.70252	30000	0	0	30000	41.5	2004
12.02.2020 13:14:40	1	1	1	1	60.75	61.5	0	28483.412	559.1397849	15987.0084	30000	0	0	30000	41.5	2004
12.02.2020 13:14:41	1	1	1	1	60.75	61.5	0	28483.412	561.2903226	15925.85546	30000	0	0	30000	41.5	2004
12.02.2020 13:14:42	1	1	1	1	60.75	61.5	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	41.4375	2004
12.02.2020 13:14:43	1	1	1	1	60.75	61.25	0	28436.019	556.9892473	16048.16134	30000	0	0	30000	40.6875	2004
12.02.2020 13:14:44	1	1	1	1	60.75	60.5	0	28578.199	556.9892473	16040.00761	30000	0	0	30000	41.5	2004
12.02.2020 13:14:45	1	1	1	1	60.75	61.5	0	28530.806	563.4408602	16101.97592	30000	0	0	30000	41.9375	2004
12.02.2020 13:14:46	1	1	1	1	60.75	61.75	0	28625.592	561.2903226	16173.7287	30000	0	0	30000	41.375	2004
12.02.2020 13:14:47	1	1	1	1	60.75	61.25	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	41.375	2004
12.02.2020 13:14:48	1	1	1	1	60.75	61.25	0	28625.592	561.2903226	16040.00761	30000	0	0	30000	40.9375	2004
12.02.2020 13:14:49	1	1	1	1	60.75	60.75	0	28530.806	561.2903226	16040.00761	30000	0	0	30000	41.375	2004
12.02.2020 13:14:50	1	1	1	1	60.75	61.75	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	41.25	2004
12.02.2020 13:14:52	1	1	1	1	60.75	61.25	0	28625.592	561.2903226	16066.9149	30000	0	0	30000	41.125	2004
12.02.2020 13:14:53	1	1	1	1	60.75	61	0	28483.412	559.1397849	15987.0084	30000	0	0	30000	41.25	2004
12.02.2020 13:14:54	1	1	1	1	60.75	61.25	0	28436.019	554.8387097	15987.0084	30000	0	0	30000	41.6875	2004
12.02.2020 13:14:55	1	1	1	1	60.75	61.5	0	28436.019	561.2903226	15987.0084	30000	0	0	30000	41.5	2004
12.02.2020 13:14:56	1	1	1	1	60.75	61.5	0	28199.052	556.9892473	15941.34754	30000	0	0	30000	41.625	2004
12.02.2020 13:14:57	1	1	1	1	60.75	61.5	0	28530.806	561.2903226	16163.12886	30000	0	0	30000	41.4375	2004
12.02.2020 13:14:58	1	1	1	1	60.5	61.25	0	28625.592	561.2903226	16040.00761	30000	0	0	30000	40.5	2004
12.02.2020 13:14:59	1	1	1	1	60.5	60.5	0	28388.626	554.8387097	15960.91648	30000	0	0	30000	40.8125	2004
12.02.2020 13:15:00	1	1	1	1	60.5	60.75	0	28341.232	561.2903226	15881.00997	30000	0	0	30000	41.6875	2004
12.02.2020 13:15:01	1	1	1	1	60.5	61.5	0	28436.019	567.7419355	15934.00919	30000	0	0	30000	41.25	2004
12.02.2020 13:15:02	1	1	1	1	60.5	61.25	0	28483.412	563.4408602	15987.0084	30000	0	0	30000	41.4375	2004
12.02.2020 13:15:03	1	1	1	1	60.5	61.25	0	28199.052	563.4408602	15841.8721	30000	0	0	30000	41.375	2004
12.02.2020 13:15:04	1	1	1	1	60.5	61.25	0	28009.479	569.8924731	15934.82456	30000	0	0	30000	41.4375	2004
12.02.2020 13:15:05	1	1	1	1	60.5	61.25	0	28341.232	565.5913978	16070.17639	30000	0	0	30000	41.5	2004
12.02.2020 13:15:06	1	1	1	1	60.5	61.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.625	2004
12.02.2020 13:15:07	1	1	1	1	60.5	61.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41	2004
12.02.2020 13:15:08	1	1	1	1	60.5	61	0	28483.412	567.7419355	16293.58845	30000	0	0	30000	41.625	2004
12.02.2020 13:15:09	1	1	1	1	60.5	61.5	0	28199.052	565.5913978	15827.19539	30000	0	0	30000	41.5625	2004
12.02.2020 13:15:10	1	1	1	1	60.5	61.5	0	28293.839	565.5913978	16029.40777	30000	0	0	30000	41.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 13:15:11	1	1	1	1	60.5	61	0	28293.839	565.5913978	16029.40777	30000	0	0	30000	41.6875	2004
12.02.2020 13:15:12	1	1	1	1	60.5	61.5	0	28341.232	563.4408602	15968.25483	30000	0	0	30000	41.3125	2004
12.02.2020 13:15:13	1	1	1	1	60.5	61.25	0	28341.232	563.4408602	15941.34754	30000	0	0	30000	41.625	2004
12.02.2020 13:15:14	1	1	1	1	60.5	61.5	0	28293.839	567.7419355	16063.65341	30000	0	0	30000	41.625	2004
12.02.2020 13:15:15	1	1	1	1	60.5	61.5	0	28436.019	567.7419355	16056.31506	30000	0	0	30000	41.0625	2004
12.02.2020 13:15:16	1	1	1	1	60.5	61	0	28388.626	565.5913978	16056.31506	30000	0	0	30000	41.6875	2004
12.02.2020 13:15:17	1	1	1	1	60.5	61.5	0	28293.839	565.5913978	15948.68589	30000	0	0	30000	41.375	2004
12.02.2020 13:15:18	1	1	1	1	60.75	61.25	0	28341.232	565.5913978	16029.40777	30000	0	0	30000	41.5	2004
12.02.2020 13:15:19	1	1	1	1	60.75	61.5	0	28293.839	563.4408602	16002.50048	30000	0	0	30000	41.4375	2004
12.02.2020 13:15:20	1	1	1	1	60.75	61.25	0	28341.232	563.4408602	16002.50048	30000	0	0	30000	41.6875	2004
12.02.2020 13:15:21	1	1	1	1	60.75	61.5	0	28199.052	567.7419355	15841.8721	30000	0	0	30000	41.5	2004
12.02.2020 13:15:22	1	1	1	1	60.75	61.5	0	28293.839	565.5913978	16002.50048	30000	0	0	30000	41.4375	2004
12.02.2020 13:15:23	1	1	1	1	60.75	61.25	0	28199.052	563.4408602	15948.68589	30000	0	0	30000	41.6875	2004
12.02.2020 13:15:24	1	1	1	1	60.75	61.5	0	28199.052	565.5913978	16070.17639	30000	0	0	30000	41.4375	2004
12.02.2020 13:15:25	1	1	1	1	60.75	61.25	0	28293.839	565.5913978	15948.68589	30000	0	0	30000	41.1875	2004
12.02.2020 13:15:26	1	1	1	1	60.75	61	0	28293.839	565.5913978	15941.34754	30000	0	0	30000	41.6875	2004
12.02.2020 13:15:27	1	1	1	1	60.75	61.5	0	28388.626	563.4408602	16056.31506	30000	0	0	30000	41.1875	2004
12.02.2020 13:15:28	1	1	1	1	60.75	62	0	28293.839	563.4408602	15948.68589	30000	0	0	30000	41.5625	2004
12.02.2020 13:15:30	1	1	1	1	60.75	61.5	0	28483.412	565.5913978	16109.31427	30000	0	0	30000	41.75	2004
12.02.2020 13:15:31	1	1	1	1	60.75	61.75	0	28388.626	563.4408602	15995.16212	30000	0	0	30000	41.3125	2004
12.02.2020 13:15:32	1	1	1	1	60.75	61.25	0	28199.052	563.4408602	16002.50048	30000	0	0	30000	41.25	2004
12.02.2020 13:15:33	1	1	1	1	60.75	61.25	0	28436.019	565.5913978	16083.22235	30000	0	0	30000	41.75	2004
12.02.2020 13:15:34	1	1	1	1	60.75	61.75	0	28293.839	563.4408602	15888.34833	30000	0	0	30000	41.6875	2004
12.02.2020 13:15:41	1	1	1	1	60.25	61.5	0	28341.232	565.5913978	15827.19539	30000	0	0	30000	41.75	2004
12.02.2020 13:15:41	1	1	1	1	60.25	61.5	0	28341.232	565.5913978	15827.19539	30000	0	0	30000	41.75	2004
12.02.2020 13:15:41	1	1	1	1	60.25	61.5	0	28341.232	565.5913978	15827.19539	30000	0	0	30000	41.75	2004
12.02.2020 13:15:41	1	1	1	1	60.25	61.5	0	28341.232	565.5913978	15827.19539	30000	0	0	30000	41.75	2004
12.02.2020 13:15:41	1	1	1	1	60.25	61.5	0	28341.232	565.5913978	15827.19539	30000	0	0	30000	41.75	2004
12.02.2020 13:15:41	1	1	1	1	60.25	61.5	0	28341.232	565.5913978	15827.19539	30000	0	0	30000	41.75	2004
12.02.2020 13:15:41	1	1	1	1	60.25	61.5	0	28341.232	565.5913978	15827.19539	30000	0	0	30000	41.75	2004
12.02.2020 13:15:42	1	1	1	1	60.25	61.75	0	28388.626	563.4408602	15995.16212	30000	0	0	30000	41.625	2004
12.02.2020 13:15:43	1	1	1	1	60.25	61.5	0	28341.232	559.1397849	16083.22235	30000	0	0	30000	41.4375	2004
12.02.2020 13:15:44	1	1	1	1	60.25	61.25	0	28436.019	565.5913978	16083.22235	30000	0	0	30000	41.625	2004
12.02.2020 13:15:45	1	1	1	1	60.25	61.5	0	28388.626	563.4408602	15995.16212	30000	0	0	30000	40.8125	2004
12.02.2020 13:15:46	1	1	1	1	60.25	60.75	0	28388.626	565.5913978	16056.31506	30000	0	0	30000	41.375	2004
12.02.2020 13:15:47	1	1	1	1	60.25	61.25	0	28293.839	563.4408602	15941.34754	30000	0	0	30000	41.5625	2004
12.02.2020 13:15:48	1	1	1	1	60.25	61.5	0	28341.232	565.5913978	15941.34754	30000	0	0	30000	41.625	2004
12.02.2020 13:15:49	1	1	1	1	60.25	61.5	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	41.1875	2004
12.02.2020 13:15:50	1	1	1	1	60.25	61	0	28246.445	561.2903226	16177.80556	30000	0	0	30000	41.5	2004
12.02.2020 13:15:51	1	1	1	1	60.25	61.5	0	28388.626	563.4408602	15968.25483	30000	0	0	30000	41.5	2004
12.02.2020 13:15:52	1	1	1	1	60.25	61.5	0	28388.626	561.2903226	15995.16212	30000	0	0	30000	41.5	2004
12.02.2020 13:15:53	1	1	1	1	60.25	61.5	0	28341.232	563.4408602	16056.31506	30000	0	0	30000	41.4375	2004
12.02.2020 13:15:54	1	1	1	1	60.25	61.25	0	28341.232	563.4408602	15968.25483	30000	0	0	30000	41.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 13:15:55	1	1	1	1	60.25	61.5	0	28388.626	563.4408602	16056.31506	30000	0	0	30000	41.4375	2004
12.02.2020 13:15:56	1	1	1	1	60.25	61.25	0	28341.232	563.4408602	15941.34754	30000	0	0	30000	41.5625	2004
12.02.2020 13:15:57	1	1	1	1	60.25	61.5	0	28293.839	565.5913978	15948.68589	30000	0	0	30000	41.5	2004
12.02.2020 13:15:58	1	1	1	1	60.25	61.5	0	28388.626	565.5913978	15995.16212	30000	0	0	30000	41.625	2004
12.02.2020 13:15:59	1	1	1	1	60.25	61.5	0	28199.052	563.4408602	15948.68589	30000	0	0	30000	41.375	2004
12.02.2020 13:16:00	1	1	1	1	60.25	61.25	0	28341.232	565.5913978	16002.50048	30000	0	0	30000	41.375	2004
12.02.2020 13:16:01	1	1	1	1	60.25	61.25	0	28199.052	561.2903226	16002.50048	30000	0	0	30000	41.25	2004
12.02.2020 13:16:02	1	1	1	1	60.25	61.25	0	28293.839	565.5913978	16002.50048	30000	0	0	30000	41.8125	2004
12.02.2020 13:16:03	1	1	1	1	60.25	61.75	0	28293.839	563.4408602	15941.34754	30000	0	0	30000	41.8125	2004
12.02.2020 13:16:04	1	1	1	1	60.25	61.75	0	28293.839	565.5913978	16029.40777	30000	0	0	30000	41.9375	2004
12.02.2020 13:16:05	1	1	1	1	60.25	61.75	0	28199.052	565.5913978	16002.50048	30000	0	0	30000	40.9375	2004
12.02.2020 13:16:07	1	1	1	1	60.25	61.75	0	28341.232	565.5913978	16056.31506	30000	0	0	30000	41.1875	2004
12.02.2020 13:16:08	1	1	1	1	60.5	61	0	28293.839	563.4408602	15968.25483	30000	0	0	30000	41	2004
12.02.2020 13:16:09	1	1	1	1	60.5	61	0	28341.232	563.4408602	16056.31506	30000	0	0	30000	41.375	2004
12.02.2020 13:16:10	1	1	1	1	60.5	61.25	0	28341.232	565.5913978	16029.40777	30000	0	0	30000	41.0625	2004
12.02.2020 13:16:11	1	1	1	1	60.5	61	0	28293.839	567.7419355	16150.89827	30000	0	0	30000	41.4375	2004
12.02.2020 13:16:12	1	1	1	1	60.5	61.25	0	28388.626	565.5913978	15934.00919	30000	0	0	30000	41.5625	2004
12.02.2020 13:16:13	1	1	1	1	60.5	61.5	0	28436.019	563.4408602	16022.06942	30000	0	0	30000	41.625	2004
12.02.2020 13:16:14	1	1	1	1	60.5	61.5	0	28341.232	565.5913978	16056.31506	30000	0	0	30000	41.625	2004
12.02.2020 13:16:15	1	1	1	1	60.5	61.5	0	28341.232	563.4408602	15968.25483	30000	0	0	30000	41.5	2004
12.02.2020 13:16:16	1	1	1	1	60.5	61.5	0	28341.232	563.4408602	16029.40777	30000	0	0	30000	41.4375	2004
12.02.2020 13:16:17	1	1	1	1	60.5	61.25	0	28436.019	569.8924731	15995.16212	30000	0	0	30000	41.5625	2004
12.02.2020 13:16:18	1	1	1	1	60.5	61.5	0	28199.052	561.2903226	15827.19539	30000	0	0	30000	41.4375	2004
12.02.2020 13:16:19	1	1	1	1	60.5	61.25	0	28199.052	561.2903226	15941.34754	30000	0	0	30000	41	2004
12.02.2020 13:16:20	1	1	1	1	60.5	61	0	28388.626	563.4408602	15934.00919	30000	0	0	30000	41	2004
12.02.2020 13:16:21	1	1	1	1	60.5	61	0	28388.626	563.4408602	15907.10189	30000	0	0	30000	41.125	2004
12.02.2020 13:16:22	1	1	1	1	60.5	61	0	28341.232	563.4408602	16029.40777	30000	0	0	30000	40.875	2004
12.02.2020 13:16:23	1	1	1	1	60.5	60.75	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	41.6875	2004
12.02.2020 13:16:24	1	1	1	1	60.5	61.5	0	28578.199	565.5913978	15987.0084	30000	0	0	30000	41.4375	2004
12.02.2020 13:16:25	1	1	1	1	60.5	61.25	0	28578.199	565.5913978	16163.12886	30000	0	0	30000	40.4375	2004
12.02.2020 13:16:26	1	1	1	1	60.5	60.25	0	28341.232	556.9892473	15934.00919	30000	0	0	30000	41.3125	2004
12.02.2020 13:16:27	1	1	1	1	60.5	61.25	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	41.5625	2004
12.02.2020 13:16:28	1	1	1	1	60.5	61.5	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	41.5	2004
12.02.2020 13:16:29	1	1	1	1	60.5	61.5	0	28436.019	563.4408602	16109.31427	30000	0	0	30000	41.75	2004
12.02.2020 13:16:30	1	1	1	1	60.5	61.75	0	28483.412	565.5913978	16109.31427	30000	0	0	30000	41.1875	2004
12.02.2020 13:16:31	1	1	1	1	60.5	61	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	41.4375	2004
12.02.2020 13:16:32	1	1	1	1	60.5	61.25	0	28341.232	563.4408602	15968.25483	30000	0	0	30000	41.3125	2004
12.02.2020 13:16:33	1	1	1	1	60.5	61.25	0	28436.019	565.5913978	16022.06942	30000	0	0	30000	41.0625	2004
12.02.2020 13:16:34	1	1	1	1	60.5	61	0	28436.019	563.4408602	15960.91648	30000	0	0	30000	41.4375	2004
12.02.2020 13:16:35	1	1	1	1	60.5	61.25	0	28436.019	561.2903226	15987.0084	30000	0	0	30000	41.25	2004
12.02.2020 13:16:43	1	1	1	1	60.75	61.25	0	28625.592	563.4408602	16128.88321	30000	0	0	30000	41.75	2004
12.02.2020 13:16:43	1	1	1	1	60.75	61.25	0	28625.592	563.4408602	16128.88321	30000	0	0	30000	41.75	2004
12.02.2020 13:16:43	1	1	1	1	60.75	61.25	0	28625.592	563.4408602	16128.88321	30000	0	0	30000	41.75	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 13:16:43	1	1	1	1	60.75	61.25	0	28625.592	563.4408602	16128.88321	30000	0	0	30000	41.75	2004
12.02.2020 13:16:43	1	1	1	1	60.75	61.25	0	28625.592	563.4408602	16128.88321	30000	0	0	30000	41.75	2004
12.02.2020 13:16:43	1	1	1	1	60.75	61.25	0	28625.592	563.4408602	16128.88321	30000	0	0	30000	41.75	2004
12.02.2020 13:16:43	1	1	1	1	60.75	61.25	0	28625.592	563.4408602	16128.88321	30000	0	0	30000	41.75	2004
12.02.2020 13:16:43	1	1	1	1	60.75	61.75	0	28199.052	559.1397849	15941.34754	30000	0	0	30000	41.9375	2004
12.02.2020 13:16:44	1	1	1	1	60.75	61.75	0	28578.199	563.4408602	16163.12886	30000	0	0	30000	41.5	2004
12.02.2020 13:16:45	1	1	1	1	60.75	61.5	0	28625.592	563.4408602	16163.12886	30000	0	0	30000	41.6875	2004
12.02.2020 13:16:47	1	1	1	1	60.75	60.25	0	28341.232	563.4408602	15968.25483	30000	0	0	30000	41.625	2004
12.02.2020 13:16:48	1	1	1	1	60.5	61.5	0	28436.019	563.4408602	15987.0084	30000	0	0	30000	41.4375	2004
12.02.2020 13:16:49	1	1	1	1	60.5	61.25	0	28483.412	561.2903226	16048.16134	30000	0	0	30000	41.3125	2004
12.02.2020 13:16:50	1	1	1	1	60.5	61.25	0	28341.232	563.4408602	16056.31506	30000	0	0	30000	41.5625	2004
12.02.2020 13:16:51	1	1	1	1	60.5	61.5	0	28199.052	561.2903226	15827.19539	30000	0	0	30000	41.625	2004
12.02.2020 13:16:52	1	1	1	1	60.5	61.5	0	28293.839	563.4408602	15968.25483	30000	0	0	30000	41.625	2004
12.02.2020 13:16:53	1	1	1	1	60.5	61.5	0	28436.019	563.4408602	15934.00919	30000	0	0	30000	41.5	2004
12.02.2020 13:16:54	1	1	1	1	60.5	61.5	0	28483.412	565.5913978	16022.06942	30000	0	0	30000	41.5	2004
12.02.2020 13:16:55	1	1	1	1	60.5	61.5	0	28388.626	563.4408602	16056.31506	30000	0	0	30000	41.1875	2004
12.02.2020 13:16:56	1	1	1	1	60.5	61	0	28388.626	563.4408602	15934.00919	30000	0	0	30000	41.5	2004
12.02.2020 13:16:57	1	1	1	1	60.5	61.5	0	28341.232	561.2903226	15907.10189	30000	0	0	30000	41.5625	2004
12.02.2020 13:16:58	1	1	1	1	60.5	61.5	0	28341.232	563.4408602	15934.00919	30000	0	0	30000	41.5625	2004
12.02.2020 13:16:59	1	1	1	1	60.5	61.5	0	28388.626	563.4408602	15995.16212	30000	0	0	30000	41.75	2004
12.02.2020 13:17:00	1	1	1	1	60.5	61.75	0	28293.839	563.4408602	15827.19539	30000	0	0	30000	41.375	2004
12.02.2020 13:17:01	1	1	1	1	60.5	61.25	0	28436.019	563.4408602	16083.22235	30000	0	0	30000	41	2004
12.02.2020 13:17:02	1	1	1	1	60.5	61	0	28388.626	563.4408602	15995.16212	30000	0	0	30000	41.5625	2004
12.02.2020 13:17:03	1	1	1	1	60.5	61.5	0	28341.232	563.4408602	16056.31506	30000	0	0	30000	41.5625	2004
12.02.2020 13:17:04	1	1	1	1	60.5	61.5	0	28530.806	565.5913978	16109.31427	30000	0	0	30000	41.625	2004
12.02.2020 13:17:05	1	1	1	1	60.5	61.5	0	28293.839	563.4408602	15941.34754	30000	0	0	30000	41.5625	2004
12.02.2020 13:17:06	1	1	1	1	60.5	61.5	0	28293.839	563.4408602	15995.16212	30000	0	0	30000	41.375	2004
12.02.2020 13:17:07	1	1	1	1	60.5	61.25	0	28436.019	563.4408602	15995.16212	30000	0	0	30000	41.3125	2004
12.02.2020 13:17:08	1	1	1	1	59.75	61.25	0	28388.626	556.9892473	15960.91648	30000	0	0	30000	41.625	2004
12.02.2020 13:17:09	1	1	1	1	59.75	61.5	0	28388.626	561.2903226	16056.31506	30000	0	0	30000	41.375	2004
12.02.2020 13:17:10	1	1	1	1	59.75	61.25	0	28436.019	563.4408602	15995.16212	30000	0	0	30000	41.625	2004
12.02.2020 13:17:11	1	1	1	1	59.75	61.5	0	28530.806	569.8924731	16109.31427	30000	0	0	30000	41.0625	2004
12.02.2020 13:17:12	1	1	1	1	59.75	61	0	28341.232	563.4408602	15968.25483	30000	0	0	30000	41.5	2004
12.02.2020 13:17:13	1	1	1	1	59.75	61.5	0	28293.839	569.8924731	15827.19539	30000	0	0	30000	41.5625	2004
12.02.2020 13:17:14	1	1	1	1	59.75	61.5	0	28483.412	563.4408602	16109.31427	30000	0	0	30000	41.4375	2004
12.02.2020 13:17:15	1	1	1	1	59.75	61.25	0	28341.232	563.4408602	15968.25483	30000	0	0	30000	41.3125	2004
12.02.2020 13:17:16	1	1	1	1	59.75	61.25	0	28483.412	563.4408602	16022.06942	30000	0	0	30000	41.1875	2004
12.02.2020 13:17:17	1	1	1	1	59.75	61	0	28436.019	563.4408602	15960.91648	30000	0	0	30000	41.4375	2004
12.02.2020 13:17:18	1	1	1	1	60.25	61.25	0	28199.052	561.2903226	15827.19539	30000	0	0	30000	41.5625	2004
12.02.2020 13:17:19	1	1	1	1	60.25	61.5	0	28341.232	565.5913978	15785.61139	30000	0	0	30000	41.125	2004
12.02.2020 13:17:20	1	1	1	1	60.25	61	0	28483.412	563.4408602	16022.06942	30000	0	0	30000	41.5	2004
12.02.2020 13:17:21	1	1	1	1	60.25	61.5	0	28625.592	563.4408602	16163.12886	30000	0	0	30000	41.375	2004
12.02.2020 13:17:22	1	1	1	1	60.25	61.25	0	28436.019	565.5913978	16083.22235	30000	0	0	30000	41.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 13:17:23	1	1	1	1	60.25	61.75	0	28436.019	563.4408602	15960.91648	30000	0	0	30000	41.6875	2004
12.02.2020 13:17:24	1	1	1	1	60.25	61.5	0	28483.412	563.4408602	15838.61061	30000	0	0	30000	41.3125	2004
12.02.2020 13:17:26	1	1	1	1	60.25	61.75	0	28293.839	563.4408602	15968.25483	30000	0	0	30000	41.5	2004
12.02.2020 13:17:27	1	1	1	1	60.25	61.5	0	28388.626	563.4408602	16022.06942	30000	0	0	30000	41.3125	2004
12.02.2020 13:17:28	1	1	1	1	60.25	61.25	0	28483.412	567.7419355	16109.31427	30000	0	0	30000	40.9375	2004
12.02.2020 13:17:29	1	1	1	1	60.25	60.75	0	28436.019	563.4408602	16022.06942	30000	0	0	30000	41.25	2004
12.02.2020 13:17:30	1	1	1	1	60.25	61.25	0	28341.232	563.4408602	15968.25483	30000	0	0	30000	41.5	2004
12.02.2020 13:17:31	1	1	1	1	60.25	61.5	0	28578.199	563.4408602	15978.85467	30000	0	0	30000	41.5625	2004
12.02.2020 13:17:32	1	1	1	1	60.25	61.5	0	28436.019	565.5913978	15934.00919	30000	0	0	30000	41.5	2004
12.02.2020 13:17:33	1	1	1	1	60.25	61.5	0	28436.019	563.4408602	16022.06942	30000	0	0	30000	41.5625	2004
12.02.2020 13:17:34	1	1	1	1	60.25	61.5	0	28483.412	563.4408602	15960.91648	30000	0	0	30000	41.1875	2004
12.02.2020 13:17:35	1	1	1	1	60.25	61	0	28578.199	563.4408602	16101.97592	30000	0	0	30000	41.1875	2004
12.02.2020 13:17:36	1	1	1	1	60.25	61	0	28293.839	561.2903226	15766.85783	30000	0	0	30000	41.625	2004
12.02.2020 13:17:37	1	1	1	1	60.25	61.5	0	28388.626	561.2903226	15960.91648	30000	0	0	30000	41.5625	2004
12.02.2020 13:17:44	1	1	1	1	60	61.25	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	41.0625	2004
12.02.2020 13:17:44	1	1	1	1	60	61.25	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	41.0625	2004
12.02.2020 13:17:44	1	1	1	1	60	61.25	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	41.0625	2004
12.02.2020 13:17:44	1	1	1	1	60	61.25	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	41.0625	2004
12.02.2020 13:17:44	1	1	1	1	60	61.25	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	41.0625	2004
12.02.2020 13:17:44	1	1	1	1	60	61.25	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	41.0625	2004
12.02.2020 13:17:44	1	1	1	1	60	61.25	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	41.0625	2004
12.02.2020 13:17:45	1	1	1	1	60	61	0	28530.806	565.5913978	16163.12886	30000	0	0	30000	41.5625	2004
12.02.2020 13:17:46	1	1	1	1	60	61.5	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	41.375	2004
12.02.2020 13:17:47	1	1	1	1	60	61.25	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	41.5625	2004
12.02.2020 13:17:48	1	1	1	1	60	61.5	0	28341.232	565.5913978	16029.40777	30000	0	0	30000	41.625	2004
12.02.2020 13:17:49	1	1	1	1	60	61.5	0	28388.626	561.2903226	15960.91648	30000	0	0	30000	41.25	2004
12.02.2020 13:17:50	1	1	1	1	60	61.25	0	28436.019	563.4408602	16109.31427	30000	0	0	30000	41.625	2004
12.02.2020 13:17:51	1	1	1	1	60	61.5	0	28483.412	565.5913978	16109.31427	30000	0	0	30000	41.4375	2004
12.02.2020 13:17:52	1	1	1	1	60	61.25	0	28388.626	563.4408602	15934.00919	30000	0	0	30000	41.5	2004
12.02.2020 13:17:53	1	1	1	1	60	61.5	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	41.5	2004
12.02.2020 13:17:54	1	1	1	1	60	61.5	0	28436.019	565.5913978	16083.22235	30000	0	0	30000	41.3125	2004
12.02.2020 13:17:55	1	1	1	1	60	61.25	0	28388.626	561.2903226	15934.00919	30000	0	0	30000	41.5	2004
12.02.2020 13:17:56	1	1	1	1	60	61.5	0	28483.412	561.2903226	16048.16134	30000	0	0	30000	41.5625	2004
12.02.2020 13:17:57	1	1	1	1	60	61.5	0	28388.626	563.4408602	16056.31506	30000	0	0	30000	41.125	2004
12.02.2020 13:17:58	1	1	1	1	60	61	0	28199.052	563.4408602	15827.19539	30000	0	0	30000	41.5625	2004
12.02.2020 13:17:59	1	1	1	1	60	61.5	0	28436.019	563.4408602	15934.00919	30000	0	0	30000	41.5625	2004
12.02.2020 13:18:00	1	1	1	1	60	61.5	0	28388.626	563.4408602	15758.7041	30000	0	0	30000	41	2004
12.02.2020 13:18:01	1	1	1	1	60	61	0	28436.019	565.5913978	16022.06942	30000	0	0	30000	41.9375	2004
12.02.2020 13:18:02	1	1	1	1	60	61.75	0	28436.019	563.4408602	15960.91648	30000	0	0	30000	41.625	2004
12.02.2020 13:18:04	1	1	1	1	60	61.5	0	28293.839	561.2903226	15968.25483	30000	0	0	30000	41.5	2004
12.02.2020 13:18:05	1	1	1	1	60	61.5	0	28578.199	563.4408602	16163.12886	30000	0	0	30000	41.625	2004
12.02.2020 13:18:06	1	1	1	1	60	61.5	0	28293.839	552.688172	15934.00919	30000	0	0	30000	41.375	2004
12.02.2020 13:18:07	1	1	1	1	60	61.25	0	28578.199	563.4408602	16040.00761	30000	0	0	30000	41.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 13:18:08	1	1	1	1	60	61.25	0	28293.839	552.688172	15934.00919	30000	0	0	30000	41.25	2004
12.02.2020 13:18:09	1	1	1	1	60	61.25	0	28436.019	563.4408602	15995.16212	30000	0	0	30000	41.5	2004
12.02.2020 13:18:10	1	1	1	1	60	61.5	0	28388.626	563.4408602	15907.10189	30000	0	0	30000	41.1875	2004
12.02.2020 13:18:11	1	1	1	1	60	61	0	28293.839	563.4408602	15881.00997	30000	0	0	30000	41.4375	2004
12.02.2020 13:18:12	1	1	1	1	60	61.25	0	28293.839	554.8387097	15907.10189	30000	0	0	30000	41.5625	2004
12.02.2020 13:18:13	1	1	1	1	60	61.5	0	28530.806	563.4408602	16101.97592	30000	0	0	30000	41.25	2004
12.02.2020 13:18:14	1	1	1	1	60	61.25	0	28388.626	563.4408602	15785.61139	30000	0	0	30000	41.625	2004
12.02.2020 13:18:15	1	1	1	1	60	61.5	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	41.125	2004
12.02.2020 13:18:16	1	1	1	1	60	61	0	28483.412	561.2903226	16109.31427	30000	0	0	30000	41.4375	2004
12.02.2020 13:18:17	1	1	1	1	60	61.25	0	28530.806	561.2903226	16040.00761	30000	0	0	30000	41.5625	2004
12.02.2020 13:18:18	1	1	1	1	60.25	61.5	0	28436.019	563.4408602	16022.06942	30000	0	0	30000	41.5	2004
12.02.2020 13:18:19	1	1	1	1	60.25	61.5	0	28578.199	563.4408602	16101.97592	30000	0	0	30000	41.375	2004
12.02.2020 13:18:20	1	1	1	1	60.25	61.25	0	28483.412	563.4408602	15987.0084	30000	0	0	30000	41.5	2004
12.02.2020 13:18:21	1	1	1	1	60.25	61.5	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	41.25	2004
12.02.2020 13:18:22	1	1	1	1	60.25	61.25	0	28483.412	561.2903226	15899.76354	30000	0	0	30000	41.5	2004
12.02.2020 13:18:23	1	1	1	1	60.25	61.5	0	28341.232	563.4408602	15968.25483	30000	0	0	30000	41.8125	2004
12.02.2020 13:18:24	1	1	1	1	60.25	61.75	0	28293.839	561.2903226	15881.00997	30000	0	0	30000	41.625	2004
12.02.2020 13:18:25	1	1	1	1	60.25	61.5	0	28578.199	563.4408602	16190.03615	30000	0	0	30000	41.3125	2004
12.02.2020 13:18:26	1	1	1	1	60.25	61.25	0	28388.626	565.5913978	16056.31506	30000	0	0	30000	41.375	2004
12.02.2020 13:18:27	1	1	1	1	60.25	61.25	0	28436.019	563.4408602	16022.06942	30000	0	0	30000	41.25	2004
12.02.2020 13:18:28	1	1	1	1	60.5	61.25	0	28483.412	563.4408602	16109.31427	30000	0	0	30000	41.75	2004
12.02.2020 13:18:29	1	1	1	1	60.5	61.75	0	28578.199	565.5913978	16109.31427	30000	0	0	30000	41.5	2004
12.02.2020 13:18:30	1	1	1	1	60.5	61.5	0	28436.019	559.1397849	15872.85625	30000	0	0	30000	41.3125	2004
12.02.2020 13:18:31	1	1	1	1	60.5	61.25	0	28530.806	563.4408602	15987.0084	30000	0	0	30000	41.5	2004
12.02.2020 13:18:32	1	1	1	1	60.5	61.5	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	41.3125	2004
12.02.2020 13:18:33	1	1	1	1	60.5	61.25	0	28388.626	563.4408602	16056.31506	30000	0	0	30000	41	2004
12.02.2020 13:18:34	1	1	1	1	60.5	61	0	28483.412	563.4408602	16109.31427	30000	0	0	30000	41.625	2004
12.02.2020 13:18:35	1	1	1	1	60.5	61.5	0	28199.052	563.4408602	16029.40777	30000	0	0	30000	41.5	2004
12.02.2020 13:18:36	1	1	1	1	60.5	61.5	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	41.5	2004
12.02.2020 13:18:37	1	1	1	1	60.5	61.5	0	28436.019	563.4408602	16083.22235	30000	0	0	30000	41.5625	2004
12.02.2020 13:18:38	1	1	1	1	60	61.5	0	28293.839	561.2903226	15881.00997	30000	0	0	30000	41.5625	2004
12.02.2020 13:18:46	1	1	1	1	60	61.25	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	41.25	2004
12.02.2020 13:18:46	1	1	1	1	60	61.25	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	41.25	2004
12.02.2020 13:18:46	1	1	1	1	60	61.25	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	41.25	2004
12.02.2020 13:18:46	1	1	1	1	60	61.25	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	41.25	2004
12.02.2020 13:18:46	1	1	1	1	60	61.25	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	41.25	2004
12.02.2020 13:18:46	1	1	1	1	60	61.25	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	41.25	2004
12.02.2020 13:18:46	1	1	1	1	60	61.25	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	41.25	2004
12.02.2020 13:18:47	1	1	1	1	60	61.25	0	28436.019	563.4408602	16083.22235	30000	0	0	30000	41.25	2004
12.02.2020 13:18:48	1	1	1	1	60.25	61.25	0	28483.412	567.7419355	16109.31427	30000	0	0	30000	41.5	2004
12.02.2020 13:18:49	1	1	1	1	60.25	61.5	0	28293.839	565.5913978	16090.5607	30000	0	0	30000	41.4375	2004
12.02.2020 13:18:50	1	1	1	1	60.25	61.25	0	28341.232	563.4408602	15934.00919	30000	0	0	30000	41.125	2004
12.02.2020 13:18:51	1	1	1	1	60.25	61	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	41.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 13:18:52	1	1	1	1	60.25	61.5	0	28483.412	563.4408602	16109.31427	30000	0	0	30000	41.25	2004
12.02.2020 13:18:53	1	1	1	1	60.25	61.25	0	28388.626	561.2903226	15934.00919	30000	0	0	30000	41.625	2004
12.02.2020 13:18:54	1	1	1	1	60.25	61.5	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	41.5	2004
12.02.2020 13:18:55	1	1	1	1	60.25	61.5	0	28483.412	561.2903226	16109.31427	30000	0	0	30000	41.8125	2004
12.02.2020 13:18:56	1	1	1	1	60.25	61.75	0	28341.232	561.2903226	15907.10189	30000	0	0	30000	41.375	2004
12.02.2020 13:18:57	1	1	1	1	60.25	61.25	0	28483.412	565.5913978	16048.16134	30000	0	0	30000	41.125	2004
12.02.2020 13:18:58	1	1	1	1	60.25	61	0	28483.412	567.7419355	16136.22156	30000	0	0	30000	41.625	2004
12.02.2020 13:18:59	1	1	1	1	60.25	61.5	0	28483.412	563.4408602	15777.45767	30000	0	0	30000	41.4375	2004
12.02.2020 13:19:00	1	1	1	1	60.25	61.25	0	28578.199	565.5913978	16048.16134	30000	0	0	30000	41.4375	2004
12.02.2020 13:19:01	1	1	1	1	60.25	61.25	0	28199.052	561.2903226	15827.19539	30000	0	0	30000	41.75	2004
12.02.2020 13:19:02	1	1	1	1	60.25	61.75	0	28436.019	563.4408602	16022.06942	30000	0	0	30000	41.75	2004
12.02.2020 13:19:03	1	1	1	1	60.25	61.75	0	28483.412	563.4408602	15987.0084	30000	0	0	30000	41.375	2004
12.02.2020 13:19:04	1	1	1	1	60.25	61.25	0	28483.412	563.4408602	16163.12886	30000	0	0	30000	41.375	2004
12.02.2020 13:19:05	1	1	1	1	60.25	61.25	0	28388.626	563.4408602	15934.00919	30000	0	0	30000	41.75	2004
12.02.2020 13:19:06	1	1	1	1	60.25	61.75	0	28578.199	563.4408602	16163.12886	30000	0	0	30000	41.1875	2004
12.02.2020 13:19:07	1	1	1	1	60.25	61	0	28436.019	563.4408602	16048.16134	30000	0	0	30000	41.1875	2004
12.02.2020 13:19:08	1	1	1	1	60	61	0	28199.052	556.9892473	15881.00997	30000	0	0	30000	41.4375	2004
12.02.2020 13:19:09	1	1	1	1	60	61.25	0	28388.626	563.4408602	16117.468	30000	0	0	30000	41.625	2004
12.02.2020 13:19:10	1	1	1	1	60	61.5	0	28199.052	561.2903226	15827.19539	30000	0	0	30000	41.625	2004
12.02.2020 13:19:11	1	1	1	1	60	61.5	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	41.5625	2004
12.02.2020 13:19:12	1	1	1	1	60	61.5	0	28293.839	563.4408602	16002.50048	30000	0	0	30000	41.0625	2004
12.02.2020 13:19:13	1	1	1	1	60	61	0	28388.626	561.2903226	15934.00919	30000	0	0	30000	41.5625	2004
12.02.2020 13:19:14	1	1	1	1	60	61.5	0	28199.052	561.2903226	15706.52026	30000	0	0	30000	41.5625	2004
12.02.2020 13:19:15	1	1	1	1	60	61.5	0	28199.052	561.2903226	15881.00997	30000	0	0	30000	41.125	2004
12.02.2020 13:19:16	1	1	1	1	60	61	0	28578.199	563.4408602	16048.16134	30000	0	0	30000	41.375	2004
12.02.2020 13:19:17	1	1	1	1	60	61.25	0	28483.412	563.4408602	16022.06942	30000	0	0	30000	41.5625	2004
12.02.2020 13:19:18	1	1	1	1	60	61.5	0	28483.412	565.5913978	16109.31427	30000	0	0	30000	41.5625	2004
12.02.2020 13:19:19	1	1	1	1	60	61.5	0	28483.412	567.7419355	16022.06942	30000	0	0	30000	41.6875	2004
12.02.2020 13:19:21	1	1	1	1	60	61.25	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	41.4375	2004
12.02.2020 13:19:22	1	1	1	1	60	61.25	0	28009.479	559.1397849	15660.8594	30000	0	0	30000	41.4375	2004
12.02.2020 13:19:23	1	1	1	1	60	61.25	0	28341.232	563.4408602	15968.25483	30000	0	0	30000	41.5625	2004
12.02.2020 13:19:24	1	1	1	1	60	61.5	0	28436.019	563.4408602	16083.22235	30000	0	0	30000	41.6875	2004
12.02.2020 13:19:25	1	1	1	1	60	61.5	0	28483.412	565.5913978	16048.16134	30000	0	0	30000	41.6875	2004
12.02.2020 13:19:26	1	1	1	1	60	61.5	0	28530.806	563.4408602	16109.31427	30000	0	0	30000	41.4375	2004
12.02.2020 13:19:27	1	1	1	1	60	61.25	0	28388.626	565.5913978	15995.16212	30000	0	0	30000	41.75	2004
12.02.2020 13:19:28	1	1	1	1	59.75	61.75	0	28341.232	563.4408602	15907.10189	30000	0	0	30000	41.5625	2004
12.02.2020 13:19:29	1	1	1	1	59.75	61.5	0	28293.839	561.2903226	15881.00997	30000	0	0	30000	41.5625	2004
12.02.2020 13:19:30	1	1	1	1	59.75	61.5	0	28530.806	565.5913978	16109.31427	30000	0	0	30000	41.4375	2004
12.02.2020 13:19:31	1	1	1	1	59.75	61.25	0	28483.412	567.7419355	16056.31506	30000	0	0	30000	41.6875	2004
12.02.2020 13:19:32	1	1	1	1	59.75	61.5	0	28199.052	563.4408602	15827.19539	30000	0	0	30000	41.875	2004
12.02.2020 13:19:33	1	1	1	1	59.75	61.75	0	28388.626	565.5913978	16056.31506	30000	0	0	30000	40.8125	2004
12.02.2020 13:19:34	1	1	1	1	59.75	60.75	0	28388.626	563.4408602	15846.76433	30000	0	0	30000	41.5625	2004
12.02.2020 13:19:35	1	1	1	1	59.75	61.5	0	28436.019	565.5913978	16056.31506	30000	0	0	30000	41.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 13:19:36	1	1	1	1	59.75	61.5	0	28388.626	561.2903226	15995.16212	30000	0	0	30000	41.625	2004
12.02.2020 13:19:37	1	1	1	1	59.75	61.5	0	28436.019	565.5913978	16083.22235	30000	0	0	30000	41.375	2004
12.02.2020 13:19:38	1	1	1	1	59.75	61.25	0	28199.052	563.4408602	15827.19539	30000	0	0	30000	41.25	2004
12.02.2020 13:19:39	1	1	1	1	59.75	61.25	0	28341.232	565.5913978	15907.10189	30000	0	0	30000	41.625	2004
12.02.2020 13:19:40	1	1	1	1	59.75	61.5	0	28293.839	563.4408602	15948.68589	30000	0	0	30000	41.5	2004
12.02.2020 13:19:47	1	1	1	1	59.75	61.25	0	28530.806	565.5913978	16225.09717	30000	0	0	30000	41.4375	2004
12.02.2020 13:19:47	1	1	1	1	59.75	61.25	0	28530.806	565.5913978	16225.09717	30000	0	0	30000	41.4375	2004
12.02.2020 13:19:47	1	1	1	1	59.75	61.25	0	28530.806	565.5913978	16225.09717	30000	0	0	30000	41.4375	2004
12.02.2020 13:19:47	1	1	1	1	59.75	61.25	0	28530.806	565.5913978	16225.09717	30000	0	0	30000	41.4375	2004
12.02.2020 13:19:47	1	1	1	1	59.75	61.25	0	28530.806	565.5913978	16225.09717	30000	0	0	30000	41.4375	2004
12.02.2020 13:19:47	1	1	1	1	59.75	61.25	0	28530.806	565.5913978	16225.09717	30000	0	0	30000	41.4375	2004
12.02.2020 13:19:47	1	1	1	1	59.75	61.25	0	28530.806	565.5913978	16225.09717	30000	0	0	30000	41.4375	2004
12.02.2020 13:19:48	1	1	1	1	59.75	61.25	0	28436.019	565.5913978	16083.22235	30000	0	0	30000	41.5	2004
12.02.2020 13:19:49	1	1	1	1	59.75	61.5	0	28293.839	561.2903226	16002.50048	30000	0	0	30000	41.125	2004
12.02.2020 13:19:50	1	1	1	1	59.75	61	0	28436.019	563.4408602	16022.06942	30000	0	0	30000	41.4375	2004
12.02.2020 13:19:51	1	1	1	1	59.75	61.25	0	28436.019	563.4408602	16083.22235	30000	0	0	30000	41.6875	2004
12.02.2020 13:19:52	1	1	1	1	59.75	61.5	0	28388.626	563.4408602	15995.16212	30000	0	0	30000	41.25	2004
12.02.2020 13:19:53	1	1	1	1	59.75	61.25	0	28483.412	563.4408602	16109.31427	30000	0	0	30000	41.4375	2004
12.02.2020 13:19:54	1	1	1	1	59.75	61.25	0	28388.626	563.4408602	15968.25483	30000	0	0	30000	41.125	2004
12.02.2020 13:19:55	1	1	1	1	59.75	61	0	28388.626	563.4408602	16056.31506	30000	0	0	30000	41.5	2004
12.02.2020 13:19:56	1	1	1	1	59.75	61.5	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	41.5	2004
12.02.2020 13:19:57	1	1	1	1	59.75	61.5	0	28341.232	561.2903226	15881.00997	30000	0	0	30000	41.6875	2004
12.02.2020 13:19:58	1	1	1	1	59.75	61.5	0	28388.626	563.4408602	16083.22235	30000	0	0	30000	41.9375	2004
12.02.2020 13:19:59	1	1	1	1	59.75	61.75	0	28388.626	563.4408602	15907.10189	30000	0	0	30000	41.8125	2004
12.02.2020 13:20:01	1	1	1	1	59.75	61.25	0	28341.232	561.2903226	15941.34754	30000	0	0	30000	41.625	2004
12.02.2020 13:20:02	1	1	1	1	59.75	61.5	0	28436.019	567.7419355	15960.91648	30000	0	0	30000	41.3125	2004
12.02.2020 13:20:03	1	1	1	1	59.75	61.25	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	41.5625	2004
12.02.2020 13:20:04	1	1	1	1	59.75	61.5	0	28341.232	563.4408602	15758.7041	30000	0	0	30000	41.5625	2004
12.02.2020 13:20:05	1	1	1	1	59.75	61.5	0	28388.626	561.2903226	15995.16212	30000	0	0	30000	41.375	2004
12.02.2020 13:20:06	1	1	1	1	59.75	61.25	0	28388.626	556.9892473	16109.31427	30000	0	0	30000	41.625	2004
12.02.2020 13:20:07	1	1	1	1	59.75	61.5	0	28578.199	565.5913978	16163.12886	30000	0	0	30000	41.6875	2004
12.02.2020 13:20:08	1	1	1	1	60	61.5	0	28530.806	565.5913978	16163.12886	30000	0	0	30000	40.8125	2004
12.02.2020 13:20:09	1	1	1	1	60	60.75	0	28341.232	563.4408602	15968.25483	30000	0	0	30000	41	2004
12.02.2020 13:20:10	1	1	1	1	60	61	0	28199.052	561.2903226	15827.19539	30000	0	0	30000	41.625	2004
12.02.2020 13:20:11	1	1	1	1	60	61.5	0	28388.626	563.4408602	16056.31506	30000	0	0	30000	41.625	2004
12.02.2020 13:20:12	1	1	1	1	60	61.5	0	28388.626	563.4408602	16056.31506	30000	0	0	30000	41.125	2004
12.02.2020 13:20:13	1	1	1	1	60	61	0	28388.626	561.2903226	15934.00919	30000	0	0	30000	41.4375	2004
12.02.2020 13:20:14	1	1	1	1	60	61.25	0	28578.199	569.8924731	15864.70252	30000	0	0	30000	41.75	2004
12.02.2020 13:20:15	1	1	1	1	60	61.75	0	28483.412	563.4408602	16171.28258	30000	0	0	30000	41.8125	2004
12.02.2020 13:20:16	1	1	1	1	60	61.75	0	28436.019	563.4408602	16083.22235	30000	0	0	30000	41.5	2004
12.02.2020 13:20:17	1	1	1	1	60	61.5	0	28483.412	565.5913978	16109.31427	30000	0	0	30000	41.5	2004
12.02.2020 13:20:18	1	1	1	1	59.25	61.5	0	28388.626	563.4408602	15907.10189	30000	0	0	30000	41.5	2004
12.02.2020 13:20:19	1	1	1	1	59.25	61.5	0	28578.199	563.4408602	16163.12886	30000	0	0	30000	41.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 13:20:20	1	1	1	1	59.25	61.25	0	28341.232	563.4408602	15995.16212	30000	0	0	30000	41.5625	2004
12.02.2020 13:20:21	1	1	1	1	59.25	61.5	0	28483.412	561.2903226	16048.16134	30000	0	0	30000	41.625	2004
12.02.2020 13:20:22	1	1	1	1	59.25	61.5	0	28388.626	563.4408602	15995.16212	30000	0	0	30000	41.3125	2004
12.02.2020 13:20:23	1	1	1	1	59.25	61.25	0	28436.019	565.5913978	16083.22235	30000	0	0	30000	41.5625	2004
12.02.2020 13:20:24	1	1	1	1	59.25	61.5	0	28625.592	565.5913978	16252.00446	30000	0	0	30000	41.5625	2004
12.02.2020 13:20:25	1	1	1	1	59.25	61.5	0	28436.019	565.5913978	16083.22235	30000	0	0	30000	41.25	2004
12.02.2020 13:20:26	1	1	1	1	59.25	61.25	0	28483.412	563.4408602	16109.31427	30000	0	0	30000	41.5625	2004
12.02.2020 13:20:27	1	1	1	1	59.25	61.5	0	28388.626	563.4408602	15934.00919	30000	0	0	30000	41.5625	2004
12.02.2020 13:20:28	1	1	1	1	59.25	61.5	0	28436.019	565.5913978	16083.22235	30000	0	0	30000	41	2004
12.02.2020 13:20:29	1	1	1	1	59.25	61	0	28578.199	561.2903226	16252.00446	30000	0	0	30000	41.5625	2004
12.02.2020 13:20:30	1	1	1	1	59.25	61.5	0	28388.626	563.4408602	16117.468	30000	0	0	30000	41.0625	2004
12.02.2020 13:20:31	1	1	1	1	59.25	61	0	28341.232	561.2903226	15934.00919	30000	0	0	30000	40.875	2004
12.02.2020 13:20:32	1	1	1	1	59.25	60.75	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	41.625	2004
12.02.2020 13:20:33	1	1	1	1	59.25	61.5	0	28341.232	561.2903226	15968.25483	30000	0	0	30000	41.125	2004
12.02.2020 13:20:34	1	1	1	1	59.25	61	0	28436.019	565.5913978	16083.22235	30000	0	0	30000	41	2004
12.02.2020 13:20:35	1	1	1	1	59.25	61	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	41.3125	2004
12.02.2020 13:20:36	1	1	1	1	59.25	61.25	0	28388.626	561.2903226	15934.00919	30000	0	0	30000	42	2004
12.02.2020 13:20:38	1	1	1	1	59.25	62	0	28341.232	561.2903226	15907.10189	30000	0	0	30000	41.6875	2004
12.02.2020 13:20:39	1	1	1	1	59.25	61.5	0	28578.199	563.4408602	16101.97592	30000	0	0	30000	41.625	2004
12.02.2020 13:20:40	1	1	1	1	59.25	61.5	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	41.5625	2004
12.02.2020 13:20:41	1	1	1	1	59.25	61.5	0	28388.626	561.2903226	15934.00919	30000	0	0	30000	41.125	2004
12.02.2020 13:20:42	1	1	1	1	59.25	61	0	28388.626	563.4408602	16056.31506	30000	0	0	30000	41.625	2004
12.02.2020 13:20:49	1	1	1	1	59.75	61.5	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	41.5	2004
12.02.2020 13:20:49	1	1	1	1	59.75	61.5	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	41.5	2004
12.02.2020 13:20:49	1	1	1	1	59.75	61.5	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	41.5	2004
12.02.2020 13:20:49	1	1	1	1	59.75	61.5	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	41.5	2004
12.02.2020 13:20:49	1	1	1	1	59.75	61.5	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	41.5	2004
12.02.2020 13:20:49	1	1	1	1	59.75	61.5	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	41.5	2004
12.02.2020 13:20:50	1	1	1	1	59.75	61.5	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	41.4375	2004
12.02.2020 13:20:51	1	1	1	1	59.75	61.25	0	28388.626	561.2903226	15907.10189	30000	0	0	30000	41.5625	2004
12.02.2020 13:20:52	1	1	1	1	59.75	61.5	0	28530.806	565.5913978	15987.0084	30000	0	0	30000	41.75	2004
12.02.2020 13:20:53	1	1	1	1	59.75	61.75	0	28483.412	563.4408602	16163.12886	30000	0	0	30000	41.5	2004
12.02.2020 13:20:54	1	1	1	1	59.75	61.5	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	41.1875	2004
12.02.2020 13:20:55	1	1	1	1	59.75	61	0	28483.412	563.4408602	16225.09717	30000	0	0	30000	41.75	2004
12.02.2020 13:20:56	1	1	1	1	59.75	61.75	0	28436.019	563.4408602	15960.91648	30000	0	0	30000	41.0625	2004
12.02.2020 13:20:57	1	1	1	1	59.75	61	0	28483.412	559.1397849	15987.0084	30000	0	0	30000	41.5625	2004
12.02.2020 13:20:58	1	1	1	1	59.5	61.5	0	28578.199	561.2903226	16163.12886	30000	0	0	30000	41.125	2004
12.02.2020 13:20:59	1	1	1	1	59.5	61	0	28436.019	563.4408602	15934.00919	30000	0	0	30000	41.4375	2004
12.02.2020 13:21:00	1	1	1	1	59.5	61.25	0	28483.412	563.4408602	16101.97592	30000	0	0	30000	41.375	2004
12.02.2020 13:21:01	1	1	1	1	59.5	61.25	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	41.5625	2004
12.02.2020 13:21:02	1	1	1	1	59.5	61.5	0	28388.626	561.2903226	15934.00919	30000	0	0	30000	40.8125	2004
12.02.2020 13:21:03	1	1	1	1	59.5	60.75	0	28436.019	563.4408602	15960.91648	30000	0	0	30000	41.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 13:21:04	1	1	1	1	59.5	61.25	0	28341.232	559.1397849	15907.10189	30000	0	0	30000	41.6875	2004
12.02.2020 13:21:05	1	1	1	1	59.5	61.5	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	41.5	2004
12.02.2020 13:21:06	1	1	1	1	59.5	61.5	0	28341.232	563.4408602	15907.10189	30000	0	0	30000	41.75	2004
12.02.2020 13:21:07	1	1	1	1	59.5	61.75	0	28388.626	561.2903226	15934.00919	30000	0	0	30000	41.625	2004
12.02.2020 13:21:08	1	1	1	1	59.25	61.5	0	28483.412	563.4408602	16083.22235	30000	0	0	30000	41.6875	2004
12.02.2020 13:21:09	1	1	1	1	59.25	61.5	0	28388.626	561.2903226	15934.00919	30000	0	0	30000	41.4375	2004
12.02.2020 13:21:10	1	1	1	1	59.25	61.25	0	28341.232	561.2903226	15934.00919	30000	0	0	30000	41	2004
12.02.2020 13:21:11	1	1	1	1	59.25	61	0	28388.626	556.9892473	15934.00919	30000	0	0	30000	41.6875	2004
12.02.2020 13:21:12	1	1	1	1	59.25	61.5	0	28388.626	561.2903226	15907.10189	30000	0	0	30000	41.5625	2004
12.02.2020 13:21:13	1	1	1	1	59.25	61.5	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	41.5	2004
12.02.2020 13:21:14	1	1	1	1	59.25	61.5	0	28483.412	561.2903226	16048.16134	30000	0	0	30000	41.4375	2004
12.02.2020 13:21:15	1	1	1	1	59.25	61.25	0	28578.199	565.5913978	16101.97592	30000	0	0	30000	41.5	2004
12.02.2020 13:21:17	1	1	1	1	59.25	61.5	0	28293.839	563.4408602	15941.34754	30000	0	0	30000	41.5625	2004
12.02.2020 13:21:18	1	1	1	1	60	61.75	0	28436.019	563.4408602	16048.16134	30000	0	0	30000	41.5625	2004
12.02.2020 13:21:19	1	1	1	1	60	61.5	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	40.875	2004
12.02.2020 13:21:20	1	1	1	1	60	60.75	0	28578.199	565.5913978	16163.12886	30000	0	0	30000	41.6875	2004
12.02.2020 13:21:21	1	1	1	1	60	61.5	0	28388.626	561.2903226	15811.70331	30000	0	0	30000	41.8125	2004
12.02.2020 13:21:22	1	1	1	1	60	61.75	0	28388.626	561.2903226	16171.28258	30000	0	0	30000	41.625	2004
12.02.2020 13:21:23	1	1	1	1	60	61.5	0	28436.019	563.4408602	15960.91648	30000	0	0	30000	41.625	2004
12.02.2020 13:21:24	1	1	1	1	60	61.5	0	28436.019	554.8387097	15960.91648	30000	0	0	30000	41.125	2004
12.02.2020 13:21:25	1	1	1	1	60	61	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	41.625	2004
12.02.2020 13:21:26	1	1	1	1	60	61.5	0	28293.839	563.4408602	15941.34754	30000	0	0	30000	41.4375	2004
12.02.2020 13:21:27	1	1	1	1	60	61.25	0	28388.626	561.2903226	15758.7041	30000	0	0	30000	41.5625	2004
12.02.2020 13:21:28	1	1	1	1	59.75	61.5	0	28388.626	561.2903226	15934.00919	30000	0	0	30000	41.375	2004
12.02.2020 13:21:29	1	1	1	1	59.75	61.25	0	28388.626	561.2903226	15934.00919	30000	0	0	30000	41.75	2004
12.02.2020 13:21:30	1	1	1	1	59.75	61.75	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	40.9375	2004
12.02.2020 13:21:31	1	1	1	1	59.75	60.75	0	28625.592	561.2903226	16235.69701	30000	0	0	30000	40.625	2004
12.02.2020 13:21:32	1	1	1	1	59.75	60.5	0	28293.839	561.2903226	15827.19539	30000	0	0	30000	41.6875	2004
12.02.2020 13:21:33	1	1	1	1	59.75	61.5	0	28436.019	563.4408602	16109.31427	30000	0	0	30000	41.625	2004
12.02.2020 13:21:34	1	1	1	1	59.75	61.5	0	28388.626	561.2903226	16205.52823	30000	0	0	30000	41.625	2004
12.02.2020 13:21:35	1	1	1	1	59.75	61.5	0	28388.626	559.1397849	15785.61139	30000	0	0	30000	41.5625	2004
12.02.2020 13:21:36	1	1	1	1	59.75	61.5	0	28388.626	561.2903226	15907.10189	30000	0	0	30000	41.5	2004
12.02.2020 13:21:37	1	1	1	1	59.75	61.5	0	28578.199	563.4408602	16163.12886	30000	0	0	30000	41.5625	2004
12.02.2020 13:21:38	1	1	1	1	59.75	61.5	0	28625.592	565.5913978	15917.70174	30000	0	0	30000	41.375	2004
12.02.2020 13:21:39	1	1	1	1	59.75	61.25	0	28199.052	563.4408602	15948.68589	30000	0	0	30000	41.5	2004
12.02.2020 13:21:40	1	1	1	1	59.75	61.5	0	28578.199	563.4408602	16128.88321	30000	0	0	30000	41.125	2004
12.02.2020 13:21:41	1	1	1	1	59.75	61	0	28341.232	563.4408602	15881.00997	30000	0	0	30000	41.5	2004
12.02.2020 13:21:42	1	1	1	1	59.75	61.5	0	28483.412	563.4408602	15987.0084	30000	0	0	30000	41.75	2004
12.02.2020 13:21:43	1	1	1	1	59.75	61.75	0	28199.052	561.2903226	15827.19539	30000	0	0	30000	41.625	2004
12.02.2020 13:21:51	1	1	1	1	59.5	61.5	0	28483.412	563.4408602	15987.0084	30000	0	0	30000	41.625	2004
12.02.2020 13:21:51	1	1	1	1	59.5	61.5	0	28483.412	563.4408602	15987.0084	30000	0	0	30000	41.625	2004
12.02.2020 13:21:51	1	1	1	1	59.5	61.5	0	28483.412	563.4408602	15987.0084	30000	0	0	30000	41.625	2004
12.02.2020 13:21:51	1	1	1	1	59.5	61.5	0	28483.412	563.4408602	15987.0084	30000	0	0	30000	41.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 13:21:51	1	1	1	1	59.5	61.5	0	28483.412	563.4408602	15987.0084	30000	0	0	30000	41.625	2004
12.02.2020 13:21:51	1	1	1	1	59.5	61.5	0	28483.412	563.4408602	15987.0084	30000	0	0	30000	41.625	2004
12.02.2020 13:21:51	1	1	1	1	59.5	61.5	0	28483.412	563.4408602	15987.0084	30000	0	0	30000	41.625	2004
12.02.2020 13:21:51	1	1	1	1	59.5	61.5	0	28436.019	563.4408602	16022.06942	30000	0	0	30000	41.6875	2004
12.02.2020 13:21:53	1	1	1	1	59.5	61.5	0	28483.412	554.8387097	16101.97592	30000	0	0	30000	41.5625	2004
12.02.2020 13:21:54	1	1	1	1	59.5	61.5	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	41.8125	2004
12.02.2020 13:21:55	1	1	1	1	59.5	61.75	0	28436.019	563.4408602	16022.06942	30000	0	0	30000	41.5625	2004
12.02.2020 13:21:56	1	1	1	1	59.5	61.5	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	41.625	2004
12.02.2020 13:21:57	1	1	1	1	59.5	61.5	0	28341.232	563.4408602	15968.25483	30000	0	0	30000	41.625	2004
12.02.2020 13:21:58	1	1	1	1	60.25	61.5	0	28483.412	565.5913978	16136.22156	30000	0	0	30000	41.5625	2004
12.02.2020 13:21:59	1	1	1	1	60.25	61.5	0	28436.019	563.4408602	16022.06942	30000	0	0	30000	41.375	2004
12.02.2020 13:22:00	1	1	1	1	60.25	61.25	0	28436.019	563.4408602	16083.22235	30000	0	0	30000	41.75	2004
12.02.2020 13:22:01	1	1	1	1	60.25	61.75	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	41.6875	2004
12.02.2020 13:22:02	1	1	1	1	60.25	61.5	0	28483.412	563.4408602	16109.31427	30000	0	0	30000	41.4375	2004
12.02.2020 13:22:03	1	1	1	1	60.25	61.25	0	28199.052	561.2903226	16150.89827	30000	0	0	30000	41.6875	2004
12.02.2020 13:22:04	1	1	1	1	60.25	61.5	0	28341.232	559.1397849	15881.00997	30000	0	0	30000	41.5625	2004
12.02.2020 13:22:05	1	1	1	1	60.25	61.5	0	28341.232	561.2903226	15907.10189	30000	0	0	30000	41.5625	2004
12.02.2020 13:22:06	1	1	1	1	60.25	61.5	0	28578.199	565.5913978	16163.12886	30000	0	0	30000	41.1875	2004
12.02.2020 13:22:07	1	1	1	1	60.25	61	0	28293.839	561.2903226	15907.10189	30000	0	0	30000	41.5	2004
12.02.2020 13:22:08	1	1	1	1	60	61.5	0	28436.019	561.2903226	15899.76354	30000	0	0	30000	41.625	2004
12.02.2020 13:22:09	1	1	1	1	60	61.5	0	28578.199	563.4408602	16101.97592	30000	0	0	30000	41.0625	2004
12.02.2020 13:22:10	1	1	1	1	60	61	0	28483.412	563.4408602	16109.31427	30000	0	0	30000	41.625	2004
12.02.2020 13:22:11	1	1	1	1	60	61.5	0	28578.199	563.4408602	16163.12886	30000	0	0	30000	41.125	2004
12.02.2020 13:22:12	1	1	1	1	60	61	0	28436.019	561.2903226	16083.22235	30000	0	0	30000	41.6875	2004
12.02.2020 13:22:13	1	1	1	1	60	61.5	0	28436.019	561.2903226	16022.06942	30000	0	0	30000	41.5625	2004
12.02.2020 13:22:14	1	1	1	1	60	61.5	0	28436.019	563.4408602	16083.22235	30000	0	0	30000	41.75	2004
12.02.2020 13:22:15	1	1	1	1	60	61.75	0	28483.412	561.2903226	15960.91648	30000	0	0	30000	41.375	2004
12.02.2020 13:22:16	1	1	1	1	60	61.25	0	28388.626	563.4408602	16083.22235	30000	0	0	30000	40.9375	2004
12.02.2020 13:22:17	1	1	1	1	60	60.75	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	41.6875	2004
12.02.2020 13:22:18	1	1	1	1	59.5	61.5	0	28388.626	563.4408602	15995.16212	30000	0	0	30000	41.3125	2004
12.02.2020 13:22:19	1	1	1	1	59.5	61.25	0	28436.019	563.4408602	15960.91648	30000	0	0	30000	41.5625	2004
12.02.2020 13:22:20	1	1	1	1	59.5	61.5	0	28483.412	563.4408602	15987.0084	30000	0	0	30000	41.375	2004
12.02.2020 13:22:21	1	1	1	1	59.5	61.25	0	28436.019	563.4408602	16022.06942	30000	0	0	30000	41.4375	2004
12.02.2020 13:22:22	1	1	1	1	59.5	61.25	0	28388.626	556.9892473	15724.45846	30000	0	0	30000	41.3125	2004
12.02.2020 13:22:23	1	1	1	1	59.5	61.25	0	28436.019	559.1397849	16109.31427	30000	0	0	30000	41.5625	2004
12.02.2020 13:22:24	1	1	1	1	59.5	61.5	0	28483.412	561.2903226	16109.31427	30000	0	0	30000	41.75	2004
12.02.2020 13:22:25	1	1	1	1	59.5	61.75	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	41.625	2004
12.02.2020 13:22:26	1	1	1	1	59.5	61.5	0	28341.232	563.4408602	16056.31506	30000	0	0	30000	41.6875	2004
12.02.2020 13:22:27	1	1	1	1	59.5	61.5	0	28578.199	569.8924731	16163.12886	30000	0	0	30000	41.5625	2004
12.02.2020 13:22:28	1	1	1	1	59.5	61.5	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	40.75	2004
12.02.2020 13:22:29	1	1	1	1	59.5	60.75	0	28483.412	561.2903226	16109.31427	30000	0	0	30000	41.6875	2004
12.02.2020 13:22:30	1	1	1	1	59.5	61.5	0	28341.232	559.1397849	15785.61139	30000	0	0	30000	41.5625	2004
12.02.2020 13:22:31	1	1	1	1	59.5	61.5	0	28483.412	563.4408602	15987.0084	30000	0	0	30000	41.5625	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 13:22:32	1	1	1	1	59.5	61.5	0	28483.412	561.2903226	15960.91648	30000	0	0	30000	41.5	2004
12.02.2020 13:22:34	1	1	1	1	59.5	61.5	0	28388.626	561.2903226	15934.00919	30000	0	0	30000	41.5	2004
12.02.2020 13:22:35	1	1	1	1	59.5	61.5	0	28530.806	561.2903226	16101.97592	30000	0	0	30000	41.875	2004
12.02.2020 13:22:36	1	1	1	1	59.5	61.75	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	42	2004
12.02.2020 13:22:37	1	1	1	1	59.5	61.25	0	28388.626	563.4408602	15968.25483	30000	0	0	30000	41.375	2004
12.02.2020 13:22:38	1	1	1	1	60	61.25	0	28530.806	561.2903226	16101.97592	30000	0	0	30000	41.4375	2004
12.02.2020 13:22:39	1	1	1	1	60	61.25	0	28341.232	561.2903226	15907.10189	30000	0	0	30000	41.625	2004
12.02.2020 13:22:40	1	1	1	1	60	61.5	0	28578.199	563.4408602	16163.12886	30000	0	0	30000	41.6875	2004
12.02.2020 13:22:41	1	1	1	1	60	61.5	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	41.4375	2004
12.02.2020 13:22:42	1	1	1	1	60	61.25	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	41.5625	2004
12.02.2020 13:22:43	1	1	1	1	60	61.5	0	28483.412	563.4408602	15925.85546	30000	0	0	30000	41.25	2004
12.02.2020 13:22:44	1	1	1	1	60	61.25	0	28530.806	563.4408602	16048.16134	30000	0	0	30000	41.375	2004
12.02.2020 13:22:45	1	1	1	1	60	61.25	0	28388.626	563.4408602	15995.16212	30000	0	0	30000	41.125	2004
12.02.2020 13:22:52	1	1	1	1	59.75	61	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	40.625	2004
12.02.2020 13:22:52	1	1	1	1	59.75	61	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	40.625	2004
12.02.2020 13:22:52	1	1	1	1	59.75	61	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	40.625	2004
12.02.2020 13:22:52	1	1	1	1	59.75	61	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	40.625	2004
12.02.2020 13:22:52	1	1	1	1	59.75	61	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	40.625	2004
12.02.2020 13:22:52	1	1	1	1	59.75	61	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	40.625	2004
12.02.2020 13:22:52	1	1	1	1	59.75	61	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	40.625	2004
12.02.2020 13:22:52	1	1	1	1	59.75	61	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	40.625	2004
12.02.2020 13:22:53	1	1	1	1	59.75	60.5	0	28436.019	563.4408602	16022.06942	30000	0	0	30000	41.6875	2004
12.02.2020 13:22:54	1	1	1	1	59.75	61.5	0	28388.626	561.2903226	16022.06942	30000	0	0	30000	40.75	2004
12.02.2020 13:22:55	1	1	1	1	59.75	60.75	0	28436.019	563.4408602	16048.16134	30000	0	0	30000	41.6875	2004
12.02.2020 13:22:56	1	1	1	1	59.75	61.5	0	28341.232	561.2903226	15934.00919	30000	0	0	30000	40.8125	2004
12.02.2020 13:22:57	1	1	1	1	59.75	60.75	0	28530.806	565.5913978	16048.16134	30000	0	0	30000	41.875	2004
12.02.2020 13:22:58	1	1	1	1	59.75	61.75	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	41.625	2004
12.02.2020 13:22:59	1	1	1	1	59.75	61.5	0	28388.626	563.4408602	15995.16212	30000	0	0	30000	41.75	2004
12.02.2020 13:23:00	1	1	1	1	59.75	61.75	0	28341.232	561.2903226	15907.10189	30000	0	0	30000	41.625	2004
12.02.2020 13:23:01	1	1	1	1	59.75	61.5	0	28341.232	559.1397849	15934.00919	30000	0	0	30000	41.4375	2004
12.02.2020 13:23:02	1	1	1	1	59.75	61.25	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	41.625	2004
12.02.2020 13:23:03	1	1	1	1	59.75	61.5	0	28388.626	561.2903226	15934.00919	30000	0	0	30000	41.5	2004
12.02.2020 13:23:04	1	1	1	1	59.75	61.5	0	28483.412	565.5913978	16048.16134	30000	0	0	30000	41.5625	2004
12.02.2020 13:23:05	1	1	1	1	59.75	61.5	0	28436.019	559.1397849	15934.00919	30000	0	0	30000	41.625	2004
12.02.2020 13:23:06	1	1	1	1	59.75	61.5	0	28341.232	561.2903226	15995.16212	30000	0	0	30000	41.625	2004
12.02.2020 13:23:07	1	1	1	1	59.75	61.5	0	28199.052	552.688172	15854.10268	30000	0	0	30000	41.3125	2004
12.02.2020 13:23:08	1	1	1	1	59.25	61.25	0	28388.626	563.4408602	15960.91648	30000	0	0	30000	41.625	2004
12.02.2020 13:23:10	1	1	1	1	59.25	61.5	0	28578.199	563.4408602	16163.12886	30000	0	0	30000	41.8125	2004
12.02.2020 13:23:11	1	1	1	1	59.25	61.75	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	41.5625	2004
12.02.2020 13:23:12	1	1	1	1	59.25	61.5	0	28436.019	563.4408602	15960.91648	30000	0	0	30000	42	2004
12.02.2020 13:23:13	1	1	1	1	59.25	62	0	28199.052	559.1397849	15766.85783	30000	0	0	30000	41.1875	2004
12.02.2020 13:23:14	1	1	1	1	59.25	61.5	0	28436.019	563.4408602	16022.06942	30000	0	0	30000	41.5625	2004
12.02.2020 13:23:15	1	1	1	1	59.25	61.5	0	28388.626	563.4408602	15995.16212	30000	0	0	30000	41.5	2004
12.02.2020 13:23:16	1	1	1	1	59.25	61.5	0	28341.232	561.2903226	15934.00919	30000	0	0	30000	40.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 13:23:17	1	1	1	1	59.25	60.5	0	28436.019	561.2903226	15987.0084	30000	0	0	30000	41.0625	2004
12.02.2020 13:23:18	1	1	1	1	59.75	61	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	41.75	2004
12.02.2020 13:23:19	1	1	1	1	59.75	61.75	0	28341.232	561.2903226	15995.16212	30000	0	0	30000	41.0625	2004
12.02.2020 13:23:20	1	1	1	1	59.75	61	0	28436.019	559.1397849	15960.91648	30000	0	0	30000	41.6875	2004
12.02.2020 13:23:21	1	1	1	1	59.75	61.5	0	28483.412	565.5913978	16048.16134	30000	0	0	30000	41.5625	2004
12.02.2020 13:23:22	1	1	1	1	59.75	61.5	0	28578.199	561.2903226	16101.97592	30000	0	0	30000	41.1875	2004
12.02.2020 13:23:25	1	1	1	1	59.75	61.5	0	28199.052	561.2903226	15827.19539	30000	0	0	30000	41.6875	2004
12.02.2020 13:23:25	1	1	1	1	59.75	61.5	0	28199.052	561.2903226	15827.19539	30000	0	0	30000	41.6875	2004
12.02.2020 13:23:25	1	1	1	1	59.75	61.5	0	28199.052	561.2903226	15827.19539	30000	0	0	30000	41.6875	2004
12.02.2020 13:23:26	1	1	1	1	59.75	61.5	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	41.4375	2004
12.02.2020 13:23:27	1	1	1	1	59.75	61.25	0	28578.199	563.4408602	16040.00761	30000	0	0	30000	41.4375	2004
12.02.2020 13:23:28	1	1	1	1	60	61.25	0	28436.019	561.2903226	16022.06942	30000	0	0	30000	41.5625	2004
12.02.2020 13:23:29	1	1	1	1	60	61.5	0	28388.626	559.1397849	15934.00919	30000	0	0	30000	41.5	2004
12.02.2020 13:23:30	1	1	1	1	60	61.5	0	28578.199	563.4408602	16163.12886	30000	0	0	30000	41.5625	2004
12.02.2020 13:23:31	1	1	1	1	60	61.5	0	28625.592	563.4408602	16075.06863	30000	0	0	30000	41.25	2004
12.02.2020 13:23:32	1	1	1	1	60	61.25	0	28483.412	563.4408602	15987.0084	30000	0	0	30000	41.5	2004
12.02.2020 13:23:33	1	1	1	1	60	61.5	0	28436.019	563.4408602	15995.16212	30000	0	0	30000	41.25	2004
12.02.2020 13:23:34	1	1	1	1	60	61.25	0	28530.806	563.4408602	16101.97592	30000	0	0	30000	41.25	2004
12.02.2020 13:23:35	1	1	1	1	60	61.25	0	28483.412	561.2903226	16101.97592	30000	0	0	30000	41.4375	2004
12.02.2020 13:23:36	1	1	1	1	60	61.25	0	28341.232	561.2903226	15934.00919	30000	0	0	30000	41.3125	2004
12.02.2020 13:23:37	1	1	1	1	60	61.25	0	28341.232	563.4408602	15968.25483	30000	0	0	30000	41.625	2004
12.02.2020 13:23:38	1	1	1	1	59.25	61.5	0	28341.232	567.7419355	15827.19539	30000	0	0	30000	41.5625	2004
12.02.2020 13:23:39	1	1	1	1	59.25	61.5	0	28388.626	561.2903226	16083.22235	30000	0	0	30000	41.6875	2004
12.02.2020 13:23:40	1	1	1	1	59.25	61.5	0	28388.626	561.2903226	15934.00919	30000	0	0	30000	41.5625	2004
12.02.2020 13:23:41	1	1	1	1	59.25	61.5	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	41.6875	2004
12.02.2020 13:23:42	1	1	1	1	59.25	61.5	0	28341.232	563.4408602	15968.25483	30000	0	0	30000	41.5625	2004
12.02.2020 13:23:43	1	1	1	1	59.25	61.5	0	28436.019	569.8924731	16083.22235	30000	0	0	30000	41.75	2004
12.02.2020 13:23:44	1	1	1	1	59.25	61.75	0	28341.232	563.4408602	15819.85704	30000	0	0	30000	41.6875	2004
12.02.2020 13:23:45	1	1	1	1	59.25	61.5	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	41.5	2004
12.02.2020 13:23:46	1	1	1	1	59.25	61.5	0	28436.019	561.2903226	16022.06942	30000	0	0	30000	41.4375	2004
12.02.2020 13:23:54	1	1	1	1	59.75	61.75	0	28436.019	561.2903226	15811.70331	30000	0	0	30000	41.5625	2004
12.02.2020 13:23:54	1	1	1	1	59.75	61.75	0	28436.019	561.2903226	15811.70331	30000	0	0	30000	41.5625	2004
12.02.2020 13:23:54	1	1	1	1	59.75	61.75	0	28436.019	561.2903226	15811.70331	30000	0	0	30000	41.5625	2004
12.02.2020 13:23:54	1	1	1	1	59.75	61.75	0	28436.019	561.2903226	15811.70331	30000	0	0	30000	41.5625	2004
12.02.2020 13:23:54	1	1	1	1	59.75	61.75	0	28436.019	561.2903226	15811.70331	30000	0	0	30000	41.5625	2004
12.02.2020 13:23:54	1	1	1	1	59.75	61.75	0	28436.019	561.2903226	15811.70331	30000	0	0	30000	41.5625	2004
12.02.2020 13:23:54	1	1	1	1	59.75	61.75	0	28436.019	561.2903226	15811.70331	30000	0	0	30000	41.5625	2004
12.02.2020 13:23:55	1	1	1	1	59.75	61.5	0	28436.019	563.4408602	16083.22235	30000	0	0	30000	40.6875	2004
12.02.2020 13:23:56	1	1	1	1	59.75	60.5	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	41.4375	2004
12.02.2020 13:23:57	1	1	1	1	59.75	61.25	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	41.5625	2004
12.02.2020 13:23:58	1	1	1	1	59.75	61.5	0	28388.626	561.2903226	15995.16212	30000	0	0	30000	41.5625	2004
12.02.2020 13:23:59	1	1	1	1	59.75	61.5	0	28436.019	563.4408602	15960.91648	30000	0	0	30000	41.125	2004
12.02.2020 13:24:00	1	1	1	1	59.75	61	0	28293.839	561.2903226	15881.00997	30000	0	0	30000	41.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 13:24:01	1	1	1	1	59.75	61.5	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	41.4375	2004
12.02.2020 13:24:02	1	1	1	1	59.75	61.25	0	28436.019	561.2903226	15934.00919	30000	0	0	30000	41.5625	2004
12.02.2020 13:24:03	1	1	1	1	59.75	61.5	0	28199.052	561.2903226	15827.19539	30000	0	0	30000	41.1875	2004
12.02.2020 13:24:04	1	1	1	1	59.75	61	0	28436.019	561.2903226	15987.0084	30000	0	0	30000	41.4375	2004
12.02.2020 13:24:05	1	1	1	1	59.75	61.25	0	28483.412	563.4408602	15987.0084	30000	0	0	30000	41.3125	2004
12.02.2020 13:24:06	1	1	1	1	59.75	61.25	0	28483.412	556.9892473	16048.16134	30000	0	0	30000	41	2004
12.02.2020 13:24:07	1	1	1	1	59.75	61	0	28578.199	565.5913978	16109.31427	30000	0	0	30000	41.5625	2004
12.02.2020 13:24:08	1	1	1	1	59.75	61.5	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	41.375	2004
12.02.2020 13:24:09	1	1	1	1	59.75	61.25	0	28483.412	563.4408602	16109.31427	30000	0	0	30000	41.5625	2004
12.02.2020 13:24:10	1	1	1	1	59.75	61.5	0	28483.412	563.4408602	15987.0084	30000	0	0	30000	41.375	2004
12.02.2020 13:24:11	1	1	1	1	59.75	61.25	0	28388.626	563.4408602	15785.61139	30000	0	0	30000	41.25	2004
12.02.2020 13:24:12	1	1	1	1	59.75	61.25	0	28388.626	559.1397849	15872.85625	30000	0	0	30000	41.5625	2004
12.02.2020 13:24:13	1	1	1	1	59.75	61.5	0	28530.806	565.5913978	16163.12886	30000	0	0	30000	41.75	2004
12.02.2020 13:24:14	1	1	1	1	59.75	61.75	0	28341.232	563.4408602	15907.10189	30000	0	0	30000	41.1875	2004
12.02.2020 13:24:15	1	1	1	1	59.75	61	0	28388.626	561.2903226	15934.00919	30000	0	0	30000	41.625	2004
12.02.2020 13:24:16	1	1	1	1	59.75	61.5	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	41.125	2004
12.02.2020 13:24:17	1	1	1	1	59.75	61	0	28436.019	561.2903226	15934.00919	30000	0	0	30000	41.5625	2004
12.02.2020 13:24:18	1	1	1	1	60.25	61.5	0	28388.626	563.4408602	16056.31506	30000	0	0	30000	41.625	2004
12.02.2020 13:24:19	1	1	1	1	60.25	61.5	0	28530.806	565.5913978	16101.97592	30000	0	0	30000	41.5625	2004
12.02.2020 13:24:20	1	1	1	1	60.25	61.5	0	28578.199	559.1397849	16040.00761	30000	0	0	30000	41.5	2004
12.02.2020 13:24:21	1	1	1	1	60.25	61.5	0	28341.232	563.4408602	16056.31506	30000	0	0	30000	41.625	2004
12.02.2020 13:24:22	1	1	1	1	60.25	61.5	0	28388.626	559.1397849	15960.91648	30000	0	0	30000	41.25	2004
12.02.2020 13:24:23	1	1	1	1	60.25	61.25	0	28293.839	561.2903226	15907.10189	30000	0	0	30000	41.3125	2004
12.02.2020 13:24:24	1	1	1	1	60.25	61.25	0	28436.019	561.2903226	15987.0084	30000	0	0	30000	41.1875	2004
12.02.2020 13:24:25	1	1	1	1	60.25	61	0	28483.412	567.7419355	16109.31427	30000	0	0	30000	41	2004
12.02.2020 13:24:27	1	1	1	1	60.25	61	0	28199.052	563.4408602	15827.19539	30000	0	0	30000	40.75	2004
12.02.2020 13:24:28	1	1	1	1	60.25	60.75	0	28388.626	561.2903226	15934.00919	30000	0	0	30000	41.5625	2004
12.02.2020 13:24:29	1	1	1	1	59.75	61.5	0	28388.626	561.2903226	15934.00919	30000	0	0	30000	41.375	2004
12.02.2020 13:24:30	1	1	1	1	59.75	61.25	0	28293.839	563.4408602	15907.10189	30000	0	0	30000	41.75	2004
12.02.2020 13:24:31	1	1	1	1	59.75	61.5	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	41.625	2004
12.02.2020 13:24:32	1	1	1	1	59.75	61.5	0	28388.626	561.2903226	15995.16212	30000	0	0	30000	41.4375	2004
12.02.2020 13:24:33	1	1	1	1	59.75	61.25	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	41.75	2004
12.02.2020 13:24:34	1	1	1	1	59.75	61.75	0	28436.019	561.2903226	15987.0084	30000	0	0	30000	41.4375	2004
12.02.2020 13:24:35	1	1	1	1	59.75	61.25	0	28293.839	561.2903226	16002.50048	30000	0	0	30000	41.5	2004
12.02.2020 13:24:36	1	1	1	1	59.75	61.5	0	28293.839	565.5913978	16002.50048	30000	0	0	30000	41.5	2004
12.02.2020 13:24:37	1	1	1	1	59.75	61.5	0	28388.626	563.4408602	15934.00919	30000	0	0	30000	41.375	2004
12.02.2020 13:24:38	1	1	1	1	60	61.25	0	28578.199	563.4408602	16190.03615	30000	0	0	30000	41.4375	2004
12.02.2020 13:24:39	1	1	1	1	60	61.25	0	28293.839	556.9892473	15881.00997	30000	0	0	30000	41.5	2004
12.02.2020 13:24:40	1	1	1	1	60	61.5	0	28293.839	559.1397849	15819.85704	30000	0	0	30000	41.4375	2004
12.02.2020 13:24:41	1	1	1	1	60	61.25	0	28436.019	561.2903226	16022.06942	30000	0	0	30000	41.4375	2004
12.02.2020 13:24:42	1	1	1	1	60	61.25	0	28388.626	559.1397849	15960.91648	30000	0	0	30000	41.125	2004
12.02.2020 13:24:43	1	1	1	1	60	61	0	28388.626	563.4408602	16083.22235	30000	0	0	30000	41.5	2004
12.02.2020 13:24:44	1	1	1	1	60	61.5	0	28436.019	563.4408602	16083.22235	30000	0	0	30000	41	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 13:24:45	1	1	1	1	60	61	0	28483.412	565.5913978	16109.31427	30000	0	0	30000	41.125	2004
12.02.2020 13:24:46	1	1	1	1	60	61	0	28293.839	559.1397849	15819.85704	30000	0	0	30000	41.3125	2004
12.02.2020 13:24:47	1	1	1	1	60	61.25	0	28388.626	563.4408602	16083.22235	30000	0	0	30000	41.5	2004
12.02.2020 13:24:48	1	1	1	1	59.5	61.5	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	41.5625	2004
12.02.2020 13:24:55	1	1	1	1	59.5	60.75	0	28483.412	559.1397849	15960.91648	30000	0	0	30000	41.625	2004
12.02.2020 13:24:55	1	1	1	1	59.5	60.75	0	28483.412	559.1397849	15960.91648	30000	0	0	30000	41.625	2004
12.02.2020 13:24:55	1	1	1	1	59.5	60.75	0	28483.412	559.1397849	15960.91648	30000	0	0	30000	41.625	2004
12.02.2020 13:24:55	1	1	1	1	59.5	60.75	0	28483.412	559.1397849	15960.91648	30000	0	0	30000	41.625	2004
12.02.2020 13:24:56	1	1	1	1	59.5	60.75	0	28483.412	559.1397849	15960.91648	30000	0	0	30000	41.625	2004
12.02.2020 13:24:56	1	1	1	1	59.5	60.75	0	28483.412	559.1397849	15960.91648	30000	0	0	30000	41.625	2004
12.02.2020 13:24:56	1	1	1	1	59.5	61.5	0	28388.626	563.4408602	15934.00919	30000	0	0	30000	40.8125	2004
12.02.2020 13:24:57	1	1	1	1	59.5	60.75	0	28483.412	561.2903226	16109.31427	30000	0	0	30000	41.6875	2004
12.02.2020 13:24:58	1	1	1	1	59.75	61.5	0	28436.019	563.4408602	16022.06942	30000	0	0	30000	41.75	2004
12.02.2020 13:24:59	1	1	1	1	59.75	61.75	0	28436.019	563.4408602	15934.00919	30000	0	0	30000	41.625	2004
12.02.2020 13:25:00	1	1	1	1	59.75	61.5	0	28436.019	565.5913978	16083.22235	30000	0	0	30000	41.625	2004
12.02.2020 13:25:01	1	1	1	1	59.75	61.5	0	28199.052	563.4408602	15827.19539	30000	0	0	30000	41.625	2004
12.02.2020 13:25:02	1	1	1	1	59.75	61.5	0	28578.199	565.5913978	16190.03615	30000	0	0	30000	41.75	2004
12.02.2020 13:25:03	1	1	1	1	59.75	61.75	0	28388.626	561.2903226	16022.06942	30000	0	0	30000	41.3125	2004
12.02.2020 13:25:04	1	1	1	1	59.75	61.25	0	28199.052	563.4408602	15907.10189	30000	0	0	30000	41.4375	2004
12.02.2020 13:25:06	1	1	1	1	59.75	61.25	0	28388.626	561.2903226	15907.10189	30000	0	0	30000	41.4375	2004
12.02.2020 13:25:07	1	1	1	1	59.75	61.25	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	41.375	2004
12.02.2020 13:25:08	1	1	1	1	59.75	61.25	0	28293.839	552.688172	15881.00997	30000	0	0	30000	41.25	2004
12.02.2020 13:25:09	1	1	1	1	60	61.25	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	41.3125	2004
12.02.2020 13:25:10	1	1	1	1	60	61.25	0	28293.839	563.4408602	16063.65341	30000	0	0	30000	41.4375	2004
12.02.2020 13:25:11	1	1	1	1	60	61.25	0	28341.232	563.4408602	15995.16212	30000	0	0	30000	41.5625	2004
12.02.2020 13:25:12	1	1	1	1	60	61.5	0	28483.412	565.5913978	16048.16134	30000	0	0	30000	41	2004
12.02.2020 13:25:13	1	1	1	1	60	61	0	28483.412	563.4408602	16109.31427	30000	0	0	30000	41.3125	2004
12.02.2020 13:25:14	1	1	1	1	60	61.25	0	28341.232	563.4408602	15995.16212	30000	0	0	30000	41.4375	2004
12.02.2020 13:25:15	1	1	1	1	60	61.25	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	41.5625	2004
12.02.2020 13:25:16	1	1	1	1	60	61.5	0	28436.019	563.4408602	16083.22235	30000	0	0	30000	41.6875	2004
12.02.2020 13:25:17	1	1	1	1	60	61.5	0	28199.052	559.1397849	15827.19539	30000	0	0	30000	41.5	2004
12.02.2020 13:25:18	1	1	1	1	60	61.5	0	28199.052	554.8387097	15827.19539	30000	0	0	30000	41.375	2004
12.02.2020 13:25:19	1	1	1	1	60	61.25	0	28341.232	554.8387097	16083.22235	30000	0	0	30000	41.4375	2004
12.02.2020 13:25:20	1	1	1	1	60	61.25	0	28436.019	563.4408602	16022.06942	30000	0	0	30000	41.375	2004
12.02.2020 13:25:21	1	1	1	1	60	61.25	0	28483.412	563.4408602	16109.31427	30000	0	0	30000	41	2004
12.02.2020 13:25:22	1	1	1	1	60	61	0	28341.232	567.7419355	15827.19539	30000	0	0	30000	41.625	2004
12.02.2020 13:25:23	1	1	1	1	60	61.5	0	28388.626	563.4408602	15907.10189	30000	0	0	30000	41.5	2004
12.02.2020 13:25:24	1	1	1	1	60	61.5	0	28483.412	565.5913978	15899.76354	30000	0	0	30000	41	2004
12.02.2020 13:25:25	1	1	1	1	60	61	0	28483.412	561.2903226	15925.85546	30000	0	0	30000	41.4375	2004
12.02.2020 13:25:26	1	1	1	1	60	61.25	0	28293.839	563.4408602	15766.85783	30000	0	0	30000	41.5625	2004
12.02.2020 13:25:27	1	1	1	1	60	61.5	0	28341.232	563.4408602	15968.25483	30000	0	0	30000	41.5	2004
12.02.2020 13:25:28	1	1	1	1	59.5	61.5	0	28341.232	563.4408602	15995.16212	30000	0	0	30000	41.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 13:25:29	1	1	1	1	59.5	61.5	0	28530.806	565.5913978	16163.12886	30000	0	0	30000	41.3125	2004
12.02.2020 13:25:30	1	1	1	1	59.5	61.25	0	28341.232	563.4408602	15968.25483	30000	0	0	30000	41.5625	2004
12.02.2020 13:25:31	1	1	1	1	59.5	61.5	0	28483.412	569.8924731	16109.31427	30000	0	0	30000	41.5625	2004
12.02.2020 13:25:32	1	1	1	1	59.5	61.5	0	28483.412	565.5913978	16109.31427	30000	0	0	30000	41.6875	2004
12.02.2020 13:25:33	1	1	1	1	59.5	61.5	0	28341.232	561.2903226	15934.00919	30000	0	0	30000	41.6875	2004
12.02.2020 13:25:34	1	1	1	1	59.5	61.5	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	41.625	2004
12.02.2020 13:25:35	1	1	1	1	59.5	61.5	0	28388.626	563.4408602	15968.25483	30000	0	0	30000	41.375	2004
12.02.2020 13:25:36	1	1	1	1	59.5	61.25	0	28436.019	561.2903226	16022.06942	30000	0	0	30000	41.5625	2004
12.02.2020 13:25:37	1	1	1	1	59.5	61.5	0	28483.412	563.4408602	16109.31427	30000	0	0	30000	41.5625	2004
12.02.2020 13:25:38	1	1	1	1	60	61.5	0	28341.232	561.2903226	15907.10189	30000	0	0	30000	41.4375	2004
12.02.2020 13:25:39	1	1	1	1	60	61.25	0	28578.199	563.4408602	16163.12886	30000	0	0	30000	41.5625	2004
12.02.2020 13:25:40	1	1	1	1	60	61.5	0	28436.019	561.2903226	15987.0084	30000	0	0	30000	41.5625	2004
12.02.2020 13:25:41	1	1	1	1	60	61.5	0	28436.019	563.4408602	15811.70331	30000	0	0	30000	41.4375	2004
12.02.2020 13:25:42	1	1	1	1	60	61.25	0	28436.019	563.4408602	16083.22235	30000	0	0	30000	41.0625	2004
12.02.2020 13:25:44	1	1	1	1	60	61	0	28341.232	563.4408602	15934.00919	30000	0	0	30000	41.3125	2004
12.02.2020 13:25:45	1	1	1	1	60	61.25	0	28436.019	563.4408602	16109.31427	30000	0	0	30000	41.25	2004
12.02.2020 13:25:46	1	1	1	1	60	61.25	0	28341.232	563.4408602	15907.10189	30000	0	0	30000	41.4375	2004
12.02.2020 13:25:47	1	1	1	1	60	61.25	0	28199.052	561.2903226	15827.19539	30000	0	0	30000	41.0625	2004
12.02.2020 13:25:48	1	1	1	1	59.5	61.5	0	28815.166	561.2903226	16173.7287	30000	0	0	30000	41.5625	2004
12.02.2020 13:25:49	1	1	1	1	59.5	61.5	0	28578.199	565.5913978	16075.06863	30000	0	0	30000	41.0625	2004
12.02.2020 13:25:50	1	1	1	1	59.5	61	0	28483.412	563.4408602	15987.0084	30000	0	0	30000	41	2004
12.02.2020 13:25:57	1	1	1	1	59.5	61.5	0	28483.412	565.5913978	16101.97592	30000	0	0	30000	41.1875	2004
12.02.2020 13:25:57	1	1	1	1	59.5	61.5	0	28483.412	565.5913978	16101.97592	30000	0	0	30000	41.1875	2004
12.02.2020 13:25:57	1	1	1	1	59.5	61.5	0	28483.412	565.5913978	16101.97592	30000	0	0	30000	41.1875	2004
12.02.2020 13:25:57	1	1	1	1	59.5	61.5	0	28483.412	565.5913978	16101.97592	30000	0	0	30000	41.1875	2004
12.02.2020 13:25:57	1	1	1	1	59.5	61.5	0	28483.412	565.5913978	16101.97592	30000	0	0	30000	41.1875	2004
12.02.2020 13:25:57	1	1	1	1	59.5	61.5	0	28483.412	565.5913978	16101.97592	30000	0	0	30000	41.1875	2004
12.02.2020 13:25:57	1	1	1	1	59.5	61.5	0	28483.412	565.5913978	16101.97592	30000	0	0	30000	41.1875	2004
12.02.2020 13:25:58	1	1	1	1	59.5	61	0	28530.806	561.2903226	15987.0084	30000	0	0	30000	41.375	2004
12.02.2020 13:25:59	1	1	1	1	59.5	61.25	0	28436.019	556.9892473	16048.16134	30000	0	0	30000	41.4375	2004
12.02.2020 13:26:00	1	1	1	1	59.5	61.25	0	28815.166	563.4408602	16297.66532	30000	0	0	30000	41.4375	2004
12.02.2020 13:26:01	1	1	1	1	59.5	61.25	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	41.5	2004
12.02.2020 13:26:02	1	1	1	1	59.5	61.5	0	28436.019	561.2903226	15987.0084	30000	0	0	30000	41.375	2004
12.02.2020 13:26:03	1	1	1	1	59.5	61.25	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	41.4375	2004
12.02.2020 13:26:04	1	1	1	1	59.5	61.25	0	28483.412	563.4408602	15987.0084	30000	0	0	30000	41.5	2004
12.02.2020 13:26:05	1	1	1	1	59.5	61.5	0	28672.986	563.4408602	16128.88321	30000	0	0	30000	41.5	2004
12.02.2020 13:26:06	1	1	1	1	59.5	61.5	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	41.75	2004
12.02.2020 13:26:07	1	1	1	1	59.5	61.75	0	28436.019	563.4408602	16083.22235	30000	0	0	30000	41.75	2004
12.02.2020 13:26:08	1	1	1	1	59.75	61.75	0	28388.626	563.4408602	16083.22235	30000	0	0	30000	41.5	2004
12.02.2020 13:26:09	1	1	1	1	59.75	61.5	0	28388.626	556.9892473	16022.06942	30000	0	0	30000	41.3125	2004
12.02.2020 13:26:10	1	1	1	1	59.75	61.25	0	28578.199	563.4408602	16163.12886	30000	0	0	30000	41.25	2004
12.02.2020 13:26:11	1	1	1	1	59.75	61.25	0	28388.626	563.4408602	15995.16212	30000	0	0	30000	41.375	2004
12.02.2020 13:26:12	1	1	1	1	59.75	61.25	0	28388.626	563.4408602	15995.16212	30000	0	0	30000	41.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 13:26:13	1	1	1	1	59.75	61.5	0	28341.232	561.2903226	15907.10189	30000	0	0	30000	41.4375	2004
12.02.2020 13:26:14	1	1	1	1	59.75	61.25	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	41.375	2004
12.02.2020 13:26:15	1	1	1	1	59.75	61.25	0	28436.019	561.2903226	15987.0084	30000	0	0	30000	41.0625	2004
12.02.2020 13:26:16	1	1	1	1	59.75	61	0	28483.412	561.2903226	16109.31427	30000	0	0	30000	41.4375	2004
12.02.2020 13:26:17	1	1	1	1	59.75	61.25	0	28388.626	559.1397849	15872.85625	30000	0	0	30000	41.4375	2004
12.02.2020 13:26:18	1	1	1	1	59.75	61.25	0	28483.412	563.4408602	16109.31427	30000	0	0	30000	41.5	2004
12.02.2020 13:26:19	1	1	1	1	59.75	61.5	0	28293.839	561.2903226	15766.85783	30000	0	0	30000	41.0625	2004
12.02.2020 13:26:20	1	1	1	1	59.75	61	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	41.0625	2004
12.02.2020 13:26:22	1	1	1	1	59.75	61	0	28341.232	559.1397849	15881.00997	30000	0	0	30000	41.5625	2004
12.02.2020 13:26:23	1	1	1	1	59.75	61.5	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	41.125	2004
12.02.2020 13:26:24	1	1	1	1	59.75	61	0	28436.019	561.2903226	15934.00919	30000	0	0	30000	41.625	2004
12.02.2020 13:26:25	1	1	1	1	59.75	61.5	0	28436.019	561.2903226	15987.0084	30000	0	0	30000	41.25	2004
12.02.2020 13:26:26	1	1	1	1	59.75	61.25	0	28341.232	563.4408602	15819.85704	30000	0	0	30000	41.3125	2004
12.02.2020 13:26:27	1	1	1	1	59.75	61.25	0	28625.592	569.8924731	15917.70174	30000	0	0	30000	41.5625	2004
12.02.2020 13:26:28	1	1	1	1	59.5	61.5	0	28388.626	561.2903226	15934.00919	30000	0	0	30000	41.6875	2004
12.02.2020 13:26:29	1	1	1	1	59.5	61.5	0	28483.412	563.4408602	16109.31427	30000	0	0	30000	41.5	2004
12.02.2020 13:26:30	1	1	1	1	59.5	61.5	0	28625.592	565.5913978	16163.12886	30000	0	0	30000	41.625	2004
12.02.2020 13:26:31	1	1	1	1	59.5	61.5	0	28483.412	563.4408602	16232.43552	30000	0	0	30000	41.4375	2004
12.02.2020 13:26:32	1	1	1	1	59.5	61.25	0	28341.232	561.2903226	15907.10189	30000	0	0	30000	41.5625	2004
12.02.2020 13:26:33	1	1	1	1	59.5	61.5	0	28436.019	561.2903226	15811.70331	30000	0	0	30000	41.5625	2004
12.02.2020 13:26:34	1	1	1	1	59.5	61.5	0	28341.232	559.1397849	15907.10189	30000	0	0	30000	41.5	2004
12.02.2020 13:26:35	1	1	1	1	59.5	61.5	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	41.375	2004
12.02.2020 13:26:36	1	1	1	1	59.5	61.25	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	41.5625	2004
12.02.2020 13:26:37	1	1	1	1	59.5	61.5	0	28341.232	561.2903226	15968.25483	30000	0	0	30000	41.3125	2004
12.02.2020 13:26:38	1	1	1	1	59.75	61.25	0	28388.626	565.5913978	16083.22235	30000	0	0	30000	40.5625	2004
12.02.2020 13:26:39	1	1	1	1	59.75	60.5	0	28436.019	559.1397849	16022.06942	30000	0	0	30000	41.5	2004
12.02.2020 13:26:40	1	1	1	1	59.75	61.5	0	28483.412	561.2903226	16048.16134	30000	0	0	30000	41.5625	2004
12.02.2020 13:26:41	1	1	1	1	59.75	61.5	0	28388.626	561.2903226	15934.00919	30000	0	0	30000	41.0625	2004
12.02.2020 13:26:42	1	1	1	1	59.75	61	0	28483.412	563.4408602	16109.31427	30000	0	0	30000	41.5625	2004
12.02.2020 13:26:43	1	1	1	1	59.75	61.5	0	28578.199	563.4408602	16163.12886	30000	0	0	30000	41.5625	2004
12.02.2020 13:26:44	1	1	1	1	59.75	61.5	0	28436.019	563.4408602	16022.06942	30000	0	0	30000	41.75	2004
12.02.2020 13:26:45	1	1	1	1	59.75	61.75	0	28436.019	563.4408602	15934.00919	30000	0	0	30000	41.1875	2004
12.02.2020 13:26:46	1	1	1	1	59.75	61	0	28436.019	563.4408602	16022.06942	30000	0	0	30000	41.5625	2004
12.02.2020 13:26:47	1	1	1	1	59.75	61.5	0	28436.019	563.4408602	15960.91648	30000	0	0	30000	41.1875	2004
12.02.2020 13:26:48	1	1	1	1	59.75	61	0	28578.199	563.4408602	16163.12886	30000	0	0	30000	41.5	2004
12.02.2020 13:26:49	1	1	1	1	59.75	61.5	0	28578.199	565.5913978	16101.97592	30000	0	0	30000	41.5625	2004
12.02.2020 13:26:50	1	1	1	1	59.75	61.5	0	28293.839	559.1397849	15758.7041	30000	0	0	30000	41.1875	2004
12.02.2020 13:26:51	1	1	1	1	59.75	61	0	28436.019	563.4408602	16083.22235	30000	0	0	30000	41.4375	2004
12.02.2020 13:26:59	1	1	1	1	59.5	61.25	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	41.625	2004
12.02.2020 13:26:59	1	1	1	1	59.5	61.25	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	41.625	2004
12.02.2020 13:26:59	1	1	1	1	59.5	61.25	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	41.625	2004
12.02.2020 13:26:59	1	1	1	1	59.5	61.25	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	41.625	2004
12.02.2020 13:26:59	1	1	1	1	59.5	61.25	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	41.625	2004
12.02.2020 13:26:59	1	1	1	1	59.5	61.25	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	41.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 13:26:59	1	1	1	1	59.5	61.25	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	41.625	2004
12.02.2020 13:26:59	1	1	1	1	59.5	61.25	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	41.625	2004
12.02.2020 13:26:59	1	1	1	1	59.5	61.5	0	28293.839	561.2903226	15881.00997	30000	0	0	30000	41.25	2004
12.02.2020 13:27:01	1	1	1	1	59.5	61.25	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	41.4375	2004
12.02.2020 13:27:02	1	1	1	1	59.5	61.25	0	28341.232	561.2903226	16022.06942	30000	0	0	30000	41	2004
12.02.2020 13:27:03	1	1	1	1	59.5	61	0	28625.592	565.5913978	16163.12886	30000	0	0	30000	41.625	2004
12.02.2020 13:27:04	1	1	1	1	59.5	61.5	0	28199.052	561.2903226	15827.19539	30000	0	0	30000	41.1875	2004
12.02.2020 13:27:05	1	1	1	1	59.5	61	0	28436.019	556.9892473	15960.91648	30000	0	0	30000	40.8125	2004
12.02.2020 13:27:06	1	1	1	1	59.5	61.5	0	28436.019	563.4408602	15934.00919	30000	0	0	30000	41.5	2004
12.02.2020 13:27:07	1	1	1	1	59.5	61.5	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	41.5	2004
12.02.2020 13:27:08	1	1	1	1	60	61.5	0	28578.199	567.7419355	16163.12886	30000	0	0	30000	41.6875	2004
12.02.2020 13:27:09	1	1	1	1	60	61.5	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	41.5625	2004
12.02.2020 13:27:10	1	1	1	1	60	61.5	0	28625.592	565.5913978	16163.12886	30000	0	0	30000	41.3125	2004
12.02.2020 13:27:11	1	1	1	1	60	61.25	0	28388.626	563.4408602	15724.45846	30000	0	0	30000	41.5625	2004
12.02.2020 13:27:12	1	1	1	1	60	61.5	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	41.25	2004
12.02.2020 13:27:13	1	1	1	1	60	61.25	0	28436.019	559.1397849	15987.0084	30000	0	0	30000	41.3125	2004
12.02.2020 13:27:14	1	1	1	1	60	61.25	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	41.375	2004
12.02.2020 13:27:15	1	1	1	1	60	61.25	0	28578.199	563.4408602	16040.00761	30000	0	0	30000	41.3125	2004
12.02.2020 13:27:16	1	1	1	1	60	61.25	0	28388.626	559.1397849	15960.91648	30000	0	0	30000	41.1875	2004
12.02.2020 13:27:17	1	1	1	1	60	61	0	28578.199	563.4408602	16163.12886	30000	0	0	30000	40.9375	2004
12.02.2020 13:27:18	1	1	1	1	59.25	60.75	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	41.4375	2004
12.02.2020 13:27:19	1	1	1	1	59.25	61.25	0	28199.052	563.4408602	15948.68589	30000	0	0	30000	41.625	2004
12.02.2020 13:27:20	1	1	1	1	59.25	61.5	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	41.4375	2004
12.02.2020 13:27:21	1	1	1	1	59.25	61.25	0	28341.232	563.4408602	15995.16212	30000	0	0	30000	41.0625	2004
12.02.2020 13:27:22	1	1	1	1	59.25	61	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	41.6875	2004
12.02.2020 13:27:23	1	1	1	1	59.25	61.5	0	28625.592	565.5913978	16190.03615	30000	0	0	30000	41.5625	2004
12.02.2020 13:27:24	1	1	1	1	59.25	61.5	0	28009.479	559.1397849	15827.19539	30000	0	0	30000	41.5625	2004
12.02.2020 13:27:25	1	1	1	1	59.25	61.5	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	41.0625	2004
12.02.2020 13:27:26	1	1	1	1	59.25	61	0	28578.199	561.2903226	16101.97592	30000	0	0	30000	41.1875	2004
12.02.2020 13:27:27	1	1	1	1	59.25	61	0	28436.019	565.5913978	16083.22235	30000	0	0	30000	41.375	2004
12.02.2020 13:27:28	1	1	1	1	59	61.25	0	28436.019	563.4408602	16048.16134	30000	0	0	30000	41.4375	2004
12.02.2020 13:27:29	1	1	1	1	59	61.25	0	28388.626	561.2903226	15960.91648	30000	0	0	30000	41.5625	2004
12.02.2020 13:27:30	1	1	1	1	59	61.5	0	28578.199	563.4408602	16013.91569	30000	0	0	30000	41.4375	2004
12.02.2020 13:27:31	1	1	1	1	59	61.25	0	28341.232	559.1397849	15881.00997	30000	0	0	30000	41.1875	2004
12.02.2020 13:27:32	1	1	1	1	59	61	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	41.5	2004
12.02.2020 13:27:33	1	1	1	1	59	61.5	0	28436.019	561.2903226	16022.06942	30000	0	0	30000	41.5625	2004
12.02.2020 13:27:34	1	1	1	1	59	61.5	0	28483.412	563.4408602	15864.70252	30000	0	0	30000	41.5625	2004
12.02.2020 13:27:35	1	1	1	1	59	61.5	0	28436.019	563.4408602	16048.16134	30000	0	0	30000	40.75	2004
12.02.2020 13:27:36	1	1	1	1	59	60.75	0	28483.412	565.5913978	16109.31427	30000	0	0	30000	41.5625	2004
12.02.2020 13:27:37	1	1	1	1	59	61.5	0	28436.019	563.4408602	16022.06942	30000	0	0	30000	41.4375	2004
12.02.2020 13:27:38	1	1	1	1	59.5	61.25	0	28436.019	567.7419355	16056.31506	30000	0	0	30000	41.625	2004
12.02.2020 13:27:40	1	1	1	1	59.5	61.5	0	28436.019	563.4408602	15811.70331	30000	0	0	30000	41.3125	2004
12.02.2020 13:27:41	1	1	1	1	59.5	61.25	0	28436.019	563.4408602	16022.06942	30000	0	0	30000	41.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 13:27:42	1	1	1	1	59.5	61.5	0	28483.412	563.4408602	16109.31427	30000	0	0	30000	41.875	2004
12.02.2020 13:27:43	1	1	1	1	59.5	61.75	0	28388.626	563.4408602	15995.16212	30000	0	0	30000	41.4375	2004
12.02.2020 13:27:44	1	1	1	1	59.5	61.5	0	28388.626	561.2903226	15934.00919	30000	0	0	30000	41.625	2004
12.02.2020 13:27:45	1	1	1	1	59.5	61.5	0	28436.019	561.2903226	16048.16134	30000	0	0	30000	41.4375	2004
12.02.2020 13:27:46	1	1	1	1	59.5	61.25	0	28530.806	563.4408602	16048.16134	30000	0	0	30000	41.5625	2004
12.02.2020 13:27:47	1	1	1	1	59.5	61.5	0	28388.626	561.2903226	15934.00919	30000	0	0	30000	41.6875	2004
12.02.2020 13:27:48	1	1	1	1	59.75	61.5	0	28388.626	561.2903226	15995.16212	30000	0	0	30000	41.1875	2004
12.02.2020 13:27:49	1	1	1	1	59.75	61	0	28436.019	563.4408602	15960.91648	30000	0	0	30000	41.5	2004
12.02.2020 13:27:50	1	1	1	1	59.75	61.5	0	28483.412	561.2903226	16048.16134	30000	0	0	30000	41.125	2004
12.02.2020 13:27:51	1	1	1	1	59.75	61	0	28293.839	559.1397849	15881.00997	30000	0	0	30000	41.25	2004
12.02.2020 13:27:52	1	1	1	1	59.75	61.25	0	28578.199	561.2903226	16101.97592	30000	0	0	30000	41.5625	2004
12.02.2020 13:27:53	1	1	1	1	59.75	61.5	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	41.3125	2004
12.02.2020 13:28:00	1	1	1	1	59.5	61.5	0	28388.626	565.5913978	16056.31506	30000	0	0	30000	41.375	2004
12.02.2020 13:28:00	1	1	1	1	59.5	61.5	0	28388.626	565.5913978	16056.31506	30000	0	0	30000	41.375	2004
12.02.2020 13:28:00	1	1	1	1	59.5	61.5	0	28388.626	565.5913978	16056.31506	30000	0	0	30000	41.375	2004
12.02.2020 13:28:00	1	1	1	1	59.5	61.5	0	28388.626	565.5913978	16056.31506	30000	0	0	30000	41.375	2004
12.02.2020 13:28:00	1	1	1	1	59.5	61.5	0	28388.626	565.5913978	16056.31506	30000	0	0	30000	41.375	2004
12.02.2020 13:28:00	1	1	1	1	59.5	61.5	0	28388.626	565.5913978	16056.31506	30000	0	0	30000	41.375	2004
12.02.2020 13:28:00	1	1	1	1	59.5	61.5	0	28388.626	565.5913978	16056.31506	30000	0	0	30000	41.375	2004
12.02.2020 13:28:00	1	1	1	1	59.5	61.5	0	28388.626	565.5913978	16056.31506	30000	0	0	30000	41.375	2004
12.02.2020 13:28:01	1	1	1	1	59.5	61.25	0	28530.806	567.7419355	16109.31427	30000	0	0	30000	41.3125	2004
12.02.2020 13:28:02	1	1	1	1	59.5	61.25	0	28341.232	563.4408602	15941.34754	30000	0	0	30000	41.5625	2004
12.02.2020 13:28:03	1	1	1	1	59.5	61.5	0	28436.019	563.4408602	16048.16134	30000	0	0	30000	41.625	2004
12.02.2020 13:28:04	1	1	1	1	59.5	61.5	0	28293.839	559.1397849	15881.00997	30000	0	0	30000	41.4375	2004
12.02.2020 13:28:05	1	1	1	1	59.5	61.25	0	28388.626	563.4408602	15846.76433	30000	0	0	30000	41.5	2004
12.02.2020 13:28:06	1	1	1	1	59.5	61.5	0	28436.019	563.4408602	16022.06942	30000	0	0	30000	41.5625	2004
12.02.2020 13:28:07	1	1	1	1	59.5	61.5	0	28341.232	561.2903226	16056.31506	30000	0	0	30000	40.9375	2004
12.02.2020 13:28:08	1	1	1	1	59.5	60.75	0	28341.232	563.4408602	15968.25483	30000	0	0	30000	41.4375	2004
12.02.2020 13:28:09	1	1	1	1	59.5	61.25	0	28388.626	561.2903226	15995.16212	30000	0	0	30000	41.625	2004
12.02.2020 13:28:10	1	1	1	1	59.5	61.5	0	28483.412	563.4408602	15960.91648	30000	0	0	30000	41.5	2004
12.02.2020 13:28:11	1	1	1	1	59.5	61.5	0	28483.412	561.2903226	16048.16134	30000	0	0	30000	41.1875	2004
12.02.2020 13:28:12	1	1	1	1	59.5	61	0	28436.019	563.4408602	15960.91648	30000	0	0	30000	40.875	2004
12.02.2020 13:28:13	1	1	1	1	59.5	60.75	0	28436.019	561.2903226	15934.00919	30000	0	0	30000	41.25	2004
12.02.2020 13:28:14	1	1	1	1	59.5	61.25	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	41.4375	2004
12.02.2020 13:28:15	1	1	1	1	59.5	61.25	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	41.625	2004
12.02.2020 13:28:16	1	1	1	1	59.5	61.5	0	28625.592	563.4408602	16040.00761	30000	0	0	30000	41.4375	2004
12.02.2020 13:28:18	1	1	1	1	59.5	61.25	0	28436.019	563.4408602	16048.16134	30000	0	0	30000	41.6875	2004
12.02.2020 13:28:19	1	1	1	1	59.5	61.5	0	28341.232	561.2903226	15907.10189	30000	0	0	30000	41.5	2004
12.02.2020 13:28:20	1	1	1	1	59.5	61.5	0	28436.019	561.2903226	15811.70331	30000	0	0	30000	41.4375	2004
12.02.2020 13:28:21	1	1	1	1	59.5	61.25	0	28436.019	565.5913978	15934.00919	30000	0	0	30000	40.75	2004
12.02.2020 13:28:22	1	1	1	1	59.5	60.75	0	28341.232	561.2903226	15907.10189	30000	0	0	30000	41.8125	2004
12.02.2020 13:28:23	1	1	1	1	59.5	61.75	0	28436.019	563.4408602	16022.06942	30000	0	0	30000	41.5	2004
12.02.2020 13:28:24	1	1	1	1	59.5	61.5	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	41.5	2004
12.02.2020 13:28:25	1	1	1	1	59.5	61.5	0	28341.232	561.2903226	15907.10189	30000	0	0	30000	41.375	2004





	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 13:29:10	1	1	1	1	60	61	0	28578.199	563.4408602	16040.00761	30000	0	0	30000	41.5	2004
12.02.2020 13:29:11	1	1	1	1	60	61.5	0	28388.626	563.4408602	15995.16212	30000	0	0	30000	41.125	2004
12.02.2020 13:29:12	1	1	1	1	60	61	0	28293.839	563.4408602	16002.50048	30000	0	0	30000	41.4375	2004
12.02.2020 13:29:13	1	1	1	1	60	61.25	0	28341.232	563.4408602	15968.25483	30000	0	0	30000	41.3125	2004
12.02.2020 13:29:14	1	1	1	1	60	61.25	0	28530.806	561.2903226	16101.97592	30000	0	0	30000	41.4375	2004
12.02.2020 13:29:15	1	1	1	1	60	61.25	0	28293.839	561.2903226	15907.10189	30000	0	0	30000	41.5	2004
12.02.2020 13:29:16	1	1	1	1	60	61.5	0	28341.232	561.2903226	15968.25483	30000	0	0	30000	41.5	2004
12.02.2020 13:29:17	1	1	1	1	60	61.5	0	28436.019	563.4408602	16109.31427	30000	0	0	30000	41.3125	2004
12.02.2020 13:29:18	1	1	1	1	60	61.25	0	28530.806	563.4408602	16101.97592	30000	0	0	30000	41.25	2004
12.02.2020 13:29:19	1	1	1	1	60	61.25	0	28436.019	561.2903226	15838.61061	30000	0	0	30000	41.625	2004
12.02.2020 13:29:20	1	1	1	1	60	61.5	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	41.625	2004
12.02.2020 13:29:21	1	1	1	1	60	61.5	0	28530.806	565.5913978	16109.31427	30000	0	0	30000	41.6875	2004
12.02.2020 13:29:22	1	1	1	1	60	61.5	0	28578.199	565.5913978	16225.09717	30000	0	0	30000	41	2004
12.02.2020 13:29:23	1	1	1	1	60	61	0	28388.626	563.4408602	16083.22235	30000	0	0	30000	41.125	2004
12.02.2020 13:29:24	1	1	1	1	60	61	0	28530.806	565.5913978	15987.0084	30000	0	0	30000	41.4375	2004
12.02.2020 13:29:25	1	1	1	1	60	61.25	0	28530.806	563.4408602	16040.00761	30000	0	0	30000	41.3125	2004
12.02.2020 13:29:26	1	1	1	1	60	61.25	0	28388.626	561.2903226	15934.00919	30000	0	0	30000	41.0625	2004
12.02.2020 13:29:27	1	1	1	1	60	61	0	28578.199	561.2903226	15978.85467	30000	0	0	30000	41.0625	2004
12.02.2020 13:29:28	1	1	1	1	59.25	61	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	41.625	2004
12.02.2020 13:29:29	1	1	1	1	59.25	61.5	0	28483.412	565.5913978	16136.22156	30000	0	0	30000	41.375	2004
12.02.2020 13:29:30	1	1	1	1	59.25	61.25	0	28388.626	561.2903226	15960.91648	30000	0	0	30000	40.9375	2004
12.02.2020 13:29:31	1	1	1	1	59.25	60.75	0	28530.806	563.4408602	16048.16134	30000	0	0	30000	41.5	2004
12.02.2020 13:29:32	1	1	1	1	59.25	61.5	0	28625.592	563.4408602	16128.88321	30000	0	0	30000	41.5	2004
12.02.2020 13:29:33	1	1	1	1	59.25	61.5	0	28436.019	561.2903226	16022.06942	30000	0	0	30000	41.4375	2004
12.02.2020 13:29:35	1	1	1	1	59.25	61.25	0	28530.806	561.2903226	16013.91569	30000	0	0	30000	41.375	2004
12.02.2020 13:29:36	1	1	1	1	59.25	61.25	0	28815.166	563.4408602	16235.69701	30000	0	0	30000	41.5625	2004
12.02.2020 13:29:37	1	1	1	1	59.25	61.5	0	28625.592	563.4408602	16297.66532	30000	0	0	30000	40.75	2004
12.02.2020 13:29:38	1	1	1	1	59.25	60.75	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	41.5	2004
12.02.2020 13:29:39	1	1	1	1	60.25	61.5	0	28483.412	563.4408602	15987.0084	30000	0	0	30000	42	2004
12.02.2020 13:29:40	1	1	1	1	60.25	62	0	28388.626	561.2903226	15960.91648	30000	0	0	30000	41.375	2004
12.02.2020 13:29:41	1	1	1	1	60.25	61.5	0	28436.019	563.4408602	15987.0084	30000	0	0	30000	41.625	2004
12.02.2020 13:29:42	1	1	1	1	60.25	61.5	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	40.4375	2004
12.02.2020 13:29:43	1	1	1	1	60.25	60.25	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	41.5625	2004
12.02.2020 13:29:44	1	1	1	1	60.25	61.5	0	28483.412	561.2903226	16163.12886	30000	0	0	30000	41.625	2004
12.02.2020 13:29:45	1	1	1	1	60.25	61.5	0	28199.052	559.1397849	15827.19539	30000	0	0	30000	41.4375	2004
12.02.2020 13:29:46	1	1	1	1	60.25	61.25	0	28436.019	554.8387097	15925.85546	30000	0	0	30000	41.125	2004
12.02.2020 13:29:47	1	1	1	1	60.25	61	0	28530.806	563.4408602	16075.06863	30000	0	0	30000	41.5625	2004
12.02.2020 13:29:48	1	1	1	1	59.75	61.5	0	28436.019	563.4408602	16022.06942	30000	0	0	30000	41.5	2004
12.02.2020 13:29:49	1	1	1	1	59.75	61.5	0	28436.019	563.4408602	16048.16134	30000	0	0	30000	41.625	2004
12.02.2020 13:29:50	1	1	1	1	59.75	61.5	0	28388.626	565.5913978	16056.31506	30000	0	0	30000	40.9375	2004
12.02.2020 13:29:51	1	1	1	1	59.75	60.75	0	28293.839	565.5913978	16029.40777	30000	0	0	30000	41.625	2004
12.02.2020 13:29:52	1	1	1	1	59.75	61.5	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	41.625	2004
12.02.2020 13:29:53	1	1	1	1	59.75	61.5	0	27630.332	574.1935484	15973.96244	30000	0	0	30000	41.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 13:29:54	1	1	1	1	59.75	61.25	0	19099.526	587.0967742	11295.35509	30000	0	0	30000	41.1875	2004
12.02.2020 13:29:55	1	1	1	1	59.75	61	0	28815.166	559.1397849	16049.79208	30000	0	0	30000	41.375	2004
12.02.2020 13:29:56	1	1	1	1	59.75	61.25	0	28815.166	559.1397849	16049.79208	30000	0	0	30000	41.6875	2004
12.02.2020 13:30:04	1	1	1	1	59.75	61.5	0	28815.166	559.1397849	16066.9149	30000	0	0	30000	41.25	2004
12.02.2020 13:30:04	1	1	1	1	59.75	61.5	0	28815.166	559.1397849	16066.9149	30000	0	0	30000	41.25	2004
12.02.2020 13:30:04	1	1	1	1	59.75	61.5	0	28815.166	559.1397849	16066.9149	30000	0	0	30000	41.25	2004
12.02.2020 13:30:04	1	1	1	1	59.75	61.5	0	28815.166	559.1397849	16066.9149	30000	0	0	30000	41.25	2004
12.02.2020 13:30:04	1	1	1	1	59.75	61.5	0	28815.166	559.1397849	16066.9149	30000	0	0	30000	41.25	2004
12.02.2020 13:30:04	1	1	1	1	59.75	61.5	0	28815.166	559.1397849	16066.9149	30000	0	0	30000	41.25	2004
12.02.2020 13:30:04	1	1	1	1	59.75	61.25	0	28578.199	559.1397849	15978.85467	30000	0	0	30000	41.625	2004
12.02.2020 13:30:05	1	1	1	1	59.75	61.5	0	28815.166	556.9892473	16111.76039	30000	0	0	30000	41.625	2004
12.02.2020 13:30:06	1	1	1	1	59.75	61.5	0	28578.199	556.9892473	15917.70174	30000	0	0	30000	41.25	2004
12.02.2020 13:30:07	1	1	1	1	59.75	61.25	0	28625.592	559.1397849	16066.9149	30000	0	0	30000	41.4375	2004
12.02.2020 13:30:08	1	1	1	1	59.75	61.25	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	41.375	2004
12.02.2020 13:30:09	1	1	1	1	59.75	61.25	0	28625.592	556.9892473	15943.79366	30000	0	0	30000	41.25	2004
12.02.2020 13:30:10	1	1	1	1	59.75	61.25	0	28625.592	559.1397849	15943.79366	30000	0	0	30000	41.4375	2004
12.02.2020 13:30:11	1	1	1	1	59.75	61.25	0	28815.166	559.1397849	16049.79208	30000	0	0	30000	41.0625	2004
12.02.2020 13:30:13	1	1	1	1	59.75	61	0	28625.592	556.9892473	16049.79208	30000	0	0	30000	41.4375	2004
12.02.2020 13:30:14	1	1	1	1	59.75	61.25	0	28625.592	556.9892473	15978.85467	30000	0	0	30000	41.625	2004
12.02.2020 13:30:15	1	1	1	1	59.75	61.5	0	28815.166	559.1397849	16111.76039	30000	0	0	30000	41.375	2004
12.02.2020 13:30:16	1	1	1	1	59.75	61.25	0	28578.199	559.1397849	15978.85467	30000	0	0	30000	41.5625	2004
12.02.2020 13:30:17	1	1	1	1	59.75	61.5	0	28625.592	559.1397849	16111.76039	30000	0	0	30000	41.625	2004
12.02.2020 13:30:18	1	1	1	1	59.75	61.5	0	28578.199	559.1397849	15917.70174	30000	0	0	30000	41.5	2004
12.02.2020 13:30:19	1	1	1	1	60	61.5	0	28625.592	559.1397849	15794.58049	30000	0	0	30000	41.4375	2004
12.02.2020 13:30:20	1	1	1	1	60	61.25	0	28862.559	561.2903226	16199.82062	30000	0	0	30000	41.3125	2004
12.02.2020 13:30:21	1	1	1	1	60	61.25	0	28625.592	561.2903226	15978.85467	30000	0	0	30000	41.25	2004
12.02.2020 13:30:22	1	1	1	1	60	61.25	0	28815.166	559.1397849	16111.76039	30000	0	0	30000	41.5625	2004
12.02.2020 13:30:23	1	1	1	1	60	61.5	0	28625.592	559.1397849	15917.70174	30000	0	0	30000	41.3125	2004
12.02.2020 13:30:24	1	1	1	1	60	61.25	0	28578.199	550.5376344	16005.76197	30000	0	0	30000	41.375	2004
12.02.2020 13:30:25	1	0	1	1	60	61.25	0	0	0	0	30000	0	0	30000	41.5625	2004
12.02.2020 13:30:26	1	0	1	1	60	61.5	0	0	0	0	30000	0	0	30000	41.8125	2004
12.02.2020 13:30:27	1	0	1	1	60	61.75	0	0	0	0	30000	0	0	30000	41.8125	2004
12.02.2020 13:30:28	1	0	1	1	59.75	61.75	0	0	0	0	30000	0	0	30000	41.6875	2004
12.02.2020 13:30:29	1	0	1	1	59.75	61.5	0	0	0	0	30000	0	0	30000	41.6875	2004
12.02.2020 13:30:30	1	0	1	1	59.75	61.5	0	0	0	0	30000	0	0	30000	41.6875	2004
12.02.2020 13:30:31	1	0	1	1	59.75	61.5	0	0	0	0	30000	0	0	30000	41.6875	2004
12.02.2020 13:30:32	1	0	1	1	59.75	61.5	0	0	0	0	30000	0	0	30000	41.75	2004
12.02.2020 13:30:33	1	0	1	1	59.75	61.75	0	0	0	0	30000	0	0	30000	41.875	2004
12.02.2020 13:30:34	1	0	1	1	59.75	61.75	0	0	0	0	30000	0	0	30000	41.625	2004
12.02.2020 13:30:35	1	0	1	1	59.75	61.5	0	0	0	0	30000	0	0	30000	41.6875	2004
12.02.2020 13:30:36	1	0	1	1	59.75	61.5	0	0	0	0	30000	0	0	30000	41.75	2004
12.02.2020 13:30:37	1	0	1	1	59.75	61.75	0	0	0	0	30000	0	0	30000	41.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers	
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]		
12.02.2020 13:30:38	1	0	1	1	59.5	61.75	0	0	0	0	0	30000	0	0	30000	41.75	2004
12.02.2020 13:30:39	1	0	1	1	59.5	61.75	0	0	0	0	0	30000	0	0	30000	41.8125	2004
12.02.2020 13:30:40	1	0	1	1	59.5	61.75	0	0	0	0	0	30000	0	0	30000	41.875	2004
12.02.2020 13:30:41	1	0	1	1	59.5	61.75	0	0	0	0	0	30000	0	0	30000	41.8125	2004
12.02.2020 13:30:42	1	0	1	1	59.5	61.75	0	0	0	0	0	30000	0	0	30000	41.8125	2004
12.02.2020 13:30:43	1	0	1	1	59.5	61.75	0	0	0	0	0	30000	0	0	30000	41.8125	2004
12.02.2020 13:30:44	1	0	1	1	59.5	61.75	0	0	0	0	0	30000	0	0	30000	41.9375	2004
12.02.2020 13:30:45	1	0	1	1	59.5	61.75	0	0	0	0	0	30000	0	0	30000	41.625	2004
12.02.2020 13:30:46	1	0	1	1	59.5	61.5	0	0	0	0	0	30000	0	0	30000	39.125	2004
12.02.2020 13:30:47	1	1	1	1	59.5	59	0	10426.54	0	0	0	30000	0	0	30000	41.75	2004
12.02.2020 13:30:48	1	1	1	1	59.25	61.75	0	11184.834	0	0	0	30000	0	0	30000	41.625	2004
12.02.2020 13:30:50	1	1	1	1	59.25	61.5	0	11990.521	0	0	0	30000	0	0	30000	41.5625	2004
12.02.2020 13:30:51	1	1	1	1	59.25	61.5	0	12748.815	0	0	0	30000	0	0	30000	41.5625	2004
12.02.2020 13:30:52	1	1	1	1	59.25	61.5	0	13507.109	0	0	0	30000	0	0	30000	41.625	2004
12.02.2020 13:30:53	1	1	1	1	59.25	61.5	0	14265.403	2.150537634	0	0	30000	0	0	30000	41.5625	2004
12.02.2020 13:30:54	1	1	1	1	59.25	61.5	0	15165.877	6.451612903	96.21395374	0	30000	0	0	30000	41.6875	2004
12.02.2020 13:30:55	1	1	1	1	59.25	61.5	0	15829.384	10.75268817	203.8431223	0	30000	0	0	30000	41.5	2004
12.02.2020 13:30:56	1	1	1	1	59.25	61.5	0	16492.891	19.35483871	283.7496263	0	30000	0	0	30000	42.125	2004
12.02.2020 13:30:57	1	1	1	1	59.25	61.5	0	17393.365	30.10752688	521.8383932	0	30000	0	0	30000	41.5	2004
12.02.2020 13:30:58	1	1	1	1	59	61.5	0	18151.659	40.86021505	780.3114723	0	30000	0	0	30000	41.5625	2004
12.02.2020 13:31:05	1	1	1	1	59	61.5	0	21943.128	144.0860215	3161.199141	0	30000	0	0	30000	41.5625	2004
12.02.2020 13:31:05	1	1	1	1	59	61.5	0	21943.128	144.0860215	3161.199141	0	30000	0	0	30000	41.5625	2004
12.02.2020 13:31:05	1	1	1	1	59	61.5	0	21943.128	144.0860215	3161.199141	0	30000	0	0	30000	41.5625	2004
12.02.2020 13:31:05	1	1	1	1	59	61.5	0	21943.128	144.0860215	3161.199141	0	30000	0	0	30000	41.5625	2004
12.02.2020 13:31:05	1	1	1	1	59	61.5	0	21943.128	144.0860215	3161.199141	0	30000	0	0	30000	41.5625	2004
12.02.2020 13:31:05	1	1	1	1	59	61.5	0	21943.128	144.0860215	3161.199141	0	30000	0	0	30000	41.5625	2004
12.02.2020 13:31:05	1	1	1	1	59	61.5	0	21943.128	144.0860215	3161.199141	0	30000	0	0	30000	41.5625	2004
12.02.2020 13:31:06	1	1	1	1	59	61.5	0	22132.701	152.688172	3521.593781	0	30000	0	0	30000	41.6875	2004
12.02.2020 13:31:07	1	1	1	1	59	61.5	0	22748.815	176.344086	3864.865599	0	30000	0	0	30000	41.5625	2004
12.02.2020 13:31:08	1	1	1	1	58.75	61.5	0	23080.569	189.2473118	4416.872775	0	30000	0	0	30000	41.5	2004
12.02.2020 13:31:09	1	1	1	1	58.75	61.5	0	23080.569	206.4516129	4765.036828	0	30000	0	0	30000	40.4375	2004
12.02.2020 13:31:10	1	1	1	1	58.75	60.25	0	23649.289	215.0537634	5207.784089	0	30000	0	0	30000	41.6875	2004
12.02.2020 13:31:11	1	1	1	1	58.75	61.5	0	23933.649	234.4086022	5609.762727	0	30000	0	0	30000	41.375	2004
12.02.2020 13:31:12	1	1	1	1	58.75	61.25	0	24218.009	247.311828	6041.094773	0	30000	0	0	30000	41.5	2004
12.02.2020 13:31:13	1	1	1	1	58.75	61.5	0	24549.763	264.516129	6493.626505	0	30000	0	0	30000	41.4375	2004
12.02.2020 13:31:14	1	1	1	1	58.75	61.25	0	24881.517	279.5698925	6955.942706	0	30000	0	0	30000	41.5625	2004
12.02.2020 13:31:15	1	1	1	1	58.75	61.5	0	25165.877	294.6236559	7414.182045	0	30000	0	0	30000	41.4375	2004
12.02.2020 13:31:16	1	1	1	1	58.75	61.25	0	25497.63	309.6774194	7896.067187	0	30000	0	0	30000	41.5625	2004
12.02.2020 13:31:17	1	1	1	1	58.75	61.5	0	25639.81	324.7311828	8325.768489	0	30000	0	0	30000	41.75	2004
12.02.2020 13:31:18	1	1	1	1	58.75	61.75	0	26018.957	339.7849462	8840.268529	0	30000	0	0	30000	41.6875	2004
12.02.2020 13:31:19	1	1	1	1	58.75	61.5	0	26113.744	354.8387097	9265.892969	0	30000	0	0	30000	41	2004
12.02.2020 13:31:20	1	1	1	1	58.75	61	0	26398.104	369.8924731	9764.08556	0	30000	0	0	30000	41.5625	2004
12.02.2020 13:31:21	1	1	1	1	58.75	61.5	0	26540.284	384.9462366	10216.61729	0	30000	0	0	30000	41.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 13:31:22	1	1	1	1	58.75	61.5	0	26682.464	397.8494624	10691.97945	30000	0	0	30000	41.5625	2004
12.02.2020 13:31:23	1	1	1	1	58.75	61.5	0	26919.431	415.0537634	11192.61816	30000	0	0	30000	41.625	2004
12.02.2020 13:31:24	1	1	1	1	58.75	61.5	0	27109.005	425.8064516	11682.65703	30000	0	0	30000	41.5	2004
12.02.2020 13:31:25	1	1	1	1	58.75	61.5	0	27298.578	432.2580645	11682.65703	30000	0	0	30000	41.75	2004
12.02.2020 13:31:27	1	1	1	1	58.75	61.75	0	27440.758	445.1612903	12215.09526	30000	0	0	30000	41.5	2004
12.02.2020 13:31:28	1	1	1	1	58.75	61.5	0	27630.332	460.2150538	12715.73397	30000	0	0	30000	41.375	2004
12.02.2020 13:31:29	1	1	1	1	59	61.25	0	27630.332	481.7204301	12990.5145	30000	0	0	30000	41.4375	2004
12.02.2020 13:31:30	1	1	1	1	59	61.25	0	27962.085	488.172043	13770.0106	30000	0	0	30000	41.25	2004
12.02.2020 13:31:31	1	1	1	1	59	61.25	0	28009.479	503.2258065	14154.86641	30000	0	0	30000	41.125	2004
12.02.2020 13:31:32	1	1	1	1	59	61	0	28199.052	520.4301075	14675.07406	30000	0	0	30000	41.5	2004
12.02.2020 13:31:33	1	1	1	1	59	61.5	0	28436.019	535.483871	15349.38711	30000	0	0	30000	41.5625	2004
12.02.2020 13:31:34	1	1	1	1	59	61.5	0	28815.166	550.5376344	15863.88715	30000	0	0	30000	41.625	2004
12.02.2020 13:31:35	1	1	1	1	59	61.5	0	28957.346	556.9892473	16128.88321	30000	0	0	30000	41.125	2004
12.02.2020 13:31:36	1	1	1	1	59	61	0	28625.592	554.8387097	16049.79208	30000	0	0	30000	41.75	2004
12.02.2020 13:31:37	1	1	1	1	59	61.75	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	41.0625	2004
12.02.2020 13:31:38	1	1	1	1	59	61	0	28625.592	554.8387097	15987.82377	30000	0	0	30000	41.125	2004
12.02.2020 13:31:39	1	1	1	1	59	61	0	28862.559	554.8387097	16128.88321	30000	0	0	30000	41.5625	2004
12.02.2020 13:31:40	1	1	1	1	59	61.5	0	28862.559	554.8387097	16075.884	30000	0	0	30000	41.125	2004
12.02.2020 13:31:41	1	1	1	1	59	61	0	28625.592	554.8387097	15882.64072	30000	0	0	30000	41.5	2004
12.02.2020 13:31:42	1	1	1	1	59	61.5	0	28957.346	565.5913978	16075.884	30000	0	0	30000	41.5625	2004
12.02.2020 13:31:43	1	1	1	1	59	61.5	0	28578.199	552.688172	15794.58049	30000	0	0	30000	40.6875	2004
12.02.2020 13:31:44	1	1	1	1	59	60.5	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	41.5625	2004
12.02.2020 13:31:45	1	1	1	1	59	61.5	0	28862.559	556.9892473	16013.91569	30000	0	0	30000	41.0625	2004
12.02.2020 13:31:46	1	1	1	1	59	61	0	28862.559	554.8387097	16075.884	30000	0	0	30000	41.5	2004
12.02.2020 13:31:47	1	1	1	1	59	61.5	0	28578.199	552.688172	15794.58049	30000	0	0	30000	41.4375	2004
12.02.2020 13:31:48	1	1	1	1	59	61.25	0	28862.559	556.9892473	16075.884	30000	0	0	30000	41.5625	2004
12.02.2020 13:31:49	1	1	1	1	59	61.5	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	41.5	2004
12.02.2020 13:31:50	1	1	1	1	59	61.5	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	41.5	2004
12.02.2020 13:31:51	1	1	1	1	59	61.5	0	28530.806	552.688172	15794.58049	30000	0	0	30000	41.3125	2004
12.02.2020 13:31:52	1	1	1	1	59	61.25	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	41.1875	2004
12.02.2020 13:31:53	1	1	1	1	59	61	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	41.125	2004
12.02.2020 13:31:54	1	1	1	1	59	61	0	28957.346	556.9892473	16128.88321	30000	0	0	30000	41.5625	2004
12.02.2020 13:31:55	1	1	1	1	59	61.5	0	28578.199	554.8387097	15855.73343	30000	0	0	30000	41.0625	2004
12.02.2020 13:31:56	1	1	1	1	59	61	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	40.9375	2004
12.02.2020 13:31:57	1	1	1	1	59	60.75	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	41.5625	2004
12.02.2020 13:31:58	1	1	1	1	59	61.5	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	41.375	2004
12.02.2020 13:31:59	1	1	1	1	59	61.25	0	28862.559	556.9892473	16075.884	30000	0	0	30000	41.3125	2004
12.02.2020 13:32:07	1	1	1	1	59	61.5	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	41.375	2004
12.02.2020 13:32:07	1	1	1	1	59	61.5	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	41.375	2004
12.02.2020 13:32:07	1	1	1	1	59	61.5	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	41.375	2004
12.02.2020 13:32:07	1	1	1	1	59	61.5	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	41.375	2004
12.02.2020 13:32:07	1	1	1	1	59	61.5	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	41.375	2004
12.02.2020 13:32:07	1	1	1	1	59	61.5	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	41.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 13:32:07	1	1	1	1	59	61.5	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	41.375	2004
12.02.2020 13:32:08	1	1	1	1	59	61.25	0	28815.166	552.688172	16049.79208	30000	0	0	30000	41.6875	2004
12.02.2020 13:32:09	1	1	1	1	59.5	61.5	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	41.5625	2004
12.02.2020 13:32:10	1	1	1	1	59.5	61.5	0	28815.166	554.8387097	15677.98222	30000	0	0	30000	41.25	2004
12.02.2020 13:32:11	1	1	1	1	59.5	61.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	40.875	2004
12.02.2020 13:32:12	1	1	1	1	59.5	60.75	0	28862.559	554.8387097	16049.79208	30000	0	0	30000	41.625	2004
12.02.2020 13:32:13	1	1	1	1	59.5	61.5	0	28625.592	550.5376344	15820.67241	30000	0	0	30000	41.6875	2004
12.02.2020 13:32:14	1	1	1	1	59.5	61.5	0	28957.346	556.9892473	16128.88321	30000	0	0	30000	40.6875	2004
12.02.2020 13:32:15	1	1	1	1	59.5	60.5	0	28625.592	550.5376344	16049.79208	30000	0	0	30000	41.5	2004
12.02.2020 13:32:16	1	1	1	1	59.5	61.5	0	28957.346	556.9892473	16128.88321	30000	0	0	30000	41.5625	2004
12.02.2020 13:32:17	1	1	1	1	59.5	61.5	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	41.25	2004
12.02.2020 13:32:18	1	1	1	1	59	61.25	0	28578.199	552.688172	15820.67241	30000	0	0	30000	41.25	2004
12.02.2020 13:32:19	1	1	1	1	59	61.25	0	28862.559	556.9892473	16075.884	30000	0	0	30000	40.75	2004
12.02.2020 13:32:20	1	1	1	1	59	60.75	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	41	2004
12.02.2020 13:32:21	1	1	1	1	59	61	0	29052.133	556.9892473	16181.06705	30000	0	0	30000	41	2004
12.02.2020 13:32:22	1	1	1	1	59	61	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	41.1875	2004
12.02.2020 13:32:23	1	1	1	1	59	61	0	28625.592	554.8387097	16049.79208	30000	0	0	30000	41.5625	2004
12.02.2020 13:32:24	1	1	1	1	59	61.5	0	28625.592	546.2365591	15671.45924	30000	0	0	30000	41.625	2004
12.02.2020 13:32:25	1	1	1	1	59	61.5	0	28815.166	556.9892473	16075.884	30000	0	0	30000	41.0625	2004
12.02.2020 13:32:26	1	1	1	1	59	61	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	41.4375	2004
12.02.2020 13:32:27	1	1	1	1	59	61.25	0	28815.166	552.688172	15987.82377	30000	0	0	30000	41.6875	2004
12.02.2020 13:32:28	1	1	1	1	58.5	61.5	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	41.25	2004
12.02.2020 13:32:29	1	1	1	1	58.5	61.25	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	41.25	2004
12.02.2020 13:32:30	1	1	1	1	58.5	61.25	0	28815.166	550.5376344	16049.79208	30000	0	0	30000	41.3125	2004
12.02.2020 13:32:31	1	1	1	1	58.5	61.25	0	28815.166	556.9892473	16199.82062	30000	0	0	30000	41.25	2004
12.02.2020 13:32:32	1	1	1	1	58.5	61.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	41.0625	2004
12.02.2020 13:32:33	1	1	1	1	58.5	61	0	28909.953	556.9892473	16075.884	30000	0	0	30000	41.6875	2004
12.02.2020 13:32:34	1	1	1	1	58.5	61.5	0	28672.986	554.8387097	15882.64072	30000	0	0	30000	41.4375	2004
12.02.2020 13:32:35	1	1	1	1	58.5	61.25	0	28815.166	552.688172	15925.85546	30000	0	0	30000	41.1875	2004
12.02.2020 13:32:36	1	1	1	1	58.5	61	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	41.5625	2004
12.02.2020 13:32:37	1	1	1	1	58.5	61.5	0	28957.346	552.688172	15951.94738	30000	0	0	30000	41.1875	2004
12.02.2020 13:32:38	1	1	1	1	58.25	61	0	28815.166	552.688172	15925.85546	30000	0	0	30000	41.375	2004
12.02.2020 13:32:39	1	1	1	1	58.25	61.25	0	28909.953	556.9892473	16128.88321	30000	0	0	30000	41.375	2004
12.02.2020 13:32:40	1	1	1	1	58.25	61.25	0	28578.199	550.5376344	15794.58049	30000	0	0	30000	41.5	2004
12.02.2020 13:32:42	1	1	1	1	58.25	61.5	0	28625.592	552.688172	15820.67241	30000	0	0	30000	41.4375	2004
12.02.2020 13:32:43	1	1	1	1	58.25	61.25	0	28862.559	559.1397849	16075.884	30000	0	0	30000	41.5	2004
12.02.2020 13:32:44	1	1	1	1	58.25	61.5	0	28625.592	554.8387097	15943.79366	30000	0	0	30000	41.375	2004
12.02.2020 13:32:45	1	1	1	1	58.25	61.25	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	41.5	2004
12.02.2020 13:32:46	1	1	1	1	58.25	61.5	0	28909.953	556.9892473	16128.88321	30000	0	0	30000	40.9375	2004
12.02.2020 13:32:47	1	1	1	1	58.25	60.75	0	28578.199	552.688172	15794.58049	30000	0	0	30000	41.5625	2004
12.02.2020 13:32:48	1	1	1	1	58.25	61.5	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	41.8125	2004
12.02.2020 13:32:49	1	1	1	1	59.25	61.75	0	28862.559	554.8387097	16315.60351	30000	0	0	30000	41.625	2004
12.02.2020 13:32:50	1	1	1	1	59.25	61.5	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	41	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 13:32:51	1	1	1	1	59.25	61.5	0	28862.559	556.9892473	16075.884	30000	0	0	30000	41.375	2004
12.02.2020 13:32:52	1	1	1	1	59.25	61.25	0	28815.166	556.9892473	16075.884	30000	0	0	30000	41.0625	2004
12.02.2020 13:32:53	1	1	1	1	59.25	61	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	41.4375	2004
12.02.2020 13:32:54	1	1	1	1	59.25	61.25	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	41.25	2004
12.02.2020 13:32:55	1	1	1	1	59.25	61.25	0	28957.346	556.9892473	16128.88321	30000	0	0	30000	40.9375	2004
12.02.2020 13:32:56	1	1	1	1	59.25	60.75	0	28862.559	556.9892473	16075.884	30000	0	0	30000	41.125	2004
12.02.2020 13:32:57	1	1	1	1	59.25	61	0	28862.559	556.9892473	15987.82377	30000	0	0	30000	41	2004
12.02.2020 13:32:58	1	1	1	1	59	61	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	41.125	2004
12.02.2020 13:32:59	1	1	1	1	59	61	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	41.375	2004
12.02.2020 13:33:00	1	1	1	1	59	61.25	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	41.4375	2004
12.02.2020 13:33:01	1	1	1	1	59	61.25	0	28815.166	552.688172	15925.85546	30000	0	0	30000	41.375	2004
12.02.2020 13:33:09	1	1	1	1	59.25	61.25	0	28862.559	556.9892473	16075.884	30000	0	0	30000	41.3125	2004
12.02.2020 13:33:09	1	1	1	1	59.25	61.25	0	28862.559	556.9892473	16075.884	30000	0	0	30000	41.3125	2004
12.02.2020 13:33:09	1	1	1	1	59.25	61.25	0	28862.559	556.9892473	16075.884	30000	0	0	30000	41.3125	2004
12.02.2020 13:33:09	1	1	1	1	59.25	61.25	0	28862.559	556.9892473	16075.884	30000	0	0	30000	41.3125	2004
12.02.2020 13:33:09	1	1	1	1	59.25	61.25	0	28862.559	556.9892473	16075.884	30000	0	0	30000	41.3125	2004
12.02.2020 13:33:09	1	1	1	1	59.25	61.25	0	28862.559	556.9892473	16075.884	30000	0	0	30000	41.3125	2004
12.02.2020 13:33:09	1	1	1	1	59.25	61.25	0	28815.166	556.9892473	15925.85546	30000	0	0	30000	41.3125	2004
12.02.2020 13:33:10	1	1	1	1	59.25	61.25	0	28957.346	556.9892473	16128.88321	30000	0	0	30000	41.0625	2004
12.02.2020 13:33:11	1	1	1	1	59.25	61	0	28815.166	552.688172	15925.85546	30000	0	0	30000	41.3125	2004
12.02.2020 13:33:12	1	1	1	1	59.25	61.25	0	29099.526	556.9892473	16145.19066	30000	0	0	30000	41.4375	2004
12.02.2020 13:33:13	1	1	1	1	59.25	61.25	0	28815.166	552.688172	15925.85546	30000	0	0	30000	41.4375	2004
12.02.2020 13:33:14	1	1	1	1	59.25	61.25	0	28909.953	554.8387097	16066.09953	30000	0	0	30000	41.4375	2004
12.02.2020 13:33:15	1	1	1	1	59.25	61.25	0	28957.346	554.8387097	16066.09953	30000	0	0	30000	41.3125	2004
12.02.2020 13:33:16	1	1	1	1	59.25	61.25	0	28578.199	550.5376344	15794.58049	30000	0	0	30000	41.5	2004
12.02.2020 13:33:17	1	1	1	1	59.25	61.5	0	28815.166	552.688172	15987.82377	30000	0	0	30000	41.5625	2004
12.02.2020 13:33:19	1	1	1	1	58.75	61.5	0	28957.346	556.9892473	16075.884	30000	0	0	30000	41.375	2004
12.02.2020 13:33:20	1	1	1	1	58.75	61.25	0	28862.559	556.9892473	16075.884	30000	0	0	30000	41.5	2004
12.02.2020 13:33:21	1	1	1	1	58.75	61.5	0	28815.166	552.688172	15925.85546	30000	0	0	30000	41.4375	2004
12.02.2020 13:33:22	1	1	1	1	58.75	61.25	0	28862.559	546.2365591	16066.09953	30000	0	0	30000	41.1875	2004
12.02.2020 13:33:23	1	1	1	1	58.75	61	0	28815.166	556.9892473	16075.884	30000	0	0	30000	41.0625	2004
12.02.2020 13:33:24	1	1	1	1	58.75	61	0	28815.166	550.5376344	15925.85546	30000	0	0	30000	41.375	2004
12.02.2020 13:33:25	1	1	1	1	58.75	61.25	0	28862.559	552.688172	15951.94738	30000	0	0	30000	41.6875	2004
12.02.2020 13:33:26	1	1	1	1	58.75	61.5	0	29052.133	559.1397849	15942.16291	30000	0	0	30000	41.8125	2004
12.02.2020 13:33:27	1	1	1	1	58.75	61.75	0	28957.346	556.9892473	16128.88321	30000	0	0	30000	40.8125	2004
12.02.2020 13:33:28	1	1	1	1	58.75	60.75	0	28815.166	550.5376344	15925.85546	30000	0	0	30000	41.6875	2004
12.02.2020 13:33:29	1	1	1	1	59.5	61.25	0	28815.166	550.5376344	15925.85546	30000	0	0	30000	41.5	2004
12.02.2020 13:33:30	1	1	1	1	59.5	61.5	0	28957.346	556.9892473	16128.88321	30000	0	0	30000	41.1875	2004
12.02.2020 13:33:31	1	1	1	1	59.5	61	0	28957.346	554.8387097	16066.09953	30000	0	0	30000	41.5	2004
12.02.2020 13:33:32	1	1	1	1	59.5	61.5	0	28909.953	552.688172	15951.94738	30000	0	0	30000	41.5	2004
12.02.2020 13:33:33	1	1	1	1	59.5	61.5	0	28815.166	550.5376344	15863.88715	30000	0	0	30000	41.4375	2004
12.02.2020 13:33:34	1	1	1	1	59.5	61.25	0	28862.559	554.8387097	15925.85546	30000	0	0	30000	41.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 13:33:35	1	1	1	1	59.5	61.5	0	28909.953	554.8387097	16128.88321	30000	0	0	30000	41.625	2004
12.02.2020 13:33:36	1	1	1	1	59.5	61.5	0	28957.346	554.8387097	16056.31506	30000	0	0	30000	41.4375	2004
12.02.2020 13:33:37	1	1	1	1	59.5	61.25	0	28957.346	559.1397849	16004.13122	30000	0	0	30000	40.9375	2004
12.02.2020 13:33:38	1	1	1	1	58.75	60.75	0	28815.166	552.688172	15925.85546	30000	0	0	30000	41.4375	2004
12.02.2020 13:33:39	1	1	1	1	58.75	61.25	0	28957.346	556.9892473	16128.88321	30000	0	0	30000	41.5625	2004
12.02.2020 13:33:40	1	1	1	1	58.75	61.5	0	28862.559	554.8387097	15951.94738	30000	0	0	30000	41.4375	2004
12.02.2020 13:33:41	1	1	1	1	58.75	61.25	0	28957.346	554.8387097	16128.88321	30000	0	0	30000	41.25	2004
12.02.2020 13:33:42	1	1	1	1	58.75	61.25	0	28957.346	559.1397849	16004.13122	30000	0	0	30000	41.3125	2004
12.02.2020 13:33:43	1	1	1	1	58.75	61.25	0	28815.166	552.688172	15987.82377	30000	0	0	30000	40.9375	2004
12.02.2020 13:33:44	1	1	1	1	58.75	60.75	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	41.25	2004
12.02.2020 13:33:45	1	1	1	1	58.75	61.25	0	28815.166	552.688172	15925.85546	30000	0	0	30000	41.3125	2004
12.02.2020 13:33:46	1	1	1	1	58.75	61.25	0	29099.526	556.9892473	16181.06705	30000	0	0	30000	41.375	2004
12.02.2020 13:33:47	1	1	1	1	58.75	61.25	0	28957.346	554.8387097	16128.88321	30000	0	0	30000	41.5	2004
12.02.2020 13:33:48	1	1	1	1	58.75	61.5	0	28957.346	556.9892473	16128.88321	30000	0	0	30000	41.375	2004
12.02.2020 13:33:49	1	1	1	1	58.75	61.25	0	29052.133	554.8387097	16368.60272	30000	0	0	30000	41	2004
12.02.2020 13:33:50	1	1	1	1	58.75	61	0	29052.133	554.8387097	16004.13122	30000	0	0	30000	41.5	2004
12.02.2020 13:33:51	1	1	1	1	58.75	61.5	0	28625.592	552.688172	15820.67241	30000	0	0	30000	41.5625	2004
12.02.2020 13:33:52	1	1	1	1	58.75	61.5	0	28957.346	554.8387097	16252.81983	30000	0	0	30000	41.3125	2004
12.02.2020 13:33:53	1	1	1	1	58.75	61.25	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	41.5	2004
12.02.2020 13:33:54	1	1	1	1	58.75	61.5	0	28862.559	552.688172	16066.09953	30000	0	0	30000	41.3125	2004
12.02.2020 13:33:55	1	1	1	1	58.75	61.25	0	28957.346	556.9892473	16128.88321	30000	0	0	30000	41.5	2004
12.02.2020 13:33:56	1	1	1	1	58.75	61.5	0	28862.559	559.1397849	16075.884	30000	0	0	30000	41.4375	2004
12.02.2020 13:33:57	1	1	1	1	58.75	61.25	0	28815.166	552.688172	15925.85546	30000	0	0	30000	41.5	2004
12.02.2020 13:33:58	1	1	1	1	58.75	61.5	0	28862.559	554.8387097	16013.91569	30000	0	0	30000	40.8125	2004
12.02.2020 13:34:00	1	1	1	1	58.75	60.75	0	29715.64	544.0860215	16167.20572	30000	0	0	30000	41.4375	2004
12.02.2020 13:34:01	1	1	1	1	58.75	61.25	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	41.4375	2004
12.02.2020 13:34:02	1	1	1	1	58.75	61.25	0	28957.346	548.3870968	15942.16291	30000	0	0	30000	41.4375	2004
12.02.2020 13:34:03	1	1	1	1	58.75	61.25	0	30000	494.6236559	14773.73413	30000	0	0	30000	41.3125	2004
12.02.2020 13:34:10	1	1	1	1	63.5	60.25	0	30000	387.0967742	11548.12057	30000	0	0	30000	41.4375	2004
12.02.2020 13:34:10	1	1	1	1	63.5	60.25	0	30000	387.0967742	11548.12057	30000	0	0	30000	41.4375	2004
12.02.2020 13:34:10	1	1	1	1	63.5	60.25	0	30000	387.0967742	11548.12057	30000	0	0	30000	41.4375	2004
12.02.2020 13:34:10	1	1	1	1	63.5	60.25	0	30000	387.0967742	11548.12057	30000	0	0	30000	41.4375	2004
12.02.2020 13:34:10	1	1	1	1	63.5	60.25	0	30000	387.0967742	11548.12057	30000	0	0	30000	41.4375	2004
12.02.2020 13:34:10	1	1	1	1	63.5	60.25	0	30000	387.0967742	11548.12057	30000	0	0	30000	41.4375	2004
12.02.2020 13:34:11	1	1	1	1	63.5	61.25	0	0	0	0	30000	0	8	30000	41.125	2004
12.02.2020 13:34:12	1	1	1	1	63.5	60	0	10426.54	0	0	30000	0	0	30000	41.5	2004
12.02.2020 13:34:13	1	1	1	1	63.5	61.5	0	11184.834	0	0	30000	0	0	30000	41.6875	2004
12.02.2020 13:34:14	1	1	1	1	63.5	61.5	0	11990.521	0	0	30000	0	0	30000	41.5625	2004
12.02.2020 13:34:15	1	1	1	1	63.5	61.5	0	12748.815	0	0	30000	0	0	30000	41.5625	2004
12.02.2020 13:34:16	1	1	1	1	63.5	61.5	0	13507.109	0	0	30000	0	0	30000	41.5625	2004
12.02.2020 13:34:17	1	1	1	1	63.5	61.5	0	14265.403	0	0	30000	0	0	30000	41.625	2004
12.02.2020 13:34:18	1	1	1	1	66	61.5	0	14976.303	0	0	30000	0	0	30000	41.625	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 13:34:19	1	1	1	1	66	61.5	0	15829.384	2.150537634	33.43027206	30000	0	0	30000	41.6875	2004
12.02.2020 13:34:20	1	1	1	1	66	61.5	0	16492.891	4.301075269	107.6291686	30000	0	0	30000	41.5	2004
12.02.2020 13:34:21	1	1	1	1	66	61.5	0	17345.972	6.451612903	111.706031	30000	0	0	30000	41.375	2004
12.02.2020 13:34:22	1	1	1	1	66	61.25	0	18151.659	10.75268817	194.874025	30000	0	0	30000	41.4375	2004
12.02.2020 13:34:23	1	1	1	1	66	61.25	0	18909.953	12.90322581	243.7963743	30000	0	0	30000	41.6875	2004
12.02.2020 13:34:24	1	1	1	1	66	61.5	0	19668.246	21.50537634	379.96358	30000	0	0	30000	41.5625	2004
12.02.2020 13:34:25	1	1	1	1	66	61.5	0	20473.934	23.65591398	484.3312587	30000	0	0	30000	41.5625	2004
12.02.2020 13:34:26	1	1	1	1	66	61.5	0	21232.227	32.25806452	684.912891	30000	0	0	30000	41.4375	2004
12.02.2020 13:34:27	1	1	1	1	66	61.25	0	21943.128	45.16129032	990.6775745	30000	0	0	30000	41.625	2004
12.02.2020 13:34:28	1	1	1	1	65	61.5	0	22796.209	55.91397849	1323.34955	30000	0	0	30000	41.625	2004
12.02.2020 13:34:29	1	1	1	1	65	61.5	0	23507.109	75.2688172	1772.619792	30000	0	0	30000	41.5	2004
12.02.2020 13:34:30	1	1	1	1	65	61.5	0	24218.009	92.47311828	2186.829016	30000	0	0	30000	41.5	2004
12.02.2020 13:34:31	1	1	1	1	65	61.5	0	24976.303	109.6774194	2738.836192	30000	0	0	30000	41.5	2004
12.02.2020 13:34:32	1	1	1	1	65	61.5	0	25118.483	107.5268817	2651.591335	30000	0	0	30000	41.5625	2004
12.02.2020 13:34:33	1	1	1	1	65	61.5	0	25118.483	113.9784946	2862.77281	30000	0	0	30000	41.5	2004
12.02.2020 13:34:34	1	1	1	1	65	61.5	0	25118.483	103.2258065	2587.992281	30000	0	0	30000	41.5625	2004
12.02.2020 13:34:35	1	1	1	1	65	61.5	0	25118.483	109.6774194	2754.328269	30000	0	0	30000	41.5625	2004
12.02.2020 13:34:36	1	1	1	1	65	61.5	0	25118.483	105.3763441	2646.6991	30000	0	0	30000	41.5	2004
12.02.2020 13:34:37	1	1	1	1	65	61.5	0	25118.483	107.5268817	2754.328269	30000	0	0	30000	41.5	2004
12.02.2020 13:34:39	1	1	1	1	67.25	61.5	0	25118.483	113.9784946	2862.77281	30000	0	0	30000	41.5625	2004
12.02.2020 13:34:40	1	1	1	1	67.25	61.5	0	24170.616	129.0322581	2956.540646	30000	0	0	30000	41.5	2004
12.02.2020 13:34:41	1	1	1	1	67.25	61.5	0	23649.289	144.0860215	3508.547822	30000	0	0	30000	41.625	2004
12.02.2020 13:34:42	1	1	1	1	67.25	61.5	0	23554.502	159.1397849	3798.820428	30000	0	0	30000	41.5625	2004
12.02.2020 13:34:43	1	1	1	1	67.25	61.5	0	23459.716	174.1935484	3985.540728	30000	0	0	30000	41.625	2004
12.02.2020 13:34:44	1	1	1	1	67.25	61.5	0	23696.682	189.2473118	4493.517789	30000	0	0	30000	41.875	2004
12.02.2020 13:34:45	1	1	1	1	67.25	61.75	0	23886.256	206.4516129	4931.372815	30000	0	0	30000	41.5625	2004
12.02.2020 13:34:46	1	1	1	1	67.25	61.5	0	24218.009	219.3548387	5312.151768	30000	0	0	30000	41.375	2004
12.02.2020 13:34:47	1	1	1	1	67.25	61.75	0	24691.943	234.4086022	5765.498872	30000	0	0	30000	41.625	2004
12.02.2020 13:34:48	1	1	1	1	67.25	61.5	0	25355.45	270.9677419	6938.004512	30000	0	0	30000	41.375	2004
12.02.2020 13:34:49	1	1	1	1	67.25	61.25	0	25355.45	279.5698925	7142.663007	30000	0	0	30000	41.5625	2004
12.02.2020 13:34:52	1	1	1	1	67.25	61.25	0	26066.351	322.5806452	8464.381812	30000	0	0	30000	41.625	2004
12.02.2020 13:34:52	1	1	1	1	67.25	61.25	0	26066.351	322.5806452	8464.381812	30000	0	0	30000	41.625	2004
12.02.2020 13:34:52	1	1	1	1	67.25	61.25	0	26066.351	322.5806452	8464.381812	30000	0	0	30000	41.625	2004
12.02.2020 13:34:53	1	1	1	1	67.25	61.5	0	26398.104	339.7849462	8969.097383	30000	0	0	30000	40.9375	2004
12.02.2020 13:34:54	1	1	1	1	67.25	60.75	0	26540.284	354.8387097	9417.552252	30000	0	0	30000	41.5625	2004
12.02.2020 13:34:55	1	1	1	1	67.25	61.5	0	26824.645	369.8924731	9979.343897	30000	0	0	30000	41.1875	2004
12.02.2020 13:34:56	1	1	1	1	67.25	61	0	27061.611	384.9462366	10417.19892	30000	0	0	30000	41.4375	2004
12.02.2020 13:34:57	1	1	1	1	67.25	61.25	0	27298.578	397.8494624	10860.76156	30000	0	0	30000	41.3125	2004
12.02.2020 13:34:58	1	1	1	1	64.5	61.25	0	27298.578	417.2043011	11330.41611	30000	0	0	30000	41.5625	2004
12.02.2020 13:34:59	1	1	1	1	64.5	61.5	0	27535.545	427.9569892	11742.99459	30000	0	0	30000	41.5625	2004
12.02.2020 13:35:00	1	1	1	1	64.5	61.5	0	27630.332	445.1612903	12299.894	30000	0	0	30000	41.3125	2004
12.02.2020 13:35:01	1	1	1	1	64.5	61.25	0	27914.692	460.2150538	12764.65632	30000	0	0	30000	39.875	2004
12.02.2020 13:35:02	1	1	1	1	64.5	59.75	0	28009.479	481.7204301	13048.40595	30000	0	0	30000	41.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 13:35:03	1	1	1	1	64.5	61.5	0	28199.052	496.7741935	13765.93374	30000	0	0	30000	41.5	2004
12.02.2020 13:35:04	1	1	1	1	64.5	61.5	0	28483.412	505.3763441	14455.73886	30000	0	0	30000	41.3125	2004
12.02.2020 13:35:12	1	1	1	1	63.25	61.25	0	28862.559	554.8387097	15951.94738	30000	0	0	30000	41.3125	2004
12.02.2020 13:35:12	1	1	1	1	63.25	61.25	0	28862.559	554.8387097	15951.94738	30000	0	0	30000	41.3125	2004
12.02.2020 13:35:12	1	1	1	1	63.25	61.25	0	28862.559	554.8387097	15951.94738	30000	0	0	30000	41.3125	2004
12.02.2020 13:35:12	1	1	1	1	63.25	61.25	0	28862.559	554.8387097	15951.94738	30000	0	0	30000	41.3125	2004
12.02.2020 13:35:12	1	1	1	1	63.25	61.25	0	28862.559	554.8387097	15951.94738	30000	0	0	30000	41.3125	2004
12.02.2020 13:35:12	1	1	1	1	63.25	61.25	0	28862.559	554.8387097	15951.94738	30000	0	0	30000	41.3125	2004
12.02.2020 13:35:12	1	1	1	1	63.25	61.25	0	28862.559	554.8387097	15951.94738	30000	0	0	30000	41.3125	2004
12.02.2020 13:35:12	1	1	1	1	63.25	61.25	0	28862.559	554.8387097	15951.94738	30000	0	0	30000	41.3125	2004
12.02.2020 13:35:12	1	1	1	1	63.25	61.25	0	28957.346	554.8387097	16066.09953	30000	0	0	30000	41.4375	2004
12.02.2020 13:35:13	1	1	1	1	63.25	61.25	0	28862.559	552.688172	15951.94738	30000	0	0	30000	41.3125	2004
12.02.2020 13:35:15	1	1	1	1	63.25	61.25	0	28815.166	552.688172	15987.82377	30000	0	0	30000	40.875	2004
12.02.2020 13:35:16	1	1	1	1	63.25	60.75	0	28957.346	552.688172	16066.09953	30000	0	0	30000	41.3125	2004
12.02.2020 13:35:17	1	1	1	1	63.25	61.25	0	28815.166	552.688172	15801.91884	30000	0	0	30000	41.3125	2004
12.02.2020 13:35:18	1	1	1	1	63.25	61.25	0	28957.346	556.9892473	16181.06705	30000	0	0	30000	41.5	2004
12.02.2020 13:35:19	1	1	1	1	62.75	61.5	0	28957.346	554.8387097	16066.09953	30000	0	0	30000	41.125	2004
12.02.2020 13:35:20	1	1	1	1	62.75	61	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	41.4375	2004
12.02.2020 13:35:21	1	1	1	1	62.75	61.25	0	28625.592	552.688172	15820.67241	30000	0	0	30000	41.375	2004
12.02.2020 13:35:22	1	1	1	1	62.75	61.25	0	28957.346	556.9892473	16128.88321	30000	0	0	30000	41.375	2004
12.02.2020 13:35:23	1	1	1	1	62.75	61.25	0	28862.559	554.8387097	16075.884	30000	0	0	30000	41.625	2004
12.02.2020 13:35:24	1	1	1	1	62.75	61.5	0	28957.346	556.9892473	16181.06705	30000	0	0	30000	41.125	2004
12.02.2020 13:35:25	1	1	1	1	62.75	61.75	0	28578.199	552.688172	15742.39665	30000	0	0	30000	41.3125	2004
12.02.2020 13:35:26	1	1	1	1	62.75	61.25	0	28957.346	556.9892473	16128.88321	30000	0	0	30000	41.25	2004
12.02.2020 13:35:27	1	1	1	1	62.75	61.25	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	40.9375	2004
12.02.2020 13:35:28	1	1	1	1	62.25	60.75	0	28957.346	559.1397849	16128.88321	30000	0	0	30000	41.3125	2004
12.02.2020 13:35:29	1	1	1	1	62.25	61.25	0	28815.166	559.1397849	16049.79208	30000	0	0	30000	41.5625	2004
12.02.2020 13:35:30	1	1	1	1	62.25	61.5	0	28815.166	546.2365591	15925.85546	30000	0	0	30000	41.5	2004
12.02.2020 13:35:31	1	1	1	1	62.25	61.5	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	41.0625	2004
12.02.2020 13:35:32	1	1	1	1	62.25	61	0	28530.806	550.5376344	15794.58049	30000	0	0	30000	41.5	2004
12.02.2020 13:35:33	1	1	1	1	62.25	61.5	0	28815.166	552.688172	16049.79208	30000	0	0	30000	41.375	2004
12.02.2020 13:35:34	1	1	1	1	62.25	61.25	0	28862.559	550.5376344	16040.00761	30000	0	0	30000	41.1875	2004
12.02.2020 13:35:35	1	1	1	1	62.25	61	0	28625.592	552.688172	15882.64072	30000	0	0	30000	40.8125	2004
12.02.2020 13:35:36	1	1	1	1	62.25	60.75	0	28578.199	556.9892473	15855.73343	30000	0	0	30000	41.25	2004
12.02.2020 13:35:37	1	1	1	1	62.25	61.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	40.5625	2004
12.02.2020 13:35:38	1	1	1	1	61.75	60.5	0	28625.592	556.9892473	15882.64072	30000	0	0	30000	41.3125	2004
12.02.2020 13:35:39	1	1	1	1	61.75	61.25	0	28625.592	556.9892473	15943.79366	30000	0	0	30000	41.4375	2004
12.02.2020 13:35:40	1	1	1	1	61.75	61.25	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	41.1875	2004
12.02.2020 13:35:41	1	1	1	1	61.75	61	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	41.5625	2004
12.02.2020 13:35:42	1	1	1	1	61.75	61.5	0	28625.592	552.688172	15820.67241	30000	0	0	30000	41.125	2004
12.02.2020 13:35:43	1	1	1	1	61.75	61	0	28815.166	552.688172	15925.85546	30000	0	0	30000	41.3125	2004
12.02.2020 13:35:44	1	1	1	1	61.75	61.25	0	28862.559	559.1397849	16137.85231	30000	0	0	30000	41.5625	2004
12.02.2020 13:35:45	1	1	1	1	61.75	61.5	0	28815.166	552.688172	15925.85546	30000	0	0	30000	40.9375	2004
12.02.2020 13:35:46	1	1	1	1	61.75	60.75	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	41	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 13:35:47	1	1	1	1	61.75	61	0	28625.592	554.8387097	15987.82377	30000	0	0	30000	40.9375	2004
12.02.2020 13:35:48	1	1	1	1	62	60.75	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	41.375	2004
12.02.2020 13:35:49	1	1	1	1	62	61.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	41.5	2004
12.02.2020 13:35:50	1	1	1	1	62	61.5	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	41.375	2004
12.02.2020 13:35:51	1	1	1	1	62	61.25	0	28815.166	552.688172	15863.88715	30000	0	0	30000	41	2004
12.02.2020 13:35:52	1	1	1	1	62	61	0	28578.199	554.8387097	15855.73343	30000	0	0	30000	41.1875	2004
12.02.2020 13:35:54	1	1	1	1	62	61	0	28815.166	563.4408602	16049.79208	30000	0	0	30000	41.1875	2004
12.02.2020 13:35:55	1	1	1	1	62	61	0	28815.166	556.9892473	15925.85546	30000	0	0	30000	41.25	2004
12.02.2020 13:35:56	1	1	1	1	62	61.25	0	28815.166	559.1397849	16005.76197	30000	0	0	30000	41.4375	2004
12.02.2020 13:35:57	1	1	1	1	62	61.25	0	28672.986	556.9892473	16049.79208	30000	0	0	30000	41.125	2004
12.02.2020 13:35:58	1	1	1	1	62	61	0	28815.166	561.2903226	16173.7287	30000	0	0	30000	41.375	2004
12.02.2020 13:35:59	1	1	1	1	62	61.25	0	28672.986	559.1397849	15969.88558	30000	0	0	30000	41.4375	2004
12.02.2020 13:36:00	1	1	1	1	62	61.25	0	28625.592	554.8387097	15882.64072	30000	0	0	30000	40.25	2004
12.02.2020 13:36:01	1	1	1	1	62	60.25	0	28578.199	556.9892473	15917.70174	30000	0	0	30000	41.4375	2004
12.02.2020 13:36:02	1	1	1	1	62	61.25	0	28625.592	556.9892473	15943.79366	30000	0	0	30000	40.8125	2004
12.02.2020 13:36:03	1	1	1	1	62	60.75	0	28578.199	561.2903226	15978.85467	30000	0	0	30000	41.1875	2004
12.02.2020 13:36:04	1	1	1	1	62	61	0	28815.166	559.1397849	16137.85231	30000	0	0	30000	41.3125	2004
12.02.2020 13:36:05	1	1	1	1	62	61.25	0	28625.592	556.9892473	15943.79366	30000	0	0	30000	41.3125	2004
12.02.2020 13:36:06	1	1	1	1	62	61.25	0	28483.412	559.1397849	15838.61061	30000	0	0	30000	41.5	2004
12.02.2020 13:36:13	1	1	1	1	62	61.25	0	28625.592	559.1397849	16173.7287	30000	0	0	30000	41.25	2004
12.02.2020 13:36:13	1	1	1	1	62	61.25	0	28625.592	559.1397849	16173.7287	30000	0	0	30000	41.25	2004
12.02.2020 13:36:13	1	1	1	1	62	61.25	0	28625.592	559.1397849	16173.7287	30000	0	0	30000	41.25	2004
12.02.2020 13:36:13	1	1	1	1	62	61.25	0	28625.592	559.1397849	16173.7287	30000	0	0	30000	41.25	2004
12.02.2020 13:36:13	1	1	1	1	62	61.25	0	28625.592	559.1397849	16173.7287	30000	0	0	30000	41.25	2004
12.02.2020 13:36:13	1	1	1	1	62	61.25	0	28625.592	559.1397849	16173.7287	30000	0	0	30000	41.25	2004
12.02.2020 13:36:13	1	1	1	1	62	61.25	0	28625.592	559.1397849	16173.7287	30000	0	0	30000	41.25	2004
12.02.2020 13:36:13	1	1	1	1	62	61.25	0	28625.592	559.1397849	16173.7287	30000	0	0	30000	41.25	2004
12.02.2020 13:36:14	1	1	1	1	62	61.25	0	28625.592	559.1397849	16173.7287	30000	0	0	30000	41.375	2004
12.02.2020 13:36:15	1	1	1	1	62	61.25	0	28625.592	565.5913978	15742.39665	30000	0	0	30000	41.4375	2004
12.02.2020 13:36:16	1	1	1	1	62	61.25	0	28578.199	554.8387097	15943.79366	30000	0	0	30000	41.375	2004
12.02.2020 13:36:17	1	1	1	1	62	61.25	0	28530.806	559.1397849	16040.00761	30000	0	0	30000	41.375	2004
12.02.2020 13:36:18	1	1	1	1	62	61.25	0	28625.592	556.9892473	15882.64072	30000	0	0	30000	41.6875	2004
12.02.2020 13:36:19	1	1	1	1	62	61.5	0	28815.166	559.1397849	16173.7287	30000	0	0	30000	41.3125	2004
12.02.2020 13:36:20	1	1	1	1	62	61.25	0	28625.592	559.1397849	16066.9149	30000	0	0	30000	41.1875	2004
12.02.2020 13:36:21	1	1	1	1	62	61	0	28625.592	556.9892473	16049.79208	30000	0	0	30000	41	2004
12.02.2020 13:36:22	1	1	1	1	62	61	0	28578.199	559.1397849	16040.00761	30000	0	0	30000	40.625	2004
12.02.2020 13:36:23	1	1	1	1	62	60.5	0	28530.806	559.1397849	16040.00761	30000	0	0	30000	41.0625	2004
12.02.2020 13:36:24	1	1	1	1	62	61	0	28815.166	559.1397849	16049.79208	30000	0	0	30000	41.3125	2004
12.02.2020 13:36:25	1	1	1	1	62	61.25	0	28578.199	556.9892473	15978.85467	30000	0	0	30000	41.375	2004
12.02.2020 13:36:26	1	1	1	1	62	61.25	0	28625.592	559.1397849	16066.9149	30000	0	0	30000	41.4375	2004
12.02.2020 13:36:27	1	1	1	1	62	61.25	0	28625.592	559.1397849	16040.00761	30000	0	0	30000	41.25	2004
12.02.2020 13:36:28	1	1	1	1	62.25	61.25	0	28578.199	559.1397849	16040.00761	30000	0	0	30000	41.25	2004
12.02.2020 13:36:29	1	1	1	1	62.25	61.25	0	28483.412	561.2903226	15925.85546	30000	0	0	30000	40.8125	2004
12.02.2020 13:36:30	1	1	1	1	62.25	60.75	0	28578.199	559.1397849	16040.00761	30000	0	0	30000	41.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 13:36:31	1	1	1	1	62.25	61.25	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	40.9375	2004
12.02.2020 13:36:32	1	1	1	1	62.25	60.75	0	28483.412	559.1397849	15925.85546	30000	0	0	30000	41.375	2004
12.02.2020 13:36:34	1	1	1	1	62.25	61.25	0	28530.806	559.1397849	15864.70252	30000	0	0	30000	41.4375	2004
12.02.2020 13:36:35	1	1	1	1	62.25	61.25	0	28483.412	556.9892473	15987.0084	30000	0	0	30000	40.3125	2004
12.02.2020 13:36:36	1	1	1	1	62.25	60.25	0	28578.199	552.688172	15943.79366	30000	0	0	30000	41.4375	2004
12.02.2020 13:36:37	1	1	1	1	62.25	61.25	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	41.3125	2004
12.02.2020 13:36:38	1	1	1	1	62.25	61.25	0	28436.019	559.1397849	15987.0084	30000	0	0	30000	41.3125	2004
12.02.2020 13:36:39	1	1	1	1	62	61.25	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	41.4375	2004
12.02.2020 13:36:40	1	1	1	1	62	61.25	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	41.3125	2004
12.02.2020 13:36:41	1	1	1	1	62	61.25	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	41	2004
12.02.2020 13:36:42	1	1	1	1	62	61	0	28578.199	556.9892473	16040.00761	30000	0	0	30000	41.5625	2004
12.02.2020 13:36:43	1	1	1	1	62	61.5	0	28625.592	561.2903226	16066.9149	30000	0	0	30000	41.4375	2004
12.02.2020 13:36:44	1	1	1	1	62	61.25	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	41.125	2004
12.02.2020 13:36:45	1	1	1	1	62	61.5	0	28578.199	559.1397849	16040.00761	30000	0	0	30000	41.25	2004
12.02.2020 13:36:46	1	1	1	1	62	61.25	0	28483.412	559.1397849	15987.0084	30000	0	0	30000	41.3125	2004
12.02.2020 13:36:47	1	1	1	1	62	61.25	0	28483.412	556.9892473	16040.00761	30000	0	0	30000	41.3125	2004
12.02.2020 13:36:48	1	1	1	1	62.25	61.25	0	28625.592	561.2903226	16040.00761	30000	0	0	30000	41.4375	2004
12.02.2020 13:36:49	1	1	1	1	62.25	61.25	0	28625.592	567.7419355	16040.00761	30000	0	0	30000	41.5	2004
12.02.2020 13:36:50	1	1	1	1	62.25	61.5	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	41.25	2004
12.02.2020 13:36:51	1	1	1	1	62.25	61.25	0	28483.412	563.4408602	15960.91648	30000	0	0	30000	41.1875	2004
12.02.2020 13:36:52	1	1	1	1	62.25	61	0	28625.592	559.1397849	16005.76197	30000	0	0	30000	41.375	2004
12.02.2020 13:36:53	1	1	1	1	62.25	61.25	0	28578.199	563.4408602	16101.97592	30000	0	0	30000	41.4375	2004
12.02.2020 13:36:54	1	1	1	1	62.25	61.25	0	28625.592	559.1397849	16128.88321	30000	0	0	30000	40.5	2004
12.02.2020 13:36:55	1	1	1	1	62.25	60.5	0	28625.592	561.2903226	16173.7287	30000	0	0	30000	41.3125	2004
12.02.2020 13:36:56	1	1	1	1	62.25	61.25	0	28436.019	559.1397849	15960.91648	30000	0	0	30000	41.1875	2004
12.02.2020 13:36:57	1	1	1	1	62.25	61	0	28530.806	561.2903226	15987.0084	30000	0	0	30000	41.25	2004
12.02.2020 13:36:58	1	1	1	1	62	61.25	0	28815.166	569.8924731	16066.9149	30000	0	0	30000	41.4375	2004
12.02.2020 13:36:59	1	1	1	1	62	61.25	0	28578.199	561.2903226	16013.91569	30000	0	0	30000	41.375	2004
12.02.2020 13:37:00	1	1	1	1	62	61.25	0	28625.592	561.2903226	16040.00761	30000	0	0	30000	41.3125	2004
12.02.2020 13:37:01	1	1	1	1	62	61.25	0	28578.199	559.1397849	16040.00761	30000	0	0	30000	41	2004
12.02.2020 13:37:02	1	1	1	1	62	61	0	28388.626	556.9892473	15934.00919	30000	0	0	30000	41.3125	2004
12.02.2020 13:37:03	1	1	1	1	62	61.25	0	28436.019	563.4408602	15960.91648	30000	0	0	30000	41.3125	2004
12.02.2020 13:37:04	1	1	1	1	62	61.25	0	28578.199	559.1397849	15978.85467	30000	0	0	30000	40.9375	2004
12.02.2020 13:37:05	1	1	1	1	62	60.75	0	28483.412	556.9892473	15925.85546	30000	0	0	30000	41.0625	2004
12.02.2020 13:37:06	1	1	1	1	62	61	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	40.8125	2004
12.02.2020 13:37:07	1	1	1	1	62	60.75	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	41.5	2004
12.02.2020 13:37:15	1	1	1	1	62	61	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	41.1875	2004
12.02.2020 13:37:15	1	1	1	1	62	61	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	41.1875	2004
12.02.2020 13:37:15	1	1	1	1	62	61	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	41.1875	2004
12.02.2020 13:37:15	1	1	1	1	62	61	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	41.1875	2004
12.02.2020 13:37:15	1	1	1	1	62	61	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	41.1875	2004
12.02.2020 13:37:15	1	1	1	1	62	61	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	41.1875	2004
12.02.2020 13:37:15	1	1	1	1	62	61	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	41.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 13:37:16	1	1	1	1	62	61	0	28436.019	565.5913978	15934.00919	30000	0	0	30000	41.375	2004
12.02.2020 13:37:17	1	1	1	1	62	61.25	0	28483.412	559.1397849	15987.0084	30000	0	0	30000	40.8125	2004
12.02.2020 13:37:18	1	1	1	1	62	60.75	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	41.375	2004
12.02.2020 13:37:19	1	1	1	1	61.75	61.25	0	28815.166	563.4408602	16173.7287	30000	0	0	30000	41.25	2004
12.02.2020 13:37:20	1	1	1	1	61.75	61.25	0	28483.412	561.2903226	16040.00761	30000	0	0	30000	41.3125	2004
12.02.2020 13:37:21	1	1	1	1	61.75	61.25	0	28483.412	559.1397849	15987.0084	30000	0	0	30000	41.3125	2004
12.02.2020 13:37:22	1	1	1	1	61.75	61.25	0	28483.412	563.4408602	15987.0084	30000	0	0	30000	41.3125	2004
12.02.2020 13:37:23	1	1	1	1	61.75	61.25	0	28483.412	559.1397849	15925.85546	30000	0	0	30000	40.6875	2004
12.02.2020 13:37:24	1	1	1	1	61.75	61	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	40.0625	2004
12.02.2020 13:37:25	1	1	1	1	61.75	60	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	41.4375	2004
12.02.2020 13:37:26	1	1	1	1	61.75	61.25	0	28483.412	561.2903226	16232.43552	30000	0	0	30000	41.25	2004
12.02.2020 13:37:27	1	1	1	1	61.75	61.25	0	28436.019	559.1397849	15960.91648	30000	0	0	30000	41.3125	2004
12.02.2020 13:37:28	1	1	1	1	61.75	61.25	0	28625.592	563.4408602	16066.9149	30000	0	0	30000	41.25	2004
12.02.2020 13:37:29	1	1	1	1	61.75	61.25	0	28483.412	563.4408602	15987.0084	30000	0	0	30000	41.3125	2004
12.02.2020 13:37:30	1	1	1	1	61.75	61.25	0	28436.019	561.2903226	16083.22235	30000	0	0	30000	41.3125	2004
12.02.2020 13:37:31	1	1	1	1	61.75	61.25	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	41.5	2004
12.02.2020 13:37:32	1	1	1	1	61.75	61.5	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	41.4375	2004
12.02.2020 13:37:33	1	1	1	1	61.75	61.25	0	28483.412	565.5913978	16022.06942	30000	0	0	30000	40.5625	2004
12.02.2020 13:37:34	1	1	1	1	61.75	60.5	0	28388.626	561.2903226	15872.85625	30000	0	0	30000	41.3125	2004
12.02.2020 13:37:35	1	1	1	1	61.75	61.25	0	28341.232	559.1397849	15907.10189	30000	0	0	30000	41.375	2004
12.02.2020 13:37:36	1	1	1	1	61.75	61.25	0	28578.199	561.2903226	16101.97592	30000	0	0	30000	41.25	2004
12.02.2020 13:37:37	1	1	1	1	61.75	61.25	0	28199.052	561.2903226	15827.19539	30000	0	0	30000	41.375	2004
12.02.2020 13:37:38	1	1	1	1	62	61.25	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	41.375	2004
12.02.2020 13:37:39	1	1	1	1	62	61.25	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	41.375	2004
12.02.2020 13:37:40	1	1	1	1	62	61.25	0	28388.626	561.2903226	16022.06942	30000	0	0	30000	40.875	2004
12.02.2020 13:37:41	1	1	1	1	62	60.75	0	28388.626	563.4408602	15995.16212	30000	0	0	30000	41.1875	2004
12.02.2020 13:37:42	1	1	1	1	62	61	0	28341.232	563.4408602	15995.16212	30000	0	0	30000	40.5625	2004
12.02.2020 13:37:43	1	1	1	1	62	60.5	0	28483.412	561.2903226	16048.16134	30000	0	0	30000	41.25	2004
12.02.2020 13:37:44	1	1	1	1	62	61.25	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	41.4375	2004
12.02.2020 13:37:45	1	1	1	1	62	61.25	0	28436.019	565.5913978	16083.22235	30000	0	0	30000	40.875	2004
12.02.2020 13:37:46	1	1	1	1	62	60.75	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	41.125	2004
12.02.2020 13:37:47	1	1	1	1	62	61	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	41.4375	2004
12.02.2020 13:37:48	1	1	1	1	61.75	61.25	0	28530.806	561.2903226	16075.06863	30000	0	0	30000	41.125	2004
12.02.2020 13:37:50	1	1	1	1	61.75	61	0	28293.839	561.2903226	15846.76433	30000	0	0	30000	41.0625	2004
12.02.2020 13:37:51	1	1	1	1	61.75	61	0	28483.412	563.4408602	16109.31427	30000	0	0	30000	41.1875	2004
12.02.2020 13:37:52	1	1	1	1	61.75	61	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	41.375	2004
12.02.2020 13:37:53	1	1	1	1	61.75	61.25	0	28483.412	565.5913978	16109.31427	30000	0	0	30000	41.25	2004
12.02.2020 13:37:54	1	1	1	1	61.75	61.25	0	28341.232	563.4408602	15968.25483	30000	0	0	30000	41.4375	2004
12.02.2020 13:37:55	1	1	1	1	61.75	61.25	0	28388.626	561.2903226	15960.91648	30000	0	0	30000	41.0625	2004
12.02.2020 13:37:56	1	1	1	1	61.75	61	0	28625.592	563.4408602	16297.66532	30000	0	0	30000	40.875	2004
12.02.2020 13:37:57	1	1	1	1	61.75	60.75	0	28436.019	563.4408602	15960.91648	30000	0	0	30000	41.375	2004
12.02.2020 13:37:58	1	1	1	1	61.75	61.25	0	28483.412	563.4408602	15987.0084	30000	0	0	30000	40.9375	2004
12.02.2020 13:37:59	1	1	1	1	61.5	60.75	0	28341.232	563.4408602	15846.76433	30000	0	0	30000	40.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 13:38:00	1	1	1	1	61.5	60.75	0	28436.019	563.4408602	16048.16134	30000	0	0	30000	41.4375	2004
12.02.2020 13:38:01	1	1	1	1	61.5	61.25	0	28483.412	565.5913978	16109.31427	30000	0	0	30000	41.125	2004
12.02.2020 13:38:02	1	1	1	1	61.5	61	0	28388.626	561.2903226	15934.00919	30000	0	0	30000	40.6875	2004
12.02.2020 13:38:03	1	1	1	1	61.5	61.25	0	28483.412	561.2903226	16048.16134	30000	0	0	30000	41.25	2004
12.02.2020 13:38:04	1	1	1	1	61.5	61.25	0	28483.412	565.5913978	16232.43552	30000	0	0	30000	40.9375	2004
12.02.2020 13:38:05	1	1	1	1	61.5	60.75	0	28293.839	559.1397849	16029.40777	30000	0	0	30000	41.25	2004
12.02.2020 13:38:06	1	1	1	1	61.5	61.25	0	28341.232	561.2903226	15907.10189	30000	0	0	30000	41.25	2004
12.02.2020 13:38:07	1	1	1	1	61.5	61.25	0	28341.232	563.4408602	15881.00997	30000	0	0	30000	41.3125	2004
12.02.2020 13:38:08	1	1	1	1	62	61.25	0	28483.412	565.5913978	16109.31427	30000	0	0	30000	41.375	2004
12.02.2020 13:38:09	1	1	1	1	62	61.25	0	28436.019	563.4408602	16022.06942	30000	0	0	30000	40.5625	2004
12.02.2020 13:38:16	1	1	1	1	62	61.5	0	28436.019	563.4408602	16022.06942	30000	0	0	30000	41.3125	2004
12.02.2020 13:38:16	1	1	1	1	62	61.5	0	28436.019	563.4408602	16022.06942	30000	0	0	30000	41.3125	2004
12.02.2020 13:38:16	1	1	1	1	62	61.5	0	28436.019	563.4408602	16022.06942	30000	0	0	30000	41.3125	2004
12.02.2020 13:38:16	1	1	1	1	62	61.5	0	28436.019	563.4408602	16022.06942	30000	0	0	30000	41.3125	2004
12.02.2020 13:38:16	1	1	1	1	62	61.5	0	28436.019	563.4408602	16022.06942	30000	0	0	30000	41.3125	2004
12.02.2020 13:38:16	1	1	1	1	62	61.5	0	28436.019	563.4408602	16022.06942	30000	0	0	30000	41.3125	2004
12.02.2020 13:38:16	1	1	1	1	62	61.5	0	28436.019	563.4408602	16022.06942	30000	0	0	30000	41.3125	2004
12.02.2020 13:38:16	1	1	1	1	62	61.5	0	28436.019	563.4408602	16022.06942	30000	0	0	30000	41.3125	2004
12.02.2020 13:38:16	1	1	1	1	62	61.5	0	28436.019	563.4408602	16022.06942	30000	0	0	30000	41.3125	2004
12.02.2020 13:38:17	1	1	1	1	62	61.25	0	28436.019	561.2903226	15987.0084	30000	0	0	30000	41.5	2004
12.02.2020 13:38:18	1	1	1	1	61.75	61.5	0	28436.019	561.2903226	15934.00919	30000	0	0	30000	41.0625	2004
12.02.2020 13:38:19	1	1	1	1	61.75	61	0	28293.839	556.9892473	15934.00919	30000	0	0	30000	41	2004
12.02.2020 13:38:20	1	1	1	1	61.75	61	0	28293.839	565.5913978	15827.19539	30000	0	0	30000	41.1875	2004
12.02.2020 13:38:21	1	1	1	1	61.75	61	0	28293.839	559.1397849	15819.85704	30000	0	0	30000	41.1875	2004
12.02.2020 13:38:22	1	1	1	1	61.75	61	0	28436.019	563.4408602	15934.00919	30000	0	0	30000	41.125	2004
12.02.2020 13:38:23	1	1	1	1	61.75	61	0	28436.019	561.2903226	16056.31506	30000	0	0	30000	41.25	2004
12.02.2020 13:38:24	1	1	1	1	61.75	61.25	0	28578.199	563.4408602	16101.97592	30000	0	0	30000	41.375	2004
12.02.2020 13:38:25	1	1	1	1	61.75	61.25	0	28530.806	563.4408602	16109.31427	30000	0	0	30000	41.0625	2004
12.02.2020 13:38:26	1	1	1	1	61.75	61	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	41.5	2004
12.02.2020 13:38:27	1	1	1	1	61.75	61.5	0	28483.412	559.1397849	16109.31427	30000	0	0	30000	41.375	2004
12.02.2020 13:38:28	1	1	1	1	62.25	61.25	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	41.25	2004
12.02.2020 13:38:30	1	1	1	1	62.25	61.25	0	28625.592	563.4408602	16190.03615	30000	0	0	30000	41.1875	2004
12.02.2020 13:38:31	1	1	1	1	62.25	61	0	28483.412	565.5913978	16083.22235	30000	0	0	30000	41.3125	2004
12.02.2020 13:38:32	1	1	1	1	62.25	61.25	0	28436.019	565.5913978	16109.31427	30000	0	0	30000	41.25	2004
12.02.2020 13:38:33	1	1	1	1	62.25	61.25	0	28388.626	561.2903226	15934.00919	30000	0	0	30000	41.25	2004
12.02.2020 13:38:34	1	1	1	1	62.25	61.25	0	28388.626	563.4408602	15995.16212	30000	0	0	30000	41.0625	2004
12.02.2020 13:38:35	1	1	1	1	62.25	61	0	28436.019	563.4408602	16022.06942	30000	0	0	30000	40.875	2004
12.02.2020 13:38:36	1	1	1	1	62.25	60.75	0	28388.626	563.4408602	15907.10189	30000	0	0	30000	40.8125	2004
12.02.2020 13:38:37	1	1	1	1	62.25	60.75	0	28483.412	563.4408602	16109.31427	30000	0	0	30000	40.625	2004
12.02.2020 13:38:38	1	1	1	1	62.25	60.5	0	28436.019	563.4408602	16022.06942	30000	0	0	30000	40.9375	2004
12.02.2020 13:38:39	1	1	1	1	62.25	60.75	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	41.125	2004
12.02.2020 13:38:40	1	1	1	1	62.25	61	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	41.4375	2004
12.02.2020 13:38:41	1	1	1	1	62.25	61.25	0	28530.806	563.4408602	16048.16134	30000	0	0	30000	41.75	2004
12.02.2020 13:38:42	1	1	1	1	62.25	61	0	28293.839	563.4408602	16002.50048	30000	0	0	30000	41.5	2004
12.02.2020 13:38:43	1	1	1	1	62.25	61.5	0	28530.806	563.4408602	16163.12886	30000	0	0	30000	41.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 13:38:44	1	1	1	1	62.25	61.25	0	28625.592	565.5913978	16190.03615	30000	0	0	30000	41.3125	2004
12.02.2020 13:38:45	1	1	1	1	62.25	61.25	0	28436.019	563.4408602	15811.70331	30000	0	0	30000	41.3125	2004
12.02.2020 13:38:46	1	1	1	1	62.25	61.25	0	28199.052	561.2903226	15827.19539	30000	0	0	30000	41.4375	2004
12.02.2020 13:38:47	1	1	1	1	62.25	61.25	0	28483.412	569.8924731	15960.91648	30000	0	0	30000	40.9375	2004
12.02.2020 13:38:48	1	1	1	1	62	60.75	0	28483.412	563.4408602	16109.31427	30000	0	0	30000	41.0625	2004
12.02.2020 13:38:49	1	1	1	1	62	61	0	28578.199	565.5913978	16136.22156	30000	0	0	30000	41.25	2004
12.02.2020 13:38:50	1	1	1	1	62	61.25	0	28388.626	563.4408602	16083.22235	30000	0	0	30000	40.75	2004
12.02.2020 13:38:51	1	1	1	1	62	60.75	0	28578.199	563.4408602	16163.12886	30000	0	0	30000	40.9375	2004
12.02.2020 13:38:52	1	1	1	1	62	60.75	0	28483.412	563.4408602	16109.31427	30000	0	0	30000	41.0625	2004
12.02.2020 13:38:53	1	1	1	1	62	61	0	28388.626	561.2903226	15934.00919	30000	0	0	30000	41.25	2004
12.02.2020 13:38:54	1	1	1	1	62	61.25	0	28293.839	563.4408602	15968.25483	30000	0	0	30000	40.3125	2004
12.02.2020 13:38:55	1	1	1	1	62	60.25	0	28341.232	565.5913978	16090.5607	30000	0	0	30000	41.1875	2004
12.02.2020 13:38:56	1	1	1	1	62	61	0	28388.626	563.4408602	16056.31506	30000	0	0	30000	40.8125	2004
12.02.2020 13:38:57	1	1	1	1	62	60.75	0	28388.626	561.2903226	15934.00919	30000	0	0	30000	41.125	2004
12.02.2020 13:38:58	1	1	1	1	62	61	0	28483.412	563.4408602	15987.0084	30000	0	0	30000	41.4375	2004
12.02.2020 13:38:59	1	1	1	1	62	61.25	0	28483.412	563.4408602	15987.0084	30000	0	0	30000	41.4375	2004
12.02.2020 13:39:00	1	1	1	1	62	61.25	0	28293.839	561.2903226	15881.00997	30000	0	0	30000	40.8125	2004
12.02.2020 13:39:01	1	1	1	1	62	60.75	0	28436.019	569.8924731	16022.06942	30000	0	0	30000	41.375	2004
12.02.2020 13:39:02	1	1	1	1	62	61.25	0	28625.592	561.2903226	16297.66532	30000	0	0	30000	41.25	2004
12.02.2020 13:39:03	1	1	1	1	62	61.25	0	28341.232	563.4408602	15968.25483	30000	0	0	30000	41.3125	2004
12.02.2020 13:39:04	1	1	1	1	62	61.25	0	28530.806	563.4408602	16163.12886	30000	0	0	30000	41.5	2004
12.02.2020 13:39:05	1	1	1	1	62	61.5	0	28483.412	565.5913978	16109.31427	30000	0	0	30000	40.875	2004
12.02.2020 13:39:06	1	1	1	1	62	60.75	0	28388.626	561.2903226	15934.00919	30000	0	0	30000	41.375	2004
12.02.2020 13:39:08	1	1	1	1	62	61.25	0	28388.626	563.4408602	15934.00919	30000	0	0	30000	41.4375	2004
12.02.2020 13:39:09	1	1	1	1	62	61.25	0	28483.412	563.4408602	16109.31427	30000	0	0	30000	41.125	2004
12.02.2020 13:39:10	1	1	1	1	62	61	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	41.1875	2004
12.02.2020 13:39:11	1	1	1	1	62	61	0	28483.412	563.4408602	16109.31427	30000	0	0	30000	41.4375	2004
12.02.2020 13:39:18	1	1	1	1	62	60.75	0	28483.412	563.4408602	16109.31427	30000	0	0	30000	41.4375	2004
12.02.2020 13:39:18	1	1	1	1	62	60.75	0	28483.412	563.4408602	16109.31427	30000	0	0	30000	41.4375	2004
12.02.2020 13:39:18	1	1	1	1	62	60.75	0	28483.412	563.4408602	16109.31427	30000	0	0	30000	41.4375	2004
12.02.2020 13:39:18	1	1	1	1	62	60.75	0	28483.412	563.4408602	16109.31427	30000	0	0	30000	41.4375	2004
12.02.2020 13:39:18	1	1	1	1	62	60.75	0	28483.412	563.4408602	16109.31427	30000	0	0	30000	41.4375	2004
12.02.2020 13:39:18	1	1	1	1	62	60.75	0	28483.412	563.4408602	16109.31427	30000	0	0	30000	41.4375	2004
12.02.2020 13:39:18	1	1	1	1	62	60.75	0	28483.412	563.4408602	16109.31427	30000	0	0	30000	41.4375	2004
12.02.2020 13:39:19	1	1	1	1	62.25	61.25	0	28483.412	556.9892473	16040.00761	30000	0	0	30000	41.1875	2004
12.02.2020 13:39:20	1	1	1	1	62.25	61.5	0	28246.445	561.2903226	15941.34754	30000	0	0	30000	40.1875	2004
12.02.2020 13:39:21	1	1	1	1	62.25	60	0	28483.412	561.2903226	15960.91648	30000	0	0	30000	41.4375	2004
12.02.2020 13:39:22	1	1	1	1	62.25	61.25	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	41.3125	2004
12.02.2020 13:39:23	1	1	1	1	62.25	61.25	0	28388.626	561.2903226	15934.00919	30000	0	0	30000	41.375	2004
12.02.2020 13:39:24	1	1	1	1	62.25	61.25	0	28388.626	563.4408602	16056.31506	30000	0	0	30000	41.4375	2004
12.02.2020 13:39:25	1	1	1	1	62.25	61.25	0	28341.232	563.4408602	16177.80556	30000	0	0	30000	41.3125	2004
12.02.2020 13:39:26	1	1	1	1	62.25	61.25	0	28388.626	563.4408602	16022.06942	30000	0	0	30000	41.4375	2004
12.02.2020 13:39:27	1	1	1	1	62.25	61.25	0	28530.806	563.4408602	16101.97592	30000	0	0	30000	40.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 13:39:28	1	1	1	1	62.25	60.25	0	28436.019	563.4408602	15872.85625	30000	0	0	30000	40.8125	2004
12.02.2020 13:39:29	1	1	1	1	62.25	60.75	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	41.5625	2004
12.02.2020 13:39:30	1	1	1	1	62.25	61.5	0	28436.019	561.2903226	15811.70331	30000	0	0	30000	41.25	2004
12.02.2020 13:39:31	1	1	1	1	62.25	61.25	0	28388.626	565.5913978	16056.31506	30000	0	0	30000	40.6875	2004
12.02.2020 13:39:32	1	1	1	1	62.25	60.5	0	28199.052	563.4408602	15888.34833	30000	0	0	30000	41.4375	2004
12.02.2020 13:39:33	1	1	1	1	62.25	61.25	0	28436.019	563.4408602	16056.31506	30000	0	0	30000	41.4375	2004
12.02.2020 13:39:34	1	1	1	1	62.25	61.25	0	28341.232	565.5913978	16002.50048	30000	0	0	30000	41.0625	2004
12.02.2020 13:39:35	1	1	1	1	62.25	61	0	28341.232	559.1397849	16056.31506	30000	0	0	30000	41.125	2004
12.02.2020 13:39:36	1	1	1	1	62.25	61	0	28293.839	565.5913978	16002.50048	30000	0	0	30000	41.3125	2004
12.02.2020 13:39:37	1	1	1	1	62.25	61.25	0	28388.626	563.4408602	15934.00919	30000	0	0	30000	40.9375	2004
12.02.2020 13:39:38	1	1	1	1	62.25	60.75	0	28009.479	567.7419355	16070.17639	30000	0	0	30000	40.875	2004
12.02.2020 13:39:39	1	1	1	1	62.25	60.75	0	28293.839	565.5913978	16002.50048	30000	0	0	30000	41.3125	2004
12.02.2020 13:39:40	1	1	1	1	62.25	61.25	0	28341.232	565.5913978	15758.7041	30000	0	0	30000	41.5	2004
12.02.2020 13:39:41	1	1	1	1	62.25	61.5	0	28436.019	563.4408602	16022.06942	30000	0	0	30000	41.3125	2004
12.02.2020 13:39:42	1	1	1	1	62.25	61.25	0	28293.839	561.2903226	15941.34754	30000	0	0	30000	41.375	2004
12.02.2020 13:39:43	1	1	1	1	62.25	61.25	0	28388.626	563.4408602	15995.16212	30000	0	0	30000	40.75	2004
12.02.2020 13:39:44	1	1	1	1	62.25	60.75	0	28483.412	567.7419355	16109.31427	30000	0	0	30000	41.125	2004
12.02.2020 13:39:45	1	1	1	1	62.25	61	0	28341.232	563.4408602	16002.50048	30000	0	0	30000	41.0625	2004
12.02.2020 13:39:47	1	1	1	1	62.25	61	0	28483.412	565.5913978	16109.31427	30000	0	0	30000	41.375	2004
12.02.2020 13:39:48	1	1	1	1	62.25	61.25	0	28436.019	572.0430108	16171.28258	30000	0	0	30000	41.3125	2004
12.02.2020 13:39:49	1	1	1	1	62.5	61.25	0	28436.019	565.5913978	15948.68589	30000	0	0	30000	40.9375	2004
12.02.2020 13:39:50	1	1	1	1	62.5	60.75	0	28388.626	563.4408602	16083.22235	30000	0	0	30000	41.125	2004
12.02.2020 13:39:51	1	1	1	1	62.5	61	0	28388.626	569.8924731	15968.25483	30000	0	0	30000	41.25	2004
12.02.2020 13:39:52	1	1	1	1	62.5	61.25	0	28341.232	563.4408602	16029.40777	30000	0	0	30000	40.625	2004
12.02.2020 13:39:53	1	1	1	1	62.5	60.5	0	28436.019	565.5913978	16056.31506	30000	0	0	30000	40.625	2004
12.02.2020 13:39:54	1	1	1	1	62.5	60.5	0	28341.232	561.2903226	15968.25483	30000	0	0	30000	41.125	2004
12.02.2020 13:39:55	1	1	1	1	62.5	61	0	28483.412	565.5913978	16109.31427	30000	0	0	30000	41.5625	2004
12.02.2020 13:39:56	1	1	1	1	62.5	61.5	0	28293.839	563.4408602	15968.25483	30000	0	0	30000	41.4375	2004
12.02.2020 13:39:57	1	1	1	1	62.5	61.25	0	28530.806	563.4408602	16163.12886	30000	0	0	30000	41.1875	2004
12.02.2020 13:39:58	1	1	1	1	62.25	61.5	0	28293.839	563.4408602	15968.25483	30000	0	0	30000	40.5	2004
12.02.2020 13:39:59	1	1	1	1	62.25	60.5	0	28341.232	563.4408602	15968.25483	30000	0	0	30000	41	2004
12.02.2020 13:40:00	1	1	1	1	62.25	61	0	28341.232	563.4408602	15968.25483	30000	0	0	30000	41.0625	2004
12.02.2020 13:40:01	1	1	1	1	62.25	61	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	41.4375	2004
12.02.2020 13:40:02	1	1	1	1	62.25	61.25	0	28341.232	563.4408602	15881.00997	30000	0	0	30000	41.375	2004
12.02.2020 13:40:03	1	1	1	1	62.25	61.25	0	28388.626	563.4408602	16056.31506	30000	0	0	30000	41.375	2004
12.02.2020 13:40:04	1	1	1	1	62.25	61.25	0	28341.232	563.4408602	15968.25483	30000	0	0	30000	40.9375	2004
12.02.2020 13:40:05	1	1	1	1	62.25	60.75	0	28436.019	563.4408602	16056.31506	30000	0	0	30000	41.125	2004
12.02.2020 13:40:06	1	1	1	1	62.25	61	0	28436.019	563.4408602	15934.00919	30000	0	0	30000	40.625	2004
12.02.2020 13:40:07	1	1	1	1	62.25	60.5	0	28483.412	565.5913978	16163.12886	30000	0	0	30000	41.5	2004
12.02.2020 13:40:08	1	1	1	1	62	61.5	0	28436.019	561.2903226	16022.06942	30000	0	0	30000	41	2004
12.02.2020 13:40:09	1	1	1	1	62	61	0	28388.626	563.4408602	15995.16212	30000	0	0	30000	41.125	2004
12.02.2020 13:40:10	1	1	1	1	62	61	0	28436.019	563.4408602	15995.16212	30000	0	0	30000	40.9375	2004
12.02.2020 13:40:11	1	1	1	1	62	60.75	0	28388.626	563.4408602	16056.31506	30000	0	0	30000	41.25	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 13:40:12	1	1	1	1	62	61.25	0	28293.839	563.4408602	15766.85783	30000	0	0	30000	41.3125	2004
12.02.2020 13:40:20	1	1	1	1	62.25	60.75	0	28625.592	565.5913978	15917.70174	30000	0	0	30000	41.3125	2004
12.02.2020 13:40:20	1	1	1	1	62.25	60.75	0	28625.592	565.5913978	15917.70174	30000	0	0	30000	41.3125	2004
12.02.2020 13:40:20	1	1	1	1	62.25	60.75	0	28625.592	565.5913978	15917.70174	30000	0	0	30000	41.3125	2004
12.02.2020 13:40:20	1	1	1	1	62.25	60.75	0	28625.592	565.5913978	15917.70174	30000	0	0	30000	41.3125	2004
12.02.2020 13:40:20	1	1	1	1	62.25	60.75	0	28625.592	565.5913978	15917.70174	30000	0	0	30000	41.3125	2004
12.02.2020 13:40:20	1	1	1	1	62.25	60.75	0	28625.592	565.5913978	15917.70174	30000	0	0	30000	41.3125	2004
12.02.2020 13:40:20	1	1	1	1	62.25	60.75	0	28625.592	565.5913978	15917.70174	30000	0	0	30000	41.3125	2004
12.02.2020 13:40:20	1	1	1	1	62.25	61.25	0	28388.626	561.2903226	15960.91648	30000	0	0	30000	41.25	2004
12.02.2020 13:40:21	1	1	1	1	62.25	61.25	0	28341.232	563.4408602	16029.40777	30000	0	0	30000	41.4375	2004
12.02.2020 13:40:22	1	1	1	1	62.25	61.25	0	28388.626	561.2903226	15934.00919	30000	0	0	30000	40.75	2004
12.02.2020 13:40:24	1	1	1	1	62.25	60.75	0	28388.626	561.2903226	15934.00919	30000	0	0	30000	40.8125	2004
12.02.2020 13:40:25	1	1	1	1	62.25	60.75	0	28388.626	563.4408602	16083.22235	30000	0	0	30000	41.3125	2004
12.02.2020 13:40:26	1	1	1	1	62.25	61.25	0	28388.626	561.2903226	15995.16212	30000	0	0	30000	40.875	2004
12.02.2020 13:40:27	1	1	1	1	62.25	60.75	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	41.125	2004
12.02.2020 13:40:28	1	1	1	1	62.25	61	0	28625.592	563.4408602	16163.12886	30000	0	0	30000	41.3125	2004
12.02.2020 13:40:29	1	1	1	1	62	61.25	0	28246.445	563.4408602	15941.34754	30000	0	0	30000	41	2004
12.02.2020 13:40:30	1	1	1	1	62	61	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	40.875	2004
12.02.2020 13:40:31	1	1	1	1	62	60.75	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	41.25	2004
12.02.2020 13:40:32	1	1	1	1	62	61.25	0	28341.232	561.2903226	15934.00919	30000	0	0	30000	41.0625	2004
12.02.2020 13:40:33	1	1	1	1	62	61	0	28483.412	565.5913978	16109.31427	30000	0	0	30000	41.5	2004
12.02.2020 13:40:34	1	1	1	1	62	61.5	0	28009.479	561.2903226	15827.19539	30000	0	0	30000	41.375	2004
12.02.2020 13:40:35	1	1	1	1	62	61.25	0	28483.412	561.2903226	16109.31427	30000	0	0	30000	41.3125	2004
12.02.2020 13:40:36	1	1	1	1	62	61.25	0	28483.412	565.5913978	16109.31427	30000	0	0	30000	41.6875	2004
12.02.2020 13:40:37	1	1	1	1	62	60.25	0	28388.626	563.4408602	15907.10189	30000	0	0	30000	40.6875	2004
12.02.2020 13:40:38	1	1	1	1	62.5	60.5	0	28483.412	563.4408602	15987.0084	30000	0	0	30000	41.0625	2004
12.02.2020 13:40:39	1	1	1	1	62.5	61	0	28483.412	565.5913978	16048.16134	30000	0	0	30000	41.4375	2004
12.02.2020 13:40:40	1	1	1	1	62.5	61.25	0	28246.445	565.5913978	15948.68589	30000	0	0	30000	41.1875	2004
12.02.2020 13:40:41	1	1	1	1	62.5	61	0	28436.019	563.4408602	16022.06942	30000	0	0	30000	41.25	2004
12.02.2020 13:40:42	1	1	1	1	62.5	61.25	0	28530.806	565.5913978	16163.12886	30000	0	0	30000	41.375	2004
12.02.2020 13:40:43	1	1	1	1	62.5	61.25	0	28436.019	563.4408602	16022.06942	30000	0	0	30000	40.8125	2004
12.02.2020 13:40:44	1	1	1	1	62.5	60.75	0	28483.412	563.4408602	16109.31427	30000	0	0	30000	40.75	2004
12.02.2020 13:40:45	1	1	1	1	62.5	60.75	0	28483.412	563.4408602	15960.91648	30000	0	0	30000	41.375	2004
12.02.2020 13:40:46	1	1	1	1	62.5	61.25	0	28341.232	565.5913978	16117.468	30000	0	0	30000	41.1875	2004
12.02.2020 13:40:47	1	1	1	1	62.5	61	0	28483.412	563.4408602	16109.31427	30000	0	0	30000	41.1875	2004
12.02.2020 13:40:48	1	1	1	1	62.5	61	0	28530.806	569.8924731	16109.31427	30000	0	0	30000	41.1875	2004
12.02.2020 13:40:49	1	1	1	1	62.5	61	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	41.1875	2004
12.02.2020 13:40:50	1	1	1	1	62.5	61	0	28388.626	563.4408602	15934.00919	30000	0	0	30000	40.5625	2004
12.02.2020 13:40:51	1	1	1	1	62.5	60.5	0	28483.412	563.4408602	16109.31427	30000	0	0	30000	41.1875	2004
12.02.2020 13:40:52	1	1	1	1	62.5	61	0	28388.626	563.4408602	15995.16212	30000	0	0	30000	40.8125	2004
12.02.2020 13:40:53	1	1	1	1	62.5	60.75	0	28341.232	563.4408602	16029.40777	30000	0	0	30000	41.1875	2004
12.02.2020 13:40:54	1	1	1	1	62.5	61	0	28341.232	565.5913978	16029.40777	30000	0	0	30000	41.0625	2004
12.02.2020 13:40:55	1	1	1	1	62.5	61	0	28436.019	563.4408602	16022.06942	30000	0	0	30000	41.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 13:40:56	1	1	1	1	62.5	61.25	0	28436.019	565.5913978	16083.22235	30000	0	0	30000	41.4375	2004
12.02.2020 13:40:57	1	1	1	1	62.5	61.25	0	28388.626	563.4408602	15968.25483	30000	0	0	30000	40.6875	2004
12.02.2020 13:40:58	1	1	1	1	62.25	60.5	0	28436.019	565.5913978	16083.22235	30000	0	0	30000	41	2004
12.02.2020 13:40:59	1	1	1	1	62.25	61	0	28341.232	561.2903226	15968.25483	30000	0	0	30000	41.3125	2004
12.02.2020 13:41:00	1	1	1	1	62.25	61.25	0	28341.232	561.2903226	15907.10189	30000	0	0	30000	41.25	2004
12.02.2020 13:41:01	1	1	1	1	62.25	61.25	0	28388.626	563.4408602	15995.16212	30000	0	0	30000	40.75	2004
12.02.2020 13:41:02	1	1	1	1	62.25	60.75	0	28341.232	561.2903226	15995.16212	30000	0	0	30000	41	2004
12.02.2020 13:41:03	1	1	1	1	62.25	61	0	28388.626	561.2903226	16083.22235	30000	0	0	30000	41.1875	2004
12.02.2020 13:41:05	1	1	1	1	62.25	61	0	28341.232	563.4408602	15907.10189	30000	0	0	30000	41.375	2004
12.02.2020 13:41:06	1	1	1	1	62.25	61.25	0	28293.839	567.7419355	16063.65341	30000	0	0	30000	41.25	2004
12.02.2020 13:41:07	1	1	1	1	62.25	61.25	0	28341.232	563.4408602	15819.85704	30000	0	0	30000	41.375	2004
12.02.2020 13:41:08	1	1	1	1	62.25	61.25	0	28483.412	563.4408602	16109.31427	30000	0	0	30000	41.25	2004
12.02.2020 13:41:09	1	1	1	1	61.75	61.25	0	28436.019	563.4408602	16109.31427	30000	0	0	30000	41.0625	2004
12.02.2020 13:41:10	1	1	1	1	61.75	61	0	28483.412	563.4408602	15777.45767	30000	0	0	30000	41.5	2004
12.02.2020 13:41:11	1	1	1	1	61.75	61.5	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	41.4375	2004
12.02.2020 13:41:12	1	1	1	1	61.75	61.25	0	28341.232	561.2903226	15934.00919	30000	0	0	30000	41.5	2004
12.02.2020 13:41:13	1	1	1	1	61.75	61.5	0	28341.232	563.4408602	16029.40777	30000	0	0	30000	41.5625	2004
12.02.2020 13:41:14	1	1	1	1	61.75	61.5	0	28293.839	561.2903226	15941.34754	30000	0	0	30000	41.5	2004
12.02.2020 13:41:21	1	1	1	1	62	61.25	0	28436.019	559.1397849	16109.31427	30000	0	0	30000	41.1875	2004
12.02.2020 13:41:21	1	1	1	1	62	61.25	0	28436.019	559.1397849	16109.31427	30000	0	0	30000	41.1875	2004
12.02.2020 13:41:21	1	1	1	1	62	61.25	0	28436.019	559.1397849	16109.31427	30000	0	0	30000	41.1875	2004
12.02.2020 13:41:21	1	1	1	1	62	61.25	0	28436.019	559.1397849	16109.31427	30000	0	0	30000	41.1875	2004
12.02.2020 13:41:21	1	1	1	1	62	61.25	0	28436.019	559.1397849	16109.31427	30000	0	0	30000	41.1875	2004
12.02.2020 13:41:21	1	1	1	1	62	61.25	0	28436.019	559.1397849	16109.31427	30000	0	0	30000	41.1875	2004
12.02.2020 13:41:21	1	1	1	1	62	61.25	0	28436.019	559.1397849	16109.31427	30000	0	0	30000	41.1875	2004
12.02.2020 13:41:21	1	1	1	1	62	61.25	0	28436.019	559.1397849	16109.31427	30000	0	0	30000	41.1875	2004
12.02.2020 13:41:22	1	1	1	1	62	61	0	28483.412	563.4408602	16109.31427	30000	0	0	30000	41.3125	2004
12.02.2020 13:41:23	1	1	1	1	62	61.25	0	28388.626	563.4408602	15934.00919	30000	0	0	30000	41.0625	2004
12.02.2020 13:41:24	1	1	1	1	62	61	0	28388.626	563.4408602	15934.00919	30000	0	0	30000	41.25	2004
12.02.2020 13:41:25	1	1	1	1	62	61.25	0	28530.806	563.4408602	16048.16134	30000	0	0	30000	41.0625	2004
12.02.2020 13:41:26	1	1	1	1	62	61	0	28388.626	563.4408602	15907.10189	30000	0	0	30000	41	2004
12.02.2020 13:41:27	1	1	1	1	62	61	0	28483.412	567.7419355	16109.31427	30000	0	0	30000	41.3125	2004
12.02.2020 13:41:28	1	1	1	1	62.25	61.25	0	28388.626	563.4408602	16022.06942	30000	0	0	30000	41.5	2004
12.02.2020 13:41:29	1	1	1	1	62.25	61.5	0	28530.806	563.4408602	16163.12886	30000	0	0	30000	41.5625	2004
12.02.2020 13:41:30	1	1	1	1	62.25	61.5	0	28483.412	563.4408602	16022.06942	30000	0	0	30000	40.9375	2004
12.02.2020 13:41:31	1	1	1	1	62.25	60.75	0	28436.019	563.4408602	15987.0084	30000	0	0	30000	41.3125	2004
12.02.2020 13:41:32	1	1	1	1	62.25	61.25	0	28436.019	563.4408602	16022.06942	30000	0	0	30000	41.375	2004
12.02.2020 13:41:33	1	1	1	1	62.25	61.25	0	28530.806	561.2903226	16040.00761	30000	0	0	30000	41.3125	2004
12.02.2020 13:41:34	1	1	1	1	62.25	61.25	0	28625.592	563.4408602	16163.12886	30000	0	0	30000	41.25	2004
12.02.2020 13:41:35	1	1	1	1	62.25	61.25	0	28388.626	554.8387097	15811.70331	30000	0	0	30000	41.3125	2004
12.02.2020 13:41:36	1	1	1	1	62.25	61.25	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	41.25	2004
12.02.2020 13:41:37	1	1	1	1	62.25	61.25	0	28388.626	563.4408602	16056.31506	30000	0	0	30000	40.5625	2004
12.02.2020 13:41:38	1	1	1	1	62	60.5	0	28341.232	563.4408602	15881.00997	30000	0	0	30000	41.0625	2004
12.02.2020 13:41:39	1	1	1	1	62	61	0	28341.232	563.4408602	15934.00919	30000	0	0	30000	40.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 13:41:40	1	1	1	1	62	60.75	0	28436.019	561.2903226	15811.70331	30000	0	0	30000	41.25	2004
12.02.2020 13:41:41	1	1	1	1	62	61.25	0	28341.232	563.4408602	15907.10189	30000	0	0	30000	40.9375	2004
12.02.2020 13:41:43	1	1	1	1	62	60.75	0	28388.626	563.4408602	15934.00919	30000	0	0	30000	41.25	2004
12.02.2020 13:41:44	1	1	1	1	62	61.25	0	28341.232	563.4408602	15881.00997	30000	0	0	30000	41.0625	2004
12.02.2020 13:41:45	1	1	1	1	62	61	0	28483.412	565.5913978	16048.16134	30000	0	0	30000	41	2004
12.02.2020 13:41:46	1	1	1	1	62	61	0	28293.839	559.1397849	15827.19539	30000	0	0	30000	41.25	2004
12.02.2020 13:41:47	1	1	1	1	62	61.25	0	28388.626	561.2903226	15934.00919	30000	0	0	30000	40.875	2004
12.02.2020 13:41:48	1	1	1	1	62	60.75	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	41.1875	2004
12.02.2020 13:41:49	1	1	1	1	61.5	61	0	28483.412	563.4408602	15960.91648	30000	0	0	30000	41.1875	2004
12.02.2020 13:41:50	1	1	1	1	61.5	61	0	28436.019	565.5913978	16109.31427	30000	0	0	30000	41.25	2004
12.02.2020 13:41:51	1	1	1	1	61.5	61.25	0	28388.626	563.4408602	15960.91648	30000	0	0	30000	41.0625	2004
12.02.2020 13:41:52	1	1	1	1	61.5	61	0	28436.019	561.2903226	15934.00919	30000	0	0	30000	41.1875	2004
12.02.2020 13:41:53	1	1	1	1	61.5	61	0	28483.412	565.5913978	16109.31427	30000	0	0	30000	41.3125	2004
12.02.2020 13:41:54	1	1	1	1	61.5	61.25	0	28436.019	574.1935484	15995.16212	30000	0	0	30000	41.375	2004
12.02.2020 13:41:55	1	1	1	1	61.5	61.25	0	28436.019	563.4408602	16022.06942	30000	0	0	30000	41.25	2004
12.02.2020 13:41:56	1	1	1	1	61.5	61.25	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	41.375	2004
12.02.2020 13:41:57	1	1	1	1	61.5	61.25	0	28436.019	561.2903226	16083.22235	30000	0	0	30000	41.1875	2004
12.02.2020 13:41:58	1	1	1	1	62.25	61	0	28341.232	559.1397849	15846.76433	30000	0	0	30000	40.75	2004
12.02.2020 13:41:59	1	1	1	1	62.25	60.75	0	28578.199	563.4408602	16101.97592	30000	0	0	30000	40.9375	2004
12.02.2020 13:42:00	1	1	1	1	62.25	60.75	0	28199.052	563.4408602	15881.00997	30000	0	0	30000	41.1875	2004
12.02.2020 13:42:01	1	1	1	1	62.25	61	0	28388.626	561.2903226	15934.00919	30000	0	0	30000	41.25	2004
12.02.2020 13:42:02	1	1	1	1	62.25	61.25	0	28293.839	561.2903226	15907.10189	30000	0	0	30000	41	2004
12.02.2020 13:42:03	1	1	1	1	62.25	61	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	41.1875	2004
12.02.2020 13:42:04	1	1	1	1	62.25	61	0	28341.232	563.4408602	15907.10189	30000	0	0	30000	41.1875	2004
12.02.2020 13:42:05	1	1	1	1	62.25	61	0	28483.412	563.4408602	16083.22235	30000	0	0	30000	40.9375	2004
12.02.2020 13:42:06	1	1	1	1	62.25	60.75	0	28436.019	563.4408602	16022.06942	30000	0	0	30000	41.0625	2004
12.02.2020 13:42:07	1	1	1	1	62.25	61	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	41.375	2004
12.02.2020 13:42:08	1	1	1	1	62.25	61.25	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	41.0625	2004
12.02.2020 13:42:09	1	1	1	1	62.25	61	0	28483.412	561.2903226	16048.16134	30000	0	0	30000	40.875	2004
12.02.2020 13:42:10	1	1	1	1	62.25	60.75	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	41.3125	2004
12.02.2020 13:42:11	1	1	1	1	62.25	61.25	0	28436.019	561.2903226	15987.0084	30000	0	0	30000	41.375	2004
12.02.2020 13:42:12	1	1	1	1	62.25	61.25	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	41.3125	2004
12.02.2020 13:42:13	1	1	1	1	62.25	61.25	0	28578.199	567.7419355	16163.12886	30000	0	0	30000	41	2004
12.02.2020 13:42:14	1	1	1	1	62.25	61	0	28388.626	561.2903226	15872.85625	30000	0	0	30000	41.4375	2004
12.02.2020 13:42:15	1	1	1	1	62.25	61.25	0	28530.806	563.4408602	16048.16134	30000	0	0	30000	41.4375	2004
12.02.2020 13:42:23	1	1	1	1	61.75	61.25	0	28483.412	563.4408602	15987.0084	30000	0	0	30000	41.125	2004
12.02.2020 13:42:23	1	1	1	1	61.75	61.25	0	28483.412	563.4408602	15987.0084	30000	0	0	30000	41.125	2004
12.02.2020 13:42:23	1	1	1	1	61.75	61.25	0	28483.412	563.4408602	15987.0084	30000	0	0	30000	41.125	2004
12.02.2020 13:42:23	1	1	1	1	61.75	61.25	0	28483.412	563.4408602	15987.0084	30000	0	0	30000	41.125	2004
12.02.2020 13:42:23	1	1	1	1	61.75	61.25	0	28483.412	563.4408602	15987.0084	30000	0	0	30000	41.125	2004
12.02.2020 13:42:23	1	1	1	1	61.75	61.25	0	28483.412	563.4408602	15987.0084	30000	0	0	30000	41.125	2004
12.02.2020 13:42:23	1	1	1	1	61.75	61.25	0	28483.412	563.4408602	15987.0084	30000	0	0	30000	41.125	2004
12.02.2020 13:42:24	1	1	1	1	61.75	61	0	28436.019	563.4408602	15960.91648	30000	0	0	30000	41.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 13:42:25	1	1	1	1	61.75	61.25	0	28388.626	563.4408602	15934.00919	30000	0	0	30000	41.4375	2004
12.02.2020 13:42:26	1	1	1	1	61.75	61.25	0	28341.232	565.5913978	16029.40777	30000	0	0	30000	41	2004
12.02.2020 13:42:27	1	1	1	1	61.75	61	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	41.125	2004
12.02.2020 13:42:28	1	1	1	1	61.75	61	0	28578.199	563.4408602	16101.97592	30000	0	0	30000	41.3125	2004
12.02.2020 13:42:29	1	1	1	1	62.25	61.25	0	28436.019	563.4408602	15960.91648	30000	0	0	30000	41.5	2004
12.02.2020 13:42:30	1	1	1	1	62.25	61.5	0	28436.019	563.4408602	15995.16212	30000	0	0	30000	41.25	2004
12.02.2020 13:42:31	1	1	1	1	62.25	61.25	0	28388.626	563.4408602	15995.16212	30000	0	0	30000	40.8125	2004
12.02.2020 13:42:32	1	1	1	1	62.25	60.75	0	28436.019	563.4408602	16022.06942	30000	0	0	30000	41.1875	2004
12.02.2020 13:42:33	1	1	1	1	62.25	60.75	0	28483.412	561.2903226	16109.31427	30000	0	0	30000	41.4375	2004
12.02.2020 13:42:34	1	1	1	1	62.25	61.25	0	28341.232	561.2903226	16029.40777	30000	0	0	30000	41.125	2004
12.02.2020 13:42:35	1	1	1	1	62.25	61	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	41.1875	2004
12.02.2020 13:42:36	1	1	1	1	62.25	61	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	41.125	2004
12.02.2020 13:42:37	1	1	1	1	62.25	61	0	28625.592	563.4408602	16040.00761	30000	0	0	30000	41.0625	2004
12.02.2020 13:42:38	1	1	1	1	61.75	61	0	28293.839	563.4408602	15968.25483	30000	0	0	30000	41.3125	2004
12.02.2020 13:42:39	1	1	1	1	61.75	61.25	0	28341.232	561.2903226	15706.52026	30000	0	0	30000	40.9375	2004
12.02.2020 13:42:40	1	1	1	1	61.75	60.75	0	28436.019	561.2903226	16048.16134	30000	0	0	30000	41.1875	2004
12.02.2020 13:42:41	1	1	1	1	61.75	61	0	28388.626	561.2903226	15934.00919	30000	0	0	30000	41.3125	2004
12.02.2020 13:42:42	1	1	1	1	61.75	61.25	0	28293.839	559.1397849	15881.00997	30000	0	0	30000	41.375	2004
12.02.2020 13:42:43	1	1	1	1	61.75	61.25	0	28199.052	561.2903226	15827.19539	30000	0	0	30000	41	2004
12.02.2020 13:42:44	1	1	1	1	61.75	61	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	41.375	2004
12.02.2020 13:42:45	1	1	1	1	61.75	61.25	0	28578.199	565.5913978	16163.12886	30000	0	0	30000	41.1875	2004
12.02.2020 13:42:46	1	1	1	1	61.75	61	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	41.25	2004
12.02.2020 13:42:47	1	1	1	1	61.75	61.25	0	28483.412	563.4408602	16109.31427	30000	0	0	30000	41	2004
12.02.2020 13:42:48	1	1	1	1	61.75	61	0	28341.232	563.4408602	15907.10189	30000	0	0	30000	40.9375	2004
12.02.2020 13:42:49	1	1	1	1	61.75	60.75	0	28199.052	561.2903226	15827.19539	30000	0	0	30000	40.9375	2004
12.02.2020 13:42:50	1	1	1	1	61.75	60.75	0	28199.052	561.2903226	15827.19539	30000	0	0	30000	41.375	2004
12.02.2020 13:42:51	1	1	1	1	61.75	61.25	0	28293.839	561.2903226	15827.19539	30000	0	0	30000	41.4375	2004
12.02.2020 13:42:52	1	1	1	1	61.75	61.25	0	28436.019	561.2903226	15934.00919	30000	0	0	30000	41.375	2004
12.02.2020 13:42:53	1	1	1	1	61.75	61.25	0	28388.626	561.2903226	15907.10189	30000	0	0	30000	41.375	2004
12.02.2020 13:42:54	1	1	1	1	61.75	61.25	0	28388.626	561.2903226	15907.10189	30000	0	0	30000	41.125	2004
12.02.2020 13:42:56	1	1	1	1	61.75	61	0	28483.412	561.2903226	16109.31427	30000	0	0	30000	41.125	2004
12.02.2020 13:42:57	1	1	1	1	61.75	61	0	28436.019	563.4408602	16109.31427	30000	0	0	30000	40.9375	2004
12.02.2020 13:42:58	1	1	1	1	61.75	60.75	0	28578.199	559.1397849	16013.91569	30000	0	0	30000	40.8125	2004
12.02.2020 13:42:59	1	1	1	1	61.75	60.75	0	28436.019	554.8387097	15987.0084	30000	0	0	30000	41.25	2004
12.02.2020 13:43:00	1	1	1	1	61.75	61.25	0	28436.019	554.8387097	15960.91648	30000	0	0	30000	41.4375	2004
12.02.2020 13:43:01	1	1	1	1	61.75	61.25	0	28388.626	563.4408602	15934.00919	30000	0	0	30000	41.4375	2004
12.02.2020 13:43:02	1	1	1	1	61.75	61.25	0	28578.199	565.5913978	16101.97592	30000	0	0	30000	41.1875	2004
12.02.2020 13:43:03	1	1	1	1	61.75	61	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	41.25	2004
12.02.2020 13:43:04	1	1	1	1	61.75	61.25	0	28578.199	563.4408602	16101.97592	30000	0	0	30000	41.3125	2004
12.02.2020 13:43:05	1	1	1	1	61.75	61.25	0	28530.806	563.4408602	16048.16134	30000	0	0	30000	41.125	2004
12.02.2020 13:43:06	1	1	1	1	61.75	61	0	28578.199	563.4408602	16163.12886	30000	0	0	30000	41.25	2004
12.02.2020 13:43:07	1	1	1	1	61.75	61.25	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	41.25	2004
12.02.2020 13:43:08	1	1	1	1	61.75	61.25	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	41.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 13:43:09	1	1	1	1	62	61.5	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	40.75	2004
12.02.2020 13:43:10	1	1	1	1	62	60.75	0	28199.052	563.4408602	15948.68589	30000	0	0	30000	41.1875	2004
12.02.2020 13:43:11	1	1	1	1	62	61	0	28578.199	563.4408602	16040.00761	30000	0	0	30000	41.3125	2004
12.02.2020 13:43:12	1	1	1	1	62	61.25	0	28436.019	561.2903226	16022.06942	30000	0	0	30000	41.1875	2004
12.02.2020 13:43:13	1	1	1	1	62	61	0	28483.412	563.4408602	16022.06942	30000	0	0	30000	40.875	2004
12.02.2020 13:43:14	1	1	1	1	62	60.75	0	28436.019	556.9892473	15960.91648	30000	0	0	30000	41.1875	2004
12.02.2020 13:43:15	1	1	1	1	62	61	0	28436.019	561.2903226	15987.0084	30000	0	0	30000	40.875	2004
12.02.2020 13:43:16	1	1	1	1	62	60.75	0	28625.592	572.0430108	15864.70252	30000	0	0	30000	40.625	2004
12.02.2020 13:43:17	1	1	1	1	62	60.5	0	28483.412	561.2903226	16048.16134	30000	0	0	30000	41.25	2004
12.02.2020 13:43:25	1	1	1	1	61.5	60.75	0	28388.626	559.1397849	15872.85625	30000	0	0	30000	41.125	2004
12.02.2020 13:43:25	1	1	1	1	61.5	60.75	0	28388.626	559.1397849	15872.85625	30000	0	0	30000	41.125	2004
12.02.2020 13:43:25	1	1	1	1	61.5	60.75	0	28388.626	559.1397849	15872.85625	30000	0	0	30000	41.125	2004
12.02.2020 13:43:25	1	1	1	1	61.5	60.75	0	28388.626	559.1397849	15872.85625	30000	0	0	30000	41.125	2004
12.02.2020 13:43:25	1	1	1	1	61.5	60.75	0	28388.626	559.1397849	15872.85625	30000	0	0	30000	41.125	2004
12.02.2020 13:43:25	1	1	1	1	61.5	61	0	28483.412	556.9892473	15987.0084	30000	0	0	30000	41	2004
12.02.2020 13:43:26	1	1	1	1	61.5	61	0	28483.412	559.1397849	15987.0084	30000	0	0	30000	41.25	2004
12.02.2020 13:43:27	1	1	1	1	61.5	61.25	0	28436.019	563.4408602	15960.91648	30000	0	0	30000	41.125	2004
12.02.2020 13:43:28	1	1	1	1	62	61	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	41.125	2004
12.02.2020 13:43:29	1	1	1	1	62	61	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	41.375	2004
12.02.2020 13:43:30	1	1	1	1	62	61.25	0	28672.986	563.4408602	16421.60194	30000	0	0	30000	41.4375	2004
12.02.2020 13:43:31	1	1	1	1	62	61.25	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	41.375	2004
12.02.2020 13:43:32	1	1	1	1	62	61.25	0	28388.626	561.2903226	15960.91648	30000	0	0	30000	41.25	2004
12.02.2020 13:43:34	1	1	1	1	62	61.25	0	28483.412	561.2903226	15925.85546	30000	0	0	30000	40.8125	2004
12.02.2020 13:43:35	1	1	1	1	62	60.75	0	28483.412	561.2903226	16109.31427	30000	0	0	30000	41	2004
12.02.2020 13:43:36	1	1	1	1	62	61	0	28483.412	563.4408602	15987.0084	30000	0	0	30000	40.8125	2004
12.02.2020 13:43:37	1	1	1	1	62	60.75	0	28436.019	563.4408602	15960.91648	30000	0	0	30000	41.25	2004
12.02.2020 13:43:38	1	1	1	1	62	61.25	0	28483.412	563.4408602	16109.31427	30000	0	0	30000	41.3125	2004
12.02.2020 13:43:39	1	1	1	1	62	61.25	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	41.1875	2004
12.02.2020 13:43:40	1	1	1	1	62	61	0	28436.019	563.4408602	16109.31427	30000	0	0	30000	41	2004
12.02.2020 13:43:41	1	1	1	1	62	61	0	28436.019	556.9892473	15987.0084	30000	0	0	30000	40.9375	2004
12.02.2020 13:43:42	1	1	1	1	62	60.75	0	28388.626	567.7419355	15785.61139	30000	0	0	30000	41.3125	2004
12.02.2020 13:43:43	1	1	1	1	62	61.25	0	28388.626	561.2903226	15995.16212	30000	0	0	30000	41	2004
12.02.2020 13:43:44	1	1	1	1	62	61	0	28530.806	563.4408602	16101.97592	30000	0	0	30000	41.4375	2004
12.02.2020 13:43:45	1	1	1	1	62	61.25	0	28341.232	554.8387097	15960.91648	30000	0	0	30000	41.1875	2004
12.02.2020 13:43:46	1	1	1	1	62	61	0	28436.019	561.2903226	15987.0084	30000	0	0	30000	41.25	2004
12.02.2020 13:43:47	1	1	1	1	62	61.25	0	28436.019	563.4408602	16022.06942	30000	0	0	30000	41.1875	2004
12.02.2020 13:43:48	1	1	1	1	62	61	0	28436.019	563.4408602	16048.16134	30000	0	0	30000	41.3125	2004
12.02.2020 13:43:49	1	1	1	1	61.5	61.25	0	28483.412	563.4408602	15987.0084	30000	0	0	30000	41.6875	2004
12.02.2020 13:43:50	1	1	1	1	61.5	60.5	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	41.375	2004
12.02.2020 13:43:51	1	1	1	1	61.5	61.25	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	41.3125	2004
12.02.2020 13:43:52	1	1	1	1	61.5	61.25	0	28436.019	559.1397849	15960.91648	30000	0	0	30000	40.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 13:43:53	1	1	1	1	61.5	60.75	0	28483.412	554.8387097	15987.0084	30000	0	0	30000	41.25	2004
12.02.2020 13:43:54	1	1	1	1	61.5	61.25	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	41.4375	2004
12.02.2020 13:43:55	1	1	1	1	61.5	61.25	0	28388.626	556.9892473	15934.00919	30000	0	0	30000	41.125	2004
12.02.2020 13:43:56	1	1	1	1	61.5	61	0	28436.019	563.4408602	15987.0084	30000	0	0	30000	41.1875	2004
12.02.2020 13:43:57	1	1	1	1	61.5	61	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	41.0625	2004
12.02.2020 13:43:58	1	1	1	1	61.75	61	0	28293.839	559.1397849	15881.00997	30000	0	0	30000	41.4375	2004
12.02.2020 13:43:59	1	1	1	1	61.75	61.25	0	28483.412	563.4408602	16040.00761	30000	0	0	30000	40.9375	2004
12.02.2020 13:44:00	1	1	1	1	61.75	60.75	0	28483.412	559.1397849	15987.0084	30000	0	0	30000	41.1875	2004
12.02.2020 13:44:01	1	1	1	1	61.75	61	0	28388.626	561.2903226	15934.00919	30000	0	0	30000	41.0625	2004
12.02.2020 13:44:02	1	1	1	1	61.75	61	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	41.25	2004
12.02.2020 13:44:03	1	1	1	1	61.75	61.25	0	28578.199	563.4408602	16163.12886	30000	0	0	30000	41.25	2004
12.02.2020 13:44:04	1	1	1	1	61.75	61.25	0	28530.806	563.4408602	15925.85546	30000	0	0	30000	41.0625	2004
12.02.2020 13:44:05	1	1	1	1	61.75	61	0	28388.626	563.4408602	15934.00919	30000	0	0	30000	41.0625	2004
12.02.2020 13:44:06	1	1	1	1	61.75	61	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	41.3125	2004
12.02.2020 13:44:07	1	1	1	1	61.75	61.25	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	41.4375	2004
12.02.2020 13:44:08	1	1	1	1	61.5	61.25	0	28530.806	561.2903226	16040.00761	30000	0	0	30000	41.375	2004
12.02.2020 13:44:09	1	1	1	1	61.5	61.25	0	28483.412	561.2903226	16040.00761	30000	0	0	30000	41.3125	2004
12.02.2020 13:44:11	1	1	1	1	61.5	61.25	0	28530.806	561.2903226	16040.00761	30000	0	0	30000	41.5625	2004
12.02.2020 13:44:12	1	1	1	1	61.5	61.5	0	28436.019	563.4408602	15872.85625	30000	0	0	30000	41.3125	2004
12.02.2020 13:44:13	1	1	1	1	61.5	61.25	0	28436.019	556.9892473	15960.91648	30000	0	0	30000	41.375	2004
12.02.2020 13:44:14	1	1	1	1	61.5	61.25	0	28578.199	561.2903226	15978.85467	30000	0	0	30000	41.1875	2004
12.02.2020 13:44:15	1	1	1	1	61.5	61	0	28578.199	559.1397849	15978.85467	30000	0	0	30000	41.1875	2004
12.02.2020 13:44:16	1	1	1	1	61.5	61	0	28578.199	561.2903226	16101.97592	30000	0	0	30000	40.8125	2004
12.02.2020 13:44:17	1	1	1	1	61.5	60.75	0	28530.806	561.2903226	16048.16134	30000	0	0	30000	41	2004
12.02.2020 13:44:18	1	1	1	1	61.5	61	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	41.1875	2004
12.02.2020 13:44:19	1	1	1	1	62	61	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	40.625	2004
12.02.2020 13:44:26	1	1	1	1	62	61.75	0	28578.199	563.4408602	16101.97592	30000	0	0	30000	41.375	2004
12.02.2020 13:44:26	1	1	1	1	62	61.75	0	28578.199	563.4408602	16101.97592	30000	0	0	30000	41.375	2004
12.02.2020 13:44:26	1	1	1	1	62	61.75	0	28578.199	563.4408602	16101.97592	30000	0	0	30000	41.375	2004
12.02.2020 13:44:26	1	1	1	1	62	61.75	0	28578.199	563.4408602	16101.97592	30000	0	0	30000	41.375	2004
12.02.2020 13:44:26	1	1	1	1	62	61.75	0	28578.199	563.4408602	16101.97592	30000	0	0	30000	41.375	2004
12.02.2020 13:44:26	1	1	1	1	62	61.75	0	28578.199	563.4408602	16101.97592	30000	0	0	30000	41.375	2004
12.02.2020 13:44:26	1	1	1	1	62	61.75	0	28578.199	563.4408602	16101.97592	30000	0	0	30000	41.375	2004
12.02.2020 13:44:26	1	1	1	1	62	61.75	0	28578.199	563.4408602	16101.97592	30000	0	0	30000	41.375	2004
12.02.2020 13:44:27	1	1	1	1	62	61	0	28578.199	563.4408602	16048.16134	30000	0	0	30000	41.1875	2004
12.02.2020 13:44:28	1	1	1	1	61.75	61	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	41.3125	2004
12.02.2020 13:44:29	1	1	1	1	61.75	61.25	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	41.4375	2004
12.02.2020 13:44:30	1	1	1	1	61.75	61.25	0	28578.199	561.2903226	16101.97592	30000	0	0	30000	41.125	2004
12.02.2020 13:44:31	1	1	1	1	61.75	61	0	28483.412	561.2903226	15960.91648	30000	0	0	30000	41.5625	2004
12.02.2020 13:44:32	1	1	1	1	61.75	61.5	0	28483.412	563.4408602	15987.0084	30000	0	0	30000	40.8125	2004
12.02.2020 13:44:33	1	1	1	1	61.75	60.75	0	28483.412	561.2903226	16048.16134	30000	0	0	30000	41.125	2004
12.02.2020 13:44:34	1	1	1	1	61.75	61	0	28625.592	561.2903226	16040.00761	30000	0	0	30000	41	2004
12.02.2020 13:44:35	1	1	1	1	61.75	61	0	28483.412	556.9892473	15987.0084	30000	0	0	30000	40.625	2004
12.02.2020 13:44:36	1	1	1	1	61.75	60.5	0	28341.232	561.2903226	15907.10189	30000	0	0	30000	40.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 13:44:37	1	1	1	1	61.75	60.5	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	41.3125	2004
12.02.2020 13:44:38	1	1	1	1	62	61.25	0	28530.806	563.4408602	16163.12886	30000	0	0	30000	41.3125	2004
12.02.2020 13:44:39	1	1	1	1	62	61.25	0	28578.199	563.4408602	16040.00761	30000	0	0	30000	41.125	2004
12.02.2020 13:44:40	1	1	1	1	62	61	0	28483.412	565.5913978	16109.31427	30000	0	0	30000	41.25	2004
12.02.2020 13:44:41	1	1	1	1	62	61.25	0	28578.199	561.2903226	16066.9149	30000	0	0	30000	41.125	2004
12.02.2020 13:44:42	1	1	1	1	62	61	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	40.875	2004
12.02.2020 13:44:43	1	1	1	1	62	60.75	0	28483.412	556.9892473	15925.85546	30000	0	0	30000	41.1875	2004
12.02.2020 13:44:44	1	1	1	1	62	61	0	28483.412	559.1397849	15987.0084	30000	0	0	30000	41.3125	2004
12.02.2020 13:44:45	1	1	1	1	62	61.25	0	28578.199	565.5913978	16040.00761	30000	0	0	30000	40.625	2004
12.02.2020 13:44:46	1	1	1	1	62	60.5	0	28578.199	563.4408602	16235.69701	30000	0	0	30000	41.125	2004
12.02.2020 13:44:47	1	1	1	1	62	61	0	28436.019	561.2903226	15872.85625	30000	0	0	30000	41.25	2004
12.02.2020 13:44:49	1	1	1	1	61.5	61.25	0	28436.019	554.8387097	15838.61061	30000	0	0	30000	41.1875	2004
12.02.2020 13:44:50	1	1	1	1	61.5	61	0	28578.199	561.2903226	16190.03615	30000	0	0	30000	41.25	2004
12.02.2020 13:44:51	1	1	1	1	61.5	61.25	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	41.25	2004
12.02.2020 13:44:52	1	1	1	1	61.5	61.25	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	41.4375	2004
12.02.2020 13:44:53	1	1	1	1	61.5	61.25	0	28483.412	559.1397849	16040.00761	30000	0	0	30000	41.4375	2004
12.02.2020 13:44:54	1	1	1	1	61.5	61.25	0	28578.199	561.2903226	16101.97592	30000	0	0	30000	41.1875	2004
12.02.2020 13:44:55	1	1	1	1	61.5	61	0	28578.199	563.4408602	16101.97592	30000	0	0	30000	41.375	2004
12.02.2020 13:44:56	1	1	1	1	61.5	61.25	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	41	2004
12.02.2020 13:44:57	1	1	1	1	61.5	61	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	41.1875	2004
12.02.2020 13:44:58	1	1	1	1	61.5	61	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	40.4375	2004
12.02.2020 13:44:59	1	1	1	1	61.75	60.25	0	28341.232	561.2903226	15934.00919	30000	0	0	30000	41.1875	2004
12.02.2020 13:45:00	1	1	1	1	61.75	61	0	28483.412	563.4408602	15987.0084	30000	0	0	30000	40.8125	2004
12.02.2020 13:45:01	1	1	1	1	61.75	60.75	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	41.3125	2004
12.02.2020 13:45:02	1	1	1	1	61.75	61.25	0	28483.412	563.4408602	15960.91648	30000	0	0	30000	41.125	2004
12.02.2020 13:45:03	1	1	1	1	61.75	61	0	28625.592	559.1397849	16235.69701	30000	0	0	30000	41.25	2004
12.02.2020 13:45:04	1	1	1	1	61.75	61.25	0	28483.412	563.4408602	15987.0084	30000	0	0	30000	41.3125	2004
12.02.2020 13:45:05	1	1	1	1	61.75	61	0	28578.199	559.1397849	15864.70252	30000	0	0	30000	40.875	2004
12.02.2020 13:45:06	1	1	1	1	61.75	60.75	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	41.3125	2004
12.02.2020 13:45:07	1	1	1	1	61.75	61.25	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	41.125	2004
12.02.2020 13:45:08	1	1	1	1	61.75	61	0	28483.412	561.2903226	15925.85546	30000	0	0	30000	40.6875	2004
12.02.2020 13:45:09	1	1	1	1	61.75	60.5	0	28483.412	561.2903226	16048.16134	30000	0	0	30000	41.1875	2004
12.02.2020 13:45:10	1	1	1	1	61.75	61	0	28578.199	559.1397849	15952.76275	30000	0	0	30000	41.3125	2004
12.02.2020 13:45:11	1	1	1	1	61.75	61.25	0	28483.412	556.9892473	15987.0084	30000	0	0	30000	41.25	2004
12.02.2020 13:45:12	1	1	1	1	61.75	61.25	0	28436.019	561.2903226	16232.43552	30000	0	0	30000	41.0625	2004
12.02.2020 13:45:13	1	1	1	1	61.75	61	0	28578.199	563.4408602	16101.97592	30000	0	0	30000	41.3125	2004
12.02.2020 13:45:14	1	1	1	1	61.75	61.25	0	28436.019	559.1397849	15899.76354	30000	0	0	30000	40.9375	2004
12.02.2020 13:45:15	1	1	1	1	61.75	60.75	0	28625.592	556.9892473	16049.79208	30000	0	0	30000	41.0625	2004
12.02.2020 13:45:16	1	1	1	1	61.75	61	0	28436.019	561.2903226	15987.0084	30000	0	0	30000	41.1875	2004
12.02.2020 13:45:17	1	1	1	1	61.75	61	0	28625.592	561.2903226	16040.00761	30000	0	0	30000	41.375	2004
12.02.2020 13:45:18	1	1	1	1	61.75	61.25	0	28578.199	561.2903226	16190.03615	30000	0	0	30000	41.1875	2004
12.02.2020 13:45:19	1	1	1	1	61.75	61	0	28625.592	563.4408602	16066.9149	30000	0	0	30000	41.1875	2004
12.02.2020 13:45:20	1	1	1	1	61.75	61	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	41.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 13:45:28	1	1	1	1	61.75	61.25	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	41.1875	2004
12.02.2020 13:45:28	1	1	1	1	61.75	61.25	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	41.1875	2004
12.02.2020 13:45:28	1	1	1	1	61.75	61.25	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	41.1875	2004
12.02.2020 13:45:28	1	1	1	1	61.75	61.25	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	41.1875	2004
12.02.2020 13:45:28	1	1	1	1	61.75	61.25	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	41.1875	2004
12.02.2020 13:45:28	1	1	1	1	61.75	61.25	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	41.1875	2004
12.02.2020 13:45:28	1	1	1	1	61.75	61.25	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	41.1875	2004
12.02.2020 13:45:28	1	1	1	1	61.5	61	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	40.8125	2004
12.02.2020 13:45:30	1	1	1	1	61.5	60.75	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	41.1875	2004
12.02.2020 13:45:31	1	1	1	1	61.5	61	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	41.3125	2004
12.02.2020 13:45:32	1	1	1	1	61.5	61.25	0	28388.626	561.2903226	16177.80556	30000	0	0	30000	41.0625	2004
12.02.2020 13:45:33	1	1	1	1	61.5	61	0	28483.412	559.1397849	16040.00761	30000	0	0	30000	41.25	2004
12.02.2020 13:45:34	1	1	1	1	61.5	61.25	0	28483.412	561.2903226	15864.70252	30000	0	0	30000	40.8125	2004
12.02.2020 13:45:35	1	1	1	1	61.5	60.75	0	28483.412	556.9892473	16259.34281	30000	0	0	30000	41.25	2004
12.02.2020 13:45:36	1	1	1	1	61.5	61.25	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	41.1875	2004
12.02.2020 13:45:37	1	1	1	1	61.5	61	0	28483.412	561.2903226	16048.16134	30000	0	0	30000	40.9375	2004
12.02.2020 13:45:38	1	1	1	1	61.5	60.75	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	41.1875	2004
12.02.2020 13:45:39	1	1	1	1	61.25	61	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	40.5	2004
12.02.2020 13:45:40	1	1	1	1	61.25	60.5	0	28672.986	559.1397849	16173.7287	30000	0	0	30000	41.5	2004
12.02.2020 13:45:41	1	1	1	1	61.25	61.5	0	28436.019	561.2903226	16048.16134	30000	0	0	30000	41.25	2004
12.02.2020 13:45:42	1	1	1	1	61.25	61.25	0	28388.626	556.9892473	15960.91648	30000	0	0	30000	41.625	2004
12.02.2020 13:45:43	1	1	1	1	61.25	61.5	0	28483.412	556.9892473	15864.70252	30000	0	0	30000	41.25	2004
12.02.2020 13:45:44	1	1	1	1	61.25	61.25	0	28578.199	559.1397849	16040.00761	30000	0	0	30000	41.25	2004
12.02.2020 13:45:45	1	1	1	1	61.25	61	0	28483.412	559.1397849	15987.0084	30000	0	0	30000	40.6875	2004
12.02.2020 13:45:46	1	1	1	1	61.25	60.5	0	28578.199	561.2903226	15794.58049	30000	0	0	30000	41.25	2004
12.02.2020 13:45:47	1	1	1	1	61.25	61.25	0	28625.592	561.2903226	16066.9149	30000	0	0	30000	40.8125	2004
12.02.2020 13:45:48	1	1	1	1	61.25	60.75	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	41.0625	2004
12.02.2020 13:45:49	1	1	1	1	61.25	61	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	41.1875	2004
12.02.2020 13:45:50	1	1	1	1	61.25	61	0	28578.199	559.1397849	16013.91569	30000	0	0	30000	41.375	2004
12.02.2020 13:45:51	1	1	1	1	61.25	61.25	0	28815.166	561.2903226	16173.7287	30000	0	0	30000	41.3125	2004
12.02.2020 13:45:52	1	1	1	1	61.25	61.25	0	28625.592	561.2903226	16066.9149	30000	0	0	30000	41.125	2004
12.02.2020 13:45:53	1	1	1	1	61.25	61	0	28578.199	556.9892473	16066.9149	30000	0	0	30000	41.375	2004
12.02.2020 13:45:54	1	1	1	1	61.25	61.25	0	28436.019	559.1397849	15838.61061	30000	0	0	30000	41.375	2004
12.02.2020 13:45:55	1	1	1	1	61.25	61.25	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	41.25	2004
12.02.2020 13:45:56	1	1	1	1	61.25	61.25	0	28388.626	559.1397849	15934.00919	30000	0	0	30000	41.375	2004
12.02.2020 13:45:57	1	1	1	1	61.25	61.25	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	41.3125	2004
12.02.2020 13:45:58	1	1	1	1	61.25	61.25	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	41.25	2004
12.02.2020 13:45:59	1	1	1	1	61.25	61.25	0	28341.232	556.9892473	15934.00919	30000	0	0	30000	41.1875	2004
12.02.2020 13:46:00	1	1	1	1	61.25	61	0	28436.019	563.4408602	15960.91648	30000	0	0	30000	40.9375	2004
12.02.2020 13:46:01	1	1	1	1	61.25	60.75	0	28388.626	561.2903226	15934.00919	30000	0	0	30000	41.375	2004
12.02.2020 13:46:02	1	1	1	1	61.25	61.25	0	28483.412	561.2903226	15925.85546	30000	0	0	30000	40.9375	2004
12.02.2020 13:46:03	1	1	1	1	61.25	60.75	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	41.25	2004
12.02.2020 13:46:04	1	1	1	1	61.25	61.25	0	28483.412	563.4408602	16109.31427	30000	0	0	30000	41.3125	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 13:46:06	1	1	1	1	61.25	61.25	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	41.125	2004
12.02.2020 13:46:07	1	1	1	1	61.25	61	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	41.3125	2004
12.02.2020 13:46:08	1	1	1	1	61.25	61.25	0	28436.019	561.2903226	15987.0084	30000	0	0	30000	41.5	2004
12.02.2020 13:46:09	1	1	1	1	61.75	61.5	0	28625.592	565.5913978	15890.79444	30000	0	0	30000	41.25	2004
12.02.2020 13:46:10	1	1	1	1	61.75	61.25	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	41.375	2004
12.02.2020 13:46:11	1	1	1	1	61.75	61.25	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	41.25	2004
12.02.2020 13:46:12	1	1	1	1	61.75	61.25	0	28436.019	556.9892473	15987.0084	30000	0	0	30000	41.3125	2004
12.02.2020 13:46:13	1	1	1	1	61.75	61.25	0	28578.199	563.4408602	16101.97592	30000	0	0	30000	41.25	2004
12.02.2020 13:46:14	1	1	1	1	61.75	61.25	0	28388.626	563.4408602	15934.00919	30000	0	0	30000	41.375	2004
12.02.2020 13:46:15	1	1	1	1	61.75	61.25	0	28388.626	561.2903226	15934.00919	30000	0	0	30000	41.25	2004
12.02.2020 13:46:16	1	1	1	1	61.75	61.25	0	28341.232	561.2903226	15934.00919	30000	0	0	30000	41.3125	2004
12.02.2020 13:46:17	1	1	1	1	61.75	61.25	0	28483.412	561.2903226	16048.16134	30000	0	0	30000	41.1875	2004
12.02.2020 13:46:20	1	1	1	1	61.5	61	0	28578.199	563.4408602	16040.00761	30000	0	0	30000	41.1875	2004
12.02.2020 13:46:20	1	1	1	1	61.5	61	0	28578.199	563.4408602	16040.00761	30000	0	0	30000	41.1875	2004
12.02.2020 13:46:20	1	1	1	1	61.5	61	0	28672.986	561.2903226	16066.9149	30000	0	0	30000	41.4375	2004
12.02.2020 13:46:21	1	1	1	1	61.5	61.25	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	41.3125	2004
12.02.2020 13:46:22	1	1	1	1	61.5	61.25	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	41.375	2004
12.02.2020 13:46:29	1	1	1	1	61	61.25	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	40.8125	2004
12.02.2020 13:46:29	1	1	1	1	61	61.25	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	40.8125	2004
12.02.2020 13:46:29	1	1	1	1	61	61.25	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	40.8125	2004
12.02.2020 13:46:29	1	1	1	1	61	61.25	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	40.8125	2004
12.02.2020 13:46:29	1	1	1	1	61	61.25	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	40.8125	2004
12.02.2020 13:46:29	1	1	1	1	61	61.25	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	40.8125	2004
12.02.2020 13:46:30	1	1	1	1	61	61.25	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	40.8125	2004
12.02.2020 13:46:30	1	1	1	1	61	60.75	0	28815.166	565.5913978	16173.7287	30000	0	0	30000	40.9375	2004
12.02.2020 13:46:31	1	1	1	1	61	60.75	0	28672.986	559.1397849	16173.7287	30000	0	0	30000	41.25	2004
12.02.2020 13:46:32	1	1	1	1	61	61.25	0	28483.412	559.1397849	15925.85546	30000	0	0	30000	40.9375	2004
12.02.2020 13:46:33	1	1	1	1	61	60.75	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	41.1875	2004
12.02.2020 13:46:34	1	1	1	1	61	61	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	41.3125	2004
12.02.2020 13:46:35	1	1	1	1	61	61.25	0	28625.592	561.2903226	15794.58049	30000	0	0	30000	40.5625	2004
12.02.2020 13:46:36	1	1	1	1	61	60.5	0	28530.806	561.2903226	16013.91569	30000	0	0	30000	41.3125	2004
12.02.2020 13:46:37	1	1	1	1	61	61.25	0	28530.806	559.1397849	16040.00761	30000	0	0	30000	41.25	2004
12.02.2020 13:46:38	1	1	1	1	61	61.25	0	28483.412	556.9892473	15925.85546	30000	0	0	30000	41	2004
12.02.2020 13:46:39	1	1	1	1	61	61	0	28578.199	559.1397849	15917.70174	30000	0	0	30000	41.25	2004
12.02.2020 13:46:40	1	1	1	1	61	61.25	0	28625.592	561.2903226	16173.7287	30000	0	0	30000	41.375	2004
12.02.2020 13:46:41	1	1	1	1	61	61.25	0	28578.199	563.4408602	16163.12886	30000	0	0	30000	41	2004
12.02.2020 13:46:42	1	1	1	1	61	61	0	28625.592	561.2903226	16066.9149	30000	0	0	30000	41.3125	2004
12.02.2020 13:46:43	1	1	1	1	61	61.25	0	28625.592	556.9892473	15855.73343	30000	0	0	30000	40.5625	2004
12.02.2020 13:46:45	1	1	1	1	61	60.5	0	28530.806	561.2903226	15987.0084	30000	0	0	30000	41.3125	2004
12.02.2020 13:46:46	1	1	1	1	61	61.25	0	28815.166	563.4408602	16005.76197	30000	0	0	30000	41.1875	2004
12.02.2020 13:46:47	1	1	1	1	61	61	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	40.875	2004
12.02.2020 13:46:48	1	1	1	1	61	60.75	0	28578.199	563.4408602	16101.97592	30000	0	0	30000	40.25	2004
12.02.2020 13:46:49	1	1	1	1	61	60.25	0	28625.592	567.7419355	15978.85467	30000	0	0	30000	40.875	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 13:47:34	1	1	1	1	61.25	60.75	0	28436.019	559.1397849	15838.61061	30000	0	0	30000	40.75	2004
12.02.2020 13:47:35	1	1	1	1	61.25	60.75	0	28578.199	559.1397849	15978.85467	30000	0	0	30000	41.3125	2004
12.02.2020 13:47:36	1	1	1	1	61.25	61.25	0	28625.592	559.1397849	16173.7287	30000	0	0	30000	40.8125	2004
12.02.2020 13:47:37	1	1	1	1	61.25	60.75	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	41.5625	2004
12.02.2020 13:47:38	1	1	1	1	61.25	61.5	0	28815.166	556.9892473	16173.7287	30000	0	0	30000	41.4375	2004
12.02.2020 13:47:39	1	1	1	1	61.25	61.25	0	28625.592	559.1397849	15943.79366	30000	0	0	30000	40.8125	2004
12.02.2020 13:47:40	1	1	1	1	61.25	60.75	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	41.3125	2004
12.02.2020 13:47:41	1	1	1	1	61.25	61.25	0	28672.986	559.1397849	15943.79366	30000	0	0	30000	41.3125	2004
12.02.2020 13:47:42	1	1	1	1	61.25	61.75	0	28625.592	552.688172	15987.82377	30000	0	0	30000	41.25	2004
12.02.2020 13:47:43	1	1	1	1	61.25	61.25	0	28625.592	559.1397849	15978.85467	30000	0	0	30000	41.5	2004
12.02.2020 13:47:44	1	1	1	1	61.25	61.5	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	41.125	2004
12.02.2020 13:47:45	1	1	1	1	61.25	61	0	28815.166	559.1397849	16111.76039	30000	0	0	30000	40.9375	2004
12.02.2020 13:47:46	1	1	1	1	61.25	60.75	0	28815.166	559.1397849	16049.79208	30000	0	0	30000	41.3125	2004
12.02.2020 13:47:47	1	1	1	1	61.25	61.25	0	28578.199	559.1397849	15681.24371	30000	0	0	30000	41.125	2004
12.02.2020 13:47:48	1	1	1	1	61	61	0	28625.592	556.9892473	15943.79366	30000	0	0	30000	41.375	2004
12.02.2020 13:47:49	1	1	1	1	61	61.25	0	28815.166	559.1397849	15733.42755	30000	0	0	30000	41.1875	2004
12.02.2020 13:47:50	1	1	1	1	61	61	0	28625.592	556.9892473	16049.79208	30000	0	0	30000	41.1875	2004
12.02.2020 13:47:51	1	1	1	1	61	61	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	41.3125	2004
12.02.2020 13:47:52	1	1	1	1	61	61.25	0	28815.166	561.2903226	16173.7287	30000	0	0	30000	41.3125	2004
12.02.2020 13:47:53	1	1	1	1	61	61.25	0	28625.592	556.9892473	16005.76197	30000	0	0	30000	41.25	2004
12.02.2020 13:47:54	1	1	1	1	61	61.25	0	28578.199	552.688172	15855.73343	30000	0	0	30000	41.1875	2004
12.02.2020 13:47:55	1	1	1	1	61	61	0	28625.592	559.1397849	15917.70174	30000	0	0	30000	41.25	2004
12.02.2020 13:47:56	1	1	1	1	61	61.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	41.375	2004
12.02.2020 13:47:57	1	1	1	1	61	61.25	0	28815.166	556.9892473	15925.85546	30000	0	0	30000	41.3125	2004
12.02.2020 13:47:58	1	1	1	1	61.25	61.25	0	28530.806	546.2365591	15855.73343	30000	0	0	30000	41.375	2004
12.02.2020 13:47:59	1	1	1	1	61.25	61.25	0	28625.592	559.1397849	16049.79208	30000	0	0	30000	41.125	2004
12.02.2020 13:48:00	1	1	1	1	61.25	61	0	28625.592	559.1397849	16173.7287	30000	0	0	30000	41.1875	2004
12.02.2020 13:48:02	1	1	1	1	61.25	61	0	28578.199	556.9892473	16173.7287	30000	0	0	30000	41.125	2004
12.02.2020 13:48:03	1	1	1	1	61.25	61	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	41.25	2004
12.02.2020 13:48:04	1	1	1	1	61.25	61.25	0	28625.592	554.8387097	15855.73343	30000	0	0	30000	41.3125	2004
12.02.2020 13:48:05	1	1	1	1	61.25	61.25	0	28625.592	563.4408602	16040.00761	30000	0	0	30000	40.875	2004
12.02.2020 13:48:06	1	1	1	1	61.25	60.75	0	28815.166	561.2903226	16173.7287	30000	0	0	30000	41.3125	2004
12.02.2020 13:48:07	1	1	1	1	61.25	61.25	0	28578.199	556.9892473	15978.85467	30000	0	0	30000	41.1875	2004
12.02.2020 13:48:08	1	1	1	1	61.25	61	0	28578.199	559.1397849	16005.76197	30000	0	0	30000	41.375	2004
12.02.2020 13:48:09	1	1	1	1	61	61.25	0	28815.166	556.9892473	16173.7287	30000	0	0	30000	41	2004
12.02.2020 13:48:10	1	1	1	1	61	61	0	28578.199	550.5376344	15820.67241	30000	0	0	30000	41.375	2004
12.02.2020 13:48:11	1	1	1	1	61	61.25	0	28625.592	556.9892473	16049.79208	30000	0	0	30000	41.0625	2004
12.02.2020 13:48:12	1	1	1	1	61	61	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	41.25	2004
12.02.2020 13:48:13	1	1	1	1	61	61.25	0	28625.592	556.9892473	16049.79208	30000	0	0	30000	41.25	2004
12.02.2020 13:48:14	1	1	1	1	61	61.25	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	41.4375	2004
12.02.2020 13:48:15	1	1	1	1	61	61.25	0	28625.592	556.9892473	16297.66532	30000	0	0	30000	41.25	2004
12.02.2020 13:48:16	1	1	1	1	61	61.25	0	28815.166	559.1397849	16111.76039	30000	0	0	30000	41.4375	2004
12.02.2020 13:48:17	1	1	1	1	61	61.25	0	28578.199	556.9892473	15917.70174	30000	0	0	30000	41.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 13:48:18	1	1	1	1	61	61	0	28483.412	556.9892473	15864.70252	30000	0	0	30000	41.3125	2004
12.02.2020 13:48:19	1	1	1	1	61.25	61.25	0	28625.592	559.1397849	15943.79366	30000	0	0	30000	41.375	2004
12.02.2020 13:48:20	1	1	1	1	61.25	61.25	0	28672.986	556.9892473	16173.7287	30000	0	0	30000	41	2004
12.02.2020 13:48:21	1	1	1	1	61.25	60.5	0	28625.592	556.9892473	15943.79366	30000	0	0	30000	41.375	2004
12.02.2020 13:48:22	1	1	1	1	61.25	61.25	0	28625.592	556.9892473	15917.70174	30000	0	0	30000	41.1875	2004
12.02.2020 13:48:23	1	1	1	1	61.25	61	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	41.1875	2004
12.02.2020 13:48:24	1	1	1	1	61.25	61	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	41.4375	2004
12.02.2020 13:48:25	1	1	1	1	61.25	61.25	0	28530.806	559.1397849	15978.85467	30000	0	0	30000	40.625	2004
12.02.2020 13:48:33	1	1	1	1	61	60.5	0	28625.592	556.9892473	16049.79208	30000	0	0	30000	41.1875	2004
12.02.2020 13:48:33	1	1	1	1	61	60.5	0	28625.592	556.9892473	16049.79208	30000	0	0	30000	41.1875	2004
12.02.2020 13:48:33	1	1	1	1	61	60.5	0	28625.592	556.9892473	16049.79208	30000	0	0	30000	41.1875	2004
12.02.2020 13:48:33	1	1	1	1	61	60.5	0	28625.592	556.9892473	16049.79208	30000	0	0	30000	41.1875	2004
12.02.2020 13:48:33	1	1	1	1	61	60.5	0	28625.592	556.9892473	16049.79208	30000	0	0	30000	41.1875	2004
12.02.2020 13:48:33	1	1	1	1	61	60.5	0	28625.592	556.9892473	16049.79208	30000	0	0	30000	41.1875	2004
12.02.2020 13:48:33	1	1	1	1	61	61	0	28578.199	556.9892473	16005.76197	30000	0	0	30000	41.1875	2004
12.02.2020 13:48:34	1	1	1	1	61	61	0	28436.019	554.8387097	15689.39744	30000	0	0	30000	41.25	2004
12.02.2020 13:48:35	1	1	1	1	61	61.25	0	28483.412	559.1397849	15864.70252	30000	0	0	30000	41.1875	2004
12.02.2020 13:48:36	1	1	1	1	61	61	0	28625.592	559.1397849	15943.79366	30000	0	0	30000	40.6875	2004
12.02.2020 13:48:37	1	1	1	1	61	60.5	0	28483.412	556.9892473	15864.70252	30000	0	0	30000	41.3125	2004
12.02.2020 13:48:38	1	1	1	1	61.5	61.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	40.8125	2004
12.02.2020 13:48:39	1	1	1	1	61.5	60.75	0	28578.199	556.9892473	15917.70174	30000	0	0	30000	41.25	2004
12.02.2020 13:48:41	1	1	1	1	61.5	61.25	0	28625.592	556.9892473	16049.79208	30000	0	0	30000	40.875	2004
12.02.2020 13:48:42	1	1	1	1	61.5	60.75	0	28578.199	563.4408602	15978.85467	30000	0	0	30000	41.0625	2004
12.02.2020 13:48:43	1	1	1	1	61.5	61	0	28625.592	559.1397849	15794.58049	30000	0	0	30000	41.3125	2004
12.02.2020 13:48:44	1	1	1	1	61.5	61.25	0	28625.592	556.9892473	16049.79208	30000	0	0	30000	41.3125	2004
12.02.2020 13:48:45	1	1	1	1	61.5	61.25	0	28625.592	559.1397849	16005.76197	30000	0	0	30000	41.5	2004
12.02.2020 13:48:46	1	1	1	1	61.5	61.5	0	28815.166	563.4408602	16173.7287	30000	0	0	30000	41.375	2004
12.02.2020 13:48:47	1	1	1	1	61.5	61.25	0	28578.199	563.4408602	15864.70252	30000	0	0	30000	40.875	2004
12.02.2020 13:48:48	1	1	1	1	61.5	60.75	0	28625.592	559.1397849	15943.79366	30000	0	0	30000	41.3125	2004
12.02.2020 13:48:49	1	1	1	1	60.75	61.25	0	28625.592	554.8387097	15733.42755	30000	0	0	30000	41.1875	2004
12.02.2020 13:48:50	1	1	1	1	60.75	61	0	28625.592	561.2903226	16066.9149	30000	0	0	30000	41.25	2004
12.02.2020 13:48:51	1	1	1	1	60.75	61.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	41.125	2004
12.02.2020 13:48:52	1	1	1	1	60.75	61	0	28625.592	559.1397849	16040.00761	30000	0	0	30000	41.25	2004
12.02.2020 13:48:53	1	1	1	1	60.75	61.25	0	28625.592	559.1397849	16049.79208	30000	0	0	30000	41.5625	2004
12.02.2020 13:48:54	1	1	1	1	60.75	61.5	0	28625.592	556.9892473	16111.76039	30000	0	0	30000	41.3125	2004
12.02.2020 13:48:55	1	1	1	1	60.75	61.25	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	41.625	2004
12.02.2020 13:48:56	1	1	1	1	60.75	61.5	0	28815.166	556.9892473	16173.7287	30000	0	0	30000	41.1875	2004
12.02.2020 13:48:57	1	1	1	1	60.75	61	0	28578.199	559.1397849	15917.70174	30000	0	0	30000	41.4375	2004
12.02.2020 13:48:58	1	1	1	1	61.25	61.75	0	28815.166	559.1397849	16049.79208	30000	0	0	30000	40.5	2004
12.02.2020 13:48:59	1	1	1	1	61.25	60.5	0	28625.592	559.1397849	16066.9149	30000	0	0	30000	41.25	2004
12.02.2020 13:49:00	1	1	1	1	61.25	61.25	0	28625.592	559.1397849	15943.79366	30000	0	0	30000	40.9375	2004
12.02.2020 13:49:01	1	1	1	1	61.25	60.75	0	28530.806	559.1397849	15917.70174	30000	0	0	30000	41.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 13:49:02	1	1	1	1	61.25	61	0	28815.166	556.9892473	16111.76039	30000	0	0	30000	41.25	2004
12.02.2020 13:49:03	1	1	1	1	61.25	61.25	0	28530.806	561.2903226	16040.00761	30000	0	0	30000	41.25	2004
12.02.2020 13:49:04	1	1	1	1	61.25	61.25	0	28672.986	559.1397849	16005.76197	30000	0	0	30000	41.25	2004
12.02.2020 13:49:05	1	1	1	1	61.25	61.25	0	28530.806	559.1397849	15987.0084	30000	0	0	30000	41.125	2004
12.02.2020 13:49:06	1	1	1	1	61.25	61	0	28625.592	559.1397849	15978.85467	30000	0	0	30000	41.1875	2004
12.02.2020 13:49:07	1	1	1	1	61.25	61	0	28625.592	559.1397849	16066.9149	30000	0	0	30000	41.375	2004
12.02.2020 13:49:08	1	1	1	1	61	61.25	0	28578.199	559.1397849	16040.00761	30000	0	0	30000	41.0625	2004
12.02.2020 13:49:09	1	1	1	1	61	61	0	28436.019	556.9892473	16286.2501	30000	0	0	30000	41.3125	2004
12.02.2020 13:49:10	1	1	1	1	61	61.25	0	28483.412	559.1397849	15987.0084	30000	0	0	30000	41.375	2004
12.02.2020 13:49:11	1	1	1	1	61	61.25	0	28483.412	567.7419355	15838.61061	30000	0	0	30000	40.75	2004
12.02.2020 13:49:12	1	1	1	1	61	60.75	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	41.1875	2004
12.02.2020 13:49:13	1	1	1	1	61	61	0	28625.592	556.9892473	15943.79366	30000	0	0	30000	41.3125	2004
12.02.2020 13:49:14	1	1	1	1	61	61.25	0	28625.592	556.9892473	15978.85467	30000	0	0	30000	41.3125	2004
12.02.2020 13:49:15	1	1	1	1	61	61.25	0	28625.592	554.8387097	15943.79366	30000	0	0	30000	41.375	2004
12.02.2020 13:49:16	1	1	1	1	61	61.25	0	28625.592	556.9892473	15943.79366	30000	0	0	30000	40.8125	2004
12.02.2020 13:49:18	1	1	1	1	61	60.75	0	28578.199	559.1397849	15978.85467	30000	0	0	30000	41	2004
12.02.2020 13:49:19	1	1	1	1	61.25	61	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	41.3125	2004
12.02.2020 13:49:20	1	1	1	1	61.25	61.25	0	28625.592	559.1397849	16005.76197	30000	0	0	30000	41.25	2004
12.02.2020 13:49:21	1	1	1	1	61.25	61.25	0	28625.592	556.9892473	16111.76039	30000	0	0	30000	41	2004
12.02.2020 13:49:22	1	1	1	1	61.25	61	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	41.0625	2004
12.02.2020 13:49:23	1	1	1	1	61.25	61	0	28625.592	559.1397849	16066.9149	30000	0	0	30000	41.375	2004
12.02.2020 13:49:24	1	1	1	1	61.25	61.25	0	28625.592	559.1397849	16066.9149	30000	0	0	30000	41.25	2004
12.02.2020 13:49:25	1	1	1	1	61.25	61.25	0	28578.199	559.1397849	15978.85467	30000	0	0	30000	41.25	2004
12.02.2020 13:49:26	1	1	1	1	61.25	61.25	0	28483.412	552.688172	16013.91569	30000	0	0	30000	40.8125	2004
12.02.2020 13:49:27	1	1	1	1	61.25	60.75	0	28625.592	561.2903226	16066.9149	30000	0	0	30000	41.1875	2004
12.02.2020 13:49:34	1	1	1	1	61	61	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	41.25	2004
12.02.2020 13:49:34	1	1	1	1	61	61	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	41.25	2004
12.02.2020 13:49:34	1	1	1	1	61	61	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	41.25	2004
12.02.2020 13:49:34	1	1	1	1	61	61	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	41.25	2004
12.02.2020 13:49:34	1	1	1	1	61	61	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	41.25	2004
12.02.2020 13:49:34	1	1	1	1	61	61	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	41.25	2004
12.02.2020 13:49:34	1	1	1	1	61	61	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	41.25	2004
12.02.2020 13:49:34	1	1	1	1	61	61	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	41.25	2004
12.02.2020 13:49:35	1	1	1	1	61	61.25	0	28436.019	559.1397849	15899.76354	30000	0	0	30000	41.125	2004
12.02.2020 13:49:36	1	1	1	1	61	61	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	41.625	2004
12.02.2020 13:49:37	1	1	1	1	61	61.5	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	41.375	2004
12.02.2020 13:49:38	1	1	1	1	61	61.25	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	41.5	2004
12.02.2020 13:49:39	1	1	1	1	61	61.5	0	28578.199	561.2903226	15917.70174	30000	0	0	30000	41.1875	2004
12.02.2020 13:49:40	1	1	1	1	61	60.5	0	28530.806	561.2903226	16040.00761	30000	0	0	30000	41.3125	2004
12.02.2020 13:49:41	1	1	1	1	61	61.25	0	28530.806	559.1397849	16040.00761	30000	0	0	30000	41.1875	2004
12.02.2020 13:49:42	1	1	1	1	61	61	0	28483.412	561.2903226	16013.91569	30000	0	0	30000	40.75	2004
12.02.2020 13:49:43	1	1	1	1	61	60.75	0	28483.412	559.1397849	15925.85546	30000	0	0	30000	40.625	2004
12.02.2020 13:49:44	1	1	1	1	61	60.5	0	28436.019	559.1397849	15960.91648	30000	0	0	30000	40.9375	2004
12.02.2020 13:49:45	1	1	1	1	61	60.75	0	28388.626	559.1397849	15872.85625	30000	0	0	30000	40.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 13:49:46	1	1	1	1	61	60.75	0	28530.806	559.1397849	15987.0084	30000	0	0	30000	41.3125	2004
12.02.2020 13:49:47	1	1	1	1	61	61.25	0	28578.199	559.1397849	15925.85546	30000	0	0	30000	41.3125	2004
12.02.2020 13:49:48	1	1	1	1	60.75	61.25	0	28578.199	559.1397849	16005.76197	30000	0	0	30000	41.25	2004
12.02.2020 13:49:49	1	1	1	1	60.75	61.25	0	28625.592	561.2903226	16066.9149	30000	0	0	30000	41.1875	2004
12.02.2020 13:49:50	1	1	1	1	60.75	61	0	28436.019	556.9892473	15987.0084	30000	0	0	30000	41.3125	2004
12.02.2020 13:49:51	1	1	1	1	60.75	61.25	0	28483.412	559.1397849	16040.00761	30000	0	0	30000	41.375	2004
12.02.2020 13:49:52	1	1	1	1	60.75	61.25	0	28530.806	559.1397849	16040.00761	30000	0	0	30000	40.9375	2004
12.02.2020 13:49:53	1	1	1	1	60.75	60.75	0	28483.412	559.1397849	15925.85546	30000	0	0	30000	41.4375	2004
12.02.2020 13:49:54	1	1	1	1	60.75	61.25	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	41.0625	2004
12.02.2020 13:49:55	1	1	1	1	60.75	61	0	28483.412	563.4408602	16109.31427	30000	0	0	30000	40.9375	2004
12.02.2020 13:49:56	1	1	1	1	60.75	60.75	0	28341.232	561.2903226	15934.00919	30000	0	0	30000	41.1875	2004
12.02.2020 13:49:58	1	1	1	1	60.75	61	0	28578.199	563.4408602	16040.00761	30000	0	0	30000	41.0625	2004
12.02.2020 13:49:59	1	1	1	1	61	61	0	28483.412	552.688172	15987.0084	30000	0	0	30000	41.375	2004
12.02.2020 13:50:00	1	1	1	1	61	61.25	0	28436.019	554.8387097	15716.30473	30000	0	0	30000	41.125	2004
12.02.2020 13:50:01	1	1	1	1	61	61	0	28483.412	563.4408602	15838.61061	30000	0	0	30000	41.25	2004
12.02.2020 13:50:02	1	1	1	1	61	61.25	0	28625.592	563.4408602	16101.97592	30000	0	0	30000	41.4375	2004
12.02.2020 13:50:03	1	1	1	1	61	61.25	0	28436.019	563.4408602	16022.06942	30000	0	0	30000	41.125	2004
12.02.2020 13:50:04	1	1	1	1	61	61	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	41	2004
12.02.2020 13:50:05	1	1	1	1	61	61	0	28483.412	559.1397849	15864.70252	30000	0	0	30000	40.4375	2004
12.02.2020 13:50:06	1	1	1	1	61	60.25	0	28578.199	563.4408602	16040.00761	30000	0	0	30000	41.3125	2004
12.02.2020 13:50:07	1	1	1	1	61	61.25	0	28436.019	561.2903226	15987.0084	30000	0	0	30000	41.25	2004
12.02.2020 13:50:08	1	1	1	1	61	61.25	0	28578.199	559.1397849	15978.85467	30000	0	0	30000	40.25	2004
12.02.2020 13:50:09	1	1	1	1	61	60.25	0	28815.166	561.2903226	16173.7287	30000	0	0	30000	40.625	2004
12.02.2020 13:50:10	1	1	1	1	61	60.5	0	28483.412	567.7419355	15987.0084	30000	0	0	30000	41.3125	2004
12.02.2020 13:50:11	1	1	1	1	61	61.25	0	28483.412	559.1397849	15987.0084	30000	0	0	30000	40.5625	2004
12.02.2020 13:50:12	1	1	1	1	61	60.5	0	28815.166	561.2903226	16066.9149	30000	0	0	30000	40.625	2004
12.02.2020 13:50:13	1	1	1	1	61	60.5	0	28483.412	559.1397849	15987.0084	30000	0	0	30000	41.0625	2004
12.02.2020 13:50:14	1	1	1	1	61	61	0	28625.592	561.2903226	16173.7287	30000	0	0	30000	40.9375	2004
12.02.2020 13:50:15	1	1	1	1	61	60.75	0	28625.592	559.1397849	16066.9149	30000	0	0	30000	40.75	2004
12.02.2020 13:50:16	1	1	1	1	61	60.75	0	28483.412	561.2903226	15960.91648	30000	0	0	30000	41.0625	2004
12.02.2020 13:50:17	1	1	1	1	61	61	0	28530.806	559.1397849	16066.9149	30000	0	0	30000	41.625	2004
12.02.2020 13:50:18	1	1	1	1	61	61.25	0	28483.412	563.4408602	15987.0084	30000	0	0	30000	41.3125	2004
12.02.2020 13:50:19	1	1	1	1	61	61.25	0	28815.166	561.2903226	16005.76197	30000	0	0	30000	41.3125	2004
12.02.2020 13:50:20	1	1	1	1	61	61.25	0	28530.806	561.2903226	16013.91569	30000	0	0	30000	40.5	2004
12.02.2020 13:50:21	1	1	1	1	61	60.5	0	28530.806	561.2903226	15987.0084	30000	0	0	30000	41.0625	2004
12.02.2020 13:50:22	1	1	1	1	61	61	0	28625.592	561.2903226	16128.88321	30000	0	0	30000	41.125	2004
12.02.2020 13:50:23	1	1	1	1	61	61	0	28483.412	561.2903226	15838.61061	30000	0	0	30000	41.1875	2004
12.02.2020 13:50:24	1	1	1	1	61	61	0	28578.199	561.2903226	16013.91569	30000	0	0	30000	41.4375	2004
12.02.2020 13:50:25	1	1	1	1	61	61.25	0	28483.412	559.1397849	15987.0084	30000	0	0	30000	41.375	2004
12.02.2020 13:50:26	1	1	1	1	61	61.25	0	28625.592	559.1397849	15978.85467	30000	0	0	30000	41.1875	2004
12.02.2020 13:50:27	1	1	1	1	61	61	0	28578.199	559.1397849	16040.00761	30000	0	0	30000	41.1875	2004
12.02.2020 13:50:28	1	1	1	1	60.5	61	0	28483.412	561.2903226	16013.91569	30000	0	0	30000	41	2004
12.02.2020 13:50:36	1	1	1	1	60.5	61	0	28578.199	559.1397849	15925.85546	30000	0	0	30000	41.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 13:50:36	1	1	1	1	60.5	61	0	28578.199	559.1397849	15925.85546	30000	0	0	30000	41.375	2004
12.02.2020 13:50:36	1	1	1	1	60.5	61	0	28578.199	559.1397849	15925.85546	30000	0	0	30000	41.375	2004
12.02.2020 13:50:36	1	1	1	1	60.5	61	0	28578.199	559.1397849	15925.85546	30000	0	0	30000	41.375	2004
12.02.2020 13:50:36	1	1	1	1	60.5	61	0	28578.199	559.1397849	15925.85546	30000	0	0	30000	41.375	2004
12.02.2020 13:50:36	1	1	1	1	60.5	61	0	28578.199	559.1397849	15925.85546	30000	0	0	30000	41.375	2004
12.02.2020 13:50:36	1	1	1	1	60.5	61	0	28578.199	559.1397849	15925.85546	30000	0	0	30000	41.375	2004
12.02.2020 13:50:36	1	1	1	1	60.5	61.25	0	28483.412	563.4408602	15987.0084	30000	0	0	30000	41.375	2004
12.02.2020 13:50:38	1	1	1	1	60.5	61.25	0	28483.412	563.4408602	15987.0084	30000	0	0	30000	41.25	2004
12.02.2020 13:50:39	1	1	1	1	61	61.25	0	28530.806	559.1397849	16040.00761	30000	0	0	30000	41.3125	2004
12.02.2020 13:50:40	1	1	1	1	61	61.25	0	28578.199	561.2903226	15987.0084	30000	0	0	30000	41.25	2004
12.02.2020 13:50:41	1	1	1	1	61	61.25	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	41.1875	2004
12.02.2020 13:50:42	1	1	1	1	61	61	0	28483.412	559.1397849	15987.0084	30000	0	0	30000	40.75	2004
12.02.2020 13:50:43	1	1	1	1	61	60.75	0	28483.412	563.4408602	15987.0084	30000	0	0	30000	41.1875	2004
12.02.2020 13:50:44	1	1	1	1	61	61	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	41.0625	2004
12.02.2020 13:50:45	1	1	1	1	61	61	0	28436.019	550.5376344	15987.0084	30000	0	0	30000	41.4375	2004
12.02.2020 13:50:46	1	1	1	1	61	61.25	0	28483.412	563.4408602	15925.85546	30000	0	0	30000	41.4375	2004
12.02.2020 13:50:47	1	1	1	1	61	61.25	0	28388.626	559.1397849	15811.70331	30000	0	0	30000	41.1875	2004
12.02.2020 13:50:48	1	1	1	1	61	61	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	41.125	2004
12.02.2020 13:50:49	1	1	1	1	61.25	61	0	28625.592	561.2903226	16066.9149	30000	0	0	30000	40.8125	2004
12.02.2020 13:50:50	1	1	1	1	61.25	60.75	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	41.25	2004
12.02.2020 13:50:51	1	1	1	1	61.25	61.25	0	28483.412	561.2903226	16040.00761	30000	0	0	30000	41.25	2004
12.02.2020 13:50:52	1	1	1	1	61.25	61.25	0	28530.806	561.2903226	16040.00761	30000	0	0	30000	41.0625	2004
12.02.2020 13:50:53	1	1	1	1	61.25	61	0	28483.412	559.1397849	15987.0084	30000	0	0	30000	41.3125	2004
12.02.2020 13:50:54	1	1	1	1	61.25	61.25	0	28436.019	556.9892473	15838.61061	30000	0	0	30000	41.1875	2004
12.02.2020 13:50:55	1	1	1	1	61.25	61	0	28483.412	559.1397849	15987.0084	30000	0	0	30000	41.75	2004
12.02.2020 13:50:56	1	1	1	1	61.25	61.75	0	28625.592	561.2903226	16040.00761	30000	0	0	30000	41.375	2004
12.02.2020 13:50:57	1	1	1	1	61.25	61.25	0	28483.412	559.1397849	15925.85546	30000	0	0	30000	41.1875	2004
12.02.2020 13:50:58	1	1	1	1	61	61	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	41.25	2004
12.02.2020 13:50:59	1	1	1	1	61	61.25	0	28578.199	559.1397849	16040.00761	30000	0	0	30000	40.0625	2004
12.02.2020 13:51:00	1	1	1	1	61	60	0	28625.592	559.1397849	15917.70174	30000	0	0	30000	40.375	2004
12.02.2020 13:51:01	1	1	1	1	61	60.25	0	28625.592	556.9892473	15943.79366	30000	0	0	30000	40.625	2004
12.02.2020 13:51:02	1	1	1	1	61	60.5	0	28436.019	554.8387097	15803.54959	30000	0	0	30000	40.875	2004
12.02.2020 13:51:03	1	1	1	1	61	60.75	0	28578.199	559.1397849	16040.00761	30000	0	0	30000	41.25	2004
12.02.2020 13:51:04	1	1	1	1	61	61.25	0	28578.199	561.2903226	15925.85546	30000	0	0	30000	41.125	2004
12.02.2020 13:51:05	1	1	1	1	61	61	0	28530.806	559.1397849	16040.00761	30000	0	0	30000	41.25	2004
12.02.2020 13:51:06	1	1	1	1	61	61.25	0	28815.166	561.2903226	16173.7287	30000	0	0	30000	41.125	2004
12.02.2020 13:51:07	1	1	1	1	61	61	0	28483.412	559.1397849	15987.0084	30000	0	0	30000	41.1875	2004
12.02.2020 13:51:08	1	1	1	1	60.75	61	0	28436.019	559.1397849	15934.00919	30000	0	0	30000	40.75	2004
12.02.2020 13:51:09	1	1	1	1	60.75	60.75	0	28483.412	563.4408602	15987.0084	30000	0	0	30000	40.8125	2004
12.02.2020 13:51:10	1	1	1	1	60.75	60.75	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	41.125	2004
12.02.2020 13:51:11	1	1	1	1	60.75	61	0	28578.199	556.9892473	16101.97592	30000	0	0	30000	40.875	2004
12.02.2020 13:51:12	1	1	1	1	60.75	60.75	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	40.75	2004
12.02.2020 13:51:13	1	1	1	1	60.75	60.75	0	28483.412	556.9892473	15925.85546	30000	0	0	30000	41.125	2004





	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 13:51:59	1	1	1	1	60.75	61	0	28625.592	561.2903226	16040.00761	30000	0	0	30000	41.125	2004
12.02.2020 13:52:00	1	1	1	1	60.75	61	0	28578.199	559.1397849	15917.70174	30000	0	0	30000	41.25	2004
12.02.2020 13:52:01	1	1	1	1	60.75	61.25	0	28578.199	559.1397849	15978.85467	30000	0	0	30000	41.3125	2004
12.02.2020 13:52:02	1	1	1	1	60.75	61.25	0	28436.019	559.1397849	15987.0084	30000	0	0	30000	40.6875	2004
12.02.2020 13:52:03	1	1	1	1	60.75	60.5	0	28625.592	559.1397849	16173.7287	30000	0	0	30000	41.0625	2004
12.02.2020 13:52:04	1	1	1	1	60.75	61	0	28625.592	559.1397849	16005.76197	30000	0	0	30000	41.125	2004
12.02.2020 13:52:05	1	1	1	1	60.75	61	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	41.25	2004
12.02.2020 13:52:06	1	1	1	1	60.75	61.25	0	28483.412	563.4408602	15987.0084	30000	0	0	30000	41.3125	2004
12.02.2020 13:52:07	1	1	1	1	60.75	61.25	0	28625.592	559.1397849	15943.79366	30000	0	0	30000	40.4375	2004
12.02.2020 13:52:08	1	1	1	1	60.75	60.25	0	28625.592	561.2903226	16173.7287	30000	0	0	30000	41.3125	2004
12.02.2020 13:52:09	1	1	1	1	60.75	61.25	0	28578.199	559.1397849	16040.00761	30000	0	0	30000	41.25	2004
12.02.2020 13:52:10	1	1	1	1	60.75	61.25	0	28625.592	559.1397849	16040.00761	30000	0	0	30000	41.125	2004
12.02.2020 13:52:11	1	1	1	1	60.75	61	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	41.625	2004
12.02.2020 13:52:12	1	1	1	1	60.75	61.5	0	28815.166	561.2903226	16173.7287	30000	0	0	30000	41.3125	2004
12.02.2020 13:52:13	1	1	1	1	60.75	61.25	0	28578.199	559.1397849	15978.85467	30000	0	0	30000	41.5625	2004
12.02.2020 13:52:14	1	1	1	1	60.75	61.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	41.375	2004
12.02.2020 13:52:15	1	1	1	1	60.75	61.25	0	28625.592	561.2903226	16040.00761	30000	0	0	30000	41.3125	2004
12.02.2020 13:52:16	1	1	1	1	60.75	61.25	0	28578.199	559.1397849	16040.00761	30000	0	0	30000	40.75	2004
12.02.2020 13:52:17	1	1	1	1	60.75	60.75	0	28578.199	559.1397849	16066.9149	30000	0	0	30000	41.375	2004
12.02.2020 13:52:18	1	1	1	1	61	61.25	0	28625.592	559.1397849	16066.9149	30000	0	0	30000	41.25	2004
12.02.2020 13:52:19	1	1	1	1	61	61.25	0	28578.199	563.4408602	15864.70252	30000	0	0	30000	41.3125	2004
12.02.2020 13:52:20	1	1	1	1	61	61.25	0	28483.412	559.1397849	15987.0084	30000	0	0	30000	41.125	2004
12.02.2020 13:52:21	1	1	1	1	61	61	0	28578.199	561.2903226	16013.91569	30000	0	0	30000	41.3125	2004
12.02.2020 13:52:22	1	1	1	1	61	61.25	0	28578.199	550.5376344	15943.79366	30000	0	0	30000	40.8125	2004
12.02.2020 13:52:23	1	1	1	1	61	60.75	0	28578.199	559.1397849	16040.00761	30000	0	0	30000	40.875	2004
12.02.2020 13:52:24	1	1	1	1	61	60.75	0	28436.019	563.4408602	15960.91648	30000	0	0	30000	41.1875	2004
12.02.2020 13:52:25	1	1	1	1	61	61	0	28578.199	561.2903226	16101.97592	30000	0	0	30000	41	2004
12.02.2020 13:52:26	1	1	1	1	61	61	0	28625.592	559.1397849	16040.00761	30000	0	0	30000	41.1875	2004
12.02.2020 13:52:27	1	1	1	1	61	61	0	28483.412	561.2903226	16013.91569	30000	0	0	30000	40.9375	2004
12.02.2020 13:52:28	1	1	1	1	60.75	60.75	0	28483.412	559.1397849	15925.85546	30000	0	0	30000	40.6875	2004
12.02.2020 13:52:29	1	1	1	1	60.75	60.5	0	28530.806	559.1397849	15987.0084	30000	0	0	30000	41.25	2004
12.02.2020 13:52:30	1	1	1	1	60.75	61.25	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	41.25	2004
12.02.2020 13:52:31	1	1	1	1	60.75	61.25	0	28815.166	556.9892473	16173.7287	30000	0	0	30000	41.125	2004
12.02.2020 13:52:39	1	1	1	1	61	61.25	0	28483.412	559.1397849	15987.0084	30000	0	0	30000	40.9375	2004
12.02.2020 13:52:39	1	1	1	1	61	61.25	0	28483.412	559.1397849	15987.0084	30000	0	0	30000	40.9375	2004
12.02.2020 13:52:39	1	1	1	1	61	61.25	0	28483.412	559.1397849	15987.0084	30000	0	0	30000	40.9375	2004
12.02.2020 13:52:39	1	1	1	1	61	61.25	0	28483.412	559.1397849	15987.0084	30000	0	0	30000	40.9375	2004
12.02.2020 13:52:39	1	1	1	1	61	61.25	0	28483.412	559.1397849	15987.0084	30000	0	0	30000	40.9375	2004
12.02.2020 13:52:39	1	1	1	1	61	61.25	0	28483.412	559.1397849	15987.0084	30000	0	0	30000	40.9375	2004
12.02.2020 13:52:39	1	1	1	1	61	61.25	0	28483.412	559.1397849	15987.0084	30000	0	0	30000	40.9375	2004
12.02.2020 13:52:40	1	1	1	1	61	60.75	0	28625.592	561.2903226	16066.9149	30000	0	0	30000	41.1875	2004
12.02.2020 13:52:41	1	1	1	1	61	61	0	28483.412	559.1397849	15987.0084	30000	0	0	30000	41	2004
12.02.2020 13:52:42	1	1	1	1	61	61	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	41.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 13:52:43	1	1	1	1	61	61	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	41.375	2004
12.02.2020 13:52:44	1	1	1	1	61	61.25	0	28436.019	563.4408602	16022.06942	30000	0	0	30000	41.125	2004
12.02.2020 13:52:45	1	1	1	1	61	61	0	28483.412	563.4408602	15987.0084	30000	0	0	30000	40.9375	2004
12.02.2020 13:52:46	1	1	1	1	61	60.75	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	41.3125	2004
12.02.2020 13:52:47	1	1	1	1	61	61.25	0	28436.019	559.1397849	15960.91648	30000	0	0	30000	41.375	2004
12.02.2020 13:52:48	1	1	1	1	61	61.25	0	28625.592	563.4408602	16066.9149	30000	0	0	30000	41.25	2004
12.02.2020 13:52:49	1	1	1	1	60.75	61.25	0	28436.019	561.2903226	15987.0084	30000	0	0	30000	40.6875	2004
12.02.2020 13:52:50	1	1	1	1	60.75	60.5	0	28436.019	554.8387097	15925.85546	30000	0	0	30000	41.25	2004
12.02.2020 13:52:51	1	1	1	1	60.75	61.25	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	41.25	2004
12.02.2020 13:52:52	1	1	1	1	60.75	61.25	0	28625.592	561.2903226	16173.7287	30000	0	0	30000	41.25	2004
12.02.2020 13:52:53	1	1	1	1	60.75	61.25	0	28436.019	563.4408602	15960.91648	30000	0	0	30000	41.3125	2004
12.02.2020 13:52:54	1	1	1	1	60.75	61.25	0	28530.806	561.2903226	16040.00761	30000	0	0	30000	41.4375	2004
12.02.2020 13:52:55	1	1	1	1	60.75	61.25	0	28578.199	556.9892473	16040.00761	30000	0	0	30000	41.375	2004
12.02.2020 13:52:56	1	1	1	1	60.75	61	0	28483.412	561.2903226	16040.00761	30000	0	0	30000	41.375	2004
12.02.2020 13:52:57	1	1	1	1	60.75	61.25	0	28341.232	559.1397849	15785.61139	30000	0	0	30000	41.25	2004
12.02.2020 13:52:58	1	1	1	1	61	61.25	0	28578.199	559.1397849	16066.9149	30000	0	0	30000	40.4375	2004
12.02.2020 13:52:59	1	1	1	1	61	60.25	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	41.4375	2004
12.02.2020 13:53:00	1	1	1	1	61	61.25	0	28483.412	556.9892473	15925.85546	30000	0	0	30000	41.25	2004
12.02.2020 13:53:01	1	1	1	1	61	61.25	0	28483.412	559.1397849	15960.91648	30000	0	0	30000	41.1875	2004
12.02.2020 13:53:02	1	1	1	1	61	61	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	40.8125	2004
12.02.2020 13:53:03	1	1	1	1	61	60.75	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	41.375	2004
12.02.2020 13:53:04	1	1	1	1	61	61.25	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	41.1875	2004
12.02.2020 13:53:05	1	1	1	1	61	61	0	28530.806	561.2903226	15987.0084	30000	0	0	30000	41.375	2004
12.02.2020 13:53:06	1	1	1	1	61	61.25	0	28436.019	556.9892473	15811.70331	30000	0	0	30000	41.25	2004
12.02.2020 13:53:07	1	1	1	1	61	61.25	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	41.4375	2004
12.02.2020 13:53:08	1	1	1	1	60.75	61.25	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	41.1875	2004
12.02.2020 13:53:09	1	1	1	1	60.75	61	0	28530.806	559.1397849	15987.0084	30000	0	0	30000	41.125	2004
12.02.2020 13:53:10	1	1	1	1	60.75	61	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	41.25	2004
12.02.2020 13:53:11	1	1	1	1	60.75	61.25	0	28578.199	559.1397849	15978.85467	30000	0	0	30000	41.3125	2004
12.02.2020 13:53:12	1	1	1	1	60.75	61.25	0	28625.592	561.2903226	16040.00761	30000	0	0	30000	40.875	2004
12.02.2020 13:53:14	1	1	1	1	60.75	60.75	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	40.875	2004
12.02.2020 13:53:15	1	1	1	1	60.75	60.75	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	41.1875	2004
12.02.2020 13:53:16	1	1	1	1	60.75	61	0	28483.412	563.4408602	15716.30473	30000	0	0	30000	41.0625	2004
12.02.2020 13:53:17	1	1	1	1	60.75	61	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	40.375	2004
12.02.2020 13:53:18	1	1	1	1	60.75	60.25	0	28483.412	563.4408602	15987.0084	30000	0	0	30000	41	2004
12.02.2020 13:53:19	1	1	1	1	61	61	0	28436.019	561.2903226	15987.0084	30000	0	0	30000	41.125	2004
12.02.2020 13:53:20	1	1	1	1	61	61	0	28815.166	563.4408602	16040.00761	30000	0	0	30000	41.0625	2004
12.02.2020 13:53:21	1	1	1	1	61	61	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	41.25	2004
12.02.2020 13:53:22	1	1	1	1	61	61.25	0	28530.806	559.1397849	16225.09717	30000	0	0	30000	41.375	2004
12.02.2020 13:53:23	1	1	1	1	61	61.25	0	28625.592	561.2903226	16066.9149	30000	0	0	30000	41.125	2004
12.02.2020 13:53:24	1	1	1	1	61	61	0	28483.412	561.2903226	16101.97592	30000	0	0	30000	41.3125	2004
12.02.2020 13:53:25	1	1	1	1	61	61.25	0	28578.199	563.4408602	16013.91569	30000	0	0	30000	41.375	2004
12.02.2020 13:53:26	1	1	1	1	61	61.25	0	28436.019	559.1397849	16232.43552	30000	0	0	30000	40.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 13:53:27	1	1	1	1	61	60.75	0	28483.412	563.4408602	15987.0084	30000	0	0	30000	41.4375	2004
12.02.2020 13:53:28	1	1	1	1	61	61.25	0	28578.199	563.4408602	15987.0084	30000	0	0	30000	41.25	2004
12.02.2020 13:53:29	1	1	1	1	61	61.25	0	28578.199	561.2903226	16101.97592	30000	0	0	30000	41.125	2004
12.02.2020 13:53:30	1	1	1	1	61	61	0	28483.412	563.4408602	15987.0084	30000	0	0	30000	40.875	2004
12.02.2020 13:53:31	1	1	1	1	61	60.75	0	28483.412	559.1397849	15987.0084	30000	0	0	30000	41.4375	2004
12.02.2020 13:53:32	1	1	1	1	61	61.25	0	28388.626	561.2903226	15934.00919	30000	0	0	30000	41.125	2004
12.02.2020 13:53:33	1	1	1	1	61	61	0	28625.592	556.9892473	15917.70174	30000	0	0	30000	41.75	2004
12.02.2020 13:53:41	1	1	1	1	61	61.25	0	28483.412	559.1397849	15987.0084	30000	0	0	30000	41.25	2004
12.02.2020 13:53:41	1	1	1	1	61	61.25	0	28483.412	559.1397849	15987.0084	30000	0	0	30000	41.25	2004
12.02.2020 13:53:41	1	1	1	1	61	61.25	0	28483.412	559.1397849	15987.0084	30000	0	0	30000	41.25	2004
12.02.2020 13:53:41	1	1	1	1	61	61.25	0	28483.412	559.1397849	15987.0084	30000	0	0	30000	41.25	2004
12.02.2020 13:53:41	1	1	1	1	61	61.25	0	28483.412	559.1397849	15987.0084	30000	0	0	30000	41.25	2004
12.02.2020 13:53:41	1	1	1	1	61	61.25	0	28483.412	559.1397849	15987.0084	30000	0	0	30000	41.25	2004
12.02.2020 13:53:41	1	1	1	1	61	61.25	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	41.1875	2004
12.02.2020 13:53:42	1	1	1	1	61	61	0	28578.199	563.4408602	15987.0084	30000	0	0	30000	41.25	2004
12.02.2020 13:53:43	1	1	1	1	61	61.25	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	41.375	2004
12.02.2020 13:53:44	1	1	1	1	61	61.25	0	28530.806	559.1397849	16040.00761	30000	0	0	30000	41.5	2004
12.02.2020 13:53:45	1	1	1	1	61	61.5	0	28625.592	561.2903226	16066.9149	30000	0	0	30000	41.1875	2004
12.02.2020 13:53:46	1	1	1	1	61	61	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	41.375	2004
12.02.2020 13:53:47	1	1	1	1	61	61.25	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	41.3125	2004
12.02.2020 13:53:48	1	1	1	1	60.75	61.25	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	41.25	2004
12.02.2020 13:53:49	1	1	1	1	60.75	61.25	0	28483.412	559.1397849	15987.0084	30000	0	0	30000	41.375	2004
12.02.2020 13:53:50	1	1	1	1	60.75	61.25	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	40.625	2004
12.02.2020 13:53:51	1	1	1	1	60.75	60.5	0	28483.412	559.1397849	15987.0084	30000	0	0	30000	41	2004
12.02.2020 13:53:52	1	1	1	1	60.75	61	0	28483.412	561.2903226	16013.91569	30000	0	0	30000	40.75	2004
12.02.2020 13:53:54	1	1	1	1	60.75	60.75	0	28341.232	567.7419355	16090.5607	30000	0	0	30000	41.25	2004
12.02.2020 13:53:55	1	1	1	1	60.75	61.25	0	28625.592	561.2903226	16066.9149	30000	0	0	30000	41.3125	2004
12.02.2020 13:53:56	1	1	1	1	60.75	61.25	0	28578.199	559.1397849	15978.85467	30000	0	0	30000	41.0625	2004
12.02.2020 13:53:57	1	1	1	1	60.75	61	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	41.125	2004
12.02.2020 13:53:58	1	1	1	1	60.75	61	0	28625.592	556.9892473	16066.9149	30000	0	0	30000	41.3125	2004
12.02.2020 13:53:59	1	1	1	1	61	61.25	0	28436.019	563.4408602	16048.16134	30000	0	0	30000	41.4375	2004
12.02.2020 13:54:00	1	1	1	1	61	61.25	0	28483.412	554.8387097	15838.61061	30000	0	0	30000	40.8125	2004
12.02.2020 13:54:01	1	1	1	1	61	60.75	0	28530.806	561.2903226	16040.00761	30000	0	0	30000	40.375	2004
12.02.2020 13:54:02	1	1	1	1	61	60.25	0	28483.412	559.1397849	15925.85546	30000	0	0	30000	41.25	2004
12.02.2020 13:54:03	1	1	1	1	61	61.25	0	28483.412	561.2903226	16040.00761	30000	0	0	30000	40.875	2004
12.02.2020 13:54:04	1	1	1	1	61	60.75	0	28578.199	559.1397849	15978.85467	30000	0	0	30000	41	2004
12.02.2020 13:54:05	1	1	1	1	61	61	0	28578.199	563.4408602	16040.00761	30000	0	0	30000	41.1875	2004
12.02.2020 13:54:06	1	1	1	1	61	61	0	28483.412	561.2903226	16040.00761	30000	0	0	30000	40.625	2004
12.02.2020 13:54:07	1	1	1	1	61	60.5	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	40.8125	2004
12.02.2020 13:54:08	1	1	1	1	61	60.75	0	28578.199	559.1397849	15917.70174	30000	0	0	30000	41.25	2004
12.02.2020 13:54:09	1	1	1	1	61.25	61.25	0	28436.019	559.1397849	15960.91648	30000	0	0	30000	41.125	2004
12.02.2020 13:54:10	1	1	1	1	61.25	61	0	28436.019	554.8387097	16109.31427	30000	0	0	30000	41.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 13:54:11	1	1	1	1	61.25	61.25	0	28483.412	559.1397849	15925.85546	30000	0	0	30000	41.25	2004
12.02.2020 13:54:12	1	1	1	1	61.25	61.25	0	28625.592	559.1397849	16066.9149	30000	0	0	30000	41.375	2004
12.02.2020 13:54:13	1	1	1	1	61.25	61.25	0	28483.412	550.5376344	15917.70174	30000	0	0	30000	41.0625	2004
12.02.2020 13:54:14	1	1	1	1	61.25	61	0	28625.592	556.9892473	16005.76197	30000	0	0	30000	41.1875	2004
12.02.2020 13:54:15	1	1	1	1	61.25	61	0	28625.592	556.9892473	15943.79366	30000	0	0	30000	41.1875	2004
12.02.2020 13:54:16	1	1	1	1	61.25	60.75	0	28672.986	556.9892473	16049.79208	30000	0	0	30000	41.25	2004
12.02.2020 13:54:17	1	1	1	1	61.25	61.25	0	28625.592	556.9892473	16049.79208	30000	0	0	30000	40.9375	2004
12.02.2020 13:54:18	1	1	1	1	61.25	60.75	0	28578.199	559.1397849	15978.85467	30000	0	0	30000	41.3125	2004
12.02.2020 13:54:19	1	1	1	1	61.25	61.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	41.1875	2004
12.02.2020 13:54:20	1	1	1	1	61.25	61	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	40.875	2004
12.02.2020 13:54:21	1	1	1	1	61.25	60.75	0	28672.986	559.1397849	15943.79366	30000	0	0	30000	41.1875	2004
12.02.2020 13:54:22	1	1	1	1	61.25	61	0	28625.592	559.1397849	16040.00761	30000	0	0	30000	41.1875	2004
12.02.2020 13:54:23	1	1	1	1	61.25	61	0	28625.592	559.1397849	16111.76039	30000	0	0	30000	40.8125	2004
12.02.2020 13:54:24	1	1	1	1	61.25	60.75	0	28578.199	559.1397849	16040.00761	30000	0	0	30000	40.625	2004
12.02.2020 13:54:25	1	1	1	1	61.25	60.5	0	28483.412	556.9892473	15864.70252	30000	0	0	30000	40.875	2004
12.02.2020 13:54:26	1	1	1	1	61.25	60.75	0	28815.166	556.9892473	16111.76039	30000	0	0	30000	41.1875	2004
12.02.2020 13:54:27	1	1	1	1	61.25	61	0	28625.592	559.1397849	15978.85467	30000	0	0	30000	40.875	2004
12.02.2020 13:54:28	1	1	1	1	61.25	60.75	0	28578.199	559.1397849	15829.64151	30000	0	0	30000	41.25	2004
12.02.2020 13:54:29	1	1	1	1	61.25	61.25	0	28578.199	552.688172	16040.00761	30000	0	0	30000	41.1875	2004
12.02.2020 13:54:30	1	1	1	1	61.25	61	0	28625.592	554.8387097	15917.70174	30000	0	0	30000	40.625	2004
12.02.2020 13:54:31	1	1	1	1	61.25	60.5	0	28530.806	556.9892473	15978.85467	30000	0	0	30000	41.1875	2004
12.02.2020 13:54:33	1	1	1	1	61.25	61	0	28815.166	561.2903226	16049.79208	30000	0	0	30000	41.125	2004
12.02.2020 13:54:34	1	1	1	1	61.25	61	0	28625.592	559.1397849	15943.79366	30000	0	0	30000	41.125	2004
12.02.2020 13:54:35	1	1	1	1	61.25	61	0	28578.199	556.9892473	15917.70174	30000	0	0	30000	40.6875	2004
12.02.2020 13:54:42	1	1	1	1	61	61	0	28625.592	556.9892473	15943.79366	30000	0	0	30000	41.1875	2004
12.02.2020 13:54:42	1	1	1	1	61	61	0	28625.592	556.9892473	15943.79366	30000	0	0	30000	41.1875	2004
12.02.2020 13:54:42	1	1	1	1	61	61	0	28625.592	556.9892473	15943.79366	30000	0	0	30000	41.1875	2004
12.02.2020 13:54:42	1	1	1	1	61	61	0	28625.592	556.9892473	15943.79366	30000	0	0	30000	41.1875	2004
12.02.2020 13:54:42	1	1	1	1	61	61	0	28625.592	556.9892473	15943.79366	30000	0	0	30000	41.1875	2004
12.02.2020 13:54:42	1	1	1	1	61	61	0	28625.592	556.9892473	15943.79366	30000	0	0	30000	41.1875	2004
12.02.2020 13:54:42	1	1	1	1	61	61	0	28625.592	556.9892473	15943.79366	30000	0	0	30000	41.1875	2004
12.02.2020 13:54:43	1	1	1	1	61	61	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	41.1875	2004
12.02.2020 13:54:44	1	1	1	1	61	61	0	28862.559	556.9892473	16049.79208	30000	0	0	30000	41.25	2004
12.02.2020 13:54:45	1	1	1	1	61	61.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	41.1875	2004
12.02.2020 13:54:46	1	1	1	1	61	61	0	28625.592	556.9892473	15943.79366	30000	0	0	30000	41	2004
12.02.2020 13:54:47	1	1	1	1	61	61	0	28815.166	559.1397849	16111.76039	30000	0	0	30000	41.3125	2004
12.02.2020 13:54:48	1	1	1	1	61	61.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	41.1875	2004
12.02.2020 13:54:49	1	1	1	1	61.5	61	0	28625.592	556.9892473	15943.79366	30000	0	0	30000	41.25	2004
12.02.2020 13:54:50	1	1	1	1	61.5	61.25	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	40.875	2004
12.02.2020 13:54:51	1	1	1	1	61.5	60.75	0	29146.919	546.2365591	15858.17955	30000	0	0	30000	41	2004
12.02.2020 13:54:52	1	1	1	1	61.5	61	0	28625.592	563.4408602	16040.00761	30000	0	0	30000	41.125	2004
12.02.2020 13:54:53	1	1	1	1	61.5	60.75	0	28293.839	561.2903226	16177.80556	30000	0	0	30000	41.125	2004
12.02.2020 13:54:54	1	1	1	1	61.5	61	0	28341.232	567.7419355	16150.89827	30000	0	0	30000	41.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 13:54:55	1	1	1	1	61.5	61.25	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	41.1875	2004
12.02.2020 13:54:56	1	1	1	1	61.5	61	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	40.9375	2004
12.02.2020 13:54:57	1	1	1	1	61.5	60.75	0	27914.692	569.8924731	15907.91727	30000	0	0	30000	41.125	2004
12.02.2020 13:54:58	1	1	1	1	61.5	61	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	40.8125	2004
12.02.2020 13:54:59	1	1	1	1	61.5	60.75	0	28483.412	565.5913978	16109.31427	30000	0	0	30000	41.1875	2004
12.02.2020 13:55:00	1	1	1	1	61.5	61	0	28483.412	559.1397849	15864.70252	30000	0	0	30000	40.875	2004
12.02.2020 13:55:01	1	1	1	1	61.5	60.75	0	28625.592	559.1397849	16066.9149	30000	0	0	30000	41.3125	2004
12.02.2020 13:55:02	1	1	1	1	61.5	61.25	0	28625.592	559.1397849	15943.79366	30000	0	0	30000	40.875	2004
12.02.2020 13:55:03	1	1	1	1	61.5	60.75	0	28578.199	552.688172	15794.58049	30000	0	0	30000	41.125	2004
12.02.2020 13:55:04	1	1	1	1	61.5	61	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	41.0625	2004
12.02.2020 13:55:05	1	1	1	1	61.5	61	0	28625.592	554.8387097	15820.67241	30000	0	0	30000	41.25	2004
12.02.2020 13:55:06	1	1	1	1	61.5	61.25	0	28672.986	552.688172	15820.67241	30000	0	0	30000	41	2004
12.02.2020 13:55:07	1	1	1	1	61.5	61	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	41.375	2004
12.02.2020 13:55:08	1	1	1	1	61.75	61.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	41.5	2004
12.02.2020 13:55:10	1	1	1	1	61.75	61.5	0	28862.559	563.4408602	16013.91569	30000	0	0	30000	41	2004
12.02.2020 13:55:11	1	1	1	1	61.75	61	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	41.3125	2004
12.02.2020 13:55:12	1	1	1	1	61.75	61.25	0	30000	509.6774194	15289.86492	30000	0	0	30000	41	2004
12.02.2020 13:55:13	1	1	1	1	61.75	61	0	29052.133	546.2365591	15942.16291	30000	0	0	30000	40.6875	2004
12.02.2020 13:55:14	1	1	1	1	61.75	60.5	0	29857.82	537.6344086	15834.53374	30000	0	0	30000	41.3125	2004
12.02.2020 13:55:15	1	1	1	1	61.75	61.25	0	29099.526	550.5376344	16108.4989	30000	0	0	30000	41.25	2004
12.02.2020 13:55:16	1	1	1	1	61.75	61.25	0	28625.592	559.1397849	15917.70174	30000	0	0	30000	40.9375	2004
12.02.2020 13:55:17	1	1	1	1	61.75	60.75	0	27630.332	582.7956989	16102.79129	30000	0	0	30000	41.25	2004
12.02.2020 13:55:18	1	1	1	1	61.75	61.25	0	27772.512	574.1935484	15805.18033	30000	0	0	30000	40.875	2004
12.02.2020 13:55:19	1	1	1	1	65	60.75	0	27962.085	572.0430108	15907.91727	30000	0	0	30000	41.3125	2004
12.02.2020 13:55:20	1	1	1	1	65	61.25	0	27582.938	587.0967742	15991.90063	30000	0	0	30000	41.25	2004
12.02.2020 13:55:21	1	1	1	1	65	61.25	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	41.25	2004
12.02.2020 13:55:22	1	1	1	1	65	61.25	0	28341.232	565.5913978	16029.40777	30000	0	0	30000	41.25	2004
12.02.2020 13:55:23	1	1	1	1	65	61.25	0	30047.393	518.2795699	15572.79917	30000	0	0	30000	41.375	2004
12.02.2020 13:55:24	1	1	1	1	65	61.25	0	30000	492.4731183	14773.73413	30000	0	0	30000	40.4375	2004
12.02.2020 13:55:25	1	1	1	1	65	60.25	0	29905.213	537.6344086	16077.51474	30000	0	0	30000	41.0625	2004
12.02.2020 13:55:26	1	1	1	1	65	61	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	41.125	2004
12.02.2020 13:55:27	1	1	1	1	65	61	0	29810.427	535.483871	15911.99413	30000	0	0	30000	41.125	2004
12.02.2020 13:55:28	1	1	1	1	65	61	0	29146.919	544.0860215	15858.17955	30000	0	0	30000	41.375	2004
12.02.2020 13:55:29	1	1	1	1	72.75	61.25	0	28815.166	550.5376344	15925.85546	30000	0	0	30000	40.375	2004
12.02.2020 13:55:30	1	1	1	1	72.75	60.25	0	29383.886	541.9354839	15924.22472	30000	0	0	30000	41.75	2004
12.02.2020 13:55:31	1	1	1	1	72.75	61.75	0	30000	481.7204301	14516.07643	30000	0	0	30000	40.875	2004
12.02.2020 13:55:32	1	1	1	1	72.75	60.75	0	30000	503.2258065	15096.62164	30000	0	0	30000	40.75	2004
12.02.2020 13:55:33	1	1	1	1	72.75	60.75	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	41.25	2004
12.02.2020 13:55:34	1	1	1	1	72.75	61.25	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	41.25	2004
12.02.2020 13:55:35	1	1	1	1	72.75	61.25	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	41.3125	2004
12.02.2020 13:55:36	1	1	1	1	72.75	61.25	0	27867.299	559.1397849	15788.05751	30000	0	0	30000	40.0625	2004
12.02.2020 13:55:44	1	1	1	1	75.25	61.5	0	10426.54	0	0	30000	0	0	30000	41.4375	2004
12.02.2020 13:55:44	1	1	1	1	75.25	61.5	0	10426.54	0	0	30000	0	0	30000	41.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 13:55:44	1	1	1	1	75.25	61.5	0	10426.54	0	0	30000	0	0	30000	41.4375	2004
12.02.2020 13:55:44	1	1	1	1	75.25	61.5	0	10426.54	0	0	30000	0	0	30000	41.4375	2004
12.02.2020 13:55:44	1	1	1	1	75.25	61.5	0	10426.54	0	0	30000	0	0	30000	41.4375	2004
12.02.2020 13:55:44	1	1	1	1	75.25	61.5	0	10426.54	0	0	30000	0	0	30000	41.4375	2004
12.02.2020 13:55:44	1	1	1	1	75.25	61.25	0	11232.227	0	0	30000	0	0	30000	41.375	2004
12.02.2020 13:55:45	1	1	1	1	75.25	61.25	0	11990.521	0	0	30000	0	0	30000	41.4375	2004
12.02.2020 13:55:46	1	1	1	1	75.25	61.25	0	12748.815	2.150537634	26.90729215	30000	0	0	30000	41.25	2004
12.02.2020 13:55:47	1	1	1	1	75.25	61.25	0	13507.109	6.451612903	57.89144674	30000	0	0	30000	41.25	2004
12.02.2020 13:55:49	1	1	1	1	78.5	61.25	0	14312.796	10.75268817	153.290028	30000	0	0	30000	41.3125	2004
12.02.2020 13:55:50	1	1	1	1	78.5	61.25	0	15023.697	15.05376344	225.0428071	30000	0	0	30000	41.25	2004
12.02.2020 13:55:51	1	1	1	1	78.5	61.25	0	15829.384	25.80645161	408.5016172	30000	0	0	30000	41.3125	2004
12.02.2020 13:55:52	1	1	1	1	78.5	61.25	0	16492.891	34.40860215	531.622863	30000	0	0	30000	41.25	2004
12.02.2020 13:55:53	1	1	1	1	78.5	61.25	0	17393.365	34.40860215	560.9762727	30000	0	0	30000	41.375	2004
12.02.2020 13:55:54	1	1	1	1	78.5	61.25	0	18151.659	53.76344086	1014.323377	30000	0	0	30000	41.3125	2004
12.02.2020 13:55:55	1	1	1	1	78.5	61.25	0	18909.953	75.2688172	1422.824994	30000	0	0	30000	41.375	2004
12.02.2020 13:55:56	1	1	1	1	78.5	61.25	0	19668.246	73.11827957	1437.501699	30000	0	0	30000	41.25	2004
12.02.2020 13:55:57	1	1	1	1	78.5	61.25	0	19383.886	103.2258065	2000.924089	30000	0	0	30000	41.3125	2004
12.02.2020 13:55:58	1	1	1	1	78.5	61.25	0	19952.607	113.9784946	2274.073873	30000	0	0	30000	41.25	2004
12.02.2020 13:55:59	1	1	1	1	78.75	61.25	0	20000	129.0322581	2451.009703	30000	0	0	30000	41.3125	2004
12.02.2020 13:56:00	1	1	1	1	78.75	61.25	0	19857.82	144.0860215	2861.142065	30000	0	0	30000	41.5625	2004
12.02.2020 13:56:01	1	1	1	1	78.75	61.5	0	19668.246	159.1397849	3171.798984	30000	0	0	30000	41.4375	2004
12.02.2020 13:56:02	1	1	1	1	78.75	61.25	0	21374.408	176.344086	3722.990786	30000	0	0	30000	41.4375	2004
12.02.2020 13:56:03	1	1	1	1	78.75	61.25	0	22274.882	189.2473118	4215.47577	30000	0	0	30000	41.375	2004
12.02.2020 13:56:04	1	1	1	1	78.75	61.25	0	22748.815	191.3978495	4696.545539	30000	0	0	30000	41.4375	2004
12.02.2020 13:56:05	1	1	1	1	78.75	61.25	0	22890.995	206.4516129	4725.898948	30000	0	0	30000	41.3125	2004
12.02.2020 13:56:06	1	1	1	1	78.75	61.25	0	23554.502	219.3548387	5115.646998	30000	0	0	30000	41.3125	2004
12.02.2020 13:56:07	1	1	1	1	78.75	61.25	0	24218.009	236.5591398	5676.623271	30000	0	0	30000	41.3125	2004
12.02.2020 13:56:08	1	1	1	1	78.75	61.25	0	24407.583	249.4623656	6036.202539	30000	0	0	30000	41.3125	2004
12.02.2020 13:56:09	1	1	1	1	79.5	61.25	0	24597.156	264.516129	6505.857092	30000	0	0	30000	41.5625	2004
12.02.2020 13:56:10	1	1	1	1	79.5	61.5	0	24739.336	279.5698925	6902.943495	30000	0	0	30000	41.4375	2004
12.02.2020 13:56:11	1	1	1	1	79.5	61.25	0	25497.63	294.6236559	7525.888077	30000	0	0	30000	41.375	2004
12.02.2020 13:56:12	1	1	1	1	79.5	61	0	26018.957	333.3333333	8672.301797	30000	0	0	30000	41.5	2004
12.02.2020 13:56:13	1	1	1	1	79.5	61.5	0	25734.597	335.483871	8617.67184	30000	0	0	30000	41.4375	2004
12.02.2020 13:56:14	1	1	1	1	79.5	61.25	0	26445.498	356.9892473	9252.847009	30000	0	0	30000	41.3125	2004
12.02.2020 13:56:15	1	1	1	1	79.5	61.25	0	26587.678	369.8924731	9834.207594	30000	0	0	30000	41.3125	2004
12.02.2020 13:56:16	1	1	1	1	79.5	61.25	0	26587.678	384.9462366	10234.55549	30000	0	0	30000	41.25	2004
12.02.2020 13:56:17	1	1	1	1	79.5	61.25	0	27014.218	402.1505376	10844.45411	30000	0	0	30000	41.125	2004
12.02.2020 13:56:18	1	1	1	1	76.25	61	0	27440.758	415.0537634	11389.12293	30000	0	0	30000	40.9375	2004
12.02.2020 13:56:19	1	1	1	1	76.25	60.75	0	27582.938	412.9032258	11330.41611	30000	0	0	30000	41.25	2004
12.02.2020 13:56:20	1	1	1	1	76.25	61.25	0	27535.545	397.8494624	10858.31544	30000	0	0	30000	41.3125	2004
12.02.2020 13:56:21	1	1	1	1	76.25	61.25	0	27535.545	378.4946237	10440.02935	30000	0	0	30000	41.25	2004
12.02.2020 13:56:22	1	1	1	1	76.25	61.25	0	27582.938	378.4946237	10208.46357	30000	0	0	30000	41.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 13:56:23	1	1	1	1	76.25	61	0	27582.938	372.0430108	10261.46278	30000	0	0	30000	41.25	2004
12.02.2020 13:56:24	1	1	1	1	76.25	61.25	0	27582.938	380.6451613	10498.73617	30000	0	0	30000	41	2004
12.02.2020 13:56:25	1	1	1	1	76.25	61	0	27535.545	384.9462366	10599.02699	30000	0	0	30000	41.375	2004
12.02.2020 13:56:26	1	1	1	1	76.25	61.25	0	27819.905	412.9032258	11486.96763	30000	0	0	30000	41.1875	2004
12.02.2020 13:56:28	1	1	1	1	76.25	61	0	28199.052	445.1612903	12468.67611	30000	0	0	30000	40.9375	2004
12.02.2020 13:56:29	1	1	1	1	73.25	60.75	0	28341.232	460.2150538	13042.69834	30000	0	0	30000	41.3125	2004
12.02.2020 13:56:30	1	1	1	1	73.25	61.25	0	28293.839	481.7204301	13652.59696	30000	0	0	30000	40.75	2004
12.02.2020 13:56:31	1	1	1	1	73.25	60.75	0	28436.019	483.8709677	13942.86957	30000	0	0	30000	40.5	2004
12.02.2020 13:56:32	1	1	1	1	73.25	60.5	0	28625.592	507.5268817	14503.84584	30000	0	0	30000	40.8125	2004
12.02.2020 13:56:33	1	1	1	1	73.25	60.75	0	28815.166	522.5806452	14934.36251	30000	0	0	30000	41.1875	2004
12.02.2020 13:56:34	1	1	1	1	73.25	61	0	29052.133	535.483871	15556.49172	30000	0	0	30000	41	2004
12.02.2020 13:56:35	1	1	1	1	73.25	61	0	29146.919	559.1397849	15994.34675	30000	0	0	30000	41.0625	2004
12.02.2020 13:56:36	1	1	1	1	73.25	61	0	29099.526	550.5376344	16020.43867	30000	0	0	30000	40.8125	2004
12.02.2020 13:56:37	1	1	1	1	73.25	60.75	0	29052.133	550.5376344	16020.43867	30000	0	0	30000	40.875	2004
12.02.2020 13:56:38	1	1	1	1	73.25	60.75	0	29052.133	552.688172	16082.40698	30000	0	0	30000	41.1875	2004
12.02.2020 13:56:45	1	1	1	1	71.75	60.5	0	29289.1	552.688172	16161.49811	30000	0	0	30000	41.4375	2004
12.02.2020 13:56:45	1	1	1	1	71.75	60.5	0	29289.1	552.688172	16161.49811	30000	0	0	30000	41.4375	2004
12.02.2020 13:56:45	1	1	1	1	71.75	60.5	0	29289.1	552.688172	16161.49811	30000	0	0	30000	41.4375	2004
12.02.2020 13:56:45	1	1	1	1	71.75	60.5	0	29289.1	552.688172	16161.49811	30000	0	0	30000	41.4375	2004
12.02.2020 13:56:45	1	1	1	1	71.75	60.5	0	29289.1	552.688172	16161.49811	30000	0	0	30000	41.4375	2004
12.02.2020 13:56:45	1	1	1	1	71.75	60.5	0	29289.1	552.688172	16161.49811	30000	0	0	30000	41.4375	2004
12.02.2020 13:56:45	1	1	1	1	71.75	60.5	0	29289.1	552.688172	16161.49811	30000	0	0	30000	41.4375	2004
12.02.2020 13:56:46	1	1	1	1	71.75	61.25	0	28909.953	550.5376344	16128.88321	30000	0	0	30000	41	2004
12.02.2020 13:56:47	1	1	1	1	71.75	61	0	29052.133	552.688172	16181.06705	30000	0	0	30000	41.3125	2004
12.02.2020 13:56:48	1	1	1	1	71.75	61.25	0	28957.346	550.5376344	16056.31506	30000	0	0	30000	41.5	2004
12.02.2020 13:56:49	1	1	1	1	70.5	61.5	0	29052.133	554.8387097	16119.09874	30000	0	0	30000	40.9375	2004
12.02.2020 13:56:50	1	1	1	1	70.5	60.75	0	29052.133	552.688172	16119.09874	30000	0	0	30000	40.875	2004
12.02.2020 13:56:51	1	1	1	1	70.5	60.75	0	28815.166	552.688172	15925.85546	30000	0	0	30000	41.1875	2004
12.02.2020 13:56:52	1	1	1	1	70.5	61	0	28909.953	552.688172	16004.13122	30000	0	0	30000	40.75	2004
12.02.2020 13:56:53	1	1	1	1	70.5	60.75	0	28862.559	552.688172	15951.94738	30000	0	0	30000	40.9375	2004
12.02.2020 13:56:54	1	1	1	1	70.5	60.75	0	28957.346	552.688172	16004.13122	30000	0	0	30000	41.0625	2004
12.02.2020 13:56:55	1	1	1	1	70.5	61	0	29052.133	552.688172	16004.13122	30000	0	0	30000	41.375	2004
12.02.2020 13:56:56	1	1	1	1	70.5	61.25	0	28957.346	552.688172	16004.13122	30000	0	0	30000	40.9375	2004
12.02.2020 13:56:57	1	1	1	1	70.5	60.75	0	28957.346	554.8387097	16066.09953	30000	0	0	30000	41.0625	2004
12.02.2020 13:56:58	1	1	1	1	70.25	61	0	28957.346	552.688172	16004.13122	30000	0	0	30000	41.375	2004
12.02.2020 13:56:59	1	1	1	1	70.25	61.25	0	28862.559	552.688172	16013.91569	30000	0	0	30000	41.1875	2004
12.02.2020 13:57:00	1	1	1	1	70.25	61	0	28909.953	554.8387097	16066.09953	30000	0	0	30000	41.1875	2004
12.02.2020 13:57:01	1	1	1	1	70.25	61	0	28862.559	556.9892473	16013.91569	30000	0	0	30000	41.3125	2004
12.02.2020 13:57:02	1	1	1	1	70.25	61.25	0	28862.559	552.688172	15951.94738	30000	0	0	30000	41	2004
12.02.2020 13:57:03	1	1	1	1	70.25	61	0	28957.346	552.688172	16004.13122	30000	0	0	30000	40.9375	2004
12.02.2020 13:57:04	1	1	1	1	70.25	60.75	0	28957.346	554.8387097	16066.09953	30000	0	0	30000	41.1875	2004
12.02.2020 13:57:06	1	1	1	1	70.25	61	0	28578.199	546.2365591	15733.42755	30000	0	0	30000	41.3125	2004
12.02.2020 13:57:07	1	1	1	1	70.25	61.25	0	28957.346	552.688172	16004.13122	30000	0	0	30000	41	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 13:57:08	1	1	1	1	70.25	61	0	28957.346	552.688172	16004.13122	30000	0	0	30000	41.1875	2004
12.02.2020 13:57:09	1	1	1	1	70	61	0	28909.953	554.8387097	16066.09953	30000	0	0	30000	40.625	2004
12.02.2020 13:57:10	1	1	1	1	70	60.5	0	28957.346	554.8387097	16066.09953	30000	0	0	30000	41.1875	2004
12.02.2020 13:57:11	1	1	1	1	70	61	0	29099.526	554.8387097	16145.19066	30000	0	0	30000	41.3125	2004
12.02.2020 13:57:12	1	1	1	1	70	61.25	0	28862.559	552.688172	15951.94738	30000	0	0	30000	41	2004
12.02.2020 13:57:13	1	1	1	1	70	61	0	28909.953	552.688172	16004.13122	30000	0	0	30000	41.25	2004
12.02.2020 13:57:14	1	1	1	1	70	61.25	0	28815.166	552.688172	15925.85546	30000	0	0	30000	41.1875	2004
12.02.2020 13:57:15	1	1	1	1	70	61	0	28815.166	556.9892473	16013.91569	30000	0	0	30000	41.1875	2004
12.02.2020 13:57:16	1	1	1	1	70	61	0	28957.346	554.8387097	16128.88321	30000	0	0	30000	41.1875	2004
12.02.2020 13:57:17	1	1	1	1	70	61	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	41.1875	2004
12.02.2020 13:57:18	1	1	1	1	70	61	0	28862.559	552.688172	16013.91569	30000	0	0	30000	41.3125	2004
12.02.2020 13:57:19	1	1	1	1	69.5	61.25	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	41.375	2004
12.02.2020 13:57:20	1	1	1	1	69.5	61.25	0	28815.166	550.5376344	15863.88715	30000	0	0	30000	41.0625	2004
12.02.2020 13:57:21	1	1	1	1	69.5	61	0	28815.166	550.5376344	15925.85546	30000	0	0	30000	41.1875	2004
12.02.2020 13:57:22	1	1	1	1	69.5	61	0	28815.166	552.688172	15925.85546	30000	0	0	30000	40.625	2004
12.02.2020 13:57:23	1	1	1	1	69.5	60.5	0	28957.346	554.8387097	15879.37923	30000	0	0	30000	41.25	2004
12.02.2020 13:57:24	1	1	1	1	69.5	61.25	0	28815.166	552.688172	15925.85546	30000	0	0	30000	41.0625	2004
12.02.2020 13:57:25	1	1	1	1	69.5	61	0	28862.559	554.8387097	15863.88715	30000	0	0	30000	41.25	2004
12.02.2020 13:57:26	1	1	1	1	69.5	61.25	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	40.9375	2004
12.02.2020 13:57:27	1	1	1	1	69.5	60.75	0	28815.166	552.688172	15925.85546	30000	0	0	30000	41	2004
12.02.2020 13:57:28	1	1	1	1	69	61.5	0	28815.166	552.688172	15925.85546	30000	0	0	30000	40.8125	2004
12.02.2020 13:57:29	1	1	1	1	69	60.75	0	28909.953	552.688172	16066.09953	30000	0	0	30000	41.25	2004
12.02.2020 13:57:30	1	1	1	1	69	61.25	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	41.0625	2004
12.02.2020 13:57:31	1	1	1	1	69	61	0	28815.166	552.688172	15863.88715	30000	0	0	30000	41.1875	2004
12.02.2020 13:57:32	1	1	1	1	69	61	0	28815.166	552.688172	15925.85546	30000	0	0	30000	41.375	2004
12.02.2020 13:57:33	1	1	1	1	69	61.25	0	29052.133	556.9892473	16066.09953	30000	0	0	30000	41.3125	2004
12.02.2020 13:57:34	1	1	1	1	69	61.25	0	29099.526	559.1397849	16270.75802	30000	0	0	30000	40.9375	2004
12.02.2020 13:57:35	1	1	1	1	69	60.75	0	28862.559	554.8387097	16013.91569	30000	0	0	30000	40.8125	2004
12.02.2020 13:57:36	1	1	1	1	69	60.75	0	28815.166	552.688172	15925.85546	30000	0	0	30000	40.875	2004
12.02.2020 13:57:37	1	1	1	1	69	60.75	0	28862.559	556.9892473	16013.91569	30000	0	0	30000	41.125	2004
12.02.2020 13:57:38	1	1	1	1	68.75	61	0	28625.592	550.5376344	15925.85546	30000	0	0	30000	41.0625	2004
12.02.2020 13:57:39	1	1	1	1	68.75	61	0	28530.806	552.688172	15794.58049	30000	0	0	30000	40.875	2004
12.02.2020 13:57:47	1	1	1	1	68.75	61	0	28815.166	552.688172	15677.98222	30000	0	0	30000	41.375	2004
12.02.2020 13:57:47	1	1	1	1	68.75	61	0	28815.166	552.688172	15677.98222	30000	0	0	30000	41.375	2004
12.02.2020 13:57:47	1	1	1	1	68.75	61	0	28815.166	552.688172	15677.98222	30000	0	0	30000	41.375	2004
12.02.2020 13:57:47	1	1	1	1	68.75	61	0	28815.166	552.688172	15677.98222	30000	0	0	30000	41.375	2004
12.02.2020 13:57:47	1	1	1	1	68.75	61	0	28815.166	552.688172	15677.98222	30000	0	0	30000	41.375	2004
12.02.2020 13:57:47	1	1	1	1	68.75	61	0	28815.166	552.688172	15677.98222	30000	0	0	30000	41.375	2004
12.02.2020 13:57:47	1	1	1	1	68.75	61	0	28815.166	552.688172	15677.98222	30000	0	0	30000	41.375	2004
12.02.2020 13:57:50	1	1	1	1	68	60.75	0	28815.166	554.8387097	15697.55116	30000	0	0	30000	41.375	2004
12.02.2020 13:57:50	1	1	1	1	68	60.75	0	28815.166	554.8387097	15697.55116	30000	0	0	30000	41.375	2004
12.02.2020 13:57:50	1	1	1	1	68	60.75	0	28815.166	554.8387097	15697.55116	30000	0	0	30000	41.375	2004
12.02.2020 13:57:51	1	1	1	1	68	61.25	0	28815.166	550.5376344	15863.88715	30000	0	0	30000	41.0625	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 13:57:52	1	1	1	1	68	61	0	28957.346	556.9892473	16066.09953	30000	0	0	30000	41	2004
12.02.2020 13:57:53	1	1	1	1	68	61	0	28957.346	554.8387097	16066.09953	30000	0	0	30000	41.25	2004
12.02.2020 13:57:54	1	1	1	1	68	61.25	0	28957.346	556.9892473	16128.88321	30000	0	0	30000	41.125	2004
12.02.2020 13:57:55	1	1	1	1	68	61	0	28815.166	552.688172	15925.85546	30000	0	0	30000	41.1875	2004
12.02.2020 13:57:56	1	1	1	1	68	61	0	28862.559	556.9892473	16075.884	30000	0	0	30000	41.1875	2004
12.02.2020 13:57:57	1	1	1	1	68	61	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	41	2004
12.02.2020 13:57:58	1	1	1	1	68	61	0	28957.346	554.8387097	16004.13122	30000	0	0	30000	41.375	2004
12.02.2020 13:57:59	1	1	1	1	68	61.25	0	28862.559	550.5376344	15951.94738	30000	0	0	30000	40.9375	2004
12.02.2020 13:58:00	1	1	1	1	68	60.75	0	28957.346	556.9892473	16128.88321	30000	0	0	30000	41.0625	2004
12.02.2020 13:58:01	1	1	1	1	68	61	0	28578.199	552.688172	15794.58049	30000	0	0	30000	40.9375	2004
12.02.2020 13:58:02	1	1	1	1	68	60.75	0	28957.346	556.9892473	16004.13122	30000	0	0	30000	41.1875	2004
12.02.2020 13:58:03	1	1	1	1	68	61	0	28957.346	554.8387097	16004.13122	30000	0	0	30000	41.125	2004
12.02.2020 13:58:04	1	1	1	1	68	61	0	28957.346	554.8387097	16128.88321	30000	0	0	30000	40.875	2004
12.02.2020 13:58:05	1	1	1	1	68	61.25	0	28815.166	552.688172	15925.85546	30000	0	0	30000	41.3125	2004
12.02.2020 13:58:06	1	1	1	1	68	61.25	0	28815.166	552.688172	15925.85546	30000	0	0	30000	41.0625	2004
12.02.2020 13:58:07	1	1	1	1	68	61	0	28862.559	556.9892473	16075.884	30000	0	0	30000	41	2004
12.02.2020 13:58:08	1	1	1	1	68.25	61	0	28815.166	552.688172	15925.85546	30000	0	0	30000	41.125	2004
12.02.2020 13:58:09	1	1	1	1	68.25	61	0	28957.346	554.8387097	16066.09953	30000	0	0	30000	40.875	2004
12.02.2020 13:58:10	1	1	1	1	68.25	60.75	0	28957.346	556.9892473	15942.16291	30000	0	0	30000	40.9375	2004
12.02.2020 13:58:11	1	1	1	1	68.25	60.75	0	28957.346	554.8387097	16004.13122	30000	0	0	30000	40.75	2004
12.02.2020 13:58:12	1	1	1	1	68.25	60.75	0	28815.166	552.688172	15925.85546	30000	0	0	30000	41.25	2004
12.02.2020 13:58:13	1	1	1	1	68.25	61.25	0	28815.166	552.688172	16075.884	30000	0	0	30000	41.25	2004
12.02.2020 13:58:14	1	1	1	1	68.25	61.25	0	28957.346	556.9892473	16128.88321	30000	0	0	30000	41.25	2004
12.02.2020 13:58:15	1	1	1	1	68.25	61.25	0	28957.346	561.2903226	16013.91569	30000	0	0	30000	40.875	2004
12.02.2020 13:58:16	1	1	1	1	68.25	60.75	0	28909.953	556.9892473	15951.94738	30000	0	0	30000	41.125	2004
12.02.2020 13:58:17	1	1	1	1	68.25	61	0	28862.559	556.9892473	16075.884	30000	0	0	30000	41.1875	2004
12.02.2020 13:58:18	1	1	1	1	68	61	0	29004.739	556.9892473	16066.09953	30000	0	0	30000	40.8125	2004
12.02.2020 13:58:19	1	1	1	1	68	60.75	0	28815.166	550.5376344	15925.85546	30000	0	0	30000	41	2004
12.02.2020 13:58:21	1	1	1	1	68	61	0	28578.199	554.8387097	15794.58049	30000	0	0	30000	40.875	2004
12.02.2020 13:58:22	1	1	1	1	68	60.75	0	28862.559	556.9892473	15951.94738	30000	0	0	30000	41.0625	2004
12.02.2020 13:58:23	1	1	1	1	68	61	0	28957.346	556.9892473	16128.88321	30000	0	0	30000	41	2004
12.02.2020 13:58:24	1	1	1	1	68	61	0	28957.346	554.8387097	16128.88321	30000	0	0	30000	41.125	2004
12.02.2020 13:58:25	1	1	1	1	68	61	0	28957.346	556.9892473	16128.88321	30000	0	0	30000	41	2004
12.02.2020 13:58:26	1	1	1	1	68	61	0	28815.166	552.688172	15925.85546	30000	0	0	30000	41.0625	2004
12.02.2020 13:58:27	1	1	1	1	68	61	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	41.125	2004
12.02.2020 13:58:28	1	1	1	1	68	61	0	28815.166	552.688172	15925.85546	30000	0	0	30000	40.9375	2004
12.02.2020 13:58:29	1	1	1	1	67.25	60.75	0	28957.346	552.688172	15889.97907	30000	0	0	30000	41.1875	2004
12.02.2020 13:58:30	1	1	1	1	67.25	61	0	28862.559	556.9892473	16137.85231	30000	0	0	30000	41.0625	2004
12.02.2020 13:58:31	1	1	1	1	67.25	61	0	28625.592	552.688172	15820.67241	30000	0	0	30000	40.9375	2004
12.02.2020 13:58:32	1	1	1	1	67.25	60.75	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	41.3125	2004
12.02.2020 13:58:33	1	1	1	1	67.25	61.25	0	28957.346	556.9892473	16066.09953	30000	0	0	30000	41	2004
12.02.2020 13:58:34	1	1	1	1	67.25	61	0	28625.592	550.5376344	15925.85546	30000	0	0	30000	41.1875	2004
12.02.2020 13:58:35	1	1	1	1	67.25	61	0	28815.166	552.688172	15925.85546	30000	0	0	30000	41.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 13:58:36	1	1	1	1	67.25	61	0	28815.166	550.5376344	15863.88715	30000	0	0	30000	40.5625	2004
12.02.2020 13:58:37	1	1	1	1	67.25	60.5	0	28815.166	552.688172	15925.85546	30000	0	0	30000	41.1875	2004
12.02.2020 13:58:38	1	1	1	1	67.25	61	0	28815.166	550.5376344	15925.85546	30000	0	0	30000	40.875	2004
12.02.2020 13:58:39	1	1	1	1	67.5	60.75	0	28862.559	552.688172	15951.94738	30000	0	0	30000	41.25	2004
12.02.2020 13:58:40	1	1	1	1	67.5	61.25	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	40.6875	2004
12.02.2020 13:58:41	1	1	1	1	67.5	60.5	0	28862.559	554.8387097	16013.91569	30000	0	0	30000	41.25	2004
12.02.2020 13:58:49	1	1	1	1	67.5	60.5	0	28815.166	552.688172	15863.88715	30000	0	0	30000	41.3125	2004
12.02.2020 13:58:49	1	1	1	1	67.5	60.5	0	28815.166	552.688172	15863.88715	30000	0	0	30000	41.3125	2004
12.02.2020 13:58:49	1	1	1	1	67.5	60.5	0	28815.166	552.688172	15863.88715	30000	0	0	30000	41.3125	2004
12.02.2020 13:58:49	1	1	1	1	67.5	60.5	0	28815.166	552.688172	15863.88715	30000	0	0	30000	41.3125	2004
12.02.2020 13:58:49	1	1	1	1	67.5	60.5	0	28815.166	552.688172	15863.88715	30000	0	0	30000	41.3125	2004
12.02.2020 13:58:49	1	1	1	1	67.5	61.25	0	28957.346	554.8387097	16004.13122	30000	0	0	30000	41.125	2004
12.02.2020 13:58:50	1	1	1	1	67.5	61	0	28815.166	550.5376344	15925.85546	30000	0	0	30000	41.125	2004
12.02.2020 13:58:51	1	1	1	1	67.5	61	0	28862.559	552.688172	15951.94738	30000	0	0	30000	41	2004
12.02.2020 13:58:52	1	1	1	1	67.5	61	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	41	2004
12.02.2020 13:58:53	1	1	1	1	67.5	61	0	28909.953	556.9892473	16101.97592	30000	0	0	30000	41.4375	2004
12.02.2020 13:58:54	1	1	1	1	67.5	61.25	0	28862.559	552.688172	16252.81983	30000	0	0	30000	40.625	2004
12.02.2020 13:58:55	1	1	1	1	67.5	60.5	0	28578.199	552.688172	15794.58049	30000	0	0	30000	41.25	2004
12.02.2020 13:58:57	1	1	1	1	67.5	61.25	0	28625.592	552.688172	15925.85546	30000	0	0	30000	41.125	2004
12.02.2020 13:58:58	1	1	1	1	67.5	61	0	28815.166	552.688172	15987.82377	30000	0	0	30000	41.1875	2004
12.02.2020 13:58:59	1	1	1	1	67.5	61	0	28578.199	552.688172	15794.58049	30000	0	0	30000	41.375	2004
12.02.2020 13:59:00	1	1	1	1	67.5	61.25	0	28815.166	550.5376344	15863.88715	30000	0	0	30000	40.75	2004
12.02.2020 13:59:01	1	1	1	1	67.5	60.75	0	28815.166	552.688172	15925.85546	30000	0	0	30000	41.25	2004
12.02.2020 13:59:02	1	1	1	1	67.5	61.25	0	28815.166	550.5376344	15863.88715	30000	0	0	30000	41.125	2004
12.02.2020 13:59:03	1	1	1	1	67.5	61	0	29052.133	556.9892473	16181.06705	30000	0	0	30000	40.75	2004
12.02.2020 13:59:04	1	1	1	1	67.5	60.75	0	28957.346	556.9892473	16181.06705	30000	0	0	30000	41.1875	2004
12.02.2020 13:59:05	1	1	1	1	67.5	61	0	28862.559	552.688172	15978.0393	30000	0	0	30000	41.1875	2004
12.02.2020 13:59:06	1	1	1	1	67.5	61	0	28815.166	552.688172	15925.85546	30000	0	0	30000	41.0625	2004
12.02.2020 13:59:07	1	1	1	1	67.5	61	0	28862.559	550.5376344	16101.97592	30000	0	0	30000	40.75	2004
12.02.2020 13:59:08	1	1	1	1	67.5	60.75	0	29052.133	556.9892473	16066.09953	30000	0	0	30000	41.125	2004
12.02.2020 13:59:09	1	1	1	1	66.75	61	0	28815.166	552.688172	15925.85546	30000	0	0	30000	41.3125	2004
12.02.2020 13:59:10	1	1	1	1	66.75	61.25	0	28862.559	554.8387097	16040.00761	30000	0	0	30000	41.25	2004
12.02.2020 13:59:11	1	1	1	1	66.75	61.25	0	28815.166	552.688172	15925.85546	30000	0	0	30000	41.0625	2004
12.02.2020 13:59:12	1	1	1	1	66.75	61	0	28957.346	554.8387097	16066.09953	30000	0	0	30000	41.125	2004
12.02.2020 13:59:13	1	1	1	1	66.75	61	0	28862.559	554.8387097	15889.97907	30000	0	0	30000	41.25	2004
12.02.2020 13:59:14	1	1	1	1	66.75	61.25	0	28815.166	552.688172	15925.85546	30000	0	0	30000	41.3125	2004
12.02.2020 13:59:15	1	1	1	1	66.75	61.25	0	28957.346	554.8387097	16128.88321	30000	0	0	30000	40.8125	2004
12.02.2020 13:59:16	1	1	1	1	66.75	60.75	0	28862.559	552.688172	15951.94738	30000	0	0	30000	40.9375	2004
12.02.2020 13:59:17	1	1	1	1	66.75	60.75	0	28957.346	554.8387097	16128.88321	30000	0	0	30000	40.9375	2004
12.02.2020 13:59:18	1	1	1	1	66.75	60.75	0	29052.133	554.8387097	16119.09874	30000	0	0	30000	41.5	2004
12.02.2020 13:59:19	1	1	1	1	66.5	61.5	0	28815.166	550.5376344	15951.94738	30000	0	0	30000	41.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 13:59:20	1	1	1	1	66.5	61.25	0	28957.346	554.8387097	16066.09953	30000	0	0	30000	40.75	2004
12.02.2020 13:59:21	1	1	1	1	66.5	61.75	0	28957.346	556.9892473	16128.88321	30000	0	0	30000	41.1875	2004
12.02.2020 13:59:22	1	1	1	1	66.5	61	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	41.1875	2004
12.02.2020 13:59:23	1	1	1	1	66.5	61	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	41.375	2004
12.02.2020 13:59:24	1	1	1	1	66.5	61.25	0	28957.346	554.8387097	16066.09953	30000	0	0	30000	40.9375	2004
12.02.2020 13:59:25	1	1	1	1	66.5	60.75	0	28957.346	563.4408602	16075.884	30000	0	0	30000	41	2004
12.02.2020 13:59:26	1	1	1	1	66.5	61	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	41.0625	2004
12.02.2020 13:59:27	1	1	1	1	66.5	61	0	28862.559	554.8387097	16013.91569	30000	0	0	30000	41.125	2004
12.02.2020 13:59:28	1	1	1	1	66.75	61	0	28815.166	550.5376344	16013.91569	30000	0	0	30000	41.125	2004
12.02.2020 13:59:29	1	1	1	1	66.75	61	0	28815.166	552.688172	15925.85546	30000	0	0	30000	41.1875	2004
12.02.2020 13:59:30	1	1	1	1	66.75	61	0	28909.953	554.8387097	16040.00761	30000	0	0	30000	41.3125	2004
12.02.2020 13:59:31	1	1	1	1	66.75	61.25	0	28862.559	546.2365591	15951.94738	30000	0	0	30000	40.6875	2004
12.02.2020 13:59:32	1	1	1	1	66.75	60.5	0	28625.592	550.5376344	15759.51947	30000	0	0	30000	41.3125	2004
12.02.2020 13:59:33	1	1	1	1	66.75	61.25	0	28815.166	552.688172	15925.85546	30000	0	0	30000	41.125	2004
12.02.2020 13:59:35	1	1	1	1	66.75	61	0	28815.166	552.688172	15925.85546	30000	0	0	30000	41.0625	2004
12.02.2020 13:59:36	1	1	1	1	66.75	61	0	28957.346	552.688172	16004.13122	30000	0	0	30000	41.25	2004
12.02.2020 13:59:37	1	1	1	1	66.75	61.25	0	29004.739	554.8387097	16128.88321	30000	0	0	30000	41.1875	2004
12.02.2020 13:59:38	1	1	1	1	66.75	61	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	41	2004
12.02.2020 13:59:39	1	1	1	1	66.25	61	0	28862.559	554.8387097	15951.94738	30000	0	0	30000	40.75	2004
12.02.2020 13:59:40	1	1	1	1	66.25	60.75	0	28862.559	552.688172	15951.94738	30000	0	0	30000	40.625	2004
12.02.2020 13:59:41	1	1	1	1	66.25	60.5	0	28957.346	556.9892473	16075.884	30000	0	0	30000	40.9375	2004
12.02.2020 13:59:42	1	1	1	1	66.25	60.75	0	28815.166	550.5376344	15863.88715	30000	0	0	30000	41.1875	2004
12.02.2020 13:59:43	1	1	1	1	66.25	61	0	28625.592	552.688172	15794.58049	30000	0	0	30000	40.9375	2004
12.02.2020 13:59:50	1	1	1	1	66	60.75	0	28815.166	556.9892473	15987.82377	30000	0	0	30000	41.25	2004
12.02.2020 13:59:50	1	1	1	1	66	60.75	0	28815.166	556.9892473	15987.82377	30000	0	0	30000	41.25	2004
12.02.2020 13:59:50	1	1	1	1	66	60.75	0	28815.166	556.9892473	15987.82377	30000	0	0	30000	41.25	2004
12.02.2020 13:59:50	1	1	1	1	66	60.75	0	28815.166	556.9892473	15987.82377	30000	0	0	30000	41.25	2004
12.02.2020 13:59:50	1	1	1	1	66	60.75	0	28815.166	556.9892473	15987.82377	30000	0	0	30000	41.25	2004
12.02.2020 13:59:50	1	1	1	1	66	60.75	0	28815.166	556.9892473	15987.82377	30000	0	0	30000	41.25	2004
12.02.2020 13:59:51	1	1	1	1	66	61.25	0	28957.346	556.9892473	16128.88321	30000	0	0	30000	40.0625	2004
12.02.2020 13:59:52	1	1	1	1	66	60	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	41.25	2004
12.02.2020 13:59:53	1	1	1	1	66	61.25	0	28909.953	554.8387097	16128.88321	30000	0	0	30000	41.125	2004
12.02.2020 13:59:54	1	1	1	1	66	61	0	28815.166	552.688172	15925.85546	30000	0	0	30000	41.1875	2004
12.02.2020 13:59:55	1	1	1	1	66	61	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	40.75	2004
12.02.2020 13:59:56	1	1	1	1	66	60.75	0	28815.166	552.688172	15925.85546	30000	0	0	30000	41.375	2004
12.02.2020 13:59:57	1	1	1	1	66	61.25	0	28957.346	554.8387097	16128.88321	30000	0	0	30000	41.0625	2004
12.02.2020 13:59:58	1	1	1	1	66	61	0	29099.526	554.8387097	16145.19066	30000	0	0	30000	41.6875	2004
12.02.2020 13:59:59	1	1	1	1	66	61.5	0	28625.592	550.5376344	15925.85546	30000	0	0	30000	41.3125	2004
12.02.2020 14:00:00	1	1	1	1	66	61.25	0	28957.346	554.8387097	16004.13122	30000	0	0	30000	40.75	2004
12.02.2020 14:00:01	1	1	1	1	66	60.75	0	28957.346	554.8387097	16066.09953	30000	0	0	30000	41.125	2004
12.02.2020 14:00:02	1	1	1	1	66	61	0	28957.346	565.5913978	16128.88321	30000	0	0	30000	41.125	2004
12.02.2020 14:00:03	1	1	1	1	66	61	0	28957.346	556.9892473	16128.88321	30000	0	0	30000	41.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 14:00:04	1	1	1	1	66	61	0	28625.592	552.688172	15925.85546	30000	0	0	30000	41.1875	2004
12.02.2020 14:00:05	1	1	1	1	66	61	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	41.1875	2004
12.02.2020 14:00:06	1	1	1	1	66	61	0	28909.953	554.8387097	16066.09953	30000	0	0	30000	41.3125	2004
12.02.2020 14:00:07	1	1	1	1	66	61.25	0	28862.559	552.688172	15951.94738	30000	0	0	30000	41.25	2004
12.02.2020 14:00:08	1	1	1	1	66	61.25	0	28815.166	552.688172	16013.91569	30000	0	0	30000	41	2004
12.02.2020 14:00:09	1	1	1	1	66	61	0	28625.592	550.5376344	15863.88715	30000	0	0	30000	41.125	2004
12.02.2020 14:00:10	1	1	1	1	66	61	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	41.3125	2004
12.02.2020 14:00:11	1	1	1	1	66	61.25	0	28815.166	552.688172	15925.85546	30000	0	0	30000	40.8125	2004
12.02.2020 14:00:12	1	1	1	1	66	60.75	0	28578.199	552.688172	15794.58049	30000	0	0	30000	41.3125	2004
12.02.2020 14:00:14	1	1	1	1	66	61.25	0	29052.133	556.9892473	16128.88321	30000	0	0	30000	41.1875	2004
12.02.2020 14:00:15	1	1	1	1	66	61	0	28957.346	554.8387097	16128.88321	30000	0	0	30000	40.6875	2004
12.02.2020 14:00:16	1	1	1	1	66	60.5	0	28815.166	552.688172	15925.85546	30000	0	0	30000	41	2004
12.02.2020 14:00:17	1	1	1	1	66	61	0	28862.559	552.688172	16013.91569	30000	0	0	30000	40.1875	2004
12.02.2020 14:00:18	1	1	1	1	66	60	0	28815.166	552.688172	15820.67241	30000	0	0	30000	41.125	2004
12.02.2020 14:00:19	1	1	1	1	65.25	61	0	28625.592	552.688172	15820.67241	30000	0	0	30000	41.1875	2004
12.02.2020 14:00:20	1	1	1	1	65.25	61	0	28815.166	550.5376344	15925.85546	30000	0	0	30000	41.25	2004
12.02.2020 14:00:21	1	1	1	1	65.25	61.25	0	28815.166	552.688172	15863.88715	30000	0	0	30000	40.75	2004
12.02.2020 14:00:22	1	1	1	1	65.25	60.75	0	28862.559	552.688172	15951.94738	30000	0	0	30000	40.8125	2004
12.02.2020 14:00:23	1	1	1	1	65.25	60.75	0	28815.166	552.688172	15987.82377	30000	0	0	30000	40.625	2004
12.02.2020 14:00:24	1	1	1	1	65.25	60.5	0	28862.559	554.8387097	15889.97907	30000	0	0	30000	41.125	2004
12.02.2020 14:00:25	1	1	1	1	65.25	61	0	28957.346	556.9892473	16128.88321	30000	0	0	30000	41.1875	2004
12.02.2020 14:00:26	1	1	1	1	65.25	61	0	28862.559	554.8387097	16013.91569	30000	0	0	30000	40.8125	2004
12.02.2020 14:00:27	1	1	1	1	65.25	60.75	0	28815.166	556.9892473	16075.884	30000	0	0	30000	40.9375	2004
12.02.2020 14:00:28	1	1	1	1	65.25	60.75	0	28815.166	552.688172	15863.88715	30000	0	0	30000	41.1875	2004
12.02.2020 14:00:29	1	1	1	1	65.5	61	0	28957.346	554.8387097	16128.88321	30000	0	0	30000	41.1875	2004
12.02.2020 14:00:30	1	1	1	1	65.5	61	0	28862.559	556.9892473	16075.884	30000	0	0	30000	41.4375	2004
12.02.2020 14:00:31	1	1	1	1	65.5	61.25	0	28530.806	550.5376344	15794.58049	30000	0	0	30000	41.375	2004
12.02.2020 14:00:32	1	1	1	1	65.5	61.25	0	28815.166	554.8387097	15863.88715	30000	0	0	30000	41.0625	2004
12.02.2020 14:00:33	1	1	1	1	65.5	61	0	28815.166	552.688172	15925.85546	30000	0	0	30000	41.1875	2004
12.02.2020 14:00:34	1	1	1	1	65.5	61	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	41.25	2004
12.02.2020 14:00:35	1	1	1	1	65.5	61.25	0	29099.526	556.9892473	16181.06705	30000	0	0	30000	40.75	2004
12.02.2020 14:00:36	1	1	1	1	65.5	60.75	0	28957.346	552.688172	16004.13122	30000	0	0	30000	40.8125	2004
12.02.2020 14:00:37	1	1	1	1	65.5	60.75	0	28862.559	554.8387097	16013.91569	30000	0	0	30000	41.25	2004
12.02.2020 14:00:38	1	1	1	1	65.5	61.25	0	28862.559	554.8387097	15951.94738	30000	0	0	30000	41	2004
12.02.2020 14:00:39	1	1	1	1	65.5	61	0	28957.346	554.8387097	16066.09953	30000	0	0	30000	41.0625	2004
12.02.2020 14:00:40	1	1	1	1	65.5	61	0	28815.166	550.5376344	15925.85546	30000	0	0	30000	41	2004
12.02.2020 14:00:41	1	1	1	1	65.5	61	0	29099.526	556.9892473	16270.75802	30000	0	0	30000	41.125	2004
12.02.2020 14:00:42	1	1	1	1	65.5	61	0	28862.559	556.9892473	16075.884	30000	0	0	30000	41	2004
12.02.2020 14:00:43	1	1	1	1	65.5	61	0	28862.559	556.9892473	16075.884	30000	0	0	30000	41.1875	2004
12.02.2020 14:00:44	1	1	1	1	65.5	61	0	28862.559	552.688172	15951.94738	30000	0	0	30000	41.25	2004
12.02.2020 14:00:52	1	1	1	1	65.25	61	0	28625.592	552.688172	15820.67241	30000	0	0	30000	40.8125	2004
12.02.2020 14:00:52	1	1	1	1	65.25	61	0	28625.592	552.688172	15820.67241	30000	0	0	30000	40.8125	2004
12.02.2020 14:00:52	1	1	1	1	65.25	61	0	28625.592	552.688172	15820.67241	30000	0	0	30000	40.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 14:00:52	1	1	1	1	65.25	61	0	28625.592	552.688172	15820.67241	30000	0	0	30000	40.8125	2004
12.02.2020 14:00:52	1	1	1	1	65.25	61	0	28625.592	552.688172	15820.67241	30000	0	0	30000	40.8125	2004
12.02.2020 14:00:52	1	1	1	1	65.25	61	0	28625.592	552.688172	15820.67241	30000	0	0	30000	40.8125	2004
12.02.2020 14:00:52	1	1	1	1	65.25	61	0	28625.592	552.688172	15820.67241	30000	0	0	30000	40.8125	2004
12.02.2020 14:00:53	1	1	1	1	65.25	60.75	0	28957.346	552.688172	16004.13122	30000	0	0	30000	40.8125	2004
12.02.2020 14:00:54	1	1	1	1	65.25	60.75	0	28815.166	552.688172	15925.85546	30000	0	0	30000	40.9375	2004
12.02.2020 14:00:55	1	1	1	1	65.25	60.75	0	28862.559	552.688172	16066.09953	30000	0	0	30000	41.125	2004
12.02.2020 14:00:56	1	1	1	1	65.25	61	0	28957.346	552.688172	16004.13122	30000	0	0	30000	41.1875	2004
12.02.2020 14:00:57	1	1	1	1	65.25	61	0	28815.166	552.688172	15951.94738	30000	0	0	30000	41.1875	2004
12.02.2020 14:00:58	1	1	1	1	65.25	61	0	28815.166	552.688172	15951.94738	30000	0	0	30000	40.875	2004
12.02.2020 14:00:59	1	1	1	1	65	60.75	0	28957.346	552.688172	15879.37923	30000	0	0	30000	41.3125	2004
12.02.2020 14:01:00	1	1	1	1	65	61.25	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	41.1875	2004
12.02.2020 14:01:01	1	1	1	1	65	61	0	28957.346	554.8387097	16306.63441	30000	0	0	30000	41.125	2004
12.02.2020 14:01:02	1	1	1	1	65	61	0	28862.559	550.5376344	15978.0393	30000	0	0	30000	41.1875	2004
12.02.2020 14:01:03	1	1	1	1	65	61	0	28957.346	552.688172	16004.13122	30000	0	0	30000	40.8125	2004
12.02.2020 14:01:04	1	1	1	1	65	60.75	0	28862.559	552.688172	16075.884	30000	0	0	30000	41.3125	2004
12.02.2020 14:01:05	1	1	1	1	65	61.25	0	28957.346	554.8387097	16004.13122	30000	0	0	30000	40.75	2004
12.02.2020 14:01:06	1	1	1	1	65	60.75	0	28815.166	550.5376344	15863.88715	30000	0	0	30000	40.8125	2004
12.02.2020 14:01:07	1	1	1	1	65	60.75	0	28957.346	552.688172	16004.13122	30000	0	0	30000	41.25	2004
12.02.2020 14:01:08	1	1	1	1	65	61.25	0	28957.346	552.688172	16004.13122	30000	0	0	30000	41.375	2004
12.02.2020 14:01:09	1	1	1	1	64.75	61.25	0	28862.559	552.688172	16075.884	30000	0	0	30000	40.75	2004
12.02.2020 14:01:10	1	1	1	1	64.75	60.75	0	29052.133	552.688172	16056.31506	30000	0	0	30000	41.25	2004
12.02.2020 14:01:11	1	1	1	1	64.75	61.25	0	29052.133	552.688172	16243.85073	30000	0	0	30000	41.1875	2004
12.02.2020 14:01:12	1	1	1	1	64.75	61	0	28862.559	550.5376344	15951.94738	30000	0	0	30000	41.0625	2004
12.02.2020 14:01:13	1	1	1	1	64.75	61	0	28957.346	552.688172	16004.13122	30000	0	0	30000	41.0625	2004
12.02.2020 14:01:14	1	1	1	1	64.75	61	0	28862.559	552.688172	15951.94738	30000	0	0	30000	41.0625	2004
12.02.2020 14:01:15	1	1	1	1	64.75	61	0	28862.559	554.8387097	15951.94738	30000	0	0	30000	41.25	2004
12.02.2020 14:01:16	1	1	1	1	64.75	61.25	0	28815.166	552.688172	15951.94738	30000	0	0	30000	40.875	2004
12.02.2020 14:01:17	1	1	1	1	64.75	60.75	0	28862.559	550.5376344	16075.884	30000	0	0	30000	40.75	2004
12.02.2020 14:01:18	1	1	1	1	64.5	60.75	0	28862.559	552.688172	15978.0393	30000	0	0	30000	41.1875	2004
12.02.2020 14:01:19	1	1	1	1	64.5	61	0	28862.559	552.688172	15951.94738	30000	0	0	30000	41	2004
12.02.2020 14:01:20	1	1	1	1	64.5	61	0	28862.559	552.688172	15951.94738	30000	0	0	30000	41.1875	2004
12.02.2020 14:01:21	1	1	1	1	64.5	61	0	28862.559	554.8387097	15951.94738	30000	0	0	30000	41.25	2004
12.02.2020 14:01:22	1	1	1	1	64.5	61.25	0	28957.346	554.8387097	16128.88321	30000	0	0	30000	41.3125	2004
12.02.2020 14:01:23	1	1	1	1	64.5	61.25	0	28862.559	552.688172	15951.94738	30000	0	0	30000	41.1875	2004
12.02.2020 14:01:24	1	1	1	1	64.5	61	0	28625.592	550.5376344	15733.42755	30000	0	0	30000	41.125	2004
12.02.2020 14:01:25	1	1	1	1	64.5	61	0	28957.346	556.9892473	16128.88321	30000	0	0	30000	41.0625	2004
12.02.2020 14:01:26	1	1	1	1	64.5	61	0	28957.346	556.9892473	16128.88321	30000	0	0	30000	41.125	2004
12.02.2020 14:01:27	1	1	1	1	64.5	61	0	28957.346	552.688172	16128.88321	30000	0	0	30000	41.0625	2004
12.02.2020 14:01:29	1	1	1	1	64.5	61	0	29052.133	554.8387097	16004.13122	30000	0	0	30000	41.125	2004
12.02.2020 14:01:30	1	1	1	1	64.5	61	0	28862.559	544.0860215	16004.13122	30000	0	0	30000	41.1875	2004
12.02.2020 14:01:31	1	1	1	1	64.5	61	0	29099.526	552.688172	16082.40698	30000	0	0	30000	41.25	2004
12.02.2020 14:01:32	1	1	1	1	64.5	61.25	0	28625.592	552.688172	16049.79208	30000	0	0	30000	41.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 14:01:33	1	1	1	1	64.5	61.25	0	29146.919	556.9892473	16234.06626	30000	0	0	30000	41.125	2004
12.02.2020 14:01:34	1	1	1	1	64.5	61	0	28862.559	554.8387097	16075.884	30000	0	0	30000	41.1875	2004
12.02.2020 14:01:35	1	1	1	1	64.5	61	0	29099.526	556.9892473	16207.97434	30000	0	0	30000	41.25	2004
12.02.2020 14:01:36	1	1	1	1	64.5	61.25	0	28957.346	554.8387097	16066.09953	30000	0	0	30000	41.1875	2004
12.02.2020 14:01:37	1	1	1	1	64.5	61	0	28957.346	552.688172	15729.35069	30000	0	0	30000	41.0625	2004
12.02.2020 14:01:38	1	1	1	1	64.5	61	0	28815.166	546.2365591	15925.85546	30000	0	0	30000	40.4375	2004
12.02.2020 14:01:39	1	1	1	1	64.75	60.25	0	28815.166	550.5376344	15863.88715	30000	0	0	30000	41	2004
12.02.2020 14:01:40	1	1	1	1	64.75	61	0	28957.346	554.8387097	16004.13122	30000	0	0	30000	41.0625	2004
12.02.2020 14:01:41	1	1	1	1	64.75	61	0	28862.559	554.8387097	16040.00761	30000	0	0	30000	41.3125	2004
12.02.2020 14:01:42	1	1	1	1	64.75	61.25	0	29052.133	554.8387097	16306.63441	30000	0	0	30000	40.625	2004
12.02.2020 14:01:43	1	1	1	1	64.75	60.5	0	28625.592	550.5376344	15759.51947	30000	0	0	30000	41.3125	2004
12.02.2020 14:01:44	1	1	1	1	64.75	61.25	0	28862.559	554.8387097	15863.88715	30000	0	0	30000	41.375	2004
12.02.2020 14:01:45	1	1	1	1	64.75	61.25	0	29099.526	554.8387097	16181.06705	30000	0	0	30000	41.1875	2004
12.02.2020 14:01:46	1	1	1	1	64.75	61	0	28815.166	552.688172	15925.85546	30000	0	0	30000	41.375	2004
12.02.2020 14:01:54	1	1	1	1	64.25	61.25	0	28957.346	548.3870968	16181.06705	30000	0	0	30000	41.25	2004
12.02.2020 14:01:54	1	1	1	1	64.25	61.25	0	28957.346	548.3870968	16181.06705	30000	0	0	30000	41.25	2004
12.02.2020 14:01:54	1	1	1	1	64.25	61.25	0	28957.346	548.3870968	16181.06705	30000	0	0	30000	41.25	2004
12.02.2020 14:01:54	1	1	1	1	64.25	61.25	0	28957.346	548.3870968	16181.06705	30000	0	0	30000	41.25	2004
12.02.2020 14:01:54	1	1	1	1	64.25	61.25	0	28957.346	548.3870968	16181.06705	30000	0	0	30000	41.25	2004
12.02.2020 14:01:54	1	1	1	1	64.25	61.25	0	28957.346	548.3870968	16181.06705	30000	0	0	30000	41.25	2004
12.02.2020 14:01:54	1	1	1	1	64.25	61.25	0	28957.346	548.3870968	16181.06705	30000	0	0	30000	41.25	2004
12.02.2020 14:01:54	1	1	1	1	64.25	61.25	0	28862.559	552.688172	16013.91569	30000	0	0	30000	41.125	2004
12.02.2020 14:01:55	1	1	1	1	64.25	61	0	28862.559	554.8387097	15951.94738	30000	0	0	30000	40.875	2004
12.02.2020 14:01:56	1	1	1	1	64.25	61.25	0	28862.559	552.688172	15951.94738	30000	0	0	30000	41.1875	2004
12.02.2020 14:01:57	1	1	1	1	64.25	61	0	28815.166	552.688172	15925.85546	30000	0	0	30000	41.25	2004
12.02.2020 14:01:58	1	1	1	1	64	61.25	0	28957.346	554.8387097	16066.09953	30000	0	0	30000	41.125	2004
12.02.2020 14:01:59	1	1	1	1	64	61	0	28957.346	554.8387097	16066.09953	30000	0	0	30000	41.25	2004
12.02.2020 14:02:00	1	1	1	1	64	61.25	0	28909.953	552.688172	16004.13122	30000	0	0	30000	41.125	2004
12.02.2020 14:02:01	1	1	1	1	64	61	0	29052.133	556.9892473	16181.06705	30000	0	0	30000	41.25	2004
12.02.2020 14:02:02	1	1	1	1	64	61.25	0	28625.592	550.5376344	15925.85546	30000	0	0	30000	41.125	2004
12.02.2020 14:02:03	1	1	1	1	64	61	0	28957.346	556.9892473	16128.88321	30000	0	0	30000	41.1875	2004
12.02.2020 14:02:04	1	1	1	1	64	61	0	28815.166	552.688172	15925.85546	30000	0	0	30000	41.25	2004
12.02.2020 14:02:05	1	1	1	1	64	61.25	0	29052.133	556.9892473	16181.06705	30000	0	0	30000	40.5625	2004
12.02.2020 14:02:06	1	1	1	1	64	60.5	0	28957.346	554.8387097	16004.13122	30000	0	0	30000	41.25	2004
12.02.2020 14:02:08	1	1	1	1	64	61.25	0	28909.953	556.9892473	16128.88321	30000	0	0	30000	41.25	2004
12.02.2020 14:02:09	1	1	1	1	64	61.25	0	29052.133	556.9892473	16181.06705	30000	0	0	30000	41.25	2004
12.02.2020 14:02:10	1	1	1	1	64	61.25	0	28957.346	554.8387097	16066.09953	30000	0	0	30000	41.25	2004
12.02.2020 14:02:11	1	1	1	1	64	61.25	0	28862.559	554.8387097	16075.884	30000	0	0	30000	41.0625	2004
12.02.2020 14:02:12	1	1	1	1	64	61	0	28862.559	554.8387097	15951.94738	30000	0	0	30000	40.9375	2004
12.02.2020 14:02:13	1	1	1	1	64	60.75	0	28957.346	556.9892473	16004.13122	30000	0	0	30000	41.1875	2004
12.02.2020 14:02:14	1	1	1	1	64	61	0	28909.953	552.688172	16004.13122	30000	0	0	30000	41	2004
12.02.2020 14:02:15	1	1	1	1	64	61	0	28957.346	554.8387097	16066.09953	30000	0	0	30000	40.9375	2004
12.02.2020 14:02:16	1	1	1	1	64	60.75	0	28862.559	552.688172	15739.95053	30000	0	0	30000	41.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 14:02:17	1	1	1	1	64	61	0	28815.166	550.5376344	15863.88715	30000	0	0	30000	40.8125	2004
12.02.2020 14:02:18	1	1	1	1	64	60.75	0	28957.346	556.9892473	16128.88321	30000	0	0	30000	41.375	2004
12.02.2020 14:02:19	1	1	1	1	63.75	61.25	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	41.25	2004
12.02.2020 14:02:20	1	1	1	1	63.75	61.25	0	28957.346	554.8387097	16066.09953	30000	0	0	30000	41.1875	2004
12.02.2020 14:02:21	1	1	1	1	63.75	61	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	41.125	2004
12.02.2020 14:02:22	1	1	1	1	63.75	61	0	28957.346	552.688172	15951.94738	30000	0	0	30000	41	2004
12.02.2020 14:02:23	1	1	1	1	63.75	61	0	28815.166	552.688172	15925.85546	30000	0	0	30000	41.0625	2004
12.02.2020 14:02:24	1	1	1	1	63.75	61	0	28957.346	554.8387097	16066.09953	30000	0	0	30000	40.5	2004
12.02.2020 14:02:25	1	1	1	1	63.75	60.5	0	29857.82	537.6344086	16077.51474	30000	0	0	30000	41.3125	2004
12.02.2020 14:02:26	1	1	1	1	63.75	61.25	0	29620.853	541.9354839	15836.16449	30000	0	0	30000	40.8125	2004
12.02.2020 14:02:27	1	1	1	1	63.75	60.75	0	29952.607	533.3333333	16000.05436	30000	0	0	30000	41.1875	2004
12.02.2020 14:02:28	1	1	1	1	63.75	61	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	41.25	2004
12.02.2020 14:02:29	1	1	1	1	64	61.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	41.4375	2004
12.02.2020 14:02:30	1	1	1	1	64	61.25	0	30000	518.2795699	15306.17237	30000	0	0	30000	40.9375	2004
12.02.2020 14:02:31	1	1	1	1	64	60.75	0	29905.213	516.1290323	15435.00122	30000	0	0	30000	41.5	2004
12.02.2020 14:02:32	1	1	1	1	64	61.5	0	30000	520.4301075	15677.16685	30000	0	0	30000	40.6875	2004
12.02.2020 14:02:33	1	1	1	1	64	60.5	0	30000	529.0322581	15870.41013	30000	0	0	30000	41.3125	2004
12.02.2020 14:02:34	1	1	1	1	64	60.5	0	0	0	0	30000	0	8	30000	41.625	2004
12.02.2020 14:02:35	1	1	1	1	64	61.5	0	10379.147	0	0	30000	0	0	30000	41.3125	2004
12.02.2020 14:02:36	1	1	1	1	64	61.25	0	11184.834	0	0	30000	0	0	30000	41.3125	2004
12.02.2020 14:02:37	1	1	1	1	64	61.25	0	11943.128	0	0	30000	0	0	30000	40.875	2004
12.02.2020 14:02:38	1	1	1	1	68	60.75	0	12748.815	0	0	30000	0	0	30000	41.1875	2004
12.02.2020 14:02:39	1	1	1	1	68	61	0	13507.109	0	0	30000	0	0	30000	41.25	2004
12.02.2020 14:02:40	1	1	1	1	68	61.25	0	14265.403	0	0	30000	0	0	30000	41.25	2004
12.02.2020 14:02:41	1	1	1	1	68	61.25	0	14976.303	0	31.79952708	30000	0	0	30000	41.1875	2004
12.02.2020 14:02:42	1	1	1	1	68	61	0	15829.384	4.301075269	67.67591661	30000	0	0	30000	41.3125	2004
12.02.2020 14:02:43	1	1	1	1	68	61.25	0	16492.891	6.451612903	107.6291686	30000	0	0	30000	41.125	2004
12.02.2020 14:02:44	1	1	1	1	68	61	0	17345.972	12.90322581	185.9049276	30000	0	0	30000	41.3125	2004
12.02.2020 14:02:45	1	1	1	1	68	61.25	0	18056.872	15.05376344	271.5190389	30000	0	0	30000	41.25	2004
12.02.2020 14:02:47	1	1	1	1	68	61.25	0	18815.166	25.80645161	444.3780067	30000	0	0	30000	41.1875	2004
12.02.2020 14:02:48	1	1	1	1	68	61	0	19668.246	34.40860215	634.3597967	30000	0	0	30000	41.3125	2004
12.02.2020 14:02:55	1	1	1	1	70	60.75	0	24597.156	144.0860215	3557.470171	30000	0	0	30000	41.125	2004
12.02.2020 14:02:55	1	1	1	1	70	60.75	0	24597.156	144.0860215	3557.470171	30000	0	0	30000	41.125	2004
12.02.2020 14:02:55	1	1	1	1	70	60.75	0	24597.156	144.0860215	3557.470171	30000	0	0	30000	41.125	2004
12.02.2020 14:02:55	1	1	1	1	70	60.75	0	24597.156	144.0860215	3557.470171	30000	0	0	30000	41.125	2004
12.02.2020 14:02:55	1	1	1	1	70	60.75	0	24597.156	144.0860215	3557.470171	30000	0	0	30000	41.125	2004
12.02.2020 14:02:55	1	1	1	1	70	60.75	0	24597.156	144.0860215	3557.470171	30000	0	0	30000	41.125	2004
12.02.2020 14:02:56	1	1	1	1	70	61	0	24597.156	152.688172	3755.605686	30000	0	0	30000	41.25	2004
12.02.2020 14:02:57	1	1	1	1	70	61.25	0	24691.943	152.688172	3769.467018	30000	0	0	30000	41.25	2004
12.02.2020 14:02:58	1	1	1	1	70	61.25	0	24691.943	152.688172	3769.467018	30000	0	0	30000	41.1875	2004
12.02.2020 14:02:59	1	1	1	1	72	61	0	24691.943	152.688172	3776.805371	30000	0	0	30000	41.1875	2004
12.02.2020 14:03:00	1	1	1	1	72	61	0	24691.943	161.2903226	3929.280026	30000	0	0	30000	41.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 14:03:01	1	1	1	1	72	61.25	0	24691.943	161.2903226	3982.279238	30000	0	0	30000	41.375	2004
12.02.2020 14:03:02	1	1	1	1	72	61.25	0	24691.943	152.688172	3876.280814	30000	0	0	30000	41.25	2004
12.02.2020 14:03:03	1	1	1	1	72	61.25	0	24691.943	152.688172	3769.467018	30000	0	0	30000	41.125	2004
12.02.2020 14:03:04	1	1	1	1	72	61	0	24691.943	163.4408602	3982.279238	30000	0	0	30000	41	2004
12.02.2020 14:03:05	1	1	1	1	72	61	0	24691.943	150.5376344	3716.467806	30000	0	0	30000	41.3125	2004
12.02.2020 14:03:06	1	1	1	1	72	61.25	0	24691.943	139.7849462	3451.471747	30000	0	0	30000	41.1875	2004
12.02.2020 14:03:07	1	1	1	1	72	61	0	24691.943	113.9784946	2813.850461	30000	0	0	30000	41.25	2004
12.02.2020 14:03:08	1	1	1	1	72	61.25	0	24691.943	122.5806452	3026.66268	30000	0	0	30000	41.1875	2004
12.02.2020 14:03:09	1	1	1	1	74.25	61	0	24691.943	111.827957	2813.850461	30000	0	0	30000	41.125	2004
12.02.2020 14:03:10	1	1	1	1	74.25	61	0	24691.943	124.7311828	3067.431305	30000	0	0	30000	40.6875	2004
12.02.2020 14:03:11	1	1	1	1	74.25	60.5	0	24691.943	124.7311828	3079.661892	30000	0	0	30000	41.125	2004
12.02.2020 14:03:12	1	1	1	1	74.25	61	0	24691.943	144.0860215	3557.470171	30000	0	0	30000	40.875	2004
12.02.2020 14:03:13	1	1	1	1	74.25	60.75	0	24691.943	163.4408602	4141.276873	30000	0	0	30000	41.25	2004
12.02.2020 14:03:14	1	1	1	1	74.25	61.25	0	24218.009	189.2473118	4583.208763	30000	0	0	30000	41.6875	2004
12.02.2020 14:03:15	1	1	1	1	74.25	61.25	0	25071.09	212.9032258	5465.441796	30000	0	0	30000	41.25	2004
12.02.2020 14:03:16	1	1	1	1	74.25	61.25	0	25450.237	234.4086022	6019.895089	30000	0	0	30000	41.125	2004
12.02.2020 14:03:17	1	1	1	1	74.25	61	0	26113.744	249.4623656	6514.010817	30000	0	0	30000	41.375	2004
12.02.2020 14:03:18	1	1	1	1	75.25	61.25	0	26113.744	266.6666667	6907.020357	30000	0	0	30000	41.1875	2004
12.02.2020 14:03:19	1	1	1	1	75.25	61	0	26682.464	279.5698925	7401.951458	30000	0	0	30000	41.25	2004
12.02.2020 14:03:20	1	1	1	1	75.25	61.25	0	27630.332	296.7741935	8255.646454	30000	0	0	30000	41.25	2004
12.02.2020 14:03:21	1	1	1	1	75.25	61.25	0	27440.758	311.827957	8556.518903	30000	0	0	30000	41.125	2004
12.02.2020 14:03:22	1	1	1	1	75.25	61	0	26824.645	326.8817204	8726.116381	30000	0	0	30000	40.625	2004
12.02.2020 14:03:23	1	1	1	1	75.25	60.5	0	27109.005	339.7849462	9211.263012	30000	0	0	30000	41.0625	2004
12.02.2020 14:03:24	1	1	1	1	75.25	61	0	26113.744	356.9892473	9490.120403	30000	0	0	30000	41.3125	2004
12.02.2020 14:03:26	1	1	1	1	75.25	61.25	0	26066.351	367.7419355	9602.641807	30000	0	0	30000	41.25	2004
12.02.2020 14:03:27	1	1	1	1	75.25	61.25	0	26255.924	380.6451613	9994.020602	30000	0	0	30000	41.25	2004
12.02.2020 14:03:28	1	1	1	1	75.25	61.25	0	26303.318	400	10577.8273	30000	0	0	30000	41.3125	2004
12.02.2020 14:03:29	1	1	1	1	76.5	61.25	0	26777.251	415.0537634	11074.38915	30000	0	0	30000	41.125	2004
12.02.2020 14:03:30	1	1	1	1	76.5	61	0	27819.905	427.9569892	11905.25372	30000	0	0	30000	40.75	2004
12.02.2020 14:03:31	1	1	1	1	76.5	60.75	0	26682.464	427.9569892	11377.70772	30000	0	0	30000	41.1875	2004
12.02.2020 14:03:32	1	1	1	1	76.5	61	0	27630.332	445.1612903	12299.894	30000	0	0	30000	41.3125	2004
12.02.2020 14:03:33	1	1	1	1	76.5	61.25	0	28009.479	464.516129	13010.89881	30000	0	0	30000	40.875	2004
12.02.2020 14:03:34	1	1	1	1	76.5	60.75	0	28388.626	464.516129	12860.0549	30000	0	0	30000	41.25	2004
12.02.2020 14:03:35	1	1	1	1	76.5	61.25	0	27298.578	466.6666667	12739.37977	30000	0	0	30000	41	2004
12.02.2020 14:03:36	1	1	1	1	76.5	61	0	26682.464	468.8172043	12508.62936	30000	0	0	30000	40.8125	2004
12.02.2020 14:03:37	1	1	1	1	76.5	60.75	0	26587.678	488.172043	13025.57552	30000	0	0	30000	40.9375	2004
12.02.2020 14:03:38	1	1	1	1	76.5	60.75	0	26587.678	503.2258065	13322.3711	30000	0	0	30000	41	2004
12.02.2020 14:03:39	1	1	1	1	80.25	61	0	25592.417	507.5268817	12823.36314	30000	0	0	30000	41.0625	2004
12.02.2020 14:03:40	1	1	1	1	80.25	61	0	26824.645	537.6344086	14363.60177	30000	0	0	30000	41	2004
12.02.2020 14:03:41	1	1	1	1	80.25	61	0	26587.678	537.6344086	14344.8482	30000	0	0	30000	41.1875	2004
12.02.2020 14:03:42	1	1	1	1	80.25	61	0	26350.711	550.5376344	14507.10733	30000	0	0	30000	41.1875	2004
12.02.2020 14:03:43	1	1	1	1	80.25	61	0	26208.531	546.2365591	14454.92349	30000	0	0	30000	41	2004
12.02.2020 14:03:44	1	1	1	1	80.25	61	0	26635.071	563.4408602	15033.83796	30000	0	0	30000	40.9375	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 14:03:45	1	1	1	1	80.25	60.75	0	26113.744	569.8924731	14881.3633	30000	0	0	30000	41.25	2004
12.02.2020 14:03:46	1	1	1	1	80.25	61.25	0	25876.777	584.9462366	15164.29756	30000	0	0	30000	41.1875	2004
12.02.2020 14:03:47	1	1	1	1	80.25	61	0	26540.284	584.9462366	15467.61612	30000	0	0	30000	41.25	2004
12.02.2020 14:03:48	1	1	1	1	80.25	61.25	0	26113.744	595.6989247	15611.93705	30000	0	0	30000	41.125	2004
12.02.2020 14:03:49	1	1	1	1	85.25	61	0	26729.858	593.5483871	15893.24056	30000	0	0	30000	40.5625	2004
12.02.2020 14:03:57	1	1	1	1	85.25	60.75	0	26492.891	606.4516129	16009.02346	30000	0	0	30000	41.25	2004
12.02.2020 14:03:57	1	1	1	1	85.25	60.75	0	26492.891	606.4516129	16009.02346	30000	0	0	30000	41.25	2004
12.02.2020 14:03:57	1	1	1	1	85.25	60.75	0	26492.891	606.4516129	16009.02346	30000	0	0	30000	41.25	2004
12.02.2020 14:03:57	1	1	1	1	85.25	60.75	0	26492.891	606.4516129	16009.02346	30000	0	0	30000	41.25	2004
12.02.2020 14:03:57	1	1	1	1	85.25	60.75	0	26492.891	606.4516129	16009.02346	30000	0	0	30000	41.25	2004
12.02.2020 14:03:57	1	1	1	1	85.25	60.75	0	26492.891	606.4516129	16009.02346	30000	0	0	30000	41.25	2004
12.02.2020 14:03:57	1	1	1	1	85.25	61.25	0	25924.171	617.2043011	16111.76039	30000	0	0	30000	40.3125	2004
12.02.2020 14:03:58	1	1	1	1	88.5	60.25	0	25734.597	619.3548387	15883.45609	30000	0	0	30000	40.75	2004
12.02.2020 14:03:59	1	1	1	1	88.5	60.75	0	25876.777	615.0537634	16000.05436	30000	0	0	30000	40.8125	2004
12.02.2020 14:04:00	1	1	1	1	88.5	60.75	0	25734.597	619.3548387	15883.45609	30000	0	0	30000	40.9375	2004
12.02.2020 14:04:01	1	1	1	1	88.5	60.75	0	25924.171	615.0537634	16000.05436	30000	0	0	30000	41.25	2004
12.02.2020 14:04:02	1	1	1	1	88.5	61.25	0	25924.171	617.2043011	16000.05436	30000	0	0	30000	40.9375	2004
12.02.2020 14:04:03	1	1	1	1	88.5	60.75	0	26208.531	610.7526882	15948.68589	30000	0	0	30000	41.25	2004
12.02.2020 14:04:04	1	1	1	1	88.5	61.25	0	26113.744	612.9032258	15948.68589	30000	0	0	30000	41.1875	2004
12.02.2020 14:04:05	1	1	1	1	88.5	61	0	26113.744	610.7526882	15948.68589	30000	0	0	30000	40.3125	2004
12.02.2020 14:04:07	1	1	1	1	88.5	60.25	0	25924.171	615.0537634	16000.05436	30000	0	0	30000	40.4375	2004
12.02.2020 14:04:08	1	1	1	1	88.5	60.25	0	25450.237	627.9569892	15926.67083	30000	0	0	30000	40.75	2004
12.02.2020 14:04:09	1	1	1	1	92.25	60.75	0	25876.777	619.3548387	15883.45609	30000	0	0	30000	41.0625	2004
12.02.2020 14:04:10	1	1	1	1	92.25	61	0	26113.744	610.7526882	16004.94659	30000	0	0	30000	41.3125	2004
12.02.2020 14:04:11	1	1	1	1	92.25	61.25	0	25924.171	615.0537634	15944.60903	30000	0	0	30000	40.375	2004
12.02.2020 14:04:12	1	1	1	1	92.25	60.25	0	25876.777	621.5053763	16053.05357	30000	0	0	30000	41.0625	2004
12.02.2020 14:04:13	1	1	1	1	92.25	61	0	25639.81	621.5053763	15934.82456	30000	0	0	30000	40.9375	2004
12.02.2020 14:04:14	1	1	1	1	92.25	60.75	0	26113.744	615.0537634	16062.83804	30000	0	0	30000	41.3125	2004
12.02.2020 14:04:15	1	1	1	1	92.25	61.25	0	25876.777	619.3548387	15970.70095	30000	0	0	30000	41.25	2004
12.02.2020 14:04:16	1	1	1	1	92.25	61.25	0	25876.777	621.5053763	15993.53138	30000	0	0	30000	41	2004
12.02.2020 14:04:17	1	1	1	1	92.25	61	0	25734.597	623.655914	15993.53138	30000	0	0	30000	41	2004
12.02.2020 14:04:18	1	1	1	1	92.25	61	0	25260.664	634.4086022	16025.33091	30000	0	0	30000	41.0625	2004
12.02.2020 14:04:19	1	1	1	1	94.75	61	0	26113.744	610.7526882	16004.94659	30000	0	0	30000	41	2004
12.02.2020 14:04:20	1	1	1	1	94.75	61	0	25497.63	623.655914	15986.19303	30000	0	0	30000	40.625	2004
12.02.2020 14:04:21	1	1	1	1	94.75	60.5	0	25734.597	617.2043011	15941.34754	30000	0	0	30000	41.1875	2004
12.02.2020 14:04:22	1	1	1	1	94.75	61	0	26113.744	615.0537634	16117.468	30000	0	0	30000	40.9375	2004
12.02.2020 14:04:23	1	1	1	1	94.75	60.75	0	26066.351	612.9032258	15975.59318	30000	0	0	30000	41.25	2004
12.02.2020 14:04:24	1	1	1	1	94.75	61.25	0	25971.564	617.2043011	16000.05436	30000	0	0	30000	41.25	2004
12.02.2020 14:04:25	1	1	1	1	94.75	61.25	0	25687.204	627.9569892	16104.42204	30000	0	0	30000	41.125	2004
12.02.2020 14:04:26	1	1	1	1	94.75	61	0	25734.597	623.655914	16048.97671	30000	0	0	30000	41.0625	2004
12.02.2020 14:04:27	1	1	1	1	94.75	61	0	25687.204	621.5053763	15993.53138	30000	0	0	30000	40.9375	2004
12.02.2020 14:04:28	1	1	1	1	94.75	60.75	0	25734.597	615.0537634	15883.45609	30000	0	0	30000	40.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 14:04:29	1	1	1	1	97.25	60.5	0	25118.483	638.7096774	15934.82456	30000	0	0	30000	41.25	2004
12.02.2020 14:04:30	1	1	1	1	97.25	61.25	0	25639.81	621.5053763	15934.82456	30000	0	0	30000	41.1875	2004
12.02.2020 14:04:31	1	1	1	1	97.25	61	0	26113.744	615.0537634	15779.08841	30000	0	0	30000	41.25	2004
12.02.2020 14:04:32	1	1	1	1	97.25	61.25	0	25308.057	634.4086022	16163.94423	30000	0	0	30000	41.0625	2004
12.02.2020 14:04:33	1	1	1	1	97.25	61	0	25734.597	623.655914	15993.53138	30000	0	0	30000	40.9375	2004
12.02.2020 14:04:34	1	1	1	1	97.25	61.25	0	25639.81	627.9569892	16100.34517	30000	0	0	30000	40.875	2004
12.02.2020 14:04:35	1	1	1	1	97.25	60.75	0	26113.744	610.7526882	15948.68589	30000	0	0	30000	41.125	2004
12.02.2020 14:04:36	1	1	1	1	97.25	61	0	26066.351	617.2043011	16088.11459	30000	0	0	30000	41.0625	2004
12.02.2020 14:04:37	1	1	1	1	97.25	61	0	25308.057	625.8064516	15976.40856	30000	0	0	30000	41.3125	2004
12.02.2020 14:04:38	1	1	1	1	100	61.25	0	25734.597	612.9032258	15828.01076	30000	0	0	30000	41.125	2004
12.02.2020 14:04:39	1	1	1	1	100	61	0	25734.597	617.2043011	15883.45609	30000	0	0	30000	41.3125	2004
12.02.2020 14:04:40	1	1	1	1	100	61.25	0	25876.777	615.0537634	15885.90221	30000	0	0	30000	40.9375	2004
12.02.2020 14:04:41	1	1	1	1	100	60.75	0	25592.417	623.655914	15934.82456	30000	0	0	30000	40.6875	2004
12.02.2020 14:04:42	1	1	1	1	100	60.5	0	25545.024	625.8064516	15956.02424	30000	0	0	30000	41.0625	2004
12.02.2020 14:04:44	1	1	1	1	100	61	0	25924.171	617.2043011	16000.05436	30000	0	0	30000	41	2004
12.02.2020 14:04:45	1	1	1	1	100	61	0	25734.597	621.5053763	15993.53138	30000	0	0	30000	40.875	2004
12.02.2020 14:04:46	1	1	1	1	100	60.75	0	25924.171	617.2043011	16000.05436	30000	0	0	30000	40.9375	2004
12.02.2020 14:04:47	1	1	1	1	100	60.75	0	25924.171	615.0537634	16000.05436	30000	0	0	30000	40.6875	2004
12.02.2020 14:04:48	1	1	1	1	100	60.5	0	26398.104	606.4516129	15923.40934	30000	0	0	30000	41.0625	2004
12.02.2020 14:04:49	1	1	1	1	102.5	61	0	26018.957	612.9032258	15890.79444	30000	0	0	30000	41.1875	2004
12.02.2020 14:04:50	1	1	1	1	102.5	61	0	25734.597	621.5053763	15993.53138	30000	0	0	30000	41.375	2004
12.02.2020 14:04:51	1	1	1	1	102.5	61.25	0	26113.744	604.3010753	15950.31664	30000	0	0	30000	41.125	2004
12.02.2020 14:04:58	1	1	1	1	102.5	61.25	0	25924.171	617.2043011	16000.05436	30000	0	0	30000	41	2004
12.02.2020 14:04:58	1	1	1	1	102.5	61.25	0	25924.171	617.2043011	16000.05436	30000	0	0	30000	41	2004
12.02.2020 14:04:58	1	1	1	1	102.5	61.25	0	25924.171	617.2043011	16000.05436	30000	0	0	30000	41	2004
12.02.2020 14:04:58	1	1	1	1	102.5	61.25	0	25924.171	617.2043011	16000.05436	30000	0	0	30000	41	2004
12.02.2020 14:04:58	1	1	1	1	102.5	61.25	0	25924.171	617.2043011	16000.05436	30000	0	0	30000	41	2004
12.02.2020 14:04:58	1	1	1	1	102.5	61.25	0	25924.171	617.2043011	16000.05436	30000	0	0	30000	41	2004
12.02.2020 14:04:58	1	1	1	1	102.5	61.25	0	25924.171	617.2043011	16000.05436	30000	0	0	30000	41	2004
12.02.2020 14:04:59	1	1	1	1	105.5	61	0	25639.81	621.5053763	15934.82456	30000	0	0	30000	40.875	2004
12.02.2020 14:05:00	1	1	1	1	105.5	60.75	0	26113.744	610.7526882	15948.68589	30000	0	0	30000	41.0625	2004
12.02.2020 14:05:01	1	1	1	1	105.5	61	0	25924.171	625.8064516	16111.76039	30000	0	0	30000	41.1875	2004
12.02.2020 14:05:02	1	1	1	1	105.5	61	0	25639.81	621.5053763	15934.82456	30000	0	0	30000	41.0625	2004
12.02.2020 14:05:03	1	1	1	1	105.5	61	0	26350.711	602.1505376	15867.14864	30000	0	0	30000	41.0625	2004
12.02.2020 14:05:04	1	1	1	1	105.5	61	0	25545.024	619.3548387	15766.04245	30000	0	0	30000	41.125	2004
12.02.2020 14:05:05	1	1	1	1	105.5	61	0	0	0	0	30000	0	8	30000	40.625	2004
12.02.2020 14:05:06	1	1	1	1	105.5	60.5	0	10000	0	0	30000	0	0	30000	41.3125	2004
12.02.2020 14:05:07	1	1	1	1	105.5	61.25	0	10758.294	0	0	30000	0	0	30000	41.4375	2004
12.02.2020 14:05:08	1	1	1	1	105.5	61.25	0	11611.374	0	0	30000	0	0	30000	41.25	2004
12.02.2020 14:05:09	1	1	1	1	108.8	61.25	0	12369.668	0	0	30000	0	0	30000	41.4375	2004
12.02.2020 14:05:10	1	1	1	1	108.8	61.25	0	13080.569	4.301075269	27.72266464	30000	0	0	30000	41.5	2004
12.02.2020 14:05:11	1	1	1	1	108.8	61.25	0	13933.649	8.602150538	89.69097383	30000	0	0	30000	41.1875	2004
12.02.2020 14:05:12	1	1	1	1	108.8	61	0	14691.943	10.75268817	157.3668904	30000	0	0	30000	41.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 14:05:13	1	1	1	1	108.8	61.25	0	15450.237	21.50537634	265.8114315	30000	0	0	30000	41.1875	2004
12.02.2020 14:05:14	1	1	1	1	108.8	61	0	16208.531	23.65591398	383.22507	30000	0	0	30000	41.25	2004
12.02.2020 14:05:15	1	1	1	1	108.8	61.25	0	17014.218	30.10752688	548.7456853	30000	0	0	30000	41.25	2004
12.02.2020 14:05:16	1	1	1	1	108.8	61.25	0	17772.512	40.86021505	725.6815155	30000	0	0	30000	41.125	2004
12.02.2020 14:05:17	1	1	1	1	108.8	61	0	18530.806	53.76344086	995.5698095	30000	0	0	30000	41.3125	2004
12.02.2020 14:05:18	1	1	1	1	109	61.25	0	19289.1	73.11827957	1409.779034	30000	0	0	30000	41.25	2004
12.02.2020 14:05:19	1	1	1	1	109	61.25	0	20047.393	90.32258065	1810.126926	30000	0	0	30000	41.1875	2004
12.02.2020 14:05:20	1	1	1	1	109	61	0	20379.147	113.9784946	2322.18085	30000	0	0	30000	41.1875	2004
12.02.2020 14:05:22	1	1	1	1	109	61	0	21042.654	129.0322581	2669.52953	30000	0	0	30000	41.25	2004
12.02.2020 14:05:23	1	1	1	1	109	61.25	0	20521.327	144.0860215	2956.540646	30000	0	0	30000	41.3125	2004
12.02.2020 14:05:24	1	1	1	1	109	61.25	0	20236.967	152.688172	3089.446362	30000	0	0	30000	41.1875	2004
12.02.2020 14:05:25	1	1	1	1	109	61	0	21563.981	178.4946237	3755.605686	30000	0	0	30000	41.375	2004
12.02.2020 14:05:26	1	1	1	1	109	61.25	0	22748.815	184.9462366	4172.261028	30000	0	0	30000	41.1875	2004
12.02.2020 14:05:27	1	1	1	1	109	61	0	20805.687	206.4516129	4295.382274	30000	0	0	30000	41.125	2004
12.02.2020 14:05:28	1	1	1	1	109	61	0	21943.128	221.5053763	4813.143805	30000	0	0	30000	41.3125	2004
12.02.2020 14:05:29	1	1	1	1	111	61.25	0	22511.848	234.4086022	5276.275378	30000	0	0	30000	41.125	2004
12.02.2020 14:05:30	1	1	1	1	111	61	0	22890.995	249.4623656	5758.975892	30000	0	0	30000	41.1875	2004
12.02.2020 14:05:31	1	1	1	1	111	61	0	22796.209	262.3655914	5980.757209	30000	0	0	30000	41.1875	2004
12.02.2020 14:05:32	1	1	1	1	111	61	0	23175.355	273.1182796	6204.169271	30000	0	0	30000	41.125	2004
12.02.2020 14:05:33	1	1	1	1	111	61	0	23270.142	277.4193548	6505.04172	30000	0	0	30000	40.5625	2004
12.02.2020 14:05:34	1	1	1	1	111	60.5	0	23459.716	283.8709677	6622.455358	30000	0	0	30000	41.125	2004
12.02.2020 14:05:35	1	1	1	1	111	61	0	23317.536	301.0752688	7070.094855	30000	0	0	30000	40.9375	2004
12.02.2020 14:05:36	1	1	1	1	111	60.75	0	23459.716	279.5698925	6544.994972	30000	0	0	30000	41.1875	2004
12.02.2020 14:05:37	1	1	1	1	111	61	0	23459.716	258.0645161	6054.140733	30000	0	0	30000	40.9375	2004
12.02.2020 14:05:38	1	1	1	1	111	60.75	0	23459.716	309.6774194	7264.96888	30000	0	0	30000	41.0625	2004
12.02.2020 14:05:39	1	1	1	1	113	61	0	23459.716	333.3333333	7819.422173	30000	0	0	30000	41.125	2004
12.02.2020 14:05:40	1	1	1	1	113	61	0	22890.995	326.8817204	7482.673335	30000	0	0	30000	41.125	2004
12.02.2020 14:05:41	1	1	1	1	113	61	0	22985.782	354.8387097	8205.09336	30000	0	0	30000	41.25	2004
12.02.2020 14:05:42	1	1	1	1	113	61.25	0	23459.716	322.5806452	7618.025168	30000	0	0	30000	41.3125	2004
12.02.2020 14:05:43	1	1	1	1	113	61.25	0	23412.322	307.5268817	7199.739081	30000	0	0	30000	41.0625	2004
12.02.2020 14:05:44	1	1	1	1	113	61	0	23270.142	320.4301075	7455.766042	30000	0	0	30000	41.125	2004
12.02.2020 14:05:45	1	1	1	1	113	61	0	24028.436	369.8924731	8956.866795	30000	0	0	30000	41.3125	2004
12.02.2020 14:05:46	1	1	1	1	113	61.25	0	24218.009	395.6989247	9478.705188	30000	0	0	30000	41.1875	2004
12.02.2020 14:05:47	1	1	1	1	113	61	0	24786.73	397.8494624	9789.362107	30000	0	0	30000	41.375	2004
12.02.2020 14:05:48	1	1	1	1	113	61.25	0	24407.583	404.3010753	10078.00397	30000	0	0	30000	41.1875	2004
12.02.2020 14:05:49	1	1	1	1	115	61	0	24502.37	395.6989247	9695.594271	30000	0	0	30000	41.5625	2004
12.02.2020 14:05:50	1	1	1	1	115	61.5	0	23744.076	397.8494624	9497.458756	30000	0	0	30000	41.3125	2004
12.02.2020 14:05:51	1	1	1	1	115	61.25	0	25165.877	425.8064516	10641.42636	30000	0	0	30000	41.1875	2004
12.02.2020 14:05:52	1	1	1	1	115	61	0	24218.009	455.9139785	10988.77504	30000	0	0	30000	41.25	2004
12.02.2020 14:06:00	1	1	1	1	116.8	61	0	25639.81	483.8709677	12405.89243	30000	0	0	30000	41	2004
12.02.2020 14:06:00	1	1	1	1	116.8	61	0	25639.81	483.8709677	12405.89243	30000	0	0	30000	41	2004
12.02.2020 14:06:00	1	1	1	1	116.8	61	0	25639.81	483.8709677	12405.89243	30000	0	0	30000	41	2004
12.02.2020 14:06:00	1	1	1	1	116.8	61	0	25639.81	483.8709677	12405.89243	30000	0	0	30000	41	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 14:06:00	1	1	1	1	116.8	61	0	25639.81	483.8709677	12405.89243	30000	0	0	30000	41	2004
12.02.2020 14:06:00	1	1	1	1	116.8	61	0	25639.81	483.8709677	12405.89243	30000	0	0	30000	41	2004
12.02.2020 14:06:00	1	1	1	1	116.8	61	0	25639.81	483.8709677	12405.89243	30000	0	0	30000	41	2004
12.02.2020 14:06:01	1	1	1	1	116.8	61	0	27298.578	501.0752688	13737.3957	30000	0	0	30000	40.6875	2004
12.02.2020 14:06:02	1	1	1	1	116.8	60.5	0	26777.251	507.5268817	13541.7063	30000	0	0	30000	41.0625	2004
12.02.2020 14:06:03	1	1	1	1	116.8	61	0	26066.351	481.7204301	12579.56677	30000	0	0	30000	41.0625	2004
12.02.2020 14:06:04	1	1	1	1	116.8	61	0	26919.431	496.7741935	13372.9242	30000	0	0	30000	40.8125	2004
12.02.2020 14:06:05	1	1	1	1	116.8	60.75	0	26682.464	518.2795699	13828.71742	30000	0	0	30000	41.1875	2004
12.02.2020 14:06:06	1	1	1	1	116.8	61	0	26966.825	537.6344086	14299.18735	30000	0	0	30000	40.625	2004
12.02.2020 14:06:07	1	1	1	1	116.8	60.5	0	27109.005	541.9354839	14775.36488	30000	0	0	30000	40.5	2004
12.02.2020 14:06:08	1	1	1	1	116.8	60.5	0	26540.284	520.4301075	13812.40997	30000	0	0	30000	41.1875	2004
12.02.2020 14:06:09	1	1	1	1	118	61	0	26018.957	550.5376344	14379.90922	30000	0	0	30000	41.1875	2004
12.02.2020 14:06:10	1	1	1	1	118	61	0	25734.597	539.7849462	14104.31332	30000	0	0	30000	40.6875	2004
12.02.2020 14:06:11	1	1	1	1	118	60.5	0	27867.299	572.0430108	15941.34754	30000	0	0	30000	41.125	2004
12.02.2020 14:06:12	1	1	1	1	118	61	0	26445.498	550.5376344	14533.19925	30000	0	0	30000	41	2004
12.02.2020 14:06:13	1	1	1	1	118	61	0	27819.905	576.344086	16033.48463	30000	0	0	30000	41.0625	2004
12.02.2020 14:06:14	1	1	1	1	118	61	0	27630.332	584.9462366	16221.0203	30000	0	0	30000	40.5	2004
12.02.2020 14:06:15	1	1	1	1	118	60.5	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	41	2004
12.02.2020 14:06:16	1	1	1	1	118	61	0	25165.877	589.2473118	14990.62322	30000	0	0	30000	40.5625	2004
12.02.2020 14:06:17	1	1	1	1	118	60.5	0	26018.957	597.8494624	15499.41565	30000	0	0	30000	40.5625	2004
12.02.2020 14:06:18	1	1	1	1	118	60.5	0	26540.284	604.3010753	16038.37687	30000	0	0	30000	40.875	2004
12.02.2020 14:06:19	1	1	1	1	117.3	60.75	0	26966.825	602.1505376	16179.43631	30000	0	0	30000	40.625	2004
12.02.2020 14:06:20	1	1	1	1	117.3	60.5	0	26919.431	602.1505376	16007.39271	30000	0	0	30000	41.1875	2004
12.02.2020 14:06:21	1	1	1	1	117.3	61	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	41	2004
12.02.2020 14:06:22	1	1	1	1	117.3	61	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.1875	2004
12.02.2020 14:06:23	1	1	1	1	117.3	61	0	26682.464	591.3978495	15836.97986	30000	0	0	30000	41.125	2004
12.02.2020 14:06:24	1	1	1	1	117.3	61	0	26777.251	602.1505376	16009.02346	30000	0	0	30000	40.4375	2004
12.02.2020 14:06:25	1	1	1	1	117.3	60.25	0	26587.678	604.3010753	15951.94738	30000	0	0	30000	41.125	2004
12.02.2020 14:06:26	1	1	1	1	117.3	61	0	26682.464	593.5483871	15894.05593	30000	0	0	30000	41	2004
12.02.2020 14:06:27	1	1	1	1	117.3	61	0	26966.825	589.2473118	15947.87052	30000	0	0	30000	41.25	2004
12.02.2020 14:06:28	1	1	1	1	117.3	61.25	0	25687.204	621.5053763	15990.26989	30000	0	0	30000	41.1875	2004
12.02.2020 14:06:29	1	1	1	1	118.8	61	0	26966.825	595.6989247	16035.93075	30000	0	0	30000	41.25	2004
12.02.2020 14:06:30	1	1	1	1	118.8	61.25	0	26919.431	595.6989247	16035.93075	30000	0	0	30000	41	2004
12.02.2020 14:06:31	1	1	1	1	118.8	61	0	26398.104	612.9032258	16235.69701	30000	0	0	30000	41.0625	2004
12.02.2020 14:06:32	1	1	1	1	118.8	61	0	27345.972	589.2473118	16113.39113	30000	0	0	30000	41	2004
12.02.2020 14:06:33	1	1	1	1	118.8	61	0	26113.744	612.9032258	16061.20729	30000	0	0	30000	41.3125	2004
12.02.2020 14:06:34	1	1	1	1	118.8	61.25	0	26777.251	597.8494624	16008.20808	30000	0	0	30000	41.125	2004
12.02.2020 14:06:35	1	1	1	1	118.8	61	0	27298.578	582.7956989	15968.25483	30000	0	0	30000	40.6875	2004
12.02.2020 14:06:36	1	1	1	1	118.8	60.5	0	26018.957	617.2043011	16170.46721	30000	0	0	30000	40.75	2004
12.02.2020 14:06:37	1	1	1	1	118.8	60.75	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	41.125	2004
12.02.2020 14:06:38	1	1	1	1	119.8	61	0	26587.678	602.1505376	16066.9149	30000	0	0	30000	40.5625	2004
12.02.2020 14:06:40	1	1	1	1	119.8	60.5	0	26919.431	602.1505376	16209.60509	30000	0	0	30000	40.9375	2004
12.02.2020 14:06:41	1	1	1	1	119.8	60.75	0	26682.464	595.6989247	15664.93627	30000	0	0	30000	40.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 14:06:42	1	1	1	1	119.8	60.25	0	26445.498	606.4516129	16065.28416	30000	0	0	30000	41.0625	2004
12.02.2020 14:06:43	1	1	1	1	119.8	61	0	27109.005	591.3978495	16031.85389	30000	0	0	30000	41	2004
12.02.2020 14:06:44	1	1	1	1	119.8	61	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	40.9375	2004
12.02.2020 14:06:45	1	1	1	1	119.8	60.75	0	27298.578	584.9462366	15792.13437	30000	0	0	30000	40.9375	2004
12.02.2020 14:06:46	1	1	1	1	119.8	60.75	0	26682.464	597.8494624	15951.94738	30000	0	0	30000	41.0625	2004
12.02.2020 14:06:47	1	1	1	1	119.8	61	0	25639.81	625.8064516	16015.54644	30000	0	0	30000	40.8125	2004
12.02.2020 14:06:48	1	1	1	1	119.8	60.75	0	26682.464	602.1505376	16123.99098	30000	0	0	30000	40.9375	2004
12.02.2020 14:06:49	1	1	1	1	120.3	60.75	0	26824.645	595.6989247	16007.39271	30000	0	0	30000	41.1875	2004
12.02.2020 14:06:50	1	1	1	1	120.3	61	0	26255.924	604.3010753	15837.79523	30000	0	0	30000	41.125	2004
12.02.2020 14:06:51	1	1	1	1	120.3	61	0	26303.318	612.9032258	16120.72949	30000	0	0	30000	40.5	2004
12.02.2020 14:06:52	1	1	1	1	120.3	60.5	0	26587.678	606.4516129	16181.06705	30000	0	0	30000	41.1875	2004
12.02.2020 14:06:53	1	1	1	1	120.3	61	0	27156.398	589.2473118	16144.37529	30000	0	0	30000	40.875	2004
12.02.2020 14:06:54	1	1	1	1	120.3	60.75	0	26255.924	608.6021505	16064.46878	30000	0	0	30000	41.0625	2004
12.02.2020 14:07:02	1	1	1	1	121.8	61	0	24597.156	621.5053763	15286.60343	30000	0	0	30000	40.875	2004
12.02.2020 14:07:02	1	1	1	1	121.8	61	0	24597.156	621.5053763	15286.60343	30000	0	0	30000	40.875	2004
12.02.2020 14:07:02	1	1	1	1	121.8	61	0	24597.156	621.5053763	15286.60343	30000	0	0	30000	40.875	2004
12.02.2020 14:07:02	1	1	1	1	121.8	61	0	24597.156	621.5053763	15286.60343	30000	0	0	30000	40.875	2004
12.02.2020 14:07:02	1	1	1	1	121.8	61	0	24597.156	621.5053763	15286.60343	30000	0	0	30000	40.875	2004
12.02.2020 14:07:02	1	1	1	1	121.8	61	0	24597.156	621.5053763	15286.60343	30000	0	0	30000	40.875	2004
12.02.2020 14:07:02	1	1	1	1	121.8	61	0	24597.156	621.5053763	15286.60343	30000	0	0	30000	40.875	2004
12.02.2020 14:07:02	1	1	1	1	121.8	61	0	24597.156	621.5053763	15286.60343	30000	0	0	30000	40.875	2004
12.02.2020 14:07:02	1	1	1	1	121.8	61	0	24597.156	621.5053763	15286.60343	30000	0	0	30000	40.875	2004
12.02.2020 14:07:03	1	1	1	1	121.8	60.75	0	22985.782	621.5053763	14314.67942	30000	0	0	30000	41	2004
12.02.2020 14:07:04	1	1	1	1	121.8	61	0	23507.109	653.7634409	15368.14068	30000	0	0	30000	41.0625	2004
12.02.2020 14:07:05	1	1	1	1	121.8	61	0	0	0	0	30000	0	8	30000	41.5	2004
12.02.2020 14:07:06	1	1	1	1	121.8	61.5	0	9431.2796	0	0	30000	0	0	30000	41.4375	2004
12.02.2020 14:07:07	1	1	1	1	121.8	61.25	0	10853.081	0	0	30000	0	0	30000	41.375	2004
12.02.2020 14:07:08	1	1	1	1	121.8	61.25	0	11658.768	0	0	30000	0	0	30000	41.625	2004
12.02.2020 14:07:09	1	1	1	1	122	61	0	12464.455	0	0	30000	0	0	30000	41	2004
12.02.2020 14:07:10	1	1	1	1	122	61	0	13222.749	0	0	30000	0	0	30000	41.125	2004
12.02.2020 14:07:11	1	1	1	1	122	61	0	13933.649	2.150537634	29.35340962	30000	0	0	30000	41.125	2004
12.02.2020 14:07:12	1	1	1	1	122	61	0	14786.73	4.301075269	63.59905417	30000	0	0	30000	41.1875	2004
12.02.2020 14:07:13	1	1	1	1	122	61	0	15497.63	6.451612903	133.7210883	30000	0	0	30000	41.125	2004
12.02.2020 14:07:14	1	1	1	1	122	61	0	16255.924	10.75268817	174.4897127	30000	0	0	30000	40.375	2004
12.02.2020 14:07:15	1	1	1	1	122	60.25	0	17156.398	17.20430108	294.3494686	30000	0	0	30000	41.25	2004
12.02.2020 14:07:16	1	1	1	1	122	61.25	0	17867.299	23.65591398	422.3629495	30000	0	0	30000	41.25	2004
12.02.2020 14:07:18	1	1	1	1	122	61.25	0	18293.839	32.25806452	591.1450548	30000	0	0	30000	40.4375	2004
12.02.2020 14:07:19	1	1	1	1	121.5	60.25	0	18388.626	30.10752688	553.6379203	30000	0	0	30000	41.125	2004
12.02.2020 14:07:20	1	1	1	1	121.5	61	0	18436.019	32.25806452	591.1450548	30000	0	0	30000	41.1875	2004
12.02.2020 14:07:21	1	1	1	1	121.5	61	0	18388.626	32.25806452	634.3597967	30000	0	0	30000	41.125	2004
12.02.2020 14:07:22	1	1	1	1	121.5	61	0	18436.019	38.70967742	713.4509282	30000	0	0	30000	41.125	2004
12.02.2020 14:07:23	1	1	1	1	121.5	61	0	18436.019	40.86021505	711.8201832	30000	0	0	30000	41.125	2004
12.02.2020 14:07:24	1	1	1	1	121.5	61	0	18436.019	40.86021505	711.8201832	30000	0	0	30000	41.1875	2004
12.02.2020 14:07:25	1	1	1	1	121.5	61	0	18341.232	38.70967742	709.3740657	30000	0	0	30000	41.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 14:07:26	1	1	1	1	121.5	61	0	18388.626	36.55913978	673.4976762	30000	0	0	30000	41.125	2004
12.02.2020 14:07:27	1	1	1	1	121.5	61	0	18388.626	40.86021505	752.5888077	30000	0	0	30000	41.25	2004
12.02.2020 14:07:28	1	1	1	1	121.5	61.25	0	18341.232	36.55913978	713.4509282	30000	0	0	30000	41.3125	2004
12.02.2020 14:07:29	1	1	1	1	117	61.25	0	18341.232	36.55913978	670.2361862	30000	0	0	30000	41.1875	2004
12.02.2020 14:07:30	1	1	1	1	117	61	0	18436.019	45.16129032	713.4509282	30000	0	0	30000	41.3125	2004
12.02.2020 14:07:31	1	1	1	1	117	61.25	0	18436.019	38.70967742	711.8201832	30000	0	0	30000	41.1875	2004
12.02.2020 14:07:32	1	1	1	1	117	61	0	18388.626	40.86021505	750.9580627	30000	0	0	30000	41.1875	2004
12.02.2020 14:07:33	1	1	1	1	117	61	0	18388.626	38.70967742	713.4509282	30000	0	0	30000	41.0625	2004
12.02.2020 14:07:34	1	1	1	1	117	61	0	18436.019	40.86021505	750.9580627	30000	0	0	30000	41.1875	2004
12.02.2020 14:07:35	1	1	1	1	117	61	0	18436.019	45.16129032	788.4651972	30000	0	0	30000	41.125	2004
12.02.2020 14:07:36	1	1	1	1	117	61	0	18436.019	40.86021505	750.9580627	30000	0	0	30000	41.1875	2004
12.02.2020 14:07:37	1	1	1	1	117	61	0	18388.626	40.86021505	752.5888077	30000	0	0	30000	41.25	2004
12.02.2020 14:07:38	1	1	1	1	117	61.25	0	18909.953	45.16129032	812.9263719	30000	0	0	30000	41.1875	2004
12.02.2020 14:07:39	1	1	1	1	114	61	0	19810.427	60.21505376	1195.336069	30000	0	0	30000	41.1875	2004
12.02.2020 14:07:40	1	1	1	1	114	61	0	20521.327	70.96774194	1456.255266	30000	0	0	30000	41.1875	2004
12.02.2020 14:07:41	1	1	1	1	114	61	0	21279.621	77.41935484	1692.713288	30000	0	0	30000	41.1875	2004
12.02.2020 14:07:42	1	1	1	1	114	61	0	21943.128	103.2258065	2189.275134	30000	0	0	30000	40	2004
12.02.2020 14:07:43	1	1	1	1	114	60	0	22843.602	109.6774194	2559.454244	30000	0	0	30000	41.0625	2004
12.02.2020 14:07:44	1	1	1	1	114	61	0	23459.716	126.8817204	3026.66268	30000	0	0	30000	41.1875	2004
12.02.2020 14:07:45	1	1	1	1	114	61	0	23981.043	144.0860215	3454.733237	30000	0	0	30000	41.125	2004
12.02.2020 14:07:46	1	1	1	1	114	61	0	23507.109	152.688172	3849.373522	30000	0	0	30000	41	2004
12.02.2020 14:07:47	1	1	1	1	114	61	0	24786.73	189.2473118	4690.837931	30000	0	0	30000	41.125	2004
12.02.2020 14:07:48	1	1	1	1	111.8	61	0	24976.303	206.4516129	5175.984562	30000	0	0	30000	41.1875	2004
12.02.2020 14:07:49	1	1	1	1	111.8	61	0	24881.517	206.4516129	4878.373604	30000	0	0	30000	41.0625	2004
12.02.2020 14:07:50	1	1	1	1	111.8	61	0	25402.844	219.3548387	5507.025793	30000	0	0	30000	41.0625	2004
12.02.2020 14:07:51	1	1	1	1	111.8	61	0	25687.204	234.4086022	6020.710461	30000	0	0	30000	40.9375	2004
12.02.2020 14:07:52	1	1	1	1	111.8	60.75	0	26066.351	249.4623656	6434.104313	30000	0	0	30000	40.5	2004
12.02.2020 14:07:53	1	1	1	1	111.8	60.5	0	26113.744	262.3655914	6850.759655	30000	0	0	30000	41.0625	2004
12.02.2020 14:07:55	1	1	1	1	111.8	61	0	26635.071	279.5698925	7432.935613	30000	0	0	30000	40.9375	2004
12.02.2020 14:07:56	1	1	1	1	111.8	60.75	0	26777.251	296.7741935	7888.728834	30000	0	0	30000	40.875	2004
12.02.2020 14:08:03	1	1	1	1	110.5	61	0	28388.626	382.7956989	10866.46917	30000	0	0	30000	40.75	2004
12.02.2020 14:08:03	1	1	1	1	110.5	61	0	28388.626	382.7956989	10866.46917	30000	0	0	30000	40.75	2004
12.02.2020 14:08:03	1	1	1	1	110.5	61	0	28388.626	382.7956989	10866.46917	30000	0	0	30000	40.75	2004
12.02.2020 14:08:03	1	1	1	1	110.5	61	0	28388.626	382.7956989	10866.46917	30000	0	0	30000	40.75	2004
12.02.2020 14:08:03	1	1	1	1	110.5	61	0	28388.626	382.7956989	10866.46917	30000	0	0	30000	40.75	2004
12.02.2020 14:08:03	1	1	1	1	110.5	61	0	28388.626	382.7956989	10866.46917	30000	0	0	30000	40.75	2004
12.02.2020 14:08:03	1	1	1	1	110.5	61	0	28388.626	382.7956989	10866.46917	30000	0	0	30000	40.75	2004
12.02.2020 14:08:04	1	1	1	1	110.5	60.75	0	28625.592	397.8494624	11450.27587	30000	0	0	30000	40.875	2004
12.02.2020 14:08:05	1	1	1	1	110.5	60.75	0	28957.346	415.0537634	12018.59049	30000	0	0	30000	40.875	2004
12.02.2020 14:08:06	1	1	1	1	110.5	60.75	0	28957.346	427.9569892	12392.03109	30000	0	0	30000	41.0625	2004
12.02.2020 14:08:07	1	1	1	1	110.5	61	0	29241.706	445.1612903	13016.60642	30000	0	0	30000	41.125	2004
12.02.2020 14:08:08	1	1	1	1	110.5	61	0	29478.673	460.2150538	13566.16748	30000	0	0	30000	41	2004
12.02.2020 14:08:09	1	1	1	1	109	61	0	29715.64	464.516129	13995.05341	30000	0	0	30000	41	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 14:08:10	1	1	1	1	109	61	0	29810.427	488.172043	14680.78167	30000	0	0	30000	40.75	2004
12.02.2020 14:08:11	1	1	1	1	109	60.75	0	29857.82	505.3763441	15089.28329	30000	0	0	30000	40.9375	2004
12.02.2020 14:08:12	1	1	1	1	109	60.75	0	29905.213	505.3763441	15008.56141	30000	0	0	30000	41.0625	2004
12.02.2020 14:08:13	1	1	1	1	109	61	0	30000	516.1290323	15459.4624	30000	0	0	30000	40.5625	2004
12.02.2020 14:08:14	1	1	1	1	109	60.5	0	30000	524.7311828	15805.99571	30000	0	0	30000	40.875	2004
12.02.2020 14:08:15	1	1	1	1	109	60.75	0	29952.607	533.3333333	16000.05436	30000	0	0	30000	40.75	2004
12.02.2020 14:08:16	1	1	1	1	109	60.75	0	30047.393	535.483871	15805.99571	30000	0	0	30000	41.125	2004
12.02.2020 14:08:17	1	1	1	1	109	61	0	30000	526.8817204	15805.99571	30000	0	0	30000	40.75	2004
12.02.2020 14:08:18	1	1	1	1	109	60.75	0	29952.607	529.0322581	16000.05436	30000	0	0	30000	41.1875	2004
12.02.2020 14:08:19	1	1	1	1	107.3	61	0	30000	518.2795699	15483.92357	30000	0	0	30000	41	2004
12.02.2020 14:08:20	1	1	1	1	107.3	61	0	30000	516.1290323	15483.92357	30000	0	0	30000	40.875	2004
12.02.2020 14:08:21	1	1	1	1	107.3	60.75	0	30000	507.5268817	15008.56141	30000	0	0	30000	40.875	2004
12.02.2020 14:08:22	1	1	1	1	107.3	60.75	0	29952.607	486.0215054	14644.90528	30000	0	0	30000	40.6875	2004
12.02.2020 14:08:23	1	1	1	1	107.3	60.5	0	30000	466.6666667	13913.51616	30000	0	0	30000	40.5625	2004
12.02.2020 14:08:24	1	1	1	1	107.3	60.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.875	2004
12.02.2020 14:08:25	1	1	1	1	107.3	60.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	40.6875	2004
12.02.2020 14:08:26	1	1	1	1	107.3	60.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	40.9375	2004
12.02.2020 14:08:27	1	1	1	1	107.3	60.75	0	30000	425.8064516	12709.21099	30000	0	0	30000	40.5	2004
12.02.2020 14:08:28	1	1	1	1	106	60.5	0	29905.213	427.9569892	12838.03984	30000	0	0	30000	40.75	2004
12.02.2020 14:08:29	1	1	1	1	106	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.6875	2004
12.02.2020 14:08:30	1	1	1	1	106	60.5	0	29952.607	453.7634409	13612.64371	30000	0	0	30000	40.3125	2004
12.02.2020 14:08:31	1	1	1	1	106	60.25	0	30000	468.8172043	14128.7745	30000	0	0	30000	40.75	2004
12.02.2020 14:08:32	1	1	1	1	106	60.75	0	29905.213	483.8709677	14644.90528	30000	0	0	30000	40.5	2004
12.02.2020 14:08:33	1	1	1	1	106	60.5	0	29952.607	481.7204301	14451.662	30000	0	0	30000	41.125	2004
12.02.2020 14:08:35	1	1	1	1	106	61	0	30000	488.172043	14644.90528	30000	0	0	30000	40.5625	2004
12.02.2020 14:08:36	1	1	1	1	106	60.5	0	30000	498.9247312	15032.20721	30000	0	0	30000	40.375	2004
12.02.2020 14:08:37	1	1	1	1	106	60.25	0	30000	509.6774194	15289.86492	30000	0	0	30000	40.8125	2004
12.02.2020 14:08:38	1	1	1	1	106	60.75	0	30000	516.1290323	15459.4624	30000	0	0	30000	40.875	2004
12.02.2020 14:08:39	1	1	1	1	104.5	60.75	0	30000	516.1290323	15548.338	30000	0	0	30000	40.625	2004
12.02.2020 14:08:40	1	1	1	1	104.5	60.5	0	30000	520.4301075	15677.16685	30000	0	0	30000	40.125	2004
12.02.2020 14:08:41	1	1	1	1	104.5	60	0	29952.607	524.7311828	15870.41013	30000	0	0	30000	40.5625	2004
12.02.2020 14:08:42	1	1	1	1	104.5	60.5	0	30000	533.3333333	16000.05436	30000	0	0	30000	39.875	2004
12.02.2020 14:08:43	1	1	1	1	104.5	59.75	0	30000	531.1827957	15934.82456	30000	0	0	30000	40.0625	2004
12.02.2020 14:08:44	1	1	1	1	104.5	60	0	30000	520.4301075	15612.75243	30000	0	0	30000	40.8125	2004
12.02.2020 14:08:45	1	1	1	1	104.5	60.75	0	30000	518.2795699	15548.338	30000	0	0	30000	40.4375	2004
12.02.2020 14:08:46	1	1	1	1	104.5	60.25	0	30000	524.7311828	15805.99571	30000	0	0	30000	41	2004
12.02.2020 14:08:47	1	1	1	1	104.5	61	0	30000	524.7311828	15677.16685	30000	0	0	30000	40.4375	2004
12.02.2020 14:08:48	1	1	1	1	104.5	60.25	0	30000	533.3333333	16000.05436	30000	0	0	30000	40.125	2004
12.02.2020 14:08:49	1	1	1	1	103.3	60	0	30000	531.1827957	15934.82456	30000	0	0	30000	40.625	2004
12.02.2020 14:08:50	1	1	1	1	103.3	60.5	0	30000	520.4301075	15548.338	30000	0	0	30000	40.875	2004
12.02.2020 14:08:51	1	1	1	1	103.3	60.75	0	30000	522.5806452	15677.16685	30000	0	0	30000	40.5625	2004
12.02.2020 14:08:52	1	1	1	1	103.3	60.5	0	30000	533.3333333	16000.05436	30000	0	0	30000	40.375	2004
12.02.2020 14:08:53	1	1	1	1	103.3	60.25	0	30000	520.4301075	15548.338	30000	0	0	30000	40.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 14:08:54	1	1	1	1	103.3	60.5	0	30000	522.5806452	15677.16685	30000	0	0	30000	40.4375	2004
12.02.2020 14:08:55	1	1	1	1	103.3	60.25	0	30000	529.0322581	15652.70568	30000	0	0	30000	40.75	2004
12.02.2020 14:08:56	1	1	1	1	103.3	60.75	0	30047.393	529.0322581	15677.16685	30000	0	0	30000	40.875	2004
12.02.2020 14:08:57	1	1	1	1	103.3	60.75	0	30000	529.0322581	15805.99571	30000	0	0	30000	40.75	2004
12.02.2020 14:09:05	1	1	1	1	102	61	0	30000	529.0322581	15805.99571	30000	0	0	30000	40.875	2004
12.02.2020 14:09:05	1	1	1	1	102	61	0	30000	529.0322581	15805.99571	30000	0	0	30000	40.875	2004
12.02.2020 14:09:05	1	1	1	1	102	61	0	30000	529.0322581	15805.99571	30000	0	0	30000	40.875	2004
12.02.2020 14:09:05	1	1	1	1	102	61	0	30000	529.0322581	15805.99571	30000	0	0	30000	40.875	2004
12.02.2020 14:09:05	1	1	1	1	102	61	0	30000	529.0322581	15805.99571	30000	0	0	30000	40.875	2004
12.02.2020 14:09:05	1	1	1	1	102	60.75	0	29952.607	531.1827957	15974.77781	30000	0	0	30000	40.8125	2004
12.02.2020 14:09:06	1	1	1	1	102	61.25	0	29952.607	533.3333333	15974.77781	30000	0	0	30000	40.8125	2004
12.02.2020 14:09:07	1	1	1	1	102	60.75	0	30000	526.8817204	15805.99571	30000	0	0	30000	40.4375	2004
12.02.2020 14:09:08	1	1	1	1	101.3	60.25	0	30000	537.6344086	15949.50126	30000	0	0	30000	40.9375	2004
12.02.2020 14:09:09	1	1	1	1	101.3	60.75	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	40.375	2004
12.02.2020 14:09:10	1	1	1	1	101.3	60.25	0	30000	529.0322581	15805.99571	30000	0	0	30000	40.9375	2004
12.02.2020 14:09:11	1	1	1	1	101.3	60.75	0	30000	529.0322581	15934.82456	30000	0	0	30000	40.8125	2004
12.02.2020 14:09:12	1	1	1	1	101.3	60.75	0	29905.213	535.483871	16013.10032	30000	0	0	30000	40.625	2004
12.02.2020 14:09:13	1	1	1	1	101.3	60.5	0	30000	533.3333333	15934.82456	30000	0	0	30000	40.4375	2004
12.02.2020 14:09:15	1	1	1	1	101.3	60.25	0	29763.033	531.1827957	15898.94817	30000	0	0	30000	41.0625	2004
12.02.2020 14:09:17	1	1	1	1	101.3	60.5	0	30000	535.483871	16064.46878	30000	0	0	30000	40.4375	2004
12.02.2020 14:09:17	1	1	1	1	101.3	60.5	0	30000	535.483871	16064.46878	30000	0	0	30000	40.4375	2004
12.02.2020 14:09:18	1	1	1	1	101.3	60.25	0	29857.82	533.3333333	15987.82377	30000	0	0	30000	40.75	2004
12.02.2020 14:09:19	1	1	1	1	100.3	60.75	0	29905.213	533.3333333	16039.19224	30000	0	0	30000	40.75	2004
12.02.2020 14:09:20	1	1	1	1	100.3	60.75	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	40.5625	2004
12.02.2020 14:09:21	1	1	1	1	100.3	60.5	0	29905.213	535.483871	16013.10032	30000	0	0	30000	40.8125	2004
12.02.2020 14:09:22	1	1	1	1	100.3	60.75	0	30000	533.3333333	16000.05436	30000	0	0	30000	40.5625	2004
12.02.2020 14:09:23	1	1	1	1	100.3	60.5	0	29905.213	535.483871	16039.19224	30000	0	0	30000	40.5	2004
12.02.2020 14:09:24	1	1	1	1	100.3	60.5	0	29857.82	535.483871	16013.10032	30000	0	0	30000	40.875	2004
12.02.2020 14:09:25	1	1	1	1	100.3	60.75	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	40.6875	2004
12.02.2020 14:09:26	1	1	1	1	100.3	60.5	0	29952.607	535.483871	16013.10032	30000	0	0	30000	40.875	2004
12.02.2020 14:09:27	1	1	1	1	100.3	60.75	0	29810.427	533.3333333	16141.92917	30000	0	0	30000	40.6875	2004
12.02.2020 14:09:28	1	1	1	1	100.3	60.5	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	41	2004
12.02.2020 14:09:29	1	1	1	1	99	61	0	29905.213	537.6344086	16013.10032	30000	0	0	30000	40.75	2004
12.02.2020 14:09:30	1	1	1	1	99	60.75	0	29905.213	535.483871	16013.10032	30000	0	0	30000	41	2004
12.02.2020 14:09:31	1	1	1	1	99	61	0	29810.427	533.3333333	15924.22472	30000	0	0	30000	41	2004
12.02.2020 14:09:32	1	1	1	1	99	61	0	29905.213	537.6344086	16013.10032	30000	0	0	30000	40.9375	2004
12.02.2020 14:09:33	1	1	1	1	99	60.75	0	30000	529.0322581	15870.41013	30000	0	0	30000	40.75	2004
12.02.2020 14:09:34	1	1	1	1	99	60.75	0	29952.607	533.3333333	15974.77781	30000	0	0	30000	40.9375	2004
12.02.2020 14:09:35	1	1	1	1	99	60.75	0	29952.607	533.3333333	16039.19224	30000	0	0	30000	40.875	2004
12.02.2020 14:09:36	1	1	1	1	99	60.75	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	40.8125	2004
12.02.2020 14:09:37	1	1	1	1	99	60.75	0	29857.82	535.483871	16077.51474	30000	0	0	30000	40.9375	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 14:09:38	1	1	1	1	99	60.75	0	30000	533.3333333	15934.82456	30000	0	0	30000	40.875	2004
12.02.2020 14:09:39	1	1	1	1	98.5	60.75	0	29905.213	535.483871	16013.10032	30000	0	0	30000	40.625	2004
12.02.2020 14:09:40	1	1	1	1	98.5	60.5	0	29905.213	533.3333333	16064.46878	30000	0	0	30000	41.0625	2004
12.02.2020 14:09:41	1	1	1	1	98.5	61	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	41.1875	2004
12.02.2020 14:09:42	1	1	1	1	98.5	61	0	29857.82	535.483871	15987.82377	30000	0	0	30000	41	2004
12.02.2020 14:09:43	1	1	1	1	98.5	61	0	29952.607	533.3333333	16064.46878	30000	0	0	30000	40.9375	2004
12.02.2020 14:09:44	1	1	1	1	98.5	60.75	0	29857.82	533.3333333	15987.82377	30000	0	0	30000	40.75	2004
12.02.2020 14:09:45	1	1	1	1	98.5	60.75	0	29857.82	537.6344086	15987.82377	30000	0	0	30000	40.9375	2004
12.02.2020 14:09:46	1	1	1	1	98.5	60.75	0	29810.427	537.6344086	16040.00761	30000	0	0	30000	40.75	2004
12.02.2020 14:09:47	1	1	1	1	98.5	60.75	0	30000	535.483871	16000.05436	30000	0	0	30000	40.5625	2004
12.02.2020 14:09:48	1	1	1	1	98	60.5	0	29857.82	535.483871	16013.10032	30000	0	0	30000	41	2004
12.02.2020 14:09:49	1	1	1	1	98	61	0	29857.82	535.483871	15962.54722	30000	0	0	30000	40.75	2004
12.02.2020 14:09:51	1	1	1	1	98	60.75	0	29905.213	535.483871	16064.46878	30000	0	0	30000	41.0625	2004
12.02.2020 14:09:52	1	1	1	1	98	61	0	29715.64	533.3333333	15848.39508	30000	0	0	30000	40.8125	2004
12.02.2020 14:09:53	1	1	1	1	98	60.75	0	29810.427	537.6344086	16052.2382	30000	0	0	30000	40.6875	2004
12.02.2020 14:09:54	1	1	1	1	98	60.5	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	40.8125	2004
12.02.2020 14:09:55	1	1	1	1	98	60.75	0	29810.427	537.6344086	16052.2382	30000	0	0	30000	40.9375	2004
12.02.2020 14:09:56	1	1	1	1	98	60.75	0	29715.64	544.0860215	16040.00761	30000	0	0	30000	41	2004
12.02.2020 14:09:57	1	1	1	1	98	61	0	29905.213	537.6344086	16013.10032	30000	0	0	30000	40.5625	2004
12.02.2020 14:09:58	1	1	1	1	98	60.5	0	29905.213	537.6344086	16013.10032	30000	0	0	30000	40.875	2004
12.02.2020 14:09:59	1	1	1	1	97.25	60.75	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	40.8125	2004
12.02.2020 14:10:06	1	1	1	1	97.25	60.5	0	29715.64	533.3333333	15848.39508	30000	0	0	30000	40.125	2004
12.02.2020 14:10:06	1	1	1	1	97.25	60.5	0	29715.64	533.3333333	15848.39508	30000	0	0	30000	40.125	2004
12.02.2020 14:10:06	1	1	1	1	97.25	60.5	0	29715.64	533.3333333	15848.39508	30000	0	0	30000	40.125	2004
12.02.2020 14:10:06	1	1	1	1	97.25	60.5	0	29715.64	533.3333333	15848.39508	30000	0	0	30000	40.125	2004
12.02.2020 14:10:06	1	1	1	1	97.25	60.5	0	29715.64	533.3333333	15848.39508	30000	0	0	30000	40.125	2004
12.02.2020 14:10:06	1	1	1	1	97.25	60.5	0	29715.64	533.3333333	15848.39508	30000	0	0	30000	40.125	2004
12.02.2020 14:10:06	1	1	1	1	97.25	60.5	0	29715.64	533.3333333	15848.39508	30000	0	0	30000	40.125	2004
12.02.2020 14:10:06	1	1	1	1	97.25	60.5	0	29715.64	533.3333333	15848.39508	30000	0	0	30000	40.125	2004
12.02.2020 14:10:07	1	1	1	1	97.25	60	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	40.25	2004
12.02.2020 14:10:08	1	1	1	1	97.25	60.25	0	29715.64	535.483871	15975.59318	30000	0	0	30000	40.4375	2004
12.02.2020 14:10:09	1	1	1	1	96	60.25	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	40.8125	2004
12.02.2020 14:10:10	1	1	1	1	96	60.75	0	29715.64	533.3333333	15911.99413	30000	0	0	30000	40.3125	2004
12.02.2020 14:10:11	1	1	1	1	96	60.25	0	29905.213	533.3333333	15974.77781	30000	0	0	30000	40.25	2004
12.02.2020 14:10:12	1	1	1	1	96	60.25	0	29952.607	535.483871	16039.19224	30000	0	0	30000	40.625	2004
12.02.2020 14:10:13	1	1	1	1	96	60.5	0	29905.213	535.483871	16013.10032	30000	0	0	30000	40.3125	2004
12.02.2020 14:10:14	1	1	1	1	96	60.25	0	29810.427	533.3333333	15528.76906	30000	0	0	30000	40.6875	2004
12.02.2020 14:10:15	1	1	1	1	96	60.5	0	29952.607	533.3333333	16064.46878	30000	0	0	30000	41	2004
12.02.2020 14:10:16	1	1	1	1	96	61	0	29857.82	535.483871	15962.54722	30000	0	0	30000	40.8125	2004
12.02.2020 14:10:17	1	1	1	1	96	60.75	0	29857.82	533.3333333	16013.10032	30000	0	0	30000	40.5625	2004
12.02.2020 14:10:18	1	1	1	1	96	60.5	0	29810.427	535.483871	16052.2382	30000	0	0	30000	40.9375	2004
12.02.2020 14:10:19	1	1	1	1	95.5	60.75	0	29715.64	533.3333333	15898.94817	30000	0	0	30000	41	2004
12.02.2020 14:10:20	1	1	1	1	95.5	61	0	29857.82	537.6344086	15987.82377	30000	0	0	30000	41	2004
12.02.2020 14:10:21	1	1	1	1	95.5	61	0	29905.213	533.3333333	16257.71206	30000	0	0	30000	40.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 14:10:22	1	1	1	1	95.5	60.5	0	30000	529.0322581	15870.41013	30000	0	0	30000	40.875	2004
12.02.2020 14:10:23	1	1	1	1	95.5	60.75	0	29952.607	533.3333333	15949.50126	30000	0	0	30000	40.5625	2004
12.02.2020 14:10:24	1	1	1	1	95.5	60.5	0	29905.213	535.483871	16013.10032	30000	0	0	30000	41	2004
12.02.2020 14:10:25	1	1	1	1	95.5	61	0	29952.607	533.3333333	15949.50126	30000	0	0	30000	40.8125	2004
12.02.2020 14:10:26	1	1	1	1	95.5	60.75	0	30000	529.0322581	15870.41013	30000	0	0	30000	40.875	2004
12.02.2020 14:10:27	1	1	1	1	95.5	60.75	0	29952.607	535.483871	16064.46878	30000	0	0	30000	41	2004
12.02.2020 14:10:28	1	1	1	1	94.75	61	0	29763.033	535.483871	15911.99413	30000	0	0	30000	41.0625	2004
12.02.2020 14:10:29	1	1	1	1	94.75	61	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	40.625	2004
12.02.2020 14:10:31	1	1	1	1	94.75	60.5	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	41	2004
12.02.2020 14:10:32	1	1	1	1	94.75	61	0	29810.427	537.6344086	16026.96165	30000	0	0	30000	40.5	2004
12.02.2020 14:10:33	1	1	1	1	94.75	60.5	0	29715.64	546.2365591	15975.59318	30000	0	0	30000	41.0625	2004
12.02.2020 14:10:34	1	1	1	1	94.75	61	0	29715.64	535.483871	15911.99413	30000	0	0	30000	40.875	2004
12.02.2020 14:10:35	1	1	1	1	94.75	60.75	0	29905.213	535.483871	16013.10032	30000	0	0	30000	40.875	2004
12.02.2020 14:10:36	1	1	1	1	94.75	60.75	0	29857.82	535.483871	15962.54722	30000	0	0	30000	40.25	2004
12.02.2020 14:10:37	1	1	1	1	94.75	60.25	0	29857.82	535.483871	16077.51474	30000	0	0	30000	40.9375	2004
12.02.2020 14:10:38	1	1	1	1	94.75	60.75	0	29857.82	537.6344086	16090.5607	30000	0	0	30000	40.5	2004
12.02.2020 14:10:39	1	1	1	1	93.75	60.5	0	29857.82	537.6344086	16116.65262	30000	0	0	30000	40.9375	2004
12.02.2020 14:10:40	1	1	1	1	93.75	60.75	0	29905.213	533.3333333	16039.19224	30000	0	0	30000	40.6875	2004
12.02.2020 14:10:41	1	1	1	1	93.75	60.5	0	29952.607	533.3333333	15974.77781	30000	0	0	30000	41.0625	2004
12.02.2020 14:10:42	1	1	1	1	93.75	61	0	29952.607	533.3333333	16013.10032	30000	0	0	30000	40.75	2004
12.02.2020 14:10:43	1	1	1	1	93.75	60.75	0	29905.213	535.483871	16013.10032	30000	0	0	30000	40.6875	2004
12.02.2020 14:10:44	1	1	1	1	93.75	60.5	0	29715.64	533.3333333	15848.39508	30000	0	0	30000	41.0625	2004
12.02.2020 14:10:45	1	1	1	1	93.75	61	0	29952.607	533.3333333	16064.46878	30000	0	0	30000	40.75	2004
12.02.2020 14:10:46	1	1	1	1	93.75	60.75	0	29905.213	541.9354839	16013.10032	30000	0	0	30000	40.9375	2004
12.02.2020 14:10:47	1	1	1	1	93.75	60.75	0	29715.64	533.3333333	15937.27068	30000	0	0	30000	40.6875	2004
12.02.2020 14:10:48	1	1	1	1	93.75	60.5	0	30000	533.3333333	16000.05436	30000	0	0	30000	40.5	2004
12.02.2020 14:10:49	1	1	1	1	93.25	60.5	0	30000	533.3333333	16000.05436	30000	0	0	30000	40.5	2004
12.02.2020 14:10:50	1	1	1	1	93.25	60.5	0	29952.607	529.0322581	15934.82456	30000	0	0	30000	41.125	2004
12.02.2020 14:10:51	1	1	1	1	93.25	61	0	29810.427	526.8817204	15987.82377	30000	0	0	30000	40.625	2004
12.02.2020 14:10:52	1	1	1	1	93.25	60.5	0	29952.607	524.7311828	15805.99571	30000	0	0	30000	40.875	2004
12.02.2020 14:10:53	1	1	1	1	93.25	60.75	0	29715.64	533.3333333	15848.39508	30000	0	0	30000	39.8125	2004
12.02.2020 14:10:54	1	1	1	1	93.25	59.75	0	29952.607	535.483871	16039.19224	30000	0	0	30000	40.625	2004
12.02.2020 14:10:55	1	1	1	1	93.25	60.5	0	29857.82	533.3333333	15987.82377	30000	0	0	30000	40.75	2004
12.02.2020 14:10:56	1	1	1	1	93.25	60.75	0	30000	533.3333333	16000.05436	30000	0	0	30000	40.75	2004
12.02.2020 14:10:57	1	1	1	1	93.25	60.75	0	30000	533.3333333	16064.46878	30000	0	0	30000	40.9375	2004
12.02.2020 14:10:58	1	1	1	1	93.25	60.75	0	29857.82	535.483871	15987.82377	30000	0	0	30000	40.875	2004
12.02.2020 14:10:59	1	1	1	1	92.5	60.75	0	30047.393	535.483871	15974.77781	30000	0	0	30000	41.375	2004
12.02.2020 14:11:00	1	1	1	1	92.5	61.25	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	41	2004
12.02.2020 14:11:08	1	1	1	1	92.5	60.25	0	29857.82	537.6344086	16116.65262	30000	0	0	30000	40.5	2004
12.02.2020 14:11:08	1	1	1	1	92.5	60.25	0	29857.82	537.6344086	16116.65262	30000	0	0	30000	40.5	2004
12.02.2020 14:11:08	1	1	1	1	92.5	60.25	0	29857.82	537.6344086	16116.65262	30000	0	0	30000	40.5	2004
12.02.2020 14:11:08	1	1	1	1	92.5	60.25	0	29857.82	537.6344086	16116.65262	30000	0	0	30000	40.5	2004
12.02.2020 14:11:08	1	1	1	1	92.5	60.25	0	29857.82	537.6344086	16116.65262	30000	0	0	30000	40.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 14:11:08	1	1	1	1	92.5	60.25	0	29857.82	537.6344086	16116.65262	30000	0	0	30000	40.5	2004
12.02.2020 14:11:08	1	1	1	1	92.5	60.25	0	29857.82	537.6344086	16116.65262	30000	0	0	30000	40.5	2004
12.02.2020 14:11:09	1	1	1	1	92	60.5	0	29810.427	537.6344086	16090.5607	30000	0	0	30000	40.8125	2004
12.02.2020 14:11:10	1	1	1	1	92	60.75	0	29715.64	539.7849462	16090.5607	30000	0	0	30000	40.8125	2004
12.02.2020 14:11:11	1	1	1	1	92	60.75	0	29905.213	535.483871	16013.10032	30000	0	0	30000	40.8125	2004
12.02.2020 14:11:12	1	1	1	1	92	60.75	0	29763.033	535.483871	15962.54722	30000	0	0	30000	40.625	2004
12.02.2020 14:11:13	1	1	1	1	92	60.5	0	29905.213	535.483871	16013.10032	30000	0	0	30000	41	2004
12.02.2020 14:11:14	1	1	1	1	92	61	0	30000	535.483871	16000.05436	30000	0	0	30000	40.4375	2004
12.02.2020 14:11:15	1	1	1	1	92	60.25	0	29905.213	535.483871	16013.10032	30000	0	0	30000	40.9375	2004
12.02.2020 14:11:16	1	1	1	1	92	60.75	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	40.875	2004
12.02.2020 14:11:17	1	1	1	1	92	60.75	0	30000	533.3333333	15756.25798	30000	0	0	30000	40.8125	2004
12.02.2020 14:11:18	1	1	1	1	92	60.75	0	29857.82	535.483871	16013.10032	30000	0	0	30000	40.5	2004
12.02.2020 14:11:19	1	1	1	1	91	60.5	0	29905.213	533.3333333	16064.46878	30000	0	0	30000	40.625	2004
12.02.2020 14:11:20	1	1	1	1	91	60.5	0	29952.607	529.0322581	16000.05436	30000	0	0	30000	41.0625	2004
12.02.2020 14:11:21	1	1	1	1	91	61	0	29905.213	533.3333333	15885.08684	30000	0	0	30000	40.5625	2004
12.02.2020 14:11:22	1	1	1	1	91	60.5	0	30000	537.6344086	16064.46878	30000	0	0	30000	40.875	2004
12.02.2020 14:11:23	1	1	1	1	91	60.75	0	30000	535.483871	16000.05436	30000	0	0	30000	41	2004
12.02.2020 14:11:24	1	1	1	1	91	61	0	29905.213	531.1827957	15870.41013	30000	0	0	30000	40.75	2004
12.02.2020 14:11:25	1	1	1	1	91	60.75	0	30000	533.3333333	16064.46878	30000	0	0	30000	40.375	2004
12.02.2020 14:11:26	1	1	1	1	91	60.25	0	30000	533.3333333	16000.05436	30000	0	0	30000	41	2004
12.02.2020 14:11:27	1	1	1	1	91	61	0	29857.82	533.3333333	15834.53374	30000	0	0	30000	40.25	2004
12.02.2020 14:11:28	1	1	1	1	91	60.25	0	29952.607	529.0322581	16000.05436	30000	0	0	30000	41.1875	2004
12.02.2020 14:11:29	1	1	1	1	90.5	61	0	29905.213	535.483871	15949.50126	30000	0	0	30000	40.875	2004
12.02.2020 14:11:30	1	1	1	1	90.5	60.75	0	30000	535.483871	15805.99571	30000	0	0	30000	40.375	2004
12.02.2020 14:11:31	1	1	1	1	90.5	60.25	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	40.875	2004
12.02.2020 14:11:32	1	1	1	1	90.5	60.75	0	30000	529.0322581	15870.41013	30000	0	0	30000	39.875	2004
12.02.2020 14:11:33	1	1	1	1	90.5	59.75	0	29952.607	533.3333333	15870.41013	30000	0	0	30000	40.6875	2004
12.02.2020 14:11:34	1	1	1	1	90.5	60.5	0	30000	529.0322581	15934.82456	30000	0	0	30000	40.5625	2004
12.02.2020 14:11:35	1	1	1	1	90.5	60.5	0	29905.213	526.8817204	16064.46878	30000	0	0	30000	40.9375	2004
12.02.2020 14:11:36	1	1	1	1	90.5	60.75	0	29857.82	535.483871	16013.10032	30000	0	0	30000	41.1875	2004
12.02.2020 14:11:37	1	1	1	1	90.5	61	0	29905.213	531.1827957	15974.77781	30000	0	0	30000	41.0625	2004
12.02.2020 14:11:38	1	1	1	1	90.5	61	0	30000	531.1827957	16000.05436	30000	0	0	30000	40.3125	2004
12.02.2020 14:11:39	1	1	1	1	90.25	61.25	0	30000	526.8817204	15805.99571	30000	0	0	30000	41.0625	2004
12.02.2020 14:11:40	1	1	1	1	90.25	61	0	30000	529.0322581	15934.82456	30000	0	0	30000	40.6875	2004
12.02.2020 14:11:41	1	1	1	1	90.25	60.5	0	29857.82	533.3333333	15987.82377	30000	0	0	30000	40.75	2004
12.02.2020 14:11:42	1	1	1	1	90.25	60.75	0	29952.607	533.3333333	16000.05436	30000	0	0	30000	40.6875	2004
12.02.2020 14:11:43	1	1	1	1	90.25	60.5	0	30000	537.6344086	16000.05436	30000	0	0	30000	40.5625	2004
12.02.2020 14:11:45	1	1	1	1	90.25	60.5	0	30000	531.1827957	15805.99571	30000	0	0	30000	39.9375	2004
12.02.2020 14:11:46	1	1	1	1	90.25	59.75	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	40.625	2004
12.02.2020 14:11:47	1	1	1	1	90.25	60.5	0	29952.607	533.3333333	16000.05436	30000	0	0	30000	40.5625	2004
12.02.2020 14:11:48	1	1	1	1	90.25	60.5	0	30000	526.8817204	15805.99571	30000	0	0	30000	40.6875	2004
12.02.2020 14:11:49	1	1	1	1	89.5	60.5	0	30000	529.0322581	15870.41013	30000	0	0	30000	40.4375	2004
12.02.2020 14:11:50	1	1	1	1	89.5	60.25	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	40.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 14:11:51	1	1	1	1	89.5	60.75	0	30000	533.3333333	16000.05436	30000	0	0	30000	40.9375	2004
12.02.2020 14:11:52	1	1	1	1	89.5	60.75	0	30000	533.3333333	15934.82456	30000	0	0	30000	40.25	2004
12.02.2020 14:11:53	1	1	1	1	89.5	60.25	0	29952.607	533.3333333	16000.05436	30000	0	0	30000	40.9375	2004
12.02.2020 14:11:54	1	1	1	1	89.5	60.75	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	40.8125	2004
12.02.2020 14:11:55	1	1	1	1	89.5	60.75	0	29857.82	533.3333333	15949.50126	30000	0	0	30000	41	2004
12.02.2020 14:11:56	1	1	1	1	89.5	61	0	30000	537.6344086	16064.46878	30000	0	0	30000	41	2004
12.02.2020 14:11:57	1	1	1	1	89.5	61	0	29905.213	524.7311828	15677.16685	30000	0	0	30000	40.125	2004
12.02.2020 14:11:58	1	1	1	1	89.5	60	0	29952.607	533.3333333	15934.82456	30000	0	0	30000	40.625	2004
12.02.2020 14:11:59	1	1	1	1	89	60.5	0	30000	526.8817204	15870.41013	30000	0	0	30000	40.75	2004
12.02.2020 14:12:00	1	1	1	1	89	60.75	0	29952.607	522.5806452	15652.70568	30000	0	0	30000	40.75	2004
12.02.2020 14:12:01	1	1	1	1	89	60.75	0	30000	529.0322581	15934.82456	30000	0	0	30000	40.6875	2004
12.02.2020 14:12:02	1	1	1	1	89	60.5	0	30000	524.7311828	15741.58128	30000	0	0	30000	40.9375	2004
12.02.2020 14:12:10	1	1	1	1	88.5	61	0	30000	516.1290323	15306.17237	30000	0	0	30000	41	2004
12.02.2020 14:12:10	1	1	1	1	88.5	61	0	30000	516.1290323	15306.17237	30000	0	0	30000	41	2004
12.02.2020 14:12:10	1	1	1	1	88.5	61	0	30000	516.1290323	15306.17237	30000	0	0	30000	41	2004
12.02.2020 14:12:10	1	1	1	1	88.5	61	0	30000	516.1290323	15306.17237	30000	0	0	30000	41	2004
12.02.2020 14:12:10	1	1	1	1	88.5	61	0	30000	516.1290323	15306.17237	30000	0	0	30000	41	2004
12.02.2020 14:12:10	1	1	1	1	88.5	61	0	30000	516.1290323	15306.17237	30000	0	0	30000	41	2004
12.02.2020 14:12:10	1	1	1	1	88.5	61	0	30000	516.1290323	15306.17237	30000	0	0	30000	41	2004
12.02.2020 14:12:10	1	1	1	1	88.5	61	0	29952.607	522.5806452	15677.16685	30000	0	0	30000	41	2004
12.02.2020 14:12:11	1	1	1	1	88.5	61	0	30000	522.5806452	15805.99571	30000	0	0	30000	40.9375	2004
12.02.2020 14:12:12	1	1	1	1	88.5	60.75	0	29952.607	524.7311828	15805.99571	30000	0	0	30000	40.625	2004
12.02.2020 14:12:13	1	1	1	1	88.5	60.5	0	30000	531.1827957	15934.82456	30000	0	0	30000	41.0625	2004
12.02.2020 14:12:14	1	1	1	1	88.5	61	0	30000	529.0322581	15870.41013	30000	0	0	30000	40.8125	2004
12.02.2020 14:12:15	1	1	1	1	88.5	60.75	0	30000	524.7311828	15870.41013	30000	0	0	30000	40.4375	2004
12.02.2020 14:12:16	1	1	1	1	88.5	60.25	0	30000	526.8817204	15805.99571	30000	0	0	30000	40.5625	2004
12.02.2020 14:12:17	1	1	1	1	88.5	60.5	0	29952.607	524.7311828	15805.99571	30000	0	0	30000	40.375	2004
12.02.2020 14:12:18	1	1	1	1	88.25	60.25	0	29952.607	529.0322581	15805.99571	30000	0	0	30000	40.5	2004
12.02.2020 14:12:19	1	1	1	1	88.25	60.5	0	30000	524.7311828	15805.99571	30000	0	0	30000	40.3125	2004
12.02.2020 14:12:20	1	1	1	1	88.25	60.25	0	29905.213	537.6344086	16077.51474	30000	0	0	30000	39.5625	2004
12.02.2020 14:12:22	1	1	1	1	88.25	59.5	0	30000	524.7311828	15741.58128	30000	0	0	30000	40.625	2004
12.02.2020 14:12:23	1	1	1	1	88.25	60.5	0	30000	524.7311828	15805.99571	30000	0	0	30000	39.875	2004
12.02.2020 14:12:24	1	1	1	1	88.25	59.75	0	30000	526.8817204	15805.99571	30000	0	0	30000	39.8125	2004
12.02.2020 14:12:25	1	1	1	1	88.25	59.75	0	30000	529.0322581	15870.41013	30000	0	0	30000	40.5	2004
12.02.2020 14:12:26	1	1	1	1	88.25	60.5	0	29952.607	516.1290323	15677.16685	30000	0	0	30000	40.5625	2004
12.02.2020 14:12:27	1	1	1	1	88.25	60.5	0	30000	526.8817204	15805.99571	30000	0	0	30000	40.875	2004
12.02.2020 14:12:28	1	1	1	1	88.25	60.75	0	29952.607	526.8817204	15805.99571	30000	0	0	30000	39.875	2004
12.02.2020 14:12:29	1	1	1	1	87.25	59.75	0	30000	522.5806452	15677.16685	30000	0	0	30000	40.125	2004
12.02.2020 14:12:30	1	1	1	1	87.25	60	0	30000	516.1290323	15701.62803	30000	0	0	30000	39.75	2004
12.02.2020 14:12:31	1	1	1	1	87.25	59.75	0	30000	529.0322581	15934.82456	30000	0	0	30000	40.75	2004
12.02.2020 14:12:32	1	1	1	1	87.25	60.75	0	30000	520.4301075	15677.16685	30000	0	0	30000	40.5625	2004
12.02.2020 14:12:33	1	1	1	1	87.25	60.5	0	30000	522.5806452	15677.16685	30000	0	0	30000	40.8125	2004
12.02.2020 14:12:34	1	1	1	1	87.25	60.75	0	30000	524.7311828	15741.58128	30000	0	0	30000	41	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 14:12:35	1	1	1	1	87.25	61	0	30000	526.8817204	15805.99571	30000	0	0	30000	40.5	2004
12.02.2020 14:12:36	1	1	1	1	87.25	60.5	0	30000	516.1290323	15483.92357	30000	0	0	30000	40.1875	2004
12.02.2020 14:12:37	1	1	1	1	87.25	60	0	30000	511.827957	15483.92357	30000	0	0	30000	40.3125	2004
12.02.2020 14:12:38	1	1	1	1	87.25	60.25	0	30000	533.3333333	16000.05436	30000	0	0	30000	40.8125	2004
12.02.2020 14:12:39	1	1	1	1	87	60.75	0	29857.82	533.3333333	15577.69141	30000	0	0	30000	40.6875	2004
12.02.2020 14:12:40	1	1	1	1	87	60.5	0	29952.607	522.5806452	15741.58128	30000	0	0	30000	40.75	2004
12.02.2020 14:12:41	1	1	1	1	87	60.75	0	29905.213	535.483871	16013.10032	30000	0	0	30000	41	2004
12.02.2020 14:12:42	1	1	1	1	87	61	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	40.3125	2004
12.02.2020 14:12:43	1	1	1	1	87	60.25	0	30000	522.5806452	15677.16685	30000	0	0	30000	40.875	2004
12.02.2020 14:12:44	1	1	1	1	87	60.75	0	30000	533.3333333	16000.05436	30000	0	0	30000	40.8125	2004
12.02.2020 14:12:45	1	1	1	1	87	60.75	0	30047.393	529.0322581	15741.58128	30000	0	0	30000	40.5625	2004
12.02.2020 14:12:46	1	1	1	1	87	60.5	0	30000	526.8817204	15805.99571	30000	0	0	30000	40.75	2004
12.02.2020 14:12:47	1	1	1	1	87	60.75	0	30000	529.0322581	16000.05436	30000	0	0	30000	40.875	2004
12.02.2020 14:12:48	1	1	1	1	87	60.75	0	30000	520.4301075	15612.75243	30000	0	0	30000	40.5625	2004
12.02.2020 14:12:49	1	1	1	1	86.5	60.5	0	30000	509.6774194	15354.27935	30000	0	0	30000	40.5625	2004
12.02.2020 14:12:50	1	1	1	1	86.5	60.5	0	30000	507.5268817	15289.86492	30000	0	0	30000	40.5	2004
12.02.2020 14:12:51	1	1	1	1	86.5	60.5	0	30000	516.1290323	15483.92357	30000	0	0	30000	41	2004
12.02.2020 14:12:52	1	1	1	1	86.5	61	0	30000	516.1290323	15483.92357	30000	0	0	30000	41.3125	2004
12.02.2020 14:12:53	1	1	1	1	86.5	61.25	0	30000	520.4301075	15523.87682	30000	0	0	30000	41.125	2004
12.02.2020 14:12:54	1	1	1	1	86.5	61	0	30000	509.6774194	15289.86492	30000	0	0	30000	41.0625	2004
12.02.2020 14:12:55	1	1	1	1	86.5	61	0	30000	516.1290323	15483.92357	30000	0	0	30000	40.1875	2004
12.02.2020 14:12:56	1	1	1	1	86.5	60	0	30000	507.5268817	15137.39026	30000	0	0	30000	40.125	2004
12.02.2020 14:12:57	1	1	1	1	86.5	60	0	30000	511.827957	15354.27935	30000	0	0	30000	40.375	2004
12.02.2020 14:12:58	1	1	1	1	86	60.25	0	30000	516.1290323	15548.338	30000	0	0	30000	40.5625	2004
12.02.2020 14:12:59	1	1	1	1	86	60.5	0	30000	516.1290323	15483.92357	30000	0	0	30000	40.75	2004
12.02.2020 14:13:00	1	1	1	1	86	60.75	0	30000	511.827957	15483.92357	30000	0	0	30000	40.5	2004
12.02.2020 14:13:02	1	1	1	1	86	60.5	0	30000	516.1290323	15483.92357	30000	0	0	30000	41	2004
12.02.2020 14:13:03	1	1	1	1	86	61	0	30000	518.2795699	15766.85783	30000	0	0	30000	40.5	2004
12.02.2020 14:13:04	1	1	1	1	86	60.5	0	30000	516.1290323	15354.27935	30000	0	0	30000	40.625	2004
12.02.2020 14:13:11	1	1	1	1	85.5	60.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	40.375	2004
12.02.2020 14:13:11	1	1	1	1	85.5	60.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	40.375	2004
12.02.2020 14:13:11	1	1	1	1	85.5	60.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	40.375	2004
12.02.2020 14:13:11	1	1	1	1	85.5	60.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	40.375	2004
12.02.2020 14:13:11	1	1	1	1	85.5	60.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	40.375	2004
12.02.2020 14:13:11	1	1	1	1	85.5	60.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	40.375	2004
12.02.2020 14:13:11	1	1	1	1	85.5	60.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	40.375	2004
12.02.2020 14:13:11	1	1	1	1	85.5	60.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	40.375	2004
12.02.2020 14:13:12	1	1	1	1	85.5	60.25	0	30000	516.1290323	15548.338	30000	0	0	30000	40.8125	2004
12.02.2020 14:13:13	1	1	1	1	85.5	60.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	40.5625	2004
12.02.2020 14:13:14	1	1	1	1	85.5	60.5	0	29952.607	522.5806452	15627.42913	30000	0	0	30000	40.8125	2004
12.02.2020 14:13:15	1	1	1	1	85.5	60.75	0	30000	509.6774194	15289.86492	30000	0	0	30000	40.9375	2004
12.02.2020 14:13:16	1	1	1	1	85.5	60.75	0	30000	516.1290323	15548.338	30000	0	0	30000	40.3125	2004
12.02.2020 14:13:17	1	1	1	1	85.5	60.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	40.3125	2004
12.02.2020 14:13:18	1	1	1	1	85.5	60.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	40.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 14:13:19	1	1	1	1	85	60.75	0	29952.607	529.0322581	15910.36338	30000	0	0	30000	40.6875	2004
12.02.2020 14:13:20	1	1	1	1	85	60.5	0	29952.607	507.5268817	15137.39026	30000	0	0	30000	40.375	2004
12.02.2020 14:13:21	1	1	1	1	85	60.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	40.875	2004
12.02.2020 14:13:22	1	1	1	1	85	60.75	0	29952.607	507.5268817	15483.92357	30000	0	0	30000	40.625	2004
12.02.2020 14:13:23	1	1	1	1	85	60.5	0	30047.393	520.4301075	15612.75243	30000	0	0	30000	40.9375	2004
12.02.2020 14:13:24	1	1	1	1	85	60.75	0	30000	522.5806452	15677.16685	30000	0	0	30000	40.9375	2004
12.02.2020 14:13:25	1	1	1	1	85	60.75	0	29905.213	509.6774194	15483.92357	30000	0	0	30000	40.6875	2004
12.02.2020 14:13:26	1	1	1	1	85	60.5	0	30000	511.827957	15483.92357	30000	0	0	30000	40.9375	2004
12.02.2020 14:13:27	1	1	1	1	85	60.75	0	30000	518.2795699	15548.338	30000	0	0	30000	41	2004
12.02.2020 14:13:28	1	1	1	1	85	61	0	30000	516.1290323	15483.92357	30000	0	0	30000	40.875	2004
12.02.2020 14:13:29	1	1	1	1	84.75	60.75	0	29952.607	516.1290323	15354.27935	30000	0	0	30000	40.5625	2004
12.02.2020 14:13:30	1	1	1	1	84.75	60.5	0	30000	511.827957	15289.86492	30000	0	0	30000	40.75	2004
12.02.2020 14:13:31	1	1	1	1	84.75	60.75	0	30000	507.5268817	15289.86492	30000	0	0	30000	41.375	2004
12.02.2020 14:13:32	1	1	1	1	84.75	61.25	0	30000	507.5268817	15225.45049	30000	0	0	30000	40.5625	2004
12.02.2020 14:13:33	1	1	1	1	84.75	60.5	0	30000	507.5268817	15289.86492	30000	0	0	30000	41.5	2004
12.02.2020 14:13:34	1	1	1	1	84.75	61.25	0	30000	522.5806452	15677.16685	30000	0	0	30000	40.5625	2004
12.02.2020 14:13:35	1	1	1	1	84.75	60.5	0	30000	524.7311828	15588.29125	30000	0	0	30000	40.75	2004
12.02.2020 14:13:36	1	1	1	1	84.75	60.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	41	2004
12.02.2020 14:13:37	1	1	1	1	84.75	61	0	30000	511.827957	15354.27935	30000	0	0	30000	40.8125	2004
12.02.2020 14:13:38	1	1	1	1	84.25	60.75	0	30047.393	509.6774194	15289.86492	30000	0	0	30000	40.75	2004
12.02.2020 14:13:39	1	1	1	1	84.25	60.75	0	30000	507.5268817	15161.03607	30000	0	0	30000	40.4375	2004
12.02.2020 14:13:41	1	1	1	1	84.25	60.25	0	30000	505.3763441	15225.45049	30000	0	0	30000	40.8125	2004
12.02.2020 14:13:42	1	1	1	1	84.25	60.75	0	30000	509.6774194	15289.86492	30000	0	0	30000	41	2004
12.02.2020 14:13:43	1	1	1	1	84.25	61	0	30000	505.3763441	15161.03607	30000	0	0	30000	40.6875	2004
12.02.2020 14:13:44	1	1	1	1	84.25	60.5	0	30000	511.827957	15289.86492	30000	0	0	30000	40.1875	2004
12.02.2020 14:13:45	1	1	1	1	84.25	60	0	30000	511.827957	15289.86492	30000	0	0	30000	39.8125	2004
12.02.2020 14:13:46	1	1	1	1	84.25	59.75	0	30000	511.827957	15201.80469	30000	0	0	30000	40.5	2004
12.02.2020 14:13:47	1	1	1	1	84.25	60.5	0	30000	518.2795699	15548.338	30000	0	0	30000	40.5	2004
12.02.2020 14:13:48	1	1	1	1	84.25	60.5	0	30000	516.1290323	15289.86492	30000	0	0	30000	40.4375	2004
12.02.2020 14:13:49	1	1	1	1	83.75	60.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	40.9375	2004
12.02.2020 14:13:50	1	1	1	1	83.75	60.75	0	29952.607	516.1290323	15483.92357	30000	0	0	30000	40.3125	2004
12.02.2020 14:13:51	1	1	1	1	83.75	60.25	0	30000	518.2795699	15483.92357	30000	0	0	30000	40.3125	2004
12.02.2020 14:13:52	1	1	1	1	83.75	60.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	41	2004
12.02.2020 14:13:53	1	1	1	1	83.75	61	0	30000	507.5268817	15225.45049	30000	0	0	30000	40.8125	2004
12.02.2020 14:13:54	1	1	1	1	83.75	60.75	0	29952.607	509.6774194	15289.86492	30000	0	0	30000	40.75	2004
12.02.2020 14:13:55	1	1	1	1	83.75	60.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	40.8125	2004
12.02.2020 14:13:56	1	1	1	1	83.75	60.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	40.625	2004
12.02.2020 14:13:57	1	1	1	1	83.75	60.5	0	30000	516.1290323	15483.92357	30000	0	0	30000	40.25	2004
12.02.2020 14:13:58	1	1	1	1	83.75	60.25	0	30000	509.6774194	15289.86492	30000	0	0	30000	41.125	2004
12.02.2020 14:13:59	1	1	1	1	83.5	61	0	30000	516.1290323	15483.92357	30000	0	0	30000	40.0625	2004
12.02.2020 14:14:00	1	1	1	1	83.5	60	0	30000	509.6774194	15289.86492	30000	0	0	30000	39.5625	2004
12.02.2020 14:14:01	1	1	1	1	83.5	59.5	0	30000	516.1290323	15354.27935	30000	0	0	30000	40.6875	2004
12.02.2020 14:14:02	1	1	1	1	83.5	60.5	0	30000	507.5268817	15225.45049	30000	0	0	30000	40.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 14:14:03	1	1	1	1	83.5	60	0	30000	516.1290323	15354.27935	30000	0	0	30000	40.75	2004
12.02.2020 14:14:04	1	1	1	1	83.5	60.75	0	30000	505.3763441	15225.45049	30000	0	0	30000	40	2004
12.02.2020 14:14:05	1	1	1	1	83.5	60	0	29952.607	509.6774194	15266.21912	30000	0	0	30000	41	2004
12.02.2020 14:14:13	1	1	1	1	83	60.75	0	30000	509.6774194	15289.86492	30000	0	0	30000	41	2004
12.02.2020 14:14:13	1	1	1	1	83	60.75	0	30000	509.6774194	15289.86492	30000	0	0	30000	41	2004
12.02.2020 14:14:13	1	1	1	1	83	60.75	0	30000	509.6774194	15289.86492	30000	0	0	30000	41	2004
12.02.2020 14:14:13	1	1	1	1	83	60.75	0	30000	509.6774194	15289.86492	30000	0	0	30000	41	2004
12.02.2020 14:14:13	1	1	1	1	83	60.75	0	30000	509.6774194	15289.86492	30000	0	0	30000	41	2004
12.02.2020 14:14:13	1	1	1	1	83	60.75	0	30000	509.6774194	15289.86492	30000	0	0	30000	41	2004
12.02.2020 14:14:13	1	1	1	1	83	61	0	30000	509.6774194	15289.86492	30000	0	0	30000	41	2004
12.02.2020 14:14:13	1	1	1	1	83	61	0	30000	516.1290323	15483.92357	30000	0	0	30000	41.0625	2004
12.02.2020 14:14:14	1	1	1	1	83	61	0	30000	516.1290323	15483.92357	30000	0	0	30000	40.8125	2004
12.02.2020 14:14:15	1	1	1	1	83	60.75	0	30047.393	516.1290323	15483.92357	30000	0	0	30000	40.8125	2004
12.02.2020 14:14:16	1	1	1	1	83	60.75	0	30000	516.1290323	15548.338	30000	0	0	30000	40.8125	2004
12.02.2020 14:14:18	1	1	1	1	83	60.75	0	30000	509.6774194	15225.45049	30000	0	0	30000	40.5	2004
12.02.2020 14:14:19	1	1	1	1	82.75	60.5	0	30000	511.827957	15354.27935	30000	0	0	30000	40.5	2004
12.02.2020 14:14:20	1	1	1	1	82.75	60.5	0	30000	516.1290323	15483.92357	30000	0	0	30000	40.5	2004
12.02.2020 14:14:21	1	1	1	1	82.75	60.5	0	30000	511.827957	15354.27935	30000	0	0	30000	40.375	2004
12.02.2020 14:14:22	1	1	1	1	82.75	60.25	0	30000	509.6774194	15289.86492	30000	0	0	30000	40.6875	2004
12.02.2020 14:14:23	1	1	1	1	82.75	60.5	0	29952.607	516.1290323	15483.92357	30000	0	0	30000	40.625	2004
12.02.2020 14:14:24	1	1	1	1	82.75	60.5	0	30000	507.5268817	15289.86492	30000	0	0	30000	40.8125	2004
12.02.2020 14:14:25	1	1	1	1	82.75	60.75	0	30000	520.4301075	15523.87682	30000	0	0	30000	40.875	2004
12.02.2020 14:14:26	1	1	1	1	82.75	60.75	0	30000	507.5268817	15289.86492	30000	0	0	30000	40.8125	2004
12.02.2020 14:14:27	1	1	1	1	82.75	60.75	0	30000	511.827957	15418.69377	30000	0	0	30000	40.5625	2004
12.02.2020 14:14:28	1	1	1	1	82.75	60.5	0	30000	507.5268817	15161.03607	30000	0	0	30000	40.3125	2004
12.02.2020 14:14:29	1	1	1	1	82.25	60.25	0	30000	507.5268817	15289.86492	30000	0	0	30000	40.3125	2004
12.02.2020 14:14:30	1	1	1	1	82.25	60.25	0	30000	516.1290323	15354.27935	30000	0	0	30000	40.6875	2004
12.02.2020 14:14:31	1	1	1	1	82.25	60.5	0	30000	516.1290323	15483.92357	30000	0	0	30000	39.8125	2004
12.02.2020 14:14:32	1	1	1	1	82.25	59.75	0	30000	511.827957	15289.86492	30000	0	0	30000	40.5	2004
12.02.2020 14:14:33	1	1	1	1	82.25	60.5	0	30000	501.0752688	15032.20721	30000	0	0	30000	40.6875	2004
12.02.2020 14:14:34	1	1	1	1	82.25	60.5	0	30000	507.5268817	15225.45049	30000	0	0	30000	40.625	2004
12.02.2020 14:14:35	1	1	1	1	82.25	60.5	0	30000	507.5268817	15161.03607	30000	0	0	30000	40.9375	2004
12.02.2020 14:14:36	1	1	1	1	82.25	60.75	0	30000	516.1290323	15726.90457	30000	0	0	30000	40.875	2004
12.02.2020 14:14:37	1	1	1	1	82.25	60.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	40.5625	2004
12.02.2020 14:14:38	1	1	1	1	82.25	60.5	0	30000	516.1290323	15483.92357	30000	0	0	30000	41.125	2004
12.02.2020 14:14:39	1	1	1	1	81.75	61	0	30000	503.2258065	15161.03607	30000	0	0	30000	40.5625	2004
12.02.2020 14:14:40	1	1	1	1	81.75	60.5	0	30000	509.6774194	15289.86492	30000	0	0	30000	40.6875	2004
12.02.2020 14:14:41	1	1	1	1	81.75	60.5	0	30000	509.6774194	15354.27935	30000	0	0	30000	40.3125	2004
12.02.2020 14:14:42	1	1	1	1	81.75	60.25	0	30000	522.5806452	15459.4624	30000	0	0	30000	40.9375	2004
12.02.2020 14:14:43	1	1	1	1	81.75	60.75	0	30000	507.5268817	15289.86492	30000	0	0	30000	39.9375	2004
12.02.2020 14:14:44	1	1	1	1	81.75	59.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	40.625	2004
12.02.2020 14:14:45	1	1	1	1	81.75	60.5	0	30000	507.5268817	15289.86492	30000	0	0	30000	40.3125	2004
12.02.2020 14:14:46	1	1	1	1	81.75	60.25	0	30000	516.1290323	15548.338	30000	0	0	30000	40.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 14:14:47	1	1	1	1	81.75	60.5	0	30000	516.1290323	15483.92357	30000	0	0	30000	41	2004
12.02.2020 14:14:48	1	1	1	1	81.75	61	0	30000	505.3763441	15225.45049	30000	0	0	30000	41.3125	2004
12.02.2020 14:14:49	1	1	1	1	81.75	61.25	0	30000	511.827957	15354.27935	30000	0	0	30000	40.5625	2004
12.02.2020 14:14:50	1	1	1	1	81.75	60.5	0	30000	511.827957	15354.27935	30000	0	0	30000	41.5	2004
12.02.2020 14:14:51	1	1	1	1	81.75	61	0	30000	516.1290323	15418.69377	30000	0	0	30000	41.1875	2004
12.02.2020 14:14:52	1	1	1	1	81.75	61	0	30000	516.1290323	15354.27935	30000	0	0	30000	40	2004
12.02.2020 14:14:53	1	1	1	1	81.75	60	0	29952.607	505.3763441	15508.38475	30000	0	0	30000	40.4375	2004
12.02.2020 14:14:54	1	1	1	1	81.75	60.25	0	30000	518.2795699	15548.338	30000	0	0	30000	40.3125	2004
12.02.2020 14:14:55	1	1	1	1	81.75	60.25	0	29952.607	516.1290323	15483.92357	30000	0	0	30000	40.75	2004
12.02.2020 14:14:57	1	1	1	1	81.75	60.75	0	30000	520.4301075	15459.4624	30000	0	0	30000	40.9375	2004
12.02.2020 14:14:58	1	1	1	1	81.75	60.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	40.375	2004
12.02.2020 14:14:59	1	1	1	1	81.5	60.25	0	30000	509.6774194	15289.86492	30000	0	0	30000	41.0625	2004
12.02.2020 14:15:00	1	1	1	1	81.5	61	0	30000	505.3763441	15161.03607	30000	0	0	30000	39.9375	2004
12.02.2020 14:15:01	1	1	1	1	81.5	59.75	0	30000	505.3763441	15161.03607	30000	0	0	30000	40.875	2004
12.02.2020 14:15:02	1	1	1	1	81.5	60.75	0	30000	505.3763441	15161.03607	30000	0	0	30000	40.3125	2004
12.02.2020 14:15:03	1	1	1	1	81.5	60.25	0	30000	498.9247312	15032.20721	30000	0	0	30000	40.9375	2004
12.02.2020 14:15:04	1	1	1	1	81.5	60.75	0	30000	501.0752688	15096.62164	30000	0	0	30000	40.25	2004
12.02.2020 14:15:05	1	1	1	1	81.5	60.25	0	30000	505.3763441	15161.03607	30000	0	0	30000	39.9375	2004
12.02.2020 14:15:06	1	1	1	1	81.5	59.75	0	30000	509.6774194	15289.86492	30000	0	0	30000	40.4375	2004
12.02.2020 14:15:07	1	1	1	1	81.5	60.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	40.875	2004
12.02.2020 14:15:14	1	1	1	1	80.75	60.75	0	30000	507.5268817	15225.45049	30000	0	0	30000	40.875	2004
12.02.2020 14:15:14	1	1	1	1	80.75	60.75	0	30000	507.5268817	15225.45049	30000	0	0	30000	40.875	2004
12.02.2020 14:15:14	1	1	1	1	80.75	60.75	0	30000	507.5268817	15225.45049	30000	0	0	30000	40.875	2004
12.02.2020 14:15:14	1	1	1	1	80.75	60.75	0	30000	507.5268817	15225.45049	30000	0	0	30000	40.875	2004
12.02.2020 14:15:14	1	1	1	1	80.75	60.75	0	30000	507.5268817	15225.45049	30000	0	0	30000	40.875	2004
12.02.2020 14:15:14	1	1	1	1	80.75	60.75	0	30000	507.5268817	15225.45049	30000	0	0	30000	40.875	2004
12.02.2020 14:15:14	1	1	1	1	80.75	60.75	0	30000	507.5268817	15225.45049	30000	0	0	30000	40.875	2004
12.02.2020 14:15:15	1	1	1	1	80.75	60.75	0	30000	511.827957	15354.27935	30000	0	0	30000	40.0625	2004
12.02.2020 14:15:16	1	1	1	1	80.75	60	0	30000	507.5268817	15096.62164	30000	0	0	30000	39.625	2004
12.02.2020 14:15:17	1	1	1	1	80.75	59.5	0	30000	511.827957	15289.86492	30000	0	0	30000	40.8125	2004
12.02.2020 14:15:18	1	1	1	1	80.75	60.75	0	30000	509.6774194	15289.86492	30000	0	0	30000	40.875	2004
12.02.2020 14:15:19	1	1	1	1	80.75	60.75	0	29952.607	498.9247312	15161.03607	30000	0	0	30000	40.5	2004
12.02.2020 14:15:20	1	1	1	1	80.75	60.5	0	30000	503.2258065	15032.20721	30000	0	0	30000	40.375	2004
12.02.2020 14:15:21	1	1	1	1	80.75	60.25	0	30000	505.3763441	14920.50118	30000	0	0	30000	40.5	2004
12.02.2020 14:15:22	1	1	1	1	80.75	60.5	0	30000	509.6774194	15289.86492	30000	0	0	30000	40.875	2004
12.02.2020 14:15:23	1	1	1	1	80.75	60.75	0	30000	505.3763441	15161.03607	30000	0	0	30000	41.0625	2004
12.02.2020 14:15:24	1	1	1	1	80.75	61	0	30000	503.2258065	15137.39026	30000	0	0	30000	39.5	2004
12.02.2020 14:15:25	1	1	1	1	80.75	59.5	0	29952.607	494.6236559	14902.56299	30000	0	0	30000	40.625	2004
12.02.2020 14:15:26	1	1	1	1	80.75	60.5	0	29952.607	505.3763441	15161.03607	30000	0	0	30000	40.8125	2004
12.02.2020 14:15:27	1	1	1	1	80.75	60.75	0	30000	509.6774194	15289.86492	30000	0	0	30000	41.125	2004
12.02.2020 14:15:28	1	1	1	1	80.75	61	0	30000	511.827957	15289.86492	30000	0	0	30000	39.6875	2004
12.02.2020 14:15:29	1	1	1	1	80.5	59.5	0	30000	498.9247312	15032.20721	30000	0	0	30000	41.4375	2004
12.02.2020 14:15:30	1	1	1	1	80.5	61.25	0	30000	509.6774194	15289.86492	30000	0	0	30000	40.875	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 14:15:31	1	1	1	1	80.5	60.75	0	30000	509.6774194	15289.86492	30000	0	0	30000	40.875	2004
12.02.2020 14:15:32	1	1	1	1	80.5	61.25	0	30000	507.5268817	15032.20721	30000	0	0	30000	40.75	2004
12.02.2020 14:15:33	1	1	1	1	80.5	60.75	0	30000	507.5268817	15161.03607	30000	0	0	30000	40.8125	2004
12.02.2020 14:15:34	1	1	1	1	80.5	60.75	0	29905.213	503.2258065	15161.03607	30000	0	0	30000	40.375	2004
12.02.2020 14:15:36	1	1	1	1	80.5	60.25	0	30000	505.3763441	15161.03607	30000	0	0	30000	40.5	2004
12.02.2020 14:15:37	1	1	1	1	80.5	60.5	0	30047.393	524.7311828	15677.16685	30000	0	0	30000	40.6875	2004
12.02.2020 14:15:38	1	1	1	1	80.5	60.5	0	30000	507.5268817	15289.86492	30000	0	0	30000	40.875	2004
12.02.2020 14:15:39	1	1	1	1	80	60.75	0	30000	516.1290323	15266.21912	30000	0	0	30000	40.1875	2004
12.02.2020 14:15:40	1	1	1	1	80	60	0	30000	507.5268817	15225.45049	30000	0	0	30000	40.625	2004
12.02.2020 14:15:41	1	1	1	1	80	60.5	0	30000	509.6774194	15289.86492	30000	0	0	30000	40.6875	2004
12.02.2020 14:15:42	1	1	1	1	80	60.5	0	30000	511.827957	15354.27935	30000	0	0	30000	40.875	2004
12.02.2020 14:15:43	1	1	1	1	80	60.75	0	30000	505.3763441	15096.62164	30000	0	0	30000	40.6875	2004
12.02.2020 14:15:44	1	1	1	1	80	60.5	0	30000	511.827957	15418.69377	30000	0	0	30000	41	2004
12.02.2020 14:15:45	1	1	1	1	80	61	0	30000	507.5268817	15289.86492	30000	0	0	30000	40.9375	2004
12.02.2020 14:15:46	1	1	1	1	80	60.75	0	30000	516.1290323	15418.69377	30000	0	0	30000	40.1875	2004
12.02.2020 14:15:47	1	1	1	1	80	60	0	30000	509.6774194	15289.86492	30000	0	0	30000	40.9375	2004
12.02.2020 14:15:48	1	1	1	1	80	60.75	0	30000	507.5268817	15289.86492	30000	0	0	30000	40.75	2004
12.02.2020 14:15:49	1	1	1	1	80	60.75	0	30000	505.3763441	15096.62164	30000	0	0	30000	40.75	2004
12.02.2020 14:15:50	1	1	1	1	80	60.75	0	29905.213	503.2258065	15161.03607	30000	0	0	30000	40.1875	2004
12.02.2020 14:15:51	1	1	1	1	80	60	0	30000	503.2258065	15032.20721	30000	0	0	30000	40.75	2004
12.02.2020 14:15:52	1	1	1	1	80	60.75	0	30000	501.0752688	15032.20721	30000	0	0	30000	40.75	2004
12.02.2020 14:15:53	1	1	1	1	80	60.75	0	30000	496.7741935	15032.20721	30000	0	0	30000	40.75	2004
12.02.2020 14:15:54	1	1	1	1	80	60.75	0	30000	503.2258065	15137.39026	30000	0	0	30000	40.75	2004
12.02.2020 14:15:55	1	1	1	1	80	60.75	0	30000	496.7741935	14902.56299	30000	0	0	30000	40.8125	2004
12.02.2020 14:15:56	1	1	1	1	80	60.75	0	30000	501.0752688	15032.20721	30000	0	0	30000	40.0625	2004
12.02.2020 14:15:57	1	1	1	1	80	60	0	30000	501.0752688	15225.45049	30000	0	0	30000	40.125	2004
12.02.2020 14:15:58	1	1	1	1	80	60	0	30000	505.3763441	15161.03607	30000	0	0	30000	40.8125	2004
12.02.2020 14:15:59	1	1	1	1	79.75	60.75	0	30000	507.5268817	15032.20721	30000	0	0	30000	40.875	2004
12.02.2020 14:16:00	1	1	1	1	79.75	60.75	0	30000	507.5268817	15225.45049	30000	0	0	30000	40.3125	2004
12.02.2020 14:16:01	1	1	1	1	79.75	60.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	40.5625	2004
12.02.2020 14:16:02	1	1	1	1	79.75	60.5	0	30000	511.827957	15289.86492	30000	0	0	30000	40.8125	2004
12.02.2020 14:16:03	1	1	1	1	79.75	60.75	0	30000	509.6774194	15112.92909	30000	0	0	30000	40.1875	2004
12.02.2020 14:16:04	1	1	1	1	79.75	60	0	30047.393	498.9247312	14902.56299	30000	0	0	30000	40.8125	2004
12.02.2020 14:16:05	1	1	1	1	79.75	60.75	0	30000	503.2258065	15161.03607	30000	0	0	30000	40.8125	2004
12.02.2020 14:16:06	1	1	1	1	79.75	60.75	0	29952.607	501.0752688	15032.20721	30000	0	0	30000	40.6875	2004
12.02.2020 14:16:07	1	1	1	1	79.75	60.5	0	30000	507.5268817	15161.03607	30000	0	0	30000	41.4375	2004
12.02.2020 14:16:08	1	1	1	1	79.75	61.25	0	30000	494.6236559	14773.73413	30000	0	0	30000	40.1875	2004
12.02.2020 14:16:16	1	1	1	1	79.25	61	0	30000	505.3763441	15096.62164	30000	0	0	30000	40.6875	2004
12.02.2020 14:16:16	1	1	1	1	79.25	61	0	30000	505.3763441	15096.62164	30000	0	0	30000	40.6875	2004
12.02.2020 14:16:16	1	1	1	1	79.25	61	0	30000	505.3763441	15096.62164	30000	0	0	30000	40.6875	2004
12.02.2020 14:16:16	1	1	1	1	79.25	61	0	30000	505.3763441	15096.62164	30000	0	0	30000	40.6875	2004
12.02.2020 14:16:16	1	1	1	1	79.25	61	0	30000	505.3763441	15096.62164	30000	0	0	30000	40.6875	2004
12.02.2020 14:16:16	1	1	1	1	79.25	61	0	30000	505.3763441	15096.62164	30000	0	0	30000	40.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 14:16:16	1	1	1	1	79.25	61	0	30000	505.3763441	15096.62164	30000	0	0	30000	40.6875	2004
12.02.2020 14:16:17	1	1	1	1	79.25	60.5	0	30000	507.5268817	15225.45049	30000	0	0	30000	40.75	2004
12.02.2020 14:16:18	1	1	1	1	79.25	60.75	0	30000	511.827957	15483.92357	30000	0	0	30000	39.5	2004
12.02.2020 14:16:19	1	1	1	1	78.75	59.5	0	30000	503.2258065	15096.62164	30000	0	0	30000	40.4375	2004
12.02.2020 14:16:20	1	1	1	1	78.75	60.25	0	30000	501.0752688	15096.62164	30000	0	0	30000	40.625	2004
12.02.2020 14:16:21	1	1	1	1	78.75	60.5	0	30000	503.2258065	15161.03607	30000	0	0	30000	40.5	2004
12.02.2020 14:16:22	1	1	1	1	78.75	60.5	0	30000	503.2258065	15161.03607	30000	0	0	30000	41	2004
12.02.2020 14:16:23	1	1	1	1	78.75	61	0	30000	498.9247312	15032.20721	30000	0	0	30000	40.4375	2004
12.02.2020 14:16:24	1	1	1	1	78.75	60.25	0	30000	501.0752688	15055.85302	30000	0	0	30000	40.9375	2004
12.02.2020 14:16:25	1	1	1	1	78.75	60.75	0	30000	507.5268817	15508.38475	30000	0	0	30000	41	2004
12.02.2020 14:16:26	1	1	1	1	78.75	61	0	30000	496.7741935	14902.56299	30000	0	0	30000	41.0625	2004
12.02.2020 14:16:27	1	1	1	1	78.75	61	0	30000	503.2258065	15161.03607	30000	0	0	30000	40.6875	2004
12.02.2020 14:16:28	1	1	1	1	78.75	60.5	0	30000	507.5268817	15161.03607	30000	0	0	30000	40.875	2004
12.02.2020 14:16:29	1	1	1	1	78.75	60.75	0	30000	505.3763441	15032.20721	30000	0	0	30000	40.5	2004
12.02.2020 14:16:30	1	1	1	1	78.75	60.5	0	30000	496.7741935	15032.20721	30000	0	0	30000	40.8125	2004
12.02.2020 14:16:31	1	1	1	1	78.75	60.75	0	30000	496.7741935	14902.56299	30000	0	0	30000	40.875	2004
12.02.2020 14:16:32	1	1	1	1	78.75	60.75	0	30047.393	503.2258065	15032.20721	30000	0	0	30000	39.6875	2004
12.02.2020 14:16:33	1	1	1	1	78.75	59.5	0	30000	503.2258065	15096.62164	30000	0	0	30000	40.6875	2004
12.02.2020 14:16:34	1	1	1	1	78.75	60.5	0	29952.607	511.827957	15354.27935	30000	0	0	30000	40.375	2004
12.02.2020 14:16:35	1	1	1	1	78.75	60.25	0	30000	494.6236559	14773.73413	30000	0	0	30000	40.3125	2004
12.02.2020 14:16:36	1	1	1	1	78.75	60.25	0	30000	494.6236559	14838.14856	30000	0	0	30000	40.75	2004
12.02.2020 14:16:37	1	1	1	1	78.75	60.75	0	30000	496.7741935	14902.56299	30000	0	0	30000	40.0625	2004
12.02.2020 14:16:38	1	1	1	1	78.75	60	0	30000	496.7741935	14902.56299	30000	0	0	30000	41	2004
12.02.2020 14:16:39	1	1	1	1	78	61	0	30000	496.7741935	15032.20721	30000	0	0	30000	40.875	2004
12.02.2020 14:16:40	1	1	1	1	78	60.75	0	30047.393	503.2258065	15161.03607	30000	0	0	30000	40	2004
12.02.2020 14:16:41	1	1	1	1	78	60	0	30000	496.7741935	14902.56299	30000	0	0	30000	40.625	2004
12.02.2020 14:16:42	1	1	1	1	78	60.5	0	30000	496.7741935	14902.56299	30000	0	0	30000	40.5625	2004
12.02.2020 14:16:43	1	1	1	1	78	60.5	0	29952.607	494.6236559	14902.56299	30000	0	0	30000	40.75	2004
12.02.2020 14:16:44	1	1	1	1	78	60.75	0	30000	494.6236559	14838.14856	30000	0	0	30000	40.5	2004
12.02.2020 14:16:45	1	1	1	1	78	60.5	0	30000	494.6236559	14838.14856	30000	0	0	30000	40.625	2004
12.02.2020 14:16:46	1	1	1	1	78	60.5	0	29952.607	501.0752688	15032.20721	30000	0	0	30000	40.9375	2004
12.02.2020 14:16:47	1	1	1	1	78	60.75	0	30000	496.7741935	14902.56299	30000	0	0	30000	40.6875	2004
12.02.2020 14:16:48	1	1	1	1	78	60.5	0	30000	501.0752688	15032.20721	30000	0	0	30000	41.125	2004
12.02.2020 14:16:49	1	1	1	1	78.25	61	0	30000	505.3763441	15161.03607	30000	0	0	30000	41.5	2004
12.02.2020 14:16:50	1	1	1	1	78.25	61.5	0	29952.607	509.6774194	15289.86492	30000	0	0	30000	40.9375	2004
12.02.2020 14:16:51	1	1	1	1	78.25	60.75	0	29905.213	501.0752688	15008.56141	30000	0	0	30000	40.625	2004
12.02.2020 14:16:52	1	1	1	1	78.25	60.25	0	30000	503.2258065	15161.03607	30000	0	0	30000	40.9375	2004
12.02.2020 14:16:53	1	1	1	1	78.25	60.75	0	30000	492.4731183	14838.14856	30000	0	0	30000	40.75	2004
12.02.2020 14:16:54	1	1	1	1	78.25	60.75	0	29952.607	496.7741935	14902.56299	30000	0	0	30000	40.25	2004
12.02.2020 14:16:56	1	1	1	1	78.25	60.25	0	30000	503.2258065	15008.56141	30000	0	0	30000	40.3125	2004
12.02.2020 14:16:57	1	1	1	1	78.25	60.25	0	30000	503.2258065	14879.73256	30000	0	0	30000	41.125	2004
12.02.2020 14:16:58	1	1	1	1	78.25	61	0	30000	501.0752688	15032.20721	30000	0	0	30000	40.875	2004
12.02.2020 14:16:59	1	1	1	1	78	60.75	0	30000	496.7741935	14902.56299	30000	0	0	30000	40.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 14:17:00	1	1	1	1	78	60.75	0	30000	498.9247312	15032.20721	30000	0	0	30000	40.4375	2004
12.02.2020 14:17:01	1	1	1	1	78	60.25	0	30000	501.0752688	15032.20721	30000	0	0	30000	40.4375	2004
12.02.2020 14:17:02	1	1	1	1	78	60.25	0	30000	501.0752688	15032.20721	30000	0	0	30000	39.5	2004
12.02.2020 14:17:03	1	1	1	1	78	59.5	0	29952.607	496.7741935	14902.56299	30000	0	0	30000	40.875	2004
12.02.2020 14:17:04	1	1	1	1	78	60.75	0	30000	503.2258065	15096.62164	30000	0	0	30000	39.75	2004
12.02.2020 14:17:05	1	1	1	1	78	59.75	0	30000	503.2258065	15161.03607	30000	0	0	30000	40.5625	2004
12.02.2020 14:17:06	1	1	1	1	78	60.5	0	29952.607	507.5268817	15225.45049	30000	0	0	30000	40.9375	2004
12.02.2020 14:17:07	1	1	1	1	78	60.75	0	30000	501.0752688	15096.62164	30000	0	0	30000	40.3125	2004
12.02.2020 14:17:08	1	1	1	1	78	60.25	0	29952.607	503.2258065	15161.03607	30000	0	0	30000	39.6875	2004
12.02.2020 14:17:09	1	1	1	1	77.5	59.5	0	29905.213	503.2258065	15225.45049	30000	0	0	30000	40.9375	2004
12.02.2020 14:17:10	1	1	1	1	77.5	60.75	0	29952.607	503.2258065	14879.73256	30000	0	0	30000	40.625	2004
12.02.2020 14:17:18	1	1	1	1	77.5	59.25	0	30000	516.1290323	15354.27935	30000	0	0	30000	41.0625	2004
12.02.2020 14:17:18	1	1	1	1	77.5	59.25	0	30000	516.1290323	15354.27935	30000	0	0	30000	41.0625	2004
12.02.2020 14:17:18	1	1	1	1	77.5	59.25	0	30000	516.1290323	15354.27935	30000	0	0	30000	41.0625	2004
12.02.2020 14:17:18	1	1	1	1	77.5	59.25	0	30000	516.1290323	15354.27935	30000	0	0	30000	41.0625	2004
12.02.2020 14:17:18	1	1	1	1	77.5	59.25	0	30000	516.1290323	15354.27935	30000	0	0	30000	41.0625	2004
12.02.2020 14:17:18	1	1	1	1	77.5	59.25	0	30000	516.1290323	15354.27935	30000	0	0	30000	41.0625	2004
12.02.2020 14:17:18	1	1	1	1	77.5	59.25	0	30000	516.1290323	15354.27935	30000	0	0	30000	41.0625	2004
12.02.2020 14:17:18	1	1	1	1	77.5	61	0	29952.607	509.6774194	15354.27935	30000	0	0	30000	40.625	2004
12.02.2020 14:17:19	1	1	1	1	77	60.5	0	30000	509.6774194	15289.86492	30000	0	0	30000	40.625	2004
12.02.2020 14:17:20	1	1	1	1	77	60.5	0	30000	505.3763441	15161.03607	30000	0	0	30000	40.75	2004
12.02.2020 14:17:21	1	1	1	1	77	60.75	0	29952.607	496.7741935	14902.56299	30000	0	0	30000	40.0625	2004
12.02.2020 14:17:22	1	1	1	1	77	60	0	30047.393	496.7741935	15032.20721	30000	0	0	30000	40.8125	2004
12.02.2020 14:17:23	1	1	1	1	77	60.75	0	30000	509.6774194	15225.45049	30000	0	0	30000	40.4375	2004
12.02.2020 14:17:24	1	1	1	1	77	60.25	0	30000	509.6774194	15289.86492	30000	0	0	30000	40.75	2004
12.02.2020 14:17:25	1	1	1	1	77	60.75	0	30000	492.4731183	14773.73413	30000	0	0	30000	41.0625	2004
12.02.2020 14:17:26	1	1	1	1	77	61	0	30047.393	501.0752688	15032.20721	30000	0	0	30000	40.5	2004
12.02.2020 14:17:27	1	1	1	1	77	60.5	0	30000	490.3225806	14773.73413	30000	0	0	30000	40.5625	2004
12.02.2020 14:17:28	1	1	1	1	77	60.5	0	30000	501.0752688	15032.20721	30000	0	0	30000	41.4375	2004
12.02.2020 14:17:29	1	1	1	1	77	61.25	0	30000	501.0752688	15032.20721	30000	0	0	30000	41	2004
12.02.2020 14:17:30	1	1	1	1	77	61	0	30000	498.9247312	14967.79279	30000	0	0	30000	40	2004
12.02.2020 14:17:31	1	1	1	1	77	60.25	0	29952.607	503.2258065	15161.03607	30000	0	0	30000	40.75	2004
12.02.2020 14:17:32	1	1	1	1	77	60.75	0	30000	503.2258065	15096.62164	30000	0	0	30000	40.75	2004
12.02.2020 14:17:34	1	1	1	1	77	60.75	0	30000	496.7741935	15032.20721	30000	0	0	30000	39.9375	2004
12.02.2020 14:17:35	1	1	1	1	77	59.75	0	30000	488.172043	14644.90528	30000	0	0	30000	40.4375	2004
12.02.2020 14:17:36	1	1	1	1	77	60.25	0	30000	498.9247312	15032.20721	30000	0	0	30000	40.3125	2004
12.02.2020 14:17:37	1	1	1	1	77	60.25	0	30000	498.9247312	15032.20721	30000	0	0	30000	39.4375	2004
12.02.2020 14:17:38	1	1	1	1	77	59.25	0	30047.393	503.2258065	15032.20721	30000	0	0	30000	39.9375	2004
12.02.2020 14:17:39	1	1	1	1	76.5	59.75	0	30000	501.0752688	15032.20721	30000	0	0	30000	40.5	2004
12.02.2020 14:17:40	1	1	1	1	76.5	60.5	0	30000	503.2258065	15032.20721	30000	0	0	30000	40.75	2004
12.02.2020 14:17:41	1	1	1	1	76.5	60.75	0	30000	501.0752688	14902.56299	30000	0	0	30000	40.4375	2004
12.02.2020 14:17:42	1	1	1	1	76.5	60.25	0	30000	503.2258065	15096.62164	30000	0	0	30000	40.875	2004
12.02.2020 14:17:43	1	1	1	1	76.5	60.75	0	30000	490.3225806	14709.31971	30000	0	0	30000	40.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 14:17:44	1	1	1	1	76.5	60.25	0	30000	492.4731183	14644.90528	30000	0	0	30000	40.8125	2004
12.02.2020 14:17:45	1	1	1	1	76.5	60.75	0	30000	503.2258065	15161.03607	30000	0	0	30000	41	2004
12.02.2020 14:17:46	1	1	1	1	76.5	61	0	30000	501.0752688	15032.20721	30000	0	0	30000	40.9375	2004
12.02.2020 14:17:47	1	1	1	1	76.5	60.75	0	30047.393	503.2258065	14902.56299	30000	0	0	30000	40.9375	2004
12.02.2020 14:17:48	1	1	1	1	76.5	60.75	0	30000	496.7741935	14902.56299	30000	0	0	30000	40.5625	2004
12.02.2020 14:17:49	1	1	1	1	76.25	60.5	0	30000	501.0752688	14902.56299	30000	0	0	30000	40.1875	2004
12.02.2020 14:17:50	1	1	1	1	76.25	60	0	30000	505.3763441	15096.62164	30000	0	0	30000	40.125	2004
12.02.2020 14:17:51	1	1	1	1	76.25	60	0	30000	507.5268817	15161.03607	30000	0	0	30000	40.9375	2004
12.02.2020 14:17:52	1	1	1	1	76.25	60.75	0	30000	492.4731183	14493.246	30000	0	0	30000	40.875	2004
12.02.2020 14:17:53	1	1	1	1	76.25	60.75	0	30000	486.0215054	14667.73571	30000	0	0	30000	40.625	2004
12.02.2020 14:17:54	1	1	1	1	76.25	60.5	0	29952.607	486.0215054	14709.31971	30000	0	0	30000	40.375	2004
12.02.2020 14:17:55	1	1	1	1	76.25	60.25	0	30000	509.6774194	15289.86492	30000	0	0	30000	40.4375	2004
12.02.2020 14:17:56	1	1	1	1	76.25	60.25	0	30000	494.6236559	14902.56299	30000	0	0	30000	40.5	2004
12.02.2020 14:17:57	1	1	1	1	76.25	60.5	0	30000	496.7741935	14902.56299	30000	0	0	30000	40.75	2004
12.02.2020 14:17:58	1	1	1	1	76.25	60.75	0	30000	503.2258065	15032.20721	30000	0	0	30000	40.8125	2004
12.02.2020 14:17:59	1	1	1	1	76.25	60.75	0	29952.607	494.6236559	14838.14856	30000	0	0	30000	40.4375	2004
12.02.2020 14:18:00	1	1	1	1	76.25	60.25	0	30000	494.6236559	14838.14856	30000	0	0	30000	41	2004
12.02.2020 14:18:01	1	1	1	1	76.25	61	0	30000	494.6236559	14773.73413	30000	0	0	30000	39.6875	2004
12.02.2020 14:18:02	1	1	1	1	76.25	59.5	0	30000	486.0215054	14644.90528	30000	0	0	30000	40.4375	2004
12.02.2020 14:18:03	1	1	1	1	76.25	60.25	0	30000	501.0752688	15032.20721	30000	0	0	30000	40.5625	2004
12.02.2020 14:18:04	1	1	1	1	76.25	60.5	0	30000	501.0752688	15032.20721	30000	0	0	30000	41	2004
12.02.2020 14:18:05	1	1	1	1	76.25	61	0	30000	501.0752688	15096.62164	30000	0	0	30000	40.9375	2004
12.02.2020 14:18:06	1	1	1	1	76.25	60.75	0	30000	494.6236559	14773.73413	30000	0	0	30000	41.3125	2004
12.02.2020 14:18:07	1	1	1	1	76.25	61.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.875	2004
12.02.2020 14:18:08	1	1	1	1	76.25	60.5	0	30000	486.0215054	14644.90528	30000	0	0	30000	41.0625	2004
12.02.2020 14:18:09	1	1	1	1	76.25	61	0	30000	488.172043	14644.90528	30000	0	0	30000	40.5625	2004
12.02.2020 14:18:10	1	1	1	1	76.25	60.5	0	30000	488.172043	14644.90528	30000	0	0	30000	40.75	2004
12.02.2020 14:18:12	1	1	1	1	76.25	60.75	0	30000	494.6236559	14838.14856	30000	0	0	30000	41	2004
12.02.2020 14:18:19	1	1	1	1	75.75	59.75	0	30000	498.9247312	14902.56299	30000	0	0	30000	40.125	2004
12.02.2020 14:18:19	1	1	1	1	75.75	59.75	0	30000	498.9247312	14902.56299	30000	0	0	30000	40.125	2004
12.02.2020 14:18:19	1	1	1	1	75.75	59.75	0	30000	498.9247312	14902.56299	30000	0	0	30000	40.125	2004
12.02.2020 14:18:19	1	1	1	1	75.75	59.75	0	30000	498.9247312	14902.56299	30000	0	0	30000	40.125	2004
12.02.2020 14:18:19	1	1	1	1	75.75	59.75	0	30000	498.9247312	14902.56299	30000	0	0	30000	40.125	2004
12.02.2020 14:18:19	1	1	1	1	75.75	59.75	0	30000	498.9247312	14902.56299	30000	0	0	30000	40.125	2004
12.02.2020 14:18:20	1	1	1	1	75.75	60	0	30000	494.6236559	14902.56299	30000	0	0	30000	40.875	2004
12.02.2020 14:18:21	1	1	1	1	75.75	60.75	0	29952.607	481.7204301	14516.07643	30000	0	0	30000	40.25	2004
12.02.2020 14:18:22	1	1	1	1	75.75	60.25	0	30000	486.0215054	14603.32128	30000	0	0	30000	40.4375	2004
12.02.2020 14:18:23	1	1	1	1	75.75	60.25	0	29952.607	488.172043	14598.42905	30000	0	0	30000	40.9375	2004
12.02.2020 14:18:24	1	1	1	1	75.75	60.75	0	30000	486.0215054	14580.49085	30000	0	0	30000	40.9375	2004
12.02.2020 14:18:25	1	1	1	1	75.75	60.75	0	30000	488.172043	14644.90528	30000	0	0	30000	40.25	2004
12.02.2020 14:18:26	1	1	1	1	75.75	60.25	0	30047.393	490.3225806	14644.90528	30000	0	0	30000	40.875	2004
12.02.2020 14:18:27	1	1	1	1	75.75	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 14:18:28	1	1	1	1	75.75	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	41	2004
12.02.2020 14:18:29	1	1	1	1	75.75	61	0	30000	481.7204301	14451.662	30000	0	0	30000	41	2004
12.02.2020 14:18:30	1	1	1	1	75.75	61	0	30000	483.8709677	14451.662	30000	0	0	30000	40.625	2004
12.02.2020 14:18:31	1	1	1	1	75.75	60.5	0	30000	488.172043	14644.90528	30000	0	0	30000	41	2004
12.02.2020 14:18:32	1	1	1	1	75.75	61	0	29952.607	486.0215054	14406.00114	30000	0	0	30000	40.1875	2004
12.02.2020 14:18:33	1	1	1	1	75.75	60	0	29952.607	481.7204301	14516.07643	30000	0	0	30000	40.375	2004
12.02.2020 14:18:34	1	1	1	1	75.75	60.25	0	30000	494.6236559	14773.73413	30000	0	0	30000	39.625	2004
12.02.2020 14:18:35	1	1	1	1	75.75	59.5	0	30047.393	490.3225806	14644.90528	30000	0	0	30000	40.875	2004
12.02.2020 14:18:36	1	1	1	1	75.75	60.75	0	30000	488.172043	14644.90528	30000	0	0	30000	39.875	2004
12.02.2020 14:18:37	1	1	1	1	75.75	59.75	0	30000	488.172043	14516.07643	30000	0	0	30000	40.875	2004
12.02.2020 14:18:38	1	1	1	1	75.75	60.75	0	30000	488.172043	14580.49085	30000	0	0	30000	40.9375	2004
12.02.2020 14:18:39	1	1	1	1	75.5	60.75	0	30000	486.0215054	14644.90528	30000	0	0	30000	40.9375	2004
12.02.2020 14:18:40	1	1	1	1	75.5	60.75	0	30000	488.172043	14644.90528	30000	0	0	30000	40.75	2004
12.02.2020 14:18:41	1	1	1	1	75.5	60.75	0	30000	483.8709677	14493.246	30000	0	0	30000	40.875	2004
12.02.2020 14:18:42	1	1	1	1	75.5	60.75	0	30000	490.3225806	14644.90528	30000	0	0	30000	40.875	2004
12.02.2020 14:18:43	1	1	1	1	75.5	60.75	0	30000	494.6236559	14838.14856	30000	0	0	30000	41.375	2004
12.02.2020 14:18:44	1	1	1	1	75.5	61.25	0	30000	494.6236559	14838.14856	30000	0	0	30000	41	2004
12.02.2020 14:18:45	1	1	1	1	75.5	61	0	30000	486.0215054	14644.90528	30000	0	0	30000	40.75	2004
12.02.2020 14:18:46	1	1	1	1	75.5	60.75	0	30047.393	496.7741935	14902.56299	30000	0	0	30000	40.5	2004
12.02.2020 14:18:47	1	1	1	1	75.5	60.5	0	30047.393	494.6236559	14838.14856	30000	0	0	30000	40.5625	2004
12.02.2020 14:18:48	1	1	1	1	75.25	60.5	0	29952.607	492.4731183	14709.31971	30000	0	0	30000	40.6875	2004
12.02.2020 14:18:50	1	1	1	1	75.25	60.5	0	30000	492.4731183	14773.73413	30000	0	0	30000	40.4375	2004
12.02.2020 14:18:51	1	1	1	1	75.25	60.25	0	30000	494.6236559	14902.56299	30000	0	0	30000	40.9375	2004
12.02.2020 14:18:52	1	1	1	1	75.25	60.75	0	30000	496.7741935	14902.56299	30000	0	0	30000	40.375	2004
12.02.2020 14:18:53	1	1	1	1	75.25	60.25	0	30000	488.172043	14644.90528	30000	0	0	30000	40.6875	2004
12.02.2020 14:18:54	1	1	1	1	75.25	60.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.625	2004
12.02.2020 14:18:55	1	1	1	1	75.25	60.5	0	30000	488.172043	14644.90528	30000	0	0	30000	39.9375	2004
12.02.2020 14:18:56	1	1	1	1	75.25	59.75	0	29952.607	494.6236559	14815.31813	30000	0	0	30000	40.75	2004
12.02.2020 14:18:57	1	1	1	1	75.25	60.75	0	29905.213	488.172043	14773.73413	30000	0	0	30000	40.75	2004
12.02.2020 14:18:58	1	1	1	1	75.25	60.75	0	30000	486.0215054	14580.49085	30000	0	0	30000	40.625	2004
12.02.2020 14:18:59	1	1	1	1	74.75	60.5	0	29952.607	488.172043	14644.90528	30000	0	0	30000	40	2004
12.02.2020 14:19:00	1	1	1	1	74.75	60	0	30000	490.3225806	14773.73413	30000	0	0	30000	40.75	2004
12.02.2020 14:19:01	1	1	1	1	74.75	60.75	0	30000	494.6236559	15032.20721	30000	0	0	30000	40.875	2004
12.02.2020 14:19:02	1	1	1	1	74.75	60.75	0	30000	488.172043	14644.90528	30000	0	0	30000	40.625	2004
12.02.2020 14:19:03	1	1	1	1	74.75	60.5	0	30000	494.6236559	14644.90528	30000	0	0	30000	40.9375	2004
12.02.2020 14:19:04	1	1	1	1	74.75	60.75	0	30000	488.172043	14644.90528	30000	0	0	30000	39.75	2004
12.02.2020 14:19:05	1	1	1	1	74.75	59.75	0	29952.607	486.0215054	14557.66042	30000	0	0	30000	40.4375	2004
12.02.2020 14:19:06	1	1	1	1	74.75	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.9375	2004
12.02.2020 14:19:07	1	1	1	1	74.75	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.0625	2004
12.02.2020 14:19:08	1	1	1	1	74.75	60	0	30000	481.7204301	14451.662	30000	0	0	30000	39.75	2004
12.02.2020 14:19:09	1	1	1	1	74.75	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	41	2004
12.02.2020 14:19:10	1	1	1	1	74.75	61	0	30000	468.8172043	14451.662	30000	0	0	30000	40.125	2004
12.02.2020 14:19:11	1	1	1	1	74.75	60	0	30000	468.8172043	14128.7745	30000	0	0	30000	41.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 14:19:12	1	1	1	1	74.75	61	0	30000	468.8172043	14451.662	30000	0	0	30000	40.625	2004
12.02.2020 14:19:13	1	1	1	1	74.75	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.625	2004
12.02.2020 14:19:21	1	1	1	1	74.5	61	0	30000	490.3225806	14709.31971	30000	0	0	30000	40.625	2004
12.02.2020 14:19:21	1	1	1	1	74.5	61	0	30000	490.3225806	14709.31971	30000	0	0	30000	40.625	2004
12.02.2020 14:19:21	1	1	1	1	74.5	61	0	30000	490.3225806	14709.31971	30000	0	0	30000	40.625	2004
12.02.2020 14:19:21	1	1	1	1	74.5	61	0	30000	490.3225806	14709.31971	30000	0	0	30000	40.625	2004
12.02.2020 14:19:21	1	1	1	1	74.5	61	0	30000	490.3225806	14709.31971	30000	0	0	30000	40.625	2004
12.02.2020 14:19:21	1	1	1	1	74.5	61	0	30000	490.3225806	14709.31971	30000	0	0	30000	40.625	2004
12.02.2020 14:19:21	1	1	1	1	74.5	60.5	0	29905.213	486.0215054	14727.2579	30000	0	0	30000	40.3125	2004
12.02.2020 14:19:22	1	1	1	1	74.5	60.25	0	30000	494.6236559	14598.42905	30000	0	0	30000	40.875	2004
12.02.2020 14:19:23	1	1	1	1	74.5	60.75	0	30000	498.9247312	14902.56299	30000	0	0	30000	40.4375	2004
12.02.2020 14:19:24	1	1	1	1	74.5	60.25	0	29952.607	492.4731183	14902.56299	30000	0	0	30000	40.875	2004
12.02.2020 14:19:25	1	1	1	1	74.5	60.75	0	30000	496.7741935	14902.56299	30000	0	0	30000	41	2004
12.02.2020 14:19:26	1	1	1	1	74.5	61	0	30000	488.172043	14773.73413	30000	0	0	30000	40.6875	2004
12.02.2020 14:19:27	1	1	1	1	74.5	60.5	0	30000	494.6236559	14773.73413	30000	0	0	30000	41.1875	2004
12.02.2020 14:19:28	1	1	1	1	74.5	61	0	30000	496.7741935	14879.73256	30000	0	0	30000	40.875	2004
12.02.2020 14:19:29	1	1	1	1	74.5	60.75	0	30047.393	501.0752688	14773.73413	30000	0	0	30000	41	2004
12.02.2020 14:19:31	1	1	1	1	74.5	61	0	30000	494.6236559	14773.73413	30000	0	0	30000	41.0625	2004
12.02.2020 14:19:32	1	1	1	1	74.5	61	0	30000	494.6236559	14902.56299	30000	0	0	30000	40.9375	2004
12.02.2020 14:19:33	1	1	1	1	74.5	60.75	0	30000	494.6236559	14773.73413	30000	0	0	30000	40.125	2004
12.02.2020 14:19:34	1	1	1	1	74.5	60	0	30000	492.4731183	14709.31971	30000	0	0	30000	39.875	2004
12.02.2020 14:19:35	1	1	1	1	74.5	59.75	0	30000	490.3225806	14644.90528	30000	0	0	30000	40.5	2004
12.02.2020 14:19:36	1	1	1	1	74.5	60.5	0	29952.607	488.172043	14622.07485	30000	0	0	30000	40.375	2004
12.02.2020 14:19:37	1	1	1	1	74.5	60.25	0	30000	501.0752688	15032.20721	30000	0	0	30000	40.875	2004
12.02.2020 14:19:38	1	1	1	1	74.5	60.75	0	30000	492.4731183	14773.73413	30000	0	0	30000	41	2004
12.02.2020 14:19:39	1	1	1	1	74	61	0	30000	494.6236559	14838.14856	30000	0	0	30000	40.625	2004
12.02.2020 14:19:40	1	1	1	1	74	60.5	0	30000	496.7741935	14902.56299	30000	0	0	30000	40.75	2004
12.02.2020 14:19:41	1	1	1	1	74	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.3125	2004
12.02.2020 14:19:42	1	1	1	1	74	60.25	0	30000	483.8709677	14580.49085	30000	0	0	30000	40.9375	2004
12.02.2020 14:19:43	1	1	1	1	74	60.75	0	30000	488.172043	14644.90528	30000	0	0	30000	40.25	2004
12.02.2020 14:19:44	1	1	1	1	74	60.25	0	30000	486.0215054	14516.07643	30000	0	0	30000	39.6875	2004
12.02.2020 14:19:45	1	1	1	1	74	59.5	0	30000	481.7204301	14451.662	30000	0	0	30000	39.75	2004
12.02.2020 14:19:46	1	1	1	1	74	59.75	0	30000	481.7204301	14428.83157	30000	0	0	30000	40.4375	2004
12.02.2020 14:19:47	1	1	1	1	74	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.3125	2004
12.02.2020 14:19:48	1	1	1	1	74	60.25	0	30000	481.7204301	14516.07643	30000	0	0	30000	40.4375	2004
12.02.2020 14:19:49	1	1	1	1	73.75	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	41.0625	2004
12.02.2020 14:19:50	1	1	1	1	73.75	61	0	30000	481.7204301	14451.662	30000	0	0	30000	40.125	2004
12.02.2020 14:19:51	1	1	1	1	73.75	60	0	30047.393	481.7204301	14516.07643	30000	0	0	30000	41.0625	2004
12.02.2020 14:19:52	1	1	1	1	73.75	61	0	30000	481.7204301	14451.662	30000	0	0	30000	40.6875	2004
12.02.2020 14:19:53	1	1	1	1	73.75	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	41	2004
12.02.2020 14:19:54	1	1	1	1	73.75	61	0	29952.607	481.7204301	14451.662	30000	0	0	30000	40.875	2004
12.02.2020 14:19:55	1	1	1	1	73.75	60.75	0	30000	481.7204301	14474.49243	30000	0	0	30000	41	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 14:19:56	1	1	1	1	73.75	61	0	30000	481.7204301	14451.662	30000	0	0	30000	40.0625	2004
12.02.2020 14:19:57	1	1	1	1	73.75	60	0	30000	481.7204301	14451.662	30000	0	0	30000	40.5625	2004
12.02.2020 14:19:58	1	1	1	1	73.75	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.375	2004
12.02.2020 14:19:59	1	1	1	1	73.75	60.25	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.9375	2004
12.02.2020 14:20:00	1	1	1	1	73.75	60.75	0	29905.213	481.7204301	14474.49243	30000	0	0	30000	41.125	2004
12.02.2020 14:20:01	1	1	1	1	73.75	61	0	30000	481.7204301	14451.662	30000	0	0	30000	40.75	2004
12.02.2020 14:20:02	1	1	1	1	73.75	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.6875	2004
12.02.2020 14:20:03	1	1	1	1	73.75	60.5	0	30000	468.8172043	14064.36007	30000	0	0	30000	40.875	2004
12.02.2020 14:20:04	1	1	1	1	73.75	60.75	0	30047.393	481.7204301	14451.662	30000	0	0	30000	40.9375	2004
12.02.2020 14:20:05	1	1	1	1	73.75	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	41.375	2004
12.02.2020 14:20:06	1	1	1	1	73.75	61.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.75	2004
12.02.2020 14:20:07	1	1	1	1	73.75	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.3125	2004
12.02.2020 14:20:08	1	1	1	1	73.25	60.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.5625	2004
12.02.2020 14:20:10	1	1	1	1	73.25	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.625	2004
12.02.2020 14:20:11	1	1	1	1	73.25	60.5	0	29952.607	492.4731183	14838.14856	30000	0	0	30000	40.5625	2004
12.02.2020 14:20:12	1	1	1	1	73.25	60.5	0	30000	490.3225806	14709.31971	30000	0	0	30000	40.5	2004
12.02.2020 14:20:13	1	1	1	1	73.25	60.5	0	30000	490.3225806	14644.90528	30000	0	0	30000	40.5	2004
12.02.2020 14:20:14	1	1	1	1	73.25	60.5	0	30000	488.172043	14406.00114	30000	0	0	30000	40.75	2004
12.02.2020 14:20:15	1	1	1	1	73.25	60.75	0	30000	494.6236559	14902.56299	30000	0	0	30000	41	2004
12.02.2020 14:20:22	1	1	1	1	73	60	0	30000	483.8709677	14580.49085	30000	0	0	30000	41.125	2004
12.02.2020 14:20:22	1	1	1	1	73	60	0	30000	483.8709677	14580.49085	30000	0	0	30000	41.125	2004
12.02.2020 14:20:22	1	1	1	1	73	60	0	30000	483.8709677	14580.49085	30000	0	0	30000	41.125	2004
12.02.2020 14:20:22	1	1	1	1	73	60	0	30000	483.8709677	14580.49085	30000	0	0	30000	41.125	2004
12.02.2020 14:20:22	1	1	1	1	73	60	0	30000	483.8709677	14580.49085	30000	0	0	30000	41.125	2004
12.02.2020 14:20:22	1	1	1	1	73	60	0	30000	483.8709677	14580.49085	30000	0	0	30000	41.125	2004
12.02.2020 14:20:22	1	1	1	1	73	60	0	30000	483.8709677	14580.49085	30000	0	0	30000	41.125	2004
12.02.2020 14:20:23	1	1	1	1	73	61	0	30000	481.7204301	14451.662	30000	0	0	30000	40.4375	2004
12.02.2020 14:20:24	1	1	1	1	73	60.25	0	29905.213	481.7204301	14516.07643	30000	0	0	30000	40.8125	2004
12.02.2020 14:20:25	1	1	1	1	73	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.1875	2004
12.02.2020 14:20:26	1	1	1	1	73	60	0	30000	483.8709677	14451.662	30000	0	0	30000	40.625	2004
12.02.2020 14:20:27	1	1	1	1	73	60.5	0	30000	488.172043	14644.90528	30000	0	0	30000	40.625	2004
12.02.2020 14:20:28	1	1	1	1	73	60.5	0	30000	490.3225806	14709.31971	30000	0	0	30000	40.9375	2004
12.02.2020 14:20:29	1	1	1	1	72.75	60.75	0	30000	486.0215054	14644.90528	30000	0	0	30000	40.8125	2004
12.02.2020 14:20:30	1	1	1	1	72.75	60.75	0	30000	490.3225806	14773.73413	30000	0	0	30000	40.875	2004
12.02.2020 14:20:31	1	1	1	1	72.75	60.75	0	30000	488.172043	14773.73413	30000	0	0	30000	40.5625	2004
12.02.2020 14:20:32	1	1	1	1	72.75	60.5	0	30000	496.7741935	14598.42905	30000	0	0	30000	40.9375	2004
12.02.2020 14:20:33	1	1	1	1	72.75	60.75	0	29952.607	483.8709677	14773.73413	30000	0	0	30000	40.9375	2004
12.02.2020 14:20:34	1	1	1	1	72.75	60.75	0	30000	490.3225806	14773.73413	30000	0	0	30000	40.75	2004
12.02.2020 14:20:35	1	1	1	1	72.75	60.75	0	30000	483.8709677	14516.07643	30000	0	0	30000	41.125	2004
12.02.2020 14:20:36	1	1	1	1	72.75	61	0	30000	488.172043	14580.49085	30000	0	0	30000	40.9375	2004
12.02.2020 14:20:37	1	1	1	1	72.75	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.75	2004
12.02.2020 14:20:38	1	1	1	1	72.75	60.75	0	30000	488.172043	14644.90528	30000	0	0	30000	41.0625	2004
12.02.2020 14:20:39	1	1	1	1	73	61	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 14:20:40	1	1	1	1	73	60.25	0	29952.607	483.8709677	14644.90528	30000	0	0	30000	40.875	2004
12.02.2020 14:20:41	1	1	1	1	73	60.75	0	30000	481.7204301	14428.83157	30000	0	0	30000	40.6875	2004
12.02.2020 14:20:45	1	1	1	1	73	60	0	30000	492.4731183	14644.90528	30000	0	0	30000	40.8125	2004
12.02.2020 14:20:45	1	1	1	1	73	60	0	30000	492.4731183	14644.90528	30000	0	0	30000	40.8125	2004
12.02.2020 14:20:45	1	1	1	1	73	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.375	2004
12.02.2020 14:20:46	1	1	1	1	73	61	0	30000	481.7204301	14451.662	30000	0	0	30000	40.25	2004
12.02.2020 14:20:48	1	1	1	1	73	60.25	0	30047.393	492.4731183	14493.246	30000	0	0	30000	40.8125	2004
12.02.2020 14:20:49	1	1	1	1	72.5	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.875	2004
12.02.2020 14:20:50	1	1	1	1	72.5	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.875	2004
12.02.2020 14:20:51	1	1	1	1	72.5	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.75	2004
12.02.2020 14:20:52	1	1	1	1	72.5	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.875	2004
12.02.2020 14:20:53	1	1	1	1	72.5	60.75	0	30000	464.516129	13935.53122	30000	0	0	30000	40.5	2004
12.02.2020 14:20:54	1	1	1	1	72.5	60.5	0	30000	455.9139785	13677.05814	30000	0	0	30000	40.875	2004
12.02.2020 14:20:55	1	1	1	1	72.5	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.75	2004
12.02.2020 14:20:56	1	1	1	1	72.5	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.4375	2004
12.02.2020 14:20:57	1	1	1	1	72.5	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.5625	2004
12.02.2020 14:20:58	1	1	1	1	72.5	60.5	0	29952.607	481.7204301	14451.662	30000	0	0	30000	41.0625	2004
12.02.2020 14:20:59	1	1	1	1	72.5	61	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.4375	2004
12.02.2020 14:21:00	1	1	1	1	72.5	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40	2004
12.02.2020 14:21:01	1	1	1	1	72.5	60	0	30000	481.7204301	14451.662	30000	0	0	30000	40.8125	2004
12.02.2020 14:21:02	1	1	1	1	72.5	60.75	0	29905.213	481.7204301	14451.662	30000	0	0	30000	41.0625	2004
12.02.2020 14:21:03	1	1	1	1	72.5	61	0	29905.213	481.7204301	14451.662	30000	0	0	30000	40.9375	2004
12.02.2020 14:21:04	1	1	1	1	72.5	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.5	2004
12.02.2020 14:21:05	1	1	1	1	72.5	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.6875	2004
12.02.2020 14:21:06	1	1	1	1	72.5	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	41	2004
12.02.2020 14:21:07	1	1	1	1	72.5	61	0	30000	481.7204301	14451.662	30000	0	0	30000	40	2004
12.02.2020 14:21:08	1	1	1	1	72.5	60	0	30000	481.7204301	14451.662	30000	0	0	30000	40.5	2004
12.02.2020 14:21:09	1	1	1	1	72.25	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	41	2004
12.02.2020 14:21:10	1	1	1	1	72.25	61	0	30000	509.6774194	15289.86492	30000	0	0	30000	40.75	2004
12.02.2020 14:21:11	1	1	1	1	72.25	60.75	0	30000	486.0215054	14644.90528	30000	0	0	30000	40.8125	2004
12.02.2020 14:21:12	1	1	1	1	72.25	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.1875	2004
12.02.2020 14:21:13	1	1	1	1	72.25	60	0	30000	481.7204301	14451.662	30000	0	0	30000	40.9375	2004
12.02.2020 14:21:14	1	1	1	1	72.25	60.75	0	30000	483.8709677	14451.662	30000	0	0	30000	40.9375	2004
12.02.2020 14:21:15	1	1	1	1	72.25	60.75	0	30000	481.7204301	14516.07643	30000	0	0	30000	40.5	2004
12.02.2020 14:21:16	1	1	1	1	72.25	60.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.4375	2004
12.02.2020 14:21:24	1	1	1	1	71.75	61.25	0	30000	481.7204301	14451.662	30000	0	0	30000	41.0625	2004
12.02.2020 14:21:24	1	1	1	1	71.75	61.25	0	30000	481.7204301	14451.662	30000	0	0	30000	41.0625	2004
12.02.2020 14:21:24	1	1	1	1	71.75	61.25	0	30000	481.7204301	14451.662	30000	0	0	30000	41.0625	2004
12.02.2020 14:21:24	1	1	1	1	71.75	61.25	0	30000	481.7204301	14451.662	30000	0	0	30000	41.0625	2004
12.02.2020 14:21:24	1	1	1	1	71.75	61.25	0	30000	481.7204301	14451.662	30000	0	0	30000	41.0625	2004
12.02.2020 14:21:24	1	1	1	1	71.75	61.25	0	30000	481.7204301	14451.662	30000	0	0	30000	41.0625	2004
12.02.2020 14:21:24	1	1	1	1	71.75	61.25	0	30000	481.7204301	14451.662	30000	0	0	30000	41.0625	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 14:21:25	1	1	1	1	71.75	61	0	30000	488.172043	14644.90528	30000	0	0	30000	39.75	2004
12.02.2020 14:21:26	1	1	1	1	71.75	59.75	0	30000	488.172043	14644.90528	30000	0	0	30000	40.375	2004
12.02.2020 14:21:27	1	1	1	1	71.75	60.25	0	30000	486.0215054	14644.90528	30000	0	0	30000	40.4375	2004
12.02.2020 14:21:28	1	1	1	1	71.75	60.25	0	30000	488.172043	14516.07643	30000	0	0	30000	40.875	2004
12.02.2020 14:21:29	1	1	1	1	71.75	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.3125	2004
12.02.2020 14:21:30	1	1	1	1	71.75	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.625	2004
12.02.2020 14:21:31	1	1	1	1	71.75	60.5	0	30000	481.7204301	14428.83157	30000	0	0	30000	40.5	2004
12.02.2020 14:21:32	1	1	1	1	71.75	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.5625	2004
12.02.2020 14:21:33	1	1	1	1	71.75	60.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.875	2004
12.02.2020 14:21:34	1	1	1	1	71.75	60.75	0	30000	483.8709677	14451.662	30000	0	0	30000	40.9375	2004
12.02.2020 14:21:35	1	1	1	1	71.75	60.75	0	30000	466.6666667	13999.94564	30000	0	0	30000	39.8125	2004
12.02.2020 14:21:36	1	1	1	1	71.75	59.75	0	30000	464.516129	13913.51616	30000	0	0	30000	39.875	2004
12.02.2020 14:21:37	1	1	1	1	71.75	59.75	0	30000	464.516129	13805.88699	30000	0	0	30000	40.5625	2004
12.02.2020 14:21:38	1	1	1	1	71.75	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.75	2004
12.02.2020 14:21:39	1	1	1	1	71.75	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.625	2004
12.02.2020 14:21:40	1	1	1	1	71.75	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.9375	2004
12.02.2020 14:21:41	1	1	1	1	71.75	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.375	2004
12.02.2020 14:21:42	1	1	1	1	71.75	60.25	0	30000	466.6666667	13935.53122	30000	0	0	30000	40.6875	2004
12.02.2020 14:21:43	1	1	1	1	71.75	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.875	2004
12.02.2020 14:21:44	1	1	1	1	71.75	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	41.0625	2004
12.02.2020 14:21:45	1	1	1	1	71.75	61	0	30000	481.7204301	14516.07643	30000	0	0	30000	40.875	2004
12.02.2020 14:21:46	1	1	1	1	71.75	60.75	0	30047.393	481.7204301	14451.662	30000	0	0	30000	40.8125	2004
12.02.2020 14:21:47	1	1	1	1	71.75	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.4375	2004
12.02.2020 14:21:48	1	1	1	1	71.75	60.25	0	30000	481.7204301	13977.93058	30000	0	0	30000	41	2004
12.02.2020 14:21:49	1	1	1	1	71.5	61	0	30000	481.7204301	14451.662	30000	0	0	30000	39.75	2004
12.02.2020 14:21:50	1	1	1	1	71.5	59.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.75	2004
12.02.2020 14:21:51	1	1	1	1	71.5	60.75	0	30000	488.172043	14516.07643	30000	0	0	30000	40.9375	2004
12.02.2020 14:21:52	1	1	1	1	71.5	60.75	0	30000	488.172043	14580.49085	30000	0	0	30000	40.6875	2004
12.02.2020 14:21:53	1	1	1	1	71.5	60.5	0	30000	481.7204301	14516.07643	30000	0	0	30000	40.6875	2004
12.02.2020 14:21:54	1	1	1	1	71.5	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.75	2004
12.02.2020 14:21:55	1	1	1	1	71.5	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.25	2004
12.02.2020 14:21:56	1	1	1	1	71.5	60.25	0	30047.393	481.7204301	14451.662	30000	0	0	30000	40.375	2004
12.02.2020 14:21:57	1	1	1	1	71.5	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.4375	2004
12.02.2020 14:21:58	1	1	1	1	71.5	60.25	0	30047.393	481.7204301	13999.94564	30000	0	0	30000	40.125	2004
12.02.2020 14:21:59	1	1	1	1	71.25	60	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.5	2004
12.02.2020 14:22:00	1	1	1	1	71.25	60.5	0	30000	468.8172043	14428.83157	30000	0	0	30000	40.5625	2004
12.02.2020 14:22:01	1	1	1	1	71.25	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	41.3125	2004
12.02.2020 14:22:02	1	1	1	1	71.25	61.25	0	29952.607	466.6666667	14451.662	30000	0	0	30000	41.25	2004
12.02.2020 14:22:03	1	1	1	1	71.25	61.25	0	30000	464.516129	13935.53122	30000	0	0	30000	41.0625	2004
12.02.2020 14:22:04	1	1	1	1	71.25	61	0	30000	466.6666667	13935.53122	30000	0	0	30000	41.1875	2004
12.02.2020 14:22:06	1	1	1	1	71.25	60.75	0	30000	464.516129	13935.53122	30000	0	0	30000	40.9375	2004
12.02.2020 14:22:07	1	1	1	1	71.25	60.75	0	29952.607	466.6666667	13935.53122	30000	0	0	30000	41.0625	2004
12.02.2020 14:22:08	1	1	1	1	71.25	61	0	30000	466.6666667	14497.32286	30000	0	0	30000	41	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 14:22:53	1	1	1	1	70.5	60.75	0	29952.607	481.7204301	14128.7745	30000	0	0	30000	40.5625	2004
12.02.2020 14:22:54	1	1	1	1	70.5	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	41.0625	2004
12.02.2020 14:22:55	1	1	1	1	70.5	61	0	30000	481.7204301	14451.662	30000	0	0	30000	40.6875	2004
12.02.2020 14:22:56	1	1	1	1	70.5	60.5	0	29952.607	481.7204301	14451.662	30000	0	0	30000	40.875	2004
12.02.2020 14:22:57	1	1	1	1	70.5	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.875	2004
12.02.2020 14:22:58	1	1	1	1	70.5	60.75	0	30000	481.7204301	14474.49243	30000	0	0	30000	40.3125	2004
12.02.2020 14:22:59	1	1	1	1	70	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.5625	2004
12.02.2020 14:23:00	1	1	1	1	70	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.6875	2004
12.02.2020 14:23:01	1	1	1	1	70	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	41.0625	2004
12.02.2020 14:23:02	1	1	1	1	70	61	0	30000	466.6666667	14128.7745	30000	0	0	30000	40.5625	2004
12.02.2020 14:23:03	1	1	1	1	70	60.5	0	30000	464.516129	13935.53122	30000	0	0	30000	40.5	2004
12.02.2020 14:23:04	1	1	1	1	70	60.5	0	30000	460.2150538	13741.47256	30000	0	0	30000	40.875	2004
12.02.2020 14:23:05	1	1	1	1	70	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.4375	2004
12.02.2020 14:23:06	1	1	1	1	70	60.25	0	30000	468.8172043	13999.94564	30000	0	0	30000	40.9375	2004
12.02.2020 14:23:07	1	1	1	1	70	60.75	0	29905.213	481.7204301	14451.662	30000	0	0	30000	40.25	2004
12.02.2020 14:23:08	1	1	1	1	70	60.25	0	30047.393	481.7204301	14128.7745	30000	0	0	30000	41	2004
12.02.2020 14:23:09	1	1	1	1	70.25	61	0	29952.607	466.6666667	13999.94564	30000	0	0	30000	40.9375	2004
12.02.2020 14:23:10	1	1	1	1	70.25	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.75	2004
12.02.2020 14:23:11	1	1	1	1	70.25	60.75	0	30000	464.516129	13935.53122	30000	0	0	30000	40.8125	2004
12.02.2020 14:23:12	1	1	1	1	70.25	60.75	0	30000	464.516129	13935.53122	30000	0	0	30000	41.0625	2004
12.02.2020 14:23:13	1	1	1	1	70.25	61	0	30000	466.6666667	13999.94564	30000	0	0	30000	41	2004
12.02.2020 14:23:14	1	1	1	1	70.25	61	0	30000	481.7204301	14451.662	30000	0	0	30000	40.9375	2004
12.02.2020 14:23:15	1	1	1	1	70.25	60.75	0	29952.607	481.7204301	14451.662	30000	0	0	30000	40.6875	2004
12.02.2020 14:23:16	1	1	1	1	70.25	60.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.4375	2004
12.02.2020 14:23:17	1	1	1	1	70.25	60.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.5625	2004
12.02.2020 14:23:18	1	1	1	1	70.25	60.5	0	30000	481.7204301	14516.07643	30000	0	0	30000	40.5625	2004
12.02.2020 14:23:19	1	1	1	1	70	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	39.6875	2004
12.02.2020 14:23:27	1	1	1	1	70	60	0	30000	464.516129	13935.53122	30000	0	0	30000	40.8125	2004
12.02.2020 14:23:27	1	1	1	1	70	60	0	30000	464.516129	13935.53122	30000	0	0	30000	40.8125	2004
12.02.2020 14:23:27	1	1	1	1	70	60	0	30000	464.516129	13935.53122	30000	0	0	30000	40.8125	2004
12.02.2020 14:23:27	1	1	1	1	70	60	0	30000	464.516129	13935.53122	30000	0	0	30000	40.8125	2004
12.02.2020 14:23:27	1	1	1	1	70	60	0	30000	464.516129	13935.53122	30000	0	0	30000	40.8125	2004
12.02.2020 14:23:27	1	1	1	1	70	60	0	30000	464.516129	13935.53122	30000	0	0	30000	40.8125	2004
12.02.2020 14:23:27	1	1	1	1	70	60	0	30000	464.516129	13935.53122	30000	0	0	30000	40.8125	2004
12.02.2020 14:23:28	1	1	1	1	70	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	41	2004
12.02.2020 14:23:29	1	1	1	1	70	61	0	30000	464.516129	13935.53122	30000	0	0	30000	40.3125	2004
12.02.2020 14:23:30	1	1	1	1	70	60.25	0	30000	464.516129	13935.53122	30000	0	0	30000	40.9375	2004
12.02.2020 14:23:31	1	1	1	1	70	60.75	0	30000	458.0645161	13741.47256	30000	0	0	30000	40.125	2004
12.02.2020 14:23:32	1	1	1	1	70	60	0	30000	464.516129	13935.53122	30000	0	0	30000	40.6875	2004
12.02.2020 14:23:33	1	1	1	1	70	60.5	0	30000	464.516129	13999.94564	30000	0	0	30000	40.5625	2004
12.02.2020 14:23:34	1	1	1	1	70	60.5	0	30000	464.516129	13935.53122	30000	0	0	30000	40.8125	2004
12.02.2020 14:23:35	1	1	1	1	70	60.75	0	30000	464.516129	13440.60011	30000	0	0	30000	40.625	2004
12.02.2020 14:23:36	1	1	1	1	70	60.5	0	29952.607	464.516129	13935.53122	30000	0	0	30000	40.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 14:23:37	1	1	1	1	70	60.5	0	30000	460.2150538	13741.47256	30000	0	0	30000	39.6875	2004
12.02.2020 14:23:38	1	1	1	1	70	59.5	0	29952.607	464.516129	13999.94564	30000	0	0	30000	40.6875	2004
12.02.2020 14:23:39	1	1	1	1	69.75	60.5	0	29905.213	460.2150538	13762.67225	30000	0	0	30000	41.125	2004
12.02.2020 14:23:40	1	1	1	1	69.75	61	0	30000	466.6666667	13891.5011	30000	0	0	30000	41.125	2004
12.02.2020 14:23:41	1	1	1	1	69.75	61	0	30000	466.6666667	13999.94564	30000	0	0	30000	41.125	2004
12.02.2020 14:23:42	1	1	1	1	69.75	61	0	29952.607	464.516129	13935.53122	30000	0	0	30000	41.0625	2004
12.02.2020 14:23:43	1	1	1	1	69.75	61	0	30000	464.516129	13999.94564	30000	0	0	30000	40.75	2004
12.02.2020 14:23:44	1	1	1	1	69.75	60.75	0	30000	468.8172043	14128.7745	30000	0	0	30000	40.3125	2004
12.02.2020 14:23:45	1	1	1	1	69.75	60.25	0	30047.393	481.7204301	14451.662	30000	0	0	30000	40.6875	2004
12.02.2020 14:23:46	1	1	1	1	69.75	60.5	0	30000	481.7204301	13999.94564	30000	0	0	30000	41.0625	2004
12.02.2020 14:23:47	1	1	1	1	69.75	61	0	30000	455.9139785	13741.47256	30000	0	0	30000	39.375	2004
12.02.2020 14:23:48	1	1	1	1	69.75	59.25	0	30047.393	468.8172043	14128.7745	30000	0	0	30000	40.25	2004
12.02.2020 14:23:49	1	1	1	1	69.5	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.4375	2004
12.02.2020 14:23:50	1	1	1	1	69.5	60.25	0	30000	468.8172043	14128.7745	30000	0	0	30000	40.375	2004
12.02.2020 14:23:51	1	1	1	1	69.5	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.875	2004
12.02.2020 14:23:52	1	1	1	1	69.5	60.75	0	29952.607	468.8172043	14128.7745	30000	0	0	30000	40.3125	2004
12.02.2020 14:23:53	1	1	1	1	69.5	60.25	0	30000	481.7204301	14128.7745	30000	0	0	30000	40.75	2004
12.02.2020 14:23:54	1	1	1	1	69.5	60.75	0	30000	466.6666667	13999.94564	30000	0	0	30000	41.0625	2004
12.02.2020 14:23:55	1	1	1	1	69.5	61	0	30000	464.516129	13935.53122	30000	0	0	30000	41.0625	2004
12.02.2020 14:23:56	1	1	1	1	69.5	61	0	30000	468.8172043	14451.662	30000	0	0	30000	40.9375	2004
12.02.2020 14:23:57	1	1	1	1	69.5	60.75	0	30000	464.516129	13935.53122	30000	0	0	30000	40.3125	2004
12.02.2020 14:23:58	1	1	1	1	69.5	60.25	0	30000	464.516129	13935.53122	30000	0	0	30000	39.9375	2004
12.02.2020 14:23:59	1	1	1	1	69	59.75	0	30000	460.2150538	13741.47256	30000	0	0	30000	40.4375	2004
12.02.2020 14:24:00	1	1	1	1	69	60.25	0	29952.607	464.516129	13849.10173	30000	0	0	30000	41.375	2004
12.02.2020 14:24:02	1	1	1	1	69	61.25	0	30000	466.6666667	13891.5011	30000	0	0	30000	39.375	2004
12.02.2020 14:24:03	1	1	1	1	69	60.5	0	29905.213	468.8172043	14064.36007	30000	0	0	30000	39.625	2004
12.02.2020 14:24:04	1	1	1	1	69	59.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.875	2004
12.02.2020 14:24:05	1	1	1	1	69	60.75	0	30000	464.516129	13999.94564	30000	0	0	30000	40.375	2004
12.02.2020 14:24:06	1	1	1	1	69	60.25	0	30000	458.0645161	13741.47256	30000	0	0	30000	41	2004
12.02.2020 14:24:07	1	1	1	1	69	61	0	30000	453.7634409	13612.64371	30000	0	0	30000	40.875	2004
12.02.2020 14:24:08	1	1	1	1	69	60.75	0	30000	460.2150538	13870.30142	30000	0	0	30000	41	2004
12.02.2020 14:24:09	1	1	1	1	69.25	61	0	30000	464.516129	13870.30142	30000	0	0	30000	40.625	2004
12.02.2020 14:24:10	1	1	1	1	69.25	60.5	0	30000	481.7204301	13999.94564	30000	0	0	30000	40.8125	2004
12.02.2020 14:24:11	1	1	1	1	69.25	60.75	0	30000	458.0645161	13805.88699	30000	0	0	30000	41.0625	2004
12.02.2020 14:24:12	1	1	1	1	69.25	61	0	30000	460.2150538	13805.88699	30000	0	0	30000	41.0625	2004
12.02.2020 14:24:13	1	1	1	1	69.25	61	0	29905.213	460.2150538	13935.53122	30000	0	0	30000	40.5	2004
12.02.2020 14:24:14	1	1	1	1	69.25	60.5	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.875	2004
12.02.2020 14:24:15	1	1	1	1	69.25	60.75	0	30000	464.516129	14150.78955	30000	0	0	30000	41	2004
12.02.2020 14:24:16	1	1	1	1	69.25	61	0	30000	466.6666667	13999.94564	30000	0	0	30000	41.125	2004
12.02.2020 14:24:17	1	1	1	1	69.25	61	0	30000	464.516129	13741.47256	30000	0	0	30000	40.6875	2004
12.02.2020 14:24:18	1	1	1	1	69.25	60.5	0	30000	464.516129	13935.53122	30000	0	0	30000	41.1875	2004
12.02.2020 14:24:19	1	1	1	1	69.25	61	0	30000	460.2150538	13612.64371	30000	0	0	30000	40.25	2004
12.02.2020 14:24:20	1	1	1	1	69.25	60.25	0	30000	464.516129	13999.94564	30000	0	0	30000	40.875	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 14:25:05	1	1	1	1	68.25	60	0	30000	451.6129032	13269.37189	30000	0	0	30000	40.375	2004
12.02.2020 14:25:06	1	1	1	1	68.25	60.25	0	30000	449.4623656	13354.17063	30000	0	0	30000	40.6875	2004
12.02.2020 14:25:07	1	1	1	1	68.25	60.5	0	30000	460.2150538	13741.47256	30000	0	0	30000	40.3125	2004
12.02.2020 14:25:08	1	1	1	1	68.25	60.25	0	30000	464.516129	13935.53122	30000	0	0	30000	41	2004
12.02.2020 14:25:09	1	1	1	1	68.5	61	0	30000	460.2150538	13805.88699	30000	0	0	30000	41	2004
12.02.2020 14:25:10	1	1	1	1	68.5	61	0	30000	464.516129	13935.53122	30000	0	0	30000	40.9375	2004
12.02.2020 14:25:11	1	1	1	1	68.5	60.75	0	30000	458.0645161	13763.48762	30000	0	0	30000	40.8125	2004
12.02.2020 14:25:12	1	1	1	1	68.5	60.75	0	30000	449.4623656	13612.64371	30000	0	0	30000	40.5	2004
12.02.2020 14:25:13	1	1	1	1	68.5	60.5	0	30000	455.9139785	13612.64371	30000	0	0	30000	40.875	2004
12.02.2020 14:25:14	1	1	1	1	68.5	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.625	2004
12.02.2020 14:25:15	1	1	1	1	68.5	60.5	0	30000	440.8602151	13289.7562	30000	0	0	30000	41.1875	2004
12.02.2020 14:25:17	1	1	1	1	68.5	61	0	30000	460.2150538	13612.64371	30000	0	0	30000	40.9375	2004
12.02.2020 14:25:18	1	1	1	1	68.5	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.25	2004
12.02.2020 14:25:19	1	1	1	1	68.5	60.25	0	30000	453.7634409	13612.64371	30000	0	0	30000	40.3125	2004
12.02.2020 14:25:20	1	1	1	1	68.5	60.75	0	30000	443.0107527	13289.7562	30000	0	0	30000	40.5625	2004
12.02.2020 14:25:21	1	1	1	1	68.5	60.5	0	30000	438.7096774	13096.51292	30000	0	0	30000	41.25	2004
12.02.2020 14:25:22	1	1	1	1	68.5	61.25	0	30000	443.0107527	13225.34178	30000	0	0	30000	40.5625	2004
12.02.2020 14:25:23	1	1	1	1	68.5	60.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.125	2004
12.02.2020 14:25:30	1	1	1	1	68.25	60.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.5625	2004
12.02.2020 14:25:30	1	1	1	1	68.25	60.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.5625	2004
12.02.2020 14:25:30	1	1	1	1	68.25	60.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.5625	2004
12.02.2020 14:25:30	1	1	1	1	68.25	60.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.5625	2004
12.02.2020 14:25:30	1	1	1	1	68.25	60.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.5625	2004
12.02.2020 14:25:30	1	1	1	1	68.25	60.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.5625	2004
12.02.2020 14:25:31	1	1	1	1	68.25	60.5	0	29952.607	443.0107527	13289.7562	30000	0	0	30000	41	2004
12.02.2020 14:25:32	1	1	1	1	68.25	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.4375	2004
12.02.2020 14:25:33	1	1	1	1	68.25	60.25	0	30000	443.0107527	13354.17063	30000	0	0	30000	40.6875	2004
12.02.2020 14:25:34	1	1	1	1	68.25	60.5	0	30000	443.0107527	13375.37032	30000	0	0	30000	40.3125	2004
12.02.2020 14:25:35	1	1	1	1	68.25	60.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.875	2004
12.02.2020 14:25:36	1	1	1	1	68.25	60.75	0	30000	443.0107527	13354.17063	30000	0	0	30000	40.8125	2004
12.02.2020 14:25:37	1	1	1	1	68.25	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.5	2004
12.02.2020 14:25:38	1	1	1	1	68.25	60.5	0	30000	434.4086022	12838.03984	30000	0	0	30000	40.875	2004
12.02.2020 14:25:39	1	1	1	1	68	60.75	0	29952.607	445.1612903	13354.17063	30000	0	0	30000	41.125	2004
12.02.2020 14:25:40	1	1	1	1	68	61	0	30000	460.2150538	13935.53122	30000	0	0	30000	40.6875	2004
12.02.2020 14:25:41	1	1	1	1	68	60.5	0	30000	458.0645161	13805.88699	30000	0	0	30000	40.5625	2004
12.02.2020 14:25:42	1	1	1	1	68	60.5	0	30000	451.6129032	13612.64371	30000	0	0	30000	40.6875	2004
12.02.2020 14:25:43	1	1	1	1	68	60.5	0	30000	453.7634409	13591.44402	30000	0	0	30000	40.125	2004
12.02.2020 14:25:44	1	1	1	1	68	60	0	30000	451.6129032	13483.81486	30000	0	0	30000	40.5	2004
12.02.2020 14:25:45	1	1	1	1	68	60.5	0	30000	449.4623656	13612.64371	30000	0	0	30000	40.5625	2004
12.02.2020 14:25:46	1	1	1	1	68	60.5	0	30000	449.4623656	13483.81486	30000	0	0	30000	40.625	2004
12.02.2020 14:25:47	1	1	1	1	68	60.5	0	30000	449.4623656	13483.81486	30000	0	0	30000	41	2004
12.02.2020 14:25:48	1	1	1	1	68	61	0	30000	453.7634409	13612.64371	30000	0	0	30000	40.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 14:25:49	1	1	1	1	68	60.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	41.0625	2004
12.02.2020 14:25:50	1	1	1	1	68	61	0	30000	449.4623656	13483.81486	30000	0	0	30000	40.6875	2004
12.02.2020 14:25:51	1	1	1	1	68	60.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.3125	2004
12.02.2020 14:25:52	1	1	1	1	68	61.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.0625	2004
12.02.2020 14:25:53	1	1	1	1	68	61	0	30047.393	445.1612903	13354.17063	30000	0	0	30000	40.6875	2004
12.02.2020 14:25:54	1	1	1	1	68	60.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.6875	2004
12.02.2020 14:25:55	1	1	1	1	68	60.5	0	30000	438.7096774	13160.92735	30000	0	0	30000	40.8125	2004
12.02.2020 14:25:57	1	1	1	1	68	60.75	0	29952.607	445.1612903	13354.17063	30000	0	0	30000	41.1875	2004
12.02.2020 14:25:58	1	1	1	1	68	61	0	30000	453.7634409	13612.64371	30000	0	0	30000	41.125	2004
12.02.2020 14:25:59	1	1	1	1	67.75	61.5	0	30000	449.4623656	13354.17063	30000	0	0	30000	40.0625	2004
12.02.2020 14:26:00	1	1	1	1	67.75	60	0	30000	445.1612903	13354.17063	30000	0	0	30000	39.875	2004
12.02.2020 14:26:01	1	1	1	1	67.75	59.75	0	30047.393	449.4623656	13354.17063	30000	0	0	30000	40.3125	2004
12.02.2020 14:26:02	1	1	1	1	67.75	60.25	0	30000	436.5591398	13160.92735	30000	0	0	30000	41.0625	2004
12.02.2020 14:26:03	1	1	1	1	67.75	61	0	30000	438.7096774	13289.7562	30000	0	0	30000	40.375	2004
12.02.2020 14:26:04	1	1	1	1	67.75	60.25	0	30000	440.8602151	13225.34178	30000	0	0	30000	40.1875	2004
12.02.2020 14:26:05	1	1	1	1	67.75	60	0	29952.607	438.7096774	13225.34178	30000	0	0	30000	40.5625	2004
12.02.2020 14:26:06	1	1	1	1	67.75	60.5	0	30000	440.8602151	13225.34178	30000	0	0	30000	40.1875	2004
12.02.2020 14:26:07	1	1	1	1	67.75	60	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.1875	2004
12.02.2020 14:26:08	1	1	1	1	67.75	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.875	2004
12.02.2020 14:26:09	1	1	1	1	67	60.75	0	30000	445.1612903	13289.7562	30000	0	0	30000	40.5625	2004
12.02.2020 14:26:10	1	1	1	1	67	60.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	39.875	2004
12.02.2020 14:26:11	1	1	1	1	67	59.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.8125	2004
12.02.2020 14:26:12	1	1	1	1	67	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.4375	2004
12.02.2020 14:26:13	1	1	1	1	67	60.25	0	30000	453.7634409	13354.17063	30000	0	0	30000	40.25	2004
12.02.2020 14:26:14	1	1	1	1	67	60.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.125	2004
12.02.2020 14:26:15	1	1	1	1	67	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.75	2004
12.02.2020 14:26:16	1	1	1	1	67	60.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	40.375	2004
12.02.2020 14:26:17	1	1	1	1	67	60.25	0	29905.213	445.1612903	13677.05814	30000	0	0	30000	40.125	2004
12.02.2020 14:26:18	1	1	1	1	67	60	0	30000	445.1612903	13483.81486	30000	0	0	30000	40.6875	2004
12.02.2020 14:26:19	1	1	1	1	67.5	60.5	0	30000	440.8602151	13225.34178	30000	0	0	30000	40.9375	2004
12.02.2020 14:26:20	1	1	1	1	67.5	60.75	0	29905.213	427.9569892	12838.03984	30000	0	0	30000	40.75	2004
12.02.2020 14:26:21	1	1	1	1	67.5	60.75	0	29952.607	445.1612903	13333.78632	30000	0	0	30000	41.0625	2004
12.02.2020 14:26:22	1	1	1	1	67.5	61	0	30000	453.7634409	13805.88699	30000	0	0	30000	40.5625	2004
12.02.2020 14:26:23	1	1	1	1	67.5	60.5	0	30000	438.7096774	13160.92735	30000	0	0	30000	40.4375	2004
12.02.2020 14:26:24	1	1	1	1	67.5	60.25	0	29952.607	445.1612903	13354.17063	30000	0	0	30000	40.5	2004
12.02.2020 14:26:32	1	1	1	1	67.5	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.8125	2004
12.02.2020 14:26:32	1	1	1	1	67.5	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.8125	2004
12.02.2020 14:26:32	1	1	1	1	67.5	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.8125	2004
12.02.2020 14:26:32	1	1	1	1	67.5	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.8125	2004
12.02.2020 14:26:32	1	1	1	1	67.5	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.8125	2004
12.02.2020 14:26:32	1	1	1	1	67.5	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.8125	2004
12.02.2020 14:26:32	1	1	1	1	67.5	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.8125	2004
12.02.2020 14:26:32	1	1	1	1	67.5	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 14:26:33	1	1	1	1	67.5	60.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	39.6875	2004
12.02.2020 14:26:34	1	1	1	1	67.5	59.5	0	30000	445.1612903	13225.34178	30000	0	0	30000	40.25	2004
12.02.2020 14:26:36	1	1	1	1	67.5	60.25	0	30047.393	445.1612903	13354.17063	30000	0	0	30000	40.1875	2004
12.02.2020 14:26:37	1	1	1	1	67.5	60	0	30000	449.4623656	13354.17063	30000	0	0	30000	41.5625	2004
12.02.2020 14:26:38	1	1	1	1	67.5	61.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.9375	2004
12.02.2020 14:26:39	1	1	1	1	67.75	60.75	0	30000	443.0107527	13289.7562	30000	0	0	30000	40.8125	2004
12.02.2020 14:26:40	1	1	1	1	67.75	60.75	0	29952.607	438.7096774	13289.7562	30000	0	0	30000	40.625	2004
12.02.2020 14:26:41	1	1	1	1	67.75	60.5	0	29952.607	443.0107527	13375.37032	30000	0	0	30000	39.75	2004
12.02.2020 14:26:42	1	1	1	1	67.75	59.75	0	29952.607	458.0645161	13762.67225	30000	0	0	30000	40.25	2004
12.02.2020 14:26:43	1	1	1	1	67.75	60.25	0	29905.213	445.1612903	13354.17063	30000	0	0	30000	41.0625	2004
12.02.2020 14:26:44	1	1	1	1	67.75	61	0	29952.607	445.1612903	13612.64371	30000	0	0	30000	40.5625	2004
12.02.2020 14:26:45	1	1	1	1	67.75	60.5	0	30000	451.6129032	13612.64371	30000	0	0	30000	40.5625	2004
12.02.2020 14:26:46	1	1	1	1	67.75	60.5	0	30000	451.6129032	13612.64371	30000	0	0	30000	40.9375	2004
12.02.2020 14:26:47	1	1	1	1	67.75	60.75	0	30000	443.0107527	13289.7562	30000	0	0	30000	40	2004
12.02.2020 14:26:48	1	1	1	1	67.75	60	0	30000	443.0107527	13354.17063	30000	0	0	30000	41.125	2004
12.02.2020 14:26:49	1	1	1	1	67.5	61	0	30000	451.6129032	13612.64371	30000	0	0	30000	40.5	2004
12.02.2020 14:26:50	1	1	1	1	67.5	60.5	0	30000	449.4623656	13354.17063	30000	0	0	30000	40.4375	2004
12.02.2020 14:26:51	1	1	1	1	67.5	60.25	0	30000	443.0107527	13354.17063	30000	0	0	30000	41.1875	2004
12.02.2020 14:26:52	1	1	1	1	67.5	61	0	29952.607	449.4623656	13462.61517	30000	0	0	30000	40.5	2004
12.02.2020 14:26:53	1	1	1	1	67.5	60.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.9375	2004
12.02.2020 14:26:54	1	1	1	1	67.5	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.0625	2004
12.02.2020 14:26:55	1	1	1	1	67.5	61	0	30000	443.0107527	13289.7562	30000	0	0	30000	40.875	2004
12.02.2020 14:26:56	1	1	1	1	67.5	60.75	0	30000	440.8602151	13289.7562	30000	0	0	30000	40.1875	2004
12.02.2020 14:26:57	1	1	1	1	67.5	60	0	30000	443.0107527	13354.17063	30000	0	0	30000	40.4375	2004
12.02.2020 14:26:58	1	1	1	1	67.5	60.25	0	29952.607	443.0107527	13225.34178	30000	0	0	30000	41.0625	2004
12.02.2020 14:26:59	1	1	1	1	67	61	0	30000	443.0107527	13160.92735	30000	0	0	30000	40.5	2004
12.02.2020 14:27:00	1	1	1	1	67	60.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.625	2004
12.02.2020 14:27:01	1	1	1	1	67	60.5	0	30000	443.0107527	13354.17063	30000	0	0	30000	40.25	2004
12.02.2020 14:27:02	1	1	1	1	67	60.25	0	30000	445.1612903	13333.78632	30000	0	0	30000	40.4375	2004
12.02.2020 14:27:03	1	1	1	1	67	60.25	0	30000	440.8602151	13225.34178	30000	0	0	30000	39.75	2004
12.02.2020 14:27:04	1	1	1	1	67	59.75	0	30000	440.8602151	13225.34178	30000	0	0	30000	40.5	2004
12.02.2020 14:27:05	1	1	1	1	67	60.5	0	30000	443.0107527	13140.54304	30000	0	0	30000	41	2004
12.02.2020 14:27:06	1	1	1	1	67	61	0	29905.213	445.1612903	13591.44402	30000	0	0	30000	41	2004
12.02.2020 14:27:07	1	1	1	1	67	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.125	2004
12.02.2020 14:27:08	1	1	1	1	67	60	0	30000	453.7634409	13612.64371	30000	0	0	30000	39.5625	2004
12.02.2020 14:27:09	1	1	1	1	67.25	59.5	0	30000	445.1612903	13612.64371	30000	0	0	30000	40.0625	2004
12.02.2020 14:27:10	1	1	1	1	67.25	60	0	29952.607	445.1612903	13354.17063	30000	0	0	30000	40.375	2004
12.02.2020 14:27:11	1	1	1	1	67.25	60.25	0	30047.393	445.1612903	13354.17063	30000	0	0	30000	39.75	2004
12.02.2020 14:27:12	1	1	1	1	67.25	59.75	0	29905.213	443.0107527	13289.7562	30000	0	0	30000	40.75	2004
12.02.2020 14:27:13	1	1	1	1	67.25	60.75	0	29905.213	445.1612903	13333.78632	30000	0	0	30000	41.1875	2004
12.02.2020 14:27:14	1	1	1	1	67.25	61	0	30000	440.8602151	13225.34178	30000	0	0	30000	40.8125	2004
12.02.2020 14:27:16	1	1	1	1	67.25	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.8125	2004
12.02.2020 14:27:17	1	1	1	1	67.25	60.75	0	30000	443.0107527	13289.7562	30000	0	0	30000	41.5	2004





	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 14:28:02	1	1	1	1	76.5	60.5	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	40.5	2004
12.02.2020 14:28:03	1	1	1	1	76.5	60.5	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	40.9375	2004
12.02.2020 14:28:04	1	1	1	1	76.5	60.75	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	40.625	2004
12.02.2020 14:28:05	1	1	1	1	76.5	60.5	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	41	2004
12.02.2020 14:28:06	1	1	1	1	76.5	61	0	27819.905	576.344086	15983.74691	30000	0	0	30000	41.1875	2004
12.02.2020 14:28:07	1	1	1	1	76.5	61	0	27582.938	576.344086	15983.74691	30000	0	0	30000	41.125	2004
12.02.2020 14:28:08	1	1	1	1	76.5	61	0	27867.299	572.0430108	16000.86973	30000	0	0	30000	40.8125	2004
12.02.2020 14:28:09	1	1	1	1	80	60.75	0	28009.479	576.344086	16082.40698	30000	0	0	30000	40.875	2004
12.02.2020 14:28:10	1	1	1	1	80	60.75	0	27819.905	578.4946237	16093.00682	30000	0	0	30000	41.0625	2004
12.02.2020 14:28:11	1	1	1	1	80	61	0	28009.479	565.5913978	16070.17639	30000	0	0	30000	41.0625	2004
12.02.2020 14:28:12	1	1	1	1	80	61	0	27630.332	574.1935484	15983.74691	30000	0	0	30000	39.875	2004
12.02.2020 14:28:13	1	1	1	1	80	59.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	40.5625	2004
12.02.2020 14:28:14	1	1	1	1	80	60.5	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	40.5625	2004
12.02.2020 14:28:15	1	1	1	1	80	60.5	0	27440.758	582.7956989	15936.4553	30000	0	0	30000	40.75	2004
12.02.2020 14:28:16	1	1	1	1	80	60.75	0	27061.611	593.5483871	16062.02267	30000	0	0	30000	40.8125	2004
12.02.2020 14:28:17	1	1	1	1	80	60.75	0	27440.758	587.0967742	16110.12964	30000	0	0	30000	40.875	2004
12.02.2020 14:28:18	1	1	1	1	80	60.75	0	27630.332	578.4946237	15745.65814	30000	0	0	30000	41	2004
12.02.2020 14:28:19	1	1	1	1	81.5	61	0	28009.479	567.7419355	15814.9648	30000	0	0	30000	40.4375	2004
12.02.2020 14:28:20	1	1	1	1	81.5	60.25	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	41.0625	2004
12.02.2020 14:28:21	1	1	1	1	81.5	61	0	28436.019	563.4408602	15960.91648	30000	0	0	30000	41.0625	2004
12.02.2020 14:28:22	1	1	1	1	81.5	61	0	28862.559	556.9892473	16075.884	30000	0	0	30000	40.9375	2004
12.02.2020 14:28:23	1	1	1	1	81.5	60.75	0	28815.166	552.688172	15925.85546	30000	0	0	30000	41.125	2004
12.02.2020 14:28:24	1	1	1	1	81.5	61	0	29004.739	550.5376344	16056.31506	30000	0	0	30000	40.9375	2004
12.02.2020 14:28:25	1	1	1	1	81.5	60.75	0	29241.706	546.2365591	15846.76433	30000	0	0	30000	40.875	2004
12.02.2020 14:28:26	1	1	1	1	81.5	60.75	0	29383.886	541.9354839	15924.22472	30000	0	0	30000	40.125	2004
12.02.2020 14:28:27	1	1	1	1	81.5	60	0	29383.886	544.0860215	16013.10032	30000	0	0	30000	40.3125	2004
12.02.2020 14:28:35	1	1	1	1	78	60	0	30000	533.3333333	16000.05436	30000	0	0	30000	40.375	2004
12.02.2020 14:28:35	1	1	1	1	78	60	0	30000	533.3333333	16000.05436	30000	0	0	30000	40.375	2004
12.02.2020 14:28:35	1	1	1	1	78	60	0	30000	533.3333333	16000.05436	30000	0	0	30000	40.375	2004
12.02.2020 14:28:35	1	1	1	1	78	60	0	30000	533.3333333	16000.05436	30000	0	0	30000	40.375	2004
12.02.2020 14:28:35	1	1	1	1	78	60	0	30000	533.3333333	16000.05436	30000	0	0	30000	40.375	2004
12.02.2020 14:28:35	1	1	1	1	78	60	0	30000	533.3333333	16000.05436	30000	0	0	30000	40.375	2004
12.02.2020 14:28:35	1	1	1	1	78	60	0	30000	533.3333333	16000.05436	30000	0	0	30000	40.375	2004
12.02.2020 14:28:36	1	1	1	1	78	60.25	0	29952.607	535.483871	15949.50126	30000	0	0	30000	40.3125	2004
12.02.2020 14:28:37	1	1	1	1	78	60.25	0	30000	526.8817204	15870.41013	30000	0	0	30000	40.4375	2004
12.02.2020 14:28:38	1	1	1	1	78	60.25	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	40.6875	2004
12.02.2020 14:28:39	1	1	1	1	75.25	60.5	0	30000	518.2795699	15548.338	30000	0	0	30000	40.8125	2004
12.02.2020 14:28:40	1	1	1	1	75.25	60.75	0	30000	490.3225806	14773.73413	30000	0	0	30000	40.75	2004
12.02.2020 14:28:41	1	1	1	1	75.25	60.75	0	30000	490.3225806	14773.73413	30000	0	0	30000	40.9375	2004
12.02.2020 14:28:42	1	1	1	1	75.25	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.625	2004
12.02.2020 14:28:43	1	1	1	1	75.25	60.5	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.4375	2004
12.02.2020 14:28:44	1	1	1	1	75.25	60.25	0	30047.393	464.516129	13935.53122	30000	0	0	30000	40.6875	2004
12.02.2020 14:28:45	1	1	1	1	75.25	60.5	0	30000	468.8172043	14128.7745	30000	0	0	30000	40.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 14:28:46	1	1	1	1	75.25	60.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	41.0625	2004
12.02.2020 14:28:47	1	1	1	1	75.25	61	0	30000	464.516129	13935.53122	30000	0	0	30000	40.625	2004
12.02.2020 14:28:48	1	1	1	1	75.25	60.5	0	29952.607	449.4623656	13312.58663	30000	0	0	30000	41.125	2004
12.02.2020 14:28:49	1	1	1	1	74	61	0	29905.213	453.7634409	13569.42897	30000	0	0	30000	40.125	2004
12.02.2020 14:28:50	1	1	1	1	74	60	0	29952.607	464.516129	13935.53122	30000	0	0	30000	40.5625	2004
12.02.2020 14:28:51	1	1	1	1	74	60.5	0	30000	464.516129	13935.53122	30000	0	0	30000	40.375	2004
12.02.2020 14:28:52	1	1	1	1	74	60.25	0	30000	453.7634409	13612.64371	30000	0	0	30000	40.25	2004
12.02.2020 14:28:53	1	1	1	1	74	60.25	0	30000	455.9139785	13612.64371	30000	0	0	30000	40.125	2004
12.02.2020 14:28:54	1	1	1	1	74	60	0	30000	453.7634409	13612.64371	30000	0	0	30000	40.75	2004
12.02.2020 14:28:55	1	1	1	1	74	60.75	0	30000	453.7634409	13548.22928	30000	0	0	30000	41	2004
12.02.2020 14:28:56	1	1	1	1	74	61	0	30000	453.7634409	13612.64371	30000	0	0	30000	41.0625	2004
12.02.2020 14:28:57	1	1	1	1	74	61	0	30000	455.9139785	13677.05814	30000	0	0	30000	41.0625	2004
12.02.2020 14:28:58	1	1	1	1	74	61	0	30000	458.0645161	13741.47256	30000	0	0	30000	40.9375	2004
12.02.2020 14:28:59	1	1	1	1	73.5	60.75	0	30000	460.2150538	13741.47256	30000	0	0	30000	41.125	2004
12.02.2020 14:29:00	1	1	1	1	73.5	61	0	30000	453.7634409	13354.17063	30000	0	0	30000	41.25	2004
12.02.2020 14:29:01	1	1	1	1	73.5	61.25	0	30000	453.7634409	13612.64371	30000	0	0	30000	40.375	2004
12.02.2020 14:29:02	1	1	1	1	73.5	60.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.8125	2004
12.02.2020 14:29:03	1	1	1	1	73.5	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	39.75	2004
12.02.2020 14:29:04	1	1	1	1	73.5	59.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.125	2004
12.02.2020 14:29:05	1	1	1	1	73.5	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.9375	2004
12.02.2020 14:29:06	1	1	1	1	73.5	60.75	0	30000	445.1612903	13160.92735	30000	0	0	30000	41.0625	2004
12.02.2020 14:29:07	1	1	1	1	73.5	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	39.8125	2004
12.02.2020 14:29:08	1	1	1	1	73.5	59.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.8125	2004
12.02.2020 14:29:09	1	1	1	1	73	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	41	2004
12.02.2020 14:29:11	1	1	1	1	73	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.9375	2004
12.02.2020 14:29:12	1	1	1	1	73	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	39.9375	2004
12.02.2020 14:29:13	1	1	1	1	73	59.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.5625	2004
12.02.2020 14:29:14	1	1	1	1	73	61.5	0	30000	440.8602151	13289.7562	30000	0	0	30000	40.6875	2004
12.02.2020 14:29:15	1	1	1	1	73	60.75	0	30000	445.1612903	13333.78632	30000	0	0	30000	40.5	2004
12.02.2020 14:29:16	1	1	1	1	73	60.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	39.25	2004
12.02.2020 14:29:17	1	1	1	1	73	59.25	0	29952.607	449.4623656	13483.81486	30000	0	0	30000	40.625	2004
12.02.2020 14:29:18	1	1	1	1	73	60.5	0	30000	445.1612903	13612.64371	30000	0	0	30000	41.0625	2004
12.02.2020 14:29:19	1	1	1	1	72.75	61	0	30000	466.6666667	13935.53122	30000	0	0	30000	40.875	2004
12.02.2020 14:29:20	1	1	1	1	72.75	60.75	0	30000	449.4623656	13354.17063	30000	0	0	30000	40.8125	2004
12.02.2020 14:29:21	1	1	1	1	72.75	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.1875	2004
12.02.2020 14:29:22	1	1	1	1	72.75	61	0	30000	443.0107527	13354.17063	30000	0	0	30000	41	2004
12.02.2020 14:29:23	1	1	1	1	72.75	61	0	30000	460.2150538	13805.88699	30000	0	0	30000	41.1875	2004
12.02.2020 14:29:24	1	1	1	1	72.75	61	0	30000	453.7634409	13483.81486	30000	0	0	30000	40.625	2004
12.02.2020 14:29:25	1	1	1	1	72.75	60.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.75	2004
12.02.2020 14:29:26	1	1	1	1	72.75	60.75	0	30047.393	445.1612903	13289.7562	30000	0	0	30000	39.625	2004
12.02.2020 14:29:27	1	1	1	1	72.75	59.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.3125	2004
12.02.2020 14:29:28	1	1	1	1	72.75	60.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.0625	2004
12.02.2020 14:29:29	1	1	1	1	72.5	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 14:29:37	1	1	1	1	72.5	59.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.375	2004
12.02.2020 14:29:37	1	1	1	1	72.5	59.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.375	2004
12.02.2020 14:29:37	1	1	1	1	72.5	59.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.375	2004
12.02.2020 14:29:37	1	1	1	1	72.5	59.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.375	2004
12.02.2020 14:29:37	1	1	1	1	72.5	59.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.375	2004
12.02.2020 14:29:37	1	1	1	1	72.5	59.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.375	2004
12.02.2020 14:29:37	1	1	1	1	72.5	59.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.375	2004
12.02.2020 14:29:37	1	1	1	1	72.5	60.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.625	2004
12.02.2020 14:29:38	1	1	1	1	72.5	60.5	0	30000	445.1612903	13483.81486	30000	0	0	30000	41.0625	2004
12.02.2020 14:29:39	1	1	1	1	72	61	0	30000	449.4623656	13354.17063	30000	0	0	30000	40.75	2004
12.02.2020 14:29:40	1	1	1	1	72	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.8125	2004
12.02.2020 14:29:41	1	1	1	1	72	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	41	2004
12.02.2020 14:29:42	1	1	1	1	72	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.4375	2004
12.02.2020 14:29:43	1	1	1	1	72	60.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	39.625	2004
12.02.2020 14:29:44	1	1	1	1	72	59.5	0	30000	438.7096774	13160.92735	30000	0	0	30000	40.6875	2004
12.02.2020 14:29:45	1	1	1	1	72	60.5	0	29905.213	427.9569892	12838.03984	30000	0	0	30000	40.875	2004
12.02.2020 14:29:46	1	1	1	1	72	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	39.25	2004
12.02.2020 14:29:47	1	1	1	1	72	59.25	0	30000	434.4086022	13096.51292	30000	0	0	30000	40.9375	2004
12.02.2020 14:29:48	1	1	1	1	72	60.75	0	30000	440.8602151	13289.7562	30000	0	0	30000	40.4375	2004
12.02.2020 14:29:50	1	1	1	1	72	60.25	0	30000	443.0107527	13225.34178	30000	0	0	30000	40.4375	2004
12.02.2020 14:29:51	1	1	1	1	72	60.25	0	30000	443.0107527	13289.7562	30000	0	0	30000	41.5625	2004
12.02.2020 14:29:52	1	1	1	1	72	61.5	0	30000	443.0107527	13225.34178	30000	0	0	30000	41.25	2004
12.02.2020 14:29:53	1	1	1	1	72	61.25	0	30000	438.7096774	13160.92735	30000	0	0	30000	41.125	2004
12.02.2020 14:29:54	1	1	1	1	72	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.1875	2004
12.02.2020 14:29:55	1	1	1	1	72	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.8125	2004
12.02.2020 14:29:56	1	1	1	1	72	60.75	0	30000	443.0107527	13354.17063	30000	0	0	30000	40.3125	2004
12.02.2020 14:29:57	1	1	1	1	72	60.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.1875	2004
12.02.2020 14:29:58	1	1	1	1	72	60	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.1875	2004
12.02.2020 14:29:59	1	1	1	1	72	61	0	30000	440.8602151	13289.7562	30000	0	0	30000	40.3125	2004
12.02.2020 14:30:00	1	1	1	1	72	60.25	0	30000	449.4623656	13354.17063	30000	0	0	30000	40.9375	2004
12.02.2020 14:30:01	1	1	1	1	72	60.75	0	30000	481.7204301	14474.49243	30000	0	0	30000	41	2004
12.02.2020 14:30:02	1	1	1	1	72	61	0	30000	458.0645161	13741.47256	30000	0	0	30000	40.3125	2004
12.02.2020 14:30:03	1	1	1	1	72	60.25	0	30000	440.8602151	13160.92735	30000	0	0	30000	40.4375	2004
12.02.2020 14:30:04	1	1	1	1	72	60.25	0	30000	443.0107527	13289.7562	30000	0	0	30000	40.9375	2004
12.02.2020 14:30:05	1	1	1	1	72	60.75	0	30000	434.4086022	13096.51292	30000	0	0	30000	39.625	2004
12.02.2020 14:30:06	1	1	1	1	72	59.5	0	30000	443.0107527	13289.7562	30000	0	0	30000	40.4375	2004
12.02.2020 14:30:07	1	1	1	1	72	60.25	0	30000	443.0107527	13289.7562	30000	0	0	30000	40.4375	2004
12.02.2020 14:30:08	1	1	1	1	72	60.25	0	30000	445.1612903	13289.7562	30000	0	0	30000	40.625	2004
12.02.2020 14:30:09	1	1	1	1	72	60.5	0	29952.607	443.0107527	13354.17063	30000	0	0	30000	40.875	2004
12.02.2020 14:30:10	1	1	1	1	72	60.75	0	30000	453.7634409	13354.17063	30000	0	0	30000	40.8125	2004
12.02.2020 14:30:11	1	1	1	1	72	60.75	0	29952.607	427.9569892	13160.92735	30000	0	0	30000	40.5625	2004
12.02.2020 14:30:12	1	1	1	1	72	60.5	0	30000	438.7096774	13225.34178	30000	0	0	30000	40.8125	2004
12.02.2020 14:30:13	1	1	1	1	72	60.75	0	29952.607	438.7096774	13225.34178	30000	0	0	30000	40.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 14:30:14	1	1	1	1	72	60	0	30000	443.0107527	13289.7562	30000	0	0	30000	41.0625	2004
12.02.2020 14:30:15	1	1	1	1	72	61	0	30000	440.8602151	13354.17063	30000	0	0	30000	41.125	2004
12.02.2020 14:30:16	1	1	1	1	72	61	0	29952.607	438.7096774	13160.92735	30000	0	0	30000	41.3125	2004
12.02.2020 14:30:17	1	1	1	1	72	61.25	0	30000	443.0107527	13289.7562	30000	0	0	30000	41.0625	2004
12.02.2020 14:30:18	1	1	1	1	72	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.1875	2004
12.02.2020 14:30:19	1	1	1	1	71.5	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.125	2004
12.02.2020 14:30:20	1	1	1	1	71.5	61	0	30000	427.9569892	12967.68407	30000	0	0	30000	39.0625	2004
12.02.2020 14:30:21	1	1	1	1	71.5	59	0	30000	438.7096774	13160.92735	30000	0	0	30000	40.9375	2004
12.02.2020 14:30:22	1	1	1	1	71.5	60.75	0	30000	438.7096774	13160.92735	30000	0	0	30000	41.1875	2004
12.02.2020 14:30:23	1	1	1	1	71.5	61	0	29952.607	427.9569892	12967.68407	30000	0	0	30000	41.125	2004
12.02.2020 14:30:24	1	1	1	1	71.5	61	0	30000	427.9569892	12838.03984	30000	0	0	30000	41	2004
12.02.2020 14:30:25	1	1	1	1	71.5	61	0	30000	427.9569892	12838.03984	30000	0	0	30000	40.8125	2004
12.02.2020 14:30:26	1	1	1	1	71.5	60.75	0	30000	432.2580645	12838.03984	30000	0	0	30000	40.9375	2004
12.02.2020 14:30:27	1	1	1	1	71.5	60.75	0	30000	436.5591398	13096.51292	30000	0	0	30000	40.125	2004
12.02.2020 14:30:28	1	1	1	1	71.5	60	0	30000	427.9569892	12838.03984	30000	0	0	30000	40.625	2004
12.02.2020 14:30:30	1	1	1	1	71	60.5	0	30047.393	427.9569892	12838.03984	30000	0	0	30000	39.8125	2004
12.02.2020 14:30:31	1	1	1	1	71	59.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.5	2004
12.02.2020 14:30:38	1	1	1	1	71	60	0	29952.607	438.7096774	13160.92735	30000	0	0	30000	39.5	2004
12.02.2020 14:30:38	1	1	1	1	71	60	0	29952.607	438.7096774	13160.92735	30000	0	0	30000	39.5	2004
12.02.2020 14:30:38	1	1	1	1	71	60	0	29952.607	438.7096774	13160.92735	30000	0	0	30000	39.5	2004
12.02.2020 14:30:38	1	1	1	1	71	60	0	29952.607	438.7096774	13160.92735	30000	0	0	30000	39.5	2004
12.02.2020 14:30:38	1	1	1	1	71	60	0	29952.607	438.7096774	13160.92735	30000	0	0	30000	39.5	2004
12.02.2020 14:30:38	1	1	1	1	71	60	0	29952.607	438.7096774	13160.92735	30000	0	0	30000	39.5	2004
12.02.2020 14:30:39	1	1	1	1	71.25	59.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	40.375	2004
12.02.2020 14:30:40	1	1	1	1	71.25	60.25	0	30000	432.2580645	13160.92735	30000	0	0	30000	40.875	2004
12.02.2020 14:30:41	1	1	1	1	71.25	60.75	0	30000	423.655914	12773.62542	30000	0	0	30000	40.5625	2004
12.02.2020 14:30:42	1	1	1	1	71.25	60.5	0	30000	434.4086022	13032.0985	30000	0	0	30000	40.9375	2004
12.02.2020 14:30:43	1	1	1	1	71.25	60.75	0	30000	432.2580645	13032.0985	30000	0	0	30000	40.8125	2004
12.02.2020 14:30:44	1	1	1	1	71.25	60.75	0	29905.213	419.3548387	12669.25774	30000	0	0	30000	41.0625	2004
12.02.2020 14:30:45	1	1	1	1	71.25	61	0	30000	438.7096774	12838.03984	30000	0	0	30000	40.4375	2004
12.02.2020 14:30:46	1	1	1	1	71.25	60.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	40.5	2004
12.02.2020 14:30:47	1	1	1	1	71.25	60.5	0	30000	432.2580645	12818.4709	30000	0	0	30000	40.25	2004
12.02.2020 14:30:48	1	1	1	1	71.25	60.25	0	30000	432.2580645	12967.68407	30000	0	0	30000	40.5625	2004
12.02.2020 14:30:49	1	1	1	1	71	60.5	0	29952.607	432.2580645	13160.92735	30000	0	0	30000	41.125	2004
12.02.2020 14:30:50	1	1	1	1	71	61	0	30000	434.4086022	13096.51292	30000	0	0	30000	39.5	2004
12.02.2020 14:30:51	1	1	1	1	71	59.5	0	30000	438.7096774	13160.92735	30000	0	0	30000	41.125	2004
12.02.2020 14:30:52	1	1	1	1	71	61	0	30000	445.1612903	13248.17221	30000	0	0	30000	39.875	2004
12.02.2020 14:30:53	1	1	1	1	71	59.75	0	30000	434.4086022	13096.51292	30000	0	0	30000	40.6875	2004
12.02.2020 14:30:54	1	1	1	1	71	60.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	40.9375	2004
12.02.2020 14:30:55	1	1	1	1	71	60.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.125	2004
12.02.2020 14:30:56	1	1	1	1	71	61	0	29952.607	432.2580645	13032.0985	30000	0	0	30000	40.8125	2004
12.02.2020 14:30:57	1	1	1	1	71	60.75	0	30000	445.1612903	13289.7562	30000	0	0	30000	40.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 14:30:58	1	1	1	1	71	60.25	0	30000	440.8602151	13289.7562	30000	0	0	30000	39.5625	2004
12.02.2020 14:30:59	1	1	1	1	70.25	59.5	0	30000	438.7096774	13160.92735	30000	0	0	30000	41.0625	2004
12.02.2020 14:31:00	1	1	1	1	70.25	61	0	30000	438.7096774	13160.92735	30000	0	0	30000	40.5625	2004
12.02.2020 14:31:01	1	1	1	1	70.25	60.5	0	30000	438.7096774	13160.92735	30000	0	0	30000	40.875	2004
12.02.2020 14:31:02	1	1	1	1	70.25	60.75	0	30000	440.8602151	13225.34178	30000	0	0	30000	40.8125	2004
12.02.2020 14:31:03	1	1	1	1	70.25	60.75	0	29952.607	436.5591398	13160.92735	30000	0	0	30000	40.5	2004
12.02.2020 14:31:04	1	1	1	1	70.25	60.5	0	30000	443.0107527	12967.68407	30000	0	0	30000	40.125	2004
12.02.2020 14:31:05	1	1	1	1	70.25	60	0	30000	438.7096774	13160.92735	30000	0	0	30000	40.8125	2004
12.02.2020 14:31:07	1	1	1	1	70.25	60.75	0	30000	443.0107527	13225.34178	30000	0	0	30000	41.0625	2004
12.02.2020 14:31:08	1	1	1	1	70.25	61	0	29952.607	440.8602151	13225.34178	30000	0	0	30000	40.8125	2004
12.02.2020 14:31:09	1	1	1	1	70.25	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.875	2004
12.02.2020 14:31:10	1	1	1	1	70.75	60.75	0	30000	443.0107527	13225.34178	30000	0	0	30000	40.9375	2004
12.02.2020 14:31:11	1	1	1	1	70.75	60.75	0	30000	436.5591398	13096.51292	30000	0	0	30000	41.4375	2004
12.02.2020 14:31:12	1	1	1	1	70.75	60.5	0	30000	449.4623656	13354.17063	30000	0	0	30000	40.4375	2004
12.02.2020 14:31:13	1	1	1	1	70.75	60.25	0	30000	451.6129032	13612.64371	30000	0	0	30000	41.0625	2004
12.02.2020 14:31:14	1	1	1	1	70.75	61	0	30000	440.8602151	13225.34178	30000	0	0	30000	40.6875	2004
12.02.2020 14:31:15	1	1	1	1	70.75	60.5	0	30000	434.4086022	12967.68407	30000	0	0	30000	41.0625	2004
12.02.2020 14:31:16	1	1	1	1	70.75	61	0	30000	427.9569892	12838.03984	30000	0	0	30000	40.5	2004
12.02.2020 14:31:17	1	1	1	1	70.75	60.5	0	30000	440.8602151	13225.34178	30000	0	0	30000	40.9375	2004
12.02.2020 14:31:18	1	1	1	1	70.75	60.75	0	30000	438.7096774	13160.92735	30000	0	0	30000	41.0625	2004
12.02.2020 14:31:19	1	1	1	1	71.25	61	0	30000	440.8602151	13225.34178	30000	0	0	30000	40.5	2004
12.02.2020 14:31:20	1	1	1	1	71.25	60.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	39.75	2004
12.02.2020 14:31:21	1	1	1	1	71.25	59.75	0	30000	438.7096774	13160.92735	30000	0	0	30000	41.125	2004
12.02.2020 14:31:22	1	1	1	1	71.25	61	0	30000	438.7096774	13096.51292	30000	0	0	30000	39.8125	2004
12.02.2020 14:31:23	1	1	1	1	71.25	59.75	0	29905.213	438.7096774	13140.54304	30000	0	0	30000	41.125	2004
12.02.2020 14:31:24	1	1	1	1	71.25	61	0	30000	432.2580645	12967.68407	30000	0	0	30000	40.625	2004
12.02.2020 14:31:25	1	1	1	1	71.25	60.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	41	2004
12.02.2020 14:31:26	1	1	1	1	71.25	61	0	30000	427.9569892	12838.03984	30000	0	0	30000	40.5625	2004
12.02.2020 14:31:27	1	1	1	1	71.25	60.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	40.8125	2004
12.02.2020 14:31:28	1	1	1	1	71.25	60.75	0	30000	438.7096774	13160.92735	30000	0	0	30000	41.125	2004
12.02.2020 14:31:29	1	1	1	1	70.25	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.6875	2004
12.02.2020 14:31:30	1	1	1	1	70.25	60.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.6875	2004
12.02.2020 14:31:31	1	1	1	1	70.25	60.5	0	30000	443.0107527	13289.7562	30000	0	0	30000	40.875	2004
12.02.2020 14:31:32	1	1	1	1	70.25	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.4375	2004
12.02.2020 14:31:40	1	1	1	1	70.5	61	0	30000	443.0107527	13225.34178	30000	0	0	30000	41.125	2004
12.02.2020 14:31:40	1	1	1	1	70.5	61	0	30000	443.0107527	13225.34178	30000	0	0	30000	41.125	2004
12.02.2020 14:31:40	1	1	1	1	70.5	61	0	30000	443.0107527	13225.34178	30000	0	0	30000	41.125	2004
12.02.2020 14:31:40	1	1	1	1	70.5	61	0	30000	443.0107527	13225.34178	30000	0	0	30000	41.125	2004
12.02.2020 14:31:40	1	1	1	1	70.5	61	0	30000	443.0107527	13225.34178	30000	0	0	30000	41.125	2004
12.02.2020 14:31:40	1	1	1	1	70.5	61	0	30000	443.0107527	13225.34178	30000	0	0	30000	41.125	2004
12.02.2020 14:31:40	1	1	1	1	70.5	61	0	29952.607	438.7096774	13096.51292	30000	0	0	30000	41.1875	2004
12.02.2020 14:31:41	1	1	1	1	70.5	61	0	30000	438.7096774	13096.51292	30000	0	0	30000	40.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 14:31:42	1	1	1	1	70.5	60.5	0	30000	440.8602151	13289.7562	30000	0	0	30000	41.125	2004
12.02.2020 14:31:43	1	1	1	1	70.5	61	0	30000	443.0107527	13054.92893	30000	0	0	30000	40.375	2004
12.02.2020 14:31:45	1	1	1	1	70.5	60.25	0	30000	438.7096774	13160.92735	30000	0	0	30000	40.5	2004
12.02.2020 14:31:46	1	1	1	1	70.5	60.5	0	30000	415.0537634	12580.38214	30000	0	0	30000	40.8125	2004
12.02.2020 14:31:47	1	1	1	1	70.5	60.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	40.25	2004
12.02.2020 14:31:48	1	1	1	1	70.5	60.25	0	29952.607	427.9569892	12838.03984	30000	0	0	30000	40.9375	2004
12.02.2020 14:31:49	1	1	1	1	70.5	60.75	0	30000	443.0107527	13289.7562	30000	0	0	30000	41.4375	2004
12.02.2020 14:31:50	1	1	1	1	70.25	61.25	0	30000	443.0107527	13289.7562	30000	0	0	30000	41.125	2004
12.02.2020 14:31:51	1	1	1	1	70.25	59.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.125	2004
12.02.2020 14:31:52	1	1	1	1	70.25	61	0	29952.607	443.0107527	13140.54304	30000	0	0	30000	40.8125	2004
12.02.2020 14:31:53	1	1	1	1	70.25	60.75	0	29952.607	438.7096774	12798.08659	30000	0	0	30000	40.4375	2004
12.02.2020 14:31:54	1	1	1	1	70.25	60.25	0	30000	445.1612903	13333.78632	30000	0	0	30000	40.6875	2004
12.02.2020 14:31:55	1	1	1	1	70.25	60.5	0	29905.213	445.1612903	13354.17063	30000	0	0	30000	41.125	2004
12.02.2020 14:31:56	1	1	1	1	70.25	61	0	29905.213	443.0107527	13225.34178	30000	0	0	30000	40.75	2004
12.02.2020 14:31:57	1	1	1	1	70.25	60.75	0	30000	432.2580645	13032.0985	30000	0	0	30000	40.8125	2004
12.02.2020 14:31:58	1	1	1	1	70.25	60.75	0	30000	445.1612903	13119.34335	30000	0	0	30000	40.75	2004
12.02.2020 14:31:59	1	1	1	1	70.25	60.75	0	30000	434.4086022	13096.51292	30000	0	0	30000	40.5625	2004
12.02.2020 14:32:00	1	1	1	1	70.25	60.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	41	2004
12.02.2020 14:32:01	1	1	1	1	70.25	61	0	30000	440.8602151	13160.92735	30000	0	0	30000	40.6875	2004
12.02.2020 14:32:02	1	1	1	1	70.25	60.5	0	29952.607	438.7096774	13225.34178	30000	0	0	30000	40.5625	2004
12.02.2020 14:32:03	1	1	1	1	70.25	60.5	0	30000	458.0645161	13591.44402	30000	0	0	30000	40.75	2004
12.02.2020 14:32:04	1	1	1	1	70.25	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.5625	2004
12.02.2020 14:32:05	1	1	1	1	70.25	60.5	0	29952.607	453.7634409	13612.64371	30000	0	0	30000	41	2004
12.02.2020 14:32:06	1	1	1	1	70.25	61	0	30000	453.7634409	13612.64371	30000	0	0	30000	41.0625	2004
12.02.2020 14:32:07	1	1	1	1	70.25	61	0	29952.607	445.1612903	13612.64371	30000	0	0	30000	40.625	2004
12.02.2020 14:32:08	1	1	1	1	70.25	60.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.875	2004
12.02.2020 14:32:09	1	1	1	1	70	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.375	2004
12.02.2020 14:32:13	1	1	1	1	70	60.5	0	30000	445.1612903	13248.17221	30000	0	0	30000	40.875	2004
12.02.2020 14:32:13	1	1	1	1	70	60.5	0	30000	445.1612903	13248.17221	30000	0	0	30000	40.875	2004
12.02.2020 14:32:13	1	1	1	1	70	60.5	0	30000	445.1612903	13248.17221	30000	0	0	30000	40.875	2004
12.02.2020 14:32:13	1	1	1	1	70	60.75	0	30000	443.0107527	13160.92735	30000	0	0	30000	40.6875	2004
12.02.2020 14:32:14	1	1	1	1	70	60.5	0	30000	443.0107527	13248.17221	30000	0	0	30000	41	2004
12.02.2020 14:32:15	1	1	1	1	70	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.9375	2004
12.02.2020 14:32:16	1	1	1	1	70	60.75	0	30000	443.0107527	13289.7562	30000	0	0	30000	40.875	2004
12.02.2020 14:32:17	1	1	1	1	70	60.75	0	30000	438.7096774	13096.51292	30000	0	0	30000	40.1875	2004
12.02.2020 14:32:18	1	1	1	1	70	60	0	30000	438.7096774	13160.92735	30000	0	0	30000	40.625	2004
12.02.2020 14:32:19	1	1	1	1	70	60.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.0625	2004
12.02.2020 14:32:20	1	1	1	1	70	61	0	30000	438.7096774	13096.51292	30000	0	0	30000	41.0625	2004
12.02.2020 14:32:21	1	1	1	1	70	61	0	30000	438.7096774	13225.34178	30000	0	0	30000	41	2004
12.02.2020 14:32:22	1	1	1	1	70	61	0	30000	443.0107527	13354.17063	30000	0	0	30000	41.0625	2004
12.02.2020 14:32:23	1	1	1	1	70	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.8125	2004
12.02.2020 14:32:25	1	1	1	1	70	60.75	0	30000	455.9139785	13612.64371	30000	0	0	30000	40.5	2004
12.02.2020 14:32:26	1	1	1	1	70	60.5	0	30000	460.2150538	13805.88699	30000	0	0	30000	40.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 14:32:27	1	1	1	1	70	60.25	0	30000	440.8602151	13289.7562	30000	0	0	30000	41.25	2004
12.02.2020 14:32:28	1	1	1	1	70	61.25	0	30000	443.0107527	13289.7562	30000	0	0	30000	40.75	2004
12.02.2020 14:32:29	1	1	1	1	70	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.125	2004
12.02.2020 14:32:30	1	1	1	1	70	61	0	30000	449.4623656	13354.17063	30000	0	0	30000	39.75	2004
12.02.2020 14:32:31	1	1	1	1	70	59.75	0	30000	453.7634409	13483.81486	30000	0	0	30000	40.875	2004
12.02.2020 14:32:32	1	1	1	1	70	61.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.25	2004
12.02.2020 14:32:33	1	1	1	1	70	60.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.75	2004
12.02.2020 14:32:34	1	1	1	1	70	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	41	2004
12.02.2020 14:32:41	1	1	1	1	70	61	0	30000	443.0107527	13354.17063	30000	0	0	30000	41.0625	2004
12.02.2020 14:32:41	1	1	1	1	70	61	0	30000	443.0107527	13354.17063	30000	0	0	30000	41.0625	2004
12.02.2020 14:32:41	1	1	1	1	70	61	0	30000	443.0107527	13354.17063	30000	0	0	30000	41.0625	2004
12.02.2020 14:32:41	1	1	1	1	70	61	0	30000	443.0107527	13354.17063	30000	0	0	30000	41.0625	2004
12.02.2020 14:32:41	1	1	1	1	70	61	0	30000	443.0107527	13354.17063	30000	0	0	30000	41.0625	2004
12.02.2020 14:32:41	1	1	1	1	70	61	0	30000	443.0107527	13354.17063	30000	0	0	30000	41.0625	2004
12.02.2020 14:32:41	1	1	1	1	70	61	0	30000	443.0107527	13354.17063	30000	0	0	30000	41.0625	2004
12.02.2020 14:32:42	1	1	1	1	70	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.9375	2004
12.02.2020 14:32:43	1	1	1	1	70	60.75	0	29952.607	451.6129032	13612.64371	30000	0	0	30000	39.6875	2004
12.02.2020 14:32:44	1	1	1	1	70	59.5	0	30000	453.7634409	13612.64371	30000	0	0	30000	40.75	2004
12.02.2020 14:32:45	1	1	1	1	70	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.8125	2004
12.02.2020 14:32:46	1	1	1	1	70	60.75	0	30000	445.1612903	13483.81486	30000	0	0	30000	40.375	2004
12.02.2020 14:32:47	1	1	1	1	70	60.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	41	2004
12.02.2020 14:32:48	1	1	1	1	70	61	0	30000	443.0107527	13354.17063	30000	0	0	30000	40.6875	2004
12.02.2020 14:32:49	1	1	1	1	69.75	60.5	0	30000	440.8602151	13289.7562	30000	0	0	30000	40.4375	2004
12.02.2020 14:32:50	1	1	1	1	69.75	60.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.125	2004
12.02.2020 14:32:51	1	1	1	1	69.75	61	0	30000	440.8602151	13225.34178	30000	0	0	30000	40.8125	2004
12.02.2020 14:32:52	1	1	1	1	69.75	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.75	2004
12.02.2020 14:32:53	1	1	1	1	69.75	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	41	2004
12.02.2020 14:32:54	1	1	1	1	69.75	61	0	30000	445.1612903	13655.85845	30000	0	0	30000	40.625	2004
12.02.2020 14:32:55	1	1	1	1	69.75	60.5	0	30000	443.0107527	13289.7562	30000	0	0	30000	40.3125	2004
12.02.2020 14:32:56	1	1	1	1	69.75	60.25	0	30000	438.7096774	13160.92735	30000	0	0	30000	41.0625	2004
12.02.2020 14:32:57	1	1	1	1	69.75	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.8125	2004
12.02.2020 14:32:58	1	1	1	1	69.75	60.75	0	30000	432.2580645	12967.68407	30000	0	0	30000	40.9375	2004
12.02.2020 14:32:59	1	1	1	1	69.75	60.75	0	30000	434.4086022	13225.34178	30000	0	0	30000	40.5	2004
12.02.2020 14:33:01	1	1	1	1	69.75	60.5	0	30000	443.0107527	13140.54304	30000	0	0	30000	40.875	2004
12.02.2020 14:33:02	1	1	1	1	69.75	60.75	0	29952.607	451.6129032	13354.17063	30000	0	0	30000	40.9375	2004
12.02.2020 14:33:03	1	1	1	1	69.75	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.25	2004
12.02.2020 14:33:04	1	1	1	1	69.75	61.25	0	30000	453.7634409	13612.64371	30000	0	0	30000	40.75	2004
12.02.2020 14:33:05	1	1	1	1	69.75	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.9375	2004
12.02.2020 14:33:06	1	1	1	1	69.75	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.3125	2004
12.02.2020 14:33:07	1	1	1	1	69.75	61.25	0	30000	443.0107527	13289.7562	30000	0	0	30000	40.5	2004
12.02.2020 14:33:08	1	1	1	1	69.75	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.125	2004
12.02.2020 14:33:09	1	1	1	1	69.75	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.625	2004
12.02.2020 14:33:10	1	1	1	1	69.75	60.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.1875	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 14:33:11	1	1	1	1	69.75	61	0	30000	458.0645161	13805.88699	30000	0	0	30000	41.0625	2004
12.02.2020 14:33:12	1	1	1	1	69.75	61	0	30000	443.0107527	13225.34178	30000	0	0	30000	40.9375	2004
12.02.2020 14:33:13	1	1	1	1	69.75	60.75	0	30000	438.7096774	13160.92735	30000	0	0	30000	40.5	2004
12.02.2020 14:33:14	1	1	1	1	69.75	60.5	0	30000	438.7096774	13096.51292	30000	0	0	30000	41.0625	2004
12.02.2020 14:33:15	1	1	1	1	69.75	61	0	30000	443.0107527	13354.17063	30000	0	0	30000	41.125	2004
12.02.2020 14:33:16	1	1	1	1	69.75	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	39.1875	2004
12.02.2020 14:33:17	1	1	1	1	69.75	59	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.125	2004
12.02.2020 14:33:18	1	1	1	1	69.75	61	0	29905.213	443.0107527	13054.92893	30000	0	0	30000	40.4375	2004
12.02.2020 14:33:19	1	1	1	1	69.75	60.25	0	30000	443.0107527	13289.7562	30000	0	0	30000	40.875	2004
12.02.2020 14:33:20	1	1	1	1	69.75	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.375	2004
12.02.2020 14:33:21	1	1	1	1	69.75	60.25	0	30000	440.8602151	13225.34178	30000	0	0	30000	39.75	2004
12.02.2020 14:33:22	1	1	1	1	69.75	59.75	0	29952.607	445.1612903	13354.17063	30000	0	0	30000	41.125	2004
12.02.2020 14:33:23	1	1	1	1	69.75	61	0	29905.213	438.7096774	13333.78632	30000	0	0	30000	40.8125	2004
12.02.2020 14:33:24	1	1	1	1	69.75	60.75	0	29905.213	445.1612903	13612.64371	30000	0	0	30000	40.75	2004
12.02.2020 14:33:25	1	1	1	1	69.75	60.75	0	29905.213	445.1612903	13333.78632	30000	0	0	30000	40.9375	2004
12.02.2020 14:33:26	1	1	1	1	69.75	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.375	2004
12.02.2020 14:33:27	1	1	1	1	69.75	60.25	0	30000	438.7096774	13225.34178	30000	0	0	30000	40.4375	2004
12.02.2020 14:33:28	1	1	1	1	69.75	60.25	0	30000	432.2580645	12838.03984	30000	0	0	30000	41	2004
12.02.2020 14:33:29	1	1	1	1	69.5	61	0	29905.213	432.2580645	13160.92735	30000	0	0	30000	40.3125	2004
12.02.2020 14:33:30	1	1	1	1	69.5	60.25	0	30000	443.0107527	13354.17063	30000	0	0	30000	40.4375	2004
12.02.2020 14:33:31	1	1	1	1	69.5	60.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.25	2004
12.02.2020 14:33:32	1	1	1	1	69.5	61.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	41	2004
12.02.2020 14:33:33	1	1	1	1	69.5	61	0	30000	451.6129032	13354.17063	30000	0	0	30000	40.875	2004
12.02.2020 14:33:34	1	1	1	1	69.5	60.75	0	30000	445.1612903	13483.81486	30000	0	0	30000	40.8125	2004
12.02.2020 14:33:35	1	1	1	1	69.5	60.75	0	30000	453.7634409	13333.78632	30000	0	0	30000	40.8125	2004
12.02.2020 14:33:43	1	1	1	1	69.5	61.5	0	30000	443.0107527	13225.34178	30000	0	0	30000	41.1875	2004
12.02.2020 14:33:43	1	1	1	1	69.5	61.5	0	30000	443.0107527	13225.34178	30000	0	0	30000	41.1875	2004
12.02.2020 14:33:43	1	1	1	1	69.5	61.5	0	30000	443.0107527	13225.34178	30000	0	0	30000	41.1875	2004
12.02.2020 14:33:43	1	1	1	1	69.5	61.5	0	30000	443.0107527	13225.34178	30000	0	0	30000	41.1875	2004
12.02.2020 14:33:43	1	1	1	1	69.5	61.5	0	30000	443.0107527	13225.34178	30000	0	0	30000	41.1875	2004
12.02.2020 14:33:43	1	1	1	1	69.5	61.5	0	30000	443.0107527	13225.34178	30000	0	0	30000	41.1875	2004
12.02.2020 14:33:43	1	1	1	1	69.5	61.5	0	30000	443.0107527	13225.34178	30000	0	0	30000	41.1875	2004
12.02.2020 14:33:43	1	1	1	1	69.5	61.5	0	30000	443.0107527	13225.34178	30000	0	0	30000	41.1875	2004
12.02.2020 14:33:44	1	1	1	1	69.5	61	0	30000	440.8602151	13289.7562	30000	0	0	30000	41.125	2004
12.02.2020 14:33:45	1	1	1	1	69.5	61	0	30000	445.1612903	13483.81486	30000	0	0	30000	41.0625	2004
12.02.2020 14:33:46	1	1	1	1	69.5	61	0	29952.607	453.7634409	13612.64371	30000	0	0	30000	40.8125	2004
12.02.2020 14:33:47	1	1	1	1	69.5	61.5	0	29952.607	451.6129032	13612.64371	30000	0	0	30000	40	2004
12.02.2020 14:33:48	1	1	1	1	69.5	60	0	30000	453.7634409	13591.44402	30000	0	0	30000	41	2004
12.02.2020 14:33:49	1	1	1	1	69.5	61	0	29905.213	460.2150538	13741.47256	30000	0	0	30000	41.1875	2004
12.02.2020 14:33:50	1	1	1	1	69.5	61	0	30000	451.6129032	13354.17063	30000	0	0	30000	41.1875	2004
12.02.2020 14:33:51	1	1	1	1	69.5	61	0	30000	451.6129032	13612.64371	30000	0	0	30000	40.6875	2004
12.02.2020 14:33:52	1	1	1	1	69.5	60.5	0	30000	445.1612903	13483.81486	30000	0	0	30000	40.5625	2004
12.02.2020 14:33:53	1	1	1	1	69.5	60.5	0	30000	440.8602151	13225.34178	30000	0	0	30000	41.125	2004
12.02.2020 14:33:54	1	1	1	1	69.5	61	0	30000	427.9569892	12838.03984	30000	0	0	30000	40.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 14:33:55	1	1	1	1	69.5	60.5	0	29952.607	425.8064516	12773.62542	30000	0	0	30000	41	2004
12.02.2020 14:33:56	1	1	1	1	69.5	61	0	30000	440.8602151	13225.34178	30000	0	0	30000	40.4375	2004
12.02.2020 14:33:57	1	1	1	1	69.5	60.25	0	30000	443.0107527	13354.17063	30000	0	0	30000	41.125	2004
12.02.2020 14:33:58	1	1	1	1	69.5	61	0	30000	453.7634409	13183.75778	30000	0	0	30000	40.4375	2004
12.02.2020 14:33:59	1	1	1	1	69.25	60.25	0	29952.607	445.1612903	13354.17063	30000	0	0	30000	40.625	2004
12.02.2020 14:34:00	1	1	1	1	69.25	60.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.5	2004
12.02.2020 14:34:01	1	1	1	1	69.25	60.5	0	30094.787	445.1612903	13160.92735	30000	0	0	30000	40.9375	2004
12.02.2020 14:34:02	1	1	1	1	69.25	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	41	2004
12.02.2020 14:34:03	1	1	1	1	69.25	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.9375	2004
12.02.2020 14:34:04	1	1	1	1	69.25	60.75	0	30000	438.7096774	13160.92735	30000	0	0	30000	39.625	2004
12.02.2020 14:34:05	1	1	1	1	69.25	59.5	0	29905.213	436.5591398	13354.17063	30000	0	0	30000	40.75	2004
12.02.2020 14:34:06	1	1	1	1	69.25	60.75	0	29952.607	443.0107527	13354.17063	30000	0	0	30000	41	2004
12.02.2020 14:34:07	1	1	1	1	69.25	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.4375	2004
12.02.2020 14:34:08	1	1	1	1	69.25	60.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.25	2004
12.02.2020 14:34:09	1	1	1	1	69.25	61.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	40.5	2004
12.02.2020 14:34:10	1	1	1	1	69.25	60.5	0	29431.28	544.0860215	16075.884	30000	0	0	30000	40.25	2004
12.02.2020 14:34:11	1	1	1	1	69.25	60.25	0	30000	348.3870968	10387.03014	30000	0	0	30000	40.875	2004
12.02.2020 14:34:12	1	1	1	1	69.25	60.75	0	29952.607	337.6344086	10192.97149	30000	0	0	30000	41.125	2004
12.02.2020 14:34:13	1	1	1	1	69.25	61	0	29952.607	341.9354839	10241.89384	30000	0	0	30000	40.8125	2004
12.02.2020 14:34:14	1	1	1	1	69.25	60.75	0	30000	346.2365591	10387.03014	30000	0	0	30000	41.25	2004
12.02.2020 14:34:15	1	1	1	1	69.25	61.25	0	30000	359.1397849	10773.5167	30000	0	0	30000	40.875	2004
12.02.2020 14:34:16	1	1	1	1	69.25	60.75	0	30000	384.9462366	11548.12057	30000	0	0	30000	40.9375	2004
12.02.2020 14:34:17	1	1	1	1	69.25	60.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	40.5625	2004
12.02.2020 14:34:19	1	1	1	1	69.25	60.5	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	40.9375	2004
12.02.2020 14:34:20	1	1	1	1	74	60.75	0	30047.393	412.9032258	12387.13886	30000	0	0	30000	40.1875	2004
12.02.2020 14:34:21	1	1	1	1	74	60	0	29952.607	402.1505376	12064.25135	30000	0	0	30000	41.0625	2004
12.02.2020 14:34:22	1	1	1	1	74	61	0	30000	419.3548387	12580.38214	30000	0	0	30000	41.25	2004
12.02.2020 14:34:23	1	1	1	1	74	61.25	0	30000	397.8494624	11935.4225	30000	0	0	30000	40.9375	2004
12.02.2020 14:34:24	1	1	1	1	74	60.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	40.8125	2004
12.02.2020 14:34:25	1	1	1	1	74	60.75	0	30000	425.8064516	12838.03984	30000	0	0	30000	40.9375	2004
12.02.2020 14:34:26	1	1	1	1	74	60	0	30000	427.9569892	12838.03984	30000	0	0	30000	40.4375	2004
12.02.2020 14:34:27	1	1	1	1	74	60.25	0	30047.393	419.3548387	12451.55328	30000	0	0	30000	40.875	2004
12.02.2020 14:34:28	1	1	1	1	74	60.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	40.6875	2004
12.02.2020 14:34:29	1	1	1	1	76.5	60.5	0	30047.393	464.516129	13935.53122	30000	0	0	30000	41.0625	2004
12.02.2020 14:34:30	1	1	1	1	76.5	61	0	30000	449.4623656	13612.64371	30000	0	0	30000	40.375	2004
12.02.2020 14:34:31	1	1	1	1	76.5	60.25	0	30000	425.8064516	12709.21099	30000	0	0	30000	41	2004
12.02.2020 14:34:32	1	1	1	1	76.5	61	0	30000	397.8494624	12148.23472	30000	0	0	30000	40.8125	2004
12.02.2020 14:34:33	1	1	1	1	76.5	60.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	40.5625	2004
12.02.2020 14:34:34	1	1	1	1	76.5	60.5	0	30000	440.8602151	13225.34178	30000	0	0	30000	41.0625	2004
12.02.2020 14:34:35	1	1	1	1	76.5	61	0	29952.607	423.655914	12689.64205	30000	0	0	30000	40.9375	2004
12.02.2020 14:34:36	1	1	1	1	76.5	60.75	0	30000	419.3548387	12515.96771	30000	0	0	30000	40.875	2004
12.02.2020 14:34:37	1	1	1	1	76.5	60.75	0	30000	440.8602151	13225.34178	30000	0	0	30000	40.625	2004
12.02.2020 14:34:45	1	1	1	1	79	60.25	0	30000	464.516129	13935.53122	30000	0	0	30000	41.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 14:34:45	1	1	1	1	79	60.25	0	30000	464.516129	13935.53122	30000	0	0	30000	41.125	2004
12.02.2020 14:34:45	1	1	1	1	79	60.25	0	30000	464.516129	13935.53122	30000	0	0	30000	41.125	2004
12.02.2020 14:34:45	1	1	1	1	79	60.25	0	30000	464.516129	13935.53122	30000	0	0	30000	41.125	2004
12.02.2020 14:34:45	1	1	1	1	79	60.25	0	30000	464.516129	13935.53122	30000	0	0	30000	41.125	2004
12.02.2020 14:34:45	1	1	1	1	79	60.25	0	30000	464.516129	13935.53122	30000	0	0	30000	41.125	2004
12.02.2020 14:34:45	1	1	1	1	79	61	0	30000	481.7204301	14451.662	30000	0	0	30000	40.9375	2004
12.02.2020 14:34:46	1	1	1	1	79	60.75	0	30000	438.7096774	13096.51292	30000	0	0	30000	41.1875	2004
12.02.2020 14:34:47	1	1	1	1	79	61	0	30047.393	412.9032258	12128.66578	30000	0	0	30000	41.1875	2004
12.02.2020 14:34:48	1	1	1	1	79	61	0	30000	423.655914	12580.38214	30000	0	0	30000	40.25	2004
12.02.2020 14:34:49	1	1	1	1	81	60.25	0	29952.607	464.516129	13935.53122	30000	0	0	30000	40.8125	2004
12.02.2020 14:34:50	1	1	1	1	81	60.75	0	30000	460.2150538	13805.88699	30000	0	0	30000	41.0625	2004
12.02.2020 14:34:51	1	1	1	1	81	61	0	30000	445.1612903	13225.34178	30000	0	0	30000	40.0625	2004
12.02.2020 14:34:52	1	1	1	1	81	60	0	30000	445.1612903	13354.17063	30000	0	0	30000	41	2004
12.02.2020 14:34:53	1	1	1	1	81	61	0	30000	440.8602151	13225.34178	30000	0	0	30000	41.125	2004
12.02.2020 14:34:54	1	1	1	1	81	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.8125	2004
12.02.2020 14:34:56	1	1	1	1	81	60.75	0	30000	451.6129032	13440.60011	30000	0	0	30000	41.0625	2004
12.02.2020 14:34:57	1	1	1	1	81	61	0	29952.607	427.9569892	12967.68407	30000	0	0	30000	40.75	2004
12.02.2020 14:34:58	1	1	1	1	81	60.75	0	30000	455.9139785	13677.05814	30000	0	0	30000	40.3125	2004
12.02.2020 14:34:59	1	1	1	1	81	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	41.0625	2004
12.02.2020 14:35:00	1	1	1	1	82.25	61	0	30047.393	460.2150538	13870.30142	30000	0	0	30000	40.375	2004
12.02.2020 14:35:01	1	1	1	1	82.25	60.25	0	30000	432.2580645	12967.68407	30000	0	0	30000	41.125	2004
12.02.2020 14:35:02	1	1	1	1	82.25	61	0	30000	460.2150538	13870.30142	30000	0	0	30000	41.0625	2004
12.02.2020 14:35:03	1	1	1	1	82.25	61	0	30000	520.4301075	15548.338	30000	0	0	30000	40.5625	2004
12.02.2020 14:35:04	1	1	1	1	82.25	60.5	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	40.75	2004
12.02.2020 14:35:05	1	1	1	1	82.25	60.75	0	28341.232	567.7419355	16150.89827	30000	0	0	30000	40.6875	2004
12.02.2020 14:35:06	1	1	1	1	82.25	60.5	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	40.375	2004
12.02.2020 14:35:07	1	1	1	1	82.25	60.25	0	28199.052	559.1397849	16002.50048	30000	0	0	30000	41.0625	2004
12.02.2020 14:35:08	1	1	1	1	82.25	61	0	28009.479	561.2903226	16009.83883	30000	0	0	30000	40.5	2004
12.02.2020 14:35:09	1	1	1	1	83.25	60.5	0	28293.839	567.7419355	16090.5607	30000	0	0	30000	40.8125	2004
12.02.2020 14:35:10	1	1	1	1	83.25	60.75	0	28341.232	563.4408602	15995.16212	30000	0	0	30000	41.25	2004
12.02.2020 14:35:11	1	1	1	1	83.25	61.25	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	41.0625	2004
12.02.2020 14:35:12	1	1	1	1	83.25	61	0	28009.479	567.7419355	16082.40698	30000	0	0	30000	41.0625	2004
12.02.2020 14:35:13	1	1	1	1	83.25	61	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	40.75	2004
12.02.2020 14:35:14	1	1	1	1	83.25	60.75	0	28009.479	572.0430108	16142.74454	30000	0	0	30000	41.125	2004
12.02.2020 14:35:15	1	1	1	1	83.25	61	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	41	2004
12.02.2020 14:35:16	1	1	1	1	83.25	61	0	27867.299	569.8924731	15881.00997	30000	0	0	30000	40.625	2004
12.02.2020 14:35:17	1	1	1	1	83.25	60.5	0	27630.332	576.344086	15924.22472	30000	0	0	30000	39.8125	2004
12.02.2020 14:35:18	1	1	1	1	83.25	59.75	0	28341.232	565.5913978	16056.31506	30000	0	0	30000	41.125	2004
12.02.2020 14:35:19	1	1	1	1	85.5	61	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	40.625	2004
12.02.2020 14:35:20	1	1	1	1	85.5	60.5	0	27819.905	580.6451613	15983.74691	30000	0	0	30000	40.875	2004
12.02.2020 14:35:21	1	1	1	1	85.5	60.75	0	27914.692	569.8924731	15907.91727	30000	0	0	30000	41.125	2004
12.02.2020 14:35:22	1	1	1	1	85.5	61	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	40.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 14:35:23	1	1	1	1	85.5	60.75	0	27630.332	578.4946237	16093.00682	30000	0	0	30000	40.875	2004
12.02.2020 14:35:24	1	1	1	1	85.5	60.75	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	40.8125	2004
12.02.2020 14:35:25	1	1	1	1	85.5	60.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.1875	2004
12.02.2020 14:35:26	1	1	1	1	85.5	61	0	27630.332	569.8924731	15805.18033	30000	0	0	30000	39.875	2004
12.02.2020 14:35:27	1	1	1	1	85.5	59.75	0	28199.052	565.5913978	16070.17639	30000	0	0	30000	41.125	2004
12.02.2020 14:35:28	1	1	1	1	85.5	61	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	40.25	2004
12.02.2020 14:35:29	1	1	1	1	87.5	60.25	0	28199.052	576.344086	16191.66689	30000	0	0	30000	41.0625	2004
12.02.2020 14:35:30	1	1	1	1	87.5	61	0	27725.118	572.0430108	15859.81029	30000	0	0	30000	40.875	2004
12.02.2020 14:35:32	1	1	1	1	87.5	60.75	0	28483.412	554.8387097	15978.85467	30000	0	0	30000	41	2004
12.02.2020 14:35:33	1	1	1	1	87.5	61	0	28199.052	576.344086	15841.8721	30000	0	0	30000	41	2004
12.02.2020 14:35:34	1	1	1	1	87.5	61	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	40.875	2004
12.02.2020 14:35:35	1	1	1	1	87.5	60.75	0	28009.479	578.4946237	16082.40698	30000	0	0	30000	41.125	2004
12.02.2020 14:35:36	1	1	1	1	87.5	61	0	27630.332	580.6451613	15956.02424	30000	0	0	30000	41.1875	2004
12.02.2020 14:35:37	1	1	1	1	87.5	61	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	40.375	2004
12.02.2020 14:35:38	1	1	1	1	87.5	60.25	0	27630.332	593.5483871	16162.31348	30000	0	0	30000	41.375	2004
12.02.2020 14:35:39	1	1	1	1	87.5	61.25	0	27630.332	576.344086	16212.86658	30000	0	0	30000	41.0625	2004
12.02.2020 14:35:46	1	1	1	1	89.25	60.75	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	41.125	2004
12.02.2020 14:35:46	1	1	1	1	89.25	60.75	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	41.125	2004
12.02.2020 14:35:46	1	1	1	1	89.25	60.75	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	41.125	2004
12.02.2020 14:35:46	1	1	1	1	89.25	60.75	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	41.125	2004
12.02.2020 14:35:46	1	1	1	1	89.25	60.75	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	41.125	2004
12.02.2020 14:35:46	1	1	1	1	89.25	60.75	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	41.125	2004
12.02.2020 14:35:46	1	1	1	1	89.25	60.75	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	41.125	2004
12.02.2020 14:35:47	1	1	1	1	89.25	61	0	26682.464	593.5483871	15894.05593	30000	0	0	30000	41	2004
12.02.2020 14:35:48	1	1	1	1	89.25	61	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	40.4375	2004
12.02.2020 14:35:49	1	1	1	1	91.25	60.25	0	26966.825	593.5483871	16092.19145	30000	0	0	30000	40.75	2004
12.02.2020 14:35:50	1	1	1	1	91.25	60.75	0	27109.005	589.2473118	16001.6851	30000	0	0	30000	41.0625	2004
12.02.2020 14:35:51	1	1	1	1	91.25	61	0	26966.825	597.8494624	16063.65341	30000	0	0	30000	41.0625	2004
12.02.2020 14:35:52	1	1	1	1	91.25	61	0	26777.251	591.3978495	16008.20808	30000	0	0	30000	40.8125	2004
12.02.2020 14:35:53	1	1	1	1	91.25	60.75	0	27345.972	580.6451613	15877.74848	30000	0	0	30000	41	2004
12.02.2020 14:35:54	1	1	1	1	91.25	61	0	27109.005	582.7956989	15968.25483	30000	0	0	30000	41.125	2004
12.02.2020 14:35:55	1	1	1	1	91.25	61	0	26824.645	597.8494624	15978.85467	30000	0	0	30000	40.75	2004
12.02.2020 14:35:56	1	1	1	1	91.25	60.75	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	40.9375	2004
12.02.2020 14:35:57	1	1	1	1	91.25	60.75	0	26966.825	602.1505376	16179.43631	30000	0	0	30000	40.6875	2004
12.02.2020 14:35:58	1	1	1	1	91.25	60.5	0	27061.611	589.2473118	15832.08763	30000	0	0	30000	40.5625	2004
12.02.2020 14:35:59	1	1	1	1	92.5	60.5	0	26919.431	595.6989247	15804.36496	30000	0	0	30000	40.6875	2004
12.02.2020 14:36:00	1	1	1	1	92.5	60.5	0	26018.957	617.2043011	16058.76118	30000	0	0	30000	41.375	2004
12.02.2020 14:36:01	1	1	1	1	92.5	61.25	0	26587.678	595.6989247	15894.87131	30000	0	0	30000	40.4375	2004
12.02.2020 14:36:02	1	1	1	1	92.5	60.25	0	27014.218	591.3978495	16004.13122	30000	0	0	30000	41.0625	2004
12.02.2020 14:36:03	1	1	1	1	92.5	61	0	26824.645	595.6989247	16008.20808	30000	0	0	30000	41.1875	2004
12.02.2020 14:36:04	1	1	1	1	92.5	61	0	26682.464	595.6989247	15951.94738	30000	0	0	30000	40.875	2004
12.02.2020 14:36:05	1	1	1	1	92.5	60.75	0	26966.825	595.6989247	16035.93075	30000	0	0	30000	40.375	2004
12.02.2020 14:36:06	1	1	1	1	92.5	60.25	0	27109.005	593.5483871	16090.5607	30000	0	0	30000	41.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 14:36:07	1	1	1	1	92.5	61	0	26682.464	589.2473118	15951.94738	30000	0	0	30000	41.1875	2004
12.02.2020 14:36:08	1	1	1	1	92.5	61	0	26824.645	602.1505376	16123.99098	30000	0	0	30000	40.5625	2004
12.02.2020 14:36:09	1	1	1	1	94.25	60.5	0	26872.038	595.6989247	16007.39271	30000	0	0	30000	40.8125	2004
12.02.2020 14:36:11	1	1	1	1	94.25	60.75	0	26919.431	595.6989247	16093.82219	30000	0	0	30000	41.1875	2004
12.02.2020 14:36:12	1	1	1	1	94.25	61	0	26635.071	602.1505376	16066.9149	30000	0	0	30000	40.875	2004
12.02.2020 14:36:13	1	1	1	1	94.25	60.75	0	26018.957	615.0537634	16058.76118	30000	0	0	30000	41	2004
12.02.2020 14:36:14	1	1	1	1	94.25	61	0	26919.431	597.8494624	15951.13201	30000	0	0	30000	41.3125	2004
12.02.2020 14:36:15	1	1	1	1	94.25	61.25	0	26113.744	617.2043011	16175.35944	30000	0	0	30000	41.0625	2004
12.02.2020 14:36:16	1	1	1	1	94.25	61	0	26113.744	606.4516129	15892.42519	30000	0	0	30000	40.8125	2004
12.02.2020 14:36:17	1	1	1	1	94.25	60.75	0	26966.825	593.5483871	16063.65341	30000	0	0	30000	41.3125	2004
12.02.2020 14:36:18	1	1	1	1	94.25	61	0	26540.284	600	15924.22472	30000	0	0	30000	40.9375	2004
12.02.2020 14:36:19	1	1	1	1	95.75	60.75	0	26018.957	615.0537634	16229.17403	30000	0	0	30000	41.0625	2004
12.02.2020 14:36:20	1	1	1	1	95.75	61	0	26682.464	597.8494624	15951.94738	30000	0	0	30000	41.125	2004
12.02.2020 14:36:21	1	1	1	1	95.75	61	0	26303.318	610.7526882	16008.20808	30000	0	0	30000	41.1875	2004
12.02.2020 14:36:22	1	1	1	1	95.75	61	0	25734.597	617.2043011	15883.45609	30000	0	0	30000	41.125	2004
12.02.2020 14:36:23	1	1	1	1	95.75	61	0	26208.531	604.3010753	15837.79523	30000	0	0	30000	40.375	2004
12.02.2020 14:36:24	1	1	1	1	95.75	60.25	0	26018.957	612.9032258	16002.50048	30000	0	0	30000	41	2004
12.02.2020 14:36:25	1	1	1	1	95.75	61	0	26303.318	610.7526882	16008.20808	30000	0	0	30000	40.75	2004
12.02.2020 14:36:26	1	1	1	1	95.75	60.75	0	26303.318	606.4516129	16008.20808	30000	0	0	30000	41.0625	2004
12.02.2020 14:36:27	1	1	1	1	95.75	61	0	26398.104	610.7526882	16122.36023	30000	0	0	30000	41.0625	2004
12.02.2020 14:36:28	1	1	1	1	95.75	61	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	41.125	2004
12.02.2020 14:36:29	1	1	1	1	97.25	61	0	26303.318	608.6021505	16008.20808	30000	0	0	30000	41.1875	2004
12.02.2020 14:36:30	1	1	1	1	97.25	61	0	26113.744	610.7526882	16004.94659	30000	0	0	30000	40.875	2004
12.02.2020 14:36:31	1	1	1	1	97.25	60.75	0	26018.957	619.3548387	16000.05436	30000	0	0	30000	40.75	2004
12.02.2020 14:36:32	1	1	1	1	97.25	60.75	0	26113.744	615.0537634	16004.94659	30000	0	0	30000	41	2004
12.02.2020 14:36:33	1	1	1	1	97.25	61	0	26303.318	606.4516129	15951.13201	30000	0	0	30000	41.25	2004
12.02.2020 14:36:34	1	1	1	1	97.25	61.25	0	26208.531	610.7526882	16035.93075	30000	0	0	30000	41.0625	2004
12.02.2020 14:36:35	1	1	1	1	97.25	61	0	26113.744	604.3010753	15948.68589	30000	0	0	30000	41.0625	2004
12.02.2020 14:36:36	1	1	1	1	97.25	61	0	26350.711	608.6021505	16036.74612	30000	0	0	30000	40.5625	2004
12.02.2020 14:36:37	1	1	1	1	97.25	60.5	0	25734.597	625.8064516	16104.42204	30000	0	0	30000	40.4375	2004
12.02.2020 14:36:38	1	1	1	1	97.25	60.25	0	26540.284	604.3010753	16095.45294	30000	0	0	30000	39.875	2004
12.02.2020 14:36:39	1	1	1	1	99	59.75	0	25687.204	619.3548387	15854.10268	30000	0	0	30000	40.9375	2004
12.02.2020 14:36:40	1	1	1	1	99	60.75	0	26492.891	597.8494624	15838.61061	30000	0	0	30000	41.25	2004
12.02.2020 14:36:48	1	1	1	1	99	60.25	0	25734.597	623.655914	16104.42204	30000	0	0	30000	41.125	2004
12.02.2020 14:36:48	1	1	1	1	99	60.25	0	25734.597	623.655914	16104.42204	30000	0	0	30000	41.125	2004
12.02.2020 14:36:48	1	1	1	1	99	60.25	0	25734.597	623.655914	16104.42204	30000	0	0	30000	41.125	2004
12.02.2020 14:36:48	1	1	1	1	99	60.25	0	25734.597	623.655914	16104.42204	30000	0	0	30000	41.125	2004
12.02.2020 14:36:48	1	1	1	1	99	60.25	0	25734.597	623.655914	16104.42204	30000	0	0	30000	41.125	2004
12.02.2020 14:36:48	1	1	1	1	99	60.25	0	25734.597	623.655914	16104.42204	30000	0	0	30000	41.125	2004
12.02.2020 14:36:48	1	1	1	1	99	60.25	0	25734.597	623.655914	16104.42204	30000	0	0	30000	41.125	2004
12.02.2020 14:36:49	1	1	1	1	99	61	0	26113.744	615.0537634	16061.20729	30000	0	0	30000	41.125	2004
12.02.2020 14:36:50	1	1	1	1	100.8	61	0	25450.237	625.8064516	15926.67083	30000	0	0	30000	40.875	2004
12.02.2020 14:36:51	1	1	1	1	100.8	60.75	0	25592.417	625.8064516	16044.89985	30000	0	0	30000	41	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 14:36:52	1	1	1	1	100.8	61	0	26398.104	606.4516129	16009.02346	30000	0	0	30000	40.5	2004
12.02.2020 14:36:53	1	1	1	1	100.8	60.5	0	26445.498	608.6021505	16065.28416	30000	0	0	30000	41.1875	2004
12.02.2020 14:36:54	1	1	1	1	100.8	61	0	25924.171	617.2043011	16000.05436	30000	0	0	30000	40.875	2004
12.02.2020 14:36:55	1	1	1	1	100.8	60.75	0	26540.284	608.6021505	16209.60509	30000	0	0	30000	41.4375	2004
12.02.2020 14:36:56	1	1	1	1	100.8	61.25	0	25924.171	615.0537634	16000.05436	30000	0	0	30000	41.3125	2004
12.02.2020 14:36:57	1	1	1	1	100.8	61.25	0	25450.237	617.2043011	15736.68904	30000	0	0	30000	41.375	2004
12.02.2020 14:36:58	1	1	1	1	100.8	60.75	0	25924.171	617.2043011	16000.05436	30000	0	0	30000	40.9375	2004
12.02.2020 14:36:59	1	1	1	1	102.8	60.75	0	25450.237	625.8064516	15981.30079	30000	0	0	30000	40.8125	2004
12.02.2020 14:37:00	1	1	1	1	102.8	60.75	0	26113.744	615.0537634	16061.20729	30000	0	0	30000	40.875	2004
12.02.2020 14:37:01	1	1	1	1	102.8	60.75	0	25734.597	617.2043011	16104.42204	30000	0	0	30000	40.9375	2004
12.02.2020 14:37:02	1	1	1	1	102.8	60.75	0	25876.777	617.2043011	16111.76039	30000	0	0	30000	40.625	2004
12.02.2020 14:37:03	1	1	1	1	102.8	60.5	0	25734.597	623.655914	15993.53138	30000	0	0	30000	40.9375	2004
12.02.2020 14:37:04	1	1	1	1	102.8	60.75	0	26113.744	612.9032258	15975.59318	30000	0	0	30000	41	2004
12.02.2020 14:37:05	1	1	1	1	102.8	61	0	26113.744	612.9032258	16004.94659	30000	0	0	30000	41.125	2004
12.02.2020 14:37:06	1	1	1	1	102.8	61	0	25876.777	621.5053763	16053.05357	30000	0	0	30000	40.5625	2004
12.02.2020 14:37:07	1	1	1	1	102.8	60.5	0	25924.171	617.2043011	16058.76118	30000	0	0	30000	41.125	2004
12.02.2020 14:37:08	1	1	1	1	102.8	61	0	25924.171	615.0537634	15944.60903	30000	0	0	30000	41.125	2004
12.02.2020 14:37:09	1	1	1	1	104.3	61	0	26255.924	608.6021505	16008.20808	30000	0	0	30000	41.0625	2004
12.02.2020 14:37:10	1	1	1	1	104.3	61	0	25450.237	630.1075269	16035.93075	30000	0	0	30000	40.9375	2004
12.02.2020 14:37:11	1	1	1	1	104.3	60.75	0	26208.531	610.7526882	16006.57734	30000	0	0	30000	41	2004
12.02.2020 14:37:12	1	1	1	1	104.3	61	0	26113.744	615.0537634	16117.468	30000	0	0	30000	40.9375	2004
12.02.2020 14:37:13	1	1	1	1	104.3	60.75	0	26540.284	602.1505376	15981.30079	30000	0	0	30000	41.0625	2004
12.02.2020 14:37:14	1	1	1	1	104.3	61	0	26113.744	610.7526882	15948.68589	30000	0	0	30000	41.125	2004
12.02.2020 14:37:15	1	1	1	1	104.3	61	0	25734.597	621.5053763	15993.53138	30000	0	0	30000	41.0625	2004
12.02.2020 14:37:16	1	1	1	1	104.3	61	0	25734.597	621.5053763	15993.53138	30000	0	0	30000	40.3125	2004
12.02.2020 14:37:17	1	1	1	1	104.3	60.25	0	26113.744	610.7526882	16062.83804	30000	0	0	30000	40.6875	2004
12.02.2020 14:37:18	1	1	1	1	104.3	60.5	0	26066.351	610.7526882	15975.59318	30000	0	0	30000	41	2004
12.02.2020 14:37:19	1	1	1	1	105.8	61	0	26018.957	617.2043011	16058.76118	30000	0	0	30000	41.125	2004
12.02.2020 14:37:20	1	1	1	1	105.8	61	0	25497.63	625.8064516	15926.67083	30000	0	0	30000	41.0625	2004
12.02.2020 14:37:21	1	1	1	1	105.8	61	0	25734.597	625.8064516	16104.42204	30000	0	0	30000	41.125	2004
12.02.2020 14:37:22	1	1	1	1	105.8	61	0	25545.024	634.4086022	16175.35944	30000	0	0	30000	41	2004
12.02.2020 14:37:23	1	1	1	1	105.8	61	0	26350.711	606.4516129	15980.48542	30000	0	0	30000	41	2004
12.02.2020 14:37:24	1	1	1	1	105.8	61	0	25687.204	619.3548387	15964.17797	30000	0	0	30000	40.75	2004
12.02.2020 14:37:25	1	1	1	1	105.8	60.75	0	26113.744	606.4516129	16061.20729	30000	0	0	30000	40.875	2004
12.02.2020 14:37:26	1	1	1	1	105.8	60.75	0	25639.81	615.0537634	15824.74927	30000	0	0	30000	40.8125	2004
12.02.2020 14:37:28	1	1	1	1	105.8	60.75	0	26303.318	606.4516129	16064.46878	30000	0	0	30000	41	2004
12.02.2020 14:37:29	1	1	1	1	105.8	61	0	25734.597	619.3548387	15883.45609	30000	0	0	30000	40.75	2004
12.02.2020 14:37:30	1	1	1	1	107.5	60.75	0	25924.171	619.3548387	16056.31506	30000	0	0	30000	41.0625	2004
12.02.2020 14:37:31	1	1	1	1	107.5	61	0	26066.351	617.2043011	16144.37529	30000	0	0	30000	41	2004
12.02.2020 14:37:32	1	1	1	1	107.5	61	0	26113.744	612.9032258	16117.468	30000	0	0	30000	41.0625	2004
12.02.2020 14:37:33	1	1	1	1	107.5	61	0	26445.498	604.3010753	16095.45294	30000	0	0	30000	40.625	2004
12.02.2020 14:37:34	1	1	1	1	107.5	60.5	0	25592.417	625.8064516	16044.89985	30000	0	0	30000	41.25	2004
12.02.2020 14:37:35	1	1	1	1	107.5	61.25	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	41.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 14:37:36	1	1	1	1	107.5	61	0	25450.237	625.8064516	15926.67083	30000	0	0	30000	41.125	2004
12.02.2020 14:37:37	1	1	1	1	107.5	61	0	26350.711	597.8494624	15951.94738	30000	0	0	30000	40.75	2004
12.02.2020 14:37:38	1	1	1	1	107.5	61	0	25734.597	617.2043011	15970.70095	30000	0	0	30000	41.0625	2004
12.02.2020 14:37:39	1	1	1	1	108.8	61	0	25924.171	612.9032258	15888.34833	30000	0	0	30000	40.4375	2004
12.02.2020 14:37:40	1	1	1	1	108.8	60.25	0	26113.744	617.2043011	16117.468	30000	0	0	30000	41.0625	2004
12.02.2020 14:37:41	1	1	1	1	108.8	61	0	26113.744	610.7526882	15948.68589	30000	0	0	30000	40.875	2004
12.02.2020 14:37:42	1	1	1	1	108.8	60.75	0	26445.498	602.1505376	16009.02346	30000	0	0	30000	40.0625	2004
12.02.2020 14:37:50	1	1	1	1	109.8	60.25	0	25639.81	625.8064516	16104.42204	30000	0	0	30000	41	2004
12.02.2020 14:37:50	1	1	1	1	109.8	60.25	0	25639.81	625.8064516	16104.42204	30000	0	0	30000	41	2004
12.02.2020 14:37:50	1	1	1	1	109.8	60.25	0	25639.81	625.8064516	16104.42204	30000	0	0	30000	41	2004
12.02.2020 14:37:50	1	1	1	1	109.8	60.25	0	25639.81	625.8064516	16104.42204	30000	0	0	30000	41	2004
12.02.2020 14:37:50	1	1	1	1	109.8	60.25	0	25639.81	625.8064516	16104.42204	30000	0	0	30000	41	2004
12.02.2020 14:37:50	1	1	1	1	109.8	61	0	26777.251	602.1505376	16123.99098	30000	0	0	30000	40.6875	2004
12.02.2020 14:37:51	1	1	1	1	109.8	60.5	0	25450.237	630.1075269	16035.93075	30000	0	0	30000	41.125	2004
12.02.2020 14:37:52	1	1	1	1	109.8	61	0	26113.744	615.0537634	15947.05515	30000	0	0	30000	40.75	2004
12.02.2020 14:37:53	1	1	1	1	109.8	60.75	0	25924.171	619.3548387	16000.05436	30000	0	0	30000	40.6875	2004
12.02.2020 14:37:54	1	1	1	1	109.8	60.5	0	25924.171	617.2043011	16000.05436	30000	0	0	30000	40.1875	2004
12.02.2020 14:37:55	1	1	1	1	109.8	60	0	26445.498	610.7526882	16037.56149	30000	0	0	30000	40.9375	2004
12.02.2020 14:37:56	1	1	1	1	109.8	60.75	0	25734.597	625.8064516	16305.00367	30000	0	0	30000	41.25	2004
12.02.2020 14:37:57	1	1	1	1	109.8	61.25	0	26398.104	604.3010753	15951.94738	30000	0	0	30000	40.9375	2004
12.02.2020 14:37:58	1	1	1	1	109.8	60.75	0	26350.711	606.4516129	15951.13201	30000	0	0	30000	41.25	2004
12.02.2020 14:37:59	1	1	1	1	111	61.25	0	26113.744	602.1505376	15948.68589	30000	0	0	30000	40.25	2004
12.02.2020 14:38:00	1	1	1	1	111	60.25	0	26018.957	617.2043011	16058.76118	30000	0	0	30000	41.125	2004
12.02.2020 14:38:01	1	1	1	1	111	61	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	40.6875	2004
12.02.2020 14:38:02	1	1	1	1	111	60.5	0	25734.597	621.5053763	15993.53138	30000	0	0	30000	40.875	2004
12.02.2020 14:38:03	1	1	1	1	111	60.75	0	25450.237	627.9569892	16035.93075	30000	0	0	30000	41.0625	2004
12.02.2020 14:38:04	1	1	1	1	111	61	0	26398.104	606.4516129	16009.02346	30000	0	0	30000	40.875	2004
12.02.2020 14:38:05	1	1	1	1	111	60.75	0	26066.351	617.2043011	16088.11459	30000	0	0	30000	40.875	2004
12.02.2020 14:38:07	1	1	1	1	111	60.75	0	26255.924	610.7526882	16120.72949	30000	0	0	30000	41.125	2004
12.02.2020 14:38:08	1	1	1	1	111	61	0	26018.957	617.2043011	16000.05436	30000	0	0	30000	40.9375	2004
12.02.2020 14:38:09	1	1	1	1	111	60.75	0	27061.611	593.5483871	16119.91411	30000	0	0	30000	41.125	2004
12.02.2020 14:38:10	1	1	1	1	112	61	0	25497.63	621.5053763	15876.11774	30000	0	0	30000	41.125	2004
12.02.2020 14:38:11	1	1	1	1	112	61	0	26018.957	612.9032258	15947.05515	30000	0	0	30000	40.8125	2004
12.02.2020 14:38:12	1	1	1	1	112	60.75	0	25924.171	619.3548387	16000.05436	30000	0	0	30000	41.125	2004
12.02.2020 14:38:13	1	1	1	1	112	61	0	26303.318	608.6021505	16093.82219	30000	0	0	30000	41.375	2004
12.02.2020 14:38:14	1	1	1	1	112	61.25	0	26492.891	604.3010753	16038.37687	30000	0	0	30000	41.25	2004
12.02.2020 14:38:15	1	1	1	1	112	61.25	0	25639.81	621.5053763	15824.74927	30000	0	0	30000	40.5625	2004
12.02.2020 14:38:16	1	1	1	1	112	60.75	0	26113.744	610.7526882	15948.68589	30000	0	0	30000	40.6875	2004
12.02.2020 14:38:17	1	1	1	1	112	60.5	0	25734.597	623.655914	15993.53138	30000	0	0	30000	41	2004
12.02.2020 14:38:18	1	1	1	1	112	61	0	26777.251	597.8494624	16094.63757	30000	0	0	30000	41.3125	2004
12.02.2020 14:38:19	1	1	1	1	113.5	61.25	0	26587.678	602.1505376	16009.83883	30000	0	0	30000	41.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 14:38:20	1	1	1	1	113.5	61.25	0	26587.678	604.3010753	16066.9149	30000	0	0	30000	41.1875	2004
12.02.2020 14:38:21	1	1	1	1	113.5	61	0	26398.104	604.3010753	16065.28416	30000	0	0	30000	40.9375	2004
12.02.2020 14:38:22	1	1	1	1	113.5	60.75	0	26682.464	597.8494624	16009.02346	30000	0	0	30000	40.875	2004
12.02.2020 14:38:23	1	1	1	1	113.5	60.75	0	26540.284	602.1505376	15924.22472	30000	0	0	30000	41.0625	2004
12.02.2020 14:38:24	1	1	1	1	113.5	61	0	27156.398	589.2473118	16085.66847	30000	0	0	30000	40.8125	2004
12.02.2020 14:38:25	1	1	1	1	113.5	60.75	0	27298.578	582.7956989	15909.54801	30000	0	0	30000	41.0625	2004
12.02.2020 14:38:26	1	1	1	1	113.5	61	0	27582.938	584.9462366	16047.34596	30000	0	0	30000	40.8125	2004
12.02.2020 14:38:27	1	1	1	1	113.5	60.75	0	27582.938	587.0967742	16110.12964	30000	0	0	30000	40.8125	2004
12.02.2020 14:38:28	1	1	1	1	113.5	60.75	0	27867.299	580.6451613	16300.92681	30000	0	0	30000	40.875	2004
12.02.2020 14:38:29	1	1	1	1	109.5	60.75	0	27867.299	574.1935484	16000.86973	30000	0	0	30000	41.25	2004
12.02.2020 14:38:30	1	1	1	1	109.5	61.25	0	27914.692	572.0430108	15848.39508	30000	0	0	30000	41.0625	2004
12.02.2020 14:38:31	1	1	1	1	109.5	61	0	27867.299	572.0430108	15941.34754	30000	0	0	30000	40.25	2004
12.02.2020 14:38:32	1	1	1	1	109.5	60.25	0	27914.692	574.1935484	16027.77702	30000	0	0	30000	41.25	2004
12.02.2020 14:38:33	1	1	1	1	109.5	61.25	0	28293.839	565.5913978	16002.50048	30000	0	0	30000	40.25	2004
12.02.2020 14:38:34	1	1	1	1	109.5	60.25	0	28578.199	563.4408602	16163.12886	30000	0	0	30000	41.1875	2004
12.02.2020 14:38:35	1	1	1	1	109.5	61	0	28530.806	563.4408602	16286.2501	30000	0	0	30000	39.875	2004
12.02.2020 14:38:36	1	1	1	1	109.5	59.75	0	28625.592	554.8387097	15943.79366	30000	0	0	30000	41.125	2004
12.02.2020 14:38:37	1	1	1	1	109.5	61	0	28957.346	563.4408602	16128.88321	30000	0	0	30000	41.0625	2004
12.02.2020 14:38:38	1	1	1	1	109.5	61	0	28578.199	554.8387097	15917.70174	30000	0	0	30000	41.125	2004
12.02.2020 14:38:39	1	1	1	1	105.5	61	0	29241.706	554.8387097	16224.28179	30000	0	0	30000	40.9375	2004
12.02.2020 14:38:40	1	1	1	1	105.5	60.75	0	28862.559	552.688172	15951.94738	30000	0	0	30000	40.625	2004
12.02.2020 14:38:41	1	1	1	1	105.5	60.5	0	29099.526	550.5376344	16234.06626	30000	0	0	30000	41.0625	2004
12.02.2020 14:38:42	1	1	1	1	105.5	61	0	29146.919	550.5376344	16161.49811	30000	0	0	30000	40.4375	2004
12.02.2020 14:38:43	1	1	1	1	105.5	60.25	0	29336.493	546.2365591	16087.29921	30000	0	0	30000	41.25	2004
12.02.2020 14:38:51	1	1	1	1	103	60.75	0	29952.607	535.483871	16039.19224	30000	0	0	30000	40.9375	2004
12.02.2020 14:38:51	1	1	1	1	103	60.75	0	29952.607	535.483871	16039.19224	30000	0	0	30000	40.9375	2004
12.02.2020 14:38:51	1	1	1	1	103	60.75	0	29952.607	535.483871	16039.19224	30000	0	0	30000	40.9375	2004
12.02.2020 14:38:51	1	1	1	1	103	60.75	0	29952.607	535.483871	16039.19224	30000	0	0	30000	40.9375	2004
12.02.2020 14:38:51	1	1	1	1	103	60.75	0	29952.607	535.483871	16039.19224	30000	0	0	30000	40.9375	2004
12.02.2020 14:38:51	1	1	1	1	103	60.75	0	29952.607	535.483871	16039.19224	30000	0	0	30000	40.9375	2004
12.02.2020 14:38:51	1	1	1	1	103	60.75	0	29952.607	535.483871	16039.19224	30000	0	0	30000	40.9375	2004
12.02.2020 14:38:52	1	1	1	1	103	60.75	0	30000	509.6774194	15266.21912	30000	0	0	30000	40.9375	2004
12.02.2020 14:38:53	1	1	1	1	103	60.75	0	30000	503.2258065	15096.62164	30000	0	0	30000	41.125	2004
12.02.2020 14:38:54	1	1	1	1	103	61	0	30000	481.7204301	14451.662	30000	0	0	30000	40.6875	2004
12.02.2020 14:38:55	1	1	1	1	103	60.5	0	30000	481.7204301	14042.34501	30000	0	0	30000	41.3125	2004
12.02.2020 14:38:56	1	1	1	1	103	61.25	0	30000	464.516129	13999.94564	30000	0	0	30000	41.4375	2004
12.02.2020 14:38:57	1	1	1	1	103	61.25	0	30000	488.172043	14580.49085	30000	0	0	30000	40.4375	2004
12.02.2020 14:38:58	1	1	1	1	103	61	0	30000	481.7204301	14128.7745	30000	0	0	30000	41	2004
12.02.2020 14:38:59	1	1	1	1	101.5	61	0	30000	481.7204301	14451.662	30000	0	0	30000	40.9375	2004
12.02.2020 14:39:00	1	1	1	1	101.5	60.75	0	30000	488.172043	14644.90528	30000	0	0	30000	40.3125	2004
12.02.2020 14:39:01	1	1	1	1	101.5	60.25	0	30000	486.0215054	14644.90528	30000	0	0	30000	40.5	2004
12.02.2020 14:39:02	1	1	1	1	101.5	60.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	41.0625	2004
12.02.2020 14:39:03	1	1	1	1	101.5	61	0	30000	470.9677419	14128.7745	30000	0	0	30000	41	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 14:39:04	1	1	1	1	101.5	61	0	30000	481.7204301	14451.662	30000	0	0	30000	40.6875	2004
12.02.2020 14:39:05	1	1	1	1	101.5	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.3125	2004
12.02.2020 14:39:06	1	1	1	1	101.5	60.25	0	29952.607	481.7204301	14428.83157	30000	0	0	30000	40.4375	2004
12.02.2020 14:39:07	1	1	1	1	101.5	60.25	0	30000	481.7204301	14428.83157	30000	0	0	30000	41.0625	2004
12.02.2020 14:39:08	1	1	1	1	101.5	61	0	30000	481.7204301	14451.662	30000	0	0	30000	40.625	2004
12.02.2020 14:39:09	1	1	1	1	99.75	60.5	0	29952.607	481.7204301	14451.662	30000	0	0	30000	40.6875	2004
12.02.2020 14:39:10	1	1	1	1	99.75	60.5	0	30000	481.7204301	14428.83157	30000	0	0	30000	40.5625	2004
12.02.2020 14:39:11	1	1	1	1	99.75	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	41.1875	2004
12.02.2020 14:39:12	1	1	1	1	99.75	61	0	30000	481.7204301	14451.662	30000	0	0	30000	40.9375	2004
12.02.2020 14:39:13	1	1	1	1	99.75	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40	2004
12.02.2020 14:39:14	1	1	1	1	99.75	60	0	30047.393	481.7204301	14451.662	30000	0	0	30000	40.9375	2004
12.02.2020 14:39:15	1	1	1	1	99.75	60.75	0	30047.393	483.8709677	14516.07643	30000	0	0	30000	40.5	2004
12.02.2020 14:39:16	1	1	1	1	99.75	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.375	2004
12.02.2020 14:39:17	1	1	1	1	99.75	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.8125	2004
12.02.2020 14:39:18	1	1	1	1	99.75	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.6875	2004
12.02.2020 14:39:19	1	1	1	1	98.75	60.5	0	30000	481.7204301	14128.7745	30000	0	0	30000	40.4375	2004
12.02.2020 14:39:20	1	1	1	1	98.75	60.25	0	30094.787	505.3763441	14838.14856	30000	0	0	30000	40.5	2004
12.02.2020 14:39:21	1	1	1	1	98.75	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	41.25	2004
12.02.2020 14:39:22	1	1	1	1	98.75	61.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.75	2004
12.02.2020 14:39:23	1	1	1	1	98.75	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.375	2004
12.02.2020 14:39:24	1	1	1	1	98.75	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.6875	2004
12.02.2020 14:39:26	1	1	1	1	98.75	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	41.1875	2004
12.02.2020 14:39:27	1	1	1	1	98.75	61	0	30000	490.3225806	14773.73413	30000	0	0	30000	41.0625	2004
12.02.2020 14:39:28	1	1	1	1	98.75	61	0	29952.607	481.7204301	14428.83157	30000	0	0	30000	40.9375	2004
12.02.2020 14:39:29	1	1	1	1	98.75	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.75	2004
12.02.2020 14:39:30	1	1	1	1	97.75	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.6875	2004
12.02.2020 14:39:31	1	1	1	1	97.75	60.5	0	30000	481.7204301	14474.49243	30000	0	0	30000	40.875	2004
12.02.2020 14:39:32	1	1	1	1	97.75	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.875	2004
12.02.2020 14:39:33	1	1	1	1	97.75	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	41.125	2004
12.02.2020 14:39:34	1	1	1	1	97.75	61	0	30000	481.7204301	14451.662	30000	0	0	30000	41.5	2004
12.02.2020 14:39:35	1	1	1	1	97.75	61.5	0	30000	481.7204301	14474.49243	30000	0	0	30000	41.0625	2004
12.02.2020 14:39:36	1	1	1	1	97.75	60.75	0	30000	486.0215054	14516.07643	30000	0	0	30000	41.125	2004
12.02.2020 14:39:37	1	1	1	1	97.75	61	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.9375	2004
12.02.2020 14:39:38	1	1	1	1	97.75	60.75	0	30047.393	486.0215054	14580.49085	30000	0	0	30000	40.9375	2004
12.02.2020 14:39:39	1	1	1	1	97	60.75	0	30000	486.0215054	14644.90528	30000	0	0	30000	40.5	2004
12.02.2020 14:39:40	1	1	1	1	97	60.5	0	30000	488.172043	14516.07643	30000	0	0	30000	40.875	2004
12.02.2020 14:39:41	1	1	1	1	97	60.75	0	30000	494.6236559	14838.14856	30000	0	0	30000	40.875	2004
12.02.2020 14:39:42	1	1	1	1	97	60.75	0	29905.213	483.8709677	14644.90528	30000	0	0	30000	40.4375	2004
12.02.2020 14:39:43	1	1	1	1	97	60.25	0	30000	494.6236559	14644.90528	30000	0	0	30000	40.875	2004
12.02.2020 14:39:44	1	1	1	1	97	60.75	0	29952.607	488.172043	14644.90528	30000	0	0	30000	40.1875	2004
12.02.2020 14:39:45	1	1	1	1	97	60	0	30000	481.7204301	14406.00114	30000	0	0	30000	40.9375	2004
12.02.2020 14:39:53	1	1	1	1	96	61	0	30000	481.7204301	14451.662	30000	0	0	30000	40.625	2004
12.02.2020 14:39:53	1	1	1	1	96	61	0	30000	481.7204301	14451.662	30000	0	0	30000	40.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 14:39:53	1	1	1	1	96	61	0	30000	481.7204301	14451.662	30000	0	0	30000	40.625	2004
12.02.2020 14:39:53	1	1	1	1	96	61	0	30000	481.7204301	14451.662	30000	0	0	30000	40.625	2004
12.02.2020 14:39:53	1	1	1	1	96	61	0	30000	481.7204301	14451.662	30000	0	0	30000	40.625	2004
12.02.2020 14:39:53	1	1	1	1	96	61	0	30000	481.7204301	14451.662	30000	0	0	30000	40.625	2004
12.02.2020 14:39:53	1	1	1	1	96	61	0	30000	481.7204301	14451.662	30000	0	0	30000	40.625	2004
12.02.2020 14:39:53	1	1	1	1	96	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.4375	2004
12.02.2020 14:39:54	1	1	1	1	96	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.5	2004
12.02.2020 14:39:55	1	1	1	1	96	60.5	0	30000	481.7204301	14474.49243	30000	0	0	30000	40.9375	2004
12.02.2020 14:39:56	1	1	1	1	96	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.4375	2004
12.02.2020 14:39:57	1	1	1	1	96	60.25	0	30000	483.8709677	14451.662	30000	0	0	30000	40.625	2004
12.02.2020 14:39:58	1	1	1	1	96	60.5	0	30000	483.8709677	14580.49085	30000	0	0	30000	41.0625	2004
12.02.2020 14:39:59	1	1	1	1	94.75	61	0	30000	481.7204301	14451.662	30000	0	0	30000	40.25	2004
12.02.2020 14:40:00	1	1	1	1	94.75	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	41.125	2004
12.02.2020 14:40:01	1	1	1	1	94.75	61	0	30000	481.7204301	14451.662	30000	0	0	30000	40.4375	2004
12.02.2020 14:40:02	1	1	1	1	94.75	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.875	2004
12.02.2020 14:40:03	1	1	1	1	94.75	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.6875	2004
12.02.2020 14:40:04	1	1	1	1	94.75	60.5	0	30047.393	481.7204301	14451.662	30000	0	0	30000	40.375	2004
12.02.2020 14:40:05	1	1	1	1	94.75	60.25	0	29952.607	481.7204301	14451.662	30000	0	0	30000	40.0625	2004
12.02.2020 14:40:07	1	1	1	1	94.75	60	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.875	2004
12.02.2020 14:40:08	1	1	1	1	94.75	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	41.0625	2004
12.02.2020 14:40:09	1	1	1	1	94.75	61	0	30000	481.7204301	14451.662	30000	0	0	30000	40.8125	2004
12.02.2020 14:40:10	1	1	1	1	94.25	60.75	0	29952.607	481.7204301	14451.662	30000	0	0	30000	40.9375	2004
12.02.2020 14:40:11	1	1	1	1	94.25	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.5	2004
12.02.2020 14:40:12	1	1	1	1	94.25	60.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.5625	2004
12.02.2020 14:40:13	1	1	1	1	94.25	60.5	0	30000	483.8709677	14580.49085	30000	0	0	30000	40.6875	2004
12.02.2020 14:40:14	1	1	1	1	94.25	60.5	0	29952.607	481.7204301	14644.90528	30000	0	0	30000	41	2004
12.02.2020 14:40:15	1	1	1	1	94.25	61	0	30000	483.8709677	14516.07643	30000	0	0	30000	41.125	2004
12.02.2020 14:40:16	1	1	1	1	94.25	61	0	30000	496.7741935	15032.20721	30000	0	0	30000	41.1875	2004
12.02.2020 14:40:17	1	1	1	1	94.25	61.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.5625	2004
12.02.2020 14:40:18	1	1	1	1	94.25	60.5	0	30000	486.0215054	14516.07643	30000	0	0	30000	41.0625	2004
12.02.2020 14:40:19	1	1	1	1	93.25	61	0	30000	486.0215054	14580.49085	30000	0	0	30000	40.375	2004
12.02.2020 14:40:20	1	1	1	1	93.25	60.25	0	30000	488.172043	14644.90528	30000	0	0	30000	40.9375	2004
12.02.2020 14:40:21	1	1	1	1	93.25	60.75	0	30000	481.7204301	14516.07643	30000	0	0	30000	41.125	2004
12.02.2020 14:40:22	1	1	1	1	93.25	61	0	30000	481.7204301	14451.662	30000	0	0	30000	40.6875	2004
12.02.2020 14:40:23	1	1	1	1	93.25	60.5	0	30000	481.7204301	14516.07643	30000	0	0	30000	40.75	2004
12.02.2020 14:40:24	1	1	1	1	93.25	60.75	0	30000	481.7204301	14428.83157	30000	0	0	30000	40.8125	2004
12.02.2020 14:40:25	1	1	1	1	93.25	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.4375	2004
12.02.2020 14:40:26	1	1	1	1	93.25	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	41.0625	2004
12.02.2020 14:40:27	1	1	1	1	93.25	61	0	30000	481.7204301	14451.662	30000	0	0	30000	40	2004
12.02.2020 14:40:28	1	1	1	1	93.25	60	0	29952.607	481.7204301	14644.90528	30000	0	0	30000	40.875	2004
12.02.2020 14:40:29	1	1	1	1	92.75	60.75	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.4375	2004
12.02.2020 14:40:30	1	1	1	1	92.75	60.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.875	2004
12.02.2020 14:40:31	1	1	1	1	92.75	60.75	0	29952.607	481.7204301	14451.662	30000	0	0	30000	41.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 14:40:32	1	1	1	1	92.75	61	0	29905.213	481.7204301	14451.662	30000	0	0	30000	40.875	2004
12.02.2020 14:40:33	1	1	1	1	92.75	60.75	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.9375	2004
12.02.2020 14:40:34	1	1	1	1	92.75	60.75	0	30000	481.7204301	14516.07643	30000	0	0	30000	41	2004
12.02.2020 14:40:35	1	1	1	1	92.75	61	0	30000	481.7204301	14451.662	30000	0	0	30000	40.125	2004
12.02.2020 14:40:36	1	1	1	1	92.75	60	0	30000	481.7204301	14128.7745	30000	0	0	30000	40.625	2004
12.02.2020 14:40:37	1	1	1	1	92.75	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.9375	2004
12.02.2020 14:40:38	1	1	1	1	92.75	60.75	0	30000	483.8709677	14516.07643	30000	0	0	30000	41.0625	2004
12.02.2020 14:40:39	1	1	1	1	92.25	61	0	30000	496.7741935	14902.56299	30000	0	0	30000	41.125	2004
12.02.2020 14:40:40	1	1	1	1	92.25	61	0	30000	490.3225806	14709.31971	30000	0	0	30000	40.75	2004
12.02.2020 14:40:41	1	1	1	1	92.25	60.75	0	30047.393	488.172043	14644.90528	30000	0	0	30000	40.6875	2004
12.02.2020 14:40:42	1	1	1	1	92.25	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.625	2004
12.02.2020 14:40:43	1	1	1	1	92.25	60.5	0	30000	481.7204301	14516.07643	30000	0	0	30000	40.3125	2004
12.02.2020 14:40:44	1	1	1	1	92.25	60.25	0	30094.787	483.8709677	14451.662	30000	0	0	30000	40.875	2004
12.02.2020 14:40:45	1	1	1	1	92.25	60.75	0	30000	481.7204301	13913.51616	30000	0	0	30000	40.9375	2004
12.02.2020 14:40:47	1	1	1	1	92.25	60.75	0	29952.607	481.7204301	14451.662	30000	0	0	30000	39.625	2004
12.02.2020 14:40:54	1	1	1	1	91.5	60.75	0	30000	481.7204301	14106.75944	30000	0	0	30000	40.8125	2004
12.02.2020 14:40:54	1	1	1	1	91.5	60.75	0	30000	481.7204301	14106.75944	30000	0	0	30000	40.8125	2004
12.02.2020 14:40:54	1	1	1	1	91.5	60.75	0	30000	481.7204301	14106.75944	30000	0	0	30000	40.8125	2004
12.02.2020 14:40:54	1	1	1	1	91.5	60.75	0	30000	481.7204301	14106.75944	30000	0	0	30000	40.8125	2004
12.02.2020 14:40:54	1	1	1	1	91.5	60.75	0	30000	481.7204301	14106.75944	30000	0	0	30000	40.8125	2004
12.02.2020 14:40:54	1	1	1	1	91.5	60.75	0	30000	481.7204301	14106.75944	30000	0	0	30000	40.8125	2004
12.02.2020 14:40:54	1	1	1	1	91.5	60.75	0	30000	481.7204301	14106.75944	30000	0	0	30000	40.8125	2004
12.02.2020 14:40:55	1	1	1	1	91.5	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.875	2004
12.02.2020 14:40:56	1	1	1	1	91.5	60.75	0	30000	464.516129	13870.30142	30000	0	0	30000	41.0625	2004
12.02.2020 14:40:57	1	1	1	1	91.5	61	0	30000	481.7204301	14451.662	30000	0	0	30000	40.875	2004
12.02.2020 14:40:58	1	1	1	1	91.5	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.5625	2004
12.02.2020 14:40:59	1	1	1	1	90.75	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.875	2004
12.02.2020 14:41:00	1	1	1	1	90.75	60.75	0	30000	464.516129	13935.53122	30000	0	0	30000	41	2004
12.02.2020 14:41:01	1	1	1	1	90.75	61	0	30000	460.2150538	13870.30142	30000	0	0	30000	41.1875	2004
12.02.2020 14:41:02	1	1	1	1	90.75	61	0	30000	460.2150538	13805.88699	30000	0	0	30000	40.0625	2004
12.02.2020 14:41:03	1	1	1	1	90.75	60	0	30000	468.8172043	14128.7745	30000	0	0	30000	40.9375	2004
12.02.2020 14:41:04	1	1	1	1	90.75	60.75	0	30000	466.6666667	13935.53122	30000	0	0	30000	40.75	2004
12.02.2020 14:41:05	1	1	1	1	90.75	60.75	0	30000	464.516129	13935.53122	30000	0	0	30000	40.75	2004
12.02.2020 14:41:06	1	1	1	1	90.75	60.75	0	30000	455.9139785	13677.05814	30000	0	0	30000	40.5625	2004
12.02.2020 14:41:07	1	1	1	1	90.75	60.5	0	30000	453.7634409	13612.64371	30000	0	0	30000	40.625	2004
12.02.2020 14:41:08	1	1	1	1	90.75	60.5	0	30000	458.0645161	13741.47256	30000	0	0	30000	41.0625	2004
12.02.2020 14:41:09	1	1	1	1	90.25	61	0	30000	453.7634409	13612.64371	30000	0	0	30000	40.4375	2004
12.02.2020 14:41:10	1	1	1	1	90.25	60.25	0	30000	460.2150538	13805.88699	30000	0	0	30000	40.6875	2004
12.02.2020 14:41:11	1	1	1	1	90.25	60.5	0	29952.607	464.516129	13935.53122	30000	0	0	30000	40.5	2004
12.02.2020 14:41:12	1	1	1	1	90.25	60.5	0	29905.213	451.6129032	13870.30142	30000	0	0	30000	40.5	2004
12.02.2020 14:41:13	1	1	1	1	90.25	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	41	2004
12.02.2020 14:41:14	1	1	1	1	90.25	61	0	29952.607	464.516129	13935.53122	30000	0	0	30000	40.5	2004
12.02.2020 14:41:15	1	1	1	1	90.25	60.5	0	30000	464.516129	13935.53122	30000	0	0	30000	41.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 14:41:16	1	1	1	1	90.25	61.25	0	30000	460.2150538	13805.88699	30000	0	0	30000	40.4375	2004
12.02.2020 14:41:17	1	1	1	1	90.25	60.25	0	30000	460.2150538	13741.47256	30000	0	0	30000	41.1875	2004
12.02.2020 14:41:18	1	1	1	1	90.25	61	0	30000	453.7634409	13741.47256	30000	0	0	30000	40.9375	2004
12.02.2020 14:41:19	1	1	1	1	89.25	60.75	0	30000	466.6666667	13999.94564	30000	0	0	30000	41.125	2004
12.02.2020 14:41:20	1	1	1	1	89.25	61	0	30047.393	458.0645161	13612.64371	30000	0	0	30000	41	2004
12.02.2020 14:41:21	1	1	1	1	89.25	61	0	30000	458.0645161	13741.47256	30000	0	0	30000	41.125	2004
12.02.2020 14:41:22	1	1	1	1	89.25	61	0	30000	464.516129	13935.53122	30000	0	0	30000	41.1875	2004
12.02.2020 14:41:23	1	1	1	1	89.25	61	0	30000	451.6129032	13612.64371	30000	0	0	30000	40.5	2004
12.02.2020 14:41:24	1	1	1	1	89.25	60.5	0	29905.213	445.1612903	13354.17063	30000	0	0	30000	41	2004
12.02.2020 14:41:25	1	1	1	1	89.25	61	0	30000	458.0645161	13354.17063	30000	0	0	30000	40.8125	2004
12.02.2020 14:41:27	1	1	1	1	89.25	60.75	0	30000	455.9139785	13655.85845	30000	0	0	30000	40.5	2004
12.02.2020 14:41:28	1	1	1	1	89.25	60.5	0	30000	455.9139785	13741.47256	30000	0	0	30000	40.9375	2004
12.02.2020 14:41:29	1	1	1	1	89.25	60.75	0	30000	460.2150538	13805.88699	30000	0	0	30000	41.1875	2004
12.02.2020 14:41:30	1	1	1	1	88.5	61	0	30000	458.0645161	13741.47256	30000	0	0	30000	40.625	2004
12.02.2020 14:41:31	1	1	1	1	88.5	60.5	0	30000	460.2150538	13612.64371	30000	0	0	30000	40.875	2004
12.02.2020 14:41:32	1	1	1	1	88.5	60.75	0	30000	449.4623656	13483.81486	30000	0	0	30000	41.1875	2004
12.02.2020 14:41:33	1	1	1	1	88.5	61	0	30000	453.7634409	13612.64371	30000	0	0	30000	40.75	2004
12.02.2020 14:41:34	1	1	1	1	88.5	60.75	0	30000	449.4623656	13548.22928	30000	0	0	30000	40.625	2004
12.02.2020 14:41:35	1	1	1	1	88.5	60.5	0	30000	458.0645161	13741.47256	30000	0	0	30000	40.375	2004
12.02.2020 14:41:36	1	1	1	1	88.5	60.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.9375	2004
12.02.2020 14:41:37	1	1	1	1	88.5	60.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	41.1875	2004
12.02.2020 14:41:38	1	1	1	1	88.5	60.75	0	30000	449.4623656	13354.17063	30000	0	0	30000	40.4375	2004
12.02.2020 14:41:39	1	1	1	1	88	60.25	0	30000	453.7634409	13612.64371	30000	0	0	30000	41.25	2004
12.02.2020 14:41:40	1	1	1	1	88	61.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.875	2004
12.02.2020 14:41:41	1	1	1	1	88	60.75	0	30047.393	451.6129032	13354.17063	30000	0	0	30000	40.0625	2004
12.02.2020 14:41:42	1	1	1	1	88	60	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.125	2004
12.02.2020 14:41:43	1	1	1	1	88	60	0	30000	455.9139785	13612.64371	30000	0	0	30000	41.0625	2004
12.02.2020 14:41:44	1	1	1	1	88	61	0	30000	453.7634409	13741.47256	30000	0	0	30000	41.0625	2004
12.02.2020 14:41:45	1	1	1	1	88	61	0	30000	453.7634409	13312.58663	30000	0	0	30000	40.875	2004
12.02.2020 14:41:46	1	1	1	1	88	60.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	41	2004
12.02.2020 14:41:47	1	1	1	1	88	61	0	30000	453.7634409	13612.64371	30000	0	0	30000	40.3125	2004
12.02.2020 14:41:48	1	1	1	1	88	60.25	0	30000	453.7634409	13591.44402	30000	0	0	30000	40.125	2004
12.02.2020 14:41:56	1	1	1	1	86.75	60	0	30000	451.6129032	13483.81486	30000	0	0	30000	40.375	2004
12.02.2020 14:41:56	1	1	1	1	86.75	60	0	30000	451.6129032	13483.81486	30000	0	0	30000	40.375	2004
12.02.2020 14:41:56	1	1	1	1	86.75	60	0	30000	451.6129032	13483.81486	30000	0	0	30000	40.375	2004
12.02.2020 14:41:56	1	1	1	1	86.75	60	0	30000	451.6129032	13483.81486	30000	0	0	30000	40.375	2004
12.02.2020 14:41:56	1	1	1	1	86.75	60	0	30000	451.6129032	13483.81486	30000	0	0	30000	40.375	2004
12.02.2020 14:41:56	1	1	1	1	86.75	60	0	30000	451.6129032	13483.81486	30000	0	0	30000	40.375	2004
12.02.2020 14:41:56	1	1	1	1	86.75	60	0	30000	451.6129032	13483.81486	30000	0	0	30000	40.375	2004
12.02.2020 14:41:56	1	1	1	1	86.75	60.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	40	2004
12.02.2020 14:41:57	1	1	1	1	86.75	60	0	30000	449.4623656	13483.81486	30000	0	0	30000	41	2004
12.02.2020 14:41:58	1	1	1	1	86.75	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.8125	2004
12.02.2020 14:41:59	1	1	1	1	86.25	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	41	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 14:42:00	1	1	1	1	86.25	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.875	2004
12.02.2020 14:42:01	1	1	1	1	86.25	60.75	0	29952.607	460.2150538	13935.53122	30000	0	0	30000	41.0625	2004
12.02.2020 14:42:02	1	1	1	1	86.25	61	0	29905.213	443.0107527	13354.17063	30000	0	0	30000	41	2004
12.02.2020 14:42:03	1	1	1	1	86.25	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.5625	2004
12.02.2020 14:42:04	1	1	1	1	86.25	60.5	0	30000	451.6129032	13354.17063	30000	0	0	30000	40.625	2004
12.02.2020 14:42:06	1	1	1	1	86.25	60.5	0	30000	464.516129	13935.53122	30000	0	0	30000	40.875	2004
12.02.2020 14:42:07	1	1	1	1	86.25	60.75	0	30000	460.2150538	13741.47256	30000	0	0	30000	41.0625	2004
12.02.2020 14:42:08	1	1	1	1	86.25	61	0	29952.607	445.1612903	13354.17063	30000	0	0	30000	40.75	2004
12.02.2020 14:42:09	1	1	1	1	86.25	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.75	2004
12.02.2020 14:42:10	1	1	1	1	86	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.6875	2004
12.02.2020 14:42:11	1	1	1	1	86	60.5	0	30000	453.7634409	13612.64371	30000	0	0	30000	41.1875	2004
12.02.2020 14:42:12	1	1	1	1	86	61	0	30000	453.7634409	13741.47256	30000	0	0	30000	40.6875	2004
12.02.2020 14:42:13	1	1	1	1	86	60.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.0625	2004
12.02.2020 14:42:14	1	1	1	1	86	61	0	30000	453.7634409	13612.64371	30000	0	0	30000	40.25	2004
12.02.2020 14:42:15	1	1	1	1	86	60.25	0	30000	445.1612903	13483.81486	30000	0	0	30000	40.8125	2004
12.02.2020 14:42:16	1	1	1	1	86	60.75	0	29952.607	460.2150538	13741.47256	30000	0	0	30000	40.9375	2004
12.02.2020 14:42:17	1	1	1	1	86	60.75	0	30000	449.4623656	13612.64371	30000	0	0	30000	41.3125	2004
12.02.2020 14:42:18	1	1	1	1	86	61.25	0	30000	464.516129	13935.53122	30000	0	0	30000	40.3125	2004
12.02.2020 14:42:19	1	1	1	1	85.5	60.25	0	29952.607	466.6666667	13784.6873	30000	0	0	30000	40.875	2004
12.02.2020 14:42:20	1	1	1	1	85.5	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	41	2004
12.02.2020 14:42:21	1	1	1	1	85.5	61	0	29952.607	438.7096774	13354.17063	30000	0	0	30000	40.75	2004
12.02.2020 14:42:22	1	1	1	1	85.5	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.6875	2004
12.02.2020 14:42:23	1	1	1	1	85.5	60.5	0	30000	451.6129032	13612.64371	30000	0	0	30000	40.75	2004
12.02.2020 14:42:24	1	1	1	1	85.5	60.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	40.9375	2004
12.02.2020 14:42:25	1	1	1	1	85.5	60.75	0	29952.607	451.6129032	13483.81486	30000	0	0	30000	41.0625	2004
12.02.2020 14:42:26	1	1	1	1	85.5	61	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.8125	2004
12.02.2020 14:42:27	1	1	1	1	85.5	60.75	0	29952.607	460.2150538	13870.30142	30000	0	0	30000	40.75	2004
12.02.2020 14:42:28	1	1	1	1	85.5	60.75	0	30000	460.2150538	13741.47256	30000	0	0	30000	41.1875	2004
12.02.2020 14:42:29	1	1	1	1	84.75	61	0	30000	449.4623656	13483.81486	30000	0	0	30000	40.8125	2004
12.02.2020 14:42:30	1	1	1	1	84.75	60.75	0	30000	455.9139785	13612.64371	30000	0	0	30000	40.9375	2004
12.02.2020 14:42:31	1	1	1	1	84.75	60.75	0	30000	458.0645161	13612.64371	30000	0	0	30000	40.5625	2004
12.02.2020 14:42:32	1	1	1	1	84.75	60.5	0	30000	453.7634409	13612.64371	30000	0	0	30000	41.125	2004
12.02.2020 14:42:33	1	1	1	1	84.75	61	0	30000	445.1612903	13483.81486	30000	0	0	30000	41.125	2004
12.02.2020 14:42:34	1	1	1	1	84.75	61	0	30047.393	445.1612903	13354.17063	30000	0	0	30000	40.75	2004
12.02.2020 14:42:35	1	1	1	1	84.75	60.75	0	30000	464.516129	13870.30142	30000	0	0	30000	40.4375	2004
12.02.2020 14:42:36	1	1	1	1	84.75	60.25	0	29952.607	455.9139785	13935.53122	30000	0	0	30000	41.0625	2004
12.02.2020 14:42:37	1	1	1	1	84.75	61	0	29952.607	453.7634409	13591.44402	30000	0	0	30000	40.1875	2004
12.02.2020 14:42:38	1	1	1	1	84.75	60	0	30000	453.7634409	13612.64371	30000	0	0	30000	40.8125	2004
12.02.2020 14:42:39	1	1	1	1	84.5	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.375	2004
12.02.2020 14:42:40	1	1	1	1	84.5	60.25	0	30000	449.4623656	13354.17063	30000	0	0	30000	40.375	2004
12.02.2020 14:42:41	1	1	1	1	84.5	60.25	0	30000	453.7634409	13612.64371	30000	0	0	30000	40.4375	2004
12.02.2020 14:42:42	1	1	1	1	84.5	60.25	0	30000	464.516129	13935.53122	30000	0	0	30000	40.6875	2004
12.02.2020 14:42:43	1	1	1	1	84.5	60.5	0	29952.607	481.7204301	14451.662	30000	0	0	30000	40.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 14:42:45	1	1	1	1	84.5	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.6875	2004
12.02.2020 14:42:46	1	1	1	1	84.5	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.375	2004
12.02.2020 14:42:47	1	1	1	1	84.5	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.625	2004
12.02.2020 14:42:48	1	1	1	1	84.5	60.5	0	29952.607	481.7204301	14451.662	30000	0	0	30000	40.8125	2004
12.02.2020 14:42:49	1	1	1	1	84.5	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	41.1875	2004
12.02.2020 14:42:50	1	1	1	1	83.5	61	0	30000	481.7204301	14451.662	30000	0	0	30000	40.5	2004
12.02.2020 14:42:57	1	1	1	1	83.5	60.5	0	29952.607	481.7204301	14451.662	30000	0	0	30000	40.6875	2004
12.02.2020 14:42:57	1	1	1	1	83.5	60.5	0	29952.607	481.7204301	14451.662	30000	0	0	30000	40.6875	2004
12.02.2020 14:42:57	1	1	1	1	83.5	60.5	0	29952.607	481.7204301	14451.662	30000	0	0	30000	40.6875	2004
12.02.2020 14:42:57	1	1	1	1	83.5	60.5	0	29952.607	481.7204301	14451.662	30000	0	0	30000	40.6875	2004
12.02.2020 14:42:57	1	1	1	1	83.5	60.5	0	29952.607	481.7204301	14451.662	30000	0	0	30000	40.6875	2004
12.02.2020 14:42:58	1	1	1	1	83.5	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.6875	2004
12.02.2020 14:42:59	1	1	1	1	83	60.5	0	29952.607	481.7204301	14451.662	30000	0	0	30000	40.6875	2004
12.02.2020 14:43:00	1	1	1	1	83	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.625	2004
12.02.2020 14:43:01	1	1	1	1	83	60.5	0	30000	486.0215054	14644.90528	30000	0	0	30000	40.5	2004
12.02.2020 14:43:02	1	1	1	1	83	60.5	0	30000	481.7204301	13999.94564	30000	0	0	30000	41	2004
12.02.2020 14:43:03	1	1	1	1	83	61	0	30000	481.7204301	14451.662	30000	0	0	30000	40.9375	2004
12.02.2020 14:43:04	1	1	1	1	83	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.8125	2004
12.02.2020 14:43:05	1	1	1	1	83	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	41.125	2004
12.02.2020 14:43:06	1	1	1	1	83	61	0	30000	481.7204301	14451.662	30000	0	0	30000	40.25	2004
12.02.2020 14:43:07	1	1	1	1	83	60.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	41	2004
12.02.2020 14:43:08	1	1	1	1	83	61	0	30000	481.7204301	14451.662	30000	0	0	30000	40.625	2004
12.02.2020 14:43:09	1	1	1	1	82.75	60.5	0	29952.607	481.7204301	14451.662	30000	0	0	30000	40.875	2004
12.02.2020 14:43:10	1	1	1	1	82.75	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.875	2004
12.02.2020 14:43:11	1	1	1	1	82.75	60.75	0	30047.393	481.7204301	14451.662	30000	0	0	30000	41.125	2004
12.02.2020 14:43:12	1	1	1	1	82.75	61	0	30000	464.516129	13935.53122	30000	0	0	30000	41.0625	2004
12.02.2020 14:43:13	1	1	1	1	82.75	61	0	29241.706	550.5376344	15795.39586	30000	0	0	30000	41.0625	2004
12.02.2020 14:43:14	1	1	1	1	82.75	61	0	29810.427	535.483871	15962.54722	30000	0	0	30000	41.0625	2004
12.02.2020 14:43:15	1	1	1	1	82.75	61	0	30000	427.9569892	12838.03984	30000	0	0	30000	40.875	2004
12.02.2020 14:43:16	1	1	1	1	82.75	60.75	0	30047.393	365.5913978	11067.0508	30000	0	0	30000	40.8125	2004
12.02.2020 14:43:17	1	1	1	1	82.75	60.75	0	30000	387.0967742	11548.12057	30000	0	0	30000	41.125	2004
12.02.2020 14:43:18	1	1	1	1	82.75	61	0	30000	378.4946237	11143.69581	30000	0	0	30000	40.4375	2004
12.02.2020 14:43:19	1	1	1	1	85.25	60.25	0	30000	369.8924731	11160.81863	30000	0	0	30000	40.75	2004
12.02.2020 14:43:21	1	1	1	1	85.25	60.75	0	30000	378.4946237	11225.23306	30000	0	0	30000	40.9375	2004
12.02.2020 14:43:22	1	1	1	1	85.25	60.75	0	30000	367.7419355	11031.98978	30000	0	0	30000	40.9375	2004
12.02.2020 14:43:23	1	1	1	1	85.25	60.75	0	30000	354.8387097	10709.10227	30000	0	0	30000	40.8125	2004
12.02.2020 14:43:24	1	1	1	1	85.25	60.75	0	30000	380.6451613	11419.29171	30000	0	0	30000	41.0625	2004
12.02.2020 14:43:25	1	1	1	1	85.25	61	0	30000	367.7419355	10903.16093	30000	0	0	30000	41.0625	2004
12.02.2020 14:43:26	1	1	1	1	85.25	61	0	30000	380.6451613	11419.29171	30000	0	0	30000	40.25	2004
12.02.2020 14:43:27	1	1	1	1	85.25	60.25	0	29905.213	361.2903226	10903.16093	30000	0	0	30000	40.8125	2004
12.02.2020 14:43:28	1	1	1	1	85.25	60.75	0	30000	341.9354839	10257.38592	30000	0	0	30000	40.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 14:43:29	1	1	1	1	85.25	60.75	0	29952.607	326.8817204	9806.484929	30000	0	0	30000	40.8125	2004
12.02.2020 14:43:30	1	1	1	1	88.25	60.75	0	30000	309.6774194	9160.709918	30000	0	0	30000	41.375	2004
12.02.2020 14:43:31	1	1	1	1	88.25	61.25	0	30000	318.2795699	9548.01185	30000	0	0	30000	41.1875	2004
12.02.2020 14:43:32	1	1	1	1	88.25	61	0	30000	266.6666667	7999.619493	30000	0	0	30000	40.6875	2004
12.02.2020 14:43:33	1	1	1	1	88.25	60.5	0	30000	281.7204301	8451.335852	30000	0	0	30000	40.125	2004
12.02.2020 14:43:34	1	1	1	1	88.25	60.75	0	30000	270.9677419	8064.033919	30000	0	0	30000	39.75	2004
12.02.2020 14:43:35	1	1	1	1	88.25	59.75	0	30000	247.311828	7419.07428	30000	0	0	30000	40.9375	2004
12.02.2020 14:43:36	1	1	1	1	88.25	60.75	0	30000	303.2258065	9096.295491	30000	0	0	30000	40.875	2004
12.02.2020 14:43:37	1	1	1	1	88.25	60.75	0	29952.607	320.4301075	9612.426277	30000	0	0	30000	41.0625	2004
12.02.2020 14:43:40	1	1	1	1	89.5	60	0	29905.213	363.4408602	10740.08643	30000	0	0	30000	40.75	2004
12.02.2020 14:43:40	1	1	1	1	89.5	60	0	29905.213	363.4408602	10740.08643	30000	0	0	30000	40.75	2004
12.02.2020 14:43:40	1	1	1	1	89.5	60	0	29905.213	363.4408602	10740.08643	30000	0	0	30000	40.75	2004
12.02.2020 14:43:41	1	1	1	1	89.5	60.75	0	29952.607	303.2258065	9160.709918	30000	0	0	30000	40.1875	2004
12.02.2020 14:43:42	1	1	1	1	89.5	60	0	30000	275.2688172	8258.092572	30000	0	0	30000	40.875	2004
12.02.2020 14:43:43	1	1	1	1	89.5	60.75	0	30000	262.3655914	7999.619493	30000	0	0	30000	41.125	2004
12.02.2020 14:43:44	1	1	1	1	89.5	61	0	30000	286.0215054	8580.164705	30000	0	0	30000	41.1875	2004
12.02.2020 14:43:45	1	1	1	1	89.5	61	0	30000	232.2580645	6967.357921	30000	0	0	30000	41.0625	2004
12.02.2020 14:43:46	1	1	1	1	89.5	61	0	30000	230.1075269	6902.943495	30000	0	0	30000	41.1875	2004
12.02.2020 14:43:47	1	1	1	1	89.5	61	0	30000	210.7526882	6257.983856	30000	0	0	30000	41.0625	2004
12.02.2020 14:43:48	1	1	1	1	89.5	61	0	30000	221.5053763	6644.470416	30000	0	0	30000	40.5625	2004
12.02.2020 14:43:49	1	1	1	1	89.5	60.5	0	30000	240.8602151	7225.831	30000	0	0	30000	41.25	2004
12.02.2020 14:43:50	1	1	1	1	89.5	61.25	0	29952.607	232.2580645	6956.758079	30000	0	0	30000	41.125	2004
12.02.2020 14:43:51	1	1	1	1	89.5	61	0	30000	230.1075269	6902.943495	30000	0	0	30000	41.0625	2004
12.02.2020 14:43:59	1	1	1	1	89.5	60.5	0	30000	212.9032258	6386.812709	30000	0	0	30000	41.125	2004
12.02.2020 14:43:59	1	1	1	1	89.5	60.5	0	30000	212.9032258	6386.812709	30000	0	0	30000	41.125	2004
12.02.2020 14:43:59	1	1	1	1	89.5	60.5	0	30000	212.9032258	6386.812709	30000	0	0	30000	41.125	2004
12.02.2020 14:43:59	1	1	1	1	89.5	60.5	0	30000	212.9032258	6386.812709	30000	0	0	30000	41.125	2004
12.02.2020 14:43:59	1	1	1	1	89.5	60.5	0	30000	212.9032258	6386.812709	30000	0	0	30000	41.125	2004
12.02.2020 14:43:59	1	1	1	1	89.5	60.5	0	30000	212.9032258	6386.812709	30000	0	0	30000	41.125	2004
12.02.2020 14:43:59	1	1	1	1	89.5	60.5	0	30000	212.9032258	6386.812709	30000	0	0	30000	41.125	2004
12.02.2020 14:44:00	1	1	1	1	88.25	61	0	30000	212.9032258	6451.227136	30000	0	0	30000	40.5625	2004
12.02.2020 14:44:01	1	1	1	1	88.25	60.5	0	30000	212.9032258	6451.227136	30000	0	0	30000	41.125	2004
12.02.2020 14:44:02	1	1	1	1	88.25	61	0	30000	212.9032258	6386.812709	30000	0	0	30000	41.0625	2004
12.02.2020 14:44:03	1	1	1	1	88.25	61	0	30000	232.2580645	7031.772348	30000	0	0	30000	40.625	2004
12.02.2020 14:44:04	1	1	1	1	88.25	60.5	0	29952.607	266.6666667	7999.619493	30000	0	0	30000	41.0625	2004
12.02.2020 14:44:05	1	1	1	1	88.25	61	0	30000	281.7204301	8386.921425	30000	0	0	30000	41.125	2004
12.02.2020 14:44:06	1	1	1	1	88.25	61	0	30000	311.827957	9354.76857	30000	0	0	30000	40.0625	2004
12.02.2020 14:44:07	1	1	1	1	88.25	60	0	30000	320.4301075	9612.426277	30000	0	0	30000	41.0625	2004
12.02.2020 14:44:08	1	1	1	1	88.25	61	0	30000	309.6774194	9354.76857	30000	0	0	30000	40.9375	2004
12.02.2020 14:44:09	1	1	1	1	88.25	60.75	0	30000	305.3763441	8953.605305	30000	0	0	30000	41.125	2004
12.02.2020 14:44:10	1	1	1	1	88.75	61	0	30000	320.4301075	9612.426277	30000	0	0	30000	41.25	2004
12.02.2020 14:44:11	1	1	1	1	88.75	61.25	0	30000	350.5376344	10709.10227	30000	0	0	30000	41.5625	2004
12.02.2020 14:44:12	1	1	1	1	88.75	60.75	0	30000	333.3333333	9999.728209	30000	0	0	30000	40.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 14:44:13	1	1	1	1	88.75	60.25	0	30000	341.9354839	10257.38592	30000	0	0	30000	40.875	2004
12.02.2020 14:44:14	1	1	1	1	88.75	60.75	0	30000	296.7741935	8967.466638	30000	0	0	30000	41	2004
12.02.2020 14:44:15	1	1	1	1	88.75	61	0	30000	326.8817204	9806.484929	30000	0	0	30000	40.4375	2004
12.02.2020 14:44:16	1	1	1	1	88.75	60.25	0	30000	326.8817204	9806.484929	30000	0	0	30000	41.0625	2004
12.02.2020 14:44:17	1	1	1	1	88.75	61	0	30000	305.3763441	9096.295491	30000	0	0	30000	41.0625	2004
12.02.2020 14:44:18	1	1	1	1	88.75	61	0	30000	331.1827957	9870.899356	30000	0	0	30000	41	2004
12.02.2020 14:44:19	1	1	1	1	90.75	61	0	30000	341.9354839	10257.38592	30000	0	0	30000	41.1875	2004
12.02.2020 14:44:20	1	1	1	1	90.75	61	0	30000	273.1182796	8128.448346	30000	0	0	30000	40.1875	2004
12.02.2020 14:44:21	1	1	1	1	90.75	60	0	30000	322.5806452	9676.840703	30000	0	0	30000	40.9375	2004
12.02.2020 14:44:22	1	1	1	1	90.75	60.75	0	30000	307.5268817	9225.124344	30000	0	0	30000	40.75	2004
12.02.2020 14:44:23	1	1	1	1	90.75	60.75	0	30000	294.6236559	8838.637784	30000	0	0	30000	40.9375	2004
12.02.2020 14:44:24	1	1	1	1	90.75	60.75	0	29905.213	329.0322581	10064.14264	30000	0	0	30000	41.0625	2004
12.02.2020 14:44:25	1	1	1	1	90.75	61	0	30000	331.1827957	9870.899356	30000	0	0	30000	41.0625	2004
12.02.2020 14:44:26	1	1	1	1	90.75	61	0	30000	301.0752688	8824.776452	30000	0	0	30000	40.4375	2004
12.02.2020 14:44:27	1	1	1	1	90.75	60.25	0	30000	277.4193548	8386.921425	30000	0	0	30000	40.9375	2004
12.02.2020 14:44:28	1	1	1	1	90.75	60.75	0	30000	303.2258065	9096.295491	30000	0	0	30000	40.9375	2004
12.02.2020 14:44:29	1	1	1	1	92.25	60.75	0	30000	322.5806452	9662.163999	30000	0	0	30000	40.9375	2004
12.02.2020 14:44:30	1	1	1	1	92.25	60.75	0	30000	322.5806452	9741.25513	30000	0	0	30000	41.0625	2004
12.02.2020 14:44:31	1	1	1	1	92.25	61	0	30000	324.7311828	9741.25513	30000	0	0	30000	41	2004
12.02.2020 14:44:32	1	1	1	1	92.25	61	0	30000	339.7849462	10192.97149	30000	0	0	30000	41	2004
12.02.2020 14:44:33	1	1	1	1	92.25	61	0	30000	361.2903226	10903.16093	30000	0	0	30000	41	2004
12.02.2020 14:44:34	1	1	1	1	92.25	61	0	30047.393	395.6989247	11871.00807	30000	0	0	30000	41.125	2004
12.02.2020 14:44:35	1	1	1	1	92.25	61	0	30000	389.2473118	11676.94942	30000	0	0	30000	40.875	2004
12.02.2020 14:44:37	1	1	1	1	92.25	60.75	0	29952.607	369.8924731	11079.28139	30000	0	0	30000	41	2004
12.02.2020 14:44:38	1	1	1	1	92.25	61	0	30000	404.3010753	12128.66578	30000	0	0	30000	40.625	2004
12.02.2020 14:44:39	1	1	1	1	92.25	60.5	0	30000	412.9032258	11935.4225	30000	0	0	30000	40.4375	2004
12.02.2020 14:44:40	1	1	1	1	93.5	60.25	0	30000	404.3010753	12064.25135	30000	0	0	30000	41	2004
12.02.2020 14:44:41	1	1	1	1	93.5	61	0	30000	378.4946237	11419.29171	30000	0	0	30000	40.8125	2004
12.02.2020 14:44:42	1	1	1	1	93.5	60.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	41	2004
12.02.2020 14:44:43	1	1	1	1	93.5	61	0	29952.607	367.7419355	11096.40421	30000	0	0	30000	40.75	2004
12.02.2020 14:44:44	1	1	1	1	93.5	60.75	0	29952.607	378.4946237	11336.93909	30000	0	0	30000	40.8125	2004
12.02.2020 14:44:45	1	1	1	1	93.5	60.75	0	30000	346.2365591	10387.03014	30000	0	0	30000	40.875	2004
12.02.2020 14:44:46	1	1	1	1	93.5	60.75	0	30000	337.6344086	10273.69337	30000	0	0	30000	41.0625	2004
12.02.2020 14:44:47	1	1	1	1	93.5	61	0	30000	363.4408602	10886.03811	30000	0	0	30000	41.125	2004
12.02.2020 14:44:48	1	1	1	1	93.5	61	0	30000	380.6451613	11548.12057	30000	0	0	30000	41.4375	2004
12.02.2020 14:44:49	1	1	1	1	93.5	61.25	0	29952.607	335.483871	9967.928682	30000	0	0	30000	41.375	2004
12.02.2020 14:44:50	1	1	1	1	94.75	60.75	0	30000	363.4408602	10903.16093	30000	0	0	30000	40.5625	2004
12.02.2020 14:44:51	1	1	1	1	94.75	60.5	0	30000	382.7956989	11419.29171	30000	0	0	30000	40.875	2004
12.02.2020 14:44:52	1	1	1	1	94.75	60.75	0	30000	389.2473118	11612.53499	30000	0	0	30000	40.625	2004
12.02.2020 14:44:53	1	1	1	1	94.75	60.5	0	30047.393	359.1397849	10790.63952	30000	0	0	30000	40.4375	2004
12.02.2020 14:45:01	1	1	1	1	95.25	60.75	0	30000	354.8387097	10709.10227	30000	0	0	30000	40.75	2004
12.02.2020 14:45:01	1	1	1	1	95.25	60.75	0	30000	354.8387097	10709.10227	30000	0	0	30000	40.75	2004
12.02.2020 14:45:01	1	1	1	1	95.25	60.75	0	30000	354.8387097	10709.10227	30000	0	0	30000	40.75	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 14:45:01	1	1	1	1	95.25	60.75	0	30000	354.8387097	10709.10227	30000	0	0	30000	40.75	2004
12.02.2020 14:45:01	1	1	1	1	95.25	60.75	0	30000	354.8387097	10709.10227	30000	0	0	30000	40.75	2004
12.02.2020 14:45:01	1	1	1	1	95.25	60.75	0	30000	354.8387097	10709.10227	30000	0	0	30000	40.75	2004
12.02.2020 14:45:01	1	1	1	1	95.25	60.75	0	30000	354.8387097	10709.10227	30000	0	0	30000	40.75	2004
12.02.2020 14:45:01	1	1	1	1	95.25	60.75	0	30000	350.5376344	10515.85899	30000	0	0	30000	41.0625	2004
12.02.2020 14:45:02	1	1	1	1	95.25	61	0	30000	365.5913978	11031.98978	30000	0	0	30000	40.8125	2004
12.02.2020 14:45:03	1	1	1	1	95.25	60.75	0	30000	367.7419355	11031.98978	30000	0	0	30000	40.8125	2004
12.02.2020 14:45:04	1	1	1	1	95.25	60.75	0	29952.607	384.9462366	11676.94942	30000	0	0	30000	41	2004
12.02.2020 14:45:05	1	1	1	1	95.25	61	0	30000	438.7096774	13160.92735	30000	0	0	30000	40.9375	2004
12.02.2020 14:45:06	1	1	1	1	95.25	60.75	0	30094.787	412.9032258	12426.27674	30000	0	0	30000	40.625	2004
12.02.2020 14:45:07	1	1	1	1	95.25	60.5	0	30000	460.2150538	13935.53122	30000	0	0	30000	40.9375	2004
12.02.2020 14:45:08	1	1	1	1	95.25	60.75	0	30047.393	395.6989247	11871.00807	30000	0	0	30000	40.75	2004
12.02.2020 14:45:09	1	1	1	1	96	60.75	0	30000	397.8494624	11935.4225	30000	0	0	30000	41.0625	2004
12.02.2020 14:45:10	1	1	1	1	96	61	0	30000	412.9032258	12387.13886	30000	0	0	30000	40.5	2004
12.02.2020 14:45:11	1	1	1	1	96	60.5	0	30000	421.5053763	12580.38214	30000	0	0	30000	41.125	2004
12.02.2020 14:45:12	1	1	1	1	96	61	0	30000	397.8494624	12064.25135	30000	0	0	30000	41	2004
12.02.2020 14:45:13	1	1	1	1	96	61	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.0625	2004
12.02.2020 14:45:14	1	1	1	1	96	61	0	30000	419.3548387	12580.38214	30000	0	0	30000	40.9375	2004
12.02.2020 14:45:16	1	1	1	1	96	60.75	0	30000	380.6451613	11419.29171	30000	0	0	30000	40.6875	2004
12.02.2020 14:45:17	1	1	1	1	96	60.5	0	30047.393	378.4946237	11372.81548	30000	0	0	30000	40.5	2004
12.02.2020 14:45:18	1	1	1	1	96	60.5	0	29905.213	369.8924731	11354.87729	30000	0	0	30000	41.125	2004
12.02.2020 14:45:19	1	1	1	1	96	61	0	30000	397.8494624	11935.4225	30000	0	0	30000	40.6875	2004
12.02.2020 14:45:20	1	1	1	1	97	60.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	40.75	2004
12.02.2020 14:45:21	1	1	1	1	97	60.75	0	30000	359.1397849	10773.5167	30000	0	0	30000	41	2004
12.02.2020 14:45:22	1	1	1	1	97	61	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.125	2004
12.02.2020 14:45:23	1	1	1	1	97	61	0	30000	337.6344086	10128.55706	30000	0	0	30000	41	2004
12.02.2020 14:45:24	1	1	1	1	97	61	0	30000	335.483871	9999.728209	30000	0	0	30000	40.4375	2004
12.02.2020 14:45:25	1	1	1	1	97	60.25	0	30000	344.0860215	10257.38592	30000	0	0	30000	41.0625	2004
12.02.2020 14:45:26	1	1	1	1	97	61	0	30000	378.4946237	11354.87729	30000	0	0	30000	40.875	2004
12.02.2020 14:45:27	1	1	1	1	97	60.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	40.8125	2004
12.02.2020 14:45:28	1	1	1	1	97	60.75	0	30000	307.5268817	9225.124344	30000	0	0	30000	41.375	2004
12.02.2020 14:45:29	1	1	1	1	97	61.25	0	30047.393	294.6236559	8774.223358	30000	0	0	30000	41.0625	2004
12.02.2020 14:45:30	1	1	1	1	98	61	0	30047.393	318.2795699	9419.182997	30000	0	0	30000	40.75	2004
12.02.2020 14:45:31	1	1	1	1	98	60.75	0	30047.393	305.3763441	9124.833528	30000	0	0	30000	40.8125	2004
12.02.2020 14:45:32	1	1	1	1	98	60.75	0	30000	341.9354839	10273.69337	30000	0	0	30000	40.625	2004
12.02.2020 14:45:33	1	1	1	1	98	60.5	0	30000	288.172043	8708.993559	30000	0	0	30000	41.125	2004
12.02.2020 14:45:34	1	1	1	1	98	61	0	30000	275.2688172	8258.092572	30000	0	0	30000	40.625	2004
12.02.2020 14:45:35	1	1	1	1	98	60.5	0	29952.607	281.7204301	8515.750279	30000	0	0	30000	40.875	2004
12.02.2020 14:45:36	1	1	1	1	98	60.75	0	30000	290.3225806	8708.993559	30000	0	0	30000	40.625	2004
12.02.2020 14:45:37	1	1	1	1	98	60.5	0	30047.393	359.1397849	10773.5167	30000	0	0	30000	40.625	2004
12.02.2020 14:45:38	1	1	1	1	98	60.5	0	29952.607	378.4946237	11354.87729	30000	0	0	30000	40.6875	2004
12.02.2020 14:45:39	1	1	1	1	98.25	60.5	0	30000	395.6989247	11741.36385	30000	0	0	30000	40.25	2004
12.02.2020 14:45:40	1	1	1	1	98.25	60.25	0	30000	400	12064.25135	30000	0	0	30000	40.5625	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 14:46:25	1	1	1	1	101.8	61	0	30000	378.4946237	11336.93909	30000	0	0	30000	40.75	2004
12.02.2020 14:46:26	1	1	1	1	101.8	60.75	0	29952.607	481.7204301	14516.07643	30000	0	0	30000	41.125	2004
12.02.2020 14:46:27	1	1	1	1	101.8	61	0	30000	423.655914	12838.03984	30000	0	0	30000	40.6875	2004
12.02.2020 14:46:28	1	1	1	1	101.8	60.5	0	30047.393	496.7741935	14902.56299	30000	0	0	30000	40.375	2004
12.02.2020 14:46:29	1	1	1	1	103.3	60.25	0	29952.607	488.172043	14644.90528	30000	0	0	30000	40.5625	2004
12.02.2020 14:46:30	1	1	1	1	103.3	60.5	0	30000	389.2473118	11889.76164	30000	0	0	30000	40.9375	2004
12.02.2020 14:46:31	1	1	1	1	103.3	60.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	40.8125	2004
12.02.2020 14:46:32	1	1	1	1	103.3	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	41.125	2004
12.02.2020 14:46:33	1	1	1	1	103.3	61	0	30000	427.9569892	12838.03984	30000	0	0	30000	40.9375	2004
12.02.2020 14:46:34	1	1	1	1	103.3	60.75	0	30047.393	466.6666667	14021.9607	30000	0	0	30000	41	2004
12.02.2020 14:46:36	1	1	1	1	103.3	61	0	30000	520.4301075	15677.16685	30000	0	0	30000	40.6875	2004
12.02.2020 14:46:37	1	1	1	1	103.3	60.5	0	30000	458.0645161	13979.56133	30000	0	0	30000	41	2004
12.02.2020 14:46:38	1	1	1	1	103.3	61	0	30000	481.7204301	14451.662	30000	0	0	30000	40.9375	2004
12.02.2020 14:46:39	1	1	1	1	103.3	60.75	0	30000	458.0645161	13805.88699	30000	0	0	30000	40.9375	2004
12.02.2020 14:46:40	1	1	1	1	104.3	60.75	0	30000	438.7096774	13160.92735	30000	0	0	30000	40.875	2004
12.02.2020 14:46:41	1	1	1	1	104.3	60.75	0	30000	488.172043	14644.90528	30000	0	0	30000	40.875	2004
12.02.2020 14:46:42	1	1	1	1	104.3	60.75	0	29952.607	415.0537634	12515.96771	30000	0	0	30000	40.5625	2004
12.02.2020 14:46:43	1	1	1	1	104.3	60.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.125	2004
12.02.2020 14:46:44	1	1	1	1	104.3	61	0	30000	425.8064516	12773.62542	30000	0	0	30000	40.9375	2004
12.02.2020 14:46:45	1	1	1	1	104.3	60.75	0	29952.607	453.7634409	13935.53122	30000	0	0	30000	40.625	2004
12.02.2020 14:46:46	1	1	1	1	104.3	60.5	0	30000	526.8817204	15805.99571	30000	0	0	30000	40.875	2004
12.02.2020 14:46:47	1	1	1	1	104.3	60.75	0	30094.787	464.516129	13979.56133	30000	0	0	30000	41.25	2004
12.02.2020 14:46:48	1	1	1	1	104.3	61.25	0	30000	492.4731183	14644.90528	30000	0	0	30000	40.375	2004
12.02.2020 14:46:49	1	1	1	1	104.3	60.25	0	30047.393	522.5806452	15677.16685	30000	0	0	30000	41.25	2004
12.02.2020 14:46:50	1	1	1	1	105.8	61.25	0	30000	438.7096774	13225.34178	30000	0	0	30000	40.875	2004
12.02.2020 14:46:51	1	1	1	1	105.8	61	0	30047.393	516.1290323	15418.69377	30000	0	0	30000	40.8125	2004
12.02.2020 14:46:52	1	1	1	1	105.8	60.75	0	30000	458.0645161	13827.90205	30000	0	0	30000	41.0625	2004
12.02.2020 14:46:53	1	1	1	1	105.8	61	0	30000	524.7311828	15805.99571	30000	0	0	30000	40.875	2004
12.02.2020 14:46:54	1	1	1	1	105.8	60.75	0	30000	522.5806452	15483.92357	30000	0	0	30000	40.4375	2004
12.02.2020 14:46:55	1	1	1	1	105.8	60.25	0	30000	518.2795699	15612.75243	30000	0	0	30000	39.9375	2004
12.02.2020 14:46:56	1	1	1	1	105.8	59.75	0	30000	516.1290323	15354.27935	30000	0	0	30000	40.875	2004
12.02.2020 14:47:04	1	1	1	1	107	61	0	30000	524.7311828	15677.16685	30000	0	0	30000	40.8125	2004
12.02.2020 14:47:04	1	1	1	1	107	61	0	30000	524.7311828	15677.16685	30000	0	0	30000	40.8125	2004
12.02.2020 14:47:04	1	1	1	1	107	61	0	30000	524.7311828	15677.16685	30000	0	0	30000	40.8125	2004
12.02.2020 14:47:04	1	1	1	1	107	61	0	30000	524.7311828	15677.16685	30000	0	0	30000	40.8125	2004
12.02.2020 14:47:04	1	1	1	1	107	61	0	30000	524.7311828	15677.16685	30000	0	0	30000	40.8125	2004
12.02.2020 14:47:04	1	1	1	1	107	61	0	30000	524.7311828	15677.16685	30000	0	0	30000	40.8125	2004
12.02.2020 14:47:04	1	1	1	1	107	60.75	0	29715.64	544.0860215	16167.20572	30000	0	0	30000	40.625	2004
12.02.2020 14:47:05	1	1	1	1	107	60.5	0	29478.673	544.0860215	16013.10032	30000	0	0	30000	40.6875	2004
12.02.2020 14:47:06	1	1	1	1	107	60.5	0	29478.673	546.2365591	16075.884	30000	0	0	30000	40.8125	2004
12.02.2020 14:47:07	1	1	1	1	107	60.75	0	28909.953	556.9892473	16066.09953	30000	0	0	30000	41	2004
12.02.2020 14:47:08	1	1	1	1	107	61	0	30094.787	520.4301075	15483.92357	30000	0	0	30000	40.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 14:47:09	1	1	1	1	107.8	60.75	0	29526.066	546.2365591	16038.37687	30000	0	0	30000	40.375	2004
12.02.2020 14:47:10	1	1	1	1	107.8	60.25	0	29952.607	498.9247312	15225.45049	30000	0	0	30000	41	2004
12.02.2020 14:47:11	1	1	1	1	107.8	61	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	40.875	2004
12.02.2020 14:47:13	1	1	1	1	107.8	60.75	0	28862.559	554.8387097	16013.91569	30000	0	0	30000	41	2004
12.02.2020 14:47:14	1	1	1	1	107.8	61	0	28672.986	552.688172	15846.76433	30000	0	0	30000	41.25	2004
12.02.2020 14:47:15	1	1	1	1	107.8	61.25	0	29146.919	554.8387097	16082.40698	30000	0	0	30000	41.125	2004
12.02.2020 14:47:16	1	1	1	1	107.8	61	0	29146.919	552.688172	16108.4989	30000	0	0	30000	40.9375	2004
12.02.2020 14:47:17	1	1	1	1	107.8	60.75	0	28388.626	563.4408602	16205.52823	30000	0	0	30000	40.75	2004
12.02.2020 14:47:18	1	1	1	1	107.8	60.75	0	29336.493	544.0860215	15732.61218	30000	0	0	30000	40.9375	2004
12.02.2020 14:47:19	1	1	1	1	107.8	60.75	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	40.875	2004
12.02.2020 14:47:20	1	1	1	1	109.3	60.75	0	28341.232	565.5913978	16029.40777	30000	0	0	30000	40.5625	2004
12.02.2020 14:47:21	1	1	1	1	109.3	60.5	0	30000	464.516129	13935.53122	30000	0	0	30000	41.125	2004
12.02.2020 14:47:22	1	1	1	1	109.3	61	0	28625.592	561.2903226	16066.9149	30000	0	0	30000	40.625	2004
12.02.2020 14:47:23	1	1	1	1	109.3	60.5	0	28957.346	546.2365591	15879.37923	30000	0	0	30000	41.0625	2004
12.02.2020 14:47:24	1	1	1	1	109.3	61	0	30047.393	522.5806452	15741.58128	30000	0	0	30000	40.75	2004
12.02.2020 14:47:25	1	1	1	1	109.3	60.75	0	29336.493	554.8387097	15732.61218	30000	0	0	30000	41.25	2004
12.02.2020 14:47:26	1	1	1	1	109.3	61.25	0	30000	496.7741935	14902.56299	30000	0	0	30000	40.8125	2004
12.02.2020 14:47:27	1	1	1	1	109.3	60.75	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	40.4375	2004
12.02.2020 14:47:28	1	1	1	1	109.3	60.75	0	30047.393	498.9247312	15079.49882	30000	0	0	30000	40	2004
12.02.2020 14:47:29	1	1	1	1	109.8	60	0	29431.28	546.2365591	16013.10032	30000	0	0	30000	40.6875	2004
12.02.2020 14:47:30	1	1	1	1	109.8	60.5	0	30000	451.6129032	13612.64371	30000	0	0	30000	40.75	2004
12.02.2020 14:47:31	1	1	1	1	109.8	60.75	0	30000	518.2795699	15508.38475	30000	0	0	30000	41	2004
12.02.2020 14:47:32	1	1	1	1	109.8	61	0	29810.427	537.6344086	15962.54722	30000	0	0	30000	41.0625	2004
12.02.2020 14:47:33	1	1	1	1	109.8	61	0	30094.787	486.0215054	14626.15171	30000	0	0	30000	40.4375	2004
12.02.2020 14:47:34	1	1	1	1	109.8	60.25	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	40.5	2004
12.02.2020 14:47:35	1	1	1	1	109.8	60.5	0	29478.673	541.9354839	15949.50126	30000	0	0	30000	41.0625	2004
12.02.2020 14:47:36	1	1	1	1	109.8	61	0	29336.493	541.9354839	15898.1328	30000	0	0	30000	40.75	2004
12.02.2020 14:47:37	1	1	1	1	109.8	60.75	0	30047.393	522.5806452	15677.16685	30000	0	0	30000	40.6875	2004
12.02.2020 14:47:38	1	1	1	1	109.8	60.5	0	29715.64	539.7849462	16103.60666	30000	0	0	30000	41	2004
12.02.2020 14:47:39	1	1	1	1	111	61	0	29478.673	541.9354839	16013.10032	30000	0	0	30000	40.6875	2004
12.02.2020 14:47:40	1	1	1	1	111	60.5	0	29241.706	546.2365591	15909.54801	30000	0	0	30000	40.8125	2004
12.02.2020 14:47:41	1	1	1	1	111	60.75	0	30047.393	494.6236559	14644.90528	30000	0	0	30000	41	2004
12.02.2020 14:47:42	1	1	1	1	111	61	0	30000	488.172043	14622.07485	30000	0	0	30000	41.125	2004
12.02.2020 14:47:43	1	1	1	1	111	61	0	29905.213	516.1290323	15435.00122	30000	0	0	30000	40.125	2004
12.02.2020 14:47:44	1	1	1	1	111	60	0	30000	529.0322581	15870.41013	30000	0	0	30000	40.75	2004
12.02.2020 14:47:45	1	1	1	1	111	60.75	0	29905.213	535.483871	16013.10032	30000	0	0	30000	40.9375	2004
12.02.2020 14:47:46	1	1	1	1	111	60.75	0	30000	518.2795699	15548.338	30000	0	0	30000	40.9375	2004
12.02.2020 14:47:47	1	1	1	1	111	60.75	0	29336.493	546.2365591	16087.29921	30000	0	0	30000	40.5	2004
12.02.2020 14:47:49	1	1	1	1	111	60.5	0	29478.673	546.2365591	16013.10032	30000	0	0	30000	40.625	2004
12.02.2020 14:47:50	1	1	1	1	112.3	60.5	0	28293.839	563.4408602	16002.50048	30000	0	0	30000	40.625	2004
12.02.2020 14:47:51	1	1	1	1	112.3	60.5	0	28436.019	563.4408602	16022.06942	30000	0	0	30000	40.8125	2004
12.02.2020 14:47:52	1	1	1	1	112.3	60.75	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	41	2004
12.02.2020 14:47:53	1	1	1	1	112.3	61	0	28199.052	565.5913978	16009.83883	30000	0	0	30000	40.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 14:47:54	1	1	1	1	112.3	60.5	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	40.9375	2004
12.02.2020 14:47:55	1	1	1	1	112.3	60.75	0	28625.592	556.9892473	16049.79208	30000	0	0	30000	41.125	2004
12.02.2020 14:47:56	1	1	1	1	112.3	61	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	40.625	2004
12.02.2020 14:47:57	1	1	1	1	112.3	60.5	0	28483.412	561.2903226	16048.16134	30000	0	0	30000	40.875	2004
12.02.2020 14:47:58	1	1	1	1	112.3	60.75	0	28625.592	556.9892473	15917.70174	30000	0	0	30000	40.25	2004
12.02.2020 14:48:05	1	1	1	1	113	61	0	29052.133	550.5376344	15942.16291	30000	0	0	30000	41	2004
12.02.2020 14:48:05	1	1	1	1	113	61	0	29052.133	550.5376344	15942.16291	30000	0	0	30000	41	2004
12.02.2020 14:48:05	1	1	1	1	113	61	0	29052.133	550.5376344	15942.16291	30000	0	0	30000	41	2004
12.02.2020 14:48:05	1	1	1	1	113	61	0	29052.133	550.5376344	15942.16291	30000	0	0	30000	41	2004
12.02.2020 14:48:05	1	1	1	1	113	61	0	29052.133	550.5376344	15942.16291	30000	0	0	30000	41	2004
12.02.2020 14:48:05	1	1	1	1	113	61	0	29052.133	550.5376344	15942.16291	30000	0	0	30000	41	2004
12.02.2020 14:48:06	1	1	1	1	113	60	0	28388.626	565.5913978	16056.31506	30000	0	0	30000	41.0625	2004
12.02.2020 14:48:07	1	1	1	1	113	61	0	28862.559	552.688172	16075.884	30000	0	0	30000	41	2004
12.02.2020 14:48:08	1	1	1	1	113	61	0	28436.019	563.4408602	16056.31506	30000	0	0	30000	40.9375	2004
12.02.2020 14:48:09	1	1	1	1	115.5	60.75	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	40.4375	2004
12.02.2020 14:48:10	1	1	1	1	115.5	60.25	0	28388.626	559.1397849	15960.91648	30000	0	0	30000	41	2004
12.02.2020 14:48:11	1	1	1	1	115.5	61	0	27867.299	567.7419355	16055.49969	30000	0	0	30000	40.8125	2004
12.02.2020 14:48:12	1	1	1	1	115.5	60.75	0	26872.038	597.8494624	16007.39271	30000	0	0	30000	41	2004
12.02.2020 14:48:13	1	1	1	1	115.5	61	0	26682.464	595.6989247	15894.05593	30000	0	0	30000	40.75	2004
12.02.2020 14:48:14	1	1	1	1	115.5	60.75	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	41.0625	2004
12.02.2020 14:48:15	1	1	1	1	115.5	61	0	27819.905	576.344086	16033.48463	30000	0	0	30000	40.75	2004
12.02.2020 14:48:16	1	1	1	1	115.5	60.75	0	28578.199	554.8387097	15917.70174	30000	0	0	30000	41.0625	2004
12.02.2020 14:48:17	1	1	1	1	115.5	61	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	41.0625	2004
12.02.2020 14:48:18	1	1	1	1	115.5	61	0	29431.28	550.5376344	16075.884	30000	0	0	30000	40.6875	2004
12.02.2020 14:48:19	1	1	1	1	113.5	60.5	0	29146.919	550.5376344	16035.11538	30000	0	0	30000	41	2004
12.02.2020 14:48:20	1	1	1	1	113.5	61	0	29146.919	544.0860215	15858.17955	30000	0	0	30000	41.0625	2004
12.02.2020 14:48:21	1	1	1	1	113.5	61	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	40.9375	2004
12.02.2020 14:48:22	1	1	1	1	113.5	60.75	0	29099.526	550.5376344	15868.77939	30000	0	0	30000	40.75	2004
12.02.2020 14:48:23	1	1	1	1	113.5	60.75	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	40.75	2004
12.02.2020 14:48:24	1	1	1	1	113.5	60.75	0	28909.953	550.5376344	16004.13122	30000	0	0	30000	40.9375	2004
12.02.2020 14:48:25	1	1	1	1	113.5	60.75	0	28909.953	559.1397849	16199.82062	30000	0	0	30000	40.9375	2004
12.02.2020 14:48:26	1	1	1	1	113.5	60.75	0	28815.166	552.688172	15987.82377	30000	0	0	30000	40.5	2004
12.02.2020 14:48:27	1	1	1	1	113.5	60.5	0	28625.592	554.8387097	16031.85389	30000	0	0	30000	40.6875	2004
12.02.2020 14:48:28	1	1	1	1	113.5	60.5	0	28957.346	552.688172	16004.13122	30000	0	0	30000	40.9375	2004
12.02.2020 14:48:29	1	1	1	1	112.3	60.75	0	28909.953	552.688172	16013.91569	30000	0	0	30000	40.125	2004
12.02.2020 14:48:31	1	1	1	1	112.3	60	0	29099.526	550.5376344	16020.43867	30000	0	0	30000	41	2004
12.02.2020 14:48:32	1	1	1	1	112.3	61	0	28862.559	550.5376344	15889.97907	30000	0	0	30000	41.0625	2004
12.02.2020 14:48:33	1	1	1	1	112.3	61	0	29146.919	546.2365591	16046.53059	30000	0	0	30000	41	2004
12.02.2020 14:48:34	1	1	1	1	112.3	61	0	28957.346	550.5376344	15889.97907	30000	0	0	30000	41	2004
12.02.2020 14:48:35	1	1	1	1	112.3	61	0	29289.1	546.2365591	15972.33169	30000	0	0	30000	40.75	2004
12.02.2020 14:48:36	1	1	1	1	112.3	60.75	0	29099.526	546.2365591	15983.74691	30000	0	0	30000	41.0625	2004
12.02.2020 14:48:37	1	1	1	1	112.3	61	0	29099.526	550.5376344	16020.43867	30000	0	0	30000	40.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 14:48:38	1	1	1	1	112.3	60.75	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	40.9375	2004
12.02.2020 14:48:39	1	1	1	1	112.3	60.75	0	29289.1	544.0860215	15935.63993	30000	0	0	30000	40.75	2004
12.02.2020 14:48:40	1	1	1	1	113	60.75	0	29383.886	544.0860215	15987.0084	30000	0	0	30000	40.8125	2004
12.02.2020 14:48:41	1	1	1	1	113	60.75	0	29620.853	541.9354839	16141.92917	30000	0	0	30000	40.6875	2004
12.02.2020 14:48:42	1	1	1	1	113	60.5	0	29383.886	544.0860215	15960.91648	30000	0	0	30000	40.8125	2004
12.02.2020 14:48:43	1	1	1	1	113	60.75	0	28957.346	552.688172	16004.13122	30000	0	0	30000	41.0625	2004
12.02.2020 14:48:44	1	1	1	1	113	60.25	0	28578.199	561.2903226	16040.00761	30000	0	0	30000	41	2004
12.02.2020 14:48:45	1	1	1	1	113	61	0	28862.559	550.5376344	16004.13122	30000	0	0	30000	41	2004
12.02.2020 14:48:46	1	1	1	1	113	61	0	29526.066	539.7849462	15963.3626	30000	0	0	30000	40.75	2004
12.02.2020 14:48:47	1	1	1	1	113	60.75	0	29668.246	535.483871	15975.59318	30000	0	0	30000	40.9375	2004
12.02.2020 14:48:48	1	1	1	1	113	60.75	0	29526.066	541.9354839	15937.27068	30000	0	0	30000	40.9375	2004
12.02.2020 14:48:49	1	1	1	1	112.3	60.75	0	29526.066	541.9354839	16064.46878	30000	0	0	30000	40.375	2004
12.02.2020 14:48:50	1	1	1	1	112.3	60.25	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	41.1875	2004
12.02.2020 14:48:51	1	1	1	1	112.3	61	0	29810.427	537.6344086	16090.5607	30000	0	0	30000	40.3125	2004
12.02.2020 14:48:52	1	1	1	1	112.3	60.25	0	29620.853	535.483871	15925.04009	30000	0	0	30000	41.0625	2004
12.02.2020 14:48:53	1	1	1	1	112.3	61	0	29526.066	537.6344086	15873.67162	30000	0	0	30000	40.75	2004
12.02.2020 14:48:54	1	1	1	1	112.3	60.75	0	29336.493	535.483871	16013.10032	30000	0	0	30000	40.25	2004
12.02.2020 14:48:55	1	1	1	1	112.3	60.25	0	29431.28	541.9354839	16013.10032	30000	0	0	30000	41.125	2004
12.02.2020 14:48:56	1	1	1	1	112.3	61	0	29241.706	550.5376344	16098.71443	30000	0	0	30000	41	2004
12.02.2020 14:48:57	1	1	1	1	112.3	61	0	29620.853	550.5376344	15963.3626	30000	0	0	30000	41.125	2004
12.02.2020 14:48:58	1	1	1	1	112.3	61	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	40.1875	2004
12.02.2020 14:48:59	1	1	1	1	111.8	60	0	29383.886	548.3870968	16024.51553	30000	0	0	30000	41.0625	2004
12.02.2020 14:49:07	1	1	1	1	111.8	60.75	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	40.8125	2004
12.02.2020 14:49:07	1	1	1	1	111.8	60.75	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	40.8125	2004
12.02.2020 14:49:07	1	1	1	1	111.8	60.75	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	40.8125	2004
12.02.2020 14:49:07	1	1	1	1	111.8	60.75	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	40.8125	2004
12.02.2020 14:49:07	1	1	1	1	111.8	60.75	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	40.8125	2004
12.02.2020 14:49:07	1	1	1	1	111.8	60.75	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	40.8125	2004
12.02.2020 14:49:07	1	1	1	1	111.8	60.75	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	40.8125	2004
12.02.2020 14:49:08	1	1	1	1	111.8	60.75	0	29052.133	550.5376344	16056.31506	30000	0	0	30000	40.8125	2004
12.02.2020 14:49:09	1	1	1	1	111.8	60.75	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	41.0625	2004
12.02.2020 14:49:10	1	1	1	1	111.5	61	0	28957.346	552.688172	16004.13122	30000	0	0	30000	40.8125	2004
12.02.2020 14:49:11	1	1	1	1	111.5	60.75	0	28815.166	546.2365591	15765.22708	30000	0	0	30000	41.125	2004
12.02.2020 14:49:12	1	1	1	1	111.5	61	0	29052.133	554.8387097	16056.31506	30000	0	0	30000	41	2004
12.02.2020 14:49:13	1	1	1	1	111.5	61	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	41	2004
12.02.2020 14:49:14	1	1	1	1	111.5	61	0	29241.706	541.9354839	16024.51553	30000	0	0	30000	41.125	2004
12.02.2020 14:49:15	1	1	1	1	111.5	61	0	29241.706	546.2365591	15972.33169	30000	0	0	30000	40.9375	2004
12.02.2020 14:49:16	1	1	1	1	111.5	60.75	0	29099.526	550.5376344	15957.65499	30000	0	0	30000	41.0625	2004
12.02.2020 14:49:17	1	1	1	1	111.5	61	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	41	2004
12.02.2020 14:49:18	1	1	1	1	111.5	61	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	40.125	2004
12.02.2020 14:49:19	1	1	1	1	111.5	60	0	29241.706	537.6344086	15909.54801	30000	0	0	30000	41	2004
12.02.2020 14:49:20	1	1	1	1	111.8	61	0	28957.346	550.5376344	15994.34675	30000	0	0	30000	41.25	2004
12.02.2020 14:49:21	1	1	1	1	111.8	61.25	0	29099.526	550.5376344	16046.53059	30000	0	0	30000	41.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 14:49:22	1	1	1	1	111.8	61	0	29146.919	548.3870968	15858.17955	30000	0	0	30000	40.6875	2004
12.02.2020 14:49:23	1	1	1	1	111.8	61	0	28625.592	559.1397849	15855.73343	30000	0	0	30000	41.0625	2004
12.02.2020 14:49:24	1	1	1	1	111.8	61	0	28957.346	556.9892473	15951.94738	30000	0	0	30000	40.6875	2004
12.02.2020 14:49:25	1	1	1	1	111.8	60.5	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	40.25	2004
12.02.2020 14:49:26	1	1	1	1	111.8	60.25	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	40.875	2004
12.02.2020 14:49:27	1	1	1	1	111.8	60.75	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	40.3125	2004
12.02.2020 14:49:28	1	1	1	1	111.8	60.25	0	28815.166	546.2365591	15925.85546	30000	0	0	30000	40.3125	2004
12.02.2020 14:49:29	1	1	1	1	111.8	60.25	0	29099.526	552.688172	16082.40698	30000	0	0	30000	40.9375	2004
12.02.2020 14:49:30	1	1	1	1	111.8	60.75	0	29052.133	554.8387097	16119.09874	30000	0	0	30000	41.0625	2004
12.02.2020 14:49:31	1	1	1	1	111.8	61	0	28815.166	550.5376344	15925.85546	30000	0	0	30000	40.375	2004
12.02.2020 14:49:32	1	1	1	1	111.8	60.25	0	29241.706	546.2365591	15920.96323	30000	0	0	30000	41.0625	2004
12.02.2020 14:49:33	1	1	1	1	111.8	61	0	29289.1	546.2365591	16024.51553	30000	0	0	30000	41	2004
12.02.2020 14:49:34	1	1	1	1	111.8	61	0	29289.1	544.0860215	16061.20729	30000	0	0	30000	40.875	2004
12.02.2020 14:49:35	1	1	1	1	111.8	60.75	0	28957.346	554.8387097	16004.13122	30000	0	0	30000	40.5	2004
12.02.2020 14:49:36	1	1	1	1	111.8	60.5	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	41	2004
12.02.2020 14:49:37	1	1	1	1	111.8	61	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	40.5625	2004
12.02.2020 14:49:38	1	1	1	1	111.8	60.5	0	28957.346	554.8387097	16004.13122	30000	0	0	30000	40.875	2004
12.02.2020 14:49:39	1	1	1	1	112	60.75	0	29099.526	554.8387097	16145.19066	30000	0	0	30000	41.125	2004
12.02.2020 14:49:40	1	1	1	1	112	61	0	28199.052	561.2903226	15881.00997	30000	0	0	30000	40.9375	2004
12.02.2020 14:49:41	1	1	1	1	112	60.75	0	28530.806	559.1397849	16040.00761	30000	0	0	30000	41.0625	2004
12.02.2020 14:49:42	1	1	1	1	112	61	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	41	2004
12.02.2020 14:49:43	1	1	1	1	112	61	0	28293.839	567.7419355	16009.83883	30000	0	0	30000	40.875	2004
12.02.2020 14:49:44	1	1	1	1	112	60.75	0	28009.479	569.8924731	15721.19697	30000	0	0	30000	40.875	2004
12.02.2020 14:49:45	1	1	1	1	112	60.75	0	28009.479	576.344086	15961.73185	30000	0	0	30000	41.125	2004
12.02.2020 14:49:47	1	1	1	1	112	61	0	27819.905	580.6451613	16093.00682	30000	0	0	30000	41.0625	2004
12.02.2020 14:49:48	1	1	1	1	112	61	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	40.6875	2004
12.02.2020 14:49:49	1	1	1	1	112	60.5	0	28341.232	561.2903226	15934.00919	30000	0	0	30000	41	2004
12.02.2020 14:49:50	1	1	1	1	113.3	61	0	28009.479	567.7419355	15841.8721	30000	0	0	30000	40.8125	2004
12.02.2020 14:49:51	1	1	1	1	113.3	60.75	0	28341.232	567.7419355	16029.40777	30000	0	0	30000	41	2004
12.02.2020 14:49:52	1	1	1	1	113.3	61	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	41	2004
12.02.2020 14:49:53	1	1	1	1	113.3	61	0	28578.199	554.8387097	15855.73343	30000	0	0	30000	40.6875	2004
12.02.2020 14:49:54	1	1	1	1	113.3	60.5	0	28815.166	552.688172	15925.85546	30000	0	0	30000	41.0625	2004
12.02.2020 14:49:55	1	1	1	1	113.3	61	0	28957.346	552.688172	16004.13122	30000	0	0	30000	40.625	2004
12.02.2020 14:49:56	1	1	1	1	113.3	60.5	0	28625.592	554.8387097	15820.67241	30000	0	0	30000	40.8125	2004
12.02.2020 14:49:57	1	1	1	1	113.3	60.75	0	28815.166	559.1397849	15987.82377	30000	0	0	30000	40.75	2004
12.02.2020 14:49:58	1	1	1	1	113.3	60.75	0	28862.559	556.9892473	16075.884	30000	0	0	30000	41.0625	2004
12.02.2020 14:49:59	1	1	1	1	113.3	61	0	29573.46	541.9354839	16115.83725	30000	0	0	30000	41.125	2004
12.02.2020 14:50:00	1	1	1	1	113.5	61	0	28957.346	554.8387097	16004.13122	30000	0	0	30000	40.875	2004
12.02.2020 14:50:01	1	1	1	1	113.5	60.75	0	28578.199	559.1397849	16040.00761	30000	0	0	30000	40.9375	2004
12.02.2020 14:50:09	1	1	1	1	113.5	61	0	28578.199	552.688172	15794.58049	30000	0	0	30000	41.0625	2004
12.02.2020 14:50:09	1	1	1	1	113.5	61	0	28578.199	552.688172	15794.58049	30000	0	0	30000	41.0625	2004
12.02.2020 14:50:09	1	1	1	1	113.5	61	0	28578.199	552.688172	15794.58049	30000	0	0	30000	41.0625	2004
12.02.2020 14:50:09	1	1	1	1	113.5	61	0	28578.199	552.688172	15794.58049	30000	0	0	30000	41.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 14:50:09	1	1	1	1	113.5	61	0	28578.199	552.688172	15794.58049	30000	0	0	30000	41.0625	2004
12.02.2020 14:50:09	1	1	1	1	113.5	61	0	28578.199	552.688172	15794.58049	30000	0	0	30000	41.0625	2004
12.02.2020 14:50:09	1	1	1	1	113.5	61	0	28578.199	552.688172	15794.58049	30000	0	0	30000	41.0625	2004
12.02.2020 14:50:09	1	1	1	1	115.5	61	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	40.875	2004
12.02.2020 14:50:10	1	1	1	1	115.5	60.75	0	28578.199	563.4408602	16101.97592	30000	0	0	30000	40.875	2004
12.02.2020 14:50:11	1	1	1	1	115.5	60.75	0	28483.412	565.5913978	16048.16134	30000	0	0	30000	41.125	2004
12.02.2020 14:50:12	1	1	1	1	115.5	61	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	41.0625	2004
12.02.2020 14:50:13	1	1	1	1	115.5	61	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	41.0625	2004
12.02.2020 14:50:14	1	1	1	1	115.5	61	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	41.125	2004
12.02.2020 14:50:15	1	1	1	1	115.5	61	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	41.0625	2004
12.02.2020 14:50:16	1	1	1	1	115.5	61	0	27962.085	572.0430108	16175.35944	30000	0	0	30000	41.0625	2004
12.02.2020 14:50:17	1	1	1	1	115.5	61	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	40.8125	2004
12.02.2020 14:50:18	1	1	1	1	115.5	60.75	0	28341.232	567.7419355	16002.50048	30000	0	0	30000	41.125	2004
12.02.2020 14:50:19	1	1	1	1	116.3	61	0	28341.232	565.5913978	16002.50048	30000	0	0	30000	41.0625	2004
12.02.2020 14:50:20	1	1	1	1	116.3	61	0	28436.019	563.4408602	16022.06942	30000	0	0	30000	41.125	2004
12.02.2020 14:50:21	1	1	1	1	116.3	61	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	40.8125	2004
12.02.2020 14:50:22	1	1	1	1	116.3	60.75	0	28293.839	565.5913978	16029.40777	30000	0	0	30000	41.0625	2004
12.02.2020 14:50:23	1	1	1	1	116.3	61	0	28436.019	561.2903226	16232.43552	30000	0	0	30000	40.375	2004
12.02.2020 14:50:25	1	1	1	1	116.3	60.25	0	27962.085	574.1935484	16115.83725	30000	0	0	30000	41.0625	2004
12.02.2020 14:50:26	1	1	1	1	116.3	61	0	27819.905	567.7419355	15941.34754	30000	0	0	30000	39.875	2004
12.02.2020 14:50:27	1	1	1	1	116.3	59.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	40.9375	2004
12.02.2020 14:50:28	1	1	1	1	116.3	60.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	40.6875	2004
12.02.2020 14:50:29	1	1	1	1	116.3	60.5	0	28388.626	563.4408602	15995.16212	30000	0	0	30000	41.125	2004
12.02.2020 14:50:30	1	1	1	1	117	61	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	40.9375	2004
12.02.2020 14:50:31	1	1	1	1	117	60.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	40.625	2004
12.02.2020 14:50:32	1	1	1	1	117	60.5	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	41.1875	2004
12.02.2020 14:50:33	1	1	1	1	117	61	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	41.0625	2004
12.02.2020 14:50:34	1	1	1	1	117	61	0	28341.232	565.5913978	16029.40777	30000	0	0	30000	41	2004
12.02.2020 14:50:35	1	1	1	1	117	61	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	40.8125	2004
12.02.2020 14:50:36	1	1	1	1	117	60.75	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	41	2004
12.02.2020 14:50:37	1	1	1	1	117	61	0	27914.692	569.8924731	15934.82456	30000	0	0	30000	41.0625	2004
12.02.2020 14:50:38	1	1	1	1	117	61	0	27867.299	569.8924731	16000.86973	30000	0	0	30000	41	2004
12.02.2020 14:50:39	1	1	1	1	117	61	0	28009.479	569.8924731	16082.40698	30000	0	0	30000	41.125	2004
12.02.2020 14:50:40	1	1	1	1	118.8	61	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	41.5625	2004
12.02.2020 14:50:41	1	1	1	1	118.8	61.5	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	41.0625	2004
12.02.2020 14:50:42	1	1	1	1	118.8	60.25	0	27914.692	572.0430108	15968.25483	30000	0	0	30000	41.0625	2004
12.02.2020 14:50:43	1	1	1	1	118.8	61	0	27630.332	576.344086	15983.74691	30000	0	0	30000	40.6875	2004
12.02.2020 14:50:44	1	1	1	1	118.8	60.5	0	27725.118	578.4946237	16038.37687	30000	0	0	30000	41.0625	2004
12.02.2020 14:50:45	1	1	1	1	118.8	61	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	40.875	2004
12.02.2020 14:50:46	1	1	1	1	118.8	60.75	0	27914.692	572.0430108	15968.25483	30000	0	0	30000	40.6875	2004
12.02.2020 14:50:47	1	1	1	1	118.8	60.5	0	27582.938	576.344086	15837.79523	30000	0	0	30000	41	2004
12.02.2020 14:50:48	1	1	1	1	118.8	61	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.0625	2004
12.02.2020 14:50:49	1	1	1	1	119.5	61	0	27582.938	576.344086	15983.74691	30000	0	0	30000	40.875	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 14:50:50	1	1	1	1	119.5	60.75	0	27914.692	572.0430108	15934.82456	30000	0	0	30000	41.1875	2004
12.02.2020 14:50:51	1	1	1	1	119.5	61	0	27819.905	578.4946237	16153.34439	30000	0	0	30000	41.125	2004
12.02.2020 14:50:52	1	1	1	1	119.5	61	0	27819.905	574.1935484	15973.96244	30000	0	0	30000	41	2004
12.02.2020 14:50:53	1	1	1	1	119.5	61	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	41.1875	2004
12.02.2020 14:50:54	1	1	1	1	119.5	61	0	27582.938	578.4946237	15983.74691	30000	0	0	30000	41.125	2004
12.02.2020 14:50:55	1	1	1	1	119.5	61	0	27582.938	580.6451613	15873.67162	30000	0	0	30000	41.0625	2004
12.02.2020 14:50:56	1	1	1	1	119.5	61	0	27298.578	582.7956989	16026.96165	30000	0	0	30000	40.875	2004
12.02.2020 14:50:57	1	1	1	1	119.5	60.75	0	27298.578	591.3978495	16144.37529	30000	0	0	30000	41	2004
12.02.2020 14:50:58	1	1	1	1	119.5	61	0	27014.218	591.3978495	15947.87052	30000	0	0	30000	40.8125	2004
12.02.2020 14:50:59	1	1	1	1	120.3	60.75	0	27440.758	580.6451613	16047.34596	30000	0	0	30000	41.0625	2004
12.02.2020 14:51:00	1	1	1	1	120.3	61	0	27725.118	578.4946237	15805.18033	30000	0	0	30000	40.75	2004
12.02.2020 14:51:01	1	1	1	1	120.3	60.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41	2004
12.02.2020 14:51:02	1	1	1	1	120.3	61	0	27440.758	578.4946237	16051.42282	30000	0	0	30000	41.125	2004
12.02.2020 14:51:10	1	1	1	1	121	61	0	27630.332	569.8924731	15686.95132	30000	0	0	30000	41	2004
12.02.2020 14:51:10	1	1	1	1	121	61	0	27630.332	569.8924731	15686.95132	30000	0	0	30000	41	2004
12.02.2020 14:51:10	1	1	1	1	121	61	0	27630.332	569.8924731	15686.95132	30000	0	0	30000	41	2004
12.02.2020 14:51:10	1	1	1	1	121	61	0	27630.332	569.8924731	15686.95132	30000	0	0	30000	41	2004
12.02.2020 14:51:10	1	1	1	1	121	61	0	27630.332	569.8924731	15686.95132	30000	0	0	30000	41	2004
12.02.2020 14:51:10	1	1	1	1	121	61	0	27630.332	569.8924731	15686.95132	30000	0	0	30000	41	2004
12.02.2020 14:51:10	1	1	1	1	121	61	0	27630.332	569.8924731	15686.95132	30000	0	0	30000	41	2004
12.02.2020 14:51:10	1	1	1	1	121	61	0	27630.332	569.8924731	15686.95132	30000	0	0	30000	41	2004
12.02.2020 14:51:11	1	1	1	1	121	61	0	27630.332	576.344086	15864.70252	30000	0	0	30000	40.9375	2004
12.02.2020 14:51:12	1	1	1	1	121	60.75	0	26966.825	587.0967742	15832.08763	30000	0	0	30000	41.0625	2004
12.02.2020 14:51:13	1	1	1	1	121	61	0	27630.332	578.4946237	16332.72633	30000	0	0	30000	41	2004
12.02.2020 14:51:14	1	1	1	1	121	61	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	40.9375	2004
12.02.2020 14:51:15	1	1	1	1	121	60.75	0	27630.332	584.9462366	16102.79129	30000	0	0	30000	40.625	2004
12.02.2020 14:51:16	1	1	1	1	121	60.5	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	40.9375	2004
12.02.2020 14:51:17	1	1	1	1	121	60.75	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	40.9375	2004
12.02.2020 14:51:18	1	1	1	1	121	60.75	0	27630.332	582.7956989	16015.54644	30000	0	0	30000	40.625	2004
12.02.2020 14:51:19	1	1	1	1	121	60.5	0	27582.938	578.4946237	15956.02424	30000	0	0	30000	41.1875	2004
12.02.2020 14:51:20	1	1	1	1	121.5	61	0	27109.005	593.5483871	16090.5607	30000	0	0	30000	41.5625	2004
12.02.2020 14:51:21	1	1	1	1	121.5	60.5	0	27298.578	589.2473118	16144.37529	30000	0	0	30000	40.875	2004
12.02.2020 14:51:22	1	1	1	1	121.5	60.75	0	27630.332	584.9462366	15983.74691	30000	0	0	30000	40.875	2004
12.02.2020 14:51:23	1	1	1	1	121.5	60.75	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	40.5625	2004
12.02.2020 14:51:24	1	1	1	1	121.5	60.5	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41	2004
12.02.2020 14:51:25	1	1	1	1	121.5	61	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	40.875	2004
12.02.2020 14:51:26	1	1	1	1	121.5	60.75	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	40.5625	2004
12.02.2020 14:51:27	1	1	1	1	121.5	60.5	0	27345.972	582.7956989	15995.9775	30000	0	0	30000	40.6875	2004
12.02.2020 14:51:28	1	1	1	1	121.5	60.5	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	40.375	2004
12.02.2020 14:51:29	1	1	1	1	122.8	60.25	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	40.375	2004
12.02.2020 14:51:30	1	1	1	1	122.8	60.25	0	27630.332	574.1935484	16033.48463	30000	0	0	30000	41	2004
12.02.2020 14:51:31	1	1	1	1	122.8	61	0	27535.545	584.9462366	16051.42282	30000	0	0	30000	41	2004
12.02.2020 14:51:32	1	1	1	1	122.8	61	0	27298.578	595.6989247	15973.96244	30000	0	0	30000	40.9375	2004
12.02.2020 14:51:33	1	1	1	1	122.8	60.75	0	26966.825	591.3978495	16005.76197	30000	0	0	30000	41.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 14:51:34	1	1	1	1	122.8	61	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	40.6875	2004
12.02.2020 14:51:35	1	1	1	1	122.8	60.5	0	27109.005	589.2473118	16031.85389	30000	0	0	30000	40.75	2004
12.02.2020 14:51:36	1	1	1	1	122.8	60.75	0	26777.251	593.5483871	16036.74612	30000	0	0	30000	41.0625	2004
12.02.2020 14:51:37	1	1	1	1	122.8	61	0	27440.758	576.344086	15814.9648	30000	0	0	30000	41.125	2004
12.02.2020 14:51:38	1	1	1	1	122.8	61	0	27535.545	580.6451613	15933.19381	30000	0	0	30000	41	2004
12.02.2020 14:51:39	1	1	1	1	123.5	61	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	40.875	2004
12.02.2020 14:51:40	1	1	1	1	123.5	60.75	0	27582.938	580.6451613	15933.19381	30000	0	0	30000	41.125	2004
12.02.2020 14:51:41	1	1	1	1	123.5	61	0	27440.758	582.7956989	15814.9648	30000	0	0	30000	41.0625	2004
12.02.2020 14:51:42	1	1	1	1	123.5	61	0	27630.332	582.7956989	16102.79129	30000	0	0	30000	41.125	2004
12.02.2020 14:51:44	1	1	1	1	123.5	61	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	41.0625	2004
12.02.2020 14:51:45	1	1	1	1	123.5	61	0	27630.332	582.7956989	16043.2691	30000	0	0	30000	41.125	2004
12.02.2020 14:51:46	1	1	1	1	123.5	61	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	41.0625	2004
12.02.2020 14:51:47	1	1	1	1	123.5	61	0	27345.972	578.4946237	15819.04167	30000	0	0	30000	41.125	2004
12.02.2020 14:51:48	1	1	1	1	123.5	61	0	27440.758	576.344086	16193.29764	30000	0	0	30000	40.9375	2004
12.02.2020 14:51:49	1	1	1	1	123.5	60.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	40.3125	2004
12.02.2020 14:51:50	1	1	1	1	124.5	60.25	0	27345.972	587.0967742	16082.40698	30000	0	0	30000	41.0625	2004
12.02.2020 14:51:51	1	1	1	1	124.5	61	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	41.0625	2004
12.02.2020 14:51:52	1	1	1	1	124.5	61	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	40.75	2004
12.02.2020 14:51:53	1	1	1	1	124.5	60.75	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	40.8125	2004
12.02.2020 14:51:54	1	1	1	1	124.5	60.75	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	40.3125	2004
12.02.2020 14:51:55	1	1	1	1	124.5	60.25	0	27298.578	580.6451613	15792.13437	30000	0	0	30000	40.9375	2004
12.02.2020 14:51:56	1	1	1	1	124.5	60.75	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	40.5	2004
12.02.2020 14:51:57	1	1	1	1	124.5	60.5	0	27630.332	584.9462366	16102.79129	30000	0	0	30000	40.75	2004
12.02.2020 14:51:58	1	1	1	1	124.5	60.75	0	27061.611	589.2473118	15887.53295	30000	0	0	30000	40.375	2004
12.02.2020 14:51:59	1	1	1	1	124.5	60.25	0	27109.005	591.3978495	16031.85389	30000	0	0	30000	41.125	2004
12.02.2020 14:52:00	1	1	1	1	126	61.25	0	27109.005	589.2473118	16144.37529	30000	0	0	30000	41.125	2004
12.02.2020 14:52:01	1	1	1	1	126	61	0	26966.825	593.5483871	15947.87052	30000	0	0	30000	40.6875	2004
12.02.2020 14:52:02	1	1	1	1	126	60.5	0	27109.005	584.9462366	16001.6851	30000	0	0	30000	41.0625	2004
12.02.2020 14:52:03	1	1	1	1	126	61	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	40.6875	2004
12.02.2020 14:52:04	1	1	1	1	126	60.5	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	41.0625	2004
12.02.2020 14:52:12	1	1	1	1	126.3	61	0	27630.332	576.344086	15983.74691	30000	0	0	30000	40.75	2004
12.02.2020 14:52:12	1	1	1	1	126.3	61	0	27630.332	576.344086	15983.74691	30000	0	0	30000	40.75	2004
12.02.2020 14:52:12	1	1	1	1	126.3	61	0	27630.332	576.344086	15983.74691	30000	0	0	30000	40.75	2004
12.02.2020 14:52:12	1	1	1	1	126.3	61	0	27630.332	576.344086	15983.74691	30000	0	0	30000	40.75	2004
12.02.2020 14:52:12	1	1	1	1	126.3	61	0	27630.332	576.344086	15983.74691	30000	0	0	30000	40.75	2004
12.02.2020 14:52:12	1	1	1	1	126.3	61	0	27630.332	576.344086	15983.74691	30000	0	0	30000	40.75	2004
12.02.2020 14:52:12	1	1	1	1	126.3	60.75	0	27582.938	584.9462366	16312.34202	30000	0	0	30000	41.125	2004
12.02.2020 14:52:13	1	1	1	1	126.3	61	0	27109.005	593.5483871	16004.13122	30000	0	0	30000	40.0625	2004
12.02.2020 14:52:14	1	1	1	1	126.3	60	0	26777.251	597.8494624	15951.13201	30000	0	0	30000	40.625	2004
12.02.2020 14:52:15	1	1	1	1	126.3	60.5	0	27298.578	582.7956989	15826.38002	30000	0	0	30000	41.0625	2004
12.02.2020 14:52:16	1	1	1	1	126.3	61	0	27535.545	580.6451613	15873.67162	30000	0	0	30000	41	2004
12.02.2020 14:52:17	1	1	1	1	126.3	61	0	27061.611	589.2473118	15887.53295	30000	0	0	30000	40.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 14:52:18	1	1	1	1	126.3	60.5	0	27298.578	584.9462366	15826.38002	30000	0	0	30000	41	2004
12.02.2020 14:52:19	1	1	1	1	126.5	61	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	41.1875	2004
12.02.2020 14:52:20	1	1	1	1	126.5	61	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	41.0625	2004
12.02.2020 14:52:22	1	1	1	1	126.5	61	0	27298.578	587.0967742	16261.78893	30000	0	0	30000	40.8125	2004
12.02.2020 14:52:23	1	1	1	1	126.5	60.75	0	27345.972	589.2473118	16172.09795	30000	0	0	30000	40.9375	2004
12.02.2020 14:52:24	1	1	1	1	126.5	60.75	0	27535.545	578.4946237	16221.0203	30000	0	0	30000	41	2004
12.02.2020 14:52:25	1	1	1	1	126.5	61	0	27298.578	591.3978495	16059.57655	30000	0	0	30000	41.1875	2004
12.02.2020 14:52:26	1	1	1	1	126.5	61	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	41	2004
12.02.2020 14:52:27	1	1	1	1	126.5	61	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	40.4375	2004
12.02.2020 14:52:28	1	1	1	1	126.5	60.25	0	27345.972	578.4946237	15819.04167	30000	0	0	30000	41.125	2004
12.02.2020 14:52:29	1	1	1	1	126.5	61	0	26919.431	595.6989247	16063.65341	30000	0	0	30000	40.875	2004
12.02.2020 14:52:30	1	1	1	1	126.3	60.75	0	26540.284	602.1505376	15924.22472	30000	0	0	30000	41.125	2004
12.02.2020 14:52:31	1	1	1	1	126.3	61	0	26540.284	604.3010753	16095.45294	30000	0	0	30000	41.0625	2004
12.02.2020 14:52:32	1	1	1	1	126.3	61	0	26824.645	595.6989247	15951.13201	30000	0	0	30000	41.0625	2004
12.02.2020 14:52:33	1	1	1	1	126.3	61	0	26587.678	595.6989247	15894.87131	30000	0	0	30000	40.5	2004
12.02.2020 14:52:34	1	1	1	1	126.3	60.5	0	26919.431	602.1505376	15863.88715	30000	0	0	30000	41.0625	2004
12.02.2020 14:52:35	1	1	1	1	126.3	61	0	26966.825	589.2473118	15945.4244	30000	0	0	30000	41.375	2004
12.02.2020 14:52:36	1	1	1	1	126.3	61.25	0	26824.645	595.6989247	15951.13201	30000	0	0	30000	40.8125	2004
12.02.2020 14:52:37	1	1	1	1	126.3	60.75	0	26966.825	600	16179.43631	30000	0	0	30000	41.3125	2004
12.02.2020 14:52:38	1	1	1	1	126.3	61.25	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	40.6875	2004
12.02.2020 14:52:39	1	1	1	1	126.3	60.5	0	26872.038	595.6989247	16007.39271	30000	0	0	30000	41.125	2004
12.02.2020 14:52:40	1	1	1	1	127.5	61.25	0	26540.284	597.8494624	15667.38238	30000	0	0	30000	41.1875	2004
12.02.2020 14:52:41	1	1	1	1	127.5	61	0	27109.005	584.9462366	15942.97828	30000	0	0	30000	40.9375	2004
12.02.2020 14:52:42	1	1	1	1	127.5	60.75	0	27345.972	584.9462366	15936.4553	30000	0	0	30000	40.75	2004
12.02.2020 14:52:43	1	1	1	1	127.5	60.75	0	27061.611	587.0967742	16031.85389	30000	0	0	30000	41.1875	2004
12.02.2020 14:52:44	1	1	1	1	127.5	61	0	26919.431	591.3978495	15978.0393	30000	0	0	30000	40.75	2004
12.02.2020 14:52:45	1	1	1	1	127.5	60.75	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	41	2004
12.02.2020 14:52:46	1	1	1	1	127.5	61	0	27109.005	584.9462366	15915.25562	30000	0	0	30000	41.125	2004
12.02.2020 14:52:47	1	1	1	1	127.5	61	0	27440.758	587.0967742	16228.35866	30000	0	0	30000	41.0625	2004
12.02.2020 14:52:48	1	1	1	1	127.5	61	0	27298.578	584.9462366	16026.96165	30000	0	0	30000	40.8125	2004
12.02.2020 14:52:49	1	1	1	1	127.8	60.75	0	27298.578	584.9462366	15909.54801	30000	0	0	30000	41.125	2004
12.02.2020 14:52:50	1	1	1	1	127.8	61	0	27582.938	580.6451613	15956.02424	30000	0	0	30000	40.8125	2004
12.02.2020 14:52:51	1	1	1	1	127.8	60.75	0	27061.611	593.5483871	16148.45215	30000	0	0	30000	40.9375	2004
12.02.2020 14:52:52	1	1	1	1	127.8	60.75	0	26966.825	589.2473118	16005.76197	30000	0	0	30000	40.9375	2004
12.02.2020 14:52:53	1	1	1	1	127.8	60.75	0	27061.611	589.2473118	16004.13122	30000	0	0	30000	41.125	2004
12.02.2020 14:52:54	1	1	1	1	127.8	61	0	27156.398	587.0967742	15942.97828	30000	0	0	30000	41.1875	2004
12.02.2020 14:52:55	1	1	1	1	127.8	61	0	26872.038	595.6989247	16065.28416	30000	0	0	30000	40.5	2004
12.02.2020 14:52:56	1	1	1	1	127.8	60.5	0	26966.825	593.5483871	16063.65341	30000	0	0	30000	40.875	2004
12.02.2020 14:52:57	1	1	1	1	127.8	60.75	0	27156.398	584.9462366	15885.08684	30000	0	0	30000	41.0625	2004
12.02.2020 14:52:58	1	1	1	1	127.8	61	0	27393.365	580.6451613	15991.90063	30000	0	0	30000	41.0625	2004
12.02.2020 14:53:00	1	1	1	1	127.5	61	0	27014.218	591.3978495	16004.13122	30000	0	0	30000	40.8125	2004
12.02.2020 14:53:01	1	1	1	1	127.5	60.75	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	41.25	2004
12.02.2020 14:53:02	1	1	1	1	127.5	61.25	0	27440.758	584.9462366	16110.12964	30000	0	0	30000	41	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 14:53:03	1	1	1	1	127.5	61	0	27582.938	574.1935484	15983.74691	30000	0	0	30000	41.125	2004
12.02.2020 14:53:04	1	1	1	1	127.5	61	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	40.9375	2004
12.02.2020 14:53:05	1	1	1	1	127.5	60.75	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	41.1875	2004
12.02.2020 14:53:06	1	1	1	1	127.5	61	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.0625	2004
12.02.2020 14:53:14	1	1	1	1	127.8	61	0	27630.332	584.9462366	16102.79129	30000	0	0	30000	40.75	2004
12.02.2020 14:53:14	1	1	1	1	127.8	61	0	27630.332	584.9462366	16102.79129	30000	0	0	30000	40.75	2004
12.02.2020 14:53:14	1	1	1	1	127.8	61	0	27630.332	584.9462366	16102.79129	30000	0	0	30000	40.75	2004
12.02.2020 14:53:14	1	1	1	1	127.8	61	0	27630.332	584.9462366	16102.79129	30000	0	0	30000	40.75	2004
12.02.2020 14:53:14	1	1	1	1	127.8	61	0	27630.332	584.9462366	16102.79129	30000	0	0	30000	40.75	2004
12.02.2020 14:53:14	1	1	1	1	127.8	61	0	27630.332	584.9462366	16102.79129	30000	0	0	30000	40.75	2004
12.02.2020 14:53:14	1	1	1	1	127.8	60.75	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	41.625	2004
12.02.2020 14:53:15	1	1	1	1	127.8	61.5	0	27630.332	584.9462366	16102.79129	30000	0	0	30000	41	2004
12.02.2020 14:53:16	1	1	1	1	127.8	61	0	27914.692	567.7419355	15995.16212	30000	0	0	30000	41.375	2004
12.02.2020 14:53:17	1	1	1	1	127.8	61.25	0	27962.085	574.1935484	16027.77702	30000	0	0	30000	40.75	2004
12.02.2020 14:53:18	1	1	1	1	127.8	61.25	0	28199.052	563.4408602	15827.19539	30000	0	0	30000	40.75	2004
12.02.2020 14:53:19	1	1	1	1	128	60.75	0	28625.592	556.9892473	16049.79208	30000	0	0	30000	40.875	2004
12.02.2020 14:53:20	1	1	1	1	128	60.75	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	41.3125	2004
12.02.2020 14:53:21	1	1	1	1	128	61.25	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	40.1875	2004
12.02.2020 14:53:22	1	1	1	1	128	60	0	29526.066	541.9354839	16064.46878	30000	0	0	30000	40.875	2004
12.02.2020 14:53:23	1	1	1	1	128	60.75	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	40.625	2004
12.02.2020 14:53:24	1	1	1	1	128	60.5	0	29905.213	535.483871	16013.10032	30000	0	0	30000	40.8125	2004
12.02.2020 14:53:25	1	1	1	1	128	60.75	0	29952.607	481.7204301	14451.662	30000	0	0	30000	41.1875	2004
12.02.2020 14:53:26	1	1	1	1	128	61	0	30000	443.0107527	13160.92735	30000	0	0	30000	40.5625	2004
12.02.2020 14:53:27	1	1	1	1	128	60.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	41	2004
12.02.2020 14:53:28	1	1	1	1	128	61	0	30000	384.9462366	11548.12057	30000	0	0	30000	41.125	2004
12.02.2020 14:53:29	1	1	1	1	126.3	61	0	30000	384.9462366	11419.29171	30000	0	0	30000	41.1875	2004
12.02.2020 14:53:30	1	1	1	1	126.3	61	0	30000	378.4946237	11419.29171	30000	0	0	30000	41.125	2004
12.02.2020 14:53:31	1	1	1	1	126.3	61	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.125	2004
12.02.2020 14:53:32	1	1	1	1	126.3	61	0	30000	427.9569892	12838.03984	30000	0	0	30000	40.8125	2004
12.02.2020 14:53:33	1	1	1	1	126.3	60.75	0	30000	438.7096774	13160.92735	30000	0	0	30000	40.6875	2004
12.02.2020 14:53:34	1	1	1	1	126.3	60.5	0	29952.607	425.8064516	12754.05648	30000	0	0	30000	41.125	2004
12.02.2020 14:53:35	1	1	1	1	126.3	61	0	30000	419.3548387	12580.38214	30000	0	0	30000	41.0625	2004
12.02.2020 14:53:36	1	1	1	1	126.3	61	0	30000	419.3548387	12580.38214	30000	0	0	30000	41.125	2004
12.02.2020 14:53:38	1	1	1	1	126.3	61	0	30000	436.5591398	12838.03984	30000	0	0	30000	41.0625	2004
12.02.2020 14:53:39	1	1	1	1	126.3	61	0	29905.213	425.8064516	12838.03984	30000	0	0	30000	41.0625	2004
12.02.2020 14:53:40	1	1	1	1	124.3	61	0	29952.607	427.9569892	12838.03984	30000	0	0	30000	40.9375	2004
12.02.2020 14:53:41	1	1	1	1	124.3	60.75	0	30000	438.7096774	13160.92735	30000	0	0	30000	41.125	2004
12.02.2020 14:53:42	1	1	1	1	124.3	61	0	29952.607	434.4086022	13225.34178	30000	0	0	30000	41	2004
12.02.2020 14:53:43	1	1	1	1	124.3	61	0	30000	438.7096774	13160.92735	30000	0	0	30000	40.5	2004
12.02.2020 14:53:44	1	1	1	1	124.3	60.5	0	30000	438.7096774	13160.92735	30000	0	0	30000	40.8125	2004
12.02.2020 14:53:45	1	1	1	1	124.3	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.25	2004
12.02.2020 14:53:46	1	1	1	1	124.3	61.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 14:53:47	1	1	1	1	124.3	60.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.25	2004
12.02.2020 14:53:48	1	1	1	1	124.3	60.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	41	2004
12.02.2020 14:53:49	1	1	1	1	124.3	61	0	30000	432.2580645	12838.03984	30000	0	0	30000	40	2004
12.02.2020 14:53:50	1	1	1	1	122.3	60	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.0625	2004
12.02.2020 14:53:51	1	1	1	1	122.3	61	0	30000	432.2580645	13160.92735	30000	0	0	30000	40.9375	2004
12.02.2020 14:53:52	1	1	1	1	122.3	60.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	41	2004
12.02.2020 14:53:53	1	1	1	1	122.3	61	0	29952.607	427.9569892	13032.0985	30000	0	0	30000	40.8125	2004
12.02.2020 14:53:54	1	1	1	1	122.3	60.75	0	30000	438.7096774	13160.92735	30000	0	0	30000	41.25	2004
12.02.2020 14:53:55	1	1	1	1	122.3	61.25	0	30000	460.2150538	13612.64371	30000	0	0	30000	41.1875	2004
12.02.2020 14:53:56	1	1	1	1	122.3	61	0	30000	453.7634409	13612.64371	30000	0	0	30000	41.375	2004
12.02.2020 14:53:57	1	1	1	1	122.3	61.25	0	29952.607	453.7634409	13633.84339	30000	0	0	30000	40.9375	2004
12.02.2020 14:53:58	1	1	1	1	122.3	60.5	0	30000	451.6129032	13612.64371	30000	0	0	30000	41.125	2004
12.02.2020 14:53:59	1	1	1	1	121.5	61	0	30000	464.516129	13935.53122	30000	0	0	30000	40.1875	2004
12.02.2020 14:54:00	1	1	1	1	121.5	60	0	30000	460.2150538	13741.47256	30000	0	0	30000	40.4375	2004
12.02.2020 14:54:01	1	1	1	1	121.5	60.25	0	30000	458.0645161	13741.47256	30000	0	0	30000	41.125	2004
12.02.2020 14:54:02	1	1	1	1	121.5	61	0	29905.213	449.4623656	13591.44402	30000	0	0	30000	41.25	2004
12.02.2020 14:54:03	1	1	1	1	121.5	61.25	0	30000	455.9139785	13677.05814	30000	0	0	30000	40	2004
12.02.2020 14:54:04	1	1	1	1	121.5	60	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.9375	2004
12.02.2020 14:54:05	1	1	1	1	121.5	60.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	41.0625	2004
12.02.2020 14:54:06	1	1	1	1	121.5	61	0	29952.607	455.9139785	13741.47256	30000	0	0	30000	40.8125	2004
12.02.2020 14:54:07	1	1	1	1	121.5	60.75	0	30000	449.4623656	13354.17063	30000	0	0	30000	40.6875	2004
12.02.2020 14:54:15	1	1	1	1	119.8	61	0	29952.607	445.1612903	13354.17063	30000	0	0	30000	41.125	2004
12.02.2020 14:54:15	1	1	1	1	119.8	61	0	29952.607	445.1612903	13354.17063	30000	0	0	30000	41.125	2004
12.02.2020 14:54:15	1	1	1	1	119.8	61	0	29952.607	445.1612903	13354.17063	30000	0	0	30000	41.125	2004
12.02.2020 14:54:15	1	1	1	1	119.8	61	0	29952.607	445.1612903	13354.17063	30000	0	0	30000	41.125	2004
12.02.2020 14:54:15	1	1	1	1	119.8	61	0	29952.607	445.1612903	13354.17063	30000	0	0	30000	41.125	2004
12.02.2020 14:54:15	1	1	1	1	119.8	61	0	29952.607	445.1612903	13354.17063	30000	0	0	30000	41.125	2004
12.02.2020 14:54:15	1	1	1	1	119.8	61	0	30000	443.0107527	13289.7562	30000	0	0	30000	40.75	2004
12.02.2020 14:54:16	1	1	1	1	119.8	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	41	2004
12.02.2020 14:54:17	1	1	1	1	119.8	61	0	30000	443.0107527	13225.34178	30000	0	0	30000	40.4375	2004
12.02.2020 14:54:19	1	1	1	1	119.8	60.25	0	30000	443.0107527	13354.17063	30000	0	0	30000	41.125	2004
12.02.2020 14:54:20	1	1	1	1	118.3	61	0	30000	445.1612903	13333.78632	30000	0	0	30000	41.1875	2004
12.02.2020 14:54:21	1	1	1	1	118.3	61	0	30000	445.1612903	13633.84339	30000	0	0	30000	40.375	2004
12.02.2020 14:54:22	1	1	1	1	118.3	60.25	0	30000	449.4623656	13354.17063	30000	0	0	30000	41.0625	2004
12.02.2020 14:54:23	1	1	1	1	118.3	61	0	29905.213	445.1612903	13333.78632	30000	0	0	30000	40.625	2004
12.02.2020 14:54:24	1	1	1	1	118.3	60.5	0	30000	443.0107527	13289.7562	30000	0	0	30000	41	2004
12.02.2020 14:54:25	1	1	1	1	118.3	61	0	29952.607	443.0107527	13354.17063	30000	0	0	30000	41.1875	2004
12.02.2020 14:54:26	1	1	1	1	118.3	61	0	30047.393	445.1612903	13354.17063	30000	0	0	30000	40.8125	2004
12.02.2020 14:54:27	1	1	1	1	118.3	60.75	0	30000	438.7096774	13096.51292	30000	0	0	30000	40.5625	2004
12.02.2020 14:54:28	1	1	1	1	118.3	60.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.1875	2004
12.02.2020 14:54:29	1	1	1	1	118.3	61	0	30047.393	445.1612903	13354.17063	30000	0	0	30000	40.6875	2004
12.02.2020 14:54:30	1	1	1	1	116.8	60.5	0	30000	438.7096774	13269.37189	30000	0	0	30000	41	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 14:54:31	1	1	1	1	116.8	61	0	30000	443.0107527	13289.7562	30000	0	0	30000	40.8125	2004
12.02.2020 14:54:32	1	1	1	1	116.8	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	41	2004
12.02.2020 14:54:33	1	1	1	1	116.8	61	0	30000	438.7096774	13076.12861	30000	0	0	30000	40.4375	2004
12.02.2020 14:54:34	1	1	1	1	116.8	60.25	0	30047.393	445.1612903	13375.37032	30000	0	0	30000	40.625	2004
12.02.2020 14:54:35	1	1	1	1	116.8	60.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.625	2004
12.02.2020 14:54:36	1	1	1	1	116.8	61.5	0	29952.607	445.1612903	13354.17063	30000	0	0	30000	40.75	2004
12.02.2020 14:54:37	1	1	1	1	116.8	60.75	0	30000	440.8602151	13289.7562	30000	0	0	30000	40.6875	2004
12.02.2020 14:54:38	1	1	1	1	116.8	60	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.1875	2004
12.02.2020 14:54:39	1	1	1	1	116.3	61	0	30000	445.1612903	13312.58663	30000	0	0	30000	41.125	2004
12.02.2020 14:54:40	1	1	1	1	116.3	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.0625	2004
12.02.2020 14:54:41	1	1	1	1	116.3	61	0	30000	438.7096774	13160.92735	30000	0	0	30000	41	2004
12.02.2020 14:54:42	1	1	1	1	116.3	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.0625	2004
12.02.2020 14:54:43	1	1	1	1	116.3	61	0	30000	445.1612903	13784.6873	30000	0	0	30000	40.5	2004
12.02.2020 14:54:44	1	1	1	1	116.3	60.5	0	29952.607	438.7096774	13354.17063	30000	0	0	30000	41.1875	2004
12.02.2020 14:54:45	1	1	1	1	116.3	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	41	2004
12.02.2020 14:54:46	1	1	1	1	116.3	61	0	30000	453.7634409	13612.64371	30000	0	0	30000	41.125	2004
12.02.2020 14:54:47	1	1	1	1	116.3	61	0	30000	464.516129	13913.51616	30000	0	0	30000	40.625	2004
12.02.2020 14:54:48	1	1	1	1	116.3	60.5	0	30000	453.7634409	13612.64371	30000	0	0	30000	41	2004
12.02.2020 14:54:49	1	1	1	1	115	61	0	30000	458.0645161	13741.47256	30000	0	0	30000	40.9375	2004
12.02.2020 14:54:50	1	1	1	1	115	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.0625	2004
12.02.2020 14:54:51	1	1	1	1	115	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.0625	2004
12.02.2020 14:54:52	1	1	1	1	115	61	0	30047.393	445.1612903	13354.17063	30000	0	0	30000	40.6875	2004
12.02.2020 14:54:53	1	1	1	1	115	60.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.8125	2004
12.02.2020 14:54:54	1	1	1	1	115	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.9375	2004
12.02.2020 14:54:56	1	1	1	1	115	60.75	0	30000	445.1612903	13612.64371	30000	0	0	30000	40.8125	2004
12.02.2020 14:54:57	1	1	1	1	115	60.75	0	29952.607	453.7634409	13612.64371	30000	0	0	30000	40.5	2004
12.02.2020 14:54:58	1	1	1	1	115	60.5	0	30000	438.7096774	13225.34178	30000	0	0	30000	40.8125	2004
12.02.2020 14:54:59	1	1	1	1	115	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.1875	2004
12.02.2020 14:55:00	1	1	1	1	114	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.0625	2004
12.02.2020 14:55:01	1	1	1	1	114	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.625	2004
12.02.2020 14:55:02	1	1	1	1	114	60.5	0	30000	438.7096774	13160.92735	30000	0	0	30000	41	2004
12.02.2020 14:55:03	1	1	1	1	114	61	0	29905.213	427.9569892	13225.34178	30000	0	0	30000	41.0625	2004
12.02.2020 14:55:04	1	1	1	1	114	61	0	30000	440.8602151	13160.92735	30000	0	0	30000	41.0625	2004
12.02.2020 14:55:07	1	1	1	1	114	59.75	0	29952.607	436.5591398	12838.03984	30000	0	0	30000	40.5	2004
12.02.2020 14:55:07	1	1	1	1	114	59.75	0	29952.607	436.5591398	12838.03984	30000	0	0	30000	40.5	2004
12.02.2020 14:55:07	1	1	1	1	114	59.75	0	29952.607	436.5591398	12838.03984	30000	0	0	30000	40.5	2004
12.02.2020 14:55:07	1	1	1	1	114	59.75	0	29952.607	436.5591398	12838.03984	30000	0	0	30000	40.5	2004
12.02.2020 14:55:08	1	1	1	1	114	60.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.125	2004
12.02.2020 14:55:09	1	1	1	1	114	61	0	30000	451.6129032	13612.64371	30000	0	0	30000	41.3125	2004
12.02.2020 14:55:17	1	1	1	1	113	61	0	30000	443.0107527	13289.7562	30000	0	0	30000	40.9375	2004
12.02.2020 14:55:17	1	1	1	1	113	61	0	30000	443.0107527	13289.7562	30000	0	0	30000	40.9375	2004
12.02.2020 14:55:17	1	1	1	1	113	61	0	30000	443.0107527	13289.7562	30000	0	0	30000	40.9375	2004
12.02.2020 14:55:17	1	1	1	1	113	61	0	30000	443.0107527	13289.7562	30000	0	0	30000	40.9375	2004
12.02.2020 14:55:17	1	1	1	1	113	61	0	30000	443.0107527	13289.7562	30000	0	0	30000	40.9375	2004
12.02.2020 14:55:17	1	1	1	1	113	61	0	30000	443.0107527	13289.7562	30000	0	0	30000	40.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 14:55:17	1	1	1	1	113	61	0	30000	443.0107527	13289.7562	30000	0	0	30000	40.9375	2004
12.02.2020 14:55:17	1	1	1	1	113	61	0	30000	443.0107527	13289.7562	30000	0	0	30000	40.9375	2004
12.02.2020 14:55:17	1	1	1	1	113	61.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.125	2004
12.02.2020 14:55:18	1	1	1	1	113	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.8125	2004
12.02.2020 14:55:19	1	1	1	1	112.5	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.0625	2004
12.02.2020 14:55:20	1	1	1	1	112.5	61	0	30000	443.0107527	13354.17063	30000	0	0	30000	40.8125	2004
12.02.2020 14:55:21	1	1	1	1	112.5	60.75	0	30000	443.0107527	13354.17063	30000	0	0	30000	40.6875	2004
12.02.2020 14:55:22	1	1	1	1	112.5	60.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.25	2004
12.02.2020 14:55:23	1	1	1	1	112.5	60.25	0	29952.607	449.4623656	13354.17063	30000	0	0	30000	41.1875	2004
12.02.2020 14:55:24	1	1	1	1	112.5	61	0	30000	453.7634409	13612.64371	30000	0	0	30000	39.8125	2004
12.02.2020 14:55:25	1	1	1	1	112.5	59.75	0	30000	453.7634409	13741.47256	30000	0	0	30000	40.5625	2004
12.02.2020 14:55:26	1	1	1	1	112.5	60.5	0	30000	464.516129	13935.53122	30000	0	0	30000	40.6875	2004
12.02.2020 14:55:27	1	1	1	1	112.5	60.5	0	29952.607	445.1612903	13312.58663	30000	0	0	30000	41	2004
12.02.2020 14:55:28	1	1	1	1	112.5	61	0	30000	449.4623656	13612.64371	30000	0	0	30000	40.8125	2004
12.02.2020 14:55:29	1	1	1	1	110.8	60.75	0	30000	455.9139785	13612.64371	30000	0	0	30000	40.9375	2004
12.02.2020 14:55:30	1	1	1	1	110.8	60.75	0	30000	460.2150538	13935.53122	30000	0	0	30000	41.1875	2004
12.02.2020 14:55:31	1	1	1	1	110.8	61	0	30000	464.516129	13741.47256	30000	0	0	30000	41.125	2004
12.02.2020 14:55:32	1	1	1	1	110.8	61	0	30000	458.0645161	13741.47256	30000	0	0	30000	41.0625	2004
12.02.2020 14:55:33	1	1	1	1	110.8	61	0	30000	464.516129	13935.53122	30000	0	0	30000	41	2004
12.02.2020 14:55:35	1	1	1	1	110.8	61	0	30000	464.516129	13935.53122	30000	0	0	30000	41.0625	2004
12.02.2020 14:55:36	1	1	1	1	110.8	61	0	30000	460.2150538	13741.47256	30000	0	0	30000	40.6875	2004
12.02.2020 14:55:37	1	1	1	1	110.8	60.5	0	30000	453.7634409	13612.64371	30000	0	0	30000	41.0625	2004
12.02.2020 14:55:38	1	1	1	1	110.8	61	0	30000	460.2150538	13935.53122	30000	0	0	30000	40.8125	2004
12.02.2020 14:55:39	1	1	1	1	110.8	60.75	0	30000	458.0645161	13612.64371	30000	0	0	30000	41	2004
12.02.2020 14:55:40	1	1	1	1	110	61	0	30000	466.6666667	13999.94564	30000	0	0	30000	41.375	2004
12.02.2020 14:55:41	1	1	1	1	110	61.25	0	30000	464.516129	13999.94564	30000	0	0	30000	41.125	2004
12.02.2020 14:55:42	1	1	1	1	110	61	0	30000	468.8172043	14064.36007	30000	0	0	30000	40.4375	2004
12.02.2020 14:55:43	1	1	1	1	110	60.25	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.5	2004
12.02.2020 14:55:44	1	1	1	1	110	60.5	0	30000	466.6666667	13999.94564	30000	0	0	30000	41.25	2004
12.02.2020 14:55:45	1	1	1	1	110	61.25	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.8125	2004
12.02.2020 14:55:46	1	1	1	1	110	60.75	0	29952.607	464.516129	13935.53122	30000	0	0	30000	41.1875	2004
12.02.2020 14:55:47	1	1	1	1	110	61	0	30000	464.516129	13935.53122	30000	0	0	30000	40.625	2004
12.02.2020 14:55:48	1	1	1	1	110	60.5	0	30000	466.6666667	13999.94564	30000	0	0	30000	41	2004
12.02.2020 14:55:49	1	1	1	1	110	61	0	29952.607	466.6666667	13999.94564	30000	0	0	30000	41.0625	2004
12.02.2020 14:55:50	1	1	1	1	109	61	0	30000	460.2150538	13805.88699	30000	0	0	30000	41.1875	2004
12.02.2020 14:55:51	1	1	1	1	109	61	0	30000	464.516129	13999.94564	30000	0	0	30000	41.1875	2004
12.02.2020 14:55:52	1	1	1	1	109	61	0	30000	468.8172043	14064.36007	30000	0	0	30000	41.1875	2004
12.02.2020 14:55:53	1	1	1	1	109	61	0	30000	468.8172043	14128.7745	30000	0	0	30000	41.4375	2004
12.02.2020 14:55:54	1	1	1	1	109	61	0	30000	464.516129	13999.94564	30000	0	0	30000	40	2004
12.02.2020 14:55:55	1	1	1	1	109	60	0	30000	466.6666667	13999.94564	30000	0	0	30000	41.1875	2004
12.02.2020 14:55:56	1	1	1	1	109	61	0	30000	466.6666667	13935.53122	30000	0	0	30000	40.0625	2004
12.02.2020 14:55:57	1	1	1	1	109	60	0	30000	481.7204301	14451.662	30000	0	0	30000	40.5625	2004
12.02.2020 14:55:58	1	1	1	1	109	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 14:55:59	1	1	1	1	108	60.25	0	30000	464.516129	13935.53122	30000	0	0	30000	41.0625	2004
12.02.2020 14:56:00	1	1	1	1	108	61	0	30000	466.6666667	13999.94564	30000	0	0	30000	41.0625	2004
12.02.2020 14:56:01	1	1	1	1	108	61	0	30000	481.7204301	14128.7745	30000	0	0	30000	41.125	2004
12.02.2020 14:56:02	1	1	1	1	108	61	0	30000	464.516129	13935.53122	30000	0	0	30000	40.8125	2004
12.02.2020 14:56:03	1	1	1	1	108	60.75	0	30000	468.8172043	14064.36007	30000	0	0	30000	41.25	2004
12.02.2020 14:56:04	1	1	1	1	108	61.25	0	29952.607	464.516129	14497.32286	30000	0	0	30000	40.5625	2004
12.02.2020 14:56:05	1	1	1	1	108	60.5	0	30000	466.6666667	13999.94564	30000	0	0	30000	41.3125	2004
12.02.2020 14:56:06	1	1	1	1	108	61.25	0	30000	458.0645161	13935.53122	30000	0	0	30000	40.875	2004
12.02.2020 14:56:07	1	1	1	1	108	60.75	0	30000	464.516129	13913.51616	30000	0	0	30000	40.8125	2004
12.02.2020 14:56:08	1	1	1	1	108	60.75	0	30000	464.516129	13935.53122	30000	0	0	30000	40.0625	2004
12.02.2020 14:56:09	1	1	1	1	107	60	0	30000	464.516129	13935.53122	30000	0	0	30000	40.375	2004
12.02.2020 14:56:10	1	1	1	1	107	60.25	0	30000	464.516129	13935.53122	30000	0	0	30000	41.3125	2004
12.02.2020 14:56:18	1	1	1	1	107	60.5	0	30000	464.516129	13935.53122	30000	0	0	30000	40.875	2004
12.02.2020 14:56:18	1	1	1	1	107	60.5	0	30000	464.516129	13935.53122	30000	0	0	30000	40.875	2004
12.02.2020 14:56:18	1	1	1	1	107	60.5	0	30000	464.516129	13935.53122	30000	0	0	30000	40.875	2004
12.02.2020 14:56:18	1	1	1	1	107	60.5	0	30000	464.516129	13935.53122	30000	0	0	30000	40.875	2004
12.02.2020 14:56:18	1	1	1	1	107	60.5	0	30000	464.516129	13935.53122	30000	0	0	30000	40.875	2004
12.02.2020 14:56:18	1	1	1	1	107	60.5	0	30000	464.516129	13935.53122	30000	0	0	30000	40.875	2004
12.02.2020 14:56:18	1	1	1	1	107	60.5	0	30000	464.516129	13935.53122	30000	0	0	30000	40.875	2004
12.02.2020 14:56:18	1	1	1	1	107	60.5	0	30000	464.516129	13935.53122	30000	0	0	30000	40.875	2004
12.02.2020 14:56:19	1	1	1	1	107	60.75	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.9375	2004
12.02.2020 14:56:20	1	1	1	1	106.3	60.75	0	30000	464.516129	13935.53122	30000	0	0	30000	40.6875	2004
12.02.2020 14:56:21	1	1	1	1	106.3	60.5	0	29952.607	466.6666667	13999.94564	30000	0	0	30000	41.1875	2004
12.02.2020 14:56:22	1	1	1	1	106.3	61	0	30000	464.516129	13935.53122	30000	0	0	30000	41.1875	2004
12.02.2020 14:56:23	1	1	1	1	106.3	61	0	30000	453.7634409	13957.54627	30000	0	0	30000	41	2004
12.02.2020 14:56:24	1	1	1	1	106.3	61	0	30000	464.516129	13805.88699	30000	0	0	30000	40.6875	2004
12.02.2020 14:56:25	1	1	1	1	106.3	60.5	0	30000	464.516129	13935.53122	30000	0	0	30000	40.25	2004
12.02.2020 14:56:26	1	1	1	1	106.3	60.25	0	30000	468.8172043	13999.94564	30000	0	0	30000	41	2004
12.02.2020 14:56:27	1	1	1	1	106.3	61	0	29905.213	464.516129	13977.93058	30000	0	0	30000	40.4375	2004
12.02.2020 14:56:28	1	1	1	1	106.3	60.25	0	30000	466.6666667	13977.93058	30000	0	0	30000	41.25	2004
12.02.2020 14:56:29	1	1	1	1	106.3	61.25	0	30000	466.6666667	13999.94564	30000	0	0	30000	41.0625	2004
12.02.2020 14:56:30	1	1	1	1	105.3	61	0	30000	464.516129	13935.53122	30000	0	0	30000	41.1875	2004
12.02.2020 14:56:31	1	1	1	1	105.3	61	0	30000	464.516129	13935.53122	30000	0	0	30000	40.5625	2004
12.02.2020 14:56:32	1	1	1	1	105.3	60.5	0	30000	464.516129	13935.53122	30000	0	0	30000	41	2004
12.02.2020 14:56:33	1	1	1	1	105.3	61	0	30000	460.2150538	13935.53122	30000	0	0	30000	40.0625	2004
12.02.2020 14:56:34	1	1	1	1	105.3	60	0	30000	455.9139785	13677.05814	30000	0	0	30000	40.9375	2004
12.02.2020 14:56:35	1	1	1	1	105.3	60.75	0	30000	445.1612903	13612.64371	30000	0	0	30000	40.9375	2004
12.02.2020 14:56:36	1	1	1	1	105.3	60.75	0	30000	458.0645161	13741.47256	30000	0	0	30000	40.5	2004
12.02.2020 14:56:37	1	1	1	1	105.3	60.5	0	30000	453.7634409	13333.78632	30000	0	0	30000	40.9375	2004
12.02.2020 14:56:38	1	1	1	1	105.3	60.75	0	30000	460.2150538	13805.88699	30000	0	0	30000	41.25	2004
12.02.2020 14:56:39	1	1	1	1	104.3	61.25	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.875	2004
12.02.2020 14:56:40	1	1	1	1	104.3	60.75	0	30000	455.9139785	13612.64371	30000	0	0	30000	40.6875	2004
12.02.2020 14:56:41	1	1	1	1	104.3	60.5	0	30000	460.2150538	13805.88699	30000	0	0	30000	41.0625	2004
12.02.2020 14:56:42	1	1	1	1	104.3	61	0	30000	451.6129032	13741.47256	30000	0	0	30000	41.0625	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 14:56:43	1	1	1	1	104.3	61	0	30000	460.2150538	13935.53122	30000	0	0	30000	40.4375	2004
12.02.2020 14:56:44	1	1	1	1	104.3	60.25	0	30000	460.2150538	13935.53122	30000	0	0	30000	41.1875	2004
12.02.2020 14:56:45	1	1	1	1	104.3	61	0	30000	458.0645161	13741.47256	30000	0	0	30000	41.25	2004
12.02.2020 14:56:46	1	1	1	1	104.3	61.25	0	29952.607	453.7634409	13612.64371	30000	0	0	30000	41.25	2004
12.02.2020 14:56:47	1	1	1	1	104.3	61.25	0	30000	455.9139785	13612.64371	30000	0	0	30000	41.0625	2004
12.02.2020 14:56:48	1	1	1	1	104.3	61	0	29952.607	453.7634409	13612.64371	30000	0	0	30000	40.75	2004
12.02.2020 14:56:49	1	1	1	1	103.5	60.75	0	30000	464.516129	13935.53122	30000	0	0	30000	40.9375	2004
12.02.2020 14:56:50	1	1	1	1	103.5	60.75	0	30000	460.2150538	13805.88699	30000	0	0	30000	40.6875	2004
12.02.2020 14:56:52	1	1	1	1	103.5	60.5	0	30000	455.9139785	13612.64371	30000	0	0	30000	41.1875	2004
12.02.2020 14:56:53	1	1	1	1	103.5	61	0	30000	464.516129	13999.94564	30000	0	0	30000	41.125	2004
12.02.2020 14:56:54	1	1	1	1	103.5	61	0	30000	458.0645161	13741.47256	30000	0	0	30000	41.0625	2004
12.02.2020 14:56:55	1	1	1	1	103.5	61	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.6875	2004
12.02.2020 14:56:56	1	1	1	1	103.5	60.5	0	30000	464.516129	13935.53122	30000	0	0	30000	41	2004
12.02.2020 14:56:57	1	1	1	1	103.5	61	0	30000	468.8172043	13999.94564	30000	0	0	30000	40.9375	2004
12.02.2020 14:56:58	1	1	1	1	103.5	60.75	0	30000	466.6666667	13999.94564	30000	0	0	30000	41.0625	2004
12.02.2020 14:56:59	1	1	1	1	103.5	61	0	30000	481.7204301	14451.662	30000	0	0	30000	41.0625	2004
12.02.2020 14:57:00	1	1	1	1	102.8	61	0	30000	481.7204301	14474.49243	30000	0	0	30000	41.125	2004
12.02.2020 14:57:01	1	1	1	1	102.8	61	0	30000	464.516129	13805.88699	30000	0	0	30000	40.875	2004
12.02.2020 14:57:02	1	1	1	1	102.8	60.75	0	29952.607	458.0645161	13805.88699	30000	0	0	30000	41.125	2004
12.02.2020 14:57:03	1	1	1	1	102.8	61	0	30000	464.516129	13720.27288	30000	0	0	30000	40.625	2004
12.02.2020 14:57:04	1	1	1	1	102.8	60.5	0	30000	464.516129	13935.53122	30000	0	0	30000	40.875	2004
12.02.2020 14:57:05	1	1	1	1	102.8	60.75	0	30000	464.516129	13935.53122	30000	0	0	30000	40.6875	2004
12.02.2020 14:57:06	1	1	1	1	102.8	60.5	0	30000	464.516129	13935.53122	30000	0	0	30000	40.375	2004
12.02.2020 14:57:07	1	1	1	1	102.8	60.25	0	30000	460.2150538	13805.88699	30000	0	0	30000	41.0625	2004
12.02.2020 14:57:08	1	1	1	1	102.8	61	0	30000	464.516129	13935.53122	30000	0	0	30000	41.125	2004
12.02.2020 14:57:09	1	1	1	1	102.8	61	0	30000	464.516129	13935.53122	30000	0	0	30000	40.625	2004
12.02.2020 14:57:10	1	1	1	1	102	60.5	0	30000	464.516129	13935.53122	30000	0	0	30000	41.0625	2004
12.02.2020 14:57:11	1	1	1	1	102	61	0	30000	464.516129	13913.51616	30000	0	0	30000	41.25	2004
12.02.2020 14:57:12	1	1	1	1	102	61.5	0	30000	464.516129	13935.53122	30000	0	0	30000	40.25	2004
12.02.2020 14:57:20	1	1	1	1	101.3	61	0	29952.607	464.516129	13935.53122	30000	0	0	30000	41.0625	2004
12.02.2020 14:57:20	1	1	1	1	101.3	61	0	29952.607	464.516129	13935.53122	30000	0	0	30000	41.0625	2004
12.02.2020 14:57:20	1	1	1	1	101.3	61	0	29952.607	464.516129	13935.53122	30000	0	0	30000	41.0625	2004
12.02.2020 14:57:20	1	1	1	1	101.3	61	0	29952.607	464.516129	13935.53122	30000	0	0	30000	41.0625	2004
12.02.2020 14:57:20	1	1	1	1	101.3	61	0	29952.607	464.516129	13935.53122	30000	0	0	30000	41.0625	2004
12.02.2020 14:57:20	1	1	1	1	101.3	61	0	29952.607	464.516129	13935.53122	30000	0	0	30000	41.0625	2004
12.02.2020 14:57:20	1	1	1	1	101.3	61	0	30000	464.516129	13935.53122	30000	0	0	30000	41.3125	2004
12.02.2020 14:57:21	1	1	1	1	101.3	61.25	0	29905.213	451.6129032	13591.44402	30000	0	0	30000	41.25	2004
12.02.2020 14:57:22	1	1	1	1	101.3	61.25	0	30000	464.516129	13935.53122	30000	0	0	30000	40.1875	2004
12.02.2020 14:57:23	1	1	1	1	101.3	60	0	30000	464.516129	14497.32286	30000	0	0	30000	40.8125	2004
12.02.2020 14:57:24	1	1	1	1	101.3	60.75	0	30000	466.6666667	13999.94564	30000	0	0	30000	41.1875	2004
12.02.2020 14:57:25	1	1	1	1	101.3	61	0	30000	481.7204301	14128.7745	30000	0	0	30000	40.8125	2004
12.02.2020 14:57:26	1	1	1	1	101.3	60.75	0	30000	460.2150538	13870.30142	30000	0	0	30000	41.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 14:57:27	1	1	1	1	101.3	61	0	30000	464.516129	13935.53122	30000	0	0	30000	41.0625	2004
12.02.2020 14:57:29	1	1	1	1	101.3	61	0	30000	481.7204301	14451.662	30000	0	0	30000	40.9375	2004
12.02.2020 14:57:30	1	1	1	1	100.3	60.75	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.75	2004
12.02.2020 14:57:31	1	1	1	1	100.3	60.75	0	30047.393	468.8172043	14064.36007	30000	0	0	30000	40.75	2004
12.02.2020 14:57:32	1	1	1	1	100.3	60.75	0	30000	481.7204301	13935.53122	30000	0	0	30000	41.0625	2004
12.02.2020 14:57:33	1	1	1	1	100.3	61	0	30000	466.6666667	13935.53122	30000	0	0	30000	41.1875	2004
12.02.2020 14:57:34	1	1	1	1	100.3	61	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.6875	2004
12.02.2020 14:57:35	1	1	1	1	100.3	60.5	0	30000	464.516129	13999.94564	30000	0	0	30000	41.25	2004
12.02.2020 14:57:36	1	1	1	1	100.3	61.25	0	30000	464.516129	13999.94564	30000	0	0	30000	41.3125	2004
12.02.2020 14:57:37	1	1	1	1	100.3	61.25	0	29952.607	466.6666667	14128.7745	30000	0	0	30000	40.8125	2004
12.02.2020 14:57:38	1	1	1	1	100.3	60.75	0	29952.607	481.7204301	14451.662	30000	0	0	30000	40.5	2004
12.02.2020 14:57:39	1	1	1	1	100.3	60.5	0	30000	464.516129	13935.53122	30000	0	0	30000	40.6875	2004
12.02.2020 14:57:40	1	1	1	1	99.5	60.5	0	30000	451.6129032	13483.81486	30000	0	0	30000	40.25	2004
12.02.2020 14:57:41	1	1	1	1	99.5	60.25	0	30000	460.2150538	13741.47256	30000	0	0	30000	41.1875	2004
12.02.2020 14:57:42	1	1	1	1	99.5	61	0	30000	464.516129	13935.53122	30000	0	0	30000	40.5625	2004
12.02.2020 14:57:43	1	1	1	1	99.5	60.5	0	30000	481.7204301	14128.7745	30000	0	0	30000	41.0625	2004
12.02.2020 14:57:44	1	1	1	1	99.5	61	0	30000	481.7204301	14451.662	30000	0	0	30000	41.1875	2004
12.02.2020 14:57:45	1	1	1	1	99.5	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.8125	2004
12.02.2020 14:57:46	1	1	1	1	99.5	60.75	0	30000	453.7634409	13333.78632	30000	0	0	30000	40.6875	2004
12.02.2020 14:57:47	1	1	1	1	99.5	60.5	0	30000	451.6129032	13483.81486	30000	0	0	30000	41.3125	2004
12.02.2020 14:57:48	1	1	1	1	99.5	61.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.5625	2004
12.02.2020 14:57:49	1	1	1	1	99.5	61.5	0	30000	449.4623656	13354.17063	30000	0	0	30000	40.875	2004
12.02.2020 14:57:50	1	1	1	1	98.75	61.5	0	29952.607	438.7096774	12926.10007	30000	0	0	30000	41	2004
12.02.2020 14:57:51	1	1	1	1	98.75	61	0	30000	438.7096774	13160.92735	30000	0	0	30000	40.8125	2004
12.02.2020 14:57:52	1	1	1	1	98.75	60.75	0	29952.607	451.6129032	13612.64371	30000	0	0	30000	41	2004
12.02.2020 14:57:53	1	1	1	1	98.75	61	0	29952.607	449.4623656	13612.64371	30000	0	0	30000	41.1875	2004
12.02.2020 14:57:54	1	1	1	1	98.75	61	0	30000	453.7634409	13612.64371	30000	0	0	30000	40.75	2004
12.02.2020 14:57:55	1	1	1	1	98.75	60.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	41.25	2004
12.02.2020 14:57:56	1	1	1	1	98.75	61.25	0	30000	460.2150538	13935.53122	30000	0	0	30000	41.125	2004
12.02.2020 14:57:57	1	1	1	1	98.75	61	0	30000	458.0645161	13741.47256	30000	0	0	30000	40.625	2004
12.02.2020 14:57:58	1	1	1	1	98.75	60.5	0	30000	453.7634409	13354.17063	30000	0	0	30000	41.0625	2004
12.02.2020 14:57:59	1	1	1	1	98	61	0	30000	460.2150538	13805.88699	30000	0	0	30000	41.25	2004
12.02.2020 14:58:00	1	1	1	1	98	61.25	0	30000	453.7634409	13612.64371	30000	0	0	30000	41	2004
12.02.2020 14:58:01	1	1	1	1	98	61	0	30000	451.6129032	13612.64371	30000	0	0	30000	40.9375	2004
12.02.2020 14:58:02	1	1	1	1	98	60.75	0	30000	458.0645161	13935.53122	30000	0	0	30000	40.9375	2004
12.02.2020 14:58:03	1	1	1	1	98	60.75	0	30000	464.516129	13935.53122	30000	0	0	30000	40.75	2004
12.02.2020 14:58:04	1	1	1	1	98	60.75	0	30000	464.516129	13935.53122	30000	0	0	30000	41.125	2004
12.02.2020 14:58:05	1	1	1	1	98	61	0	30000	458.0645161	13612.64371	30000	0	0	30000	40.9375	2004
12.02.2020 14:58:06	1	1	1	1	98	60.75	0	30000	468.8172043	14064.36007	30000	0	0	30000	41.0625	2004
12.02.2020 14:58:08	1	1	1	1	98	61	0	30000	460.2150538	13805.88699	30000	0	0	30000	40.0625	2004
12.02.2020 14:58:09	1	1	1	1	98	60	0	30000	460.2150538	13741.47256	30000	0	0	30000	40	2004
12.02.2020 14:58:10	1	1	1	1	97.25	60	0	30000	464.516129	13935.53122	30000	0	0	30000	40.75	2004
12.02.2020 14:58:11	1	1	1	1	97.25	60.75	0	29952.607	466.6666667	13999.94564	30000	0	0	30000	41	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 14:58:12	1	1	1	1	97.25	61	0	29952.607	464.516129	13977.93058	30000	0	0	30000	40.9375	2004
12.02.2020 14:58:13	1	1	1	1	97.25	60.75	0	30000	464.516129	13999.94564	30000	0	0	30000	40.8125	2004
12.02.2020 14:58:14	1	1	1	1	97.25	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40	2004
12.02.2020 14:58:22	1	1	1	1	96.5	61.25	0	29905.213	464.516129	13935.53122	30000	0	0	30000	41.125	2004
12.02.2020 14:58:22	1	1	1	1	96.5	61.25	0	29905.213	464.516129	13935.53122	30000	0	0	30000	41.125	2004
12.02.2020 14:58:22	1	1	1	1	96.5	61.25	0	29905.213	464.516129	13935.53122	30000	0	0	30000	41.125	2004
12.02.2020 14:58:22	1	1	1	1	96.5	61.25	0	29905.213	464.516129	13935.53122	30000	0	0	30000	41.125	2004
12.02.2020 14:58:22	1	1	1	1	96.5	61.25	0	29905.213	464.516129	13935.53122	30000	0	0	30000	41.125	2004
12.02.2020 14:58:22	1	1	1	1	96.5	61.25	0	29905.213	464.516129	13935.53122	30000	0	0	30000	41.125	2004
12.02.2020 14:58:22	1	1	1	1	96.5	61	0	30000	455.9139785	13741.47256	30000	0	0	30000	41.0625	2004
12.02.2020 14:58:23	1	1	1	1	96.5	61	0	29952.607	455.9139785	13935.53122	30000	0	0	30000	40.0625	2004
12.02.2020 14:58:24	1	1	1	1	96.5	60	0	30000	458.0645161	13741.47256	30000	0	0	30000	40.875	2004
12.02.2020 14:58:25	1	1	1	1	96.5	60.75	0	30000	460.2150538	13741.47256	30000	0	0	30000	41.625	2004
12.02.2020 14:58:26	1	1	1	1	96.5	61.5	0	30000	464.516129	13935.53122	30000	0	0	30000	40.9375	2004
12.02.2020 14:58:27	1	1	1	1	96.5	60.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	41.0625	2004
12.02.2020 14:58:28	1	1	1	1	96.5	61	0	29905.213	445.1612903	13354.17063	30000	0	0	30000	41.5	2004
12.02.2020 14:58:29	1	1	1	1	96.5	61.5	0	30000	455.9139785	13741.47256	30000	0	0	30000	41.3125	2004
12.02.2020 14:58:30	1	1	1	1	96.25	61.25	0	30000	453.7634409	13612.64371	30000	0	0	30000	41.125	2004
12.02.2020 14:58:31	1	1	1	1	96.25	61	0	30000	455.9139785	13741.47256	30000	0	0	30000	41.4375	2004
12.02.2020 14:58:32	1	1	1	1	96.25	61.25	0	30000	455.9139785	13677.05814	30000	0	0	30000	41.1875	2004
12.02.2020 14:58:33	1	1	1	1	96.25	61	0	30000	460.2150538	13741.47256	30000	0	0	30000	41.1875	2004
12.02.2020 14:58:34	1	1	1	1	96.25	61	0	30000	453.7634409	13612.64371	30000	0	0	30000	40.9375	2004
12.02.2020 14:58:35	1	1	1	1	96.25	60.75	0	30000	458.0645161	13741.47256	30000	0	0	30000	41.125	2004
12.02.2020 14:58:36	1	1	1	1	96.25	61	0	30000	460.2150538	13805.88699	30000	0	0	30000	39.5	2004
12.02.2020 14:58:37	1	1	1	1	96.25	59.5	0	30000	453.7634409	13677.05814	30000	0	0	30000	41.375	2004
12.02.2020 14:58:38	1	1	1	1	96.25	61.25	0	29905.213	460.2150538	13935.53122	30000	0	0	30000	40.75	2004
12.02.2020 14:58:39	1	1	1	1	95.25	60.75	0	29905.213	451.6129032	13354.17063	30000	0	0	30000	40.5625	2004
12.02.2020 14:58:40	1	1	1	1	95.25	60.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.0625	2004
12.02.2020 14:58:41	1	1	1	1	95.25	61	0	30000	449.4623656	13483.81486	30000	0	0	30000	41.125	2004
12.02.2020 14:58:42	1	1	1	1	95.25	61	0	30000	464.516129	13935.53122	30000	0	0	30000	41.125	2004
12.02.2020 14:58:43	1	1	1	1	95.25	61	0	30000	464.516129	13999.94564	30000	0	0	30000	41.4375	2004
12.02.2020 14:58:44	1	1	1	1	95.25	61.25	0	30000	464.516129	13935.53122	30000	0	0	30000	40.5	2004
12.02.2020 14:58:45	1	1	1	1	95.25	60.5	0	29952.607	445.1612903	13354.17063	30000	0	0	30000	41	2004
12.02.2020 14:58:47	1	1	1	1	95.25	61	0	30047.393	460.2150538	13957.54627	30000	0	0	30000	41.1875	2004
12.02.2020 14:58:48	1	1	1	1	95.25	61	0	30000	445.1612903	13248.17221	30000	0	0	30000	40	2004
12.02.2020 14:58:49	1	1	1	1	95.25	60	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.4375	2004
12.02.2020 14:58:50	1	1	1	1	94.75	60.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.75	2004
12.02.2020 14:58:51	1	1	1	1	94.75	60.75	0	30000	451.6129032	13354.17063	30000	0	0	30000	41.0625	2004
12.02.2020 14:58:52	1	1	1	1	94.75	61	0	30000	451.6129032	13354.17063	30000	0	0	30000	39.9375	2004
12.02.2020 14:58:53	1	1	1	1	94.75	59.75	0	30000	466.6666667	13935.53122	30000	0	0	30000	41.1875	2004
12.02.2020 14:58:54	1	1	1	1	94.75	61	0	30000	464.516129	13870.30142	30000	0	0	30000	40.625	2004
12.02.2020 14:58:55	1	1	1	1	94.75	60.5	0	30000	453.7634409	13935.53122	30000	0	0	30000	41.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 14:58:56	1	1	1	1	94.75	61	0	30000	453.7634409	13612.64371	30000	0	0	30000	40.6875	2004
12.02.2020 14:58:57	1	1	1	1	94.75	60.5	0	30000	451.6129032	13612.64371	30000	0	0	30000	41.3125	2004
12.02.2020 14:58:58	1	1	1	1	94.75	61.25	0	30000	460.2150538	13805.88699	30000	0	0	30000	41.125	2004
12.02.2020 14:58:59	1	1	1	1	94.75	61	0	30000	438.7096774	13160.92735	30000	0	0	30000	41.0625	2004
12.02.2020 14:59:00	1	1	1	1	94	61	0	30000	440.8602151	13289.7562	30000	0	0	30000	41.25	2004
12.02.2020 14:59:01	1	1	1	1	94	61.25	0	30000	449.4623656	13354.17063	30000	0	0	30000	41.1875	2004
12.02.2020 14:59:02	1	1	1	1	94	61	0	29905.213	458.0645161	13741.47256	30000	0	0	30000	41.125	2004
12.02.2020 14:59:03	1	1	1	1	94	61	0	30000	458.0645161	13741.47256	30000	0	0	30000	40.8125	2004
12.02.2020 14:59:04	1	1	1	1	94	60.75	0	30000	464.516129	13935.53122	30000	0	0	30000	41.1875	2004
12.02.2020 14:59:05	1	1	1	1	94	61	0	30000	464.516129	13805.88699	30000	0	0	30000	41.125	2004
12.02.2020 14:59:06	1	1	1	1	94	61	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.4375	2004
12.02.2020 14:59:07	1	1	1	1	94	60.25	0	30000	453.7634409	13591.44402	30000	0	0	30000	40.9375	2004
12.02.2020 14:59:08	1	1	1	1	94	60.75	0	30000	453.7634409	13677.05814	30000	0	0	30000	41.1875	2004
12.02.2020 14:59:09	1	1	1	1	94	61	0	30000	458.0645161	13741.47256	30000	0	0	30000	41.1875	2004
12.02.2020 14:59:10	1	1	1	1	93.25	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.1875	2004
12.02.2020 14:59:11	1	1	1	1	93.25	61	0	30000	445.1612903	13483.81486	30000	0	0	30000	41.3125	2004
12.02.2020 14:59:12	1	1	1	1	93.25	61.25	0	30000	453.7634409	13612.64371	30000	0	0	30000	41.3125	2004
12.02.2020 14:59:13	1	1	1	1	93.25	61.25	0	29952.607	449.4623656	13312.58663	30000	0	0	30000	41	2004
12.02.2020 14:59:14	1	1	1	1	93.25	61	0	30000	460.2150538	13805.88699	30000	0	0	30000	41.25	2004
12.02.2020 14:59:15	1	1	1	1	93.25	61.25	0	30000	453.7634409	13333.78632	30000	0	0	30000	39.9375	2004
12.02.2020 14:59:23	1	1	1	1	92.75	61	0	30000	455.9139785	13569.42897	30000	0	0	30000	41.125	2004
12.02.2020 14:59:23	1	1	1	1	92.75	61	0	30000	455.9139785	13569.42897	30000	0	0	30000	41.125	2004
12.02.2020 14:59:23	1	1	1	1	92.75	61	0	30000	455.9139785	13569.42897	30000	0	0	30000	41.125	2004
12.02.2020 14:59:23	1	1	1	1	92.75	61	0	30000	455.9139785	13569.42897	30000	0	0	30000	41.125	2004
12.02.2020 14:59:23	1	1	1	1	92.75	61	0	30000	455.9139785	13569.42897	30000	0	0	30000	41.125	2004
12.02.2020 14:59:23	1	1	1	1	92.75	61	0	30000	455.9139785	13569.42897	30000	0	0	30000	41.125	2004
12.02.2020 14:59:23	1	1	1	1	92.75	61	0	30000	455.9139785	13569.42897	30000	0	0	30000	41.125	2004
12.02.2020 14:59:23	1	1	1	1	92.75	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.25	2004
12.02.2020 14:59:24	1	1	1	1	92.75	61.25	0	30000	443.0107527	13289.7562	30000	0	0	30000	40.875	2004
12.02.2020 14:59:26	1	1	1	1	92.75	60.75	0	30000	443.0107527	13269.37189	30000	0	0	30000	40.625	2004
12.02.2020 14:59:27	1	1	1	1	92.75	60.5	0	30000	443.0107527	13289.7562	30000	0	0	30000	40.6875	2004
12.02.2020 14:59:28	1	1	1	1	92.75	60.5	0	30000	449.4623656	13354.17063	30000	0	0	30000	40	2004
12.02.2020 14:59:29	1	1	1	1	92.75	60	0	29905.213	445.1612903	13591.44402	30000	0	0	30000	41.375	2004
12.02.2020 14:59:30	1	1	1	1	92	61.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.0625	2004
12.02.2020 14:59:31	1	1	1	1	92	61	0	30000	453.7634409	13612.64371	30000	0	0	30000	40.9375	2004
12.02.2020 14:59:32	1	1	1	1	92	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.0625	2004
12.02.2020 14:59:33	1	1	1	1	92	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.8125	2004
12.02.2020 14:59:34	1	1	1	1	92	60.75	0	30000	445.1612903	13333.78632	30000	0	0	30000	41.0625	2004
12.02.2020 14:59:35	1	1	1	1	92	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.125	2004
12.02.2020 14:59:36	1	1	1	1	92	61	0	30000	445.1612903	13483.81486	30000	0	0	30000	40.9375	2004
12.02.2020 14:59:37	1	1	1	1	92	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.625	2004
12.02.2020 14:59:38	1	1	1	1	92	60.5	0	30094.787	453.7634409	13354.17063	30000	0	0	30000	40.4375	2004
12.02.2020 14:59:39	1	1	1	1	92	60.25	0	30000	445.1612903	13333.78632	30000	0	0	30000	41.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 14:59:40	1	1	1	1	91.5	61.25	0	30000	455.9139785	13612.64371	30000	0	0	30000	41	2004
12.02.2020 14:59:41	1	1	1	1	91.5	61	0	30000	453.7634409	13677.05814	30000	0	0	30000	40.75	2004
12.02.2020 14:59:42	1	1	1	1	91.5	60.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	40.0625	2004
12.02.2020 14:59:43	1	1	1	1	91.5	60	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.9375	2004
12.02.2020 14:59:44	1	1	1	1	91.5	60.75	0	30000	453.7634409	13699.07319	30000	0	0	30000	41.5625	2004
12.02.2020 14:59:45	1	1	1	1	91.5	61.5	0	30000	466.6666667	13935.53122	30000	0	0	30000	41.1875	2004
12.02.2020 14:59:46	1	1	1	1	91.5	61	0	30000	464.516129	13935.53122	30000	0	0	30000	40.1875	2004
12.02.2020 14:59:47	1	1	1	1	91.5	60	0	30000	453.7634409	13612.64371	30000	0	0	30000	40.625	2004
12.02.2020 14:59:48	1	1	1	1	91.5	61	0	30000	460.2150538	13805.88699	30000	0	0	30000	41.1875	2004
12.02.2020 14:59:49	1	1	1	1	90.75	61	0	29905.213	445.1612903	13354.17063	30000	0	0	30000	41.1875	2004
12.02.2020 14:59:50	1	1	1	1	90.75	61	0	30000	445.1612903	13548.22928	30000	0	0	30000	41.3125	2004
12.02.2020 14:59:51	1	1	1	1	90.75	61.25	0	30000	451.6129032	13633.84339	30000	0	0	30000	41	2004
12.02.2020 14:59:52	1	1	1	1	90.75	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.4375	2004
12.02.2020 14:59:53	1	1	1	1	90.75	60.25	0	30000	453.7634409	13612.64371	30000	0	0	30000	41.25	2004
12.02.2020 14:59:54	1	1	1	1	90.75	61.25	0	30000	449.4623656	13354.17063	30000	0	0	30000	40.5	2004
12.02.2020 14:59:55	1	1	1	1	90.75	60.5	0	29952.607	445.1612903	13483.81486	30000	0	0	30000	40.25	2004
12.02.2020 14:59:56	1	1	1	1	90.75	60.25	0	30000	453.7634409	13312.58663	30000	0	0	30000	41.1875	2004
12.02.2020 14:59:57	1	1	1	1	90.75	61	0	30000	458.0645161	13677.05814	30000	0	0	30000	40.875	2004
12.02.2020 14:59:58	1	1	1	1	90.75	60.75	0	30000	458.0645161	13677.05814	30000	0	0	30000	40.3125	2004
12.02.2020 14:59:59	1	1	1	1	90	60.25	0	30000	453.7634409	13612.64371	30000	0	0	30000	41.1875	2004
12.02.2020 15:00:00	1	1	1	1	90	61	0	30000	445.1612903	13633.84339	30000	0	0	30000	41.25	2004
12.02.2020 15:00:02	1	1	1	1	90	61.25	0	30000	458.0645161	13805.88699	30000	0	0	30000	40.75	2004
12.02.2020 15:00:03	1	1	1	1	90	60.75	0	30000	460.2150538	13720.27288	30000	0	0	30000	41.0625	2004
12.02.2020 15:00:04	1	1	1	1	90	61	0	30000	453.7634409	13612.64371	30000	0	0	30000	41.375	2004
12.02.2020 15:00:05	1	1	1	1	90	61.25	0	30000	453.7634409	13612.64371	30000	0	0	30000	41	2004
12.02.2020 15:00:06	1	1	1	1	90	61	0	29952.607	445.1612903	13483.81486	30000	0	0	30000	41.125	2004
12.02.2020 15:00:07	1	1	1	1	90	61	0	30000	455.9139785	13805.88699	30000	0	0	30000	40.3125	2004
12.02.2020 15:00:08	1	1	1	1	90	60.25	0	30000	460.2150538	13805.88699	30000	0	0	30000	41.1875	2004
12.02.2020 15:00:09	1	1	1	1	90	61	0	30000	460.2150538	13870.30142	30000	0	0	30000	40.9375	2004
12.02.2020 15:00:10	1	1	1	1	89.5	60.75	0	30000	453.7634409	13591.44402	30000	0	0	30000	40.3125	2004
12.02.2020 15:00:11	1	1	1	1	89.5	60.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.6875	2004
12.02.2020 15:00:12	1	1	1	1	89.5	60.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.625	2004
12.02.2020 15:00:13	1	1	1	1	89.5	60.5	0	30000	451.6129032	13612.64371	30000	0	0	30000	40.75	2004
12.02.2020 15:00:14	1	1	1	1	89.5	60.75	0	30000	443.0107527	13204.95746	30000	0	0	30000	41.1875	2004
12.02.2020 15:00:15	1	1	1	1	89.5	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.25	2004
12.02.2020 15:00:16	1	1	1	1	89.5	61.25	0	30000	443.0107527	13354.17063	30000	0	0	30000	40.875	2004
12.02.2020 15:00:17	1	1	1	1	89.5	60.75	0	30000	445.1612903	13119.34335	30000	0	0	30000	40.8125	2004
12.02.2020 15:00:25	1	1	1	1	89	61	0	30000	453.7634409	13612.64371	30000	0	0	30000	40.25	2004
12.02.2020 15:00:25	1	1	1	1	89	61	0	30000	453.7634409	13612.64371	30000	0	0	30000	40.25	2004
12.02.2020 15:00:25	1	1	1	1	89	61	0	30000	453.7634409	13612.64371	30000	0	0	30000	40.25	2004
12.02.2020 15:00:25	1	1	1	1	89	61	0	30000	453.7634409	13612.64371	30000	0	0	30000	40.25	2004
12.02.2020 15:00:25	1	1	1	1	89	61	0	30000	453.7634409	13612.64371	30000	0	0	30000	40.25	2004
12.02.2020 15:00:25	1	1	1	1	89	61	0	30000	453.7634409	13612.64371	30000	0	0	30000	40.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 15:00:25	1	1	1	1	89	61	0	30000	453.7634409	13612.64371	30000	0	0	30000	40.25	2004
12.02.2020 15:00:25	1	1	1	1	89	60.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.9375	2004
12.02.2020 15:00:26	1	1	1	1	89	60.25	0	30000	443.0107527	13289.7562	30000	0	0	30000	41.1875	2004
12.02.2020 15:00:27	1	1	1	1	89	61	0	30000	443.0107527	13289.7562	30000	0	0	30000	40.25	2004
12.02.2020 15:00:28	1	1	1	1	89	60.25	0	30000	436.5591398	13160.92735	30000	0	0	30000	40.6875	2004
12.02.2020 15:00:29	1	1	1	1	88.5	60.5	0	30000	438.7096774	13160.92735	30000	0	0	30000	41.25	2004
12.02.2020 15:00:30	1	1	1	1	88.5	61.25	0	30000	440.8602151	13289.7562	30000	0	0	30000	40.625	2004
12.02.2020 15:00:31	1	1	1	1	88.5	60.5	0	30000	443.0107527	13225.34178	30000	0	0	30000	40.625	2004
12.02.2020 15:00:32	1	1	1	1	88.5	60.5	0	30000	445.1612903	13633.84339	30000	0	0	30000	40.9375	2004
12.02.2020 15:00:33	1	1	1	1	88.5	60.75	0	30000	445.1612903	13289.7562	30000	0	0	30000	41.125	2004
12.02.2020 15:00:34	1	1	1	1	88.5	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.125	2004
12.02.2020 15:00:35	1	1	1	1	88.5	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.9375	2004
12.02.2020 15:00:36	1	1	1	1	88.5	60.75	0	30000	434.4086022	13032.0985	30000	0	0	30000	41.0625	2004
12.02.2020 15:00:37	1	1	1	1	88.5	61	0	30000	443.0107527	13354.17063	30000	0	0	30000	41.25	2004
12.02.2020 15:00:38	1	1	1	1	88.5	61.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.125	2004
12.02.2020 15:00:39	1	1	1	1	88	61	0	30000	445.1612903	13375.37032	30000	0	0	30000	41.125	2004
12.02.2020 15:00:40	1	1	1	1	88	61	0	30000	453.7634409	13612.64371	30000	0	0	30000	40.6875	2004
12.02.2020 15:00:42	1	1	1	1	88	60.5	0	29952.607	445.1612903	13354.17063	30000	0	0	30000	40.875	2004
12.02.2020 15:00:43	1	1	1	1	88	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	41	2004
12.02.2020 15:00:44	1	1	1	1	88	61	0	29952.607	438.7096774	13160.92735	30000	0	0	30000	40.375	2004
12.02.2020 15:00:45	1	1	1	1	88	60.25	0	30000	438.7096774	13160.92735	30000	0	0	30000	40.8125	2004
12.02.2020 15:00:46	1	1	1	1	88	60.75	0	29905.213	443.0107527	13354.17063	30000	0	0	30000	40.875	2004
12.02.2020 15:00:47	1	1	1	1	88	60.75	0	30000	443.0107527	13354.17063	30000	0	0	30000	40.5625	2004
12.02.2020 15:00:48	1	1	1	1	88	60.5	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.875	2004
12.02.2020 15:00:49	1	1	1	1	88	60.75	0	30047.393	458.0645161	13677.05814	30000	0	0	30000	41.25	2004
12.02.2020 15:00:50	1	1	1	1	87.25	61.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	40.8125	2004
12.02.2020 15:00:51	1	1	1	1	87.25	60.75	0	30000	451.6129032	13612.64371	30000	0	0	30000	41.25	2004
12.02.2020 15:00:52	1	1	1	1	87.25	61.25	0	29952.607	445.1612903	13354.17063	30000	0	0	30000	40.9375	2004
12.02.2020 15:00:53	1	1	1	1	87.25	60.75	0	30000	453.7634409	13612.64371	30000	0	0	30000	41.3125	2004
12.02.2020 15:00:54	1	1	1	1	87.25	61.25	0	30000	451.6129032	13548.22928	30000	0	0	30000	40.8125	2004
12.02.2020 15:00:55	1	1	1	1	87.25	60.75	0	30000	440.8602151	13289.7562	30000	0	0	30000	41.3125	2004
12.02.2020 15:00:56	1	1	1	1	87.25	61.25	0	30000	451.6129032	13483.81486	30000	0	0	30000	41.125	2004
12.02.2020 15:00:57	1	1	1	1	87.25	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.125	2004
12.02.2020 15:00:58	1	1	1	1	87.25	61	0	29952.607	438.7096774	13354.17063	30000	0	0	30000	40.5	2004
12.02.2020 15:00:59	1	1	1	1	87.25	60.5	0	30000	445.1612903	13763.48762	30000	0	0	30000	41.125	2004
12.02.2020 15:01:00	1	1	1	1	87.25	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	41	2004
12.02.2020 15:01:01	1	1	1	1	87.25	61	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.1875	2004
12.02.2020 15:01:02	1	1	1	1	87.25	61	0	30000	440.8602151	13204.95746	30000	0	0	30000	41.4375	2004
12.02.2020 15:01:03	1	1	1	1	87.25	61.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.6875	2004
12.02.2020 15:01:04	1	1	1	1	87.25	61	0	30000	443.0107527	13289.7562	30000	0	0	30000	40.3125	2004
12.02.2020 15:01:05	1	1	1	1	87.25	60.25	0	30000	432.2580645	12967.68407	30000	0	0	30000	40.875	2004
12.02.2020 15:01:06	1	1	1	1	87.25	60.75	0	30000	443.0107527	13354.17063	30000	0	0	30000	41.1875	2004
12.02.2020 15:01:07	1	1	1	1	87.25	61	0	30000	443.0107527	13333.78632	30000	0	0	30000	40.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 15:01:08	1	1	1	1	87.25	60.75	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.0625	2004
12.02.2020 15:01:09	1	1	1	1	87	61	0	30000	427.9569892	12967.68407	30000	0	0	30000	40.5	2004
12.02.2020 15:01:10	1	1	1	1	87	60.5	0	30000	438.7096774	13160.92735	30000	0	0	30000	40.75	2004
12.02.2020 15:01:11	1	1	1	1	87	60.75	0	30000	443.0107527	13225.34178	30000	0	0	30000	40.9375	2004
12.02.2020 15:01:12	1	1	1	1	87	60.75	0	30000	438.7096774	13096.51292	30000	0	0	30000	40.9375	2004
12.02.2020 15:01:13	1	1	1	1	87	60.75	0	29905.213	438.7096774	13096.51292	30000	0	0	30000	41.3125	2004
12.02.2020 15:01:14	1	1	1	1	87	61.25	0	29905.213	427.9569892	13160.92735	30000	0	0	30000	41.25	2004
12.02.2020 15:01:15	1	1	1	1	87	61.25	0	30000	425.8064516	12773.62542	30000	0	0	30000	40.6875	2004
12.02.2020 15:01:16	1	1	1	1	87	60.5	0	29952.607	425.8064516	12838.03984	30000	0	0	30000	40.6875	2004
12.02.2020 15:01:17	1	1	1	1	87	60.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.125	2004
12.02.2020 15:01:18	1	1	1	1	87	61	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.0625	2004
12.02.2020 15:01:26	1	1	1	1	86.5	61	0	30000	438.7096774	13096.51292	30000	0	0	30000	40.75	2004
12.02.2020 15:01:26	1	1	1	1	86.5	61	0	30000	438.7096774	13096.51292	30000	0	0	30000	40.75	2004
12.02.2020 15:01:26	1	1	1	1	86.5	61	0	30000	438.7096774	13096.51292	30000	0	0	30000	40.75	2004
12.02.2020 15:01:26	1	1	1	1	86.5	61	0	30000	438.7096774	13096.51292	30000	0	0	30000	40.75	2004
12.02.2020 15:01:26	1	1	1	1	86.5	61	0	30000	438.7096774	13096.51292	30000	0	0	30000	40.75	2004
12.02.2020 15:01:26	1	1	1	1	86.5	61	0	30000	438.7096774	13096.51292	30000	0	0	30000	40.75	2004
12.02.2020 15:01:26	1	1	1	1	86.5	61	0	30000	438.7096774	13096.51292	30000	0	0	30000	40.75	2004
12.02.2020 15:01:26	1	1	1	1	86.5	61	0	30000	438.7096774	13096.51292	30000	0	0	30000	40.75	2004
12.02.2020 15:01:27	1	1	1	1	86.5	60.75	0	29952.607	438.7096774	13289.7562	30000	0	0	30000	41.1875	2004
12.02.2020 15:01:28	1	1	1	1	86.5	61	0	30000	432.2580645	12838.03984	30000	0	0	30000	41.3125	2004
12.02.2020 15:01:29	1	1	1	1	86.5	61.25	0	30047.393	438.7096774	13096.51292	30000	0	0	30000	40.625	2004
12.02.2020 15:01:30	1	1	1	1	86	60.5	0	29952.607	419.3548387	12709.21099	30000	0	0	30000	40.875	2004
12.02.2020 15:01:31	1	1	1	1	86	60.75	0	30000	423.655914	12709.21099	30000	0	0	30000	40.5625	2004
12.02.2020 15:01:32	1	1	1	1	86	60.5	0	29952.607	425.8064516	12838.03984	30000	0	0	30000	41.375	2004
12.02.2020 15:01:33	1	1	1	1	86	61.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	41.0625	2004
12.02.2020 15:01:34	1	1	1	1	86	61	0	29952.607	427.9569892	12838.03984	30000	0	0	30000	41.0625	2004
12.02.2020 15:01:35	1	1	1	1	86	61	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.25	2004
12.02.2020 15:01:36	1	1	1	1	86	61.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	41.25	2004
12.02.2020 15:01:37	1	1	1	1	86	61.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	40.8125	2004
12.02.2020 15:01:38	1	1	1	1	86	60.75	0	29952.607	427.9569892	12838.03984	30000	0	0	30000	41.0625	2004
12.02.2020 15:01:39	1	1	1	1	86	61	0	30000	419.3548387	12580.38214	30000	0	0	30000	41.25	2004
12.02.2020 15:01:40	1	1	1	1	85.5	61.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	40.4375	2004
12.02.2020 15:01:41	1	1	1	1	85.5	60.25	0	30000	423.655914	12773.62542	30000	0	0	30000	41.25	2004
12.02.2020 15:01:42	1	1	1	1	85.5	61.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	41.375	2004
12.02.2020 15:01:43	1	1	1	1	85.5	61.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	41	2004
12.02.2020 15:01:44	1	1	1	1	85.5	61	0	30000	412.9032258	12387.13886	30000	0	0	30000	40.4375	2004
12.02.2020 15:01:45	1	1	1	1	85.5	60.25	0	29952.607	419.3548387	12580.38214	30000	0	0	30000	41.1875	2004
12.02.2020 15:01:46	1	1	1	1	85.5	61	0	30000	419.3548387	12580.38214	30000	0	0	30000	40.3125	2004
12.02.2020 15:01:47	1	1	1	1	85.5	60.25	0	30000	419.3548387	12515.96771	30000	0	0	30000	41.125	2004
12.02.2020 15:01:48	1	1	1	1	85.5	61	0	29952.607	425.8064516	12838.03984	30000	0	0	30000	40.5625	2004
12.02.2020 15:01:49	1	1	1	1	85.25	60.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	40.375	2004
12.02.2020 15:01:50	1	1	1	1	85.25	60.25	0	30000	425.8064516	12773.62542	30000	0	0	30000	41.25	2004
12.02.2020 15:01:51	1	1	1	1	85.25	61.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	41.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 15:01:52	1	1	1	1	85.25	61	0	30000	427.9569892	12838.03984	30000	0	0	30000	40.8125	2004
12.02.2020 15:01:53	1	1	1	1	85.25	60.75	0	30000	419.3548387	12773.62542	30000	0	0	30000	40.8125	2004
12.02.2020 15:01:54	1	1	1	1	85.25	60.75	0	30000	438.7096774	13160.92735	30000	0	0	30000	41.1875	2004
12.02.2020 15:01:55	1	1	1	1	85.25	61	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.1875	2004
12.02.2020 15:01:57	1	1	1	1	85.25	61	0	30000	425.8064516	12773.62542	30000	0	0	30000	40.6875	2004
12.02.2020 15:01:58	1	1	1	1	85.25	60.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	41	2004
12.02.2020 15:01:59	1	1	1	1	85.25	61	0	30047.393	427.9569892	12838.03984	30000	0	0	30000	41.1875	2004
12.02.2020 15:02:00	1	1	1	1	85	61	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.25	2004
12.02.2020 15:02:01	1	1	1	1	85	61.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	40.4375	2004
12.02.2020 15:02:02	1	1	1	1	85	60.25	0	30000	425.8064516	12709.21099	30000	0	0	30000	41	2004
12.02.2020 15:02:03	1	1	1	1	85	61	0	30000	427.9569892	12838.03984	30000	0	0	30000	41	2004
12.02.2020 15:02:04	1	1	1	1	85	61	0	30047.393	423.655914	12709.21099	30000	0	0	30000	41.0625	2004
12.02.2020 15:02:05	1	1	1	1	85	61	0	29952.607	419.3548387	12689.64205	30000	0	0	30000	40.75	2004
12.02.2020 15:02:06	1	1	1	1	85	60.75	0	29952.607	415.0537634	12451.55328	30000	0	0	30000	40.9375	2004
12.02.2020 15:02:07	1	1	1	1	85	60.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	41.1875	2004
12.02.2020 15:02:08	1	1	1	1	85	61	0	30000	419.3548387	12580.38214	30000	0	0	30000	41.0625	2004
12.02.2020 15:02:09	1	1	1	1	85	61	0	29952.607	419.3548387	12580.38214	30000	0	0	30000	41.0625	2004
12.02.2020 15:02:10	1	1	1	1	84.25	61	0	30000	419.3548387	12580.38214	30000	0	0	30000	41	2004
12.02.2020 15:02:11	1	1	1	1	84.25	61	0	30000	427.9569892	12838.03984	30000	0	0	30000	40.5	2004
12.02.2020 15:02:12	1	1	1	1	84.25	60.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	41.3125	2004
12.02.2020 15:02:13	1	1	1	1	84.25	61.25	0	30000	415.0537634	12348.00098	30000	0	0	30000	41.25	2004
12.02.2020 15:02:14	1	1	1	1	84.25	61.25	0	30000	425.8064516	12773.62542	30000	0	0	30000	41.1875	2004
12.02.2020 15:02:15	1	1	1	1	84.25	61	0	30000	421.5053763	12580.38214	30000	0	0	30000	40.75	2004
12.02.2020 15:02:16	1	1	1	1	84.25	60.75	0	29952.607	427.9569892	12838.03984	30000	0	0	30000	41.125	2004
12.02.2020 15:02:17	1	1	1	1	84.25	61	0	30000	434.4086022	12967.68407	30000	0	0	30000	41.375	2004
12.02.2020 15:02:18	1	1	1	1	84.25	61.25	0	30000	425.8064516	12773.62542	30000	0	0	30000	41.1875	2004
12.02.2020 15:02:19	1	1	1	1	84.25	61	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.5625	2004
12.02.2020 15:02:20	1	1	1	1	84.25	61.5	0	30000	419.3548387	12709.21099	30000	0	0	30000	40.9375	2004
12.02.2020 15:02:28	1	1	1	1	84.25	61	0	30000	432.2580645	12967.68407	30000	0	0	30000	41	2004
12.02.2020 15:02:28	1	1	1	1	84.25	61	0	30000	432.2580645	12967.68407	30000	0	0	30000	41	2004
12.02.2020 15:02:28	1	1	1	1	84.25	61	0	30000	432.2580645	12967.68407	30000	0	0	30000	41	2004
12.02.2020 15:02:28	1	1	1	1	84.25	61	0	30000	432.2580645	12967.68407	30000	0	0	30000	41	2004
12.02.2020 15:02:28	1	1	1	1	84.25	61	0	30000	432.2580645	12967.68407	30000	0	0	30000	41	2004
12.02.2020 15:02:28	1	1	1	1	84.25	61	0	30000	432.2580645	12967.68407	30000	0	0	30000	41	2004
12.02.2020 15:02:28	1	1	1	1	84.25	61	0	30000	427.9569892	12773.62542	30000	0	0	30000	40.625	2004
12.02.2020 15:02:29	1	1	1	1	83.5	60.5	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.0625	2004
12.02.2020 15:02:30	1	1	1	1	83.5	61	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.0625	2004
12.02.2020 15:02:31	1	1	1	1	83.5	61	0	30000	425.8064516	12838.03984	30000	0	0	30000	40.875	2004
12.02.2020 15:02:32	1	1	1	1	83.5	60.75	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.25	2004
12.02.2020 15:02:33	1	1	1	1	83.5	61.25	0	30047.393	427.9569892	12838.03984	30000	0	0	30000	41.0625	2004
12.02.2020 15:02:34	1	1	1	1	83.5	61	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.375	2004
12.02.2020 15:02:36	1	1	1	1	83.5	61.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	40.3125	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 15:02:37	1	1	1	1	83.5	60.25	0	29905.213	423.655914	12838.03984	30000	0	0	30000	41.25	2004
12.02.2020 15:02:38	1	1	1	1	83.5	61.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.125	2004
12.02.2020 15:02:39	1	1	1	1	83.5	61	0	30000	425.8064516	12838.03984	30000	0	0	30000	40.4375	2004
12.02.2020 15:02:40	1	1	1	1	83.25	60.25	0	30000	421.5053763	12580.38214	30000	0	0	30000	41.25	2004
12.02.2020 15:02:41	1	1	1	1	83.25	61.25	0	30000	421.5053763	12580.38214	30000	0	0	30000	40.875	2004
12.02.2020 15:02:42	1	1	1	1	83.25	60.75	0	30000	425.8064516	12838.03984	30000	0	0	30000	41.125	2004
12.02.2020 15:02:43	1	1	1	1	83.25	61	0	30000	425.8064516	12773.62542	30000	0	0	30000	41.375	2004
12.02.2020 15:02:44	1	1	1	1	83.25	61.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	41.25	2004
12.02.2020 15:02:45	1	1	1	1	83.25	61.25	0	30000	419.3548387	12709.21099	30000	0	0	30000	40.625	2004
12.02.2020 15:02:46	1	1	1	1	83.25	60.5	0	29952.607	423.655914	12709.21099	30000	0	0	30000	40.875	2004
12.02.2020 15:02:47	1	1	1	1	83.25	60.75	0	30000	425.8064516	12709.21099	30000	0	0	30000	40.75	2004
12.02.2020 15:02:48	1	1	1	1	83.25	60.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	41.1875	2004
12.02.2020 15:02:49	1	1	1	1	83.25	61	0	30000	419.3548387	12580.38214	30000	0	0	30000	41.1875	2004
12.02.2020 15:02:50	1	1	1	1	83	61	0	30000	423.655914	12580.38214	30000	0	0	30000	40.75	2004
12.02.2020 15:02:51	1	1	1	1	83	60.75	0	30000	425.8064516	12773.62542	30000	0	0	30000	41.0625	2004
12.02.2020 15:02:52	1	1	1	1	83	61	0	30000	427.9569892	12838.03984	30000	0	0	30000	40.6875	2004
12.02.2020 15:02:53	1	1	1	1	83	60.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	41.375	2004
12.02.2020 15:02:54	1	1	1	1	83	61.25	0	29952.607	412.9032258	12451.55328	30000	0	0	30000	40.5625	2004
12.02.2020 15:02:55	1	1	1	1	83	60.5	0	30000	412.9032258	12426.27674	30000	0	0	30000	41.5	2004
12.02.2020 15:02:56	1	1	1	1	83	61.5	0	30000	412.9032258	12451.55328	30000	0	0	30000	41.0625	2004
12.02.2020 15:02:57	1	1	1	1	83	61	0	30000	415.0537634	12515.96771	30000	0	0	30000	41	2004
12.02.2020 15:02:58	1	1	1	1	83	61	0	30000	425.8064516	12773.62542	30000	0	0	30000	41.1875	2004
12.02.2020 15:02:59	1	1	1	1	82.5	61	0	30094.787	419.3548387	12387.13886	30000	0	0	30000	41.0625	2004
12.02.2020 15:03:00	1	1	1	1	82.5	61	0	30000	412.9032258	12387.13886	30000	0	0	30000	40.9375	2004
12.02.2020 15:03:01	1	1	1	1	82.5	60.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.0625	2004
12.02.2020 15:03:02	1	1	1	1	82.5	61	0	29905.213	397.8494624	12387.13886	30000	0	0	30000	40.9375	2004
12.02.2020 15:03:03	1	1	1	1	82.5	60.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	40.875	2004
12.02.2020 15:03:04	1	1	1	1	82.5	60.75	0	30000	404.3010753	11871.00807	30000	0	0	30000	40.8125	2004
12.02.2020 15:03:05	1	1	1	1	82.5	60.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.1875	2004
12.02.2020 15:03:06	1	1	1	1	82.5	61	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.25	2004
12.02.2020 15:03:07	1	1	1	1	82.5	61.25	0	30000	412.9032258	12406.7078	30000	0	0	30000	41.1875	2004
12.02.2020 15:03:08	1	1	1	1	82.5	61	0	30000	404.3010753	12128.66578	30000	0	0	30000	40.125	2004
12.02.2020 15:03:09	1	1	1	1	82	60	0	30000	404.3010753	12128.66578	30000	0	0	30000	40.75	2004
12.02.2020 15:03:10	1	1	1	1	82	60.75	0	30000	412.9032258	12451.55328	30000	0	0	30000	40.625	2004
12.02.2020 15:03:11	1	1	1	1	82	60.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.25	2004
12.02.2020 15:03:12	1	1	1	1	82	61.25	0	30000	412.9032258	12193.08021	30000	0	0	30000	40.375	2004
12.02.2020 15:03:14	1	1	1	1	82	60.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.25	2004
12.02.2020 15:03:15	1	1	1	1	82	61.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	41.4375	2004
12.02.2020 15:03:16	1	1	1	1	82	61.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	40.1875	2004
12.02.2020 15:03:17	1	1	1	1	82	60	0	30000	415.0537634	12580.38214	30000	0	0	30000	41.1875	2004
12.02.2020 15:03:18	1	1	1	1	82	61	0	30000	415.0537634	12451.55328	30000	0	0	30000	40.625	2004
12.02.2020 15:03:19	1	1	1	1	82	60.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.3125	2004
12.02.2020 15:03:20	1	1	1	1	81.75	61.25	0	30047.393	419.3548387	12387.13886	30000	0	0	30000	41.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 15:03:21	1	1	1	1	81.75	61	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.3125	2004
12.02.2020 15:03:22	1	1	1	1	81.75	61.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	40.75	2004
12.02.2020 15:03:30	1	1	1	1	81.75	61.25	0	29952.607	402.1505376	12193.08021	30000	0	0	30000	40.75	2004
12.02.2020 15:03:30	1	1	1	1	81.75	61.25	0	29952.607	402.1505376	12193.08021	30000	0	0	30000	40.75	2004
12.02.2020 15:03:30	1	1	1	1	81.75	61.25	0	29952.607	402.1505376	12193.08021	30000	0	0	30000	40.75	2004
12.02.2020 15:03:30	1	1	1	1	81.75	61.25	0	29952.607	402.1505376	12193.08021	30000	0	0	30000	40.75	2004
12.02.2020 15:03:30	1	1	1	1	81.75	61.25	0	29952.607	402.1505376	12193.08021	30000	0	0	30000	40.75	2004
12.02.2020 15:03:30	1	1	1	1	81.75	61.25	0	29952.607	402.1505376	12193.08021	30000	0	0	30000	40.75	2004
12.02.2020 15:03:30	1	1	1	1	81	60.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	41.0625	2004
12.02.2020 15:03:31	1	1	1	1	81	61	0	30000	419.3548387	12599.95108	30000	0	0	30000	41.125	2004
12.02.2020 15:03:32	1	1	1	1	81	61	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	40.875	2004
12.02.2020 15:03:33	1	1	1	1	81	60.75	0	30094.787	412.9032258	12064.25135	30000	0	0	30000	40.75	2004
12.02.2020 15:03:34	1	1	1	1	81	60.75	0	30000	400	12128.66578	30000	0	0	30000	41.1875	2004
12.02.2020 15:03:35	1	1	1	1	81	61	0	30047.393	404.3010753	12128.66578	30000	0	0	30000	41.625	2004
12.02.2020 15:03:36	1	1	1	1	81	61.5	0	30000	404.3010753	11935.4225	30000	0	0	30000	41.3125	2004
12.02.2020 15:03:37	1	1	1	1	81	61	0	30000	412.9032258	12387.13886	30000	0	0	30000	40.5	2004
12.02.2020 15:03:38	1	1	1	1	81	60.5	0	30000	419.3548387	12451.55328	30000	0	0	30000	40.5625	2004
12.02.2020 15:03:39	1	1	1	1	80.75	60.5	0	30000	419.3548387	12580.38214	30000	0	0	30000	40.4375	2004
12.02.2020 15:03:40	1	1	1	1	80.75	60.25	0	29952.607	423.655914	12709.21099	30000	0	0	30000	41.1875	2004
12.02.2020 15:03:41	1	1	1	1	80.75	61	0	30000	417.2043011	12580.38214	30000	0	0	30000	41.3125	2004
12.02.2020 15:03:42	1	1	1	1	80.75	61.25	0	29905.213	415.0537634	12580.38214	30000	0	0	30000	41.0625	2004
12.02.2020 15:03:43	1	1	1	1	80.75	61	0	30000	415.0537634	12451.55328	30000	0	0	30000	40.8125	2004
12.02.2020 15:03:44	1	1	1	1	80.75	60.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	41.125	2004
12.02.2020 15:03:45	1	1	1	1	80.75	61	0	30000	412.9032258	12387.13886	30000	0	0	30000	41	2004
12.02.2020 15:03:46	1	1	1	1	80.75	61	0	30000	419.3548387	12580.38214	30000	0	0	30000	40.8125	2004
12.02.2020 15:03:47	1	1	1	1	80.75	60.75	0	29952.607	415.0537634	12451.55328	30000	0	0	30000	41.0625	2004
12.02.2020 15:03:48	1	1	1	1	80.75	61	0	30000	419.3548387	12580.38214	30000	0	0	30000	41.25	2004
12.02.2020 15:03:49	1	1	1	1	80.25	61.25	0	30000	412.9032258	12451.55328	30000	0	0	30000	40.5	2004
12.02.2020 15:03:50	1	1	1	1	80.25	60.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.0625	2004
12.02.2020 15:03:51	1	1	1	1	80.25	61	0	30047.393	412.9032258	12387.13886	30000	0	0	30000	41.0625	2004
12.02.2020 15:03:53	1	1	1	1	80.25	61	0	30000	412.9032258	12387.13886	30000	0	0	30000	41	2004
12.02.2020 15:03:54	1	1	1	1	80.25	61	0	30000	404.3010753	12387.13886	30000	0	0	30000	41.25	2004
12.02.2020 15:03:55	1	1	1	1	80.25	61.25	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	41.125	2004
12.02.2020 15:03:56	1	1	1	1	80.25	61	0	30000	415.0537634	12599.95108	30000	0	0	30000	41.125	2004
12.02.2020 15:03:57	1	1	1	1	80.25	61	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.1875	2004
12.02.2020 15:03:58	1	1	1	1	80.25	61	0	30000	412.9032258	12387.13886	30000	0	0	30000	41	2004
12.02.2020 15:03:59	1	1	1	1	80.25	61	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	41.0625	2004
12.02.2020 15:04:00	1	1	1	1	80	61	0	30000	412.9032258	12193.08021	30000	0	0	30000	41.1875	2004
12.02.2020 15:04:01	1	1	1	1	80	61	0	30000	412.9032258	12387.13886	30000	0	0	30000	40.9375	2004
12.02.2020 15:04:02	1	1	1	1	80	60.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	41.1875	2004
12.02.2020 15:04:03	1	1	1	1	80	61	0	30000	415.0537634	12451.55328	30000	0	0	30000	41.0625	2004
12.02.2020 15:04:04	1	1	1	1	80	61	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 15:04:05	1	1	1	1	80	61	0	30000	412.9032258	12387.13886	30000	0	0	30000	40.6875	2004
12.02.2020 15:04:06	1	1	1	1	80	60.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.125	2004
12.02.2020 15:04:07	1	1	1	1	80	61	0	30000	404.3010753	12387.13886	30000	0	0	30000	41.25	2004
12.02.2020 15:04:08	1	1	1	1	80	61.25	0	30000	402.1505376	11871.00807	30000	0	0	30000	41.1875	2004
12.02.2020 15:04:09	1	1	1	1	80	61	0	30000	412.9032258	12193.08021	30000	0	0	30000	41	2004
12.02.2020 15:04:10	1	1	1	1	79.75	61	0	30000	412.9032258	12387.13886	30000	0	0	30000	41	2004
12.02.2020 15:04:11	1	1	1	1	79.75	61	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.25	2004
12.02.2020 15:04:12	1	1	1	1	79.75	61.25	0	30000	412.9032258	12045.49778	30000	0	0	30000	41.375	2004
12.02.2020 15:04:13	1	1	1	1	79.75	61.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	40.75	2004
12.02.2020 15:04:14	1	1	1	1	79.75	60.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	41.3125	2004
12.02.2020 15:04:15	1	1	1	1	79.75	61.25	0	30000	400	11935.4225	30000	0	0	30000	41.125	2004
12.02.2020 15:04:16	1	1	1	1	79.75	61.25	0	30000	404.3010753	12387.13886	30000	0	0	30000	41.25	2004
12.02.2020 15:04:17	1	1	1	1	79.75	61.25	0	30047.393	412.9032258	12387.13886	30000	0	0	30000	41.0625	2004
12.02.2020 15:04:18	1	1	1	1	79.75	61	0	30000	404.3010753	12193.08021	30000	0	0	30000	41.25	2004
12.02.2020 15:04:19	1	1	1	1	79.25	61.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.25	2004
12.02.2020 15:04:20	1	1	1	1	79.25	61.25	0	30000	412.9032258	12451.55328	30000	0	0	30000	41.3125	2004
12.02.2020 15:04:21	1	1	1	1	79.25	61.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	40.6875	2004
12.02.2020 15:04:22	1	1	1	1	79.25	60.5	0	30000	397.8494624	11935.4225	30000	0	0	30000	41.125	2004
12.02.2020 15:04:23	1	1	1	1	79.25	61	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.125	2004
12.02.2020 15:04:31	1	1	1	1	79.25	61.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	41	2004
12.02.2020 15:04:31	1	1	1	1	79.25	61.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	41	2004
12.02.2020 15:04:31	1	1	1	1	79.25	61.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	41	2004
12.02.2020 15:04:31	1	1	1	1	79.25	61.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	41	2004
12.02.2020 15:04:31	1	1	1	1	79.25	61.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	41	2004
12.02.2020 15:04:31	1	1	1	1	79.25	61.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	41	2004
12.02.2020 15:04:31	1	1	1	1	79.25	61.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	41	2004
12.02.2020 15:04:31	1	1	1	1	79.25	61.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	41	2004
12.02.2020 15:04:32	1	1	1	1	79.25	61	0	30000	419.3548387	12580.38214	30000	0	0	30000	41.1875	2004
12.02.2020 15:04:33	1	1	1	1	79.25	61	0	30000	417.2043011	12451.55328	30000	0	0	30000	41.1875	2004
12.02.2020 15:04:34	1	1	1	1	79.25	61	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.3125	2004
12.02.2020 15:04:35	1	1	1	1	79.25	61.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.1875	2004
12.02.2020 15:04:36	1	1	1	1	79.25	61	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.375	2004
12.02.2020 15:04:37	1	1	1	1	79.25	61.25	0	30000	417.2043011	12580.38214	30000	0	0	30000	41.0625	2004
12.02.2020 15:04:38	1	1	1	1	79.25	61	0	30000	419.3548387	12580.38214	30000	0	0	30000	41.1875	2004
12.02.2020 15:04:39	1	1	1	1	79.25	61	0	30000	412.9032258	12387.13886	30000	0	0	30000	40.8125	2004
12.02.2020 15:04:40	1	1	1	1	78.75	60.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	40.875	2004
12.02.2020 15:04:41	1	1	1	1	78.75	60.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.1875	2004
12.02.2020 15:04:42	1	1	1	1	78.75	61	0	30000	415.0537634	12451.55328	30000	0	0	30000	40.3125	2004
12.02.2020 15:04:43	1	1	1	1	78.75	60.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	40.25	2004
12.02.2020 15:04:44	1	1	1	1	78.75	60.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.1875	2004
12.02.2020 15:04:45	1	1	1	1	78.75	61	0	30000	415.0537634	12451.55328	30000	0	0	30000	41	2004
12.02.2020 15:04:46	1	1	1	1	78.75	61	0	30000	412.9032258	12387.13886	30000	0	0	30000	41	2004
12.02.2020 15:04:47	1	1	1	1	78.75	61	0	30000	419.3548387	12580.38214	30000	0	0	30000	41.125	2004
12.02.2020 15:04:48	1	1	1	1	78.75	61	0	29952.607	419.3548387	12580.38214	30000	0	0	30000	41.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 15:04:49	1	1	1	1	78.75	61.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	41.375	2004
12.02.2020 15:04:50	1	1	1	1	78.25	61.25	0	30000	419.3548387	12580.38214	30000	0	0	30000	41.25	2004
12.02.2020 15:04:51	1	1	1	1	78.25	61.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	40.9375	2004
12.02.2020 15:04:52	1	1	1	1	78.25	60.75	0	30047.393	404.3010753	12064.25135	30000	0	0	30000	41.25	2004
12.02.2020 15:04:53	1	1	1	1	78.25	61.25	0	30000	412.9032258	12128.66578	30000	0	0	30000	41.6875	2004
12.02.2020 15:04:54	1	1	1	1	78.25	61.5	0	30000	412.9032258	12128.66578	30000	0	0	30000	41.4375	2004
12.02.2020 15:04:55	1	1	1	1	78.25	61.25	0	30000	400	12064.25135	30000	0	0	30000	41.4375	2004
12.02.2020 15:04:56	1	1	1	1	78.25	60.75	0	30000	412.9032258	12193.08021	30000	0	0	30000	40.875	2004
12.02.2020 15:04:57	1	1	1	1	78.25	60.75	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	41.1875	2004
12.02.2020 15:04:58	1	1	1	1	78.25	61	0	30094.787	415.0537634	12387.13886	30000	0	0	30000	41.125	2004
12.02.2020 15:04:59	1	1	1	1	78.5	61	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.3125	2004
12.02.2020 15:05:00	1	1	1	1	78.5	61.25	0	30000	404.3010753	12387.13886	30000	0	0	30000	41.3125	2004
12.02.2020 15:05:01	1	1	1	1	78.5	61.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	41.375	2004
12.02.2020 15:05:02	1	1	1	1	78.5	61.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.1875	2004
12.02.2020 15:05:03	1	1	1	1	78.5	61	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.125	2004
12.02.2020 15:05:04	1	1	1	1	78.5	61	0	30000	404.3010753	12128.66578	30000	0	0	30000	41.3125	2004
12.02.2020 15:05:05	1	1	1	1	78.5	61.25	0	30000	404.3010753	12064.25135	30000	0	0	30000	40.875	2004
12.02.2020 15:05:06	1	1	1	1	78.5	60.75	0	30000	412.9032258	12451.55328	30000	0	0	30000	40.875	2004
12.02.2020 15:05:07	1	1	1	1	78.5	60.75	0	30000	404.3010753	12193.08021	30000	0	0	30000	40.875	2004
12.02.2020 15:05:09	1	1	1	1	78.5	60.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.25	2004
12.02.2020 15:05:10	1	1	1	1	78	61.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	40.9375	2004
12.02.2020 15:05:11	1	1	1	1	78	60.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	40.9375	2004
12.02.2020 15:05:12	1	1	1	1	78	60.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	41.3125	2004
12.02.2020 15:05:13	1	1	1	1	78	61.25	0	30000	412.9032258	12451.55328	30000	0	0	30000	41.375	2004
12.02.2020 15:05:14	1	1	1	1	78	61.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.375	2004
12.02.2020 15:05:15	1	1	1	1	78	61.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.1875	2004
12.02.2020 15:05:16	1	1	1	1	78	61	0	30047.393	412.9032258	12387.13886	30000	0	0	30000	40.25	2004
12.02.2020 15:05:17	1	1	1	1	78	60.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.0625	2004
12.02.2020 15:05:18	1	1	1	1	78	61	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	40.3125	2004
12.02.2020 15:05:19	1	1	1	1	78	60.25	0	30142.18	406.4516129	12128.66578	30000	0	0	30000	41.3125	2004
12.02.2020 15:05:20	1	1	1	1	77.75	61.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.25	2004
12.02.2020 15:05:21	1	1	1	1	77.75	61.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	40.875	2004
12.02.2020 15:05:22	1	1	1	1	77.75	60.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	41.25	2004
12.02.2020 15:05:23	1	1	1	1	77.75	61.25	0	30000	402.1505376	12064.25135	30000	0	0	30000	40.9375	2004
12.02.2020 15:05:24	1	1	1	1	77.75	60.75	0	29952.607	404.3010753	12193.08021	30000	0	0	30000	41	2004
12.02.2020 15:05:25	1	1	1	1	77.75	61	0	30000	415.0537634	12451.55328	30000	0	0	30000	40.9375	2004
12.02.2020 15:05:33	1	1	1	1	77.25	60.5	0	29905.213	404.3010753	12387.13886	30000	0	0	30000	41.3125	2004
12.02.2020 15:05:33	1	1	1	1	77.25	60.5	0	29905.213	404.3010753	12387.13886	30000	0	0	30000	41.3125	2004
12.02.2020 15:05:33	1	1	1	1	77.25	60.5	0	29905.213	404.3010753	12387.13886	30000	0	0	30000	41.3125	2004
12.02.2020 15:05:33	1	1	1	1	77.25	60.5	0	29905.213	404.3010753	12387.13886	30000	0	0	30000	41.3125	2004
12.02.2020 15:05:33	1	1	1	1	77.25	60.5	0	29905.213	404.3010753	12387.13886	30000	0	0	30000	41.3125	2004
12.02.2020 15:05:33	1	1	1	1	77.25	60.5	0	29905.213	404.3010753	12387.13886	30000	0	0	30000	41.3125	2004
12.02.2020 15:05:33	1	1	1	1	77.25	60.5	0	29905.213	404.3010753	12387.13886	30000	0	0	30000	41.3125	2004
12.02.2020 15:05:33	1	1	1	1	77.25	60.5	0	29905.213	404.3010753	12387.13886	30000	0	0	30000	41.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 15:05:33	1	1	1	1	77.25	61.25	0	30000	415.0537634	12387.13886	30000	0	0	30000	41.25	2004
12.02.2020 15:05:34	1	1	1	1	77.25	61.25	0	30000	412.9032258	12620.33539	30000	0	0	30000	41.25	2004
12.02.2020 15:05:35	1	1	1	1	77.25	61	0	30000	415.0537634	12580.38214	30000	0	0	30000	41.375	2004
12.02.2020 15:05:36	1	1	1	1	77.25	61.25	0	30000	417.2043011	12599.95108	30000	0	0	30000	41.125	2004
12.02.2020 15:05:37	1	1	1	1	77.25	61	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.0625	2004
12.02.2020 15:05:38	1	1	1	1	77.25	61	0	30000	415.0537634	12580.38214	30000	0	0	30000	40.9375	2004
12.02.2020 15:05:39	1	1	1	1	76.75	60.75	0	30000	423.655914	12709.21099	30000	0	0	30000	40.75	2004
12.02.2020 15:05:40	1	1	1	1	76.75	60.75	0	30000	419.3548387	12580.38214	30000	0	0	30000	40.75	2004
12.02.2020 15:05:41	1	1	1	1	76.75	60.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	41.25	2004
12.02.2020 15:05:42	1	1	1	1	76.75	61.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	40.75	2004
12.02.2020 15:05:43	1	1	1	1	76.75	60.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.1875	2004
12.02.2020 15:05:44	1	1	1	1	76.75	61	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.125	2004
12.02.2020 15:05:45	1	1	1	1	76.75	61	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.375	2004
12.02.2020 15:05:46	1	1	1	1	76.75	61.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	41	2004
12.02.2020 15:05:47	1	1	1	1	76.75	61	0	30000	404.3010753	12128.66578	30000	0	0	30000	40.875	2004
12.02.2020 15:05:48	1	1	1	1	76.75	60.75	0	30000	397.8494624	12064.25135	30000	0	0	30000	41.1875	2004
12.02.2020 15:05:50	1	1	1	1	76.75	61	0	30000	404.3010753	12128.66578	30000	0	0	30000	41.375	2004
12.02.2020 15:05:51	1	1	1	1	76.75	61.25	0	30000	402.1505376	11999.83693	30000	0	0	30000	41.25	2004
12.02.2020 15:05:52	1	1	1	1	76.75	61.25	0	30000	406.4516129	12387.13886	30000	0	0	30000	41.375	2004
12.02.2020 15:05:53	1	1	1	1	76.75	61.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.3125	2004
12.02.2020 15:05:54	1	1	1	1	76.75	61.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.3125	2004
12.02.2020 15:05:55	1	1	1	1	76.75	61.25	0	30000	404.3010753	12387.13886	30000	0	0	30000	40.1875	2004
12.02.2020 15:05:56	1	1	1	1	76.75	60	0	30000	412.9032258	12193.08021	30000	0	0	30000	41.25	2004
12.02.2020 15:05:57	1	1	1	1	76.75	61.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.1875	2004
12.02.2020 15:05:58	1	1	1	1	76.75	61	0	29905.213	412.9032258	12387.13886	30000	0	0	30000	41.25	2004
12.02.2020 15:05:59	1	1	1	1	76.75	61.25	0	30000	402.1505376	12064.25135	30000	0	0	30000	41	2004
12.02.2020 15:06:00	1	1	1	1	76.5	61	0	30000	412.9032258	12193.08021	30000	0	0	30000	40.6875	2004
12.02.2020 15:06:01	1	1	1	1	76.5	60.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	40.625	2004
12.02.2020 15:06:02	1	1	1	1	76.5	60.5	0	30000	400	12064.25135	30000	0	0	30000	41.0625	2004
12.02.2020 15:06:03	1	1	1	1	76.5	61	0	30000	404.3010753	12128.66578	30000	0	0	30000	40.6875	2004
12.02.2020 15:06:04	1	1	1	1	76.5	60.5	0	29952.607	395.6989247	12406.7078	30000	0	0	30000	40.6875	2004
12.02.2020 15:06:05	1	1	1	1	76.5	60.5	0	30000	404.3010753	12387.13886	30000	0	0	30000	41.125	2004
12.02.2020 15:06:06	1	1	1	1	76.5	61	0	30000	412.9032258	12387.13886	30000	0	0	30000	40.9375	2004
12.02.2020 15:06:07	1	1	1	1	76.5	60.75	0	30000	412.9032258	12193.08021	30000	0	0	30000	41.3125	2004
12.02.2020 15:06:08	1	1	1	1	76.5	61.25	0	30000	397.8494624	11935.4225	30000	0	0	30000	41.3125	2004
12.02.2020 15:06:09	1	1	1	1	76.5	61.25	0	30000	404.3010753	12387.13886	30000	0	0	30000	41.375	2004
12.02.2020 15:06:10	1	1	1	1	76	61.25	0	30000	400	12212.64915	30000	0	0	30000	40.875	2004
12.02.2020 15:06:11	1	1	1	1	76	60.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	39.75	2004
12.02.2020 15:06:12	1	1	1	1	76	59.75	0	30000	412.9032258	12193.08021	30000	0	0	30000	41.625	2004
12.02.2020 15:06:13	1	1	1	1	76	61.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	41.375	2004
12.02.2020 15:06:14	1	1	1	1	76	61.25	0	29952.607	406.4516129	12193.08021	30000	0	0	30000	41.0625	2004
12.02.2020 15:06:15	1	1	1	1	76	61.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	40.8125	2004
12.02.2020 15:06:16	1	1	1	1	76	60.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	41.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 15:06:17	1	1	1	1	76	61.25	0	29905.213	391.3978495	11871.00807	30000	0	0	30000	41.1875	2004
12.02.2020 15:06:18	1	1	1	1	76	61	0	30000	397.8494624	11935.4225	30000	0	0	30000	41.1875	2004
12.02.2020 15:06:19	1	1	1	1	76	61	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.3125	2004
12.02.2020 15:06:20	1	1	1	1	76	61.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	40.4375	2004
12.02.2020 15:06:21	1	1	1	1	76	60.25	0	30000	400	11897.09999	30000	0	0	30000	41.375	2004
12.02.2020 15:06:22	1	1	1	1	76	61.25	0	30000	397.8494624	11935.4225	30000	0	0	30000	40.875	2004
12.02.2020 15:06:23	1	1	1	1	76	60.75	0	30000	397.8494624	11916.66893	30000	0	0	30000	41.3125	2004
12.02.2020 15:06:24	1	1	1	1	76	61.25	0	30000	412.9032258	12109.91221	30000	0	0	30000	41.4375	2004
12.02.2020 15:06:25	1	1	1	1	76	61.25	0	30000	397.8494624	11723.42565	30000	0	0	30000	40.75	2004
12.02.2020 15:06:27	1	1	1	1	76	60.75	0	30000	395.6989247	11935.4225	30000	0	0	30000	41.0625	2004
12.02.2020 15:06:35	1	1	1	1	75.75	59.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	41.125	2004
12.02.2020 15:06:35	1	1	1	1	75.75	59.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	41.125	2004
12.02.2020 15:06:35	1	1	1	1	75.75	59.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	41.125	2004
12.02.2020 15:06:35	1	1	1	1	75.75	59.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	41.125	2004
12.02.2020 15:06:35	1	1	1	1	75.75	59.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	41.125	2004
12.02.2020 15:06:35	1	1	1	1	75.75	59.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	41.125	2004
12.02.2020 15:06:35	1	1	1	1	75.75	59.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	41.125	2004
12.02.2020 15:06:35	1	1	1	1	75.75	61	0	30000	412.9032258	12367.56992	30000	0	0	30000	40.9375	2004
12.02.2020 15:06:38	1	1	1	1	75.75	60.75	0	30000	419.3548387	12451.55328	30000	0	0	30000	41.3125	2004
12.02.2020 15:06:38	1	1	1	1	75.75	60.75	0	30000	419.3548387	12451.55328	30000	0	0	30000	41.3125	2004
12.02.2020 15:06:38	1	1	1	1	75.75	61.25	0	30000	417.2043011	12451.55328	30000	0	0	30000	41.3125	2004
12.02.2020 15:06:39	1	1	1	1	75.75	61.25	0	29905.213	412.9032258	12451.55328	30000	0	0	30000	41.25	2004
12.02.2020 15:06:40	1	1	1	1	75.5	61.25	0	30000	406.4516129	12193.08021	30000	0	0	30000	41.3125	2004
12.02.2020 15:06:41	1	1	1	1	75.5	61.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.1875	2004
12.02.2020 15:06:42	1	1	1	1	75.5	61	0	30000	412.9032258	12193.08021	30000	0	0	30000	40.8125	2004
12.02.2020 15:06:43	1	1	1	1	75.5	60.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.0625	2004
12.02.2020 15:06:44	1	1	1	1	75.5	61	0	30000	404.3010753	12193.08021	30000	0	0	30000	41.1875	2004
12.02.2020 15:06:45	1	1	1	1	75.5	61	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.1875	2004
12.02.2020 15:06:46	1	1	1	1	75.5	61	0	30000	412.9032258	12387.13886	30000	0	0	30000	40.8125	2004
12.02.2020 15:06:47	1	1	1	1	75.5	60.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	40.8125	2004
12.02.2020 15:06:48	1	1	1	1	75.5	60.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.375	2004
12.02.2020 15:06:49	1	1	1	1	75.5	61.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.0625	2004
12.02.2020 15:06:50	1	1	1	1	75.25	61	0	30047.393	412.9032258	12128.66578	30000	0	0	30000	40.625	2004
12.02.2020 15:06:51	1	1	1	1	75.25	60.5	0	29952.607	404.3010753	11833.50094	30000	0	0	30000	41.4375	2004
12.02.2020 15:06:52	1	1	1	1	75.25	61.25	0	29952.607	400	12128.66578	30000	0	0	30000	41.25	2004
12.02.2020 15:06:53	1	1	1	1	75.25	61.25	0	30000	404.3010753	12387.13886	30000	0	0	30000	41.5625	2004
12.02.2020 15:06:54	1	1	1	1	75.25	61.5	0	30000	404.3010753	12064.25135	30000	0	0	30000	41.3125	2004
12.02.2020 15:06:55	1	1	1	1	75.25	61.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	40.875	2004
12.02.2020 15:06:56	1	1	1	1	75.25	60.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.25	2004
12.02.2020 15:06:57	1	1	1	1	75.25	61.25	0	29952.607	404.3010753	12128.66578	30000	0	0	30000	41.5625	2004
12.02.2020 15:06:58	1	1	1	1	75.25	61.5	0	30000	400	11935.4225	30000	0	0	30000	41.1875	2004
12.02.2020 15:06:59	1	1	1	1	74.75	61	0	30000	404.3010753	11935.4225	30000	0	0	30000	41.1875	2004
12.02.2020 15:07:00	1	1	1	1	74.75	61	0	30000	404.3010753	12193.08021	30000	0	0	30000	41.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 15:07:01	1	1	1	1	74.75	61.25	0	30000	404.3010753	12193.08021	30000	0	0	30000	40.375	2004
12.02.2020 15:07:02	1	1	1	1	74.75	60.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	39.75	2004
12.02.2020 15:07:03	1	1	1	1	74.75	59.75	0	30000	406.4516129	12387.13886	30000	0	0	30000	40.625	2004
12.02.2020 15:07:05	1	1	1	1	74.75	60.5	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	40.375	2004
12.02.2020 15:07:06	1	1	1	1	74.75	60.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	40.6875	2004
12.02.2020 15:07:07	1	1	1	1	74.75	60.5	0	30000	404.3010753	12193.08021	30000	0	0	30000	41.25	2004
12.02.2020 15:07:08	1	1	1	1	74.75	61.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.3125	2004
12.02.2020 15:07:09	1	1	1	1	74.75	61.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	41	2004
12.02.2020 15:07:10	1	1	1	1	74.5	61	0	30000	395.6989247	11871.00807	30000	0	0	30000	41.3125	2004
12.02.2020 15:07:11	1	1	1	1	74.5	61.25	0	30000	402.1505376	12064.25135	30000	0	0	30000	41.125	2004
12.02.2020 15:07:12	1	1	1	1	74.5	61	0	30000	404.3010753	12387.13886	30000	0	0	30000	41.375	2004
12.02.2020 15:07:13	1	1	1	1	74.5	61.25	0	30000	400	12064.25135	30000	0	0	30000	41.1875	2004
12.02.2020 15:07:14	1	1	1	1	74.5	61	0	30000	402.1505376	12128.66578	30000	0	0	30000	41	2004
12.02.2020 15:07:15	1	1	1	1	74.5	61	0	30000	395.6989247	11833.50094	30000	0	0	30000	41.0625	2004
12.02.2020 15:07:16	1	1	1	1	74.5	61	0	30000	395.6989247	11871.00807	30000	0	0	30000	41.1875	2004
12.02.2020 15:07:17	1	1	1	1	74.5	61	0	30000	397.8494624	11935.4225	30000	0	0	30000	41.125	2004
12.02.2020 15:07:18	1	1	1	1	74.5	61	0	30000	404.3010753	12128.66578	30000	0	0	30000	41.25	2004
12.02.2020 15:07:19	1	1	1	1	74.5	61.25	0	30000	397.8494624	11935.4225	30000	0	0	30000	40.6875	2004
12.02.2020 15:07:20	1	1	1	1	74.25	60.5	0	30000	404.3010753	12064.25135	30000	0	0	30000	40.9375	2004
12.02.2020 15:07:21	1	1	1	1	74.25	60.75	0	29952.607	404.3010753	11935.4225	30000	0	0	30000	41.25	2004
12.02.2020 15:07:22	1	1	1	1	74.25	61.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.3125	2004
12.02.2020 15:07:23	1	1	1	1	74.25	61.25	0	30000	406.4516129	12387.13886	30000	0	0	30000	40.4375	2004
12.02.2020 15:07:24	1	1	1	1	74.25	60.25	0	30000	402.1505376	11999.83693	30000	0	0	30000	41.0625	2004
12.02.2020 15:07:25	1	1	1	1	74.25	61	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.4375	2004
12.02.2020 15:07:26	1	1	1	1	74.25	61.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.375	2004
12.02.2020 15:07:27	1	1	1	1	74.25	61.25	0	30000	404.3010753	12064.25135	30000	0	0	30000	41.3125	2004
12.02.2020 15:07:28	1	1	1	1	74.25	61.25	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	41.125	2004
12.02.2020 15:07:36	1	1	1	1	74.25	60.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.1875	2004
12.02.2020 15:07:36	1	1	1	1	74.25	60.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.1875	2004
12.02.2020 15:07:36	1	1	1	1	74.25	60.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.1875	2004
12.02.2020 15:07:36	1	1	1	1	74.25	60.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.1875	2004
12.02.2020 15:07:36	1	1	1	1	74.25	60.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.1875	2004
12.02.2020 15:07:36	1	1	1	1	74.25	60.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.1875	2004
12.02.2020 15:07:36	1	1	1	1	74.25	60.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.1875	2004
12.02.2020 15:07:36	1	1	1	1	74.25	61	0	30000	412.9032258	12193.08021	30000	0	0	30000	40.9375	2004
12.02.2020 15:07:37	1	1	1	1	74.25	60.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.25	2004
12.02.2020 15:07:38	1	1	1	1	74.25	61.25	0	30000	412.9032258	12174.32664	30000	0	0	30000	40.6875	2004
12.02.2020 15:07:39	1	1	1	1	74	60.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.3125	2004
12.02.2020 15:07:40	1	1	1	1	74	61.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.375	2004
12.02.2020 15:07:41	1	1	1	1	74	61.25	0	30000	406.4516129	12193.08021	30000	0	0	30000	41.1875	2004
12.02.2020 15:07:42	1	1	1	1	74	61	0	30000	412.9032258	12387.13886	30000	0	0	30000	41	2004
12.02.2020 15:07:43	1	1	1	1	74	61	0	29905.213	404.3010753	12109.91221	30000	0	0	30000	40.75	2004
12.02.2020 15:07:45	1	1	1	1	74	60.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 15:07:46	1	1	1	1	74	61.25	0	30000	412.9032258	12451.55328	30000	0	0	30000	41.3125	2004
12.02.2020 15:07:47	1	1	1	1	74	61.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	41	2004
12.02.2020 15:07:48	1	1	1	1	74	61	0	30000	412.9032258	12174.32664	30000	0	0	30000	40.375	2004
12.02.2020 15:07:49	1	1	1	1	74	60.25	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	41.1875	2004
12.02.2020 15:07:50	1	1	1	1	73.5	61	0	30000	404.3010753	12193.08021	30000	0	0	30000	40.625	2004
12.02.2020 15:07:51	1	1	1	1	73.5	60.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	41.25	2004
12.02.2020 15:07:52	1	1	1	1	73.5	61.25	0	30000	404.3010753	12387.13886	30000	0	0	30000	41	2004
12.02.2020 15:07:53	1	1	1	1	73.5	61	0	29952.607	412.9032258	12348.00098	30000	0	0	30000	41.375	2004
12.02.2020 15:07:54	1	1	1	1	73.5	61.25	0	30000	412.9032258	12109.91221	30000	0	0	30000	41.3125	2004
12.02.2020 15:07:55	1	1	1	1	73.5	61.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	40.6875	2004
12.02.2020 15:07:56	1	1	1	1	73.5	60.5	0	30000	412.9032258	12090.34327	30000	0	0	30000	40.8125	2004
12.02.2020 15:07:57	1	1	1	1	73.5	60.75	0	30000	400	11999.83693	30000	0	0	30000	41.125	2004
12.02.2020 15:07:58	1	1	1	1	73.5	61	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.25	2004
12.02.2020 15:07:59	1	1	1	1	73.5	61.25	0	29952.607	415.0537634	12451.55328	30000	0	0	30000	41.1875	2004
12.02.2020 15:08:00	1	1	1	1	73.25	61	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	41.375	2004
12.02.2020 15:08:01	1	1	1	1	73.25	61.25	0	29952.607	404.3010753	12128.66578	30000	0	0	30000	41.4375	2004
12.02.2020 15:08:02	1	1	1	1	73.25	61.25	0	29905.213	412.9032258	12387.13886	30000	0	0	30000	41.1875	2004
12.02.2020 15:08:03	1	1	1	1	73.25	61	0	30047.393	412.9032258	12406.7078	30000	0	0	30000	40.625	2004
12.02.2020 15:08:04	1	1	1	1	73.25	60.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.125	2004
12.02.2020 15:08:05	1	1	1	1	73.25	61	0	30000	415.0537634	12387.13886	30000	0	0	30000	41	2004
12.02.2020 15:08:06	1	1	1	1	73.25	61	0	30000	412.9032258	12025.92885	30000	0	0	30000	41.3125	2004
12.02.2020 15:08:07	1	1	1	1	73.25	61.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.125	2004
12.02.2020 15:08:08	1	1	1	1	73.25	61	0	29952.607	400	11935.4225	30000	0	0	30000	40.9375	2004
12.02.2020 15:08:09	1	1	1	1	73.25	60.75	0	30000	400	12045.49778	30000	0	0	30000	41.25	2004
12.02.2020 15:08:10	1	1	1	1	73.25	61.25	0	30000	404.3010753	12193.08021	30000	0	0	30000	41.6875	2004
12.02.2020 15:08:11	1	1	1	1	73.25	61.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.3125	2004
12.02.2020 15:08:12	1	1	1	1	73.25	61.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.75	2004
12.02.2020 15:08:13	1	1	1	1	73.25	61.5	0	29952.607	404.3010753	12128.66578	30000	0	0	30000	41.25	2004
12.02.2020 15:08:14	1	1	1	1	73.25	61.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	40.5625	2004
12.02.2020 15:08:15	1	1	1	1	73.25	60.5	0	30000	395.6989247	11871.00807	30000	0	0	30000	41.25	2004
12.02.2020 15:08:16	1	1	1	1	73.25	61.25	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	41	2004
12.02.2020 15:08:17	1	1	1	1	73.25	61	0	30000	397.8494624	11916.66893	30000	0	0	30000	41.375	2004
12.02.2020 15:08:18	1	1	1	1	73.25	61.25	0	30000	400	12064.25135	30000	0	0	30000	41.3125	2004
12.02.2020 15:08:19	1	1	1	1	73.25	61.25	0	30000	404.3010753	12064.25135	30000	0	0	30000	40.5625	2004
12.02.2020 15:08:20	1	1	1	1	73.25	60.5	0	30000	412.9032258	12128.66578	30000	0	0	30000	40.875	2004
12.02.2020 15:08:21	1	1	1	1	73.25	60.75	0	29952.607	404.3010753	12128.66578	30000	0	0	30000	40.8125	2004
12.02.2020 15:08:23	1	1	1	1	73.25	60.75	0	30000	400	11935.4225	30000	0	0	30000	41.3125	2004
12.02.2020 15:08:24	1	1	1	1	73.25	61.25	0	29952.607	389.2473118	11676.94942	30000	0	0	30000	41.125	2004
12.02.2020 15:08:25	1	1	1	1	73.25	61	0	30000	384.9462366	11419.29171	30000	0	0	30000	41.5	2004
12.02.2020 15:08:26	1	1	1	1	73.25	61.5	0	30000	391.3978495	11548.12057	30000	0	0	30000	40.9375	2004
12.02.2020 15:08:27	1	1	1	1	73.25	60.75	0	30000	397.8494624	11935.4225	30000	0	0	30000	41.125	2004
12.02.2020 15:08:28	1	1	1	1	73.25	61	0	30000	395.6989247	11871.00807	30000	0	0	30000	41.3125	2004
12.02.2020 15:08:29	1	1	1	1	73.25	61.25	0	29952.607	404.3010753	11897.09999	30000	0	0	30000	41.4375	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 15:08:30	1	1	1	1	73	61.25	0	30000	412.9032258	12193.08021	30000	0	0	30000	40.875	2004
12.02.2020 15:08:37	1	1	1	1	73	61	0	30000	404.3010753	12128.66578	30000	0	0	30000	41.375	2004
12.02.2020 15:08:37	1	1	1	1	73	61	0	30000	404.3010753	12128.66578	30000	0	0	30000	41.375	2004
12.02.2020 15:08:37	1	1	1	1	73	61	0	30000	404.3010753	12128.66578	30000	0	0	30000	41.375	2004
12.02.2020 15:08:37	1	1	1	1	73	61	0	30000	404.3010753	12128.66578	30000	0	0	30000	41.375	2004
12.02.2020 15:08:37	1	1	1	1	73	61	0	30000	404.3010753	12128.66578	30000	0	0	30000	41.375	2004
12.02.2020 15:08:37	1	1	1	1	73	61	0	30000	404.3010753	12128.66578	30000	0	0	30000	41.375	2004
12.02.2020 15:08:38	1	1	1	1	73	61	0	30000	404.3010753	12128.66578	30000	0	0	30000	41.375	2004
12.02.2020 15:08:38	1	1	1	1	73	61	0	30000	404.3010753	12128.66578	30000	0	0	30000	41.375	2004
12.02.2020 15:08:38	1	1	1	1	73	61.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	41.0625	2004
12.02.2020 15:08:39	1	1	1	1	73	61	0	30000	412.9032258	12193.08021	30000	0	0	30000	41.25	2004
12.02.2020 15:08:40	1	1	1	1	72.75	61.25	0	29952.607	412.9032258	12451.55328	30000	0	0	30000	40.9375	2004
12.02.2020 15:08:41	1	1	1	1	72.75	60.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	40.4375	2004
12.02.2020 15:08:42	1	1	1	1	72.75	60.25	0	30000	415.0537634	12599.95108	30000	0	0	30000	40.75	2004
12.02.2020 15:08:43	1	1	1	1	72.75	60.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.1875	2004
12.02.2020 15:08:44	1	1	1	1	72.75	61	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.4375	2004
12.02.2020 15:08:45	1	1	1	1	72.75	61.25	0	30000	397.8494624	11935.4225	30000	0	0	30000	40.625	2004
12.02.2020 15:08:46	1	1	1	1	72.75	60.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.25	2004
12.02.2020 15:08:47	1	1	1	1	72.75	61.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	41.4375	2004
12.02.2020 15:08:48	1	1	1	1	72.75	61.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	41.75	2004
12.02.2020 15:08:49	1	1	1	1	72.75	61.75	0	29952.607	397.8494624	12064.25135	30000	0	0	30000	40.6875	2004
12.02.2020 15:08:50	1	1	1	1	72.5	60.5	0	30000	395.6989247	11935.4225	30000	0	0	30000	41.25	2004
12.02.2020 15:08:51	1	1	1	1	72.5	61.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	41.375	2004
12.02.2020 15:08:52	1	1	1	1	72.5	61.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.0625	2004
12.02.2020 15:08:53	1	1	1	1	72.5	61.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.1875	2004
12.02.2020 15:08:54	1	1	1	1	72.5	61	0	30000	395.6989247	11871.00807	30000	0	0	30000	40.75	2004
12.02.2020 15:08:55	1	1	1	1	72.5	60.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	41.25	2004
12.02.2020 15:08:56	1	1	1	1	72.5	61.25	0	30000	389.2473118	11741.36385	30000	0	0	30000	41.25	2004
12.02.2020 15:08:57	1	1	1	1	72.5	61.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	40.875	2004
12.02.2020 15:08:58	1	1	1	1	72.5	60.75	0	30000	395.6989247	11935.4225	30000	0	0	30000	41.3125	2004
12.02.2020 15:08:59	1	1	1	1	72.5	61.25	0	30000	389.2473118	11676.94942	30000	0	0	30000	40.6875	2004
12.02.2020 15:09:00	1	1	1	1	72.5	60.5	0	30000	397.8494624	11935.4225	30000	0	0	30000	41.375	2004
12.02.2020 15:09:01	1	1	1	1	72.5	61.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	41.375	2004
12.02.2020 15:09:03	1	1	1	1	72.5	61.25	0	30000	412.9032258	12128.66578	30000	0	0	30000	41	2004
12.02.2020 15:09:04	1	1	1	1	72.5	61	0	30000	395.6989247	11871.00807	30000	0	0	30000	41.1875	2004
12.02.2020 15:09:05	1	1	1	1	72.5	61	0	30000	404.3010753	12128.66578	30000	0	0	30000	41.4375	2004
12.02.2020 15:09:06	1	1	1	1	72.5	61.25	0	30000	404.3010753	12109.91221	30000	0	0	30000	41.125	2004
12.02.2020 15:09:07	1	1	1	1	72.5	61	0	30000	400	12083.00492	30000	0	0	30000	41.1875	2004
12.02.2020 15:09:08	1	1	1	1	72.5	61	0	29952.607	395.6989247	12064.25135	30000	0	0	30000	41.25	2004
12.02.2020 15:09:09	1	1	1	1	72.5	61.25	0	30000	404.3010753	11999.83693	30000	0	0	30000	41.3125	2004
12.02.2020 15:09:10	1	1	1	1	72	61.25	0	30000	395.6989247	11935.4225	30000	0	0	30000	41.1875	2004
12.02.2020 15:09:11	1	1	1	1	72	61	0	29952.607	395.6989247	11935.4225	30000	0	0	30000	40.625	2004
12.02.2020 15:09:12	1	1	1	1	72	60.5	0	30000	391.3978495	11871.00807	30000	0	0	30000	41.25	2004
12.02.2020 15:09:13	1	1	1	1	72	61.25	0	30000	395.6989247	12064.25135	30000	0	0	30000	41.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 15:09:14	1	1	1	1	72	61.25	0	30000	406.4516129	12387.13886	30000	0	0	30000	40.5	2004
12.02.2020 15:09:15	1	1	1	1	72	60.5	0	30000	412.9032258	12109.91221	30000	0	0	30000	41.1875	2004
12.02.2020 15:09:16	1	1	1	1	72	61	0	30000	412.9032258	12064.25135	30000	0	0	30000	41.125	2004
12.02.2020 15:09:17	1	1	1	1	72	61	0	30000	391.3978495	11871.00807	30000	0	0	30000	40.75	2004
12.02.2020 15:09:18	1	1	1	1	72	60.75	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	41.1875	2004
12.02.2020 15:09:19	1	1	1	1	72	61	0	30000	404.3010753	12128.66578	30000	0	0	30000	41.3125	2004
12.02.2020 15:09:20	1	1	1	1	71.75	61.25	0	30000	417.2043011	12451.55328	30000	0	0	30000	40.8125	2004
12.02.2020 15:09:21	1	1	1	1	71.75	60.75	0	30000	404.3010753	12064.25135	30000	0	0	30000	41.25	2004
12.02.2020 15:09:22	1	1	1	1	71.75	61.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	40.5625	2004
12.02.2020 15:09:23	1	1	1	1	71.75	60.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	40	2004
12.02.2020 15:09:24	1	1	1	1	71.75	60	0	30000	402.1505376	12064.25135	30000	0	0	30000	41.125	2004
12.02.2020 15:09:25	1	1	1	1	71.75	61	0	29952.607	395.6989247	11871.00807	30000	0	0	30000	40.5	2004
12.02.2020 15:09:26	1	1	1	1	71.75	60.5	0	30000	404.3010753	12387.13886	30000	0	0	30000	40.875	2004
12.02.2020 15:09:27	1	1	1	1	71.75	60.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.75	2004
12.02.2020 15:09:28	1	1	1	1	71.75	61.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	40.6875	2004
12.02.2020 15:09:29	1	1	1	1	71.5	60.25	0	30000	391.3978495	11741.36385	30000	0	0	30000	41.3125	2004
12.02.2020 15:09:30	1	1	1	1	71.5	61.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	40.3125	2004
12.02.2020 15:09:31	1	1	1	1	71.5	60.25	0	30000	391.3978495	11871.00807	30000	0	0	30000	41.3125	2004
12.02.2020 15:09:39	1	1	1	1	71.5	61.25	0	30000	384.9462366	11676.94942	30000	0	0	30000	41.375	2004
12.02.2020 15:09:39	1	1	1	1	71.5	61.25	0	30000	384.9462366	11676.94942	30000	0	0	30000	41.375	2004
12.02.2020 15:09:39	1	1	1	1	71.5	61.25	0	30000	384.9462366	11676.94942	30000	0	0	30000	41.375	2004
12.02.2020 15:09:39	1	1	1	1	71.5	61.25	0	30000	384.9462366	11676.94942	30000	0	0	30000	41.375	2004
12.02.2020 15:09:39	1	1	1	1	71.5	61.25	0	30000	384.9462366	11676.94942	30000	0	0	30000	41.375	2004
12.02.2020 15:09:39	1	1	1	1	71.5	61.25	0	30000	384.9462366	11676.94942	30000	0	0	30000	41.375	2004
12.02.2020 15:09:39	1	1	1	1	71.5	61.25	0	30000	384.9462366	11676.94942	30000	0	0	30000	41.375	2004
12.02.2020 15:09:40	1	1	1	1	71.5	61.25	0	30000	402.1505376	11935.4225	30000	0	0	30000	41.0625	2004
12.02.2020 15:09:41	1	1	1	1	71.5	61	0	30000	395.6989247	11871.00807	30000	0	0	30000	41.375	2004
12.02.2020 15:09:42	1	1	1	1	71.5	61.25	0	30000	395.6989247	11935.4225	30000	0	0	30000	40.75	2004
12.02.2020 15:09:43	1	1	1	1	71.5	60.75	0	30047.393	400	11935.4225	30000	0	0	30000	40.25	2004
12.02.2020 15:09:44	1	1	1	1	71.5	60.25	0	30000	397.8494624	11999.83693	30000	0	0	30000	41.375	2004
12.02.2020 15:09:45	1	1	1	1	71.5	61.25	0	30000	391.3978495	11741.36385	30000	0	0	30000	41.4375	2004
12.02.2020 15:09:46	1	1	1	1	71.5	61.25	0	30000	395.6989247	11741.36385	30000	0	0	30000	41.3125	2004
12.02.2020 15:09:47	1	1	1	1	71.5	61.25	0	30000	389.2473118	11871.00807	30000	0	0	30000	40.4375	2004
12.02.2020 15:09:48	1	1	1	1	71.5	60.25	0	30000	395.6989247	11871.00807	30000	0	0	30000	40.9375	2004
12.02.2020 15:09:49	1	1	1	1	71.5	60.75	0	30000	391.3978495	11741.36385	30000	0	0	30000	41.0625	2004
12.02.2020 15:09:50	1	1	1	1	71	61	0	29952.607	395.6989247	11871.00807	30000	0	0	30000	41	2004
12.02.2020 15:09:51	1	1	1	1	71	61	0	30047.393	412.9032258	12387.13886	30000	0	0	30000	40.75	2004
12.02.2020 15:09:52	1	1	1	1	71	60.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	40.75	2004
12.02.2020 15:09:53	1	1	1	1	71	60.75	0	30047.393	400	12148.23472	30000	0	0	30000	41.125	2004
12.02.2020 15:09:54	1	1	1	1	71	61	0	30000	397.8494624	11935.4225	30000	0	0	30000	41.1875	2004
12.02.2020 15:09:55	1	1	1	1	71	61	0	30000	397.8494624	11935.4225	30000	0	0	30000	41.125	2004
12.02.2020 15:09:56	1	1	1	1	71	61	0	30000	397.8494624	11935.4225	30000	0	0	30000	41.25	2004
12.02.2020 15:09:57	1	1	1	1	71	61.25	0	30000	397.8494624	12064.25135	30000	0	0	30000	40.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 15:09:58	1	1	1	1	71	60.25	0	30000	404.3010753	12109.91221	30000	0	0	30000	41	2004
12.02.2020 15:09:59	1	1	1	1	71	61	0	30000	412.9032258	12367.56992	30000	0	0	30000	41.4375	2004
12.02.2020 15:10:00	1	1	1	1	71	61.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.125	2004
12.02.2020 15:10:01	1	1	1	1	71	61	0	30000	412.9032258	12387.13886	30000	0	0	30000	41	2004
12.02.2020 15:10:02	1	1	1	1	71	61	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.3125	2004
12.02.2020 15:10:03	1	1	1	1	71	61.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.25	2004
12.02.2020 15:10:04	1	1	1	1	71	61.25	0	30000	404.3010753	12128.66578	30000	0	0	30000	40.9375	2004
12.02.2020 15:10:05	1	1	1	1	71	60.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.25	2004
12.02.2020 15:10:06	1	1	1	1	71	61.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.25	2004
12.02.2020 15:10:07	1	1	1	1	71	61.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.5	2004
12.02.2020 15:10:08	1	1	1	1	71	61.5	0	30047.393	415.0537634	12387.13886	30000	0	0	30000	41.625	2004
12.02.2020 15:10:09	1	1	1	1	71	61	0	30000	412.9032258	11961.51442	30000	0	0	30000	41.1875	2004
12.02.2020 15:10:10	1	1	1	1	71	61	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.25	2004
12.02.2020 15:10:11	1	1	1	1	71	61.25	0	30000	400	11935.4225	30000	0	0	30000	41.4375	2004
12.02.2020 15:10:12	1	1	1	1	71	61.25	0	30000	395.6989247	11935.4225	30000	0	0	30000	41.25	2004
12.02.2020 15:10:13	1	1	1	1	71	61.25	0	30000	404.3010753	11916.66893	30000	0	0	30000	40.8125	2004
12.02.2020 15:10:14	1	1	1	1	71	60.75	0	30000	404.3010753	12128.66578	30000	0	0	30000	40.8125	2004
12.02.2020 15:10:15	1	1	1	1	71	60.75	0	30000	397.8494624	11916.66893	30000	0	0	30000	41.125	2004
12.02.2020 15:10:16	1	1	1	1	71	61	0	30000	395.6989247	11871.00807	30000	0	0	30000	41.125	2004
12.02.2020 15:10:17	1	1	1	1	71	61	0	30000	400	11935.4225	30000	0	0	30000	41.4375	2004
12.02.2020 15:10:19	1	1	1	1	71	61.25	0	30000	397.8494624	11935.4225	30000	0	0	30000	41.3125	2004
12.02.2020 15:10:20	1	1	1	1	70.75	61.25	0	29905.213	404.3010753	12387.13886	30000	0	0	30000	41.0625	2004
12.02.2020 15:10:21	1	1	1	1	70.75	61	0	30000	412.9032258	12387.13886	30000	0	0	30000	40.8125	2004
12.02.2020 15:10:22	1	1	1	1	70.75	60.75	0	30047.393	417.2043011	12387.13886	30000	0	0	30000	41.1875	2004
12.02.2020 15:10:23	1	1	1	1	70.75	61	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	39.9375	2004
12.02.2020 15:10:24	1	1	1	1	70.75	59.75	0	30000	404.3010753	12166.98829	30000	0	0	30000	41	2004
12.02.2020 15:10:25	1	1	1	1	70.75	61	0	30000	395.6989247	11871.00807	30000	0	0	30000	40.875	2004
12.02.2020 15:10:26	1	1	1	1	70.75	60.75	0	30000	397.8494624	11935.4225	30000	0	0	30000	40.875	2004
12.02.2020 15:10:27	1	1	1	1	70.75	60.75	0	30000	395.6989247	11871.00807	30000	0	0	30000	41.125	2004
12.02.2020 15:10:28	1	1	1	1	70.75	61	0	30000	400	11999.83693	30000	0	0	30000	41.375	2004
12.02.2020 15:10:29	1	1	1	1	70.75	61.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.1875	2004
12.02.2020 15:10:30	1	1	1	1	70.5	61	0	30000	417.2043011	12580.38214	30000	0	0	30000	41.1875	2004
12.02.2020 15:10:31	1	1	1	1	70.5	61	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	41	2004
12.02.2020 15:10:32	1	1	1	1	70.5	61	0	30000	400	12064.25135	30000	0	0	30000	41.125	2004
12.02.2020 15:10:33	1	1	1	1	70.5	61	0	30000	404.3010753	12128.66578	30000	0	0	30000	40.9375	2004
12.02.2020 15:10:41	1	1	1	1	70.25	61.25	0	30000	404.3010753	12064.25135	30000	0	0	30000	41.125	2004
12.02.2020 15:10:41	1	1	1	1	70.25	61.25	0	30000	404.3010753	12064.25135	30000	0	0	30000	41.125	2004
12.02.2020 15:10:41	1	1	1	1	70.25	61.25	0	30000	404.3010753	12064.25135	30000	0	0	30000	41.125	2004
12.02.2020 15:10:41	1	1	1	1	70.25	61.25	0	30000	404.3010753	12064.25135	30000	0	0	30000	41.125	2004
12.02.2020 15:10:41	1	1	1	1	70.25	61.25	0	30000	404.3010753	12064.25135	30000	0	0	30000	41.125	2004
12.02.2020 15:10:41	1	1	1	1	70.25	61.25	0	30000	404.3010753	12064.25135	30000	0	0	30000	41.125	2004
12.02.2020 15:10:41	1	1	1	1	70.25	61	0	30000	404.3010753	12193.08021	30000	0	0	30000	41.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 15:10:42	1	1	1	1	70.25	61	0	29952.607	412.9032258	12387.13886	30000	0	0	30000	40.5625	2004
12.02.2020 15:10:43	1	1	1	1	70.25	60.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.5	2004
12.02.2020 15:10:44	1	1	1	1	70.25	61.5	0	30000	412.9032258	12387.13886	30000	0	0	30000	40.9375	2004
12.02.2020 15:10:45	1	1	1	1	70.25	60.75	0	30000	415.0537634	12451.55328	30000	0	0	30000	41.1875	2004
12.02.2020 15:10:46	1	1	1	1	70.25	61	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.3125	2004
12.02.2020 15:10:47	1	1	1	1	70.25	61.25	0	29905.213	412.9032258	12193.08021	30000	0	0	30000	41.625	2004
12.02.2020 15:10:48	1	1	1	1	70.25	61.75	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.25	2004
12.02.2020 15:10:49	1	1	1	1	70.25	61.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	41.1875	2004
12.02.2020 15:10:50	1	1	1	1	70.25	61	0	29952.607	417.2043011	12451.55328	30000	0	0	30000	40.6875	2004
12.02.2020 15:10:51	1	1	1	1	70.25	60.5	0	30000	415.0537634	12451.55328	30000	0	0	30000	41.3125	2004
12.02.2020 15:10:52	1	1	1	1	70.25	61.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	41	2004
12.02.2020 15:10:53	1	1	1	1	70.25	61	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.375	2004
12.02.2020 15:10:54	1	1	1	1	70.25	61.25	0	30000	421.5053763	12580.38214	30000	0	0	30000	40.8125	2004
12.02.2020 15:10:55	1	1	1	1	70.25	60.75	0	29905.213	419.3548387	12580.38214	30000	0	0	30000	40.8125	2004
12.02.2020 15:10:57	1	1	1	1	70.25	60.75	0	30000	412.9032258	12451.55328	30000	0	0	30000	41.3125	2004
12.02.2020 15:10:58	1	1	1	1	70.25	61.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.4375	2004
12.02.2020 15:10:59	1	1	1	1	70.25	61.25	0	30000	378.4946237	11225.23306	30000	0	0	30000	41.125	2004
12.02.2020 15:11:00	1	1	1	1	70	61	0	30000	311.827957	9419.182997	30000	0	0	30000	41.1875	2004
12.02.2020 15:11:01	1	1	1	1	70	61	0	30000	275.2688172	8258.092572	30000	0	0	30000	41.375	2004
12.02.2020 15:11:02	1	1	1	1	70	61.25	0	30000	270.9677419	8128.448346	30000	0	0	30000	41.1875	2004
12.02.2020 15:11:03	1	1	1	1	70	61	0	30000	253.7634409	7547.903134	30000	0	0	30000	40.8125	2004
12.02.2020 15:11:04	1	1	1	1	70	60.75	0	30000	243.0107527	7290.245427	30000	0	0	30000	40.875	2004
12.02.2020 15:11:05	1	1	1	1	70	60.75	0	30000	236.5591398	7096.186775	30000	0	0	30000	40.3125	2004
12.02.2020 15:11:06	1	1	1	1	70	60.25	0	30000	225.8064516	6644.470416	30000	0	0	30000	41.125	2004
12.02.2020 15:11:07	1	1	1	1	70	61	0	30000	217.2043011	6515.641562	30000	0	0	30000	41.0625	2004
12.02.2020 15:11:08	1	1	1	1	70	61	0	30000	217.2043011	6515.641562	30000	0	0	30000	41.375	2004
12.02.2020 15:11:09	1	1	1	1	70	61.25	0	29952.607	217.2043011	6515.641562	30000	0	0	30000	41.25	2004
12.02.2020 15:11:10	1	1	1	1	72.5	61.25	0	29905.213	206.4516129	6257.983856	30000	0	0	30000	41.1875	2004
12.02.2020 15:11:11	1	1	1	1	72.5	61	0	30000	206.4516129	6193.569429	30000	0	0	30000	41.375	2004
12.02.2020 15:11:12	1	1	1	1	72.5	61.25	0	30000	206.4516129	6193.569429	30000	0	0	30000	40	2004
12.02.2020 15:11:13	1	1	1	1	72.5	60	0	30000	206.4516129	6193.569429	30000	0	0	30000	40.9375	2004
12.02.2020 15:11:14	1	1	1	1	72.5	60.75	0	30000	189.2473118	5677.438643	30000	0	0	30000	40.75	2004
12.02.2020 15:11:15	1	1	1	1	72.5	60.75	0	30000	189.2473118	5677.438643	30000	0	0	30000	41.4375	2004
12.02.2020 15:11:16	1	1	1	1	72.5	61.25	0	30000	193.5483871	5870.681923	30000	0	0	30000	41.25	2004
12.02.2020 15:11:17	1	1	1	1	72.5	61.25	0	30000	215.0537634	6386.812709	30000	0	0	30000	41.25	2004
12.02.2020 15:11:18	1	1	1	1	72.5	61.25	0	30000	270.9677419	8064.033919	30000	0	0	30000	41.1875	2004
12.02.2020 15:11:19	1	1	1	1	72.5	61	0	30000	301.0752688	9031.881064	30000	0	0	30000	41.0625	2004
12.02.2020 15:11:20	1	1	1	1	73.5	61	0	30000	329.0322581	9806.484929	30000	0	0	30000	41.3125	2004
12.02.2020 15:11:21	1	1	1	1	73.5	61.25	0	30000	253.7634409	7536.487919	30000	0	0	30000	40.9375	2004
12.02.2020 15:11:22	1	1	1	1	73.5	60.75	0	29952.607	247.311828	7419.07428	30000	0	0	30000	41.625	2004
12.02.2020 15:11:23	1	1	1	1	73.5	61.5	0	30000	206.4516129	6193.569429	30000	0	0	30000	41.0625	2004
12.02.2020 15:11:24	1	1	1	1	73.5	61	0	30000	215.0537634	6451.227136	30000	0	0	30000	41.6875	2004
12.02.2020 15:11:25	1	1	1	1	73.5	61.5	0	30047.393	217.2043011	6515.641562	30000	0	0	30000	41.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 15:11:26	1	1	1	1	73.5	61.25	0	30000	221.5053763	6644.470416	30000	0	0	30000	41.125	2004
12.02.2020 15:11:27	1	1	1	1	73.5	61	0	30000	219.3548387	6515.641562	30000	0	0	30000	40.6875	2004
12.02.2020 15:11:28	1	1	1	1	73.5	60.5	0	30000	219.3548387	6580.055989	30000	0	0	30000	41.3125	2004
12.02.2020 15:11:29	1	1	1	1	74.5	61.25	0	30000	234.4086022	7031.772348	30000	0	0	30000	41.375	2004
12.02.2020 15:11:30	1	1	1	1	74.5	61.25	0	29905.213	227.9569892	6902.943495	30000	0	0	30000	41.3125	2004
12.02.2020 15:11:31	1	1	1	1	74.5	61.25	0	30000	212.9032258	6386.812709	30000	0	0	30000	41.375	2004
12.02.2020 15:11:32	1	1	1	1	74.5	61.25	0	30000	206.4516129	6193.569429	30000	0	0	30000	41	2004
12.02.2020 15:11:33	1	1	1	1	74.5	61	0	29952.607	206.4516129	6193.569429	30000	0	0	30000	41.3125	2004
12.02.2020 15:11:35	1	1	1	1	74.5	61.25	0	30000	206.4516129	6193.569429	30000	0	0	30000	41.0625	2004
12.02.2020 15:11:42	1	1	1	1	75.25	61.25	0	30047.393	215.0537634	6386.812709	30000	0	0	30000	41.3125	2004
12.02.2020 15:11:42	1	1	1	1	75.25	61.25	0	30047.393	215.0537634	6386.812709	30000	0	0	30000	41.3125	2004
12.02.2020 15:11:42	1	1	1	1	75.25	61.25	0	30047.393	215.0537634	6386.812709	30000	0	0	30000	41.3125	2004
12.02.2020 15:11:42	1	1	1	1	75.25	61.25	0	30047.393	215.0537634	6386.812709	30000	0	0	30000	41.3125	2004
12.02.2020 15:11:42	1	1	1	1	75.25	61.25	0	30047.393	215.0537634	6386.812709	30000	0	0	30000	41.3125	2004
12.02.2020 15:11:42	1	1	1	1	75.25	61.25	0	30047.393	215.0537634	6386.812709	30000	0	0	30000	41.3125	2004
12.02.2020 15:11:42	1	1	1	1	75.25	61.25	0	30047.393	215.0537634	6386.812709	30000	0	0	30000	41.3125	2004
12.02.2020 15:11:42	1	1	1	1	75.25	61.25	0	30047.393	215.0537634	6386.812709	30000	0	0	30000	41.3125	2004
12.02.2020 15:11:42	1	1	1	1	75.25	61.25	0	30047.393	215.0537634	6386.812709	30000	0	0	30000	41.3125	2004
12.02.2020 15:11:43	1	1	1	1	75.25	61.25	0	30000	212.9032258	6386.812709	30000	0	0	30000	41.1875	2004
12.02.2020 15:11:44	1	1	1	1	75.25	61	0	29905.213	208.6021505	6237.599543	30000	0	0	30000	41.3125	2004
12.02.2020 15:11:45	1	1	1	1	75.25	61.25	0	30047.393	240.8602151	7160.601201	30000	0	0	30000	41.25	2004
12.02.2020 15:11:46	1	1	1	1	75.25	61.25	0	30000	217.2043011	6386.812709	30000	0	0	30000	41.375	2004
12.02.2020 15:11:47	1	1	1	1	75.25	61.25	0	30000	234.4086022	7225.831	30000	0	0	30000	40.6875	2004
12.02.2020 15:11:48	1	1	1	1	75.25	60.5	0	30000	232.2580645	6967.357921	30000	0	0	30000	41.1875	2004
12.02.2020 15:11:49	1	1	1	1	75.25	61	0	30000	221.5053763	6644.470416	30000	0	0	30000	41.5	2004
12.02.2020 15:11:50	1	1	1	1	76.75	61.5	0	29905.213	240.8602151	7214.415786	30000	0	0	30000	41.375	2004
12.02.2020 15:11:51	1	1	1	1	76.75	61.25	0	30000	230.1075269	6967.357921	30000	0	0	30000	41.375	2004
12.02.2020 15:11:52	1	1	1	1	76.75	61.25	0	30000	251.6129032	7547.903134	30000	0	0	30000	41.125	2004
12.02.2020 15:11:53	1	1	1	1	76.75	61	0	30000	266.6666667	7999.619493	30000	0	0	30000	41.1875	2004
12.02.2020 15:11:54	1	1	1	1	76.75	61	0	29905.213	251.6129032	7547.903134	30000	0	0	30000	41.25	2004
12.02.2020 15:11:55	1	1	1	1	76.75	61.25	0	30000	277.4193548	8322.506999	30000	0	0	30000	41.3125	2004
12.02.2020 15:11:56	1	1	1	1	76.75	61.25	0	30000	286.0215054	8515.750279	30000	0	0	30000	41.25	2004
12.02.2020 15:11:57	1	1	1	1	76.75	61.25	0	29952.607	275.2688172	8258.092572	30000	0	0	30000	41.25	2004
12.02.2020 15:11:58	1	1	1	1	76.75	61.25	0	30000	275.2688172	8322.506999	30000	0	0	30000	40.75	2004
12.02.2020 15:11:59	1	1	1	1	76.75	60.75	0	30000	266.6666667	7999.619493	30000	0	0	30000	41.1875	2004
12.02.2020 15:12:00	1	1	1	1	78.25	61	0	29952.607	329.0322581	9855.407279	30000	0	0	30000	41.25	2004
12.02.2020 15:12:01	1	1	1	1	78.25	61.25	0	30000	326.8817204	9806.484929	30000	0	0	30000	41.3125	2004
12.02.2020 15:12:02	1	1	1	1	78.25	61.25	0	30000	341.9354839	10257.38592	30000	0	0	30000	41.6875	2004
12.02.2020 15:12:03	1	1	1	1	78.25	61.5	0	30000	352.688172	10644.68785	30000	0	0	30000	41.25	2004
12.02.2020 15:12:04	1	1	1	1	78.25	61.25	0	30000	346.2365591	10387.03014	30000	0	0	30000	41	2004
12.02.2020 15:12:05	1	1	1	1	78.25	61.5	0	30000	412.9032258	12451.55328	30000	0	0	30000	41.1875	2004
12.02.2020 15:12:06	1	1	1	1	78.25	61	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.1875	2004
12.02.2020 15:12:07	1	1	1	1	78.25	61	0	30000	481.7204301	14406.00114	30000	0	0	30000	40.6875	2004
12.02.2020 15:12:08	1	1	1	1	78.25	60.5	0	29952.607	526.8817204	15820.67241	30000	0	0	30000	41.25	2004
12.02.2020 15:12:09	1	1	1	1	80	61.25	0	28957.346	552.688172	16004.13122	30000	0	0	30000	41.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 15:12:10	1	1	1	1	80	61.25	0	29099.526	550.5376344	16020.43867	30000	0	0	30000	41	2004
12.02.2020 15:12:11	1	1	1	1	80	61	0	29099.526	550.5376344	16046.53059	30000	0	0	30000	40.875	2004
12.02.2020 15:12:13	1	1	1	1	80	60.75	0	29336.493	552.688172	16187.59003	30000	0	0	30000	41.375	2004
12.02.2020 15:12:14	1	1	1	1	80	61.25	0	28625.592	559.1397849	16173.7287	30000	0	0	30000	40.6875	2004
12.02.2020 15:12:15	1	1	1	1	80	60.5	0	28341.232	563.4408602	15907.10189	30000	0	0	30000	40.875	2004
12.02.2020 15:12:16	1	1	1	1	80	60.75	0	28862.559	556.9892473	15987.82377	30000	0	0	30000	41.125	2004
12.02.2020 15:12:17	1	1	1	1	80	61	0	28815.166	550.5376344	15925.85546	30000	0	0	30000	40.5625	2004
12.02.2020 15:12:18	1	1	1	1	80	60.5	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	40.8125	2004
12.02.2020 15:12:19	1	1	1	1	80	60.75	0	28530.806	561.2903226	16040.00761	30000	0	0	30000	41	2004
12.02.2020 15:12:20	1	1	1	1	83.25	61	0	28625.592	556.9892473	16173.7287	30000	0	0	30000	41.125	2004
12.02.2020 15:12:21	1	1	1	1	83.25	61	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	41.0625	2004
12.02.2020 15:12:22	1	1	1	1	83.25	61	0	29146.919	550.5376344	16108.4989	30000	0	0	30000	41.3125	2004
12.02.2020 15:12:23	1	1	1	1	83.25	61.25	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	41.375	2004
12.02.2020 15:12:24	1	1	1	1	83.25	61.25	0	29383.886	541.9354839	15949.50126	30000	0	0	30000	40.25	2004
12.02.2020 15:12:25	1	1	1	1	83.25	60.25	0	29905.213	535.483871	16013.10032	30000	0	0	30000	41.25	2004
12.02.2020 15:12:26	1	1	1	1	83.25	61.25	0	30000	526.8817204	15805.99571	30000	0	0	30000	41.125	2004
12.02.2020 15:12:27	1	1	1	1	83.25	61	0	30000	516.1290323	15354.27935	30000	0	0	30000	41.1875	2004
12.02.2020 15:12:28	1	1	1	1	83.25	61	0	30000	496.7741935	15032.20721	30000	0	0	30000	41.1875	2004
12.02.2020 15:12:29	1	1	1	1	83.25	61	0	30000	460.2150538	13805.88699	30000	0	0	30000	40.9375	2004
12.02.2020 15:12:30	1	1	1	1	80.25	60.75	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.6875	2004
12.02.2020 15:12:31	1	1	1	1	80.25	60.5	0	30000	460.2150538	13805.88699	30000	0	0	30000	41.375	2004
12.02.2020 15:12:32	1	1	1	1	80.25	61.25	0	30000	438.7096774	13160.92735	30000	0	0	30000	41.375	2004
12.02.2020 15:12:33	1	1	1	1	80.25	61.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.3125	2004
12.02.2020 15:12:34	1	1	1	1	80.25	61.25	0	30000	438.7096774	13096.51292	30000	0	0	30000	41.25	2004
12.02.2020 15:12:35	1	1	1	1	80.25	61.25	0	30000	404.3010753	12193.08021	30000	0	0	30000	41.0625	2004
12.02.2020 15:12:36	1	1	1	1	80.25	61	0	29952.607	380.6451613	11676.94942	30000	0	0	30000	41.375	2004
12.02.2020 15:12:44	1	1	1	1	79	60.75	0	30000	419.3548387	12451.55328	30000	0	0	30000	41.375	2004
12.02.2020 15:12:44	1	1	1	1	79	60.75	0	30000	419.3548387	12451.55328	30000	0	0	30000	41.375	2004
12.02.2020 15:12:44	1	1	1	1	79	60.75	0	30000	419.3548387	12451.55328	30000	0	0	30000	41.375	2004
12.02.2020 15:12:44	1	1	1	1	79	60.75	0	30000	419.3548387	12451.55328	30000	0	0	30000	41.375	2004
12.02.2020 15:12:44	1	1	1	1	79	60.75	0	30000	419.3548387	12451.55328	30000	0	0	30000	41.375	2004
12.02.2020 15:12:44	1	1	1	1	79	60.75	0	30000	419.3548387	12451.55328	30000	0	0	30000	41.375	2004
12.02.2020 15:12:44	1	1	1	1	79	60.75	0	30000	419.3548387	12451.55328	30000	0	0	30000	41.375	2004
12.02.2020 15:12:44	1	1	1	1	79	61.25	0	30000	427.9569892	12967.68407	30000	0	0	30000	41.4375	2004
12.02.2020 15:12:45	1	1	1	1	79	61.25	0	29905.213	434.4086022	13225.34178	30000	0	0	30000	41.4375	2004
12.02.2020 15:12:46	1	1	1	1	79	61.25	0	30000	445.1612903	13483.81486	30000	0	0	30000	40.75	2004
12.02.2020 15:12:47	1	1	1	1	79	60.75	0	30000	458.0645161	13741.47256	30000	0	0	30000	41.375	2004
12.02.2020 15:12:48	1	1	1	1	79	61.25	0	30000	464.516129	13999.94564	30000	0	0	30000	41.4375	2004
12.02.2020 15:12:49	1	1	1	1	78	61.25	0	30000	481.7204301	14451.662	30000	0	0	30000	40.5625	2004
12.02.2020 15:12:51	1	1	1	1	78	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.875	2004
12.02.2020 15:12:52	1	1	1	1	78	60.75	0	30000	481.7204301	14644.90528	30000	0	0	30000	40	2004
12.02.2020 15:12:53	1	1	1	1	78	60	0	30000	488.172043	14516.07643	30000	0	0	30000	41.3125	2004
12.02.2020 15:12:54	1	1	1	1	78	61.25	0	30000	488.172043	14644.90528	30000	0	0	30000	41.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 15:12:55	1	1	1	1	78	61	0	30000	488.172043	14644.90528	30000	0	0	30000	41.3125	2004
12.02.2020 15:12:56	1	1	1	1	78	61.25	0	30000	494.6236559	14838.14856	30000	0	0	30000	41.25	2004
12.02.2020 15:12:57	1	1	1	1	78	61.25	0	30000	501.0752688	15032.20721	30000	0	0	30000	41.0625	2004
12.02.2020 15:12:58	1	1	1	1	78	61	0	30000	501.0752688	15032.20721	30000	0	0	30000	41.1875	2004
12.02.2020 15:12:59	1	1	1	1	78	61	0	30000	505.3763441	15225.45049	30000	0	0	30000	41.1875	2004
12.02.2020 15:13:00	1	1	1	1	76.75	61	0	29952.607	509.6774194	15483.92357	30000	0	0	30000	41.25	2004
12.02.2020 15:13:01	1	1	1	1	76.75	61.25	0	30000	516.1290323	15483.92357	30000	0	0	30000	41.0625	2004
12.02.2020 15:13:02	1	1	1	1	76.75	61	0	30000	520.4301075	15741.58128	30000	0	0	30000	40.4375	2004
12.02.2020 15:13:03	1	1	1	1	76.75	60.25	0	30000	524.7311828	15741.58128	30000	0	0	30000	41	2004
12.02.2020 15:13:04	1	1	1	1	76.75	61	0	30000	533.3333333	15934.82456	30000	0	0	30000	41.0625	2004
12.02.2020 15:13:05	1	1	1	1	76.75	61	0	30000	529.0322581	15870.41013	30000	0	0	30000	41.3125	2004
12.02.2020 15:13:06	1	1	1	1	76.75	61.25	0	30000	533.3333333	16000.05436	30000	0	0	30000	40.5625	2004
12.02.2020 15:13:07	1	1	1	1	76.75	60.5	0	30000	533.3333333	16000.05436	30000	0	0	30000	40.4375	2004
12.02.2020 15:13:08	1	1	1	1	76.75	60.25	0	29952.607	533.3333333	16000.05436	30000	0	0	30000	41.125	2004
12.02.2020 15:13:09	1	1	1	1	76.75	61	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	40.6875	2004
12.02.2020 15:13:10	1	1	1	1	76	60.5	0	29952.607	535.483871	16039.19224	30000	0	0	30000	40	2004
12.02.2020 15:13:11	1	1	1	1	76	60	0	29905.213	535.483871	16013.10032	30000	0	0	30000	41.125	2004
12.02.2020 15:13:12	1	1	1	1	76	61	0	29952.607	533.3333333	16013.10032	30000	0	0	30000	41.375	2004
12.02.2020 15:13:13	1	1	1	1	76	61.25	0	29952.607	533.3333333	15934.82456	30000	0	0	30000	41.3125	2004
12.02.2020 15:13:14	1	1	1	1	76	61.25	0	29857.82	533.3333333	15924.22472	30000	0	0	30000	41.375	2004
12.02.2020 15:13:15	1	1	1	1	76	61.25	0	29857.82	537.6344086	16052.2382	30000	0	0	30000	40.75	2004
12.02.2020 15:13:16	1	1	1	1	76	60.75	0	29810.427	539.7849462	16219.38956	30000	0	0	30000	41.1875	2004
12.02.2020 15:13:17	1	1	1	1	76	61	0	29952.607	535.483871	16039.19224	30000	0	0	30000	41.375	2004
12.02.2020 15:13:18	1	1	1	1	76	61.25	0	29857.82	533.3333333	15987.82377	30000	0	0	30000	41.625	2004
12.02.2020 15:13:19	1	1	1	1	76	61.5	0	29810.427	537.6344086	16090.5607	30000	0	0	30000	41.25	2004
12.02.2020 15:13:20	1	1	1	1	76	61.25	0	29857.82	535.483871	15962.54722	30000	0	0	30000	40.75	2004
12.02.2020 15:13:21	1	1	1	1	76	60.75	0	29905.213	535.483871	16077.51474	30000	0	0	30000	40.875	2004
12.02.2020 15:13:22	1	1	1	1	76	60.75	0	29857.82	533.3333333	16013.10032	30000	0	0	30000	41.4375	2004
12.02.2020 15:13:23	1	1	1	1	76	61.25	0	29810.427	537.6344086	16026.96165	30000	0	0	30000	40.9375	2004
12.02.2020 15:13:24	1	1	1	1	76	60.75	0	29668.246	535.483871	15911.99413	30000	0	0	30000	41.125	2004
12.02.2020 15:13:25	1	1	1	1	76	61	0	29905.213	539.7849462	15898.94817	30000	0	0	30000	40.6875	2004
12.02.2020 15:13:26	1	1	1	1	76	60.5	0	29715.64	539.7849462	15975.59318	30000	0	0	30000	41.3125	2004
12.02.2020 15:13:27	1	1	1	1	76	61.25	0	29810.427	537.6344086	16052.2382	30000	0	0	30000	41.375	2004
12.02.2020 15:13:28	1	1	1	1	76	61.25	0	29715.64	537.6344086	15911.99413	30000	0	0	30000	41.5	2004
12.02.2020 15:13:30	1	1	1	1	75.5	61.5	0	29810.427	535.483871	15987.82377	30000	0	0	30000	40.8125	2004
12.02.2020 15:13:31	1	1	1	1	75.5	60.75	0	29715.64	535.483871	15911.99413	30000	0	0	30000	41	2004
12.02.2020 15:13:32	1	1	1	1	75.5	61	0	29810.427	537.6344086	15962.54722	30000	0	0	30000	41.4375	2004
12.02.2020 15:13:33	1	1	1	1	75.5	61.25	0	29715.64	535.483871	15911.99413	30000	0	0	30000	41.375	2004
12.02.2020 15:13:34	1	1	1	1	75.5	61.25	0	29857.82	537.6344086	16141.92917	30000	0	0	30000	41.125	2004
12.02.2020 15:13:35	1	1	1	1	75.5	61	0	29905.213	539.7849462	16052.2382	30000	0	0	30000	41.0625	2004
12.02.2020 15:13:36	1	1	1	1	75.5	61	0	29715.64	537.6344086	15911.99413	30000	0	0	30000	41.375	2004
12.02.2020 15:13:37	1	1	1	1	75.5	61.25	0	29763.033	537.6344086	16090.5607	30000	0	0	30000	41.25	2004
12.02.2020 15:13:38	1	1	1	1	75.5	61.25	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	40.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 15:13:46	1	1	1	1	75.25	60.75	0	29620.853	537.6344086	15925.04009	30000	0	0	30000	41.3125	2004
12.02.2020 15:13:46	1	1	1	1	75.25	60.75	0	29620.853	537.6344086	15925.04009	30000	0	0	30000	41.3125	2004
12.02.2020 15:13:46	1	1	1	1	75.25	60.75	0	29620.853	537.6344086	15925.04009	30000	0	0	30000	41.3125	2004
12.02.2020 15:13:46	1	1	1	1	75.25	60.75	0	29620.853	537.6344086	15925.04009	30000	0	0	30000	41.3125	2004
12.02.2020 15:13:46	1	1	1	1	75.25	60.75	0	29620.853	537.6344086	15925.04009	30000	0	0	30000	41.3125	2004
12.02.2020 15:13:46	1	1	1	1	75.25	60.75	0	29620.853	537.6344086	15925.04009	30000	0	0	30000	41.3125	2004
12.02.2020 15:13:46	1	1	1	1	75.25	61.25	0	29526.066	533.3333333	15861.44103	30000	0	0	30000	41.1875	2004
12.02.2020 15:13:47	1	1	1	1	75.25	61	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	41.3125	2004
12.02.2020 15:13:48	1	1	1	1	75.25	61.25	0	29715.64	535.483871	16167.20572	30000	0	0	30000	41.25	2004
12.02.2020 15:13:49	1	1	1	1	75.25	61.25	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	41.3125	2004
12.02.2020 15:13:50	1	1	1	1	75	61.25	0	29715.64	539.7849462	15988.63914	30000	0	0	30000	40.4375	2004
12.02.2020 15:13:51	1	1	1	1	75	60.25	0	29810.427	539.7849462	16040.00761	30000	0	0	30000	41.375	2004
12.02.2020 15:13:52	1	1	1	1	75	61.25	0	29620.853	537.6344086	15645.36733	30000	0	0	30000	41.0625	2004
12.02.2020 15:13:53	1	1	1	1	75	61	0	29763.033	541.9354839	15911.99413	30000	0	0	30000	41.3125	2004
12.02.2020 15:13:54	1	1	1	1	75	61.25	0	29526.066	539.7849462	16000.86973	30000	0	0	30000	41.125	2004
12.02.2020 15:13:55	1	1	1	1	75	61	0	29620.853	539.7849462	16040.00761	30000	0	0	30000	41.125	2004
12.02.2020 15:13:56	1	1	1	1	75	61	0	29620.853	546.2365591	15747.28889	30000	0	0	30000	41.5	2004
12.02.2020 15:13:57	1	1	1	1	75	60.5	0	29715.64	539.7849462	16219.38956	30000	0	0	30000	41.4375	2004
12.02.2020 15:13:58	1	1	1	1	75	61.25	0	29526.066	535.483871	15963.3626	30000	0	0	30000	41.375	2004
12.02.2020 15:13:59	1	1	1	1	74.75	61.25	0	29526.066	539.7849462	15873.67162	30000	0	0	30000	41.1875	2004
12.02.2020 15:14:00	1	1	1	1	74.75	61	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	41.1875	2004
12.02.2020 15:14:01	1	1	1	1	74.75	61	0	29526.066	541.9354839	15963.3626	30000	0	0	30000	41.125	2004
12.02.2020 15:14:02	1	1	1	1	74.75	61	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	41.125	2004
12.02.2020 15:14:03	1	1	1	1	74.75	61	0	29431.28	539.7849462	15885.90221	30000	0	0	30000	41.3125	2004
12.02.2020 15:14:04	1	1	1	1	74.75	61.25	0	29573.46	539.7849462	15836.16449	30000	0	0	30000	41.375	2004
12.02.2020 15:14:06	1	1	1	1	74.75	61.25	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	41.3125	2004
12.02.2020 15:14:07	1	1	1	1	74.75	61.25	0	29810.427	541.9354839	16154.97513	30000	0	0	30000	41.3125	2004
12.02.2020 15:14:08	1	1	1	1	74.75	61.25	0	29573.46	546.2365591	15963.3626	30000	0	0	30000	40.9375	2004
12.02.2020 15:14:09	1	1	1	1	74.75	60.75	0	29620.853	541.9354839	16026.96165	30000	0	0	30000	40.625	2004
12.02.2020 15:14:10	1	1	1	1	74.75	60.5	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	40.875	2004
12.02.2020 15:14:11	1	1	1	1	74.75	60.75	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	41.375	2004
12.02.2020 15:14:12	1	1	1	1	74.75	61.25	0	29668.246	541.9354839	15988.63914	30000	0	0	30000	41.3125	2004
12.02.2020 15:14:13	1	1	1	1	74.75	61.25	0	29431.28	550.5376344	15835.34912	30000	0	0	30000	40.9375	2004
12.02.2020 15:14:14	1	1	1	1	74.75	60.75	0	29431.28	539.7849462	15885.90221	30000	0	0	30000	41.375	2004
12.02.2020 15:14:15	1	1	1	1	74.75	61.25	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	41.3125	2004
12.02.2020 15:14:16	1	1	1	1	74.75	61.25	0	29526.066	541.9354839	16026.96165	30000	0	0	30000	40.875	2004
12.02.2020 15:14:17	1	1	1	1	74.75	60.75	0	29715.64	539.7849462	16103.60666	30000	0	0	30000	41.0625	2004
12.02.2020 15:14:18	1	1	1	1	74.75	61	0	29573.46	546.2365591	15937.27068	30000	0	0	30000	41	2004
12.02.2020 15:14:19	1	1	1	1	74.75	61	0	29526.066	541.9354839	16026.96165	30000	0	0	30000	41.4375	2004
12.02.2020 15:14:20	1	1	1	1	74.75	61.25	0	29620.853	541.9354839	15988.63914	30000	0	0	30000	41.0625	2004
12.02.2020 15:14:21	1	1	1	1	74.75	61	0	29620.853	544.0860215	16052.2382	30000	0	0	30000	41.375	2004
12.02.2020 15:14:22	1	1	1	1	74.75	61.25	0	29620.853	541.9354839	15988.63914	30000	0	0	30000	41	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 15:14:23	1	1	1	1	74.75	61	0	29668.246	541.9354839	16167.20572	30000	0	0	30000	41.25	2004
12.02.2020 15:14:24	1	1	1	1	74.75	61.25	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	41.25	2004
12.02.2020 15:14:25	1	1	1	1	74.75	61.25	0	29478.673	537.6344086	15937.27068	30000	0	0	30000	41.0625	2004
12.02.2020 15:14:26	1	1	1	1	74.75	61	0	29620.853	544.0860215	16115.83725	30000	0	0	30000	41.0625	2004
12.02.2020 15:14:27	1	1	1	1	74.75	61	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	41.1875	2004
12.02.2020 15:14:28	1	1	1	1	74.75	61	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	41	2004
12.02.2020 15:14:29	1	1	1	1	74.75	61	0	29526.066	541.9354839	15975.59318	30000	0	0	30000	41.3125	2004
12.02.2020 15:14:30	1	1	1	1	74.5	61.25	0	29526.066	541.9354839	16255.26595	30000	0	0	30000	41.0625	2004
12.02.2020 15:14:31	1	1	1	1	74.5	61	0	29383.886	541.9354839	15924.22472	30000	0	0	30000	41.1875	2004
12.02.2020 15:14:32	1	1	1	1	74.5	61	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	41.1875	2004
12.02.2020 15:14:33	1	1	1	1	74.5	61	0	29478.673	541.9354839	16000.86973	30000	0	0	30000	41.3125	2004
12.02.2020 15:14:34	1	1	1	1	74.5	60.75	0	29431.28	541.9354839	16000.86973	30000	0	0	30000	40.75	2004
12.02.2020 15:14:35	1	1	1	1	74.5	60.75	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	40.875	2004
12.02.2020 15:14:36	1	1	1	1	74.5	60.75	0	29620.853	541.9354839	16115.83725	30000	0	0	30000	40.875	2004
12.02.2020 15:14:37	1	1	1	1	74.5	60.75	0	29620.853	544.0860215	16115.83725	30000	0	0	30000	41.25	2004
12.02.2020 15:14:38	1	1	1	1	74.5	61.25	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	41.0625	2004
12.02.2020 15:14:39	1	1	1	1	74.25	61	0	29573.46	541.9354839	16052.2382	30000	0	0	30000	41.25	2004
12.02.2020 15:14:47	1	1	1	1	74.25	61	0	29478.673	541.9354839	16038.37687	30000	0	0	30000	41.125	2004
12.02.2020 15:14:47	1	1	1	1	74.25	61	0	29478.673	541.9354839	16038.37687	30000	0	0	30000	41.125	2004
12.02.2020 15:14:47	1	1	1	1	74.25	61	0	29478.673	541.9354839	16038.37687	30000	0	0	30000	41.125	2004
12.02.2020 15:14:47	1	1	1	1	74.25	61	0	29478.673	541.9354839	16038.37687	30000	0	0	30000	41.125	2004
12.02.2020 15:14:47	1	1	1	1	74.25	61	0	29478.673	541.9354839	16038.37687	30000	0	0	30000	41.125	2004
12.02.2020 15:14:47	1	1	1	1	74.25	61	0	29478.673	541.9354839	16038.37687	30000	0	0	30000	41.125	2004
12.02.2020 15:14:47	1	1	1	1	74.25	61	0	29478.673	541.9354839	16038.37687	30000	0	0	30000	41.125	2004
12.02.2020 15:14:48	1	1	1	1	74.25	61	0	29526.066	541.9354839	15911.99413	30000	0	0	30000	41.4375	2004
12.02.2020 15:14:49	1	1	1	1	74.25	61.25	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	41.25	2004
12.02.2020 15:14:50	1	1	1	1	74.25	61.25	0	29620.853	537.6344086	15861.44103	30000	0	0	30000	41.375	2004
12.02.2020 15:14:51	1	1	1	1	74.25	61.25	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	41.375	2004
12.02.2020 15:14:52	1	1	1	1	74.25	61.25	0	29431.28	537.6344086	16013.10032	30000	0	0	30000	40.75	2004
12.02.2020 15:14:53	1	1	1	1	74.25	60.75	0	29383.886	541.9354839	15949.50126	30000	0	0	30000	41.5	2004
12.02.2020 15:14:54	1	1	1	1	74.25	61.5	0	29526.066	541.9354839	16026.96165	30000	0	0	30000	41.125	2004
12.02.2020 15:14:55	1	1	1	1	74.25	61	0	29526.066	541.9354839	15975.59318	30000	0	0	30000	41.375	2004
12.02.2020 15:14:56	1	1	1	1	74.25	61.25	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	41.0625	2004
12.02.2020 15:14:57	1	1	1	1	74.25	61	0	29383.886	537.6344086	15835.34912	30000	0	0	30000	41	2004
12.02.2020 15:14:58	1	1	1	1	74.25	61	0	29526.066	541.9354839	15784.79602	30000	0	0	30000	40.75	2004
12.02.2020 15:14:59	1	1	1	1	74.25	60.75	0	29526.066	541.9354839	15937.27068	30000	0	0	30000	41.125	2004
12.02.2020 15:15:00	1	1	1	1	73.75	61	0	29431.28	541.9354839	15885.90221	30000	0	0	30000	41.375	2004
12.02.2020 15:15:01	1	1	1	1	73.75	61.25	0	29526.066	541.9354839	16064.46878	30000	0	0	30000	41.3125	2004
12.02.2020 15:15:02	1	1	1	1	73.75	61.25	0	29573.46	541.9354839	16026.96165	30000	0	0	30000	41.5	2004
12.02.2020 15:15:03	1	1	1	1	73.75	61.5	0	29478.673	541.9354839	16000.86973	30000	0	0	30000	41.5	2004
12.02.2020 15:15:04	1	1	1	1	73.75	61.5	0	29573.46	541.9354839	16307.44979	30000	0	0	30000	41.1875	2004
12.02.2020 15:15:05	1	1	1	1	73.75	61	0	29526.066	541.9354839	15911.99413	30000	0	0	30000	41.3125	2004
12.02.2020 15:15:06	1	1	1	1	73.75	61.25	0	29526.066	541.9354839	16026.96165	30000	0	0	30000	41.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 15:15:07	1	1	1	1	73.75	61.25	0	29573.46	544.0860215	16371.04884	30000	0	0	30000	41.1875	2004
12.02.2020 15:15:08	1	1	1	1	73.75	61	0	29620.853	544.0860215	16115.83725	30000	0	0	30000	40.375	2004
12.02.2020 15:15:09	1	1	1	1	73.75	60.25	0	29620.853	541.9354839	16243.03536	30000	0	0	30000	41.6875	2004
12.02.2020 15:15:10	1	1	1	1	74	61.5	0	29526.066	541.9354839	16026.96165	30000	0	0	30000	41.375	2004
12.02.2020 15:15:11	1	1	1	1	74	61.25	0	29620.853	544.0860215	16115.83725	30000	0	0	30000	40.8125	2004
12.02.2020 15:15:12	1	1	1	1	74	61.5	0	29715.64	550.5376344	16359.63363	30000	0	0	30000	40.875	2004
12.02.2020 15:15:13	1	1	1	1	74	60.75	0	29526.066	541.9354839	16052.2382	30000	0	0	30000	41.375	2004
12.02.2020 15:15:14	1	1	1	1	74	61.25	0	29573.46	544.0860215	15899.76354	30000	0	0	30000	40.875	2004
12.02.2020 15:15:15	1	1	1	1	74	60.75	0	29526.066	544.0860215	16090.5607	30000	0	0	30000	40.75	2004
12.02.2020 15:15:16	1	1	1	1	74	60.75	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	40.9375	2004
12.02.2020 15:15:17	1	1	1	1	74	60.75	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	41.4375	2004
12.02.2020 15:15:19	1	1	1	1	74	61.25	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	41.3125	2004
12.02.2020 15:15:20	1	1	1	1	73.5	61.25	0	29526.066	541.9354839	15975.59318	30000	0	0	30000	41.25	2004
12.02.2020 15:15:21	1	1	1	1	73.5	61.25	0	29431.28	541.9354839	15885.90221	30000	0	0	30000	41.0625	2004
12.02.2020 15:15:22	1	1	1	1	73.5	61	0	29383.886	541.9354839	16013.10032	30000	0	0	30000	41.25	2004
12.02.2020 15:15:23	1	1	1	1	73.5	61.25	0	29383.886	541.9354839	15860.62566	30000	0	0	30000	41.125	2004
12.02.2020 15:15:24	1	1	1	1	73.5	61	0	29478.673	539.7849462	15937.27068	30000	0	0	30000	41.1875	2004
12.02.2020 15:15:25	1	1	1	1	73.5	61	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	41.3125	2004
12.02.2020 15:15:26	1	1	1	1	73.5	61.25	0	29478.673	541.9354839	15975.59318	30000	0	0	30000	40.875	2004
12.02.2020 15:15:27	1	1	1	1	73.5	60.75	0	29573.46	541.9354839	16090.5607	30000	0	0	30000	41.4375	2004
12.02.2020 15:15:28	1	1	1	1	73.5	61.25	0	29478.673	541.9354839	15949.50126	30000	0	0	30000	41.375	2004
12.02.2020 15:15:29	1	1	1	1	73.5	61.25	0	29526.066	541.9354839	15937.27068	30000	0	0	30000	41	2004
12.02.2020 15:15:30	1	1	1	1	73	61	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	41.3125	2004
12.02.2020 15:15:31	1	1	1	1	73	61.25	0	29526.066	541.9354839	16026.96165	30000	0	0	30000	41	2004
12.02.2020 15:15:32	1	1	1	1	73	61	0	29573.46	541.9354839	16115.83725	30000	0	0	30000	41	2004
12.02.2020 15:15:33	1	1	1	1	73	61	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	41.4375	2004
12.02.2020 15:15:34	1	1	1	1	73	61.25	0	29478.673	541.9354839	16000.86973	30000	0	0	30000	40.9375	2004
12.02.2020 15:15:35	1	1	1	1	73	60.75	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	40.75	2004
12.02.2020 15:15:36	1	1	1	1	73	60.75	0	29478.673	541.9354839	16128.06784	30000	0	0	30000	41.375	2004
12.02.2020 15:15:37	1	1	1	1	73	61.25	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	40.125	2004
12.02.2020 15:15:38	1	1	1	1	73	60	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	41.125	2004
12.02.2020 15:15:39	1	1	1	1	73	61	0	29431.28	546.2365591	16101.97592	30000	0	0	30000	41.25	2004
12.02.2020 15:15:40	1	1	1	1	73.25	61.25	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	41.375	2004
12.02.2020 15:15:41	1	1	1	1	73.25	61.25	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	40.9375	2004
12.02.2020 15:15:49	1	1	1	1	73.25	61.25	0	29573.46	544.0860215	16064.46878	30000	0	0	30000	40.875	2004
12.02.2020 15:15:49	1	1	1	1	73.25	61.25	0	29573.46	544.0860215	16064.46878	30000	0	0	30000	40.875	2004
12.02.2020 15:15:49	1	1	1	1	73.25	61.25	0	29573.46	544.0860215	16064.46878	30000	0	0	30000	40.875	2004
12.02.2020 15:15:49	1	1	1	1	73.25	61.25	0	29573.46	544.0860215	16064.46878	30000	0	0	30000	40.875	2004
12.02.2020 15:15:49	1	1	1	1	73.25	61.25	0	29573.46	544.0860215	16064.46878	30000	0	0	30000	40.875	2004
12.02.2020 15:15:49	1	1	1	1	73.25	61.25	0	29573.46	544.0860215	16064.46878	30000	0	0	30000	40.875	2004
12.02.2020 15:15:49	1	1	1	1	73.25	60.75	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	41.625	2004
12.02.2020 15:15:50	1	1	1	1	73	61.5	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	41.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 15:15:51	1	1	1	1	73	61.25	0	29146.919	544.0860215	15858.17955	30000	0	0	30000	41.3125	2004
12.02.2020 15:15:52	1	1	1	1	73	61.25	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	41.25	2004
12.02.2020 15:15:53	1	1	1	1	73	61.25	0	29383.886	544.0860215	16075.884	30000	0	0	30000	41.1875	2004
12.02.2020 15:15:54	1	1	1	1	73	61	0	29383.886	544.0860215	15987.0084	30000	0	0	30000	41.25	2004
12.02.2020 15:15:55	1	1	1	1	73	61.25	0	29383.886	541.9354839	15960.91648	30000	0	0	30000	41.1875	2004
12.02.2020 15:15:56	1	1	1	1	73	61	0	29336.493	541.9354839	16024.51553	30000	0	0	30000	41.125	2004
12.02.2020 15:15:58	1	1	1	1	73	61	0	29526.066	546.2365591	16154.15976	30000	0	0	30000	41.4375	2004
12.02.2020 15:15:59	1	1	1	1	73	61.25	0	29146.919	541.9354839	15858.17955	30000	0	0	30000	40.9375	2004
12.02.2020 15:16:00	1	1	1	1	72.75	60.75	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	41.1875	2004
12.02.2020 15:16:01	1	1	1	1	72.75	61	0	29146.919	541.9354839	15795.39586	30000	0	0	30000	41.375	2004
12.02.2020 15:16:02	1	1	1	1	72.75	61.25	0	29478.673	552.688172	16013.10032	30000	0	0	30000	41.375	2004
12.02.2020 15:16:03	1	1	1	1	72.75	61.25	0	29526.066	546.2365591	15911.99413	30000	0	0	30000	41	2004
12.02.2020 15:16:04	1	1	1	1	72.75	61	0	29336.493	546.2365591	15898.1328	30000	0	0	30000	40.375	2004
12.02.2020 15:16:05	1	1	1	1	72.75	60.25	0	29620.853	544.0860215	16179.43631	30000	0	0	30000	41.375	2004
12.02.2020 15:16:06	1	1	1	1	72.75	61.25	0	29336.493	541.9354839	15960.91648	30000	0	0	30000	40.6875	2004
12.02.2020 15:16:07	1	1	1	1	72.75	60.5	0	29241.706	544.0860215	15998.42361	30000	0	0	30000	41.25	2004
12.02.2020 15:16:08	1	1	1	1	72.75	61.25	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	41.4375	2004
12.02.2020 15:16:09	1	1	1	1	72.75	61.25	0	29526.066	544.0860215	16090.5607	30000	0	0	30000	41.25	2004
12.02.2020 15:16:10	1	1	1	1	72.5	61.25	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	41.25	2004
12.02.2020 15:16:11	1	1	1	1	72.5	61.25	0	29146.919	544.0860215	15858.17955	30000	0	0	30000	41.3125	2004
12.02.2020 15:16:12	1	1	1	1	72.5	61.25	0	29289.1	541.9354839	15960.91648	30000	0	0	30000	40.4375	2004
12.02.2020 15:16:13	1	1	1	1	72.5	60.25	0	29336.493	537.6344086	15960.91648	30000	0	0	30000	41.25	2004
12.02.2020 15:16:14	1	1	1	1	72.5	61.25	0	29241.706	535.483871	15846.76433	30000	0	0	30000	41.25	2004
12.02.2020 15:16:15	1	1	1	1	72.5	61.25	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	41.125	2004
12.02.2020 15:16:16	1	1	1	1	72.5	61	0	29431.28	541.9354839	16013.10032	30000	0	0	30000	41.3125	2004
12.02.2020 15:16:17	1	1	1	1	72.5	61.25	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	41.0625	2004
12.02.2020 15:16:18	1	1	1	1	72.5	61	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	41.25	2004
12.02.2020 15:16:19	1	1	1	1	72.5	61.25	0	29383.886	544.0860215	15987.0084	30000	0	0	30000	41	2004
12.02.2020 15:16:20	1	1	1	1	72	61	0	29383.886	552.688172	15987.0084	30000	0	0	30000	41.4375	2004
12.02.2020 15:16:21	1	1	1	1	72	61.25	0	29478.673	544.0860215	16038.37687	30000	0	0	30000	41.125	2004
12.02.2020 15:16:22	1	1	1	1	72	61	0	29336.493	541.9354839	15960.91648	30000	0	0	30000	41.25	2004
12.02.2020 15:16:23	1	1	1	1	72	61.25	0	29383.886	541.9354839	15949.50126	30000	0	0	30000	41.125	2004
12.02.2020 15:16:24	1	1	1	1	72	61	0	29431.28	539.7849462	16101.97592	30000	0	0	30000	41.375	2004
12.02.2020 15:16:25	1	1	1	1	72	61.25	0	29383.886	541.9354839	16013.10032	30000	0	0	30000	41.1875	2004
12.02.2020 15:16:26	1	1	1	1	72	61	0	29573.46	544.0860215	16090.5607	30000	0	0	30000	41.25	2004
12.02.2020 15:16:27	1	1	1	1	72	61.25	0	29431.28	546.2365591	15885.90221	30000	0	0	30000	41.75	2004
12.02.2020 15:16:28	1	1	1	1	72	61.75	0	29620.853	544.0860215	16115.83725	30000	0	0	30000	41.3125	2004
12.02.2020 15:16:29	1	1	1	1	72	61.25	0	29431.28	541.9354839	16038.37687	30000	0	0	30000	40.8125	2004
12.02.2020 15:16:30	1	1	1	1	72	60.75	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	41.5625	2004
12.02.2020 15:16:31	1	1	1	1	72	61.25	0	29383.886	541.9354839	15960.91648	30000	0	0	30000	41.4375	2004
12.02.2020 15:16:32	1	1	1	1	72	61.25	0	29289.1	544.0860215	15960.91648	30000	0	0	30000	41.125	2004
12.02.2020 15:16:33	1	1	1	1	72	61	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	41.4375	2004
12.02.2020 15:16:34	1	1	1	1	72	61.25	0	29526.066	544.0860215	16090.5607	30000	0	0	30000	41.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 15:16:35	1	1	1	1	72	61.25	0	29431.28	546.2365591	16013.10032	30000	0	0	30000	41.5625	2004
12.02.2020 15:16:37	1	1	1	1	72	61.5	0	29383.886	541.9354839	15949.50126	30000	0	0	30000	41.1875	2004
12.02.2020 15:16:38	1	1	1	1	72	61	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	41.375	2004
12.02.2020 15:16:39	1	1	1	1	72	61.25	0	29431.28	544.0860215	15987.0084	30000	0	0	30000	41.4375	2004
12.02.2020 15:16:40	1	1	1	1	71.75	61.25	0	29336.493	541.9354839	15898.1328	30000	0	0	30000	41.0625	2004
12.02.2020 15:16:41	1	1	1	1	71.75	61	0	29478.673	544.0860215	16038.37687	30000	0	0	30000	40.875	2004
12.02.2020 15:16:42	1	1	1	1	71.75	60.75	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	41.25	2004
12.02.2020 15:16:43	1	1	1	1	71.75	61.25	0	29289.1	544.0860215	15960.91648	30000	0	0	30000	41.3125	2004
12.02.2020 15:16:51	1	1	1	1	71.5	60.75	0	29620.853	541.9354839	15988.63914	30000	0	0	30000	41.1875	2004
12.02.2020 15:16:51	1	1	1	1	71.5	60.75	0	29620.853	541.9354839	15988.63914	30000	0	0	30000	41.1875	2004
12.02.2020 15:16:51	1	1	1	1	71.5	60.75	0	29620.853	541.9354839	15988.63914	30000	0	0	30000	41.1875	2004
12.02.2020 15:16:51	1	1	1	1	71.5	60.75	0	29620.853	541.9354839	15988.63914	30000	0	0	30000	41.1875	2004
12.02.2020 15:16:51	1	1	1	1	71.5	60.75	0	29620.853	541.9354839	15988.63914	30000	0	0	30000	41.1875	2004
12.02.2020 15:16:51	1	1	1	1	71.5	60.75	0	29620.853	541.9354839	15988.63914	30000	0	0	30000	41.1875	2004
12.02.2020 15:16:51	1	1	1	1	71.5	61	0	29478.673	541.9354839	15949.50126	30000	0	0	30000	41	2004
12.02.2020 15:16:52	1	1	1	1	71.5	61	0	29383.886	541.9354839	16013.10032	30000	0	0	30000	40.4375	2004
12.02.2020 15:16:53	1	1	1	1	71.5	60.25	0	29478.673	544.0860215	16013.10032	30000	0	0	30000	41.0625	2004
12.02.2020 15:16:54	1	1	1	1	71.5	61	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	41.375	2004
12.02.2020 15:16:55	1	1	1	1	71.5	61.25	0	29336.493	541.9354839	15835.34912	30000	0	0	30000	40.875	2004
12.02.2020 15:16:56	1	1	1	1	71.5	60.75	0	29478.673	541.9354839	16038.37687	30000	0	0	30000	41.3125	2004
12.02.2020 15:16:57	1	1	1	1	71.5	61.25	0	29383.886	541.9354839	15860.62566	30000	0	0	30000	41	2004
12.02.2020 15:16:58	1	1	1	1	71.5	61	0	29573.46	546.2365591	16179.43631	30000	0	0	30000	41.3125	2004
12.02.2020 15:16:59	1	1	1	1	71.5	61.25	0	29478.673	541.9354839	16013.10032	30000	0	0	30000	41	2004
12.02.2020 15:17:00	1	1	1	1	71	61	0	29573.46	541.9354839	15988.63914	30000	0	0	30000	41.4375	2004
12.02.2020 15:17:01	1	1	1	1	71	61.25	0	29289.1	539.7849462	15846.76433	30000	0	0	30000	41.3125	2004
12.02.2020 15:17:02	1	1	1	1	71	61.25	0	29336.493	541.9354839	15835.34912	30000	0	0	30000	41.3125	2004
12.02.2020 15:17:03	1	1	1	1	71	61.25	0	29431.28	541.9354839	15924.22472	30000	0	0	30000	41.3125	2004
12.02.2020 15:17:04	1	1	1	1	71	61.25	0	29526.066	541.9354839	16090.5607	30000	0	0	30000	41.4375	2004
12.02.2020 15:17:05	1	1	1	1	71	61.25	0	29289.1	541.9354839	15898.1328	30000	0	0	30000	41.5625	2004
12.02.2020 15:17:06	1	1	1	1	71	61.5	0	29431.28	541.9354839	16013.10032	30000	0	0	30000	41.375	2004
12.02.2020 15:17:07	1	1	1	1	71	61.25	0	29478.673	544.0860215	16038.37687	30000	0	0	30000	41.375	2004
12.02.2020 15:17:08	1	1	1	1	71	61.25	0	29383.886	539.7849462	15949.50126	30000	0	0	30000	41.875	2004
12.02.2020 15:17:09	1	1	1	1	71.25	61	0	29526.066	541.9354839	16026.96165	30000	0	0	30000	41.25	2004
12.02.2020 15:17:10	1	1	1	1	71.25	61.25	0	29383.886	541.9354839	15949.50126	30000	0	0	30000	41.3125	2004
12.02.2020 15:17:11	1	1	1	1	71.25	61.25	0	29383.886	550.5376344	15960.91648	30000	0	0	30000	41.1875	2004
12.02.2020 15:17:12	1	1	1	1	71.25	61	0	29526.066	544.0860215	16038.37687	30000	0	0	30000	41.375	2004
12.02.2020 15:17:13	1	1	1	1	71.25	61.25	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	41.4375	2004
12.02.2020 15:17:15	1	1	1	1	71.25	61.25	0	29336.493	544.0860215	16024.51553	30000	0	0	30000	40.5625	2004
12.02.2020 15:17:16	1	1	1	1	71.25	60.5	0	29336.493	544.0860215	15835.34912	30000	0	0	30000	41.375	2004
12.02.2020 15:17:17	1	1	1	1	71.25	61.25	0	29383.886	544.0860215	16013.10032	30000	0	0	30000	41.4375	2004
12.02.2020 15:17:18	1	1	1	1	71.25	61.25	0	29336.493	544.0860215	15898.1328	30000	0	0	30000	41.3125	2004
12.02.2020 15:17:19	1	1	1	1	71.25	61.25	0	29478.673	541.9354839	16038.37687	30000	0	0	30000	41.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 15:17:20	1	1	1	1	71.25	61	0	29526.066	546.2365591	16064.46878	30000	0	0	30000	41.375	2004
12.02.2020 15:17:21	1	1	1	1	71.25	61.25	0	29573.46	544.0860215	16064.46878	30000	0	0	30000	41.375	2004
12.02.2020 15:17:22	1	1	1	1	71.25	61.25	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	41.3125	2004
12.02.2020 15:17:23	1	1	1	1	71.25	61.25	0	29431.28	544.0860215	16038.37687	30000	0	0	30000	41.25	2004
12.02.2020 15:17:24	1	1	1	1	71.25	61.25	0	29383.886	541.9354839	16013.10032	30000	0	0	30000	41.375	2004
12.02.2020 15:17:25	1	1	1	1	71.25	61.25	0	29478.673	544.0860215	16038.37687	30000	0	0	30000	41.375	2004
12.02.2020 15:17:26	1	1	1	1	71.25	61.25	0	29478.673	546.2365591	16038.37687	30000	0	0	30000	41.4375	2004
12.02.2020 15:17:27	1	1	1	1	71.25	61.25	0	29336.493	541.9354839	15898.1328	30000	0	0	30000	40.5625	2004
12.02.2020 15:17:28	1	1	1	1	71.25	60.5	0	29620.853	544.0860215	16115.83725	30000	0	0	30000	40.6875	2004
12.02.2020 15:17:29	1	1	1	1	71.25	60.5	0	29383.886	541.9354839	15949.50126	30000	0	0	30000	41	2004
12.02.2020 15:17:30	1	1	1	1	70.75	61	0	29620.853	541.9354839	16115.83725	30000	0	0	30000	41.375	2004
12.02.2020 15:17:31	1	1	1	1	70.75	61.25	0	29478.673	541.9354839	15975.59318	30000	0	0	30000	40.25	2004
12.02.2020 15:17:32	1	1	1	1	70.75	60.25	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	40.9375	2004
12.02.2020 15:17:33	1	1	1	1	70.75	60.75	0	29526.066	541.9354839	15963.3626	30000	0	0	30000	41	2004
12.02.2020 15:17:34	1	1	1	1	70.75	61	0	29620.853	541.9354839	16115.83725	30000	0	0	30000	41.3125	2004
12.02.2020 15:17:35	1	1	1	1	70.75	61.25	0	29668.246	544.0860215	16115.83725	30000	0	0	30000	41.125	2004
12.02.2020 15:17:36	1	1	1	1	70.75	61	0	29431.28	541.9354839	15975.59318	30000	0	0	30000	40.9375	2004
12.02.2020 15:17:37	1	1	1	1	70.75	60.75	0	29478.673	537.6344086	16090.5607	30000	0	0	30000	41.25	2004
12.02.2020 15:17:38	1	1	1	1	70.75	61.25	0	29336.493	533.3333333	15835.34912	30000	0	0	30000	41.125	2004
12.02.2020 15:17:39	1	1	1	1	70.75	61	0	29573.46	541.9354839	16026.96165	30000	0	0	30000	41.125	2004
12.02.2020 15:17:40	1	1	1	1	70.75	61	0	29526.066	544.0860215	16090.5607	30000	0	0	30000	41.25	2004
12.02.2020 15:17:41	1	1	1	1	70.75	61.25	0	29478.673	541.9354839	15975.59318	30000	0	0	30000	40.5	2004
12.02.2020 15:17:42	1	1	1	1	70.75	60.5	0	29573.46	544.0860215	16115.83725	30000	0	0	30000	41.4375	2004
12.02.2020 15:17:43	1	1	1	1	70.75	61.25	0	29431.28	537.6344086	15975.59318	30000	0	0	30000	41.375	2004
12.02.2020 15:17:44	1	1	1	1	70.75	61.25	0	29668.246	546.2365591	16141.92917	30000	0	0	30000	41.25	2004
12.02.2020 15:17:53	1	1	1	1	70.75	61.25	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	40.5	2004
12.02.2020 15:17:53	1	1	1	1	70.75	61.25	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	40.5	2004
12.02.2020 15:17:53	1	1	1	1	70.75	61.25	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	40.5	2004
12.02.2020 15:17:53	1	1	1	1	70.75	61.25	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	40.5	2004
12.02.2020 15:17:53	1	1	1	1	70.75	61.25	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	40.5	2004
12.02.2020 15:17:53	1	1	1	1	70.75	61.25	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	40.5	2004
12.02.2020 15:17:53	1	1	1	1	70.75	61.25	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	40.5	2004
12.02.2020 15:17:54	1	1	1	1	70.75	60.5	0	29478.673	541.9354839	15885.90221	30000	0	0	30000	40.75	2004
12.02.2020 15:17:55	1	1	1	1	70.75	60.75	0	29431.28	539.7849462	15885.90221	30000	0	0	30000	41.4375	2004
12.02.2020 15:17:56	1	1	1	1	70.75	61.25	0	29526.066	544.0860215	16090.5607	30000	0	0	30000	41.1875	2004
12.02.2020 15:17:57	1	1	1	1	70.75	61	0	29478.673	544.0860215	16000.86973	30000	0	0	30000	41.1875	2004
12.02.2020 15:17:58	1	1	1	1	70.75	61	0	29620.853	544.0860215	16090.5607	30000	0	0	30000	41.125	2004
12.02.2020 15:17:59	1	1	1	1	70.75	61	0	29478.673	544.0860215	16013.10032	30000	0	0	30000	41.25	2004
12.02.2020 15:18:00	1	1	1	1	70.5	61.25	0	29336.493	541.9354839	15898.1328	30000	0	0	30000	41.0625	2004
12.02.2020 15:18:01	1	1	1	1	70.5	61	0	29431.28	541.9354839	16013.10032	30000	0	0	30000	41.4375	2004
12.02.2020 15:18:02	1	1	1	1	70.5	61.25	0	29478.673	544.0860215	16038.37687	30000	0	0	30000	41.25	2004
12.02.2020 15:18:05	1	1	1	1	70.5	61	0	29620.853	541.9354839	16115.83725	30000	0	0	30000	41.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 15:18:05	1	1	1	1	70.5	61	0	29620.853	541.9354839	16115.83725	30000	0	0	30000	41.5	2004
12.02.2020 15:18:05	1	1	1	1	70.5	61	0	29620.853	541.9354839	16115.83725	30000	0	0	30000	41.5	2004
12.02.2020 15:18:06	1	1	1	1	70.5	61.5	0	29431.28	541.9354839	15582.58364	30000	0	0	30000	40.5625	2004
12.02.2020 15:18:07	1	1	1	1	70.5	60.5	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	40.75	2004
12.02.2020 15:18:08	1	1	1	1	70.5	60.75	0	29573.46	541.9354839	16026.96165	30000	0	0	30000	41.1875	2004
12.02.2020 15:18:09	1	1	1	1	70.5	61	0	29526.066	537.6344086	16090.5607	30000	0	0	30000	41.3125	2004
12.02.2020 15:18:10	1	1	1	1	70	61.25	0	29526.066	539.7849462	15963.3626	30000	0	0	30000	41.0625	2004
12.02.2020 15:18:11	1	1	1	1	70	61	0	29573.46	537.6344086	16052.2382	30000	0	0	30000	41.25	2004
12.02.2020 15:18:12	1	1	1	1	70	61.25	0	29526.066	539.7849462	15963.3626	30000	0	0	30000	40.8125	2004
12.02.2020 15:18:13	1	1	1	1	70	60.75	0	29526.066	539.7849462	16026.96165	30000	0	0	30000	41.125	2004
12.02.2020 15:18:14	1	1	1	1	70	61	0	29336.493	541.9354839	15898.1328	30000	0	0	30000	41.375	2004
12.02.2020 15:18:15	1	1	1	1	70	61.25	0	29526.066	541.9354839	15937.27068	30000	0	0	30000	40.9375	2004
12.02.2020 15:18:16	1	1	1	1	70	60.75	0	29431.28	541.9354839	16013.10032	30000	0	0	30000	41.125	2004
12.02.2020 15:18:17	1	1	1	1	70	61	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	41.4375	2004
12.02.2020 15:18:18	1	1	1	1	70	61.25	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	41.25	2004
12.02.2020 15:18:19	1	1	1	1	70	61.25	0	29431.28	541.9354839	15885.90221	30000	0	0	30000	41.0625	2004
12.02.2020 15:18:20	1	1	1	1	70.5	61	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	41.125	2004
12.02.2020 15:18:21	1	1	1	1	70.5	61	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	41.5	2004
12.02.2020 15:18:22	1	1	1	1	70.5	61.5	0	29478.673	544.0860215	16038.37687	30000	0	0	30000	41.3125	2004
12.02.2020 15:18:23	1	1	1	1	70.5	61.25	0	29526.066	539.7849462	15911.99413	30000	0	0	30000	41.4375	2004
12.02.2020 15:18:24	1	1	1	1	70.5	61.25	0	29668.246	544.0860215	16078.33012	30000	0	0	30000	41.125	2004
12.02.2020 15:18:25	1	1	1	1	70.5	61	0	29526.066	541.9354839	16064.46878	30000	0	0	30000	41.4375	2004
12.02.2020 15:18:26	1	1	1	1	70.5	61.25	0	29526.066	541.9354839	15696.73579	30000	0	0	30000	41.0625	2004
12.02.2020 15:18:27	1	1	1	1	70.5	61	0	29336.493	544.0860215	15898.1328	30000	0	0	30000	40.9375	2004
12.02.2020 15:18:28	1	1	1	1	70.5	61.75	0	29431.28	541.9354839	16013.10032	30000	0	0	30000	41.25	2004
12.02.2020 15:18:29	1	1	1	1	70.25	61.25	0	29431.28	539.7849462	15949.50126	30000	0	0	30000	41.25	2004
12.02.2020 15:18:30	1	1	1	1	70.25	61.25	0	29478.673	541.9354839	15975.59318	30000	0	0	30000	41.4375	2004
12.02.2020 15:18:31	1	1	1	1	70.25	61.25	0	29620.853	541.9354839	16115.83725	30000	0	0	30000	41.6875	2004
12.02.2020 15:18:32	1	1	1	1	70.25	61.5	0	29478.673	541.9354839	16064.46878	30000	0	0	30000	41.4375	2004
12.02.2020 15:18:33	1	1	1	1	70.25	61.25	0	29620.853	544.0860215	16115.83725	30000	0	0	30000	40.75	2004
12.02.2020 15:18:35	1	1	1	1	70.25	60.75	0	29620.853	550.5376344	16026.96165	30000	0	0	30000	41.125	2004
12.02.2020 15:18:36	1	1	1	1	70.25	61	0	29526.066	541.9354839	16064.46878	30000	0	0	30000	41.1875	2004
12.02.2020 15:18:37	1	1	1	1	70.25	61	0	29573.46	544.0860215	16115.83725	30000	0	0	30000	41.3125	2004
12.02.2020 15:18:38	1	1	1	1	70.25	61.25	0	29431.28	541.9354839	16038.37687	30000	0	0	30000	41.0625	2004
12.02.2020 15:18:39	1	1	1	1	70.25	61	0	29478.673	546.2365591	15949.50126	30000	0	0	30000	41.0625	2004
12.02.2020 15:18:40	1	1	1	1	69.75	61	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	40.6875	2004
12.02.2020 15:18:41	1	1	1	1	69.75	60.5	0	29431.28	541.9354839	16013.10032	30000	0	0	30000	41.4375	2004
12.02.2020 15:18:42	1	1	1	1	69.75	61.25	0	29478.673	541.9354839	15885.90221	30000	0	0	30000	40.9375	2004
12.02.2020 15:18:43	1	1	1	1	69.75	60.75	0	29383.886	539.7849462	15885.90221	30000	0	0	30000	41.4375	2004
12.02.2020 15:18:44	1	1	1	1	69.75	61.25	0	29573.46	541.9354839	16115.83725	30000	0	0	30000	41.4375	2004
12.02.2020 15:18:45	1	1	1	1	69.75	61.25	0	29336.493	539.7849462	15949.50126	30000	0	0	30000	41.1875	2004
12.02.2020 15:18:46	1	1	1	1	69.75	61	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	41.25	2004
12.02.2020 15:18:54	1	1	1	1	69.25	61.5	0	29715.64	541.9354839	16141.92917	30000	0	0	30000	41	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 15:18:54	1	1	1	1	69.25	61.5	0	29715.64	541.9354839	16141.92917	30000	0	0	30000	41	2004
12.02.2020 15:18:54	1	1	1	1	69.25	61.5	0	29715.64	541.9354839	16141.92917	30000	0	0	30000	41	2004
12.02.2020 15:18:54	1	1	1	1	69.25	61.5	0	29715.64	541.9354839	16141.92917	30000	0	0	30000	41	2004
12.02.2020 15:18:54	1	1	1	1	69.25	61.5	0	29715.64	541.9354839	16141.92917	30000	0	0	30000	41	2004
12.02.2020 15:18:54	1	1	1	1	69.25	61.5	0	29715.64	541.9354839	16141.92917	30000	0	0	30000	41	2004
12.02.2020 15:18:54	1	1	1	1	69.25	61	0	29478.673	539.7849462	15911.99413	30000	0	0	30000	41.375	2004
12.02.2020 15:18:55	1	1	1	1	69.25	61.25	0	29478.673	539.7849462	15975.59318	30000	0	0	30000	41.4375	2004
12.02.2020 15:18:56	1	1	1	1	69.25	61.25	0	29478.673	541.9354839	15975.59318	30000	0	0	30000	41.3125	2004
12.02.2020 15:18:57	1	1	1	1	69.25	61.25	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	41.625	2004
12.02.2020 15:18:58	1	1	1	1	69.25	61.5	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	40.75	2004
12.02.2020 15:18:59	1	1	1	1	69.25	60.75	0	29620.853	541.9354839	16026.96165	30000	0	0	30000	41.0625	2004
12.02.2020 15:19:00	1	1	1	1	69.5	61	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	41.125	2004
12.02.2020 15:19:01	1	1	1	1	69.5	61	0	29478.673	541.9354839	16064.46878	30000	0	0	30000	41.375	2004
12.02.2020 15:19:02	1	1	1	1	69.5	61.25	0	29526.066	541.9354839	16026.96165	30000	0	0	30000	41	2004
12.02.2020 15:19:03	1	1	1	1	69.5	61	0	29478.673	541.9354839	16000.86973	30000	0	0	30000	41.5	2004
12.02.2020 15:19:04	1	1	1	1	69.5	61.5	0	29526.066	541.9354839	16064.46878	30000	0	0	30000	41	2004
12.02.2020 15:19:05	1	1	1	1	69.5	61	0	29526.066	544.0860215	15975.59318	30000	0	0	30000	41.6875	2004
12.02.2020 15:19:06	1	1	1	1	69.5	61.5	0	29431.28	546.2365591	16013.10032	30000	0	0	30000	41.9375	2004
12.02.2020 15:19:07	1	1	1	1	69.5	61.75	0	29478.673	544.0860215	16038.37687	30000	0	0	30000	41	2004
12.02.2020 15:19:08	1	1	1	1	69.5	61.25	0	29478.673	541.9354839	16038.37687	30000	0	0	30000	40.75	2004
12.02.2020 15:19:09	1	1	1	1	69.25	60.75	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	40.6875	2004
12.02.2020 15:19:10	1	1	1	1	69.25	60.5	0	29526.066	541.9354839	15873.67162	30000	0	0	30000	40.6875	2004
12.02.2020 15:19:11	1	1	1	1	69.25	60.5	0	29431.28	541.9354839	16064.46878	30000	0	0	30000	40.375	2004
12.02.2020 15:19:13	1	1	1	1	69.25	60.25	0	29383.886	541.9354839	15835.34912	30000	0	0	30000	41.3125	2004
12.02.2020 15:19:14	1	1	1	1	69.25	61.25	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	41.4375	2004
12.02.2020 15:19:15	1	1	1	1	69.25	61.25	0	29241.706	541.9354839	15846.76433	30000	0	0	30000	40.8125	2004
12.02.2020 15:19:16	1	1	1	1	69.25	60.75	0	29383.886	544.0860215	15960.91648	30000	0	0	30000	40.9375	2004
12.02.2020 15:19:17	1	1	1	1	69.25	60.75	0	29431.28	541.9354839	16013.10032	30000	0	0	30000	41.375	2004
12.02.2020 15:19:18	1	1	1	1	69.25	61.25	0	29336.493	541.9354839	15960.91648	30000	0	0	30000	40.3125	2004
12.02.2020 15:19:19	1	1	1	1	69.25	60.25	0	29478.673	541.9354839	15937.27068	30000	0	0	30000	40.75	2004
12.02.2020 15:19:20	1	1	1	1	69.25	60.75	0	29715.64	541.9354839	16167.20572	30000	0	0	30000	41	2004
12.02.2020 15:19:21	1	1	1	1	69.25	61	0	29478.673	539.7849462	16038.37687	30000	0	0	30000	40.875	2004
12.02.2020 15:19:22	1	1	1	1	69.25	60.75	0	29383.886	541.9354839	15898.1328	30000	0	0	30000	41.3125	2004
12.02.2020 15:19:23	1	1	1	1	69.25	61.25	0	29431.28	541.9354839	15860.62566	30000	0	0	30000	40.4375	2004
12.02.2020 15:19:24	1	1	1	1	69.25	60.25	0	29526.066	541.9354839	16026.96165	30000	0	0	30000	41.5	2004
12.02.2020 15:19:25	1	1	1	1	69.25	61.5	0	29383.886	539.7849462	15949.50126	30000	0	0	30000	41.1875	2004
12.02.2020 15:19:26	1	1	1	1	69.25	61	0	29573.46	544.0860215	16064.46878	30000	0	0	30000	41.5	2004
12.02.2020 15:19:27	1	1	1	1	69.25	61.5	0	29526.066	541.9354839	15975.59318	30000	0	0	30000	41.3125	2004
12.02.2020 15:19:28	1	1	1	1	69.25	61.25	0	29383.886	544.0860215	15987.0084	30000	0	0	30000	41.125	2004
12.02.2020 15:19:29	1	1	1	1	69.25	61	0	29478.673	544.0860215	16064.46878	30000	0	0	30000	41.1875	2004
12.02.2020 15:19:30	1	1	1	1	69	61	0	29478.673	541.9354839	15949.50126	30000	0	0	30000	41.0625	2004
12.02.2020 15:19:31	1	1	1	1	69	61	0	29478.673	541.9354839	15975.59318	30000	0	0	30000	41.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 15:19:32	1	1	1	1	69	61.25	0	29478.673	544.0860215	16064.46878	30000	0	0	30000	40.625	2004
12.02.2020 15:19:33	1	1	1	1	69	60.5	0	29478.673	541.9354839	15949.50126	30000	0	0	30000	41.4375	2004
12.02.2020 15:19:34	1	1	1	1	69	61.25	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	41.4375	2004
12.02.2020 15:19:35	1	1	1	1	69	61.25	0	29383.886	537.6344086	15823.11853	30000	0	0	30000	41	2004
12.02.2020 15:19:36	1	1	1	1	69	61	0	29478.673	535.483871	16064.46878	30000	0	0	30000	41.4375	2004
12.02.2020 15:19:37	1	1	1	1	69	61.25	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	41.125	2004
12.02.2020 15:19:38	1	1	1	1	69	61	0	29478.673	541.9354839	15885.90221	30000	0	0	30000	41.25	2004
12.02.2020 15:19:39	1	1	1	1	69	61.25	0	29431.28	541.9354839	16013.10032	30000	0	0	30000	41.3125	2004
12.02.2020 15:19:40	1	1	1	1	69.25	61.25	0	29431.28	537.6344086	15885.90221	30000	0	0	30000	41.4375	2004
12.02.2020 15:19:41	1	1	1	1	69.25	61.25	0	29383.886	535.483871	15885.90221	30000	0	0	30000	41.3125	2004
12.02.2020 15:19:42	1	1	1	1	69.25	61.25	0	29431.28	541.9354839	16013.10032	30000	0	0	30000	41.3125	2004
12.02.2020 15:19:43	1	1	1	1	69.25	61.25	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	41.0625	2004
12.02.2020 15:19:44	1	1	1	1	69.25	61	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	40.9375	2004
12.02.2020 15:19:45	1	1	1	1	69.25	60.75	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	41.1875	2004
12.02.2020 15:19:46	1	1	1	1	69.25	61	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	41.5	2004
12.02.2020 15:19:47	1	1	1	1	69.25	61.5	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	41.125	2004
12.02.2020 15:19:55	1	1	1	1	69	61.25	0	29289.1	544.0860215	15935.63993	30000	0	0	30000	41.375	2004
12.02.2020 15:19:55	1	1	1	1	69	61.25	0	29289.1	544.0860215	15935.63993	30000	0	0	30000	41.375	2004
12.02.2020 15:19:55	1	1	1	1	69	61.25	0	29289.1	544.0860215	15935.63993	30000	0	0	30000	41.375	2004
12.02.2020 15:19:55	1	1	1	1	69	61.25	0	29289.1	544.0860215	15935.63993	30000	0	0	30000	41.375	2004
12.02.2020 15:19:55	1	1	1	1	69	61.25	0	29289.1	544.0860215	15935.63993	30000	0	0	30000	41.375	2004
12.02.2020 15:19:55	1	1	1	1	69	61.25	0	29289.1	544.0860215	15935.63993	30000	0	0	30000	41.375	2004
12.02.2020 15:19:55	1	1	1	1	69	61.25	0	29289.1	544.0860215	15935.63993	30000	0	0	30000	41.375	2004
12.02.2020 15:19:55	1	1	1	1	69	61.25	0	29289.1	544.0860215	15935.63993	30000	0	0	30000	41.375	2004
12.02.2020 15:19:56	1	1	1	1	69	61.25	0	29383.886	537.6344086	16013.10032	30000	0	0	30000	41	2004
12.02.2020 15:19:57	1	1	1	1	69	61	0	29478.673	541.9354839	16038.37687	30000	0	0	30000	40.8125	2004
12.02.2020 15:19:58	1	1	1	1	69	60.75	0	29478.673	541.9354839	16038.37687	30000	0	0	30000	41.4375	2004
12.02.2020 15:19:59	1	1	1	1	69	61.25	0	29431.28	541.9354839	15885.90221	30000	0	0	30000	41.375	2004
12.02.2020 15:20:00	1	1	1	1	68.5	61.25	0	29478.673	541.9354839	16064.46878	30000	0	0	30000	41.5	2004
12.02.2020 15:20:01	1	1	1	1	68.5	61.5	0	29431.28	541.9354839	15885.90221	30000	0	0	30000	41	2004
12.02.2020 15:20:02	1	1	1	1	68.5	61	0	29526.066	541.9354839	15873.67162	30000	0	0	30000	41.25	2004
12.02.2020 15:20:03	1	1	1	1	68.5	61.25	0	29383.886	539.7849462	15860.62566	30000	0	0	30000	40.8125	2004
12.02.2020 15:20:04	1	1	1	1	68.5	60.75	0	29573.46	541.9354839	16115.83725	30000	0	0	30000	40.5625	2004
12.02.2020 15:20:05	1	1	1	1	68.5	60.5	0	29573.46	544.0860215	16064.46878	30000	0	0	30000	40.6875	2004
12.02.2020 15:20:06	1	1	1	1	68.5	60.5	0	29478.673	541.9354839	15975.59318	30000	0	0	30000	40.9375	2004
12.02.2020 15:20:07	1	1	1	1	68.5	60.75	0	29383.886	537.6344086	15860.62566	30000	0	0	30000	41.5	2004
12.02.2020 15:20:08	1	1	1	1	68.5	61.5	0	29526.066	539.7849462	15937.27068	30000	0	0	30000	41.25	2004
12.02.2020 15:20:09	1	1	1	1	68.5	61.25	0	29620.853	541.9354839	16115.83725	30000	0	0	30000	41.5625	2004
12.02.2020 15:20:10	1	1	1	1	68.5	61.5	0	29478.673	541.9354839	15937.27068	30000	0	0	30000	41.375	2004
12.02.2020 15:20:11	1	1	1	1	68.5	61.25	0	29573.46	539.7849462	16052.2382	30000	0	0	30000	40.5625	2004
12.02.2020 15:20:12	1	1	1	1	68.5	60.5	0	29526.066	541.9354839	16090.5607	30000	0	0	30000	41.0625	2004
12.02.2020 15:20:13	1	1	1	1	68.5	61	0	29431.28	541.9354839	15734.24293	30000	0	0	30000	40.75	2004
12.02.2020 15:20:14	1	1	1	1	68.5	60.75	0	29620.853	544.0860215	15988.63914	30000	0	0	30000	41.3125	2004
12.02.2020 15:20:15	1	1	1	1	68.5	61.25	0	29526.066	546.2365591	16064.46878	30000	0	0	30000	41.125	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 15:20:16	1	1	1	1	68.5	61	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	41.0625	2004
12.02.2020 15:20:17	1	1	1	1	68.5	61	0	29715.64	541.9354839	16052.2382	30000	0	0	30000	41.25	2004
12.02.2020 15:20:18	1	1	1	1	68.5	61.25	0	29620.853	541.9354839	15988.63914	30000	0	0	30000	41.5	2004
12.02.2020 15:20:19	1	1	1	1	68.5	61.5	0	29573.46	539.7849462	16026.96165	30000	0	0	30000	41.5	2004
12.02.2020 15:20:20	1	1	1	1	68.25	61.5	0	29526.066	541.9354839	15937.27068	30000	0	0	30000	40.5625	2004
12.02.2020 15:20:21	1	1	1	1	68.25	60.5	0	29431.28	539.7849462	15949.50126	30000	0	0	30000	41.3125	2004
12.02.2020 15:20:22	1	1	1	1	68.25	61.25	0	29526.066	539.7849462	15810.07257	30000	0	0	30000	41.375	2004
12.02.2020 15:20:23	1	1	1	1	68.25	61.25	0	29526.066	539.7849462	15937.27068	30000	0	0	30000	41.4375	2004
12.02.2020 15:20:24	1	1	1	1	68.25	61.25	0	29478.673	537.6344086	15911.99413	30000	0	0	30000	41.4375	2004
12.02.2020 15:20:25	1	1	1	1	68.25	61.25	0	29668.246	539.7849462	16167.20572	30000	0	0	30000	41.375	2004
12.02.2020 15:20:26	1	1	1	1	68.25	60.75	0	29526.066	541.9354839	16026.96165	30000	0	0	30000	41.375	2004
12.02.2020 15:20:27	1	1	1	1	68.25	61.25	0	29526.066	541.9354839	15848.39508	30000	0	0	30000	41.125	2004
12.02.2020 15:20:28	1	1	1	1	68.25	61	0	29526.066	539.7849462	16307.44979	30000	0	0	30000	40.875	2004
12.02.2020 15:20:30	1	1	1	1	68	60.75	0	29526.066	537.6344086	16000.86973	30000	0	0	30000	41.4375	2004
12.02.2020 15:20:31	1	1	1	1	68	61.25	0	29573.46	539.7849462	15988.63914	30000	0	0	30000	41.3125	2004
12.02.2020 15:20:32	1	1	1	1	68	61.25	0	29526.066	537.6344086	15873.67162	30000	0	0	30000	41.375	2004
12.02.2020 15:20:33	1	1	1	1	68	61.25	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	41.25	2004
12.02.2020 15:20:34	1	1	1	1	68	61.25	0	29526.066	539.7849462	15873.67162	30000	0	0	30000	41.3125	2004
12.02.2020 15:20:35	1	1	1	1	68	61.25	0	29526.066	541.9354839	16026.96165	30000	0	0	30000	41.375	2004
12.02.2020 15:20:36	1	1	1	1	68	61.25	0	29478.673	541.9354839	15911.99413	30000	0	0	30000	41.125	2004
12.02.2020 15:20:37	1	1	1	1	68	61	0	29526.066	539.7849462	15963.3626	30000	0	0	30000	41.375	2004
12.02.2020 15:20:38	1	1	1	1	68	61.25	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	41.1875	2004
12.02.2020 15:20:39	1	1	1	1	68	61	0	29573.46	539.7849462	15963.3626	30000	0	0	30000	40.8125	2004
12.02.2020 15:20:40	1	1	1	1	67.5	60.75	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	40.25	2004
12.02.2020 15:20:41	1	1	1	1	67.5	60.25	0	29668.246	541.9354839	16078.33012	30000	0	0	30000	41	2004
12.02.2020 15:20:42	1	1	1	1	67.5	61	0	29526.066	539.7849462	15759.51947	30000	0	0	30000	41.375	2004
12.02.2020 15:20:43	1	1	1	1	67.5	61.25	0	29478.673	539.7849462	15911.99413	30000	0	0	30000	41.1875	2004
12.02.2020 15:20:44	1	1	1	1	67.5	61	0	29526.066	541.9354839	16064.46878	30000	0	0	30000	40.9375	2004
12.02.2020 15:20:45	1	1	1	1	67.5	60.75	0	29241.706	539.7849462	15898.1328	30000	0	0	30000	41.4375	2004
12.02.2020 15:20:46	1	1	1	1	67.5	61.25	0	29526.066	541.9354839	16191.66689	30000	0	0	30000	41.25	2004
12.02.2020 15:20:47	1	1	1	1	67.5	61.25	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	40.9375	2004
12.02.2020 15:20:48	1	1	1	1	67.5	60.75	0	29715.64	539.7849462	16103.60666	30000	0	0	30000	41.3125	2004
12.02.2020 15:20:49	1	1	1	1	67.5	61.25	0	29668.246	541.9354839	15988.63914	30000	0	0	30000	41.0625	2004
12.02.2020 15:20:57	1	1	1	1	68	60.5	0	29478.673	537.6344086	15810.07257	30000	0	0	30000	41	2004
12.02.2020 15:20:57	1	1	1	1	68	60.5	0	29478.673	537.6344086	15810.07257	30000	0	0	30000	41	2004
12.02.2020 15:20:57	1	1	1	1	68	60.5	0	29478.673	537.6344086	15810.07257	30000	0	0	30000	41	2004
12.02.2020 15:20:57	1	1	1	1	68	60.5	0	29478.673	537.6344086	15810.07257	30000	0	0	30000	41	2004
12.02.2020 15:20:57	1	1	1	1	68	60.5	0	29478.673	537.6344086	15810.07257	30000	0	0	30000	41	2004
12.02.2020 15:20:57	1	1	1	1	68	60.5	0	29478.673	537.6344086	15810.07257	30000	0	0	30000	41	2004
12.02.2020 15:20:57	1	1	1	1	68	60.5	0	29478.673	537.6344086	15810.07257	30000	0	0	30000	41	2004
12.02.2020 15:20:57	1	1	1	1	68	61	0	29573.46	541.9354839	15963.3626	30000	0	0	30000	41.25	2004
12.02.2020 15:20:58	1	1	1	1	68	61.25	0	29620.853	541.9354839	16115.83725	30000	0	0	30000	40.8125	2004
12.02.2020 15:20:59	1	1	1	1	68	60.75	0	29620.853	541.9354839	15988.63914	30000	0	0	30000	41.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 15:21:00	1	1	1	1	67.75	61.25	0	29715.64	541.9354839	15911.99413	30000	0	0	30000	41.3125	2004
12.02.2020 15:21:01	1	1	1	1	67.75	61.25	0	29573.46	541.9354839	16052.2382	30000	0	0	30000	41.375	2004
12.02.2020 15:21:02	1	1	1	1	67.75	61.25	0	29478.673	541.9354839	16000.86973	30000	0	0	30000	41.5625	2004
12.02.2020 15:21:03	1	1	1	1	67.75	61.5	0	29620.853	539.7849462	16052.2382	30000	0	0	30000	41.4375	2004
12.02.2020 15:21:04	1	1	1	1	67.75	61.25	0	29620.853	539.7849462	15899.76354	30000	0	0	30000	41.375	2004
12.02.2020 15:21:05	1	1	1	1	67.75	61.25	0	29715.64	539.7849462	16013.91569	30000	0	0	30000	41	2004
12.02.2020 15:21:06	1	1	1	1	67.75	60.25	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	41.4375	2004
12.02.2020 15:21:07	1	1	1	1	67.75	61.25	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	41.5	2004
12.02.2020 15:21:08	1	1	1	1	67.75	61.5	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	41.4375	2004
12.02.2020 15:21:10	1	1	1	1	67.5	61.25	0	29383.886	539.7849462	15885.90221	30000	0	0	30000	41.4375	2004
12.02.2020 15:21:11	1	1	1	1	67.5	61.25	0	29620.853	544.0860215	15861.44103	30000	0	0	30000	41.1875	2004
12.02.2020 15:21:12	1	1	1	1	67.5	61	0	29526.066	541.9354839	15937.27068	30000	0	0	30000	41.5625	2004
12.02.2020 15:21:13	1	1	1	1	67.5	61.5	0	29620.853	539.7849462	15836.16449	30000	0	0	30000	41.4375	2004
12.02.2020 15:21:14	1	1	1	1	67.5	61.25	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	41.25	2004
12.02.2020 15:21:15	1	1	1	1	67.5	61.25	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	41.25	2004
12.02.2020 15:21:16	1	1	1	1	67.5	61.25	0	29478.673	539.7849462	15911.99413	30000	0	0	30000	41.375	2004
12.02.2020 15:21:17	1	1	1	1	67.5	61.25	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	41.125	2004
12.02.2020 15:21:18	1	1	1	1	67.5	61	0	29431.28	541.9354839	15885.90221	30000	0	0	30000	41.4375	2004
12.02.2020 15:21:19	1	1	1	1	67.5	61.25	0	29620.853	541.9354839	16115.83725	30000	0	0	30000	41.5	2004
12.02.2020 15:21:20	1	1	1	1	67.25	61.5	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	41.5625	2004
12.02.2020 15:21:21	1	1	1	1	67.25	61.5	0	29526.066	539.7849462	16026.96165	30000	0	0	30000	41.1875	2004
12.02.2020 15:21:22	1	1	1	1	67.25	61	0	29526.066	541.9354839	15937.27068	30000	0	0	30000	41.3125	2004
12.02.2020 15:21:23	1	1	1	1	67.25	61.25	0	29526.066	541.9354839	16090.5607	30000	0	0	30000	41.375	2004
12.02.2020 15:21:24	1	1	1	1	67.25	61.25	0	29573.46	541.9354839	15937.27068	30000	0	0	30000	41.3125	2004
12.02.2020 15:21:25	1	1	1	1	67.25	61.25	0	29573.46	546.2365591	16000.86973	30000	0	0	30000	40.625	2004
12.02.2020 15:21:26	1	1	1	1	67.25	60.5	0	29715.64	544.0860215	16167.20572	30000	0	0	30000	41	2004
12.02.2020 15:21:27	1	1	1	1	67.25	61	0	29526.066	539.7849462	16026.96165	30000	0	0	30000	41.25	2004
12.02.2020 15:21:28	1	1	1	1	67.25	61.25	0	29620.853	541.9354839	16026.96165	30000	0	0	30000	41.4375	2004
12.02.2020 15:21:29	1	1	1	1	67.25	61.25	0	29146.919	539.7849462	15732.61218	30000	0	0	30000	41.5	2004
12.02.2020 15:21:30	1	1	1	1	67	61.5	0	29573.46	537.6344086	16115.83725	30000	0	0	30000	41.25	2004
12.02.2020 15:21:31	1	1	1	1	67	61.25	0	29526.066	539.7849462	15937.27068	30000	0	0	30000	41.25	2004
12.02.2020 15:21:32	1	1	1	1	67	61.25	0	29715.64	539.7849462	16103.60666	30000	0	0	30000	41.0625	2004
12.02.2020 15:21:33	1	1	1	1	67	61	0	29573.46	539.7849462	15963.3626	30000	0	0	30000	41.375	2004
12.02.2020 15:21:34	1	1	1	1	67	61.25	0	29383.886	541.9354839	15860.62566	30000	0	0	30000	41.25	2004
12.02.2020 15:21:35	1	1	1	1	67	61.25	0	29526.066	541.9354839	16115.83725	30000	0	0	30000	41.1875	2004
12.02.2020 15:21:36	1	1	1	1	67	61	0	29620.853	541.9354839	16179.43631	30000	0	0	30000	41.5	2004
12.02.2020 15:21:37	1	1	1	1	67	61.5	0	29431.28	537.6344086	15823.11853	30000	0	0	30000	41.375	2004
12.02.2020 15:21:38	1	1	1	1	67	61.25	0	29620.853	537.6344086	16052.2382	30000	0	0	30000	41.3125	2004
12.02.2020 15:21:39	1	1	1	1	67	61.25	0	29573.46	541.9354839	15937.27068	30000	0	0	30000	41.0625	2004
12.02.2020 15:21:40	1	1	1	1	67.25	61	0	29620.853	544.0860215	16423.23268	30000	0	0	30000	41.3125	2004
12.02.2020 15:21:41	1	1	1	1	67.25	61.25	0	29336.493	537.6344086	15949.50126	30000	0	0	30000	41.8125	2004
12.02.2020 15:21:42	1	1	1	1	67.25	61.75	0	29526.066	541.9354839	15937.27068	30000	0	0	30000	40.9375	2004
12.02.2020 15:21:43	1	1	1	1	67.25	61.25	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	41.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 15:21:44	1	1	1	1	67.25	61	0	29668.246	541.9354839	16013.91569	30000	0	0	30000	41.1875	2004
12.02.2020 15:21:45	1	1	1	1	67.25	61	0	29526.066	539.7849462	16000.86973	30000	0	0	30000	40.9375	2004
12.02.2020 15:21:47	1	1	1	1	67.25	60.75	0	29526.066	544.0860215	15975.59318	30000	0	0	30000	41.3125	2004
12.02.2020 15:21:48	1	1	1	1	67.25	61.25	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	41.375	2004
12.02.2020 15:21:49	1	1	1	1	67.25	61.25	0	29620.853	544.0860215	16090.5607	30000	0	0	30000	41.4375	2004
12.02.2020 15:21:50	1	1	1	1	67.25	61.25	0	29478.673	541.9354839	15911.99413	30000	0	0	30000	40.9375	2004
12.02.2020 15:21:51	1	1	1	1	67.25	60.75	0	29620.853	541.9354839	16026.96165	30000	0	0	30000	41.4375	2004
12.02.2020 15:21:59	1	1	1	1	67.25	61.5	0	29573.46	541.9354839	16026.96165	30000	0	0	30000	41.25	2004
12.02.2020 15:21:59	1	1	1	1	67.25	61.5	0	29573.46	541.9354839	16026.96165	30000	0	0	30000	41.25	2004
12.02.2020 15:21:59	1	1	1	1	67.25	61.5	0	29573.46	541.9354839	16026.96165	30000	0	0	30000	41.25	2004
12.02.2020 15:21:59	1	1	1	1	67.25	61.5	0	29573.46	541.9354839	16026.96165	30000	0	0	30000	41.25	2004
12.02.2020 15:21:59	1	1	1	1	67.25	61.5	0	29573.46	541.9354839	16026.96165	30000	0	0	30000	41.25	2004
12.02.2020 15:21:59	1	1	1	1	67.25	61.5	0	29573.46	541.9354839	16026.96165	30000	0	0	30000	41.25	2004
12.02.2020 15:21:59	1	1	1	1	67.25	61.5	0	29573.46	541.9354839	16026.96165	30000	0	0	30000	41.25	2004
12.02.2020 15:22:00	1	1	1	1	66.75	61.25	0	29526.066	533.3333333	15810.07257	30000	0	0	30000	40.625	2004
12.02.2020 15:22:01	1	1	1	1	66.75	60.5	0	29620.853	539.7849462	16103.60666	30000	0	0	30000	40.6875	2004
12.02.2020 15:22:02	1	1	1	1	66.75	60.5	0	29620.853	541.9354839	16115.83725	30000	0	0	30000	41.4375	2004
12.02.2020 15:22:03	1	1	1	1	66.75	61.25	0	29526.066	541.9354839	15937.27068	30000	0	0	30000	41.3125	2004
12.02.2020 15:22:04	1	1	1	1	66.75	61.25	0	29526.066	541.9354839	15963.3626	30000	0	0	30000	40.8125	2004
12.02.2020 15:22:05	1	1	1	1	66.75	60.75	0	29573.46	541.9354839	16052.2382	30000	0	0	30000	41.4375	2004
12.02.2020 15:22:06	1	1	1	1	66.75	61.25	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	41.0625	2004
12.02.2020 15:22:07	1	1	1	1	66.75	61	0	29573.46	546.2365591	16026.96165	30000	0	0	30000	40.8125	2004
12.02.2020 15:22:08	1	1	1	1	66.75	60.75	0	29431.28	537.6344086	15949.50126	30000	0	0	30000	41.4375	2004
12.02.2020 15:22:09	1	1	1	1	66.75	61.25	0	29668.246	541.9354839	16078.33012	30000	0	0	30000	41.375	2004
12.02.2020 15:22:10	1	1	1	1	66.75	61.25	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	41.375	2004
12.02.2020 15:22:11	1	1	1	1	66.75	61.25	0	29668.246	541.9354839	16013.91569	30000	0	0	30000	41.4375	2004
12.02.2020 15:22:12	1	1	1	1	66.75	61.25	0	29573.46	541.9354839	15937.27068	30000	0	0	30000	41.25	2004
12.02.2020 15:22:13	1	1	1	1	66.75	61.25	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	41.4375	2004
12.02.2020 15:22:14	1	1	1	1	66.75	61.25	0	29620.853	533.3333333	16013.91569	30000	0	0	30000	41.3125	2004
12.02.2020 15:22:15	1	1	1	1	66.75	61.25	0	29810.427	539.7849462	16154.97513	30000	0	0	30000	41.125	2004
12.02.2020 15:22:16	1	1	1	1	66.75	61	0	29668.246	537.6344086	15975.59318	30000	0	0	30000	41.4375	2004
12.02.2020 15:22:17	1	1	1	1	66.75	61.25	0	29573.46	541.9354839	15963.3626	30000	0	0	30000	41.4375	2004
12.02.2020 15:22:18	1	1	1	1	66.75	61.25	0	29526.066	539.7849462	16052.2382	30000	0	0	30000	41.375	2004
12.02.2020 15:22:19	1	1	1	1	66.75	61.25	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	41.625	2004
12.02.2020 15:22:20	1	1	1	1	66.75	61.5	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	41.375	2004
12.02.2020 15:22:21	1	1	1	1	66.75	61.5	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	41.1875	2004
12.02.2020 15:22:22	1	1	1	1	66.75	61	0	29763.033	541.9354839	16103.60666	30000	0	0	30000	41.4375	2004
12.02.2020 15:22:23	1	1	1	1	66.75	61.25	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	41.1875	2004
12.02.2020 15:22:25	1	1	1	1	66.75	61	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	41	2004
12.02.2020 15:22:26	1	1	1	1	66.75	61	0	29526.066	541.9354839	15963.3626	30000	0	0	30000	41.4375	2004
12.02.2020 15:22:27	1	1	1	1	66.75	61.25	0	29620.853	537.6344086	16052.2382	30000	0	0	30000	41.5	2004
12.02.2020 15:22:28	1	1	1	1	66.75	61.5	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	41.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 15:22:29	1	1	1	1	66.75	61.25	0	29573.46	539.7849462	16052.2382	30000	0	0	30000	41.5	2004
12.02.2020 15:22:30	1	1	1	1	66.5	61.5	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	40.75	2004
12.02.2020 15:22:31	1	1	1	1	66.5	60.75	0	29526.066	541.9354839	16064.46878	30000	0	0	30000	41.4375	2004
12.02.2020 15:22:32	1	1	1	1	66.5	61.25	0	29526.066	541.9354839	15937.27068	30000	0	0	30000	41.0625	2004
12.02.2020 15:22:33	1	1	1	1	66.5	61	0	29526.066	539.7849462	16000.86973	30000	0	0	30000	41.0625	2004
12.02.2020 15:22:34	1	1	1	1	66.5	61	0	29431.28	541.9354839	15885.90221	30000	0	0	30000	41.5	2004
12.02.2020 15:22:35	1	1	1	1	66.5	61.5	0	29526.066	539.7849462	15937.27068	30000	0	0	30000	41.125	2004
12.02.2020 15:22:36	1	1	1	1	66.5	61	0	29526.066	541.9354839	15937.27068	30000	0	0	30000	40.5625	2004
12.02.2020 15:22:37	1	1	1	1	66.5	60.5	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	41.625	2004
12.02.2020 15:22:38	1	1	1	1	66.5	61.5	0	29573.46	541.9354839	16052.2382	30000	0	0	30000	41.25	2004
12.02.2020 15:22:39	1	1	1	1	66.5	61.25	0	29715.64	541.9354839	15861.44103	30000	0	0	30000	41.1875	2004
12.02.2020 15:22:40	1	1	1	1	66	61	0	29620.853	544.0860215	15810.07257	30000	0	0	30000	41.3125	2004
12.02.2020 15:22:41	1	1	1	1	66	61.25	0	29526.066	541.9354839	16064.46878	30000	0	0	30000	41.0625	2004
12.02.2020 15:22:42	1	1	1	1	66	61	0	29573.46	541.9354839	15963.3626	30000	0	0	30000	40.75	2004
12.02.2020 15:22:43	1	1	1	1	66	60.75	0	29478.673	539.7849462	15975.59318	30000	0	0	30000	41.1875	2004
12.02.2020 15:22:44	1	1	1	1	66	61	0	29526.066	541.9354839	15937.27068	30000	0	0	30000	40.9375	2004
12.02.2020 15:22:45	1	1	1	1	66	60.75	0	29431.28	539.7849462	15860.62566	30000	0	0	30000	40.6875	2004
12.02.2020 15:22:46	1	1	1	1	66	60.5	0	29526.066	539.7849462	16090.5607	30000	0	0	30000	41.375	2004
12.02.2020 15:22:47	1	1	1	1	66	61.25	0	29478.673	541.9354839	15975.59318	30000	0	0	30000	41.5	2004
12.02.2020 15:22:48	1	1	1	1	66	61.5	0	29526.066	541.9354839	15937.27068	30000	0	0	30000	40.5625	2004
12.02.2020 15:22:49	1	1	1	1	66	60.5	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	41	2004
12.02.2020 15:22:50	1	1	1	1	66	61	0	29620.853	539.7849462	16013.91569	30000	0	0	30000	41.5	2004
12.02.2020 15:22:51	1	1	1	1	66	61.5	0	29526.066	541.9354839	16255.26595	30000	0	0	30000	41.375	2004
12.02.2020 15:22:52	1	1	1	1	66	61.25	0	29526.066	541.9354839	16064.46878	30000	0	0	30000	40.9375	2004
12.02.2020 15:23:00	1	1	1	1	66	61.25	0	29620.853	541.9354839	16167.20572	30000	0	0	30000	41.75	2004
12.02.2020 15:23:00	1	1	1	1	66	61.25	0	29620.853	541.9354839	16167.20572	30000	0	0	30000	41.75	2004
12.02.2020 15:23:00	1	1	1	1	66	61.25	0	29620.853	541.9354839	16167.20572	30000	0	0	30000	41.75	2004
12.02.2020 15:23:00	1	1	1	1	66	61.25	0	29620.853	541.9354839	16167.20572	30000	0	0	30000	41.75	2004
12.02.2020 15:23:00	1	1	1	1	66	61.25	0	29620.853	541.9354839	16167.20572	30000	0	0	30000	41.75	2004
12.02.2020 15:23:00	1	1	1	1	66	61.25	0	29620.853	541.9354839	16167.20572	30000	0	0	30000	41.75	2004
12.02.2020 15:23:00	1	1	1	1	66	61.25	0	29620.853	541.9354839	16167.20572	30000	0	0	30000	41.75	2004
12.02.2020 15:23:00	1	1	1	1	66	61.75	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	40.5625	2004
12.02.2020 15:23:01	1	1	1	1	66	61.25	0	29573.46	539.7849462	15810.07257	30000	0	0	30000	40.6875	2004
12.02.2020 15:23:02	1	1	1	1	66	60.5	0	29573.46	546.2365591	15963.3626	30000	0	0	30000	41.5625	2004
12.02.2020 15:23:04	1	1	1	1	66	61.5	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	41	2004
12.02.2020 15:23:05	1	1	1	1	66	61	0	29573.46	541.9354839	16052.2382	30000	0	0	30000	40.875	2004
12.02.2020 15:23:06	1	1	1	1	66	60.75	0	29620.853	541.9354839	15988.63914	30000	0	0	30000	40.625	2004
12.02.2020 15:23:07	1	1	1	1	66	60.5	0	29478.673	537.6344086	15937.27068	30000	0	0	30000	41.125	2004
12.02.2020 15:23:08	1	1	1	1	66	61	0	29383.886	537.6344086	15885.90221	30000	0	0	30000	41.4375	2004
12.02.2020 15:23:09	1	1	1	1	66	61.25	0	29336.493	535.483871	15835.34912	30000	0	0	30000	41.4375	2004
12.02.2020 15:23:10	1	1	1	1	66	61.25	0	29526.066	537.6344086	15937.27068	30000	0	0	30000	41.25	2004
12.02.2020 15:23:11	1	1	1	1	66	61.25	0	29668.246	541.9354839	16013.91569	30000	0	0	30000	40.75	2004
12.02.2020 15:23:12	1	1	1	1	66	60.75	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	41.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 15:23:13	1	1	1	1	66	61.5	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	41.25	2004
12.02.2020 15:23:14	1	1	1	1	66	61.25	0	29431.28	539.7849462	15949.50126	30000	0	0	30000	41.5	2004
12.02.2020 15:23:15	1	1	1	1	66	61.5	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	41.375	2004
12.02.2020 15:23:16	1	1	1	1	66	61.25	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	41.5	2004
12.02.2020 15:23:17	1	1	1	1	66	61.5	0	29668.246	550.5376344	15988.63914	30000	0	0	30000	41.1875	2004
12.02.2020 15:23:18	1	1	1	1	66	61	0	29715.64	541.9354839	15861.44103	30000	0	0	30000	40.6875	2004
12.02.2020 15:23:19	1	1	1	1	66	60.5	0	29526.066	537.6344086	15937.27068	30000	0	0	30000	41.125	2004
12.02.2020 15:23:20	1	1	1	1	65.5	61	0	29526.066	541.9354839	15836.16449	30000	0	0	30000	41.125	2004
12.02.2020 15:23:21	1	1	1	1	65.5	61	0	29573.46	539.7849462	15963.3626	30000	0	0	30000	40.8125	2004
12.02.2020 15:23:22	1	1	1	1	65.5	60.75	0	29715.64	541.9354839	15911.99413	30000	0	0	30000	41.1875	2004
12.02.2020 15:23:23	1	1	1	1	65.5	61	0	29526.066	541.9354839	16026.96165	30000	0	0	30000	41.5	2004
12.02.2020 15:23:24	1	1	1	1	65.5	61.5	0	29526.066	541.9354839	15937.27068	30000	0	0	30000	41.25	2004
12.02.2020 15:23:25	1	1	1	1	65.5	61.25	0	29573.46	544.0860215	16000.86973	30000	0	0	30000	41.4375	2004
12.02.2020 15:23:26	1	1	1	1	65.5	61.25	0	29668.246	537.6344086	15988.63914	30000	0	0	30000	41.1875	2004
12.02.2020 15:23:27	1	1	1	1	65.5	61	0	29620.853	537.6344086	15836.16449	30000	0	0	30000	41.3125	2004
12.02.2020 15:23:28	1	1	1	1	65.5	61.25	0	29620.853	537.6344086	15899.76354	30000	0	0	30000	41.3125	2004
12.02.2020 15:23:29	1	1	1	1	65.5	61.25	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	40.9375	2004
12.02.2020 15:23:30	1	1	1	1	65.5	60.75	0	29526.066	539.7849462	15963.3626	30000	0	0	30000	41.4375	2004
12.02.2020 15:23:31	1	1	1	1	65.5	61.25	0	29620.853	539.7849462	16013.91569	30000	0	0	30000	40.9375	2004
12.02.2020 15:23:32	1	1	1	1	65.5	60.75	0	29620.853	539.7849462	16078.33012	30000	0	0	30000	41.5	2004
12.02.2020 15:23:33	1	1	1	1	65.5	61.5	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	41	2004
12.02.2020 15:23:34	1	1	1	1	65.5	61	0	29478.673	537.6344086	15810.07257	30000	0	0	30000	41.375	2004
12.02.2020 15:23:35	1	1	1	1	65.5	61.25	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	41.3125	2004
12.02.2020 15:23:36	1	1	1	1	65.5	61.25	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	41.4375	2004
12.02.2020 15:23:37	1	1	1	1	65.5	61.25	0	29620.853	544.0860215	15988.63914	30000	0	0	30000	41.4375	2004
12.02.2020 15:23:38	1	1	1	1	65.5	61.25	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	41.75	2004
12.02.2020 15:23:39	1	1	1	1	65.5	61.25	0	29620.853	541.9354839	15925.04009	30000	0	0	30000	41.3125	2004
12.02.2020 15:23:40	1	1	1	1	65.5	61.25	0	29620.853	537.6344086	15925.04009	30000	0	0	30000	41.5	2004
12.02.2020 15:23:42	1	1	1	1	65.5	61.5	0	29620.853	537.6344086	16013.91569	30000	0	0	30000	40.875	2004
12.02.2020 15:23:43	1	1	1	1	65.5	60.75	0	29620.853	541.9354839	15861.44103	30000	0	0	30000	41.4375	2004
12.02.2020 15:23:44	1	1	1	1	65.5	61.25	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	40.8125	2004
12.02.2020 15:23:45	1	1	1	1	65.5	60.75	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	41.3125	2004
12.02.2020 15:23:46	1	1	1	1	65.5	61.25	0	29620.853	537.6344086	15861.44103	30000	0	0	30000	41.375	2004
12.02.2020 15:23:47	1	1	1	1	65.5	61.25	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	41.5625	2004
12.02.2020 15:23:48	1	1	1	1	65.5	61.5	0	29668.246	537.6344086	16103.60666	30000	0	0	30000	40.75	2004
12.02.2020 15:23:49	1	1	1	1	65.5	60.75	0	29810.427	541.9354839	16090.5607	30000	0	0	30000	40.5625	2004
12.02.2020 15:23:50	1	1	1	1	65.5	60.5	0	29526.066	537.6344086	15899.76354	30000	0	0	30000	41.25	2004
12.02.2020 15:23:51	1	1	1	1	65.5	61.25	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	41	2004
12.02.2020 15:23:52	1	1	1	1	65.5	61	0	29668.246	539.7849462	16040.00761	30000	0	0	30000	41.25	2004
12.02.2020 15:23:53	1	1	1	1	65.5	61.25	0	29715.64	535.483871	16040.00761	30000	0	0	30000	40.875	2004
12.02.2020 15:23:54	1	1	1	1	65.5	60.75	0	29763.033	535.483871	16154.97513	30000	0	0	30000	41.0625	2004
12.02.2020 15:24:02	1	1	1	1	65.25	60.75	0	29526.066	537.6344086	15899.76354	30000	0	0	30000	41.375	2004
12.02.2020 15:24:02	1	1	1	1	65.25	60.75	0	29526.066	537.6344086	15899.76354	30000	0	0	30000	41.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 15:24:02	1	1	1	1	65.25	60.75	0	29526.066	537.6344086	15899.76354	30000	0	0	30000	41.375	2004
12.02.2020 15:24:02	1	1	1	1	65.25	60.75	0	29526.066	537.6344086	15899.76354	30000	0	0	30000	41.375	2004
12.02.2020 15:24:02	1	1	1	1	65.25	60.75	0	29526.066	537.6344086	15899.76354	30000	0	0	30000	41.375	2004
12.02.2020 15:24:02	1	1	1	1	65.25	60.75	0	29526.066	537.6344086	15899.76354	30000	0	0	30000	41.375	2004
12.02.2020 15:24:02	1	1	1	1	65.25	60.75	0	29526.066	537.6344086	15899.76354	30000	0	0	30000	41.375	2004
12.02.2020 15:24:02	1	1	1	1	65.25	61.25	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	41.375	2004
12.02.2020 15:24:03	1	1	1	1	65.25	61.25	0	29715.64	535.483871	16040.00761	30000	0	0	30000	41.125	2004
12.02.2020 15:24:04	1	1	1	1	65.25	61	0	29857.82	537.6344086	16116.65262	30000	0	0	30000	41.3125	2004
12.02.2020 15:24:05	1	1	1	1	65.25	61.25	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	40.875	2004
12.02.2020 15:24:06	1	1	1	1	65.25	60.75	0	29715.64	535.483871	16090.5607	30000	0	0	30000	41.0625	2004
12.02.2020 15:24:07	1	1	1	1	65.25	61	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	41.1875	2004
12.02.2020 15:24:08	1	1	1	1	65.25	61	0	29620.853	537.6344086	15950.31664	30000	0	0	30000	41.625	2004
12.02.2020 15:24:09	1	1	1	1	65.25	61.5	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	40.5625	2004
12.02.2020 15:24:10	1	1	1	1	65.5	60.5	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	41.375	2004
12.02.2020 15:24:11	1	1	1	1	65.5	61.25	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	41.5	2004
12.02.2020 15:24:12	1	1	1	1	65.5	61.5	0	29573.46	537.6344086	15836.16449	30000	0	0	30000	41.4375	2004
12.02.2020 15:24:13	1	1	1	1	65.5	61.25	0	29668.246	537.6344086	15886.71758	30000	0	0	30000	41.0625	2004
12.02.2020 15:24:14	1	1	1	1	65.5	61	0	29810.427	537.6344086	15975.59318	30000	0	0	30000	41.375	2004
12.02.2020 15:24:15	1	1	1	1	65.5	61.25	0	29620.853	535.483871	15925.04009	30000	0	0	30000	41.4375	2004
12.02.2020 15:24:16	1	1	1	1	65.5	61.25	0	29668.246	539.7849462	16040.00761	30000	0	0	30000	41.3125	2004
12.02.2020 15:24:17	1	1	1	1	65.5	61.25	0	29478.673	535.483871	15873.67162	30000	0	0	30000	41.375	2004
12.02.2020 15:24:18	1	1	1	1	65.5	61.25	0	29668.246	539.7849462	15988.63914	30000	0	0	30000	40.125	2004
12.02.2020 15:24:19	1	1	1	1	65.5	60	0	29526.066	537.6344086	15873.67162	30000	0	0	30000	40.6875	2004
12.02.2020 15:24:20	1	1	1	1	65.5	60.5	0	29620.853	537.6344086	15925.04009	30000	0	0	30000	40.875	2004
12.02.2020 15:24:21	1	1	1	1	65.5	61.25	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	41.1875	2004
12.02.2020 15:24:23	1	1	1	1	65.5	61	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	41.5	2004
12.02.2020 15:24:24	1	1	1	1	65.5	61.5	0	29573.46	535.483871	15925.04009	30000	0	0	30000	41.25	2004
12.02.2020 15:24:25	1	1	1	1	65.5	61.25	0	29668.246	541.9354839	15988.63914	30000	0	0	30000	41.125	2004
12.02.2020 15:24:26	1	1	1	1	65.5	61	0	29526.066	537.6344086	15899.76354	30000	0	0	30000	41.625	2004
12.02.2020 15:24:27	1	1	1	1	65.5	61.5	0	29620.853	537.6344086	16013.91569	30000	0	0	30000	40.5625	2004
12.02.2020 15:24:28	1	1	1	1	65.5	60.5	0	29715.64	546.2365591	16040.00761	30000	0	0	30000	41.125	2004
12.02.2020 15:24:29	1	1	1	1	65.5	61	0	29431.28	537.6344086	15848.39508	30000	0	0	30000	41.5625	2004
12.02.2020 15:24:30	1	1	1	1	65	61.5	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	41.5	2004
12.02.2020 15:24:31	1	1	1	1	65	61.5	0	29668.246	539.7849462	16103.60666	30000	0	0	30000	41.375	2004
12.02.2020 15:24:32	1	1	1	1	65	61.25	0	29668.246	541.9354839	16078.33012	30000	0	0	30000	41.1875	2004
12.02.2020 15:24:33	1	1	1	1	65	61	0	29620.853	537.6344086	15925.04009	30000	0	0	30000	41.375	2004
12.02.2020 15:24:34	1	1	1	1	65	61.25	0	29715.64	539.7849462	16103.60666	30000	0	0	30000	41.4375	2004
12.02.2020 15:24:35	1	1	1	1	65	61.25	0	29715.64	541.9354839	16013.91569	30000	0	0	30000	41	2004
12.02.2020 15:24:36	1	1	1	1	65	61	0	29620.853	537.6344086	16013.91569	30000	0	0	30000	41.5625	2004
12.02.2020 15:24:37	1	1	1	1	65	61.5	0	29857.82	541.9354839	16116.65262	30000	0	0	30000	41.4375	2004
12.02.2020 15:24:38	1	1	1	1	65	61.25	0	29715.64	533.3333333	16026.96165	30000	0	0	30000	41.4375	2004
12.02.2020 15:24:39	1	1	1	1	65	61.25	0	29620.853	539.7849462	16013.91569	30000	0	0	30000	41.25	2004
12.02.2020 15:24:40	1	1	1	1	64.5	61.25	0	29668.246	537.6344086	16040.00761	30000	0	0	30000	41.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 15:24:41	1	1	1	1	64.5	61.25	0	29573.46	537.6344086	15988.63914	30000	0	0	30000	41.5	2004
12.02.2020 15:24:42	1	1	1	1	64.5	61.5	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	41.5625	2004
12.02.2020 15:24:43	1	1	1	1	64.5	61.5	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	41.3125	2004
12.02.2020 15:24:44	1	1	1	1	64.5	61.25	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	41.25	2004
12.02.2020 15:24:45	1	1	1	1	64.5	61.25	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	41.5625	2004
12.02.2020 15:24:46	1	1	1	1	64.5	61.5	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	41.4375	2004
12.02.2020 15:24:47	1	1	1	1	64.5	61.25	0	29573.46	539.7849462	15963.3626	30000	0	0	30000	41.5	2004
12.02.2020 15:24:48	1	1	1	1	64.5	61.5	0	29715.64	544.0860215	16013.91569	30000	0	0	30000	41.125	2004
12.02.2020 15:24:49	1	1	1	1	64.5	61	0	29668.246	539.7849462	15925.04009	30000	0	0	30000	41.4375	2004
12.02.2020 15:24:50	1	1	1	1	65	61.25	0	29810.427	541.9354839	16154.97513	30000	0	0	30000	41.375	2004
12.02.2020 15:24:51	1	1	1	1	65	61.25	0	29526.066	539.7849462	15963.3626	30000	0	0	30000	41.5625	2004
12.02.2020 15:24:52	1	1	1	1	65	61.5	0	29573.46	541.9354839	15963.3626	30000	0	0	30000	41.4375	2004
12.02.2020 15:24:53	1	1	1	1	65	61.25	0	29431.28	537.6344086	15823.11853	30000	0	0	30000	41.375	2004
12.02.2020 15:24:54	1	1	1	1	65	61.25	0	29573.46	539.7849462	15899.76354	30000	0	0	30000	41.625	2004
12.02.2020 15:24:55	1	1	1	1	65	61.5	0	29526.066	539.7849462	15963.3626	30000	0	0	30000	41.3125	2004
12.02.2020 15:25:03	1	1	1	1	65	61.25	0	29526.066	537.6344086	15899.76354	30000	0	0	30000	41.5	2004
12.02.2020 15:25:03	1	1	1	1	65	61.25	0	29526.066	537.6344086	15899.76354	30000	0	0	30000	41.5	2004
12.02.2020 15:25:03	1	1	1	1	65	61.25	0	29526.066	537.6344086	15899.76354	30000	0	0	30000	41.5	2004
12.02.2020 15:25:03	1	1	1	1	65	61.25	0	29526.066	537.6344086	15899.76354	30000	0	0	30000	41.5	2004
12.02.2020 15:25:03	1	1	1	1	65	61.25	0	29526.066	537.6344086	15899.76354	30000	0	0	30000	41.5	2004
12.02.2020 15:25:03	1	1	1	1	65	61.25	0	29526.066	537.6344086	15899.76354	30000	0	0	30000	41.5	2004
12.02.2020 15:25:04	1	1	1	1	65	61.5	0	29668.246	539.7849462	16040.00761	30000	0	0	30000	40.6875	2004
12.02.2020 15:25:05	1	1	1	1	65	60.5	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	41.3125	2004
12.02.2020 15:25:06	1	1	1	1	65	61.25	0	29620.853	535.483871	15988.63914	30000	0	0	30000	41.5625	2004
12.02.2020 15:25:07	1	1	1	1	65	61.5	0	29526.066	539.7849462	15963.3626	30000	0	0	30000	41.3125	2004
12.02.2020 15:25:08	1	1	1	1	65	61.25	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	41.375	2004
12.02.2020 15:25:09	1	1	1	1	65	61.25	0	29668.246	541.9354839	16078.33012	30000	0	0	30000	41.3125	2004
12.02.2020 15:25:10	1	1	1	1	64.75	61.25	0	29810.427	544.0860215	16219.38956	30000	0	0	30000	41.5	2004
12.02.2020 15:25:11	1	1	1	1	64.75	61.5	0	29620.853	533.3333333	16103.60666	30000	0	0	30000	41.25	2004
12.02.2020 15:25:12	1	1	1	1	64.75	61.25	0	29620.853	541.9354839	16078.33012	30000	0	0	30000	40.9375	2004
12.02.2020 15:25:13	1	1	1	1	64.75	60.75	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	41.375	2004
12.02.2020 15:25:14	1	1	1	1	64.75	61.25	0	29668.246	541.9354839	15988.63914	30000	0	0	30000	41.5	2004
12.02.2020 15:25:15	1	1	1	1	64.75	61.5	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	41.25	2004
12.02.2020 15:25:16	1	1	1	1	64.75	61.25	0	29526.066	539.7849462	15937.27068	30000	0	0	30000	40.5	2004
12.02.2020 15:25:17	1	1	1	1	64.75	60.5	0	29431.28	537.6344086	15885.90221	30000	0	0	30000	41.4375	2004
12.02.2020 15:25:18	1	1	1	1	64.75	61.25	0	29620.853	539.7849462	15797.84198	30000	0	0	30000	40.6875	2004
12.02.2020 15:25:19	1	1	1	1	64.75	60.5	0	29620.853	539.7849462	16052.2382	30000	0	0	30000	41.4375	2004
12.02.2020 15:25:20	1	1	1	1	64.5	61.25	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	41.3125	2004
12.02.2020 15:25:21	1	1	1	1	64.5	61.25	0	29620.853	533.3333333	15988.63914	30000	0	0	30000	41.5	2004
12.02.2020 15:25:22	1	1	1	1	64.5	61.5	0	29478.673	541.9354839	15885.90221	30000	0	0	30000	41.375	2004
12.02.2020 15:25:23	1	1	1	1	64.5	61.25	0	29526.066	541.9354839	16243.03536	30000	0	0	30000	41.5	2004
12.02.2020 15:25:24	1	1	1	1	64.5	61.5	0	29715.64	539.7849462	16103.60666	30000	0	0	30000	41.4375	2004





	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 15:26:09	1	1	1	1	64.5	60.75	0	29478.673	537.6344086	15911.99413	30000	0	0	30000	41.3125	2004
12.02.2020 15:26:10	1	1	1	1	64	61.25	0	29715.64	541.9354839	16013.91569	30000	0	0	30000	41.5625	2004
12.02.2020 15:26:11	1	1	1	1	64	61.5	0	29810.427	541.9354839	16154.97513	30000	0	0	30000	41.5	2004
12.02.2020 15:26:12	1	1	1	1	64	61.5	0	29620.853	537.6344086	16052.2382	30000	0	0	30000	41.8125	2004
12.02.2020 15:26:13	1	1	1	1	64	61.75	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	41.625	2004
12.02.2020 15:26:14	1	1	1	1	64	61.5	0	29526.066	537.6344086	15873.67162	30000	0	0	30000	41.3125	2004
12.02.2020 15:26:15	1	1	1	1	64	61.25	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	41.5	2004
12.02.2020 15:26:17	1	1	1	1	64	61.5	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	41.375	2004
12.02.2020 15:26:18	1	1	1	1	64	61.25	0	29668.246	541.9354839	16231.62015	30000	0	0	30000	41.5	2004
12.02.2020 15:26:19	1	1	1	1	64	61.5	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	41.375	2004
12.02.2020 15:26:20	1	1	1	1	64	61.25	0	29715.64	541.9354839	16167.20572	30000	0	0	30000	41.3125	2004
12.02.2020 15:26:21	1	1	1	1	64	61.25	0	29573.46	539.7849462	15988.63914	30000	0	0	30000	41.4375	2004
12.02.2020 15:26:22	1	1	1	1	64	61.25	0	29573.46	541.9354839	15963.3626	30000	0	0	30000	41.4375	2004
12.02.2020 15:26:23	1	1	1	1	64	61.25	0	29715.64	541.9354839	16167.20572	30000	0	0	30000	40.625	2004
12.02.2020 15:26:24	1	1	1	1	64	60.5	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	40.375	2004
12.02.2020 15:26:25	1	1	1	1	64	60.25	0	29526.066	533.3333333	16052.2382	30000	0	0	30000	41.125	2004
12.02.2020 15:26:26	1	1	1	1	64	61	0	29478.673	533.3333333	16000.86973	30000	0	0	30000	41.375	2004
12.02.2020 15:26:27	1	1	1	1	64	61.25	0	29620.853	539.7849462	15925.04009	30000	0	0	30000	41.0625	2004
12.02.2020 15:26:28	1	1	1	1	64	61	0	29526.066	539.7849462	16026.96165	30000	0	0	30000	41.3125	2004
12.02.2020 15:26:29	1	1	1	1	64	61.25	0	29526.066	541.9354839	15937.27068	30000	0	0	30000	41.125	2004
12.02.2020 15:26:30	1	1	1	1	64.25	61	0	29620.853	541.9354839	15988.63914	30000	0	0	30000	41.375	2004
12.02.2020 15:26:31	1	1	1	1	64.25	61.25	0	29526.066	541.9354839	15911.99413	30000	0	0	30000	41.3125	2004
12.02.2020 15:26:32	1	1	1	1	64.25	61.25	0	29526.066	541.9354839	16026.96165	30000	0	0	30000	41.1875	2004
12.02.2020 15:26:33	1	1	1	1	64.25	61	0	29478.673	539.7849462	16000.86973	30000	0	0	30000	41.1875	2004
12.02.2020 15:26:34	1	1	1	1	64.25	61	0	29810.427	539.7849462	16040.00761	30000	0	0	30000	41.4375	2004
12.02.2020 15:26:35	1	1	1	1	64.25	61.25	0	29431.28	537.6344086	15797.84198	30000	0	0	30000	40.9375	2004
12.02.2020 15:26:36	1	1	1	1	64.25	60.75	0	29526.066	541.9354839	15988.63914	30000	0	0	30000	41.375	2004
12.02.2020 15:26:37	1	1	1	1	64.25	61.25	0	29668.246	539.7849462	15988.63914	30000	0	0	30000	41.5	2004
12.02.2020 15:26:38	1	1	1	1	64.25	61.5	0	29668.246	541.9354839	16040.00761	30000	0	0	30000	41.5	2004
12.02.2020 15:26:39	1	1	1	1	64.25	61.5	0	29620.853	541.9354839	15963.3626	30000	0	0	30000	41.4375	2004
12.02.2020 15:26:40	1	1	1	1	63.5	61.25	0	29526.066	539.7849462	15937.27068	30000	0	0	30000	41.4375	2004
12.02.2020 15:26:41	1	1	1	1	63.5	61.25	0	29620.853	544.0860215	15899.76354	30000	0	0	30000	41.625	2004
12.02.2020 15:26:42	1	1	1	1	63.5	61.5	0	29526.066	541.9354839	16026.96165	30000	0	0	30000	41.4375	2004
12.02.2020 15:26:43	1	1	1	1	63.5	61.25	0	29620.853	539.7849462	16167.20572	30000	0	0	30000	41.4375	2004
12.02.2020 15:26:44	1	1	1	1	63.5	61.25	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	41	2004
12.02.2020 15:26:45	1	1	1	1	63.5	61	0	29573.46	539.7849462	16090.5607	30000	0	0	30000	41.3125	2004
12.02.2020 15:26:46	1	1	1	1	63.5	61.25	0	29810.427	539.7849462	16040.00761	30000	0	0	30000	41.3125	2004
12.02.2020 15:26:47	1	1	1	1	63.5	61.25	0	29573.46	544.0860215	15963.3626	30000	0	0	30000	41.3125	2004
12.02.2020 15:26:48	1	1	1	1	63.5	61.25	0	29526.066	539.7849462	15937.27068	30000	0	0	30000	41.5	2004
12.02.2020 15:26:49	1	1	1	1	63.5	61.5	0	29573.46	539.7849462	15963.3626	30000	0	0	30000	41.5	2004
12.02.2020 15:26:50	1	1	1	1	63.75	61.5	0	29620.853	541.9354839	15988.63914	30000	0	0	30000	41.375	2004
12.02.2020 15:26:51	1	1	1	1	63.75	61.25	0	29620.853	541.9354839	15988.63914	30000	0	0	30000	41.5	2004
12.02.2020 15:26:52	1	1	1	1	63.75	61.5	0	29478.673	539.7849462	16000.86973	30000	0	0	30000	41.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 15:26:53	1	1	1	1	63.75	61	0	29573.46	541.9354839	15988.63914	30000	0	0	30000	41.5	2004
12.02.2020 15:26:54	1	1	1	1	63.75	61.5	0	29526.066	539.7849462	16000.86973	30000	0	0	30000	41.625	2004
12.02.2020 15:26:56	1	1	1	1	63.75	61.5	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	40.625	2004
12.02.2020 15:26:57	1	1	1	1	63.75	60.5	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	41.5	2004
12.02.2020 15:26:58	1	1	1	1	63.75	61.5	0	29478.673	539.7849462	15885.90221	30000	0	0	30000	41.3125	2004
12.02.2020 15:26:59	1	1	1	1	63.75	61.25	0	29620.853	533.3333333	16103.60666	30000	0	0	30000	41.5	2004
12.02.2020 15:27:07	1	1	1	1	63.5	61.5	0	29620.853	539.7849462	16052.2382	30000	0	0	30000	41.5	2004
12.02.2020 15:27:07	1	1	1	1	63.5	61.5	0	29620.853	539.7849462	16052.2382	30000	0	0	30000	41.5	2004
12.02.2020 15:27:07	1	1	1	1	63.5	61.5	0	29620.853	539.7849462	16052.2382	30000	0	0	30000	41.5	2004
12.02.2020 15:27:07	1	1	1	1	63.5	61.5	0	29620.853	539.7849462	16052.2382	30000	0	0	30000	41.5	2004
12.02.2020 15:27:07	1	1	1	1	63.5	61.5	0	29620.853	539.7849462	16052.2382	30000	0	0	30000	41.5	2004
12.02.2020 15:27:07	1	1	1	1	63.5	61.5	0	29620.853	539.7849462	16052.2382	30000	0	0	30000	41.5	2004
12.02.2020 15:27:07	1	1	1	1	63.5	61.5	0	29478.673	537.6344086	15885.90221	30000	0	0	30000	41.0625	2004
12.02.2020 15:27:08	1	1	1	1	63.5	61	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	41.25	2004
12.02.2020 15:27:09	1	1	1	1	63.5	61.25	0	29526.066	541.9354839	16026.96165	30000	0	0	30000	41.375	2004
12.02.2020 15:27:10	1	1	1	1	64	61.25	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	41.5	2004
12.02.2020 15:27:11	1	1	1	1	64	61.5	0	29620.853	537.6344086	15925.04009	30000	0	0	30000	41.25	2004
12.02.2020 15:27:12	1	1	1	1	64	61.25	0	29715.64	541.9354839	16167.20572	30000	0	0	30000	41.5	2004
12.02.2020 15:27:13	1	1	1	1	64	61.5	0	29526.066	539.7849462	16026.96165	30000	0	0	30000	41.25	2004
12.02.2020 15:27:14	1	1	1	1	64	61.25	0	29383.886	539.7849462	15823.11853	30000	0	0	30000	41.3125	2004
12.02.2020 15:27:15	1	1	1	1	64	61.25	0	29573.46	539.7849462	15988.63914	30000	0	0	30000	41.5	2004
12.02.2020 15:27:16	1	1	1	1	64	61.5	0	29478.673	535.483871	15911.99413	30000	0	0	30000	41.3125	2004
12.02.2020 15:27:17	1	1	1	1	64	61.25	0	29620.853	541.9354839	15988.63914	30000	0	0	30000	41.375	2004
12.02.2020 15:27:18	1	1	1	1	64	61.25	0	29526.066	537.6344086	15937.27068	30000	0	0	30000	41.375	2004
12.02.2020 15:27:19	1	1	1	1	64	61.25	0	29668.246	541.9354839	16052.2382	30000	0	0	30000	41.4375	2004
12.02.2020 15:27:20	1	1	1	1	63.75	61.25	0	29526.066	541.9354839	15937.27068	30000	0	0	30000	41.375	2004
12.02.2020 15:27:21	1	1	1	1	63.75	61.25	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	41.25	2004
12.02.2020 15:27:22	1	1	1	1	63.75	61.25	0	29526.066	541.9354839	15963.3626	30000	0	0	30000	41.25	2004
12.02.2020 15:27:23	1	1	1	1	63.75	61.25	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	41.4375	2004
12.02.2020 15:27:24	1	1	1	1	63.75	61.25	0	29478.673	539.7849462	15911.99413	30000	0	0	30000	41.25	2004
12.02.2020 15:27:25	1	1	1	1	63.75	61.25	0	29620.853	541.9354839	16115.83725	30000	0	0	30000	41.5	2004
12.02.2020 15:27:26	1	1	1	1	63.75	61.5	0	29526.066	541.9354839	15823.11853	30000	0	0	30000	41.375	2004
12.02.2020 15:27:27	1	1	1	1	63.75	61.25	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	41.0625	2004
12.02.2020 15:27:28	1	1	1	1	63.75	61	0	29526.066	539.7849462	15963.3626	30000	0	0	30000	41.5	2004
12.02.2020 15:27:29	1	1	1	1	63.75	61.5	0	29620.853	541.9354839	15747.28889	30000	0	0	30000	41.5	2004
12.02.2020 15:27:30	1	1	1	1	63.75	61.5	0	29431.28	541.9354839	15835.34912	30000	0	0	30000	41.4375	2004
12.02.2020 15:27:31	1	1	1	1	63.75	61.25	0	29573.46	541.9354839	16307.44979	30000	0	0	30000	41.5	2004
12.02.2020 15:27:33	1	1	1	1	63.75	61.25	0	29431.28	535.483871	15885.90221	30000	0	0	30000	41.0625	2004
12.02.2020 15:27:34	1	1	1	1	63.75	61	0	29620.853	541.9354839	15988.63914	30000	0	0	30000	41.5	2004
12.02.2020 15:27:35	1	1	1	1	63.75	61.5	0	29478.673	539.7849462	16000.86973	30000	0	0	30000	41.4375	2004
12.02.2020 15:27:36	1	1	1	1	63.75	61.25	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	41.5	2004
12.02.2020 15:27:37	1	1	1	1	63.75	61.5	0	29478.673	541.9354839	15975.59318	30000	0	0	30000	41.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 15:27:38	1	1	1	1	63.75	61.25	0	29620.853	541.9354839	16115.83725	30000	0	0	30000	41.5	2004
12.02.2020 15:27:39	1	1	1	1	63.75	61.5	0	29573.46	541.9354839	15963.3626	30000	0	0	30000	41.1875	2004
12.02.2020 15:27:40	1	1	1	1	63.75	61	0	29431.28	541.9354839	15860.62566	30000	0	0	30000	41.375	2004
12.02.2020 15:27:41	1	1	1	1	63.75	61.25	0	29526.066	541.9354839	16115.83725	30000	0	0	30000	41.5625	2004
12.02.2020 15:27:42	1	1	1	1	63.75	61.5	0	29336.493	541.9354839	15924.22472	30000	0	0	30000	41.4375	2004
12.02.2020 15:27:43	1	1	1	1	63.75	61.25	0	29573.46	541.9354839	16026.96165	30000	0	0	30000	41.375	2004
12.02.2020 15:27:44	1	1	1	1	63.75	61.25	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	41.3125	2004
12.02.2020 15:27:45	1	1	1	1	63.75	61.25	0	29620.853	541.9354839	16115.83725	30000	0	0	30000	40.5	2004
12.02.2020 15:27:46	1	1	1	1	63.75	60.5	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	41.4375	2004
12.02.2020 15:27:47	1	1	1	1	63.75	61.25	0	29573.46	541.9354839	16026.96165	30000	0	0	30000	40.875	2004
12.02.2020 15:27:48	1	1	1	1	63.75	60.75	0	29478.673	541.9354839	16064.46878	30000	0	0	30000	41.375	2004
12.02.2020 15:27:49	1	1	1	1	63.75	61.25	0	29620.853	544.0860215	16115.83725	30000	0	0	30000	41.4375	2004
12.02.2020 15:27:50	1	1	1	1	63.75	61.25	0	29620.853	539.7849462	16052.2382	30000	0	0	30000	41.5	2004
12.02.2020 15:27:51	1	1	1	1	63.75	61.5	0	29573.46	535.483871	15988.63914	30000	0	0	30000	41.3125	2004
12.02.2020 15:27:52	1	1	1	1	63.75	61.25	0	29573.46	539.7849462	15963.3626	30000	0	0	30000	40.75	2004
12.02.2020 15:27:53	1	1	1	1	63.75	60.75	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	41.375	2004
12.02.2020 15:27:54	1	1	1	1	63.75	61.25	0	29478.673	541.9354839	15911.99413	30000	0	0	30000	41.6875	2004
12.02.2020 15:27:55	1	1	1	1	63.75	61.5	0	29668.246	539.7849462	15988.63914	30000	0	0	30000	41.3125	2004
12.02.2020 15:27:56	1	1	1	1	63.75	61.25	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	41.3125	2004
12.02.2020 15:27:57	1	1	1	1	63.75	61.25	0	29526.066	539.7849462	16154.15976	30000	0	0	30000	41.5	2004
12.02.2020 15:27:58	1	1	1	1	63.75	61.5	0	29620.853	541.9354839	16167.20572	30000	0	0	30000	41	2004
12.02.2020 15:27:59	1	1	1	1	63.75	61	0	29526.066	541.9354839	16026.96165	30000	0	0	30000	41.3125	2004
12.02.2020 15:28:00	1	1	1	1	63.25	61.25	0	29668.246	541.9354839	16167.20572	30000	0	0	30000	41.375	2004
12.02.2020 15:28:08	1	1	1	1	63.25	61.25	0	29478.673	533.3333333	15937.27068	30000	0	0	30000	41.125	2004
12.02.2020 15:28:08	1	1	1	1	63.25	61.25	0	29478.673	533.3333333	15937.27068	30000	0	0	30000	41.125	2004
12.02.2020 15:28:08	1	1	1	1	63.25	61.25	0	29478.673	533.3333333	15937.27068	30000	0	0	30000	41.125	2004
12.02.2020 15:28:08	1	1	1	1	63.25	61.25	0	29478.673	533.3333333	15937.27068	30000	0	0	30000	41.125	2004
12.02.2020 15:28:08	1	1	1	1	63.25	61.25	0	29478.673	533.3333333	15937.27068	30000	0	0	30000	41.125	2004
12.02.2020 15:28:08	1	1	1	1	63.25	61.25	0	29478.673	533.3333333	15937.27068	30000	0	0	30000	41.125	2004
12.02.2020 15:28:08	1	1	1	1	63.25	61	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	41.4375	2004
12.02.2020 15:28:09	1	1	1	1	63.25	61.25	0	29336.493	541.9354839	15835.34912	30000	0	0	30000	41.1875	2004
12.02.2020 15:28:10	1	1	1	1	63.5	61	0	29526.066	541.9354839	15937.27068	30000	0	0	30000	41.8125	2004
12.02.2020 15:28:12	1	1	1	1	63.5	61.5	0	29478.673	541.9354839	16064.46878	30000	0	0	30000	41.375	2004
12.02.2020 15:28:13	1	1	1	1	63.5	61.25	0	29478.673	541.9354839	15949.50126	30000	0	0	30000	41.4375	2004
12.02.2020 15:28:14	1	1	1	1	63.5	61.25	0	29526.066	539.7849462	15810.07257	30000	0	0	30000	41.5	2004
12.02.2020 15:28:15	1	1	1	1	63.5	61.5	0	29383.886	541.9354839	15898.1328	30000	0	0	30000	41.625	2004
12.02.2020 15:28:16	1	1	1	1	63.5	61.5	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	41.25	2004
12.02.2020 15:28:17	1	1	1	1	63.5	61.25	0	29383.886	533.3333333	16165.57497	30000	0	0	30000	40.9375	2004
12.02.2020 15:28:18	1	1	1	1	63.5	60.75	0	29620.853	544.0860215	16115.83725	30000	0	0	30000	41.3125	2004
12.02.2020 15:28:19	1	1	1	1	63.5	61.25	0	29526.066	541.9354839	16026.96165	30000	0	0	30000	41.5	2004
12.02.2020 15:28:20	1	1	1	1	63.25	61.5	0	29526.066	539.7849462	15937.27068	30000	0	0	30000	41	2004
12.02.2020 15:28:21	1	1	1	1	63.25	61	0	29478.673	541.9354839	16000.86973	30000	0	0	30000	41.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 15:28:22	1	1	1	1	63.25	61.25	0	29478.673	539.7849462	15937.27068	30000	0	0	30000	41.3125	2004
12.02.2020 15:28:23	1	1	1	1	63.25	61.25	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	41.375	2004
12.02.2020 15:28:24	1	1	1	1	63.25	61.25	0	29573.46	544.0860215	16064.46878	30000	0	0	30000	41.4375	2004
12.02.2020 15:28:25	1	1	1	1	63.25	61.25	0	29431.28	541.9354839	16038.37687	30000	0	0	30000	40.8125	2004
12.02.2020 15:28:26	1	1	1	1	63.25	60.75	0	29431.28	539.7849462	15949.50126	30000	0	0	30000	41.125	2004
12.02.2020 15:28:27	1	1	1	1	63.25	61	0	29431.28	541.9354839	15759.51947	30000	0	0	30000	41.5	2004
12.02.2020 15:28:28	1	1	1	1	63.25	61.5	0	29478.673	541.9354839	16000.86973	30000	0	0	30000	41	2004
12.02.2020 15:28:29	1	1	1	1	63.25	61	0	29620.853	541.9354839	16115.83725	30000	0	0	30000	41.375	2004
12.02.2020 15:28:30	1	1	1	1	63	61.25	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	41.5	2004
12.02.2020 15:28:31	1	1	1	1	63	61.5	0	29620.853	541.9354839	16000.86973	30000	0	0	30000	41	2004
12.02.2020 15:28:32	1	1	1	1	63	61	0	29478.673	541.9354839	16064.46878	30000	0	0	30000	41.0625	2004
12.02.2020 15:28:33	1	1	1	1	63	61	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	40.875	2004
12.02.2020 15:28:34	1	1	1	1	63	60.75	0	29573.46	539.7849462	16026.96165	30000	0	0	30000	41.3125	2004
12.02.2020 15:28:35	1	1	1	1	63	61.25	0	29478.673	541.9354839	15911.99413	30000	0	0	30000	41.5	2004
12.02.2020 15:28:36	1	1	1	1	63	61.5	0	29620.853	541.9354839	16115.83725	30000	0	0	30000	41.5	2004
12.02.2020 15:28:37	1	1	1	1	63	61.5	0	29478.673	544.0860215	16064.46878	30000	0	0	30000	41.375	2004
12.02.2020 15:28:38	1	1	1	1	63	61.25	0	29478.673	541.9354839	16000.86973	30000	0	0	30000	40.4375	2004
12.02.2020 15:28:39	1	1	1	1	63	60.25	0	29573.46	541.9354839	16026.96165	30000	0	0	30000	41.25	2004
12.02.2020 15:28:40	1	1	1	1	63	61.25	0	29478.673	541.9354839	15911.99413	30000	0	0	30000	41.3125	2004
12.02.2020 15:28:41	1	1	1	1	63	61.25	0	29478.673	541.9354839	16064.46878	30000	0	0	30000	41.5625	2004
12.02.2020 15:28:42	1	1	1	1	63	61.5	0	29431.28	537.6344086	15949.50126	30000	0	0	30000	41.4375	2004
12.02.2020 15:28:43	1	1	1	1	63	61.25	0	29383.886	537.6344086	15898.1328	30000	0	0	30000	41.4375	2004
12.02.2020 15:28:44	1	1	1	1	63	61.25	0	29526.066	541.9354839	16115.83725	30000	0	0	30000	41.5625	2004
12.02.2020 15:28:45	1	1	1	1	63	61.5	0	29478.673	541.9354839	16038.37687	30000	0	0	30000	41.0625	2004
12.02.2020 15:28:46	1	1	1	1	63	61	0	29431.28	541.9354839	16013.10032	30000	0	0	30000	41.9375	2004
12.02.2020 15:28:47	1	1	1	1	63	61.75	0	29620.853	544.0860215	16115.83725	30000	0	0	30000	41.375	2004
12.02.2020 15:28:49	1	1	1	1	63	61.25	0	29478.673	544.0860215	16038.37687	30000	0	0	30000	41.1875	2004
12.02.2020 15:28:50	1	1	1	1	63.5	60.5	0	29526.066	541.9354839	16064.46878	30000	0	0	30000	41.25	2004
12.02.2020 15:28:51	1	1	1	1	63.5	61.25	0	29526.066	541.9354839	15937.27068	30000	0	0	30000	41.5	2004
12.02.2020 15:28:52	1	1	1	1	63.5	61.5	0	29431.28	541.9354839	15898.1328	30000	0	0	30000	41.1875	2004
12.02.2020 15:28:53	1	1	1	1	63.5	61	0	29383.886	541.9354839	16013.10032	30000	0	0	30000	41.625	2004
12.02.2020 15:28:54	1	1	1	1	63.5	61.5	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	40.4375	2004
12.02.2020 15:28:55	1	1	1	1	63.5	60.25	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	41.4375	2004
12.02.2020 15:28:56	1	1	1	1	63.5	61.25	0	29431.28	541.9354839	16013.10032	30000	0	0	30000	41.625	2004
12.02.2020 15:28:57	1	1	1	1	63.5	61.5	0	29336.493	541.9354839	15898.1328	30000	0	0	30000	41.5625	2004
12.02.2020 15:28:58	1	1	1	1	63.5	61.5	0	29336.493	541.9354839	15960.91648	30000	0	0	30000	41.4375	2004
12.02.2020 15:28:59	1	1	1	1	63.5	61.25	0	29478.673	544.0860215	16013.10032	30000	0	0	30000	40.625	2004
12.02.2020 15:29:00	1	1	1	1	63.25	60.5	0	29478.673	544.0860215	15949.50126	30000	0	0	30000	41.375	2004
12.02.2020 15:29:01	1	1	1	1	63.25	61.25	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	41.4375	2004
12.02.2020 15:29:02	1	1	1	1	63.25	61.25	0	29383.886	541.9354839	15885.90221	30000	0	0	30000	41.5	2004
12.02.2020 15:29:10	1	1	1	1	63.25	61.5	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	41.3125	2004
12.02.2020 15:29:10	1	1	1	1	63.25	61.5	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	41.3125	2004
12.02.2020 15:29:10	1	1	1	1	63.25	61.5	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	41.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 15:29:10	1	1	1	1	63.25	61.5	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	41.3125	2004
12.02.2020 15:29:10	1	1	1	1	63.25	61.5	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	41.3125	2004
12.02.2020 15:29:10	1	1	1	1	63.25	61.5	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	41.3125	2004
12.02.2020 15:29:10	1	1	1	1	63.25	61.5	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	41.3125	2004
12.02.2020 15:29:10	1	1	1	1	63	61.25	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	41.375	2004
12.02.2020 15:29:11	1	1	1	1	63	61.25	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	41	2004
12.02.2020 15:29:12	1	1	1	1	63	61	0	29526.066	546.2365591	16090.5607	30000	0	0	30000	41.3125	2004
12.02.2020 15:29:13	1	1	1	1	63	61.25	0	29431.28	544.0860215	16075.884	30000	0	0	30000	41.4375	2004
12.02.2020 15:29:14	1	1	1	1	63	61.25	0	29431.28	546.2365591	16013.10032	30000	0	0	30000	41.5	2004
12.02.2020 15:29:15	1	1	1	1	63	61.5	0	29620.853	546.2365591	16243.03536	30000	0	0	30000	41.375	2004
12.02.2020 15:29:16	1	1	1	1	63	61.25	0	29478.673	546.2365591	16101.97592	30000	0	0	30000	41.1875	2004
12.02.2020 15:29:17	1	1	1	1	63	61	0	29336.493	541.9354839	15960.91648	30000	0	0	30000	40.6875	2004
12.02.2020 15:29:18	1	1	1	1	63	60.5	0	29289.1	544.0860215	15960.91648	30000	0	0	30000	41.0625	2004
12.02.2020 15:29:19	1	1	1	1	63	61	0	29289.1	541.9354839	15783.98065	30000	0	0	30000	41.4375	2004
12.02.2020 15:29:20	1	1	1	1	62.75	61.25	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	41.4375	2004
12.02.2020 15:29:21	1	1	1	1	62.75	61.25	0	29146.919	537.6344086	15972.33169	30000	0	0	30000	41.5625	2004
12.02.2020 15:29:22	1	1	1	1	62.75	61.5	0	29383.886	544.0860215	16013.10032	30000	0	0	30000	41.375	2004
12.02.2020 15:29:23	1	1	1	1	62.75	61.25	0	29526.066	546.2365591	16128.06784	30000	0	0	30000	41.5	2004
12.02.2020 15:29:24	1	1	1	1	62.75	61.5	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	40.9375	2004
12.02.2020 15:29:25	1	1	1	1	62.75	60.75	0	29478.673	546.2365591	16101.97592	30000	0	0	30000	41.4375	2004
12.02.2020 15:29:26	1	1	1	1	62.75	61.25	0	29478.673	546.2365591	16165.57497	30000	0	0	30000	41.875	2004
12.02.2020 15:29:27	1	1	1	1	62.75	61.75	0	29289.1	550.5376344	15935.63993	30000	0	0	30000	41.375	2004
12.02.2020 15:29:29	1	1	1	1	62.75	61.25	0	29336.493	544.0860215	15935.63993	30000	0	0	30000	41.4375	2004
12.02.2020 15:29:30	1	1	1	1	62.75	61.25	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	41.5	2004
12.02.2020 15:29:33	1	1	1	1	63	61	0	29431.28	544.0860215	16101.97592	30000	0	0	30000	41.5625	2004
12.02.2020 15:29:33	1	1	1	1	63	61	0	29431.28	544.0860215	16101.97592	30000	0	0	30000	41.5625	2004
12.02.2020 15:29:33	1	1	1	1	63	61.5	0	29383.886	546.2365591	15960.91648	30000	0	0	30000	41.3125	2004
12.02.2020 15:29:34	1	1	1	1	63	61.25	0	29431.28	544.0860215	16101.97592	30000	0	0	30000	41.3125	2004
12.02.2020 15:29:35	1	1	1	1	63	61.25	0	29478.673	546.2365591	16101.97592	30000	0	0	30000	40.8125	2004
12.02.2020 15:29:36	1	1	1	1	63	60.75	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	40.5625	2004
12.02.2020 15:29:37	1	1	1	1	63	60.5	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	41.5	2004
12.02.2020 15:29:38	1	1	1	1	63	61.5	0	29052.133	541.9354839	15806.81108	30000	0	0	30000	41.5625	2004
12.02.2020 15:29:39	1	1	1	1	63	61.5	0	29241.706	546.2365591	16035.11538	30000	0	0	30000	41.1875	2004
12.02.2020 15:29:40	1	1	1	1	62.5	61	0	29431.28	550.5376344	16139.48305	30000	0	0	30000	41.1875	2004
12.02.2020 15:29:41	1	1	1	1	62.5	61	0	29336.493	544.0860215	16024.51553	30000	0	0	30000	41.25	2004
12.02.2020 15:29:42	1	1	1	1	62.5	61.25	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	41.5625	2004
12.02.2020 15:29:43	1	1	1	1	62.5	61.5	0	29336.493	546.2365591	15960.91648	30000	0	0	30000	41.375	2004
12.02.2020 15:29:44	1	1	1	1	62.5	61.25	0	29526.066	546.2365591	16128.06784	30000	0	0	30000	41.5625	2004
12.02.2020 15:29:45	1	1	1	1	62.5	61.5	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	40.75	2004
12.02.2020 15:29:46	1	1	1	1	62.5	60.75	0	29526.066	539.7849462	16026.96165	30000	0	0	30000	41.5	2004
12.02.2020 15:29:47	1	1	1	1	62.5	61.5	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	41.25	2004
12.02.2020 15:29:48	1	1	1	1	62.5	61.25	0	29431.28	541.9354839	15823.11853	30000	0	0	30000	41.375	2004
12.02.2020 15:29:49	1	1	1	1	62.5	61.25	0	29383.886	541.9354839	16013.10032	30000	0	0	30000	41.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 15:29:50	1	1	1	1	63	61.25	0	29478.673	546.2365591	16013.10032	30000	0	0	30000	41.5625	2004
12.02.2020 15:29:51	1	1	1	1	63	61.5	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	41.4375	2004
12.02.2020 15:29:52	1	1	1	1	63	61.25	0	29383.886	541.9354839	16013.10032	30000	0	0	30000	40.8125	2004
12.02.2020 15:29:53	1	1	1	1	63	60.75	0	29383.886	546.2365591	15960.91648	30000	0	0	30000	40.9375	2004
12.02.2020 15:29:54	1	1	1	1	63	60.75	0	29289.1	535.483871	15960.91648	30000	0	0	30000	41.5	2004
12.02.2020 15:29:55	1	1	1	1	63	61.5	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	41.4375	2004
12.02.2020 15:29:56	1	1	1	1	63	61.25	0	29478.673	546.2365591	16255.26595	30000	0	0	30000	41.4375	2004
12.02.2020 15:29:57	1	1	1	1	63	61.25	0	29526.066	546.2365591	16154.15976	30000	0	0	30000	41.25	2004
12.02.2020 15:29:58	1	1	1	1	63	61.25	0	29431.28	544.0860215	16075.884	30000	0	0	30000	41	2004
12.02.2020 15:29:59	1	1	1	1	63	61	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	41.4375	2004
12.02.2020 15:30:00	1	1	1	1	62.5	61.25	0	29383.886	544.0860215	16013.10032	30000	0	0	30000	41.3125	2004
12.02.2020 15:30:01	1	1	1	1	62.5	61.25	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	40.875	2004
12.02.2020 15:30:02	1	1	1	1	62.5	60.75	0	29383.886	544.0860215	15987.0084	30000	0	0	30000	41.625	2004
12.02.2020 15:30:03	1	1	1	1	62.5	61.5	0	29241.706	544.0860215	15998.42361	30000	0	0	30000	41	2004
12.02.2020 15:30:11	1	1	1	1	62.5	61.25	0	29241.706	544.0860215	15935.63993	30000	0	0	30000	41.5	2004
12.02.2020 15:30:11	1	1	1	1	62.5	61.25	0	29241.706	544.0860215	15935.63993	30000	0	0	30000	41.5	2004
12.02.2020 15:30:11	1	1	1	1	62.5	61.25	0	29241.706	544.0860215	15935.63993	30000	0	0	30000	41.5	2004
12.02.2020 15:30:11	1	1	1	1	62.5	61.25	0	29241.706	544.0860215	15935.63993	30000	0	0	30000	41.5	2004
12.02.2020 15:30:12	1	1	1	1	62.5	61.25	0	29241.706	544.0860215	15935.63993	30000	0	0	30000	41.5	2004
12.02.2020 15:30:12	1	1	1	1	62.5	61.25	0	29241.706	544.0860215	15935.63993	30000	0	0	30000	41.5	2004
12.02.2020 15:30:12	1	1	1	1	62.5	61.5	0	29431.28	544.0860215	15987.0084	30000	0	0	30000	41.3125	2004
12.02.2020 15:30:13	1	1	1	1	62.5	61.25	0	29289.1	539.7849462	16113.39113	30000	0	0	30000	41.1875	2004
12.02.2020 15:30:14	1	1	1	1	62.5	61	0	29336.493	546.2365591	16087.29921	30000	0	0	30000	41.0625	2004
12.02.2020 15:30:15	1	1	1	1	62.5	61	0	29336.493	546.2365591	15872.85625	30000	0	0	30000	41.4375	2004
12.02.2020 15:30:16	1	1	1	1	62.5	61.25	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	41.4375	2004
12.02.2020 15:30:17	1	1	1	1	62.5	61.25	0	30000	501.0752688	15032.20721	30000	0	0	30000	41.625	2004
12.02.2020 15:30:18	1	1	1	1	62.5	61.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.25	2004
12.02.2020 15:30:19	1	1	1	1	62.5	60.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.5	2004
12.02.2020 15:30:20	1	1	1	1	62.5	61.5	0	30000	404.3010753	12128.66578	30000	0	0	30000	41.4375	2004
12.02.2020 15:30:21	1	1	1	1	62.5	61.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.5625	2004
12.02.2020 15:30:22	1	1	1	1	62.5	61.5	0	30000	395.6989247	11935.4225	30000	0	0	30000	41.5	2004
12.02.2020 15:30:23	1	1	1	1	62.5	61.5	0	30000	384.9462366	11548.12057	30000	0	0	30000	41.5	2004
12.02.2020 15:30:24	1	1	1	1	62.5	61.5	0	29952.607	378.4946237	11419.29171	30000	0	0	30000	41.3125	2004
12.02.2020 15:30:25	1	1	1	1	62.5	61.25	0	30000	369.8924731	11096.40421	30000	0	0	30000	41.5	2004
12.02.2020 15:30:26	1	1	1	1	62.5	61.5	0	30000	354.8387097	10709.10227	30000	0	0	30000	40.75	2004
12.02.2020 15:30:27	1	1	1	1	62.5	60.75	0	30000	335.483871	10128.55706	30000	0	0	30000	41.4375	2004
12.02.2020 15:30:28	1	1	1	1	62.5	61.25	0	30000	322.5806452	9453.428641	30000	0	0	30000	41.3125	2004
12.02.2020 15:30:29	1	1	1	1	62.5	61.25	0	30000	316.1290323	9612.426277	30000	0	0	30000	40.875	2004
12.02.2020 15:30:30	1	1	1	1	64.5	60.75	0	30000	309.6774194	9225.124344	30000	0	0	30000	41.5625	2004
12.02.2020 15:30:31	1	1	1	1	64.5	61.5	0	30000	303.2258065	9096.295491	30000	0	0	30000	41.0625	2004
12.02.2020 15:30:32	1	1	1	1	64.5	61	0	30000	305.3763441	9225.124344	30000	0	0	30000	41.625	2004
12.02.2020 15:30:33	1	1	1	1	64.5	61.5	0	30000	305.3763441	9225.124344	30000	0	0	30000	41.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 15:30:34	1	1	1	1	64.5	61.5	0	30000	320.4301075	9483.597423	30000	0	0	30000	41.3125	2004
12.02.2020 15:30:35	1	1	1	1	64.5	61.25	0	30000	316.1290323	9612.426277	30000	0	0	30000	41.5625	2004
12.02.2020 15:30:36	1	1	1	1	64.5	61.5	0	30000	305.3763441	9146.848585	30000	0	0	30000	41.4375	2004
12.02.2020 15:30:37	1	1	1	1	64.5	61.25	0	30000	326.8817204	9806.484929	30000	0	0	30000	41.125	2004
12.02.2020 15:30:38	1	1	1	1	64.5	61	0	30000	313.9784946	9419.182997	30000	0	0	30000	40.9375	2004
12.02.2020 15:30:39	1	1	1	1	64.5	60.75	0	30000	305.3763441	9225.124344	30000	0	0	30000	40.8125	2004
12.02.2020 15:30:40	1	1	1	1	64.5	60.75	0	30000	307.5268817	9225.124344	30000	0	0	30000	41.4375	2004
12.02.2020 15:30:41	1	1	1	1	64.5	61.25	0	29952.607	309.6774194	9354.76857	30000	0	0	30000	41.6875	2004
12.02.2020 15:30:42	1	1	1	1	64.5	61.5	0	30000	307.5268817	9290.354143	30000	0	0	30000	41.25	2004
12.02.2020 15:30:43	1	1	1	1	64.5	61.25	0	30000	292.4731183	8708.993559	30000	0	0	30000	41.5	2004
12.02.2020 15:30:45	1	1	1	1	64.5	61.5	0	30000	301.0752688	9031.881064	30000	0	0	30000	41.625	2004
12.02.2020 15:30:46	1	1	1	1	64.5	61.5	0	30000	292.4731183	8838.637784	30000	0	0	30000	41.625	2004
12.02.2020 15:30:47	1	1	1	1	64.5	61.5	0	30000	288.172043	8580.164705	30000	0	0	30000	41.4375	2004
12.02.2020 15:30:48	1	1	1	1	64.5	61.5	0	30000	286.0215054	8580.164705	30000	0	0	30000	40.4375	2004
12.02.2020 15:30:49	1	1	1	1	64.5	60.25	0	30000	296.7741935	8967.466638	30000	0	0	30000	40.3125	2004
12.02.2020 15:30:50	1	1	1	1	65	60.25	0	30000	298.9247312	8967.466638	30000	0	0	30000	41.4375	2004
12.02.2020 15:30:51	1	1	1	1	65	61.25	0	30000	301.0752688	9031.881064	30000	0	0	30000	41.375	2004
12.02.2020 15:30:52	1	1	1	1	65	61.25	0	30000	305.3763441	9096.295491	30000	0	0	30000	41.4375	2004
12.02.2020 15:30:53	1	1	1	1	65	61.25	0	30000	316.1290323	9419.182997	30000	0	0	30000	41.4375	2004
12.02.2020 15:30:54	1	1	1	1	65	61.25	0	30000	305.3763441	9096.295491	30000	0	0	30000	41.4375	2004
12.02.2020 15:30:55	1	1	1	1	65	61.25	0	30000	305.3763441	9160.709918	30000	0	0	30000	41.5	2004
12.02.2020 15:30:56	1	1	1	1	65	61.5	0	30000	307.5268817	9290.354143	30000	0	0	30000	41.1875	2004
12.02.2020 15:30:57	1	1	1	1	65	61	0	29952.607	298.9247312	8967.466638	30000	0	0	30000	41.5625	2004
12.02.2020 15:30:58	1	1	1	1	65	61.5	0	30000	301.0752688	8953.605305	30000	0	0	30000	41.5	2004
12.02.2020 15:30:59	1	1	1	1	65	61.5	0	30000	311.827957	9354.76857	30000	0	0	30000	41.5625	2004
12.02.2020 15:31:00	1	1	1	1	65.5	61.5	0	29952.607	311.827957	9196.586307	30000	0	0	30000	41.375	2004
12.02.2020 15:31:01	1	1	1	1	65.5	61.25	0	29905.213	320.4301075	9453.428641	30000	0	0	30000	41.4375	2004
12.02.2020 15:31:02	1	1	1	1	65.5	61.25	0	30000	337.6344086	10128.55706	30000	0	0	30000	41.125	2004
12.02.2020 15:31:03	1	1	1	1	65.5	61	0	30000	348.3870968	10387.03014	30000	0	0	30000	41.4375	2004
12.02.2020 15:31:04	1	1	1	1	65.5	61.25	0	30000	352.688172	10644.68785	30000	0	0	30000	40.75	2004
12.02.2020 15:31:05	1	1	1	1	65.5	60.75	0	30000	380.6451613	11419.29171	30000	0	0	30000	41.1875	2004
12.02.2020 15:31:13	1	1	1	1	67	61.25	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	40.8125	2004
12.02.2020 15:31:13	1	1	1	1	67	61.25	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	40.8125	2004
12.02.2020 15:31:13	1	1	1	1	67	61.25	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	40.8125	2004
12.02.2020 15:31:13	1	1	1	1	67	61.25	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	40.8125	2004
12.02.2020 15:31:13	1	1	1	1	67	61.25	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	40.8125	2004
12.02.2020 15:31:13	1	1	1	1	67	61.25	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	40.8125	2004
12.02.2020 15:31:13	1	1	1	1	67	60.75	0	29336.493	544.0860215	16024.51553	30000	0	0	30000	41.5	2004
12.02.2020 15:31:14	1	1	1	1	67	61.5	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	41.625	2004
12.02.2020 15:31:15	1	1	1	1	67	61.5	0	29526.066	544.0860215	16000.86973	30000	0	0	30000	41.5	2004
12.02.2020 15:31:16	1	1	1	1	67	61.5	0	28483.412	563.4408602	16101.97592	30000	0	0	30000	41.625	2004
12.02.2020 15:31:17	1	1	1	1	67	61.5	0	27535.545	580.6451613	16047.34596	30000	0	0	30000	41.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 15:31:18	1	1	1	1	67	61.25	0	28199.052	572.0430108	16312.34202	30000	0	0	30000	41.5625	2004
12.02.2020 15:31:19	1	1	1	1	67	61.5	0	28815.166	550.5376344	15925.85546	30000	0	0	30000	41.6875	2004
12.02.2020 15:31:20	1	1	1	1	69.25	61.5	0	28957.346	552.688172	15942.16291	30000	0	0	30000	41.375	2004
12.02.2020 15:31:21	1	1	1	1	69.25	61.25	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	41.0625	2004
12.02.2020 15:31:23	1	1	1	1	69.25	61	0	29431.28	550.5376344	16203.08211	30000	0	0	30000	41.375	2004
12.02.2020 15:31:24	1	1	1	1	69.25	61.25	0	29952.607	533.3333333	15949.50126	30000	0	0	30000	41.3125	2004
12.02.2020 15:31:25	1	1	1	1	69.25	62	0	30000	496.7741935	14902.56299	30000	0	0	30000	40.875	2004
12.02.2020 15:31:26	1	1	1	1	69.25	60.75	0	29905.213	498.9247312	15032.20721	30000	0	0	30000	40.8125	2004
12.02.2020 15:31:27	1	1	1	1	69.25	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.875	2004
12.02.2020 15:31:28	1	1	1	1	69.25	60.75	0	30000	503.2258065	15096.62164	30000	0	0	30000	41.375	2004
12.02.2020 15:31:29	1	1	1	1	69.25	61.25	0	29952.607	533.3333333	16013.10032	30000	0	0	30000	41.375	2004
12.02.2020 15:31:30	1	1	1	1	67	61.25	0	29478.673	541.9354839	16000.86973	30000	0	0	30000	40.875	2004
12.02.2020 15:31:31	1	1	1	1	67	60.75	0	29478.673	541.9354839	16064.46878	30000	0	0	30000	41.625	2004
12.02.2020 15:31:32	1	1	1	1	67	61.5	0	29241.706	546.2365591	15972.33169	30000	0	0	30000	41.25	2004
12.02.2020 15:31:33	1	1	1	1	67	61.25	0	29146.919	548.3870968	16046.53059	30000	0	0	30000	41.125	2004
12.02.2020 15:31:34	1	1	1	1	67	61	0	29431.28	546.2365591	16075.884	30000	0	0	30000	41.4375	2004
12.02.2020 15:31:35	1	1	1	1	67	61.25	0	28957.346	550.5376344	15879.37923	30000	0	0	30000	41.0625	2004
12.02.2020 15:31:36	1	1	1	1	67	61	0	29099.526	550.5376344	16046.53059	30000	0	0	30000	41.25	2004
12.02.2020 15:31:37	1	1	1	1	67	61.25	0	29146.919	546.2365591	15858.17955	30000	0	0	30000	41.0625	2004
12.02.2020 15:31:38	1	1	1	1	67	61	0	29146.919	552.688172	16046.53059	30000	0	0	30000	41.125	2004
12.02.2020 15:31:39	1	1	1	1	67	61	0	29146.919	552.688172	16108.4989	30000	0	0	30000	40.8125	2004
12.02.2020 15:31:40	1	1	1	1	67	60.75	0	28957.346	550.5376344	16056.31506	30000	0	0	30000	41.5625	2004
12.02.2020 15:31:41	1	1	1	1	67	61.5	0	29099.526	550.5376344	16020.43867	30000	0	0	30000	41.5	2004
12.02.2020 15:31:42	1	1	1	1	67	61.5	0	29146.919	554.8387097	16171.28258	30000	0	0	30000	41.375	2004
12.02.2020 15:31:43	1	1	1	1	67	61.25	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	41.3125	2004
12.02.2020 15:31:44	1	1	1	1	67	61.25	0	28909.953	550.5376344	15942.16291	30000	0	0	30000	41.0625	2004
12.02.2020 15:31:45	1	1	1	1	67	61	0	28862.559	552.688172	16128.88321	30000	0	0	30000	41.6875	2004
12.02.2020 15:31:46	1	1	1	1	67	61.5	0	28815.166	550.5376344	15951.94738	30000	0	0	30000	41	2004
12.02.2020 15:31:47	1	1	1	1	67	61	0	29146.919	552.688172	15983.74691	30000	0	0	30000	41.625	2004
12.02.2020 15:31:48	1	1	1	1	67	61.5	0	29052.133	552.688172	15942.16291	30000	0	0	30000	41.6875	2004
12.02.2020 15:31:49	1	1	1	1	67	61.5	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	41.125	2004
12.02.2020 15:31:50	1	1	1	1	67.25	61	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	41.5	2004
12.02.2020 15:31:51	1	1	1	1	67.25	61.5	0	28862.559	552.688172	16004.13122	30000	0	0	30000	41.375	2004
12.02.2020 15:31:52	1	1	1	1	67.25	61.25	0	28815.166	552.688172	16013.91569	30000	0	0	30000	41.1875	2004
12.02.2020 15:31:53	1	1	1	1	67.25	61	0	29099.526	552.688172	16082.40698	30000	0	0	30000	41.4375	2004
12.02.2020 15:31:54	1	1	1	1	67.25	61.25	0	28957.346	552.688172	16004.13122	30000	0	0	30000	41.375	2004
12.02.2020 15:31:55	1	1	1	1	67.25	61.25	0	28862.559	550.5376344	15978.0393	30000	0	0	30000	41	2004
12.02.2020 15:31:56	1	1	1	1	67.25	61	0	28815.166	550.5376344	15863.88715	30000	0	0	30000	41.375	2004
12.02.2020 15:31:57	1	1	1	1	67.25	61.25	0	28957.346	552.688172	16004.13122	30000	0	0	30000	41.5	2004
12.02.2020 15:31:58	1	1	1	1	67.25	61.5	0	29099.526	554.8387097	16056.31506	30000	0	0	30000	40.5625	2004
12.02.2020 15:31:59	1	1	1	1	67.25	60.5	0	28957.346	552.688172	16004.13122	30000	0	0	30000	41.4375	2004
12.02.2020 15:32:01	1	1	1	1	68.25	61.25	0	28862.559	552.688172	15925.85546	30000	0	0	30000	41.5625	2004
12.02.2020 15:32:02	1	1	1	1	68.25	61.5	0	28957.346	552.688172	16004.13122	30000	0	0	30000	41.1875	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 15:32:03	1	1	1	1	68.25	61	0	28909.953	552.688172	16004.13122	30000	0	0	30000	41.625	2004
12.02.2020 15:32:04	1	1	1	1	68.25	61.5	0	29052.133	552.688172	15994.34675	30000	0	0	30000	40.875	2004
12.02.2020 15:32:05	1	1	1	1	68.25	60.75	0	28957.346	552.688172	16066.09953	30000	0	0	30000	41.5625	2004
12.02.2020 15:32:06	1	1	1	1	68.25	61.5	0	28815.166	550.5376344	15863.88715	30000	0	0	30000	41.625	2004
12.02.2020 15:32:07	1	1	1	1	68.25	61.5	0	28815.166	550.5376344	16049.79208	30000	0	0	30000	41.4375	2004
12.02.2020 15:32:15	1	1	1	1	68.5	61.25	0	29052.133	552.688172	15942.16291	30000	0	0	30000	41.5	2004
12.02.2020 15:32:15	1	1	1	1	68.5	61.25	0	29052.133	552.688172	15942.16291	30000	0	0	30000	41.5	2004
12.02.2020 15:32:15	1	1	1	1	68.5	61.25	0	29052.133	552.688172	15942.16291	30000	0	0	30000	41.5	2004
12.02.2020 15:32:15	1	1	1	1	68.5	61.25	0	29052.133	552.688172	15942.16291	30000	0	0	30000	41.5	2004
12.02.2020 15:32:15	1	1	1	1	68.5	61.25	0	29052.133	552.688172	15942.16291	30000	0	0	30000	41.5	2004
12.02.2020 15:32:15	1	1	1	1	68.5	61.5	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	40.9375	2004
12.02.2020 15:32:16	1	1	1	1	68.5	60.75	0	28957.346	552.688172	16004.13122	30000	0	0	30000	41.5	2004
12.02.2020 15:32:17	1	1	1	1	68.5	61.5	0	29099.526	550.5376344	16082.40698	30000	0	0	30000	40.6875	2004
12.02.2020 15:32:18	1	1	1	1	68.5	60.5	0	28862.559	546.2365591	15889.97907	30000	0	0	30000	41.625	2004
12.02.2020 15:32:19	1	1	1	1	68.5	61.5	0	28672.986	550.5376344	15759.51947	30000	0	0	30000	40.6875	2004
12.02.2020 15:32:20	1	1	1	1	69	60.5	0	29052.133	552.688172	15994.34675	30000	0	0	30000	41.4375	2004
12.02.2020 15:32:21	1	1	1	1	69	61.25	0	28862.559	550.5376344	15703.25877	30000	0	0	30000	41.3125	2004
12.02.2020 15:32:22	1	1	1	1	69	61.25	0	29052.133	554.8387097	16181.06705	30000	0	0	30000	41.625	2004
12.02.2020 15:32:23	1	1	1	1	69	61.5	0	28862.559	554.8387097	15951.94738	30000	0	0	30000	41.375	2004
12.02.2020 15:32:24	1	1	1	1	69	61.25	0	28957.346	554.8387097	16056.31506	30000	0	0	30000	41.5	2004
12.02.2020 15:32:25	1	1	1	1	69	61.5	0	28957.346	552.688172	16066.09953	30000	0	0	30000	40.9375	2004
12.02.2020 15:32:26	1	1	1	1	69	60.75	0	29052.133	546.2365591	15994.34675	30000	0	0	30000	41.3125	2004
12.02.2020 15:32:27	1	1	1	1	69	61.25	0	28862.559	552.688172	16004.13122	30000	0	0	30000	41.0625	2004
12.02.2020 15:32:28	1	1	1	1	69	61	0	29289.1	554.8387097	16287.06547	30000	0	0	30000	41.6875	2004
12.02.2020 15:32:29	1	1	1	1	69	61.5	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	41.25	2004
12.02.2020 15:32:30	1	1	1	1	69.25	61.25	0	29099.526	546.2365591	15894.87131	30000	0	0	30000	41.625	2004
12.02.2020 15:32:31	1	1	1	1	69.25	61.5	0	29004.739	548.3870968	15942.16291	30000	0	0	30000	41.0625	2004
12.02.2020 15:32:32	1	1	1	1	69.25	61	0	29099.526	552.688172	15931.56307	30000	0	0	30000	41.25	2004
12.02.2020 15:32:33	1	1	1	1	69.25	61.25	0	29052.133	550.5376344	15942.16291	30000	0	0	30000	41.4375	2004
12.02.2020 15:32:34	1	1	1	1	69.25	61.25	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	41.625	2004
12.02.2020 15:32:35	1	1	1	1	69.25	61.5	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	41.5	2004
12.02.2020 15:32:36	1	1	1	1	69.25	61.5	0	29099.526	546.2365591	15894.87131	30000	0	0	30000	41.0625	2004
12.02.2020 15:32:37	1	1	1	1	69.25	61	0	29146.919	544.0860215	15858.17955	30000	0	0	30000	41.25	2004
12.02.2020 15:32:39	1	1	1	1	69.25	61.25	0	29241.706	546.2365591	15909.54801	30000	0	0	30000	41.75	2004
12.02.2020 15:32:40	1	1	1	1	69.25	61.75	0	29146.919	544.0860215	15920.96323	30000	0	0	30000	40.5	2004
12.02.2020 15:32:41	1	1	1	1	70	60.5	0	28957.346	544.0860215	15868.77939	30000	0	0	30000	41.6875	2004
12.02.2020 15:32:42	1	1	1	1	70	61.5	0	29146.919	548.3870968	15983.74691	30000	0	0	30000	41.5	2004
12.02.2020 15:32:43	1	1	1	1	70	61.5	0	29289.1	550.5376344	16035.11538	30000	0	0	30000	41.125	2004
12.02.2020 15:32:44	1	1	1	1	70	61	0	29146.919	546.2365591	16046.53059	30000	0	0	30000	41.5625	2004
12.02.2020 15:32:45	1	1	1	1	70	61.5	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	41.5	2004
12.02.2020 15:32:46	1	1	1	1	70	61.5	0	29146.919	546.2365591	16046.53059	30000	0	0	30000	41.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 15:32:47	1	1	1	1	70	61.75	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	41.4375	2004
12.02.2020 15:32:48	1	1	1	1	70	61.25	0	28957.346	552.688172	16004.13122	30000	0	0	30000	41.1875	2004
12.02.2020 15:32:49	1	1	1	1	70	61	0	28957.346	550.5376344	15994.34675	30000	0	0	30000	41.4375	2004
12.02.2020 15:32:50	1	1	1	1	69.25	61.25	0	29241.706	550.5376344	16098.71443	30000	0	0	30000	41.4375	2004
12.02.2020 15:32:51	1	1	1	1	69.25	61.25	0	29052.133	546.2365591	16082.40698	30000	0	0	30000	41.3125	2004
12.02.2020 15:32:52	1	1	1	1	69.25	61.25	0	29146.919	550.5376344	15994.34675	30000	0	0	30000	41.5	2004
12.02.2020 15:32:53	1	1	1	1	69.25	61.5	0	29052.133	550.5376344	15754.62724	30000	0	0	30000	41.625	2004
12.02.2020 15:32:54	1	1	1	1	69.25	61.5	0	28909.953	546.2365591	15942.16291	30000	0	0	30000	41.4375	2004
12.02.2020 15:32:55	1	1	1	1	69.25	61.25	0	29099.526	550.5376344	15894.87131	30000	0	0	30000	41.5625	2004
12.02.2020 15:32:56	1	1	1	1	69.25	61.5	0	28957.346	550.5376344	15754.62724	30000	0	0	30000	41.3125	2004
12.02.2020 15:32:57	1	1	1	1	69.25	61.25	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	41.375	2004
12.02.2020 15:32:58	1	1	1	1	69.25	61.25	0	29336.493	550.5376344	16124.80635	30000	0	0	30000	41.625	2004
12.02.2020 15:32:59	1	1	1	1	69.25	61.5	0	28957.346	550.5376344	15879.37923	30000	0	0	30000	41.5625	2004
12.02.2020 15:33:00	1	1	1	1	69.25	61.5	0	28957.346	556.9892473	15942.16291	30000	0	0	30000	41.25	2004
12.02.2020 15:33:01	1	1	1	1	69.25	61.25	0	29099.526	550.5376344	16082.40698	30000	0	0	30000	41.5	2004
12.02.2020 15:33:02	1	1	1	1	69.25	61.5	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	41.1875	2004
12.02.2020 15:33:03	1	1	1	1	69.25	61	0	29146.919	552.688172	15983.74691	30000	0	0	30000	41.625	2004
12.02.2020 15:33:04	1	1	1	1	69.25	61.5	0	28909.953	550.5376344	16004.13122	30000	0	0	30000	41.3125	2004
12.02.2020 15:33:05	1	1	1	1	69.25	61.25	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	41.125	2004
12.02.2020 15:33:06	1	1	1	1	69.25	61	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	41.5	2004
12.02.2020 15:33:07	1	1	1	1	69.25	61.5	0	28957.346	556.9892473	16004.13122	30000	0	0	30000	41	2004
12.02.2020 15:33:08	1	1	1	1	69.25	61	0	28957.346	552.688172	16004.13122	30000	0	0	30000	41.375	2004
12.02.2020 15:33:16	1	1	1	1	69.25	61.25	0	29052.133	546.2365591	15942.16291	30000	0	0	30000	41.4375	2004
12.02.2020 15:33:16	1	1	1	1	69.25	61.25	0	29052.133	546.2365591	15942.16291	30000	0	0	30000	41.4375	2004
12.02.2020 15:33:16	1	1	1	1	69.25	61.25	0	29052.133	546.2365591	15942.16291	30000	0	0	30000	41.4375	2004
12.02.2020 15:33:16	1	1	1	1	69.25	61.25	0	29052.133	546.2365591	15942.16291	30000	0	0	30000	41.4375	2004
12.02.2020 15:33:16	1	1	1	1	69.25	61.25	0	29052.133	546.2365591	15942.16291	30000	0	0	30000	41.4375	2004
12.02.2020 15:33:16	1	1	1	1	69.25	61.25	0	29052.133	546.2365591	15942.16291	30000	0	0	30000	41.4375	2004
12.02.2020 15:33:16	1	1	1	1	69.25	61.25	0	29052.133	546.2365591	15942.16291	30000	0	0	30000	41.4375	2004
12.02.2020 15:33:17	1	1	1	1	69.25	61.25	0	29146.919	550.5376344	15858.17955	30000	0	0	30000	41.1875	2004
12.02.2020 15:33:18	1	1	1	1	69.25	61	0	29052.133	552.688172	16004.13122	30000	0	0	30000	41.375	2004
12.02.2020 15:33:19	1	1	1	1	69.25	61.25	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	41.125	2004
12.02.2020 15:33:20	1	1	1	1	69.25	61	0	29052.133	550.5376344	16056.31506	30000	0	0	30000	41.5625	2004
12.02.2020 15:33:21	1	1	1	1	69.5	61.5	0	28957.346	546.2365591	15879.37923	30000	0	0	30000	41.5625	2004
12.02.2020 15:33:22	1	1	1	1	69.5	61.5	0	28957.346	546.2365591	15942.16291	30000	0	0	30000	41.4375	2004
12.02.2020 15:33:23	1	1	1	1	69.5	61.25	0	29099.526	550.5376344	16020.43867	30000	0	0	30000	40.9375	2004
12.02.2020 15:33:24	1	1	1	1	69.5	60.75	0	28957.346	548.3870968	15942.16291	30000	0	0	30000	41.4375	2004
12.02.2020 15:33:25	1	1	1	1	69.5	61.25	0	29146.919	552.688172	15957.65499	30000	0	0	30000	41.5625	2004
12.02.2020 15:33:26	1	1	1	1	69.5	61.5	0	29052.133	550.5376344	15931.56307	30000	0	0	30000	41	2004
12.02.2020 15:33:27	1	1	1	1	69.5	61	0	29099.526	550.5376344	16296.84994	30000	0	0	30000	41.25	2004
12.02.2020 15:33:28	1	1	1	1	69.5	61.25	0	28957.346	550.5376344	15754.62724	30000	0	0	30000	41.5	2004
12.02.2020 15:33:29	1	1	1	1	69.5	61.5	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	41.4375	2004
12.02.2020 15:33:30	1	1	1	1	69.5	61.25	0	29146.919	550.5376344	16108.4989	30000	0	0	30000	41.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 15:33:31	1	1	1	1	69.5	61.25	0	29052.133	550.5376344	15942.16291	30000	0	0	30000	40.5625	2004
12.02.2020 15:33:32	1	1	1	1	69.5	60.5	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	41.5625	2004
12.02.2020 15:33:33	1	1	1	1	69.5	61.5	0	29146.919	548.3870968	16046.53059	30000	0	0	30000	41.5	2004
12.02.2020 15:33:34	1	1	1	1	69.5	61.5	0	29289.1	552.688172	16213.68195	30000	0	0	30000	41.0625	2004
12.02.2020 15:33:35	1	1	1	1	69.5	61	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	41.375	2004
12.02.2020 15:33:36	1	1	1	1	69.5	61.25	0	29004.739	550.5376344	15942.16291	30000	0	0	30000	41.5	2004
12.02.2020 15:33:37	1	1	1	1	69.5	61.5	0	29099.526	550.5376344	16020.43867	30000	0	0	30000	41.5	2004
12.02.2020 15:33:38	1	1	1	1	69.5	61.5	0	29099.526	552.688172	16082.40698	30000	0	0	30000	41.4375	2004
12.02.2020 15:33:39	1	1	1	1	69.5	61.25	0	29099.526	550.5376344	15957.65499	30000	0	0	30000	41	2004
12.02.2020 15:33:40	1	1	1	1	69.75	61	0	29052.133	546.2365591	15994.34675	30000	0	0	30000	41.375	2004
12.02.2020 15:33:41	1	1	1	1	69.75	61.25	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	41.5	2004
12.02.2020 15:33:42	1	1	1	1	69.75	61.5	0	29099.526	550.5376344	16046.53059	30000	0	0	30000	40.75	2004
12.02.2020 15:33:43	1	1	1	1	69.75	60.75	0	29146.919	550.5376344	16098.71443	30000	0	0	30000	41.4375	2004
12.02.2020 15:33:44	1	1	1	1	69.75	61.25	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	41.4375	2004
12.02.2020 15:33:45	1	1	1	1	69.75	61.25	0	29052.133	550.5376344	16020.43867	30000	0	0	30000	41.25	2004
12.02.2020 15:33:46	1	1	1	1	69.75	61.25	0	29146.919	550.5376344	16082.40698	30000	0	0	30000	40.9375	2004
12.02.2020 15:33:47	1	1	1	1	69.75	60.75	0	29099.526	550.5376344	16046.53059	30000	0	0	30000	41.3125	2004
12.02.2020 15:33:48	1	1	1	1	69.75	61.25	0	28957.346	548.3870968	15942.16291	30000	0	0	30000	41.4375	2004
12.02.2020 15:33:49	1	1	1	1	69.75	61.25	0	28957.346	550.5376344	15879.37923	30000	0	0	30000	41.4375	2004
12.02.2020 15:33:50	1	1	1	1	69.5	61.25	0	29146.919	546.2365591	16046.53059	30000	0	0	30000	41.25	2004
12.02.2020 15:33:51	1	1	1	1	69.5	61.25	0	29099.526	550.5376344	15994.34675	30000	0	0	30000	41.1875	2004
12.02.2020 15:33:52	1	1	1	1	69.5	61	0	29052.133	544.0860215	15832.08763	30000	0	0	30000	41.625	2004
12.02.2020 15:33:53	1	1	1	1	69.5	61.5	0	29146.919	548.3870968	16098.71443	30000	0	0	30000	40.8125	2004
12.02.2020 15:33:55	1	1	1	1	69.5	60.75	0	29336.493	550.5376344	15960.91648	30000	0	0	30000	41.25	2004
12.02.2020 15:33:56	1	1	1	1	69.5	61.25	0	29241.706	550.5376344	16098.71443	30000	0	0	30000	41.8125	2004
12.02.2020 15:33:57	1	1	1	1	69.5	61.75	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	41.5	2004
12.02.2020 15:33:58	1	1	1	1	69.5	61.5	0	29099.526	546.2365591	15868.77939	30000	0	0	30000	41	2004
12.02.2020 15:33:59	1	1	1	1	69.5	61	0	29099.526	548.3870968	16020.43867	30000	0	0	30000	41.3125	2004
12.02.2020 15:34:00	1	1	1	1	69	61.25	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	41.1875	2004
12.02.2020 15:34:01	1	1	1	1	69	61	0	28957.346	552.688172	15942.16291	30000	0	0	30000	41.25	2004
12.02.2020 15:34:02	1	1	1	1	69	61.25	0	29241.706	550.5376344	16098.71443	30000	0	0	30000	40.9375	2004
12.02.2020 15:34:03	1	1	1	1	69	60.75	0	29099.526	550.5376344	15817.41092	30000	0	0	30000	40.5625	2004
12.02.2020 15:34:04	1	1	1	1	69	60.5	0	29099.526	550.5376344	15994.34675	30000	0	0	30000	41.625	2004
12.02.2020 15:34:05	1	1	1	1	69	61.5	0	29099.526	550.5376344	15994.34675	30000	0	0	30000	41.5	2004
12.02.2020 15:34:06	1	1	1	1	69	61.5	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	41.1875	2004
12.02.2020 15:34:07	1	1	1	1	69	61	0	29099.526	550.5376344	15931.56307	30000	0	0	30000	41.1875	2004
12.02.2020 15:34:08	1	1	1	1	69	61	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	41.3125	2004
12.02.2020 15:34:09	1	1	1	1	69	61.25	0	29146.919	550.5376344	16108.4989	30000	0	0	30000	41.625	2004
12.02.2020 15:34:10	1	1	1	1	69	61.5	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	40.875	2004
12.02.2020 15:34:18	1	1	1	1	69	61.25	0	28957.346	552.688172	15889.97907	30000	0	0	30000	41.125	2004
12.02.2020 15:34:18	1	1	1	1	69	61.25	0	28957.346	552.688172	15889.97907	30000	0	0	30000	41.125	2004
12.02.2020 15:34:18	1	1	1	1	69	61.25	0	28957.346	552.688172	15889.97907	30000	0	0	30000	41.125	2004
12.02.2020 15:34:18	1	1	1	1	69	61.25	0	28957.346	552.688172	15889.97907	30000	0	0	30000	41.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 15:34:18	1	1	1	1	69	61.25	0	28957.346	552.688172	15889.97907	30000	0	0	30000	41.125	2004
12.02.2020 15:34:18	1	1	1	1	69	61.25	0	28957.346	552.688172	15889.97907	30000	0	0	30000	41.125	2004
12.02.2020 15:34:18	1	1	1	1	69	61.25	0	28957.346	552.688172	15889.97907	30000	0	0	30000	41.125	2004
12.02.2020 15:34:18	1	1	1	1	69	61	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	41.4375	2004
12.02.2020 15:34:19	1	1	1	1	69	61.25	0	29099.526	552.688172	16082.40698	30000	0	0	30000	41.4375	2004
12.02.2020 15:34:20	1	1	1	1	69	61.25	0	28957.346	546.2365591	15942.16291	30000	0	0	30000	40.9375	2004
12.02.2020 15:34:21	1	1	1	1	69	60.75	0	29052.133	550.5376344	16056.31506	30000	0	0	30000	41.25	2004
12.02.2020 15:34:22	1	1	1	1	69	61.25	0	28957.346	546.2365591	15879.37923	30000	0	0	30000	41.5	2004
12.02.2020 15:34:23	1	1	1	1	69	61.5	0	29099.526	548.3870968	16020.43867	30000	0	0	30000	41	2004
12.02.2020 15:34:24	1	1	1	1	69	61	0	29099.526	550.5376344	15957.65499	30000	0	0	30000	41.25	2004
12.02.2020 15:34:25	1	1	1	1	69	61.25	0	29146.919	548.3870968	16046.53059	30000	0	0	30000	41.5	2004
12.02.2020 15:34:26	1	1	1	1	69	61.5	0	29052.133	550.5376344	15942.16291	30000	0	0	30000	41.0625	2004
12.02.2020 15:34:27	1	1	1	1	69	61	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	41.375	2004
12.02.2020 15:34:28	1	1	1	1	69	61.25	0	29146.919	552.688172	16046.53059	30000	0	0	30000	41.5	2004
12.02.2020 15:34:29	1	1	1	1	69	61.5	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	41.375	2004
12.02.2020 15:34:30	1	1	1	1	69	61.25	0	29099.526	552.688172	16004.13122	30000	0	0	30000	41.25	2004
12.02.2020 15:34:32	1	1	1	1	69	61.25	0	29099.526	554.8387097	16020.43867	30000	0	0	30000	41.25	2004
12.02.2020 15:34:33	1	1	1	1	69	61.25	0	29052.133	550.5376344	15942.16291	30000	0	0	30000	41.5	2004
12.02.2020 15:34:34	1	1	1	1	69	61.5	0	29052.133	546.2365591	15994.34675	30000	0	0	30000	41.875	2004
12.02.2020 15:34:35	1	1	1	1	69	61.75	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	41.1875	2004
12.02.2020 15:34:36	1	1	1	1	69	61	0	29146.919	552.688172	16108.4989	30000	0	0	30000	41.0625	2004
12.02.2020 15:34:37	1	1	1	1	69	61.5	0	29336.493	550.5376344	16213.68195	30000	0	0	30000	41.3125	2004
12.02.2020 15:34:38	1	1	1	1	69	61.25	0	29099.526	552.688172	15931.56307	30000	0	0	30000	40.9375	2004
12.02.2020 15:34:39	1	1	1	1	69	60.75	0	29052.133	548.3870968	15931.56307	30000	0	0	30000	41.5	2004
12.02.2020 15:34:40	1	1	1	1	69.25	61.5	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	41.625	2004
12.02.2020 15:34:41	1	1	1	1	69.25	61.5	0	29099.526	550.5376344	15994.34675	30000	0	0	30000	41.5625	2004
12.02.2020 15:34:42	1	1	1	1	69.25	61.5	0	29052.133	550.5376344	16181.06705	30000	0	0	30000	40.5625	2004
12.02.2020 15:34:43	1	1	1	1	69.25	60.5	0	29146.919	550.5376344	15920.96323	30000	0	0	30000	41.25	2004
12.02.2020 15:34:44	1	1	1	1	69.25	61.25	0	29146.919	550.5376344	16108.4989	30000	0	0	30000	41.375	2004
12.02.2020 15:34:45	1	1	1	1	69.25	61.25	0	29052.133	552.688172	15942.16291	30000	0	0	30000	41.1875	2004
12.02.2020 15:34:46	1	1	1	1	69.25	61	0	29099.526	550.5376344	16046.53059	30000	0	0	30000	41.0625	2004
12.02.2020 15:34:47	1	1	1	1	69.25	61	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	41.625	2004
12.02.2020 15:34:48	1	1	1	1	69.25	61.5	0	29146.919	552.688172	16108.4989	30000	0	0	30000	40.75	2004
12.02.2020 15:34:49	1	1	1	1	69.25	60.75	0	28957.346	539.7849462	15692.65893	30000	0	0	30000	41.5625	2004
12.02.2020 15:34:50	1	1	1	1	68.5	61.5	0	29146.919	550.5376344	15920.96323	30000	0	0	30000	41.625	2004
12.02.2020 15:34:51	1	1	1	1	68.5	61.5	0	29052.133	548.3870968	16020.43867	30000	0	0	30000	41.375	2004
12.02.2020 15:34:52	1	1	1	1	68.5	61.25	0	29052.133	541.9354839	16046.53059	30000	0	0	30000	41.25	2004
12.02.2020 15:34:53	1	1	1	1	68.5	61.25	0	29336.493	552.688172	16213.68195	30000	0	0	30000	41.5625	2004
12.02.2020 15:34:54	1	1	1	1	68.5	61.5	0	29052.133	550.5376344	16207.97434	30000	0	0	30000	41	2004
12.02.2020 15:34:55	1	1	1	1	68.5	61	0	29052.133	552.688172	15994.34675	30000	0	0	30000	41.25	2004
12.02.2020 15:34:56	1	1	1	1	68.5	61.25	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	41.5	2004
12.02.2020 15:34:57	1	1	1	1	68.5	61.5	0	28862.559	546.2365591	15827.19539	30000	0	0	30000	41.1875	2004
12.02.2020 15:34:58	1	1	1	1	68.5	61	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	41.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 15:34:59	1	1	1	1	68.5	61.25	0	29241.706	550.5376344	16098.71443	30000	0	0	30000	41.5	2004
12.02.2020 15:35:00	1	1	1	1	68.25	61.5	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	41.5	2004
12.02.2020 15:35:01	1	1	1	1	68.25	61.5	0	29336.493	550.5376344	16150.89827	30000	0	0	30000	41.0625	2004
12.02.2020 15:35:02	1	1	1	1	68.25	61	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	41.125	2004
12.02.2020 15:35:03	1	1	1	1	68.25	61	0	29099.526	546.2365591	15931.56307	30000	0	0	30000	41.4375	2004
12.02.2020 15:35:04	1	1	1	1	68.25	61.25	0	29241.706	550.5376344	16098.71443	30000	0	0	30000	41.375	2004
12.02.2020 15:35:05	1	1	1	1	68.25	61.25	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	41.625	2004
12.02.2020 15:35:06	1	1	1	1	68.25	61.5	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	41.4375	2004
12.02.2020 15:35:07	1	1	1	1	68.25	61.25	0	29099.526	550.5376344	16020.43867	30000	0	0	30000	41.5	2004
12.02.2020 15:35:08	1	1	1	1	68.25	61.5	0	29146.919	548.3870968	15957.65499	30000	0	0	30000	41.3125	2004
12.02.2020 15:35:09	1	1	1	1	68.25	61.25	0	29099.526	546.2365591	15744.0274	30000	0	0	30000	41.3125	2004
12.02.2020 15:35:10	1	1	1	1	68.5	61.25	0	29241.706	550.5376344	16161.49811	30000	0	0	30000	41.25	2004
12.02.2020 15:35:11	1	1	1	1	68.5	61.25	0	29146.919	548.3870968	15920.96323	30000	0	0	30000	41.375	2004
12.02.2020 15:35:20	1	1	1	1	68.5	61.5	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	41.3125	2004
12.02.2020 15:35:20	1	1	1	1	68.5	61.5	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	41.3125	2004
12.02.2020 15:35:20	1	1	1	1	68.5	61.5	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	41.3125	2004
12.02.2020 15:35:20	1	1	1	1	68.5	61.5	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	41.3125	2004
12.02.2020 15:35:20	1	1	1	1	68.5	61.5	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	41.3125	2004
12.02.2020 15:35:20	1	1	1	1	68.5	61.5	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	41.3125	2004
12.02.2020 15:35:20	1	1	1	1	68.25	61.25	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	41.1875	2004
12.02.2020 15:35:20	1	1	1	1	68.25	61.25	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	41.1875	2004
12.02.2020 15:35:21	1	1	1	1	68.25	61	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	41.4375	2004
12.02.2020 15:35:22	1	1	1	1	68.25	61.25	0	29099.526	550.5376344	15994.34675	30000	0	0	30000	41.3125	2004
12.02.2020 15:35:23	1	1	1	1	68.25	61.25	0	29146.919	550.5376344	15795.39586	30000	0	0	30000	41.375	2004
12.02.2020 15:35:24	1	1	1	1	68.25	61.25	0	28957.346	541.9354839	15879.37923	30000	0	0	30000	41.4375	2004
12.02.2020 15:35:25	1	1	1	1	68.25	61.25	0	28957.346	546.2365591	15879.37923	30000	0	0	30000	41.4375	2004
12.02.2020 15:35:26	1	1	1	1	68.25	61.25	0	28957.346	546.2365591	15994.34675	30000	0	0	30000	40.625	2004
12.02.2020 15:35:27	1	1	1	1	68.25	60.5	0	29099.526	550.5376344	16046.53059	30000	0	0	30000	41	2004
12.02.2020 15:35:28	1	1	1	1	68.25	61	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	41.4375	2004
12.02.2020 15:35:29	1	1	1	1	68.25	61.25	0	29336.493	550.5376344	16150.89827	30000	0	0	30000	41.4375	2004
12.02.2020 15:35:30	1	1	1	1	68	61.25	0	29289.1	546.2365591	16150.89827	30000	0	0	30000	41.5	2004
12.02.2020 15:35:31	1	1	1	1	68	61.5	0	29241.706	552.688172	16161.49811	30000	0	0	30000	41.375	2004
12.02.2020 15:35:32	1	1	1	1	68	61.25	0	29146.919	550.5376344	15858.17955	30000	0	0	30000	41.4375	2004
12.02.2020 15:35:33	1	1	1	1	68	61.25	0	29146.919	548.3870968	16046.53059	30000	0	0	30000	41.125	2004
12.02.2020 15:35:34	1	1	1	1	68	61	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	41.625	2004
12.02.2020 15:35:35	1	1	1	1	68	61.5	0	29241.706	550.5376344	15983.74691	30000	0	0	30000	41.25	2004
12.02.2020 15:35:36	1	1	1	1	68	61.25	0	29146.919	548.3870968	16046.53059	30000	0	0	30000	41.125	2004
12.02.2020 15:35:37	1	1	1	1	68	61	0	29099.526	550.5376344	16020.43867	30000	0	0	30000	41.375	2004
12.02.2020 15:35:38	1	1	1	1	68	61.25	0	29146.919	541.9354839	15858.17955	30000	0	0	30000	41.375	2004
12.02.2020 15:35:39	1	1	1	1	68	61.25	0	29052.133	539.7849462	15681.24371	30000	0	0	30000	41.4375	2004
12.02.2020 15:35:40	1	1	1	1	68	61.25	0	29052.133	550.5376344	16020.43867	30000	0	0	30000	41.5625	2004
12.02.2020 15:35:41	1	1	1	1	68	61.5	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	41.25	2004
12.02.2020 15:35:42	1	1	1	1	68	61.25	0	28957.346	541.9354839	15957.65499	30000	0	0	30000	41.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 15:35:43	1	1	1	1	68	61.25	0	29052.133	548.3870968	15817.41092	30000	0	0	30000	41.5	2004
12.02.2020 15:35:44	1	1	1	1	68	61.5	0	29099.526	546.2365591	15868.77939	30000	0	0	30000	41.4375	2004
12.02.2020 15:35:45	1	1	1	1	68	61.25	0	29146.919	546.2365591	15957.65499	30000	0	0	30000	41.625	2004
12.02.2020 15:35:46	1	1	1	1	68	61.5	0	29052.133	546.2365591	15994.34675	30000	0	0	30000	41.375	2004
12.02.2020 15:35:47	1	1	1	1	68	61.25	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	41.25	2004
12.02.2020 15:35:48	1	1	1	1	68	61.25	0	29052.133	546.2365591	15868.77939	30000	0	0	30000	41.5	2004
12.02.2020 15:35:49	1	1	1	1	68	61.5	0	29336.493	552.688172	16150.89827	30000	0	0	30000	41.5625	2004
12.02.2020 15:35:50	1	1	1	1	68	61.5	0	29336.493	550.5376344	16024.51553	30000	0	0	30000	41.5625	2004
12.02.2020 15:35:52	1	1	1	1	68	61.5	0	29146.919	548.3870968	15983.74691	30000	0	0	30000	41.375	2004
12.02.2020 15:35:53	1	1	1	1	68	61.25	0	29052.133	546.2365591	15931.56307	30000	0	0	30000	41.6875	2004
12.02.2020 15:35:54	1	1	1	1	68	61.5	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	41.3125	2004
12.02.2020 15:35:55	1	1	1	1	68	61.25	0	29241.706	546.2365591	16098.71443	30000	0	0	30000	41.8125	2004
12.02.2020 15:35:56	1	1	1	1	68	61.75	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	40.5	2004
12.02.2020 15:35:57	1	1	1	1	68	60.75	0	29241.706	544.0860215	16035.11538	30000	0	0	30000	41.375	2004
12.02.2020 15:35:58	1	1	1	1	68	61.25	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	41.375	2004
12.02.2020 15:35:59	1	1	1	1	68	61.25	0	29336.493	554.8387097	16035.11538	30000	0	0	30000	41.5	2004
12.02.2020 15:36:00	1	1	1	1	67.75	61.5	0	29241.706	546.2365591	15972.33169	30000	0	0	30000	41.1875	2004
12.02.2020 15:36:01	1	1	1	1	67.75	61	0	29146.919	546.2365591	15972.33169	30000	0	0	30000	41.5	2004
12.02.2020 15:36:02	1	1	1	1	67.75	61.5	0	29383.886	544.0860215	16075.884	30000	0	0	30000	41.4375	2004
12.02.2020 15:36:03	1	1	1	1	67.75	61.25	0	29289.1	546.2365591	15972.33169	30000	0	0	30000	41.4375	2004
12.02.2020 15:36:04	1	1	1	1	67.75	61.25	0	29146.919	537.6344086	15732.61218	30000	0	0	30000	41.0625	2004
12.02.2020 15:36:05	1	1	1	1	67.75	61	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	40.5625	2004
12.02.2020 15:36:06	1	1	1	1	67.75	60.5	0	29526.066	546.2365591	16101.97592	30000	0	0	30000	41.5	2004
12.02.2020 15:36:07	1	1	1	1	67.75	61.5	0	29289.1	544.0860215	15998.42361	30000	0	0	30000	40.875	2004
12.02.2020 15:36:08	1	1	1	1	67.75	60.75	0	29336.493	546.2365591	16087.29921	30000	0	0	30000	41.4375	2004
12.02.2020 15:36:09	1	1	1	1	67.75	61.25	0	29241.706	546.2365591	16213.68195	30000	0	0	30000	41.1875	2004
12.02.2020 15:36:10	1	1	1	1	67.75	61	0	29526.066	546.2365591	16139.48305	30000	0	0	30000	41.375	2004
12.02.2020 15:36:11	1	1	1	1	67.75	61.25	0	29431.28	544.0860215	15960.91648	30000	0	0	30000	41.3125	2004
12.02.2020 15:36:12	1	1	1	1	67.75	61.25	0	29383.886	544.0860215	15987.0084	30000	0	0	30000	41.375	2004
12.02.2020 15:36:13	1	1	1	1	67.75	61.25	0	29336.493	544.0860215	16329.46484	30000	0	0	30000	41.375	2004
12.02.2020 15:36:21	1	1	1	1	67	61	0	29289.1	544.0860215	15909.54801	30000	0	0	30000	41.5	2004
12.02.2020 15:36:21	1	1	1	1	67	61	0	29289.1	544.0860215	15909.54801	30000	0	0	30000	41.5	2004
12.02.2020 15:36:21	1	1	1	1	67	61	0	29289.1	544.0860215	15909.54801	30000	0	0	30000	41.5	2004
12.02.2020 15:36:21	1	1	1	1	67	61	0	29289.1	544.0860215	15909.54801	30000	0	0	30000	41.5	2004
12.02.2020 15:36:21	1	1	1	1	67	61	0	29289.1	544.0860215	15909.54801	30000	0	0	30000	41.5	2004
12.02.2020 15:36:21	1	1	1	1	67	61	0	29289.1	544.0860215	15909.54801	30000	0	0	30000	41.5	2004
12.02.2020 15:36:21	1	1	1	1	67	61	0	29289.1	544.0860215	15909.54801	30000	0	0	30000	41.5	2004
12.02.2020 15:36:21	1	1	1	1	67	61.5	0	29478.673	546.2365591	16318.04963	30000	0	0	30000	41	2004
12.02.2020 15:36:22	1	1	1	1	67	61	0	29336.493	544.0860215	15935.63993	30000	0	0	30000	41.4375	2004
12.02.2020 15:36:23	1	1	1	1	67	61.25	0	29289.1	544.0860215	16087.29921	30000	0	0	30000	40.625	2004
12.02.2020 15:36:24	1	1	1	1	67	60.5	0	29289.1	544.0860215	15960.91648	30000	0	0	30000	41.4375	2004
12.02.2020 15:36:25	1	1	1	1	67	61.25	0	29289.1	546.2365591	15972.33169	30000	0	0	30000	41.1875	2004
12.02.2020 15:36:26	1	1	1	1	67	61	0	29146.919	539.7849462	15795.39586	30000	0	0	30000	40.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 15:36:27	1	1	1	1	67	60.75	0	29241.706	546.2365591	15858.17955	30000	0	0	30000	41.4375	2004
12.02.2020 15:36:28	1	1	1	1	67	61.25	0	29241.706	546.2365591	15998.42361	30000	0	0	30000	41.375	2004
12.02.2020 15:36:30	1	1	1	1	67	61.25	0	29478.673	546.2365591	16013.10032	30000	0	0	30000	41.0625	2004
12.02.2020 15:36:31	1	1	1	1	67.25	61	0	29289.1	544.0860215	15998.42361	30000	0	0	30000	41.0625	2004
12.02.2020 15:36:32	1	1	1	1	67.25	61	0	29336.493	550.5376344	16087.29921	30000	0	0	30000	41.3125	2004
12.02.2020 15:36:33	1	1	1	1	67.25	61.25	0	29289.1	544.0860215	15972.33169	30000	0	0	30000	41.25	2004
12.02.2020 15:36:34	1	1	1	1	67.25	61.25	0	29289.1	546.2365591	15972.33169	30000	0	0	30000	41.625	2004
12.02.2020 15:36:35	1	1	1	1	67.25	61.5	0	29478.673	541.9354839	16101.97592	30000	0	0	30000	41.375	2004
12.02.2020 15:36:36	1	1	1	1	67.25	61.5	0	29526.066	546.2365591	16191.66689	30000	0	0	30000	41.1875	2004
12.02.2020 15:36:37	1	1	1	1	67.25	61	0	29431.28	546.2365591	15987.0084	30000	0	0	30000	41.125	2004
12.02.2020 15:36:38	1	1	1	1	67.25	61	0	29241.706	544.0860215	15998.42361	30000	0	0	30000	40.9375	2004
12.02.2020 15:36:39	1	1	1	1	67.25	60.75	0	29241.706	546.2365591	15909.54801	30000	0	0	30000	41.5	2004
12.02.2020 15:36:40	1	1	1	1	67.25	61.5	0	29336.493	550.5376344	16087.29921	30000	0	0	30000	41.1875	2004
12.02.2020 15:36:41	1	1	1	1	67.25	61	0	29146.919	544.0860215	15858.17955	30000	0	0	30000	41.4375	2004
12.02.2020 15:36:42	1	1	1	1	67.25	61.25	0	29383.886	546.2365591	16024.51553	30000	0	0	30000	40.9375	2004
12.02.2020 15:36:43	1	1	1	1	67.25	60.75	0	29336.493	546.2365591	15960.91648	30000	0	0	30000	41.4375	2004
12.02.2020 15:36:44	1	1	1	1	67.25	61.25	0	29289.1	546.2365591	16087.29921	30000	0	0	30000	40.9375	2004
12.02.2020 15:36:45	1	1	1	1	67.25	60.75	0	29241.706	544.0860215	16213.68195	30000	0	0	30000	41.1875	2004
12.02.2020 15:36:46	1	1	1	1	67.25	61	0	29241.706	541.9354839	15909.54801	30000	0	0	30000	41.0625	2004
12.02.2020 15:36:47	1	1	1	1	67.25	61	0	29146.919	546.2365591	15858.17955	30000	0	0	30000	41.0625	2004
12.02.2020 15:36:48	1	1	1	1	67.25	61	0	29289.1	546.2365591	16035.11538	30000	0	0	30000	41.125	2004
12.02.2020 15:36:49	1	1	1	1	67.25	61	0	29336.493	550.5376344	16203.08211	30000	0	0	30000	41.25	2004
12.02.2020 15:36:50	1	1	1	1	66.75	61.25	0	29336.493	550.5376344	16087.29921	30000	0	0	30000	41.3125	2004
12.02.2020 15:36:51	1	1	1	1	66.75	61.25	0	29289.1	544.0860215	15960.91648	30000	0	0	30000	41.5	2004
12.02.2020 15:36:52	1	1	1	1	66.75	61.5	0	29336.493	544.0860215	16024.51553	30000	0	0	30000	41.125	2004
12.02.2020 15:36:53	1	1	1	1	66.75	61	0	29526.066	546.2365591	16128.06784	30000	0	0	30000	41.3125	2004
12.02.2020 15:36:54	1	1	1	1	66.75	61.25	0	29336.493	546.2365591	16050.60745	30000	0	0	30000	40.375	2004
12.02.2020 15:36:55	1	1	1	1	66.75	60.25	0	29431.28	546.2365591	15960.91648	30000	0	0	30000	41.4375	2004
12.02.2020 15:36:56	1	1	1	1	66.75	61.25	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	41.375	2004
12.02.2020 15:36:57	1	1	1	1	66.75	61.25	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	41.3125	2004
12.02.2020 15:36:58	1	1	1	1	66.75	61.25	0	29478.673	550.5376344	16101.97592	30000	0	0	30000	41.4375	2004
12.02.2020 15:36:59	1	1	1	1	66.75	61.25	0	29241.706	544.0860215	16124.80635	30000	0	0	30000	41.5625	2004
12.02.2020 15:37:00	1	1	1	1	66.5	61.5	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	41.5	2004
12.02.2020 15:37:01	1	1	1	1	66.5	61.5	0	29383.886	544.0860215	16013.10032	30000	0	0	30000	41.4375	2004
12.02.2020 15:37:02	1	1	1	1	66.5	61.25	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	41.375	2004
12.02.2020 15:37:03	1	1	1	1	66.5	61.25	0	29336.493	546.2365591	15960.91648	30000	0	0	30000	41.3125	2004
12.02.2020 15:37:04	1	1	1	1	66.5	61.25	0	29336.493	546.2365591	15960.91648	30000	0	0	30000	41.5625	2004
12.02.2020 15:37:05	1	1	1	1	66.5	61.5	0	29146.919	541.9354839	15795.39586	30000	0	0	30000	41.25	2004
12.02.2020 15:37:06	1	1	1	1	66.5	61.25	0	29431.28	546.2365591	16075.884	30000	0	0	30000	41.25	2004
12.02.2020 15:37:07	1	1	1	1	66.5	61.25	0	29383.886	546.2365591	15987.0084	30000	0	0	30000	41.5625	2004
12.02.2020 15:37:09	1	1	1	1	66.5	61.5	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	41.3125	2004
12.02.2020 15:37:10	1	1	1	1	66.5	61.25	0	29383.886	544.0860215	15987.0084	30000	0	0	30000	41.375	2004
12.02.2020 15:37:11	1	1	1	1	66.5	61.25	0	29383.886	546.2365591	16087.29921	30000	0	0	30000	41.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 15:37:12	1	1	1	1	66.5	61.5	0	29526.066	546.2365591	16128.06784	30000	0	0	30000	41.375	2004
12.02.2020 15:37:13	1	1	1	1	66.5	61.25	0	29383.886	541.9354839	16013.10032	30000	0	0	30000	41.875	2004
12.02.2020 15:37:14	1	1	1	1	66.5	61.75	0	29478.673	546.2365591	16013.10032	30000	0	0	30000	40.6875	2004
12.02.2020 15:37:15	1	1	1	1	66.5	60.5	0	29526.066	548.3870968	16307.44979	30000	0	0	30000	41.5625	2004
12.02.2020 15:37:23	1	1	1	1	66.5	61.25	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	41.625	2004
12.02.2020 15:37:23	1	1	1	1	66.5	61.25	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	41.625	2004
12.02.2020 15:37:23	1	1	1	1	66.5	61.25	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	41.625	2004
12.02.2020 15:37:23	1	1	1	1	66.5	61.25	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	41.625	2004
12.02.2020 15:37:23	1	1	1	1	66.5	61.25	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	41.625	2004
12.02.2020 15:37:23	1	1	1	1	66.5	61.25	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	41.625	2004
12.02.2020 15:37:23	1	1	1	1	66.5	61.25	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	41.625	2004
12.02.2020 15:37:23	1	1	1	1	66.5	61.5	0	29146.919	546.2365591	16098.71443	30000	0	0	30000	41.0625	2004
12.02.2020 15:37:24	1	1	1	1	66.5	61	0	29099.526	546.2365591	15832.08763	30000	0	0	30000	41.25	2004
12.02.2020 15:37:25	1	1	1	1	66.5	61.25	0	29383.886	546.2365591	16024.51553	30000	0	0	30000	41.3125	2004
12.02.2020 15:37:26	1	1	1	1	66.5	61.25	0	29289.1	541.9354839	15960.91648	30000	0	0	30000	41.4375	2004
12.02.2020 15:37:27	1	1	1	1	66.5	61.25	0	29383.886	550.5376344	16087.29921	30000	0	0	30000	40.9375	2004
12.02.2020 15:37:28	1	1	1	1	66.5	60.75	0	29383.886	546.2365591	16139.48305	30000	0	0	30000	41.25	2004
12.02.2020 15:37:29	1	1	1	1	66.5	61.25	0	29383.886	546.2365591	16013.10032	30000	0	0	30000	41.3125	2004
12.02.2020 15:37:30	1	1	1	1	66	61.25	0	29336.493	537.6344086	16024.51553	30000	0	0	30000	41	2004
12.02.2020 15:37:31	1	1	1	1	66	61	0	29336.493	544.0860215	15795.39586	30000	0	0	30000	41.125	2004
12.02.2020 15:37:32	1	1	1	1	66	61	0	29336.493	546.2365591	16087.29921	30000	0	0	30000	41.375	2004
12.02.2020 15:37:33	1	1	1	1	66	61.25	0	29383.886	546.2365591	16087.29921	30000	0	0	30000	41.4375	2004
12.02.2020 15:37:34	1	1	1	1	66	61.25	0	29336.493	541.9354839	16024.51553	30000	0	0	30000	41.375	2004
12.02.2020 15:37:35	1	1	1	1	66	61.25	0	29336.493	546.2365591	15960.91648	30000	0	0	30000	41.3125	2004
12.02.2020 15:37:36	1	1	1	1	66	61.25	0	29336.493	546.2365591	15960.91648	30000	0	0	30000	41.3125	2004
12.02.2020 15:37:37	1	1	1	1	66	61.25	0	29146.919	541.9354839	15858.17955	30000	0	0	30000	41.3125	2004
12.02.2020 15:37:38	1	1	1	1	66	61.25	0	29099.526	544.0860215	15707.33563	30000	0	0	30000	41.4375	2004
12.02.2020 15:37:39	1	1	1	1	66	61.25	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	41.1875	2004
12.02.2020 15:37:40	1	1	1	1	66.5	61	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	41.5625	2004
12.02.2020 15:37:41	1	1	1	1	66.5	61.5	0	29146.919	544.0860215	15858.17955	30000	0	0	30000	41.25	2004
12.02.2020 15:37:42	1	1	1	1	66.5	61.25	0	29478.673	546.2365591	16101.97592	30000	0	0	30000	40.875	2004
12.02.2020 15:37:43	1	1	1	1	66.5	60.75	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	41.1875	2004
12.02.2020 15:37:44	1	1	1	1	66.5	61	0	29289.1	544.0860215	16024.51553	30000	0	0	30000	41.375	2004
12.02.2020 15:37:45	1	1	1	1	66.5	61.25	0	29146.919	544.0860215	15920.96323	30000	0	0	30000	41.5625	2004
12.02.2020 15:37:47	1	1	1	1	66.5	61.5	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	41.5	2004
12.02.2020 15:37:48	1	1	1	1	66.5	61.5	0	29289.1	544.0860215	16024.51553	30000	0	0	30000	41.4375	2004
12.02.2020 15:37:49	1	1	1	1	66.5	61.25	0	29383.886	537.6344086	16075.884	30000	0	0	30000	41.75	2004
12.02.2020 15:37:50	1	1	1	1	66.5	61.75	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	41.5	2004
12.02.2020 15:37:51	1	1	1	1	66	61.5	0	29336.493	546.2365591	15960.91648	30000	0	0	30000	40.875	2004
12.02.2020 15:37:52	1	1	1	1	66	60.75	0	29336.493	550.5376344	15960.91648	30000	0	0	30000	40.9375	2004
12.02.2020 15:37:53	1	1	1	1	66	61	0	29383.886	546.2365591	16150.89827	30000	0	0	30000	41.4375	2004
12.02.2020 15:37:54	1	1	1	1	66	61.25	0	29146.919	546.2365591	15858.17955	30000	0	0	30000	41.375	2004
12.02.2020 15:37:55	1	1	1	1	66	61.25	0	29289.1	544.0860215	15960.91648	30000	0	0	30000	41.5	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 15:37:56	1	1	1	1	66	61.5	0	29289.1	544.0860215	15935.63993	30000	0	0	30000	41.5	2004
12.02.2020 15:37:57	1	1	1	1	66	61.5	0	29336.493	546.2365591	15909.54801	30000	0	0	30000	41.5	2004
12.02.2020 15:37:58	1	1	1	1	66	61.5	0	29336.493	546.2365591	15960.91648	30000	0	0	30000	41.5625	2004
12.02.2020 15:37:59	1	1	1	1	66	61.5	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	41.5	2004
12.02.2020 15:38:00	1	1	1	1	65.75	61.5	0	29336.493	546.2365591	15960.91648	30000	0	0	30000	41.4375	2004
12.02.2020 15:38:01	1	1	1	1	65.75	61.25	0	29431.28	550.5376344	16203.08211	30000	0	0	30000	40.875	2004
12.02.2020 15:38:02	1	1	1	1	65.75	60.75	0	29052.133	546.2365591	16108.4989	30000	0	0	30000	41.5	2004
12.02.2020 15:38:03	1	1	1	1	65.75	61.5	0	29336.493	546.2365591	15898.1328	30000	0	0	30000	40.9375	2004
12.02.2020 15:38:04	1	1	1	1	65.75	60.75	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	41.0625	2004
12.02.2020 15:38:05	1	1	1	1	65.75	61	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	41.25	2004
12.02.2020 15:38:06	1	1	1	1	65.75	61.25	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	41.25	2004
12.02.2020 15:38:07	1	1	1	1	65.75	61.25	0	29241.706	541.9354839	15972.33169	30000	0	0	30000	40.9375	2004
12.02.2020 15:38:08	1	1	1	1	65.75	60.75	0	29383.886	544.0860215	15960.91648	30000	0	0	30000	41.3125	2004
12.02.2020 15:38:09	1	1	1	1	65.75	61.25	0	29336.493	550.5376344	15960.91648	30000	0	0	30000	41.3125	2004
12.02.2020 15:38:10	1	1	1	1	66	61.25	0	29146.919	544.0860215	15858.17955	30000	0	0	30000	41.3125	2004
12.02.2020 15:38:11	1	1	1	1	66	61.25	0	29336.493	546.2365591	16087.29921	30000	0	0	30000	41.25	2004
12.02.2020 15:38:12	1	1	1	1	66	61.25	0	29431.28	546.2365591	16139.48305	30000	0	0	30000	41.5625	2004
12.02.2020 15:38:13	1	1	1	1	66	61.5	0	29383.886	546.2365591	16203.08211	30000	0	0	30000	41.375	2004
12.02.2020 15:38:14	1	1	1	1	66	61.25	0	29383.886	550.5376344	16150.89827	30000	0	0	30000	41.4375	2004
12.02.2020 15:38:15	1	1	1	1	66	61.25	0	29052.133	544.0860215	15832.08763	30000	0	0	30000	41.25	2004
12.02.2020 15:38:16	1	1	1	1	66	61.25	0	29336.493	546.2365591	16087.29921	30000	0	0	30000	41.5625	2004
12.02.2020 15:38:24	1	1	1	1	65.75	61	0	29336.493	550.5376344	16150.89827	30000	0	0	30000	40.875	2004
12.02.2020 15:38:24	1	1	1	1	65.75	61	0	29336.493	550.5376344	16150.89827	30000	0	0	30000	40.875	2004
12.02.2020 15:38:24	1	1	1	1	65.75	61	0	29336.493	550.5376344	16150.89827	30000	0	0	30000	40.875	2004
12.02.2020 15:38:24	1	1	1	1	65.75	61	0	29336.493	550.5376344	16150.89827	30000	0	0	30000	40.875	2004
12.02.2020 15:38:24	1	1	1	1	65.75	61	0	29336.493	550.5376344	16150.89827	30000	0	0	30000	40.875	2004
12.02.2020 15:38:24	1	1	1	1	65.75	61	0	29336.493	550.5376344	16150.89827	30000	0	0	30000	40.875	2004
12.02.2020 15:38:24	1	1	1	1	65.75	60.75	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	41.5	2004
12.02.2020 15:38:26	1	1	1	1	65.75	61.5	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	41.4375	2004
12.02.2020 15:38:27	1	1	1	1	65.75	61.25	0	29241.706	546.2365591	16035.11538	30000	0	0	30000	41.3125	2004
12.02.2020 15:38:28	1	1	1	1	65.75	61.25	0	29146.919	541.9354839	15858.17955	30000	0	0	30000	41.375	2004
12.02.2020 15:38:29	1	1	1	1	65.75	61.25	0	29336.493	546.2365591	15998.42361	30000	0	0	30000	41.6875	2004
12.02.2020 15:38:30	1	1	1	1	65.75	61.5	0	29336.493	546.2365591	16150.89827	30000	0	0	30000	41.0625	2004
12.02.2020 15:38:31	1	1	1	1	65.25	61	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	40.875	2004
12.02.2020 15:38:32	1	1	1	1	65.25	60.75	0	29383.886	550.5376344	16392.24853	30000	0	0	30000	41.5	2004
12.02.2020 15:38:33	1	1	1	1	65.25	61.5	0	29383.886	550.5376344	16150.89827	30000	0	0	30000	41.3125	2004
12.02.2020 15:38:34	1	1	1	1	65.25	61.25	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	41.5	2004
12.02.2020 15:38:35	1	1	1	1	65.25	61.5	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	41.125	2004
12.02.2020 15:38:36	1	1	1	1	65.25	61	0	29146.919	546.2365591	15858.17955	30000	0	0	30000	41.5	2004
12.02.2020 15:38:37	1	1	1	1	65.25	61.5	0	29289.1	550.5376344	16187.59003	30000	0	0	30000	41	2004
12.02.2020 15:38:38	1	1	1	1	65.25	61	0	29146.919	546.2365591	16046.53059	30000	0	0	30000	41.3125	2004
12.02.2020 15:38:39	1	1	1	1	65.25	61.25	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	41.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 15:38:40	1	1	1	1	65.25	61.5	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	41.5625	2004
12.02.2020 15:38:41	1	1	1	1	65.25	61.5	0	29289.1	546.2365591	16024.51553	30000	0	0	30000	41.375	2004
12.02.2020 15:38:42	1	1	1	1	65.25	61.25	0	29052.133	546.2365591	15868.77939	30000	0	0	30000	41.375	2004
12.02.2020 15:38:43	1	1	1	1	65.25	61.25	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	41.625	2004
12.02.2020 15:38:44	1	1	1	1	65.25	61.5	0	29241.706	546.2365591	15909.54801	30000	0	0	30000	41.25	2004
12.02.2020 15:38:45	1	1	1	1	65.25	61.25	0	29241.706	546.2365591	15909.54801	30000	0	0	30000	41.3125	2004
12.02.2020 15:38:46	1	1	1	1	65.25	61.25	0	29431.28	548.3870968	16203.08211	30000	0	0	30000	41.375	2004
12.02.2020 15:38:47	1	1	1	1	65.25	61.25	0	29241.706	548.3870968	16035.11538	30000	0	0	30000	41.25	2004
12.02.2020 15:38:48	1	1	1	1	65.25	61.25	0	29146.919	548.3870968	16098.71443	30000	0	0	30000	40.5625	2004
12.02.2020 15:38:49	1	1	1	1	65.25	60.5	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	41	2004
12.02.2020 15:38:50	1	1	1	1	65.25	61	0	29383.886	548.3870968	16176.99019	30000	0	0	30000	41.375	2004
12.02.2020 15:38:51	1	1	1	1	65.25	61.25	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	41.1875	2004
12.02.2020 15:38:52	1	1	1	1	65.25	61	0	29289.1	546.2365591	16213.68195	30000	0	0	30000	40.5	2004
12.02.2020 15:38:53	1	1	1	1	65.25	60.5	0	29289.1	550.5376344	16150.89827	30000	0	0	30000	41.3125	2004
12.02.2020 15:38:54	1	1	1	1	65.25	61.25	0	29241.706	546.2365591	15983.74691	30000	0	0	30000	41.3125	2004
12.02.2020 15:38:55	1	1	1	1	65.25	61.25	0	29241.706	546.2365591	15972.33169	30000	0	0	30000	41.5625	2004
12.02.2020 15:38:56	1	1	1	1	65.25	61.5	0	29241.706	544.0860215	15909.54801	30000	0	0	30000	41.1875	2004
12.02.2020 15:38:57	1	1	1	1	65.25	61	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	41.4375	2004
12.02.2020 15:38:58	1	1	1	1	65.25	61.25	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	41.5	2004
12.02.2020 15:38:59	1	1	1	1	65.25	61.5	0	29241.706	550.5376344	16035.11538	30000	0	0	30000	41.4375	2004
12.02.2020 15:39:00	1	1	1	1	65.25	61.25	0	29146.919	544.0860215	16035.11538	30000	0	0	30000	41.5	2004
12.02.2020 15:39:01	1	1	1	1	65.25	61.5	0	29241.706	550.5376344	16098.71443	30000	0	0	30000	41.125	2004
12.02.2020 15:39:02	1	1	1	1	65.25	61	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	41.5625	2004
12.02.2020 15:39:03	1	1	1	1	65.25	61.5	0	29146.919	541.9354839	15983.74691	30000	0	0	30000	41.1875	2004
12.02.2020 15:39:05	1	1	1	1	65.25	61	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	41.25	2004
12.02.2020 15:39:06	1	1	1	1	65.25	61.25	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	41.375	2004
12.02.2020 15:39:07	1	1	1	1	65.25	61.25	0	29146.919	548.3870968	16046.53059	30000	0	0	30000	41	2004
12.02.2020 15:39:08	1	1	1	1	65.25	61	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	41.5	2004
12.02.2020 15:39:09	1	1	1	1	65.25	61.5	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	41.25	2004
12.02.2020 15:39:10	1	1	1	1	65.25	61.25	0	29146.919	544.0860215	15983.74691	30000	0	0	30000	41.25	2004
12.02.2020 15:39:11	1	1	1	1	65	61.25	0	29146.919	546.2365591	16035.11538	30000	0	0	30000	41.0625	2004
12.02.2020 15:39:12	1	1	1	1	65	61	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	41.25	2004
12.02.2020 15:39:13	1	1	1	1	65	61.25	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	41.5	2004
12.02.2020 15:39:14	1	1	1	1	65	61.5	0	29336.493	550.5376344	16124.80635	30000	0	0	30000	41	2004
12.02.2020 15:39:15	1	1	1	1	65	61	0	29336.493	550.5376344	16150.89827	30000	0	0	30000	41.5	2004
12.02.2020 15:39:16	1	1	1	1	65	61.5	0	29099.526	546.2365591	15920.96323	30000	0	0	30000	40.9375	2004
12.02.2020 15:39:17	1	1	1	1	65	60.75	0	29146.919	546.2365591	16046.53059	30000	0	0	30000	41.25	2004
12.02.2020 15:39:18	1	1	1	1	65	61.25	0	29336.493	550.5376344	16150.89827	30000	0	0	30000	41.3125	2004
12.02.2020 15:39:26	1	1	1	1	65	61.25	0	29146.919	544.0860215	15858.17955	30000	0	0	30000	41.0625	2004
12.02.2020 15:39:26	1	1	1	1	65	61.25	0	29146.919	544.0860215	15858.17955	30000	0	0	30000	41.0625	2004
12.02.2020 15:39:26	1	1	1	1	65	61.25	0	29146.919	544.0860215	15858.17955	30000	0	0	30000	41.0625	2004
12.02.2020 15:39:26	1	1	1	1	65	61.25	0	29146.919	544.0860215	15858.17955	30000	0	0	30000	41.0625	2004
12.02.2020 15:39:26	1	1	1	1	65	61.25	0	29146.919	544.0860215	15858.17955	30000	0	0	30000	41.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 15:39:26	1	1	1	1	65	61.25	0	29146.919	544.0860215	15858.17955	30000	0	0	30000	41.0625	2004
12.02.2020 15:39:26	1	1	1	1	65	61.25	0	29146.919	544.0860215	15858.17955	30000	0	0	30000	41.0625	2004
12.02.2020 15:39:26	1	1	1	1	65	61.25	0	29146.919	544.0860215	15858.17955	30000	0	0	30000	41.0625	2004
12.02.2020 15:39:27	1	1	1	1	65	61	0	29146.919	546.2365591	15931.56307	30000	0	0	30000	41.4375	2004
12.02.2020 15:39:28	1	1	1	1	65	61.25	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	41.1875	2004
12.02.2020 15:39:29	1	1	1	1	65	61	0	29146.919	546.2365591	15858.17955	30000	0	0	30000	41.3125	2004
12.02.2020 15:39:30	1	1	1	1	65.25	61.25	0	29146.919	546.2365591	16046.53059	30000	0	0	30000	41.4375	2004
12.02.2020 15:39:31	1	1	1	1	65.25	61.25	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	41.5	2004
12.02.2020 15:39:32	1	1	1	1	65.25	61.5	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	41	2004
12.02.2020 15:39:33	1	1	1	1	65.25	61	0	29146.919	546.2365591	15858.17955	30000	0	0	30000	41.5	2004
12.02.2020 15:39:34	1	1	1	1	65.25	61.5	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	41.5625	2004
12.02.2020 15:39:35	1	1	1	1	65.25	61.5	0	29146.919	546.2365591	16098.71443	30000	0	0	30000	41.375	2004
12.02.2020 15:39:36	1	1	1	1	65.25	61.25	0	29336.493	550.5376344	16087.29921	30000	0	0	30000	41.5	2004
12.02.2020 15:39:37	1	1	1	1	65.25	61.5	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	41.5	2004
12.02.2020 15:39:38	1	1	1	1	65.25	61.5	0	29146.919	548.3870968	16046.53059	30000	0	0	30000	41.3125	2004
12.02.2020 15:39:39	1	1	1	1	65.25	61.25	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	41.3125	2004
12.02.2020 15:39:40	1	1	1	1	64.75	61.25	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	41.1875	2004
12.02.2020 15:39:42	1	1	1	1	64.75	61	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	41.1875	2004
12.02.2020 15:39:43	1	1	1	1	64.75	61	0	29289.1	548.3870968	16124.80635	30000	0	0	30000	41.5	2004
12.02.2020 15:39:44	1	1	1	1	64.75	61.5	0	29383.886	546.2365591	15960.91648	30000	0	0	30000	41.4375	2004
12.02.2020 15:39:45	1	1	1	1	64.75	61.25	0	29241.706	544.0860215	16087.29921	30000	0	0	30000	41.5625	2004
12.02.2020 15:39:46	1	1	1	1	64.75	61.5	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	40.875	2004
12.02.2020 15:39:47	1	1	1	1	64.75	60.75	0	29383.886	546.2365591	16150.89827	30000	0	0	30000	41.8125	2004
12.02.2020 15:39:48	1	1	1	1	64.75	61.75	0	29241.706	544.0860215	16098.71443	30000	0	0	30000	41.375	2004
12.02.2020 15:39:49	1	1	1	1	64.75	61.25	0	29383.886	546.2365591	16329.46484	30000	0	0	30000	41.5	2004
12.02.2020 15:39:50	1	1	1	1	64.75	61.25	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	41.3125	2004
12.02.2020 15:39:51	1	1	1	1	64.75	61.25	0	29336.493	541.9354839	15960.91648	30000	0	0	30000	41.25	2004
12.02.2020 15:39:52	1	1	1	1	64.75	61.25	0	29146.919	544.0860215	15920.96323	30000	0	0	30000	41.5	2004
12.02.2020 15:39:53	1	1	1	1	64.75	61.5	0	29383.886	544.0860215	16013.10032	30000	0	0	30000	41.4375	2004
12.02.2020 15:39:54	1	1	1	1	64.75	61.25	0	29289.1	546.2365591	15960.91648	30000	0	0	30000	40.8125	2004
12.02.2020 15:39:55	1	1	1	1	64.75	60.75	0	29336.493	546.2365591	15960.91648	30000	0	0	30000	41.3125	2004
12.02.2020 15:39:56	1	1	1	1	64.75	61.25	0	29431.28	546.2365591	16203.08211	30000	0	0	30000	41.375	2004
12.02.2020 15:39:57	1	1	1	1	64.75	61.25	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	41.1875	2004
12.02.2020 15:39:58	1	1	1	1	64.75	61	0	29289.1	546.2365591	15972.33169	30000	0	0	30000	41	2004
12.02.2020 15:39:59	1	1	1	1	64.75	61	0	29241.706	544.0860215	15909.54801	30000	0	0	30000	41.3125	2004
12.02.2020 15:40:00	1	1	1	1	64.5	61.25	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	41.25	2004
12.02.2020 15:40:01	1	1	1	1	64.5	61.25	0	29383.886	546.2365591	16050.60745	30000	0	0	30000	41.375	2004
12.02.2020 15:40:02	1	1	1	1	64.5	61.25	0	29241.706	544.0860215	15909.54801	30000	0	0	30000	41.25	2004
12.02.2020 15:40:03	1	1	1	1	64.5	61.25	0	29241.706	546.2365591	15972.33169	30000	0	0	30000	41.375	2004
12.02.2020 15:40:04	1	1	1	1	64.5	61.25	0	29241.706	546.2365591	15972.33169	30000	0	0	30000	41.125	2004
12.02.2020 15:40:05	1	1	1	1	64.5	61	0	29146.919	550.5376344	16035.11538	30000	0	0	30000	41.375	2004
12.02.2020 15:40:06	1	1	1	1	64.5	61.25	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	41.375	2004
12.02.2020 15:40:07	1	1	1	1	64.5	61.25	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	41.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 15:40:08	1	1	1	1	64.5	61.25	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	40.8125	2004
12.02.2020 15:40:09	1	1	1	1	64.5	60.75	0	29241.706	550.5376344	15858.17955	30000	0	0	30000	41	2004
12.02.2020 15:40:10	1	1	1	1	64.5	61	0	29241.706	537.6344086	15898.1328	30000	0	0	30000	41.5625	2004
12.02.2020 15:40:11	1	1	1	1	64.5	61.5	0	29146.919	544.0860215	15858.17955	30000	0	0	30000	41.3125	2004
12.02.2020 15:40:12	1	1	1	1	64.5	61.25	0	29336.493	546.2365591	15898.1328	30000	0	0	30000	41.4375	2004
12.02.2020 15:40:13	1	1	1	1	64.5	61.25	0	29383.886	546.2365591	16075.884	30000	0	0	30000	41.3125	2004
12.02.2020 15:40:14	1	1	1	1	64.5	61.25	0	29146.919	544.0860215	15920.96323	30000	0	0	30000	41.4375	2004
12.02.2020 15:40:15	1	1	1	1	64.5	61.25	0	29146.919	548.3870968	15983.74691	30000	0	0	30000	41.25	2004
12.02.2020 15:40:16	1	1	1	1	64.5	61.25	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	41	2004
12.02.2020 15:40:17	1	1	1	1	64.5	61	0	29146.919	537.6344086	15972.33169	30000	0	0	30000	41.375	2004
12.02.2020 15:40:19	1	1	1	1	64.5	61.25	0	29146.919	544.0860215	15858.17955	30000	0	0	30000	41.5625	2004
12.02.2020 15:40:20	1	1	1	1	64.5	61.5	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	41.375	2004
12.02.2020 15:40:28	1	1	1	1	64.25	61.25	0	29052.133	539.7849462	15806.81108	30000	0	0	30000	41.5625	2004
12.02.2020 15:40:28	1	1	1	1	64.25	61.25	0	29052.133	539.7849462	15806.81108	30000	0	0	30000	41.5625	2004
12.02.2020 15:40:28	1	1	1	1	64.25	61.25	0	29052.133	539.7849462	15806.81108	30000	0	0	30000	41.5625	2004
12.02.2020 15:40:28	1	1	1	1	64.25	61.25	0	29052.133	539.7849462	15806.81108	30000	0	0	30000	41.5625	2004
12.02.2020 15:40:28	1	1	1	1	64.25	61.25	0	29052.133	539.7849462	15806.81108	30000	0	0	30000	41.5625	2004
12.02.2020 15:40:28	1	1	1	1	64.25	61.25	0	29052.133	539.7849462	15806.81108	30000	0	0	30000	41.5625	2004
12.02.2020 15:40:28	1	1	1	1	64.25	61.25	0	29052.133	539.7849462	15806.81108	30000	0	0	30000	41.5625	2004
12.02.2020 15:40:28	1	1	1	1	64.25	61.25	0	29052.133	539.7849462	15806.81108	30000	0	0	30000	41.5625	2004
12.02.2020 15:40:28	1	1	1	1	64.25	61.25	0	29052.133	539.7849462	15806.81108	30000	0	0	30000	41.5625	2004
12.02.2020 15:40:29	1	1	1	1	64.25	61.5	0	29383.886	550.5376344	16176.99019	30000	0	0	30000	41.375	2004
12.02.2020 15:40:30	1	1	1	1	64.25	61.25	0	29146.919	544.0860215	15795.39586	30000	0	0	30000	41	2004
12.02.2020 15:40:31	1	1	1	1	64.25	61	0	29336.493	546.2365591	15935.63993	30000	0	0	30000	41.3125	2004
12.02.2020 15:40:32	1	1	1	1	64.25	61.25	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	41.5	2004
12.02.2020 15:40:33	1	1	1	1	64.25	61.5	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	41.25	2004
12.02.2020 15:40:34	1	1	1	1	64.25	61.25	0	29241.706	550.5376344	15972.33169	30000	0	0	30000	41.1875	2004
12.02.2020 15:40:35	1	1	1	1	64.25	61	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	41.5	2004
12.02.2020 15:40:36	1	1	1	1	64.25	61.5	0	29146.919	541.9354839	15920.96323	30000	0	0	30000	41.3125	2004
12.02.2020 15:40:37	1	1	1	1	64.25	61.25	0	29289.1	544.0860215	16024.51553	30000	0	0	30000	41.3125	2004
12.02.2020 15:40:38	1	1	1	1	64.25	61.25	0	29241.706	546.2365591	15920.96323	30000	0	0	30000	41.25	2004
12.02.2020 15:40:39	1	1	1	1	64.25	61.25	0	29336.493	546.2365591	16087.29921	30000	0	0	30000	41.1875	2004
12.02.2020 15:40:40	1	1	1	1	63.75	61	0	29146.919	548.3870968	16035.11538	30000	0	0	30000	41.25	2004
12.02.2020 15:40:41	1	1	1	1	63.75	61.25	0	29383.886	546.2365591	16075.884	30000	0	0	30000	41.5	2004
12.02.2020 15:40:42	1	1	1	1	63.75	61.5	0	29241.706	546.2365591	16035.11538	30000	0	0	30000	41.375	2004
12.02.2020 15:40:43	1	1	1	1	63.75	61.25	0	29241.706	546.2365591	15972.33169	30000	0	0	30000	41	2004
12.02.2020 15:40:44	1	1	1	1	63.75	61	0	29241.706	546.2365591	15972.33169	30000	0	0	30000	41.5	2004
12.02.2020 15:40:45	1	1	1	1	63.75	61.5	0	29241.706	546.2365591	15909.54801	30000	0	0	30000	41.3125	2004
12.02.2020 15:40:46	1	1	1	1	63.75	61.25	0	29099.526	546.2365591	15832.08763	30000	0	0	30000	41.25	2004
12.02.2020 15:40:47	1	1	1	1	63.75	61.25	0	29241.706	546.2365591	15972.33169	30000	0	0	30000	41.125	2004
12.02.2020 15:40:48	1	1	1	1	63.75	61	0	29336.493	546.2365591	16087.29921	30000	0	0	30000	41.5	2004
12.02.2020 15:40:49	1	1	1	1	63.75	61.5	0	29289.1	550.5376344	15909.54801	30000	0	0	30000	41.5625	2004
12.02.2020 15:40:50	1	1	1	1	64	61.5	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	41.5	2004
12.02.2020 15:40:51	1	1	1	1	64	61.5	0	29146.919	544.0860215	15858.17955	30000	0	0	30000	41.6875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 15:40:52	1	1	1	1	64	61.5	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	41.1875	2004
12.02.2020 15:40:53	1	1	1	1	64	61	0	29336.493	546.2365591	16150.89827	30000	0	0	30000	41.0625	2004
12.02.2020 15:40:54	1	1	1	1	64	61	0	29336.493	550.5376344	16087.29921	30000	0	0	30000	41.5	2004
12.02.2020 15:40:55	1	1	1	1	64	61.5	0	29289.1	544.0860215	16061.20729	30000	0	0	30000	41.1875	2004
12.02.2020 15:40:56	1	1	1	1	64	61	0	29336.493	546.2365591	16061.20729	30000	0	0	30000	41.4375	2004
12.02.2020 15:40:58	1	1	1	1	64	61.25	0	29146.919	552.688172	15832.08763	30000	0	0	30000	41.3125	2004
12.02.2020 15:41:01	1	1	1	1	64	61.5	0	29336.493	546.2365591	16087.29921	30000	0	0	30000	40.5	2004
12.02.2020 15:41:01	1	1	1	1	64	61.5	0	29336.493	546.2365591	16087.29921	30000	0	0	30000	40.5	2004
12.02.2020 15:41:01	1	1	1	1	64	60.5	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	41.3125	2004
12.02.2020 15:41:02	1	1	1	1	64	61.25	0	29146.919	548.3870968	15983.74691	30000	0	0	30000	41.1875	2004
12.02.2020 15:41:03	1	1	1	1	64	61	0	29146.919	546.2365591	15894.87131	30000	0	0	30000	41.4375	2004
12.02.2020 15:41:04	1	1	1	1	64	61.25	0	29336.493	550.5376344	16276.46563	30000	0	0	30000	41.75	2004
12.02.2020 15:41:05	1	1	1	1	64	61.75	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	41.5625	2004
12.02.2020 15:41:06	1	1	1	1	64	61.5	0	29052.133	546.2365591	15832.08763	30000	0	0	30000	41.375	2004
12.02.2020 15:41:07	1	1	1	1	64	61.75	0	29146.919	544.0860215	16046.53059	30000	0	0	30000	41.1875	2004
12.02.2020 15:41:08	1	1	1	1	64	61	0	29052.133	546.2365591	15868.77939	30000	0	0	30000	40.9375	2004
12.02.2020 15:41:09	1	1	1	1	64	60.75	0	29241.706	546.2365591	16124.80635	30000	0	0	30000	41.25	2004
12.02.2020 15:41:10	1	1	1	1	64	61.25	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	41.4375	2004
12.02.2020 15:41:11	1	1	1	1	64	61.25	0	29146.919	550.5376344	16161.49811	30000	0	0	30000	41.25	2004
12.02.2020 15:41:12	1	1	1	1	64	61.25	0	29146.919	550.5376344	15920.96323	30000	0	0	30000	41.3125	2004
12.02.2020 15:41:13	1	1	1	1	64	61.25	0	29099.526	550.5376344	15957.65499	30000	0	0	30000	41.3125	2004
12.02.2020 15:41:14	1	1	1	1	64	61.25	0	29241.706	546.2365591	15972.33169	30000	0	0	30000	41.25	2004
12.02.2020 15:41:15	1	1	1	1	64	61.25	0	29241.706	548.3870968	16098.71443	30000	0	0	30000	41.375	2004
12.02.2020 15:41:16	1	1	1	1	64	61.25	0	29241.706	541.9354839	16150.89827	30000	0	0	30000	41.5625	2004
12.02.2020 15:41:17	1	1	1	1	64	61.5	0	29099.526	544.0860215	15920.96323	30000	0	0	30000	41.5625	2004
12.02.2020 15:41:18	1	1	1	1	64	61.5	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	41.5	2004
12.02.2020 15:41:19	1	1	1	1	64	61.5	0	29146.919	546.2365591	15858.17955	30000	0	0	30000	41.125	2004
12.02.2020 15:41:20	1	1	1	1	63.5	61	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	41.5	2004
12.02.2020 15:41:21	1	1	1	1	63.5	61.5	0	29099.526	546.2365591	15894.87131	30000	0	0	30000	41.5	2004
12.02.2020 15:41:29	1	1	1	1	63.5	61.5	0	29146.919	548.3870968	16046.53059	30000	0	0	30000	41.25	2004
12.02.2020 15:41:29	1	1	1	1	63.5	61.5	0	29146.919	548.3870968	16046.53059	30000	0	0	30000	41.25	2004
12.02.2020 15:41:29	1	1	1	1	63.5	61.5	0	29146.919	548.3870968	16046.53059	30000	0	0	30000	41.25	2004
12.02.2020 15:41:29	1	1	1	1	63.5	61.5	0	29146.919	548.3870968	16046.53059	30000	0	0	30000	41.25	2004
12.02.2020 15:41:29	1	1	1	1	63.5	61.5	0	29146.919	548.3870968	16046.53059	30000	0	0	30000	41.25	2004
12.02.2020 15:41:29	1	1	1	1	63.5	61.5	0	29146.919	548.3870968	16046.53059	30000	0	0	30000	41.25	2004
12.02.2020 15:41:29	1	1	1	1	63.5	61.5	0	29146.919	548.3870968	16046.53059	30000	0	0	30000	41.25	2004
12.02.2020 15:41:30	1	1	1	1	63.5	61.25	0	29146.919	548.3870968	16161.49811	30000	0	0	30000	40.6875	2004
12.02.2020 15:41:31	1	1	1	1	63.5	60.5	0	29241.706	546.2365591	15983.74691	30000	0	0	30000	41	2004
12.02.2020 15:41:32	1	1	1	1	63.5	61	0	29241.706	550.5376344	15983.74691	30000	0	0	30000	41.1875	2004
12.02.2020 15:41:33	1	1	1	1	63.5	61	0	29241.706	550.5376344	15983.74691	30000	0	0	30000	41.4375	2004
12.02.2020 15:41:34	1	1	1	1	63.5	61.25	0	29241.706	550.5376344	16098.71443	30000	0	0	30000	41.125	2004
12.02.2020 15:41:35	1	1	1	1	63.5	61	0	29146.919	546.2365591	15770.11932	30000	0	0	30000	41.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 15:41:36	1	1	1	1	63.5	61.25	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	41.375	2004
12.02.2020 15:41:37	1	1	1	1	63.5	61.25	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	41	2004
12.02.2020 15:41:39	1	1	1	1	63.5	61	0	29099.526	550.5376344	15931.56307	30000	0	0	30000	41.3125	2004
12.02.2020 15:41:40	1	1	1	1	63.5	61.25	0	29241.706	550.5376344	15920.96323	30000	0	0	30000	41.25	2004
12.02.2020 15:41:41	1	1	1	1	63.75	61.25	0	29336.493	556.9892473	16098.71443	30000	0	0	30000	41.375	2004
12.02.2020 15:41:42	1	1	1	1	63.75	61.25	0	29099.526	550.5376344	15957.65499	30000	0	0	30000	41.3125	2004
12.02.2020 15:41:43	1	1	1	1	63.75	61.25	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	40.875	2004
12.02.2020 15:41:44	1	1	1	1	63.75	60.75	0	29289.1	550.5376344	16124.80635	30000	0	0	30000	40.9375	2004
12.02.2020 15:41:45	1	1	1	1	63.75	60.75	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	41.75	2004
12.02.2020 15:41:46	1	1	1	1	63.75	61.75	0	29146.919	548.3870968	15983.74691	30000	0	0	30000	41.6875	2004
12.02.2020 15:41:47	1	1	1	1	63.75	61.5	0	29099.526	546.2365591	15931.56307	30000	0	0	30000	41.1875	2004
12.02.2020 15:41:48	1	1	1	1	63.75	61	0	29146.919	544.0860215	16046.53059	30000	0	0	30000	41.6875	2004
12.02.2020 15:41:49	1	1	1	1	63.75	61.25	0	29146.919	550.5376344	15858.17955	30000	0	0	30000	41.3125	2004
12.02.2020 15:41:50	1	1	1	1	63.25	61.25	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	41	2004
12.02.2020 15:41:51	1	1	1	1	63.25	61	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	41.125	2004
12.02.2020 15:41:52	1	1	1	1	63.25	61	0	28957.346	537.6344086	15832.08763	30000	0	0	30000	41.1875	2004
12.02.2020 15:41:53	1	1	1	1	63.25	61	0	29146.919	550.5376344	15858.17955	30000	0	0	30000	41.375	2004
12.02.2020 15:41:54	1	1	1	1	63.25	61.25	0	29146.919	550.5376344	16108.4989	30000	0	0	30000	41.3125	2004
12.02.2020 15:41:55	1	1	1	1	63.25	61.25	0	29146.919	548.3870968	15920.96323	30000	0	0	30000	40.5	2004
12.02.2020 15:41:56	1	1	1	1	63.25	60.5	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	41.3125	2004
12.02.2020 15:41:57	1	1	1	1	63.25	61.25	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	41.375	2004
12.02.2020 15:41:58	1	1	1	1	63.25	61.25	0	29289.1	550.5376344	16061.20729	30000	0	0	30000	40.9375	2004
12.02.2020 15:41:59	1	1	1	1	63.25	60.75	0	29241.706	552.688172	16046.53059	30000	0	0	30000	41.5	2004
12.02.2020 15:42:00	1	1	1	1	63.25	61.5	0	29099.526	550.5376344	16020.43867	30000	0	0	30000	40.6875	2004
12.02.2020 15:42:01	1	1	1	1	63.25	60.5	0	29146.919	548.3870968	15894.87131	30000	0	0	30000	41.25	2004
12.02.2020 15:42:02	1	1	1	1	63.25	61.25	0	29099.526	544.0860215	15920.96323	30000	0	0	30000	41.125	2004
12.02.2020 15:42:03	1	1	1	1	63.25	61	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	41.5	2004
12.02.2020 15:42:04	1	1	1	1	63.25	61.5	0	29052.133	539.7849462	15983.74691	30000	0	0	30000	41.0625	2004
12.02.2020 15:42:05	1	1	1	1	63.25	61	0	29004.739	546.2365591	15957.65499	30000	0	0	30000	41.1875	2004
12.02.2020 15:42:06	1	1	1	1	63.25	61	0	29099.526	550.5376344	16020.43867	30000	0	0	30000	41.375	2004
12.02.2020 15:42:07	1	1	1	1	63.25	61.25	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	41.25	2004
12.02.2020 15:42:08	1	1	1	1	63.25	61.25	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	41.4375	2004
12.02.2020 15:42:09	1	1	1	1	63.25	61.25	0	29099.526	546.2365591	15920.96323	30000	0	0	30000	41.25	2004
12.02.2020 15:42:10	1	1	1	1	63.25	61.25	0	29146.919	548.3870968	16046.53059	30000	0	0	30000	41.125	2004
12.02.2020 15:42:11	1	1	1	1	63.25	61	0	29099.526	546.2365591	15894.87131	30000	0	0	30000	41.25	2004
12.02.2020 15:42:12	1	1	1	1	63.25	61.25	0	29146.919	546.2365591	15983.74691	30000	0	0	30000	40.9375	2004
12.02.2020 15:42:13	1	1	1	1	63.25	60.75	0	29336.493	550.5376344	16150.89827	30000	0	0	30000	41.1875	2004
12.02.2020 15:42:14	1	1	1	1	63.25	61	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	41.5	2004
12.02.2020 15:42:15	1	1	1	1	63.25	61.5	0	29241.706	550.5376344	16098.71443	30000	0	0	30000	41.3125	2004
12.02.2020 15:42:16	1	1	1	1	63.25	61.25	0	29336.493	550.5376344	16124.80635	30000	0	0	30000	40.9375	2004
12.02.2020 15:42:17	1	1	1	1	63.25	60.75	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	41	2004
12.02.2020 15:42:19	1	1	1	1	63.25	61	0	29241.706	546.2365591	16124.80635	30000	0	0	30000	41.1875	2004
12.02.2020 15:42:20	1	1	1	1	63.25	61	0	29146.919	552.688172	16046.53059	30000	0	0	30000	41.0625	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 15:43:05	1	1	1	1	63	61.25	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	41.5	2004
12.02.2020 15:43:06	1	1	1	1	63	61.5	0	29052.133	546.2365591	15994.34675	30000	0	0	30000	41.5	2004
12.02.2020 15:43:07	1	1	1	1	63	61.5	0	29099.526	550.5376344	16020.43867	30000	0	0	30000	41.1875	2004
12.02.2020 15:43:08	1	1	1	1	63	61	0	29099.526	550.5376344	16020.43867	30000	0	0	30000	41.1875	2004
12.02.2020 15:43:09	1	1	1	1	63	61	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	41.4375	2004
12.02.2020 15:43:10	1	1	1	1	62.5	61.25	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	41.125	2004
12.02.2020 15:43:11	1	1	1	1	62.5	61	0	29099.526	550.5376344	16020.43867	30000	0	0	30000	41.625	2004
12.02.2020 15:43:12	1	1	1	1	62.5	61.5	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	41.3125	2004
12.02.2020 15:43:13	1	1	1	1	62.5	61.25	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	41.375	2004
12.02.2020 15:43:14	1	1	1	1	62.5	61.25	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	41.1875	2004
12.02.2020 15:43:15	1	1	1	1	62.5	61	0	29052.133	550.5376344	15879.37923	30000	0	0	30000	40.4375	2004
12.02.2020 15:43:16	1	1	1	1	62.5	60.25	0	29146.919	552.688172	15931.56307	30000	0	0	30000	41.25	2004
12.02.2020 15:43:17	1	1	1	1	62.5	61.25	0	28957.346	550.5376344	15879.37923	30000	0	0	30000	41.25	2004
12.02.2020 15:43:18	1	1	1	1	62.5	61.25	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	41.1875	2004
12.02.2020 15:43:19	1	1	1	1	62.5	61	0	29146.919	559.1397849	16108.4989	30000	0	0	30000	41.25	2004
12.02.2020 15:43:20	1	1	1	1	62.25	61.25	0	29099.526	550.5376344	16020.43867	30000	0	0	30000	41.3125	2004
12.02.2020 15:43:21	1	1	1	1	62.25	61.25	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	41.3125	2004
12.02.2020 15:43:22	1	1	1	1	62.25	61.25	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	41.5	2004
12.02.2020 15:43:23	1	1	1	1	62.25	61.5	0	28957.346	550.5376344	16030.22314	30000	0	0	30000	40.9375	2004
12.02.2020 15:43:24	1	1	1	1	62.25	60.75	0	29099.526	544.0860215	15957.65499	30000	0	0	30000	41.4375	2004
12.02.2020 15:43:32	1	1	1	1	62.75	61.25	0	29241.706	548.3870968	15732.61218	30000	0	0	30000	41.0625	2004
12.02.2020 15:43:32	1	1	1	1	62.75	61.25	0	29241.706	548.3870968	15732.61218	30000	0	0	30000	41.0625	2004
12.02.2020 15:43:32	1	1	1	1	62.75	61.25	0	29241.706	548.3870968	15732.61218	30000	0	0	30000	41.0625	2004
12.02.2020 15:43:32	1	1	1	1	62.75	61.25	0	29241.706	548.3870968	15732.61218	30000	0	0	30000	41.0625	2004
12.02.2020 15:43:32	1	1	1	1	62.75	61.25	0	29241.706	548.3870968	15732.61218	30000	0	0	30000	41.0625	2004
12.02.2020 15:43:32	1	1	1	1	62.75	61.25	0	29241.706	548.3870968	15732.61218	30000	0	0	30000	41.0625	2004
12.02.2020 15:43:32	1	1	1	1	62.75	61	0	29336.493	550.5376344	16150.89827	30000	0	0	30000	41.625	2004
12.02.2020 15:43:33	1	1	1	1	62.75	61.5	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	41	2004
12.02.2020 15:43:34	1	1	1	1	62.75	61	0	29289.1	550.5376344	16035.11538	30000	0	0	30000	41.125	2004
12.02.2020 15:43:36	1	1	1	1	62.75	61	0	28862.559	544.0860215	15729.35069	30000	0	0	30000	41.375	2004
12.02.2020 15:43:37	1	1	1	1	62.75	61.25	0	29146.919	550.5376344	16108.4989	30000	0	0	30000	41.4375	2004
12.02.2020 15:43:38	1	1	1	1	62.75	61.25	0	29099.526	550.5376344	16020.43867	30000	0	0	30000	41.3125	2004
12.02.2020 15:43:39	1	1	1	1	62.75	61.25	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	41.375	2004
12.02.2020 15:43:40	1	1	1	1	62.75	61.25	0	29052.133	546.2365591	15692.65893	30000	0	0	30000	41.375	2004
12.02.2020 15:43:41	1	1	1	1	62.75	61.25	0	28957.346	546.2365591	15817.41092	30000	0	0	30000	41.625	2004
12.02.2020 15:43:42	1	1	1	1	62.75	61.5	0	29099.526	550.5376344	16046.53059	30000	0	0	30000	41.3125	2004
12.02.2020 15:43:43	1	1	1	1	62.75	61.25	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	41.625	2004
12.02.2020 15:43:44	1	1	1	1	62.75	61.5	0	29099.526	546.2365591	15931.56307	30000	0	0	30000	41.25	2004
12.02.2020 15:43:45	1	1	1	1	62.75	61.25	0	29099.526	550.5376344	16020.43867	30000	0	0	30000	41.5	2004
12.02.2020 15:43:46	1	1	1	1	62.75	61.5	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	41.5	2004
12.02.2020 15:43:47	1	1	1	1	62.75	61.5	0	29052.133	546.2365591	15879.37923	30000	0	0	30000	41.375	2004
12.02.2020 15:43:48	1	1	1	1	62.75	61.25	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	41.375	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 15:43:49	1	1	1	1	62.75	61.25	0	28957.346	546.2365591	15879.37923	30000	0	0	30000	41.4375	2004
12.02.2020 15:43:50	1	1	1	1	62.25	61.25	0	29099.526	550.5376344	15957.65499	30000	0	0	30000	41.25	2004
12.02.2020 15:43:51	1	1	1	1	62.25	61.25	0	29099.526	550.5376344	16020.43867	30000	0	0	30000	40.875	2004
12.02.2020 15:43:52	1	1	1	1	62.25	60.75	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	41.4375	2004
12.02.2020 15:43:53	1	1	1	1	62.25	61.25	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	41.1875	2004
12.02.2020 15:43:54	1	1	1	1	62.25	61	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	41.125	2004
12.02.2020 15:43:55	1	1	1	1	62.25	61	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	40.9375	2004
12.02.2020 15:43:56	1	1	1	1	62.25	60.75	0	29099.526	550.5376344	16046.53059	30000	0	0	30000	41.25	2004
12.02.2020 15:43:57	1	1	1	1	62.25	61.25	0	28957.346	548.3870968	15879.37923	30000	0	0	30000	41.5	2004
12.02.2020 15:43:58	1	1	1	1	62.25	61.5	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	41.375	2004
12.02.2020 15:43:59	1	1	1	1	62.25	61.25	0	29146.919	550.5376344	16108.4989	30000	0	0	30000	41.3125	2004
12.02.2020 15:44:00	1	1	1	1	62.25	61.25	0	29146.919	550.5376344	16108.4989	30000	0	0	30000	41.4375	2004
12.02.2020 15:44:01	1	1	1	1	62.25	61.25	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	40.6875	2004
12.02.2020 15:44:02	1	1	1	1	62.25	60.5	0	28957.346	552.688172	16004.13122	30000	0	0	30000	41.4375	2004
12.02.2020 15:44:03	1	1	1	1	62.25	61.25	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	41.4375	2004
12.02.2020 15:44:04	1	1	1	1	62.25	61.25	0	29146.919	552.688172	16108.4989	30000	0	0	30000	41	2004
12.02.2020 15:44:05	1	1	1	1	62.25	61	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	41.25	2004
12.02.2020 15:44:06	1	1	1	1	62.25	61.25	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	41.25	2004
12.02.2020 15:44:07	1	1	1	1	62.25	61.25	0	29146.919	550.5376344	16108.4989	30000	0	0	30000	41.25	2004
12.02.2020 15:44:08	1	1	1	1	62.25	61.25	0	29241.706	550.5376344	16161.49811	30000	0	0	30000	41.0625	2004
12.02.2020 15:44:09	1	1	1	1	62.25	61	0	29099.526	550.5376344	16020.43867	30000	0	0	30000	41.3125	2004
12.02.2020 15:44:10	1	1	1	1	62.5	61.25	0	29099.526	550.5376344	15931.56307	30000	0	0	30000	40.875	2004
12.02.2020 15:44:11	1	1	1	1	62.5	60.75	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	40.625	2004
12.02.2020 15:44:12	1	1	1	1	62.5	60.5	0	29146.919	548.3870968	16046.53059	30000	0	0	30000	41.25	2004
12.02.2020 15:44:14	1	1	1	1	62.5	61.25	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	41.3125	2004
12.02.2020 15:44:15	1	1	1	1	62.5	61.25	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	41.0625	2004
12.02.2020 15:44:16	1	1	1	1	62.5	61	0	29289.1	550.5376344	15909.54801	30000	0	0	30000	41.3125	2004
12.02.2020 15:44:17	1	1	1	1	62.5	61.25	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	41.5	2004
12.02.2020 15:44:18	1	1	1	1	62.5	61.5	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	41.0625	2004
12.02.2020 15:44:19	1	1	1	1	62.5	61	0	29146.919	548.3870968	16046.53059	30000	0	0	30000	40.875	2004
12.02.2020 15:44:20	1	1	1	1	62.5	60.75	0	29099.526	550.5376344	15994.34675	30000	0	0	30000	41.5	2004
12.02.2020 15:44:21	1	1	1	1	62.25	61.5	0	29052.133	548.3870968	15931.56307	30000	0	0	30000	41.5625	2004
12.02.2020 15:44:22	1	1	1	1	62.25	61.5	0	28957.346	546.2365591	15942.16291	30000	0	0	30000	40.75	2004
12.02.2020 15:44:23	1	1	1	1	62.25	60.75	0	29146.919	550.5376344	16020.43867	30000	0	0	30000	41	2004
12.02.2020 15:44:24	1	1	1	1	62.25	61.5	0	29099.526	550.5376344	16046.53059	30000	0	0	30000	41	2004
12.02.2020 15:44:25	1	1	1	1	62.25	61	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	41.4375	2004
12.02.2020 15:44:26	1	1	1	1	62.25	61.25	0	29146.919	550.5376344	16108.4989	30000	0	0	30000	41.4375	2004
12.02.2020 15:44:34	1	1	1	1	62	61.25	0	29052.133	550.5376344	16082.40698	30000	0	0	30000	41.375	2004
12.02.2020 15:44:34	1	1	1	1	62	61.25	0	29052.133	550.5376344	16082.40698	30000	0	0	30000	41.375	2004
12.02.2020 15:44:34	1	1	1	1	62	61.25	0	29052.133	550.5376344	16082.40698	30000	0	0	30000	41.375	2004
12.02.2020 15:44:34	1	1	1	1	62	61.25	0	29052.133	550.5376344	16082.40698	30000	0	0	30000	41.375	2004
12.02.2020 15:44:34	1	1	1	1	62	61.25	0	29052.133	550.5376344	16082.40698	30000	0	0	30000	41.375	2004
12.02.2020 15:44:34	1	1	1	1	62	61.25	0	29052.133	550.5376344	16082.40698	30000	0	0	30000	41.375	2004
12.02.2020 15:44:34	1	1	1	1	62	61.25	0	29052.133	550.5376344	16082.40698	30000	0	0	30000	41.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 15:44:34	1	1	1	1	62	61.25	0	29052.133	550.5376344	16082.40698	30000	0	0	30000	41.375	2004
12.02.2020 15:44:34	1	1	1	1	62	61.25	0	29052.133	550.5376344	16082.40698	30000	0	0	30000	41.375	2004
12.02.2020 15:44:35	1	1	1	1	62	61.25	0	29052.133	550.5376344	16056.31506	30000	0	0	30000	41.375	2004
12.02.2020 15:44:36	1	1	1	1	62	61.25	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	41	2004
12.02.2020 15:44:37	1	1	1	1	62	61	0	28957.346	546.2365591	15879.37923	30000	0	0	30000	41.3125	2004
12.02.2020 15:44:38	1	1	1	1	62	61.25	0	29146.919	550.5376344	16108.4989	30000	0	0	30000	41.3125	2004
12.02.2020 15:44:39	1	1	1	1	62	61.25	0	28957.346	550.5376344	15879.37923	30000	0	0	30000	41.125	2004
12.02.2020 15:44:40	1	1	1	1	62.25	61	0	28957.346	550.5376344	15579.32215	30000	0	0	30000	41.3125	2004
12.02.2020 15:44:41	1	1	1	1	62.25	61.25	0	29052.133	550.5376344	16056.31506	30000	0	0	30000	41.125	2004
12.02.2020 15:44:42	1	1	1	1	62.25	61	0	28957.346	550.5376344	16056.31506	30000	0	0	30000	41.0625	2004
12.02.2020 15:44:43	1	1	1	1	62.25	61	0	29099.526	550.5376344	15994.34675	30000	0	0	30000	41.375	2004
12.02.2020 15:44:44	1	1	1	1	62.25	61.25	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	41.3125	2004
12.02.2020 15:44:45	1	1	1	1	62.25	61.25	0	29052.133	546.2365591	15931.56307	30000	0	0	30000	40.8125	2004
12.02.2020 15:44:46	1	1	1	1	62.25	60.75	0	29146.919	550.5376344	16108.4989	30000	0	0	30000	41.1875	2004
12.02.2020 15:44:47	1	1	1	1	62.25	61	0	28909.953	550.5376344	15942.16291	30000	0	0	30000	41.1875	2004
12.02.2020 15:44:48	1	1	1	1	62.25	61	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	41.25	2004
12.02.2020 15:44:49	1	1	1	1	62.25	61.25	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	41.375	2004
12.02.2020 15:44:50	1	1	1	1	61.75	61.25	0	29052.133	550.5376344	15942.16291	30000	0	0	30000	41.375	2004
12.02.2020 15:44:52	1	1	1	1	61.75	61.25	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	41	2004
12.02.2020 15:44:53	1	1	1	1	61.75	61	0	29146.919	550.5376344	15983.74691	30000	0	0	30000	41.4375	2004
12.02.2020 15:44:54	1	1	1	1	61.75	61.25	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	41.4375	2004
12.02.2020 15:44:55	1	1	1	1	61.75	61.25	0	29099.526	550.5376344	16020.43867	30000	0	0	30000	40.9375	2004
12.02.2020 15:44:56	1	1	1	1	61.75	60.75	0	29052.133	546.2365591	16020.43867	30000	0	0	30000	41.4375	2004
12.02.2020 15:44:57	1	1	1	1	61.75	61.25	0	29099.526	548.3870968	16020.43867	30000	0	0	30000	41.1875	2004
12.02.2020 15:44:58	1	1	1	1	61.75	61	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	41.0625	2004
12.02.2020 15:44:59	1	1	1	1	61.75	61	0	29099.526	550.5376344	15931.56307	30000	0	0	30000	41.3125	2004
12.02.2020 15:45:00	1	1	1	1	61.75	61.25	0	29099.526	554.8387097	15754.62724	30000	0	0	30000	41.625	2004
12.02.2020 15:45:01	1	1	1	1	62.25	61.5	0	29052.133	550.5376344	15879.37923	30000	0	0	30000	41.1875	2004
12.02.2020 15:45:02	1	1	1	1	62.25	61.25	0	29052.133	550.5376344	15994.34675	30000	0	0	30000	41.25	2004
12.02.2020 15:45:03	1	1	1	1	62.25	61.25	0	29146.919	552.688172	16020.43867	30000	0	0	30000	40.9375	2004
12.02.2020 15:45:04	1	1	1	1	62.25	60.75	0	29099.526	550.5376344	16020.43867	30000	0	0	30000	41.375	2004
12.02.2020 15:45:05	1	1	1	1	62.25	61.25	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	41.1875	2004
12.02.2020 15:45:06	1	1	1	1	62.25	61	0	29146.919	550.5376344	16020.43867	30000	0	0	30000	40.5625	2004
12.02.2020 15:45:07	1	1	1	1	62.25	60.5	0	29052.133	550.5376344	15942.16291	30000	0	0	30000	41.25	2004
12.02.2020 15:45:08	1	1	1	1	62.25	61.25	0	28957.346	541.9354839	16056.31506	30000	0	0	30000	41.4375	2004
12.02.2020 15:45:09	1	1	1	1	62.25	61.25	0	29146.919	550.5376344	16234.06626	30000	0	0	30000	40.625	2004
12.02.2020 15:45:10	1	1	1	1	62.25	60.5	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	41.3125	2004
12.02.2020 15:45:11	1	1	1	1	62.25	61.25	0	29052.133	552.688172	15942.16291	30000	0	0	30000	41	2004
12.02.2020 15:45:12	1	1	1	1	62.25	61	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	41.1875	2004
12.02.2020 15:45:13	1	1	1	1	62.25	61	0	29052.133	552.688172	15942.16291	30000	0	0	30000	41.1875	2004
12.02.2020 15:45:14	1	1	1	1	62.25	61	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	41.375	2004
12.02.2020 15:45:15	1	1	1	1	62.25	61.25	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	41.5	2004
12.02.2020 15:45:16	1	1	1	1	62.25	61.5	0	28909.953	550.5376344	15942.16291	30000	0	0	30000	41.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 15:45:17	1	1	1	1	62.25	61	0	29099.526	550.5376344	16020.43867	30000	0	0	30000	41.375	2004
12.02.2020 15:45:18	1	1	1	1	62.25	61.25	0	28862.559	544.0860215	15951.94738	30000	0	0	30000	41.3125	2004
12.02.2020 15:45:19	1	1	1	1	62.25	61.25	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	41.4375	2004
12.02.2020 15:45:20	1	1	1	1	61.75	61.25	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	41.4375	2004
12.02.2020 15:45:21	1	1	1	1	61.75	61.25	0	29099.526	552.688172	16082.40698	30000	0	0	30000	41.4375	2004
12.02.2020 15:45:22	1	1	1	1	61.75	61.25	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	41.125	2004
12.02.2020 15:45:23	1	1	1	1	61.75	61	0	28957.346	552.688172	16004.13122	30000	0	0	30000	41.375	2004
12.02.2020 15:45:24	1	1	1	1	61.75	61.25	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	41.375	2004
12.02.2020 15:45:25	1	1	1	1	61.75	61.25	0	28862.559	554.8387097	15951.94738	30000	0	0	30000	40.8125	2004
12.02.2020 15:45:26	1	1	1	1	61.75	60.75	0	28909.953	554.8387097	16004.13122	30000	0	0	30000	41.25	2004
12.02.2020 15:45:27	1	1	1	1	61.75	61.25	0	29099.526	552.688172	16145.19066	30000	0	0	30000	41.1875	2004
12.02.2020 15:45:36	1	1	1	1	61.75	61.25	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	40.75	2004
12.02.2020 15:45:36	1	1	1	1	61.75	61.25	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	40.75	2004
12.02.2020 15:45:36	1	1	1	1	61.75	61.25	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	40.75	2004
12.02.2020 15:45:36	1	1	1	1	61.75	61.25	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	40.75	2004
12.02.2020 15:45:36	1	1	1	1	61.75	61.25	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	40.75	2004
12.02.2020 15:45:36	1	1	1	1	61.75	61.25	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	40.75	2004
12.02.2020 15:45:36	1	1	1	1	61.75	61.25	0	28957.346	550.5376344	16082.40698	30000	0	0	30000	41.0625	2004
12.02.2020 15:45:36	1	1	1	1	61.75	60.75	0	29099.526	554.8387097	16082.40698	30000	0	0	30000	41.0625	2004
12.02.2020 15:45:37	1	1	1	1	61.75	61	0	28957.346	550.5376344	15916.07099	30000	0	0	30000	41.0625	2004
12.02.2020 15:45:38	1	1	1	1	61.75	61	0	28957.346	544.0860215	16004.13122	30000	0	0	30000	41.6875	2004
12.02.2020 15:45:39	1	1	1	1	61.75	61.5	0	29099.526	554.8387097	16082.40698	30000	0	0	30000	40.6875	2004
12.02.2020 15:45:40	1	1	1	1	61.75	60.5	0	28957.346	552.688172	16004.13122	30000	0	0	30000	41.3125	2004
12.02.2020 15:45:41	1	1	1	1	61.75	61.25	0	28957.346	552.688172	16004.13122	30000	0	0	30000	41.125	2004
12.02.2020 15:45:42	1	1	1	1	61.75	61	0	28957.346	552.688172	16004.13122	30000	0	0	30000	41.5625	2004
12.02.2020 15:45:43	1	1	1	1	61.75	61.5	0	29099.526	554.8387097	16145.19066	30000	0	0	30000	41.4375	2004
12.02.2020 15:45:44	1	1	1	1	61.75	61.25	0	28957.346	554.8387097	16004.13122	30000	0	0	30000	41.3125	2004
12.02.2020 15:45:45	1	1	1	1	61.75	61.25	0	28957.346	554.8387097	16004.13122	30000	0	0	30000	40.9375	2004
12.02.2020 15:45:46	1	1	1	1	61.75	60.75	0	28957.346	559.1397849	16066.09953	30000	0	0	30000	41.5625	2004
12.02.2020 15:45:47	1	1	1	1	61.75	61.5	0	28957.346	550.5376344	15942.16291	30000	0	0	30000	41.5625	2004
12.02.2020 15:45:48	1	1	1	1	61.75	61.5	0	29052.133	554.8387097	16181.06705	30000	0	0	30000	40.875	2004
12.02.2020 15:45:49	1	1	1	1	61.75	60.75	0	28862.559	552.688172	15889.97907	30000	0	0	30000	41.375	2004
12.02.2020 15:45:50	1	1	1	1	61.5	61.25	0	28957.346	554.8387097	16004.13122	30000	0	0	30000	41.375	2004
12.02.2020 15:45:51	1	1	1	1	61.5	61.25	0	28957.346	552.688172	16004.13122	30000	0	0	30000	41	2004
12.02.2020 15:45:52	1	1	1	1	61.5	61	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	41.4375	2004
12.02.2020 15:45:53	1	1	1	1	61.5	61.25	0	28957.346	556.9892473	15978.0393	30000	0	0	30000	40.875	2004
12.02.2020 15:45:54	1	1	1	1	61.5	60.75	0	29052.133	554.8387097	16207.97434	30000	0	0	30000	41.125	2004
12.02.2020 15:45:55	1	1	1	1	61.5	61	0	28957.346	552.688172	16004.13122	30000	0	0	30000	40.6875	2004
12.02.2020 15:45:56	1	1	1	1	61.5	60.5	0	28957.346	546.2365591	16056.31506	30000	0	0	30000	41.375	2004
12.02.2020 15:45:57	1	1	1	1	61.5	61.25	0	28862.559	552.688172	15951.94738	30000	0	0	30000	41	2004
12.02.2020 15:45:58	1	1	1	1	61.5	61	0	28957.346	554.8387097	16004.13122	30000	0	0	30000	41.125	2004
12.02.2020 15:45:59	1	1	1	1	61.5	61	0	29004.739	554.8387097	16181.06705	30000	0	0	30000	41.375	2004
12.02.2020 15:46:00	1	1	1	1	61.75	61.25	0	28815.166	552.688172	15925.85546	30000	0	0	30000	41.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 15:46:01	1	1	1	1	61.75	61.25	0	28957.346	552.688172	16004.13122	30000	0	0	30000	41.1875	2004
12.02.2020 15:46:02	1	1	1	1	61.75	61	0	28957.346	552.688172	16004.13122	30000	0	0	30000	41.4375	2004
12.02.2020 15:46:03	1	1	1	1	61.75	61.25	0	29052.133	556.9892473	16128.88321	30000	0	0	30000	41.3125	2004
12.02.2020 15:46:04	1	1	1	1	61.75	61.25	0	28957.346	552.688172	16004.13122	30000	0	0	30000	41.5625	2004
12.02.2020 15:46:05	1	1	1	1	61.75	61.5	0	29099.526	550.5376344	16056.31506	30000	0	0	30000	41.375	2004
12.02.2020 15:46:06	1	1	1	1	61.75	61.25	0	29146.919	552.688172	16108.4989	30000	0	0	30000	41.375	2004
12.02.2020 15:46:07	1	1	1	1	61.75	61.25	0	29099.526	550.5376344	16082.40698	30000	0	0	30000	41.5625	2004
12.02.2020 15:46:08	1	1	1	1	61.75	61.5	0	28957.346	552.688172	15765.22708	30000	0	0	30000	41.5	2004
12.02.2020 15:46:10	1	1	1	1	61.75	61.5	0	28957.346	548.3870968	15942.16291	30000	0	0	30000	41.3125	2004
12.02.2020 15:46:11	1	1	1	1	61.5	61.25	0	29052.133	550.5376344	16056.31506	30000	0	0	30000	41.4375	2004
12.02.2020 15:46:12	1	1	1	1	61.5	61.25	0	28957.346	552.688172	16004.13122	30000	0	0	30000	41.4375	2004
12.02.2020 15:46:13	1	1	1	1	61.5	61.25	0	28957.346	552.688172	16004.13122	30000	0	0	30000	41.4375	2004
12.02.2020 15:46:14	1	1	1	1	61.5	61.25	0	28862.559	550.5376344	15889.97907	30000	0	0	30000	41.3125	2004
12.02.2020 15:46:15	1	1	1	1	61.5	61.25	0	28957.346	552.688172	16004.13122	30000	0	0	30000	41	2004
12.02.2020 15:46:16	1	1	1	1	61.5	61	0	29099.526	554.8387097	16207.97434	30000	0	0	30000	41.375	2004
12.02.2020 15:46:17	1	1	1	1	61.5	61.25	0	28957.346	552.688172	16004.13122	30000	0	0	30000	41.4375	2004
12.02.2020 15:46:18	1	1	1	1	61.5	61.25	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	40.6875	2004
12.02.2020 15:46:19	1	1	1	1	61.5	60.5	0	29099.526	556.9892473	16056.31506	30000	0	0	30000	41.5	2004
12.02.2020 15:46:20	1	1	1	1	61.5	61.5	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	41.6875	2004
12.02.2020 15:46:21	1	1	1	1	61.75	61.5	0	28957.346	554.8387097	16004.13122	30000	0	0	30000	41.4375	2004
12.02.2020 15:46:22	1	1	1	1	61.75	61.25	0	28957.346	552.688172	16004.13122	30000	0	0	30000	41.4375	2004
12.02.2020 15:46:23	1	1	1	1	61.75	61.5	0	28957.346	550.5376344	15994.34675	30000	0	0	30000	41.3125	2004
12.02.2020 15:46:24	1	1	1	1	61.75	61.25	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	41.3125	2004
12.02.2020 15:46:25	1	1	1	1	61.75	61.25	0	28957.346	552.688172	15978.0393	30000	0	0	30000	40.8125	2004
12.02.2020 15:46:26	1	1	1	1	61.75	60.75	0	28862.559	550.5376344	15889.97907	30000	0	0	30000	41.3125	2004
12.02.2020 15:46:27	1	1	1	1	61.75	61.25	0	28909.953	550.5376344	16004.13122	30000	0	0	30000	41.125	2004
12.02.2020 15:46:28	1	1	1	1	61.75	61	0	29052.133	554.8387097	16004.13122	30000	0	0	30000	41.4375	2004
12.02.2020 15:46:29	1	1	1	1	61.75	61.25	0	28862.559	550.5376344	15703.25877	30000	0	0	30000	41.0625	2004
12.02.2020 15:46:37	1	1	1	1	61.75	61.25	0	28862.559	550.5376344	15889.97907	30000	0	0	30000	41.3125	2004
12.02.2020 15:46:37	1	1	1	1	61.75	61.25	0	28862.559	550.5376344	15889.97907	30000	0	0	30000	41.3125	2004
12.02.2020 15:46:37	1	1	1	1	61.75	61.25	0	28862.559	550.5376344	15889.97907	30000	0	0	30000	41.3125	2004
12.02.2020 15:46:37	1	1	1	1	61.75	61.25	0	28862.559	550.5376344	15889.97907	30000	0	0	30000	41.3125	2004
12.02.2020 15:46:37	1	1	1	1	61.75	61.25	0	28862.559	550.5376344	15889.97907	30000	0	0	30000	41.3125	2004
12.02.2020 15:46:37	1	1	1	1	61.75	61.25	0	28862.559	550.5376344	15889.97907	30000	0	0	30000	41.3125	2004
12.02.2020 15:46:37	1	1	1	1	61.75	61.25	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	41.4375	2004
12.02.2020 15:46:38	1	1	1	1	61.75	61.25	0	28862.559	550.5376344	15889.97907	30000	0	0	30000	41.25	2004
12.02.2020 15:46:39	1	1	1	1	61.75	61.25	0	28862.559	550.5376344	15863.88715	30000	0	0	30000	41.3125	2004
12.02.2020 15:46:40	1	1	1	1	61.75	61.25	0	29146.919	556.9892473	16234.06626	30000	0	0	30000	41.25	2004
12.02.2020 15:46:41	1	1	1	1	61.75	61.25	0	29146.919	554.8387097	16108.4989	30000	0	0	30000	41.0625	2004
12.02.2020 15:46:42	1	1	1	1	61.75	61	0	28862.559	550.5376344	15951.94738	30000	0	0	30000	40.9375	2004
12.02.2020 15:46:43	1	1	1	1	61.75	60.75	0	28957.346	554.8387097	16066.09953	30000	0	0	30000	41.5	2004
12.02.2020 15:46:44	1	1	1	1	61.75	61.5	0	28957.346	552.688172	16066.09953	30000	0	0	30000	41.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 15:46:45	1	1	1	1	61.75	61.25	0	28862.559	552.688172	15951.94738	30000	0	0	30000	40.875	2004
12.02.2020 15:46:46	1	1	1	1	61.75	60.75	0	29052.133	552.688172	16181.06705	30000	0	0	30000	41.25	2004
12.02.2020 15:46:48	1	1	1	1	61.75	61.25	0	28957.346	556.9892473	16315.60351	30000	0	0	30000	41.4375	2004
12.02.2020 15:46:49	1	1	1	1	61.75	61.25	0	28957.346	554.8387097	16066.09953	30000	0	0	30000	41.125	2004
12.02.2020 15:46:50	1	1	1	1	61.75	61	0	28815.166	550.5376344	15925.85546	30000	0	0	30000	41.4375	2004
12.02.2020 15:46:51	1	1	1	1	61.25	61.25	0	28862.559	552.688172	15951.94738	30000	0	0	30000	41.1875	2004
12.02.2020 15:46:52	1	1	1	1	61.25	61	0	28957.346	552.688172	16004.13122	30000	0	0	30000	40.6875	2004
12.02.2020 15:46:53	1	1	1	1	61.25	60.5	0	28862.559	550.5376344	15951.94738	30000	0	0	30000	41.375	2004
12.02.2020 15:46:54	1	1	1	1	61.25	61.25	0	28957.346	548.3870968	16128.88321	30000	0	0	30000	41.25	2004
12.02.2020 15:46:55	1	1	1	1	61.25	61.25	0	28957.346	550.5376344	16004.13122	30000	0	0	30000	41.5	2004
12.02.2020 15:46:56	1	1	1	1	61.25	61.5	0	28815.166	550.5376344	15863.88715	30000	0	0	30000	41.8125	2004
12.02.2020 15:46:57	1	1	1	1	61.25	61.75	0	28815.166	550.5376344	15863.88715	30000	0	0	30000	41.4375	2004
12.02.2020 15:46:58	1	1	1	1	61.25	61.25	0	28862.559	554.8387097	15951.94738	30000	0	0	30000	41.3125	2004
12.02.2020 15:46:59	1	1	1	1	61.25	61.25	0	28815.166	554.8387097	16013.91569	30000	0	0	30000	41.375	2004
12.02.2020 15:47:00	1	1	1	1	61.5	61.25	0	29052.133	559.1397849	16004.13122	30000	0	0	30000	41.3125	2004
12.02.2020 15:47:01	1	1	1	1	61.5	61.25	0	28957.346	552.688172	16004.13122	30000	0	0	30000	41.25	2004
12.02.2020 15:47:02	1	1	1	1	61.5	61.25	0	28957.346	552.688172	16004.13122	30000	0	0	30000	41.4375	2004
12.02.2020 15:47:03	1	1	1	1	61.5	61.25	0	28815.166	550.5376344	15987.82377	30000	0	0	30000	41.1875	2004
12.02.2020 15:47:04	1	1	1	1	61.5	61	0	28957.346	554.8387097	16004.13122	30000	0	0	30000	40.9375	2004
12.02.2020 15:47:05	1	1	1	1	61.5	60.75	0	29052.133	546.2365591	16082.40698	30000	0	0	30000	41.1875	2004
12.02.2020 15:47:06	1	1	1	1	61.5	61	0	28957.346	554.8387097	16004.13122	30000	0	0	30000	41.5625	2004
12.02.2020 15:47:07	1	1	1	1	61.5	61.5	0	28862.559	552.688172	15889.97907	30000	0	0	30000	41.3125	2004
12.02.2020 15:47:08	1	1	1	1	61.5	61.25	0	28815.166	556.9892473	16199.82062	30000	0	0	30000	41.3125	2004
12.02.2020 15:47:09	1	1	1	1	61.5	61.25	0	29146.919	556.9892473	16234.06626	30000	0	0	30000	41.125	2004
12.02.2020 15:47:10	1	1	1	1	61.5	61	0	28862.559	552.688172	15951.94738	30000	0	0	30000	41.3125	2004
12.02.2020 15:47:11	1	1	1	1	61.5	61.25	0	28815.166	550.5376344	16049.79208	30000	0	0	30000	41.375	2004
12.02.2020 15:47:12	1	1	1	1	61.5	61.25	0	28862.559	552.688172	15951.94738	30000	0	0	30000	40.875	2004
12.02.2020 15:47:13	1	1	1	1	61.5	60.75	0	29052.133	556.9892473	16128.88321	30000	0	0	30000	41.4375	2004
12.02.2020 15:47:14	1	1	1	1	61.5	61.25	0	28957.346	554.8387097	16066.09953	30000	0	0	30000	41.0625	2004
12.02.2020 15:47:15	1	1	1	1	61.5	61	0	28862.559	552.688172	15951.94738	30000	0	0	30000	41.5	2004
12.02.2020 15:47:16	1	1	1	1	61.5	61.5	0	28862.559	550.5376344	15951.94738	30000	0	0	30000	41.3125	2004
12.02.2020 15:47:17	1	1	1	1	61.5	61.25	0	28815.166	550.5376344	15925.85546	30000	0	0	30000	41.0625	2004
12.02.2020 15:47:18	1	1	1	1	61.5	61	0	28625.592	544.0860215	15863.88715	30000	0	0	30000	40.5	2004
12.02.2020 15:47:19	1	1	1	1	61.5	60.5	0	28815.166	550.5376344	16049.79208	30000	0	0	30000	41.375	2004
12.02.2020 15:47:20	1	1	1	1	61.5	61.25	0	28909.953	552.688172	15951.94738	30000	0	0	30000	40.875	2004
12.02.2020 15:47:21	1	1	1	1	61.5	60.75	0	0	0	0	30000	0	8	30000	38.8125	2004
12.02.2020 15:47:22	1	1	1	1	61.5	58.75	0	10426.54	0	0	30000	0	0	30000	41.5	2004
12.02.2020 15:47:23	1	1	1	1	61.5	61.5	0	11327.014	0	0	30000	0	0	30000	41.5625	2004
12.02.2020 15:47:24	1	1	1	1	61.5	61.5	0	12085.308	0	0	30000	0	0	30000	41.5625	2004
12.02.2020 15:47:25	1	1	1	1	61.5	61.5	0	12843.602	0	0	30000	0	0	30000	41.625	2004
12.02.2020 15:47:27	1	1	1	1	61.5	61.5	0	13554.502	2.150537634	0	30000	0	0	30000	41.5	2004
12.02.2020 15:47:28	1	1	1	1	61.5	61.5	0	14407.583	4.301075269	61.96830919	30000	0	0	30000	40.4375	2004
12.02.2020 15:47:29	1	1	1	1	61.5	60.25	0	15165.877	8.602150538	130.4595983	30000	0	0	30000	41.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 15:47:30	1	1	1	1	61.5	61.5	0	15876.777	15.05376344	204.6584948	30000	0	0	30000	41.5	2004
12.02.2020 15:47:31	1	1	1	1	61	61.5	0	16682.464	15.05376344	322.8875058	30000	0	0	30000	41.3125	2004
12.02.2020 15:47:39	1	1	1	1	61	61.5	0	21516.588	120.4301075	2591.253771	30000	0	0	30000	41.4375	2004
12.02.2020 15:47:39	1	1	1	1	61	61.5	0	21516.588	120.4301075	2591.253771	30000	0	0	30000	41.4375	2004
12.02.2020 15:47:39	1	1	1	1	61	61.5	0	21516.588	120.4301075	2591.253771	30000	0	0	30000	41.4375	2004
12.02.2020 15:47:39	1	1	1	1	61	61.5	0	21516.588	120.4301075	2591.253771	30000	0	0	30000	41.4375	2004
12.02.2020 15:47:39	1	1	1	1	61	61.5	0	21516.588	120.4301075	2591.253771	30000	0	0	30000	41.4375	2004
12.02.2020 15:47:39	1	1	1	1	61	61.5	0	21516.588	120.4301075	2591.253771	30000	0	0	30000	41.4375	2004
12.02.2020 15:47:39	1	1	1	1	61	61.5	0	21516.588	120.4301075	2591.253771	30000	0	0	30000	41.4375	2004
12.02.2020 15:47:39	1	1	1	1	61	61.5	0	21516.588	120.4301075	2591.253771	30000	0	0	30000	41.4375	2004
12.02.2020 15:47:40	1	1	1	1	60.75	61.25	0	22464.455	137.6344086	3098.415459	30000	0	0	30000	41.4375	2004
12.02.2020 15:47:41	1	1	1	1	60.75	61	0	23080.569	174.1935484	4019.786372	30000	0	0	30000	41.375	2004
12.02.2020 15:47:42	1	1	1	1	60.75	61.25	0	23270.142	189.2473118	4403.826815	30000	0	0	30000	41.25	2004
12.02.2020 15:47:43	1	1	1	1	60.75	61.25	0	23412.322	206.4516129	4833.528117	30000	0	0	30000	41.375	2004
12.02.2020 15:47:44	1	1	1	1	60.75	61.25	0	23838.863	219.3548387	5228.983774	30000	0	0	30000	41.375	2004
12.02.2020 15:47:45	1	1	1	1	60.75	61.25	0	24170.616	234.4086022	5717.391895	30000	0	0	30000	41.5	2004
12.02.2020 15:47:46	1	1	1	1	60.75	61.5	0	24407.583	249.4623656	6036.202539	30000	0	0	30000	41.5625	2004
12.02.2020 15:47:47	1	1	1	1	60.75	61.5	0	24691.943	264.516129	6543.364227	30000	0	0	30000	41.4375	2004
12.02.2020 15:47:48	1	1	1	1	60.75	61.25	0	25071.09	283.8709677	7008.941918	30000	0	0	30000	41.5	2004
12.02.2020 15:47:49	1	1	1	1	60.75	61.5	0	25260.664	294.6236559	7619.655913	30000	0	0	30000	41.125	2004
12.02.2020 15:47:50	1	1	1	1	60.75	61	0	25450.237	309.6774194	7950.697143	30000	0	0	30000	41.4375	2004
12.02.2020 15:47:51	1	1	1	1	60.75	61.25	0	25734.597	324.7311828	8120.294621	30000	0	0	30000	41.1875	2004
12.02.2020 15:47:52	1	1	1	1	60.75	61	0	25924.171	339.7849462	8808.469002	30000	0	0	30000	41.3125	2004
12.02.2020 15:47:53	1	1	1	1	60.75	61.25	0	26113.744	356.9892473	9265.892969	30000	0	0	30000	41.375	2004
12.02.2020 15:47:54	1	1	1	1	60.75	61.25	0	26492.891	369.8924731	9817.084772	30000	0	0	30000	41.4375	2004
12.02.2020 15:47:55	1	1	1	1	60.75	61.25	0	26682.464	380.6451613	10120.40334	30000	0	0	30000	41.4375	2004
12.02.2020 15:47:56	1	1	1	1	60.75	61.25	0	26587.678	378.4946237	10099.20365	30000	0	0	30000	41.375	2004
12.02.2020 15:47:57	1	1	1	1	60.75	61.25	0	26635.071	382.7956989	10271.24725	30000	0	0	30000	41.375	2004
12.02.2020 15:47:58	1	1	1	1	60.75	61.25	0	26587.678	378.4946237	10063.32726	30000	0	0	30000	41.5	2004
12.02.2020 15:47:59	1	1	1	1	60.75	61.5	0	26587.678	380.6451613	10138.34153	30000	0	0	30000	41.4375	2004
12.02.2020 15:48:00	1	1	1	1	60.75	61.25	0	26587.678	382.7956989	10234.55549	30000	0	0	30000	41.0625	2004
12.02.2020 15:48:01	1	1	1	1	60.75	61	0	26682.464	382.7956989	10156.27973	30000	0	0	30000	41.1875	2004
12.02.2020 15:48:02	1	1	1	1	60.75	61	0	26587.678	384.9462366	10271.24725	30000	0	0	30000	41.375	2004
12.02.2020 15:48:03	1	1	1	1	60.75	61.25	0	26682.464	384.9462366	10328.32332	30000	0	0	30000	41.4375	2004
12.02.2020 15:48:05	1	1	1	1	60.75	61.25	0	26824.645	400	10671.59514	30000	0	0	30000	41.375	2004
12.02.2020 15:48:06	1	1	1	1	60.75	61.25	0	27061.611	415.0537634	11231.75604	30000	0	0	30000	41.25	2004
12.02.2020 15:48:07	1	1	1	1	60.75	61.25	0	27345.972	432.2580645	11702.22597	30000	0	0	30000	41.25	2004
12.02.2020 15:48:08	1	1	1	1	60.75	61.25	0	27440.758	445.1612903	12215.09526	30000	0	0	30000	41	2004
12.02.2020 15:48:09	1	1	1	1	60.75	61	0	27630.332	460.2150538	12656.21178	30000	0	0	30000	40.875	2004
12.02.2020 15:48:10	1	1	1	1	60.75	60.75	0	27630.332	481.7204301	13012.52956	30000	0	0	30000	41.1875	2004
12.02.2020 15:48:11	1	1	1	1	60.75	61	0	27867.299	481.7204301	13424.29266	30000	0	0	30000	41.4375	2004
12.02.2020 15:48:12	1	1	1	1	60.75	61.25	0	27962.085	481.7204301	13447.12309	30000	0	0	30000	41.125	2004
12.02.2020 15:48:13	1	1	1	1	60.75	61	0	27962.085	490.3225806	13650.15084	30000	0	0	30000	41.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 15:48:14	1	1	1	1	60.75	61.5	0	27914.692	488.172043	13650.15084	30000	0	0	30000	41.1875	2004
12.02.2020 15:48:15	1	1	1	1	60.75	61	0	28009.479	490.3225806	13672.98127	30000	0	0	30000	41.5625	2004
12.02.2020 15:48:16	1	1	1	1	60.75	61.5	0	28009.479	503.2258065	14154.86641	30000	0	0	30000	41.875	2004
12.02.2020 15:48:17	1	1	1	1	60.75	61.25	0	28009.479	505.3763441	14154.86641	30000	0	0	30000	41.125	2004
12.02.2020 15:48:18	1	1	1	1	60.75	61	0	28009.479	505.3763441	14251.08037	30000	0	0	30000	41	2004
12.02.2020 15:48:19	1	1	1	1	60.75	61	0	28199.052	511.827957	14432.90843	30000	0	0	30000	41.3125	2004
12.02.2020 15:48:20	1	1	1	1	61	61.25	0	28199.052	511.827957	14432.90843	30000	0	0	30000	41	2004
12.02.2020 15:48:21	1	1	1	1	61	61	0	28199.052	516.1290323	14554.39893	30000	0	0	30000	41.375	2004
12.02.2020 15:48:22	1	1	1	1	61	61.25	0	28199.052	507.5268817	14311.41793	30000	0	0	30000	41.3125	2004
12.02.2020 15:48:23	1	1	1	1	61	61.25	0	28341.232	516.1290323	14505.47659	30000	0	0	30000	40.6875	2004
12.02.2020 15:48:24	1	1	1	1	61	60.5	0	28341.232	516.1290323	14603.32128	30000	0	0	30000	41.25	2004
12.02.2020 15:48:25	1	1	1	1	61	61.25	0	28341.232	509.6774194	14468.78482	30000	0	0	30000	41.1875	2004
12.02.2020 15:48:26	1	1	1	1	61	61	0	28388.626	518.2795699	14773.73413	30000	0	0	30000	41.125	2004
12.02.2020 15:48:27	1	1	1	1	61	61	0	28436.019	524.7311828	14921.31655	30000	0	0	30000	41	2004
12.02.2020 15:48:28	1	1	1	1	61	61	0	28436.019	522.5806452	14860.16362	30000	0	0	30000	41.1875	2004
12.02.2020 15:48:29	1	1	1	1	61	61	0	28483.412	529.0322581	15068.0836	30000	0	0	30000	41.125	2004
12.02.2020 15:48:30	1	1	1	1	60.5	61	0	28483.412	533.3333333	15191.20485	30000	0	0	30000	41.375	2004
12.02.2020 15:48:31	1	1	1	1	60.5	61.25	0	28578.199	535.483871	15302.91088	30000	0	0	30000	41.3125	2004
12.02.2020 15:48:32	1	1	1	1	60.5	61.25	0	28578.199	524.7311828	15056.66839	30000	0	0	30000	41	2004
12.02.2020 15:48:40	1	1	1	1	60.5	61.5	0	28815.166	546.2365591	15677.98222	30000	0	0	30000	41	2004
12.02.2020 15:48:40	1	1	1	1	60.5	61.5	0	28815.166	546.2365591	15677.98222	30000	0	0	30000	41	2004
12.02.2020 15:48:40	1	1	1	1	60.5	61.5	0	28815.166	546.2365591	15677.98222	30000	0	0	30000	41	2004
12.02.2020 15:48:40	1	1	1	1	60.5	61.5	0	28815.166	546.2365591	15677.98222	30000	0	0	30000	41	2004
12.02.2020 15:48:40	1	1	1	1	60.5	61.5	0	28815.166	546.2365591	15677.98222	30000	0	0	30000	41	2004
12.02.2020 15:48:40	1	1	1	1	60.5	61.5	0	28815.166	546.2365591	15677.98222	30000	0	0	30000	41	2004
12.02.2020 15:48:40	1	1	1	1	60.5	61.5	0	28815.166	546.2365591	15677.98222	30000	0	0	30000	41	2004
12.02.2020 15:48:40	1	1	1	1	60.75	61	0	28862.559	552.688172	15951.94738	30000	0	0	30000	40.6875	2004
12.02.2020 15:48:41	1	1	1	1	60.75	60.5	0	28815.166	550.5376344	15863.88715	30000	0	0	30000	40.625	2004
12.02.2020 15:48:43	1	1	1	1	60.75	60.5	0	28815.166	554.8387097	16075.884	30000	0	0	30000	41.0625	2004
12.02.2020 15:48:44	1	1	1	1	60.75	61	0	28815.166	552.688172	15925.85546	30000	0	0	30000	41.375	2004
12.02.2020 15:48:45	1	1	1	1	60.75	61.25	0	28815.166	552.688172	15925.85546	30000	0	0	30000	41.4375	2004
12.02.2020 15:48:46	1	1	1	1	60.75	61.25	0	28909.953	554.8387097	16128.88321	30000	0	0	30000	41.25	2004
12.02.2020 15:48:47	1	1	1	1	60.75	61.25	0	28957.346	554.8387097	16066.09953	30000	0	0	30000	41.3125	2004
12.02.2020 15:48:48	1	1	1	1	60.75	61.25	0	28815.166	552.688172	15925.85546	30000	0	0	30000	41.3125	2004
12.02.2020 15:48:49	1	1	1	1	60.75	61.25	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	41.3125	2004
12.02.2020 15:48:50	1	1	1	1	60.75	61.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	41.4375	2004
12.02.2020 15:48:51	1	1	1	1	61	61.25	0	28578.199	546.2365591	15925.85546	30000	0	0	30000	41	2004
12.02.2020 15:48:52	1	1	1	1	61	61	0	28815.166	552.688172	15925.85546	30000	0	0	30000	41.375	2004
12.02.2020 15:48:53	1	1	1	1	61	61.25	0	28815.166	552.688172	15925.85546	30000	0	0	30000	41.4375	2004
12.02.2020 15:48:54	1	1	1	1	61	61.25	0	28957.346	556.9892473	16128.88321	30000	0	0	30000	40.5625	2004
12.02.2020 15:48:55	1	1	1	1	61	60.5	0	28625.592	552.688172	16049.79208	30000	0	0	30000	41.4375	2004
12.02.2020 15:48:56	1	1	1	1	61	61.25	0	28815.166	550.5376344	15925.85546	30000	0	0	30000	41.1875	2004
12.02.2020 15:48:57	1	1	1	1	61	61	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	41.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 15:48:58	1	1	1	1	61	61.25	0	28862.559	554.8387097	16101.97592	30000	0	0	30000	40.5625	2004
12.02.2020 15:48:59	1	1	1	1	61	60.5	0	28625.592	550.5376344	15925.85546	30000	0	0	30000	41.375	2004
12.02.2020 15:49:00	1	1	1	1	60.75	61.25	0	28815.166	550.5376344	15925.85546	30000	0	0	30000	41.1875	2004
12.02.2020 15:49:01	1	1	1	1	60.75	61	0	28862.559	552.688172	16013.91569	30000	0	0	30000	41	2004
12.02.2020 15:49:02	1	1	1	1	60.75	61	0	28815.166	552.688172	15925.85546	30000	0	0	30000	40.75	2004
12.02.2020 15:49:03	1	1	1	1	60.75	60.75	0	28862.559	554.8387097	16013.91569	30000	0	0	30000	41.3125	2004
12.02.2020 15:49:04	1	1	1	1	60.75	61.25	0	28625.592	552.688172	15925.85546	30000	0	0	30000	41.0625	2004
12.02.2020 15:49:05	1	1	1	1	60.75	61	0	29052.133	556.9892473	16128.88321	30000	0	0	30000	41.5	2004
12.02.2020 15:49:06	1	1	1	1	60.75	61.5	0	28862.559	561.2903226	15863.88715	30000	0	0	30000	41.375	2004
12.02.2020 15:49:07	1	1	1	1	60.75	61.25	0	28815.166	552.688172	15925.85546	30000	0	0	30000	40.8125	2004
12.02.2020 15:49:08	1	1	1	1	60.75	60.75	0	28625.592	552.688172	15820.67241	30000	0	0	30000	41	2004
12.02.2020 15:49:09	1	1	1	1	60.75	61	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	41.3125	2004
12.02.2020 15:49:10	1	1	1	1	60.75	61.25	0	28957.346	556.9892473	16128.88321	30000	0	0	30000	41.375	2004
12.02.2020 15:49:11	1	1	1	1	60.75	61.25	0	28625.592	554.8387097	15733.42755	30000	0	0	30000	41.25	2004
12.02.2020 15:49:12	1	1	1	1	60.75	61.25	0	28862.559	554.8387097	16075.884	30000	0	0	30000	41.5	2004
12.02.2020 15:49:13	1	1	1	1	60.75	61.5	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	41.3125	2004
12.02.2020 15:49:14	1	1	1	1	60.75	61.25	0	28815.166	552.688172	15925.85546	30000	0	0	30000	41.375	2004
12.02.2020 15:49:15	1	1	1	1	60.75	61.25	0	28815.166	554.8387097	16075.884	30000	0	0	30000	41	2004
12.02.2020 15:49:16	1	1	1	1	60.75	61	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	41.375	2004
12.02.2020 15:49:17	1	1	1	1	60.75	61.25	0	28862.559	556.9892473	16075.884	30000	0	0	30000	41.0625	2004
12.02.2020 15:49:18	1	1	1	1	60.75	61	0	28625.592	550.5376344	15759.51947	30000	0	0	30000	40.875	2004
12.02.2020 15:49:19	1	1	1	1	60.75	60.75	0	28862.559	556.9892473	16075.884	30000	0	0	30000	41.375	2004
12.02.2020 15:49:21	1	1	1	1	60.5	61.25	0	28815.166	556.9892473	16075.884	30000	0	0	30000	41.3125	2004
12.02.2020 15:49:22	1	1	1	1	60.5	61.25	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	41.1875	2004
12.02.2020 15:49:23	1	1	1	1	60.5	61	0	28578.199	554.8387097	15794.58049	30000	0	0	30000	41.375	2004
12.02.2020 15:49:24	1	1	1	1	60.5	61.25	0	28483.412	552.688172	15742.39665	30000	0	0	30000	41.25	2004
12.02.2020 15:49:25	1	1	1	1	60.5	61.25	0	28815.166	552.688172	16075.884	30000	0	0	30000	41.25	2004
12.02.2020 15:49:26	1	1	1	1	60.5	61.25	0	28625.592	552.688172	15794.58049	30000	0	0	30000	41.0625	2004
12.02.2020 15:49:27	1	1	1	1	60.5	61	0	28578.199	552.688172	15794.58049	30000	0	0	30000	41.25	2004
12.02.2020 15:49:28	1	1	1	1	60.5	61.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	41	2004
12.02.2020 15:49:29	1	1	1	1	60.5	61	0	28957.346	556.9892473	16128.88321	30000	0	0	30000	41.4375	2004
12.02.2020 15:49:30	1	1	1	1	60.5	61.25	0	28578.199	548.3870968	15820.67241	30000	0	0	30000	41.3125	2004
12.02.2020 15:49:31	1	1	1	1	61	61.25	0	28815.166	552.688172	15739.95053	30000	0	0	30000	41.25	2004
12.02.2020 15:49:32	1	1	1	1	61	61.25	0	28862.559	554.8387097	16128.88321	30000	0	0	30000	41.5625	2004
12.02.2020 15:49:33	1	1	1	1	61	61.5	0	29004.739	556.9892473	16128.88321	30000	0	0	30000	40.5625	2004
12.02.2020 15:49:34	1	1	1	1	61	60.5	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	41.625	2004
12.02.2020 15:49:42	1	1	1	1	61	61.25	0	28957.346	559.1397849	16128.88321	30000	0	0	30000	40.9375	2004
12.02.2020 15:49:42	1	1	1	1	61	61.25	0	28957.346	559.1397849	16128.88321	30000	0	0	30000	40.9375	2004
12.02.2020 15:49:42	1	1	1	1	61	61.25	0	28957.346	559.1397849	16128.88321	30000	0	0	30000	40.9375	2004
12.02.2020 15:49:42	1	1	1	1	61	61.25	0	28957.346	559.1397849	16128.88321	30000	0	0	30000	40.9375	2004
12.02.2020 15:49:42	1	1	1	1	61	61.25	0	28957.346	559.1397849	16128.88321	30000	0	0	30000	40.9375	2004
12.02.2020 15:49:42	1	1	1	1	61	61.25	0	28957.346	559.1397849	16128.88321	30000	0	0	30000	40.9375	2004
12.02.2020 15:49:42	1	1	1	1	61	61.25	0	28957.346	559.1397849	16128.88321	30000	0	0	30000	40.9375	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 15:49:42	1	1	1	1	61	60.75	0	28815.166	554.8387097	16075.884	30000	0	0	30000	41.0625	2004
12.02.2020 15:49:43	1	1	1	1	61	61	0	28625.592	559.1397849	15882.64072	30000	0	0	30000	41.3125	2004
12.02.2020 15:49:44	1	1	1	1	61	61.25	0	28625.592	552.688172	15987.82377	30000	0	0	30000	41.375	2004
12.02.2020 15:49:45	1	1	1	1	61	61.25	0	28957.346	559.1397849	16128.88321	30000	0	0	30000	40.75	2004
12.02.2020 15:49:46	1	1	1	1	61	60.75	0	28957.346	556.9892473	15889.97907	30000	0	0	30000	40.9375	2004
12.02.2020 15:49:47	1	1	1	1	61	60.75	0	28862.559	554.8387097	16075.884	30000	0	0	30000	41.375	2004
12.02.2020 15:49:48	1	1	1	1	61	61.25	0	28625.592	552.688172	15820.67241	30000	0	0	30000	40.4375	2004
12.02.2020 15:49:49	1	1	1	1	61	60.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	41.25	2004
12.02.2020 15:49:50	1	1	1	1	60.75	61.25	0	28625.592	554.8387097	15794.58049	30000	0	0	30000	41.3125	2004
12.02.2020 15:49:51	1	1	1	1	60.75	61.25	0	28672.986	552.688172	15987.82377	30000	0	0	30000	41.125	2004
12.02.2020 15:49:52	1	1	1	1	60.75	61	0	28957.346	559.1397849	16190.85152	30000	0	0	30000	41.1875	2004
12.02.2020 15:49:53	1	1	1	1	60.75	61	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	41.1875	2004
12.02.2020 15:49:54	1	1	1	1	60.75	61	0	28957.346	554.8387097	16004.13122	30000	0	0	30000	41.375	2004
12.02.2020 15:49:55	1	1	1	1	60.75	61.25	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	41.125	2004
12.02.2020 15:49:56	1	1	1	1	60.75	61	0	28625.592	552.688172	15820.67241	30000	0	0	30000	41.3125	2004
12.02.2020 15:49:57	1	1	1	1	60.75	61.25	0	28815.166	552.688172	15987.82377	30000	0	0	30000	41.25	2004
12.02.2020 15:49:59	1	1	1	1	60.75	61.25	0	28957.346	559.1397849	16128.88321	30000	0	0	30000	41.25	2004
12.02.2020 15:50:00	1	1	1	1	60.75	61.25	0	28862.559	554.8387097	16013.91569	30000	0	0	30000	41.25	2004
12.02.2020 15:50:01	1	1	1	1	61.25	61.25	0	28862.559	554.8387097	15951.94738	30000	0	0	30000	40.3125	2004
12.02.2020 15:50:02	1	1	1	1	61.25	60.25	0	28578.199	554.8387097	15855.73343	30000	0	0	30000	41	2004
12.02.2020 15:50:03	1	1	1	1	61.25	61	0	28957.346	556.9892473	16128.88321	30000	0	0	30000	41.3125	2004
12.02.2020 15:50:04	1	1	1	1	61.25	61.25	0	28957.346	559.1397849	16128.88321	30000	0	0	30000	40.875	2004
12.02.2020 15:50:05	1	1	1	1	61.25	60.75	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	41.3125	2004
12.02.2020 15:50:06	1	1	1	1	61.25	61.25	0	28625.592	552.688172	15820.67241	30000	0	0	30000	40.5625	2004
12.02.2020 15:50:07	1	1	1	1	61.25	60.5	0	28815.166	552.688172	16049.79208	30000	0	0	30000	41.25	2004
12.02.2020 15:50:08	1	1	1	1	61.25	61.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	41.3125	2004
12.02.2020 15:50:09	1	1	1	1	61.25	61.25	0	28625.592	554.8387097	15820.67241	30000	0	0	30000	41.3125	2004
12.02.2020 15:50:10	1	1	1	1	61.25	61.25	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	41.75	2004
12.02.2020 15:50:11	1	1	1	1	60.75	61.75	0	28862.559	556.9892473	16075.884	30000	0	0	30000	41.3125	2004
12.02.2020 15:50:12	1	1	1	1	60.75	61.25	0	28815.166	554.8387097	16297.66532	30000	0	0	30000	41.3125	2004
12.02.2020 15:50:13	1	1	1	1	60.75	61.25	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	41.125	2004
12.02.2020 15:50:14	1	1	1	1	60.75	61	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	41.25	2004
12.02.2020 15:50:15	1	1	1	1	60.75	61.25	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	41.3125	2004
12.02.2020 15:50:16	1	1	1	1	60.75	61.25	0	28815.166	556.9892473	16075.884	30000	0	0	30000	41.1875	2004
12.02.2020 15:50:17	1	1	1	1	60.75	61	0	28862.559	556.9892473	16075.884	30000	0	0	30000	41.0625	2004
12.02.2020 15:50:18	1	1	1	1	60.75	61	0	28625.592	556.9892473	15759.51947	30000	0	0	30000	41.375	2004
12.02.2020 15:50:19	1	1	1	1	60.75	61.25	0	28862.559	556.9892473	16049.79208	30000	0	0	30000	41.1875	2004
12.02.2020 15:50:20	1	1	1	1	61	61	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	41.25	2004
12.02.2020 15:50:21	1	1	1	1	61	61.25	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	41.4375	2004
12.02.2020 15:50:22	1	1	1	1	61	61.25	0	28625.592	554.8387097	15882.64072	30000	0	0	30000	41.3125	2004
12.02.2020 15:50:23	1	1	1	1	61	61.25	0	28862.559	556.9892473	16137.85231	30000	0	0	30000	41.125	2004
12.02.2020 15:50:24	1	1	1	1	61	61	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	41.3125	2004
12.02.2020 15:50:25	1	1	1	1	61	61.25	0	28862.559	556.9892473	16101.97592	30000	0	0	30000	41.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 15:50:26	1	1	1	1	61	61.25	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	41.125	2004
12.02.2020 15:50:27	1	1	1	1	61	61	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	41.1875	2004
12.02.2020 15:50:28	1	1	1	1	61	61	0	28862.559	556.9892473	16075.884	30000	0	0	30000	41	2004
12.02.2020 15:50:29	1	1	1	1	61	61	0	28862.559	559.1397849	15863.88715	30000	0	0	30000	41	2004
12.02.2020 15:50:30	1	1	1	1	61.25	61	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	41.4375	2004
12.02.2020 15:50:31	1	1	1	1	61.25	61.25	0	29052.133	556.9892473	16181.06705	30000	0	0	30000	41.25	2004
12.02.2020 15:50:32	1	1	1	1	61.25	61.25	0	28672.986	552.688172	15820.67241	30000	0	0	30000	41	2004
12.02.2020 15:50:33	1	1	1	1	61.25	61	0	28957.346	554.8387097	16128.88321	30000	0	0	30000	41.3125	2004
12.02.2020 15:50:34	1	1	1	1	61.25	61.25	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	41.125	2004
12.02.2020 15:50:35	1	1	1	1	61.25	61	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	41.375	2004
12.02.2020 15:50:43	1	1	1	1	60.75	61.25	0	28909.953	556.9892473	16128.88321	30000	0	0	30000	41.3125	2004
12.02.2020 15:50:43	1	1	1	1	60.75	61.25	0	28909.953	556.9892473	16128.88321	30000	0	0	30000	41.3125	2004
12.02.2020 15:50:43	1	1	1	1	60.75	61.25	0	28909.953	556.9892473	16128.88321	30000	0	0	30000	41.3125	2004
12.02.2020 15:50:43	1	1	1	1	60.75	61.25	0	28909.953	556.9892473	16128.88321	30000	0	0	30000	41.3125	2004
12.02.2020 15:50:43	1	1	1	1	60.75	61.25	0	28909.953	556.9892473	16128.88321	30000	0	0	30000	41.3125	2004
12.02.2020 15:50:43	1	1	1	1	60.75	61.25	0	28909.953	556.9892473	16128.88321	30000	0	0	30000	41.3125	2004
12.02.2020 15:50:43	1	1	1	1	60.75	61.25	0	28909.953	556.9892473	16128.88321	30000	0	0	30000	41.3125	2004
12.02.2020 15:50:44	1	1	1	1	60.75	61.25	0	28815.166	554.8387097	15987.82377	30000	0	0	30000	41.125	2004
12.02.2020 15:50:45	1	1	1	1	60.75	61	0	28815.166	554.8387097	16049.79208	30000	0	0	30000	41.375	2004
12.02.2020 15:50:46	1	1	1	1	60.75	61.25	0	28815.166	554.8387097	15925.85546	30000	0	0	30000	41.125	2004
12.02.2020 15:50:47	1	1	1	1	60.75	61	0	28625.592	556.9892473	15882.64072	30000	0	0	30000	40.6875	2004
12.02.2020 15:50:48	1	1	1	1	60.75	60.5	0	30000	486.0215054	14493.246	30000	0	0	30000	41.3125	2004
12.02.2020 15:50:49	1	1	1	1	60.75	61.25	0	29952.607	440.8602151	13354.17063	30000	0	0	30000	41.3125	2004
12.02.2020 15:50:50	1	1	1	1	60.75	61.25	0	30000	438.7096774	13160.92735	30000	0	0	30000	41.1875	2004
12.02.2020 15:50:51	1	1	1	1	61.25	61	0	30000	434.4086022	12967.68407	30000	0	0	30000	40.8125	2004
12.02.2020 15:50:52	1	1	1	1	61.25	60.75	0	30000	415.0537634	12515.96771	30000	0	0	30000	41.1875	2004
12.02.2020 15:50:53	1	1	1	1	61.25	61	0	30000	397.8494624	11935.4225	30000	0	0	30000	41.75	2004
12.02.2020 15:50:54	1	1	1	1	61.25	60.75	0	30047.393	380.6451613	11437.22991	30000	0	0	30000	41.25	2004
12.02.2020 15:50:55	1	1	1	1	61.25	61.25	0	30000	389.2473118	11548.12057	30000	0	0	30000	40.8125	2004
12.02.2020 15:50:56	1	1	1	1	61.25	60.75	0	30000	365.5913978	11031.98978	30000	0	0	30000	40.9375	2004
12.02.2020 15:50:57	1	1	1	1	61.25	60.75	0	30000	352.688172	10580.27342	30000	0	0	30000	40	2004
12.02.2020 15:50:58	1	1	1	1	61.25	60	0	29952.607	365.5913978	11031.98978	30000	0	0	30000	41.25	2004
12.02.2020 15:50:59	1	1	1	1	61.25	61.25	0	29952.607	356.9892473	10773.5167	30000	0	0	30000	41.0625	2004
12.02.2020 15:51:00	1	1	1	1	62.25	61	0	29952.607	363.4408602	10903.16093	30000	0	0	30000	40.75	2004
12.02.2020 15:51:01	1	1	1	1	62.25	60.75	0	30000	365.5913978	10903.16093	30000	0	0	30000	41.3125	2004
12.02.2020 15:51:02	1	1	1	1	62.25	61.25	0	30000	363.4408602	10920.28375	30000	0	0	30000	41.3125	2004
12.02.2020 15:51:03	1	1	1	1	62.25	61.25	0	30000	369.8924731	11160.81863	30000	0	0	30000	41.3125	2004
12.02.2020 15:51:04	1	1	1	1	62.25	61.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.0625	2004
12.02.2020 15:51:05	1	1	1	1	62.25	61	0	30000	359.1397849	10903.16093	30000	0	0	30000	41.3125	2004
12.02.2020 15:51:06	1	1	1	1	62.25	61.25	0	30000	348.3870968	10387.03014	30000	0	0	30000	41.125	2004
12.02.2020 15:51:07	1	1	1	1	62.25	61	0	30000	335.483871	10128.55706	30000	0	0	30000	41.25	2004
12.02.2020 15:51:08	1	1	1	1	62.25	61.25	0	30047.393	307.5268817	9225.124344	30000	0	0	30000	41.1875	2004
12.02.2020 15:51:09	1	1	1	1	62.25	61	0	30000	305.3763441	9160.709918	30000	0	0	30000	41.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 15:51:10	1	1	1	1	63.25	61	0	29952.607	309.6774194	9354.76857	30000	0	0	30000	41.25	2004
12.02.2020 15:51:11	1	1	1	1	63.25	61.25	0	30000	307.5268817	9067.757454	30000	0	0	30000	41.1875	2004
12.02.2020 15:51:12	1	1	1	1	63.25	61	0	29952.607	301.0752688	9096.295491	30000	0	0	30000	41.375	2004
12.02.2020 15:51:13	1	1	1	1	63.25	61.25	0	30000	307.5268817	9225.124344	30000	0	0	30000	41.25	2004
12.02.2020 15:51:14	1	1	1	1	63.25	61.25	0	29952.607	307.5268817	9290.354143	30000	0	0	30000	41.0625	2004
12.02.2020 15:51:15	1	1	1	1	63.25	61	0	30000	309.6774194	9225.124344	30000	0	0	30000	41.25	2004
12.02.2020 15:51:16	1	1	1	1	63.25	61.25	0	30000	318.2795699	9548.01185	30000	0	0	30000	40.8125	2004
12.02.2020 15:51:18	1	1	1	1	63.25	60.75	0	30000	326.8817204	9806.484929	30000	0	0	30000	41.3125	2004
12.02.2020 15:51:19	1	1	1	1	63.25	61.25	0	30000	369.8924731	11031.98978	30000	0	0	30000	41.25	2004
12.02.2020 15:51:20	1	1	1	1	63.25	61.25	0	30000	395.6989247	12128.66578	30000	0	0	30000	41.0625	2004
12.02.2020 15:51:21	1	1	1	1	63.25	61	0	30000	425.8064516	12773.62542	30000	0	0	30000	41.0625	2004
12.02.2020 15:51:22	1	1	1	1	63.25	61	0	30000	397.8494624	11871.00807	30000	0	0	30000	41.4375	2004
12.02.2020 15:51:23	1	1	1	1	63.25	61.25	0	30000	326.8817204	9870.899356	30000	0	0	30000	41.1875	2004
12.02.2020 15:51:24	1	1	1	1	63.25	61	0	30000	341.9354839	10257.38592	30000	0	0	30000	41.375	2004
12.02.2020 15:51:25	1	1	1	1	63.25	61.25	0	30000	356.9892473	10773.5167	30000	0	0	30000	41.1875	2004
12.02.2020 15:51:26	1	1	1	1	63.25	61	0	30000	335.483871	10128.55706	30000	0	0	30000	41.3125	2004
12.02.2020 15:51:27	1	1	1	1	63.25	61.25	0	30000	350.5376344	10515.85899	30000	0	0	30000	41.5	2004
12.02.2020 15:51:28	1	1	1	1	63.25	61.5	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.0625	2004
12.02.2020 15:51:29	1	1	1	1	63.25	61	0	30000	380.6451613	11419.29171	30000	0	0	30000	41.5	2004
12.02.2020 15:51:30	1	1	1	1	63.25	61.5	0	30000	356.9892473	10709.10227	30000	0	0	30000	41.375	2004
12.02.2020 15:51:31	1	1	1	1	64.25	61.25	0	29952.607	378.4946237	11354.87729	30000	0	0	30000	41.4375	2004
12.02.2020 15:51:32	1	1	1	1	64.25	60.75	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.125	2004
12.02.2020 15:51:33	1	1	1	1	64.25	61	0	30000	425.8064516	12709.21099	30000	0	0	30000	41.25	2004
12.02.2020 15:51:34	1	1	1	1	64.25	61.25	0	30094.787	425.8064516	12729.5953	30000	0	0	30000	41.25	2004
12.02.2020 15:51:35	1	1	1	1	64.25	61.25	0	30000	412.9032258	12387.13886	30000	0	0	30000	41.3125	2004
12.02.2020 15:51:36	1	1	1	1	64.25	61.25	0	30000	415.0537634	12451.55328	30000	0	0	30000	41.375	2004
12.02.2020 15:51:37	1	1	1	1	64.25	61.25	0	30047.393	466.6666667	14064.36007	30000	0	0	30000	41.1875	2004
12.02.2020 15:51:45	1	1	1	1	65.5	60.75	0	29478.673	541.9354839	15975.59318	30000	0	0	30000	40.6875	2004
12.02.2020 15:51:45	1	1	1	1	65.5	60.75	0	29478.673	541.9354839	15975.59318	30000	0	0	30000	40.6875	2004
12.02.2020 15:51:45	1	1	1	1	65.5	60.75	0	29478.673	541.9354839	15975.59318	30000	0	0	30000	40.6875	2004
12.02.2020 15:51:45	1	1	1	1	65.5	60.75	0	29478.673	541.9354839	15975.59318	30000	0	0	30000	40.6875	2004
12.02.2020 15:51:45	1	1	1	1	65.5	60.75	0	29478.673	541.9354839	15975.59318	30000	0	0	30000	40.6875	2004
12.02.2020 15:51:45	1	1	1	1	65.5	60.75	0	29478.673	541.9354839	15975.59318	30000	0	0	30000	40.6875	2004
12.02.2020 15:51:45	1	1	1	1	65.5	60.5	0	30047.393	483.8709677	14538.90686	30000	0	0	30000	41.1875	2004
12.02.2020 15:51:46	1	1	1	1	65.5	61	0	30000	466.6666667	14474.49243	30000	0	0	30000	41.1875	2004
12.02.2020 15:51:47	1	1	1	1	65.5	61	0	27630.332	576.344086	15973.96244	30000	0	0	30000	41.125	2004
12.02.2020 15:51:48	1	1	1	1	65.5	61	0	29052.133	550.5376344	15931.56307	30000	0	0	30000	41	2004
12.02.2020 15:51:49	1	1	1	1	65.5	61	0	26540.284	578.4946237	15410.54005	30000	0	0	30000	40.875	2004
12.02.2020 15:51:50	1	1	1	1	67.75	60.75	0	26113.744	591.3978495	15443.15495	30000	0	0	30000	41.375	2004
12.02.2020 15:51:51	1	1	1	1	67.75	61.25	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	41.375	2004
12.02.2020 15:51:52	1	1	1	1	67.75	61.25	0	26018.957	610.7526882	15890.79444	30000	0	0	30000	41.1875	2004
12.02.2020 15:51:53	1	1	1	1	67.75	61	0	26492.891	606.4516129	15951.94738	30000	0	0	30000	40.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 15:51:54	1	1	1	1	67.75	60.75	0	26587.678	602.1505376	15951.94738	30000	0	0	30000	41.125	2004
12.02.2020 15:51:55	1	1	1	1	67.75	61	0	26113.744	610.7526882	15892.42519	30000	0	0	30000	40.9375	2004
12.02.2020 15:51:57	1	1	1	1	67.75	60.75	0	26113.744	617.2043011	16117.468	30000	0	0	30000	40.9375	2004
12.02.2020 15:51:58	1	1	1	1	67.75	60.75	0	26208.531	615.0537634	16119.09874	30000	0	0	30000	41.125	2004
12.02.2020 15:51:59	1	1	1	1	67.75	61	0	26066.351	615.0537634	15975.59318	30000	0	0	30000	41.125	2004
12.02.2020 15:52:00	1	1	1	1	67.75	61	0	25260.664	634.4086022	16025.33091	30000	0	0	30000	40.8125	2004
12.02.2020 15:52:01	1	1	1	1	74.75	60.75	0	25355.45	627.9569892	15867.14864	30000	0	0	30000	41.125	2004
12.02.2020 15:52:02	1	1	1	1	74.75	61	0	24691.943	645.1612903	15929.93232	30000	0	0	30000	41.375	2004
12.02.2020 15:52:03	1	1	1	1	74.75	61.25	0	25592.417	623.655914	15930.7477	30000	0	0	30000	41	2004
12.02.2020 15:52:04	1	1	1	1	74.75	61	0	24597.156	640.8602151	15762.78096	30000	0	0	30000	41.0625	2004
12.02.2020 15:52:05	1	1	1	1	74.75	61	0	24075.829	662.3655914	15966.62409	30000	0	0	30000	41.3125	2004
12.02.2020 15:52:06	1	1	1	1	74.75	61.25	0	25734.597	625.8064516	16075.06863	30000	0	0	30000	41	2004
12.02.2020 15:52:07	1	1	1	1	74.75	61	0	25118.483	627.9569892	15911.17876	30000	0	0	30000	41.75	2004
12.02.2020 15:52:08	1	1	1	1	74.75	61.75	0	25355.45	632.2580645	16085.66847	30000	0	0	30000	41.25	2004
12.02.2020 15:52:09	1	1	1	1	74.75	61	0	25924.171	621.5053763	16111.76039	30000	0	0	30000	41.25	2004
12.02.2020 15:52:10	1	1	1	1	81.75	61.25	0	25308.057	627.9569892	15892.42519	30000	0	0	30000	41.0625	2004
12.02.2020 15:52:11	1	1	1	1	81.75	61	0	24976.303	638.7096774	15904.65578	30000	0	0	30000	41.0625	2004
12.02.2020 15:52:12	1	1	1	1	81.75	61	0	26113.744	617.2043011	16117.468	30000	0	0	30000	41.3125	2004
12.02.2020 15:52:13	1	1	1	1	81.75	61.25	0	25924.171	615.0537634	16000.05436	30000	0	0	30000	41.25	2004
12.02.2020 15:52:14	1	1	1	1	81.75	61.25	0	25118.483	634.4086022	15934.82456	30000	0	0	30000	40.9375	2004
12.02.2020 15:52:15	1	1	1	1	81.75	60.75	0	24976.303	636.5591398	15951.94738	30000	0	0	30000	41.25	2004
12.02.2020 15:52:16	1	1	1	1	81.75	61.25	0	25308.057	627.9569892	15892.42519	30000	0	0	30000	41.25	2004
12.02.2020 15:52:17	1	1	1	1	81.75	61.25	0	25165.877	634.4086022	15964.99334	30000	0	0	30000	41.25	2004
12.02.2020 15:52:18	1	1	1	1	81.75	61.25	0	24454.976	647.311828	16018.80793	30000	0	0	30000	41.0625	2004
12.02.2020 15:52:19	1	1	1	1	81.75	61	0	24739.336	647.311828	15982.93154	30000	0	0	30000	41.1875	2004
12.02.2020 15:52:20	1	1	1	1	86	61	0	23933.649	670.9677419	16058.76118	30000	0	0	30000	41	2004
12.02.2020 15:52:21	1	1	1	1	86	61	0	25734.597	617.2043011	15970.70095	30000	0	0	30000	40.4375	2004
12.02.2020 15:52:22	1	1	1	1	86	60.25	0	25734.597	625.8064516	16104.42204	30000	0	0	30000	41.125	2004
12.02.2020 15:52:23	1	1	1	1	86	61	0	25355.45	634.4086022	16085.66847	30000	0	0	30000	41.25	2004
12.02.2020 15:52:24	1	1	1	1	86	61.25	0	25355.45	627.9569892	15976.40856	30000	0	0	30000	41.125	2004
12.02.2020 15:52:28	1	1	1	1	86	61.25	0	25545.024	623.655914	15986.19303	30000	0	0	30000	41.375	2004
12.02.2020 15:52:28	1	1	1	1	86	61.25	0	25545.024	623.655914	15986.19303	30000	0	0	30000	41.375	2004
12.02.2020 15:52:28	1	1	1	1	86	61.25	0	25545.024	623.655914	15986.19303	30000	0	0	30000	41.375	2004
12.02.2020 15:52:28	1	1	1	1	86	61.25	0	25165.877	653.7634409	15904.65578	30000	0	0	30000	40.875	2004
12.02.2020 15:52:29	1	1	1	1	86	60.75	0	25165.877	636.5591398	16073.43788	30000	0	0	30000	41.3125	2004
12.02.2020 15:52:31	1	1	1	1	89.75	61.25	0	23886.256	670.9677419	16026.96165	30000	0	0	30000	40.4375	2004
12.02.2020 15:52:32	1	1	1	1	89.75	60.25	0	24976.303	634.4086022	15845.13359	30000	0	0	30000	40.3125	2004
12.02.2020 15:52:33	1	1	1	1	89.75	60.25	0	24739.336	638.7096774	15801.10347	30000	0	0	30000	40.9375	2004
12.02.2020 15:52:34	1	1	1	1	89.75	60.75	0	25165.877	636.5591398	15964.99334	30000	0	0	30000	40.875	2004
12.02.2020 15:52:35	1	1	1	1	89.75	60.75	0	24407.583	655.9139785	15956.83962	30000	0	0	30000	41.125	2004
12.02.2020 15:52:36	1	1	1	1	89.75	61	0	23412.322	670.9677419	15758.7041	30000	0	0	30000	41	2004
12.02.2020 15:52:37	1	1	1	1	89.75	61	0	24644.55	653.7634409	15921.7786	30000	0	0	30000	40.75	2004
12.02.2020 15:52:38	1	1	1	1	89.75	60.75	0	23933.649	662.3655914	15903.8404	30000	0	0	30000	40.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 15:52:39	1	1	1	1	89.75	60.75	0	24218.009	662.3655914	16093.00682	30000	0	0	30000	41.125	2004
12.02.2020 15:52:47	1	1	1	1	93.5	61.25	0	25734.597	619.3548387	15993.53138	30000	0	0	30000	41.5	2004
12.02.2020 15:52:47	1	1	1	1	93.5	61.25	0	25734.597	619.3548387	15993.53138	30000	0	0	30000	41.5	2004
12.02.2020 15:52:47	1	1	1	1	93.5	61.25	0	25734.597	619.3548387	15993.53138	30000	0	0	30000	41.5	2004
12.02.2020 15:52:47	1	1	1	1	93.5	61.25	0	25734.597	619.3548387	15993.53138	30000	0	0	30000	41.5	2004
12.02.2020 15:52:47	1	1	1	1	93.5	61.25	0	25734.597	619.3548387	15993.53138	30000	0	0	30000	41.5	2004
12.02.2020 15:52:47	1	1	1	1	93.5	61.25	0	25734.597	619.3548387	15993.53138	30000	0	0	30000	41.5	2004
12.02.2020 15:52:47	1	1	1	1	93.5	61	0	26350.711	608.6021505	15894.87131	30000	0	0	30000	41.1875	2004
12.02.2020 15:52:48	1	1	1	1	93.5	61	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	41.3125	2004
12.02.2020 15:52:49	1	1	1	1	93.5	61.25	0	26872.038	591.3978495	16007.39271	30000	0	0	30000	40.9375	2004
12.02.2020 15:52:50	1	1	1	1	96.25	60.75	0	27725.118	580.6451613	15919.33248	30000	0	0	30000	40.875	2004
12.02.2020 15:52:51	1	1	1	1	96.25	60.75	0	28388.626	559.1397849	16083.22235	30000	0	0	30000	41.125	2004
12.02.2020 15:52:52	1	1	1	1	96.25	61	0	29146.919	550.5376344	16046.53059	30000	0	0	30000	40.8125	2004
12.02.2020 15:52:53	1	1	1	1	96.25	60.75	0	29620.853	544.0860215	16052.2382	30000	0	0	30000	41.125	2004
12.02.2020 15:52:54	1	1	1	1	96.25	61	0	29810.427	537.6344086	16154.97513	30000	0	0	30000	41.375	2004
12.02.2020 15:52:55	1	1	1	1	96.25	61.25	0	29905.213	533.3333333	16039.19224	30000	0	0	30000	41.0625	2004
12.02.2020 15:52:56	1	1	1	1	96.25	61	0	29383.886	541.9354839	16013.10032	30000	0	0	30000	40.9375	2004
12.02.2020 15:52:57	1	1	1	1	96.25	60.75	0	29620.853	537.6344086	16115.83725	30000	0	0	30000	41.1875	2004
12.02.2020 15:52:58	1	1	1	1	96.25	61	0	29478.673	537.6344086	15848.39508	30000	0	0	30000	41.125	2004
12.02.2020 15:52:59	1	1	1	1	96.25	61	0	29336.493	541.9354839	15898.1328	30000	0	0	30000	41.0625	2004
12.02.2020 15:53:00	1	1	1	1	91	61	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	41	2004
12.02.2020 15:53:01	1	1	1	1	91	61	0	28909.953	554.8387097	15978.0393	30000	0	0	30000	41.0625	2004
12.02.2020 15:53:02	1	1	1	1	91	61	0	28436.019	563.4408602	16048.16134	30000	0	0	30000	40.8125	2004
12.02.2020 15:53:03	1	1	1	1	91	60.75	0	29336.493	548.3870968	16087.29921	30000	0	0	30000	40.875	2004
12.02.2020 15:53:04	1	1	1	1	91	60.75	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	41	2004
12.02.2020 15:53:05	1	1	1	1	91	61	0	29526.066	541.9354839	15988.63914	30000	0	0	30000	40.9375	2004
12.02.2020 15:53:06	1	1	1	1	91	60.75	0	29431.28	533.3333333	15911.99413	30000	0	0	30000	40.9375	2004
12.02.2020 15:53:07	1	1	1	1	91	60.75	0	29715.64	537.6344086	15911.99413	30000	0	0	30000	41.25	2004
12.02.2020 15:53:09	1	1	1	1	91	61.25	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	40.9375	2004
12.02.2020 15:53:10	1	1	1	1	91	60.75	0	29620.853	544.0860215	16115.83725	30000	0	0	30000	41.0625	2004
12.02.2020 15:53:11	1	1	1	1	88.25	61	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	41.1875	2004
12.02.2020 15:53:12	1	1	1	1	88.25	61	0	28815.166	556.9892473	16111.76039	30000	0	0	30000	40.875	2004
12.02.2020 15:53:13	1	1	1	1	88.25	60.75	0	28009.479	576.344086	16142.74454	30000	0	0	30000	40.6875	2004
12.02.2020 15:53:14	1	1	1	1	88.25	60.5	0	28957.346	552.688172	15942.16291	30000	0	0	30000	41.0625	2004
12.02.2020 15:53:15	1	1	1	1	88.25	61	0	28815.166	556.9892473	16049.79208	30000	0	0	30000	41	2004
12.02.2020 15:53:16	1	1	1	1	88.25	61	0	28957.346	550.5376344	15879.37923	30000	0	0	30000	40.75	2004
12.02.2020 15:53:17	1	1	1	1	88.25	60.75	0	29715.64	546.2365591	16052.2382	30000	0	0	30000	40.9375	2004
12.02.2020 15:53:18	1	1	1	1	88.25	60.75	0	30000	522.5806452	15677.16685	30000	0	0	30000	41.375	2004
12.02.2020 15:53:19	1	1	1	1	88.25	61.25	0	30000	505.3763441	15161.03607	30000	0	0	30000	40.6875	2004
12.02.2020 15:53:20	1	1	1	1	88.25	60.5	0	30047.393	524.7311828	15701.62803	30000	0	0	30000	41.125	2004
12.02.2020 15:53:21	1	1	1	1	86.75	61	0	30000	524.7311828	15677.16685	30000	0	0	30000	41.1875	2004
12.02.2020 15:53:22	1	1	1	1	86.75	61	0	29952.607	526.8817204	15805.99571	30000	0	0	30000	41.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 15:53:23	1	1	1	1	86.75	61	0	29905.213	533.3333333	16039.19224	30000	0	0	30000	40.6875	2004
12.02.2020 15:53:24	1	1	1	1	86.75	60.75	0	30000	533.3333333	16064.46878	30000	0	0	30000	40.9375	2004
12.02.2020 15:53:25	1	1	1	1	86.75	60.75	0	29905.213	535.483871	16013.10032	30000	0	0	30000	40.4375	2004
12.02.2020 15:53:26	1	1	1	1	86.75	60.25	0	29857.82	535.483871	15962.54722	30000	0	0	30000	40.6875	2004
12.02.2020 15:53:27	1	1	1	1	86.75	60.5	0	29857.82	535.483871	16077.51474	30000	0	0	30000	40.6875	2004
12.02.2020 15:53:28	1	1	1	1	86.75	60.5	0	30094.787	503.2258065	15032.20721	30000	0	0	30000	41	2004
12.02.2020 15:53:29	1	1	1	1	86.75	61	0	30000	464.516129	13935.53122	30000	0	0	30000	41.125	2004
12.02.2020 15:53:30	1	1	1	1	85.25	61	0	30000	365.5913978	10644.68785	30000	0	0	30000	40.6875	2004
12.02.2020 15:53:31	1	1	1	1	85.25	60.5	0	30000	350.5376344	10515.85899	30000	0	0	30000	41.25	2004
12.02.2020 15:53:32	1	1	1	1	85.25	61.25	0	30000	369.8924731	11354.87729	30000	0	0	30000	40.8125	2004
12.02.2020 15:53:33	1	1	1	1	85.25	60.75	0	30000	395.6989247	11676.94942	30000	0	0	30000	41.125	2004
12.02.2020 15:53:34	1	1	1	1	85.25	61	0	30000	363.4408602	10984.69818	30000	0	0	30000	41.0625	2004
12.02.2020 15:53:35	1	1	1	1	85.25	61	0	30000	380.6451613	11419.29171	30000	0	0	30000	40.3125	2004
12.02.2020 15:53:36	1	1	1	1	85.25	60.25	0	30000	445.1612903	13354.17063	30000	0	0	30000	41.125	2004
12.02.2020 15:53:37	1	1	1	1	85.25	61	0	30000	518.2795699	15548.338	30000	0	0	30000	41.1875	2004
12.02.2020 15:53:38	1	1	1	1	85.25	61	0	30000	516.1290323	15266.21912	30000	0	0	30000	40.625	2004
12.02.2020 15:53:39	1	1	1	1	85.25	60.5	0	30047.393	503.2258065	14902.56299	30000	0	0	30000	41	2004
12.02.2020 15:53:40	1	1	1	1	87	61	0	29526.066	537.6344086	15988.63914	30000	0	0	30000	40.9375	2004
12.02.2020 15:53:48	1	1	1	1	87	61	0	28009.479	574.1935484	16142.74454	30000	0	0	30000	41.1875	2004
12.02.2020 15:53:48	1	1	1	1	87	61	0	28009.479	574.1935484	16142.74454	30000	0	0	30000	41.1875	2004
12.02.2020 15:53:48	1	1	1	1	87	61	0	28009.479	574.1935484	16142.74454	30000	0	0	30000	41.1875	2004
12.02.2020 15:53:48	1	1	1	1	87	61	0	28009.479	574.1935484	16142.74454	30000	0	0	30000	41.1875	2004
12.02.2020 15:53:48	1	1	1	1	87	61	0	28009.479	574.1935484	16142.74454	30000	0	0	30000	41.1875	2004
12.02.2020 15:53:48	1	1	1	1	87	61	0	28009.479	574.1935484	16142.74454	30000	0	0	30000	41.1875	2004
12.02.2020 15:53:48	1	1	1	1	87	61	0	28009.479	574.1935484	16142.74454	30000	0	0	30000	41.1875	2004
12.02.2020 15:53:49	1	1	1	1	87	61	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	40.4375	2004
12.02.2020 15:53:50	1	1	1	1	87	60.25	0	27819.905	572.0430108	15913.62487	30000	0	0	30000	41.3125	2004
12.02.2020 15:53:51	1	1	1	1	88.75	61.25	0	27914.692	578.4946237	16000.86973	30000	0	0	30000	41.1875	2004
12.02.2020 15:53:52	1	1	1	1	88.75	61	0	27298.578	593.5483871	16144.37529	30000	0	0	30000	41.25	2004
12.02.2020 15:53:53	1	1	1	1	88.75	61.25	0	27109.005	584.9462366	15826.38002	30000	0	0	30000	41.3125	2004
12.02.2020 15:53:54	1	1	1	1	88.75	61.25	0	27061.611	593.5483871	15945.4244	30000	0	0	30000	40.9375	2004
12.02.2020 15:53:55	1	1	1	1	88.75	60.75	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	41	2004
12.02.2020 15:53:56	1	1	1	1	88.75	61	0	26113.744	617.2043011	16117.468	30000	0	0	30000	40.8125	2004
12.02.2020 15:53:57	1	1	1	1	88.75	60.75	0	26066.351	612.9032258	15947.05515	30000	0	0	30000	40.5	2004
12.02.2020 15:53:58	1	1	1	1	88.75	60.5	0	26682.464	602.1505376	16066.9149	30000	0	0	30000	40.75	2004
12.02.2020 15:53:59	1	1	1	1	88.75	60.75	0	26777.251	597.8494624	16008.20808	30000	0	0	30000	41.3125	2004
12.02.2020 15:54:00	1	1	1	1	88.75	61.25	0	27109.005	587.0967742	15829.64151	30000	0	0	30000	41.3125	2004
12.02.2020 15:54:01	1	1	1	1	88.75	61.25	0	27440.758	580.6451613	16106.86815	30000	0	0	30000	41.125	2004
12.02.2020 15:54:02	1	1	1	1	88.75	61	0	27867.299	569.8924731	15881.00997	30000	0	0	30000	40.75	2004
12.02.2020 15:54:03	1	1	1	1	88.75	60.5	0	28909.953	550.5376344	15942.16291	30000	0	0	30000	41.125	2004
12.02.2020 15:54:04	1	1	1	1	88.75	61	0	29905.213	535.483871	16013.10032	30000	0	0	30000	40.9375	2004
12.02.2020 15:54:05	1	1	1	1	88.75	60.75	0	29715.64	533.3333333	15720.38159	30000	0	0	30000	40.9375	2004
12.02.2020 15:54:06	1	1	1	1	88.75	60.75	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	41	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 15:54:07	1	1	1	1	88.75	61	0	29857.82	535.483871	16052.2382	30000	0	0	30000	40.9375	2004
12.02.2020 15:54:08	1	1	1	1	88.75	60.75	0	30000	520.4301075	15677.16685	30000	0	0	30000	40.75	2004
12.02.2020 15:54:09	1	1	1	1	88.75	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	41	2004
12.02.2020 15:54:10	1	1	1	1	86.25	61	0	30000	460.2150538	13805.88699	30000	0	0	30000	40.5	2004
12.02.2020 15:54:11	1	1	1	1	86.25	60.5	0	30000	464.516129	13870.30142	30000	0	0	30000	40.9375	2004
12.02.2020 15:54:12	1	1	1	1	86.25	60.75	0	30000	466.6666667	13913.51616	30000	0	0	30000	40.9375	2004
12.02.2020 15:54:13	1	1	1	1	86.25	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	41.25	2004
12.02.2020 15:54:14	1	1	1	1	86.25	61.25	0	30000	488.172043	14516.07643	30000	0	0	30000	40.8125	2004
12.02.2020 15:54:15	1	1	1	1	86.25	60.75	0	30000	494.6236559	14838.14856	30000	0	0	30000	41.125	2004
12.02.2020 15:54:16	1	1	1	1	86.25	61	0	30000	498.9247312	15032.20721	30000	0	0	30000	41.125	2004
12.02.2020 15:54:17	1	1	1	1	86.25	61	0	30000	511.827957	15483.92357	30000	0	0	30000	40.5	2004
12.02.2020 15:54:18	1	1	1	1	86.25	60.5	0	30000	516.1290323	15483.92357	30000	0	0	30000	41	2004
12.02.2020 15:54:19	1	1	1	1	86.25	61	0	30000	516.1290323	15548.338	30000	0	0	30000	40.5625	2004
12.02.2020 15:54:20	1	1	1	1	84.75	60.5	0	29952.607	522.5806452	15677.16685	30000	0	0	30000	41.1875	2004
12.02.2020 15:54:21	1	1	1	1	84.75	61	0	29905.213	526.8817204	15870.41013	30000	0	0	30000	41.1875	2004
12.02.2020 15:54:22	1	1	1	1	84.75	61	0	30000	516.1290323	15548.338	30000	0	0	30000	40.6875	2004
12.02.2020 15:54:23	1	1	1	1	84.75	60.5	0	30000	522.5806452	15741.58128	30000	0	0	30000	41.125	2004
12.02.2020 15:54:25	1	1	1	1	84.75	61	0	30000	526.8817204	15435.00122	30000	0	0	30000	41.0625	2004
12.02.2020 15:54:26	1	1	1	1	84.75	61	0	29952.607	526.8817204	15781.53453	30000	0	0	30000	41	2004
12.02.2020 15:54:27	1	1	1	1	84.75	61	0	29952.607	529.0322581	15934.82456	30000	0	0	30000	40.8125	2004
12.02.2020 15:54:28	1	1	1	1	84.75	60.75	0	30000	526.8817204	16128.88321	30000	0	0	30000	40.3125	2004
12.02.2020 15:54:29	1	1	1	1	84.75	60.25	0	29952.607	526.8817204	16000.05436	30000	0	0	30000	41.125	2004
12.02.2020 15:54:30	1	1	1	1	84.75	61	0	30000	533.3333333	16000.05436	30000	0	0	30000	40.9375	2004
12.02.2020 15:54:31	1	1	1	1	83.75	60.75	0	29952.607	535.483871	15949.50126	30000	0	0	30000	40.875	2004
12.02.2020 15:54:32	1	1	1	1	83.75	60.75	0	29905.213	533.3333333	15974.77781	30000	0	0	30000	40.875	2004
12.02.2020 15:54:33	1	1	1	1	83.75	60.75	0	29905.213	535.483871	16013.10032	30000	0	0	30000	41	2004
12.02.2020 15:54:34	1	1	1	1	83.75	61	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	41.0625	2004
12.02.2020 15:54:35	1	1	1	1	83.75	61	0	29952.607	526.8817204	16064.46878	30000	0	0	30000	41.1875	2004
12.02.2020 15:54:36	1	1	1	1	83.75	61	0	29810.427	533.3333333	15898.94817	30000	0	0	30000	40.625	2004
12.02.2020 15:54:37	1	1	1	1	83.75	60.5	0	29905.213	535.483871	16013.10032	30000	0	0	30000	41	2004
12.02.2020 15:54:38	1	1	1	1	83.75	61	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	41	2004
12.02.2020 15:54:39	1	1	1	1	83.75	61	0	29810.427	533.3333333	15898.94817	30000	0	0	30000	41	2004
12.02.2020 15:54:40	1	1	1	1	83.25	60.75	0	30000	533.3333333	16000.05436	30000	0	0	30000	41.25	2004
12.02.2020 15:54:41	1	1	1	1	83.25	61.25	0	29857.82	535.483871	16013.10032	30000	0	0	30000	41.0625	2004
12.02.2020 15:54:42	1	1	1	1	83.25	61	0	30000	533.3333333	16064.46878	30000	0	0	30000	41.1875	2004
12.02.2020 15:54:50	1	1	1	1	83.25	60.75	0	29905.213	535.483871	16013.10032	30000	0	0	30000	41.3125	2004
12.02.2020 15:54:50	1	1	1	1	83.25	60.75	0	29905.213	535.483871	16013.10032	30000	0	0	30000	41.3125	2004
12.02.2020 15:54:50	1	1	1	1	83.25	60.75	0	29905.213	535.483871	16013.10032	30000	0	0	30000	41.3125	2004
12.02.2020 15:54:50	1	1	1	1	83.25	60.75	0	29905.213	535.483871	16013.10032	30000	0	0	30000	41.3125	2004
12.02.2020 15:54:50	1	1	1	1	83.25	60.75	0	29905.213	535.483871	16013.10032	30000	0	0	30000	41.3125	2004
12.02.2020 15:54:50	1	1	1	1	83.25	60.75	0	29905.213	535.483871	16013.10032	30000	0	0	30000	41.3125	2004
12.02.2020 15:54:50	1	1	1	1	82.5	61.25	0	29857.82	533.3333333	15987.82377	30000	0	0	30000	40.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 15:54:51	1	1	1	1	82.5	60.75	0	29905.213	537.6344086	16077.51474	30000	0	0	30000	41.1875	2004
12.02.2020 15:54:52	1	1	1	1	82.5	61	0	29857.82	539.7849462	15987.82377	30000	0	0	30000	41	2004
12.02.2020 15:54:53	1	1	1	1	82.5	61	0	29857.82	535.483871	15962.54722	30000	0	0	30000	41.125	2004
12.02.2020 15:54:54	1	1	1	1	82.5	61	0	29905.213	535.483871	16013.10032	30000	0	0	30000	40.8125	2004
12.02.2020 15:54:55	1	1	1	1	82.5	60.75	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	40.875	2004
12.02.2020 15:54:56	1	1	1	1	82.5	60.75	0	29905.213	535.483871	16013.10032	30000	0	0	30000	40.8125	2004
12.02.2020 15:54:57	1	1	1	1	82.5	60.75	0	29857.82	537.6344086	15962.54722	30000	0	0	30000	41.1875	2004
12.02.2020 15:54:58	1	1	1	1	82.5	61	0	29952.607	533.3333333	16064.46878	30000	0	0	30000	41.125	2004
12.02.2020 15:54:59	1	1	1	1	82.5	61	0	29810.427	535.483871	15911.99413	30000	0	0	30000	41.25	2004
12.02.2020 15:55:00	1	1	1	1	82.25	61.25	0	29952.607	533.3333333	15934.82456	30000	0	0	30000	41.25	2004
12.02.2020 15:55:01	1	1	1	1	82.25	61.25	0	29620.853	533.3333333	15925.04009	30000	0	0	30000	40.5625	2004
12.02.2020 15:55:02	1	1	1	1	82.25	60.5	0	29810.427	537.6344086	16026.96165	30000	0	0	30000	40.8125	2004
12.02.2020 15:55:04	1	1	1	1	82.25	60.75	0	29905.213	541.9354839	16013.10032	30000	0	0	30000	40.875	2004
12.02.2020 15:55:05	1	1	1	1	82.25	60.75	0	29810.427	535.483871	15962.54722	30000	0	0	30000	40.9375	2004
12.02.2020 15:55:06	1	1	1	1	82.25	60.75	0	29715.64	535.483871	15911.99413	30000	0	0	30000	40.9375	2004
12.02.2020 15:55:07	1	1	1	1	82.25	60.75	0	29857.82	533.3333333	15987.82377	30000	0	0	30000	40.875	2004
12.02.2020 15:55:08	1	1	1	1	82.25	60.75	0	29715.64	535.483871	15975.59318	30000	0	0	30000	41.0625	2004
12.02.2020 15:55:09	1	1	1	1	82.25	61	0	29715.64	529.0322581	15848.39508	30000	0	0	30000	40.9375	2004
12.02.2020 15:55:10	1	1	1	1	82.25	60.75	0	29810.427	535.483871	15962.54722	30000	0	0	30000	40.9375	2004
12.02.2020 15:55:11	1	1	1	1	81.5	60.75	0	29857.82	537.6344086	15898.94817	30000	0	0	30000	41.125	2004
12.02.2020 15:55:12	1	1	1	1	81.5	61	0	29810.427	533.3333333	15848.39508	30000	0	0	30000	40.875	2004
12.02.2020 15:55:13	1	1	1	1	81.5	60.75	0	29905.213	537.6344086	16141.92917	30000	0	0	30000	41.1875	2004
12.02.2020 15:55:14	1	1	1	1	81.5	61	0	29952.607	544.0860215	16077.51474	30000	0	0	30000	40.75	2004
12.02.2020 15:55:15	1	1	1	1	81.5	60.75	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	40.625	2004
12.02.2020 15:55:16	1	1	1	1	81.5	60.5	0	29810.427	535.483871	15962.54722	30000	0	0	30000	41.4375	2004
12.02.2020 15:55:17	1	1	1	1	81.5	61.25	0	29668.246	537.6344086	16040.00761	30000	0	0	30000	41.0625	2004
12.02.2020 15:55:18	1	1	1	1	81.5	61.25	0	29810.427	537.6344086	16026.96165	30000	0	0	30000	41.1875	2004
12.02.2020 15:55:19	1	1	1	1	81.5	61	0	29715.64	535.483871	15975.59318	30000	0	0	30000	41.125	2004
12.02.2020 15:55:20	1	1	1	1	81.25	61	0	29715.64	537.6344086	15911.99413	30000	0	0	30000	40.9375	2004
12.02.2020 15:55:21	1	1	1	1	81.25	60.75	0	29857.82	537.6344086	16052.2382	30000	0	0	30000	41	2004
12.02.2020 15:55:22	1	1	1	1	81.25	61	0	29810.427	537.6344086	16116.65262	30000	0	0	30000	41.125	2004
12.02.2020 15:55:23	1	1	1	1	81.25	61	0	29620.853	537.6344086	15861.44103	30000	0	0	30000	41	2004
12.02.2020 15:55:24	1	1	1	1	81.25	61	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	40.8125	2004
12.02.2020 15:55:25	1	1	1	1	81.25	60.75	0	29810.427	541.9354839	16090.5607	30000	0	0	30000	41	2004
12.02.2020 15:55:26	1	1	1	1	81.25	61	0	29620.853	537.6344086	15925.04009	30000	0	0	30000	41.125	2004
12.02.2020 15:55:27	1	1	1	1	81.25	61	0	29668.246	537.6344086	15861.44103	30000	0	0	30000	40.625	2004
12.02.2020 15:55:28	1	1	1	1	81.25	60.5	0	29810.427	537.6344086	15962.54722	30000	0	0	30000	41.125	2004
12.02.2020 15:55:29	1	1	1	1	81.25	61	0	29526.066	539.7849462	15937.27068	30000	0	0	30000	40.9375	2004
12.02.2020 15:55:30	1	1	1	1	81	60.75	0	29715.64	539.7849462	15911.99413	30000	0	0	30000	40.5625	2004
12.02.2020 15:55:31	1	1	1	1	81	60.5	0	29905.213	539.7849462	15898.94817	30000	0	0	30000	41.1875	2004
12.02.2020 15:55:32	1	1	1	1	81	61	0	29715.64	537.6344086	16103.60666	30000	0	0	30000	40.4375	2004
12.02.2020 15:55:33	1	1	1	1	81	60.25	0	29810.427	541.9354839	16154.97513	30000	0	0	30000	41.0625	2004
12.02.2020 15:55:34	1	1	1	1	81	61	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	41.125	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 15:55:35	1	1	1	1	81	61	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	41.25	2004
12.02.2020 15:55:36	1	1	1	1	81	61.25	0	29620.853	537.6344086	15925.04009	30000	0	0	30000	41.25	2004
12.02.2020 15:55:37	1	1	1	1	81	61.25	0	29810.427	541.9354839	16154.97513	30000	0	0	30000	40.875	2004
12.02.2020 15:55:39	1	1	1	1	81	60.75	0	29715.64	537.6344086	15911.99413	30000	0	0	30000	40.9375	2004
12.02.2020 15:55:40	1	1	1	1	81	60.75	0	29431.28	537.6344086	15885.90221	30000	0	0	30000	41.1875	2004
12.02.2020 15:55:41	1	1	1	1	80.25	61	0	29810.427	537.6344086	16090.5607	30000	0	0	30000	41.1875	2004
12.02.2020 15:55:42	1	1	1	1	80.25	61	0	29715.64	535.483871	16040.00761	30000	0	0	30000	41	2004
12.02.2020 15:55:43	1	1	1	1	80.25	61	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	41.3125	2004
12.02.2020 15:55:44	1	1	1	1	80.25	61.25	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	41.1875	2004
12.02.2020 15:55:52	1	1	1	1	80	61.25	0	29905.213	537.6344086	16013.10032	30000	0	0	30000	40.75	2004
12.02.2020 15:55:52	1	1	1	1	80	61.25	0	29905.213	537.6344086	16013.10032	30000	0	0	30000	40.75	2004
12.02.2020 15:55:52	1	1	1	1	80	61.25	0	29905.213	537.6344086	16013.10032	30000	0	0	30000	40.75	2004
12.02.2020 15:55:52	1	1	1	1	80	61.25	0	29905.213	537.6344086	16013.10032	30000	0	0	30000	40.75	2004
12.02.2020 15:55:52	1	1	1	1	80	61.25	0	29905.213	537.6344086	16013.10032	30000	0	0	30000	40.75	2004
12.02.2020 15:55:52	1	1	1	1	80	61.25	0	29905.213	537.6344086	16013.10032	30000	0	0	30000	40.75	2004
12.02.2020 15:55:52	1	1	1	1	80	61.25	0	29905.213	537.6344086	16013.10032	30000	0	0	30000	40.75	2004
12.02.2020 15:55:52	1	1	1	1	80	60.75	0	29620.853	535.483871	15861.44103	30000	0	0	30000	40.8125	2004
12.02.2020 15:55:53	1	1	1	1	80	60.75	0	29715.64	535.483871	15911.99413	30000	0	0	30000	40.9375	2004
12.02.2020 15:55:54	1	1	1	1	80	60.75	0	29810.427	537.6344086	16026.96165	30000	0	0	30000	41.1875	2004
12.02.2020 15:55:55	1	1	1	1	80	61	0	29905.213	537.6344086	16013.10032	30000	0	0	30000	40.625	2004
12.02.2020 15:55:56	1	1	1	1	80	60.5	0	29810.427	537.6344086	16026.96165	30000	0	0	30000	40.6875	2004
12.02.2020 15:55:57	1	1	1	1	80	60.5	0	29810.427	537.6344086	16090.5607	30000	0	0	30000	41.1875	2004
12.02.2020 15:55:58	1	1	1	1	80	61.25	0	30000	535.483871	16064.46878	30000	0	0	30000	40.5	2004
12.02.2020 15:55:59	1	1	1	1	80	60.5	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	41.125	2004
12.02.2020 15:56:00	1	1	1	1	79.5	61	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	41.125	2004
12.02.2020 15:56:01	1	1	1	1	79.5	61	0	30000	533.3333333	16244.6661	30000	0	0	30000	41.125	2004
12.02.2020 15:56:02	1	1	1	1	79.5	61	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	40.625	2004
12.02.2020 15:56:03	1	1	1	1	79.5	60.5	0	29905.213	537.6344086	16013.10032	30000	0	0	30000	40.75	2004
12.02.2020 15:56:04	1	1	1	1	79.5	60.75	0	29905.213	535.483871	16077.51474	30000	0	0	30000	40.875	2004
12.02.2020 15:56:05	1	1	1	1	79.5	60.75	0	29620.853	535.483871	15861.44103	30000	0	0	30000	41	2004
12.02.2020 15:56:06	1	1	1	1	79.5	61	0	29715.64	535.483871	15911.99413	30000	0	0	30000	40.875	2004
12.02.2020 15:56:07	1	1	1	1	79.5	60.75	0	29905.213	535.483871	16013.10032	30000	0	0	30000	41.1875	2004
12.02.2020 15:56:08	1	1	1	1	79.5	61	0	29905.213	529.0322581	15949.50126	30000	0	0	30000	41.125	2004
12.02.2020 15:56:09	1	1	1	1	79.5	61	0	29952.607	533.3333333	16039.19224	30000	0	0	30000	41.125	2004
12.02.2020 15:56:10	1	1	1	1	79.25	61	0	29905.213	537.6344086	15987.82377	30000	0	0	30000	41.125	2004
12.02.2020 15:56:11	1	1	1	1	79.25	61	0	29905.213	537.6344086	16141.92917	30000	0	0	30000	41.0625	2004
12.02.2020 15:56:12	1	1	1	1	79.25	61	0	29573.46	537.6344086	15772.56543	30000	0	0	30000	41.0625	2004
12.02.2020 15:56:13	1	1	1	1	79.25	61	0	29620.853	537.6344086	15950.31664	30000	0	0	30000	41	2004
12.02.2020 15:56:14	1	1	1	1	79.25	61	0	29620.853	537.6344086	15836.16449	30000	0	0	30000	41	2004
12.02.2020 15:56:15	1	1	1	1	79.25	61	0	29620.853	535.483871	15925.04009	30000	0	0	30000	41.1875	2004
12.02.2020 15:56:16	1	1	1	1	79.25	61	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	41.0625	2004
12.02.2020 15:56:17	1	1	1	1	79.25	61	0	29810.427	537.6344086	16270.75802	30000	0	0	30000	41	2004
12.02.2020 15:56:18	1	1	1	1	79.25	61	0	29810.427	535.483871	15962.54722	30000	0	0	30000	40.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 15:56:20	1	1	1	1	79.25	60.5	0	29857.82	537.6344086	16052.2382	30000	0	0	30000	40.6875	2004
12.02.2020 15:56:21	1	1	1	1	79	60.5	0	29810.427	535.483871	16116.65262	30000	0	0	30000	41.125	2004
12.02.2020 15:56:22	1	1	1	1	79	61	0	29810.427	541.9354839	15911.99413	30000	0	0	30000	41.25	2004
12.02.2020 15:56:23	1	1	1	1	79	61.25	0	29763.033	533.3333333	16026.96165	30000	0	0	30000	41.1875	2004
12.02.2020 15:56:24	1	1	1	1	79	61	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	40.9375	2004
12.02.2020 15:56:25	1	1	1	1	79	60.75	0	29905.213	535.483871	16013.10032	30000	0	0	30000	41	2004
12.02.2020 15:56:26	1	1	1	1	79	61	0	29857.82	535.483871	15706.52026	30000	0	0	30000	41	2004
12.02.2020 15:56:27	1	1	1	1	79	61	0	29905.213	535.483871	16077.51474	30000	0	0	30000	41.0625	2004
12.02.2020 15:56:28	1	1	1	1	79	61	0	29857.82	537.6344086	16026.96165	30000	0	0	30000	41.1875	2004
12.02.2020 15:56:29	1	1	1	1	79	61	0	29905.213	535.483871	16013.10032	30000	0	0	30000	40.6875	2004
12.02.2020 15:56:30	1	1	1	1	79	60.5	0	29810.427	535.483871	15962.54722	30000	0	0	30000	41	2004
12.02.2020 15:56:31	1	1	1	1	78.25	61	0	29857.82	535.483871	16077.51474	30000	0	0	30000	40.6875	2004
12.02.2020 15:56:32	1	1	1	1	78.25	60.5	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	40.875	2004
12.02.2020 15:56:33	1	1	1	1	78.25	60.75	0	29715.64	535.483871	15975.59318	30000	0	0	30000	41.0625	2004
12.02.2020 15:56:34	1	1	1	1	78.25	61	0	29810.427	537.6344086	15962.54722	30000	0	0	30000	40.625	2004
12.02.2020 15:56:35	1	1	1	1	78.25	60.5	0	29905.213	537.6344086	16013.10032	30000	0	0	30000	40.8125	2004
12.02.2020 15:56:36	1	1	1	1	78.25	60.75	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	41.25	2004
12.02.2020 15:56:37	1	1	1	1	78.25	61.25	0	29810.427	537.6344086	16090.5607	30000	0	0	30000	41.0625	2004
12.02.2020 15:56:38	1	1	1	1	78.25	61	0	29715.64	533.3333333	15911.99413	30000	0	0	30000	41.0625	2004
12.02.2020 15:56:39	1	1	1	1	78.25	61.5	0	29810.427	535.483871	15987.82377	30000	0	0	30000	41.125	2004
12.02.2020 15:56:40	1	1	1	1	78.25	61	0	30000	533.3333333	15756.25798	30000	0	0	30000	41.1875	2004
12.02.2020 15:56:41	1	1	1	1	78.25	61	0	29905.213	533.3333333	16000.05436	30000	0	0	30000	40.875	2004
12.02.2020 15:56:42	1	1	1	1	78.25	60.75	0	29810.427	537.6344086	16026.96165	30000	0	0	30000	41.1875	2004
12.02.2020 15:56:43	1	1	1	1	78.25	61	0	29857.82	537.6344086	15987.82377	30000	0	0	30000	41.125	2004
12.02.2020 15:56:44	1	1	1	1	78.25	61	0	29905.213	537.6344086	16077.51474	30000	0	0	30000	41.0625	2004
12.02.2020 15:56:45	1	1	1	1	78.25	61	0	29905.213	537.6344086	16077.51474	30000	0	0	30000	40.5625	2004
12.02.2020 15:56:53	1	1	1	1	77.75	61	0	29763.033	535.483871	16026.96165	30000	0	0	30000	41	2004
12.02.2020 15:56:53	1	1	1	1	77.75	61	0	29763.033	535.483871	16026.96165	30000	0	0	30000	41	2004
12.02.2020 15:56:53	1	1	1	1	77.75	61	0	29763.033	535.483871	16026.96165	30000	0	0	30000	41	2004
12.02.2020 15:56:53	1	1	1	1	77.75	61	0	29763.033	535.483871	16026.96165	30000	0	0	30000	41	2004
12.02.2020 15:56:53	1	1	1	1	77.75	61	0	29763.033	535.483871	16026.96165	30000	0	0	30000	41	2004
12.02.2020 15:56:53	1	1	1	1	77.75	61	0	29763.033	535.483871	16026.96165	30000	0	0	30000	41	2004
12.02.2020 15:56:53	1	1	1	1	77.75	61	0	29763.033	535.483871	16026.96165	30000	0	0	30000	41	2004
12.02.2020 15:56:53	1	1	1	1	77.75	61	0	29763.033	535.483871	16026.96165	30000	0	0	30000	41	2004
12.02.2020 15:56:53	1	1	1	1	77.75	61	0	29763.033	535.483871	16026.96165	30000	0	0	30000	41	2004
12.02.2020 15:56:54	1	1	1	1	77.75	61	0	29810.427	533.3333333	15962.54722	30000	0	0	30000	41	2004
12.02.2020 15:56:55	1	1	1	1	77.75	61	0	29810.427	537.6344086	16026.96165	30000	0	0	30000	40.5625	2004
12.02.2020 15:56:56	1	1	1	1	77.75	60.5	0	29857.82	537.6344086	16052.2382	30000	0	0	30000	41.1875	2004
12.02.2020 15:56:57	1	1	1	1	77.75	61	0	29810.427	537.6344086	16026.96165	30000	0	0	30000	41.0625	2004
12.02.2020 15:56:58	1	1	1	1	77.75	61	0	29810.427	537.6344086	15848.39508	30000	0	0	30000	41.3125	2004
12.02.2020 15:57:00	1	1	1	1	77.75	61.25	0	29857.82	537.6344086	16026.96165	30000	0	0	30000	41.0625	2004
12.02.2020 15:57:01	1	1	1	1	77.5	61	0	29810.427	537.6344086	16026.96165	30000	0	0	30000	40.75	2004
12.02.2020 15:57:02	1	1	1	1	77.5	60.75	0	29715.64	535.483871	15911.99413	30000	0	0	30000	40.875	2004
12.02.2020 15:57:03	1	1	1	1	77.5	60.75	0	29905.213	537.6344086	16013.10032	30000	0	0	30000	41	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 15:57:04	1	1	1	1	77.5	61	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	40.8125	2004
12.02.2020 15:57:05	1	1	1	1	77.5	60.75	0	29857.82	537.6344086	16052.2382	30000	0	0	30000	41.0625	2004
12.02.2020 15:57:06	1	1	1	1	77.5	61	0	29857.82	535.483871	15987.82377	30000	0	0	30000	41.1875	2004
12.02.2020 15:57:07	1	1	1	1	77.5	61	0	29905.213	535.483871	16077.51474	30000	0	0	30000	41	2004
12.02.2020 15:57:08	1	1	1	1	77.5	61	0	29857.82	535.483871	15962.54722	30000	0	0	30000	40.8125	2004
12.02.2020 15:57:09	1	1	1	1	77.5	60.75	0	29810.427	537.6344086	15987.82377	30000	0	0	30000	41.0625	2004
12.02.2020 15:57:10	1	1	1	1	77.5	61	0	29810.427	535.483871	16026.96165	30000	0	0	30000	41.0625	2004
12.02.2020 15:57:11	1	1	1	1	77.25	61	0	29905.213	537.6344086	16013.10032	30000	0	0	30000	40.8125	2004
12.02.2020 15:57:12	1	1	1	1	77.25	60.75	0	29857.82	535.483871	15987.82377	30000	0	0	30000	40.9375	2004
12.02.2020 15:57:13	1	1	1	1	77.25	60.75	0	29810.427	535.483871	15962.54722	30000	0	0	30000	41.0625	2004
12.02.2020 15:57:14	1	1	1	1	77.25	61	0	29810.427	537.6344086	15962.54722	30000	0	0	30000	41.1875	2004
12.02.2020 15:57:15	1	1	1	1	77.25	61	0	29905.213	535.483871	16077.51474	30000	0	0	30000	41.3125	2004
12.02.2020 15:57:16	1	1	1	1	77.25	61	0	29857.82	535.483871	16077.51474	30000	0	0	30000	41.1875	2004
12.02.2020 15:57:17	1	1	1	1	77.25	61	0	29715.64	535.483871	15911.99413	30000	0	0	30000	41.1875	2004
12.02.2020 15:57:18	1	1	1	1	77.25	61	0	29857.82	537.6344086	16077.51474	30000	0	0	30000	40.8125	2004
12.02.2020 15:57:19	1	1	1	1	77.25	60.75	0	29905.213	537.6344086	16052.2382	30000	0	0	30000	41	2004
12.02.2020 15:57:20	1	1	1	1	77.25	61	0	29857.82	537.6344086	16052.2382	30000	0	0	30000	41.125	2004
12.02.2020 15:57:21	1	1	1	1	77.25	61	0	29715.64	535.483871	15911.99413	30000	0	0	30000	41.125	2004
12.02.2020 15:57:22	1	1	1	1	77.25	61	0	29905.213	541.9354839	16052.2382	30000	0	0	30000	41.375	2004
12.02.2020 15:57:23	1	1	1	1	77.25	61.25	0	29857.82	537.6344086	16116.65262	30000	0	0	30000	41.125	2004
12.02.2020 15:57:24	1	1	1	1	77.25	61	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	41.25	2004
12.02.2020 15:57:25	1	1	1	1	77.25	61.25	0	29810.427	537.6344086	15962.54722	30000	0	0	30000	41.25	2004
12.02.2020 15:57:26	1	1	1	1	77.25	61.25	0	29905.213	537.6344086	16077.51474	30000	0	0	30000	41.0625	2004
12.02.2020 15:57:27	1	1	1	1	77.25	61	0	29810.427	535.483871	15962.54722	30000	0	0	30000	40.375	2004
12.02.2020 15:57:28	1	1	1	1	77.25	60.25	0	29857.82	535.483871	15987.82377	30000	0	0	30000	40.8125	2004
12.02.2020 15:57:29	1	1	1	1	77.25	60.75	0	29810.427	535.483871	16026.96165	30000	0	0	30000	41.0625	2004
12.02.2020 15:57:30	1	1	1	1	76.25	61	0	29715.64	533.3333333	15911.99413	30000	0	0	30000	41.0625	2004
12.02.2020 15:57:31	1	1	1	1	76.25	61	0	29857.82	535.483871	15962.54722	30000	0	0	30000	41.125	2004
12.02.2020 15:57:32	1	1	1	1	76.25	61	0	29857.82	537.6344086	15987.82377	30000	0	0	30000	41	2004
12.02.2020 15:57:33	1	1	1	1	76.25	61	0	29620.853	537.6344086	15861.44103	30000	0	0	30000	41.0625	2004
12.02.2020 15:57:34	1	1	1	1	76.25	61	0	29857.82	535.483871	16077.51474	30000	0	0	30000	41.1875	2004
12.02.2020 15:57:35	1	1	1	1	76.25	61	0	29810.427	537.6344086	15962.54722	30000	0	0	30000	41.3125	2004
12.02.2020 15:57:37	1	1	1	1	76.25	61.25	0	29905.213	537.6344086	15949.50126	30000	0	0	30000	41.0625	2004
12.02.2020 15:57:38	1	1	1	1	76.25	61	0	29905.213	537.6344086	16013.10032	30000	0	0	30000	41.3125	2004
12.02.2020 15:57:39	1	1	1	1	76.25	61.25	0	29620.853	535.483871	15861.44103	30000	0	0	30000	41	2004
12.02.2020 15:57:40	1	1	1	1	76.25	61	0	29810.427	535.483871	15962.54722	30000	0	0	30000	41.0625	2004
12.02.2020 15:57:41	1	1	1	1	76	61	0	29857.82	535.483871	15962.54722	30000	0	0	30000	41.1875	2004
12.02.2020 15:57:42	1	1	1	1	76	61	0	29810.427	537.6344086	15911.99413	30000	0	0	30000	41.1875	2004
12.02.2020 15:57:43	1	1	1	1	76	61	0	29857.82	535.483871	15987.82377	30000	0	0	30000	40.75	2004
12.02.2020 15:57:44	1	1	1	1	76	60.75	0	29810.427	533.3333333	15962.54722	30000	0	0	30000	40.875	2004
12.02.2020 15:57:45	1	1	1	1	76	60.75	0	29857.82	539.7849462	16026.96165	30000	0	0	30000	41.0625	2004
12.02.2020 15:57:46	1	1	1	1	76	61	0	29857.82	535.483871	16077.51474	30000	0	0	30000	41.0625	2004
12.02.2020 15:57:47	1	1	1	1	76	61	0	29715.64	535.483871	15911.99413	30000	0	0	30000	40.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 15:57:55	1	1	1	1	75.75	61	0	29857.82	535.483871	15987.82377	30000	0	0	30000	41.0625	2004
12.02.2020 15:57:55	1	1	1	1	75.75	61	0	29857.82	535.483871	15987.82377	30000	0	0	30000	41.0625	2004
12.02.2020 15:57:55	1	1	1	1	75.75	61	0	29857.82	535.483871	15987.82377	30000	0	0	30000	41.0625	2004
12.02.2020 15:57:55	1	1	1	1	75.75	61	0	29857.82	535.483871	15987.82377	30000	0	0	30000	41.0625	2004
12.02.2020 15:57:55	1	1	1	1	75.75	61	0	29857.82	535.483871	15987.82377	30000	0	0	30000	41.0625	2004
12.02.2020 15:57:55	1	1	1	1	75.75	61	0	29857.82	535.483871	15987.82377	30000	0	0	30000	41.0625	2004
12.02.2020 15:57:55	1	1	1	1	75.75	61	0	29857.82	535.483871	15987.82377	30000	0	0	30000	41.0625	2004
12.02.2020 15:57:55	1	1	1	1	75.75	61	0	29810.427	535.483871	16026.96165	30000	0	0	30000	41.25	2004
12.02.2020 15:57:56	1	1	1	1	75.75	60.75	0	29905.213	537.6344086	16013.10032	30000	0	0	30000	40.8125	2004
12.02.2020 15:57:57	1	1	1	1	75.75	60.75	0	29905.213	535.483871	16077.51474	30000	0	0	30000	41.4375	2004
12.02.2020 15:57:58	1	1	1	1	75.75	61.25	0	29763.033	533.3333333	15911.99413	30000	0	0	30000	41.25	2004
12.02.2020 15:57:59	1	1	1	1	75.75	61.25	0	29952.607	541.9354839	15949.50126	30000	0	0	30000	40.9375	2004
12.02.2020 15:58:00	1	1	1	1	75.25	60.75	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	41.0625	2004
12.02.2020 15:58:01	1	1	1	1	75.25	61	0	29668.246	535.483871	15911.99413	30000	0	0	30000	41	2004
12.02.2020 15:58:02	1	1	1	1	75.25	61	0	29668.246	535.483871	15911.99413	30000	0	0	30000	41.0625	2004
12.02.2020 15:58:03	1	1	1	1	75.25	61	0	29810.427	529.0322581	15949.50126	30000	0	0	30000	40.875	2004
12.02.2020 15:58:04	1	1	1	1	75.25	60.75	0	29857.82	537.6344086	16026.96165	30000	0	0	30000	41.3125	2004
12.02.2020 15:58:05	1	1	1	1	75.25	61.25	0	29857.82	537.6344086	16052.2382	30000	0	0	30000	41.25	2004
12.02.2020 15:58:06	1	1	1	1	75.25	61.25	0	29715.64	535.483871	15911.99413	30000	0	0	30000	41	2004
12.02.2020 15:58:07	1	1	1	1	75.25	61	0	29810.427	535.483871	15911.99413	30000	0	0	30000	41.3125	2004
12.02.2020 15:58:08	1	1	1	1	75.25	61.25	0	29905.213	537.6344086	16141.92917	30000	0	0	30000	40.8125	2004
12.02.2020 15:58:09	1	1	1	1	75.25	60.75	0	29905.213	537.6344086	16077.51474	30000	0	0	30000	41.125	2004
12.02.2020 15:58:10	1	1	1	1	75.25	61	0	29810.427	537.6344086	15962.54722	30000	0	0	30000	40.875	2004
12.02.2020 15:58:11	1	1	1	1	75.25	60.75	0	29810.427	535.483871	16026.96165	30000	0	0	30000	41.0625	2004
12.02.2020 15:58:12	1	1	1	1	75.25	61	0	29668.246	535.483871	15988.63914	30000	0	0	30000	41.3125	2004
12.02.2020 15:58:13	1	1	1	1	75.25	61.25	0	29715.64	537.6344086	16026.96165	30000	0	0	30000	41.3125	2004
12.02.2020 15:58:14	1	1	1	1	75.25	61.25	0	29905.213	537.6344086	16013.10032	30000	0	0	30000	41.125	2004
12.02.2020 15:58:16	1	1	1	1	75.25	61	0	29810.427	535.483871	15962.54722	30000	0	0	30000	41.125	2004
12.02.2020 15:58:17	1	1	1	1	75.25	61	0	29857.82	535.483871	16141.92917	30000	0	0	30000	41.3125	2004
12.02.2020 15:58:18	1	1	1	1	75.25	61.25	0	29810.427	537.6344086	16090.5607	30000	0	0	30000	41.125	2004
12.02.2020 15:58:19	1	1	1	1	75.25	61	0	29905.213	535.483871	16039.19224	30000	0	0	30000	40.625	2004
12.02.2020 15:58:20	1	1	1	1	75.25	60.5	0	29810.427	533.3333333	15720.38159	30000	0	0	30000	41.125	2004
12.02.2020 15:58:21	1	1	1	1	75	61	0	29620.853	535.483871	15797.84198	30000	0	0	30000	41.125	2004
12.02.2020 15:58:22	1	1	1	1	75	61	0	29857.82	533.3333333	15987.82377	30000	0	0	30000	41	2004
12.02.2020 15:58:23	1	1	1	1	75	61	0	29905.213	537.6344086	16103.60666	30000	0	0	30000	41.0625	2004
12.02.2020 15:58:24	1	1	1	1	75	61	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	40.9375	2004
12.02.2020 15:58:25	1	1	1	1	75	60.75	0	29905.213	535.483871	16013.10032	30000	0	0	30000	40.6875	2004
12.02.2020 15:58:26	1	1	1	1	75	60.5	0	29763.033	535.483871	15962.54722	30000	0	0	30000	41.1875	2004
12.02.2020 15:58:27	1	1	1	1	75	61	0	29905.213	535.483871	16013.10032	30000	0	0	30000	41.0625	2004
12.02.2020 15:58:28	1	1	1	1	75	61	0	29905.213	537.6344086	16077.51474	30000	0	0	30000	41.25	2004
12.02.2020 15:58:29	1	1	1	1	75	61.25	0	29857.82	537.6344086	15962.54722	30000	0	0	30000	41.25	2004
12.02.2020 15:58:30	1	1	1	1	75	61.25	0	29810.427	535.483871	15962.54722	30000	0	0	30000	41.5625	2004
12.02.2020 15:58:31	1	1	1	1	74.75	61.5	0	29857.82	537.6344086	15987.82377	30000	0	0	30000	41.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 15:58:32	1	1	1	1	74.75	61.25	0	29857.82	535.483871	15987.82377	30000	0	0	30000	41.125	2004
12.02.2020 15:58:33	1	1	1	1	74.75	61	0	29763.033	535.483871	15911.99413	30000	0	0	30000	40.8125	2004
12.02.2020 15:58:34	1	1	1	1	74.75	61	0	29905.213	535.483871	16013.10032	30000	0	0	30000	41.0625	2004
12.02.2020 15:58:35	1	1	1	1	74.75	61	0	29905.213	535.483871	16013.10032	30000	0	0	30000	41.0625	2004
12.02.2020 15:58:36	1	1	1	1	74.75	61	0	29905.213	535.483871	15924.22472	30000	0	0	30000	40.9375	2004
12.02.2020 15:58:37	1	1	1	1	74.75	60.75	0	29810.427	535.483871	16026.96165	30000	0	0	30000	40.75	2004
12.02.2020 15:58:38	1	1	1	1	74.75	60.75	0	29905.213	537.6344086	15987.82377	30000	0	0	30000	40.9375	2004
12.02.2020 15:58:39	1	1	1	1	74.75	60.75	0	29810.427	533.3333333	15987.82377	30000	0	0	30000	41.25	2004
12.02.2020 15:58:40	1	1	1	1	74.5	61.25	0	29857.82	537.6344086	16013.10032	30000	0	0	30000	41.1875	2004
12.02.2020 15:58:41	1	1	1	1	74.5	61	0	29857.82	535.483871	15962.54722	30000	0	0	30000	40.875	2004
12.02.2020 15:58:42	1	1	1	1	74.5	60.75	0	30000	533.3333333	16000.05436	30000	0	0	30000	40.75	2004
12.02.2020 15:58:43	1	1	1	1	74.5	60.75	0	29763.033	535.483871	15911.99413	30000	0	0	30000	41	2004
12.02.2020 15:58:44	1	1	1	1	74.5	61	0	29857.82	535.483871	15987.82377	30000	0	0	30000	41.1875	2004
12.02.2020 15:58:45	1	1	1	1	74.5	61	0	29905.213	533.3333333	15974.77781	30000	0	0	30000	41.1875	2004
12.02.2020 15:58:46	1	1	1	1	74.5	61	0	29905.213	531.1827957	15949.50126	30000	0	0	30000	41.0625	2004
12.02.2020 15:58:47	1	1	1	1	74.5	61	0	29905.213	529.0322581	15949.50126	30000	0	0	30000	40.4375	2004
12.02.2020 15:58:48	1	1	1	1	74.5	60.25	0	29668.246	535.483871	15861.44103	30000	0	0	30000	41.125	2004
12.02.2020 15:58:57	1	1	1	1	74	61	0	29857.82	533.3333333	16013.10032	30000	0	0	30000	40.75	2004
12.02.2020 15:58:57	1	1	1	1	74	61	0	29857.82	533.3333333	16013.10032	30000	0	0	30000	40.75	2004
12.02.2020 15:58:57	1	1	1	1	74	61	0	29857.82	533.3333333	16013.10032	30000	0	0	30000	40.75	2004
12.02.2020 15:58:57	1	1	1	1	74	61	0	29857.82	533.3333333	16013.10032	30000	0	0	30000	40.75	2004
12.02.2020 15:58:57	1	1	1	1	74	61	0	29857.82	533.3333333	16013.10032	30000	0	0	30000	40.75	2004
12.02.2020 15:58:57	1	1	1	1	74	60.75	0	29857.82	535.483871	15987.82377	30000	0	0	30000	40.75	2004
12.02.2020 15:58:58	1	1	1	1	74	60.75	0	29715.64	535.483871	15911.99413	30000	0	0	30000	40.25	2004
12.02.2020 15:58:59	1	1	1	1	74	60.25	0	29857.82	537.6344086	16026.96165	30000	0	0	30000	41.0625	2004
12.02.2020 15:59:00	1	1	1	1	74	61	0	29857.82	526.8817204	15730.98144	30000	0	0	30000	41.125	2004
12.02.2020 15:59:01	1	1	1	1	73.5	61	0	29810.427	535.483871	15962.54722	30000	0	0	30000	41.1875	2004
12.02.2020 15:59:02	1	1	1	1	73.5	61	0	29905.213	537.6344086	16052.2382	30000	0	0	30000	41.0625	2004
12.02.2020 15:59:03	1	1	1	1	73.5	61	0	29810.427	535.483871	15962.54722	30000	0	0	30000	40.9375	2004
12.02.2020 15:59:04	1	1	1	1	73.5	60.75	0	29857.82	537.6344086	15987.82377	30000	0	0	30000	40.4375	2004
12.02.2020 15:59:05	1	1	1	1	73.5	60.25	0	29715.64	529.0322581	15911.99413	30000	0	0	30000	41.0625	2004
12.02.2020 15:59:06	1	1	1	1	73.5	61	0	29810.427	535.483871	16026.96165	30000	0	0	30000	41	2004
12.02.2020 15:59:07	1	1	1	1	73.5	61	0	29810.427	537.6344086	16026.96165	30000	0	0	30000	41	2004
12.02.2020 15:59:08	1	1	1	1	73.5	61	0	29715.64	533.3333333	15848.39508	30000	0	0	30000	41.125	2004
12.02.2020 15:59:09	1	1	1	1	73.5	61	0	30000	537.6344086	16000.05436	30000	0	0	30000	41.125	2004
12.02.2020 15:59:10	1	1	1	1	73.5	61	0	29952.607	533.3333333	16039.19224	30000	0	0	30000	41.125	2004
12.02.2020 15:59:11	1	1	1	1	73.5	61	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	40.8125	2004
12.02.2020 15:59:12	1	1	1	1	73.5	60.75	0	29905.213	531.1827957	15949.50126	30000	0	0	30000	40.8125	2004
12.02.2020 15:59:13	1	1	1	1	73.5	60.75	0	29810.427	535.483871	15962.54722	30000	0	0	30000	41.25	2004
12.02.2020 15:59:14	1	1	1	1	73.5	61.25	0	29952.607	533.3333333	15949.50126	30000	0	0	30000	41.375	2004
12.02.2020 15:59:15	1	1	1	1	73.5	61.5	0	29857.82	539.7849462	15720.38159	30000	0	0	30000	41.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 15:59:16	1	1	1	1	73.5	61	0	29857.82	535.483871	15962.54722	30000	0	0	30000	41.0625	2004
12.02.2020 15:59:17	1	1	1	1	73.5	61	0	30000	533.3333333	16000.05436	30000	0	0	30000	41	2004
12.02.2020 15:59:18	1	1	1	1	73.5	61	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	40.9375	2004
12.02.2020 15:59:19	1	1	1	1	73.5	60.75	0	29952.607	533.3333333	16039.19224	30000	0	0	30000	41	2004
12.02.2020 15:59:20	1	1	1	1	73	61	0	29952.607	533.3333333	16039.19224	30000	0	0	30000	41	2004
12.02.2020 15:59:21	1	1	1	1	73	61	0	29905.213	529.0322581	15949.50126	30000	0	0	30000	41.125	2004
12.02.2020 15:59:22	1	1	1	1	73	61	0	30000	533.3333333	16064.46878	30000	0	0	30000	41	2004
12.02.2020 15:59:23	1	1	1	1	73	61	0	29905.213	535.483871	16168.02109	30000	0	0	30000	40.6875	2004
12.02.2020 15:59:24	1	1	1	1	73	60.5	0	29952.607	533.3333333	16257.71206	30000	0	0	30000	40.75	2004
12.02.2020 15:59:25	1	1	1	1	73	60.75	0	29952.607	533.3333333	16039.19224	30000	0	0	30000	41.125	2004
12.02.2020 15:59:26	1	1	1	1	73	61	0	29810.427	533.3333333	15924.22472	30000	0	0	30000	40.875	2004
12.02.2020 15:59:27	1	1	1	1	73	60.75	0	29905.213	533.3333333	15974.77781	30000	0	0	30000	40.8125	2004
12.02.2020 15:59:28	1	1	1	1	73	60.75	0	29905.213	535.483871	16013.10032	30000	0	0	30000	40.625	2004
12.02.2020 15:59:29	1	1	1	1	73	60.5	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	40.5625	2004
12.02.2020 15:59:30	1	1	1	1	72.75	60.5	0	29952.607	535.483871	16128.88321	30000	0	0	30000	41.375	2004
12.02.2020 15:59:31	1	1	1	1	72.75	61.25	0	29620.853	537.6344086	15925.04009	30000	0	0	30000	40.625	2004
12.02.2020 15:59:32	1	1	1	1	72.75	60.5	0	29763.033	533.3333333	15962.54722	30000	0	0	30000	41.125	2004
12.02.2020 15:59:34	1	1	1	1	72.75	61	0	30000	537.6344086	16039.19224	30000	0	0	30000	40.875	2004
12.02.2020 15:59:35	1	1	1	1	72.75	60.75	0	29905.213	533.3333333	15820.67241	30000	0	0	30000	40.375	2004
12.02.2020 15:59:36	1	1	1	1	72.75	60.25	0	29952.607	533.3333333	15949.50126	30000	0	0	30000	41	2004
12.02.2020 15:59:37	1	1	1	1	72.75	61	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	41.1875	2004
12.02.2020 15:59:38	1	1	1	1	72.75	61	0	29952.607	533.3333333	15820.67241	30000	0	0	30000	41.0625	2004
12.02.2020 15:59:39	1	1	1	1	72.75	61	0	29810.427	529.0322581	15924.22472	30000	0	0	30000	41.125	2004
12.02.2020 15:59:40	1	1	1	1	72.75	61	0	30000	533.3333333	15949.50126	30000	0	0	30000	40.5	2004
12.02.2020 15:59:41	1	1	1	1	72.5	60.5	0	29905.213	535.483871	15949.50126	30000	0	0	30000	40.1875	2004
12.02.2020 15:59:42	1	1	1	1	72.5	60	0	29952.607	533.3333333	16000.05436	30000	0	0	30000	41.0625	2004
12.02.2020 15:59:43	1	1	1	1	72.5	61	0	29905.213	535.483871	16013.10032	30000	0	0	30000	41.0625	2004
12.02.2020 15:59:44	1	1	1	1	72.5	61	0	29857.82	533.3333333	16013.10032	30000	0	0	30000	40.875	2004
12.02.2020 15:59:45	1	1	1	1	72.5	60.75	0	29905.213	535.483871	16013.10032	30000	0	0	30000	40	2004
12.02.2020 15:59:46	1	1	1	1	72.5	60	0	29905.213	535.483871	15949.50126	30000	0	0	30000	41.3125	2004
12.02.2020 15:59:47	1	1	1	1	72.5	61.25	0	29905.213	535.483871	16013.10032	30000	0	0	30000	41.125	2004
12.02.2020 15:59:48	1	1	1	1	72.5	61	0	29810.427	535.483871	15962.54722	30000	0	0	30000	41.1875	2004
12.02.2020 15:59:49	1	1	1	1	72.5	61	0	29857.82	533.3333333	15924.22472	30000	0	0	30000	41	2004
12.02.2020 15:59:50	1	1	1	1	72.5	61	0	29763.033	535.483871	15848.39508	30000	0	0	30000	40.75	2004
12.02.2020 15:59:58	1	1	1	1	72.25	61	0	30000	533.3333333	16000.05436	30000	0	0	30000	40.4375	2004
12.02.2020 15:59:58	1	1	1	1	72.25	61	0	30000	533.3333333	16000.05436	30000	0	0	30000	40.4375	2004
12.02.2020 15:59:58	1	1	1	1	72.25	61	0	30000	533.3333333	16000.05436	30000	0	0	30000	40.4375	2004
12.02.2020 15:59:58	1	1	1	1	72.25	61	0	30000	533.3333333	16000.05436	30000	0	0	30000	40.4375	2004
12.02.2020 15:59:58	1	1	1	1	72.25	61	0	30000	533.3333333	16000.05436	30000	0	0	30000	40.4375	2004
12.02.2020 15:59:58	1	1	1	1	72.25	61	0	30000	533.3333333	16000.05436	30000	0	0	30000	40.4375	2004
12.02.2020 15:59:58	1	1	1	1	72.25	61	0	30000	533.3333333	16000.05436	30000	0	0	30000	40.4375	2004
12.02.2020 15:59:58	1	1	1	1	72.25	61	0	30000	533.3333333	16000.05436	30000	0	0	30000	40.4375	2004
12.02.2020 15:59:59	1	1	1	1	72.25	60.25	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	40.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 16:00:00	1	1	1	1	71.75	60.5	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	40.9375	2004
12.02.2020 16:00:01	1	1	1	1	71.75	60.75	0	29952.607	533.3333333	16013.10032	30000	0	0	30000	41.1875	2004
12.02.2020 16:00:02	1	1	1	1	71.75	61	0	29715.64	535.483871	15962.54722	30000	0	0	30000	41.0625	2004
12.02.2020 16:00:03	1	1	1	1	71.75	61	0	29857.82	535.483871	15962.54722	30000	0	0	30000	41.25	2004
12.02.2020 16:00:04	1	1	1	1	71.75	61.25	0	29715.64	533.3333333	16026.96165	30000	0	0	30000	40.625	2004
12.02.2020 16:00:05	1	1	1	1	71.75	60.5	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	40.9375	2004
12.02.2020 16:00:06	1	1	1	1	71.75	60.75	0	29810.427	535.483871	15987.82377	30000	0	0	30000	41.125	2004
12.02.2020 16:00:07	1	1	1	1	71.75	61	0	29905.213	533.3333333	16168.02109	30000	0	0	30000	41.3125	2004
12.02.2020 16:00:08	1	1	1	1	71.75	61.25	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	41.125	2004
12.02.2020 16:00:09	1	1	1	1	71.75	61	0	29905.213	535.483871	16039.19224	30000	0	0	30000	40.9375	2004
12.02.2020 16:00:11	1	1	1	1	71.75	60.75	0	29905.213	535.483871	15924.22472	30000	0	0	30000	40.9375	2004
12.02.2020 16:00:12	1	1	1	1	71.75	60.75	0	29952.607	533.3333333	16039.19224	30000	0	0	30000	40.875	2004
12.02.2020 16:00:13	1	1	1	1	71.75	60.75	0	30000	533.3333333	16064.46878	30000	0	0	30000	41.1875	2004
12.02.2020 16:00:14	1	1	1	1	71.75	61	0	29810.427	529.0322581	16013.10032	30000	0	0	30000	41.0625	2004
12.02.2020 16:00:15	1	1	1	1	71.75	61	0	29952.607	533.3333333	15949.50126	30000	0	0	30000	40.9375	2004
12.02.2020 16:00:16	1	1	1	1	71.75	60.75	0	29905.213	533.3333333	16039.19224	30000	0	0	30000	40.375	2004
12.02.2020 16:00:17	1	1	1	1	71.75	60.25	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	41.25	2004
12.02.2020 16:00:18	1	1	1	1	71.75	61.25	0	29952.607	537.6344086	16013.10032	30000	0	0	30000	41.125	2004
12.02.2020 16:00:19	1	1	1	1	71.75	61	0	30000	533.3333333	16000.05436	30000	0	0	30000	41.3125	2004
12.02.2020 16:00:20	1	1	1	1	71.75	61.25	0	30000	535.483871	16039.19224	30000	0	0	30000	41.125	2004
12.02.2020 16:00:21	1	1	1	1	71.5	61	0	29857.82	529.0322581	16013.10032	30000	0	0	30000	41.25	2004
12.02.2020 16:00:22	1	1	1	1	71.5	61.25	0	30000	541.9354839	16013.10032	30000	0	0	30000	40.75	2004
12.02.2020 16:00:23	1	1	1	1	71.5	60.75	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	41.125	2004
12.02.2020 16:00:24	1	1	1	1	71.5	61	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	41.1875	2004
12.02.2020 16:00:25	1	1	1	1	71.5	61	0	30000	529.0322581	15870.41013	30000	0	0	30000	40.6875	2004
12.02.2020 16:00:26	1	1	1	1	71.5	60.5	0	29952.607	533.3333333	16039.19224	30000	0	0	30000	40.6875	2004
12.02.2020 16:00:27	1	1	1	1	71.5	60.5	0	29905.213	535.483871	15949.50126	30000	0	0	30000	41	2004
12.02.2020 16:00:28	1	1	1	1	71.5	61	0	29952.607	535.483871	16013.10032	30000	0	0	30000	41.5625	2004
12.02.2020 16:00:29	1	1	1	1	71.5	61.5	0	29810.427	535.483871	15962.54722	30000	0	0	30000	40.875	2004
12.02.2020 16:00:30	1	1	1	1	71.5	60.75	0	29952.607	533.3333333	15949.50126	30000	0	0	30000	41.0625	2004
12.02.2020 16:00:31	1	1	1	1	71.25	60.75	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	41.125	2004
12.02.2020 16:00:32	1	1	1	1	71.25	61	0	30000	526.8817204	15805.99571	30000	0	0	30000	41.1875	2004
12.02.2020 16:00:33	1	1	1	1	71.25	61	0	30000	533.3333333	16000.05436	30000	0	0	30000	40.8125	2004
12.02.2020 16:00:34	1	1	1	1	71.25	60.75	0	30000	541.9354839	15974.77781	30000	0	0	30000	41.0625	2004
12.02.2020 16:00:35	1	1	1	1	71.25	61	0	30000	531.1827957	15934.82456	30000	0	0	30000	41.3125	2004
12.02.2020 16:00:36	1	1	1	1	71.25	61.25	0	30000	533.3333333	16000.05436	30000	0	0	30000	41.125	2004
12.02.2020 16:00:37	1	1	1	1	71.25	61	0	30000	533.3333333	16000.05436	30000	0	0	30000	41.125	2004
12.02.2020 16:00:38	1	1	1	1	71.25	61	0	29952.607	533.3333333	15949.50126	30000	0	0	30000	40.9375	2004
12.02.2020 16:00:39	1	1	1	1	71.25	60.75	0	30000	533.3333333	16000.05436	30000	0	0	30000	41.0625	2004
12.02.2020 16:00:40	1	1	1	1	71.25	61	0	29857.82	526.8817204	15859.81029	30000	0	0	30000	41.125	2004
12.02.2020 16:00:41	1	1	1	1	71.25	61	0	29905.213	529.0322581	15756.25798	30000	0	0	30000	40.5625	2004
12.02.2020 16:00:42	1	1	1	1	71.25	60.5	0	30000	533.3333333	16000.05436	30000	0	0	30000	41.3125	2004
12.02.2020 16:00:43	1	1	1	1	71.25	61.25	0	30000	526.8817204	15805.99571	30000	0	0	30000	40.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 16:00:44	1	1	1	1	71.25	60.75	0	29952.607	526.8817204	16000.05436	30000	0	0	30000	40.8125	2004
12.02.2020 16:00:45	1	1	1	1	71.25	60.75	0	30000	533.3333333	16000.05436	30000	0	0	30000	40.4375	2004
12.02.2020 16:00:46	1	1	1	1	71.25	60.25	0	30000	529.0322581	15870.41013	30000	0	0	30000	40.75	2004
12.02.2020 16:00:47	1	1	1	1	71.25	60.75	0	30000	533.3333333	16000.05436	30000	0	0	30000	40.3125	2004
12.02.2020 16:00:48	1	1	1	1	71.25	60.25	0	29905.213	535.483871	16064.46878	30000	0	0	30000	40.8125	2004
12.02.2020 16:00:50	1	1	1	1	71.25	60.75	0	29952.607	533.3333333	15974.77781	30000	0	0	30000	40.5625	2004
12.02.2020 16:00:51	1	1	1	1	70.75	60.5	0	30000	533.3333333	15934.82456	30000	0	0	30000	41.125	2004
12.02.2020 16:00:52	1	1	1	1	70.75	61	0	30000	533.3333333	16000.05436	30000	0	0	30000	41.1875	2004
12.02.2020 16:01:00	1	1	1	1	70.75	61.25	0	29905.213	533.3333333	15974.77781	30000	0	0	30000	40.375	2004
12.02.2020 16:01:00	1	1	1	1	70.75	61.25	0	29905.213	533.3333333	15974.77781	30000	0	0	30000	40.375	2004
12.02.2020 16:01:00	1	1	1	1	70.75	61.25	0	29905.213	533.3333333	15974.77781	30000	0	0	30000	40.375	2004
12.02.2020 16:01:00	1	1	1	1	70.75	61.25	0	29905.213	533.3333333	15974.77781	30000	0	0	30000	40.375	2004
12.02.2020 16:01:00	1	1	1	1	70.75	61.25	0	29905.213	533.3333333	15974.77781	30000	0	0	30000	40.375	2004
12.02.2020 16:01:00	1	1	1	1	70.75	61.25	0	29905.213	533.3333333	15974.77781	30000	0	0	30000	40.375	2004
12.02.2020 16:01:00	1	1	1	1	70.75	61.25	0	29905.213	533.3333333	15974.77781	30000	0	0	30000	40.375	2004
12.02.2020 16:01:01	1	1	1	1	71	60.25	0	30000	539.7849462	15949.50126	30000	0	0	30000	40.8125	2004
12.02.2020 16:01:02	1	1	1	1	71	60.75	0	29905.213	533.3333333	15885.08684	30000	0	0	30000	40.9375	2004
12.02.2020 16:01:03	1	1	1	1	71	60.75	0	30000	533.3333333	15934.82456	30000	0	0	30000	41.1875	2004
12.02.2020 16:01:04	1	1	1	1	71	61	0	29905.213	531.1827957	15730.98144	30000	0	0	30000	41.125	2004
12.02.2020 16:01:05	1	1	1	1	71	61	0	29952.607	524.7311828	15741.58128	30000	0	0	30000	41	2004
12.02.2020 16:01:06	1	1	1	1	71	61	0	30000	533.3333333	15934.82456	30000	0	0	30000	41.3125	2004
12.02.2020 16:01:07	1	1	1	1	71	61.25	0	29905.213	533.3333333	16064.46878	30000	0	0	30000	41.1875	2004
12.02.2020 16:01:08	1	1	1	1	71	61	0	30000	524.7311828	15741.58128	30000	0	0	30000	41.5625	2004
12.02.2020 16:01:09	1	1	1	1	71	61.5	0	30000	533.3333333	16000.05436	30000	0	0	30000	40.9375	2004
12.02.2020 16:01:10	1	1	1	1	71	60.75	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	40.9375	2004
12.02.2020 16:01:11	1	1	1	1	70.75	61	0	30000	533.3333333	16000.05436	30000	0	0	30000	40.1875	2004
12.02.2020 16:01:12	1	1	1	1	70.75	60	0	30000	533.3333333	16000.05436	30000	0	0	30000	41.125	2004
12.02.2020 16:01:13	1	1	1	1	70.75	61	0	30000	526.8817204	15805.99571	30000	0	0	30000	41	2004
12.02.2020 16:01:14	1	1	1	1	70.75	61	0	29952.607	533.3333333	15949.50126	30000	0	0	30000	41.125	2004
12.02.2020 16:01:15	1	1	1	1	70.75	61	0	29905.213	533.3333333	15885.08684	30000	0	0	30000	40.5	2004
12.02.2020 16:01:16	1	1	1	1	70.75	60.5	0	30000	533.3333333	16064.46878	30000	0	0	30000	41.125	2004
12.02.2020 16:01:17	1	1	1	1	70.75	61	0	30000	533.3333333	16000.05436	30000	0	0	30000	41.0625	2004
12.02.2020 16:01:18	1	1	1	1	70.75	61	0	30000	531.1827957	15934.82456	30000	0	0	30000	40.6875	2004
12.02.2020 16:01:19	1	1	1	1	70.75	60.5	0	30000	524.7311828	15805.99571	30000	0	0	30000	40.375	2004
12.02.2020 16:01:20	1	1	1	1	70.75	60.25	0	30000	535.483871	16064.46878	30000	0	0	30000	41	2004
12.02.2020 16:01:21	1	1	1	1	70.75	61	0	29857.82	537.6344086	15987.82377	30000	0	0	30000	41.125	2004
12.02.2020 16:01:22	1	1	1	1	70.75	61	0	29905.213	535.483871	16206.3436	30000	0	0	30000	40.9375	2004
12.02.2020 16:01:23	1	1	1	1	70.75	60.75	0	29905.213	535.483871	15987.82377	30000	0	0	30000	40.6875	2004
12.02.2020 16:01:24	1	1	1	1	70.75	60.5	0	29810.427	533.3333333	15848.39508	30000	0	0	30000	41.0625	2004
12.02.2020 16:01:25	1	1	1	1	70.75	61	0	30000	529.0322581	15934.82456	30000	0	0	30000	40.625	2004
12.02.2020 16:01:26	1	1	1	1	70.75	60.5	0	30000	533.3333333	16128.88321	30000	0	0	30000	41	2004
12.02.2020 16:01:27	1	1	1	1	70.75	61	0	29952.607	522.5806452	16000.05436	30000	0	0	30000	41	2004





	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 16:02:13	1	1	1	1	70	60.5	0	30000	533.3333333	16000.05436	30000	0	0	30000	41.0625	2004
12.02.2020 16:02:14	1	1	1	1	70	61	0	30000	535.483871	15974.77781	30000	0	0	30000	40.8125	2004
12.02.2020 16:02:15	1	1	1	1	70	60.75	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	40.75	2004
12.02.2020 16:02:16	1	1	1	1	70	60.75	0	29952.607	535.483871	16039.19224	30000	0	0	30000	41.0625	2004
12.02.2020 16:02:17	1	1	1	1	70	61	0	29810.427	535.483871	15987.82377	30000	0	0	30000	41.0625	2004
12.02.2020 16:02:18	1	1	1	1	70	61	0	30000	533.3333333	16000.05436	30000	0	0	30000	40.9375	2004
12.02.2020 16:02:19	1	1	1	1	70	60.75	0	29952.607	533.3333333	16000.05436	30000	0	0	30000	41	2004
12.02.2020 16:02:20	1	1	1	1	70	61	0	30000	526.8817204	15805.99571	30000	0	0	30000	40.4375	2004
12.02.2020 16:02:21	1	1	1	1	69.5	60.25	0	30000	524.7311828	15741.58128	30000	0	0	30000	40.5	2004
12.02.2020 16:02:22	1	1	1	1	69.5	60.5	0	30000	533.3333333	16000.05436	30000	0	0	30000	41.1875	2004
12.02.2020 16:02:23	1	1	1	1	69.5	61	0	30000	533.3333333	16000.05436	30000	0	0	30000	41.125	2004
12.02.2020 16:02:24	1	1	1	1	69.5	61	0	30000	529.0322581	15805.99571	30000	0	0	30000	40.375	2004
12.02.2020 16:02:25	1	1	1	1	69.5	60.25	0	29952.607	533.3333333	15974.77781	30000	0	0	30000	40.5625	2004
12.02.2020 16:02:26	1	1	1	1	69.5	60.5	0	29905.213	533.3333333	16193.29764	30000	0	0	30000	41.0625	2004
12.02.2020 16:02:27	1	1	1	1	69.5	61	0	30000	529.0322581	16000.05436	30000	0	0	30000	40.75	2004
12.02.2020 16:02:28	1	1	1	1	69.5	60.75	0	30000	533.3333333	16000.05436	30000	0	0	30000	41.25	2004
12.02.2020 16:02:29	1	1	1	1	69.5	61.25	0	29952.607	529.0322581	15870.41013	30000	0	0	30000	40.6875	2004
12.02.2020 16:02:30	1	1	1	1	69.5	60.5	0	29905.213	531.1827957	16257.71206	30000	0	0	30000	41.5	2004
12.02.2020 16:02:31	1	1	1	1	69.5	61.5	0	30000	533.3333333	16000.05436	30000	0	0	30000	41.4375	2004
12.02.2020 16:02:32	1	1	1	1	69.5	61.25	0	29905.213	535.483871	16013.10032	30000	0	0	30000	41.25	2004
12.02.2020 16:02:33	1	1	1	1	69.5	61.25	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	40.375	2004
12.02.2020 16:02:34	1	1	1	1	69.5	60.25	0	30000	533.3333333	16283.80398	30000	0	0	30000	40.875	2004
12.02.2020 16:02:35	1	1	1	1	69.5	60.75	0	29905.213	541.9354839	15949.50126	30000	0	0	30000	41	2004
12.02.2020 16:02:36	1	1	1	1	69.5	61	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	41	2004
12.02.2020 16:02:37	1	1	1	1	69.5	61	0	30000	533.3333333	16000.05436	30000	0	0	30000	41	2004
12.02.2020 16:02:38	1	1	1	1	69.5	61	0	29952.607	533.3333333	16000.05436	30000	0	0	30000	41.125	2004
12.02.2020 16:02:39	1	1	1	1	69.5	61	0	30000	533.3333333	16000.05436	30000	0	0	30000	40.8125	2004
12.02.2020 16:02:40	1	1	1	1	69	60.75	0	30000	533.3333333	16000.05436	30000	0	0	30000	40.1875	2004
12.02.2020 16:02:41	1	1	1	1	69	60	0	29952.607	529.0322581	16128.88321	30000	0	0	30000	41.0625	2004
12.02.2020 16:02:42	1	1	1	1	69	61	0	29905.213	533.3333333	15910.36338	30000	0	0	30000	41.25	2004
12.02.2020 16:02:43	1	1	1	1	69	61.25	0	30000	529.0322581	15934.82456	30000	0	0	30000	41.0625	2004
12.02.2020 16:02:44	1	1	1	1	69	61	0	29952.607	529.0322581	15885.08684	30000	0	0	30000	40.5625	2004
12.02.2020 16:02:45	1	1	1	1	69	60.5	0	29952.607	533.3333333	15756.25798	30000	0	0	30000	40.75	2004
12.02.2020 16:02:46	1	1	1	1	69	60.75	0	29905.213	533.3333333	16064.46878	30000	0	0	30000	41	2004
12.02.2020 16:02:48	1	1	1	1	69	61	0	30000	526.8817204	15805.99571	30000	0	0	30000	41	2004
12.02.2020 16:02:49	1	1	1	1	69	61	0	29952.607	533.3333333	15949.50126	30000	0	0	30000	41.1875	2004
12.02.2020 16:02:50	1	1	1	1	69	61	0	30000	533.3333333	16000.05436	30000	0	0	30000	40.9375	2004
12.02.2020 16:02:51	1	1	1	1	69	60.75	0	30000	526.8817204	16000.05436	30000	0	0	30000	41.25	2004
12.02.2020 16:02:52	1	1	1	1	69	61.25	0	29905.213	529.0322581	15949.50126	30000	0	0	30000	40.875	2004
12.02.2020 16:02:53	1	1	1	1	69	60.75	0	30000	533.3333333	16000.05436	30000	0	0	30000	41.25	2004
12.02.2020 16:02:54	1	1	1	1	69	61.25	0	30000	526.8817204	15805.99571	30000	0	0	30000	41.0625	2004
12.02.2020 16:02:55	1	1	1	1	69	61	0	30000	529.0322581	16000.05436	30000	0	0	30000	40.75	2004
12.02.2020 16:03:03	1	1	1	1	68.75	60.5	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	41.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 16:03:03	1	1	1	1	68.75	60.5	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	41.125	2004
12.02.2020 16:03:03	1	1	1	1	68.75	60.5	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	41.125	2004
12.02.2020 16:03:03	1	1	1	1	68.75	60.5	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	41.125	2004
12.02.2020 16:03:03	1	1	1	1	68.75	60.5	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	41.125	2004
12.02.2020 16:03:03	1	1	1	1	68.75	60.5	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	41.125	2004
12.02.2020 16:03:03	1	1	1	1	68.75	60.5	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	41.125	2004
12.02.2020 16:03:03	1	1	1	1	68.75	60.5	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	41.125	2004
12.02.2020 16:03:04	1	1	1	1	68.75	61	0	30000	524.7311828	15805.99571	30000	0	0	30000	40.6875	2004
12.02.2020 16:03:05	1	1	1	1	68.75	60.5	0	30000	533.3333333	15910.36338	30000	0	0	30000	41.1875	2004
12.02.2020 16:03:06	1	1	1	1	68.75	61	0	30000	526.8817204	15805.99571	30000	0	0	30000	41.1875	2004
12.02.2020 16:03:07	1	1	1	1	68.75	61	0	30000	524.7311828	15805.99571	30000	0	0	30000	41.1875	2004
12.02.2020 16:03:08	1	1	1	1	68.75	61	0	29952.607	524.7311828	15677.16685	30000	0	0	30000	41.4375	2004
12.02.2020 16:03:09	1	1	1	1	68.75	61.5	0	30000	529.0322581	15805.99571	30000	0	0	30000	40.9375	2004
12.02.2020 16:03:10	1	1	1	1	69	60.75	0	30047.393	541.9354839	16000.05436	30000	0	0	30000	41.125	2004
12.02.2020 16:03:11	1	1	1	1	69	61	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	40.6875	2004
12.02.2020 16:03:12	1	1	1	1	69	60.5	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	40.25	2004
12.02.2020 16:03:13	1	1	1	1	69	60.25	0	30000	524.7311828	15677.16685	30000	0	0	30000	41	2004
12.02.2020 16:03:14	1	1	1	1	69	61	0	30000	533.3333333	15870.41013	30000	0	0	30000	40.875	2004
12.02.2020 16:03:15	1	1	1	1	69	60.75	0	30000	533.3333333	16000.05436	30000	0	0	30000	41.125	2004
12.02.2020 16:03:16	1	1	1	1	69	61	0	30000	533.3333333	15934.82456	30000	0	0	30000	41.0625	2004
12.02.2020 16:03:17	1	1	1	1	69	61	0	30000	533.3333333	16000.05436	30000	0	0	30000	40.875	2004
12.02.2020 16:03:18	1	1	1	1	69	60.75	0	30000	531.1827957	15934.82456	30000	0	0	30000	41	2004
12.02.2020 16:03:19	1	1	1	1	69	61	0	30000	533.3333333	16064.46878	30000	0	0	30000	41.125	2004
12.02.2020 16:03:20	1	1	1	1	68.5	61	0	30000	533.3333333	16000.05436	30000	0	0	30000	40.9375	2004
12.02.2020 16:03:21	1	1	1	1	68.5	60.75	0	30000	537.6344086	16000.05436	30000	0	0	30000	41.1875	2004
12.02.2020 16:03:22	1	1	1	1	68.5	61	0	29952.607	531.1827957	15885.08684	30000	0	0	30000	40.4375	2004
12.02.2020 16:03:23	1	1	1	1	68.5	60.25	0	30000	529.0322581	15805.99571	30000	0	0	30000	41.0625	2004
12.02.2020 16:03:24	1	1	1	1	68.5	61	0	30000	533.3333333	16000.05436	30000	0	0	30000	40.9375	2004
12.02.2020 16:03:25	1	1	1	1	68.5	60.75	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	40.75	2004
12.02.2020 16:03:27	1	1	1	1	68.5	60.75	0	30000	533.3333333	15845.94896	30000	0	0	30000	40.9375	2004
12.02.2020 16:03:28	1	1	1	1	68.5	60.75	0	29952.607	533.3333333	16077.51474	30000	0	0	30000	40.9375	2004
12.02.2020 16:03:29	1	1	1	1	68.5	60.75	0	30047.393	537.6344086	16064.46878	30000	0	0	30000	41.125	2004
12.02.2020 16:03:30	1	1	1	1	68.5	61	0	30000	529.0322581	15805.99571	30000	0	0	30000	41.125	2004
12.02.2020 16:03:31	1	1	1	1	68.5	61	0	29905.213	535.483871	16013.10032	30000	0	0	30000	40.6875	2004
12.02.2020 16:03:32	1	1	1	1	68.5	60.5	0	30000	533.3333333	16000.05436	30000	0	0	30000	40.5625	2004
12.02.2020 16:03:33	1	1	1	1	68.5	60.5	0	30000	533.3333333	15974.77781	30000	0	0	30000	40.875	2004
12.02.2020 16:03:34	1	1	1	1	68.5	60.75	0	29905.213	533.3333333	15859.81029	30000	0	0	30000	41.1875	2004
12.02.2020 16:03:35	1	1	1	1	68.5	61	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	41.125	2004
12.02.2020 16:03:36	1	1	1	1	68.5	61	0	30000	533.3333333	16000.05436	30000	0	0	30000	41.3125	2004
12.02.2020 16:03:37	1	1	1	1	68.5	61.25	0	30000	533.3333333	16000.05436	30000	0	0	30000	40.875	2004
12.02.2020 16:03:38	1	1	1	1	68.5	60.75	0	29952.607	535.483871	16039.19224	30000	0	0	30000	40.75	2004
12.02.2020 16:03:39	1	1	1	1	68.5	60.75	0	29810.427	533.3333333	15706.52026	30000	0	0	30000	41.0625	2004
12.02.2020 16:03:40	1	1	1	1	68.5	61	0	29905.213	535.483871	15974.77781	30000	0	0	30000	41.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 16:03:41	1	1	1	1	68.25	61	0	29905.213	535.483871	15949.50126	30000	0	0	30000	41	2004
12.02.2020 16:03:42	1	1	1	1	68.25	61	0	29905.213	533.3333333	15885.08684	30000	0	0	30000	40.6875	2004
12.02.2020 16:03:43	1	1	1	1	68.25	60.5	0	29952.607	533.3333333	15910.36338	30000	0	0	30000	40.3125	2004
12.02.2020 16:03:44	1	1	1	1	68.25	60.25	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	41.125	2004
12.02.2020 16:03:45	1	1	1	1	68.25	61	0	30000	533.3333333	16000.05436	30000	0	0	30000	41.25	2004
12.02.2020 16:03:46	1	1	1	1	68.25	61.25	0	30000	533.3333333	15974.77781	30000	0	0	30000	41.625	2004
12.02.2020 16:03:47	1	1	1	1	68.25	61.5	0	29905.213	535.483871	16013.10032	30000	0	0	30000	41.375	2004
12.02.2020 16:03:48	1	1	1	1	68.25	61	0	30000	537.6344086	16064.46878	30000	0	0	30000	41.125	2004
12.02.2020 16:03:49	1	1	1	1	68.25	61	0	29905.213	535.483871	16013.10032	30000	0	0	30000	41	2004
12.02.2020 16:03:50	1	1	1	1	68.25	61	0	30000	533.3333333	16000.05436	30000	0	0	30000	40.375	2004
12.02.2020 16:03:51	1	1	1	1	68.25	60.25	0	29952.607	533.3333333	16064.46878	30000	0	0	30000	41	2004
12.02.2020 16:03:52	1	1	1	1	68.25	61	0	29905.213	535.483871	16013.10032	30000	0	0	30000	40.75	2004
12.02.2020 16:03:55	1	1	1	1	68.25	61	0	30000	533.3333333	15974.77781	30000	0	0	30000	41.125	2004
12.02.2020 16:03:55	1	1	1	1	68.25	61	0	30000	533.3333333	15974.77781	30000	0	0	30000	41.125	2004
12.02.2020 16:03:55	1	1	1	1	68.25	61	0	30000	533.3333333	15974.77781	30000	0	0	30000	41.125	2004
12.02.2020 16:03:56	1	1	1	1	68.25	61	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	40.5625	2004
12.02.2020 16:04:04	1	1	1	1	68.25	61	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	40.875	2004
12.02.2020 16:04:04	1	1	1	1	68.25	61	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	40.875	2004
12.02.2020 16:04:04	1	1	1	1	68.25	61	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	40.875	2004
12.02.2020 16:04:04	1	1	1	1	68.25	61	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	40.875	2004
12.02.2020 16:04:04	1	1	1	1	68.25	61	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	40.875	2004
12.02.2020 16:04:04	1	1	1	1	68.25	61	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	40.875	2004
12.02.2020 16:04:04	1	1	1	1	68.25	61	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	40.875	2004
12.02.2020 16:04:05	1	1	1	1	68.25	60.75	0	29905.213	535.483871	16013.10032	30000	0	0	30000	40.4375	2004
12.02.2020 16:04:06	1	1	1	1	68.25	60.25	0	29952.607	535.483871	16039.19224	30000	0	0	30000	41.125	2004
12.02.2020 16:04:07	1	1	1	1	68.25	61	0	29952.607	529.0322581	15870.41013	30000	0	0	30000	41.125	2004
12.02.2020 16:04:08	1	1	1	1	68.25	61	0	29952.607	529.0322581	15845.94896	30000	0	0	30000	40.5625	2004
12.02.2020 16:04:09	1	1	1	1	68.25	60.5	0	30000	533.3333333	16000.05436	30000	0	0	30000	40.8125	2004
12.02.2020 16:04:10	1	1	1	1	68.25	60.75	0	30000	533.3333333	16000.05436	30000	0	0	30000	41	2004
12.02.2020 16:04:11	1	1	1	1	67.75	61	0	30000	533.3333333	16000.05436	30000	0	0	30000	40.875	2004
12.02.2020 16:04:12	1	1	1	1	67.75	60.75	0	29952.607	533.3333333	15934.82456	30000	0	0	30000	40.875	2004
12.02.2020 16:04:13	1	1	1	1	67.75	60.75	0	30000	524.7311828	15652.70568	30000	0	0	30000	40.9375	2004
12.02.2020 16:04:14	1	1	1	1	67.75	60.75	0	29905.213	535.483871	16039.19224	30000	0	0	30000	41.1875	2004
12.02.2020 16:04:15	1	1	1	1	67.75	61	0	30000	533.3333333	16000.05436	30000	0	0	30000	40.75	2004
12.02.2020 16:04:16	1	1	1	1	67.75	60.75	0	29952.607	529.0322581	15949.50126	30000	0	0	30000	40.6875	2004
12.02.2020 16:04:17	1	1	1	1	67.75	60.5	0	30000	533.3333333	15934.82456	30000	0	0	30000	41.0625	2004
12.02.2020 16:04:18	1	1	1	1	67.75	61	0	30000	533.3333333	16000.05436	30000	0	0	30000	40.875	2004
12.02.2020 16:04:19	1	1	1	1	67.75	60.75	0	29715.64	533.3333333	15848.39508	30000	0	0	30000	40.625	2004
12.02.2020 16:04:20	1	1	1	1	67.75	60.5	0	29905.213	535.483871	16013.10032	30000	0	0	30000	41.0625	2004
12.02.2020 16:04:21	1	1	1	1	67.5	61	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	41.25	2004
12.02.2020 16:04:22	1	1	1	1	67.5	61.25	0	29857.82	535.483871	16141.92917	30000	0	0	30000	41.375	2004
12.02.2020 16:04:23	1	1	1	1	67.5	61.25	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	41	2004
12.02.2020 16:04:24	1	1	1	1	67.5	61	0	29857.82	533.3333333	16013.10032	30000	0	0	30000	41.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 16:04:25	1	1	1	1	67.5	61	0	29905.213	533.3333333	15885.08684	30000	0	0	30000	41.125	2004
12.02.2020 16:04:26	1	1	1	1	67.5	61	0	29857.82	533.3333333	15577.69141	30000	0	0	30000	41.25	2004
12.02.2020 16:04:27	1	1	1	1	67.5	61.5	0	29905.213	535.483871	16013.10032	30000	0	0	30000	41.0625	2004
12.02.2020 16:04:28	1	1	1	1	67.5	61	0	29810.427	535.483871	15911.99413	30000	0	0	30000	41.25	2004
12.02.2020 16:04:29	1	1	1	1	67.5	61.25	0	29810.427	535.483871	15962.54722	30000	0	0	30000	40.75	2004
12.02.2020 16:04:30	1	1	1	1	67.75	60.75	0	29857.82	533.3333333	15924.22472	30000	0	0	30000	40.875	2004
12.02.2020 16:04:31	1	1	1	1	67.75	60.75	0	29905.213	535.483871	16013.10032	30000	0	0	30000	41.0625	2004
12.02.2020 16:04:32	1	1	1	1	67.75	61	0	29810.427	535.483871	15987.82377	30000	0	0	30000	41.1875	2004
12.02.2020 16:04:33	1	1	1	1	67.75	61	0	29857.82	535.483871	15987.82377	30000	0	0	30000	40.9375	2004
12.02.2020 16:04:34	1	1	1	1	67.75	60.75	0	30000	539.7849462	16064.46878	30000	0	0	30000	41.0625	2004
12.02.2020 16:04:35	1	1	1	1	67.75	61	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	41.125	2004
12.02.2020 16:04:36	1	1	1	1	67.75	61	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	41.125	2004
12.02.2020 16:04:37	1	1	1	1	67.75	61	0	29905.213	535.483871	15949.50126	30000	0	0	30000	41.0625	2004
12.02.2020 16:04:38	1	1	1	1	67.75	61	0	29952.607	535.483871	15949.50126	30000	0	0	30000	40.8125	2004
12.02.2020 16:04:39	1	1	1	1	67.75	60.75	0	29905.213	535.483871	16013.10032	30000	0	0	30000	41.0625	2004
12.02.2020 16:04:40	1	1	1	1	67.5	61	0	30000	533.3333333	16000.05436	30000	0	0	30000	41.125	2004
12.02.2020 16:04:42	1	1	1	1	67.5	61	0	29952.607	533.3333333	15974.77781	30000	0	0	30000	40.6875	2004
12.02.2020 16:04:43	1	1	1	1	67.5	60.5	0	29810.427	526.8817204	15924.22472	30000	0	0	30000	41.25	2004
12.02.2020 16:04:44	1	1	1	1	67.5	61.25	0	29905.213	535.483871	16013.10032	30000	0	0	30000	40.6875	2004
12.02.2020 16:04:45	1	1	1	1	67.5	60.5	0	29810.427	533.3333333	15987.82377	30000	0	0	30000	41.125	2004
12.02.2020 16:04:46	1	1	1	1	67.5	61	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	40.75	2004
12.02.2020 16:04:47	1	1	1	1	67.5	60.75	0	29905.213	535.483871	16013.10032	30000	0	0	30000	41.1875	2004
12.02.2020 16:04:48	1	1	1	1	67.5	61	0	29905.213	535.483871	16013.10032	30000	0	0	30000	40.8125	2004
12.02.2020 16:04:49	1	1	1	1	67.5	60.75	0	29905.213	535.483871	16168.02109	30000	0	0	30000	40.5625	2004
12.02.2020 16:04:50	1	1	1	1	67.5	60.5	0	29905.213	535.483871	15949.50126	30000	0	0	30000	41.125	2004
12.02.2020 16:04:51	1	1	1	1	67.25	61	0	29857.82	533.3333333	15642.10584	30000	0	0	30000	41.3125	2004
12.02.2020 16:04:52	1	1	1	1	67.25	61.25	0	29905.213	535.483871	16039.19224	30000	0	0	30000	41.125	2004
12.02.2020 16:04:53	1	1	1	1	67.25	61	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	40.75	2004
12.02.2020 16:04:54	1	1	1	1	67.25	60.75	0	29810.427	535.483871	16077.51474	30000	0	0	30000	41.1875	2004
12.02.2020 16:04:55	1	1	1	1	67.25	61	0	29810.427	537.6344086	15962.54722	30000	0	0	30000	40.625	2004
12.02.2020 16:04:56	1	1	1	1	67.25	60.5	0	29905.213	535.483871	16013.10032	30000	0	0	30000	41.0625	2004
12.02.2020 16:04:57	1	1	1	1	67.25	61	0	29857.82	535.483871	15962.54722	30000	0	0	30000	41.25	2004
12.02.2020 16:04:58	1	1	1	1	67.25	61.25	0	29905.213	535.483871	16013.10032	30000	0	0	30000	41	2004
12.02.2020 16:05:06	1	1	1	1	67	61	0	29810.427	535.483871	15962.54722	30000	0	0	30000	41	2004
12.02.2020 16:05:06	1	1	1	1	67	61	0	29810.427	535.483871	15962.54722	30000	0	0	30000	41	2004
12.02.2020 16:05:06	1	1	1	1	67	61	0	29810.427	535.483871	15962.54722	30000	0	0	30000	41	2004
12.02.2020 16:05:06	1	1	1	1	67	61	0	29810.427	535.483871	15962.54722	30000	0	0	30000	41	2004
12.02.2020 16:05:06	1	1	1	1	67	61	0	29810.427	535.483871	15962.54722	30000	0	0	30000	41	2004
12.02.2020 16:05:06	1	1	1	1	67	61	0	29810.427	535.483871	15962.54722	30000	0	0	30000	41	2004
12.02.2020 16:05:06	1	1	1	1	67	61	0	29810.427	535.483871	15962.54722	30000	0	0	30000	41	2004
12.02.2020 16:05:06	1	1	1	1	67	61	0	29810.427	535.483871	15962.54722	30000	0	0	30000	41	2004
12.02.2020 16:05:06	1	1	1	1	67	61	0	29810.427	535.483871	15962.54722	30000	0	0	30000	41	2004
12.02.2020 16:05:07	1	1	1	1	67	61	0	29857.82	535.483871	16013.10032	30000	0	0	30000	40.75	2004
12.02.2020 16:05:08	1	1	1	1	67	60.75	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	41.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 16:05:09	1	1	1	1	67	61	0	29857.82	535.483871	15987.82377	30000	0	0	30000	41	2004
12.02.2020 16:05:10	1	1	1	1	67.25	61	0	29905.213	537.6344086	16013.10032	30000	0	0	30000	41.3125	2004
12.02.2020 16:05:11	1	1	1	1	67.25	61.25	0	29715.64	535.483871	15911.99413	30000	0	0	30000	41.125	2004
12.02.2020 16:05:12	1	1	1	1	67.25	61	0	29810.427	539.7849462	15962.54722	30000	0	0	30000	41.0625	2004
12.02.2020 16:05:13	1	1	1	1	67.25	61	0	29905.213	535.483871	16013.10032	30000	0	0	30000	40.6875	2004
12.02.2020 16:05:14	1	1	1	1	67.25	60.5	0	30000	533.3333333	16039.19224	30000	0	0	30000	41.1875	2004
12.02.2020 16:05:15	1	1	1	1	67.25	61	0	29857.82	531.1827957	16013.10032	30000	0	0	30000	41.25	2004
12.02.2020 16:05:16	1	1	1	1	67.25	61.25	0	29905.213	535.483871	16013.10032	30000	0	0	30000	40.75	2004
12.02.2020 16:05:17	1	1	1	1	67.25	60.75	0	29905.213	535.483871	16013.10032	30000	0	0	30000	40.9375	2004
12.02.2020 16:05:18	1	1	1	1	67.25	60.75	0	29905.213	535.483871	16013.10032	30000	0	0	30000	41.125	2004
12.02.2020 16:05:19	1	1	1	1	67.25	61	0	29952.607	535.483871	16039.19224	30000	0	0	30000	40.9375	2004
12.02.2020 16:05:21	1	1	1	1	67	60.75	0	29905.213	535.483871	16013.10032	30000	0	0	30000	41.125	2004
12.02.2020 16:05:22	1	1	1	1	67	61	0	29905.213	535.483871	16077.51474	30000	0	0	30000	41.125	2004
12.02.2020 16:05:23	1	1	1	1	67	61	0	29857.82	537.6344086	16026.96165	30000	0	0	30000	40.5	2004
12.02.2020 16:05:24	1	1	1	1	67	60.5	0	29905.213	535.483871	15987.82377	30000	0	0	30000	40.6875	2004
12.02.2020 16:05:25	1	1	1	1	67	60.5	0	29857.82	537.6344086	16116.65262	30000	0	0	30000	41.1875	2004
12.02.2020 16:05:26	1	1	1	1	67	61	0	29905.213	535.483871	16013.10032	30000	0	0	30000	41.0625	2004
12.02.2020 16:05:27	1	1	1	1	67	61	0	29905.213	535.483871	16077.51474	30000	0	0	30000	41.0625	2004
12.02.2020 16:05:28	1	1	1	1	67	61	0	29952.607	535.483871	16039.19224	30000	0	0	30000	41.0625	2004
12.02.2020 16:05:29	1	1	1	1	67	61	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	41.25	2004
12.02.2020 16:05:30	1	1	1	1	67	61.25	0	29857.82	535.483871	15987.82377	30000	0	0	30000	41.375	2004
12.02.2020 16:05:31	1	1	1	1	67	61.25	0	29810.427	535.483871	16026.96165	30000	0	0	30000	41.125	2004
12.02.2020 16:05:32	1	1	1	1	67	61	0	29905.213	537.6344086	16013.10032	30000	0	0	30000	41.0625	2004
12.02.2020 16:05:33	1	1	1	1	67	61	0	29857.82	535.483871	16013.10032	30000	0	0	30000	41	2004
12.02.2020 16:05:34	1	1	1	1	67	61	0	29952.607	535.483871	16013.10032	30000	0	0	30000	40.8125	2004
12.02.2020 16:05:35	1	1	1	1	67	60.75	0	30000	535.483871	16064.46878	30000	0	0	30000	40.8125	2004
12.02.2020 16:05:36	1	1	1	1	67	60.75	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	41.0625	2004
12.02.2020 16:05:37	1	1	1	1	67	61	0	29715.64	535.483871	15911.99413	30000	0	0	30000	40.9375	2004
12.02.2020 16:05:38	1	1	1	1	67	60.75	0	29715.64	535.483871	15783.98065	30000	0	0	30000	40.8125	2004
12.02.2020 16:05:39	1	1	1	1	67	60.75	0	29857.82	535.483871	16270.75802	30000	0	0	30000	41.0625	2004
12.02.2020 16:05:40	1	1	1	1	67	61	0	29810.427	529.0322581	15962.54722	30000	0	0	30000	41.0625	2004
12.02.2020 16:05:41	1	1	1	1	67	61	0	29905.213	535.483871	16013.10032	30000	0	0	30000	41.25	2004
12.02.2020 16:05:42	1	1	1	1	67	61.25	0	29620.853	533.3333333	15797.84198	30000	0	0	30000	41.1875	2004
12.02.2020 16:05:43	1	1	1	1	67	61	0	29905.213	537.6344086	16128.88321	30000	0	0	30000	41	2004
12.02.2020 16:05:44	1	1	1	1	67	61	0	29905.213	535.483871	16039.19224	30000	0	0	30000	41.6875	2004
12.02.2020 16:05:45	1	1	1	1	67	61	0	29810.427	533.3333333	15898.94817	30000	0	0	30000	41.125	2004
12.02.2020 16:05:46	1	1	1	1	67	61	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	40.5	2004
12.02.2020 16:05:47	1	1	1	1	67	60.5	0	29905.213	535.483871	16013.10032	30000	0	0	30000	41.1875	2004
12.02.2020 16:05:48	1	1	1	1	67	61	0	29857.82	537.6344086	15962.54722	30000	0	0	30000	41	2004
12.02.2020 16:05:49	1	1	1	1	67	61	0	29810.427	537.6344086	15911.99413	30000	0	0	30000	40.9375	2004
12.02.2020 16:05:50	1	1	1	1	67.25	60.75	0	29857.82	535.483871	16052.2382	30000	0	0	30000	41.125	2004
12.02.2020 16:05:51	1	1	1	1	67.25	61	0	29905.213	537.6344086	16013.10032	30000	0	0	30000	41.0625	2004
12.02.2020 16:05:52	1	1	1	1	67.25	61	0	29857.82	535.483871	15987.82377	30000	0	0	30000	40.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 16:05:53	1	1	1	1	67.25	60.75	0	29810.427	533.3333333	15987.82377	30000	0	0	30000	40.5625	2004
12.02.2020 16:05:54	1	1	1	1	67.25	60.5	0	29620.853	535.483871	15886.71758	30000	0	0	30000	41	2004
12.02.2020 16:05:55	1	1	1	1	67.25	61	0	29857.82	535.483871	16052.2382	30000	0	0	30000	41.125	2004
12.02.2020 16:05:56	1	1	1	1	67.25	61	0	29715.64	535.483871	15911.99413	30000	0	0	30000	41.0625	2004
12.02.2020 16:05:57	1	1	1	1	67.25	61	0	29810.427	535.483871	15962.54722	30000	0	0	30000	41.3125	2004
12.02.2020 16:05:59	1	1	1	1	67.25	61.25	0	29857.82	535.483871	16013.10032	30000	0	0	30000	41.125	2004
12.02.2020 16:06:00	1	1	1	1	67.25	61	0	29857.82	537.6344086	16052.2382	30000	0	0	30000	41.0625	2004
12.02.2020 16:06:08	1	1	1	1	66.5	61	0	29715.64	533.3333333	15911.99413	30000	0	0	30000	41	2004
12.02.2020 16:06:08	1	1	1	1	66.5	61	0	29715.64	533.3333333	15911.99413	30000	0	0	30000	41	2004
12.02.2020 16:06:08	1	1	1	1	66.5	61	0	29715.64	533.3333333	15911.99413	30000	0	0	30000	41	2004
12.02.2020 16:06:08	1	1	1	1	66.5	61	0	29715.64	533.3333333	15911.99413	30000	0	0	30000	41	2004
12.02.2020 16:06:08	1	1	1	1	66.5	61	0	29715.64	533.3333333	15911.99413	30000	0	0	30000	41	2004
12.02.2020 16:06:08	1	1	1	1	66.5	61	0	29715.64	533.3333333	15911.99413	30000	0	0	30000	41	2004
12.02.2020 16:06:08	1	1	1	1	66.5	61	0	29715.64	533.3333333	15911.99413	30000	0	0	30000	41	2004
12.02.2020 16:06:09	1	1	1	1	66.5	61	0	29905.213	531.1827957	16013.10032	30000	0	0	30000	41.0625	2004
12.02.2020 16:06:10	1	1	1	1	66.5	61	0	29905.213	535.483871	15987.82377	30000	0	0	30000	40.875	2004
12.02.2020 16:06:11	1	1	1	1	66.5	60.75	0	29857.82	539.7849462	15987.82377	30000	0	0	30000	41.0625	2004
12.02.2020 16:06:12	1	1	1	1	66.5	61	0	29905.213	535.483871	16013.10032	30000	0	0	30000	40.6875	2004
12.02.2020 16:06:13	1	1	1	1	66.5	60.5	0	29857.82	537.6344086	15962.54722	30000	0	0	30000	41	2004
12.02.2020 16:06:14	1	1	1	1	66.5	61	0	29857.82	535.483871	15962.54722	30000	0	0	30000	41.125	2004
12.02.2020 16:06:15	1	1	1	1	66.5	61	0	29857.82	539.7849462	16116.65262	30000	0	0	30000	41.0625	2004
12.02.2020 16:06:16	1	1	1	1	66.5	61	0	29715.64	535.483871	15975.59318	30000	0	0	30000	41.0625	2004
12.02.2020 16:06:17	1	1	1	1	66.5	61	0	29620.853	535.483871	15861.44103	30000	0	0	30000	41.125	2004
12.02.2020 16:06:18	1	1	1	1	66.5	61	0	29810.427	537.6344086	16013.10032	30000	0	0	30000	41	2004
12.02.2020 16:06:19	1	1	1	1	66.5	61	0	29526.066	550.5376344	15975.59318	30000	0	0	30000	40.8125	2004
12.02.2020 16:06:20	1	1	1	1	66.5	60.75	0	29763.033	535.483871	15962.54722	30000	0	0	30000	40.875	2004
12.02.2020 16:06:21	1	1	1	1	66.25	60.75	0	29857.82	537.6344086	16077.51474	30000	0	0	30000	41.4375	2004
12.02.2020 16:06:22	1	1	1	1	66.25	61.25	0	29857.82	537.6344086	16026.96165	30000	0	0	30000	41.125	2004
12.02.2020 16:06:23	1	1	1	1	66.25	61	0	29905.213	537.6344086	16013.10032	30000	0	0	30000	41.5	2004
12.02.2020 16:06:24	1	1	1	1	66.25	61.5	0	29810.427	537.6344086	15898.94817	30000	0	0	30000	40.5	2004
12.02.2020 16:06:25	1	1	1	1	66.25	61	0	29810.427	537.6344086	15987.82377	30000	0	0	30000	41.125	2004
12.02.2020 16:06:26	1	1	1	1	66.25	61	0	29857.82	537.6344086	16077.51474	30000	0	0	30000	41.125	2004
12.02.2020 16:06:27	1	1	1	1	66.25	61	0	29810.427	537.6344086	16090.5607	30000	0	0	30000	41.1875	2004
12.02.2020 16:06:28	1	1	1	1	66.25	61	0	29810.427	535.483871	15962.54722	30000	0	0	30000	40.875	2004
12.02.2020 16:06:29	1	1	1	1	66.25	60.75	0	29715.64	535.483871	15631.50599	30000	0	0	30000	41	2004
12.02.2020 16:06:30	1	1	1	1	66.5	61	0	29810.427	537.6344086	15962.54722	30000	0	0	30000	41.0625	2004
12.02.2020 16:06:31	1	1	1	1	66.5	61	0	29810.427	535.483871	15962.54722	30000	0	0	30000	41.0625	2004
12.02.2020 16:06:32	1	1	1	1	66.5	61	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	40.8125	2004
12.02.2020 16:06:33	1	1	1	1	66.5	60.75	0	29905.213	533.3333333	16039.19224	30000	0	0	30000	40.625	2004
12.02.2020 16:06:34	1	1	1	1	66.5	60.5	0	29905.213	533.3333333	15974.77781	30000	0	0	30000	41.1875	2004
12.02.2020 16:06:35	1	1	1	1	66.5	61	0	29857.82	533.3333333	15924.22472	30000	0	0	30000	41	2004
12.02.2020 16:06:36	1	1	1	1	66.5	61	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	40.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 16:06:37	1	1	1	1	66.5	60.75	0	30000	526.8817204	15870.41013	30000	0	0	30000	41.0625	2004
12.02.2020 16:06:39	1	1	1	1	66.5	61	0	30000	533.3333333	15845.94896	30000	0	0	30000	41.0625	2004
12.02.2020 16:06:40	1	1	1	1	66.5	61	0	30000	524.7311828	15548.338	30000	0	0	30000	41	2004
12.02.2020 16:06:41	1	1	1	1	66.25	61	0	30000	522.5806452	15741.58128	30000	0	0	30000	41.1875	2004
12.02.2020 16:06:42	1	1	1	1	66.25	61	0	30000	533.3333333	16000.05436	30000	0	0	30000	40.875	2004
12.02.2020 16:06:43	1	1	1	1	66.25	60.75	0	30000	529.0322581	15805.99571	30000	0	0	30000	40.8125	2004
12.02.2020 16:06:44	1	1	1	1	66.25	60.75	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	40.8125	2004
12.02.2020 16:06:45	1	1	1	1	66.25	60.75	0	30000	526.8817204	15805.99571	30000	0	0	30000	40.625	2004
12.02.2020 16:06:46	1	1	1	1	66.25	60.5	0	29905.213	524.7311828	15934.82456	30000	0	0	30000	40.625	2004
12.02.2020 16:06:47	1	1	1	1	66.25	60.5	0	29952.607	533.3333333	16000.05436	30000	0	0	30000	41.1875	2004
12.02.2020 16:06:48	1	1	1	1	66.25	61	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	41	2004
12.02.2020 16:06:49	1	1	1	1	66.25	61	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	40.6875	2004
12.02.2020 16:06:50	1	1	1	1	66.25	60.5	0	29952.607	535.483871	15949.50126	30000	0	0	30000	40.5	2004
12.02.2020 16:06:51	1	1	1	1	66	60.5	0	30000	533.3333333	16000.05436	30000	0	0	30000	41.3125	2004
12.02.2020 16:06:52	1	1	1	1	66	61.25	0	29952.607	533.3333333	15949.50126	30000	0	0	30000	41.0625	2004
12.02.2020 16:06:53	1	1	1	1	66	61	0	29952.607	535.483871	16039.19224	30000	0	0	30000	40.9375	2004
12.02.2020 16:06:54	1	1	1	1	66	60.75	0	29857.82	535.483871	15924.22472	30000	0	0	30000	40.9375	2004
12.02.2020 16:06:55	1	1	1	1	66	60.75	0	29905.213	535.483871	15898.94817	30000	0	0	30000	40.875	2004
12.02.2020 16:06:56	1	1	1	1	66	60.75	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	41.0625	2004
12.02.2020 16:06:57	1	1	1	1	66	61	0	29905.213	535.483871	16013.10032	30000	0	0	30000	41	2004
12.02.2020 16:06:58	1	1	1	1	66	61	0	29857.82	533.3333333	15987.82377	30000	0	0	30000	41.125	2004
12.02.2020 16:06:59	1	1	1	1	66	61	0	29905.213	535.483871	16064.46878	30000	0	0	30000	40.375	2004
12.02.2020 16:07:00	1	1	1	1	66	60.25	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	40.9375	2004
12.02.2020 16:07:01	1	1	1	1	66	60.75	0	30000	533.3333333	16000.05436	30000	0	0	30000	41.625	2004
12.02.2020 16:07:09	1	1	1	1	66	61.25	0	29905.213	535.483871	16013.10032	30000	0	0	30000	41.0625	2004
12.02.2020 16:07:09	1	1	1	1	66	61.25	0	29905.213	535.483871	16013.10032	30000	0	0	30000	41.0625	2004
12.02.2020 16:07:09	1	1	1	1	66	61.25	0	29905.213	535.483871	16013.10032	30000	0	0	30000	41.0625	2004
12.02.2020 16:07:09	1	1	1	1	66	61.25	0	29905.213	535.483871	16013.10032	30000	0	0	30000	41.0625	2004
12.02.2020 16:07:09	1	1	1	1	66	61.25	0	29905.213	535.483871	16013.10032	30000	0	0	30000	41.0625	2004
12.02.2020 16:07:09	1	1	1	1	66	61.25	0	29905.213	535.483871	16013.10032	30000	0	0	30000	41.0625	2004
12.02.2020 16:07:09	1	1	1	1	66	61.25	0	29905.213	535.483871	16013.10032	30000	0	0	30000	41.0625	2004
12.02.2020 16:07:09	1	1	1	1	66	61	0	29952.607	537.6344086	16013.10032	30000	0	0	30000	41.1875	2004
12.02.2020 16:07:10	1	1	1	1	66	61	0	29905.213	535.483871	16206.3436	30000	0	0	30000	41.1875	2004
12.02.2020 16:07:11	1	1	1	1	66	61	0	29905.213	539.7849462	16141.92917	30000	0	0	30000	40.875	2004
12.02.2020 16:07:12	1	1	1	1	66	60.75	0	29620.853	537.6344086	15925.04009	30000	0	0	30000	41.3125	2004
12.02.2020 16:07:13	1	1	1	1	66	61.25	0	29810.427	535.483871	15962.54722	30000	0	0	30000	41	2004
12.02.2020 16:07:14	1	1	1	1	66	61	0	29857.82	537.6344086	15962.54722	30000	0	0	30000	41.125	2004
12.02.2020 16:07:15	1	1	1	1	66	61	0	29715.64	535.483871	16219.38956	30000	0	0	30000	41.0625	2004
12.02.2020 16:07:16	1	1	1	1	66	61	0	29905.213	537.6344086	16141.92917	30000	0	0	30000	41.0625	2004
12.02.2020 16:07:18	1	1	1	1	66	61	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	41.0625	2004
12.02.2020 16:07:19	1	1	1	1	66	61	0	29715.64	535.483871	15848.39508	30000	0	0	30000	41.375	2004
12.02.2020 16:07:20	1	1	1	1	66	61.25	0	29810.427	537.6344086	16026.96165	30000	0	0	30000	41.25	2004
12.02.2020 16:07:21	1	1	1	1	66.25	61.25	0	29810.427	537.6344086	15848.39508	30000	0	0	30000	41.375	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 16:07:22	1	1	1	1	66.25	61.25	0	29810.427	535.483871	15962.54722	30000	0	0	30000	41.0625	2004
12.02.2020 16:07:23	1	1	1	1	66.25	61	0	29857.82	535.483871	15962.54722	30000	0	0	30000	41.1875	2004
12.02.2020 16:07:24	1	1	1	1	66.25	61	0	29810.427	533.3333333	15962.54722	30000	0	0	30000	41.1875	2004
12.02.2020 16:07:25	1	1	1	1	66.25	61	0	29857.82	535.483871	16013.10032	30000	0	0	30000	41.125	2004
12.02.2020 16:07:26	1	1	1	1	66.25	61	0	29810.427	535.483871	15962.54722	30000	0	0	30000	40.8125	2004
12.02.2020 16:07:27	1	1	1	1	66.25	60.75	0	29810.427	533.3333333	15987.82377	30000	0	0	30000	41.0625	2004
12.02.2020 16:07:28	1	1	1	1	66.25	61	0	29810.427	535.483871	15962.54722	30000	0	0	30000	41.125	2004
12.02.2020 16:07:29	1	1	1	1	66.25	61	0	29905.213	537.6344086	16077.51474	30000	0	0	30000	41.125	2004
12.02.2020 16:07:30	1	1	1	1	66.25	61	0	29857.82	537.6344086	15962.54722	30000	0	0	30000	40.5625	2004
12.02.2020 16:07:31	1	1	1	1	65.75	60.5	0	29715.64	537.6344086	15911.99413	30000	0	0	30000	41	2004
12.02.2020 16:07:32	1	1	1	1	65.75	61	0	29715.64	537.6344086	15911.99413	30000	0	0	30000	40.375	2004
12.02.2020 16:07:33	1	1	1	1	65.75	60.25	0	29857.82	537.6344086	15987.82377	30000	0	0	30000	41.125	2004
12.02.2020 16:07:34	1	1	1	1	65.75	61	0	29905.213	544.0860215	16013.10032	30000	0	0	30000	40.875	2004
12.02.2020 16:07:35	1	1	1	1	65.75	60.75	0	29763.033	537.6344086	15911.99413	30000	0	0	30000	41	2004
12.02.2020 16:07:36	1	1	1	1	65.75	61	0	29905.213	535.483871	16296.84994	30000	0	0	30000	40.5	2004
12.02.2020 16:07:37	1	1	1	1	65.75	60.5	0	29810.427	535.483871	16026.96165	30000	0	0	30000	41.125	2004
12.02.2020 16:07:38	1	1	1	1	65.75	61	0	29715.64	535.483871	15911.99413	30000	0	0	30000	40.875	2004
12.02.2020 16:07:39	1	1	1	1	65.75	60.75	0	29857.82	537.6344086	16052.2382	30000	0	0	30000	41.5	2004
12.02.2020 16:07:40	1	1	1	1	65.75	61.5	0	29620.853	533.3333333	15861.44103	30000	0	0	30000	40.9375	2004
12.02.2020 16:07:41	1	1	1	1	65.5	60.75	0	29810.427	535.483871	15975.59318	30000	0	0	30000	41.375	2004
12.02.2020 16:07:42	1	1	1	1	65.5	60.5	0	29857.82	537.6344086	16052.2382	30000	0	0	30000	41.25	2004
12.02.2020 16:07:43	1	1	1	1	65.5	61.25	0	29810.427	537.6344086	16001.6851	30000	0	0	30000	41.125	2004
12.02.2020 16:07:44	1	1	1	1	65.5	61	0	29763.033	541.9354839	15783.98065	30000	0	0	30000	41.0625	2004
12.02.2020 16:07:45	1	1	1	1	65.5	61	0	29715.64	533.3333333	15911.99413	30000	0	0	30000	41.0625	2004
12.02.2020 16:07:46	1	1	1	1	65.5	61	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	40.9375	2004
12.02.2020 16:07:47	1	1	1	1	65.5	60.75	0	29810.427	535.483871	15911.99413	30000	0	0	30000	40.9375	2004
12.02.2020 16:07:48	1	1	1	1	65.5	60.75	0	29810.427	535.483871	15962.54722	30000	0	0	30000	41	2004
12.02.2020 16:07:49	1	1	1	1	65.5	61	0	29715.64	537.6344086	15911.99413	30000	0	0	30000	41.1875	2004
12.02.2020 16:07:50	1	1	1	1	65.75	61	0	29715.64	535.483871	15911.99413	30000	0	0	30000	41.3125	2004
12.02.2020 16:07:51	1	1	1	1	65.75	61.25	0	29810.427	537.6344086	15898.94817	30000	0	0	30000	41.0625	2004
12.02.2020 16:07:52	1	1	1	1	65.75	61	0	29715.64	533.3333333	15962.54722	30000	0	0	30000	40.9375	2004
12.02.2020 16:07:53	1	1	1	1	65.75	60.75	0	29715.64	533.3333333	15911.99413	30000	0	0	30000	40.9375	2004
12.02.2020 16:07:54	1	1	1	1	65.75	60.75	0	29905.213	539.7849462	16141.92917	30000	0	0	30000	41.25	2004
12.02.2020 16:07:55	1	1	1	1	65.75	61.25	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	41.25	2004
12.02.2020 16:07:57	1	1	1	1	65.75	61.25	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	41.25	2004
12.02.2020 16:07:58	1	1	1	1	65.75	61.25	0	29763.033	537.6344086	16090.5607	30000	0	0	30000	41.1875	2004
12.02.2020 16:07:59	1	1	1	1	65.75	61	0	29668.246	537.6344086	15925.04009	30000	0	0	30000	41.125	2004
12.02.2020 16:08:00	1	1	1	1	65.75	61	0	29810.427	539.7849462	15911.99413	30000	0	0	30000	40.9375	2004
12.02.2020 16:08:01	1	1	1	1	65.25	60.75	0	29668.246	535.483871	15975.59318	30000	0	0	30000	40.75	2004
12.02.2020 16:08:02	1	1	1	1	65.25	60.75	0	29620.853	537.6344086	15836.16449	30000	0	0	30000	41.1875	2004
12.02.2020 16:08:03	1	1	1	1	65.25	61	0	29668.246	535.483871	15925.04009	30000	0	0	30000	41.1875	2004
12.02.2020 16:08:11	1	1	1	1	65.25	61	0	29810.427	533.3333333	15898.94817	30000	0	0	30000	41.3125	2004
12.02.2020 16:08:11	1	1	1	1	65.25	61	0	29810.427	533.3333333	15898.94817	30000	0	0	30000	41.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 16:08:11	1	1	1	1	65.25	61	0	29810.427	533.3333333	15898.94817	30000	0	0	30000	41.3125	2004
12.02.2020 16:08:11	1	1	1	1	65.25	61	0	29810.427	533.3333333	15898.94817	30000	0	0	30000	41.3125	2004
12.02.2020 16:08:11	1	1	1	1	65.25	61	0	29810.427	533.3333333	15898.94817	30000	0	0	30000	41.3125	2004
12.02.2020 16:08:11	1	1	1	1	65.25	61	0	29810.427	533.3333333	15898.94817	30000	0	0	30000	41.3125	2004
12.02.2020 16:08:11	1	1	1	1	65.25	61	0	29810.427	533.3333333	15898.94817	30000	0	0	30000	41.3125	2004
12.02.2020 16:08:11	1	1	1	1	65.25	61	0	29810.427	533.3333333	15898.94817	30000	0	0	30000	41.3125	2004
12.02.2020 16:08:12	1	1	1	1	65.25	61.25	0	29763.033	537.6344086	16026.96165	30000	0	0	30000	41.1875	2004
12.02.2020 16:08:13	1	1	1	1	65.25	61	0	29715.64	535.483871	15975.59318	30000	0	0	30000	41.25	2004
12.02.2020 16:08:14	1	1	1	1	65.25	61.25	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	41.125	2004
12.02.2020 16:08:15	1	1	1	1	65.25	61	0	29810.427	537.6344086	16026.96165	30000	0	0	30000	40.8125	2004
12.02.2020 16:08:16	1	1	1	1	65.25	60.75	0	29905.213	537.6344086	16141.92917	30000	0	0	30000	41.1875	2004
12.02.2020 16:08:17	1	1	1	1	65.25	61	0	29810.427	535.483871	15962.54722	30000	0	0	30000	40.9375	2004
12.02.2020 16:08:18	1	1	1	1	65.25	60.75	0	29668.246	541.9354839	16013.91569	30000	0	0	30000	40.625	2004
12.02.2020 16:08:19	1	1	1	1	65.25	61.75	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	41.25	2004
12.02.2020 16:08:20	1	1	1	1	65	61.25	0	29810.427	537.6344086	16026.96165	30000	0	0	30000	41.25	2004
12.02.2020 16:08:21	1	1	1	1	65	61.25	0	29763.033	539.7849462	16001.6851	30000	0	0	30000	41.1875	2004
12.02.2020 16:08:22	1	1	1	1	65	61	0	29810.427	537.6344086	16181.06705	30000	0	0	30000	41.25	2004
12.02.2020 16:08:23	1	1	1	1	65	61.25	0	29668.246	535.483871	15861.44103	30000	0	0	30000	41	2004
12.02.2020 16:08:24	1	1	1	1	65	61	0	29715.64	541.9354839	15911.99413	30000	0	0	30000	40.6875	2004
12.02.2020 16:08:25	1	1	1	1	65	60.5	0	29810.427	539.7849462	16040.00761	30000	0	0	30000	41.25	2004
12.02.2020 16:08:26	1	1	1	1	65	61.25	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	41.25	2004
12.02.2020 16:08:27	1	1	1	1	65	61.25	0	29715.64	537.6344086	15911.99413	30000	0	0	30000	41.125	2004
12.02.2020 16:08:28	1	1	1	1	65	61	0	29810.427	539.7849462	16154.97513	30000	0	0	30000	41.25	2004
12.02.2020 16:08:29	1	1	1	1	65	61.25	0	29763.033	537.6344086	16090.5607	30000	0	0	30000	41.25	2004
12.02.2020 16:08:30	1	1	1	1	64.75	61.25	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	41	2004
12.02.2020 16:08:31	1	1	1	1	64.75	61	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	40.6875	2004
12.02.2020 16:08:33	1	1	1	1	64.75	60.5	0	29810.427	537.6344086	16026.96165	30000	0	0	30000	41.1875	2004
12.02.2020 16:08:34	1	1	1	1	64.75	61	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	40.625	2004
12.02.2020 16:08:35	1	1	1	1	64.75	60.5	0	29810.427	546.2365591	16065.28416	30000	0	0	30000	40.75	2004
12.02.2020 16:08:36	1	1	1	1	64.75	60.75	0	29668.246	535.483871	15911.99413	30000	0	0	30000	41.125	2004
12.02.2020 16:08:37	1	1	1	1	64.75	61	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	41.1875	2004
12.02.2020 16:08:38	1	1	1	1	64.75	61	0	29668.246	535.483871	15975.59318	30000	0	0	30000	41.25	2004
12.02.2020 16:08:39	1	1	1	1	64.75	61.25	0	29810.427	537.6344086	16116.65262	30000	0	0	30000	41.3125	2004
12.02.2020 16:08:40	1	1	1	1	64.75	61.25	0	29715.64	537.6344086	16103.60666	30000	0	0	30000	41.25	2004
12.02.2020 16:08:41	1	1	1	1	65.25	61.25	0	29668.246	537.6344086	15861.44103	30000	0	0	30000	41.25	2004
12.02.2020 16:08:42	1	1	1	1	65.25	61.25	0	29715.64	537.6344086	15861.44103	30000	0	0	30000	41.125	2004
12.02.2020 16:08:43	1	1	1	1	65.25	61	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	41.1875	2004
12.02.2020 16:08:44	1	1	1	1	65.25	61	0	29763.033	537.6344086	15975.59318	30000	0	0	30000	41.125	2004
12.02.2020 16:08:45	1	1	1	1	65.25	61	0	29857.82	541.9354839	16090.5607	30000	0	0	30000	40.875	2004
12.02.2020 16:08:46	1	1	1	1	65.25	60.75	0	29810.427	537.6344086	16090.5607	30000	0	0	30000	41.3125	2004
12.02.2020 16:08:47	1	1	1	1	65.25	61.25	0	29857.82	537.6344086	15962.54722	30000	0	0	30000	41.4375	2004
12.02.2020 16:08:48	1	1	1	1	65.25	61.25	0	29810.427	535.483871	15911.99413	30000	0	0	30000	41.125	2004
12.02.2020 16:08:49	1	1	1	1	65.25	61	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	41.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 16:08:50	1	1	1	1	65.25	61	0	29810.427	537.6344086	15911.99413	30000	0	0	30000	40.875	2004
12.02.2020 16:08:51	1	1	1	1	64.75	60.75	0	29715.64	535.483871	16026.96165	30000	0	0	30000	41.125	2004
12.02.2020 16:08:52	1	1	1	1	64.75	61	0	29715.64	533.3333333	15911.99413	30000	0	0	30000	41.3125	2004
12.02.2020 16:08:53	1	1	1	1	64.75	61.25	0	29810.427	535.483871	15962.54722	30000	0	0	30000	41.25	2004
12.02.2020 16:08:54	1	1	1	1	64.75	61.25	0	29763.033	537.6344086	15975.59318	30000	0	0	30000	41.5625	2004
12.02.2020 16:08:55	1	1	1	1	64.75	61.5	0	29715.64	541.9354839	15886.71758	30000	0	0	30000	40.75	2004
12.02.2020 16:08:56	1	1	1	1	64.75	60.75	0	29620.853	535.483871	15861.44103	30000	0	0	30000	40.8125	2004
12.02.2020 16:08:57	1	1	1	1	64.75	61	0	29620.853	533.3333333	15861.44103	30000	0	0	30000	41.25	2004
12.02.2020 16:08:58	1	1	1	1	64.75	61.25	0	29715.64	537.6344086	15886.71758	30000	0	0	30000	41	2004
12.02.2020 16:08:59	1	1	1	1	64.75	61	0	29715.64	537.6344086	16026.96165	30000	0	0	30000	41	2004
12.02.2020 16:09:00	1	1	1	1	65	61	0	29715.64	535.483871	15911.99413	30000	0	0	30000	41.125	2004
12.02.2020 16:09:01	1	1	1	1	65	61	0	29715.64	537.6344086	15823.11853	30000	0	0	30000	40.8125	2004
12.02.2020 16:09:02	1	1	1	1	65	60.75	0	29810.427	539.7849462	16090.5607	30000	0	0	30000	41.375	2004
12.02.2020 16:09:03	1	1	1	1	65	61.25	0	29857.82	537.6344086	15898.94817	30000	0	0	30000	41.125	2004
12.02.2020 16:09:04	1	1	1	1	65	61	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	41.1875	2004
12.02.2020 16:09:13	1	1	1	1	64.5	60.75	0	29810.427	537.6344086	15962.54722	30000	0	0	30000	41.3125	2004
12.02.2020 16:09:13	1	1	1	1	64.5	60.75	0	29810.427	537.6344086	15975.59318	30000	0	0	30000	40.9375	2004
12.02.2020 16:09:13	1	1	1	1	64.5	61.25	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	40.9375	2004
12.02.2020 16:09:13	1	1	1	1	64.5	61.25	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	40.9375	2004
12.02.2020 16:09:13	1	1	1	1	64.5	61.25	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	40.9375	2004
12.02.2020 16:09:13	1	1	1	1	64.5	61.25	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	40.9375	2004
12.02.2020 16:09:13	1	1	1	1	64.5	61.25	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	40.9375	2004
12.02.2020 16:09:13	1	1	1	1	64.5	61.25	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	40.9375	2004
12.02.2020 16:09:13	1	1	1	1	64.5	61.25	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	40.9375	2004
12.02.2020 16:09:14	1	1	1	1	64.5	60.75	0	29715.64	535.483871	15975.59318	30000	0	0	30000	41.3125	2004
12.02.2020 16:09:15	1	1	1	1	64.5	61.25	0	29810.427	537.6344086	16026.96165	30000	0	0	30000	41	2004
12.02.2020 16:09:16	1	1	1	1	64.5	61	0	29810.427	535.483871	16026.96165	30000	0	0	30000	41.25	2004
12.02.2020 16:09:17	1	1	1	1	64.5	61.25	0	29857.82	537.6344086	16026.96165	30000	0	0	30000	41.1875	2004
12.02.2020 16:09:18	1	1	1	1	64.5	61	0	29857.82	539.7849462	16181.06705	30000	0	0	30000	40.75	2004
12.02.2020 16:09:19	1	1	1	1	64.5	60.75	0	29810.427	539.7849462	15911.99413	30000	0	0	30000	41.3125	2004
12.02.2020 16:09:20	1	1	1	1	64.5	61.25	0	29810.427	535.483871	15962.54722	30000	0	0	30000	40.9375	2004
12.02.2020 16:09:21	1	1	1	1	64.5	60.75	0	29715.64	537.6344086	15911.99413	30000	0	0	30000	41.0625	2004
12.02.2020 16:09:22	1	1	1	1	64.5	61	0	29857.82	537.6344086	16141.92917	30000	0	0	30000	41.1875	2004
12.02.2020 16:09:23	1	1	1	1	64.5	61	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	41.125	2004
12.02.2020 16:09:24	1	1	1	1	64.5	61	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	40.5625	2004
12.02.2020 16:09:25	1	1	1	1	64.5	60.5	0	29857.82	537.6344086	16116.65262	30000	0	0	30000	40.75	2004
12.02.2020 16:09:26	1	1	1	1	64.5	60.75	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	41.3125	2004
12.02.2020 16:09:27	1	1	1	1	64.5	61.25	0	29857.82	539.7849462	16090.5607	30000	0	0	30000	41.25	2004
12.02.2020 16:09:28	1	1	1	1	64.5	61.25	0	29715.64	531.1827957	16103.60666	30000	0	0	30000	41.1875	2004
12.02.2020 16:09:29	1	1	1	1	64.5	61	0	29905.213	537.6344086	16141.92917	30000	0	0	30000	40.8125	2004
12.02.2020 16:09:30	1	1	1	1	64.5	60.75	0	29715.64	537.6344086	16129.69858	30000	0	0	30000	41	2004
12.02.2020 16:09:31	1	1	1	1	65	61	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	40.875	2004
12.02.2020 16:09:32	1	1	1	1	65	60.75	0	29668.246	537.6344086	15975.59318	30000	0	0	30000	41	2004
12.02.2020 16:09:33	1	1	1	1	65	61	0	29668.246	537.6344086	15975.59318	30000	0	0	30000	41.625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 16:09:34	1	1	1	1	65	61	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	41.25	2004
12.02.2020 16:09:35	1	1	1	1	65	61.25	0	29857.82	537.6344086	16090.5607	30000	0	0	30000	41	2004
12.02.2020 16:09:36	1	1	1	1	65	61	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	40.875	2004
12.02.2020 16:09:37	1	1	1	1	65	60.75	0	29573.46	537.6344086	15683.68983	30000	0	0	30000	40.875	2004
12.02.2020 16:09:38	1	1	1	1	65	60.75	0	29526.066	535.483871	15836.16449	30000	0	0	30000	40.875	2004
12.02.2020 16:09:39	1	1	1	1	65	60.75	0	29810.427	537.6344086	16090.5607	30000	0	0	30000	41.1875	2004
12.02.2020 16:09:40	1	1	1	1	64.75	61	0	29715.64	533.3333333	15975.59318	30000	0	0	30000	41.1875	2004
12.02.2020 16:09:41	1	1	1	1	64.75	61	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	41.25	2004
12.02.2020 16:09:42	1	1	1	1	64.75	61.25	0	29620.853	537.6344086	15925.04009	30000	0	0	30000	41.25	2004
12.02.2020 16:09:43	1	1	1	1	64.75	61.25	0	29715.64	539.7849462	16090.5607	30000	0	0	30000	41	2004
12.02.2020 16:09:44	1	1	1	1	64.75	61	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	41.3125	2004
12.02.2020 16:09:45	1	1	1	1	64.75	61.25	0	29810.427	541.9354839	16090.5607	30000	0	0	30000	41.3125	2004
12.02.2020 16:09:46	1	1	1	1	64.75	61.25	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	41.125	2004
12.02.2020 16:09:48	1	1	1	1	64.75	61	0	29620.853	535.483871	15925.04009	30000	0	0	30000	41.1875	2004
12.02.2020 16:09:49	1	1	1	1	64.75	61	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	41.0625	2004
12.02.2020 16:09:50	1	1	1	1	64.75	61	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	40.8125	2004
12.02.2020 16:09:51	1	1	1	1	64.75	60.75	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	41.1875	2004
12.02.2020 16:09:52	1	1	1	1	64.75	61	0	29620.853	535.483871	15975.59318	30000	0	0	30000	40.875	2004
12.02.2020 16:09:53	1	1	1	1	64.75	60.75	0	29715.64	539.7849462	16090.5607	30000	0	0	30000	40.75	2004
12.02.2020 16:09:54	1	1	1	1	64.75	60.75	0	29810.427	541.9354839	16090.5607	30000	0	0	30000	40.625	2004
12.02.2020 16:09:55	1	1	1	1	64.75	60.5	0	29857.82	541.9354839	16206.3436	30000	0	0	30000	41.1875	2004
12.02.2020 16:09:56	1	1	1	1	64.75	61	0	29620.853	537.6344086	16013.91569	30000	0	0	30000	41.25	2004
12.02.2020 16:09:57	1	1	1	1	64.75	61.25	0	29620.853	537.6344086	16052.2382	30000	0	0	30000	41	2004
12.02.2020 16:09:58	1	1	1	1	64.75	61	0	29668.246	537.6344086	15975.59318	30000	0	0	30000	41.5	2004
12.02.2020 16:09:59	1	1	1	1	64.75	61.5	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	41.0625	2004
12.02.2020 16:10:00	1	1	1	1	64.75	61	0	29763.033	537.6344086	16065.28416	30000	0	0	30000	40.6875	2004
12.02.2020 16:10:01	1	1	1	1	64.25	60.5	0	29810.427	539.7849462	16040.00761	30000	0	0	30000	41.3125	2004
12.02.2020 16:10:02	1	1	1	1	64.25	61.25	0	29715.64	537.6344086	16013.91569	30000	0	0	30000	41.3125	2004
12.02.2020 16:10:03	1	1	1	1	64.25	61.25	0	29573.46	537.6344086	15988.63914	30000	0	0	30000	41.375	2004
12.02.2020 16:10:04	1	1	1	1	64.25	61.25	0	29668.246	539.7849462	15925.04009	30000	0	0	30000	41	2004
12.02.2020 16:10:05	1	1	1	1	64.25	61	0	29763.033	539.7849462	16103.60666	30000	0	0	30000	40.5	2004
12.02.2020 16:10:06	1	1	1	1	64.25	60.5	0	29715.64	539.7849462	15911.99413	30000	0	0	30000	40.375	2004
12.02.2020 16:10:14	1	1	1	1	64.5	61	0	29763.033	539.7849462	16103.60666	30000	0	0	30000	41.0625	2004
12.02.2020 16:10:14	1	1	1	1	64.5	61	0	29763.033	539.7849462	16103.60666	30000	0	0	30000	41.0625	2004
12.02.2020 16:10:14	1	1	1	1	64.5	61	0	29763.033	539.7849462	16103.60666	30000	0	0	30000	41.0625	2004
12.02.2020 16:10:14	1	1	1	1	64.5	61	0	29763.033	539.7849462	16103.60666	30000	0	0	30000	41.0625	2004
12.02.2020 16:10:14	1	1	1	1	64.5	61	0	29763.033	539.7849462	16103.60666	30000	0	0	30000	41.0625	2004
12.02.2020 16:10:14	1	1	1	1	64.5	61	0	29763.033	539.7849462	16103.60666	30000	0	0	30000	41.0625	2004
12.02.2020 16:10:14	1	1	1	1	64.5	61	0	29763.033	539.7849462	16103.60666	30000	0	0	30000	41.0625	2004
12.02.2020 16:10:14	1	1	1	1	64.5	61	0	29763.033	539.7849462	16103.60666	30000	0	0	30000	41.0625	2004
12.02.2020 16:10:14	1	1	1	1	64.5	61	0	29763.033	539.7849462	16103.60666	30000	0	0	30000	41.0625	2004
12.02.2020 16:10:14	1	1	1	1	64.5	61	0	29763.033	539.7849462	16103.60666	30000	0	0	30000	41.0625	2004
12.02.2020 16:10:15	1	1	1	1	64.5	61	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	40.5625	2004
12.02.2020 16:10:16	1	1	1	1	64.5	60.5	0	29810.427	539.7849462	16090.5607	30000	0	0	30000	40.375	2004
12.02.2020 16:10:17	1	1	1	1	64.5	60.25	0	29810.427	537.6344086	15848.39508	30000	0	0	30000	41.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 16:10:18	1	1	1	1	64.5	61	0	29715.64	541.9354839	16167.20572	30000	0	0	30000	41.1875	2004
12.02.2020 16:10:19	1	1	1	1	64.5	61	0	29620.853	539.7849462	16040.00761	30000	0	0	30000	41	2004
12.02.2020 16:10:20	1	1	1	1	64.5	61	0	29668.246	537.6344086	15886.71758	30000	0	0	30000	41.125	2004
12.02.2020 16:10:21	1	1	1	1	64.5	61	0	29620.853	537.6344086	15925.04009	30000	0	0	30000	40.9375	2004
12.02.2020 16:10:22	1	1	1	1	64.5	60.75	0	29573.46	535.483871	15963.3626	30000	0	0	30000	41.25	2004
12.02.2020 16:10:23	1	1	1	1	64.5	61.25	0	29668.246	537.6344086	15988.63914	30000	0	0	30000	41.25	2004
12.02.2020 16:10:24	1	1	1	1	64.5	61.25	0	29668.246	537.6344086	16167.20572	30000	0	0	30000	41.3125	2004
12.02.2020 16:10:25	1	1	1	1	64.5	61.25	0	29810.427	537.6344086	16026.96165	30000	0	0	30000	41.375	2004
12.02.2020 16:10:27	1	1	1	1	64.5	61.25	0	29620.853	537.6344086	15925.04009	30000	0	0	30000	41.3125	2004
12.02.2020 16:10:28	1	1	1	1	64.5	61.25	0	29810.427	537.6344086	16090.5607	30000	0	0	30000	41.1875	2004
12.02.2020 16:10:29	1	1	1	1	64.5	61	0	29668.246	537.6344086	16040.00761	30000	0	0	30000	41.25	2004
12.02.2020 16:10:30	1	1	1	1	64.5	61.25	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	41.25	2004
12.02.2020 16:10:31	1	1	1	1	64.25	61.25	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	41.375	2004
12.02.2020 16:10:32	1	1	1	1	64.25	61.25	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	41.25	2004
12.02.2020 16:10:33	1	1	1	1	64.25	61.25	0	29715.64	539.7849462	15975.59318	30000	0	0	30000	41	2004
12.02.2020 16:10:34	1	1	1	1	64.25	61	0	29715.64	539.7849462	15975.59318	30000	0	0	30000	41.1875	2004
12.02.2020 16:10:35	1	1	1	1	64.25	61	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	41.3125	2004
12.02.2020 16:10:36	1	1	1	1	64.25	61.25	0	29620.853	537.6344086	15925.04009	30000	0	0	30000	41.1875	2004
12.02.2020 16:10:37	1	1	1	1	64.25	61	0	29620.853	544.0860215	16052.2382	30000	0	0	30000	41.3125	2004
12.02.2020 16:10:38	1	1	1	1	64.25	61.25	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	41.1875	2004
12.02.2020 16:10:39	1	1	1	1	64.25	61	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	40.9375	2004
12.02.2020 16:10:40	1	1	1	1	64.25	60.75	0	29668.246	539.7849462	16013.91569	30000	0	0	30000	40.6875	2004
12.02.2020 16:10:41	1	1	1	1	64	60.5	0	29668.246	541.9354839	16103.60666	30000	0	0	30000	41.0625	2004
12.02.2020 16:10:42	1	1	1	1	64	61	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	41	2004
12.02.2020 16:10:43	1	1	1	1	64	61	0	29715.64	546.2365591	16040.00761	30000	0	0	30000	40.1875	2004
12.02.2020 16:10:44	1	1	1	1	64	60	0	29668.246	535.483871	15669.8285	30000	0	0	30000	41	2004
12.02.2020 16:10:45	1	1	1	1	64	61	0	29763.033	541.9354839	16103.60666	30000	0	0	30000	40.75	2004
12.02.2020 16:10:46	1	1	1	1	64	60.75	0	29526.066	537.6344086	15810.07257	30000	0	0	30000	41.125	2004
12.02.2020 16:10:47	1	1	1	1	64	61	0	29715.64	541.9354839	16154.97513	30000	0	0	30000	41.0625	2004
12.02.2020 16:10:48	1	1	1	1	64	61	0	29526.066	535.483871	15873.67162	30000	0	0	30000	40.9375	2004
12.02.2020 16:10:49	1	1	1	1	64	60.75	0	29620.853	539.7849462	16052.2382	30000	0	0	30000	41.375	2004
12.02.2020 16:10:50	1	1	1	1	64	61.25	0	29526.066	535.483871	15988.63914	30000	0	0	30000	41.125	2004
12.02.2020 16:10:51	1	1	1	1	64.25	61	0	29715.64	539.7849462	16103.60666	30000	0	0	30000	41.6875	2004
12.02.2020 16:10:52	1	1	1	1	64.25	61	0	29810.427	539.7849462	16090.5607	30000	0	0	30000	41.125	2004
12.02.2020 16:10:53	1	1	1	1	64.25	61	0	29526.066	537.6344086	15810.07257	30000	0	0	30000	41.3125	2004
12.02.2020 16:10:54	1	1	1	1	64.25	61.25	0	29573.46	539.7849462	16052.2382	30000	0	0	30000	41.25	2004
12.02.2020 16:10:55	1	1	1	1	64.25	61.25	0	29620.853	544.0860215	16052.2382	30000	0	0	30000	41	2004
12.02.2020 16:10:56	1	1	1	1	64.25	61	0	29715.64	537.6344086	16065.28416	30000	0	0	30000	40.6875	2004
12.02.2020 16:10:57	1	1	1	1	64.25	60.5	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	41.25	2004
12.02.2020 16:10:58	1	1	1	1	64.25	61.25	0	29526.066	539.7849462	16090.5607	30000	0	0	30000	41.125	2004
12.02.2020 16:10:59	1	1	1	1	64.25	61	0	29620.853	537.6344086	15925.04009	30000	0	0	30000	41	2004
12.02.2020 16:11:00	1	1	1	1	64	61	0	29715.64	544.0860215	16103.60666	30000	0	0	30000	40.75	2004
12.02.2020 16:11:01	1	1	1	1	64	60.75	0	29526.066	537.6344086	15848.39508	30000	0	0	30000	41.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 16:11:02	1	1	1	1	64	61	0	29526.066	539.7849462	15963.3626	30000	0	0	30000	40.9375	2004
12.02.2020 16:11:03	1	1	1	1	64	60.75	0	29620.853	529.0322581	16040.00761	30000	0	0	30000	41.25	2004
12.02.2020 16:11:05	1	1	1	1	64	61.25	0	29810.427	539.7849462	16090.5607	30000	0	0	30000	41.0625	2004
12.02.2020 16:11:06	1	1	1	1	64	61	0	29715.64	544.0860215	16040.00761	30000	0	0	30000	41	2004
12.02.2020 16:11:07	1	1	1	1	64	61	0	29715.64	539.7849462	16103.60666	30000	0	0	30000	41.25	2004
12.02.2020 16:11:08	1	1	1	1	64	61.25	0	29620.853	537.6344086	15925.04009	30000	0	0	30000	41.125	2004
12.02.2020 16:11:16	1	1	1	1	64	61	0	30000	464.516129	13999.94564	30000	0	0	30000	41.25	2004
12.02.2020 16:11:16	1	1	1	1	64	61	0	30000	464.516129	13999.94564	30000	0	0	30000	41.25	2004
12.02.2020 16:11:16	1	1	1	1	64	61	0	30000	464.516129	13999.94564	30000	0	0	30000	41.25	2004
12.02.2020 16:11:16	1	1	1	1	64	61	0	30000	464.516129	13999.94564	30000	0	0	30000	41.25	2004
12.02.2020 16:11:16	1	1	1	1	64	61	0	30000	464.516129	13999.94564	30000	0	0	30000	41.25	2004
12.02.2020 16:11:16	1	1	1	1	64	61	0	30000	464.516129	13999.94564	30000	0	0	30000	41.25	2004
12.02.2020 16:11:16	1	1	1	1	64	61	0	30000	464.516129	13999.94564	30000	0	0	30000	41.25	2004
12.02.2020 16:11:16	1	1	1	1	64	61	0	30000	464.516129	13999.94564	30000	0	0	30000	41.25	2004
12.02.2020 16:11:17	1	1	1	1	64	61.25	0	29952.607	395.6989247	11871.00807	30000	0	0	30000	41	2004
12.02.2020 16:11:18	1	1	1	1	64	61	0	30000	344.0860215	10257.38592	30000	0	0	30000	41	2004
12.02.2020 16:11:19	1	1	1	1	64	61	0	30000	346.2365591	10451.44457	30000	0	0	30000	41.1875	2004
12.02.2020 16:11:20	1	1	1	1	64	61	0	30000	335.483871	10128.55706	30000	0	0	30000	41.25	2004
12.02.2020 16:11:21	1	1	1	1	65.25	61.25	0	30047.393	335.483871	10128.55706	30000	0	0	30000	41.125	2004
12.02.2020 16:11:22	1	1	1	1	65.25	61	0	30000	333.3333333	10064.14264	30000	0	0	30000	41.0625	2004
12.02.2020 16:11:23	1	1	1	1	65.25	61	0	30000	303.2258065	9160.709918	30000	0	0	30000	41.1875	2004
12.02.2020 16:11:24	1	1	1	1	65.25	61	0	30000	346.2365591	10403.33759	30000	0	0	30000	40.5625	2004
12.02.2020 16:11:25	1	1	1	1	65.25	60.5	0	29952.607	339.7849462	10257.38592	30000	0	0	30000	41.125	2004
12.02.2020 16:11:26	1	1	1	1	65.25	61	0	30000	326.8817204	9806.484929	30000	0	0	30000	41.3125	2004
12.02.2020 16:11:27	1	1	1	1	65.25	61.25	0	29952.607	320.4301075	9612.426277	30000	0	0	30000	41.3125	2004
12.02.2020 16:11:28	1	1	1	1	65.25	61.25	0	30047.393	335.483871	10064.14264	30000	0	0	30000	40.625	2004
12.02.2020 16:11:29	1	1	1	1	65.25	60.5	0	30000	337.6344086	10128.55706	30000	0	0	30000	41.1875	2004
12.02.2020 16:11:30	1	1	1	1	65.25	61	0	29952.607	329.0322581	9855.407279	30000	0	0	30000	40.5625	2004
12.02.2020 16:11:31	1	1	1	1	67	60.5	0	30000	333.3333333	9999.728209	30000	0	0	30000	41.3125	2004
12.02.2020 16:11:32	1	1	1	1	67	61	0	30000	348.3870968	10241.89384	30000	0	0	30000	41.3125	2004
12.02.2020 16:11:33	1	1	1	1	67	61.25	0	30000	354.8387097	10499.55155	30000	0	0	30000	41	2004
12.02.2020 16:11:34	1	1	1	1	67	61	0	29905.213	350.5376344	10515.85899	30000	0	0	30000	41.125	2004
12.02.2020 16:11:35	1	1	1	1	67	61	0	30000	348.3870968	10451.44457	30000	0	0	30000	41	2004
12.02.2020 16:11:36	1	1	1	1	67	61	0	30000	348.3870968	10451.44457	30000	0	0	30000	41.0625	2004
12.02.2020 16:11:37	1	1	1	1	67	61	0	30000	341.9354839	10257.38592	30000	0	0	30000	41.125	2004
12.02.2020 16:11:38	1	1	1	1	67	61	0	30000	356.9892473	10644.68785	30000	0	0	30000	41.0625	2004
12.02.2020 16:11:39	1	1	1	1	67	61	0	29952.607	365.5913978	11031.98978	30000	0	0	30000	41.25	2004
12.02.2020 16:11:40	1	1	1	1	67.5	61.25	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.125	2004
12.02.2020 16:11:41	1	1	1	1	67.5	61	0	30000	356.9892473	10709.10227	30000	0	0	30000	40.875	2004
12.02.2020 16:11:42	1	1	1	1	67.5	60.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	41	2004
12.02.2020 16:11:43	1	1	1	1	67.5	61	0	30000	380.6451613	11419.29171	30000	0	0	30000	41.25	2004
12.02.2020 16:11:45	1	1	1	1	67.5	61.25	0	29905.213	391.3978495	11833.50094	30000	0	0	30000	41.25	2004
12.02.2020 16:11:46	1	1	1	1	67.5	61.25	0	30000	391.3978495	11676.94942	30000	0	0	30000	41.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 16:11:47	1	1	1	1	67.5	61.25	0	30000	443.0107527	13225.34178	30000	0	0	30000	41.1875	2004
12.02.2020 16:11:48	1	1	1	1	67.5	61	0	30000	359.1397849	10773.5167	30000	0	0	30000	41.0625	2004
12.02.2020 16:11:49	1	1	1	1	67.5	61	0	29905.213	346.2365591	10370.72269	30000	0	0	30000	41.0625	2004
12.02.2020 16:11:50	1	1	1	1	67.5	61	0	29905.213	359.1397849	10740.08643	30000	0	0	30000	41.0625	2004
12.02.2020 16:11:51	1	1	1	1	69.25	61	0	29952.607	288.172043	8708.993559	30000	0	0	30000	40.8125	2004
12.02.2020 16:11:52	1	1	1	1	69.25	60.75	0	30000	350.5376344	10644.68785	30000	0	0	30000	41.1875	2004
12.02.2020 16:11:53	1	1	1	1	69.25	61	0	30142.18	316.1290323	9483.597423	30000	0	0	30000	41	2004
12.02.2020 16:11:54	1	1	1	1	69.25	61	0	30000	311.827957	9483.597423	30000	0	0	30000	41.125	2004
12.02.2020 16:11:55	1	1	1	1	69.25	61	0	29952.607	322.5806452	9676.840703	30000	0	0	30000	41.375	2004
12.02.2020 16:11:56	1	1	1	1	69.25	61.25	0	30000	316.1290323	9483.597423	30000	0	0	30000	40.1875	2004
12.02.2020 16:11:57	1	1	1	1	69.25	60	0	30000	384.9462366	11548.12057	30000	0	0	30000	41.0625	2004
12.02.2020 16:11:58	1	1	1	1	69.25	61	0	30000	305.3763441	9096.295491	30000	0	0	30000	40.5	2004
12.02.2020 16:11:59	1	1	1	1	69.25	60.5	0	30000	397.8494624	12018.59049	30000	0	0	30000	41.1875	2004
12.02.2020 16:12:00	1	1	1	1	69.25	61	0	30000	369.8924731	11096.40421	30000	0	0	30000	41.1875	2004
12.02.2020 16:12:01	1	1	1	1	70	61	0	30000	365.5913978	10967.57535	30000	0	0	30000	41.1875	2004
12.02.2020 16:12:02	1	1	1	1	70	61	0	30000	395.6989247	11871.00807	30000	0	0	30000	41.375	2004
12.02.2020 16:12:03	1	1	1	1	70	61.25	0	30000	404.3010753	12148.23472	30000	0	0	30000	41.25	2004
12.02.2020 16:12:04	1	1	1	1	70	61.25	0	30000	412.9032258	12128.66578	30000	0	0	30000	41.3125	2004
12.02.2020 16:12:05	1	1	1	1	70	61.25	0	30000	438.7096774	13160.92735	30000	0	0	30000	41.3125	2004
12.02.2020 16:12:06	1	1	1	1	70	61.25	0	30000	427.9569892	12838.03984	30000	0	0	30000	41.3125	2004
12.02.2020 16:12:07	1	1	1	1	70	61.25	0	30000	449.4623656	13633.84339	30000	0	0	30000	41.25	2004
12.02.2020 16:12:08	1	1	1	1	70	61.25	0	29952.607	389.2473118	11659.01122	30000	0	0	30000	41.6875	2004
12.02.2020 16:12:09	1	1	1	1	70	61.5	0	30000	492.4731183	14773.73413	30000	0	0	30000	41.5	2004
12.02.2020 16:12:17	1	1	1	1	71.75	60.5	0	29383.886	541.9354839	15949.50126	30000	0	0	30000	41	2004
12.02.2020 16:12:17	1	1	1	1	71.75	60.5	0	29383.886	541.9354839	15949.50126	30000	0	0	30000	41	2004
12.02.2020 16:12:17	1	1	1	1	71.75	60.5	0	29383.886	541.9354839	15949.50126	30000	0	0	30000	41	2004
12.02.2020 16:12:17	1	1	1	1	71.75	60.5	0	29383.886	541.9354839	15949.50126	30000	0	0	30000	41	2004
12.02.2020 16:12:17	1	1	1	1	71.75	60.5	0	29383.886	541.9354839	15949.50126	30000	0	0	30000	41	2004
12.02.2020 16:12:17	1	1	1	1	71.75	60.5	0	29383.886	541.9354839	15949.50126	30000	0	0	30000	41	2004
12.02.2020 16:12:17	1	1	1	1	71.75	60.5	0	29383.886	541.9354839	15949.50126	30000	0	0	30000	41	2004
12.02.2020 16:12:18	1	1	1	1	71.75	60.5	0	29383.886	541.9354839	15949.50126	30000	0	0	30000	41	2004
12.02.2020 16:12:18	1	1	1	1	71.75	61	0	27962.085	576.344086	16263.41967	30000	0	0	30000	40.9375	2004
12.02.2020 16:12:19	1	1	1	1	71.75	60.75	0	28483.412	556.9892473	15681.24371	30000	0	0	30000	41	2004
12.02.2020 16:12:20	1	1	1	1	74	61	0	0	0	0	30000	0	8	30000	41.4375	2004
12.02.2020 16:12:21	1	1	1	1	74	61.25	0	10426.54	0	0	30000	0	0	30000	41.125	2004
12.02.2020 16:12:23	1	1	1	1	74	61	0	11327.014	0	0	30000	0	0	30000	41.25	2004
12.02.2020 16:12:24	1	1	1	1	74	61.25	0	12180.095	0	0	30000	0	0	30000	41.0625	2004
12.02.2020 16:12:25	1	1	1	1	74	61	0	12843.602	0	0	30000	0	0	30000	41.125	2004
12.02.2020 16:12:26	1	1	1	1	74	61	0	13601.896	0	0	30000	0	0	30000	41.1875	2004
12.02.2020 16:12:27	1	1	1	1	74	61	0	14407.583	0	0	30000	0	0	30000	41.0625	2004
12.02.2020 16:12:28	1	1	1	1	74	61	0	15165.877	4.301075269	97.84469872	30000	0	0	30000	41.0625	2004
12.02.2020 16:12:29	1	1	1	1	74	61	0	15876.777	30.10752688	443.5626342	30000	0	0	30000	41.125	2004
12.02.2020 16:12:30	1	1	1	1	74	61	0	16729.858	34.40860215	538.9612154	30000	0	0	30000	41.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 16:12:31	1	1	1	1	76.25	61	0	17488.152	43.01075269	751.7734352	30000	0	0	30000	41.0625	2004
12.02.2020 16:12:32	1	1	1	1	76.25	61	0	18293.839	94.62365591	1731.035795	30000	0	0	30000	41	2004
12.02.2020 16:12:33	1	1	1	1	76.25	61	0	19004.739	103.2258065	1966.678444	30000	0	0	30000	41.25	2004
12.02.2020 16:12:34	1	1	1	1	76.25	61.25	0	19810.427	116.1290323	2300.165792	30000	0	0	30000	41.25	2004
12.02.2020 16:12:35	1	1	1	1	76.25	61.25	0	19620.853	116.1290323	2368.657082	30000	0	0	30000	41.125	2004
12.02.2020 16:12:36	1	1	1	1	76.25	61	0	21137.441	144.0860215	3143.260946	30000	0	0	30000	41.375	2004
12.02.2020 16:12:37	1	1	1	1	76.25	61.25	0	21042.654	144.0860215	3129.399614	30000	0	0	30000	41.3125	2004
12.02.2020 16:12:38	1	1	1	1	76.25	61.25	0	20710.9	139.7849462	2939.417824	30000	0	0	30000	41.3125	2004
12.02.2020 16:12:39	1	1	1	1	76.25	61.25	0	21374.408	165.5913978	3538.716604	30000	0	0	30000	41.125	2004
12.02.2020 16:12:40	1	1	1	1	76.25	61	0	20521.327	161.2903226	3353.627049	30000	0	0	30000	41.3125	2004
12.02.2020 16:12:41	1	1	1	1	79.75	61.25	0	21137.441	178.4946237	3772.728508	30000	0	0	30000	41.1875	2004
12.02.2020 16:12:42	1	1	1	1	79.75	61	0	18436.019	182.7956989	3273.720545	30000	0	0	30000	41.0625	2004
12.02.2020 16:12:43	1	1	1	1	79.75	61	0	19620.853	189.2473118	3713.206316	30000	0	0	30000	41.3125	2004
12.02.2020 16:12:44	1	1	1	1	79.75	61.25	0	20568.72	206.4516129	3989.61759	30000	0	0	30000	41.375	2004
12.02.2020 16:12:45	1	1	1	1	79.75	61.25	0	20331.754	193.5483871	3899.926616	30000	0	0	30000	41.1875	2004
12.02.2020 16:12:46	1	1	1	1	79.75	61	0	19526.066	184.9462366	3619.43848	30000	0	0	30000	41.5	2004
12.02.2020 16:12:47	1	1	1	1	79.75	61.5	0	18862.559	208.6021505	3934.172261	30000	0	0	30000	41.25	2004
12.02.2020 16:12:48	1	1	1	1	79.75	61.25	0	20995.261	243.0107527	5056.940179	30000	0	0	30000	41.5625	2004
12.02.2020 16:12:49	1	1	1	1	79.75	61.5	0	20616.114	258.0645161	5320.305493	30000	0	0	30000	41.6875	2004
12.02.2020 16:12:50	1	1	1	1	86.5	61.25	0	22227.488	251.6129032	5592.639904	30000	0	0	30000	41.0625	2004
12.02.2020 16:12:51	1	1	1	1	86.5	61	0	21563.981	260.2150538	5660.315821	30000	0	0	30000	41	2004
12.02.2020 16:12:52	1	1	1	1	86.5	61	0	23080.569	288.172043	6650.993395	30000	0	0	30000	41	2004
12.02.2020 16:12:53	1	1	1	1	86.5	61	0	23507.109	292.4731183	6925.773924	30000	0	0	30000	40.875	2004
12.02.2020 16:12:54	1	1	1	1	86.5	60.75	0	24218.009	311.827957	7551.164624	30000	0	0	30000	41.125	2004
12.02.2020 16:12:55	1	1	1	1	86.5	61	0	24691.943	322.5806452	8124.371484	30000	0	0	30000	41.125	2004
12.02.2020 16:12:56	1	1	1	1	86.5	61	0	25308.057	339.7849462	8598.918272	30000	0	0	30000	40.4375	2004
12.02.2020 16:12:57	1	1	1	1	86.5	60.25	0	26682.464	350.5376344	9525.18142	30000	0	0	30000	40.5625	2004
12.02.2020 16:12:58	1	1	1	1	86.5	60.5	0	27582.938	369.8924731	10149.75675	30000	0	0	30000	41.3125	2004
12.02.2020 16:12:59	1	1	1	1	86.5	61.25	0	28009.479	391.3978495	10902.34555	30000	0	0	30000	41.1875	2004
12.02.2020 16:13:00	1	1	1	1	84.5	61	0	28957.346	400	11520.3979	30000	0	0	30000	41.25	2004
12.02.2020 16:13:01	1	1	1	1	84.5	61.25	0	28625.592	417.2043011	11959.88367	30000	0	0	30000	40.4375	2004
12.02.2020 16:13:03	1	1	1	1	84.5	60.25	0	28957.346	427.9569892	12392.03109	30000	0	0	30000	40.75	2004
12.02.2020 16:13:04	1	1	1	1	84.5	60.75	0	28815.166	445.1612903	12827.44	30000	0	0	30000	41.1875	2004
12.02.2020 16:13:05	1	1	1	1	84.5	61	0	28009.479	453.7634409	12916.3156	30000	0	0	30000	41.125	2004
12.02.2020 16:13:06	1	1	1	1	84.5	61	0	28815.166	468.8172043	13571.05971	30000	0	0	30000	40.625	2004
12.02.2020 16:13:07	1	1	1	1	84.5	60.5	0	29146.919	492.4731183	14353.8173	30000	0	0	30000	41	2004
12.02.2020 16:13:08	1	1	1	1	84.5	61	0	29715.64	505.3763441	15017.53051	30000	0	0	30000	41.0625	2004
12.02.2020 16:13:09	1	1	1	1	84.5	61	0	30000	501.0752688	15055.85302	30000	0	0	30000	41.0625	2004
12.02.2020 16:13:10	1	1	1	1	84.5	61	0	30000	481.7204301	14451.662	30000	0	0	30000	40.9375	2004
12.02.2020 16:13:11	1	1	1	1	82.25	60.75	0	30000	494.6236559	14902.56299	30000	0	0	30000	41.0625	2004
12.02.2020 16:13:19	1	1	1	1	82.25	60.5	0	30000	496.7741935	14902.56299	30000	0	0	30000	40.75	2004
12.02.2020 16:13:19	1	1	1	1	82.25	60.5	0	30000	496.7741935	14902.56299	30000	0	0	30000	40.75	2004
12.02.2020 16:13:19	1	1	1	1	82.25	60.5	0	30000	496.7741935	14902.56299	30000	0	0	30000	40.75	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 16:13:19	1	1	1	1	82.25	60.5	0	30000	496.7741935	14902.56299	30000	0	0	30000	40.75	2004
12.02.2020 16:13:19	1	1	1	1	82.25	60.5	0	30000	496.7741935	14902.56299	30000	0	0	30000	40.75	2004
12.02.2020 16:13:19	1	1	1	1	82.25	60.5	0	30000	496.7741935	14902.56299	30000	0	0	30000	40.75	2004
12.02.2020 16:13:19	1	1	1	1	82.25	60.5	0	30000	496.7741935	14902.56299	30000	0	0	30000	40.75	2004
12.02.2020 16:13:19	1	1	1	1	82.25	60.5	0	30000	496.7741935	14902.56299	30000	0	0	30000	40.75	2004
12.02.2020 16:13:20	1	1	1	1	82.25	60.75	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.5	2004
12.02.2020 16:13:21	1	1	1	1	80.25	60.5	0	29952.607	481.7204301	14451.662	30000	0	0	30000	40.5	2004
12.02.2020 16:13:22	1	1	1	1	80.25	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	41.0625	2004
12.02.2020 16:13:23	1	1	1	1	80.25	61	0	30000	466.6666667	13999.94564	30000	0	0	30000	41	2004
12.02.2020 16:13:24	1	1	1	1	80.25	61	0	30000	481.7204301	14451.662	30000	0	0	30000	40.625	2004
12.02.2020 16:13:25	1	1	1	1	80.25	60.5	0	30000	468.8172043	14451.662	30000	0	0	30000	40.6875	2004
12.02.2020 16:13:26	1	1	1	1	80.25	60.5	0	30000	466.6666667	13999.94564	30000	0	0	30000	41.125	2004
12.02.2020 16:13:27	1	1	1	1	80.25	61	0	30000	481.7204301	14451.662	30000	0	0	30000	41.5	2004
12.02.2020 16:13:28	1	1	1	1	80.25	61.5	0	30000	481.7204301	14451.662	30000	0	0	30000	41.125	2004
12.02.2020 16:13:29	1	1	1	1	80.25	61	0	30000	481.7204301	14451.662	30000	0	0	30000	41.5625	2004
12.02.2020 16:13:30	1	1	1	1	80.25	61.5	0	30000	481.7204301	14451.662	30000	0	0	30000	41.1875	2004
12.02.2020 16:13:31	1	1	1	1	78.75	61	0	30000	481.7204301	14451.662	30000	0	0	30000	41.1875	2004
12.02.2020 16:13:32	1	1	1	1	78.75	61	0	30000	481.7204301	14451.662	30000	0	0	30000	41.0625	2004
12.02.2020 16:13:33	1	1	1	1	78.75	61	0	30000	481.7204301	14451.662	30000	0	0	30000	40.4375	2004
12.02.2020 16:13:34	1	1	1	1	78.75	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	41.125	2004
12.02.2020 16:13:35	1	1	1	1	78.75	61	0	30000	481.7204301	14451.662	30000	0	0	30000	40.9375	2004
12.02.2020 16:13:36	1	1	1	1	78.75	60.75	0	30000	481.7204301	13891.5011	30000	0	0	30000	41.25	2004
12.02.2020 16:13:37	1	1	1	1	78.75	61.25	0	30000	468.8172043	14451.662	30000	0	0	30000	41.375	2004
12.02.2020 16:13:38	1	1	1	1	78.75	61.25	0	30000	468.8172043	13999.94564	30000	0	0	30000	40.875	2004
12.02.2020 16:13:39	1	1	1	1	78.75	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.5625	2004
12.02.2020 16:13:40	1	1	1	1	78	60.5	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.5625	2004
12.02.2020 16:13:41	1	1	1	1	78	60.5	0	29952.607	468.8172043	14451.662	30000	0	0	30000	41.1875	2004
12.02.2020 16:13:43	1	1	1	1	78	61	0	30000	481.7204301	14451.662	30000	0	0	30000	41	2004
12.02.2020 16:13:44	1	1	1	1	78	61	0	30000	481.7204301	14428.83157	30000	0	0	30000	41.1875	2004
12.02.2020 16:13:45	1	1	1	1	78	61	0	29952.607	468.8172043	14451.662	30000	0	0	30000	41	2004
12.02.2020 16:13:46	1	1	1	1	78	61	0	30000	481.7204301	14451.662	30000	0	0	30000	41.0625	2004
12.02.2020 16:13:47	1	1	1	1	78	61	0	30000	481.7204301	14451.662	30000	0	0	30000	41	2004
12.02.2020 16:13:48	1	1	1	1	78	61	0	30000	481.7204301	14451.662	30000	0	0	30000	40.75	2004
12.02.2020 16:13:49	1	1	1	1	78	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	40.625	2004
12.02.2020 16:13:50	1	1	1	1	78	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	41.1875	2004
12.02.2020 16:13:51	1	1	1	1	77.25	61	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.5625	2004
12.02.2020 16:13:52	1	1	1	1	77.25	60.5	0	29952.607	481.7204301	14516.07643	30000	0	0	30000	40.875	2004
12.02.2020 16:13:53	1	1	1	1	77.25	60.75	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.8125	2004
12.02.2020 16:13:54	1	1	1	1	77.25	60.75	0	30047.393	481.7204301	14451.662	30000	0	0	30000	40.6875	2004
12.02.2020 16:13:55	1	1	1	1	77.25	60.5	0	30000	481.7204301	14451.662	30000	0	0	30000	40.8125	2004
12.02.2020 16:13:56	1	1	1	1	77.25	60.75	0	30000	483.8709677	14451.662	30000	0	0	30000	40.4375	2004
12.02.2020 16:13:57	1	1	1	1	77.25	60.25	0	30000	483.8709677	14516.07643	30000	0	0	30000	40.5625	2004
12.02.2020 16:13:58	1	1	1	1	77.25	60.5	0	30000	488.172043	14644.90528	30000	0	0	30000	40.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 16:13:59	1	1	1	1	77.25	60.75	0	30000	490.3225806	14644.90528	30000	0	0	30000	40.4375	2004
12.02.2020 16:14:00	1	1	1	1	77.25	60.25	0	30000	481.7204301	14451.662	30000	0	0	30000	41.0625	2004
12.02.2020 16:14:01	1	1	1	1	76.75	61	0	30000	483.8709677	14516.07643	30000	0	0	30000	41.0625	2004
12.02.2020 16:14:02	1	1	1	1	76.75	61	0	30000	490.3225806	14644.90528	30000	0	0	30000	40.5	2004
12.02.2020 16:14:03	1	1	1	1	76.75	60.5	0	30047.393	486.0215054	14580.49085	30000	0	0	30000	40.75	2004
12.02.2020 16:14:04	1	1	1	1	76.75	60.75	0	30000	488.172043	14644.90528	30000	0	0	30000	41.0625	2004
12.02.2020 16:14:05	1	1	1	1	76.75	61	0	29952.607	494.6236559	14815.31813	30000	0	0	30000	41.125	2004
12.02.2020 16:14:06	1	1	1	1	76.75	61	0	29952.607	488.172043	14469.6002	30000	0	0	30000	40.1875	2004
12.02.2020 16:14:07	1	1	1	1	76.75	60	0	30000	488.172043	14644.90528	30000	0	0	30000	41.625	2004
12.02.2020 16:14:08	1	1	1	1	76.75	61.5	0	29952.607	483.8709677	14773.73413	30000	0	0	30000	40.625	2004
12.02.2020 16:14:09	1	1	1	1	76.75	60.5	0	30000	492.4731183	14773.73413	30000	0	0	30000	40.4375	2004
12.02.2020 16:14:10	1	1	1	1	76.5	61.5	0	30000	488.172043	14644.90528	30000	0	0	30000	40.875	2004
12.02.2020 16:14:11	1	1	1	1	76.5	60.75	0	30000	492.4731183	14709.31971	30000	0	0	30000	40.625	2004
12.02.2020 16:14:12	1	1	1	1	76.5	60.5	0	30000	492.4731183	14773.73413	30000	0	0	30000	41.0625	2004
12.02.2020 16:14:21	1	1	1	1	76	61	0	30000	498.9247312	14902.56299	30000	0	0	30000	40.875	2004
12.02.2020 16:14:21	1	1	1	1	76	61	0	30000	498.9247312	14902.56299	30000	0	0	30000	40.875	2004
12.02.2020 16:14:21	1	1	1	1	76	61	0	30000	498.9247312	14902.56299	30000	0	0	30000	40.875	2004
12.02.2020 16:14:21	1	1	1	1	76	61	0	30000	498.9247312	14902.56299	30000	0	0	30000	40.875	2004
12.02.2020 16:14:21	1	1	1	1	76	61	0	30000	498.9247312	14902.56299	30000	0	0	30000	40.875	2004
12.02.2020 16:14:21	1	1	1	1	76	61	0	30000	498.9247312	14902.56299	30000	0	0	30000	40.875	2004
12.02.2020 16:14:21	1	1	1	1	76	61	0	30000	498.9247312	14902.56299	30000	0	0	30000	40.875	2004
12.02.2020 16:14:21	1	1	1	1	76	61	0	30000	498.9247312	14902.56299	30000	0	0	30000	40.875	2004
12.02.2020 16:14:22	1	1	1	1	76	60.75	0	30000	494.6236559	14838.14856	30000	0	0	30000	40.75	2004
12.02.2020 16:14:23	1	1	1	1	76	60.75	0	30000	488.172043	14644.90528	30000	0	0	30000	41.0625	2004
12.02.2020 16:14:24	1	1	1	1	76	61	0	30000	494.6236559	14838.14856	30000	0	0	30000	41	2004
12.02.2020 16:14:25	1	1	1	1	76	61	0	30000	488.172043	14644.90528	30000	0	0	30000	41.0625	2004
12.02.2020 16:14:26	1	1	1	1	76	61	0	30000	481.7204301	14516.07643	30000	0	0	30000	41.125	2004
12.02.2020 16:14:27	1	1	1	1	76	61	0	30000	501.0752688	14902.56299	30000	0	0	30000	41	2004
12.02.2020 16:14:28	1	1	1	1	76	61	0	30000	496.7741935	14902.56299	30000	0	0	30000	41.125	2004
12.02.2020 16:14:29	1	1	1	1	76	61	0	30047.393	501.0752688	15032.20721	30000	0	0	30000	40.9375	2004
12.02.2020 16:14:30	1	1	1	1	76	60.75	0	29952.607	488.172043	14622.07485	30000	0	0	30000	40.5625	2004
12.02.2020 16:14:31	1	1	1	1	76	60.5	0	30000	498.9247312	14727.2579	30000	0	0	30000	40.8125	2004
12.02.2020 16:14:32	1	1	1	1	76	60.75	0	30000	494.6236559	14879.73256	30000	0	0	30000	41.0625	2004
12.02.2020 16:14:33	1	1	1	1	76	61	0	30000	496.7741935	14902.56299	30000	0	0	30000	40.6875	2004
12.02.2020 16:14:34	1	1	1	1	76	60.5	0	30000	516.1290323	15483.92357	30000	0	0	30000	40.375	2004
12.02.2020 16:14:35	1	1	1	1	76	60.25	0	30000	509.6774194	15289.86492	30000	0	0	30000	40.5625	2004
12.02.2020 16:14:36	1	1	1	1	76	60.5	0	30000	511.827957	15289.86492	30000	0	0	30000	41.1875	2004
12.02.2020 16:14:37	1	1	1	1	76	61	0	30000	507.5268817	15161.03607	30000	0	0	30000	41.0625	2004
12.02.2020 16:14:38	1	1	1	1	76	61	0	29952.607	507.5268817	15161.03607	30000	0	0	30000	41.0625	2004
12.02.2020 16:14:39	1	1	1	1	76	61	0	30000	505.3763441	15161.03607	30000	0	0	30000	40.875	2004
12.02.2020 16:14:40	1	1	1	1	76	60.75	0	30000	503.2258065	15096.62164	30000	0	0	30000	40.9375	2004
12.02.2020 16:14:41	1	1	1	1	75.5	60.75	0	30000	501.0752688	15008.56141	30000	0	0	30000	40.8125	2004
12.02.2020 16:14:42	1	1	1	1	75.5	60.75	0	30000	505.3763441	15161.03607	30000	0	0	30000	40.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 16:14:43	1	1	1	1	75.5	60.5	0	30000	516.1290323	15483.92357	30000	0	0	30000	40.6875	2004
12.02.2020 16:14:44	1	1	1	1	75.5	60.5	0	30000	507.5268817	15225.45049	30000	0	0	30000	41	2004
12.02.2020 16:14:45	1	1	1	1	75.5	61	0	30000	516.1290323	15548.338	30000	0	0	30000	41.0625	2004
12.02.2020 16:14:46	1	1	1	1	75.5	61	0	29905.213	516.1290323	15483.92357	30000	0	0	30000	41.125	2004
12.02.2020 16:14:47	1	1	1	1	75.5	61	0	30000	518.2795699	15548.338	30000	0	0	30000	40.6875	2004
12.02.2020 16:14:48	1	1	1	1	75.5	60.75	0	30000	507.5268817	15225.45049	30000	0	0	30000	40.75	2004
12.02.2020 16:14:49	1	1	1	1	75.5	60.75	0	30000	507.5268817	15225.45049	30000	0	0	30000	40.5	2004
12.02.2020 16:14:50	1	1	1	1	75.25	60.5	0	30000	501.0752688	15032.20721	30000	0	0	30000	40.8125	2004
12.02.2020 16:14:51	1	1	1	1	75.25	60.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	41.1875	2004
12.02.2020 16:14:52	1	1	1	1	75.25	61	0	29952.607	516.1290323	15483.92357	30000	0	0	30000	41.1875	2004
12.02.2020 16:14:53	1	1	1	1	75.25	61	0	30000	516.1290323	15483.92357	30000	0	0	30000	40.75	2004
12.02.2020 16:14:54	1	1	1	1	75.25	60.75	0	29905.213	518.2795699	15523.87682	30000	0	0	30000	40.9375	2004
12.02.2020 16:14:55	1	1	1	1	75.25	60.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	39.75	2004
12.02.2020 16:14:56	1	1	1	1	75.25	59.75	0	29905.213	507.5268817	15459.4624	30000	0	0	30000	40.25	2004
12.02.2020 16:14:58	1	1	1	1	75.25	60.25	0	30000	516.1290323	15177.34352	30000	0	0	30000	41	2004
12.02.2020 16:14:59	1	1	1	1	75.25	61	0	30000	518.2795699	15548.338	30000	0	0	30000	41.1875	2004
12.02.2020 16:15:00	1	1	1	1	75.25	61	0	30000	516.1290323	15548.338	30000	0	0	30000	40.5625	2004
12.02.2020 16:15:01	1	1	1	1	75	60.5	0	29952.607	520.4301075	15677.16685	30000	0	0	30000	40.875	2004
12.02.2020 16:15:02	1	1	1	1	75	60.75	0	30000	522.5806452	15677.16685	30000	0	0	30000	40.4375	2004
12.02.2020 16:15:03	1	1	1	1	75	60.25	0	30000	509.6774194	15483.92357	30000	0	0	30000	40	2004
12.02.2020 16:15:04	1	1	1	1	75	60	0	29952.607	509.6774194	15483.92357	30000	0	0	30000	40.75	2004
12.02.2020 16:15:05	1	1	1	1	75	60.75	0	30000	516.1290323	15483.92357	30000	0	0	30000	41	2004
12.02.2020 16:15:06	1	1	1	1	75	61	0	30000	516.1290323	15483.92357	30000	0	0	30000	41	2004
12.02.2020 16:15:07	1	1	1	1	75	61	0	29952.607	522.5806452	15677.16685	30000	0	0	30000	41.1875	2004
12.02.2020 16:15:08	1	1	1	1	75	61	0	30000	522.5806452	15677.16685	30000	0	0	30000	40.5625	2004
12.02.2020 16:15:09	1	1	1	1	75	60.5	0	30000	520.4301075	15612.75243	30000	0	0	30000	41	2004
12.02.2020 16:15:10	1	1	1	1	75	61	0	30000	520.4301075	15435.00122	30000	0	0	30000	40.5625	2004
12.02.2020 16:15:11	1	1	1	1	75	60.5	0	30047.393	522.5806452	15677.16685	30000	0	0	30000	40.5	2004
12.02.2020 16:15:12	1	1	1	1	75	60.5	0	30000	520.4301075	15612.75243	30000	0	0	30000	40.875	2004
12.02.2020 16:15:13	1	1	1	1	75	60.75	0	30000	524.7311828	15805.99571	30000	0	0	30000	40.4375	2004
12.02.2020 16:15:14	1	1	1	1	75	60.25	0	30000	520.4301075	15588.29125	30000	0	0	30000	40.5	2004
12.02.2020 16:15:22	1	1	1	1	74.5	60.75	0	29715.64	539.7849462	16090.5607	30000	0	0	30000	40.9375	2004
12.02.2020 16:15:22	1	1	1	1	74.5	60.75	0	29715.64	539.7849462	16090.5607	30000	0	0	30000	40.9375	2004
12.02.2020 16:15:22	1	1	1	1	74.5	60.75	0	29715.64	539.7849462	16090.5607	30000	0	0	30000	40.9375	2004
12.02.2020 16:15:22	1	1	1	1	74.5	60.75	0	29715.64	539.7849462	16090.5607	30000	0	0	30000	40.9375	2004
12.02.2020 16:15:22	1	1	1	1	74.5	60.75	0	29715.64	539.7849462	16090.5607	30000	0	0	30000	40.9375	2004
12.02.2020 16:15:22	1	1	1	1	74.5	60.75	0	29715.64	539.7849462	16090.5607	30000	0	0	30000	40.9375	2004
12.02.2020 16:15:22	1	1	1	1	74.5	60.75	0	29715.64	539.7849462	16090.5607	30000	0	0	30000	40.9375	2004
12.02.2020 16:15:22	1	1	1	1	74.5	60.75	0	29715.64	539.7849462	16090.5607	30000	0	0	30000	40.9375	2004
12.02.2020 16:15:25	1	1	1	1	74.5	60.5	0	30000	526.8817204	15805.99571	30000	0	0	30000	41.1875	2004
12.02.2020 16:15:25	1	1	1	1	74.5	60.5	0	30000	526.8817204	15805.99571	30000	0	0	30000	41.1875	2004
12.02.2020 16:15:25	1	1	1	1	74.5	60.5	0	30000	526.8817204	15805.99571	30000	0	0	30000	41.1875	2004
12.02.2020 16:15:26	1	1	1	1	74.5	61	0	29952.607	526.8817204	15805.99571	30000	0	0	30000	40.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 16:15:27	1	1	1	1	74.5	60.75	0	30000	533.3333333	15934.82456	30000	0	0	30000	40.8125	2004
12.02.2020 16:15:28	1	1	1	1	74.5	60.75	0	30000	520.4301075	15677.16685	30000	0	0	30000	40.9375	2004
12.02.2020 16:15:29	1	1	1	1	74.5	60.75	0	30000	529.0322581	15934.82456	30000	0	0	30000	40.9375	2004
12.02.2020 16:15:30	1	1	1	1	74.5	60.75	0	30000	524.7311828	15805.99571	30000	0	0	30000	40.8125	2004
12.02.2020 16:15:31	1	1	1	1	74.5	60.75	0	29952.607	533.3333333	16064.46878	30000	0	0	30000	40.4375	2004
12.02.2020 16:15:32	1	1	1	1	74.5	60.25	0	30000	529.0322581	15870.41013	30000	0	0	30000	41	2004
12.02.2020 16:15:33	1	1	1	1	74.5	61	0	30000	529.0322581	16000.05436	30000	0	0	30000	40.875	2004
12.02.2020 16:15:34	1	1	1	1	74.5	60.75	0	30000	533.3333333	16000.05436	30000	0	0	30000	40.875	2004
12.02.2020 16:15:35	1	1	1	1	74.5	60.75	0	30000	535.483871	16064.46878	30000	0	0	30000	40.875	2004
12.02.2020 16:15:37	1	1	1	1	74.5	60.75	0	30000	533.3333333	15974.77781	30000	0	0	30000	40.8125	2004
12.02.2020 16:15:38	1	1	1	1	74.5	60.75	0	30000	529.0322581	16000.05436	30000	0	0	30000	40.9375	2004
12.02.2020 16:15:39	1	1	1	1	74.5	60.75	0	30000	522.5806452	15435.00122	30000	0	0	30000	40.25	2004
12.02.2020 16:15:40	1	1	1	1	74.5	60.25	0	30000	522.5806452	15548.338	30000	0	0	30000	40.25	2004
12.02.2020 16:15:41	1	1	1	1	74	60.25	0	30000	526.8817204	15805.99571	30000	0	0	30000	40.4375	2004
12.02.2020 16:15:42	1	1	1	1	74	60.25	0	29905.213	535.483871	16013.10032	30000	0	0	30000	40.75	2004
12.02.2020 16:15:43	1	1	1	1	74	60.75	0	30000	526.8817204	15934.82456	30000	0	0	30000	40.1875	2004
12.02.2020 16:15:44	1	1	1	1	74	60	0	30047.393	533.3333333	16000.05436	30000	0	0	30000	40.1875	2004
12.02.2020 16:15:45	1	1	1	1	74	60	0	30000	526.8817204	15805.99571	30000	0	0	30000	39.875	2004
12.02.2020 16:15:46	1	1	1	1	74	59.75	0	30000	529.0322581	15934.82456	30000	0	0	30000	40.5625	2004
12.02.2020 16:15:47	1	1	1	1	74	60.5	0	30000	529.0322581	15934.82456	30000	0	0	30000	40.8125	2004
12.02.2020 16:15:48	1	1	1	1	74	60.75	0	29952.607	533.3333333	15949.50126	30000	0	0	30000	41	2004
12.02.2020 16:15:49	1	1	1	1	74	61	0	29905.213	529.0322581	15934.82456	30000	0	0	30000	40.9375	2004
12.02.2020 16:15:50	1	1	1	1	74	60.75	0	30000	533.3333333	16000.05436	30000	0	0	30000	40.9375	2004
12.02.2020 16:15:51	1	1	1	1	73.75	60.75	0	30000	533.3333333	16000.05436	30000	0	0	30000	40.9375	2004
12.02.2020 16:15:52	1	1	1	1	73.75	60.75	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	41.0625	2004
12.02.2020 16:15:53	1	1	1	1	73.75	61	0	30000	533.3333333	16000.05436	30000	0	0	30000	40.875	2004
12.02.2020 16:15:54	1	1	1	1	73.75	60.75	0	30000	533.3333333	16064.46878	30000	0	0	30000	40.25	2004
12.02.2020 16:15:55	1	1	1	1	73.75	60.25	0	30000	533.3333333	15910.36338	30000	0	0	30000	41.125	2004
12.02.2020 16:15:56	1	1	1	1	73.75	61	0	29952.607	533.3333333	15910.36338	30000	0	0	30000	40.875	2004
12.02.2020 16:15:57	1	1	1	1	73.75	60.75	0	29952.607	529.0322581	15934.82456	30000	0	0	30000	41	2004
12.02.2020 16:15:58	1	1	1	1	73.75	61	0	30000	533.3333333	16000.05436	30000	0	0	30000	40.8125	2004
12.02.2020 16:15:59	1	1	1	1	73.75	60.75	0	30000	533.3333333	16000.05436	30000	0	0	30000	40.8125	2004
12.02.2020 16:16:00	1	1	1	1	73.75	60.75	0	29857.82	533.3333333	16013.10032	30000	0	0	30000	41.0625	2004
12.02.2020 16:16:01	1	1	1	1	73.75	61	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	40.25	2004
12.02.2020 16:16:02	1	1	1	1	73.75	60.25	0	30000	533.3333333	16064.46878	30000	0	0	30000	40.75	2004
12.02.2020 16:16:03	1	1	1	1	73.75	60.75	0	29810.427	535.483871	15987.82377	30000	0	0	30000	41.5625	2004
12.02.2020 16:16:04	1	1	1	1	73.75	61.5	0	29952.607	535.483871	16039.19224	30000	0	0	30000	41	2004
12.02.2020 16:16:05	1	1	1	1	73.75	61.25	0	30000	533.3333333	15974.77781	30000	0	0	30000	40.8125	2004
12.02.2020 16:16:06	1	1	1	1	73.75	60.75	0	29905.213	524.7311828	15974.77781	30000	0	0	30000	40.5625	2004
12.02.2020 16:16:07	1	1	1	1	73.75	60.5	0	29952.607	533.3333333	16064.46878	30000	0	0	30000	41	2004
12.02.2020 16:16:08	1	1	1	1	73.75	61	0	30000	533.3333333	16000.05436	30000	0	0	30000	40.9375	2004
12.02.2020 16:16:09	1	1	1	1	73.75	60.75	0	29905.213	535.483871	16077.51474	30000	0	0	30000	40.75	2004
12.02.2020 16:16:10	1	1	1	1	73.75	60.75	0	29905.213	535.483871	15949.50126	30000	0	0	30000	41.125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 16:16:11	1	1	1	1	73.75	61	0	29905.213	535.483871	16013.10032	30000	0	0	30000	41.125	2004
12.02.2020 16:16:12	1	1	1	1	73.75	61	0	29905.213	535.483871	16013.10032	30000	0	0	30000	41	2004
12.02.2020 16:16:13	1	1	1	1	73.75	61	0	29905.213	535.483871	16013.10032	30000	0	0	30000	40.6875	2004
12.02.2020 16:16:15	1	1	1	1	73.75	60.5	0	29952.607	537.6344086	16039.19224	30000	0	0	30000	40.5	2004
12.02.2020 16:16:16	1	1	1	1	73.75	60.5	0	29952.607	533.3333333	16077.51474	30000	0	0	30000	40.8125	2004
12.02.2020 16:16:25	1	1	1	1	73.5	60.75	0	29905.213	535.483871	16013.10032	30000	0	0	30000	41.125	2004
12.02.2020 16:16:25	1	1	1	1	73.5	60.75	0	29905.213	535.483871	16013.10032	30000	0	0	30000	41.125	2004
12.02.2020 16:16:25	1	1	1	1	73.5	60.75	0	29905.213	535.483871	16013.10032	30000	0	0	30000	41.125	2004
12.02.2020 16:16:25	1	1	1	1	73.5	60.75	0	29905.213	535.483871	16013.10032	30000	0	0	30000	41.125	2004
12.02.2020 16:16:25	1	1	1	1	73.5	60.75	0	29905.213	535.483871	16013.10032	30000	0	0	30000	41.125	2004
12.02.2020 16:16:25	1	1	1	1	73.5	61	0	29905.213	533.3333333	15859.81029	30000	0	0	30000	40.9375	2004
12.02.2020 16:16:26	1	1	1	1	73.5	60.75	0	29857.82	535.483871	15834.53374	30000	0	0	30000	40.9375	2004
12.02.2020 16:16:27	1	1	1	1	73.5	60.75	0	29810.427	529.0322581	15987.82377	30000	0	0	30000	41.125	2004
12.02.2020 16:16:28	1	1	1	1	73.5	61	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	40.9375	2004
12.02.2020 16:16:29	1	1	1	1	73.5	60.75	0	29905.213	535.483871	16013.10032	30000	0	0	30000	41.125	2004
12.02.2020 16:16:30	1	1	1	1	73.5	61	0	29905.213	537.6344086	15987.82377	30000	0	0	30000	40.9375	2004
12.02.2020 16:16:31	1	1	1	1	73.5	60.75	0	29905.213	535.483871	16013.10032	30000	0	0	30000	41	2004
12.02.2020 16:16:32	1	1	1	1	73.5	61	0	29857.82	537.6344086	16026.96165	30000	0	0	30000	40.9375	2004
12.02.2020 16:16:33	1	1	1	1	73.5	60.75	0	29857.82	533.3333333	16013.10032	30000	0	0	30000	41	2004
12.02.2020 16:16:34	1	1	1	1	73.5	61	0	29857.82	535.483871	15962.54722	30000	0	0	30000	40.625	2004
12.02.2020 16:16:35	1	1	1	1	73.5	60.5	0	29905.213	533.3333333	16013.10032	30000	0	0	30000	41.0625	2004
12.02.2020 16:16:36	1	1	1	1	73.5	61	0	29905.213	535.483871	16013.10032	30000	0	0	30000	41.125	2004
12.02.2020 16:16:37	1	1	1	1	73.5	61	0	29810.427	535.483871	15962.54722	30000	0	0	30000	40.9375	2004
12.02.2020 16:16:38	1	1	1	1	73.5	60.75	0	29810.427	535.483871	15962.54722	30000	0	0	30000	40.9375	2004
12.02.2020 16:16:39	1	1	1	1	73.5	60.75	0	29905.213	537.6344086	16013.10032	30000	0	0	30000	40.5	2004
12.02.2020 16:16:40	1	1	1	1	73.5	60.5	0	29905.213	535.483871	15924.22472	30000	0	0	30000	40.9375	2004
12.02.2020 16:16:41	1	1	1	1	73	60.75	0	29715.64	526.8817204	15911.99413	30000	0	0	30000	41.0625	2004
12.02.2020 16:16:42	1	1	1	1	73	61	0	29810.427	535.483871	15962.54722	30000	0	0	30000	41.3125	2004
12.02.2020 16:16:43	1	1	1	1	73	61.25	0	29905.213	535.483871	16013.10032	30000	0	0	30000	40.5	2004
12.02.2020 16:16:44	1	1	1	1	73	60.5	0	29810.427	535.483871	16026.96165	30000	0	0	30000	41.125	2004
12.02.2020 16:16:45	1	1	1	1	73	61	0	30000	535.483871	16000.05436	30000	0	0	30000	41.1875	2004
12.02.2020 16:16:46	1	1	1	1	73	61	0	29952.607	535.483871	15820.67241	30000	0	0	30000	40.8125	2004
12.02.2020 16:16:47	1	1	1	1	73	60.75	0	29905.213	535.483871	16013.10032	30000	0	0	30000	40.9375	2004
12.02.2020 16:16:48	1	1	1	1	73	60.75	0	29905.213	537.6344086	16141.92917	30000	0	0	30000	40.9375	2004
12.02.2020 16:16:49	1	1	1	1	73	60.75	0	29857.82	537.6344086	15987.82377	30000	0	0	30000	40.8125	2004
12.02.2020 16:16:50	1	1	1	1	73	60.75	0	29857.82	537.6344086	16052.2382	30000	0	0	30000	40.8125	2004
12.02.2020 16:16:51	1	1	1	1	73	60.75	0	29905.213	537.6344086	16013.10032	30000	0	0	30000	40.5625	2004
12.02.2020 16:16:52	1	1	1	1	73	60.5	0	29810.427	537.6344086	15962.54722	30000	0	0	30000	40.5	2004
12.02.2020 16:16:53	1	1	1	1	73	60.5	0	29573.46	539.7849462	15963.3626	30000	0	0	30000	40.9375	2004
12.02.2020 16:16:55	1	1	1	1	73	60.75	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	40.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 16:16:56	1	1	1	1	73	60.75	0	29810.427	537.6344086	16052.2382	30000	0	0	30000	41.3125	2004
12.02.2020 16:16:57	1	1	1	1	73	61.25	0	29857.82	537.6344086	16077.51474	30000	0	0	30000	41.125	2004
12.02.2020 16:16:58	1	1	1	1	73	61	0	29715.64	537.6344086	15911.99413	30000	0	0	30000	41	2004
12.02.2020 16:16:59	1	1	1	1	73	61	0	29810.427	541.9354839	15962.54722	30000	0	0	30000	41.0625	2004
12.02.2020 16:17:00	1	1	1	1	73	61	0	29857.82	535.483871	15962.54722	30000	0	0	30000	41	2004
12.02.2020 16:17:01	1	1	1	1	73	61	0	29905.213	537.6344086	16039.19224	30000	0	0	30000	40.6875	2004
12.02.2020 16:17:02	1	1	1	1	73	60.5	0	29905.213	535.483871	16013.10032	30000	0	0	30000	41.125	2004
12.02.2020 16:17:03	1	1	1	1	73	61	0	29905.213	535.483871	16013.10032	30000	0	0	30000	41.125	2004
12.02.2020 16:17:04	1	1	1	1	73	61	0	29715.64	535.483871	15911.99413	30000	0	0	30000	40.9375	2004
12.02.2020 16:17:05	1	1	1	1	73	60.75	0	29810.427	537.6344086	16026.96165	30000	0	0	30000	40.9375	2004
12.02.2020 16:17:06	1	1	1	1	73	60.75	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	41.1875	2004
12.02.2020 16:17:07	1	1	1	1	73	61	0	29905.213	533.3333333	15949.50126	30000	0	0	30000	41.0625	2004
12.02.2020 16:17:08	1	1	1	1	73	61	0	30000	537.6344086	15949.50126	30000	0	0	30000	40.6875	2004
12.02.2020 16:17:09	1	1	1	1	73	60.5	0	29526.066	537.6344086	15963.3626	30000	0	0	30000	40.875	2004
12.02.2020 16:17:10	1	1	1	1	73	60.75	0	29763.033	529.0322581	15962.54722	30000	0	0	30000	41	2004
12.02.2020 16:17:11	1	1	1	1	72.5	61	0	29668.246	537.6344086	15861.44103	30000	0	0	30000	41.125	2004
12.02.2020 16:17:12	1	1	1	1	72.5	61	0	29715.64	533.3333333	15911.99413	30000	0	0	30000	40.9375	2004
12.02.2020 16:17:13	1	1	1	1	72.5	60.75	0	29763.033	535.483871	15962.54722	30000	0	0	30000	40.9375	2004
12.02.2020 16:17:14	1	1	1	1	72.5	60.75	0	29810.427	533.3333333	15962.54722	30000	0	0	30000	40.9375	2004
12.02.2020 16:17:15	1	1	1	1	72.5	60.75	0	29857.82	535.483871	16013.10032	30000	0	0	30000	40.875	2004
12.02.2020 16:17:16	1	1	1	1	72.5	60.75	0	29715.64	533.3333333	16167.20572	30000	0	0	30000	41.125	2004
12.02.2020 16:17:17	1	1	1	1	72.5	61	0	29810.427	535.483871	16026.96165	30000	0	0	30000	40.875	2004
12.02.2020 16:17:26	1	1	1	1	72.5	61	0	29810.427	537.6344086	16026.96165	30000	0	0	30000	41.1875	2004
12.02.2020 16:17:26	1	1	1	1	72.5	61	0	29810.427	537.6344086	16026.96165	30000	0	0	30000	41.1875	2004
12.02.2020 16:17:26	1	1	1	1	72.5	61	0	29810.427	537.6344086	16026.96165	30000	0	0	30000	41.1875	2004
12.02.2020 16:17:26	1	1	1	1	72.5	61	0	29810.427	537.6344086	16026.96165	30000	0	0	30000	41.1875	2004
12.02.2020 16:17:26	1	1	1	1	72.5	61	0	29810.427	537.6344086	16026.96165	30000	0	0	30000	41.1875	2004
12.02.2020 16:17:26	1	1	1	1	72.5	61	0	29810.427	537.6344086	16026.96165	30000	0	0	30000	41.1875	2004
12.02.2020 16:17:26	1	1	1	1	72.5	61	0	29810.427	537.6344086	16026.96165	30000	0	0	30000	41.1875	2004
12.02.2020 16:17:26	1	1	1	1	72.5	61	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	40.8125	2004
12.02.2020 16:17:27	1	1	1	1	72.5	60.75	0	29857.82	537.6344086	16013.10032	30000	0	0	30000	40.875	2004
12.02.2020 16:17:28	1	1	1	1	72.5	60.75	0	29810.427	537.6344086	16026.96165	30000	0	0	30000	40.9375	2004
12.02.2020 16:17:29	1	1	1	1	72.5	60.75	0	29857.82	533.3333333	16013.10032	30000	0	0	30000	41.125	2004
12.02.2020 16:17:30	1	1	1	1	72.5	61	0	29905.213	537.6344086	16013.10032	30000	0	0	30000	40.9375	2004
12.02.2020 16:17:31	1	1	1	1	72.5	60.75	0	29810.427	535.483871	15962.54722	30000	0	0	30000	40.8125	2004
12.02.2020 16:17:32	1	1	1	1	72.5	60.75	0	29810.427	537.6344086	15962.54722	30000	0	0	30000	40.8125	2004
12.02.2020 16:17:34	1	1	1	1	72.5	60.75	0	29715.64	535.483871	15911.99413	30000	0	0	30000	41.0625	2004
12.02.2020 16:17:35	1	1	1	1	72.5	61	0	29810.427	535.483871	15962.54722	30000	0	0	30000	41.0625	2004
12.02.2020 16:17:36	1	1	1	1	72.5	61	0	29905.213	537.6344086	16141.92917	30000	0	0	30000	40.625	2004
12.02.2020 16:17:37	1	1	1	1	72.5	60.5	0	29857.82	539.7849462	16077.51474	30000	0	0	30000	40.6875	2004
12.02.2020 16:17:38	1	1	1	1	72.5	60.5	0	29857.82	533.3333333	15949.50126	30000	0	0	30000	41	2004
12.02.2020 16:17:39	1	1	1	1	72.5	61	0	29810.427	535.483871	15962.54722	30000	0	0	30000	41	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 16:17:40	1	1	1	1	72.5	61	0	29905.213	535.483871	16013.10032	30000	0	0	30000	41.125	2004
12.02.2020 16:17:41	1	1	1	1	72.5	61	0	29810.427	537.6344086	16026.96165	30000	0	0	30000	41	2004
12.02.2020 16:17:42	1	1	1	1	72.5	61	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	40.9375	2004
12.02.2020 16:17:43	1	1	1	1	72.5	60.75	0	29810.427	539.7849462	16090.5607	30000	0	0	30000	40.9375	2004
12.02.2020 16:17:44	1	1	1	1	72.5	60.75	0	29857.82	537.6344086	15987.82377	30000	0	0	30000	40.9375	2004
12.02.2020 16:17:45	1	1	1	1	72.5	60.75	0	29810.427	537.6344086	16026.96165	30000	0	0	30000	40.625	2004
12.02.2020 16:17:46	1	1	1	1	72.5	60.5	0	29905.213	537.6344086	16103.60666	30000	0	0	30000	40.75	2004
12.02.2020 16:17:47	1	1	1	1	72.5	60.75	0	29810.427	537.6344086	15962.54722	30000	0	0	30000	40.875	2004
12.02.2020 16:17:48	1	1	1	1	72.5	60.75	0	29810.427	535.483871	15962.54722	30000	0	0	30000	40.8125	2004
12.02.2020 16:17:49	1	1	1	1	72.5	60.75	0	29715.64	535.483871	15848.39508	30000	0	0	30000	40.8125	2004
12.02.2020 16:17:50	1	1	1	1	72.5	60.75	0	29857.82	535.483871	16013.10032	30000	0	0	30000	41.0625	2004
12.02.2020 16:17:51	1	1	1	1	71.75	61	0	29857.82	537.6344086	16206.3436	30000	0	0	30000	40.6875	2004
12.02.2020 16:17:52	1	1	1	1	71.75	60.5	0	29668.246	537.6344086	15975.59318	30000	0	0	30000	40.875	2004
12.02.2020 16:17:53	1	1	1	1	71.75	60.75	0	29857.82	537.6344086	16052.2382	30000	0	0	30000	41.0625	2004
12.02.2020 16:17:54	1	1	1	1	71.75	61	0	29620.853	539.7849462	15683.68983	30000	0	0	30000	41.125	2004
12.02.2020 16:17:55	1	1	1	1	71.75	61	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	40.5625	2004
12.02.2020 16:17:56	1	1	1	1	71.75	60.5	0	29431.28	537.6344086	15759.51947	30000	0	0	30000	40.9375	2004
12.02.2020 16:17:57	1	1	1	1	71.75	60.75	0	29573.46	537.6344086	15963.3626	30000	0	0	30000	41.125	2004
12.02.2020 16:17:58	1	1	1	1	71.75	61	0	29668.246	537.6344086	15975.59318	30000	0	0	30000	41	2004
12.02.2020 16:17:59	1	1	1	1	71.75	61	0	29857.82	537.6344086	16116.65262	30000	0	0	30000	41.0625	2004
12.02.2020 16:18:00	1	1	1	1	71.75	61	0	29857.82	537.6344086	15962.54722	30000	0	0	30000	40.6875	2004
12.02.2020 16:18:01	1	1	1	1	71.5	60.5	0	29763.033	537.6344086	15975.59318	30000	0	0	30000	41	2004
12.02.2020 16:18:02	1	1	1	1	71.5	61	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	41.375	2004
12.02.2020 16:18:03	1	1	1	1	71.5	61.25	0	29620.853	537.6344086	15925.04009	30000	0	0	30000	41.0625	2004
12.02.2020 16:18:04	1	1	1	1	71.5	61	0	29668.246	537.6344086	15925.04009	30000	0	0	30000	41.3125	2004
12.02.2020 16:18:05	1	1	1	1	71.5	60.75	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	41.375	2004
12.02.2020 16:18:06	1	1	1	1	71.5	61.25	0	29715.64	535.483871	16040.00761	30000	0	0	30000	41.0625	2004
12.02.2020 16:18:07	1	1	1	1	71.5	61	0	29573.46	539.7849462	16052.2382	30000	0	0	30000	40.9375	2004
12.02.2020 16:18:08	1	1	1	1	71.5	60.75	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	40.75	2004
12.02.2020 16:18:09	1	1	1	1	71.5	60.75	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	40.6875	2004
12.02.2020 16:18:10	1	1	1	1	71.75	60.5	0	29526.066	535.483871	15658.41329	30000	0	0	30000	40.5	2004
12.02.2020 16:18:11	1	1	1	1	71.75	60.5	0	29668.246	541.9354839	16040.00761	30000	0	0	30000	40.4375	2004
12.02.2020 16:18:13	1	1	1	1	71.75	60.25	0	29857.82	537.6344086	16090.5607	30000	0	0	30000	41.0625	2004
12.02.2020 16:18:14	1	1	1	1	71.75	61	0	29526.066	537.6344086	15963.3626	30000	0	0	30000	41.25	2004
12.02.2020 16:18:15	1	1	1	1	71.75	61.25	0	29620.853	533.3333333	15988.63914	30000	0	0	30000	41.1875	2004
12.02.2020 16:18:16	1	1	1	1	71.75	61	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	41	2004
12.02.2020 16:18:17	1	1	1	1	71.75	61	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	40.9375	2004
12.02.2020 16:18:18	1	1	1	1	71.75	60.75	0	29857.82	539.7849462	16141.92917	30000	0	0	30000	40.8125	2004
12.02.2020 16:18:19	1	1	1	1	71.75	60.75	0	29810.427	537.6344086	15962.54722	30000	0	0	30000	41.25	2004
12.02.2020 16:18:27	1	1	1	1	71.25	61	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	41	2004
12.02.2020 16:18:27	1	1	1	1	71.25	61	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	41	2004
12.02.2020 16:18:27	1	1	1	1	71.25	61	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	41	2004
12.02.2020 16:18:27	1	1	1	1	71.25	61	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	41	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 16:18:27	1	1	1	1	71.25	61	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	41	2004
12.02.2020 16:18:27	1	1	1	1	71.25	61	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	41	2004
12.02.2020 16:18:27	1	1	1	1	71.25	61	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	41	2004
12.02.2020 16:18:27	1	1	1	1	71.25	61	0	29857.82	537.6344086	16052.2382	30000	0	0	30000	41.125	2004
12.02.2020 16:18:28	1	1	1	1	71.25	61	0	29810.427	537.6344086	16090.5607	30000	0	0	30000	40.6875	2004
12.02.2020 16:18:29	1	1	1	1	71.25	60.5	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	40.9375	2004
12.02.2020 16:18:30	1	1	1	1	71.25	60.75	0	29668.246	537.6344086	16040.00761	30000	0	0	30000	41.0625	2004
12.02.2020 16:18:31	1	1	1	1	71	61	0	29763.033	539.7849462	16040.00761	30000	0	0	30000	40.9375	2004
12.02.2020 16:18:32	1	1	1	1	71	60.75	0	29810.427	537.6344086	16181.06705	30000	0	0	30000	40.6875	2004
12.02.2020 16:18:33	1	1	1	1	71	60.5	0	29857.82	537.6344086	16052.2382	30000	0	0	30000	41.125	2004
12.02.2020 16:18:34	1	1	1	1	71	61	0	29715.64	537.6344086	15911.99413	30000	0	0	30000	41	2004
12.02.2020 16:18:35	1	1	1	1	71	61	0	29810.427	539.7849462	16090.5607	30000	0	0	30000	40.5625	2004
12.02.2020 16:18:36	1	1	1	1	71	60.5	0	29715.64	544.0860215	16040.00761	30000	0	0	30000	41.1875	2004
12.02.2020 16:18:37	1	1	1	1	71	61	0	29526.066	537.6344086	15937.27068	30000	0	0	30000	41.0625	2004
12.02.2020 16:18:38	1	1	1	1	71	61	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	41	2004
12.02.2020 16:18:39	1	1	1	1	71	61	0	29715.64	537.6344086	16103.60666	30000	0	0	30000	41.1875	2004
12.02.2020 16:18:40	1	1	1	1	71	61	0	29905.213	541.9354839	16116.65262	30000	0	0	30000	41.4375	2004
12.02.2020 16:18:41	1	1	1	1	70.75	61.25	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	41	2004
12.02.2020 16:18:42	1	1	1	1	70.75	60.75	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	41.0625	2004
12.02.2020 16:18:43	1	1	1	1	70.75	61	0	29431.28	537.6344086	15885.90221	30000	0	0	30000	40.875	2004
12.02.2020 16:18:44	1	1	1	1	70.75	60.75	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	41.0625	2004
12.02.2020 16:18:45	1	1	1	1	70.75	61	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	41.1875	2004
12.02.2020 16:18:46	1	1	1	1	70.75	61	0	29715.64	535.483871	15975.59318	30000	0	0	30000	41.0625	2004
12.02.2020 16:18:47	1	1	1	1	70.75	61	0	29810.427	537.6344086	16026.96165	30000	0	0	30000	41.125	2004
12.02.2020 16:18:49	1	1	1	1	70.75	61	0	29620.853	533.3333333	16013.91569	30000	0	0	30000	40.625	2004
12.02.2020 16:18:50	1	1	1	1	70.75	60.5	0	29526.066	539.7849462	15963.3626	30000	0	0	30000	40.875	2004
12.02.2020 16:18:51	1	1	1	1	70.75	60.75	0	29573.46	537.6344086	15988.63914	30000	0	0	30000	41	2004
12.02.2020 16:18:52	1	1	1	1	70.75	61	0	29526.066	537.6344086	15937.27068	30000	0	0	30000	40.9375	2004
12.02.2020 16:18:53	1	1	1	1	70.75	60.75	0	29431.28	537.6344086	15823.11853	30000	0	0	30000	41.125	2004
12.02.2020 16:18:54	1	1	1	1	70.75	61	0	29573.46	539.7849462	16026.96165	30000	0	0	30000	40.5625	2004
12.02.2020 16:18:55	1	1	1	1	70.75	60.5	0	29620.853	541.9354839	15988.63914	30000	0	0	30000	41.125	2004
12.02.2020 16:18:56	1	1	1	1	70.75	61	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	40.6875	2004
12.02.2020 16:18:57	1	1	1	1	70.75	60.5	0	29573.46	544.0860215	16090.5607	30000	0	0	30000	41.125	2004
12.02.2020 16:18:58	1	1	1	1	70.75	61	0	29431.28	537.6344086	15823.11853	30000	0	0	30000	41.125	2004
12.02.2020 16:18:59	1	1	1	1	70.75	61	0	29668.246	541.9354839	16103.60666	30000	0	0	30000	40.9375	2004
12.02.2020 16:19:00	1	1	1	1	70.75	60.75	0	29526.066	539.7849462	15963.3626	30000	0	0	30000	40.5625	2004
12.02.2020 16:19:01	1	1	1	1	70.75	60.5	0	29905.213	541.9354839	16141.92917	30000	0	0	30000	41.125	2004
12.02.2020 16:19:02	1	1	1	1	70.75	61	0	29810.427	537.6344086	16052.2382	30000	0	0	30000	41.125	2004
12.02.2020 16:19:03	1	1	1	1	70.75	61	0	29905.213	535.483871	16013.10032	30000	0	0	30000	41	2004
12.02.2020 16:19:04	1	1	1	1	70.75	61	0	29810.427	537.6344086	15962.54722	30000	0	0	30000	41	2004
12.02.2020 16:19:05	1	1	1	1	70.75	61	0	29715.64	535.483871	15975.59318	30000	0	0	30000	40.8125	2004
12.02.2020 16:19:06	1	1	1	1	70.75	60.75	0	29620.853	535.483871	15861.44103	30000	0	0	30000	41	2004
12.02.2020 16:19:07	1	1	1	1	70.75	61	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	41	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 16:19:08	1	1	1	1	70.75	61	0	29620.853	537.6344086	15925.04009	30000	0	0	30000	41.125	2004
12.02.2020 16:19:09	1	1	1	1	70.75	61	0	29715.64	537.6344086	15911.99413	30000	0	0	30000	40.6875	2004
12.02.2020 16:19:10	1	1	1	1	70.75	60.5	0	29810.427	537.6344086	16090.5607	30000	0	0	30000	40.5	2004
12.02.2020 16:19:11	1	1	1	1	70.5	60.5	0	29715.64	550.5376344	16103.60666	30000	0	0	30000	40.9375	2004
12.02.2020 16:19:12	1	1	1	1	70.5	60.75	0	29573.46	541.9354839	15963.3626	30000	0	0	30000	41	2004
12.02.2020 16:19:13	1	1	1	1	70.5	61	0	29810.427	541.9354839	16040.00761	30000	0	0	30000	40.8125	2004
12.02.2020 16:19:14	1	1	1	1	70.5	60.75	0	29715.64	541.9354839	16078.33012	30000	0	0	30000	41	2004
12.02.2020 16:19:15	1	1	1	1	70.5	61	0	29668.246	541.9354839	15988.63914	30000	0	0	30000	40.875	2004
12.02.2020 16:19:16	1	1	1	1	70.5	60.75	0	29668.246	539.7849462	16052.2382	30000	0	0	30000	41.1875	2004
12.02.2020 16:19:17	1	1	1	1	70.5	61	0	29526.066	539.7849462	15810.07257	30000	0	0	30000	41	2004
12.02.2020 16:19:18	1	1	1	1	70.5	61	0	29478.673	537.6344086	15937.27068	30000	0	0	30000	40.6875	2004
12.02.2020 16:19:19	1	1	1	1	70.5	60.5	0	29668.246	541.9354839	15988.63914	30000	0	0	30000	41.3125	2004
12.02.2020 16:19:20	1	1	1	1	70	60.5	0	29431.28	533.3333333	15848.39508	30000	0	0	30000	40.75	2004
12.02.2020 16:19:29	1	1	1	1	70	60.75	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	40.9375	2004
12.02.2020 16:19:29	1	1	1	1	70	60.75	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	40.9375	2004
12.02.2020 16:19:29	1	1	1	1	70	60.75	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	40.9375	2004
12.02.2020 16:19:29	1	1	1	1	70	60.75	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	40.9375	2004
12.02.2020 16:19:29	1	1	1	1	70	60.75	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	40.9375	2004
12.02.2020 16:19:29	1	1	1	1	70	60.75	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	40.9375	2004
12.02.2020 16:19:29	1	1	1	1	70	60.75	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	40.9375	2004
12.02.2020 16:19:29	1	1	1	1	70	60.75	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	40.9375	2004
12.02.2020 16:19:30	1	1	1	1	70	60.75	0	29715.64	539.7849462	16013.91569	30000	0	0	30000	41	2004
12.02.2020 16:19:31	1	1	1	1	70.25	61	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	41.125	2004
12.02.2020 16:19:32	1	1	1	1	70.25	61	0	29620.853	535.483871	15988.63914	30000	0	0	30000	40.75	2004
12.02.2020 16:19:33	1	1	1	1	70.25	60.75	0	29620.853	535.483871	15988.63914	30000	0	0	30000	41.125	2004
12.02.2020 16:19:34	1	1	1	1	70.25	61	0	29620.853	541.9354839	15988.63914	30000	0	0	30000	41	2004
12.02.2020 16:19:35	1	1	1	1	70.25	61	0	29715.64	537.6344086	15911.99413	30000	0	0	30000	40.375	2004
12.02.2020 16:19:36	1	1	1	1	70.25	60.25	0	29715.64	537.6344086	16090.5607	30000	0	0	30000	40.5625	2004
12.02.2020 16:19:37	1	1	1	1	70.25	60.5	0	29715.64	539.7849462	15975.59318	30000	0	0	30000	41.1875	2004
12.02.2020 16:19:38	1	1	1	1	70.25	61	0	29620.853	535.483871	16167.20572	30000	0	0	30000	41	2004
12.02.2020 16:19:39	1	1	1	1	70.25	61	0	29668.246	537.6344086	15669.8285	30000	0	0	30000	40.5625	2004
12.02.2020 16:19:40	1	1	1	1	70.25	60.5	0	29715.64	537.6344086	15975.59318	30000	0	0	30000	40.875	2004
12.02.2020 16:19:41	1	1	1	1	70	60.75	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	41	2004
12.02.2020 16:19:42	1	1	1	1	70	61	0	29715.64	541.9354839	16040.00761	30000	0	0	30000	40.8125	2004
12.02.2020 16:19:43	1	1	1	1	70	60.75	0	29763.033	537.6344086	16090.5607	30000	0	0	30000	40.9375	2004
12.02.2020 16:19:44	1	1	1	1	70	60.75	0	29668.246	541.9354839	16013.91569	30000	0	0	30000	40.1875	2004
12.02.2020 16:19:45	1	1	1	1	70	60	0	29526.066	541.9354839	15937.27068	30000	0	0	30000	41	2004
12.02.2020 16:19:46	1	1	1	1	70	61	0	29573.46	537.6344086	15925.04009	30000	0	0	30000	40.5625	2004
12.02.2020 16:19:47	1	1	1	1	70	60.5	0	29526.066	537.6344086	15836.16449	30000	0	0	30000	41.0625	2004
12.02.2020 16:19:48	1	1	1	1	70	61	0	29620.853	537.6344086	16013.91569	30000	0	0	30000	40.9375	2004
12.02.2020 16:19:49	1	1	1	1	70	60.75	0	29715.64	539.7849462	16040.00761	30000	0	0	30000	41.0625	2004
12.02.2020 16:19:50	1	1	1	1	70	61	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	40.8125	2004
12.02.2020 16:19:51	1	1	1	1	70	60.75	0	29620.853	541.9354839	15988.63914	30000	0	0	30000	41	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 16:19:52	1	1	1	1	70	61	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	41.1875	2004
12.02.2020 16:19:53	1	1	1	1	70	61	0	29620.853	539.7849462	16052.2382	30000	0	0	30000	41.0625	2004
12.02.2020 16:19:54	1	1	1	1	70	61	0	29715.64	541.9354839	16167.20572	30000	0	0	30000	41	2004
12.02.2020 16:19:55	1	1	1	1	70	61	0	29526.066	541.9354839	16026.96165	30000	0	0	30000	40.875	2004
12.02.2020 16:19:56	1	1	1	1	70	60.75	0	29668.246	541.9354839	15988.63914	30000	0	0	30000	41.1875	2004
12.02.2020 16:19:57	1	1	1	1	70	61	0	29526.066	537.6344086	15937.27068	30000	0	0	30000	41.125	2004
12.02.2020 16:19:58	1	1	1	1	70	60.75	0	29810.427	541.9354839	16040.00761	30000	0	0	30000	40.875	2004
12.02.2020 16:19:59	1	1	1	1	70	60.75	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	40.8125	2004
12.02.2020 16:20:00	1	1	1	1	70	60.75	0	29526.066	541.9354839	15937.27068	30000	0	0	30000	40.9375	2004
12.02.2020 16:20:01	1	1	1	1	70	60.75	0	29620.853	537.6344086	15988.63914	30000	0	0	30000	41.0625	2004
12.02.2020 16:20:02	1	1	1	1	70	61	0	29573.46	541.9354839	15963.3626	30000	0	0	30000	40.5	2004
12.02.2020 16:20:03	1	1	1	1	70	60.5	0	29573.46	541.9354839	16052.2382	30000	0	0	30000	40.9375	2004
12.02.2020 16:20:05	1	1	1	1	70	60.75	0	29526.066	539.7849462	16064.46878	30000	0	0	30000	40.9375	2004
12.02.2020 16:20:06	1	1	1	1	70	60.75	0	29573.46	539.7849462	16052.2382	30000	0	0	30000	41.125	2004
12.02.2020 16:20:07	1	1	1	1	70	61	0	29573.46	537.6344086	16026.96165	30000	0	0	30000	41	2004
12.02.2020 16:20:08	1	1	1	1	70	61	0	29573.46	533.3333333	15988.63914	30000	0	0	30000	40.9375	2004
12.02.2020 16:20:09	1	1	1	1	70	60.75	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	41.0625	2004
12.02.2020 16:20:10	1	1	1	1	70	61	0	29668.246	541.9354839	16103.60666	30000	0	0	30000	40.9375	2004
12.02.2020 16:20:11	1	1	1	1	69.5	60.75	0	29620.853	539.7849462	16052.2382	30000	0	0	30000	40.5625	2004
12.02.2020 16:20:12	1	1	1	1	69.5	60.5	0	29431.28	539.7849462	15885.90221	30000	0	0	30000	40.8125	2004
12.02.2020 16:20:13	1	1	1	1	69.5	60.75	0	29526.066	539.7849462	15937.27068	30000	0	0	30000	40.9375	2004
12.02.2020 16:20:14	1	1	1	1	69.5	60.75	0	29715.64	539.7849462	16154.97513	30000	0	0	30000	40.4375	2004
12.02.2020 16:20:15	1	1	1	1	69.5	60.25	0	29715.64	541.9354839	16103.60666	30000	0	0	30000	40.8125	2004
12.02.2020 16:20:16	1	1	1	1	69.5	60.75	0	29383.886	537.6344086	15797.84198	30000	0	0	30000	40.8125	2004
12.02.2020 16:20:17	1	1	1	1	69.5	60.75	0	29478.673	533.3333333	16000.86973	30000	0	0	30000	41.125	2004
12.02.2020 16:20:18	1	1	1	1	69.5	61	0	29431.28	537.6344086	15885.90221	30000	0	0	30000	41	2004
12.02.2020 16:20:19	1	1	1	1	69.5	61	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	40.8125	2004
12.02.2020 16:20:20	1	1	1	1	69.5	60.75	0	29620.853	541.9354839	15988.63914	30000	0	0	30000	41.0625	2004
12.02.2020 16:20:21	1	1	1	1	69.75	61	0	29526.066	539.7849462	15937.27068	30000	0	0	30000	41.125	2004
12.02.2020 16:20:22	1	1	1	1	69.75	61	0	29241.706	537.6344086	15809.2572	30000	0	0	30000	40.75	2004
12.02.2020 16:20:30	1	1	1	1	69.75	60.75	0	29383.886	541.9354839	15835.34912	30000	0	0	30000	40.875	2004
12.02.2020 16:20:30	1	1	1	1	69.75	60.75	0	29383.886	541.9354839	15835.34912	30000	0	0	30000	40.875	2004
12.02.2020 16:20:30	1	1	1	1	69.75	60.75	0	29383.886	541.9354839	15835.34912	30000	0	0	30000	40.875	2004
12.02.2020 16:20:30	1	1	1	1	69.75	60.75	0	29383.886	541.9354839	15835.34912	30000	0	0	30000	40.875	2004
12.02.2020 16:20:30	1	1	1	1	69.75	60.75	0	29383.886	541.9354839	15835.34912	30000	0	0	30000	40.875	2004
12.02.2020 16:20:30	1	1	1	1	69.75	60.75	0	29383.886	541.9354839	15835.34912	30000	0	0	30000	40.875	2004
12.02.2020 16:20:30	1	1	1	1	69.75	60.75	0	29383.886	541.9354839	15835.34912	30000	0	0	30000	40.875	2004
12.02.2020 16:20:30	1	1	1	1	69.75	60.75	0	29383.886	541.9354839	15835.34912	30000	0	0	30000	40.875	2004
12.02.2020 16:20:31	1	1	1	1	70	60.75	0	29573.46	541.9354839	15925.04009	30000	0	0	30000	41.25	2004
12.02.2020 16:20:32	1	1	1	1	70	61.25	0	29573.46	541.9354839	16026.96165	30000	0	0	30000	41.3125	2004
12.02.2020 16:20:33	1	1	1	1	70	61.25	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	41.0625	2004
12.02.2020 16:20:34	1	1	1	1	70	61	0	29431.28	535.483871	15975.59318	30000	0	0	30000	41.5625	2004
12.02.2020 16:20:35	1	1	1	1	70	61.5	0	29573.46	541.9354839	15963.3626	30000	0	0	30000	41.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 16:20:36	1	1	1	1	70	60.5	0	29526.066	541.9354839	15963.3626	30000	0	0	30000	40.8125	2004
12.02.2020 16:20:37	1	1	1	1	70	60.75	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	41.125	2004
12.02.2020 16:20:38	1	1	1	1	70	61	0	29763.033	544.0860215	16167.20572	30000	0	0	30000	41.1875	2004
12.02.2020 16:20:39	1	1	1	1	70	61	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	40.1875	2004
12.02.2020 16:20:40	1	1	1	1	69.5	60	0	29526.066	537.6344086	15937.27068	30000	0	0	30000	40.75	2004
12.02.2020 16:20:42	1	1	1	1	69.5	60.75	0	29383.886	541.9354839	15949.50126	30000	0	0	30000	41.125	2004
12.02.2020 16:20:43	1	1	1	1	69.5	61	0	29620.853	541.9354839	16115.83725	30000	0	0	30000	41.125	2004
12.02.2020 16:20:44	1	1	1	1	69.5	61	0	29620.853	544.0860215	15988.63914	30000	0	0	30000	40.75	2004
12.02.2020 16:20:45	1	1	1	1	69.5	60.75	0	29620.853	535.483871	15988.63914	30000	0	0	30000	41.0625	2004
12.02.2020 16:20:46	1	1	1	1	69.5	61	0	29526.066	544.0860215	16090.5607	30000	0	0	30000	40.9375	2004
12.02.2020 16:20:47	1	1	1	1	69.5	60.75	0	29573.46	541.9354839	16026.96165	30000	0	0	30000	41.125	2004
12.02.2020 16:20:48	1	1	1	1	69.5	61	0	29620.853	541.9354839	16115.83725	30000	0	0	30000	41.125	2004
12.02.2020 16:20:49	1	1	1	1	69.5	61	0	29715.64	541.9354839	15988.63914	30000	0	0	30000	40.875	2004
12.02.2020 16:20:50	1	1	1	1	69.5	60.75	0	29620.853	539.7849462	16052.2382	30000	0	0	30000	40.8125	2004
12.02.2020 16:20:51	1	1	1	1	69.5	60.75	0	29573.46	541.9354839	15963.3626	30000	0	0	30000	41.1875	2004
12.02.2020 16:20:52	1	1	1	1	69.5	61	0	29526.066	541.9354839	15937.27068	30000	0	0	30000	40.75	2004
12.02.2020 16:20:53	1	1	1	1	69.5	60.75	0	29478.673	539.7849462	16000.86973	30000	0	0	30000	40.875	2004
12.02.2020 16:20:54	1	1	1	1	69.5	60.75	0	29526.066	541.9354839	15937.27068	30000	0	0	30000	41.125	2004
12.02.2020 16:20:55	1	1	1	1	69.5	61	0	29526.066	541.9354839	16026.96165	30000	0	0	30000	40.875	2004
12.02.2020 16:20:56	1	1	1	1	69.5	60.75	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	41.125	2004
12.02.2020 16:20:57	1	1	1	1	69.5	61	0	29431.28	533.3333333	15759.51947	30000	0	0	30000	41.1875	2004
12.02.2020 16:20:58	1	1	1	1	69.5	61	0	29810.427	541.9354839	16154.97513	30000	0	0	30000	40.375	2004
12.02.2020 16:20:59	1	1	1	1	69.5	60.25	0	29478.673	541.9354839	15937.27068	30000	0	0	30000	40.625	2004
12.02.2020 16:21:00	1	1	1	1	69.5	60.5	0	29526.066	539.7849462	15937.27068	30000	0	0	30000	41.1875	2004
12.02.2020 16:21:01	1	1	1	1	68.75	61	0	29620.853	541.9354839	16115.83725	30000	0	0	30000	41.125	2004
12.02.2020 16:21:02	1	1	1	1	68.75	61	0	29241.706	546.2365591	15920.96323	30000	0	0	30000	40.875	2004
12.02.2020 16:21:03	1	1	1	1	68.75	60.75	0	29526.066	541.9354839	16243.03536	30000	0	0	30000	40.625	2004
12.02.2020 16:21:04	1	1	1	1	68.75	60.5	0	29810.427	541.9354839	15836.16449	30000	0	0	30000	41.1875	2004
12.02.2020 16:21:05	1	1	1	1	68.75	61	0	29526.066	541.9354839	16064.46878	30000	0	0	30000	40.75	2004
12.02.2020 16:21:06	1	1	1	1	68.75	60.75	0	29573.46	541.9354839	16052.2382	30000	0	0	30000	40.75	2004
12.02.2020 16:21:07	1	1	1	1	68.75	60.75	0	29478.673	537.6344086	15885.90221	30000	0	0	30000	40.9375	2004
12.02.2020 16:21:08	1	1	1	1	68.75	60.75	0	29431.28	541.9354839	15885.90221	30000	0	0	30000	40.875	2004
12.02.2020 16:21:09	1	1	1	1	68.75	60.75	0	29668.246	541.9354839	15861.44103	30000	0	0	30000	40.875	2004
12.02.2020 16:21:10	1	1	1	1	68.75	60.75	0	29573.46	541.9354839	15963.3626	30000	0	0	30000	41.0625	2004
12.02.2020 16:21:11	1	1	1	1	69	61	0	29573.46	539.7849462	15963.3626	30000	0	0	30000	40.8125	2004
12.02.2020 16:21:12	1	1	1	1	69	60.75	0	29478.673	535.483871	15937.27068	30000	0	0	30000	41	2004
12.02.2020 16:21:13	1	1	1	1	69	61	0	29383.886	544.0860215	15987.0084	30000	0	0	30000	40.8125	2004
12.02.2020 16:21:14	1	1	1	1	69	60.75	0	29478.673	539.7849462	15937.27068	30000	0	0	30000	40.6875	2004
12.02.2020 16:21:15	1	1	1	1	69	61.25	0	29526.066	544.0860215	15937.27068	30000	0	0	30000	41	2004
12.02.2020 16:21:16	1	1	1	1	69	61	0	29526.066	539.7849462	16026.96165	30000	0	0	30000	40.8125	2004
12.02.2020 16:21:17	1	1	1	1	69	60.75	0	29383.886	539.7849462	15860.62566	30000	0	0	30000	40.8125	2004
12.02.2020 16:21:18	1	1	1	1	69	60.75	0	29526.066	541.9354839	15988.63914	30000	0	0	30000	40.625	2004
12.02.2020 16:21:19	1	1	1	1	69	60.5	0	29526.066	539.7849462	16000.86973	30000	0	0	30000	41	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 16:21:21	1	1	1	1	69	61	0	29526.066	541.9354839	15963.3626	30000	0	0	30000	40.5625	2004
12.02.2020 16:21:22	1	1	1	1	69	60.5	0	29620.853	541.9354839	15861.44103	30000	0	0	30000	41	2004
12.02.2020 16:21:23	1	1	1	1	69	61	0	29526.066	539.7849462	16026.96165	30000	0	0	30000	41.1875	2004
12.02.2020 16:21:24	1	1	1	1	69	61	0	29526.066	541.9354839	15963.3626	30000	0	0	30000	41.125	2004
12.02.2020 16:21:32	1	1	1	1	68.25	61	0	29431.28	539.7849462	15949.50126	30000	0	0	30000	41.1875	2004
12.02.2020 16:21:32	1	1	1	1	68.25	61	0	29431.28	539.7849462	15949.50126	30000	0	0	30000	41.1875	2004
12.02.2020 16:21:32	1	1	1	1	68.25	61	0	29431.28	539.7849462	15949.50126	30000	0	0	30000	41.1875	2004
12.02.2020 16:21:32	1	1	1	1	68.25	61	0	29431.28	539.7849462	15949.50126	30000	0	0	30000	41.1875	2004
12.02.2020 16:21:32	1	1	1	1	68.25	61	0	29431.28	539.7849462	15949.50126	30000	0	0	30000	41.1875	2004
12.02.2020 16:21:32	1	1	1	1	68.25	61	0	29431.28	539.7849462	15949.50126	30000	0	0	30000	41.1875	2004
12.02.2020 16:21:32	1	1	1	1	68.25	61	0	29526.066	541.9354839	15963.3626	30000	0	0	30000	41.0625	2004
12.02.2020 16:21:33	1	1	1	1	68.25	61	0	29526.066	541.9354839	16064.46878	30000	0	0	30000	41.25	2004
12.02.2020 16:21:34	1	1	1	1	68.25	61.25	0	29478.673	541.9354839	15937.27068	30000	0	0	30000	41.1875	2004
12.02.2020 16:21:35	1	1	1	1	68.25	61	0	29478.673	541.9354839	16038.37687	30000	0	0	30000	41	2004
12.02.2020 16:21:36	1	1	1	1	68.25	61	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	40.625	2004
12.02.2020 16:21:37	1	1	1	1	68.25	60.5	0	29478.673	541.9354839	15975.59318	30000	0	0	30000	40.6875	2004
12.02.2020 16:21:38	1	1	1	1	68.25	60.5	0	29620.853	544.0860215	16115.83725	30000	0	0	30000	41.25	2004
12.02.2020 16:21:39	1	1	1	1	68.25	61.25	0	29336.493	541.9354839	15708.96638	30000	0	0	30000	40.9375	2004
12.02.2020 16:21:40	1	1	1	1	68.25	60.75	0	29526.066	541.9354839	15911.99413	30000	0	0	30000	40.875	2004
12.02.2020 16:21:41	1	1	1	1	68.5	60.75	0	29478.673	544.0860215	16038.37687	30000	0	0	30000	41.1875	2004
12.02.2020 16:21:42	1	1	1	1	68.5	61	0	29526.066	541.9354839	15963.3626	30000	0	0	30000	40.5	2004
12.02.2020 16:21:43	1	1	1	1	68.5	60.5	0	29526.066	541.9354839	16243.03536	30000	0	0	30000	41.125	2004
12.02.2020 16:21:44	1	1	1	1	68.5	61	0	29573.46	544.0860215	16026.96165	30000	0	0	30000	41.25	2004
12.02.2020 16:21:45	1	1	1	1	68.5	61.25	0	29478.673	541.9354839	16000.86973	30000	0	0	30000	40.75	2004
12.02.2020 16:21:46	1	1	1	1	68.5	60.75	0	29383.886	539.7849462	15924.22472	30000	0	0	30000	41	2004
12.02.2020 16:21:47	1	1	1	1	68.5	61	0	29620.853	544.0860215	16115.83725	30000	0	0	30000	41	2004
12.02.2020 16:21:48	1	1	1	1	68.5	61	0	29526.066	541.9354839	16090.5607	30000	0	0	30000	41	2004
12.02.2020 16:21:49	1	1	1	1	68.5	61	0	29526.066	537.6344086	16090.5607	30000	0	0	30000	40.5	2004
12.02.2020 16:21:50	1	1	1	1	68.5	60.5	0	29478.673	541.9354839	15975.59318	30000	0	0	30000	41.5	2004
12.02.2020 16:21:51	1	1	1	1	68.5	61.5	0	29620.853	541.9354839	16115.83725	30000	0	0	30000	40.5	2004
12.02.2020 16:21:52	1	1	1	1	68.5	60.5	0	29620.853	541.9354839	16115.83725	30000	0	0	30000	40.0625	2004
12.02.2020 16:21:53	1	1	1	1	68.5	61	0	29383.886	544.0860215	15960.91648	30000	0	0	30000	41	2004
12.02.2020 16:21:54	1	1	1	1	68.5	61	0	29431.28	541.9354839	16038.37687	30000	0	0	30000	41.3125	2004
12.02.2020 16:21:55	1	1	1	1	68.5	61.25	0	29526.066	544.0860215	16000.86973	30000	0	0	30000	40.875	2004
12.02.2020 16:21:56	1	1	1	1	68.5	60.75	0	29526.066	541.9354839	15911.99413	30000	0	0	30000	40.75	2004
12.02.2020 16:21:57	1	1	1	1	68.5	60.75	0	29336.493	541.9354839	16024.51553	30000	0	0	30000	41	2004
12.02.2020 16:21:58	1	1	1	1	68.5	61	0	29336.493	541.9354839	15898.1328	30000	0	0	30000	41.125	2004
12.02.2020 16:22:00	1	1	1	1	68.5	61	0	29336.493	541.9354839	15960.91648	30000	0	0	30000	40.75	2004
12.02.2020 16:22:01	1	1	1	1	68.5	60.75	0	29383.886	541.9354839	15949.50126	30000	0	0	30000	40.625	2004
12.02.2020 16:22:02	1	1	1	1	68.5	60.5	0	29620.853	546.2365591	16090.5607	30000	0	0	30000	41.125	2004
12.02.2020 16:22:03	1	1	1	1	68.5	61	0	29383.886	541.9354839	15924.22472	30000	0	0	30000	40.9375	2004
12.02.2020 16:22:04	1	1	1	1	68.5	60.75	0	29336.493	541.9354839	15987.0084	30000	0	0	30000	40.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 16:22:05	1	1	1	1	68.5	60.75	0	29336.493	541.9354839	15898.1328	30000	0	0	30000	40.6875	2004
12.02.2020 16:22:06	1	1	1	1	68.5	60.5	0	29715.64	544.0860215	16231.62015	30000	0	0	30000	41.25	2004
12.02.2020 16:22:07	1	1	1	1	68.5	61.25	0	29383.886	541.9354839	15987.0084	30000	0	0	30000	41.1875	2004
12.02.2020 16:22:08	1	1	1	1	68.5	61	0	29431.28	541.9354839	16013.10032	30000	0	0	30000	40.875	2004
12.02.2020 16:22:09	1	1	1	1	68.5	60.75	0	29431.28	544.0860215	15949.50126	30000	0	0	30000	40.5625	2004
12.02.2020 16:22:10	1	1	1	1	68.5	60.5	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	41.125	2004
12.02.2020 16:22:11	1	1	1	1	68	61	0	29715.64	546.2365591	16167.20572	30000	0	0	30000	41	2004
12.02.2020 16:22:12	1	1	1	1	68	61	0	29289.1	535.483871	15872.85625	30000	0	0	30000	40.8125	2004
12.02.2020 16:22:13	1	1	1	1	68	60.75	0	29526.066	544.0860215	16154.15976	30000	0	0	30000	41	2004
12.02.2020 16:22:14	1	1	1	1	68	61	0	29383.886	544.0860215	16024.51553	30000	0	0	30000	41	2004
12.02.2020 16:22:15	1	1	1	1	68	61	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	41.25	2004
12.02.2020 16:22:16	1	1	1	1	68	61.25	0	29383.886	544.0860215	15949.50126	30000	0	0	30000	41.125	2004
12.02.2020 16:22:17	1	1	1	1	68	61	0	29431.28	541.9354839	16013.10032	30000	0	0	30000	41.1875	2004
12.02.2020 16:22:18	1	1	1	1	68	61	0	29526.066	546.2365591	16128.06784	30000	0	0	30000	41.125	2004
12.02.2020 16:22:19	1	1	1	1	68	61	0	29383.886	541.9354839	15771.75006	30000	0	0	30000	40.8125	2004
12.02.2020 16:22:20	1	1	1	1	68	60.75	0	29383.886	541.9354839	16013.10032	30000	0	0	30000	40.8125	2004
12.02.2020 16:22:21	1	1	1	1	68.25	60.75	0	29573.46	544.0860215	16115.83725	30000	0	0	30000	40.4375	2004
12.02.2020 16:22:22	1	1	1	1	68.25	60.25	0	29478.673	546.2365591	16101.97592	30000	0	0	30000	40.3125	2004
12.02.2020 16:22:23	1	1	1	1	68.25	60.25	0	29526.066	546.2365591	16064.46878	30000	0	0	30000	40.9375	2004
12.02.2020 16:22:24	1	1	1	1	68.25	60.75	0	29478.673	544.0860215	16038.37687	30000	0	0	30000	41.1875	2004
12.02.2020 16:22:25	1	1	1	1	68.25	61	0	29431.28	544.0860215	16038.37687	30000	0	0	30000	41.25	2004
12.02.2020 16:22:33	1	1	1	1	68	61	0	29431.28	544.0860215	15987.0084	30000	0	0	30000	41.0625	2004
12.02.2020 16:22:33	1	1	1	1	68	61	0	29431.28	544.0860215	15987.0084	30000	0	0	30000	41.0625	2004
12.02.2020 16:22:33	1	1	1	1	68	61	0	29431.28	544.0860215	15987.0084	30000	0	0	30000	41.0625	2004
12.02.2020 16:22:33	1	1	1	1	68	61	0	29431.28	544.0860215	15987.0084	30000	0	0	30000	41.0625	2004
12.02.2020 16:22:33	1	1	1	1	68	61	0	29431.28	544.0860215	15987.0084	30000	0	0	30000	41.0625	2004
12.02.2020 16:22:34	1	1	1	1	68	61	0	29431.28	544.0860215	15987.0084	30000	0	0	30000	41.0625	2004
12.02.2020 16:22:34	1	1	1	1	68	61	0	29431.28	544.0860215	15987.0084	30000	0	0	30000	41.0625	2004
12.02.2020 16:22:34	1	1	1	1	68	61	0	29431.28	544.0860215	15987.0084	30000	0	0	30000	41.0625	2004
12.02.2020 16:22:34	1	1	1	1	68	61	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	41.0625	2004
12.02.2020 16:22:35	1	1	1	1	68	61	0	29146.919	546.2365591	15858.17955	30000	0	0	30000	41.0625	2004
12.02.2020 16:22:36	1	1	1	1	68	61	0	29478.673	544.0860215	16038.37687	30000	0	0	30000	41.125	2004
12.02.2020 16:22:38	1	1	1	1	68	61	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	40.9375	2004
12.02.2020 16:22:39	1	1	1	1	68	60.75	0	29431.28	541.9354839	16038.37687	30000	0	0	30000	40.8125	2004
12.02.2020 16:22:40	1	1	1	1	68	60.75	0	29383.886	544.0860215	16176.99019	30000	0	0	30000	40.6875	2004
12.02.2020 16:22:41	1	1	1	1	67.75	60.5	0	29526.066	541.9354839	16064.46878	30000	0	0	30000	40.75	2004
12.02.2020 16:22:42	1	1	1	1	67.75	60.75	0	29478.673	544.0860215	16013.10032	30000	0	0	30000	41.125	2004
12.02.2020 16:22:43	1	1	1	1	67.75	61	0	29526.066	541.9354839	16064.46878	30000	0	0	30000	41.1875	2004
12.02.2020 16:22:44	1	1	1	1	67.75	61	0	29383.886	541.9354839	15987.0084	30000	0	0	30000	41.125	2004
12.02.2020 16:22:45	1	1	1	1	67.75	61	0	29620.853	546.2365591	16115.83725	30000	0	0	30000	40.875	2004
12.02.2020 16:22:46	1	1	1	1	67.75	60.75	0	29478.673	541.9354839	16128.06784	30000	0	0	30000	41	2004
12.02.2020 16:22:47	1	1	1	1	67.75	61	0	29383.886	541.9354839	15924.22472	30000	0	0	30000	41.1875	2004
12.02.2020 16:22:48	1	1	1	1	67.75	61	0	29526.066	541.9354839	15937.27068	30000	0	0	30000	40.8125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 16:22:49	1	1	1	1	67.75	60.75	0	29431.28	541.9354839	16013.10032	30000	0	0	30000	41.0625	2004
12.02.2020 16:22:50	1	1	1	1	67.75	61	0	29431.28	546.2365591	15949.50126	30000	0	0	30000	40.5625	2004
12.02.2020 16:22:51	1	1	1	1	67.75	60.5	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	41	2004
12.02.2020 16:22:52	1	1	1	1	67.75	61	0	29383.886	544.0860215	15898.1328	30000	0	0	30000	40.6875	2004
12.02.2020 16:22:53	1	1	1	1	67.75	60.5	0	29383.886	544.0860215	15960.91648	30000	0	0	30000	41.25	2004
12.02.2020 16:22:54	1	1	1	1	67.75	61.25	0	29289.1	541.9354839	15898.1328	30000	0	0	30000	40.875	2004
12.02.2020 16:22:55	1	1	1	1	67.75	60.75	0	29478.673	535.483871	16000.86973	30000	0	0	30000	41.125	2004
12.02.2020 16:22:56	1	1	1	1	67.75	61	0	29431.28	541.9354839	15924.22472	30000	0	0	30000	40.5	2004
12.02.2020 16:22:57	1	1	1	1	67.75	60.5	0	29383.886	544.0860215	15987.0084	30000	0	0	30000	40.625	2004
12.02.2020 16:22:58	1	1	1	1	67.75	60.5	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	40.6875	2004
12.02.2020 16:22:59	1	1	1	1	67.75	60.5	0	29336.493	541.9354839	15898.1328	30000	0	0	30000	40.9375	2004
12.02.2020 16:23:00	1	1	1	1	67.75	60.75	0	29383.886	541.9354839	15898.1328	30000	0	0	30000	41.125	2004
12.02.2020 16:23:01	1	1	1	1	67.25	61	0	29526.066	541.9354839	16115.83725	30000	0	0	30000	41.1875	2004
12.02.2020 16:23:02	1	1	1	1	67.25	61	0	29336.493	537.6344086	15987.0084	30000	0	0	30000	41.0625	2004
12.02.2020 16:23:03	1	1	1	1	67.25	61	0	29383.886	544.0860215	15835.34912	30000	0	0	30000	41.125	2004
12.02.2020 16:23:04	1	1	1	1	67.25	61	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	40.875	2004
12.02.2020 16:23:05	1	1	1	1	67.25	60.75	0	29431.28	537.6344086	15949.50126	30000	0	0	30000	41.125	2004
12.02.2020 16:23:06	1	1	1	1	67.25	61	0	29478.673	546.2365591	16229.17403	30000	0	0	30000	41.625	2004
12.02.2020 16:23:07	1	1	1	1	67.25	61.5	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	40.875	2004
12.02.2020 16:23:08	1	1	1	1	67.25	60.75	0	29336.493	544.0860215	15987.0084	30000	0	0	30000	41.625	2004
12.02.2020 16:23:09	1	1	1	1	67.25	61.5	0	29336.493	541.9354839	15960.91648	30000	0	0	30000	40.5625	2004
12.02.2020 16:23:10	1	1	1	1	67.25	60.5	0	29431.28	541.9354839	16013.10032	30000	0	0	30000	41.1875	2004
12.02.2020 16:23:11	1	1	1	1	67.25	61	0	29478.673	544.0860215	16064.46878	30000	0	0	30000	41.0625	2004
12.02.2020 16:23:12	1	1	1	1	67.25	61	0	29289.1	546.2365591	15783.98065	30000	0	0	30000	41.1875	2004
12.02.2020 16:23:13	1	1	1	1	67.25	61	0	29478.673	544.0860215	16013.10032	30000	0	0	30000	41.125	2004
12.02.2020 16:23:14	1	1	1	1	67.25	61	0	29526.066	541.9354839	16090.5607	30000	0	0	30000	41.25	2004
12.02.2020 16:23:16	1	1	1	1	67.25	61.25	0	29478.673	544.0860215	16038.37687	30000	0	0	30000	40.75	2004
12.02.2020 16:23:17	1	1	1	1	67.25	60.75	0	29431.28	544.0860215	15949.50126	30000	0	0	30000	41.125	2004
12.02.2020 16:23:18	1	1	1	1	67.25	61	0	29383.886	544.0860215	15960.91648	30000	0	0	30000	40.75	2004
12.02.2020 16:23:19	1	1	1	1	67.25	60.75	0	29383.886	541.9354839	15771.75006	30000	0	0	30000	41	2004
12.02.2020 16:23:20	1	1	1	1	67.25	61	0	29336.493	539.7849462	15960.91648	30000	0	0	30000	41.1875	2004
12.02.2020 16:23:21	1	1	1	1	67.5	61	0	29383.886	541.9354839	15924.22472	30000	0	0	30000	41.0625	2004
12.02.2020 16:23:22	1	1	1	1	67.5	61	0	29383.886	546.2365591	15898.1328	30000	0	0	30000	41	2004
12.02.2020 16:23:23	1	1	1	1	67.5	61	0	29336.493	537.6344086	15771.75006	30000	0	0	30000	41.125	2004
12.02.2020 16:23:24	1	1	1	1	67.5	61	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	40.125	2004
12.02.2020 16:23:25	1	1	1	1	67.5	60	0	29336.493	537.6344086	15949.50126	30000	0	0	30000	41.125	2004
12.02.2020 16:23:26	1	1	1	1	67.5	61	0	29526.066	541.9354839	16064.46878	30000	0	0	30000	40.1875	2004
12.02.2020 16:23:27	1	1	1	1	67.5	60	0	29431.28	541.9354839	15708.96638	30000	0	0	30000	40.75	2004
12.02.2020 16:23:35	1	1	1	1	67.25	61.25	0	29289.1	548.3870968	16087.29921	30000	0	0	30000	41.0625	2004
12.02.2020 16:23:35	1	1	1	1	67.25	61.25	0	29289.1	548.3870968	16087.29921	30000	0	0	30000	41.0625	2004
12.02.2020 16:23:35	1	1	1	1	67.25	61.25	0	29289.1	548.3870968	16087.29921	30000	0	0	30000	41.0625	2004
12.02.2020 16:23:35	1	1	1	1	67.25	61.25	0	29289.1	548.3870968	16087.29921	30000	0	0	30000	41.0625	2004
12.02.2020 16:23:35	1	1	1	1	67.25	61.25	0	29289.1	548.3870968	16087.29921	30000	0	0	30000	41.0625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 16:23:35	1	1	1	1	67.25	61.25	0	29289.1	548.3870968	16087.29921	30000	0	0	30000	41.0625	2004
12.02.2020 16:23:35	1	1	1	1	67.25	61.25	0	29289.1	548.3870968	16087.29921	30000	0	0	30000	41.0625	2004
12.02.2020 16:23:35	1	1	1	1	67.25	61	0	29336.493	544.0860215	15898.1328	30000	0	0	30000	41.1875	2004
12.02.2020 16:23:36	1	1	1	1	67.25	61	0	29336.493	541.9354839	15960.91648	30000	0	0	30000	41.1875	2004
12.02.2020 16:23:37	1	1	1	1	67.25	61	0	29336.493	541.9354839	15898.1328	30000	0	0	30000	40.6875	2004
12.02.2020 16:23:38	1	1	1	1	67.25	60.5	0	29431.28	546.2365591	16013.10032	30000	0	0	30000	41.0625	2004
12.02.2020 16:23:39	1	1	1	1	67.25	61	0	29478.673	541.9354839	16000.86973	30000	0	0	30000	41	2004
12.02.2020 16:23:40	1	1	1	1	67.25	61	0	29383.886	541.9354839	15708.96638	30000	0	0	30000	41.0625	2004
12.02.2020 16:23:41	1	1	1	1	66.75	61	0	29478.673	546.2365591	16038.37687	30000	0	0	30000	40.6875	2004
12.02.2020 16:23:42	1	1	1	1	66.75	60.5	0	29526.066	544.0860215	15937.27068	30000	0	0	30000	40.5	2004
12.02.2020 16:23:43	1	1	1	1	66.75	60.5	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	41.125	2004
12.02.2020 16:23:44	1	1	1	1	66.75	61	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	40.9375	2004
12.02.2020 16:23:45	1	1	1	1	66.75	60.75	0	29526.066	541.9354839	15810.07257	30000	0	0	30000	40.75	2004
12.02.2020 16:23:46	1	1	1	1	66.75	60.75	0	29478.673	541.9354839	15823.11853	30000	0	0	30000	40.8125	2004
12.02.2020 16:23:47	1	1	1	1	66.75	60.75	0	29478.673	541.9354839	16013.10032	30000	0	0	30000	40.4375	2004
12.02.2020 16:23:48	1	1	1	1	66.75	61	0	29526.066	541.9354839	15963.3626	30000	0	0	30000	41.1875	2004
12.02.2020 16:23:49	1	1	1	1	66.75	61	0	29573.46	541.9354839	16090.5607	30000	0	0	30000	41.0625	2004
12.02.2020 16:23:50	1	1	1	1	67	61	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	41.0625	2004
12.02.2020 16:23:51	1	1	1	1	67	61	0	29431.28	541.9354839	15924.22472	30000	0	0	30000	41.0625	2004
12.02.2020 16:23:53	1	1	1	1	67	61	0	29526.066	541.9354839	16064.46878	30000	0	0	30000	41.125	2004
12.02.2020 16:23:54	1	1	1	1	67	61	0	29336.493	541.9354839	15708.96638	30000	0	0	30000	40.75	2004
12.02.2020 16:23:55	1	1	1	1	67	60.75	0	29431.28	541.9354839	16013.10032	30000	0	0	30000	40.75	2004
12.02.2020 16:23:56	1	1	1	1	67	60.75	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	40.9375	2004
12.02.2020 16:23:57	1	1	1	1	67	60.75	0	29526.066	541.9354839	16064.46878	30000	0	0	30000	40.3125	2004
12.02.2020 16:23:58	1	1	1	1	67	60.25	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	40.875	2004
12.02.2020 16:23:59	1	1	1	1	67	60.75	0	29526.066	544.0860215	16217.75881	30000	0	0	30000	41.25	2004
12.02.2020 16:24:00	1	1	1	1	67	61.25	0	29526.066	541.9354839	16064.46878	30000	0	0	30000	40.875	2004
12.02.2020 16:24:01	1	1	1	1	66.5	60.75	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	40.875	2004
12.02.2020 16:24:02	1	1	1	1	66.5	60.75	0	29526.066	533.3333333	16052.2382	30000	0	0	30000	40.9375	2004
12.02.2020 16:24:03	1	1	1	1	66.5	60.75	0	29620.853	541.9354839	16115.83725	30000	0	0	30000	41.125	2004
12.02.2020 16:24:04	1	1	1	1	66.5	61	0	29383.886	541.9354839	15898.1328	30000	0	0	30000	41.0625	2004
12.02.2020 16:24:05	1	1	1	1	66.5	61	0	29620.853	541.9354839	16115.83725	30000	0	0	30000	41.125	2004
12.02.2020 16:24:06	1	1	1	1	66.5	61	0	29573.46	541.9354839	16090.5607	30000	0	0	30000	41.0625	2004
12.02.2020 16:24:07	1	1	1	1	66.5	61	0	29431.28	537.6344086	15759.51947	30000	0	0	30000	41	2004
12.02.2020 16:24:08	1	1	1	1	66.5	61	0	29715.64	544.0860215	16167.20572	30000	0	0	30000	40.75	2004
12.02.2020 16:24:09	1	1	1	1	66.5	60.75	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	41.1875	2004
12.02.2020 16:24:10	1	1	1	1	66.5	61	0	29526.066	535.483871	16064.46878	30000	0	0	30000	40.875	2004
12.02.2020 16:24:11	1	1	1	1	66.75	60.75	0	29478.673	541.9354839	16000.86973	30000	0	0	30000	40.875	2004
12.02.2020 16:24:12	1	1	1	1	66.75	60.75	0	29573.46	539.7849462	16000.86973	30000	0	0	30000	41.125	2004
12.02.2020 16:24:13	1	1	1	1	66.75	61	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	41.25	2004
12.02.2020 16:24:14	1	1	1	1	66.75	61.25	0	29573.46	539.7849462	15963.3626	30000	0	0	30000	40.9375	2004
12.02.2020 16:24:15	1	1	1	1	66.75	60.75	0	29715.64	539.7849462	16103.60666	30000	0	0	30000	40.6875	2004
12.02.2020 16:24:16	1	1	1	1	66.75	60.5	0	29526.066	541.9354839	16052.2382	30000	0	0	30000	41.3125	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 16:24:17	1	1	1	1	66.75	61.25	0	29478.673	537.6344086	15911.99413	30000	0	0	30000	41	2004
12.02.2020 16:24:18	1	1	1	1	66.75	61	0	29478.673	541.9354839	16064.46878	30000	0	0	30000	41.0625	2004
12.02.2020 16:24:19	1	1	1	1	66.75	61	0	29383.886	541.9354839	15860.62566	30000	0	0	30000	40.75	2004
12.02.2020 16:24:20	1	1	1	1	66.75	60.75	0	29431.28	541.9354839	15885.90221	30000	0	0	30000	40.75	2004
12.02.2020 16:24:21	1	1	1	1	66.5	60.75	0	29383.886	537.6344086	15924.22472	30000	0	0	30000	41	2004
12.02.2020 16:24:22	1	1	1	1	66.5	61	0	29478.673	544.0860215	16038.37687	30000	0	0	30000	41	2004
12.02.2020 16:24:23	1	1	1	1	66.5	61	0	29478.673	541.9354839	16255.26595	30000	0	0	30000	41.6875	2004
12.02.2020 16:24:24	1	1	1	1	66.5	61.5	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	40.9375	2004
12.02.2020 16:24:25	1	1	1	1	66.5	61	0	29336.493	541.9354839	15708.96638	30000	0	0	30000	41	2004
12.02.2020 16:24:26	1	1	1	1	66.5	61	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	41.0625	2004
12.02.2020 16:24:27	1	1	1	1	66.5	61	0	29478.673	541.9354839	16064.46878	30000	0	0	30000	41.25	2004
12.02.2020 16:24:28	1	1	1	1	66.5	61.25	0	29526.066	539.7849462	15937.27068	30000	0	0	30000	41.1875	2004
12.02.2020 16:24:37	1	1	1	1	66.25	60.75	0	29431.28	541.9354839	15835.34912	30000	0	0	30000	40.8125	2004
12.02.2020 16:24:37	1	1	1	1	66.25	60.75	0	29431.28	541.9354839	15835.34912	30000	0	0	30000	40.8125	2004
12.02.2020 16:24:37	1	1	1	1	66.25	60.75	0	29431.28	541.9354839	15835.34912	30000	0	0	30000	40.8125	2004
12.02.2020 16:24:37	1	1	1	1	66.25	60.75	0	29431.28	541.9354839	15835.34912	30000	0	0	30000	40.8125	2004
12.02.2020 16:24:37	1	1	1	1	66.25	60.75	0	29431.28	541.9354839	15835.34912	30000	0	0	30000	40.8125	2004
12.02.2020 16:24:37	1	1	1	1	66.25	60.75	0	29431.28	541.9354839	15835.34912	30000	0	0	30000	41.125	2004
12.02.2020 16:24:37	1	1	1	1	66.25	60.75	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	41.125	2004
12.02.2020 16:24:37	1	1	1	1	66.25	60.75	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	41.125	2004
12.02.2020 16:24:38	1	1	1	1	66.25	61	0	29620.853	539.7849462	16115.83725	30000	0	0	30000	40.9375	2004
12.02.2020 16:24:39	1	1	1	1	66.25	60.75	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	40.6875	2004
12.02.2020 16:24:40	1	1	1	1	66.25	60.5	0	29526.066	539.7849462	16064.46878	30000	0	0	30000	41.375	2004
12.02.2020 16:24:41	1	1	1	1	66.25	61.25	0	29668.246	541.9354839	16103.60666	30000	0	0	30000	41.125	2004
12.02.2020 16:24:42	1	1	1	1	66.25	61	0	29526.066	541.9354839	15937.27068	30000	0	0	30000	40.625	2004
12.02.2020 16:24:43	1	1	1	1	66.25	60.5	0	29526.066	539.7849462	15937.27068	30000	0	0	30000	40.9375	2004
12.02.2020 16:24:44	1	1	1	1	66.25	60.75	0	29526.066	541.9354839	16090.5607	30000	0	0	30000	40.875	2004
12.02.2020 16:24:45	1	1	1	1	66.25	60.75	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	40.875	2004
12.02.2020 16:24:46	1	1	1	1	66.25	60.75	0	29573.46	541.9354839	16115.83725	30000	0	0	30000	40.8125	2004
12.02.2020 16:24:47	1	1	1	1	66.25	60.75	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	41.0625	2004
12.02.2020 16:24:48	1	1	1	1	66.25	61	0	29573.46	541.9354839	16026.96165	30000	0	0	30000	41	2004
12.02.2020 16:24:49	1	1	1	1	66.25	61	0	29526.066	541.9354839	16026.96165	30000	0	0	30000	41	2004
12.02.2020 16:24:50	1	1	1	1	66.25	61	0	29431.28	539.7849462	15885.90221	30000	0	0	30000	41.0625	2004
12.02.2020 16:24:51	1	1	1	1	66.25	61	0	29526.066	541.9354839	15937.27068	30000	0	0	30000	41.0625	2004
12.02.2020 16:24:52	1	1	1	1	66.25	61	0	29478.673	541.9354839	16064.46878	30000	0	0	30000	40.6875	2004
12.02.2020 16:24:53	1	1	1	1	66.25	60.5	0	29336.493	539.7849462	15835.34912	30000	0	0	30000	41.125	2004
12.02.2020 16:24:54	1	1	1	1	66.25	61.25	0	29431.28	541.9354839	16038.37687	30000	0	0	30000	40.75	2004
12.02.2020 16:24:55	1	1	1	1	66.25	60.75	0	29336.493	535.483871	15708.96638	30000	0	0	30000	40.9375	2004
12.02.2020 16:24:56	1	1	1	1	66.25	60.75	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	41.125	2004
12.02.2020 16:24:57	1	1	1	1	66.25	61	0	29526.066	541.9354839	16026.96165	30000	0	0	30000	40.9375	2004
12.02.2020 16:24:58	1	1	1	1	66.25	60.75	0	29715.64	541.9354839	16052.2382	30000	0	0	30000	40.5	2004
12.02.2020 16:24:59	1	1	1	1	66.25	60.5	0	29478.673	541.9354839	15949.50126	30000	0	0	30000	40.9375	2004
12.02.2020 16:25:00	1	1	1	1	66.25	60.75	0	29620.853	544.0860215	16115.83725	30000	0	0	30000	41.25	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 16:25:01	1	1	1	1	66	61.25	0	29478.673	541.9354839	16064.46878	30000	0	0	30000	40.875	2004
12.02.2020 16:25:02	1	1	1	1	66	60.75	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	41.4375	2004
12.02.2020 16:25:03	1	1	1	1	66	61.25	0	29620.853	539.7849462	15836.16449	30000	0	0	30000	40.8125	2004
12.02.2020 16:25:04	1	1	1	1	66	60.75	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	41.25	2004
12.02.2020 16:25:05	1	1	1	1	66	61.25	0	29431.28	541.9354839	15885.90221	30000	0	0	30000	40.8125	2004
12.02.2020 16:25:06	1	1	1	1	66	60.75	0	29526.066	541.9354839	15937.27068	30000	0	0	30000	41.125	2004
12.02.2020 16:25:07	1	1	1	1	66	61	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	41.0625	2004
12.02.2020 16:25:08	1	1	1	1	66	61	0	29431.28	533.3333333	15911.99413	30000	0	0	30000	40.6875	2004
12.02.2020 16:25:09	1	1	1	1	66	60.5	0	29431.28	541.9354839	15975.59318	30000	0	0	30000	41	2004
12.02.2020 16:25:11	1	1	1	1	66.25	61	0	29573.46	544.0860215	16090.5607	30000	0	0	30000	41.125	2004
12.02.2020 16:25:12	1	1	1	1	66.25	61	0	29526.066	541.9354839	16026.96165	30000	0	0	30000	41.125	2004
12.02.2020 16:25:13	1	1	1	1	66.25	61	0	29526.066	541.9354839	16026.96165	30000	0	0	30000	40.875	2004
12.02.2020 16:25:14	1	1	1	1	66.25	60.75	0	29620.853	539.7849462	15988.63914	30000	0	0	30000	41	2004
12.02.2020 16:25:15	1	1	1	1	66.25	61	0	29478.673	539.7849462	15937.27068	30000	0	0	30000	41.3125	2004
12.02.2020 16:25:16	1	1	1	1	66.25	61.25	0	29526.066	539.7849462	15963.3626	30000	0	0	30000	41.125	2004
12.02.2020 16:25:17	1	1	1	1	66.25	61	0	29383.886	537.6344086	15949.50126	30000	0	0	30000	41	2004
12.02.2020 16:25:18	1	1	1	1	66.25	61	0	29573.46	541.9354839	16026.96165	30000	0	0	30000	40.875	2004
12.02.2020 16:25:19	1	1	1	1	66.25	60.75	0	29526.066	537.6344086	16052.2382	30000	0	0	30000	41.1875	2004
12.02.2020 16:25:20	1	1	1	1	66.25	61	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	40.8125	2004
12.02.2020 16:25:21	1	1	1	1	66.25	60.75	0	29431.28	541.9354839	15759.51947	30000	0	0	30000	41.0625	2004
12.02.2020 16:25:22	1	1	1	1	66.25	61	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	40.75	2004
12.02.2020 16:25:23	1	1	1	1	66.25	60.75	0	29526.066	541.9354839	16026.96165	30000	0	0	30000	41	2004
12.02.2020 16:25:24	1	1	1	1	66.25	61	0	29715.64	541.9354839	16167.20572	30000	0	0	30000	41.125	2004
12.02.2020 16:25:25	1	1	1	1	66.25	61	0	29573.46	550.5376344	16281.35787	30000	0	0	30000	40.875	2004
12.02.2020 16:25:26	1	1	1	1	66.25	60.75	0	29573.46	541.9354839	16052.2382	30000	0	0	30000	40.8125	2004
12.02.2020 16:25:27	1	1	1	1	66.25	60.75	0	29526.066	539.7849462	16000.86973	30000	0	0	30000	41.1875	2004
12.02.2020 16:25:28	1	1	1	1	66.25	61	0	29478.673	541.9354839	16000.86973	30000	0	0	30000	41	2004
12.02.2020 16:25:29	1	1	1	1	66.25	61	0	29526.066	541.9354839	15911.99413	30000	0	0	30000	41	2004
12.02.2020 16:25:30	1	1	1	1	66.25	61	0	29620.853	544.0860215	16090.5607	30000	0	0	30000	41.0625	2004
12.02.2020 16:25:38	1	1	1	1	66	60.5	0	29526.066	544.0860215	16038.37687	30000	0	0	30000	41.1875	2004
12.02.2020 16:25:38	1	1	1	1	66	60.5	0	29526.066	544.0860215	16038.37687	30000	0	0	30000	41.1875	2004
12.02.2020 16:25:38	1	1	1	1	66	60.5	0	29526.066	544.0860215	16038.37687	30000	0	0	30000	41.1875	2004
12.02.2020 16:25:38	1	1	1	1	66	60.5	0	29526.066	544.0860215	16038.37687	30000	0	0	30000	41.1875	2004
12.02.2020 16:25:38	1	1	1	1	66	60.5	0	29526.066	544.0860215	16038.37687	30000	0	0	30000	41.1875	2004
12.02.2020 16:25:38	1	1	1	1	66	60.5	0	29526.066	544.0860215	16038.37687	30000	0	0	30000	41.1875	2004
12.02.2020 16:25:38	1	1	1	1	66	60.5	0	29526.066	544.0860215	16038.37687	30000	0	0	30000	41.1875	2004
12.02.2020 16:25:38	1	1	1	1	66	60.5	0	29526.066	544.0860215	16038.37687	30000	0	0	30000	41.1875	2004
12.02.2020 16:25:39	1	1	1	1	66	61	0	29431.28	541.9354839	16013.10032	30000	0	0	30000	41.125	2004
12.02.2020 16:25:40	1	1	1	1	66	61	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	40.6875	2004
12.02.2020 16:25:41	1	1	1	1	65.75	60.5	0	29431.28	539.7849462	15949.50126	30000	0	0	30000	41.125	2004
12.02.2020 16:25:42	1	1	1	1	65.75	61	0	29573.46	544.0860215	16115.83725	30000	0	0	30000	40.625	2004
12.02.2020 16:25:43	1	1	1	1	65.75	60.5	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	41.125	2004
12.02.2020 16:25:44	1	1	1	1	65.75	61	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	41.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 16:25:45	1	1	1	1	65.75	61	0	29383.886	544.0860215	16013.10032	30000	0	0	30000	41	2004
12.02.2020 16:25:46	1	1	1	1	65.75	61	0	29526.066	541.9354839	15975.59318	30000	0	0	30000	40.6875	2004
12.02.2020 16:25:48	1	1	1	1	65.75	60.5	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	41.125	2004
12.02.2020 16:25:49	1	1	1	1	65.75	61	0	29431.28	541.9354839	16013.10032	30000	0	0	30000	41.25	2004
12.02.2020 16:25:50	1	1	1	1	65.75	61.25	0	29478.673	546.2365591	16038.37687	30000	0	0	30000	40.8125	2004
12.02.2020 16:25:51	1	1	1	1	65.5	60.75	0	29383.886	541.9354839	15987.0084	30000	0	0	30000	40.9375	2004
12.02.2020 16:25:52	1	1	1	1	65.5	60.75	0	29383.886	541.9354839	16013.10032	30000	0	0	30000	40.9375	2004
12.02.2020 16:25:53	1	1	1	1	65.5	60.75	0	29383.886	544.0860215	15987.0084	30000	0	0	30000	40.875	2004
12.02.2020 16:25:54	1	1	1	1	65.5	60.75	0	29431.28	541.9354839	15708.96638	30000	0	0	30000	41.125	2004
12.02.2020 16:25:55	1	1	1	1	65.5	61	0	29478.673	541.9354839	15975.59318	30000	0	0	30000	40.8125	2004
12.02.2020 16:25:56	1	1	1	1	65.5	60.75	0	29478.673	541.9354839	16000.86973	30000	0	0	30000	41.1875	2004
12.02.2020 16:25:57	1	1	1	1	65.5	61	0	29431.28	541.9354839	16013.10032	30000	0	0	30000	40.8125	2004
12.02.2020 16:25:58	1	1	1	1	65.5	60.75	0	29526.066	546.2365591	16000.86973	30000	0	0	30000	40.875	2004
12.02.2020 16:25:59	1	1	1	1	65.5	60.75	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	41.1875	2004
12.02.2020 16:26:00	1	1	1	1	65.5	61	0	29526.066	537.6344086	16090.5607	30000	0	0	30000	41.1875	2004
12.02.2020 16:26:01	1	1	1	1	66	61	0	29620.853	541.9354839	16052.2382	30000	0	0	30000	41.25	2004
12.02.2020 16:26:02	1	1	1	1	66	61.25	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	41.1875	2004
12.02.2020 16:26:03	1	1	1	1	66	61	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	41.3125	2004
12.02.2020 16:26:04	1	1	1	1	66	61.25	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	41.25	2004
12.02.2020 16:26:05	1	1	1	1	66	61.25	0	29526.066	550.5376344	16255.26595	30000	0	0	30000	41.25	2004
12.02.2020 16:26:06	1	1	1	1	66	61.25	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	40.625	2004
12.02.2020 16:26:07	1	1	1	1	66	60.5	0	29478.673	541.9354839	16064.46878	30000	0	0	30000	41.125	2004
12.02.2020 16:26:08	1	1	1	1	66	61	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	40.9375	2004
12.02.2020 16:26:09	1	1	1	1	66	60.75	0	29336.493	535.483871	15949.50126	30000	0	0	30000	41.125	2004
12.02.2020 16:26:10	1	1	1	1	66	61	0	29668.246	544.0860215	16167.20572	30000	0	0	30000	40.6875	2004
12.02.2020 16:26:11	1	1	1	1	65.75	60.5	0	29383.886	541.9354839	15898.1328	30000	0	0	30000	41.3125	2004
12.02.2020 16:26:12	1	1	1	1	65.75	61.25	0	29526.066	541.9354839	15975.59318	30000	0	0	30000	40.875	2004
12.02.2020 16:26:13	1	1	1	1	65.75	60.75	0	29478.673	544.0860215	16000.86973	30000	0	0	30000	41.3125	2004
12.02.2020 16:26:14	1	1	1	1	65.75	61.25	0	29526.066	541.9354839	16064.46878	30000	0	0	30000	40.375	2004
12.02.2020 16:26:15	1	1	1	1	65.75	60.25	0	29383.886	544.0860215	16013.10032	30000	0	0	30000	41.0625	2004
12.02.2020 16:26:16	1	1	1	1	65.75	61	0	29383.886	541.9354839	15924.22472	30000	0	0	30000	41.3125	2004
12.02.2020 16:26:17	1	1	1	1	65.75	61.25	0	29526.066	544.0860215	16000.86973	30000	0	0	30000	41.0625	2004
12.02.2020 16:26:18	1	1	1	1	65.75	61	0	29478.673	541.9354839	16064.46878	30000	0	0	30000	41.375	2004
12.02.2020 16:26:19	1	1	1	1	65.75	61.25	0	29431.28	537.6344086	15949.50126	30000	0	0	30000	41.0625	2004
12.02.2020 16:26:20	1	1	1	1	65.75	61	0	29431.28	539.7849462	15949.50126	30000	0	0	30000	41.1875	2004
12.02.2020 16:26:21	1	1	1	1	65.5	61	0	29336.493	544.0860215	15898.1328	30000	0	0	30000	41	2004
12.02.2020 16:26:22	1	1	1	1	65.5	61	0	29431.28	544.0860215	15949.50126	30000	0	0	30000	41.0625	2004
12.02.2020 16:26:23	1	1	1	1	65.5	61	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	40.875	2004
12.02.2020 16:26:24	1	1	1	1	65.5	60.75	0	29526.066	546.2365591	16090.5607	30000	0	0	30000	40.9375	2004
12.02.2020 16:26:26	1	1	1	1	65.5	60.75	0	29383.886	541.9354839	15771.75006	30000	0	0	30000	40.75	2004
12.02.2020 16:26:27	1	1	1	1	65.5	60.75	0	29526.066	544.0860215	16026.96165	30000	0	0	30000	41.25	2004
12.02.2020 16:26:28	1	1	1	1	65.5	61.25	0	29573.46	535.483871	16115.83725	30000	0	0	30000	41.1875	2004
12.02.2020 16:26:29	1	1	1	1	65.5	61	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	40.1875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 16:26:30	1	1	1	1	65.5	60	0	29478.673	541.9354839	16000.86973	30000	0	0	30000	41.1875	2004
12.02.2020 16:26:31	1	1	1	1	65.75	61	0	29431.28	541.9354839	15987.0084	30000	0	0	30000	41.0625	2004
12.02.2020 16:26:32	1	1	1	1	65.75	61	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	41.125	2004
12.02.2020 16:26:40	1	1	1	1	65.75	60.75	0	29573.46	541.9354839	16026.96165	30000	0	0	30000	40.5625	2004
12.02.2020 16:26:40	1	1	1	1	65.75	60.75	0	29573.46	541.9354839	16026.96165	30000	0	0	30000	40.5625	2004
12.02.2020 16:26:40	1	1	1	1	65.75	60.75	0	29573.46	541.9354839	16026.96165	30000	0	0	30000	40.5625	2004
12.02.2020 16:26:40	1	1	1	1	65.75	60.75	0	29573.46	541.9354839	16026.96165	30000	0	0	30000	40.5625	2004
12.02.2020 16:26:40	1	1	1	1	65.75	60.75	0	29573.46	541.9354839	16026.96165	30000	0	0	30000	40.5625	2004
12.02.2020 16:26:40	1	1	1	1	65.75	60.75	0	29573.46	541.9354839	16026.96165	30000	0	0	30000	40.5625	2004
12.02.2020 16:26:40	1	1	1	1	65.75	60.75	0	29573.46	541.9354839	16026.96165	30000	0	0	30000	40.5625	2004
12.02.2020 16:26:40	1	1	1	1	65.75	60.75	0	29573.46	541.9354839	16026.96165	30000	0	0	30000	40.5625	2004
12.02.2020 16:26:41	1	1	1	1	65	60.5	0	29478.673	541.9354839	15975.59318	30000	0	0	30000	40.75	2004
12.02.2020 16:26:42	1	1	1	1	65	60.75	0	29478.673	541.9354839	16038.37687	30000	0	0	30000	40.5625	2004
12.02.2020 16:26:43	1	1	1	1	65	60.5	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	41.0625	2004
12.02.2020 16:26:44	1	1	1	1	65	61	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	41.1875	2004
12.02.2020 16:26:45	1	1	1	1	65	61	0	29478.673	539.7849462	15937.27068	30000	0	0	30000	41.25	2004
12.02.2020 16:26:46	1	1	1	1	65	61.25	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	41.1875	2004
12.02.2020 16:26:47	1	1	1	1	65	61	0	29383.886	541.9354839	15987.0084	30000	0	0	30000	41.0625	2004
12.02.2020 16:26:48	1	1	1	1	65	61	0	29573.46	541.9354839	16026.96165	30000	0	0	30000	41.125	2004
12.02.2020 16:26:49	1	1	1	1	65	61	0	29383.886	541.9354839	16075.884	30000	0	0	30000	41.0625	2004
12.02.2020 16:26:53	1	1	1	1	65.25	60.75	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	41.0625	2004
12.02.2020 16:26:53	1	1	1	1	65.25	60.75	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	41.0625	2004
12.02.2020 16:26:53	1	1	1	1	65.25	60.75	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	41.0625	2004
12.02.2020 16:26:53	1	1	1	1	65.25	61	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	41	2004
12.02.2020 16:26:54	1	1	1	1	65.25	61	0	29526.066	541.9354839	15937.27068	30000	0	0	30000	41.125	2004
12.02.2020 16:26:55	1	1	1	1	65.25	61	0	29431.28	541.9354839	15860.62566	30000	0	0	30000	40.875	2004
12.02.2020 16:26:56	1	1	1	1	65.25	60.75	0	29478.673	541.9354839	15937.27068	30000	0	0	30000	40.75	2004
12.02.2020 16:26:57	1	1	1	1	65.25	60.75	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	40.9375	2004
12.02.2020 16:26:58	1	1	1	1	65.25	60.75	0	29478.673	535.483871	16000.86973	30000	0	0	30000	41.125	2004
12.02.2020 16:26:59	1	1	1	1	65.25	61	0	29526.066	541.9354839	15911.99413	30000	0	0	30000	41.375	2004
12.02.2020 16:27:00	1	1	1	1	65.25	61.25	0	29431.28	541.9354839	15987.0084	30000	0	0	30000	41.3125	2004
12.02.2020 16:27:01	1	1	1	1	65	61.25	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	41.125	2004
12.02.2020 16:27:02	1	1	1	1	65	61	0	29336.493	541.9354839	15898.1328	30000	0	0	30000	40.875	2004
12.02.2020 16:27:03	1	1	1	1	65	60.75	0	29431.28	541.9354839	16013.10032	30000	0	0	30000	41	2004
12.02.2020 16:27:04	1	1	1	1	65	61	0	29526.066	541.9354839	16000.86973	30000	0	0	30000	40.75	2004
12.02.2020 16:27:06	1	1	1	1	65	60.75	0	29146.919	535.483871	15732.61218	30000	0	0	30000	41	2004
12.02.2020 16:27:07	1	1	1	1	65	61	0	29715.64	546.2365591	16231.62015	30000	0	0	30000	41.1875	2004
12.02.2020 16:27:08	1	1	1	1	65	61	0	29431.28	541.9354839	16013.10032	30000	0	0	30000	41.1875	2004
12.02.2020 16:27:09	1	1	1	1	65	61	0	29431.28	541.9354839	16013.10032	30000	0	0	30000	40.8125	2004
12.02.2020 16:27:10	1	1	1	1	65	60.75	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	41.0625	2004
12.02.2020 16:27:11	1	1	1	1	65.5	61	0	29620.853	541.9354839	16026.96165	30000	0	0	30000	40.8125	2004
12.02.2020 16:27:12	1	1	1	1	65.5	60.75	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	41.0625	2004
12.02.2020 16:27:13	1	1	1	1	65.5	61	0	29383.886	541.9354839	16013.10032	30000	0	0	30000	41	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 16:27:58	1	1	1	1	64.5	61	0	29526.066	546.2365591	16128.06784	30000	0	0	30000	40.75	2004
12.02.2020 16:27:59	1	1	1	1	64.5	60.75	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	40.75	2004
12.02.2020 16:28:00	1	1	1	1	64.5	60.75	0	29431.28	544.0860215	15885.90221	30000	0	0	30000	41.0625	2004
12.02.2020 16:28:01	1	1	1	1	64.75	61	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	40.875	2004
12.02.2020 16:28:02	1	1	1	1	64.75	60.75	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	40.9375	2004
12.02.2020 16:28:03	1	1	1	1	64.75	60.75	0	29526.066	541.9354839	16064.46878	30000	0	0	30000	41.1875	2004
12.02.2020 16:28:04	1	1	1	1	64.75	61	0	29526.066	544.0860215	16038.37687	30000	0	0	30000	40.6875	2004
12.02.2020 16:28:05	1	1	1	1	64.75	60.5	0	29383.886	541.9354839	15987.0084	30000	0	0	30000	40.875	2004
12.02.2020 16:28:06	1	1	1	1	64.75	60.75	0	29478.673	541.9354839	15975.59318	30000	0	0	30000	41.1875	2004
12.02.2020 16:28:07	1	1	1	1	64.75	61	0	29526.066	544.0860215	15949.50126	30000	0	0	30000	41.0625	2004
12.02.2020 16:28:08	1	1	1	1	64.75	61	0	29336.493	541.9354839	15935.63993	30000	0	0	30000	40.375	2004
12.02.2020 16:28:09	1	1	1	1	64.75	60.25	0	29478.673	544.0860215	16013.10032	30000	0	0	30000	40.875	2004
12.02.2020 16:28:10	1	1	1	1	64.75	60.75	0	29336.493	544.0860215	16176.99019	30000	0	0	30000	40.625	2004
12.02.2020 16:28:11	1	1	1	1	64.5	60.5	0	29241.706	541.9354839	15909.54801	30000	0	0	30000	40.875	2004
12.02.2020 16:28:12	1	1	1	1	64.5	60.75	0	29052.133	550.5376344	16020.43867	30000	0	0	30000	41.125	2004
12.02.2020 16:28:13	1	1	1	1	64.5	61	0	29336.493	537.6344086	16329.46484	30000	0	0	30000	41.1875	2004
12.02.2020 16:28:14	1	1	1	1	64.5	61	0	29336.493	541.9354839	15898.1328	30000	0	0	30000	41	2004
12.02.2020 16:28:15	1	1	1	1	64.5	61	0	29241.706	544.0860215	15846.76433	30000	0	0	30000	40.9375	2004
12.02.2020 16:28:16	1	1	1	1	64.5	60.75	0	29383.886	544.0860215	16013.10032	30000	0	0	30000	41.1875	2004
12.02.2020 16:28:17	1	1	1	1	64.5	61	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	41	2004
12.02.2020 16:28:18	1	1	1	1	64.5	61	0	29431.28	541.9354839	16013.10032	30000	0	0	30000	41.0625	2004
12.02.2020 16:28:19	1	1	1	1	64.5	61	0	29526.066	546.2365591	16000.86973	30000	0	0	30000	41.0625	2004
12.02.2020 16:28:20	1	1	1	1	64.5	61	0	29526.066	544.0860215	16000.86973	30000	0	0	30000	41.0625	2004
12.02.2020 16:28:21	1	1	1	1	64.75	61	0	29383.886	544.0860215	15898.1328	30000	0	0	30000	41	2004
12.02.2020 16:28:23	1	1	1	1	64.75	61	0	29383.886	541.9354839	15987.0084	30000	0	0	30000	40.875	2004
12.02.2020 16:28:24	1	1	1	1	64.75	60.75	0	29383.886	544.0860215	16013.10032	30000	0	0	30000	40.9375	2004
12.02.2020 16:28:25	1	1	1	1	64.75	60.75	0	29526.066	546.2365591	16064.46878	30000	0	0	30000	41.1875	2004
12.02.2020 16:28:26	1	1	1	1	64.75	61	0	29289.1	541.9354839	15872.85625	30000	0	0	30000	41.125	2004
12.02.2020 16:28:27	1	1	1	1	64.75	61	0	29478.673	544.0860215	16013.10032	30000	0	0	30000	40.9375	2004
12.02.2020 16:28:28	1	1	1	1	64.75	60.75	0	29478.673	550.5376344	15759.51947	30000	0	0	30000	40.875	2004
12.02.2020 16:28:29	1	1	1	1	64.75	60.75	0	29383.886	541.9354839	16203.08211	30000	0	0	30000	41.1875	2004
12.02.2020 16:28:30	1	1	1	1	64.75	61	0	29478.673	544.0860215	16038.37687	30000	0	0	30000	41.1875	2004
12.02.2020 16:28:31	1	1	1	1	64.5	61	0	28957.346	548.3870968	15942.16291	30000	0	0	30000	41.1875	2004
12.02.2020 16:28:32	1	1	1	1	64.5	61	0	29620.853	541.9354839	16115.83725	30000	0	0	30000	41.0625	2004
12.02.2020 16:28:33	1	1	1	1	64.5	61	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	41.1875	2004
12.02.2020 16:28:34	1	1	1	1	64.5	61	0	29478.673	544.0860215	16165.57497	30000	0	0	30000	40.625	2004
12.02.2020 16:28:35	1	1	1	1	64.5	60.5	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	41.125	2004
12.02.2020 16:28:43	1	1	1	1	64.25	61	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	41	2004
12.02.2020 16:28:43	1	1	1	1	64.25	61	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	41	2004
12.02.2020 16:28:43	1	1	1	1	64.25	61	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	41	2004
12.02.2020 16:28:43	1	1	1	1	64.25	61	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	41	2004
12.02.2020 16:28:43	1	1	1	1	64.25	61	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	41	2004
12.02.2020 16:28:43	1	1	1	1	64.25	61	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	41	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 16:28:43	1	1	1	1	64.25	61	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	41	2004
12.02.2020 16:28:43	1	1	1	1	64.25	61	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	41	2004
12.02.2020 16:28:44	1	1	1	1	64.25	61	0	29383.886	546.2365591	15960.91648	30000	0	0	30000	41.125	2004
12.02.2020 16:28:45	1	1	1	1	64.25	61	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	41.0625	2004
12.02.2020 16:28:46	1	1	1	1	64.25	61	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	40.875	2004
12.02.2020 16:28:47	1	1	1	1	64.25	60.75	0	29478.673	544.0860215	16064.46878	30000	0	0	30000	41.3125	2004
12.02.2020 16:28:48	1	1	1	1	64.25	61.25	0	29383.886	544.0860215	15987.0084	30000	0	0	30000	41.25	2004
12.02.2020 16:28:49	1	1	1	1	64.25	61.25	0	29146.919	544.0860215	15858.17955	30000	0	0	30000	41.1875	2004
12.02.2020 16:28:50	1	1	1	1	64.25	61	0	29241.706	546.2365591	15998.42361	30000	0	0	30000	41.25	2004
12.02.2020 16:28:51	1	1	1	1	64.5	61.25	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	41.0625	2004
12.02.2020 16:28:52	1	1	1	1	64.5	61	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	41.1875	2004
12.02.2020 16:28:53	1	1	1	1	64.5	61	0	29526.066	544.0860215	16128.06784	30000	0	0	30000	41.125	2004
12.02.2020 16:28:54	1	1	1	1	64.5	61	0	29478.673	546.2365591	16013.10032	30000	0	0	30000	40.8125	2004
12.02.2020 16:28:55	1	1	1	1	64.5	60.75	0	29383.886	541.9354839	16013.10032	30000	0	0	30000	41.1875	2004
12.02.2020 16:28:56	1	1	1	1	64.5	61	0	29241.706	544.0860215	15858.17955	30000	0	0	30000	41.125	2004
12.02.2020 16:28:57	1	1	1	1	64.5	61	0	29336.493	550.5376344	15898.1328	30000	0	0	30000	41	2004
12.02.2020 16:28:58	1	1	1	1	64.5	61	0	29478.673	544.0860215	16064.46878	30000	0	0	30000	41.0625	2004
12.02.2020 16:28:59	1	1	1	1	64.5	61	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	40.75	2004
12.02.2020 16:29:00	1	1	1	1	64.25	60.75	0	29431.28	546.2365591	16075.884	30000	0	0	30000	41.0625	2004
12.02.2020 16:29:02	1	1	1	1	64.25	61	0	29526.066	544.0860215	16191.66689	30000	0	0	30000	40.6875	2004
12.02.2020 16:29:03	1	1	1	1	64.25	60.5	0	29383.886	541.9354839	15949.50126	30000	0	0	30000	40.75	2004
12.02.2020 16:29:04	1	1	1	1	64.25	60.75	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	40.8125	2004
12.02.2020 16:29:05	1	1	1	1	64.25	60.75	0	29241.706	544.0860215	15998.42361	30000	0	0	30000	40.6875	2004
12.02.2020 16:29:06	1	1	1	1	64.25	60.5	0	29289.1	544.0860215	15935.63993	30000	0	0	30000	41.3125	2004
12.02.2020 16:29:07	1	1	1	1	64.25	61.25	0	29478.673	546.2365591	16165.57497	30000	0	0	30000	40.8125	2004
12.02.2020 16:29:08	1	1	1	1	64.25	60.75	0	29146.919	544.0860215	15858.17955	30000	0	0	30000	41.125	2004
12.02.2020 16:29:09	1	1	1	1	64.25	61	0	29336.493	546.2365591	16150.89827	30000	0	0	30000	40.9375	2004
12.02.2020 16:29:10	1	1	1	1	64.25	60.75	0	29336.493	546.2365591	15960.91648	30000	0	0	30000	41.1875	2004
12.02.2020 16:29:11	1	1	1	1	63.5	61	0	29383.886	544.0860215	16013.10032	30000	0	0	30000	41	2004
12.02.2020 16:29:12	1	1	1	1	63.5	61	0	29336.493	550.5376344	16087.29921	30000	0	0	30000	41.125	2004
12.02.2020 16:29:13	1	1	1	1	63.5	61	0	29241.706	546.2365591	15858.17955	30000	0	0	30000	41.0625	2004
12.02.2020 16:29:14	1	1	1	1	63.5	61	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	41.1875	2004
12.02.2020 16:29:15	1	1	1	1	63.5	61	0	29431.28	546.2365591	15949.50126	30000	0	0	30000	40.5625	2004
12.02.2020 16:29:16	1	1	1	1	63.5	60.5	0	29431.28	550.5376344	16139.48305	30000	0	0	30000	41.0625	2004
12.02.2020 16:29:17	1	1	1	1	63.5	61	0	29241.706	550.5376344	15972.33169	30000	0	0	30000	41	2004
12.02.2020 16:29:18	1	1	1	1	63.5	61	0	29478.673	546.2365591	16101.97592	30000	0	0	30000	40.875	2004
12.02.2020 16:29:19	1	1	1	1	63.5	60.75	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	41.125	2004
12.02.2020 16:29:20	1	1	1	1	63.5	61	0	29431.28	544.0860215	16101.97592	30000	0	0	30000	41.3125	2004
12.02.2020 16:29:21	1	1	1	1	64	61.25	0	29146.919	546.2365591	15846.76433	30000	0	0	30000	41.25	2004
12.02.2020 16:29:22	1	1	1	1	64	61.25	0	29146.919	546.2365591	15920.96323	30000	0	0	30000	41.125	2004
12.02.2020 16:29:23	1	1	1	1	64	61	0	29478.673	544.0860215	15949.50126	30000	0	0	30000	40.6875	2004
12.02.2020 16:29:24	1	1	1	1	64	60.5	0	29241.706	541.9354839	15909.54801	30000	0	0	30000	41.125	2004
12.02.2020 16:29:25	1	1	1	1	64	61	0	29431.28	550.5376344	16013.10032	30000	0	0	30000	40.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 16:29:26	1	1	1	1	64	60.75	0	29336.493	544.0860215	16024.51553	30000	0	0	30000	41.3125	2004
12.02.2020 16:29:27	1	1	1	1	64	61.25	0	29383.886	544.0860215	15835.34912	30000	0	0	30000	41.25	2004
12.02.2020 16:29:28	1	1	1	1	64	61.25	0	29289.1	546.2365591	15998.42361	30000	0	0	30000	41.125	2004
12.02.2020 16:29:29	1	1	1	1	64	61	0	29289.1	544.0860215	15960.91648	30000	0	0	30000	40.875	2004
12.02.2020 16:29:30	1	1	1	1	64	60.75	0	29478.673	546.2365591	16191.66689	30000	0	0	30000	41.125	2004
12.02.2020 16:29:31	1	1	1	1	64	61	0	29478.673	546.2365591	16191.66689	30000	0	0	30000	41.25	2004
12.02.2020 16:29:32	1	1	1	1	64	61.25	0	29431.28	546.2365591	16075.884	30000	0	0	30000	41.1875	2004
12.02.2020 16:29:33	1	1	1	1	64	61	0	29289.1	544.0860215	15960.91648	30000	0	0	30000	40.875	2004
12.02.2020 16:29:34	1	1	1	1	64	60.75	0	29526.066	544.0860215	16064.46878	30000	0	0	30000	40.8125	2004
12.02.2020 16:29:35	1	1	1	1	64	60.75	0	29383.886	544.0860215	16013.10032	30000	0	0	30000	41.0625	2004
12.02.2020 16:29:36	1	1	1	1	64	61.25	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	40.5	2004
12.02.2020 16:29:45	1	1	1	1	64	60.5	0	29241.706	544.0860215	15935.63993	30000	0	0	30000	41.1875	2004
12.02.2020 16:29:45	1	1	1	1	64	60.5	0	29241.706	544.0860215	15935.63993	30000	0	0	30000	41.1875	2004
12.02.2020 16:29:45	1	1	1	1	64	60.5	0	29241.706	544.0860215	15935.63993	30000	0	0	30000	41.1875	2004
12.02.2020 16:29:45	1	1	1	1	64	60.5	0	29241.706	544.0860215	15935.63993	30000	0	0	30000	41.1875	2004
12.02.2020 16:29:45	1	1	1	1	64	60.5	0	29241.706	544.0860215	15935.63993	30000	0	0	30000	41.1875	2004
12.02.2020 16:29:45	1	1	1	1	64	60.5	0	29241.706	544.0860215	15935.63993	30000	0	0	30000	41.1875	2004
12.02.2020 16:29:45	1	1	1	1	64	60.5	0	29241.706	544.0860215	15935.63993	30000	0	0	30000	41.1875	2004
12.02.2020 16:29:45	1	1	1	1	64	60.5	0	29241.706	544.0860215	15935.63993	30000	0	0	30000	41.1875	2004
12.02.2020 16:29:46	1	1	1	1	64	61	0	29383.886	544.0860215	16013.10032	30000	0	0	30000	40.9375	2004
12.02.2020 16:29:47	1	1	1	1	64	60.75	0	29336.493	544.0860215	15987.0084	30000	0	0	30000	41.3125	2004
12.02.2020 16:29:48	1	1	1	1	64	61.25	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	40.9375	2004
12.02.2020 16:29:49	1	1	1	1	64	60.75	0	29431.28	546.2365591	16013.10032	30000	0	0	30000	41.25	2004
12.02.2020 16:29:50	1	1	1	1	64	61.25	0	29431.28	544.0860215	15960.91648	30000	0	0	30000	41.0625	2004
12.02.2020 16:29:51	1	1	1	1	63.75	61	0	29478.673	544.0860215	16038.37687	30000	0	0	30000	40.6875	2004
12.02.2020 16:29:52	1	1	1	1	63.75	60.5	0	29241.706	544.0860215	15909.54801	30000	0	0	30000	40.6875	2004
12.02.2020 16:29:53	1	1	1	1	63.75	60.5	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	40.6875	2004
12.02.2020 16:29:54	1	1	1	1	63.75	60.5	0	29336.493	546.2365591	16024.51553	30000	0	0	30000	40.875	2004
12.02.2020 16:29:55	1	1	1	1	63.75	60.75	0	29478.673	548.3870968	16075.884	30000	0	0	30000	41.0625	2004
12.02.2020 16:29:56	1	1	1	1	63.75	61	0	29383.886	546.2365591	16050.60745	30000	0	0	30000	40.4375	2004
12.02.2020 16:29:57	1	1	1	1	63.75	60.25	0	29383.886	544.0860215	16013.10032	30000	0	0	30000	40.9375	2004
12.02.2020 16:29:58	1	1	1	1	63.75	60.75	0	29478.673	544.0860215	15949.50126	30000	0	0	30000	41.1875	2004
12.02.2020 16:29:59	1	1	1	1	63.75	61	0	29526.066	544.0860215	16090.5607	30000	0	0	30000	40.625	2004
12.02.2020 16:30:00	1	1	1	1	63.75	60.5	0	29336.493	541.9354839	15960.91648	30000	0	0	30000	41.1875	2004
12.02.2020 16:30:01	1	1	1	1	63.75	61	0	29241.706	541.9354839	15846.76433	30000	0	0	30000	41.0625	2004
12.02.2020 16:30:02	1	1	1	1	63.75	61	0	29431.28	544.0860215	16038.37687	30000	0	0	30000	40.6875	2004
12.02.2020 16:30:03	1	1	1	1	63.75	60.5	0	29526.066	544.0860215	16000.86973	30000	0	0	30000	41.125	2004
12.02.2020 16:30:04	1	1	1	1	63.75	61	0	29478.673	546.2365591	16038.37687	30000	0	0	30000	40.75	2004
12.02.2020 16:30:05	1	1	1	1	63.75	60.75	0	29336.493	546.2365591	15960.91648	30000	0	0	30000	41.0625	2004
12.02.2020 16:30:06	1	1	1	1	63.75	61	0	29241.706	541.9354839	15795.39586	30000	0	0	30000	40.8125	2004
12.02.2020 16:30:07	1	1	1	1	63.75	60.75	0	29431.28	544.0860215	16013.10032	30000	0	0	30000	41.0625	2004
12.02.2020 16:30:08	1	1	1	1	63.75	61	0	29146.919	544.0860215	16124.80635	30000	0	0	30000	41.1875	2004
12.02.2020 16:30:09	1	1	1	1	63.75	61	0	29289.1	546.2365591	15960.91648	30000	0	0	30000	40.75	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 16:30:10	1	1	1	1	63.75	60.75	0	29573.46	546.2365591	16281.35787	30000	0	0	30000	41.125	2004
12.02.2020 16:30:11	1	1	1	1	63.75	61	0	29383.886	546.2365591	15835.34912	30000	0	0	30000	40.8125	2004
12.02.2020 16:30:12	1	1	1	1	63.75	60.75	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	41.25	2004
12.02.2020 16:30:13	1	1	1	1	63.75	61.25	0	29241.706	550.5376344	15858.17955	30000	0	0	30000	41	2004
12.02.2020 16:30:14	1	1	1	1	63.75	61	0	29431.28	541.9354839	15949.50126	30000	0	0	30000	40.5	2004
12.02.2020 16:30:15	1	1	1	1	63.75	60.5	0	29336.493	544.0860215	15960.91648	30000	0	0	30000	40.8125	2004
12.02.2020 16:30:16	1	1	1	1	63.75	60.75	0	29431.28	546.2365591	16075.884	30000	0	0	30000	41.4375	2004
12.02.2020 16:30:18	1	1	1	1	63.75	60.5	0	29383.886	546.2365591	16113.39113	30000	0	0	30000	41	2004
12.02.2020 16:30:19	1	1	1	1	63.75	61	0	29431.28	535.483871	15885.90221	30000	0	0	30000	41.0625	2004
12.02.2020 16:30:20	1	1	1	1	63.75	61	0	30000	466.6666667	13999.94564	30000	0	0	30000	40.875	2004
12.02.2020 16:30:21	1	1	1	1	63.75	60.75	0	30000	507.5268817	15289.86492	30000	0	0	30000	41.1875	2004
12.02.2020 16:30:22	1	1	1	1	63.75	61	0	30000	400	12064.25135	30000	0	0	30000	40.625	2004
12.02.2020 16:30:23	1	1	1	1	63.75	60.5	0	30000	400	12064.25135	30000	0	0	30000	41.3125	2004
12.02.2020 16:30:24	1	1	1	1	63.75	61.25	0	30000	434.4086022	13096.51292	30000	0	0	30000	40.875	2004
12.02.2020 16:30:25	1	1	1	1	63.75	60.75	0	30000	451.6129032	13483.81486	30000	0	0	30000	40.8125	2004
12.02.2020 16:30:26	1	1	1	1	63.75	60.75	0	30000	488.172043	14580.49085	30000	0	0	30000	40.75	2004
12.02.2020 16:30:27	1	1	1	1	63.75	60.75	0	30047.393	501.0752688	14902.56299	30000	0	0	30000	41.0625	2004
12.02.2020 16:30:28	1	1	1	1	63.75	61	0	30000	389.2473118	11676.94942	30000	0	0	30000	40.8125	2004
12.02.2020 16:30:29	1	1	1	1	63.75	60.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	41.0625	2004
12.02.2020 16:30:30	1	1	1	1	63.75	61	0	30047.393	438.7096774	13096.51292	30000	0	0	30000	41	2004
12.02.2020 16:30:31	1	1	1	1	66.25	61	0	29952.607	395.6989247	11871.00807	30000	0	0	30000	40.75	2004
12.02.2020 16:30:32	1	1	1	1	66.25	60.75	0	30000	369.8924731	11096.40421	30000	0	0	30000	41.125	2004
12.02.2020 16:30:33	1	1	1	1	66.25	61	0	29952.607	378.4946237	11354.87729	30000	0	0	30000	41	2004
12.02.2020 16:30:34	1	1	1	1	66.25	61	0	30000	363.4408602	10967.57535	30000	0	0	30000	40.875	2004
12.02.2020 16:30:35	1	1	1	1	66.25	60.75	0	29952.607	378.4946237	11419.29171	30000	0	0	30000	40.8125	2004
12.02.2020 16:30:36	1	1	1	1	66.25	60.75	0	30000	384.9462366	11548.12057	30000	0	0	30000	41.125	2004
12.02.2020 16:30:37	1	1	1	1	66.25	61	0	30000	378.4946237	11096.40421	30000	0	0	30000	41.125	2004
12.02.2020 16:30:38	1	1	1	1	66.25	61	0	30000	378.4946237	11354.87729	30000	0	0	30000	40.9375	2004
12.02.2020 16:30:46	1	1	1	1	67.75	61	0	29905.213	419.3548387	12540.42889	30000	0	0	30000	40.9375	2004
12.02.2020 16:30:46	1	1	1	1	67.75	61	0	29905.213	419.3548387	12540.42889	30000	0	0	30000	40.9375	2004
12.02.2020 16:30:46	1	1	1	1	67.75	61	0	29905.213	419.3548387	12540.42889	30000	0	0	30000	40.9375	2004
12.02.2020 16:30:46	1	1	1	1	67.75	61	0	29905.213	419.3548387	12540.42889	30000	0	0	30000	40.9375	2004
12.02.2020 16:30:46	1	1	1	1	67.75	61	0	29905.213	419.3548387	12540.42889	30000	0	0	30000	40.9375	2004
12.02.2020 16:30:46	1	1	1	1	67.75	61	0	29905.213	419.3548387	12540.42889	30000	0	0	30000	40.9375	2004
12.02.2020 16:30:46	1	1	1	1	67.75	61	0	29905.213	419.3548387	12540.42889	30000	0	0	30000	40.9375	2004
12.02.2020 16:30:46	1	1	1	1	67.75	61	0	29905.213	419.3548387	12540.42889	30000	0	0	30000	40.9375	2004
12.02.2020 16:30:47	1	1	1	1	67.75	60.75	0	29952.607	395.6989247	11871.00807	30000	0	0	30000	40.8125	2004
12.02.2020 16:30:48	1	1	1	1	67.75	60.75	0	30047.393	378.4946237	11419.29171	30000	0	0	30000	41.1875	2004
12.02.2020 16:30:49	1	1	1	1	67.75	61	0	29905.213	389.2473118	11382.59995	30000	0	0	30000	41.1875	2004
12.02.2020 16:30:50	1	1	1	1	67.75	61	0	29952.607	363.4408602	10903.16093	30000	0	0	30000	41.0625	2004
12.02.2020 16:30:51	1	1	1	1	68.75	61	0	30000	378.4946237	11354.87729	30000	0	0	30000	41.625	2004
12.02.2020 16:30:52	1	1	1	1	68.75	61.5	0	30000	359.1397849	10773.5167	30000	0	0	30000	41.125	2004
12.02.2020 16:30:53	1	1	1	1	68.75	61	0	30000	335.483871	10064.14264	30000	0	0	30000	41.1875	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 16:30:55	1	1	1	1	68.75	61	0	30000	341.9354839	10192.97149	30000	0	0	30000	41.125	2004
12.02.2020 16:30:56	1	1	1	1	68.75	61	0	30000	341.9354839	10257.38592	30000	0	0	30000	40.9375	2004
12.02.2020 16:30:57	1	1	1	1	68.75	60.75	0	29952.607	356.9892473	10773.5167	30000	0	0	30000	41	2004
12.02.2020 16:30:58	1	1	1	1	68.75	61	0	30000	367.7419355	11031.98978	30000	0	0	30000	40.375	2004
12.02.2020 16:30:59	1	1	1	1	68.75	60.25	0	30000	380.6451613	11419.29171	30000	0	0	30000	40.75	2004
12.02.2020 16:31:00	1	1	1	1	68.75	60.75	0	30000	400	12064.25135	30000	0	0	30000	41.125	2004
12.02.2020 16:31:01	1	1	1	1	69.25	61	0	30000	384.9462366	11676.94942	30000	0	0	30000	41	2004
12.02.2020 16:31:02	1	1	1	1	69.25	61	0	30000	395.6989247	11871.00807	30000	0	0	30000	41.1875	2004
12.02.2020 16:31:03	1	1	1	1	69.25	61	0	30000	417.2043011	12451.55328	30000	0	0	30000	40.8125	2004
12.02.2020 16:31:04	1	1	1	1	69.25	60.75	0	30000	356.9892473	10773.5167	30000	0	0	30000	41.125	2004
12.02.2020 16:31:05	1	1	1	1	69.25	61	0	30000	397.8494624	11999.83693	30000	0	0	30000	41.0625	2004
12.02.2020 16:31:06	1	1	1	1	69.25	61	0	30047.393	438.7096774	13182.12704	30000	0	0	30000	41.1875	2004
12.02.2020 16:31:07	1	1	1	1	69.25	61	0	29952.607	449.4623656	13612.64371	30000	0	0	30000	40.6875	2004
12.02.2020 16:31:08	1	1	1	1	69.25	60.5	0	29336.493	544.0860215	15987.0084	30000	0	0	30000	41.1875	2004
12.02.2020 16:31:09	1	1	1	1	69.25	61	0	29289.1	544.0860215	15960.91648	30000	0	0	30000	40.25	2004
12.02.2020 16:31:10	1	1	1	1	69.25	60.25	0	29526.066	541.9354839	16154.15976	30000	0	0	30000	41.125	2004
12.02.2020 16:31:11	1	1	1	1	70.25	61	0	29715.64	537.6344086	16040.00761	30000	0	0	30000	41.3125	2004
12.02.2020 16:31:12	1	1	1	1	70.25	61.25	0	29431.28	539.7849462	16013.10032	30000	0	0	30000	41	2004
12.02.2020 16:31:13	1	1	1	1	70.25	61	0	29857.82	537.6344086	16116.65262	30000	0	0	30000	41.25	2004
12.02.2020 16:31:14	1	1	1	1	70.25	61.25	0	29810.427	535.483871	15962.54722	30000	0	0	30000	41.125	2004
12.02.2020 16:31:15	1	1	1	1	70.25	61	0	29146.919	546.2365591	15858.17955	30000	0	0	30000	40.75	2004
12.02.2020 16:31:16	1	1	1	1	70.25	60.75	0	29905.213	526.8817204	15934.82456	30000	0	0	30000	40.9375	2004
12.02.2020 16:31:17	1	1	1	1	70.25	60.75	0	29952.607	537.6344086	16039.19224	30000	0	0	30000	40.75	2004
12.02.2020 16:31:18	1	1	1	1	70.25	60.75	0	30000	481.7204301	14451.662	30000	0	0	30000	41.0625	2004
12.02.2020 16:31:19	1	1	1	1	70.25	61	0	30000	443.0107527	13354.17063	30000	0	0	30000	40.6875	2004
12.02.2020 16:31:20	1	1	1	1	70.25	60.5	0	29952.607	460.2150538	13698.25782	30000	0	0	30000	40.4375	2004
12.02.2020 16:31:21	1	1	1	1	72.75	60.25	0	29715.64	537.6344086	15911.99413	30000	0	0	30000	41	2004
12.02.2020 16:31:22	1	1	1	1	72.75	61	0	27819.905	574.1935484	15973.96244	30000	0	0	30000	41.3125	2004
12.02.2020 16:31:23	1	1	1	1	72.75	61.25	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	41.125	2004
12.02.2020 16:31:24	1	1	1	1	72.75	61	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	41.3125	2004
12.02.2020 16:31:25	1	1	1	1	72.75	61.25	0	27867.299	572.0430108	15941.34754	30000	0	0	30000	41.1875	2004
12.02.2020 16:31:26	1	1	1	1	72.75	61	0	26587.678	572.0430108	15323.29519	30000	0	0	30000	41.125	2004
12.02.2020 16:31:27	1	1	1	1	72.75	61	0	28009.479	567.7419355	15721.19697	30000	0	0	30000	41.1875	2004
12.02.2020 16:31:28	1	1	1	1	72.75	61	0	27109.005	591.3978495	16203.08211	30000	0	0	30000	41.0625	2004
12.02.2020 16:31:29	1	1	1	1	72.75	61	0	28009.479	572.0430108	16252.00446	30000	0	0	30000	41.0625	2004
12.02.2020 16:31:30	1	1	1	1	72.75	61	0	27867.299	572.0430108	15941.34754	30000	0	0	30000	41.0625	2004
12.02.2020 16:31:31	1	1	1	1	75.75	61	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	41.375	2004
12.02.2020 16:31:33	1	1	1	1	75.75	60.5	0	27440.758	576.344086	15933.19381	30000	0	0	30000	41.3125	2004
12.02.2020 16:31:34	1	1	1	1	75.75	61.25	0	27345.972	576.344086	16051.42282	30000	0	0	30000	41.125	2004
12.02.2020 16:31:35	1	1	1	1	75.75	61	0	27393.365	584.9462366	15995.9775	30000	0	0	30000	41.0625	2004
12.02.2020 16:31:36	1	1	1	1	75.75	61	0	27298.578	595.6989247	16144.37529	30000	0	0	30000	41.0625	2004
12.02.2020 16:31:37	1	1	1	1	75.75	61	0	26777.251	595.6989247	16008.20808	30000	0	0	30000	41.0625	2004
12.02.2020 16:31:38	1	1	1	1	75.75	61	0	26919.431	593.5483871	16035.93075	30000	0	0	30000	41.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 16:31:39	1	1	1	1	75.75	61.25	0	27298.578	580.6451613	15850.84119	30000	0	0	30000	40.8125	2004
12.02.2020 16:31:40	1	1	1	1	75.75	60.75	0	26492.891	606.4516129	16095.45294	30000	0	0	30000	40.9375	2004
12.02.2020 16:31:48	1	1	1	1	78.75	60.75	0	26018.957	617.2043011	16029.40777	30000	0	0	30000	40.9375	2004
12.02.2020 16:31:48	1	1	1	1	78.75	60.75	0	26018.957	617.2043011	16029.40777	30000	0	0	30000	40.9375	2004
12.02.2020 16:31:48	1	1	1	1	78.75	60.75	0	26018.957	617.2043011	16029.40777	30000	0	0	30000	40.9375	2004
12.02.2020 16:31:48	1	1	1	1	78.75	60.75	0	26018.957	617.2043011	16029.40777	30000	0	0	30000	40.9375	2004
12.02.2020 16:31:48	1	1	1	1	78.75	60.75	0	26018.957	617.2043011	16029.40777	30000	0	0	30000	40.9375	2004
12.02.2020 16:31:48	1	1	1	1	78.75	60.75	0	26018.957	617.2043011	16029.40777	30000	0	0	30000	40.9375	2004
12.02.2020 16:31:48	1	1	1	1	78.75	60.75	0	26018.957	617.2043011	16029.40777	30000	0	0	30000	40.9375	2004
12.02.2020 16:31:48	1	1	1	1	78.75	60.75	0	26018.957	617.2043011	16029.40777	30000	0	0	30000	40.9375	2004
12.02.2020 16:31:49	1	1	1	1	78.75	60.75	0	26018.957	615.0537634	16088.11459	30000	0	0	30000	41	2004
12.02.2020 16:31:50	1	1	1	1	78.75	61	0	25924.171	615.0537634	15888.34833	30000	0	0	30000	41.375	2004
12.02.2020 16:31:51	1	1	1	1	80.25	61.25	0	25450.237	621.5053763	15817.41092	30000	0	0	30000	41.125	2004
12.02.2020 16:31:52	1	1	1	1	80.25	61	0	25260.664	636.5591398	16133.77545	30000	0	0	30000	41.3125	2004
12.02.2020 16:31:53	1	1	1	1	80.25	61.25	0	25734.597	630.1075269	16044.89985	30000	0	0	30000	40.4375	2004
12.02.2020 16:31:54	1	1	1	1	80.25	60.25	0	25308.057	625.8064516	15867.14864	30000	0	0	30000	40.75	2004
12.02.2020 16:31:55	1	1	1	1	80.25	60.75	0	26824.645	602.1505376	16094.63757	30000	0	0	30000	41.25	2004
12.02.2020 16:31:56	1	1	1	1	80.25	61.25	0	25734.597	623.655914	16048.97671	30000	0	0	30000	40.25	2004
12.02.2020 16:31:57	1	1	1	1	80.25	60.25	0	25260.664	636.5591398	16133.77545	30000	0	0	30000	40.0625	2004
12.02.2020 16:31:58	1	1	1	1	80.25	60	0	25260.664	634.4086022	16133.77545	30000	0	0	30000	40.875	2004
12.02.2020 16:31:59	1	1	1	1	80.25	60.75	0	26113.744	617.2043011	16031.85389	30000	0	0	30000	41.125	2004
12.02.2020 16:32:00	1	1	1	1	80.25	61	0	25308.057	627.9569892	15946.23977	30000	0	0	30000	40.9375	2004
12.02.2020 16:32:01	1	1	1	1	83.25	60.75	0	25734.597	621.5053763	15883.45609	30000	0	0	30000	41.1875	2004
12.02.2020 16:32:02	1	1	1	1	83.25	61	0	24691.943	653.7634409	16173.7287	30000	0	0	30000	41.0625	2004
12.02.2020 16:32:03	1	1	1	1	83.25	61	0	25260.664	630.1075269	15916.88636	30000	0	0	30000	40.0625	2004
12.02.2020 16:32:04	1	1	1	1	83.25	60	0	25545.024	623.655914	15736.68904	30000	0	0	30000	41.4375	2004
12.02.2020 16:32:05	1	1	1	1	83.25	61.25	0	24597.156	653.7634409	15974.77781	30000	0	0	30000	40.875	2004
12.02.2020 16:32:06	1	1	1	1	83.25	60.75	0	24976.303	634.4086022	15845.13359	30000	0	0	30000	41.25	2004
12.02.2020 16:32:07	1	1	1	1	83.25	61.25	0	25355.45	634.4086022	15946.23977	30000	0	0	30000	41.25	2004
12.02.2020 16:32:08	1	1	1	1	83.25	61.25	0	25165.877	638.7096774	16073.43788	30000	0	0	30000	40.5625	2004
12.02.2020 16:32:09	1	1	1	1	83.25	60.5	0	25734.597	621.5053763	16163.94423	30000	0	0	30000	41.25	2004
12.02.2020 16:32:10	1	1	1	1	83.25	61.25	0	25165.877	632.2580645	15856.5488	30000	0	0	30000	41.3125	2004
12.02.2020 16:32:11	1	1	1	1	86.75	61.25	0	24928.91	645.1612903	16136.22156	30000	0	0	30000	41.25	2004
12.02.2020 16:32:13	1	1	1	1	86.75	61	0	25071.09	636.5591398	15904.65578	30000	0	0	30000	41.1875	2004
12.02.2020 16:32:14	1	1	1	1	86.75	61	0	24976.303	643.0107527	16059.57655	30000	0	0	30000	41.0625	2004
12.02.2020 16:32:15	1	1	1	1	86.75	61	0	24644.55	653.7634409	16080.77623	30000	0	0	30000	40.6875	2004
12.02.2020 16:32:16	1	1	1	1	86.75	60.5	0	25165.877	634.4086022	15964.99334	30000	0	0	30000	41.4375	2004
12.02.2020 16:32:17	1	1	1	1	86.75	61.25	0	25592.417	632.2580645	16015.54644	30000	0	0	30000	41	2004
12.02.2020 16:32:18	1	1	1	1	86.75	61	0	25308.057	632.2580645	16055.49969	30000	0	0	30000	41.25	2004
12.02.2020 16:32:19	1	1	1	1	86.75	61.25	0	25924.171	617.2043011	16000.05436	30000	0	0	30000	40.6875	2004
12.02.2020 16:32:20	1	1	1	1	86.75	60.5	0	19573.46	690.3225806	13511.53752	30000	0	0	30000	41	2004
12.02.2020 16:32:21	1	1	1	1	91.5	61	0	25450.237	627.9569892	15812.51869	30000	0	0	30000	41	2004
12.02.2020 16:32:22	1	1	1	1	91.5	61	0	24786.73	666.6666667	16524.33887	30000	0	0	30000	41.25	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 16:32:23	1	1	1	1	91.5	61.25	0	25308.057	636.5591398	15970.70095	30000	0	0	30000	41.1875	2004
12.02.2020 16:32:24	1	1	1	1	91.5	61	0	24976.303	636.5591398	15951.94738	30000	0	0	30000	41.1875	2004
12.02.2020 16:32:25	1	1	1	1	91.5	61	0	25165.877	634.4086022	15964.99334	30000	0	0	30000	41.0625	2004
12.02.2020 16:32:26	1	1	1	1	91.5	61	0	25165.877	640.8602151	16073.43788	30000	0	0	30000	41.125	2004
12.02.2020 16:32:27	1	1	1	1	91.5	61	0	25355.45	632.2580645	16031.03851	30000	0	0	30000	41.125	2004
12.02.2020 16:32:28	1	1	1	1	91.5	61	0	24549.763	653.7634409	16018.80793	30000	0	0	30000	41.125	2004
12.02.2020 16:32:29	1	1	1	1	91.5	61	0	25497.63	625.8064516	15926.67083	30000	0	0	30000	41.3125	2004
12.02.2020 16:32:30	1	1	1	1	91.5	61.25	0	26492.891	608.6021505	16152.52901	30000	0	0	30000	41.25	2004
12.02.2020 16:32:31	1	1	1	1	95.5	61.25	0	27582.938	584.9462366	16075.06863	30000	0	0	30000	41.25	2004
12.02.2020 16:32:32	1	1	1	1	95.5	61.25	0	27440.758	584.9462366	15873.67162	30000	0	0	30000	40.9375	2004
12.02.2020 16:32:33	1	1	1	1	95.5	60.75	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	41.125	2004
12.02.2020 16:32:34	1	1	1	1	95.5	61	0	28009.479	576.344086	16142.74454	30000	0	0	30000	41.1875	2004
12.02.2020 16:32:35	1	1	1	1	95.5	61	0	27867.299	572.0430108	15968.25483	30000	0	0	30000	41.0625	2004
12.02.2020 16:32:36	1	1	1	1	95.5	61	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	41	2004
12.02.2020 16:32:37	1	1	1	1	95.5	61	0	27440.758	578.4946237	15933.19381	30000	0	0	30000	41.0625	2004
12.02.2020 16:32:38	1	1	1	1	95.5	61	0	27867.299	576.344086	16093.00682	30000	0	0	30000	40.4375	2004
12.02.2020 16:32:39	1	1	1	1	95.5	60.25	0	27867.299	574.1935484	15973.96244	30000	0	0	30000	40.9375	2004
12.02.2020 16:32:40	1	1	1	1	95.5	60.75	0	26777.251	597.8494624	16008.20808	30000	0	0	30000	40.875	2004
12.02.2020 16:32:41	1	1	1	1	90.75	60.75	0	27345.972	587.0967742	16168.83646	30000	0	0	30000	41.0625	2004
12.02.2020 16:32:50	1	1	1	1	90.75	61	0	27914.692	574.1935484	15968.25483	30000	0	0	30000	41.125	2004
12.02.2020 16:32:50	1	1	1	1	90.75	61	0	27914.692	574.1935484	15968.25483	30000	0	0	30000	41.125	2004
12.02.2020 16:32:50	1	1	1	1	90.75	61	0	27914.692	574.1935484	15968.25483	30000	0	0	30000	41.125	2004
12.02.2020 16:32:50	1	1	1	1	90.75	61	0	27914.692	574.1935484	15968.25483	30000	0	0	30000	41.125	2004
12.02.2020 16:32:50	1	1	1	1	90.75	61	0	27914.692	574.1935484	15968.25483	30000	0	0	30000	41.125	2004
12.02.2020 16:32:50	1	1	1	1	90.75	61	0	27914.692	574.1935484	15968.25483	30000	0	0	30000	41.125	2004
12.02.2020 16:32:50	1	1	1	1	90.75	61	0	27914.692	574.1935484	15968.25483	30000	0	0	30000	41.125	2004
12.02.2020 16:32:50	1	1	1	1	90.75	61	0	27914.692	574.1935484	15968.25483	30000	0	0	30000	41.125	2004
12.02.2020 16:32:51	1	1	1	1	90.75	61	0	27630.332	576.344086	15924.22472	30000	0	0	30000	41.375	2004
12.02.2020 16:32:52	1	1	1	1	89.75	61	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.0625	2004
12.02.2020 16:32:53	1	1	1	1	89.75	61	0	28625.592	559.1397849	15794.58049	30000	0	0	30000	40.9375	2004
12.02.2020 16:32:54	1	1	1	1	89.75	60.75	0	27962.085	576.344086	15761.15022	30000	0	0	30000	40.9375	2004
12.02.2020 16:32:55	1	1	1	1	89.75	60.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	40.75	2004
12.02.2020 16:32:56	1	1	1	1	89.75	60.75	0	28625.592	552.688172	15759.51947	30000	0	0	30000	40.9375	2004
12.02.2020 16:32:57	1	1	1	1	89.75	60.75	0	28483.412	561.2903226	15987.0084	30000	0	0	30000	41.0625	2004
12.02.2020 16:32:58	1	1	1	1	89.75	61	0	27630.332	576.344086	16033.48463	30000	0	0	30000	40.8125	2004
12.02.2020 16:32:59	1	1	1	1	89.75	60.75	0	27914.692	572.0430108	15907.91727	30000	0	0	30000	40.9375	2004
12.02.2020 16:33:00	1	1	1	1	89.75	60.75	0	27914.692	567.7419355	15907.91727	30000	0	0	30000	41.125	2004
12.02.2020 16:33:01	1	1	1	1	90	61	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	41.25	2004
12.02.2020 16:33:02	1	1	1	1	90	61.25	0	28293.839	567.7419355	16070.17639	30000	0	0	30000	40.8125	2004
12.02.2020 16:33:03	1	1	1	1	90	60.75	0	27345.972	580.6451613	15819.04167	30000	0	0	30000	40.4375	2004
12.02.2020 16:33:04	1	1	1	1	90	60.25	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	41.1875	2004
12.02.2020 16:33:05	1	1	1	1	90	61	0	27914.692	572.0430108	16055.49969	30000	0	0	30000	40.9375	2004
12.02.2020 16:33:06	1	1	1	1	90	60.75	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	41	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 16:33:07	1	1	1	1	90	61	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	41.0625	2004
12.02.2020 16:33:08	1	1	1	1	90	61	0	27630.332	576.344086	15983.74691	30000	0	0	30000	41.25	2004
12.02.2020 16:33:09	1	1	1	1	90	61.25	0	27440.758	580.6451613	16110.12964	30000	0	0	30000	41	2004
12.02.2020 16:33:10	1	1	1	1	90	61	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.0625	2004
12.02.2020 16:33:11	1	1	1	1	89.75	61	0	27630.332	584.9462366	16102.79129	30000	0	0	30000	41.125	2004
12.02.2020 16:33:12	1	1	1	1	89.75	61	0	27630.332	578.4946237	15897.31742	30000	0	0	30000	41.125	2004
12.02.2020 16:33:13	1	1	1	1	89.75	61	0	27819.905	576.344086	16033.48463	30000	0	0	30000	41.1875	2004
12.02.2020 16:33:14	1	1	1	1	89.75	61	0	27440.758	584.9462366	16051.42282	30000	0	0	30000	40.75	2004
12.02.2020 16:33:15	1	1	1	1	89.75	60.75	0	27819.905	582.7956989	15973.96244	30000	0	0	30000	40.8125	2004
12.02.2020 16:33:16	1	1	1	1	89.75	60.75	0	28199.052	576.344086	16009.83883	30000	0	0	30000	41.0625	2004
12.02.2020 16:33:17	1	1	1	1	89.75	61	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	41.0625	2004
12.02.2020 16:33:18	1	1	1	1	89.75	61	0	28009.479	574.1935484	15841.8721	30000	0	0	30000	41	2004
12.02.2020 16:33:19	1	1	1	1	89.75	61	0	28388.626	565.5913978	16083.22235	30000	0	0	30000	40.8125	2004
12.02.2020 16:33:20	1	1	1	1	89.75	60.75	0	28009.479	578.4946237	16055.49969	30000	0	0	30000	40.875	2004
12.02.2020 16:33:21	1	1	1	1	90.25	60.75	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	41.1875	2004
12.02.2020 16:33:22	1	1	1	1	90.25	61	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	41.1875	2004
12.02.2020 16:33:23	1	1	1	1	90.25	61	0	27914.692	569.8924731	15907.91727	30000	0	0	30000	41.1875	2004
12.02.2020 16:33:24	1	1	1	1	90.25	61	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	41	2004
12.02.2020 16:33:25	1	1	1	1	90.25	61	0	28341.232	561.2903226	15907.10189	30000	0	0	30000	41.125	2004
12.02.2020 16:33:26	1	1	1	1	90.25	61	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	41.0625	2004
12.02.2020 16:33:28	1	1	1	1	90.25	61	0	27867.299	576.344086	16061.20729	30000	0	0	30000	40.9375	2004
12.02.2020 16:33:29	1	1	1	1	90.25	60.75	0	27914.692	572.0430108	15934.82456	30000	0	0	30000	41.25	2004
12.02.2020 16:33:30	1	1	1	1	90.25	61.25	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	41.25	2004
12.02.2020 16:33:31	1	1	1	1	90	61.25	0	28009.479	576.344086	16043.2691	30000	0	0	30000	41.1875	2004
12.02.2020 16:33:32	1	1	1	1	90	61	0	28009.479	567.7419355	15841.8721	30000	0	0	30000	40.75	2004
12.02.2020 16:33:33	1	1	1	1	90	60.75	0	28199.052	572.0430108	16070.17639	30000	0	0	30000	40.9375	2004
12.02.2020 16:33:34	1	1	1	1	90	60.75	0	28199.052	561.2903226	15827.19539	30000	0	0	30000	41.1875	2004
12.02.2020 16:33:35	1	1	1	1	90	61	0	28293.839	567.7419355	16063.65341	30000	0	0	30000	40.5625	2004
12.02.2020 16:33:36	1	1	1	1	90	60.5	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	41.0625	2004
12.02.2020 16:33:37	1	1	1	1	90	61	0	28815.166	569.8924731	16101.97592	30000	0	0	30000	41.1875	2004
12.02.2020 16:33:38	1	1	1	1	90	61	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	41.125	2004
12.02.2020 16:33:39	1	1	1	1	90	61	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	41	2004
12.02.2020 16:33:40	1	1	1	1	90	61	0	28341.232	565.5913978	16002.50048	30000	0	0	30000	41.1875	2004
12.02.2020 16:33:41	1	1	1	1	90.5	61	0	28293.839	567.7419355	16123.99098	30000	0	0	30000	40.8125	2004
12.02.2020 16:33:42	1	1	1	1	90.5	60.75	0	28009.479	567.7419355	16009.83883	30000	0	0	30000	41	2004
12.02.2020 16:33:43	1	1	1	1	90.5	61	0	28199.052	563.4408602	15941.34754	30000	0	0	30000	41.25	2004
12.02.2020 16:33:51	1	1	1	1	90.75	61	0	27867.299	572.0430108	15941.34754	30000	0	0	30000	41.375	2004
12.02.2020 16:33:51	1	1	1	1	90.75	61	0	27867.299	572.0430108	15941.34754	30000	0	0	30000	41.375	2004
12.02.2020 16:33:51	1	1	1	1	90.75	61	0	27867.299	572.0430108	15941.34754	30000	0	0	30000	41.375	2004
12.02.2020 16:33:51	1	1	1	1	90.75	61	0	27867.299	572.0430108	15941.34754	30000	0	0	30000	41.375	2004
12.02.2020 16:33:51	1	1	1	1	90.75	61	0	27867.299	572.0430108	15941.34754	30000	0	0	30000	41.375	2004
12.02.2020 16:33:51	1	1	1	1	90.75	61	0	27867.299	572.0430108	15941.34754	30000	0	0	30000	41.375	2004
12.02.2020 16:33:51	1	1	1	1	90.75	61	0	27867.299	572.0430108	15941.34754	30000	0	0	30000	41.375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 16:33:51	1	1	1	1	90.75	61	0	27867.299	572.0430108	15941.34754	30000	0	0	30000	41.375	2004
12.02.2020 16:33:52	1	1	1	1	90.75	61.25	0	28388.626	559.1397849	15907.10189	30000	0	0	30000	40.9375	2004
12.02.2020 16:33:53	1	1	1	1	90.75	60.75	0	28578.199	563.4408602	15987.0084	30000	0	0	30000	40.9375	2004
12.02.2020 16:33:54	1	1	1	1	90.75	60.75	0	27914.692	567.7419355	15907.91727	30000	0	0	30000	40.75	2004
12.02.2020 16:33:55	1	1	1	1	90.75	60.75	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	41.125	2004
12.02.2020 16:33:56	1	1	1	1	90.75	61	0	27772.512	567.7419355	15973.96244	30000	0	0	30000	40.75	2004
12.02.2020 16:33:57	1	1	1	1	90.75	60.75	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	41.1875	2004
12.02.2020 16:33:58	1	1	1	1	90.75	61	0	27630.332	576.344086	15983.74691	30000	0	0	30000	40.625	2004
12.02.2020 16:33:59	1	1	1	1	90.75	60.5	0	27867.299	569.8924731	15881.00997	30000	0	0	30000	41	2004
12.02.2020 16:34:00	1	1	1	1	90.75	61	0	27630.332	567.7419355	15864.70252	30000	0	0	30000	41	2004
12.02.2020 16:34:01	1	1	1	1	90.5	61	0	27867.299	567.7419355	15907.91727	30000	0	0	30000	41.125	2004
12.02.2020 16:34:02	1	1	1	1	90.5	61	0	27772.512	569.8924731	15854.10268	30000	0	0	30000	41.1875	2004
12.02.2020 16:34:03	1	1	1	1	90.5	61	0	27630.332	567.7419355	15805.18033	30000	0	0	30000	41.0625	2004
12.02.2020 16:34:04	1	1	1	1	90.5	61	0	28199.052	572.0430108	15961.73185	30000	0	0	30000	41.25	2004
12.02.2020 16:34:05	1	1	1	1	90.5	61.25	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	40.8125	2004
12.02.2020 16:34:06	1	1	1	1	90.5	60.75	0	28009.479	567.7419355	15841.8721	30000	0	0	30000	40.875	2004
12.02.2020 16:34:08	1	1	1	1	90.5	60.75	0	28293.839	565.5913978	15948.68589	30000	0	0	30000	41	2004
12.02.2020 16:34:09	1	1	1	1	90.5	61	0	27630.332	572.0430108	15919.33248	30000	0	0	30000	40.125	2004
12.02.2020 16:34:10	1	1	1	1	90.5	60.75	0	27630.332	576.344086	15983.74691	30000	0	0	30000	41.125	2004
12.02.2020 16:34:11	1	1	1	1	91	61	0	27819.905	578.4946237	15913.62487	30000	0	0	30000	41.125	2004
12.02.2020 16:34:12	1	1	1	1	91	61	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.0625	2004
12.02.2020 16:34:13	1	1	1	1	91	61	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	40.875	2004
12.02.2020 16:34:14	1	1	1	1	91	60.75	0	27914.692	576.344086	16088.11459	30000	0	0	30000	40.5625	2004
12.02.2020 16:34:15	1	1	1	1	91	60.5	0	27630.332	572.0430108	15805.18033	30000	0	0	30000	40.8125	2004
12.02.2020 16:34:16	1	1	1	1	91	60.75	0	28009.479	576.344086	16142.74454	30000	0	0	30000	40.625	2004
12.02.2020 16:34:17	1	1	1	1	91	60.5	0	27630.332	580.6451613	15956.02424	30000	0	0	30000	41.25	2004
12.02.2020 16:34:18	1	1	1	1	91	61.25	0	27393.365	591.3978495	16172.09795	30000	0	0	30000	41.25	2004
12.02.2020 16:34:19	1	1	1	1	91	61.25	0	27535.545	584.9462366	15991.90063	30000	0	0	30000	40.625	2004
12.02.2020 16:34:20	1	1	1	1	91	60.5	0	27582.938	589.2473118	15991.90063	30000	0	0	30000	40.8125	2004
12.02.2020 16:34:21	1	1	1	1	91.75	60.75	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	41.25	2004
12.02.2020 16:34:22	1	1	1	1	91.75	61.25	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	41.0625	2004
12.02.2020 16:34:23	1	1	1	1	91.75	61	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	41.0625	2004
12.02.2020 16:34:24	1	1	1	1	91.75	61	0	27440.758	582.7956989	15819.04167	30000	0	0	30000	41.125	2004
12.02.2020 16:34:25	1	1	1	1	91.75	61	0	27440.758	578.4946237	15873.67162	30000	0	0	30000	40.9375	2004
12.02.2020 16:34:26	1	1	1	1	91.75	60.75	0	27298.578	587.0967742	15909.54801	30000	0	0	30000	40.9375	2004
12.02.2020 16:34:27	1	1	1	1	91.75	60.75	0	27298.578	580.6451613	15850.84119	30000	0	0	30000	40.9375	2004
12.02.2020 16:34:28	1	1	1	1	91.75	60.75	0	27298.578	580.6451613	15850.84119	30000	0	0	30000	40.875	2004
12.02.2020 16:34:29	1	1	1	1	91.75	60.75	0	27582.938	578.4946237	15983.74691	30000	0	0	30000	40.9375	2004
12.02.2020 16:34:30	1	1	1	1	91.75	60.75	0	27109.005	584.9462366	15829.64151	30000	0	0	30000	41.125	2004
12.02.2020 16:34:31	1	1	1	1	92.75	61	0	27298.578	584.9462366	15968.25483	30000	0	0	30000	40.75	2004
12.02.2020 16:34:32	1	1	1	1	92.75	60.75	0	27440.758	587.0967742	16051.42282	30000	0	0	30000	40.9375	2004
12.02.2020 16:34:33	1	1	1	1	92.75	60.75	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	41.25	2004
12.02.2020 16:34:34	1	1	1	1	92.75	61.25	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	40.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 16:34:35	1	1	1	1	92.75	60.75	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	41.3125	2004
12.02.2020 16:34:36	1	1	1	1	92.75	61.25	0	27345.972	584.9462366	15995.9775	30000	0	0	30000	40.9375	2004
12.02.2020 16:34:37	1	1	1	1	92.75	60.75	0	27298.578	587.0967742	16085.66847	30000	0	0	30000	40.6875	2004
12.02.2020 16:34:38	1	1	1	1	92.75	60.5	0	27440.758	589.2473118	16168.83646	30000	0	0	30000	41.0625	2004
12.02.2020 16:34:39	1	1	1	1	92.75	61	0	27298.578	587.0967742	16085.66847	30000	0	0	30000	40.875	2004
12.02.2020 16:34:40	1	1	1	1	92.75	60.75	0	27345.972	584.9462366	15936.4553	30000	0	0	30000	41	2004
12.02.2020 16:34:41	1	1	1	1	93.5	61	0	27440.758	587.0967742	16051.42282	30000	0	0	30000	40.8125	2004
12.02.2020 16:34:42	1	1	1	1	93.5	60.75	0	27156.398	584.9462366	16026.96165	30000	0	0	30000	41.1875	2004
12.02.2020 16:34:43	1	1	1	1	93.5	61	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	41.125	2004
12.02.2020 16:34:44	1	1	1	1	93.5	61	0	27582.938	578.4946237	16015.54644	30000	0	0	30000	41	2004
12.02.2020 16:34:54	1	1	1	1	94.5	60.25	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	41.1875	2004
12.02.2020 16:34:54	1	1	1	1	94.5	60.25	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	41.1875	2004
12.02.2020 16:34:54	1	1	1	1	94.5	60.25	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	41.1875	2004
12.02.2020 16:34:54	1	1	1	1	94.5	60.25	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	41.1875	2004
12.02.2020 16:34:54	1	1	1	1	94.5	60.25	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	41.1875	2004
12.02.2020 16:34:54	1	1	1	1	94.5	60.25	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	41.1875	2004
12.02.2020 16:34:54	1	1	1	1	94.5	60.25	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	41.1875	2004
12.02.2020 16:34:54	1	1	1	1	94.5	60.25	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	41.1875	2004
12.02.2020 16:34:54	1	1	1	1	94.5	60.25	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	41.1875	2004
12.02.2020 16:34:55	1	1	1	1	94.5	61	0	27630.332	584.9462366	15983.74691	30000	0	0	30000	41.1875	2004
12.02.2020 16:34:56	1	1	1	1	94.5	61	0	27630.332	576.344086	15983.74691	30000	0	0	30000	40.8125	2004
12.02.2020 16:34:57	1	1	1	1	94.5	60.75	0	27582.938	580.6451613	15929.11695	30000	0	0	30000	40.625	2004
12.02.2020 16:34:58	1	1	1	1	94.5	60.5	0	27582.938	582.7956989	16075.06863	30000	0	0	30000	41.0625	2004
12.02.2020 16:34:59	1	1	1	1	94.5	61	0	27819.905	576.344086	16033.48463	30000	0	0	30000	41	2004
12.02.2020 16:35:00	1	1	1	1	94.5	61	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	40.1875	2004
12.02.2020 16:35:01	1	1	1	1	95.5	60	0	27819.905	576.344086	16093.00682	30000	0	0	30000	41.125	2004
12.02.2020 16:35:02	1	1	1	1	95.5	61	0	27582.938	582.7956989	16075.06863	30000	0	0	30000	41.0625	2004
12.02.2020 16:35:03	1	1	1	1	95.5	61	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.0625	2004
12.02.2020 16:35:04	1	1	1	1	95.5	61	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	40.9375	2004
12.02.2020 16:35:05	1	1	1	1	95.5	60.75	0	27535.545	580.6451613	15873.67162	30000	0	0	30000	41	2004
12.02.2020 16:35:06	1	1	1	1	95.5	61	0	27440.758	584.9462366	15991.90063	30000	0	0	30000	41.125	2004
12.02.2020 16:35:07	1	1	1	1	95.5	61	0	27298.578	587.0967742	15968.25483	30000	0	0	30000	40.8125	2004
12.02.2020 16:35:08	1	1	1	1	95.5	60.75	0	27630.332	578.4946237	15956.02424	30000	0	0	30000	40.625	2004
12.02.2020 16:35:09	1	1	1	1	95.5	60.5	0	27440.758	580.6451613	15873.67162	30000	0	0	30000	41.125	2004
12.02.2020 16:35:10	1	1	1	1	95.5	61	0	27725.118	580.6451613	15983.74691	30000	0	0	30000	40.9375	2004
12.02.2020 16:35:11	1	1	1	1	96	60.75	0	27345.972	580.6451613	15819.04167	30000	0	0	30000	41.0625	2004
12.02.2020 16:35:12	1	1	1	1	96	61	0	27630.332	582.7956989	16102.79129	30000	0	0	30000	40.875	2004
12.02.2020 16:35:13	1	1	1	1	96	60.75	0	27630.332	584.9462366	15983.74691	30000	0	0	30000	41.1875	2004
12.02.2020 16:35:14	1	1	1	1	96	61	0	27535.545	576.344086	15956.02424	30000	0	0	30000	40.9375	2004
12.02.2020 16:35:15	1	1	1	1	96	60.75	0	27298.578	587.0967742	16026.96165	30000	0	0	30000	41.0625	2004
12.02.2020 16:35:16	1	1	1	1	96	61	0	27582.938	580.6451613	15956.02424	30000	0	0	30000	41.125	2004
12.02.2020 16:35:17	1	1	1	1	96	61	0	27582.938	578.4946237	16015.54644	30000	0	0	30000	41.0625	2004
12.02.2020 16:35:18	1	1	1	1	96	61	0	27582.938	587.0967742	16193.29764	30000	0	0	30000	40.4375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 16:35:19	1	1	1	1	96	60.25	0	27867.299	574.1935484	15913.62487	30000	0	0	30000	41.125	2004
12.02.2020 16:35:20	1	1	1	1	96	61	0	28199.052	572.0430108	16191.66689	30000	0	0	30000	40.625	2004
12.02.2020 16:35:21	1	1	1	1	96.5	60.5	0	27819.905	576.344086	16033.48463	30000	0	0	30000	41.1875	2004
12.02.2020 16:35:22	1	1	1	1	96.5	61	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41	2004
12.02.2020 16:35:23	1	1	1	1	96.5	61	0	28009.479	576.344086	16082.40698	30000	0	0	30000	41	2004
12.02.2020 16:35:24	1	1	1	1	96.5	61	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	41.3125	2004
12.02.2020 16:35:25	1	1	1	1	96.5	61.25	0	28009.479	576.344086	15961.73185	30000	0	0	30000	41.1875	2004
12.02.2020 16:35:27	1	1	1	1	96.5	61	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	41.25	2004
12.02.2020 16:35:28	1	1	1	1	96.5	61.25	0	28293.839	567.7419355	16009.83883	30000	0	0	30000	41.4375	2004
12.02.2020 16:35:29	1	1	1	1	96.5	61.25	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	41	2004
12.02.2020 16:35:30	1	1	1	1	96.5	61.25	0	28483.412	565.5913978	16048.16134	30000	0	0	30000	40.25	2004
12.02.2020 16:35:31	1	1	1	1	97	60.25	0	27914.692	572.0430108	15968.25483	30000	0	0	30000	41.1875	2004
12.02.2020 16:35:32	1	1	1	1	97	61	0	28009.479	576.344086	16142.74454	30000	0	0	30000	41.125	2004
12.02.2020 16:35:33	1	1	1	1	97	61	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	41.4375	2004
12.02.2020 16:35:34	1	1	1	1	97	61.25	0	27819.905	576.344086	15924.22472	30000	0	0	30000	40.8125	2004
12.02.2020 16:35:35	1	1	1	1	97	60.75	0	27630.332	576.344086	15924.22472	30000	0	0	30000	41.125	2004
12.02.2020 16:35:36	1	1	1	1	97	61	0	28009.479	572.0430108	15902.20966	30000	0	0	30000	41.0625	2004
12.02.2020 16:35:37	1	1	1	1	97	61	0	27914.692	576.344086	16115.83725	30000	0	0	30000	40.9375	2004
12.02.2020 16:35:38	1	1	1	1	97	60.75	0	27582.938	578.4946237	15956.02424	30000	0	0	30000	41.0625	2004
12.02.2020 16:35:39	1	1	1	1	97	61	0	27819.905	569.8924731	15745.65814	30000	0	0	30000	40.625	2004
12.02.2020 16:35:40	1	1	1	1	97	60.5	0	27962.085	576.344086	16027.77702	30000	0	0	30000	40.9375	2004
12.02.2020 16:35:41	1	1	1	1	96.75	60.75	0	27630.332	576.344086	16006.57734	30000	0	0	30000	41	2004
12.02.2020 16:35:42	1	1	1	1	96.75	61	0	27819.905	569.8924731	15794.58049	30000	0	0	30000	41.1875	2004
12.02.2020 16:35:43	1	1	1	1	96.75	61	0	27819.905	572.0430108	15913.62487	30000	0	0	30000	40.6875	2004
12.02.2020 16:35:44	1	1	1	1	96.75	60.5	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	40.5	2004
12.02.2020 16:35:45	1	1	1	1	96.75	60.5	0	28293.839	567.7419355	16009.83883	30000	0	0	30000	40.8125	2004
12.02.2020 16:35:46	1	1	1	1	96.75	60.75	0	27867.299	569.8924731	15907.91727	30000	0	0	30000	41.0625	2004
12.02.2020 16:35:55	1	1	1	1	97.25	60.5	0	28293.839	565.5913978	16002.50048	30000	0	0	30000	41.125	2004
12.02.2020 16:35:55	1	1	1	1	97.25	60.5	0	28293.839	565.5913978	16002.50048	30000	0	0	30000	41.125	2004
12.02.2020 16:35:55	1	1	1	1	97.25	60.5	0	28293.839	565.5913978	16002.50048	30000	0	0	30000	41.125	2004
12.02.2020 16:35:55	1	1	1	1	97.25	60.5	0	28293.839	565.5913978	16002.50048	30000	0	0	30000	41.125	2004
12.02.2020 16:35:55	1	1	1	1	97.25	60.5	0	28293.839	565.5913978	16002.50048	30000	0	0	30000	41.125	2004
12.02.2020 16:35:55	1	1	1	1	97.25	60.5	0	28293.839	565.5913978	16002.50048	30000	0	0	30000	41.125	2004
12.02.2020 16:35:55	1	1	1	1	97.25	61	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	40.9375	2004
12.02.2020 16:35:56	1	1	1	1	97.25	60.75	0	28436.019	563.4408602	15838.61061	30000	0	0	30000	41.0625	2004
12.02.2020 16:35:57	1	1	1	1	97.25	61	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	40.9375	2004
12.02.2020 16:35:58	1	1	1	1	97.25	60.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41	2004
12.02.2020 16:35:59	1	1	1	1	97.25	61	0	28388.626	563.4408602	15995.16212	30000	0	0	30000	41	2004
12.02.2020 16:36:00	1	1	1	1	97.25	61	0	28483.412	563.4408602	15987.0084	30000	0	0	30000	41.1875	2004
12.02.2020 16:36:01	1	1	1	1	97	61	0	28341.232	563.4408602	16029.40777	30000	0	0	30000	41	2004
12.02.2020 16:36:02	1	1	1	1	97	61	0	28388.626	561.2903226	15934.00919	30000	0	0	30000	40.875	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 16:36:03	1	1	1	1	97	60.75	0	28388.626	561.2903226	15995.16212	30000	0	0	30000	41.0625	2004
12.02.2020 16:36:04	1	1	1	1	97	61	0	28009.479	567.7419355	16009.83883	30000	0	0	30000	40.9375	2004
12.02.2020 16:36:05	1	1	1	1	97	60.75	0	28341.232	563.4408602	16056.31506	30000	0	0	30000	41.0625	2004
12.02.2020 16:36:06	1	1	1	1	97	61	0	28293.839	567.7419355	16009.83883	30000	0	0	30000	40.75	2004
12.02.2020 16:36:08	1	1	1	1	97	60.75	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	40.875	2004
12.02.2020 16:36:09	1	1	1	1	97	60.75	0	28341.232	565.5913978	16056.31506	30000	0	0	30000	41.4375	2004
12.02.2020 16:36:10	1	1	1	1	97	61.25	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	41	2004
12.02.2020 16:36:11	1	1	1	1	97.75	61	0	28341.232	563.4408602	15968.25483	30000	0	0	30000	41.1875	2004
12.02.2020 16:36:12	1	1	1	1	97.75	61	0	28436.019	565.5913978	16109.31427	30000	0	0	30000	41.0625	2004
12.02.2020 16:36:13	1	1	1	1	97.75	61	0	28341.232	563.4408602	16056.31506	30000	0	0	30000	40.5	2004
12.02.2020 16:36:14	1	1	1	1	97.75	60.5	0	28009.479	569.8924731	16022.06942	30000	0	0	30000	41.1875	2004
12.02.2020 16:36:15	1	1	1	1	97.75	61	0	28625.592	561.2903226	16093.82219	30000	0	0	30000	40.875	2004
12.02.2020 16:36:16	1	1	1	1	97.75	60.75	0	28009.479	572.0430108	15902.20966	30000	0	0	30000	40.9375	2004
12.02.2020 16:36:17	1	1	1	1	97.75	60.75	0	28293.839	563.4408602	15941.34754	30000	0	0	30000	40.9375	2004
12.02.2020 16:36:18	1	1	1	1	97.75	60.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.0625	2004
12.02.2020 16:36:19	1	1	1	1	97.75	61	0	28341.232	565.5913978	16029.40777	30000	0	0	30000	40.9375	2004
12.02.2020 16:36:20	1	1	1	1	97.75	60.75	0	27962.085	572.0430108	15934.82456	30000	0	0	30000	41	2004
12.02.2020 16:36:21	1	1	1	1	97	61	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	40.625	2004
12.02.2020 16:36:22	1	1	1	1	97	60.5	0	28341.232	565.5913978	15968.25483	30000	0	0	30000	41	2004
12.02.2020 16:36:23	1	1	1	1	97	61	0	28009.479	563.4408602	15781.53453	30000	0	0	30000	40.5	2004
12.02.2020 16:36:24	1	1	1	1	97	60.5	0	28483.412	561.2903226	15925.85546	30000	0	0	30000	41	2004
12.02.2020 16:36:25	1	1	1	1	97	61	0	28293.839	565.5913978	15948.68589	30000	0	0	30000	40.9375	2004
12.02.2020 16:36:26	1	1	1	1	97	60.75	0	28009.479	567.7419355	16203.08211	30000	0	0	30000	41.1875	2004
12.02.2020 16:36:27	1	1	1	1	97	61	0	28436.019	565.5913978	16083.22235	30000	0	0	30000	40.9375	2004
12.02.2020 16:36:28	1	1	1	1	97	60.75	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	41.125	2004
12.02.2020 16:36:29	1	1	1	1	97	61	0	28009.479	576.344086	16082.40698	30000	0	0	30000	40.75	2004
12.02.2020 16:36:30	1	1	1	1	97	60.75	0	28009.479	569.8924731	15841.8721	30000	0	0	30000	41.1875	2004
12.02.2020 16:36:31	1	1	1	1	97.75	61	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	40.8125	2004
12.02.2020 16:36:32	1	1	1	1	97.75	60.75	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	41.0625	2004
12.02.2020 16:36:33	1	1	1	1	97.75	61	0	28246.445	565.5913978	15948.68589	30000	0	0	30000	41.0625	2004
12.02.2020 16:36:34	1	1	1	1	97.75	61	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.1875	2004
12.02.2020 16:36:35	1	1	1	1	97.75	61	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	40.6875	2004
12.02.2020 16:36:36	1	1	1	1	97.75	60.5	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	40.9375	2004
12.02.2020 16:36:37	1	1	1	1	97.75	60.75	0	27819.905	572.0430108	15745.65814	30000	0	0	30000	41.0625	2004
12.02.2020 16:36:38	1	1	1	1	97.75	61	0	27867.299	569.8924731	15968.25483	30000	0	0	30000	41.1875	2004
12.02.2020 16:36:39	1	1	1	1	97.75	61	0	27867.299	576.344086	16088.11459	30000	0	0	30000	40.75	2004
12.02.2020 16:36:40	1	1	1	1	97.75	60.75	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	40.8125	2004
12.02.2020 16:36:41	1	1	1	1	97.5	60.75	0	28199.052	567.7419355	16123.99098	30000	0	0	30000	41.1875	2004
12.02.2020 16:36:42	1	1	1	1	97.5	61	0	27962.085	576.344086	16027.77702	30000	0	0	30000	41.0625	2004
12.02.2020 16:36:43	1	1	1	1	97.5	61	0	27772.512	572.0430108	15886.71758	30000	0	0	30000	41.125	2004
12.02.2020 16:36:44	1	1	1	1	97.5	61	0	27819.905	569.8924731	15913.62487	30000	0	0	30000	40.375	2004
12.02.2020 16:36:46	1	1	1	1	97.5	60.25	0	28009.479	576.344086	16142.74454	30000	0	0	30000	41.25	2004
12.02.2020 16:36:47	1	1	1	1	97.5	61.25	0	27867.299	576.344086	16033.48463	30000	0	0	30000	41.1875	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 16:36:48	1	1	1	1	97.5	60.25	0	27867.299	572.0430108	15941.34754	30000	0	0	30000	40.9375	2004
12.02.2020 16:36:56	1	1	1	1	98	61	0	27630.332	576.344086	15924.22472	30000	0	0	30000	41.1875	2004
12.02.2020 16:36:56	1	1	1	1	98	61	0	27630.332	576.344086	15924.22472	30000	0	0	30000	41.1875	2004
12.02.2020 16:36:56	1	1	1	1	98	61	0	27630.332	576.344086	15924.22472	30000	0	0	30000	41.1875	2004
12.02.2020 16:36:56	1	1	1	1	98	61	0	27630.332	576.344086	15924.22472	30000	0	0	30000	41.1875	2004
12.02.2020 16:36:56	1	1	1	1	98	61	0	27630.332	576.344086	15924.22472	30000	0	0	30000	41.1875	2004
12.02.2020 16:36:56	1	1	1	1	98	61	0	27630.332	576.344086	15924.22472	30000	0	0	30000	41.1875	2004
12.02.2020 16:36:56	1	1	1	1	98	61	0	27630.332	576.344086	15924.22472	30000	0	0	30000	41.1875	2004
12.02.2020 16:36:56	1	1	1	1	98	61	0	27630.332	576.344086	15924.22472	30000	0	0	30000	41.1875	2004
12.02.2020 16:36:57	1	1	1	1	98	61	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	41.3125	2004
12.02.2020 16:36:58	1	1	1	1	98	61.25	0	28199.052	576.344086	16252.00446	30000	0	0	30000	41	2004
12.02.2020 16:36:59	1	1	1	1	98	61	0	27867.299	574.1935484	16120.72949	30000	0	0	30000	41.0625	2004
12.02.2020 16:37:00	1	1	1	1	98	61	0	27819.905	572.0430108	15854.10268	30000	0	0	30000	41.1875	2004
12.02.2020 16:37:01	1	1	1	1	97.75	61	0	28388.626	567.7419355	16117.468	30000	0	0	30000	40.875	2004
12.02.2020 16:37:02	1	1	1	1	97.75	60.75	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	41.25	2004
12.02.2020 16:37:03	1	1	1	1	97.75	61.25	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	41.25	2004
12.02.2020 16:37:04	1	1	1	1	97.75	61.25	0	28293.839	569.8924731	16070.17639	30000	0	0	30000	41.1875	2004
12.02.2020 16:37:05	1	1	1	1	97.75	61	0	28293.839	569.8924731	16070.17639	30000	0	0	30000	40.625	2004
12.02.2020 16:37:06	1	1	1	1	97.75	60.5	0	27962.085	567.7419355	15788.05751	30000	0	0	30000	41	2004
12.02.2020 16:37:07	1	1	1	1	97.75	61	0	28199.052	563.4408602	15888.34833	30000	0	0	30000	41.0625	2004
12.02.2020 16:37:08	1	1	1	1	97.75	61	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	41.1875	2004
12.02.2020 16:37:09	1	1	1	1	97.75	61	0	27867.299	567.7419355	16027.77702	30000	0	0	30000	40.625	2004
12.02.2020 16:37:10	1	1	1	1	97.75	60.5	0	27867.299	574.1935484	15973.96244	30000	0	0	30000	41.0625	2004
12.02.2020 16:37:11	1	1	1	1	97.5	61	0	28009.479	569.8924731	15781.53453	30000	0	0	30000	41.3125	2004
12.02.2020 16:37:12	1	1	1	1	97.5	61.25	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	40.8125	2004
12.02.2020 16:37:13	1	1	1	1	97.5	60.75	0	27914.692	574.1935484	15941.34754	30000	0	0	30000	41	2004
12.02.2020 16:37:14	1	1	1	1	97.5	61	0	27914.692	576.344086	16148.45215	30000	0	0	30000	41.0625	2004
12.02.2020 16:37:15	1	1	1	1	97.5	61	0	27962.085	572.0430108	15968.25483	30000	0	0	30000	40.9375	2004
12.02.2020 16:37:16	1	1	1	1	97.5	60.75	0	27630.332	576.344086	15983.74691	30000	0	0	30000	41.1875	2004
12.02.2020 16:37:17	1	1	1	1	97.5	61	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	41.1875	2004
12.02.2020 16:37:18	1	1	1	1	97.5	61	0	28341.232	567.7419355	16123.99098	30000	0	0	30000	41.0625	2004
12.02.2020 16:37:19	1	1	1	1	97.5	61	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	41.125	2004
12.02.2020 16:37:20	1	1	1	1	97.5	61	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	41.125	2004
12.02.2020 16:37:21	1	1	1	1	97.25	61	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.125	2004
12.02.2020 16:37:22	1	1	1	1	97.25	61	0	27819.905	572.0430108	15854.10268	30000	0	0	30000	40.9375	2004
12.02.2020 16:37:24	1	1	1	1	97.25	60.75	0	27867.299	567.7419355	15821.48778	30000	0	0	30000	41.1875	2004
12.02.2020 16:37:25	1	1	1	1	97.25	61	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	41.5625	2004
12.02.2020 16:37:26	1	1	1	1	97.25	61.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.625	2004
12.02.2020 16:37:27	1	1	1	1	97.25	61.5	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	40.875	2004
12.02.2020 16:37:28	1	1	1	1	97.25	60.75	0	28009.479	569.8924731	16130.51396	30000	0	0	30000	40.6875	2004
12.02.2020 16:37:29	1	1	1	1	97.25	60.5	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.1875	2004
12.02.2020 16:37:30	1	1	1	1	97.25	61	0	28009.479	567.7419355	16191.66689	30000	0	0	30000	41.25	2004
12.02.2020 16:37:31	1	1	1	1	97.5	61.25	0	0	0	0	30000	0	8	30000	38.5	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 16:37:32	1	1	1	1	97.5	58.5	0	10616.114	2.150537634	22.8304297	30000	0	0	30000	41.375	2004
12.02.2020 16:37:33	1	1	1	1	97.5	61.25	0	11327.014	4.301075269	72.56815155	30000	0	0	30000	41.25	2004
12.02.2020 16:37:34	1	1	1	1	97.5	61.25	0	12085.308	6.451612903	77.46038649	30000	0	0	30000	41.25	2004
12.02.2020 16:37:35	1	1	1	1	97.5	61.25	0	12843.602	10.75268817	137.7979507	30000	0	0	30000	41.1875	2004
12.02.2020 16:37:36	1	1	1	1	97.5	61	0	13554.502	12.90322581	174.4897127	30000	0	0	30000	40	2004
12.02.2020 16:37:37	1	1	1	1	97.5	60	0	14312.796	15.05376344	247.8732368	30000	0	0	30000	41.3125	2004
12.02.2020 16:37:38	1	1	1	1	97.5	61.25	0	15165.877	21.50537634	326.1489957	30000	0	0	30000	41	2004
12.02.2020 16:37:39	1	1	1	1	97.5	61	0	15876.777	23.65591398	409.3169896	30000	0	0	30000	40.25	2004
12.02.2020 16:37:40	1	1	1	1	97.5	60.25	0	16682.464	30.10752688	538.145843	30000	0	0	30000	41.25	2004
12.02.2020 16:37:41	1	1	1	1	95.75	61.25	0	17488.152	40.86021505	714.2663007	30000	0	0	30000	41.25	2004
12.02.2020 16:37:42	1	1	1	1	95.75	61.25	0	18246.445	51.61290323	897.7251108	30000	0	0	30000	41.25	2004
12.02.2020 16:37:43	1	1	1	1	95.75	61.25	0	18909.953	66.66666667	1266.273476	30000	0	0	30000	41.25	2004
12.02.2020 16:37:44	1	1	1	1	95.75	61.25	0	19763.033	83.87096774	1656.836898	30000	0	0	30000	41.1875	2004
12.02.2020 16:37:45	1	1	1	1	95.75	61	0	20568.72	109.6774194	2261.027913	30000	0	0	30000	41.125	2004
12.02.2020 16:37:46	1	1	1	1	95.75	61	0	21090.047	126.8817204	2675.237137	30000	0	0	30000	41.3125	2004
12.02.2020 16:37:47	1	1	1	1	95.75	61.25	0	21469.194	144.0860215	3092.707852	30000	0	0	30000	41.125	2004
12.02.2020 16:37:48	1	1	1	1	95.75	61	0	21895.735	161.2903226	3484.086647	30000	0	0	30000	41.375	2004
12.02.2020 16:37:49	1	1	1	1	95.75	61.25	0	22227.488	169.8924731	3784.143723	30000	0	0	30000	41.1875	2004
12.02.2020 16:37:58	1	1	1	1	94.75	60.75	0	24691.943	279.5698925	6902.943495	30000	0	0	30000	41.1875	2004
12.02.2020 16:37:58	1	1	1	1	94.75	60.75	0	24691.943	279.5698925	6902.943495	30000	0	0	30000	41.1875	2004
12.02.2020 16:37:58	1	1	1	1	94.75	60.75	0	24691.943	279.5698925	6902.943495	30000	0	0	30000	41.1875	2004
12.02.2020 16:37:58	1	1	1	1	94.75	60.75	0	24691.943	279.5698925	6902.943495	30000	0	0	30000	41.1875	2004
12.02.2020 16:37:58	1	1	1	1	94.75	60.75	0	24691.943	279.5698925	6902.943495	30000	0	0	30000	41.1875	2004
12.02.2020 16:37:58	1	1	1	1	94.75	60.75	0	24691.943	279.5698925	6902.943495	30000	0	0	30000	41.1875	2004
12.02.2020 16:37:58	1	1	1	1	94.75	60.75	0	24691.943	279.5698925	6902.943495	30000	0	0	30000	41.1875	2004
12.02.2020 16:37:58	1	1	1	1	94.75	60.75	0	24691.943	279.5698925	6902.943495	30000	0	0	30000	41.1875	2004
12.02.2020 16:37:58	1	1	1	1	94.75	61	0	25118.483	296.7741935	7400.320713	30000	0	0	30000	41.25	2004
12.02.2020 16:37:59	1	1	1	1	94.75	61.25	0	25165.877	309.6774194	7793.330253	30000	0	0	30000	41.1875	2004
12.02.2020 16:38:00	1	1	1	1	94.75	61	0	25734.597	326.8817204	8396.705895	30000	0	0	30000	41.125	2004
12.02.2020 16:38:01	1	1	1	1	95.75	61	0	25497.63	339.7849462	8734.270106	30000	0	0	30000	41.1875	2004
12.02.2020 16:38:03	1	1	1	1	95.75	61	0	25592.417	352.688172	9097.926236	30000	0	0	30000	40.875	2004
12.02.2020 16:38:04	1	1	1	1	95.75	60.75	0	25924.171	369.8924731	9387.38347	30000	0	0	30000	41.1875	2004
12.02.2020 16:38:05	1	1	1	1	95.75	61	0	25924.171	384.9462366	9979.343897	30000	0	0	30000	40.9375	2004
12.02.2020 16:38:06	1	1	1	1	95.75	60.75	0	26255.924	404.3010753	10558.25836	30000	0	0	30000	40.8125	2004
12.02.2020 16:38:07	1	1	1	1	95.75	61	0	26255.924	380.6451613	9994.020602	30000	0	0	30000	41.0625	2004
12.02.2020 16:38:08	1	1	1	1	95.75	61	0	26255.924	378.4946237	9955.698095	30000	0	0	30000	41.0625	2004
12.02.2020 16:38:09	1	1	1	1	95.75	61	0	26303.318	404.3010753	10577.8273	30000	0	0	30000	41.125	2004
12.02.2020 16:38:10	1	1	1	1	95.75	61	0	26208.531	412.9032258	10841.19262	30000	0	0	30000	41.3125	2004
12.02.2020 16:38:11	1	1	1	1	96.5	61.25	0	26255.924	412.9032258	10841.19262	30000	0	0	30000	41.125	2004
12.02.2020 16:38:12	1	1	1	1	96.5	61	0	26255.924	384.9462366	10125.29557	30000	0	0	30000	41.25	2004
12.02.2020 16:38:13	1	1	1	1	96.5	61.25	0	26255.924	395.6989247	10408.22983	30000	0	0	30000	41.125	2004
12.02.2020 16:38:14	1	1	1	1	96.5	61	0	26445.498	417.2043011	10956.16014	30000	0	0	30000	41.25	2004
12.02.2020 16:38:15	1	1	1	1	96.5	61.25	0	26350.711	453.7634409	11956.62218	30000	0	0	30000	40.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 16:38:16	1	1	1	1	96.5	60.75	0	26824.645	453.7634409	12149.86546	30000	0	0	30000	41.25	2004
12.02.2020 16:38:17	1	1	1	1	96.5	61.25	0	26824.645	481.7204301	12922.02321	30000	0	0	30000	41.0625	2004
12.02.2020 16:38:20	1	1	1	1	96.5	61	0	27109.005	486.0215054	13198.43448	30000	0	0	30000	41.125	2004
12.02.2020 16:38:20	1	1	1	1	96.5	61	0	27109.005	486.0215054	13198.43448	30000	0	0	30000	41.125	2004
12.02.2020 16:38:20	1	1	1	1	96.5	61	0	27109.005	486.0215054	13198.43448	30000	0	0	30000	41.125	2004
12.02.2020 16:38:21	1	1	1	1	97	61	0	27109.005	501.0752688	13583.2903	30000	0	0	30000	40.75	2004
12.02.2020 16:38:22	1	1	1	1	97	60.75	0	26919.431	520.4301075	14125.51301	30000	0	0	30000	41	2004
12.02.2020 16:38:23	1	1	1	1	97	61	0	27109.005	488.172043	13443.8616	30000	0	0	30000	41	2004
12.02.2020 16:38:24	1	1	1	1	97	61	0	27298.578	483.8709677	13209.03433	30000	0	0	30000	41.0625	2004
12.02.2020 16:38:25	1	1	1	1	97	61	0	27156.398	507.5268817	13806.70236	30000	0	0	30000	41.125	2004
12.02.2020 16:38:26	1	1	1	1	97	61	0	27298.578	492.4731183	13443.8616	30000	0	0	30000	41.1875	2004
12.02.2020 16:38:27	1	1	1	1	97	61	0	27298.578	501.0752688	13678.68888	30000	0	0	30000	40.1875	2004
12.02.2020 16:38:28	1	1	1	1	97	60	0	27298.578	464.516129	12680.67295	30000	0	0	30000	40.5	2004
12.02.2020 16:38:29	1	1	1	1	97	60.5	0	27298.578	455.9139785	12387.13886	30000	0	0	30000	40.1875	2004
12.02.2020 16:38:30	1	1	1	1	97	60	0	27298.578	460.2150538	12563.25932	30000	0	0	30000	40.875	2004
12.02.2020 16:38:31	1	1	1	1	96.5	60.75	0	27298.578	481.7204301	13150.32751	30000	0	0	30000	40.5	2004
12.02.2020 16:38:32	1	1	1	1	96.5	60.5	0	27298.578	520.4301075	14148.34343	30000	0	0	30000	40.4375	2004
12.02.2020 16:38:33	1	1	1	1	96.5	60.25	0	27345.972	520.4301075	14290.21825	30000	0	0	30000	40.9375	2004
12.02.2020 16:38:34	1	1	1	1	96.5	60.75	0	27345.972	526.8817204	14407.63189	30000	0	0	30000	41.25	2004
12.02.2020 16:38:35	1	1	1	1	96.5	61.25	0	27345.972	529.0322581	14525.04552	30000	0	0	30000	40.625	2004
12.02.2020 16:38:36	1	1	1	1	96.5	60.5	0	27298.578	550.5376344	15028.94572	30000	0	0	30000	40.875	2004
12.02.2020 16:38:37	1	1	1	1	96.5	60.75	0	27440.758	550.5376344	15139.83638	30000	0	0	30000	41.0625	2004
12.02.2020 16:38:38	1	1	1	1	96.5	61	0	27345.972	559.1397849	15289.86492	30000	0	0	30000	39.875	2004
12.02.2020 16:38:39	1	1	1	1	96.5	59.75	0	27345.972	539.7849462	14760.68817	30000	0	0	30000	41	2004
12.02.2020 16:38:40	1	1	1	1	96.5	61	0	27345.972	535.483871	14643.27454	30000	0	0	30000	41.0625	2004
12.02.2020 16:38:41	1	1	1	1	97.25	61	0	27345.972	526.8817204	14290.21825	30000	0	0	30000	41.0625	2004
12.02.2020 16:38:43	1	1	1	1	97.25	61	0	27345.972	541.9354839	14760.68817	30000	0	0	30000	40.8125	2004
12.02.2020 16:38:44	1	1	1	1	97.25	60.75	0	27440.758	526.8817204	14457.36961	30000	0	0	30000	41.5625	2004
12.02.2020 16:38:45	1	1	1	1	97.25	61.5	0	27393.365	561.2903226	15519.79996	30000	0	0	30000	41.25	2004
12.02.2020 16:38:46	1	1	1	1	97.25	61.25	0	27298.578	565.5913978	15439.89346	30000	0	0	30000	40.9375	2004
12.02.2020 16:38:47	1	1	1	1	97.25	60.5	0	27440.758	576.344086	15814.9648	30000	0	0	30000	41.25	2004
12.02.2020 16:38:48	1	1	1	1	97.25	61.25	0	27298.578	580.6451613	15909.54801	30000	0	0	30000	40.9375	2004
12.02.2020 16:38:49	1	1	1	1	97.25	60.75	0	27345.972	584.9462366	15936.4553	30000	0	0	30000	40.875	2004
12.02.2020 16:38:50	1	1	1	1	97.25	60.75	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	41.125	2004
12.02.2020 16:38:51	1	1	1	1	97	61	0	27298.578	580.6451613	15968.25483	30000	0	0	30000	40.8125	2004
12.02.2020 16:38:59	1	1	1	1	97	60.5	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	41	2004
12.02.2020 16:38:59	1	1	1	1	97	60.5	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	41	2004
12.02.2020 16:38:59	1	1	1	1	97	60.5	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	41	2004
12.02.2020 16:38:59	1	1	1	1	97	60.5	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	41	2004
12.02.2020 16:38:59	1	1	1	1	97	60.5	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	41	2004
12.02.2020 16:38:59	1	1	1	1	97	60.5	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	41	2004
12.02.2020 16:38:59	1	1	1	1	97	60.5	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	41	2004
12.02.2020 16:38:59	1	1	1	1	97	60.5	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	41	2004
12.02.2020 16:38:59	1	1	1	1	97	60.5	0	26966.825	591.3978495	15947.87052	30000	0	0	30000	41	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 16:39:00	1	1	1	1	97	61	0	27345.972	587.0967742	16054.68431	30000	0	0	30000	41.125	2004
12.02.2020 16:39:01	1	1	1	1	97.25	61	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	40.4375	2004
12.02.2020 16:39:02	1	1	1	1	97.25	60.25	0	27061.611	591.3978495	15887.53295	30000	0	0	30000	41.125	2004
12.02.2020 16:39:03	1	1	1	1	97.25	61	0	27061.611	593.5483871	16004.13122	30000	0	0	30000	40.6875	2004
12.02.2020 16:39:04	1	1	1	1	97.25	60.5	0	27061.611	591.3978495	16004.13122	30000	0	0	30000	40.625	2004
12.02.2020 16:39:05	1	1	1	1	97.25	60.5	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	40.5625	2004
12.02.2020 16:39:06	1	1	1	1	97.25	60.5	0	26919.431	591.3978495	15978.0393	30000	0	0	30000	40.5625	2004
12.02.2020 16:39:07	1	1	1	1	97.25	60.5	0	27298.578	587.0967742	16085.66847	30000	0	0	30000	41.125	2004
12.02.2020 16:39:08	1	1	1	1	97.25	61	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	40.75	2004
12.02.2020 16:39:09	1	1	1	1	97.25	60.75	0	26966.825	593.5483871	16063.65341	30000	0	0	30000	41	2004
12.02.2020 16:39:10	1	1	1	1	97.25	61	0	26966.825	589.2473118	15889.97907	30000	0	0	30000	40.6875	2004
12.02.2020 16:39:11	1	1	1	1	97.5	60.5	0	26824.645	593.5483871	15921.7786	30000	0	0	30000	40.0625	2004
12.02.2020 16:39:12	1	1	1	1	97.5	60	0	27345.972	589.2473118	16054.68431	30000	0	0	30000	41	2004
12.02.2020 16:39:13	1	1	1	1	97.5	61	0	27156.398	584.9462366	15857.36417	30000	0	0	30000	41.0625	2004
12.02.2020 16:39:14	1	1	1	1	97.5	61	0	27061.611	591.3978495	16119.91411	30000	0	0	30000	41.125	2004
12.02.2020 16:39:15	1	1	1	1	97.5	61	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	40.75	2004
12.02.2020 16:39:16	1	1	1	1	97.5	60.75	0	27109.005	589.2473118	15915.25562	30000	0	0	30000	41.0625	2004
12.02.2020 16:39:17	1	1	1	1	97.5	61	0	27061.611	587.0967742	15887.53295	30000	0	0	30000	40.5	2004
12.02.2020 16:39:18	1	1	1	1	97.5	60.5	0	27109.005	593.5483871	16062.02267	30000	0	0	30000	41.0625	2004
12.02.2020 16:39:19	1	1	1	1	97.5	61	0	27109.005	591.3978495	16004.13122	30000	0	0	30000	40.8125	2004
12.02.2020 16:39:20	1	1	1	1	97.5	60.75	0	27298.578	589.2473118	16026.96165	30000	0	0	30000	40.5625	2004
12.02.2020 16:39:22	1	1	1	1	98.5	60.5	0	27109.005	584.9462366	15915.25562	30000	0	0	30000	40.9375	2004
12.02.2020 16:39:23	1	1	1	1	98.5	60.75	0	27298.578	589.2473118	16085.66847	30000	0	0	30000	41.125	2004
12.02.2020 16:39:24	1	1	1	1	98.5	61	0	27156.398	584.9462366	16144.37529	30000	0	0	30000	41.3125	2004
12.02.2020 16:39:25	1	1	1	1	98.5	61.25	0	27440.758	587.0967742	15991.90063	30000	0	0	30000	41.125	2004
12.02.2020 16:39:26	1	1	1	1	98.5	61	0	27109.005	584.9462366	15829.64151	30000	0	0	30000	40.875	2004
12.02.2020 16:39:27	1	1	1	1	98.5	61	0	27582.938	580.6451613	16015.54644	30000	0	0	30000	41	2004
12.02.2020 16:39:28	1	1	1	1	98.5	61	0	27440.758	578.4946237	15933.19381	30000	0	0	30000	41.0625	2004
12.02.2020 16:39:29	1	1	1	1	98.5	61	0	27535.545	580.6451613	16015.54644	30000	0	0	30000	41.125	2004
12.02.2020 16:39:30	1	1	1	1	98.5	61	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	40.8125	2004
12.02.2020 16:39:31	1	1	1	1	99.25	60.75	0	27582.938	584.9462366	16075.06863	30000	0	0	30000	41	2004
12.02.2020 16:39:32	1	1	1	1	99.25	61	0	27582.938	582.7956989	15933.19381	30000	0	0	30000	40.6875	2004
12.02.2020 16:39:33	1	1	1	1	99.25	60.5	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	40.75	2004
12.02.2020 16:39:34	1	1	1	1	99.25	60.75	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	40.9375	2004
12.02.2020 16:39:35	1	1	1	1	99.25	60.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.0625	2004
12.02.2020 16:39:36	1	1	1	1	99.25	61	0	27440.758	580.6451613	15933.19381	30000	0	0	30000	40.9375	2004
12.02.2020 16:39:37	1	1	1	1	99.25	60.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41.1875	2004
12.02.2020 16:39:38	1	1	1	1	99.25	61	0	27345.972	578.4946237	15873.67162	30000	0	0	30000	40.8125	2004
12.02.2020 16:39:39	1	1	1	1	99.25	60.75	0	27630.332	576.344086	15924.22472	30000	0	0	30000	41.25	2004
12.02.2020 16:39:40	1	1	1	1	99.25	61.25	0	27582.938	582.7956989	16102.79129	30000	0	0	30000	41	2004
12.02.2020 16:39:41	1	1	1	1	99	61	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	41	2004
12.02.2020 16:39:42	1	1	1	1	99	61	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	41.0625	2004
12.02.2020 16:39:43	1	1	1	1	99	61	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	41	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 16:39:44	1	1	1	1	99	61	0	27630.332	576.344086	15983.74691	30000	0	0	30000	40.8125	2004
12.02.2020 16:39:45	1	1	1	1	99	60.75	0	27630.332	580.6451613	15983.74691	30000	0	0	30000	41	2004
12.02.2020 16:39:46	1	1	1	1	99	61	0	27867.299	574.1935484	16033.48463	30000	0	0	30000	41.1875	2004
12.02.2020 16:39:47	1	1	1	1	99	61	0	27867.299	576.344086	16088.11459	30000	0	0	30000	41.0625	2004
12.02.2020 16:39:48	1	1	1	1	99	61	0	27914.692	574.1935484	16027.77702	30000	0	0	30000	40.8125	2004
12.02.2020 16:39:49	1	1	1	1	99	60.75	0	27630.332	580.6451613	16102.79129	30000	0	0	30000	40.75	2004
12.02.2020 16:39:50	1	1	1	1	99	60.75	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	41.125	2004
12.02.2020 16:39:51	1	1	1	1	99	61	0	28009.479	574.1935484	16142.74454	30000	0	0	30000	41	2004
12.02.2020 16:39:52	1	1	1	1	99	61	0	28199.052	574.1935484	15841.8721	30000	0	0	30000	41	2004
12.02.2020 16:40:01	1	1	1	1	99	60.5	0	27819.905	572.0430108	15973.96244	30000	0	0	30000	41.0625	2004
12.02.2020 16:40:01	1	1	1	1	99	60.5	0	27819.905	572.0430108	15973.96244	30000	0	0	30000	41.0625	2004
12.02.2020 16:40:01	1	1	1	1	99	60.5	0	27819.905	572.0430108	15973.96244	30000	0	0	30000	41.0625	2004
12.02.2020 16:40:01	1	1	1	1	99	60.5	0	27819.905	572.0430108	15973.96244	30000	0	0	30000	41.0625	2004
12.02.2020 16:40:01	1	1	1	1	99	60.5	0	27819.905	572.0430108	15973.96244	30000	0	0	30000	41.0625	2004
12.02.2020 16:40:01	1	1	1	1	99	60.5	0	27819.905	572.0430108	15973.96244	30000	0	0	30000	41.0625	2004
12.02.2020 16:40:01	1	1	1	1	99	60.5	0	27819.905	572.0430108	15973.96244	30000	0	0	30000	41.0625	2004
12.02.2020 16:40:01	1	1	1	1	99	60.5	0	27819.905	572.0430108	15973.96244	30000	0	0	30000	41.0625	2004
12.02.2020 16:40:01	1	1	1	1	99	60.5	0	27819.905	572.0430108	15973.96244	30000	0	0	30000	41.0625	2004
12.02.2020 16:40:01	1	1	1	1	99	60.5	0	27819.905	572.0430108	15973.96244	30000	0	0	30000	41.0625	2004
12.02.2020 16:40:02	1	1	1	1	99	61	0	27819.905	578.4946237	15983.74691	30000	0	0	30000	40.9375	2004
12.02.2020 16:40:03	1	1	1	1	99	60.75	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	41	2004
12.02.2020 16:40:04	1	1	1	1	99	61	0	27772.512	576.344086	15983.74691	30000	0	0	30000	40.6875	2004
12.02.2020 16:40:05	1	1	1	1	99	60.5	0	27582.938	580.6451613	15956.02424	30000	0	0	30000	40.75	2004
12.02.2020 16:40:06	1	1	1	1	99	61	0	27819.905	576.344086	16033.48463	30000	0	0	30000	41	2004
12.02.2020 16:40:07	1	1	1	1	99	61	0	27630.332	574.1935484	16033.48463	30000	0	0	30000	40.8125	2004
12.02.2020 16:40:08	1	1	1	1	99	60.75	0	27914.692	576.344086	16061.20729	30000	0	0	30000	40.9375	2004
12.02.2020 16:40:09	1	1	1	1	99	60.75	0	27962.085	576.344086	16115.83725	30000	0	0	30000	40.9375	2004
12.02.2020 16:40:10	1	1	1	1	99	60.75	0	27535.545	578.4946237	15956.02424	30000	0	0	30000	40.9375	2004
12.02.2020 16:40:11	1	1	1	1	99	60.75	0	27867.299	565.5913978	16027.77702	30000	0	0	30000	40.375	2004
12.02.2020 16:40:12	1	1	1	1	99	60.25	0	27867.299	574.1935484	15973.96244	30000	0	0	30000	41.1875	2004
12.02.2020 16:40:13	1	1	1	1	99	61	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	41.0625	2004
12.02.2020 16:40:14	1	1	1	1	99	61	0	27630.332	578.4946237	15983.74691	30000	0	0	30000	40.3125	2004
12.02.2020 16:40:15	1	1	1	1	99	60.25	0	27582.938	580.6451613	16015.54644	30000	0	0	30000	40.5625	2004
12.02.2020 16:40:16	1	1	1	1	99	60.5	0	27298.578	580.6451613	15674.72073	30000	0	0	30000	41.125	2004
12.02.2020 16:40:17	1	1	1	1	99	61	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	41	2004
12.02.2020 16:40:18	1	1	1	1	99	61	0	27582.938	578.4946237	15983.74691	30000	0	0	30000	40.6875	2004
12.02.2020 16:40:19	1	1	1	1	99	60.5	0	27630.332	580.6451613	16043.2691	30000	0	0	30000	41	2004
12.02.2020 16:40:20	1	1	1	1	99	61	0	27440.758	580.6451613	15991.90063	30000	0	0	30000	40.4375	2004
12.02.2020 16:40:21	1	1	1	1	99	60.25	0	27440.758	582.7956989	15991.90063	30000	0	0	30000	40.9375	2004
12.02.2020 16:40:22	1	1	1	1	99	60.75	0	27582.938	582.7956989	16162.31348	30000	0	0	30000	41.0625	2004
12.02.2020 16:40:23	1	1	1	1	99	61	0	27440.758	576.344086	15756.25798	30000	0	0	30000	41.1875	2004
12.02.2020 16:40:24	1	1	1	1	99	61	0	27582.938	578.4946237	16075.06863	30000	0	0	30000	40.75	2004
12.02.2020 16:40:25	1	1	1	1	99	60.75	0	27819.905	576.344086	16033.48463	30000	0	0	30000	41	2004
12.02.2020 16:40:26	1	1	1	1	99	61	0	27630.332	569.8924731	15978.85467	30000	0	0	30000	40.875	2004
12.02.2020 16:40:27	1	1	1	1	99	60.75	0	27962.085	574.1935484	15761.15022	30000	0	0	30000	40.8125	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 16:41:12	1	1	1	1	99.25	60.25	0	28009.479	572.0430108	15781.53453	30000	0	0	30000	41	2004
12.02.2020 16:41:13	1	1	1	1	99.25	61	0	28009.479	569.8924731	15841.8721	30000	0	0	30000	41.0625	2004
12.02.2020 16:41:14	1	1	1	1	99.25	61	0	28009.479	565.5913978	15961.73185	30000	0	0	30000	41.0625	2004
12.02.2020 16:41:15	1	1	1	1	99.25	61	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	40.5	2004
12.02.2020 16:41:16	1	1	1	1	99.25	60.5	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	41.125	2004
12.02.2020 16:41:17	1	1	1	1	99.25	61	0	27630.332	563.4408602	15854.10268	30000	0	0	30000	40.8125	2004
12.02.2020 16:41:18	1	1	1	1	99.25	60.75	0	27962.085	569.8924731	15907.91727	30000	0	0	30000	40.3125	2004
12.02.2020 16:41:20	1	1	1	1	99.25	60.25	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	40.875	2004
12.02.2020 16:41:21	1	1	1	1	99.25	60.75	0	27867.299	572.0430108	15941.34754	30000	0	0	30000	41.0625	2004
12.02.2020 16:41:22	1	1	1	1	99.25	61	0	28009.479	576.344086	16142.74454	30000	0	0	30000	41.125	2004
12.02.2020 16:41:23	1	1	1	1	99.25	61	0	27819.905	574.1935484	16000.86973	30000	0	0	30000	40.9375	2004
12.02.2020 16:41:24	1	1	1	1	99.25	60.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.4375	2004
12.02.2020 16:41:25	1	1	1	1	99.25	61.25	0	28009.479	572.0430108	16142.74454	30000	0	0	30000	41.0625	2004
12.02.2020 16:41:26	1	1	1	1	99.25	61	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	40.9375	2004
12.02.2020 16:41:27	1	1	1	1	99.25	60.75	0	27725.118	572.0430108	15745.65814	30000	0	0	30000	41.0625	2004
12.02.2020 16:41:28	1	1	1	1	99.25	61	0	28293.839	572.0430108	16130.51396	30000	0	0	30000	40.8125	2004
12.02.2020 16:41:29	1	1	1	1	99.25	60.75	0	28009.479	576.344086	16082.40698	30000	0	0	30000	40.875	2004
12.02.2020 16:41:30	1	1	1	1	99.25	60.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41	2004
12.02.2020 16:41:31	1	1	1	1	99	61	0	28341.232	567.7419355	16029.40777	30000	0	0	30000	40.875	2004
12.02.2020 16:41:32	1	1	1	1	99	60.75	0	28009.479	565.5913978	15721.19697	30000	0	0	30000	39.6875	2004
12.02.2020 16:41:33	1	1	1	1	99	59.5	0	28436.019	561.2903226	15995.16212	30000	0	0	30000	40.875	2004
12.02.2020 16:41:34	1	1	1	1	99	60.75	0	28341.232	565.5913978	15881.00997	30000	0	0	30000	40.8125	2004
12.02.2020 16:41:35	1	1	1	1	99	60.75	0	28483.412	563.4408602	16109.31427	30000	0	0	30000	41.1875	2004
12.02.2020 16:41:36	1	1	1	1	99	61	0	28341.232	565.5913978	16002.50048	30000	0	0	30000	40.75	2004
12.02.2020 16:41:37	1	1	1	1	99	60.75	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	41.25	2004
12.02.2020 16:41:38	1	1	1	1	99	61.25	0	28199.052	569.8924731	16130.51396	30000	0	0	30000	41	2004
12.02.2020 16:41:39	1	1	1	1	99	61	0	28388.626	563.4408602	16056.31506	30000	0	0	30000	40.875	2004
12.02.2020 16:41:40	1	1	1	1	99	60.75	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	40.9375	2004
12.02.2020 16:41:41	1	1	1	1	98.75	60.75	0	28388.626	565.5913978	16056.31506	30000	0	0	30000	40.875	2004
12.02.2020 16:41:42	1	1	1	1	98.75	60.75	0	28199.052	572.0430108	16009.83883	30000	0	0	30000	40.8125	2004
12.02.2020 16:41:43	1	1	1	1	98.75	60.75	0	28009.479	572.0430108	16070.17639	30000	0	0	30000	41	2004
12.02.2020 16:41:44	1	1	1	1	98.75	61	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	40.625	2004
12.02.2020 16:41:45	1	1	1	1	98.75	60.5	0	28009.479	567.7419355	15961.73185	30000	0	0	30000	40.875	2004
12.02.2020 16:41:46	1	1	1	1	98.75	60.75	0	27819.905	569.8924731	15854.10268	30000	0	0	30000	40.6875	2004
12.02.2020 16:41:47	1	1	1	1	98.75	60.5	0	28009.479	569.8924731	15841.8721	30000	0	0	30000	40.9375	2004
12.02.2020 16:41:48	1	1	1	1	98.75	60.75	0	28293.839	569.8924731	16123.99098	30000	0	0	30000	40.4375	2004
12.02.2020 16:41:49	1	1	1	1	98.75	60.25	0	27962.085	572.0430108	16082.40698	30000	0	0	30000	39.75	2004
12.02.2020 16:41:50	1	1	1	1	98.75	59.75	0	28009.479	563.4408602	15961.73185	30000	0	0	30000	40.9375	2004
12.02.2020 16:41:51	1	1	1	1	98.75	60.75	0	28199.052	569.8924731	16009.83883	30000	0	0	30000	41.1875	2004
12.02.2020 16:41:52	1	1	1	1	98.75	61	0	28009.479	561.2903226	15961.73185	30000	0	0	30000	41.0625	2004
12.02.2020 16:41:53	1	1	1	1	98.75	61	0	28293.839	565.5913978	15948.68589	30000	0	0	30000	41.125	2004
12.02.2020 16:41:55	1	1	1	1	98.75	61	0	28341.232	563.4408602	15907.10189	30000	0	0	30000	41	2004
12.02.2020 16:41:56	1	1	1	1	98.75	61	0	28009.479	565.5913978	16043.2691	30000	0	0	30000	40.9375	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 16:42:04	1	1	1	1	98.25	60.75	0	28293.839	565.5913978	16090.5607	30000	0	0	30000	40.3125	2004
12.02.2020 16:42:04	1	1	1	1	98.25	60.75	0	28293.839	565.5913978	16090.5607	30000	0	0	30000	40.3125	2004
12.02.2020 16:42:04	1	1	1	1	98.25	60.75	0	28293.839	565.5913978	16090.5607	30000	0	0	30000	40.3125	2004
12.02.2020 16:42:04	1	1	1	1	98.25	60.75	0	28293.839	565.5913978	16090.5607	30000	0	0	30000	40.3125	2004
12.02.2020 16:42:04	1	1	1	1	98.25	60.75	0	28293.839	565.5913978	16090.5607	30000	0	0	30000	40.3125	2004
12.02.2020 16:42:04	1	1	1	1	98.25	60.75	0	28293.839	565.5913978	16090.5607	30000	0	0	30000	40.3125	2004
12.02.2020 16:42:04	1	1	1	1	98.25	60.75	0	28293.839	565.5913978	16090.5607	30000	0	0	30000	40.3125	2004
12.02.2020 16:42:04	1	1	1	1	98.25	60.75	0	28293.839	565.5913978	16090.5607	30000	0	0	30000	40.3125	2004
12.02.2020 16:42:05	1	1	1	1	98.25	60.25	0	28388.626	567.7419355	16056.31506	30000	0	0	30000	41	2004
12.02.2020 16:42:06	1	1	1	1	98.25	61	0	28009.479	569.8924731	16130.51396	30000	0	0	30000	40.75	2004
12.02.2020 16:42:07	1	1	1	1	98.25	60.75	0	28293.839	565.5913978	16002.50048	30000	0	0	30000	40.875	2004
12.02.2020 16:42:08	1	1	1	1	98.25	60.75	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	41.125	2004
12.02.2020 16:42:09	1	1	1	1	98.25	61	0	28341.232	567.7419355	15941.34754	30000	0	0	30000	41	2004
12.02.2020 16:42:10	1	1	1	1	98.25	61	0	27867.299	567.7419355	15881.00997	30000	0	0	30000	40.75	2004
12.02.2020 16:42:11	1	1	1	1	98.5	60.75	0	28199.052	559.1397849	15948.68589	30000	0	0	30000	41.0625	2004
12.02.2020 16:42:12	1	1	1	1	98.5	61	0	28009.479	567.7419355	16130.51396	30000	0	0	30000	40.875	2004
12.02.2020 16:42:13	1	1	1	1	98.5	60.75	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	40.625	2004
12.02.2020 16:42:14	1	1	1	1	98.5	60.5	0	28009.479	567.7419355	15902.20966	30000	0	0	30000	40.0625	2004
12.02.2020 16:42:15	1	1	1	1	98.5	60	0	28293.839	563.4408602	15941.34754	30000	0	0	30000	41.0625	2004
12.02.2020 16:42:16	1	1	1	1	98.5	61	0	28483.412	569.8924731	16232.43552	30000	0	0	30000	41	2004
12.02.2020 16:42:17	1	1	1	1	98.5	61	0	28436.019	565.5913978	16083.22235	30000	0	0	30000	41.125	2004
12.02.2020 16:42:18	1	1	1	1	98.5	61	0	28341.232	563.4408602	15941.34754	30000	0	0	30000	41	2004
12.02.2020 16:42:19	1	1	1	1	98.5	61	0	28388.626	563.4408602	16083.22235	30000	0	0	30000	40.9375	2004
12.02.2020 16:42:20	1	1	1	1	98.5	60.75	0	28009.479	569.8924731	15961.73185	30000	0	0	30000	41.0625	2004
12.02.2020 16:42:21	1	1	1	1	98	61	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	41.0625	2004
12.02.2020 16:42:22	1	1	1	1	98	61	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	41.0625	2004
12.02.2020 16:42:23	1	1	1	1	98	61	0	28009.479	569.8924731	16082.40698	30000	0	0	30000	41	2004
12.02.2020 16:42:24	1	1	1	1	98	61	0	28293.839	567.7419355	16002.50048	30000	0	0	30000	40.875	2004
12.02.2020 16:42:25	1	1	1	1	98	60.75	0	28009.479	569.8924731	15902.20966	30000	0	0	30000	40.6875	2004
12.02.2020 16:42:26	1	1	1	1	98	60.5	0	28341.232	569.8924731	16150.89827	30000	0	0	30000	41	2004
12.02.2020 16:42:27	1	1	1	1	98	61	0	28009.479	572.0430108	16082.40698	30000	0	0	30000	40.5625	2004
12.02.2020 16:42:28	1	1	1	1	98	60.5	0	28246.445	567.7419355	16123.99098	30000	0	0	30000	41.0625	2004
12.02.2020 16:42:29	1	1	1	1	98	61	0	28293.839	567.7419355	15888.34833	30000	0	0	30000	40.625	2004
12.02.2020 16:42:30	1	1	1	1	98	60.5	0	28009.479	561.2903226	16009.83883	30000	0	0	30000	40.8125	2004
12.02.2020 16:42:31	1	1	1	1	98	60.75	0	28009.479	574.1935484	16082.40698	30000	0	0	30000	41	2004
12.02.2020 16:42:32	1	1	1	1	98	61	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	40.625	2004
12.02.2020 16:42:34	1	1	1	1	98	60.5	0	28388.626	563.4408602	16083.22235	30000	0	0	30000	41	2004
12.02.2020 16:42:35	1	1	1	1	98	61	0	28199.052	569.8924731	15961.73185	30000	0	0	30000	41	2004
12.02.2020 16:42:36	1	1	1	1	98	61	0	28293.839	567.7419355	16150.89827	30000	0	0	30000	40.875	2004
12.02.2020 16:42:37	1	1	1	1	98	60.75	0	28009.479	565.5913978	16489.27785	30000	0	0	30000	41.375	2004
12.02.2020 16:42:38	1	1	1	1	98	61.25	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	40.4375	2004
12.02.2020 16:42:39	1	1	1	1	98	60.25	0	28293.839	565.5913978	16002.50048	30000	0	0	30000	40.9375	2004
12.02.2020 16:42:40	1	1	1	1	98	61	0	28009.479	569.8924731	15841.8721	30000	0	0	30000	40.875	2004



	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 16:42:41	1	1	1	1	98.25	60.75	0	28388.626	572.0430108	16002.50048	30000	0	0	30000	40.8125	2004
12.02.2020 16:42:42	1	1	1	1	98.25	60.75	0	28436.019	563.4408602	16056.31506	30000	0	0	30000	40.75	2004
12.02.2020 16:42:43	1	1	1	1	98.25	60.75	0	28293.839	565.5913978	15948.68589	30000	0	0	30000	41	2004
12.02.2020 16:42:44	1	1	1	1	98.25	61	0	28293.839	563.4408602	16002.50048	30000	0	0	30000	40.8125	2004
12.02.2020 16:42:45	1	1	1	1	98.25	60.75	0	28009.479	572.0430108	16022.06942	30000	0	0	30000	40.9375	2004
12.02.2020 16:42:46	1	1	1	1	98.25	60.75	0	28009.479	567.7419355	16009.83883	30000	0	0	30000	41.0625	2004
12.02.2020 16:42:47	1	1	1	1	98.25	61	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	41.0625	2004
12.02.2020 16:42:48	1	1	1	1	98.25	61	0	28388.626	565.5913978	16029.40777	30000	0	0	30000	40.75	2004
12.02.2020 16:42:49	1	1	1	1	98.25	60.75	0	28341.232	563.4408602	16029.40777	30000	0	0	30000	40.9375	2004
12.02.2020 16:42:50	1	1	1	1	98.25	60.75	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	40.8125	2004
12.02.2020 16:42:51	1	1	1	1	98.25	60.75	0	28341.232	565.5913978	16029.40777	30000	0	0	30000	40.875	2004
12.02.2020 16:42:52	1	1	1	1	98.25	60.75	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	40.9375	2004
12.02.2020 16:42:53	1	1	1	1	98.25	60.75	0	28199.052	569.8924731	16070.17639	30000	0	0	30000	40.5625	2004
12.02.2020 16:42:54	1	1	1	1	98.25	60.5	0	28483.412	565.5913978	16048.16134	30000	0	0	30000	40.5625	2004
12.02.2020 16:42:55	1	1	1	1	98.25	60.5	0	28293.839	569.8924731	16123.99098	30000	0	0	30000	41.125	2004
12.02.2020 16:42:56	1	1	1	1	98.25	61	0	28483.412	563.4408602	16048.16134	30000	0	0	30000	40.4375	2004
12.02.2020 16:42:57	1	1	1	1	98.25	60.25	0	28009.479	565.5913978	15841.8721	30000	0	0	30000	41	2004
12.02.2020 16:43:06	1	1	1	1	98.25	61	0	28388.626	565.5913978	15907.10189	30000	0	0	30000	40.8125	2004
12.02.2020 16:43:06	1	1	1	1	98.25	61	0	28388.626	565.5913978	15907.10189	30000	0	0	30000	40.8125	2004
12.02.2020 16:43:06	1	1	1	1	98.25	61	0	28388.626	565.5913978	15907.10189	30000	0	0	30000	40.8125	2004
12.02.2020 16:43:06	1	1	1	1	98.25	61	0	28388.626	565.5913978	15907.10189	30000	0	0	30000	40.8125	2004
12.02.2020 16:43:06	1	1	1	1	98.25	61	0	28388.626	565.5913978	15907.10189	30000	0	0	30000	40.8125	2004
12.02.2020 16:43:06	1	1	1	1	98.25	61	0	28388.626	565.5913978	15907.10189	30000	0	0	30000	40.8125	2004
12.02.2020 16:43:06	1	1	1	1	98.25	61	0	28388.626	565.5913978	15907.10189	30000	0	0	30000	40.8125	2004
12.02.2020 16:43:06	1	1	1	1	98.25	60.75	0	28293.839	563.4408602	15941.34754	30000	0	0	30000	40.9375	2004
12.02.2020 16:43:07	1	1	1	1	98.25	60.75	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	40.875	2004
12.02.2020 16:43:08	1	1	1	1	98.25	60.75	0	28341.232	565.5913978	16002.50048	30000	0	0	30000	40.875	2004
12.02.2020 16:43:09	1	1	1	1	98.25	60.75	0	28009.479	567.7419355	15841.8721	30000	0	0	30000	40.75	2004
12.02.2020 16:43:10	1	1	1	1	98.25	60.75	0	28483.412	561.2903226	16286.2501	30000	0	0	30000	40.5	2004
12.02.2020 16:43:12	1	1	1	1	98	60.5	0	28388.626	563.4408602	15934.00919	30000	0	0	30000	40.9375	2004
12.02.2020 16:43:13	1	1	1	1	98	60.75	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	40.9375	2004
12.02.2020 16:43:14	1	1	1	1	98	60.75	0	28341.232	563.4408602	15907.10189	30000	0	0	30000	40.5625	2004
12.02.2020 16:43:15	1	1	1	1	98	60.5	0	28530.806	559.1397849	16040.00761	30000	0	0	30000	40.8125	2004
12.02.2020 16:43:16	1	1	1	1	98	60.75	0	28009.479	561.2903226	15841.8721	30000	0	0	30000	41.4375	2004
12.02.2020 16:43:17	1	1	1	1	98	61.25	0	28436.019	563.4408602	16022.06942	30000	0	0	30000	41.1875	2004
12.02.2020 16:43:18	1	1	1	1	98	61	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	41.125	2004
12.02.2020 16:43:19	1	1	1	1	98	61	0	28293.839	561.2903226	15968.25483	30000	0	0	30000	41.0625	2004
12.02.2020 16:43:20	1	1	1	1	98	61	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	40.75	2004
12.02.2020 16:43:21	1	1	1	1	98	60.75	0	28293.839	567.7419355	16002.50048	30000	0	0	30000	40.3125	2004
12.02.2020 16:43:22	1	1	1	1	98	60.25	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	41.125	2004
12.02.2020 16:43:23	1	1	1	1	98	61	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	40.5	2004
12.02.2020 16:43:24	1	1	1	1	98	60.5	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	40.5625	2004

	Modbus	onoff	REED	TC_Connect	T_Gas	T_onoff	Timer_hyst	hv_u	hv_i	hv_p	hv_u_max_soft	error	trouble	u_max_set	t_box	vers
	[On / Off]	[On / Off]	[On / Off]	[On / Off]	[°C]	[°C]	[s]	[V]	[u]	[mW]	[V]			[V]	[°C]	
12.02.2020 16:43:25	1	1	1	1	98	60.5	0	28009.479	569.8924731	16070.17639	30000	0	0	30000	41	2004
12.02.2020 16:43:26	1	1	1	1	98	61	0	28009.479	572.0430108	15961.73185	30000	0	0	30000	41.0625	2004
12.02.2020 16:43:27	1	1	1	1	98	61	0	28293.839	567.7419355	16150.89827	30000	0	0	30000	40.25	2004
12.02.2020 16:43:28	1	1	1	1	98	60.25	0	28293.839	569.8924731	16123.99098	30000	0	0	30000	40.75	2004
12.02.2020 16:43:29	1	1	1	1	98	60.75	0	28009.479	567.7419355	15841.8721	30000	0	0	30000	41	2004
12.02.2020 16:43:30	1	1	1	1	98	61	0	28246.445	567.7419355	15948.68589	30000	0	0	30000	41.0625	2004
12.02.2020 16:43:31	1	1	1	1	97.75	61	0	27867.299	569.8924731	15881.00997	30000	0	0	30000	40.875	2004
12.02.2020 16:43:32	1	1	1	1	97.75	60.75	0	28436.019	561.2903226	15960.91648	30000	0	0	30000	40.875	2004
12.02.2020 16:43:33	1	1	1	1	97.75	60.75	0	28436.019	563.4408602	16083.22235	30000	0	0	30000	40.75	2004
12.02.2020 16:43:34	1	1	1	1	97.75	60.75	0	28341.232	565.5913978	16029.40777	30000	0	0	30000	40.75	2004
12.02.2020 16:43:35	1	1	1	1	97.75	60.75	0	28199.052	572.0430108	16245.48148	30000	0	0	30000	41.0625	2004
12.02.2020 16:43:36	1	1	1	1	97.75	61	0	28388.626	565.5913978	16056.31506	30000	0	0	30000	40.5	2004
12.02.2020 16:43:37	1	1	1	1	97.75	60.5	0	28530.806	561.2903226	16040.00761	30000	0	0	30000	41	2004
12.02.2020 16:43:38	1	1	1	1	97.75	61	0	28436.019	561.2903226	15934.00919	30000	0	0	30000	40.9375	2004
12.02.2020 16:43:39	1	1	1	1	97.75	60.75	0	27914.692	567.7419355	15907.91727	30000	0	0	30000	41.0625	2004
12.02.2020 16:43:40	1	1	1	1	97.75	61	0	28293.839	569.8924731	16123.99098	30000	0	0	30000	39.9375	2004
12.02.2020 16:43:41	1	1	1	1	97.5	59.75	0	28009.479	567.7419355	16130.51396	30000	0	0	30000	40.5	2004
12.02.2020 16:43:42	1	1	1	1	97.5	60.5	0	28293.839	572.0430108	16009.83883	30000	0	0	30000	40.75	2004
12.02.2020 16:43:43	1	1	1	1	97.5	60.75	0	28293.839	561.2903226	15888.34833	30000	0	0	30000	40.875	2004
12.02.2020 16:43:44	1	1	1	1	97.5	60.75	0	28436.019	561.2903226	15934.00919	30000	0	0	30000	40.9375	2004
12.02.2020 16:43:45	1	1	1	1	97.5	60.75	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	40.8125	2004
12.02.2020 16:43:46	1	1	1	1	97.5	60.75	0	28293.839	567.7419355	15948.68589	30000	0	0	30000	40.875	2004
12.02.2020 16:43:47	1	1	1	1	97.5	60.75	0	28199.052	567.7419355	15948.68589	30000	0	0	30000	40.9375	2004
12.02.2020 16:43:48	1	1	1	1	97.5	60.75	0	28199.052	561.2903226	16009.83883	30000	0	0	30000	40.6875	2004
12.02.2020 16:43:50	1	1	1	1	97.5	60.5	0	28199.052	567.7419355	16009.83883	30000	0	0	30000	40.125	2004
12.02.2020 16:43:51	1	1	1	1	97.5	60	0	28293.839	567.7419355	16009.83883	30000	0	0	30000	40.9375	2004
12.02.2020 16:43:52	1	1	1	1	97.75	60.75	0	28199.052	565.5913978	15948.68589	30000	0	0	30000	41	2004
12.02.2020 16:43:53	1	1	1	1	97.75	61	0	28341.232	563.4408602	15995.16212	30000	0	0	30000	40.9375	2004
12.02.2020 16:43:54	1	1	1	1	97.75	60.75	0	28625.592	565.5913978	16190.03615	30000	0	0	30000	41.4375	2004
12.02.2020 16:43:55	1	1	1	1	97.75	61.25	0	28199.052	563.4408602	15888.34833	30000	0	0	30000	41.125	2004
12.02.2020 16:43:56	1	1	1	1	97.75	61	0	28293.839	567.7419355	16029.40777	30000	0	0	30000	41.125	2004
12.02.2020 16:43:57	1	1	1	1	97.75	60	0	28199.052	567.7419355	16070.17639	30000	0	0	30000	40.75	2004
12.02.2020 16:43:58	1	1	1	1	97.75	60.75	0	28388.626	563.4408602	16056.31506	30000	0	0	30000	41	2004
12.02.2020 16:43:59	1	1	1	1	97.75	61	0	28483.412	563.4408602	16022.06942	30000	0	0	30000	40.75	2004
12.02.2020 16:44:07	1	1	1	1	97.5	60.75	0	28199.052	572.0430108	16191.66689	30000	0	0	30000	40.8125	2004
12.02.2020 16:44:07	1	1	1	1	97.5	60.75	0	28199.052	572.0430108	16191.66689	30000	0	0	30000	40.8125	2004
12.02.2020 16:44:07	1	1	1	1	97.5	60.75	0	28199.052	572.0430108	16191.66689	30000	0	0	30000	40.8125	2004
12.02.2020 16:44:07	1	1	1	1	97.5	60.75	0	28199.052	572.0430108	16191.66689	30000	0	0	30000	40.8125	2004
12.02.2020 16:44:07	1	1	1	1	97.5	60.75	0	28199.052	572.0430108	16191.66689	30000	0	0	30000	40.8125	2004
12.02.2020 16:44:07	1	1	1	1	97.5	60.75	0	28199.052	572.0430108	16191.66689	30000	0	0	30000	40.8125	2004
12.02.2020 21:12:22	1	1	1	1	89.5	54.75	0	23744.076	378.4946237	8951.159188	30000	0	0	30000	35.0625	2004